Length of Stay in PAS Hospitals

by Diagnosis,

United States, 1979

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
OCTOBER 1980

LENGTH OF STAY IN PAS HOSPITALS

Copyright © 1980 by Commission on Professional and Hospital Activities, Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the series entitled
"Length of Stay in PAS Hospitals". . .

Volumes include:

. . . by Diagnosis, United States, 1979
. . . by Diagnosis, United States, North Central Region, 1979
. . . by Diagnosis, United States, Northeastern Region, 1979
. . . by Diagnosis, United States, Southern Region, 1979
. . . by Diagnosis, United States, Western Region, 1979
. . . by Diagnosis, Canada, 1979

. . . by Operation, United States, 1979
. . . by Operation, United States, North Central Region, 1979
. . . by Operation, United States, Northeastern Region, 1979
. . . by Operation, United States, Southern Region, 1979
. . . by Operation, United States, Western Region, 1979
. . . by Operation, Canada, 1979

Also included are:

Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979
Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities. Also for selected years there are length of stay books for particular regional groups of hospitals, for pediatric patients, and for geriatric patients.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1979 in North America. Twelve volumes describe stays for either diagnoses or operations in the United States, in each of the four U.S. census regions, or in Canada. The thirteenth and fourteenth volumes display data on both diagnoses and operations for pediatric and for geriatric patients in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities.

These statistics, which are also available on computer readable magnetic tape, can provide a valuable perspective for physicians, administrators, PSROs, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" (PSRO) and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1979 LENGTH OF STAY BOOKS

Walt Wood, Manager, Research and Statistics
Ed Kobrinski, Assistant Manager
Ann Matteson, Project Coordinator

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data 1
  Data Quality 3
  Coverage 4
  Organization of Length of Stay Tables 7
    ICD-9-CM List A: Hospital Diagnosis Groups 7
    Definition of Multiple Dx Patients 7
    Definition of Operated Patients 8
  Explanation of Statistics 8
  Exclusions 9
  Defining the Extended Stay Case 10
Length of Stay Tables 21
  Summary of All Patients 22
  Summary of All Patients Except Newborn 23
  Diagnosis Groups 1-398 24
Distribution Tables 223
  Table 1: Distribution of U.S. Patients and Days of Care
    by *ICD-9-CM* List A Hospital Diagnosis Groups 225
  Table 2: Ranking of *ICD-9-CM* List A Diagnosis Groups
    by Live Discharges 244
  Table 3: Ranking of *ICD-9-CM* List A Diagnosis Groups
    by Days of Care 268
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 293
Index to Length of Stay Tables 297

DISCUSSION OF THE DATA

Source of the Data

Data in this book were compiled from individual patient discharge abstracts submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain, and Figure 1 diagrams, the PAS method of storing and retrieving medical data.


PAS
HOSPITAL
CPHA
DATA CENTER
HOSPITAL
CLINICAL RECORD
CASE
ABSTRACT
DATA
TAPE
COMPUTER
DATA FILE
ITS OWN
OVERALL
STATISTICS
MORE DETAILED
STATISTICS
LISTINGS
MULTIHOSPITAL
STUDIES
INTERHOSPITAL
COMPARISONS
REGIONAL
DATA

FIG. 1. Schematic diagram of the PAS medical record information system.

1. In each participating hospital, medical record personnel transfer information from the record of each discharged patient onto a PAS Case Abstract (Figure 2). The data may also be put onto a data tape at the hospital.
2. The abstract or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it serves as input to the computer system.
3. Data then undergo a comprehensive "cleaning" process and detected errors are corrected by contributing hospitals.
4. The computer system produces sets of reports which give comprehensive statistics on discharged patients plus listings of individual case abstracts in various sequences.
5. The computer system continually adds to a permanent history data file.
6. Length of stay statistics from this file are annually published in this series of length of stay books. The stored data are also available to researchers on a contractual basis.


PAS
1979 CASE ABSTRACT
1234567890EV
SAMPLE
79
PAS
79

FIG. 2 PAS Case Abstract

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its role as an extension of the hospital's medical record department.

Quality control of PAS data begins before a new hospital submits its first case abstract and continues as an ongoing system involving personal monitoring, computer checks, and education programs. In spite of these efforts, errors do occur. There are three ways errors can be introduced into PAS data: 1) the basic patient medical record can be incomplete or in error, 2) errors can be made in abstracting information from the medical record to the PAS Case Abstract, and 3) errors can be introduced during processing.

Although CPHA has indirect influence over the quality of the medical record through education and through feedback from use of PAS reports within the hospital, basic responsibility for the accuracy of the medical record rests with the physician and others in the hospital contributing to it. Clearly, the abstractor cannot add to the medical record. Errors or omissions made in it will be carried forward to the PAS Case Abstract.

CPHA goes to considerable lengths to prevent and correct errors in abstracting by training PAS hospital medical record personnel in coding and abstracting methods, by monitoring their work, and by judiciously checking and editing patient data for errors. During processing, over 350 computer checks* are performed on each abstract to check the reasonableness of the data received. When illogical, invalid, or missing data are detected, an error message is printed and the hospital is notified, often by phone. About 40% of the errors detected in the computer audit can be and are corrected at CPHA; the remainder must be handled by the hospitals because only they have the information necessary to make the corrections. Hospitals make such corrections on a voluntary basis.

---

*The following are examples of discrepancies and inconsistencies in the data that are detected by the computer audit: hospital day of operative episode exceeding total stay, cesarean sections with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded. Examples of invalid data detected by the computer are diagnosis and operation codes that do not exist in the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Coverage

The length of stay tables in this book display stay distributions for 11,838,779 patients discharged during 1979 from 1,663 nonfederal, short-term* U.S. hospitals participating in PAS. PAS hospitals in United States territories and Puerto Rico were excluded from this publication as were short-term psychiatric hospitals participating in PAS. Patients studied were selected from a total of 12,602,533 discharges.

Characteristics of all hospitals in the United States that participated in PAS during 1979 are shown in Tables A and B. Some of these hospitals did not participate for the entire 12-month period. In addition, because of the unavailability of data at the time of processing, data for some of these PAS hospitals are not included in the length of stay tables.

States included in the various census regions and divisions are shown in Figure 3.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

FIG. 3. Census Divisions and Regions in the United States

---

*Short-term hospitals are defined as those in which the median stay is shorter than 30 days.

Table A

Bed Size, Region, and Census Division: PAS Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
ALL U.S.						
Bed Size						
1. Less than 25 beds	305	27	8.9%	5,761	528	9.2%
2. 25-49	1,154	158	13.7	41,776	6,129	14.7
3. 50-99	1,459	345	23.6	105,411	25.666	24.3
4. 100-199	1,412	470	33.3	198,519	67,395	33.9
5. 200-299	716	301	42.0	174,636	73,904	42.3
6. 300-399	382	179	46.9	131,296	61,207	46.6
7. 400-499	244	102	41.8	107,790	45,171	41.9
8. 500 or more	311	115	37.0	212,247	77,156	36.4
Total	5,983	1,697	28.4%	977,436	357,156	36.5%
Region and Census Division						
Northeast	941	260	27.6%	221,260	73,590	33.3%
New England	276	88	31.9	51,658	20,198	39.1
Middle Atlantic	665	172	25.9	169,602	53,392	31.5
North Central	1,744	652	37.4	292,394	141,077	48.2
East North Central	935	499	53.4	193,639	110,157	56.9
West North Central	809	153	18.9	98,755	30,920	31.3
South	2,171	451	20.8	316,264	91,344	28.9
South Atlantic	823	292	35.5	149,347	57,261	38.3
East South Central	488	50	10.2	67,691	12,984	19.2
West South Central	860	109	12.7	99,226	21,099	21.3
West	1,127	334	29.6	147,518	51,175	34.7
Mountain	365	107	29.3	38,709	17,459	45.1
Pacific	762	227	29.8	108,809	33,716	31.0
Grand Total	5,983	1,697	28.4%	977,436	357,186	36.5%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Table B

Teaching Type, Region, and Census Division: PAS Hospitals Compared with all Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

Region and Census Division (1)	Hospitals with Residencies Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Hospitals with Medical School Affiliation Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
Northeast	306	114	37.3%	228	87	38.2%
New England	69	31	44.9	58	29	50.0
Middle Atlantic	237	83	35.0	170	58	34.1
North Central	298	152	51.0	218	109	50.0
East North Central	205	116	56.6	140	75	53.6
West North Central	93	36	38.7	78	34	43.6
South	265	76	28.7	211	62	29.4
South Atlantic	127	44	34.6	104	38	36.5
East South Central	57	14	24.6	47	12	25.5
West South Central	81	18	22.2	60	12	20.0
West	140	47	33.6	116	38	32.8
Mountain	38	16	42.1	30	11	36.7
Pacific	102	31	30.4	86	27	31.4
Grand Total	1,009	389	38.6%	773	296	38.3%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Organization of Length of Stay Tables

The length of stay tables in the body of this book are organized according to the diagnosis groupings in *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, age, and operation status. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight as a means of stratifying patients.

ICD-9-CM List A: Hospital Diagnosis Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List A: Hospital Diagnosis Groups* has been replaced by *ICD-9-CM List A: Hospital Diagnosis Groups,* which reflects the diagnoses contained in the new classification.

Patients were assigned to *ICD-9-CM* List A groups on the basis of their final diagnosis explaining admission (UHDDS "principal diagnosis"). This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patients discharged from PAS hospitals during 1979 was coded using *ICD-9-CM.*

Definition of Multiple Dx Patients

A patient is classified in the multiple dx category if he had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] ***ICD-9-CM List A: Hospital Diagnosis Groups*** **is based on the** ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),*** **Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.**

Definition of Operated Patients

In 1979 PAS hospitals used *ICD-9-CM* to code procedures. An operated patient is a patient who had at least one UHDDS[2] Class 1 procedure. A patient with only Class 2-4 procedures is considered nonoperated.

Explanation of Statistics

The diagnosis group titles heading the tables are followed in parentheses by the diagnosis codes they include. These codes refer to *ICD-9-CM.*

Length of stay is calculated from admission and discharge dates entered on the PAS Case Abstract, counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance, but as staying less than one day in the calculation of the percentiles. Thus, if more than 5% of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in column 2, "Number of Patients"; column 3, "Average Stay"; or column 4, "Variance." The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

---

[2] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are shown. If, for example, the 10th percentile for a group of patients is four days, it means that ten percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

The value of a percentile for a group of patients is determined by arranging the individual patients' stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The tables displaying data for newborns (groups 393-395) use weight rather than age to stratify the patients. The weight is given in grams (G).

Exclusions

The length of stay tables exclude :

(1) patients who died
(2) patients admitted from other short-term hospitals
(3) patients discharged to other short-term hospitals
(4) patients discharged against medical advice
(5) patients with length of stay greater than 99 days (these patients are included only in the percentile calculations).

These patients are excluded because they are not typical short-term patients (i.e., their stays are not "manageable" by the physician).

Other exclusions include stillborn, patients with incalculable age or stay, illegal or unrecorded principal diagnosis, unrecorded discharge status, and patients with diagnosis-age or diagnosis-sex inconsistencies. Also excluded are newborn with illegal or unrecorded birthweights.

Defining the Extended Stay[1] Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the PSRO is called extended stay review. This review, whether applied universally to all patients within the facility or "focused" on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in reasonably current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, the age of a patient, whether the patient had single or multiple diagnoses, and whether that patient had an operation. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based upon the diagnosis.

---

[1] Medicare regulations formerly referred to "extended duration," PSRO guidelines refer to "continued stay."

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the regional length of stay books published by the Commission on Professional and Hospital Activities.[2] With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[3]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[4] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group (in the CPHA length of stay books) for each diagnosis is given in column 4.

b. Diagnoses not in *Concurrent Review Screening* can usually be found in the alphabetic index at the back of the length of stay books.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[5] That code can then be located in List A or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

---

[2] *Length of Stay in PAS Hospitals, by Diagnosis,* Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., North Central Region, 1979
U.S., Southern Region, 1979
U.S., Northeastern Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

Length of Stay in PAS Hospitals, by Operation, Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., North Central Region, 1979
U.S., Southern Region, 1979
U.S., Northeastern Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

[3] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[4] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[5] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Volume 2, Diseases: Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table. There are two tables per page for diagnosis groups in the length of stay books.

Step 3. Find the appropriate part of the table for number of diagnoses (single or multiple).

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses, two or more operations with widely different lengths of stay are commonly performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate *operation* length of stay table.

Step 5. Find the correct age group. The five age groupings presented are 0-19 years, 20-34 years, 35-49 years, 50-64 years, and 65 years and over.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line which includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November, a 47-year-old patient is admitted to a United States hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g. *a. acute myocardial infarction* *b. dissecting aortic aneurysm* *c. acute pericarditis*			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The alphabetic index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

124

Step 2. Find the table for group 215 of *Length of Stay in PAS Hospitals, by Diagnosis, United States, 1979*.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	233	3.7	8	1	1	3	4	7	8	14
20-34	1834	3.4	6	1	1	3	4	6	8	12
35-49	1606	3.7	7	1	1	3	5	7	8	13
50-64	1816	4.3	14	1	1	4	5	8	10	15
65+	1603	5.6	15	1	2	5	7	10	12	18
B. *Operated*										
0-19 YRS	1419	7.6	13	4	5	7	9	11	13	20
20-34	15407	7.7	11	5	5	7	9	11	13	18
35-49	13973	8.2	12	5	5	7	9	12	14	20
50-64	14342	8.8	12	5	6	8	10	13	16	21
65+	7494	10.8	26	6	6	9	13	17	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	4.2	8	1	1	3	5	8	10	14
20-34	1520	4.5	10	1	1	4	6	8	10	16
35-49	2000	5.4	20	1	2	4	7	10	12	22
50-64	4049	5.9	20	2	2	5	7	11	13	22
65+	7636	7.7	33	2	3	6	9	14	18	28
B. *Operated*										
0-19 YRS	702	9.7	29	4	5	9	11	15	19	29
20-34	9582	9.5	24	5	6	8	11	15	18	27
35-49	11814	10.2	29	5	6	9	12	16	20	30
50-64	18554	11.7	43	6	6	10	14	19	23	36
65+	18734	15.2	77	6	7	13	18	25	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7092	4.2	11	1	1	3	5	8	10	15
B. *Operated*	52635	8.6	15	5	5	8	10	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	15350	6.6	27	2	2	5	8	12	15	25
B. *Operated*	59386	12.1	53	5	6	10	14	20	25	40
1. SINGLE DX	59727	8.1	16	3	4	7	9	13	15	22
2. MULTIPLE DX	74736	11.0	52	3	5	9	13	19	24	38
A. NOT OPERATED	22442	5.8	23	1	2	5	7	11	14	24
B. OPERATED	112021	10.5	38	5	6	9	12	17	21	34
TOTAL 0-19 YRS	2499	7.6	20	2	3	7	9	12	14	23
20-34	28343	7.8	18	3	4	7	9	12	15	22
35-49	29393	8.5	22	3	5	8	10	14	17	25
50-64	38761	9.7	33	3	5	8	11	16	20	31
65+	35467	12.2	66	3	5	10	15	22	27	43
GRAND TOTAL	**134463**	**9.7**	**38**	**3**	**5**	**8**	**11**	**16**	**21**	**33**

Step 3. There are no secondary diagnoses recorded, so one needs to be concerned only with the top ten lines of the table (Section 1).



1,663 PAS Hospitals, United States, January–December 1979

216: Gallbladder disease without mention of calculus (575)

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)
1. SINGLE DX							
A. *Not Operated*							
0-19 YRS	233	3.7	8	1	1	3	4
20-34	1834	3.4	6	1	1	3	4
35-49	1606	3.7	7	1	1	3	5
50-64	1816	4.3	14	1	1	4	5
65+	1603	5.6	15	1	2	5	7
B. *Operated*							
0-19 YRS	1419	7.6	13	4	5	7	9
20-34	15407	7.7	11	5	5	7	
35-49	13973	8.2	12	5	5	7	
50-64	14342	8.8	12	5	6	8	
65+	7494	10.8	26	6	6		

Step 4. Since surgery is scheduled, one is restricted to the second five lines of the table (Section 1.B.).



1,663 PAS Hospitals, United States, January–December 1979

216: Gallbladder disease without mention of calculus (575)

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)
1. SINGLE DX							
A. *Not Operated*							
0-19 YRS	233	3.7	8	1	1	3	4
20-34	1834	3.4	6	1	1	3	4
35-49	1606	3.7	7	1	1	3	5
50-64	1816	4.3	14	1	1	4	5
65+	1603	5.6	15	1	2	5	7
B. *Operated*							
0-19 YRS	1419	7.6	13	4	5	7	9
20-34	15407	7.7	11	5	5	7	
35-49	13973	8.2	12	5	5	7	
50-64	14342	8.8	12	5	6	8	
65+	7494	10.8	26	6	6		

Step 5. The patient is 47 years old and therefore falls in the age group 35-49.



1,663 PAS Hospitals, United States, January–December 1979

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)
1. SINGLE DX							
A. *Not Operated*							
0-19 YRS	233	3.7	8	1	1	3	4
20-34	1834	3.4	6	1	1	3	4
35-49	1606	3.7	7	1	1	3	5
50-64	1816	4.3	14	1	1	4	5
65+	1603	5.6	15	1	2	5	7
B. *Operated*							
0-19 YRS	1419	7.6	13	4	5	7	9
20-34	15407	7.7	11	5	5	7	
35-49	13973	8.2	12	5	5	7	
50-64	14342	8.8	12	5	6	8	
65+	7494	10.8	26	6	6		
	145	4.2					

216: Gallbladder disease without mention of calculus (575)

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



1,663 PAS Hospitals, United States, January–December 1979

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)
1. SINGLE DX							
A. *Not Operated*							
0-19 YRS	233	3.7	8	1	1	3	4
20-34	1834	3.4	6	1	1	3	4
35-49	1606	3.7	7	1	1	3	5
50-64	1816	4.3	14	1	1	4	5
65+	1603	5.6	15	1	2	5	7
B. *Operated*							
0-19 YRS	1419	7.6	13	4	5	7	9
20-34	15407	7.7	11	5	5	7	
35-49	13973	8.2	12	5	5	7	
50-64	14342	8.8	12	5	6		
65+	7494	10.8	26	6	6		
	145	4.2					

216: Gallbladder disease without mention of calculus (575)

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the committee or groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile (as suggested in the *PSRO Program Manual*, paragraph 705.26).

Subsequent extended stay review dates should be set by the physician advisor or the peer review (utilization review) committee as necessary, based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

A: Summary of all patients in diagnosis groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1249888	3.6	12	1	1	3	4	6	7	15
20-34	730867	4.2	26	1	1	3	4	7	11	28
35-49	272667	6.1	42	1	1	4	7	13	18	32
50-64	234916	6.8	45	1	2	5	8	14	19	34
55+	205724	7.7	55	1	2	6	10	15	21	39
B. *Operated*										
0-19 YRS	531369	3.2	14	<1	1	2	4	6	8	18
20-34	926782	3.9	14	1	1	3	5	7	9	18
35-49	421570	5.2	27	1	1	4	7	11	14	25
50-64	387770	6.4	39	1	2	4	8	13	18	30
65+	320332	7.9	62	1	2	5	10	17	22	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	714479	5.0	32	1	2	4	6	9	13	31
20-34	458149	6.1	44	1	1	4	7	12	18	35
35-49	454400	7.4	48	1	2	5	9	15	20	35
50-64	744430	8.3	54	2	2	6	10	16	21	38
65+	1273807	10.0	75	2	3	8	13	20	26	47
B. *Operated*										
0-19 YRS	315348	5.2	63	1	1	3	5	11	17	49
20-34	751120	5.9	43	1	2	4	7	11	15	36
35-49	523483	7.8	64	1	2	6	9	15	22	44
50-64	605295	10.2	105	2	2	7	13	22	30	57
65+	716383	13.6	150	2	3	10	18	28	38	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2694062	4.6	27	1	1	3	5	9	13	27
B. *Operated*	2587823	4.8	28	1	1	3	6	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	3645265	7.9	59	1	2	6	10	16	22	40
B. *Operated*	2911629	8.9	98	1	2	6	11	20	28	55
1. SINGLE DX	5281885	4.7	27	1	1	3	5	9	14	27
2. MULTIPLE DX	6556894	8.4	76	1	2	6	10	18	24	47
A. NOT OPERATED	6339327	6.5	48	1	2	4	8	14	19	36
B. OPERATED	5499452	7.0	69	1	1	4	8	16	22	45
TOTAL 0-19 YRS	2811084	4.0	24	1	1	3	4	7	10	25
20-34	2866918	4.8	30	1	1	3	6	9	13	29
35-49	1672120	6.7	48	1	2	5	8	14	19	35
50-64	1972411	8.3	68	1	2	6	11	17	23	43
65+	2516246	10.6	97	2	2	8	14	22	29	54
GRAND TOTAL	**11838779**	**6.7**	**58**	**1**	**2**	**4**	**8**	**14**	**20**	**40**

B: Summary of all patients in diagnosis groups except newborn

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	497991	4.0	25	1	1	3	4	7	10	26
20-34	730867	4.2	26	1	1	3	4	7	11	28
35-49	272667	6.1	42	1	1	4	7	13	18	32
50-64	234916	6.8	45	1	2	5	8	14	19	34
65+	205724	7.7	55	1	2	6	10	15	21	39
B. *Operated*										
0-19 YRS	530793	3.2	14	<1	1	2	4	6	8	18
20-34	926782	3.9	14	1	1	3	5	7	9	18
35-49	421570	5.2	27	1	1	4	7	11	14	25
50-64	387770	6.4	39	1	2	4	8	13	18	30
65+	320332	7.9	62	1	2	5	10	17	22	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	397090	5.0	36	1	1	4	6	9	13	33
20-34	458149	6.1	44	1	1	4	7	12	18	35
35-49	454400	7.4	48	1	2	5	9	15	20	35
50-64	744430	8.3	54	2	2	6	10	16	21	38
65+	1273807	10.0	75	2	3	8	13	20	26	47
B. *Operated*										
0-19 YRS	305474	4.8	50	1	1	3	5	10	15	42
20-34	751120	5.9	43	1	2	4	7	11	15	36
35-49	523483	7.8	64	1	2	6	9	15	22	44
50-64	605295	10.2	105	2	2	7	13	22	30	57
65+	716383	13.6	150	2	3	10	18	28	38	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1942165	5.1	35	1	1	3	6	10	15	30
B. *Operated*	2587247	4.8	28	1	1	3	6	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	3327876	8.1	61	1	2	6	10	16	22	41
B. *Operated*	2901755	8.9	97	1	2	6	11	20	28	54
1. SINGLE DX	4529412	4.9	31	1	1	3	6	10	14	28
2. MULTIPLE DX	6229631	8.5	78	1	2	6	10	18	25	48
A. NOT OPERATED	5270041	7.0	54	1	2	5	9	15	20	38
B. OPERATED	5489002	7.0	69	1	1	4	8	16	22	44
TOTAL 0-19 YRS	1731348	4.1	29	1	1	3	5	8	11	29
20-34	2866918	4.8	30	1	1	3	6	9	13	29
35-49	1672120	6.7	48	1	2	5	8	14	19	35
50-64	1972411	8.3	68	1	2	6	11	17	23	43
65+	2516246	10.6	97	2	2	8	14	22	29	54
GRAND TOTAL	**10759043**	**7.0**	**61**	**1**	**2**	**5**	**8**	**15**	**21**	**41**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10778	3.6	8	1	1	3	4	6	8	14
20-34	4167	3.5	8	1	1	3	4	6	8	14
35-49	1653	4.1	19	1	1	3	5	7	9	16
50-64	1216	4.1	10	1	1	3	5	8	10	17
65+	911	4.7	13	1	2	4	6	9	11	21
B. *Operated*										
0-19 YRS	192	5.7	13	2	3	5	7	9	12	18
20-34	225	6.7	21	2	3	5	8	12	17	24
35-49	85	7.9	31	3	3	7	9	13	18	33
50-64	38	9.1	52	1	2	8	12	17	21	38
65+	28	9.3	44	3	4	8	10	13	18	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10222	4.3	11	1	2	3	5	8	10	17
20-34	4006	4.1	11	1	1	3	5	7	10	17
35-49	2211	5.1	16	1	2	4	6	9	12	18
50-64	2731	5.7	21	1	2	5	7	11	14	24
65+	4263	7.0	36	2	2	5	9	13	17	30
B. *Operated*										
0-19 YRS	270	8.3	72	2	3	6	9	15	24	46
20-34	283	8.7	53	2	3	7	11	16	21	46
35-49	198	11.0	85	3	4	9	13	20	25	70
50-64	215	11.3	96	3	3	8	14	24	37	73
65+	310	14.8	128	3	5	11	18	29	42	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18725	3.7	9	1	1	3	5	7	8	15
B. *Operated*	568	6.8	24	2	3	5	8	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	23433	5.0	18	1	2	4	6	9	12	22
B. *Operated*	1276	10.9	93	3	3	8	13	22	31	56
1. SINGLE DX	19293	3.8	10	1	1	3	5	7	9	16
2. MULTIPLE DX	24709	5.3	24	1	2	4	6	10	13	25
A. NOT OPERATED	42158	4.4	15	1	1	3	5	8	11	19
B. OPERATED	1844	9.6	75	2	3	7	11	19	26	52
TOTAL 0-19 YRS	21462	4.0	11	1	1	3	5	7	9	16
20-34	8681	4.0	12	1	1	3	5	7	10	18
35-49	4147	5.0	23	1	2	4	6	9	13	22
50-64	4200	5.6	24	1	2	4	7	10	14	26
65+	5512	7.0	42	2	2	5	9	14	18	39
GRAND TOTAL	**44002**	**4.6**	**18**	**1**	**1**	**4**	**6**	**9**	**11**	**22**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	10.0	68	2	3	8	15	19	21	48
20-34	235	14.1	143	2	3	12	17	28	37	70
35-49	218	15.0	204	2	4	12	18	30	41	95
50-64	207	14.8	212	2	3	10	18	34	44	77
65+	176	13.1	113	2	3	11	18	25	29	62
B. *Operated*										
0-19 YRS	15	8.0	62	1	1	6	11	20	26	28
20-34	93	12.3	80	2	3	10	15	25	27	47
35-49	118	13.1	92	2	3	11	18	26	31	99+
50-64	154	14.0	147	2	3	10	17	29	38	54
65+	118	14.9	99	4	4	13	20	26	34	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	11.6	90	1	3	9	16	22	30	45
20-34	226	17.0	214	3	4	13	21	34	51	93
35-49	347	18.3	266	3	4	14	23	40	62	99+
50-64	510	15.9	198	3	4	11	21	35	49	93
65+	647	17.3	192	3	4	14	22	35	49	80
B. *Operated*										
0-19 YRS	30	15.4	102	2	5	14	25	29	45	99+
20-34	119	15.5	150	3	4	13	18	33	40	69
35-49	242	19.4	325	3	5	14	23	45	69	99+
50-64	358	19.1	252	3	4	15	25	42	55	99+
65+	448	20.7	230	4	6	16	27	43	56	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	926	13.9	161	2	3	11	17	28	39	72
B. *Operated*	498	13.5	108	2	3	11	18	27	33	58
2. MULTIPLE DX										
A. *Not Operated*	1787	16.9	209	3	4	13	21	35	49	92
B. *Operated*	1197	19.3	246	3	5	15	25	42	56	99+
1. SINGLE DX	1424	13.7	143	2	3	11	17	27	36	69
2. MULTIPLE DX	2984	17.8	225	3	4	14	23	37	52	94
A. NOT OPERATED	2713	15.8	194	3	4	12	20	33	46	90
B. OPERATED	1695	17.6	213	3	4	14	23	37	51	93
TOTAL 0-19 YRS	192	11.1	82	2	2	9	16	22	28	52
20-34	673	15.1	161	3	4	12	18	29	40	81
35-49	925	17.1	249	3	4	13	21	35	55	99+
50-64	1229	16.4	213	3	4	12	21	37	48	91
65+	1389	17.7	192	3	4	14	23	36	50	81
GRAND TOTAL	**4408**	**16.5**	**202**	**3**	**4**	**13**	**21**	**35**	**48**	**91**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	5.9	15	2	3	5	7	11	16	17
20-34	18	13.4	160	1	2	9	17	35	44	46
35-49	21	9.7	32	2	3	8	14	17	20	23
50-64	18	9.1	31	2	2	9	11	16	20	22
65+	14	9.5	46	1	1	8	13	19	23	24
B. *Operated*										
0-19 YRS	56	4.7	27	<1	1	3	6	10	18	27
20-34	64	7.7	65	1	2	5	10	16	26	41
35-49	47	10.0	112	1	2	7	12	25	30	51
50-64	40	12.8	212	2	2	8	19	39	84	99+
65+	31	17.2	236	<1	1	14	28	42	49	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	17.2	174	1	2	13	27	35	40	40
20-34	29	7.6	60	1	1	4	13	20	33	99+
35-49	40	12.9	127	1	3	9	19	30	43	99+
50-64	44	16.8	248	3	3	11	24	39	65	99+
65+	88	15.5	148	4	5	12	20	34	45	88
B. *Operated*										
0-19 YRS	21	11.0	184	1	1	6	13	37	44	47
20-34	93	14.9	280	2	3	10	19	29	52	97
35-49	55	20.9	190	4	5	20	29	50	55	99+
50-64	101	19.3	317	3	4	15	25	45	76	99+
65+	113	23.4	338	2	5	20	35	47	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	9.7	62	1	2	8	13	18	23	44
B. *Operated*	238	9.6	126	1	1	5	12	25	37	76
2. MULTIPLE DX										
A. *Not Operated*	212	14.3	160	2	3	11	20	32	45	99+
B. *Operated*	383	19.2	300	2	3	15	27	46	74	99+
1. SINGLE DX	322	9.6	109	1	2	6	12	23	35	57
2. MULTIPLE DX	595	17.5	255	2	3	13	25	43	62	99+
A. NOT OPERATED	296	13.0	136	2	3	10	17	29	40	99+
B. OPERATED	621	15.5	255	1	2	11	22	39	52	99+
TOTAL 0-19 YRS	101	7.5	89	<1	1	4	7	21	29	44
20-34	204	11.5	181	1	2	8	14	26	40	97
35-49	163	14.4	153	2	2	11	21	32	51	99+
50-64	203	16.6	265	2	3	12	22	42	73	99+
65+	246	19.0	257	2	4	14	27	45	57	99+
GRAND TOTAL	**917**	**14.7**	**218**	**1**	**2**	**10**	**20**	**36**	**50**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1362	3.1	4	1	1	3	4	5	6	11
20-34	514	3.6	4	1	2	3	4	6	7	10
35-49	127	3.5	3	1	2	3	4	6	6	9
50-64	70	4.2	5	2	2	4	5	8	9	82
65+	21	5.0	5	2	3	5	6	8	9	10
B. *Operated*										
0-19 YRS	153	2.1	1	1	1	2	2	3	4	8
20-34	43	2.5	2	1	1	2	3	3	4	11
35-49	1	16.0		16	16	16	16	16	16	16
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2226	3.7	9	1	2	3	4	6	7	12
20-34	706	4.2	8	2	2	4	5	7	9	16
35-49	236	5.0	11	2	2	4	6	9	11	17
50-64	191	5.4	14	2	3	5	6	9	12	22
65+	101	6.8	56	2	2	5	8	11	15	47
B. *Operated*										
0-19 YRS	106	4.0	16	1	1	2	5	9	11	20
20-34	29	6.7	25	2	2	6	8	13	15	25
35-49	15	6.9	8	3	4	6	9	10	12	13
50-64	14	9.1	26	2	2	8	13	16	18	19
65+	8	15.4	72	3	4	15	23	25	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2094	3.3	4	1	1	3	4	5	6	11
B. *Operated*	199	2.2	3	1	1	2	2	3	4	12
2. MULTIPLE DX										
A. *Not Operated*	3460	4.1	11	1	2	3	5	7	9	15
B. *Operated*	172	5.6	27	1	2	4	8	12	15	25
1. SINGLE DX	2293	3.2	4	1	1	3	4	5	6	11
2. MULTIPLE DX	3632	4.1	12	1	2	3	5	7	9	16
A. NOT OPERATED	5554	3.8	8	1	2	3	4	6	8	13
B. OPERATED	371	3.8	17	1	1	2	4	9	12	24
TOTAL 0-19 YRS	3847	3.4	7	1	1	3	4	6	7	12
20-34	1292	3.9	7	1	2	3	5	7	8	14
35-49	379	4.6	9	2	2	4	6	8	10	16
50-64	277	5.3	13	2	2	4	6	9	13	24
65+	130	7.0	53	2	2	5	8	12	18	35
GRAND TOTAL	**5925**	**3.8**	**9**	**1**	**2**	**3**	**4**	**6**	**8**	**15**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	955	6.4	19	2	2	5	8	11	14	23
20-34	119	7.4	52	2	2	5	9	14	20	42
35-49	63	8.6	45	2	3	7	11	17	21	37
50-64	101	9.5	47	3	4	8	12	18	23	36
65+	209	10.7	54	3	4	9	14	19	23	38
B. *Operated*										
0-19 YRS	45	10.1	116	2	3	8	11	14	22	69
20-34	10	18.4	188	4	4	12	30	39	44	44
35-49	12	13.2	111	3	4	10	16	33	35	35
50-64	9	14.9	102	4	5	11	24	30	34	34
65+	15	24.3	205	4	7	20	37	44	48	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1157	7.7	31	2	3	7	10	14	17	27
20-34	437	10.3	76	2	3	8	12	20	29	45
35-49	403	12.3	86	3	4	10	16	22	30	50
50-64	1083	13.3	87	4	5	11	17	25	33	50
65+	3546	14.9	101	5	6	12	18	27	35	63
B. *Operated*										
0-19 YRS	146	15.6	146	4	6	12	17	30	43	63
20-34	145	19.2	223	4	5	14	27	42	51	99+
35-49	159	21.4	327	5	7	17	27	43	73	99
50-64	395	22.2	288	5	7	16	31	46	66	99+
65+	868	25.6	297	7	9	21	33	52	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1447	7.4	33	2	2	6	10	14	18	31
B. *Operated*	91	14.2	158	3	4	10	16	35	40	61
2. MULTIPLE DX										
A. *Not Operated*	6626	12.9	91	3	4	11	16	24	32	53
B. *Operated*	1713	23.0	288	6	8	18	31	48	64	99+
1. SINGLE DX	1538	7.8	42	2	2	6	10	14	19	38
2. MULTIPLE DX	8339	15.0	148	3	5	12	18	30	40	76
A. NOT OPERATED	8073	11.9	85	3	4	10	15	23	30	50
B. OPERATED	1804	22.6	285	5	7	17	30	46	62	99+
TOTAL 0-19 YRS	2303	7.7	40	2	2	6	10	14	17	32
20-34	711	11.8	120	2	3	8	14	27	36	54
35-49	637	14.2	160	3	4	11	17	29	39	84
50-64	1588	15.3	151	4	5	12	18	31	41	71
65+	4638	16.7	155	5	6	13	21	32	42	82
GRAND TOTAL	**9877**	**13.9**	**138**	**3**	**4**	**11**	**17**	**28**	**38**	**72**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	928	7.6	25	2	2	7	11	14	16	25
20-34	203	6.7	25	2	2	5	9	12	16	26
35-49	128	7.5	26	3	3	6	10	14	15	27
50-64	144	6.7	26	2	3	6	8	12	15	34
65+	106	7.4	23	2	3	6	8	14	17	24
B. *Operated*										
0-19 YRS	64	10.1	39	1	2	11	13	16	21	29
20-34	38	9.5	107	1	2	6	11	25	45	99+
35-49	43	12.7	177	1	2	8	18	29	45	58
50-64	38	9.2	49	1	2	8	12	18	23	34
65+	27	15.0	167	1	2	13	22	30	46	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	696	8.1	35	2	2	7	11	15	19	32
20-34	250	7.5	36	2	2	6	9	14	23	30
35-49	235	7.9	45	2	3	6	9	15	17	35
50-64	363	9.4	59	3	4	7	11	18	22	48
65+	598	11.2	67	3	4	9	14	21	28	43
B. *Operated*										
0-19 YRS	79	15.7	194	2	4	12	18	33	44	80
20-34	72	13.1	114	2	2	8	19	26	36	45
35-49	73	18.2	250	3	4	13	25	49	58	99+
50-64	137	17.9	242	2	3	11	26	38	49	76
65+	157	22.1	287	4	7	17	30	45	56	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1509	7.4	25	2	2	6	10	13	16	26
B. *Operated*	210	11.0	100	1	2	9	14	24	30	55
2. MULTIPLE DX										
A. *Not Operated*	2142	9.1	51	2	3	7	12	17	22	38
B. *Operated*	518	18.2	239	2	4	13	25	41	52	92
1. SINGLE DX	1719	7.8	36	2	2	6	11	14	18	34
2. MULTIPLE DX	2660	10.9	101	2	3	8	13	22	31	54
A. NOT OPERATED	3651	8.4	41	2	3	7	11	15	20	35
B. OPERATED	728	16.1	210	2	3	12	22	36	49	91
TOTAL 0-19 YRS	1767	8.3	40	2	2	7	11	15	18	33
20-34	563	8.1	51	2	2	6	10	17	24	36
35-49	479	9.8	97	2	3	7	11	20	29	59
50-64	682	10.5	103	2	3	7	12	22	31	55
65+	888	12.8	124	3	4	9	16	27	36	55
GRAND TOTAL	**4379**	**9.7**	**77**	**2**	**3**	**7**	**12**	**19**	**26**	**49**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3430	4.2	10	1	2	4	5	7	10	14
20-34	1890	4.7	9	2	2	4	6	8	10	15
35-49	329	5.4	12	1	2	5	7	10	12	19
50-64	66	7.3	20	2	2	6	10	13	15	21
65+	22	8.7	35	1	2	8	11	18	21	25
B. *Operated*										
0-19 YRS	64	6.1	12	2	2	5	7	11	13	18
20-34	34	7.6	73	1	3	5	10	12	19	50
35-49	9	7.9	50	1	1	7	10	19	23	23
50-64	9	7.7	20	2	2	7	11	14	15	15
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1068	5.3	24	2	2	4	6	10	12	20
20-34	680	5.9	15	2	2	5	7	10	13	20
35-49	159	7.4	34	2	3	6	9	13	17	37
50-64	91	9.9	61	2	3	7	13	22	28	39
65+	50	12.7	132	4	4	10	16	22	24	80
B. *Operated*										
0-19 YRS	49	11.2	94	3	3	9	12	25	35	45
20-34	62	12.1	148	3	4	10	14	18	22	87
35-49	13	9.5	23	3	4	8	14	16	18	18
50-64	15	17.1	206	4	5	12	23	27	52	61
65+	8	26.3	128	14	14	25	32	43	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5737	4.5	10	1	2	4	6	8	10	15
B. *Operated*	116	6.8	33	2	2	6	9	12	15	32
2. MULTIPLE DX										
A. *Not Operated*	2048	6.1	28	2	2	5	7	11	14	25
B. *Operated*	147	12.8	134	3	4	10	15	23	33	62
1. SINGLE DX	5853	4.5	11	1	2	4	6	8	10	15
2. MULTIPLE DX	2195	6.5	38	2	2	5	8	12	16	33
A. NOT OPERATED	7785	4.9	15	1	2	4	6	9	11	18
B. OPERATED	263	10.2	98	2	3	7	12	19	27	50
TOTAL 0-19 YRS	4611	4.6	15	1	2	4	6	8	11	16
20-34	2666	5.2	16	2	2	4	6	9	11	18
35-49	510	6.2	20	2	2	5	8	11	14	27
50-64	181	9.5	61	2	3	7	12	17	24	39
65+	80	12.9	126	2	4	10	17	23	31	70
GRAND TOTAL	**8048**	**5.1**	**19**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2057	3.6	8	1	1	3	4	6	7	13
20-34	452	4.8	10	1	2	4	6	8	11	16
35-49	201	4.8	9	1	2	4	6	9	11	15
50-64	366	6.5	17	2	2	5	8	12	16	22
65+	821	7.8	32	2	3	6	10	14	18	29
B. *Operated*										
0-19 YRS	29	4.4	13	<1	1	3	5	10	17	99+
20-34	37	4.1	13	<1	1	3	4	8	13	17
35-49	30	5.4	29	1	2	4	7	9	12	30
50-64	37	7.8	72	1	2	5	9	23	36	99+
65+	42	9.9	70	1	2	8	13	24	27	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2653	4.1	11	1	2	3	5	7	9	14
20-34	594	5.6	14	2	2	5	7	10	12	21
35-49	267	7.1	37	2	2	6	8	12	19	39
50-64	978	8.5	43	2	3	7	10	16	22	36
65+	3220	10.7	72	3	3	8	13	21	27	43
B. *Operated*										
0-19 YRS	76	8.7	107	2	2	6	10	20	45	99+
20-34	83	7.9	50	1	2	6	10	17	24	80
35-49	47	12.2	187	2	2	9	15	34	53	99+
50-64	142	14.6	203	3	4	9	17	30	48	72
65+	327	17.2	197	3	4	13	24	38	46	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3897	4.9	17	1	2	4	6	9	13	21
B. *Operated*	175	6.5	46	1	2	4	8	15	25	83
2. MULTIPLE DX										
A. *Not Operated*	7712	7.6	51	2	2	5	9	15	21	36
B. *Operated*	675	14.2	181	2	3	10	18	32	46	96
1. SINGLE DX	4072	5.0	18	1	2	4	6	10	13	23
2. MULTIPLE DX	8387	8.1	64	2	2	6	10	17	23	43
A. NOT OPERATED	11609	6.7	41	1	2	5	8	13	18	33
B. OPERATED	850	12.6	163	2	3	9	17	29	44	98
TOTAL 0-19 YRS	4815	3.9	12	1	2	3	5	7	8	15
20-34	1166	5.4	16	1	2	4	7	10	13	22
35-49	545	6.6	43	1	2	5	8	12	18	44
50-64	1523	8.5	57	2	3	7	10	16	23	41
65+	4410	10.6	79	2	3	8	13	21	28	46
GRAND TOTAL	**12459**	**7.1**	**52**	**2**	**2**	**5**	**8**	**15**	**20**	**38**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1278	6.7	22	2	2	6	8	12	15	25
20-34	2966	7.8	25	2	3	7	10	14	17	26
35-49	825	8.5	30	2	3	7	10	15	19	28
50-64	413	9.8	46	3	3	8	12	18	22	35
65+	164	10.0	45	3	4	8	12	20	25	30
B. *Operated*										
0-19 YRS	36	9.3	72	2	2	7	14	17	26	41
20-34	173	8.3	38	2	2	7	12	17	20	28
35-49	110	10.8	66	1	2	10	14	21	26	39
50-64	81	10.3	56	1	2	8	14	21	27	79
65+	27	14.2	83	3	6	12	17	29	34	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	417	7.4	27	2	3	6	9	14	18	27
20-34	1177	8.3	32	2	3	7	10	15	20	29
35-49	522	9.8	41	3	4	8	12	18	22	34
50-64	464	10.6	56	3	4	9	13	19	24	39
65+	367	11.9	78	3	4	9	15	21	28	49
B. *Operated*										
0-19 YRS	32	10.5	48	2	3	8	15	20	25	26
20-34	152	12.7	134	2	2	10	16	23	33	52
35-49	109	14.0	170	2	2	10	20	30	36	70
50-64	140	16.4	136	3	4	14	21	35	40	57
65+	108	19.1	158	4	7	16	23	35	41	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5646	7.8	28	2	3	7	10	14	18	28
B. *Operated*	427	9.8	56	1	2	8	14	19	25	37
2. MULTIPLE DX										
A. *Not Operated*	2947	9.2	44	2	3	8	12	17	21	34
B. *Operated*	541	15.1	147	2	3	12	20	30	38	58
1. SINGLE DX	6073	8.0	30	2	3	7	10	14	19	29
2. MULTIPLE DX	3488	10.1	65	2	3	8	13	19	24	42
A. NOT OPERATED	8593	8.3	34	2	3	7	10	15	19	30
B. OPERATED	968	12.7	114	2	2	10	17	25	34	53
TOTAL 0-19 YRS	1763	7.0	25	2	2	6	8	13	17	27
20-34	4468	8.1	32	2	3	7	10	15	18	29
35-49	1566	9.4	48	2	3	8	12	18	22	35
50-64	1098	11.0	67	3	4	9	14	21	27	44
65+	666	12.6	91	3	4	10	16	23	31	51
GRAND TOTAL	**9561**	**8.8**	**44**	**2**	**3**	**7**	**11**	**16**	**21**	**35**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3198	4.7	11	2	2	4	6	8	10	14
20-34	1178	5.3	10	2	2	4	7	10	11	16
35-49	173	5.9	13	2	2	5	8	10	13	19
50-64	31	7.3	21	2	3	6	10	14	16	21
65+	10	8.6	19	4	4	7	12	15	17	17
B. *Operated*										
0-19 YRS	39	5.8	11	2	2	5	7	11	12	16
20-34	36	6.2	12	1	2	6	8	11	12	14
35-49	8	7.6	21	2	3	6	11	15	15	15
50-64	2	8.0	8	6	6	8	10	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2701	5.2	11	2	2	5	6	9	11	17
20-34	957	5.6	11	2	2	5	7	10	12	16
35-49	184	7.2	17	2	3	6	9	13	14	19
50-64	66	8.8	37	2	3	7	11	17	20	35
65+	24	7.2	14	2	2	7	9	13	14	14
B. *Operated*										
0-19 YRS	89	8.5	32	2	3	8	11	14	16	35
20-34	73	10.6	48	3	4	8	13	22	27	31
35-49	15	12.0	37	4	4	12	18	21	22	22
50-64	11	10.9	47	3	5	9	12	23	26	26
65+	7	14.9	96	6	6	11	20	31	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4590	4.9	11	2	2	4	6	9	11	15
B. *Operated*	85	6.2	12	2	2	6	8	11	13	16
2. MULTIPLE DX										
A. *Not Operated*	3932	5.5	12	2	2	5	7	10	12	18
B. *Operated*	195	9.9	43	3	4	8	12	18	23	33
1. SINGLE DX	4675	4.9	11	2	2	4	6	9	11	15
2. MULTIPLE DX	4127	5.7	14	2	2	5	7	10	13	19
A. NOT OPERATED	8522	5.2	12	2	2	4	7	9	11	16
B. OPERATED	280	8.8	37	2	3	7	11	16	21	31
TOTAL 0-19 YRS	6027	5.0	12	2	2	4	6	9	11	16
20-34	2244	5.6	12	2	2	5	7	10	12	18
35-49	380	6.8	17	2	2	6	9	12	15	20
50-64	110	8.6	33	2	3	7	11	16	20	31
65+	41	8.9	35	2	3	7	12	15	19	33
GRAND TOTAL	**8802**	**5.3**	**13**	**2**	**2**	**4**	**7**	**9**	**12**	**18**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.2	3	<1	<1	2	2	4	6	9
20-34	87	2.4	3	<1	<1	2	3	5	6	9
35-49	19	2.3	3	<1	1	2	3	5	7	8
50-64	8	3.1	8	1	1	2	4	8	9	9
65+	5	3.0	12	<1	<1	1	4	9	9	9
B. *Operated*										
0-19 YRS	1780	2.2	8	<1	<1	2	2	3	4	9
20-34	3636	2.4	7	<1	1	2	3	4	5	9
35-49	836	2.8	5	<1	1	2	3	5	6	11
50-64	295	2.8	4	<1	1	2	3	5	7	11
65+	71	3.4	7	<1	<1	3	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.8	16	<1	1	3	5	6	9	25
20-34	61	3.8	19	<1	1	3	5	7	8	26
35-49	26	4.2	39	<1	1	2	3	11	22	26
50-64	17	5.8	19	<1	1	4	8	12	16	17
65+	8	6.5	9	3	3	6	8	11	12	12
B. *Operated*										
0-19 YRS	358	3.1	6	1	1	2	4	6	9	13
20-34	1190	3.4	12	1	1	2	4	6	8	16
35-49	449	3.6	7	1	1	3	5	7	9	14
50-64	212	4.5	14	1	1	3	6	10	13	22
65+	89	5.9	21	2	2	4	7	13	16	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	2.4	4	<1	<1	2	3	5	7	9
B. *Operated*	6618	2.4	7	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	156	4.2	21	<1	1	3	5	8	12	26
B. *Operated*	2298	3.6	11	1	1	3	4	7	10	16
1. SINGLE DX	6788	2.4	7	<1	<1	2	3	4	5	9
2. MULTIPLE DX	2454	3.6	12	1	1	3	4	7	10	17
A. NOT OPERATED	326	3.3	13	<1	<1	2	4	7	9	23
B. OPERATED	8916	2.7	8	<1	1	2	3	5	6	12
TOTAL 0-19 YRS	2233	2.3	8	<1	<1	2	3	4	5	11
20-34	4974	2.7	8	<1	1	2	3	5	6	11
35-49	1330	3.1	7	<1	1	2	4	6	7	14
50-64	532	3.6	9	<1	1	3	4	7	10	17
65+	173	4.8	16	<1	1	3	6	9	13	20
GRAND TOTAL	**9242**	**2.8**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6620	3.3	6	1	1	3	4	5	7	11
20-34	1946	4.0	16	1	1	3	5	7	9	15
35-49	714	4.7	18	1	2	4	6	8	11	23
50-64	467	4.8	12	1	2	4	6	9	11	21
65+	377	5.2	30	1	2	4	6	9	12	31
B. *Operated*										
0-19 YRS	223	4.2	22	<1	1	3	5	9	12	30
20-34	106	5.3	33	1	1	4	6	11	14	32
35-49	48	6.6	55	1	2	4	8	13	20	44
50-64	34	11.0	144	1	2	8	14	20	45	54
65+	15	10.1	93	2	2	7	11	28	32	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5868	3.8	13	1	1	3	4	7	8	16
20-34	2458	4.5	15	1	2	4	6	8	10	17
35-49	1328	5.3	21	2	2	4	7	9	12	21
50-64	1487	5.8	19	2	2	5	7	10	13	25
65+	2076	7.0	42	2	2	5	8	13	17	30
B. *Operated*										
0-19 YRS	189	7.0	74	1	2	5	8	12	23	36
20-34	205	8.4	62	1	2	7	11	15	21	45
35-49	137	10.9	128	2	3	7	14	21	31	60
50-64	148	12.6	140	2	3	10	15	29	43	81
65+	144	13.8	140	3	4	9	18	31	42	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10124	3.6	11	1	1	3	4	6	8	14
B. *Operated*	426	5.5	44	<1	1	3	7	12	15	37
2. MULTIPLE DX										
A. *Not Operated*	13217	4.8	21	1	2	4	6	9	12	22
B. *Operated*	823	10.2	110	2	2	7	12	21	31	56
1. SINGLE DX	10550	3.7	12	1	1	3	4	6	8	15
2. MULTIPLE DX	14040	5.1	28	1	2	4	6	9	13	27
A. NOT OPERATED	23341	4.3	17	1	2	3	5	8	10	19
B. OPERATED	1249	8.6	92	1	2	6	11	18	28	50
TOTAL 0-19 YRS	12900	3.6	11	1	1	3	4	6	8	13
20-34	4715	4.5	19	1	2	4	5	8	11	18
35-49	2227	5.5	29	1	2	4	7	10	13	26
50-64	2136	6.1	32	2	2	5	7	12	15	29
65+	2612	7.2	49	2	2	5	8	14	18	39
GRAND TOTAL	**24590**	**4.5**	**21**	**1**	**2**	**3**	**5**	**8**	**11**	**23**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	413	5.1	7	2	2	5	6	8	10	16
20-34	259	4.7	8	2	2	4	6	9	10	25
35-49	77	5.9	27	1	2	5	7	11	13	34
50-64	51	6.0	13	2	3	6	8	10	11	24
65+	23	6.7	14	2	3	6	11	12	13	13
B. *Operated*										
0-19 YRS	10	3.9	7	1	1	3	7	8	8	8
20-34	10	6.5	8	2	2	7	8	10	10	10
35-49	2	8.0	18	5	5	8	11	11	11	11
50-64	5	15.8	230	1	1	8	30	35	35	35
65+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	141	6.8	55	2	2	5	8	10	16	39
20-34	125	5.5	10	2	2	5	7	10	12	15
35-49	84	7.3	22	2	3	7	9	13	16	26
50-64	57	6.3	10	2	3	6	8	10	12	18
65+	41	11.8	68	3	4	10	15	21	29	43
B. *Operated*										
0-19 YRS	8	10.1	46	1	2	9	13	21	23	23
20-34	6	8.2	12	3	3	8	12	12	12	12
35-49	10	18.4	832	2	3	8	16	61	98	98
50-64	14	15.4	220	3	5	10	13	43	52	55
65+	10	19.0	309	2	3	11	32	47	53	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	823	5.2	10	2	2	5	6	9	11	16
B. *Operated*	28	7.7	60	1	1	6	8	14	30	35
2. MULTIPLE DX										
A. *Not Operated*	448	6.9	34	2	2	6	9	12	16	30
B. *Operated*	48	15.0	303	2	3	9	14	38	53	98
1. SINGLE DX	851	5.3	12	2	2	5	6	9	11	17
2. MULTIPLE DX	496	7.7	65	2	2	6	9	13	18	43
A. NOT OPERATED	1271	5.8	19	2	2	5	7	10	13	23
B. OPERATED	76	12.3	224	1	2	8	12	29	42	87
TOTAL 0-19 YRS	572	5.6	20	2	2	5	7	9	11	19
20-34	400	5.1	9	2	2	4	6	9	11	16
35-49	173	7.3	74	2	2	5	8	13	16	36
50-64	127	7.6	51	2	3	6	8	12	18	45
65+	75	11.2	93	2	3	8	13	21	31	50
GRAND TOTAL	**1347**	**6.2**	**33**	**2**	**2**	**5**	**7**	**11**	**13**	**31**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	533	5.6	14	2	2	5	7	10	12	21
20-34	804	5.3	13	2	2	4	6	9	12	18
35-49	145	6.3	26	1	1	5	8	13	18	22
50-64	53	5.6	31	1	1	4	7	13	18	26
65+	41	5.9	25	1	1	4	8	13	17	19
B. *Operated*										
0-19 YRS	134	3.6	14	<1	1	2	4	8	11	19
20-34	429	3.0	8	<1	1	2	4	6	8	16
35-49	119	4.0	37	<1	1	2	4	9	12	40
50-64	40	4.9	26	<1	1	3	5	15	16	23
65+	27	4.7	13	1	2	3	6	12	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	396	5.9	14	2	3	5	7	10	13	22
20-34	721	6.0	18	2	2	5	7	10	13	25
35-49	163	7.3	35	2	3	5	9	16	18	32
50-64	117	10.5	76	1	2	8	14	22	28	43
65+	195	9.7	56	1	2	8	13	18	23	37
B. *Operated*										
0-19 YRS	77	6.1	33	1	2	4	7	11	15	33
20-34	253	5.9	30	1	2	4	8	12	15	31
35-49	125	7.9	121	1	2	4	9	16	25	59
50-64	80	9.8	91	2	2	5	16	21	29	48
65+	72	14.8	300	2	2	10	20	33	49	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1576	5.5	15	1	2	4	7	10	13	21
B. *Operated*	749	3.4	15	<1	1	2	4	7	11	18
2. MULTIPLE DX										
A. *Not Operated*	1592	6.9	30	2	2	5	8	13	17	30
B. *Operated*	607	7.9	97	1	2	5	10	17	25	48
1. SINGLE DX	2325	4.9	16	1	1	4	6	10	12	20
2. MULTIPLE DX	2199	7.2	49	1	2	5	9	14	19	33
A. NOT OPERATED	3168	6.2	23	2	2	5	7	12	15	25
B. OPERATED	1356	5.4	56	1	1	3	6	12	18	35
TOTAL 0-19 YRS	1140	5.5	16	1	2	5	7	10	13	22
20-34	2207	5.1	17	1	2	4	6	10	13	21
35-49	552	6.5	54	1	1	4	8	13	18	35
50-64	290	8.6	70	1	1	5	12	20	25	41
65+	335	9.9	109	1	2	7	13	20	30	55
GRAND TOTAL	**4524**	**6.0**	**33**	**1**	**2**	**4**	**7**	**12**	**16**	**30**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	158	5.2	18	1	1	4	6	10	13	21
20-34	113	7.0	47	1	2	5	8	16	21	62
35-49	85	7.9	69	<1	1	4	11	20	23	40
50-64	74	13.0	303	<1	2	7	14	40	63	96
65+	46	9.5	59	2	2	7	13	23	26	29
B. *Operated*										
0-19 YRS	28	6.4	43	1	1	3	12	16	17	24
20-34	229	5.6	88	1	1	2	8	14	22	55
35-49	197	9.1	146	1	1	6	11	18	32	70
50-64	246	6.3	108	1	1	3	8	13	24	63
65+	102	9.9	125	2	2	8	12	21	25	89
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	338	5.6	35	1	2	4	6	10	14	35
20-34	200	7.7	78	1	2	5	9	13	20	58
35-49	172	10.4	150	1	3	7	11	20	43	76
50-64	272	10.3	130	2	3	7	11	18	36	63
65+	314	11.1	96	3	3	8	13	22	31	51
B. *Operated*										
0-19 YRS	39	17.2	418	1	2	10	16	49	55	87
20-34	139	14.0	217	2	2	9	18	32	49	99+
35-49	232	12.8	286	1	1	8	15	36	55	99+
50-64	255	17.4	356	2	3	11	23	46	71	99+
65+	234	17.2	330	2	3	11	20	50	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	476	7.7	88	1	2	5	9	17	24	63
B. *Operated*	802	7.2	114	1	1	3	9	17	24	70
2. MULTIPLE DX										
A. *Not Operated*	1296	8.9	97	2	2	6	10	17	26	58
B. *Operated*	899	15.6	315	1	2	10	19	42	60	99+
1. SINGLE DX	1278	7.4	104	1	1	4	9	17	24	65
2. MULTIPLE DX	2195	11.7	197	1	2	7	13	28	46	88
A. NOT OPERATED	1772	8.6	95	1	2	6	10	17	25	60
B. OPERATED	1701	11.7	238	1	1	7	14	30	49	97
TOTAL 0-19 YRS	563	6.3	65	1	2	4	7	12	16	48
20-34	681	8.2	114	1	1	5	10	18	30	64
35-49	686	10.5	188	1	1	7	12	25	41	90
50-64	847	11.5	225	1	1	7	13	28	48	90
65+	696	12.9	186	2	3	9	15	29	40	80
GRAND TOTAL	**3473**	**10.1**	**167**	**1**	**1**	**6**	**12**	**23**	**37**	**85**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	3.3	4	1	1	3	4	6	7	11
20-34	39	4.4	9	<1	1	4	6	9	10	14
35-49	27	4.5	10	1	2	3	6	10	11	12
50-64	19	5.2	20	<1	1	4	8	12	16	17
65+	9	5.4	24	1	1	4	7	14	16	16
B. *Operated*										
0-19 YRS	70	5.0	56	2	2	4	5	6	11	54
20-34	67	5.7	38	1	1	4	6	13	22	31
35-49	31	7.5	47	<1	1	6	11	17	26	27
50-64	20	7.0	38	<1	<1	5	11	16	18	19
65+	4	12.5	82	2	2	12	19	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	5.3	26	1	2	4	6	13	17	26
20-34	53	5.6	8	1	2	5	7	10	11	12
35-49	36	8.3	27	2	3	7	11	15	19	21
50-64	29	7.0	15	2	3	7	10	12	14	17
65+	43	8.8	59	3	4	6	10	19	25	43
B. *Operated*										
0-19 YRS	59	4.7	7	2	2	4	5	8	11	14
20-34	52	6.6	42	<1	1	5	8	17	19	34
35-49	48	13.4	128	2	3	11	17	29	37	99+
50-64	21	12.0	114	2	2	9	19	25	34	42
65+	15	9.3	133	1	1	5	10	26	39	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	4.0	9	1	1	3	5	8	10	15
B. *Operated*	192	6.0	48	1	2	4	6	12	19	30
2. MULTIPLE DX										
A. *Not Operated*	255	6.6	28	1	2	5	8	12	17	26
B. *Operated*	195	8.5	78	1	2	5	11	20	27	54
1. SINGLE DX	373	5.0	30	1	1	4	6	11	15	26
2. MULTIPLE DX	450	7.4	51	1	2	5	9	16	21	42
A. NOT OPERATED	436	5.5	22	1	2	4	7	11	14	24
B. OPERATED	387	7.3	64	1	2	4	9	17	24	43
TOTAL 0-19 YRS	310	4.6	24	1	2	3	5	8	11	22
20-34	211	5.6	26	1	1	5	7	11	16	28
35-49	142	9.2	72	1	2	7	12	20	26	66
50-64	89	7.8	49	1	1	6	11	17	21	36
65+	71	8.7	71	1	2	5	10	20	26	44
GRAND TOTAL	**823**	**6.3**	**43**	**1**	**2**	**4**	**8**	**13**	**19**	**34**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	4.7	10	1	2	4	6	8	11	18
20-34	286	5.4	15	1	2	4	7	10	14	19
35-49	140	6.4	22	2	2	5	9	13	17	23
50-64	68	7.3	75	1	1	5	7	14	22	53
65+	23	7.4	36	2	4	5	8	17	23	26
B. *Operated*										
0-19 YRS	66	5.2	19	<1	1	4	8	10	12	24
20-34	903	6.5	33	1	2	5	8	13	17	27
35-49	415	6.3	30	1	2	4	9	14	17	28
50-64	147	8.7	81	2	2	6	11	19	26	49
65+	56	8.8	43	1	2	8	12	17	23	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	264	5.3	14	1	2	4	7	10	13	23
20-34	446	6.6	32	1	2	5	8	12	16	28
35-49	394	8.3	59	2	3	6	10	15	22	51
50-64	246	8.4	34	2	3	7	11	17	20	29
65+	187	11.8	132	2	3	9	14	26	32	90
B. *Operated*										
0-19 YRS	55	9.0	73	1	2	7	13	18	33	97
20-34	635	9.6	53	2	3	8	12	19	23	39
35-49	404	9.8	54	2	3	8	14	20	24	34
50-64	262	11.3	96	2	3	9	14	23	27	50
65+	112	14.0	162	2	2	10	19	28	42	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	693	5.7	22	1	2	4	7	11	14	23
B. *Operated*	1587	6.7	37	1	2	5	9	14	18	29
2. MULTIPLE DX										
A. *Not Operated*	1537	7.7	52	2	2	6	9	15	20	36
B. *Operated*	1468	10.3	71	2	3	8	13	21	25	45
1. SINGLE DX	2280	6.4	33	1	2	5	8	13	17	27
2. MULTIPLE DX	3005	9.0	63	2	2	7	11	18	24	42
A. NOT OPERATED	2230	7.1	44	2	2	5	9	14	18	33
B. OPERATED	3055	8.4	57	2	2	6	11	17	23	37
TOTAL 0-19 YRS	561	5.5	20	1	2	4	7	10	14	26
20-34	2270	7.3	38	2	2	6	9	15	19	31
35-49	1353	7.9	47	2	2	6	10	16	21	35
50-64	723	9.4	72	2	2	7	12	19	24	43
65+	378	11.8	126	2	3	8	15	25	31	62
GRAND TOTAL	**5285**	**7.9**	**52**	**2**	**2**	**6**	**10**	**16**	**21**	**36**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	3	2	2	3	4	6	6	6
20-34	6	7.2	7	3	3	8	9	10	10	10
35-49	6	8.0	86	1	1	4	12	24	25	25
50-64	5	9.0	47	4	4	4	16	17	17	17
65+	3	8.0	43	<1	<1	11	57	99+	99+	99+
B. *Operated*										
0-19 YRS	5	3.2	1	2	2	3	4	4	4	4
20-34	18	12.1	201	2	3	6	17	33	49	56
35-49	11	5.9	16	2	2	4	8	11	16	16
50-64	8	4.0	11	1	1	3	6	9	10	10
65+	8	7.0	20	2	3	6	8	14	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.6	49	2	2	3	9	19	21	21
20-34	17	6.7	44	1	1	6	8	10	23	30
35-49	26	6.3	20	1	2	5	8	14	16	19
50-64	36	7.5	56	1	2	5	10	13	20	41
65+	67	11.3	130	3	3	8	13	21	29	63
B. *Operated*										
0-19 YRS	18	6.4	25	<1	1	5	8	13	17	20
20-34	34	7.6	111	2	2	5	8	10	14	65
35-49	33	13.5	229	2	2	7	15	40	45	61
50-64	34	13.1	240	1	2	7	14	44	53	55
65+	27	14.5	173	3	4	11	18	40	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	7.1	35	1	2	5	10	17	40	99+
B. *Operated*	50	7.7	90	2	2	5	8	17	19	56
2. MULTIPLE DX										
A. *Not Operated*	154	8.8	84	2	2	6	11	17	22	56
B. *Operated*	146	11.3	174	2	2	7	13	30	46	66
1. SINGLE DX	75	7.5	71	1	2	5	8	17	23	89
2. MULTIPLE DX	300	10.1	129	2	2	6	12	20	40	63
A. NOT OPERATED	179	8.6	78	1	2	6	11	17	23	62
B. OPERATED	196	10.4	155	2	2	6	11	23	45	63
TOTAL 0-19 YRS	36	5.6	25	1	2	4	7	13	18	21
20-34	75	8.5	110	2	2	6	8	15	27	63
35-49	76	9.5	125	2	2	5	11	19	38	57
50-64	83	9.6	134	1	2	5	11	20	42	55
65+	105	11.7	132	2	3	9	15	23	49	99+
GRAND TOTAL	**375**	**9.5**	**118**	**2**	**2**	**6**	**11**	**19**	**37**	**64**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.9	4	<1	1	2	4	5	7	7
20-34	27	6.7	80	<1	1	4	7	14	31	39
35-49	81	7.8	93	1	1	4	9	21	32	47
50-64	357	7.1	93	1	2	4	8	14	22	53
65+	312	6.8	56	1	2	4	8	13	22	48
B. *Operated*										
0-19 YRS	36	5.1	15	1	2	4	7	10	15	16
20-34	132	5.7	87	1	2	4	6	11	16	96
35-49	411	6.1	55	1	2	3	7	14	19	49
50-64	1393	7.3	85	1	2	4	9	16	24	48
65+	1446	7.3	81	1	2	4	9	16	25	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	7.1	52	1	2	4	10	13	19	38
20-34	31	6.9	132	1	2	4	6	12	23	64
35-49	211	8.8	94	1	2	6	11	18	26	51
50-64	851	8.6	75	1	2	6	10	19	29	51
65+	877	10.7	118	1	2	7	14	23	32	52
B. *Operated*										
0-19 YRS	15	5.5	12	1	1	5	8	10	12	13
20-34	73	11.2	155	2	2	8	13	27	36	58
35-49	417	14.4	260	2	2	9	19	40	58	99+
50-64	1979	13.5	183	2	2	9	18	31	44	89
65+	2192	13.6	221	2	2	9	17	32	47	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	790	7.0	76	1	2	4	8	14	23	50
B. *Operated*	3418	7.1	79	1	2	4	8	16	24	49
2. MULTIPLE DX										
A. *Not Operated*	2004	9.5	97	1	2	6	12	21	30	52
B. *Operated*	4676	13.6	207	2	2	9	18	32	46	90
1. SINGLE DX	4208	7.1	79	1	2	4	8	15	23	49
2. MULTIPLE DX	6680	12.3	178	2	2	8	16	29	42	82
A. NOT OPERATED	2794	8.8	93	1	2	6	11	20	29	51
B. OPERATED	8094	10.8	163	1	2	6	14	26	38	75
TOTAL 0-19 YRS	98	5.6	27	1	1	4	7	11	15	29
20-34	263	7.5	115	1	2	4	8	15	28	63
35-49	1120	9.8	155	1	2	5	12	23	38	76
50-64	4580	10.2	134	1	2	6	13	24	35	66
65+	4827	10.8	158	2	2	6	13	25	37	75
GRAND TOTAL	**10888**	**10.3**	**146**	**1**	**2**	**6**	**13**	**24**	**36**	**71**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	27	9.7	171	1	1	5	11	21	37	64
50-64	154	8.4	94	1	2	5	9	18	24	61
65+	176	8.9	86	1	2	6	10	27	31	41
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	61	14.6	184	2	2	11	21	29	44	97
50-64	342	16.1	207	2	3	12	21	35	45	76
65+	394	14.5	207	2	2	10	20	29	44	73
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	8.2	74	2	2	5	9	23	25	25
35-49	61	9.3	67	1	2	7	11	21	29	36
50-64	340	11.1	134	1	2	7	13	23	33	57
65+	557	11.0	101	2	3	8	14	25	35	53
B. *Operated*										
0-19 YRS	2	21.5	41	17	17	21	26	26	26	26
20-34	5	17.6	103	4	4	21	24	30	30	30
35-49	134	22.7	347	3	4	18	29	54	69	92
50-64	631	19.7	264	3	4	15	27	42	54	96
65+	868	19.7	266	3	4	16	26	42	57	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357	8.7	95	1	2	5	10	21	30	48
B. *Operated*	800	15.1	205	2	2	11	21	32	44	76
2. MULTIPLE DX										
A. *Not Operated*	965	10.9	111	2	3	7	14	24	34	54
B. *Operated*	1640	19.9	271	3	4	16	26	42	57	95
1. SINGLE DX	1157	13.2	180	2	2	9	18	29	41	70
2. MULTIPLE DX	2605	16.6	231	2	3	12	22	37	49	88
A. NOT OPERATED	1322	10.3	107	1	2	7	13	23	32	53
B. OPERATED	2440	18.4	255	2	3	14	25	40	54	89
TOTAL 0-19 YRS	4	13.0	118	1	1	12	21	26	26	26
20-34	13	11.2	96	2	3	6	21	26	29	30
35-49	283	16.8	268	2	3	11	24	38	56	86
50-64	1467	15.7	220	2	3	11	21	36	46	84
65+	1995	15.3	209	2	3	11	20	35	45	77
GRAND TOTAL	**3762**	**15.5**	**218**	**2**	**3**	**11**	**21**	**35**	**46**	**80**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	16	4.3	7	1	2	4	4	9	10	11
35-49	23	8.3	92	1	2	6	9	20	34	41
50-64	155	7.1	52	1	2	5	9	15	19	40
65+	281	8.2	73	1	1	5	11	17	24	44
B. *Operated*										
0-19 YRS	3	9.7	74	2	2	8	16	19	19	19
20-34	14	17.4	80	6	8	17	21	30	35	36
35-49	90	17.7	87	7	8	16	21	31	32	51
50-64	395	15.5	83	2	5	14	20	27	33	43
65+	555	17.4	109	3	6	16	22	32	38	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.9	94	1	2	4	8	25	31	31
20-34	32	11.3	232	1	1	5	13	27	49	67
35-49	117	8.8	58	1	1	7	12	18	25	36
50-64	542	9.3	74	1	2	7	12	19	24	42
65+	1252	10.6	87	2	3	8	13	22	30	47
B. *Operated*										
0-19 YRS	5	29.2	688	8	8	13	52	66	66	66
20-34	57	21.8	261	6	7	16	32	42	53	81
35-49	230	18.6	190	5	7	15	21	33	43	75
50-64	1136	21.0	201	6	8	17	27	38	49	87
65+	2481	22.5	208	6	8	19	28	41	52	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	476	7.7	65	1	2	5	10	16	22	43
B. *Operated*	1057	16.7	98	3	6	15	21	30	36	53
2. MULTIPLE DX										
A. *Not Operated*	1951	10.1	84	2	2	7	13	21	28	47
B. *Operated*	3909	21.8	207	6	8	18	28	40	51	82
1. SINGLE DX	1533	13.9	105	2	3	12	19	28	34	47
2. MULTIPLE DX	5860	17.9	197	3	4	15	24	36	46	75
A. NOT OPERATED	2427	9.6	81	1	2	7	12	20	27	46
B. OPERATED	4966	20.7	188	5	8	18	26	38	49	78
TOTAL 0-19 YRS	17	14.2	324	1	2	8	14	45	60	66
20-34	119	16.1	236	2	2	11	20	38	47	74
35-49	460	15.4	150	2	4	13	19	30	35	72
50-64	2228	16.2	168	2	4	13	21	32	41	72
65+	4569	17.7	187	3	4	15	24	35	45	71
GRAND TOTAL	**7393**	**17.1**	**180**	**2**	**4**	**14**	**22**	**34**	**43**	**71**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	10.5	25	7	7	10	14	14	14	14
35-49	1	6.0		6	6	6	6	6	6	6
50-64	9	7.0	71	1	2	5	6	20	29	29
65+	19	5.2	5	3	3	4	6	8	10	12
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	14.8	45	8	8	13	19	24	24	24
35-49	18	19.6	407	7	8	13	18	38	72	92
50-64	38	22.5	190	8	10	19	27	41	54	64
65+	34	15.8	52	6	9	15	18	25	31	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	10.1	247	1	1	5	8	36	51	51
35-49	18	3.7	7	1	1	3	5	8	9	9
50-64	66	10.9	184	1	2	6	12	25	38	76
65+	89	9.5	69	2	2	7	12	18	27	44
B. *Operated*										
0-19 YRS										
20-34	20	18.6	113	5	8	15	24	37	38	38
35-49	65	17.5	89	6	8	16	22	31	39	44
50-64	200	21.3	232	7	9	16	27	45	61	99+
65+	278	21.9	173	8	10	19	27	39	51	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	6.1	25	3	3	5	6	10	14	29
B. *Operated*	95	19.0	181	7	8	16	23	32	43	79
2. MULTIPLE DX										
A. *Not Operated*	182	9.5	115	1	2	6	11	18	34	53
B. *Operated*	563	21.1	183	7	9	17	27	39	52	91
1. SINGLE DX	126	15.8	173	3	4	13	20	30	40	71
2. MULTIPLE DX	745	18.2	191	3	5	15	24	37	47	80
A. NOT OPERATED	213	9.0	104	1	2	6	10	17	30	52
B. OPERATED	658	20.8	183	7	9	17	26	39	50	91
TOTAL 0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	35	15.5	141	2	4	13	18	37	38	51
35-49	102	15.3	157	2	3	13	19	29	39	68
50-64	313	18.8	234	3	5	14	25	40	55	95
65+	420	18.0	166	3	4	15	23	35	45	73
GRAND TOTAL	**871**	**17.9**	**189**	**3**	**5**	**15**	**23**	**36**	**46**	**80**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	9	2	2	4	7	8	8	8
20-34	17	4.3	5	1	1	5	5	7	9	10
35-49	63	7.7	69	1	2	5	8	17	29	44
50-64	333	6.5	46	1	2	5	7	13	19	36
65+	540	7.6	50	1	1	5	10	17	24	32
B. *Operated*										
0-19 YRS	12	9.6	38	2	2	11	15	17	18	18
20-34	66	12.9	49	3	6	12	16	21	24	38
35-49	431	12.7	42	3	6	12	16	20	24	40
50-64	1675	13.8	45	4	8	13	16	21	26	38
65+	3258	16.3	80	5	9	15	19	26	32	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.0	12	6	6	6	11	12	12	12
20-34	73	7.1	32	2	2	5	9	16	17	26
35-49	326	8.0	67	1	2	5	9	16	23	50
50-64	1660	8.6	69	2	2	6	10	18	26	43
65+	3689	10.5	99	2	3	7	13	22	30	51
B. *Operated*										
0-19 YRS	39	19.6	85	5	8	19	26	32	36	41
20-34	180	15.9	100	5	7	13	20	30	39	57
35-49	1012	17.2	99	6	8	15	21	29	38	55
50-64	4878	17.9	118	6	9	15	21	30	39	70
65+	12762	21.2	143	8	10	18	26	36	45	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	956	7.2	50	1	2	5	9	16	23	34
B. *Operated*	5442	15.2	67	4	8	14	18	24	29	46
2. MULTIPLE DX										
A. *Not Operated*	5751	9.8	89	2	3	7	12	21	28	49
B. *Operated*	18871	20.1	136	8	10	17	24	34	43	69
1. SINGLE DX	6398	14.0	73	2	4	13	17	23	28	45
2. MULTIPLE DX	24622	17.7	144	3	5	15	23	32	41	65
A. NOT OPERATED	6707	9.4	84	2	2	6	12	20	28	47
B. OPERATED	24313	19.0	125	7	9	16	23	32	41	65
TOTAL 0-19 YRS	57	16.1	94	3	4	15	22	30	33	41
20-34	336	12.8	86	2	4	11	16	25	31	52
35-49	1832	14.2	93	2	4	13	18	26	32	51
50-64	8546	14.9	107	3	4	13	19	26	33	55
65+	20249	18.1	142	3	5	16	23	33	41	64
GRAND TOTAL	**31020**	**16.9**	**131**	**3**	**5**	**15**	**21**	**31**	**39**	**62**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	3.5	19	1	1	2	6	10	10	10
35-49	63	7.3	61	1	1	5	8	15	24	40
50-64	242	7.0	50	1	1	4	9	15	22	35
65+	378	8.9	111	1	2	5	10	22	31	53
B. *Operated*										
0-19 YRS	9	13.3	133	1	1	16	23	29	29	29
20-34	52	11.3	65	2	3	10	15	21	29	34
35-49	344	13.3	72	2	3	13	17	21	25	48
50-64	1473	15.0	80	2	3	14	19	25	29	46
65+	2284	15.9	103	2	4	15	21	28	33	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.8	33	4	4	7	12	17	17	17
20-34	32	11.1	232	1	2	5	14	26	41	76
35-49	156	8.1	51	1	2	5	11	17	22	45
50-64	881	9.7	112	1	2	6	12	20	30	60
65+	1888	11.2	121	2	3	8	14	23	35	62
B. *Operated*										
0-19 YRS	14	15.6	253	4	4	11	19	32	58	65
20-34	90	16.7	101	2	5	15	21	31	36	46
35-49	516	17.2	114	4	6	15	21	29	39	56
50-64	2869	19.0	135	4	7	17	24	33	40	67
65+	6070	21.6	180	5	7	19	27	38	49	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	688	8.1	85	1	2	5	9	18	28	45
B. *Operated*	4162	15.3	92	2	3	14	20	27	31	49
2. MULTIPLE DX										
A. *Not Operated*	2961	10.6	117	2	2	7	14	22	33	62
B. *Operated*	9559	20.6	164	4	7	18	26	37	45	72
1. SINGLE DX	4850	14.3	98	2	3	13	19	26	31	48
2. MULTIPLE DX	12520	18.2	171	3	4	16	24	35	43	69
A. NOT OPERATED	3649	10.1	112	1	2	6	13	22	31	59
B. OPERATED	13721	19.0	148	3	6	17	24	34	42	66
TOTAL 0-19 YRS	28	13.5	174	2	2	9	18	28	33	65
20-34	178	13.8	120	2	3	12	19	29	33	46
35-49	1079	14.1	101	2	3	13	18	25	32	52
50-64	5465	15.9	127	2	4	14	21	29	36	59
65+	10620	18.1	170	3	4	16	24	34	44	68
GRAND TOTAL	**17370**	**17.1**	**154**	**2**	**4**	**15**	**22**	**32**	**41**	**65**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	5.5	42	1	1	4	6	11	24	30
20-34	29	6.1	27	2	2	5	7	12	17	27
35-49	48	7.4	25	1	2	6	10	14	16	23
50-64	155	6.2	29	<1	1	5	7	13	17	23
65+	185	9.4	81	1	1	7	12	19	30	44
B. *Operated*										
0-19 YRS	11	11.5	82	2	2	10	15	25	32	33
20-34	39	12.3	77	3	5	10	14	21	29	50
35-49	83	15.3	72	5	6	13	21	27	30	42
50-64	253	16.8	109	4	7	15	21	29	37	64
65+	347	16.9	127	3	6	15	22	29	40	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.8	16	1	2	5	9	12	14	16
20-34	67	8.0	51	2	2	5	10	20	24	33
35-49	143	8.4	47	1	2	6	10	18	24	29
50-64	479	9.4	77	2	2	6	12	20	27	48
65+	861	11.7	140	2	3	8	14	24	34	70
B. *Operated*										
0-19 YRS	20	20.4	260	3	4	15	24	48	51	54
20-34	53	19.7	241	2	4	15	26	35	55	76
35-49	197	19.1	186	4	6	16	25	41	50	67
50-64	722	20.2	171	5	7	17	26	38	46	74
65+	1452	22.0	189	7	9	19	28	40	50	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	445	7.6	53	1	1	5	10	16	21	39
B. *Operated*	733	16.3	112	3	6	15	21	28	36	64
2. MULTIPLE DX										
A. *Not Operated*	1572	10.5	109	2	2	7	13	22	31	53
B. *Operated*	2444	21.1	186	5	8	18	27	39	49	76
1. SINGLE DX	1178	13.0	108	1	3	11	18	25	32	53
2. MULTIPLE DX	4016	17.0	183	3	4	14	23	35	44	70
A. NOT OPERATED	2017	9.8	98	1	2	7	12	21	29	50
B. OPERATED	3177	20.0	173	5	7	17	25	37	47	73
TOTAL 0-19 YRS	81	10.0	130	1	1	6	13	22	39	52
20-34	188	11.9	132	2	2	8	15	26	34	60
35-49	471	14.0	132	2	3	10	19	28	39	56
50-64	1609	15.1	149	2	3	12	21	32	39	66
65+	2845	17.4	184	3	4	14	23	35	44	74
GRAND TOTAL	**5194**	**16.1**	**169**	**2**	**4**	**13**	**22**	**33**	**42**	**68**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	3.5	11	<1	<1	2	6	8	8	8
35-49	59	9.2	155	1	2	5	10	20	30	75
50-64	184	7.4	36	1	2	5	10	16	21	29
65+	323	9.8	72	2	2	7	13	20	26	43
B. *Operated*										
0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	9	16.7	89	1	4	18	23	29	31	31
35-49	51	16.2	66	2	6	16	21	27	34	99
50-64	250	18.9	102	6	8	17	24	33	38	51
65+	404	20.9	160	4	9	18	26	35	49	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.2	5	2	2	5	6	8	8	8
20-34	28	7.6	22	1	2	6	11	14	16	19
35-49	202	8.4	67	1	2	6	10	19	23	45
50-64	841	9.7	94	1	2	7	12	20	27	56
65+	1250	11.6	118	2	3	8	15	24	33	62
B. *Operated*										
0-19 YRS	6	17.7	99	6	6	18	23	31	32	32
20-34	16	14.5	44	6	9	13	17	25	29	31
35-49	238	20.3	155	5	8	18	26	36	44	91
50-64	1240	21.8	185	6	9	18	27	39	49	82
65+	2165	22.9	157	8	10	20	28	39	48	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	571	8.9	70	1	2	6	11	19	25	43
B. *Operated*	716	19.8	134	4	8	18	25	34	42	65
2. MULTIPLE DX										
A. *Not Operated*	2326	10.6	105	2	3	8	13	22	30	57
B. *Operated*	3665	22.3	167	7	9	20	28	39	48	74
1. SINGLE DX	1287	15.0	135	2	3	13	21	29	36	60
2. MULTIPLE DX	5991	17.7	175	3	4	15	24	35	44	67
A. NOT OPERATED	2897	10.3	98	2	2	7	13	21	29	54
B. OPERATED	4381	21.9	162	7	9	19	27	38	47	72
TOTAL 0-19 YRS	14	10.8	82	2	2	7	13	24	30	32
20-34	57	10.7	54	1	2	10	13	21	26	31
35-49	550	14.3	145	2	3	12	20	30	37	72
50-64	2515	16.4	171	2	4	14	22	33	42	66
65+	4142	18.3	170	3	4	16	24	35	44	66
GRAND TOTAL	**7278**	**17.3**	**169**	**3**	**4**	**15**	**23**	**34**	**43**	**66**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	2	5	5	6	7	8	8	8
20-34	29	9.2	99	1	1	6	13	18	32	46
35-49	470	5.7	43	1	1	4	7	13	17	30
50-64	1654	6.9	61	1	1	4	8	15	22	40
65+	1646	8.3	69	1	1	6	11	17	24	42
B. *Operated*										
0-19 YRS	14	12.0	77	<1	<1	9	15	24	31	33
20-34	66	10.0	40	2	2	9	14	20	22	24
35-49	911	11.6	68	2	3	10	15	21	27	42
50-64	4017	12.6	81	2	3	11	17	23	29	43
65+	3773	12.6	95	2	3	11	17	24	30	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	9.7	57	1	1	9	14	18	26	30
20-34	81	8.9	85	1	2	5	12	20	30	44
35-49	1600	8.9	82	1	2	6	11	20	27	45
50-64	7318	9.7	91	1	2	7	12	21	28	48
65+	8817	11.1	97	2	2	8	14	23	30	50
B. *Operated*										
0-19 YRS	28	14.9	243	3	4	10	18	25	58	72
20-34	105	12.4	88	2	3	11	16	22	27	85
35-49	1931	15.0	127	2	4	13	19	29	37	60
50-64	9955	16.1	141	3	4	13	21	31	39	62
65+	11168	16.8	149	3	4	14	22	32	41	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3803	7.4	63	1	1	5	9	16	22	40
B. *Operated*	8781	12.5	85	2	3	11	17	24	29	45
2. MULTIPLE DX										
A. *Not Operated*	17852	10.3	93	1	2	7	13	22	29	49
B. *Operated*	23187	16.3	144	3	4	14	21	31	40	62
1. SINGLE DX	12584	10.9	84	1	2	9	15	22	28	44
2. MULTIPLE DX	41039	13.7	131	2	3	11	18	28	36	58
A. NOT OPERATED	21655	9.8	89	1	2	7	13	21	28	47
B. OPERATED	31968	15.3	131	2	4	13	20	29	37	59
TOTAL 0-19 YRS	82	11.7	125	1	2	9	15	22	28	67
20-34	281	10.5	78	2	2	9	14	20	25	46
35-49	4912	11.5	104	1	2	9	15	24	31	51
50-64	22944	12.8	119	2	2	10	17	26	34	55
65+	25404	13.6	126	2	3	11	18	28	36	57
GRAND TOTAL	**53623**	**13.1**	**121**	**2**	**3**	**10**	**17**	**27**	**34**	**56**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.4	6	<1	<1	3	5	7	8	8
20-34	46	5.5	28	1	1	4	6	14	18	23
35-49	71	6.0	37	1	1	4	7	14	22	27
50-64	211	5.8	53	1	1	4	6	11	24	39
65+	186	6.4	64	1	1	4	7	16	24	42
B. *Operated*										
0-19 YRS	30	9.8	263	1	1	4	15	18	24	88
20-34	86	10.2	87	1	2	8	14	22	24	52
35-49	336	7.9	80	1	1	3	12	20	25	43
50-64	1503	8.5	92	1	1	3	13	21	26	47
65+	1211	7.6	89	1	1	3	11	19	27	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	5.0	11	1	1	5	7	10	11	12
20-34	58	7.4	43	1	2	6	8	15	20	36
35-49	102	7.8	59	1	2	6	10	17	22	44
50-64	379	8.0	85	1	2	5	10	18	27	52
65+	468	10.9	143	2	2	7	13	23	35	67
B. *Operated*										
0-19 YRS	20	11.9	99	1	2	10	17	28	32	35
20-34	54	15.2	244	1	2	12	15	28	40	96
35-49	279	14.2	188	1	2	11	22	32	40	96
50-64	1338	15.3	226	2	2	12	21	36	49	93
65+	1294	15.0	225	2	2	11	20	34	48	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	526	6.0	52	1	1	4	6	13	23	38
B. *Operated*	3166	8.2	91	1	1	3	12	20	27	46
2. MULTIPLE DX										
A. *Not Operated*	1035	9.2	107	1	2	6	11	20	30	53
B. *Operated*	2985	15.0	221	2	2	11	21	34	47	91
1. SINGLE DX	3692	7.8	86	1	1	3	12	20	26	45
2. MULTIPLE DX	4020	13.5	198	1	2	9	18	31	43	85
A. NOT OPERATED	1561	8.1	91	1	2	5	10	18	27	48
B. OPERATED	6151	11.5	166	1	2	7	16	27	38	71
TOTAL 0-19 YRS	90	7.9	121	1	1	5	10	18	24	67
20-34	244	9.7	111	1	2	7	13	21	24	58
35-49	788	10.0	122	1	1	5	14	25	32	51
50-64	3431	10.9	154	1	2	6	16	26	37	69
65+	3159	11.1	163	1	2	6	16	27	38	70
GRAND TOTAL	**7712**	**10.8**	**153**	**1**	**2**	**6**	**15**	**26**	**36**	**68**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	169	4.3	22	<1	1	3	5	7	9	27
20-34	94	3.9	8	1	1	3	5	8	9	15
35-49	80	5.5	24	1	1	4	7	11	15	25
50-64	144	6.9	49	1	1	5	8	15	25	44
65+	125	7.9	89	1	1	5	8	20	32	42
B. *Operated*										
0-19 YRS	239	8.2	89	1	2	5	11	18	24	61
20-34	282	8.2	62	1	2	6	10	17	22	44
35-49	320	8.3	62	1	2	6	11	17	25	37
50-64	470	9.4	105	1	2	6	12	21	28	73
65+	583	9.5	105	1	2	6	13	21	29	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	328	4.8	23	1	1	4	5	9	12	29
20-34	207	6.6	66	1	1	4	8	14	21	36
35-49	139	9.4	147	1	2	6	10	18	35	77
50-64	319	8.5	99	1	2	5	10	17	26	55
65+	428	10.4	101	2	2	7	13	24	33	48
B. *Operated*										
0-19 YRS	133	12.5	201	2	2	8	15	27	46	73
20-34	153	13.3	171	1	2	10	18	28	38	81
35-49	196	14.4	192	2	3	11	17	32	45	98
50-64	467	14.8	216	2	2	11	20	35	46	99
65+	766	16.9	233	2	3	13	23	36	48	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	612	5.7	42	1	1	4	6	12	18	39
B. *Operated*	1894	8.9	90	1	2	6	12	19	26	54
2. MULTIPLE DX										
A. *Not Operated*	1421	8.0	87	1	2	5	9	17	26	46
B. *Operated*	1715	15.4	217	2	2	11	20	34	45	85
1. SINGLE DX	2506	8.1	80	1	2	5	10	18	25	48
2. MULTIPLE DX	3136	12.0	171	1	2	8	16	29	38	71
A. NOT OPERATED	2033	7.3	74	1	1	5	8	16	25	44
B. OPERATED	3609	12.0	161	2	2	8	16	27	38	70
TOTAL 0-19 YRS	869	6.8	77	1	1	4	8	15	22	50
20-34	736	8.2	87	1	1	5	10	18	25	50
35-49	735	9.8	117	1	2	7	12	22	31	63
50-64	1400	10.7	143	1	2	7	14	25	37	74
65+	1902	12.6	167	2	2	8	17	29	38	66
GRAND TOTAL	**5642**	**10.3**	**135**	**1**	**2**	**6**	**13**	**24**	**33**	**65**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	2	1	1	3	4	4	4	4
20-34	31	4.7	18	2	2	4	5	9	13	23
35-49	69	4.2	8	1	1	3	6	9	10	14
50-64	121	6.0	40	1	1	4	6	13	19	34
65+	109	6.9	33	2	2	5	8	14	16	33
B. *Operated*										
0-19 YRS	33	5.7	26	<1	1	5	7	11	13	27
20-34	417	6.0	21	1	2	5	8	11	14	24
35-49	665	6.6	23	2	2	5	9	12	15	24
50-64	728	7.4	44	2	2	6	10	15	18	31
65+	632	7.6	50	1	2	6	10	16	20	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	101	5.6	26	1	2	4	6	11	16	26
35-49	152	6.4	32	1	1	5	8	12	17	32
50-64	235	7.9	77	1	2	5	9	15	21	51
65+	285	9.4	97	2	3	6	10	21	30	52
B. *Operated*										
0-19 YRS	12	8.2	28	1	2	7	12	16	19	19
20-34	191	7.8	33	1	2	7	10	17	20	29
35-49	342	8.7	47	2	2	7	11	18	22	30
50-64	513	11.5	102	2	2	9	14	25	32	51
65+	641	11.3	101	2	2	8	15	24	31	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	334	5.7	30	1	2	4	6	12	16	32
B. *Operated*	2475	7.0	36	1	2	5	9	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	777	7.8	71	1	2	5	9	15	23	44
B. *Operated*	1699	10.4	84	2	2	8	13	22	29	44
1. SINGLE DX	2809	6.8	35	1	2	5	9	13	18	28
2. MULTIPLE DX	2476	9.6	81	2	2	7	12	21	28	44
A. NOT OPERATED	1111	7.2	59	1	2	5	8	14	21	42
B. OPERATED	4174	8.4	58	2	2	6	11	17	23	39
TOTAL 0-19 YRS	53	5.8	24	1	2	5	7	12	14	27
20-34	740	6.4	25	1	2	5	8	13	17	25
35-49	1228	7.0	31	1	2	6	9	14	18	27
50-64	1597	8.7	71	2	2	6	11	18	24	42
65+	1667	9.3	79	2	2	6	12	19	27	44
GRAND TOTAL	**5285**	**8.1**	**59**	**1**	**2**	**6**	**10**	**17**	**23**	**40**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	3	1	1	2	2	5	6	6
20-34	3	4.0	3	3	3	3	5	6	6	6
35-49	13	3.2	18	1	1	2	3	7	15	17
50-64	42	4.5	30	<1	1	3	6	9	12	33
65+	134	5.8	40	1	1	4	7	12	20	28
B. *Operated*										
0-19 YRS	50	2.4	7	<1	<1	2	3	4	5	18
20-34	197	3.8	13	<1	<1	2	4	9	11	20
35-49	663	3.0	10	<1	1	2	3	6	9	15
50-64	1707	3.2	14	<1	1	2	3	6	9	19
65+	2943	3.9	19	<1	1	2	4	8	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	9	6.1	29	1	1	3	11	14	16	16
35-49	20	8.8	329	<1	1	4	7	10	47	85
50-64	92	6.6	44	1	2	4	9	14	19	38
65+	289	10.1	135	1	2	7	12	21	34	80
B. *Operated*										
0-19 YRS	17	5.5	34	1	1	4	7	15	20	22
20-34	83	6.1	51	1	1	4	8	13	22	37
35-49	413	5.6	70	1	1	3	6	12	20	48
50-64	1402	5.4	55	1	1	3	6	12	18	39
65+	3550	7.1	69	1	2	4	9	16	23	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	5.2	35	1	1	3	7	11	18	29
B. *Operated*	5560	3.6	16	<1	1	2	4	7	11	20
2. MULTIPLE DX										
A. *Not Operated*	411	9.1	122	1	2	6	11	19	28	77
B. *Operated*	5465	6.5	65	1	2	4	8	15	22	46
1. SINGLE DX	5759	3.6	17	<1	1	2	4	8	11	21
2. MULTIPLE DX	5876	6.7	70	1	2	4	8	15	22	47
A. NOT OPERATED	610	7.9	97	1	1	5	9	16	24	54
B. OPERATED	11025	5.0	43	1	1	3	6	11	16	36
TOTAL 0-19 YRS	75	3.2	14	<1	1	2	3	6	9	21
20-34	292	4.5	25	<1	1	3	5	10	13	25
35-49	1109	4.1	40	<1	1	2	4	8	12	34
50-64	3243	4.3	34	<1	1	2	4	9	13	33
65+	6916	5.8	53	1	1	3	7	13	19	40
GRAND TOTAL	**11635**	**5.2**	**46**	**1**	**1**	**3**	**6**	**12**	**17**	**37**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	45	5.2	38	<1	<1	3	6	13	17	30
35-49	277	6.4	56	1	1	4	8	12	20	44
50-64	574	6.6	59	1	1	4	8	14	21	43
65+	404	8.8	71	1	2	6	11	18	26	58
B. *Operated*										
0-19 YRS	39	3.4	10	<1	1	2	4	7	12	14
20-34	754	6.8	16	1	2	7	9	11	13	18
35-49	3536	7.6	16	2	3	7	9	12	14	20
50-64	5715	8.4	19	2	4	8	10	13	15	23
65+	5630	9.1	24	3	4	8	11	14	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	13.7	223	1	1	11	15	39	42	42
20-34	193	8.1	76	1	1	5	11	19	29	99+
35-49	1173	9.2	101	1	2	6	11	19	26	48
50-64	3159	10.1	110	1	2	7	13	23	31	53
65+	3344	12.0	132	2	2	9	15	26	35	57
B. *Operated*										
0-19 YRS	27	9.8	44	1	3	8	12	22	25	26
20-34	620	9.1	36	2	3	8	11	15	20	32
35-49	3733	9.9	49	3	4	8	11	16	22	39
50-64	7418	11.3	72	3	5	9	13	20	27	51
65+	9290	12.6	84	4	5	10	15	22	30	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1302	7.2	63	1	1	5	9	15	22	46
B. *Operated*	15674	8.4	21	2	3	8	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	7875	10.7	119	1	2	7	14	24	32	56
B. *Operated*	21088	11.6	73	3	5	9	13	20	27	51
1. SINGLE DX	16976	8.3	24	2	3	8	10	13	16	26
2. MULTIPLE DX	28963	11.4	86	2	3	9	13	21	29	52
A. NOT OPERATED	9177	10.2	112	1	2	7	13	23	31	55
B. OPERATED	36762	10.2	53	3	4	9	12	17	22	43
TOTAL 0-19 YRS	74	6.5	50	<1	1	4	9	14	22	38
20-34	1612	7.8	32	1	2	7	10	14	17	32
35-49	8719	8.8	44	2	3	8	10	14	19	36
50-64	16866	9.9	63	2	3	8	11	17	24	46
65+	18668	11.4	77	3	4	9	13	20	28	51
GRAND TOTAL	**45939**	**10.2**	**65**	**2**	**3**	**9**	**12**	**18**	**25**	**46**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	164	4.5	13	1	2	4	5	7	11	16
35-49	586	4.5	18	1	2	4	5	7	11	27
50-64	668	4.6	23	1	2	4	5	7	10	25
65+	483	5.5	44	1	2	4	5	9	13	38
B. *Operated*										
0-19 YRS	21	4.6	13	<1	1	3	6	10	12	14
20-34	1002	5.4	19	1	2	4	7	10	13	23
35-49	950	6.3	34	2	2	5	8	12	17	27
50-64	905	6.2	32	1	2	5	8	12	17	28
65+	584	6.8	49	2	2	5	8	12	19	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.2	35	2	2	5	15	84	99+	99+
20-34	160	6.1	31	1	1	4	8	14	18	27
35-49	424	8.0	90	1	2	5	9	19	30	47
50-64	703	7.8	76	1	2	5	9	16	25	45
65+	696	9.6	101	2	2	6	12	22	28	52
B. *Operated*										
0-19 YRS	9	12.2	222	2	2	6	16	38	47	47
20-34	691	8.1	50	2	2	7	10	17	21	36
35-49	940	10.3	92	2	3	8	13	21	28	52
50-64	1089	12.5	177	2	2	8	15	27	40	75
65+	919	12.8	158	2	3	9	16	29	38	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1901	4.8	26	1	2	4	5	8	11	28
B. *Operated*	3462	6.1	32	1	2	5	7	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	1989	8.4	85	1	2	5	10	18	27	47
B. *Operated*	3648	11.2	129	2	2	8	14	24	33	67
1. SINGLE DX	5363	5.6	30	1	2	4	6	11	15	28
2. MULTIPLE DX	5637	10.2	115	2	2	7	12	22	31	61
A. NOT OPERATED	3890	6.6	59	1	2	4	7	14	21	42
B. OPERATED	7110	8.7	88	2	2	6	10	18	26	54
TOTAL 0-19 YRS	36	6.8	73	1	2	4	8	17	39	99+
20-34	2017	6.3	32	1	2	5	8	13	17	31
35-49	2900	7.5	62	2	2	5	9	16	23	41
50-64	3365	8.3	96	2	2	5	10	18	26	56
65+	2682	9.4	107	2	2	6	11	21	30	58
GRAND TOTAL	**11000**	**8.0**	**79**	**2**	**2**	**5**	**9**	**17**	**24**	**49**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	2	3	3	5	6	6	6	6
20-34	22	4.0	2	2	2	4	5	6	6	7
35-49	111	4.0	5	1	2	4	5	6	9	14
50-64	621	4.3	15	1	2	4	5	6	9	21
65+	534	5.2	23	1	2	4	5	9	13	27
B. *Operated*										
0-19 YRS	11	9.9	269	<1	<1	5	8	31	56	58
20-34	85	6.8	18	1	2	7	8	10	13	24
35-49	467	6.3	20	1	2	6	8	10	14	23
50-64	2473	6.4	20	1	2	7	8	11	14	23
65+	1927	7.5	36	1	2	7	10	13	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.2	11	1	2	8	9	10	10	10
20-34	18	9.4	108	<1	2	7	13	16	34	46
35-49	124	6.3	38	1	2	4	7	16	19	32
50-64	632	7.3	63	1	2	4	8	17	23	43
65+	957	9 4	100	1	2	5	11	21	30	51
B. *Operated*										
0-19 YRS	10	8.4	19	3	4	8	9	15	19	19
20-34	132	8.1	44	1	2	7	10	15	20	31
35-49	757	8.5	38	1	2	8	10	15	19	34
50-64	3657	9.1	53	2	2	8	11	16	21	40
65+	3601	11.3	90	2	2	9	13	21	29	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1291	4.6	17	1	2	4	5	7	10	24
B. *Operated*	4963	6.8	27	1	2	7	9	12	15	26
2. MULTIPLE DX										
A. *Not Operated*	1737	8.4	83	1	2	5	10	19	27	47
B. *Operated*	8157	10.0	69	2	2	8	12	18	24	45
1. SINGLE DX	6254	6.4	26	1	2	6	8	11	14	25
2. MULTIPLE DX	9894	9.7	72	2	2	8	12	18	25	45
A. NOT OPERATED	3028	6.8	58	1	2	4	7	15	21	43
B. OPERATED	13120	8.8	56	2	2	8	11	16	21	40
TOTAL 0-19 YRS	30	8.3	103	1	1	7	9	12	19	58
20-34	257	7.4	37	1	2	7	9	13	18	27
35-49	1459	7.3	32	1	2	7	9	13	17	30
50-64	7383	7.7	42	1	2	7	9	14	18	34
65+	7019	9.5	76	2	2	8	12	18	25	45
GRAND TOTAL	**16148**	**8.4**	**57**	**1**	**2**	**7**	**10**	**16**	**21**	**40**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.4	2	2	2	5	5	6	7	7
20-34	74	3.5	7	1	1	3	4	7	8	15
35-49	249	3.5	15	1	1	2	4	6	10	24
50-64	897	3.5	25	1	1	2	4	7	9	19
65+	444	4.9	35	1	1	3	6	11	15	35
B. *Operated*										
0-19 YRS	50	8.5	8	5	5	8	10	13	14	16
20-34	176	8.4	18	4	5	8	10	12	16	21
35-49	244	10.3	28	4	6	9	12	17	21	31
50-64	499	11.7	40	5	6	10	14	20	24	37
65+	307	13.8	55	5	7	12	17	23	26	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.9	25	1	2	4	7	11	18	24
20-34	93	4.7	44	1	1	3	5	9	17	40
35-49	503	5.8	46	1	1	3	7	14	20	38
50-64	1545	6.1	62	1	1	3	7	14	20	41
65+	1417	8.7	102	1	2	5	11	21	30	53
B. *Operated*										
0-19 YRS	42	12.0	63	5	6	10	13	19	29	46
20-34	220	10.9	62	4	5	9	13	19	23	45
35-49	682	14.3	130	6	7	11	16	25	33	75
50-64	1625	15.7	105	6	7	13	19	27	38	60
65+	1585	19.1	150	6	8	16	23	35	44	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1677	3.9	25	1	1	2	4	7	11	25
B. *Operated*	1276	11.4	40	5	6	10	13	20	23	37
2. MULTIPLE DX										
A. *Not Operated*	3580	7.1	77	1	1	4	8	16	24	48
B. *Operated*	4154	16.5	129	6	7	14	20	30	39	66
1. SINGLE DX	2953	7.1	45	1	1	5	10	15	20	33
2. MULTIPLE DX	7734	12.1	127	1	2	9	16	25	34	60
A. NOT OPERATED	5257	6.0	63	1	1	3	7	14	21	41
B. OPERATED	5430	15.3	113	5	7	12	19	27	36	62
TOTAL 0-19 YRS	127	8.8	35	3	4	7	11	14	18	37
20-34	563	8.1	46	1	2	7	10	15	19	29
35-49	1678	9.6	92	1	1	8	12	20	26	53
50-64	4566	9.6	93	1	1	7	13	21	27	48
65+	3753	13.1	141	1	2	10	18	28	36	61
GRAND TOTAL	**10687**	**10.7**	**109**	**1**	**2**	**8**	**14**	**23**	**31**	**54**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	5.1	14	1	1	5	8	11	11	11
20-34	24	7.5	54	3	4	6	7	10	27	37
35-49	12	4.1	10	1	1	3	7	29	87	99+
50-64	70	4.4	23	1	1	3	5	10	17	27
65+	89	5.9	39	1	2	4	7	12	17	35
B. *Operated*										
0-19 YRS	7	9.9	49	2	2	10	15	20	21	21
20-34	57	5.4	40	<1	1	3	6	12	19	35
35-49	101	9.0	88	1	2	5	14	20	26	49
50-64	160	8.8	107	1	2	6	11	18	25	55
65+	317	9.2	83	2	2	6	12	20	27	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	10.5	363	1	2	5	7	23	62	81
20-34	18	6.6	35	1	1	6	8	9	20	28
35-49	41	4.8	17	1	1	4	5	8	10	26
50-64	89	9.5	142	1	1	5	10	24	34	92
65+	198	10.7	141	1	2	7	14	25	35	72
B. *Operated*										
0-19 YRS	8	15.5	247	2	2	9	28	39	41	41
20-34	30	8.8	46	1	2	7	13	19	21	28
35-49	101	11.8	114	2	2	7	16	26	35	50
50-64	276	14.9	197	2	3	11	19	34	47	89
65+	582	17.3	218	2	3	13	24	41	49	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	5.4	33	1	1	4	7	11	17	37
B. *Operated*	642	8.8	87	1	2	6	12	19	26	52
2. MULTIPLE DX										
A. *Not Operated*	363	9.5	134	1	2	6	11	23	33	79
B. *Operated*	997	15.8	200	2	3	11	21	36	48	71
1. SINGLE DX	846	8.0	76	1	2	5	10	18	25	48
2. MULTIPLE DX	1360	14.1	191	2	2	9	18	34	45	73
A. NOT OPERATED	567	8.0	102	1	2	5	9	19	30	72
B. OPERATED	1639	13.0	168	2	2	9	17	30	42	66
TOTAL 0-19 YRS	41	10.2	210	1	2	5	10	24	38	81
20-34	129	6.7	44	1	1	5	8	15	21	36
35-49	255	9.2	90	1	2	6	12	22	28	52
50-64	595	11.2	157	1	2	7	15	26	35	77
65+	1186	13.2	173	2	2	9	17	31	43	68
GRAND TOTAL	**2206**	**11.8**	**155**	**1**	**2**	**8**	**15**	**28**	**40**	**67**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	41	3	3	7	12	12	12	12
20-34										
35-49	14	5.6	60	<1	1	2	6	17	26	28
50-64	232	5.2	42	1	1	3	6	11	16	28
65+	825	7.1	40	1	2	5	9	14	19	32
B. *Operated*										
0-19 YRS	9	6.8	16	2	2	7	9	13	14	14
20-34	7	15.3	355	1	1	10	22	47	53	53
35-49	75	7.1	29	1	1	6	10	15	17	25
50-64	2153	8.1	38	2	2	7	11	16	20	29
65+	6813	8.6	39	2	2	7	11	16	19	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	9.4	47	2	2	8	11	23	25	25
20-34	3	7.3	21	2	2	10	10	10	10	10
35-49	49	7.0	52	1	2	5	9	15	17	44
50-64	979	8.6	75	1	2	6	11	19	25	43
65+	5696	10.2	89	2	2	8	13	21	28	49
B. *Operated*										
0-19 YRS	15	16.3	110	3	5	14	22	32	38	40
20-34	7	18.9	888	2	3	9	12	71	86	86
35-49	106	11.6	64	3	4	10	15	21	28	42
50-64	2935	11.4	74	2	3	9	15	23	28	46
65+	14954	12.3	86	3	4	10	15	23	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1073	6.7	41	1	2	5	9	14	18	31
B. *Operated*	9057	8.4	39	2	2	7	11	16	19	31
2. MULTIPLE DX										
A. *Not Operated*	6743	9.9	87	2	2	7	13	21	28	48
B. *Operated*	18017	12.1	84	3	4	10	15	23	29	49
1. SINGLE DX	10130	8.3	39	2	2	7	11	16	19	31
2. MULTIPLE DX	24760	11.5	86	2	3	9	15	22	29	49
A. NOT OPERATED	7816	9.5	82	1	2	7	12	20	27	47
B. OPERATED	27074	10.9	72	2	3	9	14	21	27	45
TOTAL 0-19 YRS	42	11.2	75	2	3	9	14	24	29	40
20-34	17	15.4	486	1	1	10	13	47	74	86
35-49	244	9.0	56	1	2	7	12	17	24	35
50-64	6299	9.6	64	2	2	8	13	19	24	40
65+	28288	10.8	77	2	3	9	14	21	27	46
GRAND TOTAL	**34890**	**10.6**	**75**	**2**	**3**	**8**	**13**	**21**	**27**	**45**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	5.0	8	1	1	5	7	9	9	9
20-34	185	4.8	10	1	1	5	6	9	10	19
35-49	54	4.7	10	1	1	5	6	8	12	16
50-64	22	4.1	8	<1	1	4	6	8	9	10
65+	24	4.7	55	<1	1	2	4	12	22	35
B. *Operated*										
0-19 YRS	77	6.8	38	2	2	4	8	17	21	29
20-34	647	6.7	29	2	2	5	8	14	17	27
35-49	260	6.4	20	2	2	5	8	13	15	24
50-64	114	6.4	23	2	2	5	8	12	16	25
65+	98	9.5	123	1	2	7	11	19	24	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	6.2	14	1	2	5	6	13	16	16
20-34	269	5.9	26	1	2	5	7	10	15	26
35-49	88	6.6	42	1	1	5	7	15	18	38
50-64	42	6.7	29	1	2	5	10	14	17	28
65+	30	8.4	51	2	3	5	13	15	16	36
B. *Operated*										
0-19 YRS	40	11.2	98	2	3	9	14	19	24	61
20-34	275	12.1	127	3	3	9	15	21	25	73
35-49	129	10.8	60	2	3	9	15	22	26	39
50-64	133	11.9	103	2	3	8	18	26	33	49
65+	170	13.4	122	3	3	11	17	25	36	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	309	4.8	13	1	1	5	6	9	10	18
B. *Operated*	1196	6.9	35	2	2	5	8	14	18	28
2. MULTIPLE DX										
A. *Not Operated*	479	6.3	30	1	2	5	7	13	16	27
B. *Operated*	747	12.1	109	2	3	9	16	23	29	61
1. SINGLE DX	1505	6.4	31	1	2	5	8	12	16	27
2. MULTIPLE DX	1226	9.8	86	2	2	7	13	19	25	50
A. NOT OPERATED	788	5.7	24	1	1	5	6	11	15	25
B. OPERATED	1943	8.9	70	2	2	6	11	18	23	40
TOTAL 0-19 YRS	191	7.4	44	1	2	5	9	15	19	29
20-34	1376	7.4	51	1	2	5	9	15	19	32
35-49	531	7.3	36	1	2	6	9	15	19	30
50-64	311	8.6	65	2	2	6	10	19	26	36
65+	322	11.1	117	1	2	8	15	21	30	52
GRAND TOTAL	**2731**	**8.0**	**59**	**1**	**2**	**6**	**10**	**16**	**21**	**36**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.5	6	2	2	3	5	7	7	7
35-49	26	3.3	5	1	1	2	5	6	7	9
50-64	155	5.3	33	1	1	3	6	11	18	30
65+	504	7.1	66	1	1	4	8	16	26	41
B. *Operated*										
0-19 YRS	25	5.8	14	1	2	5	8	10	13	17
20-34	114	4.4	17	1	1	3	5	8	11	26
35-49	748	5.5	36	1	1	4	6	12	16	32
50-64	3855	5.6	31	1	2	4	6	12	17	28
65+	7870	6.4	38	1	2	4	8	13	18	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	9	<1	<1	4	6	7	7	7
20-34	9	4.3	14	<1	<1	3	7	10	11	11
35-49	42	6.6	19	2	2	6	9	14	15	16
50-64	490	6.7	56	1	1	4	8	15	22	40
65+	1567	9.9	98	1	2	7	12	22	29	54
B. *Operated*										
0-19 YRS	22	6.3	40	1	1	4	7	16	22	26
20-34	53	9.0	90	2	2	5	10	21	27	51
35-49	394	8.7	111	1	2	5	10	19	30	57
50-64	3247	9.7	99	2	2	6	13	22	29	52
65+	10555	10.6	105	2	2	7	13	23	31	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	689	6.5	57	1	1	4	7	14	23	40
B. *Operated*	12612	6.1	36	1	2	4	7	13	18	30
2. MULTIPLE DX										
A. *Not Operated*	2111	9.0	88	1	2	6	11	20	28	51
B. *Operated*	14271	10.4	104	2	2	7	13	22	30	54
1. SINGLE DX	13301	6.1	37	1	2	4	7	13	18	31
2. MULTIPLE DX	16382	10.2	102	2	2	7	13	22	30	54
A. NOT OPERATED	2800	8.4	82	1	2	5	10	19	27	47
B. OPERATED	26883	8.3	77	2	2	5	10	18	25	45
TOTAL 0-19 YRS	50	5.9	25	1	1	5	8	11	17	26
20-34	180	5.7	42	1	1	4	6	11	19	28
35-49	1210	6.5	62	1	2	4	7	14	20	42
50-64	7747	7.4	65	1	2	5	9	17	23	40
65+	20496	8.9	82	2	2	6	11	19	26	47
GRAND TOTAL	**29683**	**8.3**	**77**	**1**	**2**	**5**	**10**	**18**	**25**	**46**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	3.8	7	<1	1	4	5	7	10	13
20-34	15	5.1	19	1	2	4	6	9	16	19
35-49	36	6.8	134	1	1	3	7	11	23	67
50-64	119	6.4	37	1	1	4	8	17	20	27
65+	94	8.5	66	1	2	6	12	18	23	39
B. *Operated*										
0-19 YRS	44	11.3	48	3	5	9	13	20	28	34
20-34	57	13.6	132	1	4	11	16	23	31	68
35-49	282	11.3	38	2	3	11	14	19	21	30
50-64	717	12.6	54	2	3	12	16	21	25	39
65+	708	13.7	61	2	4	13	18	24	28	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	6.2	151	<1	1	4	6	12	14	87
20-34	31	6.8	100	1	1	4	6	15	21	54
35-49	154	9.0	93	1	1	6	11	22	30	69
50-64	563	9.7	101	1	2	7	12	21	28	53
65+	687	11.8	121	2	3	8	16	26	36	80
B. *Operated*										
0-19 YRS	47	16.3	163	3	4	13	19	32	47	58
20-34	45	13.5	30	5	8	13	17	20	23	29
35-49	347	15.9	129	3	7	13	19	28	40	66
50-64	1278	17.1	136	3	6	15	21	31	40	65
65+	1971	18.6	150	4	6	16	23	33	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	6.6	53	1	1	4	8	16	19	37
B. *Operated*	1808	12.9	57	2	4	12	16	22	26	39
2. MULTIPLE DX										
A. *Not Operated*	1492	10.4	113	1	2	7	13	23	32	61
B. *Operated*	3688	17.7	143	3	6	15	22	32	40	67
1. SINGLE DX	2119	11.9	61	2	3	11	16	21	26	38
2. MULTIPLE DX	5180	15.6	145	2	3	13	21	30	39	66
A. NOT OPERATED	1803	9.7	105	1	2	6	12	22	30	58
B. OPERATED	5496	16.1	120	3	5	14	20	29	36	61
TOTAL 0-19 YRS	195	9.2	117	1	1	6	12	18	32	57
20-34	148	11.3	93	1	2	10	14	21	24	54
35-49	819	12.6	100	2	3	11	16	23	30	57
50-64	2677	13.9	114	2	3	12	18	26	33	57
65+	3460	16.0	133	3	4	14	21	30	37	64
GRAND TOTAL	**7299**	**14.6**	**124**	**2**	**3**	**12**	**19**	**27**	**35**	**61**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.0	4	<1	<1	1	2	5	5	12
20-34	3	4.0	7	1	1	5	6	6	6	6
35-49	6	4.8	17	2	2	3	5	12	13	13
50-64	14	6.3	31	2	2	5	6	12	21	24
65+	11	7.9	39	1	1	8	13	17	19	19
B. *Operated*										
0-19 YRS	42	3.6	6	1	2	3	5	8	9	11
20-34	27	4.2	4	1	2	4	5	7	8	10
35-49	40	4.3	7	1	1	4	6	8	10	12
50-64	101	5.2	25	2	2	4	5	8	17	29
65+	126	5.6	43	1	2	4	7	10	15	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.6	6	<1	<1	1	4	5	7	11
20-34	9	12.6	517	3	3	5	7	47	73	73
35-49	10	7.3	22	2	2	6	9	15	16	16
50-64	21	5.9	19	2	2	5	9	11	15	19
65+	41	7.9	43	2	2	6	12	18	27	99+
B. *Operated*										
0-19 YRS	9	5.2	26	1	1	3	8	14	14	14
20-34	5	8.6	68	2	2	5	14	22	22	22
35-49	20	7.3	47	2	2	5	8	17	25	28
50-64	71	5.9	25	1	2	4	8	12	16	25
65+	114	9.7	109	2	3	6	12	20	34	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	3.7	18	<1	<1	2	5	9	13	22
B. *Operated*	336	5.0	26	1	2	4	5	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	111	6.4	68	1	1	4	8	14	19	83
B. *Operated*	219	8.0	74	2	2	5	9	17	25	44
1. SINGLE DX	421	4.7	24	<1	1	4	5	9	12	22
2. MULTIPLE DX	330	7.5	72	1	2	5	9	16	23	49
A. NOT OPERATED	196	5.2	48	<1	<1	3	6	12	16	54
B. OPERATED	555	6.2	47	2	2	4	7	12	18	36
TOTAL 0-19 YRS	132	2.9	7	<1	<1	2	4	6	8	13
20-34	44	6.4	117	1	2	4	5	8	14	73
35-49	76	5.5	21	1	2	4	7	10	14	27
50-64	207	5.6	24	2	2	4	6	11	16	25
65+	292	7.6	71	2	2	5	9	16	22	56
GRAND TOTAL	**751**	**5.9**	**47**	**1**	**1**	**4**	**7**	**12**	**17**	**36**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	6.5	73	1	1	3	8	15	25	42
20-34	112	6.7	55	1	1	4	8	14	21	41
35-49	187	10.3	145	2	2	6	12	23	34	67
50-64	367	11.7	178	1	2	7	15	25	50	99
65+	240	14.1	166	2	3	10	20	33	39	58
B. *Operated*										
0-19 YRS	186	16.1	115	5	7	13	19	28	44	90
20-34	244	14.8	102	3	5	13	17	26	34	65
35-49	354	17.0	136	3	6	15	21	30	39	67
50-64	551	20.4	203	5	7	17	24	38	55	75
65+	353	24.0	307	3	7	20	30	49	61	93
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	131	8.1	103	1	1	4	9	21	37	99+
20-34	145	9.1	102	1	1	5	10	22	34	45
35-49	265	11.4	138	2	2	8	15	26	40	77
50-64	473	13.4	207	1	2	9	16	30	43	86
65+	381	16.2	230	2	3	12	20	36	51	99+
B. *Operated*										
0-19 YRS	159	23.4	267	5	7	20	31	51	67	99+
20-34	172	19.3	232	3	5	15	26	41	61	99+
35-49	241	23.6	339	5	8	17	29	56	68	99+
50-64	419	26.6	389	6	8	20	35	59	72	99+
65+	402	29.6	364	8	10	25	39	63	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1021	10.9	150	1	2	7	14	25	38	69
B. *Operated*	1688	19.2	196	4	7	16	23	36	52	76
2. MULTIPLE DX										
A. *Not Operated*	1395	12.8	186	1	2	8	16	31	43	91
B. *Operated*	1393	25.7	350	5	8	20	33	57	71	99+
1. SINGLE DX	2709	16.0	195	2	3	13	21	33	46	74
2. MULTIPLE DX	2788	19.3	309	2	3	14	26	46	62	99+
A. NOT OPERATED	2416	12.0	172	1	2	8	15	29	41	83
B. OPERATED	3081	22.1	276	5	7	18	27	48	63	96
TOTAL 0-19 YRS	591	14.4	188	1	2	11	20	33	48	99+
20-34	673	13.4	148	1	2	11	17	29	39	68
35-49	1047	15.9	209	2	3	13	20	33	51	84
50-64	1810	18.2	274	2	3	14	23	42	57	91
65+	1376	21.8	315	3	5	18	29	48	64	99+
GRAND TOTAL	**5497**	**17.7**	**256**	**2**	**3**	**13**	**20**	**40**	**55**	**92**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	5.8	97	<1	<1	3	7	9	25	50
20-34	18	3.4	9	2	2	2	3	8	11	13
35-49	4	6.3	45	<1	<1	4	10	16	16	16
50-64	13	11.8	129	<1	1	10	16	25	39	42
65+	9	11.2	92	3	3	8	15	26	33	33
B. *Operated*										
0-19 YRS	20	16.7	416	2	2	11	19	36	69	90
20-34	32	20.2	291	3	5	15	22	48	54	76
35-49	24	14.9	43	3	8	15	18	24	27	28
50-64	37	21.4	308	4	7	15	25	47	66	78
65+	19	22.3	484	2	3	16	35	57	71	77
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.8	35	<1	1	4	5	19	20	20
20-34	13	14.9	365	2	2	7	18	48	63	66
35-49	13	17.2	255	3	4	11	20	42	55	58
50-64	28	13.9	175	2	3	9	17	37	47	52
65+	37	16.3	311	2	3	10	19	51	58	71
B. *Operated*										
0-19 YRS	23	17.3	191	1	2	14	24	39	45	53
20-34	21	20.4	189	4	5	18	31	49	71	99+
35-49	28	21.0	145	8	9	18	27	41	44	49
50-64	55	25.7	281	5	8	24	49	99+	99+	99+
65+	39	33.5	460	3	7	32	55	97	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	7.0	83	<1	1	3	9	16	21	48
B. *Operated*	132	19.3	295	2	4	15	23	46	54	80
2. MULTIPLE DX										
A. *Not Operated*	113	13.6	231	2	2	8	17	34	55	68
B. *Operated*	166	24.9	301	3	7	23	39	61	99+	99+
1. SINGLE DX	202	15.1	255	1	2	11	18	34	49	77
2. MULTIPLE DX	279	20.3	302	2	3	16	31	55	71	99+
A. NOT OPERATED	183	11.1	184	1	2	6	14	24	45	64
B. OPERATED	298	22.4	305	3	5	18	32	55	77	99+
TOTAL 0-19 YRS	91	11.1	201	1	1	5	16	24	40	75
20-34	84	15.8	255	2	2	11	20	45	53	92
35-49	69	17.3	134	3	5	15	23	34	42	56
50-64	133	20.6	275	3	4	16	31	55	89	99+
65+	104	23.4	440	2	3	17	36	60	79	99+
GRAND TOTAL	**481**	**18.1**	**289**	**2**	**2**	**14**	**24**	**49**	**63**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	3.1	12	<1	<1	2	4	5	8	22
20-34	107	3.4	10	1	1	3	4	6	7	20
35-49	93	4.0	19	1	1	3	4	7	11	26
50-64	78	3.7	22	1	1	3	4	6	10	31
65+	60	4.8	14	1	1	4	7	11	12	18
B. *Operated*										
0-19 YRS	82	6.0	17	2	3	5	7	10	15	23
20-34	453	5.4	10	3	3	5	6	8	11	19
35-49	348	6.2	18	3	3	5	7	11	15	27
50-64	299	7.1	34	3	3	5	8	15	18	35
65+	180	8.9	44	3	4	7	10	16	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	5.0	39	<1	1	3	5	10	15	37
20-34	73	5.3	21	1	1	4	7	10	11	29
35-49	111	5.0	28	1	1	4	5	9	15	31
50-64	153	6.7	44	1	1	4	9	15	20	36
65+	194	10.5	133	2	2	6	12	27	43	85
B. *Operated*										
0-19 YRS	95	10.3	87	2	3	7	12	25	34	40
20-34	406	7.4	39	3	3	5	8	14	18	36
35-49	415	7.6	41	3	3	6	9	13	18	39
50-64	411	10.1	91	3	3	7	11	19	29	52
65+	411	14.4	148	3	4	11	17	30	41	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	424	3.7	15	1	1	3	4	7	10	23
B. *Operated*	1362	6.5	23	3	3	5	7	12	16	27
2. MULTIPLE DX										
A. *Not Operated*	626	7.1	71	1	1	5	8	15	23	54
B. *Operated*	1738	9.9	87	3	3	7	11	20	29	50
1. SINGLE DX	1786	5.8	23	1	2	5	6	11	15	27
2. MULTIPLE DX	2364	9.2	84	2	3	6	11	18	28	50
A. NOT OPERATED	1050	5.8	51	1	1	4	6	12	18	44
B. OPERATED	3100	8.4	62	3	3	6	9	16	24	45
TOTAL 0-19 YRS	358	6.2	47	<1	1	4	7	13	19	37
20-34	1039	6.0	24	2	2	5	7	10	15	29
35-49	967	6.4	30	2	3	5	8	12	16	34
50-64	941	8.0	63	2	2	6	10	16	23	43
65+	845	11.6	121	2	3	8	14	25	36	59
GRAND TOTAL	**4150**	**7.7**	**61**	**2**	**2**	**5**	**9**	**15**	**23**	**45**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	3.2	13	<1	<1	2	4	6	14	99+
20-34	116	6.2	65	1	1	4	7	13	19	49
35-49	363	8.4	111	1	2	5	10	17	27	57
50-64	1132	7.3	64	1	1	5	9	16	24	44
65+	1422	9.3	88	1	2	6	12	20	27	52
B. *Operated*										
0-19 YRS	76	6.5	67	<1	1	4	9	13	19	51
20-34	216	7.2	58	1	2	5	9	16	20	34
35-49	601	8.8	73	1	2	6	12	19	25	47
50-64	1546	10.4	103	1	2	8	14	23	31	49
65+	1945	10.3	107	1	2	8	14	22	29	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	5.7	34	<1	1	4	7	12	15	33
20-34	771	8.1	90	1	2	5	9	16	25	51
35-49	3293	9.1	84	1	2	6	11	20	28	47
50-64	10948	9.8	98	1	2	7	13	22	29	51
65+	15019	11.6	111	2	3	8	15	24	33	54
B. *Operated*										
0-19 YRS	123	12.2	109	2	2	9	16	27	37	72
20-34	725	11.5	112	2	2	9	14	23	32	69
35-49	2996	13.3	144	2	3	10	17	28	37	65
50-64	8896	14.9	172	2	3	11	19	31	42	72
65+	11714	16.0	167	2	3	13	21	33	42	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3075	8.3	81	1	1	5	10	18	25	49
B. *Operated*	4384	9.9	99	1	2	7	13	22	29	51
2. MULTIPLE DX										
A. *Not Operated*	30209	10.5	104	1	2	7	14	23	31	53
B. *Operated*	24454	15.1	165	2	3	12	20	31	41	69
1. SINGLE DX	7459	9.2	92	1	2	6	12	20	28	50
2. MULTIPLE DX	54663	12.6	136	2	2	9	16	27	36	61
A. NOT OPERATED	33284	10.3	102	1	2	7	13	22	30	52
B. OPERATED	28838	14.4	159	2	3	11	19	30	40	67
TOTAL 0-19 YRS	419	7.5	69	1	1	5	9	17	26	50
20-34	1828	9.2	97	1	2	6	12	19	27	53
35-49	7253	10.8	114	1	2	8	14	24	32	56
50-64	22522	11.7	133	1	2	8	15	26	34	62
65+	30100	13.1	137	2	3	10	17	28	37	60
GRAND TOTAL	**62122**	**12.2**	**132**	**2**	**2**	**9**	**16**	**26**	**35**	**60**

45: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	126	3.0	11	<1	1	2	4	7	8	20
20-34	345	4.2	29	<1	1	2	5	9	13	31
35-49	167	5.4	33	1	1	4	7	12	15	37
50-64	149	5.4	42	<1	1	3	7	13	17	42
65+	103	6.2	49	1	1	4	8	16	24	33
B. *Operated*										
0-19 YRS	376	7.9	41	1	2	7	11	17	20	29
20-34	924	9.0	52	1	2	7	12	19	23	33
35-49	342	10.1	84	2	2	8	13	20	24	58
50-64	260	10.5	76	2	2	8	14	22	26	43
65+	157	12.1	112	2	3	10	17	23	26	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	6.2	40	1	1	4	8	13	15	39
20-34	325	5.7	30	1	1	4	8	14	16	26
35-49	203	7.7	54	1	1	5	10	16	23	33
50-64	245	7.4	54	1	1	6	10	15	20	33
65+	256	10.1	99	1	1	7	14	23	31	47
B. *Operated*										
0-19 YRS	107	11.4	162	1	2	9	15	21	24	80
20-34	393	12.4	109	2	3	9	15	25	35	52
35-49	246	13.7	136	2	4	10	18	27	37	69
50-64	306	14.4	162	2	3	11	18	29	41	63
65+	270	18.2	191	2	4	15	25	34	45	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	890	4.7	33	<1	1	3	6	10	15	34
B. *Operated*	2059	9.4	64	1	2	8	13	20	23	38
2. MULTIPLE DX										
A. *Not Operated*	1118	7.5	59	1	1	5	10	16	23	36
B. *Operated*	1322	14.2	152	2	3	11	18	29	38	65
1. SINGLE DX	2949	8.0	59	1	1	6	11	18	22	37
2. MULTIPLE DX	2440	11.1	120	1	2	8	15	24	32	61
A. NOT OPERATED	2008	6.2	49	1	1	4	8	14	20	35
B. OPERATED	3381	11.3	104	2	2	9	15	23	29	55
TOTAL 0-19 YRS	698	7.3	60	1	1	5	10	16	20	34
20-34	1987	8.3	63	1	1	6	11	18	23	37
35-49	958	9.7	90	1	2	7	13	21	26	57
50-64	960	10.1	104	1	2	7	14	22	29	52
65+	786	12.8	145	1	2	10	18	28	34	64
GRAND TOTAL	**5389**	**9.4**	**89**	**1**	**1**	**7**	**13**	**21**	**26**	**48**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	400	4.0	23	<1	<1	2	5	10	14	23
20-34	62	7.7	53	<1	1	5	10	19	24	29
35-49	37	7.4	48	1	1	5	9	17	23	29
50-64	115	7.4	74	1	1	4	11	16	22	48
65+	239	7.6	48	1	1	6	10	16	20	32
B. *Operated*										
0-19 YRS	262	9.6	142	<1	<1	4	13	26	39	52
20-34	58	14.3	129	1	2	12	22	29	39	48
35-49	47	7.7	36	1	2	5	10	18	21	24
50-64	119	8.3	103	2	2	6	9	15	26	57
65+	174	10.6	112	2	2	8	12	23	31	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	301	5.7	54	<1	1	3	8	12	18	37
20-34	58	8.9	68	1	1	6	11	19	27	43
35-49	75	9.1	81	<1	1	6	12	22	26	43
50-64	485	9.4	92	1	2	7	12	19	27	53
65+	1259	9.9	79	2	2	8	13	20	26	48
B. *Operated*										
0-19 YRS	164	15.7	217	2	3	12	22	34	47	75
20-34	48	18.4	341	1	2	14	26	56	68	99+
35-49	70	15.5	240	2	3	11	20	33	53	77
50-64	333	13.2	165	2	3	9	17	29	41	86
65+	792	14.4	158	2	4	11	19	30	41	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	853	5.9	43	<1	1	4	8	14	18	31
B. *Operated*	660	9.9	120	1	1	6	12	23	33	52
2. MULTIPLE DX										
A. *Not Operated*	2178	9.2	80	1	2	7	12	19	26	48
B. *Operated*	1407	14.5	177	2	3	10	19	31	43	79
1. SINGLE DX	1513	7.7	80	<1	1	5	10	18	24	46
2. MULTIPLE DX	3585	11.3	125	1	2	8	14	24	33	63
A. NOT OPERATED	3031	8.3	72	1	1	6	11	18	24	44
B. OPERATED	2067	13.0	164	2	2	9	18	29	40	74
TOTAL 0-19 YRS	1127	7.5	103	<1	<1	4	9	19	29	50
20-34	226	12.0	153	1	1	8	18	28	36	69
35-49	229	10.5	125	1	2	7	13	24	30	63
50-64	1052	10.3	119	1	2	7	13	22	33	62
65+	2464	11.2	109	2	2	8	14	23	31	55
GRAND TOTAL	**5098**	**10.2**	**114**	**1**	**1**	**7**	**13**	**22**	**31**	**55**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	198	4.8	51	<1	<1	2	5	10	18	38
20-34	181	7.6	85	<1	1	5	7	21	27	45
35-49	235	7.6	78	<1	1	5	8	22	30	40
50-64	322	8.0	109	1	1	5	9	21	31	50
65+	526	6.0	61	1	1	4	7	14	19	34
B. *Operated*										
0-19 YRS	94	12.9	220	<1	1	7	17	36	52	57
20-34	119	19.7	421	1	1	10	31	48	62	87
35-49	189	15.5	311	2	2	8	23	39	56	88
50-64	230	14.5	218	1	2	9	22	34	44	66
65+	278	12.7	179	2	3	8	14	31	42	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	5.7	35	<1	1	4	7	13	17	32
20-34	208	9.3	89	1	1	6	11	24	30	42
35-49	305	8.2	109	1	1	5	9	18	31	55
50-64	639	8.8	97	1	1	6	11	19	30	50
65+	1573	8.4	84	1	1	5	11	19	26	45
B. *Operated*										
0-19 YRS	105	20.6	279	2	3	16	33	47	52	63
20-34	183	25.4	368	3	5	21	34	56	72	98
35-49	268	22.2	363	3	5	15	32	49	63	96
50-64	501	20.8	350	2	3	14	30	47	59	94
65+	932	18.0	264	3	4	12	24	40	55	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1462	6.7	77	<1	1	4	7	16	25	44
B. *Operated*	910	14.7	256	1	2	8	21	37	51	76
2. MULTIPLE DX										
A. *Not Operated*	2876	8.4	88	1	1	5	10	19	27	45
B. *Operated*	1989	20.1	314	3	4	14	29	46	59	92
1. SINGLE DX	2372	9.8	160	1	1	5	11	26	37	61
2. MULTIPLE DX	4865	13.2	213	1	2	8	17	33	45	74
A. NOT OPERATED	4338	7.8	85	1	1	5	9	18	26	45
B. OPERATED	2899	18.4	302	2	3	12	27	44	56	90
TOTAL 0-19 YRS	548	9.5	156	<1	<1	5	10	27	39	57
20-34	691	14.9	275	1	2	8	22	37	52	77
35-49	997	13.2	245	1	1	7	17	34	47	80
50-64	1692	13.0	220	1	1	7	16	34	44	73
65+	3309	11.1	160	1	1	7	14	26	38	66
GRAND TOTAL	**7237**	**12.1**	**198**	**1**	**1**	**7**	**15**	**31**	**42**	**70**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	4.1	27	<1	<1	2	5	9	14	27
20-34	172	5.5	55	<1	1	3	6	12	19	37
35-49	411	5.9	53	1	1	3	8	13	17	32
50-64	999	6.8	78	1	1	4	9	15	23	40
65+	1303	8.3	78	1	1	6	11	18	25	44
B. *Operated*										
0-19 YRS	106	6.1	43	1	1	4	9	13	18	37
20-34	303	8.5	52	1	2	7	12	18	23	39
35-49	641	8.9	75	2	2	7	11	18	24	45
50-64	1442	10.2	80	1	2	8	13	21	28	43
65+	1615	11.1	88	2	2	9	15	23	30	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	131	7.4	103	<1	1	5	9	14	21	52
20-34	221	8.2	69	1	1	5	11	19	24	42
35-49	625	8.6	90	1	1	6	11	18	26	50
50-64	2204	9.4	99	1	1	6	12	21	29	51
65+	4115	10.9	114	1	2	8	14	24	32	53
B. *Operated*										
0-19 YRS	92	13.5	184	2	3	10	17	32	42	93
20-34	252	14.4	159	2	3	11	19	32	40	68
35-49	580	14.1	184	2	3	10	18	32	44	76
50-64	2094	15.7	188	2	3	12	21	33	46	76
65+	3656	18.1	213	3	5	14	23	37	50	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3012	7.1	73	1	1	4	9	16	23	41
B. *Operated*	4107	10.1	80	2	2	8	13	21	28	45
2. MULTIPLE DX										
A. *Not Operated*	7296	10.1	107	1	2	7	13	22	30	52
B. *Operated*	6674	16.8	202	3	4	13	22	36	47	79
1. SINGLE DX	7119	8.8	79	1	1	6	12	19	26	44
2. MULTIPLE DX	13970	13.3	164	1	2	9	17	29	40	69
A. NOT OPERATED	10308	9.2	99	1	1	6	12	21	28	50
B. OPERATED	10781	14.2	166	2	3	11	19	30	41	71
TOTAL 0-19 YRS	456	7.4	95	<1	1	5	9	17	23	56
20-34	948	9.5	95	1	1	6	12	22	30	51
35-49	2257	9.6	111	1	2	7	12	20	30	57
50-64	6739	11.2	130	1	2	8	14	25	34	61
65+	10689	13.1	153	2	2	9	17	28	39	65
GRAND TOTAL	**21089**	**11.8**	**140**	**1**	**2**	**8**	**15**	**26**	**36**	**62**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.6	4	1	1	2	3	6	7	7
20-34	10	2.6	4	<1	<1	2	2	6	7	7
35-49	13	2.7	2	<1	<1	3	4	4	5	5
50-64	14	3.4	1	2	2	3	4	5	6	6
65+	9	4.1	8	1	1	4	5	9	10	10
B. *Operated*										
0-19 YRS	299	3.0	7	<1	1	2	4	6	8	15
20-34	734	3.4	4	1	1	3	4	6	6	9
35-49	808	3.6	4	1	2	3	4	6	7	11
50-64	1014	4.0	12	1	2	4	5	6	8	14
65+	651	4.0	5	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	6	2.0	1	1	1	2	3	3	3	3
35-49	7	6.4	46	2	2	3	9	18	20	20
50-64	13	5.2	28	<1	<1	3	8	14	16	16
65+	23	7.0	34	1	2	5	9	13	19	28
B. *Operated*										
0-19 YRS	50	3.8	10	1	1	2	5	8	11	16
20-34	147	4.0	17	1	2	3	4	7	9	31
35-49	298	4.4	17	1	2	3	5	8	10	15
50-64	470	5.1	33	1	2	4	6	9	13	25
65+	433	6.3	25	2	2	5	7	13	17	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.1	4	<1	1	3	4	6	7	10
B. *Operated*	3506	3.7	7	1	2	3	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	51	5.6	31	<1	1	3	7	13	16	28
B. *Operated*	1398	5.2	25	1	2	4	6	10	13	25
1. SINGLE DX	3559	3.7	7	1	2	3	5	6	7	12
2. MULTIPLE DX	1449	5.2	26	1	2	4	6	10	14	26
A. NOT OPERATED	104	4.3	18	<1	1	3	5	9	13	24
B. OPERATED	4904	4.1	13	1	2	3	5	7	9	17
TOTAL 0-19 YRS	358	3.1	8	<1	1	2	4	6	8	16
20-34	897	3.5	6	1	1	3	4	6	7	13
35-49	1126	3.8	8	1	2	3	5	6	8	12
50-64	1511	4.3	19	1	2	4	5	7	10	18
65+	1116	5.0	15	2	2	4	6	9	12	22
GRAND TOTAL	**5008**	**4.1**	**13**	**1**	**2**	**3**	**5**	**7**	**9**	**17**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.8	6	1	1	2	3	7	9	9
20-34	73	3.2	9	<1	1	2	4	6	9	18
35-49	199	2.8	7	1	1	2	3	5	8	15
50-64	410	2.9	13	<1	1	2	3	5	8	14
65+	436	3.4	9	1	1	2	4	7	9	14
B. *Operated*										
0-19 YRS	215	4.7	16	1	1	3	6	10	12	20
20-34	382	6.3	29	1	1	5	9	14	17	23
35-49	926	4.7	22	<1	1	2	7	11	14	21
50-64	2491	4.3	21	1	1	2	5	11	14	22
65+	2507	4.9	30	1	1	2	6	12	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	3.4	4	1	1	3	4	7	8	9
20-34	88	5.2	18	1	2	4	6	11	14	22
35-49	198	4.9	14	1	1	4	7	9	12	18
50-64	584	4.8	24	1	1	3	6	10	13	25
65+	979	6.5	39	1	2	5	8	13	17	32
B. *Operated*										
0-19 YRS	107	7.9	50	1	2	6	10	16	21	37
20-34	350	8.2	63	1	2	6	11	17	22	41
35-49	872	7.8	48	1	2	6	10	15	21	35
50-64	2961	7.8	60	1	2	5	11	17	21	36
65+	4314	9.2	79	1	2	7	13	20	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1180	3.1	10	1	1	2	4	6	8	14
B. *Operated*	6521	4.7	25	1	1	2	6	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	1897	5.7	31	1	1	4	7	12	15	28
B. *Operated*	8604	8.5	69	1	2	6	12	18	23	40
1. SINGLE DX	7701	4.5	23	1	1	2	6	11	14	22
2. MULTIPLE DX	10501	8.0	63	1	2	6	11	17	22	38
A. NOT OPERATED	3077	4.7	24	1	1	3	6	10	13	24
B. OPERATED	15125	6.9	53	1	1	4	10	16	20	34
TOTAL 0-19 YRS	432	5.1	25	1	1	3	7	11	14	25
20-34	893	6.7	42	1	1	5	9	14	18	28
35-49	2195	5.8	33	1	1	4	8	13	16	27
50-64	6446	5.9	42	1	1	3	8	14	17	29
65+	8236	7.3	60	1	1	4	10	17	22	37
GRAND TOTAL	**18202**	**6.5**	**49**	**1**	**1**	**4**	**9**	**15**	**19**	**33**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	1.7	1	<1	<1	1	2	3	4	4
20-34	19	3.4	21	<1	<1	2	2	7	15	21
35-49	22	2.5	2	<1	1	2	3	5	6	6
50-64	18	3.4	23	<1	1	2	3	5	15	22
65+	18	3.2	8	<1	1	2	4	6	10	13
B. *Operated*										
0-19 YRS	412	2.5	10	<1	1	2	2	4	8	22
20-34	319	3.6	14	<1	1	2	4	9	12	18
35-49	387	3.6	12	1	1	2	4	9	11	17
50-64	533	4.8	25	1	1	2	7	12	16	22
65+	300	4.6	27	1	1	2	5	11	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.2	2	1	1	2	3	5	6	6
20-34	7	5.1	6	1	2	5	7	8	8	8
35-49	13	6.5	71	<1	1	3	8	15	29	32
50-64	19	8.8	146	1	1	5	9	22	39	52
65+	42	10.2	80	1	2	7	14	24	31	37
B. *Operated*										
0-19 YRS	130	4.0	39	<1	1	2	3	9	15	40
20-34	111	7.0	54	1	1	4	10	15	24	41
35-49	193	6.8	75	1	1	4	10	15	22	63
50-64	297	8.2	86	1	2	5	11	20	25	45
65+	277	9.2	66	1	2	7	13	22	26	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	2.7	10	<1	<1	2	3	4	6	21
B. *Operated*	1951	3.9	18	<1	1	2	4	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	90	8.2	83	1	1	5	10	20	29	46
B. *Operated*	1008	7.6	71	1	1	4	11	19	24	39
1. SINGLE DX	2061	3.8	18	<1	1	2	4	9	13	21
2. MULTIPLE DX	1098	7.6	72	1	1	4	11	19	25	39
A. NOT OPERATED	200	5.2	50	<1	1	2	6	12	21	35
B. OPERATED	2959	5.1	39	1	1	2	7	13	18	29
TOTAL 0-19 YRS	584	2.8	16	<1	1	2	2	5	9	23
20-34	456	4.4	26	<1	1	2	6	10	14	24
35-49	615	4.6	35	1	1	2	6	11	14	28
50-64	867	6.1	51	1	1	3	8	15	20	35
65+	637	7.0	53	1	2	3	10	17	23	31
GRAND TOTAL	**3159**	**5.1**	**40**	**1**	**1**	**2**	**7**	**13**	**18**	**30**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	2.9	7	<1	1	2	3	5	7	16
20-34	95	3.3	8	<1	<1	2	4	7	9	13
35-49	108	3.1	6	<1	<1	2	3	7	8	14
50-64	116	3.1	6	<1	<1	2	4	6	8	15
65+	51	3.5	15	<1	<1	2	4	7	11	24
B. *Operated*										
0-19 YRS	3354	3.2	5	1	1	3	4	6	7	12
20-34	4214	3.1	7	<1	1	2	4	5	7	14
35-49	4327	3.0	9	<1	1	2	3	5	7	16
50-64	4408	3.1	7	<1	1	2	3	5	7	14
65+	1612	3.6	12	1	1	3	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	2.0	2	<1	<1	2	3	5	5	5
20-34	76	4.4	30	<1	1	3	6	8	10	36
35-49	105	3.9	10	<1	1	3	5	7	11	15
50-64	125	5.2	28	<1	1	4	6	11	14	27
65+	116	7.4	85	1	1	5	9	14	21	51
B. *Operated*										
0-19 YRS	544	4.1	17	1	2	3	5	8	11	24
20-34	1403	4.5	25	1	2	3	5	9	12	23
35-49	2183	4.8	25	1	2	3	6	10	13	25
50-64	2833	5.1	27	1	2	3	6	10	14	26
65+	1506	6.6	51	2	2	4	8	14	19	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	447	3.1	8	<1	<1	2	4	7	8	14
B. *Operated*	17915	3.2	8	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	469	5.0	38	<1	1	3	6	10	14	29
B. *Operated*	8469	5.1	30	1	2	3	6	10	15	27
1. SINGLE DX	18362	3.2	8	<1	1	2	4	6	8	14
2. MULTIPLE DX	8938	5.1	31	1	2	3	6	10	15	27
A. NOT OPERATED	916	4.1	24	<1	1	3	5	8	12	21
B. OPERATED	26384	3.8	16	1	1	3	4	7	10	21
TOTAL 0-19 YRS	4022	3.3	7	1	1	3	4	6	8	13
20-34	5788	3.5	12	1	1	3	4	6	9	17
35-49	6723	3.6	15	<1	1	2	4	7	10	21
50-64	7482	3.9	16	1	1	3	4	8	11	21
65+	3285	5.1	35	1	2	3	6	11	15	31
GRAND TOTAL	**27300**	**3.8**	**16**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	2.9	11	<1	<1	2	3	7	9	18
20-34	51	2.8	5	<1	1	2	3	5	8	13
35-49	39	3.9	38	<1	1	2	4	8	14	36
50-64	46	3.5	17	<1	1	2	3	8	13	21
65+	36	7.2	40	1	2	5	9	18	23	24
B. *Operated*										
0-19 YRS	3346	2.4	9	<1	<1	2	2	4	6	13
20-34	1556	3.0	16	<1	<1	2	3	5	8	17
35-49	1228	3.1	16	<1	<1	2	3	6	9	19
50-64	1101	3.4	16	<1	<1	2	4	7	10	23
65+	624	4.1	26	<1	1	2	4	9	13	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	3.1	34	<1	<1	1	3	7	10	32
20-34	39	8.3	142	<1	<1	4	9	19	38	59
35-49	58	4.1	12	1	1	3	5	8	12	17
50-64	52	5.3	19	1	2	4	6	10	13	22
65+	91	7.2	34	1	2	5	11	15	18	29
B. *Operated*										
0-19 YRS	637	4.1	49	<1	1	2	4	8	12	34
20-34	819	3.9	30	<1	1	2	4	8	13	23
35-49	887	4.3	20	<1	1	3	5	9	12	22
50-64	960	5.4	54	<1	1	3	6	12	17	33
65+	683	8.0	109	1	2	4	9	19	24	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	3.6	19	<1	1	2	4	8	13	22
B. *Operated*	7855	2.9	14	<1	<1	2	3	5	8	18
2. MULTIPLE DX										
A. *Not Operated*	358	5.2	43	<1	1	3	6	12	16	34
B. *Operated*	3986	5.1	52	<1	1	3	5	11	17	33
1. SINGLE DX	8156	2.9	14	<1	<1	2	3	5	8	18
2. MULTIPLE DX	4344	5.1	52	<1	1	3	6	11	17	33
A. NOT OPERATED	659	4.5	33	<1	1	2	5	10	14	24
B. OPERATED	11841	3.6	28	<1	1	2	4	7	11	25
TOTAL 0-19 YRS	4230	2.7	16	<1	<1	2	3	5	7	18
20-34	2465	3.4	23	<1	<1	2	4	6	10	20
35-49	2212	3.6	18	<1	1	2	4	8	11	22
50-64	2159	4.3	34	<1	1	3	5	9	13	28
65+	1434	6.2	70	1	1	3	7	15	22	37
GRAND TOTAL	**12500**	**3.7**	**28**	**<1**	**1**	**2**	**4**	**8**	**11**	**25**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	1.9	2	<1	<1	2	2	3	4	8
20-34	73	2.1	1	<1	<1	2	2	3	4	5
35-49	41	2.9	10	1	1	2	3	4	6	21
50-64	18	5.1	83	1	1	2	3	18	31	35
65+	10	2.3	1	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	2402	2.1	4	<1	1	2	2	3	3	5
20-34	4820	2.1	4	<1	1	2	2	3	3	6
35-49	2631	2.3	4	1	1	2	2	3	4	8
50-64	998	2.7	4	1	2	2	3	4	5	12
65+	544	3.1	11	1	2	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.9	1	<1	<1	2	2	[illegible]	3	3
20-34	38	2.9	10	<1	<1	2	3	5	11	17
35-49	37	2.9	3	<1	1	2	3	5	8	9
50-64	25	3.7	10	1	1	3	4	6	9	17
65+	18	5.3	13	1	2	3	8	11	12	12
B. *Operated*										
0-19 YRS	324	2.5	3	1	1	2	3	4	5	10
20-34	1371	2.8	6	1	1	2	3	4	7	13
35-49	1537	3.2	6	1	2	2	3	6	8	14
50-64	860	3.6	9	1	2	3	4	7	10	16
65+	559	5.3	29	2	2	3	6	10	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	179	2.5	12	<1	<1	2	3	4	4	23
B. *Operated*	11395	2.3	4	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	127	3.3	8	<1	1	3	4	7	10	17
B. *Operated*	4751	3.4	10	1	2	2	4	6	9	16
1. SINGLE DX	11574	2.3	4	<1	1	2	2	3	4	8
2. MULTIPLE DX	4878	3.4	10	1	2	2	4	6	9	17
A. NOT OPERATED	306	2.9	11	<1	1	2	3	4	8	19
B. OPERATED	16146	2.6	6	<1	1	2	3	4	5	12
TOTAL 0-19 YRS	2772	2.2	4	<1	1	2	2	3	4	7
20-34	6302	2.3	4	<1	1	2	2	3	4	10
35-49	4346	2.7	5	1	1	2	3	4	6	12
50-64	1901	3.2	7	1	2	2	3	5	8	15
65+	1131	4.2	21	2	2	3	4	8	11	23
GRAND TOTAL	**16452**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**4**	**5**	**12**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	127	3.3	6	<1	1	2	4	7	8	11
35-49	249	3.9	9	<1	1	3	6	8	9	13
50-64	52	3.6	7	<1	1	3	5	7	10	13
65+	14	6.4	23	1	2	5	8	13	16	17
B. *Operated*										
0-19 YRS	23	5.3	8	2	2	6	8	9	10	10
20-34	2609	6.0	8	1	2	6	8	9	10	14
35-49	7761	6.6	11	1	2	7	8	9	11	15
50-64	1507	6.4	13	1	2	7	8	10	12	18
65+	144	8.3	52	1	2	8	10	15	17	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.4	5	<1	<1	3	5	7	7	7
20-34	295	4.5	13	1	1	4	6	9	11	18
35-49	826	4.7	18	<1	1	4	7	9	11	17
50-64	185	5.0	18	1	1	4	7	10	10	22
65+	90	8.1	61	1	2	6	11	15	18	49
B. *Operated*										
0-19 YRS	55	6.7	15	1	2	7	9	11	12	24
20-34	7159	6.8	14	2	2	7	8	10	13	19
35-49	31471	7.6	15	2	3	7	9	11	13	21
50-64	7406	8.0	19	2	2	8	9	12	15	25
65+	836	10.6	42	2	5	9	13	18	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	443	3.8	9	<1	1	3	6	8	9	13
B. *Operated*	12044	6.4	11	1	2	7	8	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	1403	4.9	20	1	1	4	7	9	12	19
B. *Operated*	46927	7.6	16	2	3	7	9	11	14	22
1. SINGLE DX	12487	6.3	11	1	2	7	8	9	11	16
2. MULTIPLE DX	48330	7.5	17	2	2	7	9	11	14	22
A. NOT OPERATED	1846	4.6	18	<1	1	4	7	9	11	17
B. OPERATED	58971	7.4	15	2	2	7	9	11	13	21
TOTAL 0-19 YRS	86	6.0	13	1	2	6	8	10	11	21
20-34	10190	6.5	13	1	2	7	8	10	12	18
35-49	40307	7.3	15	2	2	7	9	11	13	20
50-64	9150	7.6	19	2	2	7	9	12	14	24
65+	1084	10.1	46	2	3	9	12	17	23	39
GRAND TOTAL	**60817**	**7.3**	**16**	**2**	**2**	**7**	**9**	**11**	**13**	**21**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	3	1.7		1	1	2	2	2	2	2
35-49	3	2.3		2	2	2	3	3	3	3
50-64	4	3.0	5	1	1	2	4	6	6	6
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	12	2.1	4	<1	<1	2	2	4	7	8
20-34	127	3.5	8	<1	<1	2	5	7	9	13
35-49	226	4.5	11	<1	1	3	7	9	10	13
50-64	124	3.1	14	<1	1	2	3	7	8	18
65+	48	3.9	16	<1	<1	2	4	10	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	3.5	7	1	1	3	5	7	7	7
35-49	14	6.7	13	<1	1	6	9	12	12	12
50-64	5	5.8	11	1	1	5	9	9	9	9
65+	3	1[illegible].3	72	5	5	13	20	22	22	22
B. *Operated*										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	247	5.7	18	<1	1	5	8	10	12	18
35-49	688	6.3	15	1	2	7	9	11	12	18
50-64	296	5.7	22	1	1	5	8	10	12	27
65+	89	7.0	45	2	2	4	9	16	19	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.5	2	1	1	2	3	5	6	6
B. *Operated*	537	3.8	11	<1	1	2	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	27	6.6	22	1	1	5	9	12	14	22
B. *Operated*	1324	6.2	20	1	2	6	8	11	13	20
1. SINGLE DX	550	3.8	11	<1	1	2	6	8	10	14
2. MULTIPLE DX	1351	6.2	20	1	2	6	8	11	13	21
A. NOT OPERATED	40	5.3	20	1	1	5	7	11	13	22
B. OPERATED	1861	5.5	18	<1	1	5	8	10	12	19
TOTAL 0-19 YRS	19	2.1	2	<1	<1	2	2	3	6	8
20-34	381	4.8	15	<1	1	4	7	9	12	16
35-49	931	6.1	15	1	2	6	8	10	12	17
50-64	429	4.9	21	<1	1	3	7	9	12	26
65+	141	6.0	38	1	2	4	8	14	18	26
GRAND TOTAL	**1901**	**5.5**	**18**	**<1**	**1**	**5**	**8**	**10**	**12**	**19**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.4	4	<1	<1	2	3	6	6	6
20-34	22	4.0	5	<1	1	4	6	7	7	8
35-49	12	4.8	10	<1	<1	5	7	9	11	11
50-64	5	8.2	16	2	2	9	10	13	13	13
65+	4	4.0	7	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	583	6.1	3	4	4	6	7	8	9	12
20-34	1926	6.1	6	4	4	6	7	8	9	12
35-49	596	7.0	6	4	5	7	8	10	11	16
50-64	418	8.1	9	5	6	7	9	11	14	19
65+	213	10.1	23	5	6	9	12	15	18	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.4	11	<1	1	4	5	10	12	12
20-34	27	4.4	8	<1	1	5	6	8	9	12
35-49	20	5.3	7	<1	1	5	7	8	10	11
50-64	12	9.9	24	3	4	9	12	18	20	20
65+	14	7.9	38	1	1	7	8	15	24	26
B. *Operated*										
0-19 YRS	404	6.8	7	4	5	6	8	10	12	15
20-34	1865	6.9	11	4	5	6	8	9	11	19
35-49	1317	8.1	12	5	5	7	9	12	14	25
50-64	993	10.0	30	5	6	9	11	15	19	32
65+	655	13.0	52	6	7	11	16	22	27	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	4.2	9	<1	1	4	6	8	9	13
B. *Operated*	3736	6.7	8	4	4	6	8	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	84	6.0	19	1	1	5	8	11	13	24
B. *Operated*	5234	8.6	24	5	5	7	9	13	17	29
1. SINGLE DX	3792	6.6	8	4	4	6	8	9	11	16
2. MULTIPLE DX	5318	8.5	24	4	5	7	9	13	17	29
A. NOT OPERATED	140	5.3	15	<1	1	5	7	9	12	21
B. OPERATED	8970	7.8	18	4	5	7	9	12	15	26
TOTAL 0-19 YRS	1011	6.3	5	4	4	6	7	9	11	14
20-34	3840	6.5	9	4	4	6	7	9	10	16
35-49	1945	7.7	11	4	5	7	9	11	13	22
50-64	1428	9.4	24	5	6	8	10	14	18	28
65+	886	12.2	47	6	7	10	15	20	26	36
GRAND TOTAL	**9110**	**7.7**	**18**	**4**	**5**	**7**	**8**	**12**	**15**	**26**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	10	1	1	2	5	8	8	8
20-34	7	2.4	3	<1	<1	2	4	5	5	5
35-49	3	2.3	2	<1	<1	2	3	4	4	4
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	3	6.0	28	2	2	4	10	12	12	12
B. *Operated*										
0-19 YRS	45	2.7	4	<1	<1	2	4	6	7	9
20-34	136	4.0	13	<1	1	3	6	7	8	15
35-49	123	3.1	7	<1	1	2	3	7	8	13
50-64	91	4.1	13	<1	1	3	5	8	12	19
65+	40	4.2	17	1	1	3	5	10	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	4.1	5	1	1	5	6	7	7	7
35-49	4	5.3	4	3	3	5	7	8	8	8
50-64	6	6.8	11	2	2	7	9	11	11	11
65+	4	9.0	35	3	3	9	14	15	15	15
B. *Operated*										
0-19 YRS	23	4.3	11	<1	1	3	6	8	12	13
20-34	112	5.3	10	1	2	5	7	9	11	17
35-49	143	5.5	15	1	1	6	8	11	12	30
50-64	98	5.4	21	<1	2	3	8	12	16	20
65+	53	6.1	29	2	2	4	8	13	18	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.2	8	<1	<1	2	4	7	10	12
B. *Operated*	435	3.7	11	<1	1	2	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	21	6.0	14	1	2	5	8	12	14	15
B. *Operated*	429	5.4	16	1	2	5	7	11	13	21
1. SINGLE DX	455	3.6	11	<1	1	2	5	7	9	16
2. MULTIPLE DX	450	5.5	16	1	2	5	7	11	13	20
A. NOT OPERATED	41	4.6	13	<1	1	4	6	10	12	15
B. OPERATED	864	4.5	14	<1	1	3	6	9	11	20
TOTAL 0-19 YRS	72	3.3	7	<1	1	2	5	7	8	13
20-34	262	4.5	12	<1	1	4	6	8	9	16
35-49	273	4.4	12	1	1	3	7	9	11	18
50-64	198	4.8	17	<1	1	3	7	10	14	20
65+	100	5.5	25	1	2	3	7	12	15	24
GRAND TOTAL	**905**	**4.5**	**14**	**<1**	**1**	**3**	**6**	**9**	**11**	**19**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	3	5.0	12	1	1	7	7	7	7	7
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	43	3.5	14	<1	<1	3	4	8	8	24
20-34	109	3.0	3	<1	1	3	4	6	6	8
35-49	88	3.3	6	1	1	3	4	6	8	15
50-64	66	3.7	11	1	1	3	4	7	12	18
65+	47	4.5	15	1	1	3	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	4.7	21	2	2	2	8	10	10	10
50-64	6	6.0	30	2	2	3	12	14	14	14
65+	10	15.1	630	1	1	7	12	51	85	85
B. *Operated*										
0-19 YRS	14	3.1	6	1	1	2	3	7	9	9
20-34	57	3.1	4	1	1	3	4	5	6	13
35-49	42	5.1	14	1	2	4	7	10	12	21
50-64	61	4.4	10	1	2	3	6	9	10	15
65+	78	7.6	63	1	2	5	10	19	26	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.0	5	<1	<1	2	4	7	7	7
B. *Operated*	353	3.5	8	1	1	3	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*	20	10.3	334	1	2	4	11	16	51	85
B. *Operated*	252	5.1	28	1	2	3	6	10	15	29
1. SINGLE DX	365	3.5	8	<1	1	3	4	6	8	17
2. MULTIPLE DX	272	5.5	52	1	2	3	6	11	16	31
A. NOT OPERATED	32	7.5	219	<1	1	3	8	13	18	85
B. OPERATED	605	4.2	17	1	1	3	5	8	11	22
TOTAL 0-19 YRS	60	3.4	12	<1	1	3	4	7	8	22
20-34	169	3.0	3	1	1	3	4	5	6	10
35-49	136	3.9	10	1	1	3	5	8	10	18
50-64	135	4.1	11	1	1	3	5	9	12	16
65+	137	7.0	90	1	2	4	8	16	21	48
GRAND TOTAL	**637**	**4.3**	**28**	**1**	**1**	**3**	**5**	**8**	**11**	**24**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	12.0	98	5	5	12	19	19	19	19
35-49	1	1.0		1	1	1	1	1	1	1
50-64	7	5.6	28	2	2	2	8	14	16	16
65+	12	3.1	3	<1	1	3	4	5	8	8
B. *Operated*										
0-19 YRS	16	3.1	5	<1	1	2	5	6	8	9
20-34	76	3.9	25	<1	1	2	4	8	11	33
35-49	101	3.7	11	<1	1	2	4	9	11	15
50-64	226	3.6	11	1	1	2	4	8	11	18
65+	291	3.9	12	1	1	3	5	7	11	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.0	9	2	2	5	7	8	8	8
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	12	3.9	5	1	1	4	5	7	8	8
65+	16	6.1	42	<1	1	5	7	9	22	28
B. *Operated*										
0-19 YRS	15	5.1	30	1	1	2	6	14	18	19
20-34	62	5.3	23	1	2	4	6	12	15	24
35-49	83	5.6	31	1	2	3	6	12	16	31
50-64	194	6.4	45	1	1	4	9	15	19	34
65+	387	5.7	26	1	2	4	7	12	16	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.6	22	<1	1	3	5	11	17	19
B. *Operated*	710	3.7	13	1	1	2	4	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	33	5.0	23	1	1	4	7	8	9	28
B. *Operated*	741	5.8	31	1	2	4	7	13	17	28
1. SINGLE DX	732	3.8	13	1	1	3	4	8	11	20
2. MULTIPLE DX	774	5.8	31	1	2	4	7	12	17	28
A. NOT OPERATED	55	4.8	22	1	1	3	7	8	14	28
B. OPERATED	1451	4.8	23	1	1	3	5	11	15	24
TOTAL 0-19 YRS	31	4.1	18	1	1	2	5	10	14	19
20-34	143	4.6	25	1	1	3	5	10	14	25
35-49	187	4.5	21	1	1	3	5	11	14	18
50-64	439	4.9	28	1	1	3	5	11	16	29
65+	706	4.9	21	1	2	3	6	10	15	24
GRAND TOTAL	**1506**	**4.8**	**23**	**1**	**1**	**3**	**6**	**11**	**15**	**25**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	<1	<1	1	3	4	4	4
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	3.5	13	1	1	3	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	185	1.6		<1	<1	1	2	2	3	5
20-34	56	3.2	24	<1	1	2	3	5	9	35
35-49	28	2.5	9	<1	1	2	3	4	6	17
50-64	40	2.7	2	1	1	2	3	5	6	7
65+	29	2.1		1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	9	<1	<1	1	4	7	7	7
20-34	2	8.5	25	5	5	8	12	12	12	12
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
0-19 YRS	33	2.1	1	1	1	2	2	3	5	6
20-34	19	3.4	13	1	1	2	4	9	13	14
35-49	7	2.6		2	2	3	3	3	3	3
50-64	15	4.0	20	<1	<1	2	5	10	16	18
65+	34	3.8	17	<1	1	2	4	9	20	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.6	3	<1	<1	2	4	5	6	6
B. *Operated*	338	2.1	6	<1	<1	2	2	3	4	13
2. MULTIPLE DX										
A. *Not Operated*	12	5.1	20	<1	<1	4	7	13	14	14
B. *Operated*	108	3.2	11	<1	1	2	3	7	10	54
1. SINGLE DX	346	2.1	6	<1	<1	2	2	3	4	12
2. MULTIPLE DX	120	3.4	12	<1	1	2	3	8	12	45
A. NOT OPERATED	20	4.1	14	<1	<1	3	6	10	13	14
B. OPERATED	446	2.4	7	<1	1	2	2	4	6	18
TOTAL 0-19 YRS	225	1.7	1	<1	<1	2	2	2	3	6
20-34	79	3.4	21	<1	1	2	3	6	12	30
35-49	38	2.8	8	<1	1	2	3	4	7	17
50-64	60	3.0	7	<1	1	2	3	6	7	17
65+	64	3.2	12	1	1	2	3	8	10	88
GRAND TOTAL	**466**	**2.4**	**8**	**<1**	**1**	**2**	**2**	**4**	**6**	**18**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	7.9	66	<1	<1	5	13	21	23	23
20-34	28	4.0	12	1	1	3	4	9	11	16
35-49	34	4.9	53	1	1	3	5	9	13	43
50-64	61	5.8	62	1	1	4	8	12	14	53
65+	70	7.6	39	1	2	6	11	18	22	84
B. *Operated*										
0-19 YRS	46	12.0	72	3	3	10	14	21	26	51
20-34	199	11.4	54	1	2	11	15	21	25	36
35-49	342	13.4	130	1	2	11	17	25	35	57
50-64	537	14.2	108	2	3	13	18	28	36	55
65+	307	17.9	185	2	4	16	21	33	42	77
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	6.9	65	<1	1	4	6	22	25	26
20-34	23	6.1	19	<1	1	5	10	11	14	17
35-49	27	9.4	219	1	1	5	9	13	40	76
50-64	82	11.5	196	1	2	6	13	25	48	70
65+	209	11.4	112	2	3	9	14	23	30	88
B. *Operated*										
0-19 YRS	37	17.9	143	3	6	16	23	30	35	66
20-34	121	18.8	183	3	5	15	27	47	52	99+
35-49	220	20.0	212	3	6	16	26	40	50	94
50-64	428	23.3	399	4	6	17	28	58	84	99+
65+	430	28.3	394	5	8	23	40	63	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	6.1	47	1	1	4	8	14	19	50
B. *Operated*	1431	14.3	125	2	3	12	18	26	36	58
2. MULTIPLE DX										
A. *Not Operated*	357	10.7	132	2	2	7	13	22	31	77
B. *Operated*	1236	23.8	347	4	7	19	31	53	73	99+
1. SINGLE DX	1632	13.3	122	1	2	12	17	25	34	57
2. MULTIPLE DX	1593	20.9	329	3	4	16	27	49	68	99+
A. NOT OPERATED	558	9.1	106	1	2	6	11	19	27	76
B. OPERATED	2667	18.7	250	2	4	15	23	40	56	99
TOTAL 0-19 YRS	107	13.0	109	1	2	11	18	25	29	57
20-34	371	12.9	111	1	2	11	16	26	34	63
35-49	623	15.1	175	1	2	12	19	32	42	76
50-64	1108	17.0	252	2	3	13	21	36	57	99+
65+	1016	20.2	304	2	4	16	26	46	64	99+
GRAND TOTAL	**3225**	**17.1**	**239**	**2**	**3**	**13**	**21**	**37**	**52**	**97**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.5	5	2	2	4	6	8	8	8
20-34	25	3.9	2	1	2	4	5	5	6	8
35-49	26	4.1	18	1	1	3	4	7	12	23
50-64	22	5.0	11	1	2	5	6	8	12	17
65+	9	3.2	3	<1	<1	4	5	5	5	5
B. *Operated*										
0-19 YRS	233	4.0	2	2	2	4	5	6	6	9
20-34	1512	4.3	5	2	3	4	5	6	7	11
35-49	1633	4.4	3	3	3	4	5	6	7	12
50-64	1234	4.8	5	3	3	4	5	7	8	14
65+	493	5.6	12	3	3	5	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	16	4.1	9	<1	1	4	5	7	11	13
35-49	24	6.5	77	<1	<1	4	7	12	32	37
50-64	31	6.8	30	1	2	5	10	15	18	22
65+	35	9.5	70	2	3	7	12	24	37	99+
B. *Operated*										
0-19 YRS	48	4.4	5	2	2	4	5	8	8	12
20-34	471	4.8	6	3	3	4	5	7	8	17
35-49	749	5.7	15	3	3	5	6	9	13	24
50-64	816	6.3	25	3	3	5	7	11	14	29
65+	468	8.8	72	3	4	6	10	17	21	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	4.2	9	1	1	4	5	7	8	21
B. *Operated*	5105	4.6	5	3	3	4	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	107	7.2	52	1	1	5	8	15	25	65
B. *Operated*	2552	6.3	29	3	3	5	7	11	15	28
1. SINGLE DX	5193	4.6	5	3	3	4	5	6	8	13
2. MULTIPLE DX	2659	6.3	30	3	3	5	7	11	15	30
A. NOT OPERATED	195	5.9	35	1	1	4	6	13	19	39
B. OPERATED	7657	5.2	14	3	3	4	5	8	10	21
TOTAL 0-19 YRS	288	4.1	3	2	2	4	5	6	7	10
20-34	2024	4.4	5	2	3	4	5	6	8	12
35-49	2432	4.8	8	3	3	4	5	7	9	18
50-64	2103	5.4	14	3	3	5	6	8	11	22
65+	1005	7.2	44	3	3	5	8	13	18	41
GRAND TOTAL	**7852**	**5.2**	**14**	**3**	**3**	**4**	**5**	**8**	**11**	**21**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	63	4.4	29	1	1	3	5	8	9	38
35-49	25	6.2	63	1	2	4	6	15	24	38
50-64	25	6.6	16	1	2	6	9	12	16	16
65+	20	5.4	16	<1	1	5	7	9	14	19
B. *Operated*										
0-19 YRS	34	9.9	40	3	4	9	11	14	22	37
20-34	229	10.3	66	3	4	9	12	18	22	40
35-49	179	9.6	66	3	4	8	12	17	19	51
50-64	217	9.0	37	3	4	8	12	16	19	39
65+	107	10.8	96	3	4	7	13	20	25	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.8	16	2	2	7	10	11	11	11
20-34	61	5.4	19	1	1	4	6	11	12	23
35-49	59	6.4	35	1	1	5	8	10	18	37
50-64	60	7.6	48	2	3	5	10	15	24	34
65+	53	14.3	158	3	4	10	17	33	43	61
B. *Operated*										
0-19 YRS	18	9.4	113	2	2	7	10	16	37	49
20-34	155	11.4	104	3	4	9	14	21	24	94
35-49	192	12.6	121	4	4	10	16	23	31	61
50-64	363	12.9	146	3	4	9	16	28	35	79
65+	261	15.7	208	4	5	11	20	33	47	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	5.2	31	1	1	4	6	9	14	39
B. *Operated*	766	9.8	61	3	4	8	12	18	22	41
2. MULTIPLE DX										
A. *Not Operated*	239	8.2	71	1	2	6	10	16	25	44
B. *Operated*	989	13.3	152	4	4	10	16	27	36	72
1. SINGLE DX	902	9.1	59	2	3	8	11	17	20	40
2. MULTIPLE DX	1228	12.3	140	3	4	9	15	25	34	68
A. NOT OPERATED	375	7.1	58	1	2	5	8	13	22	43
B. OPERATED	1755	11.8	115	3	4	9	14	22	30	65
TOTAL 0-19 YRS	61	9.1	58	2	3	8	10	14	21	48
20-34	508	9.3	74	2	3	8	11	17	22	43
35-49	455	10.3	90	2	3	8	12	19	24	57
50-64	665	10.9	101	3	4	8	13	22	30	63
65+	441	13.9	173	3	4	9	17	28	40	70
GRAND TOTAL	**2130**	**11.0**	**108**	**2**	**4**	**8**	**13**	**21**	**29**	**60**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	56	3.5	6	<1	<1	3	5	7	9	10
35-49	22	6.5	23	<1	1	7	10	13	15	16
50-64	16	4.4	5	<1	1	4	5	9	9	9
65+	5	8.0	69	<1	<1	3	16	18	18	18
B. *Operated*										
0-19 YRS	92	3.0	5	1	1	2	3	6	8	12
20-34	4700	4.3	9	1	1	4	6	8	9	12
35-49	1742	5.3	11	1	2	5	7	9	10	16
50-64	499	5.4	27	1	2	5	7	9	11	16
65+	217	5.5	19	2	2	4	8	10	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	73	3.7	21	<1	1	2	5	8	12	28
35-49	40	4.9	16	<1	1	3	7	11	13	14
50-64	15	6.9	72	<1	1	4	7	12	29	35
65+	11	5.8	13	2	2	5	8	12	14	14
B. *Operated*										
0-19 YRS	54	3.7	7	1	1	3	5	7	8	15
20-34	3065	5.7	20	1	2	6	7	9	11	20
35-49	1982	.0	20	2	2	7	8	11	13	22
50-64	580	7.8	29	2	2	7	9	14	17	26
65+	306	8.3	48	2	2	7	10	16	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	4.5	14	<1	<1	4	6	10	12	17
B. *Operated*	7250	4.7	11	1	2	4	7	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	141	4.5	25	<1	1	3	6	10	13	32
B. *Operated*	5989	6.4	23	1	2	6	8	10	13	22
1. SINGLE DX	7351	4.7	11	1	2	4	7	8	9	13
2. MULTIPLE DX	6130	6.4	23	1	2	6	8	10	13	22
A. NOT OPERATED	242	4.5	20	<1	1	3	6	10	12	19
B. OPERATED	13239	5.5	17	1	2	5	7	9	11	18
TOTAL 0-19 YRS	150	3.3	6	1	1	2	4	7	8	12
20-34	7894	4.8	14	1	2	4	7	8	10	15
35-49	3786	6.2	17	1	2	6	8	10	12	19
50-64	1110	6.7	29	2	2	6	8	11	15	24
65+	541	7.2	37	2	2	6	9	13	17	29
GRAND TOTAL	**13481**	**5.4**	**17**	**1**	**2**	**5**	**7**	**9**	**11**	**18**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	2.6	1	1	2	2	3	4	5	7
20-34	11	3.5	5	<1	1	3	6	7	7	7
35-49	11	4.6	31	1	1	3	5	12	20	21
50-64	38	5.2	26	1	1	4	6	11	15	26
65+	38	7.1	90	1	1	4	7	14	35	40
B. *Operated*										
0-19 YRS	21	3.4	6	<1	<1	2	5	7	8	8
20-34	178	4.3	12	1	1	3	6	8	10	19
35-49	334	5.4	18	1	1	4	7	11	14	22
50-64	644	5.7	37	1	1	4	7	12	16	32
65+	659	6.1	48	1	2	4	8	14	18	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.6	9	3	3	5	8	10	10	10
20-34	15	6.1	19	<1	1	5	8	11	16	17
35-49	18	7.3	23	2	2	6	10	15	18	18
50-64	52	7.9	60	1	1	5	9	18	24	42
65+	96	9.9	76	2	3	7	14	21	28	77
B. *Operated*										
0-19 YRS	9	5.6	25	<1	<1	5	10	13	14	14
20-34	153	6.7	22	1	2	6	8	12	14	26
35-49	388	7.6	59	1	2	6	9	14	19	43
50-64	837	8.4	58	1	2	7	10	17	23	40
65+	1035	10.0	81	2	2	8	13	21	28	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	4.8	38	1	1	3	5	10	15	37
B. *Operated*	1836	5.6	35	1	1	4	7	12	16	30
2. MULTIPLE DX										
A. *Not Operated*	186	8.7	61	1	2	6	12	18	24	48
B. *Operated*	2422	8.8	67	1	2	7	11	19	24	41
1. SINGLE DX	1972	5.6	35	1	1	4	7	12	16	32
2. MULTIPLE DX	2608	8.8	66	1	2	7	11	18	24	42
A. NOT OPERATED	322	7.0	55	1	2	5	9	17	22	41
B. OPERATED	4258	7.5	56	1	2	5	10	16	21	37
TOTAL 0-19 YRS	73	3.4	7	<1	1	2	4	7	10	13
20-34	357	5.4	18	1	1	5	7	10	13	23
35-49	751	6.6	41	1	2	5	8	12	17	31
50-64	1571	7.2	51	1	2	5	9	15	21	35
65+	1828	8.5	72	1	2	6	11	19	26	40
GRAND TOTAL	**4580**	**7.4**	**56**	**1**	**2**	**5**	**10**	**16**	**21**	**37**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	193	3.2	8	<1	1	2	4	6	9	20
20-34	326	3.9	11	1	1	3	5	7	10	19
35-49	324	4.3	14	1	1	3	6	8	11	22
50-64	528	5.7	48	1	1	4	7	12	17	39
65+	640	6.9	57	1	1	4	9	16	21	38
B. *Operated*										
0-19 YRS	765	4.6	36	1	1	3	5	9	14	28
20-34	1473	4.9	19	1	1	3	6	10	14	20
35-49	1344	5.4	35	1	1	3	6	12	16	31
50-64	1908	5.6	38	1	1	3	7	12	17	29
65+	1922	6.1	45	1	1	3	8	14	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	4.4	45	1	1	3	5	8	12	76
20-34	324	5.7	41	<1	1	4	7	11	15	26
35-49	449	6.0	31	1	1	5	8	11	16	29
50-64	988	6.8	44	1	1	5	9	14	18	31
65+	2082	9.1	76	1	2	7	12	20	26	47
B. *Operated*										
0-19 YRS	287	8.3	91	1	2	5	10	21	29	51
20-34	993	7.5	72	1	2	6	9	15	21	61
35-49	1229	8.1	74	1	2	6	9	15	22	48
50-64	2112	9.8	93	1	2	7	13	21	28	54
65+	3240	11.6	116	2	2	9	15	24	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2011	5.3	37	1	1	4	6	11	16	32
B. *Operated*	7412	5.4	36	1	1	3	7	12	16	29
2. MULTIPLE DX										
A. *Not Operated*	3990	7.7	61	1	1	5	10	16	22	44
B. *Operated*	7861	9.9	99	2	2	7	13	22	29	55
1. SINGLE DX	9423	5.4	36	1	1	3	7	12	16	29
2. MULTIPLE DX	11851	9.2	87	1	2	6	12	20	27	53
A. NOT OPERATED	6001	6.9	54	1	1	5	9	15	21	40
B. OPERATED	15273	7.7	73	1	2	5	10	17	24	44
TOTAL 0-19 YRS	1392	5.2	47	1	1	3	6	11	17	34
20-34	3116	5.7	39	1	1	4	7	11	15	31
35-49	3346	6.3	49	1	1	4	8	13	18	38
50-64	5536	7.4	65	1	2	5	10	16	22	40
65+	7884	9.2	88	1	2	6	12	20	27	50
GRAND TOTAL	**21274**	**7.5**	**68**	**1**	**2**	**5**	**10**	**17**	**23**	**43**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	3.2	4	1	1	3	4	6	8	11
20-34	153	4.4	37	<1	1	3	5	9	10	35
35-49	115	4.1	11	1	1	3	5	8	10	19
50-64	110	4.9	28	1	1	4	6	8	10	35
65+	76	5.0	9	1	2	4	7	9	11	15
B. *Operated*										
0-19 YRS	128	4.3	2	2	3	4	5	6	6	11
20-34	985	4.5	3	3	3	4	5	6	7	11
35-49	1423	4.8	4	3	3	4	5	7	9	13
50-64	1386	5.2	6	3	3	5	6	8	10	14
65+	599	5.8	15	3	3	5	7	9	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	4.3	7	1	1	4	5	8	10	13
20-34	163	4.7	15	1	1	4	6	8	12	25
35-49	265	5.3	13	1	2	5	7	9	11	22
50-64	318	6.0	16	2	2	5	8	10	14	19
65+	353	6.8	27	2	3	5	8	12	16	28
B. *Operated*										
0-19 YRS	40	5.3	9	2	3	4	7	9	13	15
20-34	395	5.4	15	3	3	5	6	8	13	20
35-49	721	5.9	11	3	3	5	7	10	13	19
50-64	1015	7.0	28	3	3	5	8	12	17	26
65+	655	9.0	48	3	4	7	10	17	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	505	4.4	22	1	1	3	5	8	10	25
B. *Operated*	4521	5.0	6	3	3	4	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	1142	5.8	19	1	2	5	7	10	13	25
B. *Operated*	2826	7.0	28	3	3	5	8	12	17	29
1. SINGLE DX	5026	4.9	8	2	3	4	6	7	9	14
2. MULTIPLE DX	3968	6.6	26	2	3	5	8	12	16	27
A. NOT OPERATED	1647	5.4	20	1	2	4	7	10	12	25
B. OPERATED	7347	5.7	15	3	3	5	6	9	12	22
TOTAL 0-19 YRS	262	4.3	5	1	2	4	5	7	8	13
20-34	1696	4.7	10	2	3	4	5	7	9	17
35-49	2524	5.1	8	2	3	4	6	8	10	17
50-64	2829	5.9	16	3	3	5	7	10	13	21
65+	1683	7.2	32	3	3	6	8	12	17	31
GRAND TOTAL	**8994**	**5.7**	**16**	**2**	**3**	**5**	**6**	**9**	**12**	**22**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	280	5.0	15	1	1	4	6	10	13	20
20-34	760	5.6	17	1	2	4	7	10	13	20
35-49	693	5.7	14	2	2	5	8	10	12	18
50-64	516	6.6	19	2	2	6	8	12	14	22
65+	314	7.4	25	2	3	6	10	13	16	26
B. *Operated*										
0-19 YRS	285	5.8	16	3	3	5	6	10	14	23
20-34	1208	5.5	10	3	3	5	6	8	11	20
35-49	916	5.2	7	3	3	5	6	7	10	17
50-64	702	5.6	21	3	3	5	6	8	11	20
65+	223	6.6	19	2	3	5	8	11	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	273	6.4	37	2	2	5	8	12	16	33
20-34	1080	6.5	25	2	2	5	8	12	15	25
35-49	1428	7.5	29	2	3	6	10	14	18	28
50-64	1840	8.5	44	2	3	7	10	15	20	34
65+	2255	11.3	85	3	4	9	14	21	28	47
B. *Operated*										
0-19 YRS	112	8.3	53	3	4	6	9	17	22	44
20-34	568	7.4	38	3	3	5	8	13	19	36
35-49	740	7.4	29	3	3	6	9	14	18	26
50-64	770	9.4	74	3	3	6	12	17	25	55
65+	567	12.9	99	3	4	10	17	27	32	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2563	6.0	18	2	2	5	8	11	14	21
B. *Operated*	3334	5.5	13	3	3	5	6	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	6876	8.8	54	2	3	7	11	17	22	38
B. *Operated*	2757	9.1	63	3	3	6	11	18	25	43
1. SINGLE DX	5897	5.7	15	2	3	5	7	10	13	20
2. MULTIPLE DX	9633	8.9	57	2	3	7	11	17	22	40
A. NOT OPERATED	9439	8.1	46	2	3	6	10	15	20	35
B. OPERATED	6091	7.2	39	3	3	5	8	13	18	34
TOTAL 0-19 YRS	950	6.1	27	2	2	5	7	11	16	28
20-34	3616	6.1	21	2	3	5	7	11	14	25
35-49	3777	6.6	22	2	3	5	8	12	15	25
50-64	3828	7.9	45	2	3	6	10	14	19	34
65+	3359	10.9	80	3	4	8	14	21	28	46
GRAND TOTAL	**15530**	**7.7**	**43**	**2**	**3**	**6**	**9**	**14**	**19**	**34**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2476	6.6	14	2	2	6	8	11	13	19
20-34	2191	6.1	14	2	2	5	8	10	13	20
35-49	2686	7.0	19	2	3	6	8	12	14	23
50-64	3821	7.2	17	2	3	6	9	12	15	22
65+	2969	8.0	26	3	3	7	10	14	17	26
B. *Operated*										
0-19 YRS	15	6.8	12	<1	2	7	8	12	13	14
20-34	26	10.5	101	2	3	7	10	26	36	42
35-49	41	11.1	91	2	2	9	14	23	25	55
50-64	94	9.8	48	3	3	9	12	18	20	40
65+	69	12.0	99	2	2	10	16	21	27	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1743	6.2	22	1	2	5	8	12	15	24
20-34	4193	6.9	23	2	2	6	9	12	15	24
35-49	9255	7.9	27	2	3	7	10	14	17	28
50-64	19205	8.6	34	3	3	7	11	15	18	31
65+	23405	9.9	53	3	4	8	12	18	23	40
B. *Operated*										
0-19 YRS	86	9.2	47	2	2	7	12	21	23	30
20-34	520	11.6	118	2	3	9	15	22	29	59
35-49	1367	12.8	94	3	4	10	16	24	31	54
50-64	2947	14.4	134	3	5	11	18	28	37	68
65+	3145	17.0	171	4	5	14	22	34	45	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14143	7.0	19	2	3	6	9	12	15	22
B. *Operated*	245	10.5	73	2	3	8	13	20	26	44
2. MULTIPLE DX										
A. *Not Operated*	57801	8.8	40	3	3	7	11	16	20	34
B. *Operated*	8065	14.9	143	3	4	12	18	30	39	71
1. SINGLE DX	14388	7.1	20	2	3	6	9	12	15	23
2. MULTIPLE DX	65866	9.6	57	3	3	8	12	17	23	42
A. NOT OPERATED	71944	8.5	37	2	3	7	10	15	19	32
B. OPERATED	8310	14.8	142	3	4	12	18	29	39	70
TOTAL 0-19 YRS	4320	6.5	18	2	2	6	8	11	14	22
20-34	6930	7.0	30	2	2	6	9	13	16	27
35-49	13349	8.2	35	2	3	7	10	14	19	32
50-64	26067	9.1	47	3	3	8	11	16	21	37
65+	29588	10.5	68	3	4	8	13	19	25	46
GRAND TOTAL	**80254**	**9.1**	**51**	**2**	**3**	**7**	**11**	**16**	**22**	**39**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2711	5.5	18	1	2	4	7	10	13	22
20-34	1860	5.2	13	1	2	4	7	10	12	19
35-49	686	6.8	20	2	2	6	9	12	15	22
50-64	618	7.5	21	2	3	7	9	13	16	25
65+	499	9.1	44	2	3	8	12	16	20	34
B. *Operated*										
0-19 YRS	11	12.5	154	3	5	8	14	29	46	48
20-34	10	10.2	90	3	3	8	10	23	36	36
35-49	5	6.8	13	4	4	5	8	13	13	13
50-64	9	15.8	156	4	4	10	29	34	36	36
65+	7	10.7	22	4	4	12	13	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1920	5.9	21	1	2	5	7	11	14	23
20-34	2457	6.7	26	2	2	5	9	13	16	28
35-49	1733	9.0	47	2	3	7	11	17	21	38
50-64	2123	10.3	55	3	4	9	13	18	24	39
65+	2414	12.3	85	3	4	10	15	22	29	55
B. *Operated*										
0-19 YRS	77	11.5	138	2	3	9	13	24	25	78
20-34	239	13.4	128	3	5	11	16	25	34	66
35-49	188	14.8	115	4	5	12	18	27	38	87
50-64	252	22.9	323	6	8	17	30	50	78	99+
65+	294	23.0	217	7	9	19	29	45	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6374	6.0	20	1	2	5	8	11	14	22
B. *Operated*	42	11.7	100	3	4	9	13	30	36	48
2. MULTIPLE DX										
A. *Not Operated*	10647	8.9	53	2	3	7	11	17	22	38
B. *Operated*	1050	18.5	220	4	6	14	23	37	55	99
1. SINGLE DX	6416	6.0	21	1	2	5	8	11	14	23
2. MULTIPLE DX	11697	9.8	76	2	3	8	12	19	25	49
A. NOT OPERATED	17021	7.8	43	2	2	6	10	15	19	33
B. OPERATED	1092	18.2	217	4	6	14	23	37	54	97
TOTAL 0-19 YRS	4719	5.7	22	1	2	5	7	11	14	24
20-34	4566	6.4	29	2	2	5	8	12	16	29
35-49	2612	8.8	49	2	3	7	11	17	21	38
50-64	3002	10.8	85	3	3	9	13	20	27	59
65+	3214	12.8	102	3	4	10	16	24	31	59
GRAND TOTAL	**18113**	**8.4**	**60**	**2**	**2**	**6**	**11**	**16**	**22**	**41**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	631	6.3	18	1	2	6	8	11	14	20
20-34	942	6.3	17	2	2	5	8	11	13	21
35-49	1167	7.1	22	2	3	6	9	12	14	21
50-64	1859	7.7	22	3	3	7	10	13	16	25
65+	1370	8.6	34	3	3	7	10	15	18	30
B. *Operated*										
0-19 YRS	21	4.9	27	1	1	3	6	10	17	24
20-34	131	5.9	45	<1	1	4	7	15	18	30
35-49	151	6.9	84	1	1	4	9	14	18	44
50-64	359	7.8	90	1	1	4	9	18	28	52
65+	316	8.0	87	2	2	5	10	17	28	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	605	6.3	23	1	2	5	8	11	16	27
20-34	2494	7.6	38	2	2	6	10	14	18	32
35-49	4717	8.7	36	3	3	7	11	15	19	31
50-64	10207	9.5	44	3	4	8	12	17	21	35
65+	11516	10.6	63	3	4	9	13	19	24	46
B. *Operated*										
0-19 YRS	55	10.9	66	2	3	9	14	26	27	35
20-34	757	13.5	149	2	3	10	17	31	40	68
35-49	1490	16.2	198	3	4	12	21	35	47	84
50-64	3813	18.9	264	3	4	14	25	42	58	98
65+	4443	22.8	305	4	5	18	31	50	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5969	7.4	24	2	3	6	9	13	16	25
B. *Operated*	978	7.4	81	1	1	4	9	16	26	44
2. MULTIPLE DX										
A. *Not Operated*	29539	9.6	50	3	4	8	12	17	22	37
B. *Operated*	10558	19.7	272	3	4	15	26	43	58	98
1. SINGLE DX	6947	7.4	32	2	2	6	9	13	16	29
2. MULTIPLE DX	40097	12.3	128	3	4	9	15	25	35	67
A. NOT OPERATED	35508	9.2	46	3	3	8	11	16	21	36
B. OPERATED	11536	18.7	268	2	4	14	25	42	57	94
TOTAL 0-19 YRS	1312	6.5	23	1	2	5	8	11	15	26
20-34	4324	8.3	59	2	2	6	10	15	22	43
35-49	7525	9.9	77	2	3	8	12	19	26	50
50-64	16238	11.5	111	3	4	8	13	22	32	64
65+	17645	13.5	151	3	4	10	16	27	40	74
GRAND TOTAL	**47044**	**11.5**	**117**	**2**	**3**	**8**	**14**	**23**	**33**	**65**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.9	11	1	1	3	5	8	10	18
20-34	109	3.7	7	1	1	3	5	7	9	13
35-49	7	3.1	7	1	1	3	3	8	9	9
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	222	4.2	7	1	1	4	6	8	9	13
20-34	1041	4.2	11	1	1	4	6	7	8	13
35-49	50	4.1	8	<1	1	3	7	8	9	9
50-64	6	4.2	20	1	1	2	7	11	12	12
65+	5	5.2	6	2	2	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	4.7	12	1	2	4	5	9	11	19
20-34	137	5.4	76	1	1	4	6	8	10	34
35-49	34	6.6	27	1	2	5	8	14	18	24
50-64	4	12.8	96	5	5	9	19	27	27	27
65+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	205	5.6	14	1	2	5	7	10	12	21
20-34	1618	4.8	11	1	1	5	7	8	10	16
35-49	163	5.8	13	1	2	6	7	9	12	20
50-64	17	3.5	7	<1	1	2	6	8	8	8
65+	8	6.9	26	1	1	7	13	66	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	3.7	8	1	1	3	5	7	9	15
B. *Operated*	1324	4.2	10	1	1	4	6	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	210	5.6	58	1	1	4	6	9	14	26
B. *Operated*	2011	5.0	12	1	1	5	7	8	11	17
1. SINGLE DX	1475	4.2	10	1	1	4	6	7	8	13
2. MULTIPLE DX	2221	5.0	16	1	1	5	7	8	11	19
A. NOT OPERATED	361	4.8	38	1	1	4	6	8	11	24
B. OPERATED	3335	4.7	11	1	1	4	6	8	10	17
TOTAL 0-19 YRS	494	4.8	11	1	1	4	6	9	11	19
20-34	2905	4.6	14	1	1	4	6	8	9	15
35-49	254	5.5	14	1	1	6	7	9	12	20
50-64	28	4.9	29	1	1	3	7	10	13	27
65+	15	6.1	16	1	2	6	8	16	75	99+
GRAND TOTAL	**3696**	**4.7**	**14**	**1**	**1**	**4**	**6**	**8**	**10**	**17**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	778	3.9	23	1	1	3	5	7	11	25
20-34	926	4.7	15	1	2	4	6	9	11	16
35-49	681	5.1	18	1	1	4	6	10	13	24
50-64	558	4.9	15	1	1	4	6	9	12	21
65+	441	5.5	19	1	1	4	7	11	14	24
B. *Operated*										
0-19 YRS	82	5.8	22	1	1	4	7	12	16	22
20-34	201	7.1	27	2	2	6	9	14	17	25
35-49	160	7.6	58	1	2	6	9	14	18	45
50-64	160	7.5	38	1	2	6	9	14	23	33
65+	92	9.2	54	2	3	7	11	20	25	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	917	4.6	24	1	1	3	5	9	12	26
20-34	1986	5.6	25	1	2	4	7	10	14	27
35-49	2066	6.3	30	1	2	5	8	12	15	27
50-64	2704	7.3	42	1	2	6	9	14	18	34
65+	4258	8.6	56	2	2	7	11	17	21	39
B. *Operated*										
0-19 YRS	99	8.7	149	1	2	5	10	17	27	74
20-34	355	8.7	71	1	2	7	11	18	23	40
35-49	445	11.4	121	1	3	9	14	24	30	60
50-64	601	13.0	146	3	4	9	16	26	35	90
65+	537	17.1	200	4	5	13	22	34	47	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3384	4.7	18	1	1	4	6	9	12	21
B. *Operated*	695	7.4	40	1	2	6	9	14	19	34
2. MULTIPLE DX										
A. *Not Operated*	11931	7.1	42	1	2	5	9	14	18	34
B. *Operated*	2037	12.8	151	2	3	9	16	26	36	78
1. SINGLE DX	4079	5.2	23	1	1	4	7	10	13	25
2. MULTIPLE DX	13968	7.9	62	1	2	6	10	16	22	42
A. NOT OPERATED	15315	6.6	38	1	2	5	8	13	17	32
B. OPERATED	2732	11.4	128	2	2	8	14	24	33	67
TOTAL 0-19 YRS	1876	4.6	31	1	1	3	5	9	13	27
20-34	3468	5.8	28	1	2	4	7	11	15	28
35-49	3352	6.8	44	1	2	5	8	13	18	36
50-64	4023	7.8	59	1	2	6	10	15	21	41
65+	5328	9.2	75	2	2	7	11	18	24	46
GRAND TOTAL	**18047**	**7.3**	**55**	**1**	**2**	**5**	**9**	**15**	**20**	**38**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	6.2	33	1	2	4	7	13	20	27
20-34	27	5.1	19	1	2	4	7	11	17	17
35-49	24	6.4	18	2	2	5	8	13	15	19
50-64	55	8.1	51	1	2	7	9	16	27	36
65+	72	10.8	89	2	3	8	13	26	30	45
B. *Operated*										
0-19 YRS	12	8.0	30	1	2	6	12	17	18	18
20-34	15	4.3	24	<1	2	3	5	6	17	21
35-49	10	7.3	78	2	2	4	10	21	31	31
50-64	15	6.2	38	<1	1	4	9	13	21	24
65+	17	9.9	52	1	2	9	15	21	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	212	10.8	126	2	3	7	14	24	29	66
20-34	132	8.9	46	2	3	7	11	17	21	32
35-49	161	11.4	112	2	3	9	14	22	28	59
50-64	460	11.4	117	2	3	8	14	23	30	57
65+	1532	13.4	122	3	4	10	17	26	34	67
B. *Operated*										
0-19 YRS	22	12.2	164	1	2	8	14	41	43	44
20-34	53	11.3	121	2	2	9	12	27	32	58
35-49	53	18.4	223	4	4	13	30	42	64	99+
50-64	137	20.3	213	4	6	17	28	41	48	88
65+	276	22.0	274	5	7	17	29	44	56	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	7.9	55	1	2	6	9	17	26	37
B. *Operated*	69	7.2	44	1	2	4	10	18	21	30
2. MULTIPLE DX										
A. *Not Operated*	2497	12.4	118	3	4	9	16	24	32	65
B. *Operated*	541	19.8	245	3	5	15	28	42	54	99+
1. SINGLE DX	303	7.8	52	1	2	5	9	17	24	34
2. MULTIPLE DX	3038	13.7	149	3	4	10	17	28	38	72
A. NOT OPERATED	2731	12.0	114	2	3	9	15	24	31	64
B. OPERATED	610	18.3	238	2	4	14	26	41	50	98
TOTAL 0-19 YRS	302	9.9	111	2	2	6	12	22	28	57
20-34	227	8.7	62	2	2	6	11	18	24	44
35-49	248	12.3	137	2	3	9	15	28	39	85
50-64	667	12.9	145	2	3	9	16	28	36	68
65+	1897	14.5	152	3	4	11	18	29	39	77
GRAND TOTAL	**3341**	**13.2**	**143**	**2**	**3**	**10**	**17**	**28**	**36**	**71**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	277	10.6	28	1	3	10	14	16	21	27
20-34	73	11.4	33	3	6	10	14	19	21	33
35-49	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	10	12.7	46	4	4	12	15	23	24	24
20-34	13	7.0	43	2	2	5	8	17	23	25
35-49	29	3.0	5	<1	1	2	3	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	537	10.6	50	2	3	10	14	18	23	38
20-34	180	11.6	78	3	4	10	14	20	27	51
35-49	18	9.0	28	2	3	9	13	15	19	21
B. *Operated*										
0-19 YRS	55	16.3	98	4	4	15	21	38	77	99+
20-34	30	10.4	133	1	2	6	15	22	43	48
35-49	24	3.6	11	2	2	2	4	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	10.7	29	2	4	10	14	16	21	28
B. *Operated*	52	5.9	35	1	2	3	7	14	22	25
2. MULTIPLE DX										
A. *Not Operated*	735	10.8	56	2	3	10	14	19	25	39
B. *Operated*	109	11.9	113	2	2	10	17	30	43	99+
1. SINGLE DX	404	10.1	33	2	2	10	14	16	21	28
2. MULTIPLE DX	844	11.0	63	2	3	10	14	20	26	44
A. NOT OPERATED	1087	10.8	47	2	3	10	14	18	22	37
B. OPERATED	161	9.9	95	2	2	6	15	23	37	99+
TOTAL 0-19 YRS	879	11.0	48	2	3	10	14	19	24	40
20-34	296	11.2	71	2	3	10	14	20	25	49
35-49	73	4.7	18	1	2	3	6	12	13	20
GRAND TOTAL	**1248**	**10.7**	**54**	**2**	**3**	**10**	**14**	**19**	**23**	**42**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	7.2	193	1	1	3	7	12	28	97
20-34	117	4.7	26	1	1	3	6	9	12	35
35-49	76	4.8	28	1	1	3	6	8	11	34
50-64	38	6.7	29	2	2	5	10	13	23	99+
65+	8	6.0	4	3	3	6	8	8	8	8
B. *Operated*										
0-19 YRS	83	9.8	38	6	7	9	10	13	16	46
20-34	1265	9.2	17	5	6	8	10	13	16	28
35-49	797	9.5	15	6	6	9	11	14	16	26
50-64	109	9.5	15	5	6	9	11	14	17	26
65+	10	8.6	27	2	2	9	10	16	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	182	6.8	105	1	2	4	7	11	16	64
20-34	401	5.9	33	1	2	4	7	11	15	31
35-49	602	6.4	33	1	2	5	8	12	16	29
50-64	522	7.7	47	2	2	6	10	15	19	38
65+	254	9.2	62	2	3	7	11	18	26	39
B. *Operated*										
0-19 YRS	76	9.8	20	3	4	9	12	15	17	23
20-34	1572	10.5	42	4	6	9	12	16	21	39
35-49	1771	11.5	64	4	5	10	13	19	25	50
50-64	481	12.6	94	4	5	10	14	21	30	71
65+	42	12.8	112	2	3	9	16	31	33	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	360	5.8	84	1	1	4	6	10	15	46
B. *Operated*	2264	9.4	17	5	6	8	11	13	16	27
2. MULTIPLE DX										
A. *Not Operated*	1961	7.0	48	1	2	5	8	14	18	37
B. *Operated*	3942	11.2	59	4	5	9	13	18	25	48
1. SINGLE DX	2624	8.9	28	3	5	8	10	13	16	30
2. MULTIPLE DX	5903	9.8	59	2	3	8	12	17	22	45
A. NOT OPERATED	2321	6.8	54	1	2	5	8	14	18	38
B. OPERATED	6206	10.6	44	4	6	9	12	16	21	40
TOTAL 0-19 YRS	462	7.9	103	1	2	6	9	14	18	58
20-34	3355	9.3	34	3	4	8	11	14	18	36
35-49	3246	9.9	50	3	4	9	12	16	21	38
50-64	1150	9.9	69	2	3	8	12	18	25	52
65+	314	9.6	67	2	3	7	12	18	28	40
GRAND TOTAL	**8527**	**9.5**	**50**	**2**	**3**	**8**	**11**	**16**	**20**	**40**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	517	3.7	16	<1	<1	3	5	8	11	24
20-34	333	4.5	41	<1	<1	3	5		11	33
35-49	291	5.5	36	<1	1	4	7	11	13	29
50-64	257	5.3	33	<1	<1	4	7	11	15	44
65+	161	6.5	31	<1	1	5	8	13	20	28
B. *Operated*										
0-19 YRS	164	5.0	20	1	1	4	7	11	12	22
20-34	311	5.3	20	1	2	4	7	11	15	21
35-49	375	4.5	15	<1	1	3	6	9	13	20
50-64	351	4.9	35	<1	<1	3	6	11	16	27
65+	142	6.7	39	1	2	4	9	17	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	559	5.7	39	<1	1	4	7	12	15	41
20-34	724	6.3	30	1	2	5	8	13	17	31
35-49	1025	7.0	33	2	2	5	9	13	16	31
50-64	1140	7.8	43	2	3	6	10	15	21	34
65+	1146	9.2	57	2	3	7	12	18	23	46
B. *Operated*										
0-19 YRS	163	7.5	56	1	1	5	10	15	20	45
20-34	491	9.8	61	2	3	8	14	17	25	39
35-49	739	9.5	68	2	2	8	13	17	24	46
50-64	710	9.9	96	2	2	7	13	21	30	55
65+	554	13.6	146	2	3	11	18	28	36	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1559	4.8	30	<1	<1	3	6	10	13	28
B. *Operated*	1343	5.1	25	<1	1	3	6	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	4594	7.5	43	2	2	6	9	15	20	36
B. *Operated*	2657	10.4	92	2	2	8	14	21	29	56
1. SINGLE DX	2902	4.9	28	<1	<1	3	6	10	14	27
2. MULTIPLE DX	7251	8.5	63	2	2	6	11	17	23	44
A. NOT OPERATED	6153	6.8	41	1	2	5	9	14	19	34
B. OPERATED	4000	8.6	76	1	2	6	11	18	25	47
TOTAL 0-19 YRS	1403	5.1	32	<1	1	3	6	11	14	29
20-34	1859	6.7	42	1	2	5	8	15	18	33
35-49	2430	7.2	44	1	2	5	9	14	18	34
50-64	2458	7.7	59	1	2	5	10	16	22	44
65+	2003	10.0	84	2	2	7	13	21	28	52
GRAND TOTAL	**10153**	**7.5**	**56**	**1**	**2**	**5**	**9**	**16**	**21**	**40**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	74	4.5	8	1	2	4	5	8	11	14
35-49	208	5.1	14	2	2	4	6	9	11	21
50-64	272	5.8	16	1	2	5	7	11	13	23
65+	272	5.6	12	1	2	5	7	10	13	19
B. *Operated*										
0-19 YRS	6	3.7	21	1	1	2	2	12	13	13
20-34	20	7.2	29	2	2	5	11	15	18	21
35-49	42	5.7	70	2	2	4	6	7	20	44
50-64	57	5.7	29	2	2	3	7	12	14	33
65+	59	6.7	45	1	1	4	9	14	20	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.2	12	1	2	4	7	11	12	12
20-34	98	6.0	16	2	2	5	7	11	15	22
35-49	417	6.6	32	2	2	5	8	11	15	36
50-64	980	7.2	27	2	3	6	9	13	17	29
65+	1605	8.2	33	2	3	7	10	15	19	28
B. *Operated*										
0-19 YRS	6	2.7	1	2	2	3	3	4	4	4
20-34	20	7.9	21	2	3	7	11	15	16	17
35-49	76	10.8	88	2	3	8	13	22	33	48
50-64	181	11.9	116	2	3	9	14	22	32	55
65+	210	14.3	132	3	4	11	19	31	41	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	829	5.4	13	1	2	5	7	10	12	21
B. *Operated*	184	6.1	43	1	2	4	7	12	16	40
2. MULTIPLE DX										
A. *Not Operated*	3113	7.6	31	2	3	6	9	14	18	29
B. *Operated*	493	12.5	117	2	3	9	16	24	36	55
1. SINGLE DX	1013	5.5	19	1	2	5	7	10	13	22
2. MULTIPLE DX	3606	8.3	45	2	3	6	10	15	20	36
A. NOT OPERATED	3942	7.1	28	2	3	6	9	13	17	27
B. OPERATED	677	10.7	105	2	2	8	13	22	33	52
TOTAL 0-19 YRS	28	4.1	11	1	2	3	5	10	12	13
20-34	212	5.7	16	2	2	4	7	11	14	20
35-49	743	6.6	37	2	2	5	8	11	15	38
50-64	1490	7.5	38	2	3	6	9	14	18	33
65+	2146	8.4	45	2	3	7	11	16	21	38
GRAND TOTAL	**4619**	**7.7**	**41**	**2**	**3**	**6**	**9**	**14**	**19**	**34**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	397	3.5	10	1	1	3	4	7	9	17
20-34	207	4.2	28	<1	1	3	5	8	10	21
35-49	204	5.3	23	1	1	4	7	11	14	28
50-64	280	5.2	20	1	1	4	7	9	14	28
65+	577	6.9	28	2	2	6	8	13	15	27
B. *Operated*										
0-19 YRS	7	5.9	4	3	3	6	6	9	10	10
20-34	4	5.0	9	2	2	5	7	8	8	8
35-49	6	6.8	21	2	2	6	10	14	14	14
50-64	8	9.6	82	1	1	7	12	25	29	29
65+	13	10.6	56	1	1	12	16	19	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2378	4.5	18	1	1	3	5	8	12	23
20-34	1448	5.1	21	1	2	4	6	10	13	25
35-49	1911	6.2	27	1	2	5	8	12	15	28
50-64	3721	7.6	40	2	2	6	9	15	19	32
65+	14002	10.5	82	2	3	8	13	20	27	53
B. *Operated*										
0-19 YRS	88	11.2	108	2	3	8	14	27	37	50
20-34	144	9.4	79	1	1	7	13	19	25	54
35-49	243	11.9	126	2	3	9	15	25	34	99+
50-64	434	15.2	184	2	3	11	20	33	46	99+
65+	1114	20.1	221	5	7	16	27	40	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1665	5.3	24	1	1	4	7	10	13	25
B. *Operated*	38	8.3	43	1	2	7	12	17	22	29
2. MULTIPLE DX										
A. *Not Operated*	23460	8.8	66	2	2	7	11	17	23	43
B. *Operated*	2023	16.9	201	2	4	13	22	36	51	99+
1. SINGLE DX	1703	5.3	24	1	1	4	7	11	14	25
2. MULTIPLE DX	25483	9.4	81	2	2	7	12	19	26	52
A. NOT OPERATED	25125	8.5	64	2	2	6	11	17	22	42
B. OPERATED	2061	16.7	199	2	4	13	22	35	50	99+
TOTAL 0-19 YRS	2870	4.6	21	1	1	3	5	8	13	26
20-34	1803	5.4	28	1	2	4	7	11	14	27
35-49	2364	6.7	40	1	2	5	8	13	17	33
50-64	4443	8.2	58	2	2	6	10	16	22	42
65+	15706	11.1	96	2	3	8	14	21	29	59
GRAND TOTAL	**27186**	**9.2**	**79**	**2**	**2**	**7**	**11**	**18**	**25**	**51**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	294	4.3	11	1	1	3	5	8	10	18
20-34	149	4.3	7	1	2	4	6	8	10	14
35-49	235	5.0	9	1	2	4	7	9	10	17
50-64	208	5.6	13	1	2	5	7	11	14	17
65+	539	5.8	24	1	1	5	7	11	14	24
B. *Operated*										
0-19 YRS	67	4.8	8	1	2	4	7	9	10	12
20-34	61	6.0	20	2	2	5	7	11	16	24
35-49	105	7.0	24	2	3	6	8	13	18	27
50-64	92	8.3	23	2	3	8	11	15	18	23
65+	187	9.2	25	3	4	8	12	17	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	520	5.1	13	1	2	4	7	10	12	19
20-34	479	5.9	16	1	2	5	8	11	14	20
35-49	939	6.3	17	1	2	5	8	12	14	20
50-64	1492	7.3	32	2	2	6	9	14	17	29
65+	5782	8.4	40	2	3	7	11	15	19	32
B. *Operated*										
0-19 YRS	102	7.5	29	2	3	6	9	12	14	34
20-34	228	8.0	32	2	2	7	10	14	18	29
35-49	629	9.0	35	2	3	8	12	15	19	31
50-64	815	11.4	78	3	4	9	14	22	27	45
65+	2316	12.3	73	4	5	10	15	22	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1425	5.2	16	1	2	4	7	10	12	19
B. *Operated*	512	7.6	24	2	3	7	10	14	18	23
2. MULTIPLE DX										
A. *Not Operated*	9212	7.7	34	2	2	6	10	14	18	29
B. *Operated*	4090	11.3	67	3	4	9	14	20	26	44
1. SINGLE DX	1937	5.8	19	1	2	5	8	11	14	22
2. MULTIPLE DX	13302	8.8	47	2	3	7	11	16	21	36
A. NOT OPERATED	10637	7.3	33	2	2	6	9	14	17	28
B. OPERATED	4602	10.9	64	3	4	9	13	20	25	43
TOTAL 0-19 YRS	983	5.1	14	1	2	4	7	10	12	19
20-34	917	6.2	20	1	2	5	8	12	14	23
35-49	1908	7.1	24	2	2	6	9	13	16	25
50-64	2607	8.5	48	2	3	7	11	16	21	39
65+	8824	9.3	51	2	3	8	12	17	22	38
GRAND TOTAL	**15239**	**8.4**	**45**	**2**	**3**	**7**	**11**	**16**	**20**	**34**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1131	4.9	11	1	1	4	6	9	11	17
20-34	1630	6.3	23	1	2	5	8	11	15	24
35-49	352	6.0	24	<1	<1	5	8	11	15	27
50-64	35	6.4	21	1	2	6	8	15	17	19
65+	5	6.0	4	4	4	6	7	9	9	9
B. *Operated*										
0-19 YRS	18	7.3	34	1	1	5	14	16	17	18
20-34	32	10.8	72	1	3	9	12	23	30	38
35-49	20	4.5	24	<1	<1	3	5	14	16	17
50-64	2	4.5	5	3	3	4	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1094	6.5	32	1	2	5	8	12	15	27
20-34	1733	8.3	38	2	3	7	10	15	20	32
35-49	426	8.5	39	2	3	7	11	15	21	31
50-64	88	9.6	64	3	3	7	12	20	26	42
65+	26	7.9	28	2	2	8	13	18	31	99+
B. *Operated*										
0-19 YRS	66	13.2	132	1	2	11	16	27	39	56
20-34	187	15.5	179	3	4	11	20	31	40	69
35-49	72	13.3	112	2	4	11	17	25	36	57
50-64	22	14.0	82	4	5	12	18	25	34	41
65+	10	13.6	136	4	4	11	15	32	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3153	5.8	19	1	2	5	7	11	13	21
B. *Operated*	72	8.0	54	<1	<1	6	11	16	23	36
2. MULTIPLE DX										
A. *Not Operated*	3367	7.8	37	2	2	6	10	14	19	31
B. *Operated*	357	14.5	149	2	4	11	19	30	37	59
1. SINGLE DX	3225	5.8	20	1	2	5	7	11	14	22
2. MULTIPLE DX	3724	8.4	52	2	2	7	10	16	21	38
A. NOT OPERATED	6520	6.8	30	1	2	6	9	13	16	27
B. OPERATED	429	13.4	139	2	3	11	16	28	37	57
TOTAL 0-19 YRS	2309	5.9	27	1	2	5	7	11	14	25
20-34	3582	7.8	43	2	2	6	10	14	19	33
35-49	870	7.8	43	<1	1	6	10	15	20	34
50-64	147	9.4	60	2	3	7	12	19	25	41
65+	41	9.0	56	2	2	8	12	18	30	99+
GRAND TOTAL	**6949**	**7.2**	**39**	**1**	**2**	**6**	**9**	**13**	**18**	**31**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	955	2.3	10	<1	<1	1	2	5	8	13
20-34	304	3.6	16	<1	<1	2	5	8	11	21
35-49	325	4.9	18	<1	1	4	6	10	13	22
50-64	521	4.8	22	<1	1	3	7	11	15	23
65+	1907	4.8	28	<1	1	3	6	11	15	26
B. *Operated*										
0-19 YRS	177	6.5	27	1	2	6	7	11	15	27
20-34	138	7.9	29	2	3	7	10	14	19	29
35-49	124	8.0	41	2	2	7	10	13	20	40
50-64	248	9.3	50	2	3	8	11	16	22	36
65+	544	9.3	48	2	3	8	11	17	22	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	747	4.8	27	<1	<1	3	6	10	13	26
20-34	733	5.7	36	<1	1	4	8	12	14	25
35-49	1090	6.4	51	1	1	5	8	13	17	37
50-64	2537	6.7	44	1	1	5	9	14	18	30
65+	9703	8.0	57	1	2	6	10	17	22	39
B. *Operated*										
0-19 YRS	202	8.2	60	2	2	6	10	15	21	49
20-34	358	10.2	90	2	2	8	12	20	26	63
35-49	639	11.7	74	2	3	10	15	22	27	42
50-64	1214	12.2	83	2	3	10	16	23	29	50
65+	3890	14.2	126	3	4	11	18	27	36	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4012	4.1	22	<1	<1	2	5	9	13	23
B. *Operated*	1231	8.6	43	2	3	7	11	16	21	36
2. MULTIPLE DX										
A. *Not Operated*	14810	7.4	53	1	1	5	10	15	20	36
B. *Operated*	6303	13.1	111	3	4	10	17	25	33	57
1. SINGLE DX	5243	5.2	31	<1	<1	3	7	11	15	27
2. MULTIPLE DX	21113	9.1	77	1	2	7	12	19	25	45
A. NOT OPERATED	18822	6.7	48	<1	1	5	9	14	19	34
B. OPERATED	7534	12.4	103	2	3	10	15	24	31	55
TOTAL 0-19 YRS	2081	4.1	26	<1	<1	2	5	9	12	25
20-34	1533	6.5	49	<1	1	5	9	13	19	32
35-49	2178	7.8	59	1	1	6	10	16	21	37
50-64	4520	8.1	59	1	1	6	11	17	22	38
65+	16044	9.2	79	1	2	7	12	19	25	45
GRAND TOTAL	**26356**	**8.3**	**70**	**1**	**1**	**6**	**11**	**18**	**24**	**42**

85: Hemophilia (congenital factor viii disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	3.3	5	1	1	3	4	7	8	10
20-34	38	3.6	10	<1	1	3	5	6	7	19
35-49	20	13.8	182	1	2	7	24	37	39	41
50-64	4	14.5	180	4	4	10	23	34	34	34
65+	4	11.5	120	2	2	8	19	27	27	27
B. *Operated*										
0-19 YRS	3	15.7	154	8	8	9	25	30	30	30
20-34	5	13.0	44	3	3	16	17	20	20	20
35-49	2	29.5	313	17	17	29	42	42	42	42
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	224	4.6	24	1	1	3	5	9	12	23
20-34	169	6.1	23	1	2	5	7	12	17	25
35-49	50	8.5	61	2	2	6	9	23	25	26
50-64	43	7.8	113	1	2	5	8	14	18	70
65+	30	12.2	134	3	3	8	14	37	40	41
B. *Operated*										
0-19 YRS	26	13.0	177	3	3	7	19	31	38	58
20-34	25	12.8	166	2	2	10	18	52	99+	99+
35-49	14	11.9	56	3	3	10	16	22	29	31
50-64	6	14.8	70	4	4	16	23	24	24	24
65+	5	19.4	324	4	4	10	31	48	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	5.3	50	1	1	3	5	10	22	38
B. *Operated*	12	15.1	131	3	4	13	18	34	41	42
2. MULTIPLE DX										
A. *Not Operated*	516	6.2	44	1	1	4	7	13	17	37
B. *Operated*	76	13.3	147	2	3	10	19	32	51	99+
1. SINGLE DX	162	6.0	62	1	1	3	6	14	27	41
2. MULTIPLE DX	592	7.1	63	1	1	4	8	16	23	48
A. NOT OPERATED	666	6.0	46	1	1	4	7	12	18	38
B. OPERATED	88	13.5	144	3	3	10	19	31	48	99+
TOTAL 0-19 YRS	337	5.0	38	1	1	3	5	10	15	32
20-34	237	6.6	42	1	2	5	8	14	19	58
35-49	86	10.8	102	2	2	7	16	26	32	42
50-64	54	9.1	114	1	2	6	10	17	24	69
65+	40	12.9	150	2	3	9	15	37	40	48
GRAND TOTAL	**754**	**6.9**	**63**	**1**	**1**	**4**	**8**	**16**	**23**	**46**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1014	4.5	14	1	1	3	5	9	12	18
20-34	275	5.1	34	1	1	4	6	11	13	35
35-49	248	3.9	20	1	1	2	5	9	13	19
50-64	254	5.5	32	1	1	4	7	11	15	26
65+	415	5.5	39	1	1	4	7	12	14	27
B. *Operated*										
0-19 YRS	551	6.7	24	1	2	6	8	12	16	26
20-34	358	7.7	18	2	3	7	10	13	17	22
35-49	203	9.0	52	2	3	8	11	16	23	38
50-64	272	10.1	80	2	3	8	12	21	28	47
65+	260	11.2	67	3	3	9	14	21	28	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	796	5.1	29	1	1	4	6	10	14	26
20-34	580	6.1	25	1	2	5	8	12	15	25
35-49	657	6.5	27	1	2	5	8	12	16	26
50-64	1315	7.4	41	1	2	6	9	15	19	34
65+	2269	8.3	70	1	2	6	10	17	23	47
B. *Operated*										
0-19 YRS	345	9.3	109	2	2	7	10	17	26	60
20-34	479	9.9	63	2	3	8	12	19	26	40
35-49	479	11.9	121	2	4	9	15	23	33	55
50-64	911	13.4	128	3	4	10	17	27	35	59
65+	1430	14.9	157	3	4	11	18	30	40	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2206	4.8	24	1	1	3	6	10	13	23
B. *Operated*	1644	8.5	45	2	3	7	10	16	21	34
2. MULTIPLE DX										
A. *Not Operated*	5617	7.2	49	1	2	5	9	14	19	35
B. *Operated*	3644	12.9	132	2	3	10	16	26	35	61
1. SINGLE DX	3850	6.4	36	1	1	5	8	13	17	31
2. MULTIPLE DX	9261	9.5	90	1	2	7	12	20	27	50
A. NOT OPERATED	7823	6.5	43	1	1	5	8	13	18	33
B. OPERATED	5288	11.6	109	2	3	9	14	23	32	57
TOTAL 0-19 YRS	2706	5.7	35	1	2	4	7	11	15	29
20-34	1692	7.4	39	1	2	6	9	14	19	33
35-49	1587	8.1	66	1	2	6	10	16	22	38
50-64	2752	9.5	81	1	2	7	12	20	26	46
65+	4374	10.4	107	1	2	8	13	22	30	58
GRAND TOTAL	**13111**	**8.6**	**76**	**1**	**2**	**6**	**11**	**18**	**24**	**45**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4649	2.4	6	1	1	2	3	4	5	8
20-34	836	2.7	13	1	1	2	3	5	6	11
35-49	127	3.1	4	1	1	3	4	6	8	10
50-64	53	3.5	9	1	1	3	4	6	7	21
65+	16	3.7	4	1	2	3	5	6	7	7
B. *Operated*										
0-19 YRS	2078	4.2	9	2	2	4	5	6	7	12
20-34	642	4.8	11	2	3	4	5	7	9	14
35-49	61	5.2	7	2	2	5	6	9	10	15
50-64	17	5.5	9	2	3	5	6	10	12	13
65+	10	10.0	205	2	2	6	9	30	50	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1959	3.1	10	1	1	2	4	5	7	11
20-34	404	3.3	5	1	1	3	4	6	7	10
35-49	82	5.2	56	1	2	4	5	8	9	52
50-64	39	5.1	8	2	2	5	7	10	11	12
65+	20	4.0	6	1	1	3	5	8	9	10
B. *Operated*										
0-19 YRS	859	5.2	8	2	3	5	6	8	10	16
20-34	286	5.9	13	2	3	5	7	10	12	20
35-49	52	8.3	39	3	3	6	10	16	19	34
50-64	19	8.5	40	2	3	7	10	20	24	25
65+	12	9.9	43	3	4	8	11	22	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5681	2.5	7	1	1	2	3	4	5	8
B. *Operated*	2808	4.4	10	2	2	4	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	2504	3.2	11	1	1	3	4	6	7	11
B. *Operated*	1228	5.6	12	2	3	5	6	9	12	20
1. SINGLE DX	8489	3.1	9	1	1	3	4	5	7	11
2. MULTIPLE DX	3732	4.0	12	1	1	3	5	7	9	15
A. NOT OPERATED	8185	2.7	8	1	1	2	3	5	6	10
B. OPERATED	4036	4.8	11	2	3	4	5	7	9	16
TOTAL 0-19 YRS	9545	3.2	8	1	1	3	4	5	7	11
20-34	2168	3.9	12	1	1	3	5	7	8	13
35-49	322	4.9	26	1	2	4	6	9	12	25
50-64	128	5.0	16	1	2	4	6	9	12	23
65+	58	6.2	53	1	2	4	7	10	17	48
GRAND TOTAL	**12221**	**3.4**	**10**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	650	4.3	12	1	2	4	5	7	9	14
20-34	101	3.7	7	1	1	3	4	6	8	16
35-49	48	3.5	5	1	1	3	5	7	9	99+
50-64	29	5.3	29	<1	1	3	6	12	22	22
65+	16	5.2	7	2	2	5	6	9	11	12
B. *Operated*										
0-19 YRS	672	3.3	8	<1	1	2	4	7	9	13
20-34	498	3.4	10	<1	1	2	4	7	10	19
35-49	212	3.4	8	1	1	2	4	8	9	17
50-64	163	4.2	12	1	1	3	5	9	12	16
65+	85	4.1	8	1	2	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	468	5.1	15	1	2	4	7	9	11	19
20-34	149	4.9	8	2	2	4	7	8	11	14
35-49	60	5.7	11	1	2	5	7	10	12	17
50-64	52	6.9	21	2	2	6	8	13	18	22
65+	52	9.3	114	2	3	6	9	17	30	65
B. *Operated*										
0-19 YRS	321	4.8	20	1	1	3	6	10	14	21
20-34	256	5.3	38	1	1	3	6	11	15	29
35-49	154	6.4	29	2	2	4	9	13	18	25
50-64	156	7.5	66	2	2	5	10	14	20	54
65+	121	8.2	72	2	2	6	8	19	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	844	4.3	11	1	2	4	5	7	9	15
B. *Operated*	1630	3.5	9	<1	1	2	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	781	5.5	21	1	2	5	7	10	12	21
B. *Operated*	1008	6.0	41	1	2	4	7	12	17	28
1. SINGLE DX	2474	3.7	10	1	1	3	5	7	9	15
2. MULTIPLE DX	1789	5.8	32	1	2	4	7	11	15	26
A. NOT OPERATED	1625	4.9	16	1	2	4	6	8	11	18
B. OPERATED	2638	4.4	23	1	1	3	6	9	12	22
TOTAL 0-19 YRS	2111	4.3	13	1	1	3	6	8	10	17
20-34	1004	4.1	18	1	1	3	5	8	11	20
35-49	474	4.7	17	1	1	3	6	10	13	24
50-64	400	5.9	37	1	2	4	7	12	15	22
65+	274	6.9	60	2	2	5	8	13	21	44
GRAND TOTAL	**4263**	**4.6**	**20**	**1**	**1**	**3**	**6**	**9**	**12**	**21**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	10.1	193	1	1	6	13	22	34	79
20-34	194	10.3	116	1	2	7	14	21	29	55
35-49	41	10.1	179	1	1	4	12	26	34	71
50-64	37	12.1	206	1	2	7	16	38	59	99+
65+	65	11.1	167	2	2	8	13	27	45	97
B. *Operated*										
0-19 YRS										
20-34	1	79.0		79	79	79	79	79	79	79
35-49	6	12.0	71	2	2	13	19	22	22	22
50-64	3	10.0	39	5	5	8	15	17	17	17
65+	2	20.0	8	18	18	20	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	12.1	173	1	1	7	18	37	44	78
20-34	213	12.1	130	1	2	8	16	31	38	50
35-49	132	12.6	213	1	2	8	16	28	39	75
50-64	165	14.1	151	2	3	11	20	33	40	96
65+	444	12.8	122	3	4	10	16	26	36	68
B. *Operated*										
0-19 YRS	5	21.2	36	15	15	19	27	29	29	29
20-34	11	27.2	277	10	11	20	48	68	95	99+
35-49	7	20.9	976	1	1	9	21	76	89	89
50-64	21	26.8	224	10	12	27	32	55	59	61
65+	49	21.5	262	5	7	15	27	49	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	413	10.5	151	1	1	7	14	23	33	78
B. *Operated*	12	18.4	416	2	2	15	20	39	73	79
2. MULTIPLE DX										
A. *Not Operated*	1046	12.8	144	1	2	9	17	29	39	73
B. *Operated*	93	23.3	288	4	8	19	31	54	64	99+
1. SINGLE DX	425	10.8	159	1	1	7	14	23	33	79
2. MULTIPLE DX	1139	13.6	164	1	2	10	18	32	42	74
A. NOT OPERATED	1459	12.1	147	1	2	8	16	28	38	73
B. OPERATED	105	22.8	301	4	7	17	29	54	65	99+
TOTAL 0-19 YRS	173	11.5	180	1	1	7	15	31	43	80
20-34	419	11.8	144	1	2	8	15	29	38	61
35-49	186	12.3	227	1	2	7	16	26	37	78
50-64	226	14.9	179	2	2	12	22	34	44	99+
65+	560	13.4	146	2	4	10	17	28	41	73
GRAND TOTAL	**1564**	**12.9**	**164**	**1**	**2**	**9**	**17**	**30**	**41**	**77**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	694	3.7	51	1	1	2	4	6	9	45
20-34	697	5.1	46	1	1	3	6	10	15	36
35-49	335	7.9	79	1	2	5	9	19	23	43
50-64	611	11.7	169	1	2	8	15	27	42	86
65+	2692	12.3	160	2	2	8	15	27	39	86
B. *Operated*										
0-19 YRS	18	7.4	65	<1	1	3	10	22	25	26
20-34	22	6.6	23	1	2	5	10	16	48	99+
35-49	17	9.8	234	2	2	6	9	12	48	68
50-64	45	8.9	45	2	2	7	12	20	22	28
65+	83	15.9	255	2	3	10	21	40	51	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	765	7.0	117	1	1	4	7	17	30	73
20-34	1424	8.2	85	1	2	5	10	18	25	52
35-49	984	10.1	101	2	2	7	13	22	30	51
50-64	1832	13.3	147	2	3	10	17	29	38	76
65+	12434	13.5	168	3	4	10	17	29	42	99+
B. *Operated*										
0-19 YRS	43	17.6	721	1	1	5	30	94	99+	99+
20-34	96	16.1	296	2	2	11	21	57	99+	99+
35-49	83	15.3	197	2	3	11	19	35	52	91
50-64	231	18.0	231	3	5	14	24	40	53	99+
65+	1086	21.6	294	4	6	17	29	53	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5029	9.8	137	1	1	6	12	22	34	76
B. *Operated*	185	11.7	169	2	2	8	15	25	42	83
2. MULTIPLE DX										
A. *Not Operated*	17439	12.6	157	2	3	9	16	27	39	94
B. *Operated*	1539	20.3	295	3	5	16	27	50	74	99+
1. SINGLE DX	5214	9.8	138	1	1	6	12	23	34	76
2. MULTIPLE DX	18978	13.2	172	2	3	9	17	29	42	99+
A. NOT OPERATED	22468	12.0	154	2	2	8	15	26	38	90
B. OPERATED	1724	19.4	288	3	4	15	26	48	70	99+
TOTAL 0-19 YRS	1520	5.8	109	1	1	3	5	13	26	73
20-34	2239	7.6	87	1	1	5	9	17	25	61
35-49	1419	9.9	105	1	2	7	12	21	30	57
50-64	2719	13.3	160	2	3	9	17	29	39	82
65+	16295	13.9	180	2	3	10	17	30	44	99+
GRAND TOTAL	**24192**	**12.5**	**167**	**2**	**2**	**9**	**16**	**28**	**41**	**97**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	7.7	44	2	2	6	13	15	15	15
50-64	11	8.9	30	3	3	9	11	16	21	22
65+	246	12.0	116	2	2	9	16	25	36	99+
B. *Operated*										
YRS										
20-34										
35-49										
50-64										
65+	7	9.0	23	2	3	9	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
YRS										
20-34										
35-49	3	30.3	1460	3	3	14	59	74	74	74
50-64	97	14.1	132	3	3	10	21	29	34	83
65+	1780	13.5	144	3	4	10	17	27	39	82
B. *Operated*										
YRS										
20-34										
35-49	2	66.0	200	56	56	66	76	76	76	76
50-64	10	13.6	46	8	8	10	16	25	28	28
65+	123	22.5	276	6	8	17	27	46	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	261	11.8	112	2	2	9	15	24	33	95
B. *Operated*	7	9.0	23	2	3	9	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	1880	13.6	145	3	4	10	17	27	39	82
B. *Operated*	135	22.5	290	6	8	17	27	48	68	99+
1. SINGLE DX	268	11.7	110	2	2	9	15	24	31	93
2. MULTIPLE DX	2015	14.2	160	3	4	10	18	29	41	90
A. NOT OPERATED	2141	13.4	141	2	4	10	17	27	39	84
B. OPERATED	142	21.9	286	6	8	17	27	46	65	99+
TOTAL YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	8	30.8	1042	2	2	14	65	75	76	76
50-64	118	13.6	117	3	3	10	19	28	33	75
65+	2156	13.9	153	2	4	10	18	28	41	92
GRAND TOTAL	**2283**	**13.9**	**154**	**3**	**4**	**10**	**18**	**28**	**41**	**91**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.7	6	<1	<1	2	4	5	7	12
20-34	542	4.6	20	1	1	4	6	8	11	23
35-49	950	5.3	29	1	2	4	6	9	13	29
50-64	658	6.7	59	1	2	5	7	13	19	41
65+	199	7.4	44	1	2	6	9	16	22	41
B. *Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	8	10.5	25	5	5	9	14	18	19	19
50-64	8	14.4	95	5	6	10	22	30	31	31
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	6.7	58	<1	1	4	10	17	25	90
20-34	1343	7.1	57	1	2	5	8	14	22	38
35-49	3057	7.7	50	2	2	6	9	16	23	36
50-64	2661	9.0	78	2	2	6	11	20	26	47
65+	981	11.0	93	2	3	8	14	22	28	51
B. *Operated*										
0-19 YRS	3	14.7	126	5	5	12	23	27	27	27
20-34	59	10.6	61	1	2	8	16	24	28	93
35-49	131	12.6	79	3	4	11	17	22	29	51
50-64	163	17.8	198	4	5	14	22	38	42	83
65+	88	24.9	367	6	8	19	32	52	74	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2385	5.7	37	1	1	5	6	11	15	32
B. *Operated*	19	11.0	62	3	4	9	15	24	29	31
2. MULTIPLE DX										
A. *Not Operated*	8109	8.4	67	2	2	6	10	18	25	43
B. *Operated*	444	16.7	200	3	4	13	21	35	43	86
1. SINGLE DX	2404	5.7	37	1	1	5	7	11	15	32
2. MULTIPLE DX	8553	8.8	77	2	2	6	11	19	26	48
A. NOT OPERATED	10494	7.8	62	1	2	5	9	16	23	41
B. OPERATED	463	16.5	195	3	4	12	21	34	42	86
TOTAL 0-19 YRS	106	5.6	47	<1	<1	3	7	14	21	67
20-34	1946	6.5	49	1	1	5	8	13	20	36
35-49	4146	7.3	48	1	2	5	8	15	21	36
50-64	3490	9.0	85	2	2	6	11	20	26	48
65+	1269	11.4	120	2	3	8	15	23	31	66
GRAND TOTAL	**10957**	**8.2**	**70**	**1**	**2**	**6**	**10**	**18**	**24**	**44**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153	8.8	114	<1	1	4	12	23	29	51
20-34	276	7.8	93	1	1	5	10	16	26	44
35-49	50	7.8	40	1	2	6	10	15	23	27
50-64	51	7.9	48	1	2	5	12	16	24	31
65+	43	8.4	60	1	1	6	10	19	29	31
B. *Operated*										
0-19 YRS	1	42.0		42	42	42	42	42	42	42
20-34	1	23.0		23	23	23	23	23	23	23
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	266	9.7	112	1	1	6	13	24	38	92
20-34	652	8.0	74	1	1	5	10	19	25	46
35-49	186	8.6	71	1	2	6	11	19	25	38
50-64	213	11.1	96	2	3	9	13	22	29	52
65+	269	9.9	69	2	3	8	11	21	26	39
B. *Operated*										
0-19 YRS	7	31.4	818	3	4	25	56	74	76	76
20-34	27	11.5	102	2	2	9	14	21	41	42
35-49	14	15.1	121	4	4	11	27	36	84	99+
50-64	19	16.3	134	3	5	11	21	34	39	43
65+	14	19.2	150	5	6	16	23	38	43	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	573	8.1	87	1	1	5	11	19	27	46
B. *Operated*	3	23.3	342	5	5	23	37	42	42	42
2. MULTIPLE DX										
A. *Not Operated*	1586	9.1	83	1	2	6	11	20	27	48
B. *Operated*	81	16.3	198	3	4	11	22	36	44	92
1. SINGLE DX	576	8.2	89	1	1	5	11	20	27	46
2. MULTIPLE DX	1667	9.5	91	1	2	7	12	21	30	49
A. NOT OPERATED	2159	8.9	84	1	1	6	11	20	27	47
B. OPERATED	84	16.5	201	3	4	11	23	37	43	92
TOTAL 0-19 YRS	427	9.8	133	1	1	6	14	25	38	68
20-34	956	8.1	81	1	1	5	10	19	26	46
35-49	250	8.8	70	1	2	7	12	20	27	39
50-64	284	10.8	92	2	2	8	14	22	31	48
65+	326	10.1	75	2	3	8	12	22	28	40
GRAND TOTAL	**2243**	**9.1**	**91**	**1**	**1**	**6**	**12**	**21**	**29**	**48**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	885	20.3	349	2	3	14	29	51	69	99+
20-34	6592	14.7	178	1	2	11	20	31	42	73
35-49	3040	14.7	161	2	3	12	20	31	42	68
50-64	1265	15.3	165	2	3	12	21	31	39	69
65+	271	19.5	274	2	3	14	27	41	48	89
B. *Operated*										
0-19 YRS	5	40.6	802	10	10	52	74	97	99+	99+
20-34	24	24.3	187	4	9	24	31	48	53	55
35-49	17	19.9	201	2	4	19	26	53	84	99+
50-64	8	35.5	556	5	8	29	62	85	99+	99+
65+	3	17.7	82	11	11	14	24	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	281	23.2	395	2	4	18	31	58	70	99+
20-34	2101	15.6	188	2	3	12	21	33	43	82
35-49	1230	15.9	174	2	4	12	21	34	42	62
50-64	862	18.1	200	3	4	14	25	37	47	84
65+	277	20.2	254	3	5	17	27	42	60	99+
B. *Operated*										
0-19 YRS	22	36.2	758	7	13	32	75	99+	99+	99+
20-34	112	27.1	376	6	8	23	37	56	87	99+
35-49	85	29.1	302	7	10	27	38	50	56	96
50-64	59	26.7	357	5	8	22	40	77	99+	99+
65+	20	35.0	390	12	13	33	50	70	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12053	15.3	190	2	3	12	20	32	43	77
B. *Operated*	57	25.6	312	3	8	23	32	62	87	99+
2. MULTIPLE DX										
A. *Not Operated*	4751	16.8	207	2	4	13	23	35	47	83
B. *Operated*	298	28.8	383	7	8	26	41	65	90	99+
1. SINGLE DX	12110	15.4	191	2	3	12	21	33	44	78
2. MULTIPLE DX	5049	17.6	225	2	4	13	24	37	50	91
A. NOT OPERATED	16804	15.7	195	2	3	12	21	34	44	78
B. OPERATED	355	28.3	372	7	8	25	41	63	90	99+
TOTAL 0-19 YRS	1193	21.4	375	2	3	15	30	56	72	99+
20-34	8829	15.1	185	2	3	11	20	32	43	78
35-49	4372	15.3	171	2	3	12	20	33	42	68
50-64	2194	16.8	191	2	4	13	22	34	45	83
65+	571	20.3	274	3	4	16	28	43	56	99+
GRAND TOTAL	**17159**	**16.0**	**202**	**2**	**3**	**12**	**21**	**34**	**45**	**82**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	200	19.8	318	3	3	15	28	50	62	99+
20-34	636	13.6	155	1	2	11	18	28	38	69
35-49	189	12.2	74	2	3	11	16	22	28	41
50-64	63	13.7	66	3	5	12	19	24	32	35
65+	8	10.8	29	2	3	12	16	67	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	42.5	2381	8	8	42	77	77	77	77
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	23.2	420	3	5	17	28	49	74	95
20-34	211	16.1	192	2	4	11	22	36	53	99+
35-49	90	15.4	144	3	5	13	20	29	39	66
50-64	35	15.5	164	2	3	12	20	40	51	99+
65+	14	14.7	125	2	4	12	21	36	36	36
B. *Operated*										
0-19 YRS	4	33.0	407	12	12	46	65	99+	99+	99+
20-34	10	24.2	192	6	9	20	33	46	50	50
35-49	4	14.5	111	7	7	10	21	30	30	30
50-64	2	23.0	50	18	18	23	28	28	28	28
65+	3	42.0	73	34	34	41	48	51	51	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1096	14.5	171	2	3	11	19	31	42	80
B. *Operated*	2	42.5	2381	8	8	42	77	77	77	77
2. MULTIPLE DX										
A. *Not Operated*	435	17.3	229	3	4	13	23	36	52	99+
B. *Operated*	23	26.3	228	7	9	23	42	51	68	99+
1. SINGLE DX	1098	14.5	174	2	3	11	19	31	42	80
2. MULTIPLE DX	458	17.7	232	3	4	14	24	37	53	99+
A. NOT OPERATED	1531	15.3	189	2	3	12	20	33	44	92
B. OPERATED	25	27.6	329	7	8	23	43	54	82	99+
TOTAL 0-19 YRS	289	21.0	351	3	4	16	29	51	65	99+
20-34	857	14.4	166	2	3	11	19	31	40	79
35-49	285	13.5	112	2	4	12	17	26	31	55
50-64	100	14.5	100	3	4	12	20	28	36	75
65+	25	16.7	176	2	4	14	24	41	61	99+
GRAND TOTAL	**1556**	**15.5**	**193**	**2**	**3**	**12**	**20**	**33**	**46**	**93**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1865	20.8	358	2	3	15	29	49	71	99+
20-34	10795	15.5	204	1	3	12	21	33	45	81
35-49	5134	14.7	150	2	3	12	20	30	38	63
50-64	2369	16.6	179	2	3	14	22	33	43	70
65+	452	18.8	231	2	3	15	25	41	49	86
B. *Operated*										
0-19 YRS	14	26.1	388	2	4	23	43	70	92	99+
20-34	27	27.7	327	9	12	25	39	95	99+	99+
35-49	19	26.5	188	10	13	23	31	41	57	69
50-64	13	27.1	81	15	17	29	38	99+	99+	99+
65+	4	20.0	293	8	8	13	31	45	45	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	778	22.2	397	2	3	17	32	57	80	99+
20-34	4456	16.5	211	2	3	13	22	36	49	84
35-49	2984	16.3	184	2	4	13	22	34	43	75
50-64	1969	17.8	184	3	5	14	24	35	46	73
65+	640	20.2	249	3	5	16	28	43	53	96
B. *Operated*										
0-19 YRS	44	31.3	517	6	9	31	60	99+	99+	99+
20-34	263	25.8	374	4	7	21	37	58	80	99+
35-49	209	24.3	290	5	7	20	33	53	60	97
50-64	148	28.1	329	7	9	25	36	53	64	97
65+	45	25.2	327	3	6	21	32	50	67	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20615	16.0	205	2	3	12	21	34	46	82
B. *Operated*	77	26.6	250	9	11	23	37	69	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	10827	17.3	217	2	3	14	23	37	50	87
B. *Operated*	709	26.1	347	5	7	22	36	56	76	99+
1. SINGLE DX	20692	16.0	205	2	3	12	21	34	46	83
2. MULTIPLE DX	11536	17.8	229	2	4	14	24	39	52	94
A. NOT OPERATED	31442	16.4	209	2	3	13	22	35	47	84
B. OPERATED	786	26.2	337	5	8	22	36	57	77	99+
TOTAL 0-19 YRS	2701	21.4	373	2	3	16	30	52	75	99+
20-34	15541	16.0	211	1	3	12	21	35	47	84
35-49	8346	15.5	168	2	3	12	21	32	41	70
50-64	4499	17.5	190	2	4	14	23	35	45	74
65+	1141	19.8	246	2	4	16	27	42	52	89
GRAND TOTAL	**32228**	**16.7**	**215**	**2**	**3**	**13**	**22**	**36**	**48**	**87**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	15.5	370	1	2	8	38	99+	99+	99+
B. *Operated*										
0-19 YRS	1	64.0		64	64	64	64	64	64	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	27.9	488	2	3	34	55	99+	99+	99+
B. *Operated*										
0-19 YRS	1	97.0		97	97	97	97	97	97	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	15.5	370	1	2	8	38	99+	99+	99+
B. *Operated*	1	64.0		64	64	64	64	64	64	64
2. MULTIPLE DX										
A. *Not Operated*	35	27.9	488	2	3	34	55	99+	99+	99+
B. *Operated*	1	97.0		97	97	97	97	97	97	97
1. SINGLE DX	96	16.0	391	1	2	8	39	99+	99+	99+
2. MULTIPLE DX	36	29.8	607	2	3	34	52	99+	99+	99+
A. NOT OPERATED	130	18.8	429	1	2	13	42	99+	99+	99+
B. OPERATED	2	80.5	545	64	64	80	97	97	97	97
TOTAL 0-19 YRS	132	19.8	484	1	2	14	42	99+	99+	99+
GRAND TOTAL	**132**	**19.8**	**484**	**1**	**2**	**14**	**42**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	270	16.7	305	1	2	11	25	44	59	98
20-34	2094	13.1	166	1	2	9	18	30	39	71
35-49	2287	15.0	163	2	3	12	20	32	40	61
50-64	2631	17.9	173	3	4	15	24	35	43	68
65+	1810	20.5	216	3	5	18	28	40	50	72
B. *Operated*										
0-19 YRS										
20-34	13	29.0	665	1	2	24	34	63	92	99
35-49	19	21.7	263	5	6	16	34	41	55	66
50-64	21	23.9	517	5	6	14	34	51	78	97
65+	25	22.7	144	4	8	22	33	39	43	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	327	15.3	269	1	2	9	22	38	51	98
20-34	1902	12.7	159	1	2	9	17	29	40	67
35-49	2201	14.4	178	2	3	10	19	33	42	68
50-64	2680	17.3	207	3	4	13	24	37	46	72
65+	2832	20.7	276	3	4	16	29	44	57	98
B. *Operated*										
0-19 YRS	16	26.7	324	3	8	21	38	62	87	99+
20-34	115	21.4	207	5	6	18	29	39	58	76
35-49	167	26.2	304	5	8	21	39	51	60	79
50-64	237	25.6	270	6	9	21	33	53	61	99+
65+	261	29.1	358	7	9	26	38	57	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9092	16.6	188	2	3	13	23	35	44	69
B. *Operated*	78	23.8	351	4	6	18	34	42	59	98
2. MULTIPLE DX										
A. *Not Operated*	9942	16.7	222	2	3	12	23	37	48	78
B. *Operated*	796	26.3	303	6	8	22	36	53	63	99+
1. SINGLE DX	9170	16.6	190	2	3	14	23	35	44	69
2. MULTIPLE DX	10738	17.4	235	2	3	13	24	38	50	82
A. NOT OPERATED	19034	16.6	206	2	3	13	23	36	46	74
B. OPERATED	874	26.1	307	6	8	22	36	52	63	99
TOTAL 0-19 YRS	613	16.2	289	1	2	10	23	41	56	99+
20-34	4124	13.2	168	1	2	9	18	30	40	68
35-49	4674	15.1	180	2	3	11	21	33	43	66
50-64	5569	18.0	198	3	4	15	25	36	46	72
65+	4928	21.1	261	3	5	17	29	43	55	90
GRAND TOTAL	**19908**	**17.0**	**214**	**2**	**3**	**13**	**24**	**37**	**47**	**76**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	411	19.4	299	2	3	15	26	44	60	95
20-34	3219	15.2	158	2	3	12	21	31	40	64
35-49	2528	15.1	149	2	3	12	21	30	38	60
50-64	1650	16.6	146	2	4	14	22	32	40	64
65+	521	19.8	235	3	4	16	26	41	52	86
B. *Operated*										
0-19 YRS	1	40.0		40	40	40	40	40	40	40
20-34	7	10.7	95	<1	1	9	24	77	99+	99+
35-49	6	10.8	41	5	5	10	11	22	23	23
50-64	16	24.7	252	4	7	22	34	51	57	59
65+	6	25.8	210	8	9	25	30	48	50	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	200	19.9	318	2	3	15	29	45	59	99
20-34	1464	16.5	181	2	3	13	22	35	44	70
35-49	1371	16.5	179	2	4	13	22	35	42	73
50-64	1322	17.3	164	3	4	15	23	35	44	66
65+	787	20.2	256	3	5	16	26	41	54	91
B. *Operated*										
0-19 YRS	11	35.5	467	7	11	32	49	65	83	85
20-34	113	26.1	271	4	7	24	36	51	59	85
35-49	115	21.4	185	4	7	18	28	43	50	78
50-64	111	25.6	240	5	8	23	34	54	59	78
65+	78	36.1	443	10	14	34	49	66	89	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8329	16.0	167	2	3	13	21	32	41	68
B. *Operated*	36	20.3	219	2	5	20	30	48	57	99+
2. MULTIPLE DX										
A. *Not Operated*	5144	17.4	194	2	4	14	23	36	46	76
B. *Operated*	428	26.8	299	5	8	24	36	52	63	97
1. SINGLE DX	8365	16.0	167	2	3	13	22	32	41	68
2. MULTIPLE DX	5572	18.1	209	2	4	15	24	38	48	77
A. NOT OPERATED	13473	16.5	178	2	3	14	22	34	43	71
B. OPERATED	464	26.3	296	5	7	23	35	52	62	99
TOTAL 0-19 YRS	623	19.9	312	2	3	15	27	45	59	97
20-34	4803	15.9	170	2	3	13	21	33	43	67
35-49	4020	15.7	161	2	3	13	21	32	40	66
50-64	3099	17.3	160	2	4	15	23	34	43	65
65+	1392	21.0	271	3	5	17	28	45	55	92
GRAND TOTAL	**13937**	**16.8**	**185**	**2**	**3**	**14**	**23**	**35**	**45**	**72**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	644	14.9	223	1	2	11	20	37	50	99+
20-34	2430	12.7	157	1	2	9	17	29	38	70
35-49.	1566	14.2	171	1	2	10	20	31	40	68
50-64	1315	16.2	177	2	3	13	22	34	42	66
65+	946	16.8	197	2	3	13	24	37	45	69
B. *Operated*										
0-19 YRS	4	19.3	136	4	4	21	28	31	31	31
20-34	7	10.3	51	1	1	9	17	20	20	20
35-49	12	9.9	52	2	3	8	16	20	23	23
50-64	23	17.0	197	2	3	12	26	38	44	52
65+	23	12.1	140	2	3	8	15	31	41	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	422	16.1	262	1	2	11	23	40	50	83
20-34	1643	14.4	179	1	2	10	19	32	43	69
35-49	1322	14.9	171	2	3	12	21	31	40	71
50-64	1603	17.0	225	2	3	13	23	36	49	74
65+	2577	14.5	174	2	3	10	19	33	43	69
B. *Operated*										
0-19 YRS	21	27.4	590	<1	2	19	54	68	83	99+
20-34	72	24.0	414	2	4	19	30	58	79	97
35-49	105	25.4	413	4	5	20	35	57	89	99+
50-64	135	20.0	288	4	5	16	26	40	53	95
65+	272	20.8	299	4	6	16	28	48	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6901	14.5	178	1	2	11	20	32	42	70
B. *Operated*	69	13.6	138	2	3	10	18	31	37	51
2. MULTIPLE DX										
A. *Not Operated*	7567	15.2	191	2	3	11	20	34	44	72
B. *Operated*	605	22.0	342	3	5	17	29	53	71	99+
1. SINGLE DX	6970	14.5	178	1	2	11	20	32	42	70
2. MULTIPLE DX	8172	15.7	206	2	3	11	21	35	46	78
A. NOT OPERATED	14468	14.8	185	1	2	11	20	33	43	71
B. OPERATED	674	21.2	328	3	4	16	28	49	69	99+
TOTAL 0-19 YRS	1091	15.6	247	1	2	11	22	39	52	99
20-34	4152	13.5	173	1	2	10	19	31	41	70
35-49	3005	14.9	183	1	2	11	21	32	42	72
50-64	3076	16.8	207	2	3	13	22	36	46	72
65+	3818	15.5	192	2	3	11	21	35	45	74
GRAND TOTAL	**15142**	**15.1**	**193**	**2**	**3**	**11**	**21**	**34**	**44**	**74**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	572	5.6	77	1	1	3	5	10	22	46
20-34	2246	6.1	48	1	1	4	7	14	19	36
35-49	1722	6.3	54	1	1	4	7	14	20	40
50-64	959	5.9	36	1	1	4	7	13	19	32
65+	414	5.7	38	1	1	4	7	12	17	34
B. *Operated*										
0-19 YRS	9	9.8	215	2	2	4	9	36	45	45
20-34	53	5.0	24	1	1	2	8	11	12	28
35-49	38	5.9	30	1	2	4	7	13	17	28
50-64	22	6.6	38	1	2	5	8	13	20	30
65+	3	5.0	4	3	3	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	830	7.7	156	1	1	4	7	19	40	73
20-34	3517	7.0	57	1	1	4	8	16	22	37
35-49	3605	6.8	51	1	2	5	8	14	20	35
50-64	2980	6.9	49	1	2	5	8	14	21	35
65+	2151	6.8	45	1	2	5	8	13	19	35
B. *Operated*										
0-19 YRS	37	8.9	145	1	1	4	9	36	45	99+
20-34	330	6.6	60	1	1	3	9	16	21	35
35-49	269	9.4	83	1	2	7	12	23	29	40
50-64	200	11.9	90	2	2	9	16	26	31	42
65+	80	11.0	136	3	4	7	11	21	45	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5913	6.0	50	1	1	4	7	13	19	37
B. *Operated*	125	5.9	41	1	2	4	7	12	15	34
2. MULTIPLE DX										
A. *Not Operated*	13083	6.9	58	1	2	5	8	15	21	40
B. *Operated*	916	9.1	87	1	2	6	12	22	29	46
1. SINGLE DX	6038	6.0	50	1	1	4	7	13	19	37
2. MULTIPLE DX	13999	7.1	60	1	2	5	8	15	21	41
A. NOT OPERATED	18996	6.6	56	1	1	4	8	14	21	39
B. OPERATED	1041	8.7	83	1	2	6	11	21	29	45
TOTAL 0-19 YRS	1448	6.9	126	1	1	3	6	15	31	71
20-34	6146	6.6	54	1	1	4	8	15	21	37
35-49	5634	6.8	53	1	1	4	8	15	21	37
50-64	4161	6.9	49	1	2	5	8	15	21	36
65+	2648	6.7	47	1	2	5	8	13	18	37
GRAND TOTAL	**20037**	**6.7**	**57**	**1**	**1**	**4**	**8**	**15**	**21**	**40**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1840	17.0	322	1	2	10	23	44	60	95
20-34	9272	11.0	119	1	2	7	15	24	33	53
35-49	6598	11.8	119	2	2	9	16	26	33	55
50-64	3258	13.3	128	2	3	10	18	28	35	55
65+	1434	13.8	125	2	3	11	19	29	36	57
B. *Operated*										
0-19 YRS	10	25.4	245	6	6	28	41	69	97	99+
20-34	63	22.0	268	3	4	18	35	43	49	71
35-49	49	21.2	336	2	4	16	30	50	62	78
50-64	26	20.1	180	4	5	18	28	43	68	99+
65+	12	21.6	469	5	6	14	27	56	73	76
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1952	17.9	326	1	2	12	26	46	61	99+
20-34	10472	12.4	133	1	2	9	17	27	35	59
35-49	8534	12.4	123	2	3	9	16	27	35	55
50-64	5776	13.1	125	2	3	10	17	28	35	57
65+	3670	14.0	155	3	4	10	18	30	39	70
B. *Operated*										
0-19 YRS	80	28.8	551	2	4	25	47	94	99+	99+
20-34	702	19.4	234	2	4	16	27	39	51	91
35-49	654	21.9	267	5	6	18	29	43	57	99
50-64	482	22.8	249	6	7	19	30	44	55	87
65+	276	23.1	268	4	6	20	30	43	56	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22402	12.3	140	1	2	9	16	27	36	60
B. *Operated*	160	21.6	282	3	5	17	33	45	61	97
2. MULTIPLE DX										
A. *Not Operated*	30404	13.1	146	2	3	9	17	28	37	63
B. *Operated*	2194	21.7	266	4	6	18	29	43	56	99
1. SINGLE DX	22562	12.3	142	1	2	9	16	27	36	61
2. MULTIPLE DX	32598	13.6	158	2	3	10	18	30	39	68
A. NOT OPERATED	52806	12.7	144	2	3	9	17	28	37	62
B. OPERATED	2354	21.7	267	4	6	18	29	44	56	99
TOTAL 0-19 YRS	3882	17.7	331	1	2	11	25	46	62	99+
20-34	20509	12.0	133	1	2	8	16	27	35	59
35-49	15835	12.6	132	2	3	9	17	27	35	57
50-64	9542	13.7	137	2	3	10	18	29	36	59
65+	5392	14.4	158	3	4	10	19	30	40	67
GRAND TOTAL	**55160**	**13.1**	**152**	**2**	**3**	**9**	**18**	**29**	**38**	**65**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1476	11.6	293	1	1	5	13	35	60	99+
20-34	3064	8.6	112	1	1	5	10	21	28	58
35-49	1318	8.6	90	1	1	5	11	20	27	50
50-64	603	8.2	91	1	1	5	10	18	29	53
65+	227	8.4	113	1	1	5	11	17	26	60
B. *Operated*										
0-19 YRS	21	9.0	140	<1	1	6	8	29	41	43
20-34	160	8.8	79	1	2	8	9	15	22	51
35-49	98	6.6	21	1	2	6	9	11	15	26
50-64	80	7.7	75	1	2	5	8	14	31	45
65+	33	6.4	57	1	2	4	8	10	27	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1607	14.2	331	1	1	7	18	41	63	99+
20-34	4763	10.3	133	1	1	6	13	25	34	65
35-49	2466	10.0	118	1	2	7	13	22	30	62
50-64	1441	9.9	104	1	2	6	12	22	30	52
65+	723	10.2	108	2	2	7	13	23	34	61
B. *Operated*										
0-19 YRS	65	17.9	337	2	3	11	30	49	95	99+
20-34	358	14.5	229	1	2	9	19	33	53	88
35-49	237	13.4	216	1	2	9	18	31	43	99+
50-64	193	12.4	149	2	3	9	16	31	43	85
65+	87	12.2	153	3	4	8	15	23	40	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6688	9.2	147	1	1	5	11	22	33	79
B. *Operated*	392	7.8	66	1	2	6	9	14	22	42
2. MULTIPLE DX										
A. *Not Operated*	11000	10.8	155	1	2	7	14	25	36	78
B. *Operated*	940	13.8	211	1	2	9	18	33	50	99+
1. SINGLE DX	7080	9.1	143	1	1	5	11	22	32	77
2. MULTIPLE DX	11940	11.0	160	1	2	7	14	26	37	80
A. NOT OPERATED	17688	10.2	153	1	1	6	13	24	35	78
B. OPERATED	1332	12.0	175	1	2	8	15	29	42	96
TOTAL 0-19 YRS	3169	13.0	314	1	1	6	16	39	61	99+
20-34	8345	9.8	130	1	1	6	12	23	33	64
35-49	4119	9.7	114	1	2	6	12	22	30	62
50-64	2317	9.6	105	1	2	6	12	22	31	55
65+	1070	9.9	112	1	2	6	12	22	32	62
GRAND TOTAL	**19020**	**10.3**	**155**	**1**	**1**	**6**	**13**	**25**	**36**	**79**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	738	7.7	128	<1	<1	2	10	27	30	47
20-34	5979	11.6	112	1	1	7	21	28	30	37
35-49	7843	10.3	93	1	2	6	15	27	29	35
50-64	4781	10.1	93	1	2	6	14	27	29	35
65+	984	9.2	77	1	2	6	12	23	28	36
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	16.3	229	1	2	11	26	33	48	58
35-49	33	11.4	45	3	5	10	15	21	23	32
50-64	20	18.6	300	1	2	12	23	45	61	67
65+	6	16.5	111	9	9	12	18	35	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1282	15.2	243	<1	1	9	25	34	45	69
20-34	11435	12.0	113	1	2	8	20	28	31	43
35-49	18179	10.9	93	1	2	7	16	26	30	39
50-64	15001	11.1	93	2	2	7	15	26	30	41
65+	4990	11.6	95	2	3	8	17	25	30	43
B. *Operated*										
0-19 YRS	38	17.1	238	<1	1	15	30	35	38	60
20-34	488	16.9	159	1	4	14	23	32	37	56
35-49	926	17.5	163	3	5	14	24	33	41	65
50-64	910	18.2	161	3	5	15	25	33	42	64
65+	370	18.3	146	4	5	16	24	34	42	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20325	10.5	100	1	1	6	16	28	30	36
B. *Operated*	78	14.6	162	2	3	11	21	31	36	64
2. MULTIPLE DX										
A. *Not Operated*	50887	11.4	102	1	2	7	17	27	30	42
B. *Operated*	2732	17.7	160	3	5	15	24	33	41	61
1. SINGLE DX	20403	10.5	100	1	1	6	16	28	30	36
2. MULTIPLE DX	53619	11.7	107	1	2	8	18	28	31	44
A. NOT OPERATED	71212	11.1	102	1	2	7	17	27	30	40
B. OPERATED	2810	17.6	160	2	5	15	24	33	41	62
TOTAL 0-19 YRS	2059	12.5	214	<1	1	5	22	31	39	61
20-34	17920	12.0	115	1	2	7	21	28	31	42
35-49	26981	10.9	97	1	2	7	16	27	30	39
50-64	20712	11.1	99	2	2	7	16	27	30	42
65+	6350	11.6	99	2	2	8	17	25	30	44
GRAND TOTAL	**74022**	**11.4**	**105**	**1**	**2**	**7**	**18**	**28**	**30**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	13.9	188	3	4	11	17	24	44	66
20-34	333	10.8	57	1	2	10	15	20	25	38
35-49	52	12.1	44	4	5	11	16	21	26	29
50-64	12	13.8	45	3	6	13	17	23	26	27
65+	6	16.2	141	8	8	10	24	36	37	37
B. *Operated*										
0-19 YRS										
20-34	3	8.7	44	<1	<1	12	13	13	13	13
35-49	2	22.0	162	13	13	22	31	31	31	31
50-64	2	10.0	8	8	8	10	12	12	12	12
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	14.3	289	1	2	6	18	30	50	81
20-34	1540	12.3	35	3	5	12	15	18	21	34
35-49	690	13.4	38	5	7	13	16	19	22	35
50-64	127	14.7	78	3	7	13	17	22	30	56
65+	43	13.0	71	2	4	11	17	27	29	35
B. *Operated*										
0-19 YRS	2	12.5	41	8	8	12	17	17	17	17
20-34	152	14.6	46	7	8	14	17	20	23	51
35-49	42	14.9	48	8	9	14	17	20	28	45
50-64	6	24.8	259	11	11	19	40	48	49	49
65+	3	12.7	40	9	9	9	17	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	425	11.3	63	2	3	10	15	21	25	38
B. *Operated*	7	12.9	82	<1	2	12	13	27	31	31
2. MULTIPLE DX										
A. *Not Operated*	2430	12.8	42	3	5	13	16	19	22	36
B. *Operated*	205	14.9	54	7	8	14	17	20	23	50
1. SINGLE DX	432	11.3	63	1	3	10	15	21	25	38
2. MULTIPLE DX	2635	12.9	44	3	6	13	16	19	22	38
A. NOT OPERATED	2855	12.5	46	3	5	12	15	20	23	37
B. OPERATED	212	14.9	55	7	8	14	17	20	23	50
TOTAL 0-19 YRS	54	14.1	233	2	3	9	18	28	46	80
20-34	2028	12.2	41	3	4	12	15	19	21	35
35-49	786	13.4	39	5	7	13	16	20	22	36
50-64	147	15.0	84	3	8	13	17	24	31	54
65+	52	13.4	75	3	4	11	18	27	29	37
GRAND TOTAL	**3067**	**12.7**	**47**	**3**	**5**	**13**	**16**	**20**	**23**	**38**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	17.7	285	1	2	12	29	41	48	74
20-34	411	10.6	109	1	1	7	15	28	31	44
35-49	88	11.3	124	1	1	8	15	27	31	57
50-64	44	16.0	251	1	1	12	20	34	52	76
65+	19	10.8	56	1	2	9	15	21	26	31
B. *Operated*										
0-19 YRS										
20-34	3	16.7	129	4	4	20	24	26	26	26
35-49	6	5.7	11	2	2	6	8	10	10	10
50-64	1	27.0		27	27	27	27	27	27	27
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	436	23.4	280	2	3	23	32	45	53	80
20-34	992	14.7	124	1	2	12	22	30	36	49
35-49	401	14.1	109	2	3	12	20	28	35	46
50-64	179	13.4	121	2	3	10	18	29	34	52
65+	91	15.5	145	3	4	12	22	34	37	54
B. *Operated*										
0-19 YRS	12	27.8	336	6	11	24	48	69	94	99+
20-34	54	17.8	135	3	6	15	25	34	42	53
35-49	22	21.6	221	4	7	20	31	34	47	66
50-64	11	19.2	247	3	3	17	21	47	53	54
65+	10	24.1	368	5	7	24	26	51	73	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	724	12.6	165	1	1	8	18	30	36	64
B. *Operated*	11	10.6	86	2	2	7	17	26	27	27
2. MULTIPLE DX										
A. *Not Operated*	2099	16.3	167	2	3	13	25	33	40	57
B. *Operated*	109	20.4	208	3	6	17	28	41	54	84
1. SINGLE DX	735	12.6	164	1	1	8	19	30	36	64
2. MULTIPLE DX	2208	16.5	170	2	3	13	25	34	41	59
A. NOT OPERATED	2823	15.4	169	1	2	12	23	33	39	58
B. OPERATED	120	19.5	204	3	5	17	27	38	53	81
TOTAL 0-19 YRS	610	21.9	288	2	3	21	31	44	53	77
20-34	1460	13.6	124	1	2	11	21	29	35	48
35-49	517	13.9	119	1	2	11	20	29	34	51
50-64	235	14.2	151	2	3	11	19	30	37	57
65+	121	15.4	155	3	4	11	21	32	37	62
GRAND TOTAL	**2943**	**15.5**	**171**	**1**	**2**	**12**	**23**	**33**	**40**	**59**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1055	1.6	12	<1	<1	1	1	2	3	10
20-34	584	2.4	19	<1	<1	1	2	5	7	23
35-49	378	4.4	34	<1	<1	2	5	9	17	28
50-64	269	3.7	19	<1	<1	2	4	8	11	26
65+	84	3.3	19	<1	<1	2	4	7	10	27
B. *Operated*										
0-19 YRS	3	5.3	34	1	1	3	10	12	12	12
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	726	3.1	39	<1	<1	1	2	6	11	35
20-34	1024	4.3	37	<1	<1	2	5	10	16	32
35-49	902	5.0	30	<1	1	3	6	11	16	30
50-64	724	5.6	31	1	1	4	7	12	17	27
65+	313	5.8	37	1	1	4	8	12	16	30
B. *Operated*										
0-19 YRS	34	2.9	14	<1	<1	1	4	5	18	99+
20-34	65	3.8	20	<1	<1	2	5	11	14	19
35-49	33	10.3	130	<1	1	5	17	28	32	46
50-64	39	7.5	37	<1	1	5	12	17	18	22
65+	19	9.7	43	<1	2	9	13	21	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2370	2.6	20	<1	<1	1	2	5	8	25
B. *Operated*	6	3.8	17	<1	<1	3	3	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	3689	4.6	35	<1	1	3	6	10	15	31
B. *Operated*	190	6.1	51	<1	<1	3	9	16	22	40
1. SINGLE DX	2376	2.6	20	<1	<1	1	2	5	8	25
2. MULTIPLE DX	3879	4.7	36	<1	<1	3	6	11	16	31
A. NOT OPERATED	6059	3.8	30	<1	<1	2	4	8	13	28
B. OPERATED	196	6.1	50	<1	<1	3	9	16	22	39
TOTAL 0-19 YRS	1818	2.2	24	<1	<1	1	2	4	6	26
20-34	1674	3.6	31	<1	<1	2	4	8	13	30
35-49	1315	5.0	34	<1	1	3	6	11	17	30
50-64	1032	5.2	29	<1	1	3	6	11	16	27
65+	416	5.5	35	<1	1	4	7	12	16	30
GRAND TOTAL	**6255**	**3.9**	**31**	**<1**	**<1**	**2**	**4**	**9**	**14**	**29**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	199	6.5	100	<1	1	2	8	17	29	52
20-34	268	6.2	63	<1	1	3	7	17	28	36
35-49	53	7.2	68	<1	1	4	9	18	29	36
50-64	20	9.3	76	<1	1	6	10	22	31	35
65+	5	4.4	9	1	1	4	7	8	8	8
B. *Operated*										
0-19 YRS										
20-34	4	4.5	11	1	1	4	7	9	9	9
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	318	10.3	159	1	1	5	15	29	38	53
20-34	716	8.9	94	1	1	5	11	23	30	46
35-49	218	10.2	88	1	1	7	13	24	29	41
50-64	111	10.1	109	1	2	7	11	23	31	51
65+	83	8.7	51	1	2	7	11	16	24	39
B. *Operated*										
0-19 YRS	6	25.3	723	3	3	18	30	71	76	76
20-34	25	16.0	202	2	2	12	21	36	50	53
35-49	16	17.6	307	2	3	13	28	61	88	99+
50-64	5	14.6	169	4	4	9	20	37	37	37
65+	6	8.2	17	5	5	7	9	15	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	545	6.5	77	<1	1	3	8	17	28	40
B. *Operated*	6	4.7	10	1	1	4	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1446	9.5	106	1	1	6	12	24	31	48
B. *Operated*	58	16.5	259	2	3	12	25	39	60	98
1. SINGLE DX	551	6.5	76	<1	1	3	8	17	28	40
2. MULTIPLE DX	1504	9.7	114	1	1	6	13	25	31	50
A. NOT OPERATED	1991	8.7	100	1	1	5	11	22	30	46
B. OPERATED	64	15.4	247	2	2	10	24	37	56	96
TOTAL 0-19 YRS	523	9.0	148	1	1	4	11	26	35	57
20-34	1013	8.3	91	1	1	5	10	22	30	45
35-49	288	10.0	100	1	1	6	13	25	30	47
50-64	136	10.1	105	1	2	7	11	23	33	46
65+	95	8.4	47	1	2	7	11	16	23	37
GRAND TOTAL	**2055**	**8.9**	**105**	**1**	**1**	**5**	**11**	**23**	**30**	**49**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	634	3.9	10	1	1	3	5	7	10	21
20-34	867	4.4	18	1	1	3	5	8	11	23
35-49	649	4.9	26	1	1	4	6	9	12	27
50-64	366	4.5	16	1	1	4	6	8	11	22
65+	155	5.1	14	1	1	4	6	10	14	20
B. *Operated*										
0-19 YRS	44	5.2	22	1	2	4	6	13	14	24
20-34	64	6.0	22	1	2	4	9	12	16	20
35-49	52	5.8	21	1	2	4	8	11	13	22
50-64	34	5.2	16	1	1	4	8	11	13	15
65+	12	4.6	18	2	2	3	6	11	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	618	4.8	34	1	1	4	5	9	12	35
20-34	1354	5.6	28	1	2	4	7	11	15	27
35-49	1368	6.2	37	1	2	5	7	12	16	33
50-64	1206	6.0	27	1	2	5	7	11	15	26
65+	1000	6.9	32	2	2	5	9	13	17	31
B. *Operated*										
0-19 YRS	52	7.8	47	1	2	5	8	21	23	28
20-34	175	8.9	57	2	2	7	11	18	23	34
35-49	152	10.7	86	2	2	9	13	19	30	46
50-64	132	9.9	69	2	3	7	14	20	26	42
65+	103	11.5	87	2	3	8	16	25	30	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2671	4.5	18	1	1	3	5	8	11	21
B. *Operated*	206	5.6	20	1	2	4	8	11	15	21
2. MULTIPLE DX										
A. *Not Operated*	5546	6.0	32	1	2	5	7	11	15	29
B. *Operated*	614	9.9	72	2	2	7	13	20	27	44
1. SINGLE DX	2877	4.5	18	1	1	3	5	9	11	21
2. MULTIPLE DX	6160	6.4	37	1	2	5	8	12	17	32
A. NOT OPERATED	8217	5.5	28	1	2	4	7	10	14	27
B. OPERATED	820	8.8	62	2	2	7	11	18	24	41
TOTAL 0-19 YRS	1348	4.5	23	1	1	3	5	8	11	25
20-34	2460	5.4	28	1	2	4	7	10	14	27
35-49	2221	6.1	38	1	2	4	7	12	16	32
50-64	1738	6.0	29	1	2	5	7	11	16	27
65+	1270	7.0	37	2	2	5	9	13	18	32
GRAND TOTAL	**9037**	**5.8**	**32**	**1**	**2**	**4**	**7**	**11**	**15**	**29**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3093	12.7	212	1	1	7	17	34	46	88
20-34	2480	5.6	43	<1	1	3	7	13	17	31
35-49	1199	6.3	62	1	1	4	7	14	20	38
50-64	432	7.4	80	1	1	5	10	16	22	52
65+	223	7.7	55	1	1	5	11	17	25	36
B. *Operated*										
0-19 YRS	14	13.5	546	1	1	7	18	99	99+	99+
20-34	32	4.4	56	<1	<1	2	3	12	24	35
35-49	17	7.4	130	1	1	2	10	15	36	47
50-64	2	17.0	288	5	5	17	29	29	29	29
65+	3	11.3	108	3	3	8	19	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2334	12.6	228	1	1	7	17	34	51	99+
20-34	3223	7.0	60	1	1	4	9	16	22	38
35-49	1920	7.2	64	1	1	5	9	16	22	39
50-64	1019	7.8	62	1	2	5	10	17	24	38
65+	757	8.8	66	1	2	6	11	19	25	47
B. *Operated*										
0-19 YRS	95	18.2	349	1	1	12	29	46	64	88
20-34	166	9.9	142	1	1	5	14	27	33	61
35-49	114	10.1	92	1	1	7	14	23	30	44
50-64	49	15.3	183	3	4	11	20	37	44	67
65+	31	16.2	85	6	7	13	20	31	38	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7427	8.8	130	1	1	5	11	21	33	64
B. *Operated*	68	7.7	186	1	1	2	10	24	47	99+
2. MULTIPLE DX										
A. *Not Operated*	9253	8.7	109	1	1	5	11	20	29	65
B. *Operated*	455	12.7	184	1	2	8	18	32	40	69
1. SINGLE DX	7495	8.8	130	1	1	5	11	21	33	65
2. MULTIPLE DX	9708	8.9	114	1	1	5	11	21	30	66
A. NOT OPERATED	16680	8.8	118	1	1	5	11	21	31	65
B. OPERATED	523	12.1	187	1	1	8	16	31	40	74
TOTAL 0-19 YRS	5536	12.7	222	1	1	7	17	35	49	99+
20-34	5901	6.5	56	1	1	4	8	15	21	36
35-49	3250	7.0	65	1	1	4	8	15	22	39
50-64	1502	7.9	73	1	2	5	10	17	24	43
65+	1014	8.8	66	1	2	6	11	19	25	42
GRAND TOTAL	**17203**	**8.9**	**121**	**1**	**1**	**5**	**11**	**21**	**32**	**65**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2534	13.4	357	1	2	5	17	41	66	99+
20-34	3652	8.2	100	1	2	5	10	19	28	56
35-49	2213	8.7	82	1	2	6	11	20	27	46
50-64	1210	10.6	113	1	2	7	14	24	31	58
65+	669	12.1	142	2	2	8	16	27	35	53
B. *Operated*										
0-19 YRS	78	7.3	230	1	1	3	5	12	39	81
20-34	104	6.8	76	1	2	5	8	12	17	55
35-49	82	9.8	99	2	2	7	12	20	32	50
50-64	32	8.2	37	2	2	7	11	16	18	31
65+	15	7.7	41	1	1	7	8	19	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2527	14.0	342	1	2	6	18	45	68	99+
20-34	5230	8.5	82	1	2	5	10	19	26	50
35-49	4149	8.9	82	2	2	6	11	19	26	48
50-64	3037	9.6	89	2	3	7	12	21	28	49
65+	2485	11.1	107	2	3	8	14	23	33	56
B. *Operated*										
0-19 YRS	146	19.0	543	1	2	8	30	67	86	99+
20-34	402	13.8	179	2	3	9	18	33	44	94
35-49	380	13.9	170	3	4	10	18	28	37	74
50-64	300	15.3	203	3	4	11	19	34	49	83
65+	205	16.9	206	4	5	12	22	35	49	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10278	10.1	168	1	2	5	12	25	36	85
B. *Operated*	311	7.9	115	1	2	5	9	17	28	62
2. MULTIPLE DX										
A. *Not Operated*	17428	10.0	128	2	2	6	12	22	32	71
B. *Operated*	1433	15.1	225	2	3	10	19	35	50	96
1. SINGLE DX	10589	10.1	167	1	2	5	12	24	36	84
2. MULTIPLE DX	18861	10.3	137	2	2	6	12	23	34	74
A. NOT OPERATED	27706	10.0	143	1	2	6	12	23	34	77
B. OPERATED	1744	13.8	213	2	3	9	17	33	48	90
TOTAL 0-19 YRS	5285	13.8	354	1	2	6	17	44	68	99+
20-34	9388	8.6	95	1	2	5	10	20	28	55
35-49	6824	9.2	89	1	2	6	11	20	27	49
50-64	4579	10.2	104	2	3	7	13	22	30	54
65+	3374	11.7	121	2	3	8	15	25	34	58
GRAND TOTAL	**29450**	**10.2**	**148**	**1**	**2**	**6**	**12**	**23**	**35**	**78**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	8.6	124	<1	1	4	10	24	35	49
20-34	72	8.0	76	1	1	5	10	20	30	38
35-49	31	8.5	134	1	1	5	9	18	22	63
50-64	22	6.8	30	1	2	6	9	11	19	27
65+	8	4.0	29	1	1	2	3	13	17	17
B. *Operated*										
0-19 YRS	12	3.3	5	<1	<1	3	5	6	7	7
20-34	4	4.8	12	2	2	4	7	9	9	9
35-49	5	2.6	1	1	1	3	3	4	4	4
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	376	12.2	230	1	2	7	15	28	50	91
20-34	436	12.4	167	2	2	8	17	27	39	75
35-49	166	10.9	121	2	2	7	14	24	28	67
50-64	97	10.3	72	2	3	8	14	21	27	99+
65+	39	9.9	170	1	2	6	11	18	24	82
B. *Operated*										
0-19 YRS	69	8.8	199	1	2	6	8	16	41	99
20-34	36	10.5	239	1	1	6	11	25	32	87
35-49	17	17.0	300	1	2	16	21	37	58	69
50-64	11	17.5	309	2	4	13	17	48	60	61
65+	7	28.7	1044	2	2	12	43	83	92	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	8.0	95	1	1	4	9	19	30	49
B. *Operated*	22	3.4	5	<1	<1	3	5	6	8	9
2. MULTIPLE DX										
A. *Not Operated*	1114	11.8	173	1	2	8	15	25	37	86
B. *Operated*	140	11.9	285	1	2	6	13	29	53	94
1. SINGLE DX	230	7.6	88	1	1	4	9	18	30	49
2. MULTIPLE DX	1254	11.8	185	1	2	7	15	25	38	90
A. NOT OPERATED	1322	11.2	163	1	2	7	14	25	36	83
B. OPERATED	162	10.7	255	1	2	6	12	26	43	93
TOTAL 0-19 YRS	532	11.0	209	1	2	6	13	25	43	91
20-34	548	11.6	161	1	2	8	15	26	36	74
35-49	219	10.9	137	1	2	7	14	23	29	69
50-64	130	10.3	89	2	3	8	13	21	28	99+
65+	55	11.3	289	1	2	6	11	24	43	91
GRAND TOTAL	**1484**	**11.2**	**173**	**1**	**2**	**7**	**14**	**25**	**37**	**86**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1913	10.7	31	2	3	11	13	16	19	27
20-34	374	7.7	37	1	2	6	10	15	18	35
35-49	236	8.6	44	1	2	7	12	17	21	33
50-64	164	11.0	130	2	2	8	14	22	32	52
65+	63	13.7	110	2	3	11	17	27	39	48
B. *Operated*										
0-19 YRS	303	14.7	96	3	7	13	16	21	31	59
20-34	161	12.4	160	1	2	8	15	28	38	58
35-49	201	11.4	135	1	2	8	16	25	34	60
50-64	152	14.0	241	1	2	9	18	31	47	90
65+	48	12.5	134	2	2	10	16	24	34	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1409	12.0	38	2	3	12	15	18	22	35
20-34	327	10.9	107	2	2	9	14	20	30	64
35-49	318	11.8	87	2	3	10	15	23	30	49
50-64	294	14.8	137	2	3	12	17	28	41	58
65+	251	18.5	197	3	4	16	25	37	44	85
B. *Operated*										
0-19 YRS	445	18.8	166	4	8	15	22	36	45	76
20-34	191	19.2	240	2	3	16	28	46	54	99+
35-49	286	17.7	262	2	3	13	24	39	56	99+
50-64	279	23.7	358	2	4	21	35	61	81	99+
65+	157	26.6	356	2	5	24	36	58	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2750	10.2	42	2	3	10	13	17	20	33
B. *Operated*	865	13.3	146	2	2	11	16	24	37	68
2. MULTIPLE DX										
A. *Not Operated*	2599	12.8	83	2	3	12	16	22	30	52
B. *Operated*	1358	20.5	267	2	4	16	28	45	62	99+
1. SINGLE DX	3615	10.9	69	2	2	11	14	18	23	48
2. MULTIPLE DX	3957	15.4	160	2	3	12	19	32	43	87
A. NOT OPERATED	5349	11.5	64	2	3	11	14	19	24	44
B. OPERATED	2223	17.7	232	2	3	14	23	39	55	99+
TOTAL 0-19 YRS	4070	12.3	59	2	3	12	15	19	24	47
20-34	1053	11.5	130	2	2	8	14	24	37	62
35-49	1041	12.6	145	2	2	9	16	26	38	73
50-64	889	16.7	246	2	3	12	22	40	57	99+
65+	519	19.8	252	2	4	16	28	42	56	99+
GRAND TOTAL	**7572**	**13.3**	**121**	**2**	**3**	**11**	**16**	**25**	**36**	**70**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.3	20	2	2	7	10	13	13	13
20-34	17	9 2	53	2	2	7	10	22	25	27
35-49	52	8.6	61	1	2	6	12	18	21	41
50-64	313	9.3	65	3	3	8	11	17	21	43
65+	792	10.4	81	2	3	8	13	20	25	46
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	11	8.5	31	2	2	9	13	16	17	17
50-64	24	13.4	101	2	3	12	19	25	34	42
65+	30	12.0	76	2	3	9	17	23	25	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	8.5	103	1	1	6	14	24	33	34
20-34	31	7.4	42	1	1	6	10	16	24	27
35-49	101	11.4	148	3	3	8	13	25	34	70
50-64	884	11.8	98	3	3	9	15	23	30	57
65+	4440	12.8	116	3	4	10	16	25	34	70
B. *Operated*										
0-19 YRS	2	44.5	3785	1	1	44	88	88	88	88
20-34	3	23.7	274	8	8	22	36	41	41	41
35-49	13	17.9	278	3	5	11	21	53	53	53
50-64	129	15.4	121	3	4	13	21	34	45	99+
65+	621	20.4	238	4	6	16	26	42	54	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1178	10.0	75	2	3	8	12	19	24	42
B. *Operated*	66	11.8	79	2	3	10	16	23	26	42
2. MULTIPLE DX										
A. *Not Operated*	5467	12.5	113	3	4	10	15	24	33	69
B. *Operated*	768	19.6	227	3	5	16	25	41	53	99+
1. SINGLE DX	1244	10.1	75	2	3	8	13	19	24	42
2. MULTIPLE DX	6235	13.4	133	3	4	10	17	27	36	74
A. NOT OPERATED	6645	12.1	108	3	4	9	15	23	32	62
B. OPERATED	834	19.0	220	3	5	15	24	41	53	99+
TOTAL 0-19 YRS	17	12.5	451	1	1	6	14	31	69	88
20-34	52	8.8	68	1	2	7	11	22	26	41
35-49	177	10.9	128	2	3	7	13	21	33	62
50-64	1350	11.6	95	3	3	9	15	23	30	58
65+	5883	13.2	130	3	4	10	16	26	36	73
GRAND TOTAL	**7479**	**12.9**	**125**	**3**	**4**	**10**	**16**	**25**	**35**	**71**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	8.4	69	2	2	5	10	20	27	42
20-34	952	9.2	60	1	2	8	12	17	23	44
35-49	968	10.7	87	2	3	9	14	21	27	52
50-64	352	11.1	95	2	2	10	14	21	27	67
65+	38	9.6	44	1	2	8	15	18	22	25
B. *Operated*										
0-19 YRS	14	9.7	65	1	1	9	14	24	25	25
20-34	203	9.2	102	1	2	6	13	19	27	51
35-49	196	9.0	62	2	2	6	13	19	26	37
50-64	68	9.2	56	2	2	7	14	21	25	33
65+	6	7.8	74	3	3	4	8	23	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	8.1	47	2	2	5	11	18	23	30
20-34	693	11.5	113	2	3	9	14	24	34	99
35-49	1031	12.3	125	2	3	10	15	24	32	76
50-64	812	13.0	123	3	3	10	16	26	35	87
65+	218	10.9	69	2	3	9	13	21	28	47
B. *Operated*										
0-19 YRS	6	13.7	155	5	5	13	69	99+	99+	99+
20-34	191	17.3	349	2	3	13	21	47	86	99+
35-49	367	17.7	239	2	3	14	24	42	65	99+
50-64	305	18.3	289	2	3	14	24	42	63	99+
65+	71	18.9	237	4	6	14	25	40	53	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2370	10.1	77	2	2	9	13	19	25	47
B. *Operated*	487	9.1	77	1	2	6	13	20	26	40
2. MULTIPLE DX										
A. *Not Operated*	2793	12.2	116	2	3	9	15	24	33	79
B. *Operated*	940	17.9	276	2	3	14	24	42	68	99+
1. SINGLE DX	2857	9.9	77	2	2	8	13	19	25	46
2. MULTIPLE DX	3733	13.6	163	2	3	10	17	28	42	99+
A. NOT OPERATED	5163	11.2	99	2	3	9	14	22	30	66
B. OPERATED	1427	14.9	225	2	3	11	20	35	55	99+
TOTAL 0-19 YRS	119	8.7	65	2	2	6	12	22	30	99+
20-34	2039	10.8	115	2	2	8	14	22	30	84
35-49	2562	12.2	128	2	3	9	15	24	35	75
50-64	1537	13.5	153	2	3	10	17	27	38	89
65+	333	12.4	113	2	3	10	16	25	35	73
GRAND TOTAL	**6590**	**12.0**	**129**	**2**	**3**	**9**	**15**	**24**	**35**	**83**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2562	3.6	11	1	1	3	4	7	9	17
20-34	1845	4.1	22	1	1	3	5	8	11	22
35-49	980	4.3	15	1	1	3	5	8	11	20
50-64	639	4.8	31	1	1	3	6	9	12	29
65+	378	5.1	16	1	1	4	7	9	13	19
B. *Operated*										
0-19 YRS	42	6.7	92	1	2	4	8	13	24	57
20-34	80	6.3	34	2	2	4	8	12	18	33
35-49	73	6.9	33	1	2	5	10	15	19	25
50-64	49	5.4	20	1	2	4	7	12	16	19
65+	17	5.2	17	1	1	5	6	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2255	4.9	34	1	1	3	6	9	13	31
20-34	2466	6.0	33	1	1	4	8	12	16	30
35-49	1963	6.4	41	1	2	5	8	13	17	32
50-64	2223	7.3	49	1	2	5	9	14	19	38
65+	2297	8.4	64	2	2	6	10	17	22	46
B. *Operated*										
0-19 YRS	120	11.7	272	2	2	5	12	27	55	80
20-34	212	10.1	134	1	2	7	12	25	40	94
35-49	240	10.3	65	2	3	9	13	19	27	49
50-64	256	13.8	182	2	3	10	16	31	43	87
65+	228	14.8	142	3	4	13	19	33	37	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6404	4.1	17	1	1	3	5	8	10	20
B. *Operated*	261	6.3	39	1	2	4	8	13	17	31
2. MULTIPLE DX										
A. *Not Operated*	11204	6.6	46	1	2	5	8	13	18	35
B. *Operated*	1056	12.2	151	2	3	8	15	28	40	77
1. SINGLE DX	6665	4.1	18	1	1	3	5	8	11	21
2. MULTIPLE DX	12260	7.1	57	1	2	5	9	14	20	41
A. NOT OPERATED	17608	5.7	37	1	1	4	7	11	16	30
B. OPERATED	1317	11.0	134	2	2	7	14	25	36	66
TOTAL 0-19 YRS	4979	4.4	30	1	1	3	5	8	11	25
20-34	4603	5.4	35	1	1	4	7	11	15	33
35-49	3256	6.1	37	1	1	4	7	12	17	29
50-64	3167	7.3	60	1	2	5	9	14	20	43
65+	2920	8.5	68	2	2	6	10	17	23	46
GRAND TOTAL	**18925**	**6.0**	**45**	**1**	**1**	**4**	**7**	**12**	**17**	**36**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1204	4.7	30	1	1	3	6	9	13	27
20-34	1590	5.9	36	1	1	4	7	12	16	30
35-49	1155	6.5	41	1	2	5	8	13	18	32
50-64	1142	7.7	61	1	2	5	9	16	23	41
65+	1302	8.9	78	2	2	6	11	18	26	53
B. *Operated*										
0-19 YRS	1030	6.5	44	1	2	4	8	14	20	33
20-34	1079	7.7	63	1	2	5	10	16	22	42
35-49	1002	7.7	56	1	2	5	10	16	22	39
50-64	1057	8.5	81	2	2	6	11	18	24	49
65+	875	10.9	127	2	2	7	14	24	33	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1793	6.6	68	1	1	4	8	14	22	69
20-34	2106	8.7	104	1	2	6	10	18	29	98
35-49	1959	9.3	98	2	2	6	11	19	28	72
50-64	3342	11.5	123	2	3	8	14	25	36	83
65+	7470	12.6	121	3	3	10	16	26	35	67
B. *Operated*										
0-19 YRS	1480	9.1	124	1	2	5	11	22	34	99+
20-34	1531	13.8	268	2	2	9	18	42	81	99+
35-49	1612	12.8	181	2	2	9	17	31	48	99+
50-64	2403	14.6	209	2	3	10	19	33	49	99+
65+	3103	17.7	242	2	4	13	24	39	52	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6393	6.7	51	1	2	5	8	14	19	39
B. *Operated*	5043	8.2	75	1	2	5	10	17	24	45
2. MULTIPLE DX										
A. *Not Operated*	16670	10.8	115	2	2	8	14	23	33	73
B. *Operated*	10129	14.4	219	2	2	10	19	35	52	99+
1. SINGLE DX	11436	7.4	62	1	2	5	9	16	22	43
2. MULTIPLE DX	26799	12.2	157	2	2	8	15	28	40	99+
A. NOT OPERATED	23063	9.7	101	1	2	7	12	21	30	64
B. OPERATED	15172	12.3	179	2	2	8	16	30	43	99+
TOTAL 0-19 YRS	5507	6.9	73	1	1	4	8	15	23	67
20-34	6306	9.1	128	1	2	6	11	20	33	99+
35-49	5728	9.4	108	1	2	6	12	21	30	78
50-64	7944	11.5	140	2	2	8	14	26	37	87
65+	12750	13.3	154	2	3	10	17	29	39	76
GRAND TOTAL	**38235**	**10.7**	**133**	**2**	**2**	**7**	**13**	**24**	**35**	**83**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1216	3.2	6	1	1	3	4	5	7	12
20-34	2652	3.9	9	1	1	3	5	7	9	14
35-49	1681	4.3	11	1	1	4	5	8	10	17
50-64	619	4.4	10	1	1	3	6	8	11	18
65+	124	5.0	37	1	1	4	6	9	11	27
B. *Operated*										
0-19 YRS	53	3.9	6	1	2	3	5	7	9	14
20-34	260	5.1	13	2	2	4	6	9	12	19
35-49	224	5.4	20	1	2	4	7	11	15	26
50-64	91	5.6	16	2	2	5	7	11	15	22
65+	11	9.3	153	2	2	5	7	30	42	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	660	3.9	8	1	1	3	5	7	9	16
20-34	2505	5.2	17	1	2	4	7	10	13	20
35-49	2219	5.8	18	2	2	5	7	10	13	23
50-64	1293	6.0	17	2	2	5	8	11	13	21
65+	414	6.2	28	2	2	5	8	11	15	24
B. *Operated*										
0-19 YRS	37	6.1	16	2	2	6	8	9	13	22
20-34	279	8.1	37	2	2	6	10	16	19	30
35-49	290	8.7	57	2	3	7	10	17	23	33
50-64	186	7.9	28	2	3	6	11	15	19	28
65+	45	7.8	26	2	3	7	9	14	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6292	4.0	10	1	1	3	5	7	9	15
B. *Operated*	639	5.2	18	2	2	4	6	10	14	22
2. MULTIPLE DX										
A. *Not Operated*	7091	5.5	18	1	2	4	7	10	13	22
B. *Operated*	837	8.1	40	2	3	7	10	16	20	31
1. SINGLE DX	6931	4.1	11	1	1	3	5	8	10	16
2. MULTIPLE DX	7928	5.8	21	1	2	5	7	11	14	23
A. NOT OPERATED	13383	4.8	15	1	2	4	6	9	11	19
B. OPERATED	1476	6.9	33	2	2	5	9	14	17	30
TOTAL 0-19 YRS	1966	3.5	7	1	1	3	4	6	8	14
20-34	5696	4.8	15	1	2	4	6	9	12	19
35-49	4414	5.4	19	1	2	4	7	10	13	24
50-64	2189	5.7	17	1	2	5	7	11	14	21
65+	594	6.2	33	2	2	5	7	11	14	27
GRAND TOTAL	**14859**	**5.0**	**17**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.6	14	<1	1	3	4	8	14	15
20-34	123	2.9	9	<1	1	2	3	6	8	16
35-49	159	3.2	8	<1	1	2	4	6	10	16
50-64	151	3.2	5	1	1	3	4	6	8	11
65+	50	3.8	11	1	1	3	5	8	9	20
B. *Operated*										
0-19 YRS	200	2.7	9	1	1	2	3	4	5	22
20-34	3982	2.4	3	<1	1	2	3	4	5	9
35-49	6049	2.6	4	1	1	2	3	4	5	12
50-64	6589	2.7	4	1	1	2	3	4	5	10
65+	2901	2.9	8	1	1	2	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.1	6	<1	1	4	6	8	8	8
20-34	99	4.6	11	<1	1	4	6	9	12	15
35-49	205	5.4	14	1	2	4	7	10	13	16
50-64	263	5.3	18	1	1	4	7	11	15	18
65+	140	7.3	33	1	2	6	9	15	19	29
B. *Operated*										
0-19 YRS	95	3.2	11	1	1	2	3	5	7	22
20-34	1014	3.6	11	1	1	3	4	7	10	18
35-49	2205	4.3	21	1	2	3	4	9	12	25
50-64	3173	4.2	15	1	2	3	5	8	12	21
65+	1976	4.6	22	1	2	3	5	9	13	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	495	3.2	8	1	1	2	4	6	9	14
B. *Operated*	19721	2.6	5	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	719	5.6	19	1	1	4	7	11	14	22
B. *Operated*	8463	4.2	18	1	2	3	5	8	12	22
1. SINGLE DX	20216	2.6	5	1	1	2	3	4	5	11
2. MULTIPLE DX	9182	4.3	18	1	2	3	5	9	12	22
A. NOT OPERATED	1214	4.6	16	1	1	3	6	9	13	19
B. OPERATED	28184	3.1	9	1	1	2	3	5	8	16
TOTAL 0-19 YRS	319	2.9	10	1	1	2	3	4	6	22
20-34	5218	2.7	5	<1	1	2	3	4	6	12
35-49	8618	3.1	10	1	1	2	3	5	8	16
50-64	10176	3.2	8	1	1	2	3	6	8	16
65+	5067	3.7	15	1	1	3	4	7	10	20
GRAND TOTAL	**29398**	**3.2**	**9**	**1**	**1**	**2**	**3**	**5**	**8**	**16**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	431	7.0	61	1	2	4	9	15	22	46
20-34	1255	6.4	50	1	2	4	8	13	18	37
35-49	1494	6.1	34	1	2	5	7	12	15	30
50-64	1415	6.7	45	1	2	5	8	14	19	42
65+	906	7.3	40	2	2	5	9	15	20	37
B. *Operated*										
0-19 YRS	654	4.2	24	1	2	3	5	8	11	28
20-34	3775	4.4	17	1	2	3	5	8	11	22
35-49	4573	4.7	21	1	2	3	5	9	13	22
50-64	4374	4.6	30	1	2	3	5	9	13	28
65+	1759	5.4	37	1	2	3	6	12	16	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	272	6.9	54	1	2	5	8	16	25	41
20-34	1215	7.8	89	1	2	5	9	15	23	73
35-49	2082	7.5	46	2	2	6	9	14	19	36
50-64	3063	8.3	53	2	3	6	10	16	21	39
65+	3391	9.9	79	2	3	8	12	20	26	49
B. *Operated*										
0-19 YRS	334	7.6	172	1	2	4	6	16	40	91
20-34	1721	6.9	76	1	2	4	8	14	20	57
35-49	2474	7.6	70	2	2	5	9	16	23	51
50-64	3237	8.1	89	2	2	5	10	18	25	59
65+	1870	11.4	144	2	2	8	15	26	37	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5501	6.6	44	1	2	5	8	13	18	36
B. *Operated*	15135	4.7	25	1	2	3	5	9	13	25
2. MULTIPLE DX										
A. *Not Operated*	10023	8.6	66	2	2	6	11	17	23	46
B. *Operated*	9636	8.4	98	2	2	5	10	18	26	65
1. SINGLE DX	20636	5.2	30	1	2	3	6	10	14	29
2. MULTIPLE DX	19659	8.5	81	2	2	6	10	17	24	57
A. NOT OPERATED	15524	7.9	69	2	2	6	10	16	21	43
B. OPERATED	24771	6.1	56	1	2	4	7	13	19	44
TOTAL 0-19 YRS	1691	6.0	69	1	2	4	6	12	20	56
20-34	7966	5.8	48	1	2	4	6	11	16	38
35-49	10623	6.1	41	1	2	4	7	12	17	33
50-64	12089	6.7	56	1	2	4	8	14	20	44
65+	7926	9.0	85	2	2	6	11	19	26	55
GRAND TOTAL	**40295**	**6.8**	**58**	**1**	**2**	**4**	**8**	**14**	**20**	**43**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.9	3	<1	<1	1	2	3	7	8
20-34	17	2.8	6	<1	<1	2	4	6	8	9
35-49	8	3.8	3	<1	1	4	5	6	6	6
50-64	25	2.9	4	<1	<1	2	4	7	7	8
65+	31	3.7	8	1	1	3	5	8	9	12
B. *Operated*										
0-19 YRS	369	5.4	11	2	2	5	6	9	11	16
20-34	598	5.4	10	2	2	5	7	9	11	16
35-49	620	5.2	8	2	2	5	6	9	10	15
50-64	2350	5.2	10	1	2	5	7	9	11	16
65+	2059	5.6	10	2	2	5	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.5	12	<1	<1	1	2	5	12	14
20-34	11	2.5	3	<1	<1	2	4	5	5	5
35-49	12	4.8	30	1	1	3	5	11	20	21
50-64	35	3.9	14	<1	1	3	5	6	12	19
65+	58	4.3	10	1	1	3	7	9	10	13
B. *Operated*										
0-19 YRS	188	5.8	14	2	2	5	7	10	14	20
20-34	396	5.9	10	2	2	5	7	10	12	19
35-49	445	6.6	17	2	3	6	8	11	14	21
50-64	1920	6.1	13	2	3	5	7	10	13	19
65+	2292	6.7	19	2	3	6	8	11	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	3.1	6	<1	1	2	5	7	8	11
B. *Operated*	5996	5.4	10	2	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	129	3.9	12	1	1	3	5	7	11	19
B. *Operated*	5241	[illegible].3	16	2	3	5	8	11	14	21
1. SINGLE DX	6092	5.3	10	1	2	5	7	9	11	16
2. MULTIPLE DX	5370	6.3	16	2	3	5	8	11	14	21
A. NOT OPERATED	225	3.5	10	<1	1	3	5	7	9	15
B. OPERATED	11237	5.8	13	2	2	5	7	10	12	20
TOTAL 0-19 YRS	585	5.4	12	1	2	5	6	9	12	18
20-34	1022	5.5	10	2	2	5	7	9	11	17
35-49	1085	5.7	13	2	2	5	7	10	12	21
50-64	4330	5.6	11	2	2	5	7	10	11	18
65+	4440	6.1	15	2	3	5	7	10	13	21
GRAND TOTAL	**11462**	**5.8**	**13**	**2**	**2**	**5**	**7**	**10**	**12**	**19**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.6	2	<1	<1	1	1	4	5	5
20-34	13	3.4	6	1	1	3	4	7	9	9
35-49	26	3.6	6	1	1	3	4	8	10	10
50-64	70	3.1	10	1	1	2	3	5	7	22
65+	146	3.4	8	1	1	2	4	7	8	14
B. *Operated*										
0-19 YRS	39	3.6	5	1	2	3	4	6	9	11
20-34	95	3.8	6	1	2	3	5	6	10	13
35-49	313	3.6	5	1	2	3	4	7	9	12
50-64	1236	3.6	10	1	2	3	4	7	8	13
65+	1955	3.8	8	1	2	3	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6	2	1	1	1	2	4	4	4
20-34	13	3.3	2	<1	1	3	4	6	6	6
35-49	18	3.1	4	<1	1	2	4	7	8	8
50-64	96	4.7	15	1	1	3	6	11	14	16
65+	220	5.2	27	1	1	3	6	11	16	27
B. *Operated*										
0-19 YRS	19	4.5	10	2	2	4	6	8	12	15
20-34	38	7.2	56	2	2	5	8	16	24	38
35-49	136	4.9	25	2	2	3	6	9	12	31
50-64	725	5.2	18	2	2	4	6	10	13	22
65+	1820	5.5	25	2	2	4	7	11	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	3.2	8	1	1	2	4	6	8	14
B. *Operated*	3638	3.7	9	1	2	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	352	4.8	22	1	1	3	6	11	14	20
B. *Operated*	2738	5.4	23	2	2	4	7	11	14	24
1. SINGLE DX	3911	3.7	9	1	2	3	4	7	9	14
2. MULTIPLE DX	3090	5.3	23	2	2	4	6	11	14	24
A. NOT OPERATED	625	4.1	16	1	1	3	5	8	12	19
B. OPERATED	6376	4.4	16	1	2	3	5	8	11	19
TOTAL 0-19 YRS	81	3.2	6	<1	1	2	4	6	8	14
20-34	159	4.6	20	1	2	3	5	9	11	28
35-49	493	4.0	11	1	2	3	5	7	9	16
50-64	2127	4.2	14	1	2	3	5	8	11	18
65+	4141	4.6	17	1	2	3	5	9	12	21
GRAND TOTAL	**7001**	**4.4**	**16**	**1**	**2**	**3**	**5**	**8**	**11**	**19**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.2	3	<1	<1	1	3	4	6	8
20-34	14	4.2	17	<1	1	3	4	10	15	16
35-49	13	2.2	4	1	1	1	3	4	7	8
50-64	36	3.0	4	<1	1	3	4	6	8	8
65+	73	3.7	5	1	2	3	5	6	8	11
B. *Operated*										
0-19 YRS	62	3.1	6	1	2	3	3	5	7	17
20-34	103	4.3	42	1	1	3	5	7	11	39
35-49	135	3.7	6	1	2	3	4	7	8	14
50-64	368	4.0	13	1	2	3	5	7	10	23
65+	662	3.9	10	1	2	3	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.7	8	<1	<1	2	3	7	8	13
20-34	16	3.9	3	<1	1	4	5	7	7	7
35-49	20	5.0	17	1	1	4	5	11	15	18
50-64	71	5.7	26	1	1	4	7	13	15	27
65+	169	7.5	80	2	2	5	8	17	21	42
B. *Operated*										
0-19 YRS	49	4.1	12	1	1	3	5	8	10	21
20-34	100	5.6	24	1	2	4	7	12	15	27
35-49	142	5.5	32	1	2	4	6	11	15	33
50-64	427	4.7	13	1	2	4	5	9	13	20
65+	954	5.7	39	2	2	4	6	11	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	3.2	6	<1	1	3	4	6	8	12
B. *Operated*	1330	3.9	13	1	2	3	4	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	302	6.3	55	1	1	4	7	13	19	35
B. *Operated*	1672	5.4	30	2	2	4	6	10	14	24
1. SINGLE DX	1486	3.8	12	1	2	3	4	7	9	17
2. MULTIPLE DX	1974	5.5	34	1	2	4	6	11	15	26
A. NOT OPERATED	458	5.3	40	1	1	3	6	10	16	29
B. OPERATED	3002	4.7	23	1	2	3	5	9	13	23
TOTAL 0-19 YRS	157	3.2	8	<1	1	2	4	6	8	18
20-34	233	4.8	30	1	2	3	5	9	14	24
35-49	310	4.5	19	1	2	3	5	9	12	22
50-64	902	4.5	14	1	2	3	5	8	12	21
65+	1858	5.1	32	1	2	4	6	10	14	25
GRAND TOTAL	**3460**	**4.8**	**25**	**1**	**2**	**3**	**5**	**9**	**13**	**24**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
YRS										
35-49	35	3.1	5	<1	<1	3	4	6	8	11
50-64	181	2.7	3	<1	<1	3	4	4	6	9
65+	551	2.9	5	<1	1	3	4	4	6	12
B. *Operated*										
YRS										
35-49	2778	3.1	5	1	2	3	4	5	6	11
50-64	16933	3.2	5	2	2	3	4	5	6	11
65+	52159	3.4	6	2	2	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
YRS										
35-49	72	2.9	13	<1	<1	1	3	8	10	82
50-64	440	3.2	12	<1	1	2	4	7	10	19
65+	1531	3.5	17	<1	1	2	4	8	11	21
B. *Operated*										
YRS										
35-49	1416	3.9	9	2	2	3	4	7	9	16
50-64	11770	4.0	11	2	2	3	4	7	10	16
65+	45648	4.4	14	2	2	3	5	8	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	767	2.9	4	<1	1	3	4	4	6	11
B. *Operated*	71870	3.4	5	2	2	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	2043	3.4	16	<1	1	2	4	7	10	21
B. *Operated*	58834	4.3	13	2	2	3	5	7	10	18
1. SINGLE DX	72637	3.4	5	2	2	3	4	5	6	11
2. MULTIPLE DX	60877	4.3	14	2	2	3	5	7	10	18
A. NOT OPERATED	2810	3.3	13	<1	1	2	4	7	9	19
B. OPERATED	130704	3.8	9	2	2	3	4	6	8	15
TOTAL YRS										
35-49	4301	3.4	7	1	2	3	4	5	7	13
50-64	29324	3.5	8	2	2	3	4	5	7	13
65+	99889	3.9	10	2	2	3	4	6	9	15
GRAND TOTAL	**133514**	**3.8**	**9**	**2**	**2**	**3**	**4**	**6**	**8**	**15**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.2	6	<1	<1	3	5	7	9	9
20-34	6	2.5	4	1	1	2	4	6	6	6
35-49	4	4.0	7	2	2	3	6	8	8	8
50-64	3	2.7	2	1	1	3	4	4	4	4
65+	9	2.3	2	<1	<1	2	3	5	5	5
B. *Operated*										
0-19 YRS	511	2.7	4	1	1	2	3	4	5	12
20-34	356	2.7	2	1	2	2	3	5	5	8
35-49	411	2.9	2	1	2	3	3	4	5	10
50-64	625	3.0	4	1	2	3	3	5	5	12
65+	683	2.9	3	1	1	3	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.3	5	<1	<1	2	3	5	8	9
20-34	6	3.2	9	1	1	2	6	8	8	8
35-49	7	3.6	13	<1	<1	2	4	10	11	11
50-64	29	4.3	52	1	1	3	4	6	13	40
65+	35	2.8	6	1	1	2	3	6	8	11
B. *Operated*										
0-19 YRS	260	3.5	8	1	2	3	4	6	8	14
20-34	248	3.8	12	1	2	3	4	7	8	22
35-49	294	3.8	6	1	2	3	4	7	9	12
50-64	726	4.3	13	2	2	3	5	8	11	19
65+	928	4.4	18	1	2	3	5	8	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	2.9	4	<1	1	2	4	6	8	9
B. *Operated*	2586	2.9	3	1	1	2	3	5	5	10
2. MULTIPLE DX										
A. *Not Operated*	93	3.3	21	<1	1	2	4	6	9	28
B. *Operated*	2456	4.1	14	1	2	3	5	7	10	19
1. SINGLE DX	2621	2.9	3	1	1	2	3	5	5	10
2. MULTIPLE DX	2549	4.1	14	1	2	3	4	7	10	19
A. NOT OPERATED	128	3.2	16	<1	1	2	4	6	8	18
B. OPERATED	5042	3.5	9	1	2	3	4	6	8	15
TOTAL 0-19 YRS	800	3.0	5	1	1	2	3	5	7	13
20-34	616	3.1	6	1	2	3	4	5	7	12
35-49	716	3.3	4	1	2	3	4	5	7	11
50-64	1383	3.7	10	1	2	3	4	6	9	17
65+	1655	3.7	12	1	1	3	4	7	9	16
GRAND TOTAL	**5170**	**3.5**	**9**	**1**	**2**	**3**	**4**	**6**	**8**	**15**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	248	1.7	2	<1	<1	1	2	3	4	7
20-34	77	3.5	10	<1	1	3	4	6	9	17
35-49	65	4.0	8	<1	1	3	6	8	9	12
50-64	51	4.2	7	1	2	4	5	7	8	15
65+	54	4.4	9	1	2	3	5	9	11	14
B. *Operated*										
0-19 YRS	11150	1.8	4	<1	1	2	2	2	2	4
20-34	1853	2.1	2	1	1	2	2	3	3	6
35-49	807	2.3	2	1	1	2	2	3	4	9
50-64	450	2.4	2	1	1	2	3	3	4	8
65+	221	2.5	5	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	369	1.8	5	<1	<1	1	1	3	6	15
20-34	87	3.9	15	1	1	3	5	7	12	20
35-49	76	7.1	66	1	1	5	8	14	21	49
50-64	157	6.1	16	2	2	5	8	12	14	18
65+	219	7.3	43	2	2	6	9	13	18	36
B. *Operated*										
0-19 YRS	2221	2.0	3	1	1	2	2	2	3	8
20-34	592	2.4	4	1	1	2	2	3	5	11
35-49	363	2.9	6	1	2	2	3	5	7	13
50-64	357	4.1	39	1	2	2	4	9	13	23
65+	261	4.9	40	1	2	3	5	11	15	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	495	2.8	7	<1	<1	2	3	6	8	13
B. *Operated*	14481	1.9	4	1	1	2	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	908	4.5	28	<1	<1	3	6	10	14	24
B. *Operated*	3794	2.6	10	1	1	2	2	3	6	16
1. SINGLE DX	14976	2.0	4	1	1	2	2	2	3	7
2. MULTIPLE DX	4702	2.9	14	1	1	2	3	6	9	19
A. NOT OPERATED	1403	3.9	21	<1	<1	2	5	9	12	21
B. OPERATED	18275	2.1	5	1	1	2	2	2	3	10
TOTAL 0-19 YRS	13988	1.9	4	<1	1	2	2	2	3	6
20-34	2609	2.3	3	1	1	2	2	3	4	11
35-49	1311	2.8	8	1	1	2	3	5	7	14
50-64	1015	3.7	19	1	2	2	4	7	10	18
65+	755	4.9	31	1	2	3	6	10	14	26
GRAND TOTAL	**19678**	**2.2**	**7**	**1**	**1**	**2**	**2**	**3**	**4**	**12**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1084	2.2	5	<1	<1	1	3	5	7	12
20-34	259	3.9	11	1	1	3	5	8	10	17
35-49	196	5.0	64	<1	1	3	5	10	15	28
50-64	225	4.3	23	<1	1	3	5	9	14	26
65+	274	4.5	17	<1	1	3	6	10	13	28
B. *Operated*										
0-19 YRS	1515	2.0	8	<1	<1	2	2	3	5	10
20-34	1544	2.7	5	<1	1	2	3	5	6	11
35-49	2227	2.4	5	<1	1	2	3	4	5	10
50-64	2849	2.4	4	<1	1	2	3	4	5	11
65+	3626	2.7	5	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	719	3.6	11	<1	1	3	5	7	9	16
20-34	215	5.4	47	1	1	4	6	10	16	48
35-49	196	4.9	18	1	1	4	6	11	14	25
50-64	331	6.0	29	1	1	4	8	13	16	28
65+	608	6.3	32	1	1	5	9	13	17	24
B. *Operated*										
0-19 YRS	488	3.3	16	1	1	2	3	7	9	19
20-34	626	3.7	17	1	1	3	4	6	9	22
35-49	1462	3.2	11	1	1	2	4	5	7	18
50-64	2915	3.4	14	1	1	3	4	6	8	16
65+	4136	4.0	19	1	2	3	5	7	10	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2038	3.2	16	<1	<1	2	4	7	10	19
B. *Operated*	11761	2.5	5	<1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	2069	5.1	26	1	1	4	7	11	14	27
B. *Operated*	9627	3.7	16	1	1	3	4	7	9	20
1. SINGLE DX	13799	2.6	7	<1	1	2	3	5	6	12
2. MULTIPLE DX	11696	3.9	18	1	1	3	4	7	10	22
A. NOT OPERATED	4107	4.2	22	<1	1	3	5	9	12	22
B. OPERATED	21388	3.0	10	<1	1	2	3	5	7	15
TOTAL 0-19 YRS	3806	2.5	9	<1	<1	2	3	5	7	14
20-34	2644	3.3	12	<1	1	2	4	6	8	16
35-49	4081	2.9	11	<1	1	2	3	5	7	15
50-64	6320	3.1	11	1	1	2	3	6	8	16
65+	8644	3.6	15	1	1	2	4	7	10	20
GRAND TOTAL	**25495**	**3.2**	**12**	**<1**	**1**	**2**	**4**	**6**	**8**	**17**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1215	4.0	7	1	1	3	5	7	9	14
20-34	535	4.3	12	1	1	3	5	8	10	18
35-49	306	4.7	10	1	1	4	6	9	11	16
50-64	327	5.2	20	1	1	4	6	10	13	28
65+	367	5.0	11	1	2	5	7	10	11	15
B. *Operated*										
0-19 YRS	369	3.5	9	1	1	2	4	7	10	15
20-34	411	3.9	17	1	2	3	5	7	9	16
35-49	378	3.9	12	1	2	3	4	7	10	22
50-64	873	3.6	8	1	1	3	4	7	9	14
65+	1842	3.6	14	1	2	3	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	974	4.9	15	1	2	4	6	8	11	19
20-34	520	5.8	20	1	2	5	7	11	15	22
35-49	389	5.9	20	1	2	5	7	11	13	25
50-64	663	6.1	15	2	2	5	8	11	14	21
65+	988	6.8	29	1	2	5	9	13	18	26
B. *Operated*										
0-19 YRS	378	5.2	30	1	2	4	6	11	15	34
20-34	592	5.5	28	1	2	4	7	10	14	30
35-49	623	5.5	24	1	2	4	7	11	14	24
50-64	1579	5.5	29	1	2	4	7	11	14	26
65+	2795	5.3	29	2	2	4	6	11	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2750	4.4	11	1	1	4	5	8	10	16
B. *Operated*	3873	3.6	12	1	1	3	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	3534	5.9	21	1	2	5	7	11	14	22
B. *Operated*	5967	5.4	28	1	2	4	6	11	14	27
1. SINGLE DX	6623	4.0	12	1	1	3	5	7	10	16
2. MULTIPLE DX	9501	5.6	26	1	2	4	7	11	14	25
A. NOT OPERATED	6284	5.2	17	1	2	4	7	10	13	21
B. OPERATED	9840	4.7	23	1	2	3	5	9	13	23
TOTAL 0-19 YRS	2936	4.4	13	1	1	4	5	8	10	18
20-34	2058	4.9	20	1	2	4	6	9	12	22
35-49	1696	5.1	18	1	2	4	6	10	12	21
50-64	3442	5.1	21	1	2	4	6	10	13	22
65+	5992	5.0	24	1	2	3	6	10	14	23
GRAND TOTAL	**16124**	**4.9**	**20**	**1**	**2**	**4**	**6**	**10**	**13**	**22**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	2.5	5	<1	1	2	3	5	6	14
20-34	90	3.9	8	1	1	3	5	8	10	14
35-49	87	3.5	7	1	1	3	4	6	9	15
50-64	84	3.7	5	1	1	3	5	6	7	12
65+	59	3.8	7	1	1	3	5	6	7	17
B. *Operated*										
0-19 YRS	95	2.1	1	<1	1	2	2	3	4	8
20-34	118	2.9	3	1	2	2	3	5	7	10
35-49	104	3.2	5	1	1	2	4	5	8	13
50-64	113	3.2	6	1	1	3	4	6	7	15
65+	88	3.8	16	1	1	3	4	7	12	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	3.8	20	<1	1	3	4	7	11	25
20-34	176	4.3	13	1	1	3	5	8	11	21
35-49	171	4.9	13	1	2	4	6	10	12	15
50-64	303	5.9	22	1	2	5	7	11	12	35
65+	316	6.8	31	2	2	6	9	12	16	31
B. *Operated*										
0-19 YRS	102	3.1	8	1	1	2	3	5	8	18
20-34	130	4.9	23	2	2	4	6	9	12	49
35-49	121	5.0	16	1	2	4	6	10	16	21
50-64	205	5.8	24	2	2	4	7	11	15	24
65+	261	5.6	25	2	2	4	7	12	15	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	422	3.4	7	1	1	3	4	6	8	14
B. *Operated*	518	3.0	6	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	1091	5.5	23	1	2	4	7	11	13	25
B. *Operated*	819	5.2	22	2	2	4	6	10	14	24
1. SINGLE DX	940	3.2	6	1	1	2	4	6	8	14
2. MULTIPLE DX	1910	5.4	22	1	2	4	7	11	13	24
A. NOT OPERATED	1513	4.9	19	1	1	4	6	10	12	23
B. OPERATED	1337	4.3	17	1	2	3	5	9	12	23
TOTAL 0-19 YRS	424	2.9	10	<1	1	2	3	5	8	20
20-34	514	4.1	13	1	2	3	5	8	10	23
35-49	483	4.3	12	1	2	3	5	9	12	16
50-64	705	5.2	19	1	2	4	7	10	12	23
65+	724	5.8	26	1	2	4	7	11	14	28
GRAND TOTAL	**2850**	**4.6**	**18**	**1**	**1**	**3**	**6**	**9**	**12**	**23**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3464	2.9	5	<1	1	2	4	5	6	11
20-34	137	4.0	10	1	1	3	5	8	10	15
35-49	76	3.6	4	<1	1	3	5	6	8	10
50-64	62	3.9	7	<1	1	3	5	8	10	11
65+	35	4.6	38	1	1	3	6	9	11	36
B. *Operated*										
0-19 YRS	21871	1.3	2	<1	<1	1	1	2	2	5
20-34	1684	2.4	3	<1	1	2	3	3	4	10
35-49	1519	2.5	5	1	1	2	3	3	4	10
50-64	1550	2.3	1	1	1	2	3	3	4	7
65+	517	2.4	5	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9983	3.7	9	1	1	3	5	7	8	13
20-34	346	4.7	15	1	1	4	6	9	12	22
35-49	226	6.1	34	1	2	5	7	11	13	28
50-64	280	5.9	34	1	1	5	7	11	14	36
65+	268	7.3	29	2	3	6	9	14	17	40
B. *Operated*										
0-19 YRS	17097	1.8	4	<1	<1	2	2	2	3	8
20-34	1961	2.8	5	1	1	2	3	4	6	12
35-49	1629	3.1	8	1	2	2	3	5	6	15
50-64	1590	3.3	13	1	2	3	3	5	8	15
65+	656	3.7	17	1	1	3	4	7	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3774	3.0	5	<1	1	2	4	5	7	11
B. *Operated*	27141	1.5	3	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	11103	3.9	12	1	1	3	5	7	9	15
B. *Operated*	22933	2.1	5	<1	<1	2	2	3	4	11
1. SINGLE DX	30915	1.7	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	34036	2.7	8	<1	1	2	3	5	7	13
A. NOT OPERATED	14877	3.7	10	1	1	3	5	7	8	14
B. OPERATED	50074	1.8	4	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	52415	2.0	5	<1	<1	1	2	4	5	10
20-34	4128	2.8	5	1	1	2	3	4	6	13
35-49	3450	3.0	9	1	1	2	3	5	7	14
50-64	3482	3.1	10	1	1	2	3	5	7	14
65+	1476	3.9	18	1	1	3	4	8	11	23
GRAND TOTAL	**64951**	**2.2**	**6**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	572	3.7	10	<1	1	3	4	7	9	18
20-34	242	3.8	6	1	2	3	5	7	8	12
35-49	155	5.6	89	2	2	4	5	9	12	67
50-64	82	5.2	10	1	2	4	7	10	12	15
65+	44	7.7	53	2	2	6	9	14	20	44
B. *Operated*										
0-19 YRS	3341	1.5	7	<1	<1	1	1	2	3	8
20-34	366	2.8	7	<1	1	2	3	5	6	17
35-49	278	2.8	3	1	1	2	3	5	6	11
50-64	268	2.7	3	<1	1	2	3	5	6	11
65+	138	3.6	12	<1	1	3	4	8	13	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1123	4.1	13	<1	1	3	5	7	10	17
20-34	316	4.7	9	1	2	4	6	8	10	15
35-49	216	6.0	14	2	2	5	7	9	12	19
50-64	208	7.2	73	2	3	5	8	12	17	43
65+	224	8.3	58	2	3	7	10	16	21	40
B. *Operated*										
0-19 YRS	2895	2.3	10	<1	1	2	2	4	6	12
20-34	474	4.0	30	1	2	3	4	7	9	23
35-49	418	4.3	23	1	2	3	5	8	11	27
50-64	439	4.7	29	1	2	3	5	9	14	38
65+	283	8.4	109	1	2	4	10	24	32	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1095	4.3	23	1	1	3	5	8	10	20
B. *Operated*	4391	1.9	7	<1	<1	1	2	3	5	11
2. MULTIPLE DX										
A. *Not Operated*	2087	5.1	25	1	1	4	6	9	12	26
B. *Operated*	4509	3.3	24	<1	1	2	3	6	9	26
1. SINGLE DX	5486	2.3	11	<1	<1	1	3	5	6	13
2. MULTIPLE DX	6596	3.9	25	1	1	2	4	8	10	26
A. NOT OPERATED	3182	4.8	25	1	1	4	6	9	11	24
B. OPERATED	8900	2.6	16	<1	<1	2	3	5	7	19
TOTAL 0-19 YRS	7931	2.3	10	<1	<1	1	2	5	7	12
20-34	1398	3.8	15	1	1	3	4	7	9	17
35-49	1067	4.4	27	1	2	3	5	8	11	22
50-64	997	4.7	32	1	2	3	5	9	12	30
65+	689	7.4	73	1	2	5	9	16	26	48
GRAND TOTAL	**12082**	**3.2**	**19**	**<1**	**<1**	**2**	**4**	**6**	**9**	**21**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	208	4.0	6	1	2	3	5	7	8	14
20-34	909	4.0	9	1	1	3	5	7	9	16
35-49	1228	4.0	7	1	1	3	5	7	9	14
50-64	1804	4.0	7	1	1	3	5	7	9	14
65+	1412	4.3	10	1	2	4	5	8	10	15
B. *Operated*										
0-19 YRS	40	3.7	4	1	2	3	4	7	8	11
20-34	220	3.9	4	1	2	3	5	6	8	12
35-49	332	4.2	7	2	2	4	5	7	10	14
50-64	478	4.8	12	2	2	4	6	9	11	17
65+	150	5.5	20	1	2	4	7	10	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	162	4.9	11	1	2	4	6	9	11	15
20-34	904	5.2	15	2	2	4	6	9	12	18
35-49	1656	5.4	16	2	2	4	7	10	13	20
50-64	3400	5.6	18	2	2	5	7	10	13	20
65+	5286	6.2	22	2	2	5	8	11	14	24
B. *Operated*										
0-19 YRS	18	3.8	7	1	1	3	6	8	9	9
20-34	103	6.8	22	1	2	6	9	14	17	21
35-49	209	8.1	38	2	2	6	11	15	20	31
50-64	354	8.2	35	2	3	7	10	15	20	30
65+	326	10.0	53	2	3	9	12	17	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5561	4.1	8	1	1	3	5	7	9	15
B. *Operated*	1220	4.5	10	2	2	4	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	11408	5.8	20	2	2	5	7	11	13	21
B. *Operated*	1010	8.5	41	2	3	7	11	16	20	33
1. SINGLE DX	6781	4.2	9	1	2	3	5	8	10	15
2. MULTIPLE DX	12418	6.0	22	2	2	5	7	11	14	23
A. NOT OPERATED	16969	5.2	16	1	2	4	7	10	12	19
B. OPERATED	2230	6.4	28	2	2	5	8	12	16	29
TOTAL 0-19 YRS	428	4.3	8	1	2	4	5	8	10	14
20-34	2136	4.6	12	1	2	4	6	8	11	17
35-49	3425	4.9	14	1	2	4	6	9	12	19
50-64	6036	5.2	16	1	2	4	7	10	12	20
65+	7174	6.0	23	2	2	5	7	11	14	24
GRAND TOTAL	**19199**	**5.4**	**18**	**1**	**2**	**4**	**7**	**10**	**13**	**21**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	12	2.2	1	<1	<1	2	3	4	4	4
35-49	18	2.2	1	<1	<1	2	3	4	4	4
50-64	16	2.0	1	1	1	2	3	3	3	3
65+	5	3.4	5	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	145	2.9	26	1	1	2	3	3	4	11
20-34	1138	2.6	1	1	2	3	3	4	4	6
35-49	1789	2.7	2	1	2	3	3	4	4	7
50-64	2015	2.8	8	1	2	3	3	4	4	7
65+	820	2.8	2	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.5	89	<1	<1	2	8	23	25	25
20-34	9	2.2	2	<1	<1	2	3	4	5	5
35-49	20	3.4	11	<1	<1	2	4	10	11	11
50-64	19	4.1	13	<1	<1	3	5	10	13	14
65+	25	4.4	17	<1	1	3	6	10	12	17
B. *Operated*										
0-19 YRS	39	2.8	2	1	2	3	3	4	5	8
20-34	224	2.9	2	1	2	3	3	4	5	12
35-49	395	2.9	2	1	2	3	3	4	6	9
50-64	512	3.2	5	2	2	3	3	5	6	17
65+	239	3.3	5	2	2	3	4	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	2.2	1	<1	1	2	3	4	4	7
B. *Operated*	5907	2.7	5	1	2	3	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	79	4.0	18	<1	<1	3	5	10	12	23
B. *Operated*	1409	3.1	4	2	2	3	3	4	6	12
1. SINGLE DX	5959	2.7	4	1	2	3	3	4	4	7
2. MULTIPLE DX	1488	3.1	5	1	2	3	3	5	7	12
A. NOT OPERATED	131	3.3	12	<1	<1	2	4	7	11	19
B. OPERATED	7316	2.8	4	1	2	3	3	4	5	8
TOTAL 0-19 YRS	191	3.0	23	1	1	2	3	4	5	18
20-34	1383	2.6	1	1	2	3	3	4	4	7
35-49	2222	2.7	2	1	2	3	3	4	5	8
50-64	2562	2.9	7	1	2	3	3	4	5	9
65+	1089	3.0	3	1	2	3	3	4	5	10
GRAND TOTAL	**7447**	**2.8**	**5**	**1**	**2**	**3**	**3**	**4**	**5**	**9**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	2.2	3	<1	<1	1	3	5	6	10
20-34	187	3.6	6	1	1	3	5	6	8	14
35-49	214	3.7	6	1	1	3	5	6	8	12
50-64	268	3.9	6	1	2	3	5	7	8	14
65+	148	3.9	6	1	2	3	5	7	8	13
B. *Operated*										
0-19 YRS	3393	2.1	2	<1	1	2	2	3	3	6
20-34	2298	2.4	2	1	1	2	3	3	4	9
35-49	1842	2.4	3	1	1	2	3	4	4	7
50-64	1514	2.7	12	1	1	2	3	4	5	10
65+	540	2.8	7	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	187	4.0	31	<1	<1	2	4	8	13	34
20-34	173	4.9	69	<1	1	3	5	9	14	31
35-49	226	4.5	23	1	1	3	5	9	12	21
50-64	292	5.0	15	1	1	4	6	10	13	18
65+	305	6.1	24	1	2	5	8	12	15	21
B. *Operated*										
0-19 YRS	2573	2.3	5	1	1	2	2	3	4	9
20-34	1687	2.7	4	1	1	2	3	4	5	11
35-49	1483	2.9	5	1	2	2	3	4	6	13
50-64	1437	3.1	8	1	2	2	3	5	7	17
65+	589	3.8	22	1	2	3	4	7	11	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	982	3.5	6	<1	1	3	4	6	8	13
B. *Operated*	9587	2.3	4	1	1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	1183	5.0	30	1	1	4	6	10	14	24
B. *Operated*	7769	2.8	7	1	1	2	3	4	6	14
1. SINGLE DX	10569	2.5	4	1	1	2	3	4	5	9
2. MULTIPLE DX	8952	3.1	10	1	1	2	3	5	8	17
A. NOT OPERATED	2165	4.3	19	<1	1	3	5	8	11	19
B. OPERATED	17356	2.5	5	1	1	2	3	4	5	11
TOTAL 0-19 YRS	6318	2.2	4	<1	1	2	2	3	4	9
20-34	4345	2.7	6	1	1	2	3	4	5	12
35-49	3765	2.8	5	1	1	2	3	4	6	12
50-64	3511	3.1	10	1	1	2	3	5	7	15
65+	1582	3.9	17	1	2	3	4	7	11	20
GRAND TOTAL	**19521**	**2.7**	**7**	**1**	**1**	**2**	**3**	**4**	**6**	**13**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	496	8.3	50	2	3	7	10	15	20	32
20-34	160	8.2	26	2	3	7	10	16	19	24
35-49	45	7.2	21	2	2	6	10	14	16	20
50-64	33	9.1	45	2	3	7	12	19	24	28
65+	22	6.7	25	<1	1	5	8	17	18	18
B. *Operated*										
0-19 YRS	6	8.3	77	1	1	5	16	21	22	22
20-34	14	12.0	114	1	2	9	17	31	35	36
35-49	17	7.4	50	2	2	4	12	18	24	27
50-64	17	8.9	38	2	2	9	14	17	20	21
65+	10	16.5	259	2	2	11	29	40	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	272	8.9	57	2	3	7	11	18	24	36
20-34	187	7.5	29	2	3	6	9	15	16	31
35-49	155	8.3	47	2	2	6	11	15	18	35
50-64	282	9.1	61	2	2	7	11	17	22	33
65+	293	10.4	86	3	3	8	13	21	27	57
B. *Operated*										
0-19 YRS	17	10.5	138	1	1	8	13	28	40	45
20-34	32	11.0	75	2	2	9	16	23	31	36
35-49	81	11.1	117	2	2	7	14	25	37	46
50-64	123	13.2	215	2	2	9	17	31	46	99
65+	83	17.2	227	2	3	14	23	39	49	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	756	8.2	43	2	3	7	10	16	20	31
B. *Operated*	64	10.3	99	1	2	7	15	23	32	46
2. MULTIPLE DX										
A. *Not Operated*	1189	9.0	60	2	3	7	11	17	23	38
B. *Operated*	336	13.3	181	2	2	9	17	32	42	83
1. SINGLE DX	820	8.4	47	2	3	7	10	16	21	32
2. MULTIPLE DX	1525	10.0	90	2	2	7	13	20	28	48
A. NOT OPERATED	1945	8.7	53	2	3	7	11	16	22	35
B. OPERATED	400	12.9	169	2	2	9	17	31	40	74
TOTAL 0-19 YRS	791	8.5	54	2	3	7	10	16	22	35
20-34	393	8.2	35	2	3	7	10	16	20	33
35-49	298	8.9	64	2	2	6	12	17	27	41
50-64	455	10.2	104	2	2	7	13	21	28	55
65+	408	11.7	123	2	3	8	15	24	36	73
GRAND TOTAL	**2345**	**9.4**	**75**	**2**	**2**	**7**	**12**	**19**	**26**	**46**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	5.1	17	1	1	4	6	11	14	17
20-34	115	3.8	4	1	2	3	5	7	8	10
35-49	151	5.2	15	1	2	4	7	10	12	20
50-64	148	5.6	24	1	2	4	7	10	16	29
65+	100	8.1	40	1	2	7	10	18	20	31
B. *Operated*										
0-19 YRS	39	5.5	37	<1	1	2	10	14	16	26
20-34	233	7.5	43	1	2	4	11	16	21	29
35-49	527	7.7	46	2	2	4	12	16	20	31
50-64	659	8.9	76	2	2	5	14	20	25	37
65+	193	9.9	95	2	2	6	15	22	31	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	7.2	92	1	2	5	8	12	16	61
20-34	438	5.7	29	1	2	4	7	11	14	31
35-49	1075	6.9	39	1	2	6	8	13	16	30
50-64	2016	8.1	53	2	2	6	10	15	20	40
65+	2359	10.4	71	2	3	8	13	20	26	47
B. *Operated*										
0-19 YRS	75	7.4	40	2	2	4	12	16	21	81
20-34	381	9.0	92	2	2	6	13	19	25	51
35-49	1084	10.1	97	2	2	8	14	22	28	47
50-64	2056	12.0	142	2	2	9	17	25	36	62
65+	1137	15.2	199	2	2	12	20	33	46	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	543	5.5	22	1	2	4	7	10	15	23
B. *Operated*	1651	8.3	64	2	2	5	13	18	24	34
2. MULTIPLE DX										
A. *Not Operated*	5968	8.6	59	2	2	7	11	16	22	40
B. *Operated*	4733	12.0	144	2	2	9	16	26	35	67
1. SINGLE DX	2194	7.7	55	2	2	4	11	17	22	33
2. MULTIPLE DX	10701	10.1	99	2	2	7	13	21	28	52
A. NOT OPERATED	6511	8.3	56	2	2	6	10	16	21	39
B. OPERATED	6384	11.1	126	2	2	9	15	24	32	61
TOTAL 0-19 YRS	223	6.7	55	1	2	4	10	14	17	48
20-34	1167	7.0	53	1	2	4	9	15	20	34
35-49	2837	8.2	64	2	2	6	11	17	23	36
50-64	4879	9.8	97	2	2	7	13	21	27	51
65+	3789	11.7	115	2	3	9	15	24	33	59
GRAND TOTAL	**12895**	**9.7**	**93**	**2**	**2**	**7**	**13**	**20**	**27**	**51**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	323	4.0	8	1	1	3	5	7	9	12
20-34	1321	4.4	7	1	2	4	5	8	9	14
35-49	2513	4.9	12	1	2	4	6	9	11	18
50-64	2621	5.2	17	1	2	4	6	9	12	19
65+	1449	5.6	20	2	2	4	7	11	14	22
B. *Operated*										
0-19 YRS	74	4.5	11	1	2	3	6	10	11	15
20-34	263	4.3	14	1	2	3	5	8	11	23
35-49	271	4.7	19	1	2	3	6	10	13	28
50-64	255	5.4	21	1	2	4	7	12	16	22
65+	97	7.2	41	2	2	5	10	15	21	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	399	5.6	34	2	2	4	7	11	14	21
20-34	3161	5.6	18	2	2	5	7	10	13	22
35-49	9422	6.3	20	2	2	5	8	11	14	22
50-64	15083	6.9	28	2	3	6	8	12	16	27
65+	14903	8.0	45	2	3	6	10	15	19	34
B. *Operated*										
0-19 YRS	77	8.0	39	2	2	7	10	16	20	32
20-34	660	7.4	50	1	2	5	10	15	19	33
35-49	1589	9.2	57	2	2	7	12	18	22	35
50-64	2526	10.1	75	2	2	8	13	20	26	45
65+	1871	13.2	115	2	3	10	17	26	35	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8227	5.0	14	1	2	4	6	9	11	19
B. *Operated*	960	5.0	20	1	2	3	7	11	15	24
2. MULTIPLE DX										
A. *Not Operated*	42968	7.0	32	2	2	6	9	13	16	28
B. *Operated*	6723	10.5	83	2	2	8	13	21	27	46
1. SINGLE DX	9187	5.0	15	1	2	4	6	9	12	19
2. MULTIPLE DX	49691	7.5	40	2	2	6	9	14	18	33
A. NOT OPERATED	51195	6.7	30	2	2	5	8	12	16	27
B. OPERATED	7683	9.8	78	2	2	8	13	20	26	45
TOTAL 0-19 YRS	873	5.1	24	1	2	4	6	10	13	21
20-34	5405	5.5	20	1	2	4	7	10	13	22
35-49	13795	6.3	24	2	2	5	8	12	15	24
50-64	20485	7.0	34	2	2	6	9	13	17	31
65+	18320	8.3	53	2	3	6	10	16	21	38
GRAND TOTAL	**58878**	**7.1**	**37**	**2**	**2**	**6**	**9**	**13**	**17**	**32**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	5.0	9	2	2	4	7	10	10	10
20-34	61	5.2	10	1	2	5	7	10	11	15
35-49	374	6.6	26	2	2	6	8	12	15	22
50-64	759	6.4	17	2	2	6	8	12	14	19
65+	1018	7.4	29	2	3	6	9	13	16	29
B. *Operated*										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	10	4.3	6	2	2	3	6	8	8	8
35-49	63	5.6	28	1	2	3	8	14	18	23
50-64	102	6.2	29	2	2	4	9	15	17	24
65+	58	8.2	59	2	2	5	11	21	26	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	8.5	38	1	2	8	11	14	21	32
20-34	274	7.1	29	2	3	6	8	12	15	33
35-49	2159	7.8	28	2	3	7	10	14	18	27
50-64	7105	8.6	39	2	3	7	11	16	20	32
65+	15710	10.1	64	3	3	8	13	19	24	42
B. *Operated*										
0-19 YRS	9	10.3	119	1	1	4	19	27	31	31
20-34	61	8.3	62	1	2	5	13	22	25	92
35-49	434	10.3	71	2	2	8	15	21	27	49
50-64	1221	11.8	112	2	2	9	15	25	30	54
65+	1882	16.0	143	2	4	13	21	31	41	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2223	6.8	24	2	2	6	8	12	15	24
B. *Operated*	236	6.4	36	2	2	4	9	16	20	28
2. MULTIPLE DX										
A. *Not Operated*	25290	9.5	54	3	3	8	12	18	23	38
B. *Operated*	3607	13.8	129	2	2	11	18	28	36	60
1. SINGLE DX	2459	6.8	25	2	2	6	8	12	16	25
2. MULTIPLE DX	28897	10.0	66	2	3	8	12	19	25	43
A. NOT OPERATED	27513	9.3	52	2	3	7	11	17	22	38
B. OPERATED	3843	13.3	126	2	2	11	18	27	35	59
TOTAL 0-19 YRS	65	7.9	44	1	2	7	10	14	22	32
20-34	406	7.0	32	2	2	5	8	13	18	33
35-49	3030	8.0	35	2	3	7	10	15	19	31
50-64	9187	8.8	49	2	3	7	11	17	21	35
65+	18668	10.6	74	3	3	8	13	20	26	47
GRAND TOTAL	**31356**	**9.7**	**63**	**2**	**3**	**8**	**12**	**19**	**24**	**42**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	4.5	11	1	1	3	7	10	11	11
20-34	67	5.6	21	1	1	4	7	13	15	21
35-49	112	6.5	23	1	2	5	9	14	16	21
50-64	171	6.8	41	1	2	5	9	13	16	34
65+	129	7.8	35	2	2	6	10	14	19	31
B. *Operated*										
0-19 YRS	25	6.8	52	1	1	4	10	17	22	29
20-34	100	7.3	51	1	2	4	10	17	22	33
35-49	160	8.8	90	1	2	6	10	20	23	51
50-64	154	8.6	77	1	2	6	11	23	29	39
65+	87	10.0	129	1	1	8	13	22	27	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	6.3	31	1	2	5	9	13	16	32
20-34	197	6.7	48	1	2	5	8	14	19	34
35-49	409	7.8	47	1	2	6	10	15	21	39
50-64	970	8.3	59	1	1	7	11	17	22	37
65+	1762	10.7	79	1	2	9	14	22	28	50
B. *Operated*										
0-19 YRS	71	8.9	92	1	2	6	12	22	43	99+
20-34	275	10.5	79	2	2	9	13	23	32	88
35-49	451	11.4	110	2	2	9	15	23	33	65
50-64	855	13.1	146	2	2	10	17	27	37	60
65+	696	15.9	158	3	4	12	21	32	41	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	498	6.7	32	1	2	5	9	13	17	27
B. *Operated*	526	8.5	84	1	2	6	11	20	26	40
2. MULTIPLE DX										
A. *Not Operated*	3399	9.3	69	1	2	7	12	19	25	43
B. *Operated*	2348	13.1	137	2	3	10	17	28	37	65
1. SINGLE DX	1024	7.7	59	1	2	5	10	16	22	34
2. MULTIPLE DX	5747	10.9	100	1	2	8	14	23	30	56
A. NOT OPERATED	3897	9.0	65	1	2	7	12	19	24	40
B. OPERATED	2874	12.3	131	2	2	9	16	27	34	62
TOTAL 0-19 YRS	176	7.2	58	1	1	5	9	16	22	88
20-34	639	8.3	63	1	2	6	11	18	25	45
35-49	1132	9.2	79	1	2	7	11	19	26	45
50-64	2150	10.1	99	1	2	8	13	21	29	53
65+	2674	11.9	105	2	3	9	15	24	32	56
GRAND TOTAL	**6771**	**10.4**	**95**	**1**	**2**	**8**	**13**	**22**	**29**	**54**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	11.0	35	2	4	10	14	19	22	30
20-34	395	11.7	44	2	5	11	14	18	20	26
35-49	4546	12.4	24	5	7	12	15	18	21	27
50-64	10163	13.1	26	6	7	13	16	19	21	28
65+	7882	13.7	34	6	8	13	16	20	23	32
B. *Operated*										
0-19 YRS	5	6.8	28	2	2	5	10	15	15	15
20-34	46	10.9	47	2	2	12	16	19	21	25
35-49	345	11.8	52	2	2	12	15	21	24	34
50-64	665	13.3	55	2	2	13	17	21	25	38
65+	338	16.8	65	3	7	16	21	27	31	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	13.1	39	2	5	13	17	20	22	31
20-34	710	12.6	40	3	5	12	16	19	22	31
35-49	9320	13.2	33	5	7	13	16	20	23	32
50-64	30963	14.2	40	6	8	14	17	21	25	36
65+	42970	15.6	59	6	8	14	19	24	29	44
B. *Operated*										
0-19 YRS	14	18.4	85	2	3	17	25	30	31	31
20-34	151	12.3	75	2	2	12	16	25	32	40
35-49	1480	14.2	101	2	2	13	19	26	31	48
50-64	4563	17.1	120	2	4	15	21	30	37	59
65+	4599	22.0	149	8	11	19	27	37	46	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23028	13.2	29	5	7	13	16	19	22	30
B. *Operated*	1399	13.7	60	2	2	13	18	22	27	39
2. MULTIPLE DX										
A. *Not Operated*	84061	14.8	50	6	8	14	18	23	27	40
B. *Operated*	10807	18.7	138	2	6	17	23	33	40	64
1. SINGLE DX	24427	13.2	31	5	7	13	16	20	22	30
2. MULTIPLE DX	94868	15.3	61	5	8	14	18	24	29	44
A. NOT OPERATED	107089	14.5	46	6	8	14	17	22	26	38
B. OPERATED	12206	18.1	131	2	5	16	23	32	39	62
TOTAL 0-19 YRS	159	12.8	46	2	4	12	17	21	27	31
20-34	1302	12.2	46	2	4	12	15	19	22	33
35-49	15691	13.1	37	4	6	13	16	20	23	33
50-64	46354	14.3	46	5	7	13	17	21	25	38
65+	55789	15.9	67	6	8	14	19	25	31	47
GRAND TOTAL	**119295**	**14.8**	**56**	**5**	**7**	**14**	**18**	**23**	**28**	**42**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	4.4	7	1	2	3	5	9	10	10
20-34	206	4.2	6	1	2	4	5	8	9	12
35-49	1594	4.4	10	1	2	4	6	8	10	15
50-64	3085	4.7	16	1	2	4	6	9	11	16
65+	2311	5.1	19	1	2	4	6	9	12	21
B. *Operated*										
0-19 YRS	4	4.5	6	2	2	4	6	7	7	7
20-34	33	4.6	11	1	2	3	6	11	12	13
35-49	436	4.5	18	1	2	2	6	11	13	19
50-64	799	4.9	25	2	2	3	6	12	15	24
65+	197	5.5	30	2	2	3	7	13	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	5.8	17	1	2	5	8	11	14	20
20-34	630	5.2	12	1	2	4	7	9	12	20
35-49	6591	5.5	15	1	2	5	7	10	12	19
50-64	19340	6.0	19	2	2	5	8	11	14	22
65+	25146	6.9	26	2	3	6	9	13	16	26
B. *Operated*										
0-19 YRS	13	5.5	12	2	2	5	7	10	14	15
20-34	177	6.3	32	2	2	4	9	14	17	31
35-49	3284	7.4	46	2	2	5	11	15	19	30
50-64	9222	8.1	54	2	2	6	12	17	21	34
65+	3982	10.9	87	2	2	9	15	22	29	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7210	4.7	15	1	2	4	6	9	11	17
B. *Operated*	1469	4.9	23	1	2	3	6	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	51784	6.4	22	2	2	5	8	12	15	24
B. *Operated*	16678	8.6	62	2	2	7	12	18	23	37
1. SINGLE DX	8679	4.8	16	1	2	4	6	9	12	19
2. MULTIPLE DX	68462	6.9	32	2	2	5	9	13	17	29
A. NOT OPERATED	58994	6.2	21	2	2	5	8	11	14	23
B. OPERATED	18147	8.3	59	2	2	6	12	18	22	36
TOTAL 0-19 YRS	108	5.6	15	1	2	5	7	10	14	20
20-34	1046	5.2	15	1	2	4	7	10	12	20
35-49	11905	5.8	24	1	2	4	8	12	15	23
50-64	32446	6.5	30	2	2	5	8	13	16	26
65+	31636	7.3	35	2	2	6	9	14	18	30
GRAND TOTAL	**77141**	**6.7**	**31**	**2**	**2**	**5**	**9**	**13**	**17**	**28**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	6.6	10	2	2	7	9	11	11	11
20-34	90	5.8	14	1	2	5	7	12	13	16
35-49	1072	5.5	13	1	2	5	7	10	12	18
50-64	2393	5.9	15	2	2	5	8	11	13	20
65+	2056	6.6	23	2	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	2	10.5	25	7	7	10	14	14	14	14
20-34	17	7.0	26	2	2	7	10	14	17	18
35-49	189	8.7	38	2	2	8	12	15	18	32
50-64	483	8.9	41	2	2	9	11	17	21	28
65+	148	10.9	44	2	2	11	15	19	23	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	7.4	24	2	3	6	9	16	19	22
20-34	258	6.9	20	2	3	6	9	13	16	22
35-49	3900	7.0	29	2	3	6	9	12	15	24
50-64	13662	7.5	25	2	3	6	10	13	16	24
65+	18922	8.8	38	3	3	7	11	16	20	31
B. *Operated*										
0-19 YRS	4	9.5	83	3	3	6	15	23	23	23
20-34	57	9.0	42	1	2	9	12	17	21	30
35-49	1027	10.4	61	2	2	10	14	19	23	36
50-64	3223	11.7	70	2	2	11	16	21	26	40
65+	2035	15.1	120	2	4	13	19	28	35	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5622	6.1	18	2	2	5	8	11	14	21
B. *Operated*	839	9.1	41	2	2	9	12	17	21	30
2. MULTIPLE DX										
A. *Not Operated*	36784	8.1	32	2	3	7	10	14	18	28
B. *Operated*	6346	12.6	87	2	3	11	16	23	29	46
1. SINGLE DX	6461	6.5	22	2	2	5	8	12	15	23
2. MULTIPLE DX	43130	8.8	43	2	3	7	11	16	20	33
A. NOT OPERATED	42406	7.8	31	2	3	7	10	14	17	28
B. OPERATED	7185	12.2	83	2	2	11	16	23	28	44
TOTAL 0-19 YRS	59	7.5	24	2	3	6	9	15	19	23
20-34	422	7.0	23	2	2	6	9	13	16	23
35-49	6188	7.4	34	2	2	6	10	14	17	28
50-64	19761	8.1	34	2	3	7	10	15	19	29
65+	23161	9.2	48	2	3	7	11	17	21	35
GRAND TOTAL	**49591**	**8.5**	**41**	**2**	**3**	**7**	**11**	**16**	**20**	**32**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	4.2	6	1	2	4	6	7	9	10
20-34	103	5.5	34	1	2	4	7	11	13	35
35-49	951	5.1	16	1	2	4	7	10	12	19
50-64	2309	5.5	18	1	2	4	7	11	13	22
65+	2477	6.9	27	2	2	5	9	13	16	25
B. *Operated*										
0-19 YRS	75	3.1	11	1	1	2	2	11	13	78
20-34	250	5.6	35	1	2	3	9	13	15	25
35-49	4559	6.5	34	2	2	3	11	14	17	24
50-64	10491	7.5	46	2	2	4	12	16	19	28
65+	2849	9.1	69	2	2	8	14	19	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	131	8.3	27	2	3	7	11	15	18	26
20-34	402	6.4	25	2	2	5	8	12	16	27
35-49	6262	6.7	28	2	2	5	9	13	16	24
50-64	23913	7.5	32	2	2	6	10	14	18	28
65+	51935	9.4	56	2	3	8	12	18	23	40
B. *Operated*										
0-19 YRS	59	9.2	94	1	1	6	14	25	30	38
20-34	464	6.7	68	1	2	3	10	14	18	37
35-49	8061	7.1	49	2	2	4	11	15	20	32
50-64	22533	8.8	69	2	2	7	13	18	24	40
65+	12091	13.1	124	2	2	11	17	26	34	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5854	6.0	22	1	2	5	8	12	15	24
B. *Operated*	18224	7.5	47	2	2	4	12	16	19	29
2. MULTIPLE DX										
A. *Not Operated*	82643	8.7	48	2	3	7	11	16	21	36
B. *Operated*	43208	9.6	86	2	2	8	13	20	27	45
1. SINGLE DX	24078	7.1	41	2	2	4	11	15	19	28
2. MULTIPLE DX	125851	9.0	61	2	2	7	12	18	23	40
A. NOT OPERATED	88497	8.5	47	2	3	7	11	16	21	35
B. OPERATED	61432	9.0	75	2	2	7	13	19	24	41
TOTAL 0-19 YRS	279	6.9	42	1	1	5	10	15	20	34
20-34	1219	6.3	45	2	2	4	9	13	17	32
35-49	19833	6.7	38	2	2	5	10	14	17	28
50-64	59246	7.9	49	2	2	6	11	16	20	33
65+	69352	9.9	69	2	3	8	13	19	25	44
GRAND TOTAL	**149929**	**8.7**	**58**	**2**	**2**	**7**	**12**	**17**	**22**	**38**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	9.2	20	2	4	9	12	14	18	20
20-34	796	9.5	21	2	4	9	12	15	17	24
35-49	1013	10.4	22	3	5	10	13	16	19	25
50-64	1098	11.0	26	4	5	11	13	17	19	29
65+	917	11.9	27	5	6	11	15	18	21	29
B. *Operated*										
0-19 YRS	12	12.0	14	7	8	11	14	18	19	19
20-34	123	11.7	26	6	7	11	14	17	19	34
35-49	156	12.6	42	4	6	11	15	20	24	34
50-64	175	13.6	62	3	6	12	17	22	29	38
65+	122	14.8	65	3	7	13	18	24	32	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	11.3	86	4	4	9	13	19	22	61
20-34	936	10.9	37	3	5	10	13	17	22	32
35-49	1859	11.9	37	4	6	11	15	19	23	34
50-64	3516	12.9	44	5	6	12	16	20	25	38
65+	5402	14.9	71	5	7	13	18	25	30	48
B. *Operated*										
0-19 YRS	23	16.9	52	8	9	16	21	26	33	35
20-34	264	16.2	96	6	7	14	20	28	34	62
35-49	479	16.9	128	5	7	14	20	29	38	78
50-64	852	18.1	138	6	8	15	22	30	41	65
65+	987	20.3	150	8	9	17	24	37	46	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3879	10.7	25	4	5	10	13	17	19	26
B. *Operated*	588	13.2	50	4	7	12	16	21	26	40
2. MULTIPLE DX										
A. *Not Operated*	11803	13.5	57	5	6	12	16	22	27	42
B. *Operated*	2605	18.5	138	7	8	15	22	33	42	67
1. SINGLE DX	4467	11.1	29	4	5	10	13	17	20	29
2. MULTIPLE DX	14408	14.4	75	5	7	13	17	24	30	48
A. NOT OPERATED	15682	12.8	50	4	6	11	15	21	25	39
B. OPERATED	3193	17.5	126	6	8	15	21	31	40	62
TOTAL 0-19 YRS	180	11.4	61	3	4	10	14	19	22	36
20-34	2119	11.1	42	3	5	10	13	18	22	35
35-49	3507	12.2	49	4	6	11	15	20	24	38
50-64	5641	13.3	60	5	6	12	16	22	27	43
65+	7428	15.2	81	5	7	13	18	25	32	50
GRAND TOTAL	**18875**	**13.6**	**66**	**5**	**6**	**12**	**16**	**22**	**28**	**46**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	18.7	179	1	2	21	29	38	40	41
20-34	40	21.7	138	4	5	21	29	38	42	45
35-49	11	21.5	214	4	4	21	32	41	48	49
50-64	39	22.3	195	3	4	23	32	41	44	50
65+	34	27.3	256	3	6	28	36	43	62	68
B. *Operated*										
0-19 YRS	2	12.0	32	8	8	12	16	16	16	16
20-34	6	33.3	564	1	2	37	48	63	65	65
35-49	7	21.4	291	6	6	13	37	47	48	48
50-64	4	19.8	591	1	1	12	37	54	54	54
65+	7	32.0	160	11	13	37	42	44	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	25.8	247	3	6	26	34	44	47	85
20-34	195	26.3	232	4	6	27	35	47	52	70
35-49	148	26.7	191	5	7	28	35	43	48	64
50-64	234	29.1	198	4	10	30	36	45	53	63
65+	338	30.5	205	6	10	31	39	48	56	71
B. *Operated*										
0-19 YRS	11	37.7	270	8	14	39	48	58	67	68
20-34	76	37.7	331	7	12	36	47	64	77	97
35-49	76	36.9	250	10	17	37	46	58	67	71
50-64	128	38.7	326	11	16	36	51	65	72	99+
65+	129	40.6	297	17	22	38	50	61	78	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	22.7	195	3	4	23	32	41	44	65
B. *Operated*	26	26.0	344	1	4	23	41	48	56	65
2. MULTIPLE DX										
A. *Not Operated*	961	28.5	211	5	8	29	37	46	53	67
B. *Operated*	420	38.8	302	11	18	37	49	63	71	95
1. SINGLE DX	172	23.2	217	3	4	23	32	41	47	65
2. MULTIPLE DX	1381	31.6	261	5	10	31	42	52	62	85
A. NOT OPERATED	1107	27.7	212	4	7	29	36	45	52	66
B. OPERATED	446	38.0	313	10	16	37	48	62	70	95
TOTAL 0-19 YRS	81	25.1	258	2	4	25	35	44	50	80
20-34	317	28.6	276	4	7	28	40	50	60	86
35-49	242	29.5	237	5	8	29	40	48	57	70
50-64	405	31.4	269	4	10	31	41	53	63	90
65+	508	32.8	251	7	12	32	43	52	61	82
GRAND TOTAL	**1553**	**30.7**	**263**	**5**	**8**	**30**	**41**	**51**	**61**	**83**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	2.5	4	<1	1	2	3	5	6	11
20-34	371	2.8	7	1	1	2	4	5	7	11
35-49	714	2.6	4	<1	1	2	3	5	7	9
50-64	924	3.2	11	1	1	2	4	6	8	16
65+	570	3.8	18	1	1	3	5	7	10	21
B. *Operated*										
0-19 YRS	5	3.6	4	2	2	3	5	7	7	7
20-34	5	2.8	1	2	2	3	3	4	4	4
35-49	16	4.4	15	2	2	3	5	9	14	16
50-64	29	5.3	44	1	1	3	6	8	21	34
65+	18	7.3	28	2	2	6	10	15	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	4.2	24	1	1	3	5	7	11	25
20-34	421	3.7	7	1	1	3	5	7	9	14
35-49	1001	4.7	18	1	1	4	6	9	12	21
50-64	2260	5.1	22	1	1	4	7	10	12	21
65+	2779	6.6	33	1	2	5	8	13	17	28
B. *Operated*										
0-19 YRS	10	5.2	11	2	2	4	7	10	12	12
20-34	22	8.0	33	2	2	7	9	16	20	25
35-49	81	9.1	57	2	2	7	12	19	22	40
50-64	173	9.3	58	2	2	7	12	19	28	35
65+	172	14.1	76	2	4	13	19	25	34	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2749	3.1	10	<1	1	2	4	6	8	13
B. *Operated*	73	5.3	29	2	2	3	6	11	16	31
2. MULTIPLE DX										
A. *Not Operated*	6598	5.5	26	1	1	4	7	11	14	24
B. *Operated*	458	10.9	69	2	2	9	15	21	28	40
1. SINGLE DX	2822	3.1	10	1	1	2	4	6	8	14
2. MULTIPLE DX	7056	5.9	30	1	1	4	7	12	16	28
A. NOT OPERATED	9347	4.8	22	1	1	4	6	10	13	23
B. OPERATED	531	10.1	67	2	2	8	14	21	27	39
TOTAL 0-19 YRS	322	3.3	13	<1	1	2	4	6	9	15
20-34	819	3.4	8	1	1	3	4	7	8	15
35-49	1812	4.0	16	1	1	3	5	8	11	19
50-64	3386	4.8	23	1	1	4	6	10	12	24
65+	3539	6.5	36	1	2	5	8	13	18	30
GRAND TOTAL	**9878**	**5.1**	**26**	**1**	**1**	**4**	**6**	**10**	**14**	**25**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	3.4	8	<1	1	3	4	8	9	13
20-34	451	2.5	4	<1	1	2	3	5	6	10
35-49	779	3.1	6	<1	1	2	4	6	7	13
50-64	1705	3.5	9	1	1	3	5	7	9	15
65+	1725	4.5	15	1	1	3	6	9	11	20
B. *Operated*										
0-19 YRS										
20-34	11	4.9	11	<1	1	5	7	10	11	11
35-49	39	6.5	246	1	2	2	4	10	25	96
50-64	69	6.1	55	2	2	4	7	13	20	39
65+	66	9.5	88	2	2	8	11	17	23	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	5.0	15	1	1	4	7	10	13	19
20-34	442	4.0	13	1	1	3	5	8	10	16
35-49	1478	4.9	17	1	1	4	6	10	12	19
50-64	6889	6.1	28	1	2	5	8	12	15	27
65+	17108	8.0	48	2	2	6	10	15	20	36
B. *Operated*										
0-19 YRS	5	8.4	47	2	2	7	11	20	20	20
20-34	27	8.6	51	1	2	7	12	18	24	32
35-49	144	8.8	41	2	2	7	11	17	21	29
50-64	674	10.6	96	2	2	8	14	21	30	48
65+	1797	15.5	136	3	5	13	20	30	38	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4709	3.7	10	1	1	3	5	7	10	17
B. *Operated*	185	7.4	106	1	2	4	9	14	20	58
2. MULTIPLE DX										
A. *Not Operated*	26000	7.2	42	1	2	6	9	14	18	32
B. *Operated*	2647	13.8	125	2	3	11	18	28	35	64
1. SINGLE DX	4894	3.8	14	1	1	3	5	8	10	18
2. MULTIPLE DX	28647	7.8	53	1	2	6	10	15	20	37
A. NOT OPERATED	30709	6.7	39	1	2	5	8	13	17	30
B. OPERATED	2832	13.4	127	2	3	11	17	27	35	64
TOTAL 0-19 YRS	137	4.6	14	1	1	3	6	9	12	20
20-34	931	3.4	11	<1	1	2	4	7	9	16
35-49	2440	4.6	20	1	1	3	6	9	12	20
50-64	9337	5.9	33	1	1	4	8	12	15	29
65+	20696	8.4	59	2	2	6	10	16	22	40
GRAND TOTAL	**33541**	**7.3**	**49**	**1**	**2**	**5**	**9**	**15**	**19**	**36**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	246	3.6	10	1	1	3	4	6	8	18
20-34	795	3.7	18	1	1	3	5	7	8	15
35-49	1323	4.2	13	1	1	3	5	8	10	21
50-64	1787	4.5	16	1	1	4	6	8	11	19
65+	1897	5.3	20	1	1	4	7	10	13	21
B. *Operated*										
0-19 YRS	46	4.3	15	1	1	3	6	8	9	23
20-34	82	5.6	19	2	2	4	7	11	15	22
35-49	268	5.9	24	2	2	4	8	13	16	22
50-64	695	6.9	36	2	2	6	9	13	17	26
65+	2076	8.3	34	2	3	7	10	15	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	461	4.9	25	1	1	4	6	9	13	26
20-34	1710	4.7	14	1	1	4	6	9	11	17
35-49	3942	5.7	25	1	2	5	7	11	14	23
50-64	10050	6.8	30	1	2	5	8	13	17	27
65+	18740	8.2	45	2	3	7	10	16	20	34
B. *Operated*										
0-19 YRS	88	7.9	76	1	2	6	9	17	23	51
20-34	246	10.0	121	2	2	7	11	21	29	72
35-49	814	9.1	79	2	2	7	12	19	26	49
50-64	3187	10.8	81	2	2	9	14	21	27	49
65+	11373	12.8	87	3	4	11	16	24	30	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6048	4.6	17	1	1	4	6	8	11	20
B. *Operated*	3167	7.7	34	2	2	7	10	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	34903	7.3	38	2	2	6	9	14	18	31
B. *Operated*	15708	12.2	87	2	3	10	15	23	30	50
1. SINGLE DX	9215	5.6	25	1	1	4	7	11	14	24
2. MULTIPLE DX	50611	8.8	58	2	2	7	11	17	23	39
A. NOT OPERATED	40951	6.9	36	1	2	5	9	13	17	30
B. OPERATED	18875	11.4	81	2	3	9	14	22	28	49
TOTAL 0-19 YRS	841	4.8	27	1	1	3	6	9	13	28
20-34	2833	4.9	27	1	1	4	6	9	12	24
35-49	6347	5.8	31	1	2	4	7	11	15	27
50-64	15719	7.3	42	1	2	6	9	15	19	33
65+	34086	9.6	63	2	3	8	12	19	24	41
GRAND TOTAL	**59826**	**8.3**	**55**	**2**	**2**	**6**	**11**	**17**	**22**	**37**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	7.8	104	1	2	4	8	18	37	46
20-34	44	7.5	64	1	2	6	10	13	15	52
35-49	262	6.8	22	2	2	6	8	14	16	22
50-64	1401	7.3	31	2	2	6	9	14	17	27
65+	5895	8.2	41	2	3	7	10	15	19	32
B. *Operated*										
0-19 YRS	4	5.3	16	2	2	5	8	10	10	10
20-34	7	4.4	8	2	2	3	6	9	10	10
35-49	18	7.3	42	2	2	5	9	14	22	28
50-64	68	10.3	95	2	2	9	14	19	23	56
65+	139	13.7	102	3	4	12	17	25	32	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	472	8.7	59	2	2	7	11	18	22	45
20-34	494	8.9	59	2	3	7	11	16	23	38
35-49	3268	9.0	47	2	3	7	11	17	22	35
50-64	20583	9.6	50	3	3	8	12	18	22	37
65+	89672	10.9	69	3	4	9	14	20	26	44
B. *Operated*										
0-19 YRS	64	9.0	52	1	2	8	11	15	26	39
20-34	143	10.2	131	1	2	7	13	23	27	60
35-49	470	13.5	138	2	2	11	18	28	40	63
50-64	2366	15.9	165	2	4	13	21	31	41	74
65+	7867	19.3	174	5	7	16	25	36	45	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7647	8.0	39	2	3	6	10	15	19	32
B. *Operated*	236	11.8	97	2	2	10	15	22	29	55
2. MULTIPLE DX										
A. *Not Operated*	114489	10.6	66	3	4	9	13	20	26	43
B. *Operated*	10910	18.1	173	4	5	15	23	35	44	76
1. SINGLE DX	7883	8.1	41	2	3	7	10	15	19	33
2. MULTIPLE DX	125399	11.3	79	3	4	9	14	21	28	48
A. NOT OPERATED	122136	10.5	64	3	4	8	13	20	25	42
B. OPERATED	11146	18.0	172	3	5	15	23	35	44	76
TOTAL 0-19 YRS	585	8.6	61	2	2	7	11	18	23	45
20-34	688	9.0	74	2	2	7	11	18	24	49
35-49	4018	9.4	59	2	3	7	12	18	23	41
50-64	24418	10.1	64	2	3	8	13	19	25	43
65+	103573	11.4	81	3	4	9	14	22	28	48
GRAND TOTAL	**133282**	**11.1**	**78**	**3**	**4**	**9**	**14**	**21**	**28**	**47**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	317	5.1	17	1	1	4	7	10	13	20
20-34	1188	5.1	16	1	2	4	6	9	11	20
35-49	1203	5.4	19	1	2	4	7	10	13	22
50-64	1210	6.1	22	1	2	5	8	12	14	22
65+	786	7.9	46	2	2	6	10	15	20	39
B. *Operated*										
0-19 YRS	291	4.2	24	1	1	2	3	11	14	24
20-34	427	5.7	52	1	2	3	7	13	16	31
35-49	961	5.8	33	1	2	3	9	14	16	27
50-64	1571	6.5	44	2	2	3	10	15	19	30
65+	738	8.4	65	2	2	5	13	19	24	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	451	7.0	47	1	2	5	8	15	21	39
20-34	1636	6.8	39	1	2	5	8	13	17	34
35-49	3259	7.5	39	2	2	6	9	14	18	32
50-64	7076	8.7	49	2	3	7	11	17	21	36
65+	10541	9.9	60	2	3	8	12	19	24	40
B. *Operated*										
0-19 YRS	243	6.9	87	1	2	2	9	16	23	46
20-34	692	9.3	90	2	2	7	13	19	28	47
35-49	1859	9.4	90	2	2	7	13	20	28	48
50-64	4527	10.5	104	2	2	8	15	23	30	52
65+	3892	14.0	148	2	2	12	19	28	38	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4704	5.9	24	1	2	5	7	11	15	25
B. *Operated*	3988	6.4	45	2	2	3	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	22963	8.9	53	2	3	7	11	17	22	37
B. *Operated*	11213	11.4	120	2	2	9	16	24	32	55
1. SINGLE DX	8692	6.1	34	1	2	4	8	13	17	29
2. MULTIPLE DX	34176	9.7	76	2	2	7	13	20	26	45
A. NOT OPERATED	27667	8.4	49	2	2	7	11	16	21	36
B. OPERATED	15201	10.1	105	2	2	7	14	22	29	52
TOTAL 0-19 YRS	1302	5.9	43	1	2	3	7	13	17	36
20-34	3943	6.6	45	1	2	5	8	13	17	36
35-49	7282	7.4	50	2	2	5	10	15	20	36
50-64	14384	8.8	66	2	2	7	12	18	24	41
65+	15957	10.8	85	2	3	8	14	21	28	49
GRAND TOTAL	**42868**	**9.0**	**70**	**2**	**2**	**7**	**12**	**18**	**24**	**43**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.6	5	2	2	7	7	7	7	7
35-49	27	4.6	16	1	1	3	6	11	14	16
50-64	102	7.8	54	1	2	5	10	16	25	37
65+	334	7.6	33	1	2	6	10	15	20	29
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	8.0	2	7	7	8	9	9	9	9
35-49	53	6.0	35	2	2	3	9	14	20	26
50-64	120	6.6	40	2	2	3	11	15	19	28
65+	69	9.0	115	2	2	5	12	17	34	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	8.7	59	2	2	7	9	20	29	31
20-34	46	5.7	13	2	3	5	7	9	12	21
35-49	622	7.2	36	2	2	6	10	14	17	30
50-64	2912	8.0	46	2	2	6	10	15	19	34
65+	10289	10.2	74	2	3	8	13	20	26	51
B. *Operated*										
0-19 YRS	6	11.3	66	3	3	9	14	25	26	26
20-34	17	5.8	17	2	2	5	8	10	15	18
35-49	290	7.5	44	2	2	5	11	14	19	31
50-64	1001	10.4	112	2	2	8	14	21	28	55
65+	1687	15.4	154	2	3	13	20	31	41	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	468	7.4	37	1	2	6	10	15	20	33
B. *Operated*	245	7.2	60	2	2	4	10	15	21	43
2. MULTIPLE DX										
A. *Not Operated*	13883	9.6	67	2	3	7	12	19	25	46
B. *Operated*	3001	12.9	137	2	2	10	17	27	36	72
1. SINGLE DX	713	7.3	45	2	2	5	10	15	20	35
2. MULTIPLE DX	16884	10.2	81	2	3	8	13	20	27	52
A. NOT OPERATED	14351	9.5	67	2	3	7	12	18	24	46
B. OPERATED	3246	12.4	133	2	2	10	16	26	35	70
TOTAL 0-19 YRS	21	9.1	60	1	2	7	10	22	28	31
20-34	70	5.8	13	2	2	5	7	9	11	20
35-49	992	7.2	38	2	2	5	10	14	17	30
50-64	4135	8.6	63	2	2	7	11	17	22	39
65+	12379	10.9	87	2	3	8	14	22	29	57
GRAND TOTAL	**17597**	**10.1**	**80**	**2**	**3**	**8**	**13**	**20**	**27**	**52**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.2	13	1	2	4	8	11	12	12
20-34	35	5.5	47	1	1	2	7	14	22	30
35-49	44	5.8	44	<1	<1	3	8	16	22	28
50-64	72	6.2	61	<1	1	3	7	13	24	40
65+	30	18.5	205	<1	1	19	27	39	42	49
B. *Operated*										
0-19 YRS	18	20.3	172	4	8	19	25	37	48	55
20-34	135	20.0	194	3	5	18	27	34	47	81
35-49	212	19.8	191	2	4	18	25	36	47	95
50-64	204	20.3	190	2	5	18	29	37	41	70
65+	56	24.6	267	3	7	22	31	44	64	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	5.8	21	<1	1	5	8	14	14	14
20-34	26	8.5	69	1	2	5	11	19	27	37
35-49	42	8.9	91	1	1	7	12	28	63	99+
50-64	83	12.8	150	<1	1	10	18	30	39	88
65+	187	20.8	199	3	5	19	29	43	52	90
B. *Operated*										
0-19 YRS	25	19.9	320	1	4	15	24	35	59	87
20-34	108	25.3	330	5	6	22	36	49	71	99+
35-49	253	30.2	373	5	9	27	42	66	87	99+
50-64	357	29.9	392	6	10	27	43	78	99+	99+
65+	174	32.2	359	9	14	29	46	71	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	7.8	93	<1	1	4	10	24	29	43
B. *Operated*	625	20.5	198	3	5	18	27	38	47	80
2. MULTIPLE DX										
A. *Not Operated*	350	16.0	187	1	2	13	24	37	47	99+
B. *Operated*	917	29.6	376	5	9	26	41	68	99	99+
1. SINGLE DX	818	17.5	202	1	2	16	25	35	43	73
2. MULTIPLE DX	1267	25.9	360	3	5	23	37	60	87	99+
A. NOT OPERATED	543	13.1	169	1	1	9	20	32	42	75
B. OPERATED	1542	25.9	324	4	7	22	35	56	80	99+
TOTAL 0-19 YRS	67	14.8	216	1	2	12	19	32	40	82
20-34	304	19.3	258	2	2	17	27	39	49	97
35-49	551	22.6	321	2	3	20	32	52	74	99+
50-64	716	22.8	339	2	3	20	33	55	86	99+
65+	447	25.6	299	4	7	23	35	53	70	99+
GRAND TOTAL	**2085**	**22.6**	**315**	**2**	**3**	**20**	**32**	**50**	**70**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	2	20.0	450	5	5	20	35	35	35	35
35-49	2	5.0	32	1	1	9	77	99+	99+	99+
50-64	13	17.8	484	1	1	11	28	83	96	99+
65+	20	29.7	206	7	11	30	40	49	54	57
B. *Operated*										
0-19 YRS	2	30.0	882	9	9	30	51	51	51	51
20-34	9	53.8	548	16	26	54	84	99+	99+	99+
35-49	25	34.3	430	3	9	38	61	99+	99+	99+
50-64	35	46.9	496	15	24	46	75	99+	99+	99+
65+	20	36.1	415	14	17	35	52	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	38	23.6	327	1	2	22	36	54	90	99+
B. *Operated*	91	41.4	498	9	16	45	75	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	129	36.1	511	5	9	37	60	99+	99+	99+
A. NOT OPERATED	38	23.6	327	1	2	22	36	54	90	99+
B. OPERATED	91	41.4	498	9	16	45	75	99+	99+	99+
TOTAL 0-19 YRS	3	27.7	457	9	9	23	44	51	51	51
20-34	11	47.6	670	6	13	50	81	99+	99+	99+
35-49	27	32.1	460	2	5	36	62	99+	99+	99+
50-64	48	39.0	653	2	8	40	72	99+	99+	99+
65+	40	32.9	313	10	16	31	47	82	99+	99+
GRAND TOTAL	**129**	**36.1**	**511**	**5**	**9**	**37**	**60**	**99+**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	7.0	89	<1	<1	4	11	16	28	42
20-34	26	9.0	185	<1	1	4	8	30	47	53
35-49	26	10.8	154	<1	1	8	12	25	45	52
50-64	75	11.4	166	<1	1	8	15	32	52	99+
65+	212	12.5	98	<1	1	10	18	26	32	51
B. *Operated*										
0-19 YRS	41	14.2	179	2	3	10	20	30	57	99+
20-34	68	13.1	93	3	4	10	18	23	28	55
35-49	89	13.7	102	2	4	11	18	25	36	54
50-64	182	16.0	131	6	7	12	21	31	40	97
65+	351	16.3	139	4	6	13	21	30	39	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	9.7	240	2	2	4	10	18	27	85
20-34	33	9.0	73	<1	1	7	13	17	31	36
35-49	84	14.6	141	<1	1	12	21	34	36	51
50-64	330	15.9	189	2	3	12	22	35	47	89
65+	885	17.8	191	3	5	14	23	37	48	89
B. *Operated*										
0-19 YRS	46	21.9	310	4	6	18	36	66	99+	99+
20-34	81	22.9	369	3	7	17	34	66	80	99+
35-49	162	23.0	301	6	7	18	32	60	93	99+
50-64	386	24.5	344	6	7	19	34	61	78	99+
65+	676	25.0	247	7	9	21	34	46	60	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	360	11.6	123	<1	1	9	16	27	35	66
B. *Operated*	731	15.5	131	4	6	12	20	29	37	66
2. MULTIPLE DX										
A. *Not Operated*	1362	16.8	189	2	4	13	22	35	47	85
B. *Operated*	1351	24.4	290	6	8	20	34	53	70	99+
1. SINGLE DX	1091	14.2	132	1	3	11	19	29	36	66
2. MULTIPLE DX	2713	20.6	254	3	6	16	28	44	60	99+
A. NOT OPERATED	1722	15.7	179	1	3	12	21	34	44	84
B. OPERATED	2082	21.3	252	5	7	17	28	45	62	99+
TOTAL 0-19 YRS	138	14.7	250	1	2	10	20	42	71	99+
20-34	208	15.8	241	1	2	11	21	37	58	99+
35-49	361	17.9	225	2	4	14	24	42	58	99+
50-64	973	19.0	258	2	5	14	26	44	61	99+
65+	2124	19.3	208	3	6	16	26	40	49	86
GRAND TOTAL	**3804**	**18.7**	**227**	**2**	**5**	**15**	**25**	**41**	**55**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	20.5	255	4	4	18	31	42	42	42
35-49	30	22.5	365	<1	3	19	31	58	70	99+
50-64	113	27.6	425	4	7	24	38	54	75	99
65+	341	25.9	326	6	7	23	34	54	75	99+
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	9	49.8	850	18	20	46	81	90	94	94
35-49	41	39.0	566	9	13	36	71	99+	99+	99+
50-64	59	38.5	647	10	12	37	65	99	99+	99+
65+	119	31.8	353	7	10	28	45	62	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	489	26.0	351	5	7	23	35	54	75	99+
B. *Operated*	229	35.4	499	9	11	31	52	84	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	718	29.0	416	6	8	25	41	66	91	99+
A. NOT OPERATED	489	26.0	351	5	7	23	35	54	75	99+
B. OPERATED	229	35.4	499	9	11	31	52	84	99+	99+
TOTAL 0-19 YRS	2	9.0	8	7	7	9	11	11	11	11
20-34	13	40.8	828	6	13	31	56	86	92	94
35-49	71	32.0	542	4	7	29	54	90	99+	99+
50-64	172	31.3	525	5	9	25	47	77	97	99+
65+	460	27.4	339	6	8	24	38	56	76	99+
GRAND TOTAL	**718**	**29.0**	**416**	**6**	**8**	**25**	**41**	**66**	**91**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	10.1	205	2	2	7	8	35	42	42
35-49	27	8.4	155	1	2	4	9	17	26	65
50-64	113	6.0	40	1	1	4	8	12	16	33
65+	184	8.3	124	1	2	4	10	20	26	66
B. *Operated*										
0-19 YRS	12	7.1	35	1	2	5	11	17	18	18
20-34	19	7.9	138	1	2	5	9	13	36	54
35-49	252	7.2	40	2	2	6	9	13	17	31
50-64	2102	7.7	37	2	2	6	10	14	19	32
65+	2796	8.1	36	2	2	7	10	16	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	10.2	22	4	4	11	14	15	15	15
20-34	7	8.9	7	3	4	10	10	11	11	11
35-49	66	9.2	115	1	2	6	9	21	32	65
50-64	402	8.0	56	1	2	6	10	17	23	38
65+	1041	9.9	83	2	3	7	12	20	27	52
B. *Operated*										
0-19 YRS	13	8.2	48	2	2	6	10	20	22	22
20-34	35	13.6	152	2	2	12	19	28	28	67
35-49	456	10.4	83	2	3	8	13	20	27	47
50-64	3952	10.5	79	2	3	8	13	20	26	45
65+	5641	11.5	97	2	3	9	15	22	29	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	7.5	[illegible]	1	2	4	9	16	26	65
B. *Operated*	5181	7.9	37	2	2	7	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	1521	9.3	77	2	2	7	12	20	26	46
B. *Operated*	10097	11.0	90	2	3	9	14	21	28	51
1. SINGLE DX	5512	7.9	41	2	2	6	10	15	19	31
2. MULTIPLE DX	11618	10.8	88	2	3	8	14	21	28	50
A. NOT OPERATED	1852	9.0	81	1	2	7	11	19	26	48
B. OPERATED	15278	10.0	74	2	2	8	13	19	25	46
TOTAL 0-19 YRS	30	8.1	37	2	2	6	13	18	20	22
20-34	68	11.2	140	2	2	8	13	23	30	65
35-49	801	9.2	76	2	2	7	11	18	24	46
50-64	6569	9.4	65	2	2	7	12	18	24	42
65+	9662	10.3	81	2	2	8	13	20	27	48
GRAND TOTAL	**17130**	**9.9**	**75**	**2**	**2**	**8**	**12**	**19**	**25**	**46**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	29.0	18	26	26	29	32	32	32	32
35-49	10	13.3	252	4	4	7	15	74	98	99+
50-64	74	16.5	234	3	5	11	25	32	51	97
65+	146	18.3	161	3	5	16	25	38	48	99+
B. *Operated*										
0-19 YRS	2	21.5	265	10	10	21	33	33	33	33
20-34	7	28.0	849	4	5	16	42	78	85	85
35-49	38	16.9	295	2	2	9	29	42	58	63
50-64	216	18.0	221	3	4	14	25	40	52	78
65+	335	19.3	241	3	5	15	25	42	52	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	232	17.6	187	3	5	15	25	38	51	99+
B. *Operated*	598	18.8	243	3	4	15	25	41	52	87
1. SINGLE DX										
2. MULTIPLE DX	830	18.4	228	3	5	15	25	40	52	92
A. NOT OPERATED	232	17.6	187	3	5	15	25	38	51	99+
B. OPERATED	598	18.8	243	3	4	15	25	41	52	87
TOTAL 0-19 YRS	2	21.5	265	10	10	21	33	33	33	33
20-34	9	28.2	639	4	6	17	36	71	85	85
35-49	48	16.1	283	2	3	8	25	48	62	99+
50-64	290	17.6	224	3	4	13	25	38	52	86
65+	481	18.9	217	3	5	15	25	40	50	93
GRAND TOTAL	**830**	**18.4**	**228**	**3**	**5**	**15**	**25**	**40**	**52**	**92**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	8.1	48	<1	1	7	7	20	22	22
20-34	25	13.0	345	2	3	7	12	29	62	85
35-49	91	10.6	85	1	2	8	14	25	32	42
50-64	458	10.2	93	2	3	7	13	21	30	53
65+	1229	12.1	105	2	3	9	15	25	32	51
B. *Operated*										
0-19 YRS	6	11.7	7	9	9	11	13	16	16	16
20-34	39	11.1	195	1	1	8	13	20	49	67
35-49	83	9.4	149	2	2	6	10	21	30	73
50-64	258	9.6	121	2	2	7	11	19	28	80
65+	236	10.2	77	2	3	8	13	19	26	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	9.6	100	1	2	7	11	19	24	59
20-34	75	9.9	105	2	2	7	12	17	25	66
35-49	436	11.6	118	2	3	9	14	23	34	65
50-64	2443	13.5	139	3	4	10	17	28	37	72
65+	9560	15.3	150	3	5	12	19	30	40	74
B. *Operated*										
0-19 YRS	7	12.0	15	5	6	14	15	15	15	15
20-34	59	14.3	148	3	4	11	18	30	38	62
35-49	231	14.3	152	3	3	11	18	30	43	70
50-64	878	15.6	214	2	3	11	20	37	50	99+
65+	1358	20.3	266	4	5	16	27	45	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1813	11.5	105	2	3	8	15	24	31	52
B. *Operated*	622	9.9	111	2	2	7	12	19	28	63
2. MULTIPLE DX										
A. *Not Operated*	12557	14.7	147	3	4	11	18	30	39	74
B. *Operated*	2533	17.9	240	3	4	13	24	42	56	99+
1. SINGLE DX	2435	11.1	107	2	3	8	14	22	31	53
2. MULTIPLE DX	15090	15.3	164	3	4	12	19	31	43	80
A. NOT OPERATED	14370	14.3	143	3	4	11	18	29	38	71
B. OPERATED	3155	16.4	225	2	3	12	21	38	51	99
TOTAL 0-19 YRS	63	9.8	73	1	2	9	13	18	22	55
20-34	201	11.8	165	2	2	8	14	23	37	71
35-49	841	12.1	129	2	3	9	15	25	36	65
50-64	4037	13.4	152	2	3	10	17	29	40	87
65+	12383	15.4	161	3	4	12	19	31	42	77
GRAND TOTAL	**17525**	**14.7**	**158**	**3**	**4**	**11**	**18**	**30**	**41**	**77**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	16.6	177	<1	1	14	32	34	36	36
20-34	21	14.0	91	3	5	11	19	28	34	38
35-49	133	16.5	199	3	4	12	23	34	43	97
50-64	1015	19.2	254	4	5	14	25	41	58	97
65+	4495	20.1	221	5	6	16	26	41	52	86
B. *Operated*										
0-19 YRS	4	32.3	485	6	6	37	69	99+	99+	99+
20-34	15	17.7	131	3	5	16	21	37	42	44
35-49	63	17.2	165	4	6	13	23	37	51	99+
50-64	223	23.5	352	5	7	19	33	53	88	99+
65+	492	27.3	317	7	9	23	39	60	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5674	19.9	226	4	6	16	26	40	53	88
B. *Operated*	797	25.3	321	6	8	21	35	58	76	99+
1. SINGLE DX										
2. MULTIPLE DX	6471	20.5	241	4	6	16	27	42	56	97
A. NOT OPERATED	5674	19.9	226	4	6	16	26	40	53	88
B. OPERATED	797	25.3	321	6	8	21	35	58	76	99+
TOTAL 0-19 YRS	14	21.1	289	<1	2	22	35	59	90	99+
20-34	36	15.5	108	3	5	13	21	30	38	44
35-49	196	16.7	187	3	5	13	23	35	44	99+
50-64	1238	20.0	274	4	5	15	26	43	61	99+
65+	4987	20.8	235	5	7	17	27	43	55	92
GRAND TOTAL	**6471**	**20.5**	**241**	**4**	**6**	**16**	**27**	**42**	**56**	**97**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.2	4	1	2	3	3	5	8	10
20-34	106	3.7	9	1	1	3	5	7	8	17
35-49	410	4.5	9	1	1	4	6	8	10	16
50-64	1499	4.7	11	1	2	4	6	9	11	17
65+	4063	5.3	21	1	2	4	7	10	13	23
B. *Operated*										
0-19 YRS	4	4.0	22	<1	<1	2	7	11	11	11
20-34	45	4.1	8	1	1	3	6	9	10	11
35-49	303	5.8	22	2	2	4	7	11	14	22
50-64	1027	6.0	23	1	2	5	8	12	14	25
65+	893	6.1	28	1	2	5	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	6.4	88	1	2	4	7	12	13	65
20-34	178	5.3	21	1	2	4	6	10	13	23
35-49	998	6.0	16	2	2	5	8	11	13	19
50-64	6058	6.5	25	2	2	5	8	12	15	23
65+	27430	7.9	45	2	3	6	10	15	19	37
B. *Operated*										
0-19 YRS	7	8.6	48	1	1	7	12	19	21	21
20-34	40	8.5	49	2	2	6	11	20	23	29
35-49	499	8.1	42	2	2	7	10	15	21	42
50-64	2662	9.1	57	2	3	7	12	17	22	37
65+	4393	11.7	103	2	3	9	15	24	31	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6096	5.1	18	1	2	4	6	9	12	21
B. *Operated*	2272	6.0	24	1	2	5	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	34736	7.6	41	2	2	6	9	14	18	34
B. *Operated*	7601	10.5	84	2	3	8	13	21	28	51
1. SINGLE DX	8368	5.3	20	1	2	4	7	10	13	22
2. MULTIPLE DX	42337	8.1	50	2	3	6	10	15	20	38
A. NOT OPERATED	40832	7.2	39	2	2	6	9	13	18	33
B. OPERATED	9873	9.5	74	2	2	7	12	19	25	47
TOTAL 0-19 YRS	101	5.9	69	1	2	3	6	11	13	54
20-34	369	5.1	21	1	1	4	6	9	13	24
35-49	2210	6.2	23	2	2	5	8	11	14	24
50-64	11246	6.8	32	2	2	5	9	13	16	29
65+	36779	8.0	52	2	2	6	10	15	21	39
GRAND TOTAL	**50705**	**7.7**	**46**	**2**	**2**	**6**	**9**	**15**	**19**	**36**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	5.1	44	1	2	3	5	7	25	31
20-34	61	7.4	66	1	2	4	9	19	31	35
35-49	197	9.5	107	1	2	7	10	21	29	53
50-64	1088	10.4	98	2	3	7	13	22	30	58
65+	4512	12.6	119	2	3	10	16	25	34	58
B. *Operated*										
0-19 YRS	10	7.4	82	1	1	3	9	23	28	28
20-34	34	8.2	32	1	2	8	13	17	21	99+
35-49	112	9.3	60	2	2	8	12	19	24	42
50-64	283	11.0	138	2	2	8	12	23	36	65
65+	356	14.6	218	2	2	10	19	35	47	84
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	11.3	81	2	3	8	15	23	34	39
20-34	119	9.8	126	1	2	7	12	23	29	58
35-49	699	11.5	118	2	3	8	13	24	33	67
50-64	4953	13.6	148	3	4	10	17	28	38	75
65+	23877	15.3	153	3	4	12	19	31	41	76
B. *Operated*										
0-19 YRS	15	10.5	138	<1	1	6	16	31	36	38
20-34	53	13.9	140	2	2	10	20	33	45	98
35-49	254	15.3	190	2	4	11	19	34	52	99+
50-64	1182	18.7	303	3	4	13	23	44	63	99+
65+	2635	23.4	308	5	7	19	33	52	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5894	12.0	115	2	3	9	15	25	33	58
B. *Operated*	795	12.2	163	2	2	8	14	29	39	71
2. MULTIPLE DX										
A. *Not Operated*	29711	14.9	152	3	4	11	19	30	40	75
B. *Operated*	4139	21.4	305	4	5	16	29	50	67	99+
1. SINGLE DX	6689	12.0	121	2	3	9	15	25	34	60
2. MULTIPLE DX	33850	15.7	175	3	4	12	20	33	44	87
A. NOT OPERATED	35605	14.4	147	3	4	11	18	29	39	73
B. OPERATED	4934	19.9	293	3	4	15	27	47	64	99+
TOTAL 0-19 YRS	124	9.1	83	1	2	6	12	22	31	38
20-34	267	9.9	107	1	2	7	13	24	33	80
35-49	1262	11.7	129	2	3	8	14	25	36	72
50-64	7506	13.8	171	2	3	10	17	29	42	80
65+	31380	15.6	169	3	4	12	20	32	43	83
GRAND TOTAL	**40539**	**15.1**	**168**	**3**	**4**	**11**	**19**	**31**	**43**	**82**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	14.5	163	2	4	11	18	33	40	60
20-34	31	15.9	229	3	3	12	21	35	46	71
35-49	290	17.1	245	3	4	12	21	46	58	99+
50-64	2053	18.4	227	4	5	14	24	40	52	99+
65+	9295	19.5	205	4	6	16	25	39	50	89
B. *Operated*										
0-19 YRS	9	18.1	162	5	7	14	24	39	47	47
20-34	13	23.3	552	2	3	17	42	99+	99+	99+
35-49	92	24.4	512	2	5	16	38	66	82	99+
50-64	[illegible]10	26.0	426	4	6	21	38	69	88	99+
65+	1040	27.6	327	6	9	24	39	58	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	11696	19.2	210	4	6	15	25	39	51	90
B. *Operated*	1564	26.9	365	6	7	23	39	60	84	99+
1. SINGLE DX										
2. MULTIPLE DX	13260	20.1	234	4	6	16	27	42	55	99+
A. NOT OPERATED	11696	19.2	210	4	6	15	25	39	51	90
B. OPERATED	1564	26.9	365	6	7	23	39	60	84	99+
TOTAL 0-19 YRS	36	15.4	161	3	4	11	20	33	44	60
20-34	44	18.1	326	3	3	13	28	46	91	99+
35-49	382	18.8	318	3	4	13	24	50	66	99+
50-64	2463	19.7	268	4	5	15	26	44	61	99+
65+	10335	20.3	223	4	6	16	27	42	53	99+
GRAND TOTAL	**13260**	**20.1**	**234**	**4**	**6**	**16**	**27**	**42**	**55**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.0	11	<1	<1	3	5	10	11	12
20-34	84	4.5	14	1	1	3	6	9	11	19
35-49	279	5.2	13	1	2	4	7	9	11	19
50-64	618	5.9	31	1	2	5	7	11	14	27
65+	1866	7.3	46	2	2	5	9	14	19	39
B. *Operated*										
0-19 YRS	17	5.8	34	1	1	3	8	16	20	21
20-34	95	13.6	177	2	2	11	20	26	41	97
35-49	237	9.4	75	2	2	6	13	22	28	36
50-64	637	8.4	75	2	2	6	10	19	26	54
65+	614	7.9	63	1	2	5	11	17	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	10.4	200	1	2	6	12	23	35	83
20-34	218	7.4	66	1	2	5	8	15	25	48
35-49	923	8.2	66	2	2	6	10	16	23	58
50-64	3825	9.7	94	2	3	7	11	19	29	61
65+	20831	10.8	98	2	3	8	13	21	30	66
B. *Operated*										
0-19 YRS	36	11.3	195	2	2	7	12	23	49	65
20-34	107	13.7	163	2	2	11	17	32	44	80
35-49	362	14.7	241	2	3	10	19	38	56	99+
50-64	1497	13.3	186	2	3	10	17	30	46	99+
65+	3137	15.1	174	2	3	12	20	32	44	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2867	6.7	39	1	2	5	8	13	17	34
B. *Operated*	1600	8.6	77	2	2	6	11	20	25	41
2. MULTIPLE DX										
A. *Not Operated*	25874	10.5	97	2	3	8	13	21	30	65
B. *Operated*	5139	14.5	182	2	3	11	19	32	46	99+
1. SINGLE DX	4467	7.4	54	2	2	5	9	15	21	38
2. MULTIPLE DX	31013	11.2	113	2	3	8	14	23	33	72
A. NOT OPERATED	28741	10.1	93	2	3	7	12	20	29	63
B. OPERATED	6739	13.1	164	2	2	9	17	29	41	94
TOTAL 0-19 YRS	150	9.2	160	1	1	5	11	19	29	71
20-34	504	9.4	111	1	2	6	12	23	33	64
35-49	1801	9.2	103	2	2	6	11	20	30	69
50-64	6577	10.1	111	2	2	7	12	21	31	72
65+	26448	11.0	106	2	3	8	14	22	32	67
GRAND TOTAL	**35480**	**10.7**	**108**	**2**	**3**	**8**	**13**	**22**	**31**	**68**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	35	4.0	18	1	1	2	4	10	12	21
50-64	99	4.1	13	1	1	3	6	9	12	17
65+	315	6.4	33	1	2	5	8	13	16	30
B. *Operated*										
0-19 YRS	6	4.2	13	2	2	3	5	10	11	11
20-34	13	7.0	21	2	2	6	10	14	16	16
35-49	220	8.5	59	1	2	8	12	16	19	30
50-64	942	8.5	59	1	2	8	12	17	21	35
65+	921	9.6	82	1	2	8	13	20	27	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	15.5	114	3	4	15	23	32	37	37
20-34	12	5.1	15	1	1	4	7	10	13	14
35-49	141	6.3	18	2	2	5	8	12	15	21
50-64	953	8.2	65	2	2	6	10	16	22	48
65+	6063	10.0	76	2	3	8	12	20	26	51
B. *Operated*										
0-19 YRS	17	14.5	290	2	3	7	19	33	58	70
20-34	58	10.9	186	2	2	9	12	20	28	92
35-49	653	12.3	135	2	2	10	15	23	32	61
50-64	3690	13.9	169	2	2	11	17	29	40	74
65+	6202	18.4	241	2	3	15	24	40	52	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	452	5.7	29	1	1	4	7	11	15	27
B. *Operated*	2102	9.0	69	1	2	8	13	18	24	38
2. MULTIPLE DX										
A. *Not Operated*	7188	9.7	74	2	3	7	12	19	26	50
B. *Operated*	10620	16.4	215	2	2	13	21	35	48	85
1. SINGLE DX	2554	8.4	64	1	2	7	12	17	22	36
2. MULTIPLE DX	17808	13.7	169	2	3	10	17	30	41	77
A. NOT OPERATED	7640	9.4	72	2	3	7	12	19	25	48
B. OPERATED	12722	15.2	199	2	2	12	20	33	45	81
TOTAL 0-19 YRS	43	13.2	179	2	2	9	19	29	36	70
20-34	85	9.3	138	2	2	7	11	18	26	74
35-49	1049	10.4	106	2	2	9	13	20	26	57
50-64	5684	11.9	139	2	2	9	15	25	34	68
65+	13501	13.7	170	2	3	10	18	30	41	77
GRAND TOTAL	**20362**	**13.0**	**159**	**2**	**2**	**10**	**16**	**28**	**39**	**73**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	9	3.8	9	<1	1	2	5	9	10	10
35-49	9	3.3	4	1	1	4	5	6	6	6
50-64	66	4.2	17	<1	1	3	5	11	13	19
65+	220	5.0	31	<1	1	3	6	12	17	33
B. *Operated*										
0-19 YRS	4	9.0	76	2	2	7	16	20	20	20
20-34	17	6.2	28	<1	1	3	10	14	17	18
35-49	53	12.2	129	2	3	11	15	18	24	69
50-64	737	11.7	39	2	3	11	14	18	21	35
65+	1404	13.0	52	2	3	12	16	21	26	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	7	2	2	3	6	8	8	8
20-34	5	3.0	4	1	1	3	4	6	6	6
35-49	18	9.0	117	1	2	6	11	14	35	49
50-64	254	7.0	37	1	2	5	9	14	19	33
65+	1404	8.2	61	2	2	6	10	17	22	38
B. *Operated*										
0-19 YRS	8	26.6	226	10	11	23	36	50	53	53
20-34	24	20.0	403	2	2	15	24	44	77	78
35-49	111	14.5	120	2	3	12	19	29	34	55
50-64	1839	15.4	113	2	5	13	18	26	35	64
65+	4355	18.0	151	3	6	15	22	33	43	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	305	4.7	26	<1	1	3	6	11	16	29
B. *Operated*	2215	12.5	50	2	3	12	15	20	24	38
2. MULTIPLE DX										
A. *Not Operated*	1685	8.0	58	1	2	6	10	16	22	37
B. *Operated*	6337	17.2	142	3	6	14	21	32	41	72
1. SINGLE DX	2520	11.5	54	2	2	11	15	19	24	37
2. MULTIPLE DX	8022	15.3	138	2	3	13	19	29	38	68
A. NOT OPERATED	1990	7.5	55	1	2	5	9	15	21	36
B. OPERATED	8552	16.0	122	2	5	14	19	29	37	67
TOTAL 0-19 YRS	17	15.6	233	1	2	12	22	41	50	53
20-34	55	11.6	239	1	2	7	15	25	38	78
35-49	191	12.8	123	2	2	11	17	25	34	55
50-64	2896	13.5	94	2	3	12	16	23	30	54
65+	7383	14.8	129	2	3	13	19	28	36	65
GRAND TOTAL	**10542**	**14.4**	**121**	**2**	**3**	**12**	**18**	**27**	**35**	**62**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	5.3	11	2	2	5	8	9	9	9
35-49	12	6.8	78	1	1	3	8	19	30	32
50-64	23	5.3	22	<1	1	4	7	12	17	20
65+	21	5.9	32	<1	1	5	7	12	21	24
B. *Operated*										
0-19 YRS	39	7.5	55	1	2	5	9	20	23	31
20-34	90	8.0	85	1	1	5	9	19	25	45
35-49	132	11.4	85	2	2	10	17	22	27	42
50-64	337	11.3	108	2	2	9	14	21	30	79
65+	317	10.7	56	2	2	10	14	20	24	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34	2	8.5	13	6	6	8	11	11	11	11
35-49	12	8.8	71	<1	1	6	12	20	29	31
50-64	33	6.9	54	1	2	4	9	14	20	38
65+	100	9.4	101	1	2	6	13	19	26	58
B. *Operated*										
0-19 YRS	16	11.9	186	1	2	7	16	25	46	55
20-34	68	17.2	372	2	2	9	23	43	62	86
35-49	163	16.7	260	2	3	12	22	39	59	99+
50-64	516	15.0	175	2	3	12	19	31	45	99+
65+	709	17.0	196	2	4	13	21	36	47	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	5.8	34	1	1	4	7	12	19	31
B. *Operated*	915	10.6	83	1	2	9	14	21	27	50
2. MULTIPLE DX										
A. *Not Operated*	148	9.0	91	1	2	6	12	19	27	48
B. *Operated*	1472	16.2	204	2	3	13	21	35	48	98
1. SINGLE DX	976	10.3	81	1	2	9	14	21	26	49
2. MULTIPLE DX	1620	15.5	198	2	3	12	20	33	47	96
A. NOT OPERATED	209	8.0	76	1	2	5	10	17	24	42
B. OPERATED	2387	14.1	165	2	2	11	18	29	41	57
TOTAL 0-19 YRS	57	9.1	102	1	2	6	12	22	29	53
20-34	164	11.8	221	1	2	6	15	27	44	78
35-49	319	13.8	182	2	2	10	19	32	41	98
50-64	909	13.1	148	2	3	10	16	27	39	94
65+	1147	14.4	157	2	2	11	19	29	41	68
GRAND TOTAL	**2596**	**13.6**	**161**	**2**	**2**	**10**	**18**	**28**	**40**	**84**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22468	3.0	5	1	1	3	4	5	6	10
20-34	2559	3.5	7	1	1	3	4	6	7	11
35-49	926	4.0	6	1	2	3	5	7	9	13
50-64	640	4.1	6	1	2	4	5	7	8	11
65+	546	4.9	12	1	2	4	6	8	12	17
B. *Operated*										
0-19 YRS	4371	2.2	4	1	1	2	2	3	4	11
20-34	1813	2.5	5	1	1	2	3	4	5	11
35-49	300	3.2	8	1	1	2	3	6	9	14
50-64	178	3.7	10	1	1	3	5	8	9	17
65+	87	3.9	18	1	1	2	4	8	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29010	3.8	8	1	[illegible]	3	5	7	8	13
20-34	5298	4.4	9	1	[illegible]	4	5	7	9	15
35-49	2927	5.4	15	2	2	4	7	10	12	20
50-64	3326	6.3	21	2	2	5	8	11	14	23
65+	4628	7.4	29	2	3	6	9	13	17	28
B. *Operated*										
0-19 YRS	2743	3.1	12	1	1	2	3	6	9	18
20-34	835	4.5	16	1	2	3	5	10	13	19
35-49	419	6.7	37	1	2	4	9	14	17	31
50-64	495	7.8	42	1	2	6	11	16	20	34
65+	356	10.9	88	2	2	9	14	23	30	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27139	3.1	6	1	1	3	4	5	7	11
B. *Operated*	6749	2.4	5	1	1	2	2	4	5	12
2. MULTIPLE DX										
A. *Not Operated*	45189	4.5	13	1	2	4	5	8	10	18
B. *Operated*	4848	4.7	29	1	1	2	6	11	15	28
1. SINGLE DX	33888	3.0	5	1	1	2	4	5	6	11
2. MULTIPLE DX	50037	4.5	15	1	2	4	5	8	11	19
A. NOT OPERATED	72328	4.0	11	1	1	3	5	7	9	16
B. OPERATED	11597	3.4	16	1	1	2	3	7	11	22
TOTAL 0-19 YRS	58592	3.3	7	1	1	3	4	6	7	12
20-34	10505	3.9	9	1	2	3	5	7	9	15
35-49	4572	5.1	16	1	2	4	6	9	12	20
50-64	4639	6.0	22	2	2	5	8	11	14	23
65+	5617	7.3	33	2	3	6	9	14	17	30
GRAND TOTAL	**83925**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20596	4.0	7	1	2	4	5	7	8	12
20-34	1688	4.5	12	2	2	4	5	7	9	15
35-49	1327	5.1	18	2	2	4	6	8	11	19
50-64	1428	5.5	11	2	2	5	7	9	11	17
65+	1420	6.1	16	2	3	5	8	10	13	21
B. *Operated*										
0-19 YRS	75	7.0	25	2	2	6	9	12	16	31
20-34	69	5.2	12	1	2	4	7	10	13	16
35-49	82	6.5	26	1	2	5	9	13	16	24
50-64	108	5.9	16	1	2	5	7	12	15	18
65+	66	6.6	17	2	2	6	9	13	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16937	4.9	10	2	2	4	6	8	10	16
20-34	3196	5.4	12	2	2	5	7	9	11	18
35-49	4304	6.5	18	2	3	5	8	11	14	23
50-64	9372	7.4	27	2	3	6	9	13	17	26
65+	15799	8.5	34	3	3	7	10	15	19	29
B. *Operated*										
0-19 YRS	228	8.5	44	2	3	7	11	15	18	40
20-34	316	8.8	34	2	3	7	12	17	21	32
35-49	502	9.2	43	2	3	8	12	18	21	31
50-64	915	11.1	64	2	3	9	14	22	26	42
65+	1002	13.7	108	3	4	11	17	26	32	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26459	4.3	9	1	2	4	5	7	9	14
B. *Operated*	400	6.2	20	1	2	5	8	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	49608	6.7	24	2	3	5	8	12	15	25
B. *Operated*	2963	11.2	75	2	3	9	14	22	27	47
1. SINGLE DX	26859	4 3	9	1	2	4	5	7	9	14
2. MULTIPLE DX	52571	6.9	28	2	3	6	8	13	16	27
A. NOT OPERATED	76067	5.9	20	2	2	5	7	11	14	23
B. OPERATED	3363	10.6	71	2	3	9	14	21	26	44
TOTAL 0-19 YRS	37836	4.4	9	1	2	4	5	8	9	14
20-34	5269	5.3	14	2	2	4	6	9	12	19
35-49	6215	6.4	21	2	3	5	8	11	15	24
50-64	11823	7.5	29	2	3	6	9	13	17	27
65+	18287	8.6	38	3	3	7	10	15	19	32
GRAND TOTAL	**79430**	**6.1**	**23**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	8.0	23	1	2	7	11	15	17	17
20-34	51	7.8	20	2	3	7	10	15	16	19
35-49	66	6.1	17	1	2	5	9	12	14	18
50-64	159	5.8	27	1	1	4	9	12	14	24
65+	170	7.8	64	1	1	6	11	15	17	49
B. *Operated*										
0-19 YRS	24	8.9	104	<1	1	7	11	19	31	47
20-34	129	7.1	36	1	2	6	10	15	19	28
35-49	619	9.0	39	1	2	9	12	17	21	27
50-64	2163	9.9	54	1	2	10	13	17	20	34
65+	1779	10.7	65	2	2	10	14	19	25	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	7.4	50	1	1	5	13	18	18	18
20-34	45	9.4	26	1	2	9	12	17	18	24
35-49	110	10.2	64	1	2	9	13	20	25	41
50-64	412	8.6	72	1	2	7	11	16	21	42
65+	764	10.3	72	2	3	8	13	21	27	44
B. *Operated*										
0-19 YRS	27	13.2	146	2	3	9	14	29	43	57
20-34	140	11.8	127	2	2	9	15	22	35	61
35-49	1057	12.7	99	2	3	11	16	24	32	69
50-64	4534	14.0	123	2	3	12	17	27	36	73
65+	5977	16.7	185	2	4	13	21	33	44	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	457	6.9	39	1	1	5	10	13	16	29
B. *Operated*	4714	10.0	56	2	2	9	13	18	22	37
2. MULTIPLE DX										
A. *Not Operated*	1336	9.7	70	1	2	8	12	19	25	41
B. *Operated*	11735	15.2	155	2	3	12	19	30	40	79
1. SINGLE DX	5171	9.7	56	2	2	9	13	18	22	37
2. MULTIPLE DX	13071	14.7	149	2	3	12	18	29	39	77
A. NOT OPERATED	1793	9.0	64	1	2	7	12	17	23	39
B. OPERATED	16449	13.7	132	2	2	11	17	26	36	70
TOTAL 0-19 YRS	67	10.4	106	1	2	9	13	19	33	55
20-34	365	9.3	71	1	2	8	12	19	22	44
35-49	1852	11.1	78	2	2	10	14	22	27	53
50-64	7268	12.3	103	2	2	11	15	23	31	61
65+	8690	14.7	156	2	3	12	18	29	39	75
GRAND TOTAL	**18242**	**13.3**	**127**	**2**	**2**	**11**	**17**	**26**	**35**	**69**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	246	6.4	25	1	2	5	8	14	16	22
20-34	143	5.0	22	1	1	4	6	10	13	27
35-49	215	5.8	27	1	1	5	7	12	15	28
50-64	324	5.2	30	1	1	4	7	11	14	31
65+	396	6.2	37	1	1	5	8	14	17	27
B. *Operated*										
0-19 YRS	105	5.8	26	<1	1	4	8	12	17	23
20-34	256	7.9	85	1	1	5	9	19	24	45
35-49	587	7.2	38	1	2	5	10	15	19	28
50-64	1519	8.6	64	1	2	7	12	18	23	40
65+	1413	10.1	87	1	2	8	14	21	28	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144	6.7	50	2	2	5	8	13	16	39
20-34	255	7.2	84	1	2	5	8	14	19	42
35-49	498	7.5	61	1	2	5	9	15	19	36
50-64	1198	8.0	56	1	2	6	10	16	22	37
65+	2684	10.3	96	2	3	8	13	20	28	56
B. *Operated*										
0-19 YRS	87	12.3	193	1	2	8	16	29	41	68
20-34	347	11.8	155	2	2	8	15	27	43	63
35-49	980	12.0	145	2	2	9	15	24	36	71
50-64	3502	13.8	172	2	2	11	18	30	42	81
65+	5256	17.1	225	2	3	13	23	37	49	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1324	5.8	30	1	1	4	7	12	16	27
B. *Operated*	3880	8.8	70	1	2	7	12	19	24	40
2. MULTIPLE DX										
A. *Not Operated*	4779	9.2	82	2	2	7	11	18	24	50
B. *Operated*	10172	15.3	200	2	2	11	20	33	45	86
1. SINGLE DX	5204	8.1	62	1	2	6	11	17	22	38
2. MULTIPLE DX	14951	13.3	171	2	2	10	17	29	41	78
A. NOT OPERATED	6103	8.4	73	1	2	6	11	17	23	46
B. OPERATED	14052	13.5	173	2	2	10	18	29	41	77
TOTAL 0-19 YRS	582	7.2	60	1	2	5	9	15	20	39
20-34	1001	8.7	106	1	2	5	10	19	27	54
35-49	2280	9.2	94	2	2	6	12	19	26	51
50-64	6543	11.1	128	2	2	8	14	23	33	65
65+	9749	13.8	175	2	2	10	18	30	41	78
GRAND TOTAL	**20155**	**12.0**	**148**	**2**	**2**	**9**	**15**	**26**	**36**	**70**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	383	7.2	13	2	3	7	9	12	14	19
20-34	2838	8.0	20	2	3	7	10	13	16	24
35-49	3305	8.7	24	3	4	8	11	14	18	24
50-64	3520	9.0	24	3	4	8	11	15	18	25
65+	2728	9.4	25	3	4	9	12	15	18	27
B. *Operated*										
0-19 YRS	132	8.8	27	2	3	8	11	15	20	26
20-34	989	8.3	28	2	3	8	11	15	18	26
35-49	1060	9.1	37	2	3	8	12	16	19	32
50-64	1032	9.7	35	2	3	9	13	17	20	33
65+	640	10.7	37	3	4	10	14	19	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	258	9.0	36	3	4	7	11	17	21	36
20-34	2520	9.5	35	3	4	8	12	16	19	32
35-49	4317	10.2	37	3	4	9	13	17	21	32
50-64	7362	10.7	39	4	5	9	13	18	21	33
65+	9293	11.6	46	4	5	10	14	19	24	36
B. *Operated*										
0-19 YRS	83	12.4	91	2	3	10	16	25	31	47
20-34	1053	11.7	72	2	4	10	14	21	26	46
35-49	1666	12.3	75	3	4	10	15	23	30	43
50-64	2549	13.2	87	3	5	11	16	23	30	51
65+	2760	14.8	102	4	6	12	18	27	35	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12774	8.7	23	3	4	8	11	14	17	25
B. *Operated*	3853	9.3	34	2	3	8	12	16	20	30
2. MULTIPLE DX										
A. *Not Operated*	23750	10.8	41	4	5	10	13	18	22	35
B. *Operated*	8111	13.4	89	3	5	11	16	24	31	50
1. SINGLE DX	16627	8.9	26	3	4	8	11	15	18	26
2. MULTIPLE DX	31861	11.5	55	4	5	10	14	20	25	41
A. NOT OPERATED	36524	10.1	36	3	4	9	12	17	21	32
B. OPERATED	11964	12.1	75	3	4	10	15	22	28	47
TOTAL 0-19 YRS	856	8.5	32	2	3	7	10	15	19	35
20-34	7400	9.1	35	2	3	8	11	16	19	30
35-49	10348	9.9	40	3	4	9	12	17	21	34
50-64	14463	10.6	45	3	4	9	13	18	22	36
65+	15421	11.7	55	4	5	10	14	20	25	41
GRAND TOTAL	**48488**	**10.6**	**46**	**3**	**4**	**9**	**13**	**18**	**22**	**36**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.4	6	1	1	3	5	7	8	8
20-34	99	6.8	74	<1	1	4	7	14	27	47
35-49	183	7.2	28	<1	1	6	10	14	18	25
50-64	308	10.5	87	1	3	8	13	22	28	51
65+	483	12.9	106	2	3	10	16	25	34	58
B. *Operated*										
0-19 YRS	194	3.9	5	2	2	4	5	6	8	12
20-34	3580	4.5	11	2	2	4	5	7	8	16
35-49	5246	5.1	13	2	3	4	6	8	10	21
50-64	4337	6.2	32	2	3	5	7	10	16	34
65+	1354	11.4	134	3	3	6	14	29	36	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	8.4	52	1	1	7	11	20	25	27
20-34	142	6.8	58	<1	<1	4	9	17	23	38
35-49	378	8.8	69	1	1	7	11	17	25	43
50-64	872	11.6	104	2	3	9	14	22	30	62
65+	2356	14.6	120	3	4	12	19	28	36	59
B. *Operated*										
0-19 YRS	30	5.8	20	2	2	4	7	12	13	22
20-34	959	5.9	21	2	2	5	7	10	15	26
35-49	2051	7.6	56	2	3	5	8	14	20	37
50-64	2709	9.7	88	3	3	6	11	20	28	51
65+	1938	19.0	261	3	4	14	26	40	54	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1080	10.6	90	1	2	8	14	22	29	48
B. *Operated*	14711	5.8	33	2	3	4	6	9	15	34
2. MULTIPLE DX										
A. *Not Operated*	3763	13.0	114	2	3	10	16	26	34	57
B. *Operated*	7687	11.0	138	3	3	6	13	25	35	62
1. SINGLE DX	15791	6.2	38	2	3	4	6	11	17	35
2. MULTIPLE DX	11450	11.7	131	2	3	8	14	26	35	61
A. NOT OPERATED	4843	12.5	109	2	3	10	16	25	32	56
B. OPERATED	22398	7.6	75	2	3	5	8	15	24	47
TOTAL 0-19 YRS	246	4.4	10	2	2	4	5	7	10	20
20-34	4780	4.9	17	2	2	4	5	8	10	21
35-49	7858	6.0	29	2	3	5	6	10	15	28
50-64	8226	8.1	64	2	3	5	9	16	24	44
65+	6131	15.2	175	3	4	11	20	32	42	68
GRAND TOTAL	**27241**	**8.5**	**84**	**2**	**3**	**5**	**9**	**18**	**27**	**49**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	2.8	2	1	1	2	4	5	5	7
20-34	490	3.2	5	1	1	3	4	6	7	12
35-49	603	3.3	7	1	1	3	4	6	8	12
50-64	414	3.3	5	1	1	3	4	6	8	11
65+	279	4.3	9	1	1	3	6	8	10	15
B. *Operated*										
0-19 YRS	166	4.6	5	1	2	5	6	7	8	11
20-34	2741	5.2	9	2	3	5	6	8	9	13
35-49	3340	5.5	9	3	3	5	6	8	10	15
50-64	2224	5.6	10	3	3	5	7	9	10	15
65+	723	5.9	10	2	3	5	7	10	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	3.8	6	1	1	3	5	7	8	12
20-34	793	4.3	9	1	1	4	5	8	9	15
35-49	1336	4.6	11	1	2	4	6	8	10	17
50-64	1558	5.0	20	1	2	4	6	9	12	18
65+	1615	5.9	23	1	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	415	5.1	6	2	3	5	6	8	9	15
20-34	9501	5.7	9	3	3	5	7	8	10	15
35-49	13589	6.1	10	3	3	5	7	9	11	17
50-64	10561	6.7	15	3	3	6	8	11	14	21
65+	4383	8.1	31	3	4	7	10	14	18	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1863	3.4	6	1	1	3	4	6	8	12
B. *Operated*	9194	5.5	9	2	3	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	5388	5.0	17	1	2	4	6	9	12	20
B. *Operated*	38449	6.4	14	3	3	6	7	10	13	20
1. SINGLE DX	11057	5.1	9	2	2	5	6	8	10	14
2. MULTIPLE DX	43837	6.2	15	2	3	5	7	10	13	20
A. NOT OPERATED	7251	4.6	15	1	1	4	6	9	11	19
B. OPERATED	47643	6.2	13	3	3	5	7	10	12	20
TOTAL 0-19 YRS	744	4.6	6	1	2	4	6	7	8	13
20-34	13525	5.4	9	2	3	5	6	8	10	15
35-49	18868	5.8	10	2	3	5	7	9	11	17
50-64	14757	6.3	15	2	3	5	7	10	13	20
65+	7000	7.2	28	2	3	6	9	13	17	27
GRAND TOTAL	**54894**	**6.0**	**14**	**2**	**3**	**5**	**7**	**10**	**12**	**20**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	194	4.6	10	1	1	4	6	9	11	15
20-34	456	6.4	19	1	2	5	8	12	15	21
35-49	510	7.2	30	1	2	6	10	14	16	26
50-64	647	7.1	46	1	2	6	9	13	17	34
65+	767	7.4	27	1	2	6	10	14	17	26
B. *Operated*										
0-19 YRS	550	3.5	8	1	2	3	4	5	8	16
20-34	2014	3.7	17	1	1	3	4	7	11	20
35-49	832	6.0	52	1	2	3	8	13	18	35
50-64	624	8.2	51	1	2	7	11	16	20	34
65+	512	10.2	68	1	2	8	14	21	25	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	273	4.5	11	1	1	4	5	9	12	16
20-34	854	7.1	42	1	2	6	9	14	17	27
35-49	1446	8.0	46	2	2	6	10	15	20	32
50-64	3025	8.4	48	2	2	7	11	16	21	33
65+	5682	9.3	57	2	3	7	12	18	23	40
B. *Operated*										
0-19 YRS	269	6.5	73	1	2	4	7	14	20	44
20-34	1966	4.9	40	1	1	3	5	10	16	40
35-49	1345	9.3	102	1	1	6	12	21	28	57
50-64	1867	13.4	150	2	2	10	17	29	39	69
65+	2322	15.8	175	2	4	12	20	32	43	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2574	6.9	30	1	2	6	9	13	16	27
B. *Operated*	4532	5.5	38	1	2	3	7	12	17	29
2. MULTIPLE DX										
A. *Not Operated*	11280	8.6	52	2	2	7	11	16	21	36
B. *Operated*	7769	11.0	137	1	2	8	15	24	35	65
1. SINGLE DX	7106	6.0	36	1	2	4	8	13	16	28
2. MULTIPLE DX	19049	9.6	88	1	2	7	12	20	26	51
A. NOT OPERATED	13854	8.3	48	2	2	7	11	16	20	35
B. OPERATED	12301	9.0	108	1	2	5	12	20	29	57
TOTAL 0-19 YRS	1286	4.5	24	1	2	3	5	9	12	21
20-34	5290	4.9	31	1	1	3	6	11	14	26
35-49	4133	7.9	65	1	2	6	10	16	22	40
50-64	6163	9.8	85	2	2	7	12	19	26	50
65+	9283	10.8	93	2	3	8	14	21	28	55
GRAND TOTAL	**26155**	**8.6**	**77**	**1**	**2**	**6**	**11**	**18**	**24**	**47**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	2.2	3	<1	<1	2	3	4	4	12
20-34	76	2.2	1	<1	<1	2	3	4	4	6
35-49	48	2.3	3	<1	<1	2	3	4	4	11
50-64	22	2.1	1	<1	1	2	3	3	4	4
65+	4	2.3	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	3657	2.7	6	1	1	2	3	4	5	6
20-34	7714	2.6	5	1	1	2	3	4	4	6
35-49	3293	2.6	3	1	1	2	3	4	5	6
50-64	1712	2.7	3	1	1	2	3	4	5	8
65+	359	2.7	1	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	1.7	2	<1	<1	1	2	4	4	6
20-34	202	2.3	2	<1	1	2	3	4	5	9
35-49	129	3.2	67	<1	<1	2	3	4	7	30
50-64	77	3.1	6	<1	1	3	4	6	8	13
65+	30	4.4	11	<1	<1	4	6	8	12	15
B. *Operated*										
0-19 YRS	4243	2.9	5	1	2	3	3	4	5	8
20-34	10398	2.9	3	1	2	3	3	4	5	9
35-49	5558	3.1	7	1	2	3	4	4	5	10
50-64	3263	3.3	10	1	2	3	4	5	6	12
65+	746	3.4	6	1	2	3	4	5	7	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	2.2	2	<1	<1	2	3	4	4	8
B. *Operated*	16735	2.6	5	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	514	2.7	20	<1	<1	2	3	5	7	12
B. *Operated*	24208	3.0	5	1	2	3	3	4	5	10
1. SINGLE DX	16943	2.6	5	1	1	2	3	4	5	6
2. MULTIPLE DX	24722	3.0	6	1	2	3	3	4	5	10
A. NOT OPERATED	722	2.6	15	<1	<1	2	3	4	6	12
B. OPERATED	40943	2.8	5	1	1	3	3	4	5	9
TOTAL 0-19 YRS	8034	2.8	5	1	1	3	3	4	5	7
20-34	18390	2.8	4	1	1	3	3	4	5	8
35-49	9028	2.9	6	1	1	3	3	4	5	9
50-64	5074	3.1	8	1	2	3	3	5	6	11
65+	1139	3.2	5	1	2	3	4	5	7	14
GRAND TOTAL	**41665**	**2.8**	**5**	**1**	**1**	**3**	**3**	**4**	**5**	**9**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.3	9	2	2	4	6	9	10	10
20-34	8	3.1	3	1	1	3	4	5	6	6
35-49	7	2.3	2	1	1	2	3	5	5	5
50-64	14	2.5	2	1	1	2	3	4	6	6
65+	9	1.8		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	201	2.1	2	<1	1	2	2	3	4	8
20-34	386	2.4	3	<1	1	2	3	4	5	7
35-49	509	2.4	3	<1	1	2	3	4	5	7
50-64	696	2.4	4	1	1	2	3	4	5	10
65+	421	2.4	4	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.6	8	<1	<1	1	3	5	10	12
20-34	30	2.7	4	<1	<1	2	4	6	7	7
35-49	36	3.9	10	<1	1	3	6	8	11	13
50-64	48	3.7	9	<1	1	3	5	9	11	13
65+	33	4.2	14	1	1	3	5	9	14	15
B. *Operated*										
0-19 YRS	357	2.9	13	1	1	2	3	5	6	12
20-34	775	3.0	4	1	1	3	4	5	6	12
35-49	1026	3.0	8	1	1	3	4	5	6	10
50-64	1323	3.1	5	1	1	3	4	5	6	12
65+	757	3.5	8	1	2	3	4	6	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	2.7	3	1	1	2	3	5	6	10
B. *Operated*	2213	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	164	3.5	9	<1	1	3	5	8	11	14
B. *Operated*	4238	3.1	7	1	1	3	4	5	6	12
1. SINGLE DX	2258	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	4402	3.2	7	1	1	3	4	5	7	13
A. NOT OPERATED	209	3.4	8	<1	1	2	4	7	10	14
B. OPERATED	6451	2.9	6	1	1	2	3	5	6	12
TOTAL 0-19 YRS	582	2.7	9	1	1	2	3	4	5	12
20-34	1199	2.8	4	1	1	2	3	5	6	11
35-49	1578	2.8	6	1	1	2	3	4	5	10
50-64	2081	2.9	5	1	1	2	3	5	6	12
65+	1220	3.1	7	1	1	2	4	5	7	15
GRAND TOTAL	**6660**	**2.9**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1470	2.0	10	<1	<1	2	2	3	4	11
20-34	327	2.2	2	<1	1	2	3	3	4	8
35-49	46	2.3	2	<1	<1	2	3	4	5	8
50-64	11	3.5	10	<1	<1	2	5	8	12	12
65+	7	3.3	6	<1	<1	2	4	7	8	8
B. *Operated*										
0-19 YRS	96380	1.9	3	1	1	2	2	2	3	4
20-34	23414	2.2	3	1	1	2	2	3	4	6
35-49	2011	2.4	6	1	1	2	3	3	4	7
50-64	421	2.4	3	1	1	2	3	4	5	12
65+	255	2.3	4	1	1	2	2	3	6	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2347	1.8	4	<1	<1	1	2	3	5	11
20-34	269	2.3	4	<1	<1	1	3	5	6	8
35-49	37	3.6	14	1	1	3	4	6	11	21
50-64	20	5.3	13	1	1	5	7	11	12	13
65+	22	6.4	13	2	3	5	9	10	14	18
B. *Operated*										
0-19 YRS	53778	1.8	4	<1	1	2	2	2	3	5
20-34	3902	2.6	3	1	1	2	3	4	5	10
35-49	586	3.2	11	1	2	2	3	5	8	17
50-64	239	3.8	32	1	1	2	4	7	10	43
65+	153	3.4	28	<1	1	2	3	8	11	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1861	2.1	8	<1	<1	2	2	3	4	11
B. *Operated*	122481	2.0	3	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	2695	1.9	5	<1	<1	1	2	4	5	11
B. *Operated*	58658	1.9	4	<1	1	2	2	2	3	7
1. SINGLE DX	124342	2.0	3	1	1	2	2	3	3	5
2. MULTIPLE DX	61353	1.9	4	<1	1	2	2	2	3	7
A. NOT OPERATED	4556	2.0	6	<1	<1	1	2	3	5	11
B. OPERATED	181139	1.9	3	1	1	2	2	3	3	6
TOTAL 0-19 YRS	153975	1.9	3	<1	1	2	2	2	3	5
20-34	27912	2.3	3	1	1	2	2	3	4	7
35-49	2680	2.6	7	1	1	2	3	4	5	11
50-64	691	3.0	14	1	1	2	3	5	8	17
65+	437	2.9	14	1	1	2	3	6	10	23
GRAND TOTAL	**185695**	**1.9**	**3**	**1**	**1**	**2**	**2**	**3**	**3**	**6**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2229	3.2	9	1	1	3	4	5	7	11
20-34	1486	3.4	5	1	1	3	4	5	7	12
35-49	755	3.3	8	1	1	3	4	6	8	15
50-64	580	3.2	7	1	1	2	4	6	8	13
65+	287	3.5	13	1	1	2	4	7	9	19
B. *Operated*										
0-19 YRS	2624	2.7	8	<1	1	2	3	4	6	11
20-34	4686	2.6	4	1	1	2	3	4	6	10
35-49	4157	2.6	5	1	1	2	3	4	6	12
50-64	4226	2.5	4	1	1	2	3	4	5	11
65+	1800	2.8	7	1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1990	4.1	10	1	1	3	5	7	9	15
20-34	1403	4.6	11	1	2	4	6	8	10	16
35-49	1241	5.1	15	1	2	4	6	9	12	22
50-64	1130	5.5	20	1	2	4	7	10	15	22
65+	992	6.4	30	1	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	2183	3.1	12	1	1	2	3	5	8	15
20-34	3984	3.5	10	1	1	3	4	6	8	16
35-49	3492	3.8	17	1	1	3	4	7	11	21
50-64	3837	4.4	33	1	2	3	4	8	13	27
65+	2064	5.9	65	1	2	3	6	14	20	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5337	3.3	8	1	1	3	4	6	7	13
B. *Operated*	17493	2.6	5	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	6756	5.0	17	1	2	4	6	9	12	20
B. *Operated*	15560	4.1	25	1	1	3	4	8	11	26
1. SINGLE DX	22830	2.8	6	1	1	2	3	5	6	12
2. MULTIPLE DX	22316	4.3	23	1	1	3	5	8	12	23
A. NOT OPERATED	12093	4.2	13	1	1	3	5	8	10	18
B. OPERATED	33053	3.3	15	1	1	2	3	6	8	20
TOTAL 0-19 YRS	9026	3.2	10	1	1	2	4	6	7	13
20-34	11559	3.3	7	1	1	3	4	6	7	13
35-49	9645	3.4	12	1	1	2	4	6	9	17
50-64	9773	3.6	19	1	1	2	4	7	10	21
65+	5143	4.8	38	1	2	3	5	10	15	31
GRAND TOTAL	**45146**	**3.5**	**15**	**1**	**1**	**2**	**4**	**6**	**9**	**19**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42117	5.0	10	2	2	4	6	8	10	15
20-34	8437	5.6	10	2	3	5	7	9	11	16
35-49	5813	6.4	16	2	3	6	8	11	13	19
50-64	5855	7.2	19	3	3	6	9	12	15	23
65+	7348	8.3	28	3	3	7	10	14	17	27
B. *Operated*										
0-19 YRS	268	7.8	46	1	2	6	10	17	20	30
20-34	239	9.0	41	2	3	7	13	17	21	32
35-49	443	10.0	50	2	2	9	13	19	23	38
50-64	718	10.0	52	1	2	9	14	18	23	34
65+	546	11.7	75	2	2	10	16	22	26	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32816	5.7	16	2	2	5	7	10	12	20
20-34	7536	6.9	25	2	3	6	8	12	15	26
35-49	8627	8.1	30	3	3	7	10	14	17	28
50-64	17739	9.2	37	3	4	8	11	16	20	32
65+	46160	11.5	65	4	5	10	14	20	26	43
B. *Operated*										
0-19 YRS	873	12.4	88	3	4	10	16	23	31	47
20-34	841	13.8	107	3	4	11	18	26	35	66
35-49	1424	16.0	163	4	5	13	19	30	42	80
50-64	3165	16.1	139	4	5	13	20	31	40	70
65+	5501	19.7	195	5	7	16	24	38	50	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69570	5.7	14	2	2	5	7	10	12	19
B. *Operated*	2214	10.0	56	2	2	9	14	19	23	37
2. MULTIPLE DX										
A. *Not Operated*	112878	8.9	47	2	3	7	11	16	21	35
B. *Operated*	11804	17.3	168	4	6	14	22	33	44	78
1. SINGLE DX	71784	5.8	16	2	2	5	7	10	13	20
2. MULTIPLE DX	124682	9.7	65	2	3	8	12	18	24	43
A. NOT OPERATED	182448	7.7	37	2	3	6	9	14	18	31
B. OPERATED	14018	16.2	157	3	5	13	20	31	42	73
TOTAL 0-19 YRS	76074	5.4	14	2	2	5	7	9	11	19
20-34	17053	6.6	25	2	3	5	8	11	15	26
35-49	16307	8.2	44	2	3	7	10	14	19	36
50-64	27477	9.6	52	3	4	8	12	17	22	39
65+	59555	11.9	80	3	4	10	14	22	28	51
GRAND TOTAL	**196466**	**8.3**	**50**	**2**	**3**	**6**	**10**	**16**	**21**	**37**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1455	3.2	7	1	1	3	4	5	7	11
20-34	951	3.3	4	1	1	3	4	6	7	10
35-49	507	4.0	6	1	2	3	5	7	8	12
50-64	476	4.8	16	2	2	4	6	8	10	16
65+	529	4.8	9	1	2	4	6	8	10	15
B. *Operated*										
0-19 YRS	18	3.5	4	1	2	3	5	7	7	7
20-34	15	3.8	7	1	1	3	5	8	9	9
35-49	9	3.9	2	2	2	4	5	6	6	6
50-64	5	5.8	9	2	2	6	8	10	10	10
65+	8	18.6	67	6	7	20	25	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1747	3.7	7	1	1	3	5	6	8	13
20-34	1552	4.2	15	1	2	3	5	7	9	15
35-49	1037	5.3	17	2	2	4	6	9	11	21
50-64	1496	6.1	21	2	2	5	8	11	14	23
65+	2654	7.3	29	2	3	6	9	13	17	28
B. *Operated*										
0-19 YRS	32	9.1	121	1	2	6	9	22	41	46
20-34	54	7.6	49	2	2	6	9	14	17	41
35-49	52	10.5	63	2	4	8	13	19	29	41
50-64	78	10.4	37	3	4	10	12	19	23	32
65+	122	13.9	108	4	5	10	18	28	33	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3918	3.7	8	1	1	3	5	7	8	13
B. *Operated*	55	6.1	41	1	2	4	7	14	23	28
2. MULTIPLE DX										
A. *Not Operated*	8486	5.5	21	1	2	4	7	10	13	24
B. *Operated*	338	11.1	81	2	3	9	14	22	30	44
1. SINGLE DX	3973	3.8	8	1	1	3	5	7	8	14
2. MULTIPLE DX	8824	5.8	24	2	2	4	7	11	14	26
A. NOT OPERATED	12404	5.0	18	1	2	4	6	9	12	22
B. OPERATED	393	10.4	78	2	2	8	13	22	29	44
TOTAL 0-19 YRS	3252	3.5	8	1	1	3	4	6	7	13
20-34	2572	4.0	12	1	2	3	5	7	9	14
35-49	1605	5.0	16	2	2	4	6	9	11	19
50-64	2055	6.0	21	2	2	5	7	11	14	22
65+	3313	7.2	32	2	3	6	9	13	17	29
GRAND TOTAL	**12797**	**5.1**	**20**	**1**	**2**	**4**	**6**	**10**	**13**	**23**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7623	3.9	11	1	2	3	5	7	8	12
20-34	927	4.5	11	1	2	4	6	8	9	13
35-49	1006	5.5	18	2	2	4	7	10	12	21
50-64	1801	6.4	19	2	3	5	8	11	14	22
65+	1804	7.2	29	2	3	6	9	13	15	28
B. *Operated*										
0-19 YRS	114	4.2	22	<1	1	2	5	10	15	23
20-34	191	4.2	13	1	1	3	5	9	11	20
35-49	321	4.7	17	1	1	3	6	10	12	23
50-64	518	4.6	17	1	1	3	6	9	13	22
65+	301	6.5	52	1	1	4	8	15	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6093	4.6	12	1	2	4	6	8	10	16
20-34	1906	5.5	14	2	2	5	7	10	12	21
35-49	2962	6.5	21	2	3	5	8	12	15	24
50-64	7288	7.9	35	2	3	7	10	14	18	31
65+	11743	9.1	44	3	3	7	11	16	21	36
B. *Operated*										
0-19 YRS	161	8.2	72	2	2	6	10	14	22	45
20-34	336	7.3	35	2	2	6	9	14	18	32
35-49	779	8.1	56	1	2	6	10	16	22	34
50-64	1680	9.7	79	2	2	7	12	20	27	52
65+	1685	12.2	113	2	3	10	15	24	31	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13161	4.8	17	1	2	4	6	9	11	18
B. *Operated*	1445	4.9	25	1	1	3	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	29992	7.4	34	2	3	6	9	14	18	30
B. *Operated*	4641	10.1	87	2	2	8	13	21	27	53
1. SINGLE DX	14606	4.8	18	1	2	4	6	9	11	20
2. MULTIPLE DX	34633	7.8	42	2	3	6	10	15	19	34
A. NOT OPERATED	43153	6.6	30	2	2	5	8	12	16	28
B. OPERATED	6086	8.9	77	1	2	7	11	19	25	47
TOTAL 0-19 YRS	13991	4.2	12	1	2	4	5	7	9	14
20-34	3360	5.3	16	2	2	4	6	9	12	22
35-49	5068	6.4	26	2	2	5	8	12	15	26
50-64	11287	7.8	40	2	3	6	9	14	19	33
65+	15533	9.2	51	2	3	7	11	17	22	39
GRAND TOTAL	**49239**	**6.9**	**37**	**2**	**2**	**5**	**8**	**13**	**17**	**31**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	4.9	26	<1	1	3	6	13	18	19
20-34	19	6.2	17	2	2	5	8	14	15	15
35-49	144	5.9	25	1	2	5	7	11	15	26
50-64	693	7.1	31	2	2	6	9	13	17	30
65+	1004	8.3	55	2	2	6	10	15	20	38
B. *Operated*										
0-19 YRS	12	8.8	39	1	2	7	15	16	17	17
20-34	22	15.2	373	5	6	10	15	24	54	98
35-49	47	10.7	84	2	2	10	16	17	22	55
50-64	75	9.5	55	1	2	7	14	20	25	85
65+	33	11.2	97	1	2	9	15	25	32	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	6.0	33	1	1	4	7	13	17	28
20-34	66	6.0	19	1	2	5	8	11	12	26
35-49	634	7.9	36	2	3	6	10	14	20	33
50-64	3692	9.0	51	2	3	7	11	17	22	37
65+	6990	10.3	67	3	3	8	13	19	25	44
B. *Operated*										
0-19 YRS	17	11.4	86	1	2	9	13	20	31	32
20-34	63	13.3	170	2	5	10	14	25	37	83
35-49	172	13.7	109	4	5	11	16	26	40	64
50-64	536	15.5	189	3	5	12	18	29	42	81
65+	799	17.1	197	3	5	13	22	35	46	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1874	7.6	44	2	2	6	9	14	19	34
B. *Operated*	189	10.7	106	2	2	9	15	20	26	81
2. MULTIPLE DX										
A. *Not Operated*	11411	9.7	60	2	3	8	12	18	24	41
B. *Operated*	1587	16.0	184	3	5	12	20	32	44	82
1. SINGLE DX	2063	7.9	50	2	2	6	10	15	19	36
2. MULTIPLE DX	12998	10.5	79	3	3	8	13	20	27	48
A. NOT OPERATED	13285	9.4	58	2	3	7	12	18	23	41
B. OPERATED	1776	15.4	178	3	4	12	19	31	43	82
TOTAL 0-19 YRS	72	7.5	50	1	1	5	11	16	25	31
20-34	170	9.9	133	2	3	7	11	16	25	81
35-49	997	8.7	55	2	3	7	11	17	23	43
50-64	4996	9.5	68	2	3	7	12	18	24	44
65+	8826	10.7	82	2	3	8	13	21	27	49
GRAND TOTAL	**15061**	**10.1**	**76**	**2**	**3**	**8**	**12**	**19**	**26**	**47**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23490	3.8	6	1	2	3	5	6	8	11
20-34	6790	4.5	10	1	2	4	6	8	10	14
35-49	5609	5.4	13	1	2	5	7	10	12	18
50-64	5864	6.3	19	2	2	5	8	11	13	21
65+	3665	6.7	19	2	2	6	9	12	14	21
B. *Operated*										
0-19 YRS	69	5.1	11	2	2	4	6	9	11	19
20-34	91	6.1	15	2	2	5	9	11	13	18
35-49	122	6.5	27	1	2	5	8	12	17	27
50-64	117	8.6	99	1	2	6	11	19	21	51
65+	54	8.8	27	2	3	7	11	16	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13217	4.6	9	2	2	4	6	8	10	15
20-34	5483	5.5	16	2	2	5	7	10	12	21
35-49	7118	6.9	26	2	3	6	9	12	15	24
50-64	12071	7.9	32	2	3	7	10	14	17	29
65+	12531	8.9	38	3	3	7	11	16	20	32
B. *Operated*										
0-19 YRS	202	9.2	79	2	3	7	11	17	26	65
20-34	344	10.4	59	2	3	8	13	19	25	39
35-49	575	11.8	81	3	4	10	14	21	28	40
50-64	830	13.5	115	3	4	11	17	24	32	72
65+	708	16.5	158	4	6	13	20	32	41	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45418	4.7	12	1	2	4	6	8	10	16
B. *Operated*	453	7.0	43	1	2	6	9	13	19	27
2. MULTIPLE DX										
A. *Not Operated*	50420	6.9	28	2	2	6	9	13	16	27
B. *Operated*	2659	13.2	115	3	4	11	16	25	33	66
1. SINGLE DX	45871	4.7	12	1	2	4	6	8	10	16
2. MULTIPLE DX	53079	7.2	34	2	2	6	9	13	17	30
A. NOT OPERATED	95838	5.8	21	2	2	5	7	11	14	23
B. OPERATED	3112	12.3	109	2	3	10	15	24	31	63
TOTAL 0-19 YRS	36978	4.1	8	1	2	4	5	7	8	13
20-34	12708	5.1	15	1	2	4	6	9	11	19
35-49	13424	6.5	25	2	2	5	8	12	15	24
50-64	18882	7.7	34	2	3	6	10	14	17	29
65+	16958	8.7	43	2	3	7	11	16	20	34
GRAND TOTAL	**98950**	**6.0**	**25**	**2**	**2**	**5**	**7**	**11**	**15**	**25**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	4.9	22	1	1	4	6	9	13	27
20-34	149	5.3	13	2	2	4	7	10	13	15
35-49	677	6.3	21	2	2	5	8	12	14	23
50-64	3259	7.8	42	2	3	6	9	14	18	35
65+	4409	8.3	42	2	3	7	10	15	20	32
B. *Operated*										
0-19 YRS	56	5.2	27	1	1	2	8	13	15	23
20-34	77	7.4	35	1	2	6	11	15	18	28
35-49	139	7.2	48	1	1	5	9	15	19	38
50-64	356	8.7	72	2	2	7	11	17	25	48
65+	261	9.6	78	2	2	7	12	20	27	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	225	6.8	34	2	2	5	9	12	16	42
20-34	395	7.1	42	1	2	5	9	13	19	32
35-49	2793	7.9	39	2	3	6	10	14	19	32
50-64	16866	9.2	55	2	3	7	11	17	22	40
65+	30574	10.2	63	3	3	8	13	19	25	42
B. *Operated*										
0-19 YRS	51	7.0	37	1	1	5	11	14	21	26
20-34	143	8.8	50	1	2	6	12	18	25	30
35-49	571	11.9	103	2	3	9	16	25	33	93
50-64	2367	14.6	182	3	4	11	18	31	44	84
65+	3528	16.5	186	3	5	13	21	34	46	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8624	7.8	40	2	3	6	10	14	19	33
B. *Operated*	889	8.4	65	1	2	6	11	17	24	42
2. MULTIPLE DX										
A. *Not Operated*	50853	9.7	60	3	3	8	12	18	23	41
B. *Operated*	6660	15.2	177	3	4	11	19	32	43	84
1. SINGLE DX	9513	7.9	43	2	3	6	10	15	19	33
2. MULTIPLE DX	57513	10.3	76	3	3	8	13	19	26	48
A. NOT OPERATED	59477	9.4	57	2	3	8	12	17	23	40
B. OPERATED	7549	14.4	169	2	3	11	18	30	41	82
TOTAL 0-19 YRS	462	6.1	31	1	2	4	8	12	15	29
20-34	764	7.1	39	1	2	5	9	14	19	30
35-49	4180	8.1	47	2	3	6	10	15	21	37
50-64	22848	9.6	70	2	3	7	11	18	24	48
65+	38772	10.5	76	3	3	8	13	20	27	47
GRAND TOTAL	**67026**	**10.0**	**72**	**2**	**3**	**8**	**12**	**19**	**25**	**47**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	313	3.6	8	1	1	3	5	6	8	13
20-34	940	4.0	8	1	1	3	5	7	9	14
35-49	258	4.8	13	1	1	4	6	8	10	17
50-64	127	5.9	24	1	2	5	8	11	13	57
65+	58	5.8	14	2	2	5	7	9	14	22
B. *Operated*										
0-19 YRS	628	7.0	26	2	3	6	9	13	15	22
20-34	2406	6.7	22	2	3	5	8	12	15	22
35-49	819	7.3	27	3	3	6	9	14	17	27
50-64	340	8.4	38	3	3	7	10	16	21	31
65+	242	9.9	81	3	4	8	12	18	23	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	4.7	9	1	2	4	6	8	10	16
20-34	229	5.4	15	1	2	4	7	10	12	22
35-49	138	6.0	18	1	2	5	7	13	16	21
50-64	243	8.4	44	2	3	7	11	16	20	32
65+	343	11.0	75	3	4	8	13	21	29	47
B. *Operated*										
0-19 YRS	194	10.8	62	3	3	9	14	21	27	38
20-34	757	10.1	55	3	4	8	13	19	22	37
35-49	502	11.0	65	3	4	9	14	20	26	45
50-64	764	13.2	106	3	4	11	16	26	35	59
65+	921	15.1	139	3	4	12	20	31	38	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1696	4.2	11	1	1	4	5	8	10	16
B. *Operated*	4435	7.2	28	2	3	6	9	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	1037	8.0	47	2	2	6	10	15	20	36
B. *Operated*	3138	12.5	98	3	4	10	16	25	32	51
1. SINGLE DX	6131	6.3	25	2	2	5	8	12	15	24
2. MULTIPLE DX	4175	11.4	89	3	3	9	14	23	30	49
A. NOT OPERATED	2733	5.6	28	1	2	4	7	11	15	27
B. OPERATED	7573	9.4	64	3	3	7	12	18	24	41
TOTAL 0-19 YRS	1219	6.5	31	1	2	5	8	13	17	27
20-34	4332	6.6	28	2	2	5	8	12	16	25
35-49	1717	7.9	40	2	3	6	10	15	19	35
50-64	1474	10.6	80	3	3	8	13	21	29	49
65+	1564	13.0	118	3	4	10	17	27	34	53
GRAND TOTAL	**10306**	**8.4**	**57**	**2**	**3**	**6**	**10**	**17**	**22**	**38**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1725	4.1	12	1	1	3	5	8	10	19
20-34	1207	4.2	14	1	1	3	5	8	11	17
35-49	1121	4.8	19	1	1	4	6	9	12	22
50-64	1347	5.7	25	1	2	4	7	11	15	24
65+	1580	7.0	32	1	2	6	9	14	18	30
B. *Operated*										
0-19 YRS	307	7.0	54	1	1	5	9	16	22	40
20-34	666	8.4	60	1	2	7	11	17	22	35
35-49	974	8.5	53	1	2	7	11	17	22	39
50-64	1589	8.9	72	1	2	7	12	19	25	41
65+	1257	9.0	81	1	2	6	12	19	26	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2450	5.4	28	1	2	4	7	10	14	28
20-34	1977	5.9	28	1	2	4	7	12	16	28
35-49	2845	6.9	33	1	2	5	8	13	17	29
50-64	7011	8.3	45	2	3	7	10	16	20	35
65+	15291	10.4	70	2	3	8	13	20	25	44
B. *Operated*										
0-19 YRS	494	10.8	146	1	1	8	14	24	31	82
20-34	1006	11.0	105	2	2	8	15	23	31	57
35-49	1845	13.0	141	2	3	10	17	26	36	64
50-64	4044	13.3	146	2	3	10	17	28	37	70
65+	5064	15.4	163	2	3	12	20	32	41	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6980	5.2	22	1	1	4	7	10	13	23
B. *Operated*	4793	8.7	68	1	2	7	12	18	24	40
2. MULTIPLE DX										
A. *Not Operated*	29574	8.8	57	2	2	7	11	17	23	39
B. *Operated*	12453	13.8	151	2	3	11	18	29	38	69
1. SINGLE DX	11773	6.6	44	1	1	5	8	14	19	33
2. MULTIPLE DX	42027	10.3	90	2	3	8	13	21	28	51
A. NOT OPERATED	36554	8.2	53	1	2	6	10	16	21	37
B. OPERATED	17246	12.4	133	2	2	9	16	26	35	63
TOTAL 0-19 YRS	4976	5.6	39	1	1	4	7	11	16	31
20-34	4856	6.9	51	1	2	5	9	15	20	36
35-49	6785	8.4	72	1	2	6	10	17	23	45
50-64	13991	9.6	82	2	2	7	12	19	26	48
65+	23192	11.2	94	2	3	9	14	22	29	51
GRAND TOTAL	**53800**	**9.5**	**82**	**2**	**2**	**7**	**12**	**20**	**26**	**48**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	380	2.6	7	<1	<1	2	3	5	6	11
20-34	366	2.9	8	<1	1	2	3	6	7	18
35-49	170	3.7	30	<1	1	2	5	7	8	19
50-64	104	3.6	16	<1	1	2	4	7	10	23
65+	72	5.8	137	<1	1	3	6	8	13	82
B. *Operated*										
0-19 YRS	19089	1.9	2	<1	1	2	2	2	3	6
20-34	15089	2.1	4	<1	1	2	2	3	4	7
35-49	4174	2.4	5	1	1	2	2	4	5	9
50-64	2787	2.5	5	1	1	2	3	4	5	11
65+	895	2.9	10	1	1	2	3	4	6	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	553	3.2	16	<1	<1	2	4	6	8	14
20-34	543	3.8	16	<1	<1	2	5	8	10	28
35-49	376	5.0	27	<1	1	3	6	10	14	28
50-64	369	5.0	27	1	1	4	6	10	13	30
65+	307	5.8	27	1	1	4	8	11	14	28
B. *Operated*										
0-19 YRS	5974	2.4	8	1	1	2	2	4	5	11
20-34	8406	2.6	6	1	1	2	3	4	6	13
35-49	5368	2.9	10	1	1	2	3	5	7	14
50-64	5422	3.3	15	1	2	2	3	6	8	18
65+	2710	4.0	21	1	2	3	4	8	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1092	3.2	21	<1	1	2	4	6	8	19
B. *Operated*	42034	2.1	4	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	2148	4.3	23	<1	1	3	5	9	12	26
B. *Operated*	27880	2.9	10	1	1	2	3	5	7	16
1. SINGLE DX	43126	2.1	4	<1	1	2	2	3	4	8
2. MULTIPLE DX	30028	3.0	11	1	1	2	3	5	7	17
A. NOT OPERATED	3240	4.0	22	<1	1	3	5	8	11	23
B. OPERATED	69914	2.4	6	1	1	2	2	4	5	12
TOTAL 0-19 YRS	25996	2.0	4	<1	1	2	2	3	4	8
20-34	24404	2.3	5	1	1	2	2	4	5	10
35-49	10088	2.8	9	1	1	2	3	4	6	14
50-64	8682	3.1	12	1	1	2	3	5	8	17
65+	3984	3.9	21	1	2	2	4	8	11	25
GRAND TOTAL	**73154**	**2.5**	**7**	**1**	**1**	**2**	**2**	**4**	**6**	**13**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	461	3.7	5	1	1	3	5	6	7	12
20-34	224	4.3	6	1	2	4	5	7	9	13
35-49	129	4.1	6	1	1	4	6	7	8	13
50-64	158	4.4	8	1	1	4	6	8	10	16
65+	146	5.3	16	1	1	4	7	9	14	19
B. *Operated*										
0-19 YRS	881	2.6	6	<1	1	2	3	5	7	12
20-34	862	3.4	10	1	1	3	4	6	8	13
35-49	840	3.4	11	1	1	3	4	6	7	16
50-64	987	3.4	6	1	1	3	4	6	7	13
65+	683	3.7	8	1	2	3	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	661	4.4	8	1	2	4	6	7	9	15
20-34	248	5.0	17	1	2	4	6	9	11	28
35-49	218	6.5	29	1	2	5	7	13	17	34
50-64	370	6.6	30	1	2	5	8	12	16	27
65+	569	8.8	54	2	3	7	11	17	21	37
B. *Operated*										
0-19 YRS	412	3.5	8	1	1	3	4	7	9	15
20-34	583	4.2	19	1	2	3	4	8	11	26
35-49	621	4.6	23	1	2	3	5	9	11	23
50-64	944	5.2	25	1	2	4	6	10	13	25
65+	922	6.9	54	2	2	4	8	14	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1118	4.2	7	1	1	4	5	7	9	15
B. *Operated*	4253	3.3	8	1	1	3	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	2066	6.3	31	1	2	5	7	12	16	28
B. *Operated*	3482	5.2	31	1	2	4	6	10	14	29
1. SINGLE DX	5371	3.5	8	1	1	3	4	6	8	14
2. MULTIPLE DX	5548	5.6	31	1	2	4	7	11	15	29
A. NOT OPERATED	3184	5.5	24	1	2	4	7	10	14	25
B. OPERATED	7735	4.1	19	1	1	3	5	8	11	22
TOTAL 0-19 YRS	2415	3.5	7	1	1	3	4	7	8	14
20-34	1917	4.0	14	1	1	3	4	7	9	17
35-49	1808	4.2	18	1	2	3	5	7	11	21
50-64	2459	4.6	18	1	2	3	5	9	12	23
65+	2320	6.3	42	1	2	4	8	13	17	34
GRAND TOTAL	**10919**	**4.5**	**21**	**1**	**1**	**3**	**5**	**9**	**12**	**23**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	729	3.8	10	1	1	3	5	8	9	16
20-34	1025	4.1	11	1	1	3	5	8	9	16
35-49	1280	4.1	10	1	1	3	5	7	10	15
50-64	1209	4.0	8	1	1	3	5	8	9	14
65+	814	4.6	13	1	1	4	6	9	11	19
B. *Operated*										
0-19 YRS	213	5.1	22	<1	1	3	8	11	15	26
20-34	453	6.6	38	1	1	5	9	13	17	30
35-49	632	6.6	32	1	1	5	9	13	16	27
50-64	925	6.4	42	1	1	4	8	13	17	37
65+	989	7.1	49	1	1	5	9	15	20	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	851	5.5	37	1	2	4	7	10	14	22
20-34	2238	5.2	14	1	2	4	7	9	12	19
35-49	3759	5.5	17	1	2	5	7	10	12	20
50-64	4966	5.9	19	1	2	5	7	11	14	23
65+	5649	7.1	33	2	2	6	9	13	17	32
B. *Operated*										
0-19 YRS	298	10.5	159	1	2	7	13	22	40	89
20-34	972	8.5	49	2	2	7	11	16	20	35
35-49	1868	9.3	60	2	3	7	12	18	23	42
50-64	3208	9.9	85	2	2	8	13	20	26	47
65+	4151	11.2	116	2	2	8	14	23	31	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5057	4.1	10	1	1	3	5	8	10	16
B. *Operated*	3212	6.6	41	1	1	5	9	13	18	32
2. MULTIPLE DX										
A. *Not Operated*	17463	6.1	24	1	2	5	8	11	14	25
B. *Operated*	10497	10.2	93	2	2	8	13	20	28	54
1. SINGLE DX	8269	5.1	24	1	1	4	6	10	13	25
2. MULTIPLE DX	27960	7.6	54	2	2	6	9	15	20	39
A. NOT OPERATED	22520	5.7	22	1	2	5	7	11	14	23
B. OPERATED	13709	9.3	83	1	2	7	12	19	26	50
TOTAL 0-19 YRS	2091	5.6	48	1	1	4	6	11	16	37
20-34	4688	5.8	25	1	2	4	7	11	15	25
35-49	7539	6.3	31	1	2	5	8	12	16	27
50-64	10308	7.0	45	1	2	5	9	14	18	34
65+	11603	8.4	68	2	2	6	10	17	23	45
GRAND TOTAL	**36229**	**7.0**	**48**	**1**	**2**	**5**	**9**	**14**	**19**	**36**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	125	4.5	11	1	2	4	5	8	9	21
20-34	569	5.2	22	1	2	4	6	9	11	20
35-49	1023	5.2	14	1	2	4	7	9	11	16
50-64	997	5.5	13	1	2	5	7	10	12	18
65+	801	6.5	23	1	2	6	8	12	15	25
B. *Operated*										
0-19 YRS	20	6.8	23	1	2	6	10	14	17	17
20-34	271	8.4	27	2	3	8	11	15	18	28
35-49	649	8.8	27	2	3	8	11	16	19	26
50-64	786	9.0	42	1	2	8	12	17	21	34
65+	563	9.6	60	2	2	8	12	19	23	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	5.3	20	1	2	4	6	9	13	28
20-34	752	6.4	20	2	2	5	8	11	14	25
35-49	1522	6.9	22	2	2	6	9	12	16	25
50-64	2399	7.3	25	2	3	6	9	13	16	24
65+	3420	8.8	39	2	3	7	11	16	20	34
B. *Operated*										
0-19 YRS	31	9.5	43	3	4	9	12	17	23	34
20-34	410	10.1	53	2	3	9	13	18	24	36
35-49	1152	10.8	59	3	4	9	14	19	25	38
50-64	2049	11.2	70	3	3	9	14	21	26	42
65+	2295	12.3	79	3	4	10	16	23	30	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3515	5.5	17	1	2	5	7	10	12	21
B. *Operated*	2289	9.0	41	1	2	8	12	17	20	32
2. MULTIPLE DX										
A. *Not Operated*	8200	7.7	31	2	3	7	10	14	18	29
B. *Operated*	5937	11.4	71	3	4	9	14	21	27	42
1. SINGLE DX	5804	6.9	29	1	2	6	9	13	17	26
2. MULTIPLE DX	14137	9.3	51	2	3	8	12	18	22	36
A. NOT OPERATED	11715	7.1	28	2	2	6	9	13	16	27
B. OPERATED	8226	10.8	63	2	3	9	14	20	25	40
TOTAL 0-19 YRS	283	5.5	21	1	2	4	7	10	13	24
20-34	2002	7.1	31	2	2	6	9	13	17	28
35-49	4346	7.8	35	2	2	6	10	15	18	29
50-64	6231	8.5	44	2	3	7	11	16	20	34
65+	7079	9.7	56	2	3	8	12	18	23	38
GRAND TOTAL	**19941**	**8.6**	**46**	**2**	**3**	**7**	**11**	**16**	**21**	**34**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	5.7	9	2	3	5	7	9	11	17
20-34	174	6.0	30	2	3	5	7	10	13	24
35-49	362	6.0	12	2	3	5	7	10	12	16
50-64	570	6.5	27	2	3	6	8	11	13	17
65+	609	7.4	17	3	3	6	9	13	15	20
B. *Operated*										
0-19 YRS	25	7.9	16	2	3	8	10	11	16	21
20-34	121	9.6	41	3	5	8	11	16	21	38
35-49	291	9.9	27	4	5	9	12	16	18	32
50-64	465	10.6	37	4	5	9	13	18	22	28
65+	488	12.6	55	4	5	11	16	21	27	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	5.2	7	2	2	5	6	9	11	14
20-34	238	6.1	13	2	3	6	7	10	13	19
35-49	499	7.2	21	2	3	6	8	12	15	24
50-64	1268	7.9	28	3	3	7	10	14	17	28
65+	2612	10.1	52	3	4	8	12	18	22	39
B. *Operated*										
0-19 YRS	22	9.6	23	3	4	9	14	16	17	18
20-34	140	11.3	50	3	5	10	14	19	24	61
35-49	450	13.3	110	4	5	10	16	24	32	64
50-64	1207	14.0	113	4	5	11	17	27	35	61
65+	2139	16.0	126	5	6	13	21	29	37	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1783	6.6	20	2	3	6	8	11	13	19
B. *Operated*	1390	11.0	43	4	5	10	14	18	23	34
2. MULTIPLE DX										
A. *Not Operated*	4669	8.9	42	3	4	7	11	16	20	35
B. *Operated*	3958	14.9	119	4	5	12	19	28	36	63
1. SINGLE DX	3173	8.5	35	3	3	7	11	15	18	29
2. MULTIPLE DX	8627	11.7	86	3	4	9	14	22	29	49
A. NOT OPERATED	6452	8.3	37	3	3	7	10	14	18	32
B. OPERATED	5348	13.9	102	4	5	11	17	26	33	59
TOTAL 0-19 YRS	167	6.4	14	2	3	5	8	11	14	18
20-34	673	7.8	35	2	3	6	10	14	18	32
35-49	1602	9.1	54	3	3	7	11	16	21	38
50-64	3510	10.1	68	3	4	8	12	19	25	42
65+	5848	12.2	85	4	4	10	15	23	29	48
GRAND TOTAL	**11800**	**10.8**	**74**	**3**	**4**	**8**	**13**	**20**	**27**	**44**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1048	4.2	8	1	2	4	5	8	9	13
20-34	3697	4.6	10	1	2	4	6	8	10	16
35-49	3576	5.0	11	2	2	4	6	9	11	17
50-64	2623	5.3	13	2	2	5	7	9	11	16
65+	1457	6.1	17	2	2	5	8	10	13	21
B. *Operated*										
0-19 YRS	46	9.1	24	2	3	8	11	16	19	24
20-34	521	10.4	31	3	5	9	12	17	21	29
35-49	793	10.9	37	3	5	10	13	18	21	29
50-64	579	10.5	33	2	4	10	13	18	22	31
65+	249	11.5	50	3	4	10	14	21	26	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	759	5.7	30	2	2	5	7	10	12	25
20-34	3716	5.7	20	2	2	5	7	10	13	20
35-49	5312	6.2	18	2	2	5	9	11	14	21
50-64	6278	6.6	19	2	3	6	8	11	14	23
65+	6547	7.8	28	2	3	7	10	14	17	27
B. *Operated*										
0-19 YRS	67	9.9	87	3	3	8	12	15	20	61
20-34	679	11.2	81	3	4	9	14	19	23	57
35-49	1437	11.7	78	3	4	10	14	20	28	53
50-64	1726	12.2	73	3	4	10	15	23	28	47
65+	1428	14.2	100	3	5	12	18	26	34	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12401	5.0	12	1	2	4	6	9	11	17
B. *Operated*	2188	10.7	36	3	5	10	13	18	22	30
2. MULTIPLE DX										
A. *Not Operated*	22612	6.7	23	2	3	6	8	12	15	23
B. *Operated*	5337	12.5	84	3	4	10	15	23	29	51
1. SINGLE DX	14589	5.8	20	2	2	5	7	11	14	23
2. MULTIPLE DX	27949	7.8	40	2	3	6	9	14	19	32
A. NOT OPERATED	35013	6.1	19	2	2	5	8	11	14	22
B. OPERATED	7525	11.9	71	3	4	10	15	21	27	45
TOTAL 0-19 YRS	1920	5.1	21	1	2	4	6	9	11	21
20-34	8613	5.9	25	2	2	5	7	11	14	24
35-49	11118	6.8	31	2	2	5	9	13	16	27
50-64	11206	7.4	32	2	3	6	9	14	18	29
65+	9681	8.6	44	2	3	7	10	16	21	36
GRAND TOTAL	**42538**	**7.1**	**34**	**2**	**2**	**6**	**9**	**13**	**17**	**29**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	224	5.1	9	2	2	5	7	9	11	19
20-34	1251	5.1	9	2	2	5	6	9	10	16
35-49	1552	5.6	8	2	3	5	7	9	11	16
50-64	1961	6.2	10	2	3	6	8	10	12	17
65+	1551	7.1	14	3	3	7	9	11	14	19
B. *Operated*										
0-19 YRS	63	7.4	17	1	2	8	10	13	15	19
20-34	442	9.6	20	5	6	9	11	14	18	30
35-49	659	10.4	28	5	6	9	12	16	20	33
50-64	764	11.1	38	5	6	10	13	18	22	32
65+	623	13.1	53	6	7	12	16	20	25	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	6.2	22	2	3	5	8	10	13	26
20-34	919	6.2	18	2	3	5	7	11	13	25
35-49	1631	6.8	20	2	3	6	8	11	14	24
50-64	3159	7.5	23	3	3	6	9	12	16	27
65+	5090	9.6	45	3	4	8	12	17	22	36
B. *Operated*										
0-19 YRS	44	12.8	205	2	4	8	15	28	40	81
20-34	323	13.5	100	4	5	11	16	24	33	56
35-49	696	14.1	103	5	6	11	17	24	35	61
50-64	1379	15.4	139	4	6	12	18	29	41	63
65+	2197	18.4	167	6	7	15	22	34	46	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6539	6.0	11	2	3	5	7	10	12	17
B. *Operated*	2551	11.1	37	5	6	10	13	18	21	33
2. MULTIPLE DX										
A. *Not Operated*	10975	8.3	34	3	3	7	10	14	19	32
B. *Operated*	4639	16.4	149	5	6	13	20	31	42	68
1. SINGLE DX	9090	7.4	23	2	3	6	9	13	16	25
2. MULTIPLE DX	15614	10.7	82	3	4	8	13	20	27	51
A. NOT OPERATED	17514	7.4	27	2	3	6	9	13	16	27
B. OPERATED	7190	14.5	116	5	6	12	17	26	35	61
TOTAL 0-19 YRS	507	6.4	35	2	2	5	8	11	14	28
20-34	2935	7.1	31	2	3	6	8	12	16	30
35-49	4538	8.0	39	2	3	7	9	14	18	34
50-64	7263	9.0	55	3	3	7	11	16	21	43
65+	9461	11.5	85	3	4	9	14	21	28	52
GRAND TOTAL	**24704**	**9.5**	**63**	**3**	**3**	**7**	**11**	**17**	**23**	**44**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	4.5	3	1	2	5	6	6	7	7
20-34	72	6.0	14	2	2	5	7	11	13	24
35-49	98	6.0	19	2	2	6	7	9	12	27
50-64	130	7.6	20	2	3	7	9	13	16	26
65+	136	8.1	30	2	3	7	10	15	18	31
B. *Operated*										
0-19 YRS	14	12.5	116	1	2	10	14	28	40	43
20-34	86	11.4	41	1	3	11	16	19	23	76
35-49	219	14.6	63	6	7	13	18	24	28	39
50-64	305	14.7	78	6	7	13	17	24	29	52
65+	215	17.1	106	6	8	16	20	28	39	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	7.5	22	1	2	8	12	14	15	15
20-34	85	6.6	17	2	2	5	8	12	15	21
35-49	152	8.3	52	2	3	6	10	15	19	36
50-64	276	8.8	33	2	3	8	11	15	20	31
65+	502	10.8	48	3	4	9	13	21	26	37
B. *Operated*										
0-19 YRS	11	9.1	20	<1	2	9	12	15	16	16
20-34	111	15.9	128	6	7	13	19	30	38	64
35-49	315	17.8	121	7	8	15	21	33	40	59
50-64	604	19.2	178	7	8	16	23	36	50	83
65+	779	21.7	189	7	9	18	27	39	51	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	453	7.0	22	2	3	6	8	12	15	29
B. *Operated*	839	14.9	80	5	7	13	18	24	31	53
2. MULTIPLE DX										
A. *Not Operated*	1026	9.5	44	3	3	8	12	17	23	36
B. *Operated*	1820	19.7	173	6	8	16	24	37	48	75
1. SINGLE DX	1292	12.1	74	3	4	10	16	22	27	45
2. MULTIPLE DX	2846	16.1	150	4	5	13	20	31	40	69
A. NOT OPERATED	1479	8.8	39	2	3	7	11	16	21	34
B. OPERATED	2659	18.2	148	6	8	15	22	33	43	73
TOTAL 0-19 YRS	53	8.2	48	1	2	7	11	15	17	42
20-34	354	10.6	74	2	3	9	13	20	27	53
35-49	784	13.6	99	3	4	11	17	25	33	51
50-64	1315	14.8	130	4	5	12	18	27	37	71
65+	1632	16.6	150	4	5	14	21	32	40	66
GRAND TOTAL	**4138**	**14.8**	**130**	**3**	**5**	**12**	**19**	**28**	**37**	**63**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4001	3.1	5	1	1	3	4	5	7	10
20-34	6668	3.8	9	1	1	3	5	7	8	13
35-49	4708	4.2	10	1	2	4	5	7	9	15
50-64	3003	4.3	8	1	1	4	5	8	9	15
65+	1695	4.9	15	1	1	4	6	9	11	19
B. *Operated*										
0-19 YRS	87	6.5	55	2	2	5	8	10	17	49
20-34	364	6.6	41	1	2	5	8	13	15	23
35-49	494	7.5	37	1	2	6	9	15	18	27
50-64	396	7.3	39	1	2	6	9	14	20	31
65+	272	8.1	40	1	2	7	11	16	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5003	3.9	13	1	2	3	5	7	8	14
20-34	11284	5.0	14	1	2	4	6	9	11	18
35-49	12089	5.7	16	2	2	5	7	10	13	20
50-64	11941	6.3	19	2	2	5	8	11	14	23
65+	11799	7.3	31	2	3	6	9	13	17	28
B. *Operated*										
0-19 YRS	217	7.5	32	2	3	6	9	14	20	37
20-34	1596	8.8	43	2	3	7	11	16	20	34
35-49	2356	9.9	59	2	3	8	12	19	24	41
50-64	2825	10.5	79	2	3	8	13	19	25	50
65+	2599	11.6	86	3	4	9	14	22	29	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20075	3.9	9	1	1	3	5	7	9	14
B. *Operated*	1613	7.3	40	1	2	6	9	14	18	28
2. MULTIPLE DX										
A. *Not Operated*	52116	5.9	20	2	2	5	7	11	14	23
B. *Operated*	9593	10.3	70	2	3	8	13	19	25	46
1. SINGLE DX	21688	4.2	12	1	1	3	5	8	10	17
2. MULTIPLE DX	61709	6.6	31	2	2	5	8	12	16	28
A. NOT OPERATED	72191	5.3	18	1	2	4	7	10	13	21
B. OPERATED	11206	9.9	67	2	3	8	12	18	24	44
TOTAL 0-19 YRS	9308	3.7	11	1	1	3	4	6	8	14
20-34	19912	4.9	17	1	2	4	6	9	12	20
35-49	19647	5.9	23	1	2	5	7	11	14	24
50-64	18165	6.6	30	2	2	5	8	12	16	28
65+	16365	7.8	41	2	2	6	9	14	19	33
GRAND TOTAL	**83397**	**5.9**	**27**	**1**	**2**	**5**	**7**	**11**	**15**	**26**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1189	3.3	6	1	1	3	4	6	7	12
20-34	1726	3.8	16	1	1	3	5	7	8	13
35-49	1355	4.0	8	1	2	3	5	7	9	15
50-64	930	4.3	10	1	1	3	5	8	10	16
65+	547	5.8	29	1	2	4	7	11	16	26
B. *Operated*										
0-19 YRS	401	4.4	6	2	2	4	5	7	9	12
20-34	158	9.5	54	1	2	8	12	20	23	37
35-49	207	10.6	65	1	3	9	13	21	26	50
50-64	215	12.7	100	2	3	10	16	23	32	55
65+	161	13.5	85	1	2	12	18	28	32	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1271	4.1	9	1	2	3	5	7	9	17
20-34	2507	4.8	12	1	2	4	6	9	11	20
35-49	2753	5.4	19	2	2	4	7	10	13	22
50-64	2826	5.9	23	2	2	5	7	11	14	22
65+	2909	7.8	45	2	2	6	9	15	19	34
B. *Operated*										
0-19 YRS	162	7.6	43	2	3	6	9	13	21	45
20-34	436	11.5	93	2	3	9	15	24	29	54
35-49	688	13.6	124	3	4	10	18	28	34	62
50-64	924	15.6	145	3	4	12	20	31	39	74
65+	1061	19.4	185	4	6	16	26	37	47	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5747	4.0	13	1	1	3	5	7	9	17
B. *Operated*	1142	9.1	65	2	2	7	12	19	25	41
2. MULTIPLE DX										
A. *Not Operated*	12266	5.8	25	2	2	5	7	11	14	26
B. *Operated*	3271	15.5	152	3	4	12	20	31	40	69
1. SINGLE DX	6889	4.9	25	1	2	3	6	9	13	25
2. MULTIPLE DX	15537	7.9	67	2	2	5	9	16	24	44
A. NOT OPERATED	18013	5.3	22	1	2	4	6	10	13	23
B. OPERATED	4413	13.8	137	2	3	10	18	29	37	62
TOTAL 0-19 YRS	3023	4.0	10	1	1	3	5	7	9	16
20-34	4827	5.2	27	1	2	4	6	10	14	27
35-49	5003	6.4	42	2	2	4	8	13	18	33
50-64	4895	7.7	64	2	2	5	9	16	22	42
65+	4678	10.4	102	2	3	7	13	22	31	52
GRAND TOTAL	**22426**	**6.9**	**56**	**1**	**2**	**5**	**8**	**14**	**21**	**40**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	379	3.4	4	1	1	3	4	5	7	11
20-34	284	3.4	3	1	1	3	4	6	7	9
35-49	48	3.9	5	1	1	3	5	7	8	9
50-64	34	4.7	11	<1	2	4	5	8	11	17
65+	13	5.2	14	1	1	5	9	10	12	12
B. *Operated*										
0-19 YRS	23718	4.0	4	2	2	4	5	6	7	11
20-34	14426	4.2	5	2	2	4	5	6	7	12
35-49	3788	4.9	9	2	3	4	6	8	9	15
50-64	1698	5.6	8	2	3	5	7	9	11	17
65+	543	7.1	24	3	3	6	8	13	16	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	3.8	5	1	1	3	5	7	8	10
20-34	115	3.8	9	<1	1	3	5	8	10	15
35-49	32	4.6	8	1	1	4	6	8	12	12
50-64	29	9.5	72	1	1	9	11	22	31	35
65+	27	10.1	60	1	2	7	13	20	23	35
B. *Operated*										
0-19 YRS	3603	5.8	17	2	3	5	7	10	13	22
20-34	2936	6.0	15	3	3	5	7	11	13	21
35-49	1136	7.7	32	3	3	6	9	13	17	33
50-64	839	9.0	37	3	4	7	11	16	20	31
65+	585	11.3	71	4	4	9	13	21	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	758	3.5	5	1	1	3	4	6	7	11
B. *Operated*	44173	4.2	6	2	2	4	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	329	4.9	22	1	1	4	6	10	13	25
B. *Operated*	9099	6.8	26	3	3	5	8	12	16	27
1. SINGLE DX	44931	4.2	6	2	2	4	5	6	8	13
2. MULTIPLE DX	9428	6.7	26	2	3	5	8	12	16	27
A. NOT OPERATED	1087	3.9	10	1	1	3	5	7	9	18
B. OPERATED	53272	4.7	10	2	2	4	5	7	10	17
TOTAL 0-19 YRS	27826	4.2	6	2	2	4	5	6	8	14
20-34	17761	4.5	7	2	2	4	5	7	9	15
35-49	5004	5.5	16	2	3	5	6	9	11	21
50-64	2600	6.7	21	3	3	6	8	12	15	24
65+	1168	9.3	53	3	4	7	11	17	23	36
GRAND TOTAL	**54359**	**4.7**	**10**	**2**	**2**	**4**	**5**	**7**	**10**	**17**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	6.2	13	1	2	6	8	10	12	21
20-34	91	7.0	13	2	3	7	9	11	14	20
35-49	52	7.1	27	1	2	7	8	13	19	28
50-64	44	7.4	13	2	3	7	10	12	13	20
65+	18	7.9	42	<1	1	7	8	13	24	30
B. *Operated*										
0-19 YRS	5200	7.3	18	3	3	7	9	12	15	23
20-34	2958	7.1	17	3	3	6	9	12	14	21
35-49	1464	8.6	20	3	4	8	11	14	17	24
50-64	1296	9.7	22	4	5	9	12	15	19	26
65+	671	11.5	35	5	6	10	14	19	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	8.2	18	3	3	8	10	13	16	21
20-34	34	8.0	27	2	3	7	10	15	20	21
35-49	24	11.9	44	3	5	10	16	22	24	29
50-64	44	11.3	34	3	6	10	14	20	23	28
65+	45	14.4	198	3	4	10	16	26	40	73
B. *Operated*										
0-19 YRS	2086	11.9	55	4	5	10	15	21	25	38
20-34	1381	10.9	45	4	5	9	13	19	24	35
35-49	1022	12.5	64	5	6	11	15	21	26	45
50-64	1290	14.6	73	6	7	12	18	25	32	48
65+	1237	17.7	123	7	8	15	21	30	39	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	6.8	17	1	2	6	9	11	14	21
B. *Operated*	11589	7.9	21	3	3	7	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	178	11.0	78	3	3	9	14	20	24	58
B. *Operated*	7016	13.3	75	5	6	11	16	23	29	48
1. SINGLE DX	11906	7.9	21	3	3	7	10	13	16	24
2. MULTIPLE DX	7194	13.3	76	4	6	11	16	23	29	48
A. NOT OPERATED	495	8.3	43	2	3	7	10	15	20	29
B. OPERATED	18605	10.0	48	3	4	8	12	18	22	37
TOTAL 0-19 YRS	7429	8.6	33	3	3	7	10	15	19	30
20-34	4464	8.3	28	3	3	7	10	14	18	28
35-49	2562	10.1	42	4	4	9	12	17	21	33
50-64	2674	12.0	53	5	6	10	14	20	26	41
65+	1971	15.4	103	6	7	13	19	26	34	60
GRAND TOTAL	**19100**	**9.9**	**48**	**3**	**4**	**8**	**12**	**18**	**22**	**37**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	606	2.6	6	1	1	2	3	5	6	12
20-34	414	2.8	4	1	1	2	4	5	6	10
35-49	115	3.7	7	1	1	3	5	7	8	13
50-64	61	4.3	15	1	1	3	5	8	11	22
65+	25	3.0	2	1	1	3	4	5	5	6
B. *Operated*										
0-19 YRS	2918	4.4	8	2	2	4	5	7	8	13
20-34	1899	4.8	6	2	3	4	6	7	9	14
35-49	450	5.7	9	2	3	5	7	10	11	17
50-64	227	7.1	49	3	3	6	8	13	14	22
65+	87	6.6	7	3	4	6	8	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	297	3.2	6	1	1	3	4	6	7	13
20-34	212	3.6	8	1	1	3	5	7	8	14
35-49	76	4.1	6	1	1	4	6	8	9	10
50-64	57	4.7	12	1	2	4	6	8	10	22
65+	36	6.8	29	1	2	5	9	15	17	24
B. *Operated*										
0-19 YRS	1400	5.8	15	3	3	5	7	9	12	21
20-34	1270	6.5	14	3	3	6	8	11	13	20
35-49	391	8.3	38	3	4	7	10	14	17	25
50-64	230	10.9	56	4	4	8	14	19	22	49
65+	151	13.2	82	4	6	11	16	24	29	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1221	2.9	6	1	1	2	4	5	7	12
B. *Operated*	5581	4.8	9	2	3	4	6	8	9	15
2. MULTIPLE DX										
A. *Not Operated*	678	3.7	9	1	1	3	5	7	9	16
B. *Operated*	3442	7.0	26	3	3	6	8	12	16	26
1. SINGLE DX	6802	4.4	9	1	2	4	5	7	9	14
2. MULTIPLE DX	4120	6.5	25	2	3	5	8	11	15	25
A. NOT OPERATED	1899	3.2	7	1	1	2	4	6	8	14
B. OPERATED	9023	5.6	17	2	3	5	7	9	12	21
TOTAL 0-19 YRS	5221	4.5	10	1	2	4	5	7	9	16
20-34	3795	5.1	10	2	2	4	6	9	11	17
35-49	1032	6.3	23	2	2	5	8	11	14	22
50-64	575	8.1	51	2	3	6	10	15	20	41
65+	299	9.7	61	2	3	8	12	18	25	42
GRAND TOTAL	**10922**	**5.2**	**16**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	219	1.7	2	<1	<1	1	2	3	5	8
20-34	138	2.7	7	<1	<1	2	4	5	7	12
35-49	92	3.1	5	<1	1	3	4	6	8	10
50-64	134	3.2	6	<1	1	3	4	6	7	12
65+	163	4.8	53	<1	1	3	6	9	11	35
B. *Operated*										
0-19 YRS	20314	2.4	4	<1	1	2	3	4	5	7
20-34	17491	4.0	4	2	2	4	5	6	7	10
35-49	15706	4.5	5	2	3	4	5	6	8	11
50-64	23841	4.8	6	2	3	4	6	7	8	12
65+	15381	5.4	8	2	3	5	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	830	1.7	4	<1	<1	1	1	3	5	10
20-34	173	2.2	3	<1	<1	1	3	5	6	9
35-49	177	3.5	10	<1	<1	2	5	8	10	14
50-64	360	4.3	13	<1	1	3	6	9	11	16
65+	669	5.7	47	1	1	4	7	11	16	37
B. *Operated*										
0-19 YRS	10601	2.6	6	<1	1	2	3	5	6	11
20-34	5607	4.9	14	2	3	4	6	7	9	16
35-49	7949	5.5	12	2	3	5	6	8	10	18
50-64	15982	6.2	18	3	3	5	7	10	13	22
65+	17210	7.8	30	3	3	6	9	14	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	746	3.0	16	<1	<1	2	4	6	8	12
B. *Operated*	92733	4.2	7	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	2209	3.5	22	<1	<1	2	4	8	11	21
B. *Operated*	57349	5.8	21	1	2	5	7	10	13	24
1. SINGLE DX	93479	4.2	7	1	2	4	5	7	8	12
2. MULTIPLE DX	59558	5.7	21	1	2	5	7	10	13	23
A. NOT OPERATED	2955	3.4	20	<1	<1	2	4	7	10	20
B. OPERATED	150082	4.8	13	1	2	4	6	8	10	18
TOTAL 0-19 YRS	31964	2.5	5	<1	1	2	3	4	5	9
20-34	23409	4.2	6	2	2	4	5	6	7	12
35-49	23924	4.8	8	2	3	4	6	7	9	14
50-64	40317	5.4	11	2	3	5	6	8	10	17
65+	33423	6.7	21	3	3	6	8	11	14	25
GRAND TOTAL	**153037**	**4.8**	**13**	**1**	**2**	**4**	**6**	**8**	**10**	**18**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	1.4		<1	<1	1	2	2	3	3
20-34	11	2.3	4	<1	<1	1	4	5	6	6
35-49	9	2.3	6	<1	<1	1	3	6	8	8
50-64	20	2.5	5	<1	<1	1	4	6	7	8
65+	73	3.4	11	<1	1	2	5	7	10	18
B. *Operated*										
0-19 YRS	1307	2.4	6	<1	1	2	3	4	5	9
20-34	584	4.3	4	2	2	4	5	6	7	10
35-49	522	4.8	5	2	3	4	6	7	9	13
50-64	913	5.6	17	2	3	5	6	9	11	19
65+	1269	6.8	16	3	3	6	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	2.2	3	<1	<1	1	3	5	6	7
20-34	8	6.3	39	1	1	4	8	17	20	20
35-49	16	7.5	31	1	1	6	11	14	18	20
50-64	31	5.4	26	<1	1	4	6	12	19	20
65+	196	7.2	73	1	1	5	9	16	20	36
B. *Operated*										
0-19 YRS	769	3.1	6	1	1	2	4	6	8	12
20-34	220	5.8	28	2	3	5	7	10	11	19
35-49	291	7.0	23	3	3	6	8	12	17	27
50-64	802	8.5	45	3	3	7	10	16	19	38
65+	2350	11.1	74	4	4	9	13	20	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	2.6	7	<1	<1	2	3	6	8	11
B. *Operated*	4595	4.8	14	1	1	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	294	6.2	57	1	1	4	8	14	19	34
B. *Operated*	4432	8.7	61	1	2	7	11	16	22	43
1. SINGLE DX	4747	4.7	14	1	1	4	6	8	10	17
2. MULTIPLE DX	4726	8.6	61	1	2	7	11	16	22	43
A. NOT OPERATED	446	5.0	43	<1	1	3	6	12	16	[illegible]
B. OPERATED	9027	6.7	41	1	2	5	8	13	17	33
TOTAL 0-19 YRS	2158	2.6	6	<1	1	2	3	5	6	11
20-34	823	4.7	11	2	2	4	5	7	9	14
35-49	838	5.6	13	2	3	5	6	9	12	23
50-64	1766	6.9	32	2	3	6	8	12	16	31
65+	3888	9.4	59	3	3	7	11	17	22	43
GRAND TOTAL	**9473**	**6.6**	**41**	**1**	**2**	**5**	**8**	**13**	**17**	**33**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	1.6	1	<1	<1	1	2	3	3	5
20-34	14	2.0	2	<1	1	1	3	5	5	5
35-49	20	3.6	7	<1	1	3	4	8	9	10
50-64	9	3.8	7	1	1	3	6	8	8	8
65+	11	3.6	13	<1	<1	1	7	9	10	10
B. *Operated*										
0-19 YRS	3822	2.3	5	<1	1	2	3	4	4	7
20-34	1185	3.7	10	2	2	3	4	6	7	9
35-49	1242	4.2	7	2	2	4	5	6	8	12
50-64	904	4.5	6	2	2	4	6	8	9	14
65+	365	5.4	9	2	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	179	2.1	7	<1	<1	1	2	5	6	16
20-34	40	2.8	5	<1	<1	2	4	6	8	10
35-49	46	4.4	16	<1	1	3	6	11	14	16
50-64	71	5.4	40	<1	1	4	6	11	16	36
65+	84	6.5	41	1	1	5	7	14	18	35
B. *Operated*										
0-19 YRS	838	3.2	6	1	1	2	4	6	8	13
20-34	663	5.1	13	2	2	4	6	8	10	15
35-49	1003	6.0	20	2	3	5	7	10	13	22
50-64	1151	7.2	26	2	3	6	9	13	17	27
65+	644	8.9	48	3	3	7	11	16	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	2.4	5	<1	<1	2	3	5	8	10
B. *Operated*	7518	3.3	8	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	420	3.9	23	<1	<1	2	5	9	13	26
B. *Operated*	4299	6.1	25	2	2	5	8	11	15	28
1. SINGLE DX	7621	3.3	8	1	1	3	4	6	7	11
2. MULTIPLE DX	4719	5.9	25	1	2	5	7	11	15	28
A. NOT OPERATED	523	3.6	20	<1	<1	2	4	8	11	25
B. OPERATED	11817	4.3	16	1	2	3	5	8	11	20
TOTAL 0-19 YRS	4888	2.5	5	<1	1	2	3	4	5	10
20-34	1902	4.2	11	2	2	4	5	7	8	13
35-49	2311	5.0	14	2	2	4	6	8	11	19
50-64	2135	6.0	20	2	2	5	7	11	14	24
65+	1104	7.5	37	2	3	6	9	14	19	38
GRAND TOTAL	**12340**	**4.3**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.4	6	<1	1	2	3	3	9	11
20-34	48	2.5	5	<1	<1	2	3	6	6	12
35-49	66	3.0	5	<1	<1	2	4	6	8	11
50-64	72	3.6	6	<1	<1	3	5	7	9	11
65+	79	4.2	7	1	1	3	6	8	10	11
B. *Operated*										
0-19 YRS	723	2.8	8	<1	1	2	3	5	6	10
20-34	1822	4.5	7	2	2	4	6	8	9	14
35-49	2704	5.8	10	2	3	5	7	9	11	17
50-64	3307	6.6	13	3	3	6	8	10	13	19
65+	2041	7.6	16	3	4	7	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.4	5	<1	<1	1	4	6	7	7
20-34	67	3.6	12	<1	<1	2	5	8	12	16
35-49	175	4.2	11	1	1	3	6	9	11	17
50-64	297	5.6	23	1	1	4	7	11	14	29
65+	463	6.8	40	1	2	5	8	12	16	35
B. *Operated*										
0-19 YRS	199	4.1	17	1	1	3	5	8	10	19
20-34	1075	6.7	20	2	3	6	8	11	14	25
35-49	2400	8.1	33	3	3	7	10	14	18	31
50-64	3633	9.4	44	3	4	8	11	16	21	36
65+	3188	10.9	56	4	5	9	13	19	24	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	3.4	6	<1	<1	3	4	7	9	11
B. *Operated*	10597	6.0	13	2	2	5	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	1018	5.7	29	1	1	4	7	11	14	28
B. *Operated*	10495	9.2	45	3	4	8	11	16	21	36
1. SINGLE DX	10877	5.9	13	2	2	5	8	10	12	18
2. MULTIPLE DX	11513	8.9	44	2	3	7	11	16	20	35
A. NOT OPERATED	1298	5.2	25	1	1	4	7	10	13	24
B. OPERATED	21092	7.6	31	2	3	6	9	13	17	29
TOTAL 0-19 YRS	953	3.0	10	<1	1	2	3	5	7	12
20-34	3012	5.3	13	2	2	5	6	9	11	19
35-49	5345	6.8	22	2	3	6	8	11	15	25
50-64	7309	8.0	31	3	3	7	9	13	17	29
65+	5771	9.3	43	3	4	8	11	16	21	35
GRAND TOTAL	**22390**	**7.4**	**31**	**2**	**3**	**6**	**9**	**13**	**17**	**29**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	4.9	28	1	1	4	6	8	9	33
20-34	359	3.9	7	1	2	3	5	7	8	14
35-49	989	4.1	10	1	2	3	5	7	9	13
50-64	1385	4.4	9	1	2	4	5	8	10	15
65+	1021	4.7	10	1	2	4	6	8	11	17
B. *Operated*										
0-19 YRS	34	4.9	13	1	1	4	7	10	12	15
20-34	142	7.8	22	2	3	7	9	14	18	22
35-49	310	8.4	21	2	3	8	10	15	18	26
50-64	435	9.4	26	2	3	9	12	15	19	26
65+	232	11.8	64	2	4	10	14	21	24	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	4.8	13	<1	1	4	6	9	11	18
20-34	1369	4.9	14	1	2	4	6	9	10	17
35-49	4300	5.2	14	2	2	4	6	9	11	17
50-64	7562	5.6	17	2	2	5	7	10	13	20
65+	10093	6.4	22	2	3	5	8	11	14	23
B. *Operated*										
0-19 YRS	55	11.3	207	2	2	8	13	19	29	96
20-34	675	9.4	35	2	3	8	12	17	20	31
35-49	1850	10.0	42	3	3	9	12	17	22	34
50-64	2950	10.4	47	2	4	9	13	18	23	37
65+	2488	11.7	74	2	3	10	15	22	27	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3791	4.3	10	1	2	4	5	8	10	15
B. *Operated*	1153	9.3	34	2	3	9	11	16	21	28
2. MULTIPLE DX										
A. *Not Operated*	23456	5.9	18	2	2	5	7	10	13	21
B. *Operated*	8018	10.6	55	2	3	9	13	19	24	39
1. SINGLE DX	4944	5.5	20	1	2	4	7	11	14	22
2. MULTIPLE DX	31474	7.1	32	2	2	6	9	13	17	28
A. NOT OPERATED	27247	5.6	18	2	2	5	7	10	13	21
B. OPERATED	9171	10.5	53	2	3	9	13	19	23	38
TOTAL 0-19 YRS	258	6.2	62	1	1	4	7	11	16	33
20-34	2545	6.1	24	1	2	5	8	12	15	24
35-49	7449	6.4	26	2	2	5	8	12	15	26
50-64	12332	6.8	28	2	2	5	9	13	16	26
65+	13834	7.3	36	2	3	6	9	14	18	30
GRAND TOTAL	**36418**	**6.9**	**31**	**2**	**2**	**5**	**9**	**13**	**17**	**28**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.1	14	1	1	2	3	6	13	15
20-34	31	5.3	16	1	1	4	6	11	14	18
35-49	39	5.9	23	1	1	5	7	13	16	21
50-64	26	3.9	8	1	2	3	5	7	9	15
65+	34	4.7	20	1	1	3	6	9	15	21
B. *Operated*										
0-19 YRS	151	3.3	5	1	1	3	4	5	7	15
20-34	363	4.7	10	2	2	4	5	7	9	18
35-49	530	5.1	12	2	3	4	6	8	10	21
50-64	665	5.5	10	2	3	5	7	9	11	16
65+	550	6.4	12	3	3	6	8	10	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.8	7	<1	<1	3	5	8	9	10
20-34	28	5.6	26	1	2	4	6	11	14	27
35-49	54	6.5	25	1	2	5	9	13	16	26
50-64	106	6.7	26	1	2	5	8	13	16	29
65+	138	6.7	31	1	2	5	8	12	19	31
B. *Operated*										
0-19 YRS	78	4.5	19	1	1	3	5	8	11	28
20-34	208	6.0	19	2	3	5	7	10	14	26
35-49	368	7.2	30	2	3	6	8	14	17	28
50-64	549	8.1	33	3	4	7	10	14	19	31
65+	776	9.1	47	3	4	7	11	16	21	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	4.9	18	1	1	4	6	11	14	21
B. *Operated*	2259	5.3	11	2	3	5	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	346	6.4	27	1	2	5	8	12	16	30
B. *Operated*	1979	8.0	37	2	3	6	10	15	19	31
1. SINGLE DX	2402	5.3	11	2	2	5	6	9	11	19
2. MULTIPLE DX	2325	7.7	36	2	3	6	9	14	18	31
A. NOT OPERATED	489	6.0	25	1	1	5	8	12	15	27
B. OPERATED	4238	6.6	25	2	3	5	8	12	15	27
TOTAL 0-19 YRS	262	3.7	10	1	1	3	4	6	9	16
20-34	630	5.2	14	2	2	4	6	8	12	23
35-49	991	6.0	21	2	3	5	7	11	15	26
50-64	1346	6.6	22	2	3	5	8	12	15	25
65+	1498	7.8	34	2	3	6	9	13	18	31
GRAND TOTAL	**4727**	**6.5**	**25**	**2**	**3**	**5**	**8**	**12**	**15**	**27**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.5	18	<1	<1	2	4	11	14	15
20-34	17	2.4	2	<1	<1	2	3	5	5	5
35-49	48	3.0	4	1	1	3	4	5	7	12
50-64	88	4.2	9	<1	1	4	6	8	9	16
65+	123	5.4	16	1	2	5	7	10	13	23
B. *Operated*										
0-19 YRS	261	3.1	5	1	1	2	4	6	7	13
20-34	518	4.7	23	1	2	4	5	8	10	18
35-49	861	5.5	12	2	2	5	7	9	12	18
50-64	1129	6.9	20	2	3	6	8	12	15	25
65+	1305	9.1	31	3	4	8	11	16	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.8	43	<1	1	5	7	10	19	31
20-34	31	4.4	18	1	1	4	5	9	11	23
35-49	107	5.9	57	1	2	4	6	9	13	48
50-64	268	5.9	15	1	2	5	8	10	13	20
65+	551	7.8	35	2	3	6	10	15	20	32
B. *Operated*										
0-19 YRS	102	6.3	63	1	1	4	7	14	17	48
20-34	336	7.8	39	2	3	6	9	15	21	33
35-49	840	9.3	57	3	3	7	11	17	23	39
50-64	1583	11.0	84	3	4	9	13	19	27	50
65+	2724	13.7	95	4	5	11	17	25	32	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	288	4.4	12	1	1	4	6	8	11	17
B. *Operated*	4074	6.8	24	2	2	6	9	12	16	24
2. MULTIPLE DX										
A. *Not Operated*	979	6.9	32	1	2	5	9	13	18	30
B. *Operated*	5585	11.8	86	3	4	9	14	22	29	52
1. SINGLE DX	4362	6.6	24	2	2	5	8	12	16	24
2. MULTIPLE DX	6564	11.1	81	3	4	9	14	21	28	50
A. NOT OPERATED	1267	6.4	29	1	2	5	8	12	17	28
B. OPERATED	9659	9.7	66	2	3	8	12	18	25	45
TOTAL 0-19 YRS	397	4.1	24	1	1	3	5	8	11	22
20-34	902	5.8	31	1	2	4	7	10	15	28
35-49	1856	7.2	38	2	3	5	9	13	17	30
50-64	3068	8.8	57	2	3	7	11	16	22	41
65+	4703	11.5	75	3	4	9	14	21	28	49
GRAND TOTAL	**10926**	**9.3**	**63**	**2**	**3**	**7**	**11**	**18**	**24**	**44**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	652	3.4	11	1	1	2	4	6	8	17
20-34	1127	4.8	11	1	2	4	6	9	11	17
35-49	1556	5.4	16	1	2	4	7	10	12	19
50-64	2046	5.7	18	1	2	5	7	10	13	21
65+	2392	6.6	25	2	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	613	7.3	21	2	3	7	9	12	15	27
20-34	822	10.1	28	4	5	9	12	16	20	31
35-49	1091	11.3	40	5	6	10	13	18	22	34
50-64	1374	12.8	58	6	6	11	15	21	27	43
65+	1526	14.6	65	7	8	13	17	24	30	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	379	4.4	11	1	1	4	6	9	10	15
20-34	999	6.1	29	1	2	5	8	11	15	27
35-49	1633	6.8	23	2	2	6	8	13	16	25
50-64	3244	7.5	32	2	3	6	9	14	18	32
65+	7332	9.3	53	2	3	7	12	18	23	39
B. *Operated*										
0-19 YRS	654	10.0	56	3	4	8	12	17	25	55
20-34	1175	13.6	96	5	6	11	16	24	32	57
35-49	1797	16.0	129	6	7	13	19	29	38	75
50-64	3232	18.0	153	6	8	14	22	32	44	78
65+	5889	20.3	157	7	9	17	25	36	46	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7773	5.6	19	1	2	5	7	10	13	22
B. *Operated*	5426	12.0	53	4	6	10	14	20	25	39
2. MULTIPLE DX										
A. *Not Operated*	13587	8.2	43	2	3	7	10	15	20	35
B. *Operated*	12747	18.0	149	6	7	15	22	33	43	73
1. SINGLE DX	13199	8.2	43	2	2	7	11	16	20	33
2. MULTIPLE DX	26334	12.9	118	2	3	10	16	26	34	61
A. NOT OPERATED	21360	7.2	36	2	2	6	9	14	18	32
B. OPERATED	18173	16.2	128	5	7	13	20	30	39	67
TOTAL 0-19 YRS	2298	6.5	34	1	1	5	8	12	16	32
20-34	4123	8.7	56	2	2	7	11	16	22	38
35-49	6077	10.0	75	2	3	8	12	19	25	47
50-64	9896	11.3	99	2	3	9	14	22	30	57
65+	17139	13.2	116	2	3	10	17	26	34	58
GRAND TOTAL	**39533**	**11.3**	**98**	**2**	**3**	**9**	**14**	**23**	**30**	**55**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27576	3.3	7	1	1	3	4	6	7	12
20-34	12252	3.2	8	1	1	3	4	6	7	12
35-49	5518	3.8	10	1	1	3	5	7	8	14
50-64	4314	4.0	12	1	1	3	5	7	9	15
65+	3822	4.5	16	1	1	4	6	8	11	17
B. *Operated*										
0-19 YRS	798	4.5	13	1	2	4	5	8	10	19
20-34	789	5.7	36	2	2	4	7	10	13	21
35-49	396	6.7	27	1	2	5	8	13	17	28
50-64	270	7.6	38	1	2	6	10	14	18	31
65+	209	9.0	56	1	2	7	12	19	22	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31377	4.3	11	1	2	4	5	7	9	17
20-34	11686	4.2	10	1	1	3	5	8	10	16
35-49	8223	5.2	15	1	2	4	7	10	12	19
50-64	10738	5.8	22	2	2	5	7	11	14	23
65+	19073	7.2	35	2	2	6	9	13	17	31
B. *Operated*										
0-19 YRS	1144	7.1	65	2	2	5	8	12	20	52
20-34	1116	8.2	46	2	3	7	10	15	19	37
35-49	1013	10.2	68	2	3	8	12	19	25	42
50-64	1337	11.5	91	3	3	9	14	22	30	56
65+	1859	13.7	118	3	4	11	17	27	36	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53482	3.5	9	1	1	3	4	6	8	13
B. *Operated*	2462	5.9	31	1	2	4	7	11	15	27
2. MULTIPLE DX										
A. *Not Operated*	81097	5.3	20	1	2	4	6	10	13	23
B. *Operated*	6469	10.6	89	2	3	8	13	20	29	53
1. SINGLE DX	55944	3.6	10	1	1	3	4	6	8	14
2. MULTIPLE DX	87566	5.6	27	1	2	4	7	11	14	27
A. NOT OPERATED	134579	4.5	16	1	2	4	6	8	11	20
B. OPERATED	8931	9.3	77	2	3	7	12	18	25	47
TOTAL 0-19 YRS	60895	3.9	10	1	1	3	5	7	8	15
20-34	25843	3.9	13	1	1	3	5	7	9	16
35-49	15150	5.1	19	1	2	4	6	9	12	22
50-64	16659	5.9	29	1	2	4	7	11	15	27
65+	24963	7.3	43	2	2	6	9	14	19	34
GRAND TOTAL	**143510**	**4.8**	**21**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	5.1	14	1	2	5	6	10	11	19
20-34	320	4.9	8	1	2	4	6	8	10	14
35-49	2007	5.2	10	2	2	5	7	9	11	16
50-64	4358	5.2	13	1	2	5	7	9	11	17
65+	5553	5.6	18	1	2	5	7	10	13	20
B. *Operated*										
0-19 YRS	19	7.5	38	1	2	6	8	18	21	24
20-34	169	9.5	37	3	5	9	11	15	18	27
35-49	628	11.0	34	3	5	10	13	18	22	33
50-64	1406	12.6	44	4	6	11	15	20	24	37
65+	1177	14.0	74	3	5	12	17	23	29	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	7.0	32	1	2	6	8	14	18	32
20-34	307	6.0	29	2	2	5	7	10	13	23
35-49	2336	5.9	14	2	2	5	7	10	13	19
50-64	8726	6.3	19	2	2	5	8	11	14	22
65+	23450	7.5	33	2	3	6	9	14	17	29
B. *Operated*										
0-19 YRS	23	13.8	274	2	4	10	15	23	48	83
20-34	217	13.9	141	4	5	11	15	25	35	69
35-49	1397	13.8	76	4	6	12	16	23	29	51
50-64	4238	15.0	101	4	5	13	18	26	34	57
65+	6906	17.4	158	4	6	14	22	33	43	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12268	5.4	15	1	2	5	7	9	12	18
B. *Operated*	3399	12.6	54	4	5	11	15	21	26	39
2. MULTIPLE DX										
A. *Not Operated*	34885	7.1	28	2	3	6	9	13	16	27
B. *Operated*	12781	16.1	132	4	5	13	20	30	38	66
1. SINGLE DX	15667	7.0	32	2	2	5	9	13	17	28
2. MULTIPLE DX	47666	9.5	72	2	3	7	12	19	25	45
A. NOT OPERATED	47153	6.6	25	2	2	5	8	12	15	25
B. OPERATED	16180	15.4	118	4	5	13	19	28	36	63
TOTAL 0-19 YRS	138	7.8	75	1	2	6	9	16	20	40
20-34	1013	7.9	60	2	2	6	9	14	18	36
35-49	6368	7.9	41	2	2	6	10	15	19	32
50-64	18728	8.5	54	2	2	6	11	16	22	38
65+	37086	9.3	72	2	3	7	11	18	25	46
GRAND TOTAL	**63333**	**8.9**	**64**	**2**	**3**	**7**	**11**	**17**	**23**	**42**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	189	3.2	4	1	1	3	4	6	7	9
20-34	330	3.6	11	1	1	3	4	6	8	18
35-49	241	3.8	6	1	1	3	5	7	9	13
50-64	154	4.0	13	1	1	3	5	7	11	17
65+	73	5.8	31	1	1	4	7	11	15	35
B. *Operated*										
0-19 YRS	972	3.6	7	1	1	3	4	6	8	13
20-34	5392	4.0	14	1	2	3	5	6	8	12
35-49	4502	4.2	10	1	2	4	5	7	8	14
50-64	2644	4.5	13	1	2	4	5	7	9	17
65+	888	5.3	19	2	2	4	6	9	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	3.5	5	1	1	3	5	6	8	12
20-34	343	4.9	20	1	1	4	6	9	12	25
35-49	391	5.6	33	1	2	4	7	10	15	23
50-64	388	5.5	17	1	2	4	7	10	13	22
65+	370	8.5	54	2	2	7	11	17	23	47
B. *Operated*										
0-19 YRS	431	5.1	28	1	2	4	6	9	12	23
20-34	4348	5.0	14	2	2	4	6	8	10	19
35-49	4901	5.4	19	2	2	4	6	9	11	22
50-64	4165	6.2	29	2	3	5	7	11	14	28
65+	2000	8.7	71	2	3	6	10	17	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	987	3.8	11	1	1	3	5	7	9	16
B. *Operated*	14398	4.2	13	1	2	4	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	1661	5.9	31	1	2	4	7	11	16	29
B. *Operated*	15845	5.9	28	2	3	5	7	10	14	28
1. SINGLE DX	15385	4.1	12	1	2	4	5	7	8	15
2. MULTIPLE DX	17506	5.9	28	2	2	5	7	10	14	28
A. NOT OPERATED	2648	5.1	24	1	1	4	6	10	13	25
B. OPERATED	30243	5.1	22	2	2	4	6	8	11	23
TOTAL 0-19 YRS	1761	3.9	12	1	1	3	5	7	9	14
20-34	10413	4.4	14	1	2	4	5	7	9	16
35-49	10035	4.8	16	2	2	4	6	8	10	20
50-64	7351	5.5	23	2	2	4	6	10	13	24
65+	3331	7.7	56	2	3	5	9	15	21	42
GRAND TOTAL	**32891**	**5.1**	**22**	**2**	**2**	**4**	**6**	**9**	**12**	**23**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4619	4.0	14	1	1	3	5	7	10	18
20-34	7687	5.1	21	1	2	4	6	9	13	22
35-49	5146	5.1	18	1	2	4	6	9	12	22
50-64	3860	5.1	26	1	1	4	6	10	13	24
65+	3401	5.3	24	1	1	4	7	11	14	23
B. *Operated*										
0-19 YRS	1422	6.5	43	1	1	5	8	13	18	34
20-34	3369	8.4	62	1	2	6	11	18	24	39
35-49	2489	8.9	63	1	2	7	12	18	24	43
50-64	2402	8.7	71	1	2	7	12	17	23	48
65+	2057	9.8	88	2	2	7	13	20	26	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3726	4.8	21	1	1	4	6	9	12	24
20-34	8981	5.9	26	2	2	5	7	11	14	27
35-49	8734	6.1	24	2	2	5	7	11	14	26
50-64	10502	6.5	32	2	2	5	8	12	15	28
65+	17610	7.4	44	2	2	6	9	14	19	35
B. *Operated*										
0-19 YRS	1412	10.0	114	2	2	7	12	22	32	67
20-34	5819	10.9	106	2	3	8	13	23	31	55
35-49	5679	11.3	114	2	3	8	14	23	33	64
50-64	6776	12.7	145	2	3	9	16	27	38	71
65+	8058	15.5	176	3	4	12	20	32	43	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24713	4.9	20	1	1	4	6	9	12	22
B. *Operated*	11739	8.6	67	1	2	6	11	18	23	42
2. MULTIPLE DX										
A. *Not Operated*	49553	6.5	33	2	2	5	8	12	16	30
B. *Operated*	27744	12.7	141	2	3	9	16	27	37	67
1. SINGLE DX	36452	6.1	38	1	2	4	7	13	17	31
2. MULTIPLE DX	77297	8.7	81	2	2	6	10	18	25	50
A. NOT OPERATED	74266	6.0	30	1	2	5	7	11	15	28
B. OPERATED	39483	11.5	123	2	3	8	14	24	34	61
TOTAL 0-19 YRS	11179	5.3	36	1	1	4	6	10	15	33
20-34	25856	7.1	52	1	2	5	8	14	20	37
35-49	22048	7.5	56	2	2	5	9	15	21	42
50-64	23540	8.3	76	2	2	6	10	17	24	49
65+	31126	9.4	92	2	2	7	12	20	27	53
GRAND TOTAL	**113749**	**7.9**	**69**	**1**	**2**	**5**	**9**	**16**	**23**	**46**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	6.6	8	3	3	6	9	10	10	10
20-34	139	8.9	74	2	2	6	11	16	27	51
35-49	450	9.2	64	2	3	7	11	19	28	41
50-64	427	10.4	73	2	3	8	13	19	26	47
65+	168	10.4	81	2	4	8	12	21	27	56
B. *Operated*										
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11
20-34	65	9.6	165	1	2	5	12	18	33	81
35-49	179	8.9	71	1	2	6	13	21	25	36
50-64	190	9.2	86	1	1	7	13	20	25	43
65+	39	11.5	67	2	2	9	17	21	28	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	13.9	90	3	4	9	20	29	33	36
20-34	887	11.6	100	2	3	8	15	24	30	59
35-49	2899	12.8	112	3	3	10	17	27	33	54
50-64	3931	13.0	99	3	4	10	17	26	31	50
65+	1708	13.9	113	3	4	11	19	26	34	52
B. *Operated*										
0-19 YRS	5	23.8	652	6	6	10	39	66	66	66
20-34	284	16.0	177	2	4	13	19	31	44	71
35-49	975	16.8	167	3	5	13	23	32	42	67
50-64	1374	17.0	165	3	4	14	23	34	43	68
65+	534	18.1	177	4	5	15	23	37	45	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1189	9.7	71	2	3	7	12	19	27	46
B. *Operated*	475	9.3	89	1	1	7	13	20	25	42
2. MULTIPLE DX										
A. *Not Operated*	9443	13.0	106	3	4	10	17	26	32	52
B. *Operated*	3172	17.0	170	3	5	14	22	34	44	68
1. SINGLE DX	1664	9.6	76	2	2	7	12	20	26	44
2. MULTIPLE DX	12615	14.0	125	3	4	11	19	29	36	59
A. NOT OPERATED	10632	12.6	103	3	4	10	16	26	32	51
B. OPERATED	3647	16.0	166	2	4	13	21	32	42	67
TOTAL 0-19 YRS	30	13.8	176	3	3	9	17	29	36	66
20-34	1375	12.1	121	2	3	9	16	26	33	66
35-49	4503	13.1	123	2	3	10	17	28	34	56
50-64	5922	13.6	117	3	4	11	18	28	34	57
65+	2449	14.6	128	3	4	11	19	29	37	58
GRAND TOTAL	**14279**	**13.5**	**121**	**3**	**4**	**10**	**18**	**28**	**35**	**58**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	5.8	19	1	2	5	8	11	14	21
20-34	164	6.1	33	1	1	4	8	11	16	30
35-49	249	8.7	49	2	2	7	11	18	23	36
50-64	400	9.6	77	2	2	7	12	21	26	40
65+	222	9.0	51	1	2	7	12	17	22	37
B. *Operated*										
0-19 YRS	79	4.2	20	1	1	2	6	9	11	27
20-34	721	3.5	16	1	1	2	4	8	12	19
35-49	504	5.5	40	1	1	3	8	13	18	30
50-64	652	5.6	56	1	1	3	7	14	20	32
65+	281	9.1	88	1	1	6	14	22	27	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	6.9	60	1	1	5	8	14	21	48
20-34	350	8.2	56	2	2	6	10	18	24	38
35-49	1096	10.8	80	2	3	8	13	22	27	50
50-64	2323	11.8	88	3	4	9	15	23	29	47
65+	2087	13.1	110	3	4	10	16	25	34	59
B. *Operated*										
0-19 YRS	94	8.6	120	1	1	4	12	22	29	61
20-34	550	9.1	95	1	1	6	13	20	27	47
35-49	938	11.1	115	1	2	9	15	23	31	56
50-64	1768	12.9	137	1	2	10	17	27	35	60
65+	1412	16.1	183	2	3	12	22	33	43	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1086	8.6	58	1	2	7	11	18	23	37
B. *Operated*	2237	5.3	45	1	1	2	7	13	18	32
2. MULTIPLE DX										
A. *Not Operated*	5933	11.8	94	2	3	9	15	23	30	51
B. *Operated*	4762	13.0	147	1	2	10	18	28	36	60
1. SINGLE DX	3323	6.4	52	1	1	4	8	15	21	34
2. MULTIPLE DX	10695	12.3	118	2	2	9	16	25	33	55
A. NOT OPERATED	7019	11.3	89	2	3	9	14	22	29	50
B. OPERATED	6999	10.5	127	1	1	7	15	24	32	54
TOTAL 0-19 YRS	301	6.5	64	1	1	4	8	15	21	45
20-34	1785	6.4	56	1	1	3	8	15	21	36
35-49	2787	9.8	86	1	2	7	13	20	27	48
50-64	5143	11.2	105	1	2	8	15	24	31	50
65+	4002	13.6	136	2	3	11	18	28	37	60
GRAND TOTAL	**14018**	**10.9**	**108**	**1**	**2**	**8**	**14**	**23**	**31**	**52**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	428	5.7	15	1	2	5	7	11	13	18
20-34	1019	6.8	25	2	2	6	9	13	16	24
35-49	467	7.5	33	2	2	6	9	14	18	33
50-64	449	7.5	33	2	2	6	10	14	18	34
65+	261	8.6	41	2	2	7	11	16	21	35
B. *Operated*										
0-19 YRS	50	7.2	62	1	1	4	9	15	29	36
20-34	265	7.0	54	1	1	4	10	16	20	34
35-49	204	7.5	54	1	1	5	10	20	24	30
50-64	247	9.6	89	1	1	7	15	22	28	43
65+	158	11.3	100	1	2	10	15	25	31	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	297	6.9	27	2	2	6	8	13	17	28
20-34	886	7.8	35	2	2	6	10	15	19	29
35-49	1115	10.1	71	2	3	7	13	19	25	51
50-64	1870	11.0	85	3	3	8	14	22	29	49
65+	1611	11.7	87	3	4	9	15	23	29	51
B. *Operated*										
0-19 YRS	61	13.5	156	2	3	10	17	27	36	74
20-34	311	11.4	110	1	2	9	15	24	30	52
35-49	464	14.0	140	2	3	11	19	29	40	64
50-64	767	15.6	146	2	3	13	21	31	40	65
65+	662	19.2	217	3	5	16	25	38	47	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2624	7.1	28	2	2	6	9	13	16	28
B. *Operated*	924	8.6	74	1	1	6	12	20	26	35
2. MULTIPLE DX										
A. *Not Operated*	5779	10.3	75	2	3	8	13	20	27	47
B. *Operated*	2265	15.7	168	2	3	13	21	32	42	67
1. SINGLE DX	3548	7.5	40	1	2	6	10	15	19	32
2. MULTIPLE DX	8044	11.8	107	2	3	9	15	24	32	54
A. NOT OPERATED	8403	9.3	62	2	3	7	12	18	24	42
B. OPERATED	3189	13.6	151	1	2	11	19	29	38	63
TOTAL 0-19 YRS	836	6.8	36	2	2	5	8	12	17	33
20-34	2481	7.8	44	2	2	6	10	15	20	33
35-49	2250	10.1	81	2	2	7	13	21	28	50
50-64	3333	11.5	99	2	3	9	15	24	31	51
65+	2692	13.2	128	2	3	10	17	26	36	60
GRAND TOTAL	**11592**	**10.5**	**90**	**2**	**3**	**8**	**13**	**22**	**29**	**50**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	233	3.7	8	1	1	3	4	7	8	14
20-34	1834	3.4	6	1	1	3	4	6	8	12
35-49	1606	3.7	7	1	1	3	5	7	8	13
50-64	1816	4.3	14	1	1	4	5	8	10	15
65+	1603	5.6	15	1	2	5	7	10	12	18
B. *Operated*										
0-19 YRS	1419	7.6	13	4	5	7	9	11	13	20
20-34	15407	7.7	11	5	5	7	9	11	13	18
35-49	13973	8.2	12	5	5	7	9	12	14	20
50-64	14342	8.8	12	5	6	8	10	13	16	21
65+	7494	10.8	26	6	6	9	13	17	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	4.2	8	1	1	3	5	8	10	14
20-34	1520	4.5	10	1	1	4	6	8	10	16
35-49	2000	5.4	20	1	2	4	7	10	12	22
50-64	4049	5.9	20	2	2	5	7	11	13	22
65+	7636	7.7	33	2	3	6	9	14	18	28
B. *Operated*										
0-19 YRS	702	9.7	29	4	5	9	11	15	19	29
20-34	9582	9.5	24	5	6	8	11	15	18	27
35-49	11814	10.2	29	5	6	9	12	16	20	30
50-64	18554	11.7	43	6	6	10	14	19	23	36
65+	18734	15.2	77	6	7	13	18	25	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7092	4.2	11	1	1	3	5	8	10	15
B. *Operated*	52635	8.6	15	5	5	8	10	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	15350	6.6	27	2	2	5	8	12	15	25
B. *Operated*	59386	12.1	53	5	6	10	14	20	25	40
1. SINGLE DX	59727	8.1	16	3	4	7	9	13	15	22
2. MULTIPLE DX	74736	11.0	52	3	5	9	13	19	24	38
A. NOT OPERATED	22442	5.8	23	1	2	5	7	11	14	24
B. OPERATED	112021	10.5	38	5	6	9	12	17	21	34
TOTAL 0-19 YRS	2499	7.6	20	2	3	7	9	12	14	23
20-34	28343	7.8	18	3	4	7	9	12	15	22
35-49	29393	8.5	22	3	5	8	10	14	17	25
50-64	38761	9.7	33	3	5	8	11	16	20	31
65+	35467	12.2	66	3	5	10	15	22	27	43
GRAND TOTAL	**134463**	**9.7**	**38**	**3**	**5**	**8**	**11**	**16**	**21**	**33**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	318	4.1	7	1	2	4	5	7	9	14
20-34	2128	4.0	10	1	1	4	5	7	9	13
35-49	1707	4.3	11	1	2	4	5	7	9	14
50-64	538	4.9	14	1	2	4	6	9	11	17
65+	286	5.9	23	1	2	5	7	11	13	21
B. *Operated*										
0-19 YRS	168	8.1	15	4	4	7	10	13	15	22
20-34	1872	8.6	16	4	5	8	10	13	16	24
35-49	1871	9.0	19	5	5	8	10	14	17	24
50-64	1637	10.0	21	5	6	9	12	15	18	26
65+	1020	11.8	31	6	7	11	14	19	22	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	238	4.8	13	1	2	4	6	8	9	24
20-34	1847	4.8	10	1	2	4	6	9	11	17
35-49	2054	5.7	16	2	2	5	7	10	12	20
50-64	2982	6.4	27	2	2	5	8	11	14	23
65+	5001	8.4	37	2	3	7	10	15	19	32
B. *Operated*										
0-19 YRS	186	10.0	53	5	5	8	12	16	19	51
20-34	2822	9.8	26	5	5	8	12	16	19	28
35-49	3659	10.7	36	5	6	9	13	17	22	33
50-64	4274	12.4	57	6	6	10	15	21	26	43
65+	4374	16.0	83	7	8	14	20	28	34	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6977	4.6	14	1	2	4	6	8	10	16
B. *Operated*	6568	9.6	22	5	5	8	11	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	12122	6.8	28	2	2	6	9	12	16	27
B. *Operated*	15315	12.5	59	5	6	10	15	21	27	44
1. SINGLE DX	13545	7.0	24	2	2	6	9	13	15	24
2. MULTIPLE DX	27437	10.0	54	2	3	8	12	18	23	38
A. NOT OPERATED	19099	6.0	24	1	2	5	8	11	14	24
B. OPERATED	21883	11.6	50	5	6	10	14	20	25	40
TOTAL 0-19 YRS	910	6.2	25	1	2	5	8	11	14	23
20-34	8669	7.0	23	2	2	6	9	13	16	24
35-49	9291	8.1	30	2	3	7	10	14	18	27
50-64	10431	9.2	46	2	3	8	11	16	21	34
65+	11681	11.3	67	3	4	9	14	21	27	44
GRAND TOTAL	**40982**	**9.0**	**46**	**2**	**3**	**8**	**11**	**17**	**21**	**35**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	4.2	12	1	1	3	6	8	13	16
20-34	168	4.0	10	1	1	3	5	8	11	16
35-49	151	4.3	8	1	1	4	6	8	10	14
50-64	181	5.0	17	1	1	4	6	10	12	23
65+	283	6.2	18	1	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	51	8.5	29	2	4	7	10	12	22	33
20-34	646	8.9	22	4	5	8	11	15	17	24
35-49	587	9.5	24	4	5	8	11	15	19	24
50-64	762	10.6	38	3	5	9	13	19	23	31
65+	934	13.3	58	3	5	12	17	23	27	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.6	11	1	2	6	8	10	12	12
20-34	118	5.1	14	1	2	4	7	9	11	21
35-49	165	5.8	21	2	2	5	7	10	12	27
50-64	374	6.6	26	2	2	6	9	12	14	24
65+	905	8.8	44	2	3	7	10	15	19	31
B. *Operated*										
0-19 YRS	46	11.2	27	5	6	10	14	17	23	27
20-34	546	11.0	36	5	6	9	13	17	21	41
35-49	633	12.4	66	5	6	11	15	20	26	42
50-64	1202	14.8	74	6	7	13	18	24	31	50
65+	2475	18.9	108	7	9	17	24	32	39	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	806	5.0	15	1	1	4	7	10	11	19
B. *Operated*	2980	10.8	41	3	5	9	14	19	23	34
2. MULTIPLE DX										
A. *Not Operated*	1575	7.6	36	2	3	6	9	14	18	28
B. *Operated*	4902	16.1	95	6	7	14	20	29	35	53
1. SINGLE DX	3786	9.6	41	2	3	8	12	18	22	32
2. MULTIPLE DX	6477	14.0	94	3	5	12	18	26	33	50
A. NOT OPERATED	2381	6.8	31	1	2	6	9	12	16	27
B. OPERATED	7882	14.1	81	5	6	12	18	25	31	48
TOTAL 0-19 YRS	133	8.4	30	2	2	7	10	15	18	28
20-34	1478	8.8	30	2	3	8	11	15	18	27
35-49	1536	9.8	47	2	3	8	12	17	21	35
50-64	2519	11.6	64	2	4	10	15	21	25	45
65+	4597	15.0	101	3	5	13	19	28	34	50
GRAND TOTAL	**10263**	**12.4**	**79**	**2**	**4**	**10**	**16**	**23**	**29**	**45**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	6.2	18	2	2	5	9	13	15	17
20-34	152	4.9	11	1	2	4	6	9	11	20
35-49	197	5.7	13	1	2	5	8	10	12	20
50-64	202	6.0	21	1	2	5	8	12	16	24
65+	348	7.2	23	1	2	6	9	13	16	23
B. *Operated*										
0-19 YRS	13	11.5	54	1	2	11	16	21	24	25
20-34	99	12.0	86	2	3	9	15	24	30	49
35-49	107	12.4	52	1	2	11	15	22	27	32
50-64	140	13.4	99	1	2	12	18	25	30	43
65+	172	15.8	141	2	3	15	20	29	33	76
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	7.4	31	2	2	6	10	15	20	25
20-34	183	7.2	47	2	2	6	9	13	15	34
35-49	278	7.6	31	2	3	6	9	14	18	29
50-64	544	8.3	37	2	3	7	11	15	19	33
65+	1367	10.6	61	3	4	9	13	19	25	38
B. *Operated*										
0-19 YRS	31	15.8	122	2	2	14	22	30	41	43
20-34	166	13.6	121	2	4	10	17	25	33	66
35-49	320	15.1	141	3	4	12	19	28	35	80
50-64	617	18.0	154	3	5	15	23	33	40	60
65+	1188	21.6	162	6	9	19	26	38	47	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	932	6.2	19	1	2	5	8	12	14	22
B. *Operated*	531	13.7	102	1	3	12	18	25	30	47
2. MULTIPLE DX										
A. *Not Operated*	2409	9.4	52	2	3	8	12	18	23	37
B. *Operated*	2322	19.1	162	4	6	17	24	34	44	72
1. SINGLE DX	1463	8.9	62	1	2	7	12	18	24	35
2. MULTIPLE DX	4731	14.2	129	3	4	11	19	28	36	57
A. NOT OPERATED	3341	8.5	45	2	3	7	11	16	21	33
B. OPERATED	2853	18.1	155	3	5	16	23	33	42	71
TOTAL 0-19 YRS	114	9.8	69	2	2	7	14	21	26	42
20-34	600	9.2	77	2	2	7	11	19	25	46
35-49	902	10.4	84	2	3	8	13	21	27	46
50-64	1503	12.4	113	2	3	10	16	25	32	53
65+	3075	14.8	132	3	4	12	19	29	36	59
GRAND TOTAL	**6194**	**12.9**	**118**	**2**	**3**	**10**	**17**	**26**	**33**	**54**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	393	6.3	19	2	2	5	7	11	15	26
20-34	2738	6.5	21	2	3	6	8	12	14	22
35-49	2920	7.3	28	2	3	6	9	13	16	28
50-64	875	7.3	23	2	3	6	9	13	16	26
65+	1139	8.3	32	2	3	7	10	14	18	28
B. *Operated*										
0-19 YRS	43	9.9	41	2	3	9	12	17	22	32
20-34	213	14.2	169	1	3	11	18	28	40	70
35-49	307	13.5	137	2	2	11	17	25	36	73
50-64	305	14.4	158	1	2	11	19	31	39	59
65+	158	15.4	142	2	3	13	19	29	37	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	320	7.1	21	2	3	6	9	13	15	25
20-34	3887	8.1	33	2	3	7	10	14	18	30
35-49	6119	8.9	41	3	3	7	11	16	20	35
50-64	4838	9.3	41	3	4	8	11	16	21	34
65+	4247	10.4	51	3	4	9	13	18	24	37
B. *Operated*										
0-19 YRS	63	16.7	131	5	6	13	20	37	42	57
20-34	736	18.2	221	4	6	14	23	39	56	99+
35-49	1405	19.4	219	4	6	15	24	39	52	89
50-64	1444	20.2	227	4	7	16	26	40	54	95
65+	1266	21.4	206	6	8	18	27	41	52	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9065	7.1	26	2	3	6	9	13	16	26
B. *Operated*	1026	14.1	147	1	2	11	18	28	37	66
2. MULTIPLE DX										
A. *Not Operated*	19411	9.1	42	3	3	8	11	16	21	35
B. *Operated*	4914	20.0	218	4	7	16	25	40	53	95
1. SINGLE DX	10091	7.9	42	2	3	6	9	14	19	35
2. MULTIPLE DX	24325	11.3	96	3	4	9	14	22	30	56
A. NOT OPERATED	28476	8.5	37	2	3	7	10	15	19	32
B. OPERATED	5940	18.9	211	4	6	15	24	38	51	91
TOTAL 0-19 YRS	819	7.6	37	2	3	6	9	14	18	34
20-34	7574	8.7	62	2	3	7	10	16	22	45
35-49	10751	9.9	78	2	3	8	12	19	26	50
50-64	8462	10.9	93	3	3	8	13	21	29	54
65+	6810	12.2	99	3	4	10	15	23	30	55
GRAND TOTAL	**34416**	**10.3**	**83**	**2**	**3**	**8**	**12**	**20**	**27**	**51**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	595	3.7	6	1	1	3	5	7	8	13
20-34	760	3.9	9	1	1	3	5	7	9	15
35-49	857	4.8	13	1	2	4	6	9	11	20
50-64	1103	5.3	15	1	2	5	7	9	11	17
65+	1704	6.4	23	1	2	5	8	12	15	22
B. *Operated*										
0-19 YRS	57	5.5	20	1	1	5	8	11	12	24
20-34	91	7.0	28	2	2	6	9	14	17	28
35-49	121	8.3	36	1	2	7	10	16	22	28
50-64	163	8.9	33	2	2	8	12	16	20	30
65+	231	10.0	57	2	3	8	13	19	25	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	760	4.7	16	1	2	4	6	8	11	22
20-34	1933	5.2	19	1	2	4	6	9	12	26
35-49	2900	6.4	25	2	2	5	8	12	15	27
50-64	5554	7.4	33	2	3	6	9	13	16	30
65+	13066	8.9	43	2	3	7	11	16	21	36
B. *Operated*										
0-19 YRS	94	7.6	33	1	2	5	11	16	19	26
20-34	361	9.6	72	2	3	8	12	17	22	49
35-49	686	11.6	91	2	3	9	14	23	32	60
50-64	1618	12.2	94	3	4	10	15	23	31	53
65+	3246	14.9	133	4	5	12	19	29	39	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5019	5.2	16	1	2	4	7	10	12	20
B. *Operated*	663	8.6	42	1	2	7	11	16	21	31
2. MULTIPLE DX										
A. *Not Operated*	24213	7.8	38	2	3	6	10	14	19	32
B. *Operated*	6005	13.4	116	3	4	10	16	26	35	60
1. SINGLE DX	5682	5.6	21	1	2	4	7	11	14	22
2. MULTIPLE DX	30218	8.9	58	2	3	7	11	17	23	41
A. NOT OPERATED	29232	7.4	35	2	2	6	9	14	18	31
B. OPERATED	6668	12.9	110	3	4	10	16	25	34	56
TOTAL 0-19 YRS	1506	4.5	14	1	1	4	6	8	11	20
20-34	3145	5.5	26	1	2	4	7	10	14	28
35-49	4564	7.0	38	2	2	5	8	13	17	33
50-64	8438	8.1	47	2	3	6	10	15	20	35
65+	18247	9.7	64	2	3	8	12	18	25	44
GRAND TOTAL	**35900**	**8.4**	**54**	**2**	**2**	**7**	**10**	**16**	**22**	**39**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	364	4.5	9	1	2	4	6	8	10	16
20-34	68	5.9	12	1	2	5	8	11	13	16
35-49	66	6.2	18	2	2	5	8	13	15	20
50-64	82	7.3	44	1	2	5	9	14	19	40
65+	38	8.6	50	1	2	7	9	15	27	34
B. *Operated*										
0-19 YRS	23	8.1	150	<1	1	5	8	37	68	99+
20-34	54	9.3	45	2	2	8	13	18	24	29
35-49	52	10.8	67	1	2	8	15	23	26	42
50-64	54	9.2	61	2	2	7	11	20	32	97
65+	41	11.4	96	<1	1	8	16	27	34	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	448	6.6	46	2	2	5	7	12	16	41
20-34	146	8.4	68	2	2	6	10	19	28	50
35-49	234	9.0	57	2	3	7	11	18	23	50
50-64	293	10.2	68	2	3	8	13	22	25	41
65+	375	11.9	86	3	4	10	16	24	28	38
B. *Operated*										
0-19 YRS	40	12.6	307	1	2	7	15	43	99	99+
20-34	141	13.5	82	3	5	12	16	24	31	57
35-49	181	16.9	166	4	6	13	21	34	42	61
50-64	204	15.4	134	3	4	12	19	36	43	54
65+	199	19.1	249	3	5	15	23	39	51	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	618	5.4	19	1	2	4	7	10	13	21
B. *Operated*	224	9.9	74	1	2	7	13	23	29	65
2. MULTIPLE DX										
A. *Not Operated*	1496	9.2	68	2	3	7	11	19	25	45
B. *Operated*	765	16.2	174	3	5	13	20	35	44	85
1. SINGLE DX	842	6.6	38	1	2	5	8	13	18	34
2. MULTIPLE DX	2261	11.6	115	2	3	9	15	24	33	57
A. NOT OPERATED	2114	8.1	57	2	2	6	10	17	22	39
B. OPERATED	989	14.8	158	2	4	12	18	32	42	83
TOTAL 0-19 YRS	875	6.0	48	1	2	4	7	11	15	45
20-34	409	9.8	68	2	2	8	13	19	25	47
35-49	533	11.5	106	2	3	9	14	23	33	55
50-64	633	11.4	94	2	3	9	15	23	33	53
65+	653	13.9	146	3	4	11	17	27	36	63
GRAND TOTAL	**3103**	**10.2**	**99**	**2**	**2**	**7**	**13**	**22**	**30**	**54**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	547	6.8	23	2	2	6	9	14	17	23
20-34	145	5.4	16	1	2	4	7	11	15	21
35-49	96	6.3	28	2	2	5	8	10	16	31
50-64	77	6.1	21	1	2	5	8	14	16	18
65+	65	9.9	59	2	3	8	13	19	24	41
B. *Operated*										
0-19 YRS	226	5.4	42	1	2	3	6	10	16	29
20-34	253	5.2	36	1	2	3	6	11	15	28
35-49	165	5.3	26	1	2	3	7	11	15	23
50-64	107	6.7	39	1	2	5	10	14	19	31
65+	58	9.7	86	1	2	7	14	19	29	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	403	7.6	56	2	2	6	9	15	21	36
20-34	317	6.9	34	1	2	5	9	15	19	27
35-49	257	7.8	54	1	2	6	10	15	19	35
50-64	443	9.2	47	2	3	8	12	17	23	33
65+	673	12.2	112	2	3	9	15	24	33	63
B. *Operated*										
0-19 YRS	207	9.8	128	1	2	6	13	23	32	60
20-34	440	9.4	91	1	2	6	13	21	30	50
35-49	407	10.5	100	2	2	7	13	23	33	50
50-64	508	12.5	153	2	2	9	16	26	34	69
65+	423	15.4	155	3	4	12	20	32	39	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	930	6.7	26	2	2	5	8	14	17	24
B. *Operated*	809	5.8	41	1	2	3	7	12	17	30
2. MULTIPLE DX										
A. *Not Operated*	2093	9.3	73	2	2	7	12	19	25	41
B. *Operated*	1985	11.7	131	2	2	8	15	26	35	59
1. SINGLE DX	1739	6.3	33	1	2	5	8	13	17	26
2. MULTIPLE DX	4078	10.5	103	2	2	8	13	22	30	52
A. NOT OPERATED	3023	8.5	60	2	2	6	11	17	23	38
B. OPERATED	2794	10.0	112	2	2	7	13	23	31	54
TOTAL 0-19 YRS	1383	7.3	53	2	2	5	9	15	20	36
20-34	1155	7.3	57	1	2	5	9	16	22	39
35-49	925	8.4	71	2	2	6	10	17	24	41
50-64	1135	10.2	97	2	2	7	13	21	27	50
65+	1219	13.1	126	2	3	10	17	27	35	65
GRAND TOTAL	**5817**	**9.2**	**85**	**2**	**2**	**6**	**12**	**19**	**27**	**47**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	356	5.8	14	1	2	5	7	11	13	18
20-34	61	5.3	12	1	1	5	6	10	13	16
35-49	18	5.5	16	<1	1	4	8	10	14	17
50-64	11	7.9	28	2	2	7	12	16	18	18
65+	6	10.7	125	4	4	6	10	31	33	33
B. *Operated*										
0-19 YRS	45	6.2	29	1	2	4	8	13	18	25
20-34	42	4.8	11	1	2	4	6	9	12	15
35-49	16	10.1	81	1	2	9	14	22	30	33
50-64	18	8.3	60	1	2	4	15	20	24	26
65+	7	8.6	45	2	2	8	15	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	264	7.1	30	2	2	6	9	12	15	25
20-34	64	5.3	9	1	2	5	6	9	12	14
35-49	39	7.5	23	1	2	8	10	14	17	23
50-64	44	8.6	38	1	2	7	11	17	22	29
65+	76	11.0	143	2	3	8	12	20	26	80
B. *Operated*										
0-19 YRS	56	8.1	92	1	2	5	9	17	33	48
20-34	71	12.3	176	2	3	9	15	21	42	79
35-49	61	9.4	56	1	2	7	14	18	24	35
50-64	65	13.8	149	3	4	10	17	23	31	77
65+	64	17.0	207	3	3	15	19	30	45	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	452	5.8	16	1	2	5	7	11	14	18
B. *Operated*	128	6.6	37	1	2	4	9	15	20	28
2. MULTIPLE DX										
A. *Not Operated*	487	7.7	47	2	2	6	9	13	17	31
B. *Operated*	317	12.3	147	2	2	9	16	23	36	66
1. SINGLE DX	580	6.0	21	1	2	5	8	12	15	23
2. MULTIPLE DX	804	9.5	91	2	2	7	11	18	23	50
A. NOT OPERATED	939	6.8	33	2	2	6	9	12	15	25
B. OPERATED	445	10.6	121	2	2	8	15	21	27	51
TOTAL 0-19 YRS	721	6.5	27	2	2	5	8	12	14	26
20-34	238	7.3	70	1	2	5	9	14	18	50
35-49	134	8.4	45	1	2	7	11	17	23	33
50-64	138	11.0	98	2	2	8	15	22	25	51
65+	153	13.4	172	2	3	10	16	24	33	90
GRAND TOTAL	**1384**	**8.0**	**64**	**2**	**2**	**6**	**10**	**16**	**20**	**42**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	2.9	3	<1	<1	1	4	8	9	13
20-34	105	3.0	37	<1	<1	1	2	6	10	37
35-49	87	3.5	24	<1	1	2	4	6	10	30
50-64	202	3.8	28	1	1	2	4	8	14	30
65+	203	6.4	83	1	1	3	8	16	22	57
B. *Operated*										
0-19 YRS	56	8.2	60	<1	1	6	12	20	25	34
20-34	207	9.6	98	2	2	6	12	24	33	52
35-49	270	7.7	79	1	1	4	9	19	26	46
50-64	493	6.6	65	1	1	4	8	14	21	50
65+	307	7.0	63	1	1	4	8	16	22	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	164	3.6	18	1	1	2	4	7	12	25
20-34	343	5.1	28	1	1	3	7	12	15	27
35-49	536	6.5	68	1	1	4	8	14	20	39
50-64	1185	7.6	66	1	1	5	10	16	22	42
65+	2206	8.9	86	1	1	6	12	20	27	48
B. *Operated*										
0-19 YRS	246	14.9	251	1	2	9	21	34	51	69
20-34	1028	13.6	229	1	2	8	17	32	49	83
35-49	1425	12.2	161	1	2	8	16	29	41	64
50-64	2315	12.8	183	2	2	8	17	29	40	71
65+	1862	15.1	207	2	3	11	20	34	46	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	626	4.4	48	<1	1	2	5	11	16	36
B. *Operated*	1333	7.5	73	1	1	4	9	17	26	46
2. MULTIPLE DX										
A. *Not Operated*	4434	7.8	73	1	1	5	10	18	24	43
B. *Operated*	6876	13.5	196	2	2	9	18	31	44	71
1. SINGLE DX	1959	6.5	67	1	1	4	8	15	23	42
2. MULTIPLE DX	11310	11.2	155	1	1	7	15	26	37	66
A. NOT OPERATED	5060	7.4	71	1	1	5	10	17	23	43
B. OPERATED	8209	12.5	181	1	2	8	16	29	42	69
TOTAL 0-19 YRS	495	9.7	166	1	1	4	12	25	34	66
20-34	1683	10.7	175	1	1	6	13	26	40	73
35-49	2318	10.0	133	1	2	6	13	24	36	61
50-64	4195	10.2	138	1	2	6	13	24	32	62
65+	4578	11.2	144	1	1	7	15	26	36	65
GRAND TOTAL	**13269**	**10.5**	**145**	**1**	**1**	**7**	**14**	**25**	**35**	**64**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	4.6	10	1	1	4	6	9	12	14
20-34	27	4.0	9	1	1	4	5	7	10	15
35-49	23	5.0	15	<1	1	5	7	9	13	18
50-64	76	4.9	25	<1	1	4	7	12	16	80
65+	118	9.9	84	1	2	7	14	22	25	70
B. *Operated*										
0-19 YRS	12	17.8	455	<1	1	9	23	57	64	65
20-34	53	9.8	86	1	1	8	13	22	32	38
35-49	43	12.2	178	2	2	7	17	33	42	52
50-64	80	8.3	117	<1	1	4	11	21	27	61
65+	65	9.5	117	1	1	6	12	22	34	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	7.6	59	1	1	5	9	18	27	33
20-34	130	6.5	37	1	2	5	8	14	17	31
35-49	219	8.1	50	1	2	6	11	18	25	32
50-64	583	10.4	107	1	2	8	13	21	31	59
65+	1984	13.5	109	2	3	11	17	26	34	50
B. *Operated*										
0-19 YRS	36	12.9	164	2	3	9	16	26	41	65
20-34	151	15.0	242	2	2	10	23	36	71	99+
35-49	258	15.3	227	2	2	11	21	34	48	93
50-64	577	17.3	256	2	3	13	23	38	54	90
65+	829	21.9	240	3	5	19	30	44	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	278	6.9	52	1	1	5	9	16	22	54
B. *Operated*	253	10.0	138	1	1	6	12	25	37	56
2. MULTIPLE DX										
A. *Not Operated*	2993	12.1	105	2	2	10	16	25	32	50
B. *Operated*	1851	18.8	250	2	3	15	26	41	54	99+
1. SINGLE DX	531	8.4	95	1	1	5	11	20	28	56
2. MULTIPLE DX	4844	14.6	171	2	3	11	20	32	41	76
A. NOT OPERATED	3271	11.6	102	2	2	9	15	24	32	50
B. OPERATED	2104	17.7	245	2	3	14	25	39	53	99+
TOTAL 0-19 YRS	159	8.9	113	1	1	6	11	20	30	64
20-34	361	10.4	145	1	2	6	13	27	36	99+
35-49	543	11.7	156	1	2	8	16	27	39	68
50-64	1316	13.0	184	1	2	9	17	30	41	77
65+	2996	15.6	160	2	3	12	21	32	41	69
GRAND TOTAL	**5375**	**14.0**	**167**	**2**	**2**	**11**	**19**	**31**	**41**	**73**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1419	4.3	5	2	2	4	5	7	8	10
20-34	2119	4.5	7	2	2	4	5	7	8	12
35-49	524	5.2	7	2	2	5	6	9	10	14
50-64	360	5.3	8	2	2	5	7	9	10	14
65+	360	6.5	12	2	3	6	8	10	13	19
B. *Operated*										
0-19 YRS	112	5.6	8	1	2	5	7	8	9	16
20-34	142	6.6	21	2	3	6	8	10	14	27
35-49	57	6.6	9	2	3	7	8	10	12	17
50-64	42	8.8	24	3	4	7	13	16	18	25
65+	27	7.6	29	1	1	7	11	13	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1260	4.9	8	2	2	4	6	8	9	14
20-34	2195	5.5	17	2	2	5	7	9	11	17
35-49	1024	6.5	13	2	3	6	8	11	13	18
50-64	1302	7.8	23	3	3	7	9	13	16	25
65+	2356	9.8	49	3	4	8	12	17	22	36
B. *Operated*										
0-19 YRS	213	6.9	19	2	3	6	8	12	15	25
20-34	518	8.9	42	3	4	7	10	16	21	39
35-49	294	11.0	66	4	4	8	14	22	29	47
50-64	385	13.4	97	4	5	11	17	24	32	50
65+	426	16.3	120	5	6	14	20	29	38	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4782	4.7	7	2	2	4	6	7	9	13
B. *Operated*	380	6.6	17	2	3	6	8	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	8137	7.1	29	2	3	6	9	13	16	28
B. *Operated*	1836	11.6	83	3	4	9	15	22	28	50
1. SINGLE DX	5162	4.9	8	2	2	4	6	8	9	14
2. MULTIPLE DX	9973	8.0	42	2	3	6	9	15	19	35
A. NOT OPERATED	12919	6.2	22	2	3	5	7	11	14	24
B. OPERATED	2216	10.8	75	3	4	8	13	21	26	46
TOTAL 0-19 YRS	3004	4.8	8	2	2	4	6	7	9	14
20-34	4974	5.4	17	2	2	5	6	9	11	20
35-49	1899	6.8	23	2	3	6	8	12	15	27
50-64	2089	8.4	40	3	3	7	10	15	19	34
65+	3169	10.3	61	3	4	8	13	19	24	42
GRAND TOTAL	**15135**	**6.9**	**33**	**2**	**3**	**5**	**8**	**13**	**17**	**29**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1434	4.1	6	1	2	4	5	7	8	12
20-34	1900	4.4	7	2	2	4	5	7	8	13
35-49	537	5.0	8	2	2	4	6	8	10	15
50-64	389	5.6	15	2	2	5	7	10	12	22
65+	370	6.4	18	2	3	5	8	11	14	24
B. *Operated*										
0-19 YRS	246	5.3	33	1	1	4	7	9	13	24
20-34	344	5.8	17	1	2	5	8	12	14	20
35-49	214	6.6	32	1	2	5	9	13	17	28
50-64	188	9.3	93	2	2	7	12	19	25	55
65+	120	9.9	68	2	2	7	13	24	27	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1241	4.8	14	2	2	4	6	8	10	14
20-34	2234	5.2	10	2	2	5	6	9	11	16
35-49	1062	6.9	24	2	3	6	8	12	16	26
50-64	1378	7.9	32	2	3	6	10	14	18	34
65+	2443	9.6	46	3	4	8	12	17	21	37
B. *Operated*										
0-19 YRS	466	6.3	24	1	1	5	8	12	16	24
20-34	971	8.6	58	2	2	7	10	17	21	42
35-49	768	11.2	103	2	3	8	14	23	31	55
50-64	935	12.6	95	2	3	10	16	25	31	53
65+	1050	15.0	136	2	4	12	19	29	38	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4630	4.7	9	2	2	4	6	8	9	16
B. *Operated*	1112	6.9	45	1	2	5	8	14	18	32
2. MULTIPLE DX										
A. *Not Operated*	8358	7.1	30	2	3	6	9	13	17	28
B. *Operated*	4190	11.3	98	2	2	9	15	23	31	54
1. SINGLE DX	5742	5.1	16	1	2	4	6	9	12	22
2. MULTIPLE DX	12548	8.5	57	2	3	6	10	17	22	40
A. NOT OPERATED	12988	6.2	24	2	2	5	7	11	15	24
B. OPERATED	5302	10.4	90	2	2	8	13	22	29	52
TOTAL 0-19 YRS	3387	4.7	14	1	2	4	6	8	10	17
20-34	5449	5.6	20	2	2	5	7	10	13	23
35-49	2581	7.8	50	2	2	6	9	15	21	37
50-64	2890	9.2	60	2	3	7	11	18	24	39
65+	3983	10.7	75	3	3	8	13	20	27	49
GRAND TOTAL	**18290**	**7.4**	**47**	**2**	**2**	**5**	**9**	**15**	**20**	**36**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	289	2.7	4	1	1	2	3	5	7	11
20-34	2128	2.5	4	1	1	2	3	5	6	11
35-49	2349	2.7	6	1	1	2	3	5	7	12
50-64	1627	2.9	6	1	1	2	4	5	7	12
65+	523	3.5	7	1	1	3	5	7	8	13
B. *Operated*										
0-19 YRS	128	7.4	13	2	3	8	9	12	13	19
20-34	1157	8.5	25	2	3	8	10	14	16	28
35-49	1510	8.5	22	2	2	8	11	14	16	25
50-64	1510	9.4	32	2	3	9	12	15	19	28
65+	641	9.9	31	2	3	10	12	16	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	171	3.6	10	1	1	3	5	6	7	21
20-34	1373	3.6	9	1	1	3	5	7	9	15
35-49	1780	3.9	11	1	1	3	5	8	10	15
50-64	1994	4.5	14	1	1	4	6	9	11	17
65+	1492	6.1	26	1	2	5	8	11	15	24
B. *Operated*										
0-19 YRS	142	9.4	54	2	3	7	11	18	22	43
20-34	1206	10.0	51	2	3	9	12	17	22	38
35-49	1841	10.2	48	2	3	9	13	19	23	35
50-64	2692	11.0	67	2	3	10	14	20	25	40
65+	2041	12.6	86	2	3	11	16	24	31	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6916	2.8	5	1	1	2	3	5	7	12
B. *Operated*	4946	9.0	27	2	3	9	11	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	6810	4.5	15	1	1	3	6	9	11	19
B. *Operated*	7922	11.1	66	2	3	10	14	20	26	42
1. SINGLE DX	11862	5.3	24	1	1	3	8	11	14	22
2. MULTIPLE DX	14732	8.0	53	1	2	6	11	16	21	36
A. NOT OPERATED	13726	3.6	11	1	1	3	4	7	10	16
B. OPERATED	12868	10.2	52	2	3	9	13	18	23	37
TOTAL 0-19 YRS	730	5.1	24	1	1	4	7	10	13	23
20-34	5864	5.5	29	1	1	4	8	12	15	27
35-49	7480	6.0	30	1	1	4	9	13	16	26
50-64	7823	7.4	45	1	2	6	10	15	19	31
65+	4697	9.2	62	1	2	7	12	18	24	39
GRAND TOTAL	**26594**	**6.8**	**42**	**1**	**1**	**5**	**9**	**14**	**18**	**31**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	941	2.6	8	1	1	2	3	4	6	9
20-34	8878	2.3	4	1	1	2	3	4	5	8
35-49	9301	2.4	5	1	1	2	3	4	5	8
50-64	6064	2.6	5	1	1	2	3	5	6	9
65+	1585	3.0	5	1	1	3	4	6	7	10
B. *Operated*										
0-19 YRS	516	6.2	16	2	2	5	8	11	14	20
20-34	5280	6.1	17	2	2	5	8	11	13	19
35-49	6251	6.5	20	2	2	6	9	12	14	21
50-64	5040	7.1	21	2	2	6	9	13	15	23
65+	1775	8.3	26	2	3	8	11	15	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	261	3.2	35	1	1	2	4	5	6	9
20-34	2408	3.1	10	1	1	2	4	6	7	13
35-49	3159	3.2	8	1	1	3	4	6	7	12
50-64	3398	3.6	8	1	1	3	4	7	8	13
65+	1791	4.6	23	1	1	4	6	8	11	22
B. *Operated*										
0-19 YRS	216	6.6	19	2	2	6	8	12	14	22
20-34	2144	7.5	28	2	3	6	10	14	17	27
35-49	3118	8.1	32	2	3	7	10	15	18	29
50-64	4199	9.4	42	2	3	8	12	17	21	32
65+	2801	11.3	62	3	4	10	14	21	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26769	2.4	5	1	1	2	3	4	5	9
B. *Operated*	18862	6.7	20	2	2	6	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	11017	3.5	12	1	1	3	4	6	8	14
B. *Operated*	12478	9.1	43	2	3	8	12	17	21	33
1. SINGLE DX	45631	4.2	16	1	1	3	5	9	12	18
2. MULTIPLE DX	23495	6.5	36	1	2	5	9	14	18	29
A. NOT OPERATED	37786	2.8	7	1	1	2	3	5	6	11
B. OPERATED	31340	7.7	31	2	2	6	10	14	18	28
TOTAL 0-19 YRS	1934	4.1	18	1	1	3	5	8	11	18
20-34	18710	4.1	15	1	1	3	5	9	11	18
35-49	21829	4.5	19	1	1	3	6	10	12	20
50-64	18701	5.5	26	1	1	4	7	12	15	24
65+	7952	7.5	45	1	2	6	10	15	20	32
GRAND TOTAL	**69126**	**5.0**	**24**	**1**	**1**	**3**	**7**	**11**	**14**	**23**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	314	3.2	12	<1	1	2	4	7	9	16
20-34	269	3.3	9	1	1	2	4	7	9	13
35-49	274	3.5	9	1	1	3	4	7	10	18
50-64	260	3.8	10	1	1	3	5	8	10	18
65+	252	4.6	16	1	1	3	6	10	13	21
B. *Operated*										
0-19 YRS	1853	6.3	25	<1	1	7	9	12	15	20
20-34	910	7.3	28	1	2	7	10	14	17	23
35-49	905	6.8	34	1	1	5	10	14	17	28
50-64	1081	6.7	41	1	1	4	9	15	19	31
65+	782	6.9	41	1	2	5	10	15	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	449	4.5	22	1	1	3	6	9	11	21
20-34	520	4.8	20	1	1	4	6	9	13	24
35-49	462	6.1	37	1	2	4	8	11	16	28
50-64	827	7.4	49	2	2	6	9	14	18	33
65+	1747	9.5	75	2	2	7	12	19	26	46
B. *Operated*										
0-19 YRS	2288	6.9	39	1	1	6	10	14	18	28
20-34	1703	9.2	61	1	2	8	12	18	22	34
35-49	1819	9.6	65	2	2	8	13	19	24	39
50-64	2619	10.3	77	2	2	8	14	21	27	42
65+	3008	12.3	115	2	2	10	16	25	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1369	3.7	12	1	1	3	4	7	10	18
B. *Operated*	5531	6.7	32	1	1	6	10	14	17	26
2. MULTIPLE DX										
A. *Not Operated*	4005	7.5	56	1	2	5	9	15	20	39
B. *Operated*	11437	9.9	78	1	2	8	13	20	26	43
1. SINGLE DX	6900	6.1	30	1	1	4	9	13	16	25
2. MULTIPLE DX	15442	9.3	74	1	2	7	12	19	25	42
A. NOT OPERATED	5374	6.5	48	1	1	4	8	14	18	34
B. OPERATED	16968	8.8	66	1	1	8	12	18	23	39
TOTAL 0-19 YRS	4904	6.2	31	1	1	5	9	13	16	25
20-34	3402	7.6	46	1	2	6	10	15	19	31
35-49	3460	7.9	53	1	2	6	11	16	21	34
50-64	4787	8.7	64	1	2	7	12	18	23	37
65+	5789	10.4	94	2	2	8	14	22	28	49
GRAND TOTAL	**22342**	**8.3**	**62**	**1**	**1**	**7**	**11**	**17**	**22**	**38**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	2.7	3	1	1	2	4	5	5	9
20-34	795	2.4	3	1	1	2	3	4	5	8
35-49	781	2.5	4	1	1	2	3	5	5	8
50-64	545	2.8	6	1	1	2	4	5	6	11
65+	148	3.7	7	1	1	3	5	7	8	15
B. *Operated*										
0-19 YRS	69	4.4	11	1	1	4	7	10	11	13
20-34	390	6.0	14	2	2	5	8	11	12	18
35-49	472	6.4	25	1	2	5	8	12	15	29
50-64	511	6.8	31	1	2	6	9	13	17	26
65+	421	6.7	29	1	2	5	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	3.6	6	1	1	3	5	6	7	14
20-34	314	3.4	7	1	1	3	4	6	8	15
35-49	381	3.8	12	1	1	3	5	7	9	15
50-64	438	4.3	17	1	1	3	5	8	10	22
65+	278	6.3	66	1	1	4	7	12	17	42
B. *Operated*										
0-19 YRS	64	6.3	45	1	2	5	8	13	19	92
20-34	346	8.5	50	2	2	7	11	17	21	35
35-49	419	8.6	76	2	2	7	11	17	22	40
50-64	897	8.3	41	2	2	7	11	16	21	30
65+	1515	10.9	77	2	3	9	14	22	28	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2369	2.6	4	1	1	2	3	5	6	10
B. *Operated*	1863	6.4	25	1	2	5	9	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	1460	4.3	23	1	1	3	5	8	11	23
B. *Operated*	3241	9.5	65	2	2	8	12	19	24	39
1. SINGLE DX	4232	4.3	17	1	1	3	5	9	12	20
2. MULTIPLE DX	4701	7.9	58	1	2	6	10	16	22	37
A. NOT OPERATED	3829	3.3	12	1	1	2	4	6	8	16
B. OPERATED	5104	8.4	53	2	2	7	11	16	22	36
TOTAL 0-19 YRS	282	4.1	17	1	1	3	5	8	11	25
20-34	1845	4.5	20	1	1	3	5	10	13	21
35-49	2053	4.9	31	1	1	3	6	10	14	28
50-64	2391	6.0	31	1	1	4	8	13	16	27
65+	2362	9.1	68	2	2	7	12	19	24	39
GRAND TOTAL	**8933**	**6.2**	**42**	**1**	**1**	**4**	**8**	**13**	**18**	**31**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	807	3.3	16	1	1	3	4	5	7	11
20-34	748	3.2	5	1	1	3	4	5	7	11
35-49	339	3.8	7	1	1	3	5	6	8	15
50-64	303	4.0	7	1	1	3	5	7	8	14
65+	337	5.2	13	1	2	4	6	9	13	16
B. *Operated*										
0-19 YRS	1373	2.7	6	<1	1	2	3	5	7	11
20-34	2030	3.2	9	1	1	2	4	6	8	13
35-49	1581	3.3	8	1	1	2	4	6	9	14
50-64	1949	3.4	12	1	1	3	4	6	8	14
65+	1760	4.1	11	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	980	3.9	7	1	1	3	5	7	9	12
20-34	1285	4.7	12	1	2	4	6	8	11	18
35-49	918	5.8	18	1	2	5	7	10	13	23
50-64	1207	6.5	23	2	2	5	8	12	15	25
65+	2846	8.6	50	2	3	7	11	16	21	35
B. *Operated*										
0-19 YRS	2305	3.1	10	1	1	2	4	6	8	14
20-34	4097	4.6	20	1	1	3	6	9	12	22
35-49	3578	5.3	26	1	1	4	7	11	15	25
50-64	4360	6.0	39	1	2	4	7	12	17	31
65+	6076	7.9	57	2	2	6	10	16	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2534	3.6	10	1	1	3	4	6	8	14
B. *Operated*	8693	3.4	10	1	1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	7236	6.6	32	2	2	5	8	12	16	29
B. *Operated*	20416	5.8	37	1	1	4	7	12	17	31
1. SINGLE DX	11227	3.4	10	1	1	3	4	7	9	14
2. MULTIPLE DX	27652	6.0	36	1	2	4	8	12	16	30
A. NOT OPERATED	9770	5.8	28	1	2	4	7	11	15	26
B. OPERATED	29109	5.1	30	1	1	3	6	11	15	28
TOTAL 0-19 YRS	5465	3.2	9	1	1	2	4	6	7	13
20-34	8160	4.1	15	1	1	3	5	8	11	19
35-49	6416	4.8	21	1	1	3	6	10	13	22
50-64	7819	5.3	30	1	2	4	7	11	15	27
65+	11019	7.4	49	2	2	5	9	15	20	36
GRAND TOTAL	**38879**	**5.3**	**30**	**1**	**1**	**4**	**7**	**11**	**15**	**28**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	1.9	2	<1	<1	2	2	3	5	8
20-34	55	2.9	6	<1	1	2	4	5	8	13
35-49	48	2.8	4	<1	<1	2	4	6	7	9
50-64	61	3.6	8	1	1	3	5	7	8	16
65+	102	4.5	14	1	1	3	6	9	13	18
B. *Operated*										
0-19 YRS	5616	1.9	5	<1	<1	1	2	3	4	9
20-34	2290	3.2	9	<1	1	2	4	6	9	17
35-49	1501	3.5	15	1	1	2	4	7	10	17
50-64	1721	3.7	11	1	1	3	4	7	10	17
65+	1732	4.5	16	1	2	3	6	8	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	2.8	13	<1	<1	2	3	5	9	33
20-34	129	4.1	9	1	1	3	5	8	9	16
35-49	96	5.8	20	1	2	5	7	12	15	22
50-64	132	5.8	62	1	1	4	7	11	15	31
65+	440	7.4	68	1	2	5	9	14	20	47
B. *Operated*										
0-19 YRS	4934	2.3	8	<1	1	2	2	4	6	12
20-34	3987	3.8	15	1	1	3	4	8	11	19
35-49	3089	4.5	24	1	1	3	5	9	13	23
50-64	3943	5.3	28	1	2	4	7	11	15	25
65+	5192	7.2	43	2	2	5	9	15	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	384	3.1	8	<1	1	2	4	6	8	15
B. *Operated*	12860	2.9	10	<1	1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	944	5.9	49	1	1	4	7	12	16	39
B. *Operated*	21145	4.7	27	1	1	3	6	10	14	25
1. SINGLE DX	13244	2.9	10	<1	1	2	3	6	8	16
2. MULTIPLE DX	22089	4.7	28	1	1	3	6	10	14	25
A. NOT OPERATED	1328	5.1	38	<1	1	3	6	11	14	26
B. OPERATED	34005	4.0	21	1	1	2	5	9	12	22
TOTAL 0-19 YRS	10815	2.1	6	<1	<1	2	2	4	5	11
20-34	6461	3.6	13	1	1	2	4	7	10	18
35-49	4734	4.2	21	1	1	3	5	9	12	21
50-64	5857	4.8	24	1	1	3	6	10	14	23
65+	7466	6.6	40	1	2	5	8	14	18	31
GRAND TOTAL	**35333**	**4.0**	**22**	**1**	**1**	**2**	**5**	**9**	**12**	**22**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3952	3.5	7	1	1	3	4	6	7	12
20-34	2321	3.8	8	1	1	3	5	7	8	13
35-49	1121	4.1	9	1	1	3	5	7	9	15
50-64	1194	4.7	12	1	2	4	6	9	11	18
65+	2038	5.7	21	1	2	5	7	10	13	23
B. *Operated*										
0-19 YRS	3821	2.5	8	<1	1	2	3	5	8	13
20-34	3411	3.3	11	<1	1	2	4	7	9	14
35-49	2768	3.6	14	1	1	2	4	7	10	17
50-64	3135	3.9	17	1	1	3	5	8	11	19
65+	3094	5.0	27	1	1	4	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5261	4.4	10	1	2	4	5	8	10	16
20-34	5082	5.0	17	1	2	4	6	9	12	21
35-49	3598	6.1	26	2	2	5	7	11	14	24
50-64	5673	7.2	34	2	2	6	9	13	17	30
65+	19052	9.4	56	2	3	7	12	17	22	41
B. *Operated*										
0-19 YRS	5563	3.4	17	<1	1	2	4	8	10	20
20-34	6053	5.0	30	1	1	3	6	11	14	26
35-49	5780	5.5	35	1	1	4	7	12	16	31
50-64	8534	6.7	45	1	2	5	9	14	19	32
65+	13770	9.9	88	2	2	7	13	20	27	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10626	4.2	11	1	1	3	5	8	10	16
B. *Operated*	16229	3.6	16	1	1	2	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	38666	7.5	43	2	2	6	9	14	19	34
B. *Operated*	39700	6.9	58	1	1	5	9	15	21	38
1. SINGLE DX	26855	3.8	14	1	1	3	5	8	10	18
2. MULTIPLE DX	78366	7.2	50	1	2	5	9	15	20	37
A. NOT OPERATED	49292	6.8	38	1	2	5	8	13	17	31
B. OPERATED	55929	5.9	48	1	1	4	8	13	18	35
TOTAL 0-19 YRS	18597	3.5	11	1	1	3	4	7	9	16
20-34	16867	4.5	20	1	1	3	6	9	12	22
35-49	13267	5.2	27	1	1	4	6	10	14	25
50-64	18536	6.3	36	1	2	5	8	13	17	29
65+	37954	9.0	65	2	2	7	11	18	23	44
GRAND TOTAL	**105221**	**6.3**	**43**	**1**	**1**	**4**	**8**	**13**	**18**	**33**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.4	18	1	1	2	8	74	99+	99+
20-34	11	3.9	3	2	2	3	5	7	7	7
35-49	29	3.6	8	<1	1	2	5	8	10	11
50-64	256	4.0	10	1	1	3	5	8	10	15
65+	474	4.7	17	1	1	3	7	10	12	20
B. *Operated*										
0-19 YRS	36	5.1	16	<1	1	5	8	12	15	99+
20-34	103	4.1	49	1	1	2	5	8	10	40
35-49	897	4.5	12	1	1	4	6	9	10	17
50-64	10569	6.5	16	1	2	6	8	11	13	19
65+	17949	7.9	22	2	3	7	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.0	26	<1	<1	6	11	14	14	14
20-34	21	3.6	3	<1	1	3	5	6	7	8
35-49	73	6.3	70	1	2	4	7	11	17	57
50-64	861	5.3	21	1	1	4	7	11	14	26
65+	2863	7.1	48	1	2	5	9	15	20	34
B. *Operated*										
0-19 YRS	78	8.1	47	1	1	7	10	13	22	41
20-34	146	5.1	20	1	1	4	7	11	14	20
35-49	1180	6.2	28	1	2	5	8	12	15	22
50-64	15395	8.3	31	2	2	7	10	15	19	29
65+	38020	10.8	57	3	4	9	13	19	25	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	777	4.4	14	1	1	3	6	9	12	19
B. *Operated*	29554	7.3	20	2	2	7	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	3826	6.7	42	1	2	5	8	14	19	32
B. *Operated*	54819	10.0	51	2	4	8	12	18	23	37
1. SINGLE DX	30331	7.2	20	2	2	7	9	12	15	22
2. MULTIPLE DX	58645	9.8	51	2	3	8	12	18	23	37
A. NOT OPERATED	4603	6.3	38	1	1	4	8	13	18	31
B. OPERATED	84373	9.0	42	2	3	8	11	16	20	33
TOTAL 0-19 YRS	129	6.9	37	1	1	6	9	13	21	99+
20-34	281	4.6	29	1	1	3	6	9	12	19
35-49	2179	5.5	23	1	1	5	7	10	13	21
50-64	27081	7.5	26	2	2	7	9	13	16	26
65+	59306	9.7	48	2	3	8	12	17	22	36
GRAND TOTAL	**88976**	**8.9**	**42**	**2**	**3**	**7**	**11**	**16**	**20**	**33**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.3	4	1	1	3	4	5	6	12
20-34	370	3.5	5	1	1	3	4	6	8	12
35-49	365	4.1	16	1	2	4	5	6	8	12
50-64	355	4.5	5	2	2	4	6	7	8	12
65+	202	4.7	8	1	2	4	5	8	10	16
B. *Operated*										
0-19 YRS	148	2.4	3	<1	1	2	3	4	6	11
20-34	1096	2.5	4	<1	1	2	3	5	6	10
35-49	1144	2.6	5	<1	1	2	3	5	7	11
50-64	895	3.3	7	1	1	2	4	7	8	13
65+	442	4.4	15	1	1	3	6	9	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	3.8	4	1	2	3	5	7	8	10
20-34	503	4.5	9	1	2	4	6	7	9	14
35-49	579	5.0	10	1	2	4	6	9	11	16
50-64	925	5.4	10	2	2	5	7	9	12	16
65+	804	6.5	22	2	2	6	8	11	14	25
B. *Operated*										
0-19 YRS	163	3.3	8	1	1	2	4	7	9	14
20-34	1309	3.6	14	1	1	2	4	7	9	16
35-49	1647	4.2	19	1	1	3	5	9	12	19
50-64	2040	5.7	25	1	2	4	7	12	15	25
65+	1617	7.9	45	2	2	6	10	16	21	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1355	4.1	9	1	2	4	5	7	8	13
B. *Operated*	3725	2.9	7	<1	1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	2880	5.4	14	2	2	5	7	9	12	19
B. *Operated*	6776	5.4	28	1	1	4	7	11	15	26
1. SINGLE DX	5080	3.2	8	1	1	2	4	6	8	13
2. MULTIPLE DX	9656	5.4	24	1	2	4	7	11	14	25
A. NOT OPERATED	4235	5.0	13	1	2	4	6	9	11	17
B. OPERATED	10501	4.5	22	1	1	3	6	10	13	23
TOTAL 0-19 YRS	443	3.1	5	1	1	2	4	6	7	13
20-34	3278	3.3	9	1	1	2	4	7	8	14
35-49	3735	3.8	14	1	1	3	5	8	10	16
50-64	4215	5.0	17	1	2	4	6	10	12	22
65+	3065	6.8	34	1	2	5	9	14	18	31
GRAND TOTAL	**14736**	**4.7**	**19**	**1**	**1**	**3**	**6**	**9**	**12**	**22**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	1.8	1	<1	<1	1	2	3	4	6
20-34	10	3.0	4	<1	<1	3	4	6	7	7
35-49	13	2.8	3	1	1	2	4	5	6	6
50-64	12	2.8	5	<1	<1	2	4	7	8	8
65+	9	3.1	3	<1	<1	3	4	6	7	7
B. *Operated*										
0-19 YRS	1663	2.5	3	<1	1	2	3	4	5	8
20-34	681	3.6	3	1	2	3	4	5	7	10
35-49	708	3.7	3	2	2	3	5	6	7	11
50-64	1341	4.0	5	2	2	4	5	6	8	12
65+	778	4.5	8	2	2	4	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	2.2	7	<1	<1	1	2	5	7	16
20-34	15	2.1	2	<1	<1	1	3	4	5	5
35-49	18	5.2	22	<1	1	4	8	13	16	16
50-64	34	4.4	11	<1	1	3	6	11	11	12
65+	57	6.6	31	<1	1	4	9	14	20	25
B. *Operated*										
0-19 YRS	1507	2.9	12	<1	1	2	3	5	6	10
20-34	388	4.4	8	2	2	4	5	7	10	17
35-49	532	4.4	10	2	2	4	5	7	10	16
50-64	1164	5.4	21	2	2	4	6	9	12	21
65+	1078	6.8	30	2	3	5	8	13	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	2.3	3	<1	<1	2	3	5	6	8
B. *Operated*	5171	3.5	5	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	224	3.9	18	<1	<1	2	5	9	12	21
B. *Operated*	4669	4.7	20	1	2	4	5	9	12	21
1. SINGLE DX	5272	3.5	5	1	1	3	4	6	7	11
2. MULTIPLE DX	4893	4.7	20	1	2	4	5	9	12	21
A. NOT OPERATED	325	3.4	14	<1	<1	2	4	8	11	19
B. OPERATED	9840	4.1	12	1	2	3	5	7	9	16
TOTAL 0-19 YRS	3327	2.7	7	<1	1	2	3	4	6	9
20-34	1094	3.8	5	1	2	3	4	6	7	12
35-49	1271	4.0	6	2	2	4	5	6	8	14
50-64	2551	4.6	13	2	2	4	5	8	10	17
65+	1922	5.8	22	2	2	4	7	11	14	25
GRAND TOTAL	**10165**	**4.1**	**12**	**1**	**2**	**3**	**5**	**7**	**9**	**16**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8).	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	765	4.5	8	1	2	4	6	8	9	13
20-34	1364	4.5	7	1	2	4	6	7	9	13
35-49	611	5.4	8	2	2	5	7	9	11	14
50-64	482	5.8	8	2	3	5	7	9	11	16
65+	299	6.6	14	2	3	6	8	11	13	24
B. *Operated*										
0-19 YRS	252	4.3	9	1	1	4	5	8	10	13
20-34	528	4.6	11	1	2	4	6	9	11	19
35-49	357	4.8	20	1	2	4	6	9	12	18
50-64	308	5.5	12	2	2	4	7	10	12	18
65+	201	6.4	21	2	3	5	8	11	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	5.2	13	2	2	4	7	9	10	19
20-34	469	5.2	9	2	2	4	7	9	11	15
35-49	412	6.3	13	2	3	6	8	11	13	17
50-64	643	6.8	13	2	3	6	9	11	13	18
65+	724	7.7	22	3	3	7	9	13	16	27
B. *Operated*										
0-19 YRS	185	5.2	13	1	2	4	7	10	13	20
20-34	357	6.2	32	1	2	5	8	12	16	32
35-49	373	6.5	27	1	2	5	9	12	16	36
50-64	546	7.8	30	2	3	7	10	14	19	27
65+	554	10.5	66	2	3	9	13	20	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3521	5.0	9	1	2	4	6	9	10	14
B. *Operated*	1646	5.0	14	1	2	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	2463	6.5	16	2	3	6	8	11	13	20
B. *Operated*	2015	7.8	42	2	2	6	10	15	20	37
1. SINGLE DX	5167	5.0	11	1	2	4	6	9	11	16
2. MULTIPLE DX	4478	7.1	28	2	2	6	9	13	16	29
A. NOT OPERATED	5984	5.6	12	2	2	5	7	10	12	18
B. OPERATED	3661	6.5	31	1	2	5	8	13	17	29
TOTAL 0-19 YRS	1417	4.6	10	1	2	4	6	8	10	16
20-34	2718	4.9	12	1	2	4	6	8	11	18
35-49	1753	5.7	16	2	2	5	7	10	12	19
50-64	1979	6.6	17	2	3	6	8	12	14	21
65+	1778	8.2	37	2	3	7	10	15	20	35
GRAND TOTAL	**9645**	**6.0**	**20**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2639	1.9	1	<1	1	2	2	3	3	5
20-34	978	2.1	1	1	1	2	2	3	4	5
35-49	402	2.1	1	<1	1	2	2	3	4	7
50-64	252	2.5	16	<1	1	2	2	3	4	7
65+	135	2.7	3	1	1	2	3	5	6	11
B. *Operated*										
0-19 YRS	4658	1.8	2	<1	1	2	2	2	3	5
20-34	1874	2.3	7	1	1	2	2	3	4	8
35-49	784	2.2	3	<1	1	2	2	3	4	7
50-64	467	2.5	20	1	1	2	3	3	4	10
65+	309	3.1	22	1	1	2	3	4	7	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	598	2.0	2	<1	<1	2	2	3	5	8
20-34	311	2.7	5	1	1	2	3	4	7	13
35-49	295	3.5	10	1	1	2	4	8	10	17
50-64	266	3.7	10	1	2	3	4	8	10	17
65+	219	4.3	20	1	1	3	5	8	11	25
B. *Operated*										
0-19 YRS	1400	2.3	3	<1	1	2	2	4	5	9
20-34	1282	2.8	5	1	1	2	3	4	6	12
35-49	901	3.2	8	1	1	2	3	6	9	16
50-64	794	3.6	10	1	2	2	4	7	10	17
65+	691	5.4	35	1	2	3	6	12	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4406	2.0	2	<1	1	2	2	3	3	6
B. *Operated*	8092	2.1	5	<1	1	2	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*	1689	3.0	8	<1	1	2	3	6	8	15
B. *Operated*	5068	3.2	11	1	1	2	3	6	9	18
1. SINGLE DX	12498	2.0	4	<1	1	2	2	3	3	7
2. MULTIPLE DX	6757	3.1	10	1	1	2	3	6	9	17
A. NOT OPERATED	6095	2.3	4	<1	1	2	2	3	5	11
B. OPERATED	13160	2.5	8	<1	1	2	2	4	6	13
TOTAL 0-19 YRS	9295	1.9	2	<1	1	2	2	3	3	7
20-34	4445	2.4	5	1	1	2	2	3	4	10
35-49	2382	2.7	6	1	1	2	3	5	7	13
50-64	1779	3.2	14	1	1	2	3	6	8	15
65+	1354	4.4	28	1	2	3	5	9	13	26
GRAND TOTAL	**19255**	**2.4**	7	<1	1	2	2	4	5	12

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	351	2.3	4	<1	1	2	3	4	5	9
20-34	417	2.6	4	<1	1	2	3	5	7	11
35-49	226	2.9	5	1	1	2	4	5	7	11
50-64	126	3.0	5	1	1	2	3	5	7	13
65+	88	3.8	8	1	2	3	5	9	11	13
B. *Operated*										
0-19 YRS	2783	2.7	4	1	1	2	3	5	6	10
20-34	2708	2.9	8	1	1	2	3	5	6	12
35-49	1536	3.2	6	1	1	3	4	5	7	13
50-64	1249	3.8	7	1	2	3	5	7	9	14
65+	465	4.3	15	1	2	3	5	8	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	219	3.1	6	<1	1	2	4	6	8	12
20-34	298	4.1	15	1	1	3	5	9	11	21
35-49	270	4.3	21	1	1	3	5	8	11	17
50-64	250	4.3	14	1	1	3	5	9	11	22
65+	246	7.6	52	2	2	5	10	15	19	39
B. *Operated*										
0-19 YRS	1090	3.2	6	1	1	3	4	6	7	12
20-34	1735	3.8	15	1	1	3	4	7	10	19
35-49	1305	4.7	28	1	1	3	5	9	12	27
50-64	1563	5.8	41	2	2	4	7	11	16	34
65+	937	7.4	57	2	2	5	9	16	22	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1208	2.7	5	<1	1	2	3	5	7	12
B. *Operated*	8741	3.1	7	1	1	2	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	1283	4.7	24	1	1	3	6	10	14	24
B. *Operated*	6630	4.9	30	1	2	3	5	9	13	28
1. SINGLE DX	9949	3.0	6	1	1	2	4	5	7	12
2. MULTIPLE DX	7913	4.8	29	1	2	3	5	9	13	28
A. NOT OPERATED	2491	3.7	15	1	1	2	4	8	11	19
B. OPERATED	15371	3.8	17	1	1	3	4	7	10	21
TOTAL 0-19 YRS	4443	2.8	4	1	1	2	3	5	6	11
20-34	5158	3.2	10	1	1	2	4	6	8	15
35-49	3337	3.8	16	1	1	3	4	7	10	21
50-64	3188	4.8	25	1	2	3	5	9	12	26
65+	1736	6.4	45	2	2	4	8	13	19	37
GRAND TOTAL	**17862**	**3.8**	17	1	1	3	4	7	10	21

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.6	4	<1	<1	2	3	5	8	9
20-34	153	2.4	3	<1	1	2	3	4	5	8
35-49	269	2.6	4	<1	1	2	3	4	7	12
50-64	127	2.6	3	<1	<1	2	3	5	6	10
65+	37	2.7	4	<1	1	2	3	6	7	9
B. *Operated*										
0-19 YRS	1068	2.1	1	<1	1	2	2	3	4	6
20-34	7882	2.4	4	<1	1	2	3	4	5	9
35-49	15909	2.5	4	1	1	2	3	4	5	8
50-64	6847	2.6	4	1	2	2	3	4	5	9
65+	2179	3.0	6	1	2	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.2	7	<1	<1	2	4	8	8	8
20-34	139	3.9	10	<1	1	3	5	7	10	18
35-49	219	4.3	11	<1	1	3	6	9	11	16
50-64	140	4.1	13	1	1	3	5	7	10	20
65+	64	5.5	21	1	2	4	7	10	15	25
B. *Operated*										
0-19 YRS	251	3.0	8	1	1	2	3	5	6	12
20-34	3289	3.4	9	1	1	3	4	6	8	16
35-49	7557	3.6	9	1	2	3	4	7	9	15
50-64	4352	3.8	12	1	2	3	4	7	9	17
65+	2045	4.5	17	2	2	3	5	8	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	616	2.6	4	<1	1	2	3	4	6	11
B. *Operated*	33885	2.6	4	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	579	4.3	12	1	1	3	5	8	11	19
B. *Operated*	17494	3.7	11	1	2	3	4	7	9	17
1. SINGLE DX	34501	2.6	4	1	1	2	3	4	5	9
2. MULTIPLE DX	18073	3.7	11	1	2	3	4	7	9	17
A. NOT OPERATED	1195	3.4	8	<1	1	3	4	7	9	16
B. OPERATED	51379	3.0	7	1	1	2	3	5	7	13
TOTAL 0-19 YRS	1366	2.3	3	<1	1	2	2	3	4	8
20-34	11463	2.7	5	<1	1	2	3	4	6	12
35-49	23954	2.9	6	1	1	2	3	5	7	12
50-64	11466	3.1	8	1	2	2	3	5	7	14
65+	4325	3.7	12	1	2	3	4	7	9	19
GRAND TOTAL	**52574**	**3.0**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	3.3	4	<1	1	3	4	6	8	10
20-34	387	3.3	13	<1	1	3	4	5	7	12
35-49	172	3.7	7	<1	1	3	5	7	9	13
50-64	108	3.2	7	<1	<1	2	5	7	9	11
65+	66	4.1	8	<1	1	3	5	8	10	13
B. *Operated*										
0-19 YRS	2070	3.0	8	1	1	3	4	5	6	9
20-34	4218	3.1	5	<1	1	3	4	5	6	10
35-49	2717	3.0	6	1	1	2	4	5	7	12
50-64	1892	3.3	5	1	2	3	4	6	7	12
65+	971	3.4	9	1	2	3	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	3.9	8	<1	1	4	5	7	8	17
20-34	288	4.4	12	<1	1	4	6	9	10	18
35-49	228	4.2	13	1	1	3	6	9	11	14
50-64	203	5.3	23	1	1	4	6	10	15	28
65+	188	6.8	36	1	1	5	9	15	17	32
B. *Operated*										
0-19 YRS	441	3.7	10	1	2	3	4	6	8	13
20-34	1767	4.1	12	1	2	3	5	7	9	19
35-49	1941	4.3	15	1	2	3	5	8	10	18
50-64	1672	4.8	19	2	2	4	6	9	13	24
65+	993	5.6	37	2	2	4	7	10	15	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	894	3.4	9	<1	1	3	4	6	8	12
B. *Operated*	11868	3.1	6	1	1	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	1014	4.9	19	1	1	4	6	10	13	23
B. *Operated*	6814	4.5	18	1	2	3	5	8	11	22
1. SINGLE DX	12762	3.1	6	1	1	3	4	5	7	12
2. MULTIPLE DX	7828	4.6	19	1	2	3	5	8	11	22
A. NOT OPERATED	1908	4.2	15	<1	1	3	5	8	10	19
B. OPERATED	18682	3.6	11	1	1	3	4	6	8	16
TOTAL 0-19 YRS	2779	3.2	8	1	1	3	4	5	6	10
20-34	6660	3.4	8	1	1	3	4	6	7	13
35-49	5058	3.6	10	1	1	3	4	7	9	15
50-64	3875	4.0	13	1	2	3	5	7	10	19
65+	2218	4.7	25	1	2	3	5	9	13	25
GRAND TOTAL	**20590**	**3.7**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1142	2.7	3	1	1	2	3	5	6	9
20-34	2248	2.7	8	1	1	2	3	5	6	10
35-49	425	3.2	5	1	1	3	4	6	7	10
50-64	33	4.4	8	1	2	4	6	8	9	13
65+	16	4.4	7	2	2	3	6	9	10	10
B. *Operated*										
0-19 YRS	2170	4.9	8	1	2	5	6	8	9	15
20-34	7242	5.1	10	1	2	5	7	8	10	15
35-49	1790	6.5	12	2	2	6	8	10	12	19
50-64	325	7.6	13	3	4	7	9	11	13	20
65+	132	9.6	21	5	6	9	11	15	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	577	3.6	8	1	1	3	5	7	8	15
20-34	1553	3.8	19	1	1	3	5	7	9	15
35-49	386	4.7	12	1	1	4	7	9	11	16
50-64	54	4.6	8	1	1	4	6	8	10	13
65+	54	7.8	83	2	2	5	9	16	23	60
B. *Operated*										
0-19 YRS	1911	5.7	12	2	2	5	7	9	11	17
20-34	11480	6.4	16	2	2	6	8	10	12	20
35-49	4636	7.9	21	2	4	7	9	12	16	26
50-64	739	9.5	28	4	5	8	11	15	19	31
65+	327	12.8	77	6	7	10	14	22	30	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3864	2.8	7	1	1	2	3	5	7	10
B. *Operated*	11659	5.4	11	1	2	5	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	2624	4.0	17	1	1	3	5	7	9	16
B. *Operated*	19093	6.9	20	2	2	6	8	11	14	23
1. SINGLE DX	15523	4.7	11	1	1	4	6	8	10	15
2. MULTIPLE DX	21717	6.6	20	1	2	6	8	11	13	23
A. NOT OPERATED	6488	3.3	11	1	1	3	4	6	8	13
B. OPERATED	30752	6.3	17	2	2	6	8	10	13	21
TOTAL 0-19 YRS	5800	4.6	9	1	1	4	6	8	10	15
20-34	22523	5.4	15	1	2	5	7	9	11	18
35-49	7237	7.1	19	2	2	7	8	11	14	23
50-64	1151	8.6	24	3	4	8	10	13	17	27
65+	529	11.2	66	3	5	9	12	20	26	43
GRAND TOTAL	**37240**	**5.8**	**17**	**1**	**2**	**5**	**7**	**10**	**12**	**20**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4838	4.6	14	2	2	4	6	7	9	14
20-34	10620	4.7	9	2	2	4	6	8	9	14
35-49	1245	5.6	17	2	2	5	7	9	12	18
50-64	106	6.0	16	2	2	5	7	12	14	20
65+	38	6.9	40	2	3	5	8	14	30	99+
B. *Operated*										
0-19 YRS	1359	5.5	13	1	2	5	7	10	12	17
20-34	7126	5.2	14	1	1	5	7	9	12	18
35-49	1611	6.8	20	1	2	6	8	12	15	23
50-64	264	7.6	32	2	2	7	9	13	15	35
65+	70	10.6	87	1	2	8	15	22	33	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2547	5.1	8	2	2	5	6	8	10	15
20-34	7249	5.6	17	2	2	5	7	9	11	17
35-49	1288	6.5	14	2	3	6	8	11	13	20
50-64	195	7.4	24	2	3	6	9	13	16	26
65+	90	10.6	76	4	4	8	12	19	26	52
B. *Operated*										
0-19 YRS	2268	6.7	18	2	2	6	8	12	15	22
20-34	17685	6.5	19	1	2	6	8	11	14	22
35-49	5368	8.5	32	2	3	7	10	14	18	29
50-64	766	10.7	64	2	4	9	13	19	26	43
65+	269	15.8	203	3	4	11	20	32	43	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16847	4.7	11	2	2	4	6	8	9	15
B. *Operated*	10430	5.6	16	1	2	5	7	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	11369	5.7	16	2	2	5	7	9	12	18
B. *Operated*	26356	7.1	27	1	2	6	9	12	16	26
1. SINGLE DX	27277	5.1	13	1	2	4	6	9	11	17
2. MULTIPLE DX	37725	6.7	24	2	2	6	8	12	15	24
A. NOT OPERATED	28216	5.1	13	2	2	4	6	9	10	16
B. OPERATED	36786	6.7	24	1	2	6	8	12	15	25
TOTAL 0-19 YRS	11012	5.2	14	2	2	5	6	9	11	17
20-34	42680	5.7	16	1	2	5	7	10	12	20
35-49	9512	7.5	27	2	2	7	9	13	16	26
50-64	1331	9.2	51	2	3	8	11	17	22	36
65+	467	13.3	157	3	3	10	16	28	36	67
GRAND TOTAL	**65002**	**6.0**	**20**	**1**	**2**	**5**	**7**	**10**	**13**	**22**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.0	2	1	1	3	4	5	6	6
20-34	370	3.4	5	1	1	3	4	6	8	12
35-49	111	4.3	6	1	1	4	6	8	9	11
50-64	6	3.7	4	1	1	3	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	296	3.5	6	1	1	2	5	7	9	11
20-34	5774	4.8	11	1	1	5	7	8	9	14
35-49	2924	6.4	11	1	2	7	8	9	10	15
50-64	225	6.1	10	1	2	7	8	9	11	14
65+	33	5.7	25	1	1	5	8	9	12	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	4.1	6	1	2	3	6	7	9	13
20-34	436	4.3	10	<1	1	4	6	8	9	19
35-49	242	5.4	15	1	1	5	7	9	12	15
50-64	30	7.0	13	2	2	7	9	12	14	14
65+	2	8.0	2	7	7	8	9	9	9	9
B. *Operated*										
0-19 YRS	339	4.6	8	1	1	4	6	8	10	14
20-34	13733	6.2	13	1	2	6	8	9	11	17
35-49	13369	7.6	11	3	5	7	9	11	13	19
50-64	1877	8.4	17	5	6	8	9	12	14	23
65+	176	9.3	24	2	4	8	11	15	19	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	531	3.5	5	1	1	3	5	7	8	11
B. *Operated*	9252	5.3	11	1	1	6	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	753	4.7	12	1	1	4	7	9	11	17
B. *Operated*	29494	7.0	13	2	2	7	8	10	12	19
1. SINGLE DX	9783	5.2	11	1	1	6	7	8	10	14
2. MULTIPLE DX	30247	6.9	14	2	2	7	8	10	12	19
A. NOT OPERATED	1284	4.2	10	1	1	3	6	8	9	15
B. OPERATED	38746	6.6	13	1	2	7	8	10	12	18
TOTAL 0-19 YRS	722	4.0	7	1	1	3	6	7	8	13
20-34	20313	5.7	13	1	2	6	7	9	10	16
35-49	16646	7.4	12	2	4	7	8	10	13	19
50-64	2138	8.1	17	3	5	8	9	12	14	22
65+	211	8.7	26	2	2	8	10	15	18	27
GRAND TOTAL	**40030**	**6.5**	**13**	**1**	**2**	**7**	**8**	**10**	**12**	**18**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.8	4	<1	<1	2	5	6	7	7
20-34	73	3.4	5	<1	1	3	5	6	8	10
35-49	20	3.1	5	1	1	2	4	7	8	9
50-64	7	5.4	11	2	2	5	6	11	12	12
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	138	2.7	6	1	1	2	3	5	6	15
20-34	1794	2.8	7	<1	1	2	3	5	7	11
35-49	1046	2.8	4	<1	1	2	3	6	7	10
50-64	481	2.6	4	1	1	2	3	4	6	12
65+	144	3.0	5	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	3.4	10	<1	1	2	5	7	10	16
20-34	181	4.1	10	1	1	3	5	8	10	17
35-49	72	4.5	13	1	1	3	6	9	12	20
50-64	24	5.2	9	2	2	5	7	9	10	12
65+	23	6.0	22	1	2	5	7	12	16	22
B. *Operated*										
0-19 YRS	254	3.0	6	1	1	2	3	6	8	12
20-34	5312	4.3	10	1	2	3	6	8	10	15
35-49	4641	5.2	15	1	2	5	7	10	12	18
50-64	1481	4.8	14	1	1	3	7	10	12	17
65+	469	6.1	54	1	2	4	8	11	17	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	3.4	5	<1	1	3	5	6	8	11
B. *Operated*	3603	2.8	6	<1	1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	340	4.3	12	1	1	3	6	8	11	18
B. *Operated*	12157	4.8	15	1	2	3	7	9	11	17
1. SINGLE DX	3723	2.8	6	<1	1	2	3	5	7	10
2. MULTIPLE DX	12497	4.8	14	1	2	3	7	9	11	17
A. NOT OPERATED	460	4.1	10	1	1	3	5	8	10	16
B. OPERATED	15760	4.3	13	1	1	3	6	9	10	16
TOTAL 0-19 YRS	451	3.0	6	1	1	2	3	5	7	14
20-34	7360	4.0	10	1	1	3	6	8	9	14
35-49	5779	4.8	14	1	1	3	7	9	11	17
50-64	1993	4.2	12	1	1	3	6	9	11	16
65+	637	5.4	44	1	2	3	7	10	14	28
GRAND TOTAL	**16220**	**4.3**	**13**	**1**	**1**	**3**	**6**	**8**	**10**	**16**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	428	3.6	5	1	1	3	5	6	8	12
20-34	901	3.5	5	1	1	3	5	6	7	11
35-49	199	3.9	10	1	1	3	5	7	8	19
50-64	44	3.8	5	<1	1	4	5	7	8	9
65+	38	5.0	15	1	1	4	7	12	14	15
B. *Operated*										
0-19 YRS	783	2.5	4	1	1	2	3	4	5	11
20-34	4958	2.4	7	<1	1	2	3	4	5	10
35-49	2096	2.5	4	<1	1	2	3	4	6	10
50-64	735	2.8	5	1	1	2	3	5	6	11
65+	160	3.5	9	1	1	3	4	6	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	439	4.4	9	1	2	4	6	8	9	14
20-34	1078	4.7	24	1	2	4	6	8	10	16
35-49	281	5.8	16	1	2	5	7	11	14	22
50-64	170	6.9	20	2	3	6	8	13	16	22
65+	208	7.7	20	2	3	7	10	13	17	22
B. *Operated*										
0-19 YRS	466	3.8	11	1	1	3	5	8	10	18
20-34	3139	4.1	16	1	1	3	5	8	10	19
35-49	1735	4.4	14	1	1	3	6	9	12	20
50-64	596	4.6	23	1	1	3	6	10	14	28
65+	317	7.7	66	1	2	5	10	17	22	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1610	3.6	6	1	1	3	5	6	8	12
B. *Operated*	8732	2.5	6	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	2176	5.2	21	1	2	4	6	9	12	19
B. *Operated*	6253	4.4	19	1	1	3	6	9	12	22
1. SINGLE DX	10342	2.7	6	<1	1	2	3	5	6	11
2. MULTIPLE DX	8429	4.6	20	1	1	3	6	9	12	21
A. NOT OPERATED	3786	4.6	15	1	1	4	6	8	11	17
B. OPERATED	14985	3.3	12	1	1	2	4	7	9	16
TOTAL 0-19 YRS	2116	3.4	7	1	1	3	4	6	8	13
20-34	10076	3.3	12	1	1	2	4	6	8	15
35-49	4311	3.5	10	<1	1	2	4	7	9	17
50-64	1545	4.0	15	1	1	3	4	8	11	21
65+	723	6.6	41	1	2	5	8	13	18	31
GRAND TOTAL	**18771**	**3.5**	**13**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34	43	5.2	12	<1	1	6	7	10	12	13
35-49	77	5.3	13	<1	1	6	8	10	11	17
50-64	81	4.2	11	<1	<1	3	7	9	10	15
65+	86	5.0	10	1	1	5	8	9	10	13
B. *Operated*										
0-19 YRS	33	5.3	9	1	2	5	7	9	11	14
20-34	2451	6.5	7	2	4	6	8	9	11	15
35-49	3768	7.5	10	4	5	7	9	11	13	19
50-64	4833	8.0	11	4	5	7	9	12	14	19
65+	3331	8.5	12	4	5	8	10	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	72	<1	<1	4	14	17	17	17
20-34	198	4.9	13	<1	1	5	7	9	12	17
35-49	354	5.3	18	1	1	5	7	9	12	20
50-64	415	5.4	19	<1	1	5	8	10	13	23
65+	522	6.2	34	1	1	5	8	12	16	34
B. *Operated*										
0-19 YRS	73	6.8	17	1	2	6	9	13	15	20
20-34	7939	7.2	10	4	5	7	8	11	12	18
35-49	14317	8.3	14	4	5	8	9	12	15	21
50-64	11390	9.1	17	5	5	8	10	14	16	24
65+	8396	10.1	25	5	6	9	12	16	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	290	4.9	12	<1	1	5	7	9	11	14
B. *Operated*	14416	7.7	11	4	5	7	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	1492	5.6	23	1	1	5	7	11	14	25
B. *Operated*	42115	8.7	17	4	5	8	10	13	16	24
1. SINGLE DX	14706	7.7	11	4	5	7	9	11	13	19
2. MULTIPLE DX	43607	8.6	18	4	5	8	10	13	16	24
A. NOT OPERATED	1782	5.5	21	1	1	5	7	10	13	24
B. OPERATED	56531	8.4	16	4	5	8	10	13	15	23
TOTAL 0-19 YRS	112	6.3	16	1	2	6	8	12	15	19
20-34	10631	7.0	9	3	4	7	8	10	12	18
35-49	18516	8.0	13	4	5	7	9	12	14	21
50-64	16719	8.7	16	4	5	8	10	13	16	23
65+	12335	9.5	23	4	5	9	11	15	18	28
GRAND TOTAL	**58313**	**8.3**	**16**	**4**	**5**	**8**	**10**	**13**	**15**	**23**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.0	2	<1	1	2	2	3	5	7
20-34	96	2.3	6	<1	1	2	3	3	4	18
35-49	28	2.1	3	<1	<1	2	2	3	7	9
50-64	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	109	1.8	1	<1	1	2	2	3	3	5
20-34	1382	2.1	3	<1	<1	2	2	3	5	8
35-49	1441	2.1	4	<1	<1	2	2	3	5	10
50-64	230	1.8	1	<1	<1	2	2	2	3	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.6	4	<1	1	2	4	6	6	7
20-34	112	3.2	8	<1	1	2	4	6	9	14
35-49	71	4.0	28	<1	<1	2	5	8	11	35
50-64	12	4.5	25	<1	<1	2	5	14	16	16
B. *Operated*										
0-19 YRS	96	3.6	61	1	1	2	3	5	8	47
20-34	1715	3.5	9	<1	1	2	5	8	9	14
35-49	2209	3.9	14	<1	1	2	6	8	10	18
50-64	365	3.8	14	<1	1	2	5	9	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	2.2	5	<1	1	2	3	3	5	16
B. *Operated*	3162	2.1	3	<1	<1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	221	3.5	15	<1	1	2	4	7	10	16
B. *Operated*	4385	3.7	13	<1	1	2	5	8	10	16
1. SINGLE DX	3315	2.1	3	<1	<1	2	2	3	5	9
2. MULTIPLE DX	4606	3.7	13	<1	1	2	5	8	10	16
A. NOT OPERATED	374	3.0	11	<1	1	2	3	6	8	16
B. OPERATED	7547	3.0	10	<1	1	2	3	7	9	14
TOTAL 0-19 YRS	258	2.6	24	1	1	2	2	4	6	10
20-34	3305	2.9	7	<1	1	2	3	6	8	13
35-49	3749	3.2	11	<1	1	2	3	7	9	15
50-64	609	3.1	10	<1	<1	2	3	7	9	16
GRAND TOTAL	**7921**	**3.0**	**10**	**<1**	**1**	**2**	**3**	**7**	**9**	**14**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	646	2.4	4	<1	1	2	3	4	5	11
20-34	1785	2.3	7	<1	1	2	3	4	5	8
35-49	655	2.2	3	<1	<1	2	2	4	6	9
50-64	82	2.0	2	<1	<1	2	2	4	4	7
B. *Operated*										
0-19 YRS	2499	2.1	5	<1	1	2	2	3	4	7
20-34	24272	2.2	5	<1	<1	2	2	4	6	9
35-49	20127	2.3	5	<1	<1	2	2	4	7	10
50-64	2840	2.1	4	<1	<1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	623	3.2	5	1	1	3	4	6	8	12
20-34	1981	3.3	8	<1	1	2	4	6	8	13
35-49	1253	3.8	15	<1	1	2	5	8	10	19
50-64	168	3.6	9	1	1	2	5	8	10	15
B. *Operated*										
0-19 YRS	2059	3.2	15	1	1	2	3	6	8	13
20-34	29917	4.0	12	1	1	3	6	8	9	15
35-49	34996	4.6	15	1	1	3	7	9	11	17
50-64	4520	4.3	16	<1	1	2	7	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3168	2.3	6	<1	1	2	3	4	5	9
B. *Operated*	49738	2.2	5	<1	<1	2	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	4025	3.4	10	<1	1	2	4	7	9	15
B. *Operated*	71492	4.3	14	1	1	3	6	8	10	16
1. SINGLE DX	52906	2.2	5	<1	<1	2	2	4	6	9
2. MULTIPLE DX	75517	4.2	14	1	1	3	6	8	10	16
A. NOT OPERATED	7193	2.9	8	<1	1	2	4	6	8	13
B. OPERATED	121230	3.4	11	<1	1	2	5	8	9	14
TOTAL 0-19 YRS	5827	2.6	9	<1	1	2	3	5	6	11
20-34	57955	3.2	10	<1	1	2	4	7	8	13
35-49	57031	3.7	13	<1	1	2	6	8	10	15
50-64	7610	3.4	13	<1	1	2	4	8	10	15
GRAND TOTAL	**128423**	**3.4**	**11**	**<1**	**1**	**2**	**5**	**8**	**9**	**14**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	4	1	1	2	5	5	5	5
20-34	9	4.7	39	1	1	3	4	14	21	21
35-49	101	3.2	8	<1	1	2	4	6	8	16
50-64	175	2.5	5	<1	1	2	3	4	7	12
65+	57	2.9	7	1	1	2	4	6	6	17
B. *Operated*										
0-19 YRS	8	1.9	1	1	1	2	3	4	4	4
20-34	61	2.5	5	<1	<1	2	2	5	9	11
35-49	1981	2.0	10	<1	<1	2	2	3	3	8
50-64	6876	2.0	5	<1	<1	2	2	3	3	8
65+	1425	2.4	5	<1	1	2	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	4.3	10	1	1	3	6	8	11	12
35-49	219	4.6	9	1	1	4	6	8	10	15
50-64	374	4.1	16	<1	1	3	5	9	11	19
65+	262	5.5	27	1	1	4	7	11	16	24
B. *Operated*										
0-19 YRS	5	3.4	10	<1	<1	2	4	9	9	9
20-34	70	4.3	8	1	1	4	6	7	9	14
35-49	2159	3.5	13	<1	1	2	4	8	10	17
50-64	8593	3.4	12	<1	1	2	3	8	10	16
65+	2968	4.4	29	1	1	3	5	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	348	2.9	7	<1	1	2	3	5	8	18
B. *Operated*	10351	2.1	6	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	869	4.6	18	1	1	3	6	10	12	21
B. *Operated*	13795	3.6	16	1	1	2	4	8	10	18
1. SINGLE DX	10699	2.1	6	<1	<1	2	2	3	4	9
2. MULTIPLE DX	14664	3.7	16	1	1	2	4	8	11	19
A. NOT OPERATED	1217	4.1	15	<1	1	3	5	9	11	19
B. OPERATED	24146	3.0	12	<1	1	2	3	6	9	16
TOTAL 0-19 YRS	19	2.5	4	<1	1	2	3	5	7	9
20-34	154	3.6	9	<1	1	2	5	7	9	15
35-49	4460	2.9	12	<1	1	2	3	6	8	14
50-64	16018	2.8	10	<1	1	2	3	6	8	14
65+	4712	3.9	22	1	1	2	4	8	12	21
GRAND TOTAL	**25363**	**3.0**	**13**	**<1**	**1**	**2**	**3**	**7**	**9**	**16**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	300	2.6	4	<1	1	2	3	5	6	11
20-34	715	2.8	6	<1	1	2	4	5	7	14
35-49	286	2.9	7	<1	1	2	3	6	9	14
50-64	138	3.2	14	<1	1	2	4	6	8	23
65+	69	3.3	6	1	1	2	4	7	9	12
B. *Operated*										
0-19 YRS	1110	2.8	6	<1	1	2	3	5	7	12
20-34	10488	3.1	9	<1	1	2	3	6	8	13
35-49	7579	3.2	10	<1	1	2	3	7	9	16
50-64	5214	3.0	10	<1	1	2	3	7	8	15
65+	1360	3.6	13	1	1	2	4	7	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	242	3.4	11	<1	1	3	4	7	9	18
20-34	887	3.4	10	<1	1	2	4	7	8	15
35-49	500	4.2	20	<1	1	3	6	9	11	34
50-64	298	5.9	55	1	1	4	7	12	17	32
65+	325	7.6	47	1	2	6	9	15	24	41
B. *Operated*										
0-19 YRS	980	3.9	9	1	1	3	5	7	9	13
20-34	12698	4.5	14	1	1	3	6	8	10	18
35-49	15425	5.1	18	1	1	4	7	9	11	19
50-64	9453	5.3	26	1	1	3	7	10	13	24
65+	3092	7.1	66	1	2	4	9	15	20	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1508	2.9	7	<1	1	2	3	5	7	13
B. *Operated*	25751	3.1	9	<1	1	2	3	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	2252	4.5	26	<1	1	3	6	9	13	29
B. *Operated*	41648	5.1	22	1	1	4	7	9	12	22
1. SINGLE DX	27259	3.1	9	<1	1	2	3	7	8	14
2. MULTIPLE DX	43900	5.1	23	1	1	4	7	9	12	23
A. NOT OPERATED	3760	3.8	19	<1	1	3	5	8	11	24
B. OPERATED	67399	4.3	18	<1	1	3	6	9	11	20
TOTAL 0-19 YRS	2632	3.2	7	<1	1	2	4	6	8	12
20-34	24788	3.8	12	<1	1	3	5	8	9	16
35-49	23790	4.4	16	<1	1	3	7	9	11	18
50-64	15103	4.5	22	<1	1	2	7	9	12	22
65+	4846	6.1	52	1	2	3	8	13	18	37
GRAND TOTAL	**71159**	**4.3**	**18**	**<1**	**1**	**3**	**6**	**9**	**11**	**20**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1295	2.3	8	1	1	2	3	4	5	10
20-34	1633	2.4	4	<1	1	2	3	5	6	10
35-49	326	3.0	5	<1	1	2	4	6	8	11
50-64	89	4.2	15	<1	<1	3	6	10	12	68
65+	42	4.4	15	<1	1	3	6	10	13	17
B. *Operated*										
0-19 YRS	825	2.8	6	<1	1	2	3	5	7	12
20-34	8006	3.2	9	<1	<1	2	5	7	8	12
35-49	2783	6.6	20	1	2	7	9	11	13	18
50-64	1626	8.5	19	2	3	8	10	13	15	21
65+	687	9.7	26	2	3	9	12	15	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	651	3.0	5	1	1	2	4	6	7	12
20-34	1721	3.3	15	<1	1	2	4	6	8	17
35-49	494	4.0	10	<1	1	3	5	8	9	16
50-64	215	5.5	24	<1	1	4	7	10	14	21
65+	147	8.3	92	1	2	6	9	17	22	62
B. *Operated*										
0-19 YRS	859	3.8	10	1	1	3	5	8	10	14
20-34	15566	4.9	14	1	1	5	7	9	10	16
35-49	7551	7.4	18	1	2	7	9	12	14	21
50-64	3008	9.4	23	2	4	9	11	15	18	27
65+	1314	11.2	44	3	5	10	14	19	23	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3385	2.5	6	<1	1	2	3	5	6	11
B. *Operated*	13927	4.8	18	<1	1	3	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	3228	3.7	18	<1	1	3	5	7	10	19
B. *Operated*	28298	6.3	21	1	1	6	8	11	14	22
1. SINGLE DX	17312	4.3	17	<1	1	3	7	9	11	17
2. MULTIPLE DX	31526	6.0	21	1	1	6	8	11	14	22
A. NOT OPERATED	6613	3.1	12	<1	1	2	4	6	8	15
B. OPERATED	42225	5.8	20	1	1	6	8	11	13	21
TOTAL 0-19 YRS	3630	2.9	8	1	1	2	3	6	7	12
20-34	26926	4.1	13	<1	1	3	6	8	9	15
35-49	11154	6.9	19	1	2	7	9	11	14	20
50-64	4938	8.8	23	2	3	8	11	14	17	24
65+	2190	10.4	42	2	3	9	13	17	22	34
GRAND TOTAL	**48838**	**5.4**	**20**	**1**	**1**	**5**	**8**	**10**	**13**	**20**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.6	2	1	1	2	3	5	5	6
20-34	152	3.8	10	1	1	3	5	7	9	14
35-49	16	5.0	7	<1	1	5	7	9	9	9
50-64										
B. *Operated*										
0-19 YRS	512	5.4	3	3	3	5	6	7	8	12
20-34	6238	5.7	7	3	4	5	7	8	9	13
35-49	540	6.3	6	3	4	6	7	9	10	16
50-64	5	5.4	4	2	2	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.9	3	<1	1	3	4	5	7	8
20-34	70	4.6	13	<1	<1	4	6	8	11	22
35-49	7	7.4	12	3	3	9	10	12	12	12
50-64										
B. *Operated*										
0-19 YRS	406	6.0	11	3	4	5	7	8	10	24
20-34	5043	6.2	7	3	4	6	7	9	10	17
35-49	703	7.1	11	4	4	6	8	10	14	20
50-64	4	6.5	4	5	5	6	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	3.7	8	1	1	3	5	7	8	13
B. *Operated*	7295	5.7	6	3	4	5	7	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	97	4.5	12	<1	1	4	6	8	10	19
B. *Operated*	6156	6.3	8	3	4	6	7	9	11	17
1. SINGLE DX	7496	5.7	7	3	4	5	7	8	9	13
2. MULTIPLE DX	6253	6.2	8	3	4	6	7	9	11	17
A. NOT OPERATED	298	3.9	10	<1	1	3	5	7	9	14
B. OPERATED	13451	6.0	7	3	4	6	7	8	10	15
TOTAL 0-19 YRS	971	5.5	7	2	3	5	6	8	9	13
20-34	11503	5.9	7	3	4	6	7	8	10	15
35-49	1266	6.7	9	3	4	6	8	10	12	18
50-64	9	5.9	4	2	3	6	7	8	9	9
GRAND TOTAL	**13749**	**5.9**	**7**	**3**	**4**	**6**	**7**	**8**	**10**	**15**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	419	1.4	1	<1	<1	1	2	2	3	6
20-34	786	1.4	2	<1	<1	1	1	2	3	5
35-49	116	1.5	3	<1	<1	<1	1	2	4	12
50-64										
B. *Operated*										
0-19 YRS	8762	1.4	1	<1	<1	1	2	2	3	5
20-34	19823	1.4	2	<1	<1	<1	1	2	3	5
35-49	2354	1.4	3	<1	<1	<1	1	2	3	7
50-64	17	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	1.7	2	<1	<1	1	2	4	6	58
20-34	213	1.9	2	<1	<1	1	2	4	4	8
35-49	60	2.1	6	<1	<1	1	2	4	6	15
50-64										
B. *Operated*										
0-19 YRS	2856	1.8	5	<1	<1	1	2	3	5	9
20-34	10164	2.1	7	<1	<1	1	2	4	6	11
35-49	2751	2.4	7	<1	<1	2	3	5	7	11
50-64	8	2.0	1	<1	<1	1	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1321	1.4	2	<1	<1	1	1	2	3	6
B. *Operated*	30956	1.4	2	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	368	1.9	3	<1	<1	1	2	4	5	10
B. *Operated*	15779	2.1	6	<1	<1	1	2	4	6	10
1. SINGLE DX	32277	1.4	2	<1	<1	1	1	2	3	5
2. MULTIPLE DX	16147	2.1	6	<1	<1	1	2	4	6	10
A. NOT OPERATED	1689	1.5	2	<1	<1	1	2	3	4	7
B. OPERATED	46735	1.6	4	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	12132	1.5	2	<1	<1	1	2	2	3	7
20-34	30986	1.6	4	<1	<1	1	2	3	4	8
35-49	5281	1.9	5	<1	<1	1	2	4	6	10
50-64	25	1.5	1	<1	<1	1	2	3	3	4
GRAND TOTAL	**48424**	**1.6**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	5	3.0	6	1	1	2	5	6	6	6
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	18	2.4	2	<1	<1	2	3	5	6	6
20-34	30	2.5	4	<1	<1	2	3	5	6	10
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	3.4	5	1	1	3	5	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	18	5.4	29	<1	<1	4	8	9	18	24
35-49	6	5.7	11	2	2	5	8	11	11	11
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.7	3	1	1	2	4	5	6	6
B. *Operated*	49	2.4	3	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	7	2.9	4	1	1	2	4	6	7	7
B. *Operated*	25	5.8	26	<1	<1	5	8	11	16	24
1. SINGLE DX	59	2.5	3	<1	<1	2	3	5	6	10
2. MULTIPLE DX	32	5.2	23	<1	1	4	7	10	14	24
A. NOT OPERATED	17	2.8	3	1	1	2	4	6	7	7
B. OPERATED	74	3.6	13	<1	<1	2	4	5	10	22
TOTAL 0-19 YRS	23	2.9	8	<1	<1	2	3	5	9	14
20-34	58	3.5	13	<1	<1	2	4	8	9	23
35-49	9	4.4	11	1	1	4	6	10	11	11
50-64	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**91**	**3.4**	**11**	**<1**	**<1**	**2**	**4**	**7**	**10**	**20**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1533	1.9	5	<1	1	1	2	3	4	7
20-34	4836	1.8	4	<1	<1	1	2	3	4	6
35-49	437	1.8	1	<1	<1	1	2	3	4	7
50-64	5	1.8	2	<1	<1	1	2	4	4	4
B. *Operated*										
0-19 YRS	10278	1.8	3	<1	1	1	2	3	4	7
20-34	48884	1.7	3	<1	<1	1	2	3	4	7
35-49	5705	1.7	3	<1	<1	1	2	3	4	7
50-64	35	2.5	13	1	1	2	2	4	8	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	246	2.6	4	1	1	2	3	5	6	11
20-34	834	2.6	6	<1	1	2	3	5	6	12
35-49	99	2.6	6	<1	1	2	3	5	7	14
50-64										
B. *Operated*										
0-19 YRS	1452	2.6	5	1	1	2	3	5	7	11
20-34	7554	2.7	12	<1	1	2	3	5	7	12
35-49	1537	2.6	9	1	1	2	3	5	7	13
50-64	10	2.0	1	<1	<1	2	2	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6811	1.8	4	<1	<1	1	2	3	4	7
B. *Operated*	64902	1.7	3	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	1179	2.6	6	1	1	2	3	5	6	12
B. *Operated*	10553	2.7	10	<1	1	2	3	5	7	12
1. SINGLE DX	71713	1.7	3	<1	<1	1	2	3	4	7
2. MULTIPLE DX	11732	2.7	10	<1	1	2	3	5	7	12
A. NOT OPERATED	7990	1.9	4	<1	1	1	2	3	4	8
B. OPERATED	75455	1.8	4	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	13509	1.9	4	<1	1	1	2	3	4	8
20-34	62108	1.8	4	<1	<1	1	2	3	4	8
35-49	7778	1.9	5	<1	1	1	2	3	5	9
50-64	50	2.4	9	<1	1	2	2	4	4	21
GRAND TOTAL	**83445**	**1.8**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	315	3.0	4	<1	1	2	4	5	7	12
20-34	961	2.5	4	<1	1	2	3	5	6	9
35-49	90	2.9	8	<1	<1	2	4	6	9	15
50-64										
B. *Operated*										
0-19 YRS	794	2.3	4	<1	1	2	3	4	6	8
20-34	6894	1.9	4	<1	<1	2	2	3	4	8
35-49	651	2.0	4	<1	<1	2	2	3	4	10
50-64	7	3.0	8	1	1	2	3	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	3.9	10	1	1	3	5	7	9	17
20-34	313	3.4	11	1	1	3	4	7	9	19
35-49	38	4.0	27	<1	<1	2	5	8	18	24
50-64										
B. *Operated*										
0-19 YRS	279	4.5	58	1	1	3	5	8	11	28
20-34	1671	3.2	11	<1	1	2	4	7	9	16
35-49	309	3.5	13	<1	1	2	4	7	9	20
50-64	5	4.0	17	1	1	2	6	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1366	2.6	4	<1	1	2	3	5	6	11
B. *Operated*	8346	2.0	4	<1	<1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	461	3.6	12	1	1	3	4	7	9	20
B. *Operated*	2264	3.4	17	<1	1	2	4	7	9	18
1. SINGLE DX	9712	2.1	4	<1	<1	2	2	4	5	9
2. MULTIPLE DX	2725	3.5	17	1	1	2	4	7	9	18
A. NOT OPERATED	1827	2.9	6	<1	1	2	4	5	7	13
B. OPERATED	10610	2.3	7	<1	<1	2	2	4	6	11
TOTAL 0-19 YRS	1498	3.0	15	<1	1	2	4	6	7	14
20-34	9839	2.3	5	<1	<1	2	2	4	6	11
35-49	1088	2.6	8	<1	<1	2	3	5	7	18
50-64	12	3.4	10	1	1	2	4	10	11	11
GRAND TOTAL	**12437**	**2.4**	**7**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1581	2.5	4	<1	1	2	3	4	6	9
20-34	7437	2.6	5	1	1	2	3	5	6	10
35-49	429	2.9	22	1	1	2	3	5	6	10
50-64	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	57	2.3	3	<1	1	2	3	4	6	9
20-34	257	2.6	4	<1	1	2	3	5	6	12
35-49	22	2.2	1	1	1	2	3	4	5	5
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	277	3.2	5	1	1	3	4	6	8	12
20-34	1272	3.8	16	1	1	3	4	7	9	15
35-49	81	3.5	5	1	1	3	4	6	8	12
50-64										
B. *Operated*										
0-19 YRS	33	3.7	9	1	1	2	5	7	10	14
20-34	170	4.6	45	1	1	3	5	9	10	32
35-49	17	4.1	7	<1	1	3	6	7	9	10
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9449	2.6	5	1	1	2	3	5	6	9
B. *Operated*	336	2.5	3	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	1630	3.7	13	1	1	3	4	7	9	15
B. *Operated*	220	4.4	37	1	1	3	6	8	10	31
1. SINGLE DX	9785	2.6	5	1	1	2	3	5	6	9
2. MULTIPLE DX	1850	3.8	16	1	1	3	4	7	9	15
A. NOT OPERATED	11079	2.8	7	1	1	2	3	5	6	11
B. OPERATED	556	3.3	18	<1	1	2	4	6	8	14
TOTAL 0-19 YRS	1948	2.6	4	<1	1	2	3	5	6	9
20-34	9136	2.8	7	1	1	2	3	5	6	11
35-49	549	3.0	18	1	1	2	4	5	6	10
50-64	2	3.5	5	2	2	3	5	5	5	5
GRAND TOTAL	**11635**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	2.3	6	<1	<1	2	2	4	7	14
20-34	497	2.6	6	<1	1	2	3	5	7	12
35-49	23	1.9	2	<1	<1	1	3	4	5	5
50-64										
B. *Operated*										
0-19 YRS	6	2.7	4	<1	<1	2	4	6	6	6
20-34	25	2.4	2	<1	1	2	3	5	5	6
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.3	2	<1	<1	2	3	4	5	6
20-34	146	2.8	5	<1	1	2	4	6	8	10
35-49	8	3.6	5	<1	<1	3	5	7	7	7
50-64										
B. *Operated*										
0-19 YRS	7	4.1	10	<1	<1	5	5	9	10	10
20-34	40	3.8	10	1	1	3	6	9	10	13
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	625	2.5	6	<1	1	2	3	5	7	13
B. *Operated*	32	2.5	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	184	2.8	4	<1	1	2	4	6	7	10
B. *Operated*	49	3.8	9	1	1	3	5	9	10	13
1. SINGLE DX	657	2.5	6	<1	1	2	3	5	7	13
2. MULTIPLE DX	233	3.0	5	<1	1	2	4	6	8	10
A. NOT OPERATED	809	2.6	5	<1	1	2	3	5	7	11
B. OPERATED	81	3.3	7	<1	1	2	4	7	9	12
TOTAL 0-19 YRS	148	2.4	5	<1	<1	2	3	5	6	14
20-34	708	2.7	6	<1	1	2	3	6	8	11
35-49	34	2.4	3	<1	1	2	3	5	6	7
50-64										
GRAND TOTAL	**890**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**11**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1140	3.7	14	1	1	3	4	6	9	14
20-34	4426	3.7	11	1	1	3	4	6	8	14
35-49	392	4.1	10	1	1	3	5	7	9	18
50-64	5	3.6	2	3	3	3	4	6	6	6
B. *Operated*										
0-19 YRS	122	4.9	46	<1	1	3	5	8	13	35
20-34	469	4.0	18	<1	<1	3	5	8	11	25
35-49	47	4.7	10	<1	<1	4	7	8	11	14
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	296	4.3	11	1	1	3	5	9	12	20
20-34	1403	4.2	12	1	1	3	5	8	10	18
35-49	187	5.0	13	1	2	4	6	9	12	20
50-64	1	28.0		28	28	28	28	28	28	28
B. *Operated*										
0-19 YRS	75	5.1	12	1	2	4	6	11	12	19
20-34	328	4.9	16	<1	1	4	7	10	12	20
35-49	37	5.8	26	<1	1	4	7	10	13	30
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5963	3.7	12	1	1	3	4	7	8	15
B. *Operated*	638	4.2	23	<1	<1	3	5	8	11	23
2. MULTIPLE DX										
A. *Not Operated*	1887	4.3	12	1	1	3	5	8	11	19
B. *Operated*	440	5.0	16	<1	1	4	7	10	12	20
1. SINGLE DX	6601	3.8	13	1	1	3	4	7	8	16
2. MULTIPLE DX	2327	4.5	13	1	1	4	5	9	11	19
A. NOT OPERATED	7850	3.9	12	1	1	3	5	7	9	16
B. OPERATED	1078	4.5	20	<1	<1	3	6	9	12	23
TOTAL 0-19 YRS	1633	4.0	16	1	1	3	5	7	9	16
20-34	6626	3.9	12	1	1	3	5	7	9	17
35-49	663	4.5	12	1	1	4	6	8	10	19
50-64	6	7.7	101	3	3	3	6	26	28	28
GRAND TOTAL	**8928**	**3.9**	**13**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1250	3.4	8	1	2	3	4	6	7	12
20-34	5034	4.0	8	1	2	3	5	7	8	14
35-49	119	4.2	6	1	2	4	5	8	10	12
50-64	2	6.5	25	3	3	6	10	10	10	10
B. *Operated*										
0-19 YRS	38	3.0	7	<1	1	2	4	6	10	12
20-34	164	2.3	6	<1	1	1	3	5	8	13
35-49	17	2.2	2	<1	<1	2	3	5	6	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	488	3.9	11	1	1	3	5	7	9	19
20-34	1691	4.4	13	1	2	4	5	8	10	19
35-49	54	5.7	23	1	1	5	7	11	14	28
50-64										
B. *Operated*										
0-19 YRS	23	6.4	55	2	2	5	6	9	22	38
20-34	137	7.0	57	1	1	5	8	13	20	44
35-49	7	5.7	9	1	1	7	8	9	9	9
50-64	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6405	3.9	8	1	2	3	5	6	8	13
B. *Operated*	219	2.4	6	<1	1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	2233	4.3	13	1	2	3	5	8	10	19
B. *Operated*	168	6.8	54	1	1	5	8	12	20	43
1. SINGLE DX	6624	3.8	8	1	2	3	5	6	8	13
2. MULTIPLE DX	2401	4.5	16	1	2	4	5	8	10	22
A. NOT OPERATED	8638	4.0	9	1	2	3	5	7	9	15
B. OPERATED	387	4.3	31	1	1	2	6	9	12	37
TOTAL 0-19 YRS	1799	3.6	9	1	2	3	4	6	8	14
20-34	7026	4.1	10	1	2	3	5	7	9	16
35-49	197	4.5	11	1	1	4	6	9	11	15
50-64	3	5.0	19	2	2	3	8	10	10	10
GRAND TOTAL	**9025**	**4.0**	**10**	**1**	**2**	**3**	**5**	**7**	**9**	**16**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9689	1.3	3	<1	<1	1	1	2	2	6
20-34	33683	1.3	4	<1	<1	<1	1	1	2	6
35-49	1684	1.3	2	<1	<1	1	1	2	2	6
50-64	20	2.6	36	<1	<1	1	1	3	15	28
B. *Operated*										
0-19 YRS	623	1.3	2	<1	<1	1	1	2	3	7
20-34	2556	1.4	3	<1	<1	1	1	2	3	7
35-49	123	1.3	1	<1	<1	1	1	2	3	5
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	811	1.7	2	<1	<1	1	2	4	4	8
20-34	2735	1.8	4	<1	<1	1	2	4	5	11
35-49	183	1.8	3	<1	<1	1	2	4	5	12
50-64	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-19 YRS	91	2.1	3	<1	<1	1	3	4	6	8
20-34	422	2.5	10	<1	<1	1	3	5	8	18
35-49	21	2.0	3	<1	<1	1	2	5	6	6
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45076	1.3	3	<1	<1	1	1	2	2	6
B. *Operated*	3302	1.4	2	<1	<1	1	1	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	3732	1.8	4	<1	<1	1	2	4	5	11
B. *Operated*	534	2.5	8	<1	<1	1	3	5	8	18
1. SINGLE DX	48378	1.3	3	<1	<1	1	1	2	2	6
2. MULTIPLE DX	4266	1.9	4	<1	<1	1	2	4	5	11
A. NOT OPERATED	48808	1.3	4	<1	<1	1	1	2	3	6
B. OPERATED	3836	1.5	3	<1	<1	1	1	2	4	9
TOTAL 0-19 YRS	11214	1.3	3	<1	<1	1	1	2	3	6
20-34	39396	1.3	4	<1	<1	1	1	2	3	7
35-49	2011	1.3	2	<1	<1	1	1	2	3	6
50-64	23	2.3	32	<1	<1	1	1	2	12	28
GRAND TOTAL	**52644**	**1.3**	**4**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	242	3.3	20	<1	1	2	4	6	8	22
20-34	2068	3.4	12	<1	1	3	4	6	8	20
35-49	195	4.0	25	1	1	3	4	7	14	23
50-64	3	4.7	6	2	2	5	6	7	7	7
B. *Operated*										
0-19 YRS	15	4.4	35	1	1	3	4	7	20	25
20-34	181	4.7	37	<1	1	3	5	9	18	47
35-49	18	4.2	11	1	1	4	4	9	12	13
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	3.6	7	1	1	3	5	7	9	16
20-34	476	4.4	38	<1	1	3	5	8	12	22
35-49	43	4.5	15	1	1	3	5	9	12	22
50-64	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	8	4.8	21	1	1	3	6	13	15	15
20-34	69	5.7	23	<1	1	4	7	12	17	23
35-49	10	5.3	12	1	1	5	8	10	11	11
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2508	3.4	14	<1	1	3	4	6	8	20
B. *Operated*	214	4.7	35	<1	1	3	5	9	16	38
2. MULTIPLE DX										
A. *Not Operated*	576	4.3	33	<1	1	3	5	8	11	22
B. *Operated*	87	5.6	21	1	1	4	7	12	16	22
1. SINGLE DX	2722	3.5	16	<1	1	3	4	6	9	22
2. MULTIPLE DX	663	4.5	32	<1	1	3	5	9	12	22
A. NOT OPERATED	3084	3.6	18	<1	1	3	4	7	9	21
B. OPERATED	301	4.9	31	<1	1	3	5	11	16	28
TOTAL 0-19 YRS	321	3.4	18	<1	1	2	4	6	9	22
20-34	2794	3.7	19	<1	1	3	4	7	10	21
35-49	266	4.2	22	1	1	3	5	8	13	23
50-64	4	4.0	6	2	2	4	6	7	7	7
GRAND TOTAL	**3385**	**3.7**	**19**	**<1**	**1**	**3**	**4**	**7**	**10**	**22**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	670	2.1	3	<1	<1	2	3	4	5	9
20-34	2611	2.5	14	<1	<1	2	3	4	6	13
35-49	139	2.4	5	<1	1	2	3	5	7	12
50-64	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	53	3.6	16	1	1	2	4	8	13	22
20-34	266	3.1	13	<1	1	2	4	6	7	14
35-49	12	3.7	35	<1	<1	2	3	10	20	22
50-64	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	2.4	4	<1	<1	2	3	4	6	13
20-34	608	2.9	6	<1	1	2	4	5	8	16
35-49	42	2.8	3	<1	1	2	4	5	6	8
50-64										
B. *Operated*										
0-19 YRS	18	3.4	4	<1	1	3	4	7	8	8
20-34	130	3.9	15	<1	<1	3	5	7	9	24
35-49	4	3.0	5	1	1	2	4	6	6	6
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3421	2.4	11	<1	<1	2	3	4	6	12
B. *Operated*	332	3.2	14	<1	1	2	4	6	8	22
2. MULTIPLE DX										
A. *Not Operated*	828	2.8	6	<1	1	2	4	5	7	15
B. *Operated*	152	3.8	13	<1	<1	3	5	7	8	22
1. SINGLE DX	3753	2.5	12	<1	<1	2	3	4	6	13
2. MULTIPLE DX	980	2.9	7	<1	1	2	4	6	8	16
A. NOT OPERATED	4249	2.5	10	<1	<1	2	3	4	6	13
B. OPERATED	484	3.4	14	<1	1	2	4	6	8	22
TOTAL 0-19 YRS	919	2.2	4	<1	<1	2	3	4	5	10
20-34	3615	2.6	13	<1	<1	2	3	5	7	15
35-49	197	2.6	6	<1	1	2	3	5	7	13
50-64	2	2.0	2	1	1	2	3	3	3	3
GRAND TOTAL	**4733**	**2.6**	**11**	**<1**	**<1**	**2**	**3**	**5**	**6**	**13**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1249	3.3	4	<1	1	3	4	6	7	10
20-34	2415	3.2	7	<1	1	3	4	5	7	10
35-49	70	3.7	5	<1	1	4	5	7	7	12
50-64	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	162	2.9	4	<1	<1	2	4	6	6	8
20-34	302	3.5	9	<1	<1	3	5	7	8	13
35-49	10	2.1	1	<1	<1	2	3	4	4	4
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1029	3.8	6	1	1	3	5	7	8	12
20-34	2063	3.8	7	<1	1	3	5	6	8	12
35-49	89	4.5	11	1	1	4	6	7	10	19
50-64	2	7.5	41	3	3	7	12	12	12	12
B. *Operated*										
0-19 YRS	143	4.7	11	1	1	4	6	9	12	16
20-34	454	5.5	15	1	1	5	7	9	11	19
35-49	32	6.3	17	2	3	5	8	13	17	18
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3736	3.3	6	<1	1	3	4	6	7	10
B. *Operated*	474	3.3	7	<1	<1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	3183	3.8	7	1	1	3	5	7	8	13
B. *Operated*	629	5.3	14	1	1	5	7	9	12	18
1. SINGLE DX	4210	3.3	6	<1	1	3	4	6	7	10
2. MULTIPLE DX	3812	4.1	8	1	1	4	5	7	9	14
A. NOT OPERATED	6919	3.5	6	<1	1	3	5	6	7	11
B. OPERATED	1103	4.5	12	<1	1	4	6	8	10	17
TOTAL 0-19 YRS	2583	3.6	5	<1	1	3	5	6	8	12
20-34	5234	3.7	8	<1	1	3	5	6	8	13
35-49	201	4.4	11	<1	1	4	6	7	10	18
50-64	4	4.5	26	1	1	2	7	12	12	12
GRAND TOTAL	**8022**	**3.6**	**7**	**<1**	**1**	**3**	**5**	**6**	**8**	**13**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	290	4.4	17	<1	1	3	6	8	12	23
20-34	1572	4.5	15	<1	1	3	5	9	11	21
35-49	162	5.0	39	1	1	4	6	9	12	28
50-64	3	7.3	12	4	4	7	10	11	11	11
B. *Operated*										
0-19 YRS	35	4.0	7	<1	<1	4	5	7	9	12
20-34	213	3.5	18	<1	<1	2	4	8	13	22
35-49	29	5.0	143	<1	<1	2	5	7	13	66
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	644	4.3	38	1	1	3	5	7	10	23
20-34	3124	4.6	21	<1	1	3	6	9	12	21
35-49	269	5.4	17	1	2	4	6	11	14	21
50-64										
B. *Operated*										
0-19 YRS	82	6.4	49	1	1	4	7	15	23	33
20-34	413	5.6	30	<1	<1	4	7	12	18	25
35-49	49	4.7	15	<1	<1	4	7	10	12	16
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2027	4.5	17	<1	1	3	6	9	11	21
B. *Operated*	277	3.7	30	<1	<1	2	5	8	11	24
2. MULTIPLE DX										
A. *Not Operated*	4037	4.6	24	<1	1	3	6	9	12	21
B. *Operated*	544	5.6	31	<1	1	4	7	12	18	28
1. SINGLE DX	2304	4.4	19	<1	1	3	5	8	11	21
2. MULTIPLE DX	4581	4.7	25	<1	1	3	6	9	13	22
A. NOT OPERATED	6064	4.6	21	<1	1	3	6	9	12	21
B. OPERATED	821	5.0	32	<1	<1	3	6	11	15	27
TOTAL 0-19 YRS	1051	4.5	32	<1	1	3	5	8	12	26
20-34	5322	4.6	20	<1	1	3	6	9	12	21
35-49	509	5.2	30	<1	1	4	6	10	13	21
50-64	3	7.3	12	4	4	7	10	11	11	11
GRAND TOTAL	**6885**	**4.6**	**23**	**<1**	**1**	**3**	**6**	**9**	**12**	**22**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1908	2.5	9	<1	<1	1	3	5	7	15
20-34	6822	2.7	13	<1	<1	2	3	5	8	18
35-49	336	2.8	8	<1	<1	2	3	6	9	13
50-64	4	3.8	8	2	2	3	5	8	8	8
B. *Operated*										
0-19 YRS	500	2.9	8	<1	<1	2	4	6	7	17
20-34	4217	3.1	7	<1	<1	3	4	6	7	12
35-49	287	3.2	7	<1	<1	3	4	6	8	13
50-64	4	2.8	6	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	883	3.3	11	<1	<1	2	4	6	8	19
20-34	3310	3.6	20	<1	<1	2	4	7	10	23
35-49	223	4.2	25	<1	<1	3	5	9	11	19
50-64	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	267	5.1	20	<1	1	4	6	10	12	23
20-34	1866	4.5	26	<1	1	3	6	8	10	23
35-49	186	5.2	25	<1	<1	4	7	9	13	27
50-64	2	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9070	2.7	12	<1	<1	2	3	5	8	17
B. *Operated*	5008	3.1	7	<1	<1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	4419	3.5	19	<1	<1	2	4	7	10	22
B. *Operated*	2321	4.6	25	<1	1	4	6	8	11	24
1. SINGLE DX	14078	2.8	10	<1	<1	2	3	5	7	15
2. MULTIPLE DX	6740	3.9	21	<1	<1	3	5	7	10	23
A. NOT OPERATED	13489	2.9	15	<1	<1	2	3	6	8	19
B. OPERATED	7329	3.6	13	<1	<1	3	4	7	8	17
TOTAL 0-19 YRS	3558	2.9	11	<1	<1	2	4	6	8	17
20-34	16215	3.2	15	<1	<1	2	4	6	8	18
35-49	1032	3.6	15	<1	<1	3	5	8	10	20
50-64	13	2.8	4	1	1	2	3	6	8	8
GRAND TOTAL	**20818**	**3.2**	**14**	**<1**	**<1**	**2**	**4**	**6**	**8**	**18**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	250	3.6	30	2	2	3	4	4	6	21
20-34	1007	3.6	13	2	2	3	4	5	6	14
35-49	63	4.3	15	2	2	3	4	7	9	28
50-64	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	111	5.2	42	2	2	3	5	8	18	42
20-34	605	5.4	32	2	2	4	6	9	14	31
35-49	40	4.8	12	1	2	4	6	9	11	20
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	318	3.8	10	1	2	3	4	5	9	20
20-34	1429	3.8	8	2	2	3	4	6	8	18
35-49	91	4.9	22	1	2	3	5	9	13	28
50-64	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	378	7.1	92	2	2	4	7	14	24	71
20-34	2515	7.4	61	2	3	5	8	15	23	41
35-49	303	8.7	78	2	3	6	9	20	28	42
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1321	3.7	17	2	2	3	4	5	6	16
B. *Operated*	756	5.3	32	2	2	4	5	9	14	32
2. MULTIPLE DX										
A. *Not Operated*	1839	3.9	9	2	2	3	4	6	8	18
B. *Operated*	3196	7.5	66	2	3	5	8	16	24	43
1. SINGLE DX	2077	4.3	23	2	2	3	4	6	9	24
2. MULTIPLE DX	5035	6.2	48	2	2	4	6	12	20	39
A. NOT OPERATED	3160	3.8	12	2	2	3	4	5	8	18
B. OPERATED	3952	7.1	60	2	2	5	7	15	23	42
TOTAL 0-19 YRS	1057	5.1	50	2	2	3	5	8	15	49
20-34	5556	5.6	39	2	2	4	6	10	17	35
35-49	497	7.1	58	2	2	4	8	16	23	40
50-64	2	3.0	2	2	2	3	4	4	4	4
GRAND TOTAL	**7112**	**5.6**	**42**	**2**	**2**	**4**	**6**	**10**	**17**	**36**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48256	3.0	4	1	2	3	3	4	5	6
20-34	242600	3.1	4	1	2	3	4	4	5	6
35-49	10218	3.1	3	1	2	3	4	4	5	6
50-64	121	2.9	1	1	2	3	3	4	4	7
B. *Operated*										
0-19 YRS	10438	3.0	2	2	2	3	3	4	5	6
20-34	54773	3.2	4	2	2	3	4	4	5	7
35-49	2419	3.4	3	2	2	3	4	5	5	7
50-64	31	3.5	1	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2715	3.5	3	2	2	3	4	5	6	10
20-34	12046	3.5	5	2	2	3	4	5	6	11
35-49	680	3.7	5	2	2	3	4	5	7	13
50-64	10	5.5	41	2	2	3	5	15	23	23
B. *Operated*										
0-19 YRS	1454	3.7	7	2	2	3	4	5	7	12
20-34	33010	3.9	4	2	2	4	4	5	6	9
35-49	3820	4.2	7	2	3	4	5	6	6	10
50-64	18	4.1	1	2	3	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301195	3.1	4	1	2	3	4	4	5	6
B. *Operated*	67661	3.2	4	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	15451	3.5	5	2	2	3	4	5	6	11
B. *Operated*	38302	3.9	5	2	2	4	4	5	6	9
1. SINGLE DX	368856	3.1	4	1	2	3	4	4	5	6
2. MULTIPLE DX	53753	3.8	5	2	2	4	4	5	6	10
A. NOT OPERATED	316646	3.1	4	1	2	3	4	4	5	7
B. OPERATED	105963	3.5	4	2	2	3	4	5	5	8
TOTAL 0-19 YRS	62863	3.0	4	1	2	3	3	4	5	7
20-34	342429	3.2	4	1	2	3	4	4	5	7
35-49	17137	3.4	4	1	2	3	4	5	5	8
50-64	180	3.3	3	2	2	3	4	5	5	8
GRAND TOTAL	**422609**	**3.2**	**4**	**1**	**2**	**3**	**4**	**4**	**5**	**7**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	3.9	16	1	1	3	4	6	14	21
20-34	271	3.6	16	1	1	3	4	5	7	22
35-49	25	4.2	14	<1	1	4	5	7	13	18
50-64										
B. *Operated*										
0-19 YRS	94	6.1	9	2	3	5	7	9	14	16
20-34	1109	7.4	49	3	4	6	7	11	19	39
35-49	113	8.2	65	3	4	6	7	12	26	45
50-64	2	24.5	761	5	5	24	44	44	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.5	2	1	1	3	4	6	6	7
20-34	183	5.1	42	1	2	4	5	9	14	54
35-49	12	3.8	2	1	2	4	5	6	6	6
50-64										
B. *Operated*										
0-19 YRS	153	7.5	49	3	3	6	8	14	20	51
20-34	1944	8.2	60	3	4	6	8	14	22	41
35-49	317	9.5	85	4	4	7	9	17	33	49
50-64	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	327	3.6	15	1	1	3	4	5	7	21
B. *Operated*	1318	7.4	48	3	4	6	7	11	19	41
2. MULTIPLE DX										
A. *Not Operated*	215	4.9	37	1	2	3	5	8	13	42
B. *Operated*	2415	8.3	63	3	4	6	8	14	23	44
1. SINGLE DX	1645	6.6	44	2	3	5	7	10	17	40
2. MULTIPLE DX	2630	8.0	62	3	3	6	8	14	23	44
A. NOT OPERATED	542	4.1	25	1	1	3	4	6	10	28
B. OPERATED	3733	8.0	58	3	4	6	8	13	22	42
TOTAL 0-19 YRS	298	6.4	32	2	3	5	7	11	15	28
20-34	3507	7.4	54	2	3	6	7	12	20	39
35-49	467	8.7	76	3	4	6	8	14	28	48
50-64	3	18.7	482	5	5	7	35	44	44	44
GRAND TOTAL	**4275**	**7.5**	**55**	**2**	**3**	**6**	**7**	**12**	**21**	**42**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	235	3.1	4	1	1	3	4	5	5	9
20-34	1091	3.1	3	1	1	3	4	5	6	10
35-49	57	3.0	4	<1	1	3	4	4	6	14
50-64	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
0-19 YRS	239	4.8	6	2	2	4	6	7	9	15
20-34	1188	4.8	7	2	2	5	6	7	8	12
35-49	69	5.5	18	2	2	5	6	8	9	31
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	201	3.1	3	1	1	3	4	5	6	11
20-34	724	3.6	12	1	1	3	4	5	7	15
35-49	53	3.5	8	1	1	3	4	6	8	20
50-64										
B. *Operated*										
0-19 YRS	511	5.2	11	2	2	4	6	8	10	20
20-34	2626	5.4	18	2	2	5	6	8	10	21
35-49	232	6.6	25	3	3	6	7	10	14	33
50-64	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1385	3.1	3	1	1	3	4	5	6	10
B. *Operated*	1496	4.8	7	2	2	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	978	3.5	10	1	1	3	4	5	7	14
B. *Operated*	3370	5.5	17	2	3	5	6	8	10	21
1. SINGLE DX	2881	4.0	6	1	2	4	5	7	7	11
2. MULTIPLE DX	4348	5.0	16	2	2	4	6	8	10	21
A. NOT OPERATED	2363	3.3	6	1	1	3	4	5	6	12
B. OPERATED	4866	5.3	14	2	2	5	6	8	10	19
TOTAL 0-19 YRS	1186	4.3	8	1	2	4	5	7	9	16
20-34	5629	4.6	13	2	2	4	6	7	9	16
35-49	411	5.5	21	1	2	5	6	9	11	28
50-64	3	4.0	1	3	3	4	5	5	5	5
GRAND TOTAL	**7229**	**4.6**	**12**	**1**	**2**	**4**	**6**	**7**	**9**	**17**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.8	1	2	2	3	3	4	5	6
20-34	226	3.2	5	1	1	3	4	5	5	10
35-49	14	3.1	2	1	1	3	4	5	5	5
50-64										
B. *Operated*										
0-19 YRS	398	3.0	2	1	2	3	4	4	5	6
20-34	2633	3.1	7	1	1	3	4	4	5	8
35-49	158	3.3	2	1	1	3	4	5	6	9
50-64	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.2	2	1	2	3	4	5	5	5
20-34	107	3.3	2	1	2	3	4	5	6	8
35-49	5	2.2	1	<1	<1	2	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	212	3.4	4	1	2	3	4	5	6	14
20-34	1591	3.9	10	1	2	3	4	6	8	13
35-49	132	4.3	8	2	2	3	5	8	10	15
50-64	2	4.0	8	2	2	4	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	3.2	4	1	1	3	4	5	5	9
B. *Operated*	3190	3.1	6	1	1	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	128	3.3	2	1	2	3	4	5	5	8
B. *Operated*	1937	3.9	9	1	2	3	4	6	8	13
1. SINGLE DX	3462	3.1	6	1	1	3	4	4	5	7
2. MULTIPLE DX	2065	3.9	8	1	2	3	4	6	7	13
A. NOT OPERATED	400	3.2	3	1	1	3	4	5	5	8
B. OPERATED	5127	3.4	7	1	2	3	4	5	6	11
TOTAL 0-19 YRS	658	3.1	3	1	2	3	4	4	5	9
20-34	4557	3.4	8	1	2	3	4	5	6	10
35-49	309	3.7	5	1	2	3	4	6	8	12
50-64	3	3.0	7	1	1	2	5	6	6	6
GRAND TOTAL	**5527**	**3.4**	**7**	**1**	**2**	**3**	**4**	**5**	**6**	**11**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	164	3.1	1	1	2	3	4	4	5	6
20-34	770	3.2	13	1	2	3	4	4	5	6
35-49	32	3.4	1	2	2	3	4	5	5	6
50-64	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	115	3.1	1	1	2	3	4	5	5	7
20-34	575	3.3	2	1	2	3	4	5	6	9
35-49	25	3.0	2	1	1	3	4	5	6	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	3.1	1	1	2	3	4	5	5	7
20-34	443	3.4	2	2	2	3	4	5	6	9
35-49	21	4.1	7	2	2	3	5	9	10	11
50-64										
B. *Operated*										
0-19 YRS	139	3.8	7	2	2	3	4	5	7	18
20-34	794	4.0	9	2	2	4	4	6	7	12
35-49	55	4.5	9	1	2	4	5	6	12	18
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	967	3.2	10	1	2	3	4	4	5	6
B. *Operated*	715	3.3	2	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	561	3.4	2	2	2	3	4	5	6	9
B. *Operated*	988	4.0	9	2	2	4	4	6	7	14
1. SINGLE DX	1682	3.2	7	1	2	3	4	5	5	7
2. MULTIPLE DX	1549	3.8	7	2	2	3	4	5	7	12
A. NOT OPERATED	1528	3.2	7	1	2	3	4	5	5	8
B. OPERATED	1703	3.7	6	1	2	3	4	5	6	12
TOTAL 0-19 YRS	515	3.3	3	1	2	3	4	5	5	8
20-34	2582	3.5	8	1	2	3	4	5	6	9
35-49	133	3.9	6	1	2	3	5	6	8	16
50-64	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**3231**	**3.5**	**7**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	3.4	3	1	2	3	4	5	6	61
20-34	729	3.9	16	2	2	3	4	5	6	11
35-49	45	3.6	2	1	2	3	5	5	6	8
50-64										
B. *Operated*										
0-19 YRS	63	4.2	11	2	2	3	4	6	8	24
20-34	531	4.7	11	2	2	4	5	7	8	21
35-49	33	5.3	21	3	3	4	6	7	8	30
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	4.4	19	1	2	3	4	7	13	29
20-34	645	4.1	7	2	2	4	5	6	8	15
35-49	33	4.2	6	1	2	4	5	7	9	13
50-64	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	375	5.3	25	2	2	4	6	9	12	34
20-34	3161	5.5	20	2	3	5	6	8	11	24
35-49	228	5.7	19	2	3	5	6	8	12	27
50-64	2	5.5	1	5	5	5	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	870	3.8	14	2	2	3	4	5	6	11
B. *Operated*	627	4.7	12	2	2	4	5	7	8	24
2. MULTIPLE DX										
A. *Not Operated*	782	4.2	8	2	2	4	5	6	9	16
B. *Operated*	3766	5.5	20	2	3	5	6	8	11	26
1. SINGLE DX	1497	4.2	13	2	2	4	5	6	7	16
2. MULTIPLE DX	4548	5.3	18	2	3	4	6	8	10	24
A. NOT OPERATED	1652	4.0	11	2	2	3	4	6	7	15
B. OPERATED	4393	5.4	19	2	3	5	6	8	10	26
TOTAL 0-19 YRS	637	4.8	20	2	2	4	5	8	11	28
20-34	5066	5.0	17	2	2	4	6	8	9	22
35-49	339	5.2	16	2	3	4	6	8	10	27
50-64	3	4.7	2	3	3	5	6	6	6	6
GRAND TOTAL	**6045**	**5.0**	**17**	**2**	**2**	**4**	**6**	**8**	**10**	**23**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	226	3.0	2	1	2	3	4	5	5	8
20-34	1642	3.2	3	1	2	3	4	5	5	7
35-49	104	3.1	2	1	2	3	4	5	5	6
50-64	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	1445	4.9	11	2	3	5	6	7	8	11
20-34	8887	4.8	7	2	3	5	6	7	7	9
35-49	373	4.6	3	2	2	4	6	7	8	9
50-64	3	5.0	7	2	2	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	3.1	3	1	1	3	3	5	7	10
20-34	617	3.4	7	1	1	3	4	5	7	11
35-49	48	3.9	5	2	2	3	5	7	7	15
50-64	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	1492	5.8	15	2	3	5	7	9	11	17
20-34	10241	5.5	11	2	3	5	6	8	9	16
35-49	880	5.8	11	2	3	5	7	8	10	20
50-64	2	3.5	5	2	2	3	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1974	3.2	3	1	2	3	4	5	5	7
B. *Operated*	10708	4.8	7	2	3	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	780	3.4	6	1	1	3	4	5	7	10
B. *Operated*	12615	5.6	11	2	3	5	7	8	9	17
1. SINGLE DX	12682	4.5	7	2	2	4	6	7	7	9
2. MULTIPLE DX	13395	5.5	11	2	3	5	6	8	9	17
A. NOT OPERATED	2754	3.2	4	1	2	3	4	5	6	9
B. OPERATED	23323	5.2	9	2	3	5	6	7	8	14
TOTAL 0-19 YRS	3277	5.1	13	2	2	5	6	8	9	15
20-34	21387	5.0	9	2	3	5	6	7	8	14
35-49	1405	5.2	8	2	3	5	6	8	9	15
50-64	8	4.0	4	2	2	4	5	7	7	7
GRAND TOTAL	**26077**	**5.0**	**9**	**2**	**3**	**5**	**6**	**7**	**8**	**14**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	356	3.3	7	2	2	3	4	4	5	10
20-34	2522	3.2	4	1	2	3	4	4	5	7
35-49	118	3.4	3	1	2	3	4	5	6	10
50-64										
B. *Operated*										
0-19 YRS	1428	3.9	6	2	2	3	5	6	7	10
20-34	7841	4.0	5	2	2	4	5	6	7	9
35-49	399	4.3	5	2	2	4	5	7	8	12
50-64	3	4.7	9	2	2	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	201	3.3	2	1	2	3	4	5	6	9
20-34	1267	3.5	3	1	2	3	4	5	6	10
35-49	73	3.7	3	1	2	3	4	6	7	10
50-64										
B. *Operated*										
0-19 YRS	2651	4.5	7	2	2	4	6	7	8	13
20-34	14850	4.8	9	2	2	4	6	7	8	14
35-49	1094	5.6	16	2	3	5	7	8	9	20
50-64	6	5.7	6	3	3	5	6	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2996	3.2	4	1	2	3	4	4	5	7
B. *Operated*	9671	4.0	6	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	1541	3.4	3	1	2	3	4	5	6	10
B. *Operated*	18601	4.8	9	2	2	4	6	7	8	14
1. SINGLE DX	12667	3.8	5	2	2	3	4	6	7	9
2. MULTIPLE DX	20142	4.7	9	2	2	4	6	7	8	14
A. NOT OPERATED	4537	3.3	4	1	2	3	4	5	6	8
B. OPERATED	28272	4.5	8	2	2	4	5	7	8	13
TOTAL 0-19 YRS	4636	4.2	7	2	2	4	5	7	8	12
20-34	26480	4.3	8	2	2	4	5	7	8	12
35-49	1684	5.1	12	2	3	4	6	8	9	16
50-64	9	5.3	6	2	2	5	7	9	10	10
GRAND TOTAL	**32809**	**4.3**	**8**	**2**	**2**	**4**	**5**	**7**	**8**	**12**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	4.2	6	2	2	3	5	7	9	14
20-34	674	3.9	9	2	2	3	4	6	7	10
35-49	34	3.8	3	1	2	3	5	7	7	8
50-64										
B. *Operated*										
0-19 YRS	3623	5.8	6	3	4	6	7	8	8	12
20-34	14335	5.7	4	3	4	6	7	7	8	10
35-49	466	6.1	3	3	4	6	7	8	9	11
50-64	3	8.7	32	4	4	7	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	4.9	6	2	2	5	6	8	9	15
20-34	366	4.6	5	2	2	4	6	7	8	13
35-49	16	5.3	5	2	3	5	6	9	10	10
50-64										
B. *Operated*										
0-19 YRS	4959	6.6	9	4	4	6	7	9	11	17
20-34	20796	6.2	7	4	4	6	7	8	10	15
35-49	1188	6.5	8	4	4	6	7	9	11	18
50-64	12	6.5	7	4	4	6	8	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	805	4.0	9	2	2	3	5	6	7	11
B. *Operated*	18427	5.8	5	3	4	6	7	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	446	4.7	5	2	2	4	6	7	8	13
B. *Operated*	26955	6.3	7	4	4	6	7	8	10	16
1. SINGLE DX	19232	5.7	5	3	4	6	7	7	8	11
2. MULTIPLE DX	27401	6.2	7	3	4	6	7	8	10	16
A. NOT OPERATED	1251	4.2	7	2	2	4	5	7	8	12
B. OPERATED	45382	6.1	6	4	4	6	7	8	9	14
TOTAL 0-19 YRS	8743	6.2	8	3	4	6	7	8	10	16
20-34	36171	5.9	6	3	4	6	7	8	9	13
35-49	1704	6.3	7	3	4	6	7	8	10	15
50-64	15	6.9	11	4	4	6	9	12	14	15
GRAND TOTAL	**46633**	**6.0**	**6**	**3**	**4**	**6**	**7**	**8**	**9**	**14**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	562	3.3	1	1	2	3	4	5	5	7
20-34	2694	3.3	3	1	2	3	4	5	5	7
35-49	92	3.3	2	1	2	3	4	5	5	8
50-64										
B. *Operated*										
0-19 YRS	869	4.1	3	2	2	4	5	7	7	9
20-34	4425	4.3	5	2	2	4	5	7	7	10
35-49	171	4.6	4	2	2	4	6	7	8	11
50-64	5	5.0	22	2	2	3	7	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	337	3.6	3	2	2	3	4	5	6	12
20-34	1370	3.7	10	1	2	3	4	5	6	10
35-49	71	3.8	4	2	2	3	4	6	9	10
50-64	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	1666	4.9	7	2	2	4	6	8	9	15
20-34	8744	4.9	8	2	3	4	6	7	8	13
35-49	595	5.8	22	3	3	5	7	8	9	19
50-64	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3348	3.3	2	1	2	3	4	5	5	7
B. *Operated*	5470	4.3	5	2	2	4	5	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	1779	3.7	8	2	2	3	4	5	6	11
B. *Operated*	11006	4.9	8	2	3	4	6	7	9	14
1. SINGLE DX	8818	3.9	4	2	2	4	5	6	7	9
2. MULTIPLE DX	12785	4.8	9	2	2	4	6	7	8	13
A. NOT OPERATED	5127	3.4	4	1	2	3	4	5	6	8
B. OPERATED	16476	4.7	7	2	2	4	6	7	8	13
TOTAL 0-19 YRS	3434	4.3	5	2	2	4	5	7	8	12
20-34	17233	4.4	7	2	2	4	5	7	8	12
35-49	929	5.2	16	2	3	5	6	8	9	15
50-64	7	4.9	15	2	2	3	6	12	13	13
GRAND TOTAL	**21603**	**4.4**	**7**	**2**	**2**	**4**	**5**	**7**	**8**	**12**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	3.3	3	1	1	3	4	5	7	11
20-34	454	3.4	6	1	2	3	4	5	6	13
35-49	39	2.9	1	1	2	3	3	4	5	6
50-64										
B. *Operated*										
0-19 YRS	202	4.5	7	2	2	4	5	7	8	22
20-34	1647	4.9	9	2	2	5	6	7	8	12
35-49	114	4.9	5	1	2	5	6	8	8	11
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	4.6	5	2	2	4	6	8	9	11
20-34	301	4.0	18	1	2	3	4	6	7	17
35-49	25	5.0	20	1	2	4	6	7	13	24
50-64										
B. *Operated*										
0-19 YRS	404	5.8	8	2	3	5	7	9	11	17
20-34	3235	5.9	15	2	3	6	7	8	10	19
35-49	376	6.3	13	3	3	6	7	9	11	17
50-64	2	6.0	2	5	5	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	558	3.4	6	1	2	3	4	5	6	13
B. *Operated*	1963	4.8	8	2	2	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	366	4.1	17	1	2	3	5	6	7	20
B. *Operated*	4017	5.9	14	2	3	6	7	8	10	18
1. SINGLE DX	2521	4.5	8	2	2	4	6	7	8	13
2. MULTIPLE DX	4383	5.8	15	2	3	5	7	8	10	18
A. NOT OPERATED	924	3.7	10	1	2	3	4	6	7	13
B. OPERATED	5980	5.6	13	2	3	5	7	8	9	17
TOTAL 0-19 YRS	711	5.1	8	2	2	5	6	8	10	17
20-34	5637	5.3	13	2	3	5	6	8	9	17
35-49	554	5.7	12	2	3	5	7	8	10	17
50-64	2	6.0	2	5	5	6	7	7	7	7
GRAND TOTAL	**6904**	**5.3**	**13**	**2**	**3**	**5**	**6**	**8**	**9**	**17**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	5.1	3	2	2	5	6	8	8	8
20-34	331	5.3	5	2	2	6	7	8	8	11
35-49	17	6.1	9	1	1	6	8	10	11	11
50-64										
B. *Operated*										
0-19 YRS	1916	5.9	3	4	4	6	7	8	8	11
20-34	24295	6.0	4	4	4	6	7	8	8	10
35-49	1111	6.3	5	4	4	6	7	8	9	10
50-64	7	6.3	1	5	5	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.2	3	3	3	5	6	8	8	8
20-34	196	5.6	5	2	3	5	7	8	9	14
35-49	21	6.3	4	3	3	7	8	9	9	9
50-64										
B. *Operated*										
0-19 YRS	1406	6.3	12	4	4	6	7	8	10	15
20-34	25058	6.4	9	4	4	6	7	8	9	17
35-49	2223	6.9	13	4	5	6	8	9	10	20
50-64	19	7.9	15	3	5	7	8	14	18	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	375	5.3	5	2	2	6	7	8	8	11
B. *Operated*	27329	6.0	4	4	4	6	7	8	8	10
2. MULTIPLE DX										
A. *Not Operated*	226	5.7	5	2	3	5	7	8	9	14
B. *Operated*	28706	6.5	10	4	4	6	7	8	9	17
1. SINGLE DX	27704	6.0	4	4	4	6	7	8	8	10
2. MULTIPLE DX	28932	6.5	10	4	4	6	7	8	9	17
A. NOT OPERATED	601	5.5	5	2	3	6	7	8	9	12
B. OPERATED	56035	6.3	7	4	4	6	7	8	9	14
TOTAL 0-19 YRS	3358	6.1	7	4	4	6	7	8	9	14
20-34	49880	6.2	7	4	4	6	7	8	9	14
35-49	3372	6.7	10	4	5	6	7	8	9	17
50-64	26	7.5	12	4	5	7	8	10	17	19
GRAND TOTAL	**56636**	**6.3**	**7**	**4**	**4**	**6**	**7**	**8**	**9**	**14**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1427	3.3	4	1	1	3	4	5	6	10
20-34	7218	3.4	7	1	1	3	4	5	6	10
35-49	352	3.5	6	1	1	3	4	5	6	14
50-64	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	1156	3.9	5	2	2	3	4	6	7	12
20-34	6139	3.8	6	2	2	3	4	6	7	9
35-49	357	4.1	3	2	2	4	5	7	7	9
50-64	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	753	3.7	10	1	2	3	4	6	7	13
20-34	3214	3.8	7	1	2	3	4	6	7	14
35-49	221	4.0	9	1	2	3	5	7	8	19
50-64	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	2177	4.7	13	2	2	4	5	7	9	16
20-34	12656	4.7	8	2	3	4	6	7	9	14
35-49	996	5.1	8	2	3	5	6	8	10	15
50-64	9	7.8	98	3	3	5	6	23	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8999	3.4	6	1	1	3	4	5	6	10
B. *Operated*	7653	3.9	5	2	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	4189	3.8	8	1	2	3	4	6	7	14
B. *Operated*	15838	4.8	9	2	3	4	6	7	9	15
1. SINGLE DX	16652	3.6	6	1	2	3	4	5	6	10
2. MULTIPLE DX	20027	4.6	9	2	2	4	5	7	8	14
A. NOT OPERATED	13188	3.5	7	1	1	3	4	5	6	12
B. OPERATED	23491	4.5	8	2	2	4	5	7	8	13
TOTAL 0-19 YRS	5513	4.0	9	1	2	3	5	6	8	14
20-34	29227	4.1	7	1	2	4	5	6	8	13
35-49	1926	4.5	7	2	2	4	6	7	8	15
50-64	13	6.4	71	1	2	4	5	12	30	34
GRAND TOTAL	**36679**	**4.1**	**8**	**1**	**2**	**4**	**5**	**7**	**8**	**13**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3227	3.0	5	2	2	3	3	4	5	6
20-34	19311	3.1	3	1	2	3	4	4	5	6
35-49	880	3.1	1	1	2	3	4	4	5	7
50-64	12	3.1	1	2	2	3	3	4	5	5
B. *Operated*										
0-19 YRS	1785	3.2	2	2	2	3	4	4	5	7
20-34	10207	3.3	3	2	2	3	4	5	5	7
35-49	482	3.5	2	2	2	3	4	5	6	7
50-64	4	2.8		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	733	3.3	7	2	2	3	4	5	5	9
20-34	3845	3.3	3	1	2	3	4	5	6	8
35-49	250	3.4	2	1	2	3	4	5	6	7
50-64										
B. *Operated*										
0-19 YRS	1750	3.6	9	2	2	3	4	5	7	12
20-34	12264	3.7	5	2	2	3	4	5	6	10
35-49	896	4.2	4	2	2	4	5	6	7	12
50-64	4	3.3		3	3	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23430	3.1	3	1	2	3	4	4	5	6
B. *Operated*	12478	3.3	3	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	4828	3.3	3	1	2	3	4	5	6	8
B. *Operated*	14914	3.8	5	2	2	3	4	5	7	10
1. SINGLE DX	35908	3.2	3	1	2	3	4	4	5	7
2. MULTIPLE DX	19742	3.6	5	2	2	3	4	5	6	10
A. NOT OPERATED	28258	3.1	3	1	2	3	4	4	5	7
B. OPERATED	27392	3.5	4	2	2	3	4	5	6	9
TOTAL 0-19 YRS	7495	3.2	6	2	2	3	4	4	5	8
20-34	45627	3.3	3	2	2	3	4	5	5	8
35-49	2508	3.6	3	2	2	3	4	5	6	9
50-64	20	3.1		2	2	3	3	4	5	5
GRAND TOTAL	**55650**	**3.3**	**4**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	677	2.8	1	1	1	3	3	4	5	6
20-34	3225	2.8	4	1	1	3	3	4	5	7
35-49	189	3.0	4	1	1	3	4	5	5	10
50-64	3	3.3		3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	4922	3.0	10	1	2	3	3	4	4	6
20-34	28990	2.9	3	1	2	3	3	4	5	6
35-49	1832	3.1	2	1	2	3	4	4	5	7
50-64	10	3.3	3	2	2	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	168	3.3	3	1	2	3	4	5	6	12
20-34	831	3.1	10	1	1	3	4	5	5	10
35-49	58	3.3	3	1	1	3	4	5	6	12
50-64										
B. *Operated*										
0-19 YRS	1849	3.3	3	2	2	3	4	5	6	10
20-34	13483	3.5	5	1	2	3	4	5	6	10
35-49	1299	3.8	4	2	2	3	4	5	7	13
50-64	12	4.0	11	1	1	3	5	9	12	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4094	2.8	4	1	[illegible]	3	3	4	5	7
B. *Operated*	35754	2.9	4	1	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	1057	3.1	9	1	1	3	4	5	5	10
B. *Operated*	16643	3.5	5	2	2	3	4	5	6	10
1. SINGLE DX	39848	2.9	4	1	2	3	3	4	5	6
2. MULTIPLE DX	17700	3.5	5	1	2	3	4	5	6	10
A. NOT OPERATED	5151	2.9	5	1	1	3	3	4	5	7
B. OPERATED	52397	3.1	5	1	2	3	4	4	5	8
TOTAL 0-19 YRS	7616	3.1	7	1	2	3	3	4	5	8
20-34	46529	3.1	4	1	2	3	4	4	5	8
35-49	3378	3.3	3	1	2	3	4	5	6	10
50-64	25	3.6	6	1	1	3	4	7	9	13
GRAND TOTAL	**57548**	**3.1**	**5**	**1**	**2**	**3**	**4**	**4**	**5**	**8**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	651	3.2	3	2	2	3	4	4	5	7
20-34	2302	3.2	4	1	2	3	4	4	5	7
35-49	64	3.2	3	1	2	3	3	5	5	12
50-64	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	5593	3.1	4	2	2	3	4	4	5	7
20-34	19319	3.3	2	2	2	3	4	5	5	7
35-49	425	3.4	1	2	2	3	4	5	5	7
50-64	8	3.1	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	3.5	5	1	2	3	4	5	6	15
20-34	579	3.3	2	1	2	3	4	5	6	9
35-49	18	3.8	3	1	2	4	4	5	8	9
50-64										
B. *Operated*										
0-19 YRS	3152	3.6	4	2	2	3	4	5	6	10
20-34	11134	3.7	6	2	2	3	4	5	6	10
35-49	397	3.9	3	2	2	4	4	6	6	11
50-64	5	4.4	1	3	3	4	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3019	3.2	4	1	2	3	4	4	5	7
B. *Operated*	25345	3.3	3	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	773	3.4	3	1	2	3	4	5	6	9
B. *Operated*	14688	3.7	5	2	2	3	4	5	6	10
1. SINGLE DX	28364	3.3	3	2	2	3	4	4	5	7
2. MULTIPLE DX	15461	3.6	5	2	2	3	4	5	6	10
A. NOT OPERATED	3792	3.2	4	1	2	3	4	4	5	8
B. OPERATED	40033	3.4	4	2	2	3	4	5	5	8
TOTAL 0-19 YRS	9572	3.3	4	2	2	3	4	4	5	8
20-34	33334	3.4	4	2	2	3	4	5	5	8
35-49	904	3.6	2	2	2	3	4	5	6	9
50-64	15	3.7	2	1	2	3	5	5	6	6
GRAND TOTAL	**43825**	**3.4**	**4**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	366	3.2	4	1	2	3	4	4	5	11
20-34	1190	3.1	3	1	2	3	4	4	5	9
35-49	36	2.9	1	1	2	3	3	4	5	8
50-64	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	2133	3.1	2	2	2	3	4	4	5	7
20-34	8035	3.3	4	2	2	3	4	5	5	8
35-49	238	3.4	2	2	2	3	4	5	5	10
50-64	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117	3.4	2	2	2	3	4	5	5	9
20-34	392	3.5	9	1	2	3	4	5	6	13
35-49	25	4.0	3	1	2	4	4	5	9	9
50-64										
B. *Operated*										
0-19 YRS	1503	3.5	4	2	2	3	4	5	6	11
20-34	5960	3.8	6	2	2	3	4	5	6	11
35-49	285	4.2	4	2	2	4	5	6	7	11
50-64	5	5.6	6	3	3	5	7	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1593	3.1	3	1	2	3	4	4	5	9
B. *Operated*	10409	3.3	3	2	2	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	534	3.5	7	1	2	3	4	5	6	12
B. *Operated*	7753	3.8	6	2	2	3	4	5	6	11
1. SINGLE DX	12002	3.3	3	1	2	3	4	5	5	8
2. MULTIPLE DX	8287	3.7	6	2	2	3	4	5	6	11
A. NOT OPERATED	2127	3.2	4	1	2	3	4	5	5	10
B. OPERATED	18162	3.5	4	2	2	3	4	5	6	9
TOTAL 0-19 YRS	4119	3.3	3	2	2	3	4	5	5	9
20-34	15577	3.5	5	2	2	3	4	5	6	9
35-49	584	3.8	3	2	2	3	4	5	7	11
50-64	9	4.2	6	2	2	3	5	8	9	9
GRAND TOTAL	**20289**	**3.5**	**4**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5641	3.2	9	1	1	3	4	5	6	11
20-34	22224	3.1	5	1	1	3	4	5	5	9
35-49	1153	3.3	4	1	1	3	4	5	7	11
50-64	13	3.4	4	1	1	3	4	7	9	9
B. *Operated*										
0-19 YRS	21596	3.4	5	2	2	3	4	5	6	10
20-34	91422	3.6	4	2	2	3	4	5	6	9
35-49	3736	3.8	4	2	2	3	4	6	7	10
50-64	38	3.5	2	1	2	3	4	5	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2771	3.5	6	1	2	3	4	6	7	12
20-34	10392	3.6	12	1	1	3	4	6	7	15
35-49	754	3.8	10	1	1	3	4	7	8	16
50-64	14	4.7	7	1	2	4	6	9	11	11
B. *Operated*										
0-19 YRS	13051	4.5	12	2	2	4	5	8	10	17
20-34	65250	4.7	12	2	2	4	5	7	9	18
35-49	5347	5.4	18	2	3	4	6	8	12	22
50-64	33	4.8	10	2	2	4	5	10	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29031	3.1	6	1	1	3	4	5	6	10
B. *Operated*	116792	3.6	4	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	13931	3.6	11	1	1	3	4	6	7	14
B. *Operated*	83681	4.7	13	2	2	4	5	7	9	18
1. SINGLE DX	145823	3.5	4	1	2	3	4	5	6	9
2. MULTIPLE DX	97612	4.5	13	2	2	4	5	7	9	18
A. NOT OPERATED	42962	3.3	7	1	1	3	4	5	6	12
B. OPERATED	200473	4.0	8	2	2	3	4	6	8	14
TOTAL 0-19 YRS	43059	3.7	8	2	2	3	4	6	7	14
20-34	189288	3.9	8	2	2	3	4	6	7	13
35-49	10990	4.5	12	2	2	4	5	7	9	18
50-64	98	4.1	6	1	2	3	4	7	10	14
GRAND TOTAL	**243435**	**3.9**	**8**	**2**	**2**	**3**	**4**	**6**	**7**	**14**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	274	4.3	4	2	2	4	5	7	8	13
20-34	667	4.3	5	2	2	4	5	7	9	13
35-49	35	4.5	3	2	2	5	6	6	7	9
50-64										
B. *Operated*										
0-19 YRS	52	4.7	12	1	2	4	6	9	12	17
20-34	116	4.7	12	1	1	4	6	8	11	18
35-49	7	3.3	4	1	1	4	5	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	4.6	7	2	2	4	6	7	9	16
20-34	294	5.3	15	2	2	4	6	8	12	26
35-49	9	5.8	9	3	3	5	7	10	12	12
50-64										
B. *Operated*										
0-19 YRS	33	7.0	27	2	3	5	8	12	19	27
20-34	171	6.5	28	2	2	5	7	12	19	31
35-49	7	7.7	27	3	3	7	9	16	18	18
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	976	4.3	5	2	2	4	5	7	8	13
B. *Operated*	176	4.6	11	1	1	4	6	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	403	5.1	13	2	2	4	6	8	11	23
B. *Operated*	211	6.6	28	2	2	5	7	12	19	29
1. SINGLE DX	1152	4.3	6	2	2	4	5	7	9	14
2. MULTIPLE DX	614	5.6	18	2	2	5	6	10	14	26
A. NOT OPERATED	1379	4.5	7	2	2	4	5	7	9	14
B. OPERATED	387	5.7	21	1	2	5	7	11	16	25
TOTAL 0-19 YRS	459	4.6	8	2	2	4	5	7	9	18
20-34	1248	4.9	12	2	2	4	6	8	11	20
35-49	58	4.9	8	1	2	5	6	7	10	18
50-64	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**1766**	**4.8**	**10**	**2**	**2**	**4**	**6**	**8**	**11**	**19**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	1.8	3	<1	<1	1	2	3	4	10
20-34	595	2.0	5	<1	1	2	2	3	4	10
35-49	28	2.0	1	1	1	2	3	3	3	4
50-64										
B. *Operated*										
0-19 YRS	327	2.0	2	<1	1	2	2	4	4	8
20-34	1969	2.0	2	<1	1	2	2	4	5	8
35-49	104	2.2	2	<1	1	2	3	5	5	8
50-64	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.0	3	1	1	3	4	6	7	9
20-34	231	2.6	2	1	1	2	3	5	5	8
35-49	15	2.9	3	<1	1	3	4	5	6	6
50-64										
B. *Operated*										
0-19 YRS	171	3.2	4	1	1	2	4	6	7	12
20-34	1015	3.0	8	1	1	2	4	6	8	13
35-49	58	3.9	23	1	1	3	4	7	11	32
50-64	3	2.7		2	2	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	726	2.0	4	<1	1	2	2	3	4	9
B. *Operated*	2401	2.0	2	<1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	304	2.7	3	1	1	2	3	5	6	8
B. *Operated*	1247	3.1	8	1	1	2	4	6	8	13
1. SINGLE DX	3127	2.0	3	<1	1	2	2	3	4	8
2. MULTIPLE DX	1551	3.0	7	1	1	2	4	6	7	12
A. NOT OPERATED	1030	2.2	4	<1	1	2	3	4	5	8
B. OPERATED	3648	2.4	5	<1	1	2	3	4	6	10
TOTAL 0-19 YRS	659	2.4	3	<1	1	2	3	4	6	9
20-34	3810	2.3	4	<1	1	2	3	4	6	10
35-49	205	2.7	8	<1	1	2	3	5	6	13
50-64	4	2.5		2	2	2	3	3	3	3
GRAND TOTAL	**4678**	**2.3**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	4.5	36	1	1	3	5	8	12	31
20-34	579	4.3	11	1	1	3	5	9	11	16
35-49	35	6.3	26	1	2	4	9	11	15	26
50-64										
B. *Operated*										
0-19 YRS	154	3.1	4	<1	1	3	4	5	6	11
20-34	802	3.3	17	1	1	3	4	6	8	13
35-49	51	2.7	6	<1	1	2	3	4	5	15
50-64	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	5.5	26	1	1	4	7	11	17	26
20-34	312	5.2	23	1	1	4	6	11	15	25
35-49	28	6.3	28	1	2	5	7	15	19	21
50-64										
B. *Operated*										
0-19 YRS	100	5.0	24	1	1	3	5	11	17	24
20-34	592	4.3	16	1	1	3	5	8	12	22
35-49	39	5.5	27	1	1	4	6	13	15	27
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	738	4.4	16	1	1	3	5	9	12	18
B. *Operated*	1008	3.3	14	<1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	409	5.3	24	1	1	4	6	11	17	25
B. *Operated*	731	4.5	17	1	1	3	5	9	12	24
1. SINGLE DX	1746	3.7	15	1	1	3	4	7	10	15
2. MULTIPLE DX	1140	4.8	20	1	1	3	6	10	14	24
A. NOT OPERATED	1147	4.7	19	1	1	4	6	10	13	21
B. OPERATED	1739	3.8	16	1	1	3	4	7	10	19
TOTAL 0-19 YRS	447	4.3	21	1	1	3	4	8	12	21
20-34	2285	4.1	16	1	1	3	5	8	11	19
35-49	153	4.9	22	1	1	3	6	11	15	26
50-64	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**2886**	**4.2**	**17**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3350	4.5	10	2	2	4	5	7	9	14
20-34	2785	4.8	12	2	2	4	6	8	10	17
35-49	1889	5.4	12	2	2	5	7	9	12	20
50-64	1639	6.4	19	2	3	5	8	11	15	24
65+	1415	7.7	28	2	3	7	10	14	17	27
B. *Operated*										
0-19 YRS	1950	5.1	18	1	1	4	6	10	12	23
20-34	1891	5.6	26	1	2	4	7	11	14	28
35-49	1136	6.5	34	1	2	5	8	13	16	28
50-64	907	8.4	60	2	2	6	10	16	22	43
65+	578	9.5	72	2	2	7	12	19	23	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2693	5.2	19	2	2	4	6	9	12	20
20-34	3177	5.9	21	2	2	5	7	11	14	24
35-49	3468	7.4	28	2	3	6	9	13	17	29
50-64	4906	8.9	43	3	3	7	11	16	20	35
65+	7353	10.9	65	3	4	9	14	20	26	44
B. *Operated*										
0-19 YRS	1207	7.3	52	1	2	5	9	14	19	41
20-34	1891	9.2	89	2	2	6	11	19	26	53
35-49	1907	11.6	127	2	3	8	14	24	33	67
50-64	2477	14.9	163	3	4	11	20	31	41	76
65+	2645	17.7	203	4	5	14	23	37	51	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11078	5.4	15	2	2	4	7	10	12	21
B. *Operated*	6462	6.3	36	1	2	5	8	12	16	30
2. MULTIPLE DX										
A. *Not Operated*	21597	8.5	46	2	3	7	11	16	21	36
B. *Operated*	10127	13.0	153	2	3	9	16	28	39	74
1. SINGLE DX	17540	5.8	23	2	2	5	7	11	14	24
2. MULTIPLE DX	31724	9.9	85	2	3	7	12	20	27	53
A. NOT OPERATED	32675	7.4	38	2	3	6	9	14	19	32
B. OPERATED	16589	10.4	118	2	2	7	13	23	32	60
TOTAL 0-19 YRS	9200	5.2	20	1	2	4	6	9	12	22
20-34	9744	6.2	35	2	2	5	7	12	16	31
35-49	8400	7.8	52	2	2	6	9	15	20	41
50-64	9929	9.9	79	2	3	7	12	20	27	50
65+	11991	12.0	102	3	4	9	15	23	31	59
GRAND TOTAL	**49264**	**8.4**	**67**	**2**	**2**	**6**	**10**	**17**	**23**	**45**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1240	4.5	10	1	2	4	5	8	9	14
20-34	654	4.7	16	1	2	4	5	8	10	19
35-49	385	5.2	13	2	2	4	6	9	13	19
50-64	279	6.1	20	2	2	5	8	12	14	24
65+	198	7.6	40	2	3	6	9	14	19	37
B. *Operated*										
0-19 YRS	1037	4.0	24	<1	1	2	5	8	11	20
20-34	965	4.9	31	1	1	3	6	10	14	27
35-49	614	4.9	27	<1	1	3	6	10	14	35
50-64	491	6.2	63	1	1	4	7	13	20	42
65+	327	7.3	52	1	2	5	9	15	21	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1384	5.2	12	2	2	4	6	9	11	19
20-34	700	5.8	31	2	2	4	7	11	14	34
35-49	659	7.0	34	2	2	6	9	13	16	27
50-64	868	8.7	40	2	3	7	11	16	21	35
65+	1239	10.9	85	3	4	8	13	21	27	60
B. *Operated*										
0-19 YRS	641	5.7	23	1	1	4	8	11	14	25
20-34	772	7.5	73	1	2	5	9	15	23	53
35-49	683	10.4	121	2	2	7	13	24	31	53
50-64	1010	11.9	131	2	2	8	15	26	36	69
65+	1052	15.3	193	2	3	11	21	32	44	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2756	5.0	15	2	2	4	6	9	12	20
B. *Operated*	3434	5.0	36	1	1	3	6	10	14	32
2. MULTIPLE DX										
A. *Not Operated*	4850	7.6	47	2	2	6	9	15	20	37
B. *Operated*	4158	10.7	129	2	2	7	13	24	33	64
1. SINGLE DX	6190	5.0	27	1	1	4	6	9	13	26
2. MULTIPLE DX	9008	9.1	87	2	2	6	11	19	26	53
A. NOT OPERATED	7606	6.7	37	2	2	5	8	13	17	33
B. OPERATED	7592	8.1	95	1	1	5	10	18	27	53
TOTAL 0-19 YRS	4302	4.8	16	1	1	4	6	9	11	19
20-34	3091	5.7	39	1	2	4	7	11	15	34
35-49	2341	7.1	59	1	2	5	9	14	20	39
50-64	2648	9.2	82	2	2	6	11	19	27	52
65+	2816	11.9	127	2	3	8	15	25	34	68
GRAND TOTAL	**15198**	**7.4**	**66**	**1**	**2**	**5**	**9**	**15**	**22**	**45**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	3.9	7	1	1	4	5	6	7	13
20-34	187	3.7	4	1	1	4	5	6	7	9
35-49	45	4.3	19	<1	1	4	5	8	14	25
50-64	3	2.3		2	2	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	5325	4.2	5	2	2	4	5	7	8	12
20-34	9080	4.2	8	2	2	4	5	7	8	12
35-49	1258	4.3	5	2	2	4	5	7	8	13
50-64	307	4.7	6	2	2	4	6	8	9	13
65+	63	4.7	11	1	2	4	6	8	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	3.2	6	<1	<1	2	4	7	8	11
20-34	95	3.1	5	<1	<1	3	4	6	8	10
35-49	15	4.1	8	<1	1	4	6	8	9	9
50-64	14	6.2	18	1	2	5	9	12	15	16
65+	9	7.7	50	2	2	6	8	19	25	25
B. *Operated*										
0-19 YRS	590	5.1	12	2	2	4	6	8	11	22
20-34	1491	5.4	20	2	2	4	6	9	12	21
35-49	476	6.2	33	2	3	5	7	11	13	26
50-64	163	6.9	40	2	3	5	7	13	18	30
65+	66	10.3	83	2	3	7	14	20	26	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357	3.8	7	1	1	3	5	6	7	15
B. *Operated*	16033	4.2	7	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	183	3.7	10	<1	1	3	5	8	9	14
B. *Operated*	2786	5.7	24	2	2	4	6	10	13	24
1. SINGLE DX	16390	4.2	7	2	2	4	5	7	8	13
2. MULTIPLE DX	2969	5.5	23	2	2	4	6	10	13	23
A. NOT OPERATED	540	3.8	8	<1	1	3	5	7	8	15
B. OPERATED	18819	4.4	10	2	2	4	5	7	9	15
TOTAL 0-19 YRS	6087	4.2	6	2	2	4	5	7	8	13
20-34	10853	4.4	10	2	2	4	5	7	9	14
35-49	1794	4.8	14	2	2	4	6	8	10	16
50-64	487	5.5	19	2	2	5	6	9	12	21
65+	138	7.6	55	1	2	5	9	17	21	45
GRAND TOTAL	**19359**	**4.4**	**10**	**2**	**2**	**4**	**5**	**7**	**9**	**15**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	1.9	3	<1	<1	1	2	3	6	10
20-34	51	2.2	2	<1	<1	2	3	5	5	8
35-49	30	2.4	3	<1	<1	2	3	5	6	7
50-64	33	2.7	19	<1	<1	2	3	4	6	26
65+	8	1.9	2	1	1	2	2	4	5	5
B. *Operated*										
0-19 YRS	1310	1.7	1	<1	<1	1	2	3	3	6
20-34	1710	2.1	3	<1	<1	2	2	3	4	8
35-49	1245	2.2	4	<1	<1	2	2	4	5	9
50-64	1047	2.1	3	<1	<1	2	2	4	5	9
65+	434	2.7	12	<1	<1	2	3	5	7	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.2	3	<1	<1	2	3	4	6	7
20-34	22	4.5	40	<1	1	3	5	8	20	30
35-49	29	3.8	12	<1	<1	2	6	9	11	14
50-64	40	4.3	10	<1	1	3	5	9	11	15
65+	32	5.3	13	<1	1	4	8	10	12	15
B. *Operated*										
0-19 YRS	219	2.6	8	<1	1	2	3	4	7	15
20-34	585	3.2	11	<1	1	2	4	6	8	18
35-49	680	3.6	13	<1	1	2	4	7	10	18
50-64	673	3.8	14	<1	1	3	5	8	10	21
65+	427	5.1	24	1	2	3	6	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	2.3	6	<1	<1	2	3	5	5	10
B. *Operated*	5746	2.1	4	<1	<1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	140	4.2	16	<1	<1	3	5	9	11	17
B. *Operated*	2584	3.7	15	<1	1	2	4	8	10	20
1. SINGLE DX	5906	2.1	4	<1	<1	2	2	3	5	9
2. MULTIPLE DX	2724	3.8	15	<1	1	2	4	8	10	20
A. NOT OPERATED	300	3.2	11	<1	<1	2	4	7	9	15
B. OPERATED	8330	2.6	8	<1	<1	2	3	5	7	15
TOTAL 0-19 YRS	1584	1.8	2	<1	<1	2	2	3	4	8
20-34	2368	2.4	6	<1	<1	2	3	4	6	13
35-49	1984	2.7	8	<1	<1	2	3	5	7	14
50-64	1793	2.8	8	<1	<1	2	3	5	8	15
65+	901	3.9	19	<1	<1	2	4	9	12	23
GRAND TOTAL	**8630**	**2.6**	**8**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2503	4.3	17	1	1	3	5	8	11	22
20-34	1630	5.3	29	1	1	4	6	11	16	24
35-49	1174	6.0	34	1	2	4	7	13	17	28
50-64	1047	7.9	64	1	2	5	10	17	22	39
65+	1121	10.2	105	2	2	7	12	21	29	58
B. *Operated*										
0-19 YRS	5230	2.9	17	<1	1	2	3	5	8	21
20-34	5679	4.4	37	<1	1	3	4	9	15	32
35-49	3824	4.9	49	1	1	3	5	10	16	36
50-64	3952	5.0	55	<1	1	3	5	10	19	43
65+	2549	9.7	159	1	1	4	13	26	36	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2338	5.3	31	1	1	4	6	10	14	27
20-34	1986	7.9	83	1	2	5	10	17	24	54
35-49	2221	9.1	81	2	2	6	11	19	27	52
50-64	3431	10.3	83	2	3	8	13	21	28	50
65+	7074	13.4	135	3	4	10	17	27	37	74
B. *Operated*										
0-19 YRS	2160	5.4	65	1	1	2	5	13	21	47
20-34	4134	9.7	197	1	2	4	10	27	46	99
35-49	4300	9.4	175	1	2	4	10	26	41	96
50-64	6103	10.5	188	1	2	5	13	28	41	83
65+	6320	18.5	330	2	2	13	27	46	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7475	6.2	46	1	1	4	7	13	18	34
B. *Operated*	21234	4.9	56	<1	1	2	4	10	18	40
2. MULTIPLE DX										
A. *Not Operated*	17050	10.5	105	2	2	7	13	22	30	62
B. *Operated*	23017	11.9	233	1	2	5	15	33	49	96
1. SINGLE DX	28709	5.2	54	<1	1	3	5	11	18	39
2. MULTIPLE DX	40067	11.3	179	1	2	6	14	28	41	85
A. NOT OPERATED	24525	9.2	91	1	2	6	11	20	27	55
B. OPERATED	44251	8.5	160	1	1	3	9	24	37	76
TOTAL 0-19 YRS	12231	4.1	29	<1	1	2	4	8	12	29
20-34	13429	6.7	98	1	1	3	7	16	25	63
35-49	11519	7.5	105	1	1	4	8	18	28	64
50-64	14533	8.7	124	1	2	5	10	21	31	64
65+	17064	14.5	220	2	2	10	19	34	48	94
GRAND TOTAL	**68776**	**8.7**	**136**	**1**	**1**	**4**	**10**	**22**	**33**	**70**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	6.1	24	<1	1	4	8	13	16	21
20-34	320	7.1	34	1	2	5	9	14	19	29
35-49	259	7.9	39	1	2	6	10	16	20	31
50-64	224	8.9	52	2	3	7	12	18	22	38
65+	104	9.9	110	2	3	8	12	17	22	63
B. *Operated*										
0-19 YRS	72	7.3	45	1	2	5	9	16	19	31
20-34	176	10.7	131	2	2	8	13	23	28	64
35-49	135	9.4	49	2	3	8	14	19	22	35
50-64	130	10.8	103	1	2	9	14	21	32	64
65+	78	13.3	105	2	4	10	20	23	32	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	212	8.4	81	1	2	6	10	17	25	93
20-34	771	9.8	98	2	3	7	12	19	29	63
35-49	730	10.5	109	2	3	8	12	20	30	62
50-64	837	10.8	88	2	3	8	13	21	28	51
65+	656	12.1	86	3	3	9	16	25	32	46
B. *Operated*										
0-19 YRS	113	14.7	274	2	2	10	19	33	53	97
20-34	406	14.2	171	2	3	10	19	29	42	69
35-49	436	15.3	177	3	4	12	18	32	45	67
50-64	524	16.3	205	3	4	12	20	32	49	85
65+	407	18.8	197	4	5	15	25	37	50	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1024	7.9	47	1	2	6	10	16	20	32
B. *Operated*	591	10.4	94	2	2	8	14	21	28	55
2. MULTIPLE DX										
A. *Not Operated*	3206	10.6	95	2	3	8	13	21	29	55
B. *Operated*	1886	16.1	196	2	4	12	21	34	46	77
1. SINGLE DX	1615	8.8	66	2	2	7	11	18	23	41
2. MULTIPLE DX	5092	12.6	139	2	3	9	16	27	37	67
A. NOT OPERATED	4230	9.9	85	2	3	7	12	20	27	49
B. OPERATED	2477	14.7	177	2	3	11	19	31	43	75
TOTAL 0-19 YRS	514	9.1	114	1	2	6	11	19	28	83
20-34	1673	10.5	113	2	2	7	13	23	30	61
35-49	1560	11.3	118	2	3	8	14	23	32	61
50-64	1715	12.2	128	2	3	9	15	24	33	66
65+	1245	14.2	136	3	4	11	19	29	37	62
GRAND TOTAL	**6707**	**11.7**	**124**	**2**	**3**	**9**	**15**	**24**	**33**	**62**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	629	6.4	22	2	2	5	8	12	14	26
20-34	445	7.7	44	2	3	6	9	15	20	34
35-49	653	8.2	33	2	3	7	11	17	20	27
50-64	1126	9.0	39	2	3	8	12	17	21	33
65+	887	10.1	52	3	4	8	13	19	24	42
B. *Operated*										
0-19 YRS	138	7.5	68	1	2	5	10	17	22	59
20-34	329	10.2	104	2	2	7	14	21	26	49
35-49	743	9.9	75	2	3	8	13	19	25	42
50-64	1732	11.6	91	2	3	9	16	23	29	52
65+	965	14.5	118	3	3	13	19	27	34	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	314	8.0	60	2	2	6	9	16	23	49
20-34	463	7.9	34	2	3	7	10	15	18	29
35-49	1124	9.3	61	2	3	7	12	18	22	49
50-64	3052	10.2	62	2	3	3	13	19	24	41
65+	3934	11.7	76	3	4	10	15	22	28	50
B. *Operated*										
0-19 YRS	91	11.3	128	2	2	8	15	29	42	99+
20-34	332	10.7	118	2	3	7	14	23	30	88
35-49	996	12.0	142	2	3	9	15	25	34	67
50-64	2390	13.9	155	2	3	11	18	29	39	69
65+	1934	18.0	197	3	4	15	23	35	48	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3740	8.6	40	2	3	7	11	16	21	33
B. *Operated*	3907	11.7	98	2	3	9	16	23	29	49
2. MULTIPLE DX										
A. *Not Operated*	8887	10.5	68	3	3	9	13	20	26	46
B. *Operated*	5743	14.7	170	2	3	11	19	31	42	76
1. SINGLE DX	7647	10.2	73	2	3	8	14	20	25	43
2. MULTIPLE DX	14630	12.2	112	3	3	9	16	24	32	63
A. NOT OPERATED	12627	10.0	61	2	3	8	13	19	24	41
B. OPERATED	9650	13.5	143	2	3	10	18	28	37	68
TOTAL 0-19 YRS	1172	7.4	48	2	2	5	9	14	20	45
20-34	1569	8.9	71	2	3	6	11	18	23	47
35-49	3516	10.0	83	2	3	8	13	19	26	50
50-64	8300	11.4	95	2	3	9	15	22	30	54
65+	7720	13.4	117	3	4	11	17	26	34	63
GRAND TOTAL	**22277**	**11.5**	**100**	**2**	**3**	**9**	**15**	**23**	**30**	**57**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.1	5	1	2	4	5	7	8	9
20-34	96	4.8	10	1	1	4	6	9	12	14
35-49	261	6.4	30	1	2	5	8	12	14	29
50-64	750	6.2	22	1	2	5	8	12	15	21
65+	1419	7.4	31	1	2	6	10	15	18	27
B. *Operated*										
0-19 YRS	98	6.1	65	1	2	4	5	14	17	51
20-34	831	5.8	28	1	2	4	7	12	15	24
35-49	1657	8.0	45	2	2	6	12	17	21	33
50-64	5801	12.0	60	2	3	12	16	21	25	37
65+	7554	16.5	57	5	8	16	20	25	30	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	8.3	45	2	2	6	10	18	23	30
20-34	141	5.8	18	1	2	5	7	11	14	19
35-49	916	6.9	22	2	2	6	9	13	17	26
50-64	3344	7.7	33	2	3	6	10	14	18	27
65+	9565	9.4	54	2	3	8	12	17	22	39
B. *Operated*										
0-19 YRS	66	7.3	51	2	2	5	9	19	22	38
20-34	582	7.4	64	1	2	5	9	14	20	48
35-49	1401	9.2	69	2	2	7	13	19	23	39
50-64	5294	13.5	93	2	3	12	18	25	31	48
65+	8762	19.2	121	5	8	17	24	32	40	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2546	6.8	28	1	2	5	9	14	17	24
B. *Operated*	15941	13.4	67	2	3	13	18	23	27	39
2. MULTIPLE DX										
A. *Not Operated*	13998	8.8	47	2	3	7	11	17	21	35
B. *Operated*	16105	16.0	120	3	4	15	21	29	36	58
1. SINGLE DX	18487	12.5	66	2	3	12	17	22	26	38
2. MULTIPLE DX	30103	12.6	99	2	3	10	17	24	31	51
A. NOT OPERATED	16544	8.5	45	2	3	7	11	16	20	33
B. OPERATED	32046	14.7	95	2	3	14	19	26	32	50
TOTAL 0-19 YRS	216	6.6	53	2	2	4	7	15	22	41
20-34	1650	6.3	39	1	2	4	8	13	16	33
35-49	4235	8.1	48	2	2	6	11	17	20	33
50-64	15189	11.3	69	2	3	10	16	21	26	40
65+	27300	14.4	95	3	4	13	19	26	32	50
GRAND TOTAL	**48590**	**12.6**	**87**	**2**	**3**	**11**	**17**	**24**	**29**	**46**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	640	7.4	38	2	2	6	10	15	20	30
20-34	575	6.2	20	2	2	5	8	11	14	24
35-49	435	6.4	22	1	2	5	8	12	16	24
50-64	415	6.8	41	1	2	5	9	13	16	35
65+	461	8.0	66	1	2	6	10	15	20	43
B. *Operated*										
0-19 YRS	343	11.2	83	2	2	9	16	22	28	44
20-34	946	6.1	34	1	2	4	7	13	16	30
35-49	917	7.0	40	2	2	5	9	14	19	30
50-64	1031	9.3	66	2	2	7	13	18	24	36
65+	562	14.2	81	2	3	14	19	24	28	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	472	9.0	57	2	2	6	12	19	25	35
20-34	617	7.0	26	2	2	6	9	13	17	29
35-49	718	7.7	42	2	3	6	9	14	19	33
50-64	1248	8.3	42	2	3	7	10	15	20	36
65+	2358	9.7	67	2	3	7	12	19	26	47
B. *Operated*										
0-19 YRS	273	14.9	130	2	3	12	21	32	40	53
20-34	625	9.4	103	2	2	6	11	21	31	61
35-49	701	10.3	98	2	2	7	13	22	29	51
50-64	1024	13.6	149	2	3	11	18	28	38	67
65+	884	20.1	248	3	5	16	26	42	56	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2526	7.0	37	2	2	5	9	14	17	30
B. *Operated*	3799	8.8	63	2	2	6	12	19	23	41
2. MULTIPLE DX										
A. *Not Operated*	5413	8.7	53	2	3	7	11	17	22	39
B. *Operated*	3507	13.9	170	2	3	10	18	30	41	70
1. SINGLE DX	6325	8.1	53	2	2	6	11	17	22	36
2. MULTIPLE DX	8920	10.8	106	2	3	8	13	23	31	56
A. NOT OPERATED	7939	8.2	49	2	2	6	10	16	21	37
B. OPERATED	7306	11.3	121	2	2	8	15	24	32	58
TOTAL 0-19 YRS	1728	9.8	73	2	2	7	13	21	27	43
20-34	2763	7.1	47	2	2	5	8	14	18	40
35-49	2771	7.9	54	2	2	6	10	16	22	40
50-64	3718	9.9	84	2	2	7	13	20	27	45
65+	4265	12.3	125	2	3	9	16	25	34	64
GRAND TOTAL	**15245**	**9.7**	**86**	**2**	**2**	**7**	**12**	**20**	**27**	**50**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	266	3.4	6	<1	1	3	4	7	9	11
20-34	344	3.1	8	<1	1	2	4	6	8	13
36-49	143	4.1	10	<1	1	3	6	9	11	21
50-64	93	4.3	15	<1	1	4	5	8	12	21
65+	51	6.6	30	1	1	5	8	16	18	26
B. *Operated*										
0-19 YRS	6182	4.1	6	1	2	4	5	6	8	11
20-34	11713	4.4	7	1	2	4	5	7	8	13
35-49	5390	4.7	9	2	2	4	6	7	9	15
50-64	2664	5.3	9	2	2	5	6	9	11	18
65+	466	6.3	16	2	3	5	8	10	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	141	3.0	7	<1	<1	2	4	7	9	12
20-34	276	3.9	18	<1	<1	2	5	9	13	22
35-49	204	4.5	21	<1	1	3	6	10	14	21
50-64	177	5.6	22	1	1	4	7	12	14	22
65+	104	8.3	36	2	3	6	11	15	20	31
B. *Operated*										
0-19 YRS	3169	4.6	7	1	2	4	6	7	9	14
20-34	7068	4.9	11	1	2	4	6	8	10	17
35-49	4128	5.5	19	2	2	5	6	9	12	21
50-64	3405	6.2	23	2	2	5	7	10	14	23
65+	895	7.8	35	2	3	6	9	14	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	897	3.7	10	<1	1	3	5	8	10	17
B. *Operated*	26415	4.5	8	1	2	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	902	4.7	22	<1	1	3	6	11	14	23
B. *Operated*	18665	5.4	16	2	2	5	6	9	12	21
1. SINGLE DX	27312	4.5	8	1	2	4	5	7	9	14
2. MULTIPLE DX	19567	5.4	16	1	2	5	6	9	12	21
A. NOT OPERATED	1799	4.2	16	<1	1	3	5	9	12	20
B. OPERATED	45080	4.9	11	2	2	4	6	8	10	17
TOTAL 0-19 YRS	9758	4.2	7	1	2	4	5	7	8	12
20-34	19401	4.5	9	1	2	4	5	7	9	15
35-49	9865	5.0	14	1	2	4	6	8	10	19
50-64	6339	5.8	17	2	2	5	7	10	13	21
65+	1516	7.3	30	2	3	6	9	13	17	30
GRAND TOTAL	**46879**	**4.8**	**12**	**1**	**2**	**4**	**6**	**8**	**10**	**17**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1156	4.2	13	1	1	4	5	7	10	18
20-34	736	4.5	14	1	1	4	6	10	12	19
35-49	446	5.2	25	1	1	4	7	11	14	26
50-64	463	5.7	27	1	1	4	7	11	15	28
65+	464	7.4	43	1	2	6	9	15	19	28
B. *Operated*										
0-19 YRS	5586	4.3	10	1	2	4	5	7	8	15
20-34	8157	4.4	12	1	2	4	5	7	9	16
35-49	2512	4.8	19	1	2	4	6	9	12	21
50-64	1401	5.6	34	1	2	4	6	11	16	27
65+	606	9.0	75	1	2	6	13	20	26	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	772	4.4	16	1	1	3	6	8	11	19
20-34	860	5.9	40	1	1	4	7	12	16	32
35-49	827	6.3	34	1	2	5	8	12	16	27
50-64	939	7.6	55	1	2	6	9	15	21	31
65+	1532	9.1	53	2	3	7	11	18	22	37
B. *Operated*										
0-19 YRS	1816	5.1	18	2	2	4	6	9	11	24
20-34	3525	5.5	26	2	2	4	6	10	13	26
35-49	1789	6.6	48	2	2	5	7	14	18	36
50-64	1538	8.2	77	2	2	5	10	18	26	46
65+	990	14.1	168	2	3	10	20	30	39	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3265	5.1	22	1	1	4	6	10	14	23
B. *Operated*	18262	4.7	17	1	2	4	5	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	4930	7.0	45	1	2	5	9	14	19	32
B. *Operated*	9658	6.9	58	2	2	5	8	14	22	41
1. SINGLE DX	21527	4.7	18	1	2	4	6	8	11	22
2. MULTIPLE DX	14588	7.0	53	1	2	5	8	14	20	38
A. NOT OPERATED	8195	6.3	37	1	1	5	8	13	17	29
B. OPERATED	27920	5.5	32	1	2	4	6	10	15	31
TOTAL 0-19 YRS	9330	4.5	13	1	2	4	5	7	9	18
20-34	13278	4.8	18	1	2	4	6	8	11	21
35-49	5574	5.6	32	1	2	4	7	11	15	29
50-64	4341	7.0	54	1	2	5	8	15	21	37
65+	3592	10.2	93	2	2	7	13	22	28	51
GRAND TOTAL	**36115**	**5.6**	**33**	**1**	**2**	**4**	**6**	**11**	**15**	**30**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	10.1	56	2	3	10	11	22	28	28
20-34	61	7.9	38	3	3	6	10	15	25	28
35-49	64	6.7	13	2	3	6	8	12	13	20
50-64	39	7.4	40	2	2	5	9	14	23	31
65+	21	8.1	28	3	4	7	10	16	20	24
B. *Operated*										
0-19 YRS	2	13.0	200	3	3	13	23	23	23	23
20-34	29	11.4	151	2	2	10	14	17	35	65
35-49	17	10.8	136	1	2	7	14	17	39	51
50-64	14	8.5	62	1	2	6	9	18	29	32
65+	8	10.8	19	5	6	9	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	5.7	5	2	2	5	8	9	9	9
20-34	49	8.0	40	2	2	6	11	16	25	29
35-49	101	7.0	22	2	3	6	9	14	18	21
50-64	101	8.3	24	2	3	7	12	15	19	61
65+	109	9.3	48	2	3	7	12	20	23	35
B. *Operated*										
0-19 YRS	4	9.0	17	4	4	9	12	14	14	14
20-34	24	15.2	147	4	5	14	18	23	37	64
35-49	36	12.2	114	2	3	9	15	26	39	48
50-64	38	18.9	275	3	3	15	22	37	52	86
65+	27	16.8	243	3	5	13	22	50	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	7.5	30	2	3	6	10	13	21	28
B. *Operated*	70	10.6	111	2	2	8	14	17	32	62
2. MULTIPLE DX										
A. *Not Operated*	374	8.1	33	2	3	7	11	16	21	28
B. *Operated*	129	15.6	195	3	4	13	19	31	48	89
1. SINGLE DX	264	8.3	53	2	3	6	10	16	22	33
2. MULTIPLE DX	503	10.0	85	2	3	8	13	20	25	62
A. NOT OPERATED	568	7.9	32	2	3	6	10	15	21	28
B. OPERATED	199	13.8	170	2	3	11	16	26	44	77
TOTAL 0-19 YRS	29	8.0	33	2	3	7	10	13	23	28
20-34	163	9.6	80	2	3	7	12	18	25	60
35-49	218	8.1	47	2	3	6	10	15	20	45
50-64	192	10.2	97	2	3	8	12	21	30	74
65+	165	10.5	83	2	3	8	13	22	24	68
GRAND TOTAL	**767**	**9.4**	**74**	**2**	**3**	**7**	**12**	**19**	**24**	**56**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	8.0	32	1	2	7	12	17	19	21
20-34	196	6.2	19	1	2	5	8	13	15	20
35-49	748	6.6	17	2	2	6	9	12	15	20
50-64	1387	7.2	23	2	2	6	9	13	16	22
65+	1236	7.7	35	2	3	6	10	14	18	27
B. *Operated*										
0-19 YRS	28	8.5	146	1	1	5	10	13	29	64
20-34	324	7.5	29	1	2	7	10	15	18	24
35-49	1410	8.3	42	2	2	7	11	16	20	31
50-64	1947	9.0	46	2	2	8	12	17	21	31
65+	645	10.8	78	2	2	9	15	22	27	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	7.1	48	1	2	5	7	17	25	31
20-34	318	6.9	22	2	2	6	9	13	16	25
35-49	2062	7.4	20	2	3	6	10	13	16	22
50-64	5545	8.0	27	2	3	7	10	14	18	26
65+	8616	9.2	42	3	3	8	12	17	21	32
B. *Operated*										
0-19 YRS	18	11.8	99	2	3	8	18	35	72	99+
20-34	266	10.3	88	2	2	8	12	20	25	41
35-49	1570	10.5	65	2	3	9	14	19	24	40
50-64	2942	11.7	83	2	3	10	15	22	28	50
65+	2147	15.5	156	3	4	12	20	30	41	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3594	7.2	26	2	2	6	9	13	16	24
B. *Operated*	4354	8.9	50	2	2	8	12	17	22	34
2. MULTIPLE DX										
A. *Not Operated*	16575	8.6	34	2	3	7	11	15	19	30
B. *Operated*	6943	12.6	106	2	3	10	16	24	32	58
1. SINGLE DX	7948	8.1	40	2	2	7	11	16	19	30
2. MULTIPLE DX	23518	9.7	59	2	3	8	12	18	23	41
A. NOT OPERATED	20169	8.3	33	2	3	7	11	15	19	29
B. OPERATED	11297	11.2	87	2	2	9	15	22	28	50
TOTAL 0-19 YRS	107	8.5	79	1	2	6	11	18	26	79
20-34	1104	7.8	41	1	2	6	10	15	19	30
35-49	5790	8.3	40	2	2	7	11	15	19	31
50-64	11821	9.0	46	2	3	8	11	17	21	36
65+	12644	10.2	68	2	3	8	13	19	25	44
GRAND TOTAL	**31466**	**9.3**	**54**	**2**	**3**	**8**	**12**	**18**	**22**	**39**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	239	8.5	40	1	3	7	11	15	20	33
20-34	4297	7.8	25	2	3	7	10	14	16	25
35-49	6577	8.1	25	2	3	7	10	14	17	24
50-64	3893	8.7	28	2	3	8	11	15	18	26
65+	1097	9.2	31	2	3	8	12	17	20	28
B. *Operated*										
0-19 YRS	762	9.2	37	2	2	8	12	16	21	31
20-34	14439	9.5	40	2	2	8	12	17	21	30
35-49	21602	10.2	42	2	3	9	13	18	22	31
50-64	10850	11.0	49	2	3	10	14	20	24	34
65+	1957	13.1	75	2	3	12	17	23	28	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	9.3	48	2	3	8	12	15	20	42
20-34	1733	8.9	36	2	3	8	11	15	19	32
35-49	3746	9.3	38	2	3	8	12	17	20	32
50-64	4308	9.7	35	3	4	9	12	17	21	31
65+	3117	10.4	44	3	4	9	13	18	22	35
B. *Operated*										
0-19 YRS	104	11.9	81	2	3	10	15	24	33	42
20-34	3517	12.1	66	2	3	10	15	22	27	38
35-49	7546	12.8	72	2	4	11	16	23	29	44
50-64	6569	14.0	83	2	4	12	18	25	31	45
65+	2372	17.1	126	3	6	15	22	31	38	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16103	8.3	26	2	3	7	11	15	17	25
B. *Operated*	49610	10.3	45	2	2	9	13	19	23	32
2. MULTIPLE DX										
A. *Not Operated*	12985	9.6	38	3	4	8	12	17	21	32
B. *Operated*	20108	13.6	83	2	4	12	17	25	31	46
1. SINGLE DX	65713	9.8	41	2	3	9	13	18	22	31
2. MULTIPLE DX	33093	12.0	69	2	4	10	15	22	28	43
A. NOT OPERATED	29088	8.9	32	2	3	8	11	16	19	29
B. OPERATED	69718	11.2	58	2	3	10	15	21	25	37
TOTAL 0-19 YRS	1186	9.3	43	2	2	8	12	17	22	35
20-34	23986	9.5	42	2	2	8	12	17	21	31
35-49	39471	10.3	47	2	3	9	13	19	23	34
50-64	25620	11.2	55	2	3	10	14	20	25	37
65+	8543	12.7	81	3	4	11	16	23	29	47
GRAND TOTAL	**98806**	**10.5**	**52**	**2**	**3**	**9**	**14**	**19**	**24**	**35**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	6.8	32	1	2	5	8	14	18	31
20-34	1294	7.6	21	2	3	7	10	13	16	24
35-49	2335	7.9	22	2	3	7	10	14	16	24
50-64	1493	8.3	25	2	3	8	11	14	17	25
65+	388	8.7	31	3	3	8	11	15	19	25
B. *Operated*										
0-19 YRS	88	9.0	50	1	2	7	12	18	25	31
20-34	2082	9.0	42	2	2	8	12	17	20	30
35-49	5152	9.3	37	2	3	8	12	17	20	30
50-64	2944	10.0	46	2	3	9	13	19	23	32
65+	367	11.6	56	2	3	10	16	22	26	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	7.3	25	1	2	6	10	14	16	20
20-34	656	8.7	41	2	3	7	11	15	19	32
35-49	1795	8.6	33	2	3	8	11	15	19	28
50-64	2203	9.0	31	3	3	8	11	16	20	28
65+	1479	9.7	42	3	3	8	12	18	21	31
B. *Operated*										
0-19 YRS	27	10.7	50	1	2	10	14	22	24	28
20 34	683	11.2	65	2	3	10	15	21	26	38
35-49	2235	11.6	66	2	3	10	15	21	27	40
50-64	2168	12.4	75	2	3	11	16	23	28	47
65+	533	15.6	151	3	4	12	20	30	39	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5596	8.0	24	2	3	7	10	14	17	24
B. *Operated*	10633	9.5	42	2	2	8	12	18	21	31
2. MULTIPLE DX										
A. *Not Operated*	6181	9.0	35	2	3	8	11	16	20	29
B. *Operated*	5646	12.2	79	2	3	10	16	23	28	47
1. SINGLE DX	16229	9.0	36	2	3	8	12	16	20	30
2. MULTIPLE DX	11827	10.5	59	2	3	9	13	20	25	39
A. NOT OPERATED	11777	8.5	30	2	3	8	11	15	18	27
B. OPERATED	16279	10.5	56	2	3	9	14	19	24	36
TOTAL 0-19 YRS	249	8.1	40	1	2	6	11	16	21	29
20-34	4715	8.9	41	2	2	8	11	16	20	30
35-49	11517	9.4	41	2	3	8	12	17	21	31
50-64	8808	10.0	48	2	3	9	13	19	23	34
65+	2767	10.9	69	3	4	9	14	20	25	45
GRAND TOTAL	**28056**	**9.6**	**46**	**2**	**3**	**8**	**12**	**18**	**22**	**33**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	7.0	26	1	2	6	9	14	18	26
20-34	1621	7.4	24	2	3	7	9	12	15	23
35-49	1659	8.0	23	2	3	7	10	14	16	24
50-64	876	7.6	26	2	2	7	10	13	16	24
65+	205	7.2	27	1	2	6	9	14	17	26
B. *Operated*										
0-19 YRS	56	7.0	34	1	2	5	10	16	20	24
20-34	985	7.4	39	1	2	6	10	15	18	26
35-49	1050	8.5	52	2	2	7	11	17	21	34
50-64	338	9.2	59	2	2	7	12	19	24	33
65+	29	8.6	46	1	1	7	12	18	23	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	7.2	37	2	2	6	10	13	14	38
20-34	1176	8.5	29	2	3	7	10	15	18	28
35-49	1707	8.9	28	2	4	8	11	15	19	27
50-64	1251	9.2	30	2	3	8	12	16	19	28
65+	634	9.7	48	2	3	8	12	18	22	32
B. *Operated*										
0-19 YRS	35	9.1	54	2	2	7	12	17	26	34
20-34	585	10.4	57	2	3	9	14	19	23	39
35-49	814	10.6	49	2	3	9	14	20	24	32
50-64	445	11.7	64	2	3	11	16	22	27	38
65+	77	14.9	128	2	3	11	19	35	41	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4458	7.6	24	2	2	7	10	13	16	24
B. *Operated*	2458	8.1	47	1	2	6	11	16	20	33
2. MULTIPLE DX										
A. *Not Operated*	4862	8.9	32	2	3	8	11	16	19	28
B. *Operated*	1956	11.0	59	2	3	10	14	21	25	39
1. SINGLE DX	6916	7.8	33	2	2	7	10	14	18	27
2. MULTIPLE DX	6818	9.5	40	2	3	8	12	17	21	32
A. NOT OPERATED	9320	8.3	29	2	3	7	11	14	18	26
B. OPERATED	4414	9.4	54	2	2	8	13	18	23	34
TOTAL 0-19 YRS	282	7.4	35	1	2	6	10	15	18	27
20-34	4367	8.1	34	2	2	7	10	15	18	28
35-49	5230	8.8	35	2	3	8	11	16	20	29
50-64	2910	9.1	39	2	2	8	12	17	21	31
65+	945	9.6	53	2	3	8	12	18	22	41
GRAND TOTAL	**13734**	**8.7**	**37**	**2**	**3**	**8**	**11**	**16**	**20**	**29**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	7.8	17	1	3	8	10	14	16	17
20-34	474	7.5	23	2	2	7	10	14	16	23
35-49	725	8.2	22	2	3	7	11	15	17	23
50-64	555	8.5	26	2	3	8	11	15	18	27
65+	287	9.1	37	2	3	8	12	17	19	31
B. *Operated*										
0-19 YRS	22	6.0	19	1	1	5	9	12	13	14
20-34	277	8.4	42	1	2	8	11	18	21	29
35-49	400	7.9	44	1	2	6	11	17	22	29
50-64	212	9.0	52	1	2	7	13	20	25	28
65+	55	9.7	49	1	2	8	16	20	23	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	6.9	24	2	2	7	8	12	14	26
20-34	418	8.1	28	2	3	7	10	14	17	28
35-49	769	9.0	31	3	4	8	11	16	18	27
50-64	1078	9.7	33	3	4	9	12	17	21	27
65+	1200	10.6	44	3	4	9	13	19	23	33
B. *Operated*										
0-19 YRS	8	9.5	34	1	2	10	13	17	19	19
20-34	195	11.1	57	2	3	10	15	21	26	35
35-49	357	11.8	68	2	3	10	16	22	27	37
50-64	354	13.4	88	2	3	11	18	25	32	45
65+	193	15.5	108	4	6	14	19	26	38	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2076	8.2	26	2	3	7	11	15	18	25
B. *Operated*	966	8.3	45	1	2	7	12	18	22	29
2. MULTIPLE DX										
A. *Not Operated*	3494	9.6	36	3	4	8	12	17	21	30
B. *Operated*	1107	12.8	81	2	3	11	17	24	30	46
1. SINGLE DX	3042	8.3	32	2	2	7	11	16	19	27
2. MULTIPLE DX	4601	10.4	49	3	4	9	13	19	24	35
A. NOT OPERATED	5570	9.1	33	2	3	8	12	16	20	28
B. OPERATED	2073	10.7	69	2	2	9	15	22	26	39
TOTAL 0-19 YRS	94	7.3	21	1	2	7	10	13	14	23
20-34	1364	8.3	34	2	2	7	11	15	19	29
35-49	2251	9.0	38	2	3	8	12	17	21	29
50-64	2199	9.9	45	2	3	9	13	18	23	32
65+	1735	10.8	53	3	4	9	14	20	24	38
GRAND TOTAL	**7643**	**9.5**	**43**	**2**	**3**	**8**	**12**	**18**	**22**	**32**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	864	4.8	14	1	1	4	6	10	12	18
20-34	6355	6.9	23	1	2	6	9	12	15	24
35-49	7577	7.6	31	2	2	6	10	14	17	26
50-64	4245	7.8	31	2	2	7	10	14	17	27
65+	1505	7.9	30	2	2	7	10	15	18	27
B. *Operated*										
0-19 YRS	399	5.6	25	1	2	4	8	13	16	25
20-34	4770	6.8	37	1	2	5	9	14	18	27
35-49	6189	7.5	40	1	2	6	10	16	19	29
50-64	3527	8.4	47	1	2	7	12	17	21	32
65+	1073	11.4	91	1	2	10	15	23	29	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	712	5.4	21	1	1	4	7	10	14	23
20-34	5635	7.8	33	2	2	7	10	15	18	26
35-49	8314	8.8	40	2	3	7	11	17	20	31
50-64	7443	9.0	40	2	3	8	11	17	20	33
65+	5608	9.5	46	2	3	8	12	18	22	34
B. *Operated*										
0-19 YRS	258	7.6	51	1	2	5	10	15	21	39
20-34	3489	9.2	57	2	2	7	12	18	24	35
35-49	5454	10.3	70	2	2	9	14	20	25	41
50-64	4524	11.7	83	2	3	10	15	22	29	46
65+	2186	15.7	141	2	4	13	20	30	39	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20546	7.3	28	2	2	6	9	13	17	25
B. *Operated*	15958	7.7	45	1	2	6	11	16	20	32
2. MULTIPLE DX										
A. *Not Operated*	27712	8.7	40	2	3	7	11	16	20	32
B. *Operated*	15911	11.2	84	2	2	9	15	22	28	46
1. SINGLE DX	36504	7.5	36	1	2	6	10	15	18	28
2. MULTIPLE DX	43623	9.6	57	2	3	8	12	18	24	38
A. NOT OPERATED	48258	8.1	35	2	3	7	10	15	19	29
B. OPERATED	31869	9.4	68	2	2	8	13	19	25	40
TOTAL 0-19 YRS	2233	5.5	23	1	1	4	7	11	15	24
20-34	20249	7.5	36	1	2	6	10	15	18	29
35-49	27534	8.5	45	2	2	7	11	16	21	32
50-64	19739	9.3	51	2	2	8	12	18	22	36
65+	10372	10.8	75	2	3	9	14	21	27	44
GRAND TOTAL	**80127**	**8.6**	**49**	**2**	**2**	**7**	**11**	**17**	**21**	**34**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	910	4.5	15	1	2	4	6	8	11	18
20-34	702	4.7	11	1	1	4	6	9	11	17
35-49	870	5.2	19	1	2	4	7	10	12	23
50-64	962	5.3	14	1	2	4	7	10	13	18
65+	479	5.6	14	1	2	5	7	11	13	19
B. *Operated*										
0-19 YRS	1611	3.0	6	<1	1	2	4	5	7	14
20-34	4391	3.2	9	<1	1	3	4	6	7	13
35-49	5886	3.4	7	1	1	3	4	6	8	14
50-64	6535	3.5	11	<1	1	3	4	6	9	16
65+	1550	3.8	15	<1	1	3	5	7	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	380	4.8	12	1	2	4	6	8	10	20
20-34	597	5.9	22	1	2	5	7	11	14	25
35-49	1206	6.5	28	1	2	5	8	12	16	23
50-64	1918	6.9	26	1	2	6	9	13	16	25
65+	1742	8.3	34	2	3	7	11	16	19	29
B. *Operated*										
0-19 YRS	553	4.0	15	1	1	3	4	7	10	21
20-34	2040	4.2	19	1	2	3	5	7	10	22
35-49	3224	5.1	24	1	2	4	6	10	14	24
50-64	4067	5.3	29	1	2	4	6	10	14	27
65+	1565	7.0	45	1	2	5	9	15	20	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3923	5.0	15	1	2	4	6	10	12	19
B. *Operated*	19973	3.4	9	<1	1	3	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	5843	7.0	29	1	2	6	9	13	17	26
B. *Operated*	11449	5.2	28	1	2	4	6	10	15	26
1. SINGLE DX	23896	3.7	11	1	1	3	4	7	9	16
2. MULTIPLE DX	17292	5.8	29	1	2	4	7	11	16	26
A. NOT OPERATED	9766	6.2	24	1	2	5	8	12	15	24
B. OPERATED	31422	4.1	17	1	1	3	5	8	11	21
TOTAL 0-19 YRS	3454	3.8	11	1	1	3	4	7	9	18
20-34	7730	3.8	13	1	1	3	4	7	10	17
35-49	11186	4.4	16	1	2	3	5	8	11	20
50-64	13482	4.7	20	1	1	3	6	9	12	22
65+	5336	6.4	33	1	2	5	8	13	18	28
GRAND TOTAL	**41188**	**4.6**	**19**	**1**	**1**	**3**	**5**	**9**	**12**	**22**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	3	<1	<1	2	4	5	6	7
20-34	69	2.9	4	<1	<1	3	4	6	7	9
35-49	53	4.0	11	<1	1	3	5	8	11	16
50-64	65	3.2	4	<1	<1	3	5	6	7	11
65+	42	3.5	6	<1	1	3	5	6	8	13
B. *Operated*										
0-19 YRS	1351	4.0	11	2	2	4	5	6	7	12
20-34	3287	3.8	4	1	2	3	5	6	7	11
35-49	2842	4.2	5	2	2	4	5	7	8	12
50-64	3839	4.5	6	2	2	4	6	7	9	13
65+	1705	4.6	9	2	2	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	2.3	8	<1	<1	1	2	5	9	14
20-34	99	2.5	6	<1	<1	1	4	5	6	14
35-49	116	3.7	9	<1	<1	3	5	8	10	14
50-64	202	4.4	20	<1	<1	4	6	9	11	28
65+	148	6.6	72	1	1	4	8	14	22	46
B. *Operated*										
0-19 YRS	1113	4.3	5	2	2	4	5	6	8	13
20-34	4814	4.3	8	2	2	4	5	7	8	13
35-49	5149	4.8	10	2	2	4	6	8	9	15
50-64	8723	5.4	11	2	3	5	6	8	10	17
65+	4542	6.1	21	2	3	5	7	10	13	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	252	3.3	6	<1	<1	3	4	6	7	13
B. *Operated*	13024	4.3	6	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	606	4.4	29	<1	<1	3	6	9	12	29
B. *Operated*	24341	5.1	12	2	2	4	6	8	10	17
1. SINGLE DX	13276	4.2	6	2	2	4	5	7	8	13
2. MULTIPLE DX	24947	5.1	12	2	2	4	6	8	10	17
A. NOT OPERATED	858	4.0	23	<1	<1	3	5	8	11	25
B. OPERATED	37365	4.8	10	2	2	4	6	8	10	16
TOTAL 0-19 YRS	2528	4.1	8	2	2	4	5	6	7	12
20-34	8269	4.1	7	2	2	4	5	6	8	12
35-49	8160	4.6	8	2	2	4	5	7	9	14
50-64	12829	5.1	10	2	2	5	6	8	10	16
65+	6437	5.7	19	2	2	5	7	9	12	23
GRAND TOTAL	**38223**	**4.8**	**11**	**2**	**2**	**4**	**6**	**8**	**10**	**16**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	1.9	2	<1	<1	1	2	4	5	9
20-34	192	2.1	8	<1	<1	1	2	3	5	17
35-49	97	2.3	2	<1	<1	2	3	5	6	56
50-64	70	2.8	6	<1	1	2	3	5	8	12
65+	27	4.8	20	<1	1	4	6	9	14	22
B. *Operated*										
0-19 YRS	4144	2.1	6	<1	1	2	2	3	4	7
20-34	7155	2.2	4	<1	1	2	2	3	4	7
35-49	3736	2.5	7	<1	1	2	3	4	5	9
50-64	2385	2.8	7	<1	1	2	3	5	6	12
65+	758	3.2	9	<1	1	2	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	1.6	3	<1	<1	1	2	2	3	11
20-34	62	2.7	9	<1	<1	1	3	6	10	16
35-49	54	3.5	12	<1	1	2	5	9	11	15
50-64	90	4.7	15	<1	1	3	7	9	13	19
65+	44	7.2	58	1	2	6	8	11	22	42
B. *Operated*										
0-19 YRS	461	2.7	5	<1	1	2	3	5	6	10
20-34	1431	3.1	8	<1	1	2	4	5	7	14
35-49	1278	3.8	11	1	1	3	4	7	10	17
50-64	1298	4.4	15	1	2	3	5	9	12	22
65+	592	5.8	47	1	2	4	7	12	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	495	2.3	6	<1	<1	2	3	5	6	13
B. *Operated*	18178	2.4	6	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	302	3.9	20	<1	<1	2	5	9	11	19
B. *Operated*	5060	3.9	16	1	1	3	4	7	10	20
1. SINGLE DX	18673	2.4	6	<1	1	2	3	4	5	9
2. MULTIPLE DX	5362	3.9	16	1	1	3	4	7	11	20
A. NOT OPERATED	797	2.9	12	<1	<1	2	3	7	9	18
B. OPERATED	23238	2.7	8	<1	1	2	3	4	6	13
TOTAL 0-19 YRS	4766	2.2	5	<1	1	2	2	3	4	7
20-34	8840	2.3	5	<1	1	2	3	4	5	9
35-49	5165	2.8	8	<1	1	2	3	5	6	13
50-64	3843	3.4	10	<1	1	2	4	6	9	17
65+	1421	4.4	28	1	1	3	5	8	12	24
GRAND TOTAL	**24035**	**2.7**	**8**	**<1**	**1**	**2**	**3**	**5**	**6**	**13**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	451	14.1	83	2	3	13	20	27	29	42
20-34	196	10.1	82	1	2	7	13	24	30	42
35-49	169	10.5	91	2	3	7	13	22	30	48
50-64	206	11.7	97	2	3	9	15	25	34	44
65+	121	13.8	134	3	4	10	16	28	36	66
B. *Operated*										
0-19 YRS	576	15.5	136	2	2	13	23	30	37	54
20-34	579	12.4	140	2	2	9	17	28	42	66
35-49	431	15.1	225	2	3	10	19	34	45	75
50-64	492	13.8	146	2	2	9	19	32	40	51
65+	307	15.3	182	2	3	11	20	35	45	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	232	17.8	95	3	5	18	25	30	35	42
20-34	192	12.3	119	1	3	8	16	29	35	54
35-49	241	12.9	160	1	2	9	17	29	41	66
50-64	394	14.8	160	3	3	11	19	33	43	61
65+	455	17.0	187	3	4	13	23	38	46	69
B. *Operated*										
0-19 YRS	336	20.3	230	3	4	17	29	43	53	99+
20-34	525	18.6	264	2	3	13	28	45	55	99+
35-49	600	18.9	275	2	4	15	26	43	55	95
50-64	1023	20.7	280	3	4	16	29	45	56	97
65+	851	23.8	322	4	5	19	33	49	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1143	12.4	95	2	3	10	17	26	31	45
B. *Operated*	2385	14.3	162	2	2	10	20	31	41	60
2. MULTIPLE DX										
A. *Not Operated*	1514	15.3	157	2	3	12	21	32	42	63
B. *Operated*	3335	20.8	286	3	4	16	29	46	58	99+
1. SINGLE DX	3528	13.7	141	2	3	10	19	29	38	58
2. MULTIPLE DX	4849	19.1	252	3	4	15	27	42	53	96
A. NOT OPERATED	2657	14.1	132	2	3	11	20	29	38	55
B. OPERATED	5720	18.1	244	2	3	14	25	41	52	91
TOTAL 0-19 YRS	1595	16.4	140	2	3	15	23	30	39	60
20-34	1492	14.3	184	2	3	10	19	34	46	86
35-49	1441	15.8	228	2	3	11	21	37	47	83
50-64	2115	17.1	221	2	3	13	23	39	49	80
65+	1734	19.8	264	3	4	15	28	44	54	94
GRAND TOTAL	**8377**	**16.8**	**212**	**2**	**3**	**13**	**23**	**37**	**47**	**82**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	688	5.7	43	1	1	4	7	12	15	34
20-34	737	4.3	18	1	1	3	5	8	11	18
35-49	891	4.5	12	1	1	4	6	9	11	17
50-64	827	5.7	25	1	2	4	7	12	16	24
65+	1281	9.0	43	2	3	7	12	17	21	30
B. *Operated*										
0-19 YRS	4779	5.2	20	1	2	4	6	10	13	22
20-34	4947	5.2	22	2	2	4	6	9	13	24
35-49	2479	6.7	39	2	2	5	9	14	17	31
50-64	1955	8.3	52	2	2	6	12	17	21	34
65+	1264	13.1	107	2	3	11	18	25	31	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	418	7.1	83	<1	1	4	8	15	25	50
20-34	1019	5.2	20	1	2	4	7	10	13	22
35-49	1760	6.2	26	2	2	5	7	12	16	29
50-64	3186	8.4	61	2	2	6	10	17	22	42
65+	10596	11.3	70	3	4	9	14	21	27	45
B. *Operated*										
0-19 YRS	1619	6.3	47	1	2	4	7	13	18	37
20-34	2926	6.9	67	2	2	4	7	14	21	49
35-49	2287	9.0	95	2	2	6	11	19	26	56
50-64	2748	13.1	145	2	3	10	17	27	37	69
65+	3618	19.1	184	4	5	16	25	36	47	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4424	6.2	33	1	1	4	8	13	17	26
B. *Operated*	15424	6.5	40	2	2	4	8	14	18	31
2. MULTIPLE DX										
A. *Not Operated*	16979	9.7	66	2	3	8	12	19	25	43
B. *Operated*	13198	11.8	144	2	2	8	16	26	36	66
1. SINGLE DX	19848	6.4	38	1	2	4	8	14	18	30
2. MULTIPLE DX	30177	10.6	101	2	3	8	14	22	29	54
A. NOT OPERATED	21403	9.0	61	2	2	7	12	18	24	40
B. OPERATED	28622	8.9	95	2	2	5	11	20	27	52
TOTAL 0-19 YRS	7504	5.6	32	1	2	4	6	11	15	30
20-34	9629	5.6	36	1	2	4	6	11	15	32
35-49	7417	7.0	52	2	2	5	8	14	19	35
50-64	8716	9.6	88	2	2	7	13	20	26	50
65+	16759	12.9	107	3	4	10	17	25	32	56
GRAND TOTAL	**50025**	**9.0**	**80**	**2**	**2**	**6**	**11**	**19**	**25**	**47**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	3.4	18	<1	1	2	4	7	9	27
20-34	38	3.3	8	<1	<1	3	4	8	11	99+
35-49	38	3.7	17	<1	<1	2	4	12	14	17
50-64	17	4.4	13	1	1	3	6	9	13	15
65+	17	5.5	17	<1	<1	5	10	11	11	11
B. *Operated*										
0-19 YRS	1162	4.3	12	1	2	3	5	8	10	16
20-34	1225	3.6	9	1	1	3	4	7	9	16
35-49	653	4.0	14	1	2	3	4	8	11	19
50-64	496	4.9	20	1	2	3	6	10	14	22
65+	172	6.7	35	1	2	5	9	14	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	3.3	11	<1	<1	2	5	8	10	15
20-34	71	5.3	52	<1	<1	3	6	10	16	39
35-49	58	7.8	71	1	1	5	9	18	29	39
50-64	73	13.6	283	1	1	8	17	30	63	99
65+	109	14.2	229	1	2	9	18	37	55	99+
B. *Operated*										
0-19 YRS	830	5.0	14	1	2	4	6	9	11	23
20-34	1413	4.4	18	2	2	3	5	8	10	17
35-49	907	5.1	18	2	2	4	6	9	12	22
50-64	849	6.9	49	2	2	5	8	14	19	41
65+	377	11.5	124	2	3	8	15	24	35	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	3.8	15	<1	<1	3	4	9	12	26
B. *Operated*	3708	4.2	14	1	2	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	362	9.8	167	<1	1	5	11	27	39	93
B. *Operated*	4376	5.8	36	2	2	4	7	11	16	32
1. SINGLE DX	3882	4.2	14	1	1	3	5	8	11	19
2. MULTIPLE DX	4738	6.1	47	2	2	4	7	12	17	39
A. NOT OPERATED	536	7.8	126	<1	1	4	9	18	30	82
B. OPERATED	8084	5.0	27	1	2	4	6	10	14	25
TOTAL 0-19 YRS	2107	4.5	13	1	2	4	6	8	10	19
20-34	2747	4.0	15	1	2	3	5	7	10	17
35-49	1656	4.7	19	1	2	3	6	9	12	23
50-64	1435	6.5	54	2	2	4	8	14	19	40
65+	675	10.6	122	2	2	7	14	23	33	72
GRAND TOTAL	**8620**	**5.2**	**33**	**1**	**2**	**4**	**6**	**10**	**14**	**30**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	6.1	21	1	1	5	8	12	17	20
20-34	244	6.1	19	1	1	5	9	12	15	20
35-49	333	6.7	21	2	2	6	9	12	16	24
50-64	245	7.6	33	1	2	6	11	16	19	25
65+	109	8.3	46	2	2	6	11	15	20	37
B. *Operated*										
0-19 YRS	14	5.6	23	1	1	3	8	13	15	16
20-34	156	6.6	30	1	2	5	9	15	20	24
35-49	265	8.3	62	1	2	6	11	17	21	44
50-64	169	8.3	56	1	2	6	11	16	21	43
65+	49	11.4	123	1	2	6	17	27	32	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.5	14	1	1	3	5	12	13	13
20-34	217	6.4	18	1	2	5	9	13	15	19
35-49	398	7.7	39	1	2	6	10	15	19	38
50-64	481	8.5	38	2	3	7	11	16	21	32
65+	539	9.7	59	2	3	8	12	19	25	38
B. *Operated*										
0-19 YRS	10	6.8	43	2	2	4	8	18	22	22
20-34	102	10.2	67	1	2	8	13	24	27	71
35-49	214	10.3	46	2	3	10	14	19	22	40
50-64	257	11.5	87	2	3	9	15	22	34	46
65+	127	15.0	99	4	4	14	18	28	35	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	952	7.0	27	1	2	6	9	14	17	26
B. *Operated*	653	8.1	58	1	2	6	11	17	22	38
2. MULTIPLE DX										
A. *Not Operated*	1651	8.4	44	2	2	7	11	16	20	33
B. *Operated*	710	11.5	76	2	3	10	15	22	30	47
1. SINGLE DX	1605	7.4	40	1	2	6	10	15	19	32
2. MULTIPLE DX	2361	9.3	55	2	2	8	12	18	24	40
A. NOT OPERATED	2603	7.9	38	1	2	6	10	15	19	32
B. OPERATED	1363	9.8	70	2	2	8	13	20	26	46
TOTAL 0-19 YRS	61	5.7	22	1	1	4	8	13	15	22
20-34	719	6.9	30	1	2	6	9	14	18	26
35-49	1210	8.0	42	2	2	6	11	16	20	33
50-64	1152	8.9	52	2	2	7	12	18	22	37
65+	824	10.4	71	2	3	8	13	20	27	46
GRAND TOTAL	**3966**	**8.5**	**50**	**2**	**2**	**7**	**11**	**17**	**21**	**37**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1059	3.6	10	1	1	3	5	7	9	15
20-34	2363	5.2	20	1	1	4	7	10	12	21
35-49	2311	5.6	21	1	2	4	7	11	13	21
50-64	1418	5.6	18	1	2	4	7	11	15	22
65+	773	6.4	25	1	2	5	8	13	16	21
B. *Operated*										
0-19 YRS	2883	5.4	37	1	1	3	6	14	18	28
20-34	4238	4.5	28	1	1	3	5	10	14	24
35-49	3023	4.8	27	1	1	3	6	10	14	25
50-64	3455	4.1	18	1	2	3	4	8	12	24
65+	1613	4.5	32	1	2	3	5	9	14	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	891	4.4	18	1	1	3	6	8	11	19
20-34	3190	6.1	26	1	2	5	8	11	14	23
35-49	4207	7.1	35	2	2	6	9	13	16	32
50-64	3949	7.1	30	2	2	6	9	13	17	28
65+	3606	8.3	49	2	3	7	10	16	20	35
B. *Operated*										
0-19 YRS	2057	5.2	39	1	2	3	5	11	18	34
20-34	4184	5.2	35	1	2	3	6	11	16	28
35-49	3337	6.7	44	1	2	4	8	15	20	32
50-64	3377	7.4	68	2	2	5	9	16	22	43
65+	2035	9.7	113	2	2	6	12	22	30	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7924	5.3	20	1	1	4	7	10	13	21
B. *Operated*	15212	4.6	28	1	1	3	5	10	15	25
2. MULTIPLE DX										
A. *Not Operated*	15843	7.0	35	2	2	6	9	13	17	30
B. *Operated*	14990	6.6	58	1	2	4	8	15	21	38
1. SINGLE DX	23136	4.9	25	1	1	3	6	10	14	24
2. MULTIPLE DX	30833	6.8	46	1	2	5	8	14	19	34
A. NOT OPERATED	23767	6.4	31	1	2	5	8	12	16	27
B. OPERATED	30202	5.6	44	1	2	3	6	13	18	32
TOTAL 0-19 YRS	6890	4.9	31	1	1	3	5	11	17	28
20-34	13975	5.2	29	1	1	4	6	10	14	25
35-49	12878	6.2	34	1	2	4	8	12	16	29
50-64	12199	6.1	38	1	2	4	8	12	17	30
65+	8027	7.7	63	2	2	5	10	16	21	40
GRAND TOTAL	**53969**	**6.0**	**38**	**1**	**2**	**4**	**7**	**12**	**17**	**30**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.1	4	1	1	4	5	7	7	7
20-34	135	6.0	12	2	2	5	7	11	13	18
35-49	119	6.4	13	2	2	6	8	10	13	20
50-64	53	6.4	21	2	2	5	8	11	18	23
65+	7	7.0	3	4	4	7	8	9	9	9
B. *Operated*										
0-19 YRS	8	3.0	2	1	1	3	4	5	5	5
20-34	30	8.1	16	2	3	7	11	13	14	17
35-49	37	8.8	20	3	3	9	12	14	18	19
50-64	12	7.0	20	<1	1	7	9	13	16	16
65+	9	10.2	76	1	1	10	18	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	5.5	26	1	2	4	7	10	11	34
20-34	316	7.2	26	2	3	6	9	13	17	28
35-49	378	7.0	17	2	3	6	9	12	15	22
50-64	190	8.2	28	3	3	7	10	15	17	28
65+	74	9.4	32	4	4	8	13	19	20	26
B. *Operated*										
0-19 YRS	6	7.2	15	3	3	7	9	13	13	13
20-34	60	9.4	41	3	3	7	13	17	21	34
35-49	81	10.7	49	3	4	9	14	21	25	36
50-64	53	10.3	38	3	4	9	14	17	26	31
65+	18	15.4	129	4	6	11	17	34	40	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	327	6.2	13	2	2	5	8	11	13	21
B. *Operated*	96	8.0	24	2	2	7	11	14	18	23
2. MULTIPLE DX										
A. *Not Operated*	1009	7.4	24	2	3	6	9	13	17	26
B. *Operated*	218	10.5	51	3	4	9	14	18	26	36
1. SINGLE DX	423	6.6	16	2	2	6	8	12	14	21
2. MULTIPLE DX	1227	8.0	30	2	3	7	10	15	18	30
A. NOT OPERATED	1336	7.1	22	2	3	6	9	13	16	24
B. OPERATED	314	9.7	44	2	3	8	13	17	23	35
TOTAL 0-19 YRS	78	5.2	20	1	2	4	6	10	11	29
20-34	541	7.2	24	2	3	6	9	13	16	26
35-49	615	7.5	22	2	3	7	9	13	17	25
50-64	308	8.2	30	2	3	7	10	16	18	29
65+	108	10.3	54	2	4	8	14	19	24	38
GRAND TOTAL	**1650**	**7.6**	**27**	**2**	**3**	**6**	**9**	**14**	**17**	**28**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	4.1	39	<1	<1	2	4	9	15	36
20-34	22	4.6	13	<1	1	3	7	10	11	12
35-49	15	6.5	37	<1	1	4	9	18	20	21
50-64	11	4.5	27	1	1	3	5	12	18	19
65+	12	4.9	25	<1	<1	3	6	11	18	19
B. *Operated*										
0-19 YRS	310	8.5	44	2	2	7	11	17	22	35
20-34	64	9.4	131	1	1	8	11	18	28	97
35-49	51	12.3	102	2	2	13	18	24	27	53
50-64	32	11.7	93	2	3	8	18	24	34	38
65+	6	13.8	146	3	3	12	22	30	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	483	6.5	74	1	1	4	7	13	21	68
20-34	73	6.8	34	1	2	5	9	14	20	85
35-49	50	6.6	29	1	2	6	8	12	16	32
50-64	27	8.4	36	2	3	7	11	17	22	25
65+	42	9.6	100	1	2	7	10	24	30	50
B. *Operated*										
0-19 YRS	513	12.2	153	2	2	9	15	28	36	83
20-34	86	13.1	133	2	3	11	15	27	34	63
35-49	66	15.0	216	3	3	11	19	31	40	90
50-64	45	20.8	307	3	3	17	27	38	78	99+
65+	23	15.4	172	3	4	12	17	29	43	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	257	4.4	36	<1	<1	2	4	10	17	32
B. *Operated*	463	9.3	68	2	2	7	13	20	23	40
2. MULTIPLE DX										
A. *Not Operated*	675	6.8	67	1	1	4	8	14	21	59
B. *Operated*	733	13.2	170	2	3	10	17	30	39	83
1. SINGLE DX	720	7.6	62	1	1	5	10	18	22	39
2. MULTIPLE DX	1408	10.1	131	1	2	7	13	22	33	77
A. NOT OPERATED	932	6.1	59	<1	1	4	7	13	20	42
B. OPERATED	1196	11.7	134	2	2	9	15	24	34	79
TOTAL 0-19 YRS	1503	8.5	99	1	1	5	11	19	28	61
20-34	245	9.5	100	1	2	7	12	21	28	83
35-49	182	11.2	129	2	2	8	15	23	31	51
50-64	115	13.8	190	2	3	10	19	32	37	87
65+	83	10.9	121	1	2	7	14	25	31	60
GRAND TOTAL	**2128**	**9.3**	**109**	**1**	**2**	**6**	**12**	**20**	**30**	**68**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	752	1.3	2	<1	<1	1	1	2	2	6
20-34	24	2.5	2	<1	<1	2	3	4	5	6
35-49	11	3.5	3	1	1	3	5	6	6	6
50-64	26	3.7	12	1	2	3	4	6	11	19
65+	35	3.0	1	1	2	3	3	4	6	7
B. *Operated*										
0-19 YRS	2858	2.4	3	<1	1	2	3	4	5	9
20-34	843	2.8	4	<1	1	2	3	5	6	11
35-49	457	3.0	4	1	1	2	4	5	6	12
50-64	670	3.2	4	1	2	3	4	5	6	11
65+	648	3.3	5	2	2	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	242	2.1	21	<1	<1	1	2	4	6	21
20-34	29	2.6	4	<1	<1	2	4	6	7	7
35-49	10	4.3	7	<1	<1	4	6	8	9	9
50-64	22	3.2	7	<1	<1	2	5	7	9	10
65+	34	3.7	7	1	1	3	4	7	11	12
B. *Operated*										
0-19 YRS	827	2.9	9	1	1	2	3	5	7	14
20-34	287	3.4	10	1	2	3	4	5	7	13
35-49	283	3.7	11	1	2	3	4	7	9	24
50-64	587	4.1	11	2	2	3	4	7	10	20
65+	654	4.2	11	2	2	3	5	7	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	848	1.5	2	<1	<1	1	1	3	3	7
B. *Operated*	5476	2.7	4	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	337	2.4	17	<1	<1	1	2	5	7	13
B. *Operated*	2638	3.6	10	1	2	3	4	6	9	17
1. SINGLE DX	6324	2.6	4	<1	1	2	3	4	5	11
2. MULTIPLE DX	2975	3.5	11	1	1	3	4	6	9	17
A. NOT OPERATED	1185	1.8	7	<1	<1	1	2	3	5	10
B. OPERATED	8114	3.0	6	1	1	2	3	5	7	13
TOTAL 0-19 YRS	4679	2.3	5	<1	<1	2	3	4	5	11
20-34	1183	2.9	5	<1	1	2	3	5	6	12
35-49	761	3.3	7	1	1	3	4	5	7	14
50-64	1305	3.6	7	1	2	3	4	6	8	13
65+	1371	3.8	8	2	2	3	4	6	9	14
GRAND TOTAL	**9299**	**2.8**	**6**	**<1**	**1**	**2**	**3**	**5**	**6**	**12**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	258	3.6	18	<1	1	2	4	7	11	26
20-34	87	4.9	60	1	1	3	6	9	15	52
35-49	47	4.7	9	1	1	4	6	10	11	12
50-64	40	5.2	31	1	1	3	6	13	15	29
65+	23	3.8	8	1	1	3	5	9	10	10
B. *Operated*										
0-19 YRS	2115	5.0	25	1	1	2	8	11	13	22
20-34	529	6.8	55	1	2	4	9	14	20	38
35-49	328	6.9	53	2	2	3	10	15	19	33
50-64	239	8.2	93	2	2	5	11	18	22	61
65+	100	9.1	93	1	2	5	12	22	30	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	904	5.1	45	<1	1	3	6	10	14	41
20-34	303	5.7	29	1	2	4	7	11	15	30
35-49	261	7.3	60	1	2	5	8	13	20	49
50-64	251	7.2	54	2	2	5	8	14	16	36
65+	299	8.7	53	2	3	7	11	16	24	38
B. *Operated*										
0-19 YRS	2404	7.1	82	1	2	3	9	16	22	52
20-34	599	8.3	75	2	2	5	12	18	27	49
35-49	456	9.0	79	2	2	6	12	20	27	61
50-64	517	11.5	159	2	2	8	15	25	33	66
65+	284	13.4	126	2	2	11	17	27	34	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	455	4.1	26	1	1	3	5	8	12	26
B. *Operated*	3311	5.8	41	1	1	3	9	12	16	31
2. MULTIPLE DX										
A. *Not Operated*	2018	6.3	49	1	1	4	7	12	17	37
B. *Operated*	4260	8.4	97	1	2	5	11	19	27	57
1. SINGLE DX	3766	5.6	39	1	1	3	8	12	15	30
2. MULTIPLE DX	6278	7.7	82	1	2	5	10	17	25	51
A. NOT OPERATED	2473	5.9	45	1	1	4	7	12	16	36
B. OPERATED	7571	7.3	74	1	2	4	10	16	22	46
TOTAL 0-19 YRS	5681	5.8	53	1	1	3	8	12	17	40
20-34	1518	7.1	59	1	2	4	9	15	21	41
35-49	1092	7.7	65	2	2	5	10	16	22	41
50-64	1047	9.5	118	2	2	6	13	19	28	60
65+	706	10.5	93	2	2	8	14	23	30	48
GRAND TOTAL	**10044**	**6.9**	**67**	**1**	**2**	**4**	**9**	**15**	**21**	**44**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.7	7	<1	<1	1	4	5	7	13
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1607	4.3	12	1	2	4	6	7	8	11
20-34	79	3.7	7	1	2	3	4	6	9	15
35-49	17	3.2	2	1	2	4	4	5	5	5
50-64	19	4.0	4	1	2	4	5	7	8	8
65+	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	3.5	27	<1	<1	1	4	8	13	28
20-34	3	2.0	1	<1	<1	2	3	3	3	3
35-49										
50-64	1	21.0		21	21	21	21	21	21	21
65+										
B. *Operated*										
0-19 YRS	920	4.3	8	1	2	4	5	7	9	14
20-34	78	4.4	25	2	2	3	5	7	9	35
35-49	26	3.8	3	1	2	3	5	6	7	8
50-64	8	6.9	23	2	2	6	9	14	16	16
65+	5	7.6	28	2	2	8	11	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.8	7	<1	<1	2	4	5	7	13
B. *Operated*	1724	4.3	11	1	2	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	130	3.6	29	<1	<1	1	4	9	16	28
B. *Operated*	1037	4.3	10	1	2	4	5	7	9	15
1. SINGLE DX	1756	4.3	11	1	2	4	6	7	8	11
2. MULTIPLE DX	1167	4.2	12	1	1	4	5	8	9	20
A. NOT OPERATED	162	3.4	24	<1	<1	1	4	8	12	28
B. OPERATED	2761	4.3	11	1	2	4	6	7	8	13
TOTAL 0-19 YRS	2684	4.3	11	1	2	4	6	7	8	13
20-34	161	4.0	16	1	2	3	5	6	8	16
35-49	43	3.5	2	1	2	3	5	5	7	8
50-64	28	5.4	19	1	2	4	7	10	16	21
65+	7	7.4	19	2	2	8	10	14	15	15
GRAND TOTAL	**2923**	**4.3**	**11**	**1**	**2**	**4**	**5**	**7**	**8**	**14**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	178	3.7	11	1	1	3	5	6	8	22
B. *Operated*										
0-19 YRS	1557	4.4	6	2	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	4.0	8	1	1	3	5	8	10	14
B. *Operated*										
0-19 YRS	325	6.0	13	2	3	5	7	10	12	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	3.7	11	1	1	3	5	6	8	22
B. *Operated*	1557	4.4	6	2	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	80	4.0	8	1	1	3	5	8	10	14
B. *Operated*	325	6.0	13	2	3	5	7	10	12	22
1. SINGLE DX	1735	4.3	6	2	2	4	5	7	8	13
2. MULTIPLE DX	405	5.6	13	2	2	5	7	10	12	21
A. NOT OPERATED	258	3.8	10	1	1	3	5	7	9	16
B. OPERATED	1882	4.7	7	2	2	4	6	8	9	14
TOTAL 0-19 YRS	2140	4.5	8	2	2	4	5	8	9	15
GRAND TOTAL	**2140**	**4.5**	**8**	**2**	**2**	**4**	**5**	**8**	**9**	**15**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	522	2.8	14	<1	<1	2	3	6	8	18
20-34	60	3.5	7	1	1	3	4	7	9	14
35-49	38	4.8	23	<1	1	3	5	10	16	24
50-64	63	4.0	7	<1	1	3	6	8	10	12
65+	35	4.7	10	<1	1	4	7	9	11	13
B. *Operated*										
0-19 YRS	1205	4.6	40	<1	1	3	5	10	14	31
20-34	481	4.4	15	<1	1	3	6	9	12	19
35-49	200	5.0	19	<1	1	3	7	10	13	24
50-64	165	7.0	63	1	1	4	10	15	22	31
65+	93	7.7	53	<1	1	5	11	19	23	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	422	6.0	68	1	1	4	7	12	16	49
20-34	105	5.2	16	1	2	4	6	10	13	22
35-49	121	6.1	38	1	2	4	7	11	15	32
50-64	161	6.0	24	1	2	5	7	12	14	25
65+	275	7.7	50	1	2	6	9	14	20	44
B. *Operated*										
0-19 YRS	1013	8.0	101	1	2	5	9	17	29	99+
20-34	445	7.4	67	1	2	5	9	15	20	31
35-49	288	10.1	101	1	2	8	13	20	25	51
50-64	290	9.6	58	1	2	8	14	19	26	38
65+	272	13.3	129	2	3	10	18	26	38	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	718	3.2	14	<1	<1	2	4	7	9	17
B. *Operated*	2144	4.9	35	<1	1	3	6	11	14	27
2. MULTIPLE DX										
A. *Not Operated*	1084	6.4	49	1	1	5	8	13	17	39
B. *Operated*	2308	9.0	95	1	2	6	12	19	27	69
1. SINGLE DX	2862	4.5	30	<1	1	3	5	10	13	26
2. MULTIPLE DX	3392	8.1	82	1	2	6	10	17	24	55
A. NOT OPERATED	1802	5.1	37	<1	1	3	6	10	14	28
B. OPERATED	4452	7.0	71	1	1	4	9	16	22	48
TOTAL 0-19 YRS	3162	5.6	62	<1	1	3	6	12	18	50
20-34	1091	5.6	38	1	1	4	7	12	16	26
35-49	647	7.5	65	1	2	5	10	16	21	44
50-64	679	7.6	50	1	2	6	10	16	22	31
65+	675	9.8	88	1	2	7	13	21	27	47
GRAND TOTAL	**6254**	**6.5**	**62**	**1**	**1**	**4**	**8**	**14**	**20**	**45**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	2.0	2	<1	<1	1	3	4	5	5
20-34	8	1.3		<1	<1	1	1	2	2	2
35-49	2	12.0	242	1	1	12	23	23	23	23
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	3216	3.3	4	1	1	3	4	5	7	9
20-34	284	4.0	8	2	2	3	5	7	8	15
35-49	73	3.4	3	1	2	3	4	5	7	9
50-64	19	3.6	3	1	2	3	5	6	6	6
65+	10	4.9	8	1	1	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	1.8	2	<1	<1	1	2	4	5	8
20-34	15	4.5	14	<1	1	4	6	11	12	13
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	6.5	25	3	3	6	10	10	10	10
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	2981	3.5	4	1	2	3	4	6	8	11
20-34	359	4.6	9	2	2	4	5	8	9	16
35-49	111	4.6	9	2	2	4	5	9	11	15
50-64	46	5.8	17	2	2	5	7	11	14	23
65+	25	5.0	10	1	2	5	7	10	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	2.2	7	<1	<1	1	3	4	5	18
B. *Operated*	3602	3.3	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	179	2.1	4	<1	<1	1	3	4	6	11
B. *Operated*	3522	3.7	5	1	2	3	5	6	8	12
1. SINGLE DX	3682	3.3	4	1	1	3	4	5	7	9
2. MULTIPLE DX	3701	3.6	6	1	1	3	4	6	8	12
A. NOT OPERATED	259	2.1	5	<1	<1	1	3	4	5	11
B. OPERATED	7124	3.5	5	1	2	3	4	6	7	11
TOTAL 0-19 YRS	6426	3.3	4	1	1	3	4	6	7	9
20-34	666	4.3	9	1	2	4	5	7	8	15
35-49	187	4.2	9	1	2	3	5	7	10	15
50-64	68	5.2	14	2	2	4	6	10	12	22
65+	36	4.9	9	1	2	4	7	9	11	12
GRAND TOTAL	**7383**	**3.5**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	3.0	27	<1	<1	2	3	6	8	17
20-34	90	3.6	9	1	1	3	5	7	9	17
35-49	76	4.2	9	1	2	4	5	8	8	19
50-64	45	3.6	7	1	1	3	4	7	10	13
65+	38	2.9	5	1	1	2	3	7	8	10
B. *Operated*										
0-19 YRS	2786	5.0	25	<1	1	3	7	11	14	20
20-34	1220	4.4	14	<1	1	3	6	9	11	17
35-49	337	5.3	21	1	1	4	8	11	15	21
50-64	269	5.1	22	1	1	3	7	12	15	22
65+	145	5.4	26	1	2	3	7	12	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	254	3.2	9	<1	1	2	5	6	8	16
20-34	207	4.8	15	1	1	4	6	9	13	22
35-49	227	5.7	32	1	2	4	7	11	15	25
50-64	279	7.0	36	1	2	6	9	13	19	36
65+	230	7.5	23	2	2	7	10	15	17	22
B. *Operated*										
0-19 YRS	2242	5.5	31	1	1	3	8	12	16	26
20-34	1560	5.8	24	1	2	5	8	11	15	25
35-49	761	8.0	62	1	2	6	9	16	23	38
50-64	722	8.5	53	1	2	7	11	17	24	35
65+	491	9.9	87	2	2	7	13	21	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	424	3.4	16	<1	1	2	4	7	8	15
B. *Operated*	4757	4.9	22	<1	1	3	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	1197	5.7	26	1	1	4	7	12	15	24
B. *Operated*	5776	6.7	43	1	1	5	9	14	18	34
1. SINGLE DX	5181	4.7	21	<1	1	3	7	10	13	20
2. MULTIPLE DX	6973	6.5	40	1	1	5	8	14	18	32
A. NOT OPERATED	1621	5.1	24	1	1	4	7	10	14	23
B. OPERATED	10533	5.8	34	1	1	4	8	12	16	29
TOTAL 0-19 YRS	5457	5.0	27	<1	1	3	7	11	14	23
20-34	3077	5.1	19	1	1	4	7	10	13	22
35-49	1401	6.8	46	1	2	5	8	14	18	36
50-64	1315	7.3	44	1	2	6	9	15	21	34
65+	904	8.3	62	1	2	6	11	17	23	39
GRAND TOTAL	**12154**	**5.7**	**33**	**1**	**1**	**4**	**8**	**12**	**16**	**28**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Oparated*										
0-19 YRS	102	1.7	2	<1	<1	1	2	3	5	7
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64	2	1.0		1	1	1	1	1	1	1
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	1586	4.2	16	1	2	4	5	7	9	15
20-34	160	5.5	12	2	2	5	6	10	12	18
35-49	76	5.4	12	2	3	5	6	8	11	23
50-64	50	5.5	12	2	3	5	6	9	16	18
65+	22	5.7	13	1	2	5	7	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	2.1	12	<1	<1	1	2	4	6	23
20-34	9	6.8	50	1	1	5	8	19	23	23
35-49	2	2.5	5	<1	<1	2	4	4	4	4
50-64	4	3.0	8	<1	<1	2	5	7	7	7
65+	6	4.5	12	<1	<1	4	6	10	10	10
B. *Operated*										
0-19 YRS	846	5.0	12	2	2	4	6	8	10	22
20-34	300	5.3	6	2	3	5	6	9	10	14
35-49	253	5.5	6	3	3	5	6	8	11	12
50-64	292	6.4	42	3	3	5	7	10	12	21
65+	96	7.3	26	2	3	6	10	12	18	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	1.6	2	<1	<1	1	2	3	5	7
B. *Operated*	1894	4.4	15	1	2	4	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	147	2.6	15	<1	<1	1	2	5	7	23
B. *Operated*	1787	5.5	16	2	3	5	6	9	11	20
1. SINGLE DX	2002	4.2	15	1	1	4	5	7	9	16
2. MULTIPLE DX	1934	5.3	17	1	2	5	6	9	11	20
A. NOT OPERATED	255	2.2	10	<1	<1	1	2	5	6	21
B. OPERATED	3681	4.9	16	2	2	4	6	8	10	18
TOTAL 0-19 YRS	2660	4.3	14	1	1	4	5	7	9	16
20-34	471	5.4	9	2	3	5	6	9	11	14
35-49	331	5.4	8	2	3	5	6	8	11	17
50-64	348	6.2	37	3	3	5	7	10	12	19
65+	126	6.8	23	2	3	6	9	12	15	52
GRAND TOTAL	**3936**	**4.7**	**16**	**1**	**2**	**4**	**6**	**8**	**10**	**18**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1049	3.3	25	<1	1	2	3	8	11	28
20-34	322	5.2	22	1	1	4	7	10	12	17
35-49	261	7.2	37	1	2	6	9	14	17	36
50-64	209	6.8	24	1	1	6	9	13	16	24
65+	110	8.2	31	1	3	7	10	15	20	28
B. *Operated*										
0-19 YRS	6019	4.6	22	1	1	3	5	10	13	23
20-34	3081	4.3	22	<1	1	3	5	10	13	22
35-49	1700	5.8	38	<1	1	3	8	13	17	28
50-64	949	7.2	46	1	2	5	10	15	19	33
65+	253	7.9	60	2	2	5	10	20	25	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1146	5.2	46	<1	1	3	6	11	17	38
20-34	574	6.9	52	1	2	5	8	13	16	41
35-49	530	8.0	38	2	3	6	10	16	19	35
50-64	650	8.0	28	2	3	7	10	15	18	28
65+	532	9.8	61	2	3	8	12	19	25	64
B. *Operated*										
0-19 YRS	2196	6.2	44	1	2	4	8	13	20	39
20-34	1645	6.5	53	1	1	4	8	14	19	34
35-49	1500	8.4	58	1	2	6	11	18	23	36
50-64	1277	10.6	95	2	2	8	14	23	29	44
65+	521	12.8	131	2	3	10	18	27	35	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1951	4.8	29	<1	1	3	7	11	14	26
B. *Operated*	12002	5.0	28	1	1	3	6	11	15	25
2. MULTIPLE DX										
A. *Not Operated*	3432	7.2	47	1	1	5	9	15	19	37
B. *Operated*	7139	8.0	69	1	2	5	10	18	24	43
1. SINGLE DX	13953	4.9	28	1	1	3	6	11	15	26
2. MULTIPLE DX	10571	7.7	62	1	2	5	10	17	23	41
A. NOT OPERATED	5383	6.3	42	1	1	5	8	13	17	34
B. OPERATED	19141	6.1	45	1	1	4	8	14	19	34
TOTAL 0-19 YRS	10410	4.9	30	1	1	3	6	10	15	28
20-34	5622	5.3	35	<1	1	3	6	11	15	28
35-49	3991	7.2	47	1	2	5	10	15	20	32
50-64	3085	8.7	64	1	2	7	11	18	24	37
65+	1416	10.5	88	2	3	8	13	22	28	58
GRAND TOTAL	**24524**	**6.1**	**44**	**1**	**1**	**4**	**8**	**14**	**18**	**34**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6584	4.1	26	1	1	3	4	8	14	27
B. *Operated*										
0-19 YRS	218	6.3	49	1	1	4	7	17	21	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4032	9.5	124	1	2	5	12	25	35	99+
B. *Operated*										
0-19 YRS	432	18.3	402	1	2	16	59	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6584	4.1	26	1	1	3	4	8	14	27
B. *Operated*	218	6.3	49	1	1	4	7	17	21	44
2. MULTIPLE DX										
A. *Not Operated*	4032	9.5	124	1	2	5	12	25	35	99+
B. *Operated*	432	18.3	402	1	2	16	59	99+	99+	99+
1. SINGLE DX	6802	4.2	27	1	1	3	4	8	14	27
2. MULTIPLE DX	4464	10.4	158	1	2	6	14	31	56	99+
A. NOT OPERATED	10616	6.2	70	1	1	3	6	15	24	53
B. OPERATED	650	14.3	316	1	2	10	32	99+	99+	99+
TOTAL 0-19 YRS	11266	6.6	88	1	1	3	7	18	29	99+
GRAND TOTAL	**11266**	**6.6**	**88**	**1**	**1**	**3**	**7**	**18**	**29**	**99+**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8147	3.3	8	1	1	3	4	6	7	13
20-34	3419	4.1	17	1	1	3	5	8	10	18
35-49	1715	4.5	19	1	1	4	5	8	11	19
50-64	1283	4.8	16	1	1	4	6	9	12	22
65+	890	5.3	23	1	2	4	7	10	13	22
B. *Operated*										
0-19 YRS	135	5.4	23	1	1	4	7	11	16	22
20-34	198	5.8	26	2	2	4	6	11	16	30
35-49	134	5.8	13	2	2	5	7	10	12	21
50-64	99	7.1	31	2	2	6	9	13	22	27
65+	53	6.0	26	2	2	4	7	10	15	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9631	3.9	15	1	1	3	5	7	9	20
20-34	3849	5.7	33	1	1	4	7	11	15	32
35-49	3688	6.4	33	1	2	5	8	12	17	30
50-64	4281	7.3	47	1	2	5	9	14	19	36
65+	4572	8.3	60	2	2	6	10	16	21	41
B. *Operated*										
0-19 YRS	292	8.2	97	1	2	6	9	16	24	53
20-34	368	8.9	63	2	2	7	11	17	22	50
35-49	418	10.9	85	2	3	8	14	22	33	44
50-64	523	13.5	125	3	4	10	17	27	33	64
65+	458	15.4	168	3	4	12	20	31	40	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15454	3.8	13	1	1	3	5	7	9	17
B. *Operated*	619	5.9	24	2	2	5	7	11	16	27
2. MULTIPLE DX										
A. *Not Operated*	26021	5.9	36	1	2	4	7	12	16	32
B. *Operated*	2059	11.8	118	2	3	9	15	24	33	61
1. SINGLE DX	16073	3.9	14	1	1	3	5	7	10	17
2. MULTIPLE DX	28080	6.3	45	1	2	4	8	13	18	35
A. NOT OPERATED	41475	5.1	29	1	1	4	6	10	14	27
B. OPERATED	2678	10.4	102	2	2	7	13	22	30	51
TOTAL 0-19 YRS	18205	3.7	14	1	1	3	4	7	9	17
20-34	7834	5.2	29	1	1	4	6	10	14	28
35-49	5955	6.2	35	1	2	5	8	12	17	32
50-64	6186	7.3	51	1	2	5	9	14	20	38
65+	5973	8.4	68	2	2	6	10	17	23	45
GRAND TOTAL	**44153**	**5.4**	**35**	**1**	**1**	**4**	**6**	**11**	**15**	**31**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3019	3.4	6	1	1	3	4	6	7	11
20-34	849	4.5	8	1	2	4	6	8	10	14
35-49	442	5.4	22	1	2	4	7	9	12	20
50-64	473	6.1	23	2	2	5	8	11	14	18
65+	492	6.2	16	2	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	90	7.5	59	2	2	6	9	14	18	47
20-34	86	11.3	74	2	3	9	15	21	26	49
35-49	64	11.0	66	2	2	9	15	20	25	40
50-64	69	12.9	89	2	3	11	17	27	30	47
65+	60	15.3	102	3	4	14	21	27	37	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4168	3.8	10	1	1	3	5	7	9	14
20-34	1386	5.7	35	2	2	4	7	10	14	22
35-49	1020	6.3	20	2	2	5	8	12	15	23
50-64	1660	7.5	47	2	3	6	9	13	17	32
65+	2879	8.7	50	2	3	7	11	16	21	38
B. *Operated*										
0-19 YRS	177	9.2	113	2	3	6	10	17	26	66
20-34	253	13.4	143	2	3	10	17	29	37	70
35-49	247	12.4	88	3	4	10	15	25	31	49
50-64	436	14.5	110	4	5	12	18	27	34	52
65+	560	16.3	142	4	5	13	22	32	38	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5275	4.3	11	1	2	3	5	8	10	15
B. *Operated*	369	11.3	82	2	3	9	15	22	28	47
2. MULTIPLE DX										
A. *Not Operated*	11113	6.1	34	1	2	5	7	12	15	28
B. *Operated*	1673	14.1	127	3	4	11	18	28	36	61
1. SINGLE DX	5644	4.7	19	1	2	4	6	9	12	21
2. MULTIPLE DX	12786	7.1	53	2	2	5	9	14	20	37
A. NOT OPERATED	16388	5.5	27	1	2	4	7	11	14	25
B. OPERATED	2042	13.6	120	3	4	10	17	27	35	56
TOTAL 0-19 YRS	7454	3.8	12	1	1	3	5	7	9	15
20-34	2574	6.3	45	2	2	4	7	11	16	36
35-49	1773	7.1	37	2	2	5	9	14	18	32
50-64	2638	8.5	62	2	3	6	10	16	22	40
65+	3991	9.5	68	2	3	7	12	19	25	44
GRAND TOTAL	**18430**	**6.4**	**44**	**1**	**2**	**4**	**8**	**13**	**18**	**33**

1,663 PAS Hospitals, United States, January–December 1979

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1857	3.4	12	1	1	3	4	6	7	11
20-34	3486	4.1	11	1	1	3	5	8	10	17
35-49	1916	4.6	13	1	2	4	6	9	11	18
50-64	872	4.7	15	1	2	4	6	9	12	21
65+	347	5.1	14	1	2	4	7	10	12	20
B. *Operated*										
0-19 YRS	89	3.8	5	1	2	3	4	7	9	12
20-34	376	5.3	16	2	2	4	7	10	13	20
35-49	313	5.8	28	2	2	4	7	11	16	28
50-64	180	6.0	53	1	2	4	7	12	17	63
65+	60	5.6	13	2	2	5	7	11	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1678	4.0	7	1	1	3	5	7	9	14
20-34	4235	5.2	17	1	2	4	7	9	12	21
35-49	3124	6.0	23	2	2	5	8	11	15	24
50-64	2297	6.1	19	2	2	5	8	11	14	22
65+	1582	6.7	33	2	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	95	6.0	17	2	2	5	8	11	15	20
20-34	544	7.9	32	2	3	7	10	14	18	27
35-49	534	8.9	42	2	3	7	12	18	21	30
50-64	416	9.3	58	2	3	8	12	17	22	37
65+	242	9.6	49	2	3	8	12	18	24	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8478	4.2	12	1	1	3	5	8	10	17
B. *Operated*	1018	5.4	25	2	2	4	7	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	12916	5.6	20	1	2	4	7	10	14	23
B. *Operated*	1831	8.6	43	2	3	7	11	17	20	33
1. SINGLE DX	9496	4.3	14	1	1	3	5	8	10	18
2. MULTIPLE DX	14747	6.0	24	1	2	5	7	11	15	24
A. NOT OPERATED	21394	5.0	18	1	2	4	6	9	12	21
B. OPERATED	2849	7.5	39	2	2	6	10	15	19	30
TOTAL 0-19 YRS	3719	3.7	10	1	1	3	5	7	8	13
20-34	8641	5.0	16	1	2	4	6	9	12	21
35-49	5887	5.8	23	1	2	4	7	11	15	24
50-64	3765	6.1	25	1	2	5	8	12	15	25
65+	2231	6.7	33	2	2	5	8	13	17	28
GRAND TOTAL	**24243**	**5.3**	**21**	**1**	**2**	**4**	**7**	**10**	**13**	**23**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	256	2.6	6	1	1	2	3	5	7	12
20-34	339	3.7	9	1	1	3	5	6	8	12
35-49	523	3.9	7	1	1	3	5	7	8	11
50-64	1001	4.0	6	1	1	4	5	7	8	13
65+	956	3.9	11	1	1	3	5	7	8	22
B. *Operated*										
0-19 YRS	272	2.1	4	<1	<1	1	2	4	6	10
20-34	218	4.5	9	1	1	4	6	8	9	14
35-49	339	4.9	6	1	2	5	6	8	10	14
50-64	614	5.1	11	1	2	5	6	9	10	17
65+	488	4.9	24	1	1	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	289	3.3	18	<1	1	2	4	6	8	13
20-34	280	4.0	8	1	1	4	5	7	8	12
35-49	610	4.8	12	1	2	4	6	8	11	16
50-64	1664	5.0	13	1	2	4	6	9	11	19
65+	2699	5.5	25	1	2	4	7	10	13	23
B. *Operated*										
0-19 YRS	172	3.5	12	<1	1	2	4	8	11	17
20-34	201	5.2	11	1	2	5	6	9	11	19
35-49	349	6.4	20	1	2	5	8	11	14	25
50-64	889	6.5	32	2	2	5	8	11	14	29
65+	1010	7.2	36	1	2	6	9	15	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3075	3.8	8	1	1	3	5	7	8	14
B. *Operated*	1931	4.5	13	1	1	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	5542	5.1	19	1	2	4	6	9	12	21
B. *Operated*	2621	6.5	30	1	2	5	8	12	16	27
1. SINGLE DX	5006	4.1	10	1	1	4	5	7	9	14
2. MULTIPLE DX	8163	5.5	23	1	2	4	7	10	13	23
A. NOT OPERATED	8617	4.6	16	1	1	4	6	8	11	20
B. OPERATED	4552	5.6	24	1	1	5	7	10	14	23
TOTAL 0-19 YRS	989	2.8	10	<1	1	2	3	6	8	13
20-34	1038	4.2	9	1	1	4	5	7	9	14
35-49	1821	4.9	12	1	2	4	6	8	11	18
50-64	4168	5.1	16	1	2	4	6	9	11	19
65+	5153	5.5	26	1	2	4	7	10	14	23
GRAND TOTAL	**13169**	**5.0**	**19**	**1**	**1**	**4**	**6**	**9**	**12**	**21**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	273	3.2	5	1	1	2	4	6	8	11
20-34	232	3.5	6	<1	1	3	5	7	8	12
35-49	168	3.8	12	1	1	3	5	8	10	17
50-64	171	4.0	10	1	1	3	5	8	10	17
65+	107	5.2	47	1	1	4	6	9	13	41
B. *Operated*										
0-19 YRS	1229	2.3	3	<1	1	2	2	4	5	10
20-34	1221	2.9	7	<1	1	2	3	5	8	14
35-49	588	3.4	14	1	1	2	4	6	8	18
50-64	497	3.6	11	<1	1	2	4	8	11	21
65+	251	4.6	29	1	2	3	5	9	12	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	316	4.2	10	1	1	3	5	8	11	16
20-34	439	4.4	13	1	1	4	5	8	10	16
35-49	471	5.5	36	1	2	4	7	10	13	28
50-64	703	6.3	42	1	2	4	8	12	17	34
65+	872	8.9	69	1	2	6	12	18	24	39
B. *Operated*										
0-19 YRS	313	4.0	17	1	1	2	5	9	11	28
20-34	587	6.2	42	1	2	4	8	13	17	30
35-49	428	6.6	68	1	2	4	8	13	18	45
50-64	568	7.1	69	2	2	4	8	16	24	42
65+	523	11.0	158	2	2	5	14	27	36	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	951	3.7	13	1	1	3	5	7	9	16
B. *Operated*	3786	3.0	9	<1	1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	2801	6.5	45	1	2	5	8	13	18	32
B. *Operated*	2419	7.2	80	1	2	4	8	16	24	48
1. SINGLE DX	4737	3.1	10	<1	1	2	3	6	8	16
2. MULTIPLE DX	5220	6.8	61	1	2	4	8	14	21	39
A. NOT OPERATED	3752	5.8	38	1	1	4	7	12	16	31
B. OPERATED	6205	4.7	41	1	1	3	5	10	15	34
TOTAL 0-19 YRS	2131	3.0	7	<1	1	2	3	6	8	14
20-34	2479	4.0	18	1	1	3	5	8	11	19
35-49	1655	4.9	36	1	1	3	5	9	13	32
50-64	1939	5.7	41	1	1	4	7	11	17	34
65+	1753	8.7	93	1	2	5	11	20	27	54
GRAND TOTAL	**9957**	**5.1**	**40**	**1**	**1**	**3**	**6**	**11**	**16**	**32**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	6.7	33	<1	1	5	12	14	19	20
20-34	15	4.7	8	<1	1	4	7	9	10	10
35-49	9	9.6	120	2	2	7	9	28	37	37
50-64	18	9.8	38	3	3	8	15	19	22	24
65+	90	11.0	98	2	3	9	13	22	31	56
B. *Operated*										
0-19 YRS	118	5.4	46	1	1	3	5	15	21	32
20-34	152	6.1	39	1	1	4	9	14	16	33
35-49	175	10.3	132	1	2	6	14	26	30	57
50-64	274	14.8	203	2	2	11	21	35	46	96
65+	686	19.3	213	4	5	16	25	38	53	98
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	6.8	31	<1	1	5	8	14	21	22
20-34	22	10.8	85	1	2	8	14	22	30	40
35-49	43	13.6	184	2	3	10	16	27	32	82
50-64	200	13.9	131	3	4	10	17	28	37	64
65+	766	13.5	135	2	3	11	17	27	37	94
B. *Operated*										
0-19 YRS	108	7.6	76	1	1	4	11	23	33	99+
20-34	233	12.1	213	1	2	8	16	33	51	99+
35-49	373	19.4	298	2	3	15	27	45	61	99+
50-64	1439	24.7	327	4	6	20	35	55	75	99+
65+	4029	26.7	322	6	9	22	36	55	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	9.7	80	2	2	7	12	20	28	51
B. *Operated*	1405	14.7	196	2	2	11	20	33	45	86
2. MULTIPLE DX										
A. *Not Operated*	1043	13.5	134	2	3	11	17	27	37	88
B. *Operated*	6182	24.9	328	4	7	21	34	53	71	99+
1. SINGLE DX	1551	14.3	187	2	2	11	19	32	44	84
2. MULTIPLE DX	7225	23.3	317	3	5	19	32	51	68	99+
A. NOT OPERATED	1189	13.0	129	2	3	10	16	26	36	76
B. OPERATED	7587	23.0	319	2	4	19	32	50	68	99+
TOTAL 0-19 YRS	252	6.5	58	1	1	3	8	19	28	97
20-34	422	9.6	144	1	2	6	12	23	37	98
35-49	600	16.2	255	2	2	11	24	38	53	99+
50-64	1931	22.0	307	3	5	18	31	50	68	99+
65+	5571	23.7	305	4	7	19	32	50	67	99+
GRAND TOTAL	**8776**	**21.7**	**305**	**2**	**4**	**17**	**30**	**48**	**64**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	519	3.0	6	1	1	2	4	5	6	12
20-34	3209	3.4	10	1	1	3	4	6	7	12
35-49	7592	3.6	8	1	1	3	4	6	8	13
50-64	6139	3.9	9	1	1	3	5	7	9	15
65+	2251	4.2	15	1	1	3	5	8	10	17
B. *Operated*										
0-19 YRS	20	3.4	7	1	2	3	4	6	9	13
20-34	370	3.9	10	1	2	3	5	8	10	15
35-49	1941	3.5	8	2	2	2	4	7	9	15
50-64	2019	3.6	19	1	2	2	4	7	10	15
65+	316	4.1	11	2	2	3	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	609	3.8	7	1	1	3	5	7	9	14
20-34	4654	4.2	10	1	1	3	5	8	10	15
35-49	14353	4.7	14	1	2	4	6	8	11	17
50-64	18010	5.0	14	1	2	4	6	9	11	19
65+	11652	5.6	19	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	42	5.7	37	1	2	4	7	11	16	35
20-34	601	6.2	27	2	2	5	8	12	16	26
35-49	2971	5.8	31	2	2	4	8	12	15	26
50-64	4053	6.2	32	2	2	4	8	13	17	28
65+	1164	8.4	53	2	2	7	11	16	23	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19710	3.7	9	1	1	3	5	7	8	14
B. *Operated*	4666	3.6	13	1	2	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	49278	5.0	15	1	2	4	6	9	11	19
B. *Operated*	8831	6.4	35	2	2	4	8	13	17	29
1. SINGLE DX	24376	3.7	10	1	1	3	4	7	9	15
2. MULTIPLE DX	58109	5.2	18	1	2	4	6	10	12	21
A. NOT OPERATED	68988	4.6	14	1	2	4	6	8	11	18
B. OPERATED	13497	5.4	29	2	2	3	7	11	15	26
TOTAL 0-19 YRS	1190	3.5	8	1	1	3	4	6	8	13
20-34	8834	4.0	12	1	1	3	5	8	10	15
35-49	26857	4.4	14	1	2	3	5	8	11	17
50-64	30221	4.9	16	1	2	4	6	9	12	20
65+	15383	5.6	22	1	2	4	7	11	14	24
GRAND TOTAL	**82485**	**4.8**	**16**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	851	3.4	13	1	1	2	4	7	10	20
20-34	292	3.2	6	<1	1	3	4	6	8	14
35-49	287	3.7	10	1	1	3	5	7	9	20
50-64	382	4.4	21	<1	1	3	5	8	11	29
65+	338	5.2	21	1	1	4	7	10	14	22
B. *Operated*										
0-19 YRS	109	4.1	26	1	1	2	5	8	14	30
20-34	233	4.2	17	1	1	3	5	8	12	25
35-49	401	4.2	17	1	1	3	5	9	11	21
50-64	692	4.4	17	1	1	3	6	9	11	19
65+	449	5.0	23	1	1	4	6	11	13	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1140	4.5	22	1	1	3	5	9	12	22
20-34	681	4.5	22	1	1	3	5	9	11	25
35-49	935	5.7	36	1	1	4	7	11	15	29
50-64	2040	7.0	43	1	2	5	9	14	19	32
65+	3210	8.1	46	2	2	6	10	16	21	35
B. *Operated*										
0-19 YRS	140	7.2	39	1	2	5	10	17	22	99+
20-34	301	7.0	58	1	2	5	9	14	20	45
35-49	696	7.2	54	1	2	5	9	14	20	39
50-64	1513	7.6	53	1	2	6	10	15	21	40
65+	1514	9.8	97	2	2	7	12	19	26	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2150	3.9	15	1	1	3	5	8	10	20
B. *Operated*	1884	4.5	19	1	1	3	6	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	8006	6.7	41	1	2	5	8	14	18	32
B. *Operated*	4164	8.3	71	1	2	6	10	16	23	47
1. SINGLE DX	4034	4.2	17	1	1	3	5	8	11	21
2. MULTIPLE DX	12170	7.3	52	1	2	5	9	15	20	37
A. NOT OPERATED	10156	6.1	37	1	1	4	8	13	17	30
B. OPERATED	6048	7.1	58	1	2	5	9	14	20	41
TOTAL 0-19 YRS	2240	4.2	21	1	1	3	5	9	12	23
20-34	1507	4.7	27	1	1	3	6	9	13	27
35-49	2319	5.6	37	1	1	4	7	11	15	30
50-64	4627	6.6	42	1	2	5	8	14	18	33
65+	5511	8.1	59	1	2	6	10	16	22	41
GRAND TOTAL	**16204**	**6.5**	**45**	**1**	**1**	**4**	**8**	**13**	**18**	**34**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	489	2.6	19	1	1	2	3	4	5	9
20-34	1496	2.6	5	1	1	2	3	5	6	11
35-49	1460	2.7	6	1	1	2	3	5	6	9
50-64	1042	2.9	5	1	1	2	4	5	7	11
65+	664	4.0	15	1	1	3	5	7	10	21
B. *Operated*										
0-19 YRS	1317	2.0	12	<1	1	1	2	3	4	13
20-34	434	4.5	13	1	1	3	6	9	11	15
35-49	470	5.6	19	1	1	5	8	11	13	23
50-64	429	6.7	25	1	2	6	9	13	15	23
65+	493	7.4	35	1	2	6	10	15	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	475	3.3	7	1	1	3	4	7	8	13
20-34	1253	3.7	18	1	1	3	4	7	9	19
35-49	1368	4.0	18	1	1	3	5	7	10	22
50-64	1736	4.6	16	1	1	3	6	9	12	21
65+	2830	7.1	44	1	2	5	9	14	19	34
B. *Operated*										
0-19 YRS	1302	2.4	7	<1	1	2	3	4	6	15
20-34	675	6.8	39	1	2	6	9	13	16	24
35-49	838	8.0	37	2	2	7	10	15	20	31
50-64	1486	9.2	41	2	3	8	12	17	21	33
65+	3299	12.3	84	3	4	10	16	23	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5151	2.9	8	1	1	2	3	5	7	12
B. *Operated*	3143	4.4	23	<1	1	3	6	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	7662	5.2	28	1	1	4	6	10	15	28
B. *Operated*	7600	9.0	66	1	2	7	12	18	24	39
1. SINGLE DX	8294	3.4	14	1	1	2	4	7	10	17
2. MULTIPLE DX	15262	7.1	51	1	1	5	9	15	20	34
A. NOT OPERATED	12813	4.3	22	1	1	3	5	8	12	23
B. OPERATED	10743	7.7	58	1	1	6	11	16	22	35
TOTAL 0-19 YRS	3583	2.4	11	<1	1	2	3	4	6	14
20-34	3858	3.9	18	1	1	3	5	8	11	18
35-49	4136	4.5	22	1	1	3	6	9	13	23
50-64	4693	5.9	29	1	1	4	8	12	16	26
65+	7286	9.2	67	1	2	7	12	19	24	42
GRAND TOTAL	**23556**	**5.8**	**41**	**1**	**1**	**4**	**7**	**13**	**18**	**31**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11463	2.7	6	1	1	2	3	5	6	11
20-34	10997	3.4	8	1	1	3	4	6	8	14
35-49	5769	3.9	9	1	1	3	5	7	9	15
50-64	3936	4.2	10	1	1	3	5	8	10	17
65+	2707	4.8	14	1	1	4	6	9	11	16
B. *Operated*										
0-19 YRS	1324	4.4	9	1	2	4	5	8	10	18
20-34	2044	4.8	13	1	2	4	6	9	11	19
35-49	891	5.9	33	1	2	4	8	11	15	26
50-64	485	6.5	33	1	2	5	9	12	15	31
65+	259	7.7	36	1	2	7	11	16	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6656	3.3	10	1	1	3	4	6	8	13
20-34	10234	4.2	11	1	1	3	5	8	10	17
35-49	7459	5.2	17	1	2	4	7	10	12	20
50-64	8008	5.7	18	1	2	5	7	10	13	22
65+	9692	6.6	28	2	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	1042	5.4	17	1	2	4	6	10	12	19
20-34	2697	6.8	31	1	2	5	9	13	16	29
35-49	1889	8.6	46	2	3	7	11	16	21	33
50-64	1578	9.6	58	2	3	8	12	18	24	39
65+	1346	11.0	59	3	4	9	14	21	26	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34872	3.5	9	1	1	3	4	7	8	14
B. *Operated*	5003	5.2	20	1	2	4	6	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	42049	5.1	18	1	2	4	6	10	12	21
B. *Operated*	8552	8.2	45	2	2	7	10	16	21	34
1. SINGLE DX	39875	3.7	10	1	1	3	5	7	9	15
2. MULTIPLE DX	50601	5.6	24	1	2	4	7	11	14	25
A. NOT OPERATED	76921	4.3	15	1	1	3	5	8	11	19
B. OPERATED	13555	7.1	38	1	2	5	9	14	18	31
TOTAL 0-19 YRS	20485	3.2	8	1	1	3	4	6	8	13
20-34	25972	4.1	13	1	1	3	5	8	10	18
35-49	16008	5.2	21	1	2	4	7	10	13	23
50-64	14007	5.7	23	1	2	4	7	11	14	24
65+	14004	6.7	31	1	2	5	8	13	17	29
GRAND TOTAL	**90476**	**4.7**	**19**	**1**	**1**	**4**	**6**	**9**	**12**	**22**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1075	3.3	8	1	1	3	4	6	8	14
20-34	690	3.6	8	1	1	3	5	7	9	14
35-49	592	4.1	13	1	1	3	5	8	11	18
50-64	500	4.5	19	1	1	3	6	10	13	19
65+	633	5.3	21	1	1	4	7	10	13	21
B. *Operated*										
0-19 YRS	118	4.8	25	<1	1	3	6	9	15	27
20-34	275	5.2	15	1	1	4	8	10	13	17
35-49	210	6.0	42	1	1	5	7	12	14	32
50-64	271	6.2	42	1	1	3	8	15	20	32
65+	210	7.9	60	1	2	6	11	16	22	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2237	3.8	12	1	1	3	4	7	9	19
20-34	1447	4.3	13	1	1	3	5	8	11	19
35-49	1538	5.7	28	1	2	4	7	11	14	28
50-64	2395	6.8	36	1	2	5	9	14	18	29
65+	4640	7.8	46	2	2	6	10	15	20	34
B. *Operated*										
0-19 YRS	186	6.8	44	1	2	5	8	12	18	39
20-34	557	7.8	39	1	2	7	10	14	20	28
35-49	673	9.5	61	1	2	8	12	18	25	42
50-64	942	11.2	116	2	2	8	14	23	32	51
65+	1052	13.4	129	2	3	11	17	27	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3490	4.0	13	1	1	3	5	8	11	18
B. *Operated*	1084	6.1	38	1	1	4	8	13	17	31
2. MULTIPLE DX										
A. *Not Operated*	12257	6.2	35	1	2	4	8	12	17	30
B. *Operated*	3410	10.7	97	2	2	8	13	22	30	50
1. SINGLE DX	4574	4.5	20	1	1	3	6	9	12	22
2. MULTIPLE DX	15667	7.2	52	1	2	5	9	15	21	37
A. NOT OPERATED	15747	5.7	31	1	1	4	7	12	16	28
B. OPERATED	4494	9.6	87	1	2	7	12	20	27	49
TOTAL 0-19 YRS	3616	3.8	13	1	1	3	5	7	10	20
20-34	2969	4.9	19	1	1	4	6	10	13	22
35-49	3013	6.2	37	1	1	5	8	13	17	32
50-64	4108	7.5	58	1	2	5	9	16	22	39
65+	6535	8.4	63	2	2	6	10	17	23	42
GRAND TOTAL	**20241**	**6.6**	**46**	**1**	**2**	**5**	**8**	**14**	**19**	**35**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8031	4.1	22	1	1	3	5	7	11	23
20-34	5694	4.5	28	1	1	3	5	8	12	26
35-49	4511	5.5	47	1	1	4	6	11	17	43
50-64	5198	5.8	48	1	1	4	7	12	17	38
65+	5447	6.8	67	1	2	4	8	14	20	47
B. *Operated*										
0-19 YRS	836	4.1	30	<1	1	2	4	8	14	37
20-34	1729	4.0	33	1	1	2	4	8	12	33
35-49	1490	4.4	30	1	1	3	5	9	12	27
50-64	1653	5.5	56	1	1	3	6	11	19	39
65+	1102	6.9	71	1	2	4	9	15	21	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7911	5.2	29	1	1	4	6	10	14	26
20-34	6618	4.8	16	1	1	4	6	9	12	21
35-49	7661	5.6	26	1	2	4	7	10	13	25
50-64	14157	6.5	31	1	2	5	8	13	17	29
65+	27429	7.7	45	2	2	6	10	15	20	34
B. *Operated*										
0-19 YRS	674	7.3	86	1	1	4	9	18	25	99+
20-34	1840	5.7	51	1	1	3	7	12	16	41
35-49	2053	7.0	53	1	2	5	9	15	20	41
50-64	3152	9.2	100	2	2	6	11	20	28	56
65+	4143	13.1	148	2	3	10	17	28	38	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28881	5.2	41	1	1	3	6	10	15	35
B. *Operated*	6810	4.9	45	1	1	3	5	10	16	38
2. MULTIPLE DX										
A. *Not Operated*	63776	6.6	36	1	2	5	8	13	17	30
B. *Operated*	11862	9.5	108	1	2	6	12	21	30	60
1. SINGLE DX	35691	5.2	42	1	1	3	6	10	15	35
2. MULTIPLE DX	75638	7.0	48	1	2	5	9	14	19	36
A. NOT OPERATED	92657	6.2	38	1	2	4	7	12	17	31
B. OPERATED	18672	7.8	90	1	2	5	10	18	26	55
TOTAL 0-19 YRS	17452	4.7	29	1	1	3	5	9	13	27
20-34	15881	4.7	26	1	1	3	6	9	12	26
35-49	15715	5.6	36	1	2	4	7	11	15	32
50-64	24160	6.6	47	1	2	5	8	13	19	36
65+	38121	8.1	63	2	2	6	10	16	22	43
GRAND TOTAL	**111329**	**6.4**	**47**	**1**	**2**	**4**	**8**	**13**	**18**	**36**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2006	2.7	8	1	1	2	3	5	7	13
20-34	235	4.5	18	1	1	3	6	9	12	22
35-49	100	4.4	14	1	1	3	6	10	13	61
50-64	61	5.5	24	1	1	4	7	11	16	24
65+	46	6.8	25	1	2	6	9	16	17	18
B. *Operated*										
0-19 YRS	427	6.8	70	1	2	5	8	11	16	45
20-34	178	8.1	48	2	3	7	9	15	21	49
35-49	74	8.6	46	1	2	7	11	17	26	85
50-64	30	12.4	274	2	2	6	10	31	46	80
65+	12	20.5	636	3	4	11	25	52	88	94
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1645	4.2	19	1	1	3	5	8	11	23
20-34	454	6.5	36	1	2	5	8	14	20	94
35-49	216	7.9	54	1	2	6	10	16	23	38
50-64	238	9.3	102	1	2	7	11	21	27	69
65+	215	10.5	82	2	2	8	12	25	32	44
B. *Operated*										
0-19 YRS	655	12.7	223	1	2	8	15	34	52	99+
20-34	570	14.4	243	2	3	10	18	41	76	99+
35-49	229	14.7	251	2	3	10	20	37	91	99+
50-64	182	18.3	296	2	3	14	26	54	70	99+
65+	113	23.5	411	3	4	16	34	59	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2448	3.1	11	1	1	2	4	6	9	16
B. *Operated*	721	7.8	83	2	2	6	9	14	21	60
2. MULTIPLE DX										
A. *Not Operated*	2768	5.8	41	1	1	4	7	12	18	37
B. *Operated*	1749	14.8	260	2	3	10	19	41	67	99+
1. SINGLE DX	3169	4.2	31	1	1	3	5	8	12	26
2. MULTIPLE DX	4517	9.3	145	1	1	5	11	23	38	99+
A. NOT OPERATED	5216	4.5	29	1	1	3	5	10	14	29
B. OPERATED	2470	12.8	218	2	2	8	15	33	54	99+
TOTAL 0-19 YRS	4733	5.0	58	1	1	3	5	10	15	45
20-34	1437	9.5	133	1	2	6	12	22	39	99+
35-49	619	9.9	134	1	2	7	12	25	37	99+
50-64	511	12.2	193	1	2	8	15	30	49	99+
65+	386	14.2	227	2	2	9	18	34	48	91
GRAND TOTAL	**7686**	**7.2**	**104**	**1**	**1**	**4**	**8**	**16**	**27**	**89**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	996	3.1	10	1	1	2	4	6	9	19
20-34	268	4.5	15	1	1	3	6	9	12	20
35-49	92	4.9	19	1	1	3	7	10	15	21
50-64	68	6.2	21	1	2	5	9	14	15	18
65+	32	7.3	37	2	2	5	10	18	20	20
B. *Operated*										
0-19 YRS	117	5.7	22	1	2	4	8	11	14	26
20-34	110	5.8	36	1	1	4	7	12	16	36
35-49	42	9.2	99	1	2	6	10	17	30	50
50-64	12	5.4	16	1	1	4	8	12	12	12
65+	8	4.3	7	1	1	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	922	5.4	36	1	1	4	6	11	16	32
20-34	558	6.7	45	1	1	5	9	14	18	32
35-49	224	7.8	58	1	2	5	10	18	23	38
50-64	191	9.1	105	1	2	7	11	16	26	61
65+	193	11.7	118	2	3	9	15	22	33	52
B. *Operated*										
0-19 YRS	398	12.5	195	1	2	8	16	36	58	99+
20-34	507	14.4	276	2	2	9	17	43	66	99+
35-49	205	13.3	191	2	3	9	18	40	64	99+
50-64	118	17.6	208	1	2	14	23	42	50	59
65+	102	19.8	419	3	3	12	26	61	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1456	3.7	14	1	1	3	5	8	11	20
B. *Operated*	289	6.2	39	1	1	4	8	12	15	41
2. MULTIPLE DX										
A. *Not Operated*	2088	6.9	58	1	1	5	9	14	20	38
B. *Operated*	1330	14.4	247	2	2	9	18	41	62	99+
1. SINGLE DX	1745	4.1	19	1	1	3	5	9	12	20
2. MULTIPLE DX	3418	9.8	145	1	2	6	12	23	38	95
A. NOT OPERATED	3544	5.6	42	1	1	4	7	12	17	34
B. OPERATED	1619	12.9	220	1	2	8	16	35	54	99+
TOTAL 0-19 YRS	2433	5.7	61	1	1	3	6	12	19	58
20-34	1443	8.9	136	1	2	5	10	18	34	94
35-49	563	9.4	113	1	2	6	12	22	35	99+
50-64	389	11.0	138	1	2	7	13	24	37	54
65+	335	13.5	218	2	3	9	17	29	47	84
GRAND TOTAL	**5163**	**7.9**	**109**	**1**	**1**	**5**	**9**	**18**	**29**	**78**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	383	2.1	4	<1	<1	2	2	4	6	9
20-34	487	2.5	6	<1	<1	2	3	5	7	12
35-49	186	3.0	11	<1	1	2	4	6	10	20
50-64	89	3.0	8	<1	1	2	3	7	9	14
65+	81	4.1	27	<1	1	3	4	9	12	33
B. *Operated*										
0-19 YRS	5308	2.4	4	<1	1	2	3	4	6	10
20-34	5928	3.1	7	1	1	2	4	6	7	13
35-49	1563	3.6	11	1	1	3	4	7	9	17
50-64	629	3.7	11	1	1	3	4	7	10	16
65+	235	5.3	39	1	1	3	6	11	14	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	619	3.1	15	<1	1	2	3	6	8	20
20-34	909	3.3	12	<1	1	2	4	7	8	20
35-49	431	4.0	22	<1	1	3	5	8	10	22
50-64	345	5.3	39	1	1	3	6	11	16	30
65+	632	7.6	60	1	2	6	10	15	20	37
B. *Operated*										
0-19 YRS	3865	4.5	32	1	1	3	5	8	11	32
20-34	6222	5.6	42	1	1	4	6	11	15	35
35-49	2226	6.3	52	1	2	4	8	12	18	38
50-64	1111	7.3	61	1	2	5	9	15	21	54
65+	756	10.2	109	1	2	7	13	22	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1226	2.6	8	<1	<1	2	3	5	7	17
B. *Operated*	13663	2.9	7	<1	1	2	3	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	2936	4.5	31	<1	1	3	5	9	13	29
B. *Operated*	14180	5.8	47	1	1	4	7	11	16	38
1. SINGLE DX	14889	2.9	7	<1	1	2	3	6	7	13
2. MULTIPLE DX	17116	5.6	45	1	1	4	6	11	16	36
A. NOT OPERATED	4162	3.9	25	<1	1	2	5	8	12	25
B. OPERATED	27843	4.4	30	1	1	3	5	9	12	28
TOTAL 0-19 YRS	10175	3.2	16	<1	1	2	4	6	9	17
20-34	13546	4.2	25	1	1	3	5	8	11	24
35-49	4406	5.0	35	1	1	3	6	10	13	30
50-64	2174	5.7	44	1	1	4	7	12	17	38
65+	1704	8.3	81	1	2	6	10	17	24	50
GRAND TOTAL	**32005**	**4.3**	**29**	**1**	**1**	**3**	**5**	**9**	**12**	**28**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1384	5.8	33	1	2	4	7	11	14	29
20-34	2306	6.0	23	1	2	5	8	11	14	24
35-49	1230	7.1	26	2	2	6	9	13	17	28
50-64	1604	8.3	32	2	3	7	11	15	19	29
65+	2300	10.2	38	3	4	9	13	18	21	32
B. *Operated*										
0-19 YRS	158	16.3	246	2	4	11	20	42	50	74
20-34	300	15.0	159	3	4	12	19	30	44	99+
35-49	134	12.8	126	3	4	10	17	21	29	59
50-64	103	17.0	199	2	4	14	21	32	45	74
65+	96	15.2	94	3	4	13	19	31	38	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1057	6.9	46	1	2	5	8	13	18	44
20-34	2103	7.4	43	2	2	6	9	14	19	39
35-49	1338	9.3	61	2	3	7	11	17	23	43
50-64	2445	10.7	60	3	4	9	14	20	25	39
65+	8710	13.0	74	4	5	11	16	23	29	46
B. *Operated*										
0-19 YRS	476	17.4	242	2	4	13	24	43	56	99+
20-34	908	16.6	228	3	3	12	22	39	53	99+
35-49	419	16.5	213	3	4	12	21	38	53	99+
50-64	522	20.2	247	4	6	16	26	42	56	89
65+	950	21.1	193	6	8	18	27	39	51	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8824	7.6	34	2	2	6	10	14	18	29
B. *Operated*	791	15.2	169	3	4	12	19	31	44	80
2. MULTIPLE DX										
A. *Not Operated*	15653	11.2	70	2	3	9	14	21	26	43
B. *Operated*	3275	18.6	225	3	5	15	25	40	53	99+
1. SINGLE DX	9615	8.3	49	2	2	6	10	16	20	39
2. MULTIPLE DX	18928	12.5	105	2	4	10	16	24	32	57
A. NOT OPERATED	24477	9.9	60	2	3	8	13	19	24	40
B. OPERATED	4066	17.9	216	3	5	14	23	39	51	97
TOTAL 0-19 YRS	3075	8.5	100	1	2	5	9	18	30	57
20-34	5617	8.7	86	2	2	5	10	18	27	55
35-49	3121	9.5	80	2	3	7	11	18	25	53
50-64	4674	11.1	87	2	3	9	14	21	27	50
65+	12056	13.1	84	3	5	11	17	24	30	49
GRAND TOTAL	**28543**	**11.0**	**90**	**2**	**3**	**9**	**14**	**21**	**29**	**52**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	7.4	70	1	1	6	10	18	43	99+
20-34	109	8.9	123	2	2	6	10	17	34	90
35-49	58	7.4	36	1	2	6	10	13	17	37
50-64	58	9.4	61	2	3	7	12	16	20	52
65+	87	9.7	80	2	3	8	12	17	21	57
B. *Operated*										
0-19 YRS	54	18.2	150	2	4	16	25	38	49	98
20-34	81	26.0	349	5	7	21	40	62	77	99+
35-49	31	20.7	281	5	7	19	30	99+	99+	99+
50-64	15	25.9	607	4	5	15	37	70	71	71
65+	21	22.0	327	4	6	19	24	55	65	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	17.0	421	1	3	10	27	75	99+	99+
20-34	123	15.1	396	2	2	8	18	53	92	99+
35-49	78	12.4	191	1	2	8	15	30	44	96
50-64	91	11.1	68	3	4	10	14	20	27	82
65+	297	14.0	92	4	5	12	18	24	29	52
B. *Operated*										
0-19 YRS	110	42.7	575	10	18	53	99+	99+	99+	99+
20-34	275	35.7	551	6	11	36	68	99+	99+	99+
35-49	75	36.9	700	5	10	34	74	99+	99+	99+
50-64	60	34.7	794	5	8	37	96	99+	99+	99+
65+	64	27.7	367	8	8	26	45	93	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	8.7	81	1	2	7	11	16	21	82
B. *Operated*	202	22.7	306	4	7	18	32	61	73	99+
2. MULTIPLE DX										
A. *Not Operated*	652	13.9	191	2	4	11	17	27	48	99+
B. *Operated*	584	36.2	592	7	11	38	79	99+	99+	99+
1. SINGLE DX	572	13.6	205	2	3	9	18	34	56	99+
2. MULTIPLE DX	1236	24.4	504	3	5	18	44	99	99+	99+
A. NOT OPERATED	1022	12.0	157	2	3	9	15	24	39	99+
B. OPERATED	786	32.7	553	6	9	32	64	99+	99+	99+
TOTAL 0-19 YRS	285	25.2	562	2	3	22	56	99+	99+	99+
20-34	588	25.1	532	2	4	19	45	90	99+	99+
35-49	242	19.8	466	2	3	13	31	83	99+	99+
50-64	224	17.9	409	3	4	12	26	89	99+	99+
65+	469	15.4	166	4	5	12	19	30	49	99+
GRAND TOTAL	**1808**	**21.0**	**434**	**2**	**4**	**15**	**34**	**83**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	2.8	3	<1	1	2	4	5	6	10
20-34	396	3.1	7	1	1	2	4	6	8	12
35-49	489	3.8	8	1	1	3	5	7	8	16
50-64	651	4.5	11	1	1	4	6	9	11	15
65+	762	6.1	22	1	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	10	5.5	9	2	2	5	8	10	10	10
20-34	[illegible]	7.4	105	1	1	4	9	17	22	62
35-49	[illegible]	9.7	58	<1	2	8	15	22	24	29
50-64	32	10.1	128	2	3	7	12	17	19	66
65+	29	7.6	31	3	3	6	9	15	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	489	4.3	13	1	1	3	6	9	11	18
20-34	1555	5.1	22	1	1	4	6	9	13	24
35-49	2019	6.1	28	1	2	5	8	11	15	24
50-64	3015	7.3	31	2	2	6	9	14	17	27
65+	5766	9.6	54	2	3	8	12	18	23	38
B. *Operated*										
0-19 YRS	244	9.4	93	1	2	7	11	20	26	66
20-34	736	10.8	134	2	3	8	12	21	32	64
35-49	632	11.9	119	2	3	9	14	25	34	60
50-64	761	14.5	195	3	4	10	17	30	44	84
65+	884	16.5	163	3	5	13	22	34	42	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2443	4.5	14	1	1	4	6	9	11	20
B. *Operated*	138	8.3	79	1	2	6	10	17	21	62
2. MULTIPLE DX										
A. *Not Operated*	12844	7.8	42	1	2	6	10	15	20	33
B. *Operated*	3257	13.3	156	2	3	10	16	28	39	71
1. SINGLE DX	2581	4.7	18	1	1	4	6	9	12	22
2. MULTIPLE DX	16101	8.9	70	2	2	7	11	18	24	46
A. NOT OPERATED	15287	7.2	39	1	2	6	9	14	19	31
B. OPERATED	3395	13.1	154	2	3	9	16	27	39	70
TOTAL 0-19 YRS	888	5.5	39	1	1	4	7	11	15	31
20-34	2729	6.4	59	1	1	4	8	12	18	47
35-49	3165	6.9	50	1	2	5	8	14	19	38
50-64	4459	8.2	66	1	2	6	10	15	21	44
65+	7441	10.0	70	2	3	8	13	20	26	45
GRAND TOTAL	**18682**	**8.3**	**65**	**1**	**2**	**6**	**10**	**17**	**23**	**43**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	605	7.3	58	1	2	5	9	14	18	46
20-34	503	9.9	106	2	3	7	11	19	31	54
35-49	254	11.4	138	2	3	9	13	21	29	55
50-64	492	11.9	95	2	4	9	15	23	31	54
65+	1799	12.9	74	3	4	11	16	24	29	42
B. *Operated*										
0-19 YRS	35	12.7	153	1	3	8	18	34	43	47
20-34	54	20.5	269	3	4	19	27	43	60	64
35-49	23	30.3	381	6	9	27	44	59	89	99+
50-64	21	30.7	313	8	9	29	48	54	57	59
65+	40	23.5	447	4	5	16	29	53	74	97
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	789	10.4	93	2	3	8	13	21	29	48
20-34	1007	12.5	136	2	3	9	15	26	37	63
35-49	537	15.3	156	3	4	12	20	33	42	61
50-64	1005	16.5	173	4	5	13	21	32	44	73
65+	5133	16.4	118	4	6	14	21	29	37	60
B. *Operated*										
0-19 YRS	432	21.3	292	4	5	16	30	49	65	99+
20-34	652	26.3	376	5	6	21	39	55	69	99
35-49	290	31.6	467	5	8	28	48	67	80	99+
50-64	282	35.0	511	7	9	30	53	70	84	99+
65+	639	28.7	344	7	10	24	38	56	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3653	11.3	87	2	3	9	15	22	28	48
B. *Operated*	173	22.1	337	3	4	18	33	51	58	94
2. MULTIPLE DX										
A. *Not Operated*	8471	15.3	131	3	4	13	20	29	38	61
B. *Operated*	2295	27.8	396	5	7	23	39	59	75	99+
1. SINGLE DX	3826	11.8	103	2	3	9	15	23	31	55
2. MULTIPLE DX	10766	18.0	213	3	5	14	23	38	49	82
A. NOT OPERATED	12124	14.1	121	3	4	11	18	27	35	58
B. OPERATED	2468	27.4	393	5	7	22	39	59	74	99+
TOTAL 0-19 YRS	1861	12.0	157	2	3	8	14	29	42	73
20-34	2216	16.2	248	2	3	11	20	40	51	80
35-49	1104	19.0	302	3	4	13	24	46	57	93
50-64	1800	18.3	264	3	5	13	23	41	55	87
65+	7611	16.7	144	4	5	14	21	31	39	68
GRAND TOTAL	**14592**	**16.4**	**192**	**3**	**4**	**13**	**21**	**34**	**46**	**78**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1047	4.0	29	<1	1	2	4	11	17	24
20-34	295	3.9	26	1	1	3	5	7	10	23
35-49	259	5.0	41	1	1	3	5	10	17	41
50-64	609	5.0	28	1	1	4	6	9	13	28
65+	1865	6.4	43	1	2	5	8	13	19	33
B. *Operated*										
0-19 YRS	4758	5.0	34	1	1	3	5	14	19	26
20-34	729	5.6	37	1	1	4	6	12	17	35
35-49	530	6.6	56	1	1	4	7	14	21	37
50-64	861	6.8	47	1	2	5	8	14	20	35
65+	1333	8.7	67	1	2	6	11	18	25	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	408	5.8	57	1	1	3	6	14	20	43
20-34	312	6.4	52	1	1	4	8	12	19	46
35-49	278	7.2	59	1	1	5	9	15	20	34
50-64	880	8.7	81	1	2	6	10	18	27	41
65+	3921	10.9	92	2	3	8	14	22	30	52
B. *Operated*										
0-19 YRS	1624	8.2	92	1	1	4	10	21	26	51
20-34	917	10.8	156	1	2	7	14	25	34	81
35-49	601	11.8	189	1	2	6	14	30	39	68
50-64	1208	11.4	150	2	2	7	14	25	36	69
65+	2545	14.5	153	2	3	11	19	30	40	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4075	5.3	37	1	1	3	6	11	18	29
B. *Operated*	8211	5.9	44	1	1	3	7	15	20	31
2. MULTIPLE DX										
A. *Not Operated*	5799	9.8	87	1	2	7	12	21	28	50
B. *Operated*	6895	11.7	147	1	2	8	15	27	36	66
1. SINGLE DX	12286	5.7	42	1	1	3	7	14	19	30
2. MULTIPLE DX	12694	10.9	121	1	2	7	14	24	32	59
A. NOT OPERATED	9874	7.9	71	1	1	5	10	18	24	44
B. OPERATED	15106	8.6	100	1	1	5	11	21	27	51
TOTAL 0-19 YRS	7837	5.5	49	1	1	3	6	15	20	32
20-34	2253	7.6	93	1	1	5	9	17	26	51
35-49	1668	8.3	109	1	1	5	9	19	30	55
50-64	3558	8.5	93	1	2	6	10	18	27	49
65+	9664	10.7	103	2	2	8	14	23	31	54
GRAND TOTAL	**24980**	**8.3**	**89**	**1**	**1**	**5**	**11**	**19**	**26**	**49**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	655	2.1	13	<1	1	1	2	4	4	12
20-34	237	2.5	6	<1	<1	2	3	5	6	13
35-49	160	3.0	10	<1	1	2	3	6	9	13
50-64	245	3.1	7	1	1	2	4	6	8	13
65+	383	4.2	18	1	1	3	5	9	11	25
B. *Operated*										
0-19 YRS	10386	2.1	5	1	1	1	2	4	5	10
20-34	3099	3.6	8	1	1	3	5	7	8	14
35-49	2303	3.4	10	1	1	3	4	6	8	16
50-64	3407	3.2	9	1	1	3	4	6	8	14
65+	3084	3.9	14	1	1	3	5	7	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	426	3.2	23	1	1	2	4	6	9	33
20-34	403	4.2	17	1	1	3	5	9	12	22
35-49	255	5.3	36	1	1	4	7	10	15	27
50-64	459	6.2	41	1	1	4	8	13	18	33
65+	1120	8.5	57	1	2	6	11	18	24	41
B. *Operated*										
0-19 YRS	2514	4.7	54	1	1	3	5	10	15	42
20-34	2270	7.5	87	1	2	5	8	15	23	58
35-49	1465	6.9	67	1	2	5	8	14	21	45
50-64	2282	6.9	69	1	2	4	8	14	20	46
65+	3258	8.7	82	1	2	6	11	19	26	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1680	2.9	13	<1	1	2	3	6	8	17
B. *Operated*	22279	2.9	8	1	1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	2663	6.3	45	1	1	4	8	14	20	35
B. *Operated*	11789	7.1	75	1	1	4	8	15	22	47
1. SINGLE DX	23959	2.9	9	1	1	2	4	5	7	14
2. MULTIPLE DX	14452	6.9	69	1	1	4	8	15	22	46
A. NOT OPERATED	4343	5.0	35	1	1	3	6	11	16	31
B. OPERATED	34068	4.3	35	1	1	3	5	9	13	31
TOTAL 0-19 YRS	13981	2.6	16	1	1	2	3	5	7	18
20-34	6009	5.1	42	1	1	3	6	10	14	35
35-49	4183	4.8	34	1	1	3	5	9	13	30
50-64	6393	4.7	36	1	1	3	5	9	13	30
65+	7845	6.6	54	1	1	4	8	14	21	39
GRAND TOTAL	**38411**	**4.4**	**35**	**1**	**1**	**3**	**5**	**9**	**14**	**31**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	185	2.9	48	<1	1	2	3	5	7	11
20-34	214	3.1	15	<1	<1	2	4	6	8	22
35-49	106	2.9	4	<1	1	2	4	5	7	9
50-64	80	4.2	75	<1	1	2	4	7	11	58
65+	99	4.5	21	1	1	2	6	11	15	22
B. *Operated*										
0-19 YRS	3335	2.1	9	<1	1	2	2	3	5	9
20-34	3728	2.4	6	<1	1	2	3	4	5	10
35-49	1326	2.7	12	<1	1	2	3	4	6	13
50-64	855	2.8	6	1	1	2	3	5	7	13
65+	496	3.6	25	1	1	2	4	7	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	197	3.5	50	<1	1	2	4	7	9	18
20-34	310	4.6	44	1	1	3	5	8	14	45
35-49	157	4.3	13	1	1	3	6	9	11	18
50-64	193	6.9	82	1	2	5	8	12	16	48
65+	431	8.4	59	2	2	6	11	18	22	50
B. *Operated*										
0-19 YRS	1399	3.6	22	1	1	2	4	7	10	23
20-34	2275	4.3	37	1	1	3	5	8	12	31
35-49	1062	4.4	33	1	1	3	5	9	13	34
50-64	932	5.1	54	1	1	3	6	10	15	34
65+	700	7.8	85	1	1	5	10	17	23	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	684	3.3	30	<1	1	2	4	6	9	18
B. *Operated*	9740	2.5	9	<1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	1288	6.0	55	1	1	4	7	13	18	43
B. *Operated*	6368	4.7	42	1	1	3	5	9	14	33
1. SINGLE DX	10424	2.5	10	<1	1	2	3	4	6	12
2. MULTIPLE DX	7656	4.9	45	1	1	3	5	10	15	34
A. NOT OPERATED	1972	5.1	48	1	1	3	6	11	16	32
B. OPERATED	16108	3.3	23	1	1	2	3	6	9	23
TOTAL 0-19 YRS	5116	2.6	16	<1	1	2	3	4	7	16
20-34	6527	3.2	20	<1	1	2	3	6	8	22
35-49	2651	3.5	21	1	1	2	4	6	10	23
50-64	2060	4.3	39	1	1	3	5	8	12	30
65+	1726	6.6	62	1	1	4	8	15	20	46
GRAND TOTAL	**18080**	**3.5**	**26**	**1**	**1**	**2**	**4**	**7**	**10**	**24**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	221	17.1	236	1	2	16	25	40	49	71
20-34	77	16.1	347	1	2	8	21	50	56	96
35-49	89	13.3	315	1	1	7	14	45	62	94
50-64	227	12.2	121	1	2	10	16	24	32	53
65+	1345	14.0	176	1	2	11	19	28	39	86
B. *Operated*										
0-19 YRS	546	13.0	103	3	4	10	16	26	33	55
20-34	363	14.1	140	3	5	11	16	29	42	88
35-49	636	13.0	60	5	6	11	16	21	26	49
50-64	3012	15.0	69	6	7	14	18	24	29	49
65+	16587	18.4	82	8	10	17	21	28	35	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	18.7	314	1	2	14	27	38	62	78
20-34	86	17.0	450	1	1	9	16	57	79	94
35-49	88	13.8	166	1	2	10	17	46	52	99+
50-64	384	16.3	232	2	3	12	20	35	47	90
65+	3124	17.5	223	3	4	14	23	36	54	99+
B. *Operated*										
0-19 YRS	456	22.9	277	4	7	19	31	48	61	99+
20-34	660	24.0	329	6	8	19	32	56	71	99+
35-49	827	21.8	237	7	9	17	27	45	60	99+
50-64	3869	20.6	172	8	9	17	25	37	50	89
65+	32203	22.7	161	10	11	19	27	39	50	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1959	14.2	191	1	2	11	19	29	44	83
B. *Operated*	21144	17.6	84	7	9	16	21	28	34	57
2. MULTIPLE DX										
A. *Not Operated*	3808	17.3	231	2	4	14	22	37	54	99+
B. *Operated*	38015	22.5	168	9	11	19	27	39	51	89
1. SINGLE DX	23103	17.3	94	6	8	16	21	28	34	58
2. MULTIPLE DX	41823	22.0	176	8	10	19	27	39	51	92
A. NOT OPERATED	5767	16.2	219	1	3	13	21	35	50	99+
B. OPERATED	59159	20.7	144	8	10	18	24	35	46	81
TOTAL 0-19 YRS	1349	17.6	221	2	4	13	24	38	50	78
20-34	1186	19.9	301	3	5	14	25	50	63	99+
35-49	1640	17.5	188	4	6	14	21	37	51	99+
50-64	7492	17.9	140	6	8	15	21	31	42	78
65+	53259	20.8	146	8	10	18	25	35	46	82
GRAND TOTAL	**64926**	**20.3**	**152**	**7**	**9**	**17**	**24**	**35**	**46**	**82**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2235	20.3	199	1	2	20	28	38	45	64
20-34	241	24.6	523	1	2	17	43	59	72	89
35-49	121	24.1	478	2	3	14	42	59	64	75
50-64	197	26.0	504	3	4	17	42	58	73	95
65+	519	23.9	418	2	4	17	38	55	69	99+
B. *Operated*										
0-19 YRS	2284	17.2	198	2	2	15	25	35	41	65
20-34	782	19.4	260	4	5	15	23	45	56	86
35-49	281	20.3	279	3	5	16	27	49	59	99+
50-64	317	21.1	236	5	7	17	27	47	60	99+
65+	994	23.3	251	7	9	19	28	47	62	99
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	951	23.3	256	2	3	23	32	45	53	74
20-34	252	30.5	567	2	3	29	47	63	83	99+
35-49	164	24.6	458	3	4	18	42	62	77	99+
50-64	283	27.2	527	2	4	24	45	62	80	99+
65+	1059	26.9	507	3	6	19	41	68	83	99+
B. *Operated*										
0-19 YRS	2226	25.3	315	4	6	21	35	51	63	99
20-34	1855	28.5	404	5	8	23	42	62	79	99+
35-49	569	30.3	452	5	7	26	46	68	87	99+
50-64	726	32.1	461	7	11	26	47	71	91	99+
65+	2016	28.8	343	8	11	24	39	63	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3313	21.7	289	1	3	20	30	45	55	80
B. *Operated*	4658	19.3	233	2	4	16	26	39	50	85
2. MULTIPLE DX										
A. *Not Operated*	2709	25.9	428	2	4	22	38	59	73	99+
B. *Operated*	7392	28.1	374	5	8	23	40	60	77	99+
1. SINGLE DX	7971	20.3	257	2	3	17	28	42	53	83
2. MULTIPLE DX	10101	27.5	389	4	6	23	39	60	76	99+
A. NOT OPERATED	6022	23.6	356	2	3	20	33	51	64	97
B. OPERATED	12050	24.7	338	3	5	20	34	54	69	99+
TOTAL 0-19 YRS	7696	21.2	250	2	3	20	29	42	51	78
20-34	3130	26.1	406	3	5	20	39	59	75	99+
35-49	1135	26.4	430	3	5	21	41	61	77	99+
50-64	1523	28.1	450	4	6	22	42	64	82	99+
65+	4588	26.6	375	5	8	21	37	60	77	99+
GRAND TOTAL	**18072**	**24.3**	**344**	**3**	**4**	**20**	**34**	**53**	**68**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1857	3.2	10	1	1	2	4	6	8	19
20-34	990	4.4	20	1	1	3	5	9	12	24
35-49	618	5.6	41	1	1	4	6	10	15	32
50-64	649	7.8	71	1	2	5	9	15	23	50
65+	729	9.4	62	2	2	7	12	19	25	40
B. *Operated*										
0-19 YRS	4238	4.9	29	1	1	4	6	10	13	27
20-34	3212	7.4	55	1	2	5	9	14	19	40
35-49	1880	7.9	47	2	2	6	10	14	20	38
50-64	1607	9.9	75	2	3	8	12	19	24	52
65+	827	12.5	113	3	4	10	16	23	30	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	618	5.3	53	1	1	4	6	10	13	39
20-34	654	6.6	42	1	2	5	8	13	18	38
35-49	499	8.8	106	1	2	6	10	18	23	62
50-64	705	10.6	115	2	3	7	13	22	30	62
65+	1327	13.7	138	2	4	10	17	27	37	69
B. *Operated*										
0-19 YRS	2076	10.9	171	1	2	7	12	24	40	75
20-34	2707	14.0	206	2	3	9	17	33	47	91
35-49	1636	14.5	228	3	4	10	17	32	51	99
50-64	1565	16.3	216	3	4	12	20	36	53	99+
65+	1289	19.3	249	4	5	15	24	40	58	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4843	5.3	37	1	1	4	6	11	16	32
B. *Operated*	11764	7.3	56	1	2	5	9	14	19	41
2. MULTIPLE DX										
A. *Not Operated*	3803	9.9	110	1	2	7	12	21	29	59
B. *Operated*	9273	14.5	216	2	3	10	18	33	50	92
1. SINGLE DX	16607	6.7	51	1	1	5	8	14	19	38
2. MULTIPLE DX	13076	13.2	190	2	3	9	16	29	44	85
A. NOT OPERATED	8646	7.3	74	1	1	5	9	16	23	46
B. OPERATED	21037	10.5	140	1	2	7	12	23	34	72
TOTAL 0-19 YRS	8789	6.0	68	1	1	4	7	12	17	52
20-34	7563	9.3	116	1	2	6	11	19	32	64
35-49	4633	10.0	128	2	2	7	12	21	31	73
50-64	4526	11.9	140	2	3	8	14	25	37	72
65+	4172	14.4	166	3	4	11	18	29	40	78
GRAND TOTAL	**29683**	**9.6**	**123**	**1**	**2**	**6**	**11**	**21**	**31**	**66**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1024	3.1	9	1	1	2	4	6	7	16
20-34	1199	3.7	15	<1	1	3	4	7	9	15
35-49	925	4.4	16	1	1	3	5	9	11	24
50-64	1080	4.8	16	1	1	4	6	9	12	21
65+	1049	6.9	42	1	2	5	9	13	18	34
B. *Operated*										
0-19 YRS	4443	4.2	14	1	1	3	5	8	10	17
20-34	6202	5.3	17	1	2	4	6	9	12	19
35-49	4333	6.1	22	2	2	5	7	10	14	24
50-64	4360	7.1	25	2	3	6	9	12	15	26
65+	2518	9.2	35	3	4	8	11	16	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	600	4.4	16	1	1	3	6	9	12	23
20-34	1042	5.2	26	1	1	4	6	10	14	25
35-49	717	6.3	44	1	2	5	8	12	16	32
50-64	1208	7.7	44	1	2	6	10	15	19	35
65+	2010	10.0	73	2	3	8	13	20	26	47
B. *Operated*										
0-19 YRS	2661	7.1	56	1	2	5	8	14	20	44
20-34	4941	8.0	69	2	3	6	9	15	23	50
35-49	3224	8.8	77	2	3	6	10	16	23	52
50-64	3780	10.5	95	3	3	8	12	19	26	59
65+	2963	14.0	134	3	5	11	17	26	36	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5277	4.6	21	1	1	3	6	9	12	24
B. *Operated*	21856	6.0	23	1	2	5	7	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	5577	7.5	53	1	2	5	10	15	21	38
B. *Operated*	17569	9.5	90	2	3	7	11	19	26	56
1. SINGLE DX	27133	5.8	23	1	2	5	7	11	14	24
2. MULTIPLE DX	23146	9.1	82	2	2	6	11	18	25	52
A. NOT OPERATED	10854	6.1	40	1	1	4	8	13	17	33
B. OPERATED	39425	7.6	56	2	2	6	9	14	20	41
TOTAL 0-19 YRS	8728	5.0	28	1	1	4	6	9	13	28
20-34	13384	6.1	39	1	2	5	7	11	15	34
35-49	9199	6.9	45	2	2	5	8	12	17	36
50-64	10428	8.2	55	2	3	6	10	15	20	40
65+	8540	10.7	85	2	3	8	13	21	27	52
GRAND TOTAL	**50279**	**7.3**	**53**	**1**	**2**	**5**	**9**	**14**	**19**	**39**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	276	2.5	34	<1	1	2	3	4	5	8
20-34	220	2.8	6	<1	1	2	3	5	7	12
35-49	87	3.7	18	1	1	2	5	6	12	25
50-64	84	3.8	13	1	1	3	5	8	10	19
65+	117	5.8	24	1	1	4	8	11	15	24
B. *Operated*										
0-19 YRS	289	3.1	3	1	1	3	4	5	6	10
20-34	240	3.9	9	1	1	3	5	7	8	13
35-49	62	4.6	58	<1	1	3	5	6	10	55
50-64	61	3.8	4	1	1	4	5	6	8	10
65+	19	5.1	13	1	2	4	7	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	641	3.8	32	1	1	2	4	7	11	22
20-34	827	4.5	18	1	1	3	6	9	11	21
35-49	432	6.1	35	1	1	5	8	12	17	27
50-64	497	7.3	40	1	2	6	10	14	20	33
65+	910	10.0	74	2	2	8	13	20	23	43
B. *Operated*										
0-19 YRS	331	7.0	90	1	1	4	7	14	30	55
20-34	471	8.1	107	1	2	5	9	17	23	63
35-49	215	10.1	149	1	2	7	12	20	31	94
50-64	183	10.3	102	2	3	7	14	22	34	63
65+	192	14.0	164	2	3	11	19	27	37	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	784	3.3	22	<1	1	2	4	6	10	21
B. *Operated*	671	3.6	11	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	3307	6.5	48	1	1	4	8	14	19	31
B. *Operated*	1392	9.2	121	1	2	6	11	20	30	66
1. SINGLE DX	1455	3.5	17	1	1	3	4	6	9	17
2. MULTIPLE DX	4699	7.3	71	1	1	5	9	16	22	45
A. NOT OPERATED	4091	5.9	44	1	1	4	7	13	18	30
B. OPERATED	2063	7.4	92	1	2	4	8	17	24	57
TOTAL 0-19 YRS	1537	4.1	42	1	1	3	4	7	12	33
20-34	1758	5.1	42	1	1	3	6	10	15	33
35-49	796	6.8	70	1	1	4	8	14	20	47
50-64	825	7.3	52	1	2	5	9	15	20	39
65+	1238	10.1	87	1	2	8	13	21	25	46
GRAND TOTAL	**6154**	**6.4**	**61**	**1**	**1**	**4**	**8**	**14**	**20**	**41**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	3.4	21	<1	1	2	4	7	20	82
20-34	22	5.9	27	1	1	4	11	14	15	16
35-49	11	11.2	137	3	4	8	10	29	43	44
50-64	8	9.5	135	<1	<1	5	12	29	36	36
65+	7	15.3	73	5	6	12	23	27	28	28
B. *Operated*										
0-19 YRS	38	7.1	184	1	1	4	7	10	20	84
20-34	23	6.8	26	2	2	5	9	17	46	99+
35-49	8	6.0	20	1	1	6	10	12	12	12
50-64	8	7.1	6	3	3	8	9	9	9	9
65+	4	11.0	117	1	1	8	18	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	6.1	43	<1	1	3	7	16	23	29
20-34	38	5.7	25	1	1	4	10	13	17	20
35-49	6	7.5	16	<1	1	9	12	82	99+	99+
50-64	21	13.5	287	1	2	9	14	31	56	76
65+	35	17.1	182	3	5	15	20	40	51	53
B. *Operated*										
0-19 YRS	51	20.3	560	1	2	11	23	78	88	99+
20-34	66	18.4	370	2	3	12	26	55	95	99+
35-49	28	19.9	430	3	3	11	26	53	69	77
50-64	19	20.1	414	2	3	18	23	56	72	73
65+	17	32.9	602	5	8	26	61	96	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	5.7	53	1	1	3	7	15	23	60
B. *Operated*	81	7.1	100	1	1	5	9	12	22	95
2. MULTIPLE DX										
A. *Not Operated*	169	9.2	117	1	1	6	12	21	30	71
B. *Operated*	181	20.7	464	2	3	13	27	68	91	99+
1. SINGLE DX	201	6.2	72	1	1	4	8	14	23	91
2. MULTIPLE DX	350	15.2	329	1	2	9	19	45	72	99+
A. NOT OPERATED	289	7.8	93	1	1	4	10	19	27	67
B. OPERATED	262	16.5	391	1	2	9	22	55	82	99+
TOTAL 0-19 YRS	230	8.6	213	1	1	3	9	22	43	99+
20-34	149	11.5	214	1	2	8	14	28	55	99+
35-49	53	14.6	289	1	3	9	16	45	65	99
50-64	56	14.2	280	1	2	9	17	34	61	76
65+	63	20.8	325	3	5	15	27	53	71	99+
GRAND TOTAL	**551**	**11.9**	**253**	**1**	**1**	**7**	**15**	**32**	**60**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	1.7	2	<1	<1	1	2	3	5	82
20-34	114	2.7	8	<1	1	2	3	5	8	17
35-49	33	2.7	6	<1	<1	2	3	7	9	9
50-64	41	2.4	5	<1	1	1	3	5	7	9
65+	60	2.6	6	<1	1	2	3	5	7	14
B. *Operated*										
0-19 YRS	834	3.2	4	1	1	3	4	5	6	9
20-34	2297	3.5	8	1	1	3	4	5	6	10
35-49	665	3.5	10	1	1	3	4	6	7	19
50-64	382	2.9	7	<1	1	2	4	6	8	14
65+	436	3.4	24	<1	1	2	4	7	11	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	3.4	7	1	1	3	5	7	10	12
20-34	125	3.4	33	<1	1	2	4	7	8	24
35-49	70	3.9	9	<1	1	3	5	8	11	13
50-64	80	5.9	32	1	1	4	7	14	20	26
65+	163	6.8	54	1	1	5	8	15	20	41
B. *Operated*										
0-19 YRS	161	4.8	21	1	1	3	6	11	14	34
20-34	534	5.1	33	1	1	4	6	9	12	29
35-49	260	6.0	39	1	1	4	7	13	18	27
50-64	285	6.7	107	1	1	4	8	13	22	63
65+	495	6.7	47	1	1	5	9	15	20	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	2.4	5	<1	1	2	3	5	7	14
B. *Operated*	4614	3.4	9	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	498	5.0	36	1	1	3	6	10	15	35
B. *Operated*	1735	5.9	49	1	1	4	7	12	17	34
1. SINGLE DX	4930	3.3	9	1	1	3	4	5	7	13
2. MULTIPLE DX	2233	5.7	46	1	1	4	7	12	17	34
A. NOT OPERATED	814	4.0	26	<1	1	3	5	8	12	25
B. OPERATED	6349	4.1	21	1	1	3	5	7	11	23
TOTAL 0-19 YRS	1118	3.3	7	1	1	3	4	6	7	15
20-34	3070	3.7	14	1	1	3	4	6	8	15
35-49	1028	4.2	18	1	1	3	5	7	11	22
50-64	788	4.6	48	<1	1	3	5	9	13	32
65+	1159	5.3	40	1	1	3	6	12	17	31
GRAND TOTAL	**7163**	**4.1**	**22**	**1**	**1**	**3**	**5**	**7**	**11**	**23**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	258	2.9	5	<1	1	2	4	5	7	12
20-34	286	3.1	5	<1	1	2	4	6	7	12
35-49	102	3.8	23	<1	1	2	4	8	12	28
50-64	55	4.5	10	1	1	4	7	8	10	15
65+	26	5.3	17	1	1	5	6	10	12	20
B. *Operated*										
0-19 YRS	5769	4.5	8	2	2	4	5	7	8	12
20-34	10382	4.7	6	2	2	4	6	7	8	12
35-49	4435	5.0	7	2	3	5	6	8	9	14
50-64	2186	5.6	9	2	3	5	7	9	11	17
65+	345	6.6	15	2	3	6	8	11	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	4.0	24	<1	<1	2	5	9	10	29
20-34	180	3.5	12	<1	<1	2	5	7	9	20
35-49	106	5.5	90	<1	1	4	6	11	15	53
50-64	83	5.1	16	1	1	4	7	10	13	18
65+	75	9.1	58	1	2	7	12	17	25	38
B. *Operated*										
0-19 YRS	2525	5.3	17	2	2	5	6	8	10	21
20-34	4898	5.6	19	2	2	5	6	9	11	23
35-49	2409	6.3	28	2	3	5	7	10	14	26
50-64	1976	6.8	29	2	3	5	8	11	15	31
65+	457	9.4	72	2	3	7	11	17	24	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	727	3.3	9	<1	1	3	4	6	8	13
B. *Operated*	23117	4.8	7	2	2	4	6	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	559	5.0	39	<1	1	3	6	10	15	27
B. *Operated*	12265	6.0	25	2	3	5	7	10	13	25
1. SINGLE DX	23844	4.8	7	2	2	4	6	7	9	14
2. MULTIPLE DX	12824	6.0	25	2	2	5	7	10	13	25
A. NOT OPERATED	1286	4.0	22	<1	1	3	5	8	11	22
B. OPERATED	35382	5.2	14	2	2	5	6	8	10	19
TOTAL 0-19 YRS	8667	4.7	11	1	2	4	5	7	9	15
20-34	15746	4.9	10	2	2	4	6	8	9	16
35-49	7052	5.4	16	2	2	5	6	9	11	20
50-64	4300	6.1	19	2	3	5	7	10	13	23
65+	903	8.2	49	2	3	6	9	15	20	36
GRAND TOTAL	**36668**	**5.2**	**14**	**2**	**2**	**5**	**6**	**8**	**10**	**19**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	225	4.9	39	<1	1	3	5	11	17	27
20-34	268	5.9	34	1	1	4	8	11	15	30
35-49	159	6.7	35	1	1	5	10	15	18	36
50-64	101	6.9	72	1	1	4	9	14	23	48
65+	50	5.2	15	1	1	4	7	12	13	17
B. *Operated*										
0-19 YRS	1348	3.9	37	<1	1	2	4	9	14	29
20-34	1332	4.9	33	<1	1	3	5	12	17	29
35-49	694	6.0	42	1	1	3	8	14	19	31
50-64	500	5.9	57	1	1	3	7	15	21	32
65+	246	8.4	117	1	1	4	9	22	31	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	195	6.9	107	1	1	4	7	14	24	56
20-34	339	7.9	52	1	1	7	11	16	21	45
35-49	208	8.3	57	1	2	7	10	17	23	48
50-64	203	9.1	72	1	2	7	11	18	26	53
65+	190	9.8	102	2	2	7	12	20	29	52
B. *Operated*										
0-19 YRS	744	8.6	111	1	1	5	11	21	30	58
20-34	1212	10.0	132	1	1	6	13	24	36	58
35-49	702	9.1	110	1	2	5	11	20	29	64
50-64	608	11.6	175	1	2	7	15	30	37	77
65+	381	12.6	181	1	2	7	17	31	43	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	803	5.8	40	1	1	4	8	12	17	31
B. *Operated*	4120	5.1	45	1	1	3	6	12	18	32
2. MULTIPLE DX										
A. *Not Operated*	1135	8.3	75	1	2	6	11	17	24	51
B. *Operated*	3647	10.1	137	1	2	6	13	24	35	61
1. SINGLE DX	4923	5.2	44	1	1	3	6	12	18	32
2. MULTIPLE DX	4782	9.7	123	1	2	6	12	22	33	59
A. NOT OPERATED	1938	7.3	62	1	1	5	9	15	21	44
B. OPERATED	7767	7.4	95	1	1	4	9	18	26	52
TOTAL 0-19 YRS	2512	5.6	69	1	1	3	6	14	21	44
20-34	3151	7.2	79	1	1	4	9	17	25	48
35-49	1763	7.6	72	1	1	5	10	17	24	50
50-64	1412	8.9	117	1	1	5	11	22	30	60
65+	867	10.4	141	1	2	6	13	25	37	57
GRAND TOTAL	**9705**	**7.4**	**88**	**1**	**1**	**4**	**9**	**18**	**26**	**51**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	377	2.8	5	<1	1	2	4	5	7	12
20-34	453	3.0	7	<1	1	2	4	6	9	12
35-49	221	4.0	9	1	1	3	5	8	10	12
50-64	183	4.8	10	1	2	4	6	9	12	15
65+	150	6.4	23	2	2	5	8	13	18	23
B. *Operated*										
0-19 YRS	1426	4.2	6	1	2	4	5	7	8	11
20-34	1875	4.5	7	1	2	4	6	8	9	14
35-49	507	5.1	12	1	2	4	6	10	12	17
50-64	234	6.2	19	1	2	5	8	11	14	24
65+	84	9.3	69	2	3	8	11	14	23	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	209	3.9	13	1	1	3	5	9	13	54
20-34	317	4.5	15	1	1	3	6	10	13	17
35-49	217	5.9	25	1	2	5	7	11	14	33
50-64	300	6.3	21	1	2	5	8	12	15	22
65+	557	8.1	36	2	3	6	10	15	20	29
B. *Operated*										
0-19 YRS	1186	5.4	8	2	2	5	7	9	10	16
20-34	1920	6.0	21	2	2	5	7	10	12	19
35-49	611	7.0	28	2	3	6	8	12	16	27
50-64	302	8.5	39	2	3	7	10	16	19	35
65+	162	14.2	154	3	4	11	18	30	46	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1384	3.7	10	1	1	3	5	8	10	16
B. *Operated*	4126	4.7	10	1	2	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	1600	6.2	27	1	2	5	8	13	16	28
B. *Operated*	4181	6.5	28	2	2	5	7	11	14	27
1. SINGLE DX	5510	4.4	10	1	1	4	6	8	10	16
2. MULTIPLE DX	5781	6.4	28	1	2	5	8	11	15	28
A. NOT OPERATED	2984	5.0	21	1	1	4	6	11	14	23
B. OPERATED	8307	5.6	20	1	2	5	7	9	12	22
TOTAL 0-19 YRS	3198	4.5	8	1	1	4	6	8	9	14
20-34	4565	5.0	14	1	2	5	6	8	11	17
35-49	1556	5.8	21	1	2	5	7	10	14	24
50-64	1019	6.6	25	1	2	5	8	12	16	27
65+	953	9.0	63	2	3	7	11	17	23	46
GRAND TOTAL	**11291**	**5.4**	**20**	**1**	**2**	**5**	**7**	**10**	**12**	**22**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	855	5.4	15	1	2	4	7	10	13	20
20-34	7629	6.6	18	2	2	6	8	11	14	20
35-49	6736	7.2	19	2	3	6	9	12	15	22
50-64	3213	7.2	17	2	3	7	9	12	15	22
65+	833	7.3	21	2	3	6	10	13	16	22
B. *Operated*										
0-19 YRS	92	7.4	27	1	2	6	10	13	17	24
20-34	1345	8.3	41	2	2	7	12	16	19	27
35-49	1076	9.1	43	2	2	8	12	17	22	33
50-64	337	8.7	39	2	2	8	11	16	21	30
65+	30	9.7	50	2	2	9	13	15	21	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	665	6.2	20	1	2	5	8	12	14	21
20-34	6010	7.6	21	2	3	7	10	13	16	23
35-49	6779	8.3	25	3	3	7	10	14	17	26
50-64	5325	8.6	27	3	4	8	11	15	18	26
65+	3559	9.4	43	3	3	8	12	16	20	33
B. *Operated*										
0-19 YRS	65	8.6	29	1	3	8	12	17	18	24
20-34	1094	11.3	51	2	4	10	15	20	24	35
35-49	1255	12.1	61	3	4	10	15	22	26	40
50-64	741	12.3	57	3	4	11	16	22	25	41
65+	299	15.2	114	4	5	12	20	29	36	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19266	6.9	18	2	3	6	9	12	14	21
B. *Operated*	2880	8.6	41	2	2	8	12	16	20	30
2. MULTIPLE DX										
A. *Not Operated*	22338	8.3	28	2	3	7	10	15	18	27
B. *Operated*	3454	12.1	62	3	4	10	16	22	26	40
1. SINGLE DX	22146	7.1	22	2	3	6	9	13	15	23
2. MULTIPLE DX	25792	8.8	34	2	3	8	11	16	19	30
A. NOT OPERATED	41604	7.6	24	2	3	7	10	13	16	24
B. OPERATED	6334	10.5	56	2	3	9	14	19	24	36
TOTAL 0-19 YRS	1677	6.0	19	1	2	5	8	11	14	22
20-34	16078	7.4	25	2	3	6	9	13	16	24
35-49	15846	8.2	28	2	3	7	10	14	18	28
50-64	9616	8.4	28	2	3	7	11	15	18	26
65+	4721	9.4	46	3	3	8	12	17	21	36
GRAND TOTAL	**47938**	**8.0**	**29**	**2**	**3**	**7**	**10**	**14**	**18**	**27**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1498	3.6	10	1	1	3	5	7	10	15
20-34	5732	6.1	17	1	2	5	8	11	14	20
35-49	4067	6.7	22	2	2	6	9	12	14	21
50-64	1784	6.7	18	1	2	6	9	12	15	22
65+	525	6.6	23	1	2	5	8	13	16	26
B. *Operated*										
0-19 YRS	95	6.8	33	1	2	5	9	13	19	30
20-34	1116	7.0	36	1	2	5	10	15	18	24
35-49	888	7.7	33	2	2	6	11	16	19	26
50-64	273	7.7	35	2	2	6	10	16	20	28
65+	19	9.7	98	1	2	7	13	18	32	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1735	4.7	13	1	1	4	6	9	12	18
20-34	8627	6.8	22	1	2	6	9	12	15	24
35-49	6611	7.6	23	2	3	7	10	14	16	24
50-64	4304	8.1	32	2	3	7	10	14	18	29
65+	2663	8.4	33	2	3	7	11	16	20	29
B. *Operated*										
0-19 YRS	127	6.1	28	1	1	5	7	12	16	26
20-34	1195	9.6	56	2	2	8	13	18	22	35
35-49	1194	10.7	51	2	3	9	14	21	24	32
50-64	598	10.8	53	2	3	10	15	20	23	35
65+	220	13.2	91	3	4	11	17	26	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13606	6.1	19	1	2	5	8	11	14	21
B. *Operated*	2391	7.3	36	1	2	6	10	15	19	26
2. MULTIPLE DX										
A. *Not Operated*	23940	7.3	25	2	2	6	9	13	17	25
B. *Operated*	3334	10.3	56	2	3	9	14	20	24	36
1. SINGLE DX	15997	6.3	22	1	2	5	8	12	15	22
2. MULTIPLE DX	27274	7.6	30	2	2	6	10	14	18	27
A. NOT OPERATED	37546	6.8	23	1	2	6	9	13	16	24
B. OPERATED	5725	9.1	50	2	2	8	12	18	22	32
TOTAL 0-19 YRS	3455	4.3	13	1	1	3	6	9	11	18
20-34	16670	6.8	25	1	2	6	9	13	16	24
35-49	12760	7.6	27	2	3	7	10	14	17	25
50-64	6959	7.9	31	2	3	7	10	15	18	28
65+	3427	8.5	38	2	3	7	11	16	20	32
GRAND TOTAL	**43271**	**7.1**	**28**	**1**	**2**	**6**	**9**	**13**	**17**	**26**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	535	2.9	7	<1	1	2	4	6	7	12
20-34	746	3.2	8	1	1	2	4	6	8	12
35-49	476	3.7	9	1	1	3	5	7	9	16
50-64	345	4.3	11	1	1	3	5	8	10	16
65+	273	5.3	19	1	2	4	7	11	13	19
B. *Operated*										
0-19 YRS	1132	3.1	3	1	1	3	4	5	6	9
20-34	2388	3.5	10	1	1	3	4	6	7	11
35-49	1643	3.9	5	1	2	3	5	7	8	12
50-64	1604	5.0	12	2	2	4	6	8	11	19
65+	450	6.2	16	2	2	5	8	11	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	366	3.3	6	1	1	2	4	7	8	12
20-34	793	4.5	18	1	1	3	6	9	12	19
35-49	673	5.5	22	1	2	4	7	11	14	27
50-64	792	5.9	27	1	2	5	8	11	15	24
65+	1253	7.8	36	2	2	6	10	16	20	31
B. *Operated*										
0-19 YRS	388	3.7	8	1	1	3	5	7	9	12
20-34	739	4.4	13	1	1	4	5	8	11	22
35-49	557	5.8	26	1	2	5	6	11	15	34
50-64	805	6.8	29	2	3	5	8	13	18	30
65+	389	9.3	77	2	3	7	12	19	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2375	3.6	10	1	1	3	5	7	9	15
B. *Operated*	7217	4.0	9	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	3877	5.9	27	1	1	4	8	12	16	26
B. *Operated*	2878	5.9	31	1	2	4	7	12	16	28
1. SINGLE DX	9592	3.9	10	1	1	3	5	7	9	15
2. MULTIPLE DX	6755	5.9	29	1	2	4	7	12	16	27
A. NOT OPERATED	6252	5.0	22	1	1	4	6	11	14	23
B. OPERATED	10095	4.6	16	1	2	4	5	8	11	21
TOTAL 0-19 YRS	2421	3.2	5	1	1	3	4	6	7	11
20-34	4666	3.7	12	1	1	3	5	7	9	15
35-49	3349	4.5	13	1	1	4	5	8	11	20
50-64	3546	5.6	20	1	2	4	7	10	13	23
65+	2365	7.4	38	2	2	6	9	15	19	31
GRAND TOTAL	**16347**	**4.7**	**19**	**1**	**1**	**4**	**6**	**9**	**12**	**22**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13836	1.8	2	1	1	1	2	3	4	8
20-34	4481	2.4	9	<1	1	2	3	5	6	11
35-49	1206	2.8	10	1	1	2	3	6	8	13
50-64	661	2.9	8	1	1	2	4	6	8	12
65+	390	3.5	24	1	1	2	4	7	10	20
B. *Operated*										
0-19 YRS	193	3.0	56	<1	1	1	3	5	8	72
20-34	111	3.7	20	<1	1	2	4	8	10	26
35-49	32	5.7	61	1	1	4	7	8	10	46
50-64	24	5.9	16	1	2	5	9	12	13	14
65+	10	6.1	20	1	1	9	11	47	96	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13795	2.7	11	1	1	2	3	5	7	15
20-34	10627	3.7	15	1	1	3	5	8	10	18
35-49	4112	4.8	28	1	1	3	6	10	13	24
50-64	2913	5.4	27	1	1	4	7	11	15	27
65+	2995	7.4	51	1	2	5	10	16	21	35
B. *Operated*										
0-19 YRS	3434	5.0	67	1	1	2	5	11	19	48
20-34	3722	5.7	77	<1	1	3	6	12	20	54
35-49	1325	6.9	87	1	1	4	8	15	22	53
50-64	934	7.9	101	1	1	5	10	18	27	60
65+	925	10.0	133	1	2	6	12	23	33	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20574	2.0	5	<1	1	1	2	4	5	10
B. *Operated*	370	3.7	43	1	1	2	4	8	11	48
2. MULTIPLE DX										
A. *Not Operated*	34442	3.9	21	1	1	2	5	8	11	23
B. *Operated*	10340	6.2	84	1	1	3	7	14	23	55
1. SINGLE DX	20944	2.1	6	<1	1	1	2	4	5	11
2. MULTIPLE DX	44782	4.4	36	1	1	3	5	9	14	31
A. NOT OPERATED	55016	3.2	16	1	1	2	4	7	10	20
B. OPERATED	10710	6.1	83	1	1	3	7	14	22	54
TOTAL 0-19 YRS	31258	2.5	14	1	1	2	3	5	7	18
20-34	18941	3.8	27	<1	1	2	4	8	11	26
35-49	6675	4.9	38	1	1	3	6	10	14	31
50-64	4532	5.6	42	1	1	4	7	12	17	33
65+	4320	7.6	69	1	1	5	10	17	23	45
GRAND TOTAL	**65726**	**3.7**	**28**	**1**	**1**	**2**	**4**	**8**	**11**	**27**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3535	2.3	17	<1	1	1	2	4	7	18
20-34	1181	3.1	18	<1	1	2	3	6	9	22
35-49	365	3.8	19	<1	1	2	4	9	12	25
50-64	243	4.5	33	<1	1	3	6	9	14	28
65+	200	6.1	73	1	1	3	7	15	23	40
B. *Operated*										
0-19 YRS	262	11.8	177	1	1	8	15	29	54	99+
20-34	225	13.0	227	1	2	8	14	31	54	98
35-49	121	12.6	152	1	2	9	14	27	43	62
50-64	196	14.4	139	3	5	11	18	28	47	83
65+	274	16.5	146	4	6	13	21	30	46	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4143	3.9	46	1	1	2	4	8	13	37
20-34	2805	5.3	62	<1	1	3	6	11	18	51
35-49	1120	5.6	54	1	1	4	7	12	17	42
50-64	922	7.1	72	1	1	4	9	17	24	55
65+	1290	9.3	93	1	2	6	12	21	27	63
B. *Operated*										
0-19 YRS	1331	15.2	368	1	1	8	24	59	99+	99+
20-34	1535	18.2	488	1	1	10	31	71	99+	99+
35-49	617	16.7	338	1	1	10	26	50	77	99+
50-64	601	19.7	411	1	2	13	30	59	90	99+
65+	822	21.9	331	2	3	17	31	52	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5524	2.8	21	<1	1	1	3	6	9	22
B. *Operated*	1078	13.8	172	1	3	10	17	30	48	87
2. MULTIPLE DX										
A. *Not Operated*	10280	5.4	62	1	1	3	6	12	20	46
B. *Operated*	4906	18.0	406	1	1	11	29	59	92	99+
1. SINGLE DX	6602	4.6	62	<1	1	2	5	11	18	47
2. MULTIPLE DX	15186	9.5	208	1	1	4	11	29	49	99+
A. NOT OPERATED	15804	4.5	49	1	1	2	5	10	17	39
B. OPERATED	5984	17.2	366	1	1	11	26	55	85	99+
TOTAL 0-19 YRS	9271	5.1	104	1	1	2	4	12	26	95
20-34	5746	8.6	210	<1	1	3	9	26	52	99+
35-49	2223	8.8	159	1	1	4	10	22	41	99+
50-64	1962	11.3	214	1	1	6	14	32	50	99+
65+	2586	13.8	209	1	2	9	19	33	47	92
GRAND TOTAL	**21788**	**8.0**	**169**	**1**	**1**	**3**	**9**	**22**	**40**	**99+**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	2.9	9	1	1	2	3	5	6	18
20-34	237	3.9	9	1	1	3	5	7	9	18
35-49	89	4.2	9	1	1	4	5	8	11	15
50-64	64	5.2	33	1	1	4	6	8	14	36
65+	32	5.2	18	1	1	5	7	11	16	18
B. *Operated*										
0-19 YRS	160	5.6	10	2	2	5	7	10	12	14
20-34	383	6.2	25	2	3	5	7	10	13	24
35-49	133	7.7	43	2	3	6	9	13	17	65
50-64	62	7.8	38	2	3	6	9	17	23	29
65+	36	8.4	27	2	3	7	12	15	19	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	260	4.6	11	1	1	4	6	8	10	16
20-34	490	5.1	20	1	1	4	7	10	12	20
35-49	292	6.2	18	1	2	5	8	12	14	20
50-64	283	7.7	37	2	2	6	10	15	20	34
65+	268	9.7	58	2	3	8	12	19	22	43
B. *Operated*										
0-19 YRS	544	10.2	89	3	3	8	12	19	29	57
20-34	1100	11.3	122	3	4	8	12	21	31	69
35-49	471	12.6	163	3	4	9	15	27	39	98
50-64	400	14.3	166	4	5	10	17	32	47	94
65+	267	15.9	187	3	4	12	20	34	49	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	552	3.9	13	1	1	3	5	7	10	18
B. *Operated*	774	6.5	27	2	3	5	8	11	14	27
2. MULTIPLE DX										
A. *Not Operated*	1593	6.5	31	1	2	5	8	13	17	28
B. *Operated*	2782	12.2	138	3	4	9	14	25	37	78
1. SINGLE DX	1326	5.5	23	1	2	4	7	10	13	25
2. MULTIPLE DX	4375	10.1	106	2	3	7	12	20	30	63
A. NOT OPERATED	2145	5.8	27	1	1	4	7	12	15	25
B. OPERATED	3556	10.9	119	3	3	8	12	22	33	72
TOTAL 0-19 YRS	1094	7.3	58	1	2	5	9	14	20	44
20-34	2210	8.2	80	1	2	6	10	16	23	59
35-49	985	9.3	100	2	2	7	11	19	27	78
50-64	809	10.8	113	2	3	7	13	22	34	62
65+	603	12.1	123	2	3	9	15	25	34	63
GRAND TOTAL	**5701**	**9.0**	**91**	**1**	**2**	**6**	**10**	**18**	**26**	**60**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1331	3.7	10	1	1	3	5	6	9	15
20-34	693	3.5	9	1	1	3	4	7	9	15
35-49	174	3.6	10	1	1	3	5	7	9	19
50-64	84	4.3	15	1	1	3	6	8	9	24
65+	65	4.5	9	1	2	4	6	7	9	19
B. *Operated*										
0-19 YRS	793	7.3	23	2	4	7	8	11	14	25
20-34	853	8.0	30	3	4	7	9	12	15	28
35-49	234	9.1	33	3	4	8	11	15	18	34
50-64	120	10.2	84	2	4	8	11	18	24	60
65+	42	7.6	18	1	2	7	10	14	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1277	4.3	22	1	1	3	5	9	11	20
20-34	1076	4.4	17	1	1	3	6	8	10	21
35-49	395	5.6	34	1	2	4	7	11	14	33
50-64	257	6.2	32	1	2	5	7	12	17	28
65+	272	8.4	49	1	2	7	11	17	21	34
B. *Operated*										
0-19 YRS	1733	12.9	149	3	5	9	14	27	41	69
20-34	2762	14.5	184	4	5	10	16	31	47	87
35-49	933	15.7	196	4	5	11	18	34	44	84
50-64	505	17.2	197	4	6	13	21	37	49	99+
65+	307	19.6	249	3	6	15	27	39	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2347	3.6	10	1	1	3	5	7	9	17
B. *Operated*	2042	7.9	31	3	4	7	9	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	3277	5.0	26	1	1	4	6	10	13	25
B. *Operated*	6240	14.7	183	4	5	10	17	32	45	84
1. SINGLE DX	4389	5.6	24	1	1	5	7	10	13	24
2. MULTIPLE DX	9517	11.4	150	1	2	8	13	25	38	74
A. NOT OPERATED	5624	4.4	20	1	1	3	6	9	11	21
B. OPERATED	8282	13.0	154	3	5	9	14	27	40	77
TOTAL 0-19 YRS	5134	7.5	78	1	1	6	9	14	22	49
20-34	5384	10.0	126	1	2	7	11	20	32	70
35-49	1736	11.3	143	1	2	8	13	24	36	69
50-64	966	12.3	151	2	2	9	15	29	39	80
65+	686	13.0	169	2	2	9	16	31	38	81
GRAND TOTAL	**13906**	**9.5**	**118**	**1**	**2**	**7**	**11**	**20**	**31**	**65**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	3.2	10	<1	1	2	4	6	8	42
20-34	86	3.1	7	<1	1	2	4	6	7	14
35-49	31	2.9	3	<1	1	2	5	5	5	6
50-64	16	3.3	3	<1	1	3	5	6	7	7
65+	7	5.3	6	3	3	5	6	9	10	10
B. *Operated*										
0-19 YRS	1149	3.1	7	1	1	2	4	7	8	14
20-34	673	3.6	21	1	1	3	4	6	8	15
35-49	289	3.8	10	1	1	3	5	7	10	18
50-64	148	3.4	4	1	1	3	5	6	7	11
65+	113	3.7	7	1	1	3	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	183	3.8	10	1	1	3	5	7	9	19
20-34	142	4.0	12	<1	1	3	5	8	11	20
35-49	73	4.4	14	<1	1	4	6	9	11	21
50-64	59	4.9	13	1	1	4	7	9	12	19
65+	60	7.4	76	1	1	5	8	14	33	41
B. *Operated*										
0-19 YRS	1102	4.4	14	1	1	3	6	9	11	19
20-34	1029	5.0	24	1	1	4	6	10	13	24
35-49	449	5.6	26	1	1	4	7	11	14	27
50-64	284	5.8	27	1	1	4	7	11	16	30
65+	212	7.1	51	1	2	5	9	15	19	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	3.2	7	<1	1	2	4	6	7	18
B. *Operated*	2372	3.4	11	1	1	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	517	4.5	20	1	1	3	5	8	11	22
B. *Operated*	3076	5.1	23	1	1	4	6	10	13	26
1. SINGLE DX	2634	3.3	11	1	1	2	4	7	8	15
2. MULTIPLE DX	3593	5.0	23	1	1	4	6	10	13	25
A. NOT OPERATED	779	4.0	16	1	1	3	5	8	11	21
B. OPERATED	5448	4.3	19	1	1	3	5	9	11	21
TOTAL 0-19 YRS	2556	3.7	11	1	1	3	5	7	10	18
20-34	1930	4.3	22	1	1	3	5	8	11	21
35-49	842	4.8	20	1	1	4	6	10	13	23
50-64	507	4.9	19	1	1	4	6	9	13	25
65+	392	6.1	43	1	1	4	7	14	18	39
GRAND TOTAL	**6227**	**4.3**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	544	2.5	13	<1	1	2	3	5	6	16
20-34	485	2.9	14	<1	<1	2	3	5	8	17
35-49	189	2.9	6	<1	<1	2	4	6	10	13
50-64	101	3.2	9	<1	1	2	4	7	10	15
65+	98	3.9	19	1	1	2	4	8	17	62
B. *Operated*										
0-19 YRS	2053	2.2	9	<1	1	1	2	4	6	13
20-34	1152	3.1	18	<1	1	2	3	6	8	22
35-49	456	3.5	27	<1	1	2	4	7	10	32
50-64	232	3.3	16	<1	1	2	4	6	9	20
65+	177	3.9	20	<1	1	2	5	8	11	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1313	2.8	10	<1	1	2	3	5	7	14
20-34	1730	3.5	25	<1	1	2	4	7	9	22
35-49	810	4.3	25	<1	1	3	6	9	12	26
50-64	704	4.9	41	1	1	3	6	10	12	25
65+	1226	7.0	53	1	1	5	9	15	19	39
B. *Operated*										
0-19 YRS	3767	3.7	30	<1	1	2	4	7	11	26
20-34	4543	4.5	39	<1	1	3	5	9	14	33
35-49	1799	5.7	70	1	1	3	6	12	17	52
50-64	1295	6.3	61	1	1	4	7	13	19	45
65+	1671	7.8	83	1	1	5	9	17	25	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1417	2.8	12	<1	1	2	3	5	8	20
B. *Operated*	4070	2.8	15	<1	1	2	3	5	8	18
2. MULTIPLE DX										
A. *Not Operated*	5783	4.4	32	<1	1	3	5	9	13	26
B. *Operated*	13075	5.0	50	1	1	3	6	11	16	38
1. SINGLE DX	5487	2.8	14	<1	1	2	3	5	8	18
2. MULTIPLE DX	18858	4.8	45	1	1	3	6	10	15	34
A. NOT OPERATED	7200	4.1	28	<1	1	3	5	8	12	24
B. OPERATED	17145	4.5	43	<1	1	3	5	9	14	34
TOTAL 0-19 YRS	7677	3.1	20	<1	1	2	3	6	9	21
20-34	7910	4.0	32	<1	1	2	5	8	12	30
35-49	3254	4.9	50	<1	1	3	6	10	15	42
50-64	2332	5.4	50	1	1	3	7	11	16	39
65+	3172	7.1	67	1	1	5	9	16	22	44
GRAND TOTAL	**24345**	**4.4**	**39**	**<1**	**1**	**3**	**5**	**9**	**14**	**32**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	718	2.4	5	<1	1	2	3	4	6	11
20-34	1320	2.5	4	<1	1	2	3	5	7	10
35-49	416	3.0	9	<1	1	2	3	6	8	14
50-64	159	3.5	16	<1	1	2	4	7	12	23
65+	47	4.1	16	1	1	3	5	8	9	24
B. *Operated*										
0-19 YRS	985	3.7	19	<1	1	2	5	7	9	25
20-34	1312	5.0	22	1	1	4	7	10	12	25
35-49	412	5.8	38	1	1	5	7	11	15	33
50-64	168	5.6	29	1	1	4	7	12	17	33
65+	46	7.7	76	1	1	5	9	18	29	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	479	3.4	14	1	1	2	4	6	9	16
20-34	1060	4.1	20	<1	1	3	5	8	11	23
35-49	463	4.7	33	1	1	3	6	9	12	30
50-64	228	5.6	50	1	1	4	7	11	15	41
65+	154	7.6	37	1	2	6	10	15	17	28
B. *Operated*										
0-19 YRS	1094	8.0	87	1	1	6	10	15	24	53
20-34	2594	9.3	95	1	2	7	11	19	26	58
35-49	916	11.2	138	1	2	8	12	24	35	61
50-64	382	11.0	120	1	2	8	13	24	35	92
65+	179	13.1	166	2	3	10	17	31	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2660	2.6	6	<1	1	2	3	5	7	13
B. *Operated*	2923	4.8	25	1	1	3	6	9	12	28
2. MULTIPLE DX										
A. *Not Operated*	2384	4.5	26	1	1	3	5	9	13	26
B. *Operated*	5165	9.6	107	1	2	7	11	20	29	60
1. SINGLE DX	5583	3.8	17	<1	1	2	5	8	10	22
2. MULTIPLE DX	7549	8.0	87	1	1	5	9	16	25	55
A. NOT OPERATED	5044	3.5	17	<1	1	2	4	7	10	19
B. OPERATED	8088	7.9	83	1	1	6	9	16	24	54
TOTAL 0-19 YRS	3276	4.8	43	1	1	3	6	10	14	35
20-34	6286	6.1	56	1	1	4	7	12	18	42
35-49	2207	7.3	84	1	1	5	9	15	24	52
50-64	937	7.4	78	1	1	5	9	17	26	57
65+	426	9.5	103	1	2	7	12	19	30	72
GRAND TOTAL	**13132**	**6.2**	**62**	**1**	**1**	**4**	**8**	**13**	**19**	**46**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	613	2.7	6	<1	1	2	3	5	6	11
20-34	915	2.9	6	<1	1	2	4	6	7	11
35-49	344	3.2	22	<1	1	2	4	6	8	12
50-64	164	3.4	18	<1	1	2	4	6	8	14
65+	76	3.9	7	1	1	3	5	8	9	77
B. *Operated*										
0-19 YRS	5099	2.5	10	<1	1	2	3	5	6	15
20-34	6885	2.8	12	<1	1	2	3	5	8	16
35-49	2788	2.9	16	<1	1	2	3	6	8	21
50-64	1807	3.0	12	<1	1	2	3	6	8	20
65+	634	3.2	14	1	1	2	4	7	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	492	4.2	35	1	1	3	5	7	11	26
20-34	993	4.4	29	<1	1	3	5	9	12	27
35-49	404	4.2	18	1	1	3	5	7	11	21
50-64	284	5.2	23	1	1	4	6	10	14	27
65+	264	7.5	57	1	2	5	9	15	19	41
B. *Operated*										
0-19 YRS	3558	3.5	24	1	1	2	4	7	10	26
20-34	5592	4.1	32	1	1	2	5	8	12	29
35-49	2165	4.6	43	1	1	3	5	10	15	33
50-64	1587	4.7	41	1	1	3	5	10	15	37
65+	826	6.3	70	1	1	3	7	15	21	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2112	3.0	10	<1	1	2	4	6	7	11
B. *Operated*	17213	2.8	12	<1	1	2	3	5	8	17
2. MULTIPLE DX										
A. *Not Operated*	2437	4.7	32	1	1	3	6	9	13	27
B. *Operated*	13728	4.2	35	1	1	2	5	9	13	33
1. SINGLE DX	19325	2.8	12	<1	1	2	3	5	8	16
2. MULTIPLE DX	16165	4.3	35	1	1	3	5	9	13	32
A. NOT OPERATED	4549	3.9	22	<1	1	3	5	8	10	22
B. OPERATED	30941	3.4	23	1	1	2	4	7	10	25
TOTAL 0-19 YRS	9762	3.0	17	<1	1	2	3	6	8	20
20-34	14385	3.4	21	<1	1	2	4	7	10	22
35-49	5701	3.7	27	1	1	2	4	7	11	28
50-64	3842	3.9	26	1	1	2	4	8	12	29
65+	1800	5.3	48	1	1	3	6	12	17	39
GRAND TOTAL	**35490**	**3.5**	**23**	**1**	**1**	**2**	**4**	**7**	**10**	**25**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1030	3.1	8	<1	1	2	4	6	8	16
20-34	1050	3.5	13	1	1	3	4	6	8	18
35-49	355	4.0	14	<1	1	3	5	8	11	19
50-64	165	4.1	13	<1	1	3	5	8	12	17
65+	121	6.1	67	1	1	4	7	11	17	50
B. *Operated*										
0-19 YRS	3013	4.5	33	1	1	3	5	10	14	30
20-34	2320	5.1	32	1	1	3	6	10	14	32
35-49	753	5.7	49	1	1	4	7	12	19	35
50-64	483	7.2	86	1	1	4	8	17	24	43
65+	252	10.6	180	1	1	6	12	23	36	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	498	4.6	16	1	1	4	6	9	11	23
20-34	651	4.8	24	1	1	4	6	9	12	28
35-49	305	5.6	22	1	2	4	7	10	13	24
50-64	274	7.8	59	1	2	6	10	16	22	48
65+	297	9.2	50	2	2	7	12	19	26	45
B. *Operated*										
0-19 YRS	1530	8.6	120	1	1	5	9	20	31	60
20-34	1676	10.0	149	1	2	6	11	24	37	76
35-49	682	10.8	177	1	2	7	12	25	43	86
50-64	510	12.2	166	1	2	7	16	29	39	71
65+	475	15.4	218	2	3	11	20	35	52	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2721	3.6	14	<1	1	3	4	7	9	18
B. *Operated*	6821	5.3	45	1	1	3	6	11	17	35
2. MULTIPLE DX										
A. *Not Operated*	2025	5.9	33	1	1	4	7	11	17	32
B. *Operated*	4873	10.4	156	1	2	6	12	25	38	73
1. SINGLE DX	9542	4.8	37	1	1	3	5	10	15	32
2. MULTIPLE DX	6898	9.1	124	1	2	5	10	21	32	65
A. NOT OPERATED	4746	4.6	24	1	1	3	5	9	13	26
B. OPERATED	11694	7.4	98	1	1	4	8	17	26	55
TOTAL 0-19 YRS	6071	5.3	53	1	1	3	6	11	17	40
20-34	5697	6.2	68	1	1	4	7	12	21	49
35-49	2095	7.1	88	1	1	4	8	15	23	52
50-64	1432	8.7	108	1	1	5	10	21	29	54
65+	1145	11.7	161	1	2	8	15	26	38	86
GRAND TOTAL	**16440**	**6.6**	**78**	**1**	**1**	**4**	**7**	**14**	**23**	**51**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	2.5	9	<1	1	1	2	5	9	19
20-34	32	3.8	9	<1	1	3	6	9	10	12
35-49	18	3.6	7	1	1	3	5	8	10	10
50-64	8	3.6	4	<1	<1	4	5	6	6	6
65+	9	3.3	5	1	1	3	4	7	8	8
B. *Operated*										
0-19 YRS	76	4.9	30	1	1	3	6	10	14	33
20-34	146	4.9	20	1	1	3	7	12	14	21
35-49	55	5.3	29	1	1	3	7	11	15	26
50-64	22	4.8	11	1	1	4	7	9	11	13
65+	8	9.3	119	2	2	4	12	28	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	3.1	13	<1	1	2	4	5	8	23
20-34	62	4.5	21	1	1	3	5	10	12	25
35-49	35	4.9	16	1	1	4	6	13	14	15
50-64	31	8.8	105	1	2	6	9	20	28	53
65+	53	7.6	46	1	1	6	10	15	22	37
B. *Operated*										
0-19 YRS	244	10.2	192	1	1	6	12	21	39	70
20-34	394	11.1	196	1	1	7	13	29	49	84
35-49	144	11.1	160	1	1	7	15	28	54	99+
50-64	86	11.2	258	1	1	5	13	25	51	94
65+	39	20.8	320	2	4	16	28	59	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	3.1	9	<1	1	2	4	6	10	13
B. *Operated*	307	5.1	26	1	1	3	7	11	14	26
2. MULTIPLE DX										
A. *Not Operated*	267	5.2	36	1	1	3	6	11	16	27
B. *Operated*	907	11.3	204	1	1	6	13	28	51	87
1. SINGLE DX	448	4.4	21	1	1	3	6	10	13	22
2. MULTIPLE DX	1174	9.9	172	1	1	6	12	23	41	81
A. NOT OPERATED	408	4.5	27	1	1	3	5	10	13	24
B. OPERATED	1214	9.7	166	1	1	6	12	22	40	80
TOTAL 0-19 YRS	480	6.9	117	1	1	3	7	15	23	63
20-34	634	8.7	139	1	1	5	10	19	33	72
35-49	252	8.4	110	1	1	5	10	20	30	98
50-64	147	9.3	180	1	1	5	10	23	48	85
65+	109	12.1	187	1	2	8	15	30	42	85
GRAND TOTAL	**1622**	**8.4**	**136**	**1**	**1**	**5**	**10**	**19**	**31**	**72**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	220	4.4	41	<1	1	3	5	9	14	84
20-34	370	6.4	39	1	1	4	8	13	19	32
35-49	216	5.5	23	1	1	4	7	11	14	21
50-64	137	8.3	63	1	2	6	10	19	27	36
65+	140	8.7	84	1	2	6	12	18	23	42
B. *Operated*										
0-19 YRS	1837	4.0	22	1	1	3	4	8	11	21
20-34	3051	4.4	26	1	1	3	5	8	12	25
35-49	1386	4.7	26	1	2	3	6	10	13	25
50-64	876	5.8	53	1	2	4	7	12	17	35
65+	318	9.6	112	1	2	6	13	23	27	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	322	7.8	149	1	1	4	8	22	44	99+
20-34	693	9.0	144	1	1	5	11	22	45	99+
35-49	458	8.7	80	1	2	6	11	18	25	78
50-64	398	8.6	72	1	2	7	11	17	23	69
65+	563	12.1	103	2	3	9	17	26	35	99+
B. *Operated*										
0-19 YRS	1152	5.5	53	1	2	3	6	12	19	57
20-34	2280	6.5	72	1	2	4	7	14	23	58
35-49	1190	7.7	94	1	2	4	9	18	28	68
50-64	979	8.6	105	2	2	5	11	19	28	65
65+	638	15.7	222	2	3	12	21	34	48	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1083	6.3	47	1	1	4	8	13	19	34
B. *Operated*	7468	4.8	33	1	1	3	5	10	14	27
2. MULTIPLE DX										
A. *Not Operated*	2434	9.4	113	1	2	6	12	22	34	99+
B. *Operated*	6239	7.8	101	1	2	4	9	18	28	68
1. SINGLE DX	8551	5.0	35	1	1	3	6	10	14	29
2. MULTIPLE DX	8673	8.3	105	1	2	5	10	19	30	81
A. NOT OPERATED	3517	8.5	95	1	1	6	11	19	29	99+
B. OPERATED	13707	6.2	66	1	2	4	7	13	20	50
TOTAL 0-19 YRS	3531	4.9	46	1	1	3	5	10	15	45
20-34	6394	5.8	58	1	2	3	6	12	18	53
35-49	3250	6.4	61	1	2	4	7	14	20	52
50-64	2390	7.6	80	1	2	5	9	16	23	53
65+	1659	12.7	155	2	2	9	17	28	37	88
GRAND TOTAL	**17224**	**6.6**	**73**	**1**	**2**	**4**	**8**	**15**	**22**	**56**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1674	4.2	5	1	2	4	5	6	8	13
20-34	705	3.8	7	1	1	4	5	6	8	14
35-49	258	3.9	8	1	1	3	5	6	8	14
50-64	94	4.5	7	1	2	4	6	7	8	15
65+	31	5.5	24	1	2	4	7	13	15	23
B. *Operated*										
0-19 YRS	82	7.3	26	1	2	6	10	15	18	23
20-34	36	5.5	14	1	1	5	7	12	13	14
35-49	19	4.4	7	1	1	4	7	8	9	9
50-64	8	4.5	5	2	2	4	6	8	9	9
65+	8	3.5	4	1	1	3	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1004	4.5	12	1	1	4	6	7	9	16
20-34	660	4.0	9	1	1	3	5	7	10	14
35-49	286	4.7	13	1	2	4	5	8	11	17
50-64	158	4.6	15	1	1	4	5	9	11	24
65+	199	6.7	44	1	2	5	8	13	18	27
B. *Operated*										
0-19 YRS	165	5.7	15	1	2	5	7	11	14	18
20-34	141	5.2	24	1	1	4	6	10	13	30
35-49	55	6.4	31	<1	1	4	10	14	18	25
50-64	53	6.4	46	1	1	4	7	14	19	37
65+	42	11.5	332	1	2	6	13	20	47	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2762	4.1	6	1	2	4	5	6	8	14
B. *Operated*	153	6.2	20	1	2	5	9	12	16	21
2. MULTIPLE DX										
A. *Not Operated*	2307	4.5	15	1	1	4	5	8	11	18
B. *Operated*	456	6.2	55	1	1	5	8	13	15	30
1. SINGLE DX	2915	4.2	7	1	2	4	5	7	9	15
2. MULTIPLE DX	2763	4.8	22	1	1	4	6	9	12	21
A. NOT OPERATED	5069	4.3	10	1	1	4	5	7	9	16
B. OPERATED	609	6.2	46	1	1	5	8	12	15	26
TOTAL 0-19 YRS	2925	4.5	9	1	2	4	5	7	9	16
20-34	1542	4.1	10	1	1	4	5	7	10	14
35-49	618	4.5	13	1	2	4	5	8	11	18
50-64	313	4.9	18	1	1	4	6	9	12	26
65+	280	7.2	87	1	2	5	8	14	19	56
GRAND TOTAL	**5678**	**4.5**	**14**	**1**	**1**	**4**	**5**	**8**	**10**	**18**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4491	2.2	4	<1	1	2	3	4	6	10
20-34	3641	2.8	7	<1	1	2	4	6	8	14
35-49	1574	3.6	11	1	1	3	4	7	10	18
50-64	1141	4.0	14	1	1	3	5	9	11	18
65+	1413	5.5	27	1	1	4	7	11	14	22
B. *Operated*										
0-19 YRS	682	3.3	11	<1	1	2	4	7	9	17
20-34	654	4.3	18	1	1	3	5	9	12	22
35-49	376	5.3	28	1	1	4	6	13	16	29
50-64	261	5.8	31	1	2	4	7	13	15	24
65+	223	8.0	63	1	1	5	10	19	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7357	2.8	8	<1	1	2	3	5	7	13
20-34	8569	3.7	13	<1	1	3	5	8	10	17
35-49	4433	4.8	19	1	1	4	6	10	13	21
50-64	4655	5.9	28	1	1	4	8	12	15	25
65+	10510	8.2	54	2	2	6	10	16	21	38
B. *Operated*										
0-19 YRS	1174	4.9	50	1	1	3	6	10	15	35
20-34	1581	6.1	60	1	1	4	7	13	18	46
35-49	831	7.6	61	1	1	5	10	16	22	39
50-64	805	9.4	84	1	2	7	13	20	27	47
65+	1283	13.6	143	2	3	10	18	28	37	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12260	3.1	11	<1	1	2	4	6	9	17
B. *Operated*	2196	4.7	25	1	1	3	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	35524	5.2	31	1	1	4	7	11	15	27
B. *Operated*	5674	8.2	90	1	1	5	10	19	26	50
1. SINGLE DX	14456	3.3	13	<1	1	2	4	7	10	18
2. MULTIPLE DX	41198	5.7	41	1	1	4	7	12	17	32
A. NOT OPERATED	47784	4.7	27	1	1	3	6	10	14	25
B. OPERATED	7870	7.2	75	1	1	4	9	16	23	45
TOTAL 0-19 YRS	13704	2.8	11	<1	1	2	3	5	8	15
20-34	14445	3.7	18	<1	1	3	5	8	10	20
35-49	7214	4.9	24	1	1	3	6	10	14	23
50-64	6862	6.0	34	1	1	4	8	13	16	29
65+	13429	8.4	63	1	2	6	11	17	22	41
GRAND TOTAL	**55654**	**5.1**	**34**	**1**	**1**	**3**	**6**	**11**	**15**	**29**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	303	2.9	7	1	1	2	3	5	8	14
20-34	286	3.5	15	1	1	2	4	7	10	25
35-49	87	3.7	11	1	1	3	5	7	10	19
50-64	57	4.5	12	1	1	3	6	9	10	20
65+	16	5.6	19	1	1	5	7	11	16	18
B. *Operated*										
0-19 YRS	200	6.7	70	1	1	4	7	17	26	53
20-34	432	6.0	69	1	1	3	6	14	25	42
35-49	210	5.7	58	1	1	3	7	12	21	43
50-64	132	6.7	74	1	1	3	8	17	22	45
65+	28	8.2	99	1	1	4	7	27	30	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	228	4.1	17	1	1	3	5	9	12	22
20-34	254	4.8	21	1	1	3	6	10	14	24
35-49	121	4.4	11	1	1	3	6	9	12	14
50-64	101	6.7	35	1	1	4	8	17	19	27
65+	47	10.3	80	1	2	8	13	19	27	51
B. *Operated*										
0-19 YRS	368	9.2	137	1	1	5	12	23	30	59
20-34	692	9.1	134	1	1	5	11	23	35	56
35-49	344	10.3	199	1	1	5	12	26	41	76
50-64	254	8.7	115	1	1	5	11	21	33	65
65+	71	13.2	256	1	1	7	16	38	53	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	749	3.4	12	1	1	2	4	7	10	20
B. *Operated*	1002	6.2	68	1	1	3	7	15	25	44
2. MULTIPLE DX										
A. *Not Operated*	751	5.1	26	1	1	3	7	12	15	25
B. *Operated*	1729	9.5	150	1	1	5	11	24	37	65
1. SINGLE DX	1751	5.0	46	1	1	3	5	11	19	37
2. MULTIPLE DX	2480	8.1	117	1	1	4	10	19	30	57
A. NOT OPERATED	1500	4.3	20	1	1	3	5	9	13	22
B. OPERATED	2731	8.3	123	1	1	4	10	21	31	57
TOTAL 0-19 YRS	1099	6.0	71	1	1	3	6	14	22	49
20-34	1664	6.7	84	1	1	3	7	16	25	49
35-49	762	7.4	116	1	1	4	8	16	27	61
50-64	544	7.4	81	1	1	4	9	18	24	49
65+	162	10.7	159	1	1	6	12	27	38	60
GRAND TOTAL	**4231**	**6.9**	**90**	**1**	**1**	**4**	**8**	**16**	**26**	**51**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	1.4	1	<1	<1	1	2	2	3	7
20-34	22	1.9	1	<1	<1	1	3	3	4	4
35-49	9	1.9	4	1	1	1	2	5	7	7
50-64	3	1.7	1	1	1	1	3	3	3	3
65+	3	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	73	1.9	6	<1	<1	1	2	3	7	16
20-34	49	2.7	9	<1	<1	2	3	5	10	17
35-49	21	3.0	12	1	1	2	3	6	12	16
50-64	6	2.0	1	1	1	2	3	3	3	3
65+	3	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.2	5	1	1	2	4	7	8	9
20-34	24	2.8	12	<1	1	2	3	5	9	18
35-49	11	2.9	4	1	1	3	4	6	7	7
50-64	5	4.2	2	2	2	4	5	6	6	6
65+	3	2.7		2	2	3	3	3	3	3
B. *Operated*										
0-19 YRS	30	4.4	19	1	1	3	5	10	16	18
20-34	45	4.0	9	<1	1	3	5	9	12	99+
35-49	21	3.2	5	<1	1	2	4	7	8	9
50-64	9	2.8	3	1	1	2	4	5	5	5
65+	3	3.3	2	2	2	3	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	1.6	1	<1	<1	1	2	3	3	7
B. *Operated*	152	2.3	8	<1	<1	1	2	4	8	17
2. MULTIPLE DX										
A. *Not Operated*	63	3.0	7	1	1	2	4	6	7	17
B. *Operated*	108	3.8	10	1	1	3	5	8	11	52
1. SINGLE DX	249	2.0	5	<1	<1	1	2	4	5	16
2. MULTIPLE DX	171	3.5	9	1	1	3	5	7	9	18
A. NOT OPERATED	160	2.1	4	<1	<1	1	2	4	6	9
B. OPERATED	260	2.9	9	<1	1	2	4	6	9	17
TOTAL 0-19 YRS	183	2.3	7	<1	<1	1	2	5	8	17
20-34	140	3.0	9	<1	<1	2	4	5	10	25
35-49	62	2.9	7	1	1	2	4	6	8	15
50-64	23	2.7	3	1	1	2	4	5	6	6
65+	12	2.4	1	<1	1	2	3	4	5	5
GRAND TOTAL	**420**	**2.6**	**7**	**<1**	**<1**	**2**	**3**	**5**	**8**	**17**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2885	1.6	4	<1	<1	1	2	3	4	8
20-34	638	1.9	4	<1	<1	1	2	3	5	10
35-49	591	1.7	3	<1	<1	1	2	3	4	11
50-64	665	1.8	4	<1	1	1	2	3	4	8
65+	625	2.0	6	<1	1	1	2	3	5	12
B. *Operated*										
0-19 YRS	697	2.3	6	<1	<1	1	3	5	7	10
20-34	191	3.6	29	<1	<1	2	5	8	9	30
35-49	113	3.8	20	<1	1	2	6	8	12	27
50-64	152	3.2	10	1	1	2	4	8	11	15
65+	140	3.9	40	<1	1	2	3	8	13	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	555	2.7	8	<1	1	2	3	5	7	15
20-34	244	3.5	30	<1	1	2	4	7	11	17
35-49	253	3.7	28	1	1	2	4	7	10	27
50-64	462	3.7	18	1	1	2	4	9	11	19
65+	859	4.6	28	1	1	3	6	10	14	29
B. *Operated*										
0-19 YRS	289	5.2	69	1	1	3	6	10	16	62
20-34	145	7.7	74	1	1	6	10	17	23	61
35-49	173	6.9	52	1	1	4	9	17	23	30
50-64	301	7.8	85	1	1	4	10	18	25	48
65+	466	8.4	82	1	1	5	11	21	27	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5404	1.7	4	<1	<1	1	2	3	4	9
B. *Operated*	1293	2.9	15	<1	1	2	3	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	2373	3.8	22	1	1	2	4	8	11	21
B. *Operated*	1374	7.3	76	1	1	4	9	17	24	46
1. SINGLE DX	6697	1.9	6	<1	<1	1	2	4	5	11
2. MULTIPLE DX	3747	5.1	45	1	1	3	6	12	17	34
A. NOT OPERATED	7777	2.3	11	<1	<1	1	2	5	7	15
B. OPERATED	2667	5.2	52	<1	1	2	6	12	19	37
TOTAL 0-19 YRS	4426	2.1	10	<1	<1	1	2	4	6	12
20-34	1218	3.1	25	<1	<1	1	3	7	11	23
35-49	1130	3.1	21	<1	1	1	3	7	11	25
50-64	1580	3.6	29	<1	1	2	4	9	12	28
65+	2090	4.6	39	1	1	2	5	11	16	33
GRAND TOTAL	**10444**	**3.1**	**23**	**<1**	**1**	**1**	**3**	**7**	**10**	**25**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	238	7.7	44	1	1	6	11	17	22	29
20-34	160	8.0	62	1	1	6	11	17	24	43
35-49	80	9.8	88	1	1	7	12	24	28	46
50-64	58	12.8	104	1	2	9	18	28	33	96
65+	24	13.6	99	2	4	10	20	27	33	40
B. *Operated*										
0-19 YRS	559	14.1	212	2	2	9	19	34	43	76
20-34	467	11.1	121	2	2	8	14	26	34	57
35-49	277	13.2	182	1	2	9	18	36	46	96
50-64	177	18.1	273	2	3	12	25	44	53	71
65+	103	24.6	360	4	6	20	36	58	65	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	381	8.5	53	1	2	7	11	17	23	34
20-34	310	9.9	100	1	2	7	12	22	28	48
35-49	185	10.4	94	1	2	8	13	23	31	45
50-64	140	11.8	94	1	2	10	16	24	29	47
65+	181	16.6	200	2	4	12	22	35	44	69
B. *Operated*										
0-19 YRS	734	22.1	280	2	4	18	32	47	56	80
20-34	748	23.0	357	2	4	19	35	55	74	99+
35-49	494	26.4	387	3	5	23	38	56	73	99+
50-64	413	26.9	417	3	4	22	40	60	76	99+
65+	376	33.0	500	4	8	29	49	76	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	560	8.8	67	1	1	7	12	20	27	40
B. *Operated*	1583	14.2	208	2	2	9	19	35	45	76
2. MULTIPLE DX										
A. *Not Operated*	1197	10.8	105	1	2	8	14	23	30	49
B. *Operated*	2765	25.3	382	3	4	21	38	57	75	99+
1. SINGLE DX	2143	12.8	176	1	2	8	16	31	41	70
2. MULTIPLE DX	3962	20.9	343	2	3	15	31	50	66	99+
A. NOT OPERATED	1757	10.2	94	1	2	7	13	22	28	46
B. OPERATED	4348	21.3	347	2	3	16	32	50	66	99+
TOTAL 0-19 YRS	1912	15.3	220	2	2	10	22	36	48	74
20-34	1685	15.9	258	2	2	10	23	41	55	99+
35-49	1036	18.8	311	2	2	13	28	46	60	99+
50-64	788	21.2	344	2	3	16	31	50	66	99+
65+	684	26.7	440	4	5	22	41	61	84	99+
GRAND TOTAL	**6105**	**18.1**	**300**	**2**	**3**	**12**	**26**	**44**	**58**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1737	5.5	29	1	1	4	7	12	15	28
20-34	1134	5.4	32	1	1	3	7	13	17	26
35-49	528	6.3	50	1	1	4	8	15	19	39
50-64	286	7.4	48	1	1	5	10	16	21	33
65+	128	10.5	110	1	1	7	13	22	29	53
B. *Operated*										
0-19 YRS	428	10.3	112	1	2	7	13	24	35	54
20-34	269	9.9	95	1	2	7	12	20	35	53
35-49	151	10.4	79	1	2	8	14	24	30	43
50-64	98	14.3	223	1	2	9	21	30	35	81
65+	54	17.6	208	2	4	14	23	38	48	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3397	6.4	35	1	1	5	9	14	18	29
20-34	2297	6.5	50	1	1	4	9	15	19	33
35-49	1213	7.9	67	1	1	5	10	17	23	44
50-64	864	9.6	91	1	2	7	13	21	25	55
65+	665	13.7	168	2	3	10	17	31	42	67
B. *Operated*										
0-19 YRS	880	13.7	166	1	2	9	20	32	42	61
20-34	792	15.5	238	2	2	11	21	36	50	83
35-49	429	17.5	228	2	3	12	24	41	51	70
50-64	336	21.1	358	2	3	16	28	50	63	99+
65+	246	27.5	419	4	7	22	36	61	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3813	5.9	38	1	1	4	8	13	18	31
B. *Operated*	1000	11.0	122	1	2	8	15	25	35	56
2. MULTIPLE DX										
A. *Not Operated*	8436	7.6	64	1	1	5	10	17	22	41
B. *Operated*	2683	17.0	260	2	3	12	23	40	53	89
1. SINGLE DX	4813	6.9	59	1	1	4	9	16	21	40
2. MULTIPLE DX	11119	9.8	128	1	1	6	12	23	32	62
A. NOT OPERATED	12249	7.0	57	1	1	5	9	16	21	37
B. OPERATED	3683	15.4	230	2	2	10	21	36	49	84
TOTAL 0-19 YRS	6442	7.4	64	1	1	5	9	17	23	41
20-34	4492	8.0	94	1	1	5	10	18	25	52
35-49	2321	9.5	109	1	1	6	12	21	31	55
50-64	1584	11.9	173	1	2	8	16	26	38	82
65+	1093	16.6	255	2	3	11	22	39	54	89
GRAND TOTAL	**15932**	**9.0**	**109**	**1**	**1**	**6**	**11**	**21**	**29**	**58**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	215	3.2	11	1	1	2	4	7	9	20
20-34	265	4.8	27	1	1	3	6	10	15	27
35-49	140	5.8	54	1	1	4	7	12	17	74
50-64	88	7.8	65	1	2	5	10	20	25	40
65+	42	8.5	99	<1	1	7	10	15	30	50
B. *Operated*										
0-19 YRS	454	2.9	7	1	1	2	3	6	8	13
20-34	757	3.7	23	1	1	2	4	7	12	33
35-49	344	4.0	17	1	1	2	5	9	13	24
50-64	173	4.0	40	1	1	2	4	8	11	53
65+	37	4.8	21	<1	1	3	5	13	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	6.3	164	1	1	3	6	10	22	97
20-34	365	7.1	80	1	1	5	9	15	24	97
35-49	234	8.1	89	1	2	5	10	17	23	68
50-64	193	7.7	39	1	2	6	10	16	19	32
65+	240	10.7	99	2	2	8	14	22	31	48
B. *Operated*										
0-19 YRS	497	4.5	77	1	1	2	4	8	16	75
20-34	810	6.7	148	1	1	3	6	18	40	99+
35-49	359	8.1	151	1	1	3	10	22	45	99+
50-64	210	10.2	239	1	1	5	12	27	65	99+
65+	93	17.5	510	1	1	7	25	64	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	750	5.1	38	1	1	3	6	10	17	35
B. *Operated*	1765	3.6	19	1	1	2	4	7	11	26
2. MULTIPLE DX										
A. *Not Operated*	1247	7.9	95	1	1	5	9	16	24	78
B. *Operated*	1969	7.3	165	1	1	3	6	21	44	99+
1. SINGLE DX	2515	4.0	25	1	1	2	4	9	13	29
2. MULTIPLE DX	3216	7.5	138	1	1	4	8	18	35	99+
A. NOT OPERATED	1997	6.9	76	1	1	4	8	14	21	60
B. OPERATED	3734	5.6	99	1	1	3	5	12	25	99
TOTAL 0-19 YRS	1381	4.1	58	1	1	2	4	7	12	69
20-34	2197	5.5	81	1	1	3	6	12	22	84
35-49	1077	6.5	85	1	1	3	7	16	23	99
50-64	664	7.5	111	1	1	4	9	18	26	90
65+	412	11.4	197	1	2	7	13	25	46	78
GRAND TOTAL	**5731**	**6.0**	**92**	**1**	**1**	**3**	**6**	**14**	**23**	**82**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1346	2.6	7	1	1	2	3	5	6	12
20-34	1231	3.6	18	<1	1	2	4	7	10	18
35-49	525	4.4	20	1	1	3	5	9	11	26
50-64	315	5.2	23	1	1	4	6	11	14	25
65+	242	5.9	26	1	1	5	8	13	16	24
B. *Operated*										
0-19 YRS	496	4.8	46	1	1	2	5	9	17	40
20-34	647	5.2	34	1	1	3	6	11	16	31
35-49	316	5.3	39	1	1	3	6	12	17	34
50-64	166	6.0	59	1	1	4	6	14	21	46
65+	73	10.3	194	1	[illegible]	5	13	20	34	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1305	3.6	14	1	1	3	4	7	9	19
20-34	1845	4.4	19	1	1	3	6	9	12	23
35-49	1001	6.0	37	1	1	5	7	11	15	33
50-64	890	6.7	45	1	2	5	8	13	18	34
65+	1437	9.6	76	2	2	7	12	19	25	53
B. *Operated*										
0-19 YRS	610	9.2	149	1	1	5	10	21	35	75
20-34	1006	10.1	163	1	2	6	12	24	40	88
35-49	461	11.8	215	1	2	7	13	31	47	90
50-64	370	12.2	184	2	2	8	15	31	46	99+
65+	283	15.9	237	2	3	12	21	33	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3659	3.6	16	1	1	2	4	7	10	20
B. *Operated*	1698	5.4	48	1	1	3	6	12	18	36
2. MULTIPLE DX										
A. *Not Operated*	6478	6.0	42	1	1	4	7	12	17	34
B. *Operated*	2730	11.1	183	1	2	6	13	27	42	91
1. SINGLE DX	5357	4.2	27	1	1	3	5	9	12	26
2. MULTIPLE DX	9208	7.5	89	1	1	5	9	16	24	59
A. NOT OPERATED	10137	5.1	34	1	1	3	6	11	15	29
B. OPERATED	4428	8.9	139	1	1	5	10	21	34	77
TOTAL 0-19 YRS	3757	4.3	42	1	1	2	5	8	13	37
20-34	4729	5.5	58	1	1	3	6	11	18	44
35-49	2303	6.7	76	1	1	4	8	13	20	50
50-64	1741	7.6	78	1	2	5	9	16	23	54
65+	2035	10.0	104	2	2	7	12	20	28	69
GRAND TOTAL	**14565**	**6.3**	**69**	**1**	**1**	**4**	**7**	**13**	**20**	**48**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8220	2.0	7	<1	1	1	2	4	5	10
20-34	5224	2.4	11	<1	<1	2	3	5	6	15
35-49	1874	2.9	16	<1	1	2	3	5	8	17
50-64	842	3.8	30	<1	1	2	4	8	11	21
65+	643	5.4	25	1	1	4	7	10	14	25
B. *Operated*										
0-19 YRS	34	4.0	78	<1	1	2	3	6	8	53
20-34	97	3.2	15	1	1	2	3	5	10	24
35-49	63	3.5	36	<1	1	2	4	8	9	93
50-64	16	9.6	55	2	3	7	14	20	26	28
65+	21	10.1	67	2	2	9	14	17	28	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7601	4.0	36	<1	1	2	4	8	13	34
20-34	13210	4.6	41	<1	1	3	5	10	15	33
35-49	7073	5.4	46	1	1	3	6	12	17	35
50-64	4535	6.6	52	1	1	4	8	14	20	35
65+	6081	8.1	45	2	2	6	10	15	20	35
B. *Operated*										
0-19 YRS	150	8.3	90	1	1	5	10	22	30	99
20-34	667	8.9	146	1	1	4	11	21	33	74
35-49	465	11.6	169	1	2	8	16	27	38	99+
50-64	373	14.1	162	2	3	10	19	30	40	79
65+	528	15.2	118	3	5	12	20	31	39	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16803	2.4	12	<1	1	2	3	5	7	15
B. *Operated*	231	4.5	42	1	1	2	4	10	15	48
2. MULTIPLE DX										
A. *Not Operated*	38500	5.4	45	1	1	3	6	12	17	34
B. *Operated*	2183	11.9	150	1	2	8	16	28	38	78
1. SINGLE DX	17034	2.5	12	<1	1	2	3	5	7	15
2. MULTIPLE DX	40683	5.8	52	1	1	3	7	13	19	38
A. NOT OPERATED	55303	4.5	36	<1	1	3	5	10	15	31
B. OPERATED	2414	11.1	144	1	2	7	15	27	37	77
TOTAL 0-19 YRS	16005	3.0	23	<1	1	2	3	6	9	26
20-34	19198	4.1	38	<1	1	2	4	9	14	32
35-49	9475	5.2	49	1	1	3	6	12	18	36
50-64	5766	6.7	60	1	1	4	8	15	21	38
65+	7273	8.4	53	1	2	7	10	16	22	39
GRAND TOTAL	**57717**	**4.8**	**43**	**<1**	**1**	**3**	**5**	**11**	**16**	**34**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4294	2.0	5	<1	1	1	2	4	6	13
20-34	2025	2.0	10	<1	1	1	2	4	5	10
35-49	979	2.1	13	<1	1	1	2	4	5	11
50-64	594	2.4	6	1	1	2	3	4	7	15
65+	241	3.0	40	1	1	2	3	5	8	17
B. *Operated*										
0-19 YRS	47	5.2	27	1	2	4	6	10	15	28
20-34	64	6.6	131	<1	1	4	8	12	18	79
35-49	30	6.4	30	<1	1	5	8	15	20	20
50-64	19	6.3	66	1	2	4	6	14	28	36
65+	11	13.5	197	1	2	7	22	38	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2134	3.4	20	1	1	2	4	7	10	22
20-34	1876	3.6	23	<1	1	2	4	7	12	29
35-49	1265	4.1	28	1	1	2	5	9	11	30
50-64	983	4.6	32	1	1	3	6	9	14	30
65+	738	6.5	62	1	1	4	8	15	21	44
B. *Operated*										
0-19 YRS	72	12.7	265	1	2	7	15	33	61	96
20-34	113	11.4	167	1	2	7	16	29	44	99+
35-49	69	13.7	205	1	2	8	21	35	51	94
50-64	86	14.8	198	2	2	12	21	44	81	99+
65+	56	23.9	401	2	5	19	34	55	61	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8133	2.1	8	<1	1	1	2	4	6	12
B. *Operated*	171	6.6	83	1	1	4	7	12	20	39
2. MULTIPLE DX										
A. *Not Operated*	6996	4.1	29	1	1	2	5	8	13	30
B. *Operated*	396	14.6	245	1	2	9	20	38	57	99+
1. SINGLE DX	8304	2.2	10	<1	1	1	2	4	6	13
2. MULTIPLE DX	7392	4.6	46	1	1	2	5	10	15	38
A. NOT OPERATED	15129	3.0	19	<1	1	2	3	6	9	21
B. OPERATED	567	12.1	209	1	2	7	16	32	49	99+
TOTAL 0-19 YRS	6547	2.6	14	<1	1	1	3	5	7	20
20-34	4078	3.0	25	<1	1	2	3	6	10	28
35-49	2343	3.6	31	<1	1	2	4	7	11	30
50-64	1682	4.4	38	1	1	3	5	9	15	37
65+	1046	6.7	95	1	1	3	7	15	23	51
GRAND TOTAL	**15696**	**3.3**	**29**	**<1**	**1**	**2**	**3**	**7**	**11**	**30**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1967	2.9	11	1	1	2	3	6	8	16
20-34	1191	2.8	9	<1	1	2	3	6	8	15
35-49	781	3.0	10	<1	1	2	4	6	8	20
50-64	549	3.6	14	1	1	2	4	8	10	19
65+	443	4.9	34	1	1	3	6	9	13	24
B. *Operated*										
0-19 YRS	28	6.9	51	1	1	6	9	13	18	37
20-34	67	8.1	69	1	1	5	12	18	27	90
35-49	61	10.4	241	1	2	5	10	21	44	86
50-64	48	13.5	237	2	2	7	18	36	46	71
65+	41	15.6	187	2	2	13	25	34	56	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1806	4.5	38	1	1	3	5	9	14	28
20-34	1449	4.2	26	1	1	3	5	9	12	25
35-49	1315	4.9	30	1	1	3	6	10	13	26
50-64	1855	6.2	48	1	1	4	8	13	17	33
65+	2955	7.7	42	1	2	6	10	15	20	32
B. *Operated*										
0-19 YRS	83	14.9	312	<1	1	7	26	43	64	99+
20-34	175	10.8	222	1	2	6	13	23	38	81
35-49	219	14.1	233	1	2	8	19	36	46	94
50-64	354	16.4	315	2	2	10	22	44	65	99+
65+	424	17.5	250	2	3	13	24	39	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4931	3.1	13	1	1	2	4	6	9	18
B. *Operated*	245	10.9	169	1	2	7	14	26	39	88
2. MULTIPLE DX										
A. *Not Operated*	9380	5.9	40	1	1	4	7	12	17	30
B. *Operated*	1255	15.5	269	1	2	10	22	39	57	99+
1. SINGLE DX	5176	3.5	23	1	1	2	4	7	10	23
2. MULTIPLE DX	10635	7.0	77	1	1	4	8	15	22	48
A. NOT OPERATED	14311	4.9	33	1	1	3	6	11	15	27
B. OPERATED	1500	14.7	256	1	2	9	20	37	52	99+
TOTAL 0-19 YRS	3884	3.9	34	1	1	2	4	8	12	31
20-34	2882	4.1	35	1	1	2	5	9	12	28
35-49	2376	5.3	57	1	1	3	6	11	17	43
50-64	2806	7.1	93	1	1	4	8	15	24	59
65+	3863	8.6	77	1	2	6	11	18	24	47
GRAND TOTAL	**15811**	**5.9**	**62**	**1**	**1**	**3**	**7**	**13**	**19**	**43**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	218	3.9	15	<1	1	2	5	8	11	21
20-34	329	3.8	20	<1	<1	2	5	8	12	25
35-49	190	5.9	58	1	1	3	7	13	19	47
50-64	285	6.5	56	1	1	4	8	13	21	35
65+	457	7.2	57	1	1	5	10	16	23	42
B. *Operated*										
0-19 YRS	1287	5.5	38	1	1	4	7	12	16	34
20-34	2311	4.1	23	<1	1	2	5	9	13	24
35-49	1694	6.3	58	1	1	3	8	15	21	39
50-64	2785	8.7	79	1	2	6	12	19	25	45
65+	5493	8.4	86	1	2	5	11	20	25	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	254	5.4	28	1	1	4	6	11	17	31
20-34	453	5.9	51	1	1	4	7	12	17	42
35-49	352	6.8	43	1	1	5	8	15	20	33
50-64	514	8.3	91	1	1	5	10	17	25	57
65+	993	8.7	69	1	2	6	11	18	26	43
B. *Operated*										
0-19 YRS	1284	9.5	100	1	2	6	12	21	32	54
20-34	2497	7.0	90	1	1	4	8	17	24	54
35-49	2523	9.0	110	1	2	5	12	21	30	58
50-64	4659	11.5	146	1	2	8	15	27	36	65
65+	9112	11.8	159	2	2	8	15	27	39	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1479	5.6	45	<1	1	4	7	12	18	37
B. *Operated*	13570	7.2	69	1	1	4	9	17	23	42
2. MULTIPLE DX										
A. *Not Operated*	2566	7.5	64	1	1	5	10	16	23	42
B. *Operated*	20075	10.7	140	1	2	7	14	25	35	64
1. SINGLE DX	15049	7.0	67	1	1	4	9	17	23	41
2. MULTIPLE DX	22641	10.3	133	1	2	6	13	24	33	63
A. NOT OPERATED	4045	6.8	58	1	1	4	9	15	21	41
B. OPERATED	33645	9.3	114	1	2	5	12	22	30	57
TOTAL 0-19 YRS	3043	7.1	66	1	1	4	8	16	23	44
20-34	5590	5.5	57	<1	1	3	6	12	19	40
35-49	4759	7.8	86	1	1	4	10	18	25	49
50-64	8243	10.2	119	1	2	6	13	23	31	57
65+	16055	10.3	129	2	2	6	13	24	33	61
GRAND TOTAL	**37690**	**9.0**	**109**	**1**	**2**	**5**	**11**	**21**	**29**	**56**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1214	1.8	3	<1	1	1	2	3	4	8
20-34	1609	2.7	4	1	1	2	3	5	6	10
35-49	824	3.4	12	1	1	3	4	6	9	15
50-64	877	3.7	6	1	1	3	5	6	8	13
65+	1103	4.5	12	1	1	4	6	8	10	15
B. *Operated*										
0-19 YRS	977	2.1	17	<1	1	1	2	4	5	13
20-34	1454	2.9	7	<1	1	2	4	6	8	12
35-49	709	3.7	16	1	1	3	4	7	10	17
50-64	389	4.5	15	1	1	3	6	8	13	20
65+	358	5.6	18	1	1	5	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	221	2.8	7	<1	1	2	3	6	8	14
20-34	531	3.6	8	1	1	3	5	7	9	15
35-49	368	4.3	11	1	1	3	5	8	10	22
50-64	563	5.2	22	1	2	4	6	9	13	24
65+	1042	5.8	22	1	2	5	7	10	14	27
B. *Operated*										
0-19 YRS	158	4.2	22	<1	1	2	5	9	15	23
20-34	534	4.9	22	1	1	4	6	11	14	23
35-49	357	6.2	37	1	1	4	8	12	17	36
50-64	345	7.8	62	1	1	5	10	17	25	46
65+	458	9.5	99	2	2	6	12	19	25	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5627	3.1	8	1	1	2	4	6	8	13
B. *Operated*	3887	3.3	14	<1	1	2	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	2725	4.8	18	1	1	4	6	9	12	23
B. *Operated*	1852	6.8	55	1	1	5	9	15	19	40
1. SINGLE DX	9514	3.2	10	1	1	2	4	6	8	14
2. MULTIPLE DX	4577	5.6	34	1	1	4	7	11	15	30
A. NOT OPERATED	8352	3.7	12	1	1	3	5	7	9	16
B. OPERATED	5739	4.4	30	1	1	3	5	9	13	25
TOTAL 0-19 YRS	2570	2.2	10	<1	1	1	2	4	5	13
20-34	4128	3.2	9	1	1	2	4	6	8	15
35-49	2258	4.1	18	1	1	3	5	8	11	21
50-64	2174	4.9	23	1	1	4	6	9	13	26
65+	2961	5.9	32	1	2	4	7	11	15	28
GRAND TOTAL	**14091**	**4.0**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	454	5.4	15	1	2	5	7	10	12	21
20-34	846	5.8	18	2	2	5	7	10	12	20
35-49	684	6.9	36	2	2	5	8	13	16	32
50-64	547	8.0	32	2	3	7	10	15	19	30
65+	377	8.6	45	2	3	7	10	16	21	38
B. *Operated*										
0-19 YRS	408	7.3	32	1	2	6	10	15	19	27
20-34	705	8.2	51	2	2	6	10	16	22	38
35-49	559	8.7	61	2	2	7	11	19	24	44
50-64	531	10.2	97	2	2	8	13	22	28	53
65+	363	12.7	160	2	3	9	16	26	38	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	235	6.7	30	2	2	5	8	14	16	30
20-34	548	7.1	38	2	2	5	8	14	18	35
35-49	529	7.9	38	2	3	7	10	15	19	30
50-64	686	9.5	63	2	3	8	12	17	23	48
65+	762	11.6	98	3	4	9	14	23	29	61
B. *Operated*										
0-19 YRS	183	10.5	85	2	3	7	14	22	28	44
20-34	570	11.7	120	2	3	8	14	26	34	56
35-49	544	13.6	175	2	3	10	17	30	43	78
50-64	757	15.5	190	2	3	11	20	35	43	74
65+	662	16.8	191	3	4	13	22	35	47	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2908	6.8	29	2	2	5	8	13	16	29
B. *Operated*	2566	9.2	78	2	2	7	12	19	25	46
2. MULTIPLE DX										
A. *Not Operated*	2760	9.1	63	2	3	7	11	17	24	41
B. *Operated*	2716	14.3	170	2	3	10	19	31	42	74
1. SINGLE DX	5474	7.9	53	2	2	6	10	16	21	39
2. MULTIPLE DX	5476	11.7	123	2	3	8	14	25	34	61
A. NOT OPERATED	5668	7.9	47	2	2	6	10	15	20	36
B. OPERATED	5282	11.8	131	2	3	9	15	25	35	63
TOTAL 0-19 YRS	1280	7.0	36	1	2	5	9	15	19	29
20-34	2669	7.9	57	2	2	6	9	15	22	42
35-49	2316	9.1	81	2	2	7	11	18	26	53
50-64	2521	11.1	110	2	3	8	14	23	32	56
65+	2164	12.9	136	2	3	10	16	27	35	71
GRAND TOTAL	**10950**	**9.8**	**92**	**2**	**2**	**7**	**12**	**20**	**28**	**52**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	3.1	10	<1	1	2	3	7	10	16
20-34	426	4.5	16	1	1	3	6	9	12	22
35-49	358	5.6	19	1	1	4	8	12	14	19
50-64	359	7.2	38	1	1	6	9	15	18	30
65+	298	8.1	83	1	2	6	10	16	20	39
B. *Operated*										
0-19 YRS	376	4.3	22	<1	1	3	5	10	13	23
20-34	1009	5.5	43	1	1	3	7	12	16	35
35-49	825	6.5	57	1	1	4	8	14	18	41
50-64	890	7.3	67	1	2	5	9	16	22	42
65+	777	7.8	68	1	2	5	10	18	25	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	246	4.8	62	1	1	3	5	10	13	37
20-34	653	5.2	27	1	1	4	7	11	15	29
35-49	660	7.1	45	1	2	5	9	14	19	39
50-64	802	8.7	72	1	2	6	11	18	22	40
65+	971	9.9	88	2	2	7	13	20	28	55
B. *Operated*										
0-19 YRS	350	7.1	72	1	1	5	9	16	22	47
20-34	965	9.0	103	1	2	6	11	20	28	62
35-49	1113	10.3	101	2	2	7	13	23	33	58
50-64	1606	12.9	190	2	2	9	16	31	42	79
65+	1797	13.7	198	2	2	9	18	30	42	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1587	5.9	36	1	1	4	8	12	16	29
B. *Operated*	3877	6.5	55	1	1	4	8	14	20	37
2. MULTIPLE DX										
A. *Not Operated*	3332	7.8	65	1	2	5	10	16	21	44
B. *Operated*	5831	11.7	158	1	2	8	15	27	38	77
1. SINGLE DX	5464	6.3	50	1	1	4	8	13	18	36
2. MULTIPLE DX	9163	10.2	128	1	2	7	13	23	33	65
A. NOT OPERATED	4919	7.2	56	1	1	5	9	15	19	40
B. OPERATED	9708	9.6	124	1	2	6	12	22	32	64
TOTAL 0-19 YRS	1118	5.2	47	1	1	3	6	11	16	31
20-34	3053	6.4	58	1	1	4	8	13	20	43
35-49	2956	8.0	70	1	2	5	10	17	24	50
50-64	3657	10.0	126	1	2	6	12	22	32	64
65+	3843	11.1	142	1	2	8	14	25	34	70
GRAND TOTAL	**14627**	**8.8**	**103**	**1**	**2**	**6**	**11**	**19**	**28**	**58**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	132	3.1	4	1	1	3	4	5	6	10
20-34	83	3.9	10	1	1	3	5	8	10	18
35-49	38	4.1	9	<1	1	4	5	8	11	12
50-64	31	4.9	26	<1	<1	4	7	10	13	25
65+	27	3.2	10	1	1	2	5	8	12	12
B. ***Operated***										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	14	12.4	281	2	3	5	12	32	57	64
35-49	23	9.9	57	2	2	7	13	23	27	31
50-64	13	11.3	126	1	2	6	20	32	32	32
65+	3	4.3	2	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	132	3.3	4	1	1	3	4	6	7	11
20-34	90	4.9	18	1	1	4	7	10	11	25
35-49	94	5.9	41	1	1	4	7	11	16	40
50-64	122	6.0	57	1	1	4	8	14	22	74
65+	135	5.8	32	1	1	4	8	11	15	34
B. ***Operated***										
0-19 YRS	16	6.4	21	1	2	6	10	12	15	16
20-34	35	8.3	68	1	1	5	12	22	24	38
35-49	40	8.6	51	1	2	7	11	17	24	34
50-64	49	11.0	169	2	2	7	14	21	42	69
65+	45	16.5	313	2	2	11	18	47	62	72
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	311	3.6	9	1	1	3	5	7	9	13
B. ***Operated***	57	10.0	123	2	2	6	11	25	31	62
2. MULTIPLE DX										
A. ***Not Operated***	573	5.1	31	1	1	4	7	10	14	34
B. ***Operated***	185	10.9	156	1	2	7	13	22	35	67
1. SINGLE DX	368	4.6	32	1	1	3	5	9	12	31
2. MULTIPLE DX	758	6.5	68	1	1	4	8	13	19	52
A. NOT OPERATED	884	4.6	24	1	1	3	6	9	12	25
B. OPERATED	242	10.7	148	1	2	7	13	23	32	65
TOTAL 0-19 YRS	284	3.4	5	1	1	3	4	6	8	12
20-34	222	5.5	43	1	1	4	7	11	14	34
35-49	195	6.6	42	1	1	5	8	13	18	35
50-64	215	7.3	87	1	1	5	9	16	24	66
65+	210	7.7	110	1	1	5	9	16	23	63
GRAND TOTAL	**1126**	**5.9**	**57**	**1**	**1**	**4**	**7**	**12**	**17**	**42**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.3	4	<1	<1	1	3	6	6	6
20-34	356	2.0	6	<1	<1	1	2	3	6	8
35-49	110	1.9	2	<1	<1	2	2	3	4	8
50-64	3	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	289	2.1	3	<1	<1	2	2	4	4	7
20-34	34092	1.9	3	<1	<1	2	2	3	4	6
35-49	13802	1.9	4	<1	<1	2	2	3	4	6
50-64	141	1.7	3	<1	<1	1	2	3	4	26
65+	40	1.7	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.2	6	<1	<1	1	2	6	7	7
20-34	524	1.6	9	<1	<1	1	1	3	4	9
35-49	192	1.8	3	<1	<1	1	2	3	6	14
50-64	3	2.0	1	<1	<1	2	3	3	3	3
65+	2	14.5	365	1	1	14	28	28	28	28
B. *Operated*										
0-19 YRS	230	3.0	10	<1	<1	2	3	6	7	22
20-34	19270	2.5	6	<1	<1	2	3	5	6	9
35-49	9955	2.5	6	<1	<1	2	3	5	6	9
50-64	73	2.3	4	<1	1	2	3	4	6	12
65+	36	2.4	4	1	1	2	3	5	6	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	477	1.9	5	<1	<1	1	2	3	5	8
B. *Operated*	48364	1.9	3	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	727	1.7	9	<1	<1	1	1	3	5	10
B. *Operated*	29564	2.5	6	<1	<1	2	3	5	6	9
1. SINGLE DX	48841	1.9	3	<1	<1	2	2	3	4	6
2. MULTIPLE DX	30291	2.4	6	<1	<1	2	3	5	6	9
A. NOT OPERATED	1204	1.8	7	<1	<1	1	2	3	5	9
B. OPERATED	77928	2.1	4	<1	<1	2	2	4	5	8
TOTAL 0-19 YRS	533	2.5	6	<1	<1	2	3	4	6	10
20-34	54242	2.1	4	<1	<1	2	2	4	5	8
35-49	24059	2.1	4	<1	<1	2	2	4	5	8
50-64	220	1.9	4	<1	<1	1	2	3	4	14
65+	78	2.4	11	<1	1	2	2	4	5	24
GRAND TOTAL	**79132**	**2.1**	**4**	**<1**	**<1**	**2**	**2**	**4**	**5**	**8**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	407	3.5	12	1	2	3	4	6	6	9
1000-1499	120	7.9	129	<1	<1	3	6	32	40	99+
1500-1749	129	12.0	141	<1	<1	6	21	26	32	46
1750-2499	13672	3.8	8	1	2	3	4	6	8	16
2500+	727199	3.3	2	1	2	3	4	5	6	8
B. *Operated*										
1-999 G	3	2.3	1	<1	<1	3	3	3	3	3
1000-1499	2	53.5	221	43	43	53	64	64	64	64
1500-1749	1	29.0		29	29	29	29	29	29	29
1750-2499	23	9.1	60	<1	1	6	13	21	27	28
2500+	525	3.9	5	2	2	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	566	22.6	991	<1	<1	5	61	85	99	99+
1000-1499	1896	33.6	414	<1	<1	35	47	59	67	88
1500-1749	2438	23.1	131	<1	6	23	29	36	40	53
1750-2499	31107	8.1	42	2	3	6	11	17	21	29
2500+	271455	4.2	5	2	2	4	5	7	8	12
B. *Operated*										
1-999 G	187	52.2	1109	<1	1	71	99	99+	99+	99+
1000-1499	854	46.2	405	1	24	47	61	77	94	99+
1500-1749	542	32.0	236	5	16	31	38	53	66	99+
1750-2499	1932	16.4	130	3	5	15	21	29	36	79
2500+	5584	7.8	63	2	3	6	9	14	20	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	741527	3.3	2	1	2	3	4	5	6	8
B. *Operated*	554	4.4	19	2	2	3	5	6	8	26
2. MULTIPLE DX										
A. *Not Operated*	307462	4.9	24	2	2	4	5	7	11	27
B. *Operated*	9099	15.6	310	2	3	8	20	44	62	99+
1. SINGLE DX	742081	3.3	2	1	2	3	4	5	6	8
2. MULTIPLE DX	316561	5.2	35	2	2	4	6	8	12	34
A. NOT OPERATED	1048989	3.8	9	2	2	3	4	6	7	15
B. OPERATED	9653	14.9	300	2	3	8	19	42	61	99+
TOTAL 1-999 G	1163	20.6	929	<1	<1	4	61	92	99+	99+
1000-1499	2872	36.3	467	<1	1	38	51	65	75	99+
1500-1749	3110	24.2	167	<1	5	24	31	38	45	70
1750-2499	46734	7.2	43	2	2	5	9	16	20	30
2500+	1004763	3.5	4	2	2	3	4	6	7	9
GRAND TOTAL	**1058642**	**3.9**	**13**	**2**	**2**	**3**	**4**	**6**	**7**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	6	5.5	12	2	2	5	8	11	11	11
1000-1499	15	19.5	353	<1	<1	25	36	39	48	51
1500-1749	36	17.3	68	<1	3	18	22	26	28	39
1750-2499	1829	5.4	13	2	2	4	6	9	12	19
2500+	6530	4.6	4	2	2	4	6	7	8	10
B. *Operated*										
1-999 G	1	1.0		<1	<1	<1	<1	<1	<1	<1
1000-1499	2	16.5	481	<1	<1	16	32	32	32	32
1500-1749	1	21.0		21	21	21	21	21	21	21
1750-2499	6	8.2	55	2	2	5	13	20	21	21
2500+	7	4.0	4	<1	<1	4	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	63	23.2	1137	<1	<1	3	73	96	99+	99+
1000-1499	362	34.7	366	<1	<1	36	46	60	67	86
1500-1749	582	23.7	101	5	12	24	29	35	41	58
1750-2499	4494	10.1	43	3	4	8	14	19	23	30
2500+	3249	5.5	7	2	3	5	7	8	10	15
B. *Operated*										
1-999 G	42	45.0	1217	<1	<1	65	88	99+	99+	99+
1000-1499	153	43.0	411	<1	14	45	55	70	84	99+
1500-1749	123	29.6	184	1	15	30	37	44	55	81
1750-2499	250	18.2	153	4	5	17	23	31	36	79
2500+	80	9.4	117	2	3	6	13	16	19	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8416	4.8	8	2	2	4	6	7	9	16
B. *Operated*	17	7.8	78	<1	<1	5	8	21	28	32
2. MULTIPLE DX										
A. *Not Operated*	8750	10.4	101	3	3	7	13	22	30	53
B. *Operated*	648	26.9	433	1	4	23	40	62	78	99+
1. SINGLE DX	8433	4.8	8	2	2	4	6	7	9	16
2. MULTIPLE DX	9398	11.5	141	3	3	7	15	26	36	66
A. NOT OPERATED	17166	7.7	63	2	3	5	8	16	23	43
B. OPERATED	665	26.4	433	1	4	23	39	61	78	99+
TOTAL 1-999 G	112	30.2	1236	<1	<1	10	77	99+	99+	99+
1000-1499	532	36.6	400	<1	<1	38	49	64	72	99+
1500-1749	742	24.4	120	3	12	24	30	37	42	62
1750-2499	6579	9.1	47	3	3	7	12	18	22	30
2500+	9866	4.9	6	2	3	5	6	7	8	13
GRAND TOTAL	**17831**	**8.4**	**90**	**2**	**3**	**5**	**8**	**18**	**27**	**53**

Distribution Tables

Table 1 displays total U.S. patients and days of care (after exclusions*) in each of the diagnosis groups except those for deliveries (groups 270-287) and newborn (groups 393-395). Also shown is the corresponding rate per 10,000 discharges and the rate per 10,000 days of care (excluding deliveries and newborn).

Table 1

Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List A: Hospital Diagnosis Groups 1979

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
1	Intestinal infectious disease	44,002	45.5	203	28.6
2	Respiratory tuberculosis	4,408	4.6	73	10.2
3	Nonrespiratory tuberculosis	917	0.9	13	1.9
4.	Streptococcal sore throat and scarlet fever	5,925	6.1	22	3.1
5	Septicemia	9,877	10.2	137	19.3
6	Miscellaneous bacterial diseases	4,379	4.5	42	6.0
7	Poliomyelitis and other enteroviral diseases of central nervous system	8,048	8.3	41	5.7
8	Viral diseases with exanthem	12,459	12.9	89	12.5
9	Viral hepatitis	9,561	9.9	84	11.8
10	Infectious mononucleosis	8,802	9.1	47	6.6
11	Viral warts	9,242	9.6	26	3.6
12	Miscellaneous viral diseases	24,590	25.5	111	15.6
13	Rickettsioses and other arthropod-borne diseases	1,347	1.4	8	1.2
14	Syphilis and other venereal diseases	4,524	4.7	27	3.8
15	Mycoses	3,473	3.6	35	4.9
16	Helminthiases	823	0.9	5	0.7
17	Miscellaneous infective and parasitic diseases	5,285	5.5	42	5.8
18	Late effects of infectious and parasitic diseases	375	0.4	4	0.5

---

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
19	Malignant neoplasm of lip, oral cavity, and pharynx	10,888	11.3	112	15.8
20	Malignant neoplasm of esophagus	3,762	3.9	58	8.2
21	Malignant neoplasm of stomach	7,393	7.7	126	17.8
22	Malignant neoplasm of small intestine	871	0.9	16	2.2
23	Malignant neoplasm of colon	31,020	32.1	525	73.8
24	Malignant neoplasm of rectum, rectosigmoid junction and anus	17,370	18.0	297	41.8
25	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	5,194	5.4	84	11.7
26	Malignant neoplasm of pancreas	7,278	7.5	126	17.7
27	Malignant neoplasm of bronchus, lung, and trachea	53,623	55.5	700	98.4
28	Other malignant neoplasm of respiratory system and thoracic cavity	7,712	8.0	83	11.7
29	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	5,642	5.8	58	8.2
30	Malignant melanoma of skin, excluding genital organs	5,285	5.5	43	6.0
31	Other malignant neoplasm of skin, excluding genital organs	11,635	12.0	60	8.5
32	Malignant neoplasm of breast (female) (male)	45,939	47.5	469	66.0
33	Malignant neoplasm of cervix uteri excluding carcinoma in situ	11,000	11.4	88	12.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
34	Malignant neoplasm of corpus uteri	16,148	16.7	136	19.2
35	Malignant neoplasm of ovary	10,687	11.1	115	16.1
36	Malignant neoplasm of other female genital organs	2,206	2.3	26	3.6
37	Malignant neoplasm of prostate	34,890	36.1	369	51.9
38	Malignant neoplasm of male genitalia, except prostate	2,731	2.8	22	3.1
39	Malignant neoplasm of bladder	29,683	30.7	248	34.8
40	Malignant neoplasm of kidney and other urinary organs	7,299	7.6	106	14.9
41	Malignant neoplasm of eye	751	0.8	4	0.6
42	Malignant neoplasm of brain	5,497	5.7	97	13.7
43	Malignant neoplasm of other parts of nervous system	481	0.5	9	1.2
44	Malignant neoplasm of endocrine glands	4,150	4.3	32	4.5
45	Malignant neoplasm of ill-defined and secondary sites	62,122	64.3	758	106.5
46	Hodgkin's disease	5,389	5.6	51	7.1
47	Lymphoid leukemia	5,098	5.3	52	7.3
48	Leukemia, except lymphoid	7,237	7.5	87	12.3
49	Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	21,089	21.8	249	35.0
50	Benign neoplasm of lip, oral cavity, and pharynx	5,008	5.2	21	2.9
51	Benign neoplasm of other parts of digestive system	18,202	18.8	119	16.7
52	Benign neoplasm of respiratory system and intrathoracic organs	3,159	3.3	16	2.3
53	Benign neoplasm of bone, muscle, and connective tissue	27,300	28.3	103	14.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
54	Benign neoplasm of skin, blood vessels, and miscellaneous sites	12,500	12.9	46	6.5
55	Benign neoplasm of breast	16,452	17.0	43	6.0
56	Uterine leiomyoma	60,817	62.9	443	62.3
57	Benign neoplasm of uterus, except leiomyoma	1,901	2.0	10	1.5
58	Benign neoplasm of ovary	9,110	9.4	71	9.9
59	Benign neoplasm of female genitalia, except uterus and ovary	905	0.9	4	0.6
60	Benign neoplasm of male genital organ	637	0.7	3	0.4
61	Benign neoplasm of urinary organ	1,506	1.6	7	1.0
62	Benign neoplasm of eye	466	0.5	1	0.2
63	Benign neoplasm of central nervous system	3,225	3.3	55	7.7
64	Benign neoplasm of thyroid glands	7,852	8.1	41	5.7
65	Benign neoplasm of endocrine glands, except thyroid	2,130	2.2	23	3.3
66	Carcinoma in situ of cervix	13,481	14.0	73	10.3
67	Carcinoma in situ, except cervix uteri	4,580	4.7	34	4.8
68	Neoplasms of uncertain behavior and unspecified nature	21,274	22.0	160	22.4
69	Simple and non-toxic nodular goiter	8,994	9.3	51	7.2
70	Other diseases of thyroid gland	15,530	16.1	120	16.8
71	Diabetes mellitus without complication	80,254	83.1	733	103.1
72	Diabetic acidosis or coma	18,113	18.7	153	21.5
73	Other complicated diabetes mellitus	47,044	48.7	543	76.3
74	Ovarian dysfunction	3,696	3.8	17	2.4

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
75 Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	18,047	18.7	132	18.5
76 Nutritional deficiencies	3,341	3.5	44	6.2
77 Cystic fibrosis	1,248	1.3	13	1.9
78 Obesity of nonendocrine origin	8,527	8.8	81	11.4
79 Miscellaneous metabolic disorders	10,153	10.5	76	10.7
80 Gout	4,619	4.8	35	5.0
81 Disorders of fluid, electrolyte, and acid-base balance	27,186	28.1	249	35.0
82 Iron deficiency anemia	15,239	15.8	128	18.0
83 Sickle-cell anemia and trait	6,949	7.2	50	7.0
84 Anemia except iron deficiency and sickle-cell	26,356	27.3	219	30.8
85 Hemophilia (congenital factor VIII disorder)	754	0.8	5	0.7
86 Disease of hematopoietic system, except anemia and hemophilia	13,111	13.6	112	15.8
87 Nonspecific mesenteric lymphadenitis	12,221	12.6	41	5.8
88 Lymphatic disease, except acute lyphadenitis and mesenteric adenitis	4,263	4.4	20	2.8
89 Transient organic psychotic conditions	1,564	1.6	20	2.8
90 Chronic organic brain syndrome, except arteriosclerotic dementia	24,192	25.0	302	42.5
91 Arteriosclerotic dementia	2,283	2.4	32	4.5
92 Alcoholic psychoses	10,957	11.3	89	12.6
93 Drug psychoses	2,243	2.3	21	2.9
94 Paranoid schizophrenia	17,159	17.8	275	38.6
95 Acute schizophrenic episode	1,556	1.6	24	3.4
96 Miscellaneous schizophrenia	32,228	33.4	537	75.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
97	Childhood psychosis	132	0.1	3	0.4
98	Major depressive psychoses	19,908	20.6	339	47.7
99	Other affective psychoses	13,937	14.4	235	33.0
100	Miscellaneous psychoses	15,142	15.7	229	32.2
101	Anxiety states	20,037	20.7	135	19.0
102	Neurotic depression	55,160	57.1	723	101.6
103	Miscellaneous neuroses and personality disorders	19,020	19.7	196	27.5
104	Alcoholic dependence syndrome	74,022	76.6	841	118.2
105	Opioid dependence	3,067	3.2	39	5.5
106	Drug dependence except opioid	2,943	3.0	46	6.4
107	Nondependent abuse of alcohol	6,255	6.5	24	3.4
108	Nondependent abuse of drugs, except alcohol	2,055	2.1	18	2.6
109	Psychophysiologic disorder	9,037	9.4	52	7.4
110	Adjustment reactions and acute reactions to stress	17,203	17.8	152	21.4
111	Miscellaneous mental disorders	29,450	30.5	302	42.5
112	Mental retardation	1,484	1.5	17	2.3
113	Inflammatory diseases of central nervous system	7,572	7.8	101	14.1
114	Parkinson's disease	7,479	7.7	96	13.5
115	Multiple sclerosis	6,590	6.8	79	11.1
116	Epilepsy	18,925	19.6	114	16.1
117	Miscellaneous disease of central nervous system	38,235	39.6	410	57.7
118	Migraine	14,859	15.4	74	10.4
119	Carpal tunnel syndrome and other lesions of median nerve	29,398	30.4	93	13.1
120	Peripheral nervous system disorder, except sciatica	40,295	41.7	273	38.4
121	Retinal detachment and defects	11,462	11.9	66	9.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
122 Open angle and primary closure glaucoma	7,001	7.2	31	4.3
123 Other glaucoma	3,460	3.6	17	2.3
124 Senile cataract	133,514	138.2	506	71.1
125 Cataract, except senile	5,170	5.4	18	2.5
126 Strabismus	19,678	20.4	43	6.1
127 Miscellaneous disorders of superficial structures of eye	25,495	26.4	81	11.5
128 Miscellaneous disorders of deep structures of eye	16,124	16.7	79	11.1
129 Other disorders of eye	2,850	2.9	13	1.9
130 Otitis media, chronic and unspecified	64,951	67.2	145	20.4
131 Other inflammation of ear and mastoid	12,082	12.5	38	5.4
132 Vertiginous syndromes	19,199	19.9	103	14.5
133 Otosclerosis	7,447	7.7	21	2.9
134 Miscellaneous diseases of ear	19,521	20.2	53	7.5
135 Rheumatic fever, acute	2,345	2.4	22	3.1
136 Chronic rheumatic heart disease	12,895	13.3	125	17.6
137 Essential hypertension	58,878	60.9	418	58.8
138 Hypertensive heart disease	31,356	32.5	306	43.0
139 Miscellaneous hypertensive disease	6,771	7.0	70	9.9
140 Acute myocardial infarction	119,295	123.5	1,770	248.8
141 Angina pectoris	77,141	79.8	515	72.4
142 Other acute and subacute forms of ischemic heart disease	49,591	51.3	420	59.1
143 Miscellaneous ischemic heart disease	149,929	155.2	1,303	183.2
144 Pulmonary embolism and infarction	18,875	19.5	257	36.1
145 Acute and subacute endocarditis	1,553	1.6	48	6.7

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	3	2.3		2	2	2	3	3	3	3
1000-1499	4	15.0	227	<1	<1	15	28	29	29	29
1500-1749	4	15.5	78	3	3	18	21	23	23	23
1750-2499	114	4.3	12	1	2	3	5	10	12	18
2500+	1829	2.8	2	1	1	3	3	4	5	8
B. *Operated*										
1-999 G										
1000-1499	1	56.0		56	56	56	56	56	56	56
1500-1749										
1750-2499										
2500+	4	3.5	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	3	3.3	16	<1	<1	8	99+	99+	99+	99+
1000-1499	43	36.5	459	<1	<1	36	51	66	73	81
1500-1749	54	24.0	105	5	13	23	28	37	42	53
1750-2499	351	10.0	61	2	2	8	14	21	25	35
2500+	726	4.5	12	1	2	4	5	8	11	20
B. *Operated*										
1-999 G	6	80.8	106	71	72	90	99+	99+	99+	99+
1000-1499	18	39.2	512	1	1	44	66	99+	99+	99+
1500-1749	11	33.6	127	23	24	31	42	73	96	99+
1750-2499	34	17.2	122	2	3	17	22	27	42	50
2500+	58	9.1	106	1	2	6	10	17	30	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1954	3.0	4	1	1	3	3	4	6	10
B. *Operated*	5	14.0	553	2	2	4	18	56	56	56
2. MULTIPLE DX										
A. *Not Operated*	1177	8.2	97	1	2	4	9	20	29	53
B. *Operated*	127	21.1	464	1	3	13	36	72	99	99+
1. SINGLE DX	1959	3.0	5	1	1	3	3	4	6	10
2. MULTIPLE DX	1304	9.5	147	1	2	5	11	24	37	79
A. NOT OPERATED	3131	4.9	45	1	1	3	4	10	17	37
B. OPERATED	132	20.8	465	1	3	13	35	72	98	99+
TOTAL 1-999 G	12	41.8	1711	<1	1	75	99+	99+	99+	99+
1000-1499	66	36.2	477	<1	1	39	52	72	83	99+
1500-1749	69	25.0	122	3	13	24	29	41	46	92
1750-2499	499	9.2	64	2	2	6	13	20	25	37
2500+	2617	3.4	8	1	1	3	4	6	8	13
GRAND TOTAL	**3263**	**5.6**	**72**	**1**	**1**	**3**	**5**	**12**	**22**	**52**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	2.7	6	<1	1	2	3	6	8	12
20-34	149	2.4	4	<1	1	2	3	4	5	7
35-49	85	2.8	6	<1	<1	2	3	5	7	15
50-64	56	3.5	16	<1	1	2	4	6	10	27
65+	45	9.8	331	<1	1	4	11	20	79	99+
B. *Operated*										
0-19 YRS	3679	2.9	17	<1	1	2	3	5	6	12
20-34	5165	2.8	4	<1	1	2	3	5	6	11
35-49	2198	3.1	10	<1	1	2	3	5	7	16
50-64	2010	3.6	14	1	1	3	4	6	9	19
65+	1306	5.6	41	1	2	4	6	11	15	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	3.1	23	<1	<1	2	3	6	10	31
20-34	56	2.9	12	<1	<1	1	3	7	11	17
35-49	40	3.3	14	<1	<1	2	5	6	7	23
50-64	34	4.8	29	<1	<1	3	5	13	17	21
65+	28	7.8	90	1	1	2	12	24	29	34
B. *Operated*										
0-19 YRS	615	3.9	13	1	1	3	5	7	10	20
20-34	849	4.5	25	1	2	3	5	8	12	26
35-49	555	4.8	28	1	2	3	5	10	14	22
50-64	641	6.1	52	1	2	4	7	14	17	42
65+	753	10.5	119	2	2	7	13	22	31	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	490	3.4	40	<1	1	2	3	6	9	25
B. *Operated*	14360	3.2	14	<1	1	2	4	5	8	17
2. MULTIPLE DX										
A. *Not Operated*	212	4.0	30	<1	<1	2	4	10	17	30
B. *Operated*	3413	6.1	55	1	2	4	7	13	19	41
1. SINGLE DX	14850	3.2	15	<1	1	2	4	5	8	17
2. MULTIPLE DX	3625	5.9	54	1	1	4	6	13	19	40
A. NOT OPERATED	702	3.6	37	<1	<1	2	4	7	11	28
B. OPERATED	17773	3.8	23	1	1	3	4	7	10	23
TOTAL 0-19 YRS	4503	3.0	16	<1	1	2	3	5	6	14
20-34	6219	3.0	8	<1	1	2	3	5	7	14
35-49	2878	3.4	14	<1	1	2	4	6	9	18
50-64	2741	4.2	24	1	1	3	5	8	12	28
65+	2134	7.4	81	1	2	5	9	16	22	49
GRAND TOTAL	**18475**	**3.8**	**23**	**<1**	**1**	**3**	**4**	**7**	**10**	**23**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.0		1	1	1	1	1	1	1
20-34	12	1.8	1	<1	<1	2	2	3	4	4
35-49	34	1.9	1	<1	<1	2	2	3	5	6
50-64	70	1.7	2	1	1	1	2	2	5	9
65+	38	1.7	7	<1	1	1	1	2	3	17
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	7	2.0	1	<1	<1	2	3	3	3	3
35-49	4	2.8	5	<1	<1	2	4	6	6	6
50-64	14	1.5	1	<1	<1	1	1	3	5	5
65+	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	1.8	5	<1	1	1	2	3	5	16
20-34	488	1.4	2	<1	1	1	1	2	3	6
35-49	406	1.6	3	<1	<1	1	2	2	3	11
50-64	1243	1.5	2	<1	<1	1	2	2	3	8
65+	1067	1.6	3	1	1	1	2	2	3	10
B. *Operated*										
0-19 YRS	30	3.0	14	<1	<1	2	4	5	6	21
20-34	97	4.6	73	<1	<1	1	4	10	19	51
35-49	135	3.3	26	<1	<1	<1	4	9	10	27
50-64	190	4.2	52	<1	<1	<1	4	11	19	48
65+	92	6.7	92	<1	<1	3	7	16	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	1.7	3	<1	1	1	2	2	4	9
B. *Operated*	28	2.2	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	3354	1.5	3	<1	<1	1	2	2	3	9
B. *Operated*	544	4.4	55	<1	<1	2	4	10	19	46
1. SINGLE DX	189	1.8	3	<1	1	1	2	3	5	9
2. MULTIPLE DX	3898	1.9	11	<1	<1	1	2	3	5	17
A. NOT OPERATED	3515	1.6	3	<1	<1	1	2	2	3	9
B. OPERATED	572	4.3	53	<1	<1	2	4	10	18	44
TOTAL 0-19 YRS	188	2.0	6	<1	<1	1	2	4	5	17
20-34	604	1.9	15	<1	<1	1	2	3	5	18
35-49	579	2.0	9	<1	<1	1	2	3	6	17
50-64	1517	1.8	9	<1	<1	1	2	3	4	17
65+	1199	2.0	12	1	1	1	2	3	4	17
GRAND TOTAL	**4087**	**1.9**	**11**	**<1**	**<1**	**1**	**2**	**3**	**5**	**17**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6487	2.7	16	<1	<1	1	3	5	8	19
20-34	9550	2.2	10	<1	<1	1	2	4	6	15
35-49	2863	3.1	21	<1	<1	2	4	6	9	22
50-64	3439	3.5	27	<1	1	2	4	7	11	30
65+	3024	6.3	97	1	1	3	7	16	31	99+
B. *Operated*										
0-19 YRS	3380	2.9	17	<1	<1	2	3	6	9	19
20-34	11935	2.9	11	<1	<1	2	3	6	8	15
35-49	5730	3.6	15	<1	1	2	4	8	11	18
50-64	4797	4.4	24	1	1	2	6	11	13	22
65+	5036	4.6	30	1	1	2	6	11	14	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5058	4.0	47	<1	<1	2	4	8	13	40
20-34	7793	4.3	47	<1	<1	2	5	8	15	38
35-49	6885	5.2	53	<1	1	3	5	12	19	40
50-64	14308	5.2	59	1	1	3	5	11	19	42
65+	14652	7.9	121	1	1	4	9	20	31	84
B. *Operated*										
0-19 YRS	1854	5.1	64	<1	1	3	5	11	19	62
20-34	10105	4.0	35	<1	1	2	4	8	11	33
35-49	7228	4.9	49	<1	<1	3	6	11	15	39
50-64	8244	6.5	79	1	1	3	8	15	22	56
65+	9914	7.1	85	1	1	3	9	16	24	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25363	3.1	27	<1	<1	2	3	6	10	31
B. *Operated*	30878	3.5	18	<1	<1	2	4	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	48696	5.8	76	<1	1	3	6	13	22	55
B. *Operated*	37345	5.6	64	<1	1	3	7	13	19	48
1. SINGLE DX	56241	3.3	22	<1	<1	2	3	8	11	23
2. MULTIPLE DX	86041	5.7	71	<1	1	3	6	13	21	52
A. NOT OPERATED	74059	4.8	61	<1	<1	2	5	11	19	49
B. OPERATED	68223	4.7	44	<1	1	2	5	11	15	36
TOTAL 0-19 YRS	16779	3.4	31	<1	<1	2	3	7	11	30
20-34	39383	3.3	25	<1	<1	2	4	6	10	25
35-49	22706	4.4	39	<1	1	2	5	10	14	33
50-64	30788	5.3	56	1	1	3	6	12	18	42
65+	32626	7.0	95	1	1	4	8	17	26	69
GRAND TOTAL	**142282**	**4.8**	**53**	**<1**	**<1**	**2**	**5**	**11**	**17**	**43**

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
146	Paroxysmal supraventricular tachycardia	9,878	10.2	50	7.1
147	Atrial fibrillation and flutter	33,541	34.7	243	34.2
148	Other arrhythmia and conduction disorders	59,826	61.9	498	70.0
149	Heart failure	133,282	137.9	1,478	207.8
150	Miscellaneous diseases of heart	42,868	44.4	386	54.3
151	Cardiovascular disease, unspecified	17,597	18.2	177	24.9
152	Subarachnoid hemorrhage without paralysis	2,085	2.2	47	6.6
153	Subarachnoid hemorrhage with paralysis	129	0.1	5	0.7
154	Intracerebral hemorrhage without paralysis	3,804	3.9	71	10.0
155	Intracerebral hemorrhage with paralysis	718	0.7	21	2.9
156	Precerebral artery occlusion without paralysis	17,130	17.7	169	23.8
157	Precerebral occlusion with paralysis	830	0.9	15	2.2
158	Occlusion of cerebral arteries, thrombosis and embolism without paralysis	17,525	18.1	258	36.2
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	6,471	6.7	133	18.7
160	Transient cerebral ischemia without paralysis	50,705	52.5	389	54.6
161	Acute, but ill-defined, cerebrovascular disease without paralysis	40,539	42.0	611	85.9
162	Acute, but ill-defined, cerebrovascular disease with paralysis	13,260	13.7	267	37.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
163	Other and ill-defined cerebrovascular disease	35,480	36.7	380	53.4
164	Atherosclerosis	20,362	21.1	265	37.3
165	Aortic aneurysm	10,542	10.9	152	21.3
166	Aneurysm except aortic	2,596	2.7	35	5.0
167	Arterial embolism and thrombosis	18,242	18.9	242	34.0
168	Miscellaneous diseases of arteries	20,155	20.9	241	33.9
169	Phlebitis and thrombophlebitis	48,488	50.2	512	72.0
170	Varicose veins of lower extremities	27,241	28.2	231	32.5
171	Hemorrhoids	54,894	56.8	328	46.2
172	Miscellaneous diseases of veins and circulatory system	26,155	27.1	225	31.7
173	Acute URI except streptococcal	83,925	86.9	327	46.0
174	Bronchitis and bronchiolitis, acute	79,430	82.2	482	67.7
175	Deviated nasal septum	41,665	43.1	118	16.6
176	Nasal polyp	6,660	6.9	19	2.7
177	Chronic disease of tonsils and adenoids	185,695	192.2	360	50.6
178	Miscellaneous diseases of upper respiratory system	45,146	46.7	160	22.5
179	Pneumonia	196,466	203.3	1,627	228.8
180	Influenza	12,797	13.2	66	9.2
181	Bronchitis, chronic and unspecified	49,239	51.0	339	47.7
182	Emphysema	15,061	15.6	152	21.4
183	Asthma	98,950	102.4	597	84.0
184	Miscellaneous obstructive lung diseases	67,026	69.4	669	94.1
185	Spontaneous pneumothorax	10,306	10.7	86	12.1
186	Miscellaneous lung and pleural diseases	53,800	55.7	512	72.0

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
187	Disease of teeth and jaws	73,154	75.7	181	25.4
188	Disease of mouth, except dental	10,919	11.3	50	7.0
189	Diseases of esophagus	36,229	37.5	255	35.9
190	Gastric ulcer without complication	19,941	20.6	172	24.1
191	Gastric ulcer with hemorrhage or perforation	11,800	12.2	128	18.0
192	Nongastric peptic ulcer without complication	42.538	44.0	302	42.5
193	Nongastric peptic ulcer with hemorrhage or perforation	24,704	25.6	234	32.9
194	Peptic ulcer with obstruction	4,138	4.3	61	8.6
195	Gastritis and duodenitis	83,397	86.3	495	69.7
196	Disease of stomach and duodenum, except ulcer and inflammation	22,426	23.2	156	21.9
197	Acute appendicitis without peritonitis	54,359	56.3	253	35.6
198	Acute appendicitis with peritonitis	19,100	19.8	190	26.7
199	Disease of appendix, except acute appendicitis	10,922	11.3	57	8.0
200	Inguinal hernia without complication	153,037	158.4	730	102.6
201	Inguinal hernia, complicated	9,473	9.8	63	8.8
202	Umbilical hernia without complication	12,340	12.8	53	7.4
203	Ventral hernia without complication	22,390	23.2	167	23.4
204	Diaphragmatic hernia without complication	36.418	37.7	250	35.1
205	Other hernia of abdominal cavity without complication	4,727	4.9	31	4.3
206	Complicated hernia of abdominal cavity, except inguinal	10,926	11.3	102	14.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
207	Intestinal obstruction without mention of hernia	39,533	40.9	448	63.1
208	Noninfectious gastroenteritis and colitis	143,510	148.5	695	97.7
209	Diverticula of intestine	63,333	65.5	562	79.0
210	Anal fissure, fistula, and abscess	32,891	34.0	167	23.5
211	Miscellaneous diseases of intestine and peritoneum	113,749	117.7	898	126.2
212	Alcoholic liver disease	14,279	14.8	192	27.1
213	Other cirrhosis and chronic liver disease	14,018	14.5	153	21.5
214	Miscellaneous diseases of liver	11,592	12.0	122	17.1
215	Gallbladder disease with calculus	134,463	139.2	1,302	183.1
216	Gallbladder disease without mention of calculus	40,982	42.4	370	52.0
217	Diseases of bile ducts with calculus	10,263	10.6	127	17.9
218	Diseases of bile ducts without mention of calculus	6,194	6.4	80	11.3
219	Diseases of pancreas	34,416	35.6	355	49.9
220	Gastrointestinal hemorrhage	35,900	37.2	302	42.4
221	Intestinal malabsorption	3,103	3.2	32	4.5
222	Chronic glomerulonephritis and nephrotic syndrome	5,817	6.0	54	7.6
223	Miscellaneous nephritis and functional disorders	1,384	1.4	11	1.6
224	Chronic renal failure	13,269	13.7	140	19.7
225	Other renal failure	5,375	5.6	75	10.6
226	Acute pyelonephritis	15,135	15.7	104	14.7
227	Miscellaneous kidney infections	18,290	18.9	136	19.1
228	Calculus of kidney	26,594	27.5	182	25.5
229	Calculus of ureter	69,126	71.5	345	48.5
230	Miscellaneous diseases of kidney and ureter	22,342	23.1	185	26.0

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
231	Urinary calculus, except kidney and ureter	8,933	9.2	55	7.8
232	Cystitis	38,879	40.2	205	28.8
233	Urethral stricture	35,333	36.6	143	20.1
234	Miscellaneous urinary diseases	105,221	108.9	667	93.7
235	Hyperplasia of prostate	88,976	92.1	791	111.2
236	Diseases of prostate, except hypertrophy	14,736	15.3	69	9.7
237	Hydrocele	10,165	10.5	41	5.8
238	Orchitis and epididymitis	9,645	10.0	58	8.1
239	Redundant prepuce and phimosis	19,255	19.9	47	6.6
240	Miscellaneous diseases of male genital organs	17,862	18.5	68	9.6
241	Benign mammary dysplasia	52,574	54.4	156	21.9
242	Miscellaneous diseases of breast	20,590	21.3	76	10.6
243	Ovarian cyst	37,240	38.5	216	30.4
244	Pelvic inflammatory disease	65,002	67.3	390	54.8
245	Endometriosis	40,030	41.4	260	36.6
246	Inflammatory disease of cervix uteri	16,220	16.8	70	9.8
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	18,771	19.4	66	9.3
248	Genital prolapse	58,313	60.4	486	68.3
249	Metrorrhagia	7,921	8.2	24	3.4
250	Other disorders of menstruation	128,423	132.9	439	61.7
251	Menopausal and postmenopausal disorders	25,363	26.3	76	10.7
252	Miscellaneous diseases of female genitalia	71,159	73.6	306	43.1
253	Signs and symptoms referable to female genital organs	48,838	50.5	265	37.3
254	Ectopic pregnancy	13,749	14.2	81	11.5
255	Legally induced abortion	48,424	50.1	78	11.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
256	Other induced abortion	91	0.1		0.0
257	Spontaneous and unspecified abortion	83,445	86.4	153	21.5
258	Other pregnancy with abortive outcome	12,437	12.9	30	4.2
259	Threatened abortion	11,635	12.0	33	4.6
260	Other early pregnancy hemorrhage	890	0.9	2	0.3
261	Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	8,928	9.2	35	4.9
262	Excessive vomiting in pregnancy	9,025	9.3	36	5.1
263	False labor	52,644	54.5	69	9.7
264	Placenta previa without delivery	3,385	3.5	13	1.8
265	Other antepartum hemorrhage without delivery	4,733	4.9	12	1.7
266	Infections of pregnancy without delivery	8,022	8.3	29	4.1
267	Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	6,885	7.1	32	4.5
268	Miscellaneous complications of pregnancy without delivery	20,818	21.5	66	9.2
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	7,112	7.4	40	5.6
288	Major puerperal infections	1,766	1.8	8	1.2
289	Puerperal hemorrhage (after 24 hrs.)	4,678	4.8	11	1.5
290	Other puerperal complications	2,886	3.0	12	1.7

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
291 Cellulitis and abscess, except digit	49,264	51.0	416	58.5
292 Miscellaneous infections of skin and subcutaneous tissue	15,198	15.7	113	15.8
293 Pilonidal cyst	19,359	20.0	86	12.1
294 Sebaceous cyst	8,630	8.9	22	3.1
295 Miscellaneous diseases of skin and subcutaneous tissue	68,776	71.2	601	84.6
296 Diffuse diseases of connective tissue	6,707	6.9	79	11.0
297 Rheumatoid arthritis, except spine	22,277	23.1	256	36.0
298 Osteoarthrosis (osteoarthritis), except spine	48,590	50.3	611	85.9
299 Other arthropathies	15,245	15.8	147	20.7
300 Internal derangement of knee joint	46,879	48.5	227	31.9
301 Other disorders of joint	36,115	37.4	204	28.7
302 Ankylosing spondylitis	767	0.8	7	1.0
303 Spondylosis and allied disorders	31,466	32.6	294	41.3
304 Derangement and displacement of lumbar disc	98,806	102.3	1,041	146.4
305 Derangement and displacement of intervertebral disc, except lumbar	28,056	29.0	271	38.1
306 Sacroiliac joint disorder	13,734	14.2	119	16.7
307 Sciatica	7,643	7.9	73	10.3
308 Other dorsopathies	80,127	82.9	693	97.4
309 Bursitis and synovitis, except spine	41,188	42.6	188	26.5
310 Bunion and deformities of toe	38,223	39.6	184	25.9
311 Ganglion and cyst	24,035	24.9	65	9.1
312 Osteomyelitis	8,377	8.7	141	19.8
313 Localized disorders of bone and cartilage	50,025	51.8	449	63.1

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
314	Acquired deformities of limbs, except toe	8,620	8.9	45	6.3
315	Neuralgia, neuritis, and radiculitis, unspecified	3,966	4.1	34	4.8
316	Miscellaneous disorders of musculoskeletal system	53,969	55.9	323	45.4
317	Somatic dysfunction	1,650	1.7	13	1.8
318	Congenital anomaly of nervous system	2,128	2.2	20	2.8
319	Congenital anomaly of eye, ear, face, and neck	9,299	9.6	26	3.7
320	Congenital anomaly of heart and circulatory system	10,044	10.4	70	9.8
321	Cleft palate and lip	2,923	3.0	12	1.7
322	Congenital hypertrophic pyloric stenosis	2,140	2.2	10	1.4
323	Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	6,254	6.5	40	5.7
324	Undescended testicle	7,383	7.6	26	3.6
325	Miscellaneous congenital anomalies of genitourinary system	12,154	12.6	70	9.8
326	Clubfoot	3,936	4.1	19	2.6
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	24,524	25.4	151	21.2
328	Perinatal conditions causing morbidity and mortality	11,266	11.7	75	10.5
329	Convulsions	44,153	45.7	240	33.7
330	Pyrexia of unknown origin	18,430	19.1	118	16.6
331	Headache	24,243	25.1	129	18.2
332	Epistaxis	13,169	13.6	65	9.2

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
333	Signs and symptoms referable to the cardiovascular system, except gangrene	9,957	10.3	51	7.1
334	Gangrene	8,776	9.1	190	26.7
335	Chest pain	82,485	85.4	392	55.1
336	Other signs and symptoms referable to respiratory system and chest	16,204	16.8	105	14.8
337	Signs and symptoms referable to urinary system	23,556	24.4	137	19.3
338	Abdominal pain	90,476	93.6	429	60.4
339	Other signs and symptoms referable to upper GI tract and abdomen	20,241	20.9	133	18.7
340	Miscellaneous signs, symptoms, and ill-defined conditions	111,329	115.2	717	100.8
341	Fracture of vault of skull	7,686	8.0	55	7.8
342	Fracture of base of skull	5,163	5.3	41	5.7
343	Fracture of face bones	32,005	33.1	138	19.5
344	Fracture of vertebral column without mention of spinal cord injury	28,543	29.5	315	44.3
345	Fracture of vertebral column with cord injury	1,808	1.9	38	5.3
346	Fracture of ribs, sternum, larynx and trachea	18,682	19.3	155	21.8
347	Fracture of pelvis	14,592	15.1	239	33.6
348	Fracture of humerus	24,980	25.9	208	29.3
349	Fracture of radius and ulna	38,411	39.8	168	23.7
350	Miscellaneous fractures of upper extremity	18,080	18.7	64	9.0
351	Fracture of neck of femur	64,926	67.2	1,320	185.6
352	Other femoral fracture	18,072	18.7	440	61.8
353	Fracture of tibia and fibula	29,683	30.7	284	39.9
354	Miscellaneous fractures of lower extremity	50,279	52.0	366	51.4
355	Fracture of other bones	6,154	6.4	39	5.5

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
356	Fracture of multiple bones	551	0.6	7	0.9
357	Dislocation of shoulder	7,163	7.4	29	4.1
358	Dislocation of knee	36,668	38.0	190	26.7
359	Other dislocation	9,705	10.0	72	10.1
360	Sprains and strains of knee and leg	11,291	11.7	61	8.6
361	Sprains and strains of sacroiliac region	47,938	49.6	384	54.0
362	Sprains and strains of other and unspecified parts of back	43,271	44.8	309	43.4
363	Other sprains and strains	16,347	16.9	77	10.9
364	Concussion	65,726	68.0	242	34.1
365	Intracranial injury, except concussion	21,788	22.6	174	24.5
366	Internal injury to thoracic region	5,701	5.9	51	7.2
367	Internal injury, except chest	13,906	14.4	133	18.7
368	Laceration or enucleation of eye	6,227	6.4	27	3.8
369	Other laceration of head and neck	24,345	25.2	106	14.9
370	Other laceration of trunk and multiple and unspecified sites	13,132	13.6	81	11.4
371	Open wound of upper limb	35,490	36.7	124	17.4
372	Open wound of lower limb	16,440	17.0	108	15.2
373	Injury to blood vessels	1,622	1.7	14	1.9
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	17,224	17.8	114	16.0
375	Contusion of eye and adnexa	5,678	5.9	26	3.6
376	Other superficial injuries	55,654	57.6	281	39.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
377 Miscellaneous crushing injury	4,231	4.4	29	4.1
378 Foreign body on external eye	420	0.4	1	0.2
379 Foreign body entering through other body orifice	10,444	10.8	32	4.5
380 Third degree burns	6,105	6.3	110	15.5
381 Other burns	15,932	16.5	143	20.1
382 Injury to nerve and spinal cord	5,731	5.9	34	4.8
383 Certain traumatic complications and unspecified injuries	14,565	15.1	91	12.8
384 Poisoning by drugs, medicinal, and biological substances	57,717	59.7	276	38.8
385 Toxic effects of substances chiefly nonmedicinal as to source	15,696	16.2	52	7.3
386 Miscellaneous adverse effects	15,811	16.4	93	13.0
387 Complications peculiar to certain specified procedures	37,690	39.0	339	47.7
388 Hemorrhage or hematoma complicating a procedure	14,091	14.6	56	7.9
389 Postoperative wound infection	10,950	11.3	107	15.1
390 Other complications of surgical procedures	14,627	15.1	128	18.0
391 Other complications of medical care, except drugs	1,126	1.2	7	0.9
392 Admission for prophylactic sterilization	79,132	81.9	168	23.6
396 Aftercare for removal of internal fixation device	18,475	19.1	69	9.7
397 Aftercare involving intermittent dialysis	4,087	4.2	8	1.1

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
398	Admission for special examinations and miscellaneous reasons	142,282	147.3	677	95.2
	All patients except deliveries and newborn	9,662,039	10,000.0	71,123	10,000.0

For each of the four regions and for the United States as a whole, Tables 2 and 3 display frequency rankings of patients and total stay according to diagnosis group. The diagnosis groups are listed in their rank order for the U.S. as a whole. Delivery and newborn groups are excluded, as are deaths, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 2

Ranking of *ICD-9-CM* List A Diagnosis Groups by Live Discharges
U.S. PAS Hospitals, 1979
(Deliveries and Births Excluded)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	**Number of Patients (2)**	**Rank (3)**	**Northeast (4)**	**North Central (5)**	**South (6)**	**West (7)**
179 Pneumonia	196,466	1	1	1	1	2
177 Chronic disease of tonsils and adenoids	185,695	2	3	2	2	1
200 Inguinal hernia without complication	153,037	3	2	5	5	3
143 Miscellaneous ischemic heart disease	149,929	4	12	3	3	6
208 Noninfectious gastroenteritis and colitis	143,510	5	13	4	4	9
398 Admission for special examinations and miscellaneous reasons	142,282	6	5	7	11	4
215 Gallbladder disease with calculus	134,463	7	9	6	8	7
124 Senile cataract	133,514	8	6	11	10	5
149 Heart failure	133,282	9	4	8	14	10
250 Other disorders of menstruation	128,423	10	8	9	6	19
140 Acute myocardial infarction	119,295	11	7	13	13	11
211 Miscellaneous diseases of intestine and peritoneum	113,749	12	17	10	12	14
340 Miscellaneous signs, symptoms, and ill-defined conditions	111,329	13	21	12	9	12

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
234 Miscellaneous urinary diseases	105,221	14	22	14	7	21
183 Asthma	98,950	15	14	15	20	13
304 Derangement and displacement of lumbar disc	98,806	16	23	16	17	8
338 Abdominal pain	90,476	17	32	22	15	17
235 Hyperplasia of prostate	88,976	18	15	25	21	15
173 Acute URI except streptococcal	83,925	19	33	18	22	26
257 Spontaneous and unspecified abortion	83,445	20	18	20	28	27
195 Gastritis and duodenitis	83,397	21	37	17	19	40
335 Chest pain	82,485	22	40	27	16	18
071 Diabetes mellitus without complication	80,254	23	25	19	24	56
308 Other dorsopathies	80,127	24	39	24	26	16
174 Bronchitis and bronchiolitis, acute	79,430	25	35	21	25	30
392 Admission for prophylactic sterilization	79,132	26	24	26	23	35
141 Angina pectoris	77,141	27	29	28	27	20
104 Alcoholic dependence syndrome	74,022	28	16	23	51	34
187 Disease of teeth and jaws	73,154	29	10	30	31	92
252 Miscellaneous diseases of female genitalia	71,159	30	27	29	32	33
229 Calculus of ureter	69,126	31	43	44	18	38
295 Miscellaneous diseases of skin and subcutaneous tissue	68,776	32	30	31	33	37
184 Miscellaneous obstructive lung diseases	67,026	33	38	40	30	24
364 Concussion	65,726	34	19	34	63	28

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
244	Pelvic inflammatory disease	65,002	35	50	33	35	36
130	Otitis media, chronic and unspecified	64,951	36	42	43	29	32
351	Fracture of neck of femur	64,926	37	31	41	41	23
209	Diverticula of intestine	63,333	38	36	37	34	51
045	Malignant neoplasm of ill-defined and secondary sites	62,122	39	26	38	54	29
056	Uterine leiomyoma	60,817	40	28	52	38	44
148	Other arrhythmia and conduction disorders	59,826	41	34	45	44	39
137	Essential hypertension	58,878	42	58	32	37	91
248	Genital prolapse	58,313	43	60	47	36	43
384	Poisoning by drugs, medicinal, and biological substances	57,717	44	44	46	56	25
376	Other superficial injuries	55,654	45	62	39	49	45
102	Neurotic depression	55,160	46	79	36	42	64
171	Hemorrhoids	54,894	47	52	51	39	68
197	Acute appendicitis without peritonitis	54,359	48	53	53	55	31
316	Miscellaneous disorders of musculoskeletal system	53,969	49	63	42	53	47
186	Miscellaneous lung and pleural diseases	53,800	50	49	48	43	52
027	Malignant neoplasm of bronchus, lung, and trachea	53,623	51	46	59	45	49
263	False labor	52,644	52	61	35	78	58
241	Benign mammary dysplasia	52,574	53	55	60	40	69

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
160 Transient cerebral ischemia without paralysis	50,705	54	45	56	64	59
354 Miscellaneous fractures of lower extremity	50,279	55	59	55	67	42
313 Localized disorders of bone and cartilage	50,025	56	64	57	59	41
142 Other acute and subacute forms of ischemic heart disease	49,591	57	20	78	66	86
291 Cellulitis and abscess, except digit	49,264	58	47	62	62	60
181 Bronchitis, chronic and unspecified	49,239	59	87	54	46	81
253 Signs and symptoms referable to female genital organs	48,838	60	65	64	48	54
298 Osteoarthrosis (osteoarthritis), except spine	48,590	61	81	49	70	46
169 Phlebitis and thrombophlebitis	48,488	62	51	61	57	75
255 Legally induced abortion	48,424	63	11	96	96	79
361 Sprains and strains of sacroiliac region	47,938	64	83	50	52	80
073 Other complicated diabetes mellitus	47,044	65	56	48	83	89
300 Internal derangement of knee joint	46,879	66	66	65	90	22
032 Malignant neoplasm of breast (female) (male)	45,939	67	48	71	72	61

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals Number of Patients (2)	Rank (3)	Rank by Region Northeast (4)	North Central (5)	South (6)	West (7)
178	Miscellaneous diseases of upper respiratory system	45,146	68	57	73	61	70
329	Convulsions	44,153	69	54	70	68	83
001	Intestinal infectious disease	44,002	70	77	76	58	57
362	Sprains and strains of other and unspecified parts of back	43,271	71	90	68	60	74
150	Miscellaneous diseases of heart	42,868	72	76	69	71	63
192	Nongastric peptic ulcer without complication	42,538	73	108	67	47	107
175	Deviated nasal septum	41,665	74	41	84	93	67
309	Bursitis and synovitis, except spine	41,188	75	71	75	80	66
216	Gallbladder disease without mention of calculus	40,982	76	85	72	65	96
161	Acute, but ill-defined, cerebrovascular disease without paralysis	40,539	77	73	82	69	77
120	Peripheral nervous system disorder, except sciatica	40,295	78	101	74	77	62
245	Endometriosis	40,030	79	96	79	73	65
207	Intestinal obstruction without mention of hernia	39,533	80	67	85	84	55
232	Cystitis	38,879	81	97	66	76	131
349	Fracture of radius and ulna	38,411	82	84	77	100	72
117	Miscellaneous disease of central nervous system	38,235	83	75	80	88	76
310	Bunion and deformities of toe	38,223	84	93	63	123	71

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
387 Complications peculiar to certain specified procedures	37,690	85	70	97	95	48
243 Ovarian cyst	37,240	86	80	87	82	85
358 Dislocation of knee	36,668	87	105	90	92	53
204 Diaphragmatic hernia without complication	36,418	88	122	89	50	127
189 Diseases of esophagus	36,229	89	102	88	74	98
301 Other disorders of joint	36,115	90	104	86	104	50
220 Gastrointestinal hemorrhage	35,900	91	68	98	87	84
371 Open wound of upper limb	35,490	92	94	92	98	73
163 Other and ill-defined cerebrovascular disease	35,480	93	98	83	81	104
233 Urethral stricture	35,333	94	114	81	75	114
037 Malignant neoplasm of prostate	34,890	95	91	99	85	78
219 Diseases of pancreas	34,416	96	86	94	86	97
147 Atrial fibrillation and flutter	33,541	97	82	103	99	82
210 Anal fissure, fistula, abscess	32,891	98	89	102	89	99
096 Miscellaneous schizophrenia	32,228	99	78	100	113	87
343 Fracture of face bones	32,005	100	92	104	103	88
303 Spondylosis and allied disorders	31,466	101	129	91	97	102
138 Hypertensive heart disease	31,356	102	103	101	79	136
023 Malignant neoplasm of colon	31,020	103	69	106	106	101
039 Malignant neoplasm of bladder	29,683	104	72	107	128	100

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
353	Fracture of tibia and fibula	29,683	105	106	105	110	90
111	Miscellaneous mental disorders	29,450	106	140	95	94	118
119	Carpal tunnel syndrome and other lesions of median nerve	29,398	107	119	93	136	94
344	Fracture of vertebral column without mention of spinal cord injury	28,543	108	113	108	111	93
305	Derangement and displacement of intervertebral disc, except lumbar	28,056	109	125	111	105	95
053	Benign neoplasm of bone, muscle, and connective tissue	27,300	110	100	113	107	121
170	Varicose veins of lower extremities	27,241	111	95	109	127	120
081	Disorders of fluid, electrolyte, and acid-base balance	27,186	112	115	110	109	103
228	Calculus of kidney	26,594	113	118	112	101	147
084	Anemia except iron deficiency and sickle-cell	26,356	114	99	117	115	125
172	Miscellaneous diseases of veins and circulatory system	26,155	115	112	115	118	110
127	Miscellaneous disorders of superficial structures of eye	25,495	116	74	140	125	116

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
251 Menopausal and postmenopausal disorders	25,363	117	88	129	119	154
348 Fracture of humerus	24,980	118	123	114	133	106
193 Nongastric peptic ulcer with hemorrhage or perforation	24,704	119	117	127	124	108
012 Miscellaneous viral diseases	24,590	120	109	130	116	119
327 Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	24,524	121	124	120	132	105
369 Other laceration of head and neck	24,345	122	133	118	130	112
331 Headache	24,243	123	227	116	91	163
090 Chronic organic brain syndrome, except arterioslerotic dementia	24,192	124	120	128	117	122
311 Ganglion and cyst	24,035	125	132	121	112	153
337 Signs and symptoms referable to urinary system	23,556	126	107	126	122	185
196 Disease of stomach and duodenum, except ulcer and inflammation	22,426	127	220	122	102	177
203 Ventral hernia without complication	22,390	128	127	132	135	126
230 Miscellaneous diseases of kidney and ureter	22,342	129	136	133	121	141

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
297	Rheumatoid arthritis, except spine	22,277	130	151	125	131	130
365	Intracranial injury, except concussion	21,788	131	145	123	143	132
068	Neoplasms of uncertain behavior and unspecified nature	21,274	132	110	139	144	157
049	Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	21,089	133	126	137	145	144
268	Miscellaneous complications of preganancy without delivery	20,818	134	146	124	168	129
242	Miscellaneous diseases of breast	20,590	135	134	153	129	143
164	Atherosclerosis	20,362	136	168	134	142	124
339	Other signs and symptoms referable to upper GI tract and abdomen	20,241	137	177	145	120	148
168	Miscellaneous diseases of arteries	20,155	138	121	150	141	161
101	Anxiety states	20,037	139	192	119	139	194
190	Gastric ulcer without complication	19,941	140	174	136	126	187
098	Major depressive psychoses	19,908	141	130	131	174	155
126	Strabismus	19,678	142	135	143	146	149
134	Miscellaneous diseases of ear	19,521	143	162	151	140	128
293	Pilonidal cyst	19,359	144	111	147	159	195
239	Redundant prepuce and phimosis	19,255	145	137	160	114	250
132	Vertiginous syndromes	19,199	146	173	135	147	156

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
198 Acute appendicitis with peritonitis	19,100	147	142	155	164	117
103 Miscellaneous neuroses and personality disorders	19,020	148	164	138	163	140
116 Epilepsy	18,925	149	150	144	150	151
144 Pulmonary embolism and infarction	18,875	150	138	158	151	150
247 Inflammatory disease of vulva, vagina, and uterus, except cervix	18,771	151	141	141	149	188
346 Fracture of ribs, sternum, larynx and trachea	18,682	152	153	149	160	134
396 Aftercare for removal of internal fixation device	18,475	153	139	159	187	115
330 Pyrexia of unknown origin	18,430	154	161	168	134	158
227 Miscellaneous kidney infections	18,290	155	172	148	137	183
167 Arterial embolism and thrombosis	18,242	156	131	175	169	137
051 Benign neoplasm of other parts of digestive system	18,202	157	116	173	155	204
072 Diabetic acidosis or coma	18,113	158	154	161	158	145
350 Miscellaneous fractures of upper extremity	18,080	159	165	146	179	123
352 Other femoral fracture	18,072	160	158	164	156	142
075 Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	18,047	161	160	142	152	179

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
240	Miscellaneous diseases of male genital organs	17,862	162	163	157	148	175
151	Cardiovascular disease, unspecified	17,597	163	186	200	108	200
158	Occlusion of cerebral arteries, thrombosis and embolism without paralysis	17,525	164	144	171	162	160
024	Malignant neoplasm of rectum, rectosigmoid junction and anus	17,370	165	128	167	191	172
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	17,224	166	219	154	165	135
110	Adjustment reactions and acute reactions to stress	17,203	167	188	156	180	133
094	Paranoid schizophrenia	17,159	168	149	186	196	109
156	Precerebral artery occlusion without paralysis	17,130	169	203	178	167	113
055	Benign neoplasm of breast	16,452	170	143	195	138	221
372	Open wound of lower limb	16,440	171	193	179	154	169
363	Other sprains and strains	16,347	172	195	163	194	138
246	Inflammatory disease of cervix uteri	16,220	173	176	152	170	215
336	Other signs and symptoms referable to respiratory system and chest	16,204	174	178	183	157	181

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
034	Malignant neoplasm of corpus uteri	16,148	175	148	172	202	159
128	Miscellaneous disorders of deep structures of eye	16,124	176	159	192	171	146
381	Other burns	15,932	177	185	166	175	189
386	Miscellaneous adverse effects	15,811	178	180	170	182	178
385	Toxic effects of substances chiefly nonmedicinal as to source	15,696	179	190	181	176	173
070	Other diseases of thyroid gland	15,530	180	194	169	161	216
299	Other arthropathies	15,245	181	213	184	178	166
082	Iron deficiency anemia	15,239	182	167	177	173	220
292	Miscellaneous infections of skin and subcutaneous tissue	15,198	183	156	188	184	191
100	Miscellaneous psychoses	15,142	184	184	187	185	176
226	Acute pyelonephritis	15,135	185	228	180	166	182
182	Emphysema	15,061	186	205	174	183	192
118	Migraine	14,859	187	247	165	172	203
236	Diseases of prostate, except hypertrophy	14,736	188	223	176	153	246
390	Other complications of surgical procedures	14,627	189	199	198	197	139
347	Fracture of pelvis	14,592	190	181	190	201	168
383	Certain traumatic complications and unspecified injuries	14,565	191	179	191	181	198
212	Alcoholic liver disease	14,279	192	147	208	214	152
388	Hemorrhage or hematoma complicating a procedure	14,091	193	218	194	192	170

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
213	Other cirrhosis and chronic liver disease	14,018	194	152	201	193	206
099	Other affective psychoses	13,937	195	201	185	217	174
367	Internal injury, except chest	13,906	196	191	204	195	164
254	Ectopic pregnancy	13,749	197	187	206	200	165
306	Sacroiliac joint disorder	13,734	198	241	162	220	197
066	Carcinoma in situ of cervix	13,481	199	208	202	188	199
224	Chronic renal failure	13,269	200	157	228	189	196
162	Acute, but ill-defined, cerebrovascular disease with paralysis	13,260	201	166	210	198	201
332	Epistaxis	13,169	202	204	196	205	202
370	Other laceration of trunk and multiple and unspecified sites	13,132	203	202	211	177	213
086	Disease of hematopoietic system, except anemia and hemophilia	13,111	204	183	199	210	205
136	Chronic rheumatic heart disease	12,895	205	175	205	226	180
180	Influenza	12,797	206	317	189	203	162
054	Benign neoplasm of skin, blood vessels, and miscellaneous sites	12,500	207	155	222	199	227
008	Viral diseases with exanthem	12,459	208	229	197	207	217
258	Other pregnancy with abortive outcome	12,437	209	209	203	208	209
202	Umbilical hernia without complication	12,340	210	217	207	190	232

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
087	Nonspecific mesenteric lymphadenitis	12,221	211	210	193	225	228
325	Miscellaneous congenital anomalies of genitourinary system	12,154	212	206	213	206	208
131	Other inflammation of ear and mastoid	12,082	213	169	217	204	236
191	Gastric ulcer with hemorrhage or perforation	11,800	214	215	214	227	190
031	Other malignant neoplasm of skin, excluding genital organs	11,635	215	171	252	186	238
259	Threatened abortion	11,635	216	230	182	239	267
214	Miscellaneous diseases of liver	11,592	217	212	218	212	210
121	Retinal detachment and defects	11,462	218	182	260	218	167
360	Sprains and strains of knee and leg	11,291	219	255	212	250	171
328	Perinatal conditions causing morbidity and mortality	11,266	220	266	247	253	111
033	Malignant neoplasm of cervix uteri excluding carcinoma in situ	11,000	221	231	220	209	239
092	Alcoholic psychoses	10,957	222	170	270	222	184
389	Postoperative wound infection	10,950	223	240	232	228	186
206	Complicated hernia of abdominal cavity, except inguinal	10,926	224	189	224	241	219

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
199 Disease of appendix, except acute appendicitis	10,922	225	256	209	216	225
188 Disease of mouth, except dental	10,919	226	222	226	213	223
019 Malignant neoplasm of lip, oral cavity, and pharynx	10,888	227	198	237	224	214
035 Malignant neoplasm of ovary	10,687	228	207	225	233	222
165 Aortic aneurysm	10,542	229	224	239	223	207
379 Foreign body entering through other body orifice	10,444	230	216	240	230	211
185 Spontaneous pneumothorax	10,306	231	225	238	215	235
217 Diseases of bile ducts with calculus	10,263	232	221	233	247	212
237 Hydrocele	10,165	233	226	227	238	234
079 Miscellaneous metabolic disorders	10,153	234	235	234	231	226
320 Congenital anomaly of heart and circulatory system	10,044	235	237	243	244	193
333 Signs and symptoms referable to the cardiovascular system, except gangrene	9,957	236	250	230	219	251
146 Paroxysmal supraventricular tachycardia	9,878	237	236	235	237	233
005 Septicemia	9,877	238	211	249	234	229
359 Other dislocation	9,705	239	246	236	245	218
238 Orchitis and epididymitis	9,645	240	253	223	229	261
009 Viral hepatitis	9,561	241	259	244	221	230

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
201 Inguinal hernia, complicated	9,473	242	200	242	262	242
319 Congenital anomaly of eye, ear, face, and neck	9,299	243	239	250	249	224
011 Viral warts	9,242	244	238	229	243	288
058 Benign neoplasm of ovary	9,110	245	232	246	257	231
109 Psychophysiologic disorder	9,037	246	282	219	235	273
262 Excessive vomiting in pregnancy	9,025	247	271	231	251	247
069 Simple and non-toxic nodular goiter	8,994	248	276	251	211	271
231 Urinary calculus, except kidney and ureter	8,933	249	251	248	232	263
261 Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	8,928	250	260	241	236	258
010 Infectious mononucleosis	8,802	251	245	216	266	300
334 Gangrene	8,776	252	214	257	240	287
294 Sebaceous cyst	8,630	253	197	261	248	301
314 Acquired deformities of limbs, except toe	8,620	254	267	221	277	254
078 Obesity of nonendocrine origin	8,527	255	328	215	254	256
312 Osteomyelitis	8,377	256	242	266	256	241
007 Poliomyelitis and other enteroviral diseases of central nervous system	8,048	257	265	273	252	237

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
266	Infections of pregnancy without delivery	8,022	258	275	253	246	274
249	Metrorrhagia	7,921	259	244	258	255	291
064	Benign neoplasm of thyroid glands	7,852	260	252	272	260	245
028	Other malignant neoplasm of respiratory system and thoracic cavity	7,712	261	233	277	259	269
341	Fracture of vault of skull	7,686	262	268	265	268	240
307	Sciatica	7,643	263	248	245	290	277
113	Inflammatory diseases of central nervous system	7,572	264	280	268	258	243
114	Parkinson's disease	7,479	265	257	255	273	282
133	Otosclerosis	7,447	266	262	274	265	248
021	Malignant neoplasm of stomach	7,393	267	234	279	278	252
324	Undescended testicle	7,383	268	254	269	272	259
040	Malignant neoplasm of kidney and other urinary organs	7,299	269	263	271	264	265
026	Malignant neoplasm of pancreas	7,278	270	258	282	270	249
048	Leukemia, except lymphoid	7,237	271	261	262	282	262
357	Dislocation of shoulder	7,163	272	293	259	279	244
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	7,112	273	270	264	275	270
122	Open angle and primary closure glaucoma	7,001	274	243	290	263	264

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
083 Sickle-cell anemia and trait	6,949	275	278	267	242	336
267 Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	6,885	276	274	256	274	314
139 Miscellaneous hypertensive disease	6,771	277	285	275	261	286
296 Diffuse diseases of connective tissue	6,707	278	279	281	271	272
176 Nasal polyp	6,660	279	249	276	299	276
115 Multiple sclerosis	6,590	280	272	254	314	283
159 Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	6,471	281	264	283	288	281
107 Nondependent abuse of alcohol	6,255	282	288	263	297	297
323 Congenital anomaly of respiratory system, except cleft palate and pyloric stenosis	6,254	283	273	287	276	278
368 Laceration or enucleation of eye	6,227	284	291	294	269	260
218 Diseases of bile ducts without mention of calculus	6,194	285	269	284	291	290
355 Fracture of other bones	6,154	286	302	280	287	266
380 Third degree burns	6,105	287	301	285	267	275
004 Streptococcal sore throat and scarlet fever	5,925	288	311	278	281	296

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
222 Chronic glomerulonephritis and nephrotic syndrome	5,817	289	296	286	284	284
382 Injury to nerve and spinal cord	5,731	290	297	298	289	257
366 Internal injury to thoracic region	5,701	291	305	299	283	255
375 Contusion of eye and adnexa	5,678	292	290	291	292	285
029 Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	5,642	293	295	296	293	268
042 Malignant neoplasm of brain	5,497	294	298	293	295	280
046 Hodgkins' disease	5,389	295	277	288	309	306
225 Other renal failure	5,375	296	283	302	286	311
017 Miscellaneous infective and parasitic diseases	5,285	297	292	295	280	327
030 Malignant melanoma of skin, excluding genital organs	5,285	298	289	312	285	295
025 Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	5,194	299	294	300	303	289
125 Cataract, except senile	5,170	300	284	308	301	279
342 Fracture of base of skull	5,163	301	309	304	308	253
047 Lymphoid leukemia	5,098	302	286	301	310	293
050 Benign neoplasm of lip, oral cavity, and pharynx	5,008	303	287	311	300	294

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
265 Other antepartum hemorrhage without delivery	4,733	304	303	297	312	307
205 Other hernia of abdominal cavity without complication	4,727	305	299	309	306	299
289 Puerperal hemorrhage (after 24 hrs.)	4,678	306	310	289	318	310
080 Gout	4,619	307	312	303	296	325
067 Carcinoma in situ, except cervix uteri	4,580	308	300	313	305	305
014 Syphilis and other venereal diseases	4,524	309	315	310	304	303
002 Respiratory tuberculosis	4,408	310	304	318	294	323
006 Miscellaneous bacterial diseases	4,379	311	314	316	298	313
088 Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	4,263	312	306	314	302	326
377 Miscellaneous crushing injury	4,231	313	321	305	320	304
044 Malignant neoplasm of endocrine glands	4,150	314	313	319	311	302
194 Peptic ulcer with obstruction	4,138	315	319	317	307	309
397 Aftercare involving intermittent dialysis	4,087	316	281	292	334	354
315 Neuralgia, neuritis, and radiculitis, unspecified	3,966	317	324	306	316	328
326 Clubfoot	3,936	318	320	307	325	312
154 Intracerebral hemorrhage without paralysis	3,804	319	323	325	315	298

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
020	Malignant neoplasm of esophagus	3,762	320	308	322	317	324
074	Ovarian dysfunction	3,696	321	322	315	313	334
015	Mycoses	3,473	322	345	321	327	292
123	Other glaucoma	3,460	323	307	331	319	322
264	Placenta previa without delivery	3,385	324	326	320	326	317
076	Nutritional deficiencies	3,341	325	325	327	322	318
063	Benign neoplasm of central nervous system	3,225	326	327	330	328	308
052	Benign neoplasm of respiratory system and intrathoracic organs	3,159	327	318	332	321	321
221	Intestinal malabsorption	3,103	328	329	323	329	331
105	Opioid dependence	3,067	329	196	360	368	352
106	Drug dependence except opioid	2,943	330	316	324	338	347
321	Cleft palate and lip	2,923	331	332	335	323	316
290	Other puerperal complications	2,886	332	331	328	340	319
129	Other disorders of eye	2,850	333	339	329	324	333
038	Malignant neoplasm of male genitalia, except prostate	2,731	334	334	333	333	315
166	Aneurysm except aortic	2,596	335	330	339	332	329
135	Rhematic fever, acute	2,345	336	338	334	337	342
091	Arteriosclerotic dementia	2,283	337	347	336	331	349
093	Drug psychoses	2,243	338	340	342	343	320
036	Malignant neoplasm of other female genital organs	2,206	339	335	340	341	345

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
322 Congenital hypertrophic pyloric stenosis	2,140	340	341	338	342	340
065 Benign neoplasm of endocrine glands, except thyroid	2,130	341	343	346	335	330
318 Congenital anomaly of nervous system	2,128	342	348	341	336	341
152 Subarachnoid hemorrhage without paralysis	2,085	343	342	343	339	338
108 Nondependent abuse of drugs, except alcohol	2,055	344	344	337	348	344
057 Benign neoplasm of uterus, except leiomyoma	1,901	345	333	345	349	343
345 Fracture of vertebral column with cord injury	1,808	346	351	348	344	335
288 Major puerperal infections	1,766	347	352	344	347	337
317 Somatic dysfunction	1,650	348	366	326	369	367
373 Injury to blood vessels	1,622	349	353	349	345	346
089 Transient organic psychotic conditions	1,564	350	349	355	350	339
095 Acute schizophrenic episode	1,556	351	346	351	359	332
145 Acute and subacute endocarditis	1,553	352	337	354	353	348
061 Benign neoplasm of urinary organ	1,506	353	336	350	352	358
112 Mental retardation	1,484	354	354	347	346	357
223 Miscellaneous nephritis and functional disorders	1,384	355	355	352	351	351

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
013 Rickettsioses and other arthropod-borne diseases	1,347	356	360	368	330	360
077 Cystic fibrosis	1,248	357	350	353	354	355
391 Other complications of medical care, except drugs	1,126	358	356	357	356	350
003 Nonrespiratory tuberculosis	917	359	357	364	357	356
059 Benign neoplasm of female genitalia, except uterus and ovary	905	360	358	358	358	365
260 Other early pregnancy hemorrhage	890	361	363	356	361	366
022 Malignant neoplasm of small intestine	871	362	359	359	363	359
157 Precerebral occlusion with paralysis	830	363	365	361	365	353
016 Helminthiases	823	364	368	365	355	362
302 Ankylosing spondylitis	767	365	372	362	360	364
085 Hemophilia (congenital factor VIII disorder)	754	366	361	363	362	371
041 Malignant neoplasm of eye	751	367	362	366	364	363
155 Intracerebral hemorrhage with paralysis	718	368	364	367	366	361
060 Benign neoplasm of male genital organ	637	369	367	369	367	368
356 Fracture of multiple bones	551	370	369	370	370	370
043 Malignant neoplasm of other parts of nervous system	481	371	371	373	371	369
062 Benign neoplasm of eye	466	372	370	371	372	373
378 Foreign body on external eye	420	373	373	374	373	374

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
018 Late effects of infectious and parasitic diseases	375	374	374	372	374	372
097 Childhood psychosis	132	375	375	377	375	376
153 Subarachnoid hemorrhage with paralysis	129	376	376	375	376	375
256 Other induced abortion	91	377	377	376	377	377
All patients except deliveries and newborn	9,662,039					

Table 3

Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care
U.S. PAS Hospitals, 1979
(Deliveries and Births Excluded)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
140 Acute myocardial infarction	1,770	1	1	2	2	1
179 Pneumonia	1,627	2	3	1	1	2
149 Heart failure	1,478	3	2	3	5	5
351 Fracture of neck of femur	1,320	4	4	6	6	3
143 Miscellaneous ischemic heart disease	1,303	5	6	4	3	7
215 Gallbladder disease with calculus	1,302	6	5	5	4	6
304 Derangement and displacement of lumbar disc	1,041	7	9	8	7	4
211 Miscellaneous diseases of intestine and peritoneum	898	8	10	9	8	10
104 Alcoholic dependence syndrome	841	9	13	7	33	9
235 Hyperplasia of prostate	791	10	8	14	11	14
045 Malignant neoplasm of ill-defined and secondary sites	758	11	7	12	22	12
071 Diabetes mellitus without complication	733	12	15	11	13	47
200 Inguinal hernia without complication	730	13	11	15	17	15
102 Neurotic depression	723	14	41	10	16	24
340 Miscellaneous signs, symptoms, and ill-defined conditions	717	15	25	17	9	18

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
027	Malignant neoplasm of bronchus, lung, and trachea	700	16	12	21	14	17
208	Noninfectious gastroenteritis and colitis	695	17	33	13	12	19
308	Other dorsopathies	693	18	31	16	18	8
398	Admission for special examinations and miscellaneous reasons	677	19	16	20	21	11
184	Miscellaneous obstructive lung diseases	669	20	18	24	15	16
234	Miscellaneous urinary diseases	667	21	29	19	10	31
161	Acute, but ill-defined, cerebrovascular disease without paralysis	611	22	19	28	19	20
298	Osteoarthrosis (osteoarthritis), except spine	611	23	34	18	32	13
295	Miscellaneous diseases of skin and subcutaneous tissue	601	24	26	25	20	21
183	Asthma	597	25	22	23	25	22
209	Diverticula of intestine	562	26	21	29	23	32
073	Other complicated diabetes mellitus	543	27	23	22	48	44
096	Miscellaneous schizophrenia	537	28	20	27	49	27
023	Malignant neoplasm of colon	525	29	17	35	38	33
141	Angina pectoris	515	30	37	30	28	29
169	Phlebitis and thrombophlebitis	512	31	28	32	34	38

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
186	Miscellaneous lung and pleural diseases	512	32	30	37	27	35
124	Senile cataract	506	33	27	38	37	23
148	Other arrhythmia and conduction disorders	498	34	24	36	39	36
195	Gastritis and duodenitis	495	35	46	26	31	55
248	Genital prolapse	486	36	53	34	24	34
174	Bronchitis and bronchiolitis, acute	482	37	47	31	29	40
032	Malignant neoplasm of breast (female) (male)	469	38	32	40	42	37
313	Localized disorders of bone and cartilage	449	39	43	41	44	25
207	Intestinal obstruction without mention of hernia	448	40	39	43	47	26
056	Uterine leiomyoma	443	41	38	50	35	41
352	Other femoral fracture	440	42	42	47	41	28
250	Other disorders of menstruation	439	43	58	39	30	63
338	Abdominal pain	429	44	67	46	26	43
142	Other acute and subacute forms of ischemic heart disease	420	45	14	66	58	62
137	Essential hypertension	418	46	54	33	43	107
291	Cellulitis and abscess, except digit	416	47	35	48	56	45
117	Miscellaneous disease of central nervous system	410	48	40	45	61	39
335	Chest pain	392	49	77	54	36	51
244	Pelvic inflammatory disease	390	50	76	44	46	48

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
160 Transient cerebral ischemia without paralysis	389	51	36	52	65	61
150 Miscellaneous diseases of heart	386	52	56	49	57	46
361 Sprains and strains of sacroiliac region	384	53	69	42	51	60
163 Other and ill-defined cerebrovascular disease	380	54	49	53	50	83
216 Gallbladder disease without mention of calculus	370	55	59	59	45	74
037 Malignant neoplasm of prostate	369	56	50	62	55	49
354 Miscellaneous fractures of lower extremity	366	57	55	57	68	42
177 Chronic disease of tonsils and adenoids	360	58	84	51	59	50
219 Diseases of pancreas	355	59	51	63	60	58
229 Calculus of ureter	345	60	74	70	40	67
181 Bronchitis, chronic and unspecified	339	61	89	60	53	68
098 Major depressive psychoses	339	62	44	56	89	80
387 Complications peculiar to certain specified procedures	339	63	57	73	75	30
171 Hemorrhoids	328	64	85	64	52	91
173 Acute URI except streptococcal	327	65	93	58	63	93
316 Miscellaneous disorders of musculoskeletal system	323	66	95	55	77	59

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
344 Fracture of vertebral column without mention of spinal cord injury	315	67	66	74	71	52
362 Sprains and strains of other and unspecified parts of back	309	68	94	69	64	69
252 Miscellaneous diseases of female genitalia	306	69	87	68	67	76
138 Hypertensive heart disease	306	70	70	71	62	116
192 Nongastric peptic ulcer without complication	302	71	105	67	54	112
090 Chronic organic brain syndrome, except arteriosclerotic dementia	302	72	48	89	69	87
111 Miscellaneous mental disorders	302	73	97	61	72	99
220 Gastrointestinal hemorrhage	302	74	52	80	76	65
024 Malignant neoplasm of rectum, rectosigmoid junction and anus	297	75	45	76	93	79
303 Spondylosis and allied disorders	294	76	101	65	73	88
353 Fracture of tibia and fibula	284	77	80	79	81	56
376 Other superficial injuries	281	78	90	72	83	82
384 Poisoning by drugs, medicinal, and biological substances	276	79	75	78	92	57
094 Paranoid schizophrenia	275	80	64	81	113	54

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
120 Peripheral nervous system disorder, except sciatica	273	81	104	75	84	71
305 Derangement and displacement of intervertebral disc, except lumbar	271	82	92	85	78	77
162 Acute, but ill-defined, cerebrovascular disease with paralysis	267	83	60	100	87	81
164 Atherosclerosis	265	84	99	83	82	75
253 Signs and symptoms referable to female genital organs	265	85	116	86	70	72
245 Endometriosis	260	86	114	84	80	66
158 Occlusion of cerebral arteries, thrombosis, and embolism without paralysis	258	87	68	96	88	92
144 Pulmonary embolism and infarction	257	88	79	98	86	84
297 Rheumatoid arthritis, except spine	256	89	108	82	85	86
189 Diseases of esophagus	255	90	102	87	74	109
197 Acute appendicitis without peritonitis	253	91	96	88	96	64
204 Diaphragmatic hernia without complication	250	92	119	91	66	128
081 Disorders of fluid, electrolyte, and acid-base balance	249	93	81	97	90	98
049 Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	249	94	73	93	99	101

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
		Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
039	Malignant neoplasm of bladder	248	95	62	95	108	103
147	Atrial fibrillation and flutter	243	96	71	106	98	94
364	Concussion	242	97	61	94	130	96
167	Arterial embolism and thrombosis	242	98	65	112	100	85
168	Miscellaneous diseases of arteries	241	99	63	109	91	113
329	Convulsions	240	100	72	102	94	121
347	Fracture of pelvis	239	101	91	101	106	78
099	Other affective psychoses	235	102	106	77	127	97
193	Nongastric peptic ulcer with hemorrhage or perforation	234	103	86	108	97	89
170	Varicose veins of lower extremities	231	104	82	99	105	120
100	Miscellaneous psychoses	229	105	107	92	104	108
300	Internal derangement of knee joint	227	106	113	104	123	53
172	Miscellaneous diseases of veins and circulatory system	225	107	98	107	102	100
084	Anemia except iron deficiency and sickle-cell	219	108	83	110	103	129
243	Ovarian cyst	216	109	110	111	95	110
348	Fracture of humerus	208	110	100	113	117	106
232	Cystitis	205	111	128	90	111	164
301	Other disorders of joint	204	112	127	114	124	73
001	Intestinal infectious disease	203	113	122	116	101	102
103	Miscellaneous neuroses and personality disorders	196	114	121	103	136	117

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
212 Alcoholic liver disease	192	115	88	137	140	70
358 Dislocation of knee	190	116	139	117	122	90
334 Gangrene	190	117	78	128	120	165
198 Acute appendicitis with peritonitis	190	118	111	121	129	95
309 Bursitis and synovitis, except spine	188	119	134	115	118	118
230 Miscellaneous diseases of kidney and ureter	185	120	115	123	110	125
310 Bunion and deformities of toe	184	121	138	105	157	111
228 Calculus of kidney	182	122	118	122	107	151
187 Disease of teeth and jaws	181	123	103	118	116	182
151 Cardiovascular disease, unspecified	177	124	145	156	79	159
365 Intracranial injury, except concussion	174	125	144	129	126	104
190 Gastric ulcer without complication	172	126	157	119	109	156
156 Precerebral artery occlusion without paralysis	169	127	164	130	128	105
349 Fracture of radius and ulna	168	128	129	124	142	119
392 Admission for prophylactic sterilization	168	129	130	127	115	167
210 Anal fissure, fistula, and abscess	167	130	131	133	119	138
203 Ventral hernia without complication	167	131	124	131	133	132
178 Miscellaneous diseases of upper respiratory system	160	132	141	136	125	146

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
068 Neoplasms of uncertain behavior and unspecified nature	160	133	109	138	144	153
196 Disease of stomach and duodenum, except ulcer and inflammation	156	134	192	132	112	154
241 Benign mammary dysplasia	156	135	161	141	114	162
346 Fracture of ribs, sternum, larynx and trachea	155	136	148	140	138	122
213 Other cirrhosis and chronic liver disease	153	137	112	144	147	172
072 Diabetic acidosis or coma	153	138	137	142	141	133
257 Spontaneous and unspecified abortion	153	139	150	125	148	168
182 Emphysema	152	140	147	134	143	144
110 Adjustment reactions and acute reactions to stress	152	141	163	120	165	131
165 Aortic aneurysm	152	142	133	153	139	123
327 Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	151	143	153	139	149	126
299 Other arthropathies	147	144	167	145	146	124
130 Otitis media, chronic and unspecified	145	145	171	146	134	147
233 Urethral stricture	143	146	185	135	132	195

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
381 Other burns	143	147	173	147	135	148
312 Osteomyelitis	141	148	126	159	159	127
224 Chronic renal failure	140	149	125	176	145	135
343 Fracture of face bones	138	150	159	154	151	134
005 Septicemia	137	151	117	165	162	140
337 Signs and symptoms referable to urinary system	137	152	132	150	153	204
034 Malignant neoplasm of corpus uteri	136	153	136	149	178	142
227 Miscellaneous kidney infections	136	154	175	151	137	176
101 Anxiety states	135	155	211	126	150	207
339 Other signs and symptoms referable to upper GI tract and abdomen	133	156	183	164	131	158
159 Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	133	157	123	157	177	157
367 Internal injury, except chest	133	158	170	171	155	115
075 Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	132	159	162	152	156	173
331 Headache	129	160	244	148	121	197
390 Other complications of surgical procedures	128	161	172	167	171	114
082 Iron deficiency anemia	128	162	151	155	158	208
191 Gastric ulcer with hemorrhage or perforation	128	163	158	161	174	136
217 Diseases of bile ducts with calculus	127	164	152	162	176	141

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals Days of Care (in 1,000s) (2)	Rank (3)	Rank by Region Northeast (4)	North Central (5)	South (6)	West (7)
021	Malignant neoplasm of stomach	126	165	120	177	183	150
026	Malignant neoplasm of pancreas	126	166	143	169	172	152
136	Chronic rheumatic heart disease	125	167	142	163	191	137
371	Open wound of upper limb	124	168	181	160	167	145
214	Miscellaneous diseases of liver	122	169	155	173	170	160
070	Other diseases of thyroid gland	120	170	180	158	160	210
306	Sacroiliac joint disorder	119	171	201	143	194	161
051	Benign neoplasm of other parts of digestive system	119	172	149	175	164	201
175	Deviated nasal septum	118	173	135	178	188	177
330	Pyrexia of unknown origin	118	174	174	188	152	166
035	Malignant neoplasm of ovary	115	175	156	179	184	169
116	Epilepsy	114	176	176	174	173	175
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	114	177	222	170	161	149
292	Miscellaneous infections of skin and subcutaneous tissue	113	178	166	180	180	180

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
086	Disease of hematopoietic system, except anemia and hemophilia	112	179	165	172	189	184
019	Malignant neoplasm of lip, oral cavity, and pharynx	112	180	146	192	181	181
012	Miscellaneous viral diseases	111	181	178	187	166	178
380	Third degree burns	110	182	207	189	154	163
372	Open wound of lower limb	108	183	203	186	163	170
389	Postoperative wound infection	107	184	194	196	185	130
040	Malignant neoplasm of kidney and other urinary organs	106	185	169	184	190	190
369	Other laceration of head and neck	106	186	195	183	175	174
336	Other signs and symptoms referable to respiratory system and chest	105	187	186	191	168	200
226	Acute pyelonephritis	104	188	216	181	169	185
053	Benign neoplasm of bone, muscle, and connective tissue	103	189	187	185	179	202
132	Vertiginous syndromes	103	190	209	168	186	198
206	Complicated hernia of abdominal cavity, except inguinal	102	191	160	195	202	187
113	Inflammatory diseases of central nervous system	101	192	208	198	182	155
042	Malignant neoplasm of brain	97	193	193	199	197	171

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
114	Parkinson's disease	96	194	168	193	208	218
119	Carpal tunnel syndrome and other lesions of median nerve	93	195	230	166	221	194
386	Miscellaneous adverse effects	93	196	202	194	199	203
383	Certain traumatic complications and unspecified injuries	91	197	190	202	192	214
092	Alcoholic psychoses	89	198	177	248	206	139
008	Viral diseases with exanthem	89	199	218	197	200	206
033	Malignant neoplasm of cervix uteri excluding carcinoma in situ	88	200	197	203	195	224
048	Leukemia, except lymphoid	87	201	188	200	233	191
185	Spontaneous pneumothorax	86	202	196	211	196	205
293	Pilonidal cyst	86	203	184	204	209	253
009	Viral hepatitis	84	204	217	209	193	211
025	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	84	205	191	210	224	193
028	Other malignant neoplasm of respiratory system and thoracic cavity	83	206	179	219	207	235
254	Ectopic pregnancy	81	207	213	213	214	189
127	Miscellaneous disorders of superficial structures of eye	81	208	182	237	210	212

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
078	Obesity of nonendocrine origin	81	209	292	182	215	215
370	Other laceration of trunk and multiple and unspecified sites	81	210	224	216	187	228
218	Diseases of bile ducts without mention of calculus	80	211	189	212	229	227
115	Multiple sclerosis	79	212	206	190	272	229
128	Miscellaneous disorders of deep structures of eye	79	213	214	220	211	199
296	Diffuse diseases of connective tissue	79	214	210	215	218	217
255	Legally induced abortion	78	215	154	253	231	234
363	Other sprains and strains	77	216	238	207	234	188
251	Menopausal and postmenopausal disorders	76	217	205	223	203	257
079	Miscellaneous metabolic disorders	76	218	223	208	222	225
242	Miscellaneous diseases of breast	76	219	225	225	198	226
225	Other renal failure	75	220	200	228	216	239
328	Perinatal conditions causing morbidity and mortality	75	221	253	242	227	143
118	Migraine	74	222	277	201	217	244
066	Carcinoma in situ of cervix	73	223	236	222	204	233
307	Sciatica	73	224	198	206	263	252
002	Respiratory tuberculosis	73	225	212	230	213	251
359	Other dislocation	72	226	228	226	230	213

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
154	Intracerebral hemorrhage without paralysis	71	227	229	244	232	183
058	Benign neoplasm of ovary	71	228	219	227	238	219
139	Miscellaneous hypertensive disease	70	229	231	231	212	241
246	Inflammatory disease of cervix uteri	70	230	264	214	205	250
325	Miscellaneous congenital anomalies of genitourinary system	70	231	226	232	228	231
320	Congenital anomaly of heart and circulatory system	70	232	239	235	242	186
263	False labor	69	233	252	205	250	236
396	Aftercare for removal of internal fixation device	69	234	215	236	248	209
236	Diseases of prostate, except hypertrophy	69	235	261	217	201	270
240	Miscellaneous diseases of male genital organs	68	236	234	229	219	246
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	66	237	246	224	226	255
121	Retinal detachment and defects	66	238	204	276	241	179
180	Influenza	66	239	328	221	225	192
268	Miscellaneous complications of pregnancy without delivery	66	240	243	218	249	237
332	Epistaxis	65	241	235	234	237	240

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
311	Ganglion and cyst	65	242	249	233	220	261
350	Miscellaneous fractures of upper extremity	64	243	242	238	246	221
201	Inguinal hernia, complicated	63	244	199	246	265	247
194	Peptic ulcer with obstruction	61	245	247	247	239	223
360	Sprains and strains of knee and leg	61	246	262	239	264	196
031	Other malignant neoplasm of skin, excluding genital organs	60	247	227	266	223	265
020	Malignant neoplasm of esophagus	58	248	221	250	255	264
029	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	58	249	233	251	258	238
238	Orchitis and epididymitis	58	250	256	240	243	279
199	Disease of appendix, except acute appendicitis	57	251	273	241	252	256
388	Hemorrhage or hematoma complicating a procedure	56	252	266	254	251	230
231	Urinary calculus, except kidney and ureter	55	253	237	252	247	280
341	Fracture of vault of skull	55	254	248	267	259	220
063	Benign neoplasm of central nervous system	55	255	241	269	267	216

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
222	Chronic glomerulonephritis and nephrotic syndrome	54	256	250	260	257	258
134	Miscellaneous diseases of ear	53	257	272	262	244	245
202	Umbilical hernia without complication	53	258	257	255	245	276
109	Psychophysiologic disorder	52	259	290	243	253	282
385	Toxic effects of substances chiefly nonmedicinal as to source	52	260	255	264	260	249
047	Lymphoid leukemia	52	261	240	258	278	259
366	Internal injury to thoracic region	51	262	280	273	254	222
069	Simple and non-toxic nodular goiter	51	263	287	265	235	288
046	Hodgkin's disease	51	264	232	257	282	278
333	Signs and symptoms referable to the cardiovascular system, except gangrene	51	265	258	259	262	275
146	Paroxysmal supraventricular tachycardia	50	266	245	263	268	273
083	Sickle-cell anemia and trait	50	267	263	261	236	334
188	Disease of mouth, except dental	50	268	267	268	261	260
145	Acute and subacute endocarditis	48	269	220	298	289	243
152	Subarachnoid hemorrhage without paralysis	47	270	270	281	270	242

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
239	Redundant prepuce and phimosis	47	271	269	271	240	332
010	Infectious mononucleosis	47	272	260	245	294	314
054	Benign neoplasm of skin, blood vessels, and miscellaneous sites	46	273	251	278	269	277
106	Drug dependence except opioid	46	274	265	249	287	308
314	Acquired deformities of limbs, except toe	45	275	285	256	292	274
076	Nutritional deficiencies	44	276	254	283	277	263
126	Strabismus	43	277	283	280	276	266
030	Malignant melanoma of skin, excluding genital organs	43	278	259	288	271	281
055	Benign neoplasm of breast	43	279	268	285	256	310
006	Miscellaneous bacterial diseases	42	280	282	292	266	267
017	Miscellaneous infective and parasitic diseases	42	281	271	277	273	317
087	Nonspecific mesenteric lymphadenitis	41	282	286	270	290	290
237	Hydrocele	41	283	276	275	283	295
342	Fracture of base of skull	41	284	289	290	296	232
007	Poliomyelitis and other enteroviral diseases of central nervous system	41	285	288	295	275	262
064	Benign neoplasm of thyroid glands	41	286	278	291	279	272

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
323	Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	40	287	274	296	280	268
269	Maternal conditions classifiable elsewhere, but complicating pregnancy with delivery	40	288	275	274	293	296
355	Fracture of other bones	39	289	295	282	285	269
105	Opioid dpendence	39	290	140	352	360	339
131	Other inflammation of ear and mastoid	38	291	281	297	281	289
345	Fracture of vertebral column with cord injury	38	292	307	305	274	248
262	Excessive vomiting in pregnancy	36	293	306	279	295	293
080	Gout	35	294	300	287	284	311
166	Aneurysm except aortic	35	295	284	300	297	283
261	Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	35	296	301	293	286	306
015	Mycoses	35	297	337	289	298	254
382	Injury to nerve and spinal cord	34	298	305	306	288	271
067	Carcinoma in situ, except cervix uteri	34	299	291	299	300	292
315	Neuralgia, neuritis, and radiculitis, unspecified	34	300	304	284	303	312

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals		Rank by Region			
		Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
259	Threatened abortion	33	301	313	272	312	331
044	Malignant neoplasm of endocrine glands	32	302	294	309	302	284
379	Foreign body entering through other body orifice	32	303	293	310	301	286
267	Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	32	304	302	286	304	337
221	Intestinal malabsorption	32	305	303	294	317	297
091	Arteriosclerotic dementia	32	306	299	301	291	325
122	Open angle and primary closure glaucoma	31	307	279	315	306	305
205	Other hernia of abdominal cavity without complication	31	308	297	307	307	298
258	Other pregnancy with abortive outcome	30	309	308	302	308	307
266	Infections of pregnancy without delivery	29	310	317	308	299	309
357	Dislocation of shoulder	29	311	321	304	314	291
377	Miscellaneous crushing injury	29	312	322	303	322	285
014	Syphilis and other venereal diseases	27	313	324	313	310	301
368	Laceration or enucleation of eye	27	314	315	325	305	294
319	Congenital anomaly of eye, ear, face, and neck	26	315	314	314	313	302

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
036 Malignant neoplasm of other female genital organs	26	316	296	317	323	322
375 Contusion of eye and adnexa	26	317	309	322	315	303
324 Undescended testicle	26	318	310	316	319	316
011 Viral warts	26	319	323	311	311	342
107 Nondependent abuse of alcohol	24	320	331	312	318	344
095 Acute schizophrenic episode	24	321	298	321	347	287
249 Metrorrhagia	24	322	332	318	309	328
065 Benign neoplasm of endocrine glands, except thyroid	23	323	325	333	316	299
004 Streptococcal sore throat and scarlet fever	22	324	344	319	321	324
294 Sebaceous cyst	22	325	312	326	320	348
135 Rheumatic fever, acute	22	326	318	323	327	326
038 Malignant neoplasm of male genitalia, except prostate	22	327	320	329	330	313
133 Otosclerosis	21	328	329	332	325	320
155 Intracerebral hemorrhage with paralysis	21	329	327	337	332	300
050 Benign neoplasm of lip, oral cavity, and pharynx	21	330	316	335	331	319
093 Drug psychoses	21	331	334	328	336	304
089 Transient organic psychotic conditions	20	332	311	342	326	315
318 Congenital anomaly of nervous system	20	333	336	334	329	318

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
088	Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	20	334	333	330	324	346
176	Nasal polyp	19	335	319	331	337	335
326	Clubfoot	19	336	342	327	341	323
108	Nondependent abuse of drugs, except alcohol	18	337	343	324	344	330
125	Cataract, except senile	18	338	330	340	338	321
074	Ovarian dysfunction	17	339	345	338	328	345
112	Mental retardation	17	340	339	336	340	356
123	Other glaucoma	17	341	326	346	335	340
052	Benign neoplasm of respiratory system and intrathoracic organs	16	342	340	344	334	333
022	Malignant neoplasm of small intestine	16	343	338	341	346	329
157	Precerebral occlusion with paralysis	15	344	349	339	348	327
373	Injury to blood vessels	14	345	351	351	339	338
003	Nonrespiratory tuberculosis	13	346	341	357	343	343
077	Cystic fibrosis	13	347	335	345	352	355
129	Other disorders of eye	13	348	353	343	342	357
264	Placenta previa without delivery	13	349	347	347	350	349
317	Somatic dysfunction	13	350	366	320	369	365
321	Cleft palate and lip	12	351	348	355	345	336
265	Other antepartum hemorrhage without delivery	12	352	346	348	351	353
290	Other puerperal complications	12	353	352	350	354	341

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
		Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
223	Miscellaneous nephritis and functional disorders	11	354	358	353	349	347
289	Puerperal hemorrhage (after 24 hrs.)	11	355	359	349	355	358
057	Benign neoplasm of uterus, except leiomyoma	10	356	350	358	353	352
322	Congenital hypertrophic pyloric stenosis	10	357	357	354	358	359
043	Malignant neoplasm of other parts of nervous system	9	358	356	360	359	354
288	Major puerperal infections	8	359	361	359	357	350
013	Rickettsioses and other arthropod-borne diseases	8	360	365	369	333	363
397	Aftercare involving intermittent dialysis	8	361	355	356	366	372
302	Ankylosing spondylitis	7	362	370	361	356	360
061	Benign neoplasm of urinary organ	7	363	354	362	362	367
391	Other complications of medical care, except drugs	7	364	363	363	364	351
356	Fracture of multiple bones	7	365	360	364	361	361
016	Helminthiases	5	366	369	366	363	364
085	Hemophilia (congenital factor VIII disorder)	5	367	364	365	365	369
153	Subarachnoid hemorrhage with paralysis	5	368	362	371	368	362
041	Malignant neoplasm of eye	4	369	368	367	370	366

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
059 Benign neoplasm of female genitalia, except uterus and ovary	4	370	371	368	367	371
018 Late effects of infectious and parasitic diseases	4	371	372	370	372	368
060 Benign neoplasm of male genital organ	3	372	373	373	371	373
097 Childhood psychosis	3	373	367	374	374	370
260 Other early pregnancy hemorrhage	2	374	374	372	373	374
062 Benign neoplasm of eye	1	375	375	375	376	376
378 Foreign body on external eye	1	376	376	376	375	375
256 Other induced abortion	0	377	377	377	377	377
All diagnosis groups	71,123					

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	*Benign prostatic hyperplasia (BPH)*

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma

Group Number	Title
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve – *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer – *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain – *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

R 3850-1.2

Length of Stay in PAS Hospitals,

by Operation,

United States,

1979

A Supplement To

Length of Stay in PAS Hospitals,
by Diagnosis,
United States, 1979

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
OCTOBER 1980

LENGTH OF STAY IN PAS HOSPITALS

Copyright © 1980 by Commission on Professional and Hospital Activities, Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the series entitled
"Length of Stay in PAS Hospitals". . .

Volumes include:
. . . by Diagnosis, United States, 1979
. . . by Diagnosis, United States, North Central Region, 1979
. . . by Diagnosis, United States, Northeastern Region, 1979
. . . by Diagnosis, United States, Southern Region, 1979
. . . by Diagnosis, United States, Western Region, 1979
. . . by Diagnosis, Canada, 1979

. . . by Operation, United States, 1979
. . . by Operation, United States, North Central Region, 1979
. . . by Operation, United States, Northeastern Region, 1979
. . . by Operation, United States, Southern Region, 1979
. . . by Operation, United States, Western Region, 1979
. . . by Operation, Canada, 1979

Also included are:
Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979
Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities. Also for selected years there are length of stay books for particular regional groups of hospitals, for pediatric patients, and for geriatric patients.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1979 in North America. Twelve volumes describe stays for either diagnoses or operations in the United States, in each of the four U.S. census regions, or in Canada. The thirteenth and fourteenth volumes display data on both diagnoses and operations for pediatric and for geriatric patients in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities.

These statistics, which are also available on computer readable magnetic tape, can provide a valuable perspective for physicians, administrators, PSROs, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" (PSRO) and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1979 LENGTH OF STAY BOOKS

Walt Wood, Manager, Research and Statistics
Ed Kobrinski, Assistant Manager
Ann Matteson, Project Coordinator

CONTENTS

Preface iii

Discussion of the Data 1

Source of the Data 1

Data Quality 3

Coverage 4

Organization of Length of Stay Tables 7

ICD-9-CM List B: Hospital Procedure Groups 7

Definition of Multiple Dx Patients 8

Explanation of Statistics 8

Defining the Extended Stay Case 10

Length of Stay Tables 19

Summary of All Patients 21

Operation Groups 501-764 22

Distribution Tables 89

Table 1: Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups 91

Table 2: Ranking of *ICD-9-CM* List B Operation Groups by Live Discharges 104

Table 3: Ranking of *ICD-9-CM* List B Operation Groups by Days of Care 122

Appendix: ***ICD-9-CM*** **Codes for Selected Operation Groups** 141

Index to Length of Stay Tables 145

DISCUSSION OF THE DATA

Source of the Data

Data in this book were compiled from individual patient discharge abstracts submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain, and Figure 1 diagrams, the PAS method of storing and retrieving medical data.


PAS
HOSPITAL
CLINICAL RECORD
CASE ABSTRACT
DATA TAPE
CPHA DATA CENTER
COMPUTER
DATA FILE
HOSPITAL
ITS OWN OVERALL STATISTICS
MORE DETAILED STATISTICS
LISTINGS
MULTIHOSPITAL STUDIES
INTERHOSPITAL COMPARISONS
REGIONAL DATA

FIG. 1. Schematic diagram of the PAS medical record information system.

1. In each participating hospital, medical record personnel transfer information from the record of each discharged patient onto a PAS Case Abstract (Figure 2). The data may also be put onto a data tape at the hospital.
2. The abstract or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it serves as input to the computer system.
3. Data then undergo a comprehensive "cleaning" process and detected errors are corrected by contributing hospitals.
4. The computer system produces sets of reports which give comprehensive statistics on discharged patients plus listings of individual case abstracts in various sequences.
5. The computer system continually adds to a permanent history data file.
6. Length of stay statistics from this file are annually published in this series of length of stay books. The stored data are also available to researchers on a contractual basis.



1234567890EV

PAS

1979 CASE ABSTRACT

SAMPLE

79

PAS

79

FIG. 2 PAS Case Abstract

BEST AVAILABLE COPY

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its role as an extension of the hospital's medical record department.

Quality control of PAS data begins before a new hospital submits its first case abstract and continues as an ongoing system involving personal monitoring, computer checks, and education programs. In spite of these efforts, errors do occur. There are three ways errors can be introduced into PAS data: 1) the basic patient medical record can be incomplete or in error, 2) errors can be made in abstracting information from the medical record to the PAS Case Abstract, and 3) errors can be introduced during processing.

Although CPHA has indirect influence over the quality of the medical record through education and through feedback from use of PAS reports within the hospital, basic responsibility for the accuracy of the medical record rests with the physician and others in the hospital contributing to it. Clearly, the abstractor cannot add to the medical record. Errors or omissions made in it will be carried forward to the PAS Case Abstract.

CPHA goes to considerable lengths to prevent and correct errors in abstracting by training PAS hospital medical record personnel in coding and abstracting methods, by monitoring their work, and by judiciously checking and editing patient data for errors. During processing, over 350 computer checks* are performed on each abstract to check the reasonableness of the data received. When illogical, invalid, or missing data are detected, an error message is printed and the hospital is notified, often by phone. About 40% of the errors detected in the computer audit can be and are corrected at CPHA; the remainder must be handled by the hospitals because only they have the information necessary to make the corrections. Hospitals make such corrections on a voluntary basis.

---

*The following are examples of discrepancies and inconsistencies in the data that are detected by the computer audit: hospital day of operative episode exceeding total stay, cesarean sections with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded. Examples of invalid data detected by the computer are diagnosis and operation codes that do not exist in the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Coverage

The length of stay tables in this book display stay distributions for 5,450,222 operated patients discharged during 1979 from 1,663 nonfederal, short-term* U.S. hospitals participating in PAS. PAS hospitals in United States territories and Puerto Rico were excluded from this publication as were short-term psychiatric hospitals participating in PAS. Patients studied were selected from a total of 12,602,533 discharges. Only those patients who were operated are included in this book.

Characteristics of all hospitals in the United States that participated in PAS during 1979 are shown in Tables A and B. Some of these hospitals did not participate for the entire 12-month period. In addition, because of the unavailability of data at the time of processing, data for some of these PAS hospitals are not included in the length of stay tables.

States included in the various census regions and divisions are shown in Figure 3.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

FIG. 3 Census Divisions and Regions in the United States

---

*Short-term hospitals are defined as those in which the median stay is shorter than 30 days.

Table A

Bed Size, Region, and Census Division: PAS Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	**Total[2] (2)**	**Number in PAS (3)**	**Percent in PAS (4)**	**Total[2] (5)**	**Number in PAS (6)**	**Percent in PAS (7)**
ALL U.S.						
Bed Size						
1. Less than 25 beds	305	27	8.9%	5,761	528	9.2%
2. 25-49	1,154	158	13.7	41,776	6,129	14.7
3. 50-99	1,459	345	23.6	105,411	25.666	24.3
4. 100-199	1,412	470	33.3	198,519	67,395	33.9
5. 200-299	716	301	42.0	174,636	73,904	42.3
6. 300-399	382	179	46.9	131,296	61,207	46.6
7. 400-499	244	102	41.8	107,790	45,171	41.9
8. 500 or more	311	115	37.0	212,247	77,156	36.4
Total	5,983	1,697	28.4%	977,436	357,156	36.5%
Region and Census Division						
Northeast	941	260	27.6%	221,260	73,590	33.3%
New England	276	88	31.9	51,658	20,198	39.1
Middle Atlantic	665	172	25.9	169,602	53,392	31.5
North Central	1,744	652	37.4	292,394	141,077	48.2
East North Central	935	499	53.4	193,639	110,157	56.9
West North Central	809	153	18.9	98,755	30,920	31.3
South	2,171	451	20.8	316,264	91,344	28.9
South Atlantic	823	292	35.5	149,347	57,261	38.3
East South Central	488	50	10.2	67,691	12,984	19.2
West South Central	860	109	12.7	99,226	21,099	21.3
West	1,127	334	29.6	147,518	51,175	34.7
Mountain	365	107	29.3	38,709	17,459	45.1
Pacific	762	227	29.8	108,809	33,716	31.0
Grand Total	5,983	1,697	28.4%	977,436	357,186	36.5%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Table B

Teaching Type, Region, and Census Division: PAS Hospitals Compared with all Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

	Hospitals with Residencies			Hospitals with Medical School Affiliation		
Region and Census Division (1)	Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
Northeast	306	114	37.3%	228	87	38.2%
New England	69	31	44.9	58	29	50.0
Middle Atlantic	237	83	35.0	170	58	34.1
North Central	298	152	51.0	218	109	50.0
East North Central	205	116	56.6	140	75	53.6
West North Central	93	36	38.7	78	34	43.6
South	265	76	28.7	211	62	29.4
South Atlantic	127	44	34.6	104	38	36.5
East South Central	57	14	24.6	47	12	25.5
West South Central	81	18	22.2	60	12	20.0
West	140	47	33.6	116	38	32.8
Mountain	38	16	42.1	30	11	36.7
Pacific	102	31	30.4	86	27	31.4
Grand Total	1,009	389	38.6%	773	296	38.3%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Organization of Length of Stay Tables

The length of stay tables in the body of this book are organized according to the operation groupings in *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each operation group, patients are further stratified by single or multiple diagnoses and age.

ICD-9-CM List B: Hospital Procedure Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List B: Hospital Operation Groups* has been replaced by *ICD-9-CM List B: Hospital Procedure Groups,* which reflects the procedures contained in the new classification.

In List B there are 249 groups that contain at least one UHDDS Class 1[2] procedure. Fifteen of the 264 List B groups consist solely of Class 2, 3, and 4 procedures. This book displays data only for those 249 groups with Class 1 procedures.

Patients were assigned to the *ICD-9-CM* List B operation groups on the basis of their principal procedure. Operation information for all patients discharged from PAS hospitals during 1979 was coded using *ICD-9-CM.* "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS) and generally is that therapeutic procedure most related to the principal diagnosis.

---

[1] ***ICD-9-CM List B: Hospital Procedure Groups*** **is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.**

[2] **Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.**

Definition of Multiple Dx Patients

A patient is classified in the multiple dx category if he had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Explanation of Statistics

The operation group titles heading the tables are followed in parentheses by the operation codes they include. These codes refer to *ICD-9-CM.*

Length of stay is calculated from admission and discharge dates entered on the PAS Case Abstract, counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance, but as staying less than one day in the calculation of the percentiles. Thus, if more than 5% of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in column 2, "Number of Patients"; column 3, "Average Stay"; or column 4, "Variance." The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are shown. If, for example, the 10th percentile for a group of patients is four days, it means that ten percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

The value of a percentile for a group of patients is determined by arranging the individual patients' stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Exclusions

The length of stay tables exclude:

(1) patients who died,
(2) patients admitted from other short-term hospitals,
(3) patients discharged to other short-term hospitals,
(4) patients discharged against medical advice,
(5) patients with length of stay greater than 99 days (these patients are included only in the percentile calculations).

These patients are excluded because they are not typical short-term patients (i.e., their stays are not "manageable" by the physician).

Other exclusions include stillborn, patients with incalculable age or stay, illegal or unrecorded principal diagnosis or principal procedure, unrecorded discharge status, and patients with diagnosis-age, diagnosis-sex, operation-age, or operation-sex inconsistencies. Also excluded are newborn with illegal or unrecorded birthweights.

Defining the Extended Stay[1] Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the PSRO is called extended stay review. This review, whether applied universally to all patients within the facility or "focused" on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in reasonably current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, the age of the patient, and whether the patient had single or multiple diagnoses.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and quite different lengths of stay) are appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy), primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung) and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

---

[1] Medicare regulations formerly referred to "extended duration," PSRO guidelines refer to "continued stay."

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the regional length of stay books published by the Commission on Professional and Hospital Activities.[1] With the appropriate book, the five steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[2]) that contains the contemplated operation in one of the following ways.

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[3] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group (in the CPHA length of stay books) for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. For diagnoses not in *Concurrent Review Screening* the contemplated operation can usually be found in the index at the back of the operation length of stay book.

c. If an operation is not listed in the index to the length of stay tables, the code for the operation can be found in Volume 3 of *ICD-9-CM.*[4] That code can then be located in List B or in the heading of the length of stay table.

---

[1] *Length of Stay in PAS Hospitals, by Diagnosis,* Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., Northeastern Region, 1979
U.S., Southern Region, 1979
U.S., North Central Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

Length of Stay in PAS Hospitals, by Operation, Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., Northeastern Region, 1979
U.S., Southern Region, 1979
U.S., North Central Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

[2] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[4] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table. There are four tables per page for operation groups in the length of stay books.

Step 3. Find the appropriate part of the table for number of diagnoses (single or multiple).

Step 4. Find the correct age group. The five age groupings presented are 0-19 years, 20-34 years, 35-49 years, 50-64 years, and 65 years and over.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line which includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November, a 57-year-old patient is admitted to a United States hospital for elective surgery, in this case, a transurethral resection, the admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening*. Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The alphabetic index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
	Palate
551	Cleft palate repair
551	Palatoplasty
514	Parathyroid
	Penis
657	Circumcision
	Perineum, female
683	Excision of lesion or tissue
683	Incision
	Perirectal
607	Excision
607	Incision
609	Other
	Peritoneum
630	Division of adhesions
627	Drainage, except via cul de sac
682	Via cul de sac
626	Excision
630	Incision, except via cul de sac
682	Via cul de sac
628	Peritoneoscopy
	Pleura
576	Pleurocentesis
	, Prostate
648	Prostatectomy, transurethral
649	Prostatectomy, except transurethral
650	Other
	Rectum
606	Excision, except proctectomy
609	Incision
608	Proctectomy
608	Other
	Reduction
	Dislocation, *see Joint*
	Fracture, *see Bone*
758	, Retrograde pyelogram
	Sinuses, nasal
546	Radical maxillary sinusotomy

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) *(see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** *(see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** (complete) (partial) NEC 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - transurethral 60.2
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 of *Length of Stay in PAS Hospitals, by Operation, United States, 1979.*

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	6.8	14	1	2	7	9	15	50	99+
20-34	39	6.4	10	2	2	6	9	10	11	16
35-49	407	6.7	9	3	4	6	8	10	12	19
50-64	7797	7.3	12	4	4	7	8	11	13	19
65+	16744	8.4	19	4	5	7	10	13	16	25
2. MULTIPLE DX										
0-19 YRS	65	10.2	62	2	5	9	11	17	23	47
20-34	89	9.4	61	2	3	8	12	21	27	99+
35-49	794	9.0	35	4	4	7	11	16	20	37
50-64	13541	9.9	44	4	5	8	12	17	22	37
65+	43326	12.3	78	5	5	10	15	22	29	49
TOT. SINGLE DX	25008	8.0	17	4	5	7	9	12	15	23
" MULTIPLE DX	57815	11.7	71	4	5	9	14	21	28	47
TOTAL 0-19 YRS	86	9.4	52	2	4	8	11	16	23	81
20-34	128	8.5	47	2	3	7	10	17	25	99+
35-49	1201	8.2	27	3	4	7	9	14	18	32
50-64	21338	9.0	34	4	5	7	10	15	19	33
65+	60070	11.2	65	4	5	9	13	20	26	45
GRAND TOTAL	82823	10.6	57	4	5	8	12	19	25	42

Step 3. There are no secondary diagnoses recorded, so one needs to be concerned only with the top five lines of the table (Section 1).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	6.8	14	1	2	7	9	15	50	99+
20-34	39	6.4	10	2	2	6	9	10	11	16
35-49	407	6.7	9	3	4	6	8	10	12	19
50-64	7797	7.3	12	4	4	7	8	11	13	19
65+	16744	8.4	19	4	5	7	10	13	16	25
2. MULTIPLE DX										
0-19 YRS	65	10.2	62	2	5	9	11	17	23	47
20-34	89	9.4	61	2	3	8	12	21	27	99+
35-49	794	9.0	35	4	4	7	11	16	20	37
50-64	13541	9.9	44	4	5	8	12	17	22	37
65+	43326	12.3	78	5	5	10	15	22	29	49
TOT. SINGLE DX	25008	8.0	17	4	5	7	9	12	15	23
" MULTIPLE DX	57815	11.7	71	4	5	9	14	21	28	47
TOTAL 0-19 YRS	86	9.4	52	2	4	8	11	16	23	81
20-34	128	8.5	47	2	3	7	10	17	25	99+
35-49	1201	8.2	27	3	4	7	9	14	18	32
50-64	21338	9.0	34	4	5	7	10	15	19	33
65+	60070	11.2	65	4	5	9	13	20	26	45
GRAND TOTAL	82823	10.6	57	4	5	8	12	19	25	42

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	6.8	14	1	2	7	9	15	50	99+
20-34	39	6.4	10	2	2	6	9	10	11	16
35-49	407	6.7	9	3	4	6	8	10	12	19
50-64	7797	7.3	12	4	4	7	8	11	13	19
65+	16744	8.4	19	4	5	7	10	13	16	25
2. MULTIPLE DX										
0-19 YRS	65	10.2	62	2	5	9	11	17	23	47
20-34	89	9.4	61	2	3	8	12	21	27	99+
35-49	794	9.0	35	4	4	7	11	16	20	37
50-64	13541	9.9	44	4	5	8	12	17	22	37
65+	43326	12.3	78	5	5	10	15	22	29	49
TOT. SINGLE DX	25008	8.0	17	4	5	7	9	12	15	23
" MULTIPLE DX	57815	11.7	71	4	5	9	14	21	28	47
TOTAL 0-19 YRS	86	9.4	52	2	4	8	11	16	23	81
20-34	128	8.5	47	2	3	7	10	17	25	99+
35-49	1201	8.2	27	3	4	7	9	14	18	32
50-64	21338	9.0	34	4	5	7	10	15	19	33
65+	60070	11.2	65	4	5	9	13	20	26	45
GRAND TOTAL	82823	10.6	57	4	5	8	12	19	25	42

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	6.8	14	1	2	7	9	15	50	99+
20-34	39	6.4	10	2	2	6	9	10	11	16
35-49	407	6.7	9	3	4	6	8	10	12	19
50-64	2797	7.3	12	4	4	7	8	11	13	19
65+	16744	8.4	19	4	5	7	10	13	16	25
2. MULTIPLE DX										
0-19 YRS	65	10.2	62	2	5	9	11	17	23	47
20-34	89	9.4	61	2	3	8	12	21	27	99+
35-49	794	9.0	35	4	4	7	11	16	20	37
50-64	13541	9.9	44	4	5	8	12	17	22	37
65+	43326	12.3	78	5	5	10	15	22	29	49
TOT. SINGLE DX	25008	8.0	17	4	5	7	9	12	15	23
" MULTIPLE DX	57815	11.7	71	4	5	9	14	21	28	47
TOTAL 0-19 YRS	86	9.4	52	2	4	8	11	16	23	81
20-34	128	8.5	47	2	3	7	10	17	25	99+
35-49	1201	8.2	27	3	4	7	9	14	18	32
50-64	21338	9.0	34	4	5	7	10	15	19	33
65+	60070	11.2	65	4	5	9	13	20	26	45
GRAND TOTAL	82823	10.6	57	4	5	8	12	19	25	42

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November the UR coordinator, the physician advisor, the UR committee, or other group responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., 75th percentile (as suggested in the PSRO *Program Manual*, paragraph 705.26).

Subsequent extended stay review dates would ordinarily be set by the physician advisor or the peer review (utilization review) committee as necessary, based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

1,663 PAS Hospitals, United States, 1979, by Operation

Summary of all patients in operation groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	524580	3.2	14	<1	1	2	4	6	8	18
20-34	921903	3.9	14	1	1	3	5	7	9	18
35-49	418444	5.2	27	1	1	4	7	11	14	25
50-64	385057	6.4	39	1	2	4	8	13	18	30
65+	318328	7.9	62	1	2	5	11	17	22	38
2. MULTIPLE DX										
0-19 YRS	310134	5.1	61	1	1	3	5	10	17	49
20-34	746245	5.9	43	1	2	4	7	11	15	36
35-49	518469	7.8	64	1	2	6	9	15	22	44
50-64	598564	10.2	104	2	2	7	13	21	29	57
65+	708498	13.6	150	2	3	10	18	28	38	68
TOT. SINGLE DX	2568312	4.8	28	1	1	3	6	10	14	26
" MULTIPLE DX	2881910	8.9	97	1	2	6	11	20	28	55
TOTAL 0-19 YRS	834714	3.9	32	<1	1	2	4	7	11	31
20-34	1668148	4.8	28	1	1	4	6	9	12	27
35-49	936913	6.6	49	1	2	5	8	13	18	36
50-64	983621	8.7	83	1	2	6	11	18	25	49
65+	1026826	11.8	129	2	2	9	16	25	34	61
GRAND TOTAL	**5450222**	**7.0**	**69**	**1**	**1**	**4**	**8**	**16**	**22**	**44**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	408	13.1	139	2	2	11	16	26	41	96
20-34	606	11.9	112	1	1	10	16	24	33	51
35-49	619	15.4	125	2	4	13	19	28	37	57
50-64	1015	16.6	165	1	2	14	21	32	42	82
65+	729	19.7	206	5	7	16	24	39	52	77
2. MULTIPLE DX										
0-19 YRS	483	20.3	257	3	4	17	28	44	61	99+
20-34	489	22.5	319	5	8	17	30	60	83	99+
35-49	692	23.1	343	1	6	18	30	55	76	99+
50-64	1227	26.0	347	7	9	20	34	58	74	99+
65+	1346	28.8	349	8	10	24	39	61	76	99+
TOT. SINGLE DX	3377	15.8	161	1	3	13	20	31	42	70
" MULTIPLE DX	4237	25.3	342	5	8	20	34	58	75	99+
TOTAL 0-19 YRS	891	17.0	215	2	3	13	22	37	52	99+
20-34	1095	16.7	232	1	2	13	21	38	59	99+
35-49	1311	19.4	255	1	5	15	24	42	57	99+
50-64	2242	21.7	286	2	7	17	28	48	63	99+
65+	2075	25.6	317	6	9	21	34	55	68	99+
GRAND TOTAL	7614	21.1	284	2	6	17	27	47	63	99+

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	431	11.5	81	3	4	8	15	22	30	52
20-34	418	14.4	127	4	5	11	17	28	40	65
35-49	423	16.3	135	4	6	13	20	30	41	69
50-64	597	18.5	178	6	7	15	23	35	51	99+
65+	533	19.7	201	6	8	16	24	36	49	74
2. MULTIPLE DX										
0-19 YRS	485	21.5	334	4	6	16	33	66	99+	99+
20-34	589	25.4	416	5	7	19	38	70	96	99+
35-49	543	25.2	320	7	9	21	34	60	93	99+
50-64	881	27.5	390	7	9	22	39	69	94	99+
65+	1041	29.1	354	8	10	25	40	61	80	99+
TOT. SINGLE DX	2402	16.4	157	4	5	13	21	32	43	72
" MULTIPLE DX	3539	26.4	371	6	8	21	38	65	91	99+
TOTAL 0-19 YRS	916	16.8	240	3	5	11	22	44	69	99+
20-34	1007	20.8	325	5	6	15	29	53	79	99+
35-49	966	21.3	258	5	7	17	28	46	68	99+
50-64	1478	23.8	324	6	8	19	32	57	78	99+
65+	1574	25.9	321	7	9	21	34	55	73	99+
GRAND TOTAL	5941	22.4	309	5	7	17	31	53	73	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	675	6.6	29	2	3	6	8	10	14	28
20-34	324	6.9	19	2	3	6	9	11	14	24
35-49	175	7.8	37	2	3	7	9	13	17	31
50-64	98	9.3	95	2	3	7	11	15	19	65
65+	42	11.6	214	2	4	8	11	20	31	94
2. MULTIPLE DX										
0-19 YRS	516	11.6	162	2	3	8	13	25	38	99+
20-34	410	12.9	192	3	4	9	15	33	61	99+
35-49	210	11.6	118	2	3	9	13	27	41	99+
50-64	174	14.6	224	4	5	9	16	32	43	94
65+	71	16.6	268	3	5	11	23	44	64	99+
TOT. SINGLE DX	1314	7.2	39	2	3	6	9	12	16	33
" MULTIPLE DX	1381	12.6	179	3	3	9	14	29	47	99+
TOTAL 0-19 YRS	1191	8.8	93	2	3	7	10	16	25	75
20-34	734	10.2	125	2	3	8	11	19	39	99+
35-49	385	9.9	84	2	3	8	11	18	30	87
50-64	272	12.7	184	3	4	9	14	25	38	91
65+	113	14.8	251	3	4	10	17	35	62	99+
GRAND TOTAL	2695	10.0	118	2	3	7	11	18	32	94

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	271	10.2	53	3	4	8	13	18	23	44
20-34	88	12.7	115	4	6	10	15	20	24	73
35-49	69	15.5	202	5	6	12	17	25	52	87
50-64	111	16.9	150	5	7	14	20	33	40	69
65+	183	18.4	158	6	7	15	24	34	43	82
2. MULTIPLE DX										
0-19 YRS	413	19.8	314	4	5	14	31	62	99+	99+
20-34	122	18.6	209	6	7	15	27	56	99+	99+
35-49	105	24.9	476	5	7	18	36	80	99+	99+
50-64	233	28.0	383	7	9	22	43	67	99+	99+
65+	435	30.8	335	9	12	27	42	64	85	99+
TOT. SINGLE DX	722	14.1	127	4	5	11	17	26	35	65
" MULTIPLE DX	1308	25.2	361	5	7	21	38	64	99+	99+
TOTAL 0-19 YRS	684	16.0	232	3	4	11	20	46	75	99+
20-34	210	16.1	177	5	6	13	19	40	74	99+
35-49	174	21.2	387	5	6	15	26	60	93	99+
50-64	344	24.4	334	7	8	19	34	57	86	99+
65+	618	27.1	315	7	9	24	37	56	78	99+
GRAND TOTAL	2030	21.3	306	5	6	16	30	53	80	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	683	8.7	81	2	2	6	10	17	24	51
20-34	180	12.8	134	2	3	9	17	29	43	87
35-49	96	13.3	174	2	3	11	17	26	44	95
50-64	100	12.9	118	2	3	10	16	26	38	53
65+	76	16.6	221	2	3	12	20	38	45	71
2. MULTIPLE DX										
0-19 YRS	1000	14.3	211	2	3	9	19	36	51	99+
20-34	313	22.6	439	3	4	16	37	65	99+	99+
35-49	171	21.9	362	3	4	16	33	57	90	99+
50-64	219	22.3	279	3	6	19	32	52	78	99+
65+	243	23.4	340	4	6	18	34	53	67	99+
TOT. SINGLE DX	1135	10.6	116	2	2	8	13	23	34	62
" MULTIPLE DX	1946	18.3	301	3	4	13	26	48	69	99+
TOTAL 0-19 YRS	1683	12.0	165	2	3	8	15	30	44	99+
20-34	493	19.0	350	2	4	13	27	55	84	99+
35-49	267	18.8	311	2	3	14	25	49	75	99+
50-64	319	19.4	247	3	4	15	28	46	60	99+
65+	319	21.8	319	3	5	16	32	48	64	99+
GRAND TOTAL	**3081**	**15.5**	**247**	**2**	**3**	**10**	**21**	**41**	**58**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	133	12.9	90	3	5	11	15	25	33	62
20-34	1238	12.6	63	5	6	10	15	22	27	44
35-49	2336	12.6	53	5	6	11	15	21	26	39
50-64	1945	13.7	61	6	7	12	17	23	28	43
65+	725	16.0	81	6	8	13	20	27	34	48
2. MULTIPLE DX										
0-19 YRS	130	24.3	403	4	6	16	36	59	69	99+
20-34	812	17.2	196	6	7	13	20	33	50	96
35-49	1802	16.2	134	6	7	13	19	30	42	83
50-64	2562	19.2	191	6	8	15	24	37	49	93
65+	1623	24.4	241	8	10	20	31	48	60	99+
TOT. SINGLE DX	6377	13.3	62	5	6	11	16	23	28	43
" MULTIPLE DX	6929	19.5	202	6	8	15	24	39	52	99
TOTAL 0-19 YRS	263	18.6	276	4	5	13	22	47	60	97
20-34	2050	14.4	121	5	6	11	17	26	34	79
35-49	4138	14.1	91	5	7	11	17	24	32	63
50-64	4507	16.8	142	6	7	13	20	31	41	78
65+	2348	21.8	207	7	9	18	28	42	54	99+
GRAND TOTAL	**13306**	**16.5**	**144**	**6**	**7**	**13**	**20**	**31**	**42**	**80**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	174	11.1	122	1	2	8	14	23	30	61
20-34	517	10.1	108	1	2	7	13	23	32	63
35-49	542	9.9	101	1	2	7	13	21	29	45
50-64	394	10.6	120	1	2	8	14	22	33	57
65+	170	15.7	201	2	2	12	21	35	43	71
2. MULTIPLE DX										
0-19 YRS	262	18.8	280	3	4	15	24	42	63	99+
20-34	498	15.3	217	2	3	12	20	37	53	99+
35-49	634	14.0	186	2	2	10	18	31	42	85
50-64	740	17.2	224	2	3	13	24	39	54	99+
65+	455	23.9	322	3	5	19	33	50	67	99+
TOT. SINGLE DX	1797	10.8	121	1	2	8	14	23	33	60
" MULTIPLE DX	2589	17.4	247	2	3	13	24	40	54	99+
TOTAL 0-19 YRS	436	15.8	231	2	3	12	21	33	52	94
20-34	1015	12.6	168	1	2	9	16	30	45	99+
35-49	1176	12.0	151	2	2	9	15	27	37	68
50-64	1134	14.9	197	2	2	11	20	35	47	99+
65+	625	21.6	302	2	4	17	31	48	63	99+
GRAND TOTAL	**4386**	**14.7**	**206**	**2**	**2**	**11**	**19**	**34**	**48**	**97**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	376	3.1	5	<1	1	2	4	6	9	12
20-34	1684	3.4	10	1	1	3	4	6	8	18
35-49	2017	3.5	11	1	1	3	4	6	9	19
50-64	2527	3.7	16	1	2	3	4	6	10	21
65+	1069	4.3	18	1	2	3	5	8	12	21
2. MULTIPLE DX										
0-19 YRS	191	5.0	48	1	1	3	5	9	27	99+
20-34	819	5.6	50	1	2	3	6	11	19	45
35-49	1112	5.7	46	2	2	4	6	12	17	37
50-64	1542	5.9	64	2	2	4	6	12	17	50
65+	734	7.5	64	2	2	4	9	18	24	42
TOT. SINGLE DX	7673	3.6	13	1	1	3	4	6	10	20
" MULTIPLE DX	4398	6.0	56	2	2	4	6	13	20	43
TOTAL 0-19 YRS	567	3.8	20	1	1	3	4	7	10	45
20-34	2503	4.1	24	1	1	3	4	8	12	27
35-49	3129	4.3	25	1	2	3	4	8	12	27
50-64	4069	4.5	35	1	2	3	5	8	13	29
65+	1803	5.6	39	1	2	3	6	12	18	33
GRAND TOTAL	**12071**	**4.5**	**30**	**1**	**2**	**3**	**5**	**9**	**13**	**30**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	929	3.0	16	1	1	2	3	5	6	16
20-34	5800	2.7	5	1	1	2	3	4	6	12
35-49	7587	2.9	8	1	1	2	3	5	6	14
50-64	7853	2.9	8	1	1	2	3	5	7	13
65+	3314	3.2	11	1	1	2	3	5	8	17
2. MULTIPLE DX										
0-19 YRS	932	3.1	10	1	1	2	3	6	9	21
20-34	2637	4.2	25	1	1	3	4	8	12	27
35-49	3282	5.0	33	1	2	3	5	11	16	30
50-64	4385	5.0	27	1	2	3	6	11	15	27
65+	2525	6.0	53	1	2	3	7	13	18	35
TOT. SINGLE DX	25483	2.9	8	1	1	2	3	5	6	14
" MULTIPLE DX	13761	4.9	32	1	2	3	5	11	15	29
TOTAL 0-19 YRS	1861	3.0	13	1	1	2	3	5	7	21
20-34	8437	3.2	12	1	1	2	3	5	8	20
35-49	10869	3.6	16	1	1	2	4	6	10	22
50-64	12238	3.7	16	1	1	3	4	7	11	21
65+	5839	4.4	31	1	2	3	4	9	14	27
GRAND TOTAL	39244	3.6	17	1	1	2	4	7	10	22

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	8.6	87	1	2	7	10	14	26	48
20-34	190	7.3	22	2	2	6	9	13	15	28
35-49	203	8.9	51	2	2	7	11	16	24	42
50-64	259	10.5	46	3	4	9	13	18	25	33
65+	277	14.1	105	4	6	11	17	25	34	55
2. MULTIPLE DX										
0-19 YRS	25	6.1	5	3	3	6	7	10	10	11
20-34	158	10.0	76	3	4	7	11	19	24	48
35-49	258	14.7	147	4	5	11	17	28	40	63
50-64	679	16.9	176	5	6	13	21	33	46	80
65+	1260	20.3	197	6	8	16	25	38	48	80
TOT. SINGLE DX	953	10.5	66	2	3	8	13	19	26	38
" MULTIPLE DX	2380	17.9	185	5	6	14	22	35	46	77
TOTAL 0-19 YRS	49	7.3	46	2	3	6	9	11	14	48
20-34	348	8.5	48	2	3	7	10	15	20	44
35-49	461	12.2	112	2	4	9	15	24	34	55
50-64	938	15.1	148	4	5	12	18	30	40	73
65+	1537	19.2	186	6	7	15	24	36	46	78
GRAND TOTAL	3333	15.8	162	4	5	12	20	31	42	73

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	4.8	21	1	1	4	5	9	18	19
20-34	159	7.1	72	1	1	4	9	15	20	42
35-49	183	7.3	48	<1	1	5	10	16	23	41
50-64	180	6.6	39	<1	1	5	9	14	18	41
65+	67	10.7	143	2	2	8	13	24	34	71
2. MULTIPLE DX										
0-19 YRS	39	6.3	84	<1	1	2	6	22	29	39
20-34	151	8.4	78	1	2	6	11	17	25	39
35-49	198	10.0	75	1	2	9	13	21	29	48
50-64	244	11.0	74	1	2	9	14	21	27	39
65+	211	14.4	148	3	4	11	18	28	38	63
TOT. SINGLE DX	614	7.3	62	1	1	5	10	15	23	43
" MULTIPLE DX	843	10.9	99	1	2	9	14	23	30	49
TOTAL 0-19 YRS	64	5.7	59	1	1	3	5	18	24	38
20-34	310	7.7	75	1	1	5	10	16	22	41
35-49	381	8.7	63	1	2	6	12	18	26	47
50-64	424	9.1	64	1	2	7	12	19	25	39
65+	278	13.5	149	2	3	10	16	28	37	64
GRAND TOTAL	1457	9.4	86	1	2	7	12	20	27	45

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	718	4.8	9	2	3	4	5	7	9	18
20-34	4114	4.8	7	3	3	4	5	7	8	15
35-49	4217	4.8	5	3	3	4	5	7	9	14
50-64	3495	5.2	9	3	3	5	6	7	10	16
65+	1367	5.9	14	3	3	5	7	9	12	22
2. MULTIPLE DX										
0-19 YRS	243	7.1	45	3	3	5	8	13	18	42
20-34	1660	6.2	25	3	3	5	6	10	15	31
35-49	2383	6.5	28	3	3	5	7	11	15	26
50-64	2625	7.4	38	3	3	5	8	14	18	31
65+	1648	9.9	64	3	4	7	12	20	27	42
TOT. SINGLE DX	13911	5.0	8	3	3	4	6	7	9	16
" MULTIPLE DX	8559	7.4	40	3	3	5	8	14	19	34
TOTAL 0-19 YRS	961	5.4	19	2	3	4	6	8	12	24
20-34	5774	5.2	12	3	3	4	5	8	10	19
35-49	6600	5.4	14	3	3	5	6	8	11	21
50-64	6120	6.1	23	3	3	5	6	10	14	25
65+	3015	8.1	45	3	4	6	9	15	22	37
GRAND TOTAL	22470	5.9	21	3	3	5	6	10	13	26

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1070	2.8	4	1	1	2	3	4	5	12
20-34	657	3.7	7	1	2	3	4	6	7	13
35-49	519	4.3	7	2	2	4	5	7	9	15
50-64	508	5.6	35	2	2	5	6	10	11	27
65+	270	7.4	37	2	2	6	8	15	23	31
2. MULTIPLE DX										
0-19 YRS	155	5.1	34	1	2	3	6	11	15	32
20-34	350	7.9	57	2	3	6	9	16	22	40
35-49	469	9.2	82	3	3	6	10	19	27	55
50-64	726	9.6	89	3	4	6	11	19	26	63
65+	582	13.9	157	3	4	9	17	32	43	66
TOT. SINGLE DX	3024	4.2	15	1	2	3	5	7	10	21
" MULTIPLE DX	2282	10.0	103	2	3	7	12	22	31	58
TOTAL 0-19 YRS	1225	3.1	8	1	1	3	3	5	7	15
20-34	1007	5.2	28	1	2	4	6	9	13	28
35-49	988	6.6	49	2	2	5	7	13	19	39
50-64	1234	8.0	71	2	3	6	9	15	23	59
65+	852	11.9	128	3	3	8	14	26	37	60
GRAND TOTAL	5306	6.7	61	1	2	4	7	14	21	45

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	9.8	45	2	4	9	12	16	18	44
20-34	267	10.6	34	4	5	9	12	18	23	34
35-49	178	11.3	41	4	5	10	14	18	25	37
50-64	148	12.4	58	3	5	11	15	22	27	42
65+	60	14.2	117	4	5	12	18	25	30	70
2. MULTIPLE DX										
0-19 YRS	36	15.1	84	6	7	13	19	33	79	99+
20-34	185	14.1	127	6	7	11	17	23	30	75
35-49	230	17.1	195	5	7	12	20	33	47	78
50-64	298	17.7	136	5	7	15	22	32	42	67
65+	183	22.7	258	7	8	18	28	44	59	89
TOT. SINGLE DX	724	11.4	50	4	5	10	14	19	24	39
" MULTIPLE DX	932	17.7	178	5	7	14	21	33	46	88
TOTAL 0-19 YRS	107	11.6	64	3	4	10	15	21	32	99+
20-34	452	12.1	75	5	6	10	14	21	25	43
35-49	408	14.6	136	4	5	11	17	26	36	68
50-64	446	16.0	116	5	6	14	19	29	36	58
65+	243	20.6	236	5	8	16	26	40	55	89
GRAND TOTAL	1656	14.9	132	5	6	12	18	27	37	69

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of a procedure which is coded for indexing, quality review, and purposes other than its effect on length of stay. For the purpose of operation length of stay tables, patients with only this procedure are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1134	1.5	8	<1	<1	1	2	2	3	4
20-34	285	2.0	3	<1	<1	2	2	3	4	9
35-49	417	2.2	9	<1	<1	2	2	3	5	11
50-64	630	2.2	3	<1	<1	2	3	4	4	11
65+	812	2.5	5	<1	1	2	3	4	6	11
2. MULTIPLE DX										
0-19 YRS	177	3.4	66	<1	<1	2	3	4	9	55
20-34	161	4.9	41	<1	1	3	5	10	16	36
35-49	343	5.4	39	<1	1	3	7	13	19	30
50-64	679	5.6	62	<1	1	3	6	12	20	39
65+	926	6.1	62	1	2	3	7	14	19	43
TOT. SINGLE DX	3278	2.0	6	<1	<1	2	2	3	4	9
" MULTIPLE DX	2286	5.6	58	<1	1	3	6	13	19	39
TOTAL 0-19 YRS	1311	1.8	16	<1	<1	1	2	2	3	8
20-34	446	3.1	18	<1	<1	2	3	6	9	24
35-49	760	3.7	25	<1	<1	2	3	9	13	29
50-64	1309	3.9	36	<1	1	2	4	8	13	32
65+	1738	4.4	39	1	1	2	4	10	15	34
GRAND TOTAL	5564	3.5	30	<1	<1	2	3	7	12	28

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1482	2.0	2	<1	1	2	2	3	4	7
20-34	649	2.4	9	<1	1	2	3	4	5	10
35-49	1192	2.2	4	<1	1	2	2	3	4	9
50-64	1819	2.2	3	<1	1	2	2	3	4	9
65+	2233	2.2	3	<1	1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	1382	3.4	22	1	1	2	4	6	9	25
20-34	1541	4.0	31	<1	1	2	4	8	12	31
35-49	1602	3.9	31	1	1	3	4	7	11	32
50-64	2540	3.7	23	1	1	3	4	6	9	23
65+	2967	4.9	58	1	1	3	4	10	18	42
TOT. SINGLE DX	7375	2.2	3	<1	1	2	2	3	4	9
" MULTIPLE DX	10032	4.1	36	1	1	2	4	8	12	33
TOTAL 0-19 YRS	2864	2.7	12	<1	1	2	3	5	7	16
20-34	2190	3.5	25	<1	1	2	4	7	10	26
35-49	2794	3.2	20	<1	1	2	3	5	8	23
50-64	4359	3.0	15	<1	1	2	3	5	7	19
65+	5200	3.8	36	1	1	2	3	7	12	34
GRAND TOTAL	17407	3.3	23	<1	1	2	3	6	9	25

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	271	2.1	2	<1	1	2	2	3	4	8
20-34	231	2.5	4	<1	1	2	3	4	4	19
35-49	218	2.7	5	1	1	2	3	4	5	7
50-64	295	2.8	3	1	2	2	3	4	5	8
65+	433	3.1	11	2	2	3	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	131	3.1	5	1	1	2	4	6	8	11
20-34	150	3.2	5	1	1	3	4	5	7	18
35-49	120	3.3	8	2	2	3	4	5	6	17
50-64	241	3.9	16	1	2	3	4	7	11	20
65+	457	4.5	25	2	2	3	4	8	13	23
TOT. SINGLE DX	1448	2.7	6	1	1	2	3	4	5	9
" MULTIPLE DX	1099	3.9	16	1	2	3	4	7	10	20
TOTAL 0-19 YRS	402	2.4	4	<1	1	2	3	4	6	10
20-34	381	2.8	5	1	1	2	3	4	6	18
35-49	338	2.9	6	1	2	3	3	4	5	8
50-64	536	3.3	9	1	2	3	3	5	7	16
65+	890	3.8	19	2	2	3	4	6	9	20
GRAND TOTAL	2547	3.2	11	1	1	3	3	5	7	17

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	222	1.8	2	<1	<1	2	2	2	3	9
20-34	117	2.1	5	<1	<1	2	2	3	5	14
35-49	71	1.9	2	<1	<1	2	2	4	5	7
50-64	89	2.7	14	<1	<1	2	3	4	7	25
65+	112	2.5	5	<1	<1	2	3	4	5	17
2. MULTIPLE DX										
0-19 YRS	78	3.2	11	1	1	2	4	6	9	20
20-34	57	4.7	121	<1	1	2	5	8	10	79
35-49	58	5.8	32	1	1	4	7	14	19	23
50-64	67	4.6	35	1	1	3	4	10	14	33
65+	124	5.2	35	1	2	3	6	12	17	29
TOT. SINGLE DX	611	2.1	5	<1	<1	2	2	3	5	11
" MULTIPLE DX	384	4.7	43	1	1	3	5	10	15	28
TOTAL 0-19 YRS	300	2.1	5	<1	1	2	2	4	6	11
20-34	174	3.0	44	<1	1	2	3	5	8	19
35-49	129	3.7	19	<1	<1	2	4	7	13	23
50-64	156	3.5	24	<1	1	2	3	7	10	34
65+	236	3.9	23	<1	1	2	4	9	14	23
GRAND TOTAL	995	3.1	21	<1	1	2	3	6	10	22

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	5.1	6	2	3	5	6	8	11	66
20-34	303	4.9	10	2	3	4	5	8	9	20
35-49	205	4.8	7	2	2	4	6	7	10	17
50-64	259	5.2	8	2	2	5	6	9	12	16
65+	544	4.8	7	2	2	4	6	8	10	14
2. MULTIPLE DX										
0-19 YRS	70	6.1	11	2	3	5	8	11	14	82
20-34	125	6.1	23	3	3	5	7	9	15	29
35-49	127	6.2	36	2	3	5	7	10	14	39
50-64	301	6.2	20	2	3	5	7	11	14	29
65+	984	6.2	24	2	3	5	7	10	14	30
TOT. SINGLE DX	1400	4.9	8	2	2	4	6	8	10	16
" MULTIPLE DX	1607	6.2	23	2	3	5	7	10	14	31
TOTAL 0-19 YRS	159	5.5	9	2	3	5	7	10	13	90
20-34	428	5.2	14	2	3	4	6	8	10	24
35-49	332	5.3	19	2	3	4	6	8	11	22
50-64	560	5.7	15	2	3	5	7	10	13	25
65+	1528	5.7	18	2	3	5	7	9	12	27
GRAND TOTAL	**3007**	**5.6**	**17**	**2**	**3**	**5**	**6**	**9**	**12**	**25**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	480	3.5	7	<1	1	3	5	7	9	13
20-34	783	2.5	4	1	1	2	3	5	6	12
35-49	781	2.4	9	<1	1	2	2	4	5	10
50-64	594	2.2	2	<1	1	2	2	4	5	9
65+	488	2.7	7	1	1	2	3	4	7	15
2. MULTIPLE DX										
0-19 YRS	356	5.1	14	1	2	4	6	9	11	25
20-34	350	5.0	19	1	2	4	6	9	12	23
35-49	288	4.3	13	1	2	3	5	9	11	17
50-64	349	4.1	18	1	1	3	5	8	11	23
65+	523	5.1	42	1	2	3	6	11	16	37
TOT. SINGLE DX	3126	2.6	6	<1	1	2	3	5	6	12
" MULTIPLE DX	1866	4.8	24	1	2	3	6	9	13	27
TOTAL 0-19 YRS	836	4.2	11	1	1	3	5	8	10	18
20-34	1133	3.3	10	1	1	2	4	6	9	16
35-49	1069	2.9	11	1	1	2	3	5	8	16
50-64	943	2.9	9	1	1	2	3	5	8	16
65+	1011	3.9	26	1	1	2	4	8	13	28
GRAND TOTAL	**4992**	**3.4**	**14**	**1**	**1**	**2**	**4**	**7**	**9**	**19**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	184	3.2	5	1	1	3	4	5	7	12
20-34	160	4.4	30	1	2	3	5	7	11	18
35-49	266	3.9	5	2	2	3	5	7	8	12
50-64	792	4.0	15	1	2	3	5	7	9	17
65+	1318	4.0	9	2	2	3	5	7	10	16
2. MULTIPLE DX										
0-19 YRS	111	4.4	21	1	1	3	5	9	11	25
20-34	121	5.7	36	1	2	4	7	13	16	33
35-49	203	6.1	58	2	2	4	6	11	18	42
50-64	736	5.2	24	1	2	4	6	10	13	23
65+	1412	5.5	33	2	2	4	6	11	14	25
TOT. SINGLE DX	2720	4.0	12	1	2	3	5	7	9	16
" MULTIPLE DX	2583	5.4	32	2	2	4	6	11	14	29
TOTAL 0-19 YRS	295	3.6	12	1	1	3	4	7	10	17
20-34	281	5.0	33	1	2	3	5	9	14	30
35-49	469	4.9	29	2	2	3	5	9	12	37
50-64	1528	4.6	20	1	2	3	5	8	11	21
65+	2730	4.8	22	2	2	3	5	9	12	22
GRAND TOTAL	**5303**	**4.7**	**22**	**1**	**2**	**3**	**5**	**9**	**12**	**22**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	261	4.7	20	1	1	3	6	10	14	21
20-34	301	3.8	36	1	1	3	4	7	10	15
35-49	331	3.3	6	1	1	3	4	6	8	14
50-64	985	3.4	7	1	1	3	4	7	8	14
65+	1628	3.6	9	1	2	3	4	7	9	16
2. MULTIPLE DX										
0-19 YRS	260	6.0	22	1	2	5	8	12	14	21
20-34	277	5.3	25	1	2	4	6	10	13	36
35-49	207	5.3	21	1	2	4	7	10	16	24
50-64	641	5.1	20	1	2	4	6	10	14	22
65+	1483	5.7	36	1	2	4	7	12	17	34
TOT. SINGLE DX	3506	3.6	11	1	1	3	4	7	9	16
" MULTIPLE DX	2868	5.5	29	1	2	4	7	11	16	28
TOTAL 0-19 YRS	521	5.3	22	1	1	4	7	11	14	21
20-34	578	4.5	31	1	1	3	5	9	12	20
35-49	538	4.1	12	1	1	3	5	8	10	20
50-64	1626	4.1	13	1	2	3	5	8	11	20
65+	3111	4.6	23	1	2	3	5	9	14	25
GRAND TOTAL	**6374**	**4.5**	**20**	**1**	**2**	**3**	**5**	**9**	**12**	**22**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	103	3.5	9	1	1	3	4	6	8	19
20-34	110	3.3	3	2	2	3	4	5	5	10
35-49	2041	3.4	6	2	2	3	4	5	6	12
50-64	13713	3.4	5	2	2	3	4	5	6	11
65+	43153	3.6	6	2	2	3	4	5	7	12
2. MULTIPLE DX										
0-19 YRS	68	4.0	8	2	2	3	5	7	11	15
20-34	118	5.2	17	2	2	4	6	10	12	24
35-49	1313	4.5	13	2	2	4	5	8	10	23
50-64	10856	4.4	15	2	2	3	5	7	11	20
65+	42140	4.7	20	2	2	4	5	8	12	23
TOT. SINGLE DX	59120	3.6	6	2	2	3	4	5	7	12
" MULTIPLE DX	54495	4.7	19	2	2	4	5	8	11	23
TOTAL 0-19 YRS	171	3.7	9	1	2	3	4	6	10	15
20-34	228	4.3	11	2	2	3	5	7	10	21
35-49	3354	3.8	9	2	2	3	4	6	8	16
50-64	24569	3.9	10	2	2	3	4	6	8	15
65+	85293	4.2	13	2	2	3	4	7	10	18
GRAND TOTAL	**113615**	**4.1**	**12**	**2**	**2**	**3**	**4**	**6**	**9**	**17**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	698	2.7	4	1	1	2	3	4	6	12
20-34	382	2.5	2	1	1	2	3	4	5	7
35-49	1342	2.5	2	1	1	2	3	4	5	9
50-64	4208	2.5	3	1	2	2	3	4	4	8
65+	9104	2.7	4	1	2	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	402	3.7	20	1	2	3	4	6	9	22
20-34	275	4.0	21	1	2	3	4	7	10	27
35-49	639	3.5	8	1	2	3	4	6	9	15
50-64	2430	3.5	17	1	2	3	4	6	8	18
65+	5586	3.9	19	2	2	3	4	7	10	22
TOT. SINGLE DX	15734	2.6	3	1	2	2	3	4	5	9
" MULTIPLE DX	9332	3.8	18	1	2	3	4	6	9	21
TOTAL 0-19 YRS	1100	3.1	10	1	1	2	3	5	7	14
20-34	657	3.2	10	1	2	2	3	5	7	20
35-49	1981	2.8	4	1	2	2	3	4	6	12
50-64	6638	2.9	8	1	2	2	3	4	6	13
65+	14690	3.2	10	1	2	2	3	5	7	16
GRAND TOTAL	**25066**	**3.0**	**9**	**1**	**2**	**2**	**3**	**5**	**7**	**14**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	2.8	3	1	2	2	3	4	6	11
20-34	34	3.4	13	<1	1	2	3	5	10	21
35-49	106	2.8	7	1	1	2	3	4	6	17
50-64	689	2.6	2	1	1	2	3	4	5	8
65+	2589	2.9	4	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	17	3.6	7	<1	1	3	4	8	10	10
20-34	20	4.0	13	2	2	3	4	6	12	18
35-49	46	4.3	17	1	2	3	5	7	11	22
50-64	449	3.5	10	1	2	3	4	6	9	16
65+	1933	3.9	16	2	2	3	4	6	9	22
TOT. SINGLE DX	3446	2.8	4	1	1	2	3	4	5	9
" MULTIPLE DX	2465	3.9	15	2	2	3	4	6	9	21
TOTAL 0-19 YRS	45	3.1	5	1	2	2	3	5	9	11
20-34	54	3.6	13	1	2	3	3	5	10	21
35-49	152	3.2	10	1	1	2	4	6	7	22
50-64	1138	3.0	5	1	1	2	3	4	6	13
65+	4522	3.3	9	1	2	3	4	5	7	17
GRAND TOTAL	**5911**	**3.3**	**9**	**1**	**2**	**3**	**4**	**5**	**7**	**16**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	392	5.2	10	1	2	5	6	9	11	15
20-34	673	5.2	11	1	2	5	7	9	11	17
35-49	663	5.0	8	2	2	5	6	8	10	15
50-64	2429	5.1	10	1	2	5	6	9	10	16
65+	2112	5.5	10	2	2	5	7	9	11	16
2. MULTIPLE DX										
0-19 YRS	249	5.7	17	2	2	5	7	9	13	22
20-34	532	6.0	14	2	2	5	7	10	13	20
35-49	574	6.4	19	2	2	6	8	11	14	22
50-64	2167	6.0	14	2	2	5	7	10	13	20
65+	2486	6.5	19	2	3	6	8	11	14	24
TOT. SINGLE DX	6269	5.2	10	1	2	5	7	9	11	16
" MULTIPLE DX	6008	6.2	17	2	2	5	8	11	14	21
TOTAL 0-19 YRS	641	5.4	13	1	2	5	6	9	12	17
20-34	1205	5.5	12	1	2	5	7	10	12	18
35-49	1237	5.7	14	2	2	5	7	10	12	21
50-64	4596	5.5	12	2	2	5	7	10	12	18
65+	4598	6.1	15	2	2	5	7	10	13	21
GRAND TOTAL	**12277**	**5.7**	**13**	**2**	**2**	**5**	**7**	**10**	**12**	**20**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	101	4.0	11	<1	1	3	5	7	9	20
20-34	181	4.0	10	<1	1	3	5	7	11	15
35-49	113	3.8	9	1	1	3	5	7	9	17
50-64	275	4.0	9	1	1	3	5	8	9	17
65+	388	4.2	10	1	2	3	5	7	10	15
2. MULTIPLE DX										
0-19 YRS	126	5.9	75	2	2	4	6	9	14	47
20-34	326	6.2	24	2	2	5	7	10	15	21
35-49	256	6.3	44	1	2	5	7	11	16	54
50-64	637	5.7	25	1	2	4	7	11	14	24
65+	876	5.4	21	1	2	4	7	11	13	23
TOT. SINGLE DX	1058	4.0	10	1	1	3	5	7	9	16
" MULTIPLE DX	2221	5.7	28	1	2	4	7	11	14	25
TOTAL 0-19 YRS	227	5.0	48	1	2	4	5	8	13	29
20-34	507	5.5	20	1	2	5	7	10	13	20
35-49	369	5.5	34	1	1	4	6	10	15	35
50-64	912	5.2	21	1	1	4	6	10	13	22
65+	1264	5.0	18	1	2	4	6	10	12	21
GRAND TOTAL	**3279**	**5.2**	**23**	**1**	**2**	**4**	**6**	**10**	**13**	**22**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11158	1.8	4	<1	1	2	2	2	2	4
20-34	1789	2.1	2	1	1	2	2	3	3	6
35-49	766	2.1	1	1	1	2	2	3	3	6
50-64	415	2.2	1	1	1	2	2	3	3	5
65+	218	2.1	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	2263	2.0	4	1	1	2	2	2	3	8
20-34	594	2.3	3	1	1	2	2	3	4	10
35-49	355	2.6	5	1	1	2	3	4	5	15
50-64	314	3.0	30	1	2	2	3	4	6	14
65+	196	2.9	7	1	2	2	3	4	5	18
TOT. SINGLE DX	14346	1.9	4	1	1	2	2	2	3	4
" MULTIPLE DX	3722	2.3	6	1	1	2	2	3	4	12
TOTAL 0-19 YRS	13421	1.9	4	<1	1	2	2	2	2	4
20-34	2383	2.1	2	1	1	2	2	3	3	7
35-49	1121	2.3	2	1	1	2	2	3	4	11
50-64	729	2.5	14	1	2	2	3	3	4	12
65+	414	2.5	4	1	1	2	3	3	4	13
GRAND TOTAL	**18068**	**2.0**	**4**	**1**	**1**	**2**	**2**	**2**	**3**	**6**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	2.4	12	<1	1	2	2	3	7	24
20-34	32	2.9	7	<1	1	2	3	5	10	13
35-49	11	7.8	62	1	1	5	13	21	23	23
50-64	11	3.2	4	1	1	2	4	6	7	7
65+	9	7.9	44	1	1	6	14	18	20	20
2. MULTIPLE DX										
0-19 YRS	29	2.8	3	1	2	2	3	4	7	10
20-34	14	8.1	84	1	1	3	18	22	25	26
35-49	12	8.9	62	2	2	7	12	21	26	27
50-64	12	10.3	116	2	2	4	20	27	30	31
65+	16	13.0	184	<1	1	7	22	31	41	46
TOT. SINGLE DX	114	3.6	20	<1	1	2	3	8	14	23
" MULTIPLE DX	83	7.6	87	1	2	3	11	22	27	41
TOTAL 0-19 YRS	80	2.6	9	<1	1	2	2	4	7	20
20-34	46	4.5	35	1	1	2	4	13	21	26
35-49	23	8.4	59	1	1	5	12	21	24	27
50-64	23	6.9	73	1	2	3	7	22	28	31
65+	25	11.2	136	<1	1	6	19	27	35	46
GRAND TOTAL	**197**	**5.3**	**52**	**1**	**1**	**2**	**4**	**17**	**23**	**31**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	673	3.1	7	<1	1	2	4	6	9	16
20-34	577	3.7	16	1	1	3	4	6	9	15
35-49	379	4.3	37	1	1	3	4	8	11	45
50-64	464	3.9	11	1	2	3	4	7	9	21
65+	560	4.1	20	1	2	3	5	7	10	21
2. MULTIPLE DX										
0-19 YRS	419	4.8	19	1	1	3	6	10	14	23
20-34	574	6.0	44	1	2	4	7	12	16	34
35-49	413	6.3	53	1	2	4	7	12	20	45
50-64	615	6.0	47	1	2	4	7	13	17	34
65+	961	6.8	63	2	2	4	8	14	22	44
TOT. SINGLE DX	2653	3.7	17	1	1	3	4	7	9	19
" MULTIPLE DX	2982	6.1	49	1	2	4	7	12	18	36
TOTAL 0-19 YRS	1092	3.7	12	1	1	3	4	8	10	19
20-34	1151	4.8	31	1	2	3	5	9	13	29
35-49	792	5.3	46	1	2	3	5	10	16	46
50-64	1079	5.1	32	1	2	3	6	10	15	28
65+	1521	5.8	49	1	2	4	7	11	18	36
GRAND TOTAL	**5635**	**5.0**	**35**	**1**	**2**	**3**	**5**	**10**	**14**	**32**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2170	2.1	4	<1	<1	2	2	3	4	8
20-34	860	2.5	11	<1	<1	2	2	4	6	13
35-49	429	2.7	10	<1	1	2	3	4	6	19
50-64	477	3.0	18	<1	1	2	3	5	7	23
65+	606	3.5	22	<1	1	2	4	7	10	17
2. MULTIPLE DX										
0-19 YRS	1208	3.6	18	1	1	3	4	7	9	21
20-34	676	5.2	67	1	1	3	5	11	18	50
35-49	461	5.6	68	1	1	3	7	12	18	40
50-64	618	6.9	72	1	1	4	8	16	24	47
65+	907	8.4	98	1	2	5	11	19	26	55
TOT. SINGLE DX	4542	2.5	10	<1	<1	2	3	4	6	14
" MULTIPLE DX	3870	5.8	63	1	1	3	6	13	19	44
TOTAL 0-19 YRS	3378	2.6	9	<1	1	2	3	4	7	16
20-34	1536	3.7	37	<1	1	2	3	7	11	30
35-49	890	4.2	42	<1	1	2	4	9	13	32
50-64	1095	5.2	52	1	1	3	5	12	18	42
65+	1513	6.4	73	1	1	3	8	15	20	42
GRAND TOTAL	8412	4.0	37	<1	1	2	4	8	13	33

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	300	2.6	13	1	1	2	3	3	4	8
20-34	1249	2.6	1	1	2	2	3	4	4	5
35-49	1889	2.7	2	1	2	3	3	4	4	7
50-64	2120	2.8	7	1	2	3	3	4	4	7
65+	871	2.9	3	1	2	3	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	158	2.2	1	1	1	2	3	3	4	8
20-34	367	3.2	13	1	2	3	3	4	6	13
35-49	526	3.2	18	1	2	3	3	4	6	12
50-64	687	3.2	5	2	2	3	3	4	6	17
65+	291	3.3	6	2	2	3	3	5	8	14
TOT. SINGLE DX	6429	2.7	4	1	2	3	3	4	4	7
" MULTIPLE DX	2029	3.1	10	1	2	3	3	4	6	14
TOTAL 0-19 YRS	458	2.5	9	1	1	2	3	3	4	8
20-34	1616	2.7	4	1	2	2	3	4	4	8
35-49	2415	2.8	6	1	2	3	3	4	5	9
50-64	2807	2.9	7	1	2	3	3	4	5	9
65+	1162	3.0	4	1	2	3	3	4	5	11
GRAND TOTAL	8458	2.8	6	1	2	3	3	4	5	9

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3231	2.1	2	1	1	2	2	3	3	5
20-34	2467	2.3	2	1	1	2	3	3	4	7
35-49	1934	2.4	4	1	1	2	3	3	4	7
50-64	1744	2.4	1	1	1	2	3	3	4	6
65+	499	2.5	3	1	1	2	3	4	4	10
2. MULTIPLE DX										
0-19 YRS	2300	2.4	2	1	1	2	3	3	4	7
20-34	1810	2.6	6	1	2	2	3	4	4	9
35-49	1657	2.8	7	1	2	2	3	4	5	12
50-64	1514	2.9	7	1	2	2	3	4	6	12
65+	572	2.9	5	1	2	2	3	4	6	13
TOT. SINGLE DX	9875	2.3	2	1	1	2	3	3	4	6
" MULTIPLE DX	7853	2.7	5	1	2	2	3	4	5	11
TOTAL 0-19 YRS	5531	2.2	2	1	1	2	2	3	4	6
20-34	4277	2.5	4	1	1	2	3	3	4	8
35-49	3591	2.6	5	1	2	2	3	4	4	9
50-64	3258	2.6	4	1	2	2	3	4	5	10
65+	1071	2.7	4	1	2	2	3	4	5	11
GRAND TOTAL	17728	2.5	3	1	1	2	3	3	4	8

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19622	1.2	3	<1	<1	1	1	1	2	5
20-34	619	1.9	5	<1	<1	2	2	3	3	7
35-49	461	2.0	2	<1	<1	2	2	3	4	7
50-64	441	1.9	7	<1	<1	1	2	3	4	12
65+	241	1.9	4	<1	<1	1	2	3	4	13
2. MULTIPLE DX										
0-19 YRS	12014	2.0	8	<1	<1	1	2	3	6	13
20-34	476	3.5	39	<1	<1	2	3	7	12	25
35-49	374	4.1	33	<1	1	2	4	9	13	33
50-64	435	4.8	43	<1	1	2	5	13	18	35
65+	325	6.7	86	1	1	3	8	16	23	48
TOT. SINGLE DX	21384	1.3	3	<1	<1	1	1	2	2	5
" MULTIPLE DX	13624	2.3	13	<1	<1	1	2	4	7	18
TOTAL 0-19 YRS	31636	1.5	5	<1	<1	1	1	2	3	10
20-34	1095	2.6	21	<1	<1	2	2	4	7	22
35-49	835	2.9	17	<1	1	2	3	5	9	21
50-64	876	3.4	27	<1	<1	2	3	7	13	27
65+	566	4.6	56	<1	1	2	4	12	20	43
GRAND TOTAL	**35008**	**1.7**	**7**	**<1**	**<1**	**1**	**2**	**2**	**4**	**12**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	887	3.0	13	1	2	2	3	4	6	12
20-34	658	3.1	7	1	2	3	3	5	6	17
35-49	596	3.0	4	1	2	3	3	5	6	12
50-64	481	3.4	7	2	2	3	4	5	8	12
65+	204	4.1	8	2	2	3	5	7	10	15
2. MULTIPLE DX										
0-19 YRS	1424	3.5	17	1	2	3	3	5	8	18
20-34	1241	3.4	7	2	2	3	4	5	7	17
35-49	967	3.8	14	2	2	3	4	6	9	23
50-64	982	4.3	27	2	2	3	4	7	10	21
65+	401	6.1	74	2	2	3	6	11	21	56
TOT. SINGLE DX	2826	3.2	8	1	2	3	3	5	7	13
" MULTIPLE DX	5015	3.9	21	2	2	3	4	6	9	22
TOTAL 0-19 YRS	2311	3.3	15	1	2	3	3	5	7	16
20-34	1899	3.3	7	2	2	3	4	5	7	17
35-49	1563	3.5	10	2	2	3	4	5	8	20
50-64	1463	4.0	21	2	2	3	4	6	9	19
65+	605	5.4	52	2	2	3	5	10	16	49
GRAND TOTAL	**7841**	**3.6**	**16**	**2**	**2**	**3**	**4**	**6**	**8**	**20**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1111	1.8	3	<1	<1	1	2	3	4	6
20-34	679	3.0	5	1	1	2	3	5	6	14
35-49	767	3.3	7	1	1	3	4	5	7	13
50-64	762	3.6	10	1	1	3	4	6	7	16
65+	251	3.8	15	1	1	3	4	6	9	23
2. MULTIPLE DX										
0-19 YRS	803	2.3	4	<1	1	2	2	4	5	11
20-34	466	3.5	17	1	1	2	3	5	9	29
35-49	435	3.8	17	1	2	3	4	6	9	30
50-64	444	4.2	17	1	2	3	4	8	11	23
65+	205	6.4	72	1	2	3	7	13	24	48
TOT. SINGLE DX	3570	2.9	7	<1	1	2	3	5	6	13
" MULTIPLE DX	2353	3.5	19	1	1	2	4	6	10	29
TOTAL 0-19 YRS	1914	2.0	4	<1	<1	2	2	3	4	9
20-34	1145	3.2	10	1	1	2	3	5	7	17
35-49	1202	3.5	11	1	2	3	4	6	8	18
50-64	1206	3.8	13	1	2	3	4	7	9	20
65+	456	5.0	42	1	2	3	5	10	14	37
GRAND TOTAL	**5923**	**3.1**	**12**	**<1**	**1**	**2**	**3**	**5**	**8**	**19**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1425	2.8	3	1	1	3	3	5	5	5
20-34	2903	2.7	8	1	1	2	3	4	5	7
35-49	1227	2.8	3	1	1	3	3	4	5	8
50-64	672	2.8	3	1	1	3	3	5	5	9
65+	142	3.2	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	2105	3.2	11	1	2	3	4	5	5	11
20-34	4632	3.2	4	1	2	3	4	5	6	11
35-49	2415	3.4	9	1	2	3	4	5	7	15
50-64	1446	3.7	18	1	2	3	4	6	8	18
65+	352	4.1	13	2	2	3	4	7	12	18
TOT. SINGLE DX	6369	2.8	5	1	1	3	3	4	5	7
" MULTIPLE DX	10950	3.4	9	1	2	3	4	5	6	13
TOTAL 0-19 YRS	3530	3.1	8	1	2	3	4	5	5	8
20-34	7535	3.0	6	1	2	3	4	5	5	10
35-49	3642	3.2	7	1	2	3	4	5	6	13
50-64	2118	3.5	13	1	2	3	4	5	7	16
65+	494	3.9	10	2	2	3	4	7	9	17
GRAND TOTAL	17319	3.2	8	1	2	3	4	5	6	12

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3835	2.6	5	1	1	2	3	4	5	7
20-34	7522	2.6	7	1	1	2	3	4	5	8
35-49	3166	2.6	4	1	1	2	3	4	5	7
50-64	1555	2.7	4	1	1	2	3	4	5	8
65+	384	3.0	4	1	1	3	3	5	7	13
2. MULTIPLE DX										
0-19 YRS	4590	3.0	5	1	1	3	3	4	5	12
20-34	10490	3.0	7	1	1	3	3	5	5	12
35-49	5339	3.3	11	1	2	3	4	5	6	15
50-64	3111	3.7	14	1	2	3	4	6	9	19
65+	908	4.6	26	1	2	3	5	9	13	27
TOT. SINGLE DX	16462	2.6	5	1	1	2	3	4	5	8
" MULTIPLE DX	24438	3.2	9	1	1	3	4	5	6	14
TOTAL 0-19 YRS	8425	2.8	5	1	1	2	3	4	5	9
20-34	18012	2.8	7	1	1	2	3	4	5	11
35-49	8505	3.0	8	1	1	3	3	5	6	13
50-64	4666	3.4	11	1	2	3	4	5	7	17
65+	1292	4.2	20	1	1	3	4	8	12	26
GRAND TOTAL	40900	3.0	8	1	1	3	3	4	5	13

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	621	2.1	2	<1	<1	2	2	4	5	9
20-34	795	2.4	4	<1	1	2	3	4	5	11
35-49	863	2.5	5	<1	1	2	3	4	5	13
50-64	1366	2.6	7	<1	1	2	3	4	6	13
65+	1351	3.1	13	<1	1	2	3	5	7	15
2. MULTIPLE DX										
0-19 YRS	651	2.9	12	1	1	2	3	5	7	15
20-34	1238	3.4	17	1	1	3	4	5	8	18
35-49	1451	3.7	23	1	1	3	4	6	9	22
50-64	2070	4.3	24	1	1	3	4	9	12	28
65+	2080	6.6	61	1	2	4	8	15	21	45
TOT. SINGLE DX	4996	2.6	7	<1	1	2	3	4	6	13
" MULTIPLE DX	7490	4.6	34	1	1	3	5	9	14	29
TOTAL 0-19 YRS	1272	2.6	8	<1	1	2	3	4	6	12
20-34	2033	3.0	12	1	1	2	3	5	7	14
35-49	2314	3.3	17	1	1	2	3	5	8	21
50-64	3436	3.6	18	1	1	2	4	7	10	23
65+	3431	5.2	46	1	1	3	6	12	17	37
GRAND TOTAL	12486	3.8	24	1	1	2	4	7	11	25

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3452	1.9	3	<1	<1	1	2	3	4	8
20-34	2369	2.3	4	<1	<1	2	3	4	6	9
35-49	804	3.3	5	<1	1	3	4	6	8	12
50-64	776	4.5	10	1	1	4	6	8	10	17
65+	535	4.6	25	1	1	4	6	8	10	15
2. MULTIPLE DX										
0-19 YRS	1827	3.3	16	<1	1	2	4	6	9	20
20-34	2204	4.2	21	1	1	3	5	8	10	22
35-49	1010	5.1	30	1	1	4	6	10	13	25
50-64	1227	6.1	31	1	2	5	7	11	15	27
65+	1237	7.5	43	1	2	6	9	15	21	35
TOT. SINGLE DX	7936	2.6	7	<1	<1	2	3	5	7	11
" MULTIPLE DX	7505	5.0	28	1	1	3	6	10	13	28
TOTAL 0-19 YRS	5279	2.4	8	<1	<1	2	3	4	6	12
20-34	4573	3.2	13	<1	1	2	4	6	8	17
35-49	1814	4.3	20	1	1	3	5	8	11	20
50-64	2003	5.5	23	1	2	4	7	10	13	23
65+	1772	6.6	39	1	2	5	8	13	17	30
GRAND TOTAL	15441	3.7	18	<1	1	2	5	8	10	21

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	224	3.1	5	1	1	2	3	5	7	13
20-34	773	3.2	5	1	2	3	4	5	6	12
35-49	760	3.3	4	1	2	3	4	5	6	13
50-64	593	3.6	5	1	2	3	4	6	7	13
65+	248	3.9	10	2	2	3	4	6	8	18
2. MULTIPLE DX										
0-19 YRS	248	4.5	51	1	2	3	4	8	11	32
20-34	854	4.7	25	1	2	3	5	8	12	30
35-49	814	4.7	19	1	2	3	5	9	13	23
50-64	823	5.3	23	2	2	4	6	11	15	27
65+	385	7.3	75	2	2	4	9	16	21	44
TOT. SINGLE DX	2598	3.4	5	1	2	3	4	5	6	13
" MULTIPLE DX	3124	5.1	32	2	2	4	5	10	15	30
TOTAL 0-19 YRS	472	3.8	30	1	1	3	4	6	10	18
20-34	1627	4.0	16	1	2	3	4	6	9	21
35-49	1574	4.0	12	1	2	3	4	7	11	19
50-64	1416	4.6	16	2	2	3	5	8	13	23
65+	633	6.0	52	2	2	4	6	13	18	35
GRAND TOTAL	**5722**	**4.3**	**21**	**1**	**2**	**3**	**5**	**7**	**11**	**23**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	432	3.5	24	<1	1	2	4	7	9	24
20-34	758	3.6	10	1	1	3	4	7	9	16
35-49	593	3.8	14	<1	1	3	4	8	11	21
50-64	522	4.0	18	1	1	3	4	8	13	23
65+	249	5.2	42	1	2	3	5	11	15	42
2. MULTIPLE DX										
0-19 YRS	346	4.4	28	1	1	3	5	9	12	23
20-34	939	5.0	32	1	1	3	6	10	14	33
35-49	866	4.9	25	1	2	3	5	11	14	26
50-64	943	6.6	78	1	2	4	8	14	21	55
65+	561	7.8	72	2	2	5	10	17	23	48
TOT. SINGLE DX	2554	3.9	18	1	1	3	4	8	11	22
" MULTIPLE DX	3855	5.7	48	1	2	3	7	12	17	35
TOTAL 0-19 YRS	978	4.0	26	<1	1	2	5	8	11	24
20-34	1697	4.4	22	1	1	3	5	9	12	23
35-49	1459	4.5	21	1	1	3	5	10	13	25
50-64	1465	5.7	58	1	2	3	6	12	18	36
65+	810	7.0	64	1	2	4	9	16	21	47
GRAND TOTAL	**6409**	**5.0**	**37**	**1**	**1**	**3**	**5**	**10**	**15**	**31**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15757	1.9	3	<1	1	2	2	2	2	5
20-34	12795	1.9	3	<1	1	2	2	2	3	5
35-49	2431	2.1	4	1	1	2	2	3	3	9
50-64	1690	2.4	7	1	1	2	2	3	4	14
65+	641	2.8	14	1	1	2	3	4	5	23
2. MULTIPLE DX										
0-19 YRS	4586	2.6	17	1	1	2	2	4	6	21
20-34	7589	3.5	35	1	1	2	3	6	13	31
35-49	4961	4.1	38	1	1	2	3	9	14	34
50-64	5239	4.6	41	1	2	2	4	10	15	32
65+	3407	7.3	93	2	2	3	9	18	25	62
TOT. SINGLE DX	33314	1.9	4	<1	1	2	2	2	3	7
" MULTIPLE DX	25782	4.2	43	1	1	2	3	9	15	36
TOTAL 0-19 YRS	20343	2.0	6	<1	1	2	2	2	3	11
20-34	20384	2.5	16	1	1	2	2	3	5	20
35-49	7392	3.4	28	1	1	2	3	6	11	28
50-64	6929	4.0	34	1	2	2	3	9	14	29
65+	4048	6.6	83	1	2	3	7	16	23	55
GRAND TOTAL	**59096**	**2.9**	**22**	**1**	**1**	**2**	**2**	**4**	**9**	**24**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1960	1.2	1	<1	<1	1	1	2	2	3
20-34	289	2.4	4	<1	<1	2	3	4	5	14
35-49	75	2.0	1	<1	<1	2	2	3	4	5
50-64	36	4.4	92	<1	1	2	3	7	14	58
65+	8	3.4	27	<1	<1	1	3	12	16	16
2. MULTIPLE DX										
0-19 YRS	771	1.9	12	<1	<1	1	2	2	4	19
20-34	259	4.1	47	<1	1	2	4	9	15	44
35-49	73	3.9	46	<1	1	2	3	8	27	85
50-64	36	4.0	18	<1	1	3	5	11	13	20
65+	19	5.3	23	1	2	3	9	14	15	15
TOT. SINGLE DX	2368	1.5	3	<1	<1	1	2	2	3	6
" MULTIPLE DX	1158	2.7	24	<1	1	1	2	4	9	32
TOTAL 0-19 YRS	2731	1.4	4	<1	<1	1	1	2	2	7
20-34	548	3.2	25	<1	1	2	3	5	10	36
35-49	148	2.9	24	<1	1	2	3	4	7	38
50-64	72	4.2	54	<1	1	2	4	8	14	50
65+	27	4.7	24	<1	1	2	7	15	15	16
GRAND TOTAL	**3526**	**1.8**	**10**	**<1**	**<1**	**1**	**2**	**3**	**4**	**16**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	511	2.2	11	<1	<1	2	2	3	5	14
20-34	677	2.5	5	1	1	2	2	4	5	11
35-49	1131	2.4	13	1	1	2	2	4	5	10
50-64	845	2.7	4	1	1	2	3	4	5	9
65+	196	3.2	6	1	2	2	4	5	7	13
2. MULTIPLE DX										
0-19 YRS	534	3.6	68	1	1	2	3	5	8	47
20-34	658	3.6	33	1	1	2	3	6	11	25
35-49	649	3.5	14	1	2	2	4	6	10	23
50-64	712	4.4	24	2	2	3	5	9	13	31
65+	351	7.0	55	2	2	4	8	16	24	34
TOT. SINGLE DX	3360	2.5	9	1	1	2	3	4	5	10
" MULTIPLE DX	2904	4.2	37	1	1	2	4	8	13	31
TOTAL 0-19 YRS	1045	2.9	40	<1	1	2	2	4	6	32
20-34	1335	3.0	19	1	1	2	3	5	8	23
35-49	1780	2.8	14	1	1	2	3	4	6	17
50-64	1557	3.5	14	1	1	2	4	6	9	21
65+	547	5.6	41	1	2	3	6	13	19	32
GRAND TOTAL	**6264**	**3.3**	**22**	**1**	**1**	**2**	**3**	**6**	**9**	**24**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	628	3.1	7	1	1	3	4	5	6	10
20-34	1431	3.5	6	1	2	3	4	6	7	10
35-49	1517	3.8	5	1	2	3	4	6	7	13
50-64	1729	4.2	11	2	2	4	5	7	8	14
65+	1179	4.7	15	2	2	4	5	8	10	17
2. MULTIPLE DX										
0-19 YRS	171	4.2	10	1	2	3	5	8	11	16
20-34	530	4.3	14	1	2	3	5	8	10	20
35-49	691	5.0	25	2	2	4	6	9	12	23
50-64	1155	6.3	50	2	2	4	7	12	16	37
65+	1167	8.5	68	2	3	6	10	17	25	49
TOT. SINGLE DX	6484	4.0	9	1	2	3	5	6	8	14
" MULTIPLE DX	3714	6.4	46	2	2	4	7	12	17	35
TOTAL 0-19 YRS	799	3.3	7	1	1	3	4	6	7	13
20-34	1961	3.8	8	1	2	3	4	6	8	13
35-49	2208	4.2	11	2	2	3	5	7	9	16
50-64	2884	5.1	28	2	2	4	6	9	12	25
65+	2346	6.6	44	2	2	5	7	12	17	36
GRAND TOTAL	**10198**	**4.8**	**24**	**2**	**2**	**4**	**5**	**8**	**12**	**25**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1035	4.2	15	1	1	4	5	7	8	11
20-34	54	4.1	4	2	2	4	5	6	8	12
35-49	18	4.9	14	1	2	4	5	11	14	15
50-64	17	4.8	24	2	2	4	5	7	17	23
65+	6	5.0	7	2	2	5	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	581	5.0	12	2	2	4	6	8	10	21
20-34	49	5.2	10	2	2	4	6	10	13	15
35-49	28	6.6	25	2	3	5	8	14	21	21
50-64	22	7.1	57	1	2	5	8	13	27	35
65+	21	12.3	301	2	2	9	14	19	49	84
TOT. SINGLE DX	1130	4.2	15	1	1	4	5	7	8	12
" MULTIPLE DX	701	5.3	23	2	2	4	6	9	11	22
TOTAL 0-19 YRS	1616	4.5	14	1	1	4	6	7	8	14
20-34	103	4.6	7	2	2	4	5	8	11	15
35-49	46	6.0	21	2	2	5	7	13	16	21
50-64	39	6.1	43	2	2	4	7	9	23	35
65+	27	10.7	243	2	2	8	12	17	30	84
GRAND TOTAL	**1831**	**4.6**	**18**	**1**	**2**	**4**	**6**	**8**	**9**	**16**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2711	2.8	9	<1	1	2	4	6	7	12
20-34	898	3.4	19	<1	1	2	4	6	9	16
35-49	890	3.7	19	<1	1	2	4	8	11	23
50-64	1559	4.4	29	1	1	3	5	9	13	29
65+	1499	4.5	29	1	1	3	5	9	13	31
2. MULTIPLE DX										
0-19 YRS	1965	3.8	24	1	1	3	5	8	10	26
20-34	1344	5.2	57	1	1	3	6	10	15	51
35-49	1096	6.9	81	1	1	4	8	15	22	54
50-64	2015	8.5	108	1	2	5	11	19	27	59
65+	2349	9.1	116	1	2	5	11	21	30	65
TOT. SINGLE DX	7557	3.7	20	<1	1	2	4	7	10	22
" MULTIPLE DX	8769	6.9	84	1	1	4	8	16	23	54
TOTAL 0-19 YRS	4676	3.3	15	<1	1	2	4	7	8	15
20-34	2242	4.5	42	1	1	3	5	9	13	35
35-49	1986	5.5	56	1	1	3	6	12	17	46
50-64	3574	6.7	77	1	1	3	8	16	22	47
65+	3848	7.3	87	1	2	4	9	16	23	53
GRAND TOTAL	**16326**	**5.4**	**57**	**1**	**1**	**3**	**6**	**12**	**18**	**42**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33433	2.0	2	1	1	2	2	3	3	5
20-34	22859	2.2	3	1	1	2	2	3	4	6
35-49	1993	2.5	6	1	1	2	3	4	4	8
50-64	361	2.9	7	1	1	2	3	5	7	16
65+	149	3.3	16	1	1	2	3	6	9	28
2. MULTIPLE DX										
0-19 YRS	5963	2.3	8	1	1	2	2	3	4	9
20-34	3817	2.8	6	1	1	2	3	4	6	12
35-49	567	3.4	9	1	2	2	4	6	9	17
50-64	172	4.2	20	1	1	3	4	9	12	24
65+	66	6.5	93	1	2	3	8	17	28	93
TOT. SINGLE DX	58795	2.1	3	1	1	2	2	3	3	6
" MULTIPLE DX	10585	2.6	8	1	1	2	3	4	5	12
TOTAL 0-19 YRS	39396	2.1	3	1	1	2	2	3	3	6
20-34	26676	2.3	3	1	1	2	3	3	4	8
35-49	2560	2.7	7	1	1	2	3	4	5	12
50-64	533	3.3	11	1	1	2	3	6	9	18
65+	215	4.3	41	1	2	2	4	9	15	48
GRAND TOTAL	**69380**	**2.2**	**4**	**1**	**1**	**2**	**2**	**3**	**4**	**8**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64971	1.8	3	1	1	2	2	2	3	4
20-34	2265	2.3	5	1	1	2	3	3	4	6
35-49	150	2.5	2	1	2	2	3	4	5	11
50-64	73	2.2	2	1	1	2	2	3	4	79
65+	124	1.8	1	1	1	2	2	2	3	31
2. MULTIPLE DX										
0-19 YRS	39785	1.9	4	<1	1	2	2	2	3	6
20-34	580	2.9	7	1	1	2	3	4	6	12
35-49	69	4.6	57	1	2	3	4	8	9	51
50-64	45	2.0	1	<1	1	2	2	3	4	4
65+	69	1.9	1	<1	1	2	2	2	2	9
TOT. SINGLE DX	67583	1.8	3	1	1	2	2	2	3	4
" MULTIPLE DX	40548	1.9	4	<1	1	2	2	2	3	7
TOTAL 0-19 YRS	104756	1.9	3	1	1	2	2	2	3	5
20-34	2845	2.4	5	1	1	2	3	3	4	8
35-49	219	3.2	20	1	2	2	3	5	7	41
50-64	118	2.1	2	1	1	2	2	3	4	40
65+	193	1.8	1	1	1	2	2	2	3	10
GRAND TOTAL	**108131**	**1.9**	**3**	**1**	**1**	**2**	**2**	**2**	**3**	**5**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6462	1.6	4	<1	<1	1	2	2	2	3
20-34	62	2.1	1	<1	1	2	2	3	4	6
35-49	13	2.1	1	1	1	2	2	4	5	5
50-64	15	1.3		<1	<1	1	2	2	3	3
65+	7	1.4		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	17285	1.6	3	<1	<1	1	2	2	2	4
20-34	83	2.2	3	<1	1	2	2	4	4	10
35-49	26	2.7	5	<1	<1	2	3	6	8	10
50-64	32	2.6	6	<1	<1	2	3	5	10	12
65+	36	1.7	3	<1	<1	1	2	2	3	11
TOT. SINGLE DX	6559	1.6	4	<1	<1	1	2	2	2	4
" MULTIPLE DX	17462	1.6	3	<1	<1	1	2	2	2	4
TOTAL 0-19 YRS	23747	1.6	3	<1	<1	1	2	2	2	4
20-34	145	2.2	2	<1	1	2	2	3	4	9
35-49	39	2.5	4	<1	<1	2	3	5	7	10
50-64	47	2.2	5	<1	<1	2	2	4	7	12
65+	43	1.7	2	<1	<1	1	2	2	3	11
GRAND TOTAL	**24021**	**1.6**	**3**	**<1**	**<1**	**1**	**2**	**2**	**2**	**4**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2236	2.5	9	<1	1	2	3	4	5	10
20-34	1584	2.7	3	1	1	2	3	5	6	10
35-49	537	3.4	10	1	1	2	4	6	10	17
50-64	627	4.6	53	1	1	2	4	9	14	41
65+	403	6.2	51	1	1	3	7	15	22	37
2. MULTIPLE DX										
0-19 YRS	623	3.7	20	1	1	2	4	7	10	21
20-34	442	4.2	14	1	1	3	5	8	11	24
35-49	377	6.5	99	1	2	4	7	13	21	60
50-64	701	8.3	103	1	2	5	10	20	28	64
65+	635	11.9	179	2	2	8	15	28	39	75
TOT. SINGLE DX	5387	3.2	17	1	1	2	3	5	8	20
" MULTIPLE DX	2778	7.2	97	1	2	4	8	17	26	58
TOTAL 0-19 YRS	2859	2.7	12	<1	1	2	3	5	6	13
20-34	2026	3.0	6	1	1	2	4	5	7	13
35-49	914	4.7	49	1	1	3	5	9	13	34
50-64	1328	6.6	82	1	1	3	7	16	24	54
65+	1038	9.7	137	1	2	5	12	23	33	60
GRAND TOTAL	**8165**	**4.5**	**48**	**1**	**1**	**2**	**4**	**9**	**15**	**36**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	3.0	10	<1	<1	2	3	9	10	13
20-34	35	4.1	20	1	1	3	6	8	9	26
35-49	43	4.1	9	1	1	3	6	7	10	16
50-64	53	3.9	13	1	1	3	5	7	9	23
65+	37	3.7	6	1	1	3	5	8	9	10
2. MULTIPLE DX										
0-19 YRS	46	2.6	5	<1	<1	2	3	6	8	10
20-34	38	8.5	287	1	1	4	6	10	45	93
35-49	47	5.5	16	2	2	4	7	10	12	24
50-64	104	7.9	59	1	2	6	8	16	27	41
65+	101	8.9	95	2	2	6	10	19	24	55
TOT. SINGLE DX	203	3.8	11	1	1	3	5	8	9	19
" MULTIPLE DX	336	7.2	86	1	1	5	8	14	21	48
TOTAL 0-19 YRS	81	2.8	7	<1	<1	2	3	7	9	12
20-34	73	6.4	162	1	1	3	6	9	24	84
35-49	90	4.8	13	1	1	4	6	9	11	21
50-64	157	6.5	47	1	2	5	7	14	21	39
65+	138	7.5	76	1	2	5	9	17	21	49
GRAND TOTAL	**539**	**5.9**	**60**	**1**	**1**	**4**	**7**	**11**	**17**	**41**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	732	2.0	14	<1	<1	2	2	2	3	11
20-34	1393	1.9	2	<1	1	2	2	2	3	7
35-49	2187	2.1	7	<1	1	2	2	3	4	12
50-64	3363	2.4	10	1	1	2	2	3	5	18
65+	1740	2.5	10	1	1	2	2	3	5	17
2. MULTIPLE DX										
0-19 YRS	227	3.0	33	<1	1	2	2	4	8	44
20-34	434	3.2	21	1	1	2	3	5	8	24
35-49	1082	3.7	21	1	1	2	3	9	13	25
50-64	2137	4.8	48	1	1	2	5	11	16	37
65+	1470	6.2	80	1	1	3	7	15	22	53
TOT. SINGLE DX	9415	2.3	9	<1	1	2	2	3	4	14
" MULTIPLE DX	5350	4.7	50	1	1	2	4	11	17	41
TOTAL 0-19 YRS	959	2.2	19	<1	<1	2	2	3	4	22
20-34	1827	2.2	7	<1	1	2	2	3	4	14
35-49	3269	2.7	13	<1	1	2	2	4	8	21
50-64	5500	3.3	26	1	1	2	3	6	11	26
65+	3210	4.2	45	1	1	2	3	9	16	38
GRAND TOTAL	**14765**	**3.2**	**25**	**1**	**1**	**2**	**2**	**5**	**10**	**27**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	5.1	62	<1	<1	2	4	16	25	34
20-34	70	4.3	24	1	1	2	4	12	13	25
35-49	127	5.4	40	<1	1	2	8	17	19	25
50-64	261	9.7	111	1	1	7	14	21	27	57
65+	170	12.6	129	2	2	11	17	26	33	77
2. MULTIPLE DX										
0-19 YRS	31	7.0	314	<1	1	2	4	15	20	99
20-34	43	7.9	77	1	2	5	12	17	29	99+
35-49	71	13.0	142	1	2	9	20	33	45	99+
50-64	235	16.4	225	2	2	14	22	35	55	99+
65+	217	16.8	245	2	2	13	22	38	56	99+
TOT. SINGLE DX	668	8.8	99	1	1	4	13	20	27	53
" MULTIPLE DX	597	15.1	224	2	2	12	19	34	55	99+
TOTAL 0-19 YRS	71	5.9	170	<1	<1	2	4	15	23	85
20-34	113	5.7	47	1	1	2	9	14	18	69
35-49	198	8.2	89	<1	1	3	12	21	31	73
50-64	496	12.9	176	1	2	11	18	27	36	84
65+	387	15.0	198	2	2	12	19	33	51	94
GRAND TOTAL	**1265**	**11.7**	**168**	**1**	**2**	**9**	**16**	**27**	**37**	**87**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	21.5	761	2	2	21	41	41	41	41
35-49	47	17.6	64	9	10	15	22	32	34	38
50-64	299	18.1	100	9	10	15	21	28	40	60
65+	180	18.9	102	10	11	15	22	35	41	93
2. MULTIPLE DX										
0-19 YRS	4	11.8	99	4	4	8	18	26	26	26
20-34	2	5.5	41	<1	<1	5	10	10	10	10
35-49	75	23.3	228	10	11	20	30	46	80	99+
50-64	419	25.1	224	10	12	21	32	49	68	99+
65+	388	27.1	287	11	12	21	34	54	66	99
TOT. SINGLE DX	528	18.3	98	9	10	15	21	32	40	67
" MULTIPLE DX	888	25.7	253	10	12	21	32	51	68	99+
TOTAL 0-19 YRS	4	11.8	99	4	4	8	18	26	26	26
20-34	4	13.5	352	<1	<1	6	25	41	41	41
35-49	122	21.1	172	9	10	17	26	38	61	99+
50-64	718	22.2	184	10	11	18	26	42	55	99+
65+	568	24.5	243	10	11	19	30	46	61	99
GRAND TOTAL	**1416**	**23.0**	**208**	**10**	**11**	**18**	**28**	**44**	**59**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	12.6	397	<1	<1	6	17	48	48	48
20-34	8	21.1	831	1	1	6	42	67	67	67
35-49	8	11.5	212	1	1	4	22	35	36	36
50-64	21	13.0	208	1	2	9	18	31	49	58
65+	26	15.9	160	2	6	11	18	38	43	48
2. MULTIPLE DX										
0-19 YRS	17	35.8	891	5	8	47	98	99+	99+	99+
20-34	28	31.7	557	2	5	26	54	67	83	99+
35-49	30	25.9	259	4	7	25	48	99+	99+	99+
50-64	129	29.7	488	4	7	26	47	75	99+	99+
65+	147	31.5	409	5	9	31	52	93	99+	99+
TOT. SINGLE DX	68	14.9	263	1	2	8	18	41	49	67
" MULTIPLE DX	351	30.6	458	5	8	28	53	87	99+	99+
TOTAL 0-19 YRS	22	30.5	854	1	3	28	90	99+	99+	99+
20-34	36	29.3	616	1	2	23	54	67	77	99+
35-49	38	22.8	279	2	2	24	37	70	99+	99+
50-64	150	27.3	481	2	4	23	45	71	99	99+
65+	173	29.1	402	5	8	29	48	83	99+	99+
GRAND TOTAL	**419**	**28.0**	**459**	**2**	**5**	**25**	**48**	**82**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	205	9.0	184	1	1	6	8	18	48	92
20-34	142	10.3	246	1	1	4	10	28	46	88
35-49	123	8.8	126	1	1	5	10	23	34	72
50-64	228	11.3	248	1	2	5	14	35	55	99+
65+	180	11.4	229	1	2	5	15	31	51	74
2. MULTIPLE DX										
0-19 YRS	403	18.4	430	1	2	12	33	78	99+	99+
20-34	396	28.1	622	2	3	23	56	94	99+	99+
35-49	348	25.6	460	2	3	23	43	86	99+	99+
50-64	907	29.9	573	2	3	28	49	85	99+	99+
65+	1024	34.0	559	2	4	33	54	80	99+	99+
TOT. SINGLE DX	878	10.3	212	1	2	5	11	27	48	95
" MULTIPLE DX	3078	29.0	567	2	3	26	49	84	99+	99+
TOTAL 0-19 YRS	608	15.2	367	1	2	8	22	57	99+	99+
20-34	538	23.4	584	1	2	15	46	83	99+	99+
35-49	471	21.3	427	2	2	16	36	69	99+	99+
50-64	1135	26.2	563	2	2	23	45	77	99+	99+
65+	1204	30.6	574	2	3	29	50	76	95	99+
GRAND TOTAL	**3956**	**24.9**	**549**	**2**	**2**	**20**	**43**	**75**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	103	5.7	29	1	1	4	8	11	16	29
20-34	535	6.5	47	1	1	5	9	13	17	25
35-49	894	6.9	40	1	2	5	9	14	18	32
50-64	2193	8.3	65	1	2	6	11	17	23	38
65+	2158	9.0	79	1	2	6	12	19	25	49
2. MULTIPLE DX										
0-19 YRS	124	9.8	94	1	2	8	13	21	24	43
20-34	679	10.2	82	2	2	8	13	20	27	47
35-49	1837	11.3	97	2	2	9	15	23	30	50
50-64	6074	12.7	117	2	3	10	16	25	34	58
65+	8048	14.3	131	2	3	11	19	28	36	59
TOT. SINGLE DX	5883	8.1	65	1	2	6	11	17	22	39
" MULTIPLE DX	16762	13.2	122	2	3	10	17	26	34	58
TOTAL 0-19 YRS	227	7.9	68	1	2	6	10	17	21	30
20-34	1214	8.6	70	1	2	6	11	17	23	43
35-49	2731	9.8	83	1	2	7	13	21	28	46
50-64	8267	11.5	107	2	2	9	15	24	31	54
65+	10206	13.2	125	2	3	10	17	26	34	58
GRAND TOTAL	**22645**	**11.9**	**112**	**2**	**2**	**9**	**16**	**24**	**32**	**54**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	3.6	5	1	1	3	6	6	6	6
20-34	6	5.0	32	1	1	3	6	15	16	16
35-49	5	10.2	5	8	8	10	12	13	13	13
50-64	3	10.3	4	8	8	11	12	12	12	12
65+	7	7.9	14	2	3	8	11	12	12	12
2. MULTIPLE DX										
0-19 YRS	6	12.3	58	2	3	12	14	24	25	25
20-34	8	11.0	70	2	3	9	15	24	28	28
35-49	8	12.1	29	5	5	12	16	19	20	20
50-64	21	12.2	35	3	5	11	18	22	54	99+
65+	17	13.9	57	3	5	14	19	25	26	27
TOT. SINGLE DX	26	7.1	19	1	2	7	11	12	14	16
" MULTIPLE DX	60	12.6	45	2	4	12	18	23	26	92
TOTAL 0-19 YRS	11	8.4	52	1	1	6	13	18	24	25
20-34	14	8.4	60	1	2	5	15	17	26	28
35-49	13	11.4	20	5	6	12	13	18	20	20
50-64	24	12.0	31	3	5	11	16	22	42	99+
65+	24	12.2	51	2	4	11	18	23	26	27
GRAND TOTAL	**86**	**10.9**	**43**	**2**	**2**	**11**	**15**	**21**	**25**	**73**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	125	10.3	48	2	4	9	13	17	20	42
20-34	506	11.2	49	3	5	10	14	20	24	37
35-49	731	11.4	75	2	4	10	14	19	25	45
50-64	1507	12.7	69	2	4	11	16	23	28	41
65+	1204	13.2	86	2	3	12	17	24	29	45
2. MULTIPLE DX										
0-19 YRS	158	16.5	175	5	6	13	19	36	48	97
20-34	548	14.3	136	4	5	11	18	27	34	81
35-49	1160	15.6	135	4	5	13	19	29	37	65
50-64	3333	17.1	143	3	5	15	22	32	39	68
65+	3563	18.0	156	3	5	15	23	34	41	66
TOT. SINGLE DX	4073	12.3	73	2	4	11	16	22	27	42
" MULTIPLE DX	8762	17.1	148	3	5	14	22	32	40	68
TOTAL 0-19 YRS	283	13.8	128	4	5	11	16	26	41	72
20-34	1054	12.8	96	3	5	10	16	23	30	60
35-49	1891	14.0	116	3	5	11	17	26	34	56
50-64	4840	15.7	124	3	5	13	20	29	36	60
65+	4767	16.8	143	3	4	14	22	31	39	63
GRAND TOTAL	**12835**	**15.6**	**129**	**3**	**5**	**13**	**20**	**29**	**37**	**61**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	14.4	80	5	7	12	18	25	31	48
20-34	59	14.8	101	6	7	12	19	26	30	66
35-49	293	15.2	61	7	8	14	18	24	31	47
50-64	1081	15.9	61	7	9	14	20	26	32	41
65+	659	17.5	68	8	9	16	21	28	32	49
2. MULTIPLE DX										
0-19 YRS	43	25.5	447	8	9	21	29	56	92	99+
20-34	106	16.7	119	6	7	14	20	32	43	78
35-49	509	19.2	131	8	9	16	23	33	44	64
50-64	1834	19.7	118	8	10	17	23	33	42	67
65+	1587	22.0	144	9	10	19	27	36	43	73
TOT. SINGLE DX	2128	16.3	65	8	9	14	20	26	32	45
" MULTIPLE DX	4079	20.5	135	9	10	18	25	35	43	72
TOTAL 0-19 YRS	79	20.5	308	6	8	14	24	46	65	99
20-34	165	16.0	113	6	7	14	19	29	37	69
35-49	802	17.7	109	8	9	15	20	31	39	60
50-64	2915	18.3	100	8	9	16	22	31	37	58
65+	2246	20.7	126	9	10	18	25	34	41	69
GRAND TOTAL	**6207**	**19.1**	**115**	**8**	**9**	**17**	**23**	**32**	**39**	**64**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	854	4.4	30	1	1	2	5	11	14	24
20-34	1032	6.1	38	1	1	4	8	13	17	30
35-49	1628	6.5	43	1	1	4	9	15	19	32
50-64	3019	7.0	49	1	1	5	9	16	20	32
65+	2386	8.5	67	1	2	6	11	19	24	38
2. MULTIPLE DX										
0-19 YRS	742	10.1	105	1	2	8	14	21	30	99+
20-34	1528	10.2	102	2	2	8	13	21	27	62
35-49	3098	10.8	109	2	2	8	14	22	30	60
50-64	7673	11.8	117	2	2	9	15	24	32	58
65+	8933	14.4	148	2	3	11	19	29	38	67
TOT. SINGLE DX	8919	7.0	51	1	1	5	9	16	21	33
" MULTIPLE DX	21974	12.6	129	2	3	9	16	26	35	62
TOTAL 0-19 YRS	1596	7.1	73	1	1	4	10	17	23	60
20-34	2560	8.6	80	1	2	6	11	19	25	48
35-49	4726	9.3	90	1	2	7	12	19	27	50
50-64	10692	10.5	102	1	2	8	14	22	29	52
65+	11319	13.2	136	2	3	10	17	27	35	61
GRAND TOTAL	**30893**	**10.9**	**113**	**1**	**2**	**8**	**14**	**23**	**31**	**57**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	148	6.9	65	1	2	5	7	15	21	54
20-34	337	6.5	21	2	3	5	8	11	15	26
35-49	136	8.0	52	2	2	5	10	16	21	44
50-64	107	9.2	71	2	2	6	13	20	27	40
65+	99	13.5	229	1	2	9	18	27	40	87
2. MULTIPLE DX										
0-19 YRS	226	10.7	154	2	2	7	13	24	33	97
20-34	234	10.4	86	3	4	8	13	20	29	72
35-49	181	13.0	111	3	4	10	16	27	34	45
50-64	347	15.7	189	3	4	11	20	34	47	65
65+	379	16.8	205	3	4	13	22	35	45	74
TOT. SINGLE DX	827	8.0	69	2	2	5	10	17	22	42
" MULTIPLE DX	1367	13.9	166	3	3	10	17	29	41	72
TOTAL 0-19 YRS	374	9.2	122	2	2	6	10	21	28	80
20-34	571	8.1	51	2	3	6	10	16	21	47
35-49	317	10.9	91	2	3	8	13	23	29	44
50-64	454	14.2	168	2	3	10	18	31	43	58
65+	478	16.1	211	2	3	12	21	34	43	75
GRAND TOTAL	**2194**	**11.7**	**138**	**2**	**3**	**8**	**15**	**25**	**35**	**65**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	735	6.3	18	2	3	5	8	12	15	22
20-34	2413	6.5	28	2	3	5	8	11	14	25
35-49	1001	8.0	45	2	3	6	9	16	20	37
50-64	780	11.8	95	3	3	9	15	22	28	54
65+	543	12.3	92	3	4	10	15	24	31	48
2. MULTIPLE DX										
0-19 YRS	1323	13.0	188	3	4	9	15	30	48	97
20-34	2211	10.7	101	3	3	8	13	21	29	70
35-49	1706	13.4	142	3	4	10	17	28	39	67
50-64	3031	15.6	163	4	5	12	20	31	41	75
65+	3270	17.5	173	4	5	14	23	34	45	72
TOT. SINGLE DX	5472	8.1	51	2	3	6	10	16	20	37
" MULTIPLE DX	11541	14.6	160	3	4	11	18	31	41	74
TOTAL 0-19 YRS	2058	10.6	138	2	3	7	12	21	36	78
20-34	4624	8.5	68	2	3	6	10	16	22	49
35-49	2707	11.4	113	3	3	8	14	23	33	59
50-64	3811	14.8	152	3	4	11	19	29	39	71
65+	3813	16.8	165	4	5	13	22	33	43	69
GRAND TOTAL	17013	12.5	134	3	4	9	16	27	35	67

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	714	6.3	27	1	2	6	8	11	14	22
20-34	844	7.3	39	1	2	6	10	15	18	29
35-49	758	8.0	51	1	2	6	11	18	22	35
50-64	977	9.5	74	1	2	7	13	21	26	40
65+	747	10.1	74	2	2	8	14	20	27	40
2. MULTIPLE DX										
0-19 YRS	330	11.5	133	1	2	9	14	24	31	86
20-34	925	11.3	124	2	2	9	14	23	32	64
35-49	1115	12.2	121	2	2	9	16	26	32	60
50-64	2524	14.6	172	2	3	11	19	30	39	71
65+	3078	16.0	156	2	4	13	21	31	41	66
TOT. SINGLE DX	4040	8.3	56	1	2	6	11	18	22	38
" MULTIPLE DX	7972	14.3	154	2	3	11	19	29	38	69
TOTAL 0-19 YRS	1044	8.0	66	1	2	6	9	15	22	43
20-34	1769	9.4	87	1	2	7	12	18	26	52
35-49	1873	10.5	97	1	2	8	14	23	29	53
50-64	3501	13.2	150	2	2	10	17	27	36	69
65+	3825	14.8	145	2	3	12	20	30	39	63
GRAND TOTAL	12012	12.3	129	2	2	9	16	26	34	62

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	465	9.9	19	6	6	9	11	14	16	27
20-34	295	12.0	43	3	7	11	14	18	23	31
35-49	456	14.0	47	8	9	13	15	21	27	35
50-64	678	15.9	47	10	10	14	18	25	29	42
65+	330	17.3	63	8	11	15	20	28	33	48
2. MULTIPLE DX										
0-19 YRS	543	14.7	134	7	8	11	16	26	38	77
20-34	363	17.0	151	7	8	13	19	33	46	99+
35-49	830	18.1	115	8	10	15	22	31	40	74
50-64	2019	20.9	152	9	11	17	25	37	47	68
65+	1446	23.2	176	10	12	20	28	41	51	90
TOT. SINGLE DX	2224	13.9	49	7	8	12	16	22	27	40
" MULTIPLE DX	5201	20.2	158	8	10	16	24	36	47	81
TOTAL 0-19 YRS	1008	12.5	87	6	7	10	13	20	28	62
20-34	658	14.8	109	6	8	12	17	25	34	84
35-49	1286	16.6	94	8	9	14	19	28	35	69
50-64	2697	19.6	130	9	10	16	23	33	44	66
65+	1776	22.1	160	10	11	19	27	39	48	87
GRAND TOTAL	7425	18.3	134	8	9	15	22	32	42	73

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	11.1	4	9	9	11	13	14	14	14
20-34	72	12.8	41	8	8	11	14	19	23	43
35-49	1797	12.7	20	8	9	12	14	18	20	30
50-64	4681	13.7	31	8	9	12	15	20	23	33
65+	1359	15.5	43	9	10	14	18	23	27	42
2. MULTIPLE DX										
0-19 YRS	16	13.0	96	2	2	11	18	25	34	38
20-34	200	13.1	34	7	8	12	15	19	21	38
35-49	3998	14.0	45	8	9	12	16	22	27	39
50-64	12826	15.5	63	8	9	13	18	24	30	47
65+	4946	18.3	97	9	10	15	22	30	37	64
TOT. SINGLE DX	7920	13.7	32	8	9	12	16	20	24	35
" MULTIPLE DX	21986	15.8	69	8	9	13	18	25	31	51
TOTAL 0-19 YRS	27	12.2	58	2	2	11	14	22	27	38
20-34	272	13.0	36	7	8	11	15	19	21	40
35-49	5795	13.6	38	8	9	12	15	20	25	38
50-64	17507	15.0	55	8	9	13	17	23	29	44
65+	6305	17.7	87	9	10	15	21	28	35	59
GRAND TOTAL	29906	15.3	60	8	9	13	17	24	30	47

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1655	2.4	7	1	1	2	2	3	5	16
20-34	1213	3.5	12	1	2	2	3	7	10	20
35-49	6385	3.4	11	1	2	2	3	7	10	18
50-64	10441	3.7	17	1	2	2	3	8	11	20
65+	2570	4.2	25	1	2	2	4	9	14	24
2. MULTIPLE DX										
0-19 YRS	1998	4.0	45	1	1	2	3	8	13	40
20-34	1899	5.3	40	2	2	3	6	12	16	33
35-49	13063	5.1	31	2	2	3	6	12	15	26
50-64	29133	5.4	34	2	2	3	7	12	17	29
65+	10162	7.4	60	2	2	4	10	16	22	37
TOT. SINGLE DX	22264	3.6	15	1	2	2	3	7	11	20
" MULTIPLE DX	56255	5.7	39	2	2	3	7	13	17	31
TOTAL 0-19 YRS	3653	3.3	29	1	1	2	3	5	10	30
20-34	3112	4.6	30	1	2	3	5	10	15	28
35-49	19448	4.5	25	2	2	2	5	10	14	24
50-64	39574	5.0	30	2	2	3	6	11	16	27
65+	12732	6.7	54	2	2	4	9	16	20	35
GRAND TOTAL	**78519**	**5.1**	**33**	**2**	**2**	**3**	**6**	**12**	**16**	**28**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	60	5.1	11	2	2	4	7	8	10	20
20-34	109	6.4	25	1	2	5	8	14	17	22
35-49	308	8.1	44	2	2	6	12	18	20	30
50-64	1409	7.0	36	1	2	5	9	15	19	28
65+	5912	6.5	36	2	2	5	8	13	18	29
2. MULTIPLE DX										
0-19 YRS	110	11.6	106	2	3	9	15	24	30	81
20-34	233	10.3	93	2	2	8	14	21	27	70
35-49	886	13.2	93	2	4	11	18	24	30	45
50-64	5305	13.5	96	2	3	12	18	25	31	51
65+	24959	13.4	108	2	3	11	18	26	33	53
TOT. SINGLE DX	7798	6.6	36	2	2	5	8	14	18	28
" MULTIPLE DX	31493	13.4	106	2	3	11	18	26	33	53
TOTAL 0-19 YRS	170	9.3	82	2	2	7	11	20	26	66
20-34	342	9.1	75	2	2	7	12	18	24	50
35-49	1194	11.9	85	2	3	10	16	22	28	43
50-64	6714	12.1	91	2	3	10	17	23	29	47
65+	30871	12.1	102	2	3	9	16	25	31	51
GRAND TOTAL	**39291**	**12.1**	**99**	**2**	**3**	**10**	**16**	**24**	**31**	**50**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	8.1	26	1	2	8	10	12	16	29
20-34	71	9.2	33	2	3	9	11	14	24	30
35-49	120	11.2	48	2	3	10	14	20	26	35
50-64	167	11.6	62	2	3	11	16	21	24	40
65+	102	10.8	70	2	3	10	13	19	26	46
2. MULTIPLE DX										
0-19 YRS	92	14.3	190	2	4	10	15	31	38	78
20-34	214	14.6	132	3	6	12	16	28	40	70
35-49	385	15.6	119	4	5	13	19	29	38	69
50-64	737	16.5	138	3	5	14	21	31	38	76
65+	551	19.4	174	5	7	16	24	36	46	76
TOT. SINGLE DX	538	10.5	52	2	3	10	13	19	24	39
" MULTIPLE DX	1979	16.8	149	3	5	14	21	32	41	75
TOTAL 0-19 YRS	170	11.4	124	2	3	9	12	22	32	64
20-34	285	13.3	112	2	4	11	15	25	36	64
35-49	505	14.6	105	3	5	12	18	27	34	57
50-64	904	15.6	127	2	4	13	19	29	37	68
65+	653	18.0	167	3	6	15	23	35	44	70
GRAND TOTAL	**2517**	**15.5**	**135**	**3**	**4**	**13**	**19**	**30**	**38**	**68**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	381	3.4	21	<1	1	2	3	9	13	26
20-34	534	3.5	50	<1	1	2	2	6	11	29
35-49	825	3.2	16	1	1	2	3	6	12	22
50-64	1256	4.0	45	1	1	2	3	9	17	35
65+	883	5.0	42	1	1	2	5	13	19	35
2. MULTIPLE DX										
0-19 YRS	364	7.9	142	<1	1	4	9	20	37	99+
20-34	385	9.2	114	1	2	5	13	21	28	49
35-49	798	9.9	138	1	2	5	13	24	33	66
50-64	1719	10.9	137	1	2	7	16	26	35	55
65+	1936	15.7	205	2	2	12	21	33	43	81
TOT. SINGLE DX	3879	3.9	37	1	1	2	3	9	15	31
" MULTIPLE DX	5202	12.2	169	1	2	8	17	29	38	71
TOTAL 0-19 YRS	745	5.6	85	<1	1	2	6	14	22	75
20-34	919	5.9	85	1	1	2	6	15	21	43
35-49	1623	6.5	87	1	1	2	7	17	25	56
50-64	2975	8.0	110	1	1	3	11	21	29	51
65+	2819	12.3	179	1	2	8	18	29	39	72
GRAND TOTAL	**9081**	**8.7**	**129**	**1**	**1**	**3**	**12**	**22**	**32**	**60**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	193	4.0	6	2	2	4	5	7	8	15
20-34	3533	4.4	9	2	2	4	5	7	8	14
35-49	5097	4.9	9	2	3	4	6	8	9	17
50-64	4082	5.6	16	2	3	5	6	9	12	22
65+	988	7.2	36	3	3	5	8	13	19	32
2. MULTIPLE DX										
0-19 YRS	35	8.0	74	2	3	5	8	16	30	42
20-34	924	5.8	15	2	3	5	7	10	12	20
35-49	2010	7.3	40	3	3	5	8	14	17	34
50-64	2489	8.7	58	3	3	6	10	17	22	39
65+	1064	12.6	131	3	4	9	16	26	38	61
TOT. SINGLE DX	13893	5.1	13	2	3	4	6	8	10	20
" MULTIPLE DX	6522	8.5	63	3	3	6	10	17	22	43
TOTAL 0-19 YRS	228	4.6	18	2	2	4	5	8	10	26
20-34	4457	4.7	10	2	2	4	5	7	9	16
35-49	7107	5.6	19	2	3	4	6	9	13	23
50-64	6571	6.7	34	2	3	5	8	12	17	31
65+	2052	10.0	92	3	3	6	12	21	28	54
GRAND TOTAL	**20415**	**6.2**	**32**	**2**	**3**	**5**	**7**	**11**	**15**	**30**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	9.4	84	2	2	8	11	16	21	57
20-34	171	8.4	50	2	2	7	11	17	21	37
35-49	637	10.7	42	2	3	10	13	18	22	35
50-64	2273	12.5	54	4	6	11	15	20	25	45
65+	1683	13.8	70	4	6	12	17	23	29	46
2. MULTIPLE DX										
0-19 YRS	220	15.3	149	4	5	11	19	29	38	68
20-34	605	13.9	179	2	3	10	18	32	41	96
35-49	1826	14.9	139	2	4	12	18	29	38	69
50-64	6722	17.2	158	4	7	14	21	32	43	75
65+	7025	20.9	204	6	8	17	26	40	53	90
TOT. SINGLE DX	4835	12.5	60	3	5	11	15	21	26	45
" MULTIPLE DX	16398	18.4	181	4	7	15	22	36	47	81
TOTAL 0-19 YRS	291	13.9	139	2	4	10	18	28	35	67
20-34	776	12.7	156	2	2	9	16	29	38	83
35-49	2463	13.8	117	2	4	11	17	26	35	62
50-64	8995	16.1	136	4	6	13	19	29	39	71
65+	8708	19.5	186	6	8	16	24	37	49	83
GRAND TOTAL	**21233**	**17.1**	**160**	**4**	**6**	**14**	**21**	**33**	**44**	**75**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	11.8	7	9	9	12	14	15	15	15
20-34	3	14.0	27	11	11	11	18	20	20	20
35-49	12	11.8	20	3	7	12	14	18	19	19
50-64	38	14.6	68	10	10	13	15	18	22	60
65+	6	15.5	13	13	13	14	19	21	21	21
2. MULTIPLE DX										
0-19 YRS	10	13.2	61	8	8	10	14	27	32	32
20-34	2	20.0	338	7	7	20	33	33	33	33
35-49	25	19.5	86	9	11	16	26	31	39	41
50-64	96	17.4	68	9	10	15	20	28	32	84
65+	25	24.7	170	10	11	21	35	44	49	57
TOT. SINGLE DX	69	13.7	45	9	9	13	15	19	20	53
" MULTIPLE DX	158	18.7	95	9	9	16	23	32	39	66
TOTAL 0-19 YRS	20	12.5	33	8	9	10	14	19	27	32
20-34	5	16.4	109	7	7	11	23	33	33	33
35-49	37	17.0	77	8	9	14	20	31	36	41
50-64	134	16.6	69	9	10	14	19	26	31	72
65+	31	22.9	152	10	12	19	31	42	46	57
GRAND TOTAL	**227**	**17.2**	**84**	**9**	**9**	**14**	**20**	**30**	**35**	**62**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	8.0	59	<1	1	5	11	17	25	32
20-34	76	4.9	14	1	1	4	7	10	12	79
35-49	102	4.7	48	<1	<1	3	5	10	12	40
50-64	223	5.0	48	<1	1	3	6	11	15	30
65+	116	5.3	35	1	1	4	7	12	15	35
2. MULTIPLE DX										
0-19 YRS	299	6.5	51	<1	1	4	8	15	20	40
20-34	1415	6.3	45	<1	1	4	8	13	17	30
35-49	1818	7.5	64	<1	1	5	9	16	22	41
50-64	3144	7.5	61	<1	1	5	9	16	22	40
65+	2169	8.8	86	1	2	6	10	19	27	50
TOT. SINGLE DX	537	5.1	41	<1	1	3	6	11	14	32
" MULTIPLE DX	8845	7.6	66	1	1	5	9	16	22	43
TOTAL 0-19 YRS	319	6.6	52	<1	1	4	8	15	20	38
20-34	1491	6.2	43	<1	1	4	8	13	17	30
35-49	1920	7.3	63	<1	1	5	9	16	21	41
50-64	3367	7.3	61	<1	1	5	9	16	22	39
65+	2285	8.6	84	1	2	6	10	18	27	49
GRAND TOTAL	**9382**	**7.5**	**64**	**1**	**1**	**5**	**9**	**16**	**22**	**42**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1264	7.7	49	1	2	6	10	15	19	38
20-34	1287	7.1	69	1	1	4	9	16	23	42
35-49	1640	9.6	82	1	2	7	13	20	25	47
50-64	4655	10.5	63	2	3	9	13	18	24	42
65+	5444	11.4	57	3	4	10	14	20	25	40
2. MULTIPLE DX										
0-19 YRS	6912	17.2	310	1	3	11	23	46	63	99+
20-34	2618	11.9	179	1	2	8	15	28	41	78
35-49	4020	13.9	188	1	2	10	18	31	46	95
50-64	13563	14.8	152	3	4	12	18	29	40	75
65+	19332	17.2	174	4	5	14	22	34	45	77
TOT. SINGLE DX	14290	10.2	64	2	3	9	13	19	24	41
" MULTIPLE DX	46445	15.9	192	2	4	12	20	33	47	86
TOTAL 0-19 YRS	8176	15.7	282	1	2	10	20	42	59	99+
20-34	3905	10.3	148	1	1	6	13	24	35	74
35-49	5660	12.7	161	1	2	9	16	27	39	82
50-64	18218	13.7	133	2	4	11	17	27	36	70
65+	24776	15.9	154	4	5	13	20	31	41	72
GRAND TOTAL	**60735**	**14.6**	**168**	**2**	**3**	**11**	**18**	**30**	**42**	**79**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2462	3.3	15	<1	1	2	4	7	10	18
20-34	2760	4.6	24	<1	1	3	5	10	14	23
35-49	1637	5.5	39	1	1	3	7	13	17	29
50-64	1937	6.9	46	1	2	5	10	15	20	33
65+	1534	8.5	59	2	2	6	11	18	22	38
2. MULTIPLE DX										
0-19 YRS	875	5.8	39	1	1	4	7	12	17	36
20-34	1712	7.8	56	1	2	5	10	17	21	36
35-49	1810	9.4	96	1	2	7	12	21	27	52
50-64	3742	11.3	111	2	2	9	15	23	31	54
65+	4318	13.1	117	2	3	10	17	26	35	58
TOT. SINGLE DX	10330	5.5	37	1	1	3	7	13	17	29
" MULTIPLE DX	12457	10.8	104	2	2	8	14	23	30	53
TOTAL 0-19 YRS	3337	4.0	23	<1	1	2	5	9	12	23
20-34	4472	5.8	39	1	1	3	8	13	18	30
35-49	3447	7.5	73	1	2	5	10	17	23	41
50-64	5679	9.8	93	1	2	7	13	21	28	50
65+	5852	11.9	106	2	2	9	16	24	32	54
GRAND TOTAL	**22787**	**8.4**	**80**	**1**	**2**	**5**	**11**	**19**	**25**	**46**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	118	3.5	12	1	1	2	4	8	9	22
20-34	215	6.4	28	1	2	5	9	12	16	30
35-49	219	8.4	59	2	2	6	11	16	21	47
50-64	400	9.8	61	2	3	8	12	18	23	36
65+	346	10.8	66	3	4	9	13	21	27	55
2. MULTIPLE DX										
0-19 YRS	72	8.3	48	1	2	8	11	14	17	42
20-34	230	9.2	29	2	3	8	11	16	18	30
35-49	328	11.3	90	3	4	9	14	24	32	80
50-64	961	13.6	106	3	5	10	18	27	35	61
65+	1002	14.4	141	3	5	11	18	29	38	75
TOT. SINGLE DX	1298	8.7	57	2	2	7	11	17	23	39
" MULTIPLE DX	2593	13.1	112	3	4	10	16	26	36	62
TOTAL 0-19 YRS	190	5.3	31	1	1	3	8	12	15	25
20-34	445	7.8	31	2	2	7	10	15	17	30
35-49	547	10.2	80	2	3	8	12	20	28	61
50-64	1361	12.5	96	3	4	10	16	24	32	56
65+	1348	13.5	124	3	4	10	17	27	37	67
GRAND TOTAL	**3891**	**11.6**	**98**	**2**	**3**	**9**	**15**	**23**	**31**	**56**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	9.6	4	7	7	9	11	12	12	12
20-34	4	6.0	30	2	2	4	9	14	14	14
35-49	3	10.7	50	3	3	12	16	17	17	17
50-64	4	5.0	18	2	2	4	8	11	11	11
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	2	24.0	882	3	3	24	45	45	45	45
20-34	5	8.8	41	3	3	5	14	18	18	18
35-49	5	20.4	452	6	6	15	57	96	99+	99+
50-64	8	20.3	391	3	3	19	26	52	62	62
65+	2	21.5	5	20	20	21	23	23	23	23
TOT. SINGLE DX	17	7.5	23	2	2	7	11	14	16	17
" MULTIPLE DX	22	18.1	295	3	3	18	23	58	75	99+
TOTAL 0-19 YRS	7	13.7	199	3	4	9	12	38	45	45
20-34	9	7.6	34	2	2	5	13	16	18	18
35-49	8	16.8	298	3	4	12	30	83	99+	99+
50-64	12	15.2	310	2	2	8	21	40	59	62
65+	3	15.3	116	3	3	20	22	23	23	23
GRAND TOTAL	**39**	**13.5**	**201**	**2**	**3**	**10**	**19**	**37**	**59**	**99+**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	4.3	2	2	3	4	5	7	7	7
20-34	12	3.0	2	1	1	3	4	5	6	6
35-49	3	3.0		3	3	3	3	3	3	3
50-64	8	3.9	3	3	3	3	4	7	8	8
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	3	11.0	3	9	9	12	12	12	12	12
20-34	7	12.1	190	4	4	8	10	37	43	43
35-49	2	9.5	13	7	7	9	12	12	12	12
50-64										
65+										
TOT. SINGLE DX	38	3.7	2	1	2	3	4	6	7	8
" MULTIPLE DX	12	11.4	107	4	5	9	12	22	40	43
TOTAL 0-19 YRS	17	5.5	9	2	3	4	7	11	12	12
20-34	19	6.4	85	1	1	4	6	10	29	43
35-49	5	5.6	16	3	3	3	8	12	12	12
50-64	8	3.9	3	3	3	3	4	7	8	8
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	50	5.5	37	2	2	4	6	10	12	43

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1861	7.6	57	1	2	6	8	14	20	45
20-34	1584	9.4	69	2	3	7	10	18	24	43
35-49	1173	9.9	89	2	3	8	11	20	27	53
50-64	1836	10.6	96	2	3	8	13	22	31	52
65+	2263	11.0	89	2	3	9	14	22	28	49
2. MULTIPLE DX										
0-19 YRS	2103	11.7	142	2	3	8	13	24	37	71
20-34	3101	13.6	162	3	4	10	16	28	40	78
35-49	3575	13.7	152	3	4	10	16	28	39	70
50-64	7892	14.1	144	3	4	11	18	28	38	65
65+	17154	15.0	139	3	5	12	19	29	38	67
TOT. SINGLE DX	8717	9.8	81	2	3	7	11	20	27	49
" MULTIPLE DX	33825	14.3	145	3	4	11	18	29	38	69
TOTAL 0-19 YRS	3964	9.8	106	1	2	7	11	19	30	59
20-34	4685	12.2	134	3	4	9	14	25	35	71
35-49	4748	12.8	139	3	4	9	15	26	37	66
50-64	9728	13.4	137	3	4	10	17	27	36	63
65+	19417	14.6	135	3	4	11	18	29	37	65
GRAND TOTAL	42542	13.4	135	3	4	10	17	27	36	65

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	9.3	76	1	2	6	12	24	30	78
20-34	60	12.9	201	2	2	7	19	28	46	65
35-49	51	12.0	221	2	2	8	13	26	35	92
50-64	75	12.6	118	2	2	10	18	22	39	50
65+	54	14.7	145	1	2	9	23	35	39	41
2. MULTIPLE DX										
0-19 YRS	373	12.8	231	2	3	7	15	35	49	99+
20-34	187	15.5	221	2	3	10	21	36	45	94
35-49	229	16.6	243	2	3	11	23	38	51	88
50-64	431	18.1	218	2	4	15	24	40	53	69
65+	575	21.4	245	5	6	17	28	43	54	84
TOT. SINGLE DX	327	12.0	144	2	2	8	16	27	37	62
" MULTIPLE DX	1795	17.6	242	2	4	13	24	39	53	87
TOTAL 0-19 YRS	460	12.1	203	2	3	7	15	31	43	99+
20-34	247	14.8	216	2	3	10	20	35	45	86
35-49	280	15.8	241	2	3	10	21	35	50	88
50-64	506	17.2	207	2	4	13	22	37	51	65
65+	629	20.8	239	4	5	17	28	42	54	82
GRAND TOTAL	2122	16.7	231	2	3	12	23	37	51	85

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	215	3.9	19	<1	1	2	5	9	14	26
20-34	343	5.8	32	1	1	4	8	13	15	29
35-49	554	6.4	37	1	1	5	9	13	19	31
50-64	941	7.7	87	1	1	5	10	17	25	44
65+	1114	8.1	79	1	1	5	10	18	25	44
2. MULTIPLE DX										
0-19 YRS	235	10.4	223	1	1	5	12	26	53	99+
20-34	764	8.7	77	1	2	7	11	17	27	90
35-49	1431	9.6	85	2	2	7	12	20	26	52
50-64	3156	11.1	130	2	2	8	14	24	34	66
65+	4712	12.1	141	2	2	9	15	25	36	67
TOT. SINGLE DX	3167	7.2	66	1	1	5	9	16	23	41
" MULTIPLE DX	10298	11.2	128	2	2	8	14	24	34	67
TOTAL 0-19 YRS	450	7.3	136	1	1	3	8	18	29	88
20-34	1107	7.8	65	1	2	6	10	16	21	73
35-49	1985	8.7	74	1	2	6	11	18	25	44
50-64	4097	10.3	122	1	2	7	13	23	32	62
65+	5826	11.4	131	2	2	8	14	24	34	64
GRAND TOTAL	13465	10.2	116	1	2	7	13	22	31	63

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1893	4.4	5	2	2	4	5	7	8	13
20-34	31	11.5	92	3	4	8	15	22	28	50
35-49	15	13.3	42	6	8	10	20	22	24	25
50-64	39	15.4	256	5	6	11	16	24	44	97
65+	39	17.5	182	6	7	13	20	33	51	67
2. MULTIPLE DX										
0-19 YRS	425	7.0	35	2	3	6	8	12	18	52
20-34	50	15.5	142	3	6	12	18	32	46	58
35-49	62	16.4	124	5	7	12	24	33	41	93
50-64	98	18.3	179	7	8	14	22	38	61	99+
65+	163	23.4	245	8	9	19	30	48	69	99+
TOT. SINGLE DX	2017	5.0	22	2	2	4	6	8	11	22
" MULTIPLE DX	798	13.0	155	3	3	9	16	31	44	99+
TOTAL 0-19 YRS	2318	4.8	12	2	2	4	6	8	10	20
20-34	81	14.0	126	3	5	11	17	26	42	56
35-49	77	15.8	109	5	7	12	22	32	39	86
50-64	137	17.5	201	6	7	13	20	33	57	99+
65+	202	22.2	237	7	9	18	28	46	64	99+
GRAND TOTAL	**2815**	**7.3**	**72**	**2**	**2**	**5**	**7**	**14**	**23**	**54**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	23.3	297	3	5	19	43	52	73	99+
20-34	33	15.5	233	2	4	11	19	65	99+	99+
35-49	34	14.6	70	5	6	13	17	33	37	99+
50-64	84	16.3	185	4	5	12	20	40	46	92
65+	157	21.0	227	6	7	17	27	39	53	77
2. MULTIPLE DX										
0-19 YRS	117	26.5	475	5	7	24	54	99+	99+	99+
20-34	86	30.2	747	5	6	20	67	99+	99+	99+
35-49	150	27.0	409	5	7	23	39	61	70	99+
50-64	440	25.4	356	6	8	20	37	65	86	99+
65+	1288	28.0	352	7	9	24	39	61	79	99+
TOT. SINGLE DX	330	18.8	211	5	6	14	23	42	58	99+
" MULTIPLE DX	2081	27.4	381	6	8	23	40	66	91	99+
TOTAL 0-19 YRS	139	26.0	446	5	6	24	48	99+	99+	99+
20-34	119	26.1	645	4	6	18	60	99+	99+	99+
35-49	184	24.7	369	5	6	18	35	59	69	99+
50-64	524	23.9	339	5	7	19	34	62	81	99+
65+	1445	27.3	343	7	9	23	38	59	78	99+
GRAND TOTAL	**2411**	**26.2**	**366**	**6**	**8**	**22**	**38**	**64**	**86**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	112	5.9	13	2	2	5	8	11	12	17
20-34	503	6.9	31	1	2	6	9	12	15	26
35-49	834	7.3	39	1	2	6	9	13	17	30
50-64	1205	7.6	44	1	2	6	10	14	18	33
65+	1168	9.1	54	2	2	7	11	17	22	39
2. MULTIPLE DX										
0-19 YRS	168	8.9	66	2	3	7	10	16	22	45
20-34	1383	8.5	49	2	3	7	10	15	20	39
35-49	2895	9.4	58	2	3	8	11	17	22	39
50-64	5372	10.4	59	3	3	9	13	19	25	41
65+	8120	12.6	93	3	4	10	16	23	30	54
TOT. SINGLE DX	3822	7.8	44	1	2	7	10	15	18	34
" MULTIPLE DX	17938	11.1	76	3	4	9	14	21	27	47
TOTAL 0-19 YRS	280	7.7	47	2	2	6	9	13	18	43
20-34	1886	8.1	45	2	3	7	10	15	19	34
35-49	3729	8.9	55	2	3	7	11	16	21	37
50-64	6577	9.8	58	2	3	8	12	18	24	41
65+	9288	12.2	89	3	4	10	15	23	29	51
GRAND TOTAL	**21760**	**10.5**	**72**	**2**	**3**	**8**	**13**	**20**	**26**	**45**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	10.0	65	2	2	9	13	17	20	43
20-34	398	11.8	41	3	4	11	15	19	25	35
35-49	855	13.6	43	7	8	12	16	21	25	38
50-64	984	14.7	49	7	8	13	18	23	27	42
65+	749	17.7	77	9	10	16	21	28	34	60
2. MULTIPLE DX										
0-19 YRS	52	19.0	223	6	8	14	24	44	80	99+
20-34	406	17.7	130	7	8	15	21	30	40	68
35-49	1244	18.1	129	8	9	15	21	32	42	77
50-64	2160	19.9	142	9	9	17	24	35	46	82
65+	2687	23.7	180	10	11	20	29	41	52	85
TOT. SINGLE DX	3014	14.7	57	7	8	13	18	23	29	42
" MULTIPLE DX	6549	21.0	161	9	10	18	26	38	48	83
TOTAL 0-19 YRS	80	15.9	185	3	5	12	19	42	47	99+
20-34	804	14.8	94	4	7	12	18	26	31	60
35-49	2099	16.3	99	8	8	14	19	27	37	67
50-64	3144	18.3	119	8	9	15	22	32	41	69
65+	3436	22.4	164	9	11	19	27	39	50	82
GRAND TOTAL	**9563**	**19.0**	**136**	**8**	**9**	**16**	**23**	**33**	**43**	**75**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	13.0	162	4	4	13	22	22	22	22
20-34	4	15.8	43	8	8	15	20	24	24	24
35-49	32	23.0	184	10	12	18	30	48	54	55
50-64	107	21.3	66	10	12	20	26	34	37	43
65+	87	23.1	136	12	13	21	27	34	44	73
2. MULTIPLE DX										
0-19 YRS	2	8.0	18	5	5	8	11	11	11	11
20-34	15	22.6	99	10	12	22	31	33	40	42
35-49	72	24.8	266	11	12	20	29	45	61	93
50-64	261	27.9	309	10	12	24	35	49	75	99+
65+	363	28.6	246	12	14	24	36	54	65	98
TOT. SINGLE DX	232	22.0	109	10	12	20	26	34	40	60
" MULTIPLE DX	713	27.8	269	11	13	24	35	51	66	99+
TOTAL 0-19 YRS	4	10.5	68	4	4	8	16	22	22	22
20-34	19	21.2	92	8	10	19	28	33	38	42
35-49	104	24.3	239	11	12	19	29	46	54	92
50-64	368	26.0	247	10	12	22	32	44	63	99+
65+	450	27.5	229	12	13	23	34	51	61	91
GRAND TOTAL	**945**	**26.4**	**236**	**10**	**12**	**22**	**32**	**48**	**60**	**96**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	10.3	20	2	6	9	13	17	18	20
20-34	379	11.4	26	6	7	10	13	18	21	29
35-49	600	12.0	33	6	7	10	14	19	22	30
50-64	531	13.1	46	7	8	11	15	20	25	37
65+	279	14.6	53	8	8	13	17	22	27	50
2. MULTIPLE DX										
0-19 YRS	24	17.2	267	4	7	11	20	31	55	79
20-34	337	13.8	70	7	7	12	16	21	26	54
35-49	705	15.3	95	7	8	12	18	25	33	60
50-64	970	17.8	143	7	8	14	21	30	41	78
65+	838	22.0	163	9	10	19	27	40	49	73
TOT. SINGLE DX	1822	12.6	40	6	7	11	15	20	23	34
" MULTIPLE DX	2874	17.9	138	7	8	15	21	32	42	69
TOTAL 0-19 YRS	57	13.2	133	3	6	11	14	22	29	77
20-34	716	12.5	48	6	7	11	15	19	23	38
35-49	1305	13.8	69	7	7	11	16	22	29	48
50-64	1501	16.1	114	7	8	13	19	27	35	65
65+	1117	20.2	146	8	9	17	25	37	47	68
GRAND TOTAL	**4696**	**15.8**	**107**	**7**	**8**	**13**	**19**	**27**	**36**	**60**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	234	8.0	20	3	3	8	9	12	16	25
20-34	1526	9.2	18	5	6	8	10	13	17	28
35-49	1367	9.9	27	5	6	9	11	15	18	34
50-64	799	11.9	55	6	6	10	13	19	25	48
65+	526	14.8	86	6	8	12	18	25	30	55
2. MULTIPLE DX										
0-19 YRS	280	15.5	214	4	5	11	18	36	64	99+
20-34	1956	11.6	64	5	6	9	13	19	27	58
35-49	2709	13.4	88	5	7	10	15	24	32	57
50-64	2318	17.0	153	6	7	13	20	32	45	79
65+	2383	21.9	195	8	9	18	27	40	52	82
TOT. SINGLE DX	4452	10.5	39	5	6	9	12	17	21	38
" MULTIPLE DX	9646	16.0	143	6	7	12	19	31	41	75
TOTAL 0-19 YRS	514	12.1	139	3	4	9	14	25	38	99+
20-34	3482	10.6	45	5	6	9	12	16	22	44
35-49	4076	12.2	71	5	6	10	14	21	29	52
50-64	3117	15.7	133	6	7	12	18	29	41	73
65+	2909	20.6	183	7	9	17	25	38	49	77
GRAND TOTAL	**14098**	**14.3**	**117**	**5**	**6**	**11**	**17**	**27**	**37**	**67**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	525	5.6	22	1	1	5	7	10	14	25
20-34	1296	6.5	34	1	2	5	8	12	16	25
35-49	1384	5.8	30	1	1	4	8	12	16	27
50-64	2659	4.8	30	1	1	2	6	11	15	25
65+	2490	5.5	46	1	1	3	7	13	18	32
2. MULTIPLE DX										
0-19 YRS	655	7.9	71	1	2	6	10	15	23	80
20-34	1740	9.0	55	2	3	7	11	17	23	38
35-49	2459	9.3	65	2	2	7	12	18	24	40
50-64	5645	9.3	71	1	2	7	12	19	25	43
65+	8488	11.5	101	2	2	9	15	23	31	51
TOT. SINGLE DX	8354	5.5	35	1	1	3	7	12	16	27
" MULTIPLE DX	18987	10.2	84	2	2	8	13	21	27	47
TOTAL 0-19 YRS	1180	6.8	50	1	1	5	8	13	18	44
20-34	3036	7.9	48	1	2	6	10	15	20	36
35-49	3843	8.0	55	1	2	6	10	16	22	35
50-64	8304	7.8	62	1	1	6	11	16	22	39
65+	10978	10.1	95	1	2	8	14	21	28	48
GRAND TOTAL	**27341**	**8.7**	**74**	**1**	**2**	**7**	**11**	**18**	**24**	**43**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	9.8	30	5	5	8	11	18	21	68
20-34	191	12.4	66	5	6	10	14	22	26	47
35-49	224	13.9	85	6	7	11	17	22	27	54
50-64	273	14.9	92	7	8	12	17	24	34	74
65+	352	16.7	107	7	9	14	20	26	34	71
2. MULTIPLE DX										
0-19 YRS	290	15.7	206	5	6	11	20	54	99+	99+
20-34	663	17.2	175	6	7	12	21	35	48	87
35-49	697	19.9	224	7	8	15	25	39	52	97
50-64	1261	21.5	229	8	9	17	26	43	59	99+
65+	2121	23.6	219	9	10	19	29	44	57	92
TOT. SINGLE DX	1147	14.4	89	6	7	12	17	24	30	65
" MULTIPLE DX	5032	21.3	222	7	9	17	27	42	57	99+
TOTAL 0-19 YRS	397	14.1	165	5	6	10	18	40	99+	99+
20-34	854	16.1	154	6	7	12	19	31	43	81
35-49	921	18.5	197	7	8	14	22	36	50	93
50-64	1534	20.4	211	8	9	16	25	39	54	98
65+	2473	22.6	209	9	10	18	28	42	55	92
GRAND TOTAL	**6179**	**20.0**	**204**	**7**	**8**	**16**	**25**	**39**	**53**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	181	13.4	78	5	6	11	16	23	29	52
20-34	619	14.7	88	7	8	12	17	25	31	57
35-49	1170	13.5	43	7	8	12	16	21	25	43
50-64	3100	14.3	42	8	9	13	16	21	26	41
65+	4327	16.6	65	9	10	15	19	26	31	48
2. MULTIPLE DX										
0-19 YRS	296	20.5	263	6	7	15	28	50	65	99+
20-34	1089	18.6	165	7	8	15	22	35	47	85
35-49	2420	17.4	108	8	9	15	20	30	40	66
50-64	7870	18.8	124	9	10	16	22	32	41	74
65+	16901	21.9	145	10	11	19	26	37	47	75
TOT. SINGLE DX	9397	15.3	58	8	9	13	17	23	29	46
" MULTIPLE DX	28576	20.5	141	9	10	17	24	35	45	75
TOTAL 0-19 YRS	477	17.8	204	6	7	13	21	39	55	99+
20-34	1708	17.2	141	7	8	14	20	31	42	72
35-49	3590	16.2	90	8	9	14	18	27	35	61
50-64	10970	17.5	105	8	9	15	20	29	38	66
65+	21228	20.8	133	10	11	18	25	35	44	71
GRAND TOTAL	**37973**	**19.2**	**126**	**9**	**10**	**16**	**23**	**33**	**42**	**70**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	8.7	41	3	3	7	11	15	19	38
20-34	87	12.6	93	4	5	10	16	20	32	86
35-49	123	13.2	63	6	6	11	15	26	29	61
50-64	198	14.0	60	5	7	12	18	24	28	43
65+	226	16.9	89	8	8	14	20	29	37	54
2. MULTIPLE DX										
0-19 YRS	85	17.3	233	5	6	12	20	40	70	99+
20-34	215	18.6	230	5	7	14	23	35	52	86
35-49	282	17.7	149	7	8	15	21	30	37	77
50-64	634	21.3	203	7	9	17	26	42	55	99+
65+	1180	24.2	218	9	10	20	30	43	56	90
TOT. SINGLE DX	671	14.4	78	5	6	12	17	25	33	51
" MULTIPLE DX	2396	21.9	214	7	9	18	27	41	55	91
TOTAL 0-19 YRS	122	14.7	190	4	5	11	16	38	60	99+
20-34	302	16.9	197	5	6	13	20	32	48	87
35-49	405	16.3	127	6	7	13	20	29	35	72
50-64	832	19.6	178	7	8	16	24	37	49	88
65+	1406	23.0	205	8	10	19	29	42	54	86
GRAND TOTAL	**3067**	**20.2**	**194**	**7**	**8**	**16**	**25**	**38**	**50**	**88**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	529	7.8	25	2	3	7	10	13	16	27
20-34	911	10.1	27	4	5	9	12	16	19	30
35-49	820	10.6	28	5	6	10	12	16	20	31
50-64	1050	10.7	40	4	5	10	12	16	20	39
65+	1278	12.1	49	4	6	11	14	19	24	45
2. MULTIPLE DX										
0-19 YRS	658	12.6	140	3	5	9	14	29	40	99+
20-34	1508	13.6	103	5	6	11	15	25	33	59
35-49	1556	15.1	120	6	7	12	17	28	39	66
50-64	2298	16.1	141	6	7	12	19	30	42	85
65+	3404	17.6	143	6	8	14	21	33	42	71
TOT. SINGLE DX	4588	10.6	38	4	5	10	12	17	21	36
" MULTIPLE DX	9424	15.9	135	5	7	12	19	30	40	75
TOTAL 0-19 YRS	1187	10.5	95	3	4	8	12	19	31	76
20-34	2419	12.3	77	5	6	10	14	21	28	52
35-49	2376	13.6	93	5	6	11	15	24	33	57
50-64	3348	14.4	116	5	6	11	16	26	36	76
65+	4682	16.1	124	6	7	13	19	29	39	66
GRAND TOTAL	14012	14.1	109	5	6	11	16	26	35	64

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	12.0	97	3	4	10	14	20	28	59
20-34	91	13.3	118	3	4	12	15	21	29	71
35-49	118	15.0	108	4	5	12	18	27	34	62
50-64	272	16.7	106	6	8	14	20	27	33	62
65+	397	20.4	129	8	10	18	25	34	41	75
2. MULTIPLE DX										
0-19 YRS	100	24.7	384	4	8	22	42	99+	99+	99+
20-34	197	20.8	255	5	8	16	27	47	68	99+
35-49	450	21.7	227	7	8	17	27	44	56	97
50-64	1218	23.2	207	8	10	19	29	43	58	99+
65+	2503	26.7	228	10	12	23	34	48	62	99+
TOT. SINGLE DX	920	17.6	124	5	7	15	22	30	38	65
" MULTIPLE DX	4468	24.9	231	9	10	21	31	47	62	99+
TOTAL 0-19 YRS	142	20.9	331	4	6	16	33	74	99+	99+
20-34	288	18.4	223	4	6	14	22	42	61	99+
35-49	568	20.3	209	5	8	16	25	42	55	90
50-64	1490	22.1	195	8	10	18	27	41	55	97
65+	2900	25.8	219	10	12	22	32	46	60	99+
GRAND TOTAL	5388	23.7	221	8	10	20	30	45	59	99+

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34655	4.5	8	2	2	4	5	7	9	15
20-34	20733	4.7	8	2	3	4	5	7	9	15
35-49	5863	5.8	13	2	3	5	7	10	12	18
50-64	3191	7.2	19	3	3	6	9	12	15	21
65+	1276	9.0	33	3	4	8	11	15	19	27
2. MULTIPLE DX										
0-19 YRS	8616	7.1	31	3	3	5	8	13	17	28
20-34	6673	7.1	27	3	3	6	8	13	17	27
35-49	2661	9.5	55	3	4	8	11	16	22	39
50-64	2383	12.1	68	4	5	10	15	22	27	46
65+	1911	14.8	106	5	6	12	18	27	33	61
TOT. SINGLE DX	65718	4.9	10	2	2	4	6	8	10	17
" MULTIPLE DX	22244	8.6	49	3	3	6	11	16	21	37
TOTAL 0-19 YRS	43271	5.0	14	2	2	4	6	8	11	20
20-34	27406	5.3	14	2	3	4	6	9	11	20
35-49	8524	6.9	29	3	3	5	8	12	15	27
50-64	5574	9.3	46	3	4	8	11	17	21	35
65+	3187	12.5	85	4	5	10	15	23	28	53
GRAND TOTAL	87962	5.8	23	2	3	4	7	10	14	25

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	435	4.9	8	2	3	4	6	8	10	16
20-34	352	5.3	10	2	3	5	6	9	11	17
35-49	81	7.0	20	3	3	7	8	12	15	26
50-64	48	8.9	65	4	4	7	10	12	16	59
65+	21	10.3	13	6	6	9	13	16	17	18
2. MULTIPLE DX										
0-19 YRS	164	6.5	18	2	3	5	8	13	17	88
20-34	271	7.6	51	3	3	6	8	12	18	36
35-49	102	10.1	71	3	4	7	12	17	27	49
50-64	73	11.9	64	5	5	10	14	25	34	87
65+	43	12.9	25	6	7	12	16	22	23	99+
TOT. SINGLE DX	937	5.6	14	2	3	5	7	9	11	18
" MULTIPLE DX	653	8.6	49	3	4	6	10	16	21	52
TOTAL 0-19 YRS	599	5.3	11	2	3	4	6	9	12	20
20-34	623	6.3	29	2	3	5	7	10	13	29
35-49	183	8.8	51	3	3	7	10	15	21	45
50-64	121	10.7	66	4	5	9	11	20	29	70
65+	64	12.0	23	6	7	11	15	20	22	89
GRAND TOTAL	1590	6.8	31	2	3	5	8	12	16	31

605: Operations on Appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	188	8.5	23	3	3	8	11	15	17	27
20-34	101	8.6	22	2	3	8	11	15	17	24
35-49	57	9.3	37	2	3	8	11	18	22	32
50-64	51	12.1	37	3	4	12	15	21	23	29
65+	28	11.9	47	5	6	9	13	21	28	33
2. MULTIPLE DX										
0-19 YRS	59	12.1	46	4	5	10	16	21	26	36
20-34	58	11.6	88	5	5	9	13	19	30	58
35-49	45	14.0	92	3	7	12	17	22	30	56
50-64	45	16.9	84	6	7	15	23	30	33	40
65+	56	21.3	234	8	9	19	24	31	43	96
TOT. SINGLE DX	425	9.3	29	3	3	8	12	16	20	28
" MULTIPLE DX	263	15.1	122	5	6	12	19	27	32	59
TOTAL 0-19 YRS	247	9.3	31	3	3	9	12	16	20	29
20-34	159	9.7	47	3	4	8	12	17	20	35
35-49	102	11.3	66	3	4	9	14	20	24	50
50-64	96	14.4	64	4	5	12	19	27	30	39
65+	84	18.1	190	6	7	15	22	29	36	91
GRAND TOTAL	688	11.5	72	3	4	10	14	21	27	40

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	745	4.5	22	1	1	3	6	9	12	20
20-34	1126	4.9	26	1	2	4	6	9	11	25
35-49	715	5.5	37	1	1	4	6	11	14	28
50-64	1149	5.1	33	1	1	3	6	10	14	25
65+	1635	6.1	38	1	2	4	8	13	18	30
2. MULTIPLE DX										
0-19 YRS	410	8.6	119	1	2	5	10	17	31	77
20-34	873	7.2	39	2	2	5	9	14	19	33
35-49	1114	7.8	48	1	2	6	10	15	21	39
50-64	2350	8.9	69	2	2	7	11	18	25	42
65+	4370	11.5	107	2	3	8	15	23	32	57
TOT. SINGLE DX	5370	5.3	32	1	2	4	6	11	14	27
" MULTIPLE DX	9117	9.8	87	2	2	7	12	20	28	51
TOTAL 0-19 YRS	1155	5.9	60	1	1	4	7	12	17	53
20-34	1999	5.9	33	1	2	4	7	11	15	30
35-49	1829	6.9	45	1	2	5	8	14	19	37
50-64	3499	7.6	61	1	2	5	10	16	22	38
65+	6005	10.0	94	2	2	7	13	21	29	53
GRAND TOTAL	14487	8.2	71	1	2	6	10	17	24	46

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	264	3.6	5	1	1	3	4	6	8	13
20-34	1303	3.8	13	1	1	3	4	6	8	13
35-49	834	4.0	8	1	1	3	5	7	9	14
50-64	467	4.5	15	1	2	4	5	8	10	17
65+	180	6.7	39	2	2	5	8	13	16	37
2. MULTIPLE DX										
0-19 YRS	90	5.6	33	1	2	4	6	9	17	35
20-34	580	5.8	44	2	2	4	7	11	14	36
35-49	568	6.2	41	2	2	4	7	12	17	38
50-64	530	8.0	60	2	2	6	10	16	23	40
65+	365	12.6	155	2	3	8	16	26	37	71
TOT. SINGLE DX	3048	4.1	13	1	1	3	5	7	9	16
" MULTIPLE DX	2133	7.6	71	2	2	5	9	16	23	46
TOTAL 0-19 YRS	354	4.1	13	1	1	3	5	7	9	18
20-34	1883	4.4	24	1	2	3	5	8	10	20
35-49	1402	4.9	22	1	2	4	6	9	12	26
50-64	997	6.4	42	1	2	4	7	12	17	33
65+	545	10.6	124	2	3	7	13	23	32	57
GRAND TOTAL	5181	5.6	40	1	2	4	6	10	15	35

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	11.5	150	1	2	10	14	18	29	78
20-34	139	15.0	102	2	4	13	21	31	35	40
35-49	275	14.9	72	3	5	14	18	22	28	51
50-64	936	17.4	55	8	10	16	21	27	30	42
65+	1167	19.3	77	9	11	18	23	30	35	50
2. MULTIPLE DX										
0-19 YRS	104	17.8	258	4	5	12	20	42	57	92
20-34	185	17.7	169	4	5	15	22	33	46	67
35-49	449	18.1	125	4	6	16	22	34	41	58
50-64	1827	20.3	114	8	10	18	25	34	41	65
65+	3206	24.5	167	10	12	22	30	42	51	75
TOT. SINGLE DX	2592	17.7	75	6	9	16	22	28	33	48
" MULTIPLE DX	5771	22.3	155	8	10	20	27	38	47	73
TOTAL 0-19 YRS	179	15.2	221	2	3	11	16	32	48	88
20-34	324	16.5	142	3	4	14	22	32	38	65
35-49	724	16.9	107	4	6	15	20	28	40	55
50-64	2763	19.3	96	8	10	17	23	31	37	57
65+	4373	23.1	148	10	12	20	28	38	48	72
GRAND TOTAL	8363	20.9	135	7	10	18	25	35	43	67

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	150	5.4	28	1	1	4	7	11	15	30
20-34	653	5.9	34	1	2	5	7	11	13	30
35-49	813	5.9	25	1	2	4	7	11	15	28
50-64	723	6.7	44	1	2	5	8	14	17	35
65+	621	8.1	45	1	2	6	11	16	20	32
2. MULTIPLE DX										
0-19 YRS	188	8.9	72	2	2	7	11	18	23	61
20-34	1338	8.5	50	2	3	7	11	17	21	39
35-49	2186	9.7	68	2	3	8	12	19	24	42
50-64	3123	10.9	86	2	3	8	14	21	28	50
65+	4036	13.4	107	3	4	11	17	26	33	56
TOT. SINGLE DX	2960	6.5	37	1	2	5	8	13	17	30
" MULTIPLE DX	10871	11.3	89	2	3	9	14	22	29	51
TOTAL 0-19 YRS	338	7.4	55	1	2	5	9	16	21	42
20-34	1991	7.7	46	2	2	6	10	15	19	32
35-49	2999	8.7	59	2	3	7	11	17	23	39
50-64	3846	10.1	81	2	3	8	13	20	26	49
65+	4657	12.7	102	2	3	10	16	25	32	54
GRAND TOTAL	**13831**	**10.3**	**81**	**2**	**3**	**8**	**13**	**20**	**27**	**48**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	252	3.3	7	<1	1	3	4	5	6	10
20-34	1748	4.1	11	2	2	4	5	6	8	11
35-49	1622	4.2	7	2	2	4	5	6	8	12
50-64	1005	4.4	15	2	2	4	5	7	8	14
65+	322	4.5	9	2	2	4	5	7	10	19
2. MULTIPLE DX										
0-19 YRS	108	5.0	14	1	2	4	6	9	12	22
20-34	1333	4.9	12	2	2	4	6	8	10	18
35-49	1626	5.1	13	2	3	4	6	8	10	20
50-64	1380	5.7	17	2	3	5	7	10	13	20
65+	637	7.6	55	2	3	5	8	14	20	42
TOT. SINGLE DX	4949	4.1	10	2	2	4	5	6	8	13
" MULTIPLE DX	5084	5.5	20	2	3	4	6	9	12	24
TOTAL 0-19 YRS	360	3.8	10	1	1	3	5	6	8	17
20-34	3081	4.4	12	2	2	4	5	7	9	16
35-49	3248	4.6	10	2	2	4	5	7	9	17
50-64	2385	5.1	16	2	2	4	6	8	11	18
65+	959	6.6	41	2	3	5	7	12	17	36
GRAND TOTAL	**10033**	**4.8**	**16**	**2**	**2**	**4**	**5**	**8**	**10**	**20**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	341	3.0	4	<1	1	3	4	5	6	12
20-34	1878	3.2	5	1	1	3	4	5	6	10
35-49	945	3.8	12	1	2	3	5	6	7	10
50-64	560	4.3	10	1	2	4	5	7	9	20
65+	269	5.4	17	2	2	4	6	10	14	20
2. MULTIPLE DX										
0-19 YRS	185	4.4	10	1	2	4	5	7	9	22
20-34	1756	4.9	15	2	2	4	6	8	10	21
35-49	1813	5.4	21	2	3	5	6	9	11	21
50-64	1489	6.3	31	2	3	5	7	10	14	30
65+	795	8.1	46	3	3	6	10	15	20	40
TOT. SINGLE DX	3993	3.7	8	1	1	3	4	6	7	14
" MULTIPLE DX	6038	5.8	26	2	3	5	6	10	13	25
TOTAL 0-19 YRS	526	3.5	7	<1	1	3	4	6	7	14
20-34	3634	4.0	11	1	2	4	5	6	8	14
35-49	2758	4.9	18	2	2	4	6	8	10	18
50-64	2049	5.7	26	2	2	5	6	10	12	27
65+	1064	7.4	40	2	3	6	9	14	18	35
GRAND TOTAL	**10031**	**4.9**	**20**	**1**	**2**	**4**	**6**	**8**	**11**	**22**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	148	4.7	4	2	2	5	6	7	8	11
20-34	2575	5.2	9	2	3	5	6	8	9	12
35-49	3182	5.5	10	3	3	5	6	8	10	15
50-64	2109	5.7	11	3	3	5	7	9	10	15
65+	688	6.1	11	2	3	5	7	10	12	18
2. MULTIPLE DX										
0-19 YRS	408	5.3	9	2	3	5	6	8	9	16
20-34	9679	5.8	11	3	3	5	7	9	11	17
35-49	13741	6.3	13	3	3	5	7	10	12	20
50-64	10854	6.9	18	3	3	6	8	11	15	24
65+	4577	8.5	37	3	4	7	10	15	20	32
TOT. SINGLE DX	8702	5.5	10	2	3	5	6	8	10	15
" MULTIPLE DX	39259	6.6	17	3	3	6	8	11	14	23
TOTAL 0-19 YRS	556	5.1	8	2	3	5	6	7	9	15
20-34	12254	5.6	10	3	3	5	6	8	10	16
35-49	16923	6.1	13	3	3	5	7	9	12	19
50-64	12963	6.7	17	3	3	6	8	11	14	23
65+	5265	8.2	34	3	4	7	10	15	19	31
GRAND TOTAL	**47961**	**6.4**	**16**	**3**	**3**	**5**	**7**	**10**	**13**	**22**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	418	3.9	12	1	1	3	5	7	10	17
20-34	1693	3.8	14	1	1	3	5	6	8	15
35-49	1332	4.1	10	1	2	3	5	7	9	14
50-64	810	4.5	10	1	2	4	6	8	10	18
65+	456	6.1	24	2	2	5	7	12	16	23
2. MULTIPLE DX										
0-19 YRS	252	6.1	43	1	2	4	7	13	22	37
20-34	1141	5.4	20	2	2	4	6	10	13	27
35-49	1231	6.3	47	2	2	5	7	12	16	35
50-64	1274	7.6	67	2	2	5	9	15	21	49
65+	1019	9.8	75	2	3	7	12	19	25	45
TOT. SINGLE DX	4709	4.3	13	1	2	3	5	7	10	18
" MULTIPLE DX	4917	7.1	54	2	2	5	8	14	20	42
TOTAL 0-19 YRS	670	4.7	25	1	1	3	5	9	13	33
20-34	2834	4.5	17	1	2	4	5	8	10	23
35-49	2563	5.2	29	1	2	4	6	9	13	24
50-64	2084	6.4	47	2	2	5	7	12	17	36
65+	1475	8.6	62	2	3	6	10	17	23	43
GRAND TOTAL	**9626**	**5.7**	**36**	**1**	**2**	**4**	**6**	**11**	**15**	**32**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	8.5	63	2	2	6	10	19	26	36
20-34	68	7.2	60	1	1	5	10	17	19	44
35-49	46	9.4	79	1	1	5	15	23	27	35
50-64	57	8.0	64	1	1	4	12	22	26	29
65+	28	14.5	124	2	2	13	21	30	35	47
2. MULTIPLE DX										
0-19 YRS	40	13.1	122	2	3	10	15	32	36	49
20-34	89	16.3	233	2	3	12	19	37	52	79
35-49	123	14.6	160	2	3	11	19	31	43	70
50-64	195	14.4	166	1	2	11	20	34	40	62
65+	195	19.1	196	3	4	16	27	40	46	57
TOT. SINGLE DX	221	8.9	77	1	1	6	13	21	26	39
" MULTIPLE DX	642	16.1	184	2	3	12	21	36	44	62
TOTAL 0-19 YRS	62	11.5	105	2	3	8	13	31	36	48
20-34	157	12.3	178	1	2	9	16	25	41	67
35-49	169	13.2	143	1	2	10	19	28	41	60
50-64	252	13.0	150	1	2	10	18	28	37	61
65+	223	18.5	188	3	4	15	27	39	46	56
GRAND TOTAL	**863**	**14.2**	**166**	**1**	**2**	**11**	**19**	**32**	**41**	**60**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	297	7.2	43	1	1	5	10	15	20	32
20-34	1585	5.4	33	1	1	3	8	12	16	29
35-49	1291	6.8	48	1	1	4	10	16	22	33
50-64	1543	7.4	65	1	1	4	10	18	23	37
65+	855	10.6	109	1	1	8	15	22	29	54
2. MULTIPLE DX										
0-19 YRS	521	13.4	163	2	2	9	17	28	41	73
20-34	2240	11.7	129	1	2	9	15	25	33	65
35-49	3378	12.0	104	2	2	10	15	24	32	51
50-64	5623	13.0	111	2	2	11	17	26	33	53
65+	4993	15.2	134	2	3	13	20	29	36	62
TOT. SINGLE DX	5571	7.1	60	1	1	4	10	17	22	36
" MULTIPLE DX	16755	13.3	122	2	2	11	17	27	35	57
TOTAL 0-19 YRS	818	11.1	128	1	2	8	14	25	34	57
20-34	3825	9.1	99	1	1	7	12	19	27	52
35-49	4669	10.5	94	1	2	8	14	22	29	48
50-64	7166	11.8	106	1	2	10	16	25	32	51
65+	5848	14.5	133	2	3	12	19	28	36	60
GRAND TOTAL	**22326**	**11.7**	**114**	**1**	**2**	**9**	**16**	**25**	**32**	**53**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1559	7.9	13	5	5	7	9	12	14	20
20-34	17610	7.9	12	5	5	7	9	11	13	19
35-49	16066	8.3	13	5	5	8	9	12	15	21
50-64	16229	9.0	15	5	6	8	10	14	16	23
65+	8779	11.1	29	6	6	10	13	18	21	30
2. MULTIPLE DX										
0-19 YRS	958	10.3	32	5	5	9	12	16	20	31
20-34	12992	9.9	31	5	6	8	12	16	19	31
35-49	16256	10.8	39	5	6	9	13	17	22	35
50-64	24309	12.6	58	6	6	10	15	21	26	43
65+	25247	16.3	91	7	8	14	20	28	34	55
TOT. SINGLE DX	60243	8.8	17	5	5	8	10	13	16	23
" MULTIPLE DX	79762	13.0	66	6	6	11	16	22	28	46
TOTAL 0-19 YRS	2517	8.8	21	5	5	8	10	14	16	26
20-34	30602	8.7	21	5	5	8	10	13	16	25
35-49	32322	9.6	27	5	6	8	11	15	19	29
50-64	40538	11.2	44	5	6	9	13	18	23	38
65+	34026	15.0	80	6	7	13	18	25	32	51
GRAND TOTAL	**140005**	**11.2**	**49**	**5**	**6**	**9**	**13**	**19**	**24**	**40**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	11.8	188	1	1	7	15	30	39	68
20-34	249	9.7	55	2	3	8	12	17	24	39
35-49	359	10.7	58	2	3	9	14	19	24	40
50-64	514	13.3	72	2	4	12	17	24	30	44
65+	817	16.5	97	3	5	15	21	28	34	53
2. MULTIPLE DX										
0-19 YRS	58	15.6	145	2	4	14	21	33	49	96
20-34	296	14.6	131	4	6	11	17	26	34	69
35-49	546	16.7	147	4	6	14	21	30	40	90
50-64	1297	19.3	152	5	8	17	24	35	44	74
65+	3079	22.3	151	8	10	20	27	38	47	75
TOT. SINGLE DX	1981	13.7	87	2	3	12	18	25	31	50
" MULTIPLE DX	5276	20.5	156	6	8	18	25	36	46	74
TOTAL 0-19 YRS	100	14.0	165	1	2	10	20	32	42	84
20-34	545	12.4	102	3	4	10	15	23	31	59
35-49	905	14.3	121	3	4	12	18	26	34	62
50-64	1811	17.6	137	4	7	15	22	32	40	68
65+	3896	21.1	146	6	9	19	26	36	45	70
GRAND TOTAL	**7257**	**18.6**	**146**	**4**	**7**	**16**	**24**	**34**	**43**	**68**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	7.8	49	1	1	7	9	16	26	30
20-34	235	9.8	105	1	1	7	13	23	28	57
35-49	312	10.1	112	1	1	7	15	23	30	68
50-64	397	13.1	129	1	2	10	19	28	36	55
65+	326	15.2	181	1	2	12	23	31	40	62
2. MULTIPLE DX										
0-19 YRS	65	17.5	251	2	4	13	22	34	60	99
20-34	368	16.4	244	2	3	11	21	40	58	99+
35-49	687	19.5	280	2	3	14	26	44	56	96
50-64	1062	20.1	259	2	4	16	28	42	53	88
65+	1114	21.1	249	3	5	18	28	42	54	90
TOT. SINGLE DX	1312	12.2	136	1	2	9	17	27	35	60
" MULTIPLE DX	3296	19.8	260	2	4	16	27	42	55	93
TOTAL 0-19 YRS	107	13.7	193	1	2	10	17	30	47	95
20-34	603	13.8	200	1	2	10	18	34	50	86
35-49	999	16.5	246	2	2	12	23	39	48	89
50-64	1459	18.2	233	2	3	14	25	39	49	85
65+	1440	19.8	240	2	3	16	26	41	52	86
GRAND TOTAL	**4608**	**17.7**	**237**	**2**	**3**	**14**	**24**	**39**	**50**	**86**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	247	5.7	23	1	1	5	8	11	13	29
20-34	668	6.3	31	1	2	5	8	11	15	26
35-49	647	6.6	35	1	2	5	8	13	17	29
50-64	966	7.1	55	1	1	5	10	15	21	38
65+	1010	8.6	88	1	2	5	12	19	25	45
2. MULTIPLE DX										
0-19 YRS	224	8.8	116	2	2	6	10	16	20	68
20-34	1346	8.3	55	2	3	6	10	16	21	39
35-49	2017	9.1	51	2	3	7	11	17	22	38
50-64	3277	10.7	88	2	3	8	13	22	30	49
65+	4982	13.3	122	2	3	10	17	27	35	59
TOT. SINGLE DX	3538	7.2	55	1	2	5	9	15	21	37
" MULTIPLE DX	11846	11.2	97	2	3	8	14	23	30	52
TOTAL 0-19 YRS	471	7.1	69	1	2	5	9	13	18	53
20-34	2014	7.6	48	2	3	6	9	14	19	38
35-49	2664	8.5	49	2	3	7	11	16	21	35
50-64	4243	9.9	83	2	2	7	12	21	28	47
65+	5992	12.5	120	2	2	10	16	26	34	58
GRAND TOTAL	**15384**	**10.3**	**90**	**2**	**2**	**8**	**13**	**21**	**28**	**50**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18140	2.5	4	<1	1	2	3	4	5	7
20-34	16505	4.0	3	2	2	4	5	6	7	9
35-49	14086	4.4	6	2	3	4	5	6	7	11
50-64	21296	4.8	7	2	3	4	6	7	8	12
65+	14582	5.4	8	2	3	5	6	8	10	15
2. MULTIPLE DX										
0-19 YRS	9445	3.0	15	<1	1	2	3	5	7	15
20-34	5259	4.9	14	2	3	4	6	8	9	17
35-49	7040	5.6	16	2	3	5	6	9	11	22
50-64	14207	6.4	21	3	3	5	7	11	14	26
65+	17311	8.5	43	3	4	7	10	15	20	36
TOT. SINGLE DX	84609	4.2	7	1	2	4	5	7	8	12
" MULTIPLE DX	53262	6.2	29	2	2	5	7	11	15	29
TOTAL 0-19 YRS	27585	2.6	8	<1	1	2	3	4	5	10
20-34	21764	4.2	6	2	2	4	5	6	7	12
35-49	21126	4.8	9	2	3	4	5	7	9	16
50-64	35503	5.4	13	2	3	5	6	8	11	19
65+	31893	7.1	29	3	3	6	8	12	16	29
GRAND TOTAL	**137871**	**5.0**	**16**	**1**	**2**	**4**	**6**	**8**	**11**	**21**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3519	2.1	5	<1	<1	2	2	4	5	8
20-34	1533	4.6	4	2	3	4	5	7	8	10
35-49	2126	4.9	4	3	3	5	6	7	8	11
50-64	3411	5.4	5	3	3	5	6	8	9	13
65+	2008	6.2	10	3	3	6	7	9	11	16
2. MULTIPLE DX										
0-19 YRS	2467	3.2	51	<1	<1	2	3	5	8	52
20-34	626	5.6	25	2	3	5	6	8	10	18
35-49	1321	6.1	10	3	3	5	7	9	12	20
50-64	2841	7.0	24	3	3	6	8	11	14	27
65+	2812	9.0	42	3	4	7	10	16	20	35
TOT. SINGLE DX	12597	4.4	8	1	1	4	6	7	9	13
" MULTIPLE DX	10067	6.4	38	1	2	5	8	11	15	31
TOTAL 0-19 YRS	5986	2.5	24	<1	<1	2	2	4	6	16
20-34	2159	4.9	10	2	3	5	6	7	8	14
35-49	3447	5.4	7	3	3	5	6	8	9	16
50-64	6252	6.1	14	3	3	5	7	9	11	20
65+	4820	7.8	31	3	4	6	9	13	17	29
GRAND TOTAL	22664	5.3	22	1	1	5	6	9	12	23

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	128	3.1	3	1	1	3	4	5	6	8
20-34	383	4.4	6	2	2	4	5	6	8	11
35-49	633	4.6	6	2	2	4	5	7	8	14
50-64	837	5.4	10	2	3	5	6	8	10	16
65+	1020	7.0	16	3	3	6	8	11	14	25
2. MULTIPLE DX										
0-19 YRS	42	6.7	96	1	1	4	6	12	20	62
20-34	172	5.6	21	3	3	5	6	9	10	31
35-49	348	6.5	18	2	3	5	8	12	15	24
50-64	591	7.6	33	3	3	6	9	13	18	31
65+	1431	10.8	69	3	4	8	13	20	26	46
TOT. SINGLE DX	3001	5.5	12	2	3	5	7	9	11	18
" MULTIPLE DX	2584	9.1	55	3	3	7	11	17	23	39
TOTAL 0-19 YRS	170	4.0	28	1	1	3	4	6	8	23
20-34	555	4.7	11	2	3	4	5	7	9	13
35-49	981	5.3	11	2	3	5	6	8	11	18
50-64	1428	6.3	21	2	3	5	7	11	13	25
65+	2451	9.2	51	3	4	7	11	17	23	37
GRAND TOTAL	5585	7.2	35	2	3	6	8	13	17	32

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4084	2.3	5	<1	1	2	3	4	4	7
20-34	1396	3.7	10	1	2	3	4	6	7	10
35-49	1572	4.2	7	2	2	4	5	7	8	12
50-64	1223	4.9	9	2	2	4	6	8	10	15
65+	544	6.0	14	2	3	5	8	11	12	23
2. MULTIPLE DX										
0-19 YRS	972	3.9	29	1	1	3	4	7	10	34
20-34	810	5.4	17	2	2	5	7	9	11	21
35-49	1369	6.7	30	2	3	5	8	12	16	28
50-64	1670	8.1	39	2	3	6	10	15	20	31
65+	1166	10.4	60	3	4	8	13	19	27	41
TOT. SINGLE DX	8819	3.5	9	1	1	3	4	6	8	13
" MULTIPLE DX	5987	7.2	41	2	2	5	9	14	19	34
TOTAL 0-19 YRS	5056	2.7	10	<1	1	2	3	4	5	13
20-34	2206	4.4	13	2	2	4	5	7	9	15
35-49	2941	5.4	19	2	2	4	6	9	12	22
50-64	2893	6.8	29	2	3	5	8	12	16	28
65+	1710	9.0	50	3	3	7	11	17	24	37
GRAND TOTAL	14806	5.0	25	1	2	4	6	10	13	26

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	759	2.8	8	<1	1	2	3	5	6	11
20-34	1991	4.5	7	2	2	4	6	7	9	14
35-49	2926	5.8	10	2	3	5	7	9	11	17
50-64	3654	6.6	13	3	3	6	8	10	13	19
65+	2378	7.9	18	3	4	7	9	13	16	24
2. MULTIPLE DX										
0-19 YRS	242	4.2	13	1	1	3	5	9	11	17
20-34	1219	7.0	24	2	3	6	8	12	17	26
35-49	2769	8.5	38	3	3	7	10	15	19	33
50-64	4348	10.2	57	3	4	8	12	18	23	41
65+	4090	12.0	73	4	5	10	14	22	28	45
TOT. SINGLE DX	11708	6.1	14	2	2	5	8	10	12	19
" MULTIPLE DX	12668	10.0	57	3	4	8	12	18	24	41
TOTAL 0-19 YRS	1001	3.2	10	<1	1	2	4	6	8	13
20-34	3210	5.5	15	2	2	5	7	9	12	22
35-49	5695	7.1	26	2	3	6	9	12	16	28
50-64	8002	8.6	40	3	4	7	10	15	19	33
65+	6468	10.5	57	4	4	8	12	19	24	41
GRAND TOTAL	24376	8.1	40	2	3	7	10	14	19	33

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	124	4.6	18	<1	1	3	6	10	12	22
20-34	203	7.3	39	2	3	6	9	13	18	27
35-49	311	8.6	21	3	4	8	10	14	17	26
50-64	435	9.6	26	3	4	9	12	16	19	28
65+	296	11.7	56	4	5	10	14	21	24	42
2. MULTIPLE DX										
0-19 YRS	125	9.9	148	1	2	7	11	21	35	66
20-34	396	11.2	46	4	5	10	13	18	23	35
35-49	874	12.4	54	5	6	10	15	20	26	43
50-64	1281	13.3	68	6	7	11	15	22	28	51
65+	999	16.4	104	6	8	14	20	28	37	64
TOT. SINGLE DX	1369	9.0	36	3	3	8	11	16	20	29
" MULTIPLE DX	3675	13.6	78	5	[illegible]	11	16	23	30	52
TOTAL 0-19 YRS	249	7.3	90	1	[illegible]	4	9	14	22	52
20-34	599	9.9	47	3	4	9	12	17	21	34
35-49	1185	11.4	48	4	5	10	14	19	24	38
50-64	1716	12.3	60	4	6	10	14	21	25	44
65+	1295	15.3	97	5	7	13	19	27	35	61
GRAND TOTAL	5044	12.4	71	3	5	10	15	22	28	46

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1032	4.3	20	1	1	3	5	9	12	20
20-34	1483	5.3	22	1	2	4	7	10	12	26
35-49	1184	6.8	41	1	2	5	8	14	18	33
50-64	1233	8.6	57	2	2	6	11	18	23	38
65+	922	11.4	90	2	3	9	15	24	30	48
2. MULTIPLE DX										
0-19 YRS	555	7.1	58	1	2	5	9	16	21	64
20-34	1484	9.5	94	2	2	7	11	19	27	55
35-49	1665	12.2	126	2	3	9	16	25	34	72
50-64	2746	15.2	150	3	4	12	19	30	39	67
65+	3297	18.4	171	4	5	15	24	35	44	71
TOT. SINGLE DX	5854	7.1	49	1	2	5	9	15	21	36
" MULTIPLE DX	9747	14.4	152	2	3	11	19	30	39	68
TOTAL 0-19 YRS	1587	5.3	35	1	1	4	6	11	16	33
20-34	2967	7.4	63	1	2	5	9	14	21	44
35-49	2849	9.9	98	2	2	7	13	21	29	56
50-64	3979	13.1	131	2	3	10	17	27	35	61
65+	4219	16.8	162	3	4	14	22	33	42	67
GRAND TOTAL	15601	11.7	126	2	2	8	15	25	34	59

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1561	6.7	20	2	3	6	8	11	15	24
20-34	3259	7.4	34	2	3	6	8	13	17	30
35-49	1446	9.8	46	3	4	8	12	18	23	39
50-64	1216	13.3	101	4	5	11	16	24	31	59
65+	1049	15.8	97	6	7	13	20	27	33	49
2. MULTIPLE DX										
0-19 YRS	1667	10.9	113	3	4	8	12	22	35	99
20-34	4985	10.2	94	3	4	7	11	20	28	61
35-49	2788	14.1	135	4	5	11	17	27	37	74
50-64	3093	18.8	186	5	7	15	23	36	46	86
65+	3966	22.4	204	8	9	19	28	41	53	91
TOT. SINGLE DX	8531	9.6	61	3	4	7	11	18	24	42
" MULTIPLE DX	16499	15.5	171	4	5	11	20	32	43	79
TOTAL 0-19 YRS	3228	8.8	72	3	3	6	10	16	24	59
20-34	8244	9.1	72	3	4	7	10	16	23	52
35-49	4234	12.6	109	4	5	10	15	24	33	62
50-64	4309	17.2	168	5	6	14	21	33	43	77
65+	5015	21.0	189	7	9	17	26	38	50	86
GRAND TOTAL	25030	13.5	141	3	4	10	17	28	38	71

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1892	3.4	7	1	1	2	4	7	8	12
20-34	9438	2.8	7	<1	1	2	3	6	8	12
35-49	1285	2.9	8	<1	1	2	3	6	9	14
50-64	295	4.8	39	<1	1	2	6	11	14	34
65+	103	5.0	33	1	1	2	6	13	17	28
2. MULTIPLE DX										
0-19 YRS	1608	4.3	16	1	1	3	6	9	11	21
20-34	9774	3.6	16	<1	1	2	4	8	11	19
35-49	1697	4.8	38	<1	1	3	6	10	15	30
50-64	464	8.9	99	1	2	5	12	19	23	58
65+	313	14.2	175	2	2	11	19	33	42	80
TOT. SINGLE DX	13013	2.9	8	<1	1	2	3	6	8	13
" MULTIPLE DX	13856	4.3	28	<1	1	2	5	9	13	25
TOTAL 0-19 YRS	3500	3.8	11	1	1	3	5	8	10	16
20-34	19212	3.2	12	<1	1	2	4	7	9	16
35-49	2982	4.0	26	<1	1	2	4	9	12	24
50-64	759	7.3	80	1	1	4	10	17	22	50
65+	416	11.9	155	1	2	9	16	28	39	63
GRAND TOTAL	26869	3.6	19	<1	1	2	4	8	11	21

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	468	6.9	24	1	2	6	9	12	16	26
20-34	1941	7.0	29	1	2	6	9	12	16	26
35-49	1406	9.8	41	2	4	8	12	17	21	34
50-64	1270	11.2	49	3	5	10	14	19	24	38
65+	1093	13.3	55	5	7	11	16	22	27	43
2. MULTIPLE DX										
0-19 YRS	708	9.9	101	2	2	7	12	20	29	99+
20-34	4244	8.4	57	2	2	7	9	16	22	42
35-49	2710	13.0	110	3	5	10	16	25	34	66
50-64	2918	16.8	157	5	6	13	21	32	44	76
65+	3483	19.7	165	7	8	16	24	36	47	74
TOT. SINGLE DX	6178	9.6	46	2	3	8	12	17	22	34
" MULTIPLE DX	14063	13.9	137	2	4	10	17	28	38	68
TOTAL 0-19 YRS	1176	8.7	72	2	2	7	10	17	23	84
20-34	6185	8.0	49	2	2	6	9	15	20	37
35-49	4116	11.9	89	3	4	9	14	22	29	57
50-64	4188	15.1	131	4	6	12	18	29	38	68
65+	4576	18.2	146	6	8	15	22	34	44	69
GRAND TOTAL	**20241**	**12.6**	**113**	**2**	**4**	**10**	**15**	**25**	**33**	**61**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	142	10.3	62	5	5	9	11	14	18	49
20-34	275	11.0	42	6	7	9	12	17	21	38
35-49	380	11.5	19	6	7	11	13	17	20	30
50-64	701	13.8	47	7	8	12	16	21	26	41
65+	592	15.3	44	8	9	14	18	23	28	38
2. MULTIPLE DX										
0-19 YRS	365	12.8	92	5	6	10	14	22	32	62
20-34	688	13.5	92	6	7	11	15	22	32	53
35-49	862	16.0	98	6	8	13	19	28	37	60
50-64	1737	18.0	147	8	8	15	21	30	40	76
65+	2264	20.3	134	9	10	18	24	34	43	71
TOT. SINGLE DX	2090	13.2	44	7	8	12	15	21	25	38
" MULTIPLE DX	5916	17.7	131	7	8	15	21	31	40	70
TOTAL 0-19 YRS	507	12.1	85	5	6	10	13	20	30	61
20-34	963	12.8	79	6	7	10	14	21	27	50
35-49	1242	14.6	78	6	8	12	17	25	32	53
50-64	2438	16.8	122	8	8	14	19	28	36	73
65+	2856	19.2	119	8	9	17	23	33	40	68
GRAND TOTAL	**8006**	**16.5**	**113**	**7**	**8**	**14**	**20**	**28**	**37**	**65**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	769	8.1	43	2	2	7	11	15	18	34
20-34	1543	9.5	40	2	3	9	11	16	21	34
35-49	1626	10.0	38	2	3	9	12	16	21	33
50-64	1597	10.4	41	2	4	9	12	17	21	32
65+	782	10.5	44	2	2	10	13	17	22	35
2. MULTIPLE DX										
0-19 YRS	809	13.0	138	2	3	10	16	26	36	64
20-34	1935	14.9	162	2	4	11	18	29	42	72
35-49	2098	14.4	113	3	5	12	18	26	37	56
50-64	2889	14.7	109	3	5	12	18	27	33	60
65+	2173	16.4	131	3	5	14	21	30	39	60
TOT. SINGLE DX	6317	9.8	41	2	3	9	12	17	21	33
" MULTIPLE DX	9904	14.9	128	3	4	12	18	28	37	64
TOTAL 0-19 YRS	1578	10.6	98	2	2	8	13	21	28	56
20-34	3478	12.5	115	2	3	10	15	24	33	64
35-49	3724	12.5	85	2	4	10	15	23	30	50
50-64	4486	13.2	89	2	4	11	16	24	30	53
65+	2955	14.8	115	2	4	12	18	28	36	56
GRAND TOTAL	**16221**	**12.9**	**100**	**2**	**3**	**10**	**16**	**24**	**32**	**55**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	122	9.1	24	3	3	8	11	15	20	52
20-34	1381	9.2	16	4	5	9	11	14	16	21
35-49	1808	9.7	21	4	5	9	12	15	17	24
50-64	1682	10.3	20	4	6	10	12	16	18	26
65+	707	11.1	22	5	6	10	13	17	20	27
2. MULTIPLE DX										
0-19 YRS	74	9.8	55	2	3	8	11	16	35	85
20-34	770	11.3	45	4	5	10	13	18	23	39
35-49	1149	11.8	56	4	6	10	14	19	24	44
50-64	1703	13.2	52	6	7	11	16	21	27	42
65+	1287	15.6	90	6	8	13	19	27	32	55
TOT. SINGLE DX	5700	9.9	20	4	5	9	12	15	18	25
" MULTIPLE DX	4983	13.2	64	5	6	11	16	22	28	45
TOTAL 0-19 YRS	196	9.4	35	2	3	8	11	15	20	71
20-34	2151	9.9	28	4	5	9	12	15	19	28
35-49	2957	10.5	36	4	5	9	12	16	20	32
50-64	3385	11.8	38	5	6	10	14	19	23	37
65+	1994	14.0	70	5	7	12	16	23	30	48
GRAND TOTAL	**10683**	**11.4**	**43**	**4**	**6**	**10**	**13**	**18**	**23**	**38**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	670	9.8	12	5	7	9	11	14	16	23
20-34	116	11.9	20	7	8	11	14	18	21	24
35-49	95	14.7	43	7	8	13	17	25	28	39
50-64	96	16.8	71	5	9	15	21	27	32	47
65+	103	17.6	85	6	8	16	21	28	36	51
2. MULTIPLE DX										
0-19 YRS	895	11.2	35	6	7	10	12	17	22	37
20-34	273	15.1	94	7	8	12	18	30	34	81
35-49	195	18.8	128	7	9	16	23	33	44	99+
50-64	321	21.2	177	6	8	19	27	39	48	86
65+	402	23.5	203	8	10	20	30	41	53	90
TOT. SINGLE DX	1080	11.8	37	6	7	10	14	19	23	34
" MULTIPLE DX	2086	16.4	131	6	7	12	20	31	40	72
TOTAL 0-19 YRS	1565	10.6	26	6	7	9	12	16	20	32
20-34	389	14.2	74	7	8	12	16	23	32	52
35-49	290	17.5	104	7	8	15	21	30	37	86
50-64	417	20.2	155	6	8	17	26	36	45	84
65+	505	22.3	184	7	10	19	28	40	49	85
GRAND TOTAL	**3166**	**14.8**	**103**	**6**	**7**	**11**	**17**	**27**	**35**	**57**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	363	4.8	14	1	1	4	7	9	11	17
20-34	2248	5.1	15	2	2	4	6	9	11	16
35-49	2472	5.0	10	2	2	4	6	9	11	16
50-64	1890	5.4	15	2	2	5	7	10	12	22
65+	642	6.6	26	2	2	5	9	12	16	24
2. MULTIPLE DX										
0-19 YRS	324	7.8	76	1	1	6	10	16	21	43
20-34	1004	6.6	29	2	2	5	8	12	16	25
35-49	1278	6.9	33	2	2	5	8	13	17	30
50-64	1504	8.0	42	2	3	6	10	14	20	37
65+	1044	10.7	70	2	3	9	13	21	26	43
TOT. SINGLE DX	7615	5.3	15	2	2	4	7	9	12	19
" MULTIPLE DX	5154	8.0	47	2	2	6	10	15	21	37
TOTAL 0-19 YRS	687	6.2	45	1	1	5	8	12	16	32
20-34	3252	5.6	20	2	2	5	7	10	12	21
35-49	3750	5.7	19	2	2	5	7	10	13	22
50-64	3394	6.6	29	2	2	5	8	12	15	30
65+	1686	9.1	57	2	3	7	12	18	24	39
GRAND TOTAL	**12769**	**6.4**	**30**	**2**	**2**	**5**	**8**	**12**	**15**	**28**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7751	2.4	10	<1	1	2	3	5	7	14
20-34	8538	3.8	12	1	1	3	5	8	10	16
35-49	8244	4.1	18	1	1	3	5	9	11	20
50-64	10717	4.1	21	1	1	3	5	9	12	22
65+	10704	4.9	30	1	1	3	6	11	15	27
2. MULTIPLE DX										
0-19 YRS	8516	3.4	19	<1	1	2	4	7	10	19
20-34	12581	6.0	44	1	1	4	8	12	17	34
35-49	14287	6.8	52	1	1	5	9	14	19	37
50-64	23958	7.5	58	1	2	5	10	16	21	38
65+	36547	10.2	98	1	2	8	13	22	29	51
TOT. SINGLE DX	45954	3.9	20	1	1	2	5	8	11	21
" MULTIPLE DX	95889	7.8	71	1	1	5	10	17	24	43
TOTAL 0-19 YRS	16267	2.9	15	<1	1	2	3	6	9	17
20-34	21119	5.1	33	1	1	3	6	11	14	28
35-49	22531	5.8	41	1	1	4	7	12	17	32
50-64	34675	6.4	49	1	1	4	8	14	19	34
65+	47251	9.0	87	1	2	6	12	20	27	47
GRAND TOTAL	**141843**	**6.6**	**58**	**1**	**1**	**4**	**8**	**15**	**21**	**38**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	4.0	6	1	1	3	5	8	9	12
20-34	387	3.9	22	1	1	3	5	7	9	15
35-49	1090	4.1	16	1	1	3	5	7	9	16
50-64	4023	4.3	13	1	2	3	5	8	10	19
65+	7582	5.3	22	1	2	4	6	10	13	23
2. MULTIPLE DX										
0-19 YRS	206	5.3	41	1	1	3	6	11	15	30
20-34	879	5.5	38	1	2	4	7	12	17	46
35-49	1430	5.9	35	1	2	4	7	12	16	32
50-64	4739	6.7	43	1	2	5	8	14	19	35
65+	12337	8.7	71	2	2	6	11	18	24	45
TOT. SINGLE DX	13160	4.8	19	1	2	4	6	9	12	22
" MULTIPLE DX	19591	7.9	61	2	2	6	10	16	22	41
TOTAL 0-19 YRS	284	4.9	32	1	1	3	6	10	14	28
20-34	1266	5.0	33	1	1	3	6	10	15	36
35-49	2520	5.1	28	1	2	4	6	10	14	26
50-64	8762	5.6	31	1	2	4	7	11	15	30
65+	19919	7.4	55	2	2	5	9	15	21	39
GRAND TOTAL	**32751**	**6.6**	**46**	**1**	**2**	**5**	**8**	**14**	**19**	**36**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	511	6.0	31	1	1	5	8	11	14	25
20-34	588	6.4	32	1	1	5	9	13	17	26
35-49	745	7.3	38	1	2	5	10	16	19	27
50-64	1464	7.8	47	1	2	5	11	17	22	30
65+	2064	9.0	74	1	2	6	13	19	25	40
2. MULTIPLE DX										
0-19 YRS	1011	10.1	117	2	2	7	12	22	35	85
20-34	1059	12.0	219	1	2	7	14	30	50	99+
35-49	1375	10.4	127	2	2	7	13	22	33	72
50-64	3010	11.5	115	2	2	9	16	25	33	62
65+	6271	14.4	152	2	3	11	19	30	39	67
TOT. SINGLE DX	5372	7.9	54	1	2	5	11	17	22	34
" MULTIPLE DX	12726	12.7	146	2	2	9	17	28	38	73
TOTAL 0-19 YRS	1522	8.7	92	1	2	6	10	18	29	65
20-34	1647	10.0	159	1	2	6	12	21	35	90
35-49	2120	9.3	98	1	2	7	12	19	27	58
50-64	4474	10.3	96	2	2	8	14	22	29	51
65+	8335	13.1	138	2	2	10	17	28	36	62
GRAND TOTAL	**18098**	**11.3**	**124**	**2**	**2**	**8**	**15**	**25**	**33**	**62**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1932	1.7	8	<1	<1	1	2	2	3	7
20-34	155	2.9	7	<1	1	2	3	6	9	12
35-49	108	3.0	8	<1	1	2	3	6	8	16
50-64	89	3.2	5	<1	1	3	4	6	8	11
65+	59	3.9	11	1	1	2	5	9	11	15
2. MULTIPLE DX										
0-19 YRS	1576	2.3	7	<1	1	2	2	4	6	12
20-34	337	3.5	16	<1	1	2	4	6	9	22
35-49	250	5.0	51	1	1	3	6	10	15	26
50-64	293	5.5	35	1	2	3	7	12	16	34
65+	311	7.9	49	2	2	6	11	16	20	41
TOT. SINGLE DX	2343	1.9	9	<1	<1	1	2	3	4	10
" MULTIPLE DX	2767	3.7	23	<1	1	2	4	8	12	23
TOTAL 0-19 YRS	3508	2.0	8	<1	<1	1	2	3	5	10
20-34	492	3.3	13	<1	1	2	4	6	9	19
35-49	358	4.4	39	<1	1	3	5	9	14	23
50-64	382	5.0	29	1	2	3	6	10	14	28
65+	370	7.3	45	1	2	5	10	15	19	32
GRAND TOTAL	**5110**	**2.9**	**17**	**<1**	**<1**	**2**	**3**	**6**	**9**	**19**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1544	6.0	21	1	1	5	9	12	14	20
20-34	1048	4.3	19	<1	1	3	5	10	12	21
35-49	599	5.8	21	1	2	4	8	11	15	22
50-64	692	5.5	22	1	2	4	7	11	14	25
65+	616	5.2	20	1	2	4	6	10	13	21
2. MULTIPLE DX										
0-19 YRS	1058	5.5	44	1	1	3	8	12	16	40
20-34	1043	5.3	32	1	1	3	6	12	16	28
35-49	884	6.5	48	1	2	4	8	14	18	40
50-64	1189	7.0	53	2	2	5	9	14	19	35
65+	1478	8.1	62	2	2	5	11	17	23	40
TOT. SINGLE DX	4499	5.4	21	1	1	4	8	11	14	21
" MULTIPLE DX	5652	6.6	50	1	2	4	9	14	19	38
TOTAL 0-19 YRS	2602	5.8	31	1	1	4	9	12	15	23
20-34	2091	4.8	26	1	1	3	6	11	14	24
35-49	1483	6.2	37	1	2	4	8	13	16	36
50-64	1881	6.4	42	1	2	4	8	13	17	31
65+	2094	7.2	51	2	2	5	9	15	20	37
GRAND TOTAL	**10151**	**6.1**	**38**	**1**	**1**	**4**	**8**	**13**	**16**	**30**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2398	2.0	7	<1	<1	1	2	3	5	11
20-34	1472	3.2	10	<1	1	2	4	6	9	16
35-49	1049	3.3	10	<1	1	2	4	7	8	14
50-64	1066	3.8	14	1	1	2	5	8	11	21
65+	1141	4.7	26	1	1	3	6	9	14	25
2. MULTIPLE DX										
0-19 YRS	4042	2.6	11	<1	1	2	3	5	7	12
20-34	4000	4.9	27	1	1	3	6	10	14	29
35-49	3594	6.1	45	1	1	4	8	13	18	33
50-64	4456	6.8	46	1	2	5	9	15	19	34
65+	6861	9.6	85	2	2	7	12	20	27	46
TOT. SINGLE DX	7126	3.1	13	<1	1	2	3	7	9	18
" MULTIPLE DX	22953	6.4	54	1	1	4	8	14	20	36
TOTAL 0-19 YRS	6440	2.4	10	<1	1	2	2	5	7	12
20-34	5472	4.4	23	1	1	3	5	9	13	24
35-49	4643	5.5	38	1	1	3	7	12	16	30
50-64	5522	6.2	41	1	1	4	8	14	18	32
65+	8002	8.9	79	1	2	6	11	19	26	45
GRAND TOTAL	**30079**	**5.7**	**46**	**1**	**1**	**3**	**7**	**13**	**18**	**34**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	857	2.5	6	<1	1	2	3	5	7	12
20-34	921	3.7	9	1	1	3	4	7	10	14
35-49	650	4.7	28	1	1	3	6	10	13	21
50-64	633	5.1	17	1	2	4	7	11	14	20
65+	524	5.7	22	2	2	4	7	11	15	24
2. MULTIPLE DX										
0-19 YRS	1072	2.9	10	1	1	2	3	6	8	17
20-34	1429	4.5	25	1	1	3	5	9	13	30
35-49	1076	5.4	32	1	2	4	7	11	15	28
50-64	1230	6.8	52	2	2	4	9	14	18	33
65+	1389	8.9	78	2	2	6	11	18	23	46
TOT. SINGLE DX	3585	4.1	16	1	1	3	5	9	12	19
" MULTIPLE DX	6196	5.8	45	1	1	4	7	13	17	33
TOTAL 0-19 YRS	1929	2.8	8	1	1	2	3	5	7	15
20-34	2350	4.2	19	1	1	3	4	8	12	23
35-49	1726	5.2	30	1	2	3	6	11	14	26
50-64	1863	6.3	41	1	2	4	8	13	17	30
65+	1913	8.0	65	2	2	6	10	16	22	42
GRAND TOTAL	**9781**	**5.2**	**35**	**1**	**1**	**3**	**6**	**11**	**15**	**29**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	5.4	13	1	2	4	10	10	11	12
20-34	280	7.5	10	3	4	7	9	11	12	20
35-49	1262	8.8	15	5	6	8	10	12	14	19
50-64	1164	9.3	10	5	6	9	10	13	15	21
65+	488	10.7	21	6	7	10	12	16	19	32
2. MULTIPLE DX										
0-19 YRS	14	7.6	18	1	2	7	11	13	15	15
20-34	470	9.3	28	4	5	8	10	14	19	33
35-49	1762	10.3	33	5	6	9	11	16	19	34
50-64	1867	11.1	28	6	7	10	13	17	21	31
65+	981	13.0	53	6	7	11	15	21	27	42
TOT. SINGLE DX	3212	9.1	14	5	6	9	10	13	15	21
" MULTIPLE DX	5094	11.0	36	6	6	9	13	17	22	34
TOTAL 0-19 YRS	32	6.4	16	1	2	5	10	12	13	15
20-34	750	8.7	22	4	5	8	10	13	16	29
35-49	3024	9.7	26	5	6	9	11	14	18	30
50-64	3031	10.4	22	6	6	9	12	16	19	27
65+	1469	12.3	43	6	7	10	14	19	24	39
GRAND TOTAL	**8306**	**10.3**	**28**	**5**	**6**	**9**	**12**	**16**	**19**	**31**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	6.3	24	<1	1	5	9	14	16	16
20-34	64	8.1	9	3	4	8	9	11	13	21
35-49	209	8.7	10	4	5	8	10	12	14	20
50-64	225	9.6	14	5	6	9	11	14	16	22
65+	121	10.0	17	4	5	9	12	16	17	23
2. MULTIPLE DX										
0-19 YRS	22	8.2	13	3	4	8	11	13	14	16
20-34	71	8.8	11	4	5	9	11	13	14	20
35-49	268	10.0	20	4	5	9	12	16	19	24
50-64	368	10.5	35	4	6	9	11	16	21	33
65+	257	12.7	53	4	5	11	16	22	27	36
TOT. SINGLE DX	628	9.2	13	4	5	9	11	14	16	22
" MULTIPLE DX	986	10.8	35	4	5	9	12	18	22	32
TOTAL 0-19 YRS	31	7.6	16	1	2	7	11	13	16	16
20-34	135	8.5	10	3	5	8	10	12	13	20
35-49	477	9.4	16	4	5	9	11	14	18	24
50-64	593	10.2	27	5	6	9	11	15	19	32
65+	378	11.8	43	4	5	10	14	20	25	33
GRAND TOTAL	**1614**	**10.2**	**27**	**4**	**5**	**9**	**12**	**16**	**20**	**30**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	3.0	9	<1	<1	2	5	6	8	16
20-34	95	4.8	12	1	1	4	6	10	12	16
35-49	121	5.3	12	1	2	5	7	10	11	17
50-64	108	5.2	24	<1	1	4	6	12	19	22
65+	65	5.5	26	1	2	4	7	11	12	33
2. MULTIPLE DX										
0-19 YRS	78	5.1	37	<1	1	3	6	12	19	32
20-34	149	6.8	42	1	2	5	8	12	16	28
35-49	185	7.5	36	1	2	6	9	16	19	29
50-64	272	8.8	66	1	2	6	12	20	25	32
65+	282	10.8	101	1	2	9	13	20	28	70
TOT. SINGLE DX	430	5.0	17	1	1	4	6	10	12	20
" MULTIPLE DX	966	8.5	67	1	2	6	11	18	24	39
TOTAL 0-19 YRS	119	4.4	28	<1	<1	2	5	9	16	27
20-34	244	6.0	31	1	2	5	8	11	14	27
35-49	306	6.6	28	1	2	5	9	13	17	26
50-64	380	7.8	56	1	2	5	11	18	23	31
65+	347	9.8	91	1	2	8	13	19	26	48
GRAND TOTAL	1396	7.4	55	1	2	5	10	16	21	34

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	4.5	15	<1	<1	4	5	11	14	15
20-34	72	7.8	53	1	1	8	10	15	20	89
35-49	51	9.5	47	1	2	8	12	19	25	35
50-64	41	11.0	73	2	3	9	15	21	25	46
65+	40	14.2	150	1	2	11	18	31	40	53
2. MULTIPLE DX										
0-19 YRS	32	9.7	59	2	2	8	12	17	22	39
20-34	93	11.4	54	2	2	10	16	20	24	36
35-49	89	13.8	78	2	4	12	19	25	27	49
50-64	126	17.1	181	4	5	13	21	33	38	72
65+	144	15.0	153	2	2	12	21	32	42	55
TOT. SINGLE DX	221	9.7	76	1	2	8	12	19	27	53
" MULTIPLE DX	484	14.3	125	2	2	12	19	28	35	55
TOTAL 0-19 YRS	49	7.9	50	<1	1	5	11	16	18	39
20-34	165	9.9	56	1	2	9	13	20	22	50
35-49	140	12.2	70	2	3	10	16	24	26	41
50-64	167	15.6	160	3	4	12	19	32	38	69
65+	184	14.8	151	2	2	12	21	32	42	54
GRAND TOTAL	705	12.8	114	2	2	10	17	26	34	54

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	6.8	14	1	2	7	9	15	50	99+
20-34	39	6.4	10	2	2	6	9	10	11	16
35-49	407	6.7	9	3	4	6	8	10	12	19
50-64	7797	7.3	12	4	4	7	8	11	13	19
65+	16744	8.4	19	4	5	7	10	13	16	25
2. MULTIPLE DX										
0-19 YRS	65	10.2	62	2	5	9	11	17	23	47
20-34	89	9.4	61	2	3	8	12	21	27	99+
35-49	794	9.0	35	4	4	7	11	16	20	37
50-64	13541	9.9	44	4	5	8	12	17	22	37
65+	43326	12.3	78	5	5	10	15	22	29	49
TOT. SINGLE DX	25008	8.0	17	4	5	7	9	12	15	23
" MULTIPLE DX	57815	11.7	71	4	5	9	14	21	28	47
TOTAL 0-19 YRS	86	9.4	52	2	4	8	11	16	23	81
20-34	128	8.5	47	2	3	7	10	17	25	99+
35-49	1201	8.2	27	3	4	7	9	14	18	32
50-64	21338	9.0	34	4	5	7	10	15	19	33
65+	60070	11.2	65	4	5	9	13	20	26	45
GRAND TOTAL	82823	10.6	57	4	5	8	12	19	25	42

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	3.3	11	<1	<1	2	4	8	12	13
20-34	9	5.9	47	1	1	3	8	18	20	20
35-49	35	8.8	43	1	2	9	12	19	21	26
50-64	1083	12.7	29	6	7	12	15	19	22	33
65+	2022	13.0	28	6	8	12	15	19	22	30
2. MULTIPLE DX										
0-19 YRS	14	9.8	93	2	2	7	11	28	33	34
20-34	11	11.1	83	1	2	11	13	27	30	30
35-49	42	17.0	175	5	5	14	23	29	42	72
50-64	1646	14.6	49	7	8	13	18	23	27	39
65+	5356	16.6	81	7	9	15	20	27	33	52
TOT. SINGLE DX	3169	12.7	30	6	7	12	15	19	22	31
" MULTIPLE DX	7069	16.2	74	7	8	14	19	26	32	49
TOTAL 0-19 YRS	34	6.0	54	<1	1	3	10	12	24	34
20-34	20	8.8	71	1	1	5	12	22	27	30
35-49	77	13.3	131	2	2	11	16	27	29	67
50-64	2729	13.9	42	6	8	13	17	22	26	37
65+	7378	15.6	69	7	8	14	19	25	31	48
GRAND TOTAL	10238	15.1	63	7	8	13	18	24	29	45

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	4.2	15	1	1	2	6	10	13	15
20-34	88	4.6	82	1	1	2	4	7	11	62
35-49	345	3.2	15	1	1	2	3	6	8	15
50-64	2057	3.3	11	1	1	2	4	6	9	18
65+	2918	4.3	22	1	1	3	5	9	12	23
2. MULTIPLE DX										
0-19 YRS	17	11.1	207	1	2	4	14	36	48	52
20-34	88	6.5	87	1	2	4	7	13	20	60
35-49	346	5.6	33	1	1	4	7	12	15	29
50-64	2256	6.6	48	1	2	4	9	15	19	38
65+	4809	9.0	82	2	2	6	12	20	25	44
TOT. SINGLE DX	5427	3.9	19	1	1	3	4	8	11	21
" MULTIPLE DX	7516	8.1	72	1	2	5	11	18	24	42
TOTAL 0-19 YRS	36	7.5	115	1	2	3	8	17	34	52
20-34	176	5.6	85	1	1	3	5	11	16	64
35-49	691	4.4	26	1	1	3	5	9	12	23
50-64	4313	5.0	33	1	1	3	6	11	16	29
65+	7727	7.2	65	1	2	4	9	16	22	40
GRAND TOTAL	12943	6.3	54	1	2	4	8	14	20	38

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	699	2.9	5	1	1	2	3	5	6	12
20-34	764	3.7	7	1	1	3	4	7	9	15
35-49	472	4.2	16	1	1	3	5	7	11	23
50-64	491	4.1	10	1	2	3	5	7	9	19
65+	272	4.9	12	2	2	4	6	9	12	20
2. MULTIPLE DX										
0-19 YRS	478	4.4	56	1	1	3	4	7	10	54
20-34	426	5.2	24	1	2	4	6	11	13	26
35-49	407	6.6	50	2	2	4	8	13	21	43
50-64	530	7.8	68	2	2	5	9	15	22	44
65+	526	10.8	108	2	3	7	14	23	31	52
TOT. SINGLE DX	2698	3.8	9	1	1	3	4	7	9	16
" MULTIPLE DX	2367	7.1	69	1	2	4	8	15	22	46
TOTAL 0-19 YRS	1177	3.5	26	1	1	3	4	6	8	18
20-34	1190	4.2	13	1	1	3	5	8	11	18
35-49	879	5.3	33	1	2	4	6	10	14	33
50-64	1021	6.0	43	2	2	4	7	11	17	34
65+	798	8.8	83	2	2	5	10	19	27	49
GRAND TOTAL	5065	5.3	40	1	2	4	6	10	15	34

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	794	3.7	9	1	2	3	4	6	8	20
20-34	1013	5.3	19	2	2	4	6	10	14	25
35-49	449	5.1	13	2	2	4	6	9	12	18
50-64	442	5.6	19	2	2	4	7	10	14	23
65+	995	6.8	34	2	2	5	9	14	18	28
2. MULTIPLE DX										
0-19 YRS	763	3.9	12	1	2	3	4	7	9	15
20-34	696	6.5	38	2	2	4	7	14	17	31
35-49	378	7.2	36	2	2	5	10	16	19	32
50-64	886	9.6	80	2	3	7	12	20	27	49
65+	2653	11.4	97	2	3	9	15	23	30	50
TOT. SINGLE DX	3693	5.4	21	2	2	4	6	10	14	24
" MULTIPLE DX	5376	9.1	78	2	2	6	12	19	26	45
TOTAL 0-19 YRS	1557	3.8	11	1	2	3	4	6	9	18
20-34	1709	5.8	27	2	2	4	7	12	16	26
35-49	827	6.1	25	2	2	4	8	12	16	27
50-64	1328	8.3	63	2	2	6	10	18	23	39
65+	3648	10.1	84	2	3	8	13	21	27	47
GRAND TOTAL	9069	7.6	58	2	2	5	9	16	22	38

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3803	3.1	3	1	1	3	4	5	6	9
20-34	440	3.1	4	1	1	3	4	5	7	12
35-49	34	2.9	3	1	1	3	4	5	7	8
50-64	14	4.2	2	2	3	4	5	6	6	6
65+	10	3.7	6	1	1	3	4	8	9	9
2. MULTIPLE DX										
0-19 YRS	2620	3.5	5	1	1	3	4	6	8	10
20-34	203	5.0	23	1	2	4	5	8	12	24
35-49	21	4.6	8	2	2	3	6	10	11	11
50-64	18	8.6	46	1	2	8	11	18	24	27
65+	18	6.6	89	1	1	3	6	14	31	41
TOT. SINGLE DX	4301	3.1	3	1	1	3	4	5	6	9
" MULTIPLE DX	2880	3.7	8	1	1	3	4	6	8	12
TOTAL 0-19 YRS	6423	3.2	4	1	1	3	4	5	7	9
20-34	643	3.7	11	1	1	3	4	6	8	15
35-49	55	3.6	6	1	1	3	4	7	9	11
50-64	32	6.7	31	2	2	5	8	14	19	27
65+	28	5.5	60	1	1	3	6	11	18	41
GRAND TOTAL	7181	3.3	5	1	1	3	4	6	7	10

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	749	2.7	3	1	1	2	3	5	6	9
20-34	776	3.1	17	<1	1	2	3	5	7	13
35-49	211	3.4	20	1	1	3	4	6	7	13
50-64	87	3.5	4	1	1	3	4	7	7	9
65+	37	5.7	58	1	2	3	7	9	12	48
2. MULTIPLE DX										
0-19 YRS	272	3.7	9	1	1	3	4	7	8	17
20-34	380	3.8	12	1	1	3	4	7	10	17
35-49	116	5.3	28	1	1	4	6	12	15	28
50-64	96	6.4	20	2	2	5	9	13	15	21
65+	52	11.4	166	2	2	6	14	26	43	62
TOT. SINGLE DX	1860	3.0	12	1	1	2	3	5	7	11
" MULTIPLE DX	916	4.7	26	1	1	3	5	9	13	26
TOTAL 0-19 YRS	1021	2.9	5	1	1	2	4	5	7	11
20-34	1156	3.3	15	1	1	2	4	5	8	16
35-49	327	4.1	23	1	1	3	5	7	12	23
50-64	183	5.0	14	1	2	4	6	10	13	19
65+	89	9.0	128	2	2	5	10	20	41	58
GRAND TOTAL	2776	3.6	17	1	1	3	4	6	9	18

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	2.3	2	<1	<1	2	3	4	5	5
20-34	1382	1.3	1	<1	<1	1	1	2	2	6
35-49	798	1.6	7	<1	<1	1	1	2	3	9
50-64	106	4.4	22	<1	<1	2	7	10	12	24
65+	57	9.0	24	1	3	8	12	16	19	21
2. MULTIPLE DX										
0-19 YRS	8	5.4	99	1	1	2	3	22	30	30
20-34	542	3.0	13	<1	1	2	3	6	9	21
35-49	530	3.7	18	<1	1	2	4	8	12	21
50-64	154	7.1	30	1	2	6	9	14	16	24
65+	142	12.4	63	3	4	11	15	24	29	38
TOT. SINGLE DX	2359	1.8	7	<1	<1	1	2	2	5	13
" MULTIPLE DX	1376	4.7	31	<1	1	2	6	11	15	29
TOTAL 0-19 YRS	24	3.3	34	<1	<1	2	3	4	12	30
20-34	1924	1.8	5	<1	<1	1	2	3	5	12
35-49	1328	2.4	13	<1	<1	1	2	5	8	17
50-64	260	6.0	28	<1	<1	5	8	13	15	24
65+	199	11.4	54	2	4	10	14	21	27	38
GRAND TOTAL	3735	2.8	18	<1	<1	1	2	7	11	21

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2277	2.7	3	1	1	2	3	4	5	8
20-34	3450	3.0	5	1	2	3	3	5	6	10
35-49	2097	3.2	8	1	2	3	4	5	6	12
50-64	1798	3.9	6	2	2	3	5	6	8	13
65+	779	4.3	7	2	2	4	5	7	9	15
2. MULTIPLE DX										
0-19 YRS	1532	3.0	5	1	1	3	4	5	6	11
20-34	2043	3.4	8	1	2	3	4	6	8	16
35-49	1289	4.3	11	1	2	3	5	7	10	17
50-64	1686	5.5	22	2	2	4	6	10	13	24
65+	1131	6.9	31	2	3	5	8	13	18	31
TOT. SINGLE DX	10401	3.2	6	1	1	3	4	5	7	11
" MULTIPLE DX	7681	4.5	16	1	2	3	5	8	11	21
TOTAL 0-19 YRS	3809	2.8	4	1	1	2	3	5	6	10
20-34	5493	3.2	6	1	2	3	4	5	6	12
35-49	3386	3.6	9	1	2	3	4	6	8	14
50-64	3484	4.7	14	2	2	4	5	8	11	20
65+	1910	5.8	23	2	2	4	7	11	15	25
GRAND TOTAL	18082	3.7	11	1	2	3	4	6	9	17

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	478	3.2	10	<1	<1	2	4	6	9	15
20-34	569	2.9	11	<1	1	2	3	6	8	20
35-49	292	4.7	15	<1	1	4	6	9	13	18
50-64	399	5.7	17	2	2	5	7	10	12	22
65+	235	6.7	58	1	2	5	8	13	16	31
2. MULTIPLE DX										
0-19 YRS	362	4.5	33	1	1	3	5	9	14	23
20-34	470	6.6	57	1	1	4	8	16	20	37
35-49	385	6.8	47	1	2	5	9	12	16	31
50-64	605	7.5	67	2	2	5	9	14	20	48
65+	413	9.5	81	2	2	7	12	19	27	45
TOT. SINGLE DX	1973	4.3	20	<1	1	3	5	9	11	21
" MULTIPLE DX	2235	7.1	61	1	2	5	9	15	20	40
TOTAL 0-19 YRS	840	3.7	20	<1	1	3	4	7	10	21
20-34	1039	4.6	35	<1	1	2	5	11	16	29
35-49	677	5.9	34	1	1	4	8	11	14	27
50-64	1004	6.8	48	2	2	5	8	12	17	39
65+	648	8.5	75	2	2	6	10	17	24	44
GRAND TOTAL	**4208**	**5.8**	**44**	**1**	**1**	**4**	**7**	**12**	**17**	**34**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1341	5.8	7	3	3	5	7	8	10	16
20-34	4494	5.9	6	3	4	6	7	8	9	15
35-49	667	6.9	11	3	4	6	8	10	12	19
50-64	164	9.2	38	3	4	8	11	17	20	37
65+	94	10.8	23	4	6	10	14	17	20	26
2. MULTIPLE DX										
0-19 YRS	1397	6.5	14	3	4	6	7	9	12	21
20-34	7414	6.7	15	3	4	6	8	10	12	21
35-49	1191	8.3	38	3	4	7	9	13	18	29
50-64	309	13.9	75	5	6	11	18	25	31	45
65+	354	18.8	146	7	8	16	24	33	43	88
TOT. SINGLE DX	6760	6.1	8	3	4	6	7	9	11	17
" MULTIPLE DX	10665	7.5	30	3	4	6	8	12	16	31
TOTAL 0-19 YRS	2738	6.2	11	3	4	6	7	9	11	18
20-34	11908	6.4	12	3	4	6	7	9	11	18
35-49	1858	7.8	29	3	4	7	9	12	16	26
50-64	473	12.3	67	4	5	10	15	23	27	44
65+	448	17.1	131	6	7	14	21	31	37	73
GRAND TOTAL	**17425**	**7.0**	**22**	**3**	**4**	**6**	**8**	**10**	**14**	**26**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	808	6.4	6	4	4	6	7	9	10	15
20-34	4615	6.5	7	4	4	6	7	9	11	16
35-49	1384	7.1	9	4	5	7	8	10	12	19
50-64	302	8.3	16	4	5	7	9	12	15	28
65+	162	11.1	35	5	6	10	14	18	21	36
2. MULTIPLE DX										
0-19 YRS	957	7.1	10	4	4	6	8	11	13	20
20-34	8310	7.3	15	4	5	6	8	11	13	24
35-49	3162	8.4	25	4	5	7	9	13	17	29
50-64	651	11.7	61	5	6	9	14	20	25	41
65+	493	16.5	92	7	8	14	21	29	35	55
TOT. SINGLE DX	7271	6.8	9	4	4	6	8	9	12	19
" MULTIPLE DX	13573	8.1	25	4	5	7	9	13	17	30
TOTAL 0-19 YRS	1765	6.8	8	4	4	6	8	10	12	18
20-34	12925	7.0	12	4	4	6	8	10	12	21
35-49	4546	8.0	20	4	5	7	9	12	16	25
50-64	953	10.6	49	5	5	8	12	18	22	39
65+	655	15.1	83	6	7	13	18	28	34	53
GRAND TOTAL	**20844**	**7.6**	**20**	**4**	**5**	**7**	**8**	**12**	**15**	**27**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	7.2	25	2	3	6	8	11	20	26
20-34	552	6.8	8	3	4	6	8	10	13	17
35-49	720	7.5	9	4	5	7	8	11	13	19
50-64	400	9.1	18	5	6	8	10	14	18	24
65+	181	11.0	24	6	6	10	13	17	21	28
2. MULTIPLE DX										
0-19 YRS	46	8.3	23	5	5	7	8	16	22	25
20-34	1902	8.1	21	4	5	7	9	13	16	28
35-49	2919	9.2	35	5	5	8	10	15	19	35
50-64	1160	11.7	57	5	6	10	14	20	25	37
65+	637	16.0	121	6	7	12	19	29	38	62
TOT. SINGLE DX	1889	8.0	14	4	5	7	9	12	15	22
" MULTIPLE DX	6664	10.0	48	5	5	8	11	17	22	39
TOTAL 0-19 YRS	82	7.8	24	3	4	6	8	15	21	26
20-34	2454	7.8	18	4	5	7	9	12	15	26
35-49	3639	8.8	30	5	5	7	10	14	18	31
50-64	1560	11.1	48	5	6	9	13	19	23	35
65+	818	14.9	103	6	7	12	17	27	34	60
GRAND TOTAL	**8553**	**9.5**	**41**	**5**	**5**	**8**	**11**	**16**	**21**	**36**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	232	4.3	10	1	1	4	6	8	10	15
20-34	838	4.3	9	1	1	4	6	8	9	14
35-49	95	4.1	7	1	2	3	5	8	9	13
50-64	8	7.1	12	<1	2	7	9	12	13	13
65+	5	11.4	20	5	5	12	15	16	16	16
2. MULTIPLE DX										
0-19 YRS	221	6.1	40	1	2	5	7	11	15	29
20-34	1874	5.3	13	1	2	5	7	8	10	18
35-49	305	7.2	32	1	2	6	9	13	19	28
50-64	45	11.6	103	1	2	9	14	25	26	63
65+	19	17.6	98	4	7	17	26	37	71	99+
TOT. SINGLE DX	1178	4.3	9	1	1	4	6	8	9	15
" MULTIPLE DX	2464	5.8	22	1	2	5	7	10	13	26
TOTAL 0-19 YRS	453	5.2	25	1	2	4	6	9	13	19
20-34	2712	5.0	12	1	2	5	7	8	10	17
35-49	400	6.4	28	1	2	6	8	11	16	28
50-64	53	10.9	92	<1	2	9	13	19	26	62
65+	24	16.3	87	4	7	15	21	32	56	99+
GRAND TOTAL	**3642**	**5.3**	**19**	**1**	**2**	**5**	**7**	**9**	**11**	**22**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	149	1.8	2	<1	<1	1	2	3	4	8
20-34	20810	1.6	3	<1	<1	1	2	2	3	5
35-49	8472	1.6	3	<1	<1	1	2	2	3	5
50-64	46	1.4		<1	<1	1	2	2	3	99+
65+										
2. MULTIPLE DX										
0-19 YRS	147	2.5	6	<1	<1	2	2	4	7	14
20-34	14740	2.1	7	<1	<1	2	2	3	4	10
35-49	7444	2.0	6	<1	<1	2	2	3	4	10
50-64	59	2.9	18	<1	<1	2	2	4	14	24
65+										
TOT. SINGLE DX	29477	1.6	3	<1	<1	1	2	2	3	5
" MULTIPLE DX	22390	2.1	7	<1	<1	2	2	3	4	10
TOTAL 0-19 YRS	296	2.1	4	<1	<1	2	2	4	6	12
20-34	35550	1.8	5	<1	<1	1	2	3	3	8
35-49	15916	1.8	4	<1	<1	2	2	2	3	8
50-64	105	2.2	11	<1	<1	1	2	3	11	58
65+										
GRAND TOTAL	**51867**	**1.8**	**5**	**<1**	**<1**	**1**	**2**	**2**	**3**	**8**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	180	3.3	7	1	1	3	4	5	7	23
20-34	15889	2.7	4	<1	1	2	3	5	5	8
35-49	5594	2.6	3	<1	1	2	3	4	5	8
50-64	54	4.8	52	1	1	3	5	11	17	47
65+										
2. MULTIPLE DX										
0-19 YRS	386	4.5	19	1	2	3	5	7	10	19
20-34	22430	3.8	8	1	2	3	5	6	7	12
35-49	6778	3.8	9	1	1	3	4	6	8	14
50-64	55	6.8	37	1	2	4	9	18	20	27
65+										
TOT. SINGLE DX	21717	2.7	4	<1	1	2	3	5	5	8
" MULTIPLE DX	29649	3.8	8	1	2	3	5	6	7	13
TOTAL 0-19 YRS	566	4.1	15	1	2	3	5	7	9	22
20-34	38319	3.4	7	1	1	3	4	5	7	11
35-49	12372	3.2	7	1	1	3	4	5	7	12
50-64	109	5.8	45	1	1	4	7	14	19	36
65+										
GRAND TOTAL	**51366**	**3.4**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	519	5.4	6	2	3	5	6	8	10	13
20-34	7141	5.0	6	1	2	5	6	7	8	12
35-49	884	4.6	9	1	1	5	6	8	9	14
50-64	24	6.3	4	1	4	7	8	9	9	9
65+	6	8.7	14	2	2	9	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	607	6.0	10	2	3	6	7	9	11	18
20-34	7523	5.5	10	1	2	5	7	8	10	17
35-49	1240	5.7	17	1	2	5	7	9	12	22
50-64	55	10.6	34	3	4	10	14	20	23	24
65+	28	15.9	199	6	6	12	17	30	41	76
TOT. SINGLE DX	8574	5.0	6	1	2	5	6	8	8	12
" MULTIPLE DX	9453	5.7	12	1	2	5	7	9	11	18
TOTAL 0-19 YRS	1126	5.7	8	2	3	5	7	9	11	16
20-34	14664	5.3	8	1	2	5	6	8	9	15
35-49	2124	5.3	14	1	1	5	7	9	11	20
50-64	79	9.3	29	3	4	8	11	18	22	24
65+	34	14.6	173	5	6	11	16	29	36	76
GRAND TOTAL	**18027**	**5.3**	**10**	**1**	**2**	**5**	**7**	**8**	**10**	**16**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	234	2.3	3	1	1	2	3	3	4	6
20-34	4482	2.5	4	1	1	2	3	4	5	9
35-49	1470	2.7	3	1	1	2	3	4	6	11
50-64	564	2.9	19	1	1	2	3	4	6	12
65+	222	3.5	11	1	1	3	4	6	9	16
2. MULTIPLE DX										
0-19 YRS	166	2.7	3	1	1	2	3	4	6	11
20-34	3376	3.0	10	1	1	2	3	5	7	13
35-49	1774	3.2	10	1	1	2	3	6	8	15
50-64	838	4.0	18	1	1	3	4	9	12	24
65+	373	5.8	45	2	2	3	7	12	19	30
TOT. SINGLE DX	6972	2.6	6	1	1	2	3	4	5	10
" MULTIPLE DX	6527	3.4	13	1	1	2	3	6	9	19
TOTAL 0-19 YRS	400	2.5	3	1	1	2	3	4	5	8
20-34	7858	2.7	7	1	1	2	3	4	6	11
35-49	3244	3.0	7	1	1	2	3	5	7	13
50-64	1402	3.6	19	1	1	3	4	7	10	22
65+	595	4.9	34	1	2	3	5	10	16	29
GRAND TOTAL	**13499**	**3.0**	**9**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	196	2.3	3	<1	1	2	3	4	6	9
20-34	1992	2.3	3	<1	1	2	3	4	5	9
35-49	2078	2.4	5	<1	1	2	2	3	5	12
50-64	1561	2.9	9	<1	1	2	3	5	8	15
65+	677	5.0	29	1	2	3	7	10	12	29
2. MULTIPLE DX										
0-19 YRS	214	3.1	8	<1	1	2	3	7	9	17
20-34	3550	3.1	12	<1	1	2	3	6	9	17
35-49	4470	3.2	14	<1	1	2	3	6	10	21
50-64	3006	4.3	27	1	1	2	5	9	14	26
65+	1749	8.0	61	2	2	6	10	16	22	40
TOT. SINGLE DX	6504	2.8	8	<1	1	2	3	5	8	14
" MULTIPLE DX	12989	4.1	25	1	1	2	4	9	13	26
TOTAL 0-19 YRS	410	2.7	6	<1	1	2	3	5	8	14
20-34	5542	2.8	9	<1	1	2	3	5	7	15
35-49	6548	2.9	11	<1	1	2	3	5	9	19
50-64	4567	3.8	21	1	1	2	4	8	12	23
65+	2426	7.1	54	2	2	5	9	15	20	36
GRAND TOTAL	**19493**	**3.6**	**20**	**<1**	**1**	**2**	**3**	**8**	**11**	**23**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	174	3.3	3	1	1	3	4	5	7	9
20-34	3025	3.1	5	1	1	3	4	5	6	9
35-49	262	3.2	8	1	1	3	4	5	6	21
50-64	16	2.9	7	<1	1	2	2	8	9	10
65+	6	6.3	5	3	3	7	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	68	4.7	14	2	2	3	6	10	15	17
20-34	1009	4.2	15	1	1	3	5	7	9	21
35-49	108	4.5	19	1	1	3	5	8	11	30
50-64	21	7.8	151	1	2	6	8	9	32	60
65+	16	9.1	23	2	4	8	11	16	18	19
TOT. SINGLE DX	3483	3.1	5	1	1	3	4	5	6	9
" MULTIPLE DX	1222	4.3	18	1	2	3	5	8	10	22
TOTAL 0-19 YRS	242	3.7	6	1	2	3	4	6	9	16
20-34	4034	3.4	7	1	1	3	4	6	7	12
35-49	370	3.6	11	1	1	3	4	6	8	23
50-64	37	5.6	93	1	1	3	8	9	10	60
65+	22	8.4	19	2	4	8	10	16	17	19
GRAND TOTAL	4705	3.4	9	1	1	3	4	6	7	13

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	65	3.4	4	1	1	3	5	6	7	9
20-34	1230	5.1	9	<1	1	6	7	8	9	13
35-49	399	4.4	9	1	1	3	7	8	9	13
50-64	169	3.5	19	1	1	2	3	7	11	24
65+	81	4.8	32	1	2	3	5	11	16	33
2. MULTIPLE DX										
0-19 YRS	90	6.6	85	1	2	5	7	11	14	62
20-34	1854	5.9	12	1	2	6	8	9	11	17
35-49	834	5.9	34	1	1	5	8	11	14	26
50-64	403	5.8	51	<1	1	3	7	14	21	40
65+	278	9.1	95	2	2	6	12	21	29	51
TOT. SINGLE DX	1944	4.8	11	1	1	5	7	8	9	16
" MULTIPLE DX	3459	6.1	31	1	2	6	8	11	14	29
TOTAL 0-19 YRS	155	5.2	54	1	1	4	6	9	12	52
20-34	3084	5.6	11	1	1	6	7	9	10	16
35-49	1233	5.4	27	1	1	5	7	10	13	23
50-64	572	5.1	42	1	1	2	6	12	19	37
65+	359	8.1	84	2	2	4	10	19	28	49
GRAND TOTAL	5403	5.6	24	1	1	5	7	9	12	25

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	112	8.4	35	2	5	7	10	12	15	38
20-34	7513	7.4	8	5	5	7	8	9	11	16
35-49	11701	7.7	8	5	6	7	8	10	11	17
50-64	4104	8.4	9	5	6	8	9	12	14	21
65+	1525	10.1	21	6	6	9	11	15	18	28
2. MULTIPLE DX										
0-19 YRS	440	8.3	14	5	5	7	9	13	16	23
20-34	31779	8.0	13	5	5	7	9	11	14	21
35-49	63304	8.4	13	5	6	8	9	12	14	23
50-64	18584	9.4	24	6	6	8	10	14	17	29
65+	5386	12.5	56	6	7	10	14	21	26	43
TOT. SINGLE DX	24955	7.9	10	5	6	7	9	10	12	19
" MULTIPLE DX	119493	8.7	17	5	6	8	9	12	15	26
TOTAL 0-19 YRS	552	8.3	18	4	5	7	9	13	16	23
20-34	39292	7.9	12	5	5	7	8	11	13	20
35-49	75005	8.3	12	5	6	8	9	11	14	22
50-64	22688	9.2	21	6	6	8	10	13	17	28
65+	6911	11.9	49	6	7	10	14	19	25	41
GRAND TOTAL	144448	8.5	16	5	6	8	9	12	15	25

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	6.1	7	3	3	6	7	10	12	14
20-34	4552	6.3	4	4	4	6	7	8	9	14
35-49	3926	6.8	9	4	5	6	8	9	11	16
50-64	1701	8.4	10	5	5	8	10	12	14	20
65+	1216	9.1	13	5	6	8	10	13	15	22
2. MULTIPLE DX										
0-19 YRS	51	7.4	12	4	5	6	9	12	14	21
20-34	14080	6.9	8	4	5	6	8	9	11	18
35-49	20377	7.6	11	4	5	7	8	11	13	20
50-64	6957	8.9	16	5	6	8	10	13	15	23
65+	4158	10.6	31	6	7	9	12	16	20	31
TOT. SINGLE DX	11422	7.1	9	4	5	6	8	10	12	18
" MULTIPLE DX	45623	7.8	14	4	5	7	9	12	14	22
TOTAL 0-19 YRS	78	7.0	10	3	4	6	8	11	14	19
20-34	18632	6.7	7	4	5	6	7	9	11	17
35-49	24303	7.4	10	4	5	7	8	11	13	19
50-64	8658	8.8	15	5	6	8	10	13	15	23
65+	5374	10.3	27	6	6	9	12	15	19	30
GRAND TOTAL	57045	7.7	13	4	5	7	9	11	14	21

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	7.8	28	2	2	7	12	14	14	14
20-34	113	11.5	25	5	6	11	14	18	22	27
35-49	102	14.3	38	7	8	13	17	21	26	38
50-64	85	15.8	101	7	8	14	18	22	32	67
65+	35	17.9	64	6	10	17	23	27	35	37
2. MULTIPLE DX										
0-19 YRS	3	19.0	31	13	13	20	23	24	24	24
20-34	109	13.0	48	5	6	12	17	22	26	36
35-49	174	13.9	83	6	6	12	16	27	30	72
50-64	168	19.4	172	8	9	15	24	32	54	96
65+	119	23.2	222	9	10	18	31	47	59	66
TOT. SINGLE DX	339	14.0	56	6	7	13	17	22	26	38
" MULTIPLE DX	573	17.3	146	6	7	14	21	31	43	72
TOTAL 0-19 YRS	7	12.6	61	2	3	13	18	23	24	24
20-34	222	12.2	36	5	6	11	15	20	24	34
35-49	276	14.1	66	6	7	12	17	23	29	49
50-64	253	18.2	150	7	9	15	21	31	44	79
65+	154	22.0	190	9	10	17	26	43	55	65
GRAND TOTAL	**912**	**16.1**	**115**	**6**	**7**	**13**	**19**	**28**	**36**	**69**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1634	1.4	2	<1	<1	1	2	2	3	5
20-34	5517	1.5	3	<1	<1	1	2	2	3	7
35-49	719	1.6	4	<1	<1	1	2	2	3	11
50-64	24	1.8	1	<1	<1	2	2	3	4	5
65+										
2. MULTIPLE DX										
0-19 YRS	392	3.2	28	<1	<1	2	3	6	9	30
20-34	2671	2.9	19	<1	<1	2	3	6	9	21
35-49	880	2.4	5	<1	<1	2	3	4	6	11
50-64	13	3.5	11	2	2	2	3	8	13	14
65+										
TOT. SINGLE DX	7894	1.5	2	<1	<1	1	2	2	3	7
" MULTIPLE DX	3956	2.8	16	<1	<1	2	3	5	8	20
TOTAL 0-19 YRS	2026	1.8	7	<1	<1	1	2	3	5	11
20-34	8188	1.9	8	<1	<1	1	2	3	5	13
35-49	1599	2.0	5	<1	<1	1	2	4	5	11
50-64	37	2.4	5	<1	<1	2	2	4	6	14
65+										
GRAND TOTAL	**11850**	**1.9**	**8**	**<1**	**<1**	**1**	**2**	**3**	**5**	**12**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14616	2.0	4	<1	1	2	2	3	5	9
20-34	91783	1.9	4	<1	<1	2	2	3	4	8
35-49	35620	2.0	4	<1	<1	2	2	3	4	9
50-64	14846	2.2	6	<1	<1	2	2	3	4	11
65+	3271	3.4	17	1	1	2	3	6	10	20
2. MULTIPLE DX										
0-19 YRS	5941	3.4	16	1	1	2	4	7	9	18
20-34	54192	3.1	12	<1	1	2	3	6	8	16
35-49	41609	3.1	15	<1	1	2	3	6	9	18
50-64	18510	3.4	18	<1	1	2	3	8	11	21
65+	6048	5.8	58	1	2	3	7	13	19	39
TOT. SINGLE DX	160136	2.0	4	<1	<1	2	2	3	4	9
" MULTIPLE DX	126300	3.3	16	<1	1	2	3	7	10	20
TOTAL 0-19 YRS	20557	2.4	8	<1	1	2	3	4	6	12
20-34	145975	2.3	7	<1	1	2	2	4	6	12
35-49	77229	2.6	10	<1	1	2	2	4	7	15
50-64	33356	2.9	13	<1	1	2	3	5	9	18
65+	9319	5.0	45	1	1	3	5	11	16	34
GRAND TOTAL	**286436**	**2.6**	**10**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4281	1.2	1	<1	<1	<1	1	2	2	4
20-34	12709	1.3	3	<1	<1	<1	1	2	2	5
35-49	1508	1.3	4	<1	<1	<1	1	2	2	5
50-64	4	1.3		<1	<1	1	1	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	1671	1.8	13	<1	<1	<1	1	3	5	13
20-34	6530	2.0	9	<1	<1	1	2	4	6	15
35-49	1569	2.1	7	<1	<1	1	2	4	5	11
50-64	8	2.0	1	<1	<1	1	3	4	4	4
65+										
TOT. SINGLE DX	18502	1.3	3	<1	<1	<1	1	2	2	5
" MULTIPLE DX	9778	2.0	9	<1	<1	1	2	3	6	13
TOTAL 0-19 YRS	5952	1.4	5	<1	<1	<1	1	2	3	7
20-34	19239	1.5	5	<1	<1	<1	1	2	3	9
35-49	3077	1.7	5	<1	<1	1	2	3	4	8
50-64	12	1.8	1	<1	<1	1	2	3	4	4
65+										
GRAND TOTAL	**28280**	**1.5**	**5**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**9**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1143	1.6	2	<1	<1	1	2	3	4	7
20-34	5648	1.6	4	<1	<1	1	2	3	3	7
35-49	633	1.8	10	<1	<1	1	2	3	4	9
50-64	22	3.1	17	<1	1	2	3	7	14	18
65+	3	5.0	28	1	1	3	9	11	11	11
2. MULTIPLE DX										
0-19 YRS	281	2.7	16	<1	<1	2	3	5	7	18
20-34	1407	2.4	9	<1	<1	2	3	5	7	14
35-49	307	2.7	7	<1	<1	2	3	6	9	13
50-64	32	8.8	99	2	2	5	12	19	24	52
65+	41	10.7	61	2	2	10	15	19	25	38
TOT. SINGLE DX	7449	1.6	4	<1	<1	1	2	3	4	7
" MULTIPLE DX	2068	2.8	14	<1	<1	2	3	5	8	18
TOTAL 0-19 YRS	1424	1.8	5	<1	<1	1	2	3	5	8
20-34	7055	1.8	5	<1	<1	1	2	3	4	8
35-49	940	2.1	10	<1	<1	1	2	4	6	12
50-64	54	6.5	73	1	1	3	9	17	19	51
65+	44	10.3	60	1	2	9	15	19	25	38
GRAND TOTAL	9517	1.9	7	<1	<1	1	2	3	5	11

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	5.1	5	1	1	6	7	7	8	8
20-34	195	5.4	5	1	2	6	6	8	9	13
35-49	29	5.0	12	<1	1	5	7	10	12	13
50-64	16	8.6	9	3	4	9	11	13	13	13
65+	22	8.6	12	4	5	8	9	12	16	21
2. MULTIPLE DX										
0-19 YRS	66	5.9	3	3	4	6	7	8	9	85
20-34	706	6.4	11	2	4	6	7	9	11	17
35-49	81	7.4	38	1	2	7	9	11	14	39
50-64	42	9.0	19	4	5	8	10	13	20	25
65+	42	10.6	30	5	6	9	13	19	26	99+
TOT. SINGLE DX	278	5.8	8	1	2	6	7	9	11	13
" MULTIPLE DX	937	6.8	15	2	4	6	8	10	13	25
TOTAL 0-19 YRS	82	5.8	3	3	4	6	7	8	9	70
20-34	901	6.2	10	2	3	6	7	9	11	16
35-49	110	6.8	32	1	2	6	8	11	13	38
50-64	58	8.9	16	3	5	8	10	13	17	25
65+	64	9.9	24	5	5	9	11	17	22	90
GRAND TOTAL	1215	6.5	13	2	3	6	8	10	12	22

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	270	3.2	10	<1	1	2	5	6	8	13
20-34	979	3.0	7	<1	<1	2	4	6	8	12
35-49	288	3.5	13	<1	1	3	4	6	8	19
50-64	212	4.1	5	1	2	4	5	6	7	11
65+	139	5.0	13	2	2	4	5	9	11	41
2. MULTIPLE DX										
0-19 YRS	122	4.8	11	1	1	4	7	9	12	16
20-34	1030	4.2	13	1	1	3	6	8	9	15
35-49	335	4.2	13	1	2	3	5	9	11	16
50-64	215	5.3	21	1	2	4	6	10	15	22
65+	184	6.2	34	2	3	4	6	12	15	45
TOT. SINGLE DX	1888	3.4	9	<1	1	2	5	7	8	13
" MULTIPLE DX	1886	4.5	16	1	1	4	6	8	11	21
TOTAL 0-19 YRS	392	3.7	11	1	1	2	5	8	10	14
20-34	2009	3.6	10	<1	1	2	5	7	9	14
35-49	623	3.9	13	<1	1	3	5	7	10	18
50-64	427	4.7	14	1	2	4	5	8	10	21
65+	323	5.7	25	2	3	4	6	10	13	42
GRAND TOTAL	3774	3.9	13	<1	1	3	5	7	10	18

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	5.5	9	2	2	5	7	11	11	11
20-34	516	6.6	24	3	3	6	8	10	11	17
35-49	1552	7.3	10	3	4	7	8	11	13	20
50-64	2593	7.6	13	4	5	7	9	11	13	18
65+	1467	8.2	10	4	5	8	9	12	14	20
2. MULTIPLE DX										
0-19 YRS	20	6.8	14	2	2	6	9	12	13	13
20-34	989	7.8	17	3	4	7	10	13	14	20
35-49	3168	8.9	20	4	5	8	10	14	17	25
50-64	4209	9.2	19	5	5	8	11	15	17	26
65+	2701	10.1	28	5	6	9	12	16	20	30
TOT. SINGLE DX	6143	7.6	13	4	4	7	9	11	13	19
" MULTIPLE DX	11087	9.2	22	4	5	8	11	15	17	27
TOTAL 0-19 YRS	35	6.2	12	2	2	6	8	12	13	13
20-34	1505	7.4	20	3	4	7	9	12	14	19
35-49	4720	8.4	17	4	5	8	10	13	16	24
50-64	6802	8.6	17	4	5	8	10	13	16	23
65+	4168	9.4	23	5	5	8	11	15	18	28
GRAND TOTAL	17230	8.6	19	4	5	8	10	13	16	24

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	229	3.1	25	<1	1	2	3	7	11	16
20-34	861	3.8	10	1	1	3	5	7	9	14
35-49	413	4.7	14	1	1	4	6	9	12	20
50-64	276	5.7	13	1	1	6	8	10	11	17
65+	140	8.0	33	2	2	7	10	13	17	36
2. MULTIPLE DX										
0-19 YRS	159	5.1	35	1	1	3	7	12	16	31
20-34	519	5.5	21	1	1	4	7	11	15	23
35-49	356	7.9	50	1	2	6	10	14	18	37
50-64	389	9.3	70	2	2	8	11	17	20	49
65+	277	11.2	75	3	4	9	13	21	26	44
TOT. SINGLE DX	1919	4.5	16	1	1	4	6	9	11	19
" MULTIPLE DX	1700	7.8	53	1	2	6	10	15	19	34
TOTAL 0-19 YRS	388	3.9	30	<1	1	2	4	9	12	25
20-34	1380	4.4	15	1	1	3	6	9	11	20
35-49	769	6.2	33	1	1	5	8	12	15	27
50-64	665	7.8	49	1	2	7	9	13	18	32
65+	417	10.1	63	2	4	8	12	19	24	42
GRAND TOTAL	3619	6.0	36	1	1	5	8	12	16	27

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	768	2.6	9	<1	<1	2	3	5	8	16
20-34	1961	3.4	18	<1	<1	2	4	7	10	17
35-49	821	4.3	22	<1	1	2	5	10	14	24
50-64	666	4.7	20	<1	1	3	6	9	12	22
65+	610	6.6	34	1	2	5	8	13	16	31
2. MULTIPLE DX										
0-19 YRS	524	4.4	23	1	1	3	5	9	14	26
20-34	1552	5.5	39	1	1	3	7	12	16	31
35-49	871	6.7	46	1	2	5	9	14	18	33
50-64	1166	7.9	61	2	2	6	10	16	21	37
65+	1291	10.7	117	2	2	8	12	22	31	58
TOT. SINGLE DX	4826	4.0	21	<1	1	2	5	9	12	22
" MULTIPLE DX	5404	7.3	66	1	2	5	9	15	22	42
TOTAL 0-19 YRS	1292	3.3	15	<1	1	2	3	7	10	23
20-34	3513	4.3	28	<1	1	3	5	9	13	25
35-49	1692	5.5	36	1	1	3	7	12	16	31
50-64	1832	6.8	48	1	2	5	8	14	19	34
65+	1901	9.4	94	2	2	7	11	18	27	53
GRAND TOTAL	10230	5.8	48	<1	1	3	7	12	17	34

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1287	2.6	10	<1	1	2	3	4	5	10
20-34	5331	2.4	6	<1	1	2	3	4	5	9
35-49	2297	2.5	4	<1	1	2	3	4	5	10
50-64	1000	2.9	6	<1	1	2	3	5	7	13
65+	455	4.2	16	1	2	3	5	8	11	25
2. MULTIPLE DX										
0-19 YRS	468	3.7	13	1	1	3	4	7	10	21
20-34	1776	4.0	19	1	1	3	5	7	10	22
35-49	1116	4.8	28	1	1	3	5	10	14	25
50-64	796	6.0	62	1	1	3	7	13	20	43
65+	726	8.9	102	2	2	5	11	20	28	58
TOT. SINGLE DX	10370	2.6	7	<1	1	2	3	4	6	11
" MULTIPLE DX	4882	5.2	43	1	1	3	6	11	16	35
TOTAL 0-19 YRS	1755	2.9	11	<1	1	2	3	5	7	13
20-34	7107	2.8	10	<1	1	2	3	5	6	15
35-49	3413	3.3	13	<1	1	2	4	6	9	20
50-64	1796	4.3	33	1	1	3	4	8	13	31
65+	1181	7.1	74	1	2	4	8	16	23	49
GRAND TOTAL	15252	3.4	20	<1	1	2	4	6	9	23

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	2.4	1	<1	1	2	3	4	4	5
20-34	76	4.3	28	1	1	3	5	9	13	33
35-49	100	8.6	75	1	2	6	11	19	21	49
50-64	124	8.9	103	2	2	6	11	18	25	46
65+	159	11.4	100	2	3	9	15	23	34	95
2. MULTIPLE DX										
0-19 YRS	11	4.2	11	<1	<1	4	6	10	11	11
20-34	43	7.4	48	1	1	5	11	16	19	35
35-49	96	11.6	123	2	2	8	15	27	33	57
50-64	140	15.9	195	2	4	11	22	34	44	70
65+	241	20.8	261	3	5	16	29	48	52	97
TOT. SINGLE DX	484	8.6	86	2	2	6	11	18	25	53
" MULTIPLE DX	531	16.4	218	2	3	12	23	39	50	71
TOTAL 0-19 YRS	36	3.0	5	<1	1	2	4	5	8	11
20-34	119	5.4	37	1	1	3	6	13	17	35
35-49	196	10.1	100	2	2	7	13	22	30	50
50-64	264	12.6	164	2	3	8	16	26	35	69
65+	400	17.1	218	3	4	12	23	42	51	98
GRAND TOTAL	1015	12.7	170	2	2	8	16	29	42	66

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENT3 (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	238	2.0	2	<1	<1	1	3	4	5	8
20-34	454	2.9	3	<1	1	3	4	5	6	9
35-49	132	4.3	16	1	1	4	6	7	10	23
50-64	91	3.9	6	1	1	4	5	7	9	12
65+	26	5.8	17	1	1	5	8	12	14	14
2. MULTIPLE DX										
0-19 YRS	130	4.1	15	<1	1	3	5	10	13	18
20-34	286	4.4	40	1	2	3	5	7	11	22
35-49	127	5.9	18	1	2	5	8	11	12	27
50-64	119	7.0	46	1	2	5	9	13	17	38
65+	41	11.3	80	2	2	9	17	22	29	43
TOT. SINGLE DX	941	3.0	6	<1	1	2	4	6	7	12
" MULTIPLE DX	703	5.5	38	1	1	4	7	11	14	28
TOTAL 0-19 YRS	368	2.8	8	<1	1	2	3	6	9	14
20-34	740	3.5	18	<1	1	3	4	6	7	13
35-49	259	5.1	18	1	1	4	7	10	12	25
50-64	210	5.7	31	1	2	4	7	11	14	34
65+	67	9.2	62	1	2	7	13	18	24	41
GRAND TOTAL	**1644**	**4.1**	**21**	**<1**	**1**	**3**	**5**	**8**	**11**	**21**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	2.7	4	<1	1	2	4	5	6	10
20-34	64	2.3	3	<1	<1	2	3	5	6	9
35-49	29	2.9	5	<1	1	2	3	7	7	10
50-64	11	3.1	2	2	2	2	4	5	7	7
65+	9	5.0	13	1	1	4	7	11	12	12
2. MULTIPLE DX										
0-19 YRS	27	4.3	18	<1	1	2	6	9	12	20
20-34	93	5.2	62	1	1	2	6	10	14	53
35-49	47	5.2	76	1	1	3	7	10	12	59
50-64	23	9.8	121	1	1	6	10	31	36	41
65+	25	6.1	31	1	2	4	8	13	19	24
TOT. SINGLE DX	143	2.7	4	<1	<1	2	3	6	7	10
" MULTIPLE DX	215	5.7	63	1	1	3	7	11	16	47
TOTAL 0-19 YRS	57	3.5	11	<1	1	2	4	7	10	19
20-34	157	4.0	40	<1	1	2	4	8	11	37
35-49	76	4.3	50	1	1	2	5	9	11	48
50-64	34	7.6	92	1	2	4	8	21	32	41
65+	34	5.8	26	1	2	4	8	12	16	24
GRAND TOTAL	**358**	**4.5**	**42**	**<1**	**1**	**2**	**6**	**9**	**12**	**38**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23477	3.3	3	2	2	3	4	4	5	7
20-34	96910	3.4	3	2	2	3	4	5	5	7
35-49	3608	3.5	2	2	2	3	4	5	6	8
50-64	39	3.4	1	1	2	3	4	5	5	6
65+										
2. MULTIPLE DX										
0-19 YRS	11289	3.7	7	2	2	3	4	5	7	12
20-34	52340	3.9	6	2	2	4	4	5	6	11
35-49	3070	4.2	9	2	2	4	5	6	7	13
50-64	13	3.6	1	2	2	3	4	5	6	6
65+										
TOT. SINGLE DX	124034	3.4	3	2	2	3	4	5	5	7
" MULTIPLE DX	66712	3.9	6	2	2	4	4	5	6	12
TOTAL 0-19 YRS	34766	3.4	4	2	2	3	4	5	5	9
20-34	149250	3.6	4	2	2	3	4	5	6	9
35-49	6678	3.9	5	2	2	4	4	5	6	10
50-64	52	3.5	1	2	2	3	4	5	5	6
65+										
GRAND TOTAL	**190746**	**3.6**	**4**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	366	3.3	8	1	2	3	4	4	5	12
20-34	2514	3.3	8	1	2	3	4	4	5	8
35-49	156	3.4	1	2	2	3	4	5	5	7
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	533	3.3	5	1	1	3	4	5	7	13
20-34	3470	3.8	9	1	2	3	4	6	7	14
35-49	303	3.9	6	1	2	3	4	6	7	15
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
TOT. SINGLE DX	3037	3.3	8	1	2	3	4	4	5	8
" MULTIPLE DX	4308	3.7	9	1	2	3	4	6	7	14
TOTAL 0-19 YRS	899	3.3	6	1	2	3	4	5	6	12
20-34	5984	3.6	9	1	2	3	4	5	6	11
35-49	459	3.7	5	1	2	3	4	5	7	14
50-64	3	2.7	1	2	2	2	4	4	4	4
65+										
GRAND TOTAL	**7345**	**3.5**	**8**	**1**	**2**	**3**	**4**	**5**	**6**	**11**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2306	3.4	4	2	2	3	4	5	5	10
20-34	10769	3.5	2	2	2	3	4	5	5	7
35-49	473	3.5	2	2	2	3	4	5	6	8
50-64	3	3.3	2	2	2	3	4	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	2390	3.8	5	2	2	3	4	5	7	11
20-34	11773	4.0	6	2	2	4	4	6	7	12
35-49	623	4.4	11	2	2	4	5	6	8	16
50-64	4	3.8		3	3	4	4	4	4	4
65+										
TOT. SINGLE DX	13551	3.5	2	2	2	3	4	5	5	8
" MULTIPLE DX	14790	3.9	6	2	2	4	4	6	7	12
TOTAL 0-19 YRS	4696	3.6	4	2	2	3	4	5	6	10
20-34	22542	3.7	4	2	2	3	4	5	6	10
35-49	1096	4.0	7	2	2	4	4	6	7	13
50-64	7	3.6	1	2	2	4	4	5	5	5
65+										
GRAND TOTAL	28341	3.7	4	2	2	3	4	5	6	10

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13215	3.1	3	2	2	3	4	4	5	8
20-34	71188	3.2	4	1	2	3	4	4	5	7
35-49	3028	3.4	3	1	2	3	4	5	6	8
50-64	30	3.5	9	1	1	3	3	5	6	18
65+										
2. MULTIPLE DX										
0-19 YRS	6231	3.7	8	2	2	3	4	5	7	13
20-34	55698	3.9	7	2	2	4	4	6	7	12
35-49	5140	4.3	10	2	3	4	5	6	7	15
50-64	21	4.0	6	1	2	4	5	5	9	13
65+										
TOT. SINGLE DX	87461	3.2	4	1	2	3	4	4	5	7
" MULTIPLE DX	67090	3.9	8	2	2	4	4	6	7	13
TOTAL 0-19 YRS	19446	3.3	5	2	2	3	4	5	5	10
20-34	126886	3.5	6	2	2	3	4	5	6	10
35-49	8168	4.0	8	2	2	4	5	6	7	13
50-64	51	3.7	7	1	2	3	4	5	6	18
65+										
GRAND TOTAL	154551	3.5	6	2	2	3	4	5	6	10

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7522	6.0	9	4	4	6	7	8	9	14
20-34	49750	6.0	6	4	4	6	7	8	8	12
35-49	2339	6.4	8	4	4	6	7	8	9	14
50-64	13	6.9	7	5	5	6	7	9	14	15
65+										
2. MULTIPLE DX										
0-19 YRS	11968	6.9	14	4	4	6	7	10	12	20
20-34	78343	6.7	13	4	4	6	7	9	11	21
35-49	6883	7.3	19	4	5	6	8	10	13	27
50-64	39	7.7	30	4	4	6	8	13	18	34
65+										
TOT. SINGLE DX	59624	6.0	6	4	4	6	7	8	8	13
" MULTIPLE DX	97233	6.7	14	4	4	6	7	9	11	22
TOTAL 0-19 YRS	19490	6.5	12	4	4	6	7	9	11	19
20-34	12809[illegible]	6.4	11	4	4	6	7	8	10	18
35-49	9222	7.1	16	4	5	6	8	9	12	26
50-64	52	7.5	24	4	4	6	7	13	17	34
65+										
GRAND TOTAL	156857	6.5	11	4	4	6	7	8	10	19

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	981	5.9	4	4	4	6	7	8	9	14
20-34	5079	6.0	6	4	4	6	7	8	8	14
35-49	218	6.4	9	4	4	6	7	8	10	13
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1125	7.2	21	4	4	6	8	10	12	23
20-34	6723	6.8	14	4	4	6	7	9	12	22
35-49	669	7.7	27	4	5	7	8	11	14	34
50-64	1	7.0		7	7	7	7	7	7	7
65+										
TOT. SINGLE DX	6278	6.0	6	4	4	6	7	8	8	14
" MULTIPLE DX	8518	6.9	16	4	4	6	7	9	12	23
TOTAL 0-19 YRS	2106	6.6	14	4	4	6	7	9	11	20
20-34	11802	6.4	11	4	4	6	7	8	10	19
35-49	887	7.4	23	4	4	7	8	10	13	32
50-64	1	7.0		7	7	7	7	7	7	7
65+										
GRAND TOTAL	14796	6.5	12	4	4	6	7	9	10	20

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	6.0	4	3	3	6	7	9	9	9
20-34	125	5.7	9	3	3	5	7	8	9	20
35-49	9	6.6	21	2	3	6	6	14	18	18
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	26	6.1	6	3	4	6	7	9	11	13
20-34	179	7.0	20	3	4	6	8	10	13	34
35-49	46	7.9	27	4	5	7	9	13	14	36
50-64	1	10.0		10	10	10	10	10	10	10
65+										
TOT. SINGLE DX	142	5.8	9	3	3	5	7	8	10	19
" MULTIPLE DX	252	7.1	20	3	4	6	8	10	13	36
TOTAL 0-19 YRS	34	6.1	5	3	4	6	7	9	10	13
20-34	304	6.4	16	3	4	6	7	9	11	27
35-49	55	7.7	25	3	4	6	9	13	15	35
50-64	1	10.0		10	10	10	10	10	10	10
65+										
GRAND TOTAL	394	6.6	16	3	4	6	7	10	12	28

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2901	1.8	1	1	1	2	2	3	3	5
20-34	2870	1.8	2	1	1	2	2	3	3	6
35-49	240	1.9	1	1	1	2	2	3	4	6
50-64	4	1.8		1	1	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	830	2.1	13	1	1	2	2	3	4	11
20-34	945	2.4	9	1	1	2	3	4	5	17
35-49	136	2.8	5	1	1	2	3	5	7	12
50-64										
65+										
TOT. SINGLE DX	6015	1.8	2	1	1	2	2	3	3	5
" MULTIPLE DX	1911	2.3	11	1	1	2	2	4	5	16
TOTAL 0-19 YRS	3731	1.8	4	1	1	2	2	3	3	6
20-34	3815	2.0	4	1	1	2	2	3	4	8
35-49	376	2.2	3	1	1	2	2	4	5	10
50-64	4	1.8		1	1	2	2	2	2	2
65+										
GRAND TOTAL	7926	1.9	4	1	1	2	2	3	4	8

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	210	4.1	34	<1	<1	2	4	9	12	21
20-34	1061	3.3	14	<1	<1	2	4	7	11	21
35-49	197	2.4	27	<1	<1	<1	2	6	7	18
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	107	5.6	30	1	1	4	7	12	15	30
20-34	787	4.6	33	<1	<1	3	6	10	14	29
35-49	497	1.9	13	<1	<1	<1	<1	3	7	18
50-64										
65+										
TOT. SINGLE DX	1469	3.3	19	<1	<1	2	4	7	11	21
" MULTIPLE DX	1391	3.7	28	<1	<1	1	5	9	12	26
TOTAL 0-19 YRS	317	4.6	33	<1	1	3	5	10	14	24
20-34	1848	3.8	23	<1	<1	2	5	9	12	23
35-49	694	2.0	17	<1	<1	<1	<1	4	7	18
50-64	1	3.0		3	3	3	3	3	3	3
65+										
GRAND TOTAL	2860	3.5	23	<1	<1	1	4	8	12	22

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3331	2.5	3	[illegible]	<1	2	3	4	5	7
20-34	14797	2.6	4	<1	<1	3	3	4	5	8
35-49	731	2.5	3	<1	<1	2	3	4	5	8
50-64	8	2.9	1	2	2	3	4	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	1024	3.3	9	<1	1	3	4	5	7	11
20-34	5358	3.5	10	<1	1	3	4	5	7	13
35-49	433	3.7	24	<1	1	3	4	6	7	11
50-64	1	4.0		4	4	4	4	4	4	4
65+										
TOT. SINGLE DX	18867	2.6	4	<1	<1	3	3	4	5	8
" MULTIPLE DX	6816	3.5	10	<1	1	3	4	5	7	12
TOTAL 0-19 YRS	4355	2.7	4	<1	<1	3	3	4	5	9
20-34	20155	2.9	6	<1	<1	3	4	5	5	10
35-49	1164	2.9	11	<1	<1	3	4	5	6	10
50-64	9	3.0	1	2	2	3	4	4	4	4
65+										
GRAND TOTAL	25683	2.8	6	<1	<1	3	4	5	5	10

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8155	3.0	7	1	2	3	3	4	5	6
20-34	39157	3.0	4	1	2	3	4	4	5	7
35-49	2139	3.1	2	1	2	3	4	4	5	7
50-64	13	2.8	3	1	1	3	3	5	7	7
65+										
2. MULTIPLE DX										
0-19 YRS	4920	3.5	5	2	2	3	4	5	6	11
20-34	24577	3.5	7	1	2	3	4	5	6	11
35-49	1887	3.8	5	2	2	3	4	5	7	14
50-64	19	6.0	62	1	2	4	6	9	25	37
65+										
TOT. SINGLE DX	49464	3.0	4	1	2	3	4	4	5	7
" MULTIPLE DX	31403	3.5	7	1	2	3	4	5	6	11
TOTAL 0-19 YRS	13075	3.2	6	1	2	3	4	4	5	9
20-34	63734	3.2	5	1	2	3	4	5	5	9
35-49	4026	3.4	4	1	2	3	4	5	6	12
50-64	32	4.7	39	1	1	3	5	7	10	37
65+										
GRAND TOTAL	80867	3.2	5	1	2	3	4	5	5	9

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	196	3.1	4	<1	1	2	4	5	7	12
20-34	284	3.6	10	1	2	3	4	6	9	17
35-49	170	4.3	17	1	2	3	4	10	14	20
50-64	216	7.0	76	1	2	4	9	15	23	49
65+	142	7.5	100	1	2	4	9	16	24	59
2. MULTIPLE DX										
0-19 YRS	87	4.2	13	1	2	4	5	7	8	25
20-34	187	5.6	52	2	2	3	6	10	19	43
35-49	209	6.5	105	1	2	3	6	16	33	99+
50-64	402	9.7	159	2	2	4	12	26	38	85
65+	304	11.5	127	2	2	8	16	25	37	79
TOT. SINGLE DX	1008	4.9	40	1	2	3	5	10	15	32
" MULTIPLE DX	1189	8.5	120	2	2	4	10	21	34	77
TOTAL 0-19 YRS	283	3.4	7	1	1	3	4	6	7	12
20-34	471	4.4	27	1	2	3	4	8	12	28
35-49	379	5.5	66	1	2	3	6	13	19	74
50-64	618	8.8	132	2	2	4	11	22	34	72
65+	446	10.2	121	2	2	6	14	23	33	64
GRAND TOTAL	2197	6.9	86	1	2	3	8	17	25	60

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	970	4.0	3	2	3	4	5	6	6	10
20-34	1523	4.1	12	2	2	4	5	6	7	13
35-49	478	3.8	5	1	2	3	4	6	7	11
50-64	196	4.8	28	1	2	3	5	8	12	28
65+	41	8.0	56	1	2	5	9	19	24	35
2. MULTIPLE DX										
0-19 YRS	671	4.6	7	2	3	4	5	7	9	18
20-34	911	4.7	13	2	3	4	5	7	9	19
35-49	305	6.0	64	2	2	4	6	10	16	54
50-64	177	9.0	130	2	2	5	10	22	35	96
65+	72	14.7	277	2	3	8	17	36	54	85
TOT. SINGLE DX	3208	4.1	10	2	2	4	5	6	7	15
" MULTIPLE DX	2136	5.6	41	2	3	4	6	9	14	40
TOTAL 0-19 YRS	1641	4.3	5	2	3	4	5	6	7	15
20-34	2434	4.4	13	2	2	4	5	6	8	16
35-49	783	4.7	29	2	2	4	5	7	9	29
50-64	373	6.8	80	2	2	4	7	15	24	65
65+	113	12.3	206	2	3	7	16	27	44	76
GRAND TOTAL	5344	4.7	23	2	2	4	5	7	9	25

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1091	2.9	4	1	1	2	4	5	6	10
20-34	1494	3.4	8	1	1	3	4	6	8	14
35-49	303	3.8	11	1	1	3	5	7	9	25
50-64	117	3.9	8	1	1	3	5	8	10	13
65+	34	6.2	56	1	2	4	7	12	17	43
2. MULTIPLE DX										
0-19 YRS	1159	5.5	57	1	2	4	6	10	14	51
20-34	1605	6.1	50	1	2	4	7	12	16	41
35-49	488	7.7	65	2	2	5	10	16	20	41
50-64	197	8.8	68	2	2	6	11	17	24	53
65+	114	11.9	156	2	2	8	16	26	37	93
TOT. SINGLE DX	3039	3.3	7	1	1	3	4	6	8	13
" MULTIPLE DX	3563	6.5	60	1	2	4	7	13	18	47
TOTAL 0-19 YRS	2250	4.3	33	1	1	3	5	7	11	30
20-34	3099	4.8	32	1	1	3	5	9	13	33
35-49	791	6.2	48	1	2	4	7	12	18	38
50-64	314	6.9	51	1	2	5	9	14	20	48
65+	148	10.6	138	2	2	7	13	25	36	90
GRAND TOTAL	6602	5.0	39	1	1	3	6	10	14	36

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	851	3.8	7	1	2	3	5	7	9	14
20-34	1994	3.9	9	1	1	3	5	7	9	17
35-49	712	4.4	14	1	2	3	5	8	11	21
50-64	269	4.2	11	1	2	3	5	8	11	20
65+	105	6.9	35	1	2	5	8	14	20	31
2. MULTIPLE DX										
0-19 YRS	1136	7.9	80	2	2	5	9	15	23	56
20-34	2581	7.6	74	2	2	5	9	14	21	52
35-49	1033	8.3	66	2	2	6	10	17	24	44
50-64	497	9.7	102	2	3	7	12	19	30	77
65+	267	13.4	137	3	4	10	15	30	39	59
TOT. SINGLE DX	3931	4.1	10	1	2	3	5	7	10	18
" MULTIPLE DX	5514	8.3	81	2	2	6	10	16	24	54
TOTAL 0-19 YRS	198[illegible]	6.2	53	2	2	4	7	12	17	43
20-34	4[illegible]	6.0	49	1	2	4	7	11	16	40
35-49	1745	6.7	48	1	2	5	8	13	19	34
50-64	766	7.8	77	2	2	5	9	15	22	60
65+	372	11.6	117	2	3	8	14	25	34	53
GRAND TOTAL	**9445**	**6.5**	**56**	**1**	**2**	**4**	**8**	**13**	**19**	**45**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	3.8	11	1	1	3	5	7	10	21
20-34	134	4.2	10	<1	1	3	5	8	9	18
35-49	87	4.7	12	<1	1	4	5	10	12	16
50-64	57	5.6	15	1	2	5	7	11	12	21
65+	22	5.7	27	<1	1	4	8	16	17	18
2. MULTIPLE DX										
0-19 YRS	55	6.2	31	1	2	5	7	12	22	26
20-34	94	7.0	44	1	2	5	9	15	23	33
35-49	83	7.7	116	2	2	6	8	12	20	73
50-64	61	7.0	52	1	2	5	8	14	19	39
65+	38	12.8	333	1	2	7	12	31	48	99
TOT. SINGLE DX	370	4.5	13	<1	1	4	6	9	12	18
" MULTIPLE DX	331	7.7	97	1	2	5	8	15	24	45
TOTAL 0-19 YRS	125	4.8	21	1	1	4	6	8	13	25
20-34	228	5.4	26	<1	1	4	7	9	15	26
35-49	170	6.2	64	1	2	5	7	11	14	40
50-64	118	6.4	34	1	2	5	7	13	15	37
65+	60	10.2	231	1	1	6	11	20	36	95
GRAND TOTAL	**701**	**6.0**	**55**	**1**	**1**	**4**	**7**	**11**	**16**	**37**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2042	6.4	40	2	2	5	7	12	19	32
20-34	2246	4.5	19	1	2	3	5	8	11	24
35-49	1435	5.7	31	2	2	4	6	11	16	30
50-64	1399	7.2	40	2	2	6	9	13	18	33
65+	559	11.0	102	2	3	8	14	22	31	59
2. MULTIPLE DX										
0-19 YRS	1184	8.0	74	2	2	5	9	16	25	50
20-34	2253	5.5	41	2	2	4	6	10	15	40
35-49	1783	6.2	48	2	2	4	7	12	17	39
50-64	1910	8.4	73	2	2	6	10	17	24	48
65+	941	14.8	204	2	3	10	19	32	45	93
TOT. SINGLE DX	7681	6.2	40	2	2	4	7	12	17	34
" MULTIPLE DX	8071	7.8	82	2	2	5	9	16	25	52
TOTAL 0-19 YRS	3226	7.0	54	2	2	5	8	14	22	43
20-34	4499	5.0	31	2	2	4	5	9	13	33
35-49	3218	5.9	41	2	2	4	6	11	16	34
50-64	3309	7.9	59	2	2	6	9	15	22	41
65+	1500	13.4	170	2	3	9	17	29	41	82
GRAND TOTAL	**15752**	**7.0**	**62**	**2**	**2**	**5**	**8**	**14**	**22**	**45**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1036	4.3	13	2	2	4	5	6	7	12
20-34	2188	4.2	4	2	2	4	5	6	8	12
35-49	1985	4.6	6	2	3	4	5	7	8	13
50-64	2647	5.0	8	2	3	4	6	8	9	14
65+	934	5.5	11	2	3	5	7	9	11	17
2. MULTIPLE DX										
0-19 YRS	1150	4.6	8	2	3	4	5	7	8	13
20-34	3838	4.7	10	2	2	4	5	7	9	15
35-49	4239	5.2	13	2	3	4	6	8	10	18
50-64	7332	5.7	16	2	3	5	7	9	11	20
65+	3516	6.8	34	3	3	5	8	11	15	33
TOT. SINGLE DX	8790	4.7	8	2	2	4	6	7	9	13
" MULTIPLE DX	20075	5.5	17	2	3	5	6	9	11	21
TOTAL 0-19 YRS	2186	4.4	10	2	2	4	5	6	8	13
20-34	6026	4.5	8	2	2	4	5	7	8	14
35-49	6224	5.0	11	2	3	4	6	8	9	16
50-64	9979	5.5	14	2	3	5	6	9	11	18
65+	4450	6.5	30	2	3	5	7	11	14	30
GRAND TOTAL	**28865**	**5.3**	**15**	**2**	**3**	**5**	**6**	**8**	**10**	**19**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6230	4.6	26	1	2	3	5	8	12	28
20-34	8111	5.0	33	1	2	4	5	9	13	33
35-49	5454	5.5	36	1	2	4	6	10	14	33
50-64	4608	6.0	44	1	2	4	7	12	17	35
65+	2095	8.3	83	2	2	5	10	18	24	48
2. MULTIPLE DX										
0-19 YRS	2765	8.8	141	1	2	4	9	23	36	73
20-34	5710	8.7	145	2	2	5	8	20	36	80
35-49	4741	8.6	131	2	2	5	9	19	31	70
50-64	5846	10.0	134	2	2	6	12	24	34	64
65+	4156	15.4	224	2	3	11	21	36	49	92
TOT. SINGLE DX	26498	5.4	39	1	2	4	6	10	15	34
" MULTIPLE DX	23218	10.2	159	2	2	5	12	25	38	75
TOTAL 0-19 YRS	8995	5.9	65	1	2	4	6	11	20	49
20-34	13821	6.5	83	1	2	4	6	12	22	60
35-49	10195	6.9	83	2	2	4	7	14	22	54
50-64	10454	8.3	98	2	2	5	9	18	28	54
65+	6251	13.0	188	2	2	8	17	30	42	80
GRAND TOTAL	**49716**	**7.7**	**101**	**2**	**2**	**4**	**8**	**17**	**28**	**60**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2116	6.8	48	2	2	5	7	13	21	37
20-34	2042	6.0	36	2	2	4	7	11	15	29
35-49	835	7.4	66	1	2	5	9	14	20	44
50-64	761	9.7	56	2	3	8	13	18	22	42
65+	1133	16.3	108	4	6	15	20	28	35	59
2. MULTIPLE DX										
0-19 YRS	833	11.0	178	2	2	6	12	26	40	69
20-34	1017	10.4	171	2	2	6	11	25	45	88
35-49	583	12.0	181	2	3	8	14	28	42	90
50-64	790	15.7	212	3	3	12	21	36	52	99+
65+	1852	21.3	186	6	9	18	27	40	50	99
TOT. SINGLE DX	6887	8.5	70	2	2	6	11	18	24	43
" MULTIPLE DX	5075	15.5	207	2	3	11	21	35	47	92
TOTAL 0-19 YRS	2949	8.0	88	2	2	5	8	17	26	52
20-34	3059	7.4	85	2	2	5	8	14	23	61
35-49	1418	9.3	118	2	2	6	10	19	29	68
50-64	1551	12.8	144	2	3	9	16	26	39	89
65+	2985	19.4	162	5	7	16	24	36	44	86
GRAND TOTAL	**11962**	**11.5**	**140**	**2**	**2**	**7**	**15**	**26**	**36**	**70**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4395	3.2	23	<1	1	2	3	5	7	22
20-34	6218	3.1	13	<1	1	2	3	5	7	17
35-49	2753	3.6	22	<1	1	2	4	6	9	24
50-64	2631	4.5	35	1	1	3	5	9	14	32
65+	2044	7.5	77	1	2	4	9	17	23	43
2. MULTIPLE DX										
0-19 YRS	1052	5.5	57	1	1	3	5	12	20	43
20-34	1730	6.5	86	1	2	3	7	14	23	62
35-49	1060	6.9	85	1	2	4	8	15	23	57
50-64	1364	9.0	119	1	2	5	12	20	31	59
65+	2121	15.8	214	2	3	12	21	35	49	83
TOT. SINGLE DX	18041	3.9	29	<1	1	3	4	7	11	26
" MULTIPLE DX	7327	9.6	142	1	2	5	12	23	35	66
TOTAL 0-19 YRS	5447	3.6	30	<1	1	2	4	6	9	29
20-34	7948	3.8	30	1	1	2	4	7	11	29
35-49	3813	4.5	41	1	1	3	4	9	14	36
50-64	3995	6.0	68	1	2	3	6	14	20	48
65+	4165	11.7	164	2	2	7	16	27	39	71
GRAND TOTAL	**25368**	**5.5**	**68**	**1**	**1**	**3**	**5**	**13**	**20**	**47**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	486	21.1	232	3	4	19	30	40	48	74
20-34	134	20.2	282	5	6	14	25	49	62	99+
35-49	160	14.2	98	5	6	12	17	27	43	94
50-64	465	14.8	81	5	7	13	17	27	34	66
65+	1859	18.0	91	7	9	16	21	29	37	63
2. MULTIPLE DX										
0-19 YRS	379	27.9	323	6	8	25	39	51	63	97
20-34	289	27.6	338	8	10	22	40	54	68	97
35-49	170	25.0	339	6	7	19	34	56	69	98
50-64	593	22.3	238	8	9	17	27	47	60	99+
65+	3474	22.7	182	9	11	19	27	40	53	94
TOT. SINGLE DX	3104	17.9	124	6	7	15	22	32	41	70
" MULTIPLE DX	4905	23.4	217	8	10	19	29	45	57	98
TOTAL 0-19 YRS	865	24.1	283	3	6	21	34	46	57	80
20-34	423	25.2	331	6	8	19	37	53	66	99+
35-49	330	19.8	251	6	7	14	25	47	60	99+
50-64	1058	19.0	182	6	8	15	23	38	53	99+
65+	5333	21.0	155	8	10	18	25	36	48	86
GRAND TOTAL	**8009**	**21.3**	**188**	**7**	**9**	**17**	**26**	**40**	**52**	**91**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	824	13.1	96	4	5	11	16	24	30	50
20-34	775	15.5	127	5	6	12	18	28	36	63
35-49	585	14.1	101	5	6	12	16	23	33	63
50-64	1785	15.5	84	6	7	14	18	25	31	58
65+	8438	18.8	92	8	10	17	22	29	36	64
2. MULTIPLE DX										
0-19 YRS	1039	21.9	251	6	8	17	27	44	59	99+
20-34	1403	23.5	259	7	9	19	29	49	64	99+
35-49	892	23.3	248	7	9	19	30	47	62	99+
50-64	2664	22.0	202	8	10	18	27	41	55	99
65+	17562	23.3	177	10	12	20	28	41	53	98
TOT. SINGLE DX	12407	17.5	97	7	8	16	21	28	35	62
" MULTIPLE DX	23560	23.1	191	9	11	20	28	42	55	99+
TOTAL 0-19 YRS	1863	18.0	201	4	6	14	22	35	49	92
20-34	2178	20.7	227	6	8	17	26	42	57	99+
35-49	1477	19.7	210	6	7	15	24	40	56	99+
50-64	4449	19.4	165	7	8	16	23	35	47	86
65+	26000	21.8	154	9	11	19	26	37	48	90
GRAND TOTAL	**35967**	**21.2**	**166**	**8**	**10**	**18**	**25**	**37**	**49**	**91**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1289	13.6	164	1	[illegible]	9	21	31	37	54
20-34	129	20.1	359	2	3	13	32	49	61	70
35-49	75	19.0	360	1	2	11	26	52	68	93
50-64	149	16.6	216	3	4	12	20	39	52	66
65+	414	20.9	265	5	6	17	25	39	59	88
2. MULTIPLE DX										
0-19 YRS	672	21.4	297	2	3	18	30	45	57	87
20-34	329	28.7	412	4	6	25	44	61	74	99+
35-49	150	28.0	407	4	5	22	44	59	79	99+
50-64	194	28.7	441	5	8	21	41	63	73	92
65+	717	25.4	317	6	8	20	34	54	67	99+
TOT. SINGLE DX	2056	15.9	217	2	2	12	22	35	46	73
" MULTIPLE DX	2062	25.1	351	4	5	20	35	54	68	99+
TOTAL 0-19 YRS	1961	16.3	223	2	2	12	24	36	45	70
20-34	458	26.3	411	3	4	22	42	58	71	99+
35-49	225	25.0	408	2	4	19	39	56	73	99+
50-64	343	23.4	378	3	5	17	35	57	66	83
65+	1131	23.7	302	5	7	19	31	49	64	97
GRAND TOTAL	**4118**	**20.5**	**305**	**2**	**3**	**16**	**29**	**46**	**59**	**90**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1736	5.6	42	1	1	3	6	15	20	29
20-34	1697	4.4	24	1	1	3	5	9	12	27
35-49	1103	5.0	29	1	1	3	6	10	14	31
50-64	1247	5.5	53	1	1	3	6	11	16	41
65+	994	7.7	73	1	2	5	10	17	25	40
2. MULTIPLE DX										
0-19 YRS	777	11.4	171	1	2	6	15	26	43	68
20-34	1050	10.4	182	1	2	6	11	25	40	82
35-49	692	10.7	194	1	2	6	12	25	44	86
50-64	885	11.8	200	2	2	7	14	29	45	82
65+	983	14.6	199	2	3	10	20	31	48	80
TOT. SINGLE DX	6777	5.5	43	1	1	3	6	12	18	32
" MULTIPLE DX	4387	11.8	192	1	2	7	15	27	44	82
TOTAL 0-19 YRS	2513	7.4	89	1	1	4	9	19	25	53
20-34	2747	6.7	93	1	1	4	7	14	23	56
35-49	1795	7.2	100	1	1	4	8	15	25	66
50-64	2132	8.1	123	1	1	4	9	18	29	66
65+	1977	11.2	147	1	2	7	15	25	34	66
GRAND TOTAL	**11164**	**8.0**	**111**	**1**	**1**	**4**	**9**	**19**	**27**	**62**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7062	4.0	15	1	1	3	5	7	10	18
20-34	9006	4.9	19	1	2	4	6	9	12	22
35-49	4981	6.1	25	2	2	5	7	11	14	27
50-64	4503	7.4	33	2	3	6	9	14	17	29
65+	2888	10.6	79	2	3	8	14	20	25	43
2. MULTIPLE DX										
0-19 YRS	3552	7.9	101	1	2	5	9	17	27	60
20-34	6608	9.3	125	1	2	6	10	20	32	72
35-49	3868	10.1	132	2	2	7	11	21	34	71
50-64	4274	11.8	139	2	3	8	14	24	35	75
65+	3927	16.6	181	3	5	13	21	33	45	74
TOT. SINGLE DX	28440	5.9	31	1	2	4	7	11	15	28
" MULTIPLE DX	22229	11.0	143	2	2	7	13	24	36	71
TOTAL 0-19 YRS	10614	5.3	47	1	1	4	6	10	15	40
20-34	15614	6.8	69	1	2	5	8	13	20	50
35-49	8849	7.8	76	2	2	5	9	15	22	53
50-64	8777	9.5	89	2	3	7	11	18	26	59
65+	6815	14.1	147	3	4	11	18	28	38	69
GRAND TOTAL	**50669**	**8.1**	**87**	**1**	**2**	**5**	**9**	**17**	**25**	**54**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17966	2.8	13	1	1	2	3	5	8	19
20-34	5472	4.2	22	1	1	3	5	8	11	25
35-49	3566	4.6	27	1	1	3	6	9	12	25
50-64	4411	4.8	29	1	1	3	6	10	13	25
65+	4087	5.7	40	1	1	4	7	13	17	32
2. MULTIPLE DX										
0-19 YRS	5491	6.2	82	1	1	3	7	14	23	53
20-34	4379	8.7	134	1	1	5	10	19	34	71
35-49	2857	8.8	113	1	2	5	10	19	29	60
50-64	3840	9.3	124	1	2	6	11	20	30	64
65+	5527	11.1	124	2	2	8	14	24	33	68
TOT. SINGLE DX	35502	3.8	22	1	1	2	4	8	12	23
" MULTIPLE DX	22094	8.8	117	1	1	5	11	20	30	64
TOTAL 0-19 YRS	23457	3.6	32	1	1	2	4	7	12	27
20-34	9851	6.2	77	1	1	4	7	12	20	55
35-49	6423	6.5	70	1	1	4	7	13	20	48
50-64	8251	6.9	78	1	1	4	8	14	21	49
65+	9614	8.8	96	1	2	5	11	20	28	56
GRAND TOTAL	57596	5.7	65	1	[illegible]	3	6	13	19	44

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1884	4.2	31	<1	1	2	5	11	16	26
20-34	1411	3.5	22	<1	1	2	4	7	12	24
35-49	725	3.8	23	<1	1	2	4	9	11	23
50-64	824	4.5	41	<1	1	2	5	11	14	27
65+	939	5.7	57	1	1	3	6	14	20	41
2. MULTIPLE DX										
0-19 YRS	763	7.9	112	1	1	4	9	21	28	52
20-34	1060	9.3	142	1	1	5	11	23	37	61
35-49	607	9.6	162	1	1	5	11	25	41	58
50-64	807	10.0	162	1	1	5	12	26	39	70
65+	1213	11.1	168	1	1	7	14	26	35	72
TOT. SINGLE DX	5783	4.3	34	<1	1	2	5	10	15	28
" MULTIPLE DX	4450	9.7	151	1	1	5	12	24	35	65
TOTAL 0-19 YRS	2647	5.2	57	<1	1	2	6	13	20	39
20-34	2471	6.0	82	<1	1	3	6	14	23	51
35-49	1332	6.4	95	<1	1	3	7	15	25	53
50-64	1631	7.2	108	1	1	4	8	17	27	60
65+	2152	8.7	127	1	1	5	11	21	29	62
GRAND TOTAL	10233	6.6	92	<1	1	3	8	16	25	52

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	972	4.4	31	1	1	3	5	7	12	24
20-34	1582	4.2	14	1	2	4	5	7	9	17
35-49	604	5.2	19	1	2	4	6	9	12	26
50-64	448	7.3	50	2	2	5	9	14	19	44
65+	366	13.4	90	2	3	12	18	24	33	44
2. MULTIPLE DX										
0-19 YRS	374	8.3	82	1	2	5	10	20	25	59
20-34	629	8.1	98	2	2	5	9	17	27	56
35-49	352	9.1	118	2	2	6	10	19	27	68
50-64	361	11.3	121	2	3	8	14	25	34	65
65+	477	19.5	211	4	5	16	24	37	50	80
TOT. SINGLE DX	3972	5.6	37	1	2	4	6	11	17	32
" MULTIPLE DX	2193	11.3	147	2	2	7	14	25	35	67
TOTAL 0-19 YRS	1346	5.5	48	1	1	4	6	11	19	32
20-34	2211	5.3	41	1	2	4	6	9	14	35
35-49	956	6.6	59	1	2	5	7	12	19	48
50-64	809	9.1	86	2	2	6	11	18	26	60
65+	843	16.9	168	3	4	14	21	34	42	67
GRAND TOTAL	6165	7.6	83	1	2	5	8	17	24	52

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3910	4.7	19	1	2	4	5	8	11	24
20-34	4431	4.5	14	1	2	4	5	8	10	21
35-49	2112	5.2	28	2	2	4	6	10	14	27
50-64	1434	7.2	62	1	2	5	8	15	21	41
65+	753	13.0	167	2	2	8	18	28	41	72
2. MULTIPLE DX										
0-19 YRS	1961	6.6	53	2	2	4	7	13	21	41
20-34	2950	6.2	51	2	2	4	7	11	17	43
35-49	1687	7.6	77	2	2	5	8	15	24	52
50-64	1636	10.8	153	2	3	6	12	25	37	76
65+	1252	19.4	295	3	4	14	26	43	58	92
TOT. SINGLE DX	12640	5.5	36	1	2	4	6	10	15	34
" MULTIPLE DX	9486	9.1	124	2	2	5	9	21	31	65
TOTAL 0-19 YRS	5871	5.3	31	1	2	4	6	9	15	32
20-34	7381	5.2	29	1	2	4	6	9	12	30
35-49	3799	6.3	51	2	2	4	7	12	18	44
50-64	3070	9.1	114	2	2	6	10	20	30	59
65+	2005	17.0	256	2	3	12	23	39	53	85
GRAND TOTAL	22126	7.0	77	2	2	4	7	14	23	51

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	531	10.7	34	4	5	9	12	19	23	33
20-34	10202	11.2	36	5	6	10	14	19	23	32
35-49	17308	11.7	36	5	6	10	14	19	23	32
50-64	9248	12.7	44	5	6	11	16	21	25	35
65+	1719	15.4	76	6	8	13	19	26	31	47
2. MULTIPLE DX										
0-19 YRS	112	16.5	233	5	6	13	20	36	82	99+
20-34	2732	14.4	82	5	6	12	18	25	31	53
35-49	6263	14.7	77	6	7	12	18	25	31	47
50-64	6109	16.2	95	6	7	14	20	28	34	58
65+	2238	20.9	159	8	9	18	26	37	47	71
TOT. SINGLE DX	39008	12.0	41	5	6	10	15	20	24	34
" MULTIPLE DX	17454	16.0	100	6	7	13	20	28	34	58
TOTAL 0-19 YRS	643	11.7	73	4	5	10	14	21	27	83
20-34	12934	11.9	48	5	6	10	14	20	25	37
35-49	23571	12.5	49	5	6	11	15	21	25	38
50-64	15357	14.1	67	6	7	12	17	24	29	45
65+	3957	18.5	130	7	8	16	23	32	41	66
GRAND TOTAL	**56462**	**13.2**	**62**	**5**	**6**	**11**	**16**	**23**	**28**	**43**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6937	4.5	6	2	3	4	5	7	8	11
20-34	14613	4.7	5	2	3	4	5	7	8	12
35-49	7096	5.0	7	2	3	5	6	8	9	14
50-64	3747	5.6	9	2	3	5	7	9	11	17
65+	626	6.6	15	2	3	6	8	11	14	22
2. MULTIPLE DX										
0-19 YRS	3055	5.2	10	2	3	5	6	8	9	17
20-34	7411	5.4	14	2	3	5	6	8	11	20
35-49	4425	6.1	21	2	3	5	7	10	14	24
50-64	4192	6.8	25	2	3	6	8	11	15	27
65+	1095	9.0	57	3	3	7	10	17	24	41
TOT. SINGLE DX	33019	4.9	7	2	3	4	6	7	9	14
" MULTIPLE DX	20178	6.0	20	2	3	5	7	10	13	25
TOTAL 0-19 YRS	9992	4.7	7	2	3	4	5	7	8	13
20-34	22024	4.9	8	2	3	4	6	7	9	15
35-49	11521	5.4	13	2	3	5	6	8	11	19
50-64	7939	6.3	18	2	3	5	7	10	13	23
65+	1721	8.1	43	3	3	6	9	15	20	37
GRAND TOTAL	**53197**	**5.3**	**12**	**2**	**3**	**5**	**6**	**8**	**10**	**18**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5229	3.3	12	<1	1	2	4	6	7	15
20-34	7604	3.4	11	<1	1	3	4	6	8	16
35-49	3868	3.9	17	<1	1	3	4	7	10	21
50-64	2622	4.4	22	1	1	3	5	8	13	25
65+	851	6.3	70	1	1	3	7	14	22	36
2. MULTIPLE DX										
0-19 YRS	2081	4.1	28	1	1	3	5	7	10	25
20-34	4127	4.4	24	1	1	3	5	8	12	26
35-49	2863	5.5	42	1	1	4	6	11	16	37
50-64	2758	7.0	67	1	2	4	8	15	23	47
65+	1237	10.2	117	2	2	6	13	24	32	55
TOT. SINGLE DX	20174	3.7	17	<1	1	3	4	7	9	21
" MULTIPLE DX	13066	5.7	50	1	1	4	6	12	18	39
TOTAL 0-19 YRS	7310	3.5	17	<1	1	3	4	6	8	17
20-34	11731	3.8	16	1	1	3	4	7	9	20
35-49	6731	4.5	28	1	1	3	5	8	13	28
50-64	5380	5.7	47	1	2	4	6	12	18	39
65+	2088	8.6	101	1	2	5	10	21	28	51
GRAND TOTAL	**33240**	**4.5**	**31**	**1**	**1**	**3**	**5**	**8**	**13**	**29**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	864	14.8	51	7	8	13	18	24	29	41
20-34	1121	13.8	88	5	6	11	16	23	30	62
35-49	1562	11.9	49	5	5	10	14	19	25	43
50-64	913	12.0	54	4	5	10	15	20	26	36
65+	98	13.8	61	5	6	11	19	24	29	40
2. MULTIPLE DX										
0-19 YRS	449	21.2	234	6	8	17	27	49	74	99+
20-34	810	20.1	268	6	8	15	25	48	75	99+
35-49	1171	15.8	122	6	7	13	18	29	41	99+
50-64	849	18.4	168	6	7	15	23	36	50	99+
65+	230	22.8	228	6	8	20	31	52	67	99+
TOT. SINGLE DX	4558	13.0	62	5	6	11	16	21	27	45
" MULTIPLE DX	3509	18.6	193	6	7	15	23	39	56	99+
TOTAL 0-19 YRS	1313	17.0	123	7	8	15	19	31	42	99+
20-34	1931	16.4	173	6	7	12	19	32	49	99+
35-49	2733	13.6	84	5	6	11	16	23	32	67
50-64	1762	15.0	119	5	6	12	18	28	37	82
65+	328	20.1	194	6	7	16	27	43	55	99+
GRAND TOTAL	**8067**	**15.4**	**127**	**5**	**6**	**12**	**18**	**29**	**40**	**99+**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	710	4.8	20	1	2	4	6	8	11	16
20-34	1369	5.1	13	2	2	4	6	9	11	17
35-49	1192	5.8	27	1	2	5	7	11	13	22
50-64	1400	5.9	32	2	2	4	7	12	16	30
65+	680	7.8	71	2	2	5	10	17	24	43
2. MULTIPLE DX										
0-19 YRS	506	5.8	19	2	2	5	7	11	15	26
20-34	997	6.4	44	2	2	5	8	11	15	36
35-49	886	7.3	47	2	2	5	9	14	19	36
50-64	1346	8.1	63	2	2	5	10	16	24	44
65+	870	10.7	102	2	2	7	15	24	29	50
TOT. SINGLE DX	5351	5.7	30	2	2	4	7	11	15	27
" MULTIPLE DX	4605	7.8	61	2	2	5	9	16	23	42
TOTAL 0-19 YRS	1216	5.2	20	1	2	4	6	10	12	21
20-34	2366	5.6	26	2	2	5	7	10	13	25
35-49	2078	5.4	36	2	2	5	8	12	16	30
50-64	2746	6.9	48	2	2	5	8	14	19	38
65+	1550	9.4	91	2	2	6	12	21	27	49
GRAND TOTAL	**9956**	**6.7**	**45**	**2**	**2**	**5**	**8**	**13**	**18**	**35**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	14.7	21	10	10	13	16	23	25	27
20-34	277	15.9	103	7	9	14	17	23	32	64
35-49	727	15.4	49	8	9	14	17	23	29	46
50-64	2937	16.2	45	9	10	15	19	24	28	41
65+	4922	17.8	55	10	11	16	20	26	31	46
2. MULTIPLE DX										
0-19 YRS	38	17.8	120	6	9	14	21	35	42	53
20-34	258	17.9	146	8	9	15	20	30	50	94
35-49	692	18.3	113	8	10	16	21	30	40	63
50-64	2621	19.5	105	9	11	17	23	32	41	63
65+	6045	22.7	145	11	12	19	26	38	49	81
TOT. SINGLE DX	8889	17.0	54	9	10	16	19	25	30	45
" MULTIPLE DX	9654	21.4	135	10	11	18	25	36	46	77
TOTAL 0-19 YRS	64	16.6	82	8	9	14	19	27	38	52
20-34	535	16.8	124	7	9	15	18	26	37	84
35-49	1419	16.8	82	8	9	15	19	27	34	58
50-64	5558	17.8	76	9	10	16	20	28	35	53
65+	10967	20.5	111	10	12	18	23	33	41	70
GRAND TOTAL	**18543**	**19.3**	**101**	**9**	**11**	**17**	**22**	**31**	**39**	**64**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	10.9	61	3	3	8	16	23	26	39
20-34	112	14.3	101	3	5	13	17	21	25	66
35-49	176	14.2	69	6	8	13	17	20	24	44
50-64	984	15.9	51	8	9	15	18	25	28	43
65+	5440	18.4	72	9	11	17	21	28	33	52
2. MULTIPLE DX										
0-19 YRS	64	19.3	289	3	3	14	24	40	48	89
20-34	95	17.8	125	3	6	16	23	34	43	83
35-49	262	20.5	215	5	8	16	25	39	49	90
50-64	1409	22.2	214	8	10	18	26	41	59	95
65+	10469	23.0	154	10	12	20	27	39	49	81
TOT. SINGLE DX	6819	17.7	71	8	10	16	21	27	33	50
" MULTIPLE DX	12299	22.8	163	10	11	19	27	39	50	84
TOTAL 0-19 YRS	171	14.0	162	3	3	11	18	26	36	78
20-34	207	15.9	115	3	5	14	19	27	38	74
35-49	438	18.0	166	6	8	15	20	33	42	81
50-64	2393	19.6	156	8	10	16	23	33	45	82
65+	15909	21.4	131	10	11	19	25	35	45	74
GRAND TOTAL	**19118**	**21.0**	**136**	**9**	**11**	**18**	**25**	**35**	**45**	**75**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2743	5.3	7	2	3	5	6	8	9	15
20-34	3226	5.9	12	2	3	5	7	9	12	20
35-49	1037	9.4	62	3	3	7	12	18	23	38
50-64	2127	15.9	71	5	7	15	19	25	31	46
65+	3569	18.2	61	9	10	17	22	28	33	44
2. MULTIPLE DX										
0-19 YRS	1903	6.1	20	3	3	5	7	9	11	21
20-34	2994	7.1	34	3	4	6	8	11	15	32
35-49	1132	10.2	88	3	4	7	12	20	25	46
50-64	1987	17.7	111	5	7	16	22	31	38	64
65+	3818	22.1	130	9	11	19	26	36	45	68
TOT. SINGLE DX	12702	11.2	71	3	4	8	16	22	26	39
" MULTIPLE DX	11834	13.9	128	3	4	10	19	28	35	60
TOTAL 0-19 YRS	4646	5.6	12	3	3	5	6	8	10	17
20-34	6220	6.5	23	3	3	5	7	10	13	25
35-49	2169	9.8	76	3	4	7	12	19	24	44
50-64	4114	16.8	91	5	7	15	20	28	34	56
65+	7387	20.2	100	9	11	18	24	32	39	61
GRAND TOTAL	**24536**	**12.5**	**100**	**3**	**4**	**9**	**17**	**25**	**31**	**50**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3284	3.9	4	2	2	4	5	6	7	10
20-34	6226	4.0	7	1	2	4	5	6	8	12
35-49	2252	4.2	9	1	2	4	5	7	9	17
50-64	2270	5.3	19	2	2	4	6	10	13	23
65+	782	7.4	41	2	2	5	9	15	20	31
2. MULTIPLE DX										
0-19 YRS	803	4.6	16	1	2	4	5	7	10	27
20-34	2333	4.9	23	2	2	4	5	9	13	25
35-49	1562	5.3	27	2	2	4	6	9	12	29
50-64	2083	6.8	50	2	2	5	7	12	19	36
65+	1137	9.9	97	2	3	7	12	22	30	50
TOT. SINGLE DX	14814	4.4	11	1	2	4	5	7	9	18
" MULTIPLE DX	7918	6.2	44	2	2	4	7	11	18	37
TOTAL 0-19 YRS	4087	4.0	6	1	2	4	5	6	7	14
20-34	8559	4.2	11	1	2	4	5	7	8	17
35-49	3814	4.7	17	1	2	4	5	8	10	22
50-64	4353	6.0	35	2	2	4	7	11	16	29
65+	1919	8.9	76	2	2	6	10	19	26	47
GRAND TOTAL	**22732**	**5.0**	**23**	**2**	**2**	**4**	**5**	**8**	**12**	**26**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1808	4.0	19	<1	1	3	5	8	11	23
20-34	2097	3.8	19	<1	1	3	5	7	9	18
35-49	1813	3.4	12	<1	1	2	4	6	9	17
50-64	2160	2.9	12	<1	<1	2	3	5	8	18
65+	609	3.7	22	<1	1	2	4	8	12	27
2. MULTIPLE DX										
0-19 YRS	1025	6.6	61	1	2	4	7	15	22	47
20-34	1121	7.0	75	1	2	4	8	16	23	50
35-49	1014	7.1	84	1	2	4	8	16	24	57
50-64	1283	7.2	92	1	2	4	8	17	27	54
65+	610	12.3	191	1	2	8	17	29	43	95
TOT. SINGLE DX	8487	3.5	16	<1	1	2	4	7	9	20
" MULTIPLE DX	5053	7.6	95	1	2	4	8	18	26	58
TOTAL 0-19 YRS	2833	4.9	36	1	1	3	6	10	15	32
20-34	3218	4.9	41	1	1	3	5	9	14	32
35-49	2827	4.7	41	<1	1	3	5	9	15	34
50-64	3443	4.5	46	<1	1	2	4	9	15	39
65+	1219	8.0	124	<1	1	4	9	20	31	71
GRAND TOTAL	**13540**	**5.0**	**50**	**<1**	**1**	**3**	**5**	**10**	**17**	**40**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4792	2.3	6	<1	1	2	2	3	5	9
20-34	7998	2.4	7	<1	1	2	3	4	5	12
35-49	4590	2.8	11	<1	1	2	3	5	7	18
50-64	3337	3.4	13	<1	1	2	4	6	10	20
65+	1207	4.6	36	1	1	3	5	9	14	28
2. MULTIPLE DX										
0-19 YRS	728	4.4	35	1	1	2	4	9	14	35
20-34	2025	5.1	51	1	1	3	5	11	17	37
35-49	2127	6.2	47	1	2	4	7	14	21	36
50-64	2464	7.6	78	1	2	4	9	17	23	47
65+	1486	11.1	143	2	2	7	14	25	35	71
TOT. SINGLE DX	21924	2.7	10	<1	1	2	3	4	6	16
" MULTIPLE DX	8830	7.0	76	1	2	4	9	16	23	48
TOTAL 0-19 YRS	5520	2.6	11	<1	1	2	3	4	6	15
20-34	10023	2.9	17	<1	1	2	3	5	8	21
35-49	6717	3.9	25	<1	1	2	4	8	13	27
50-64	5801	5.2	45	1	1	3	5	11	17	37
65+	2693	8.2	105	1	2	4	10	20	28	55
GRAND TOTAL	**30754**	**4.0**	**33**	**<1**	**1**	**2**	**4**	**8**	**13**	**30**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	198	2.6	8	<1	1	2	3	4	6	21
20-34	485	2.9	10	<1	1	2	3	5	7	20
35-49	712	3.0	14	1	1	2	3	5	6	13
50-64	2013	2.7	5	1	1	2	3	4	5	9
65+	1062	2.8	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
0-19 YRS	110	4.2	31	1	1	3	4	8	12	72
20-34	246	5.2	68	1	1	3	5	12	18	40
35-49	362	5.0	52	1	2	3	5	11	16	35
50-64	1008	4.5	25	1	2	3	5	9	12	23
65+	642	5.2	47	2	2	3	5	11	14	37
TOT. SINGLE DX	4470	2.8	7	1	1	2	3	4	5	11
" MULTIPLE DX	2368	4.8	40	1	2	3	5	10	14	32
TOTAL 0-19 YRS	308	3.2	17	<1	1	2	3	5	10	23
20-34	731	3.6	31	<1	1	2	4	6	10	23
35-49	1074	3.7	28	1	1	2	3	6	9	23
50-64	3021	3.3	12	1	1	2	3	5	8	15
65+	1704	3.7	21	1	2	3	4	6	10	22
GRAND TOTAL	**6838**	**3.5**	**19**	**1**	**1**	**2**	**4**	**6**	**9**	**21**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2435	2.3	5	<1	1	2	3	4	5	10
20-34	3806	2.5	7	<1	1	2	3	4	5	11
35-49	1499	2.6	6	<1	1	2	3	5	6	13
50-64	1048	2.6	5	<1	1	2	3	5	6	11
65+	282	2.9	6	<1	1	2	3	5	8	16
2. MULTIPLE DX										
0-19 YRS	1551	2.9	11	1	1	2	3	5	7	14
20-34	2395	3.3	15	1	1	2	4	6	8	19
35-49	1034	3.7	22	1	1	2	4	7	10	22
50-64	763	4.0	27	1	1	3	4	7	10	30
65+	314	5.8	64	1	1	3	7	11	18	35
TOT. SINGLE DX	9070	2.5	6	<1	1	2	3	4	6	11
" MULTIPLE DX	6057	3.4	19	1	1	2	4	6	9	22
TOTAL 0-19 YRS	3986	2.5	7	1	1	2	3	4	6	12
20-34	6201	2.8	10	1	1	2	3	5	6	14
35-49	2533	3.1	13	1	1	2	3	5	7	19
50-64	1811	3.2	15	1	1	2	3	6	8	19
65+	596	4.4	39	1	1	3	5	9	12	31
GRAND TOTAL	**15127**	**2.9**	**12**	**1**	**1**	**2**	**3**	**5**	**7**	**15**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1235	2.9	8	1	1	2	3	5	7	14
20-34	2186	3.4	9	1	1	3	4	6	7	14
35-49	2081	3.8	13	1	1	3	5	6	8	16
50-64	2184	4.3	13	1	2	3	5	8	10	20
65+	667	5.4	24	1	2	4	7	11	14	31
2. MULTIPLE DX										
0-19 YRS	668	4.6	37	1	1	3	5	9	13	31
20-34	1313	5.4	55	1	1	3	6	10	16	48
35-49	1203	6.0	51	1	2	4	6	12	16	36
50-64	1427	6.7	64	2	2	5	7	13	19	43
65+	718	9.3	101	2	2	6	11	20	29	60
TOT. SINGLE DX	8353	3.8	12	1	1	3	5	7	9	18
" MULTIPLE DX	5329	6.3	62	1	2	4	7	13	19	43
TOTAL 0-19 YRS	1903	3.5	19	1	1	2	4	6	9	22
20-34	3499	4.1	27	1	1	3	5	7	10	28
35-49	3284	4.6	28	1	2	3	5	8	12	27
50-64	3611	5.2	34	1	2	4	6	9	13	31
65+	1385	7.5	68	1	2	5	9	15	22	57
GRAND TOTAL	**13682**	**4.8**	**33**	**1**	**1**	**3**	**5**	**9**	**13**	**31**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2811	4.0	14	1	1	3	5	7	8	14
20-34	2542	4.3	17	1	1	4	5	7	9	17
35-49	1420	4.3	18	1	2	4	5	7	9	17
50-64	985	5.0	15	2	2	4	6	9	12	22
65+	304	7.3	46	2	2	6	9	13	18	38
2. MULTIPLE DX										
0-19 YRS	1701	5.0	31	1	2	4	6	8	12	38
20-34	1343	6.4	65	1	2	4	7	11	19	59
35-49	637	7.2	83	1	2	5	8	14	20	74
50-64	645	7.9	84	2	2	5	8	15	26	61
65+	330	12.1	179	2	3	7	14	30	40	71
TOT. SINGLE DX	8062	4.4	17	1	2	4	5	8	9	18
" MULTIPLE DX	4656	6.6	69	1	2	4	7	12	19	56
TOTAL 0-19 YRS	4512	4.4	21	1	2	3	5	7	9	21
20-34	3885	5.0	35	1	2	4	6	8	12	38
35-49	2057	5.2	40	1	2	4	6	9	13	34
50-64	1630	6.1	44	2	2	4	7	11	17	40
65+	634	9.8	121	2	2	7	11	19	32	64
GRAND TOTAL	**12718**	**5.2**	**37**	**1**	**2**	**4**	**6**	**9**	**13**	**37**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	561	2.7	10	<1	1	2	3	5	8	17
20-34	1036	2.7	8	1	1	2	3	5	7	15
35-49	638	3.6	31	1	1	2	3	7	10	29
50-64	545	3.8	37	1	1	2	4	7	12	33
65+	225	3.9	24	1	1	2	4	9	13	28
2. MULTIPLE DX										
0-19 YRS	318	4.8	43	1	1	3	5	10	17	43
20-34	722	6.1	97	1	1	3	6	13	24	55
35-49	474	6.5	94	1	1	3	7	15	26	61
50-64	522	6.9	115	1	1	3	6	17	28	57
65+	348	8.9	152	1	1	4	9	24	40	69
TOT. SINGLE DX	3005	3.2	20	1	1	2	3	6	9	25
" MULTIPLE DX	2384	6.6	102	1	1	3	6	15	27	59
TOTAL 0-19 YRS	879	3.4	23	1	1	2	4	6	11	30
20-34	1758	4.1	47	1	1	2	4	8	13	36
35-49	1112	4.8	60	1	1	3	5	10	17	50
50-64	1067	5.3	78	1	1	3	5	11	21	49
65+	573	6.9	107	1	1	3	7	19	31	57
GRAND TOTAL	**5389**	**4.7**	**59**	**1**	**1**	**2**	**4**	**10**	**17**	**45**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	5.6	47	1	1	3	6	13	22	35
20-34	76	7.8	120	1	2	5	9	16	25	71
35-49	46	4.6	12	1	1	4	6	[illegible]	12	99+
50-64	29	8.1	49	<1	1	7	11	15	26	31
65+	33	11.0	85	1	3	8	15	19	29	47
2. MULTIPLE DX										
0-19 YRS	25	12.0	188	1	1	6	18	29	45	53
20-34	69	13.2	331	2	2	7	15	33	50	91
35-49	55	19.7	580	1	2	9	27	57	74	93
50-64	60	21.3	525	2	4	11	29	64	86	99
65+	83	22.9	367	2	4	16	34	50	69	94
TOT. SINGLE DX	238	7.2	72	1	1	5	8	16	23	51
" MULTIPLE DX	292	18.7	428	2	2	10	26	49	73	94
TOTAL 0-19 YRS	79	7.6	98	1	1	4	8	21	29	50
20-34	145	10.4	226	1	2	6	10	22	36	85
35-49	101	12.8	376	1	2	5	10	41	66	96
50-64	89	17.0	406	1	2	10	19	40	75	98
65+	116	19.5	314	2	3	14	29	42	61	88
GRAND TOTAL	**530**	**13.5**	**301**	**1**	**2**	**7**	**16**	**36**	**56**	**93**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	211	4.9	39	1	1	3	5	11	19	35
20-34	248	5.8	39	1	2	4	6	12	21	33
35-49	194	6.7	49	2	2	4	8	14	24	28
50-64	282	9.3	130	1	2	5	10	24	36	50
65+	412	10.9	126	2	2	7	14	26	36	58
2. MULTIPLE DX										
0-19 YRS	165	9.1	179	1	2	5	9	19	39	82
20-34	313	13.0	166	2	2	8	17	30	39	68
35-49	539	17.2	230	2	3	13	25	39	49	90
50-64	1561	21.0	293	3	4	16	30	45	58	94
65+	2372	23.4	328	3	5	19	32	50	65	99+
TOT. SINGLE DX	1347	8.1	91	1	2	5	9	20	28	48
" MULTIPLE DX	4950	20.8	304	3	4	16	29	46	60	98
TOTAL 0-19 YRS	376	6.8	104	1	1	4	6	16	23	49
20-34	561	9.8	122	2	2	5	12	26	33	60
35-49	733	14.4	203	2	2	10	21	33	44	77
50-64	1843	19.2	286	2	3	14	27	43	55	91
65+	2784	21.5	318	3	4	17	30	47	63	99+
GRAND TOTAL	**6297**	**18.1**	**286**	**2**	**3**	**13**	**26**	**42**	**55**	**92**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	24.2	269	4	8	18	34	54	57	57
20-34	43	14.8	121	3	5	12	16	26	38	61
35-49	43	18.0	240	5	7	12	23	32	46	88
50-64	110	22.2	223	6	8	18	27	37	57	81
65+	232	25.7	247	8	10	23	33	47	60	93
2. MULTIPLE DX										
0-19 YRS	44	27.4	417	4	7	22	37	58	79	99+
20-34	145	28.7	429	6	8	25	42	68	91	99+
35-49	339	29.2	395	8	10	25	40	66	93	99+
50-64	1211	32.1	362	10	12	28	45	68	87	99+
65+	3275	32.0	355	10	13	28	43	64	80	99+
TOT. SINGLE DX	444	23.0	240	7	8	19	30	45	57	85
" MULTIPLE DX	5014	31.7	362	10	12	28	43	65	84	99+
TOTAL 0-19 YRS	60	26.6	374	4	7	22	36	57	67	99
20-34	188	25.5	392	5	7	19	36	62	76	99+
35-49	382	27.9	389	7	9	23	38	65	91	99+
50-64	1321	31.3	357	9	12	27	43	67	86	99+
65+	3507	31.6	350	10	12	27	43	63	80	99+
GRAND TOTAL	**5458**	**31.0**	**358**	**9**	**12**	**27**	**42**	**64**	**82**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	15.7	102	5	6	12	25	31	34	39
20-34	18	18.2	198	5	7	14	20	36	53	63
35-49	29	19.0	188	6	8	14	21	39	53	63
50-64	75	22.6	250	7	8	20	27	43	62	97
65+	321	20.2	186	6	8	17	26	38	49	89
2. MULTIPLE DX										
0-19 YRS	38	23.3	324	3	5	20	34	49	77	99+
20-34	75	29.4	562	4	7	25	50	93	99+	99+
35-49	140	28.6	440	7	9	23	44	95	99+	99+
50-64	767	29.9	364	9	11	26	43	71	99+	99+
65+	3615	27.6	329	8	10	23	37	58	78	99+
TOT. SINGLE DX	469	20.2	193	6	8	17	26	38	49	89
" MULTIPLE DX	4635	28.0	343	8	10	23	38	61	82	99+
TOTAL 0-19 YRS	64	20.2	245	4	6	17	28	40	55	97
20-34	93	27.2	508	4	7	21	44	84	99+	99+
35-49	169	27.0	408	7	9	21	41	81	99+	99+
50-64	842	29.2	358	8	11	25	41	70	99+	99+
65+	3936	27.0	322	8	10	22	36	56	77	99+
GRAND TOTAL	**5104**	**27.3**	**334**	**8**	**10**	**22**	**37**	**59**	**80**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	11.6	132	2	2	9	14	22	36	57
20-34	32	10.7	66	3	3	8	18	24	32	99+
35-49	28	17.6	360	1	2	11	30	51	82	99+
50-64	40	22.5	291	5	7	18	32	45	74	99+
65+	64	25.3	354	6	8	18	34	58	71	99
2. MULTIPLE DX										
0-19 YRS	31	20.5	324	3	4	16	28	54	78	99+
20-34	77	31.6	494	5	7	29	47	70	86	99+
35-49	127	28.5	473	6	8	24	44	72	99	99+
50-64	440	29.7	388	7	10	24	42	64	85	99+
65+	694	33.0	393	9	12	29	43	66	79	99+
TOT. SINGLE DX	192	19.1	292	3	3	14	27	43	67	99+
" MULTIPLE DX	1369	31.2	408	7	10	27	43	66	85	99+
TOTAL 0-19 YRS	59	16.2	249	2	3	11	22	40	56	98
20-34	109	25.4	458	3	5	20	41	63	80	99+
35-49	155	26.5	467	4	6	21	39	68	97	99+
50-64	480	29.1	383	7	9	24	41	64	85	99+
65+	758	32.4	394	8	11	28	42	66	79	99+
GRAND TOTAL	**1561**	**29.7**	**409**	**6**	**8**	**25**	**41**	**64**	**83**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	5.8	127	<1	1	3	6	11	17	75
20-34	95	7.2	82	1	1	5	9	13	20	60
35-49	70	8.3	204	1	1	4	8	15	44	76
50-64	45	6.2	29	1	1	5	9	13	15	29
65+	12	4.8	40	1	1	3	5	12	22	24
2. MULTIPLE DX										
0-19 YRS	58	9.2	140	1	1	6	10	16	39	60
20-34	58	9.2	105	1	2	7	10	20	26	55
35-49	40	7.5	55	1	1	5	11	17	23	33
50-64	35	12.4	261	<1	1	6	16	34	54	62
65+	14	13.2	277	<1	1	9	18	29	57	65
TOT. SINGLE DX	357	6.7	115	1	1	4	7	13	19	70
" MULTIPLE DX	205	9.7	143	1	1	6	11	21	34	61
TOTAL 0-19 YRS	193	6.8	132	1	1	3	7	14	19	67
20-34	153	8.0	91	1	1	6	10	15	22	57
35-49	110	8.0	148	1	1	4	9	17	28	75
50-64	80	8.9	138	1	1	5	9	21	34	60
65+	26	9.3	180	1	1	4	11	23	33	65
GRAND TOTAL	**562**	**7.8**	**127**	**1**	**1**	**5**	**9**	**16**	**25**	**62**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	233	3.1	27	<1	1	2	3	5	8	24
20-34	478	3.4	15	1	1	2	4	6	10	22
35-49	294	4.1	25	1	1	2	4	8	15	29
50-64	296	6.1	69	1	1	3	7	16	20	45
65+	174	11.0	104	1	2	8	14	26	31	46
2. MULTIPLE DX										
0-19 YRS	110	5.4	93	1	1	3	5	11	19	55
20-34	231	7.7	139	1	1	4	8	20	38	86
35-49	216	9.2	141	1	2	5	10	23	33	63
50-64	341	13.8	213	2	2	9	19	35	55	99+
65+	430	18.5	245	3	4	14	24	40	51	83
TOT. SINGLE DX	1475	4.9	46	1	1	3	5	11	17	33
" MULTIPLE DX	1328	12.8	210	1	2	8	17	32	46	84
TOTAL 0-19 YRS	343	3.9	49	<1	1	2	4	7	11	30
20-34	709	4.8	59	1	1	2	5	10	16	47
35-49	510	6.2	80	1	1	3	6	15	24	53
50-64	637	10.2	160	1	2	5	14	26	38	90
65+	604	16.3	216	2	3	12	22	36	46	79
GRAND TOTAL	**2803**	**8.7**	**139**	**1**	**1**	**4**	**10**	**23**	**33**	**67**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	6.1	93	1	1	3	4	16	32	41
20-34	35	7.7	192	2	2	3	6	15	34	76
35-49	21	11.9	190	1	2	8	11	39	48	48
50-64	42	7.2	32	2	2	5	9	17	18	25
65+	27	14.9	122	4	4	15	18	29	36	52
2. MULTIPLE DX										
0-19 YRS	3	9.0	49	4	4	6	14	17	17	17
20-34	20	17.3	277	1	1	14	35	43	46	48
35-49	16	9.9	108	2	2	7	16	38	80	99+
50-64	29	12.9	80	2	3	9	18	26	32	34
65+	36	21.7	307	5	6	16	34	62	86	99+
TOT. SINGLE DX	143	9.3	125	2	2	5	11	19	33	54
" MULTIPLE DX	104	16.2	215	2	3	11	24	44	56	99+
TOTAL 0-19 YRS	21	6.5	85	1	1	3	5	18	29	41
20-34	55	11.2	241	1	2	4	15	37	44	75
35-49	37	11.0	151	2	2	8	11	39	48	99+
50-64	71	9.5	58	2	2	7	14	21	25	34
65+	63	18.7	236	4	5	15	26	52	65	99+
GRAND TOTAL	**247**	**12.2**	**174**	**2**	**2**	**7**	**16**	**33**	**46**	**99+**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4095	2.2	4	<1	1	2	2	3	4	6
20-34	14543	2.3	4	<1	1	2	2	3	4	9
35-49	20416	2.5	4	1	1	2	3	4	5	11
50-64	10312	3.0	8	1	2	2	3	5	8	14
65+	4671	4.1	19	1	2	3	4	9	12	24
2. MULTIPLE DX										
0-19 YRS	762	3.2	19	1	1	2	3	5	8	19
20-34	5569	3.5	15	1	1	2	4	6	10	20
35-49	10770	4.0	19	1	2	3	4	8	11	22
50-64	7901	5.4	42	1	2	3	6	12	16	34
65+	5805	8.1	76	2	2	5	10	18	25	45
TOT. SINGLE DX	54037	2.7	6	1	1	2	3	4	6	12
" MULTIPLE DX	30807	5.0	38	1	2	3	5	11	16	32
TOTAL 0-19 YRS	4857	2.3	6	<1	1	2	2	3	4	10
20-34	20112	2.6	7	<1	1	2	3	4	6	13
35-49	31186	3.0	10	1	1	2	3	5	8	16
50-64	18213	4.0	24	1	2	2	4	8	12	25
65+	10476	6.3	55	2	2	3	8	14	20	39
GRAND TOTAL	**84844**	**3.5**	**19**	**1**	**1**	**2**	**3**	**7**	**10**	**22**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	486	2.7	3	1	1	2	3	4	5	9
20-34	521	3.0	5	1	1	2	3	5	6	11
35-49	614	4.3	11	1	2	3	5	8	10	15
50-64	608	5.5	25	2	2	4	7	10	14	25
65+	942	7.7	34	2	2	7	10	14	17	33
2. MULTIPLE DX										
0-19 YRS	65	3.6	11	1	2	3	4	5	9	23
20-34	175	6.2	35	1	2	4	7	13	18	26
35-49	516	6.9	46	2	2	5	8	12	18	31
50-64	708	8.8	53	2	3	7	11	17	23	40
65+	1574	11.7	86	3	4	9	14	22	28	56
TOT. SINGLE DX	3171	5.1	22	1	2	3	6	10	13	23
" MULTIPLE DX	3038	9.7	72	2	3	8	12	19	26	48
TOTAL 0-19 YRS	551	2.8	4	1	1	2	3	4	6	9
20-34	696	3.8	14	1	1	3	4	7	10	21
35-49	1130	5.5	28	2	2	4	7	10	13	25
50-64	1316	7.3	43	2	2	5	9	14	20	35
65+	2516	10.2	70	2	3	8	13	19	26	48
GRAND TOTAL	**6209**	**7.4**	**52**	**2**	**2**	**5**	**9**	**15**	**20**	**37**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	4.0	8	1	2	3	5	6	12	12
20-34	499	8.2	11	3	5	8	10	12	14	18
35-49	2553	8.3	11	4	5	8	10	12	14	20
50-64	4383	8.9	14	5	5	8	10	13	15	22
65+	3819	9.5	16	5	6	9	11	14	17	23
2. MULTIPLE DX										
0-19 YRS	23	8.1	27	2	3	8	10	14	19	24
20-34	403	9.3	20	4	5	8	11	15	18	28
35-49	2625	9.7	26	5	5	9	11	15	18	29
50-64	5163	10.6	36	5	6	9	12	17	21	36
65+	5818	12.4	57	5	6	10	14	20	27	44
TOT. SINGLE DX	11279	8.9	14	5	5	8	10	13	15	22
" MULTIPLE DX	14032	11.1	44	5	6	9	13	18	23	39
TOTAL 0-19 YRS	48	6.0	21	2	2	4	9	12	13	24
20-34	902	8.7	15	4	5	8	10	13	16	24
35-49	5178	9.0	19	4	5	8	10	13	16	26
50-64	9546	9.8	27	5	5	9	11	15	19	31
65+	9637	11.3	43	5	6	10	13	18	23	39
GRAND TOTAL	**25311**	**10.2**	**32**	**5**	**6**	**9**	**12**	**16**	**20**	**34**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1315	3.3	10	1	1	3	4	5	6	10
20-34	4351	3.1	5	<1	<1	3	4	6	7	11
35-49	3103	3.7	9	<1	1	3	5	7	8	12
50-64	1253	4.0	8	1	2	3	5	7	8	14
65+	310	4.7	12	2	2	4	6	9	12	16
2. MULTIPLE DX										
0-19 YRS	371	4.1	12	1	2	3	5	7	9	14
20-34	2130	4.3	17	1	1	4	5	7	10	21
35-49	2604	4.9	20	1	2	4	6	8	11	25
50-64	1442	5.4	25	2	2	4	6	9	13	24
65+	384	8.1	90	2	2	5	9	16	27	53
TOT. SINGLE DX	10332	3.5	8	<1	1	3	4	6	8	12
" MULTIPLE DX	6931	4.9	24	1	2	4	6	8	12	27
TOTAL 0-19 YRS	1686	3.5	10	1	2	3	4	6	7	12
20-34	6481	3.5	9	<1	1	3	4	6	8	14
35-49	5707	4.2	14	1	1	4	5	7	9	17
50-64	2695	4.7	17	1	2	4	6	8	11	19
65+	694	6.6	58	2	2	4	7	13	19	42
GRAND TOTAL	**17263**	**4.1**	**15**	**<1**	**1**	**3**	**5**	**7**	**9**	**17**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5091	4.2	5	2	2	4	5	7	8	12
20-34	8698	4.3	9	2	2	4	5	7	8	12
35-49	1226	4.2	5	2	2	4	5	7	8	13
50-64	319	4.7	13	2	2	4	6	8	9	14
65+	77	5.3	29	1	1	4	6	11	17	32
2. MULTIPLE DX										
0-19 YRS	579	5.3	19	2	2	4	6	9	12	25
20-34	1457	5.6	24	2	2	4	6	9	13	23
35-49	477	6.5	39	2	3	5	8	11	14	28
50-64	201	6.9	42	2	2	5	8	14	17	26
65+	94	11.1	136	2	3	8	14	20	28	96
TOT. SINGLE DX	15411	4.2	7	2	2	4	5	7	8	13
" MULTIPLE DX	2808	5.9	32	2	2	5	7	11	14	26
TOTAL 0-19 YRS	5670	4.3	7	2	2	4	5	7	8	14
20-34	10155	4.4	11	2	2	4	5	7	9	15
35-49	1703	4.9	16	2	2	4	6	8	10	17
50-64	520	5.6	26	2	2	5	6	10	13	22
65+	171	8.5	96	1	2	6	11	17	22	82
GRAND TOTAL	**18219**	**4.5**	**12**	**2**	**2**	**4**	**5**	**7**	**9**	**16**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7627	2.5	11	<1	<1	2	2	4	7	15
20-34	8173	3.4	21	<1	<1	2	3	6	9	23
35-49	6713	3.6	22	<1	1	2	4	7	11	23
50-64	6540	3.8	25	<1	1	2	4	8	11	28
65+	3967	5.1	40	<1	1	3	6	12	18	33
2. MULTIPLE DX										
0-19 YRS	2564	4.9	49	1	1	3	5	10	16	38
20-34	5256	7.0	81	1	1	4	8	16	25	52
35-49	6816	7.8	84	1	2	5	9	17	24	53
50-64	9356	8.7	91	1	2	6	11	19	27	54
65+	9957	11.1	118	2	2	8	14	24	33	61
TOT. SINGLE DX	33020	3.5	22	<1	<1	2	4	7	11	24
" MULTIPLE DX	33949	8.7	96	1	2	5	11	19	28	56
TOTAL 0-19 YRS	10191	3.1	21	<1	<1	2	3	6	9	24
20-34	13429	4.8	48	<1	1	3	5	10	16	39
35-49	13529	5.7	58	<1	1	3	7	13	19	40
50-64	15896	6.7	70	<1	1	4	8	15	22	46
65+	13924	9.4	103	1	2	6	12	21	29	56
GRAND TOTAL	**66969**	**6.1**	**67**	**<1**	**1**	**3**	**7**	**14**	**21**	**44**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8615	4.5	36	<1	1	3	5	10	14	32
20-34	8819	5.1	39	1	1	3	6	11	15	33
35-49	4920	6.0	52	1	1	4	7	13	19	39
50-64	4100	7.1	73	1	1	4	9	16	23	46
65+	3286	9.5	125	1	2	5	12	22	33	57
2. MULTIPLE DX										
0-19 YRS	12092	6.3	86	1	1	3	7	14	24	56
20-34	16157	7.3	109	1	1	4	8	17	28	65
35-49	8886	9.9	151	1	1	6	12	24	38	73
50-64	9701	12.5	192	1	2	8	16	30	43	93
65+	12358	16.0	256	2	2	11	22	39	56	99+
TOT. SINGLE DX	29740	5.8	57	1	1	3	7	13	20	41
" MULTIPLE DX	59194	10.2	168	1	1	5	12	26	39	81
TOTAL 0-19 YRS	20707	5.5	66	1	1	3	6	12	20	47
20-34	24976	6.6	85	1	1	4	7	14	23	57
35-49	13806	8.5	119	1	1	5	10	20	31	63
50-64	13801	10.9	162	1	2	7	14	26	38	81
65+	15644	14.7	236	1	2	10	20	36	51	99+
GRAND TOTAL	**88934**	**8.7**	**135**	**1**	**1**	**5**	**10**	**22**	**33**	**70**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1660	7.8	96	1	1	4	9	18	28	49
20-34	1705	7.8	81	1	1	5	10	19	25	42
35-49	1005	9.2	105	1	1	6	12	22	29	57
50-64	976	12.0	161	1	1	8	17	29	37	61
65+	929	18.0	223	2	3	15	25	37	48	91
2. MULTIPLE DX										
0-19 YRS	1241	16.4	222	1	2	12	24	37	48	77
20-34	1549	17.2	275	2	2	12	25	39	52	94
35-49	1131	19.3	273	2	3	15	28	43	56	92
50-64	1545	22.0	321	2	3	17	31	50	63	99+
65+	2222	26.8	328	4	7	24	36	54	65	99+
TOT. SINGLE DX	6275	10.2	135	1	1	6	14	25	34	61
" MULTIPLE DX	7688	21.1	307	2	3	17	30	46	60	99
TOTAL 0-19 YRS	2901	11.5	168	1	1	7	16	29	39	62
20-34	3254	12.3	195	1	2	7	17	31	41	81
35-49	2136	14.5	219	1	2	10	21	35	47	80
50-64	2521	18.2	283	1	2	14	26	42	56	93
65+	3151	24.2	313	3	5	21	33	50	62	99+
GRAND TOTAL	**13963**	**16.2**	**259**	**1**	**2**	**11**	**24**	**39**	**51**	**87**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	592	4.9	65	1	1	2	4	12	19	46
20-34	832	6.2	95	1	1	3	5	15	27	48
35-49	406	6.8	101	1	1	3	7	18	25	48
50-64	326	7.9	150	1	1	3	8	22	35	67
65+	154	12.7	209	1	2	6	17	37	45	58
2. MULTIPLE DX										
0-19 YRS	323	8.9	139	1	1	4	10	25	39	58
20-34	513	15.8	410	1	2	6	25	57	76	99+
35-49	329	16.2	358	1	2	8	27	55	73	99+
50-64	397	15.1	327	1	2	7	24	45	76	99+
65+	377	23.5	560	2	2	17	37	74	96	99+
TOT. SINGLE DX	2310	6.6	107	1	1	3	6	17	29	53
" MULTIPLE DX	1939	16.1	387	1	2	7	25	53	76	99+
TOTAL 0-19 YRS	915	6.3	95	1	1	2	6	16	28	55
20-34	1345	9.8	237	1	1	3	10	31	51	99
35-49	735	11.0	237	1	1	4	14	32	54	99+
50-64	723	11.9	260	1	1	5	16	36	55	99+
65+	531	20.4	482	1	2	13	33	63	84	99+
GRAND TOTAL	**4249**	**10.9**	**257**	**1**	**1**	**4**	**13**	**34**	**54**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3284	2.5	10	<1	1	2	3	4	6	12
20-34	2380	3.2	11	<1	1	2	4	6	8	15
35-49	1796	3.4	13	<1	1	3	4	6	8	17
50-64	2152	3.0	7	1	1	2	4	5	7	13
65+	822	3.9	30	1	1	3	4	7	10	28
2. MULTIPLE DX										
0-19 YRS	1406	4.3	40	1	1	2	4	8	14	38
20-34	1770	5.1	34	1	1	3	6	10	14	37
35-49	2142	5.9	52	1	2	4	7	11	17	40
50-64	3062	5.6	44	1	2	3	6	12	17	33
65+	1991	9.2	95	1	2	6	12	20	27	57
TOT. SINGLE DX	10434	3.0	12	<1	1	2	3	5	7	15
" MULTIPLE DX	10371	6.1	55	1	2	4	7	13	19	41
TOTAL 0-19 YRS	4690	3.1	20	<1	1	2	3	5	8	25
20-34	4150	4.0	22	<1	1	3	4	8	11	28
35-49	3938	4.8	36	1	1	3	5	9	13	32
50-64	5214	4.5	30	1	1	3	5	9	13	28
65+	2813	7.6	82	1	2	4	10	17	24	51
GRAND TOTAL	**20805**	**4.6**	**36**	**1**	**1**	**3**	**5**	**9**	**14**	**33**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	184	5.6	100	1	1	3	5	12	24	89
20-34	345	6.8	133	1	1	4	7	13	20	80
35-49	330	5.5	33	1	1	4	7	12	16	29
50-64	327	6.0	77	1	1	3	7	14	20	47
65+	201	8.4	81	1	1	6	10	17	24	51
2. MULTIPLE DX										
0-19 YRS	192	7.6	169	1	1	4	7	17	23	95
20-34	422	7.5	57	2	2	5	9	15	23	71
35-49	410	8.6	59	2	2	7	10	18	24	43
50-64	561	10.0	118	2	2	7	12	22	30	59
65+	778	12.5	127	3	3	9	16	25	34	64
TOT. SINGLE DX	1387	6.4	85	1	1	4	7	13	20	56
" MULTIPLE DX	2363	9.9	108	2	2	7	12	21	29	65
TOTAL 0-19 YRS	376	6.6	136	1	1	3	6	15	23	96
20-34	767	7.2	91	1	2	5	8	14	21	80
35-49	740	7.2	50	1	1	5	9	15	22	33
50-64	888	8.5	106	1	1	5	10	19	27	55
65+	979	11.6	120	2	3	8	15	24	32	57
GRAND TOTAL	**3750**	**8.6**	**102**	**1**	**2**	**5**	**11**	**19**	**26**	**62**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1187	5.8	35	1	1	4	8	13	16	24
20-34	14308	6.3	31	1	1	4	9	14	17	25
35-49	17700	6.4	32	1	2	4	9	14	17	26
50-64	9575	6.5	37	1	2	4	9	14	18	27
65+	2063	7.5	51	1	2	5	10	16	21	36
2. MULTIPLE DX										
0-19 YRS	587	7.4	47	1	2	5	10	16	22	37
20-34	7235	8.5	52	1	2	7	12	17	22	35
35-49	11271	8.8	56	2	2	7	12	18	22	36
50-64	9664	9.4	71	2	2	7	13	19	25	42
65+	4172	12.3	111	2	2	10	16	25	32	52
TOT. SINGLE DX	44833	6.4	34	1	2	4	9	14	17	26
" MULTIPLE DX	32929	9.3	68	2	2	7	12	19	24	40
TOTAL 0-19 YRS	1774	6.3	40	1	2	4	9	14	18	31
20-34	21543	7.0	39	1	2	5	10	15	19	29
35-49	28971	7.3	43	1	2	5	10	15	19	30
50-64	19239	8.0	57	1	2	6	11	17	22	36
65+	6235	10.7	96	1	2	8	15	22	29	48
GRAND TOTAL	**77762**	**7.7**	**51**	**1**	**2**	**6**	**10**	**16**	**21**	**34**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	436	5.4	50	1	2	4	7	10	14	26
20-34	1504	5.8	40	1	2	4	7	11	17	32
35-49	1933	5.7	32	1	2	4	7	12	17	30
50-64	3249	6.0	49	1	2	4	7	12	17	38
65+	2618	5.9	50	1	2	4	7	12	17	35
2. MULTIPLE DX										
0-19 YRS	370	11.2	150	1	2	7	14	26	40	70
20-34	1242	9.8	118	2	2	6	12	22	33	79
35-49	2383	9.5	96	2	2	7	11	20	29	56
50-64	6771	9.4	97	2	2	7	11	20	28	54
65+	7328	10.1	102	2	2	7	13	22	30	52
TOT. SINGLE DX	9740	5.8	45	1	2	4	7	12	17	34
" MULTIPLE DX	18094	9.8	101	2	2	7	12	21	29	55
TOTAL 0-19 YRS	806	8.1	104	1	2	5	9	16	26	61
20-34	2746	7.6	79	2	2	5	9	16	25	53
35-49	4316	7.8	71	2	2	5	9	17	23	46
50-64	10020	8.3	84	2	2	5	10	17	25	50
65+	9946	9.0	92	2	2	6	11	20	27	50
GRAND TOTAL	**27834**	**8.4**	**85**	**2**	**2**	**6**	**10**	**18**	**26**	**50**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	2.3		2	2	2	3	3	3	3
20-34	109	3.7	11	1	2	2	4	8	10	19
35-49	831	3.6	11	1	2	2	4	8	10	17
50-64	1309	3.7	17	1	2	2	4	8	11	17
65+	277	4.4	26	1	2	3	5	10	13	20
2. MULTIPLE DX										
0-19 YRS	19	3.5	9	1	2	2	4	7	11	14
20-34	208	5.2	26	1	2	3	7	11	13	35
35-49	1956	4.8	25	2	2	3	6	10	14	21
50-64	4124	5.3	32	2	2	3	7	12	15	26
65+	1297	6.7	44	2	2	4	9	14	20	33
TOT. SINGLE DX	2541	3.8	16	1	2	2	4	8	11	18
" MULTIPLE DX	7604	5.4	32	2	2	3	7	12	15	28
TOTAL 0-19 YRS	34	3.0	6	2	2	2	3	6	7	14
20-34	317	4.7	21	1	2	3	6	11	12	27
35-49	2787	4.4	21	1	2	3	5	9	13	20
50-64	5433	4.9	29	1	2	3	6	11	14	23
65+	1574	6.3	42	1	2	4	8	13	19	32
GRAND TOTAL	**10145**	**5.0**	**29**	**1**	**2**	**3**	**6**	**11**	**14**	**26**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	771	5.0	22	1	1	3	7	11	14	23
20-34	3305	6.1	28	1	1	4	9	13	16	24
35-49	4031	6.0	30	1	2	4	8	13	16	25
50-64	5788	5.5	29	1	2	3	7	12	16	26
65+	4264	6.1	37	1	2	4	8	14	17	28
2. MULTIPLE DX										
0-19 YRS	634	8.1	79	1	2	5	10	19	25	53
20-34	3191	8.4	65	1	2	6	11	16	21	41
35-49	6239	8.4	57	2	2	6	11	17	22	38
50-64	13914	8.4	67	2	2	6	11	18	23	41
65+	15684	10.1	86	2	2	8	13	21	27	48
TOT. SINGLE DX	18159	5.8	31	1	1	4	8	13	16	26
" MULTIPLE DX	39662	9.1	74	2	2	7	12	19	25	44
TOTAL 0-19 YRS	1405	6.4	50	1	1	4	8	14	20	36
20-34	6496	7.2	47	1	2	5	10	15	19	32
35-49	10270	7.4	48	1	2	5	10	15	20	34
50-64	19702	7.6	58	1	2	5	10	16	21	38
65+	19948	9.3	78	2	2	7	12	19	26	45
GRAND TOTAL	**57821**	**8.1**	**63**	**1**	**2**	**6**	**11**	**17**	**22**	**40**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2117	4.3	25	1	1	3	5	9	12	29
20-34	3545	5.3	30	1	1	4	7	11	14	28
35-49	3214	6.1	36	1	2	4	8	13	16	28
50-64	3207	6.6	38	1	2	5	9	14	18	31
65+	2332	7.7	64	1	2	6	10	16	21	40
2. MULTIPLE DX										
0-19 YRS	2434	6.2	61	1	1	4	7	13	19	46
20-34	4853	7.5	59	1	2	5	9	15	20	42
35-49	5795	8.9	67	2	2	7	11	18	24	43
50-64	9217	10.3	96	2	2	8	13	21	27	52
65+	11295	12.6	124	2	3	10	16	26	35	60
TOT. SINGLE DX	14415	6.0	39	1	1	4	8	13	17	32
" MULTIPLE DX	33594	10.1	97	2	2	7	13	21	29	54
TOTAL 0-19 YRS	4551	5.3	45	1	1	3	6	11	16	37
20-34	8398	6.6	48	1	2	5	8	13	18	36
35-49	9009	7.9	57	1	2	6	10	16	22	39
50-64	12424	9.3	84	2	2	7	12	19	26	48
65+	13627	11.8	117	2	2	9	15	24	33	58
GRAND TOTAL	**48009**	**8.9**	**83**	**1**	**2**	**6**	**11**	**19**	**26**	**49**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	542	10.8	165	1	1	5	16	29	37	57
20-34	1054	7.0	56	1	1	5	9	15	19	43
35-49	1273	6.8	45	1	2	4	9	15	20	33
50-64	1552	6.0	47	1	2	4	7	12	17	27
65+	442	8.0	84	1	2	5	10	17	23	45
2. MULTIPLE DX										
0-19 YRS	611	17.5	335	1	2	10	29	47	62	99+
20-34	1080	13.2	234	1	2	8	16	32	50	82
35-49	1148	11.5	140	2	3	8	14	24	34	72
50-64	1372	13.3	232	2	2	9	16	28	45	88
65+	1040	17.5	210	3	4	14	23	38	50	92
TOT. SINGLE DX	4863	7.1	67	1	2	4	9	16	22	42
" MULTIPLE DX	5251	14.2	225	2	2	9	18	34	48	89
TOTAL 0-19 YRS	1153	14.4	266	1	2	7	22	39	50	99+
20-34	2134	10.1	156	1	2	6	12	22	35	67
35-49	2421	9.0	96	1	2	6	11	19	26	58
50-64	2924	9.4	147	1	2	5	11	20	29	75
65+	1482	14.7	192	2	3	11	19	34	44	83
GRAND TOTAL	**10114**	**10.8**	**162**	**1**	**2**	**6**	**13**	**25**	**37**	**75**

Distribution Tables

Table 1 displays total U.S. patients and days of care (after exclusions*) in each of the operation groups except those consisting solely of UHDDS Class 2-4 procedures** (512, 516, 533, 540, 589, 629, 647, 657, 659, 741, 752, 759, 761, 762, and 763). Also shown is the corresponding rate per 10,000 operated discharges and the rate per 10,000 days of care.

Table 1

Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups 1979

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
501	Incision, excision of skull, brain, and cerebral meninges	7,614	14.0	161	42.1
502	Craniotomy and craniectomy	5,941	10.9	133	34.9
503	Cranioplasty	2,695	4.9	27	7.1
504	Ventricular shunt, extracranial	2,030	3.7	43	11.3
505	Miscellaneous operations on brain and cerebral meninges	3,081	5.7	48	12.5
506	Exploration and decompression of spinal canal structures	13,306	24.4	220	57.7
507	Operations on spinal cord structures, except exploration	4,386	8.0	64	16.9
508	Excision or destruction of lesion of cranial or peripheral nerve	12,071	22.1	54	14.3
509	Miscellaneous operations on cranial and other peripheral nerves	39,244	72.0	142	37.2
510	Sympathectomy	3,333	6.1	53	13.8
511	Miscellaneous operations on sympathetic nerves and ganglia	1,457	2.7	14	3.6
513	Thyroidectomy	22,470	41.2	133	34.9

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

**Additional information regarding UHDDS classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
514	Operations on parathyroid and thyroid, except thyroidectomy	5,306	9.7	35	9.3
515	Operations on endocrine glands, except parathyroid and thyroid	1,656	3.0	25	6.5
517	Excision or destruction of lesion or tissue of eyelid	5,564	10.2	19	5.1
518	Miscellaneous operations on eyelid	17,407	31.9	57	15.0
519	Operations on lacrimal system	2,547	4.7	8	2.1
520	Operations on conjunctiva	995	1.8	3	0.8
521	Corneal transplant	3,007	5.5	17	4.4
522	Miscellaneous operations on cornea	4,992	9.2	17	4.5
523	Operations for regulation of intraocular pressure	5,303	9.7	25	6.5
524	Other operations on iris, ciliary body, sclera and anterior chamber	6,374	11.7	28	7.5
525	Intracapsular extraction of lens	113,615	208.5	466	122.1
526	Other lens extraction	25,066	46.0	76	20.0
527	Miscellaneous operations on lens	5,911	10.8	19	5.0
528	Repair of retina	12,277	22.5	70	18.5
529	Miscellaneous operations on retina, choroid, and vitreous	3,279	6.0	17	4.5
530	Resection and recession of ocular muscle	18,068	33.2	36	9.3
531	Miscellaneous operations on ocular muscle	197	0.4	1	0.3
532	Operations on orbit and eyeball	5,635	10.3	28	7.4
534	Operations on external ear	8,412	15.4	34	8.8
535	Stapes mobilization and stapedectomy	8,458	15.5	24	6.2
536	Tympanoplasty	17,728	32.5	44	11.5
537	Myringotomy	35,008	64.2	59	15.3

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
538	Mastoidectomy	7,841	14.4	29	7.5
539	Miscellaneous operations on middle ear and inner ear	5,923	10.9	18	4.8
541	Submucous resection of nasal septum	17,319	31.8	55	14.3
542	Rhinoplasty	40,900	75.0	122	31.9
543	Other incision, excision of nose	12,486	22.9	47	12.4
544	Miscellaneous operations on nose	15,441	28.3	58	15.1
545	Radical maxillary antrotomy	5,722	10.5	25	6.5
546	Miscellaneous operations on accessory sinus	6,409	11.8	32	8.3
547	Tooth extraction	59,096	108.4	173	45.3
548	Tooth restoration and orthodontia	3,526	6.5	7	1.7
549	Operations on teeth and gums except extraction and restoration	6,264	11.5	21	5.4
550	Operations on salivary glands and ducts	10,198	18.7	49	12.9
551	Palatoplasty	1,831	3.4	9	2.2
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	16,326	30.0	88	23.2
553	Tonsillectomy without adenoidectomy	69,380	127.3	152	39.9
554	Tonsillectomy with adenoidectomy	108,131	198.4	202	53.0
555	Adenoidectomy without tonsillectomy	24,021	44.1	38	9.9
556	Operations on pharynx except tonsillectomy and adenoidectomy	8,165	15.0	37	9.7
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	539	1.0	3	0.8

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
558	Excision of lesion of larynx	14,765	27.1	47	12.3
559	Partial laryngectomy and local excision of lesion of trachea	1,265	2.3	15	3.9
560	Complete laryngectomy	1,416	2.6	33	8.5
561	Permanent tracheostomy	419	0.8	12	3.1
562	Operations on larynx and trachea except excision and permanent tracheostomy	3,956	7.3	98	25.8
563	Incision and local excision or destruction of lesion of bronchus	22,645	41.5	269	70.5
564	Bronchial resection and miscellaneous operations on bronchus	86	0.2	1	0.2
565	Local excision or destruction of lesion or tissue of lung	12,835	23.5	200	52.5
566	Lobectomy and complete pneumonectomy	6,207	11.4	118	31.0
567	Bronchoscopy (using natural orifice)	30,893	56.7	338	88.7
568	Miscellaneous operations on lung	2,194	4.0	26	6.7
569	Thoracotomy	17,013	31.2	213	55.7
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	12,012	22.0	148	38.7
571	Open heart operations	7,425	13.6	136	35.6
572	Direct heart revascularization	29,906	54.9	456	119.7
573	Cardiac catheterization	78,519	144.1	397	104.2
574	Pacemaker insertion, replacement, removal, and repair	39,291	72.1	473	124.2
575	Miscellaneous operations on heart	2,517	4.6	39	10.2
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart	9,081	16.7	79	20.6

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
577 Ligation and stripping of varicose veins	20,415	37.5	126	33.1
578 Systemic shunt or graft bypass	21,233	39.0	362	95.0
579 Extracorporeal circulation	227	0.4	4	1.0
580 Hemodialysis	9,382	17.2	70	18.3
581 Other operations on blood vessels	60,735	111.4	886	232.2
582 Incision, excision of lymphatic structures	22,787	41.8	191	50.0
583 Radical excision of lymph nodes	3,891	7.1	45	11.8
584 Miscellaneous operations on lymphatic system	39	0.1	1	0.1
585 Bone marrow transplant	50	0.1	<1	0.1
586 Miscellaneous operations on spleen and bone marrow	42,542	78.1	570	149.4
587 Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen	2,122	3.9	35	9.3
588 Operations on esophagus	13,465	24.7	138	36.1
590 Gastrotomy, pyloromyotomy	2,815	5.2	20	5.4
591 Gastrostomy	2,411	4.4	63	16.6
592 Local excision or destruction of lesion or tissue of stomach	21,760	39.9	228	59.9
593 Partial gastrectomy	9,563	17.5	182	47.7
594 Total gastrectomy	945	1.7	25	6.5
595 Vagotomy	4,696	8.6	74	19.5
596 Miscellaneous operations on stomach	14,098	25.9	201	52.8
597 Local excision or destruction of intestinal lesion or tissue	27,341	50.2	239	62.7
598 Resection of small intestine	6,179	11.3	124	32.4
599 Colectomy	37,973	69.7	730	191.4
600 Other incision, resection of intestine	3,067	5.6	62	16.3

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
601	Intestinal anastomosis or repair	14,012	25.7	198	52.0
602	Ileostomy, colostomy, and other enterostomy	5,388	9.9	128	33.5
603	Appendectomy	87,962	161.4	512	134.3
604	Incidental appendectomy	1,590	2.9	11	2.8
605	Operations on appendix except appendectomy	688	1.3	8	2.1
606	Local excision or destruction of lesion or tissue of rectum	14,487	26.6	118	31.0
607	Other incision of rectum and incision or excision of perirectal tissue	5,181	9.5	29	7.5
608	Proctectomy	8,363	15.3	175	45.8
609	Miscellaneous operations on intestine	13,831	25.4	142	37.2
610	Incision or excision of anal fistula	10,033	18.4	49	12.8
611	Local excision or destruction of lesion or tissue of anus	10,031	18.4	50	13.0
612	Hemorrhoidectomy	47,961	88.0	306	80.1
613	Miscellaneous operations on anus	9,626	17.7	55	14.4
614	Incision of liver	863	1.6	12	3.2
615	Miscellaneous operations on liver	22,326	41.0	262	68.8
616	Cholecystectomy	140,005	256.9	1,561	409.4
617	Operations on biliary tract and gallbladder except cholecystectomy	7,257	13.3	135	35.5
618	Operations on pancreas	4,608	8.5	81	21.3
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	15,384	28.2	158	41.5
620	Unilateral repair of inguinal hernia	137,871	253.0	684	179.4
621	Bilateral repair of inguinal hernia	22,664	41.6	120	31.5

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
622	Unilateral or bilateral repair of femoral hernia	5,585	10.2	40	10.5
623	Repair of umbilical hernia	14,806	27.2	74	19.4
624	Repair of other hernia of anterior abdominal wall	24,376	44.7	198	51.8
625	Repair of diaphragmatic and other hernia	5,044	9.3	62	16.3
626	Incision, excision of abdominal wall and peritoneum except laparotomy	15,601	28.6	182	47.7
627	Laparotomy	25,030	45.9	337	88.3
628	Laparoscopy (excluding that for destruction of fallopian tubes)	26,869	49.3	97	25.5
630	Miscellaneous operations on abdominal wall and peritoneum	20,241	37.1	255	66.9
631	Complete nephrectomy	8,006	14.7	132	34.7
632	Miscellaneous operations on kidney	16,221	29.8	210	55.1
633	Ureterotomy	10,683	19.6	122	32.0
634	Ureteral diversion	3,166	5.8	47	12.3
635	Miscellaneous operations on ureter	12,769	23.4	81	21.3
636	Cystoscopy and urethroscopy	141,843	260.3	934	244.8
637	Transurethral excision or destruction of bladder lesion	32,751	60.1	217	57.0
638	Miscellaneous operations on bladder	18,098	33.2	204	53.6
639	Urethral meatotomy	5,110	9.4	15	3.8
640	Excision of urethral lesion, repair of urethra	10,151	18.6	62	16.2
641	Urethral dilation	30,079	55.2	170	44.7
642	Miscellaneous operations on urethra	9,781	17.9	51	13.4
643	Urethral suspension	8,306	15.2	86	22.4
644	Other repair of stress incontinence	1,614	3.0	16	4.3
645	Ureteral catheterization	1,396	2.6	10	2.7

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
646	Miscellaneous operations on urinary tract	705	1.3	9	2.4
648	Transurethral prostatectomy	82,823	152.0	876	229.8
649	Other prostatectomy	10,238	18.8	155	40.5
650	Miscellaneous operations on prostate and seminal vesicles	12,943	23.7	82	21.5
651	Operations on scrotum and tunica vaginalis	5,065	9.3	27	7.1
652	Orchiectomy	9,069	16.6	69	18.1
653	Orchiopexy	7,181	13.2	24	6.2
654	Miscellaneous operations on testis	2,776	5.1	10	2.6
655	Interruption of vas deferens	3,735	6.9	11	2.8
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	18,082	33.2	68	17.7
658	Miscellaneous operations on penis	4,208	7.7	24	6.3
660	Local excision or destruction of ovarian lesion or tissue	17,425	32.0	121	31.8
661	Unilateral oophorectomy or salpingo-oophorectomy	20,844	38.2	159	41.6
662	Bilateral oophorectomy or salpingo-oophorectomy	8,553	15.7	81	21.3
663	Miscellaneous operations on ovary	3,642	6.7	19	5.1
664	Bilateral endoscopic destruction or occlusion of fallopian tubes	51,867	95.2	93	24.3
665	Other bilateral tubal interruption or salpingectomy	51,366	94.2	173	45.3
666	Miscellaneous operations on fallopian tube	18,027	33.1	96	25.2
667	Conization of cervix	13,499	24.8	40	10.5
668	Other excision or destruction of lesion or tissue of cervix	19,493	35.8	71	18.6
669	Repair and plastic operations on cervix	4,705	8.6	16	4.3

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
670	Hysterotomy and excision of lesion of uterus	5,403	9.9	31	8.0
671	Abdominal hysterectomy	144,448	265.0	1,231	322.7
672	Vaginal hysterectomy	57,045	104.7	438	114.9
673	Radical hysterectomy and pelvic evisceration	912	1.7	15	3.8
674	Dilation and curettage of uterus for termination of pregnancy	11,850	21.7	23	6.0
675	Other dilation and curettage	286,436	525.5	733	192.3
676	Aspiration curettage for termination of pregnancy	28,280	51.9	43	11.3
677	Other aspiration curettage	9,517	17.5	18	4.7
678	Repair and plastic operations on supporting structures of uterus	1,215	2.2	8	2.1
679	Miscellaneous operations on uterus, cervix, and supporting structures	3,774	6.9	15	3.9
680	Plastic repair of cystocele and rectocele	17,230	31.6	149	39.0
681	Other colporrhaphy	3,619	6.6	22	5.7
682	Miscellaneous operations on vagina	10,230	18.8	59	15.5
683	Incision and excision of lesion of vulva and perineum	15,252	28.0	52	13.7
684	Vulvectomy	1,015	1.9	13	3.4
685	Miscellaneous operations on vulva and perineum	1,644	3.0	7	1.8
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	358	0.7	2	0.4
687	Low forceps with and without episiotomy	190,746	350.0	682	178.9
688	Breech extraction	7,345	13.5	26	6.8
689	Other extraction procedures to assist delivery	28,341	52.0	106	27.7
690	Other procedures to assist delivery	154,551	283.6	547	143.4
691	Low cervical cesarean section	156,857	287.8	1,015	266.3

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	853	3.4	29	1	1	2	3	7	11	31
20-34	1087	3.6	21	<1	1	2	4	9	12	22
35-49	578	5.8	41	1	1	3	8	13	18	29
50-64	538	7.2	52	1	1	5	10	15	21	34
65+	413	10.0	109	1	2	7	13	22	29	60
2. MULTIPLE DX										
0-19 YRS	1341	7.0	141	1	1	3	7	17	33	98
20-34	1788	6.5	77	1	1	4	8	15	24	82
35-49	1546	9.4	129	1	2	6	12	20	27	75
50-64	2067	13.0	176	2	2	9	16	29	41	74
65+	2721	14.9	167	2	4	11	19	32	42	76
TOT. SINGLE DX	3469	5.2	47	<1	1	3	6	12	18	33
" MULTIPLE DX	9463	10.9	154	1	2	7	14	25	37	78
TOTAL 0-19 YRS	2194	5.6	101	1	1	2	5	12	25	75
20-34	2875	5.4	58	<1	1	3	6	12	19	55
35-49	2124	8.4	108	1	1	5	11	19	25	61
50-64	2605	11.8	156	1	2	8	15	26	37	69
65+	3134	14.2	162	2	3	11	18	31	41	70
GRAND TOTAL	**12932**	**9.4**	**131**	**1**	**1**	**6**	**12**	**22**	**32**	**69**

Table 1 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
692	Other cesarean section	14,796	27.1	96	25.2
693	Other abdominal operation to remove embryo or fetus	394	0.7	3	0.7
694	Intra-amniotic injection for abortion	7,926	14.5	15	4.0
695	Diagnostic amniocentesis	2,860	5.2	10	2.6
696	Intrauterine procedures on fetus and amnion	25,683	47.1	73	19.1
697	Miscellaneous obstetric procedures	80,867	148.4	260	68.2
698	Excision of facial bone	2,197	4.0	15	4.0
699	Repair and plastic operations on facial bones	5,344	9.8	25	6.6
700	Closed reduction of maxillofacial fractures	6,602	12.1	33	8.7
701	Open reduction of maxillofacial fractures	9,445	17.3	62	16.2
702	Miscellaneous maxillofacial surgery	701	1.3	4	1.1
703	Incision and division of bones except facial	15,752	28.9	110	29.0
704	Bunionectomy	28,865	53.0	152	39.9
705	Excision of bone except facial	49,716	91.2	381	99.9
706	Repair and plastic operation on bone except facial	11,962	21.9	137	36.0
707	Removal of internal fixation device	25,368	46.5	141	36.8
708	Closed reduction of fracture of femur with internal fixation	8,009	14.7	170	44.7
709	Open reduction of fracture of femur with internal fixation	35,967	66.0	762	199.7
710	Reduction of fracture of femur without internal fixation	4,118	7.6	84	22.2

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
711 Closed reduction of fracture with internal fixation, except maxillofacial and femur	11,164	20.5	89	23.4
712 Open reduction of fracture with internal fixation, except maxillofacial and femur	50,669	93.0	412	108.0
713 Other reduction of fracture without internal fixation, except maxillofacial and femur	57,596	105.7	329	86.2
714 Closed reduction of dislocation	10,233	18.8	68	17.8
715 Open reduction of dislocation	6,165	11.3	47	12.3
716 Arthrotomy and division of joint capsule	22,126	40.6	155	40.7
717 Excision of intervertebral disc	56,462	103.6	745	195.4
718 Excision of semilunar cartilage of knee joint	53,197	97.6	282	73.8
719 Miscellaneous excisions of joint structures	33,240	61.0	149	39.1
720 Spinal fusion	8,067	14.8	124	32.6
721 Arthrodesis and stabilization of joint	9,956	18.3	67	17.5
722 Total hip replacement	18,543	34.0	358	93.8
723 Other arthroplasty of hip	19,118	35.1	401	105.2
724 Arthroplasty of knee	24,536	45.0	306	80.3
725 Repair of other joint	22,732	41.7	114	29.9
726 Incision and division of muscle, tendon, fascia and bursa	13,540	24.8	68	17.9
727 Excision of lesion of muscle, tendon, fascia, and bursa	30,754	56.4	122	32.0
728 Division and resection of muscle, tendon, and fascia of hand	6,838	12.5	24	6.2

Table 1 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
729	Repair and plastic operations on hand	15,127	27.8	44	11.4
730	Resection and suture of muscle, tendon, and fascia, except hand	13,682	25.1	65	17.1
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	12,718	23.3	66	17.3
732	Amputation of fingers and thumb	5,389	9.9	25	6.6
733	Amputation of hand, forearm, and upper arm	530	1.0	7	1.9
734	Amputation of toes	6,297	11.6	114	29.9
735	Below-knee amputation	5,458	10.0	169	44.3
736	Above-knee amputation	5,104	9.4	139	36.5
737	Other amputation of lower extremity	1,561	2.9	46	12.1
738	Reattachment of extremity	562	1.0	4	1.1
739	Revision of amputation stump	2,803	5.1	24	6.4
740	Miscellaneous operations on musculoskeletal system	247	0.5	3	0.8
742	Local excision or destruction of lesion of breast	84,844	155.7	299	78.4
743	Simple mastectomy	6,209	11.4	46	12.0
744	Extended simple mastectomy and radical mastectomy	25,311	46.4	257	67.4
745	Miscellaneous operations on breast	17,263	31.7	70	18.4
746	Incision and excision of pilonidal cyst or sinus	18,219	33.4	82	21.5
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	66,969	122.9	410	107.5
748	Other incision, excision, and suture of skin	88,934	163.2	776	203.4
749	Free skin grafts	13,963	25.6	226	59.4
750	Pedicle graft of skin	4,249	7.8	46	12.2
751	Miscellaneous operations on skin and subcutaneous tissue	20,805	38.2	95	24.8

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
753	Encephalography and ventriculography	3,750	6.9	32	8.5
754	Myelography	77,762	142.7	596	156.2
755	Cerebral arteriography	27,834	51.1	233	61.2
756	Coronary arteriography	10,145	18.6	51	13.3
757	Other arteriography and phlebography	57,821	106.1	466	122.2
758	Other radiography and special diagnostic procedures	48,009	88.1	427	111.9
760	Special therapies and rehabilitation	10,114	18.6	109	28.7
764	Miscellaneous diagnostic and therapeutic procedures	12,932	23.7	121	31.7
	All patients in operation groups	5,450,222	10,000.0	38,133	10,000.0

For each of the four regions and for the United States as a whole, Tables 2 and 3 display frequency rankings of patients and total stay according to operation group. The operation groups are listed in their rank order for the U.S. as a whole. Groups consisting solely of UHDDS Class 2-4 procedures are excluded (see explanation for Table 1), as are patients who died, patients admitted from other short-term hospitals, patients tranferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 2

Ranking of *ICD-9-CM* List B Operation Groups by Live Discharges U.S. PAS Hospitals, 1979

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	**Number of Patients (2)**	**Rank (3)**	**North-east (4)**	**North Central (5)**	**South (6)**	**West (7)**
675 Other dilation and curettage	286,436	1	1	1	1	1
687 Low forceps with and without episiotomy	190,746	2	4	2	2	4
691 Low cervical cesarean section	156,857	3	3	5	5	3
690 Other procedures to assist delivery	154,551	4	6	3	8	2
671 Abdominal hysterectomy	144,448	5	9	7	3	5
636 Cystoscopy and urethroscopy	141,843	6	8	4	4	20
616 Cholecystectomy	140,005	7	7	6	6	7
620 Unilateral repair of inguinal hernia	137,871	8	2	8	7	6
525 Intracapsular extraction of lens	113,615	9	5	10	10	8
554 Tonsillectomy with adenoidectomy	108,131	10	13	9	9	12
748 Other incision, excision, and suture of skin	88,934	11	11	13	12	14
603 Appendectomy	87,962	12	15	12	13	9
742 Local excision or destruction of lesion of breast	84,844	13	12	15	11	23

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
648 Transurethral prostatectomy	82,823	14	14	16	14	15
697 Miscellaneous obstetric procedures	80,867	15	18	11	23	11
573 Cardiac catheterization	78,519	16	21	14	17	13
754 Myelography	77,762	17	24	18	15	10
553 Tonsillectomy without adenoidectomy	69,380	18	19	17	19	18
747 Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	66,969	19	16	19	18	32
581 Other operations on blood vessels	60,735	20	22	24	24	16
547 Tooth extraction	59,096	21	10	22	26	82
757 Other arteriography	57,821	22	23	21	27	24
713 Other reduction of fracture without internal fixation, except maxillofacial	57,596	23	20	20	29	26
672 Vaginal hysterectomy	57,045	24	48	28	16	21
717 Excision of intervertebral disc	56,462	25	34	27	20	22
718 Excision of semilunar cartilage of knee joint	53,197	26	33	26	31	17
664 Bilateral endoscopic destruction or occlusion of fallopian tubes	51,867	27	28	25	21	41
665 Other bilateral tubal interruption or salpingectomy	51,366	28	29	29	22	37

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
712	Open reduction of fracture with internal fixation, except maxillofacial	50,669	29	38	30	30	19
705	Excision of bone except facial	49,716	30	32	31	32	25
758	Other radiography and special diagnostic procedures	48,009	31	35	23	28	39
612	Hemorrhoidectomy	47,961	32	30	32	25	36
586	Miscellaneous operations on spleen and bone marrow	42,542	33	26	34	34	38
542	Rhinoplasty	40,900	34	31	35	33	27
574	Pacemaker insertion, replacement, removal, and repair	39,291	35	25	41	37	31
509	Miscellaneous operations on cranial and other peripheral nerves	39,244	36	43	33	45	28
599	Colectomy	37,973	37	27	38	42	33
709	Open reduction of fracture of femur with internal fixation	35,967	38	39	40	39	34
573	Myringotomy	35,008	39	37	45	36	44
719	Miscellaneous excisions of joint structures	33,240	40	46	42	49	29
637	Transurethral excision or destruction of bladder lesion	32,751	41	36	43	50	43
567	Bronchoscopy (using natural orifice)	30,893	42	44	47	35	56
727	Excision of lesion of muscle, tendon, fascia, and bursa	30,754	43	47	44	40	53

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
641	Urethral dilation	30,079	44	65	36	38	99
572	Direct heart revascularization	29,906	45	97	48	41	30
704	Bunionectomy	28,865	46	60	37	67	47
689	Other extraction procedures to assist delivery	28,341	47	58	51	46	46
676	Aspiration curettage for termination of pregnancy	28,280	48	17	66	100	84
755	Cerebral arteriography	27,834	49	80	49	47	42
597	Local excision or destruction of intestinal lesion or tissue	27,341	50	42	50	52	68
628	Laparoscopy (excluding that for destruction of fallopian tubes)	26,869	51	59	46	53	55
696	Intrauterine procedures on fetus and amnion	25,683	52	70	39	96	50
707	Removal of internal fixation device	25,368	53	55	52	63	48
744	Extended simple mastectomy and radical mastectomy	25,311	54	45	58	56	52
526	Other lens extraction	25,066	55	74	72	44	40
627	Laparotomy	25,030	56	67	55	48	54
724	Arthroplasty of knee	24,536	57	91	53	65	35
624	Repair of other hernia of anterior abdominal wall	24,376	58	51	56	54	57
555	Adenoidectomy without tonsillectomy	24,021	59	64	60	43	93
582	Incision, excision of lymphatic structures	22,787	60	54	62	55	70
725	Repair of other joint	22,732	61	81	54	82	45

Table 2 (Continued)

Operation Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
621	Bilateral repair of inguinal hernia	22,664	62	62	59	59	61
563	Incision and local excision or destruction of lesion of bronchus	22,645	63	52	63	60	65
513	Thyroidectomy	22,470	64	68	68	51	63
615	Miscellaneous operations on liver	22,326	65	49	65	64	60
716	Arthrotomy and division of joint capsule	22,126	66	85	61	66	49
592	Local excision or destruction of lesion or tissue of stomach	21,760	67	61	57	68	72
578	Systemic shunt or graft bypass	21,233	68	50	79	62	58
661	Unilateral oophorectomy or salpingo-oophorectomy	20,844	69	82	69	57	62
751	Miscellaneous operations on skin and subcutaneous tissue	20,805	70	69	67	58	73
577	Ligation and stripping of varicose veins	20,415	71	56	64	78	76
630	Miscellaneous operations on abdominal wall and peritoneum	20,241	72	86	71	61	66
668	Other excision or destruction of lesion or tissue of cervix	19,493	73	40	74	85	151

Table 2 (Continued)

Operation Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
723	Other arthroplasty of hip	19,118	74	75	76	69	69
722	Total hip replacement	18,543	75	96	73	97	51
746	Incision and excision of pilonidal cyst or sinus	18,219	76	57	81	80	108
638	Miscellaneous operations on bladder	18,098	77	73	77	79	79
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	18,082	78	72	75	86	78
530	Resection and recession of ocular muscle	18,068	79	78	80	75	77
666	Miscellaneous operations on fallopian tube	18,027	80	83	84	77	64
536	Tympanoplasty	17,728	81	106	78	74	67
660	Local excision or destruction of ovarian lesion or tissue	17,425	82	71	83	87	83
518	Miscellaneous operations on eyelid	17,407	83	53	100	89	85
541	Submucous resection of nasal septum	17,319	84	41	85	132	111
745	Miscellaneous operations on breast	17,263	85	94	96	70	59
680	Plastic repair of cystocele and rectocele	17,230	86	89	82	76	91
569	Thoracotomy	17,013	87	92	89	71	71

Table 2 (Continued)

Operation Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	16,326	88	84	91	83	95
632	Miscellaneous operations on kidney	16,221	89	90	97	73	90
703	Incision and division of bones except facial	15,752	90	111	70	117	94
626	Incision, excision of abdominal wall and peritoneum except laparotomy	15,601	91	88	94	92	96
544	Miscellaneous operations on nose	15,441	92	76	99	106	89
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	15,384	93	77	92	81	145
683	Incision and excision of lesion of vulva and perineum	15,252	94	79	93	88	131
729	Repair and plastic operations on hand	15,127	95	109	87	109	74
623	Repair of umbilical hernia	14,806	96	101	95	84	114
692	Other cesarean section	14,796	97	120	88	93	98
558	Excision of lesion of larynx	14,765	98	66	104	101	106

Table 2 (Continued)

Operation Group Number and Title (1)		All Hospitals Number of Patients (2)	All Hospitals Rank (3)	Rank by Region North-east (4)	Rank by Region North Central (5)	Rank by Region South (6)	Rank by Region West (7)
606	Local excision or destruction of lesion or tissue of rectum	14,487	99	87	90	108	127
596	Miscellaneous operations on stomach	14,098	100	135	86	110	87
601	Intestinal anastomosis or repair	14,012	101	95	106	113	86
749	Free skin grafts	13,963	102	116	103	91	100
609	Miscellaneous operations on intestine	13,831	103	117	98	90	128
730	Resection and suture of muscle, tendon, and fascia, except hand	13,682	104	110	102	115	81
726	Incision and division of muscle, tendon, fascia and bursa	13,540	105	103	111	107	88
667	Conization of cervix	13,499	106	108	101	94	123
588	Operations on esophagus	13,465	107	102	105	99	113
506	Exploration and decompression of spinal canal structures	13,306	108	123	113	103	80
650	Miscellaneous operations on prostate and seminal vesicles	12,943	109	105	118	102	102
764	Miscellaneous diagnostic and therapeutic procedures	12,932	110	104	108	98	129

Table 2 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
565	Local excision or destruction of lesion or tissue of lung	12,835	111	107	115	114	101
635	Miscellaneous operations on ureter	12,769	112	130	116	72	135
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	12,718	113	113	107	119	92
543	Other incision, excision of nose	12,486	114	98	112	118	118
528	Repair of retina	12,277	115	93	135	116	75
508	Excision or destruction of lesion of cranial or peripheral nerve	12,071	116	150	114	112	97
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	12,012	117	100	123	111	115
706	Repair and plastic operation on bone except facial	11,962	118	128	109	121	103
674	Dilation and curettage of uterus for termination of pregnancy	11,850	119	63	150	122	109
711	Closed reduction of fracture with internal fixation, except maxillofacial and femur	11,164	120	112	121	128	107
633	Ureterotomy	10,683	121	134	128	95	133
649	Other prostatectomy	10,238	122	99	138	133	125

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
714 Closed reduction of dislocation	10,233	123	126	119	142	119
682 Miscellaneous operations on vagina	10,230	124	127	120	130	142
550 Operations on salivary glands and ducts	10,198	125	121	126	131	120
640 Excision of urethral lesion; repair of urethra	10,151	126	132	122	120	143
756 Coronary arteriography	10,145	127	215	110	105	156
760 Special therapies and rehabilitation	10,114	128	144	117	136	134
610 Incision or excision of anal fistula	10,033	129	122	132	127	116
611 Local excision or destruction of lesion or tissue of anus	10,031	130	125	125	123	140
721 Arthrodesis and stabilization of joint	9,956	131	138	124	139	110
642 Miscellaneous operations on urethra	9,781	132	166	130	104	136
613 Miscellaneous operations on anus	9,626	133	118	133	137	132
593 Partial gastrectomy	9,563	134	124	136	125	126
677 Other aspiration curettage	9,517	135	115	143	135	121
701 Open reduction of maxillofacial fractures	9,445	136	152	127	134	112
580 Hemodialysis	9,382	137	129	141	144	105
576 Other diagnostic and therapeutic procedures on larynx, trachea	9,081	138	119	145	124	160

Table 2 (Continued)

Operation Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
652	Orchiectomy	9,069	139	133	131	138	137
662	Bilateral oophorectomy or salpingo-oophorectomy	8,553	140	176	140	129	124
535	Stapes mobilization and stapedectomy	8,458	141	139	137	145	138
534	Operations on external ear	8,412	142	131	142	140	153
608	Proctectomy	8,363	143	114	144	155	150
643	Urethral suspension	8,306	144	169	129	147	130
556	Operations on pharynx except tonsillectomy and adenoidectomy	8,165	145	147	139	146	141
720	Spinal fusion	8,067	146	178	148	150	104
708	Closed reduction of fracture of femur with internal fixation	8,009	147	148	134	148	147
631	Complete nephrectomy	8,006	148	143	146	143	148
694	Intra-amniotic injection for abortion	7,926	149	145	162	126	144
538	Mastoidectomy	7,841	150	140	151	141	154
501	Incision, excision of skull, brain, and cerebral meninges	7,614	151	161	153	151	117
571	Open heart operations	7,425	152	160	155	154	122
688	Breech extraction	7,345	153	136	147	149	174
617	Operations on biliary tract and gallbladder except cholecystectomy	7,257	154	141	149	162	162
653	Orchiopexy	7,181	155	142	152	167	155
728	Division and resection of muscle, tendon, and fascia of hand	6,838	156	154	154	177	149

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
700 Closed reduction of maxillofacial fractures	6,602	157	151	156	170	164
546 Miscellaneous operations on accessory sinus	6,409	158	162	159	159	163
524 Other operations on iris, ciliary body, sclera and anterior chamber	6,374	159	146	176	164	158
734 Amputation of toes	6,297	160	153	161	157	177
549 Operations on teeth and gums except extraction and restoration	6,264	161	156	164	158	167
743 Simple mastectomy	6,209	162	159	158	160	178
566 Lobectomy and complete pneumonectomy	6,207	163	173	165	156	161
598 Resection of small intestine	6,179	164	163	160	178	159
715 Open reduction of dislocation	6,165	165	175	157	176	157
502 Craniotomy and craniectomy	5,941	166	180	173	166	152
539 Miscellaneous operations on middle ear and inner ear	5,923	167	172	175	175	146
527 Miscellaneous operations on lens	5,911	168	191	185	152	139
545 Radical maxillary antrotomy	5,722	169	170	180	163	166
532 Operations on orbit and eyeball	5,635	170	174	177	165	170
622 Unilateral or bilateral repair of femoral hernia	5,585	171	157	168	184	171

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
517	Excision or destruction of lesion or tissue of eyelid	5,564	172	137	183	174	201
735	Below-knee amputation	5,458	173	164	174	173	186
670	Hysterotomy and excision of lesion of uterus	5,403	174	155	167	182	190
732	Amputation of fingers and thumb	5,389	175	184	163	183	175
602	Ileostomy, colostomy, and other enterostomy	5,388	176	149	171	190	180
699	Repair and plastic operations on facial bones	5,344	177	198	172	169	165
514	Operations on parathyroid and thyroid, except thyroidectomy	5,306	178	171	182	180	176
523	Operations for regulation of intraocular pressure	5,303	179	158	189	179	173
607	Other incision of rectum and incision or excision of perirectal tissue	5,181	180	186	178	153	192
639	Urethral meatotomy	5,110	181	183	170	168	206
736	Above-knee amputation	5,104	182	179	179	161	203
651	Operations on scrotum and tunica vaginalis	5,065	183	177	166	187	182
625	Repair of diaphragmatic and other hernia	5,044	184	195	187	171	168

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
522 Miscellaneous operations on cornea	4,992	185	168	195	172	183
669 Repair and plastic operations on cervix	4,705	186	181	169	192	198
595 Vagotomy	4,696	187	208	184	181	169
618 Operations on pancreas	4,608	188	167	186	189	191
507 Operations on spinal cord structures, except exploration	4,386	189	202	181	196	172
750 Pedicle graft of skin	4,249	190	194	193	188	179
658 Miscellaneous operations on penis	4,208	191	189	192	186	195
710 Reduction of fracture of femur without internal fixation	4,118	192	188	191	191	194
562 Operations on larynx and trachea except excision and permanent tracheostomy	3,956	193	187	197	193	187
583 Radical excision of lymph nodes	3,891	194	182	198	198	184
679 Miscellaneous operations on uterus, cervix, and supporting structures	3,774	195	193	190	201	202
753 Encephalography and ventriculography	3,750	196	203	188	206	185
655 Interruption of vas deferens	3,735	197	192	194	185	223
663 Miscellaneous operations on ovary	3,642	198	200	196	199	200

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
681 Other colporrhaphy	3,619	199	199	299	194	189
548 Tooth restoration and orthodontia	3,526	200	201	199	195	196
510 Sympathectomy	3,333	201	185	207	197	208
529 Miscellaneous operations on retina, choroid, and vitreous	3,279	202	197	209	203	181
634 Ureteral diversion	3,166	203	207	203	202	193
505 Miscellaneous operations on brain and cerebral meninges	3,081	204	209	206	200	197
600 Other incision, resection of intestine	3,067	205	196	201	208	205
521 Corneal transplant	3,007	206	190	214	205	199
695 Diagnostic amniocentesis	2,860	207	165	213	218	217
590 Gastrotomy, pyloromyotomy	2,815	208	211	202	210	210
739 Revision of amputation stump	2,803	209	210	204	204	212
654 Miscellaneous operations on testis	2,776	210	205	205	209	214
503 Cranioplasty	2,695	211	216	212	211	188
519 Operations on lacrimal system	2,547	212	204	215	213	204
575 Miscellaneous operations on heart	2,517	213	219	211	212	209
591 Gastrostomy	2,411	214	206	210	215	220
698 Excision of facial bone	2,197	215	212	218	207	222
568 Miscellaneous operations on lung	2,194	216	214	219	214	213

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
587 Other diagnostic and therapeutic procedures on vessels, lymphatic	2,122	217	222	208	229	207
504 Ventricular shunt, extracranial	2,030	218	217	217	220	211
551 Palatoplasty	1,831	219	223	221	216	216
515 Operations on endocrine glands, except parathyroid and thyroid	1,656	220	224	224	221	218
685 Miscellaneous operations on vulva and perineum	1,644	221	225	222	217	221
644 Other repair of stress incontinence	1,614	222	235	216	227	215
604 Incidental appendectomy	1,590	223	228	223	219	219
737 Other amputation of lower extremity	1,561	224	213	227	223	224
511 Miscellaneous operations on sympathetic nerves and ganglia	1,457	225	230	220	224	225
560 Complete laryngectomy	1,416	226	218	228	222	230
645 Ureteral catheterization	1,396	227	221	226	225	226
559 Partial laryngectomy and local excision of lesion of trachea	1,265	228	220	229	228	228
678 Repair and plastic operations on supporting structures of uterus	1,215	229	232	225	226	229
684 Vulvectomy	1,015	230	229	231	230	235
520 Operations on conjunctiva	995	231	226	233	231	231
594 Total gastrectomy	945	232	227	232	233	232

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
673 Radical hysterectomy and pelvic evisceration	912	233	231	230	232	237
614 Incision of liver	863	234	233	234	235	227
646 Miscellaneous operations on urinary tract	705	235	234	235	237	239
702 Miscellaneous maxillofacial surgery	701	236	241	236	234	236
605 Operations on appendix except appendectomy	688	237	237	237	236	233
738 Reattachment of extremity	562	238	240	240	241	234
557 Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	539	239	236	239	239	241
733 Amputation of hand, forearm, and upper arm	530	240	243	238	238	238
561 Permanent tracheostomy	419	241	242	241	240	242
693 Other abdominal operation to remove embryo or fetus	394	242	239	242	242	240
686 Miscellaneous diagnostic and therapeutic procedures on female genital system	358	243	238	243	243	243
740 Miscellaneous operations on musculoskeletal system	247	244	246	245	244	244
579 Extracorporeal circulation	227	245	244	244	246	246

Table 2 (Continued)

	Operation Group Number and Title (1)	All Hospitals Number of Patients (2)	Rank (3)	Rank by Region North-east (4)	North Central (5)	South (6)	West (7)
531	Miscellaneous operations on ocular muscle	197	246	245	246	245	245
564	Bronchial resection and miscellaneous operations on bronchus	86	247	247	247	247	247
585	Bone marrow transplant	50	248	249	248	248	248
584	Miscellaneous operations on lymphatic system	39	249	248	249	249	249
	All patients in operation groups	5,450,222					

Table 3

Ranking of *ICD-9-CM* Operation Groups by Days of Care U.S. PAS Hospitals, 1979

		All Hospitals		Rank by Region			
	Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
616	Cholecystectomy	1,561	1	1	1	1	1
671	Abdominal hysterectomy	1,231	2	3	2	2	2
691	Low cervical cesarean section	1,015	3	2	4	4	4
636	Cystoscopy and urethroscopy	934	4	5	3	3	20
581	Other operations on blood vessels	886	5	8	7	5	3
648	Transurethral prostatectomy	876	6	4	5	6	7
748	Other incision, excision, and suture of skin	776	7	9	8	9	8
709	Open reduction of fracture of femur with internal fixation	762	8	7	10	11	6
717	Excision of intervertebral disc	745	9	15	9	8	5
675	Other dilation and curettage	733	10	10	6	10	28
599	Colectomy	730	11	6	13	14	9
620	Unilateral repair of inguinal hernia	684	12	11	11	13	12
687	Low forceps with and without episiotomy	682	13	16	12	7	17
754	Myelography	596	14	21	15	12	11
586	Miscellaneous operations on spleen and bone marrow	570	15	12	16	17	19
690	Other procedures to assist delivery	547	16	17	14	19	14
603	Appendectomy	512	17	19	17	18	13

Table 3 (Continued)

Operation Group Number and Title (1)		All Hospitals Days of Care (in 1,000s) (2)	Rank (3)	Rank by Region Northeast (4)	North Central (5)	South (6)	West (7)
574	Pacemaker insertion, replacement, removal, and repair	473	18	13	24	21	21
757	Other arteriography and phlebography	466	19	18	18	22	27
525	Intracapsular extraction of lens	466	20	14	22	24	23
572	Direct heart revascularization	456	21	41	20	16	10
672	Vaginal hysterectomy	438	22	47	25	15	18
758	Other radiography and special diagnostic procedures	427	23	22	19	23	32
712	Open reduction of fracture with internal fixation, except maxillofacial	412	24	25	26	26	16
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	410	25	24	23	20	38
723	Other arthroplasty of hip	401	26	23	27	27	26
573	Cardiac catheterization	397	27	37	21	28	25
705	Excision of bone except facial	381	28	26	28	31	22
578	Systemic shunt or graft bypass	362	29	20	36	33	30
722	Total hip replacement	358	30	31	29	35	15
567	Bronchoscopy (using natural orifice)	338	31	28	34	25	37
627	Laparotomy	337	32	33	31	30	31
713	Other reduction of fracture without internal fixation, except maxillofacial	329	33	27	30	34	33

Table 3 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
724	Arthroplasty of knee	306	34	55	32	37	24
612	Hemorrhoidectomy	306	35	42	35	29	41
742	Local excision or destruction of lesion of breast	299	36	32	37	32	56
718	Excision of semilunar cartilage of knee joint	282	37	43	38	40	29
563	Incision and local excision or destruction of lesion of bronchus	269	38	29	39	38	46
615	Miscellaneous operations on liver	262	39	30	41	41	45
697	Miscellaneous obstetric procedures	260	40	53	33	51	36
744	Extended simple mastectomy and radical mastectomy	257	41	34	42	43	40
630	Miscellaneous operations on abdominal wall and peritoneum	255	42	45	44	36	34
597	Local excision or destruction of intestinal lesion or tissue	239	43	35	43	49	59
755	Cerebral arteriography	233	44	65	40	42	48
592	Local excision or destruction of lesion or tissue of stomach	228	45	38	45	55	55
749	Free skin grafts	226	46	58	47	39	44
506	Exploration and decompression of spinal canal structures	220	47	61	50	47	35

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
637 Transurethral excision or destruction of bladder lesion	217	48	36	49	59	57
569 Thoracotomy	213	49	57	52	46	42
632 Miscellaneous operations on kidney	210	50	51	55	45	50
638 Miscellaneous operations on bladder	204	51	44	51	57	60
554 Tonsillectomy with adenoidectomy	202	52	83	46	44	58
596 Miscellaneous operations on stomach	201	53	71	48	56	39
565 Local excision or destruction of lesion or tissue of lung	200	54	50	57	52	53
601 Intestinal anastomosis or repair	198	55	49	59	60	43
624 Repair of other hernia of anterior abdominal wall	198	56	56	54	53	65
582 Incision, excision of lymphatic structures	191	57	48	56	58	76
593 Partial gastrectomy	182	58	59	72	54	54
626 Incision, excision of abdominal wall and peritoneum except laparotomy	182	59	54	63	62	62
608 Proctectomy	175	60	39	66	79	67
665 Other bilateral tubal interruption or salpingectomy	173	61	74	61	48	87
547 Tooth extraction	173	62	40	60	64	139
641 Urethral dilation	170	63	82	53	50	113

Table 3 (Continued)

Operation Group Number and Title (1)		All Hospitals Days of Care (in 1,000s) (2)	Rank (3)	Rank by Region North-east (4)	North Central (5)	South (6)	West (7)
708	Closed reduction of fracture of femur with internal fixation	170	64	64	62	72	64
735	Below-knee amputation	169	65	52	69	63	77
501	Incision, excision of skull, brain, and cerebral meninges	161	66	75	75	73	47
661	Unilateral oophorectomy or salpingo-oophorectomy	159	67	78	70	61	66
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	158	68	60	67	68	115
716	Arthrotomy and division of joint capsule	155	69	79	73	76	51
649	Other prostatectomy	155	70	46	90	75	74
553	Tonsillectomy without adenoidectomy	152	71	91	65	74	69
704	Bunionectomy	152	72	87	58	95	70
719	Miscellaneous excisions of joint structures	149	73	81	71	80	61
680	Plastic repair of cystocele and rectocele	149	74	80	68	67	82
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	148	75	63	83	71	78

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
609 Miscellaneous operations on intestine	142	76	86	74	70	98
509 Miscellaneous operations on cranial and other peripheral nerves	142	77	103	64	89	71
707 Removal of internal fixation device	141	78	70	77	86	72
736 Above-knee amputation	139	79	67	79	65	109
588 Operations on esophagus	138	80	73	78	78	83
706 Repair and plastic operation on bone except facial	137	81	85	76	87	73
571 Open heart operations	136	82	89	88	88	52
617 Operations on biliary tract and gallbladder except cholecystectomy	135	83	66	81	90	79
513 Thyroidectomy	133	84	93	87	69	84
502 Craniotomy and craniectomy	133	85	88	99	77	63
631 Complete hephrectomy	132	86	76	86	81	81
602 Ileostomy, colostomy, and other enterostomy	128	87	62	96	106	88
577 Ligation and stripping of varicose veins	126	88	68	84	92	105
720 Spinal fusion	124	89	112	100	96	49
598 Resection of small intestine	124	90	84	93	98	75
727 Excision of lesion of muscle, tendon, fascia, and bursa	122	91	97	80	82	104
633 Ureterotomy	122	92	98	103	66	89
542 Rhinoplasty	122	93	90	98	85	80

Table 3 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
660	Local excision or destruction of ovarian lesion or tissue	121	94	77	94	94	93
764	Miscellaneous diagnostic and therapeutic procedures	121	95	92	95	84	95
621	Bilateral repair of inguinal hernia	120	96	95	82	97	86
566	Lobectomy and complete pneumonectomy	118	97	94	101	83	85
606	Local excision or destruction of lesion or tissue of rectum	118	98	72	89	104	120
734	Amputation of toes	114	99	69	107	93	110
725	Repair of other joint	114	100	114	91	111	68
703	Incision and division of bones except facial	110	101	107	85	108	91
760	Special therapies and rehabilitation	109	102	109	92	103	100
689	Other extraction procedures to assist delivery	106	103	110	102	99	94
562	Operations on larynx and trachea except excision and permanent tracheostomy	98	104	96	113	100	99
628	Laparoscopy (excluding that for destruction of fallopian tubes)	97	105	119	97	112	121
666	Miscellaneous operations on fallopian tube	96	106	113	109	109	92

Table 3 (Continued)

Operation Group Number and Title (1)		All Hospitals Days of Care (in 1,000s) (2)	All Hospitals Rank (3)	Rank by Region North-east (4)	Rank by Region North Central (5)	Rank by Region South (6)	Rank by Region West (7)
692	Other cesarean section	96	107	127	104	105	106
751	Miscellaneous operations on skin and subcutaneous tissue	95	108	118	106	102	126
664	Bilateral endoscopic destruction or occlusion of fallopian tubes	93	109	126	108	91	147
711	Closed reduction of fracture with internal fixation, except maxillofacial and femur	89	110	106	114	113	102
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	88	111	104	111	114	117
643	Urethral suspension	86	112	138	110	116	101
710	Reduction of fracture of femur without internal fixation	84	113	108	116	118	114
650	Miscellaneous operations on prostate and seminal vesicles	82	114	105	120	115	130
746	Incision and excision of pilonidal cyst or sinus	82	115	99	112	123	152
662	Bilateral oophorectomy or salpingo-oophorectomy	81	116	148	115	107	103
618	Operations on pancreas	81	117	111	118	120	122

Table 3 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
635	Miscellaneous operations on ureter	81	118	133	117	101	131
576	Other diagnostic and therapeutic procedures on larynx, trachea	79	119	102	124	122	129
526	Other lens extraction	76	120	137	135	110	96
595	Vagotomy	74	121	155	121	117	107
623	Repair of umbilical hernia	74	122	124	119	121	144
696	Intrauterine procedures on fetus and amnion	73	123	164	105	162	119
668	Other excision or destruction of lesion or tissue of cervix	71	124	100	122	131	173
528	Repair of retina	70	125	115	156	129	90
745	Miscellaneous operations on breast	70	126	144	134	124	108
580	Hemodialysis	70	127	117	140	138	97
652	Orchiectomy	69	128	125	127	126	137
726	Incision and division of muscle, tendon, fascia and bursa	68	129	136	132	130	112
714	Closed reduction of dislocation	68	130	128	125	140	127
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	68	131	129	123	132	140
721	Arthrodesis and stabilization of joint	67	132	139	129	133	116

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
731 Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	66	133	130	128	139	123
730 Resection and suture of muscle, tendon, and fascia, except hand	65	134	140	130	136	118
507 Operations on spinal cord structures, except exploration	64	135	141	131	146	111
591 Gastrostomy	63	136	121	133	145	153
625 Repair of diaphragmatic and other hernia	62	137	161	144	119	128
600 Other incision, resection of intestine	62	138	122	143	137	136
701 Open reduction of maxillofacial fractures	62	139	156	138	128	125
640 Excision of urethral lesion, repair of urethra	62	140	143	136	125	156
662 Miscellaneous operations on vagina	59	141	142	137	141	146
537 Myringotomy	59	142	149	141	134	134
544 Miscellaneous operations on nose	58	143	134	139	153	138
518 Miscellaneous operations on eyelid	57	144	123	149	148	142
613 Miscellaneous operations on anus	55	145	132	147	150	143

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
541 Submucous resection of nasal septum	55	146	101	146	178	172
508 Excision or destruction of lesion of cranial or peripheral nerve	54	147	172	145	142	124
510 Sympathectomy	53	148	120	165	147	160
683 Incision and excision of lesion of vulva and perineum	52	149	147	142	143	178
642 Miscellaneous operations on urethra	51	150	176	150	127	157
756 Coronary arteriography	51	151	220	126	135	171
611 Local excision or destruction of lesion or tissue of anus	50	152	159	148	144	162
550 Operations on salivary glands and ducts	49	153	146	155	154	155
610 Incision or excision of anal fistula	49	154	153	159	151	151
505 Miscellaneous operations on brain and cerebral meninges	48	155	162	164	152	133
543 Other incision, excision of nose	47	156	150	151	156	163
715 Open reduction of dislocation	47	157	152	153	164	148
634 Ureteral diversion	47	158	158	158	159	141
558 Excision of lesion of larynx	47	159	135	157	163	170
750 Pedicle graft of skin	46	160	163	163	155	132
737 Other amputation of lower extremity	46	161	131	171	157	159
743 Simple mastectomy	46	162	154	152	161	169

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
583 Radical excision of lymph nodes	45	163	145	166	165	154
536 Tympanoplasty	44	164	182	160	158	145
729 Repair and plastic operations on hand	44	165	173	154	166	149
504 Ventricular shunt, extracranial	43	166	157	167	174	135
676 Aspiration curettage for termination of pregnancy	43	167	116	175	188	184
667 Conization of cervix	40	168	169	162	160	191
622 Unilateral or bilateral repair of femoral hernia	40	169	151	168	176	164
575 Miscellaneous operations on heart	39	170	178	169	167	158
555 Adenoidectomy without tonsillectomy	38	171	184	172	149	190
556 Operations on pharynx except tonsillectomy and adenoidectomy	37	172	165	173	170	166
530 Resection and recession of ocular muscle	36	173	175	174	172	165
514 Operations on parathyroid and thyroid, except thyroidectomy	35	174	166	178	168	167
587 Other diagnostic and therapeutic procedures on vessels, lymphatic	35	175	188	161	212	150
534 Operations on external ear	34	176	180	176	171	180

Table 3 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
700	Closed reduction of maxillofacial fractures	33	177	168	177	177	182
560	Complete laryngectomy	33	178	160	183	173	199
753	Encephalography and ventriculography	32	179	183	170	201	168
546	Miscellaneous operations on accessory sinus	32	180	181	179	175	179
670	Hysterotomy and excision of lesion of uterus	31	181	167	180	181	196
607	Other incision of rectum and incision or excision of perirectal tissue	29	182	189	185	169	203
538	Mastoidectomy	29	183	179	188	180	183
524	Other operations on iris, ciliary body, sclera and anterior chamber	28	184	170	195	184	175
532	Operations on orbit and eyeball	28	185	187	186	179	185
651	Operations on scrotum and tunica vaginalis	27	186	185	181	190	206
503	Cranioplasty	27	187	202	191	186	161
688	Breech extraction	26	188	186	182	193	212
568	Miscellaneous operations on lung	26	189	190	196	185	181
732	Amputation of fingers and thumb	25	190	203	184	189	186
699	Repair and plastic operations on facial bones	25	191	209	193	183	174
523	Operations for regulation of intraocular pressure	25	192	174	202	191	195

Table 3 (Continued)

Operation Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
594	Total gastrectomy	25	193	171	203	198	192
545	Radical maxillary antrotomy	25	194	195	199	182	197
515	Operations on endocrine glands, except parathyroid and thyroid	25	195	197	194	192	177
739	Revision of amputation stump	24	196	194	189	196	200
658	Miscellaneous operations on penis	24	197	198	192	187	202
728	Division and resection of muscle, tendon, and fascia of hand	24	198	200	187	207	188
535	Stapes mobilzation and stapedectomy	24	199	193	197	195	194
653	Orchiopexy	24	200	191	190	200	201
674	Dilation and curettage of uterus for termination of pregnancy	23	201	177	215	197	187
681	Other colporrhaphy	22	202	205	201	194	198
549	Operations on teeth and gums except extraction and restoration	21	203	199	205	206	207
590	Gastrotomy, pyloromyotomy	20	204	207	198	205	209
663	Miscellaneous operations on ovary	19	205	211	204	209	208
517	Excision or destruction of lesion or tissue of eyelid	19	206	192	207	204	219
527	Miscellaneous operations on lens	19	207	222	209	203	176

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
539 Miscellaneous operations on middle ear and inner ear	18	208	212	212	210	189
677 Other aspiration curettage	18	209	204	214	211	210
529 Miscellaneous operations on retina, choroid, and vitreous	17	210	206	217	214	193
522 Miscellaneous operations on cornea	17	211	208	216	202	213
521 Corneal transplant	17	212	196	221	215	205
644 Other repair of stress incontinence	16	213	232	200	219	204
669 Repair and plastic operations on cervix	16	214	210	206	216	223
694 Intra-amniotic injection for abortion	15	215	214	223	199	216
698 Excision of facial bone	15	216	216	220	208	217
679 Miscellaneous operations on uterus, cervix, and supporting structures	15	217	217	211	222	214
559 Partial laryngectomy and local excision of lesion of trachea	15	218	201	218	217	228
673 Radical hysterectomy and pelvic evisceration	15	219	213	213	218	224
639 Urethral meatotomy	15	220	224	210	213	233

Table 3 (Continued)

Operation Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
511	Miscellaneous operations on sympathetic nerves and ganglia	14	221	226	208	225	218
684	Vulvectomy	13	222	215	219	220	227
614	Incision of liver	12	223	218	224	226	211
561	Permanent tracheostomy	12	224	223	226	223	215
604	Incidental appendectomy	11	225	230	225	224	221
655	Interruption of vas deferens	11	226	228	222	221	240
645	Ureteral catheterization	10	227	219	229	229	226
695	Diagnostic amniocentesis	10	228	221	228	232	229
654	Miscellaneous operations on testis	10	229	227	227	227	230
646	Miscellaneous operations on urinary tract	9	230	225	230	230	231
551	Palatoplasty	9	231	231	234	231	220
519	Operations on lacrimal system	8	232	229	236	234	225
678	Repair and plastic operations on supporting structures of uterus	8	233	235	231	228	234
605	Operations on appendix except appendectomy	8	234	233	233	236	222
733	Amputation of hand, forearm, and upper arm	7	235	238	232	233	237
685	Miscellaneous operations on vulva and perineum	7	236	236	235	235	236

Table 3 (Continued)

Operation Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
548	Tooth restoration and orthodontia	7	237	234	237	237	232
738	Reattachment of extremity	4	238	239	239	241	235
702	Miscellaneous maxillofacial surgery	4	239	243	240	238	238
579	Extracorporeal circulation	4	240	237	238	244	239
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	3	241	241	242	239	244
520	Operations on conjunctiva	3	242	240	243	240	242
740	Miscellaneous operations on musculoskeletal system	3	243	245	241	242	241
693	Other abdominal operation to remove embryo or fetus	3	244	242	244	243	243
636	Miscellaneous diagnostic and therapeutic procedures on female genital system	2	245	244	245	245	246
531	Miscellaneous operations on ocular muscle	1	246	246	246	247	245
564	Bronchial resection and miscellaneous operations on bronchus	1	247	248	247	246	247

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
584 Miscellaneous operations on lymphatic system	1	248	247	249	248	248
585 Bone marrow transplant	0	249	249	248	249	249
All operation groups	38,133					

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 3 Procedures: Tabular List and Alphabetic Index. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the ICD-9-CM List B operation group to which each operation belongs

Group Number	Title
	Abdominal wall, *see also Hernia*
627	Exploratory laparotomy
626	Excision
626	Incision
	Adenoid
554	Adenoidectomy with tonsillectomy
555	Adenoidectomy without tonsillectomy
556	Other
	Amputation, *see Extremity*
	Angiography
756	Cardiac
	Anus
611	Excision of lesion or tissue
612	Hemorrhoidectomy
613	Other
	Appendix
603	Appendectomy
605	Other
	Arteriography
757	Aorta
755	Head
756	Heart
755	Neck
757	Other
	Artery, *see Blood vessels*
617	Biliary tract, except cholecystectomy
	Bladder
637	Excision of lesion or tissue, transurethral
	Blood vessels
578	Bypass graft
572	Heart
577	Ligation and stripping, veins
578	Systemic shunt
	Bone, except facial, *see also Extremity*
705	Biopsy
703	Division

OPERATION INDEX (continued)

Group Number	Title
	Bone, except facial (continued)
705	Excision
703	Incision
707	Removal of internal fixation device
706	Repair
713	Reduction, closed
713	Reduction, open
	Bone, facial
698	Biopsy
703	Division
698	Excision
702	Incision
699	Repair
700	Reduction, closed
701	Reduction, open
	Bone marrow
585	Transplant
586	Other
	Brain
501	Excision
501	Incision
504	Ventricular shunt
	Breast
742	Biopsy
741	Complete mastectomy
742	Excision, lesion
745	Mastotomy
742	Partial mastectomy
744	Radical mastectomy
567	Bronchoscopy
	Bronchus
563	Excision of lesion or tissue
762	Removal of foreign body with incision
564	Resection
704	Bunionectomy
	Bursa, *see Muscle*
	Cartilage
716	Division

OPERATION INDEX (continued)

Group Number	Title
	Cartilage (continued)
717	Excision of intervertebral cartilage
718	Excision of semilunar cartilage of knee
	Cataract extraction
525	Intracapsular
526	Other
579	Circulation, extracorporeal
619	Colonoscopy, transabdominal
420	Conjunctiva
521	Corneal transplant
682	Culdoscopy
664	For ligation of fallopian tubes
636	Cystoscopy
629	Dialysis, peritoneal
	Ear
534	External
537	Myringotomy
536	Stapedectomy
535	Stapes mobilization
539	Tympanotomy
536	Tympanoplasty
753	Encephalography
515	Endocrine, except parathyroid, thyroid, and gonads
656	Epididymis
589	Esophagoscopy
	Extremity
	Amputation
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
732	Thumb
734	Toe
733	Upper arm

OPERATION INDEX (continued)

Group Number	Title
	Extremity (continued)
738	Reattachment
739	Revision of amputation
532	Eyelid, excision of lesion or tissue
	Fallopian tube
665	Excision, bilateral
665	Endoscopic approach
665	Ligation, bilateral
665	Endoscopic approach
662	Salpingo-oophorectomy, bilateral
661	Salpingo-oophorectomy, unilateral
666	Other
	Fascia, *see Muscle*
	Gallbladder
616	Cholecystectomy
589	Gastroscopy
596	Gastroscopy, surgical
	Graft, *see site*
	Gums
549	Alveoloplasty
549	Excision of lesion or tissue
549	Gingivectomy
549	Incision
	Hand, *see also Extremity*
728	Division of muscle, tendon, and fascia
	Heart
573	Catheterization
575	Massage, open
574	Pacemaker insertion or replacement
	Hernia repair
625	Diaphragmatic
624	Epigastric
622	Femoral, bilateral
624	Incisional
621	Inguinal, bilateral
620	Inguinal, unilateral

OPERATION INDEX (continued)

Group Number	Title
	Hernia repair (continued)
623	Umbilical
624	Ventral
	Hysterectomy, *see Uterus*
	Intestine, *see also Hernia*
601	Anastomosis
599	Colectomy
602	Colostomy
602	Enterostomy
597	Excision of lesion or tissue
600	Exteriorization
602	Ileostomy
600	Incision
601	Repair
599	Resection of large intestine
598	Resection of small intestine
	Joint, *see also Extremity*
741	Arthrocentesis
721	Arthrodesis, except spine
720	Spinal fusion
723	Arthroplasty of hip, except total replacement
722	Total hip replacement
716	Arthrotomy
716	Division of capsule
719	Excision, except intervertebral cartilage and cartilage of knee
741	Injection
717	Laminectomy with disc excision
718	Meniscectomy, knee
714	Reduction, dislocation, closed
715	Reduction, dislocation, open
725	Repair, except hip arthroplasty
724	Stabilization
	Kidney
631	Complete nephrectomy
	Larynx
558	Excision of lesion or tissue

OPERATION INDEX (continued)

Group Number	Title
	Larynx (continued)
562	Laryngotomy, permanent
559	Partial laryngectomy
560	Total laryngectomy
	Lens
526	Extraction, except intracapsular
525	Intracapsular extraction
716	Ligament, division
	Liver
614	Incision, including percutaneous
	Lung
566	Lobectomy
566	Pneumonectomy
	Lymph nodes
582	Excision, except radical
583	Excision, radical
582	Incision
584	Other
538	Mastoidectomy
	Meninges, cerebral
501	Excision
501	Incision
	Muscle, *see also Extremity*
726	Division, except hand
728	Division, hand
727	Excision of lesion or tissue
726	Incision
730	Resection, except hand
728	Resection, hand
730	Suture, except hand
729	Suture, hand
	Muscle, ocular
530	Recession
530	Resection
754	Myelography
	Nerve, peripheral
508	Excision of lesion or tissue

OPERATION INDEX (continued)

Group Number	Title
	Nerve, peripheral (continued)
595	Vagotomy
	Nerve, sympathetic
510	Sympathectomy
	Nose
543	Excision, except submucous resection
541	Submucous resection, nasal septum
543	Incision
542	Rhinoplasty
	Obstetrical procedures
677	Curettage, aspiration
675	D & C
	Delivery, assisted
688	Breech extraction
692	Cesarean section, except low cervical
691	Cesarean section, low cervical
690	Episiotomy
689	Low forceps
	Intrauterine procedures
695	Amniocentesis
690	Intra-amniotic injection
696	Intrauterine transfusion
697	Removal of retained placenta, manual
697	Repair of laceration
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage
691	Hysterotomy
694	Intra-amniotic injection
697	Other
	Oral cavity, except salivary glands
557	Frenotomy
551	Palatoplasty
	Ovary
660	Excision of lesion or tissue
662	Oophorectomy, bilateral
661	Oophorectomy, unilateral
663	Other

OPERATION INDEX (continued)

Group Number	Title
	Palate
551	Cleft palate repair
551	Palatoplasty
514	Parathyroid
	Penis
657	Circumcision
	Perineum, female
683	Excision of lesion or tissue
683	Incision
	Perirectal
607	Excision
607	Incision
609	Other
	Peritoneum
630	Division of adhesions
627	Drainage, except via cul de sac
682	Via cul de sac
626	Excision
630	Incision, except via cul de sac
682	Via cul de sac
628	Peritoneoscopy
	Pleura
576	Pleurocentesis
	Prostate
648	Prostatectomy, transurethral
649	Prostatectomy, except transurethral
650	Other
	Rectum
606	Excision, except proctectomy
609	Incision
608	Proctectomy
608	Other
	Reduction
	Dislocation, *see Joint*
	Fracture, *see Bone*
758	Retrograde pyelogram
	Sinuses, nasal
546	Radical maxillary sinusotomy

OPERATION INDEX (continued)

Group Number	Title
	Skin
747	Excision, except pilonidal sinus
746	Excision of pilonidal sinus
	Graft
749	Free
750	Pedicle
748	Incision, except pilonidal sinus
746	Incision of pilonidal sinus
751	Plastic, except lip
552	Plastic, lip
748	Suture
	Skull
503	Cranioplasty
502	Craniotomy
501	Excision
501	Puncture
	Spinal cord
506	Exploration
	Stomach
593	Complete gastrectomy
592	Excision of lesion or tissue
591	Gastrostomy
590	Gastrotomy
593	Partial gastrectomy
590	Pyloromyotomy
596	Pyloroplasty
595	Vagotomy
	Tendon
726	Division, except hand
728	Division, hand
727	Excision of lesion or tissue
726	Incision
730	Resection, except hand
727	Resection, hand
730	Suture, except hand
729	Suture, hand
	Testes
652	Orchiectomy
654	Other

OPERATION INDEX (continued)

Group Number	Title
570	Thoracoscopy, transpleural
	Thorax
576	Thoracentesis
	Thyroid
513	Thyroidectomy
514	Other
	Tongue
557	Frenotomy
557	Tongue-tie operation
	Tonsils
554	Tonsillectomy with adenoidectomy
555	Tonsillectomy without adenoidectomy
556	Other
	Tooth
548	Extraction
547	Restoration
549	Root resection
	Trachea
559	Excision of lesion or tissue
562	Permanent tracheostomy
563	Tracheotomy
	Ureter
645	Catheterization
634	Diversion
633	Ureterotomy
635	Other
	Urethra
641	Dilation
640	Excision of lesion or tissue
639	Meatotomy
640	Repair
642	Other
636	Urethroscopy
	Uterus, *see also Obstetrical procedures*
677	Aspiration curettage
670	Biopsy
667	Conization of cervix
675	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Uterus (continued)
668	Excision of cervix, except conization
668	Excision of lesion or tissue
673	Exenteration, pelvic
678	Hysteropexy
670	Hysterotomy, except to terminate pregnancy
671	Hysterectomy, abdominal, except radical
673	Hysterectomy, radical
672	Hysterectomy, vaginal, except radical
670	Myomectomy
679	Repair
678	Repair of supporting structures
	Vagina, except obstetrical
681	Colporrhaphy, except for cystocele and rectocele
680	Cystocele repair
680	Rectocele repair
682	Other
	Vas deferens
655	Interruption
656	Other
	Vein, *see Blood vessels*
757	Venography
	Ventricles, cerebral
505	Shunt
753	Ventriculography
	Vertebra
717	Excision, intervertebral disc
720	Fusion
506	Laminectomy, exploratory
	Other (grouped with other bone operations)
	Vulva, except obstetrical
683	Excision of lesion or tissue
683	Incision
684	Vulvectomy
685	Other

R 3850-1.3

Length of Stay in PAS Hospitals,

by Diagnosis,

United States, North Central Region,

1979

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
OCTOBER 1980

LENGTH OF STAY IN PAS HOSPITALS

Copyright © 1980 by Commission on Professional and Hospital Activities, Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the series entitled
"Length of Stay in PAS Hospitals". . .

Volumes include:
- . . . by Diagnosis, United States, 1979
- . . . by Diagnosis, United States, North Central Region, 1979
- . . . by Diagnosis, United States, Northeastern Region, 1979
- . . . by Diagnosis, United States, Southern Region, 1979
- . . . by Diagnosis, United States, Western Region, 1979
- . . . by Diagnosis, Canada, 1979

- . . . by Operation, United States, 1979
- . . . by Operation, United States, North Central Region, 1979
- . . . by Operation, United States, Northeastern Region, 1979
- . . . by Operation, United States, Southern Region, 1979
- . . . by Operation, United States, Western Region, 1979
- . . . by Operation, Canada, 1979

Also included are:
- Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979
- Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities. Also for selected years there are length of stay books for particular regional groups of hospitals, for pediatric patients, and for geriatric patients.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1979 in North America. Twelve volumes describe stays for either diagnoses or operations in the United States, in each of the four U.S. census regions, or in Canada. The thirteenth and fourteenth volumes display data on both diagnoses and operations for pediatric and for geriatric patients in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities.

These statistics, which are also available on computer readable magnetic tape, can provide a valuable perspective for physicians, administrators, PSROs, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" (PSRO) and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1979 LENGTH OF STAY BOOKS

Walt Wood, Manager, Research and Statistics
Ed Kobrinski, Assistant Manager
Ann Matteson, Project Coordinator

CONTENTS

Preface iii

Discussion of the Data 1

- Source of the Data 1
- Data Quality 3
- Coverage 4
- Organization of Length of Stay Tables 7
  - *ICD-9-CM* List A: Hospital Diagnosis Groups 7
  - Definition of Multiple Dx Patients 7
  - Definition of Operated Patients 8
- Explanation of Statistics 8
- Exclusions 9
- Defining the Extended Stay Case 10

Length of Stay Tables 21

- Summary of All Patients 22
- Summary of All Patients Except Newborn 23
- Diagnosis Groups 1-398 24

Distribution Tables 223

- Table 1: Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List A Hospital Diagnosis Groups 225
- Table 2: Ranking of *ICD-9-CM* List A Diagnosis Groups by Live Discharges 244
- Table 3: Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care 268

Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 293

Index to Length of Stay Tables 297

DISCUSSION OF THE DATA

Source of the Data

Data in this book were compiled from individual patient discharge abstracts submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain, and Figure 1 diagrams, the PAS method of storing and retrieving medical data.


PAS
HOSPITAL
CLINICAL RECORD
CASE ABSTRACT
DATA TAPE
CPHA
DATA CENTER
COMPUTER
DATA FILE
HOSPITAL
ITS OWN OVERALL STATISTICS
+
MORE DETAILED STATISTICS
+
LISTINGS
MULTIHOSPITAL STUDIES
INTERHOSPITAL COMPARISONS
REGIONAL DATA

FIG. 1. Schematic diagram of the PAS medical record information system.

BEST AVAILABLE COPY

1. In each participating hospital, medical record personnel transfer information from the record of each discharged patient onto a PAS Case Abstract (Figure 2). The data may also be put onto a data tape at the hospital.
2. The abstract or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it serves as input to the computer system.
3. Data then undergo a comprehensive "cleaning" process and detected errors are corrected by contributing hospitals.
4. The computer system produces sets of reports which give comprehensive statistics on discharged patients plus listings of individual case abstracts in various sequences.
5. The computer system continually adds to a permanent history data file.
6. Length of stay statistics from this file are annually published in this series of length of stay books. The stored data are also available to researchers on a contractual basis.



PAS

1979 CASE ABSTRACT

1 2 3 4 5 6 7 8 9 0 E V

SAMPLE

79

PAS

79

FIG. 2 PAS Case Abstract

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its role as an extension of the hospital's medical record department.

Quality control of PAS data begins before a new hospital submits its first case abstract and continues as an ongoing system involving personal monitoring, computer checks, and education programs. In spite of these efforts, errors do occur. There are three ways errors can be introduced into PAS data: 1) the basic patient medical record can be incomplete or in error, 2) errors can be made in abstracting information from the medical record to the PAS Case Abstract, and 3) errors can be introduced during processing.

Although CPHA has indirect influence over the quality of the medical record through education and through feedback from use of PAS reports within the hospital, basic responsibility for the accuracy of the medical record rests with the physician and others in the hospital contributing to it. Clearly, the abstractor cannot add to the medical record. Errors or omissions made in it will be carried forward to the PAS Case Abstract.

CPHA goes to considerable lengths to prevent and correct errors in abstracting by training PAS hospital medical record personnel in coding and abstracting methods, by monitoring their work, and by judiciously checking and editing patient data for errors. During processing, over 350 computer checks* are performed on each abstract to check the reasonableness of the data received. When illogical, invalid, or missing data are detected, an error message is printed and the hospital is notified, often by phone. About 40% of the errors detected in the computer audit can be and are corrected at CPHA; the remainder must be handled by the hospitals because only they have the information necessary to make the corrections. Hospitals make such corrections on a voluntary basis.

---

*The following are examples of discrepancies and inconsistencies in the data that are detected by the computer audit: hospital day of operative episode exceeding total stay, cesarean sections with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded. Examples of invalid data detected by the computer are diagnosis and operation codes that do not exist in the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Coverage

The length of stay tables in this book display stay distributions for 4,621,152 patients discharged during 1979 from 642 nonfederal, short-term* hospitals participating in PAS in the North Central Region of the U.S. PAS hospitals in United States territories and Puerto Rico were excluded from this publication as were short-term psychiatric hospitals participating in PAS. Patients studied were selected from a total of 4,910,073 discharges.

Characteristics of all hospitals in the North Central Region that participated in PAS during 1979 are shown in Tables A and B. Some of these hospitals did not participate for the entire 12-month period. In addition, because of the unavailability of data at the time of processing, data for some of these PAS hospitals are not included in the length of stay tables.

States included in the various census regions and divisions are shown in Figure 3.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

FIG. 3. Census Divisions and Regions in the United States

---

*Short-term hospitals are defined as those in which the median stay is shorter than 30 days.

Table A

Bed Size, Region, and Census Division: PAS Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
ALL U.S.						
Bed Size						
1. Less than 25 beds	305	27	8.9%	5,761	528	9.2%
2. 25-49	1,154	158	13.7	41,776	6,129	14.7
3. 50-99	1,459	345	23.6	105,411	25.666	24.3
4. 100-199	1,412	470	33.3	198,519	67,395	33.9
5. 200-299	716	301	42.0	174,636	73,904	42.3
6. 300-399	382	179	46.9	131,296	61,207	46.6
7. 400-499	244	102	41.8	107,790	45,171	41.9
8. 500 or more	311	115	37.0	212,247	77,156	36.4
Total	5,983	1,697	28.4%	977,436	357,156	36.5%
Region and Census Division						
Northeast	941	260	27.6%	221,260	73,590	33.3%
New England	276	88	31.9	51,658	20,198	39.1
Middle Atlantic	665	172	25.9	169,602	53,392	31.5
North Central	1,744	652	37.4	292,394	141,077	48.2
East North Central	935	499	53.4	193,639	110,157	56.9
West North Central	809	153	18.9	98,755	30,920	31.3
South	2,171	451	20.8	316,264	91,344	28.9
South Atlantic	823	292	35.5	149,347	57,261	38.3
East South Central	488	50	10.2	67,691	12,984	19.2
West South Central	860	109	12.7	99,226	21,099	21.3
West	1,127	334	29.6	147,518	51,175	34.7
Mountain	365	107	29.3	38,709	17,459	45.1
Pacific	762	227	29.8	108,809	33,716	31.0
Grand Total	5,983	1,697	28.4%	977,436	357,186	36.5%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Table B

Teaching Type, Region, and Census Division: PAS Hospitals Compared with all Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

	Hospitals with Residencies			Hospitals with Medical School Affiliation		
Region and Census Division (1)	**Total[2] (2)**	**Number in PAS (3)**	**Percent in PAS (4)**	**Total[2] (5)**	**Number in PAS (6)**	**Percent in PAS (7)**
Northeast	306	114	37.3%	228	87	38.2%
New England	69	31	44.9	58	29	50.0
Middle Atlantic	237	83	35.0	170	58	34.1
North Central	298	152	51.0	218	109	50.0
East North Central	205	116	56.6	140	75	53.6
West North Central	93	36	38.7	78	34	43.6
South	265	76	28.7	211	62	29.4
South Atlantic	127	44	34.6	104	38	36.5
East South Central	57	14	24.6	47	12	25.5
West South Central	81	18	22.2	60	12	20.0
West	140	47	33.6	116	38	32.8
Mountain	38	16	42.1	30	11	36.7
Pacific	102	31	30.4	86	27	31.4
Grand Total	1,009	389	38.6%	773	296	38.3%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Organization of Length of Stay Tables

The length of stay tables in the body of this book are organized according to the diagnosis groupings in *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, age, and operation status. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight as a means of stratifying patients.

ICD-9-CM List A: Hospital Diagnosis Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List A: Hospital Diagnosis Groups* has been replaced by *ICD-9-CM List A: Hospital Diagnosis Groups,* which reflects the diagnoses contained in the new classification.

Patients were assigned to *ICD-9-CM* List A groups on the basis of their final diagnosis explaining admission (UHDDS "principal diagnosis"). This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patients discharged from PAS hospitals during 1979 was coded using *ICD-9-CM.*

Definition of Multiple Dx Patients

A patient is classified in the multiple dx category if he had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] ***ICD-9-CM List A: Hospital Diagnosis Groups*** **is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.**

Definition of Operated Patients

In 1979 PAS hospitals used *ICD-9-CM* to code procedures. An operated patient is a patient who had at least one UHDDS[2] Class 1 procedure. A patient with only Class 2-4 procedures is considered nonoperated.

Explanation of Statistics

The diagnosis group titles heading the tables are followed in parentheses by the diagnosis codes they include. These codes refer to *ICD-9-CM.*

Length of stay is calculated from admission and discharge dates entered on the PAS Case Abstract, counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance, but as staying less than one day in the calculation of the percentiles. Thus, if more than 5% of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in column 2, "Number of Patients"; column 3, "Average Stay"; or column 4, "Variance." The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

---

[2] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are shown. If, for example, the 10th percentile for a group of patients is four days, it means that ten percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

The value of a percentile for a group of patients is determined by arranging the individual patients' stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The tables displaying data for newborns (groups 393-395) use weight rather than age to stratify the patients. The weight is given in grams (G).

Exclusions

The length of stay tables exclude :

(1) patients who died
(2) patients admitted from other short-term hospitals
(3) patients discharged to other short-term hospitals
(4) patients discharged against medical advice
(5) patients with length of stay greater than 99 days (these patients are included only in the percentile calculations).

These patients are excluded because they are not typical short-term patients (i.e., their stays are not "manageable" by the physician).

Other exclusions include stillborn, patients with incalculable age or stay, illegal or unrecorded principal diagnosis, unrecorded discharge status, and patients with diagnosis-age or diagnosis-sex inconsistencies. Also excluded are newborn with illegal or unrecorded birthweights.

Defining the Extended Stay[1] Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the PSRO is called extended stay review. This review, whether applied universally to all patients within the facility or "focused" on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in reasonably current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, the age of a patient, whether the patient had single or multiple diagnoses, and whether that patient had an operation. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based upon the diagnosis.

---

[1] Medicare regulations formerly referred to "extended duration," PSRO guidelines refer to "continued stay."

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the regional length of stay books published by the Commission on Professional and Hospital Activities.[2] With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[3]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[4] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group (in the CPHA length of stay books) for each diagnosis is given in column 4.

b. Diagnoses not in *Concurrent Review Screening* can usually be found in the alphabetic index at the back of the length of stay books.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[5] That code can then be located in List A or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

---

[2] ***Length of Stay in PAS Hospitals, by Diagnosis,*** Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979 | ***U.S., Western Region, 1979***
U.S., North Central Region, 1979 | ***Canada, 1979***
U.S., Southern Region, 1979 | ***United States Geriatric, 1979***
U.S., Northeastern Region, 1979 | ***United States Pediatric, 1979***

Length of Stay in PAS Hospitals, by Operation, Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979 | ***U.S., Western Region, 1979***
U.S., North Central Region, 1979 | ***Canada, 1979***
U.S., Southern Region, 1979 | ***United States Geriatric, 1979***
U.S., Northeastern Region, 1979 | ***United States Pediatric, 1979***

[3] ***ICD-9-CM List A: Hospital Diagnosis Groups,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[4] ***Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,*** Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[5] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),*** Volume 2, Diseases: Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table. There are two tables per page for diagnosis groups in the length of stay books.

Step 3. Find the appropriate part of the table for number of diagnoses (single or multiple).

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses, two or more operations with widely different lengths of stay are commonly performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate *operation* length of stay table.

Step 5. Find the correct age group. The five age groupings presented are 0-19 years, 20-34 years, 35-49 years, 50-64 years, and 65 years and over.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line which includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November, a 47-year-old patient is admitted to a hospital in the North Central Region for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

b. The alphabetic index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

Cholangitis (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
chronic nonsuppurative destructive 571.6
nonsuppurative destructive (chronic) 571.6
Cholecystdocholithiasis — *see* Choledocholithiasis
Cholecystitis (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

with
calculus, stones in
bile duct (common) (hepatic) 574.4
gallbladder 574.1
choledocholithiasis 574.4
cholelithiasis 574.1
acute 575.0
with
calculus, stones in
bile duct (common) (hepatic) 574.3
gallbladder 574.0
choledocholithiasis 574.3
cholelithiasis 574.0
emphysematous (acute) (*see also* Cholecystitis, acute) 575.0
gangrenous (*see also* Cholecystitis, acute) 575.0
paratyphoidal, current (*see also* Fever, paratyphoid) 002.9
suppurative (*see also* cholecystitis, acute) 575.0
typhoidal 002.0
Choledochitis (suppurative) 576.1
Choledocholith — *see* Choledocholithiasis
Choledocholithiasis 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

with cholecystitis (chronic) 574.4
acute 574.3
Cholelithiasis (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

with cholecystitis (chronic) 574.1
acute 574.0
Cholemia (*see also* Jaundice) 782.4
familial 277.4
Gilbert's (familial nonhemolytic) 277.4
Cholemic gallstone — *see* Cholelithiasis
Choleperitoneum, choleperitonitis (*see also* Disease, gallbladder) 567.8
Cholera (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
antimonial 985.4
carrier (suspected) of V02.0
classical 001.0
contact V01.0
due to
Vibrio
cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
El Tor 001.1
El Tor 001.1
exposure to V01.0
vaccination, prophylactic (against) V03.0
Cholerine (*see also* Cholera) 001.9
Cholestasis (*see also* Disease, gallbladder) 575.8
Cholesteatoma (ear) 385.30
attic (primary) 385.31
diffuse 385.35
external ear (canal) 380.21
marginal (middle ear) 385.32
with involvement of mastoid cavity 385.33
secondary (with middle ear involvement) 385.33
mastoid cavity 385.30
middle ear 385.30
secondary 385.32
with involvement of mastoid cavity 385.33
postmastoidectomy cavity (recurrent) 383.32
primary 385.31
recurrent, postmastoidectomy cavity 383.32
secondary (middle ear) 385.32
with involvement of mastoid cavity 385.33
Cholesteatosis (middle ear) (*see also* Cholesteatoma) 385.30
diffuse 385.35

124

Step 2. Find the table for group 215 of *Length of Stay in PAS Hospitals, by Diagnosis, United States, North Central Region, 1979.*



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	3.8	7	1	1	3	4	7	8	15
20-34	925	3.6	6	1	1	3	5	7	8	12
35-49	731	3.9	8	1	1	3	5	7	9	13
50-64	824	4.6	11	1	2	4	6	8	11	16
65+	653	5.7	15	2	2	5	7	11	12	17
B. *Operated*										
0-19 YRS	594	7.9	17	4	5	7	9	12	14	20
20-34	6419	7.9	15	5	5	7	9	11	13	18
35-49	5463	8.4	11	5	5	8	9	12	15	20
50-64	5393	8.9	12	5	6	8	10	13	15	21
65+	2601	11.1	29	6	6	9	13	18	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	4.1	8	1	2	3	5	8	10	14
20-34	770	4.7	10	1	2	4	6	8	10	15
35-49	952	5.6	23	1	2	5	7	10	12	22
50-64	1807	6.0	18	2	2	5	7	11	13	21
65+	3260	7.8	35	2	3	6	10	14	18	28
B. *Operated*										
0-19 YRS	292	9.7	24	4	5	9	11	15	19	28
20-34	4153	9.7	25	5	6	8	11	15	18	26
35-49	4940	10.6	31	5	6	9	13	17	20	31
50-64	7420	12.0	42	6	6	10	14	20	24	37
65+	6931	15.6	78	7	8	14	19	26	32	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3243	4.4	10	1	1	4	6	8	10	15
B. *Operated*	20470	8.7	16	5	5	8	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	6853	6.6	27	2	2	5	8	12	15	25
B. *Operated*	23736	12.3	52	6	6	10	15	21	25	39
1. SINGLE DX	23713	8.1	17	3	4	7	9	13	15	22
2. MULTIPLE DX	30589	11.0	52	3	5	9	14	19	24	38
A. NOT OPERATED	10096	5.9	23	1	2	5	7	11	14	24
B. OPERATED	44206	10.6	39	5	6	9	12	18	22	35
TOTAL 0-19 YRS	1060	7.8	21	2	3	7	10	13	15	21
20-34	12267	8.0	21	3	4	7	9	13	15	22
35-49	12086	8.8	23	3	5	8	10	14	17	26
50-64	15444	9.8	33	3	5	8	12	16	20	31
65+	13445	12.4	68	3	5	10	15	22	27	43
GRAND TOTAL	54302	9.8	39	3	4	8	12	17	21	33

Step 3. There are no secondary diagnoses recorded, so one needs to be concerned only with the top ten lines of the table (Section 1).


642 PAS Hospitals, North Central Region, January–December 1979

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTIL				
				5th (5)	10th (6)	50th (7)	75th (8)	90 (9)
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	110	3.8	7	1	1	3	4	7
20-34	925	3.6	6	1	1	3	5	7
35-49	731	3.9	8	1	1	3	5	7
50-64	824	4.6	11	1	2	4	6	
65+	653	5.7	15	2	2	5	7	
B. *Operated*								
0-19 YRS	594	7.9	17	4	5	7	9	
20-34	6419	7.9	15	5	5	7	9	
35-49	5463	8.4	11	5	5	8		
50-64	5393	8.9	12	5	6	8		
65+	2401	11.1	29	6	6			
LE DX								
	64	4.1						

216: Gallbladder disease without mention of calculus (575)

131

Step 4. Since surgery is scheduled, one is restricted to the second five lines of the table (Section 1.B.).


642 PAS Hospitals, North Central Region, January–December 1979

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTIL				
				5th (5)	10th (6)	50th (7)	75th (8)	90 (9)
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	110	3.8	7	1	1	3	4	7
20-34	925	3.6	6	1	1	3	5	7
35-49	731	3.9	8	1	1	3	5	7
50-64	824	4.6	11	1	2	4	6	
65+	653	5.7	15	2	2	5	7	
B. *Operated*								
0-19 YRS	594	7.9	17	4	5	7	9	
20-34	6419	7.9	15	5	5	7		
35-49	5463	8.4	11	5	5	8		
50-64	5393	8.9	12	5	6	8		
65+	[illegible]	11.1	[illegible]	6	6			
LE DX								
	64	4.1						

216: Gallbladder disease without mention of calculus (575)

131

Step 5. The patient is 47 years old and therefore falls in the age group 35-49.



642 PAS Hospitals, North Central Region, January–December 1979

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90 (9
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	110	3.8	7	1	1	3	4	7
20-34	925	3.6	6	1	1	3	5	7
35-49	731	3.9	8	1	1	3	5	7
50-64	824	4.6	11	1	2	4	6	
65+	653	5.7	15	2	2	5	7	
B. *Operated*								
0-19 YRS	594	7.9	17	4	5	7	9	
20-34	6419	7.9	15	5	5	7		
[illegible]	[illegible]	[illegible]	[illegible]	5	5	8		
50-64	5393	8.9	12	5	6	8		
65+	2601	11.1	29	6	6			
LE DX								
	64	4.1						

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the eighth day after admission to be the day that this patient comes up for extended stay review.



642 PAS Hospitals, North Central Region, January–December 1979

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90 (9
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	110	3.8	7	1	1	3	4	7
20-34	925	3.6	6	1	1	3	5	7
35-49	731	3.9	8	1	1	3	5	7
50-64	824	4.6	11	1	2	4	6	
65+	653	5.7	15	2	2	5	7	
B. *Operated*								
0-19 YRS	594	7.9	17	4	5	7	9	
20-34	6419	7.9	15	5	5	7		
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	8		
50-64	5393	8.9	12	5	6			
65+	2601	11.1	29	6	6			
LE DX								
	64	4.1						

The patient was admitted on 3 November; therefore the eighth day will fall on 11 November. Prior to or on 11 November, the committee or groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile (as suggested in the *PSRO Program Manual*, paragraph 705.26).

Subsequent extended stay review dates should be set by the physician advisor or the peer review (utilization review) committee as necessary, based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

642 PAS Hospitals, North Central Region, January–December 1979

A: Summary of all patients in diagnosis groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	500329	3.8	14	1	2	3	4	6	7	16
20-34	298637	4.5	30	<1	1	3	5	8	13	30
35-49	105504	6.6	49	1	1	4	8	14	20	35
50-64	89345	7.2	49	1	2	5	9	15	20	35
65+	74363	7.9	54	1	2	6	10	16	21	38
B. *Operated*										
0-19 YRS	204424	3.3	14	1	1	2	4	6	8	19
20-34	356515	4.1	15	1	1	3	5	7	10	19
35-49	154587	5.5	29	1	1	4	7	11	15	26
50-64	140430	6.7	42	1	2	5	9	14	18	31
65+	109436	8.3	64	2	2	6	11	18	23	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	302433	5.2	34	1	2	4	6	9	13	31
20-34	196359	6.4	49	1	1	4	7	13	19	36
35-49	187796	7.7	50	1	2	6	9	15	21	36
50-64	294163	8.6	54	2	2	7	11	17	22	38
65+	484845	10.1	68	2	3	8	13	20	25	43
B. *Operated*										
0-19 YRS	123171	5.3	62	1	1	3	6	11	17	49
20-34	296115	6.2	43	1	2	5	7	11	16	36
35-49	204865	8.2	66	2	2	6	10	16	22	44
50-64	236282	10.6	103	2	2	8	14	22	30	56
65+	261553	14.1	147	2	3	11	19	29	38	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1068178	4.9	29	1	1	3	5	9	13	29
B. *Operated*	965392	5.0	29	1	1	3	6	10	15	27
2. MULTIPLE DX										
A. *Not Operated*	1465596	8.0	57	2	2	6	10	16	22	39
B. *Operated*	1121986	9.2	97	1	2	6	11	20	28	53
1. SINGLE DX	2033570	4.9	29	1	1	3	5	10	14	28
2. MULTIPLE DX	2587582	8.5	74	1	2	6	10	18	25	46
A. NOT OPERATED	2533774	6.7	48	1	2	4	8	14	19	35
B. OPERATED	2087378	7.3	70	1	2	5	9	16	23	44
TOTAL 0-19 YRS	1130357	4.3	25	1	1	3	5	7	10	26
20-34	1147626	5.1	33	1	1	4	6	9	14	30
35-49	652752	7.2	51	1	2	5	9	14	20	37
50-64	760220	8.7	69	2	2	6	11	18	24	43
65+	930197	10.9	94	2	3	8	14	22	29	51
GRAND TOTAL	**4621152**	**7.0**	**58**	**1**	**2**	**4**	**8**	**15**	**21**	**39**

B: Summary of all patients in diagnosis groups except newborn

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	208427	4.2	29	1	1	3	5	7	10	29
20-34	298637	4.5	30	<1	1	3	5	8	13	30
35-49	105504	6.6	49	1	1	4	8	14	20	35
50-64	89345	7.2	49	1	2	5	9	15	20	35
65+	74363	7.9	54	1	2	6	10	16	21	38
B. *Operated*										
0-19 YRS	204201	3.3	14	1	1	2	4	6	8	19
20-34	356515	4.1	15	1	1	3	5	7	10	19
35-49	154587	5.5	29	1	1	4	7	11	15	26
50-64	140430	6.7	42	1	2	5	9	14	18	31
65+	109436	8.3	64	2	2	6	11	18	23	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	173539	5.2	39	1	1	4	6	9	14	34
20-34	196359	6.4	49	1	1	4	7	13	19	36
35-49	187796	7.7	50	1	2	6	9	15	21	36
50-64	294163	8.6	54	2	2	7	11	17	22	38
65+	484845	10.1	68	2	3	8	13	20	25	43
B. *Operated*										
0-19 YRS	119562	5.0	49	1	1	3	5	10	15	41
20-34	296115	6.2	43	1	2	5	7	11	16	36
35-49	204865	8.2	66	2	2	6	10	16	22	44
50-64	236282	10.6	103	2	2	8	14	22	30	56
65+	261553	14.1	147	2	3	11	19	29	38	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	776276	5.4	39	1	1	4	6	11	16	32
B. *Operated*	965169	5.0	29	1	1	3	6	10	15	27
2. MULTIPLE DX										
A. *Not Operated*	1336702	8.3	59	1	2	6	10	17	22	39
B. *Operated*	1118377	9.2	96	1	2	6	11	20	28	53
1. SINGLE DX	1741445	5.2	33	1	1	3	6	11	15	29
2. MULTIPLE DX	2455079	8.7	76	1	2	6	11	18	25	46
A. NOT OPERATED	2112978	7.2	54	1	2	5	9	15	21	37
B. OPERATED	2083546	7.3	69	1	2	5	9	16	23	44
TOTAL 0-19 YRS	705729	4.3	31	1	1	3	5	8	11	30
20-34	1147626	5.1	33	1	1	4	6	9	14	30
35-49	652752	7.2	51	1	2	5	9	14	20	37
50-64	760220	8.7	69	2	2	6	11	18	24	43
65+	930197	10.9	94	2	3	8	14	22	29	51
GRAND TOTAL	**4196524**	**7.2**	**61**	**1**	**2**	**5**	**9**	**15**	**22**	**41**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4054	3.7	8	1	1	3	4	7	8	14
20-34	1510	3.7	9	1	1	3	5	7	9	15
35-49	548	4.2	9	1	2	3	5	8	10	17
50-64	434	4.4	12	1	2	4	5	8	10	20
65+	286	4.8	13	1	2	4	6	8	12	21
B. *Operated*										
0-19 YRS	58	5.5	6	2	3	5	7	8	10	14
20-34	72	6.1	16	2	3	5	7	10	14	24
35-49	30	8.8	41	2	3	7	10	15	20	35
50-64	16	8.6	33	1	2	7	12	17	19	20
65+	13	10.3	82	4	4	8	11	18	35	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3987	4.5	10	1	2	4	5	8	10	17
20-34	1457	4.3	11	1	2	3	5	8	9	17
35-49	862	5.3	22	2	2	4	6	9	13	22
50-64	949	5.8	19	2	2	5	7	11	14	21
65+	1589	7.3	35	2	2	6	9	14	17	30
B. *Operated*										
0-19 YRS	79	8.1	49	2	3	6	11	15	21	42
20-34	106	9.4	51	2	3	8	11	17	22	42
35-49	85	11.2	40	4	4	10	14	21	22	33
50-64	77	11.2	79	2	3	9	15	28	37	99+
65+	105	16.2	143	4	5	13	20	30	42	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6832	3.8	9	1	1	3	5	7	9	15
B. *Operated*	189	6.8	24	2	3	6	8	12	16	31
2. MULTIPLE DX										
A. *Not Operated*	8844	5.2	18	1	2	4	6	9	12	21
B. *Operated*	452	11.4	82	3	3	9	14	22	31	55
1. SINGLE DX	7021	3.9	9	1	1	3	5	7	9	16
2. MULTIPLE DX	9296	5.5	23	1	2	4	7	10	14	24
A. NOT OPERATED	15676	4.6	14	1	2	4	6	8	11	19
B. OPERATED	641	10.1	70	2	3	8	12	20	26	45
TOTAL 0-19 YRS	8178	4.1	10	1	2	3	5	7	10	16
20-34	3145	4.2	13	1	1	3	5	8	10	18
35-49	1525	5.3	21	1	2	4	6	10	13	22
50-64	1476	5.7	22	1	2	4	7	11	14	24
65+	1993	7.4	43	2	2	6	9	14	19	36
GRAND TOTAL	**16317**	**4.8**	**18**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	10.5	94	2	2	9	15	19	22	56
20-34	89	16.0	156	3	4	15	20	28	39	71
35-49	67	17.7	337	3	4	13	19	35	60	97
50-64	78	17.1	277	2	3	13	20	40	54	81
65+	58	13.2	130	2	3	10	17	25	30	61
B. *Operated*										
0-19 YRS	7	9.0	47	1	1	10	13	19	20	20
20-34	32	13.9	58	2	5	12	20	27	27	29
35-49	33	15.2	114	2	4	14	18	27	31	57
50-64	61	12.6	153	2	3	9	16	22	36	76
65+	37	17.6	153	3	7	14	23	34	36	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	13.4	98	2	4	11	18	26	36	42
20-34	74	16.1	123	3	6	13	21	29	36	59
35-49	116	19.9	301	3	4	14	24	46	63	79
50-64	181	19.0	257	3	4	15	26	39	52	90
65+	219	19.1	214	3	5	15	25	37	50	85
B. *Operated*										
0-19 YRS	14	18.6	72	5	7	19	27	28	29	29
20-34	40	13.3	90	3	3	12	17	23	36	42
35-49	76	21.3	395	3	6	15	25	51	82	97
50-64	126	21.6	369	3	5	16	28	52	79	99+
65+	154	20.8	225	3	5	16	28	45	53	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	333	15.4	212	2	3	13	18	29	47	78
B. *Operated*	170	14.3	126	2	3	12	18	27	35	67
2. MULTIPLE DX										
A. *Not Operated*	611	18.7	229	3	5	14	24	38	51	85
B. *Operated*	410	20.3	286	3	5	16	25	45	60	96
1. SINGLE DX	503	15.1	183	2	3	12	18	28	40	74
2. MULTIPLE DX	1021	19.3	252	3	5	15	25	40	53	90
A. NOT OPERATED	944	17.5	225	3	4	14	22	36	49	82
B. OPERATED	580	18.6	246	3	4	15	24	37	53	89
TOTAL 0-19 YRS	83	12.5	94	2	3	11	17	24	29	51
20-34	235	15.3	121	3	4	13	20	28	35	62
35-49	292	19.2	313	3	4	14	23	41	63	93
50-64	446	18.5	284	3	4	14	24	40	55	90
65+	468	18.8	206	3	5	15	25	37	51	80
GRAND TOTAL	**1524**	**17.9**	**233**	**3**	**4**	**14**	**23**	**36**	**51**	**87**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.0	33	3	3	5	9	17	17	17
20-34	8	14.4	136	6	6	9	17	35	40	40
35-49	6	12.3	49	3	3	12	16	22	23	23
50-64	4	7.3	11	4	4	7	10	11	11	11
65+	5	9.8	44	1	1	10	14	19	19	19
B. *Operated*										
0-19 YRS	12	6.6	50	1	2	4	6	17	26	27
20-34	26	8.8	79	1	2	6	10	23	31	33
35-49	14	13.4	138	2	2	11	17	29	39	42
50-64	13	11.4	103	2	3	10	19	43	87	99+
65+	9	16.2	202	1	2	13	25	39	43	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	22.3	271	5	5	22	36	40	40	40
20-34	8	5.6	32	1	1	3	9	15	16	16
35-49	17	11.5	69	2	3	10	19	28	72	99+
50-64	21	13.9	105	2	3	12	22	35	61	99+
65+	30	13.5	83	3	5	11	16	30	35	35
B. *Operated*										
0-19 YRS	3	7.0	31	2	2	6	11	13	13	13
20-34	32	12.8	77	3	4	11	19	28	28	30
35-49	16	19.6	184	3	4	21	30	48	83	99+
50-64	22	20.2	307	2	3	15	27	45	58	75
65+	26	30.0	580	6	7	20	36	84	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	10.8	66	3	3	9	13	22	25	40
B. *Operated*	74	10.6	108	1	2	7	14	28	36	86
2. MULTIPLE DX										
A. *Not Operated*	80	12.8	95	2	3	11	17	32	35	99+
B. *Operated*	99	19.9	316	3	4	16	26	45	77	99+
1. SINGLE DX	102	10.7	95	1	2	8	14	26	35	70
2. MULTIPLE DX	179	16.7	228	2	4	13	23	35	56	99+
A. NOT OPERATED	108	12.3	87	2	3	10	17	29	35	99+
B. OPERATED	173	15.9	247	2	2	12	23	36	50	99+
TOTAL 0-19 YRS	24	9.3	103	2	2	5	12	27	34	40
20-34	74	10.8	83	1	2	8	15	26	30	38
35-49	53	14.5	125	2	3	12	23	33	49	99+
50-64	60	15.2	184	2	3	12	23	36	58	99+
65+	70	19.7	337	3	5	15	25	39	78	98
GRAND TOTAL	**281**	**14.5**	**188**	**2**	**3**	**11**	**20**	**33**	**43**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	647	3.2	3	1	1	3	4	5	6	11
20-34	200	3.7	6	1	2	3	4	6	7	12
35-49	45	3.5	2	1	2	3	4	5	6	7
50-64	20	4.3	4	2	2	4	5	8	50	99+
65+	8	4.4	3	2	2	4	5	7	8	8
B. *Operated*										
0-19 YRS	64	2.2	1	1	2	2	2	3	4	8
20-34	15	3.3	5	2	2	3	3	5	9	11
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1025	3.7	5	1	2	3	5	6	7	12
20-34	291	4.3	9	2	2	4	5	7	9	16
35-49	115	5.3	11	2	2	4	6	10	13	18
50-64	66	5.1	7	2	3	5	6	7	11	15
65+	25	6.0	9	2	3	6	8	10	11	13
B. *Operated*										
0-19 YRS	43	4.3	20	1	2	2	5	9	12	25
20-34	11	5.6	4	2	3	6	7	8	9	9
35-49	7	7.0	7	3	3	6	10	10	10	10
50-64	3	11.0	73	2	2	12	17	19	19	19
65+	1	24.0		24	24	24	24	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	920	3.4	4	1	2	3	4	5	7	11
B. *Operated*	80	2.4	2	1	2	2	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	1522	4.0	7	1	2	3	5	7	8	14
B. *Operated*	65	5.4	25	1	2	3	7	10	16	25
1. SINGLE DX	1000	3.3	4	1	2	3	4	5	7	11
2. MULTIPLE DX	1587	4.1	8	1	2	3	5	7	9	15
A. NOT OPERATED	2442	3.8	6	1	2	3	5	6	8	13
B. OPERATED	145	3.8	14	1	2	2	4	8	10	24
TOTAL 0-19 YRS	1779	3.5	5	1	2	3	4	6	7	11
20-34	517	4.1	8	1	2	3	5	7	8	14
35-49	167	4.9	9	2	2	4	6	9	11	17
50-64	90	5.1	9	2	3	4	6	9	13	67
65+	34	6.1	17	2	3	5	7	10	13	24
GRAND TOTAL	**2587**	**3.8**	**6**	**1**	**2**	**3**	**5**	**6**	**8**	**13**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	283	6.8	17	2	2	6	9	12	14	20
20-34	53	8.2	76	2	3	5	9	16	29	45
35-49	26	8.9	28	2	3	8	12	17	19	21
50-64	42	8.7	33	2	3	7	13	17	20	25
65+	75	12.1	79	3	4	10	15	21	28	54
B. *Operated*										
0-19 YRS	8	7.9	10	3	4	8	10	12	12	12
20-34	2	21.0	162	12	12	21	30	30	30	30
35-49	4	8.8	23	3	3	9	12	14	14	14
50-64	6	17.3	137	4	4	17	24	33	34	34
65+	5	30.4	247	12	12	27	45	49	49	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	407	7.9	32	2	3	7	10	14	16	26
20-34	175	10.9	82	3	3	8	13	20	31	50
35-49	157	12.5	82	3	4	11	15	21	34	49
50-64	363	14.3	109	4	5	11	17	28	36	57
65+	1169	14.9	86	5	6	13	18	28	35	52
B. *Operated*										
0-19 YRS	53	15.3	106	6	7	12	18	27	31	60
20-34	51	16.5	149	3	5	12	25	38	52	99+
35-49	58	21.8	419	4	5	15	27	47	70	96
50-64	135	21.6	267	5	6	17	30	40	65	90
65+	289	26.3	255	8	10	22	35	49	57	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	479	8.0	38	2	3	7	10	15	19	31
B. *Operated*	25	15.8	159	3	4	12	24	34	45	49
2. MULTIPLE DX										
A. *Not Operated*	2271	13.1	86	3	4	11	16	24	33	50
B. *Operated*	586	23.0	265	6	8	18	31	45	57	94
1. SINGLE DX	504	8.4	47	2	3	7	11	16	20	40
2. MULTIPLE DX	2857	15.1	139	4	5	12	19	30	39	67
A. NOT OPERATED	2750	12.2	82	3	4	10	15	23	30	48
B. OPERATED	611	22.7	262	5	8	18	31	44	56	93
TOTAL 0-19 YRS	751	8.0	35	2	3	7	10	14	18	27
20-34	281	11.5	100	3	3	8	13	26	37	54
35-49	245	14.3	173	3	4	11	17	27	42	73
50-64	546	15.7	156	4	5	12	19	33	39	68
65+	1538	17.0	139	5	7	14	21	33	42	65
GRAND TOTAL	**3361**	**14.1**	**131**	**3**	**4**	**11**	**17**	**28**	**38**	**63**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	320	7.5	28	1	2	6	11	14	16	27
20-34	92	7.0	33	2	3	5	8	13	18	33
35-49	41	7.4	24	3	3	5	9	14	18	25
50-64	44	6.3	31	1	2	5	7	11	15	34
65+	39	7.5	13	3	3	7	9	13	15	15
B. *Operated*										
0-19 YRS	19	10.1	33	1	2	10	13	15	21	26
20-34	19	9.8	77	1	2	6	13	22	30	35
35-49	15	11.4	128	1	2	8	15	27	39	43
50-64	15	10.1	44	2	2	9	13	19	24	26
65+	11	14.3	194	1	1	11	22	36	44	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	237	7.8	36	2	2	6	11	14	17	33
20-34	94	8.2	40	2	2	7	10	18	24	29
35-49	74	8.9	74	2	3	7	11	15	19	59
50-64	128	9.1	56	3	4	7	11	18	25	40
65+	200	11.1	52	3	4	9	14	21	26	34
B. *Operated*										
0-19 YRS	36	14.3	96	3	4	12	18	24	31	54
20-34	30	12.4	100	2	3	8	18	26	27	42
35-49	25	17.2	232	4	5	11	22	45	67	99+
50-64	49	18.4	226	3	5	11	27	37	50	73
65+	45	22.4	173	8	9	19	29	45	50	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	536	7.3	28	2	2	6	10	14	16	30
B. *Operated*	79	10.8	83	1	2	9	14	25	29	44
2. MULTIPLE DX										
A. *Not Operated*	733	9.1	50	2	3	7	12	17	23	34
B. *Operated*	185	17.4	177	3	5	13	25	37	48	68
1. SINGLE DX	615	7.8	36	2	2	6	11	15	17	34
2. MULTIPLE DX	918	10.8	86	2	3	8	13	23	29	50
A. NOT OPERATED	1269	8.3	41	2	3	7	11	15	20	34
B. OPERATED	264	15.5	158	2	3	11	22	33	45	58
TOTAL 0-19 YRS	612	8.1	38	2	2	7	11	15	17	33
20-34	235	8.4	50	2	2	6	11	18	25	35
35-49	155	10.1	100	2	3	7	12	20	34	70
50-64	236	10.6	102	2	3	7	12	25	32	50
65+	295	12.4	90	3	4	10	15	26	32	48
GRAND TOTAL	**1533**	**9.6**	**68**	**2**	**3**	**7**	**12**	**19**	**26**	**44**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1171	4.2	7	1	2	4	5	8	9	13
20-34	584	5.2	11	2	2	4	6	9	11	17
35-49	101	6.4	13	2	2	5	8	12	14	16
50-64	22	8.3	23	2	3	8	11	13	17	22
65+	8	8.8	22	2	3	9	11	15	17	17
B. *Operated*										
0-19 YRS	18	5.6	7	2	3	5	7	10	11	11
20-34	14	6.9	27	2	3	5	11	14	19	20
35-49	3	15.0	57	8	8	14	21	23	23	23
50-64	1	15.0		15	15	15	15	15	15	15
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	366	5.4	16	2	2	4	7	10	12	18
20-34	231	6.6	23	2	2	5	8	12	16	36
35-49	68	7.2	30	2	3	6	9	13	14	36
50-64	37	9.3	52	1	2	7	12	15	20	41
65+	13	10.6	34	4	5	9	14	18	24	25
B. *Operated*										
0-19 YRS	17	10.4	94	2	3	9	11	14	34	45
20-34	19	11.0	29	3	4	10	14	18	21	23
35-49	5	8.2	23	3	3	7	12	15	15	15
50-64	7	21.3	354	7	7	16	25	54	61	61
65+	2	24.0	162	15	15	24	33	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1886	4.7	9	2	2	4	6	9	10	15
B. *Operated*	36	7.1	25	2	3	6	9	14	18	23
2. MULTIPLE DX										
A. *Not Operated*	715	6.3	23	2	2	5	8	11	14	29
B. *Operated*	50	12.5	111	3	3	10	15	21	33	61
1. SINGLE DX	1922	4.8	10	2	2	4	6	9	11	15
2. MULTIPLE DX	765	6.7	31	2	2	5	8	12	15	35
A. NOT OPERATED	2601	5.1	13	2	2	4	6	10	12	17
B. OPERATED	86	10.2	81	3	3	8	13	18	24	55
TOTAL 0-19 YRS	1572	4.6	11	2	2	4	6	8	11	15
20-34	848	5.8	16	2	2	5	7	10	13	20
35-49	177	6.9	21	2	3	6	9	13	15	23
50-64	67	10.3	83	2	3	9	13	17	23	58
65+	23	11.1	50	3	4	10	14	19	28	33
GRAND TOTAL	**2687**	**5.3**	**16**	**2**	**2**	**4**	**6**	**10**	**12**	**19**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	964	3.5	4	1	2	3	4	6	7	11
20-34	189	4.8	9	1	2	4	6	9	11	15
35-49	81	5.1	10	1	2	4	6	9	12	16
50-64	132	6.9	19	2	2	6	9	13	17	20
65+	341	7.9	29	2	3	6	11	15	18	25
B. *Operated*										
0-19 YRS	14	4.9	7	2	3	4	7	9	11	11
20-34	11	3.6	12	1	1	3	4	8	13	13
35-49	10	4.2	10	<1	<1	4	7	9	10	10
50-64	8	7.1	64	2	2	5	15	70	99+	99+
65+	14	12.3	82	3	3	10	15	25	34	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1236	4.2	11	1	2	4	5	7	9	13
20-34	228	5.4	10	2	2	5	7	9	11	17
35-49	112	7.3	30	2	3	6	8	14	21	57
50-64	407	9.0	50	2	3	7	11	18	26	36
65+	1286	10.9	64	3	4	9	14	21	27	41
B. *Operated*										
0-19 YRS	30	7.6	44	2	2	5	10	21	28	99+
20-34	22	10.9	88	1	2	9	14	20	34	42
35-49	13	14.0	306	1	2	9	18	31	61	68
50-64	62	17.4	254	4	5	11	20	35	51	85
65+	136	18.2	170	4	4	15	24	37	44	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1707	4.9	15	1	2	4	6	10	13	20
B. *Operated*	57	6.6	44	1	2	4	9	14	25	95
2. MULTIPLE DX										
A. *Not Operated*	3269	7.6	47	2	2	6	9	16	21	36
B. *Operated*	263	16.0	186	3	4	12	21	33	43	80
1. SINGLE DX	1764	4.9	16	1	2	4	6	10	13	21
2. MULTIPLE DX	3532	8.2	62	2	2	6	10	17	24	41
A. NOT OPERATED	4976	6.7	37	2	2	5	8	13	18	33
B. OPERATED	320	14.3	173	2	3	11	19	30	42	83
TOTAL 0-19 YRS	2244	3.9	9	1	2	3	5	7	8	13
20-34	450	5.4	15	1	2	4	7	10	13	16
35-49	216	6.7	41	1	2	5	8	12	18	44
50-64	609	9.4	72	2	3	7	11	19	26	46
65+	1777	10.9	71	3	3	9	14	22	28	43
GRAND TOTAL	**5296**	**7.1**	**49**	**2**	**2**	**5**	**9**	**15**	**21**	**37**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	533	7.1	23	2	3	6	9	12	16	29
20-34	1018	8.3	24	3	3	7	11	14	17	25
35-49	287	9.1	33	3	4	7	11	17	21	30
50-64	147	10.4	47	4	4	9	12	18	22	39
65+	57	10.6	44	3	4	8	14	19	25	30
B. *Operated*										
0-19 YRS	14	11.5	116	2	2	9	14	27	38	41
20-34	59	9.3	31	2	2	9	12	16	20	28
35-49	44	10.9	41	3	4	10	15	21	24	26
50-64	22	11.4	65	2	2	9	19	21	26	33
65+	10	11.9	27	3	4	12	15	19	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	164	8.3	24	3	3	7	11	14	18	26
20-34	450	9.0	33	3	4	8	11	17	20	29
35-49	176	9.9	32	3	4	8	13	17	2[illegible]	31
50-64	159	11.3	73	3	5	9	14	18	23	45
65+	114	11.9	97	3	4	9	15	22	31	55
B. *Operated*										
0-19 YRS	13	9.9	48	2	3	8	12	21	25	26
20-34	70	12.9	99	2	2	11	16	22	33	48
35-49	32	13.8	109	2	2	14	21	23	31	46
50-64	62	16.4	75	5	6	15	22	26	32	45
65+	30	18.1	77	4	8	17	23	31	35	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2042	8.3	28	2	3	7	10	15	18	28
B. *Operated*	149	10.4	46	2	3	10	14	20	22	33
2. MULTIPLE DX										
A. *Not Operated*	1063	9.7	46	3	4	8	12	17	21	33
B. *Operated*	207	14.7	91	2	4	13	20	26	33	45
1. SINGLE DX	2191	8.5	30	2	3	7	11	15	19	29
2. MULTIPLE DX	1270	10.5	56	3	4	8	14	20	23	37
A. NOT OPERATED	3105	8.8	35	3	3	7	11	16	20	30
B. OPERATED	356	12.9	76	2	3	11	17	23	30	44
TOTAL 0-19 YRS	724	7.5	26	2	3	6	9	13	18	28
20-34	1597	8.7	31	2	3	8	11	15	19	30
35-49	539	9.8	39	3	4	8	12	19	22	32
50-64	390	11.8	67	4	5	10	15	21	25	44
65+	211	12.4	82	3	4	10	16	23	30	43
GRAND TOTAL	**3461**	**9.2**	**40**	**3**	**3**	**8**	**12**	**17**	**21**	**33**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1580	4.9	15	2	2	4	6	8	10	15
20-34	569	5.6	11	2	2	5	7	10	12	17
35-49	79	6.1	13	2	2	5	8	11	14	18
50-64	12	7.9	39	2	2	5	12	17	20	21
65+	5	9.6	11	6	6	9	12	14	14	14
B. *Operated*										
0-19 YRS	26	6.0	10	2	2	6	8	11	12	12
20-34	16	6.0	15	1	1	5	9	11	13	14
35-49	4	4.8	5	2	2	5	6	7	7	7
50-64	1	10.0		10	10	10	10	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1337	5.5	12	2	2	5	7	10	12	18
20-34	482	5.9	11	2	2	5	8	11	12	16
35-49	90	7.3	18	2	3	7	10	12	13	24
50-64	39	9.9	44	2	3	9	12	17	21	38
65+	14	8.3	16	2	3	8	13	14	14	14
B. *Operated*										
0-19 YRS	43	8.5	20	2	3	7	13	14	17	18
20-34	37	11.2	53	4	4	8	14	23	28	29
35-49	10	10.4	31	4	4	12	12	18	22	22
50-64	4	11.8	42	6	6	10	16	21	21	21
65+	5	15.2	120	6	6	11	22	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2245	5.1	14	2	2	4	6	9	11	16
B. *Operated*	47	6.0	11	2	2	6	8	11	12	14
2. MULTIPLE DX										
A. *Not Operated*	1962	5.8	13	2	2	5	7	10	12	18
B. *Operated*	99	10.2	40	3	4	8	13	18	23	31
1. SINGLE DX	2292	5.2	14	2	2	4	6	9	11	16
2. MULTIPLE DX	2061	6.0	15	2	2	5	7	11	13	21
A. NOT OPERATED	4207	5.4	14	2	2	5	7	10	12	17
B. OPERATED	146	8.8	34	2	3	7	12	15	22	29
TOTAL 0-19 YRS	2986	5.2	14	2	2	4	6	9	11	17
20-34	1104	6.0	13	2	2	5	8	11	12	19
35-49	183	6.9	17	2	3	6	9	12	14	21
50-64	56	9.6	41	2	3	9	12	18	21	37
65+	24	10.0	39	3	4	8	13	15	22	33
GRAND TOTAL	**4353**	**5.6**	**15**	**2**	**2**	**5**	**7**	**10**	**12**	**18**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.9	3	<1	1	1	2	3	7	8
20-34	32	2.4	3	<1	1	2	3	5	6	8
35-49	6	2.2	1	<1	<1	2	3	4	4	4
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	872	2.1	4	<1	1	2	2	3	4	9
20-34	1510	2.5	8	<1	1	2	3	4	5	9
35-49	325	2.9	6	<1	1	2	3	5	7	11
50-64	115	3.1	4	<1	1	2	4	6	8	11
65+	26	4.5	11	1	2	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	4.5	35	1	1	3	5	6	20	25
20-34	24	3.1	4	<1	1	3	4	6	7	8
35-49	11	4.6	57	<1	<1	2	3	16	25	26
50-64	6	5.5	11	<1	<1	5	9	9	9	9
65+	5	5.4	7	3	3	5	7	9	9	9
B. *Operated*										
0-19 YRS	165	3.1	6	1	1	2	4	6	9	13
20-34	539	3.7	13	1	1	3	4	7	10	17
35-49	184	3.8	7	1	1	3	5	7	9	14
50-64	82	4.5	14	1	1	3	6	10	12	19
65+	40	6.7	25	2	2	5	8	14	19	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	2.4	4	<1	1	2	3	5	7	9
B. *Operated*	2848	2.5	6	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	61	4.1	21	<1	1	3	5	8	10	26
B. *Operated*	1010	3.8	12	1	1	3	5	7	10	17
1. SINGLE DX	2904	2.5	6	<1	1	2	3	4	5	10
2. MULTIPLE DX	1071	3.8	12	1	1	3	5	7	10	18
A. NOT OPERATED	117	3.3	14	<1	1	2	4	7	9	25
B. OPERATED	3858	2.8	8	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	1067	2.3	5	<1	1	2	3	4	5	11
20-34	2105	2.8	9	1	1	2	3	5	6	11
35-49	526	3.3	8	1	1	3	4	6	8	14
50-64	205	3.7	9	1	1	3	5	8	10	14
65+	72	5.8	19	2	2	5	7	11	16	21
GRAND TOTAL	**3975**	**2.9**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2308	3.3	6	1	1	3	4	5	7	12
20-34	730	4.2	9	1	2	3	5	8	10	14
35-49	253	5.0	13	1	2	4	6	10	11	23
50-64	149	4.6	12	1	2	4	6	7	11	22
65+	104	6.1	34	2	2	5	7	11	13	71
B. *Operated*										
0-19 YRS	66	5.1	24	1	1	4	7	11	12	29
20-34	30	6.0	23	<1	1	5	8	14	14	20
35-49	12	7.7	28	2	3	6	12	15	18	19
50-64	11	11.5	222	1	1	8	13	30	52	54
65+	2	15.5	313	3	3	15	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2192	3.9	12	1	2	3	5	7	9	16
20-34	920	4.9	20	1	2	4	6	9	11	18
35-49	428	5.7	37	2	2	4	7	10	12	24
50-64	460	6.1	24	2	2	5	7	10	14	28
65+	634	7.2	30	2	3	6	9	14	17	30
B. *Operated*										
0-19 YRS	80	7.4	47	1	2	5	9	17	25	32
20-34	86	9.2	63	1	2	8	12	15	21	50
35-49	57	11.9	195	3	4	7	14	21	36	85
50-64	54	15.6	222	4	4	11	15	35	47	80
65+	46	15.9	116	3	5	14	23	31	37	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3544	3.8	9	1	1	3	5	6	8	14
B. *Operated*	121	6.3	47	1	1	5	8	13	14	38
2. MULTIPLE DX										
A. *Not Operated*	4634	4.9	21	1	2	4	6	9	12	22
B. *Operated*	323	11.2	126	2	3	8	14	23	32	58
1. SINGLE DX	3665	3.8	10	1	1	3	5	7	9	14
2. MULTIPLE DX	4957	5.3	30	1	2	4	6	10	13	28
A. NOT OPERATED	8178	4.4	16	1	2	3	5	8	10	19
B. OPERATED	444	9.9	109	1	2	7	12	21	30	54
TOTAL 0-19 YRS	4646	3.7	10	1	1	3	4	6	8	14
20-34	1766	4.8	18	1	2	4	6	9	11	19
35-49	750	6.0	44	2	2	4	7	10	14	30
50-64	674	6.6	48	2	2	5	7	12	17	41
65+	786	7.6	40	2	3	6	9	15	20	36
GRAND TOTAL	**8622**	**4.7**	**22**	**1**	**2**	**4**	**5**	**9**	**11**	**24**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	5.4	8	2	2	5	6	9	11	16
20-34	48	5.2	19	1	2	4	6	11	11	26
35-49	14	8.1	108	1	1	5	6	23	35	39
50-64	5	4.8	7	2	2	4	7	8	8	8
65+	6	8.0	14	4	4	7	12	13	13	13
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	4	5.8	15	2	2	5	9	10	10	10
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	15.0	392	1	1	15	29	29	29	29
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	6.4	16	2	3	6	9	10	10	23
20-34	28	5.9	16	1	2	4	9	12	13	14
35-49	11	8.7	23	3	4	8	10	16	21	21
50-64	4	6.0	18	2	2	5	9	12	12	12
65+	8	12.5	76	5	5	10	17	26	30	30
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34										
35-49	5	5.4	7	2	2	6	7	9	9	9
50-64	4	6.3	8	3	3	6	8	9	9	9
65+	4	14.0	152	6	6	9	22	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	5.7	23	2	2	5	7	11	13	28
B. *Operated*	9	6.9	78	1	1	3	8	21	29	29
2. MULTIPLE DX										
A. *Not Operated*	83	7.1	25	2	2	6	9	13	17	28
B. *Operated*	14	8.8	57	2	3	6	9	17	29	32
1. SINGLE DX	143	5.8	26	1	2	5	7	11	13	30
2. MULTIPLE DX	97	7.4	30	2	2	6	9	13	17	31
A. NOT OPERATED	217	6.2	24	2	2	5	8	11	13	27
B. OPERATED	23	8.0	63	1	2	6	9	18	30	32
TOTAL 0-19 YRS	96	5.8	12	2	3	5	7	10	12	20
20-34	80	5.5	17	1	2	4	8	11	12	22
35-49	31	7.8	57	1	2	5	9	16	21	39
50-64	15	6.9	47	1	2	5	8	12	25	29
65+	18	11.3	68	4	5	7	13	26	31	32
GRAND TOTAL	**240**	**6.4**	**28**	**2**	**2**	**5**	**8**	**12**	**14**	**30**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	203	5.7	14	2	2	5	7	10	12	21
20-34	309	5.4	12	2	2	4	7	9	11	16
35-49	48	7.3	33	1	2	5	10	17	19	24
50-64	18	4.8	24	<1	1	4	7	8	16	22
65+	14	6.2	13	1	2	7	9	11	12	13
B. *Operated*										
0-19 YRS	49	4.5	28	<1	1	2	5	11	16	27
20-34	172	3.1	8	1	1	2	3	6	8	18
35-49	41	5.2	67	1	1	3	6	11	13	52
50-64	14	5.3	21	<1	1	4	7	14	16	16
65+	8	6.8	24	2	2	5	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	171	6.3	19	2	3	5	7	11	15	25
20-34	276	6.6	26	2	3	5	8	12	15	28
35-49	62	6.7	25	2	2	6	9	11	16	29
50-64	41	11.4	62	1	2	9	15	23	29	30
65+	55	9.9	71	1	2	7	14	21	29	40
B. *Operated*										
0-19 YRS	32	6.9	22	2	2	7	9	14	15	22
20-34	98	5.9	26	1	2	4	8	14	15	24
35-49	53	8.1	66	1	2	6	10	17	27	42
50-64	41	9.9	88	2	2	7	14	19	25	50
65+	29	13.6	130	2	3	10	20	32	34	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	592	5.7	15	2	2	5	7	10	13	21
B. *Operated*	284	3.9	22	1	1	2	4	8	12	20
2. MULTIPLE DX										
A. *Not Operated*	605	7.2	32	2	3	6	9	14	18	30
B. *Operated*	253	8.0	61	1	2	5	11	17	22	42
1. SINGLE DX	876	5.1	18	1	2	4	6	10	13	21
2. MULTIPLE DX	858	7.4	41	2	2	5	9	15	20	32
A. NOT OPERATED	1197	6.4	24	2	2	5	8	12	16	28
B. OPERATED	537	5.8	44	1	1	3	7	13	18	32
TOTAL 0-19 YRS	455	5.9	18	2	2	5	7	11	15	24
20-34	855	5.4	19	1	2	4	7	10	13	23
35-49	204	6.9	46	1	2	5	9	14	18	37
50-64	114	9.1	66	1	2	7	13	20	24	37
65+	106	10.2	80	2	2	7	13	22	31	44
GRAND TOTAL	**1734**	**6.3**	**31**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	5.5	21	1	2	4	7	11	13	28
20-34	51	8.7	52	2	3	7	11	18	28	99
35-49	31	10.5	95	2	3	6	14	21	36	42
50-64	26	9.7	112	2	3	6	9	18	41	44
65+	13	9.2	63	2	3	6	11	24	26	26
B. *Operated*										
0-19 YRS	9	5.3	20	<1	<1	5	8	12	14	14
20-34	62	10.2	213	1	2	5	11	26	42	86
35-49	74	10.7	198	2	2	6	12	27	39	79
50-64	64	10.5	235	1	2	6	10	27	55	96
65+	43	7.5	47	1	2	4	11	19	22	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	5.5	27	1	2	4	6	10	15	32
20-34	93	7.3	73	2	2	5	8	12	18	58
35-49	64	9.6	96	2	3	7	12	18	36	94
50-64	90	10.0	94	3	3	7	12	18	26	58
65+	121	11.2	69	3	3	9	14	22	32	38
B. *Operated*										
0-19 YRS	13	19.2	328	2	2	11	41	47	49	49
20-34	68	14.3	250	2	2	10	17	31	45	90
35-49	92	13.8	281	2	2	9	15	47	58	99+
50-64	125	17.2	340	2	2	11	24	45	58	98
65+	93	19.1	370	2	3	13	28	61	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	7.8	56	2	2	5	9	17	22	43
B. *Operated*	252	9.8	179	1	2	5	11	23	41	88
2. MULTIPLE DX										
A. *Not Operated*	515	8.5	70	2	2	6	10	17	23	51
B. *Operated*	391	16.4	319	2	2	11	21	46	61	99+
1. SINGLE DX	459	8.9	124	1	2	5	10	19	32	75
2. MULTIPLE DX	906	11.9	192	2	2	7	13	29	46	92
A. NOT OPERATED	722	8.3	66	2	2	6	10	17	23	45
B. OPERATED	643	13.8	274	2	2	8	17	38	55	99+
TOTAL 0-19 YRS	255	6.2	47	1	2	4	7	12	15	42
20-34	274	10.0	150	2	2	6	11	21	32	83
35-49	261	11.5	191	2	2	7	13	28	48	98
50-64	305	13.1	236	2	2	8	15	36	51	93
65+	270	13.2	187	2	3	9	17	31	49	95
GRAND TOTAL	**1365**	**10.9**	**171**	**2**	**2**	**7**	**12**	**26**	**41**	**89**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.4	3	1	1	3	4	6	7	7
20-34	20	5.1	10	1	1	5	6	9	12	14
35-49	13	4.2	7	1	2	3	5	8	10	11
50-64	8	5.1	30	1	1	3	7	15	17	17
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	18	7.4	202	2	2	4	5	8	42	64
20-34	27	4.6	39	1	1	2	5	10	16	32
35-49	7	7.0	14	<1	1	9	10	11	11	11
50-64	6	8.3	57	<1	<1	6	16	19	19	19
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	6.7	49	<1	1	4	7	20	24	27
20-34	20	6.8	9	2	3	7	9	11	12	12
35-49	16	9.3	37	3	3	7	13	19	20	21
50-64	7	7.0	14	2	2	8	10	11	11	11
65+	19	9.4	87	3	4	5	11	18	33	43
B. *Operated*										
0-19 YRS	18	4.1	4	1	2	4	5	7	8	9
20-34	17	8.1	80	2	2	4	10	20	29	34
35-49	10	17.0	54	5	8	15	24	26	27	27
50-64	6	17.2	42	6	7	17	23	24	24	24
65+	2	22.5	925	1	1	22	44	44	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	4.2	9	1	1	3	5	7	10	16
B. *Operated*	59	6.2	85	<1	1	4	6	11	18	61
2. MULTIPLE DX										
A. *Not Operated*	95	7.7	44	1	2	6	10	17	21	36
B. *Operated*	53	10.0	92	2	2	5	16	24	27	44
1. SINGLE DX	127	5.1	45	1	1	4	6	9	13	39
2. MULTIPLE DX	148	8.5	61	1	2	6	11	20	24	43
A. NOT OPERATED	163	6.2	32	1	2	5	8	12	19	27
B. OPERATED	112	8.0	91	1	2	4	9	19	24	52
TOTAL 0-19 YRS	94	5.4	58	1	1	4	5	8	19	48
20-34	84	5.9	34	1	2	5	7	11	17	33
35-49	46	9.2	48	2	3	7	12	21	24	27
50-64	27	9.0	51	1	1	8	16	19	23	24
65+	24	9.9	127	2	2	5	11	23	43	44
GRAND TOTAL	**275**	**7.0**	**57**	**1**	**2**	**5**	**8**	**16**	**21**	**41**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	5.1	13	2	2	4	6	8	10	22
20-34	104	5.5	17	2	2	4	7	10	14	22
35-49	54	7.1	28	2	2	5	9	17	18	23
50-64	23	7.3	15	2	2	7	11	13	14	14
65+	6	9.5	66	5	5	6	7	24	26	26
B. *Operated*										
0-19 YRS	21	5.5	31	<1	1	5	7	10	18	26
20-34	317	7.7	52	2	2	6	10	15	20	30
35-49	156	6.7	26	2	2	6	9	14	16	24
50-64	60	11.6	127	2	2	8	14	25	38	50
65+	22	11.5	48	2	3	11	15	21	27	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117	5.8	15	2	2	5	8	10	14	20
20-34	191	6.7	31	1	2	5	8	12	17	31
35-49	162	8.0	34	2	3	6	10	15	19	33
50-64	99	8.7	36	2	3	8	11	17	21	30
65+	66	11.3	53	3	4	9	14	21	30	34
B. *Operated*										
0-19 YRS	17	8.0	35	1	2	7	14	21	69	99+
20-34	251	9.6	45	2	3	9	12	18	23	37
35-49	157	10.0	41	2	3	8	13	18	22	33
50-64	102	11.6	68	2	3	9	15	24	27	40
65+	39	15.2	201	2	2	13	21	29	52	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	252	6.0	20	2	2	5	7	12	16	23
B. *Operated*	576	7.9	54	2	2	6	10	16	22	34
2. MULTIPLE DX										
A. *Not Operated*	635	7.7	34	2	3	6	9	15	20	32
B. *Operated*	566	10.4	61	2	3	9	13	21	25	45
1. SINGLE DX	828	7.3	44	2	2	6	9	15	19	30
2. MULTIPLE DX	1201	9.0	48	2	3	7	11	18	23	36
A. NOT OPERATED	887	7.2	31	2	2	6	9	14	18	30
B. OPERATED	1142	9.1	59	2	2	7	12	18	24	37
TOTAL 0-19 YRS	220	5.7	18	1	2	5	7	10	15	24
20-34	863	7.8	43	2	2	6	10	15	20	35
35-49	529	8.1	35	2	2	6	10	16	20	31
50-64	284	10.2	67	2	3	8	12	22	26	44
65+	133	12.4	98	2	3	9	16	25	30	59
GRAND TOTAL	**2029**	**8.3**	**47**	**2**	**2**	**6**	**10**	**17**	**22**	**35**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	4	8.0	5	5	5	8	9	10	10	10
35-49	2	15.5	181	6	6	15	25	25	25	25
50-64	1	16.0		16	16	16	16	16	16	16
65+	2	11.5	13	9	9	14	78	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34	4	11.3	82	2	2	12	19	19	19	19
35-49	4	7.8	35	3	3	6	12	16	16	16
50-64	1	10.0		10	10	10	10	10	10	10
65+	4	5.5	7	2	2	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.0	30	2	2	4	9	14	14	14
20-34	5	6.2	11	1	1	6	8	10	10	10
35-49	8	7.3	42	1	1	5	11	18	19	19
50-64	17	7.9	98	<1	1	4	12	18	33	41
65+	26	10.9	120	2	3	8	13	22	32	56
B. *Operated*										
0-19 YRS	7	9.0	36	3	3	8	12	18	20	20
20-34	11	5.9	3	3	4	5	7	9	9	9
35-49	15	13.3	237	2	2	8	15	33	54	61
50-64	11	15.9	304	2	3	9	18	48	54	55
65+	6	21.2	203	3	4	18	26	44	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	10.0	40	2	4	9	15	47	92	99+
B. *Operated*	13	8.3	37	2	2	7	11	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	60	8.9	88	1	2	6	11	19	24	54
B. *Operated*	50	12.6	179	2	3	8	15	29	46	61
1. SINGLE DX	24	9.1	37	2	2	8	14	19	44	99+
2. MULTIPLE DX	110	10.6	132	2	2	7	13	20	41	58
A. NOT OPERATED	71	9.0	80	1	2	6	12	19	26	90
B. OPERATED	63	11.7	152	2	3	8	15	21	45	60
TOTAL 0-19 YRS	13	7.3	30	2	2	6	11	15	19	20
20-34	24	7.2	19	2	3	6	9	11	19	19
35-49	29	11.0	149	1	2	7	15	23	34	61
50-64	30	11.2	174	1	2	6	12	30	44	55
65+	38	12.0	128	2	3	9	16	26	51	99+
GRAND TOTAL	**134**	**10.3**	**115**	**2**	**2**	**7**	**13**	**20**	**39**	**67**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	9	8.4	151	<1	<1	2	11	28	39	39
35-49	34	9.1	134	1	2	5	9	23	38	50
50-64	130	8.0	128	2	2	5	8	17	26	61
65+	98	5.8	22	1	2	4	7	11	13	26
B. *Operated*										
0-19 YRS	7	4.4	10	2	2	3	6	9	10	10
20-34	47	5.5	25	1	2	4	7	11	19	99+
35-49	128	6.7	40	2	2	4	9	15	16	29
50-64	472	6.9	64	1	2	4	9	15	22	41
65+	424	8.4	101	1	2	5	10	19	31	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	7.7	36	1	2	7	10	18	19	19
20-34	12	6.8	37	2	3	5	6	17	22	23
35-49	94	9.1	106	1	2	6	11	20	26	60
50-64	322	8.6	57	2	2	7	10	20	28	59
65+	306	10.4	115	2	2	8	13	22	30	56
B. *Operated*										
0-19 YRS	4	7.0	2	5	5	7	8	8	8	8
20-34	23	13.3	166	1	2	10	16	28	42	58
35-49	128	14.7	265	2	2	9	19	34	64	86
50-64	693	13.2	155	2	2	10	18	29	41	66
65+	755	14.7	244	2	2	10	19	34	49	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	7.3	91	1	2	5	8	15	23	52
B. *Operated*	1078	7.4	74	1	2	4	9	16	25	48
2. MULTIPLE DX										
A. *Not Operated*	745	9.4	87	2	2	7	11	21	29	47
B. *Operated*	1603	14.0	205	2	2	10	18	32	45	83
1. SINGLE DX	1351	7.4	77	1	2	4	9	16	24	49
2. MULTIPLE DX	2348	12.5	173	2	2	8	16	28	40	81
A. NOT OPERATED	1018	8.8	89	2	2	6	11	19	28	51
B. OPERATED	2681	11.3	163	2	2	7	15	26	38	75
TOTAL 0-19 YRS	24	6.5	21	1	2	6	8	12	18	19
20-34	91	7.9	82	1	2	5	10	18	28	82
35-49	384	10.1	150	1	2	6	13	22	35	71
50-64	1617	10.0	114	2	2	6	13	24	31	61
65+	1583	11.6	176	2	2	7	15	27	38	80
GRAND TOTAL	**3699**	**10.7**	**144**	**2**	**2**	**7**	**13**	**24**	**35**	**70**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	15.8	423	1	2	9	17	51	64	64
50-64	60	9.5	108	2	3	7	10	18	26	61
65+	63	8.9	72	2	2	6	10	24	31	37
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	1	5.0		5	5	5	5	5	5	5
35-49	20	18.7	343	2	3	13	26	41	61	78
50-64	110	17.7	225	2	4	13	22	42	52	70
65+	125	15.7	255	2	3	10	21	37	54	78
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	9.3	113	2	2	5	15	25	25	25
35-49	32	8.4	66	1	2	6	9	20	30	35
50-64	125	11.5	132	2	2	7	16	24	31	61
65+	220	10.3	81	2	2	8	13	21	26	41
B. *Operated*										
0-19 YRS										
20-34										
35-49	53	23.2	250	4	7	19	30	42	55	72
50-64	222	21.5	298	3	5	18	29	43	59	96
65+	315	20.6	256	3	5	16	28	43	55	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	9.6	109	2	2	6	11	21	31	62
B. *Operated*	257	16.7	247	2	3	12	22	39	53	77
2. MULTIPLE DX										
A. *Not Operated*	382	10.5	96	2	2	7	14	22	30	46
B. *Operated*	590	21.1	271	3	5	17	29	43	55	90
1. SINGLE DX	388	14.3	211	2	3	9	19	31	48	74
2. MULTIPLE DX	972	17.0	229	2	3	12	23	37	46	77
A. NOT OPERATED	513	10.3	100	2	2	7	13	22	30	51
B. OPERATED	847	19.8	267	3	4	15	27	42	55	81
TOTAL 0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	5	8.4	88	2	2	5	11	25	25	25
35-49	113	17.7	258	2	3	12	25	38	53	74
50-64	517	16.9	242	2	3	12	22	37	47	89
65+	723	15.6	209	2	3	11	20	36	45	72
GRAND TOTAL	**1360**	**16.2**	**225**	**2**	**3**	**11**	**22**	**36**	**46**	**76**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	4.4	4	3	3	4	5	8	8	8
35-49	12	7.9	72	2	2	5	10	21	29	30
50-64	52	7.6	80	1	2	5	9	14	20	54
65+	79	9.1	75	1	2	6	13	18	26	44
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	15.3	140	8	8	9	24	29	29	29
35-49	31	19.6	87	8	9	17	28	32	33	45
50-64	133	15.6	97	2	3	14	20	30	35	44
65+	166	18.4	98	3	7	17	25	29	36	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	31.0		31	31	31	31	31	31	31
20-34	9	7.7	21	1	2	6	11	14	15	15
35-49	41	8.0	63	<1	1	5	10	19	28	33
50-64	224	8.8	47	2	2	7	12	18	21	29
65+	442	10.6	86	2	3	8	14	22	28	48
B. *Operated*										
0-19 YRS	1	66.0		66	66	66	66	66	66	66
20-34	18	19.7	172	4	5	14	33	41	43	44
35-49	72	17.1	110	5	7	15	21	30	35	61
50-64	387	22.0	207	5	8	19	28	39	49	90
65+	857	23.6	201	6	9	21	30	41	51	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	8.3	74	1	2	5	11	17	22	44
B. *Operated*	334	17.3	99	2	5	16	24	31	35	46
2. MULTIPLE DX										
A. *Not Operated*	717	9.9	73	2	3	7	13	21	26	45
B. *Operated*	1335	22.8	201	5	8	20	29	40	50	85
1. SINGLE DX	482	14.6	108	2	3	13	20	29	34	45
2. MULTIPLE DX	2052	18.3	194	3	4	16	25	36	44	70
A. NOT OPERATED	865	9.6	73	2	2	7	12	20	25	45
B. OPERATED	1669	21.7	185	5	8	19	28	38	48	75
TOTAL 0-19 YRS	3	33.0	1027	2	2	31	57	66	66	66
20-34	35	14.1	141	3	3	10	18	33	41	44
35-49	156	14.5	112	2	3	13	19	30	33	53
50-64	796	16.3	172	2	3	13	22	32	40	70
65+	1544	18.6	187	3	4	16	25	37	44	69
GRAND TOTAL	**2534**	**17.6**	**180**	**2**	**4**	**15**	**24**	**35**	**43**	**67**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	6.0		6	6	6	6	6	6	6
50-64	4	10.5	158	1	1	6	18	29	29	29
65+	3	5.7	4	4	4	5	7	8	8	8
B. *Operated*										
0-19 YRS										
20-34	1	24.0		24	24	24	24	24	24	24
35-49	7	29.6	918	8	8	17	39	82	92	92
50-64	17	24.7	273	6	7	23	30	54	62	64
65+	7	15.3	40	7	8	15	20	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	5.3	10	3	3	4	8	9	9	9
50-64	23	7.7	22	2	2	6	10	13	16	21
65+	26	8.9	39	2	2	7	14	17	19	27
B. *Operated*										
0-19 YRS										
20-34	8	15.8	79	10	10	13	15	31	37	37
35-49	25	19.2	110	5	9	17	21	39	40	41
50-64	79	20.4	174	7	8	16	26	39	50	91
65+	112	22.6	152	9	10	20	29	38	46	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	8.0	66	1	2	6	7	21	29	29
B. *Operated*	32	23.7	351	7	8	19	27	47	63	92
2. MULTIPLE DX										
A. *Not Operated*	52	8.2	30	2	2	6	11	16	17	27
B. *Operated*	224	21.2	153	7	9	17	28	39	45	70
1. SINGLE DX	41	20.2	328	4	6	15	26	41	61	92
2. MULTIPLE DX	276	18.7	156	4	6	15	25	37	43	69
A. NOT OPERATED	61	8.1	34	2	2	6	10	16	19	29
B. OPERATED	256	21.5	177	7	9	18	28	39	46	71
TOTAL 0-19 YRS										
20-34	10	15.7	77	7	8	13	16	30	37	37
35-49	36	19.7	276	3	6	16	21	40	42	92
50-64	123	18.3	186	4	6	14	25	38	49	79
65+	148	19.5	155	4	5	16	26	35	42	65
GRAND TOTAL	**317**	**18.9**	**177**	**4**	**6**	**15**	**25**	**37**	**44**	**70**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	8	5.0	9	1	1	5	7	9	10	10
35-49	29	5.3	13	2	2	5	7	11	12	16
50-64	149	6.1	31	1	2	5	7	12	14	32
65+	202	7.8	52	1	2	6	10	16	24	38
B. *Operated*										
0-19 YRS										
20-34	22	13.6	47	6	8	12	15	21	28	37
35-49	171	13.5	61	2	5	12	16	22	26	48
50-64	601	14.5	47	6	8	13	17	22	26	41
65+	1057	16.9	77	6	10	15	20	26	32	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	29	8.4	50	1	2	5	14	17	26	26
35-49	130	7.7	39	2	3	6	9	16	21	31
50-64	666	9.0	68	2	3	6	11	18	26	41
65+	1387	10.4	90	2	3	7	13	22	29	49
B. *Operated*										
0-19 YRS	14	21.8	62	7	10	22	28	32	33	33
20-34	57	18.8	133	6	8	16	24	36	43	57
35-49	367	18.2	111	6	9	16	22	31	41	62
50-64	1840	18.5	116	7	9	16	22	31	38	74
65+	4557	21.7	140	9	11	19	26	37	44	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	389	6.9	41	1	2	5	8	14	18	34
B. *Operated*	1851	15.8	67	5	9	14	19	25	29	47
2. MULTIPLE DX										
A. *Not Operated*	2214	9.8	81	2	3	7	12	20	28	47
B. *Operated*	6835	20.6	134	8	10	18	25	35	43	69
1. SINGLE DX	2240	14.2	74	2	4	13	18	24	28	47
2. MULTIPLE DX	9049	18.0	143	3	5	16	23	32	41	65
A. NOT OPERATED	2603	9.4	76	2	3	7	12	19	27	45
B. OPERATED	8686	19.6	124	7	10	17	24	33	42	65
TOTAL 0-19	17	18.8	96	3	6	20	27	31	33	33
20-34	116	14.3	111	2	4	12	19	26	37	53
35-49	697	14.6	101	3	4	13	18	26	35	50
50-64	3256	15.2	107	3	4	13	19	27	33	55
65+	7203	18.4	142	3	5	16	23	33	41	63
GRAND TOTAL	**11289**	**17.2**	**131**	**3**	**5**	**15**	**22**	**31**	**39**	**62**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	4.0	27	1	1	1	8	10	10	10
35-49	24	5.5	13	1	2	5	7	12	14	15
50-64	83	6.5	34	1	2	4	9	14	19	30
65+	141	8.7	76	1	2	6	10	22	30	44
B. *Operated*										
0-19 YRS	2	11.5	181	2	2	11	21	21	21	21
20-34	16	14.1	63	4	5	14	18	24	31	33
35-49	127	13.9	65	2	3	14	18	22	26	43
50-64	562	15.9	86	2	4	15	20	27	30	45
65+	787	16.7	113	2	4	16	22	30	35	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	16	8.7	109	1	1	4	11	20	35	42
35-49	71	6.6	20	2	2	5	8	14	17	20
50-64	366	10.8	132	2	3	7	14	23	33	65
65+	790	11.3	122	2	3	8	14	23	34	58
B. *Operated*										
0-19 YRS	4	24.5	767	4	4	14	42	65	65	65
20-34	38	17.6	129	4	5	15	24	34	42	47
35-49	217	18.0	150	3	6	16	22	33	42	74
50-64	1066	19.5	130	4	7	18	25	32	40	61
65+	2202	22.4	175	5	8	20	28	39	49	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	252	7.6	57	1	2	5	9	16	24	37
B. *Operated*	1494	16.1	99	2	4	15	21	28	33	50
2. MULTIPLE DX										
A. *Not Operated*	1245	10.8	120	2	3	7	14	22	32	59
B. *Operated*	3527	21.2	162	5	7	19	27	37	45	69
1. SINGLE DX	1746	14.9	101	2	3	14	20	27	32	49
2. MULTIPLE DX	4772	18.5	172	3	4	16	24	35	43	68
A. NOT OPERATED	1497	10.3	111	2	3	7	13	22	30	54
B. OPERATED	5021	19.7	149	4	6	18	25	34	43	65
TOTAL 0-19 YRS	9	15.0	399	2	3	6	19	47	65	65
20-34	73	14.3	120	1	3	12	20	30	37	47
35-49	439	14.3	117	2	3	13	18	26	34	54
50-64	2077	16.5	129	3	4	15	21	30	37	60
65+	3920	18.5	172	3	4	16	24	35	44	66
GRAND TOTAL	**6518**	**17.5**	**156**	**3**	**4**	**16**	**23**	**33**	**41**	**64**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.8	76	1	1	5	10	23	23	23
20-34	15	6.3	39	1	2	5	7	10	23	27
35-49	17	6.8	27	2	2	5	8	13	20	23
50-64	73	5.5	16	2	2	5	6	10	13	22
65+	68	10.3	119	1	2	6	13	24	36	52
B. *Operated*										
0-19 YRS	7	12.1	103	2	3	10	14	29	33	33
20-34	11	14.6	78	6	7	12	21	28	33	34
35-49	24	15.3	37	6	8	15	18	24	27	27
50-64	87	16.9	116	6	7	15	19	28	40	62
65+	113	18.8	124	5	7	17	23	32	37	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	6.7	29	1	1	6	10	15	16	16
20-34	29	8.8	70	2	2	5	12	21	26	34
35-49	67	9.2	56	1	2	7	10	22	27	31
50-64	186	10.2	80	2	3	7	13	21	32	41
65+	319	11.9	130	2	3	8	14	26	36	63
B. *Operated*										
0-19 YRS	4	21.3	361	4	4	16	34	48	48	48
20-34	18	22.8	186	4	6	25	31	37	49	56
35-49	69	18.7	178	4	6	16	21	36	53	67
50-64	273	21.9	191	5	8	20	28	38	55	98
65+	523	22.4	168	8	9	20	28	38	47	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	7.6	63	1	2	5	9	16	23	44
B. *Operated*	242	17.4	111	5	7	15	22	28	37	53
2. MULTIPLE DX										
A. *Not Operated*	608	10.9	104	2	3	8	14	23	33	45
B. *Operated*	887	21.9	177	7	8	19	28	38	48	76
1. SINGLE DX	420	13.2	114	2	3	11	18	26	33	51
2. MULTIPLE DX	1495	17.4	177	3	4	15	23	35	41	69
A. NOT OPERATED	786	10.1	96	2	2	7	13	22	31	44
B. OPERATED	1129	21.0	166	6	8	18	26	37	46	71
TOTAL 0-19 YRS	23	11.1	127	1	2	8	14	25	38	48
20-34	73	12.6	130	2	3	8	20	30	34	52
35-49	177	13.5	119	2	4	10	18	26	33	55
50-64	619	15.8	165	2	3	13	22	32	40	69
65+	1023	17.9	173	3	5	15	23	35	42	68
GRAND TOTAL	**1915**	**16.5**	**166**	**2**	**4**	**14**	**22**	**33**	**40**	**68**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	8.0		8	8	8	8	8	8	8
35-49	15	13.5	157	2	2	12	16	26	45	51
50-64	62	8.0	35	2	3	6	11	16	19	29
65+	119	10.7	91	1	2	8	14	24	30	46
B. *Operated*										
0-19 YRS										
20-34	3	13.0	157	1	1	12	22	26	26	26
35-49	17	17.9	111	2	5	18	24	40	77	99+
50-64	89	21.1	110	8	10	18	27	36	39	57
65+	118	23.7	208	9	10	20	28	40	54	79
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	6	10.2	47	1	1	10	16	19	19	19
35-49	77	9.0	44	2	3	6	11	20	23	27
50-64	304	9.4	82	2	3	7	11	20	25	57
65+	446	12.3	130	3	3	9	15	24	32	62
B. *Operated*										
0-19 YRS	1	32.0		32	32	32	32	32	32	32
20-34	2	17.5	145	9	9	17	26	26	26	26
35-49	78	22.5	156	6	9	20	31	40	46	92
50-64	439	24.6	234	8	10	21	30	44	53	88
65+	741	24.0	162	9	11	21	30	41	50	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	10.0	79	2	2	7	13	21	27	47
B. *Operated*	227	22.1	164	8	10	19	27	38	49	77
2. MULTIPLE DX										
A. *Not Operated*	835	10.9	106	2	3	8	14	21	29	57
B. *Operated*	1261	24.1	187	9	11	21	30	41	51	85
1. SINGLE DX	425	16.5	161	2	4	14	22	32	40	63
2. MULTIPLE DX	2096	18.9	196	3	5	16	25	36	46	73
A. NOT OPERATED	1033	10.8	101	2	3	8	14	21	29	56
B. OPERATED	1488	23.8	184	9	10	21	29	41	51	85
TOTAL 0-19 YRS	4	12.0	178	5	5	6	19	32	32	32
20-34	12	11.9	72	1	1	10	17	26	26	26
35-49	187	15.8	142	2	4	13	22	34	43	89
50-64	894	17.9	210	3	4	15	24	36	46	80
65+	1424	19.2	184	3	5	17	25	36	45	67
GRAND TOTAL	**2521**	**18.5**	**191**	**3**	**4**	**16**	**25**	**36**	**45**	**72**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	12	14.5	175	2	2	11	18	35	44	46
35-49	179	5.8	40	<1	1	4	8	12	14	39
50-64	633	6.7	58	1	1	4	8	15	20	42
65+	609	9.0	70	1	2	6	12	19	26	42
B. *Operated*										
0-19 YRS										
20-34	25	10.4	38	3	4	10	14	20	22	24
35-49	291	13.4	87	3	3	11	17	24	30	49
50-64	1445	13.4	84	2	4	12	18	24	29	44
65+	1196	13.7	97	2	3	12	18	26	31	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	9.7	65	1	1	10	14	17	27	30
20-34	30	10.1	111	2	2	6	12	28	31	43
35-49	614	9.4	77	1	2	7	13	20	26	43
50-64	2835	9.9	88	1	2	7	13	22	29	47
65+	3240	11.4	92	2	3	9	15	24	31	47
B. *Operated*										
0-19 YRS	9	12.4	48	5	5	10	16	23	26	26
20-34	28	13.4	57	3	6	12	17	22	26	40
35-49	686	16.0	131	3	5	14	20	30	39	62
50-64	3667	17.4	148	4	5	15	22	32	40	69
65+	3781	17.7	147	4	5	15	23	33	42	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1434	7.6	63	1	1	5	10	16	23	42
B. *Operated*	2957	13.5	89	2	4	12	18	25	30	49
2. MULTIPLE DX										
A. *Not Operated*	6733	10.6	89	2	2	8	14	23	30	47
B. *Operated*	8171	17.4	146	4	5	15	22	33	41	65
1. SINGLE DX	4391	11.6	88	2	2	10	16	23	29	45
2. MULTIPLE DX	14904	14.3	132	2	3	11	19	29	37	58
A. NOT OPERATED	8167	10.1	86	1	2	7	13	22	29	46
B. OPERATED	11128	16.4	134	3	5	14	21	31	38	60
TOTAL 0-19 YRS	24	10.6	56	1	1	10	15	19	27	30
20-34	95	11.7	84	2	3	10	17	23	30	45
35-49	1770	12.2	109	2	2	10	16	25	32	51
50-64	8580	13.5	125	2	3	11	18	27	35	56
65+	8826	14.2	124	2	3	11	19	29	36	56
GRAND TOTAL	**19295**	**13.7**	**123**	**2**	**3**	**11**	**18**	**28**	**35**	**55**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	11	<1	<1	5	7	8	8	8
20-34	19	7.1	37	1	2	5	8	17	20	23
35-49	27	4.9	22	1	1	3	6	12	15	22
50-64	59	6.4	72	1	1	3	7	16	29	38
65+	54	8.4	113	1	2	4	9	23	34	48
B. *Operated*										
0-19 YRS	8	21.0	799	2	2	15	21	69	88	88
20-34	29	11.2	63	2	2	12	19	22	23	27
35-49	112	9.2	101	1	2	5	13	21	32	48
50-64	494	8.8	99	1	1	4	13	22	28	43
65+	357	8.3	108	1	2	3	12	21	30	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.4	9	1	1	5	6	9	9	9
20-34	24	7.5	36	1	2	6	10	16	22	23
35-49	40	6.4	62	1	2	4	7	16	22	42
50-64	128	8.5	81	2	2	5	11	19	27	68
65+	187	12.3	224	2	2	7	15	27	43	80
B. *Operated*										
0-19 YRS	10	13.7	120	1	2	11	18	31	35	35
20-34	23	16.4	181	5	7	13	20	31	48	64
35-49	87	13.8	142	2	2	11	24	32	36	79
50-64	456	14.6	189	2	2	12	20	30	41	78
65+	463	14.9	231	2	2	11	19	34	48	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	6.9	72	1	1	4	7	16	25	43
B. *Operated*	1000	8.9	108	1	2	4	13	22	29	47
2. MULTIPLE DX										
A. *Not Operated*	388	10.0	148	2	2	6	12	21	32	76
B. *Operated*	1039	14.7	203	2	2	11	20	33	43	81
1. SINGLE DX	1163	8.6	103	1	2	4	12	21	29	47
2. MULTIPLE DX	1427	13.4	192	2	2	9	18	30	41	80
A. NOT OPERATED	551	9.1	128	1	2	5	11	20	32	68
B. OPERATED	2039	11.8	165	1	2	8	17	27	37	69
TOTAL 0-19 YRS	31	11.7	273	1	1	7	15	26	35	88
20-34	95	10.7	90	2	2	8	15	22	25	53
35-49	266	9.9	109	1	2	5	15	26	33	46
50-64	1137	11.0	140	1	2	7	16	25	34	60
65+	1061	11.9	191	2	2	7	16	29	40	78
GRAND TOTAL	**2590**	**11.2**	**158**	**1**	**2**	**7**	**16**	**26**	**36**	**68**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	5.9	49	1	1	4	6	12	20	44
20-34	35	4.6	10	1	1	4	8	9	9	13
35-49	38	5.8	27	1	2	4	8	13	19	23
50-64	71	6.2	44	1	1	4	7	12	16	39
65+	44	10.3	113	2	2	6	12	26	36	47
B. *Operated*										
0-19 YRS	73	9.2	104	1	2	6	12	23	26	90
20-34	95	7.7	55	2	2	6	10	15	20	44
35-49	96	10.3	92	2	2	8	13	24	26	54
50-64	142	10.7	154	2	2	6	14	26	39	99+
65+	189	10.7	152	2	2	7	13	23	37	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	4.9	27	1	1	4	5	11	14	30
20-34	79	6.4	55	1	1	4	7	14	26	37
35-49	59	10.1	178	1	2	7	10	18	40	75
50-64	135	8.7	94	1	2	6	10	17	25	60
65+	160	10.6	87	2	3	7	13	23	33	44
B. *Operated*										
0-19 YRS	43	14.7	192	1	2	11	21	29	42	72
20-34	55	15.4	261	1	2	10	20	35	63	99
35-49	71	15.4	215	3	4	12	17	31	44	89
50-64	181	15.6	213	2	3	12	22	38	53	99+
65+	257	17.6	219	2	3	14	25	37	47	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	6.6	53	1	2	4	7	13	22	41
B. *Operated*	595	10.0	122	2	2	7	12	23	30	70
2. MULTIPLE DX										
A. *Not Operated*	554	8.2	85	1	2	5	10	17	26	45
B. *Operated*	607	16.3	218	2	3	12	22	37	48	95
1. SINGLE DX	835	9.0	104	1	2	5	11	21	28	58
2. MULTIPLE DX	1161	12.5	171	1	2	8	16	30	39	72
A. NOT OPERATED	794	7.7	76	1	2	5	[illegible]	16	25	44
B. OPERATED	1202	13.2	180	2	2	9	[illegible]	30	41	83
TOTAL 0-19 YRS	289	7.6	86	1	1	4	9	20	26	54
20-34	264	8.5	104	1	2	6	10	18	28	64
35-49	264	11.0	143	2	2	8	13	23	31	63
50-64	529	11.3	155	1	2	7	14	27	40	95
65+	650	13.4	171	2	2	9	18	31	40	65
GRAND TOTAL	**1996**	**11.0**	**146**	**1**	**2**	**7**	**14**	**26**	**37**	**67**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	7.0	51	3	3	4	6	20	23	23
35-49	30	3.8	9	1	1	3	5	8	10	14
50-64	48	5.1	42	1	1	3	5	8	17	40
65+	52	5.6	11	2	2	5	7	11	12	16
B. *Operated*										
0-19 YRS	13	6.0	10	3	3	5	9	11	12	12
20-34	115	7.2	24	1	2	6	9	13	16	25
35-49	205	7.9	32	2	2	7	11	15	19	28
50-64	211	9.3	70	2	2	8	13	17	20	53
65+	184	7.8	51	2	2	6	10	17	21	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	24	4.3	6	1	2	4	5	7	10	11
35-49	75	6.9	28	1	2	6	8	14	18	30
50-64	78	7.7	77	2	2	5	7	19	24	47
65+	118	9.7	100	2	3	6	10	22	35	49
B. *Operated*										
0-19 YRS	4	9.3	56	1	1	8	14	19	19	19
20-34	56	9.6	37	2	2	9	14	17	24	95
35-49	119	10.3	54	2	3	8	13	22	24	32
50-64	159	12.8	120	2	3	9	17	28	34	53
65+	181	12.1	123	2	3	9	15	24	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	5.1	23	1	2	4	6	9	13	25
B. *Operated*	728	8.2	46	2	2	6	11	15	20	33
2. MULTIPLE DX										
A. *Not Operated*	297	8.0	70	2	2	5	8	16	25	46
B. *Operated*	519	11.6	97	2	3	9	15	24	30	51
1. SINGLE DX	866	7.7	44	2	2	6	10	15	19	33
2. MULTIPLE DX	816	10.3	90	2	3	7	13	23	29	49
A. NOT OPERATED	435	7.1	57	2	2	5	8	14	23	41
B. OPERATED	1247	9.6	70	2	2	8	12	19	25	45
TOTAL 0-19 YRS	20	6.4	18	2	3	5	9	11	15	19
20-34	202	7.5	28	1	2	6	10	14	18	27
35-49	429	8.1	39	1	2	6	10	16	22	29
50-64	496	9.8	89	2	2	7	13	21	28	51
65+	535	9.5	86	2	2	6	12	20	28	47
GRAND TOTAL	**1682**	**8.9**	**68**	**2**	**2**	**6**	**11**	**18**	**24**	**44**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	12	6.1	86	<1	<1	2	8	18	31	33
65+	40	7.1	51	1	1	4	9	21	24	25
B. *Operated*										
0-19 YRS	13	2.1	1	<1	<1	2	3	3	4	4
20-34	63	4.5	19	<1	1	3	5	10	15	21
35-49	156	3.4	15	<1	1	2	4	7	9	19
50-64	452	3.9	27	<1	1	2	4	8	12	25
65+	825	4.6	27	1	1	3	5	10	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	6.0	50	1	1	6	11	11	11	11
35-49	7	4.7	8	1	1	4	7	9	9	9
50-64	33	7.0	73	<1	2	5	8	12	19	49
65+	88	10.9	182	1	2	7	12	24	36	80
B. *Operated*										
0-19 YRS	4	3.8	12	1	1	3	6	8	8	8
20-34	24	6.9	51	1	2	5	8	13	20	35
35-49	117	7.1	118	1	1	3	8	16	28	62
50-64	412	6.2	83	1	1	3	7	12	21	56
65+	1032	8.2	74	2	2	5	10	19	25	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	6.4	53	<1	1	4	8	18	24	32
B. *Operated*	1509	4.2	25	1	1	3	5	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	131	9.5	145	1	2	6	10	17	34	75
B. *Operated*	1589	7.6	80	1	2	4	9	17	24	47
1. SINGLE DX	1568	4.3	27	1	1	3	5	9	13	24
2. MULTIPLE DX	1720	7.7	85	1	2	5	9	17	25	48
A. NOT OPERATED	190	8.6	118	1	1	5	10	17	28	63
B. OPERATED	3098	5.9	56	1	1	3	7	13	19	40
TOTAL 0-19 YRS	21	2.9	5	<1	<1	2	3	7	8	8
20-34	91	5.1	28	1	1	3	6	12	14	29
35-49	282	5.0	60	1	1	2	5	10	16	38
50-64	909	5.1	56	1	1	3	5	10	14	39
65+	1985	6.8	62	1	2	4	8	15	21	43
GRAND TOTAL	**3288**	**6.1**	**60**	**1**	**1**	**3**	**7**	**14**	**19**	**41**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	17	5.6	55	<1	1	3	6	14	24	30
35-49	104	6.8	75	1	1	5	8	12	21	53
50-64	253	6.1	54	1	1	4	8	12	22	40
65+	153	8.1	48	1	2	6	11	18	22	35
B. *Operated*										
0-19 YRS	12	4.3	14	1	1	3	6	10	13	14
20-34	281	7.4	16	2	2	8	10	12	14	18
35-49	1262	8.3	18	2	3	8	10	13	15	22
50-64	1966	9.1	23	2	4	8	11	14	16	26
65+	1945	9.7	25	3	5	9	12	15	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	58	8.8	77	1	2	6	13	22	42	99+
35-49	392	8.9	79	1	2	7	11	18	25	43
50-64	1212	10.2	119	1	1	7	13	24	31	61
65+	1278	12.3	123	2	3	9	16	26	34	55
B. *Operated*										
0-19 YRS	8	9.0	23	<1	1	9	12	15	16	16
20-34	222	10.0	47	2	4	8	12	17	23	36
35-49	1357	10.7	44	4	5	9	12	18	23	37
50-64	2677	12.3	78	4	6	10	14	21	29	53
65+	3480	13.5	81	4	6	11	16	23	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	528	6.8	57	1	1	4	9	14	22	40
B. *Operated*	5466	9.0	23	2	4	8	11	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	2941	10.9	116	1	2	8	14	24	32	55
B. *Operated*	7744	12.5	74	4	5	10	15	21	29	49
1. SINGLE DX	5994	8.8	26	2	3	8	11	14	17	27
2. MULTIPLE DX	10685	12.0	86	2	4	10	14	22	29	51
A. NOT OPERATED	3469	10.3	109	1	2	7	13	23	30	52
B. OPERATED	13210	11.0	56	3	5	9	13	18	24	43
TOTAL 0-19 YRS	22	6.3	22	<1	1	5	10	13	15	16
20-34	578	8.5	36	2	2	8	11	14	19	39
35-49	3115	9.3	40	2	3	8	11	15	20	36
50-64	6108	10.6	70	2	3	9	12	19	25	48
65+	6856	12.1	75	3	4	10	14	21	29	47
GRAND TOTAL	**16679**	**10.9**	**67**	**2**	**4**	**9**	**13**	**19**	**26**	**45**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	66	4.4	6	2	2	4	5	9	10	14
35-49	243	4.3	14	1	2	4	5	7	9	29
50-64	249	5.0	39	1	2	4	5	8	12	37
65+	183	5.1	10	2	3	4	6	9	12	18
B. *Operated*										
0-19 YRS	6	5.5	21	2	2	4	6	13	14	14
20-34	354	5.6	19	2	2	4	8	12	15	27
35-49	371	6.8	43	2	2	5	8	13	16	27
50-64	340	6.7	32	2	2	5	8	13	19	27
65+	207	7.7	50	2	2	5	9	16	24	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	70	6.4	36	1	1	4	8	14	17	33
35-49	172	8.5	92	1	2	5	10	19	27	44
50-64	281	7.4	50	1	2	5	10	16	22	31
65+	253	8.8	76	2	2	6	10	19	26	53
B. *Operated*										
0-19 YRS	3	12.0	124	2	2	10	20	24	24	24
20-34	276	8.2	42	2	2	7	10	17	21	33
35-49	372	10.6	92	2	3	8	14	22	30	64
50-64	424	13.2	196	2	3	9	15	28	41	76
65+	323	13.9	190	3	3	10	17	30	44	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	741	4.7	21	1	2	4	5	8	11	24
B. *Operated*	1278	6.6	35	2	2	5	8	13	17	28
2. MULTIPLE DX										
A. *Not Operated*	777	8.0	67	1	2	5	10	18	24	41
B. *Operated*	1398	11.7	141	2	3	8	14	24	33	74
1. SINGLE DX	2019	5.9	30	2	2	4	7	11	15	28
2. MULTIPLE DX	2175	10.4	117	2	2	7	13	22	30	65
A. NOT OPERATED	1518	6.4	47	1	2	4	7	13	19	36
B. OPERATED	2676	9.2	96	2	2	6	11	19	27	60
TOTAL 0-19 YRS	10	7.3	50	2	2	5	10	19	24	24
20-34	766	6.5	30	2	2	5	8	13	17	29
35-49	1158	7.7	65	2	2	5	9	16	22	43
50-64	1294	8.7	101	2	2	5	10	19	26	61
65+	966	9.6	107	2	3	6	11	21	29	61
GRAND TOTAL	**4194**	**8.2**	**80**	**2**	**2**	**5**	**10**	**17**	**24**	**52**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	10	4.3	1	3	3	4	5	6	6	6
35-49	58	3.8	3	1	1	4	5	5	7	10
50-64	265	4.2	6	1	2	4	5	6	8	14
65+	194	5.7	25	1	2	4	6	10	15	28
B. *Operated*										
0-19 YRS	4	2.3	4	1	1	2	3	5	5	5
20-34	43	6.5	17	1	2	7	8	10	12	24
35-49	209	6.7	22	2	2	7	9	11	16	24
50-64	1015	6.8	21	1	2	7	9	11	15	23
65+	714	8.0	38	2	2	8	10	13	17	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	10	12.4	176	<1	2	9	16	31	46	46
35-49	50	7.1	57	2	2	4	7	17	30	33
50-64	241	6.6	42	1	2	4	8	15	21	35
65+	391	9.5	93	2	3	6	12	21	30	48
B. *Operated*										
0-19 YRS	5	9.2	35	3	3	8	11	19	19	19
20-34	55	10.4	68	2	3	8	13	22	26	49
35-49	323	8.9	34	2	2	8	11	15	19	32
50-64	1403	9.4	53	2	2	8	11	16	21	35
65+	1363	12.0	92	2	3	10	15	22	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	528	4.7	13	1	2	4	5	8	10	22
B. *Operated*	1985	7.2	28	1	2	7	9	12	15	27
2. MULTIPLE DX										
A. *Not Operated*	693	8.4	76	2	2	5	10	19	27	45
B. *Operated*	3149	10.5	70	2	2	9	13	19	25	45
1. SINGLE DX	2513	6.7	26	1	2	6	9	12	15	26
2. MULTIPLE DX	3842	10.1	72	2	2	8	12	19	25	45
A. NOT OPERATED	1221	6.8	52	2	2	4	7	14	21	39
B. OPERATED	5134	9.2	56	2	2	8	11	17	22	39
TOTAL 0-19 YRS	11	6.4	27	1	1	6	9	13	19	19
20-34	118	8.6	57	2	2	7	9	16	24	47
35-49	640	7.6	31	2	2	7	9	14	19	31
50-64	2924	7.8	40	2	2	7	10	14	18	30
65+	2662	10.1	77	2	2	6	12	19	26	46
GRAND TOTAL	**6355**	**8.7**	**56**	**2**	**2**	**8**	**11**	**16**	**22**	**39**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	29	3.8	10	1	1	3	5	7	11	16
35-49	115	3.3	13	1	1	2	4	6	8	25
50-64	383	3.3	11	1	1	2	4	7	10	18
65+	180	4.9	21	1	1	3	6	11	15	27
B. *Operated*										
0-19 YRS	24	9.2	5	6	7	9	10	13	13	14
20-34	76	9.4	26	5	6	8	10	13	18	37
35-49	96	10.7	26	5	6	10	12	17	19	31
50-64	186	11.8	29	5	7	10	14	20	23	28
65+	116	14.6	47	7	8	13	18	23	28	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.8	15	2	2	4	8	12	14	14
20-34	24	5.9	114	<1	1	3	5	7	27	54
35-49	197	6.2	41	1	1	4	8	16	21	35
50-64	572	6.6	65	1	1	4	8	14	22	41
65+	530	8.9	98	1	2	5	11	21	30	53
B. *Operated*										
0-19 YRS	10	12.1	13	6	7	12	15	17	18	18
20-34	79	10.4	28	4	6	9	13	17	22	28
35-49	226	14.5	151	5	6	11	17	23	34	84
50-64	599	16.0	91	6	8	14	19	26	37	63
65+	589	19.9	163	7	8	17	24	35	44	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	708	3.7	14	1	1	3	4	8	12	22
B. *Operated*	498	11.8	34	5	6	10	14	19	23	34
2. MULTIPLE DX										
A. *Not Operated*	1332	7.4	76	1	1	4	9	17	25	49
B. *Operated*	1503	17.0	131	6	7	14	21	30	39	71
1. SINGLE DX	1206	7.0	38	1	1	5	10	15	19	28
2. MULTIPLE DX	2835	12.5	128	1	2	10	17	25	34	61
A. NOT OPERATED	2040	6.1	58	1	1	4	7	14	21	41
B. OPERATED	2001	15.7	112	6	7	13	19	26	36	64
TOTAL 0-19 YRS	44	9.0	13	3	4	9	11	14	15	18
20-34	208	8.6	40	1	3	8	10	15	20	34
35-49	634	9.3	92	1	1	8	12	18	24	41
50-64	1740	9.7	84	1	1	8	14	20	25	47
65+	1415	13.4	146	1	2	11	18	29	37	62
GRAND TOTAL	**4041**	**10.9**	**108**	**1**	**2**	**8**	**15**	**23**	**30**	**54**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	14	1	1	3	6	10	10	10
20-34	13	8.3	77	4	4	6	7	15	33	37
35-49	7	3.9	7	2	2	3	5	8	9	9
50-64	26	5.6	42	1	1	3	6	16	20	29
65+	35	6.9	32	2	3	5	8	16	19	28
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	25	7.8	72	2	2	4	11	20	28	36
35-49	41	9.2	71	1	2	4	15	20	26	33
50-64	58	10.2	83	2	3	7	15	21	25	54
65+	127	9.5	74	2	2	8	13	20	26	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	1	3	3	5	5	5	5	5
20-34	8	4.3	7	1	1	4	5	8	9	9
35-49	17	6.5	32	2	3	5	8	11	21	26
50-64	32	6.8	48	1	1	5	8	17	20	33
65+	76	10.4	82	2	3	7	15	20	34	41
B. *Operated*										
0-19 YRS	6	16.3	309	2	2	9	35	40	41	41
20-34	13	9.0	30	2	2	8	13	16	20	21
35-49	33	11.7	109	2	2	8	15	27	34	44
50-64	99	15.1	151	2	3	11	22	34	44	78
65+	221	17.0	177	2	3	13	24	38	46	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	6.3	39	1	2	5	8	11	18	34
B. *Operated*	252	9.5	75	2	2	7	14	20	26	44
2. MULTIPLE DX										
A. *Not Operated*	137	8.6	65	1	2	6	11	19	25	40
B. *Operated*	372	15.7	164	2	3	12	23	35	44	55
1. SINGLE DX	338	8.7	67	1	2	6	12	19	25	38
2. MULTIPLE DX	509	13.8	147	2	3	10	19	33	41	54
A. NOT OPERATED	223	7.7	56	1	2	5	9	18	22	38
B. OPERATED	624	13.2	137	2	2	10	18	30	39	53
TOTAL 0-19 YRS	16	9.5	145	1	1	5	12	33	39	41
20-34	59	7.7	55	2	2	5	9	16	23	37
35-49	98	9.2	76	2	2	5	14	23	27	40
50-64	215	11.4	117	1	2	8	16	26	34	57
65+	459	13.1	136	2	3	9	18	30	39	51
GRAND TOTAL	**847**	**11.8**	**122**	**2**	**2**	**8**	**16**	**27**	**35**	**51**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	7.2	37	2	2	5	11	16	16	16
50-64	105	4.4	19	1	1	2	5	11	13	23
65+	291	7.3	49	1	2	5	10	15	20	33
B. *Operated*										
0-19 YRS	2	10.5	25	7	7	10	14	14	14	14
20-34	1	10.0		10	10	10	10	10	10	10
35-49	30	7.9	21	2	3	7	10	14	15	23
50-64	664	8.7	37	2	2	8	12	18	20	28
65+	2127	9.1	42	2	3	8	12	16	21	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	11.3	75	5	5	8	16	24	24	24
20-34	2	10.0		10	10	10	10	10	10	10
35-49	24	7.0	86	1	2	4	7	17	28	44
50-64	365	8.9	74	1	2	6	11	20	25	41
65+	2180	10.6	87	2	3	8	13	22	28	48
B. *Operated*										
0-19 YRS	2	13.5	25	10	10	13	17	17	17	17
20-34										
35-49	30	10.4	44	2	3	9	12	18	26	30
50-64	1070	12.1	75	2	4	10	16	23	28	44
65+	5442	13.1	88	3	5	11	16	24	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	400	6.6	43	1	1	4	9	14	18	30
B. *Operated*	2824	9.0	40	2	2	8	12	17	21	31
2. MULTIPLE DX										
A. *Not Operated*	2575	10.3	85	2	2	8	13	21	28	48
B. *Operated*	6544	12.9	86	3	4	11	16	24	30	49
1. SINGLE DX	3224	8.7	41	2	2	8	11	16	20	31
2. MULTIPLE DX	9119	12.2	87	2	4	10	16	23	30	49
A. NOT OPERATED	2975	9.8	81	2	2	7	13	21	27	47
B. OPERATED	9368	11.7	75	2	4	10	15	22	28	47
TOTAL 0-19 YRS	8	11.6	41	5	6	9	15	22	24	24
20-34	3	10.0		10	10	10	10	10	10	10
35-49	88	8.5	48	2	2	7	11	17	21	39
50-64	2204	10.2	65	2	2	8	14	20	25	39
65+	10040	11.6	80	2	3	9	15	22	28	48
GRAND TOTAL	**12343**	**11.3**	**78**	**2**	**3**	**9**	**14**	**22**	**28**	**47**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.8	10	1	1	4	8	9	9	9
20-34	49	5.6	12	1	2	5	7	10	11	20
35-49	25	4.4	8	<1	1	5	6	7	10	12
50-64	7	3.3	10	1	1	3	4	9	10	10
65+	19	4.5	61	<1	1	2	4	9	25	35
B. *Operated*										
0-19 YRS	23	9.7	66	2	3	6	12	24	27	31
20-34	216	7.0	28	2	3	6	8	14	19	28
35-49	99	7.1	27	2	3	6	8	14	17	29
50-64	35	6.9	32	2	3	6	8	12	13	35
65+	26	9.7	94	2	2	7	11	19	27	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	6.4	24	1	1	5	7	16	16	16
20-34	90	6.4	46	1	2	5	7	11	16	45
35-49	41	5.3	26	1	1	3	7	11	17	25
50-64	22	5.9	17	2	3	4	6	12	16	18
65+	15	8.2	28	1	3	8	14	14	15	15
B. *Operated*										
0-19 YRS	11	15.5	247	5	6	11	15	36	59	61
20-34	102	13.3	149	3	4	11	16	23	34	71
35-49	43	10.5	56	2	4	9	12	20	28	32
50-64	63	12.5	98	2	4	8	21	26	30	45
65+	61	12.9	51	3	4	13	17	22	25	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	4.9	19	1	1	4	6	9	11	26
B. *Operated*	399	7.4	35	2	3	6	9	14	19	31
2. MULTIPLE DX										
A. *Not Operated*	185	6.2	35	1	2	5	7	13	16	31
B. *Operated*	280	12.7	105	3	4	10	17	23	28	61
1. SINGLE DX	511	6.8	32	1	2	5	8	13	18	30
2. MULTIPLE DX	465	10.1	87	2	2	7	14	20	25	50
A. NOT OPERATED	297	5.7	29	1	1	5	7	11	15	30
B. OPERATED	679	9.6	71	2	3	7	12	19	25	43
TOTAL 0-19 YRS	63	8.8	84	1	2	6	11	17	24	57
20-34	457	8.2	64	2	3	6	10	16	21	43
35-49	208	7.1	34	1	2	5	9	16	19	30
50-64	127	9.3	71	2	2	6	11	22	27	38
65+	121	10.3	66	1	2	8	15	19	24	39
GRAND TOTAL	**976**	**8.4**	**61**	**1**	**2**	**6**	**10**	**18**	**23**	**35**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	11	3.6	7	1	1	2	5	8	9	9
50-64	70	5.6	42	1	2	4	7	11	18	39
65+	174	7.3	64	2	2	4	9	17	24	45
B. *Operated*										
0-19 YRS	12	5.4	21	1	1	4	7	12	16	17
20-34	39	4.9	22	1	2	3	5	11	14	25
35-49	299	5.6	33	1	1	4	6	13	16	30
50-64	1444	5.6	31	1	2	4	6	12	17	27
65+	2866	6.7	38	2	2	5	8	14	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	4	4.3	21	1	1	2	7	11	11	11
35-49	19	6.4	20	1	2	5	9	14	15	15
50-64	212	7.0	71	1	1	4	8	15	24	58
65+	607	9.8	85	2	2	7	12	22	29	48
B. *Operated*										
0-19 YRS	11	5.5	36	1	1	3	6	17	19	19
20-34	24	5.8	20	1	2	5	8	11	17	18
35-49	164	9.4	124	1	1	5	12	22	37	53
50-64	1290	9.9	101	2	2	6	13	22	29	49
65+	4032	10.8	106	2	2	8	14	23	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	255	6.7	56	1	2	4	8	15	21	41
B. *Operated*	4660	6.3	36	1	2	4	8	14	19	30
2. MULTIPLE DX										
A. *Not Operated*	844	9.0	81	1	2	6	11	21	28	49
B. *Operated*	5521	10.5	105	2	2	7	14	23	30	52
1. SINGLE DX	4915	6.3	37	1	2	4	8	14	19	31
2. MULTIPLE DX	6365	10.3	102	2	2	7	13	23	30	52
A. NOT OPERATED	1099	8.5	76	1	2	5	10	20	27	47
B. OPERATED	10181	8.6	78	2	2	6	11	19	26	44
TOTAL 0-19 YRS	25	5.4	25	1	1	4	7	15	17	19
20-34	67	5.2	21	1	2	4	6	11	15	24
35-49	493	6.8	65	1	1	4	8	16	22	42
50-64	3016	7.6	68	1	2	5	9	17	24	39
65+	7679	9.1	82	2	2	6	11	20	27	46
GRAND TOTAL	**11280**	**8.6**	**78**	**2**	**2**	**6**	**11**	**19**	**26**	**45**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	4.1	11	<1	1	4	4	10	12	13
20-34	9	4.4	2	2	2	4	6	6	6	6
35-49	8	7.6	61	1	2	6	8	21	26	26
50-64	41	7.0	38	1	2	5	8	18	21	26
65+	40	7.7	62	1	2	5	10	16	25	39
B. *Operated*										
0-19 YRS	18	9.8	24	2	4	9	12	15	20	23
20-34	27	13.6	93	1	4	13	16	21	27	53
35-49	101	12.4	45	2	3	12	16	20	25	34
50-64	247	13.3	57	3	4	13	17	21	27	42
65+	250	14.5	71	2	4	13	19	25	29	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	10.3	401	<1	1	4	9	19	57	92
20-34	17	4.8	33	1	1	3	5	16	20	21
35-49	71	8.6	73	1	1	6	11	18	33	38
50-64	212	11.0	137	2	2	7	14	24	34	66
65+	285	12.5	124	3	4	9	17	27	37	70
B. *Operated*										
0-19 YRS	21	18.2	270	3	3	14	21	49	57	58
20-34	22	13.9	31	7	8	13	18	20	24	29
35-49	125	16.3	136	4	7	13	21	28	44	78
50-64	473	18.5	145	4	7	16	23	32	42	60
65+	738	19.0	127	4	7	18	25	33	41	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	6.7	42	1	2	4	8	14	19	35
B. *Operated*	643	13.6	62	2	4	13	17	23	28	42
2. MULTIPLE DX										
A. *Not Operated*	605	11.2	131	2	3	8	15	24	34	67
B. *Operated*	1379	18.5	135	4	7	16	24	33	42	59
1. SINGLE DX	756	12.5	65	2	3	12	16	22	26	41
2. MULTIPLE DX	1984	16.3	145	3	4	14	22	31	39	60
A. NOT OPERATED	718	10.5	119	1	2	7	13	23	33	60
B. OPERATED	2022	16.9	117	3	6	15	21	30	37	58
TOTAL 0-19 YRS	74	11.2	212	1	2	7	13	23	42	84
20-34	75	10.6	68	1	2	10	14	20	21	47
35-49	305	13.0	99	1	3	11	17	25	32	58
50-64	973	15.1	129	2	3	13	19	28	35	60
65+	1313	16.4	124	3	4	15	22	31	37	56
GRAND TOTAL	**2740**	**15.3**	**126**	**2**	**4**	**13**	**20**	**29**	**36**	**58**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.1	3	<1	<1	1	3	5	6	6
20-34										
35-49	3	7.3	24	4	4	5	11	13	13	13
50-64	4	8.8	104	3	3	4	14	24	24	24
65+	2	12.0	8	10	10	12	14	14	14	14
B. *Operated*										
0-19 YRS	6	4.2	6	1	1	4	5	8	8	8
20-34	8	4.6	7	2	2	4	5	9	10	10
35-49	10	5.1	10	1	2	4	7	10	12	12
50-64	42	6.3	43	2	3	4	5	13	23	34
65+	40	7.4	102	1	2	5	9	13	16	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.8	4	<1	<1	2	5	5	5	5
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	11	7.0	27	2	2	7	10	14	19	19
65+	17	7.2	53	2	3	5	8	12	26	33
B. *Operated*										
0-19 YRS										
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	8	8.6	73	2	2	6	10	23	28	28
50-64	29	6.8	31	2	2	5	8	16	19	24
65+	46	9.7	100	2	2	6	13	24	35	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	4.2	26	<1	<1	3	5	11	14	24
B. *Operated*	106	6.3	57	1	2	4	7	12	18	47
2. MULTIPLE DX										
A. *Not Operated*	41	5.8	33	<1	1	4	7	10	15	33
B. *Operated*	85	8.5	72	2	2	6	10	17	28	44
1. SINGLE DX	136	5.9	51	<1	1	4	6	12	17	38
2. MULTIPLE DX	126	7.6	31	1	2	5	9	16	26	41
A. NOT OPERATED	71	5.1	30	<1	<1	4	6	10	14	31
B. OPERATED	191	7.3	65	2	2	5	8	15	24	43
TOTAL 0-19 YRS	39	2.7	4	<1	<1	1	5	5	6	8
20-34	10	4.5	5	2	2	4	5	8	10	10
35-49	22	6.6	34	2	2	5	8	12	19	28
50-64	86	6.7	38	2	2	4	7	16	22	31
65+	105	8.5	91	2	2	6	10	16	29	54
GRAND TOTAL	**262**	**6.7**	**56**	**1**	**2**	**4**	**7**	**13**	**20**	**38**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	6.4	76	1	1	3	7	15	24	44
20-34	42	6.7	60	<1	1	4	7	17	28	34
35-49	75	9.9	108	1	2	6	12	23	36	51
50-64	141	11.9	180	2	3	7	14	24	37	77
65+	80	13.3	130	3	3	10	17	30	37	58
B. *Operated*										
0-19 YRS	71	16.5	154	3	5	15	20	32	45	94
20-34	90	15.3	141	4	5	13	17	29	44	86
35-49	146	18.8	153	3	6	16	23	33	45	67
50-64	192	22.6	205	6	9	20	27	41	59	70
65+	124	27.1	281	7	10	24	33	48	66	81
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	9.5	119	1	2	6	11	21	35	51
20-34	65	9.8	109	1	2	5	11	23	39	44
35-49	109	12.4	107	3	3	10	16	30	40	70
50-64	174	12.9	178	2	2	9	16	33	43	86
65+	149	14.0	143	3	4	12	18	29	45	99+
B. *Operated*										
0-19 YRS	65	26.1	284	7	8	23	34	60	80	99+
20-34	53	19.7	209	5	8	16	27	54	93	99+
35-49	94	24.9	314	8	11	18	31	52	66	87
50-64	144	27.9	362	9	10	22	37	63	76	99+
65+	137	32.7	406	9	12	27	48	68	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	371	10.7	136	1	2	7	13	24	34	62
B. *Operated*	623	20.9	208	4	7	17	26	40	55	74
2. MULTIPLE DX										
A. *Not Operated*	562	12.4	142	2	3	9	16	29	41	84
B. *Operated*	493	27.5	357	8	10	22	36	63	78	99+
1. SINGLE DX	994	17.1	205	2	3	14	23	35	45	72
2. MULTIPLE DX	1055	19.5	300	2	4	15	26	48	64	99+
A. NOT OPERATED	933	11.7	140	2	2	8	15	26	40	69
B. OPERATED	1116	23.8	284	5	8	19	30	52	67	99+
TOTAL 0-19 YRS	234	15.8	221	1	2	12	21	37	53	99+
20-34	250	13.4	153	2	2	11	18	30	44	99+
35-49	424	16.9	197	3	3	14	22	36	46	70
50-64	651	18.8	272	2	4	14	24	43	61	90
65+	490	22.4	318	3	5	18	30	50	67	99+
GRAND TOTAL	**2049**	**18.3**	**255**	**2**	**3**	**14**	**24**	**41**	**58**	**91**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64	4	13.5	27	6	6	15	17	18	18	18
65+	2	6.0	8	4	4	6	8	8	8	8
B. *Operated*										
0-19 YRS	5	9.0	44	2	2	8	11	20	20	20
20-34	13	18.8	133	4	6	16	24	37	43	45
35-49	7	12.9	59	2	3	12	17	24	26	26
50-64	9	28.8	513	5	8	25	36	67	78	78
65+	8	34.5	765	4	5	32	55	73	77	77
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	9.4	86	2	2	4	19	20	20	20
20-34	2	26.0	648	8	8	26	44	44	44	44
35-49	5	14.6	99	5	5	11	20	31	31	31
50-64	10	18.9	275	3	4	13	24	47	52	52
65+	10	9.6	45	1	2	9	12	19	25	25
B. *Operated*										
0-19 YRS	4	24.0	227	5	5	25	35	40	40	40
20-34	8	25.8	272	10	11	19	40	51	52	52
35-49	6	22.7	239	8	8	20	30	47	49	49
50-64	18	27.2	280	6	9	25	52	99+	99+	99+
65+	17	41.2	583	12	17	47	62	98	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	10.7	28	4	4	9	15	17	18	18
B. *Operated*	42	21.8	361	3	5	16	26	49	69	78
2. MULTIPLE DX										
A. *Not Operated*	32	14.3	164	2	3	10	19	35	44	52
B. *Operated*	53	30.7	399	8	9	26	51	88	99+	99+
1. SINGLE DX	49	20.2	327	4	5	15	25	47	64	78
2. MULTIPLE DX	85	24.5	371	3	5	20	43	61	99+	99+
A. NOT OPERATED	39	13.6	140	2	3	10	17	29	44	52
B. OPERATED	95	26.7	398	5	8	22	45	63	98	99+
TOTAL 0-19 YRS	14	13.4	141	2	2	8	20	32	38	40
20-34	24	21.3	199	6	8	17	29	45	49	52
35-49	18	16.6	135	3	6	14	24	31	42	49
50-64	41	24.2	313	5	6	21	40	64	99+	99+
65+	37	29.3	630	3	5	22	56	75	98	99+
GRAND TOTAL	**134**	**22.9**	**357**	**3**	**5**	**18**	**32**	**59**	**78**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.2	3	<1	<1	4	5	5	5	5
20-34	36	3.7	3	1	2	4	5	6	7	7
35-49	35	3.7	4	1	2	3	4	6	8	11
50-64	27	4.5	47	1	1	2	5	8	14	37
65+	18	5.9	18	2	2	5	8	11	15	18
B. *Operated*										
0-19 YRS	26	6.0	18	2	3	5	6	9	16	23
20-34	158	5.9	17	3	3	5	6	10	13	27
35-49	115	6.1	14	3	3	5	7	11	14	52
50-64	100	6.9	22	3	3	5	7	14	18	23
65+	53	10.4	60	4	4	8	12	22	25	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.6	16	1	1	3	5	10	16	17
20-34	33	4.6	9	1	1	4	7	9	11	11
35-49	55	4.6	13	1	1	4	5	8	12	21
50-64	53	6.9	67	1	1	4	8	15	26	38
65+	64	13.6	191	2	2	8	17	37	45	58
B. *Operated*										
0-19 YRS	33	9.2	71	3	4	6	9	19	33	39
20-34	145	7.2	26	2	3	6	9	14	17	37
35-49	145	7.9	54	3	3	6	9	13	16	48
50-64	144	11.7	122	4	4	8	13	23	38	56
65+	133	15.3	165	4	5	12	18	31	46	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	4.1	15	1	2	3	5	7	9	22
B. *Operated*	452	6.7	24	3	3	5	7	12	18	27
2. MULTIPLE DX										
A. *Not Operated*	234	7.6	87	1	1	5	8	17	30	46
B. *Operated*	600	10.3	99	3	3	7	12	19	31	53
1. SINGLE DX	579	6.2	23	2	3	5	7	11	16	27
2. MULTIPLE DX	834	9.6	97	2	3	6	11	18	31	51
A. NOT OPERATED	361	6.4	65	1	1	4	7	12	23	45
B. OPERATED	1052	8.8	70	3	3	6	10	17	24	48
TOTAL 0-19 YRS	99	6.3	37	1	2	5	6	12	18	37
20-34	372	6.1	20	2	3	5	7	11	15	27
35-49	350	6.4	31	2	3	5	8	11	14	39
50-64	324	8.8	83	2	2	6	10	17	25	47
65+	268	13.3	147	3	4	10	16	28	42	58
GRAND TOTAL	**1413**	**8.2**	**69**	**2**	**3**	**5**	**9**	**16**	**24**	**47**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.0	3	1	1	3	5	6	6	6
20-34	44	6.1	35	1	1	5	8	12	18	32
35-49	151	9.3	157	1	2	5	11	20	28	90
50-64	494	6.7	55	1	1	4	8	14	20	43
65+	506	9.0	82	1	2	6	12	20	24	44
B. *Operated*										
0-19 YRS	21	5.8	20	1	1	5	8	13	16	17
20-34	74	8.1	90	1	2	6	11	16	20	63
35-49	206	10.5	86	2	2	8	15	22	30	49
50-64	499	11.2	103	2	2	8	15	24	32	49
65+	574	11.4	130	2	2	8	15	24	36	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	5.2	36	1	1	4	5	10	17	33
20-34	359	7.3	69	1	2	5	9	16	21	41
35-49	1515	8.7	74	1	2	6	10	18	26	44
50-64	4538	9.8	94	1	2	7	12	22	29	48
65+	5956	11.5	99	2	3	9	15	25	31	48
B. *Operated*										
0-19 YRS	48	14.6	156	2	3	11	17	29	43	62
20-34	259	12.8	128	2	3	10	16	27	39	74
35-49	1153	13.8	146	2	3	10	18	29	38	63
50-64	3442	15.8	176	2	3	12	21	33	43	72
65+	4278	16.9	168	3	4	14	22	34	44	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1206	7.9	80	1	1	5	9	16	23	44
B. *Operated*	1374	10.9	110	2	2	8	14	23	33	54
2. MULTIPLE DX										
A. *Not Operated*	12443	10.4	94	2	2	7	13	23	30	48
B. *Operated*	9180	16.0	168	2	4	13	21	33	43	68
1. SINGLE DX	2580	9.5	98	1	2	6	12	21	28	51
2. MULTIPLE DX	21623	12.8	133	2	3	9	17	27	36	58
A. NOT OPERATED	13649	10.2	93	2	2	7	13	22	29	48
B. OPERATED	10554	15.3	164	2	3	12	20	32	41	67
TOTAL 0-19 YRS	155	8.1	87	1	1	5	10	18	28	47
20-34	736	9.3	97	1	2	6	12	19	27	58
35-49	3025	10.8	112	2	2	8	14	23	32	54
50-64	8973	12.0	133	2	2	8	16	26	35	60
65+	11314	13.4	133	2	3	10	18	28	37	57
GRAND TOTAL	**24203**	**12.4**	**131**	**2**	**3**	**9**	**16**	**27**	**36**	**57**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	2.5	7	1	1	1	2	7	8	14
20-34	139	4.6	30	<1	1	3	5	10	14	33
35-49	55	4.6	19	1	1	4	6	12	15	20
50-64	70	4.7	36	1	1	3	5	12	19	86
65+	31	6.6	43	1	1	4	8	16	23	28
B. *Operated*										
0-19 YRS	129	8.5	34	1	2	8	12	17	19	24
20-34	378	9.8	54	2	2	8	14	20	23	33
35-49	135	11.7	113	2	3	9	16	23	28	94
50-64	118	10.5	66	2	2	8	14	21	25	44
65+	51	13.2	170	2	4	10	19	24	28	84
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	5.4	41	1	1	4	7	9	14	42
20-34	148	5.7	31	1	1	4	6	14	17	28
35-49	98	7.4	49	1	1	5	10	16	24	33
50-64	97	7.2	34	1	1	6	10	15	17	27
65+	86	10.3	69	1	2	8	14	23	28	37
B. *Operated*										
0-19 YRS	38	16.0	206	3	4	13	20	26	49	76
20-34	161	13.2	94	2	3	11	17	26	33	47
35-49	89	15.3	177	2	4	11	18	32	40	71
50-64	112	15.8	254	2	3	10	19	38	50	76
65+	115	18.9	162	2	6	17	25	34	40	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	345	4.5	28	1	1	3	5	10	14	32
B. *Operated*	811	10.2	71	2	2	8	14	20	24	38
2. MULTIPLE DX										
A. *Not Operated*	476	7.2	45	1	1	5	9	15	21	33
B. *Operated*	515	15.6	169	2	4	12	20	32	40	67
1. SINGLE DX	1156	8.5	65	1	1	6	12	19	23	36
2. MULTIPLE DX	991	11.5	128	1	2	8	15	25	34	58
A. NOT OPERATED	821	6.0	40	1	1	4	8	14	18	33
B. OPERATED	1326	12.3	116	2	2	10	16	23	32	57
TOTAL 0-19 YRS	264	7.9	70	1	1	5	11	17	20	41
20-34	826	8.9	62	1	1	7	12	20	23	37
35-49	377	10.4	111	1	2	7	14	23	28	59
50-64	397	10.2	121	1	2	7	13	22	34	63
65+	283	13.9	141	1	2	11	19	28	34	63
GRAND TOTAL	**2147**	**9.9**	**96**	**1**	**1**	**7**	**14**	**21**	**28**	**47**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	4.4	20	<1	1	3	7	10	14	23
20-34	16	5.1	12	1	1	4	6	11	12	12
35-49	11	5.0	19	1	1	4	6	13	15	15
50-64	40	7.6	51	1	1	5	9	17	22	32
65+	99	8.1	33	2	2	7	11	16	18	29
B. *Operated*										
0-19 YRS	70	11.3	149	1	1	7	16	29	41	49
20-34	23	16.3	162	1	2	13	22	38	43	49
35-49	15	5.7	13	1	1	5	10	10	11	11
50-64	49	8.4	76	2	2	6	9	18	30	46
65+	78	12.4	135	2	3	10	15	25	35	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	6.1	44	<1	1	4	9	13	17	38
20-34	23	7.4	13	3	4	6	10	13	15	15
35-49	24	13.0	144	3	3	8	19	30	43	44
50-64	186	9.3	97	1	2	7	11	19	26	52
65+	488	10.1	91	1	2	8	13	20	25	51
B. *Operated*										
0-19 YRS	49	17.7	238	2	3	13	23	41	61	99+
20-34	23	17.9	314	1	2	17	27	59	78	99+
35-49	32	14.8	292	2	3	9	17	31	60	80
50-64	159	12.9	190	2	3	9	15	30	45	98
65+	364	15.0	155	3	4	12	19	31	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	235	6.6	33	1	1	5	9	15	18	28
B. *Operated*	235	11.2	126	1	2	7	14	25	37	51
2. MULTIPLE DX										
A. *Not Operated*	815	9.5	88	1	2	7	12	19	25	50
B. *Operated*	627	14.8	184	3	4	11	19	32	45	85
1. SINGLE DX	470	8.9	85	1	1	6	11	19	28	47
2. MULTIPLE DX	1442	11.8	136	1	2	8	15	24	35	68
A. NOT OPERATED	1050	8.8	77	1	2	7	11	18	24	48
B. OPERATED	862	13.8	171	2	3	10	18	30	42	81
TOTAL 0-19 YRS	282	9.0	119	1	1	5	12	23	32	57
20-34	85	12.2	160	1	2	8	18	29	42	88
35-49	82	11.3	174	1	2	7	12	25	38	75
50-64	434	10.4	128	2	2	7	12	21	32	81
65+	1029	11.8	118	2	3	9	15	23	34	55
GRAND TOTAL	**1912**	**11.1**	**125**	**1**	**2**	**8**	**14**	**23**	**34**	**61**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	4.8	47	<1	<1	3	5	9	16	40
20-34	83	6.0	50	1	1	4	6	9	21	43
35-49	87	7.3	64	1	1	5	8	22	26	36
50-64	133	7.4	88	1	1	5	8	20	26	48
65+	190	6.1	42	1	1	4	8	14	18	30
B. *Operated*										
0-19 YRS	41	12.4	159	1	2	8	17	31	39	55
20-34	61	20.7	450	2	3	10	31	54	64	84
35-49	83	16.3	334	2	3	8	23	41	57	88
50-64	101	13.8	234	2	3	8	16	31	41	82
65+	123	12.3	171	2	2	8	14	32	44	76
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	6.2	31	1	1	5	8	13	16	31
20-34	83	8.1	60	1	1	6	11	20	24	35
35-49	123	8.1	123	<1	1	5	8	18	31	72
50-64	262	9.1	102	1	1	6	11	20	30	48
65+	599	8.7	100	1	1	6	11	20	28	47
B. *Operated*										
0-19 YRS	40	22.2	332	2	4	15	34	50	59	68
20-34	75	25.6	401	3	5	21	32	60	71	99
35-49	114	22.4	424	3	4	13	37	54	66	99+
50-64	192	19.7	352	2	3	12	29	51	62	98
65+	413	18.0	246	3	4	13	24	39	51	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	564	6.4	59	1	1	4	7	14	23	37
B. *Operated*	409	14.8	266	2	2	8	20	38	52	84
2. MULTIPLE DX										
A. *Not Operated*	1121	8.6	97	1	1	6	11	19	28	47
B. *Operated*	834	19.9	317	3	4	14	27	48	60	95
1. SINGLE DX	973	9.9	163	1	1	6	10	26	37	66
2. MULTIPLE DX	1955	13.4	222	1	2	8	17	34	47	74
A. NOT OPERATED	1685	7.8	85	1	1	5	9	18	26	44
B. OPERATED	1243	18.2	305	2	3	11	25	45	59	90
TOTAL 0-19 YRS	206	10.1	162	<1	1	5	11	28	40	59
20-34	302	14.4	288	1	2	7	20	36	56	82
35-49	407	13.6	277	1	1	7	17	37	52	87
50-64	688	12.4	212	1	2	7	15	31	43	76
65+	1325	11.6	164	1	2	7	14	27	39	64
GRAND TOTAL	**2928**	**12.2**	**205**	**1**	**2**	**7**	**15**	**31**	**44**	**71**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.6	10	1	1	2	5	8	10	15
20-34	60	5.8	50	1	1	4	6	12	19	37
35-49	186	5.6	34	1	1	4	7	13	16	29
50-64	421	6.9	76	1	1	4	9	15	24	38
65+	455	8.2	73	1	1	6	11	19	24	44
B. *Operated*										
0-19 YRS	44	7.1	70	1	2	4	10	14	23	46
20-34	133	7.7	34	2	2	6	10	16	21	39
35-49	278	9.6	96	2	2	7	11	19	28	51
50-64	581	10.5	83	2	3	8	14	21	27	43
65+	598	11.2	92	2	3	9	14	22	28	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	5.2	23	<1	1	3	8	10	14	22
20-34	70	8.3	54	1	2	6	10	20	24	35
35-49	226	9.4	94	1	2	7	12	20	28	53
50-64	811	9.5	96	1	1	7	12	20	28	51
65+	1486	10.9	113	1	2	8	14	23	32	55
B. *Operated*										
0-19 YRS	34	11.3	95	1	2	8	14	22	37	42
20-34	98	14.8	151	2	3	12	21	31	37	84
35-49	213	15.2	207	2	3	11	20	32	39	89
50-64	848	15.6	173	2	4	12	22	31	44	69
65+	1519	18.5	210	3	5	14	24	38	50	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1168	7.0	65	1	1	4	9	16	23	38
B. *Operated*	1634	10.3	85	2	2	8	13	21	27	46
2. MULTIPLE DX										
A. *Not Operated*	2635	10.2	104	1	2	7	13	22	29	51
B. *Operated*	2712	17.1	197	3	4	13	23	35	47	76
1. SINGLE DX	2802	8.9	80	1	2	6	12	19	26	44
2. MULTIPLE DX	5347	13.7	163	2	3	10	18	29	40	68
A. NOT OPERATED	3803	9.2	95	1	1	6	12	20	28	50
B. OPERATED	4346	14.5	166	2	3	11	19	30	41	72
TOTAL 0-19 YRS	166	6.5	53	1	1	4	9	14	20	42
20-34	361	9.4	83	1	2	7	12	22	28	62
35-49	903	10.0	119	1	2	7	12	21	31	61
50-64	2661	11.3	125	1	2	8	14	25	32	57
65+	4058	13.5	157	2	2	10	18	28	40	67
GRAND TOTAL	**8149**	**12.1**	**140**	**1**	**2**	**9**	**16**	**26**	**36**	**63**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.0		2	2	2	2	2	2	2
35-49	5	3.4	1	2	2	4	4	4	4	4
50-64	4	4.8	1	4	4	5	5	6	6	6
65+	5	5.2	12	1	1	4	8	10	10	10
B. *Operated*										
0-19 YRS	104	3.2	9	1	1	2	4	6	8	17
20-34	236	3.4	3	1	2	3	4	5	6	9
35-49	281	3.7	4	1	2	3	5	6	8	11
50-64	347	4.4	19	1	2	4	5	8	10	17
65+	226	4.1	4	1	2	4	5	7	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	9	8.0	69	2	2	5	10	22	28	28
B. *Operated*										
0-19 YRS	18	4.8	19	<1	1	3	7	12	14	16
20-34	55	4.5	26	1	2	3	5	8	16	30
35-49	108	4.5	32	2	2	3	5	7	10	31
50-64	156	5.2	19	2	2	4	6	10	15	30
65+	151	7.4	37	2	2	5	9	17	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.9	5	1	1	4	5	7	9	10
B. *Operated*	1194	3.9	9	1	2	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	18	5.2	42	<1	<1	3	5	12	22	28
B. *Operated*	488	5.6	30	2	2	4	7	12	17	31
1. SINGLE DX	1211	3.9	9	1	2	3	5	6	8	12
2. MULTIPLE DX	506	5.6	30	1	2	4	6	12	17	30
A. NOT OPERATED	35	4.6	24	<1	1	4	5	9	12	28
B. OPERATED	1682	4.4	16	1	2	4	5	7	10	19
TOTAL 0-19 YRS	124	3.4	10	1	1	2	4	7	9	18
20-34	297	3.6	8	1	2	3	4	6	8	17
35-49	396	3.9	12	1	2	3	5	6	8	12
50-64	509	4.6	19	1	2	4	5	8	11	22
65+	391	5.5	21	2	2	4	6	10	15	27
GRAND TOTAL	**1717**	**4.4**	**16**	**1**	**2**	**4**	**5**	**7**	**10**	**20**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.7	5	<1	1	2	4	5	8	9
20-34	29	3.1	4	<1	<1	3	4	6	7	9
35-49	71	3.3	10	1	1	2	4	6	11	18
50-64	140	3.2	22	1	1	2	3	5	9	21
65+	142	3.5	10	1	1	3	5	7	8	20
B. *Operated*										
0-19 YRS	84	4.5	15	1	2	3	6	10	12	20
20-34	135	7.1	34	1	1	6	11	15	20	23
35-49	345	5.1	22	1	1	3	8	12	14	21
50-64	798	4.8	27	1	1	3	6	12	16	25
65+	691	5.6	33	1	1	3	8	14	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.5	4	1	1	3	5	7	7	8
20-34	43	5.2	16	1	1	4	6	12	14	19
35-49	79	5.9	15	1	1	5	8	11	15	18
50-64	220	5.2	29	1	1	4	6	10	14	31
65+	350	6.6	33	1	2	5	9	14	16	26
B. *Operated*										
0-19 YRS	44	8.0	53	1	2	6	9	18	29	30
20-34	131	8.3	69	1	2	6	11	18	22	45
35-49	353	7.8	36	1	2	7	11	15	20	28
50-64	1140	8.5	70	1	2	6	12	17	23	39
65+	1512	9.7	73	1	2	7	13	21	27	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	400	3.3	13	1	1	2	4	6	9	18
B. *Operated*	2053	5.3	28	1	1	3	7	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	717	5.9	28	1	1	4	8	12	16	27
B. *Operated*	3180	9.0	68	1	2	7	12	19	25	39
1. SINGLE DX	2453	4.9	26	1	1	3	6	12	15	24
2. MULTIPLE DX	3897	8.4	62	1	2	6	11	18	23	37
A. NOT OPERATED	1117	5.0	25	1	1	3	6	10	14	23
B. OPERATED	5233	7.5	56	1	2	5	11	17	22	34
TOTAL 0-19 YRS	171	5.1	25	1	1	3	6	10	16	29
20-34	338	7.0	45	1	1	5	10	15	19	32
35-49	848	6.1	28	1	1	4	9	13	17	26
50-64	2298	6.6	52	1	1	4	9	15	19	33
65+	2695	7.9	59	1	2	5	11	18	23	36
GRAND TOTAL	**6350**	**7.1**	**51**	**1**	**1**	**4**	**10**	**16**	**21**	**33**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	1	<1	<1	1	2	4	4	4
20-34	5	2.0	2	<1	<1	2	3	4	4	4
35-49	12	2.6	2	<1	1	2	3	5	6	6
50-64	5	6.2	78	2	2	2	8	22	22	22
65+	5	2.4	1	2	2	2	3	4	4	4
B. *Operated*										
0-19 YRS	109	2.4	12	1	1	2	2	4	7	23
20-34	121	4.1	17	1	1	2	5	9	13	19
35-49	118	4.0	13	1	1	2	5	9	12	18
50-64	151	5.8	36	1	1	2	9	15	19	33
65+	91	4.8	26	1	2	2	5	12	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	7	1	1	2	5	6	6	6
20-34	4	5.3	10	1	1	6	7	8	8	8
35-49	2	9.5	5	8	8	9	11	11	11	11
50-64	7	9.1	75	2	2	6	17	22	23	23
65+	15	12.6	98	1	3	10	16	29	35	37
B. *Operated*										
0-19 YRS	22	5.4	32	1	2	3	5	16	19	20
20-34	46	5.8	25	1	2	4	9	12	15	24
35-49	67	8.6	134	1	2	5	12	21	22	75
50-64	117	7.9	69	1	2	5	11	20	26	41
65+	79	9.8	60	2	2	8	14	21	25	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.9	13	<1	1	2	3	4	6	22
B. *Operated*	590	4.3	23	1	1	2	5	11	15	23
2. MULTIPLE DX										
A. *Not Operated*	31	9.7	74	1	2	7	12	21	29	37
B. *Operated*	331	8.1	73	2	2	5	11	19	24	37
1. SINGLE DX	623	4.2	22	1	1	2	5	11	15	23
2. MULTIPLE DX	362	8.2	73	1	2	5	11	19	24	37
A. NOT OPERATED	64	6.2	54	<1	1	3	7	17	22	36
B. OPERATED	921	5.6	44	1	1	2	8	14	19	27
TOTAL 0-19 YRS	140	2.9	15	1	1	2	2	5	12	22
20-34	176	4.5	19	1	1	2	7	10	13	21
35-49	199	5.5	58	1	1	2	7	12	18	25
50-64	280	6.8	52	1	2	3	10	16	23	36
65+	190	7.4	53	2	2	4	11	18	24	34
GRAND TOTAL	**985**	**5.7**	**44**	**1**	**1**	**2**	**8**	**14**	**19**	**27**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.9	7	<1	1	2	3	5	6	17
20-34	40	3.3	8	<1	<1	2	4	7	10	12
35-49	43	3.2	6	<1	1	2	4	7	9	10
50-64	44	4.2	11	1	1	3	5	8	12	16
65+	19	4.3	11	<1	1	3	6	10	12	13
B. *Operated*										
0-19 YRS	1225	3.3	5	1	1	3	4	6	8	12
20-34	1608	3.2	7	1	1	2	4	6	8	15
35-49	1533	3.3	8	1	1	2	4	6	8	20
50-64	1495	3.2	7	1	1	2	4	6	8	13
65+	498	4.2	19	1	2	3	5	9	12	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.5	3	<1	<1	2	4	5	5	5
20-34	36	4.1	11	<1	1	3	6	8	10	17
35-49	46	4.2	8	<1	1	4	6	7	9	14
50-64	55	4.5	10	<1	1	3	6	9	12	14
65+	38	6.2	19	1	2	6	8	11	16	20
B. *Operated*										
0-19 YRS	201	4.1	18	1	2	3	5	8	11	24
20-34	583	4.6	19	1	2	3	5	9	12	23
35-49	913	5.1	23	1	2	3	6	11	14	24
50-64	1163	5.5	29	1	2	4	7	11	16	26
65+	571	6.8	53	2	2	4	8	14	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	3.5	9	<1	1	3	4	7	10	16
B. *Operated*	6359	3.3	8	1	1	3	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	195	4.4	12	<1	1	3	6	9	11	18
B. *Operated*	3431	5.4	30	1	2	4	7	11	15	26
1. SINGLE DX	6542	3.3	8	1	1	3	4	6	8	15
2. MULTIPLE DX	3626	5.3	29	1	2	4	6	11	15	26
A. NOT OPERATED	378	4.0	10	<1	1	3	5	8	10	17
B. OPERATED	9790	4.1	17	1	2	3	4	8	11	22
TOTAL 0-19 YRS	1483	3.4	7	1	1	3	4	6	8	14
20-34	2267	3.6	11	1	1	3	4	7	9	17
35-49	2535	3.9	14	1	1	3	4	8	11	21
50-64	2757	4.2	18	1	2	3	5	8	12	22
65+	1126	5.6	38	1	2	3	7	12	17	33
GRAND TOTAL	**10168**	**4.1**	**16**	**1**	**2**	**3**	**5**	**8**	**11**	**22**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.8	9	1	1	2	3	7	10	15
20-34	26	2.9	7	1	1	2	3	4	10	13
35-49	13	5.8	86	1	1	3	5	14	32	36
50-64	11	3.1	12	1	1	2	3	8	13	13
65+	9	9.3	48	1	2	6	14	20	20	20
B. *Operated*										
0-19 YRS	1190	2.6	8	<1	1	2	3	5	7	14
20-34	463	3.1	7	1	1	2	4	6	8	14
35-49	380	3.5	12	1	1	2	4	7	10	21
50-64	350	4.1	22	1	1	3	4	8	11	28
65+	156	4.6	25	1	1	3	5	11	14	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.9	8	<1	<1	1	4	7	10	11
20-34	14	10.0	220	1	1	6	11	21	51	59
35-49	20	5.5	22	<1	1	3	8	12	15	17
50-64	16	4.9	10	1	2	4	7	9	12	13
65+	29	8.6	46	2	2	7	13	17	19	32
B. *Operated*										
0-19 YRS	253	4.0	26	<1	1	2	4	8	14	34
20-34	281	4.4	49	<1	1	3	5	10	13	56
35-49	322	4.8	20	1	1	3	6	10	14	22
50-64	301	5.9	66	1	2	3	7	13	20	44
65+	229	8.9	119	2	2	5	12	20	24	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	3.8	25	1	1	2	4	9	13	28
B. *Operated*	2539	3.1	12	<1	1	2	3	6	9	19
2. MULTIPLE DX										
A. *Not Operated*	118	5.8	50	<1	1	4	8	13	17	41
B. *Operated*	1386	5.5	56	1	1	3	6	12	18	35
1. SINGLE DX	2639	3.2	12	<1	1	2	3	6	9	20
2. MULTIPLE DX	1504	5.5	55	1	1	3	6	12	18	34
A. NOT OPERATED	218	4.9	39	1	1	3	6	12	15	33
B. OPERATED	3925	4.0	29	<1	1	2	4	8	12	25
TOTAL 0-19 YRS	1523	2.8	11	<1	1	2	3	6	8	20
20-34	784	3.7	27	1	1	2	4	7	11	20
35-49	735	4.2	17	1	1	3	5	9	13	22
50-64	678	4.9	42	1	1	3	5	10	15	30
65+	423	7.3	81	1	2	4	9	16	23	37
GRAND TOTAL	**4143**	**4.0**	**29**	**<1**	**1**	**2**	**4**	**9**	**13**	**25**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.4	1	<1	<1	1	2	3	3	3
20-34	18	2.4	1	1	1	2	3	3	4	4
35-49	7	4.7	53	1	1	2	4	18	21	21
50-64	4	2.5	2	1	1	2	3	4	4	4
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	748	2.2	2	1	1	2	2	3	4	8
20-34	1482	2.3	5	<1	1	2	2	3	4	10
35-49	841	2.5	7	1	1	2	3	3	5	10
50-64	323	2.9	4	2	2	2	3	4	6	14
65+	156	3.6	30	1	2	2	3	5	9	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	2.7	2	<1	<1	2	4	5	5	5
35-49	13	2.7	1	<1	1	3	3	4	5	5
50-64	10	3.4	3	1	1	3	5	6	7	7
65+	6	6.3	19	2	2	5	11	12	12	12
B. *Operated*										
0-19 YRS	98	2.7	3	1	1	2	3	4	7	10
20-34	477	3.1	7	1	2	2	3	6	8	13
35-49	610	3.3	6	1	2	3	4	6	9	14
50-64	327	3.9	9	2	2	3	4	8	10	16
65+	221	5.4	22	2	2	4	6	10	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.7	10	<1	1	2	3	4	4	21
B. *Operated*	3550	2.4	6	1	1	2	3	3	4	12
2. MULTIPLE DX										
A. *Not Operated*	37	3.5	6	<1	1	3	4	6	10	12
B. *Operated*	1733	3.6	9	1	2	3	4	7	9	17
1. SINGLE DX	3589	2.5	6	1	1	2	3	3	4	12
2. MULTIPLE DX	1770	3.6	9	1	2	3	4	7	9	17
A. NOT OPERATED	76	3.1	8	<1	1	2	3	5	7	19
B. OPERATED	5283	2.8	7	1	1	2	3	4	7	14
TOTAL 0-19 YRS	855	2.3	2	1	1	2	2	3	4	8
20-34	1984	2.5	6	1	1	2	3	4	5	12
35-49	1471	2.9	7	1	1	2	3	5	7	12
50-64	664	3.4	7	2	2	3	3	6	9	15
65+	385	4.7	26	2	2	3	5	9	13	24
GRAND TOTAL	**5359**	**2.8**	**7**	**1**	**1**	**2**	**3**	**4**	**7**	**14**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	48	3.0	6	<1	1	2	4	7	8	11
35-49	75	4.0	9	1	1	3	7	8	9	14
50-64	14	3.1	7	1	1	2	3	6	10	11
65+	5	7.8	46	2	2	4	14	17	17	17
B. *Operated*										
0-19 YRS	10	4.2	9	2	2	3	6	9	10	10
20-34	893	5.2	9	1	2	7	8	9	10	14
35-49	2643	6.8	10	2	2	7	8	10	11	17
50-64	513	7.1	14	1	2	7	9	10	12	21
65+	44	9.9	108	1	2	8	11	15	19	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	119	5.0	16	1	1	4	6	9	12	22
35-49	284	4.7	12	1	1	4	7	9	11	16
50-64	68	4.5	9	1	1	4	7	9	10	12
65+	32	6.4	23	1	1	6	11	14	15	16
B. *Operated*										
0-19 YRS	20	7.0	25	<1	1	7	8	11	18	24
20-34	2528	7.2	15	2	2	7	9	11	13	20
35-49	10917	8.0	15	2	3	8	9	12	14	22
50-64	2501	8.4	19	2	3	8	10	13	16	27
65+	288	11.6	49	2	5	10	14	19	24	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	3.7	10	<1	1	3	4	8	10	16
B. *Operated*	4103	6.7	12	2	2	7	8	10	11	17
2. MULTIPLE DX										
A. *Not Operated*	506	4.8	13	1	1	4	7	10	11	17
B. *Operated*	16254	8.0	16	2	3	8	9	12	15	23
1. SINGLE DX	4245	6.6	12	1	2	7	8	10	11	17
2. MULTIPLE DX	16760	7.9	17	2	2	8	9	12	15	23
A. NOT OPERATED	648	4.6	13	1	1	4	7	9	11	16
B. OPERATED	20357	7.7	16	2	2	8	9	11	14	22
TOTAL 0-19 YRS	33	5.8	20	1	2	5	8	10	12	24
20-34	3588	6.8	14	1	2	7	8	10	12	19
35-49	13919	7.7	14	2	2	8	9	11	14	21
50-64	3096	8.1	19	2	2	8	9	12	15	26
65+	369	10.9	55	2	3	10	14	18	23	42
GRAND TOTAL	**21005**	**7.6**	**16**	**2**	**2**	**7**	**9**	**11**	**14**	**22**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	32	3.7	9	1	2	2	4	7	12	13
35-49	71	4.4	11	1	1	3	8	9	10	14
50-64	37	3.6	35	1	1	2	3	6	8	37
65+	18	4.1	14	1	2	3	4	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	6.6	22	1	1	5	11	12	12	12
50-64	2	7.0	8	5	5	7	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	93	6.3	29	1	2	6	8	12	14	31
35-49	244	7.1	15	1	2	7	9	11	12	15
50-64	115	5.9	16	1	2	6	8	10	12	19
65+	32	6.6	45	2	2	4	8	18	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		1	1	1	2	2	2	2
B. *Operated*	161	4.0	16	1	1	2	5	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	7	6.7	16	1	2	5	10	12	12	12
B. *Operated*	485	6.6	20	1	2	7	9	11	13	24
1. SINGLE DX	164	3.9	16	1	1	2	5	9	10	14
2. MULTIPLE DX	492	6.6	20	1	2	7	9	11	13	24
A. NOT OPERATED	10	5.1	18	1	1	4	9	11	12	12
B. OPERATED	646	5.9	20	1	2	6	8	11	13	23
TOTAL 0-19 YRS	5	1.6		1	1	2	2	2	2	2
20-34	126	5.6	25	1	2	4	8	12	13	24
35-49	321	6.4	16	1	2	7	9	11	12	14
50-64	154	5.4	21	1	1	4	8	9	12	26
65+	50	5.7	35	2	2	3	6	15	19	24
GRAND TOTAL	**656**	**5.9**	**20**	**1**	**2**	**6**	**8**	**11**	**13**	**23**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	8	3.6	3	2	2	3	5	6	6	6
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	2	9.0		9	9	9	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	222	6.3	4	4	4	6	7	9	10	13
20-34	709	6.4	4	4	4	6	7	8	9	14
35-49	210	7.2	7	4	5	7	8	10	11	15
50-64	132	8.8	11	5	6	8	10	13	16	20
65+	83	11.0	36	6	7	9	12	18	20	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.7	22	3	3	5	10	12	12	12
20-34	7	4.4	6	1	1	4	6	8	8	8
35-49	4	5.0	9	2	2	5	7	8	8	8
50-64	1	13.0		13	13	13	13	13	13	13
65+	4	5.8	2	4	4	6	7	7	7	7
B. *Operated*										
0-19 YRS	163	7.0	5	4	5	6	8	10	12	16
20-34	716	7.2	14	4	5	7	8	10	12	20
35-49	550	8.4	14	5	5	8	9	12	15	27
50-64	369	10.5	26	6	6	9	12	16	21	33
65+	227	14.0	63	7	7	11	18	24	29	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	3.5	7	<1	1	3	5	8	9	9
B. *Operated*	1356	7.0	9	4	5	6	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	19	5.6	10	1	2	5	7	10	13	13
B. *Operated*	2025	8.9	26	5	5	8	10	14	18	31
1. SINGLE DX	1372	7.0	9	4	5	6	8	10	12	19
2. MULTIPLE DX	2044	8.9	26	5	5	8	10	14	18	31
A. NOT OPERATED	35	4.7	10	1	1	4	7	9	11	13
B. OPERATED	3381	8.1	20	4	5	7	9	12	16	28
TOTAL 0-19 YRS	392	6.5	5	4	4	6	7	9	11	14
20-34	1440	6.8	9	4	5	6	8	9	11	18
35-49	766	8.0	13	5	5	7	9	11	14	25
50-64	504	10.1	22	6	6	9	11	15	19	31
65+	314	13.1	57	6	7	11	16	22	28	38
GRAND TOTAL	**3416**	**8.1**	**20**	**4**	**5**	**7**	**9**	**12**	**16**	**28**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7	4	<1	<1	2	4	5	5	5
35-49	3	2.3	2	<1	<1	2	3	4	4	4
50-64										
65+	2	8.0	32	4	4	8	12	12	12	12
B. *Operated*										
0-19 YRS	19	2.8	3	<1	1	2	4	6	7	7
20-34	41	4.0	7	<1	<1	3	6	8	9	9
35-49	49	3.2	5	1	1	2	4	7	7	10
50-64	34	4.6	22	<1	1	3	6	12	15	21
65+	7	2.6	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	4.3	1	3	3	5	5	5	5	5
50-64	3	5.7	22	2	2	4	9	11	11	11
65+	2	8.0	50	3	3	8	13	13	13	13
B. *Operated*										
0-19 YRS	9	4.7	16	<1	1	2	7	11	13	13
20-34	39	5.5	11	1	2	5	7	10	12	17
35-49	51	5.6	20	1	1	5	8	11	13	98
50-64	34	6.2	28	1	2	4	8	13	19	20
65+	25	6.2	31	2	2	4	8	11	20	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.9	13	<1	<1	3	5	10	12	12
B. *Operated*	150	3.7	9	<1	1	2	5	8	9	15
2. MULTIPLE DX										
A. *Not Operated*	9	5.6	15	2	2	4	7	12	13	13
B. *Operated*	158	5.8	21	1	2	5	8	11	15	26
1. SINGLE DX	158	3.7	10	<1	1	2	5	8	9	15
2. MULTIPLE DX	167	5.7	20	1	2	5	8	11	14	26
A. NOT OPERATED	17	4.8	14	<1	1	4	5	12	13	13
B. OPERATED	308	4.7	16	1	1	3	7	10	12	23
TOTAL 0-19 YRS	28	3.4	8	<1	1	2	5	7	8	13
20-34	84	4.6	9	<1	1	5	6	8	10	16
35-49	106	4.4	13	1	1	3	7	9	11	58
50-64	71	5.4	25	1	1	3	8	13	17	21
65+	36	5.7	26	2	2	4	7	12	16	25
GRAND TOTAL	325	4.7	16	1	1	3	7	10	12	22

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	7.0		7	7	7	7	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	11	4.9	44	1	1	2	4	14	23	24
20-34	40	3.1	2	1	2	3	4	5	6	7
35-49	30	3.9	12	1	2	3	4	8	11	18
50-64	20	4.8	21	1	1	3	5	12	16	19
65+	18	4.0	12	1	1	3	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	9.5	1	9	9	9	10	10	10	10
B. *Operated*										
0-19 YRS	7	2.6	3	1	1	2	3	5	6	6
20-34	23	3.2	3	1	1	3	4	5	7	9
35-49	15	6.0	22	2	2	5	6	11	18	21
50-64	25	5.6	14	2	2	4	7	11	14	15
65+	27	6.7	24	1	2	6	10	15	17	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.0	8	1	1	4	7	7	7	7
B. *Operated*	119	3.9	13	1	1	3	4	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	4	8.0	11	3	3	9	10	10	10	10
B. *Operated*	97	5.2	17	1	2	4	6	11	15	20
1. SINGLE DX	125	3.9	13	1	1	3	4	7	11	20
2. MULTIPLE DX	101	5.3	16	1	2	4	7	10	14	20
A. NOT OPERATED	10	5.6	12	1	1	6	9	10	10	10
B. OPERATED	216	4.5	15	1	2	3	5	9	11	20
TOTAL 0-19 YRS	20	3.9	26	1	1	2	4	7	16	24
20-34	64	3.1	3	1	2	3	4	5	6	9
35-49	48	4.8	16	2	2	4	6	9	12	21
50-64	47	5.1	17	2	2	3	6	11	14	19
65+	47	5.8	20	1	1	4	9	11	16	19
GRAND TOTAL	226	4.5	15	1	2	3	6	10	11	20

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	19.0		19	19	19	19	19	19	19
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.0		2	2	2	2	2	2	2
65+	4	4.3	7	2	2	3	6	8	8	8
B. *Operated*										
0-19 YRS	3	4.7	5	2	2	6	6	6	6	6
20-34	29	3.4	8	1	1	2	4	8	10	12
35-49	31	3.0	5	1	1	2	4	6	9	11
50-64	79	3.4	9	1	1	2	3	6	10	17
65+	93	4.3	20	1	2	3	4	8	16	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64	5	5.6	3	4	4	5	7	8	8	8
65+	4	10.0	149	1	1	5	17	28	28	28
B. *Operated*										
0-19 YRS	8	6.6	42	2	2	4	10	17	19	19
20-34	34	5.8	35	1	2	3	6	15	20	24
35-49	34	6.8	48	1	2	4	10	13	17	38
50-64	68	6.1	47	1	1	4	9	14	18	40
65+	130	5.8	28	1	2	4	8	13	17	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.1	36	1	1	3	6	16	19	19
B. *Operated*	235	3.7	13	1	1	3	4	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	12	7.1	47	1	3	5	7	14	26	28
B. *Operated*	274	6.0	36	1	2	4	8	14	17	26
1. SINGLE DX	243	3.8	13	1	1	3	4	8	11	22
2. MULTIPLE DX	286	6.1	36	1	2	4	8	14	18	28
A. NOT OPERATED	20	6.3	42	1	1	5	7	14	23	28
B. OPERATED	509	5.0	26	1	1	3	5	11	16	25
TOTAL 0-19 YRS	11	6.1	31	2	2	5	7	16	19	19
20-34	66	5.0	26	1	1	3	6	12	17	24
35-49	67	4.9	30	1	1	3	5	11	13	34
50-64	154	4.7	27	1	1	3	5	10	16	24
65+	231	5.2	26	1	2	3	6	12	17	28
GRAND TOTAL	**529**	**5.0**	**27**	**1**	**1**	**3**	**6**	**11**	**17**	**27**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	58	1.7		<1	1	2	2	2	2	4
20-34	15	4.7	79	1	1	2	3	9	29	36
35-49	11	3.3	21	<1	<1	2	3	9	16	17
50-64	8	2.6	1	2	2	2	3	4	5	5
65+	7	2.1		1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	2	8.5	25	5	5	8	12	12	12	12
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
0-19 YRS	15	2.4	2	<1	1	2	2	6	6	6
20-34	9	3.9	16	1	1	3	4	10	14	14
35-49	1	3.0		3	3	3	3	3	3	3
50-64	4	6.0	64	2	2	2	10	18	18	18
65+	8	6.1	53	1	1	3	7	19	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*	99	2.4	15	<1	1	2	2	3	4	27
2. MULTIPLE DX										
A. *Not Operated*	8	6.3	22	1	1	5	9	13	14	14
B. *Operated*	37	4.0	23	1	1	2	4	8	17	23
1. SINGLE DX	101	2.4	15	<1	1	2	2	3	4	26
2. MULTIPLE DX	45	4.4	23	1	1	2	5	12	15	23
A. NOT OPERATED	10	5.4	20	<1	<1	4	7	13	14	14
B. OPERATED	136	2.8	17	1	1	2	2	4	8	25
TOTAL 0-19 YRS	76	1.9	1	<1	1	2	2	2	4	7
20-34	27	4.7	50	1	1	2	4	11	17	36
35-49	13	3.5	18	<1	1	2	3	8	15	17
50-64	14	3.6	18	2	2	2	3	6	15	18
65+	16	4.9	35	1	1	3	4	13	20	23
GRAND TOTAL	**146**	**3.0**	**18**	**<1**	**1**	**2**	**3**	**8**	**10**	**24**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	3.4	12	1	1	2	4	10	11	11
35-49	9	4.3	15	2	2	3	4	11	14	14
50-64	28	5.0	12	1	1	4	8	9	12	13
65+	23	6.0	16	1	2	5	9	11	13	17
B. *Operated*										
0-19 YRS	19	12.9	114	2	3	11	14	22	39	51
20-34	69	13.4	72	1	2	12	17	25	29	40
35-49	111	14.4	144	2	2	12	19	25	38	67
50-64	210	14.2	89	2	3	13	18	28	39	72
65+	80	17.9	156	2	4	15	21	34	42	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	5	2	2	3	5	7	7	7
20-34	13	6.4	25	1	1	4	10	13	16	17
35-49	7	7.6	19	2	2	8	11	13	13	13
50-64	21	10.0	48	<1	1	10	13	21	24	27
65+	66	10.0	54	3	3	7	13	22	28	88
B. *Operated*										
0-19 YRS	12	21.7	270	3	6	18	25	44	63	66
20-34	39	19.1	157	2	7	16	26	45	51	99+
35-49	64	26.3	323	7	9	22	36	62	75	99+
50-64	150	24.3	452	3	6	18	28	62	94	99+
65+	144	28.9	332	7	10	24	38	61	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	5.1	14	1	1	4	8	11	12	16
B. *Operated*	489	14.7	112	2	3	13	18	28	38	56
2. MULTIPLE DX										
A. *Not Operated*	111	9.2	47	1	2	7	12	20	26	58
B. *Operated*	409	25.7	363	5	8	20	34	58	82	99+
1. SINGLE DX	556	13.5	110	1	2	12	17	26	37	55
2. MULTIPLE DX	520	22.2	341	3	5	17	29	51	70	99+
A. NOT OPERATED	178	7.7	39	1	2	6	11	17	21	31
B. OPERATED	898	19.7	256	2	4	16	25	41	58	99+
TOTAL 0-19 YRS	35	14.9	180	2	3	12	18	30	47	66
20-34	128	13.9	109	1	2	12	18	27	38	63
35-49	191	17.7	235	2	3	14	22	39	56	96
50-64	409	17.1	250	2	3	14	21	36	56	99+
65+	313	20.4	277	3	4	17	28	46	62	99+
GRAND TOTAL	**1076**	**17.7**	**240**	**2**	**3**	**14**	**22**	**38**	**55**	**99+**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	7	3.6	7	1	1	3	4	8	9	9
50-64	5	5.2	5	3	3	5	6	9	9	9
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	97	4.2	3	2	3	4	5	6	7	12
20-34	558	4.6	9	3	3	4	5	6	8	12
35-49	539	4.7	3	3	3	4	5	7	8	12
50-64	379	5.1	4	3	3	5	6	7	9	13
65+	141	5.7	10	3	3	5	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	3.5	2	2	2	3	4	5	5	5
35-49	11	7.1	64	1	2	4	8	18	29	30
50-64	12	7.3	36	2	2	6	10	16	21	22
65+	15	8.9	57	3	3	6	9	22	28	30
B. *Operated*										
0-19 YRS	24	4.5	5	2	3	4	5	7	9	12
20-34	189	5.0	5	3	3	4	6	8	8	13
35-49	279	5.9	17	3	3	5	6	9	15	24
50-64	312	6.4	17	3	3	5	7	11	13	25
65+	161	9.3	80	3	4	6	11	18	22	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.3	5	1	2	4	5	9	9	9
B. *Operated*	1714	4.8	6	3	3	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	43	7.4	46	2	2	5	8	16	25	30
B. *Operated*	965	6.4	27	3	3	5	7	11	15	25
1. SINGLE DX	1731	4.8	6	3	3	4	5	7	8	13
2. MULTIPLE DX	1008	6.5	27	3	3	5	7	11	15	26
A. NOT OPERATED	60	6.5	36	2	2	5	7	12	22	30
B. OPERATED	2679	5.4	14	3	3	5	6	8	11	21
TOTAL 0-19 YRS	123	4.3	3	2	3	4	5	6	7	13
20-34	753	4.7	8	3	3	4	5	6	8	12
35-49	836	5.1	9	3	3	5	6	7	10	19
50-64	708	5.7	10	3	3	5	6	9	12	22
65+	319	7.7	50	3	3	6	8	14	19	38
GRAND TOTAL	**2739**	**5.4**	**15**	**3**	**3**	**5**	**6**	**8**	**11**	**21**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	21	4.2	8	1	1	3	6	9	9	10
35-49	9	5.4	6	3	3	4	8	9	9	9
50-64	8	7.0	17	3	3	6	8	14	16	16
65+	5	4.8	10	1	1	4	8	8	8	8
B. *Operated*										
0-19 YRS	12	10.6	29	3	4	10	12	18	23	24
20-34	62	11.2	40	3	4	9	13	21	22	34
35-49	48	10.4	68	4	4	9	14	16	19	57
50-64	56	9.8	25	4	4	9	13	16	20	24
65+	26	12.5	191	4	5	8	16	23	34	74
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	28	5.6	19	1	1	5	6	11	12	23
35-49	24	5.7	14	1	1	6	8	9	12	16
50-64	26	6.4	36	2	3	5	6	13	18	32
65+	20	13.2	100	4	5	10	13	28	37	43
B. *Operated*										
0-19 YRS	6	7.7	3	5	5	8	9	10	10	10
20-34	46	14.2	205	4	5	11	16	23	28	96
35-49	70	12.5	89	4	4	10	14	24	33	53
50-64	102	14.6	142	4	4	12	17	31	43	83
65+	74	19.3	302	5	6	14	23	39	65	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	5.0	10	1	1	4	8	9	10	16
B. *Operated*	204	10.8	61	4	4	9	13	19	22	45
2. MULTIPLE DX										
A. *Not Operated*	100	7.4	46	1	2	6	9	12	23	38
B. *Operated*	298	15.1	182	4	5	11	18	30	41	87
1. SINGLE DX	248	9.7	56	3	4	8	12	18	22	35
2. MULTIPLE DX	398	13.1	158	3	4	10	15	28	37	77
A. NOT OPERATED	144	6.7	36	1	2	5	8	11	16	33
B. OPERATED	502	13.3	137	4	4	10	15	25	34	71
TOTAL 0-19 YRS	21	9.0	22	3	4	9	10	14	19	24
20-34	157	10.1	93	2	3	9	12	20	23	42
35-49	151	10.3	72	3	4	9	13	18	27	57
50-64	192	11.8	98	3	4	9	14	27	34	59
65+	125	16.4	247	4	5	11	21	32	45	86
GRAND TOTAL	**646**	**11.8**	**122**	**3**	**4**	**9**	**14**	**23**	**32**	**69**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	21	4.0	7	<1	1	3	6	8	9	9
35-49	9	8.0	22	1	2	10	11	14	14	14
50-64	5	5.8	5	4	4	5	7	9	9	9
65+	3	7.0	91	<1	<1	2	14	18	18	18
B. *Operated*										
0-19 YRS	32	3.5	7	1	1	3	3	7	11	12
20-34	1705	4.5	8	1	2	4	6	8	9	12
35-49	642	5.5	13	2	2	6	7	9	10	16
50-64	157	5.8	62	2	2	5	7	9	12	17
65+	63	5.6	13	2	2	4	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	26	2.8	11	<1	1	1	3	8	11	13
35-49	11	6.4	22	<1	1	7	10	13	14	14
50-64	7	6.4	16	1	2	5	10	12	12	12
65+	3	6.3	5	5	5	5	8	9	9	9
B. *Operated*										
0-19 YRS	19	3.1	4	<1	1	2	4	7	8	8
20-34	1232	6.0	28	2	2	6	8	10	12	22
35-49	746	7.4	22	2	2	7	9	11	14	25
50-64	220	8.5	28	2	2	8	10	14	17	26
65+	115	8.5	31	2	3	8	11	15	20	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	5.3	17	<1	1	5	8	10	14	18
B. *Operated*	2599	4.9	13	1	2	4	7	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	48	4.4	16	1	1	3	7	11	12	14
B. *Operated*	2332	6.8	27	2	2	7	8	11	14	25
1. SINGLE DX	2638	4.9	13	1	2	4	7	8	9	14
2. MULTIPLE DX	2380	6.7	27	2	2	7	8	11	14	25
A. NOT OPERATED	87	4.8	16	<1	1	3	8	11	13	17
B. OPERATED	4931	5.8	20	2	2	6	8	10	12	20
TOTAL 0-19 YRS	53	3.2	6	1	1	3	3	7	8	12
20-34	2984	5.1	17	1	2	5	7	9	10	16
35-49	1408	6.5	19	2	2	7	8	10	13	20
50-64	389	7.3	43	2	2	7	9	13	16	23
65+	184	7.5	27	2	2	7	9	13	17	28
GRAND TOTAL	**5018**	**5.8**	**20**	**2**	**2**	**6**	**8**	**10**	**12**	**20**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	5	3.0	2	2	2	2	4	5	5	5
50-64	14	3.4	7	1	1	3	5	7	9	10
65+	11	8.5	119	2	2	4	8	24	39	40
B. *Operated*										
0-19 YRS	10	4.3	7	<1	1	4	6	8	8	8
20-34	70	4.4	8	1	2	3	7	8	9	13
35-49	119	5.4	18	1	2	4	7	11	14	21
50-64	217	6.5	32	1	2	5	8	14	18	26
65+	219	7.1	53	1	2	4	9	17	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	5	3.0	6	<1	<1	3	4	7	7	7
35-49	7	9.0	43	2	2	9	15	18	18	18
50-64	23	8.7	54	1	1	7	15	20	24	24
65+	38	9.3	49	1	2	7	13	20	22	30
B. *Operated*										
0-19 YRS	5	7.2	27	1	1	5	12	14	14	14
20-34	56	6.8	20	1	2	6	9	14	15	21
35-49	143	7.6	31	2	2	7	10	14	18	30
50-64	321	9.7	76	1	2	8	12	20	26	42
65+	379	10.6	91	2	2	8	14	22	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	5.1	48	1	1	4	5	9	13	40
B. *Operated*	635	6.2	35	1	2	4	8	14	18	33
2. MULTIPLE DX										
A. *Not Operated*	74	8.7	47	1	1	7	13	19	23	29
B. *Operated*	904	9.5	73	2	2	8	12	20	26	40
1. SINGLE DX	667	6.2	35	1	2	4	8	14	18	33
2. MULTIPLE DX	978	9.5	71	2	2	8	12	20	25	39
A. NOT OPERATED	106	7.6	50	1	1	5	10	17	21	34
B. OPERATED	1539	8.2	59	1	2	6	11	17	22	37
TOTAL 0-19 YRS	16	5.6	15	<1	1	5	8	11	13	14
20-34	133	5.3	14	1	2	5	7	10	13	19
35-49	274	6.6	26	1	2	5	9	13	16	27
50-64	575	8.3	59	1	2	6	10	17	23	36
65+	647	9.3	79	2	2	6	13	20	27	40
GRAND TOTAL	**1645**	**8.1**	**59**	**1**	**2**	**6**	**11**	**17**	**22**	**37**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	3.6	13	<1	1	3	5	8	9	21
20-34	147	4.7	16	1	1	4	6	9	13	21
35-49	131	5.0	19	1	1	4	7	10	14	23
50-64	194	5.9	44	1	1	4	7	11	15	26
65+	237	7.4	47	1	1	5	10	17	21	34
B. *Operated*										
0-19 YRS	292	5.2	60	1	1	3	6	10	15	37
20-34	565	5.2	22	1	2	4	7	10	14	20
35-49	465	5.9	39	1	1	4	7	13	18	34
50-64	670	6.2	48	1	2	4	8	14	18	29
65+	648	6.7	57	1	2	4	9	15	20	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	5.9	100	1	1	4	7	10	14	71
20-34	121	5.6	22	<1	1	4	8	12	16	20
35-49	183	6.5	33	1	2	5	9	12	17	28
50-64	360	6.8	39	1	2	5	8	14	18	32
65+	774	8.9	57	1	2	7	12	19	25	39
B. *Operated*										
0-19 YRS	109	8.7	93	2	2	5	10	21	29	50
20-34	414	7.0	42	1	2	5	8	14	21	47
35-49	494	8.8	90	1	2	7	11	17	29	54
50-64	817	9.9	89	2	2	7	13	21	27	53
65+	1168	11.6	106	2	2	9	16	24	31	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	783	5.7	34	1	1	4	7	12	16	28
B. *Operated*	2640	5.9	45	1	2	4	7	13	18	31
2. MULTIPLE DX										
A. *Not Operated*	1496	7.7	50	1	2	6	10	16	22	36
B. *Operated*	3002	10.0	92	2	2	7	13	22	29	55
1. SINGLE DX	3423	5.9	42	1	1	4	7	13	17	30
2. MULTIPLE DX	4498	9.2	79	1	2	7	12	20	26	48
A. NOT OPERATED	2279	7.1	45	1	1	5	9	14	20	32
B. OPERATED	5642	8.1	74	1	2	5	10	18	24	45
TOTAL 0-19 YRS	533	5.8	67	1	1	3	6	11	19	44
20-34	1247	5.8	29	1	2	4	8	12	15	27
35-49	1273	7.0	58	1	2	5	9	14	20	40
50-64	2041	7.8	65	1	2	5	10	17	23	40
65+	2827	9.4	81	1	2	7	13	20	27	45
GRAND TOTAL	**7921**	**7.8**	**66**	**1**	**2**	**5**	**10**	**17**	**23**	**40**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.5	6	1	2	3	4	7	9	11
20-34	64	4.3	13	<1	1	3	6	9	11	18
35-49	47	4.0	7	1	2	3	5	7	8	16
50-64	38	5.0	29	<1	1	4	7	8	11	33
65+	25	5.1	7	1	2	5	8	8	9	10
B. *Operated*										
0-19 YRS	47	4.5	3	3	3	4	5	6	7	12
20-34	348	4.7	4	3	3	4	5	7	8	13
35-49	481	5.0	6	3	3	4	6	8	9	14
50-64	493	5.5	6	3	4	5	6	8	10	15
65+	150	5.6	6	3	3	5	7	9	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.2	5	1	2	4	5	7	9	10
20-34	81	5.3	20	1	1	5	6	9	12	27
35-49	131	5.6	16	2	2	5	7	9	10	28
50-64	158	6.3	13	2	3	6	8	11	14	19
65+	154	6.8	23	2	2	6	8	13	16	25
B. *Operated*										
0-19 YRS	18	6.0	16	2	3	4	7	14	15	15
20-34	145	6.2	26	3	3	5	6	9	15	34
35-49	265	6.1	10	3	3	5	7	10	13	19
50-64	375	7.7	43	3	3	6	9	14	18	42
65+	255	10.0	58	4	4	8	12	19	26	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	4.3	13	1	1	3	6	8	10	17
B. *Operated*	1519	5.1	5	3	3	5	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	546	6.0	18	2	2	5	7	10	14	25
B. *Operated*	1058	7.6	38	3	4	6	9	14	18	35
1. SINGLE DX	1720	5.1	6	2	3	5	6	8	9	14
2. MULTIPLE DX	1604	7.1	31	2	3	5	8	13	17	30
A. NOT OPERATED	747	5.6	17	1	2	5	7	10	13	22
B. OPERATED	2577	6.2	20	3	3	5	7	10	14	24
TOTAL 0-19 YRS	114	4.5	6	2	2	4	5	7	10	14
20-34	638	5.1	12	2	3	4	6	8	10	20
35-49	924	5.4	9	3	3	5	6	9	10	17
50-64	1064	6.4	22	3	3	5	7	10	14	23
65+	584	7.8	37	3	3	6	9	14	19	34
GRAND TOTAL	**3324**	**6.0**	**19**	**2**	**3**	**5**	**7**	**10**	**13**	**24**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	135	5.2	13	1	2	4	6	9	12	19
20-34	370	5.8	15	2	2	5	7	11	13	21
35-49	311	6.1	17	2	2	5	8	11	13	22
50-64	232	6.7	15	2	3	6	8	11	14	20
65+	146	7.2	18	2	3	6	10	13	14	23
B. *Operated*										
0-19 YRS	107	6.3	14	3	3	5	7	11	15	21
20-34	397	5.8	12	3	3	5	6	8	13	23
35-49	312	5.4	7	3	3	5	6	7	10	17
50-64	264	6.1	12	3	3	5	7	9	13	21
65+	67	7.0	24	3	4	5	8	12	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	6.0	22	2	2	5	7	10	15	32
20-34	503	6.6	23	2	2	5	8	12	15	23
35-49	658	7.8	30	2	3	7	10	14	18	27
50-64	805	8.7	44	3	3	7	10	15	20	35
65+	908	11.4	67	3	4	9	15	21	26	40
B. *Operated*										
0-19 YRS	42	7.5	25	2	3	6	9	13	17	28
20-34	204	7.3	35	3	3	5	8	12	18	34
35-49	296	7.7	25	3	3	6	10	15	19	26
50-64	343	10.1	59	3	4	8	13	18	28	38
65+	215	13.5	93	4	5	11	17	28	33	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1194	6.2	16	2	2	5	8	11	13	21
B. *Operated*	1147	5.9	12	3	3	5	6	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	3019	8.8	47	2	3	7	11	17	21	35
B. *Operated*	1100	9.5	56	3	4	7	12	18	26	37
1. SINGLE DX	2341	6.0	14	2	3	5	7	10	13	21
2. MULTIPLE DX	4119	9.0	49	3	3	7	11	17	22	36
A. NOT OPERATED	4213	8.1	39	2	3	6	10	15	20	31
B. OPERATED	2247	7.6	37	3	3	6	9	14	19	33
TOTAL 0-19 YRS	429	6.0	18	2	2	5	7	10	15	28
20-34	1474	6.2	20	2	3	5	7	11	14	25
35-49	1577	7.0	23	2	3	6	8	13	16	25
50-64	1644	8.3	40	3	3	7	10	15	19	34
65+	1336	11.0	67	3	4	9	14	21	27	42
GRAND TOTAL	**6460**	**7.9**	**38**	**2**	**3**	**6**	**10**	**15**	**19**	**32**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1074	7.1	15	2	3	7	9	12	14	21
20-34	1001	6.4	15	2	2	6	8	11	14	22
35-49	1194	7.1	16	2	3	6	9	12	14	21
50-64	1714	7.3	18	3	3	7	9	12	14	22
65+	1284	8.2	25	3	4	7	10	14	17	25
B. *Operated*										
0-19 YRS	9	7.3	8	4	4	7	8	12	14	14
20-34	13	10.6	120	2	3	6	11	28	39	42
35-49	24	13.6	119	2	4	11	16	23	34	55
50-64	45	10.2	38	3	3	9	12	16	21	36
65+	27	14.2	147	2	5	12	18	23	39	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	781	6.3	22	1	2	5	8	12	15	24
20-34	1921	7.3	25	2	3	6	9	13	16	24
35-49	4432	8.2	27	3	3	7	10	14	17	28
50-64	8722	8.9	33	3	4	8	11	15	19	30
65+	9973	10.0	49	3	4	8	12	18	23	38
B. *Operated*										
0-19 YRS	47	9.4	38	2	3	9	12	18	22	29
20-34	251	11.6	83	2	3	10	15	22	29	53
35-49	685	13.0	94	3	4	10	16	24	31	50
50-64	1405	14.6	135	4	5	12	18	28	36	68
65+	1376	17.3	168	4	6	14	22	34	43	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6267	7.3	18	2	3	7	9	12	15	23
B. *Operated*	118	11.6	88	2	4	9	14	21	26	57
2. MULTIPLE DX										
A. *Not Operated*	25829	9.0	38	3	4	8	11	16	20	32
B. *Operated*	3764	15.0	139	4	5	12	18	29	38	63
1. SINGLE DX	6385	7.4	20	2	3	7	9	12	15	24
2. MULTIPLE DX	29593	9.8	55	3	4	8	12	17	23	40
A. NOT OPERATED	32096	8.7	35	3	3	7	11	15	19	30
B. OPERATED	3882	14.9	137	4	5	12	18	29	38	62
TOTAL 0-19 YRS	1911	6.8	19	2	2	6	9	12	15	23
20-34	3186	7.4	29	2	3	6	9	14	17	29
35-49	6335	8.5	35	3	3	7	10	15	19	32
50-64	11886	9.3	47	3	4	8	11	16	21	36
65+	12660	10.7	66	3	4	9	13	19	25	44
GRAND TOTAL	**35978**	**9.4**	**50**	**3**	**4**	**8**	**11**	**17**	**22**	**38**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1099	6.1	21	2	2	5	8	11	14	24
20-34	727	5.7	14	2	2	5	7	11	13	19
35-49	218	7.5	24	2	3	7	10	13	17	26
50-64	194	8.2	22	2	3	8	10	14	17	27
65+	150	8.8	23	3	4	8	11	15	19	25
B. *Operated*										
0-19 YRS	4	18.0	405	6	6	9	29	48	48	48
20-34	3	18.3	234	9	9	10	29	36	36	36
35-49	1	13.0		13	13	13	13	13	13	13
50-64	4	19.8	231	4	4	19	32	36	36	36
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	858	6.1	24	2	2	5	8	11	14	24
20-34	965	7.2	27	2	2	6	9	14	17	27
35-49	580	9.9	53	2	3	8	12	18	24	42
50-64	760	10.8	53	3	4	9	14	20	25	39
65+	826	12.5	59	3	4	11	16	21	28	39
B. *Operated*										
0-19 YRS	34	10.1	55	2	3	8	13	24	25	27
20-34	113	14.9	178	5	6	11	17	28	34	80
35-49	70	14.9	91	5	7	13	17	29	42	89
50-64	90	25.7	380	7	9	18	37	57	75	94
65+	110	22.0	245	7	9	19	27	38	57	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2388	6.5	21	2	2	5	8	12	15	23
B. *Operated*	12	18.3	219	4	5	11	32	40	47	48
2. MULTIPLE DX										
A. *Not Operated*	3989	9.2	48	2	3	8	12	17	22	35
B. *Operated*	417	18.7	239	4	6	14	23	38	53	90
1. SINGLE DX	2400	6.5	22	2	2	5	8	12	15	24
2. MULTIPLE DX	4406	10.1	73	2	3	8	13	19	25	44
A. NOT OPERATED	6377	8.1	39	2	2	7	10	16	20	32
B. OPERATED	429	18.7	238	4	6	14	23	38	53	89
TOTAL 0-19 YRS	1995	6.2	24	2	2	5	8	12	15	25
20-34	1808	7.1	36	2	2	6	9	13	17	30
35-49	869	9.7	52	2	3	8	12	17	24	42
50-64	1048	11.7	95	3	4	9	14	22	29	61
65+	1086	12.9	84	3	4	11	16	23	29	48
GRAND TOTAL	**6806**	**8.8**	**58**	**2**	**3**	**7**	**11**	**17**	**22**	**39**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	358	6.9	21	2	3	6	8	12	15	25
20-34	503	6.8	21	2	2	6	8	12	14	22
35-49	621	7.5	29	2	3	7	9	12	15	35
50-64	924	7.9	19	3	3	7	10	13	16	24
65+	609	8.8	39	3	4	8	11	15	18	26
B. *Operated*										
0-19 YRS	5	4.6	6	2	2	5	7	7	7	7
20-34	42	7.8	66	<1	1	5	12	16	21	43
35-49	52	10.3	172	2	2	7	13	19	31	82
50-64	103	8.9	75	1	2	6	11	18	29	43
65+	113	7.6	65	1	2	5	9	16	30	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	296	6.4	22	1	2	5	8	11	14	26
20-34	1277	7.9	33	2	3	7	10	14	17	29
35-49	2429	9.2	36	3	4	8	11	16	20	32
50-64	5120	9.8	42	3	4	8	12	17	22	35
65+	5395	10.8	56	3	4	9	13	19	24	40
B. *Operated*										
0-19 YRS	26	13.8	81	2	2	11	18	26	29	35
20-34	335	14.1	162	2	3	10	18	33	42	69
35-49	659	16.2	180	3	4	12	20	33	46	83
50-64	1543	19.4	266	4	5	15	25	42	58	98
65+	1688	23.4	292	4	7	19	31	49	63	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3015	7.7	26	2	3	7	10	13	16	25
B. *Operated*	315	8.5	85	1	2	5	11	17	28	43
2. MULTIPLE DX										
A. *Not Operated*	14517	9.9	46	3	4	8	12	17	22	36
B. *Operated*	4251	20.1	263	4	5	15	26	43	58	92
1. SINGLE DX	3330	7.8	32	2	3	7	10	14	16	30
2. MULTIPLE DX	18768	12.2	114	3	4	9	14	24	33	63
A. NOT OPERATED	17532	9.5	43	3	4	8	12	17	21	35
B. OPERATED	4566	19.3	260	3	4	15	26	42	56	90
TOTAL 0-19 YRS	685	6.9	26	2	2	6	9	12	16	27
20-34	2157	8.6	57	2	3	7	10	15	22	43
35-49	3761	10.1	70	3	4	8	12	18	25	47
50-64	7690	11.5	101	3	4	9	13	22	30	62
65+	7805	13.4	134	3	4	10	16	26	37	66
GRAND TOTAL	**22098**	**11.5**	**104**	**3**	**4**	**9**	**14**	**22**	**31**	**60**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.2	4	1	1	3	4	6	7	8
20-34	53	3.4	4	1	1	3	5	6	7	9
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	107	4.3	8	1	2	4	6	8	10	11
20-34	447	4.1	7	1	1	4	6	7	8	12
35-49	17	3.7	7	1	1	2	7	7	8	8
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.0	7	2	2	4	7	9	9	9
20-34	67	5.5	18	1	1	5	7	9	11	25
35-49	15	4.7	10	2	2	3	6	8	12	14
50-64	1	27.0		27	27	27	27	27	27	27
65+										
B. *Operated*										
0-19 YRS	81	5.7	16	1	2	5	8	11	14	75
20-34	660	4.8	13	1	1	4	7	8	11	17
35-49	51	6.0	16	2	2	6	8	10	13	21
50-64	6	3.2	3	1	1	3	4	6	6	6
65+	3	2.0	1	1	1	2	51	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	3.3	4	1	1	3	5	6	7	9
B. *Operated*	573	4.1	7	1	1	3	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	92	5.5	21	1	2	4	7	9	13	26
B. *Operated*	801	4.9	13	1	1	4	7	9	11	20
1. SINGLE DX	645	4.0	7	1	1	3	6	7	8	12
2. MULTIPLE DX	893	5.0	14	1	1	4	7	9	11	22
A. NOT OPERATED	164	4.5	14	1	1	4	6	8	9	25
B. OPERATED	1374	4.6	11	1	1	4	6	8	10	17
TOTAL 0-19 YRS	213	4.8	11	1	2	4	7	9	11	19
20-34	1227	4.5	11	1	1	4	6	8	9	16
35-49	86	5.2	14	1	2	5	7	9	12	19
50-64	9	5.4	68	1	1	3	4	19	27	27
65+	3	2.0	1	1	1	2	51	99+	99+	99+
GRAND TOTAL	**1538**	**4.6**	**11**	**1**	**1**	**4**	**6**	**8**	**10**	**18**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	303	4.1	13	1	1	3	5	8	10	18
20-34	391	4.7	10	1	2	4	6	8	10	16
35-49	287	5.3	22	1	2	4	7	10	13	25
50-64	213	4.9	15	1	1	4	6	10	12	17
65+	159	5.5	23	1	1	4	7	11	14	24
B. *Operated*										
0-19 YRS	33	6.8	34	1	2	6	8	17	19	24
20-34	74	8.5	42	2	2	7	12	18	23	28
35-49	63	7.5	44	2	2	6	9	14	19	39
50-64	68	7.7	35	2	2	6	9	15	22	30
65+	33	10.9	48	4	5	9	12	20	26	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	424	5.1	27	1	1	4	6	9	14	31
20-34	943	5.8	26	1	2	5	7	10	15	25
35-49	869	6.3	20	2	2	5	8	11	15	24
50-64	1067	7.4	36	1	2	6	9	14	17	31
65+	1654	8.6	49	2	3	7	11	17	21	38
B. *Operated*										
0-19 YRS	49	7.5	42	2	2	5	11	16	22	27
20-34	153	8.5	87	1	2	6	10	17	21	46
35-49	194	12.0	125	1	3	9	16	24	32	57
50-64	238	13.7	148	3	4	10	17	29	38	89
65+	182	16.5	169	4	5	13	21	32	44	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1353	4.8	16	1	1	4	6	9	12	20
B. *Operated*	271	8.2	41	2	2	7	10	17	22	31
2. MULTIPLE DX										
A. *Not Operated*	4957	7.1	36	1	2	6	9	14	18	32
B. *Operated*	816	12.6	137	2	3	9	16	26	35	69
1. SINGLE DX	1624	5.4	21	1	1	4	7	10	14	24
2. MULTIPLE DX	5773	7.9	54	1	2	6	10	16	21	39
A. NOT OPERATED	6310	6.6	33	1	2	5	8	13	17	30
B. OPERATED	1087	11.5	117	2	2	8	15	24	32	57
TOTAL 0-19 YRS	809	4.9	24	1	1	4	6	9	13	27
20-34	1561	6.0	30	1	2	5	7	11	16	27
35-49	1413	7.0	40	1	2	5	8	14	18	33
50-64	1586	8.0	56	1	2	6	10	15	20	40
65+	2028	9.1	64	2	2	7	11	18	23	41
GRAND TOTAL	**7397**	**7.4**	**48**	**1**	**2**	**5**	**9**	**15**	**20**	**36**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	7.2	52	1	1	4	9	21	25	27
20-34	9	6.9	25	2	2	5	10	15	17	17
35-49	11	6.8	20	2	3	5	8	13	18	19
50-64	14	9.4	90	1	2	6	10	29	31	31
65+	30	9.4	59	1	2	7	11	24	26	29
B. *Operated*										
0-19 YRS	4	7.5	35	3	3	5	11	16	16	16
20-34	4	8.0	77	2	2	4	13	21	21	21
35-49	4	4.3	15	2	2	3	6	10	10	10
50-64	7	5.3	22	<1	<1	4	9	12	13	13
65+	6	11.5	109	1	1	11	21	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	11.0	80	3	3	7	15	26	30	39
20-34	53	8.3	29	3	3	7	11	17	19	28
35-49	59	10.3	68	2	3	8	13	21	25	49
50-64	167	12.1	98	3	4	9	16	23	29	52
65+	572	12.8	84	4	4	10	16	23	31	45
B. *Operated*										
0-19 YRS	7	8.3	23	3	3	8	13	15	15	15
20-34	16	10.0	64	2	2	9	13	25	27	28
35-49	22	19.9	224	3	6	15	30	46	77	99+
50-64	53	16.5	90	5	7	14	21	32	35	46
65+	101	21.2	193	5	7	18	28	43	51	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	8.2	53	1	2	6	9	20	26	30
B. *Operated*	25	7.4	51	1	1	4	11	21	21	22
2. MULTIPLE DX										
A. *Not Operated*	935	12.1	83	3	4	10	15	23	29	45
B. *Operated*	199	18.4	165	3	6	15	25	37	45	86
1. SINGLE DX	112	8.0	52	1	2	5	10	20	26	30
2. MULTIPLE DX	1134	13.2	103	3	4	10	16	26	33	53
A. NOT OPERATED	1022	11.8	81	3	4	9	15	23	29	45
B. OPERATED	224	17.2	164	2	3	14	23	35	44	79
TOTAL 0-19 YRS	118	10.0	71	2	3	7	14	23	28	38
20-34	82	8.5	37	2	2	7	11	17	20	28
35-49	96	11.9	115	2	3	9	14	27	37	84
50-64	241	12.7	99	3	4	10	16	25	32	47
65+	709	13.8	107	3	4	11	17	27	34	55
GRAND TOTAL	**1246**	**12.7**	**101**	**3**	**4**	**10**	**16**	**26**	**32**	**51**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	10.8	18	3	5	11	14	15	17	45
20-34	28	11.5	34	5	6	10	14	16	21	35
35-49										
B. *Operated*										
0-19 YRS										
20-34	5	9.4	80	3	3	7	12	25	25	25
35-49	8	2.8	4	<1	<1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	221	11.1	52	2	3	10	14	19	26	39
20-34	63	12.3	84	3	4	11	15	21	25	52
35-49	7	12.7	22	8	8	13	15	20	21	21
B. *Operated*										
0-19 YRS	14	19.1	163	5	7	16	40	94	99+	99+
20-34	9	17.0	188	2	2	15	22	38	48	48
35-49	6	2.5	2	2	2	2	2	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	10.9	21	3	5	11	14	15	17	36
B. *Operated*	13	5.3	40	<1	<1	3	7	11	22	25
2. MULTIPLE DX										
A. *Not Operated*	291	11.4	58	2	3	10	14	20	26	42
B. *Operated*	29	15.0	173	2	2	15	21	45	97	99+
1. SINGLE DX	160	10.5	24	2	4	10	14	15	18	34
2. MULTIPLE DX	320	11.7	69	2	3	10	15	21	29	51
A. NOT OPERATED	438	11.2	46	2	4	10	14	18	22	40
B. OPERATED	42	12.0	150	1	2	8	17	42	63	99+
TOTAL 0-19 YRS	354	11.3	47	2	3	10	14	17	26	44
20-34	105	12.4	79	3	4	11	15	21	26	51
35-49	21	6.0	32	<1	1	3	9	14	18	21
GRAND TOTAL	**480**	**11.3**	**55**	**2**	**3**	**10**	**14**	**19**	**25**	**49**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	4.9	29	1	2	3	6	9	10	38
20-34	52	4.7	43	<1	1	3	5	7	8	36
35-49	30	4.1	8	<1	1	3	6	8	11	11
50-64	18	6.9	22	2	2	5	10	13	17	19
65+	3	6.3	4	4	4	7	8	8	8	8
B. *Operated*										
0-19 YRS	46	9.1	9	6	6	9	10	13	15	21
20-34	637	9.4	15	5	6	9	11	13	16	24
35-49	405	10.0	18	6	6	9	11	14	16	28
50-64	52	9.5	11	5	6	9	12	14	14	19
65+	7	9.9	30	2	3	9	11	18	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	5.9	49	1	2	4	6	12	15	47
20-34	195	6.1	22	1	2	5	8	12	16	29
35-49	280	7.1	42	1	2	5	9	14	18	35
50-64	234	8.0	37	2	3	6	10	15	19	33
65+	103	8.9	44	2	3	7	12	17	20	34
B. *Operated*										
0-19 YRS	36	9.4	17	4	4	9	12	15	16	20
20-34	905	10.4	39	4	5	9	12	16	20	37
35-49	975	11.1	54	4	5	10	13	18	23	46
50-64	265	12.1	71	4	5	10	14	20	26	66
65+	17	12.1	115	1	2	9	16	29	37	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	167	4.9	28	1	1	3	6	8	11	36
B. *Operated*	1147	9.6	15	5	6	9	11	14	16	26
2. MULTIPLE DX										
A. *Not Operated*	911	7.2	38	2	2	5	9	14	18	33
B. *Operated*	2198	11.0	50	4	5	9	12	17	22	41
1. SINGLE DX	1314	9.0	19	3	5	8	11	13	16	28
2. MULTIPLE DX	3109	9.8	49	3	4	9	12	17	21	39
A. NOT OPERATED	1078	6.8	37	1	2	5	8	14	18	34
B. OPERATED	3345	10.5	39	4	5	9	12	16	20	36
TOTAL 0-19 YRS	245	6.8	35	2	2	5	9	13	15	42
20-34	1789	9.4	31	3	4	9	11	14	18	35
35-49	1690	10.1	45	3	4	9	12	16	21	37
50-64	569	10.0	54	3	3	9	12	18	21	36
65+	130	9.3	52	2	3	7	12	17	22	39
GRAND TOTAL	**4423**	**9.6**	**41**	**3**	**4**	**9**	**11**	**15**	**20**	**36**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	141	4.3	12	1	1	3	5	8	11	18
20-34	121	5.8	75	1	1	4	6	10	15	48
35-49	101	5.8	14	2	2	5	8	11	13	60
50-64	86	7.3	47	2	2	5	9	14	16	42
65+	55	8.0	35	2	2	7	10	15	22	28
B. *Operated*										
0-19 YRS	66	5.3	18	1	1	4	8	11	13	22
20-34	126	6.3	24	1	2	5	8	14	15	22
35-49	124	5.2	16	1	1	4	6	10	14	20
50-64	110	6.6	64	1	2	3	7	17	22	48
65+	41	7.2	34	2	2	6	9	17	20	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	197	6.1	36	1	1	4	7	13	17	43
20-34	285	6.7	30	2	2	5	8	14	17	31
35-49	392	7.2	36	2	3	6	9	14	17	31
50-64	457	7.9	38	2	3	6	10	15	21	32
65+	441	9.3	58	2	3	7	12	17	23	51
B. *Operated*										
0-19 YRS	67	8.7	47	2	2	7	12	16	20	38
20-34	239	10.8	60	2	3	9	15	18	22	35
35-49	351	10.2	50	2	3	9	14	18	23	34
50-64	301	10.5	91	2	2	8	13	21	31	54
65+	183	14.3	112	3	4	12	18	30	37	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	504	5.9	38	1	2	4	7	11	14	33
B. *Operated*	467	6.0	32	1	2	4	7	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	1772	7.7	42	2	2	6	10	15	20	35
B. *Operated*	1141	11.0	75	2	3	9	15	20	27	47
1. SINGLE DX	971	5.9	35	1	2	4	7	12	16	28
2. MULTIPLE DX	2913	9.0	57	2	3	7	12	17	22	41
A. NOT OPERATED	2276	7.3	42	2	2	6	9	15	19	34
B. OPERATED	1608	9.5	67	2	2	7	14	18	24	44
TOTAL 0-19 YRS	471	5.8	30	1	2	4	7	12	16	26
20-34	771	7.8	49	2	2	6	10	16	19	33
35-49	968	7.9	40	2	2	6	10	15	19	31
50-64	954	8.5	60	2	2	6	11	17	22	44
65+	720	10.4	74	2	3	8	13	20	28	50
GRAND TOTAL	**3884**	**8.2**	**53**	**2**	**2**	**6**	**11**	**16**	**21**	**40**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	28	4.4	7	1	2	4	5	8	11	12
35-49	87	5.6	20	2	2	5	6	9	14	29
50-64	109	6.5	21	1	2	6	8	12	15	25
65+	96	6.0	16	1	2	5	7	12	15	63
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	8	8.3	52	2	2	5	14	19	21	21
35-49	19	6.3	87	2	2	4	6	8	28	44
50-64	33	6.6	39	2	2	5	8	13	16	34
65+	22	8.5	36	1	2	8	12	17	20	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.7	14	1	1	3	7	11	11	11
20-34	46	6.1	12	2	3	6	7	9	12	19
35-49	179	7.1	32	2	3	5	9	12	16	37
50-64	399	6.9	22	2	3	6	8	12	17	23
65+	618	8.5	31	3	3	7	11	15	20	29
B. *Operated*										
0-19 YRS	5	2.8	1	2	2	3	3	4	4	4
20-34	11	7.3	21	1	2	6	11	14	16	16
35-49	30	11.8	93	2	3	10	14	22	36	44
50-64	84	12.9	112	3	5	9	14	25	36	55
65+	92	15.9	141	3	5	13	20	31	41	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	320	5.9	18	1	2	5	7	11	14	24
B. *Operated*	84	7.1	49	2	2	5	10	15	19	41
2. MULTIPLE DX										
A. *Not Operated*	1248	7.7	28	2	3	6	9	14	18	28
B. *Operated*	222	13.5	121	3	4	10	17	28	37	57
1. SINGLE DX	404	6.2	25	2	2	5	7	12	15	30
2. MULTIPLE DX	1470	8.6	46	2	3	7	11	16	21	39
A. NOT OPERATED	1568	7.3	27	2	3	6	9	13	18	28
B. OPERATED	306	11.7	109	2	3	9	15	23	35	54
TOTAL 0-19 YRS	13	3.5	7	1	1	3	4	8	10	11
20-34	93	5.9	16	2	2	5	7	11	15	20
35-49	315	7.1	40	2	2	5	9	13	18	40
50-64	625	7.6	39	2	3	6	9	14	19	35
65+	828	9.0	48	2	3	7	11	17	22	39
GRAND TOTAL	**1874**	**8.0**	**43**	**2**	**3**	**6**	**10**	**15**	**20**	**37**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	3.7	12	1	1	3	5	6	8	24
20-34	75	5.0	14	1	2	4	6	8	11	22
35-49	77	5.6	25	1	2	4	7	12	16	27
50-64	110	5.5	22	1	1	4	8	11	16	57
65+	208	6.9	23	2	2	6	9	12	16	26
B. *Operated*										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	1	8.0		8	8	8	8	8	8	8
35-49	4	5.5	14	2	2	5	8	10	10	10
50-64	2	15.5	365	2	2	15	29	29	29	29
65+	8	8.9	86	1	1	4	17	22	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	925	4.6	15	1	2	3	5	8	12	21
20-34	580	5.4	21	1	2	4	7	11	13	24
35-49	769	6.5	27	2	2	5	8	12	15	26
50-64	1417	8.0	36	2	3	7	10	15	20	31
65+	5236	10.5	59	3	4	9	13	19	25	41
B. *Operated*										
0-19 YRS	31	10.7	95	2	3	7	15	22	30	47
20-34	65	11.1	119	1	2	7	15	25	43	92
35-49	103	12.5	86	3	4	10	16	25	32	48
50-64	171	14.3	117	2	4	11	20	30	37	92
65+	426	19.7	186	5	7	16	25	37	45	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	629	5.4	20	1	2	4	7	11	14	26
B. *Operated*	17	8.5	72	1	1	6	12	23	27	29
2. MULTIPLE DX										
A. *Not Operated*	8927	8.8	50	2	3	7	11	17	22	35
B. *Operated*	796	16.6	161	3	5	14	21	33	42	79
1. SINGLE DX	646	5.5	22	1	2	4	7	11	15	27
2. MULTIPLE DX	9723	9.4	64	2	3	7	12	19	24	41
A. NOT OPERATED	9556	8.6	49	2	2	7	11	17	22	35
B. OPERATED	813	16.4	161	3	4	13	21	33	42	79
TOTAL 0-19 YRS	1117	4.6	18	1	2	3	5	8	13	24
20-34	721	5.9	31	1	2	4	7	11	15	28
35-49	953	7.1	37	2	2	5	9	14	18	33
50-64	1700	8.5	47	2	3	7	10	17	23	35
65+	5878	11.0	73	3	4	9	14	21	27	46
GRAND TOTAL	**10369**	**9.2**	**62**	**2**	**2**	**7**	**12**	**18**	**24**	**40**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	4.4	12	1	2	4	5	8	10	19
20-34	67	4.4	8	1	2	3	6	9	11	14
35-49	98	4.9	11	1	2	4	6	9	11	64
50-64	79	6.6	16	1	2	6	9	12	14	19
65+	195	6.1	19	1	2	5	8	11	15	25
B. *Operated*										
0-19 YRS	30	5.3	8	2	2	5	8	9	10	12
20-34	30	7.0	30	2	2	5	9	15	18	25
35-49	46	8.4	38	3	3	6	10	18	24	28
50-64	40	8.6	31	2	3	8	11	17	21	23
65+	69	9.5	22	3	4	8	12	16	20	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	243	5.3	12	2	2	5	7	10	12	20
20-34	234	6.2	14	1	2	6	8	11	13	19
35-49	407	7.0	21	2	2	6	9	13	15	24
50-64	573	7.7	31	2	2	6	10	14	17	30
65+	2293	8.4	38	2	3	7	11	15	19	29
B. *Operated*										
0-19 YRS	52	7.9	21	3	3	7	10	13	15	27
20-34	107	8.1	27	2	2	7	10	15	19	25
35-49	275	9.5	33	2	3	8	12	17	20	29
50-64	357	11.7	57	3	4	10	15	21	25	44
65+	869	12.6	72	4	5	10	16	23	29	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	585	5.4	15	1	2	4	7	10	13	23
B. *Operated*	215	8.2	28	2	3	7	10	15	20	25
2. MULTIPLE DX										
A. *Not Operated*	3750	7.8	32	2	3	7	10	14	18	28
B. *Operated*	1660	11.4	60	3	4	10	14	21	26	41
1. SINGLE DX	800	6.1	20	1	2	5	8	11	15	25
2. MULTIPLE DX	5410	8.9	44	2	3	7	11	17	21	34
A. NOT OPERATED	4335	7.5	31	2	2	6	10	14	17	28
B. OPERATED	1875	11.1	58	3	4	9	14	20	25	40
TOTAL 0-19 YRS	471	5.3	13	2	2	4	7	10	12	21
20-34	438	6.5	19	1	2	6	9	12	14	23
35-49	826	7.6	27	2	2	6	10	14	18	27
50-64	1049	9.0	42	2	3	8	11	17	21	35
65+	3426	9.4	49	2	3	8	12	17	22	36
GRAND TOTAL	**6210**	**8.6**	**42**	**2**	**3**	**7**	**11**	**16**	**20**	**33**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	451	5.0	9	1	2	5	6	9	10	15
20-34	694	6.8	25	2	2	6	8	12	15	28
35-49	119	5.1	17	<1	<1	4	7	10	12	21
50-64	15	6.8	12	3	3	7	9	11	14	15
65+	3	6.7	4	5	5	6	8	9	9	9
B. Operated										
0-19 YRS	8	7.9	35	1	2	5	12	17	18	18
20-34	14	9.6	122	1	1	6	9	32	37	38
35-49	13	4.1	29	<1	<1	<1	6	14	16	17
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	449	6.4	27	1	2	5	8	12	15	23
20-34	709	8.7	45	2	3	7	10	16	21	38
35-49	139	8.1	33	1	2	7	10	15	21	28
50-64	29	8.8	35	2	3	8	10	17	22	26
65+	8	6.9	38	1	1	5	11	16	18	18
B. Operated										
0-19 YRS	18	14.7	168	1	4	11	18	28	46	57
20-34	75	18.3	176	4	5	14	24	36	51	58
35-49	32	13.6	73	4	6	11	17	25	35	37
50-64	6	15.7	70	8	8	12	23	28	29	29
65+	2	10.0	8	8	8	10	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1282	6.0	19	1	2	5	8	11	14	24
B. Operated	36	7.1	68	<1	<1	5	9	17	27	38
2. MULTIPLE DX										
A. Not Operated	1334	7.8	38	2	2	6	10	14	19	31
B. Operated	133	16.4	145	4	5	13	22	32	40	57
1. SINGLE DX	1318	6.1	20	1	2	5	8	11	14	24
2. MULTIPLE DX	1467	8.6	54	2	2	7	10	16	22	39
A. NOT OPERATED	2616	6.9	30	1	2	6	9	13	16	27
B. OPERATED	169	14.5	143	<1	3	11	19	31	37	56
TOTAL 0-19 YRS	926	5.9	23	1	2	5	7	11	14	22
20-34	1492	8.3	49	2	3	6	10	15	21	38
35-49	303	7.3	37	<1	1	6	9	14	20	29
50-64	51	8.9	37	3	3	8	11	17	23	29
65+	13	7.3	25	1	2	7	10	14	17	18
GRAND TOTAL	**2785**	**7.4**	**40**	**1**	**2**	**6**	**9**	**14**	**19**	**32**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	189	3.4	13	<1	<1	2	4	8	11	19
20-34	114	3.3	8	<1	<1	2	5	7	9	14
35-49	103	5.1	18	<1	1	4	7	10	14	21
50-64	155	4.7	19	1	1	3	6	10	15	24
65+	698	5.2	26	1	1	3	7	12	15	25
B. Operated										
0-19 YRS	72	6.8	24	1	2	6	8	13	18	25
20-34	54	8.6	45	1	2	7	12	16	22	36
35-49	53	8.9	68	2	2	7	11	19	26	41
50-64	90	9.8	62	1	4	9	13	15	20	52
65+	197	10.4	70	3	3	8	12	18	25	53
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	312	5.0	20	<1	1	4	7	10	15	24
20-34	272	6.5	57	1	1	5	8	12	15	26
35-49	408	6.3	48	1	1	5	8	13	16	41
50-64	922	6.9	42	1	1	5	9	15	19	30
65+	3709	8.2	54	1	2	6	11	17	21	36
B. Operated										
0-19 YRS	69	7.9	59	2	2	6	10	16	20	48
20-34	144	11.1	153	2	2	8	12	20	35	80
35-49	250	11.3	61	2	3	10	15	21	27	42
50-64	467	12.6	81	2	4	11	16	24	30	51
65+	1502	14.4	125	3	4	11	18	28	36	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1259	4.7	21	<1	1	3	6	11	14	23
B. Operated	466	9.4	60	2	3	8	11	17	22	41
2. MULTIPLE DX										
A. Not Operated	5623	7.6	51	1	1	6	10	16	20	35
B. Operated	2432	13.3	112	3	4	10	17	26	34	56
1. SINGLE DX	1725	6.0	36	<1	1	4	8	13	16	29
2. MULTIPLE DX	8055	9.3	76	1	2	7	12	19	25	45
A. NOT OPERATED	6882	7.1	47	1	1	5	9	15	19	33
B. OPERATED	2898	12.7	105	3	4	10	16	25	33	55
TOTAL 0-19 YRS	642	5.1	24	<1	<1	4	7	11	14	24
20-34	584	7.2	77	1	1	5	9	14	19	57
35-49	814	7.9	55	1	1	6	11	16	21	40
50-64	1634	8.5	60	1	1	7	11	18	22	40
65+	6106	9.4	78	1	2	7	12	20	26	45
GRAND TOTAL	**9780**	**8.7**	**71**	**1**	**2**	**7**	**11**	**18**	**24**	**43**

85: Hemophilia (congenital factor viii disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.7	6	<1	1	3	5	8	8	8
20-34	18	3.6	4	<1	1	3	5	7	7	7
35-49	9	19.3	203	3	3	22	30	38	38	38
50-64										
65+	2	16.5	221	6	6	16	27	27	27	27
B. *Operated*										
0-19 YRS										
20-34	2	16.0		16	16	16	15	16	16	16
35-49	1	42.0		42	42	42	42	42	42	42
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	4.5	16	1	1	3	5	10	15	18
20-34	65	6.1	25	1	2	5	8	11	17	30
35-49	26	8.4	58	1	2	6	9	21	25	25
50-64	12	12.3	368	1	1	6	15	34	65	70
65+	8	10.0	155	3	3	5	10	31	40	40
B. *Operated*										
0-19 YRS	10	13.0	278	3	3	6	16	36	58	58
20-34	6	19.5	238	4	4	23	73	99+	99+	99+
35-49	5	11.4	15	8	8	11	13	18	18	18
50-64	1	24.0		24	24	24	24	24	24	24
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	6.6	75	1	1	4	7	21	28	38
B. *Operated*	4	20.0	237	6	6	16	29	42	42	42
2. MULTIPLE DX										
A. *Not Operated*	200	6.2	53	1	1	4	7	13	18	36
B. *Operated*	23	14.4	190	3	4	11	22	58	99+	99+
1. SINGLE DX	60	7.5	93	1	1	4	7	24	32	42
2. MULTIPLE DX	223	7.0	72	1	1	4	8	17	22	77
A. NOT OPERATED	256	6.3	57	1	1	4	7	13	21	38
B. OPERATED	27	15.3	192	4	4	11	22	53	99+	99+
TOTAL 0-19 YRS	126	5.0	38	1	1	3	6	11	16	28
20-34	91	6.7	46	1	2	5	8	16	24	99+
35-49	41	12.0	122	1	2	8	21	27	37	42
50-64	14	12.7	325	1	1	7	17	29	61	70
65+	11	10.6	142	3	3	6	10	32	39	40
GRAND TOTAL	**283**	**7.1**	**77**	**1**	**1**	**4**	**8**	**17**	**25**	**66**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	423	4.5	12	1	2	3	5	9	12	17
20-34	96	5.5	28	1	2	4	7	11	13	31
35-49	108	3.2	14	1	1	2	4	8	11	20
50-64	92	5.7	31	1	1	4	7	10	15	34
65+	121	6.4	50	1	1	4	8	13	15	40
B. *Operated*										
0-19 YRS	225	7.1	26	2	2	6	8	13	17	28
20-34	148	7.8	17	3	3	7	9	13	17	22
35-49	89	8.6	45	1	2	8	11	15	18	39
50-64	95	11.5	99	2	3	8	15	25	31	49
65+	92	10.8	76	2	4	9	13	23	28	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	343	4.9	14	1	2	4	6	10	12	19
20-34	237	6.6	27	2	2	5	8	12	17	29
35-49	261	7.1	33	2	2	6	9	13	16	32
50-64	511	8.0	42	1	2	6	10	16	21	34
65+	809	8.5	63	1	2	6	11	17	22	39
B. *Operated*										
0-19 YRS	137	9.5	87	2	3	8	11	17	23	57
20-34	213	9.9	71	2	3	8	12	19	26	49
35-49	198	12.3	139	2	3	10	15	22	32	73
50-64	393	13.4	115	3	4	10	18	26	35	56
65+	590	15.2	156	3	5	11	18	29	41	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	840	4.8	22	1	1	4	6	10	13	20
B. *Operated*	649	8.6	47	2	3	7	10	17	23	34
2. MULTIPLE DX										
A. *Not Operated*	2161	7.4	44	1	2	6	9	14	20	33
B. *Operated*	1531	13.1	130	3	4	10	16	25	35	58
1. SINGLE DX	1489	6.5	37	1	2	5	8	13	17	31
2. MULTIPLE DX	3692	9.8	88	2	2	7	12	20	26	49
A. NOT OPERATED	3001	6.7	39	1	2	5	8	13	18	32
B. OPERATED	2180	11.8	109	2	3	9	14	23	31	55
TOTAL 0-19 YRS	1128	5.7	27	1	2	4	7	11	15	25
20-34	694	7.7	41	2	2	6	9	14	19	36
35-49	656	8.2	73	1	1	6	10	16	21	41
50-64	1091	10.0	80	2	2	7	12	22	27	46
65+	1612	10.9	108	1	2	8	14	22	30	58
GRAND TOTAL	**5181**	**8.8**	**75**	**1**	**2**	**6**	**11**	**18**	**24**	**45**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2201	2.5	4	1	1	2	3	4	5	8
20-34	367	2.8	24	1	1	2	3	4	5	10
35-49	55	3.1	4	1	1	2	4	6	8	10
50-64	25	4.2	16	<1	1	4	4	7	11	21
65+	7	3.7	4	1	1	3	6	6	6	6
B. *Operated*										
0-19 YRS	713	4.4	5	2	3	4	5	6	8	12
20-34	226	4.7	4	2	3	4	5	7	9	11
35-49	19	4.9	12	1	2	4	5	11	14	15
50-64	4	6.3	23	2	2	5	9	13	13	13
65+	4	4.5	10	2	2	3	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1047	3.1	4	1	1	3	4	5	7	10
20-34	185	3.3	4	1	1	3	4	6	7	10
35-49	37	6.6	117	1	1	4	6	9	22	65
50-64	16	5.2	9	1	2	4	7	10	11	12
65+	12	4.8	7	2	2	4	6	9	10	10
B. *Operated*										
0-19 YRS	332	5.6	9	3	3	5	6	9	11	17
20-34	112	6.3	14	2	3	6	7	11	15	21
35-49	23	8.1	49	3	4	6	8	18	24	34
50-64	5	12.2	56	7	7	10	15	25	25	25
65+	3	14.0	84	6	6	12	21	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2655	2.5	7	1	1	2	3	4	5	8
B. *Operated*	966	4.5	5	2	3	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	1297	3.2	8	1	1	3	4	6	7	11
B. *Operated*	475	6.0	14	2	3	5	7	10	13	23
1. SINGLE DX	3621	3.1	7	1	1	3	4	5	6	11
2. MULTIPLE DX	1772	4.0	11	1	1	3	5	7	9	16
A. NOT OPERATED	3952	2.8	7	1	1	2	3	5	6	10
B. OPERATED	1441	5.0	9	2	3	4	6	8	10	17
TOTAL 0-19 YRS	4293	3.2	5	1	1	3	4	6	7	11
20-34	890	3.8	15	1	1	3	5	7	8	13
35-49	134	5.2	47	1	1	4	6	8	15	39
50-64	50	5.5	22	1	1	4	7	11	13	25
65+	26	5.5	22	1	2	4	6	10	14	24
GRAND TOTAL	**5393**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	289	4.6	19	1	2	4	5	8	9	15
20-34	35	3.7	5	1	2	3	5	6	8	11
35-49	14	3.4	4	1	1	3	5	8	77	99+
50-64	10	4.3	10	<1	1	3	6	9	11	11
65+	6	4.5	4	2	2	4	6	7	7	7
B. *Operated*										
0-19 YRS	217	3.6	9	1	1	2	5	9	11	13
20-34	154	3.6	12	1	1	3	4	7	10	19
35-49	73	3.8	8	1	1	3	4	8	10	80
50-64	56	4.8	17	1	1	3	6	12	14	19
65+	20	4.7	12	2	2	3	5	10	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	183	5.4	15	1	2	4	7	10	13	23
20-34	64	5.2	9	2	2	4	7	9	12	14
35-49	25	6.3	13	2	3	5	7	10	15	17
50-64	29	7.2	25	2	2	6	9	15	18	22
65+	19	8.3	25	3	4	7	10	17	18	18
B. *Operated*										
0-19 YRS	137	5.2	25	1	1	3	7	12	16	22
20-34	112	5.3	33	1	1	4	6	11	16	34
35-49	61	7.5	40	2	2	6	10	16	24	27
50-64	64	7.6	32	2	2	6	10	14	21	25
65+	45	8.2	94	2	2	6	9	18	22	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	354	4.5	17	1	2	4	5	8	9	15
B. *Operated*	520	3.8	11	1	1	3	4	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	320	5.8	16	2	2	5	7	10	14	19
B. *Operated*	419	6.3	39	1	2	4	8	13	20	28
1. SINGLE DX	874	4.1	13	1	1	3	5	8	10	17
2. MULTIPLE DX	739	6.1	29	1	2	4	7	12	17	26
A. NOT OPERATED	674	5.1	17	1	2	4	6	9	12	18
B. OPERATED	939	4.9	25	1	1	3	6	11	14	24
TOTAL 0-19 YRS	826	4.6	17	1	1	4	6	9	11	18
20-34	365	4.4	18	1	2	3	5	9	12	20
35-49	173	5.5	23	1	2	4	7	12	17	81
50-64	159	6.3	25	1	2	5	9	13	18	22
65+	90	7.2	57	2	2	5	8	15	18	46
GRAND TOTAL	**1613**	**5.0**	**21**	**1**	**2**	**4**	**6**	**10**	**13**	**22**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	8.9	64	1	1	7	13	20	23	34
20-34	49	12.5	147	1	2	8	19	29	33	55
35-49	8	11.9	98	1	2	9	21	25	26	26
50-64	9	11.8	255	1	1	5	14	38	52	52
65+	17	13.1	159	1	2	8	17	31	43	49
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	18.0	21	13	13	19	21	22	22	22
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	12.3	195	1	2	6	16	39	42	45
20-34	43	14.2	170	2	3	11	21	39	49	99+
35-49	36	13.4	221	1	1	9	15	32	45	74
50-64	40	13.3	119	2	4	10	15	31	37	44
65+	149	13.2	126	3	4	10	16	30	40	49
B. *Operated*										
0-19 YRS	3	23.3	54	15	15	26	28	29	29	29
20-34	6	25.3	323	10	10	17	45	50	51	51
35-49	3	17.0	49	9	9	20	21	22	22	22
50-64	9	25.7	203	8	11	27	30	47	57	57
65+	13	15.9	116	4	6	13	20	34	40	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	11.5	129	1	2	8	17	26	32	53
B. *Operated*	3	18.0	21	13	13	19	21	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	292	13.3	147	2	3	10	17	33	41	57
B. *Operated*	34	20.9	168	7	8	17	28	41	50	57
1. SINGLE DX	116	11.7	127	1	2	8	17	26	32	53
2. MULTIPLE DX	326	14.1	154	2	3	10	19	33	44	58
A. NOT OPERATED	405	12.8	142	1	2	9	17	30	40	53
B. OPERATED	37	20.7	156	7	8	17	27	39	49	57
TOTAL 0-19 YRS	57	11.1	126	1	2	7	16	28	38	45
20-34	98	14.0	172	1	2	10	20	32	50	78
35-49	50	13.7	177	1	2	11	20	26	33	74
50-64	58	15.0	167	2	3	12	19	33	42	57
65+	179	13.4	127	3	4	10	17	31	40	49
GRAND TOTAL	**442**	**13.5**	**148**	**2**	**2**	**10**	**18**	**31**	**41**	**55**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	315	4.0	47	1	1	2	4	7	11	46
20-34	268	5.3	42	1	1	3	6	11	16	29
35-49	126	8.1	62	1	2	5	11	18	21	45
50-64	227	11.7	168	2	3	8	14	25	37	88
65+	820	10.9	87	2	2	8	15	22	29	49
B. *Operated*										
0-19 YRS	6	5.3	25	2	2	3	9	13	14	14
20-34	11	7.2	29	2	2	6	11	44	92	99+
35-49	8	7.3	11	2	3	7	10	11	12	12
50-64	23	10.3	54	2	2	8	14	21	24	28
65+	32	16.4	177	3	3	13	23	40	42	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	338	7.1	143	1	1	4	6	15	29	73
20-34	608	8.5	82	1	2	6	10	19	25	49
35-49	336	11.0	108	2	3	8	14	26	31	58
50-64	653	14.3	139	3	4	11	19	31	38	61
65+	4495	12.1	96	3	4	9	15	23	31	55
B. *Operated*										
0-19 YRS	20	17.3	651	1	1	5	33	79	96	99+
20-34	41	12.8	120	2	3	11	17	30	45	99+
35-49	42	15.3	138	1	3	13	21	33	38	50
50-64	93	18.4	210	3	5	16	24	37	52	89
65+	366	20.7	216	4	6	17	28	40	53	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1756	8.7	90	1	1	6	11	20	27	52
B. *Operated*	80	11.6	108	2	2	8	16	26	40	84
2. MULTIPLE DX										
A. *Not Operated*	6430	11.6	105	2	3	9	15	24	31	57
B. *Operated*	562	19.2	221	3	5	16	26	40	52	99+
1. SINGLE DX	1836	8.8	92	1	2	6	11	20	28	52
2. MULTIPLE DX	6992	12.3	119	2	3	9	16	25	34	64
A. NOT OPERATED	8186	11.0	103	2	2	8	14	23	31	56
B. OPERATED	642	18.3	213	3	4	15	25	39	50	99+
TOTAL 0-19 YRS	679	5.9	118	1	1	3	5	11	26	72
20-34	928	7.8	74	1	2	5	10	17	25	51
35-49	512	10.6	101	1	2	7	14	23	30	51
50-64	996	14.0	153	2	3	10	18	31	39	76
65+	5713	12.5	108	2	4	10	16	25	34	59
GRAND TOTAL	**8828**	**11.5**	**115**	**2**	**3**	**8**	**15**	**24**	**33**	**62**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated YRS										
20-34										
35-49	1	15.0		15	15	15	15	15	15	15
50-64	2	12.5	181	3	3	12	22	22	22	22
65+	101	12.4	95	2	3	9	19	28	37	99+
B. Operated YRS										
20-34										
35-49										
50-64										
65+	2	8.5	1	8	8	8	9	9	9	9
2. MULTIPLE DX										
A. Not Operated YRS										
20-34										
35-49										
50-64	30	17.3	168	3	4	14	22	30	41	64
65+	733	13.2	110	3	4	10	17	26	35	58
B. Operated YRS										
20-34										
35-49	1	76.0		76	76	76	76	76	76	76
50-64	5	14.0	34	9	9	13	18	23	23	23
65+	57	21.2	234	6	7	16	26	44	53	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	104	12.5	94	2	3	9	19	28	37	99+
B. Operated	2	8.5	1	8	8	8	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	763	13.4	113	3	4	10	17	26	35	60
B. Operated	63	21.5	266	7	7	16	26	46	59	76
1. SINGLE DX	106	12.4	92	2	3	9	19	28	36	99+
2. MULTIPLE DX	826	14.0	129	3	4	11	18	27	38	70
A. NOT OPERATED	867	13.3	110	3	4	10	18	26	36	63
B. OPERATED	65	21.1	263	7	7	16	26	45	57	76
TOTAL YRS										
20-34										
35-49	2	45.5	1861	15	15	45	76	76	76	76
50-64	37	16.6	146	3	4	13	22	28	38	64
65+	893	13.6	120	3	4	10	18	27	38	71
GRAND TOTAL	**932**	**13.8**	**125**	**3**	**4**	**11**	**18**	**27**	**38**	**72**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	3.7	10	<1	1	3	5	8	11	12
20-34	112	5.4	25	1	1	4	6	12	14	26
35-49	159	6.2	36	1	1	4	8	12	20	34
50-64	118	8.1	55	1	2	7	10	16	22	39
65+	40	9.5	71	2	3	7	11	18	24	49
B. Operated										
0-19 YRS										
20-34										
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64	5	16.2	141	5	5	9	28	31	31	31
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	5.7	26	<1	1	4	9	14	15	16
20-34	344	7.2	55	1	2	5	8	15	22	36
35-49	840	7.3	37	2	2	5	9	15	20	33
50-64	727	9.2	66	2	2	7	12	21	25	37
65+	237	11.2	74	3	3	9	15	23	27	44
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	20	10.7	51	<1	1	9	14	21	25	28
35-49	39	14.2	101	3	4	11	18	25	33	55
50-64	47	16.8	109	5	6	14	23	34	38	42
65+	27	24.3	324	7	10	19	29	51	57	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	443	6.7	42	1	2	5	9	14	20	33
B. Operated	7	13.7	112	5	5	9	23	30	31	31
2. MULTIPLE DX										
A. Not Operated	2172	8.3	55	2	2	6	11	18	24	36
B. Operated	134	16.5	157	3	5	13	21	32	41	60
1. SINGLE DX	450	6.8	44	1	2	5	9	14	21	33
2. MULTIPLE DX	2306	8.8	65	2	2	6	11	19	25	39
A. NOT OPERATED	2615	8.0	53	1	2	6	10	17	23	36
B. OPERATED	141	16.4	154	3	5	13	21	31	40	58
TOTAL 0-19 YRS	39	4.9	20	<1	1	3	7	13	15	16
20-34	476	6.9	49	1	2	5	8	14	22	31
35-49	1040	7.4	41	1	2	5	10	15	21	35
50-64	897	9.5	70	2	2	7	12	22	27	39
65+	304	12.2	109	3	3	9	15	24	31	51
GRAND TOTAL	**2756**	**8.5**	**62**	**1**	**2**	**6**	**11**	**19**	**24**	**38**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	11.1	173	<1	1	6	15	30	46	54
20-34	94	9.9	150	1	2	6	12	22	37	67
35-49	18	5.4	16	<1	1	4	7	13	14	14
50-64	15	9.2	39	1	2	8	13	17	22	24
65+	14	7.6	36	1	2	6	8	19	20	20
B. *Operated*										
0-19 YRS	1	42.0		42	42	42	42	42	42	42
20-34										
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	11.8	146	2	2	8	14	27	42	55
20-34	216	9.4	80	1	2	6	13	21	26	46
35-49	73	11.6	122	1	2	8	15	27	35	57
50-64	76	11.1	81	2	3	9	14	24	34	40
65+	74	9.5	36	3	4	8	12	20	22	25
B. *Operated*										
0-19 YRS	3	52.3	1070	15	15	66	73	76	76	76
20-34	9	17.6	214	2	4	12	27	42	42	42
35-49	7	11.0	78	4	4	7	12	26	30	30
50-64	8	17.1	129	5	6	13	26	34	35	35
65+	4	21.3	142	6	6	22	29	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	9.7	130	1	1	6	12	21	34	52
B. *Operated*	2	23.5	685	5	5	23	42	42	42	42
2. MULTIPLE DX										
A. *Not Operated*	546	10.4	93	1	2	7	14	22	31	46
B. *Operated*	31	19.8	316	4	5	12	28	41	65	76
1. SINGLE DX	205	9.8	134	1	1	6	12	22	36	52
2. MULTIPLE DX	577	10.9	109	1	2	8	14	23	33	49
A. NOT OPERATED	749	10.2	103	1	2	7	13	22	31	48
B. OPERATED	33	20.0	318	4	5	12	31	42	62	76
TOTAL 0-19 YRS	173	12.4	197	1	2	7	15	31	45	64
20-34	319	9.8	105	1	2	6	12	22	31	46
35-49	98	10.4	104	1	2	7	13	22	32	51
50-64	100	11.3	80	2	3	9	14	24	34	38
65+	92	9.7	46	3	3	8	13	21	23	31
GRAND TOTAL	**782**	**10.6**	**116**	**1**	**2**	**7**	**14**	**23**	**34**	**51**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10).	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	340	24.0	335	4	6	20	33	52	71	99+
20-34	2153	17.5	208	2	3	14	24	37	47	81
35-49	992	17.3	179	2	4	15	23	36	46	80
50-64	419	17.1	169	2	4	14	22	32	43	70
65+	92	18.7	194	3	5	14	27	41	44	65
B. *Operated*										
0-19 YRS	2	68.5	61	63	63	74	93	99+	99+	99+
20-34	15	25.5	255	2	5	26	30	52	54	55
35-49	9	20.8	98	8	8	23	29	69	99+	99+
50-64	5	45.8	545	13	13	62	62	63	63	63
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	25.9	462	4	6	20	41	68	77	99+
20-34	713	18.2	215	2	4	15	24	38	51	80
35-49	446	18.6	199	3	4	15	26	37	46	69
50-64	311	19.4	193	4	5	17	26	37	47	92
65+	93	20.1	153	4	6	19	27	40	47	81
B. *Operated*										
0-19 YRS	11	29.8	457	4	10	25	50	82	97	99+
20-34	42	30.4	482	6	8	26	43	65	86	99+
35-49	52	27.9	271	7	10	27	35	46	52	91
50-64	27	30.2	233	8	12	31	44	99+	99+	99+
65+	11	36.5	270	14	16	33	49	57	66	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3996	18.0	210	2	4	15	24	38	48	84
B. *Operated*	31	30.2	396	5	9	26	53	65	96	99+
2. MULTIPLE DX										
A. *Not Operated*	1669	19.1	222	3	5	16	26	40	52	86
B. *Operated*	143	29.9	335	7	10	28	41	63	91	99+
1. SINGLE DX	4027	18.1	213	2	4	15	24	38	49	85
2. MULTIPLE DX	1812	20.0	239	3	5	16	27	42	55	96
A. NOT OPERATED	5665	18.3	214	2	4	15	25	39	49	84
B. OPERATED	174	29.9	344	7	10	28	42	64	92	99+
TOTAL 0-19 YRS	459	24.8	374	4	6	20	36	57	74	99+
20-34	2923	17.9	216	2	4	14	24	38	49	83
35-49	1499	18.1	191	3	4	15	24	37	46	76
50-64	762	18.7	193	3	5	16	25	37	48	97
65+	196	20.4	193	3	6	18	28	42	47	73
GRAND TOTAL	**5839**	**18.7**	**222**	**2**	**4**	**15**	**25**	**39**	**50**	**88**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	22.9	331	4	5	17	32	55	57	80
20-34	206	18.0	210	2	4	16	22	35	43	75
35-49	67	14.2	107	2	3	12	20	29	32	53
50-64	25	17.3	50	7	8	17	21	26	32	35
65+	3	14.3	16	10	10	15	17	18	18	18
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	77.0		77	77	77	77	77	77	77
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	23.5	336	3	6	19	28	50	70	79
20-34	60	19.7	295	3	5	16	31	52	86	99+
35-49	27	14.4	81	3	5	13	18	29	34	39
50-64	13	14.8	112	1	3	12	20	30	38	40
65+	7	10.4	76	2	2	8	18	23	24	24
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	5	16.4	48	6	6	17	20	25	25	25
35-49	2	10.5	5	9	9	10	12	12	12	12
50-64										
65+	1	51.0		51	51	51	51	51	51	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	371	18.2	208	3	5	15	22	36	47	71
B. *Operated*	1	77.0		77	77	77	77	77	77	77
2. MULTIPLE DX										
A. *Not Operated*	139	18.6	244	3	4	15	24	41	68	99+
B. *Operated*	9	18.4	181	6	7	15	20	41	51	51
1. SINGLE DX	372	18.3	217	3	5	15	22	36	48	76
2. MULTIPLE DX	148	18.6	239	3	5	15	24	41	65	99+
A. NOT OPERATED	510	18.3	217	3	4	15	22	37	52	81
B. OPERATED	10	24.3	503	6	7	16	25	64	77	77
TOTAL 0-19 YRS	103	23.0	327	4	5	17	[illegible]	54	59	81
20-34	271	18.3	226	3	4	16	22	37	52	99+
35-49	97	14.9	137	3	4	12	19	30	34	68
50-64	38	16.4	70	4	7	15	20	27	33	40
65+	11	15.2	193	2	3	10	20	35	50	51
GRAND TOTAL	**520**	**18.4**	**223**	**3**	**5**	**15**	**22**	**37**	**53**	**81**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	761	23.3	387	2	4	18	34	53	73	99+
20-34	3890	18.0	234	2	3	14	24	38	50	84
35-49	1780	17.1	180	2	4	14	23	35	44	70
50-64	866	18.8	200	3	5	15	25	38	47	72
65+	143	20.4	229	3	4	17	29	40	52	88
B. *Operated*										
0-19 YRS	6	25.7	578	1	4	20	61	94	99+	99+
20-34	16	32.0	459	12	15	28	63	99+	99+	99+
35-49	10	21.7	82	10	10	19	29	35	38	38
50-64	7	26.4	92	15	17	29	58	99+	99+	99+
65+	2	13.5	25	10	10	13	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	324	25.2	433	3	4	20	38	63	81	99+
20-34	1688	18.1	224	2	4	14	24	39	52	81
35-49	1166	18.7	209	3	4	15	25	37	47	75
50-64	714	19.9	203	3	6	17	27	41	49	76
65+	262	20.3	232	3	5	16	27	41	52	71
B. *Operated*										
0-19 YRS	15	33.5	477	10	15	40	97	99+	99+	99+
20-34	113	26.8	352	5	7	22	40	55	98	99+
35-49	101	24.5	255	5	9	20	34	54	63	99+
50-64	67	30.8	346	8	10	29	41	57	70	99+
65+	19	19.6	171	2	4	17	31	35	44	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7440	18.5	236	2	4	15	25	39	51	85
B. *Operated*	41	26.7	303	10	12	23	41	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	4154	19.3	236	3	4	15	26	41	52	84
B. *Operated*	315	26.8	321	6	8	23	38	56	95	99+
1. SINGLE DX	7481	18.5	236	2	4	15	25	39	51	88
2. MULTIPLE DX	4469	19.8	246	3	4	16	27	42	54	96
A. NOT OPERATED	11594	18.8	236	2	4	15	25	40	51	85
B. OPERATED	356	26.8	318	6	8	23	39	60	99	99+
TOTAL 0-19 YRS	1106	24.0	403	2	4	19	36	56	79	99+
20-34	5707	18.3	236	2	3	15	25	39	51	88
35-49	3057	17.9	195	2	4	15	24	36	47	74
50-64	1654	19.8	212	3	5	16	27	41	49	75
65+	426	20.3	227	3	5	16	28	40	51	74
GRAND TOTAL	**11950**	**19.0**	**240**	**2**	**4**	**15**	**26**	**40**	**52**	**90**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	8.7	129	<1	1	4	16	42	85	99+
B. *Operated*										
0-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	25.8	468	2	3	26	43	81	98	99+
B. *Operated*										
0-19 YRS	1	97.0		97	97	97	97	97	97	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	8.7	129	<1	1	4	16	42	85	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	10	25.8	468	2	3	26	43	81	98	99+
B. *Operated*	1	97.0		97	97	97	97	97	97	97
1. SINGLE DX	14	8.7	129	<1	1	4	16	42	85	99+
2. MULTIPLE DX	11	32.3	882	2	3	32	56	98	99+	99+
A. NOT OPERATED	24	15.8	330	1	1	11	38	66	99+	99+
B. OPERATED	1	97.0		97	97	97	97	97	97	97
TOTAL 0-19 YRS	25	19.1	580	1	1	12	39	91	99+	99+
GRAND TOTAL	**25**	**19.1**	**580**	**1**	**1**	**12**	**39**	**91**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	18.8	336	1	1	13	29	49	60	99+
20-34	907	15.6	204	2	2	12	21	35	44	74
35-49	985	16.6	162	2	4	14	22	34	42	60
50-64	1082	19.4	183	3	5	17	26	36	46	72
65+	628	20.4	200	3	5	18	28	40	49	71
B. *Operated*										
0-19 YRS										
20-34	3	40.0	2701	1	1	20	79	99	99	99+
35-49	6	19.5	156	8	8	15	27	40	41	41
50-64	8	30.3	891	9	10	15	40	81	97	97
65+	10	19.9	59	11	12	17	24	32	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	163	16.4	259	1	2	10	27	40	51	96
20-34	834	15.0	208	1	2	10	21	35	45	70
35-49	941	16.0	200	2	3	12	22	36	46	70
50-64	1186	18.9	225	3	4	15	26	39	49	79
65+	1133	19.9	241	3	4	16	28	42	51	82
B. *Operated*										
0-19 YRS	10	24.0	403	<1	5	20	48	78	98	99+
20-34	60	21.8	203	6	7	19	28	39	56	64
35-49	95	28.1	290	5	8	28	40	50	55	78
50-64	121	27.6	301	7	9	24	36	55	70	99+
65+	117	29.6	399	9	11	25	37	54	79	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3736	17.9	194	2	4	15	24	37	45	70
B. *Operated*	27	25.1	550	7	9	17	28	43	97	99
2. MULTIPLE DX										
A. *Not Operated*	4257	17.7	225	2	3	14	25	38	49	78
B. *Operated*	403	27.4	318	7	9	23	37	53	64	98
1. SINGLE DX	3763	17.9	197	2	4	15	24	37	45	71
2. MULTIPLE DX	4660	18.5	241	2	4	14	26	40	50	82
A. NOT OPERATED	7993	17.8	211	2	3	14	25	38	47	73
B. OPERATED	430	27.2	332	7	9	23	37	52	64	99
TOTAL 0-19 YRS	307	17.7	298	1	2	12	28	45	57	99+
20-34	1804	15.6	211	2	2	11	21	35	45	74
35-49	2027	16.9	192	2	3	13	23	36	45	66
50-64	2397	19.6	216	3	4	16	27	39	49	79
65+	1888	20.7	241	3	5	17	29	42	51	83
GRAND TOTAL	**8423**	**18.3**	**221**	**2**	**4**	**15**	**26**	**39**	**48**	**78**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	22.8	335	3	5	18	31	47	62	96
20-34	1398	17.6	178	2	4	15	24	35	44	65
35-49	979	17.7	181	3	4	15	24	34	41	69
50-64	680	19.4	164	4	6	17	27	36	45	69
65+	176	21.5	218	4	6	19	28	44	55	94
B. *Operated*										
0-19 YRS										
20-34	4	8.0	117	<1	<1	3	14	24	24	24
35-49	1	23.0		23	23	23	23	23	23	23
50-64	5	29.0	346	12	12	22	40	59	59	59
65+	2	23.5	85	17	17	23	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	22.9	352	2	3	17	34	49	60	81
20-34	671	18.6	188	3	4	16	25	38	45	67
35-49	605	18.9	206	3	4	16	27	38	46	72
50-64	538	19.2	187	3	5	16	25	38	48	74
65+	283	20.9	271	4	6	17	26	42	54	82
B. *Operated*										
0-19 YRS	9	38.7	471	14	17	32	51	71	85	85
20-34	67	25.3	257	4	6	24	36	47	54	96
35-49	68	23.2	196	3	7	22	29	43	61	94
50-64	56	27.9	252	5	9	24	42	53	58	64
65+	30	38.2	461	15	17	34	50	69	91	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3428	18.5	189	3	4	16	25	36	45	70
B. *Operated*	12	20.6	257	<1	1	20	27	41	56	59
2. MULTIPLE DX										
A. *Not Operated*	2201	19.3	212	3	5	16	26	39	48	75
B. *Operated*	230	27.5	294	4	9	25	37	51	62	97
1. SINGLE DX	3440	18.5	189	3	4	16	25	36	45	70
2. MULTIPLE DX	2431	20.1	225	3	5	17	27	41	50	77
A. NOT OPERATED	5629	18.8	198	3	4	16	25	37	46	72
B. OPERATED	242	27.2	293	4	8	24	36	51	62	96
TOTAL 0-19 YRS	308	23.3	349	2	4	18	32	49	62	89
20-34	2140	18.1	186	2	4	15	25	37	45	67
35-49	1653	18.4	192	3	4	16	25	36	44	71
50-64	1279	19.7	181	3	5	17	27	38	47	69
65+	491	22.2	278	4	6	18	29	45	56	90
GRAND TOTAL	**5871**	**19.1**	**205**	**3**	**4**	**16**	**26**	**38**	**47**	**74**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	263	17.6	262	1	2	13	25	42	57	99+
20-34	976	15.1	186	1	2	11	21	32	43	71
35-49	570	15.9	199	1	2	12	22	35	44	71
50-64	455	18.6	196	2	4	15	24	38	48	65
65+	326	18.4	231	2	3	14	27	40	49	86
B. *Operated*										
0-19 YRS	2	21.0	32	17	17	21	25	25	25	25
20-34	2	19.0	2	18	18	19	20	20	20	20
35-49	2	13.5	25	10	10	13	17	17	17	17
50-64	12	17.3	167	2	3	14	27	38	39	39
65+	8	17.8	279	3	3	12	27	45	49	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	196	19.4	288	2	2	15	29	42	52	70
20-34	680	16.4	212	2	3	12	22	38	45	68
35-49	525	17.4	228	2	3	14	24	36	49	81
50-64	652	18.8	242	2	4	15	26	40	50	74
65+	905	15.0	170	3	3	11	21	33	46	69
B. *Operated*										
0-19 YRS	10	44.3	606	5	8	54	60	69	72	72
20-34	40	24.1	389	5	6	18	30	61	84	99+
35-49	47	24.3	246	3	5	22	31	46	55	71
50-64	57	20.8	276	4	5	18	26	41	62	99+
65+	99	21.0	283	5	7	17	28	44	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2590	16.6	206	1	2	13	23	36	47	74
B. *Operated*	26	17.6	156	3	3	16	24	37	41	49
2. MULTIPLE DX										
A. *Not Operated*	2958	16.9	216	2	3	13	23	37	48	72
B. *Operated*	253	23.0	319	4	6	19	30	52	70	99+
1. SINGLE DX	2616	16.6	206	1	2	13	23	36	47	74
2. MULTIPLE DX	3211	17.4	227	2	3	13	24	38	49	76
A. NOT OPERATED	5548	16.7	211	2	3	13	23	37	48	73
B. OPERATED	279	22.5	306	4	6	18	30	49	69	99+
TOTAL 0-19 YRS	471	18.9	292	1	2	14	28	45	57	99
20-34	1698	15.8	203	1	2	12	22	35	44	71
35-49	1144	16.9	217	1	3	13	23	36	48	79
50-64	1176	18.8	225	2	4	15	26	40	49	73
65+	1338	16.3	197	2	3	12	23	35	48	83
GRAND TOTAL	**5827**	**17.0**	**217**	**2**	**3**	**13**	**24**	**37**	**49**	**74**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	278	5.9	70	1	1	3	6	13	23	46
20-34	1100	6.5	60	1	1	4	7	15	20	45
35-49	758	6.4	50	1	1	4	8	15	20	35
50-64	442	6.5	41	1	1	4	8	15	21	30
65+	194	6.1	52	1	2	4	7	12	17	45
B. *Operated*										
0-19 YRS	7	9.1	251	2	2	4	4	37	45	45
20-34	19	6.4	17	1	1	6	10	12	12	12
35-49	9	7.2	39	1	1	6	12	17	19	19
50-64	10	6.6	9	3	3	6	8	11	13	13
65+	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	446	8.4	168	1	1	4	8	21	41	88
20-34	1781	7.6	71	1	2	5	9	18	25	44
35-49	1704	7.2	56	1	2	5	8	16	21	39
50-64	1368	7.4	60	1	2	5	8	16	22	38
65+	1050	7.2	45	1	2	5	8	14	19	37
B. *Operated*										
0-19 YRS	13	11.6	161	1	2	8	13	29	43	46
20-34	113	9.7	65	1	2	7	13	21	29	33
35-49	104	12.3	111	2	2	9	15	29	34	49
50-64	94	12.1	88	2	3	9	17	27	29	42
65+	33	10.0	65	4	4	8	11	16	29	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2772	6.4	55	1	1	4	7	14	21	41
B. *Operated*	47	6.9	49	1	1	5	9	12	15	45
2. MULTIPLE DX										
A. *Not Operated*	6349	7.4	67	1	2	5	9	16	22	44
B. *Operated*	357	11.2	88	2	2	9	15	26	32	44
1. SINGLE DX	2819	6.4	55	1	1	4	7	14	21	41
2. MULTIPLE DX	6706	7.6	69	1	2	5	9	17	23	44
A. NOT OPERATED	9121	7.1	64	1	1	5	8	16	22	43
B. OPERATED	404	10.7	85	2	2	8	13	25	31	44
TOTAL 0-19 YRS	744	7.6	133	1	1	4	7	20	33	73
20-34	3013	7.3	67	1	1	4	9	17	23	44
35-49	2575	7.1	58	1	1	5	9	16	21	40
50-64	1914	7.4	58	1	2	5	9	17	22	37
65+	1279	7.1	47	1	2	5	8	14	19	39
GRAND TOTAL	**9525**	**7.3**	**65**	**1**	**2**	**5**	**8**	**16**	**22**	**43**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	964	18.9	330	2	3	13	27	45	60	90
20-34	4370	12.2	127	1	2	9	17	27	34	53
35-49	2820	13.2	134	2	3	10	18	29	37	57
50-64	1312	14.6	128	2	3	11	20	30	36	54
65+	537	14.7	160	2	3	11	20	31	40	58
B. *Operated*										
0-19 YRS	7	28.1	235	6	8	31	45	85	99+	99+
20-34	31	25.7	282	4	5	26	41	45	55	56
35-49	29	25.6	407	4	5	20	34	62	64	78
50-64	14	23.1	192	6	7	20	31	62	90	99+
65+	8	19.4	239	5	5	15	27	45	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1035	19.8	327	2	3	15	29	45	61	99+
20-34	5083	14.0	149	2	3	10	19	30	39	60
35-49	3775	14.2	142	2	3	11	19	30	38	57
50-64	2388	14.6	140	3	4	11	20	30	38	59
65+	1497	14.6	153	3	4	11	19	31	40	67
B. *Operated*										
0-19 YRS	41	32.1	589	4	8	28	52	99	99+	99+
20-34	352	21.2	238	3	5	19	29	41	52	97
35-49	318	23.4	288	5	7	20	29	46	63	95
50-64	220	25.4	291	6	8	21	33	47	60	86
65+	138	24.3	254	4	6	21	35	47	55	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10003	13.6	154	2	3	10	19	30	38	61
B. *Operated*	89	24.9	294	5	6	21	39	52	62	99+
2. MULTIPLE DX										
A. *Not Operated*	13778	14.7	161	2	3	11	20	31	40	65
B. *Operated*	1069	23.5	283	4	6	20	31	47	60	99
1. SINGLE DX	10092	13.7	156	2	3	10	19	30	39	62
2. MULTIPLE DX	14847	15.3	175	2	3	11	21	32	42	71
A. NOT OPERATED	23781	14.2	159	2	3	10	20	31	39	64
B. OPERATED	1158	23.6	284	4	6	20	31	47	61	99+
TOTAL 0-19 YRS	2047	19.6	337	2	3	14	29	46	63	99+
20-34	9836	13.5	146	2	3	10	19	29	38	59
35-49	6942	14.3	151	2	3	11	19	30	39	61
50-64	3934	15.2	151	3	4	12	21	31	39	61
65+	2180	15.3	167	3	4	11	21	33	41	65
GRAND TOTAL	**24939**	**14.6**	**168**	**2**	**3**	**11**	**20**	**31**	**41**	**67**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	655	13.7	347	1	1	6	16	42	62	99
20-34	1285	9.5	115	1	1	6	13	22	30	58
35-49	551	9.4	107	1	1	6	12	22	29	58
50-64	269	9.6	123	1	1	6	11	23	33	53
65+	85	10.3	155	1	2	6	13	22	30	75
B. *Operated*										
0-19 YRS	10	14.7	229	2	2	8	22	41	43	43
20-34	47	8.4	34	2	2	7	12	16	18	30
35-49	31	7.5	29	1	2	6	8	15	18	26
50-64	30	10.5	113	2	3	7	11	23	41	47
65+	9	8.1	125	1	1	4	9	26	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	762	16.1	359	1	2	9	21	45	63	99+
20-34	1982	11.6	154	1	2	7	15	28	38	68
35-49	982	11.1	152	1	2	7	14	26	34	81
50-64	618	10.9	118	1	2	7	14	25	33	54
65+	301	11.2	129	2	2	7	14	27	36	59
B. *Operated*										
0-19 YRS	32	19.3	405	2	3	12	34	55	99	99+
20-34	127	18.8	306	2	4	15	26	46	67	99+
35-49	86	14.9	295	2	3	9	18	36	44	95
50-64	72	13.5	132	1	2	10	18	32	44	88
65+	30	13.3	179	4	4	10	18	22	28	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2845	10.5	172	1	1	6	13	25	37	77
B. *Operated*	127	9.1	74	2	2	7	11	17	27	44
2. MULTIPLE DX										
A. *Not Operated*	4645	12.1	184	1	2	7	15	29	41	80
B. *Operated*	347	16.3	268	2	3	11	21	38	54	99+
1. SINGLE DX	2972	10.4	168	1	1	6	13	25	37	77
2. MULTIPLE DX	4992	12.4	191	1	2	8	16	30	42	85
A. NOT OPERATED	7490	11.5	180	1	2	7	14	28	39	79
B. OPERATED	474	14.4	226	2	3	9	18	35	48	99
TOTAL 0-19 YRS	1459	15.1	355	1	1	8	19	43	63	99+
20-34	3441	11.0	147	1	1	7	15	26	36	68
35-49	1650	10.7	144	1	2	7	14	24	33	71
50-64	989	10.7	121	1	2	7	13	25	34	53
65+	425	11.1	137	2	2	7	14	26	35	63
GRAND TOTAL	**7964**	**11.6**	**183**	**1**	**2**	**7**	**15**	**28**	**40**	**82**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	381	10.7	172	<1	<1	3	22	29	32	56
20-34	3428	14.6	132	1	1	12	25	29	31	39
35-49	3712	13.5	123	1	2	9	24	29	30	37
50-64	2128	13.5	126	1	2	9	24	29	31	39
65+	398	11.3	109	1	2	6	20	28	31	40
B. *Operated*										
0-19 YRS										
20-34	5	21.2	194	1	1	26	33	33	33	33
35-49	9	15.2	53	6	8	14	17	27	32	32
50-64	3	15.0	277	3	3	8	27	34	34	34
65+	3	22.7	160	13	13	18	32	37	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	764	17.3	257	1	1	14	28	34	42	79
20-34	5543	14.6	143	1	2	11	24	30	34	47
35-49	7441	12.7	119	1	2	8	21	29	32	41
50-64	5943	12.8	122	2	2	8	21	29	33	43
65+	1821	12.4	109	2	3	9	19	28	32	44
B. *Operated*										
0-19 YRS	28	19.5	254	1	1	24	31	35	40	60
20-34	203	21.0	225	1	5	19	29	35	40	95
35-49	404	19.8	177	3	5	17	28	38	43	61
50-64	350	20.3	177	4	6	18	28	36	43	69
65+	128	18.9	185	3	5	16	24	39	46	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10047	13.7	129	1	2	10	24	29	31	39
B. *Operated*	20	17.8	120	2	4	14	29	34	35	37
2. MULTIPLE DX										
A. *Not Operated*	21512	13.4	131	1	2	9	22	29	33	45
B. *Operated*	1113	20.1	188	3	5	18	28	36	43	68
1. SINGLE DX	10067	13.7	129	1	2	10	24	29	31	39
2. MULTIPLE DX	22625	13.7	136	1	2	10	23	30	34	47
A. NOT OPERATED	31559	13.5	130	1	2	9	23	29	32	43
B. OPERATED	1133	20.0	187	3	5	18	28	36	43	67
TOTAL 0-19 YRS	1173	15.2	239	<1	1	9	27	32	39	74
20-34	9179	14.7	141	1	2	12	25	30	33	46
35-49	11566	13.2	124	1	2	9	23	29	32	42
50-64	8424	13.3	127	2	2	9	23	29	33	43
65+	2350	12.6	116	2	2	9	20	29	33	46
GRAND TOTAL	**32692**	**13.7**	**134**	**1**	**2**	**10**	**23**	**29**	**33**	**45**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	19.5	621	2	2	7	30	62	66	66
20-34	76	12.5	125	1	2	8	18	29	37	44
35-49	11	10.4	35	1	3	7	11	28	29	29
50-64	2	18.5	145	10	10	18	27	27	27	27
65+	2	23.0	392	9	9	23	37	37	37	37
B. *Operated*										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	1	31.0		31	31	31	31	31	31	31
50-64	1	12.0		12	12	12	12	12	12	12
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	17.8	191	4	4	15	25	37	48	50
20-34	119	13.3	120	1	2	10	19	32	37	42
35-49	37	17.2	145	3	5	12	27	33	37	49
50-64	20	17.2	126	2	3	16	23	32	38	44
65+	9	13.2	68	5	5	11	17	27	29	29
B. *Operated*										
0-19 YRS										
20-34	14	21.1	316	4	5	13	28	52	57	59
35-49	1	23.0		23	23	23	23	23	23	23
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	13.0	151	1	2	8	19	30	37	56
B. *Operated*	3	18.3	120	12	12	12	26	31	31	31
2. MULTIPLE DX										
A. *Not Operated*	197	14.7	128	2	3	12	21	32	37	47
B. *Operated*	15	21.2	293	4	5	13	27	51	57	59
1. SINGLE DX	100	13.2	150	1	2	9	19	30	37	55
2. MULTIPLE DX	212	15.2	141	2	3	12	22	32	38	50
A. NOT OPERATED	294	14.1	136	1	3	11	21	31	37	47
B. OPERATED	18	20.7	257	4	6	13	28	48	56	59
TOTAL 0-19 YRS	18	18.3	307	3	4	13	28	45	60	66
20-34	210	13.5	136	1	2	10	20	31	38	47
35-49	50	16.1	138	3	4	11	27	31	36	49
50-64	23	17.1	117	2	3	16	24	31	37	44
65+	11	15.0	109	5	5	11	22	32	37	37
GRAND TOTAL	**312**	**14.5**	**144**	**2**	**3**	**11**	**21**	**31**	**38**	**50**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	19.3	323	1	2	15	30	38	61	76
20-34	198	13.1	138	1	1	8	23	30	34	50
35-49	41	12.9	189	1	1	8	20	29	43	58
50-64	24	15.5	159	1	2	11	23	34	40	51
65+	5	17.2	107	5	5	20	23	31	31	31
B. *Operated*										
0-19 YRS										
20-34	1	20.0		20	20	20	20	20	20	20
35-49	3	3.0	3	2	2	2	4	5	5	5
50-64	1	27.0		27	27	27	27	27	27	27
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	257	23.9	282	2	4	26	30	40	62	91
20-34	385	16.0	159	2	2	12	27	33	39	51
35-49	150	14.5	130	2	3	10	25	31	37	43
50-64	66	13.2	115	3	3	9	19	28	33	51
65+	38	14.0	115	3	4	9	20	33	36	44
B. *Operated*										
0-19 YRS	7	18.6	32	12	12	20	25	78	99+	99+
20-34	18	19.4	183	3	5	17	29	35	46	53
35-49	11	19.2	137	6	6	16	31	33	34	34
50-64	5	10.8	28	3	3	10	15	17	17	17
65+	4	22.5	83	9	9	26	28	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	15.0	200	1	1	10	25	34	37	67
B. *Operated*	5	11.2	134	2	2	5	22	27	27	27
2. MULTIPLE DX										
A. *Not Operated*	896	17.7	200	2	3	14	28	34	40	66
B. *Operated*	45	18.5	123	5	6	17	27	33	39	99+
1. SINGLE DX	372	14.9	199	1	1	9	25	34	37	67
2. MULTIPLE DX	941	17.8	196	2	3	14	28	34	40	67
A. NOT OPERATED	1263	16.9	201	1	2	13	28	34	40	66
B. OPERATED	50	17.8	126	2	5	17	27	33	36	99+
TOTAL 0-19 YRS	363	22.6	291	2	3	23	30	39	64	91
20-34	602	15.2	155	1	2	11	26	32	37	52
35-49	205	14.2	142	2	2	10	24	31	36	52
50-64	96	13.8	122	2	3	11	19	29	34	53
65+	47	15.0	114	3	4	10	21	31	35	44
GRAND TOTAL	**1313**	**17.0**	**198**	**1**	**2**	**13**	**28**	**34**	**40**	**67**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	520	1.7	22	<1	<1	1	1	2	3	16
20-34	289	2.2	12	<1	<1	1	2	5	7	22
35-49	157	3.5	22	<1	<1	2	4	7	11	22
50-64	128	2.9	10	<1	<1	2	3	6	9	18
65+	42	2.2	4	<1	<1	1	2	5	7	10
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	348	3.8	59	<1	<1	1	3	8	14	39
20-34	527	4.5	51	<1	<1	2	5	12	19	36
35-49	354	5.3	35	<1	1	3	6	13	18	33
50-64	301	5.6	36	1	1	4	6	12	19	30
65+	132	5.2	25	<1	1	4	7	12	15	29
B. *Operated*										
0-19 YRS	15	4.0	28	<1	<1	2	5	5	18	22
20-34	30	4.2	25	<1	<1	2	6	12	16	19
35-49	17	13.5	186	<1	1	7	24	32	41	46
50-64	18	7.8	45	<1	1	6	14	18	20	22
65+	9	6.6	15	<1	1	6	9	12	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1136	2.3	18	<1	<1	1	2	4	7	20
B. *Operated*	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	1662	4.8	45	<1	1	2	5	12	16	33
B. *Operated*	89	6.9	69	<1	<1	4	9	19	23	41
1. SINGLE DX	1137	2.3	18	<1	<1	1	2	4	7	20
2. MULTIPLE DX	1751	4.9	46	<1	<1	3	6	12	18	33
A. NOT OPERATED	2798	3.8	35	<1	<1	2	4	8	14	30
B. OPERATED	90	7.0	68	<1	<1	4	9	18	23	40
TOTAL 0-19 YRS	884	2.6	38	<1	<1	1	2	4	8	29
20-34	846	3.7	38	<1	<1	1	3	8	14	32
35-49	528	5.0	39	<1	1	3	6	12	18	33
50-64	447	4.9	31	<1	1	3	6	11	17	27
65+	183	4.6	22	<1	1	3	6	11	14	25
GRAND TOTAL	**2888**	**3.9**	**37**	**<1**	**<1**	**2**	**4**	**9**	**14**	**31**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	7.9	150	1	1	3	10	18	37	65
20-34	132	6.5	81	<1	<1	3	6	19	30	39
35-49	27	8.4	94	<1	<1	5	11	27	33	36
50-64	6	11.5	172	<1	<1	7	18	33	35	35
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34	3	4.7	16	1	1	4	8	9	9	9
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	11.9	208	1	1	5	16	34	45	69
20-34	313	9.4	112	1	1	5	14	25	31	45
35-49	83	10.7	99	1	1	8	15	25	31	48
50-64	33	11.2	177	2	2	7	12	25	40	66
65+	30	9.9	40	1	3	9	13	19	23	25
B. *Operated*										
0-19 YRS	4	34.0	888	6	6	27	53	76	76	76
20-34	13	20.5	277	2	3	17	30	50	52	53
35-49	6	23.8	153	3	6	28	37	88	99+	99+
50-64	1	9.0		9	9	9	9	9	9	9
65+	3	7.3	2	6	6	7	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	7.3	109	<1	1	3	8	19	32	44
B. *Operated*	4	4.0	13	1	1	3	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	626	10.4	136	1	1	5	14	27	34	51
B. *Operated*	27	21.3	315	3	4	18	29	52	78	99+
1. SINGLE DX	266	7.3	107	<1	1	3	8	19	32	44
2. MULTIPLE DX	653	10.8	148	1	1	6	15	28	36	53
A. NOT OPERATED	888	9.5	130	1	1	5	13	25	34	50
B. OPERATED	31	19.1	309	2	3	16	29	50	74	99+
TOTAL 0-19 YRS	267	10.8	205	1	1	5	14	31	44	72
20-34	461	8.9	112	<1	1	4	12	25	32	46
35-49	117	10.7	109	1	1	7	16	28	33	67
50-64	40	11.2	167	1	2	7	12	27	38	66
65+	34	9.6	36	1	3	8	13	17	23	25
GRAND TOTAL	**919**	**9.8**	**139**	**1**	**1**	**5**	**13**	**28**	**35**	**52**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	315	4.0	11	1	1	3	5	7	9	21
20-34	400	4.2	19	1	1	3	5	7	10	19
35-49	295	5.1	39	1	1	4	6	9	11	33
50-64	172	4.9	18	1	1	4	6	8	11	22
65+	53	4.9	14	1	1	4	6	10	16	97
B. *Operated*										
0-19 YRS	18	4.8	17	1	1	3	6	12	14	15
20-34	25	6.6	27	1	2	5	9	14	20	20
35-49	23	6.3	21	1	2	5	9	11	16	21
50-64	9	4.3	12	1	1	3	6	10	11	11
65+	5	8.0	25	3	3	8	10	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	347	5.0	44	1	1	4	6	8	12	39
20-34	649	5.9	36	1	2	4	7	11	16	29
35-49	664	6.5	39	2	2	5	7	12	17	37
50-64	532	6.1	37	1	2	5	7	11	14	34
65+	407	7.0	35	2	2	6	9	13	16	31
B. *Operated*										
0-19 YRS	29	8.4	52	1	2	6	10	22	23	27
20-34	87	9.1	51	2	2	7	12	18	23	34
35-49	77	12.7	132	2	2	10	15	29	40	56
50-64	52	9.7	60	2	3	7	13	18	24	44
65+	41	8.6	40	2	3	7	9	17	23	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1235	4.5	22	1	1	3	5	8	10	23
B. *Operated*	80	5.9	21	1	2	5	8	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	2599	6.1	38	1	2	5	7	11	16	34
B. *Operated*	286	10.0	75	2	2	7	13	21	27	45
1. SINGLE DX	1315	4.6	22	1	1	4	5	8	11	22
2. MULTIPLE DX	2885	6.5	43	1	2	5	8	12	17	37
A. NOT OPERATED	3834	5.6	34	1	2	4	7	10	14	30
B. OPERATED	366	9.1	66	2	2	7	12	19	24	45
TOTAL 0-19 YRS	709	4.7	30	1	1	3	5	8	12	29
20-34	1161	5.6	33	1	1	4	7	11	15	28
35-49	1059	6.5	49	1	2	5	7	12	17	44
50-64	765	6.1	35	1	2	5	7	11	15	33
65+	506	6.9	34	2	2	6	8	13	17	34
GRAND TOTAL	**4200**	**5.9**	**37**	**1**	**2**	**4**	**7**	**11**	**16**	**32**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1447	14.7	252	1	2	8	20	39	50	78
20-34	993	6.2	44	1	1	4	8	13	19	33
35-49	420	6.9	61	1	1	4	8	15	22	38
50-64	150	8.9	103	1	1	5	13	19	25	54
65+	67	7.7	73	1	1	5	9	23	30	90
B. *Operated*										
0-19 YRS	6	7.5	18	2	3	9	57	99+	99+	99+
20-34	5	13.8	232	2	2	4	27	35	35	35
35-49	5	17.0	288	6	6	10	21	47	47	47
50-64	1	29.0		29	29	29	29	29	29	29
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1111	14.4	252	1	2	9	20	36	51	91
20-34	1188	7.8	65	1	1	5	10	19	24	39
35-49	662	8.0	77	1	2	5	10	18	24	48
50-64	386	8.5	87	1	2	5	10	19	26	54
65+	314	9.2	62	1	2	7	12	19	25	38
B. *Operated*										
0-19 YRS	53	19.8	344	1	2	12	31	47	63	73
20-34	46	16.8	253	2	3	14	19	34	51	77
35-49	43	13.5	116	3	4	10	17	29	40	45
50-64	20	20.6	327	3	4	13	34	46	57	67
65+	15	13.7	37	7	7	12	19	21	26	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3077	10.5	164	1	1	6	13	27	39	65
B. *Operated*	18	13.1	159	2	3	9	27	73	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	3661	10.0	134	1	2	6	13	23	34	67
B. *Operated*	177	17.1	240	2	3	12	21	40	48	72
1. SINGLE DX	3095	10.5	164	1	1	6	13	27	40	66
2. MULTIPLE DX	3838	10.4	141	1	2	6	13	24	35	68
A. NOT OPERATED	6738	10.2	148	1	1	6	13	25	36	66
B. OPERATED	195	16.7	233	2	3	12	21	40	49	89
TOTAL 0-19 YRS	2617	14.7	254	1	2	9	20	38	51	85
20-34	2232	7.3	62	1	1	4	9	17	23	39
35-49	1130	7.8	75	1	1	5	10	18	24	46
50-64	557	9.1	104	1	2	5	11	21	28	55
65+	397	9.2	63	1	2	7	12	20	27	42
GRAND TOTAL	**6933**	**10.4**	**151**	**1**	**1**	**6**	**13**	**25**	**37**	**67**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1326	15.2	426	1	2	6	19	50	71	99+
20-34	1535	8.8	115	1	2	5	11	21	29	57
35-49	814	8.4	68	1	2	5	11	20	27	41
50-64	405	10.3	106	1	2	6	14	26	31	51
65+	253	11.4	147	2	3	7	14	24	31	64
B. *Operated*										
0-19 YRS	35	8.4	283	1	2	3	5	13	61	71
20-34	47	9.1	140	1	2	6	10	15	42	60
35-49	40	8.2	38	2	2	6	11	18	19	29
50-64	9	8.9	9	5	5	8	10	13	15	15
65+	6	8.3	29	4	4	7	8	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1322	15.3	380	2	2	7	20	46	68	99+
20-34	2304	9.1	93	1	2	6	11	20	27	51
35-49	1779	9.4	86	2	2	6	11	21	27	52
50-64	1266	10.2	93	2	3	7	12	22	30	51
65+	1011	11.3	110	2	3	8	14	23	33	55
B. *Operated*										
0-19 YRS	80	21.2	580	2	2	9	39	67	82	99+
20-34	189	14.9	168	2	4	11	20	34	44	94
35-49	165	13.7	134	3	4	10	19	28	33	67
50-64	144	15.5	210	3	4	11	19	33	48	83
65+	88	16.5	155	3	4	12	22	34	46	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4333	11.0	210	1	2	6	13	27	41	89
B. *Operated*	137	8.6	131	2	2	5	10	15	27	67
2. MULTIPLE DX										
A. *Not Operated*	7682	10.7	148	2	2	7	13	23	35	72
B. *Operated*	666	15.7	220	2	4	11	20	35	47	86
1. SINGLE DX	4470	10.9	208	1	2	6	12	27	41	88
2. MULTIPLE DX	8348	11.1	155	2	2	7	13	25	37	74
A. NOT OPERATED	12015	10.8	170	1	2	6	13	25	37	80
B. OPERATED	803	14.5	211	2	3	10	19	33	46	83
TOTAL 0-19 YRS	2763	15.4	408	1	2	6	20	48	70	99+
20-34	4075	9.3	107	1	2	6	11	21	29	56
35-49	2798	9.3	84	2	2	6	11	21	27	49
50-64	1824	10.6	107	2	3	7	13	23	31	55
65+	1358	11.6	121	2	3	8	14	24	33	56
GRAND TOTAL	**12818**	**11.0**	**174**	**2**	**2**	**6**	**13**	**25**	**38**	**80**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	9.1	139	1	2	4	10	24	43	49
20-34	27	8.3	46	1	1	7	13	19	21	26
35-49	12	13.3	290	2	2	7	17	34	59	63
50-64	8	9.6	62	2	2	8	11	23	27	27
65+	3	6.7	80	1	1	2	13	17	17	17
B. *Operated*										
0-19 YRS	3	3.7	5	1	1	5	5	5	5	5
20-34	1	9.0		9	9	9	9	9	9	9
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	12.9	230	1	2	7	17	30	50	97
20-34	164	12.4	181	1	2	8	17	27	40	81
35-49	70	11.9	162	1	2	7	17	26	33	74
50-64	44	12.5	112	2	3	10	17	22	29	62
65+	15	14.1	393	1	2	8	14	24	67	82
B. *Operated*										
0-19 YRS	20	8.6	224	<1	1	4	7	19	47	67
20-34	14	6.9	43	1	2	5	8	13	23	26
35-49	12	17.7	380	<1	1	15	21	47	66	69
50-64	4	17.8	230	6	6	12	26	40	40	40
65+	4	27.3	1884	2	2	7	52	92	92	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	9.4	119	1	1	6	11	20	28	58
B. *Operated*	8	3.9	7	1	1	4	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	470	12.6	195	1	2	8	17	27	42	89
B. *Operated*	54	12.2	328	1	2	6	12	28	62	91
1. SINGLE DX	94	8.9	111	1	1	5	11	20	27	57
2. MULTIPLE DX	524	12.5	208	1	2	8	17	27	42	91
A. NOT OPERATED	556	12.1	184	1	2	8	16	25	38	84
B. OPERATED	62	11.1	294	1	1	5	12	26	51	89
TOTAL 0-19 YRS	236	11.8	214	1	2	6	16	27	49	92
20-34	206	11.5	156	1	2	8	15	25	34	77
35-49	97	12.5	201	1	2	7	17	27	38	75
50-64	56	12.5	111	2	3	10	15	25	30	61
65+	23	15.0	557	1	2	8	14	36	85	92
GRAND TOTAL	**618**	**12.0**	**195**	**1**	**2**	**7**	**16**	**26**	**39**	**86**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	684	10.6	29	2	3	11	13	17	19	24
20-34	158	8.4	37	1	3	7	12	15	19	25
35-49	78	8.4	52	1	2	6	12	18	23	33
50-64	56	12.6	95	2	3	10	17	24	31	49
65+	12	11.8	50	1	2	11	16	21	25	26
B. *Operated*										
0-19 YRS	116	14.9	116	5	7	13	16	20	26	67
20-34	62	14.4	226	2	3	9	18	33	48	78
35-49	77	12.9	147	2	2	11	16	25	30	71
50-64	43	13.3	187	2	3	8	16	34	47	59
65+	16	13.8	282	2	2	9	15	33	58	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	525	11.7	38	2	3	12	15	18	21	31
20-34	130	10.7	97	2	3	8	13	23	30	79
35-49	120	11.2	72	2	3	10	15	23	28	42
50-64	104	14.8	140	3	4	12	17	32	42	62
65+	84	20.3	259	4	4	17	25	39	45	90
B. *Operated*										
0-19 YRS	157	21.3	223	5	10	16	26	42	60	98
20-34	73	23.3	256	2	5	20	33	48	60	99+
35-49	110	17.6	204	3	4	14	24	38	45	96
50-64	102	25.9	357	5	6	22	37	61	79	99+
65+	53	26.0	305	3	6	24	33	60	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	988	10.2	37	2	3	11	13	17	20	31
B. *Operated*	314	14.0	162	2	3	12	16	24	40	71
2. MULTIPLE DX										
A. *Not Operated*	963	12.6	87	2	3	12	16	21	28	51
B. *Operated*	495	22.2	268	3	6	18	30	51	65	99+
1. SINGLE DX	1302	11.2	70	2	3	11	14	18	22	48
2. MULTIPLE DX	1458	15.9	169	2	4	13	19	32	45	91
A. NOT OPERATED	1951	11.4	63	2	3	11	14	19	23	42
B. OPERATED	809	19.1	242	3	4	15	25	42	58	99+
TOTAL 0-19 YRS	1482	12.5	70	2	3	12	15	19	24	53
20-34	423	12.6	148	2	3	9	16	29	42	76
35-49	385	12.8	131	2	3	10	17	26	33	64
50-64	305	17.9	243	3	4	14	23	43	59	99+
65+	165	20.9	277	3	4	17	27	42	68	99
GRAND TOTAL	**2760**	**13.6**	**128**	**2**	**3**	**12**	**16**	**25**	**36**	**72**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	7.3	3	5	5	7	8	9	9	9
35-49	18	9.8	84	3	3	6	12	18	32	41
50-64	132	8.9	76	2	3	7	11	17	19	34
65+	308	10.1	67	3	3	8	13	21	24	41
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	3.0	3	2	2	2	4	5	5	5
50-64	4	16.3	92	3	3	18	23	25	25	25
65+	10	7.2	19	2	2	6	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	9.6	147	1	1	6	14	31	34	34
20-34	12	8.7	44	3	3	6	13	19	23	24
35-49	38	12.2	92	3	4	9	18	27	34	37
50-64	397	11.3	91	3	4	9	14	22	26	47
65+	1863	12.4	93	3	4	10	15	23	31	52
B. *Operated*										
0-19 YRS										
20-34	1	41.0		41	41	41	41	41	41	41
35-49	6	20.3	329	3	3	18	25	50	53	53
50-64	49	16.7	147	3	4	14	21	34	37	58
65+	266	19.7	202	4	6	16	25	40	49	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	463	9.7	70	3	3	8	12	18	22	41
B. *Operated*	17	8.6	50	2	2	6	14	20	24	25
2. MULTIPLE DX										
A. *Not Operated*	2317	12.2	93	3	4	10	15	23	30	49
B. *Operated*	322	19.4	196	4	6	16	25	39	49	71
1. SINGLE DX	480	9.6	69	2	3	8	12	18	22	41
2. MULTIPLE DX	2639	13.1	111	3	4	10	16	25	34	56
A. NOT OPERATED	2780	11.8	90	3	4	9	15	22	29	49
B. OPERATED	339	18.8	194	3	5	15	24	38	48	68
TOTAL 0-19 YRS	8	8.6	133	1	1	4	12	29	34	34
20-34	17	10.2	94	3	3	7	12	23	35	41
35-49	65	11.9	113	3	3	8	16	25	37	51
50-64	582	11.2	96	3	3	9	14	21	26	51
65+	2447	12.9	107	3	4	10	16	24	33	56
GRAND TOTAL	**3119**	**12.5**	**106**	**3**	**4**	**10**	**16**	**24**	**32**	**54**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	7.3	37	2	3	5	9	15	19	31
20-34	472	9.8	50	2	2	9	13	18	23	37
35-49	516	11.6	79	2	4	10	14	21	29	48
50-64	165	10.7	55	2	3	10	14	19	24	43
65+	17	8.9	34	1	2	7	14	16	19	21
B. *Operated*										
0-19 YRS	6	13.2	65	1	2	12	18	24	25	25
20-34	99	11.7	129	2	3	8	15	21	35	63
35-49	89	10.2	63	2	3	8	13	20	29	37
50-64	26	9.1	42	2	3	7	13	18	23	26
65+	4	10.0	105	3	3	6	16	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	9.1	67	2	2	5	14	21	27	30
20-34	325	11.4	85	2	3	10	15	22	30	64
35-49	492	12.7	123	3	4	10	16	24	32	64
50-64	370	13.1	110	3	4	10	15	26	34	76
65+	108	12.0	83	3	4	10	15	24	31	47
B. *Operated*										
0-19 YRS	5	15.4	172	5	5	13	38	94	99+	99+
20-34	103	16.0	256	3	4	12	18	30	53	97
35-49	189	18.2	242	2	4	14	24	39	60	93
50-64	132	20.6	319	3	5	16	26	46	69	99+
65+	33	16.1	132	4	6	13	20	36	45	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1202	10.6	64	2	3	9	14	19	24	43
B. *Operated*	224	10.8	90	2	3	8	14	21	29	42
2. MULTIPLE DX										
A. *Not Operated*	1315	12.4	106	3	3	10	15	24	32	63
B. *Operated*	462	18.2	260	3	4	14	23	39	60	99+
1. SINGLE DX	1426	10.6	68	2	3	9	14	20	26	43
2. MULTIPLE DX	1777	13.9	152	3	4	10	17	28	38	84
A. NOT OPERATED	2517	11.5	87	2	3	9	14	21	30	53
B. OPERATED	686	15.8	216	3	3	12	19	35	50	95
TOTAL 0-19 YRS	63	9.0	62	2	2	6	13	20	30	91
20-34	999	11.2	94	2	3	9	14	21	29	63
35-49	1286	12.9	124	3	4	10	16	25	35	64
50-64	693	13.8	146	3	4	11	17	27	38	84
65+	162	12.5	91	3	4	10	15	25	35	47
GRAND TOTAL	**3203**	**12.5**	**117**	**2**	**3**	**10**	**15**	**24**	**34**	**66**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	984	3.8	10	1	1	3	5	7	9	17
20-34	767	4.2	13	1	1	3	5	8	11	20
35-49	398	4.5	15	1	1	3	6	9	12	21
50-64	246	4.7	28	1	1	3	6	8	10	22
65+	120	4.6	12	1	1	4	6	9	10	18
B. *Operated*										
0-19 YRS	17	7.6	53	2	2	4	11	20	25	27
20-34	37	7.0	39	2	2	5	9	12	18	34
35-49	32	8.2	36	1	2	7	11	15	22	25
50-64	19	7.3	24	2	2	6	10	15	18	19
65+	4	3.0	5	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	917	5.1	35	1	1	4	6	9	13	31
20-34	1011	6.5	32	1	2	5	8	13	17	29
35-49	751	6.7	34	1	2	5	9	14	18	34
50-64	810	7.6	49	2	2	6	9	15	20	39
65+	797	7.8	47	2	2	6	10	15	20	42
B. *Operated*										
0-19 YRS	48	12.8	194	2	2	8	16	33	46	55
20-34	84	8.2	66	1	2	6	10	18	27	42
35-49	98	10.1	72	2	3	8	12	18	24	52
50-64	98	12.7	141	2	3	10	15	25	31	71
65+	93	15.0	169	3	4	11	18	36	45	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2515	4.2	14	1	1	3	5	8	10	18
B. *Operated*	109	7.3	36	2	2	5	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	4286	6.7	40	1	2	5	8	13	18	33
B. *Operated*	421	11.7	127	2	3	8	14	25	36	55
1. SINGLE DX	2624	4.3	15	1	1	3	5	8	11	20
2. MULTIPLE DX	4707	7.1	50	1	2	5	9	14	19	38
A. NOT OPERATED	6801	5.8	32	1	1	4	7	11	16	29
B. OPERATED	530	10.8	111	2	2	8	14	22	32	55
TOTAL 0-19 YRS	1966	4.7	28	1	1	3	5	9	12	27
20-34	1899	5.6	28	1	1	4	7	11	16	28
35-49	1279	6.3	33	1	1	5	8	13	17	29
50-64	1173	7.4	56	1	2	5	9	15	20	39
65+	1014	8.1	60	2	2	6	10	16	22	46
GRAND TOTAL	**7331**	**6.1**	**39**	**1**	**1**	**4**	**7**	**12**	**17**	**33**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	500	4.8	20	1	1	4	6	10	14	27
20-34	649	6.5	31	1	2	5	8	14	18	30
35-49	489	7.2	34	1	2	5	9	14	18	29
50-64	447	8.4	55	2	2	6	11	18	24	39
65+	466	8.7	56	2	3	7	11	17	24	46
B. *Operated*										
0-19 YRS	377	6.7	40	1	2	5	8	14	19	31
20-34	437	8.1	58	1	2	6	11	17	21	46
35-49	392	7.9	48	2	2	6	11	16	20	31
50-64	396	10.2	116	2	2	7	12	20	30	53
65+	263	11.3	104	2	3	8	16	25	34	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	732	6.6	62	1	1	4	8	14	22	74
20-34	925	9.1	97	2	2	6	11	20	29	85
35-49	819	9.7	102	2	2	7	12	19	28	71
50-64	1359	11.7	115	2	3	9	15	25	36	70
65+	2778	12.8	112	3	4	10	16	26	34	62
B. *Operated*										
0-19 YRS	565	9.6	131	1	2	6	12	24	41	99+
20-34	626	14.9	319	2	2	9	21	62	99+	99+
35-49	641	13.0	169	2	3	10	17	28	47	99+
50-64	974	14.6	177	2	3	11	19	31	47	98
65+	1174	17.4	225	2	3	13	24	38	49	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2551	7.0	40	1	2	5	9	15	19	33
B. *Operated*	1865	8.7	73	2	2	6	11	18	24	45
2. MULTIPLE DX										
A. *Not Operated*	6613	11.0	108	2	3	8	14	23	33	68
B. *Operated*	3980	14.5	212	2	3	10	19	35	54	99+
1. SINGLE DX	4416	7.7	55	1	2	5	10	16	22	40
2. MULTIPLE DX	10593	12.3	150	2	3	9	15	27	40	99+
A. NOT OPERATED	9164	9.9	92	2	2	7	12	21	29	60
B. OPERATED	5845	12.7	175	2	2	9	16	30	44	99+
TOTAL 0-19 YRS	2174	7.0	69	1	2	5	8	15	23	94
20-34	2637	9.7	136	1	2	6	12	22	37	99+
35-49	2341	9.8	102	2	2	7	12	20	28	75
50-64	3176	12.0	130	2	3	9	15	25	36	73
65+	4681	13.4	141	3	3	10	17	28	38	68
GRAND TOTAL	**15009**	**11.0**	**126**	**2**	**2**	**8**	**14**	**24**	**35**	**83**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	528	3.3	5	1	1	3	4	6	7	11
20-34	1153	4.2	10	1	1	3	5	8	10	14
35-49	703	4.6	12	1	2	4	6	8	10	19
50-64	253	4.7	15	1	1	4	6	10	13	22
65+	37	5.3	8	2	3	4	6	10	11	13
B. *Operated*										
0-19 YRS	25	3.7	4	1	2	3	5	7	8	8
20-34	121	5.4	12	2	2	5	7	9	12	19
35-49	99	6.1	28	1	2	4	7	15	18	26
50-64	37	6.5	15	2	3	5	7	14	15	17
65+	4	18.0	345	2	2	13	32	43	43	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	303	4.3	10	1	1	3	5	7	10	17
20-34	1199	5.7	16	1	2	5	7	11	14	21
35-49	1006	6.0	18	2	2	5	8	10	13	23
50-64	585	6.7	19	2	2	6	9	12	15	21
65+	176	6.9	45	2	2	6	8	12	17	37
B. *Operated*										
0-19 YRS	19	5.1	12	2	2	4	8	9	12	15
20-34	148	8.7	32	3	3	7	10	15	22	29
35-49	129	9.2	40	2	3	7	11	18	24	32
50-64	77	9.3	31	2	3	8	13	17	20	23
65+	14	7.9	16	3	4	7	8	14	16	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2674	4.2	10	1	1	3	5	8	10	16
B. *Operated*	286	5.8	23	2	2	5	7	11	16	23
2. MULTIPLE DX										
A. *Not Operated*	3269	5.9	19	2	2	5	7	11	14	22
B. *Operated*	387	8.8	33	2	3	7	11	16	21	28
1. SINGLE DX	2960	4.4	12	1	2	4	5	8	10	18
2. MULTIPLE DX	3656	6.2	21	2	2	5	8	11	15	24
A. NOT OPERATED	5943	5.1	16	1	2	4	6	10	12	20
B. OPERATED	673	7.5	31	2	2	6	9	15	19	27
TOTAL 0-19 YRS	875	3.7	7	1	1	3	5	7	8	14
20-34	2621	5.2	16	1	2	4	7	10	12	20
35-49	1937	5.7	19	1	2	5	7	10	13	24
50-64	952	6.4	20	2	2	5	8	12	16	21
65+	231	6.9	43	2	2	6	8	12	17	41
GRAND TOTAL	**6616**	**5.4**	**18**	**1**	**2**	**4**	**7**	**10**	**13**	**22**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.9	21	1	1	4	4	13	15	15
20-34	58	2.8	5	1	1	2	3	6	8	12
35-49	52	3.3	5	<1	2	3	4	6	10	12
50-64	61	3.5	5	1	1	3	4	7	8	11
65+	19	4.3	19	1	1	3	6	8	15	20
B. *Operated*										
0-19 YRS	90	3.1	11	1	1	2	3	4	6	22
20-34	2000	2.5	4	1	1	2	3	4	5	10
35-49	2881	2.8	5	1	1	2	3	4	6	12
50-64	2932	2.8	5	1	1	2	3	4	5	12
65+	1144	3.2	8	1	2	2	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.8	5	2	2	5	6	8	8	8
20-34	48	5.7	15	1	1	5	8	12	14	15
35-49	119	6.1	17	1	2	5	8	12	13	22
50-64	144	5.9	19	1	1	5	8	12	15	19
65+	64	8.1	30	1	3	7	10	15	19	28
B. *Operated*										
0-19 YRS	31	3.7	28	1	2	2	3	5	9	31
20-34	476	3.8	11	1	2	3	4	7	10	18
35-49	1077	4.8	27	1	2	3	5	10	14	27
50-64	1534	4.5	16	2	2	3	5	9	13	22
65+	889	5.2	24	2	2	4	6	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	3.4	7	1	1	3	4	6	9	14
B. *Operated*	9047	2.8	5	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	381	6.3	20	1	2	5	8	13	15	21
B. *Operated*	4007	4.6	21	1	2	3	5	10	13	24
1. SINGLE DX	9244	2.8	5	1	1	2	3	4	6	12
2. MULTIPLE DX	4388	4.8	21	1	2	3	5	10	14	24
A. NOT OPERATED	578	5.3	18	1	1	4	7	11	14	19
B. OPERATED	13054	3.4	11	1	2	2	3	6	9	18
TOTAL 0-19 YRS	134	3.4	15	1	2	2	4	5	8	24
20-34	2582	2.8	5	1	1	2	3	5	6	13
35-49	4129	3.4	12	1	2	2	3	6	9	17
50-64	4671	3.4	10	1	2	3	4	6	9	18
65+	2116	4.2	17	1	2	3	5	8	12	21
GRAND TOTAL	**13632**	**3.4**	**11**	**1**	**2**	**2**	**4**	**6**	**9**	**18**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	186	7.1	63	1	2	5	9	14	18	42
20-34	572	6.5	39	1	2	5	8	13	18	30
35-49	640	6.4	40	1	2	5	8	12	15	28
50-64	639	6.7	40	1	2	5	8	13	17	42
65+	350	7.8	40	2	2	6	10	17	20	35
B. *Operated*										
0-19 YRS	257	4.4	19	1	2	3	5	8	11	24
20-34	1448	4.6	18	2	2	3	5	8	12	22
35-49	1748	4.9	21	2	2	3	6	10	13	22
50-64	1657	5.1	36	2	2	3	5	10	14	33
65+	614	5.7	36	2	2	4	7	12	16	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	7.7	70	1	2	5	9	16	28	62
20-34	577	7.4	68	2	2	5	9	14	20	69
35-49	1024	7.8	53	2	2	6	9	15	18	37
50-64	1419	8.7	59	2	3	7	11	16	22	44
65+	1390	10.0	73	3	3	8	12	18	25	46
B. *Operated*										
0-19 YRS	117	8.3	170	1	2	4	8	15	31	70
20-34	696	7.8	90	2	2	5	9	17	25	61
35-49	995	8.3	75	2	2	5	11	17	23	51
50-64	1337	8.2	72	2	2	5	10	18	24	54
65+	694	12.6	158	2	3	9	17	27	39	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2387	6.8	42	1	2	5	8	13	18	33
B. *Operated*	5724	4.9	26	2	2	3	5	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	4535	8.7	64	2	3	7	11	16	22	44
B. *Operated*	3839	9.0	97	2	2	5	11	19	27	61
1. SINGLE DX	8111	5.5	31	2	2	4	6	11	[illegible]	28
2. MULTIPLE DX	8374	8.8	80	2	2	6	11	18	24	54
A. NOT OPERATED	6922	8.0	57	2	2	6	10	15	20	42
B. OPERATED	9563	6.5	59	2	2	4	8	14	20	44
TOTAL 0-19 YRS	685	6.4	68	1	2	4	7	12	18	51
20-34	3293	6.1	47	2	2	4	7	12	17	37
35-49	4407	6.5	46	2	2	4	8	13	18	33
50-64	5052	7.1	55	2	2	5	9	14	20	44
65+	3048	9.5	86	2	2	7	12	19	27	53
GRAND TOTAL	**16485**	**7.2**	**59**	**2**	**2**	**5**	**9**	**15**	**20**	**43**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	8	1	1	3	4	8	8	8
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49										
50-64	8	2.3	2	<1	<1	2	3	4	4	4
65+	11	3.5	5	1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	122	5.5	14	2	3	5	6	9	11	28
20-34	188	5.2	8	2	2	5	6	9	11	13
35-49	170	5.0	8	2	3	5	6	8	9	18
50-64	611	5.2	11	2	2	5	6	8	10	23
65+	582	5.7	8	2	3	5	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	72	2	2	8	14	14	14	14
20-34	4	2.0	4	<1	<1	1	3	5	5	5
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	7	3.6	5	<1	<1	3	6	6	6	6
65+	11	3.6	4	<1	1	3	5	6	7	7
B. *Operated*										
0-19 YRS	47	5.3	12	2	2	5	7	8	15	18
20-34	69	5.9	13	2	2	5	7	10	13	20
35-49	105	6.7	22	2	2	5	8	13	16	23
50-64	474	5.9	13	2	2	5	7	10	12	20
65+	556	6.5	20	2	3	5	8	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	3.1	4	<1	1	3	4	6	8	8
B. *Operated*	1673	5.4	10	2	3	5	6	8	10	20
2. MULTIPLE DX										
A. *Not Operated*	27	3.6	8	<1	<1	3	5	6	8	14
B. *Operated*	1251	6.2	17	2	2	5	7	11	14	22
1. SINGLE DX	1699	5.3	10	2	3	5	6	8	10	19
2. MULTIPLE DX	1278	6.1	17	2	2	5	7	11	14	22
A. NOT OPERATED	53	3.3	6	<1	1	3	5	6	8	14
B. OPERATED	2924	5.7	13	2	3	5	7	9	12	21
TOTAL 0-19 YRS	176	5.4	14	2	2	5	6	9	12	25
20-34	263	5.3	9	2	2	5	6	9	11	17
35-49	278	5.6	14	2	2	5	6	9	13	21
50-64	1100	5.5	12	2	2	5	7	9	11	21
65+	1160	6.0	14	2	3	5	7	10	12	22
GRAND TOTAL	**2977**	**5.7**	**13**	**2**	**2**	**5**	**7**	**9**	**12**	**21**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	4	5.0	10	2	2	4	7	9	9	9
35-49	9	3.6	7	1	1	3	4	8	10	10
50-64	26	3.4	22	1	1	2	3	7	11	25
65+	48	3.7	11	1	1	3	5	7	8	21
B. *Operated*										
0-19 YRS	10	3.9	2	2	2	4	5	6	7	7
20-34	15	4.2	4	2	2	4	5	5	9	10
35-49	113	3.7	4	2	2	3	5	6	8	10
50-64	385	4.0	15	1	2	3	5	7	9	16
65+	623	4.2	10	2	2	3	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.8	4	<1	<1	2	4	6	6	6
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	29	4.5	17	1	1	3	5	11	14	17
65+	74	6.0	37	1	2	4	7	14	18	34
B. *Operated*										
0-19 YRS	5	3.6	3	2	2	3	5	6	6	6
20-34	11	8.6	115	2	2	4	9	25	37	38
35-49	38	5.5	14	2	3	5	6	9	12	23
50-64	214	6.0	23	2	2	5	7	11	16	26
65+	508	5.9	23	2	2	5	7	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	3.6	14	1	1	3	4	7	9	23
B. *Operated*	1146	4.1	11	2	2	3	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	110	5.4	30	1	1	3	7	12	17	27
B. *Operated*	776	6.0	24	2	2	5	7	11	14	23
1. SINGLE DX	1236	4.0	11	1	2	3	5	7	9	16
2. MULTIPLE DX	886	5.9	25	2	2	4	7	11	15	23
A. NOT OPERATED	200	4.6	23	1	1	3	6	10	15	23
B. OPERATED	1922	4.8	17	2	2	4	6	9	12	20
TOTAL 0-19 YRS	18	3.3	3	<1	<1	3	5	6	7	7
20-34	35	5.5	42	2	2	4	6	9	15	38
35-49	162	4.1	7	2	2	3	5	7	9	12
50-64	654	4.6	19	1	2	3	6	9	11	19
65+	1253	5.0	17	2	2	4	6	10	12	21
GRAND TOTAL	**2122**	**4.8**	**18**	**2**	**2**	**4**	**6**	**9**	**12**	**20**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	6	3.8	7	2	2	3	4	8	9	9
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64	15	2.9	3	<1	1	3	4	6	7	7
65+	27	3.5	3	1	2	3	4	7	8	8
B. *Operated*										
0-19 YRS	15	3.9	16	2	2	3	4	5	15	18
20-34	28	5.7	133	<1	1	3	5	8	22	62
35-49	38	3.6	4	1	2	3	4	7	8	11
50-64	120	4.3	10	2	2	3	5	8	10	20
65+	230	4.2	15	2	2	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.6	6	1	1	2	6	7	7	7
20-34	3	4.3	1	3	3	5	5	5	5	5
35-49	10	4.6	7	1	2	4	5	9	10	10
50-64	33	6.2	24	1	1	5	8	14	15	21
65+	68	7.6	56	2	2	5	8	18	21	41
B. *Operated*										
0-19 YRS	6	3.7	1	3	3	3	4	6	6	6
20-34	29	5.4	14	1	2	4	7	12	14	15
35-49	46	6.3	50	2	2	4	7	12	16	44
50-64	109	4.5	10	1	2	4	5	9	12	16
65+	270	5.7	29	2	2	4	6	11	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	3.1	4	<1	1	3	4	6	8	9
B. *Operated*	431	4.3	20	2	2	3	5	7	11	19
2. MULTIPLE DX										
A. *Not Operated*	121	6.7	40	1	2	5	8	14	19	37
B. *Operated*	460	5.4	25	2	2	4	6	11	14	24
1. SINGLE DX	488	4.1	18	1	2	3	5	7	10	18
2. MULTIPLE DX	581	5.7	28	1	2	4	7	11	15	25
A. NOT OPERATED	178	5.5	31	1	1	4	7	11	16	31
B. OPERATED	891	4.9	23	2	2	4	5	9	13	23
TOTAL 0-19 YRS	32	3.5	9	<1	1	3	4	6	7	18
20-34	66	5.3	62	1	2	3	5	9	14	55
35-49	99	4.9	27	1	2	4	5	10	12	33
50-64	277	4.5	12	1	2	3	5	9	12	18
65+	595	5.2	26	2	2	4	6	10	15	25
GRAND TOTAL	**1069**	**5.0**	**24**	**1**	**2**	**4**	**6**	**9**	**13**	**24**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
YRS										
35-49	10	3.7	7	<1	<1	3	6	8	9	9
50-64	65	2.8	3	<1	<1	3	3	4	6	9
65+	200	3.1	4	<1	1	3	4	4	5	12
B. *Operated*										
YRS										
35-49	957	3.4	8	2	2	3	4	5	7	12
50-64	6052	3.5	4	2	2	3	4	5	6	11
65+	18677	3.8	6	2	2	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
YRS										
35-49	25	2.8	12	<1	1	2	3	10	33	99+
50-64	147	3.8	18	<1	1	3	4	8	11	23
65+	476	3.7	17	1	1	3	4	8	12	30
B. *Operated*										
YRS										
35-49	463	4.4	14	2	2	3	5	8	11	24
50-64	3881	4.4	11	2	2	3	5	8	10	18
65+	14493	4.8	17	2	2	4	5	8	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	3.1	4	<1	1	3	4	4	6	11
B. *Operated*	25686	3.7	5	2	2	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	648	3.7	17	1	1	3	4	8	11	28
B. *Operated*	18837	4.7	16	2	2	4	5	8	11	21
1. SINGLE DX	25961	3.7	5	2	2	3	4	5	7	12
2. MULTIPLE DX	19485	4.7	16	2	2	4	5	8	11	21
A. NOT OPERATED	923	3.5	13	<1	1	3	4	7	10	23
B. OPERATED	44523	4.1	10	2	2	3	4	6	9	16
TOTAL YRS										
35-49	1455	3.7	10	2	2	3	4	6	8	17
50-64	10145	3.8	7	2	2	3	4	6	8	14
65+	33846	4.2	11	2	2	3	5	7	9	16
GRAND TOTAL	**45446**	**4.1**	**10**	**2**	**2**	**3**	**4**	**6**	**9**	**16**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34										
35-49	3	4.7	8	3	3	3	7	8	8	8
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*										
0-19 YRS	179	3.2	7	1	2	3	3	5	7	20
20-34	134	2.9	2	1	2	3	3	5	5	8
35-49	144	3.1	3	1	2	3	4	5	6	12
50-64	241	3.3	4	1	2	3	4	5	7	13
65+	232	3.4	3	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64	10	2.9	1	1	1	3	4	4	4	4
65+	11	3.5	8	1	1	3	6	8	8	8
B. *Operated*										
0-19 YRS	76	3.8	6	2	2	3	4	7	9	13
20-34	75	3.6	5	2	2	3	4	7	8	12
35-49	97	4.3	10	2	2	3	5	8	10	19
50-64	254	4.5	12	2	2	3	5	8	11	18
65+	278	4.7	16	2	2	4	5	9	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.2	4	1	1	3	4	6	8	8
B. *Operated*	930	3.2	4	1	2	3	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	27	3.4	5	1	1	3	4	7	8	8
B. *Operated*	780	4.4	12	2	2	3	5	8	11	19
1. SINGLE DX	940	3.2	4	1	2	3	4	5	7	12
2. MULTIPLE DX	807	4.4	12	2	2	3	5	8	11	19
A. NOT OPERATED	37	3.4	4	1	1	3	4	7	8	8
B. OPERATED	1710	3.8	8	1	2	3	4	7	8	16
TOTAL 0-19 YRS	259	3.4	7	1	2	3	4	6	8	14
20-34	211	3.1	3	1	2	3	4	5	7	10
35-49	247	3.6	6	1	2	3	4	6	8	12
50-64	506	3.9	8	1	2	3	4	7	9	17
65+	524	4.1	10	1	2	3	5	7	9	19
GRAND TOTAL	**1747**	**3.7**	**8**	**1**	**2**	**3**	**4**	**7**	**8**	**16**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	1.8	4	<1	<1	1	2	4	6	12
20-34	30	3.2	8	<1	1	3	3	5	8	16
35-49	16	6.4	12	1	2	7	9	11	12	12
50-64	25	4.6	10	1	2	4	5	8	12	15
65+	18	5.9	12	2	2	5	8	11	13	14
B. *Operated*										
0-19 YRS	4309	1.9	4	1	1	2	2	2	2	4
20-34	698	2.1	2	1	1	2	2	3	3	6
35-49	311	2.4	2	1	1	2	2	3	4	10
50-64	151	2.5	3	1	2	2	2	4	5	8
65+	71	2.7	3	1	1	2	3	5	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	2.2	8	<1	<1	1	2	5	9	16
20-34	30	3.3	4	1	1	3	5	6	7	7
35-49	37	6.3	30	1	1	5	7	13	17	29
50-64	68	6.6	15	2	2	6	9	13	15	17
65+	85	6.9	19	2	3	6	9	13	16	21
B. *Operated*										
0-19 YRS	771	2.0	3	1	1	2	2	3	3	7
20-34	201	2.5	2	1	1	2	3	3	5	10
35-49	133	3.3	10	1	2	2	3	6	11	18
50-64	125	3.9	17	1	2	2	4	9	13	22
65+	94	5.9	55	2	2	3	7	13	16	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	3.4	10	<1	<1	2	4	8	11	15
B. *Operated*	5540	2.0	4	1	1	2	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	346	4.7	18	<1	1	4	7	10	14	18
B. *Operated*	1324	2.7	10	1	1	2	2	4	7	17
1. SINGLE DX	5702	2.0	4	1	1	2	2	2	3	8
2. MULTIPLE DX	1670	3.1	12	1	1	2	3	6	10	18
A. NOT OPERATED	508	4.3	16	<1	<1	3	6	10	13	17
B. OPERATED	6864	2.1	5	1	1	2	2	2	3	10
TOTAL 0-19 YRS	5279	1.9	4	1	1	2	2	2	3	6
20-34	959	2.3	2	1	1	2	2	3	4	8
35-49	497	3.0	8	1	2	2	3	6	9	15
50-64	369	3.9	13	1	2	2	4	8	11	19
65+	268	5.4	29	1	2	4	7	11	14	22
GRAND TOTAL	**7372**	**2.3**	**6**	**1**	**1**	**2**	**2**	**3**	**4**	**12**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	417	2.1	5	<1	<1	1	2	4	6	12
20-34	87	3.8	10	1	1	3	5	8	9	19
35-49	74	4.5	12	1	1	3	6	10	12	14
50-64	62	5.1	35	<1	1	3	5	14	16	31
65+	98	4.2	20	1	1	3	5	10	15	66
B. *Operated*										
0-19 YRS	477	1.9	2	<1	1	2	2	3	4	7
20-34	469	2.8	4	1	1	2	3	5	6	12
35-49	554	2.6	4	1	1	2	3	4	6	12
50-64	845	2.5	3	1	1	2	3	4	5	10
65+	1087	2.8	7	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	295	3.5	8	1	1	3	5	6	8	14
20-34	91	5.9	76	1	1	4	6	11	19	54
35-49	85	5.3	22	1	1	4	7	12	15	74
50-64	115	6.5	25	1	2	5	9	13	15	27
65+	192	6.6	22	1	2	6	9	13	15	22
B. *Operated*										
0-19 YRS	133	3.7	34	1	1	2	4	8	10	25
20-34	166	4.2	39	1	2	3	4	8	10	29
35-49	441	3.6	19	1	1	3	4	6	8	35
50-64	894	3.7	15	1	1	3	4	6	9	23
65+	1125	4.3	21	1	2	3	5	8	12	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	738	3.1	12	<1	<1	2	4	7	10	18
B. *Operated*	3432	2.6	5	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	778	5.2	25	1	1	4	7	11	14	28
B. *Operated*	2759	4.0	21	1	1	3	4	7	10	27
1. SINGLE DX	4170	2.7	6	<1	1	2	3	5	6	12
2. MULTIPLE DX	3537	4.3	22	1	1	3	5	8	11	27
A. NOT OPERATED	1516	4.2	20	<1	1	3	5	9	12	23
B. OPERATED	6191	3.2	12	1	1	2	3	6	8	18
TOTAL 0-19 YRS	1322	2.5	8	<1	<1	2	3	5	7	12
20-34	813	3.5	21	1	1	2	4	6	9	19
35-49	1154	3.3	12	1	1	2	3	6	9	21
50-64	1916	3.4	12	1	1	2	4	6	9	19
65+	2502	3.9	16	1	1	3	4	7	10	21
GRAND TOTAL	**7707**	**3.4**	**14**	**1**	**1**	**2**	**4**	**6**	**9**	**19**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	405	4.0	7	1	1	4	5	6	8	13
20-34	221	4.3	8	1	1	4	5	8	10	12
35-49	113	4.8	11	1	1	4	6	9	11	17
50-64	130	5.3	27	1	2	4	6	10	13	31
65+	136	5.0	10	1	2	5	7	9	11	15
B. *Operated*										
0-19 YRS	122	3.5	7	1	1	3	4	7	10	14
20-34	130	4.4	11	1	2	3	5	9	11	19
35-49	131	4.2	10	2	2	3	4	7	11	17
50-64	307	4.2	12	1	2	3	5	8	11	18
65+	545	4.2	27	1	2	3	5	7	10	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	342	5.1	21	1	2	4	6	9	11	15
20-34	208	6.2	24	2	2	5	8	12	16	33
35-49	172	6.1	17	1	2	5	9	11	14	20
50-64	252	6.1	17	2	2	5	8	11	14	24
65+	359	7.1	24	1	2	6	9	14	17	25
B. *Operated*										
0-19 YRS	110	5.6	28	2	2	4	6	10	16	33
20-34	196	5.9	34	1	2	5	7	10	15	30
35-49	204	5.5	17	2	2	4	7	11	14	19
50-64	511	6.3	47	2	2	4	7	12	16	40
65+	818	6.2	40	2	2	4	7	12	17	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1005	4.4	11	1	1	4	5	8	10	16
B. *Operated*	1235	4.2	18	1	2	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	1333	6.1	21	1	2	5	8	11	14	22
B. *Operated*	1839	6.1	38	2	2	4	7	11	16	32
1. SINGLE DX	2240	4.3	15	1	2	3	5	8	10	17
2. MULTIPLE DX	3172	6.1	31	2	2	5	8	11	15	28
A. NOT OPERATED	2338	5.4	18	1	2	4	7	10	13	20
B. OPERATED	3074	5.3	31	2	2	4	6	10	14	27
TOTAL 0-19 YRS	979	4.5	15	1	2	4	5	8	10	16
20-34	755	5.2	21	1	2	4	6	10	13	24
35-49	620	5.3	15	1	2	4	7	10	13	19
50-64	1200	5.6	30	2	2	4	7	10	14	27
65+	1858	5.7	32	2	2	4	7	11	15	28
GRAND TOTAL	**5412**	**5.3**	**25**	**1**	**2**	**4**	**6**	**10**	**13**	**25**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.1	9	1	1	2	4	6	7	18
20-34	39	4.6	12	1	1	3	7	10	12	15
35-49	41	3.7	7	<1	1	3	5	6	10	14
50-64	32	4.0	5	1	2	4	5	7	8	12
65+	16	3.3	2	1	1	3	4	6	6	6
B. *Operated*										
0-19 YRS	27	2.2	2	<1	<1	2	2	3	5	8
20-34	71	2.5	1	1	2	2	3	4	5	7
35-49	45	2.8	3	1	1	2	3	5	7	8
50-64	35	3.4	4	2	2	3	4	6	8	10
65+	19	3.7	8	2	2	2	4	7	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	4.6	32	<1	1	3	5	9	17	32
20-34	91	4.6	14	1	1	3	6	9	13	21
35-49	67	4.6	10	1	2	4	6	9	12	15
50-64	136	5.9	14	1	2	5	8	11	12	20
65+	125	6.7	22	2	3	6	9	12	15	26
B. *Operated*										
0-19 YRS	37	3.8	8	1	2	3	4	8	10	14
20-34	53	4.9	17	2	2	4	6	9	11	23
35-49	41	6.0	21	2	2	5	7	11	16	23
50-64	76	7.0	26	2	2	6	9	15	18	24
65+	101	6.9	30	2	2	5	9	14	19	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	3.7	8	1	1	3	5	7	10	15
B. *Operated*	197	2.8	3	1	2	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	477	5.5	19	1	2	4	7	11	13	23
B. *Operated*	308	6.1	24	2	2	4	8	13	17	23
1. SINGLE DX	369	3.2	6	1	1	2	4	6	8	13
2. MULTIPLE DX	785	5.8	21	1	2	4	7	11	15	23
A. NOT OPERATED	649	5.1	17	1	1	4	6	10	12	23
B. OPERATED	505	4.8	18	2	2	3	6	10	14	23
TOTAL 0-19 YRS	166	3.6	16	1	1	3	4	6	10	22
20-34	254	4.1	12	1	2	3	5	8	11	21
35-49	194	4.3	11	1	2	3	5	9	12	17
50-64	279	5.7	17	2	2	4	7	11	13	22
65+	261	6.3	24	2	2	5	8	12	16	25
GRAND TOTAL	**1154**	**4.9**	**17**	**1**	**2**	**4**	**6**	**10**	**13**	**23**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1411	2.9	4	1	1	3	4	5	6	10
20-34	63	4.2	6	1	1	4	5	8	9	13
35-49	29	3.5	3	1	1	3	4	6	7	8
50-64	27	4.6	9	1	1	4	7	9	10	11
65+	11	4.5	12	1	1	4	7	10	12	12
B. *Operated*										
0-19 YRS	6855	1.4	2	<1	<1	1	2	2	3	6
20-34	661	2.4	3	1	1	2	3	3	4	8
35-49	596	2.5	2	1	1	2	3	3	4	7
50-64	552	2.5	1	1	1	2	3	3	4	5
65+	168	2.6	12	1	1	2	3	3	4	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4041	3.8	11	1	1	3	5	7	8	13
20-34	163	4.7	12	1	1	4	6	8	12	17
35-49	99	6.6	22	1	2	6	8	12	14	29
50-64	114	6.0	24	1	2	5	8	11	15	58
65+	108	7.8	39	2	3	6	9	15	17	37
B. *Operated*										
0-19 YRS	6327	1.9	3	<1	1	2	2	3	3	9
20-34	793	2.8	4	1	2	2	3	4	6	12
35-49	683	3.2	8	2	2	3	3	5	6	16
50-64	669	3.6	20	1	2	3	4	6	9	17
65+	215	4.0	25	2	2	3	4	7	10	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1541	3.0	5	1	1	3	4	5	7	11
B. *Operated*	8832	1.7	2	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	4525	4.0	12	1	1	3	5	7	9	14
B. *Operated*	8687	2.3	6	<1	1	2	2	3	5	11
1. SINGLE DX	10373	1.9	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	13212	2.9	9	1	1	2	3	5	7	13
A. NOT OPERATED	6066	3.8	11	1	1	3	5	7	8	14
B. OPERATED	17519	2.0	4	<1	<1	2	2	3	4	10
TOTAL 0-19 YRS	18634	2.2	5	<1	<1	2	2	4	6	10
20-34	1680	2.9	5	1	1	2	3	5	7	13
35-49	1407	3.1	8	1	2	2	3	5	7	15
50-64	1362	3.3	14	1	2	3	3	5	9	15
65+	502	4.3	27	1	1	3	4	8	13	31
GRAND TOTAL	**23585**	**2.4**	**7**	**<1**	**<1**	**2**	**3**	**4**	**6**	**12**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	202	3.8	10	1	1	3	5	6	9	23
20-34	88	3.6	4	1	1	3	5	6	8	11
35-49	47	4.5	12	1	2	3	5	11	12	15
50-64	27	5.3	13	2	2	3	7	11	13	15
65+	14	7.5	11	3	3	8	9	11	14	15
B. *Operated*										
0-19 YRS	1031	1.5	10	<1	<1	1	2	2	3	7
20-34	114	2.8	9	1	1	2	3	5	7	99+
35-49	90	2.5	2	1	1	2	3	4	5	10
50-64	97	2.6	3	1	1	2	3	5	6	11
65+	50	4.4	16	1	1	3	5	12	15	99
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	454	4.2	12	1	1	3	5	8	10	15
20-34	136	4.8	7	1	2	4	6	8	9	14
35-49	99	6.3	16	2	3	6	8	9	12	26
50-64	95	8.0	114	2	3	6	9	12	16	73
65+	91	7.9	31	2	3	6	10	16	19	28
B. *Operated*										
0-19 YRS	1068	2.3	13	1	1	2	2	3	5	13
20-34	176	4.3	66	2	2	3	4	6	9	36
35-49	144	3.8	14	2	2	3	4	7	11	21
50-64	141	5.4	43	2	2	3	5	11	16	44
65+	84	9.1	127	1	2	4	11	21	37	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	4.1	10	1	1	3	5	8	10	15
B. *Operated*	1382	1.9	10	<1	<1	1	2	3	5	11
2. MULTIPLE DX										
A. *Not Operated*	875	5.3	27	1	2	4	6	9	12	24
B. *Operated*	1613	3.3	30	1	1	2	3	6	9	26
1. SINGLE DX	1760	2.4	10	<1	1	1	3	5	6	13
2. MULTIPLE DX	2488	4.0	30	1	1	2	5	8	11	25
A. NOT OPERATED	1253	5.0	22	1	2	4	6	9	12	22
B. OPERATED	2995	2.6	21	<1	1	2	2	5	7	20
TOTAL 0-19 YRS	2755	2.5	12	<1	1	2	3	5	7	13
20-34	514	4.0	28	1	1	3	5	7	8	30
35-49	380	4.2	13	1	2	3	5	8	11	18
50-64	360	5.3	52	1	2	3	6	10	14	42
65+	239	7.6	63	1	2	5	9	16	21	50
GRAND TOTAL	**4248**	**3.3**	**22**	**<1**	**1**	**2**	**4**	**7**	**9**	**21**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	4.3	7	1	2	4	5	7	10	14
20-34	451	4.4	11	1	1	4	6	8	9	17
35-49	534	4.1	6	1	2	4	5	8	9	15
50-64	736	4.4	9	1	2	4	6	8	10	15
65+	538	4.7	11	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	12	4.3	9	2	2	3	6	10	11	11
20-34	48	4.0	5	2	2	4	5	8	8	11
35-49	92	4.5	11	2	2	3	5	9	11	18
50-64	148	5.4	20	2	2	4	7	10	12	24
65+	43	7.1	28	2	2	6	9	14	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	4.9	9	1	2	4	6	10	11	14
20-34	441	5.3	12	2	2	4	7	9	12	19
35-49	800	5.8	16	2	2	5	7	11	13	21
50-64	1474	6.0	23	2	2	5	7	11	14	22
65+	2185	6.4	23	2	2	5	8	11	14	26
B. *Operated*										
0-19 YRS	7	4.9	6	2	2	5	6	8	9	9
20-34	47	7.8	27	2	2	7	10	16	20	21
35-49	91	8.6	26	3	3	8	12	15	18	27
50-64	179	9.1	36	2	3	8	12	16	21	32
65+	145	10.9	69	3	4	9	12	19	28	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2357	4.4	9	1	2	4	6	8	10	16
B. *Operated*	343	5.1	16	2	2	4	7	10	12	21
2. MULTIPLE DX										
A. *Not Operated*	4986	6.0	21	2	2	5	7	11	14	22
B. *Operated*	469	9.4	44	2	3	8	12	17	21	35
1. SINGLE DX	2700	4.5	10	1	2	4	6	8	10	17
2. MULTIPLE DX	5455	6.3	23	2	2	5	8	12	14	26
A. NOT OPERATED	7343	5.5	17	1	2	4	7	10	13	21
B. OPERATED	812	7.6	37	2	2	6	10	14	18	31
TOTAL 0-19 YRS	203	4.6	8	1	2	4	6	9	11	14
20-34	987	4.9	13	1	2	4	6	9	11	20
35-49	1517	5.3	14	2	2	4	7	10	12	19
50-64	2537	5.7	21	2	2	5	7	11	14	22
65+	2911	6.3	24	2	2	5	8	11	14	27
GRAND TOTAL	**8155**	**5.7**	**20**	**2**	**2**	**5**	**7**	**11**	**13**	**22**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.7	1	<1	<1	<1	2	3	3	3
35-49	4	2.0	1	<1	<1	2	3	3	3	3
50-64	5	2.2		2	2	2	3	3	3	3
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	62	2.5	1	1	2	2	3	3	4	8
20-34	477	2.7	1	2	2	3	3	4	4	5
35-49	605	2.8	1	2	2	3	3	4	4	6
50-64	696	2.8	2	2	2	3	3	4	4	7
65+	267	3.0	4	2	2	3	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	16.5	145	8	8	16	25	25	25	25
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	7	4.4	17	<1	<1	4	8	11	11	11
50-64	7	6.1	24	2	2	5	10	14	14	14
65+	10	6.4	27	1	1	5	10	14	17	17
B. *Operated*										
0-19 YRS	11	2.9	3	<1	1	2	3	6	8	8
20-34	88	3.0	2	2	2	3	3	4	4	10
35-49	155	3.1	3	2	2	3	3	5	7	11
50-64	190	3.4	7	2	2	3	4	5	7	19
65+	81	3.3	5	2	2	3	4	6	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*	2107	2.8	2	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	29	6.1	33	1	1	5	9	13	17	25
B. *Operated*	525	3.2	5	2	2	3	3	5	7	13
1. SINGLE DX	2121	2.8	2	2	2	3	3	4	4	6
2. MULTIPLE DX	554	3.4	6	2	2	3	4	5	7	17
A. NOT OPERATED	43	4.8	26	<1	1	3	6	11	15	25
B. OPERATED	2632	2.9	2	2	2	3	3	4	5	8
TOTAL 0-19 YRS	75	2.9	8	1	2	2	3	3	7	21
20-34	571	2.7	1	2	2	3	3	4	4	6
35-49	771	2.8	2	2	2	3	3	4	5	9
50-64	898	3.0	3	2	2	3	3	4	5	10
65+	360	3.2	5	2	2	3	3	4	6	12
GRAND TOTAL	**2675**	**2.9**	**3**	**2**	**2**	**3**	**3**	**4**	**5**	**9**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	2.3	3	<1	<1	2	3	5	6	10
20-34	72	3.7	4	1	1	3	5	6	8	10
35-49	75	3.4	3	1	1	3	4	5	7	9
50-64	93	4.3	9	1	2	4	5	8	10	18
65+	45	4.4	7	2	2	4	5	8	11	13
B. *Operated*										
0-19 YRS	1234	2.1	2	1	1	2	2	3	3	6
20-34	774	2.4	1	1	1	2	3	3	4	8
35-49	617	2.5	3	1	1	2	3	4	4	7
50-64	495	2.6	4	1	1	2	3	4	5	11
65+	176	3.1	15	1	2	2	3	4	6	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	4.4	49	<1	1	3	4	7	17	42
20-34	73	6.8	145	1	1	4	7	13	21	81
35-49	109	5.3	38	1	1	4	6	10	13	37
50-64	115	5.5	20	1	1	4	6	11	14	23
65+	133	6.4	19	1	2	5	8	13	15	20
B. *Operated*										
0-19 YRS	1077	2.3	6	<1	1	2	2	3	4	10
20-34	644	2.6	3	1	2	2	3	4	5	9
35-49	554	3.1	7	1	2	2	3	5	7	17
50-64	518	3.2	8	2	2	3	3	5	8	18
65+	195	4.1	34	2	2	3	4	7	11	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	3.6	6	1	1	3	5	6	8	12
B. *Operated*	3296	2.3	3	1	1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	505	5.7	46	1	1	4	7	11	15	30
B. *Operated*	2988	2.8	8	1	1	2	3	4	6	16
1. SINGLE DX	3648	2.5	4	1	1	2	3	4	5	9
2. MULTIPLE DX	3493	3.2	15	1	1	2	3	5	8	19
A. NOT OPERATED	857	4.9	31	1	1	4	6	9	13	24
B. OPERATED	6284	2.6	6	1	1	2	3	4	5	12
TOTAL 0-19 YRS	2453	2.2	6	1	1	2	2	3	4	9
20-34	1563	2.8	10	1	1	2	3	4	5	11
35-49	1355	3.0	8	1	2	2	3	5	7	13
50-64	1221	3.3	8	1	2	2	3	6	8	17
65+	549	4.3	24	1	2	3	5	8	12	24
GRAND TOTAL	**7141**	**2.8**	**9**	**1**	**1**	**2**	**3**	**4**	**6**	**15**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	241	8.0	30	2	3	7	10	15	18	32
20-34	81	8.6	28	3	4	7	10	17	20	24
35-49	20	7.2	15	2	3	6	9	13	14	15
50-64	16	11.8	58	2	2	10	16	24	27	28
65+	10	7.6	35	<1	<1	7	9	17	18	18
B. *Operated*										
0-19 YRS	3	6.7	66	1	1	3	13	16	16	16
20-34	4	13.0	153	4	4	8	21	31	31	31
35-49	4	5.3	21	2	2	3	8	12	12	12
50-64	3	10.7	20	6	6	11	14	15	15	15
65+	2	38.5	181	29	29	38	48	48	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	8.6	39	2	3	7	12	17	23	28
20-34	78	6.9	16	2	3	6	8	13	15	20
35-49	66	7.8	27	3	3	6	10	14	17	28
50-64	86	9.3	44	2	2	8	11	19	24	32
65+	96	10.7	58	3	3	8	14	21	27	39
B. *Operated*										
0-19 YRS	4	14.3	131	6	6	10	21	31	31	31
20-34	17	10.2	84	1	2	6	17	21	31	36
35-49	40	12.4	110	2	2	8	18	29	36	38
50-64	40	13.6	203	1	2	9	18	33	44	66
65+	32	19.8	286	3	4	15	29	41	44	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	368	8.2	31	2	3	7	10	16	19	28
B. *Operated*	16	12.6	170	1	2	8	15	31	43	48
2. MULTIPLE DX										
A. *Not Operated*	453	8.8	40	2	3	7	11	16	22	32
B. *Operated*	133	14.3	184	2	2	9	20	36	40	69
1. SINGLE DX	384	8.4	37	2	3	7	11	16	20	31
2. MULTIPLE DX	586	10.0	77	2	3	7	13	21	28	41
A. NOT OPERATED	821	8.5	36	2	3	7	11	16	21	31
B. OPERATED	149	14.1	181	2	2	9	19	35	40	66
TOTAL 0-19 YRS	375	8.3	34	2	3	7	10	16	21	32
20-34	180	8.1	31	2	3	7	10	16	19	29
35-49	130	9.0	55	2	3	7	12	18	25	37
50-64	145	10.8	91	2	2	9	14	23	29	49
65+	140	13.0	133	2	3	9	16	29	37	51
GRAND TOTAL	**970**	**9.4**	**62**	**2**	**3**	**7**	**12**	**18**	**24**	**38**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	5.8	17	2	2	4	6	12	16	17
20-34	49	3.9	2	2	2	4	5	6	6	9
35-49	58	5.5	15	1	2	5	7	9	12	23
50-64	47	5.2	16	1	2	4	7	9	14	22
65+	38	10.8	62	1	3	9	17	21	22	40
B. *Operated*										
0-19 YRS	10	4.4	26	1	1	2	3	14	14	14
20-34	79	8.2	60	2	2	4	11	21	26	31
35-49	208	8.1	53	2	2	5	12	17	23	33
50-64	244	8.8	67	2	2	5	14	20	26	38
65+	58	13.3	117	2	2	12	20	27	33	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	9.3	187	1	2	5	9	15	41	70
20-34	173	5.8	29	2	2	5	6	11	13	32
35-49	396	7.3	54	2	2	6	9	13	16	38
50-64	724	8.6	57	2	3	7	10	16	22	42
65+	867	10.7	73	3	4	9	13	20	27	40
B. *Operated*										
0-19 YRS	34	6.9	34	2	2	4	12	15	19	22
20-34	140	10.0	96	2	2	8	13	21	30	51
35-49	420	10.7	112	2	2	9	15	23	30	55
50-64	748	12.8	141	2	2	10	17	27	38	63
65+	435	15.3	191	2	2	13	20	32	46	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	206	6.1	26	1	2	5	7	12	17	23
B. *Operated*	599	8.8	67	2	2	5	13	20	26	35
2. MULTIPLE DX										
A. *Not Operated*	2189	9.0	64	2	3	7	11	17	23	41
B. *Operated*	1777	12.6	145	2	2	10	17	27	37	67
1. SINGLE DX	805	8.1	58	2	2	5	12	18	24	34
2. MULTIPLE DX	3966	10.6	104	2	2	8	14	22	30	54
A. NOT OPERATED	2395	8.7	62	2	3	7	11	17	22	40
B. OPERATED	2376	11.6	128	2	2	9	16	25	33	60
TOTAL 0-19 YRS	87	7.2	82	1	2	4	10	14	17	58
20-34	441	7.4	57	2	2	5	10	14	23	39
35-49	1082	8.7	77	2	2	6	11	17	24	45
50-64	1763	10.3	98	2	2	7	14	22	30	50
65+	1398	12.2	116	2	3	9	16	24	33	57
GRAND TOTAL	**4771**	**10.2**	**97**	**2**	**2**	**7**	**13**	**21**	**28**	**51**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	125	4.3	8	1	1	4	6	8	9	14
20-34	582	4.6	7	2	2	4	6	8	9	14
35-49	1108	5.1	13	1	2	4	6	9	11	19
50-64	1184	5.4	13	2	2	4	7	10	12	19
65+	613	5.9	24	2	2	5	7	11	14	22
B. *Operated*										
0-19 YRS	30	4.8	11	1	2	4	7	10	12	12
20-34	103	4.5	14	1	2	3	6	9	12	20
35-49	112	5.6	22	2	2	4	7	11	12	29
50-64	103	5.9	20	1	2	5	8	14	15	19
65+	41	7.6	29	2	2	6	10	16	18	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	186	6.4	59	2	2	5	8	13	14	21
20-34	1501	6.0	19	2	2	5	7	10	13	24
35-49	4446	6.6	19	2	3	6	8	11	14	21
50-64	7000	7.2	28	2	3	6	9	13	16	26
65+	6567	8.1	41	2	3	7	10	15	19	34
B. *Operated*										
0-19 YRS	31	8.8	46	2	2	8	12	16	22	33
20-34	323	7.9	55	1	2	6	10	16	18	27
35-49	795	9.7	53	2	3	8	13	18	22	35
50-64	1155	10.8	76	2	3	9	14	20	26	50
65+	833	13.3	100	3	4	11	17	26	32	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3612	5.2	14	2	2	4	6	9	12	19
B. *Operated*	389	5.6	20	2	2	4	8	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	19700	7.3	30	2	3	6	9	13	17	28
B. *Operated*	3137	10.9	77	2	3	9	14	21	27	43
1. SINGLE DX	4001	5.3	14	2	2	4	7	9	12	20
2. MULTIPLE DX	22837	7.8	38	2	3	6	10	14	18	32
A. NOT OPERATED	23312	6.9	28	2	3	6	9	13	16	27
B. OPERATED	3526	10.3	73	2	2	8	13	20	26	42
TOTAL 0-19 YRS	372	5.8	38	1	2	4	7	11	14	22
20-34	2509	5.9	22	2	2	5	7	10	14	23
35-49	6461	6.7	24	2	2	5	8	12	15	24
50-64	9442	7.4	33	2	3	6	9	14	17	29
65+	8054	8.5	49	2	3	7	11	16	21	36
GRAND TOTAL	**26838**	**7.4**	**36**	**2**	**3**	**6**	**9**	**14**	**18**	**30**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.8	9	2	2	6	8	10	10	10
20-34	26	5.4	9	1	1	5	7	10	11	12
35-49	127	7.5	40	3	3	6	8	13	16	31
50-64	299	6.8	14	2	2	6	9	12	15	18
65+	372	7.6	36	2	3	6	9	13	16	38
B. *Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	3	4.7	9	2	2	4	7	8	8	8
35-49	18	7.4	44	2	2	4	13	18	20	20
50-64	43	7.9	39	2	2	7	12	17	19	28
65+	20	10.0	72	2	2	7	19	21	25	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	7.2	17	2	2	7	10	13	14	14
20-34	94	8.7	47	3	4	7	10	15	22	42
35-49	904	8.6	30	3	3	7	11	15	19	28
50-64	2754	9.0	37	3	3	8	11	17	20	32
65+	5701	10.5	64	3	4	8	13	19	25	41
B. *Operated*										
0-19 YRS	2	11.0	200	1	1	11	21	21	21	21
20-34	26	10.9	91	1	2	6	20	24	28	33
35-49	187	11.8	75	2	3	10	16	22	30	48
50-64	524	13.1	108	2	3	11	17	25	30	59
65+	748	17.2	140	4	5	15	23	32	40	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	829	7.2	28	2	3	6	9	13	15	25
B. *Operated*	86	8.1	46	2	2	5	12	19	20	28
2. MULTIPLE DX										
A. *Not Operated*	9463	9.9	54	3	4	8	12	18	23	37
B. *Operated*	1487	15.0	125	2	3	12	20	29	36	58
1. SINGLE DX	915	7.3	30	2	2	6	9	13	16	27
2. MULTIPLE DX	10950	10.6	66	3	4	8	13	20	26	43
A. NOT OPERATED	10292	9.7	52	3	4	8	12	18	22	37
B. OPERATED	1573	14.6	123	2	3	12	20	28	36	58
TOTAL 0-19 YRS	19	6.9	25	1	2	6	10	13	18	21
20-34	149	8.4	50	2	2	7	10	17	23	36
35-49	1236	9.0	39	2	3	7	11	16	20	33
50-64	3620	9.4	48	2	3	8	12	18	22	35
65+	6841	11.1	76	3	4	9	14	21	27	46
GRAND TOTAL	**11865**	**10.3**	**64**	**3**	**3**	**8**	**13**	**20**	**25**	**42**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.5	14	1	1	3	7	11	11	11
20-34	24	6.2	26	1	1	4	9	14	17	21
35-49	37	6.8	24	2	2	6	9	13	19	21
50-64	59	6.0	28	1	1	5	8	10	13	34
65+	47	8.2	38	2	3	7	11	13	14	41
B. *Operated*										
0-19 YRS	9	4.6	15	1	1	3	7	11	12	12
20-34	28	8.3	42	1	2	7	11	16	22	29
35-49	59	8.2	50	1	2	6	11	19	25	28
50-64	53	7.8	91	<1	<1	5	8	19	28	52
65+	30	12.4	229	1	2	9	14	23	26	84
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.8	20	1	2	5	9	10	15	20
20-34	88	6.7	38	1	1	5	8	15	19	34
35-49	138	7.5	45	1	2	6	9	16	20	47
50-64	402	7.7	71	1	1	5	11	16	21	44
65+	764	9.9	66	1	1	8	14	21	27	37
B. *Operated*										
0-19 YRS	30	9.3	132	1	2	6	15	39	95	99+
20-34	115	10.7	71	1	2	9	14	23	32	57
35-49	182	11.4	96	1	2	9	15	22	28	41
50-64	312	13.1	142	2	3	10	16	25	37	61
65+	243	17.0	153	3	4	13	24	34	42	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173	6.8	29	1	2	5	9	12	16	33
B. *Operated*	179	8.6	91	1	2	6	11	19	26	46
2. MULTIPLE DX										
A. *Not Operated*	1415	8.8	65	1	1	7	12	19	25	40
B. *Operated*	882	13.4	131	2	3	10	17	28	36	61
1. SINGLE DX	352	7.7	61	1	2	6	10	15	21	36
2. MULTIPLE DX	2297	10.6	95	1	2	8	14	23	30	52
A. NOT OPERATED	1588	8.6	61	1	1	7	11	19	23	40
B. OPERATED	1061	12.6	128	1	2	10	16	26	34	60
TOTAL 0-19 YRS	68	7.1	71	1	1	5	9	17	32	99+
20-34	255	8.7	55	1	2	6	11	19	25	35
35-49	416	9.3	69	1	2	7	12	20	24	40
50-64	826	9.6	103	1	1	7	13	20	28	54
65+	1084	11.5	98	1	2	9	15	25	32	50
GRAND TOTAL	**2649**	**10.2**	**92**	**1**	**2**	**8**	**13**	**22**	**29**	**51**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	13.7	57	7	8	10	16	27	30	30
20-34	156	11.6	32	2	4	11	14	18	21	32
35-49	1730	12.9	24	4	7	13	15	19	21	28
50-64	3747	13.7	27	6	8	13	16	20	22	29
65+	2844	14.3	36	6	8	14	17	21	24	33
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	15	11.1	50	2	2	12	17	20	21	21
35-49	119	11.5	53	2	2	11	16	21	24	31
50-64	234	13.7	66	2	2	14	18	22	27	38
65+	113	18.0	61	5	9	18	21	28	33	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	13.9	39	3	7	13	17	21	25	30
20-34	256	12.9	53	3	5	13	16	20	23	37
35-49	3398	13.7	34	5	7	13	17	20	23	34
50-64	10803	14.7	41	6	8	14	18	22	25	36
65+	14717	16.3	60	7	9	15	20	25	30	43
B. *Operated*										
0-19 YRS	6	16.2	91	2	3	14	23	29	30	30
20-34	59	12.6	94	2	2	13	18	25	34	39
35-49	510	15.3	117	2	2	14	20	28	33	48
50-64	1582	18.1	130	2	5	17	22	32	39	62
65+	1547	22.7	149	8	11	20	28	38	46	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8486	13.7	30	6	8	13	16	20	22	31
B. *Operated*	482	14.1	67	2	2	14	19	22	28	39
2. MULTIPLE DX										
A. *Not Operated*	29196	15.4	51	6	8	14	18	23	28	40
B. *Operated*	3704	19.6	144	3	7	18	25	34	41	65
1. SINGLE DX	8968	13.7	32	5	7	13	16	20	23	31
2. MULTIPLE DX	32900	15.9	63	6	8	15	19	25	30	44
A. NOT OPERATED	37682	15.0	46	6	8	14	18	22	27	38
B. OPERATED	4186	18.9	138	2	6	17	24	33	40	63
TOTAL 0-19 YRS	38	13.9	50	2	5	13	17	23	30	30
20-34	486	12.4	51	2	3	12	15	20	23	36
35-49	5757	13.5	39	4	6	13	16	20	24	35
50-64	16366	14.8	48	5	8	14	18	22	26	39
65+	19221	16.6	67	7	9	15	20	26	31	45
GRAND TOTAL	**41868**	**15.4**	**57**	**6**	**8**	**14**	**18**	**24**	**29**	**42**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.1	6	1	1	3	5	8	9	9
20-34	104	4.1	5	2	2	3	5	7	9	11
35-49	653	4.6	9	1	2	4	6	8	10	15
50-64	1088	4.7	13	1	2	4	6	9	11	15
65+	759	5.4	17	1	2	4	7	9	12	22
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	11	5.5	12	2	2	4	8	10	12	12
35-49	158	4.9	22	2	2	3	6	12	14	22
50-64	292	5.5	29	2	2	3	7	13	17	26
65+	69	6.3	42	1	2	3	9	15	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	5.9	13	2	2	5	7	9	13	19
20-34	313	5.5	13	1	2	5	7	10	13	20
35-49	2680	5.8	17	2	2	5	7	11	13	20
50-64	7256	6.3	19	2	2	5	8	11	14	21
65+	9085	7.2	25	2	3	6	9	13	16	26
B. *Operated*										
0-19 YRS	6	4.8	5	2	2	5	7	7	7	7
20-34	89	6.6	41	2	2	4	9	14	17	34
35-49	1450	7.9	50	2	2	6	12	16	20	31
50-64	3805	8.6	57	2	2	6	13	18	23	35
65+	1535	11.2	86	2	2	9	15	23	29	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2615	4.9	13	1	2	4	6	9	11	17
B. *Operated*	532	5.4	28	2	2	3	7	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	19367	6.6	22	2	2	5	8	12	15	24
B. *Operated*	6885	9.0	63	2	2	7	13	19	23	37
1. SINGLE DX	3147	5.0	15	1	2	4	6	9	12	20
2. MULTIPLE DX	26252	7.2	34	2	2	6	9	14	18	29
A. NOT OPERATED	21982	6.4	21	2	2	5	8	12	14	23
B. OPERATED	7417	8.7	61	2	2	6	13	18	23	36
TOTAL 0-19 YRS	52	5.3	10	2	2	5	7	8	10	19
20-34	517	5.4	17	1	2	4	7	10	13	21
35-49	4941	6.2	27	2	2	5	8	12	15	24
50-64	12441	6.8	32	2	2	5	9	14	17	27
65+	11448	7.6	35	2	2	6	10	14	19	31
GRAND TOTAL	**29399**	**7.0**	**32**	**2**	**2**	**5**	**9**	**14**	**17**	**28**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	6	3	3	6	7	8	8	8
20-34	34	5.5	19	1	2	4	6	14	15	17
35-49	398	5.9	16	1	2	5	7	11	14	23
50-64	770	6.1	17	2	2	5	8	11	13	21
65+	617	6.8	31	2	2	6	9	12	15	24
B. *Operated*										
0-19 YRS										
20-34	7	7.7	33	2	2	7	11	17	18	18
35-49	74	9.8	43	2	2	10	12	16	20	38
50-64	177	8.6	34	2	2	8	12	15	20	24
65+	36	12.6	41	3	4	12	17	22	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	8.7	37	3	3	6	12	18	21	22
20-34	107	7.0	24	2	3	5	8	14	16	27
35-49	1433	6.9	24	2	3	6	9	12	15	24
50-64	4341	7.6	23	2	3	6	10	13	17	24
65+	5542	8.8	39	3	3	7	11	16	20	31
B. *Operated*										
0-19 YRS	3	5.0	3	3	3	6	6	6	6	6
20-34	13	11.5	77	1	2	12	16	24	29	30
35-49	330	9.9	49	2	2	9	13	19	23	34
50-64	1098	11.5	75	2	2	10	16	21	26	38
65+	624	14.5	120	2	3	12	19	26	33	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1822	6.3	22	2	2	5	8	11	14	23
B. *Operated*	294	9.4	39	2	2	9	12	17	21	30
2. MULTIPLE DX										
A. *Not Operated*	11435	8.1	31	2	3	7	10	14	18	27
B. *Operated*	2068	12.1	87	2	2	11	16	22	28	44
1. SINGLE DX	2116	6.7	25	2	2	6	9	12	15	24
2. MULTIPLE DX	13503	8.7	42	2	3	7	11	16	20	31
A. NOT OPERATED	13257	7.8	30	2	3	7	10	14	17	27
B. OPERATED	2362	11.8	82	2	2	10	16	22	27	40
TOTAL 0-19 YRS	18	7.6	28	3	3	6	9	16	20	22
20-34	161	7.1	29	2	2	5	9	15	18	29
35-49	2235	7.3	28	2	2	6	9	13	16	27
50-64	6386	8.1	34	2	3	7	10	15	19	28
65+	6819	9.2	49	3	3	8	11	17	21	35
GRAND TOTAL	**15619**	**8.4**	**40**	**2**	**3**	**7**	**11**	**16**	**20**	**31**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.0	9	2	2	5	7	9	10	10
20-34	49	6.4	57	2	2	4	8	13	15	50
35-49	401	5.0	12	1	2	4	6	10	12	16
50-64	964	5.9	21	1	2	5	8	11	15	26
65+	1016	7.5	27	2	3	6	10	14	17	27
B. *Operated*										
0-19 YRS	33	3.3	13	1	1	2	3	11	13	99+
20-34	95	6.0	46	2	2	3	10	14	19	35
35-49	1842	7.1	43	2	2	3	12	16	19	27
50-64	4429	8.1	56	2	2	4	13	17	21	30
65+	1047	10.4	85	2	2	9	16	21	25	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	9.2	35	2	3	9	11	17	21	29
20-34	186	6.9	33	2	2	5	8	11	19	35
35-49	2673	6.9	27	2	2	6	9	13	16	24
50-64	9527	7.9	35	2	3	6	10	15	19	31
65+	20871	9.8	55	3	3	8	12	18	23	39
B. *Operated*										
0-19 YRS	25	7.2	60	1	1	3	9	23	24	25
20-34	168	7.4	84	2	2	3	11	16	19	30
35-49	3411	7.6	54	2	2	4	11	17	21	33
50-64	9325	9.2	75	2	2	7	13	20	25	41
65+	4636	14.0	130	2	2	12	19	28	35	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2437	6.5	24	1	2	5	8	13	15	25
B. *Operated*	7446	8.1	58	2	2	4	13	18	21	31
2. MULTIPLE DX										
A. *Not Operated*	33306	9.0	48	2	3	7	11	17	22	36
B. *Operated*	17565	10.1	91	2	2	8	14	21	28	47
1. SINGLE DX	9883	7.7	50	2	2	5	12	17	20	30
2. MULTIPLE DX	50871	9.4	63	2	2	7	12	19	24	40
A. NOT OPERATED	35743	8.8	46	2	3	7	11	17	21	36
B. OPERATED	25011	9.5	82	2	2	8	14	20	26	43
TOTAL 0-19 YRS	114	6.8	38	1	1	5	10	15	22	54
20-34	498	6.9	55	2	2	4	10	14	19	34
35-49	8327	7.1	41	2	2	5	10	15	19	29
50-64	24245	8.4	54	2	2	6	12	17	22	35
65+	27570	10.4	70	2	3	8	13	20	26	44
GRAND TOTAL	**60754**	**9.1**	**61**	**2**	**2**	**7**	**12**	**18**	**23**	**39**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	11.4	16	6	6	12	13	18	19	19
20-34	309	9.8	21	2	4	10	12	15	18	25
35-49	407	10.3	19	4	5	10	13	16	19	22
50-64	416	11.2	26	4	6	11	14	18	20	31
65+	299	11.6	26	5	6	11	14	18	22	29
B. *Operated*										
0-19 YRS	6	12.3	14	8	8	12	15	18	18	18
20-34	40	12.0	38	4	6	11	14	17	19	41
35-49	56	14.2	62	5	8	13	17	20	30	50
50-64	60	14.7	68	4	7	13	18	26	33	39
65+	35	16.3	76	4	7	14	20	30	36	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	12.3	55	4	5	10	17	22	26	36
20-34	366	11.5	45	4	5	11	14	18	22	32
35-49	731	12.2	41	5	6	11	15	19	23	35
50-64	1303	13.1	46	5	6	12	16	21	25	41
65+	1815	15.1	67	6	7	13	18	25	30	44
B. *Operated*										
0-19 YRS	14	16.9	54	8	9	16	22	26	33	35
20-34	113	16.9	124	6	8	14	20	30	36	67
35-49	183	17.4	150	6	8	15	20	29	40	84
50-64	314	18.3	140	6	8	15	22	31	44	71
65+	354	20.9	149	8	10	17	25	40	47	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1452	10.7	23	4	5	10	13	17	19	27
B. *Operated*	197	14.2	61	4	7	12	17	24	32	40
2. MULTIPLE DX										
A. *Not Operated*	4252	13.7	56	5	6	12	16	22	27	42
B. *Operated*	978	18.9	144	7	9	16	23	33	44	69
1. SINGLE DX	1649	11.2	29	4	5	10	13	18	20	31
2. MULTIPLE DX	5230	14.6	76	5	7	13	17	24	30	49
A. NOT OPERATED	5704	12.9	49	5	6	12	16	21	25	38
B. OPERATED	1175	18.1	133	6	8	15	21	32	42	63
TOTAL 0-19 YRS	78	12.9	44	5	6	12	17	22	24	36
20-34	828	11.7	51	3	5	10	14	19	24	38
35-49	1377	12.4	54	4	6	11	15	19	25	41
50-64	2093	13.6	62	5	6	12	16	22	27	46
65+	2503	15.5	80	6	7	14	19	26	32	48
GRAND TOTAL	**6879**	**13.8**	**67**	**5**	**6**	**12**	**16**	**23**	**28**	**46**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	20.6	146	4	4	21	29	36	37	37
20-34	17	21.0	128	3	5	22	29	36	38	38
35-49	3	14.3	290	4	4	5	27	34	34	34
50-64	13	21.2	181	6	7	16	32	41	43	44
65+	9	17.3	202	2	2	17	30	37	40	40
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	2	29.5	685	11	11	29	48	48	48	48
35-49	1	13.0		13	13	13	13	13	13	13
50-64	1	4.0		4	4	4	4	4	4	4
65+	4	31.5	84	21	21	32	39	41	41	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	25.2	201	3	5	24	40	44	45	45
20-34	65	26.5	214	4	7	28	33	47	53	62
35-49	55	23.8	189	4	5	24	32	39	49	63
50-64	61	28.3	160	4	7	30	35	43	47	58
65+	86	31.9	212	7	12	32	41	50	55	74
B. *Operated*										
0-19 YRS	3	47.0	37	40	40	50	51	51	51	51
20-34	22	35.9	377	8	11	39	48	71	92	99+
35-49	18	45.6	302	21	23	44	63	70	71	71
50-64	38	39.2	398	12	15	36	53	72	81	99+
65+	32	44.3	274	19	24	44	55	63	77	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	19.9	156	3	4	21	31	37	40	44
B. *Operated*	9	24.2	226	4	7	21	38	45	48	48
2. MULTIPLE DX										
A. *Not Operated*	284	27.9	203	4	7	29	36	46	52	64
B. *Operated*	113	41.2	338	13	19	42	52	70	78	99+
1. SINGLE DX	58	20.6	166	3	4	21	31	38	41	48
2. MULTIPLE DX	397	31.7	277	5	10	31	42	53	64	86
A. NOT OPERATED	333	26.8	204	4	6	28	35	45	50	63
B. OPERATED	122	40.0	348	11	16	40	51	70	77	99+
TOTAL 0-19 YRS	28	26.0	215	4	5	24	39	45	50	51
20-34	106	27.6	254	4	8	28	38	49	55	93
35-49	77	28.4	306	4	5	28	36	52	66	71
50-64	113	30.9	281	5	8	30	40	54	69	91
65+	131	33.9	267	7	12	33	44	54	62	80
GRAND TOTAL	**455**	**30.3**	**276**	**4**	**7**	**30**	**41**	**51**	**62**	**85**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.5	3	<1	1	2	3	4	5	10
20-34	167	2.8	5	1	1	2	4	5	8	12
35-49	301	2.7	4	<1	1	2	4	5	7	9
50-64	355	3.3	7	1	1	3	4	6	8	14
65+	215	4.0	12	1	1	3	5	7	9	21
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	7	5.6	28	2	2	3	8	15	16	16
50-64	13	8.0	84	2	2	6	7	23	32	34
65+	7	7.4	50	2	2	4	13	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	4.0	8	1	1	4	5	7	11	15
20-34	184	3.8	7	1	1	3	5	7	9	18
35-49	408	4.7	14	1	1	4	6	9	12	19
50-64	915	5.4	29	1	1	4	7	11	13	22
65+	973	6.9	29	1	2	5	9	13	17	26
B. *Operated*										
0-19 YRS	6	6.0	16	2	2	5	9	12	12	12
20-34	11	7.4	14	2	2	8	8	12	16	16
35-49	44	10.3	75	2	2	8	14	19	28	45
50-64	63	11.0	63	2	2	10	14	24	29	33
65+	59	13.8	71	2	3	14	19	23	31	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1101	3.2	7	1	1	3	4	6	8	13
B. *Operated*	30	6.7	54	2	2	4	7	18	20	34
2. MULTIPLE DX										
A. *Not Operated*	2531	5.7	26	1	2	4	7	11	14	24
B. *Operated*	183	11.4	67	2	2	9	17	21	28	43
1. SINGLE DX	1131	3.3	8	1	1	3	4	6	8	15
2. MULTIPLE DX	2714	6.1	31	1	2	5	8	12	16	27
A. NOT OPERATED	3632	4.9	21	1	1	4	6	10	13	21
B. OPERATED	213	10.7	68	2	2	8	16	21	28	42
TOTAL 0-19 YRS	121	3.3	6	<1	1	3	4	6	9	13
20-34	364	3.5	7	1	1	3	4	7	8	14
35-49	760	4.3	17	1	1	3	5	9	12	20
50-64	1346	5.2	28	1	1	4	6	10	13	24
65+	1254	6.7	32	1	2	5	8	14	18	28
GRAND TOTAL	**3845**	**5.3**	**26**	**1**	**1**	**4**	**7**	**11**	**14**	**24**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.8	6	<1	<1	2	3	6	9	10
20-34	189	2.7	4	1	1	2	3	5	7	10
35-49	297	3.3	5	1	1	3	4	7	8	11
50-64	547	3.7	10	1	1	3	5	8	10	15
65+	514	5.0	13	1	1	4	7	9	11	19
B. *Operated*										
0-19 YRS										
20-34	5	5.6	15	2	2	5	9	11	11	11
35-49	16	3.6	4	1	2	3	5	7	8	8
50-64	33	8.7	96	2	2	5	10	21	35	40
65+	19	10.1	58	2	2	9	12	21	27	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	5.2	16	1	1	4	7	10	12	20
20-34	165	4.3	13	1	1	4	6	8	11	16
35-49	558	4.8	14	1	1	4	6	10	12	18
50-64	2424	6.5	29	1	2	5	8	13	16	27
65+	6026	8.3	40	2	3	7	11	16	20	31
B. *Operated*										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	8	10.3	37	4	5	9	12	20	23	23
35-49	57	9.6	35	2	3	9	14	17	19	29
50-64	272	10.9	79	2	3	9	14	21	31	44
65+	601	16.3	123	4	6	14	20	30	38	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1567	3.9	10	1	1	3	5	8	10	15
B. *Operated*	73	7.7	65	2	2	5	10	16	29	39
2. MULTIPLE DX										
A. *Not Operated*	9203	7.5	36	2	2	6	10	15	19	30
B. *Operated*	939	14.3	112	3	4	12	19	28	35	55
1. SINGLE DX	1640	4.1	13	1	1	3	5	8	10	18
2. MULTIPLE DX	10142	8.2	47	2	2	6	10	16	21	34
A. NOT OPERATED	10770	7.0	34	1	2	6	9	14	18	29
B. OPERATED	1012	13.8	111	2	4	11	18	27	34	55
TOTAL 0-19 YRS	51	4.5	18	1	1	3	6	10	12	20
20-34	367	3.6	10	1	1	3	5	7	10	14
35-49	928	4.6	14	1	1	3	6	9	12	18
50-64	3276	6.4	33	1	2	5	8	13	17	31
65+	7160	8.7	51	2	2	7	11	17	22	36
GRAND TOTAL	**11782**	**7.6**	**44**	**1**	**2**	**6**	**10**	**15**	**20**	**33**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	3.7	13	1	1	3	4	7	9	21
20-34	370	4.1	30	1	1	3	5	8	9	17
35-49	555	4.2	13	1	1	3	5	8	10	22
50-64	675	4.8	16	1	1	4	6	9	11	19
65+	686	5.3	15	1	1	4	7	10	13	20
B. *Operated*										
0-19 YRS	22	5.0	22	1	2	3	7	8	14	23
20-34	30	7.1	36	2	2	5	11	17	21	22
35-49	93	6.3	23	2	2	6	9	13	17	20
50-64	255	7.1	44	2	2	6	9	13	17	25
65+	590	9.2	36	2	3	8	11	17	22	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	208	4.7	13	1	1	4	6	9	12	20
20-34	765	5.0	15	1	1	4	6	9	11	20
35-49	1726	5.9	25	1	2	5	7	11	14	22
50-64	3983	7.0	29	2	2	6	9	13	17	27
65+	6925	8.3	41	2	3	7	10	16	20	33
B. *Operated*										
0-19 YRS	37	8.7	125	1	2	5	9	17	31	61
20-34	109	11.1	119	2	3	8	13	24	28	67
35-49	344	9.8	92	2	2	7	12	22	31	52
50-64	1209	11.4	87	2	3	9	15	22	29	50
65+	3827	13.9	90	4	5	12	17	26	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2397	4.7	17	1	1	4	6	9	11	19
B. *Operated*	990	8.2	38	2	2	7	10	15	20	29
2. MULTIPLE DX										
A. *Not Operated*	13607	7.4	35	2	2	6	9	14	18	29
B. *Operated*	5526	13.0	92	3	4	11	17	25	31	50
1. SINGLE DX	3387	5.7	26	1	2	4	7	11	15	24
2. MULTIPLE DX	19133	9.0	58	2	3	7	11	18	23	38
A. NOT OPERATED	16004	7.0	33	1	2	6	9	13	17	28
B. OPERATED	6516	12.3	86	2	3	10	16	24	30	48
TOTAL 0-19 YRS	378	4.8	26	1	1	3	6	9	13	23
20-34	1274	5.3	32	1	1	4	6	10	14	25
35-49	2718	6.1	33	1	2	5	7	12	15	28
50-64	6122	7.6	44	2	2	6	10	15	20	33
65+	12028	9.9	63	2	3	8	13	19	25	40
GRAND TOTAL	**22520**	**8.5**	**54**	**2**	**2**	**7**	**11**	**17**	**22**	**37**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	4.8	8	2	2	4	5	9	11	12
20-34	23	6.4	16	1	2	5	9	13	14	15
35-49	119	7.2	29	2	2	6	9	15	18	26
50-64	579	7.6	30	2	3	6	10	14	17	27
65+	2395	8.3	32	2	3	7	10	15	19	30
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	1	5.0		5	5	5	5	5	5	5
35-49	9	9.0	65	3	3	6	12	22	28	28
50-64	26	11.3	65	2	3	10	15	20	25	39
65+	55	13.3	84	2	4	11	17	29	30	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	152	9.0	58	2	3	7	12	19	23	43
20-34	180	8.7	41	2	3	8	11	17	21	34
35-49	1313	9.5	45	3	3	8	12	18	22	34
50-64	8233	9.9	48	3	4	8	12	18	22	36
65+	34792	11.1	62	3	4	9	14	20	26	41
B. *Operated*										
0-19 YRS	22	10.5	47	2	3	9	13	20	27	29
20-34	50	9.1	66	2	2	5	15	23	26	29
35-49	171	14.6	124	2	2	13	19	28	32	53
50-64	942	16.6	178	3	5	13	21	31	39	77
65+	2994	19.7	170	6	7	17	25	36	44	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3131	8.1	31	2	3	7	10	15	19	29
B. *Operated*	92	12.2	76	2	3	10	15	24	29	44
2. MULTIPLE DX										
A. *Not Operated*	44670	10.8	59	3	4	9	14	20	25	40
B. *Operated*	4179	18.6	172	4	6	15	24	35	43	71
1. SINGLE DX	3223	8.2	33	2	3	7	10	15	19	30
2. MULTIPLE DX	48849	11.5	73	3	4	9	14	21	28	45
A. NOT OPERATED	47801	10.6	58	3	4	9	13	20	25	40
B. OPERATED	4271	18.5	171	4	6	15	24	35	43	70
TOTAL 0-19 YRS	190	8.8	54	2	3	7	12	18	23	42
20-34	254	8.5	44	2	2	7	11	18	23	29
35-49	1612	9.8	55	2	3	8	12	19	23	38
50-64	9780	10.4	64	3	4	8	13	19	24	42
65+	40236	11.6	74	3	4	9	14	22	28	45
GRAND TOTAL	**52072**	**11.3**	**72**	**3**	**4**	**9**	**14**	**21**	**27**	**44**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	5.2	14	1	2	4	7	10	13	18
20-34	431	5.4	15	1	2	4	7	10	12	20
35-49	445	5.9	18	2	2	5	7	11	14	24
50-64	448	6.5	21	2	2	5	8	12	14	22
65+	269	8.7	53	2	3	7	11	17	21	40
B. *Operated*										
0-19 YRS	119	4.3	28	2	2	2	3	11	14	33
20-34	190	5.9	48	2	2	3	7	13	17	26
35-49	371	6.0	35	2	2	3	10	14	17	27
50-64	596	6.7	41	2	2	3	11	16	20	29
65+	231	9.1	58	2	2	6	15	19	22	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	182	6.4	23	2	2	5	8	13	16	23
20-34	653	6.9	32	2	2	5	9	13	16	24
35-49	1313	7.8	39	2	3	6	10	14	18	35
50-64	2767	9.3	52	2	3	7	11	18	23	37
65+	4214	10.6	63	3	4	8	13	20	25	42
B. *Operated*										
0-19 YRS	117	7.4	85	2	2	3	11	17	21	50
20-34	288	9.9	90	2	2	7	13	20	31	54
35-49	804	9.7	87	2	2	7	13	20	27	42
50-64	1870	11.0	105	2	2	8	15	24	30	57
65+	1419	15.1	168	2	2	12	20	30	41	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1736	6.3	24	2	2	5	8	12	15	24
B. *Operated*	1507	6.6	43	2	2	3	10	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	9129	9.5	55	2	3	8	12	18	23	39
B. *Operated*	4498	11.9	125	2	2	9	16	25	33	61
1. SINGLE DX	3243	6.4	33	2	2	4	9	14	17	28
2. MULTIPLE DX	13627	10.3	79	2	3	8	13	20	27	46
A. NOT OPERATED	10865	9.0	51	2	3	7	11	17	22	38
B. OPERATED	6005	10.5	110	2	2	8	15	23	30	54
TOTAL 0-19 YRS	561	5.9	36	1	2	4	7	13	16	28
20-34	1562	6.9	42	2	2	5	9	14	18	37
35-49	2933	7.8	50	2	2	6	10	15	20	36
50-64	5681	9.4	68	2	2	7	12	19	25	42
65+	6133	11.5	91	2	3	9	15	22	29	51
GRAND TOTAL	**16870**	**9.5**	**73**	**2**	**2**	**7**	**12**	**19**	**25**	**44**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	4	9.8	42	2	2	10	15	16	16	16
50-64	32	10.6	97	1	2	7	15	27	32	36
65+	101	7.2	37	1	2	5	9	14	18	35
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	7.0		7	7	7	7	7	7	7
35-49	11	8.2	44	2	2	5	13	19	21	21
50-64	29	8.6	70	2	2	4	14	20	25	35
65+	15	7.4	27	2	2	7	11	15	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	11.4	124	4	4	8	14	31	31	31
20-34	12	6.3	14	3	3	6	8	11	15	16
35-49	185	7.5	36	2	2	6	10	14	17	32
50-64	804	8.7	49	2	3	7	11	17	22	37
65+	3033	10.6	65	3	3	8	14	21	26	45
B. *Operated*										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	6	5.7	8	2	2	6	8	9	9	9
35-49	85	8.2	39	2	2	7	12	15	19	30
50-64	319	10.5	83	2	2	9	14	21	27	55
65+	444	15.5	120	3	4	14	20	30	37	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	8.0	52	1	2	6	10	16	23	37
B. *Operated*	57	8.0	51	2	2	5	13	18	21	34
2. MULTIPLE DX										
A. *Not Operated*	4039	10.0	61	2	3	8	13	20	25	44
B. *Operated*	856	12.8	106	2	3	11	17	26	32	58
1. SINGLE DX	196	8.0	51	1	2	6	11	17	22	36
2. MULTIPLE DX	4895	10.5	70	2	3	8	14	21	27	48
A. NOT OPERATED	4178	10.0	61	2	3	8	13	20	25	43
B. OPERATED	913	12.5	103	2	3	11	17	25	32	57
TOTAL 0-19 YRS	8	9.0	85	<1	1	7	8	24	31	31
20-34	21	6.1	10	2	3	7	8	9	12	16
35-49	285	7.7	37	2	2	6	11	15	19	31
50-64	1184	9.2	60	2	2	7	12	19	24	38
65+	3593	11.1	74	3	3	9	14	22	28	51
GRAND TOTAL	**5091**	**10.4**	**69**	**2**	**3**	**8**	**14**	**21**	**27**	**46**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.2	7	3	3	4	6	10	10	10
20-34	10	5.3	60	1	1	2	8	18	25	25
35-49	11	4.5	20	<1	1	2	6	11	16	16
50-64	32	5.4	69	<1	1	3	4	13	23	43
65+	13	14.9	280	<1	<1	8	27	43	48	49
B. *Operated*										
0-19 YRS	7	28.0	250	8	10	24	37	52	55	55
20-34	56	21.6	206	4	7	19	27	38	52	77
35-49	70	20.9	176	3	4	20	28	44	58	99+
50-64	61	21.8	273	2	4	20	30	38	53	86
65+	15	25.7	160	7	12	27	31	44	51	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	14	<1	<1	7	8	8	8	8
20-34	7	7.7	23	1	2	9	11	13	14	14
35-49	18	12.3	152	1	2	10	22	73	99+	99+
50-64	31	10.5	97	<1	1	8	15	20	38	41
65+	47	17.9	167	4	4	15	29	41	61	99+
B. *Operated*										
0-19 YRS	10	22.9	583	1	6	14	28	59	87	87
20-34	41	22.1	221	5	6	19	28	39	50	80
35-49	100	31.4	338	6	10	31	45	62	87	99+
50-64	117	30.8	384	7	11	29	45	87	99+	99+
65+	63	32.4	345	7	13	29	40	63	73	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	7.0	103	<1	1	3	7	19	29	48
B. *Operated*	209	21.9	212	3	5	20	28	40	53	92
2. MULTIPLE DX										
A. *Not Operated*	106	13.8	143	1	2	11	20	36	47	99+
B. *Operated*	331	30.0	355	5	10	27	42	66	89	99+
1. SINGLE DX	281	18.1	227	1	2	17	27	38	51	85
2. MULTIPLE DX	437	26.1	352	3	5	23	38	61	87	99+
A. NOT OPERATED	178	11.0	137	<1	1	8	16	30	43	99+
B. OPERATED	540	26.9	315	4	8	24	36	57	83	99+
TOTAL 0-19 YRS	26	18.2	369	1	3	12	24	38	61	87
20-34	114	19.5	216	1	4	18	26	36	50	79
35-49	199	24.5	309	2	4	22	35	57	83	99+
50-64	241	22.6	366	1	2	20	33	54	87	99+
65+	138	25.1	305	2	5	23	35	55	65	99+
GRAND TOTAL	**718**	**22.9**	**318**	**2**	**3**	**20**	**33**	**53**	**78**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	20.0	450	5	5	20	35	35	35	35
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	1	28.0		28	28	28	28	28	28	28
65+	4	38.5	163	20	20	43	47	47	47	47
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	.9
20-34	5	47.8	625	15	18	48	85	98	99+	99+
35-49	8	38.1	430	17	20	34	60	93	99+	99+
50-64	12	42.8	561	7	16	41	56	71	94	98
65+	2	27.0	8	25	25	29	82	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	9	25.8	319	1	3	28	42	47	47	47
B. *Operated*	28	40.0	497	9	16	40	57	99	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	37	36.5	482	5	9	36	51	91	99+	99+
A. NOT OPERATED	9	25.8	319	1	3	28	42	47	47	47
B. OPERATED	28	40.0	497	9	16	40	57	99	99+	99+
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	7	39.9	675	5	8	44	67	95	99+	99+
35-49	10	31.5	533	1	6	31	49	89	99	99+
50-64	13	41.6	531	8	18	40	56	68	92	98
65+	6	34.7	135	20	21	40	47	89	99+	99+
GRAND TOTAL	**37**	**36.5**	**482**	**5**	**9**	**36**	**51**	**91**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	10.6	154	<1	<1	7	16	29	42	42
20-34	10	7.1	90	<1	<1	4	5	23	32	32
35-49	4	16.8	344	1	1	11	29	43	43	43
50-64	28	11.5	184	<1	1	6	15	40	58	99+
65+	69	13.5	111	<1	1	13	20	29	35	43
B. *Operated*										
0-19 YRS	15	12.7	166	2	2	8	19	34	43	46
20-34	20	11.3	45	2	4	10	14	22	25	27
35-49	26	16.7	137	5	6	13	19	37	40	51
50-64	46	18.0	115	7	7	16	24	38	43	99+
65+	101	17.5	153	5	8	14	21	32	39	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	6.7	48	1	2	4	7	17	23	27
20-34	9	12.7	116	1	2	12	17	28	36	36
35-49	27	15.7	100	3	5	12	20	34	36	39
50-64	118	16.4	144	1	4	14	23	33	41	53
65+	330	17.5	141	3	5	14	23	35	[illegible]	55
B. *Operated*										
0-19 YRS	16	22.7	371	6	7	14	31	49	66	73
20-34	34	23.4	387	2	3	17	36	59	67	71
35-49	55	24.1	283	7	7	19	39	56	60	98
50-64	134	25.3	335	7	8	20	34	60	64	99+
65+	215	24.0	205	7	9	21	30	44	53	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	12.4	135	<1	1	9	17	31	39	68
B. *Operated*	208	16.6	136	4	6	13	21	32	40	69
2. MULTIPLE DX										
A. *Not Operated*	503	16.7	139	2	4	14	22	34	41	55
B. *Operated*	454	24.3	270	7	8	20	33	51	62	92
1. SINGLE DX	329	15.0	139	1	3	13	21	31	40	63
2. MULTIPLE DX	957	20.3	216	3	6	17	27	42	53	73
A. NOT OPERATED	624	15.8	141	1	3	14	21	33	41	55
B. OPERATED	662	21.9	241	6	7	18	28	44	58	90
TOTAL 0-19 YRS	60	13.1	211	1	2	8	16	38	45	71
20-34	73	16.5	258	2	2	13	19	37	57	70
35-49	112	20.1	217	4	7	17	27	43	56	80
50-64	326	19.8	244	3	5	15	28	42	59	99+
65+	715	19.1	170	3	5	16	25	37	45	68
GRAND TOTAL	**1286**	**18.9**	**201**	**2**	**5**	**16**	**25**	**39**	**49**	**73**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49	10	29.8	439	4	5	25	52	59	65	65
50-64	39	33.2	636	6	9	26	47	81	97	99+
65+	123	25.3	280	7	8	23	32	52	61	99+
B. *Operated*										
0-19 YRS										
20-34	2	47.0	2	46	46	47	48	48	48	48
35-49	14	40.1	434	9	15	37	54	72	74	75
50-64	12	43.5	1006	9	12	45	98	99+	99+	99+
65+	42	33.[illegible]	420	8	11	32	45	67	79	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	173	27.2	375	6	8	23	35	55	80	99+
B. *Operated*	70	37.2	510	8	12	35	48	80	98	99+
1. SINGLE DX										
2. MULTIPLE DX	243	30.1	432	7	8	26	42	66	84	99+
A. NOT OPERATED	173	27.2	375	6	8	23	35	55	80	99+
B. OPERATED	70	37.2	510	8	12	35	48	80	98	99+
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	47.0	2	46	46	47	48	48	48	48
35-49	24	35.8	444	5	7	32	52	69	73	75
50-64	51	35.6	724	8	10	28	54	98	99+	99+
65+	165	27.5	327	7	9	24	38	54	72	98
GRAND TOTAL	**243**	**30.1**	**432**	**7**	**8**	**26**	**42**	**66**	**84**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	6.0	12	2	2	8	8	8	8	8
35-49	7	16.3	515	2	2	9	17	57	66	66
50-64	38	5.8	30	2	2	4	7	14	16	28
65+	68	9.2	113	2	2	5	11	21	26	63
B. *Operated*										
0-19 YRS	5	10.0	32	4	4	9	14	18	18	18
20-34	10	10.5	249	2	2	5	10	34	54	54
35-49	86	7.5	26	2	2	6	9	15	17	27
50-64	787	8.5	44	2	2	7	10	16	20	40
65+	905	9.2	45	2	3	8	12	17	21	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	10.7	12	7	7	11	13	14	14	14
20-34	2	10.0		10	10	10	10	10	10	10
35-49	32	9.3	92	1	2	6	9	25	32	39
50-64	153	8.2	60	2	2	6	9	17	25	39
65+	440	10.2	70	2	3	8	13	20	23	42
B. *Operated*										
0-19 YRS	6	13.0	57	5	5	12	20	22	22	22
20-34	14	17.5	282	2	3	16	22	32	59	67
35-49	182	11.2	99	2	3	9	14	21	28	79
50-64	1429	11.2	71	2	3	9	14	22	27	44
65+	1940	13.1	115	2	3	11	16	25	34	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	8.4	109	2	2	5	10	16	26	66
B. *Operated*	1793	8.8	45	2	3	7	11	17	20	35
2. MULTIPLE DX										
A. *Not Operated*	630	9.6	69	2	3	8	12	20	24	40
B. *Operated*	3571	12.2	98	2	3	10	16	23	30	54
1. SINGLE DX	1909	8.8	49	2	3	7	11	17	21	36
2. MULTIPLE DX	4201	11.9	94	2	3	9	15	23	29	52
A. NOT OPERATED	746	9.4	75	2	2	7	12	20	24	43
B. OPERATED	5364	11.1	83	2	3	9	14	21	27	49
TOTAL 0-19 YRS	14	11.4	35	4	5	10	17	20	22	22
20-34	29	13.4	230	2	2	8	18	26	55	67
35-49	307	10.1	89	2	2	8	12	20	27	51
50-64	2407	10.0	63	2	3	8	13	19	25	42
65+	3353	11.6	93	2	3	9	15	22	28	53
GRAND TOTAL	**6110**	**10.9**	**82**	**2**	**3**	**9**	**14**	**21**	**27**	**48**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	26.0		26	26	26	26	26	26	26
35-49	3	26.0	733	7	7	35	78	99+	99+	99+
50-64	26	24.2	380	4	5	22	31	43	69	87
65+	59	20.1	189	4	5	17	26	39	48	61
B. Operated										
0-19 YRS										
20-34	4	29.8	1384	4	4	15	50	85	85	85
35-49	13	20.7	347	1	3	14	30	48	60	63
50-64	88	21.3	249	5	6	17	27	44	52	81
65+	118	23.6	298	5	7	20	30	47	56	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	89	21.6	253	4	5	19	29	43	59	95
B. Operated	223	22.6	295	4	6	19	29	46	55	92
1. SINGLE DX										
2. MULTIPLE DX	312	22.3	282	4	6	19	29	45	58	92
A. NOT OPERATED	89	21.6	253	4	5	19	29	43	59	95
B. OPERATED	223	22.6	295	4	6	19	29	46	55	92
TOTAL 0-19 YRS										
20-34	5	29.0	1041	4	4	16	41	85	85	85
35-49	16	21.7	380	2	3	14	36	62	87	99+
50-64	114	22.0	278	4	6	18	29	44	53	86
65+	177	22.4	263	5	6	19	28	45	54	93
GRAND TOTAL	**312**	**22.3**	**282**	**4**	**6**	**19**	**29**	**45**	**58**	**92**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	13.8	62	7	7	13	20	22	22	22
20-34	10	7.3	12	3	3	7	9	12	14	14
35-49	31	11.3	91	1	1	10	13	25	32	42
50-64	175	11.3	116	2	3	8	15	26	30	78
65+	424	12.8	95	3	4	10	17	26	32	51
B. Operated										
0-19 YRS	4	13.0	5	11	11	12	14	16	16	16
20-34	14	17.9	393	1	3	12	16	59	65	67
35-49	34	9.7	182	2	2	7	10	18	26	79
50-64	92	9.5	117	2	3	7	10	20	32	92
65+	86	10.4	51	3	4	8	14	20	25	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	12.7	232	1	1	10	14	29	53	59
20-34	28	12.1	174	2	4	11	13	17	25	75
35-49	150	13.4	168	3	4	9	16	27	44	90
50-64	871	14.0	145	3	4	10	17	28	36	70
65+	3493	15.5	135	4	5	12	20	30	39	62
B. Operated										
0-19 YRS	3	13.0	7	10	10	14	15	15	15	15
20-34	20	17.8	273	3	4	12	19	47	60	63
35-49	90	14.7	159	3	4	11	19	29	47	88
50-64	346	15.5	162	3	4	12	19	35	48	99+
65+	504	20.4	239	4	6	16	26	41	55	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	644	12.3	100	2	3	9	16	26	31	52
B. Operated	230	10.5	118	2	3	7	12	20	28	79
2. MULTIPLE DX										
A. Not Operated	4555	15.1	138	4	5	12	19	30	39	65
B. Operated	963	18.0	209	4	5	14	23	38	51	85
1. SINGLE DX	874	11.8	105	2	3	9	15	24	31	57
2. MULTIPLE DX	5518	15.6	152	4	5	12	20	31	41	70
A. NOT OPERATED	5199	14.7	134	3	4	11	19	29	38	62
B. OPERATED	1193	18.6	201	3	4	12	21	36	49	83
TOTAL 0-19 YRS	24	13.0	131	1	3	11	15	21	33	59
20-34	72	14.2	227	2	4	11	15	23	58	73
35-49	305	13.1	160	2	3	10	16	28	42	84
50-64	1484	13.8	146	3	4	10	17	29	38	76
65+	4507	15.7	145	4	5	12	20	31	40	64
GRAND TOTAL	**6392**	**15.1**	**147**	**3**	**4**	**12**	**19**	**30**	**40**	**69**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	19.0	226	5	5	19	32	32	32	32
20-34	11	13.1	52	3	5	11	16	25	26	26
35-49	41	15.2	120	2	5	11	20	36	42	99+
50-64	370	19.7	213	4	6	15	25	41	51	71
65+	1728	20.3	185	5	7	17	26	39	48	68
B. *Operated*										
0-19 YRS	1	59.0		59	59	79	99+	99+	99+	99+
20-34	6	21.3	64	16	16	19	21	35	37	37
35-49	26	18.6	108	7	7	17	21	37	39	44
50-64	105	22.8	252	6	8	18	30	48	52	93
65+	192	28.1	315	7	9	26	40	65	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2154	20.0	188	5	7	17	26	39	49	69
B. *Operated*	330	25.6	285	7	9	21	36	56	72	99+
1. SINGLE DX										
2. MULTIPLE DX	2484	20.8	205	5	7	17	27	41	51	79
A. NOT OPERATED	2154	20.0	188	5	7	17	26	39	49	69
B. OPERATED	330	25.6	285	7	9	21	36	56	72	99+
TOTAL 0-19 YRS	5	27.0	490	5	5	32	59	96	99+	99+
20-34	17	16.0	69	4	7	16	21	26	33	37
35-49	67	16.5	117	4	6	13	21	36	41	90
50-64	475	20.3	223	4	6	16	26	42	51	85
65+	1920	21.1	203	5	7	17	27	41	52	77
GRAND TOTAL	**2484**	**20.8**	**205**	**5**	**7**	**17**	**27**	**41**	**51**	**79**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.0	2	2	2	3	3	5	6	6
20-34	49	4.3	13	1	1	4	5	6	8	26
35-49	186	4.7	7	1	2	4	6	8	9	13
50-64	586	4.7	11	1	2	4	6	8	10	17
65+	1605	5.6	28	1	2	4	7	10	14	25
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	19	4.7	8	2	2	4	6	9	10	11
35-49	120	6.7	22	2	2	6	8	13	16	23
50-64	375	6.6	21	2	2	6	9	12	15	21
65+	287	7.1	26	2	2	6	9	14	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	4.9	13	1	2	4	6	12	12	13
20-34	85	5.4	13	1	2	5	7	10	11	21
35-49	450	6.4	16	2	2	5	8	12	14	18
50-64	2473	6.8	26	2	2	6	8	12	15	24
65+	10864	7.9	35	2	3	6	10	14	19	31
B. *Operated*										
0-19 YRS	3	10.0	97	2	2	7	17	21	21	21
20-34	18	8.3	34	3	3	5	13	18	19	19
35-49	212	8.9	32	2	3	7	11	16	21	42
50-64	1104	9.8	49	2	3	8	12	18	23	36
65+	1657	12.3	94	3	4	10	15	23	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2435	5.2	22	1	2	4	6	9	12	23
B. *Operated*	802	6.8	23	2	2	6	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	13900	7.6	33	2	3	6	9	14	18	30
B. *Operated*	2994	11.1	76	2	3	9	14	21	27	47
1. SINGLE DX	3237	5.6	23	1	2	4	7	10	14	23
2. MULTIPLE DX	16894	8.2	42	2	3	7	10	15	20	34
A. NOT OPERATED	16335	7.3	32	2	2	6	9	13	17	29
B. OPERATED	3796	10.2	68	2	3	8	13	19	25	43
TOTAL 0-19 YRS	41	4.8	17	1	2	3	6	12	13	21
20-34	171	5.3	16	1	2	4	6	10	13	23
35-49	968	6.7	25	2	2	5	8	12	15	25
50-64	4538	7.2	32	2	2	6	9	13	17	30
65+	14413	8.1	44	2	3	6	10	15	20	35
GRAND TOTAL	**20131**	**7.8**	**40**	**2**	**2**	**6**	**10**	**15**	**19**	**32**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	5.0	43	2	2	3	5	6	22	30
20-34	23	8.4	110	1	1	3	10	31	32	32
35-49	76	10.4	140	1	3	8	11	19	28	75
50-64	374	10.7	99	2	3	8	13	23	31	52
65+	1654	12.9	114	2	3	10	17	26	34	54
B. *Operated*										
0-19 YRS	6	8.2	103	1	1	4	9	26	28	28
20-34	15	11.1	27	4	4	10	15	21	76	99+
35-49	40	10.0	63	2	3	8	12	21	24	40
50-64	91	11.8	120	2	3	9	14	26	32	58
65+	120	15.5	201	2	3	11	21	35	44	89
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	12.6	123	2	2	8	17	32	37	39
20-34	42	11.5	88	2	2	8	17	26	31	35
35-49	252	12.0	119	3	4	9	14	25	33	63
50-64	1737	13.3	131	3	4	10	17	26	37	64
65+	8885	15.2	129	4	5	12	19	29	38	63
B. *Operated*										
0-19 YRS	5	8.8	267	1	1	2	11	38	38	38
20-34	18	14.2	109	3	4	12	19	30	38	41
35-49	104	15.1	171	4	6	12	17	29	36	78
50-64	452	20.0	286	4	6	15	25	46	63	91
65+	996	23.9	281	6	8	20	32	48	60	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2144	12.3	113	2	3	9	16	25	33	54
B. *Operated*	272	13.0	145	2	3	10	16	29	40	80
2. MULTIPLE DX										
A. *Not Operated*	10936	14.8	129	3	5	12	19	29	38	63
B. *Operated*	1575	22.1	281	5	7	17	29	46	59	93
1. SINGLE DX	2416	12.4	116	2	3	9	16	26	34	55
2. MULTIPLE DX	12511	15.7	154	3	5	12	20	31	41	70
A. NOT OPERATED	13080	14.4	128	3	4	11	19	29	37	62
B. OPERATED	1847	20.7	271	4	6	16	27	44	58	92
TOTAL 0-19 YRS	48	9.0	109	1	2	4	10	29	35	39
20-34	98	11.2	89	2	2	8	16	27	33	71
35-49	472	12.3	131	3	3	9	14	25	31	68
50-64	2654	14.0	161	3	4	10	17	29	41	73
65+	11655	15.6	147	3	5	12	20	31	40	66
GRAND TOTAL	**14927**	**15.2**	**150**	**3**	**4**	**12**	**19**	**31**	**40**	**68**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	12.6	59	4	4	11	17	25	27	27
20-34	8	19.6	484	4	4	12	21	58	71	71
35-49	71	17.2	259	3	5	13	19	47	58	70
50-64	683	19.2	233	4	5	15	25	41	54	93
65+	3230	19.5	179	5	6	16	25	38	46	73
B. *Operated*										
0-19 YRS	4	12.5	4	10	10	13	14	14	14	14
20-34	4	11.8	38	3	3	15	38	99+	99+	99+
35-49	36	30.2	559	5	7	22	53	78	97	99+
50-64	161	28.1	481	5	7	22	41	72	89	99+
65+	369	29.3	356	6	9	26	39	55	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	4000	19.4	190	4	6	16	25	38	47	75
B. *Operated*	574	28.8	401	6	8	24	39	64	83	99+
1. SINGLE DX										
2. MULTIPLE DX	4574	20.6	226	5	6	17	27	41	52	90
A. NOT OPERATED	4000	19.4	190	4	6	16	25	38	47	75
B. OPERATED	574	28.8	401	6	8	24	39	64	83	99+
TOTAL 0-19 YRS	12	12.6	38	4	5	12	15	21	26	27
20-34	12	17.0	334	3	4	12	20	77	96	99+
35-49	107	21.6	393	4	5	14	28	58	71	99+
50-64	844	20.9	292	4	5	16	27	46	63	99+
65+	3599	20.5	205	5	6	17	27	40	49	83
GRAND TOTAL	**4574**	**20.6**	**226**	**5**	**6**	**17**	**27**	**41**	**52**	**90**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.7	18	1	1	3	10	11	12	12
20-34	25	4.9	14	1	1	4	7	9	12	17
35-49	128	5.1	12	1	2	4	7	9	10	17
50-64	236	5.9	18	1	2	5	7	11	14	24
65+	789	7.6	49	2	2	6	9	14	18	39
B. *Operated*										
0-19 YRS	6	7.3	57	1	1	4	11	20	21	21
20-34	48	12.0	84	2	2	10	16	24	27	41
35-49	92	9.4	76	2	2	6	14	23	28	39
50-64	258	8.8	72	2	2	6	10	18	26	38
65+	236	8.1	47	2	2	6	11	16	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	8.9	99	1	2	5	10	17	36	46
20-34	82	7.9	74	2	3	5	8	16	29	83
35-49	385	8.2	52	2	2	7	10	15	20	40
50-64	1589	9.9	87	2	3	7	11	19	28	59
65+	8692	10.5	75	3	3	8	13	20	27	50
B. *Operated*										
0-19 YRS	14	9.8	36	1	2	10	13	16	21	23
20-34	50	14.1	134	2	3	12	17	38	44	99
35-49	170	15.6	305	2	3	10	19	43	66	99
50-64	642	13.1	138	2	3	10	17	27	40	99+
65+	1290	15.4	158	3	4	12	20	32	43	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1188	6.9	39	1	2	5	8	13	17	34
B. *Operated*	640	8.8	65	2	2	6	12	19	25	37
2. MULTIPLE DX										
A. *Not Operated*	10781	10.3	76	2	3	8	13	20	27	51
B. *Operated*	2166	14.7	163	2	4	11	19	31	43	88
1. SINGLE DX	1828	7.6	49	2	2	6	9	15	20	37
2. MULTIPLE DX	12947	11.0	93	2	3	8	14	22	30	58
A. NOT OPERATED	11969	9.9	73	2	3	8	12	19	26	50
B. OPERATED	2806	13.3	147	2	3	10	17	28	39	76
TOTAL 0-19 YRS	63	8.3	69	1	1	5	12	16	22	45
20-34	205	10.0	93	2	2	7	13	24	37	71
35-49	775	9.5	115	2	2	7	11	19	27	69
50-64	2725	10.2	95	2	3	7	12	20	30	64
65+	11007	10.8	86	2	3	8	13	21	29	53
GRAND TOTAL	**14775**	**10.6**	**89**	**2**	**3**	**8**	**13**	**21**	**29**	**55**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	15	4.9	29	1	2	3	5	12	19	21
50-64	46	4.5	14	1	1	4	6	10	12	17
65+	141	6.9	37	1	2	6	8	13	17	30
B. *Operated*										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	5	7.6	33	2	2	5	12	16	16	16
35-49	83	9.1	44	2	2	9	14	18	22	27
50-64	404	8.4	46	2	2	8	12	17	21	32
65+	354	10.3	98	2	2	8	14	22	29	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	17.1	133	5	5	15	24	35	37	37
20-34	7	5.7	20	1	1	4	8	13	14	14
35-49	65	6.4	13	2	3	5	9	12	14	16
50-64	410	8.3	54	2	2	6	11	16	20	41
65+	2733	10.1	67	2	3	8	13	18	26	48
B. *Operated*										
0-19 YRS	6	5.2	4	3	3	5	7	7	7	7
20-34	27	13.1	347	2	3	9	16	26	40	98
35-49	247	13.0	111	2	2	12	16	26	33	49
50-64	1425	14.0	145	2	2	11	18	29	38	64
65+	2256	19.0	238	2	3	15	25	40	52	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	6.2	32	1	2	5	8	12	16	27
B. *Operated*	849	9.2	68	2	2	8	13	18	25	44
2. MULTIPLE DX										
A. *Not Operated*	3222	9.8	65	2	3	8	12	18	25	47
B. *Operated*	3961	16.8	203	2	3	13	22	35	46	79
1. SINGLE DX	1053	8.6	63	2	2	7	12	18	23	41
2. MULTIPLE DX	7183	13.7	153	2	3	10	18	29	39	68
A. NOT OPERATED	3426	9.6	64	2	3	8	12	18	24	46
B. OPERATED	4810	15.5	188	2	2	12	21	33	44	75
TOTAL 0-19 YRS	17	9.4	98	2	2	7	10	24	33	37
20-34	40	10.9	249	1	2	7	12	20	28	98
35-49	410	10.9	86	2	2	9	14	21	27	44
50-64	2285	11.8	117	2	2	9	16	25	33	57
65+	5484	13.7	159	2	3	10	18	30	40	71
GRAND TOTAL	**8236**	**13.0**	**145**	**2**	**3**	**10**	**17**	**28**	**37**	**66**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	3	4.0	4	2	2	4	5	6	6	6
50-64	26	3.7	11	<1	<1	3	5	8	13	14
65+	79	5.0	34	<1	<1	3	6	12	16	30
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	3.8	17	<1	<1	2	5	11	11	11
35-49	16	12.8	136	3	3	11	15	19	42	52
50-64	237	12.1	39	2	4	12	15	18	21	36
65+	468	13.1	53	2	3	13	16	21	26	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	5	7.2	25	3	3	6	10	15	15	15
50-64	79	6.5	27	1	1	5	8	13	16	29
65+	530	8.3	54	2	2	6	10	16	23	35
B. *Operated*										
0-19 YRS	4	23.5	210	10	10	20	32	44	44	44
20-34	9	22.8	454	8	8	17	22	56	78	78
35-49	37	16.8	140	2	2	14	24	31	38	53
50-64	686	15.1	102	2	4	13	18	25	33	73
65+	1463	19.2	165	3	6	16	23	36	44	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	4.6	27	<1	<1	3	5	10	16	28
B. *Operated*	727	12.7	50	2	3	12	16	20	24	38
2. MULTIPLE DX										
A. *Not Operated*	617	8.1	51	1	2	6	10	15	22	34
B. *Operated*	2199	17.9	150	3	5	15	22	33	43	74
1. SINGLE DX	838	11.6	55	2	2	11	15	19	23	37
2. MULTIPLE DX	2816	15.7	144	2	4	13	20	30	39	68
A. NOT OPERATED	728	7.5	49	1	2	6	9	15	21	34
B. OPERATED	2926	16.6	130	3	4	14	20	30	39	68
TOTAL 0-19 YRS	7	14.3	237	<1	<1	10	20	39	44	44
20-34	18	13.3	313	1	2	8	17	23	56	78
35-49	61	14.4	134	2	3	12	19	30	37	53
50-64	1028	13.5	87	2	3	12	17	23	29	65
65+	2540	15.3	140	2	3	13	19	30	38	65
GRAND TOTAL	**3654**	**14.8**	**127**	**2**	**3**	**13**	**19**	**27**	**36**	**65**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	13.3	265	2	2	6	25	32	32	32
50-64	8	5.5	9	2	2	5	7	10	11	11
65+	7	5.0	3	3	3	6	6	7	7	7
B. *Operated*										
0-19 YRS	15	7.5	71	1	2	4	9	20	28	31
20-34	33	11.7	161	1	2	6	18	28	43	47
35-49	50	12.7	110	2	2	9	20	23	33	53
50-64	119	11.2	103	1	2	10	15	21	29	99+
65+	101	10.9	63	1	2	10	14	21	25	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	5	6.6	23	<1	<1	6	11	12	12	12
50-64	16	5.4	15	2	2	4	7	11	14	16
65+	34	13.3	179	2	2	10	17	28	35	68
B. *Operated*										
0-19 YRS	8	10.6	43	3	3	10	16	19	20	20
20-34	25	22.3	460	5	6	12	27	61	71	79
35-49	64	19.0	289	2	4	14	27	52	85	99+
50-64	188	16.2	224	3	4	12	21	36	57	99+
65+	211	17.8	188	2	4	15	23	35	47	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	6.6	46	2	2	6	7	10	24	32
B. *Operated*	318	11.2	96	1	2	9	16	22	29	62
2. MULTIPLE DX										
A. *Not Operated*	56	10.3	127	2	2	6	14	22	31	66
B. *Operated*	496	17.5	227	3	4	14	22	39	54	99+
1. SINGLE DX	336	11.0	94	1	2	9	15	22	30	57
2. MULTIPLE DX	552	16.7	221	2	3	13	22	37	53	99+
A. NOT OPERATED	74	9.4	109	2	2	6	12	20	31	60
B. OPERATED	814	15.0	185	2	3	12	20	31	47	99+
TOTAL 0-19 YRS	23	8.6	61	1	2	5	14	20	24	31
20-34	59	16.1	308	2	3	9	22	44	55	78
35-49	122	15.7	213	2	3	12	22	36	56	99+
50-64	331	13.6	175	2	3	11	17	30	47	99+
65+	353	15.2	159	2	3	12	20	31	40	68
GRAND TOTAL	**888**	**14.6**	**181**	**2**	**3**	**11**	**19**	**31**	**47**	**98**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	6.8	14	2	2	7	8	12	13	13
20-34	20	8.5	21	2	3	7	10	16	18	19
35-49	24	6.8	20	2	2	6	10	13	15	18
50-64	54	5.5	16	1	1	4	9	11	13	16
65+	58	9.2	68	1	1	8	12	17	19	51
B. *Operated*										
0-19 YRS	6	8.5	32	2	2	7	9	18	19	19
20-34	41	7.6	32	1	2	6	11	15	19	25
35-49	232	8.7	40	2	2	8	12	17	21	28
50-64	804	10.3	56	2	2	10	13	18	22	36
65+	570	11.1	64	2	2	10	15	20	26	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	23	10.8	31	2	4	10	14	18	21	24
35-49	36	11.4	89	1	3	10	16	19	31	48
50-64	140	8.8	53	1	2	7	12	16	19	46
65+	273	10.1	59	2	3	8	13	22	26	44
B. *Operated*										
0-19 YRS	14	9.9	16	3	5	9	13	15	16	16
20-34	56	12.0	125	2	2	10	15	22	30	69
35-49	390	12.6	87	2	3	11	16	24	29	54
50-64	1587	14.1	120	2	3	12	17	26	38	74
65+	1898	17.3	200	2	4	14	21	34	45	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	7.4	38	1	2	6	10	14	17	28
B. *Operated*	1653	10.2	56	2	2	10	14	18	23	37
2. MULTIPLE DX										
A. *Not Operated*	472	9.9	59	2	2	8	12	19	24	46
B. *Operated*	3945	15.5	158	2	3	13	19	30	41	79
1. SINGLE DX	1815	10.0	55	2	2	10	13	18	23	36
2. MULTIPLE DX	4417	14.9	150	2	3	12	18	29	40	77
A. NOT OPERATED	634	9.2	54	1	2	8	12	18	23	46
B. OPERATED	5598	13.9	134	2	3	12	17	26	36	69
TOTAL 0-19 YRS	26	8.9	19	2	2	8	13	15	17	19
20-34	140	10.0	70	2	2	9	13	19	22	43
35-49	682	11.0	72	2	2	10	14	20	26	47
50-64	2585	12.5	99	2	2	11	16	23	31	57
65+	2799	15.2	165	2	3	12	19	30	40	77
GRAND TOTAL	**6232**	**13.5**	**128**	**2**	**2**	**11**	**17**	**26**	**35**	**67**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	7.4	33	1	2	6	10	14	21	28
20-34	61	5.1	22	1	1	4	7	10	12	29
35-49	84	6.7	37	1	1	5	8	14	20	33
50-64	113	4.6	10	1	1	4	6	9	10	14
65+	120	6.1	23	1	2	4	8	14	17	21
B. *Operated*										
0-19 YRS	42	6.8	31	1	1	5	10	15	18	22
20-34	112	6.4	34	1	1	5	8	14	20	29
35-49	210	7.3	32	1	2	6	11	16	19	25
50-64	582	9.1	74	2	2	7	12	18	24	48
65+	469	10.5	101	2	2	8	14	21	29	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	6.5	22	2	2	5	8	13	16	23
20-34	98	6.8	27	1	2	6	8	13	17	28
35-49	201	7.7	75	1	2	5	9	15	19	39
50-64	455	8.5	50	2	2	7	10	16	23	36
65+	912	10.7	86	2	3	8	14	20	26	54
B. *Operated*										
0-19 YRS	29	12.4	229	2	3	8	11	25	61	65
20-34	132	13.2	199	2	2	9	16	36	45	84
35-49	360	12.3	145	2	2	9	16	24	34	71
50-64	1265	13.4	143	2	2	10	17	28	38	68
65+	1776	17.6	226	2	3	14	23	37	50	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	476	6.0	25	1	1	5	8	12	16	24
B. *Operated*	1415	9.0	74	1	2	7	12	19	24	39
2. MULTIPLE DX										
A. *Not Operated*	1724	9.4	72	2	3	7	12	18	23	43
B. *Operated*	3562	15.3	192	2	3	12	20	33	44	77
1. SINGLE DX	1891	8.2	63	1	2	6	11	17	22	37
2. MULTIPLE DX	5286	13.4	161	2	3	10	17	29	40	70
A. NOT OPERATED	2200	8.7	64	1	2	7	11	17	22	41
B. OPERATED	4977	13.5	167	2	2	10	18	29	40	71
TOTAL 0-19 YRS	227	7.7	57	1	2	6	10	15	19	39
20-34	403	8.5	95	1	2	6	10	18	30	54
35-49	855	9.4	96	2	2	7	12	19	26	46
50-64	2415	11.0	110	2	2	8	14	23	31	61
65+	3277	14.2	175	2	3	11	18	30	41	73
GRAND TOTAL	**7177**	**12.0**	**140**	**2**	**2**	**9**	**15**	**25**	**35**	**65**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	7.2	15	2	3	7	9	13	14	20
20-34	1103	7.7	18	3	3	7	10	13	15	22
35-49	1325	8.6	24	3	4	8	11	14	17	24
50-64	1339	9.1	23	3	4	8	11	15	18	26
65+	982	9.5	24	4	4	9	11	15	18	29
B. *Operated*										
0-19 YRS	58	8.9	24	2	3	8	12	15	17	26
20-34	417	8.5	27	2	2	8	11	15	17	22
35-49	413	9.3	30	2	3	8	12	16	19	30
50-64	428	10.1	35	3	3	9	13	18	21	33
65+	235	10.9	40	3	4	10	14	19	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	8.3	28	3	3	7	10	14	19	32
20-34	1057	9.8	42	3	4	8	12	17	20	34
35-49	1772	10.4	37	4	4	9	13	18	22	33
50-64	2944	10.9	41	4	5	10	13	18	22	33
65+	3434	11.8	46	4	5	10	14	20	24	36
B. *Operated*										
0-19 YRS	42	11.8	98	2	2	9	15	22	38	44
20-34	474	11.4	53	2	3	10	14	20	24	39
35-49	729	13.1	78	3	4	11	17	25	32	45
50-64	1050	13.1	70	4	5	11	16	23	28	46
65+	1079	14.6	89	4	6	13	18	26	34	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4910	8.7	23	3	4	8	11	14	17	25
B. *Operated*	1551	9.5	33	2	3	9	12	17	20	30
2. MULTIPLE DX										
A. *Not Operated*	9300	10.9	43	4	5	10	14	18	22	35
B. *Operated*	3374	13.3	77	3	5	11	17	24	30	46
1. SINGLE DX	6461	8.9	25	3	4	8	11	15	18	26
2. MULTIPLE DX	12674	11.6	53	4	5	10	14	20	25	40
A. NOT OPERATED	14210	10.2	37	3	4	9	13	17	21	33
B. OPERATED	4925	12.1	66	3	4	10	15	21	27	44
TOTAL 0-19 YRS	354	8.3	32	2	3	7	11	14	18	34
20-34	3051	9.1	35	2	3	8	11	16	19	30
35-49	4239	10.2	42	3	4	9	12	18	22	35
50-64	5761	10.8	44	4	5	9	13	18	22	35
65+	5730	11.9	53	4	5	10	14	20	25	41
GRAND TOTAL	**19135**	**10.7**	**45**	**3**	**4**	**9**	**13**	**18**	**23**	**36**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	38	8.1	101	1	1	5	7	22	36	43
35-49	73	7.5	26	1	2	6	10	14	18	24
50-64	134	10.7	67	2	3	8	14	22	29	37
65+	186	14.0	119	3	4	12	17	25	34	66
B. *Operated*										
0-19 YRS	69	4.2	7	2	2	4	5	7	9	16
20-34	1377	4.5	6	2	2	4	5	7	9	15
35-49	2054	5.1	11	2	3	4	6	8	10	20
50-64	1667	6.2	31	2	3	5	7	10	15	36
65+	438	12.0	168	3	3	7	14	31	37	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	10.6	36	5	5	8	15	20	20	20
20-34	59	6.3	33	<1	1	5	8	12	18	28
35-49	151	9.9	69	1	2	7	13	20	28	42
50-64	395	12.2	106	3	4	9	15	24	31	55
65+	1024	14.9	115	4	5	12	19	29	36	55
B. *Operated*										
0-19 YRS	13	5.1	8	2	2	4	7	9	11	12
20-34	415	6.1	21	2	2	5	7	11	16	24
35-49	871	7.9	50	3	3	6	9	14	21	36
50-64	1116	10.0	86	3	3	7	12	20	28	47
65+	715	19.7	257	4	5	15	28	43	53	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	432	11.3	92	2	3	9	15	23	28	43
B. *Operated*	5605	5.8	32	2	3	4	6	9	14	33
2. MULTIPLE DX										
A. *Not Operated*	1634	13.5	110	3	4	11	17	27	34	54
B. *Operated*	3130	11.1	130	3	3	7	13	26	35	58
1. SINGLE DX	6037	6.2	38	2	3	5	6	10	16	35
2. MULTIPLE DX	4764	11.9	124	3	3	8	15	26	35	57
A. NOT OPERATED	2066	13.0	107	2	4	10	17	27	33	53
B. OPERATED	8735	7.7	73	2	3	5	8	15	25	47
TOTAL 0-19 YRS	88	4.7	11	2	2	4	6	8	12	18
20-34	1889	5.0	13	2	2	4	5	8	10	22
35-49	3149	6.2	27	2	3	5	7	10	15	29
50-64	3312	8.4	65	2	3	6	9	17	24	44
65+	2363	15.8	176	3	4	11	21	33	43	65
GRAND TOTAL	**10801**	**8.7**	**84**	**2**	**3**	**5**	**9**	**19**	**28**	**48**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.6	1	1	1	3	3	4	5	5
20-34	212	3.3	4	1	1	3	4	6	7	8
35-49	237	3.5	9	1	1	3	4	6	9	15
50-64	166	3.5	6	1	1	3	5	7	8	11
65+	119	4.5	11	1	1	4	6	9	11	16
B. *Operated*										
0-19 YRS	65	5.0	5	2	2	5	6	8	8	13
20-34	970	5.5	15	2	3	5	6	8	9	14
35-49	1176	5.8	14	3	3	5	7	9	10	15
50-64	731	5.8	6	3	3	5	7	9	10	13
65+	240	6.4	11	2	3	6	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.8	5	1	1	3	5	7	8	11
20-34	361	4.5	10	1	2	4	6	8	10	22
35-49	565	4.6	12	1	2	4	6	9	11	16
50-64	681	5.0	23	1	1	4	6	9	12	22
65+	691	5.9	19	2	2	5	7	12	14	21
B. *Operated*										
0-19 YRS	172	5.4	4	2	3	5	6	8	9	14
20-34	3764	6.0	9	3	4	5	7	9	11	16
35-49	5128	6.6	12	3	4	6	8	10	12	19
50-64	4086	7.3	19	3	4	6	8	12	15	23
65+	1581	8.9	32	4	4	7	11	15	20	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	768	3.5	7	1	1	3	4	7	8	14
B. *Operated*	3182	5.7	12	3	3	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	2339	5.1	17	1	2	4	6	9	12	21
B. *Operated*	14731	6.9	16	3	4	6	8	11	13	22
1. SINGLE DX	3950	5.3	12	2	2	5	6	8	10	15
2. MULTIPLE DX	17070	6.6	17	3	3	6	8	11	13	22
A. NOT OPERATED	3107	4.7	15	1	1	4	6	9	12	19
B. OPERATED	17913	6.7	16	3	4	6	8	10	13	21
TOTAL 0-19 YRS	312	4.8	5	2	2	5	6	7	9	12
20-34	5307	5.7	10	2	3	5	7	9	10	16
35-49	7106	6.2	13	2	3	6	7	10	12	18
50-64	5664	6.7	19	2	3	6	8	11	14	23
65+	2631	7.7	28	2	3	6	9	14	18	27
GRAND TOTAL	**21020**	**6.4**	**16**	**2**	**3**	**6**	**7**	**10**	**13**	**21**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	4.9	12	1	2	4	6	9	14	16
20-34	187	7.0	23	1	2	6	9	13	16	22
35-49	234	7.4	34	1	2	6	10	14	16	22
50-64	273	7.2	39	1	2	6	10	13	16	33
65+	302	7.4	22	1	2	6	10	14	16	24
B. *Operated*										
0-19 YRS	203	3.6	6	2	2	3	4	5	9	15
20-34	638	4.1	14	1	2	3	4	8	12	23
35-49	250	6.9	61	1	2	5	9	15	19	35
50-64	249	8.3	59	2	2	6	11	17	21	32
65+	191	10.5	61	2	2	9	15	21	24	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	4.2	8	1	1	3	5	8	11	47
20-34	348	7.3	28	2	2	6	10	14	17	26
35-49	563	8.2	39	2	2	7	11	16	20	30
50-64	1228	8.7	40	2	3	7	11	17	21	30
65+	2194	9.4	54	2	3	8	12	18	22	40
B. *Operated*										
0-19 YRS	100	8.1	138	1	2	4	10	19	21	99+
20-34	753	5.4	37	1	2	3	7	11	17	35
35-49	491	11.0	126	2	2	8	14	23	31	62
50-64	749	13.5	147	2	3	11	17	29	40	61
65+	837	15.8	157	2	4	13	20	30	40	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1079	7.1	28	1	2	6	10	14	16	25
B. *Operated*	1531	6.0	39	1	2	4	8	13	18	31
2. MULTIPLE DX										
A. *Not Operated*	4444	8.8	46	2	3	7	11	17	21	35
B. *Operated*	2930	11.5	134	2	2	8	15	24	35	61
1. SINGLE DX	2610	6.4	35	1	2	5	9	14	17	27
2. MULTIPLE DX	7374	9.8	83	2	2	7	13	20	26	48
A. NOT OPERATED	5523	8.4	43	2	2	7	11	16	20	34
B. OPERATED	4461	9.6	108	2	2	6	13	21	30	54
TOTAL 0-19 YRS	497	4.9	36	1	2	3	5	10	13	32
20-34	1926	5.5	27	1	2	4	7	12	15	25
35-49	1538	8.7	72	2	2	7	11	17	23	42
50-64	2499	9.9	80	2	2	8	13	19	27	48
65+	3524	10.8	84	2	3	9	14	21	27	50
GRAND TOTAL	**9984**	**9.0**	**72**	**2**	**2**	**7**	**12**	**18**	**24**	**45**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9542	3.2	5	1	1	3	4	5	7	10
20-34	1061	3.6	6	1	1	3	4	6	7	11
35-49	355	4.1	6	1	2	4	5	7	9	14
50-64	273	4.3	8	1	2	4	6	8	9	13
65+	218	4.9	10	1	2	4	6	9	12	15
B. *Operated*										
0-19 YRS	1534	2.3	4	<1	1	2	2	3	5	12
20-34	638	2.7	4	1	1	2	3	4	5	12
35-49	90	3.1	6	1	1	2	3	6	8	13
50-64	51	4.0	13	<1	1	2	5	10	12	18
65+	22	3.7	16	1	1	2	4	7	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13644	3.9	7	1	2	3	5	7	8	13
20-34	2478	4.6	11	1	2	4	6	8	10	16
35-49	1300	5.7	16	2	2	5	7	10	13	21
50-64	1399	6.5	20	2	3	6	8	11	14	23
65+	1914	7.5	27	2	3	6	9	14	17	27
B. *Operated*										
0-19 YRS	1083	3.1	10	1	1	2	3	7	9	17
20-34	356	4.6	16	1	2	3	6	10	13	19
35-49	157	7.0	36	2	2	5	9	15	18	28
50-64	189	9.0	45	2	2	8	12	18	23	30
65+	129	12.4	125	2	3	9	15	28	38	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11449	3.3	5	1	1	3	4	6	7	11
B. *Operated*	2335	2.5	5	1	1	2	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	20735	4.6	12	1	2	4	6	8	11	18
B. *Operated*	1914	4.9	32	1	1	2	6	11	15	29
1. SINGLE DX	13784	3.2	5	1	1	3	4	6	7	11
2. MULTIPLE DX	22649	4.7	14	1	2	4	6	8	11	19
A. NOT OPERATED	32184	4.2	10	1	2	3	5	7	9	16
B. OPERATED	4249	3.6	18	1	1	2	3	8	12	23
TOTAL 0-19 YRS	25803	3.5	6	1	1	3	4	6	8	12
20-34	4533	4.1	9	1	2	3	5	7	9	16
35-49	1902	5.4	16	1	2	4	7	10	12	21
50-64	1912	6.4	22	2	2	5	8	12	15	24
65+	2283	7.5	33	2	3	6	9	14	17	31
GRAND TOTAL	**36433**	**4.1**	**11**	**1**	**2**	**3**	**5**	**7**	**10**	**17**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10017	4.2	7	1	2	4	5	7	8	12
20-34	876	4.7	18	2	2	4	6	8	9	17
35-49	602	5.0	13	2	2	4	6	8	11	15
50-64	584	5.7	11	2	2	5	7	10	12	17
65+	507	6.2	15	2	3	5	8	10	13	22
B. *Operated*										
0-19 YRS	23	8.5	51	2	3	8	10	15	24	36
20-34	30	6.1	12	2	2	6	7	11	14	15
35-49	30	6.7	26	1	2	5	9	13	17	23
50-64	39	6.8	21	2	2	6	9	14	17	18
65+	22	5.9	19	1	2	5	8	13	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7854	5.0	11	2	2	4	6	8	10	16
20-34	1557	5.5	12	2	2	5	7	9	11	19
35-49	1830	6.7	19	2	3	6	8	11	15	23
50-64	3588	7.6	28	3	3	7	9	13	16	27
65+	5525	8.6	31	3	4	7	10	15	19	29
B. *Operated*										
0-19 YRS	100	8.0	19	3	3	7	10	13	16	23
20-34	141	9.7	41	3	3	8	12	18	23	32
35-49	211	9.7	41	3	3	8	13	19	23	32
50-64	351	12.0	69	2	4	10	15	23	27	44
65+	347	13.6	101	3	5	11	17	25	31	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12586	4.4	9	1	2	4	5	7	9	14
B. *Operated*	144	6.8	25	2	2	6	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	20354	6.6	23	2	3	5	8	12	15	25
B. *Operated*	1150	11.4	69	3	4	9	14	22	27	42
1. SINGLE DX	12730	4.4	9	1	2	4	5	7	9	14
2. MULTIPLE DX	21504	6.9	26	2	3	6	8	12	16	26
A. NOT OPERATED	32940	5.8	19	2	2	5	7	10	13	22
B. OPERATED	1294	10.9	66	2	3	9	14	21	26	40
TOTAL 0-19 YRS	17994	4.6	9	2	2	4	6	8	9	14
20-34	2604	5.5	17	2	2	5	7	9	12	21
35-49	2673	6.5	21	2	3	5	8	12	15	23
50-64	4562	7.7	31	2	3	6	9	14	18	28
65+	6401	8.7	36	3	3	7	11	15	20	31
GRAND TOTAL	**34234**	**6.0**	**21**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.8	6	<1	<1	2	4	4	7	12
20-34	32	2.2	1	<1	<1	2	3	4	4	4
35-49	14	2.5	2	<1	<1	3	4	4	4	4
50-64	6	2.5	1	1	1	2	3	4	4	4
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	1167	2.7	5	1	2	2	3	4	5	7
20-34	2544	2.6	3	1	2	2	3	4	5	6
35-49	1073	2.7	2	1	2	2	3	4	5	7
50-64	558	2.8	4	1	2	2	3	4	5	11
65+	117	2.8	1	1	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	2.1	2	<1	<1	1	3	4	5	6
20-34	101	2.6	3	<1	1	2	3	4	6	9
35-49	66	3.0	6	<1	1	3	3	5	8	13
50-64	30	3.4	5	1	1	3	4	5	6	13
65+	13	4.1	10	<1	<1	3	6	8	11	12
B. *Operated*										
0-19 YRS	1470	3.1	5	2	2	3	4	4	5	9
20-34	3820	3.2	4	1	2	3	4	5	5	9
35-49	1968	3.4	10	2	2	3	4	5	6	13
50-64	1230	3.5	6	2	2	3	4	5	7	13
65+	296	3.7	7	1	2	3	4	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.5	3	<1	<1	2	3	4	4	10
B. *Operated*	5459	2.7	3	1	2	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	245	2.8	4	<1	1	2	3	5	6	12
B. *Operated*	8784	3.3	6	2	2	3	4	5	6	11
1. SINGLE DX	5538	2.7	3	1	2	2	3	4	5	7
2. MULTIPLE DX	9029	3.3	6	1	2	3	4	5	6	11
A. NOT OPERATED	324	2.7	4	<1	1	2	3	4	6	12
B. OPERATED	14243	3.0	5	1	2	3	4	5	5	10
TOTAL 0-19 YRS	2697	2.9	5	1	2	3	3	4	5	9
20-34	6497	2.9	4	1	2	3	3	4	5	9
35-49	3121	3.2	7	1	2	3	4	5	6	11
50-64	1824	3.5	5	2	2	3	4	5	6	12
65+	428	3.5	5	1	2	3	4	6	8	14
GRAND TOTAL	**14567**	**3.0**	**5**	**1**	**2**	**3**	**4**	**5**	**5**	**10**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34	4	3.0	2	1	1	3	4	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	8	2.8	3	1	1	2	3	5	6	6
65+	3	1.7		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	77	2.0	1	1	1	2	2	3	4	8
20-34	153	2.4	2	1	1	2	3	4	5	6
35-49	222	2.4	4	1	1	2	3	4	5	11
50-64	266	2.5	8	1	1	2	3	4	5	22
65+	174	2.4	5	1	1	2	3	4	4	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	19	1	1	2	3	11	12	12
20-34	11	2.8	5	<1	<1	2	5	6	7	7
35-49	13	4.2	7	1	1	3	7	8	8	8
50-64	21	4.4	10	1	1	3	6	10	11	11
65+	9	3.8	4	1	1	4	5	7	7	7
B. *Operated*										
0-19 YRS	127	3.4	32	1	1	2	3	5	8	26
20-34	306	3.2	6	1	2	3	4	5	6	11
35-49	383	3.0	3	1	1	3	4	5	6	12
50-64	522	3.2	5	1	2	3	4	5	7	12
65+	308	3.7	9	1	2	3	4	6	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.8	5	1	1	2	4	5	8	10
B. *Operated*	892	2.4	5	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	60	3.9	8	1	1	3	6	8	10	12
B. *Operated*	1646	3.3	8	1	2	3	4	5	7	13
1. SINGLE DX	911	2.4	5	1	1	2	3	4	5	11
2. MULTIPLE DX	1706	3,3	8	1	2	3	4	5	7	13
A. NOT OPERATED	79	3.6	8	1	1	3	5	8	10	12
B. OPERATED	2538	3.0	7	1	1	2	3	5	6	12
TOTAL 0-19 YRS	212	2.9	21	1	1	2	3	4	6	13
20-34	474	2.9	5	1	1	2	3	5	6	11
35-49	620	2.8	4	1	1	2	3	4	6	11
50-64	817	3.0	6	1	1	2	3	5	7	13
65+	494	3.2	7	1	1	3	4	5	7	15
GRAND TOTAL	**2617**	**3.0**	**7**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	668	2.1	10	<1	1	2	2	3	4	12
20-34	136	2.3	2	1	1	2	3	3	5	8
35-49	18	3.1	4	<1	1	3	4	6	7	8
50-64	3	3.3	4	<1	<1	4	5	5	5	5
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	42269	1.9	3	1	1	2	2	2	3	5
20-34	9359	2.3	2	1	1	2	3	3	4	6
35-49	738	2.5	2	1	1	2	3	4	5	7
50-64	153	2.6	4	1	1	2	3	4	5	15
65+	113	2.3	3	1	1	2	2	4	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	981	1.9	4	<1	<1	1	2	3	5	11
20-34	126	2.5	3	<1	<1	2	3	5	6	9
35-49	20	4.1	19	<1	1	3	5	6	14	21
50-64	10	3.9	5	1	1	4	6	7	7	7
65+	12	6.5	18	2	3	5	8	12	17	18
B. *Operated*										
0-19 YRS	21780	1.9.	3	<1	1	2	2	2	3	7
20-34	1678	2.9	4	1	2	2	3	5	6	10
35-49	239	3.5	17	1	2	2	4	6	9	13
50-64	99	4.5	52	1	1	2	4	8	15	44
65+	63	4.2	58	<1	1	2	3	10	24	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	827	2.1	9	<1	1	2	2	3	4	11
B. *Operated*	52632	2.0	3	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	1149	2.1	5	<1	<1	1	2	4	6	11
B. *Operated*	23859	2.0	4	<1	1	2	2	3	3	8
1. SINGLE DX	53459	2.0	3	1	1	2	2	3	3	5
2. MULTIPLE DX	25008	2.0	4	<1	1	2	2	3	3	8
A. NOT OPERATED	1976	2.1	6	<1	<1	1	2	4	5	11
B. OPERATED	76491	2.0	3	1	1	2	2	3	3	6
TOTAL 0-19 YRS	65698	1.9	3	1	1	2	2	2	3	6
20-34	11299	2.4	2	1	1	2	3	3	4	8
35-49	1015	2.7	6	1	1	2	3	4	6	10
50-64	265	3.3	23	1	1	2	3	5	9	41
65+	190	3.2	24	1	1	2	3	7	10	43
GRAND TOTAL	**78467**	**2.0**	**3**	**1**	**1**	**2**	**2**	**3**	**3**	**7**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	830	3.3	5	1	1	3	4	6	7	11
20-34	564	3.6	6	1	1	3	4	6	7	12
35-49	273	3.4	9	1	1	3	4	6	8	16
50-64	232	3.3	5	1	1	2	4	7	8	11
65+	97	3.5	8	1	1	3	4	6	10	16
B. *Operated*										
0-19 YRS	980	2.7	5	1	1	2	3	5	6	11
20-34	1629	2.7	4	1	1	2	3	4	6	10
35-49	1332	2.7	5	1	1	2	3	4	6	11
50-64	1316	2.7	5	1	1	2	3	4	6	14
65+	530	2.9	8	1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	843	4.3	12	1	2	4	5	7	9	14
20-34	649	4.9	9	1	2	4	6	9	10	15
35-49	510	5.4	14	2	2	5	7	10	12	21
50-64	491	6.0	22	2	2	5	8	12	15	23
65+	419	6.4	23	2	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	849	3.2	8	1	1	2	4	5	8	16
20-34	1553	3.8	8	1	2	3	4	7	8	15
35-49	1371	4.1	15	1	2	3	4	8	11	21
50-64	1384	4.6	30	1	2	3	5	9	14	26
65+	717	6.4	60	1	2	3	8	14	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1996	3.4	6	1	1	3	4	6	7	12
B. *Operated*	5787	2.7	5	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	2912	5.2	16	1	2	4	6	9	12	20
B. *Operated*	5874	4.3	22	1	2	3	5	8	12	24
1. SINGLE DX	7783	2.9	5	1	1	2	3	5	6	12
2. MULTIPLE DX	8786	4.6	20	1	2	3	5	9	12	23
A. NOT OPERATED	4908	4.5	13	1	2	4	6	8	11	18
B. OPERATED	11661	3.5	14	1	1	2	4	6	9	20
TOTAL 0-19 YRS	3502	3.4	8	1	1	3	4	6	8	13
20-34	4395	3.5	7	1	2	3	4	6	8	14
35-49	3486	3.7	12	1	1	3	4	7	10	18
50-64	3423	4.0	19	1	1	2	4	8	12	22
65+	1763	5.2	35	1	2	3	6	11	16	29
GRAND TOTAL	**16569**	**3.8**	**14**	**1**	**1**	**3**	**4**	**7**	**10**	**19**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18882	5.2	10	2	2	5	6	9	11	16
20-34	3447	5.6	9	2	3	5	7	9	11	16
35-49	2244	6.4	13	2	3	6	8	10	13	18
50-64	2262	7.4	20	3	3	7	9	12	15	23
65+	2597	8.5	29	3	4	7	10	15	18	29
B. *Operated*										
0-19 YRS	91	8.6	48	1	2	6	12	19	23	29
20-34	93	9.1	47	2	3	8	13	19	21	37
35-49	153	9.5	34	2	2	9	13	17	21	24
50-64	265	10.8	59	2	2	9	15	19	25	37
65+	191	13.0	87	2	3	11	18	22	27	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14298	5.9	14	2	2	5	7	10	13	21
20-34	3159	7.0	25	2	3	6	9	12	15	26
35-49	3382	8.2	28	3	3	7	10	14	18	28
50-64	6619	9.4	35	3	4	8	11	16	21	32
65+	16707	11.6	55	4	5	10	14	20	25	39
B. *Operated*										
0-19 YRS	340	12.7	77	3	4	11	16	24	31	45
20-34	359	13.8	103	3	4	11	18	26	33	61
35-49	534	16.0	167	3	5	13	20	30	41	81
50-64	1232	16.2	138	4	5	14	20	30	38	70
65+	1928	20.2	197	5	7	17	25	38	49	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29432	5.8	14	2	2	5	7	10	12	19
B. *Operated*	793	10.6	60	2	2	9	15	20	24	37
2. MULTIPLE DX										
A. *Not Operated*	44165	8.8	41	2	3	7	11	16	21	33
B. *Operated*	4393	17.5	167	4	6	14	22	33	44	74
1. SINGLE DX	30225	5.9	16	2	2	5	7	10	13	20
2. MULTIPLE DX	48558	9.6	58	3	3	8	12	18	23	40
A. NOT OPERATED	73597	7.6	32	2	3	6	9	14	18	29
B. OPERATED	5186	16.4	156	3	5	14	21	31	42	71
TOTAL 0-19 YRS	33611	5.6	14	2	2	5	7	9	12	19
20-34	7058	6.7	24	2	3	5	8	12	15	26
35-49	6313	8.2	41	3	3	7	10	14	19	35
50-64	10378	9.8	51	3	4	8	12	18	22	37
65+	21423	12.0	73	4	5	10	15	22	28	46
GRAND TOTAL	**78783**	**8.2**	**45**	**2**	**3**	**6**	**10**	**15**	**20**	**35**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	732	3.3	8	1	1	3	4	5	7	11
20-34	429	3.4	5	1	1	3	4	6	7	13
35-49	195	3.9	5	1	2	4	5	7	8	12
50-64	203	4.9	26	1	2	4	6	8	10	19
65+	197	4.9	9	1	2	4	7	8	10	14
B. *Operated*										
0-19 YRS	6	3.7	7	1	1	3	7	7	7	7
20-34	5	4.4	6	2	2	5	6	8	8	8
35-49	3	3.3	5	2	2	2	5	6	6	6
50-64	1	6.0		6	6	6	6	6	6	6
65+	5	18.4	105	6	6	22	27	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	878	3.8	7	1	1	3	5	7	8	14
20-34	725	4.0	8	1	2	3	5	7	9	13
35-49	412	5.3	20	2	2	4	6	9	11	20
50-64	627	6.2	21	2	2	5	8	11	14	22
65+	1095	7.4	30	2	3	6	9	14	17	27
B. *Operated*										
0-19 YRS	14	8.3	113	1	2	5	7	18	37	43
20-34	33	6.4	18	2	2	6	9	13	15	15
35-49	27	10.7	84	3	4	7	13	22	32	41
50-64	36	9.9	43	3	4	9	11	14	27	33
65+	48	16.8	153	5	6	13	24	30	43	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1756	3.7	10	1	2	3	5	7	8	13
B. *Operated*	20	7.6	67	1	2	5	8	24	27	28
2. MULTIPLE DX										
A. *Not Operated*	3737	5.5	20	1	2	4	7	10	13	22
B. *Operated*	158	11.2	97	2	3	8	14	25	30	47
1. SINGLE DX	1776	3.8	10	1	2	3	5	7	8	14
2. MULTIPLE DX	3895	5.7	24	1	2	4	7	11	14	25
A. NOT OPERATED	5493	4.9	17	1	2	4	6	9	12	21
B. OPERATED	178	10.8	95	2	3	8	13	25	30	46
TOTAL 0-19 YRS	1630	3.6	9	1	1	3	4	6	7	13
20-34	1192	3.9	8	1	2	3	5	7	9	14
35-49	637	5.1	20	2	2	4	6	9	11	22
50-64	867	6.0	24	2	2	5	7	11	14	23
65+	1345	7.4	36	2	2	6	9	14	18	29
GRAND TOTAL	**5671**	**5.1**	**21**	**1**	**2**	**4**	**6**	**9**	**13**	**23**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3838	4.1	15	1	2	3	5	7	8	12
20-34	458	4.5	9	1	2	4	6	7	9	14
35-49	425	5.7	16	2	2	5	7	10	12	23
50-64	683	6.6	18	2	3	6	8	12	14	24
65+	696	7.8	39	2	3	7	10	14	16	30
B. *Operated*										
0-19 YRS	50	4.9	27	1	1	3	6	11	18	24
20-34	79	5.1	20	1	2	4	7	10	15	21
35-49	142	4.7	12	1	1	3	7	10	12	24
50-64	198	5.5	23	1	2	4	7	11	15	28
65+	104	6.9	55	1	1	4	9	14	20	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3061	4.7	14	2	2	4	6	8	10	16
20-34	911	5.6	14	2	2	5	7	10	12	19
35-49	1266	6.8	19	2	3	6	8	12	15	24
50-64	2929	7.9	32	2	3	7	10	14	18	29
65+	4246	9.4	46	3	3	8	11	17	22	36
B. *Operated*										
0-19 YRS	70	9.2	117	2	2	6	12	18	24	68
20-34	164	7.8	36	2	2	7	10	14	18	37
35-49	342	8.7	58	2	2	7	11	17	21	36
50-64	680	10.0	68	2	3	8	12	20	25	50
65+	624	12.3	101	2	3	10	16	23	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6100	4.9	19	1	2	4	6	9	11	19
B. *Operated*	573	5.4	26	1	1	4	7	11	15	25
2. MULTIPLE DX										
A. *Not Operated*	12413	7.4	33	2	3	6	9	13	17	30
B. *Operated*	1880	10.3	78	2	3	8	13	21	25	45
1. SINGLE DX	6673	5.0	20	1	2	4	6	9	11	21
2. MULTIPLE DX	14293	7.7	40	2	3	6	10	14	19	32
A. NOT OPERATED	18513	6.6	30	2	2	5	8	12	16	28
B. OPERATED	2453	9.2	70	2	2	7	12	19	24	43
TOTAL 0-19 YRS	7019	4.4	16	1	2	4	5	7	9	15
20-34	1612	5.5	16	2	2	5	7	10	12	21
35-49	2175	6.8	25	2	2	6	8	13	16	26
50-64	4490	7.9	36	2	3	7	10	14	19	31
65+	5670	9.5	53	3	3	8	12	17	23	40
GRAND TOTAL	**20966**	**6.9**	**35**	**2**	**2**	**5**	**8**	**13**	**17**	**30**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	8.2	53	2	2	6	14	19	19	19
20-34	10	5.3	9	2	2	4	7	10	12	12
35-49	64	6.0	29	2	3	5	7	10	11	38
50-64	301	7.0	28	2	2	6	9	12	15	27
65+	427	8.3	58	2	3	7	10	15	19	42
B. *Operated*										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	7	11.4	78	4	4	7	20	25	25	25
35-49	22	9.5	52	2	2	7	17	18	24	29
50-64	30	8.1	35	1	2	7	12	17	27	99+
65+	15	9.2	38	1	2	9	14	16	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.3	15	1	1	3	4	11	12	12
20-34	32	6.0	10	1	2	5	8	11	12	12
35-49	291	8.2	41	2	3	6	10	15	22	33
50-64	1594	9.2	48	2	3	7	11	17	22	39
65+	2885	10.2	58	3	3	8	13	19	24	40
B. *Operated*										
0-19 YRS	5	14.4	188	1	1	8	27	32	32	32
20-34	19	15.5	365	2	4	11	12	30	66	88
35-49	67	14.8	123	5	5	12	17	25	41	63
50-64	233	14.4	134	3	4	12	18	26	35	75
65+	321	17.2	189	4	6	13	21	36	44	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	807	7.6	44	2	3	6	9	13	17	38
B. *Operated*	76	9.0	43	2	2	8	12	19	24	81
2. MULTIPLE DX										
A. *Not Operated*	4808	9.7	54	3	3	8	12	18	23	39
B. *Operated*	645	15.9	168	3	5	12	19	31	41	82
1. SINGLE DX	883	7.7	44	2	3	6	9	14	18	40
2. MULTIPLE DX	5453	10.4	72	3	3	8	13	20	26	44
A. NOT OPERATED	5615	9.4	53	2	3	8	12	18	23	39
B. OPERATED	721	15.1	159	3	5	12	18	29	40	83
TOTAL 0-19 YRS	18	8.5	78	1	1	5	12	24	30	32
20-34	68	9.1	130	2	2	7	11	12	23	79
35-49	444	8.9	58	2	3	7	11	17	24	42
50-64	2158	9.4	58	2	3	8	12	18	23	43
65+	3648	10.6	74	3	3	8	13	20	26	46
GRAND TOTAL	**6336**	**10.0**	**69**	**2**	**3**	**8**	**12**	**19**	**25**	**44**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10331	4.0	6	1	2	4	5	7	8	12
20-34	2643	4.7	9	1	2	4	6	8	10	15
35-49	2048	5.6	13	2	2	5	7	10	12	19
50-64	2084	6.7	25	2	2	6	8	11	14	24
65+	1223	7.0	18	2	3	6	9	13	15	22
B. *Operated*										
0-19 YRS	28	5.6	13	2	2	5	7	11	13	17
20-34	28	7.5	19	2	2	7	10	12	17	18
35-49	40	6.3	19	2	2	5	8	10	12	27
50-64	38	8.6	45	1	2	6	12	20	21	27
65+	19	10.4	30	3	5	9	14	18	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5997	4.8	9	2	2	4	6	8	10	15
20-34	2305	5.8	19	2	2	5	7	10	13	21
35-49	2739	7.1	29	2	3	6	9	12	15	25
50-64	4495	8.3	33	2	3	7	10	15	18	29
65+	4523	9.3	38	3	4	8	12	17	21	30
B. *Operated*										
0-19 YRS	94	8.1	34	2	3	7	10	14	22	31
20-34	145	11.4	45	3	4	10	14	20	25	35
35-49	259	12.3	94	3	5	10	14	21	27	73
50-64	349	13.9	104	3	5	12	17	24	31	70
65+	269	15.9	122	5	6	13	20	29	37	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18329	4.8	11	1	2	4	6	8	10	16
B. *Operated*	153	7.5	27	2	2	6	10	14	19	27
2. MULTIPLE DX										
A. *Not Operated*	20059	7.0	28	2	3	6	9	13	16	26
B. *Operated*	1116	13.2	97	3	5	11	16	24	30	59
1. SINGLE DX	18482	4.8	11	1	2	4	6	9	11	17
2. MULTIPLE DX	21175	7.3	34	2	3	6	9	14	17	29
A. NOT OPERATED	38388	6.0	21	2	2	5	7	11	14	23
B. OPERATED	1269	12.5	92	3	4	10	15	23	29	56
TOTAL 0-19 YRS	16450	4.3	8	1	2	4	5	7	9	14
20-34	5121	5.4	16	2	2	4	7	9	12	20
35-49	5086	6.8	27	2	3	6	8	12	15	25
50-64	6966	8.1	36	2	3	7	10	14	18	31
65+	6034	9.1	41	3	3	8	11	16	21	33
GRAND TOTAL	**39657**	**6.2**	**25**	**2**	**2**	**5**	**8**	**11**	**15**	**25**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	4.6	12	2	2	4	6	8	9	22
20-34	59	5.0	8	2	2	4	7	9	10	13
35-49	272	6.5	29	2	2	5	8	12	16	25
50-64	1205	8.1	40	2	3	7	10	15	19	39
65+	1531	8.7	45	3	3	7	10	16	20	32
B. *Operated*										
0-19 YRS	17	5.4	28	1	1	2	8	14	16	17
20-34	26	8.0	36	2	2	8	12	17	19	23
35-49	46	8.0	56	1	1	6	11	15	23	38
50-64	123	9.1	68	2	2	8	11	17	22	42
65+	79	9.7	81	2	3	6	12	23	29	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	6.2	16	2	3	5	8	10	15	21
20-34	172	7.5	53	2	2	6	9	13	18	37
35-49	1143	8.3	41	2	3	7	10	15	19	32
50-64	6156	9.5	58	3	3	8	12	17	23	41
65+	10463	10.4	59	3	4	8	13	19	25	39
B. *Operated*										
0-19 YRS	25	4.7	15	<1	1	3	8	12	13	14
20-34	53	8.3	47	2	2	6	11	19	24	30
35-49	241	12.6	111	3	3	10	16	24	33	62
50-64	961	14.6	164	3	4	11	18	29	41	77
65+	1217	16.7	169	4	5	13	21	34	42	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3135	8.1	41	2	3	7	10	15	20	34
B. *Operated*	291	8.8	65	2	2	7	12	17	24	42
2. MULTIPLE DX										
A. *Not Operated*	18030	9.9	58	3	3	8	12	18	24	39
B. *Operated*	2497	15.2	161	3	4	12	19	31	41	76
1. SINGLE DX	3426	8.1	43	2	3	7	10	15	20	35
2. MULTIPLE DX	20527	10.6	73	3	4	8	13	20	26	46
A. NOT OPERATED	21165	9.6	56	3	3	8	12	18	23	39
B. OPERATED	2788	14.5	155	2	4	11	18	29	40	74
TOTAL 0-19 YRS	206	5.4	16	1	2	4	7	10	13	20
20-34	310	7.2	43	2	2	5	9	13	18	31
35-49	1702	8.6	52	2	3	7	10	16	21	38
50-64	8445	9.9	71	3	3	8	12	18	24	47
65+	13290	10.8	71	3	4	9	13	20	27	44
GRAND TOTAL	**23953**	**10.2**	**70**	**3**	**3**	**8**	**12**	**19**	**25**	**45**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	3.5	6	1	1	3	5	6	7	15
20-34	354	3.9	6	1	1	3	5	7	9	14
35-49	96	4.8	14	1	1	4	6	9	12	20
50-64	37	5.0	8	1	2	4	6	11	12	99+
65+	15	5.6	14	<1	1	5	7	8	14	16
B. *Operated*										
0-19 YRS	246	7.2	37	2	3	6	9	13	16	24
20-34	840	7.3	23	2	3	6	9	13	17	23
35-49	295	7.6	32	3	3	6	9	12	18	36
50-64	111	9.2	41	3	3	7	12	18	25	32
65+	85	10.1	133	3	3	7	11	18	25	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.0	5	1	2	3	5	7	8	12
20-34	96	5.2	16	1	2	4	7	9	13	23
35-49	52	5.7	21	1	2	4	7	10	17	21
50-64	77	8.1	35	2	3	7	10	17	21	29
65+	122	11.9	102	3	4	8	15	28	34	49
B. *Operated*										
0-19 YRS	84	11.7	75	2	4	9	16	24	32	40
20-34	272	10.5	63	3	4	9	13	19	24	35
35-49	179	10.9	63	3	4	9	13	19	25	50
50-64	263	13.6	105	4	5	11	17	28	36	60
65+	298	14.9	140	3	4	11	19	31	42	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	625	4.0	8	1	1	3	5	7	9	15
B. *Operated*	1577	7.6	34	3	3	6	9	13	18	28
2. MULTIPLE DX										
A. *Not Operated*	388	7.8	55	2	2	6	9	17	23	37
B. *Operated*	1096	12.6	98	3	4	10	16	25	33	53
1. SINGLE DX	2202	6.6	29	2	2	5	8	12	16	26
2. MULTIPLE DX	1484	11.3	91	2	3	8	14	24	31	51
A. NOT OPERATED	1013	5.5	29	1	1	4	7	11	16	30
B. OPERATED	2673	9.7	66	3	3	7	12	19	25	45
TOTAL 0-19 YRS	494	6.8	41	1	2	5	8	13	18	33
20-34	1562	6.9	30	2	2	5	9	13	18	26
35-49	622	7.9	42	2	3	6	9	15	19	38
50-64	488	11.1	80	3	3	8	14	23	31	53
65+	520	13.1	131	3	4	9	17	29	35	60
GRAND TOTAL	**3686**	**8.5**	**60**	**2**	**3**	**6**	**10**	**17**	**23**	**42**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	777	4.3	13	1	1	3	5	8	10	20
20-34	481	4.3	18	1	1	3	5	8	11	17
35-49	418	4.6	14	1	1	4	6	9	11	17
50-64	516	6.0	24	1	2	5	7	12	15	25
65+	579	7.3	35	1	2	6	9	14	18	32
B. *Operated*										
0-19 YRS	115	7.5	70	1	1	5	10	17	23	39
20-34	264	8.9	67	1	2	7	11	20	27	41
35-49	316	8.7	44	2	2	7	11	16	20	37
50-64	539	9.9	78	2	2	8	13	21	27	45
65+	370	9.8	87	2	2	8	13	19	25	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1092	5.6	28	1	2	4	7	10	14	25
20-34	830	6.1	27	1	2	5	8	12	16	29
35-49	1085	6.9	27	2	2	6	8	13	16	28
50-64	2575	8.5	42	2	3	7	11	16	20	33
65+	5319	10.6	64	2	3	8	13	20	26	39
B. *Operated*										
0-19 YRS	187	10.1	105	1	2	7	14	23	29	64
20-34	395	11.2	88	2	2	9	15	23	30	51
35-49	660	12.7	109	2	3	10	17	25	33	56
50-64	1450	14.0	147	2	3	11	18	28	39	72
65+	1696	15.5	152	3	4	12	21	32	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2771	5.3	22	1	1	4	7	10	13	24
B. *Operated*	1604	9.3	71	2	2	7	12	19	25	42
2. MULTIPLE DX										
A. *Not Operated*	10901	8.9	52	2	3	7	11	17	23	36
B. *Operated*	4388	14.0	138	2	3	11	18	29	39	67
1. SINGLE DX	4375	6.8	44	1	2	5	9	14	19	34
2. MULTIPLE DX	15289	10.3	82	2	3	8	13	21	28	48
A. NOT OPERATED	13672	8.1	48	2	2	6	10	16	21	35
B. OPERATED	5992	12.7	125	2	3	10	17	27	36	61
TOTAL 0-19 YRS	2171	5.6	34	1	2	4	7	11	15	28
20-34	1970	7.1	49	1	2	5	9	15	21	37
35-49	2479	8.3	57	2	2	6	10	17	22	38
50-64	5080	10.0	81	2	2	8	13	20	27	47
65+	7964	11.3	87	2	3	9	14	23	29	50
GRAND TOTAL	**19664**	**9.5**	**76**	**2**	**2**	**7**	**12**	**20**	**26**	**46**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	3.2	11	<1	1	2	4	6	8	22
20-34	112	3.8	15	<1	1	2	4	7	13	20
35-49	71	4.5	58	1	1	3	6	7	9	53
50-64	27	5.0	42	1	1	3	5	12	18	32
65+	25	8.0	337	<1	1	4	6	10	33	95
B. *Operated*										
0-19 YRS	6076	2.0	3	1	1	2	2	3	4	7
20-34	5369	2.3	5	1	1	2	2	3	4	8
35-49	1606	2.4	8	1	1	2	2	4	5	11
50-64	1024	2.5	4	1	1	2	3	4	5	9
65+	318	3.0	7	1	1	2	3	5	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	187	3.8	16	<1	1	3	5	7	8	15
20-34	222	3.8	11	<1	<1	3	5	8	11	17
35-49	147	4.7	27	<1	1	3	6	9	13	26
50-64	141	5.0	19	1	1	4	6	10	13	19
65+	141	6.1	23	1	2	5	8	12	16	24
B. *Operated*										
0-19 YRS	2173	2.5	9	1	1	2	3	4	5	9
20-34	3512	2.7	6	1	1	2	3	4	6	13
35-49	2487	2.9	11	1	2	2	3	5	7	17
50-64	2393	3.5	17	1	2	2	3	6	9	22
65+	1137	4.4	27	2	2	3	4	8	13	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	4.1	46	<1	1	2	4	7	10	28
B. *Operated*	14393	2.2	4	1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	838	4.5	19	<1	1	3	6	9	12	22
B. *Operated*	11702	3.0	12	1	1	2	3	5	7	17
1. SINGLE DX	14760	2.3	6	1	1	2	2	3	4	10
2. MULTIPLE DX	12540	3.1	13	1	1	2	3	5	8	18
A. NOT OPERATED	1205	4.4	27	<1	1	3	5	9	12	22
B. OPERATED	26095	2.6	8	1	1	2	2	4	6	13
TOTAL 0-19 YRS	8568	2.2	5	1	1	2	2	3	4	9
20-34	9215	2.5	6	1	1	2	2	4	5	12
35-49	4311	2.8	11	1	1	2	3	5	7	15
50-64	3585	3.3	14	1	2	2	3	6	9	19
65+	1621	4.3	28	1	2	3	4	8	13	29
GRAND TOTAL	**27300**	**2.7**	**9**	**1**	**1**	**2**	**3**	**4**	**6**	**14**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	193	3.8	5	1	2	3	5	6	7	14
20-34	84	4.3	7	1	1	4	5	7	9	13
35-49	42	4.5	8	1	2	4	6	7	8	17
50-64	56	4.5	7	1	1	4	6	8	10	11
65+	38	4.8	10	1	1	4	6	9	11	16
B. *Operated*										
0-19 YRS	330	2.7	8	<1	1	2	3	5	7	12
20-34	292	3.3	4	1	1	3	4	5	7	12
35-49	307	3.5	6	1	2	3	4	6	7	15
50-64	342	3.6	6	1	2	3	4	6	8	14
65+	244	3.8	8	1	2	3	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	321	4.7	9	2	2	4	6	8	9	15
20-34	112	5.0	10	1	2	4	6	9	11	16
35-49	98	6.2	20	2	2	5	7	11	16	24
50-64	147	6.9	38	2	3	5	8	12	20	36
65+	223	9.4	57	2	3	7	12	17	22	37
B. *Operated*										
0-19 YRS	141	3.6	10	1	1	3	4	8	9	14
20-34	171	4.3	19	1	2	3	5	8	11	21
35-49	237	5.1	39	1	2	4	5	10	12	31
50-64	325	5.7	21	2	2	4	7	12	15	25
65+	336	7.6	61	2	2	5	9	16	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	413	4.2	6	1	2	4	5	7	8	14
B. *Operated*	1515	3.3	7	1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	901	6.4	30	2	2	5	7	12	16	26
B. *Operated*	1210	5.7	36	1	2	4	6	12	16	30
1. SINGLE DX	1928	3.5	7	1	1	3	4	6	8	14
2. MULTIPLE DX	2111	6.0	34	1	2	4	7	12	16	29
A. NOT OPERATED	1314	5.7	24	1	2	5	7	10	14	24
B. OPERATED	2725	4.4	21	1	2	3	5	8	12	23
TOTAL 0-19 YRS	985	3.7	8	1	1	3	5	7	8	13
20-34	659	3.9	10	1	2	3	5	7	9	15
35-49	684	4.5	20	1	2	3	5	8	11	22
50-64	870	5.0	19	2	2	4	6	10	13	23
65+	841	6.9	47	1	2	5	8	15	19	35
GRAND TOTAL	**4039**	**4.8**	**22**	**1**	**2**	**4**	**6**	**9**	**13**	**23**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	283	4.1	10	1	1	3	5	8	10	15
20-34	400	4.4	10	1	1	4	6	8	11	16
35-49	460	4.6	13	1	1	4	6	8	10	18
50-64	436	4.2	9	1	1	3	6	8	9	15
65+	265	4.5	10	1	1	4	6	9	11	16
B. *Operated*										
0-19 YRS	60	6.6	26	1	1	6	9	13	17	24
20-34	159	7.3	37	1	2	6	9	14	19	29
35-49	201	6.9	33	1	2	5	9	12	18	32
50-64	299	6.6	44	1	2	5	8	13	17	38
65+	343	7.4	60	1	1	5	10	15	21	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	375	5.3	17	1	2	4	6	10	14	20
20-34	995	5.5	15	1	2	5	7	10	12	19
35-49	1508	5.9	20	2	2	5	7	10	13	21
50-64	1905	6.2	23	2	2	5	8	11	14	25
65+	2203	7.3	32	2	2	6	9	13	17	31
B. *Operated*										
0-19 YRS	103	13.9	191	2	3	10	18	33	46	89
20-34	412	8.4	32	2	3	8	11	16	18	29
35-49	722	10.3	68	2	3	8	13	19	25	42
50-64	1323	10.1	76	2	2	8	13	19	25	48
65+	1551	11.3	108	2	3	8	14	23	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1844	4.4	11	1	1	4	6	8	10	15
B. *Operated*	1062	7.0	45	1	2	5	9	14	18	37
2. MULTIPLE DX										
A. *Not Operated*	6986	6.3	24	2	2	5	8	11	15	25
B. *Operated*	4111	10.5	86	2	3	8	13	20	27	52
1. SINGLE DX	2906	5.3	25	1	1	4	7	10	14	25
2. MULTIPLE DX	11097	7.9	51	2	2	6	10	15	20	38
A. NOT OPERATED	8830	5.9	22	1	2	5	7	11	14	24
B. OPERATED	5173	9.8	80	2	2	8	12	19	25	49
TOTAL 0-19 YRS	821	6.1	46	1	2	4	7	12	18	37
20-34	1966	6.0	21	1	2	5	8	11	15	22
35-49	2891	6.8	36	2	2	5	8	13	17	31
50-64	3963	7.3	45	1	2	5	9	14	19	35
65+	4362	8.5	64	2	2	6	10	17	23	43
GRAND TOTAL	**14003**	**7.3**	**47**	**1**	**2**	**5**	**9**	**14**	**19**	**36**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	4.3	10	1	2	4	5	7	9	21
20-34	225	5.4	12	2	2	5	7	10	11	19
35-49	393	5.3	12	1	2	5	7	9	11	18
50-64	394	5.7	14	1	2	5	7	10	13	19
65+	302	6.8	21	2	2	6	8	12	17	23
B. *Operated*										
0-19 YRS	9	7.6	37	2	2	4	12	17	17	17
20-34	119	8.9	36	2	3	8	11	17	23	29
35-49	235	9.2	29	2	3	9	12	16	19	27
50-64	292	9.6	48	1	2	8	13	18	22	46
65+	196	9.9	71	2	3	8	12	20	25	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	5.8	24	1	2	4	6	12	15	25
20-34	344	6.7	21	2	2	6	8	11	15	28
35-49	647	7.1	21	2	3	6	9	12	16	25
50-64	1020	7.7	26	2	3	7	10	14	17	24
65+	1373	9.1	41	3	3	8	11	16	20	32
B. *Operated*										
0-19 YRS	17	10.8	56	3	4	10	12	20	30	34
20-34	201	9.8	37	2	3	9	13	18	22	28
35-49	478	11.0	68	3	4	9	14	20	25	40
50-64	858	11.4	68	3	4	10	14	21	26	41
65+	949	12.7	86	3	4	10	16	24	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1365	5.7	15	1	2	5	7	10	13	21
B. *Operated*	851	9.4	46	2	3	8	12	18	21	38
2. MULTIPLE DX										
A. *Not Operated*	3432	8.0	31	2	3	7	10	15	18	27
B. *Operated*	2503	11.7	73	3	4	10	15	21	27	42
1. SINGLE DX	2216	7.1	30	2	2	6	9	14	18	28
2. MULTIPLE DX	5935	9.6	52	2	3	8	12	18	23	36
A. NOT OPERATED	4797	7.4	27	2	3	6	9	14	17	26
B. OPERATED	3354	11.1	67	2	3	9	14	20	26	41
TOTAL 0-19 YRS	125	6.0	27	1	2	4	7	12	17	27
20-34	889	7.4	27	2	2	6	9	14	18	28
35-49	1753	8.0	37	2	3	7	10	15	19	29
50-64	2564	8.8	45	2	3	7	11	17	21	34
65+	2820	10.1	60	2	3	8	13	19	24	40
GRAND TOTAL	**8151**	**8.9**	**47**	**2**	**3**	**7**	**11**	**17**	**21**	**34**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	5.9	9	3	3	5	7	9	11	17
20-34	61	5.3	7	2	2	5	7	8	10	14
35-49	123	6.2	12	2	3	6	8	10	12	20
50-64	201	6.4	12	2	3	6	8	10	11	16
65+	198	8.2	23	3	4	7	10	14	18	23
B. *Operated*										
0-19 YRS	12	8.4	22	3	4	7	10	14	20	21
20-34	43	7.7	12	2	4	7	9	11	16	18
35-49	101	9.9	28	3	4	9	12	16	18	31
50-64	153	11.0	36	3	5	10	14	18	22	28
65+	151	13.4	48	5	6	12	17	24	27	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	5.6	5	3	4	5	6	8	10	14
20-34	103	6.3	11	2	3	6	8	10	13	18
35-49	200	7.9	31	3	3	7	9	13	17	43
50-64	483	8.4	25	3	4	7	10	15	18	28
65+	991	10.2	48	3	4	9	12	17	22	35
B. *Operated*										
0-19 YRS	9	10.0	28	2	3	9	15	16	17	17
20-34	51	12.4	63	4	5	12	16	18	20	57
35-49	184	13.7	117	4	5	11	16	24	33	64
50-64	479	14.6	114	4	5	12	18	27	37	55
65+	842	16.2	99	5	6	14	21	29	36	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	616	6.8	16	2	3	6	8	11	14	20
B. *Operated*	460	11.1	39	4	5	10	14	19	24	32
2. MULTIPLE DX										
A. *Not Operated*	1802	9.2	39	3	4	8	11	16	19	33
B. *Operated*	1565	15.2	105	5	6	13	19	28	36	54
1. SINGLE DX	1076	8.7	30	3	3	7	11	16	19	29
2. MULTIPLE DX	3367	12.0	79	3	4	10	15	22	29	44
A. NOT OPERATED	2418	8.6	34	3	4	7	10	15	18	32
B. OPERATED	2025	14.3	93	4	5	12	18	26	33	48
TOTAL 0-19 YRS	79	6.7	14	3	3	6	8	11	15	20
20-34	258	7.5	26	2	3	6	9	14	17	20
35-49	608	9.6	61	3	4	8	11	17	23	45
50-64	1316	10.6	67	3	4	8	13	19	25	42
65+	2182	12.6	75	4	5	10	16	24	30	42
GRAND TOTAL	**4443**	**11.2**	**69**	**3**	**4**	**9**	**14**	**21**	**27**	**41**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	477	4.3	7	1	2	4	5	8	9	12
20-34	1635	4.7	10	1	2	4	6	8	10	17
35-49	1429	5.2	11	2	2	4	7	9	11	17
50-64	1054	5.4	12	2	2	5	7	9	11	16
65+	585	6.3	23	2	2	5	8	11	13	25
B. *Operated*										
0-19 YRS	19	8.9	40	1	2	9	12	18	21	24
20-34	192	10.2	29	3	4	9	13	17	19	28
35-49	293	11.3	42	3	5	10	14	18	23	31
50-64	229	10.6	33	2	4	10	13	18	23	29
65+	86	11.7	43	4	5	11	14	23	26	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	405	5.9	42	2	2	5	7	10	12	29
20-34	1693	6.0	20	2	2	5	7	11	13	21
35-49	2272	6.5	18	2	3	6	8	11	14	22
50-64	2611	6.8	18	2	3	6	8	12	15	23
65+	2626	7.8	24	2	3	7	10	14	17	25
B. *Operated*										
0-19 YRS	32	10.3	123	2	3	8	12	14	27	64
20-34	281	11.3	65	3	4	10	15	19	23	51
35-49	607	11.5	63	3	4	10	14	20	27	39
50-64	714	12.2	70	3	4	10	15	23	28	47
65+	575	13.8	85	3	5	12	18	26	31	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5180	5.1	12	2	2	4	6	9	11	17
B. *Operated*	819	10.8	37	3	4	10	13	18	23	29
2. MULTIPLE DX										
A. *Not Operated*	9607	6.8	21	2	3	6	8	12	15	23
B. *Operated*	2209	12.3	73	3	4	10	16	22	28	46
1. SINGLE DX	5999	5.9	19	2	2	5	7	11	14	24
2. MULTIPLE DX	11816	7.9	36	2	3	6	10	15	19	30
A. NOT OPERATED	14787	6.2	19	2	2	5	8	11	14	22
B. OPERATED	3028	11.9	63	3	4	10	15	21	27	43
[illegible]TAL 0-19 YRS	933	5.3	29	1	2	4	6	9	11	25
20-34	3801	6.0	23	2	2	5	7	11	14	24
35-49	4601	7.1	28	2	3	6	9	13	17	28
50-64	4608	7.5	30	2	3	6	9	14	18	29
65+	3872	8.6	39	2	3	7	11	16	20	31
GRAND TOTAL	**17815**	**7.2**	**31**	**2**	**3**	**6**	**9**	**13**	**17**	**28**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	5.0	11	2	2	4	6	8	10	21
20-34	449	5.5	11	2	2	5	7	9	12	17
35-49	514	5.9	10	2	3	5	7	9	11	17
50-64	667	6.7	11	3	3	6	8	11	13	18
65+	530	7.7	18	3	3	7	9	13	15	21
B. *Operated*										
0-19 YRS	30	7.1	20	1	2	7	10	13	14	19
20-34	133	10.0	23	5	6	9	12	14	18	34
35-49	208	10.8	26	5	6	10	13	17	21	31
50-64	261	11.6	39	5	6	10	14	19	23	32
65+	197	13.1	31	6	7	12	16	20	24	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	6.6	18	3	3	5	8	10	15	26
20-34	371	6.4	14	2	3	6	8	11	13	21
35-49	619	7.3	22	3	3	7	9	11	14	25
50-64	1151	7.8	22	3	4	7	9	13	17	27
65+	1888	10.1	47	3	4	8	12	18	23	37
B. *Operated*										
0-19 YRS	12	7.2	5	4	5	7	8	10	13	13
20-34	126	13.4	63	4	5	11	17	23	31	39
35-49	287	14.4	105	6	6	11	18	26	32	67
50-64	509	15.5	136	5	6	12	18	28	39	73
65+	785	18.1	147	6	7	15	22	33	42	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2246	6.4	13	2	3	6	8	11	13	18
B. *Operated*	829	11.3	32	5	6	10	14	18	22	31
2. MULTIPLE DX										
A. *Not Operated*	4107	8.6	34	3	4	7	10	15	20	32
B. *Operated*	1719	16.3	133	5	7	13	20	29	38	68
1. SINGLE DX	3075	7.8	23	2	3	7	10	14	16	25
2. MULTIPLE DX	5826	10.9	76	3	4	8	13	21	27	49
A. NOT OPERATED	6353	7.8	28	3	3	7	9	13	17	28
B. OPERATED	2548	14.7	105	5	6	12	18	26	34	59
TOTAL 0-19 YRS	206	6.0	15	2	2	5	7	10	13	22
20-34	1079	7.3	26	2	3	6	9	13	17	28
35-49	1628	8.6	43	3	3	7	10	15	20	33
50-64	2588	9.4	54	3	4	8	11	17	22	42
65+	3400	11.8	78	3	4	9	14	22	28	50
GRAND TOTAL	**8901**	**9.8**	**60**	**3**	**4**	**8**	**12**	**18**	**23**	**42**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	6	1	1	4	6	6	6	6
20-34	25	6.4	12	2	2	6	7	12	13	15
35-49	31	6.0	38	2	2	5	7	9	9	37
50-64	47	7.5	11	3	3	7	9	11	14	17
65+	52	8.1	21	3	3	7	11	14	17	22
B. *Operated*										
0-19 YRS	5	17.0	229	6	6	11	23	43	43	43
20-34	31	12.2	34	2	6	12	16	20	27	99+
35-49	70	15.5	52	6	8	15	19	24	31	40
50-64	100	14.5	43	6	8	13	17	23	28	35
65+	74	17.3	86	7	8	16	21	25	38	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	2	3	3	5	6	6	6	6
20-34	32	7.3	22	2	3	6	9	15	18	22
35-49	60	7.7	24	2	3	6	9	15	16	25
50-64	103	9.0	36	3	4	8	11	15	20	33
65+	200	11.2	49	4	5	9	13	21	25	37
B. *Operated*										
0-19 YRS	3	8.7	32	4	4	7	13	15	15	15
20-34	35	16.4	120	6	7	13	19	32	41	53
35-49	126	18.0	107	7	9	15	22	33	40	53
50-64	224	19.8	170	7	9	17	23	38	48	81
65+	303	22.4	183	7	9	19	28	39	51	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	7.1	20	2	3	6	9	13	15	22
B. *Operated*	280	15.3	60	6	8	14	19	24	32	46
2. MULTIPLE DX										
A. *Not Operated*	398	9.7	41	3	4	8	12	18	23	35
B. *Operated*	691	20.4	165	7	9	17	24	38	48	75
1. SINGLE DX	439	12.3	61	3	4	11	16	22	27	43
2. MULTIPLE DX	1089	16.5	146	4	5	14	21	33	40	63
A. NOT OPERATED	557	9.0	37	2	3	7	11	16	21	34
B. OPERATED	971	18.9	140	6	8	16	23	35	44	68
TOTAL 0-19 YRS	15	9.4	105	1	3	6	10	17	36	43
20-34	123	10.9	67	2	3	9	14	20	29	65
35-49	287	13.9	91	3	4	12	17	26	34	48
50-64	474	15.1	123	4	5	13	19	26	37	63
65+	629	17.1	147	4	6	14	22	33	42	63
GRAND TOTAL	**1528**	**15.3**	**125**	**4**	**5**	**13**	**19**	**29**	**38**	**57**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2005	3.2	5	1	1	3	4	6	7	10
20-34	3157	4.0	13	1	1	3	5	7	9	14
35-49	2020	4.5	11	1	2	4	6	8	9	15
50-64	1240	4.5	9	1	2	4	6	8	10	15
65+	664	5.2	20	1	2	4	6	9	12	26
B. *Operated*										
0-19 YRS	55	6.9	74	2	2	6	8	10	18	61
20-34	156	7.6	69	2	2	6	9	13	17	28
35-49	199	8.5	48	2	3	7	11	16	20	33
50-64	161	7.8	44	2	2	6	9	16	20	31
65+	95	8.2	44	2	2	6	10	17	25	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2539	4.0	10	1	2	3	5	7	9	14
20-34	5572	5.4	16	2	2	5	7	9	12	18
35-49	5384	6.2	19	2	2	5	8	11	14	22
50-64	4956	6.6	19	2	3	6	8	12	15	23
65+	4732	7.5	31	2	3	6	9	14	18	27
B. *Operated*										
0-19 YRS	119	7.6	31	2	3	6	9	15	21	28
20-34	786	9.2	41	2	3	8	11	17	21	33
35-49	1112	10.0	45	3	4	9	12	19	23	36
50-64	1246	11.0	89	3	4	9	13	19	24	57
65+	955	11.7	88	3	4	9	14	22	29	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9086	4.1	11	1	1	3	5	7	9	15
B. *Operated*	666	7.9	53	2	2	6	10	15	19	31
2. MULTIPLE DX										
A. *Not Operated*	23183	6.1	21	2	2	5	8	11	14	23
B. *Operated*	4218	10.4	67	3	4	8	13	19	24	45
1. SINGLE DX	9752	4.4	15	1	1	4	5	8	10	18
2. MULTIPLE DX	27401	6.8	30	2	2	5	8	13	16	27
A. NOT OPERATED	32269	5.5	19	1	2	4	7	10	13	22
B. OPERATED	4884	10.1	66	2	3	8	12	19	24	44
TOTAL 0-19 YRS	4718	3.8	10	1	1	3	5	7	8	14
20-34	9671	5.3	20	1	2	4	7	10	12	21
35-49	8715	6.3	23	2	2	5	8	12	15	25
50-64	7603	7.0	33	2	2	6	9	13	16	28
65+	6446	7.9	41	2	3	6	10	15	19	33
GRAND TOTAL	**37153**	**6.1**	**27**	**1**	**2**	**5**	**8**	**11**	**15**	**26**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	546	3.4	6	1	1	3	4	6	7	10
20-34	672	4.1	32	1	2	3	5	7	9	15
35-49	464	4.2	9	1	2	4	5	7	10	17
50-64	338	4.3	9	1	2	4	5	8	10	16
65+	205	5.6	24	1	1	4	7	11	15	22
B. *Operated*										
0-19 YRS	153	4.5	5	2	2	4	6	7	9	12
20-34	65	8.8	44	1	2	7	11	19	22	32
35-49	66	11.2	70	2	4	10	14	23	29	92
50-64	81	14.4	123	3	4	10	18	28	39	56
65+	57	14.0	79	2	4	12	19	27	31	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	656	4.1	9	1	2	3	5	7	9	19
20-34	1098	5.1	13	2	2	4	6	9	12	22
35-49	1157	5.5	15	2	2	4	7	10	13	21
50-64	1232	6.2	30	2	2	5	8	11	14	27
65+	1186	7.8	43	2	3	6	10	15	19	33
B. *Operated*										
0-19 YRS	76	7.5	28	2	3	6	9	15	17	30
20-34	180	10.9	69	2	3	8	14	24	29	43
35-49	301	13.8	99	3	4	11	20	28	33	60
50-64	365	15.3	119	3	4	13	20	30	37	64
65+	391	19.1	177	3	6	16	25	36	46	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2225	4.1	17	1	1	3	5	7	10	17
B. *Operated*	422	9.4	70	2	3	7	12	20	27	45
2. MULTIPLE DX										
A. *Not Operated*	5329	5.9	25	2	2	5	7	11	15	26
B. *Operated*	1313	15.0	130	3	4	12	20	30	37	64
1. SINGLE DX	2647	4.9	29	1	2	4	6	9	13	27
2. MULTIPLE DX	6642	7.7	59	2	2	5	9	16	22	41
A. NOT OPERATED	7554	5.4	23	1	2	4	7	10	13	23
B. OPERATED	1735	13.7	122	2	3	11	19	28	35	61
TOTAL 0-19 YRS	1431	4.0	9	1	2	3	5	7	9	17
20-34	2015	5.4	29	1	2	4	6	10	14	29
35-49	1988	6.6	38	2	2	5	8	13	20	33
50-64	2016	7.9	62	2	2	5	9	16	22	43
65+	1839	10.2	94	2	3	7	13	21	29	51
GRAND TOTAL	**9289**	**6.9**	**52**	**1**	**2**	**5**	**8**	**14**	**20**	**38**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	181	3.4	2	1	2	3	4	5	6	8
20-34	94	3.7	3	1	1	4	5	6	7	8
35-49	13	4.3	7	1	1	4	6	8	9	9
50-64	10	3.2	2	<1	<1	4	4	5	5	5
65+	4	9.0	9	5	5	9	11	12	12	12
B. *Operated*										
0-19 YRS	9061	4.2	5	2	2	4	5	6	7	12
20-34	5481	4.4	5	2	3	4	5	7	8	12
35-49	1382	5.2	9	2	3	5	6	8	10	16
50-64	613	6.0	10	3	3	5	7	9	12	17
65+	163	7.9	20	3	4	7	9	13	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	3.5	5	1	1	3	5	7	7	12
20-34	45	5.0	12	1	2	4	7	10	11	18
35-49	15	4.9	9	1	1	5	6	10	11	12
50-64	16	10.8	74	1	1	10	13	23	32	35
65+	10	11.5	42	1	3	11	18	20	21	21
B. *Operated*										
0-19 YRS	1542	6.0	17	2	3	5	7	10	13	20
20-34	1237	6.2	16	3	3	5	7	11	13	22
35-49	479	7.9	35	3	3	6	9	14	18	36
50-64	356	9.2	37	3	4	8	11	15	21	41
65+	226	11.4	58	4	4	10	14	22	27	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	302	3.6	3	1	1	4	4	6	7	10
B. *Operated*	16700	4.4	5	2	3	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	150	5.4	24	1	1	4	7	11	14	24
B. *Operated*	3840	6.9	25	3	3	5	8	12	16	27
1. SINGLE DX	17002	4.4	5	2	3	4	5	7	8	13
2. MULTIPLE DX	3990	6.8	25	3	3	5	8	12	16	27
A. NOT OPERATED	452	4.2	11	1	1	4	5	7	10	18
B. OPERATED	20540	4.9	10	2	3	4	5	8	10	17
TOTAL 0-19 YRS	10848	4.4	7	2	2	4	5	7	8	14
20-34	6857	4.8	7	2	3	4	5	7	9	15
35-49	1889	5.8	17	3	3	5	7	10	12	24
50-64	995	7.2	23	3	3	6	9	12	15	27
65+	403	10.0	44	4	4	8	12	18	23	33
GRAND TOTAL	**20992**	**4.9**	**10**	**2**	**3**	**4**	**5**	**8**	**10**	**17**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	6.3	9	2	3	6	9	10	11	13
20-34	40	6.7	9	2	3	6	9	11	12	16
35-49	19	8.4	17	3	4	8	9	14	18	20
50-64	20	7.8	17	2	3	7	10	13	17	20
65+	6	6.2	8	1	1	7	8	9	9	9
B. *Operated*										
0-19 YRS	1776	7.7	18	3	4	7	10	13	15	23
20-34	1031	7.5	24	3	4	7	9	12	14	19
35-49	487	9.0	21	4	4	8	11	14	17	26
50-64	460	9.8	20	5	5	9	12	16	18	26
65+	202	12.3	37	6	7	11	15	19	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	8.3	11	3	4	8	10	12	15	16
20-34	11	8.5	38	3	3	6	13	19	21	21
35-49	10	12.2	57	6	6	9	14	25	29	29
50-64	14	12.5	30	7	7	11	14	18	26	28
65+	15	13.5	86	3	3	10	18	29	30	31
B. *Operated*										
0-19 YRS	850	11.4	42	4	5	10	14	19	22	37
20-34	565	10.9	40	4	5	9	13	19	24	32
35-49	420	12.3	40	5	6	11	15	20	24	35
50-64	526	14.9	68	6	7	13	18	26	32	44
65+	444	17.8	96	7	9	15	21	30	38	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	7.0	12	2	3	7	9	11	13	20
B. *Operated*	3956	8.3	20	3	4	7	10	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	66	11.0	46	3	4	9	14	21	28	31
B. *Operated*	2805	13.1	61	5	6	11	16	22	27	43
1. SINGLE DX	4085	8.2	19	3	4	7	10	13	16	24
2. MULTIPLE DX	2871	13.0	60	5	6	11	16	22	27	43
A. NOT OPERATED	195	8.3	27	3	3	7	10	15	18	29
B. OPERATED	6761	10.3	42	4	4	9	13	18	22	34
TOTAL 0-19 YRS	2686	8.8	28	3	4	8	11	15	19	28
20-34	1647	8.7	25	3	4	8	10	14	18	27
35-49	936	10.5	32	4	5	9	13	17	21	30
50-64	1020	12.4	51	5	6	11	15	21	27	41
65+	667	15.9	84	6	7	14	20	26	33	48
GRAND TOTAL	**6956**	**10.2**	**42**	**3**	**4**	**9**	**12**	**18**	**22**	**34**

199: Disease of Appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	299	2.8	8	1	1	2	3	5	6	12
20-34	196	3.0	4	1	1	2	4	6	7	10
35-49	55	3.7	8	1	1	3	5	7	9	14
50-64	31	4.2	12	1	1	3	6	9	12	14
65+	9	3.1	2	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	1146	4.7	9	2	3	4	5	7	9	13
20-34	744	5.0	6	2	3	5	6	8	9	15
35-49	173	5.8	8	3	3	5	7	10	11	14
50-64	86	6.9	12	3	4	6	7	12	14	22
65+	29	7.0	7	4	4	6	8	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	3.3	4	1	1	3	4	6	7	10
20-34	112	3.8	9	1	1	3	5	7	8	17
35-49	33	4.3	7	1	1	4	6	8	10	10
50-64	26	5.2	9	2	2	5	6	9	11	16
65+	8	5.3	19	1	1	4	6	13	15	15
B. *Operated*										
0-19 YRS	647	6.0	16	3	3	5	7	10	12	21
20-34	581	7.0	16	3	4	6	8	11	13	24
35-49	188	8.9	58	3	4	8	11	14	16	26
50-64	88	10.6	32	4	5	9	13	19	22	75
65+	47	15.4	121	5	6	12	18	27	32	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	590	3.0	7	1	1	2	4	6	7	13
B. *Operated*	2178	5.0	8	2	3	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	328	3.8	7	1	1	3	5	7	8	14
B. *Operated*	1551	7.3	29	3	3	6	8	12	15	26
1. SINGLE DX	2768	4.6	9	1	2	4	6	7	9	14
2. MULTIPLE DX	1879	6.7	27	2	3	5	8	11	15	26
A. NOT OPERATED	918	3.3	7	1	1	3	4	6	7	13
B. OPERATED	3729	6.0	18	3	3	5	7	10	12	22
TOTAL 0-19 YRS	2241	4.7	12	1	2	4	5	8	10	18
20-34	1633	5.4	11	2	2	5	7	9	11	18
35-49	449	6.7	33	2	3	6	8	12	14	24
50-64	231	7.7	25	2	3	7	10	14	19	26
65+	93	10.7	88	2	4	8	13	21	27	57
GRAND TOTAL	**4647**	**5.4**	**17**	**2**	**2**	**5**	**6**	**9**	**12**	**21**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	1.8	4	<1	<1	1	2	4	5	11
20-34	62	2.7	3	<1	<1	2	4	5	6	7
35-49	36	3.2	4	1	1	3	4	5	7	8
50-64	54	3.4	8	1	1	3	4	7	8	18
65+	49	4.8	29	<1	1	4	6	7	10	37
B. *Operated*										
0-19 YRS	7880	2.6	4	1	1	2	3	4	5	8
20-34	6680	4.3	4	2	3	4	5	6	7	10
35-49	5909	4.7	6	2	3	4	5	7	8	12
50-64	8597	5.2	6	3	3	5	6	7	9	13
65+	4904	5.9	9	3	3	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	315	1.9	6	<1	<1	1	2	3	6	11
20-34	72	2.7	4	<1	<1	2	4	5	7	9
35-49	68	3.4	8	<1	1	3	5	7	9	11
50-64	153	4.4	12	1	1	3	6	9	11	16
65+	237	6.2	65	1	1	4	7	11	16	39
B. *Operated*										
0-19 YRS	4273	2.9	6	1	1	2	3	5	7	12
20-34	2326	5.2	14	2	3	5	6	8	9	17
35-49	3291	5.8	12	3	3	5	7	9	11	18
50-64	6425	6.7	18	3	3	6	8	11	14	24
65+	6278	8.4	32	3	4	7	10	14	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	277	3.0	10	<1	<1	2	4	6	7	13
B. *Operated*	33970	4.4	7	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	845	3.7	27	<1	<1	2	5	8	10	22
B. *Operated*	22593	6.2	22	2	2	5	7	11	14	25
1. SINGLE DX	34247	4.4	7	1	2	4	5	7	8	12
2. MULTIPLE DX	23438	6.1	23	1	2	5	7	11	14	25
A. NOT OPERATED	1122	3.6	22	<1	<1	2	4	7	10	21
B. OPERATED	56563	5.1	14	2	2	4	6	8	11	19
TOTAL 0-19 YRS	12544	2.6	5	1	1	2	3	4	6	10
20-34	9140	4.5	7	2	3	4	5	6	8	12
35-49	9304	5.1	8	2	3	5	6	8	9	14
50-64	15229	5.8	12	3	3	5	7	9	11	19
65+	11468	7.3	25	3	4	6	8	12	15	27
GRAND TOTAL	**57685**	**5.1**	**14**	**1**	**2**	**4**	**6**	**8**	**11**	**19**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.5		<1	<1	1	2	3	3	3
20-34	4	1.8	2	<1	<1	1	3	4	4	4
35-49	3	1.7	1	<1	<1	1	2	3	3	3
50-64	10	2.1	3	<1	<1	1	2	5	6	6
65+	28	3.0	6	1	1	2	4	7	8	11
B. *Operated*										
0-19 YRS	545	2.4	3	1	1	2	3	4	6	10
20-34	205	4.7	6	3	3	4	5	7	8	12
35-49	182	5.1	5	3	3	5	6	8	9	13
50-64	309	5.8	8	3	3	5	7	9	11	18
65+	451	7.0	14	3	3	6	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.8	3	1	1	2	4	5	6	6
20-34	3	9.3	85	4	4	4	16	20	20	20
35-49	4	5.0	15	1	1	4	8	10	10	10
50-64	11	5.4	11	1	1	5	8	10	11	11
65+	73	6.8	35	<1	1	5	9	15	18	30
B. *Operated*										
0-19 YRS	325	3.2	6	1	1	2	4	6	8	14
20-34	84	6.1	10	2	3	5	8	10	13	18
35-49	114	7.2	18	3	4	6	9	12	16	26
50-64	318	8.2	34	3	4	7	10	14	17	34
65+	860	11.4	72	4	5	9	13	20	26	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	2.2	4	<1	<1	1	3	5	6	10
B. *Operated*	1692	4.8	11	1	1	4	6	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	104	6.2	30	1	1	5	8	13	18	28
B. *Operated*	1701	8.7	55	2	2	7	11	16	21	38
1. SINGLE DX	1759	4.7	11	1	1	4	6	8	11	16
2. MULTIPLE DX	1805	8.5	54	2	2	7	10	16	21	37
A. NOT OPERATED	171	4.6	23	<1	1	3	6	11	14	24
B. OPERATED	3393	6.8	37	1	2	5	8	13	17	31
TOTAL 0-19 YRS	905	2.7	4	1	1	2	3	5	6	11
20-34	296	5.1	8	3	3	5	6	8	10	18
35-49	303	5.8	11	3	3	5	7	9	12	19
50-64	648	6.9	22	3	3	6	8	11	14	25
65+	1412	9.6	55	3	4	8	12	17	22	38
GRAND TOTAL	**3564**	**6.7**	**36**	**1**	**2**	**5**	**8**	**13**	**17**	**31**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.8	1	<1	1	2	2	3	4	5
20-34	4	1.8	1	<1	<1	1	2	3	3	3
35-49	5	2.4	2	<1	<1	3	3	4	4	4
50-64	3	3.7	14	1	1	2	6	8	8	8
65+	3	3.3	16	<1	<1	1	6	8	8	8
B. *Operated*										
0-19 YRS	1448	2.4	3	1	1	2	3	4	5	9
20-34	435	4.0	22	2	2	3	5	6	7	13
35-49	455	4.4	10	2	2	4	5	7	8	12
50-64	336	4.9	5	2	3	4	6	8	9	14
65+	112	5.5	8	2	2	5	7	9	11	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	2.0	5	<1	<1	1	2	5	7	12
20-34	10	2.1	2	1	1	2	2	4	5	5
35-49	22	4.7	20	<1	1	2	7	10	16	16
50-64	30	5.6	29	<1	1	4	7	11	12	29
65+	36	7.8	54	1	2	5	9	16	19	40
B. *Operated*										
0-19 YRS	331	3.5	7	1	1	3	4	7	9	14
20-34	245	5.4	12	2	2	5	7	9	12	16
35-49	410	6.2	18	2	3	5	7	11	14	24
50-64	488	7.6	26	3	3	6	9	13	17	29
65+	278	9.1	49	3	3	7	11	17	23	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.2	3	<1	<1	2	2	4	7	8
B. *Operated*	2786	3.4	9	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	172	4.2	26	<1	<1	2	5	10	14	27
B. *Operated*	1752	6.4	25	2	2	5	8	12	16	26
1. SINGLE DX	2819	3.4	9	1	1	3	4	6	7	12
2. MULTIPLE DX	1924	6.2	26	1	2	5	8	12	15	27
A. NOT OPERATED	205	3.9	23	<1	<1	2	5	8	12	24
B. OPERATED	4538	4.6	17	1	2	3	5	9	12	21
TOTAL 0-19 YRS	1871	2.5	4	1	1	2	3	4	5	12
20-34	694	4.4	19	2	2	4	5	7	9	14
35-49	892	5.2	14	2	2	4	6	8	11	20
50-64	857	6.5	20	2	3	5	8	12	14	24
65+	429	8.0	41	2	3	6	10	15	19	35
GRAND TOTAL	**4743**	**4.5**	**18**	**1**	**2**	**3**	**5**	**9**	**12**	**21**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.8	12	<1	<1	2	3	9	11	11
20-34	20	1.9	2	<1	<1	1	3	4	5	6
35-49	24	3.7	9	<1	1	3	5	9	10	11
50-64	26	4.3	6	1	2	4	6	7	10	10
65+	37	4.7	9	<1	1	4	6	9	11	11
B. *Operated*										
0-19 YRS	279	2.9	5	1	1	2	3	5	6	10
20-34	724	4.7	7	2	2	4	6	8	9	14
35-49	960	5.9	8	2	3	5	7	9	11	16
50-64	1117	6.9	13	3	3	6	8	11	14	19
65+	688	8.1	18	3	4	8	10	13	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	4	1	1	2	3	5	5	5
20-34	29	4.0	10	<1	<1	4	6	9	11	13
35-49	74	4.2	9	1	1	4	5	7	11	14
50-64	130	6.2	26	1	2	5	8	11	16	50
65+	189	6.7	37	2	2	5	8	12	18	37
B. *Operated*										
0-19 YRS	80	4.9	27	1	2	3	6	9	11	34
20-34	409	7.2	23	3	3	6	9	13	17	24
35-49	964	8.7	39	3	3	7	10	15	18	36
50-64	1467	10.0	42	4	5	8	12	17	22	36
65+	1189	11.5	62	4	5	10	14	20	25	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	3.8	8	<1	1	3	6	8	10	11
B. *Operated*	3768	6.1	13	2	3	5	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	426	5.9	28	1	1	5	7	11	14	36
B. *Operated*	4109	9.7	47	3	4	8	12	17	22	36
1. SINGLE DX	3883	6.1	13	2	2	5	8	10	12	19
2. MULTIPLE DX	4535	9.4	47	3	3	8	11	17	22	36
A. NOT OPERATED	541	5.4	24	1	1	4	7	10	13	30
B. OPERATED	7877	8.0	34	2	3	7	10	14	18	31
TOTAL 0-19 YRS	371	3.3	10	1	1	2	4	6	8	12
20-34	1182	5.5	14	2	2	5	7	9	12	19
35-49	2022	7.1	26	2	3	6	8	12	15	28
50-64	2740	8.5	32	3	4	7	10	14	19	31
65+	2103	9.8	48	3	4	8	12	17	22	35
GRAND TOTAL	**8418**	**7.9**	**34**	**2**	**3**	**7**	**10**	**14**	**18**	**31**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	6.4	44	2	2	5	6	9	21	33
20-34	126	3.9	6	1	2	3	5	7	8	12
35-49	339	4.0	5	1	2	4	5	7	8	11
50-64	469	4.7	12	1	2	4	6	9	11	18
65+	379	4.9	11	1	2	4	6	9	11	19
B. *Operated*										
0-19 YRS	13	4.5	12	1	1	4	6	11	12	12
20-34	32	8.9	38	2	3	7	10	19	21	30
35-49	108	9.0	24	2	3	8	11	16	18	23
50-64	157	10.1	32	2	3	10	13	17	21	29
65+	85	11.4	52	2	3	10	14	21	23	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	4.8	12	1	2	4	6	9	11	19
20-34	533	5.5	19	1	2	5	7	9	12	20
35-49	1607	5.5	18	2	2	5	7	10	11	18
50-64	2958	5.9	17	2	2	5	7	10	13	22
65+	4009	6.6	23	2	3	5	8	12	15	24
B. *Operated*										
0-19 YRS	20	10.2	43	1	2	10	14	20	23	24
20-34	263	9.6	34	2	4	9	12	17	21	46
35-49	654	10.5	42	3	4	9	13	18	24	34
50-64	1133	10.6	51	2	4	9	13	19	23	36
65+	1010	12.0	75	3	4	10	15	22	28	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1333	4.5	10	1	2	4	5	8	10	17
B. *Operated*	395	9.8	35	2	3	9	13	17	21	30
2. MULTIPLE DX										
A. *Not Operated*	9176	6.1	20	2	2	5	8	11	13	23
B. *Operated*	3080	10.9	56	3	4	9	14	20	25	41
1. SINGLE DX	1728	5.7	21	1	2	4	7	11	14	23
2. MULTIPLE DX	12256	7.3	33	2	3	6	9	14	18	29
A. NOT OPERATED	10509	5.9	19	2	2	5	7	10	13	22
B. OPERATED	3475	10.8	54	2	4	9	14	20	24	39
TOTAL 0-19 YRS	122	5.9	25	1	2	4	8	11	16	27
20-34	954	6.5	26	2	2	5	8	12	15	25
35-49	2708	6.7	28	2	2	5	9	12	16	26
50-64	4717	7.0	30	2	2	6	9	13	17	27
65+	5483	7.5	37	2	3	6	9	14	19	32
GRAND TOTAL	**13984**	**7.1**	**32**	**2**	**2**	**6**	**9**	**13**	**17**	**29**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.6	17	1	1	2	4	10	15	15
20-34	10	6.5	21	2	2	5	6	14	18	18
35-49	19	5.3	28	<1	1	4	6	14	18	21
50-64	5	3.8	1	3	3	4	4	5	5	5
65+	15	4.3	5	1	1	4	6	7	8	8
B. *Operated*										
0-19 YRS	53	3.4	5	1	2	3	4	5	6	15
20-34	144	5.3	16	2	3	4	6	8	12	24
35-49	183	5.6	19	2	3	5	6	9	13	30
50-64	226	5.7	11	3	3	5	7	9	12	18
65+	189	7.3	15	3	4	7	9	12	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.8	6	<1	<1	3	5	7	9	10
20-34	14	4.7	8	1	1	4	5	8	11	12
35-49	19	7.5	16	1	2	8	10	13	14	14
50-64	45	7.1	41	1	2	5	9	16	20	32
65+	56	6.2	27	2	2	5	6	11	17	31
B. *Operated*										
0-19 YRS	23	5.3	20	<1	1	3	8	12	15	16
20-34	70	5.9	14	2	3	5	7	10	13	22
35-49	140	7.5	29	2	3	6	8	15	20	25
50-64	221	8.3	38	3	4	7	10	14	20	40
65+	282	9.5	39	3	4	8	11	17	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	4.8	17	1	1	4	6	9	15	21
B. *Operated*	795	5.8	15	2	3	5	7	9	13	23
2. MULTIPLE DX										
A. *Not Operated*	148	6.3	27	1	2	5	8	11	16	31
B. *Operated*	736	8.3	35	3	3	7	10	16	19	31
1. SINGLE DX	854	5.8	15	2	3	5	7	9	13	23
2. MULTIPLE DX	884	8.0	34	2	3	7	10	15	18	31
A. NOT OPERATED	207	5.9	24	1	2	5	7	11	16	29
B. OPERATED	1531	7.0	26	2	3	6	8	13	17	26
TOTAL 0-19 YRS	100	3.9	10	1	1	3	5	7	11	16
20-34	238	5.5	15	2	3	5	6	9	12	23
35-49	361	6.4	24	2	3	5	7	13	17	25
50-64	497	7.0	27	3	3	6	8	12	16	30
65+	542	8.3	30	3	3	7	10	15	19	31
GRAND TOTAL	**1738**	**6.9**	**26**	**2**	**3**	**6**	**8**	**12**	**17**	**27**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	6.4	32	1	1	4	10	15	15	15
20-34	8	2.8	2	1	1	3	4	5	5	5
35-49	19	3.2	5	1	1	3	5	6	8	8
50-64	29	4.4	11	1	1	4	5	8	11	17
65+	44	5.6	15	1	2	5	7	9	12	23
B. *Operated*										
0-19 YRS	104	3.4	5	1	1	3	4	6	8	11
20-34	169	5.2	32	2	2	4	6	9	12	19
35-49	325	5.8	11	2	3	5	7	10	12	18
50-64	435	7.0	16	3	3	6	8	12	15	21
65+	432	9.0	22	3	4	8	11	15	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.9	11	<1	<1	5	7	10	11	11
20-34	20	4.6	24	1	1	3	5	9	16	23
35-49	41	4.4	8	1	1	4	5	8	10	15
50-64	106	6.0	13	2	2	5	7	11	13	20
65+	205	7.9	33	2	2	6	10	15	19	29
B. *Operated*										
0-19 YRS	50	8.0	106	2	2	5	9	15	19	68
20-34	131	7.8	35	2	3	6	9	15	21	36
35-49	325	9.4	55	3	3	7	12	17	22	33
50-64	599	10.7	55	3	4	9	13	19	24	44
65+	1025	14.3	103	5	6	11	17	26	33	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	4.6	13	1	1	4	6	8	11	20
B. *Operated*	1465	6.9	21	2	3	6	9	12	16	23
2. MULTIPLE DX										
A. *Not Operated*	383	6.7	25	2	2	5	9	12	18	25
B. *Operated*	2130	12.0	84	3	4	10	15	22	28	53
1. SINGLE DX	1570	6.7	20	2	3	6	8	12	15	23
2. MULTIPLE DX	2513	11.2	78	3	4	9	14	21	27	51
A. NOT OPERATED	488	6.3	23	1	2	5	8	12	16	23
B. OPERATED	3595	9.9	64	3	3	8	12	18	24	46
TOTAL 0-19 YRS	170	5.0	40	1	1	3	6	10	14	28
20-34	328	6.1	34	2	2	5	7	11	16	26
35-49	710	7.3	35	2	3	6	9	14	18	29
50-64	1169	8.7	40	3	3	7	11	16	20	35
65+	1706	12.0	81	3	4	10	15	22	28	54
GRAND TOTAL	**4083**	**9.5**	**61**	**2**	**3**	**7**	**12**	**18**	**23**	**45**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	257	3.4	7	1	1	2	4	6	8	15
20-34	406	5.1	11	1	2	4	6	9	11	17
35-49	522	5.9	19	2	2	5	7	11	13	22
50-64	677	6.0	20	2	2	5	7	10	13	24
65+	740	6.9	28	2	2	6	9	13	16	27
B. *Operated*										
0-19 YRS	192	7.5	24	3	3	7	9	11	17	30
20-34	286	10.4	25	5	6	9	13	16	20	29
35-49	397	11.7	40	5	6	10	14	18	24	37
50-64	479	12.9	40	6	7	11	15	21	26	37
65+	472	15.5	75	7	8	13	19	27	31	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	4.6	12	1	1	4	6	8	10	16
20-34	430	6.1	22	1	2	5	8	12	16	29
35-49	645	7.5	26	2	3	6	9	14	17	28
50-64	1235	7.8	35	2	3	6	10	14	18	30
65+	2868	9.5	46	2	3	8	12	18	23	36
B. *Operated*										
0-19 YRS	251	9.7	51	3	4	8	11	17	22	53
20-34	445	14.4	110	4	6	11	17	27	35	58
35-49	706	16.6	142	6	7	14	21	30	42	95
50-64	1210	18.4	132	7	8	15	23	33	43	75
65+	2136	20.8	147	8	9	18	26	37	46	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2602	5.8	20	1	2	5	7	11	14	23
B. *Operated*	1826	12.4	51	5	6	11	15	21	26	38
2. MULTIPLE DX										
A. *Not Operated*	5338	8.4	40	2	3	7	10	16	21	33
B. *Operated*	4748	18.4	142	6	8	15	23	33	43	73
1. SINGLE DX	4428	8.5	43	2	2	7	11	16	21	32
2. MULTIPLE DX	10086	13.1	113	3	4	10	17	26	34	59
A. NOT OPERATED	7940	7.6	35	2	2	6	10	14	19	31
B. OPERATED	6574	16.7	124	5	7	14	21	30	39	65
TOTAL 0-19 YRS	860	6.4	31	1	2	5	8	11	16	31
20-34	1567	9.0	59	2	3	7	11	17	23	42
35-49	2270	10.7	82	2	3	8	13	21	27	50
50-64	3601	11.7	92	2	3	9	15	23	30	50
65+	6216	13.5	112	3	4	11	18	27	35	59
GRAND TOTAL	**14514**	**11.7**	**96**	**2**	**3**	**9**	**15**	**23**	**31**	**53**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11847	3.4	6	1	1	3	4	6	7	12
20-34	5014	3.4	8	1	1	3	4	6	8	13
35-49	2082	4.0	8	1	1	3	5	7	9	15
50-64	1554	4.3	18	1	1	3	5	7	10	14
65+	1423	4.9	20	1	2	4	6	9	11	19
B. *Operated*										
0-19 YRS	319	4.5	12	1	2	4	5	8	11	21
20-34	318	6.1	63	2	2	5	7	10	13	23
35-49	156	7.3	35	1	2	6	10	14	18	33
50-64	90	7.8	31	2	2	6	11	14	17	30
65+	78	10.1	62	1	2	8	14	21	25	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14115	4.4	9	1	2	4	5	7	9	16
20-34	5197	4.4	11	1	2	4	5	8	10	16
35-49	3394	5.6	16	2	2	5	7	10	12	21
50-64	4341	6.1	22	2	2	5	7	11	14	25
65+	7520	7.4	36	2	3	6	9	14	18	31
B. *Operated*										
0-19 YRS	469	7.3	62	2	3	5	8	12	19	51
20-34	507	8.6	51	2	3	7	11	15	19	39
35-49	462	10.6	64	3	4	9	13	21	25	41
50-64	538	11.2	77	3	4	9	13	21	29	47
65+	722	14.5	139	3	4	11	18	29	38	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21920	3.6	9	1	1	3	4	6	8	13
B. *Operated*	961	6.3	41	1	2	5	8	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	34567	5.4	19	2	2	4	7	10	13	23
B. *Operated*	2698	10.8	91	2	3	8	13	21	29	52
1. SINGLE DX	22881	3.7	10	1	1	3	5	7	8	14
2. MULTIPLE DX	37265	5.8	27	2	2	4	7	11	14	27
A. NOT OPERATED	56487	4.7	16	1	2	4	6	9	11	20
B. OPERATED	3659	9.6	82	2	3	7	12	19	26	49
TOTAL 0-19 YRS	26750	4.0	9	1	2	3	5	7	9	15
20-34	11036	4.2	14	1	1	3	5	8	10	17
35-49	6094	5.5	20	1	2	4	7	10	13	24
50-64	6523	6.1	29	1	2	5	7	11	15	28
65+	9743	7.6	46	2	2	6	9	14	19	34
GRAND TOTAL	**60146**	**5.0**	**21**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	5.9	19	1	2	5	6	11	17	19
20-34	107	5.0	10	2	2	4	6	8	10	17
35-49	738	5.2	10	1	2	5	7	9	11	17
50-64	1683	5.2	11	1	2	5	7	9	11	18
65+	1997	5.7	18	1	2	5	7	10	13	20
B. *Operated*										
0-19 YRS	4	8.0	117	<1	<1	3	14	24	24	24
20-34	65	9.2	20	3	4	9	11	14	18	27
35-49	222	11.1	37	2	5	10	13	17	21	40
50-64	425	12.7	51	4	5	12	15	20	24	45
65+	368	14.0	86	3	5	12	17	23	29	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	6.4	13	1	2	6	8	10	14	18
20-34	148	6.5	47	2	2	5	7	11	18	25
35-49	989	6.1	15	2	2	5	8	10	14	20
50-64	3581	6.3	17	2	2	5	8	11	14	21
65+	9306	7.5	30	2	3	6	9	14	17	28
B. *Operated*										
0-19 YRS	4	6.0	8	4	4	5	8	10	10	10
20-34	80	12.8	71	4	5	11	16	24	31	48
35-49	521	13.7	77	4	6	12	16	22	27	59
50-64	1634	14.9	96	4	5	13	18	26	33	53
65+	2543	17.5	155	4	5	15	23	32	41	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4539	5.4	14	1	2	5	7	10	12	18
B. *Operated*	1084	12.6	60	3	5	11	15	21	26	45
2. MULTIPLE DX										
A. *Not Operated*	14056	7.0	26	2	3	6	9	13	16	26
B. *Operated*	4782	16.1	127	4	5	13	20	29	37	63
1. SINGLE DX	5623	6.8	31	1	2	5	9	13	16	28
2. MULTIPLE DX	18838	9.3	67	2	3	7	12	18	25	43
A. NOT OPERATED	18595	6.6	24	2	2	6	8	12	15	24
B. OPERATED	5866	15.5	117	4	5	13	19	28	35	60
TOTAL 0-19 YRS	54	6.4	20	1	2	5	8	10	17	24
20-34	400	7.8	45	2	3	6	9	15	19	32
35-49	2470	7.9	40	2	3	6	10	15	19	31
50-64	7323	8.3	50	2	2	6	11	16	21	36
65+	14214	9.2	69	2	3	7	11	18	24	43
GRAND TOTAL	**24461**	**8.8**	**60**	**2**	**3**	**7**	**11**	**17**	**23**	**40**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	3.2	5	1	1	2	5	7	8	9
20-34	144	4.3	18	1	1	4	5	7	9	27
35-49	114	4.0	7	1	1	3	5	8	9	13
50-64	66	3.5	6	1	1	3	5	6	8	13
65+	28	7.4	58	2	2	5	8	15	20	40
B. *Operated*										
0-19 YRS	328	3.6	5	1	1	3	4	6	8	13
20-34	1828	4.2	14	1	2	4	5	7	8	13
35-49	1498	4.5	18	1	2	4	5	7	9	16
50-64	895	4.8	22	2	2	4	6	8	10	18
65+	264	5.8	23	2	2	5	7	10	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	4.0	7	1	1	3	5	7	9	13
20-34	162	4.7	23	1	2	4	6	8	10	35
35-49	177	5.3	15	1	2	4	7	10	11	22
50-64	169	5.7	24	1	2	4	8	11	14	30
65+	153	8.3	35	2	2	7	11	17	20	30
B. *Operated*										
0-19 YRS	173	5.1	9	2	2	4	6	9	12	14
20-34	1622	5.4	17	2	3	5	6	9	11	19
35-49	1794	5.8	21	2	3	5	7	9	13	23
50-64	1513	6.8	28	2	3	5	8	12	15	28
65+	698	9.3	75	3	3	7	11	18	23	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	435	4.1	14	1	1	3	5	8	9	18
B. *Operated*	4813	4.4	17	1	2	4	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	741	5.7	24	1	2	4	7	11	14	26
B. *Operated*	5800	6.3	29	2	3	5	7	11	14	27
1. SINGLE DX	5248	4.4	17	1	2	4	5	7	9	16
2. MULTIPLE DX	6541	6.3	29	2	3	5	7	11	14	27
A. NOT OPERATED	1176	5.1	21	1	1	4	6	10	13	25
B. OPERATED	10613	5.5	24	2	2	4	6	9	12	24
TOTAL 0-19 YRS	664	4.0	7	1	1	3	5	7	9	13
20-34	3756	4.8	16	2	2	4	5	8	10	18
35-49	3583	5.2	19	2	2	4	6	8	11	20
50-64	2643	6.0	26	2	2	5	7	10	14	25
65+	1143	8.3	59	2	3	6	10	16	21	44
GRAND TOTAL	**11789**	**5.5**	**24**	**2**	**2**	**4**	**6**	**9**	**12**	**24**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2288	4.1	14	1	1	3	5	7	10	19
20-34	3500	5.3	27	1	2	4	6	10	13	25
35-49	2161	5.2	18	1	2	4	6	10	13	21
50-64	1594	5.2	31	1	1	4	7	10	13	23
65+	1289	5.3	20	1	1	4	7	11	14	23
B. *Operated*										
0-19 YRS	533	7.1	55	1	2	5	9	15	21	38
20-34	1365	8.4	56	1	2	6	11	17	24	40
35-49	993	9.5	67	2	2	8	12	19	25	43
50-64	852	8.8	77	1	2	7	12	18	23	49
65+	726	9.6	72	2	2	7	13	20	25	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1913	4.8	20	1	1	4	6	9	11	24
20-34	4327	6.1	25	2	2	5	8	11	14	26
35-49	3975	6.3	26	2	2	5	8	11	15	28
50-64	4666	6.5	26	2	2	5	8	12	15	26
65+	7396	7.4	41	2	2	6	9	14	18	33
B. *Operated*										
0-19 YRS	582	10.2	111	2	3	7	12	21	30	66
20-34	2414	11.2	101	2	3	8	14	23	31	52
35-49	2316	11.9	114	2	3	9	15	24	34	66
50-64	2708	12.9	136	2	3	9	16	27	36	66
65+	3023	15.7	164	3	4	12	20	32	42	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10832	5.0	22	1	2	4	6	9	13	23
B. *Operated*	4469	8.8	65	1	2	7	11	18	24	42
2. MULTIPLE DX										
A. *Not Operated*	22277	6.6	31	2	2	5	8	12	16	29
B. *Operated*	11043	12.9	133	2	3	10	16	27	36	64
1. SINGLE DX	15301	6.1	38	1	2	4	7	12	17	31
2. MULTIPLE DX	33320	8.7	74	2	2	6	10	17	25	48
A. NOT OPERATED	33109	6.1	29	1	2	5	7	11	15	27
B. OPERATED	15512	11.7	117	2	3	9	15	24	33	59
TOTAL 0-19 YRS	5316	5.3	34	1	1	4	6	10	14	32
20-34	11606	7.2	50	2	2	5	9	14	20	37
35-49	9445	7.8	57	2	2	6	9	15	21	43
50-64	9820	8.3	70	2	2	6	10	16	23	45
65+	12434	9.3	84	2	2	7	12	19	27	49
GRAND TOTAL	**48621**	**7.9**	**64**	**2**	**2**	**5**	**9**	**16**	**22**	**43**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	8.0	7	5	5	9	10	10	10	10
20-34	52	7.9	42	2	3	7	10	13	15	40
35-49	141	10.5	77	3	3	8	12	23	33	53
50-64	124	10.6	77	3	4	8	12	18	27	51
65+	46	11.5	66	2	3	9	15	26	28	33
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	18	9.3	78	2	2	8	12	14	30	41
35-49	58	8.8	45	2	2	8	12	21	23	25
50-64	52	11.0	158	1	2	8	13	23	42	69
65+	16	14.1	88	3	4	12	19	26	34	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	9.3	18	4	4	9	9	16	17	17
20-34	287	10.2	57	3	4	8	12	21	25	41
35-49	913	12.0	100	3	4	9	15	24	30	55
50-64	1298	12.6	90	3	4	10	16	25	31	46
65+	547	13.7	91	3	4	11	17	26	35	50
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	114	14.6	145	2	5	12	17	29	46	62
35-49	327	17.3	175	4	5	13	23	36	44	67
50-64	488	17.9	170	3	5	14	24	35	46	72
65+	177	17.8	174	4	5	14	23	38	44	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	366	10.3	70	3	3	8	12	21	29	47
B. *Operated*	145	10.2	95	1	2	8	13	22	25	45
2. MULTIPLE DX										
A. *Not Operated*	3051	12.4	91	3	4	10	16	24	31	48
B. *Operated*	1107	17.3	170	3	5	14	23	35	45	67
1. SINGLE DX	511	10.3	77	2	3	8	12	21	28	46
2. MULTIPLE DX	4158	13.7	117	3	4	10	17	28	36	55
A. NOT OPERATED	3417	12.2	89	3	4	9	15	24	31	48
B. OPERATED	1252	16.5	166	3	4	13	21	34	43	67
TOTAL 0-19 YRS	11	8.8	12	4	5	9	10	13	17	17
20-34	471	11.0	82	3	4	8	14	21	28	47
35-49	1439	12.9	118	3	4	10	16	27	35	55
50-64	1962	13.8	117	3	4	11	18	28	35	57
65+	786	14.5	111	3	4	12	19	29	38	54
GRAND TOTAL	**4669**	**13.3**	**113**	**3**	**4**	**10**	**17**	**27**	**35**	**55**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	5.1	13	1	2	4	8	10	13	14
20-34	60	7.0	46	1	2	6	9	11	16	43
35-49	104	8.8	42	1	2	7	12	18	22	31
50-64	150	11.0	78	2	3	8	14	24	31	41
65+	84	10.3	52	2	3	8	14	22	24	33
B. *Operated*										
0-19 YRS	25	4.6	11	1	1	4	6	9	12	12
20-34	228	4.8	26	1	1	3	6	11	14	27
35-49	153	7.3	60	1	2	4	10	16	22	40
50-64	202	6.8	51	1	1	4	9	15	19	36
65+	82	11.3	144	1	1	8	16	30	40	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	6.1	24	1	1	5	9	12	17	22
20-34	139	8.8	62	2	2	7	10	20	26	41
35-49	416	10.9	81	2	3	8	13	21	27	51
50-64	922	12.5	91	3	4	10	16	24	31	50
65+	753	13.4	102	3	4	11	17	25	31	55
B. *Operated*										
0-19 YRS	22	12.6	196	1	1	9	17	27	45	62
20-34	203	9.8	99	1	2	7	13	19	32	50
35-49	357	11.8	125	2	2	9	16	24	34	62
50-64	651	13.1	117	2	2	10	18	28	33	54
65+	473	16.7	164	2	4	13	22	35	42	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	417	9.5	59	2	2	8	12	21	27	37
B. *Operated*	690	6.7	58	1	1	4	9	15	20	41
2. MULTIPLE DX										
A. *Not Operated*	2252	12.2	92	3	4	10	16	24	31	51
B. *Operated*	1706	13.4	135	2	2	11	18	28	36	60
1. SINGLE DX	1107	7.7	60	1	2	5	10	17	23	40
2. MULTIPLE DX	3958	12.7	111	2	3	10	17	26	33	53
A. NOT OPERATED	2669	11.8	88	2	3	9	15	23	30	50
B. OPERATED	2396	11.5	122	1	2	9	15	25	34	54
TOTAL 0-19 YRS	88	7.1	69	1	1	4	9	14	22	51
20-34	630	7.5	64	1	2	5	9	16	22	41
35-49	1030	10.5	91	2	2	8	13	21	29	52
50-64	1925	12.0	98	2	2	9	16	25	32	46
65+	1392	14.2	126	2	4	12	18	27	36	56
GRAND TOTAL	**5065**	**11.6**	**104**	**2**	**2**	**9**	**15**	**24**	**32**	**51**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	5.9	11	2	2	5	8	11	12	16
20-34	382	7.0	19	2	3	6	9	12	15	22
35-49	149	8.2	38	2	3	7	11	15	17	34
50-64	169	7.8	35	2	3	6	9	15	18	29
65+	88	9.1	37	2	3	8	11	17	20	37
B. *Operated*										
0-19 YRS	9	8.1	28	2	2	9	11	16	18	18
20-34	96	7.7	52	1	1	6	11	17	20	34
35-49	73	8.9	55	1	2	7	12	21	26	31
50-64	81	9.1	81	1	1	6	13	21	24	45
65+	54	13.3	124	1	2	11	18	32	35	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	6.9	19	2	3	6	9	12	16	21
20-34	365	8.2	39	2	3	7	10	15	20	30
35-49	486	10.4	75	2	3	8	12	19	24	53
50-64	643	10.8	80	3	3	8	13	21	28	47
65+	513	12.3	90	3	4	9	15	24	36	50
B. *Operated*										
0-19 YRS	18	13.0	73	2	3	10	21	23	29	33
20-34	125	11.5	93	2	2	9	14	23	30	47
35-49	185	14.7	156	2	3	11	19	29	41	62
50-64	291	16.1	150	2	4	14	21	31	43	69
65+	220	20.1	227	4	6	16	24	40	48	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	953	7.3	26	2	3	6	9	13	16	28
B. *Operated*	313	9.3	75	1	2	7	13	20	27	38
2. MULTIPLE DX										
A. *Not Operated*	2139	10.4	73	2	3	8	13	20	26	47
B. *Operated*	839	16.1	168	2	4	13	21	33	43	64
1. SINGLE DX	1266	7.8	39	2	2	6	10	15	20	32
2. MULTIPLE DX	2978	12.0	106	2	3	9	15	24	33	53
A. NOT OPERATED	3092	9.5	60	2	3	7	11	18	24	43
B. OPERATED	1152	14.2	152	2	2	11	19	29	40	62
TOTAL 0-19 YRS	324	6.8	20	2	3	6	9	12	16	23
20-34	968	8.1	41	2	2	7	10	15	20	35
35-49	893	10.8	88	2	3	8	13	21	28	55
50-64	1184	11.6	98	2	3	9	15	24	30	54
65+	875	14.0	134	3	4	10	18	29	38	51
GRAND TOTAL	**4244**	**10.8**	**90**	**2**	**3**	**8**	**13**	**22**	**29**	**50**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	3.8	7	1	1	3	4	7	8	15
20-34	925	3.6	6	1	1	3	5	7	8	12
35-49	731	3.9	8	1	1	3	5	7	9	13
50-64	824	4.6	11	1	2	4	6	8	11	16
65+	653	5.7	15	2	2	5	7	11	12	17
B. *Operated*										
0-19 YRS	594	7.9	17	4	5	7	9	12	14	20
20-34	6419	7.9	15	5	5	7	9	11	13	18
35-49	5463	8.4	11	5	5	8	9	12	15	20
50-64	5393	8.9	12	5	6	8	10	13	15	21
65+	2601	11.1	29	6	6	9	13	18	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	4.1	8	1	2	3	5	8	10	14
20-34	770	4.7	10	1	2	4	6	8	10	15
35-49	952	5.6	23	1	2	5	7	10	12	22
50-64	1807	6.0	18	2	2	5	7	11	13	21
65+	3260	7.8	35	2	3	6	10	14	18	28
B. *Operated*										
0-19 YRS	292	9.7	24	4	5	9	11	15	19	28
20-34	4153	9.7	25	5	6	8	11	15	18	26
35-49	4940	10.6	31	5	6	9	13	17	20	31
50-64	7420	12.0	42	6	6	10	14	20	24	37
65+	6931	15.6	78	7	8	14	19	26	32	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3243	4.4	10	1	1	4	6	8	10	15
B. *Operated*	20470	8.7	16	5	5	8	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	6853	6.6	27	2	2	5	8	12	15	25
B. *Operated*	23736	12.3	52	6	6	10	15	21	25	39
1. SINGLE DX	23713	8.1	17	3	4	7	9	13	15	22
2. MULTIPLE DX	30589	11.0	52	3	5	9	14	19	24	38
A. NOT OPERATED	10096	5.9	23	1	2	5	7	11	14	24
B. OPERATED	44206	10.6	39	5	6	9	12	18	22	35
TOTAL 0-[illegible]RS	1060	7.8	21	2	3	7	10	13	15	21
20-[illegible]	12267	8.0	21	3	4	7	9	13	15	22
35-49	12086	8.8	23	3	5	8	10	14	17	26
50-64	15444	9.8	33	3	5	8	12	16	20	31
65+	13445	12.4	68	3	5	10	15	22	27	43
GRAND TOTAL	**54302**	**9.8**	**39**	**3**	**4**	**8**	**12**	**17**	**21**	**33**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	152	4.4	9	1	2	4	5	8	10	25
20-34	1034	4.1	6	1	2	4	5	7	8	13
35-49	722	4.4	13	1	2	4	6	8	10	16
50-64	625	4.9	12	1	2	4	6	9	11	16
65+	520	5.8	14	2	2	5	7	10	12	19
B. *Operated*										
0-19 YRS	68	8.0	12	4	4	7	10	13	15	18
20-34	673	8.7	18	4	5	8	10	14	17	25
35-49	682	9.1	19	5	5	8	10	14	17	23
50-64	611	10.2	23	5	6	9	12	16	20	27
65+	341	12.2	32	6	7	11	15	20	24	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	4.8	10	1	2	4	6	8	9	18
20-34	949	4.9	11	1	2	4	6	9	11	19
35-49	969	5.9	17	2	2	5	8	10	13	21
50-64	1305	6.2	16	2	2	5	8	11	13	18
65+	2049	8.2	31	2	3	7	10	15	18	29
B. *Operated*										
0-19 YRS	76	10.9	99	5	6	8	12	15	18	67
20-34	1167	10.2	28	5	6	9	12	17	20	31
35-49	1436	10.8	37	5	6	9	13	17	21	32
50-64	1589	12.4	57	6	6	10	15	20	25	41
65+	1493	16.3	79	7	8	14	20	28	34	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3053	4.6	11	1	2	4	6	8	10	17
B. *Operated*	2375	9.7	23	5	5	8	12	15	19	27
2. MULTIPLE DX										
A. *Not Operated*	5392	6.7	23	2	2	6	8	12	15	24
B. *Operated*	5761	12.6	58	5	6	10	15	21	27	43
1. SINGLE DX	5428	6.9	22	2	2	6	9	12	16	24
2. MULTIPLE DX	11153	9.7	50	2	3	8	12	18	22	36
A. NOT OPERATED	8445	5.9	19	2	2	5	7	11	14	22
B. OPERATED	8136	11.7	49	5	6	10	14	20	25	39
TOTAL 0-19 YRS	416	6.3	33	2	2	5	8	12	14	25
20-34	3823	7.0	23	2	2	6	9	13	16	25
35-49	3809	8.1	31	2	3	7	10	14	17	25
50-64	4130	9.0	42	2	3	8	11	16	20	32
65+	4403	11.0	62	3	4	9	14	20	27	41
GRAND TOTAL	**16581**	**8.8**	**42**	**2**	**3**	**7**	**11**	**16**	**21**	**33**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.8	2	1	1	3	4	5	5	5
20-34	80	4.2	14	1	1	3	5	10	12	17
35-49	75	4.5	8	1	1	4	6	8	9	14
50-64	67	4.7	17	1	1	4	6	9	11	26
65+	90	6.3	20	1	2	5	8	12	17	19
B. *Operated*										
0-19 YRS	19	8.9	40	3	6	7	10	12	24	33
20-34	249	9.0	19	4	5	8	11	14	16	24
35-49	232	9.7	27	4	5	9	11	15	19	30
50-64	267	10.3	39	3	5	9	12	18	21	57
65+	307	14.2	70	3	5	13	18	25	30	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	13	1	1	7	8	9	9	9
20-34	61	5.4	11	2	2	4	8	9	11	16
35-49	70	5.5	23	1	2	4	6	10	14	27
50-64	163	7.0	37	2	3	6	9	12	14	25
65+	368	9.0	37	3	4	7	10	16	21	32
B. *Operated*										
0-19 YRS	22	10.6	13	5	6	10	14	15	16	17
20-34	216	10.6	28	5	6	9	13	17	19	29
35-49	252	13.6	94	5	6	11	16	24	31	54
50-64	452	14.9	70	6	7	13	18	24	29	45
65+	904	19.5	108	7	9	17	24	33	40	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	4.9	15	1	1	4	6	10	12	18
B. *Operated*	1074	11.0	45	4	5	9	13	19	24	40
2. MULTIPLE DX										
A. *Not Operated*	666	7.8	35	2	3	7	9	14	18	30
B. *Operated*	1846	16.4	97	6	7	14	20	29	36	52
1. SINGLE DX	1397	9.6	44	2	3	8	12	17	21	38
2. MULTIPLE DX	2512	14.1	95	3	5	12	18	26	32	50
A. NOT OPERATED	989	6.8	30	1	2	6	9	13	16	28
B. OPERATED	2920	14.4	85	5	6	12	18	26	32	50
TOTAL 0-19 YRS	56	8.2	28	1	2	8	10	14	16	32
20-34	606	8.6	26	2	3	8	11	15	17	25
35-49	629	10.2	62	2	3	8	12	18	24	40
50-64	949	11.5	64	2	4	10	15	21	25	45
65+	1669	15.5	104	3	5	14	20	29	36	50
GRAND TOTAL	**3909**	**12.5**	**82**	**3**	**4**	**10**	**16**	**24**	**30**	**45**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	6.9	22	2	2	6	9	14	17	17
20-34	80	4.6	10	2	2	4	5	8	10	20
35-49	73	5.5	11	1	2	5	7	10	12	16
50-64	78	5.9	20	1	2	5	8	11	15	25
65+	123	7.2	25	2	3	6	9	12	14	31
B. *Operated*										
0-19 YRS	4	15.5	22	9	9	16	18	20	20	20
20-34	47	13.7	125	4	4	9	18	29	40	53
35-49	38	11.9	39	3	6	10	14	20	25	34
50-64	57	14.5	124	2	3	12	20	26	28	70
65+	56	19.2	176	3	5	17	24	31	38	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	7.3	26	2	2	6	9	15	19	22
20-34	81	7.1	21	2	2	6	9	13	15	24
35-49	119	8.2	31	2	3	7	10	14	21	31
50-64	219	7.8	23	2	3	7	10	14	17	31
65+	521	10.5	62	3	4	9	13	19	24	37
B. *Operated*										
0-19 YRS	14	17.9	164	2	2	14	26	42	43	43
20-34	72	12.9	113	3	4	10	17	24	30	64
35-49	123	15.4	129	3	5	13	20	28	37	65
50-64	240	18.7	156	4	6	17	23	33	40	62
65+	434	21.4	137	7	10	19	27	37	46	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	366	6.0	19	2	2	5	8	11	13	25
B. *Operated*	202	15.2	126	3	4	13	19	27	33	64
2. MULTIPLE DX										
A. *Not Operated*	960	9.3	47	2	3	8	12	17	21	33
B. *Operated*	883	19.1	147	4	7	17	24	33	43	69
1. SINGLE DX	568	9.3	76	2	2	7	11	19	26	40
2. MULTIPLE DX	1843	14.0	119	3	4	11	19	28	34	56
A. NOT OPERATED	1326	8.4	41	2	3	7	11	15	20	32
B. OPERATED	1085	18.4	145	4	6	16	24	33	41	69
TOTAL 0-19 YRS	50	10.8	85	2	2	8	15	21	26	43
20-34	280	9.0	72	2	2	7	11	19	25	46
35-49	353	10.6	77	2	3	8	13	21	27	39
50-64	594	12.6	116	2	3	10	17	26	32	55
65+	1134	14.8	124	3	4	12	20	29	36	58
GRAND TOTAL	**2411**	**12.9**	**112**	**2**	**3**	**10**	**17**	**26**	**33**	**54**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	6.5	20	2	3	6	8	11	16	31
20-34	1069	6.9	25	2	3	6	8	12	15	24
35-49	1050	7.5	27	2	3	6	9	13	16	29
50-64	635	7.9	27	2	3	7	10	14	17	31
65+	372	8.8	45	2	3	8	11	15	18	35
B. *Operated*										
0-19 YRS	17	9.6	46	2	2	9	10	15	26	32
20-34	83	17.5	196	4	5	15	23	36	41	78
35-49	99	12.8	101	2	3	11	18	24	31	54
50-64	99	15.7	156	2	4	12	21	31	39	67
65+	45	16.9	183	3	4	13	23	29	37	76
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	153	7.6	26	2	3	6	10	14	17	31
20-34	1535	8.3	33	2	3	7	10	14	19	32
35-49	2254	9.3	40	3	4	8	12	16	21	34
50-64	1878	9.7	44	3	4	8	12	17	21	34
65+	1581	10.9	50	4	5	9	13	19	24	40
B. *Operated*										
0-19 YRS	23	14.6	69	4	5	13	20	25	31	37
20-34	294	17.7	181	4	6	14	22	36	51	77
35-49	571	18.8	201	5	6	15	23	36	47	87
50-64	556	20.4	195	5	8	17	25	38	48	80
65+	436	21.8	179	6	8	19	28	40	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3293	7.5	29	2	3	6	9	13	16	28
B. *Operated*	343	15.2	151	2	4	12	20	29	37	67
2. MULTIPLE DX										
A. *Not Operated*	7401	9.5	43	3	4	8	12	17	21	35
B. *Operated*	1880	19.7	191	5	7	16	25	38	48	86
1. SINGLE DX	3636	8.2	45	2	3	7	10	15	20	35
2. MULTIPLE DX	9281	11.6	90	3	4	9	14	22	30	53
A. NOT OPERATED	10694	8.9	39	3	3	7	11	16	20	33
B. OPERATED	2223	19.0	188	4	6	16	24	37	47	83
TOTAL 0-19 YRS	360	7.6	31	2	3	6	9	14	19	32
20-34	2981	9.0	61	2	3	7	11	16	23	45
35-49	3974	10.3	75	3	4	8	12	19	26	46
50-64	3168	11.4	90	3	4	9	14	21	29	53
65+	2434	12.6	94	4	5	10	15	24	32	55
GRAND TOTAL	**12917**	**10.6**	**79**	**3**	**4**	**8**	**13**	**20**	**27**	**49**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	248	4.0	7	1	1	3	5	7	9	13
20-34	250	4.4	13	1	1	4	5	8	11	17
35-49	294	4.9	14	1	2	4	6	9	10	22
50-64	388	5.7	13	1	2	5	8	10	11	17
65+	592	7.0	30	2	2	6	9	13	16	23
B. *Operated*										
0-19 YRS	23	6.3	31	1	1	5	8	12	20	25
20-34	35	7.2	32	2	2	5	10	14	16	31
35-49	53	8.8	36	1	2	8	12	17	22	24
50-64	53	9.1	21	2	3	9	12	16	18	20
65+	85	10.6	44	3	4	9	15	19	27	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	299	4.8	15	1	2	4	6	8	11	18
20-34	687	5.3	15	1	2	4	7	9	12	26
35-49	1015	6.7	23	2	2	6	8	12	15	26
50-64	1904	7.7	27	2	3	7	9	13	17	29
65+	4600	9.1	42	2	3	8	11	17	21	34
B. *Operated*										
0-19 YRS	36	6.9	21	1	2	5	10	15	16	17
20-34	145	9.3	50	2	3	8	12	16	21	38
35-49	242	12.6	103	3	4	10	15	27	34	69
50-64	562	13.0	108	3	4	10	16	24	33	58
65+	1117	15.4	130	4	5	12	19	30	39	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1772	5.6	19	1	2	5	7	10	13	21
B. *Operated*	249	9.0	36	2	2	8	12	17	20	29
2. MULTIPLE DX										
A. *Not Operated*	8505	8.1	35	2	3	7	10	15	19	31
B. *Operated*	2102	13.9	118	3	4	11	17	27	36	58
1. SINGLE DX	2021	6.0	23	1	2	5	8	11	14	23
2. MULTIPLE DX	10607	9.2	57	2	3	7	11	17	24	40
A. NOT OPERATED	10277	7.6	33	2	2	6	9	14	18	30
B. OPERATED	2351	13.4	111	3	4	11	16	26	35	56
TOTAL 0-19 YRS	606	4.7	13	1	2	4	6	8	11	17
20-34	1117	5.7	22	1	2	5	7	11	14	28
35-49	1604	7.4	39	2	2	6	9	13	19	34
50-64	2907	8.5	46	2	3	7	10	16	20	37
65+	6394	10.0	63	2	3	8	12	19	25	41
GRAND TOTAL	**12628**	**8.7**	**53**	**2**	**3**	**7**	**11**	**16**	**22**	**39**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	4.9	10	1	2	4	7	9	11	15
20-34	23	6.8	14	2	2	7	10	12	13	14
35-49	22	6.5	15	2	3	5	8	13	16	18
50-64	35	7.9	72	1	2	5	9	13	27	45
65+	13	10.5	69	2	2	7	14	24	30	31
B. *Operated*										
0-19 YRS	9	8.3	111	<1	1	6	12	67	99+	99+
20-34	19	11.9	55	3	4	10	14	23	27	29
35-49	15	14.2	136	1	3	11	24	26	38	42
50-64	17	8.9	59	2	3	7	10	30	74	99+
65+	10	10.5	99	<1	<1	8	14	25	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	222	6.7	49	2	2	5	7	12	18	38
20-34	70	8.2	53	2	2	6	9	18	28	88
35-49	96	9.3	35	3	4	8	12	18	21	29
50-64	125	10.2	60	3	4	9	13	18	24	43
65+	155	12.3	83	3	4	10	17	25	28	52
B. *Operated*										
0-19 YRS	16	15.4	592	3	3	7	13	88	99+	99+
20-34	72	14.2	78	4	6	13	17	23	31	55
35-49	101	18.3	194	5	6	13	24	38	43	74
50-64	82	17.5	155	4	5	14	20	37	46	54
65+	84	17.7	150	3	5	15	22	38	44	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	5.9	24	1	2	5	7	11	14	29
B. *Operated*	70	11.0	86	1	2	8	14	27	35	99+
2. MULTIPLE DX										
A. *Not Operated*	668	9.2	62	2	3	7	12	19	24	42
B. *Operated*	355	17.0	169	4	5	13	21	36	44	62
1. SINGLE DX	328	7.0	41	1	2	5	8	14	22	43
2. MULTIPLE DX	1023	11.9	112	3	3	9	15	24	33	56
A. NOT OPERATED	926	8.3	53	2	3	6	10	17	22	38
B. OPERATED	425	16.0	160	3	5	13	20	35	43	90
TOTAL 0-19 YRS	412	6.4	58	2	2	5	7	11	15	55
20-34	184	10.7	67	2	3	9	14	20	26	53
35-49	234	13.2	129	3	4	10	17	26	37	57
50-64	259	12.1	105	3	4	9	15	25	36	55
65+	262	13.9	110	3	4	11	19	27	35	53
GRAND TOTAL	**1351**	**10.7**	**100**	**2**	**3**	**8**	**14**	**22**	**31**	**55**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	7.1	25	2	2	5	8	14	19	24
20-34	50	5.1	8	1	2	5	7	10	11	11
35-49	38	7.3	36	2	3	5	8	16	21	30
50-64	23	6.3	21	1	1	5	8	14	16	18
65+	28	12.1	90	3	4	9	14	24	38	41
B. *Operated*										
0-19 YRS	84	5.8	34	1	2	4	8	11	18	32
20-34	99	6.6	70	2	2	4	8	16	21	48
35-49	59	5.6	43	1	2	3	7	11	22	38
50-64	34	7.2	33	1	2	6	10	16	19	24
65+	20	9.6	89	1	1	7	16	19	29	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	7.6	46	2	2	6	10	15	22	36
20-34	126	6.8	28	2	2	5	8	15	19	24
35-49	102	8.0	29	2	2	7	11	16	18	25
50-64	164	9.7	45	3	4	8	12	16	21	39
65+	257	12.5	131	2	3	9	15	26	34	65
B. *Operated*										
0-19 YRS	79	8.2	67	1	2	5	11	21	30	34
20-34	172	8.4	54	2	2	6	11	18	23	35
35-49	157	11.7	117	2	3	8	14	26	36	53
50-64	183	14.3	200	2	2	10	20	29	44	72
65+	155	15.8	184	3	4	11	20	35	43	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	7.2	32	2	2	5	8	14	18	27
B. *Operated*	296	6.4	52	1	2	4	8	16	20	37
2. MULTIPLE DX										
A. *Not Operated*	809	9.5	72	2	3	7	12	19	25	41
B. *Operated*	746	12.0	140	2	2	8	16	27	35	61
1. SINGLE DX	611	6.8	41	2	2	5	8	14	19	33
2. MULTIPLE DX	1555	10.7	106	2	2	8	13	23	31	53
A. NOT OPERATED	1124	8.9	62	2	2	7	11	18	23	39
B. OPERATED	1042	10.5	121	2	2	7	13	23	33	57
TOTAL 0-19 YRS	499	7.2	40	2	2	5	9	15	21	33
20-34	447	7.2	46	2	2	5	9	16	21	33
35-49	356	9.1	76	2	2	6	11	19	26	44
50-64	404	11.4	120	2	2	8	14	23	32	60
65+	460	13.4	147	2	3	10	17	29	37	66
GRAND TOTAL	**2166**	**9.6**	**91**	**2**	**2**	**7**	**12**	**21**	**27**	**47**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	5.8	11	1	2	5	7	11	13	15
20-34	28	6.0	10	2	2	6	8	10	12	15
35-49	3	4.0	3	3	3	3	5	6	6	6
50-64	2	10.0	128	2	2	10	18	18	18	18
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	23	4.5	11	1	1	4	7	9	11	13
20-34	21	3.9	5	1	1	3	6	7	8	9
35-49	6	14.3	125	2	3	10	22	32	33	33
50-64	10	7.8	68	1	1	4	15	21	26	26
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	7.8	30	2	3	7	10	14	18	31
20-34	37	5.8	7	2	4	5	6	9	12	14
35-49	21	7.8	25	2	3	8	10	13	19	23
50-64	15	8.3	30	1	2	7	11	14	20	22
65+	28	13.1	301	3	4	9	12	21	33	97
B. *Operated*										
0-19 YRS	28	8.6	118	2	2	5	8	16	41	49
20-34	32	11.2	84	3	3	10	14	18	27	50
35-49	25	11.3	49	1	2	14	16	18	23	25
50-64	19	19.5	388	1	3	15	22	45	66	82
65+	21	16.7	184	3	3	14	18	33	53	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	5.9	12	2	2	5	7	11	13	16
B. *Operated*	60	5.8	37	1	1	4	8	12	19	32
2. MULTIPLE DX										
A. *Not Operated*	171	8.3	72	2	3	7	10	14	20	31
B. *Operated*	125	12.8	157	2	3	10	16	23	44	64
1. SINGLE DX	224	5.9	18	1	2	5	7	11	14	23
2. MULTIPLE DX	296	10.2	113	2	3	8	13	18	24	54
A. NOT OPERATED	335	7.1	44	2	2	6	9	12	15	25
B. OPERATED	185	10.5	128	2	2	8	15	20	29	55
TOTAL 0-19 YRS	251	6.5	29	2	2	5	8	12	15	32
20-34	118	7.0	35	2	2	6	9	13	16	35
35-49	55	9.9	50	2	2	9	15	18	23	33
50-64	46	12.9	213	1	2	8	16	26	44	82
65+	50	14.5	245	3	4	11	15	22	49	97
GRAND TOTAL	**520**	**8.3**	**76**	**2**	**2**	**6**	**10**	**16**	**21**	**49**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.1	2	<1	<1	1	4	4	4	4
20-34	17	5.1	32	<1	<1	2	7	11	18	22
35-49	9	6.8	123	1	1	3	5	24	36	36
50-64	33	3.8	34	1	1	2	3	9	19	29
65+	47	6.4	43	1	1	4	9	16	21	28
B. *Operated*										
0-19 YRS	12	7.8	28	<1	1	7	10	16	19	19
20-34	84	10.6	103	2	2	7	13	25	34	44
35-49	80	9.3	107	1	2	5	12	21	28	59
50-64	124	6.9	49	1	2	5	8	14	22	60
65+	62	8.8	73	1	1	6	13	19	33	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	4.3	24	1	1	2	5	10	17	26
20-34	95	6.0	32	1	1	4	7	13	16	29
35-49	137	7.0	36	1	1	5	10	16	19	26
50-64	345	7.6	44	1	1	6	10	16	20	32
65+	747	8.8	79	1	1	6	12	20	27	43
B. *Operated*										
0-19 YRS	112	14.7	264	2	3	9	19	34	[illegible]	77
20-34	371	14.1	233	1	2	8	17	33	50	72
35-49	449	13.3	185	1	2	9	18	31	42	64
50-64	686	13.6	206	2	2	8	18	31	40	74
65+	520	15.3	184	2	3	11	21	33	45	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	5.2	43	<1	1	2	6	14	21	32
B. *Operated*	362	8.6	79	1	2	6	10	20	29	47
2. MULTIPLE DX										
A. *Not Operated*	1381	7.9	62	1	1	6	11	17	23	38
B. *Operated*	2138	14.1	204	2	2	9	19	32	45	66
1. SINGLE DX	475	7.8	73	1	1	5	10	19	27	45
2. MULTIPLE DX	3519	11.7	157	1	2	8	15	27	37	63
A. NOT OPERATED	1494	7.7	61	1	1	5	11	17	23	38
B. OPERATED	2500	13.3	190	2	2	8	17	31	42	65
TOTAL 0-19 YRS	188	10.6	191	1	1	5	13	26	36	69
20-34	567	12.0	185	1	2	7	14	28	44	64
35-49	675	11.5	151	1	2	7	15	27	37	62
50-64	1188	10.9	148	1	2	7	13	26	34	62
65+	1376	11.2	127	1	1	8	15	25	35	57
GRAND TOTAL	**3994**	**11.2**	**149**	**1**	**1**	**7**	**14**	**26**	**36**	**62**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.6	9	1	2	4	6	9	11	12
20-34	8	3.6	4	1	1	4	5	6	6	6
35-49	6	6.2	5	4	4	6	7	10	10	10
50-64	14	4.9	19	<1	<1	3	8	10	14	15
65+	39	10.2	101	1	2	7	14	22	24	56
B. *Operated*										
0-19 YRS	4	17.3	591	<1	<1	7	32	53	53	53
20-34	17	8.2	35	1	1	8	12	17	20	21
35-49	12	12.5	150	2	2	8	19	33	38	39
50-64	20	9.4	170	<1	1	4	11	23	41	56
65+	15	7.7	63	1	1	6	10	13	27	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	6.4	50	1	1	4	8	16	21	32
20-34	47	5.9	21	1	2	4	9	13	15	18
35-49	84	8.5	57	2	2	5	13	20	25	29
50-64	207	10.4	132	1	2	7	13	23	35	59
65+	758	13.8	104	2	3	12	19	26	35	45
B. *Operated*										
0-19 YRS	9	16.1	189	2	4	11	20	39	47	47
20-34	52	16.7	183	2	2	14	25	34	41	99
35-49	88	17.4	333	1	2	12	22	45	68	99+
50-64	199	18.5	283	2	3	14	24	42	54	80
65+	265	23.7	292	4	6	19	32	50	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	7.2	58	1	1	5	10	15	21	44
B. *Operated*	68	9.7	127	1	1	7	12	21	33	55
2. MULTIPLE DX										
A. *Not Operated*	1122	12.3	107	2	2	10	16	25	33	46
B. *Operated*	613	20.4	291	2	3	17	27	45	59	99+
1. SINGLE DX	155	8.3	89	1	1	5	11	19	24	56
2. MULTIPLE DX	1735	15.1	187	2	2	12	20	33	43	74
A. NOT OPERATED	1209	11.9	105	2	2	10	16	25	32	46
B. OPERATED	681	19.3	285	2	3	15	27	43	57	99
TOTAL 0-19 YRS	59	8.0	102	1	1	4	10	17	30	52
20-34	124	10.6	116	1	2	7	14	25	34	78
35-49	190	12.8	207	2	2	8	19	31	44	97
50-64	440	13.8	217	1	2	9	18	33	46	69
65+	1077	16.0	169	2	3	13	21	33	42	70
GRAND TOTAL	**1890**	**14.6**	**182**	**2**	**2**	**11**	**19**	**32**	**42**	**71**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	582	4.4	3	2	2	4	5	7	8	10
20-34	884	4.7	6	2	2	4	6	7	8	13
35-49	198	5.6	7	2	3	5	7	10	11	14
50-64	115	5.7	7	2	2	6	7	9	10	13
65+	122	6.7	9	3	4	6	8	11	12	17
B. *Operated*										
0-19 YRS	39	5.6	6	2	3	5	7	8	10	14
20-34	48	7.4	38	1	3	6	9	14	17	39
35-49	20	8.0	11	4	5	7	9	13	16	17
50-64	18	9.8	33	3	3	8	13	17	22	25
65+	8	6.0	17	1	2	5	9	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	543	5.1	8	2	2	5	6	8	10	16
20-34	880	5.5	17	2	3	5	7	9	11	16
35-49	422	6.6	10	3	3	6	8	11	13	16
50-64	516	8.0	17	3	4	7	10	13	16	23
65+	918	10.2	47	3	4	9	13	18	23	36
B. *Operated*										
0-19 YRS	93	7.6	18	2	3	7	10	13	17	23
20-34	237	9.5	44	3	4	8	11	17	22	39
35-49	113	11.1	63	4	5	9	13	22	27	41
50-64	147	13.6	69	4	5	12	17	25	33	38
65+	166	16.6	136	5	6	14	20	29	37	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1901	4.9	6	2	2	4	6	8	9	13
B. *Operated*	133	7.2	24	2	3	6	8	13	15	27
2. MULTIPLE DX										
A. *Not Operated*	3279	7.3	27	2	3	6	9	13	16	25
B. *Operated*	756	11.9	78	4	4	9	15	22	28	43
1. SINGLE DX	2034	5.0	7	2	2	5	6	8	9	14
2. MULTIPLE DX	4035	8.2	40	3	3	7	10	15	19	33
A. NOT OPERATED	5180	6.4	21	2	3	5	8	11	14	24
B. OPERATED	889	11.2	73	3	4	8	14	21	27	42
TOTAL 0-19 YRS	1257	5.0	7	2	2	5	6	8	10	15
20-34	2049	5.7	18	2	3	5	7	9	12	20
35-49	753	7.0	20	3	3	6	8	12	14	24
50-64	796	8.7	32	3	4	7	10	15	19	33
65+	1214	10.7	62	3	4	9	13	19	24	39
GRAND TOTAL	**6069**	**7.1**	**31**	**2**	**3**	**6**	**8**	**13**	**17**	**28**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	584	4.1	4	1	2	4	5	7	8	10
20-34	701	4.6	6	2	2	4	6	7	9	14
35-49	173	5.1	9	2	2	4	6	8	10	15
50-64	130	5.9	19	2	2	5	6	12	16	23
65+	128	6.5	15	2	3	6	8	11	13	22
B. *Operated*										
0-19 YRS	112	5.1	24	1	1	4	7	9	13	28
20-34	143	6.2	19	1	2	5	8	13	15	18
35-49	82	6.8	29	2	2	5	8	16	18	25
50-64	61	8.3	84	1	2	7	10	15	18	62
65+	41	10.4	79	2	2	7	15	24	28	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	506	5.0	8	2	2	4	6	9	10	15
20-34	912	5.3	12	2	2	5	7	9	11	18
35-49	447	6.9	20	2	3	6	8	12	15	23
50-64	541	8.0	27	3	3	7	10	14	18	26
65+	932	9.9	46	3	4	8	12	18	21	36
B. *Operated*										
0-19 YRS	198	6.3	27	1	1	5	8	12	16	26
20-34	439	8.8	57	2	2	7	11	17	22	47
35-49	331	11.2	95	2	3	9	15	22	31	55
50-64	345	12.6	76	3	3	11	16	24	29	47
65+	424	15.6	152	2	4	13	20	32	40	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1716	4.7	8	2	2	4	6	8	9	15
B. *Operated*	439	6.7	39	1	2	5	8	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	3338	7.2	28	2	3	6	9	13	17	26
B. *Operated*	1737	11.4	97	2	2	9	15	23	31	53
1. SINGLE DX	2155	5.1	15	1	2	4	6	9	12	20
2. MULTIPLE DX	5075	8.6	56	2	3	7	11	17	22	39
A. NOT OPERATED	5054	6.4	23	2	2	5	8	12	15	24
B. OPERATED	2176	10.4	89	2	2	8	14	22	29	49
TOTAL 0-19 YRS	1400	4.8	11	1	2	4	6	8	10	19
20-34	2195	5.8	22	2	2	5	7	10	14	24
35-49	1033	8.0	48	2	2	6	10	15	21	36
50-64	1077	9.2	50	2	3	7	12	18	23	37
65+	1525	11.2	82	3	4	9	14	21	28	47
GRAND TOTAL	**7230**	**7.6**	**46**	**2**	**2**	**6**	**9**	**15**	**20**	**36**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	3.0	6	1	1	2	4	5	7	14
20-34	891	2.8	5	1	1	2	3	5	6	13
35-49	942	2.8	6	1	1	2	3	5	7	12
50-64	641	3.1	8	1	1	2	4	5	7	13
65+	190	3.6	6	1	1	3	5	7	8	14
B. *Operated*										
0-19 YRS	42	7.5	13	2	3	8	9	12	14	19
20-34	387	8.4	25	2	3	8	10	15	17	25
35-49	540	8.8	25	2	3	8	11	15	18	25
50-64	501	9.5	36	2	2	9	12	16	20	29
65+	218	10.3	43	2	2	10	13	17	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	4.0	14	1	1	3	5	7	7	25
20-34	601	3.9	11	1	1	3	5	8	10	16
35-49	780	4.0	11	1	1	3	5	8	10	15
50-64	853	4.7	13	1	1	4	6	9	11	18
65+	580	6.2	25	2	2	5	8	11	15	25
B. *Operated*										
0-19 YRS	53	8.9	51	2	3	7	11	16	19	47
20-34	488	10.4	57	2	3	9	13	18	25	40
35-49	701	10.4	49	2	3	9	13	20	24	34
50-64	977	11.2	71	2	3	10	15	20	25	42
65+	738	12.8	97	2	3	11	17	24	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2777	2.9	6	1	1	2	4	5	7	13
B. *Operated*	1688	9.1	31	2	3	9	12	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	2886	4.6	15	1	1	4	6	9	12	22
B. *Operated*	2957	11.2	71	2	3	10	14	21	26	44
1. SINGLE DX	4465	5.2	24	1	1	3	8	12	15	23
2. MULTIPLE DX	5843	8.0	54	1	2	6	11	16	22	35
A. NOT OPERATED	5663	3.8	12	1	1	3	5	7	10	18
B. OPERATED	4645	10.5	57	2	3	9	13	19	24	38
TOTAL 0-19 YRS	280	5.1	23	1	1	4	7	10	13	21
20-34	2367	5.5	30	1	1	4	8	12	16	27
35-49	2963	6.0	31	1	1	4	9	13	16	28
50-64	2972	7.3	46	1	1	5	10	15	19	31
65+	1726	9.3	68	2	2	7	12	19	25	43
GRAND TOTAL	**10308**	**6.8**	**43**	**1**	**1**	**5**	**9**	**14**	**19**	**31**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	275	2.7	6	1	1	2	3	4	6	9
20-34	2861	2.5	4	1	1	2	3	4	5	9
35-49	3025	2.5	6	1	1	2	3	4	5	9
50-64	1922	2.8	4	1	1	2	3	5	6	10
65+	408	3.2	5	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS	151	6.3	16	2	2	5	8	11	14	21
20-34	1660	6.5	16	2	2	6	8	12	14	19
35-49	1963	6.9	23	2	2	6	9	13	15	21
50-64	1585	7.5	24	2	2	6	10	14	16	24
65+	580	8.6	28	2	3	8	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	4.0	86	1	1	3	4	5	6	52
20-34	883	3.3	16	1	1	3	4	6	7	14
35-49	1221	3.4	6	1	1	3	4	6	8	14
50-64	1289	3.8	8	1	1	3	5	7	9	13
65+	655	4.7	19	1	2	4	6	8	11	22
B. *Operated*										
0-19 YRS	77	6.9	21	1	2	6	9	12	15	25
20-34	757	8.1	36	2	3	7	10	15	19	31
35-49	1149	8.6	35	2	3	7	11	16	20	29
50-64	1528	9.6	47	2	3	8	12	17	22	33
65+	985	11.6	58	3	4	10	15	21	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8571	2.6	5	1	1	2	3	5	6	9
B. *Operated*	5939	7.1	22	2	2	6	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	4147	3.7	13	1	1	3	5	7	9	15
B. *Operated*	4496	9.5	46	2	3	8	12	17	22	33
1. SINGLE DX	14510	4.5	17	1	1	3	6	10	12	19
2. MULTIPLE DX	8643	6.7	38	1	2	5	9	14	18	29
A. NOT OPERATED	12718	3.0	8	1	1	2	4	5	7	11
B. OPERATED	10435	8.1	34	2	3	7	11	15	18	29
TOTAL 0-19 YRS	602	4.4	26	1	1	3	5	9	11	19
20-34	6161	4.4	17	1	1	3	6	9	12	19
35-49	7358	4.8	21	1	1	3	6	10	13	21
50-64	6324	5.8	28	1	1	4	8	12	15	26
65+	2708	7.8	44	1	2	6	11	16	21	31
GRAND TOTAL	**23153**	**5.3**	**26**	**1**	**1**	**4**	**7**	**11**	**15**	**24**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	3.0	5	<1	1	2	4	6	8	12
20-34	99	3.2	6	1	1	2	4	7	9	12
35-49	99	3.8	13	1	1	3	5	9	11	20
50-64	82	3.9	9	<1	1	3	5	9	10	15
65+	83	4.9	14	1	1	4	6	10	13	17
B. *Operated*										
0-19 YRS	652	6.8	23	1	1	8	10	13	15	18
20-34	328	7.3	30	1	2	6	10	14	18	23
35-49	323	6.6	31	1	2	5	10	13	16	25
50-64	372	7.4	45	1	2	5	11	15	20	31
65+	257	7.2	46	1	2	5	10	16	19	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	162	4.3	13	1	1	3	6	8	11	18
20-34	197	5.2	21	1	2	4	6	9	15	25
35-49	181	5.8	19	1	2	5	8	11	14	21
50-64	304	8.0	78	2	2	6	10	15	18	44
65+	642	9.2	67	2	2	7	12	18	24	42
B. *Operated*										
0-19 YRS	881	7.4	41	1	1	7	11	14	18	27
20-34	658	9.4	60	2	2	8	12	19	24	32
35-49	724	9.8	78	1	2	8	13	19	25	43
50-64	1021	10.3	68	2	2	8	14	20	26	36
65+	1077	12.3	119	2	2	10	17	25	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	466	3.7	9	1	1	3	4	8	10	15
B. *Operated*	1932	7.0	33	1	1	6	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	1486	7.5	54	1	2	6	9	15	19	35
B. *Operated*	4361	10.0	78	1	2	8	13	20	25	44
1. SINGLE DX	2398	6.4	30	1	1	5	9	13	16	24
2. MULTIPLE DX	5847	9.3	73	1	2	7	12	19	25	42
A. NOT OPERATED	1952	6.6	46	1	2	5	8	14	17	32
B. OPERATED	6293	9.1	66	1	2	8	12	18	24	38
TOTAL 0-19 YRS	1798	6.6	31	1	1	6	10	13	16	23
20-34	1282	7.7	46	1	2	6	10	16	21	31
35-49	1327	8.0	57	1	2	6	11	16	20	33
50-64	1779	9.0	65	2	2	7	12	19	24	36
65+	2059	10.4	94	2	2	8	14	21	28	51
GRAND TOTAL	**8245**	**8.5**	**62**	**1**	**2**	**7**	**11**	**18**	**22**	**37**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	3.1	4	1	1	3	4	5	7	9
20-34	279	2.7	3	1	1	2	3	5	5	9
35-49	311	2.7	6	1	1	2	3	5	6	8
50-64	195	2.9	4	1	1	2	4	5	6	10
65+	48	4.3	10	1	1	3	5	9	11	15
B. *Operated*										
0-19 YRS	23	4.7	10	1	1	4	8	9	10	11
20-34	155	6.0	14	2	2	5	8	11	12	19
35-49	167	6.8	24	2	2	5	9	13	16	28
50-64	188	7.5	33	2	2	6	9	15	20	26
65+	156	6.4	25	1	2	5	9	13	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	4.0	9	1	1	3	5	6	11	14
20-34	125	3.8	9	1	1	3	5	7	9	16
35-49	142	3.7	6	1	1	3	5	7	9	12
50-64	175	4.4	19	1	1	3	5	8	10	21
65+	112	6.1	35	1	1	5	7	12	16	34
B. *Operated*										
0-19 YRS	27	6.8	69	1	2	4	8	13	19	44
20-34	148	9.2	59	2	2	8	12	18	22	40
35-49	163	9.6	114	2	2	6	11	19	30	46
50-64	351	8.7	40	2	2	7	12	16	21	31
65+	551	11.0	60	2	3	9	15	21	27	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	865	2.8	5	1	1	2	4	5	6	10
B. *Operated*	689	6.7	24	2	2	5	9	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	573	4.4	17	1	1	3	5	9	11	22
B. *Operated*	1240	9.9	63	2	2	8	13	19	25	38
1. SINGLE DX	1554	4.5	17	1	1	3	6	9	12	20
2. MULTIPLE DX	1813	8.1	55	1	2	6	11	17	22	37
A. NOT OPERATED	1438	3.5	10	1	1	3	4	6	9	14
B. OPERATED	1929	8.7	51	2	2	7	11	17	22	35
TOTAL 0-19 YRS	101	4.6	25	1	1	3	6	9	11	29
20-34	707	5.0	24	1	1	3	6	10	14	23
35-49	783	5.2	40	1	1	3	6	11	15	33
50-64	909	6.4	33	1	2	5	8	14	17	28
65+	867	9.2	54	2	2	7	12	19	23	33
GRAND TOTAL	**3367**	**6.5**	**40**	**1**	**1**	**4**	**8**	**14**	**18**	**31**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	407	3.6	28	1	1	3	4	6	7	17
20-34	383	3.4	6	1	1	3	4	6	7	13
35-49	174	4.0	6	1	2	4	5	7	8	14
50-64	120	3.5	5	1	1	3	5	6	7	13
65+	140	5.0	9	1	2	5	6	9	10	15
B. *Operated*										
0-19 YRS	609	2.8	7	1	1	2	3	6	7	16
20-34	874	3.4	8	1	1	2	4	7	9	13
35-49	686	3.4	9	1	1	2	4	7	9	14
50-64	801	3.6	18	1	1	3	4	7	9	16
65+	693	4.2	13	1	1	3	5	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	541	4.0	6	1	2	4	5	7	9	12
20-34	701	4.8	12	1	2	4	6	8	11	17
35-49	467	6.0	16	2	2	5	8	11	13	21
50-64	587	6.8	25	2	3	6	8	12	15	25
65+	1335	8.8	51	2	3	7	11	16	21	33
B. *Operated*										
0-19 YRS	1133	3.3	8	1	1	2	4	7	8	14
20-34	2035	5.1	22	1	1	4	7	11	14	23
35-49	1765	5.7	28	1	2	4	7	12	16	25
50-64	2066	6.4	44	1	2	4	8	14	18	33
65+	2691	8.1	58	2	2	6	11	16	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1224	3.8	14	1	1	3	5	6	8	14
B. *Operated*	3663	3.5	11	1	1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	3631	6.6	32	2	2	5	8	12	16	28
B. *Operated*	9690	6.1	38	1	2	4	8	13	17	30
1. SINGLE DX	4887	3.6	12	1	1	3	4	7	9	15
2. MULTIPLE DX	13321	6.3	36	1	2	5	8	13	17	30
A. NOT OPERATED	4855	5.9	29	1	2	5	7	11	15	25
B. OPERATED	13353	5.4	32	1	1	4	7	11	15	28
TOTAL 0-19 YRS	2690	3.4	11	1	1	3	4	6	8	13
20-34	3993	4.5	16	1	1	3	6	9	12	20
35-49	3092	5.1	22	1	1	4	7	10	13	22
50-64	3574	5.8	35	1	2	4	7	12	16	29
65+	4859	7.7	51	2	2	6	10	15	20	34
GRAND TOTAL	**18208**	**5.5**	**31**	**1**	**1**	**4**	**7**	**11**	**15**	**28**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.3	1	1	1	2	3	4	5	5
20-34	24	2.8	2	1	1	3	4	4	5	5
35-49	14	3.6	6	<1	<1	3	5	7	9	9
50-64	27	4.3	13	1	1	3	6	9	11	17
65+	40	5.5	22	1	1	4	6	13	17	19
B. *Operated*										
0-19 YRS	2120	2.0	10	<1	1	1	2	3	5	11
20-34	907	3.4	8	1	1	2	4	6	9	16
35-49	587	3.6	10	1	1	3	4	7	10	15
50-64	662	3.6	11	1	1	3	4	7	9	17
65+	709	4.6	14	1	2	3	6	8	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	2.8	6	<1	1	2	3	6	9	90
20-34	67	3.9	8	1	1	3	5	7	9	15
35-49	44	6.2	24	1	2	5	8	12	16	24
50-64	53	6.0	21	1	2	5	8	13	16	20
65+	187	7.5	88	1	2	5	9	15	18	55
B. *Operated*										
0-19 YRS	2204	2.4	9	<1	1	2	3	4	7	12
20-34	1818	4.1	16	1	1	3	4	8	11	20
35-49	1377	4.8	24	1	2	3	6	10	14	25
50-64	1771	5.6	29	1	2	4	7	12	16	25
65+	2273	7.2	37	2	2	5	9	15	19	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	3.8	11	1	1	3	5	7	11	18
B. *Operated*	4985	3.0	11	1	1	2	3	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	411	5.9	50	1	1	4	7	13	16	30
B. *Operated*	9443	4.8	26	1	1	3	6	11	14	24
1. SINGLE DX	5127	3.1	11	1	1	2	4	6	8	15
2. MULTIPLE DX	9854	4.9	27	1	1	3	6	11	15	24
A. NOT OPERATED	553	5.3	41	1	1	4	6	11	15	22
B. OPERATED	14428	4.2	22	1	1	3	5	9	13	22
TOTAL 0-19 YRS	4421	2.2	9	<1	1	2	2	4	6	12
20-34	2816	3.8	13	1	1	3	4	7	11	18
35-49	2022	4.5	20	1	1	3	5	9	13	22
50-64	2513	5.1	25	1	2	3	6	11	15	23
65+	3209	6.6	36	2	2	5	8	14	18	28
GRAND TOTAL	**14981**	**4.2**	**22**	**1**	**1**	**3**	**5**	**9**	**13**	**22**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1704	3.5	7	1	1	3	5	6	7	11
20-34	962	4.0	8	1	1	3	5	7	9	13
35-49	467	4.0	8	1	1	3	5	7	9	14
50-64	436	4.7	10	1	2	4	6	9	11	14
65+	705	5.8	21	1	2	5	7	11	14	22
B. *Operated*										
0-19 YRS	1297	2.6	7	1	1	2	3	5	8	13
20-34	1320	3.4	10	1	1	2	4	7	9	14
35-49	1069	3.8	21	1	1	2	4	8	11	21
50-64	1258	4.3	24	1	1	3	5	8	11	20
65+	1161	5.3	26	1	2	4	6	11	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2265	4.6	11	1	2	4	5	8	10	16
20-34	2126	5.3	16	1	2	4	7	10	12	21
35-49	1472	6.5	23	2	2	5	8	12	15	25
50-64	2150	7.1	27	2	2	6	9	13	16	26
65+	6748	9.2	44	2	3	8	12	17	21	35
B. *Operated*										
0-19 YRS	2052	3.7	19	1	1	2	5	8	10	20
20-34	2617	5.4	31	1	1	4	7	11	15	29
35-49	2436	6.0	44	1	1	4	8	12	17	33
50-64	3610	6.8	47	1	2	5	9	14	19	32
65+	5638	9.8	82	2	2	7	12	20	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4274	4.2	11	1	1	4	5	7	9	15
B. *Operated*	6105	3.9	18	1	1	3	5	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	14761	7.3	34	2	2	6	9	14	18	30
B. *Operated*	16353	7.1	57	1	1	5	9	15	21	39
1. SINGLE DX	10379	4.0	15	1	1	3	5	8	10	18
2. MULTIPLE DX	31114	7.2	46	1	2	5	9	15	19	35
A. NOT OPERATED	19035	6.6	31	1	2	5	8	13	17	28
B. OPERATED	22458	6.2	49	1	1	4	8	13	18	36
TOTAL 0-19 YRS	7318	3.7	12	1	1	3	5	7	9	15
20-34	7025	4.8	20	1	1	4	6	9	12	22
35-49	5444	5.5	32	1	1	4	7	11	15	27
50-64	7454	6.4	36	1	2	5	8	13	17	29
65+	14252	8.9	59	2	2	7	11	17	22	40
GRAND TOTAL	**41493**	**6.4**	**40**	**1**	**2**	**5**	**8**	**13**	**18**	**32**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	4.3	5	3	3	3	6	7	7	7
35-49	14	3.8	11	<1	1	3	6	10	11	11
50-64	98	4.3	13	1	1	3	6	9	12	17
65+	173	5.0	18	1	1	3	7	10	14	20
B. *Operated*										
0-19 YRS	11	5.2	12	1	2	5	8	38	91	99+
20-34	48	3.5	9	1	1	2	5	7	9	16
35-49	350	5.1	15	1	1	4	7	10	12	21
50-64	3712	6.8	17	2	2	6	9	12	14	19
65+	5881	8.5	25	2	3	8	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	6	4.0	1	3	3	4	4	6	6	6
35-49	36	6.5	118	1	2	4	6	9	12	68
50-64	326	5.7	23	1	2	4	7	11	14	26
65+	1068	7.2	48	1	2	5	9	15	22	36
B. *Operated*										
0-19 YRS	32	7.2	24	1	1	7	10	13	16	22
20-34	79	4.5	14	1	1	3	6	11	13	16
35-49	486	6.6	39	1	2	5	9	12	17	26
50-64	5819	8.8	34	2	2	8	11	16	19	30
65+	13641	11.3	56	3	5	9	14	20	26	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	4.7	16	1	1	3	7	10	12	20
B. *Operated*	10002	7.7	23	2	2	7	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	1437	6.8	45	1	2	5	8	14	19	33
B. *Operated*	20057	10.4	51	2	4	9	13	19	24	37
1. SINGLE DX	10291	7.6	23	2	2	7	9	13	16	24
2. MULTIPLE DX	21494	10.2	51	2	3	9	13	19	24	36
A. NOT OPERATED	1726	6.5	40	1	2	5	8	14	19	32
B. OPERATED	30059	9.5	43	2	3	8	12	17	22	34
TOTAL 0-19 YRS	45	6.7	22	1	1	6	9	14	17	99+
20-34	136	4.1	12	1	1	3	5	9	12	16
35-49	886	6.0	33	1	2	5	8	11	14	24
50-64	9955	7.9	28	2	2	7	10	14	18	28
65+	20763	10.3	49	2	4	9	13	18	24	36
GRAND TOTAL	**31785**	**9.4**	**43**	**2**	**3**	**8**	**12**	**17**	**22**	**34**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.0	2	1	1	3	4	5	5	6
20-34	148	3.5	5	1	1	3	5	6	7	14
35-49	139	4.1	5	2	2	4	5	7	8	13
50-64	121	4.5	8	1	2	4	6	7	9	18
65+	69	5.0	9	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	70	2.3	3	1	1	2	2	4	6	10
20-34	469	2.6	4	1	1	2	3	5	6	9
35-49	504	2.8	6	1	1	2	3	5	7	13
50-64	403	3.5	9	1	1	2	4	7	9	15
65+	190	4.2	12	1	2	3	5	9	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.0	4	1	2	4	5	8	8	8
20-34	179	4.3	8	1	2	4	6	7	9	18
35-49	231	5.1	12	1	2	4	6	9	12	16
50-64	344	5.4	10	2	2	5	6	9	11	16
65+	302	6.9	21	2	3	6	8	12	15	27
B. *Operated*										
0-19 YRS	61	3.3	6	1	1	2	4	7	8	14
20-34	609	4.1	20	1	1	3	5	8	10	18
35-49	738	4.6	19	1	1	3	6	9	13	17
50-64	942	5.9	23	1	2	5	8	11	14	24
65+	650	8.2	45	2	2	6	11	17	22	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	498	4.1	7	1	2	4	5	7	9	16
B. *Operated*	1636	3.1	7	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	1081	5.5	14	2	2	5	7	10	13	19
B. *Operated*	3000	5.6	28	1	1	4	7	12	15	25
1. SINGLE DX	2134	3.3	7	1	1	2	4	6	8	14
2. MULTIPLE DX	4081	5.6	24	1	2	4	7	11	14	24
A. NOT OPERATED	1579	5.1	12	1	2	4	6	9	12	18
B. OPERATED	4636	4.7	22	1	1	3	6	10	13	23
TOTAL 0-19 YRS	177	3.0	4	1	1	2	4	6	8	11
20-34	1405	3.6	12	1	1	3	4	7	9	16
35-49	1612	4.1	14	1	1	3	5	8	11	16
50-64	1810	5.2	17	1	2	4	7	10	13	22
65+	1211	7.0	34	2	2	5	9	14	19	30
GRAND TOTAL	**6215**	**4.8**	**20**	**1**	**1**	**3**	**6**	**10**	**13**	**22**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.1	2	<1	<1	2	3	5	5	6
20-34	3	5.3	2	4	4	5	6	7	7	7
35-49	6	3.7	4	1	1	4	5	6	6	6
50-64	6	4.2	6	<1	<1	4	6	8	8	8
65+	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*										
0-19 YRS	672	2.6	3	1	1	2	3	4	5	8
20-34	240	3.7	3	2	2	3	4	6	7	11
35-49	265	3.9	4	2	2	3	5	6	7	12
50-64	497	4.1	4	2	2	4	5	6	8	13
65+	284	4.7	6	2	3	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	1.7	2	<1	<1	1	2	3	5	7
20-34	8	2.4	3	1	1	2	4	5	5	5
35-49	4	6.8	38	2	2	5	11	15	15	15
50-64	11	5.1	18	<1	<1	3	10	11	11	11
65+	26	6.1	21	2	2	4	8	12	16	22
B. *Operated*										
0-19 YRS	594	3.1	19	1	1	2	3	5	6	10
20-34	155	4.0	4	2	2	4	5	6	7	11
35-49	225	4.8	13	2	2	4	5	8	11	18
50-64	519	5.6	27	2	3	5	6	10	13	19
65+	439	6.9	30	2	3	5	8	13	16	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	3.0	4	<1	<1	2	5	6	7	8
B. *Operated*	1958	3.6	4	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	94	3.6	14	<1	<1	2	4	9	11	19
B. *Operated*	1932	4.9	24	1	2	4	6	9	12	20
1. SINGLE DX	2000	3.6	4	1	2	3	4	6	7	11
2. MULTIPLE DX	2026	4.8	23	1	2	4	6	9	12	20
A. NOT OPERATED	136	3.4	11	<1	<1	2	4	8	11	16
B. OPERATED	3890	4.2	14	1	2	3	5	7	10	16
TOTAL 0-19 YRS	1336	2.8	10	1	1	2	3	4	6	9
20-34	406	3.8	4	2	2	3	4	6	7	11
35-49	500	4.3	8	2	2	4	5	7	9	15
50-64	1033	4.9	16	2	2	4	5	8	11	17
65+	751	6.0	22	2	3	5	7	10	14	21
GRAND TOTAL	**4026**	**4.2**	**14**	**1**	**2**	**3**	**5**	**7**	**10**	**16**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	336	4.5	8	1	2	4	6	8	10	13
20-34	588	4.7	8	1	2	4	6	8	9	14
35-49	267	5.5	10	2	2	5	7	9	11	16
50-64	181	6.2	10	2	3	6	8	10	12	19
65+	114	7.3	16	2	3	7	9	12	16	23
B. *Operated*										
0-19 YRS	99	5.0	12	1	2	4	7	9	11	20
20-34	243	4.7	11	1	1	4	5	9	12	19
35-49	155	5.2	14	1	2	4	7	10	13	16
50-64	113	6.3	15	2	3	5	8	11	14	22
65+	82	7.7	34	3	3	6	9	17	19	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	5.3	17	2	2	4	6	9	11	26
20-34	207	5.2	8	2	2	5	6	9	11	15
35-49	177	6.4	9	2	3	6	8	11	12	15
50-64	281	6.9	11	2	3	6	9	12	13	17
65+	296	7.8	18	3	3	7	9	13	17	24
B. *Operated*										
0-19 YRS	74	5.6	16	1	1	4	7	11	14	20
20-34	160	6.8	44	1	2	5	8	13	18	40
35-49	174	6.4	26	2	2	5	8	12	15	43
50-64	243	8.0	33	2	3	7	10	15	20	28
65+	206	10.9	64	2	3	9	14	21	26	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1486	5.2	10	1	2	5	7	9	11	17
B. *Operated*	692	5.5	16	1	2	4	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	1064	6.6	14	2	3	6	8	11	13	19
B. *Operated*	857	7.9	43	2	2	6	10	15	20	38
1. SINGLE DX	2178	5.3	12	1	2	4	7	9	11	19
2. MULTIPLE DX	1921	7.2	27	2	3	6	9	13	17	28
A. NOT OPERATED	2550	5.8	12	2	2	5	7	10	12	18
B. OPERATED	1549	6.8	32	2	2	5	9	13	17	30
TOTAL 0-19 YRS	612	4.9	12	1	2	4	6	9	11	17
20-34	1198	5.0	14	1	2	4	6	9	11	18
35-49	773	5.9	14	2	2	5	8	10	13	17
50-64	818	7.0	19	2	3	6	9	12	15	23
65+	698	8.6	35	3	3	7	10	16	20	36
GRAND TOTAL	**4099**	**6.2**	**20**	**2**	**2**	**5**	**8**	**11**	**14**	**23**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1033	2.0	1	1	1	2	2	3	3	6
20-34	366	2.2	1	1	1	2	2	3	4	5
35-49	162	2.2	1	1	1	2	2	3	4	7
50-64	111	2.8	34	1	1	2	3	4	4	28
65+	50	2.6	3	1	1	2	3	4	5	11
B. *Operated*										
0-19 YRS	1409	2.0	4	<1	1	2	2	3	3	5
20-34	604	2.5	17	1	1	2	3	3	4	9
35-49	289	2.3	2	1	1	2	2	3	4	8
50-64	188	2.4	2	1	1	2	3	4	4	9
65+	116	3.4	18	1	2	2	3	5	9	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	209	2.2	2	<1	<1	2	2	4	5	9
20-34	136	3.0	6	1	2	2	3	4	8	14
35-49	118	3.8	10	1	1	3	4	8	11	16
50-64	109	4.2	12	1	2	3	5	9	12	17
65+	90	5.2	34	1	2	4	6	9	13	38
B. *Operated*										
0-19 YRS	462	2.5	3	1	1	2	3	4	5	9
20-34	465	2.9	5	1	2	2	3	5	7	10
35-49	329	3.3	8	1	1	2	4	6	9	18
50-64	327	3.8	11	1	2	3	4	7	10	19
65+	274	5.9	32	1	2	4	8	13	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1722	2.1	3	1	1	2	2	3	4	6
B. *Operated*	2606	2.2	7	1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	662	3.4	11	1	1	2	4	7	10	16
B. *Operated*	1857	3.5	11	1	1	2	4	7	10	19
1. SINGLE DX	4328	2.2	6	1	1	2	2	3	4	8
2. MULTIPLE DX	2519	3.4	11	1	1	2	4	7	10	18
A. NOT OPERATED	2384	2.5	6	1	1	2	2	4	5	12
B. OPERATED	4463	2.7	9	1	1	2	3	4	6	16
TOTAL 0-19 YRS	3113	2.1	3	<1	1	2	2	3	4	8
20-34	1571	2.6	9	1	1	2	3	4	5	10
35-49	898	2.8	5	1	1	2	3	5	7	15
50-64	735	3.4	13	1	1	2	4	6	9	17
65+	530	4.9	28	1	2	3	5	11	15	28
GRAND TOTAL	**6847**	**2.6**	**8**	**1**	**1**	**2**	**3**	**4**	**6**	**14**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	2.2	5	<1	1	2	3	4	5	11
20-34	169	2.8	4	1	1	2	3	6	8	9
35-49	95	3.0	4	1	1	2	4	6	6	12
50-64	51	2.8	4	1	1	3	3	4	5	15
65+	35	3.8	7	1	2	3	5	8	10	11
B. *Operated*										
0-19 YRS	965	2.9	4	1	1	2	4	5	6	12
20-34	1042	2.9	4	1	1	2	3	5	6	10
35-49	631	3.2	5	1	2	3	4	5	7	13
50-64	462	3.9	6	2	2	3	5	7	8	12
65+	145	4.2	16	1	2	3	5	8	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	3.2	5	<1	1	3	4	6	8	12
20-34	131	4.2	15	1	1	3	5	10	12	20
35-49	107	4.2	13	1	1	3	5	10	13	17
50-64	113	4.6	16	1	1	3	6	9	12	23
65+	98	7.5	36	2	2	5	11	15	18	31
B. *Operated*										
0-19 YRS	402	3.5	5	1	1	3	4	6	8	12
20-34	699	3.9	16	1	2	3	4	7	10	18
35-49	517	4.8	24	1	2	3	6	9	12	29
50-64	639	5.9	53	2	2	4	7	11	15	34
65+	369	7.5	53	2	2	5	9	16	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	482	2.7	5	1	1	2	3	5	7	11
B. *Operated*	3245	3.2	5	1	1	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	550	4.7	19	1	1	3	6	11	13	20
B. *Operated*	2626	5.0	32	1	2	3	6	10	14	28
1. SINGLE DX	3727	3.1	5	1	1	3	4	5	7	12
2. MULTIPLE DX	3176	5.0	29	1	2	3	6	10	14	27
A. NOT OPERATED	1032	3.8	13	1	1	3	4	8	11	18
B. OPERATED	5871	4.0	18	1	2	3	4	7	10	21
TOTAL 0-19 YRS	1600	3.1	5	1	1	2	4	5	7	12
20-34	2041	3.3	9	1	1	3	4	5	8	15
35-49	1350	3.9	14	1	2	3	4	7	10	20
50-64	1265	5.0	31	1	2	4	6	9	12	24
65+	647	6.5	42	2	2	4	8	14	18	34
GRAND TOTAL	**6903**	**4.0**	**17**	**1**	**1**	**3**	**4**	**7**	**10**	**20**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.9	7	<1	<1	2	3	7	9	9
20-34	50	2.6	7	1	1	2	3	4	5	18
35-49	89	3.0	8	<1	1	2	3	7	10	15
50-64	48	2.3	2	<1	1	2	3	4	6	8
65+	6	2.3	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	397	2.2	2	<1	1	2	2	3	4	10
20-34	2763	2.6	5	1	1	2	3	4	5	10
35-49	5667	2.6	4	1	2	2	3	4	5	9
50-64	2452	2.8	6	1	2	2	3	4	6	11
65+	701	3.0	4	2	2	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.8	11	<1	<1	2	8	8	8	8
20-34	72	4.1	12	<1	1	4	5	8	10	19
35-49	99	4.6	9	<1	1	4	6	9	11	57
50-64	53	4.5	20	1	2	3	5	7	12	30
65+	23	5.0	17	1	1	4	6	10	14	19
B. *Operated*										
0-19 YRS	91	3.3	17	1	2	2	3	5	7	29
20-34	1205	3.7	11	1	2	3	4	7	10	19
35-49	2969	3.8	10	1	2	3	4	8	10	17
50-64	1736	4.0	16	2	2	3	5	8	10	17
65+	736	4.9	16	2	2	4	6	9	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	2.7	6	<1	1	2	3	4	8	15
B. *Operated*	11980	2.7	5	1	2	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	257	4.5	13	1	1	4	6	8	11	19
B. *Operated*	6737	4.0	13	1	2	3	5	8	10	18
1. SINGLE DX	12181	2.7	5	1	2	2	3	4	5	10
2. MULTIPLE DX	6994	4.0	13	1	2	3	5	8	10	18
A. NOT OPERATED	458	3.7	11	<1	1	3	5	8	10	18
B. OPERATED	18717	3.1	8	1	2	2	3	5	8	14
TOTAL 0-19 YRS	506	2.4	5	<1	1	2	3	4	5	12
20-34	4090	3.0	7	1	1	2	3	5	7	14
35-49	8824	3.1	7	1	2	2	3	5	7	13
50-64	4289	3.3	11	1	2	2	3	6	8	15
65+	1466	4.0	11	2	2	3	5	8	10	19
GRAND TOTAL	**19175**	**3.1**	**8**	**1**	**2**	**2**	**3**	**5**	**8**	**14**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	3.5	4	1	2	3	4	6	8	10
20-34	138	3.5	4	1	1	3	5	6	8	10
35-49	58	4.1	6	<1	1	4	6	8	9	10
50-64	31	3.9	8	<1	<1	4	7	8	9	11
65+	20	4.6	6	1	1	4	6	8	9	9
B. *Operated*										
0-19 YRS	760	3.1	4	1	2	3	4	5	6	11
20-34	1403	3.2	4	1	1	3	4	6	7	11
35-49	857	3.3	7	1	2	3	4	6	7	14
50-64	577	3.5	8	1	2	3	4	6	8	14
65+	296	3.9	15	2	2	3	4	7	9	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	4.1	11	<1	1	4	5	7	8	20
20-34	120	4.7	11	<1	1	4	6	9	10	18
35-49	82	4.6	16	1	1	4	6	9	11	24
50-64	71	6.0	26	1	1	5	8	12	17	27
65+	77	7.1	41	1	2	5	9	15	19	32
B. *Operated*										
0-19 YRS	178	3.9	9	2	2	3	5	7	9	14
20-34	602	4.7	15	1	2	4	5	8	12	20
35-49	669	4.6	14	1	2	4	5	8	10	18
50-64	588	5.4	30	2	2	4	6	10	14	32
65+	346	5.9	43	2	2	4	7	10	15	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	3.7	5	1	1	3	5	7	8	10
B. *Operated*	3893	3.3	6	1	2	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	401	5.3	21	1	1	4	6	10	14	26
B. *Operated*	2383	5.0	22	2	2	4	6	9	12	25
1. SINGLE DX	4204	3.3	6	1	2	3	4	6	7	12
2. MULTIPLE DX	2784	5.0	22	1	2	4	6	9	13	25
A. NOT OPERATED	712	4.6	15	1	1	4	6	9	10	21
B. OPERATED	6276	3.9	13	1	2	3	5	7	9	17
TOTAL 0-19 YRS	1053	3.3	5	1	2	3	4	6	7	12
20-34	2263	3.7	8	1	1	3	5	6	8	14
35-49	1666	3.9	11	1	2	3	5	7	9	16
50-64	1267	4.5	20	1	2	3	5	8	12	26
65+	739	5.2	32	2	2	3	6	9	14	29
GRAND TOTAL	**6988**	**4.0**	**13**	**1**	**2**	**3**	**5**	**7**	**9**	**18**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	426	3.1	4	1	1	3	4	6	7	10
20-34	827	2.8	4	1	1	2	3	5	7	11
35-49	145	3.2	3	1	1	3	4	5	6	10
50-64	10	4.3	15	1	1	3	7	10	13	13
65+	4	4.0	16	2	2	2	6	10	10	10
B. *Operated*										
0-19 YRS	840	5.1	8	1	2	5	6	8	10	15
20-34	2579	5.3	10	1	2	5	7	9	10	16
35-49	620	6.7	13	2	2	6	8	11	13	20
50-64	103	7.7	21	2	4	7	8	11	16	30
65+	47	10.6	31	4	5	9	12	17	25	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	271	3.9	7	1	1	3	5	7	9	14
20-34	657	4.0	11	1	1	3	5	7	9	16
35-49	159	4.9	11	1	1	4	7	9	12	16
50-64	21	4.5	10	1	1	4	6	9	11	13
65+	27	6.7	30	2	2	5	9	11	21	25
B. *Operated*										
0-19 YRS	812	6.0	16	2	2	6	7	9	12	24
20-34	4427	6.8	20	2	2	6	8	11	14	23
35-49	1687	8.2	21	2	4	7	9	13	17	25
50-64	247	10.0	29	3	5	9	12	17	20	34
65+	115	13.5	71	6	7	11	15	23	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1412	2.9	4	1	1	2	4	5	7	10
B. *Operated*	4189	5.6	11	1	2	5	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	1135	4.2	11	1	1	3	5	8	10	16
B. *Operated*	7288	7.3	22	2	3	7	8	12	15	25
1. SINGLE DX	5601	4.9	11	1	2	5	7	9	10	16
2. MULTIPLE DX	8423	6.8	22	2	2	6	8	11	15	24
A. NOT OPERATED	2547	3.5	7	1	1	3	4	7	8	13
B. OPERATED	11477	6.6	19	2	2	6	8	11	14	23
TOTAL 0-19 YRS	2349	4.9	11	1	2	4	6	8	10	16
20-34	8490	5.7	16	1	2	5	7	10	12	19
35-49	2611	7.4	19	2	2	7	9	12	15	23
50-64	381	8.9	28	2	4	8	11	15	18	33
65+	193	11.6	61	2	4	10	14	21	25	41
GRAND TOTAL	**14024**	**6.1**	**18**	**1**	**2**	**6**	**8**	**10**	**13**	**22**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1941	4.7	14	2	2	4	6	8	9	13
20-34	4210	4.9	8	2	2	4	6	8	10	14
35-49	430	6.1	31	2	3	5	7	10	12	21
50-64	40	6.1	20	2	3	4	7	11	17	22
65+	20	8.0	64	3	3	5	8	21	30	31
B. *Operated*										
0-19 YRS	561	5.7	13	1	2	5	8	10	12	17
20-34	2774	5.4	16	1	2	5	7	10	12	20
35-49	601	7.0	21	2	2	7	9	12	15	24
50-64	104	7.3	30	1	2	7	9	11	15	34
65+	21	10.7	137	1	1	6	12	29	39	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1202	5.3	8	2	2	5	7	9	10	14
20-34	3356	6.0	24	2	3	5	7	10	12	20
35-49	552	6.4	11	2	3	6	8	11	12	18
50-64	84	7.3	25	2	3	6	8	14	18	27
65+	38	11.2	49	4	5	10	14	19	27	36
B. *Operated*										
0-19 YRS	1028	7.0	18	2	2	6	9	12	15	22
20-34	7216	6.8	21	2	2	6	9	12	15	23
35-49	1928	9.0	35	2	3	8	11	15	19	35
50-64	275	10.8	50	2	3	9	14	19	26	34
65+	92	17.8	246	3	4	13	21	36	52	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6641	4.9	12	2	2	4	6	8	10	15
B. *Operated*	4061	5.8	18	1	2	5	8	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	5232	5.9	20	2	3	5	7	10	12	19
B. *Operated*	10539	7.5	28	2	2	7	9	13	17	27
1. SINGLE DX	10702	5.2	14	2	2	5	7	9	11	17
2. MULTIPLE DX	15771	7.0	26	2	2	6	9	12	15	25
A. NOT OPERATED	11873	5.4	16	2	2	5	7	9	11	17
B. OPERATED	14600	7.0	26	2	2	6	9	12	16	26
TOTAL 0-19 YRS	4732	5.4	14	2	2	5	7	9	11	18
20-34	17556	6.0	18	2	2	5	8	10	13	21
35-49	3511	7.9	30	2	3	7	9	13	17	29
50-64	503	9.1	42	2	3	8	11	17	22	31
65+	171	14.3	180	3	4	10	17	32	42	66
GRAND TOTAL	**26473**	**6.3**	**22**	**2**	**2**	**5**	**8**	**11**	**14**	**23**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.1	3	1	1	2	5	5	6	6
20-34	148	3.7	6	1	1	3	5	7	9	12
35-49	41	3.8	6	1	1	3	6	7	8	10
50-64	3	3.0	1	2	2	3	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	131	3.6	8	1	1	2	5	7	9	18
20-34	2196	4.9	13	1	1	5	7	8	10	14
35-49	1064	6.9	18	2	2	7	8	9	11	19
50-64	87	6.3	12	1	2	7	8	9	11	19
65+	11	5.8	14	1	1	6	9	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.1	4	1	1	3	4	5	8	9
20-34	159	4.2	8	1	1	4	6	8	9	14
35-49	83	5.4	22	<1	1	4	7	10	12	28
50-64	13	7.1	19	2	3	5	11	14	14	14
65+										
B. *Operated*										
0-19 YRS	150	4.7	9	1	2	4	7	8	11	13
20-34	5209	6.5	17	1	2	7	8	10	12	19
35-49	5227	8.1	13	3	5	8	9	11	14	21
50-64	752	9.1	27	5	6	8	10	13	16	27
65+	58	9.6	18	2	5	9	11	14	17	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	3.7	5	1	1	3	5	7	9	11
B. *Operated*	3489	5.5	15	1	2	6	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	279	4.6	13	1	1	4	6	9	11	14
B. *Operated*	11396	7.4	16	2	2	7	9	11	13	20
1. SINGLE DX	3696	5.4	15	1	2	6	7	9	10	15
2. MULTIPLE DX	11675	7.3	16	2	2	7	9	11	13	20
A. NOT OPERATED	486	4.2	10	1	1	3	5	8	9	14
B. OPERATED	14885	6.9	17	2	2	7	8	10	13	19
TOTAL 0-19 YRS	320	4.0	8	1	1	3	6	7	9	14
20-34	7712	5.9	16	1	2	6	8	9	11	17
35-49	6415	7.8	14	2	5	7	9	11	13	20
50-64	855	8.7	26	3	5	8	10	13	16	25
65+	69	9.0	19	2	2	9	11	14	15	25
GRAND TOTAL	**15371**	**6.9**	**17**	**2**	**2**	**7**	**8**	**10**	**13**	**19**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.1	5	<1	<1	2	5	6	7	7
20-34	23	3.5	6	1	1	3	5	6	8	11
35-49	7	3.6	5	1	1	3	5	7	8	8
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	65	2.9	10	1	1	2	3	4	6	22
20-34	803	3.1	10	1	1	2	3	5	7	11
35-49	432	2.9	4	1	1	2	3	6	8	10
50-64	187	2.6	4	1	1	2	3	4	5	12
65+	54	3.3	5	1	2	3	3	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.2	7	<1	1	2	5	7	8	12
20-34	85	4.2	13	<1	1	3	6	8	11	19
35-49	31	5.2	23	1	1	3	6	12	16	21
50-64	10	6.0	10	2	2	6	8	10	12	12
65+	9	4.4	5	2	2	4	5	8	9	9
B. *Operated*										
0-19 YRS	125	3.2	4	1	2	3	4	6	8	10
20-34	2491	4.1	10	1	2	3	6	8	10	15
35-49	1934	5.3	16	1	2	4	8	10	12	21
50-64	621	5.0	17	1	2	3	7	10	13	19
65+	200	6.0	40	2	2	4	8	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	3.6	5	1	1	3	5	6	7	11
B. *Operated*	1541	3.0	7	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	163	4.3	13	1	1	3	6	9	12	20
B. *Operated*	5371	4.7	14	1	2	3	7	9	11	18
1. SINGLE DX	1582	3.0	7	1	1	2	3	5	7	11
2. MULTIPLE DX	5534	4.7	14	1	2	3	7	9	11	18
A. NOT OPERATED	204	4.2	12	1	1	3	5	8	11	18
B. OPERATED	6912	4.3	13	1	2	3	6	9	11	17
TOTAL 0-19 YRS	227	3.1	6	1	1	2	4	5	8	12
20-34	3402	3.9	10	1	2	3	5	8	10	15
35-49	2404	4.8	15	1	2	3	7	10	12	18
50-64	819	4.5	15	1	2	3	6	10	12	18
65+	264	5.4	32	2	2	3	7	10	13	21
GRAND TOTAL	**7116**	**4.3**	**13**	**1**	**2**	**3**	**6**	**9**	**11**	**17**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	175	4.0	5	1	1	3	5	7	9	12
20-34	371	3.9	7	1	1	3	5	6	8	14
35-49	69	3.9	11	1	1	3	5	7	7	23
50-64	21	3.8	6	<1	<1	4	5	7	8	9
65+	14	5.9	22	1	2	4	8	15	15	15
B. Operated										
0-19 YRS	293	2.7	3	1	1	2	3	5	5	12
20-34	1846	2.7	4	1	1	2	3	4	6	11
35-49	757	2.7	3	1	1	2	3	4	6	9
50-64	277	3.1	7	1	1	3	4	5	7	16
65+	58	3.6	6	1	2	3	5	6	8	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	196	4.7	8	1	2	4	6	8	11	15
20-34	[illegible]	4.5	7	1	2	4	6	8	10	13
35-49	[illegible]	6.2	19	2	2	5	8	12	15	24
50-64	[illegible]	7.0	17	2	3	6	10	13	15	19
65+	[illegible]	7.5	15	3	3	7	9	13	14	21
B. Operated										
0-19 YRS	203	3.6	6	1	1	3	5	8	9	12
20-34	1392	4.1	16	1	1	3	5	8	11	19
35-49	767	4.7	18	1	1	3	6	9	12	24
50-64	253	4.6	20	1	2	3	6	10	14	27
65+	129	6.8	29	2	2	5	9	13	20	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	650	4.0	7	1	1	3	5	7	8	14
B. Operated	3231	2.7	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated	967	5.2	11	1	2	4	6	9	12	17
B. Operated	2749	4.4	17	1	1	3	5	9	12	21
1. SINGLE DX	3881	2.9	5	1	1	2	3	5	6	12
2. MULTIPLE DX	3716	4.6	16	1	2	3	6	9	12	20
A. NOT OPERATED	1617	4.7	10	1	2	4	6	8	11	16
B. OPERATED	5980	3.5	11	1	1	2	4	7	9	18
TOTAL 0-19 YRS	872	3.6	6	1	1	3	5	7	9	13
20-34	4101	3.5	9	1	1	3	4	7	9	15
35-49	1721	3.9	12	1	1	3	5	8	10	20
50-64	616	4.2	15	1	1	3	5	9	11	19
65+	287	6.3	22	2	2	5	8	12	15	23
GRAND TOTAL	**7597**	**3.8**	**11**	**1**	**1**	**3**	**4**	**7**	**10**	**17**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	14	5.8	12	<1	<1	6	7	10	11	11
35-49	33	5.8	15	<1	1	6	8	10	12	18
50-64	34	4.3	13	<1	1	3	8	9	11	16
65+	32	5.6	11	1	2	5	8	10	12	14
B. Operated										
0-19 YRS	13	5.5	6	2	2	5	7	8	10	11
20-34	867	6.7	9	2	3	6	8	10	12	16
35-49	[illegible]	7.8	11	4	5	7	9	11	13	19
50-64	1859	8.4	12	4	5	8	10	12	15	22
65+	1210	9.0	15	4	5	8	10	13	16	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	9.0	128	<1	<1	8	17	17	17	17
20-34	69	4.1	10	<1	1	4	6	8	9	14
35-49	132	5.0	19	1	1	4	7	10	12	22
50-64	159	5.5	15	1	1	5	8	10	13	18
65+	211	6.4	26	1	1	5	9	12	16	25
B. Operated										
0-19 YRS	31	6.5	12	2	2	6	8	13	13	15
20-34	2821	7.6	11	2	4	7	9	11	13	18
35-49	5575	8.8	16	4	5	8	10	13	16	23
50-64	4523	9.7	18	5	6	9	11	15	17	26
65+	3227	10.7	28	5	6	9	12	17	20	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	114	5.3	13	<1	1	5	8	10	11	17
B. Operated	5316	8.1	12	4	5	8	9	12	14	20
2. MULTIPLE DX										
A. Not Operated	573	5.6	20	1	1	4	8	11	14	21
B. Operated	16177	9.2	19	4	5	8	11	14	17	26
1. SINGLE DX	5430	8.0	13	3	5	8	9	12	14	20
2. MULTIPLE DX	16750	9.1	20	4	5	8	11	14	17	26
A. NOT OPERATED	687	5.5	19	1	1	5	8	11	13	19
B. OPERATED	21493	9.0	18	4	5	8	10	14	16	25
TOTAL 0-19 YRS	47	6.2	13	1	2	6	7	13	14	17
20-34	3771	7.3	11	2	4	7	9	11	13	18
35-49	7107	8.6	16	4	5	8	10	13	15	23
50-64	6575	9.2	17	4	5	8	11	14	17	25
65+	4680	10.0	26	4	5	9	12	16	19	30
GRAND TOTAL	**22180**	**8.8**	**18**	**4**	**5**	**8**	**10**	**14**	**16**	**25**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.3	3	<1	1	2	3	5	6	7
20-34	29	3.2	18	<1	<1	2	3	4	16	20
35-49	8	3.6	8	<1	<1	3	5	8	9	9
50-64	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	51	1.9	1	<1	1	2	2	3	4	5
20-34	527	2.2	3	<1	1	2	2	3	5	9
35-49	529	2.3	7	<1	1	2	2	3	6	12
50-64	87	2.1	3	<1	1	2	2	3	4	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.9	4	1	1	2	5	6	6	6
20-34	50	3.8	10	<1	1	3	5	7	11	17
35-49	29	3.9	11	<1	<1	2	6	8	12	12
50-64	3	6.3	70	1	1	2	12	16	16	16
B. *Operated*										
0-19 YRS	48	4.5	119	1	1	2	4	6	10	77
20-34	668	3.6	10	1	1	2	4	8	10	17
35-49	817	4.3	15	1	1	2	7	9	11	19
50-64	145	4.2	19	1	1	2	6	9	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.0	12	<1	1	2	3	5	9	20
B. *Operated*	1194	2.2	5	<1	1	2	2	3	6	10
2. MULTIPLE DX										
A. *Not Operated*	93	3.8	11	<1	1	3	5	8	12	17
B. *Operated*	1678	4.0	16	1	1	2	6	9	11	18
1. SINGLE DX	1247	2.2	5	<1	1	2	2	3	6	11
2. MULTIPLE DX	1771	4.0	16	1	1	2	6	9	11	18
A. NOT OPERATED	146	3.5	11	<1	1	2	4	7	11	17
B. OPERATED	2872	3.2	12	1	1	2	3	8	9	16
TOTAL 0-19 YRS	125	3.0	48	1	1	2	3	5	6	28
20-34	1274	3.0	8	<1	1	2	3	6	8	16
35-49	1383	3.5	12	1	1	2	4	8	10	18
50-64	236	3.4	14	1	1	2	3	8	11	17
GRAND TOTAL	**3018**	**3.3**	**12**	**1**	**1**	**2**	**3**	**8**	**9**	**16**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	346	2.5	4	<1	1	2	3	4	5	12
20-34	811	2.6	12	<1	1	2	3	5	6	8
35-49	250	2.5	4	<1	1	2	3	5	7	9
50-64	28	2.3	2	1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	1107	2.3	2	1	1	2	2	4	5	8
20-34	9892	2.4	7	<1	1	2	2	4	6	10
35-49	7534	2.4	5	<1	1	2	2	5	7	11
50-64	1102	2.2	4	<1	1	2	2	3	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	303	3.7	7	1	1	3	5	7	9	15
20-34	915	3.6	10	1	1	3	5	7	9	16
35-49	504	4.0	12	1	1	3	5	8	10	16
50-64	71	3.8	10	1	1	3	5	8	12	15
B. *Operated*										
0-19 YRS	987	3.4	13	1	1	2	4	7	9	14
20-34	12382	4.1	12	1	1	3	6	8	10	16
35-49	13566	4.9	16	1	1	3	7	9	11	18
50-64	1792	4.7	16	1	1	3	7	9	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1435	2.5	9	<1	1	2	3	4	6	9
B. *Operated*	19635	2.4	6	<1	1	2	2	4	7	10
2. MULTIPLE DX										
A. *Not Operated*	1793	3.7	10	1	1	3	5	7	10	15
B. *Operated*	28727	4.5	15	1	1	3	7	9	11	17
1. SINGLE DX	21070	2.4	6	<1	1	2	2	4	7	10
2. MULTIPLE DX	30520	4.4	14	1	1	3	7	9	11	17
A. NOT OPERATED	3228	3.2	10	1	1	2	4	6	8	14
B. OPERATED	48362	3.6	12	1	1	2	5	8	10	15
TOTAL 0-19 YRS	2743	2.9	7	1	1	2	3	5	7	13
20-34	24000	3.3	11	1	1	2	4	7	9	14
35-49	21854	4.0	14	1	1	2	6	9	10	16
50-64	2993	3.7	13	1	1	2	5	9	10	16
GRAND TOTAL	**51590**	**3.6**	**12**	**1**	**1**	**2**	**5**	**8**	**10**	**15**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	5	1	1	3	5	5	5	5
20-34	4	7.3	86	1	1	3	12	21	21	21
35-49	28	3.7	4	1	2	3	5	7	9	9
50-64	62	3.0	9	<1	1	2	3	6	8	17
65+	18	2.8	4	<1	1	2	4	6	7	8
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	15	3.7	13	<1	1	2	4	11	11	11
35-49	667	2.0	1	<1	1	2	2	3	4	8
50-64	2227	2.0	2	<1	1	2	2	3	4	8
65+	427	2.7	8	1	1	2	3	4	6	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.8	17	2	2	4	9	12	12	12
35-49	93	4.6	9	1	2	4	6	8	10	16
50-64	151	4.3	18	1	1	3	5	9	11	15
65+	107	6.4	27	1	1	5	9	13	17	28
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	13	5.3	8	1	2	6	7	9	9	9
35-49	780	3.7	10	1	1	2	5	8	10	16
50-64	3138	3.6	15	1	1	2	4	8	10	18
65+	1013	4.9	32	1	2	3	6	10	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	3.3	9	<1	1	2	4	6	9	19
B. *Operated*	3338	2.1	3	<1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	356	5.0	19	1	1	4	6	10	13	19
B. *Operated*	4946	3.9	18	1	1	2	5	9	11	20
1. SINGLE DX	3454	2.2	3	<1	1	2	2	3	4	9
2. MULTIPLE DX	5302	4.0	18	1	1	2	5	9	11	20
A. NOT OPERATED	472	4.6	17	1	1	3	6	10	12	19
B. OPERATED	8284	3.2	12	1	1	2	3	7	9	17
TOTAL 0-19 YRS	8	2.1	3	<1	<1	1	3	5	5	5
20-34	37	4.9	18	1	1	3	7	10	12	21
35-49	1568	3.0	7	1	1	2	3	7	9	13
50-64	5578	3.0	10	1	1	2	3	7	9	15
65+	1565	4.4	26	1	1	2	5	10	13	24
GRAND TOTAL	**8756**	**3.3**	**13**	**1**	**1**	**2**	**3**	**7**	**10**	**17**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	2.7	5	<1	1	2	3	5	6	12
20-34	254	2.5	3	1	1	2	3	5	6	9
35-49	102	2.7	7	<1	1	2	3	5	7	14
50-64	46	3.0	4	1	1	2	4	6	8	9
65+	31	3.4	9	1	1	2	4	8	12	12
B. *Operated*										
0-19 YRS	423	2.8	7	<1	1	2	3	6	8	11
20-34	3905	3.1	9	1	1	2	3	6	8	13
35-49	3001	3.2	11	1	1	2	3	7	9	17
50-64	2051	3.1	12	1	1	2	3	7	9	16
65+	467	3.7	12	1	2	2	4	8	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	3.8	10	1	1	3	5	8	9	17
20-34	379	3.5	11	<1	1	3	5	7	9	15
35-49	222	4.6	19	<1	1	3	6	9	12	25
50-64	114	5.4	23	1	1	4	8	10	15	25
65+	131	7.4	35	1	2	6	9	15	18	31
B. *Operated*										
0-19 YRS	385	4.0	9	1	1	3	5	8	9	14
20-34	5040	4.6	17	1	1	3	7	9	11	19
35-49	6319	5.3	20	1	1	4	8	10	12	20
50-64	3875	5.4	29	1	1	3	8	11	14	26
65+	1182	7.6	84	2	2	5	9	16	22	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	550	2.7	4	1	1	2	3	5	6	12
B. *Operated*	9847	3.2	10	1	1	2	3	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	942	4.6	19	<1	1	3	6	9	12	24
B. *Operated*	16801	5.3	26	1	1	3	7	10	13	23
1. SINGLE DX	10397	3.1	10	1	1	2	3	7	8	15
2. MULTIPLE DX	17743	5.2	25	1	1	3	7	10	13	24
A. NOT OPERATED	1492	3.9	14	1	1	3	5	8	11	19
B. OPERATED	26648	4.5	21	1	1	3	6	9	11	21
TOTAL 0-19 YRS	1021	3.3	8	1	1	2	4	7	9	13
20-34	9578	3.9	13	1	1	3	5	8	9	17
35-49	9644	4.6	18	1	1	3	7	9	11	19
50-64	6086	4.6	24	1	1	3	7	9	12	23
65+	1811	6.5	64	1	2	4	8	14	19	41
GRAND TOTAL	**28140**	**4.4**	**21**	**1**	**1**	**3**	**6**	**9**	**11**	**21**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	545	2.4	10	1	1	2	3	4	5	11
20-34	610	2.5	4	1	1	2	3	5	6	10
35-49	96	3.3	8	1	1	3	4	7	9	14
50-64	27	4.3	10	1	1	3	7	9	11	12
65+	8	6.1	3	4	4	6	7	9	10	10
B. *Operated*										
0-19 YRS	336	2.9	7	1	1	2	3	5	7	15
20-34	2934	3.3	12	<1	1	2	5	7	8	13
35-49	1018	7.0	15	1	2	7	9	11	13	19
50-64	608	9.[illegible]	17	2	3	9	11	14	16	21
65+	245	10.[illegible]	28	2	3	10	12	16	18	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	285	3.2	5	1	1	3	4	6	8	12
20-34	667	3.4	21	<1	1	2	4	7	9	20
35-49	186	4.4	11	1	1	4	6	8	10	18
50-64	70	5.5	15	1	1	5	7	11	14	17
65+	56	7.8	74	1	2	6	9	15	19	59
B. *Operated*										
0-19 YRS	335	4.3	14	1	1	3	6	9	11	20
20-34	5573	5.0	16	1	1	5	7	9	11	18
35-49	2897	7.9	19	2	2	8	10	13	15	22
50-64	1252	10.1	26	2	4	9	12	16	19	29
65+	539	12.1	56	2	4	11	14	20	26	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1286	2.6	7	1	1	2	3	5	6	11
B. *Operated*	5141	5.0	19	1	1	3	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	1264	3.8	19	<1	1	3	5	7	10	18
B. *Operated*	10596	6.7	25	1	2	6	9	12	15	24
1. SINGLE DX	6427	4.5	18	1	1	3	7	10	12	18
2. MULTIPLE DX	11860	6.4	25	1	2	6	9	12	15	24
A. NOT OPERATED	2550	3.2	13	1	1	2	4	6	8	15
B. OPERATED	15737	6.2	24	1	1	6	8	12	14	23
TOTAL 0-19 YRS	1501	3.1	10	1	1	2	4	6	8	13
20-34	9784	4.2	15	1	1	3	6	8	10	16
35-49	4197	7.4	19	1	2	7	9	12	14	21
50-64	1957	9.5	24	2	3	9	12	15	18	27
65+	848	11.2	50	2	3	10	14	19	23	35
GRAND TOTAL	18287	5.7	23	1	1	5	8	11	14	22

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.1	1	1	1	2	3	3	4	4
20-34	55	3.8	16	<1	1	3	5	7	10	25
35-49	6	5.0	10	<1	<1	5	8	9	9	9
50-64										
B. *Operated*										
0-19 YRS	179	5.8	4	3	4	6	7	8	9	12
20-34	2167	6.2	10	3	4	6	7	8	10	13
35-49	174	6.8	7	4	5	6	7	10	11	17
50-64	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.2	5	<1	<1	3	4	7	8	8
20-34	23	5.3	24	<1	1	4	6	9	17	24
35-49	3	6.7	22	3	3	5	10	12	12	12
50-64										
B. *Operated*										
0-19 YRS	144	6.6	8	4	5	6	7	9	12	30
20-34	1740	6.7	8	4	4	6	8	10	11	18
35-49	245	8.0	15	4	5	7	9	13	17	21
50-64	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	3.6	13	<1	1	2	4	7	9	23
B. *Operated*	2521	6.2	9	3	4	6	7	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	35	4.9	19	<1	1	4	6	8	13	24
B. *Operated*	2130	6.9	9	4	4	6	8	10	12	19
1. SINGLE DX	2599	6.1	10	3	4	6	7	8	10	14
2. MULTIPLE DX	2165	6.8	9	4	4	6	8	10	12	20
A. NOT OPERATED	113	4.0	15	<1	1	3	5	7	10	25
B. OPERATED	4651	6.5	9	4	4	6	7	9	11	17
TOTAL 0-19 YRS	349	5.9	7	2	3	6	7	8	10	17
20-34	3985	6.4	9	3	4	6	7	9	10	16
35-49	428	7.5	12	4	5	7	8	11	14	21
50-64	2	7.5	5	6	6	7	9	9	9	9
GRAND TOTAL	4764	6.4	10	3	4	6	7	9	11	17

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	1.4	1	<1	<1	1	2	2	3	7
20-34	203	1.4	1	<1	<1	1	1	2	3	6
35-49	18	2.9	10	<1	<1	1	4	7	10	12
50-64										
B. *Operated*										
0-19 YRS	3121	1.4	1	<1	<1	1	2	2	3	4
20-34	5940	1.5	3	<1	<1	1	2	2	3	6
35-49	619	1.4	1	<1	<1	<1	2	2	3	6
50-64	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.6	4	1	1	2	4	5	7	7
20-34	34	1.9	1	<1	<1	2	2	3	4	4
35-49	7	1.4		1	1	1	2	2	2	2
50-64										
B. *Operated*										
0-19 YRS	378	2.5	8	<1	<1	2	3	6	7	12
20-34	1690	2.7	11	<1	<1	2	3	6	8	16
35-49	541	2.6	7	<1	<1	2	3	6	8	14
50-64	3	2.7	2	<1	<1	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	350	1.5	2	<1	<1	1	1	2	4	8
B. *Operated*	9682	1.5	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	56	2.0	2	<1	1	2	3	4	5	7
B. *Operated*	2612	2.7	10	<1	<1	2	3	6	8	15
1. SINGLE DX	10032	1.5*	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX	2668	2.7	10	<1	<1	2	3	6	8	15
A. NOT OPERATED	406	1.5	2	<1	<1	1	2	3	4	7
B. OPERATED	12294	1.7	4	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	3643	1.5	2	<1	<1	1	2	2	3	7
20-34	7867	1.8	5	<1	<1	1	2	3	4	9
35-49	1185	2.0	4	<1	<1	1	2	4	6	10
50-64	5	2.4	1	<1	<1	2	3	4	4	4
GRAND TOTAL	**12700**	**1.7**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	4	2.0	1	<1	<1	2	3	3	3	3
20-34	15	3.0	6	<1	<1	2	4	6	9	10
35-49										
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
B. *Operated*										
0-19 YRS										
20-34	11	6.2	43	<1	1	4	8	16	23	24
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.0	5	1	1	2	4	6	6	6
B. *Operated*	19	2.8	5	<1	<1	2	3	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	11	6.2	43	<1	1	4	8	16	23	24
1. SINGLE DX	23	2.8	5	<1	<1	2	3	6	8	10
2. MULTIPLE DX	12	6.0	40	<1	1	4	7	14	23	24
A. NOT OPERATED	5	3.2	4	1	1	3	4	6	6	6
B. OPERATED	30	4.0	21	<1	<1	3	5	9	10	24
TOTAL 0-19 YRS	5	2.2	1	<1	<1	2	3	3	3	3
20-34	29	4.3	21	<1	<1	3	5	9	11	24
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**35**	**3.9**	**18**	**<1**	**<1**	**3**	**5**	**8**	**10**	**24**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	617	1.9	2	<1	1	2	2	3	4	8
20-34	2052	1.9	2	<1	1	1	2	3	4	7
35-49	163	1.9	2	<1	1	2	2	3	5	9
50-64	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	4369	1.9	5	<1	1	2	2	3	4	8
20-34	20223	1.8	3	<1	1	1	2	3	4	8
35-49	2193	1.9	5	<1	1	1	2	3	4	9
50-64	17	3.5	24	1	1	2	4	8	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	3.2	7	1	1	2	4	6	10	13
20-34	323	2.8	8	<1	1	2	3	5	7	12
35-49	35	2.7	4	<1	1	2	3	5	7	9
50-64										
B. *Operated*										
0-19 YRS	630	2.7	5	1	1	2	3	5	7	10
20-34	3168	3.0	16	1	1	2	4	6	8	13
35-49	595	3.1	16	1	1	2	3	6	8	22
50-64	4	2.3	2	1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2834	1.9	2	<1	1	1	2	3	4	7
B. *Operated*	26802	1.8	3	<1	1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	447	2.9	7	1	1	2	3	6	7	12
B. *Operated*	4397	3.0	15	1	1	2	3	6	8	14
1. SINGLE DX	29636	1.8	3	<1	1	1	2	3	4	8
2. MULTIPLE DX	4844	3.0	14	1	1	2	3	6	8	13
A. NOT OPERATED	3281	2.0	3	<1	1	2	2	4	5	9
B. OPERATED	31199	2.0	5	<1	1	1	2	3	5	9
TOTAL 0-19 YRS	5705	2.0	5	<1	1	2	2	4	5	9
20-34	25766	2.0	5	<1	1	1	2	3	5	9
35-49	2986	2.2	7	<1	1	2	2	4	5	12
50-64	23	3.3	18	1	1	2	4	5	13	21
GRAND TOTAL	**34480**	**2.0**	**5**	**<1**	**1**	**1**	**2**	**4**	**5**	**9**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	3.0	4	<1	1	2	4	6	7	9
20-34	393	2.7	4	<1	1	2	3	5	6	11
35-49	33	3.5	13	<1	<1	2	4	7	10	18
50-64										
B. *Operated*										
0-19 YRS	294	2.4	3	<1	1	2	3	5	6	9
20-34	2715	2.1	3	<1	1	2	2	4	5	9
35-49	236	2.3	6	<1	1	2	3	4	5	13
50-64	3	4.7	14	2	2	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.4	4	1	1	3	4	6	8	9
20-34	118	3.5	12	<1	1	2	4	6	9	21
35-49	13	7.5	58	<1	1	5	8	23	24	24
50-64										
B. *Operated*										
0-19 YRS	122	5.3	111	1	1	3	5	9	11	75
20-34	689	3.4	9	1	1	2	4	7	9	16
35-49	112	4.4	17	1	1	3	5	9	11	23
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	545	2.8	4	<1	1	2	4	5	6	11
B. *Operated*	3248	2.2	3	<1	1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	172	3.8	14	1	1	3	5	7	9	23
B. *Operated*	923	3.7	24	1	1	2	4	7	10	19
1. SINGLE DX	3793	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	1095	3.7	23	1	1	2	4	7	10	21
A. NOT OPERATED	717	3.0	7	<1	1	2	4	6	7	15
B. OPERATED	4171	2.5	8	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	576	3.2	27	<1	1	2	4	6	7	12
20-34	3915	2.4	4	<1	1	2	3	4	6	11
35-49	394	3.2	13	<1	1	2	3	6	9	22
50-64	3	4.7	14	2	2	3	7	9	9	9
GRAND TOTAL	**4888**	**2.6**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	815	2.7	5	1	1	2	3	5	6	10
20-34	3821	2.8	6	1	1	2	3	5	6	10
35-49	207	3.1	42	1	1	2	3	5	6	11
50-64	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	26	2.4	3	<1	1	2	3	5	7	8
20-34	106	2.8	5	<1	1	2	3	5	6	12
35-49	8	2.0	1	1	1	2	3	3	3	3
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	154	3.3	5	1	1	3	4	7	8	10
20-34	710	4.0	11	1	1	3	5	7	9	17
35-49	40	3.6	4	1	1	3	5	6	8	8
50-64										
B. *Operated*										
0-19 YRS	14	4.4	14	1	1	4	6	10	13	14
20-34	70	4.8	28	1	1	3	6	9	10	32
35-49	7	5.1	10	1	1	6	7	9	10	10
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4845	2.8	7	1	1	2	3	5	6	10
B. *Operated*	140	2.7	4	<1	1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	904	3.9	10	1	1	3	5	7	9	16
B. *Operated*	91	4.8	24	1	1	4	6	9	10	32
1. SINGLE DX	4985	2.8	7	1	1	2	3	5	6	10
2. MULTIPLE DX	995	4.0	11	1	1	3	5	7	9	16
A. NOT OPERATED	5749	3.0	8	1	1	2	4	5	7	11
B. OPERATED	231	3.5	13	1	1	3	4	7	9	18
TOTAL 0-19 YRS	1009	2.8	5	1	1	2	3	5	7	10
20-34	4707	3.0	7	1	1	2	4	5	7	11
35-49	262	3.2	34	1	1	2	4	5	7	11
50-64	2	3.5	5	2	2	3	5	5	5	5
GRAND TOTAL	**5980**	**3.0**	**8**	**1**	**1**	**2**	**4**	**5**	**7**	**11**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.5	6	<1	<1	2	3	5	8	15
20-34	229	2.7	5	<1	1	2	3	6	7	11
35-49	10	1.7	2	<1	<1	1	2	4	5	5
50-64										
B. *Operated*										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	13	2.8	3	1	1	3	4	5	6	6
35-49										
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.6	2	<1	<1	2	3	5	6	6
20-34	68	3.0	5	<1	1	3	4	6	8	10
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	3	3.7	5	<1	<1	5	5	5	5	5
20-34	14	4.6	8	1	2	4	8	9	9	9
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	2.6	5	<1	1	2	3	6	7	11
B. *Operated*	16	2.7	2	<1	1	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	85	2.9	4	<1	<1	3	4	5	7	10
B. *Operated*	17	4.4	7	<1	1	4	6	9	9	9
1. SINGLE DX	303	2.6	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	102	3.2	5	<1	1	3	4	6	8	10
A. NOT OPERATED	372	2.7	5	<1	1	2	3	5	7	11
B. OPERATED	33	3.6	6	<1	1	3	5	8	9	9
TOTAL 0-19 YRS	70	2.6	5	<1	<1	2	3	5	6	14
20-34	324	2.8	5	<1	1	2	4	6	8	10
35-49	11	1.8	2	<1	<1	1	3	4	5	5
50-64										
GRAND TOTAL	**405**	**2.8**	**5**	**<1**	**1**	**2**	**3**	**6**	**7**	**10**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	441	3.9	16	1	2	3	4	7	9	14
20-34	1715	3.8	13	1	2	3	4	6	8	16
35-49	166	4.1	7	<1	2	4	5	8	8	15
50-64	3	4.0	3	3	3	3	5	6	6	6
B. *Operated*										
0-19 YRS	43	5.4	102	<1	1	3	5	8	11	68
20-34	205	4.3	17	<1	<1	3	5	9	12	27
35-49	20	4.6	9	<1	1	4	6	8	11	13
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	4.0	8	1	1	3	4	8	9	15
20-34	576	4.3	11	1	1	3	5	8	10	16
35-49	82	5.4	13	1	2	5	7	9	13	20
50-64	1	28.0		28	28	28	28	28	28	28
B. *Operated*										
0-19 YRS	28	5.4	19	1	2	4	6	11	18	19
20-34	151	4.9	18	<1	<1	4	7	9	11	19
35-49	12	5.0	6	1	2	5	7	8	8	8
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2325	3.9	13	1	2	3	5	7	8	15
B. *Operated*	268	4.5	30	<1	<1	3	5	8	12	28
2. MULTIPLE DX										
A. *Not Operated*	785	4.4	11	1	1	3	5	8	11	17
B. *Operated*	191	4.9	17	<1	1	4	7	9	11	19
1. SINGLE DX	2593	3.9	15	1	2	3	5	7	9	17
2. MULTIPLE DX	976	4.5	12	1	1	4	6	8	11	18
A. NOT OPERATED	3110	4.0	13	1	2	3	5	7	9	16
B. OPERATED	459	4.7	25	<1	1	4	6	9	12	26
TOTAL 0-19 YRS	638	4.1	20	1	2	3	5	7	9	16
20-34	2647	4.0	13	1	1	3	5	7	9	17
35-49	280	4.6	9	1	2	4	6	8	9	16
50-64	4	10.0	146	3	3	5	17	28	28	28
GRAND TOTAL	**3569**	**4.1**	**14**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	596	3.6	5	1	2	3	4	6	7	13
20-34	2148	4.2	9	1	2	4	5	7	9	15
35-49	44	4.3	6	1	2	4	6	8	9	11
50-64	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	18	3.0	5	1	1	2	4	6	8	10
20-34	72	2.3	7	<1	1	1	2	5	8	17
35-49	7	2.7	4	1	1	2	4	6	6	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	235	4.1	7	1	2	3	5	7	10	16
20-34	751	4.6	15	1	2	4	5	8	11	22
35-49	17	5.5	10	2	3	5	7	9	12	13
50-64										
B. *Operated*										
0-19 YRS	7	5.7	6	2	2	6	8	8	8	8
20-34	60	8.3	92	1	1	6	8	17	35	45
35-49	3	7.0	1	6	6	7	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2789	4.1	8	1	2	3	5	7	8	14
B. *Operated*	97	2.5	7	1	1	2	3	6	7	15
2. MULTIPLE DX										
A. *Not Operated*	1003	4.5	13	1	2	4	5	8	10	21
B. *Operated*	71	7.9	79	1	2	6	8	16	30	45
1. SINGLE DX	2886	4.0	8	1	2	3	5	7	8	14
2. MULTIPLE DX	1074	4.7	18	1	2	4	5	8	11	25
A. NOT OPERATED	3792	4.2	9	1	2	4	5	7	9	15
B. OPERATED	168	4.8	44	1	1	3	6	9	16	43
TOTAL 0-19 YRS	856	3.7	6	1	2	3	4	6	8	14
20-34	3031	4.3	12	1	2	4	5	7	9	18
35-49	71	4.6	7	1	2	4	6	8	9	13
50-64	2	2.5	1	2	2	2	3	3	3	3
GRAND TOTAL	**3960**	**4.2**	**11**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4938	1.3	3	<1	<1	<1	1	1	2	7
20-34	16572	1.3	5	<1	<1	<1	1	1	2	6
35-49	756	1.3	1	<1	<1	1	1	2	3	7
50-64	11	1.1		<1	<1	<1	1	2	2	2
B. *Operated*										
0-19 YRS	284	1.4	2	<1	<1	1	1	2	3	8
20-34	1133	1.4	3	<1	<1	1	1	2	3	9
35-49	55	1.4	1	<1	<1	1	1	2	4	5
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	370	1.7	2	<1	<1	1	2	3	4	8
20-34	1343	1.8	4	<1	<1	1	2	4	5	11
35-49	76	1.9	4	<1	<1	1	2	4	6	12
50-64	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	54	2.3	2	<1	<1	2	3	4	6	7
20-34	223	2.9	13	<1	<1	1	3	7	9	21
35-49	14	2.0	2	<1	<1	1	3	4	6	6
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22277	1.3	4	<1	<1	<1	1	1	2	6
B. *Operated*	1472	1.4	3	<1	<1	1	1	2	3	9
2. MULTIPLE DX										
A. *Not Operated*	1791	1.8	4	<1	<1	1	2	4	5	10
B. *Operated*	291	2.8	11	<1	<1	2	3	6	8	20
1. SINGLE DX	23749	1.3	4	<1	<1	1	1	1	2	6
2. MULTIPLE DX	2082	1.9	5	<1	<1	1	2	4	5	11
A. NOT OPERATED	24068	1.3	4	<1	<1	1	1	2	2	7
B. OPERATED	1763	1.6	4	<1	<1	1	1	3	4	11
TOTAL 0-19 YRS	5646	1.3	3	<1	<1	1	1	2	3	7
20-34	19271	1.3	5	<1	<1	1	1	2	3	7
35-49	901	1.4	2	<1	<1	1	1	2	3	7
50-64	13	1.1		<1	<1	<1	1	2	2	2
GRAND TOTAL	**25831**	**1.3**	**4**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	3.5	24	<1	1	2	4	6	15	28
20-34	815	3.6	14	<1	1	3	4	7	10	22
35-49	72	4.9	46	1	1	3	5	11	18	42
50-64	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	7	2.6	1	1	1	2	4	4	4	4
20-34	79	5.1	54	<1	1	3	5	10	20	86
35-49	5	5.4	21	1	1	4	8	13	13	13
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.2	4	<1	1	3	4	6	7	8
20-34	203	4.1	15	<1	1	3	5	8	11	21
35-49	15	3.7	5	2	2	3	4	5	10	11
50-64	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	3	5.3	2	4	4	5	6	7	7	7
20-34	30	6.3	20	2	2	5	8	12	13	23
35-49	3	3.7	5	1	1	5	5	5	5	5
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	992	3.7	18	<1	1	3	4	7	10	22
B. *Operated*	91	4.9	48	<1	1	3	5	10	19	81
2. MULTIPLE DX										
A. *Not Operated*	248	3.9	13	<1	1	3	5	8	11	21
B. *Operated*	36	6.0	18	1	2	5	7	12	13	23
1. SINGLE DX	1083	3.8	20	<1	1	3	4	7	11	23
2. MULTIPLE DX	284	4.2	14	<1	1	3	5	8	11	22
A. NOT OPERATED	1240	3.7	17	<1	1	3	4	7	10	22
B. OPERATED	127	5.2	40	<1	1	4	5	11	15	65
TOTAL 0-19 YRS	143	3.4	18	<1	1	2	4	6	8	22
20-34	1127	3.9	17	<1	1	3	4	7	11	23
35-49	95	4.7	37	1	1	3	5	10	16	36
50-64	2	4.5	13	2	2	4	7	7	7	7
GRAND TOTAL	**1367**	**3.9**	**19**	**<1**	**1**	**3**	**4**	**7**	**11**	**23**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	282	2.0	2	<1	<1	2	3	4	5	8
20-34	1073	2.5	9	<1	<1	2	3	5	6	12
35-49	61	2.5	5	<1	1	2	3	4	5	14
50-64										
B. *Operated*										
0-19 YRS	21	3.1	9	<1	1	2	3	7	10	14
20-34	114	3.4	23	<1	1	2	4	6	9	32
35-49	8	4.1	53	<1	<1	1	3	16	22	22
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	2.6	4	<1	1	2	3	5	8	11
20-34	282	3.0	6	<1	1	2	4	5	8	13
35-49	17	2.9	3	<1	1	2	4	5	6	7
50-64										
B. *Operated*										
0-19 YRS	8	3.3	8	<1	<1	2	5	8	8	8
20-34	48	3.6	6	<1	<1	3	5	7	8	9
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1416	2.4	7	<1	<1	2	3	4	6	12
B. *Operated*	143	3.4	23	<1	1	2	4	6	10	27
2. MULTIPLE DX										
A. *Not Operated*	374	2.9	5	<1	1	2	4	5	8	13
B. *Operated*	58	3.5	6	<1	<1	3	5	7	8	9
1. SINGLE DX	1559	2.5	9	<1	<1	2	3	5	6	12
2. MULTIPLE DX	432	3.0	5	<1	1	2	4	6	8	12
A. NOT OPERATED	1790	2.5	7	<1	<1	2	3	5	6	12
B. OPERATED	201	3.4	18	<1	1	2	4	7	9	24
TOTAL 0-19 YRS	386	2.2	3	<1	<1	2	3	4	6	9
20-34	1517	2.7	9	<1	<1	2	3	5	7	13
35-49	88	2.7	8	<1	1	2	3	5	6	19
50-64										
GRAND TOTAL	**1991**	**2.6**	**8**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	457	3.2	4	<1	<1	3	4	6	7	11
20-34	980	3.2	11	<1	<1	3	4	6	7	11
35-49	26	3.5	3	<1	1	3	5	6	7	7
50-64	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	44	4.0	3	1	2	4	5	6	8	8
20-34	108	3.9	11	1	1	3	5	7	9	19
35-49	5	2.2	2	<1	<1	2	3	4	4	4
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	400	3.9	5	<1	1	4	5	7	8	10
20-34	901	3.8	7	<1	1	3	5	7	8	13
35-49	42	4.2	5	<1	1	4	6	7	8	9
50-64	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	59	4.8	12	1	1	4	6	10	12	17
20-34	169	5.7	18	1	2	5	7	9	12	27
35-49	13	6.5	24	3	3	4	8	16	18	18
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1464	3.2	8	<1	<1	3	4	6	7	11
B. *Operated*	157	3.9	8	1	1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	1344	3.9	7	<1	1	3	5	7	8	12
B. *Operated*	241	5.5	17	1	2	5	7	10	12	20
1. SINGLE DX	1621	3.3	9	<1	<1	3	4	6	7	11
2. MULTIPLE DX	1585	4.1	9	<1	1	4	5	7	9	16
A. NOT OPERATED	2808	3.5	8	<1	1	3	5	6	7	11
B. OPERATED	398	4.9	14	1	1	4	6	8	11	19
TOTAL 0-19 YRS	960	3.6	5	<1	1	3	5	6	8	11
20-34	2158	3.7	10	<1	1	3	5	6	8	16
35-49	86	4.2	8	<1	1	4	5	7	9	17
50-64	2	6.5	61	1	1	6	12	12	12	12
GRAND TOTAL	**3206**	**3.7**	**9**	**<1**	**1**	**3**	**5**	**6**	**8**	**13**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	4.7	18	<1	1	3	6	10	14	21
20-34	588	4.7	16	1	1	4	6	9	12	22
35-49	61	5.9	82	1	2	4	6	8	13	64
50-64	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	10	5.3	12	2	2	4	7	11	12	12
20-34	66	5.4	38	<1	<1	3	6	13	15	35
35-49	14	8.0	287	<1	<1	3	6	16	55	66
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	336	4.6	58	<1	1	3	5	9	11	18
20-34	1529	4.7	22	<1	1	4	6	9	12	20
35-49	118	5.6	18	1	2	5	7	12	14	21
50-64										
B. *Operated*										
0-19 YRS	36	8.7	79	1	2	5	12	25	30	34
20-34	202	5.6	31	<1	<1	4	7	12	18	27
35-49	24	4.5	17	<1	<1	3	6	10	13	16
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	761	4.8	21	1	1	4	6	9	12	25
B. *Operated*	90	5.8	72	<1	<1	3	6	13	15	54
2. MULTIPLE DX										
A. *Not Operated*	1983	4.8	28	<1	1	4	6	9	12	21
B. *Operated*	262	5.9	37	<1	<1	4	7	13	19	30
1. SINGLE DX	851	4.9	27	<1	1	4	6	10	12	26
2. MULTIPLE DX	2245	4.9	29	<1	1	4	6	10	13	24
A. NOT OPERATED	2744	4.8	26	<1	1	4	6	9	12	21
B. OPERATED	352	5.9	46	<1	<1	4	7	13	18	34
TOTAL 0-19 YRS	493	4.9	50	<1	1	3	5	10	13	29
20-34	2385	4.8	22	<1	1	4	6	10	13	23
35-49	217	5.7	52	<1	1	4	6	11	14	41
50-64	1	11.0		11	11	11	11	11	11	11
GRAND TOTAL	**3096**	**4.9**	**29**	**<1**	**1**	**4**	**6**	**10**	**13**	**25**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	814	2.5	12	<1	<1	1	3	5	7	15
20-34	2994	2.7	10	<1	<1	2	3	5	8	17
35-49	132	2.9	7	<1	<1	2	3	6	10	13
50-64	2	5.0	18	2	2	5	8	8	8	8
B. *Operated*										
0-19 YRS	216	3.2	9	<1	<1	2	4	6	8	17
20-34	1936	3.3	7	<1	1	3	4	6	7	12
35-49	115	3.6	10	<1	1	3	4	6	8	18
50-64	3	2.7	8	1	1	1	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	388	3.3	10	<1	<1	2	4	6	8	19
20-34	1488	3.7	26	<1	<1	2	4	7	10	27
35-49	79	3.6	8	<1	<1	3	5	7	10	12
50-64										
B. *Operated*										
0-19 YRS	119	5.4	28	<1	<1	4	7	10	16	33
20-34	828	4.5	32	<1	1	3	6	8	11	18
35-49	73	5.6	26	<1	1	5	7	10	16	26
50-64	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3942	2.7	10	<1	<1	2	3	5	8	15
B. *Operated*	2270	3.3	7	<1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	1955	3.6	22	<1	<1	2	4	7	10	24
B. *Operated*	1021	4.7	31	<1	1	3	6	8	11	23
1. SINGLE DX	6212	2.9	9	<1	<1	2	4	6	8	15
2. MULTIPLE DX	2976	4.0	25	<1	<1	3	5	8	11	24
A. NOT OPERATED	5897	3.0	14	<1	<1	2	4	6	9	19
B. OPERATED	3291	3.7	15	<1	1	3	5	7	8	16
TOTAL 0-19 YRS	1537	3.0	13	<1	<1	2	4	6	8	18
20-34	7246	3.3	15	<1	<1	2	4	6	9	17
35-49	399	3.7	13	<1	1	3	5	8	10	20
50-64	6	3.3	9	1	1	2	6	8	8	8
GRAND TOTAL	**9188**	**3.2**	**15**	**<1**	**<1**	**2**	**4**	**6**	**9**	**17**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	4.2	67	2	2	3	4	5	6	51
20-34	337	3.8	5	2	2	3	4	5	6	12
35-49	15	5.8	52	2	3	4	4	9	25	31
50-64										
B. *Operated*										
0-19 YRS	39	5.8	47	2	2	3	6	10	18	40
20-34	244	5.6	36	2	3	4	6	10	17	31
35-49	12	5.8	8	3	3	5	8	10	11	11
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133	4.0	9	2	2	3	4	6	8	19
20-34	674	3.8	4	2	2	3	4	6	7	14
35-49	41	4.6	19	1	2	4	5	7	9	29
50-64										
B. *Operated*										
0-19 YRS	180	7.0	65	2	3	4	7	14	24	53
20-34	1011	7.9	66	3	3	5	8	17	25	41
35-49	110	9.4	89	2	3	6	10	22	29	47
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	444	3.9	20	2	2	3	4	5	6	15
B. *Operated*	295	5.7	36	2	3	4	6	10	17	34
2. MULTIPLE DX										
A. *Not Operated*	848	3.9	6	2	2	3	4	6	7	16
B. *Operated*	1301	7.9	68	3	3	5	8	17	25	43
1. SINGLE DX	739	4.6	27	2	2	4	4	7	11	26
2. MULTIPLE DX	2149	6.3	47	2	3	4	6	12	20	38
A. NOT OPERATED	1292	3.9	11	2	2	3	4	5	7	15
B. OPERATED	1596	7.5	63	2	3	5	8	16	23	42
TOTAL 0-19 YRS	444	5.4	48	2	2	4	5	9	16	49
20-34	2266	5.8	39	2	3	4	6	11	17	35
35-49	178	7.7	68	2	3	5	8	20	25	42
50-64										
GRAND TOTAL	**2888**	**5.9**	**43**	**2**	**3**	**4**	**6**	**10**	**18**	**36**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17937	3.3	5	2	2	3	4	4	5	7
20-34	95631	3.4	4	2	2	3	4	5	5	7
35-49	3611	3.5	2	2	2	3	4	5	5	7
50-64	55	3.2	1	2	2	3	4	4	5	8
B. *Operated*										
0-19 YRS	4533	3.3	2	2	2	3	4	4	5	7
20-34	25215	3.5	4	2	2	3	4	5	5	7
35-49	1020	3.7	3	2	2	4	4	5	6	8
50-64	14	3.5		3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	946	3.8	4	2	2	3	4	5	7	10
20-34	4326	3.8	4	2	2	3	4	5	6	10
35-49	220	4.0	5	2	2	3	4	6	7	13
50-64	2	13.0	200	3	3	13	23	23	23	23
B. *Operated*										
0-19 YRS	532	3.9	3	2	2	4	4	6	7	11
20-34	12399	4.2	3	3	3	4	5	6	6	9
35-49	1320	4.6	8	3	3	4	5	6	7	11
50-64	9	4.2		3	3	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117234	3.4	4	2	2	3	4	4	5	7
B. *Operated*	30782	3.5	3	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	5494	3.8	4	2	2	3	4	5	6	11
B. *Operated*	14260	4.2	4	3	3	4	5	6	6	10
1. SINGLE DX	148016	3.4	4	2	2	3	4	5	5	7
2. MULTIPLE DX	19754	4.1	4	2	3	4	5	6	6	10
A. NOT OPERATED	122728	3.4	4	2	2	3	4	5	5	7
B. OPERATED	45042	3.7	4	2	2	3	4	5	6	8
TOTAL 0-19 YRS	23948	3.3	4	2	2	3	4	4	5	7
20-34	137571	3.5	4	2	2	3	4	5	5	7
35-49	6171	3.8	4	2	2	4	4	5	6	8
50-64	80	3.6	6	2	2	3	4	4	5	18
GRAND TOTAL	**167770**	**3.5**	**4**	**2**	**2**	**3**	**4**	**5**	**5**	**7**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	6.5	51	<1	<1	4	9	19	21	21
20-34	111	3.8	22	1	1	3	4	5	7	29
35-49	7	4.6	12	1	1	3	6	10	11	11
50-64										
B. *Operated*										
0-19 YRS	37	6.8	12	3	3	6	7	13	15	17
20-34	404	7.9	43	3	4	6	8	12	20	36
35-49	44	10.7	112	4	5	7	9	23	41	49
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.0	2	1	1	3	4	5	5	5
20-34	71	5.2	20	2	2	4	5	10	12	27
35-49	3	4.0	1	3	3	4	5	5	5	5
50-64										
B. *Operated*										
0-19 YRS	68	8.0	84	2	3	6	8	13	22	54
20-34	782	8.8	74	3	4	7	8	14	22	56
35-49	108	9.3	67	5	5	7	9	16	27	49
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	4.0	23	1	1	3	4	6	8	27
B. *Operated*	485	8.0	47	3	4	6	8	12	20	42
2. MULTIPLE DX										
A. *Not Operated*	82	5.0	18	1	2	4	5	10	12	27
B. *Operated*	958	8.8	74	3	4	7	8	15	23	53
1. SINGLE DX	611	7.2	45	2	3	6	7	11	19	41
2. MULTIPLE DX	1040	8.5	70	3	4	6	8	14	22	52
A. NOT OPERATED	208	4.4	21	1	1	3	5	7	11	26
B. OPERATED	1443	8.5	65	3	4	7	8	14	22	49
TOTAL 0-19 YRS	121	7.2	55	2	3	6	7	14	17	53
20-34	1368	7.9	60	3	3	6	8	12	20	45
35-49	162	9.4	77	4	5	7	9	17	32	49
50-64										
GRAND TOTAL	**1651**	**8.0**	**61**	**3**	**3**	**6**	**8**	**13**	**21**	**48**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	3.6	8	<1	2	3	4	5	7	19
20-34	436	3.4	2	1	2	3	4	5	6	10
35-49	27	3.1	6	<1	<1	3	4	4	7	14
50-64	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	99	4.8	6	2	3	4	6	7	9	16
20-34	480	4.9	5	2	3	5	6	7	8	12
35-49	35	4.9	3	2	3	5	6	7	8	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	3.5	4	1	2	3	4	5	7	12
20-34	311	3.9	19	1	2	3	4	5	8	25
35-49	20	4.4	18	<1	1	3	5	7	14	20
50-64										
B. *Operated*										
0-19 YRS	197	5.1	9	2	3	5	6	8	9	19
20-34	1102	5.8	20	2	3	5	7	8	11	22
35-49	97	6.4	8	3	4	6	7	9	13	18
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	552	3.4	3	1	2	3	4	5	6	11
B. *Operated*	614	4.9	5	2	3	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	406	3.8	16	1	2	3	4	6	8	21
B. *Operated*	1396	5.8	18	2	3	5	7	8	11	21
1. SINGLE DX	1166	4.2	5	2	2	4	5	7	7	12
2. MULTIPLE DX	1802	5.3	18	2	2	5	6	8	10	21
A. NOT OPERATED	958	3.6	9	1	2	3	4	5	6	13
B. OPERATED	2010	5.5	14	2	3	5	6	8	10	18
TOTAL 0-19 YRS	459	4.5	8	2	2	4	5	7	9	16
20-34	2329	4.9	15	2	2	4	6	7	9	17
35-49	179	5.4	9	1	2	5	7	9	10	18
50-64	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**2968**	**4.9**	**13**	**2**	**2**	**4**	**6**	**7**	**9**	**17**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.8	1	2	2	3	3	4	5	5
20-34	94	3.6	2	2	2	4	4	5	5	9
35-49	7	3.6	3	1	1	4	5	5	5	5
50-64										
B. *Operated*										
0-19 YRS	181	3.3	4	1	2	3	4	4	5	7
20-34	1227	3.4	6	1	2	3	4	5	5	8
35-49	65	3.6	3	1	2	4	4	5	6	10
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3		4	4	4	5	5	5	5
20-34	51	3.7	1	2	2	4	4	5	5	7
35-49										
50-64										
B. *Operated*										
0-19 YRS	88	3.7	4	2	2	3	4	5	7	13
20-34	800	4.3	10	2	2	4	5	6	8	12
35-49	51	4.5	4	2	3	4	5	7	9	11
50-64	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	3.5	2	2	2	3	4	5	5	8
B. *Operated*	1473	3.4	5	1	2	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	55	3.7	1	2	2	4	4	5	5	7
B. *Operated*	940	4.2	9	2	2	4	5	6	8	12
1. SINGLE DX	1585	3.4	5	1	2	3	4	5	5	8
2. MULTIPLE DX	995	4.2	8	2	2	4	5	6	8	12
A. NOT OPERATED	167	3.6	1	2	2	4	4	5	5	8
B. OPERATED	2413	3.7	7	1	2	3	4	5	6	11
TOTAL 0-19 YRS	284	3.4	4	1	2	3	4	5	6	9
20-34	2172	3.7	7	2	2	3	4	5	6	11
35-49	123	4.0	3	1	2	4	5	6	8	11
50-64	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**2580**	**3.7**	**6**	**2**	**2**	**3**	**4**	**5**	**6**	**11**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	3.3	1	1	2	3	4	5	5	6
20-34	323	3.4	1	1	2	3	4	5	5	7
35-49	18	3.6	1	2	2	3	4	5	6	6
50-64										
B. *Operated*										
0-19 YRS	51	3.4	1	1	2	3	4	5	5	6
20-34	246	3.6	2	1	2	3	4	5	6	8
35-49	8	3.4	2	2	2	3	4	5	6	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.5	1	1	2	3	4	5	5	6
20-34	215	3.9	2	2	3	4	4	6	7	10
35-49	8	4.0	6	2	2	3	5	8	9	9
50-64										
B. *Operated*										
0-19 YRS	58	3.6	2	2	2	3	4	5	5	10
20-34	372	4.3	14	2	3	4	5	6	8	13
35-49	21	5.1	12	1	2	4	5	10	14	16
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	410	3.4	1	1	2	3	4	5	5	6
B. *Operated*	305	3.6	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	260	3.8	2	2	2	4	4	5	7	9
B. *Operated*	451	4.3	13	2	3	4	5	6	8	13
1. SINGLE DX	715	3.5	2	1	2	3	4	5	6	7
2. MULTIPLE DX	711	4.1	9	2	2	4	4	6	7	12
A. NOT OPERATED	670	3.6	2	2	2	3	4	5	6	8
B. OPERATED	756	4.0	8	2	2	4	4	5	7	13
TOTAL 0-19 YRS	215	3.4	2	1	2	3	4	5	5	7
20-34	1156	3.8	6	2	2	4	4	5	6	9
35-49	55	4.2	6	2	2	4	5	6	9	16
50-64										
GRAND TOTAL	**1426**	**3.8**	**5**	**2**	**2**	**4**	**4**	**5**	**6**	**9**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	3.4	1	2	3	3	4	5	6	6
20-34	291	4.0	2	2	2	4	5	6	6	9
35-49	12	4.5	2	3	3	4	5	6	8	8
50-64										
B. *Operated*										
0-19 YRS	33	4.6	17	2	2	4	5	7	8	26
20-34	236	4.7	3	2	3	4	6	7	8	10
35-49	10	4.5	3	3	3	4	5	7	8	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	5.4	38	1	2	4	5	10	20	34
20-34	255	4.6	10	2	3	4	5	8	9	16
35-49	8	5.0	4	2	3	5	6	8	9	9
50-64										
B. *Operated*										
0-19 YRS	158	5.3	10	2	3	5	7	8	11	25
20-34	1273	6.0	22	2	3	5	7	9	12	27
35-49	74	6.0	18	3	3	5	7	8	12	28
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	3.9	2	2	3	4	5	6	6	9
B. *Operated*	279	4.6	5	2	3	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	305	4.8	13	2	2	4	5	8	9	20
B. *Operated*	1505	5.9	21	2	3	5	7	9	12	27
1. SINGLE DX	619	4.3	3	2	3	4	5	6	7	10
2. MULTIPLE DX	1810	5.7	20	2	3	5	7	9	11	26
A. NOT OPERATED	645	4.3	7	2	2	4	5	6	8	16
B. OPERATED	1784	5.7	19	2	3	5	7	8	11	26
TOTAL 0-19 YRS	270	5.0	14	2	3	4	6	8	10	26
20-34	2055	5.4	16	2	3	5	6	8	10	22
35-49	104	5.6	14	3	3	5	6	8	10	27
50-64										
GRAND TOTAL	**2429**	**5.3**	**16**	**2**	**3**	**5**	**6**	**8**	**10**	**24**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	3.1	1	2	2	3	4	5	5	6
20-34	758	3.5	3	2	2	3	4	5	5	8
35-49	38	3.7	1	2	2	4	5	5	6	6
50-64	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	531	5.3	6	2	3	5	6	7	8	12
20-34	3403	5.1	6	3	3	5	6	7	8	10
35-49	137	4.7	3	2	3	5	6	7	8	9
50-64	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	2.7	1	1	1	3	3	4	5	5
20-34	282	3.8	6	1	2	3	4	6	7	13
35-49	22	4.7	9	1	2	4	6	8	11	15
50-64										
B. *Operated*										
0-19 YRS	576	6.1	13	3	3	6	7	9	11	18
20-34	4016	5.8	11	3	3	5	7	8	9	17
35-49	308	6.1	14	3	3	6	7	8	10	26
50-64	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	887	3.5	3	2	2	3	4	5	5	7
B. *Operated*	4072	5.1	6	2	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	345	3.7	6	1	2	3	4	6	7	14
B. *Operated*	4901	5.8	11	3	3	6	7	8	10	17
1. SINGLE DX	4959	4.8	6	2	3	5	6	7	8	10
2. MULTIPLE DX	5246	5.7	11	2	3	5	7	8	9	17
A. NOT OPERATED	1232	3.5	4	2	2	3	4	5	6	9
B. OPERATED	8973	5.5	9	3	3	5	6	8	9	14
TOTAL 0-19 YRS	1238	5.5	10	2	3	5	6	8	9	16
20-34	8459	5.2	9	2	3	5	6	7	8	13
35-49	505	5.5	10	2	3	5	7	8	9	19
50-64	3	4.0	4	2	2	4	5	6	6	6
GRAND TOTAL	**10205**	**5.3**	**9**	**2**	**3**	**5**	**6**	**7**	**9**	**14**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	3.8	6	2	2	4	4	5	5	12
20-34	1130	3.6	5	2	2	3	4	5	5	7
35-49	42	3.9	4	2	2	4	4	6	6	14
50-64										
B. *Operated*										
0-19 YRS	534	4.3	4	2	3	4	5	6	7	10
20-34	2881	4.4	7	2	3	4	5	7	7	9
35-49	154	4.7	6	2	3	4	6	8	9	17
50-64	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	3.8	2	2	3	4	4	5	6	9
20-34	529	3.9	3	2	2	4	4	6	7	11
35-49	29	4.3	4	2	3	4	5	7	9	10
50-64										
B. *Operated*										
0-19 YRS	1014	4.8	6	2	3	4	6	7	9	14
20-34	5767	5.2	10	3	3	5	6	8	9	16
35-49	379	6.0	13	3	3	5	7	8	10	20
50-64	2	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1343	3.7	5	2	2	3	4	5	5	8
B. *Operated*	3570	4.4	6	2	3	4	5	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	633	3.9	3	2	3	4	4	6	7	10
B. *Operated*	7162	5.2	10	3	3	5	6	8	9	16
1. SINGLE DX	4913	4.2	6	2	3	4	5	6	7	9
2. MULTIPLE DX	7795	5.1	9	3	3	5	6	7	9	15
A. NOT OPERATED	1976	3.7	4	2	2	4	4	5	6	9
B. OPERATED	10732	4.9	9	2	3	4	6	7	8	14
TOTAL 0-19 YRS	1794	4.5	5	2	3	4	5	7	8	13
20-34	10307	4.7	9	2	3	4	6	7	8	13
35-49	604	5.4	11	3	3	5	6	8	9	17
50-64	3	5.3	1	4	4	6	6	6	6	6
GRAND TOTAL	**12708**	**4.7**	**8**	**2**	**3**	**4**	**6**	**7**	**8**	**13**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	4.0	4	2	2	3	5	7	8	12
20-34	319	3.8	2	2	2	3	4	6	7	8
35-49	8	3.4		3	3	3	4	4	4	4
50-64										
B. *Operated*										
0-19 YRS	1184	6.2	10	4	4	6	7	8	9	13
20-34	4465	6.1	3	4	4	6	7	8	8	10
35-49	124	6.6	3	3	5	7	7	8	9	14
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.4	6	2	3	5	7	8	10	12
20-34	130	4.7	5	2	3	4	6	8	8	11
35-49	4	5.3	7	3	3	4	7	9	9	9
50-64										
B. *Operated*										
0-19 YRS	1770	7.0	9	4	5	6	8	10	12	19
20-34	7469	6.6	6	4	5	6	7	8	10	16
35-49	323	7.1	7	4	5	7	8	9	11	18
50-64	5	5.0	2	4	4	4	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	376	3.8	2	2	2	3	4	6	7	9
B. *Operated*	5773	6.2	4	4	4	6	7	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	156	4.8	5	2	3	4	6	8	8	12
B. *Operated*	9567	6.7	7	4	5	6	7	9	10	17
1. SINGLE DX	6149	6.0	4	3	4	6	7	8	8	11
2. MULTIPLE DX	9723	6.6	7	4	5	6	7	9	10	17
A. NOT OPERATED	532	4.1	3	2	2	4	5	7	8	10
B. OPERATED	15340	6.5	6	4	5	6	7	8	10	15
TOTAL 0-19 YRS	3025	6.6	10	4	4	6	7	9	11	17
20-34	12383	6.3	5	4	4	6	7	8	9	14
35-49	459	6.9	6	4	5	7	8	9	10	18
50-64	5	5.0	2	4	4	4	6	7	7	7
GRAND TOTAL	**15872**	**6.4**	**6**	**4**	**4**	**6**	**7**	**8**	**10**	**15**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	248	3.6	1	2	3	4	4	5	5	8
20-34	1121	3.8	2	2	3	4	4	5	6	8
35-49	32	3.8	2	2	2	4	4	5	7	9
50-64										
B. *Operated*										
0-19 YRS	337	4.6	3	2	3	4	6	7	8	10
20-34	1778	4.8	7	2	3	4	6	7	8	12
35-49	54	5.1	5	2	3	5	6	7	10	11
50-64	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	4.2	4	3	3	4	5	6	7	13
20-34	544	4.0	3	2	3	4	5	5	6	9
35-49	30	4.5	5	2	2	4	5	9	9	10
50-64										
B. *Operated*										
0-19 YRS	632	5.4	8	3	3	5	6	8	10	15
20-34	3625	5.4	6	3	3	5	6	8	9	14
35-49	215	6.2	10	3	3	6	7	9	11	22
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1401	3.7	2	2	3	4	4	5	6	8
B. *Operated*	2170	4.8	6	2	3	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	689	4.1	3	2	3	4	5	6	7	11
B. *Operated*	4472	5.4	7	3	3	5	6	8	9	15
1. SINGLE DX	3571	4.4	5	2	3	4	5	6	7	10
2. MULTIPLE DX	5161	5.2	6	3	3	5	6	8	9	14
A. NOT OPERATED	2090	3.8	3	2	3	4	4	5	6	9
B. OPERATED	6642	5.2	7	3	3	5	6	8	9	14
TOTAL 0-19 YRS	1332	4.7	5	2	3	4	6	7	8	13
20-34	7068	4.9	6	3	3	4	6	7	8	13
35-49	331	5.6	9	2	3	5	7	8	10	18
50-64	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**8732**	**4.9**	**6**	**2**	**3**	**4**	**6**	**7**	**8**	**13**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.1	1	1	1	3	4	4	5	6
20-34	206	3.8	4	2	2	3	4	5	7	15
35-49	12	2.8	1	1	1	3	3	4	4	4
50-64										
B. *Operated*										
0-19 YRS	64	4.8	4	2	3	5	6	7	8	12
20-34	711	5.1	8	2	3	5	6	7	8	17
35-49	50	5.2	6	1	2	5	7	8	10	11
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.4	6	1	2	4	6	8	9	9
20-34	120	3.7	3	1	2	4	4	6	7	10
35-49	12	6.3	34	2	2	5	6	12	22	24
50-64										
B. *Operated*										
0-19 YRS	146	5.7	9	2	2	5	7	9	11	18
20-34	1352	6.1	14	3	3	6	7	9	11	18
35-49	165	6.7	11	3	3	6	8	10	13	17
50-64	2	6.0	2	5	5	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	245	3.6	4	2	2	3	4	5	6	13
B. *Operated*	825	5.1	7	2	3	5	6	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	146	4.0	6	2	2	4	5	6	7	12
B. *Operated*	1665	6.2	13	3	3	6	7	9	11	18
1. SINGLE DX	1070	4.8	7	2	3	4	6	7	8	15
2. MULTIPLE DX	1811	6.0	13	3	3	6	7	9	11	18
A. NOT OPERATED	391	3.8	5	2	2	3	4	6	7	13
B. OPERATED	2490	5.8	12	2	3	6	7	8	10	18
TOTAL 0-19 YRS	251	5.1	8	2	2	5	6	8	9	17
20-34	2389	5.5	12	2	3	5	7	8	9	17
35-49	239	6.1	11	2	3	6	7	9	12	18
50-64	2	6.0	2	5	5	6	7	7	7	7
GRAND TOTAL	**2881**	**5.5**	**11**	**2**	**3**	**5**	**7**	**8**	**10**	**17**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	5.1	3	2	3	5	6	7	8	8
20-34	103	5.5	5	2	2	6	7	8	9	13
35-49	4	7.0	6	5	5	7	9	10	10	10
50-64										
B. *Operated*										
0-19 YRS	722	6.2	3	4	5	6	7	8	8	12
20-34	9627	6.4	4	4	5	6	7	8	8	10
35-49	368	6.9	8	5	5	7	7	8	9	14
50-64	5	6.6	1	5	5	7	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	4	3	3	6	7	7	7	7
20-34	50	6.1	7	3	3	6	7	9	12	15
35-49	3	8.7		8	8	9	9	9	9	9
50-64										
B. *Operated*										
0-19 YRS	486	7.0	25	4	5	6	7	9	11	21
20-34	9234	6.8	10	4	5	6	7	8	10	18
35-49	728	7.4	15	5	5	7	8	9	11	24
50-64	8	10.0	25	6	6	8	13	18	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	5.5	5	2	2	6	7	8	9	12
B. *Operated*	10722	6.4	4	4	5	6	7	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	56	6.2	6	3	3	6	7	9	11	15
B. *Operated*	10456	6.9	11	4	5	6	7	8	10	18
1. SINGLE DX	10838	6.4	5	4	5	6	7	8	8	11
2. MULTIPLE DX	10512	6.9	11	4	5	6	7	8	10	18
A. NOT OPERATED	172	5.7	6	2	3	6	7	8	9	15
B. OPERATED	21178	6.7	8	4	5	6	7	8	9	15
TOTAL 0-19 YRS	1220	6.5	12	4	5	6	7	8	9	15
20-34	19014	6.6	7	4	5	6	7	8	9	15
35-49	1103	7.3	13	5	5	7	8	9	10	21
50-64	13	8.7	18	5	6	7	8	17	19	19
GRAND TOTAL	**21350**	**6.6**	**8**	**4**	**5**	**6**	**7**	**8**	**9**	**15**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	528	3.4	4	1	1	3	4	5	6	13
20-34	2628	3.6	4	1	2	3	4	5	6	10
35-49	98	3.6	6	1	1	3	4	5	6	17
50-64										
B. *Operated*										
0-19 YRS	551	4.0	5	2	3	4	4	6	7	9
20-34	2912	4.0	7	2	3	4	4	6	7	10
35-49	133	4.4	3	3	3	4	5	7	8	9
50-64	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	298	4.0	7	1	2	3	5	6	8	14
20-34	1218	4.1	8	1	2	4	5	6	7	13
35-49	64	4.5	5	1	2	4	5	8	9	11
50-64	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	912	5.0	19	2	3	4	6	8	9	21
20-34	5283	5.0	6	3	3	4	6	8	9	14
35-49	348	5.3	6	3	3	5	6	8	10	15
50-64	2	4.0	2	3	3	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3254	3.6	4	1	1	3	4	5	6	11
B. *Operated*	3597	4.0	7	2	3	4	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	1581	4.1	8	1	2	4	5	6	8	13
B. *Operated*	6545	5.0	8	2	3	4	6	8	9	15
1. SINGLE DX	6851	3.8	5	1	2	4	4	5	7	10
2. MULTIPLE DX	8126	4.8	8	2	3	4	6	7	9	14
A. NOT OPERATED	4835	3.8	5	1	2	4	4	5	7	12
B. OPERATED	10142	4.7	8	2	3	4	5	7	8	13
TOTAL 0-19 YRS	2289	4.3	11	1	2	4	5	7	8	15
20-34	12041	4.4	7	2	3	4	5	7	8	12
35-49	643	4.8	6	2	3	4	6	7	9	14
50-64	4	4.3	1	3	3	4	5	5	5	5
GRAND TOTAL	**14977**	**4.4**	**7**	**2**	**2**	**4**	**5**	**7**	**8**	**13**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1563	3.3	9	2	2	3	4	4	5	6
20-34	8913	3.4	2	2	2	3	4	4	5	7
35-49	376	3.3	1	2	2	3	4	4	5	7
50-64	9	3.2	1	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	855	3.4	2	2	2	3	4	5	5	7
20-34	4919	3.5	2	2	2	3	4	5	5	8
35-49	216	3.7	2	2	2	4	4	5	6	8
50-64	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	349	3.7	12	2	2	3	4	5	6	9
20-34	1697	3.6	2	2	2	3	4	5	6	9
35-49	111	3.6	2	2	2	4	4	5	6	7
50-64										
B. *Operated*										
0-19 YRS	753	4.0	15	2	2	3	4	6	7	16
20-34	5560	4.0	4	2	3	4	5	6	7	10
35-49	420	4.5	4	2	3	4	5	6	8	12
50-64	3	3.3		3	3	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10861	3.4	3	2	2	3	4	4	5	7
B. *Operated*	5993	3.5	2	2	2	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	2157	3.6	4	2	2	3	4	5	6	9
B. *Operated*	6736	4.1	5	2	3	4	5	6	7	11
1. SINGLE DX	16854	3.4	3	2	2	3	4	5	5	7
2. MULTIPLE DX	8893	4.0	5	2	2	4	4	6	7	10
A. NOT OPERATED	13018	3.4	3	2	2	3	4	5	5	7
B. OPERATED	12729	3.8	4	2	2	3	4	5	6	9
TOTAL 0-19 YRS	3520	3.5	9	2	2	3	4	5	5	9
20-34	21089	3.6	3	2	2	3	4	5	6	8
35-49	1123	3.9	3	2	2	4	4	6	7	9
50-64	15	3.1	1	2	2	3	3	4	5	5
GRAND TOTAL	**25747**	**3.6**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	239	3.0	1	<1	1	3	4	4	5	7
20-34	1237	3.2	3	1	2	3	4	4	5	7
35-49	76	3.5	7	1	1	3	4	5	6	19
50-64	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	1751	3.3	13	2	2	3	4	4	5	6
20-34	11261	3.3	3	2	2	3	4	4	5	7
35-49	723	3.4	2	2	2	3	4	5	5	7
50-64	3	5.0	3	4	4	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	3.4	1	2	2	3	4	5	6	6
20-34	304	3.5	3	1	2	3	4	5	6	10
35-49	18	3.7	2	2	2	4	5	5	6	7
50-64										
B. *Operated*										
0-19 YRS	762	3.6	2	2	2	3	4	5	6	10
20-34	5528	3.8	4	2	2	4	4	5	6	10
35-49	521	4.1	3	2	2	4	5	6	7	13
50-64	5	5.6	22	1	1	4	8	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1553	3.2	3	1	1	3	4	4	5	7
B. *Operated*	13738	3.3	4	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	388	3.5	2	1	2	3	4	5	6	9
B. *Operated*	6816	3.8	4	2	2	4	4	5	6	10
1. SINGLE DX	15291	3.3	4	2	2	3	4	4	5	7
2. MULTIPLE DX	7204	3.8	4	2	2	4	4	5	6	10
A. NOT OPERATED	1941	3.2	3	1	2	3	4	5	5	7
B. OPERATED	20554	3.5	4	2	2	3	4	5	5	8
TOTAL 0-19 YRS	2818	3.4	9	2	2	3	4	4	5	8
20-34	18330	3.4	3	2	2	3	4	5	5	8
35-49	1338	3.7	3	2	2	3	4	5	6	10
50-64	9	5.1	12	1	2	4	7	11	13	13
GRAND TOTAL	**22495**	**3.4**	**4**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	248	3.5	4	2	2	3	4	5	5	21
20-34	860	3.5	2	2	2	3	4	5	5	7
35-49	23	3.6	2	2	2	3	4	5	7	9
50-64										
B. *Operated*										
0-19 YRS	2128	3.5	4	2	2	3	4	5	5	7
20-34	8199	3.6	2	2	3	3	4	5	5	7
35-49	159	3.8	1	2	3	4	4	5	6	7
50-64	5	2.8	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	3.8	5	2	2	3	4	6	7	16
20-34	179	3.7	3	2	2	3	4	5	7	10
35-49	3	3.7		3	3	4	4	4	4	4
50-64										
B. *Operated*										
0-19 YRS	1220	3.9	4	2	3	4	4	5	7	10
20-34	4368	4.1	6	2	3	4	4	5	6	12
35-49	150	4.4	5	3	3	4	5	6	7	11
50-64	2	5.5	1	5	5	5	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1131	3.5	3	2	2	3	4	5	5	8
B. *Operated*	10491	3.6	3	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	243	3.7	3	2	2	3	4	5	7	10
B. *Operated*	5740	4.0	6	2	3	4	4	5	6	11
1. SINGLE DX	11622	3.6	3	2	2	3	4	5	5	7
2. MULTIPLE DX	5983	4.0	6	2	3	4	4	5	6	11
A. NOT OPERATED	1374	3.5	3	2	2	3	4	5	5	9
B. OPERATED	16231	3.7	4	2	3	4	4	5	6	8
TOTAL 0-19 YRS	3657	3.6	4	2	2	3	4	5	6	9
20-34	13606	3.8	4	2	3	4	4	5	6	8
35-49	335	4.0	3	2	3	4	5	6	6	9
50-64	7	3.6	3	1	1	3	5	6	6	6
GRAND TOTAL	**17605**	**3.7**	**4**	**2**	**3**	**3**	**4**	**5**	**6**	**9**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	3.6	4	2	2	3	4	5	6	7
20-34	523	3.6	5	2	2	3	4	5	5	11
35-49	15	2.7	1	1	2	3	3	4	4	4
50-64										
B. *Operated*										
0-19 YRS	932	3.5	3	2	2	3	4	5	5	8
20-34	3724	3.6	3	2	2	3	4	5	5	8
35-49	105	3.8	2	2	3	4	4	5	6	10
50-64	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	3.6	1	3	3	3	4	5	5	6
20-34	164	3.8	3	2	2	4	4	5	7	11
35-49	15	4.0	3	2	2	4	4	5	8	9
50-64										
B. *Operated*										
0-19 YRS	699	3.8	3	2	2	3	4	5	7	11
20-34	2719	4.1	4	2	3	4	5	6	7	11
35-49	139	4.5	3	2	3	4	5	7	8	11
50-64	2	5.0	8	3	3	5	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	686	3.5	4	2	2	3	4	5	5	10
B. *Operated*	4762	3.6	3	2	2	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	229	3.8	2	2	2	4	4	5	7	11
B. *Operated*	3559	4.0	4	2	3	4	5	6	7	11
1. SINGLE DX	5448	3.6	3	2	2	3	4	5	5	9
2. MULTIPLE DX	3788	4.0	3	2	3	4	4	6	7	11
A. NOT OPERATED	915	3.6	4	2	2	3	4	5	6	11
B. OPERATED	8321	3.8	3	2	2	3	4	5	6	10
TOTAL 0-19 YRS	1829	3.6	3	2	2	3	4	5	6	9
20-34	7130	3.8	4	2	2	4	4	5	6	10
35-49	274	4.1	3	2	2	4	5	6	7	11
50-64	3	4.3	5	3	3	3	6	7	7	7
GRAND TOTAL	**9236**	**3.8**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**10**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2087	3.4	9	1	2	3	4	5	6	12
20-34	8561	3.4	5	1	1	3	4	5	6	9
35-49	426	3.6	5	<1	1	3	4	6	7	14
50-64	5	4.4	10	1	1	4	7	9	9	9
B. *Operated*										
0-19 YRS	7540	3.6	5	2	2	3	4	5	6	10
20-34	32677	3.8	5	2	2	4	4	5	6	10
35-49	1258	4.1	5	2	2	4	5	6	7	11
50-64	12	3.7	1	2	2	4	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1083	3.6	4	1	2	3	4	6	7	11
20-34	4151	3.9	13	1	2	3	4	6	7	14
35-49	267	4.0	7	1	2	3	5	7	8	16
50-64	4	5.5	16	2	2	4	8	11	11	11
B. *Operated*										
0-19 YRS	5195	4.7	10	2	2	4	5	8	10	17
20-34	25443	4.9	13	2	3	4	6	8	10	19
35-49	1870	5.8	21	2	3	5	7	9	13	24
50-64	14	5.3	10	3	3	4	7	10	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11079	3.4	6	1	1	3	4	5	6	10
B. *Operated*	41487	3.8	5	2	2	4	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	5505	3.8	11	1	2	3	4	6	7	13
B. *Operated*	32522	5.0	13	2	3	4	6	8	10	19
1. SINGLE DX	52566	3.7	5	2	2	3	4	5	6	10
2. MULTIPLE DX	38027	4.8	13	2	2	4	5	7	9	18
A. NOT OPERATED	16584	3.5	8	1	2	3	4	5	6	12
B. OPERATED	74009	4.3	9	2	2	4	5	6	8	15
TOTAL 0-19 YRS	15905	3.9	7	2	2	3	4	6	8	14
20-34	70832	4.2	8	2	2	4	5	6	8	14
35-49	3821	4.9	14	2	2	4	6	8	10	20
50-64	35	4.6	8	2	2	4	5	9	11	14
GRAND TOTAL	**90593**	**4.2**	**9**	**2**	**2**	[illegible]	**5**	**6**	**8**	**14**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	4.5	3	2	2	4	5	7	8	11
20-34	268	4.3	5	2	2	4	5	7	8	13
35-49	6	6.0	1	5	5	6	7	7	7	7
50-64										
B. *Operated*										
0-19 YRS	21	4.4	5	1	1	4	7	8	8	8
20-34	47	4.8	14	1	1	4	6	9	12	19
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	4.5	5	2	2	4	5	7	10	11
20-34	110	5.3	12	2	2	5	6	9	12	21
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64										
B. *Operated*										
0-19 YRS	14	6.1	16	1	3	5	7	10	16	18
20-34	60	7.1	37	2	2	5	9	13	21	32
35-49	3	7.7	4	6	6	7	9	10	10	10
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	375	4.4	4	2	2	4	5	7	8	13
B. *Operated*	69	4.7	11	1	1	4	6	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	151	5.1	10	2	2	5	6	8	11	17
B. *Operated*	77	7.0	32	2	3	5	8	12	19	31
1. SINGLE DX	444	4.4	5	1	2	4	5	7	8	13
2. MULTIPLE DX	228	5.7	18	2	2	5	6	10	13	26
A. NOT OPERATED	526	4.6	6	2	2	4	6	7	9	14
B. OPERATED	146	5.9	23	1	2	5	7	11	16	26
TOTAL 0-19 YRS	175	4.6	5	2	2	4	5	7	9	12
20-34	485	4.9	12	2	2	4	6	8	11	20
35-49	12	6.2	3	3	4	6	7	8	10	10
50-64										
GRAND TOTAL	**672**	**4.9**	**10**	**2**	**2**	**4**	**6**	**8**	**11**	**18**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	2.1	5	<1	<1	1	3	3	5	14
20-34	275	2.1	5	<1	1	2	2	3	4	8
35-49	12	2.0	1	<1	<1	2	3	4	4	4
50-64										
B. *Operated*										
0-19 YRS	146	2.1	2	<1	1	2	3	4	4	8
20-34	918	2.1	2	1	1	2	3	4	5	7
35-49	37	2.1	1	1	1	2	3	3	5	6
50-64	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	2.9	3	<1	1	3	4	6	7	7
20-34	96	2.7	2	1	1	2	3	5	6	7
35-49	5	2.8	4	1	1	2	4	6	6	6
50-64										
B. *Operated*										
0-19 YRS	80	3.2	3	1	1	3	4	6	7	8
20-34	463	3.1	7	1	1	2	4	7	8	14
35-49	25	2.8	3	1	1	2	3	5	7	7
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	330	2.1	5	<1	1	2	2	3	4	9
B. *Operated*	1102	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	129	2.7	2	1	1	2	3	5	6	7
B. *Operated*	568	3.1	6	1	1	2	4	7	8	13
1. SINGLE DX	1432	2.1	3	<1	1	2	3	4	4	7
2. MULTIPLE DX	697	3.1	6	1	1	2	4	6	8	12
A. NOT OPERATED	459	2.3	4	<1	1	2	3	4	5	7
B. OPERATED	1670	2.4	4	1	1	2	3	4	6	10
TOTAL 0-19 YRS	297	2.5	3	<1	1	2	3	5	6	8
20-34	1752	2.4	4	1	1	2	3	4	6	10
35-49	79	2.3	2	1	1	2	3	4	6	7
50-54	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**2129**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**	**10**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	4.3	6	1	2	4	5	8	9	12
20-34	232	4.4	13	1	1	3	5	9	11	18
35-49	14	5.4	14	1	2	4	7	10	14	15
50-64										
B. *Operated*										
0-19 YRS	64	3.4	5	1	1	3	4	5	8	13
20-34	335	3.4	6	1	1	3	4	5	8	13
35-49	24	3.5	10	1	1	3	4	6	12	15
50-64	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	5.6	39	1	1	3	6	16	20	28
20-34	140	5.4	25	1	1	4	7	10	18	27
35-49	12	6.8	35	1	2	5	9	18	19	19
50-64										
B. *Operated*										
0-19 YRS	45	4.6	17	1	1	3	5	12	15	19
20-34	244	4.2	11	1	2	4	5	7	10	20
35-49	18	6.6	39	1	1	5	9	13	22	27
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	290	4.4	12	1	1	3	5	9	11	17
B. *Operated*	424	3.4	6	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	179	5.5	27	1	1	4	7	11	19	28
B. *Operated*	307	4.4	13	1	2	4	5	8	11	23
1. SINGLE DX	714	3.8	9	1	1	3	4	8	10	15
2. MULTIPLE DX	486	4.8	19	1	1	4	6	9	15	27
A. NOT OPERATED	469	4.8	18	1	1	4	6	10	13	22
B. OPERATED	731	3.9	10	1	1	3	4	7	9	17
TOTAL 0-19 YRS	180	4.2	13	1	1	3	5	8	12	19
20-34	951	4.2	12	1	1	3	5	8	11	20
35-49	68	5.3	24	1	1	4	6	12	15	26
50-64	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**1200**	**4.2**	**13**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1270	4.5	9	2	2	4	5	7	9	16
20-34	1048	5.1	13	2	2	4	6	8	11	21
35-49	683	5.5	11	2	2	5	7	10	12	20
50-64	607	6.8	23	2	3	6	8	12	15	26
65+	483	7.7	28	2	3	6	9	14	18	26
B. *Operated*										
0-19 YRS	757	5.3	18	1	1	4	7	11	13	23
20-34	709	5.7	24	1	2	4	7	11	14	26
35-49	407	7.0	41	2	2	5	9	13	15	33
50-64	299	8.4	54	2	2	7	10	17	22	48
65+	199	10.0	54	2	3	9	13	17	21	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1102	5.3	14	2	2	4	6	9	11	19
20-34	1266	6.0	23	2	2	5	7	10	14	25
35-49	1342	7.5	26	2	3	6	9	13	17	30
50-64	1901	9.1	42	3	4	7	11	17	21	32
65+	2682	11.4	61	3	4	9	14	21	26	43
B. *Operated*										
0-19 YRS	476	7.6	50	2	2	6	9	15	19	42
20-34	735	9.3	89	2	3	6	11	20	27	55
35-49	722	11.8	126	2	3	9	15	23	35	62
50-64	929	15.7	167	3	4	12	21	33	41	81
65+	985	18.6	205	4	6	14	24	38	52	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4091	5.5	16	2	2	5	7	10	13	22
B. *Operated*	2371	6.5	33	1	2	5	8	13	16	30
2. MULTIPLE DX										
A. *Not Operated*	8293	8.6	44	2	3	7	11	16	21	34
B. *Operated*	3847	13.5	155	2	3	9	17	29	39	71
1. SINGLE DX	6462	5.9	22	2	2	5	7	11	14	25
2. MULTIPLE DX	12140	10.1	85	2	3	7	12	20	28	51
A. NOT OPERATED	12384	7.6	37	2	3	6	9	15	19	31
B. OPERATED	6218	10.8	120	2	2	7	13	24	33	59
TOTAL 0-19 YRS	3605	5.3	18	2	2	4	6	9	13	22
20-34	3758	6.3	35	2	2	5	7	12	16	31
35-49	3154	8.0	53	2	3	6	10	15	20	41
50-64	3736	10.3	81	2	3	8	12	21	28	48
65+	4349	12.5	102	3	4	10	16	24	31	56
GRAND TOTAL	**18602**	**8.7**	**67**	**2**	**3**	**6**	**10**	**17**	**24**	**44**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	542	4.7	13	1	2	4	6	8	9	15
20-34	246	4.9	22	2	2	4	5	9	12	19
35-49	125	5.6	14	2	2	5	7	11	14	18
50-64	96	5.9	23	2	2	5	7	11	13	28
65+	72	7.6	43	2	3	6	9	13	20	38
B. *Operated*										
0-19 YRS	372	3.8	11	1	1	3	5	8	10	15
20-34	326	5.2	28	1	1	4	6	11	14	28
35-49	216	5.4	27	1	2	3	7	11	16	37
50-64	176	6.6	68	2	2	4	7	14	20	43
65+	111	7.6	46	1	2	5	10	18	21	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	602	5.3	11	2	2	5	7	9	11	19
20-34	255	6.0	28	2	2	5	7	11	15	33
35-49	244	7.1	24	2	3	6	9	13	17	22
50-64	328	9.2	45	2	3	8	12	17	21	37
65+	488	11.2	93	3	4	8	14	22	26	56
B. *Operated*										
0-19 YRS	252	6.1	26	1	2	5	8	12	14	30
20-34	310	8.0	92	1	2	5	10	16	23	56
35-49	218	10.3	94	2	2	7	13	24	30	52
50-64	359	12.5	141	2	3	9	15	29	39	53
65+	387	15.2	177	3	4	11	21	31	46	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1081	5.1	19	2	2	4	6	9	12	21
B. *Operated*	1201	5.2	31	1	1	3	7	11	15	30
2. MULTIPLE DX										
A. *Not Operated*	1917	7.8	47	2	3	6	9	15	20	37
B. *Operated*	1526	10.9	125	2	2	7	14	25	32	55
1. SINGLE DX	2282	5.2	25	1	2	4	6	10	14	26
2. MULTIPLE DX	3443	9.2	84	2	2	6	11	19	26	52
A. NOT OPERATED	2998	6.8	38	2	2	5	8	13	18	33
B. OPERATED	2727	8.4	92	1	2	5	10	19	27	52
TOTAL 0-19 YRS	1768	4.9	14	1	2	4	6	9	11	18
20-34	1137	6.1	46	1	2	4	7	12	16	37
35-49	803	7.3	46	2	2	5	9	15	19	38
50-64	959	9.6	89	2	2	7	12	20	29	51
65+	1058	12.0	123	2	3	9	15	25	32	67
GRAND TOTAL	**5725**	**7.6**	**64**	**2**	**2**	**5**	**9**	**15**	**22**	**45**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	3.7	3	1	1	3	5	6	7	8
20-34	67	3.7	3	1	1	3	5	7	8	84
35-49	18	3.6	12	<1	<1	3	4	7	12	15
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	1922	4.5	6	2	2	4	5	7	8	13
20-34	3418	4.5	8	2	2	4	5	7	9	13
35-49	448	4.7	7	2	2	4	6	8	9	14
50-64	111	5.0	7	2	2	5	6	8	9	15
65+	24	4.8	14	1	2	4	5	9	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.2	9	<1	1	4	6	9	10	11
20-34	43	3.4	7	<1	<1	3	5	7	9	10
35-49	4	4.0	5	1	1	4	5	6	6	6
50-64	3	7.7	12	4	4	8	10	11	11	11
65+	5	11.0	66	5	5	7	14	25	25	25
B. *Operated*										
0-19 YRS	236	5.6	15	2	3	5	7	9	12	27
20-34	601	5.5	16	2	3	4	6	10	12	17
35-49	173	7.0	62	2	3	5	9	12	15	26
50-64	70	6.8	28	2	3	5	7	12	18	30
65+	29	13.7	128	2	4	11	16	26	45	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	3.7	4	1	1	3	5	6	8	28
B. *Operated*	5923	4.5	7	2	2	4	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	73	4.3	14	<1	1	4	6	8	11	22
B. *Operated*	1109	6.1	28	2	3	5	7	11	14	24
1. SINGLE DX	6057	4.5	7	2	2	4	5	7	9	13
2. MULTIPLE DX	1182	5.9	28	2	3	5	7	10	14	24
A. NOT OPERATED	207	3.9	8	<1	1	4	5	7	8	19
B. OPERATED	7032	4.8	11	2	2	4	6	8	9	15
TOTAL 0-19 YRS	2223	4.6	7	2	2	4	5	7	9	14
20-34	4129	4.6	9	2	2	4	5	8	9	14
35-49	643	5.3	23	2	2	4	6	9	11	17
50-64	186	5.7	15	2	2	5	7	10	12	25
65+	58	9.8	92	2	2	6	13	21	27	49
GRAND TOTAL	**7239**	**4.7**	**11**	**2**	**2**	**4**	**6**	**8**	**9**	**15**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.2	5	<1	<1	1	2	4	8	10
20-34	12	2.3	2	<1	<1	2	3	4	5	5
35-49	7	2.6	2	1	1	2	4	5	5	5
50-64	8	2.4	1	1	1	3	3	3	3	3
65+	3	3.0	3	2	2	2	4	5	5	5
B. *Operated*										
0-19 YRS	442	1.8	1	<1	<1	2	2	3	4	7
20-34	594	2.3	4	<1	1	2	3	4	5	10
35-49	411	2.4	6	<1	1	2	3	4	5	9
50-64	289	2.5	6	<1	1	2	3	4	6	11
65+	108	3.4	20	1	1	2	3	5	9	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.0	1	2	2	3	4	4	4	4
20-34	11	4.0	13	1	1	3	5	9	14	14
35-49	7	4.9	15	1	1	4	8	10	11	11
50-64	14	4.6	9	1	2	4	7	10	10	10
65+	16	6.2	16	<1	1	6	8	12	14	15
B. *Operated*										
0-19 YRS	87	2.5	4	<1	1	2	3	5	7	12
20-34	219	3.5	12	1	1	3	4	6	8	18
35-49	280	3.7	15	1	1	3	4	7	10	15
50-64	266	4.1	16	1	1	3	5	8	12	22
65+	161	5.5	23	1	2	4	7	12	15	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.3	3	<1	<1	2	3	4	5	10
B. *Operated*	1844	2.3	5	<1	1	2	3	4	5	12
2. MULTIPLE DX										
A. *Not Operated*	55	4.8	12	1	1	4	7	10	12	15
B. *Operated*	1013	4.0	16	1	1	3	5	8	11	19
1. SINGLE DX	1894	2.3	5	<1	1	2	3	4	5	11
2. MULTIPLE DX	1068	4.0	15	1	1	3	5	8	11	19
A. NOT OPERATED	105	3.6	9	<1	1	3	4	8	10	14
B. OPERATED	2857	2.9	9	<1	1	2	3	5	7	16
TOTAL 0-19 YRS	556	1.9	2	<1	<1	2	2	3	4	9
20-34	836	2.6	6	<1	1	2	3	4	6	15
35-49	705	3.0	10	<1	1	2	3	6	7	13
50-64	577	3.3	11	<1	1	2	4	6	9	18
65+	288	4.7	22	1	1	3	6	10	14	23
GRAND TOTAL	**2962**	**2.9**	**9**	**<1**	**1**	**2**	**3**	**5**	**8**	**16**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1156	4.4	18	1	1	3	5	8	11	22
20-34	741	5.5	26	1	1	4	7	11	16	24
35-49	505	6.3	33	1	2	5	8	13	18	28
50-64	447	7.7	45	1	2	5	10	16	21	31
65+	439	9.9	85	2	3	8	12	19	29	53
B. *Operated*										
0-19 YRS	1972	3.2	23	<1	1	2	3	6	10	24
20-34	2161	4.6	42	1	1	3	5	9	15	34
35-49	1350	5.5	54	1	2	3	5	12	18	37
50-64	1308	5.6	61	1	1	3	5	12	22	43
65+	827	10.0	159	1	2	5	13	27	36	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1106	5.5	28	1	2	4	6	10	14	25
20-34	892	8.1	69	1	2	5	10	19	25	40
35-49	940	9.5	69	2	2	7	12	20	25	44
50-64	1400	10.4	78	2	3	8	13	21	27	48
65+	2876	13.0	111	3	4	10	17	26	33	56
B. *Operated*										
0-19 YRS	874	5.7	68	1	1	3	6	13	24	50
20-34	1708	9.3	167	1	2	4	10	26	40	99
35-49	1695	9.8	175	1	2	5	11	26	42	98
50-64	2294	11.3	191	2	2	6	14	28	42	90
65+	2274	19.6	319	2	3	15	29	46	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3288	6.1	38	1	2	4	7	13	17	31
B. *Operated*	7618	5.2	59	1	1	3	5	11	19	41
2. MULTIPLE DX										
A. *Not Operated*	7214	10.3	88	2	3	7	13	22	29	48
B. *Operated*	8845	12.2	225	1	2	6	16	33	48	95
1. SINGLE DX	10906	5.5	53	1	1	3	6	12	18	38
2. MULTIPLE DX	16059	11.3	164	2	2	7	14	27	39	77
A. NOT OPERATED	10502	9.0	76	1	2	6	11	19	26	45
B. OPERATED	16463	9.0	160	1	1	4	10	24	37	75
TOTAL 0-19 YRS	5108	4.4	32	1	1	3	5	9	13	31
20-34	5502	6.8	87	1	1	4	7	16	24	57
35-49	4490	8.1	104	1	2	5	9	19	28	63
50-64	5449	9.4	124	1	2	6	11	22	31	64
65+	6416	14.7	203	2	3	10	20	34	45	79
GRAND TOTAL	**26965**	**9.0**	**128**	**1**	**2**	**5**	**11**	**22**	**32**	**65**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	7.2	25	1	2	6	11	14	16	23
20-34	133	7.6	33	2	2	6	10	14	19	29
35-49	84	9.4	40	2	3	8	13	17	24	29
50-64	88	9.6	51	3	3	8	13	20	22	38
65+	32	9.4	62	3	3	7	10	23	29	34
B. *Operated*										
0-19 YRS	36	5.8	34	1	2	3	8	12	17	29
20-34	69	11.1	101	3	3	8	14	25	28	55
35-49	53	10.2	55	2	2	9	15	19	22	39
50-64	56	12.0	81	2	4	10	15	20	31	50
65+	28	14.4	138	3	5	10	20	23	36	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	8.0	119	1	2	6	9	15	23	72
20-34	285	9.7	74	2	3	7	12	19	27	68
35-49	258	10.3	75	2	3	8	13	20	30	48
50-64	318	10.8	73	2	4	8	13	20	28	46
65+	232	12.8	92	3	4	10	16	26	32	50
B. *Operated*										
0-19 YRS	44	16.6	326	2	2	9	25	51	68	99+
20-34	155	14.2	129	2	3	11	21	28	36	60
35-49	175	17.2	206	4	5	13	21	37	48	92
50-64	203	16.8	255	3	4	12	21	38	57	99+
65+	145	20.1	219	4	6	16	26	43	56	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	384	8.5	41	2	3	7	11	16	22	30
B. *Operated*	242	10.7	85	2	2	9	14	21	28	51
2. MULTIPLE DX										
A. *Not Operated*	1175	10.6	82	2	3	8	13	21	29	49
B. *Operated*	722	17.0	215	3	4	13	22	36	49	96
1. SINGLE DX	626	9.4	59	2	3	7	12	19	23	38
2. MULTIPLE DX	1897	13.0	142	2	3	9	17	28	39	74
A. NOT OPERATED	1559	10.1	72	2	3	8	13	20	27	46
B. OPERATED	964	15.4	190	2	3	12	20	32	45	82
TOTAL 0-19 YRS	209	9.2	140	1	2	6	11	20	29	84
20-34	642	10.5	86	2	3	8	13	23	28	56
35-49	570	12.3	118	2	3	9	16	24	36	60
50-64	665	12.6	134	3	4	9	16	25	35	80
65+	437	15.1	148	3	4	11	20	31	43	67
GRAND TOTAL	**2523**	**12.1**	**124**	**2**	**3**	**9**	**15**	**25**	**34**	**64**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	244	7.0	27	2	2	5	9	14	16	26
20-34	217	8.1	49	2	3	6	10	16	22	37
35-49	324	9.3	38	2	3	8	12	19	22	29
50-64	509	9.9	43	2	3	9	12	18	21	33
65+	358	10.9	52	3	4	9	15	20	23	38
B. *Operated*										
0-19 YRS	44	6.4	27	1	1	5	10	13	17	21
20-34	134	9.7	54	2	2	8	14	18	23	38
35-49	268	10.6	63	2	3	8	15	19	26	41
50-64	616	12.7	106	2	3	11	17	24	30	70
65+	344	14.2	118	3	4	13	19	24	31	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	8.0	52	2	3	6	9	16	23	57
20-34	219	8.4	38	2	3	7	11	16	19	31
35-49	483	9.7	57	2	3	8	12	19	23	40
50-64	1308	10.6	58	3	4	9	14	20	24	38
65+	1585	11.9	66	3	4	10	16	22	27	42
B. *Operated*										
0-19 YRS	34	10.6	92	1	2	8	15	25	40	99+
20-34	145	10.9	111	2	3	8	13	21	29	69
35-49	387	13.2	159	3	3	10	17	27	36	75
50-64	947	14.4	151	3	4	11	19	29	37	72
65+	791	18.7	175	3	5	16	24	36	45	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1652	9.3	44	2	3	8	12	18	22	34
B. *Operated*	1406	12.2	96	2	3	10	17	23	29	54
2. MULTIPLE DX										
A. *Not Operated*	3730	10.8	61	3	4	9	14	20	25	40
B. *Operated*	2304	15.4	164	3	4	12	20	31	40	74
1. SINGLE DX	3058	10.6	70	2	3	9	14	20	25	42
2. MULTIPLE DX	6034	12.6	105	3	4	10	16	24	32	60
A. NOT OPERATED	5382	10.4	56	3	3	9	13	20	24	38
B. OPERATED	3710	14.2	140	2	3	11	18	28	37	70
TOTAL 0-19 YRS	457	7.5	40	2	2	6	9	15	20	39
20-34	715	9.1	60	2	3	7	12	17	22	40
35-49	1462	10.7	83	2	3	8	14	20	26	52
50-64	3380	11.9	93	3	3	9	16	23	29	54
65+	3078	13.8	107	3	4	11	18	26	33	57
GRAND TOTAL	**9092**	**11.9**	**94**	**3**	**3**	**9**	**16**	**23**	**30**	**53**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	8	2	2	3	5	9	9	9
20-34	44	4.8	12	1	1	4	6	11	13	14
35-49	114	7.4	39	1	2	6	9	13	15	34
50-64	329	6.5	21	1	2	5	9	13	16	22
65+	586	7.5	31	2	2	6	10	15	18	25
B. *Operated*										
0-19 YRS	25	7.0	38	1	2	4	11	16	22	23
20-34	299	5.9	26	2	2	4	7	12	16	29
35-49	683	8.3	47	2	2	6	12	16	21	32
50-64	2440	12.5	59	2	3	12	17	21	25	37
65+	2953	17.1	52	6	9	17	20	25	30	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	7.7	14	4	4	7	9	14	16	16
20-34	67	6.4	22	1	2	5	9	12	15	27
35-49	450	7.7	29	2	2	7	10	14	19	29
50-64	1549	8.2	36	2	3	7	10	15	18	28
65+	4351	9.4	44	2	3	8	12	17	21	32
B. *Operated*										
0-19 YRS	31	9.2	81	2	2	6	11	22	26	40
20-34	235	7.8	51	2	2	5	10	16	20	38
35-49	615	10.2	87	2	2	8	14	19	25	52
50-64	2460	13.7	88	3	4	12	18	25	32	47
65+	3851	19.5	112	6	8	18	24	32	40	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1078	7.1	28	1	2	6	9	14	17	24
B. *Operated*	6400	13.9	65	2	3	14	18	23	27	37
2. MULTIPLE DX										
A. *Not Operated*	6426	9.0	41	2	3	8	11	17	20	32
B. *Operated*	7192	16.3	113	3	4	15	21	29	36	55
1. SINGLE DX	7478	12.9	65	2	3	13	17	23	26	37
2. MULTIPLE DX	13618	12.8	92	3	4	11	17	24	31	49
A. NOT OPERATED	7504	8.7	40	2	3	7	11	16	20	31
B. OPERATED	13592	15.1	92	3	4	15	19	26	32	49
TOTAL 0-19 YRS	70	7.8	53	2	2	5	10	20	23	37
20-34	645	6.6	34	2	2	5	8	14	17	32
35-49	1862	8.7	56	2	2	7	12	17	21	39
50-64	6778	11.7	68	2	3	10	16	21	26	41
65+	11741	14.6	90	3	4	14	19	26	31	48
GRAND TOTAL	**21096**	**12.9**	**83**	**2**	**3**	**11**	**17**	**24**	**29**	**45**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	244	7.3	42	2	2	5	9	15	21	40
20-34	233	6.1	17	2	2	5	8	11	13	24
35-49	176	6.2	21	2	2	5	8	12	14	34
50-64	161	6.7	37	2	2	5	8	13	15	36
65+	177	7.8	58	2	2	6	9	15	20	34
B. *Operated*										
0-19 YRS	125	11.0	86	2	2	8	15	23	29	46
20-34	333	6.6	48	2	2	5	8	15	18	43
35-49	296	7.6	52	2	2	5	10	16	19	38
50-64	359	10.3	88	2	3	8	14	19	25	44
65+	181	15.0	89	2	3	14	19	25	30	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	189	8.4	46	2	2	6	11	19	24	29
20-34	261	7.1	24	1	2	6	9	12	16	23
35-49	306	7.7	32	2	3	7	10	14	18	28
50-64	562	8.3	42	2	3	7	10	15	19	38
65+	1016	9.9	67	2	3	8	12	18	25	48
B. *Operated*										
0-19 YRS	98	16.6	145	2	4	15	21	32	43	85
20-34	212	9.6	84	2	3	7	11	19	27	47
35-49	256	11.3	94	2	3	9	14	23	28	50
50-64	386	13.7	126	2	3	11	18	28	36	61
65+	344	20.2	223	4	5	16	25	40	50	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	991	6.8	35	2	2	5	8	13	17	34
B. *Operated*	1294	9.5	77	2	2	6	13	19	25	44
2. MULTIPLE DX										
A. *Not Operated*	2334	8.8	51	2	3	7	11	17	22	39
B. *Operated*	1296	14.5	155	3	3	11	19	29	40	67
1. SINGLE DX	2285	8.3	60	2	2	6	11	17	22	40
2. MULTIPLE DX	3630	10.8	95	2	3	8	13	22	29	50
A. NOT OPERATED	3325	8.2	47	2	3	6	10	15	21	37
B. OPERATED	2590	12.0	122	2	3	9	16	25	33	57
TOTAL 0-19 YRS	656	9.7	77	2	2	6	13	21	27	44
20-34	1039	7.2	44	2	2	5	9	14	18	39
35-49	1034	8.3	54	2	2	6	11	17	22	41
50-64	1468	10.0	80	2	3	7	13	20	27	45
65+	1718	12.3	118	2	3	9	16	24	33	60
GRAND TOTAL	**5915**	**9.9**	**83**	**2**	**3**	**7**	**12**	**20**	**27**	**47**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	3.7	6	<1	1	3	5	7	9	10
20-34	157	3.3	9	<1	1	2	4	7	10	16
35-49	71	4.5	10	1	1	4	6	9	13	81
50-64	33	4.4	8	1	2	4	5	7	12	14
65+	15	7.1	31	1	1	6	10	17	18	18
B. *Operated*										
0-19 YRS	2518	4.1	4	1	2	4	5	6	8	10
20-34	4465	4.5	6	2	2	4	5	7	8	13
35-49	1977	4.9	8	2	2	5	6	8	9	16
50-64	1029	5.6	10	2	3	5	7	9	12	18
65+	151	7.0	18	2	3	6	9	11	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	3.0	6	<1	<1	2	4	7	9	11
20-34	131	4.7	20	<1	1	3	6	10	15	24
35-49	97	5.0	22	<1	1	4	7	10	13	24
50-64	77	5.9	18	1	2	5	8	12	14	22
65+	47	8.0	37	2	2	6	10	16	22	29
B. *Operated*										
0-19 YRS	1255	4.8	7	2	2	5	6	7	9	15
20-34	2716	5.1	10	2	2	5	6	8	10	17
35-49	1636	5.8	25	2	2	5	7	10	13	22
50-64	1334	6.5	22	2	2	5	8	11	15	22
65+	318	8.5	44	2	3	7	10	16	20	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	407	3.8	9	<1	1	3	5	8	10	16
B. *Operated*	10140	4.6	7	2	2	4	6	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	418	5.1	21	<1	1	4	7	11	14	24
B. *Operated*	7259	5.6	17	2	2	5	7	9	12	21
1. SINGLE DX	10547	4.6	7	1	2	4	6	7	9	14
2. MULTIPLE DX	7677	5.6	17	2	2	5	7	9	12	21
A. NOT OPERATED	825	4.5	16	<1	1	4	6	9	12	21
B. OPERATED	17399	5.1	11	2	2	5	6	8	10	17
TOTAL 0-19 YRS	3970	4.3	5	1	2	4	5	7	8	12
20-34	7469	4.7	8	2	2	4	6	7	9	15
35-49	3781	5.3	16	2	2	5	6	9	11	19
50-64	2473	6.0	17	2	2	5	7	10	14	21
65+	531	8.0	36	2	3	7	10	15	18	34
GRAND TOTAL	**18224**	**5.0**	**12**	**2**	**2**	**4**	**6**	**8**	**10**	**18**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	454	4.5	20	1	1	4	5	8	11	23
20-34	309	4.7	13	1	1	4	6	10	11	19
35-49	203	5.3	23	1	1	4	7	11	14	25
50-64	214	5.6	23	1	1	4	7	12	16	24
65+	187	8.1	62	1	2	6	10	17	21	45
B. *Operated*										
0-19 YRS	2186	4.4	7	2	2	4	5	7	8	13
20-34	3024	4.5	11	2	2	4	5	7	9	16
35-49	938	4.9	21	1	2	4	6	9	12	19
50-64	512	6.0	37	1	2	4	7	12	19	28
65+	202	10.9	78	1	2	9	16	22	27	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	334	4.6	13	1	1	4	6	8	11	19
20-34	377	5.8	33	1	1	4	7	12	16	31
35-49	356	6.5	32	1	2	5	8	12	16	25
50-64	419	7.5	37	1	2	6	10	15	21	29
65+	643	9.3	49	2	3	7	12	18	23	37
B. *Operated*										
0-19 YRS	689	5.2	18	2	2	4	6	9	11	22
20-34	1421	5.7	28	2	2	5	7	10	13	26
35-49	701	6.4	35	2	2	5	7	13	18	32
50-64	590	8.5	77	2	2	5	10	19	28	42
65+	386	15.0	157	2	3	12	21	30	38	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1367	5.3	26	1	1	4	6	11	14	24
B. *Operated*	6862	4.9	16	2	2	4	6	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	2129	7.1	38	1	2	5	9	14	19	31
B. *Operated*	3787	7.1	56	2	2	5	8	15	22	37
1. SINGLE DX	8229	4.9	18	1	2	4	6	8	12	22
2. MULTIPLE DX	5916	7.1	50	2	2	5	8	15	21	36
A. NOT OPERATED	3496	6.4	34	1	2	5	8	13	17	29
B. OPERATED	10649	5.7	31	2	2	4	6	10	15	30
TOTAL 0-19 YRS	3663	4.6	11	1	2	4	5	7	9	16
20-34	5131	5.0	18	1	2	4	6	9	11	21
35-49	2198	5.7	28	1	2	4	7	11	15	26
50-64	1735	7.2	50	1	2	5	9	15	22	35
65+	1418	10.9	91	2	3	8	15	22	28	46
GRAND TOTAL	**14145**	**5.9**	**32**	**1**	**2**	**4**	**7**	**11**	**16**	**30**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	28	8.1	34	3	3	6	11	15	21	26
35-49	21	6.7	10	2	3	6	8	11	13	15
50-64	15	7.6	55	<1	2	5	9	16	27	31
65+	9	7.6	14	4	4	7	9	14	16	16
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	12.8	71	3	3	12	16	23	32	33
35-49	5	9.6	38	3	3	12	14	16	16	16
50-64	4	12.8	165	6	6	7	19	32	32	32
65+	3	10.3	30	5	5	10	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.0	8	2	2	6	9	9	9	9
20-34	16	10.0	41	4	4	8	14	18	24	26
35-49	45	8.0	24	2	3	7	10	15	20	22
50-64	43	9.2	28	2	4	8	12	16	21	26
65+	53	9.2	37	2	3	8	12	20	22	24
B. *Operated*										
0-19 YRS	2	11.0	18	8	8	11	14	14	14	14
20-34	7	13.0	41	5	6	10	20	21	21	21
35-49	12	9.8	44	4	4	8	11	21	25	26
50-64	11	17.7	103	3	5	15	22	34	35	35
65+	8	14.6	71	6	6	11	23	26	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	7.5	28	2	3	6	10	14	16	30
B. *Operated*	24	11.4	67	3	3	11	15	18	32	33
2. MULTIPLE DX										
A. *Not Operated*	163	8.8	31	2	3	7	12	17	21	26
B. *Operated*	40	13.6	68	4	5	11	21	25	30	35
1. SINGLE DX	99	8.5	39	2	3	6	11	16	19	33
2. MULTIPLE DX	203	9.8	41	2	4	8	13	21	22	30
A. NOT OPERATED	238	8.4	30	2	3	7	11	15	21	26
B. OPERATED	64	12.8	68	3	4	11	16	24	32	35
TOTAL 0-19 YRS	11	6.9	12	2	3	7	9	12	14	14
20-34	62	10.0	45	3	3	9	14	19	23	32
35-49	83	8.0	24	2	3	7	10	15	19	25
50-64	73	10.4	59	2	3	8	13	21	30	35
65+	73	9.7	40	2	3	8	13	21	23	26
GRAND TOTAL	**302**	**9.3**	**41**	**2**	**3**	**7**	**12**	**19**	**22**	**32**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	8.8	36	1	3	7	13	18	21	21
20-34	88	6.5	19	1	2	6	9	12	15	21
35-49	336	6.5	14	2	2	6	8	12	14	18
50-64	593	7.4	23	2	3	7	9	13	16	23
65+	500	8.3	35	2	3	7	11	16	20	30
B. *Operated*										
0-19 YRS	10	13.0	370	1	1	7	10	44	64	64
20-34	144	8.2	28	2	2	7	11	16	18	23
35-49	521	9.0	57	2	2	7	12	17	22	33
50-64	662	9.5	47	2	2	8	13	17	23	31
65+	176	12.9	62	3	3	11	18	23	27	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	7.8	50	2	3	5	9	16	26	31
20-34	174	7.4	22	2	3	6	9	13	17	30
35-49	1075	7.7	20	2	3	7	10	14	16	23
50-64	2772	8.3	27	3	3	7	11	15	18	26
65+	3925	9.2	36	3	3	8	12	17	20	30
B. *Operated*										
0-19 YRS	9	11.8	110	4	4	9	16	69	99+	99+
20-34	95	9.9	65	2	3	8	12	18	21	51
35-49	703	11.4	65	2	3	10	14	20	25	40
50-64	1256	12.7	86	2	4	11	16	23	28	50
65+	891	15.9	144	3	4	13	21	30	40	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1528	7.5	25	2	3	6	9	14	17	26
B. *Operated*	1513	9.6	54	2	2	8	13	19	23	34
2. MULTIPLE DX										
A. *Not Operated*	7963	8.7	31	3	3	7	11	15	19	28
B. *Operated*	2954	13.2	101	3	4	11	17	25	32	58
1. SINGLE DX	3041	8.6	41	2	2	7	11	16	20	32
2. MULTIPLE DX	10917	9.9	54	3	3	8	12	18	23	39
A. NOT OPERATED	9491	8.5	30	2	3	7	11	15	19	28
B. OPERATED	4467	12.0	88	2	3	10	15	23	29	51
TOTAL 0-19 YRS	47	9.9	121	1	2	6	11	24	41	99+
20-34	501	8.0	32	2	3	7	10	15	18	26
35-49	2635	8.8	42	2	3	7	11	16	20	32
50-64	5283	9.4	47	2	3	8	12	17	22	36
65+	5492	10.3	61	3	3	8	13	19	25	41
GRAND TOTAL	**13958**	**9.6**	**51**	**2**	**3**	**8**	**12**	**18**	**23**	**37**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	8.7	55	2	3	7	10	14	18	49
20-34	1687	8.1	26	2	3	7	10	14	16	26
35-49	2515	8.4	25	2	3	8	11	14	17	23
50-64	1428	9.0	26	2	3	8	11	15	18	26
65+	356	9.6	33	3	4	8	13	18	20	29
B. *Operated*										
0-19 YRS	282	9.1	35	2	2	8	11	16	20	32
20-34	5126	10.2	41	2	3	9	13	19	22	31
35-49	7706	10.8	43	2	3	10	14	19	23	32
50-64	3874	11.9	52	2	3	11	15	21	25	35
65+	604	13.9	78	2	4	12	18	26	30	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	8.7	20	2	3	8	12	14	17	18
20-34	745	9.1	33	2	3	8	12	16	20	30
35-49	1736	9.6	38	3	4	8	12	17	21	32
50-64	1845	10.0	33	3	4	9	13	16	20	31
65+	1212	10.5	39	3	4	9	13	18	21	34
B. *Operated*										
0-19 YRS	45	11.3	94	2	2	9	14	26	36	41
20-34	1420	12.8	70	2	4	11	16	23	28	38
35-49	3142	13.5	77	3	4	12	17	24	30	46
50-64	2737	15.0	89	3	5	13	19	27	32	48
65+	905	18.4	128	4	7	16	24	32	40	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6072	8.5	27	2	3	8	11	15	17	26
B. *Operated*	17592	11.0	46	2	3	10	14	20	24	33
2. MULTIPLE DX										
A. *Not Operated*	5567	9.9	36	3	4	9	12	17	20	32
B. *Operated*	8249	14.4	88	3	5	12	18	26	32	48
1. SINGLE DX	23664	10.3	42	2	3	9	13	19	22	32
2. MULTIPLE DX	13816	12.6	72	3	4	11	16	23	29	44
A. NOT OPERATED	11639	9.1	32	2	3	8	12	16	19	28
B. OPERATED	25841	12.1	62	2	3	11	16	22	27	38
TOTAL 0-19 YRS	442	9.2	44	2	2	8	11	16	20	36
20-34	8978	10.1	44	2	3	9	13	18	22	32
35-49	15099	10.8	49	2	3	10	14	19	24	35
50-64	9884	12.0	60	2	4	10	15	22	26	38
65+	3077	13.4	84	3	4	11	17	25	31	49
GRAND TOTAL	**37480**	**11.2**	**55**	**2**	**3**	**10**	**14**	**20**	**25**	**36**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	7.5	37	2	2	6	9	14	19	34
20-34	497	7.8	21	2	3	7	10	13	16	24
35-49	885	8.1	22	2	3	7	10	14	16	23
50-64	532	8.5	25	2	3	8	11	14	17	25
65+	130	8.4	29	3	3	7	11	14	16	26
B. *Operated*										
0-19 YRS	31	10.5	68	2	2	9	12	25	29	33
20-34	736	9.6	52	2	2	8	13	17	20	30
35-49	1716	10.1	40	2	3	9	13	18	21	31
50-64	1021	11.1	49	2	3	10	14	20	24	32
65+	113	11.8	48	3	4	10	16	21	27	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	8.6	26	2	2	10	13	15	16	20
20-34	275	8.6	24	2	4	7	11	15	18	23
35-49	773	8.9	31	2	3	8	11	15	19	28
50-64	884	9.0	27	3	4	8	11	17	20	27
65+	532	9.9	43	3	4	8	12	18	21	29
B. *Operated*										
0-19 YRS	14	13.8	59	2	4	13	20	24	27	28
20-34	264	11.6	55	2	3	10	16	21	26	35
35-49	851	12.6	61	3	5	11	16	23	28	39
50-64	864	13.5	76	2	4	12	18	25	29	46
65+	159	15.7	100	5	6	14	19	28	37	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2085	8.2	23	2	3	7	10	14	16	24
B. *Operated*	3617	10.3	46	2	3	9	13	18	22	32
2. MULTIPLE DX										
A. *Not Operated*	2489	9.1	31	3	3	8	11	16	20	28
B. *Operated*	2152	13.1	70	3	4	11	17	24	28	44
1. SINGLE DX	5702	9.5	39	2	3	8	12	17	20	30
2. MULTIPLE DX	4641	11.0	53	3	4	9	14	20	25	37
A. NOT OPERATED	4574	8.7	28	2	3	8	11	15	18	26
B. OPERATED	5769	11.3	56	2	3	10	15	20	25	37
TOTAL 0-19 YRS	111	9.3	49	2	2	8	12	20	23	33
20-34	1772	9.3	41	2	3	8	12	17	20	30
35-49	4225	9.9	41	2	3	9	13	18	22	32
50-64	3301	10.7	50	2	3	9	14	20	24	34
65+	934	10.9	56	3	4	9	14	19	25	44
GRAND TOTAL	**10343**	**10.2**	**46**	**2**	**3**	**9**	**13**	**18**	**23**	**33**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	7.0	28	2	2	5	9	15	19	25
20-34	833	7.3	19	2	3	7	9	12	14	21
35-49	843	7.8	25	2	2	7	10	13	16	25
50-64	468	7.0	23	1	2	6	10	13	15	24
65+	101	7.3	35	1	1	6	10	14	17	31
B. *Operated*										
0-19 YRS	19	8.6	40	1	2	7	14	16	21	24
20-34	349	8.5	43	2	2	7	11	17	20	34
35-49	425	9.3	47	2	3	8	12	18	24	33
50-64	146	10.0	52	2	3	9	13	20	26	33
65+	10	8.9	35	1	2	8	13	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	7.3	49	2	2	6	9	13	16	47
20-34	678	8.4	28	2	3	7	10	14	18	27
35-49	965	8.9	27	2	4	8	11	15	19	25
50-64	649	9.3	29	2	3	8	12	16	19	26
65+	290	9.6	39	2	3	9	13	18	22	31
B. *Operated*										
0-19 YRS	15	10.5	71	2	3	8	13	22	31	34
20-34	269	10.4	45	2	3	9	14	18	22	30
35-49	333	11.6	48	3	4	10	15	21	26	32
50-64	198	12.7	60	3	4	12	17	23	25	45
65+	39	14.1	78	3	6	12	17	26	35	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2296	7.4	23	2	2	7	10	13	15	25
B. *Operated*	949	9.1	46	2	2	8	12	18	22	33
2. MULTIPLE DX										
A. *Not Operated*	2637	8.9	30	2	3	8	11	15	19	27
B. *Operated*	854	11.5	53	3	4	10	15	21	25	36
1. SINGLE DX	3245	7.9	30	2	2	7	10	14	18	29
2. MULTIPLE DX	3491	9.6	36	2	3	8	12	17	21	30
A. NOT OPERATED	4933	8.2	27	2	2	7	11	14	18	26
B. OPERATED	1803	10.3	51	2	3	9	13	19	24	34
TOTAL 0-19 YRS	140	7.7	43	2	2	6	10	15	19	35
20-34	2129	8.2	30	2	3	7	10	14	18	27
35-49	2566	9.0	33	2	3	8	12	16	20	30
50-64	1461	9.1	37	2	2	8	12	17	20	29
65+	440	9.5	44	1	2	8	13	18	22	35
GRAND TOTAL	**6736**	**8.8**	**34**	**2**	**3**	**8**	**11**	**16**	**20**	**29**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	8.0	18	2	3	8	11	14	15	17
20-34	204	7.5	18	2	3	7	10	13	16	21
35-49	322	8.3	20	2	3	8	11	14	16	23
50-64	230	8.5	21	3	4	8	10	15	17	24
65+	111	9.4	26	3	4	9	12	16	19	27
B. *Operated*										
0-19 YRS	7	9.3	11	3	4	9	12	13	13	13
20-34	116	8.9	46	2	2	8	12	18	20	37
35-49	184	8.6	45	2	2	7	12	17	24	29
50-64	89	10.9	65	2	2	9	16	25	26	30
65+	19	11.5	41	2	4	10	17	20	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	6.2	11	2	2	7	8	11	12	13
20-34	214	8.2	29	3	3	7	11	14	15	26
35-49	371	9.0	25	3	4	8	12	16	18	25
50-64	521	9.9	39	3	4	9	12	17	21	27
65+	513	10.4	37	3	4	9	14	19	23	31
B. *Operated*										
0-19 YRS	3	10.3	65	3	3	9	16	19	19	19
20-34	83	11.8	56	3	4	11	15	23	27	35
35-49	163	13.0	81	3	4	11	17	24	27	37
50-64	162	14.1	76	3	4	13	19	26	32	41
65+	73	14.8	73	4	6	13	20	24	28	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	888	8.3	21	2	3	8	11	14	17	23
B. *Operated*	415	9.3	49	2	2	8	12	19	25	30
2. MULTIPLE DX										
A. *Not Operated*	1636	9.6	34	3	4	8	12	17	21	28
B. *Operated*	484	13.4	74	3	4	12	18	24	29	40
1. SINGLE DX	1303	8.6	30	2	3	8	11	16	19	27
2. MULTIPLE DX	2120	10.5	46	3	4	9	13	19	23	32
A. NOT OPERATED	2524	9.1	30	3	4	8	12	16	19	26
B. OPERATED	899	11.5	67	2	3	10	16	23	27	36
TOTAL 0-19 YRS	48	7.7	17	2	3	8	10	13	15	19
20-34	617	8.6	34	2	3	7	11	15	18	31
35-49	1040	9.3	38	2	3	8	12	17	21	29
50-64	1002	10.3	46	3	4	9	13	19	24	32
65+	716	10.7	41	3	4	9	14	19	23	31
GRAND TOTAL	**3423**	**9.8**	**41**	**2**	**3**	**8**	**12**	**18**	**22**	**31**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	374	4.9	13	1	1	4	7	10	12	17
20-34	2665	7.0	21	2	2	6	9	13	15	24
35-49	3094	8.0	38	2	3	7	10	14	18	26
50-64	1673	8.2	30	2	3	7	10	15	18	29
65+	533	8.2	28	2	3	7	11	15	18	27
B. *Operated*										
0-19 YRS	157	5.8	27	1	2	4	8	12	15	30
20-34	1685	7.4	42	2	2	6	10	15	20	31
35-49	2202	8.3	43	2	2	7	11	17	21	32
50-64	1231	9.0	45	2	2	8	12	17	22	32
65+	325	12.9	108	2	3	11	17	26	34	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	340	5.9	23	1	1	5	8	11	15	23
20-34	2630	7.8	31	2	3	7	10	14	18	26
35-49	3599	9.0	39	2	3	8	11	16	20	32
50-64	3127	9.2	42	2	3	8	11	16	20	35
65+	2222	9.8	43	3	3	8	13	18	22	34
B. *Operated*										
0-19 YRS	96	8.9	61	2	2	6	13	19	23	39
20-34	1361	10.2	62	2	2	9	13	20	26	38
35-49	2022	11.3	74	2	3	10	15	21	26	45
50-64	1758	12.5	79	2	3	11	16	24	30	43
65+	791	16.9	151	3	5	14	21	32	40	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8339	7.6	30	2	2	7	10	14	17	25
B. *Operated*	5600	8.4	48	2	2	7	11	17	21	33
2. MULTIPLE DX										
A. *Not Operated*	11918	8.8	39	2	3	8	11	16	20	33
B. *Operated*	6028	12.1	87	2	3	10	16	23	29	47
1. SINGLE DX	13939	7.9	37	2	2	7	10	15	19	29
2. MULTIPLE DX	17946	9.9	57	2	3	8	13	19	24	39
A. NOT OPERATED	20257	8.3	35	2	3	7	11	15	19	30
B. OPERATED	11628	10.3	71	2	2	9	14	20	26	41
TOTAL 0-19 YRS	967	5.8	25	1	1	4	8	11	15	24
20-34	8341	7.9	36	2	2	7	10	15	19	30
35-49	10917	9.0	47	2	3	8	12	17	21	33
50-64	7789	9.7	51	2	3	8	12	18	23	37
65+	3871	11.3	77	2	3	9	14	21	28	46
GRAND TOTAL	**31885**	**9.1**	**49**	**2**	**3**	**8**	**12**	**17**	**22**	**35**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	324	4.3	9	1	2	4	6	8	9	17
20-34	328	4.9	11	1	2	4	6	10	12	17
35-49	372	5.6	27	1	2	5	7	10	12	26
50-64	400	5.5	13	1	2	5	7	11	12	19
65+	182	6.2	15	2	2	5	8	12	14	18
B. *Operated*										
0-19 YRS	629	3.2	7	1	1	3	4	5	7	15
20-34	1736	3.3	6	1	2	3	4	6	8	13
35-49	2252	3.7	9	1	2	3	4	6	8	15
50-64	2401	4.0	16	1	2	3	5	7	9	18
65+	522	4.2	16	1	2	3	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	173	5.0	13	1	2	4	6	9	13	21
20-34	266	5.9	19	1	2	5	8	11	14	25
35-49	534	6.8	28	2	2	6	9	12	16	22
50-64	826	7.3	25	2	2	6	9	13	17	26
65+	726	8.6	37	2	3	7	11	16	20	29
B. *Operated*										
0-19 YRS	247	4.1	16	1	1	3	4	7	10	20
20-34	848	4.4	20	2	2	3	5	8	10	23
35-49	1400	5.3	20	2	2	4	6	10	15	24
50-64	1654	5.8	31	2	2	4	7	11	15	29
65+	594	7.5	49	2	2	5	10	16	19	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1606	5.2	15	1	2	4	7	10	12	19
B. *Operated*	7540	3.7	11	1	2	3	4	6	9	16
2. MULTIPLE DX										
A. *Not Operated*	2525	7.2	29	2	2	6	9	13	18	26
B. *Operated*	4743	5.5	28	2	2	4	6	11	15	26
1. SINGLE DX	9146	4.0	12	1	2	3	5	7	10	17
2. MULTIPLE DX	7268	6.1	29	2	2	5	8	12	16	26
A. NOT OPERATED	4131	6.5	25	1	2	5	8	12	16	24
B. OPERATED	12283	4.4	18	1	2	3	5	8	11	22
TOTAL 0-19 YRS	1373	3.8	10	1	1	3	5	7	9	19
20-34	3178	4.0	12	1	2	3	5	7	10	17
35-49	4558	4.7	17	1	2	4	5	9	12	21
50-64	5281	5.2	23	1	2	4	6	10	13	23
65+	2024	6.9	36	2	2	5	9	15	18	28
GRAND TOTAL	**16414**	**4.9**	**21**	**1**	**2**	**4**	**6**	**10**	**13**	**22**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.0	5	<1	<1	2	5	6	7	7
20-34	39	2.9	4	<1	<1	3	4	6	7	8
35-49	21	4.9	14	1	1	4	7	10	13	15
50-64	24	3.4	4	<1	1	3	5	6	7	7
65+	15	3.7	9	<1	1	3	5	6	11	13
B. *Operated*										
0-19 YRS	649	4.2	12	2	2	4	5	6	7	12
20-34	1780	3.8	4	2	2	3	5	6	7	10
35-49	1264	4.2	4	2	2	4	5	7	8	12
50-64	1632	4.7	6	2	2	4	6	7	9	13
65+	645	4.8	8	2	2	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.3	7	<1	<1	1	2	6	9	11
20-34	67	2.2	3	<1	<1	1	3	5	6	9
35-49	56	3.8	11	<1	1	3	5	8	10	17
50-64	80	4.6	21	<1	1	4	6	9	12	28
65+	56	7.1	103	1	1	4	8	12	31	56
B. *Operated*										
0-19 YRS	559	4.4	6	2	2	4	5	6	8	13
20-34	2979	4.4	9	2	2	4	5	7	8	13
35-49	2682	4.9	7	2	3	4	6	8	9	16
50-64	4063	5.6	10	2	3	5	7	9	11	17
65+	1710	6.7	22	3	3	6	8	11	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	3.5	7	<1	<1	3	5	7	8	14
B. *Operated*	5970	4.3	6	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	280	4.2	33	<1	<1	3	5	9	12	36
B. *Operated*	11993	5.2	11	2	3	5	6	8	10	18
1. SINGLE DX	6081	4.2	6	2	2	4	5	7	8	12
2. MULTIPLE DX	12273	5.2	12	2	2	5	6	8	10	18
A. NOT OPERATED	391	4.0	25	<1	<1	3	5	8	11	26
B. OPERATED	17963	4.9	10	2	2	4	6	8	10	16
TOTAL 0-19 YRS	1241	4.2	9	2	2	4	5	6	7	13
20-34	4865	4.1	7	2	2	4	5	6	8	12
35-49	4023	4.7	7	2	2	4	6	7	9	14
50-64	5799	5.3	9	2	3	5	6	8	10	16
65+	2426	6.2	20	2	3	5	7	10	13	24
GRAND TOTAL	**18354**	**4.9**	**10**	**2**	**2**	**4**	**6**	**8**	**10**	**16**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	1.8	3	<1	<1	1	2	3	4	13
20-34	71	2.0	7	<1	<1	2	2	3	4	19
35-49	35	2.6	4	1	1	2	3	6	7	8
50-64	27	3.3	7	1	1	2	4	8	10	11
65+	9	6.1	40	1	1	5	7	16	22	22
B. *Operated*										
0-19 YRS	1619	2.2	3	<1	1	2	2	3	4	6
20-34	2796	2.3	5	1	1	2	3	3	4	7
35-49	1384	2.6	5	1	1	2	3	4	5	11
50-64	895	3.0	4	1	1	2	4	5	7	11
65+	254	3.4	7	1	1	3	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.5		<1	<1	1	2	2	3	3
20-34	21	2.2	3	<1	<1	1	3	5	6	6
35-49	21	4.3	12	<1	1	3	8	10	10	11
50-64	39	4.7	15	<1	1	4	7	10	13	17
65+	17	7.2	20	2	2	6	9	15	17	18
B. *Operated*										
0-19 YRS	188	2.7	2	1	1	2	3	5	6	8
20-34	616	3.2	5	1	1	2	4	6	8	13
35-49	523	4.1	12	1	2	3	5	8	11	19
50-64	551	4.7	16	2	2	3	6	10	12	20
65+	231	6.3	62	1	2	4	7	13	17	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	192	2.4	8	<1	<1	2	3	5	7	18
B. *Operated*	6948	2.5	5	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	120	4.0	13	<1	<1	2	6	9	11	17
B. *Operated*	2109	4.1	17	1	2	3	5	8	11	19
1. SINGLE DX	7140	2.5	5	1	1	2	3	4	5	9
2. MULTIPLE DX	2229	4.1	17	1	2	3	5	8	11	19
A. NOT OPERATED	312	3.0	10	<1	<1	2	3	7	9	17
B. OPERATED	9057	2.9	8	1	1	2	3	5	7	13
TOTAL 0-19 YRS	1879	2.2	3	<1	1	2	2	3	4	7
20-34	3504	2.5	5	1	1	2	3	4	5	9
35-49	1963	3.0	7	1	1	2	3	5	7	14
50-64	1512	3.7	10	1	1	3	4	7	10	16
65+	511	4.9	35	1	2	3	6	9	14	24
GRAND TOTAL	**9369**	**2.9**	**8**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153	14.8	87	2	4	14	21	28	32	42
20-34	79	9.7	65	2	2	8	13	24	28	36
35-49	66	11.8	128	2	3	8	13	24	35	64
50-64	65	13.0	79	2	4	11	19	25	32	37
65+	43	14.7	188	4	4	10	16	37	48	65
B. *Operated*										
0-19 YRS	190	17.0	141	2	3	15	23	30	41	59
20-34	187	12.2	116	2	3	9	17	27	41	84
35-49	155	16.1	290	2	3	10	18	41	51	93
50-64	155	15.8	156	2	3	12	23	35	45	59
65+	106	15.8	207	2	3	11	22	39	47	91
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	18.9	94	3	7	20	26	30	34	46
20-34	66	12.6	103	2	3	10	16	29	35	44
35-49	78	14.2	154	1	3	10	19	30	42	54
50-64	165	14.5	126	3	4	11	18	32	40	61
65+	147	18.7	219	4	5	14	25	43	54	99+
B. *Operated*										
0-19 YRS	127	19.7	211	3	4	16	27	40	51	77
20-34	182	18.1	198	3	4	14	25	41	50	72
35-49	204	20.4	255	3	4	16	29	44	53	90
50-64	333	20.6	254	3	4	17	29	43	54	75
65+	283	25.2	376	4	6	20	34	52	65	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	406	13.0	102	2	3	10	17	26	32	47
B. *Operated*	793	15.3	178	2	3	11	21	32	45	73
2. MULTIPLE DX										
A. *Not Operated*	533	16.0	153	3	4	12	23	34	43	65
B. *Operated*	1129	21.2	276	3	5	17	29	44	56	83
1. SINGLE DX	1199	14.5	153	2	3	11	20	31	41	60
2. MULTIPLE DX	1662	19.5	242	3	4	15	27	42	52	79
A. NOT OPERATED	939	14.7	133	2	4	11	20	30	39	57
B. OPERATED	1922	18.8	244	3	4	15	26	41	51	[illegible]
TOTAL 0-19 YRS	547	17.3	138	3	4	15	24	31	39	60
20-34	514	14.0	145	2	3	10	19	31	42	59
35-49	503	17.0	242	2	3	12	23	41	51	82
50-64	718	17.5	196	3	4	13	24	38	47	67
65+	579	21.0	308	4	4	16	28	46	58	94
GRAND TOTAL	**2861**	**17.4**	**211**	**3**	**4**	**13**	**24**	**38**	**48**	**76**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	281	5.9	46	1	1	4	7	12	17	30
20-34	314	4.6	13	1	1	4	6	9	12	19
35-49	333	4.7	12	1	2	4	6	9	12	17
50-64	344	5.9	20	1	2	5	7	12	16	22
65+	458	9.3	40	2	3	8	12	18	22	30
B. *Operated*										
0-19 YRS	2005	5.4	20	1	2	4	6	10	13	22
20-34	2096	5.2	24	2	2	4	6	9	13	26
35-49	958	6.5	30	2	2	5	8	13	17	30
50-64	724	8.3	43	2	2	6	12	17	21	31
65+	436	14.3	143	2	3	13	18	27	36	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	190	6.9	66	1	1	4	8	14	25	46
20-34	468	5.3	14	1	2	4	7	11	13	17
35-49	758	6.3	27	2	2	5	8	11	15	29
50-64	1249	8.4	58	2	3	6	10	16	22	45
65+	3869	11.1	60	3	4	9	14	21	26	40
B. *Operated*										
0-19 YRS	659	6.7	59	2	2	4	7	14	18	49
20-34	1346	6.3	47	2	2	4	7	12	18	43
35-49	923	8.2	76	2	2	5	10	17	23	46
50-64	1027	13.3	176	2	3	9	17	28	41	83
65+	1324	20.1	194	4	6	18	26	37	49	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1730	6.3	30	1	2	5	8	13	17	26
B. *Operated*	6219	6.4	40	2	2	4	8	13	18	32
2. MULTIPLE DX										
A. *Not Operated*	6534	9.5	57	2	3	8	12	18	24	39
B. *Operated*	5279	11.5	146	2	2	7	16	26	35	69
1. SINGLE DX	7949	6.4	38	2	2	4	8	13	18	31
2. MULTIPLE DX	11813	10.4	98	2	3	7	13	22	29	54
A. NOT OPERATED	8264	8.9	53	2	2	7	11	17	23	37
B. OPERATED	11498	8.8	95	2	2	5	11	20	27	52
TOTAL 0-19 YRS	3135	5.8	33	1	2	4	7	11	15	30
20-34	4224	5.5	30	2	2	4	6	10	15	30
35-49	2972	6.8	42	2	2	5	8	14	18	32
50-64	3344	9.6	93	2	2	7	12	19	27	54
65+	6087	13.2	108	3	4	11	17	25	32	55
GRAND TOTAL	**19762**	**8.8**	**77**	**2**	**2**	**6**	**11**	**19**	**25**	**46**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	3.6	24	<1	1	2	5	7	8	29
20-34	10	4.8	14	1	1	4	8	48	96	99+
35-49	11	4.3	23	<1	<1	3	4	13	16	16
50-64	10	3.3	4	1	1	3	5	6	6	6
65+	8	6.9	17	1	2	7	11	11	11	11
B. *Operated*										
0-19 YRS	501	4.3	7	1	2	3	6	8	9	14
20-34	603	3.4	7	1	2	3	4	6	8	14
35-49	301	4.0	16	1	2	3	4	8	11	16
50-64	227	5.1	18	2	2	4	6	10	13	22
65+	67	7.7	43	2	2	6	9	15	19	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.8	12	<1	1	2	5	8	11	15
20-34	32	5.7	64	<1	<1	4	6	10	27	38
35-49	28	6.1	55	<1	1	4	8	12	16	39
50-64	31	16.9	417	1	2	10	20	35	68	95
65+	49	12.7	258	1	2	8	14	34	64	99+
B. *Operated*										
0-19 YRS	366	5.4	12	2	2	5	7	9	12	19
20-34	840	4.2	15	2	2	3	5	7	10	16
35-49	507	4.9	13	2	2	4	6	9	11	19
50-64	401	7.0	57	2	2	5	8	13	20	41
65+	139	11.3	103	2	3	8	15	22	29	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	4.2	19	<1	1	3	5	11	13	82
B. *Operated*	1699	4.2	12	1	2	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	166	9.6	197	<1	1	5	10	22	39	93
B. *Operated*	2253	5.5	30	2	2	4	6	10	14	27
1. SINGLE DX	1773	4.2	13	1	2	3	5	8	11	18
2. MULTIPLE DX	2419	5.8	43	2	2	4	7	11	15	35
A. NOT OPERATED	240	8.0	148	<1	1	4	8	17	30	95
B. OPERATED	3952	4.9	23	2	2	4	6	9	12	23
TOTAL 0-19 YRS	928	4.7	10	1	2	4	6	9	11	17
20-34	1485	4.0	13	1	2	3	4	7	9	16
35-49	847	4.6	16	2	2	3	6	9	11	18
50-64	669	6.8	65	2	2	5	8	13	20	41
65+	263	10.5	116	2	3	8	13	20	28	71
GRAND TOTAL	**4192**	**5.1**	**31**	**2**	**2**	**4**	**6**	**9**	**13**	**28**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.5	30	1	1	4	7	13	19	20
20-34	115	6.2	21	1	1	6	9	12	15	51
35-49	151	6.6	24	1	2	5	9	12	15	25
50-64	112	7.8	35	1	2	7	11	15	19	28
65+	39	8.0	40	1	2	7	10	15	17	37
B. *Operated*										
0-19 YRS	7	6.3	19	2	2	4	10	13	13	13
20-34	66	7.0	27	2	2	6	9	16	19	21
35-49	109	9.4	70	2	2	7	13	19	22	47
50-64	77	9.6	60	2	3	8	13	17	21	46
65+	17	10.9	98	2	3	6	18	27	30	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.4	11	1	1	3	5	9	13	13
20-34	110	6.5	19	1	2	5	10	12	16	19
35-49	209	7.2	32	1	1	6	10	14	17	34
50-64	207	9.0	40	2	3	8	11	18	22	32
65+	230	9.8	55	2	3	8	13	20	27	38
B. *Operated*										
0-19 YRS	6	6.3	20	2	2	6	8	13	14	14
20-34	42	11.2	92	2	2	8	17	25	36	99+
35-49	108	9.8	44	2	2	9	13	18	20	67
50-64	113	12.4	92	2	3	10	17	29	36	65
65+	61	17.1	120	5	7	14	21	27	47	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	6.9	28	1	2	6	9	13	17	27
B. *Operated*	276	8.9	58	2	2	7	12	17	21	42
2. MULTIPLE DX										
A. *Not Operated*	766	8.3	41	1	2	7	11	17	20	32
B. *Operated*	330	12.2	87	2	3	10	16	25	34	61
1. SINGLE DX	705	7.7	40	1	2	6	10	16	20	32
2. MULTIPLE DX	1096	9.5	57	2	2	8	12	19	25	46
A. NOT OPERATED	1195	7.8	36	1	2	7	10	15	20	32
B. OPERATED	606	10.7	76	2	2	9	15	21	28	49
TOTAL 0-19 YRS	35	5.5	20	1	1	4	8	13	14	20
20-34	333	7.1	32	1	2	6	9	15	19	32
35-49	577	7.9	41	1	2	6	11	16	20	41
50-64	509	9.6	56	2	2	8	12	19	24	37
65+	347	11.0	74	2	3	9	14	22	28	48
GRAND TOTAL	**1801**	**8.8**	**52**	**1**	**2**	**7**	**12**	**18**	**22**	**40**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	522	3.6	7	1	1	3	5	7	9	13
20-34	1304	5.7	27	1	2	4	7	11	13	25
35-49	1182	6.2	24	1	2	5	8	12	15	25
50-64	650	6.0	22	1	2	5	8	12	15	25
65+	339	6.9	26	2	2	6	9	13	16	25
B. *Operated*										
0-19 YRS	1027	5.2	36	1	1	3	5	13	18	30
20-34	1597	4.8	28	1	2	3	5	10	15	25
35-49	1179	5.4	27	1	2	3	7	12	16	26
50-64	1288	4.5	25	1	2	3	5	9	14	25
65+	541	4.9	31	2	2	3	5	9	13	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	435	4.6	16	1	1	4	6	8	11	22
20-34	1795	6.7	33	1	2	6	8	12	15	28
35-49	2259	7.8	43	2	3	6	10	14	17	40
50-64	1967	7.6	35	2	3	6	10	14	18	29
65+	1566	8.7	47	2	3	7	11	17	21	34
B. *Operated*										
0-19 YRS	754	5.3	34	1	2	4	6	10	15	30
20-34	1726	5.8	38	1	2	4	6	12	17	32
35-49	1373	7.4	50	2	2	5	10	16	21	31
50-64	1396	8.1	73	2	2	5	10	17	24	44
65+	704	10.5	110	2	2	7	14	23	31	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3997	5.7	23	1	2	4	7	11	14	24
B. *Operated*	5632	5.0	29	1	2	3	5	11	16	26
2. MULTIPLE DX										
A. *Not Operated*	8022	7.5	39	2	2	6	9	14	18	33
B. *Operated*	5953	7.2	59	2	2	4	9	16	21	38
1. SINGLE DX	9629	5.3	27	1	2	4	6	11	15	25
2. MULTIPLE DX	13975	7.4	48	2	2	5	9	14	19	36
A. NOT OPERATED	12019	6.9	35	1	2	5	9	13	16	30
B. OPERATED	11585	6.1	46	1	2	4	7	14	19	33
TOTAL 0-19 YRS	2738	4.8	27	1	1	3	5	10	15	27
20-34	6422	5.8	32	1	2	4	7	11	15	27
35-49	5993	6.9	39	2	2	5	9	14	18	31
50-64	5301	6.8	43	2	2	5	9	14	18	32
65+	3150	8.3	59	2	2	6	10	17	22	38
GRAND TOTAL	**23604**	**6.5**	**40**	**1**	**2**	**5**	**8**	**13**	**18**	**32**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.3	3	1	2	5	5	7	7	7
20-34	114	6.1	13	2	2	5	7	11	13	19
35-49	95	6.5	12	2	3	6	8	10	12	21
50-64	41	7.1	23	2	3	6	8	13	20	23
65+	5	7.2	4	4	4	8	8	9	9	9
B. *Operated*										
0-19 YRS	4	3.0	2	2	2	3	4	5	5	5
20-34	25	7.9	17	2	3	7	11	13	15	17
35-49	30	9.1	17	3	4	9	12	14	18	19
50-64	8	7.5	10	2	3	8	9	11	12	12
65+	4	14.5	94	3	3	16	22	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	6.3	37	2	2	4	8	11	15	34
20-34	247	7.1	23	2	3	6	9	13	16	27
35-49	297	7.2	15	3	3	6	9	12	14	21
50-64	144	8.4	32	3	3	7	11	16	19	30
65+	46	10.4	35	4	4	9	14	19	22	26
B. *Operated*										
0-19 YRS	3	8.3	25	3	3	9	12	13	13	13
20-34	50	9.4	30	3	4	8	13	16	17	26
35-49	58	10.8	40	4	5	9	14	21	24	31
50-64	32	11.0	37	3	4	9	15	17	26	28
65+	8	11.4	54	6	6	9	11	24	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	264	6.4	14	2	3	6	8	11	13	21
B. *Operated*	71	8.5	22	2	3	8	12	14	18	23
2. MULTIPLE DX										
A. *Not Operated*	766	7.6	24	3	3	6	9	13	17	26
B. *Operated*	151	10.4	36	3	5	9	14	18	25	29
1. SINGLE DX	335	6.8	17	2	3	6	9	12	14	21
2. MULTIPLE DX	917	8.0	27	3	3	7	10	15	17	27
A. NOT OPERATED	1030	7.3	21	2	3	6	9	13	16	24
B. OPERATED	222	9.8	33	3	3	9	13	17	21	28
TOTAL 0-19 YRS	48	5.8	28	2	2	4	7	10	13	34
20-34	436	7.2	22	2	3	6	9	13	16	25
35-49	480	7.6	19	3	3	7	9	13	16	22
50-64	225	8.5	31	3	3	7	10	16	19	28
65+	63	10.5	38	4	4	9	14	20	23	29
GRAND TOTAL	**1252**	**7.7**	**24**	**2**	**3**	**6**	**10**	**14**	**17**	**26**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	4.3	23	1	1	3	5	10	13	27
20-34	9	5.3	18	<1	<1	6	8	11	12	12
35-49	7	4.4	13	<1	<1	3	8	10	10	10
50-64	3	10.0	67	3	3	8	16	19	19	19
65+	7	6.1	36	<1	1	4	7	17	19	19
B. *Operated*										
0-19 YRS	109	9.6	38	2	3	9	13	18	21	33
20-34	23	10.4	274	1	2	7	11	16	40	83
35-49	20	14.4	132	2	3	14	18	23	38	53
50-64	11	12.2	99	1	2	8	18	26	33	34
65+	3	15.0	109	3	3	20	21	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	187	6.5	72	1	1	4	7	14	21	51
20-34	39	6.5	25	1	1	6	8	13	19	21
35-49	24	5.3	14	1	2	4	7	11	14	15
50-64	12	7.1	17	1	2	7	9	12	16	17
65+	17	9.0	142	2	2	6	8	22	41	50
B. *Operated*										
0-19 YRS	175	12.0	153	1	2	8	15	29	40	93
20-34	36	15.4	193	3	5	12	19	27	52	67
35-49	20	11.0	62	3	3	9	13	23	28	32
50-64	21	27.3	484	4	7	21	36	78	89	99+
65+	10	10.8	18	4	5	11	13	16	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	4.7	24	<1	1	3	6	10	15	25
B. *Operated*	166	10.6	87	2	3	9	14	20	23	50
2. MULTIPLE DX										
A. *Not Operated*	279	6.6	62	1	1	4	8	14	20	45
B. *Operated*	262	13.6	188	2	3	10	17	31	45	97
1. SINGLE DX	261	8.4	71	1	2	6	11	18	21	36
2. MULTIPLE DX	541	10.0	135	1	2	7	12	22	32	76
A. NOT OPERATED	374	6.1	53	1	1	4	7	12	19	32
B. OPERATED	428	12.4	150	2	3	9	15	24	36	81
TOTAL 0-19 YRS	540	8.6	92	1	2	6	11	19	26	63
20-34	107	10.2	147	1	1	7	12	21	24	74
35-49	71	9.4	74	1	2	7	13	20	24	49
50-64	47	17.5	322	2	3	12	21	37	77	99+
65+	37	9.4	85	2	2	7	13	20	23	50
GRAND TOTAL	**802**	**9.5**	**115**	**1**	**2**	**7**	**12**	**20**	**28**	**73**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	237	1.3	1	<1	<1	1	1	2	3	6
20-34	9	3.4	3	1	1	4	4	6	6	6
35-49	8	3.6	3	1	1	4	5	6	6	6
50-64	22	3.7	13	1	2	3	3	5	11	19
65+	32	2.9	1	2	2	3	3	4	5	6
B. *Operated*										
0-19 YRS	973	2.4	2	1	1	2	3	4	5	9
20-34	314	2.9	3	1	2	2	3	5	6	10
35-49	173	3.3	3	1	2	3	4	6	7	11
50-64	258	3.6	4	2	2	3	4	5	9	12
65+	269	3.5	3	2	2	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	2.3	9	<1	<1	1	2	5	8	19
20-34	8	4.3	5	<1	1	4	6	7	7	7
35-49	5	5.6	4	4	4	5	7	9	9	9
50-64	9	3.0	4	<1	<1	3	4	6	7	7
65+	10	3.8	10	1	1	3	4	9	12	12
B. *Operated*										
0-19 YRS	268	2.9	5	1	1	2	3	5	7	14
20-34	96	3.3	4	1	2	3	4	6	7	11
35-49	110	3.9	11	1	2	3	4	7	11	55
50-64	240	4.5	11	2	2	4	5	8	10	22
65+	245	4.9	13	2	2	4	5	9	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	308	1.7	3	<1	<1	1	2	3	4	6
B. *Operated*	1987	2.9	3	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	102	2.9	8	<1	<1	2	4	6	8	16
B. *Operated*	959	4.0	10	1	2	3	5	7	9	18
1. SINGLE DX	2295	2.7	3	1	1	2	3	5	6	11
2. MULTIPLE DX	1061	3.8	10	1	2	3	4	7	9	18
A. NOT OPERATED	410	2.0	4	<1	<1	1	3	4	6	10
B. OPERATED	2946	3.2	5	1	1	3	4	5	7	12
TOTAL 0-19 YRS	1548	2.3	3	<1	1	2	3	4	5	9
20-34	427	3.0	3	1	2	2	4	5	6	10
35-49	296	3.6	6	1	2	3	4	6	8	15
50-64	529	4.0	8	2	2	3	4	7	9	14
65+	556	4.1	8	2	2	4	4	6	10	15
GRAND TOTAL	**3356**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	3.6	10	1	1	2	4	8	10	16
20-34	28	4.3	31	<1	<1	3	5	7	10	31
35-49	20	4.1	5	1	1	4	5	7	8	10
50-64	12	4.6	6	2	2	4	6	8	11	11
65+	10	4.9	13	1	1	4	9	10	10	10
B. *Operated*										
0-19 YRS	639	5.7	28	1	2	3	9	12	14	26
20-34	191	6.9	37	1	2	4	10	15	19	27
35-49	122	7.9	54	2	2	4	12	17	24	33
50-64	91	9.5	79	2	2	9	12	19	23	52
65+	34	8.1	92	2	2	4	9	24	29	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	314	5.2	42	<1	1	3	6	10	15	40
20-34	109	5.8	29	1	2	4	7	10	14	31
35-49	108	7.9	56	2	2	6	9	13	22	50
50-64	106	6.5	19	2	2	5	8	13	15	23
65+	117	8.9	48	3	3	7	10	16	25	38
B. *Operated*										
0-19 YRS	821	7.8	72	2	2	4	10	17	24	47
20-34	213	8.2	55	2	2	5	11	18	21	37
35-49	189	9.9	105	2	2	7	13	21	32	71
50-64	189	13.0	254	2	2	8	15	27	49	89
65+	103	12.8	141	2	2	10	16	27	33	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	4.0	13	1	1	3	5	8	10	16
B. *Operated*	1077	6.5	40	1	2	3	10	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	754	6.4	41	1	2	5	8	13	16	34
B. *Operated*	1515	9.1	105	2	2	6	12	20	27	59
1. SINGLE DX	1232	6.2	37	1	2	3	9	13	17	30
2. MULTIPLE DX	2269	8.2	85	2	2	5	10	17	25	50
A. NOT OPERATED	909	6.0	37	1	1	4	7	11	15	32
B. OPERATED	2592	8.0	80	2	2	5	11	17	24	46
TOTAL 0-19 YRS	1859	6.4	51	1	2	3	9	14	19	37
20-34	541	7.1	43	1	2	4	10	15	20	34
35-49	439	8.6	76	2	2	6	11	18	25	50
50-64	398	10.2	152	2	2	7	12	20	29	64
65+	264	10.2	93	2	2	8	13	24	28	47
GRAND TOTAL	**3501**	**7.5**	**69**	**1**	**2**	**5**	**10**	**16**	**22**	**44**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.0	3	<1	<1	1	3	5	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	522	4.5	6	1	2	4	6	8	9	12
20-34	16	4.1	6	1	2	4	5	6	10	12
35-49	6	3.2	2	2	2	3	4	5	5	5
50-64	10	3.6	2	2	2	3	4	6	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	5.5	47	<1	<1	3	7	15	23	28
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	310	4.1	8	1	2	3	5	8	9	14
20-34	27	4.2	8	2	2	3	5	6	8	16
35-49	10	4.0	2	2	2	4	5	6	6	6
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	3	4.3	10	2	2	3	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.3	3	<1	<1	1	4	5	5	5
B. *Operated*	554	4.5	6	1	2	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	41	5.5	47	<1	<1	3	7	15	23	28
B. *Operated*	352	4.1	7	1	2	3	5	7	9	15
1. SINGLE DX	563	4.4	6	1	2	4	6	8	9	12
2. MULTIPLE DX	393	4.2	11	1	1	3	5	8	10	21
A. NOT OPERATED	50	5.0	40	<1	<1	2	6	12	22	28
B. OPERATED	906	4.3	6	1	2	4	6	8	9	12
TOTAL 0-19 YRS	881	4.4	8	1	2	4	6	8	9	14
20-34	44	4.2	7	2	2	4	5	6	8	16
35-49	16	3.7	2	2	2	4	5	5	6	6
50-64	12	3.7	2	2	2	3	4	6	7	7
65+	3	4.3	10	2	2	3	7	8	8	8
GRAND TOTAL	**956**	**4.4**	**8**	**1**	**2**	**4**	**6**	**8**	**9**	**15**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	3.8	9	1	1	3	5	6	8	19
B. *Operated*										
0-19 YRS	635	4.6	8	2	2	4	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	3.8	7	1	1	3	5	8	9	12
B. *Operated*										
0-19 YRS	139	6.3	15	2	3	6	8	11	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	3.8	9	1	1	3	5	6	8	19
B. *Operated*	635	4.6	8	2	2	4	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	33	3.8	7	1	1	3	5	8	9	12
B. *Operated*	139	6.3	15	2	3	6	8	11	12	25
1. SINGLE DX	719	4.6	8	2	2	4	5	7	9	15
2. MULTIPLE DX	172	5.8	14	2	2	5	7	10	12	24
A. NOT OPERATED	117	3.8	8	1	1	3	5	7	8	16
B. OPERATED	774	4.9	9	2	2	4	6	8	10	18
TOTAL 0-19 YRS	891	4.8	9	2	2	4	6	8	10	18
GRAND TOTAL	**891**	**4.8**	**9**	**2**	**2**	**4**	**6**	**8**	**10**	**18**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	196	2.8	10	<1	<1	2	4	6	8	18
20-34	22	4.4	12	1	1	4	6	9	12	14
35-49	14	5.4	24	1	1	4	7	13	17	18
50-64	21	3.8	7	<1	1	3	5	7	9	12
65+	9	5.7	12	1	2	5	7	11	13	13
B. *Operated*										
0-19 YRS	369	4.5	42	<1	1	3	6	9	13	25
20-34	149	5.0	19	1	1	4	6	11	14	24
35-49	63	5.3	25	1	1	4	7	9	13	28
50-64	67	8.4	51	1	2	5	11	18	23	31
65+	32	8.5	45	<1	1	7	11	22	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	6.3	72	1	1	4	8	12	16	75
20-34	45	5.2	10	1	2	5	7	9	11	15
35-49	53	6.4	25	1	2	5	9	13	18	23
50-64	61	5.4	11	1	2	4	7	11	12	13
65+	102	8.5	73	1	2	6	10	19	24	47
B. *Operated*										
0-19 YRS	333	7.1	51	1	2	5	9	16	24	99+
20-34	170	7.5	77	1	2	5	9	15	20	27
35-49	99	10.2	76	2	2	9	13	20	26	49
50-64	104	10.8	73	2	3	9	15	21	29	74
65+	87	13.1	114	2	3	10	17	27	39	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	3.3	12	<1	1	2	4	7	8	18
B. *Operated*	680	5.2	38	1	1	3	6	11	16	26
2. MULTIPLE DX										
A. *Not Operated*	430	6.6	52	1	1	5	8	13	19	47
B. *Operated*	793	8.7	73	1	2	6	11	18	25	75
1. SINGLE DX	942	4.7	32	<1	1	3	6	10	14	24
2. MULTIPLE DX	1223	8.0	67	1	2	6	10	17	23	52
A. NOT OPERATED	692	5.3	39	1	1	4	7	11	13	34
B. OPERATED	1473	7.1	60	1	1	5	9	16	22	47
TOTAL 0-19 YRS	1067	5.3	46	<1	1	3	7	11	17	50
20-34	386	6.1	45	1	2	4	8	12	16	25
35-49	229	7.7	51	1	2	5	10	17	21	36
50-64	253	8.3	53	1	2	6	11	17	23	43
65+	230	10.1	87	1	2	7	13	22	28	47
GRAND TOTAL	**2165**	**6.5**	**54**	**1**	**1**	**4**	**8**	**14**	**20**	**46**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.9	2	<1	<1	1	3	4	5	5
20-34	5	1.2		<1	<1	<1	1	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	1122	3.4	4	1	2	3	4	6	7	9
20-34	107	4.3	6	2	2	4	5	7	8	16
35-49	28	3.4	2	1	2	3	4	5	6	7
50-64	9	4.0	3	2	2	4	5	6	6	6
65+	4	6.5	4	4	4	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	1.9	2	<1	<1	1	3	4	4	6
20-34	9	4.2	13	<1	<1	4	6	10	11	11
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	1177	3.7	4	2	2	3	5	6	8	10
20-34	149	4.8	9	2	2	4	6	8	9	14
35-49	45	4.4	4	2	2	4	5	7	8	10
50-64	21	7.4	24	3	3	7	8	14	19	23
65+	5	5.0	6	2	2	6	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	1.7	1	<1	<1	1	2	4	4	5
B. *Operated*	1270	3.5	4	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	62	2.3	4	<1	<1	1	3	5	6	11
B. *Operated*	1397	3.9	5	2	2	3	5	7	8	11
1. SINGLE DX	1298	3.5	4	1	2	3	4	6	7	9
2. MULTIPLE DX	1459	3.8	5	1	2	3	5	7	8	11
A. NOT OPERATED	90	2.1	3	<1	<1	1	3	4	5	10
B. OPERATED	2667	3.7	4	2	2	3	5	6	8	11
TOTAL 0-19 YRS	2371	3.5	4	1	2	3	4	6	7	9
20-34	270	4.5	8	2	2	4	5	8	8	15
35-49	75	3.9	3	2	2	4	5	7	7	10
50-64	31	6.3	20	2	3	5	7	12	16	23
65+	10	5.4	5	2	2	6	7	8	9	9
GRAND TOTAL	**2757**	**3.7**	**4**	**1**	**2**	**3**	**4**	**6**	**8**	**11**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.0	8	<1	1	2	4	6	7	18
20-34	34	3.8	6	1	2	3	5	7	8	12
35-49	30	4.3	5	1	1	4	6	8	8	8
50-64	15	3.2	3	1	1	3	4	6	7	7
65+	11	3.0	7	1	1	2	3	7	10	10
B. *Operated*										
0-19 YRS	901	5.0	19	1	1	3	7	11	13	20
20-34	462	4.5	16	1	1	3	6	9	12	17
35-49	132	5.2	19	1	1	4	7	10	15	22
50-64	84	5.8	30	1	1	4	8	13	18	26
65+	52	4.9	21	1	1	3	7	11	13	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	3.5	11	1	1	3	5	6	7	22
20-34	80	4.7	14	1	1	4	6	9	12	20
35-49	109	5.8	24	1	2	4	7	13	17	25
50-64	104	6.4	17	1	2	6	8	11	15	22
65+	92	7.8	24	1	2	7	11	15	17	20
B. *Operated*										
0-19 YRS	829	5.9	38	1	1	4	8	13	16	27
20-34	611	5.9	25	1	2	5	8	11	15	25
35-49	300	8.2	58	1	2	6	10	17	22	46
50-64	295	8.6	49	2	2	7	11	17	23	35
65+	206	11.1	92	2	2	8	15	25	31	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	3.5	6	1	1	3	5	7	8	12
B. *Operated*	1631	4.9	19	1	1	3	7	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	479	5.7	20	1	1	4	8	12	15	22
B. *Operated*	2241	7.0	46	1	2	5	9	15	20	37
1. SINGLE DX	1784	4.8	18	1	1	3	7	10	13	19
2. MULTIPLE DX	2720	6.8	42	1	2	5	9	14	19	33
A. NOT OPERATED	632	5.2	18	1	1	4	7	10	14	20
B. OPERATED	3872	6.1	36	1	1	4	8	13	17	30
TOTAL 0-19 YRS	1887	5.2	27	1	1	3	7	11	14	24
20-34	1187	5.2	20	1	1	4	7	10	13	23
35-49	571	6.8	41	1	2	5	9	14	19	29
50-64	498	7.5	39	1	2	6	10	15	20	32
65+	361	9.1	68	1	2	7	12	20	26	41
GRAND TOTAL	**4504**	**6.0**	**33**	**1**	**1**	**4**	**8**	**12**	**17**	**28**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	1.7	2	<1	<1	1	2	4	6	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	676	4.1	8	1	2	4	5	7	9	15
20-34	75	5.2	7	2	3	4	6	9	11	13
35-49	48	5.0	8	2	3	4	6	7	9	19
50-64	26	5.5	10	3	3	5	6	9	12	18
65+	13	6.0	11	3	3	5	7	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	2.6	21	<1	<1	1	2	5	7	29
20-34	4	7.0	16	5	5	5	9	13	13	13
35-49										
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	4	5.3	14	<1	<1	5	8	10	10	10
B. *Operated*										
0-19 YRS	374	5.4	13	2	2	5	6	9	12	22
20-34	124	5.3	5	2	3	5	6	8	9	13
35-49	111	5.9	9	2	3	5	7	9	12	17
50-64	147	6.7	63	3	4	6	7	10	12	21
65+	30	9.2	18	4	5	8	12	14	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	1.7	2	<1	<1	1	2	3	6	7
B. *Operated*	838	4.4	8	1	2	4	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	74	2.9	20	<1	<1	1	3	6	10	28
B. *Operated*	786	5.8	21	2	3	5	7	10	12	20
1. SINGLE DX	889	4.2	8	1	1	4	5	7	9	15
2. MULTIPLE DX	860	5.6	22	1	2	5	6	9	12	21
A. NOT OPERATED	125	2.4	13	<1	<1	1	2	5	7	23
B. OPERATED	1624	5.1	15	2	2	4	6	9	11	18
TOTAL 0-19 YRS	1163	4.4	11	1	1	4	5	8	10	18
20-34	204	5.3	6	2	3	5	6	9	10	13
35-49	159	5.6	9	2	3	5	6	9	11	18
50-64	176	6.4	54	3	3	5	7	10	12	19
65+	47	8.0	18	3	3	7	10	13	16	20
GRAND TOTAL	**1749**	**4.9**	**15**	**1**	**2**	**4**	**6**	**9**	**11**	**18**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	402	3.6	35	<1	1	2	4	8	12	32
20-34	133	5.6	36	1	1	4	8	10	12	29
35-49	113	7.5	32	2	2	6	9	14	17	31
50-64	73	6.6	25	1	1	5	10	14	17	23
65+	42	7.8	36	1	2	7	9	14	20	28
B. *Operated*										
0-19 YRS	2214	4.9	22	1	1	3	6	10	14	24
20-34	1158	4.7	26	1	1	3	5	10	14	21
35-49	659	5.8	28	1	1	4	8	13	17	25
50-64	326	7.7	62	2	2	5	10	16	19	32
65+	99	7.6	54	2	2	5	9	21	27	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	429	5.6	57	<1	1	3	6	12	19	41
20-34	241	7.2	42	1	2	6	9	13	16	38
35-49	222	8.4	36	2	3	7	11	17	20	32
50-64	277	8.3	32	2	3	7	10	16	18	32
65+	214	9.1	62	2	3	8	11	17	22	32
B. *Operated*										
0-19 YRS	815	6.5	35	1	2	4	8	13	18	28
20-34	587	7.0	46	1	2	5	9	16	19	33
35-49	623	9.0	55	2	2	7	12	19	24	38
50-64	549	11.7	111	2	3	8	15	27	31	48
65+	202	12.4	132	2	3	9	17	24	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	763	5.1	37	1	1	3	7	11	14	28
B. *Operated*	4456	5.2	29	1	1	3	6	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	1383	7.4	48	1	2	6	9	15	19	35
B. *Operated*	2776	8.6	68	2	2	6	11	18	25	43
1. SINGLE DX	5219	5.2	30	1	1	3	6	11	15	26
2. MULTIPLE DX	4159	8.2	62	1	2	6	11	17	23	40
A. NOT OPERATED	2146	6.6	45	1	1	5	9	13	17	34
B. OPERATED	7232	6.5	47	1	2	4	8	15	19	32
TOTAL 0-19 YRS	3860	5.2	31	1	1	3	6	11	15	27
20-34	2119	5.7	35	1	1	4	7	12	16	26
35-49	1617	7.5	42	1	2	5	10	16	20	31
50-64	1225	9.6	79	2	2	7	12	19	27	41
65+	557	10.0	88	2	2	8	13	20	27	52
GRAND TOTAL	**9378**	**6.6**	**46**	**1**	**2**	**4**	**9**	**14**	**19**	**32**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1801	4.7	32	1	1	3	5	10	17	28
B. *Operated*										
0-19 YRS	51	4.7	18	1	1	3	6	9	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1401	9.8	121	1	2	6	13	25	35	99+
B. *Operated*										
0-19 YRS	147	19.0	452	1	3	16	67	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1801	4.7	32	1	1	3	5	10	17	28
B. *Operated*	51	4.7	18	1	1	3	6	9	14	23
2. MULTIPLE DX										
A. *Not Operated*	1401	9.8	121	1	2	6	13	25	35	99+
B. *Operated*	147	19.0	452	1	3	16	67	99+	99+	99+
1. SINGLE DX	1852	4.7	32	1	1	3	5	10	17	28
2. MULTIPLE DX	1548	10.6	159	1	2	6	15	31	58	99+
A. NOT OPERATED	3202	6.9	77	1	2	4	8	18	26	58
B. OPERATED	198	15.3	379	1	2	10	35	99+	99+	99+
TOTAL 0-19 YRS	3400	7.4	99	1	2	4	8	20	31	99+
GRAND TOTAL	**3400**	**7.4**	**99**	**1**	**2**	**4**	**8**	**20**	**31**	**99+**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3230	3.5	11	1	1	3	4	6	8	13
20-34	1353	4.4	22	1	1	3	5	8	11	18
35-49	654	4.8	16	1	1	4	6	9	12	21
50-64	417	5.1	18	1	2	4	6	10	12	22
65+	283	5.4	25	1	2	4	7	9	12	18
B. *Operated*										
0-19 YRS	50	5.9	35	1	1	4	6	13	18	33
20-34	98	7.0	40	2	2	5	8	13	23	32
35-49	52	6.2	10	2	2	6	8	11	12	15
50-64	37	8.7	45	2	2	7	11	20	25	28
65+	20	5.8	14	2	2	4	7	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3985	4.1	16	1	1	3	5	7	10	19
20-34	1531	5.9	35	1	2	5	7	11	15	30
35-49	1317	6.9	32	1	2	5	9	13	18	31
50-64	1447	7.5	39	2	2	6	9	14	20	33
65+	1542	8.1	44	2	3	6	10	16	19	38
B. *Operated*										
0-19 YRS	116	8.9	59	2	2	7	11	18	28	38
20-34	173	8.8	44	2	3	7	11	16	22	36
35-49	159	11.7	75	3	3	9	15	23	33	39
50-64	217	13.0	97	3	4	10	16	26	31	49
65+	176	15.3	155	3	4	12	19	32	40	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5937	4.1	16	1	1	3	5	7	10	17
B. *Operated*	257	6.8	32	2	2	5	8	13	19	31
2. MULTIPLE DX										
A. *Not Operated*	9822	5.9	31	1	2	4	7	11	15	30
B. *Operated*	841	11.8	94	2	3	9	15	24	31	46
1. SINGLE DX	6194	4.2	17	1	1	3	5	8	10	18
2. MULTIPLE DX	10663	6.4	39	1	2	5	8	13	17	33
A. NOT OPERATED	15759	5.2	26	1	1	4	6	10	13	25
B. OPERATED	1098	10.6	84	2	3	8	13	23	29	43
TOTAL 0-19 YRS	7381	3.9	15	1	1	3	5	7	9	18
20-34	3155	5.5	31	1	2	4	7	10	14	28
35-49	2182	6.6	33	1	2	5	8	13	17	32
50-64	2118	7.6	45	2	2	6	10	15	21	33
65+	2021	8.3	56	2	2	6	10	16	21	42
GRAND TOTAL	**16857**	**5.6**	**32**	**1**	**2**	**4**	**7**	**11**	**15**	**30**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1155	3.5	5	1	1	3	4	6	7	11
20-34	306	4.5	7	2	2	4	6	8	10	13
35-49	138	5.2	13	1	2	4	7	9	12	19
50-64	153	6.4	38	2	2	5	8	12	15	18
65+	133	5.9	17	2	2	5	7	10	16	22
B. *Operated*										
0-19 YRS	29	7.4	25	2	2	7	9	14	18	22
20-34	30	11.6	118	3	3	9	12	22	39	54
35-49	28	11.0	36	3	4	10	15	20	21	25
50-64	20	13.7	109	2	3	13	17	24	37	47
65+	14	18.3	128	2	5	18	25	36	38	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1783	4.0	9	1	2	3	5	7	9	17
20-34	501	6.0	50	2	2	5	7	10	14	34
35-49	323	6.4	22	2	3	5	8	11	15	25
50-64	536	7.6	50	2	3	6	9	13	16	27
65+	791	8.6	45	2	3	7	11	16	19	31
B. *Operated*										
0-19 YRS	69	11.1	169	3	3	8	11	26	31	84
20-34	93	13.7	108	3	4	11	18	27	42	80
35-49	78	12.5	54	3	6	10	16	24	26	34
50-64	144	14.9	114	4	6	12	18	25	38	53
65+	154	17.6	188	4	5	13	23	34	41	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1885	4.2	10	1	2	3	5	7	9	15
B. *Operated*	121	11.5	84	2	3	9	15	22	27	49
2. MULTIPLE DX										
A. *Not Operated*	3934	5.9	32	2	2	4	7	11	14	25
B. *Operated*	538	14.6	137	3	5	11	18	28	37	62
1. SINGLE DX	2006	4.6	18	1	2	4	6	8	11	20
2. MULTIPLE DX	4472	6.9	52	2	2	5	8	14	19	36
A. NOT OPERATED	5819	5.3	25	1	2	4	6	10	13	22
B. OPERATED	659	14.1	128	3	4	11	18	27	36	56
TOTAL 0-19 YRS	3036	4.0	12	1	2	3	5	7	9	17
20-34	930	6.4	51	2	2	5	7	11	16	40
35-49	567	7.2	31	2	3	6	9	14	18	29
50-64	853	8.7	68	2	3	7	11	16	21	42
65+	1092	9.7	75	2	3	7	12	19	25	42
GRAND TOTAL	**6478**	**6.2**	**43**	**1**	**2**	**4**	**7**	**12**	**17**	**32**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	811	3.6	7	1	1	3	4	6	7	12
20-34	1341	4.4	11	1	2	4	5	8	10	19
35-49	650	4.9	13	1	2	4	6	9	11	19
50-64	322	5.1	16	1	2	4	6	10	13	21
65+	110	5.5	11	2	2	5	7	10	13	14
B. *Operated*										
0-19 YRS	36	3.7	4	1	2	3	5	6	8	11
20-34	145	5.9	18	2	2	5	8	11	13	21
35-49	120	6.7	32	2	2	5	8	14	19	28
50-64	76	6.0	24	2	2	4	8	12	20	80
65+	18	6.8	9	3	4	6	8	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	792	4.1	8	1	2	4	5	7	9	13
20-34	1864	5.6	18	1	2	5	7	10	13	21
35-49	1276	6.5	25	2	2	5	8	12	15	27
50-64	940	6.5	21	2	2	5	8	12	16	22
65+	634	7.3	45	2	2	6	9	13	16	29
B. *Operated*										
0-19 YRS	44	7.3	25	2	2	6	10	15	16	23
20-34	256	8.3	35	2	2	7	11	15	19	28
35-49	242	9.7	49	2	3	8	13	18	21	37
50-64	150	8.9	42	3	3	7	11	17	23	34
65+	83	10.7	50	3	4	9	13	19	27	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3234	4.4	11	1	2	4	5	8	10	18
B. *Operated*	395	6.0	22	2	2	5	8	11	16	26
2. MULTIPLE DX										
A. *Not Operated*	5506	5.9	23	1	2	5	7	11	14	24
B. *Operated*	775	9.1	42	2	3	8	12	17	21	33
1. SINGLE DX	3629	4.6	13	1	2	4	6	8	11	19
2. MULTIPLE DX	6281	6.3	26	2	2	5	8	12	15	25
A. NOT OPERATED	8740	5.4	19	1	2	4	7	10	13	22
B. OPERATED	1170	8.0	38	2	2	6	10	16	20	31
TOTAL 0-19 YRS	1683	3.9	8	1	1	3	5	7	9	14
20-34	3606	5.3	18	1	2	4	7	10	13	22
35-49	2288	6.4	26	2	2	5	8	13	16	27
50-64	1488	6.4	23	2	2	5	8	12	16	25
65+	845	7.4	41	2	2	6	9	13	17	29
GRAND TOTAL	**9910**	**5.7**	**22**	**1**	**2**	**4**	**7**	**11**	**14**	**24**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	2.5	3	1	1	2	3	4	6	10
20-34	122	3.5	5	1	1	3	5	6	8	12
35-49	167	4.1	12	1	1	3	5	7	8	12
50-64	356	4.0	7	1	1	4	5	7	8	14
65+	326	3.9	14	1	1	3	5	7	9	23
B. *Operated*										
0-19 YRS	79	2.0	3	<1	<1	1	2	4	6	9
20-34	86	4.0	5	1	1	4	5	7	8	9
35-49	121	5.2	7	1	2	5	7	9	10	13
50-64	220	5.4	19	1	2	5	6	9	12	26
65+	167	4.4	6	1	1	4	6	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	3.5	29	1	1	2	4	6	8	64
20-34	127	3.9	5	1	1	4	5	7	7	11
35-49	252	5.0	15	1	1	4	6	9	12	26
50-64	728	4.9	11	1	2	4	6	9	11	18
65+	1198	5.5	23	1	2	4	7	10	13	23
B. *Operated*										
0-19 YRS	71	3.4	9	<1	<1	2	4	8	11	14
20-34	82	5.0	10	1	1	5	6	9	10	18
35-49	138	6.8	25	1	2	6	8	11	15	34
50-64	343	6.7	27	2	2	6	8	11	15	29
65+	450	7.2	36	1	2	6	9	15	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1098	3.7	9	1	1	3	5	7	8	14
B. *Operated*	673	4.6	11	1	1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2452	5.1	18	1	2	4	6	9	12	21
B. *Operated*	1084	6.6	29	1	2	5	8	13	16	28
1. SINGLE DX	1771	4.0	10	1	1	3	5	7	9	14
2. MULTIPLE DX	3536	5.5	22	1	2	4	7	10	14	23
A. NOT OPERATED	3550	4.6	16	1	1	4	6	8	11	21
B. OPERATED	1757	5.8	23	1	2	5	7	10	14	25
TOTAL 0-19 YRS	424	2.9	13	<1	1	2	3	6	8	12
20-34	417	4.0	6	1	1	4	5	7	9	12
35-49	678	5.2	16	1	1	4	7	9	11	20
50-64	1647	5.1	15	1	2	4	6	9	12	21
65+	2141	5.5	24	1	2	4	7	10	14	24
GRAND TOTAL	**5307**	**5.0**	**19**	**1**	**1**	**4**	**6**	**9**	**12**	**21**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	3.1	3	1	1	3	4	6	7	9
20-34	102	3.2	4	<1	1	3	4	6	7	9
35-49	73	3.8	6	1	1	3	5	7	9	12
50-64	62	4.5	16	1	1	3	6	10	14	17
65+	35	5.9	28	1	2	4	7	11	13	31
B. *Operated*										
0-19 YRS	469	2.6	5	<1	1	2	3	5	7	12
20-34	463	3.2	8	1	1	2	4	6	9	18
35-49	215	3.5	9	1	1	3	4	6	8	19
50-64	179	3.8	10	1	1	3	5	8	11	20
65+	91	4.8	26	1	2	3	5	10	16	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	4.4	11	1	1	3	6	9	11	15
20-34	196	4.5	8	1	1	4	6	8	10	13
35-49	204	5.7	32	1	2	4	7	10	12	34
50-64	289	6.1	29	1	2	5	8	11	15	31
65+	347	8.6	55	2	2	6	12	18	23	34
B. *Operated*										
0-19 YRS	117	4.1	18	<1	1	3	5	9	10	28
20-34	259	6.3	29	2	2	4	8	14	17	27
35-49	168	8.0	92	2	2	4	10	16	25	51
50-64	227	7.9	84	2	2	5	10	18	26	45
65+	202	12.1	175	2	2	7	16	27	36	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	3.7	9	1	1	3	5	7	9	15
B. *Operated*	1417	3.2	9	1	1	2	4	6	9	19
2. MULTIPLE DX										
A. *Not Operated*	1176	6.3	34	1	2	5	8	12	18	30
B. *Operated*	973	7.9	87	2	2	5	9	17	25	54
1. SINGLE DX	1816	3.3	9	1	1	2	4	6	9	18
2. MULTIPLE DX	2149	7.0	59	1	2	5	8	15	21	39
A. NOT OPERATED	1575	5.7	29	1	1	4	7	11	16	28
B. OPERATED	2390	5.1	46	1	1	3	6	11	[illegible]	37
TOTAL 0-19 YRS	853	3.2	8	<1	1	2	4	6	9	14
20-34	1020	4.2	14	1	1	3	5	8	11	20
35-49	660	5.4	40	1	2	4	6	10	14	38
50-64	757	6.0	42	1	2	4	7	12	18	36
65+	675	9.0	91	2	2	6	11	20	26	58
GRAND TOTAL	**3965**	**5.3**	**39**	**1**	**1**	**3**	**6**	**11**	**16**	**32**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.9	46	<1	<1	3	7	18	20	20
20-34	8	5.3	8	1	1	5	7	9	9	9
35-49	3	19.7	234	8	8	14	31	37	37	37
50-64	7	6.9	18	3	3	6	9	14	15	15
65+	27	11.5	50	3	4	10	16	21	24	31
B. *Operated*										
0-19 YRS	48	5.4	40	1	1	3	5	15	20	29
20-34	57	6.8	46	1	2	4	9	14	17	37
35-49	56	10.3	153	2	2	5	12	29	32	58
50-64	96	15.7	239	2	2	11	22	37	49	94
65+	202	21.1	329	3	4	16	25	46	67	98
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	25	4	4	7	11	11	11	11
20-34	11	8.2	39	2	2	7	10	18	23	23
35-49	10	12.4	72	1	1	13	17	24	26	26
50-64	73	14.3	129	4	5	11	19	27	37	60
65+	289	13.4	89	3	4	11	17	26	33	58
B. *Operated*										
0-19 YRS	46	8.5	85	2	2	4	13	22	31	37
20-34	96	11.2	211	1	2	7	15	25	44	99
35-49	136	20.0	330	2	3	15	29	49	59	99+
50-64	499	24.8	328	3	5	20	34	53	68	99+
65+	1419	27.0	291	7	9	23	35	53	64	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	9.6	57	1	2	8	14	20	23	37
B. *Operated*	459	15.2	259	2	2	11	20	34	52	92
2. MULTIPLE DX										
A. *Not Operated*	385	13.3	95	3	4	11	17	26	32	60
B. *Operated*	2196	25.0	312	3	6	21	33	52	63	97
1. SINGLE DX	511	14.7	242	2	2	10	20	31	49	91
2. MULTIPLE DX	2581	23.2	297	3	5	19	31	49	61	95
A. NOT OPERATED	437	12.9	92	3	4	10	17	25	31	59
B. OPERATED	2655	23.3	316	2	4	19	32	49	62	96
TOTAL 0-19 YRS	103	6.9	61	1	1	3	10	18	25	35
20-34	172	9.3	140	1	2	5	11	20	30	90
35-49	205	16.9	285	2	2	12	25	39	55	98
50-64	675	22.2	310	3	4	18	31	49	63	97
65+	1937	24.1	288	5	7	20	32	49	61	92
GRAND TOTAL	**3092**	**21.8**	**298**	**2**	**4**	**18**	**30**	**47**	**60**	**94**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	227	3.4	8	1	1	3	4	6	7	12
20-34	1333	3.4	6	1	1	3	4	6	8	12
35-49	2749	3.8	7	1	1	3	5	7	9	13
50-64	2184	4.1	9	1	2	3	5	7	9	15
65+	682	4.4	11	1	1	4	6	9	11	16
B. *Operated*										
0-19 YRS	5	3.4	2	2	2	3	5	5	5	5
20-34	164	3.9	7	2	2	3	5	8	10	14
35-49	782	3.9	9	2	2	3	4	8	10	16
50-64	861	3.8	22	2	2	3	4	7	10	15
65+	116	4.8	15	2	2	3	6	10	11	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	262	4.2	10	1	1	3	5	8	9	17
20-34	1993	4.5	9	1	1	4	6	8	10	15
35-49	5553	5.0	14	1	2	4	6	9	11	19
50-64	6324	5.3	15	1	2	4	7	10	12	19
65+	3748	6.0	21	2	2	5	7	11	14	25
B. *Operated*										
0-19 YRS	20	5.0	11	2	2	4	7	11	11	11
20-34	255	6.5	28	2	2	5	9	13	16	33
35-49	1292	6.4	40	2	2	4	8	13	16	27
50-64	1713	6.7	36	2	2	4	9	14	19	30
65+	445	9.5	71	2	2	8	12	18	26	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7175	3.9	8	1	1	3	5	7	9	14
B. *Operated*	1928	3.9	15	2	2	3	4	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	17880	5.2	15	1	2	4	7	9	12	20
B. *Operated*	3725	6.9	42	2	2	5	9	14	18	30
1. SINGLE DX	9103	3.9	9	1	2	3	5	7	9	15
2. MULTIPLE DX	21605	5.5	20	2	2	4	7	10	13	23
A. NOT OPERATED	25055	4.8	14	1	2	4	6	9	11	19
B. OPERATED	5653	5.9	35	2	2	4	8	12	16	28
TOTAL 0-19 YRS	514	3.9	9	1	1	3	5	7	9	14
20-34	3745	4.2	10	1	1	3	5	8	10	15
35-49	10376	4.8	16	1	2	4	6	9	11	19
50-64	11082	5.1	18	1	2	4	6	10	12	22
65+	4991	6.1	25	2	2	5	8	11	15	26
GRAND TOTAL	**30708**	**5.0**	**18**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	356	3.5	13	1	1	2	4	7	10	21
20-34	129	3.5	8	1	1	3	4	7	8	16
35-49	111	3.7	6	1	1	3	5	7	8	12
50-64	161	3.9	9	1	1	3	5	8	10	16
65+	122	5.3	24	1	1	4	7	10	14	28
B. *Operated*										
0-19 YRS	37	4.0	14	1	1	3	5	8	15	16
20-34	72	4.8	26	1	1	3	6	9	12	29
35-49	124	4.4	15	1	1	3	6	10	12	19
50-64	189	4.7	12	1	1	4	6	10	11	15
65+	147	5.8	35	1	2	4	8	11	13	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	484	4.6	20	1	1	3	6	9	12	20
20-34	318	4.8	28	1	1	4	6	9	11	25
35-49	365	5.7	36	1	1	4	7	11	15	32
50-64	741	7.3	46	1	2	5	9	15	20	32
65+	1154	8.4	47	2	2	6	11	16	23	34
B. *Operated*										
0-19 YRS	46	7.0	41	2	2	5	9	20	40	99+
20-34	128	6.7	29	1	2	5	9	13	16	28
35-49	278	7.8	48	2	2	6	9	16	22	37
50-64	521	7.9	45	2	2	6	10	15	21	33
65+	486	10.2	96	2	2	8	13	21	26	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	879	3.9	12	1	1	3	5	8	10	17
B. *Operated*	569	4.9	20	1	1	3	6	10	12	25
2. MULTIPLE DX										
A. *Not Operated*	3062	6.8	42	1	2	5	9	14	19	32
B. *Operated*	1459	8.5	62	2	2	6	11	18	23	38
1. SINGLE DX	1448	4.3	16	1	1	3	5	9	11	19
2. MULTIPLE DX	4521	7.4	49	1	2	5	9	15	20	34
A. NOT OPERATED	3941	6.2	37	1	1	4	8	13	17	30
B. OPERATED	2028	7.5	53	1	2	5	9	16	21	36
TOTAL 0-19 YRS	923	4.3	19	1	1	3	5	9	12	23
20-34	647	4.9	25	1	1	4	6	10	13	27
35-49	878	5.9	35	1	1	4	7	11	16	32
50-64	1612	6.9	40	1	2	5	9	14	19	31
65+	1909	8.5	59	2	2	6	11	17	23	37
GRAND TOTAL	**5969**	**6.6**	**43**	**1**	**2**	**5**	**8**	**14**	**19**	**33**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	217	2.6	3	1	1	2	3	4	6	9
20-34	539	2.8	5	1	1	2	3	5	7	11
35-49	470	2.7	4	1	1	2	3	5	7	9
50-64	323	3.0	6	1	1	2	4	5	7	14
65+	219	4.5	17	1	1	4	6	9	11	34
B. *Operated*										
0-19 YRS	559	2.1	19	<1	1	1	2	3	4	10
20-34	179	4.9	18	1	1	4	6	9	11	22
35-49	183	5.7	21	1	1	5	8	12	14	22
50-64	166	6.8	22	1	2	6	9	14	16	20
65+	182	7.7	34	1	2	6	11	16	17	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	231	3.4	6	1	1	3	4	7	8	12
20-34	478	4.0	14	1	1	3	5	7	10	21
35-49	499	4.2	20	1	1	3	5	8	11	21
50-64	644	4.6	13	1	1	4	6	9	12	20
65+	1112	7.2	42	2	2	5	9	14	20	30
B. *Operated*										
0-19 YRS	556	2.5	8	1	1	2	3	5	7	18
20-34	289	7.2	40	1	2	6	10	13	17	31
35-49	331	8.6	36	2	2	7	11	16	21	28
50-64	559	9.8	49	2	3	8	13	18	23	34
65+	1296	12.9	89	3	4	11	16	24	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1768	3.0	6	1	1	2	4	6	7	13
B. *Operated*	1269	4.4	26	1	1	3	6	10	14	21
2. MULTIPLE DX										
A. *Not Operated*	2964	5.3	27	1	1	4	6	11	15	26
B. *Operated*	3031	9.4	71	1	2	8	13	20	25	41
1. SINGLE DX	3037	3.6	15	1	1	2	4	8	10	17
2. MULTIPLE DX	5995	7.4	53	1	1	5	10	16	21	34
A. NOT OPERATED	4732	4.5	20	1	1	3	5	9	12	24
B. OPERATED	4300	7.9	63	1	1	6	11	17	22	36
TOTAL 0-19 YRS	1563	2.5	11	1	1	2	3	4	6	12
20-34	1485	4.3	19	1	1	3	5	9	11	20
35-49	1483	4.9	23	1	1	3	6	10	14	24
50-64	1692	6.2	32	1	1	4	8	13	17	27
65+	2809	9.7	70	2	2	7	13	20	26	41
GRAND TOTAL	**9032**	**6.1**	**44**	**1**	**1**	**4**	**8**	**14**	**18**	**31**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4362	2.9	5	1	1	2	4	5	7	11
20-34	3973	3.5	8	1	1	3	4	7	8	15
35-49	1948	4.2	12	1	1	3	5	8	10	17
50-64	1350	4.4	12	1	1	4	6	8	10	19
65+	864	4.9	11	1	2	4	6	9	12	17
B. *Operated*										
0-19 YRS	459	4.8	11	1	2	4	6	9	11	18
20-34	752	5.2	17	1	2	4	7	10	13	20
35-49	289	6.7	31	2	2	5	9	13	16	27
50-64	176	7.3	36	1	2	6	9	14	19	31
65+	78	8.0	38	1	2	7	11	16	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2833	3.5	9	1	1	3	4	6	8	14
20-34	3911	4.2	11	1	1	3	6	8	10	17
35-49	2679	5.5	17	1	2	4	7	10	13	21
50-64	2886	5.8	19	2	2	5	7	11	14	22
65+	3511	6.7	29	2	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	424	5.5	15	1	2	5	7	10	12	17
20-34	1049	7.1	30	1	2	6	9	14	18	31
35-49	691	9.2	50	2	3	8	12	17	21	33
50-64	588	10.0	51	2	3	9	13	18	24	39
65+	508	11.3	58	3	4	9	14	21	28	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12497	3.6	9	1	1	3	5	7	9	15
B. *Operated*	1754	5.7	21	1	2	4	7	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	15820	5.1	19	1	2	4	6	10	13	22
B. *Operated*	3260	8.5	44	2	2	7	11	16	21	34
1. SINGLE DX	14251	3.9	11	1	1	3	5	7	10	17
2. MULTIPLE DX	19080	5.7	25	1	2	4	7	11	14	26
A. NOT OPERATED	28317	4.5	15	1	1	3	6	9	11	20
B. OPERATED	5014	7.5	38	2	2	6	10	15	19	31
TOTAL 0-19 YRS	8078	3.3	8	1	1	3	4	6	8	13
20-34	9685	4.3	13	1	1	3	5	8	11	20
35-49	5607	5.6	23	1	2	4	7	11	14	23
50-64	5000	6.0	24	1	2	5	7	11	15	25
65+	4961	6.9	32	2	2	5	9	13	17	30
GRAND TOTAL	**33331**	**4.9**	**19**	**1**	**1**	**4**	**6**	**10**	**13**	**23**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	471	3.3	7	1	1	3	4	6	8	13
20-34	246	3.6	6	1	1	3	5	7	8	11
35-49	204	4.2	11	1	1	3	5	9	11	17
50-64	162	4.8	23	1	1	3	6	10	13	27
65+	186	5.4	16	1	2	4	7	10	13	20
B. *Operated*										
0-19 YRS	43	5.4	41	1	1	4	6	9	19	37
20-34	112	5.6	18	1	1	5	8	11	14	19
35-49	71	6.6	68	1	1	5	9	13	16	54
50-64	88	5.8	23	1	1	4	9	14	16	20
65+	66	7.1	51	1	2	5	8	13	18	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	929	4.0	14	1	1	3	5	7	10	20
20-34	516	4.3	12	1	1	3	5	8	11	18
35-49	508	5.4	22	1	2	4	7	11	14	26
50-64	859	6.7	36	1	2	5	9	13	18	27
65+	1604	7.9	44	2	2	6	10	16	21	35
B. *Operated*										
0-19 YRS	78	7.4	54	1	2	5	9	14	25	40
20-34	202	8.2	35	2	2	7	10	17	21	28
35-49	239	10.4	69	1	2	8	13	21	26	42
50-64	328	10.2	75	2	2	8	14	22	28	43
65+	383	13.5	128	2	3	10	17	27	37	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1269	4.0	11	1	1	3	5	8	10	16
B. *Operated*	380	6.1	37	1	1	4	8	13	16	30
2. MULTIPLE DX										
A. *Not Operated*	4416	6.2	33	1	2	4	8	12	17	29
B. *Operated*	1230	10.8	87	2	2	8	14	22	28	46
1. SINGLE DX	1649	4.5	18	1	1	3	6	9	12	18
2. MULTIPLE DX	5646	7.2	48	1	2	5	9	15	21	36
A. NOT OPERATED	5685	5.7	29	1	2	4	7	12	16	27
B. OPERATED	1610	9.6	79	1	2	7	13	20	27	43
TOTAL 0-19 YRS	1521	4.0	15	1	1	3	5	7	10	21
20-34	1076	5.0	18	1	1	4	6	10	13	23
35-49	1022	6.4	39	1	2	5	8	13	17	33
50-64	1437	7.3	45	1	2	5	9	15	20	32
65+	2239	8.7	62	2	2	6	11	18	23	42
GRAND TOTAL	**7295**	**6.6**	**42**	**1**	**2**	**5**	**8**	**14**	**19**	**34**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3549	4.2	22	1	1	3	5	7	10	21
20-34	2420	4.8	26	1	1	3	5	9	13	26
35-49	1719	6.0	49	1	1	4	7	12	22	32
50-64	1795	5.8	39	1	1	4	7	12	17	32
65+	1690	6.6	57	1	2	5	8	13	19	44
B. *Operated*										
0-19 YRS	312	4.4	31	<1	1	3	5	8	15	35
20-34	665	4.2	29	1	1	2	5	9	13	33
35-49	518	4.8	41	1	1	3	6	10	12	34
50-64	575	5.6	66	1	2	3	6	11	20	65
65+	341	7.8	108	2	2	5	9	16	25	76
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3718	5.1	24	1	2	4	6	10	13	23
20-34	2998	5.1	17	1	2	4	6	9	12	21
35-49	3290	5.9	28	1	2	5	7	11	14	26
50-64	5621	6.7	32	1	2	5	8	13	17	27
65+	9886	7.8	41	2	2	6	10	15	20	32
B. *Operated*										
0-19 YRS	270	7.5	88	1	2	4	9	18	29	99+
20-34	738	6.2	44	1	2	4	8	13	17	39
35-49	825	7.7	59	2	2	5	10	17	22	43
50-64	1258	9.8	103	2	2	7	12	20	28	56
65+	1514	13.5	146	2	3	10	17	28	36	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11173	5.2	36	1	1	4	6	10	15	27
B. *Operated*	2411	5.2	53	1	1	3	6	10	16	44
2. MULTIPLE DX										
A. *Not Operated*	25513	6.6	33	1	2	5	8	13	17	29
B. *Operated*	4605	9.9	107	2	2	7	13	22	30	58
1. SINGLE DX	13584	5.2	39	1	1	3	6	10	15	31
2. MULTIPLE DX	30118	7.1	46	1	2	5	9	14	19	34
A. NOT OPERATED	36686	6.2	35	1	2	5	8	12	16	28
B. OPERATED	7016	8.3	93	1	2	5	10	19	27	56
TOTAL 0-19 YRS	7849	4.8	26	1	1	3	5	9	13	24
20-34	6821	5.0	25	1	1	4	6	10	13	26
35-49	6352	6.0	39	1	2	4	7	12	17	31
50-64	9249	6.8	46	1	2	5	8	14	19	34
65+	13431	8.3	60	2	2	6	10	16	22	41
GRAND TOTAL	**43702**	**6.5**	**45**	**1**	**2**	**5**	**8**	**13**	**18**	**33**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	830	2.8	8	1	1	2	3	5	7	13
20-34	81	4.2	13	<1	1	3	5	8	12	19
35-49	29	5.3	16	1	1	5	7	13	16	99+
50-64	23	4.9	13	<1	1	4	6	9	13	16
65+	17	7.8	24	2	2	6	10	16	17	17
B. *Operated*										
0-19 YRS	141	8.5	117	2	2	6	9	14	21	76
20-34	49	8.0	61	2	3	7	9	14	21	99+
35-49	24	9.3	43	1	2	8	13	18	22	26
50-64	11	16.6	490	4	4	6	20	46	77	80
65+	2	17.0	338	4	4	17	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	696	4.4	20	1	1	3	5	9	12	24
20-34	142	7.3	35	1	2	6	9	14	19	34
35-49	82	9.2	63	1	2	7	12	19	27	39
50-64	87	8.8	73	1	2	7	11	21	27	81
65+	86	11.0	79	2	3	9	12	25	34	78
B. *Operated*										
0-19 YRS	219	11.8	172	1	2	8	14	26	47	99+
20-34	182	13.9	243	2	2	10	18	40	61	99+
35-49	76	13.5	139	2	3	11	20	31	81	99+
50-64	61	17.9	195	2	5	15	23	40	51	96
65+	37	19.8	277	2	4	14	31	46	55	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	980	3.1	9	1	1	2	4	6	8	16
B. *Operated*	227	9.0	116	2	2	7	9	16	23	81
2. MULTIPLE DX										
A. *Not Operated*	1093	6.0	39	1	1	4	8	12	19	37
B. *Operated*	575	13.8	203	2	2	10	18	36	58	99+
1. SINGLE DX	1207	4.2	35	1	1	3	5	9	12	28
2. MULTIPLE DX	1668	8.7	110	1	2	6	11	20	32	98
A. NOT OPERATED	2073	4.6	27	1	1	3	6	10	13	31
B. OPERATED	802	12.5	183	2	2	8	15	30	48	99+
TOTAL 0-19 YRS	1886	4.8	48	1	1	3	5	10	14	42
20-34	454	9.5	132	1	2	6	11	21	38	99+
35-49	211	10.2	89	1	2	8	14	25	31	99+
50-64	182	11.8	152	1	2	8	15	27	44	93
65+	142	13.0	142	2	3	10	15	32	41	66
GRAND TOTAL	**2875**	**6.8**	**83**	**1**	**1**	**4**	**8**	**15**	**25**	**65**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	374	3.5	14	1	1	2	4	7	11	20
20-34	100	5.1	17	1	1	4	7	10	13	22
35-49	25	5.7	27	<1	1	4	9	13	17	22
50-64	24	6.5	24	1	1	6	9	14	17	18
65+	10	8.3	38	2	2	7	14	17	20	20
B. *Operated*										
0-19 YRS	35	5.1	7	1	2	5	7	9	9	12
20-34	33	5.8	37	1	1	3	10	12	16	30
35-49	15	7.3	22	1	2	8	10	15	16	17
50-64	5	5.0	21	1	1	3	8	12	12	12
65+	3	4.7	12	1	1	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	333	5.6	31	1	1	4	7	11	15	32
20-34	200	6.6	31	1	2	5	8	13	16	30
35-49	75	8.4	60	1	1	6	10	18	30	34
50-64	74	11.4	147	1	2	8	13	24	34	72
65+	78	11.0	97	2	2	8	14	23	32	48
B. *Operated*										
0-19 YRS	134	10.8	101	2	2	8	14	23	36	49
20-34	171	13.6	231	2	3	9	17	31	62	99+
35-49	72	15.5	210	2	3	10	18	41	49	95
50-64	47	17.7	234	1	2	14	23	46	49	66
65+	45	20.0	373	3	4	13	26	59	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	533	4.1	17	1	1	3	5	9	12	21
B. *Operated*	91	5.7	21	1	1	4	8	11	13	25
2. MULTIPLE DX										
A. *Not Operated*	760	7.2	56	1	2	5	9	14	23	35
B. *Operated*	469	14.1	215	2	3	10	18	34	49	98
1. SINGLE DX	624	4.4	18	1	1	3	6	9	12	21
2. MULTIPLE DX	1229	9.9	128	1	2	6	12	23	33	71
A. NOT OPERATED	1293	6.0	42	1	1	4	7	13	18	33
B. OPERATED	560	12.8	193	1	2	8	16	31	47	90
TOTAL 0-19 YRS	876	5.5	39	1	1	3	7	12	16	36
20-34	504	8.6	109	1	2	5	10	18	27	71
35-49	187	10.7	136	1	2	8	12	29	36	73
50-64	150	12.4	165	1	2	9	15	27	38	66
65+	136	13.6	201	2	3	9	19	30	40	85
GRAND TOTAL	**1853**	**8.0**	**98**	**1**	**1**	**5**	**10**	**18**	**27**	**62**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	2.0	2	<1	1	2	2	4	5	8
20-34	194	2.6	7	<1	<1	2	3	5	7	16
35-49	64	3.2	11	1	1	2	4	6	11	19
50-64	35	3.2	10	<1	<1	2	3	7	10	15
65+	25	6.5	71	1	1	3	8	17	28	36
B. *Operated*										
0-19 YRS	1785	2.6	4	<1	1	2	3	5	6	10
20-34	2119	3.3	7	1	1	3	4	6	8	16
35-49	521	4.0	14	1	1	3	5	8	11	19
50-64	211	4.0	13	1	1	3	5	8	11	24
65+	70	6.2	84	1	2	3	6	12	18	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	262	2.9	17	<1	1	2	3	5	7	18
20-34	383	3.5	14	<1	1	2	4	7	9	20
35-49	159	4.3	16	1	1	3	5	8	11	21
50-64	136	5.4	23	1	1	4	7	11	15	26
65+	242	7.4	44	1	2	6	10	15	20	31
B. *Operated*										
0-19 YRS	1458	4.8	32	1	1	3	6	9	12	34
20-34	2300	5.8	48	1	2	4	7	11	16	38
35-49	786	7.0	61	1	2	5	9	13	19	45
50-64	378	7.8	68	1	2	6	9	16	22	57
65+	289	10.0	92	2	2	8	12	21	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	455	2.8	11	<1	1	2	3	5	8	20
B. *Operated*	4706	3.2	9	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	1182	4.5	25	<1	1	3	6	9	13	26
B. *Operated*	5211	6.1	51	1	2	4	7	12	17	39
1. SINGLE DX	5161	3.2	9	1	1	2	4	6	8	16
2. MULTIPLE DX	6393	5.8	46	1	1	4	7	11	16	37
A. NOT OPERATED	1637	4.0	22	<1	1	3	5	8	12	25
B. OPERATED	9917	4.7	33	1	1	3	5	9	13	30
TOTAL 0-19 YRS	3642	3.5	17	1	1	2	4	7	9	19
20-34	4996	4.5	28	1	1	3	5	8	12	28
35-49	1530	5.5	40	1	1	4	7	11	15	34
50-64	760	6.1	45	1	2	4	7	13	17	40
65+	626	8.4	74	1	2	6	10	17	25	43
GRAND TOTAL	**11554**	**4.6**	**31**	**1**	**1**	**3**	**5**	**9**	**13**	**30**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	564	5.6	24	1	2	4	7	10	13	23
20-34	832	6.1	24	1	2	5	8	11	14	24
35-49	432	7.3	24	2	2	6	9	13	17	24
50-64	580	8.3	34	2	3	7	11	14	18	30
65+	778	10.4	40	3	4	9	14	18	23	30
B. *Operated*										
0-19 YRS	56	15.6	208	2	3	10	21	42	48	63
20-34	106	15.2	146	3	4	13	22	38	59	99+
35-49	49	11.1	49	2	3	9	14	21	26	30
50-64	32	17.7	188	2	3	15	26	37	49	53
65+	32	16.6	109	4	7	13	18	34	39	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	396	6.5	33	1	2	5	8	13	16	25
20-34	789	7.6	35	2	2	6	10	14	18	31
35-49	520	9.2	57	2	3	8	11	16	23	42
50-64	1000	11.0	55	3	4	9	14	21	25	36
65+	3440	13.4	73	4	5	12	17	23	29	45
B. *Operated*										
0-19 YRS	179	17.1	227	3	4	13	23	44	56	99+
20-34	310	16.8	251	3	3	12	22	40	57	99+
35-49	142	16.2	228	3	4	11	21	40	49	83
50-64	197	20.7	265	5	6	16	25	44	60	76
65+	375	21.4	196	7	8	18	27	37	49	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3186	7.6	33	2	2	6	10	14	18	28
B. *Operated*	275	15.0	144	2	4	12	19	33	45	99+
2. MULTIPLE DX										
A. *Not Operated*	6145	11.5	67	3	4	10	15	21	27	41
B. *Operated*	1203	18.8	234	3	5	15	24	40	55	90
1. SINGLE DX	3461	8.2	46	2	2	6	10	16	20	38
2. MULTIPLE DX	7348	12.7	102	3	4	10	16	24	31	56
A. NOT OPERATED	9331	10.2	59	2	3	8	13	19	24	38
B. OPERATED	1478	18.1	219	3	5	14	24	38	53	93
TOTAL 0-19 YRS	1195	8.1	84	1	2	5	9	16	24	56
20-34	2037	8.8	84	2	2	6	10	18	27	59
35-49	1143	9.4	73	2	3	7	11	18	24	47
50-64	1809	11.3	86	3	4	9	14	21	28	52
65+	4625	13.6	84	4	5	12	17	24	31	49
GRAND TOTAL	**10809**	**11.2**	**88**	**2**	**3**	**9**	**14**	**22**	**28**	**52**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	7.1	27	1	2	6	11	19	53	99+
20-34	41	6.9	34	2	2	6	9	13	24	99+
35-49	33	7.4	17	2	3	7	10	12	15	19
50-64	17	9.3	45	<1	1	7	12	19	24	26
65+	40	8.3	20	2	3	7	11	14	17	21
B. *Operated*										
0-19 YRS	6	23.2	387	2	2	22	38	50	51	51
20-34	22	27.1	467	5	7	20	44	86	99+	99+
35-49	5	25.6	493	7	7	23	63	96	99+	99+
50-64	8	24.4	494	5	6	19	32	62	71	71
65+	8	22.6	446	2	3	19	24	57	71	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	15.2	292	3	3	8	28	54	86	99+
20-34	46	14.1	438	1	2	7	15	62	96	99+
35-49	27	11.3	62	2	4	9	17	25	39	99+
50-64	38	12.6	110	4	4	11	16	26	48	99+
65+	118	13.9	53	4	6	13	18	24	28	38
B. *Operated*										
0-19 YRS	37	40.6	642	5	12	56	99+	99+	99+	99+
20-34	76	41.5	646	9	15	47	89	99+	99+	99+
35-49	17	36.1	417	9	17	38	64	99+	99+	99+
50-64	14	36.6	561	8	13	46	99+	99+	99+	99+
65+	29	28.2	474	7	8	26	41	86	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	7.6	27	2	3	7	11	15	19	97
B. *Operated*	49	25.3	426	3	5	20	40	72	98	99+
2. MULTIPLE DX										
A. *Not Operated*	244	13.5	148	3	4	11	17	26	35	99+
B. *Operated*	173	38.1	598	8	11	44	90	99+	99+	99+
1. SINGLE DX	201	11.9	180	2	3	8	15	29	56	99+
2. MULTIPLE DX	417	23.7	481	3	5	18	46	99+	99+	99+
A. NOT OPERATED	396	11.3	110	2	3	9	15	22	30	99+
B. OPERATED	222	35.3	587	6	9	38	82	99+	99+	99+
TOTAL 0-19 YRS	79	25.5	600	2	3	27	67	99+	99+	99+
20-34	185	25.3	647	2	3	18	54	99+	99+	99+
35-49	82	15.7	262	2	3	11	24	54	99+	99+
50-64	77	17.4	304	3	4	13	28	88	99+	99+
65+	195	15.2	159	3	5	12	18	28	40	94
GRAND TOTAL	**618**	**19.9**	**413**	**3**	**4**	**14**	**32**	**91**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	3.0	5	1	1	2	4	6	7	11
20-34	150	3.2	7	1	1	3	4	6	8	12
35-49	169	3.9	6	1	1	3	5	7	8	15
50-64	246	4.9	13	1	2	4	6	10	11	19
65+	279	6.5	24	2	2	5	9	12	16	24
B. *Operated*										
0-19 YRS	4	5.5	12	2	2	5	8	10	10	10
20-34	19	7.7	42	2	2	6	9	17	23	27
35-49	8	6.0	27	<1	1	3	9	14	16	16
50-64	15	13.0	229	6	6	7	12	19	54	66
65+	12	7.3	48	1	2	5	9	16	25	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	4.6	14	1	1	4	6	9	12	20
20-34	641	5.2	26	1	1	4	7	10	14	24
35-49	806	6.0	20	1	2	5	8	11	14	22
50-64	1126	7.7	32	2	3	6	10	14	18	27
65+	2285	9.7	50	2	3	8	13	19	23	35
B. *Operated*										
0-19 YRS	90	9.3	111	2	2	6	10	21	27	59
20-34	237	10.9	165	2	3	7	12	21	28	71
35-49	236	11.9	123	2	3	9	14	23	27	62
50-64	279	15.1	194	3	5	11	18	32	40	78
65+	327	16.8	170	3	4	13	22	35	43	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	897	4.8	15	1	1	4	6	10	12	22
B. *Operated*	58	8.6	90	2	2	7	10	16	24	63
2. MULTIPLE DX										
A. *Not Operated*	5063	7.9	40	2	2	6	10	16	20	32
B. *Operated*	1169	13.6	167	2	3	10	16	28	40	67
1. SINGLE DX	955	5.0	21	1	1	4	6	10	12	23
2. MULTIPLE DX	6232	9.0	69	2	2	7	11	18	24	43
A. NOT OPERATED	5960	7.5	37	1	2	6	10	15	20	31
B. OPERATED	1227	13.4	164	2	3	10	16	27	40	67
TOTAL 0-19 YRS	352	5.6	42	1	1	4	6	11	15	31
20-34	1047	6.3	62	1	1	4	7	12	18	47
35-49	1219	6.9	45	1	2	5	8	13	17	39
50-64	1666	8.6	68	2	2	7	11	16	22	41
65+	2903	10.2	67	2	3	8	13	20	25	42
GRAND TOTAL	**7187**	**8.5**	**64**	**1**	**2**	**6**	**11**	**17**	**23**	**41**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	248	7.1	43	2	2	5	9	13	16	46
20-34	175	10.5	144	2	3	7	11	20	40	62
35-49	84	11.0	162	2	3	8	13	20	30	79
50-64	183	12.3	69	3	5	10	16	23	28	48
65+	639	13.7	75	3	5	12	18	25	29	42
B. *Operated*										
0-19 YRS	14	11.1	151	1	3	6	18	24	42	47
20-34	21	20.5	309	2	3	18	24	50	61	62
35-49	10	36.1	551	7	10	35	54	70	84	84
50-64	8	36.1	293	9	11	38	49	57	59	59
65+	17	21.7	324	4	4	18	27	48	64	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	302	10.5	81	2	3	8	13	22	30	45
20-34	378	13.8	188	2	3	9	16	29	43	68
35-49	197	17.0	166	4	5	14	21	37	45	63
50-64	396	17.4	173	4	6	14	22	33	41	72
65+	2027	16.8	108	4	6	15	22	30	36	51
B. *Operated*										
0-19 YRS	149	23.2	347	4	5	19	33	57	76	99+
20-34	246	28.5	415	5	7	23	41	60	77	99+
35-49	95	29.6	481	4	6	24	44	73	92	99+
50-64	92	33.8	469	7	9	30	53	66	79	99+
65+	258	29.6	363	7	10	25	38	56	79	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1329	11.7	88	2	3	9	15	22	28	48
B. *Operated*	70	22.9	371	3	4	18	35	53	61	81
2. MULTIPLE DX										
A. *Not Operated*	3300	16.0	129	3	5	14	21	30	38	60
B. *Operated*	840	28.6	407	5	7	24	40	61	79	99+
1. SINGLE DX	1399	12.3	108	2	3	10	16	24	31	57
2. MULTIPLE DX	4140	18.5	211	3	5	15	24	38	49	81
A. NOT OPERATED	4629	14.7	121	3	4	12	19	28	35	56
B. OPERATED	910	28.1	406	5	7	23	39	60	78	99+
TOTAL 0-19 YRS	713	12.0	160	2	3	8	14	29	41	82
20-34	820	17.7	302	3	3	11	22	43	57	86
35-49	386	19.3	300	3	4	14	25	45	56	98
50-64	679	18.5	232	4	5	14	23	38	52	77
65+	2941	17.3	140	4	6	15	22	31	38	66
GRAND TOTAL	**5539**	**16.9**	**193**	**3**	**4**	**13**	**22**	**34**	**45**	**79**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	474	3.6	24	<1	1	2	3	9	15	23
20-34	130	4.5	43	1	1	3	5	7	15	32
35-49	110	5.5	36	1	1	4	6	13	18	31
50-64	288	5.0	30	1	1	4	6	9	12	25
65+	780	6.2	29	1	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	1854	5.5	39	1	1	3	6	16	20	26
20-34	283	5.9	37	1	2	4	7	12	16	38
35-49	191	7.2	74	1	2	5	8	14	24	53
50-64	329	6.6	43	1	2	5	8	13	19	32
65+	524	8.9	69	1	2	6	11	19	26	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	159	5.6	41	<1	1	3	7	13	16	40
20-34	107	5.2	20	1	1	4	7	11	13	25
35-49	102	7.5	41	1	2	5	10	17	20	32
50-64	366	8.3	79	2	2	6	10	17	24	50
65+	1675	10.4	78	2	3	8	13	21	28	46
B. *Operated*										
0-19 YRS	613	8.3	83	1	2	5	11	22	26	45
20-34	331	11.1	136	1	2	7	14	27	37	97
35-49	240	12.1	181	1	2	7	16	31	40	60
50-64	455	12.0	187	2	3	7	14	25	39	73
65+	984	14.8	145	2	3	11	20	30	38	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1782	5.1	30	1	1	4	6	11	16	26
B. *Operated*	3181	6.3	48	1	1	4	8	16	20	31
2. MULTIPLE DX										
A. *Not Operated*	2409	9.4	74	2	2	7	12	19	26	44
B. *Operated*	2623	12.1	146	2	2	8	16	27	36	65
1. SINGLE DX	4963	5.9	42	1	1	4	7	14	19	29
2. MULTIPLE DX	5032	10.8	113	2	2	7	14	24	31	56
A. NOT OPERATED	4191	7.6	60	1	1	5	10	17	22	39
B. OPERATED	5804	8.9	100	1	1	5	12	21	28	50
TOTAL 0-19 YRS	3100	5.8	47	1	1	3	6	16	21	31
20-34	851	7.6	82	1	2	5	9	17	26	51
35-49	643	8.8	109	1	2	5	10	20	31	55
50-64	1438	8.4	102	1	2	6	9	18	25	60
65+	3963	10.5	92	2	2	8	13	22	29	49
GRAND TOTAL	**9995**	**8.4**	**84**	**1**	**1**	**5**	**11**	**19**	**26**	**48**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	285	1.9	3	<1	1	1	2	3	4	9
20-34	94	2.3	3	<1	<1	2	3	5	6	9
35-49	60	2.5	5	<1	1	2	3	5	6	13
50-64	119	3.0	7	<1	1	2	4	6	9	13
65+	167	4.1	13	1	1	3	5	8	11	18
B. *Operated*										
0-19 YRS	4567	2.1	6	1	1	1	2	4	5	10
20-34	1143	3.5	7	1	1	3	4	7	8	14
35-49	927	3.3	8	1	1	3	4	6	8	14
50-64	1453	3.2	7	1	1	2	4	6	8	14
65+	1382	3.8	14	1	1	3	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	171	3.7	43	<1	1	2	4	7	11	35
20-34	149	4.2	16	1	1	3	5	8	13	22
35-49	98	5.1	19	1	1	4	7	10	14	24
50-64	194	5.8	28	1	1	4	8	12	17	25
65+	492	8.4	58	1	2	6	11	19	24	38
B. *Operated*										
0-19 YRS	1062	4.9	62	1	1	2	5	10	16	46
20-34	854	7.8	82	1	2	5	9	17	27	55
35-49	543	6.5	57	1	2	4	8	13	19	46
50-64	980	6.7	64	1	2	4	8	13	19	39
65+	1389	8.7	77	1	2	6	11	19	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	725	2.7	7	<1	1	2	3	6	8	12
B. *Operated*	9472	2.8	8	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	1104	6.3	45	1	1	4	8	14	20	31
B. *Operated*	4828	7.0	71	1	1	4	8	15	22	46
1. SINGLE DX	10197	2.8	8	1	1	2	3	5	7	13
2. MULTIPLE DX	5932	6.9	67	1	1	4	8	15	22	45
A. NOT OPERATED	1829	4.9	33	1	1	3	6	11	16	28
B. OPERATED	14300	4.2	34	1	1	3	5	9	13	30
TOTAL 0-19 YRS	6085	2.6	18	1	1	2	3	5	7	19
20-34	2240	5.2	41	1	1	3	6	10	15	36
35-49	1628	4.5	27	1	1	3	5	9	12	28
50-64	2746	4.6	32	1	1	3	5	9	13	26
65+	3430	6.5	51	1	1	4	8	14	20	37
GRAND TOTAL	**16129**	**4.3**	**34**	**1**	**1**	**3**	**5**	**9**	**13**	**29**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	2.7	5	<1	<1	2	4	6	8	11
20-34	80	3.7	29	<1	1	2	4	7	18	29
35-49	39	3.3	5	1	1	3	5	7	7	11
50-64	32	3.5	8	<1	1	3	5	7	10	13
65+	42	5.1	28	1	1	3	7	12	16	25
B. *Operated*										
0-19 YRS	1406	2.1	3	1	1	2	2	3	4	8
20-34	1489	2.5	6	1	1	2	3	4	6	12
35-49	513	2.9	21	1	1	2	3	5	6	14
50-64	367	2.7	4	1	1	2	3	5	6	12
65+	209	3.8	38	1	1	2	4	8	10	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	4.1	122	<1	1	2	3	7	9	76
20-34	135	4.8	57	<1	1	3	5	8	16	53
35-49	60	4.6	14	1	1	4	6	9	12	18
50-64	72	7.3	174	1	1	4	7	13	18	89
65+	157	8.5	49	2	2	6	12	18	24	35
B. *Operated*										
0-19 YRS	584	4.0	37	1	1	2	4	8	12	33
20-34	833	4.3	39	1	1	3	5	8	11	33
35-49	415	4.6	38	1	1	3	5	9	13	32
50-64	378	5.3	43	1	1	3	6	11	15	30
65+	282	7.6	67	1	2	5	10	16	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	279	3.5	16	<1	1	2	4	7	10	23
B. *Operated*	3984	2.5	9	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	496	6.2	78	1	1	4	7	14	18	54
B. *Operated*	2492	4.8	43	1	1	3	5	10	15	33
1. SINGLE DX	4263	2.6	9	1	1	2	3	4	6	13
2. MULTIPLE DX	2988	5.1	49	1	1	3	6	10	15	34
A. NOT OPERATED	775	5.2	57	<1	1	3	6	11	17	33
B. OPERATED	6476	3.4	23	1	1	2	4	6	9	24
TOTAL 0-19 YRS	2148	2.7	17	1	1	2	3	4	7	20
20-34	2537	3.3	21	1	1	2	4	6	8	22
35-49	1027	3.7	27	1	1	2	4	7	10	25
50-64	849	4.3	38	1	1	3	5	8	13	26
65+	690	6.5	56	1	1	4	9	15	19	34
GRAND TOTAL	**7251**	**3.6**	**27**	**1**	**1**	**2**	**4**	**7**	**10**	**25**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	19.2	318	1	2	17	27	46	53	85
20-34	30	17.1	379	1	2	10	20	54	56	68
35-49	34	13.8	247	2	3	9	15	45	62	99+
50-64	66	12.3	98	1	2	11	16	21	25	55
65+	525	14.5	184	1	2	12	19	27	33	88
B. *Operated*										
0-19 YRS	208	13.4	99	3	5	10	16	27	32	50
20-34	119	15.0	124	5	6	12	18	28	42	62
35-49	232	13.6	68	6	7	12	16	19	25	65
50-64	978	15.9	72	7	8	14	19	25	29	50
65+	5868	18.9	65	9	11	17	22	29	34	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	17.6	346	1	1	13	26	37	57	84
20-34	41	18.4	395	1	2	11	16	55	63	82
35-49	29	17.2	179	4	5	14	26	50	97	99+
50-64	135	14.5	180	2	3	11	17	29	39	82
65+	1185	16.6	157	3	5	14	22	33	43	99+
B. *Operated*										
0-19 YRS	176	22.3	270	4	7	18	31	48	59	99+
20-34	218	24.1	322	6	8	20	30	53	62	9[illegible]
35-49	301	22.4	234	8	9	18	28	43	58	96
50-64	1389	20.9	160	8	10	18	25	35	46	95
65+	12303	23.0	137	10	12	20	27	38	46	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	731	14.8	203	1	2	12	20	29	41	88
B. *Operated*	7405	18.1	71	8	10	17	22	28	33	49
2. MULTIPLE DX										
A. *Not Operated*	1430	16.5	172	2	4	14	22	34	45	99+
B. *Operated*	14387	22.8	146	10	12	20	27	38	47	76
1. SINGLE DX	8136	17.8	83	6	9	16	21	28	33	53
2. MULTIPLE DX	15817	22.2	152	9	11	19	27	38	47	78
A. NOT OPERATED	2161	16.0	183	2	3	13	21	31	44	95
B. OPERATED	21792	21.2	125	9	11	19	25	35	43	70
TOTAL 0-19 YRS	500	17.7	226	2	4	13	24	37	50	82
20-34	408	20.4	290	4	5	14	25	48	58	86
35-49	596	18.2	185	5	7	14	21	38	53	96
50-64	2568	18.4	133	7	9	16	22	31	40	82
65+	19881	21.2	124	9	11	19	25	34	43	68
GRAND TOTAL	**23953**	**20.7**	**133**	**8**	**10**	**18**	**25**	**34**	**43**	**72**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	873	20.6	195	1	2	21	28	36	44	65
20-34	72	20.2	443	1	1	12	32	55	70	96
35-49	42	29.3	531	2	3	31	46	61	68	73
50-64	74	24.3	466	3	4	16	37	57	61	96
65+	196	22.4	412	2	4	14	35	55	69	92
B. *Operated*										
0-19 YRS	905	17.7	188	2	3	16	26	35	41	63
20-34	283	20.1	269	5	6	15	24	45	58	99+
35-49	107	20.0	283	4	5	15	24	46	57	84
50-64	110	24.2	253	5	9	20	36	53	68	99+
65+	358	23.4	185	9	10	21	29	41	54	99
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	348	23.0	275	2	3	23	32	44	53	74
20-34	79	31.7	748	2	3	28	53	77	95	99+
35-49	43	24.8	489	3	4	17	43	67	74	99+
50-64	84	24.3	478	3	5	16	34	58	78	98
65+	422	26.1	463	4	6	18	38	62	72	99+
B. *Operated*										
0-19 YRS	788	25.2	306	4	6	21	34	52	63	92
20-34	655	27.9	395	5	7	23	41	63	83	99+
35-49	196	29.6	386	5	7	26	46	58	76	99+
50-64	278	31.2	419	8	11	26	44	65	82	99+
65+	778	29.0	327	8	11	25	38	60	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1257	21.3	272	1	2	20	29	43	55	79
B. *Operated*	1763	19.8	216	2	4	17	27	39	49	83
2. MULTIPLE DX										
A. *Not Operated*	976	25.2	425	2	4	20	37	58	70	98
B. *Operated*	2695	27.9	355	5	8	23	38	58	74	99+
1. SINGLE DX	3020	20.4	240	2	3	18	28	41	52	82
2. MULTIPLE DX	3671	27.2	375	4	7	23	38	58	73	99+
A. NOT OPERATED	2233	23.0	343	2	3	20	32	49	62	91
B. OPERATED	4458	24.7	315	4	6	21	34	52	66	99+
TOTAL 0-19 YRS	2914	21.2	241	2	3	20	29	41	52	73
20-34	1089	25.7	405	4	5	20	37	59	80	99+
35-49	388	26.4	399	3	5	21	42	57	70	99+
50-64	546	27.8	411	5	7	23	40	60	79	99+
65+	1754	26.4	347	6	8	21	36	58	72	99+
GRAND TOTAL	**6691**	**24.1**	**325**	**3**	**5**	**21**	**33**	**51**	**65**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	787	3.2	7	1	1	3	4	6	8	14
20-34	386	4.6	21	1	1	3	5	9	12	21
35-49	220	5.2	32	1	1	4	6	10	13	36
50-64	244	7.0	38	1	2	5	9	14	16	37
65+	262	9.5	57	2	3	8	12	19	27	33
B. *Operated*										
0-19 YRS	1664	5.2	28	1	1	4	6	10	14	29
20-34	1189	7.7	53	2	2	6	9	14	19	40
35-49	734	8.2	41	2	3	7	10	15	19	32
50-64	609	10.5	82	2	3	8	13	19	23	55
65+	298	13.6	127	3	4	11	17	23	31	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	259	4.8	37	1	1	4	6	10	11	21
20-34	252	6.5	35	1	1	5	8	12	16	33
35-49	174	8.6	74	2	2	6	10	18	24	40
50-64	283	9.4	82	2	3	7	12	17	23	53
65+	529	12.9	108	2	4	10	16	25	33	52
B. *Operated*										
0-19 YRS	761	11.0	179	1	2	7	12	24	42	81
20-34	1038	14.0	206	2	3	10	16	32	46	90
35-49	658	15.0	236	3	4	10	17	33	53	98
50-64	602	16.2	192	3	4	12	20	36	51	99+
65+	502	19.3	233	4	6	15	24	39	57	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1899	5.1	28	1	1	4	6	11	14	30
B. *Operated*	4494	7.6	56	1	2	6	9	15	19	42
2. MULTIPLE DX										
A. *Not Operated*	1497	9.3	84	1	2	7	12	19	26	48
B. *Operated*	3561	14.6	213	2	3	10	18	32	49	92
1. SINGLE DX	6393	6.9	49	1	2	5	9	14	18	38
2. MULTIPLE DX	5058	13.1	181	2	3	9	16	28	41	83
A. NOT OPERATED	3396	6.9	57	1	1	5	9	15	20	40
B. OPERATED	8055	10.7	138	2	2	7	13	22	33	74
TOTAL 0-19 YRS	3471	6.0	65	1	1	4	7	12	17	53
20-34	2865	9.5	115	2	2	6	11	19	30	64
35-49	1786	10.4	128	2	3	7	12	21	30	72
50-64	1738	11.8	125	2	3	9	14	23	36	72
65+	1591	14.5	155	3	4	11	18	28	39	75
GRAND TOTAL	**11451**	**9.6**	**117**	**1**	**2**	**6**	**12**	**20**	**29**	**66**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	514	3.0	7	1	1	2	4	6	7	15
20-34	542	3.5	12	<1	1	3	4	7	9	13
35-49	417	4.2	16	1	1	3	5	9	10	29
50-64	486	4.6	12	1	1	4	6	8	12	20
65+	432	6.6	31	1	2	5	8	13	17	29
B. *Operated*										
0-19 YRS	1734	4.3	10	1	2	4	5	8	10	17
20-34	2364	5.6	19	2	2	5	7	10	12	20
35-49	1723	6.4	23	2	3	5	8	11	14	28
50-64	1672	7.4	24	2	3	6	9	12	16	23
65+	893	9.5	33	3	4	8	12	17	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	248	4.4	14	1	1	3	6	9	14	22
20-34	424	5.1	21	1	1	4	6	9	13	26
35-49	321	6.4	33	1	2	5	8	13	16	27
50-64	547	7.4	33	1	2	6	10	15	19	27
65+	924	9.9	66	2	3	8	13	19	24	41
B. *Operated*										
0-19 YRS	1038	6.7	40	2	2	5	8	13	18	36
20-34	1893	8.0	69	2	3	6	9	15	22	52
35-49	1318	9.0	77	2	3	7	10	16	23	52
50-64	1611	10.7	82	3	4	8	13	20	27	53
65+	1192	13.9	111	3	5	11	17	25	34	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2391	4.3	17	1	1	3	5	9	12	22
B. *Operated*	8386	6.3	23	2	2	5	8	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	2464	7.5	46	1	2	6	10	15	20	35
B. *Operated*	7052	9.6	82	2	3	7	12	19	25	52
1. SINGLE DX	10777	5.8	22	1	2	5	7	11	14	24
2. MULTIPLE DX	9516	9.1	73	2	3	7	11	18	24	49
A. NOT OPERATED	4855	5.9	34	1	1	4	8	12	16	28
B. OPERATED	15438	7.8	52	2	3	6	9	15	20	39
TOTAL 0-19 YRS	3534	4.9	20	1	1	4	6	9	12	27
20-34	5223	6.2	38	1	2	5	7	11	15	32
35-49	3779	7.1	45	2	2	5	8	13	17	35
50-64	4316	8.3	49	2	3	7	10	15	20	38
65+	3441	10.8	75	2	3	9	14	21	26	48
GRAND TOTAL	**20293**	**7.4**	**49**	**1**	**2**	**6**	**9**	**14**	**19**	**37**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	2.1	2	<1	<1	1	3	4	5	7
20-34	100	2.8	3	<1	<1	2	4	5	6	9
35-49	37	5.2	33	1	1	4	6	11	20	27
50-64	33	3.9	9	1	1	3	5	8	10	14
65+	48	5.7	20	1	2	5	8	11	12	24
B. *Operated*										
0-19 YRS	117	3.3	5	1	1	3	4	6	6	14
20-34	94	4.3	9	1	1	4	6	8	11	15
35-49	25	3.8	7	<1	1	4	5	6	8	14
50-64	20	3.9	3	1	1	4	5	6	7	7
65+	5	5.6	7	2	2	6	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	254	3.9	26	1	1	2	4	7	14	20
20-34	350	4.5	20	1	1	3	6	9	11	21
35-49	181	5.7	29	1	1	4	7	11	14	24
50-64	211	7.7	54	1	2	6	10	15	22	44
65+	360	10.2	67	2	3	9	14	20	24	35
B. *Operated*										
0-19 YRS	137	6.9	67	1	1	4	7	15	26	42
20-34	186	8.2	105	1	2	6	10	18	22	51
35-49	79	9.7	86	1	2	8	12	21	27	51
50-64	79	9.4	69	2	3	7	11	20	26	43
65+	88	14.2	129	2	3	12	20	26	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	346	3.3	11	<1	1	2	4	6	9	17
B. *Operated*	261	3.8	6	1	1	3	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	1356	6.6	46	1	1	4	9	14	20	32
B. *Operated*	569	9.2	97	1	2	6	11	21	26	47
1. SINGLE DX	607	3.5	9	<1	1	3	5	6	9	16
2. MULTIPLE DX	1925	7.3	63	1	1	5	9	16	22	41
A. NOT OPERATED	1702	5.9	41	1	1	4	7	13	18	28
B. OPERATED	830	7.5	75	1	2	5	9	17	23	45
TOTAL 0-19 YRS	636	4.1	29	1	1	3	5	7	13	31
20-34	730	5.2	41	1	1	4	6	10	14	31
35-49	322	6.4	45	1	1	5	8	13	19	35
50-64	343	7.5	53	1	2	6	9	15	22	43
65+	501	10.5	77	2	2	9	14	21	25	41
GRAND TOTAL	**2532**	**6.4**	**52**	**1**	**1**	**4**	**8**	**14**	**20**	**35**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	3.7	19	1	1	2	4	7	14	21
20-34	8	7.5	34	1	1	6	13	15	16	16
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64	4	14.3	229	3	3	9	24	36	36	36
65+	2	14.5	181	5	5	14	24	24	24	24
B. *Operated*										
0-19 YRS	13	11.8	514	1	1	3	10	34	75	84
20-34	11	5.1	7	1	2	5	8	37	91	99+
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	8.0	3	6	6	9	9	9	9	9
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	5.4	34	<1	1	3	7	15	19	21
20-34	12	7.9	43	1	1	5	12	19	20	20
35-49	3	9.7	10	6	6	11	12	12	12	12
50-64	5	6.4	25	1	1	7	9	14	14	14
65+	13	20.2	242	3	5	15	28	48	51	52
B. *Operated*										
0-19 YRS	19	14.5	254	1	2	9	20	35	53	65
20-34	19	13.1	94	2	3	12	23	61	99+	99+
35-49	8	20.4	609	3	4	11	24	64	77	77
50-64	7	30.9	819	2	4	20	58	72	73	73
65+	6	38.3	557	3	5	39	63	64	64	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	5.9	51	1	1	4	6	14	22	36
B. *Operated*	29	8.6	233	1	1	5	9	20	84	99+
2. MULTIPLE DX										
A. *Not Operated*	58	9.5	110	1	1	6	13	21	31	52
B. *Operated*	59	19.2	388	2	3	12	24	64	75	99+
1. SINGLE DX	74	6.9	122	1	1	4	8	16	23	96
2. MULTIPLE DX	117	14.4	272	1	2	9	20	38	65	99+
A. NOT OPERATED	103	7.9	87	1	1	4	11	19	25	49
B. OPERATED	88	15.7	359	1	2	9	22	63	77	99+
TOTAL 0-19 YRS	86	7.8	162	1	1	3	8	21	25	77
20-34	50	9.2	61	1	2	7	14	24	90	99+
35-49	14	15.2	370	3	4	9	13	37	68	77
50-64	19	17.3	438	1	2	9	20	56	72	73
65+	22	24.0	371	3	4	20	39	55	63	64
GRAND TOTAL	**191**	**11.5**	**226**	**1**	**1**	**6**	**14**	**31**	**61**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	1.7	1	<1	1	1	2	3	4	5
20-34	54	2.4	3	1	1	2	3	4	7	8
35-49	16	3.0	8	<1	<1	2	4	8	9	9
50-64	18	2.3	5	<1	<1	1	3	5	7	9
65+	22	2.5	3	<1	<1	2	4	5	5	6
B. *Operated*										
0-19 YRS	354	3.2	4	<1	1	3	4	5	6	12
20-34	988	3.7	15	1	1	3	4	6	7	15
35-49	262	3.5	11	1	1	3	4	6	7	19
50-64	145	3.0	7	<1	1	2	4	5	6	14
65+	187	4.3	45	<1	1	2	4	10	15	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.9	11	1	1	3	5	10	11	12
20-34	59	4.2	64	<1	1	3	4	7	9	57
35-49	28	3.5	8	<1	1	3	5	7	8	13
50-64	33	5.4	27	1	1	4	7	11	14	27
65+	65	7.9	68	1	1	5	10	17	24	41
B. *Operated*										
0-19 YRS	67	4.7	19	1	1	3	6	12	14	86
20-34	206	4.8	36	1	1	4	5	9	11	42
35-49	91	5.9	32	1	1	4	8	12	15	29
50-64	121	6.3	71	1	1	4	8	13	19	50
65+	213	6.9	36	1	1	5	10	15	20	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	2.3	3	<1	1	2	3	5	6	9
B. *Operated*	1936	3.6	15	1	1	3	4	6	7	18
2. MULTIPLE DX										
A. *Not Operated*	211	5.4	48	1	1	3	6	11	15	38
B. *Operated*	698	5.8	40	1	1	4	7	12	18	35
1. SINGLE DX	2079	3.5	14	1	1	3	4	6	7	18
2. MULTIPLE DX	909	5.7	42	1	1	4	7	12	17	37
A. NOT OPERATED	354	4.1	32	<1	1	3	5	8	12	35
B. OPERATED	2634	4.2	23	1	1	3	5	7	11	23
TOTAL 0-19 YRS	480	3.3	7	1	1	3	4	6	7	18
20-34	1307	3.8	20	1	1	3	4	6	8	18
35-49	397	4.0	16	1	1	3	5	8	11	23
50-64	317	4.4	36	<1	1	3	5	9	13	31
65+	487	5.8	44	1	1	3	7	14	19	31
GRAND TOTAL	**2988**	**4.2**	**24**	**1**	**1**	**3**	**5**	**8**	**11**	**24**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	3.0	6	1	1	2	4	6	7	14
20-34	123	3.1	4	<1	1	3	4	6	7	8
35-49	51	4.4	38	<1	1	3	5	9	12	42
50-64	20	4.2	6	1	1	4	5	8	9	10
65+	10	6.2	34	1	1	4	10	15	20	20
B. *Operated*										
0-19 YRS	2380	4.8	9	2	2	4	6	7	8	12
20-34	3943	4.9	7	2	3	5	6	7	9	14
35-49	1591	5.3	9	2	3	5	6	8	10	15
50-64	805	6.1	10	3	3	5	7	9	11	18
65+	116	6.6	10	2	3	6	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	4.9	32	<1	1	3	6	9	14	32
20-34	72	3.5	13	<1	1	2	5	7	9	22
35-49	47	7.2	180	1	1	4	7	12	17	93
50-64	35	5.6	15	1	2	4	9	12	13	15
65+	41	9.8	60	2	3	8	12	19	26	40
B. *Operated*										
0-19 YRS	917	5.5	18	2	2	5	6	9	11	19
20-34	1768	5.9	19	2	3	5	7	9	12	23
35-49	890	6.8	33	2	3	5	7	11	15	28
50-64	799	7.2	27	2	3	6	8	12	16	32
65+	171	9.9	65	2	4	8	11	18	27	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	326	3.4	11	<1	1	3	4	6	8	15
B. *Operated*	8835	5.1	8	2	3	5	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	253	5.8	60	1	1	4	7	12	15	32
B. *Operated*	4545	6.4	26	2	3	5	7	10	14	27
1. SINGLE DX	9161	5.0	8	2	3	5	6	8	9	14
2. MULTIPLE DX	4798	6.3	28	2	3	5	7	10	14	27
A. NOT OPERATED	579	4.5	34	1	1	3	5	9	12	26
B. OPERATED	13380	5.5	15	2	3	5	6	9	11	20
TOTAL 0-19 YRS	3477	4.9	12	2	2	5	6	8	9	15
20-34	5906	5.1	11	2	3	5	6	8	10	17
35-49	2579	5.9	22	2	3	5	7	9	12	21
50-64	1659	6.6	18	2	3	6	8	11	14	25
65+	338	8.7	47	2	3	7	10	15	21	40
GRAND TOTAL	**13959**	**5.5**	**15**	**2**	**3**	**5**	**6**	**9**	**11**	**20**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	4.4	53	<1	1	3	5	7	12	49
20-34	97	5.6	40	<1	1	4	7	12	15	38
35-49	48	6.8	37	1	1	5	9	14	20	28
50-64	34	7.0	140	1	1	4	6	12	27	65
65+	18	5.8	23	<1	1	5	9	13	15	17
B. *Operated*										
0-19 YRS	538	3.9	32	<1	1	2	4	9	14	22
20-34	495	4.6	36	<1	1	3	5	10	17	32
35-49	240	6.0	50	1	1	3	8	15	21	33
50-64	165	5.4	44	1	1	3	5	14	22	42
65+	79	8.8	137	1	1	4	9	26	35	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	7.0	147	1	1	4	7	11	25	79
20-34	112	6.6	41	<1	1	5	9	15	20	65
35-49	83	7.6	53	1	1	6	10	16	20	39
50-64	78	10.2	91	2	2	7	12	20	35	46
65+	68	10.6	74	2	3	8	15	22	29	40
B. *Operated*										
0-19 YRS	324	8.5	117	1	1	5	11	20	28	57
20-34	476	10.1	152	1	1	5	13	25	39	59
35-49	295	8.7	88	1	2	5	11	19	29	46
50-64	265	11.7	204	2	2	6	15	32	44	85
65+	140	14.1	217	1	2	8	20	38	45	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	283	5.6	54	<1	1	4	7	11	17	44
B. *Operated*	1517	4.9	44	<1	1	3	5	12	18	33
2. MULTIPLE DX										
A. *Not Operated*	421	8.2	80	1	1	6	10	18	24	45
B. *Operated*	1500	10.2	149	1	2	5	13	25	38	59
1. SINGLE DX	1800	5.0	46	<1	1	3	5	11	18	35
2. MULTIPLE DX	1921	9.7	135	1	2	5	12	23	35	58
A. NOT OPERATED	704	7.2	71	1	1	5	9	16	22	46
B. OPERATED	3017	7.5	103	1	1	4	8	19	28	54
TOTAL 0-19 YRS	1028	5.6	74	1	1	3	6	14	20	48
20-34	1180	7.1	90	1	1	4	8	18	25	54
35-49	666	7.4	67	1	1	4	9	17	25	43
50-64	542	9.3	142	1	2	5	11	25	36	74
65+	305	11.5	159	1	1	6	17	28	40	57
GRAND TOTAL	**3721**	**7.4**	**97**	**1**	**1**	**4**	**8**	**18**	**27**	**52**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	164	2.7	4	<1	1	2	3	5	7	11
20-34	200	3.3	8	<1	1	2	4	7	9	12
35-49	99	4.1	8	1	1	3	5	8	11	12
50-64	76	4.4	8	1	2	4	5	8	11	14
65+	71	6.6	28	1	2	5	8	14	19	26
B. *Operated*										
0-19 YRS	557	4.3	7	1	2	4	5	7	9	13
20-34	694	4.7	7	1	2	4	6	8	9	15
35-49	193	5.4	11	1	2	5	6	10	12	18
50-64	92	6.5	27	1	2	5	8	12	16	27
65+	38	9.2	101	2	4	8	10	12	13	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	4.2	15	1	1	3	5	8	14	21
20-34	138	4.6	12	1	1	4	6	9	13	16
35-49	110	6.0	30	1	2	5	7	10	15	34
50-64	158	6.4	18	2	2	5	8	12	14	25
65+	249	8.2	33	2	3	7	11	16	20	28
B. *Operated*										
0-19 YRS	498	5.5	8	2	2	5	7	9	10	15
20-34	703	5.8	10	2	2	5	7	9	12	18
35-49	223	7.6	42	2	3	6	9	14	16	33
50-64	123	8.6	28	2	4	7	10	16	18	29
65+	69	16.5	174	3	5	12	21	38	46	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	610	3.8	10	1	1	3	5	8	10	17
B. *Operated*	1574	4.9	12	1	2	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	752	6.3	26	1	2	5	8	13	16	28
B. *Operated*	1616	6.7	27	2	2	6	8	11	14	28
1. SINGLE DX	2184	4.6	12	1	1	4	6	8	10	16
2. MULTIPLE DX	2368	6.6	27	2	2	5	8	12	15	28
A. NOT OPERATED	1362	5.2	20	1	1	4	7	11	14	23
B. OPERATED	3190	5.8	21	1	2	5	7	10	12	24
TOTAL 0-19 YRS	1316	4.6	8	1	2	4	6	8	10	14
20-34	1735	5.0	10	1	2	5	6	9	11	16
35-49	625	6.1	27	1	2	5	7	11	14	28
50-64	449	6.7	23	2	2	6	9	13	16	26
65+	427	9.4	71	2	3	7	11	19	25	47
GRAND TOTAL	**4552**	**5.6**	**21**	**1**	**2**	**5**	**7**	**10**	**13**	**24**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	365	5.4	15	1	2	4	7	10	13	21
20-34	3263	6.7	17	2	2	6	8	12	14	20
35-49	2819	7.2	17	2	3	6	9	12	15	22
50-64	1274	7.6	20	2	3	7	9	13	15	23
65+	294	7.3	20	2	3	6	10	14	16	23
B. *Operated*										
0-19 YRS	39	8.3	34	1	2	8	12	16	21	24
20-34	448	9.2	37	2	3	8	12	17	20	30
35-49	365	10.2	46	2	3	9	14	18	23	34
50-64	110	9.6	45	3	3	8	12	18	26	30
65+	12	8.5	16	2	2	9	10	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	320	6.4	20	1	2	6	8	11	13	24
20-34	3042	7.8	21	2	3	7	10	13	16	24
35-49	3285	8.5	27	3	4	7	11	15	17	27
50-64	2361	8.6	24	3	4	8	11	15	18	25
65+	1440	9.6	40	3	4	8	12	17	21	33
B. *Operated*										
0-19 YRS	31	9.6	29	3	3	9	14	17	19	20
20-34	494	11.8	48	3	5	11	15	20	25	39
35-49	592	13.0	61	4	5	11	17	22	27	42
50-64	356	13.4	60	4	5	12	17	23	26	43
65+	111	13.3	70	4	4	11	17	23	30	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8015	7.0	18	2	3	6	9	12	15	22
B. *Operated*	974	9.5	41	2	3	9	12	17	22	31
2. MULTIPLE DX										
A. *Not Operated*	10448	8.4	27	3	3	7	11	15	17	26
B. *Operated*	1584	12.7	57	4	5	11	16	22	26	41
1. SINGLE DX	8989	7.3	21	2	3	6	9	13	15	23
2. MULTIPLE DX	12032	9.0	33	3	3	8	11	16	19	30
A. NOT OPERATED	18463	7.8	23	2	3	7	10	14	16	25
B. OPERATED	2558	11.5	54	3	4	10	15	20	24	37
TOTAL 0-19 YRS	755	6.1	19	1	2	5	8	12	14	23
20-34	7247	7.6	24	2	3	7	10	13	17	25
35-49	7061	8.5	29	3	3	7	11	15	18	28
50-64	4101	8.8	29	3	4	8	11	15	19	27
65+	1857	9.5	40	3	4	8	12	17	21	34
GRAND TOTAL	**21021**	**8.2**	**28**	**2**	**3**	**7**	**10**	**15**	**18**	**27**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	613	3.7	11	1	1	3	5	8	10	16
20-34	2245	6.1	19	1	2	5	8	11	14	20
35-49	1494	6.7	19	2	2	6	9	12	14	20
50-64	628	6.5	18	1	2	5	8	12	15	21
65+	174	6.5	19	1	2	6	8	12	15	21
B. *Operated*										
0-19 YRS	31	6.2	37	1	2	4	8	16	20	27
20-34	312	7.8	30	2	2	6	11	16	19	23
35-49	247	8.7	33	2	3	7	12	17	21	26
50-64	81	8.1	34	2	2	6	11	17	20	28
65+	6	5.5	12	2	2	5	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	709	4.7	13	1	1	4	6	9	11	20
20-34	3895	6.8	19	2	2	6	9	12	15	24
35-49	2861	7.6	22	2	3	7	10	13	16	24
50-64	1692	8.0	26	2	3	7	10	14	17	28
65+	972	8.9	37	2	3	8	12	17	20	32
B. *Operated*										
0-19 YRS	43	6.0	21	1	1	5	8	12	15	21
20-34	463	10.2	47	2	3	9	13	18	22	36
35-49	522	11.0	42	3	4	9	14	20	24	29
50-64	248	11.4	56	3	3	10	15	20	22	51
65+	87	13.2	80	2	4	12	17	27	35	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5154	6.0	18	1	2	5	8	11	14	20
B. *Operated*	677	8.0	32	2	2	7	11	17	20	25
2. MULTIPLE DX										
A. *Not Operated*	10129	7.3	23	2	2	6	9	13	16	25
B. *Operated*	1363	10.8	49	2	3	9	14	20	24	37
1. SINGLE DX	5831	6.3	20	1	2	5	8	12	15	21
2. MULTIPLE DX	11492	7.7	28	2	3	6	10	14	18	27
A. NOT OPERATED	15283	6.9	22	1	2	6	9	13	16	24
B. OPERATED	2040	9.9	45	2	3	9	13	19	22	32
TOTAL 0-19 YRS	1396	4.3	13	1	1	3	6	9	11	19
20-34	6915	6.9	22	1	2	6	9	13	16	24
35-49	5124	7.7	25	2	3	7	10	14	17	25
50-64	2649	8.0	29	2	3	7	10	15	18	28
65+	1239	8.9	39	2	3	7	12	17	21	34
GRAND TOTAL	**17323**	**7.2**	**26**	**1**	**2**	**6**	**9**	**14**	**17**	**25**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	277	2.7	4	<1	1	2	4	5	7	10
20-34	359	3.2	10	<1	1	2	4	7	8	12
35-49	201	4.0	10	1	1	3	5	8	10	21
50-64	161	4.0	8	1	1	3	5	8	10	14
65+	102	5.1	26	1	1	4	6	9	14	32
B. *Operated*										
0-19 YRS	440	3.3	4	1	1	3	4	5	6	9
20-34	885	3.6	5	1	2	3	4	6	7	11
35-49	576	4.0	5	1	2	4	5	7	8	11
50-64	627	5.3	13	2	2	5	6	9	11	22
65+	155	7.2	26	[illegible]	3	6	8	12	16	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	3.0	5	<1	1	2	4	6	7	11
20-34	373	4.7	15	<1	1	4	6	9	12	20
35-49	331	6.0	25	1	2	5	8	12	15	27
50-64	363	6.3	22	1	2	5	8	12	17	23
65+	548	7.7	29	2	2	6	10	15	19	24
B. *Operated*										
0-19 YRS	152	3.3	5	1	1	3	4	6	8	12
20-34	273	4.8	17	1	2	4	5	9	12	23
35-49	229	6.1	33	2	2	5	7	11	16	41
50-64	346	7.1	25	2	3	6	9	13	18	28
65+	140	11.1	143	2	3	8	14	21	25	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1100	3.5	10	1	1	3	4	7	9	16
B. *Operated*	2683	4.2	9	1	2	4	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	1793	6.0	24	1	2	5	8	12	16	23
B. *Operated*	1140	6.3	41	1	2	5	7	12	17	32
1. SINGLE DX	3783	4.0	9	1	1	3	5	7	9	16
2. MULTIPLE DX	2933	6.1	31	1	2	5	8	12	17	27
A. NOT OPERATED	2893	5.1	20	1	1	4	7	11	14	22
B. OPERATED	3823	4.9	19	1	2	4	6	8	11	23
TOTAL 0-19 YRS	1047	3.1	4	1	1	3	4	6	7	11
20-34	1890	3.9	10	1	1	3	5	7	9	17
35-49	1337	4.9	16	1	2	4	6	9	12	23
50-64	1497	5.8	18	1	2	5	7	10	14	23
65+	945	7.8	47	2	2	6	10	16	19	35
GRAND TOTAL	**6716**	**5.0**	**20**	**1**	**1**	**4**	**6**	**9**	**13**	**22**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5551	1.8	3	1	1	1	2	3	4	8
20-34	1792	2.6	14	<1	1	2	3	5	7	13
35-49	468	3.0	12	1	1	2	4	6	8	15
50-64	284	3.3	13	1	1	2	4	7	9	15
65+	145	3.6	11	1	1	2	5	7	10	18
B. *Operated*										
0-19 YRS	79	2.7	8	<1	1	2	4	6	10	75
20-34	35	4.5	19	1	1	3	5	9	15	21
35-49	15	4.1	7	<1	1	4	6	8	9	10
50-64	10	6.6	14	2	2	7	9	12	14	14
65+	3	8.0	28	2	2	10	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5720	2.7	10	1	1	2	3	5	7	15
20-34	4417	4.0	14	1	1	3	5	8	11	18
35-49	1621	4.9	24	1	1	4	6	10	13	22
50-64	1101	5.5	26	1	1	4	7	11	15	25
65+	1130	7.6	44	1	2	6	10	16	21	31
B. *Operated*										
0-19 YRS	1239	5.1	68	1	1	2	5	11	18	45
20-34	1320	6.1	87	<1	1	3	7	14	22	66
35-49	478	7.3	97	1	1	4	8	16	23	59
50-64	308	7.6	69	1	1	5	10	17	26	48
65+	326	10.2	109	1	2	7	13	23	31	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8240	2.2	6	1	1	2	2	4	5	11
B. *Operated*	142	3.7	13	<1	1	2	5	9	11	26
2. MULTIPLE DX										
A. *Not Operated*	13989	4.0	19	1	1	3	5	8	12	22
B. *Operated*	3671	6.4	84	1	1	3	7	15	23	55
1. SINGLE DX	8382	2.2	7	1	1	2	2	4	5	11
2. MULTIPLE DX	17660	4.5	33	1	1	3	5	10	14	29
A. NOT OPERATED	22229	3.3	15	1	1	2	4	7	10	20
B. OPERATED	3813	6.3	82	1	1	3	7	14	23	55
TOTAL 0-19 YRS	12589	2.6	13	1	1	2	3	5	7	17
20-34	7564	4.0	28	<1	1	2	5	8	12	25
35-49	2582	5.0	37	1	1	3	6	10	14	30
50-64	1703	5.5	33	1	1	4	7	12	16	29
65+	1604	7.7	57	1	2	5	10	17	22	38
GRAND TOTAL	**26042**	**3.7**	**26**	**1**	**1**	**2**	**4**	**8**	**12**	**26**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1501	2.3	20	<1	1	1	2	4	6	18
20-34	478	2.9	12	<1	1	2	3	6	9	21
35-49	146	3.8	15	<1	1	2	5	9	11	18
50-64	91	4.3	22	<1	<1	2	6	9	14	22
65+	76	5.6	36	1	1	3	7	14	20	26
B. *Operated*										
0-19 YRS	88	12.6	188	1	2	8	18	38	54	99+
20-34	84	14.2	284	1	2	9	15	30	58	99
35-49	46	12.0	130	1	2	10	14	23	38	59
50-64	72	16.1	174	1	4	12	19	38	42	65
65+	87	18.1	144	6	7	14	23	37	45	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1903	3.6	38	1	1	2	3	7	12	36
20-34	1308	5.0	54	<1	1	3	6	10	15	59
35-49	469	5.4	42	1	1	4	7	11	15	36
50-64	377	6.7	61	1	1	4	8	15	22	45
65+	496	9.1	73	1	2	6	12	20	26	41
B. *Operated*										
0-19 YRS	536	13.9	343	1	1	7	22	53	98	99+
20-34	659	15.0	421	<1	1	7	23	59	97	99+
35-49	243	15.1	320	1	1	9	20	44	65	99+
50-64	250	19.1	478	1	2	12	24	61	89	99+
65+	323	20.9	363	1	2	16	30	49	63	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2292	2.7	19	<1	1	1	3	5	8	20
B. *Operated*	377	14.8	193	1	2	11	18	35	46	94
2. MULTIPLE DX										
A. *Not Opcrated*	4553	5.0	52	1	1	3	6	11	17	42
B. *Operated*	2011	16.2	392	1	1	9	24	54	87	99+
1. SINGLE DX	2669	4.4	62	<1	1	2	4	11	18	45
2. MULTIPLE DX	6564	8.4	182	1	1	3	9	23	42	99+
A. NOT OPERATED	6845	4.2	42	1	1	2	5	9	15	35
B. OPERATED	2388	16.0	361	1	1	10	22	51	78	99+
TOTAL 0-19 YRS	4028	4.7	91	1	1	2	4	10	22	86
20-34	2529	7.5	172	<1	1	3	8	20	43	99+
35-49	904	8.1	137	1	1	4	9	19	34	80
50-64	790	11.2	235	1	1	6	13	25	46	99
65+	982	13.5	206	1	2	9	18	31	44	74
GRAND TOTAL	**9233**	**7.3**	**151**	**1**	**1**	**3**	**8**	**19**	**35**	**99**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.8	7	1	1	2	3	5	7	16
20-34	70	4.0	6	1	1	4	6	7	9	82
35-49	21	5.7	22	1	1	4	9	14	15	15
50-64	24	7.1	73	1	1	5	7	16	30	37
65+	11	5.4	9	1	1	6	7	9	10	10
B. *Operated*										
0-19 YRS	53	5.2	6	2	2	4	7	9	9	12
20-34	118	7.1	55	3	3	5	7	12	15	45
35-49	34	8.7	48	3	3	7	11	14	35	99+
50-64	21	7.6	40	2	3	6	9	17	24	27
65+	12	9.0	14	4	5	8	13	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	4.9	10	1	1	4	7	9	11	14
20-34	177	5.1	13	1	1	4	7	10	11	18
35-49	109	6.6	20	2	2	6	8	12	14	24
50-64	98	8.8	49	2	2	7	11	18	24	36
65+	104	8.6	28	2	3	7	12	16	20	24
B. *Operated*										
0-19 YRS	184	10.3	92	3	4	8	11	19	27	69
20-34	360	11.7	134	3	4	9	13	21	32	67
35-49	159	14.0	212	3	4	9	18	31	43	99
50-64	131	15.2	158	4	5	11	18	40	48	99+
65+	83	14.4	117	4	4	12	18	31	40	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	4.4	20	1	1	3	6	9	14	35
B. *Operated*	238	7.0	41	2	3	5	8	13	15	42
2. MULTIPLE DX										
A. *Not Operated*	594	6.6	25	1	2	5	8	12	17	25
B. *Operated*	917	12.6	143	3	4	9	15	25	38	82
1. SINGLE DX	406	6.0	34	1	2	5	7	11	14	38
2. MULTIPLE DX	1511	10.2	105	2	3	7	12	19	30	66
A. NOT OPERATED	762	6.1	24	1	2	5	8	12	15	25
B. OPERATED	1155	11.4	127	3	4	8	13	23	35	78
TOTAL 0-19 YRS	385	7.3	57	1	2	6	9	14	19	51
20-34	725	8.6	89	2	2	6	10	16	22	62
35-49	323	10.4	130	2	3	7	12	22	32	96
50-64	274	11.6	114	2	3	8	15	25	38	63
65+	210	10.8	70	2	3	8	13	20	28	51
GRAND TOTAL	**1917**	**9.3**	**93**	**2**	**2**	**7**	**11**	**18**	**27**	**64**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	506	3.7	9	1	1	3	5	7	9	17
20-34	239	3.8	12	1	1	3	5	8	10	19
35-49	52	3.6	5	1	1	3	5	7	8	12
50-64	34	4.0	19	1	1	3	5	7	9	25
65+	22	6.0	13	2	3	5	7	9	14	20
B. *Operated*										
0-19 YRS	282	7.5	37	3	4	7	8	11	13	23
20-34	263	8.5	56	2	4	7	9	13	18	53
35-49	67	7.7	14	1	3	7	10	13	15	17
50-64	35	8.7	21	3	5	8	11	12	19	24
65+	8	8.1	17	<1	2	7	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	528	4.6	34	1	1	3	5	9	11	28
20-34	366	4.4	15	1	1	4	6	8	10	20
35-49	154	6.2	33	1	2	4	8	13	16	36
50-64	83	7.2	40	1	2	5	8	15	20	34
65+	104	7.8	31	2	2	7	10	15	18	28
B. *Operated*										
0-19 YRS	583	12.7	145	4	5	9	13	26	41	65
20-34	932	15.3	206	4	5	10	17	33	47	82
35-49	295	15.9	177	5	6	11	18	36	48	73
50-64	179	15.7	113	4	6	12	21	32	40	99+
65+	100	19.8	242	3	6	16	27	38	47	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	853	3.8	10	1	1	3	5	7	10	18
B. *Operated*	655	8.0	41	2	4	7	9	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	1235	5.2	30	1	1	4	6	10	13	27
B. *Operated*	2089	14.9	181	4	5	10	17	32	44	78
1. SINGLE DX	1508	5.6	28	1	1	5	7	10	13	23
2. MULTIPLE DX	3324	11.3	147	1	2	8	13	25	37	71
A. NOT OPERATED	2088	4.6	22	1	1	3	6	9	12	24
B. OPERATED	2744	13.3	156	3	5	9	14	28	41	76
TOTAL 0-19 YRS	1899	7.3	76	1	1	5	9	13	20	50
20-34	1800	10.6	145	1	2	7	12	23	36	73
35-49	568	11.2	128	2	2	8	13	22	37	63
50-64	331	11.6	96	2	2	9	15	28	32	73
65+	234	12.8	155	2	3	9	16	28	37	61
GRAND TOTAL	**4832**	**9.5**	**117**	**1**	**2**	**7**	**11**	**20**	**31**	**63**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.9	4	1	1	3	4	5	7	9
20-34	33	3.4	9	1	1	3	4	6	9	15
35-49	8	3.0	3	1	1	3	4	5	5	5
50-64	10	3.1	4	<1	<1	3	4	6	7	7
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	394	3.3	10	<1	1	2	4	7	9	17
20-34	210	3.2	5	1	1	3	4	6	7	13
35-49	92	3.7	9	1	1	3	5	7	8	18
50-64	40	3.6	3	1	1	4	5	6	7	9
65+	30	3.8	3	1	1	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	4.2	13	1	1	3	5	8	10	20
20-34	55	3.8	11	1	1	3	4	8	11	20
35-49	29	5.0	8	1	2	5	6	9	11	12
50-64	20	4.5	8	1	1	5	7	8	9	9
65+	21	4.9	16	1	1	4	5	9	15	19
B. *Operated*										
0-19 YRS	383	4.2	13	1	1	3	5	8	10	18
20-34	324	5.1	26	1	1	4	6	10	12	26
35-49	131	4.8	17	1	1	4	6	10	14	40
50-64	88	5.7	29	1	1	4	8	12	17	73
65+	63	9.3	98	1	2	5	13	24	33	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	3.2	5	1	1	3	4	6	7	13
B. *Operated*	766	3.4	8	1	1	3	4	7	8	16
2. MULTIPLE DX										
A. *Not Operated*	195	4.3	12	1	1	4	5	8	11	20
B. *Operated*	989	5.0	26	1	1	4	6	10	13	30
1. SINGLE DX	862	3.3	8	1	1	3	4	6	8	15
2. MULTIPLE DX	1184	4.9	24	1	1	4	6	10	13	28
A. NOT OPERATED	291	3.9	10	1	1	3	5	7	10	19
B. OPERATED	1755	4.3	19	1	1	3	5	8	12	23
TOTAL 0-19 YRS	891	3.7	11	1	1	3	5	7	10	18
20-34	622	4.3	18	1	1	3	5	8	11	17
35-49	260	4.4	13	1	1	4	6	8	11	22
50-64	158	4.8	19	1	1	4	6	9	13	31
65+	115	7.1	63	1	2	4	8	15	25	42
GRAND TOTAL	**2046**	**4.3**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	219	2.5	20	<1	1	2	3	4	5	11
20-34	190	3.1	24	<1	<1	2	3	6	10	29
35-49	60	2.9	7	<1	<1	2	3	7	10	11
50-64	36	3.5	10	<1	1	2	4	10	10	12
65+	35	3.2	14	1	1	2	4	7	7	22
B. *Operated*										
0-19 YRS	869	2.4	14	<1	1	1	2	4	6	18
20-34	448	3.1	18	<1	1	2	3	6	8	33
35-49	170	3.4	25	<1	1	2	4	6	10	44
50-64	66	3.8	36	1	1	2	4	7	13	38
65+	51	4.4	33	1	1	3	5	9	15	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	587	2.8	8	1	1	2	3	5	7	15
20-34	742	3.4	16	<1	1	2	4	7	8	21
35-49	312	4.5	25	<1	1	3	5	10	13	23
50-64	260	5.2	53	1	1	4	7	10	12	82
65+	490	7.5	49	1	2	5	10	16	21	38
B. *Operated*										
0-19 YRS	1549	3.7	33	<1	1	2	4	7	11	24
20-34	1781	4.2	32	<1	1	3	5	9	13	33
35-49	687	5.4	62	1	1	3	7	11	15	38
50-64	499	5.8	52	1	1	4	7	12	17	39
65+	686	8.3	100	1	1	5	10	18	26	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	540	2.9	19	<1	1	2	3	5	8	17
B. *Operated*	1604	2.8	18	<1	1	2	3	5	8	24
2. MULTIPLE DX										
A. *Not Operated*	2391	4.4	29	1	1	3	5	10	13	26
B. *Operated*	5202	4.9	49	<1	1	3	6	10	15	36
1. SINGLE DX	2144	2.8	18	<1	1	2	3	5	8	22
2. MULTIPLE DX	7593	4.8	43	1	1	3	6	10	15	34
A. NOT OPERATED	2931	4.1	28	<1	1	3	5	9	13	25
B. OPERATED	6806	4.4	43	<1	1	2	5	9	14	34
TOTAL 0-19 YRS	3224	3.1	23	<1	1	2	3	6	9	20
20-34	3161	3.8	26	<1	1	2	4	8	11	31
35-49	1229	4.8	46	<1	1	3	6	10	14	34
50-64	861	5.4	50	1	1	3	7	11	15	41
65+	1262	7.7	76	1	1	5	10	17	23	46
GRAND TOTAL	**9737**	**4.3**	**38**	**<1**	**1**	**2**	**5**	**9**	**14**	**33**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	224	2.6	5	<1	1	2	3	5	6	11
20-34	453	2.6	5	<1	1	2	3	5	7	11
35-49	114	3.2	14	<1	1	2	4	6	10	23
50-64	48	4.4	34	1	1	2	4	8	18	32
65+	8	2.9	4	1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	355	3.9	22	1	1	3	5	8	10	26
20-34	456	5.4	29	1	1	4	7	10	14	28
35-49	130	6.6	49	1	1	6	8	12	16	43
50-64	51	6.5	43	1	1	4	9	12	21	34
65+	9	8.6	33	2	3	7	11	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	3.8	16	1	1	3	4	7	10	24
20-34	430	4.2	19	<1	1	3	5	8	11	27
35-49	162	5.2	29	1	1	4	7	10	13	31
50-64	80	7.0	84	<1	1	5	8	13	23	55
65+	53	8.2	61	1	2	6	10	16	19	47
B. *Operated*										
0-19 YRS	386	7.7	76	1	1	6	9	15	21	79
20-34	910	9.9	105	1	2	7	11	21	30	60
35-49	319	11.9	124	1	2	8	14	28	36	54
50-64	144	12.1	109	1	3	9	15	28	36	55
65+	55	17.0	248	1	3	13	17	42	50	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	847	2.8	8	<1	1	2	3	5	7	14
B. *Operated*	1001	5.1	31	1	1	4	7	10	13	31
2. MULTIPLE DX										
A. *Not Operated*	903	4.8	30	1	1	3	6	9	13	30
B. *Operated*	1814	10.2	110	1	2	7	12	22	34	59
1. SINGLE DX	1848	4.1	22	1	1	3	5	8	11	24
2. MULTIPLE DX	2717	8.4	90	1	1	6	10	18	28	55
A. NOT OPERATED	1750	3.8	20	<1	1	3	5	8	10	24
B. OPERATED	2815	8.4	88	1	1	6	10	18	27	55
TOTAL 0-19 YRS	1143	4.9	40	1	1	3	6	10	14	34
20-34	2249	6.4	62	1	1	4	8	13	21	47
35-49	725	8.1	84	1	1	5	10	18	29	49
50-64	323	8.8	90	1	1	6	11	19	32	51
65+	125	11.8	159	1	2	8	14	30	43	62
GRAND TOTAL	**4565**	**6.6**	**67**	**1**	**1**	**4**	**8**	**14**	**21**	**49**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	217	2.9	8	<1	1	2	4	6	7	12
20-34	297	3.1	9	<1	1	2	4	6	7	14
35-49	113	2.8	4	<1	1	2	4	6	8	9
50-64	61	2.7	3	<1	1	2	4	5	6	8
65+	31	4.3	7	1	1	4	6	8	9	10
B. *Operated*										
0-19 YRS	2057	2.7	11	<1	1	2	3	5	7	22
20-34	2673	2.9	14	1	1	2	3	5	8	20
35-49	1121	2.9	12	1	1	2	3	6	8	19
50-64	707	3.0	14	1	1	2	3	6	8	23
65+	247	3.5	20	1	1	2	4	7	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	198	4.7	48	1	1	3	5	8	13	35
20-34	356	4.7	46	1	1	3	5	8	13	31
35-49	154	4.1	26	1	1	3	5	7	11	24
50-64	99	5.3	24	1	1	4	7	10	14	28
65+	103	7.6	62	1	2	6	10	14	19	47
B. *Operated*										
0-19 YRS	1440	3.6	25	1	1	2	4	7	11	28
20-34	2166	4.3	39	1	1	3	5	9	14	34
35-49	801	4.5	46	1	1	2	5	10	14	34
50-64	670	4.9	48	1	1	3	5	10	14	39
65+	344	6.0	61	1	1	3	7	15	20	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	719	3.0	7	<1	1	2	4	6	7	10
B. *Operated*	6805	2.9	13	1	1	2	3	6	8	21
2. MULTIPLE DX										
A. *Not Operated*	910	5.0	43	1	1	3	6	9	14	31
B. *Operated*	5421	4.3	39	1	1	2	5	9	14	34
1. SINGLE DX	7524	2.9	12	<1	1	2	3	6	8	20
2. MULTIPLE DX	6331	4.4	40	1	1	3	5	9	14	33
A. NOT OPERATED	1629	4.1	28	<1	1	3	5	8	10	24
B. OPERATED	12226	3.5	25	1	1	2	4	7	11	27
TOTAL 0-19 YRS	3912	3.1	18	<1	1	2	3	6	9	24
20-34	5492	3.6	26	1	1	2	4	7	10	25
35-49	2189	3.6	25	1	1	2	4	7	11	25
50-64	1537	4.0	30	1	1	2	4	8	11	33
65+	725	5.3	47	1	1	3	6	12	17	33
GRAND TOTAL	**13855**	**3.6**	**25**	**1**	**1**	**2**	**4**	**7**	**11**	**27**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	416	3.1	10	<1	1	2	4	6	8	17
20-34	387	3.7	11	1	1	3	4	7	11	18
35-49	122	3.9	12	<1	1	3	5	8	12	16
50-64	55	3.9	17	<1	1	2	5	7	14	22
65+	49	7.5	131	1	1	4	8	12	20	73
B. *Operated*										
0-19 YRS	1122	4.8	30	1	1	3	6	11	15	30
20-34	827	5.2	30	1	1	4	6	10	15	30
35-49	252	5.7	51	1	1	4	6	11	17	45
50-64	157	7.2	104	1	1	4	8	16	23	50
65+	79	11.9	220	1	1	7	18	27	37	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	216	4.7	20	1	1	4	6	9	11	19
20-34	255	4.9	29	1	1	4	6	9	11	28
35-49	115	5.3	21	1	2	4	7	10	12	25
50-64	93	8.8	70	1	2	7	11	16	26	48
65+	108	9.5	41	2	3	8	13	19	24	28
B. *Operated*										
0-19 YRS	597	8.8	122	1	2	5	10	20	31	65
20-34	595	10.9	189	1	2	6	12	26	43	81
35-49	264	10.7	135	1	2	7	12	25	40	59
50-64	192	11.6	140	1	2	7	15	29	37	50
65+	184	15.0	220	2	3	10	19	34	47	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1029	3.7	17	<1	1	3	4	7	10	18
B. *Operated*	2437	5.4	45	1	1	3	6	12	17	33
2. MULTIPLE DX										
A. *Not Operated*	787	6.0	35	1	1	4	7	11	16	28
B. *Operated*	1832	10.7	160	1	2	6	12	25	40	76
1. SINGLE DX	3466	4.9	37	1	1	3	6	10	15	30
2. MULTIPLE DX	2619	9.3	127	1	2	6	10	21	32	66
A. NOT OPERATED	1816	4.7	26	1	1	3	6	9	13	25
B. OPERATED	4269	7.7	101	1	1	4	9	17	27	59
TOTAL 0-19 YRS	2351	5.5	53	1	1	3	6	12	17	36
20-34	2064	6.5	60	1	1	4	7	13	21	56
35-49	753	7.1	76	1	1	4	8	14	23	52
50-64	497	8.8	108	1	1	6	10	22	29	50
65+	420	12.2	171	1	2	8	15	26	38	76
GRAND TOTAL	**6085**	**6.8**	**81**	**1**	**1**	**4**	**8**	**15**	**23**	**51**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.7	6	<1	1	2	3	5	10	11
20-34	12	4.4	13	2	2	3	6	11	12	12
35-49	8	4.0	8	1	1	3	5	9	10	10
50-64	3	2.7	8	<1	<1	1	5	6	6	6
65+	3	4.0	13	1	1	3	7	8	8	8
B. *Operated*										
0-19 YRS	29	5.3	55	1	1	3	6	11	20	38
20-34	52	4.4	19	1	1	3	6	9	14	22
35-49	14	1.8	1	1	1	1	2	4	4	4
50-64	6	4.3	8	1	1	4	5	9	9	9
65+	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.6	19	<1	<1	2	4	8	8	23
20-34	27	5.3	22	1	1	4	8	11	14	21
35-49	13	3.8	14	<1	1	3	4	8	14	15
50-64	13	10.8	194	<1	1	6	9	29	48	53
65+	27	7.8	61	1	1	5	10	16	24	37
B. *Operated*										
0-19 YRS	95	9.9	156	1	1	5	12	23	39	58
20-34	134	10.5	220	1	1	6	11	27	47	90
35-49	47	11.8	156	1	1	8	18	25	53	99+
50-64	35	10.2	307	1	1	4	9	46	72	99+
65+	15	28.7	430	9	14	22	31	65	72	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	3.3	8	<1	1	2	4	9	10	12
B. *Operated*	104	4.3	26	1	1	3	5	9	14	29
2. MULTIPLE DX										
A. *Not Operated*	110	5.9	54	<1	1	4	7	13	21	43
B. *Operated*	326	11.3	223	1	1	6	13	27	55	90
1. SINGLE DX	161	3.9	20	1	1	3	5	9	11	22
2. MULTIPLE DX	436	9.9	186	1	1	6	11	23	45	80
A. NOT OPERATED	167	5.0	40	<1	1	3	6	10	14	35
B. OPERATED	430	9.6	184	1	1	5	11	23	41	81
TOTAL 0-19 YRS	185	6.9	102	1	1	3	8	16	24	56
20-34	225	8.1	146	1	1	5	9	16	30	81
35-49	82	8.1	111	1	1	4	10	20	31	86
50-64	57	9.3	235	1	1	5	8	24	58	98
65+	48	13.8	268	1	1	8	17	30	60	75
GRAND TOTAL	**597**	**8.3**	**148**	**1**	**1**	**4**	**9**	**20**	**31**	**77**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	5.0	70	<1	1	3	5	8	14	51
20-34	141	6.1	25	1	1	4	9	12	16	22
35-49	78	5.6	22	1	1	4	7	13	15	22
50-64	63	8.8	76	1	2	6	10	20	31	43
65+	56	10.3	133	1	2	8	14	18	27	75
B. *Operated*										
0-19 YRS	739	4.2	24	1	1	3	5	8	11	24
20-34	1192	4.5	20	1	2	3	5	9	13	23
35-49	503	4.7	20	1	2	3	5	10	13	23
50-64	353	5.7	48	2	2	4	6	11	17	33
65+	120	11.1	99	2	2	8	15	25	29	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	9.4	230	1	1	4	9	26	47	86
20-34	257	8.2	124	1	2	5	9	15	21	89
35-49	170	8.4	59	1	2	6	11	16	23	59
50-64	170	9.0	98	1	2	7	10	17	23	57
65+	209	11.3	69	2	3	9	15	22	29	68
B. *Operated*										
0-19 YRS	561	5.5	45	1	2	3	6	10	18	37
20-34	995	6.3	64	1	2	4	7	13	19	51
35-49	477	7.5	80	2	2	4	8	18	25	50
50-64	401	8.6	97	2	2	5	11	19	28	67
65+	252	16.1	208	2	3	13	21	35	43	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	437	6.7	59	1	1	5	9	14	18	34
B. *Operated*	2907	4.9	30	1	2	3	6	10	14	27
2. MULTIPLE DX										
A. *Not Operated*	933	9.2	110	1	2	6	12	19	28	81
B. *Operated*	2686	7.6	90	2	2	4	8	18	26	54
1. SINGLE DX	3344	5.1	34	1	2	3	6	10	15	29
2. MULTIPLE DX	3619	8.0	95	1	2	5	9	18	27	57
A. NOT OPERATED	1370	8.4	95	1	2	6	10	17	24	74
B. OPERATED	5593	6.2	60	1	2	4	7	13	20	41
TOTAL 0-19 YRS	1526	5.2	54	1	1	3	5	10	16	44
20-34	2585	5.6	49	1	2	4	6	12	16	37
35-49	1228	6.3	51	1	2	4	7	14	19	39
50-64	987	7.7	80	2	2	5	9	16	23	48
65+	637	13.1	141	2	3	10	17	28	36	83
GRAND TOTAL	**6963**	**6.6**	**68**	**1**	**2**	**4**	**8**	**14**	**21**	**46**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	589	3.9	4	1	2	4	5	6	7	12
20-34	269	3.7	9	1	1	3	5	6	9	15
35-49	87	4.1	12	1	1	3	5	7	10	23
50-64	32	4.0	4	1	2	4	5	7	8	9
65+	14	4.7	8	1	2	4	7	8	11	12
B. *Operated*										
0-19 YRS	24	6.4	17	1	2	6	9	11	14	18
20-34	8	5.9	19	1	1	5	10	12	12	12
35-49	6	4.5	8	1	1	4	7	8	8	8
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	431	4.6	17	1	1	4	5	8	10	18
20-34	241	4.1	12	1	1	3	5	8	11	26
35-49	120	4.7	9	1	2	4	6	8	11	17
50-64	68	4.1	8	1	1	4	5	8	9	16
65+	71	6.8	30	1	2	6	8	14	18	29
B. *Operated*										
0-19 YRS	59	5.0	13	1	1	4	7	10	13	14
20-34	44	6.0	46	<1	1	4	7	11	19	35
35-49	23	6.6	40	<1	1	5	10	14	22	25
50-64	15	7.3	26	1	1	6	12	15	16	16
65+	9	10.9	60	2	2	7	18	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	991	3.9	6	1	1	4	5	6	8	12
B. *Operated*	42	5.7	15	1	2	5	9	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	931	4.6	16	1	1	4	6	8	12	20
B. *Operated*	150	6.1	32	1	1	5	8	13	16	30
1. SINGLE DX	1033	4.0	7	1	1	4	5	6	9	13
2. MULTIPLE DX	1081	4.8	18	1	1	4	6	9	12	23
A. NOT OPERATED	1922	4.2	11	1	1	4	5	7	10	16
B. OPERATED	192	6.0	28	1	1	5	8	12	15	28
TOTAL 0-19 YRS	1103	4.3	10	1	2	4	5	7	9	14
20-34	562	4.1	14	1	1	3	5	8	11	26
35-49	236	4.6	14	1	1	4	6	8	11	22
50-64	116	4.5	10	1	1	4	5	9	12	16
65+	97	6.8	31	1	2	5	8	15	20	27
GRAND TOTAL	**2114**	**4.4**	**13**	**1**	**1**	**4**	**5**	**8**	**11**	**18**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2070	2.3	5	<1	1	2	3	4	6	11
20-34	1561	2.9	8	<1	1	2	4	6	8	15
35-49	607	3.6	11	<1	1	3	5	7	10	17
50-64	460	4.2	16	1	1	3	5	9	11	18
65+	546	5.6	23	1	1	4	8	12	15	22
B. *Operated*										
0-19 YRS	270	3.5	14	1	1	2	4	7	10	24
20-34	234	4.5	18	1	1	3	6	9	13	21
35-49	148	5.9	31	1	1	4	7	13	16	30
50-64	86	6.4	27	1	2	5	9	14	16	24
65+	89	8.1	51	1	1	6	11	19	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3465	2.9	9	1	1	2	3	6	8	14
20-34	3885	3.7	13	<1	1	3	5	8	10	17
35-49	1940	5.0	19	1	1	4	7	10	13	21
50-64	1960	5.9	28	1	1	5	8	12	15	27
65+	4398	8.2	48	2	2	6	11	16	21	34
B. *Operated*										
0-19 YRS	484	5.1	60	1	1	3	6	11	17	37
20-34	663	6.6	77	1	1	4	8	14	21	50
35-49	353	7.8	59	1	1	5	10	16	24	39
50-64	328	10.4	99	1	2	8	14	21	31	64
65+	503	13.8	144	2	3	10	18	27	34	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5244	3.1	11	<1	1	2	4	7	9	17
B. *Operated*	827	5.0	25	1	1	3	6	11	15	28
2. MULTIPLE DX										
A. *Not Operated*	15648	5.2	29	1	1	4	7	11	15	26
B. *Operated*	2331	8.6	98	1	1	5	11	20	27	51
1. SINGLE DX	6071	3.4	13	<1	1	2	4	7	10	19
2. MULTIPLE DX	17979	5.7	39	1	1	4	7	12	17	31
A. NOT OPERATED	20892	4.7	25	1	1	3	6	10	14	24
B. OPERATED	3158	7.6	81	1	1	5	10	18	24	48
TOTAL 0-19 YRS	6289	2.9	13	<1	1	2	3	6	8	17
20-34	6343	3.8	20	<1	1	3	5	8	11	21
35-49	3048	5.1	24	1	1	4	6	11	14	25
50-64	2834	6.2	37	1	1	4	8	13	16	31
65+	5536	8.5	58	1	2	6	11	17	22	36
GRAND TOTAL	**24050**	**5.1**	**34**	**1**	**1**	**3**	**6**	**11**	**15**	**29**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	3.1	8	1	1	2	4	6	9	15
20-34	107	3.3	9	1	1	2	4	7	11	52
35-49	31	3.0	4	1	1	2	5	6	6	9
50-64	22	4.4	9	1	1	3	6	8	11	13
65+	7	5.9	9	2	2	5	8	10	11	11
B. *Operated*										
0-19 YRS	84	6.8	79	1	1	4	7	19	28	84
20-34	194	5.2	51	1	1	3	5	11	21	41
35-49	91	5.7	79	1	1	3	6	10	27	48
50-64	58	6.9	77	1	1	3	9	16	22	48
65+	11	8.9	121	1	2	4	7	30	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	4.7	21	1	1	3	6	11	13	25
20-34	107	5.7	35	1	1	3	7	14	17	30
35-49	57	4.8	13	<1	1	4	7	11	13	14
50-64	36	6.9	36	1	[illegible]	4	11	17	18	23
65+	17	10.6	55	2	3	9	13	23	28	30
B. *Operated*										
0-19 YRS	185	8.9	131	1	1	5	10	23	28	52
20-34	305	9.0	162	1	1	4	10	24	37	97
35-49	156	9.8	206	1	1	5	10	23	46	86
50-64	126	8.0	114	1	1	5	9	19	31	67
65+	32	11.7	219	1	1	7	13	32	48	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	294	3.3	8	1	1	2	4	7	10	15
B. *Operated*	438	6.0	67	1	1	3	6	14	25	46
2. MULTIPLE DX										
A. *Not Operated*	308	5.6	30	1	1	4	7	13	16	26
B. *Operated*	804	9.1	158	1	1	5	10	23	36	72
1. SINGLE DX	732	4.9	45	1	1	3	5	10	17	42
2. MULTIPLE DX	1112	8.1	125	1	1	4	9	19	28	66
A. NOT OPERATED	602	4.5	20	1	1	3	5	10	14	24
B. OPERATED	1242	8.0	128	1	1	4	9	20	30	66
TOTAL 0-19 YRS	487	6.2	75	1	1	3	7	14	25	50
20-34	713	6.6	94	1	1	3	7	15	25	55
35-49	335	7.2	126	1	1	4	8	15	28	67
50-64	242	7.2	85	1	1	4	9	17	22	50
65+	67	10.3	139	1	1	7	12	26	36	58
GRAND TOTAL	**1844**	**6.8**	**96**	**1**	**1**	**4**	**8**	**16**	**26**	**54**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	1.1		<1	<1	1	1	2	2	2
20-34	7	2.0	1	<1	<1	2	3	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	17	1.5		<1	1	1	2	2	3	3
20-34	11	1.7	2	<1	<1	1	2	4	5	5
35-49	7	5.9	25	1	1	5	7	14	16	16
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.2	4	1	1	3	4	6	7	7
20-34	8	3.8	34	1	1	2	3	14	18	18
35-49	6	2.8	7	1	1	2	5	7	7	7
50-64	3	4.0	4	2	2	4	5	6	6	6
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	7	6.7	52	1	1	4	13	18	18	18
20-34	14	3.6	6	<1	<1	3	4	8	9	9
35-49	7	2.4	2	<1	<1	2	4	5	5	5
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	1.4		<1	<1	1	2	2	3	3
B. *Operated*	36	2.4	8	<1	1	2	2	5	7	16
2. MULTIPLE DX										
A. *Not Operated*	27	3.4	12	1	1	2	4	7	9	18
B. *Operated*	31	4.1	16	<1	1	3	5	8	16	18
1. SINGLE DX	71	1.9	4	<1	<1	1	2	3	5	14
2. MULTIPLE DX	58	3.7	14	<1	1	2	5	7	13	18
A. NOT OPERATED	62	2.2	6	<1	<1	1	2	4	6	17
B. OPERATED	67	3.2	12	<1	1	2	4	5	10	18
TOTAL 0-19 YRS	56	2.3	10	<1	<1	1	2	4	6	18
20-34	40	2.8	9	<1	<1	2	3	5	8	18
35-49	22	3.5	12	<1	1	2	5	7	11	16
50-64	7	3.1	3	1	1	2	5	6	6	6
65+	4	3.0	2	2	2	3	4	5	5	5
GRAND TOTAL	**129**	**2.7**	**9**	**<1**	**<1**	**2**	**3**	**5**	**8**	**18**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1019	1.7	3	<1	<1	1	2	3	4	9
20-34	211	1.9	4	<1	1	1	2	4	6	10
35-49	185	1.6	2	<1	1	1	2	3	4	10
50-64	219	2.0	10	<1	1	1	2	3	5	15
65+	202	1.8	5	<1	1	1	2	3	4	8
B. *Operated*										
0-19 YRS	222	2.5	5	<1	1	2	3	6	7	10
20-34	68	3.8	9	<1	1	2	6	9	9	13
35-49	36	3.9	8	1	1	3	6	8	9	10
50-64	33	3.3	9	1	1	2	4	8	11	12
65+	40	3.4	25	<1	1	2	3	5	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	233	2.8	5	<1	1	2	4	5	7	11
20-34	89	3.4	11	<1	1	2	4	7	13	15
35-49	102	3.5	17	<1	1	2	4	9	11	22
50-64	160	3.8	23	1	1	2	4	8	13	31
65+	327	4.5	23	1	1	3	6	10	13	24
B. *Operated*										
0-19 YRS	106	5.0	62	1	1	3	6	10	14	83
20-34	56	6.8	33	1	1	6	10	15	18	24
35-49	65	6.9	54	1	1	5	9	15	22	37
50-64	114	8.6	91	1	2	5	11	19	24	54
65+	155	9.0	91	1	2	6	10	24	30	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1836	1.8	4	<1	<1	1	2	3	4	10
B. *Operated*	399	3.0	8	<1	1	2	4	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	911	3.7	17	1	1	2	4	8	12	19
B. *Operated*	496	7.5	75	1	1	5	9	16	24	45
1. SINGLE DX	2235	2.0	5	<1	<1	1	2	4	6	11
2. MULTIPLE DX	1407	5.1	41	1	1	3	6	12	16	34
A. NOT OPERATED	2747	2.4	9	<1	1	1	3	5	7	14
B. OPERATED	895	5.5	50	1	1	3	7	13	19	36
TOTAL 0-19 YRS	1580	2.2	8	<1	<1	1	2	4	6	11
20-34	424	3.2	13	<1	1	2	4	8	11	18
35-49	388	3.2	18	<1	1	1	3	8	11	23
50-64	526	4.0	37	1	1	2	4	10	15	33
65+	724	4.7	39	1	1	2	5	10	16	33
GRAND TOTAL	**3642**	**3.2**	**21**	**<1**	**1**	**2**	**3**	**7**	**10**	**24**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	8.2	54	1	2	5	12	20	24	30
20-34	59	9.2	78	1	2	7	12	17	27	46
35-49	34	11.1	76	<1	1	9	16	27	28	30
50-64	20	14.8	172	2	3	13	26	41	74	99+
65+	7	17.9	101	3	4	20	26	29	30	30
B. *Operated*										
0-19 YRS	216	15.7	226	2	3	11	21	33	43	78
20-34	167	11.5	97	2	2	8	15	28	34	45
35-49	87	11.5	120	1	2	9	17	32	47	99+
50-64	65	16.4	238	2	3	11	22	40	46	72
65+	31	20.6	171	4	6	18	32	39	43	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	8.4	48	1	2	7	11	17	21	34
20-34	117	9.8	88	1	2	7	12	22	31	47
35-49	75	10.3	93	1	2	7	13	21	35	45
50-64	46	12.8	131	1	2	10	17	23	30	70
65+	70	17.7	178	2	3	14	25	39	44	59
B. *Operated*										
0-19 YRS	298	22.8	255	3	5	19	32	48	56	72
20-34	263	22.7	394	2	4	17	35	60	78	99+
35-49	161	25.9	357	4	5	22	38	54	70	97
50-64	135	24.5	364	3	4	20	38	50	66	94
65+	127	35.2	548	3	8	30	56	75	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	9.8	80	1	2	7	13	24	28	48
B. *Operated*	566	14.2	175	2	3	10	19	33	43	79
2. MULTIPLE DX										
A. *Not Operated*	464	10.9	102	1	2	8	14	24	31	49
B. *Operated*	984	25.1	376	3	4	21	37	56	70	99+
1. SINGLE DX	789	12.9	152	2	2	9	17	30	40	75
2. MULTIPLE DX	1448	20.6	332	2	3	15	30	49	62	99+
A. NOT OPERATED	687	10.5	95	1	2	8	14	24	30	48
B. OPERATED	1550	21.1	331	2	3	16	31	50	64	99+
TOTAL 0-19 YRS	773	16.0	215	2	2	11	23	35	48	69
20-34	606	15.8	258	2	2	10	22	42	57	99+
35-49	357	17.7	271	2	3	12	25	44	56	99+
50-64	266	19.8	301	2	4	15	28	45	59	92
65+	235	27.6	442	3	5	23	42	64	76	99+
GRAND TOTAL	**2237**	**17.9**	**282**	**2**	**3**	**12**	**25**	**43**	**56**	**99**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	729	5.1	27	1	1	3	7	11	15	27
20-34	445	5.2	30	1	1	3	7	11	16	24
35-49	182	6.1	40	1	1	4	7	15	21	27
50-64	110	8.5	58	1	2	6	12	17	23	38
65+	47	10.1	126	1	1	7	12	18	26	72
B. Operated										
0-19 YRS	198	10.3	111	1	2	7	13	23	36	52
20-34	125	10.7	132	1	2	6	13	26	40	76
35-49	54	10.4	86	1	2	8	13	24	30	42
50-64	38	14.7	212	1	1	10	22	30	42	69
65+	16	17.4	182	2	6	14	21	44	48	49
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1512	6.4	[illegible]	1	1	5	9	14	18	28
20-34	968	6.4	54	1	1	4	8	14	17	36
35-49	487	7.3	67	1	1	5	9	16	21	41
50-64	380	10.2	109	1	2	7	14	22	27	64
65+	251	12.6	104	2	3	10	16	24	38	54
B. Operated										
0-19 YRS	384	13.3	162	2	2	9	18	28	41	61
20-34	317	16.3	268	2	2	10	22	39	54	77
35-49	155	16.7	206	2	3	12	21	40	44	71
50-64	118	19.5	326	2	3	15	26	46	65	99+
65+	88	26.6	304	5	9	22	37	56	61	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1513	5.7	36	1	1	4	7	13	17	28
B. Operated	431	11.1	127	1	2	8	14	26	37	54
2. MULTIPLE DX										
A. Not Operated	3598	7.4	60	1	1	5	10	16	21	39
B. Operated	1062	16.5	243	2	2	11	23	39	51	80
1. SINGLE DX	1944	6.9	61	1	1	4	9	15	22	40
2. MULTIPLE DX	4660	9.4	116	1	1	6	12	21	30	60
A. NOT OPERATED	5111	6.9	54	1	1	5	9	15	20	36
B. OPERATED	1493	14.9	215	2	2	10	21	36	47	74
TOTAL 0-19 YRS	2823	7.3	62	1	1	5	9	16	22	41
20-34	1855	8.1	105	1	1	5	10	18	27	58
35-49	878	8.9	101	1	1	6	11	20	29	49
50-64	646	11.9	160	1	2	8	16	26	33	70
65+	402	15.6	188	2	3	12	20	36	47	68
GRAND TOTAL	**6604**	**8.7**	**102**	**1**	**1**	**5**	**11**	**20**	**28**	**55**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	84	3.1	5	1	1	3	4	6	8	13
20-34	82	5.5	34	1	1	4	6	12	19	31
35-49	41	5.4	15	1	1	5	8	12	15	99+
50-64	20	10.9	121	1	2	9	12	26	38	45
65+	15	5.5	13	<1	1	5	8	11	12	13
B. Operated										
0-19 YRS	141	3.0	5	1	1	3	4	6	8	11
20-34	237	3.7	30	1	1	2	4	8	13	55
35-49	117	4.5	19	1	1	3	5	11	14	48
50-64	52	5.2	69	1	1	2	4	10	16	52
65+	7	5.3	18	1	1	4	9	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	86	4.6	19	1	1	3	6	10	20	99+
20-34	143	7.7	86	1	2	5	10	17	30	99+
35-49	86	9.4	79	1	2	6	12	19	32	41
50-64	68	7.7	33	1	1	7	10	15	18	31
65+	94	10.9	95	2	3	9	14	20	23	59
B. Operated										
0-19 YRS	167	5.0	124	1	1	2	4	7	16	79
20-34	280	6.6	122	1	1	3	7	20	47	99+
35-49	131	7.8	122	1	1	4	11	25	92	99+
50-64	68	11.6	234	1	1	6	16	44	75	99+
65+	25	22.4	745	1	2	9	47	75	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	242	5.1	30	1	1	4	6	10	16	36
B. Operated	554	3.9	25	1	1	2	4	8	12	39
2. MULTIPLE DX										
A. Not Operated	477	8.1	71	1	2	6	10	18	24	99+
B. Operated	671	7.5	167	1	1	3	7	22	52	99+
1. SINGLE DX	796	4.3	27	1	1	3	5	9	13	37
2. MULTIPLE DX	1148	7.8	127	1	1	4	9	20	40	99+
A. NOT OPERATED	719	7.1	59	1	1	5	9	15	21	89
B. OPERATED	1225	5.9	106	1	1	3	5	15	31	99+
TOTAL 0-19 YRS	478	4.0	50	1	1	3	4	7	11	70
20-34	742	5.8	78	1	1	3	6	14	26	99+
35-49	375	6.9	72	1	1	4	9	19	29	99+
50-64	208	8.6	121	1	1	5	10	18	36	99+
65+	141	12.1	220	1	2	8	14	23	48	93
GRAND TOTAL	**1944**	**6.3**	**89**	**1**	**1**	**3**	**7**	**15**	**25**	**99+**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	513	2.7	5	1	1	2	3	5	6	11
20-34	440	3.5	11	<1	1	2	4	7	10	18
35-49	185	4.7	19	1	1	4	6	10	13	24
50-64	106	4.9	19	1	1	4	7	11	13	23
65+	98	5.6	18	1	1	5	7	12	15	18
B. *Operated*										
0-19 YRS	169	5.2	55	1	1	3	6	10	17	41
20-34	228	5.6	48	1	1	4	7	12	17	41
35-49	106	5.8	58	1	1	3	6	13	20	48
50-64	66	4.7	18	1	1	3	6	8	14	22
65+	21	16.1	484	2	3	9	16	50	72	90
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	510	3.7	13	<1	1	3	5	8	9	19
20-34	755	4.5	14	1	1	4	6	9	12	20
35-49	397	5.9	42	1	1	5	7	11	14	29
50-64	322	7.0	45	1	2	5	9	13	20	44
65+	572	9.2	55	2	3	7	12	18	23	36
B. *Operated*										
0-19 YRS	231	9.6	164	1	2	5	10	23	36	74
20-34	359	11.0	182	1	2	7	12	27	43	91
35-49	171	11.0	193	1	2	7	13	27	41	98
50-64	136	11.7	178	1	2	7	14	29	39	85
65+	99	16.3	215	2	3	13	20	32	40	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1342	3.6	12	1	1	2	5	7	11	18
B. *Operated*	590	5.8	67	1	1	3	6	12	19	48
2. MULTIPLE DX										
A. *Not Operated*	2556	5.9	35	1	1	4	7	12	16	30
B. *Operated*	996	11.3	185	1	2	7	14	27	41	85
1. SINGLE DX	1932	4.3	30	1	1	3	5	9	12	25
2. MULTIPLE DX	3552	7.4	83	1	1	5	9	16	23	54
A. NOT OPERATED	3898	5.1	28	1	1	4	6	11	14	27
B. OPERATED	1586	9.2	148	1	1	5	10	21	34	79
TOTAL 0-19 YRS	1423	4.5	45	1	1	3	5	8	12	39
20-34	1782	5.7	59	1	1	4	6	12	18	48
35-49	859	6.6	74	1	1	4	8	13	19	50
50-64	630	7.4	72	1	2	5	9	15	[illegible]	53
65+	790	9.8	90	2	2	7	12	20	[illegible]	51
GRAND TOTAL	**5484**	**6.3**	**66**	**1**	**1**	**4**	**7**	**13**	**20**	**45**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3514	2.0	8	<1	1	1	2	4	5	11
20-34	2037	2.5	14	<1	<1	2	3	5	6	16
35-49	687	3.1	25	<1	1	2	3	6	8	15
50-64	279	4.0	46	<1	1	2	4	8	12	22
65+	233	5.7	19	1	2	5	8	11	15	21
B. *Operated*										
0-19 YRS	12	3.1	6	<1	1	2	4	7	8	8
20-34	39	3.7	30	1	1	2	4	6	12	33
35-49	29	3.0	7	<1	<1	2	4	8	9	99+
50-64	6	8.2	21	3	3	8	11	15	15	15
65+	14	12.4	76	2	4	12	15	22	34	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3169	4.3	43	1	1	2	4	8	14	38
20-34	5120	5.1	50	<1	1	3	5	11	19	37
35-49	2572	5.7	48	1	1	3	7	13	19	35
50-64	1567	7.1	57	1	1	5	9	16	22	36
65+	2126	8.3	41	2	2	7	11	16	21	33
B. *Operated*										
0-19 YRS	67	7.5	74	1	1	5	9	23	35	99+
20-34	278	9.1	146	1	2	4	12	21	33	74
35-49	188	12.5	182	2	2	9	17	29	38	95
50-64	137	15.1	166	2	4	11	22	34	41	99+
65+	169	15.1	98	3	5	13	18	31	37	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6750	2.5	14	<1	1	2	3	5	7	15
B. *Operated*	100	4.9	36	1	1	3	6	13	15	68
2. MULTIPLE DX										
A. *Not Operated*	14554	5.7	49	1	1	3	7	13	19	35
B. *Operated*	839	11.9	149	1	2	9	17	29	38	88
1. SINGLE DX	6850	2.5	15	<1	1	2	3	5	7	15
2. MULTIPLE DX	15393	6.0	57	1	1	4	7	14	21	38
A. NOT OPERATED	21304	4.7	40	<1	1	3	5	10	16	32
B. OPERATED	939	11.2	142	1	2	8	15	28	37	88
TOTAL 0-19 YRS	6762	3.1	26	<1	1	2	3	6	9	28
20-34	7474	4.5	46	<1	1	2	5	10	17	35
35-49	3476	5.5	54	1	1	3	6	12	19	37
50-64	1989	7.2	68	1	1	5	9	16	23	40
65+	2542	8.6	46	2	2	7	11	17	22	35
GRAND TOTAL	**22243**	**5.0**	**46**	**1**	**1**	**3**	**6**	**11**	**17**	**35**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1730	2.0	5	<1	1	1	2	4	5	14
20-34	771	1.9	7	<1	<1	1	2	3	5	9
35-49	367	2.0	4	<1	1	1	2	4	5	9
50-64	219	2.6	8	1	1	2	3	5	7	16
65+	88	2.8	7	<1	1	2	3	6	8	15
B. *Operated*										
0-19 YRS	7	3.4	3	<1	<1	3	5	6	6	6
20-34	18	10.2	411	1	1	4	10	18	62	89
35-49	5	5.4	61	<1	<1	1	8	19	19	19
50-64	3	3.7	4	2	2	3	5	6	6	6
65+	3	18.7	289	2	2	18	31	36	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	830	3.5	22	1	1	2	4	7	10	21
20-34	766	3.8	25	<1	1	2	4	8	13	27
35-49	470	4.5	39	1	1	3	5	9	12	36
50-64	372	4.8	32	1	1	3	5	10	15	35
65+	269	6.4	51	1	1	4	8	15	21	34
B. *Operated*										
0-19 YRS	24	14.0	297	1	2	7	14	44	59	61
20-34	43	12.7	260	1	2	6	17	34	69	99+
35-49	29	10.3	145	1	2	7	13	30	57	99+
50-64	30	14.7	255	2	3	10	16	35	43	81
65+	16	25.6	485	3	5	20	34	55	76	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3175	2.0	6	<1	1	1	2	4	5	13
B. *Operated*	36	8.4	243	<1	1	3	7	19	31	89
2. MULTIPLE DX										
A. *Not Operated*	2707	4.2	31	1	1	2	5	9	13	28
B. *Operated*	142	14.3	277	1	2	8	18	37	59	99+
1. SINGLE DX	3211	2.1	9	<1	1	1	2	4	5	14
2. MULTIPLE DX	2849	4.7	48	1	1	3	5	10	15	36
A. NOT OPERATED	5882	3.0	18	<1	1	2	3	6	10	21
B. OPERATED	178	13.1	275	1	2	7	16	35	57	97
TOTAL 0-19 YRS	2591	2.6	15	<1	1	2	3	5	7	18
20-34	1598	3.2	31	<1	1	2	3	6	10	27
35-49	871	3.6	30	1	1	2	4	7	11	31
50-64	624	4.5	40	1	1	3	5	10	15	36
65+	376	6.5	79	1	1	3	7	15	21	46
GRAND TOTAL	**6060**	**3.3**	**29**	**<1**	**1**	**2**	**3**	**7**	**11**	**25**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	744	3.0	12	1	1	2	4	6	8	18
20-34	511	3.0	8	<1	1	2	4	6	9	15
35-49	328	3.1	10	<1	1	2	4	6	8	16
50-64	227	3.7	18	1	1	2	4	8	10	19
65+	169	5.5	60	1	1	4	6	10	13	40
B. *Operated*										
0-19 YRS	17	6.2	16	2	2	7	8	11	14	16
20-34	25	10.3	113	2	2	8	11	26	38	43
35-49	25	16.0	473	1	2	8	12	51	72	88
50-64	24	15.1	321	2	3	9	16	40	64	71
65+	20	16.0	199	1	2	10	27	35	44	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	738	4.3	22	1	1	3	5	9	13	21
20-34	642	4.5	22	1	1	3	6	9	12	26
35-49	554	5.1	33	1	1	4	6	10	13	22
50-64	757	6.2	42	1	1	4	8	13	18	32
65+	1125	8.1	42	2	2	6	10	15	21	31
B. *Operated*										
0-19 YRS	31	14.8	329	<1	1	7	26	38	80	99+
20-34	78	9.6	130	1	2	6	12	23	31	65
35-49	102	14.7	213	1	2	10	21	30	43	82
50-64	151	17.1	312	1	2	12	23	37	67	99+
65+	170	17.7	182	2	4	14	25	38	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1979	3.3	16	1	1	2	4	7	9	16
B. *Operated*	111	13.0	245	2	2	8	14	32	49	78
2. MULTIPLE DX										
A. *Not Operated*	3816	5.9	36	1	1	4	7	12	17	28
B. *Operated*	532	15.6	232	1	2	11	22	35	47	99+
1. SINGLE DX	2090	3.8	33	1	1	2	4	8	11	29
2. MULTIPLE DX	4348	7.1	70	1	1	5	9	15	22	43
A. NOT OPERATED	5795	5.0	30	1	1	3	6	11	15	26
B. OPERATED	643	15.2	235	1	2	11	22	35	47	94
TOTAL 0-19 YRS	1530	3.9	26	1	1	2	4	8	12	26
20-34	1256	4.3	28	1	1	3	5	9	13	28
35-49	1009	5.7	67	1	1	3	6	12	18	43
50-64	1159	7.3	95	1	1	4	9	16	24	60
65+	1484	9.0	73	1	2	7	11	19	25	44
GRAND TOTAL	**6438**	**6.1**	**60**	**1**	**1**	**4**	**7**	**13**	**20**	**40**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	4.2	15	<1	1	3	6	10	11	18
20-34	118	3.8	11	<1	<1	3	5	9	11	15
35-49	67	6.0	28	1	2	4	8	14	18	25
50-64	98	6.9	44	1	1	5	9	13	21	37
65+	181	7.9	67	1	2	5	10	20	26	43
B. *Operated*										
0-19 YRS	452	5.8	41	1	1	4	7	13	16	35
20-34	813	4.2	21	1	1	3	5	9	13	24
35-49	566	7.3	81	1	1	4	9	17	25	48
50-64	939	9.1	76	1	2	6	13	20	27	41
65+	1788	9.2	92	2	2	5	13	22	27	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	5.6	23	1	1	5	7	11	14	68
20-34	169	6.6	75	1	1	5	8	13	17	50
35-49	134	6.9	40	1	1	6	8	13	19	32
50-64	195	9.0	108	1	1	5	12	19	32	57
65+	355	8.6	70	1	2	6	11	18	24	40
B. *Operated*										
0-19 YRS	446	9.7	93	1	2	7	12	21	33	47
20-34	874	7.0	80	1	1	4	8	17	24	53
35-49	824	10.1	136	1	2	6	13	23	34	62
50-64	1559	12.6	148	2	2	9	17	28	36	64
65+	2930	12.8	156	2	3	9	17	29	40	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	528	6.1	41	1	1	4	8	13	20	37
B. *Operated*	4558	7.7	73	1	2	4	10	18	25	42
2. MULTIPLE DX										
A. *Not Operated*	949	7.8	71	1	1	5	10	16	22	48
B. *Operated*	6633	11.4	142	2	2	7	15	27	36	64
1. SINGLE DX	5086	7.5	70	1	2	4	10	18	24	41
2. MULTIPLE DX	7582	11.0	134	1	2	7	15	25	35	63
A. NOT OPERATED	1477	7.2	61	1	1	5	9	15	21	41
B. OPERATED	11191	9.9	117	1	2	6	13	23	32	56
TOTAL 0-19 YRS	1058	7.3	64	1	1	5	9	16	23	43
20-34	1974	5.6	53	1	1	3	6	13	19	42
35-49	1591	8.7	106	1	2	5	11	20	28	58
50-64	2791	11.0	121	1	2	7	15	25	33	55
65+	5254	11.1	129	2	2	7	15	25	34	61
GRAND TOTAL	**12668**	**9.6**	**111**	**1**	**2**	**6**	**13**	**23**	**31**	**55**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	528	2.0	4	<1	1	1	2	4	5	8
20-34	657	2.7	4	1	1	2	3	5	6	10
35-49	299	3.9	20	1	1	3	4	7	10	18
50-64	322	3.9	8	1	1	3	5	6	9	16
65+	364	4.8	9	1	2	4	6	9	11	15
B. *Operated*										
0-19 YRS	377	2.2	13	<1	1	1	2	4	5	10
20-34	526	3.2	7	1	1	2	4	7	8	13
35-49	242	4.1	20	1	1	3	5	8	10	17
50-64	146	4.5	11	1	1	4	6	8	10	20
65+	123	5.6	19	1	1	5	7	10	14	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	2.7	6	<1	1	2	3	5	8	14
20-34	225	3.7	8	1	1	3	5	7	9	15
35-49	141	4.2	9	1	1	3	5	8	10	26
50-64	236	5.6	21	1	2	5	7	10	13	22
65+	403	5.8	20	2	2	5	7	10	13	26
B. *Operated*										
0-19 YRS	72	4.5	23	<1	1	2	7	11	15	21
20-34	199	4.9	25	1	1	3	6	12	15	26
35-49	140	6.8	46	1	2	4	8	16	19	41
50-64	144	7.5	50	1	2	5	9	15	20	38
65+	150	8.5	81	2	2	6	11	16	20	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2170	3.2	9	1	1	2	4	6	8	14
B. *Operated*	1414	3.4	13	1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	1100	4.9	16	1	1	4	6	9	12	21
B. *Operated*	705	6.5	48	1	1	4	8	14	18	34
1. SINGLE DX	3584	3.3	11	1	1	2	4	6	8	15
2. MULTIPLE DX	1805	5.5	29	1	1	4	7	11	15	28
A. NOT OPERATED	3270	3.8	12	1	1	3	5	7	10	16
B. OPERATED	2119	4.5	27	1	1	3	5	9	13	23
TOTAL 0-19 YRS	1072	2.3	9	<1	1	1	3	4	6	15
20-34	1607	3.3	9	1	1	2	4	6	8	15
35-49	822	4.5	24	1	1	3	5	9	11	22
50-64	848	5.1	21	1	1	4	6	9	13	23
65+	1040	5.8	26	1	2	5	7	11	14	25
GRAND TOTAL	**5389**	**4.0**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	184	5.2	12	1	2	4	7	10	12	18
20-34	307	5.7	15	2	2	5	7	9	12	21
35-49	214	7.4	45	2	3	6	9	14	18	52
50-64	197	8.1	38	2	3	6	10	16	21	31
65+	124	9.1	49	3	3	7	11	17	22	40
B. *Operated*										
0-19 YRS	151	8.4	42	1	2	7	11	18	21	29
20-34	231	7.5	39	2	2	6	10	15	18	34
35-49	183	9.0	59	2	2	6	12	20	23	42
50-64	180	10.0	82	2	2	8	12	23	28	48
65+	131	13.9	206	2	3	10	16	28	40	88
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	6.4	20	2	2	5	8	13	15	24
20-34	201	7.5	49	2	2	6	9	14	18	39
35-49	203	8.4	45	2	3	7	9	15	22	38
50-64	272	9.6	67	2	3	7	12	18	23	52
65+	274	11.4	81	3	4	9	14	24	30	55
B. *Operated*										
0-19 YRS	76	10.4	82	2	3	7	14	26	30	39
20-34	209	11.2	93	2	3	8	14	22	31	49
35-49	211	13.9	191	2	3	10	17	30	47	80
50-64	241	15.1	156	3	3	11	20	32	41	63
65+	228	17.2	222	3	4	13	22	33	47	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1026	6.8	31	2	2	5	9	13	17	29
B. *Operated*	876	9.4	81	2	2	7	12	20	25	49
2. MULTIPLE DX										
A. *Not Operated*	1047	9.1	61	2	3	7	11	17	25	42
B. *Operated*	965	14.1	164	2	3	10	18	30	41	68
1. SINGLE DX	1902	8.0	56	2	2	6	10	16	22	38
2. MULTIPLE DX	2012	11.5	117	2	3	8	14	25	33	56
A. NOT OPERATED	2073	8.0	47	2	3	6	9	15	21	38
B. OPERATED	1841	11.9	130	2	3	9	15	25	33	56
TOTAL 0-19 YRS	508	7.1	36	1	2	5	9	15	20	30
20-34	948	7.8	49	2	2	6	9	15	20	38
35-49	811	9.7	92	2	3	7	12	20	28	56
50-64	890	10.8	94	2	3	8	13	23	30	52
65+	757	13.2	148	3	4	10	16	27	35	69
GRAND TOTAL	**3914**	**9.8**	**90**	**2**	**3**	**7**	**12**	**20**	**28**	**51**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	2.7	7	1	1	2	3	7	10	13
20-34	181	4.2	14	1	1	3	6	9	11	22
35-49	140	6.0	24	1	1	4	8	13	15	23
50-64	131	7.3	40	1	2	6	9	15	18	32
65+	102	9.0	93	1	2	7	12	17	25	55
B. *Operated*										
0-19 YRS	148	4.1	17	1	1	3	5	10	11	23
20-34	377	5.3	29	1	2	3	6	11	15	28
35-49	284	7.1	76	1	2	4	9	15	19	50
50-64	306	7.3	56	1	2	5	10	16	23	39
65+	260	7.2	50	1	2	4	9	16	22	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	5.5	98	1	1	3	5	11	16	64
20-34	245	5.2	27	1	1	4	7	10	15	29
35-49	237	7.7	62	1	2	5	10	15	21	47
50-64	307	8.8	48	1	2	7	12	18	20	36
65+	368	10.1	89	2	2	8	13	20	27	55
B. *Operated*										
0-19 YRS	104	7.3	61	1	2	5	9	15	23	43
20-34	364	9.1	95	1	2	6	11	19	27	49
35-49	385	10.9	99	2	2	8	15	24	31	56
50-64	541	13.4	189	2	2	9	16	31	45	72
65+	596	14.9	220	2	3	10	21	33	47	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	606	6.0	38	1	1	4	8	13	16	30
B. *Operated*	1375	6.3	48	1	2	4	8	14	19	35
2. MULTIPLE DX										
A. *Not Operated*	1248	8.0	66	1	2	5	10	17	22	44
B. *Operated*	1990	12.3	163	2	2	8	16	27	39	72
1. SINGLE DX	1981	6.2	45	1	1	4	8	13	18	34
2. MULTIPLE DX	3238	10.6	129	1	2	7	13	24	34	62
A. NOT OPERATED	1854	7.4	58	1	1	5	10	16	20	40
B. OPERATED	3365	9.8	124	1	2	6	12	23	32	62
TOTAL 0-19 YRS	395	5.1	48	1	1	3	6	10	14	31
20-34	1167	6.3	50	1	1	4	8	13	19	39
35-49	1046	8.5	78	1	2	6	11	18	25	50
50-64	1285	10.2	116	2	2	7	13	22	31	61
65+	1326	11.6	150	2	2	8	15	26	35	77
GRAND TOTAL	**5219**	**9.0**	**102**	**1**	**2**	**6**	**11**	**20**	**28**	**56**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	3.0	4	1	1	3	4	6	7	10
20-34	24	3.5	5	1	1	3	5	7	8	8
35-49	13	4.1	10	<1	1	4	5	8	11	12
50-64	8	6.5	69	<1	<1	3	9	21	25	25
65+	10	4.0	10	1	1	3	5	9	12	12
B. *Operated*										
0-19 YRS										
20-34	3	3.7	1	3	3	3	5	5	5	5
35-49	5	11.0	67	4	4	9	14	25	25	25
50-64	6	7.8	143	1	1	3	6	29	32	32
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.1	2	1	1	3	4	5	6	7
20-34	30	5.9	35	1	2	4	7	11	12	33
35-49	33	6.1	37	1	2	5	7	11	14	35
50-64	47	5.8	31	1	1	4	8	14	24	99+
65+	55	5.4	36	1	1	3	7	12	17	33
B. *Operated*										
0-19 YRS	8	5.0	24	1	1	3	6	13	16	16
20-34	14	7.8	55	<1	1	5	11	22	24	24
35-49	9	6.4	26	1	1	5	11	14	16	16
50-64	9	20.6	583	2	3	7	30	63	69	69
65+	16	20.3	342	1	2	17	26	45	64	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	3.6	10	1	1	3	5	7	9	18
B. *Operated*	15	7.7	79	1	2	4	8	25	30	32
2. MULTIPLE DX										
A. *Not Operated*	225	5.0	27	1	1	4	6	10	14	34
B. *Operated*	56	12.8	246	1	2	7	16	28	51	72
1. SINGLE DX	120	4.2	20	1	1	3	5	8	11	27
2. MULTIPLE DX	281	6.6	79	1	1	4	7	14	23	64
A. NOT OPERATED	330	4.6	22	1	1	3	5	10	13	33
B. OPERATED	71	11.7	214	1	2	6	16	26	46	71
TOTAL 0-19 YRS	118	3.2	5	1	1	3	4	6	7	12
20-34	71	5.4	29	1	1	4	7	10	13	31
35-49	60	6.1	33	1	1	5	7	12	15	34
50-64	70	8.0	130	1	1	4	9	23	32	93
65+	82	8.1	125	1	1	4	10	19	30	64
GRAND TOTAL	**401**	**5.9**	**63**	**1**	**1**	**4**	**6**	**12**	**20**	**50**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	156	2.5	11	<1	<1	2	3	6	6	20
35-49	42	2.1	1	<1	<1	2	3	4	4	5
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	102	2.3	6	<1	<1	2	3	4	4	15
20-34	13087	2.0	3	<1	<1	2	2	3	4	7
35-49	5419	1.9	4	<1	<1	2	2	3	4	7
50-64	40	1.8	1	<1	<1	1	2	3	4	5
65+	12	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	<1	<1	3	7	7	7	7
20-34	159	1.7	4	<1	<1	1	2	4	5	19
35-49	61	2.6	7	<1	<1	2	3	5	7	16
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	2	14.5	365	1	1	14	28	28	28	28
B. *Operated*										
0-19 YRS	86	2.7	3	<1	1	2	3	5	6	9
20-34	7681	2.5	6	<1	1	2	3	5	6	9
35-49	3984	2.5	6	<1	1	2	3	5	6	10
50-64	31	2.2	3	<1	1	2	3	4	6	9
65+	14	2.6	3	1	1	2	4	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	2.4	9	<1	<1	2	3	5	6	14
B. *Operated*	18660	2.0	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	226	2.1	8	<1	<1	1	2	4	7	22
B. *Operated*	11796	2.5	6	<1	1	2	3	5	6	9
1. SINGLE DX	18861	2.0	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX	12022	2.5	6	<1	1	2	3	5	6	9
A. NOT OPERATED	427	2.2	8	<1	<1	1	2	4	6	20
B. OPERATED	30456	2.2	4	<1	<1	2	2	4	5	8
TOTAL 0-19 YRS	192	2.5	4	<1	<1	2	3	4	6	9
20-34	21083	2.2	4	<1	<1	2	2	4	5	8
35-49	9506	2.2	5	<1	<1	2	2	4	5	8
50-64	74	2.0	2	<1	<1	2	2	4	5	8
65+	28	3.0	26	1	1	2	3	5	8	28
GRAND TOTAL	**30883**	**2.2**	**4**	**<1**	**<1**	**2**	**2**	**4**	**5**	**8**

Distribution Tables

Table 1 displays total U.S. patients and days of care (after exclusions*) in each of the diagnosis groups except those for deliveries (groups 270-287) and newborn (groups 393-395). Also shown is the corresponding rate per 10,000 discharges and the rate per 10,000 days of care (excluding deliveries and newborn).

Table 1

Distribution of U.S. Patients and Days of Care
by *ICD-9-CM* List A: Hospital Diagnosis Groups
1979

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
1	Intestinal infectious disease	44,002	45.5	203	28.6
2	Respiratory tuberculosis	4,408	4.6	73	10.2
3	Nonrespiratory tuberculosis	917	0.9	13	1.9
4.	Streptococcal sore throat and scarlet fever	5,925	6.1	22	3.1
5	Septicemia	9,877	10.2	137	19.3
6	Miscellaneous bacterial diseases	4,379	4.5	42	6.0
7	Poliomyelitis and other enteroviral diseases of central nervous system	8,048	8.3	41	5.7
8	Viral diseases with exanthem	12,459	12.9	89	12.5
9	Viral hepatitis	9,561	9.9	84	11.8
10	Infectious mononucleosis	8,802	9.1	47	6.6
11	Viral warts	9,242	9.6	26	3.6
12	Miscellaneous viral diseases	24,590	25.5	111	15.6
13	Rickettsioses and other arthropod-borne diseases	1,347	1.4	8	1.2
14	Syphilis and other venereal diseases	4,524	4.7	27	3.8
15	Mycoses	3,473	3.6	35	4.9
16	Helminthiases	823	0.9	5	0.7
17	Miscellaneous infective and parasitic diseases	5,285	5.5	42	5.8
18	Late effects of infectious and parasitic diseases	375	0.4	4	0.5

***Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.**

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
19 Malignant neoplasm of lip, oral cavity, and pharynx	10,888	11.3	112	15.8
20 Malignant neoplasm of esophagus	3,762	3.9	58	8.2
21 Malignant neoplasm of stomach	7,393	7.7	126	17.8
22 Malignant neoplasm of small intestine	871	0.9	16	2.2
23 Malignant neoplasm of colon	31,020	32.1	525	73.8
24 Malignant neoplasm of rectum, rectosigmoid junction and anus	17,370	18.0	297	41.8
25 Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	5,194	5.4	84	11.7
26 Malignant neoplasm of pancreas	7,278	7.5	126	17.7
27 Malignant neoplasm of bronchus, lung, and trachea	53,623	55.5	700	98.4
28 Other malignant neoplasm of respiratory system and thoracic cavity	7,712	8.0	83	11.7
29 Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	5,642	5.8	58	8.2
30 Malignant melanoma of skin, excluding genital organs	5,285	5.5	43	6.0
31 Other malignant neoplasm of skin, excluding genital organs	11,635	12.0	60	8.5
32 Malignant neoplasm of breast (female) (male)	45,939	47.5	469	66.0
33 Malignant neoplasm of cervix uteri excluding carcinoma in situ	11,000	11.4	88	12.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
34 Malignant neoplasm of corpus uteri	16,148	16.7	136	19.2
35 Malignant neoplasm of ovary	10,687	11.1	115	16.1
36 Malignant neoplasm of other female genital organs	2,206	2.3	26	3.6
37 Malignant neoplasm of prostate	34,890	36.1	369	51.9
38 Malignant neoplasm of male genitalia, except prostate	2,731	2.8	22	3.1
39 Malignant neoplasm of bladder	29,683	30.7	248	34.8
40 Malignant neoplasm of kidney and other urinary organs	7,299	7.6	106	14.9
41 Malignant neoplasm of eye	751	0.8	4	0.6
42 Malignant neoplasm of brain	5,497	5.7	97	13.7
43 Malignant neoplasm of other parts of nervous system	481	0.5	9	1.2
44 Malignant neoplasm of endocrine glands	4,150	4.3	32	4.5
45 Malignant neoplasm of ill-defined and secondary sites	62,122	64.3	758	106.5
46 Hodgkin's disease	5,389	5.6	51	7.1
47 Lymphoid leukemia	5,098	5.3	52	7.3
48 Leukemia, except lymphoid	7,237	7.5	87	12.3
49 Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	21,089	21.8	249	35.0
50 Benign neoplasm of lip, oral cavity, and pharynx	5,008	5.2	21	2.9
51 Benign neoplasm of other parts of digestive system	18,202	18.8	119	16.7
52 Benign neoplasm of respiratory system and intrathoracic organs	3,159	3.3	16	2.3
53 Benign neoplasm of bone, muscle, and connective tissue	27,300	28.3	103	14.6

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
54	Benign neoplasm of skin, blood vessels, and miscellaneous sites	12,500	12.9	46	6.5
55	Benign neoplasm of breast	16,452	17.0	43	6.0
56	Uterine leiomyoma	60,817	62.9	443	62.3
57	Benign neoplasm of uterus, except leiomyoma	1,901	2.0	10	1.5
58	Benign neoplasm of ovary	9,110	9.4	71	9.9
59	Benign neoplasm of female genitalia, except uterus and ovary	905	0.9	4	0.6
60	Benign neoplasm of male genital organ	637	0.7	3	0.4
61	Benign neoplasm of urinary organ	1,506	1.6	7	1.0
62	Benign neoplasm of eye	466	0.5	1	0.2
63	Benign neoplasm of central nervous system	3,225	3.3	55	7.7
64	Benign neoplasm of thyroid glands	7,852	8.1	41	5.7
65	Benign neoplasm of endocrine glands, except thyroid	2,130	2.2	23	3.3
66	Carcinoma in situ of cervix	13,481	14.0	73	10.3
67	Carcinoma in situ, except cervix uteri	4,580	4.7	34	4.8
68	Neoplasms of uncertain behavior and unspecified nature	21,274	22.0	160	22.4
69	Simple and non-toxic nodular goiter	8,994	9.3	51	7.2
70	Other diseases of thyroid gland	15,530	16.1	120	16.8
71	Diabetes mellitus without complication	80,254	83.1	733	103.1
72	Diabetic acidosis or coma	18,113	18.7	153	21.5
73	Other complicated diabetes mellitus	47,044	48.7	543	76.3
74	Ovarian dysfunction	3,696	3.8	17	2.4

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
75 Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	18,047	18.7	132	18.5
76 Nutritional deficiencies	3,341	3.5	44	6.2
77 Cystic fibrosis	1,248	1.3	13	1.9
78 Obesity of nonendocrine origin	8,527	8.8	81	11.4
79 Miscellaneous metabolic disorders	10,153	10.5	76	10.7
80 Gout	4,619	4.8	35	5.0
81 Disorders of fluid, electrolyte, and acid-base balance	27,186	28.1	249	35.0
82 Iron deficiency anemia	15,239	15.8	128	18.0
83 Sickle-cell anemia and trait	6,949	7.2	50	7.0
84 Anemia except iron deficiency and sickle-cell	26,356	27.3	219	30.8
85 Hemophilia (congenital factor VIII disorder)	754	0.8	5	0.7
86 Disease of hematopoietic system, except anemia and hemophilia	13,111	13.6	112	15.8
87 Nonspecific mesenteric lymphadenitis	12,221	12.6	41	5.8
88 Lymphatic disease, except acute lyphadenitis and mesenteric adenitis	4,263	4.4	20	2.8
89 Transient organic psychotic conditions	1,564	1.6	20	2.8
90 Chronic organic brain syndrome, except arteriosclerotic dementia	24,192	25.0	302	42.5
91 Arteriosclerotic dementia	2,283	2.4	32	4.5
92 Alcoholic psychoses	10,957	11.3	89	12.6
93 Drug psychoses	2,243	2.3	21	2.9
94 Paranoid schizophrenia	17,159	17.8	275	38.6
95 Acute schizophrenic episode	1,556	1.6	24	3.4
96 Miscellaneous schizophrenia	32,228	33.4	537	75.5

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	141	3.5	3	1	2	3	4	6	6	8
1000-1499	41	5.8	73	<1	<1	3	6	14	36	99+
1500-1749	40	12.9	121	<1	<1	12	22	28	32	38
1750-2499	4768	4.2	8	2	2	3	5	7	9	18
2500+	282861	3.5	2	2	2	3	4	5	6	8
B. *Operated*										
1-999 G	1	3.0		3	3	3	3	3	3	3
1000-1499										
1500-1749	1	29.0		29	29	29	29	29	29	29
1750-2499	8	11.4	93	<1	<1	9	20	24	26	26
2500+	209	4.3	8	2	2	4	5	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	216	26.2	1078	<1	<1	6	67	89	99+	99+
1000-1499	738	36.1	392	<1	1	37	49	61	70	90
1500-1749	918	23.8	107	<1	11	24	29	36	40	51
1750-2499	11580	8.3	40	2	3	6	11	17	21	29
2500+	111538	4.4	4	2	3	4	5	7	8	11
B. *Operated*										
1-999 G	65	62.6	873	<1	11	79	99+	99+	99+	99+
1000-1499	322	48.3	386	2	29	48	62	77	91	99+
1500-1749	190	33.7	266	8	18	32	39	59	70	99+
1750-2499	669	16.7	109	3	6	15	22	29	35	75
2500+	2075	8.0	66	2	3	6	9	14	20	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287851	3.6	2	2	2	3	4	5	6	8
B. *Operated*	219	4.7	15	2	2	4	5	7	10	27
2. MULTIPLE DX										
A. *Not Operated*	124990	5.1	23	2	3	4	6	7	11	27
B. *Operated*	3321	16.2	334	2	3	9	21	46	65	99+
1. SINGLE DX	288070	3.6	2	2	2	3	4	5	6	8
2. MULTIPLE DX	128311	5.4	34	2	3	4	6	8	12	33
A. NOT OPERATED	412841	4.0	9	2	2	3	4	6	7	14
B. OPERATED	3540	15.5	322	2	3	8	19	45	63	99+
TOTAL 1-999 G	423	24.2	1055	<1	<1	5	68	95	99+	99+
1000-1499	1101	38.5	450	<1	3	39	53	66	77	99+
1500-1749	1149	25.1	152	<1	10	25	31	38	45	72
1750-2499	17025	7.5	41	2	3	5	10	17	20	29
2500+	396683	3.8	3	2	2	3	4	6	7	9
GRAND TOTAL	**416381**	**4.1**	**13**	**2**	**2**	**3**	**4**	**6**	**7**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	2	2.5	1	2	2	2	3	3	3	3
1000-1499	4	25.3	298	<1	<1	30	37	39	39	39
1500-1749	10	19.4	50	3	8	21	23	26	29	29
1750-2499	664	5.9	14	3	3	5	7	10	13	19
2500+	2672	4.9	4	2	3	5	6	7	8	10
B. *Operated*										
1-999 G										
1000-1499	1	32.0		32	32	32	32	32	32	32
1500-1749										
1750-2499	1	3.0		3	3	3	3	3	3	3
2500+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	22	34.1	1401	<1	<1	58	78	99+	99+	99+
1000-1499	138	35.8	310	1	14	35	43	56	67	88
1500-1749	225	24.3	82	10	15	24	29	35	40	56
1750-2499	1784	10.6	42	3	4	9	15	20	23	29
2500+	1305	5.8	8	3	3	5	7	9	10	15
B. *Operated*										
1-999 G	16	60.8	991	<1	<1	77	99+	99+	99+	99+
1000-1499	61	44.0	322	<1	25	45	54	69	84	99+
1500-1749	55	33.8	138	15	23	31	39	52	59	98
1750-2499	97	19.5	85	5	7	20	25	32	35	43
2500+	19	12.7	321	4	4	8	13	19	55	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3352	5.2	8	2	3	5	6	8	9	15
B. *Operated*	3	13.0	271	3	3	4	25	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	3474	10.8	100	3	4	7	14	23	30	53
B. *Operated*	248	30.8	404	5	7	28	44	67	86	99+
1. SINGLE DX	3355	5.2	8	2	3	5	6	8	9	15
2. MULTIPLE DX	3722	12.2	145	3	4	7	15	26	37	73
A. NOT OPERATED	6826	8.0	63	3	3	6	8	17	24	42
B. OPERATED	251	30.6	405	4	6	28	44	66	85	99+
TOTAL 1-999 G	40	43.2	1394	<1	<1	69	93	99+	99+	99+
1000-1499	204	38.0	326	<1	15	38	48	63	71	98
1500-1749	290	25.9	106	11	15	25	31	38	44	69
1750-2499	2546	9.7	44	3	3	7	13	20	23	30
2500+	3997	5.2	7	3	3	5	6	8	9	13
GRAND TOTAL	**7077**	**8.8**	**92**	**3**	**3**	**6**	**9**	**20**	**27**	**54**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	50	4.6	11	2	2	3	5	9	12	16
2500+	649	3.2	2	1	2	3	4	5	6	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	25	41.7	436	<1	9	39	58	72	76	81
1500-1749	17	25.5	64	16	17	24	29	39	41	42
1750-2499	123	10.5	57	2	3	8	14	21	26	34
2500+	265	4.9	11	2	2	4	6	9	11	20
B. *Operated*										
1-999 G	4	79.3	143	71	72	97	99+	99+	99+	99+
1000-1499	5	55.0	323	38	39	64	95	99+	99+	99+
1500-1749	4	41.0	209	29	29	37	51	61	61	61
1750-2499	8	18.1	79	<1	3	20	23	28	30	30
2500+	19	12.2	132	3	4	9	11	25	42	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	699	3.3	3	1	2	3	4	5	6	10
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	430	9.5	134	2	2	5	10	23	34	60
B. *Operated*	40	28.3	657	4	6	22	62	99+	99+	99+
1. SINGLE DX	700	3.3	3	1	2	3	4	5	6	10
2. MULTIPLE DX	470	11.1	205	2	3	6	12	29	43	99
A. NOT OPERATED	1129	5.6	62	1	2	3	5	10	19	42
B. OPERATED	41	27.7	656	3	5	21	61	99	99+	99+
TOTAL 1-999 G	4	79.3	143	71	72	97	99+	99+	99+	99+
1000-1499	30	43.9	431	1	19	43	61	81	98	99+
1500-1749	21	28.4	121	16	18	24	34	42	51	61
1750-2499	181	9.2	55	2	3	7	13	19	24	31
2500+	934	3.9	9	1	2	3	4	6	9	13
GRAND TOTAL	**1170**	**6.4**	**98**	**1**	**2**	**3**	**5**	**12**	**24**	**72**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.7	4	<1	1	2	3	6	8	9
20-34	56	2.6	7	<1	1	2	3	4	5	19
35-49	35	3.0	4	<1	1	2	4	6	7	8
50-64	16	3.0	4	<1	1	3	4	5	8	9
65+	26	11.2	382	1	1	5	17	30	98	99+
B. *Operated*										
0-19 YRS	1451	3.1	22	1	1	2	3	5	6	14
20-34	1945	2.9	4	1	1	2	3	5	6	11
35-49	771	3.1	6	1	1	2	4	5	7	14
50-64	728	3.8	17	1	2	3	4	6	9	23
65+	459	5.4	24	1	2	4	6	11	15	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.5	4	<1	<1	2	3	5	7	9
20-34	22	4.4	23	<1	<1	2	7	12	15	17
35-49	9	4.3	4	<1	1	4	5	7	8	8
50-64	7	4.6	16	<1	<1	3	5	11	13	13
65+	10	13.6	143	1	1	13	21	31	34	34
B. *Operated*										
0-19 YRS	242	3.9	13	1	1	3	5	7	10	22
20-34	314	4.3	18	1	2	3	5	8	11	27
35-49	204	4.9	33	1	2	3	5	10	16	24
50-64	232	6.4	67	1	2	4	6	14	19	43
65+	255	10.1	87	2	3	7	13	21	29	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	195	3.9	62	<1	1	2	4	7	10	68
B. *Operated*	5354	3.3	13	1	1	3	4	5	8	17
2. MULTIPLE DX										
A. *Not Operated*	70	5.1	42	<1	<1	2	6	13	20	33
B. *Operated*	1247	5.9	48	1	2	4	6	13	19	40
1. SINGLE DX	5549	3.3	15	1	1	3	4	5	8	18
2. MULTIPLE DX	1317	5.9	47	1	2	4	6	13	19	39
A. NOT OPERATED	265	4.2	57	<1	1	2	4	8	17	34
B. OPERATED	6601	3.8	21	1	1	3	4	6	10	23
TOTAL 0-19 YRS	1777	3.2	20	1	1	2	4	5	6	16
20-34	2337	3.1	7	1	1	2	4	5	7	14
35-49	1019	3.4	12	1	1	3	4	6	8	17
50-64	983	4.4	30	1	2	3	5	8	12	35
65+	750	7.3	65	2	2	5	9	16	21	41
GRAND TOTAL	**6866**	**3.8**	**22**	**1**	**1**	**3**	**4**	**7**	**10**	**23**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	6	1.2		1	1	1	1	2	2	2
65+	7	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	1.5	3	<1	<1	1	1	2	4	11
20-34	115	1.5	1	<1	<1	1	2	3	3	6
35-49	269	1.3	2	<1	<1	1	1	2	2	9
50-64	761	1.3	1	<1	<1	1	1	2	3	6
65+	641	1.6	4	<1	1	1	2	2	3	10
B. *Operated*										
0-19 YRS	7	3.0	4	1	1	3	5	6	6	6
20-34	54	6.4	121	<1	<1	1	7	18	27	64
35-49	60	4.8	46	<1	<1	2	6	10	23	32
50-64	78	4.6	64	<1	<1	<1	4	14	21	45
65+	32	12.7	188	<1	<1	7	16	36	45	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	1.1		<1	<1	1	1	1	2	2
B. *Operated*	6	3.0	3	<1	<1	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	1848	1.4	2	<1	<1	1	1	2	3	8
B. *Operated*	231	6.1	94	<1	<1	2	7	17	26	50
1. SINGLE DX	22	1.6	2	<1	<1	1	2	3	5	6
2. MULTIPLE DX	2079	2.0	15	<1	<1	1	2	3	5	20
A. NOT OPERATED	1864	1.4	2	<1	<1	1	1	2	3	8
B. OPERATED	237	6.1	92	<1	<1	2	7	16	26	50
TOTAL 0-19 YRS	71	1.7	3	<1	<1	1	1	4	6	11
20-34	171	3.1	44	<1	<1	1	2	6	11	35
35-49	332	1.9	12	<1	<1	1	1	3	7	23
50-64	846	1.6	8	<1	<1	1	1	2	3	13
65+	681	2.1	18	<1	1	1	2	3	5	25
GRAND TOTAL	**2101**	**2.0**	**14**	**<1**	**<1**	**1**	**2**	**3**	**5**	**20**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2429	2.7	16	<1	<1	1	3	5	8	20
20-34	3789	2.1	7	<1	<1	1	2	4	6	13
35-49	901	3.3	20	<1	<1	2	4	7	10	22
50-64	1085	4.1	26	1	1	3	5	8	13	30
65+	1086	8.3	161	1	1	4	9	24	44	99+
B. *Operated*										
0-19 YRS	1148	3.0	12	<1	<1	2	3	7	11	17
20-34	4154	3.0	15	<1	<1	2	3	6	9	16
35-49	1941	3.7	15	<1	1	2	4	9	11	19
50-64	1900	4.3	26	1	1	2	5	11	13	23
65+	2033	4.1	28	1	1	2	4	11	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1735	4.5	72	<1	1	2	4	9	17	67
20-34	2996	4.1	40	<1	<1	3	5	8	11	35
35-49	2710	5.1	50	1	1	3	6	10	17	44
50-64	5709	5.2	58	1	1	3	5	10	18	44
65+	5685	8.8	149	1	1	5	10	22	35	99+
B. *Operated*										
0-19 YRS	628	5.2	67	1	1	3	5	11	18	71
20-34	3685	4.2	35	<1	1	3	5	8	12	33
35-49	2473	5.5	60	1	1	3	7	12	17	41
50-64	3132	6.6	77	1	1	3	9	15	22	63
65+	3976	6.7	79	1	1	3	9	16	23	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9290	3.3	35	<1	<1	2	3	7	11	37
B. *Operated*	11176	3.6	19	<1	1	2	4	8	12	20
2. MULTIPLE DX										
A. *Not Operated*	18835	6.0	86	1	1	4	6	13	23	64
B. *Operated*	13894	5.8	64	1	1	3	7	13	19	46
1. SINGLE DX	20466	3.4	26	<1	<1	2	4	8	11	26
2. MULTIPLE DX	32729	5.9	77	1	1	3	6	13	21	57
A. NOT OPERATED	28125	5.1	71	<1	1	3	5	11	20	56
B. OPERATED	25070	4.8	45	<1	1	2	5	11	16	36
TOTAL 0-19 YRS	5940	3.6	38	<1	<1	2	4	7	11	37
20-34	14624	3.3	24	<1	<1	2	4	6	9	24
35-49	8025	4.7	42	1	1	3	5	10	14	36
50-64	11826	5.3	56	1	1	3	6	12	18	43
65+	12780	7.4	112	1	1	4	9	18	28	77
GRAND TOTAL	**53195**	**5.0**	**59**	**<1**	**1**	**3**	**5**	**11**	**17**	**47**

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
97	Childhood psychosis	132	0.1	3	0.4
98	Major depressive psychoses	19,908	20.6	339	47.7
99	Other affective psychoses	13,937	14.4	235	33.0
100	Miscellaneous psychoses	15,142	15.7	229	32.2
101	Anxiety states	20,037	20.7	135	19.0
102	Neurotic depression	55,160	57.1	723	101.6
103	Miscellaneous neuroses and personality disorders	19,020	19.7	196	27.5
104	Alcoholic dependence syndrome	74,022	76.6	841	118.2
105	Opioid dependence	3,067	3.2	39	5.5
106	Drug dependence except opioid	2,943	3.0	46	6.4
107	Nondependent abuse of alcohol	6,255	6.5	24	3.4
108	Nondependent abuse of drugs, except alcohol	2,055	2.1	18	2.6
109	Psychophysiologic disorder	9,037	9.4	52	7.4
110	Adjustment reactions and acute reactions to stress	17,203	17.8	152	21.4
111	Miscellaneous mental disorders	29,450	30.5	302	42.5
112	Mental retardation	1,484	1.5	17	2.3
113	Inflammatory diseases of central nervous system	7,572	7.8	101	14.1
114	Parkinson's disease	7,479	7.7	96	13.5
115	Multiple sclerosis	6,590	6.8	79	11.1
116	Epilepsy	18,925	19.6	114	16.1
117	Miscellaneous disease of central nervous system	38,235	39.6	410	57.7
118	Migraine	14,859	15.4	74	10.4
119	Carpal tunnel syndrome and other lesions of median nerve	29,398	30.4	93	13.1
120	Peripheral nervous system disorder, except sciatica	40,295	41.7	273	38.4
121	Retinal detachment and defects	11,462	11.9	66	9.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
122	Open angle and primary closure glaucoma	7,001	7.2	31	4.3
123	Other glaucoma	3,460	3.6	17	2.3
124	Senile cataract	133,514	138.2	506	71.1
125	Cataract, except senile	5,170	5.4	18	2.5
126	Strabismus	19,678	20.4	43	6.1
127	Miscellaneous disorders of superficial structures of eye	25,495	26.4	81	11.5
128	Miscellaneous disorders of deep structures of eye	16,124	16.7	79	11.1
129	Other disorders of eye	2,850	2.9	13	1.9
130	Otitis media, chronic and unspecified	64,951	67.2	145	20.4
131	Other inflammation of ear and mastoid	12,082	12.5	38	5.4
132	Vertiginous syndromes	19,199	19.9	103	14.5
133	Otosclerosis	7,447	7.7	21	2.9
134	Miscellaneous diseases of ear	19,521	20.2	53	7.5
135	Rheumatic fever, acute	2,345	2.4	22	3.1
136	Chronic rheumatic heart disease	12,895	13.3	125	17.6
137	Essential hypertension	58,878	60.9	418	58.8
138	Hypertensive heart disease	31,356	32.5	306	43.0
139	Miscellaneous hypertensive disease	6,771	7.0	70	9.9
140	Acute myocardial infarction	119,295	123.5	1,770	248.8
141	Angina pectoris	77,141	79.8	515	72.4
142	Other acute and subacute forms of ischemic heart disease	49,591	51.3	420	59.1
143	Miscellaneous ischemic heart disease	149,929	155.2	1,303	183.2
144	Pulmonary embolism and infarction	18,875	19.5	257	36.1
145	Acute and subacute endocarditis	1,553	1.6	48	6.7

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
146	Paroxysmal supraventricular tachycardia	9,878	10.2	50	7.1
147	Atrial fibrillation and flutter	33,541	34.7	243	34.2
148	Other arrhythmia and conduction disorders	59,826	61.9	498	70.0
149	Heart failure	133,282	137.9	1,478	207.8
150	Miscellaneous diseases of heart	42,868	44.4	386	54.3
151	Cardiovascular disease, unspecified	17,597	18.2	177	24.9
152	Subarachnoid hemorrhage without paralysis	2,085	2.2	47	6.6
153	Subarachnoid hemorrhage with paralysis	129	0.1	5	0.7
154	Intracerebral hemorrhage without paralysis	3,804	3.9	71	10.0
155	Intracerebral hemorrhage with paralysis	718	0.7	21	2.9
156	Precerebral artery occlusion without paralysis	17,130	17.7	169	23.8
157	Precerebral occlusion with paralysis	830	0.9	15	2.2
158	Occlusion of cerebral arteries, thrombosis and embolism without paralysis	17,525	18.1	258	36.2
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	6,471	6.7	133	18.7
160	Transient cerebral ischemia without paralysis	50,705	52.5	389	54.6
161	Acute, but ill-defined, cerebrovascular disease without paralysis	40,539	42.0	611	85.9
162	Acute, but ill-defined, cerebrovascular disease with paralysis	13,260	13.7	267	37.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
163	Other and ill-defined cerebrovascular disease	35,480	36.7	380	53.4
164	Atherosclerosis	20,362	21.1	265	37.3
165	Aortic aneurysm	10,542	10.9	152	21.3
166	Aneurysm except aortic	2,596	2.7	35	5.0
167	Arterial embolism and thrombosis	18,242	18.9	242	34.0
168	Miscellaneous diseases of arteries	20,155	20.9	241	33.9
169	Phlebitis and thrombophiebitis	48,488	50.2	512	72.0
170	Varicose veins of lower extremities	27,241	28.2	231	32.5
171	Hemorrhoids	54,894	56.8	328	46.2
172	Miscellaneous diseases of veins and circulatory system	26,155	27.1	225	31.7
173	Acute URI except streptococcal	83,925	86.9	327	46.0
174	Bronchitis and bronchiolitis, acute	79,430	82.2	482	67.7
175	Deviated nasal septum	41,665	43.1	118	16.6
176	Nasal polyp	6,660	6.9	19	2.7
177	Chronic disease of tonsils and adenoids	185,695	192.2	360	50.6
178	Miscellaneous diseases of upper respiratory system	45,146	46.7	160	22.5
179	Pneumonia	196,466	203.3	1,627	228.8
180	Influenza	12,797	13.2	66	9.2
181	Bronchitis, chronic and unspecified	49,239	51.0	339	47.7
182	Emphysema	15,061	15.6	152	21.4
183	Asthma	98,950	102.4	597	84.0
184	Miscellaneous obstructive lung diseases	67,026	69.4	669	94.1
185	Spontaneous pneumothorax	10,306	10.7	86	12.1
186	Miscellaneous lung and pleural diseases	53,800	55.7	512	72.0

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
187	Disease of teeth and jaws	73,154	75.7	181	25.4
188	Disease of mouth, except dental	10,919	11.3	50	7.0
189	Diseases of esophagus	36,229	37.5	255	35.9
190	Gastric ulcer without complication	19,941	20.6	172	24.1
191	Gastric ulcer with hemorrhage or perforation	11,800	12.2	128	18.0
192	Nongastric peptic ulcer without complication	42.538	44.0	302	42.5
193	Nongastric peptic ulcer with hemorrhage or perforation	24,704	25.6	234	32.9
194	Peptic ulcer with obstruction	4,138	4.3	61	8.6
195	Gastritis and duodenitis	83,397	86.3	495	69.7
196	Disease of stomach and duodenum, except ulcer and inflammation	22,426	23.2	156	21.9
197	Acute appendicitis without peritonitis	54,359	56.3	253	35.6
198	Acute appendicitis with peritonitis	19,100	19.8	190	26.7
199	Disease of appendix, except acute appendicitis	10,922	11.3	57	8.0
200	Inguinal hernia without complication	153,037	158.4	730	102.6
201	Inguinal hernia, complicated	9,473	9.8	63	8.8
202	Umbilical hernia without complication	12,340	12.8	53	7.4
203	Ventral hernia without complication	22,390	23.2	167	23.4
204	Diaphragmatic hernia without complication	36.418	37.7	250	35.1
205	Other hernia of abdominal cavity without complication	4,727	4.9	31	4.3
206	Complicated hernia of abdominal cavity, except inguinal	10,926	11.3	102	14.3

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000's) (4)	Rate per 10,000 Days (5)
207	Intestinal obstruction without mention of hernia	39,533	40.9	448	63.1
208	Noninfectious gastroenteritis and colitis	143,510	148.5	695	97.7
209	Diverticula of intestine	63,333	65.5	562	79.0
210	Anal fissure, fistula, and abscess	32,891	34.0	167	23.5
211	Miscellaneous diseases of intestine and peritoneum	113,749	117.7	898	126.2
212	Alcoholic liver disease	14,279	14.8	192	27.1
213	Other cirrhosis and chronic liver disease	14,018	14.5	153	21.5
214	Miscellaneous diseases of liver	11,592	12.0	122	17.1
215	Gallbladder disease with calculus	134,463	139.2	1,302	183.1
216	Gallbladder disease without mention of calculus	40,982	42.4	370	52.0
217	Diseases of bile ducts with calculus	10,263	10.6	127	17.9
218	Diseases of bile ducts without mention of calculus	6,194	6.4	80	11.3
219	Diseases of pancreas	34,416	35.6	355	49.9
220	Gastrointestinal hemorrhage	35,900	37.2	302	42.4
221	Intestinal malabsorption	3,103	3.2	32	4.5
222	Chronic glomerulonephritis and nephrotic syndrome	5,817	6.0	54	7.6
223	Miscellaneous nephritis and functional disorders	1,384	1.4	11	1.6
224	Chronic renal failure	13,269	13.7	140	19.7
225	Other renal failure	5,375	5.6	75	10.6
226	Acute pyelonephritis	15,135	15.7	104	14.7
227	Miscellaneous kidney infections	18,290	18.9	136	19.1
228	Calculus of kidney	26,594	27.5	182	25.5
229	Calculus of ureter	69,126	71.5	345	48.5
230	Miscellaneous diseases of kidney and ureter	22,342	23.1	185	26.0

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
231	Urinary calculus, except kidney and ureter	8,933	9.2	55	7.8
232	Cystitis	38,879	40.2	205	28.8
233	Urethral stricture	35,333	36.6	143	20.1
234	Miscellaneous urinary diseases	105,221	108.9	667	93.7
235	Hyperplasia of prostate	88,976	92.1	791	111.2
236	Diseases of prostate, except hypertrophy	14,736	15.3	69	9.7
237	Hydrocele	10,165	10.5	41	5.8
238	Orchitis and epididymitis	9,645	10.0	58	8.1
239	Redundant prepuce and phimosis	19,255	19.9	47	6.6
240	Miscellaneous diseases of male genital organs	17,862	18.5	68	9.6
241	Benign mammary dysplasia	52,574	54.4	156	21.9
242	Miscellaneous diseases of breast	20,590	21.3	76	10.6
243	Ovarian cyst	37,240	38.5	216	30.4
244	Pelvic inflammatory disease	65,002	67.3	390	54.8
245	Endometriosis	40,030	41.4	260	36.6
246	Inflammatory disease of cervix uteri	16,220	16.8	70	9.8
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	18,771	19.4	66	9.3
248	Genital prolapse	58,313	60.4	486	68.3
249	Metrorrhagia	7,921	8.2	24	3.4
250	Other disorders of menstruation	128,423	132.9	439	61.7
251	Menopausal and postmenopausal disorders	25,363	26.3	76	10.7
252	Miscellaneous diseases of female genitalia	71,159	73.6	306	43.1
253	Signs and symptoms referable to female genital organs	48,838	50.5	265	37.3
254	Ectopic pregnancy	13,749	14.2	81	11.5
255	Legally induced abortion	48,424	50.1	78	11.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
256 Other induced abortion	91	0.1	<1	0.0
257 Spontaneous and unspecified abortion	83,445	86.4	153	21.5
258 Other pregnancy with abortive outcome	12,437	12.9	30	4.2
259 Threatened abortion	11,635	12.0	33	4.6
260 Other early pregnancy hemorrhage	890	0.9	2	0.3
261 Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	8,928	9.2	35	4.9
262 Excessive vomiting in pregnancy	9,025	9.3	36	5.1
263 False labor	52,644	54.5	69	9.7
264 Placenta previa without delivery	3,385	3.5	13	1.8
265 Other antepartum hemorrhage without delivery	4,733	4.9	12	1.7
266 Infections of pregnancy without delivery	8,022	8.3	29	4.1
267 Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	6,885	7.1	32	4.5
268 Miscellaneous complications of pregnancy without delivery	20,818	21.5	66	9.2
269 Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	7,112	7.4	40	5.6
288 Major puerperal infections	1,766	1.8	8	1.2
289 Puerperal hemorrhage (after 24 hrs.)	4,678	4.8	11	1.5
290 Other puerperal complications	2,886	3.0	12	1.7

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
291	Cellulitis and abscess, except digit	49,264	51.0	416	58.5
292	Miscellaneous infections of skin and subcutaneous tissue	15,198	15.7	113	15.8
293	Pilonidal cyst	19,359	20.0	86	12.1
294	Sebaceous cyst	8,630	8.9	22	3.1
295	Miscellaneous diseases of skin and subcutaneous tissue	68,776	71.2	601	84.6
296	Diffuse diseases of connective tissue	6,707	6.9	79	11.0
297	Rheumatoid arthritis, except spine	22,277	23.1	256	36.0
298	Osteoarthrosis (osteoarthritis), except spine	48,590	50.3	611	85.9
299	Other arthropathies	15,245	15.8	147	20.7
300	Internal derangement of knee joint	46,879	48.5	227	31.9
301	Other disorders of joint	36,115	37.4	204	28.7
302	Ankylosing spondylitis	767	0.8	7	1.0
303	Spondylosis and allied disorders	31,466	32.6	294	41.3
304	Derangement and displacement of lumbar disc	98,806	102.3	1,041	146.4
305	Derangement and displacement of intervertebral disc, except lumbar	28,056	29.0	271	38.1
306	Sacroiliac joint disorder	13,734	14.2	119	16.7
307	Sciatica	7,643	7.9	73	10.3
308	Other dorsopathies	80,127	82.9	693	97.4
309	Bursitis and synovitis, except spine	41,188	42.6	188	26.5
310	Bunion and deformities of toe	38,223	39.6	184	25.9
311	Ganglion and cyst	24,035	24.9	65	9.1
312	Osteomyelitis	8,377	8.7	141	19.8
313	Localized disorders of bone and cartilage	50,025	51.8	449	63.1

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
314	Acquired deformities of limbs, except toe	8,620	8.9	45	6.3
315	Neuralgia, neuritis, and radiculitis, unspecified	3,966	4.1	34	4.8
316	Miscellaneous disorders of musculoskeletal system	53,969	55.9	323	45.4
317	Somatic dysfunction	1,650	1.7	13	1.8
318	Congenital anomaly of nervous system	2,128	2.2	20	2.8
319	Congenital anomaly of eye, ear, face, and neck	9,299	9.6	26	3.7
320	Congenital anomaly of heart and circulatory system	10,044	10.4	70	9.8
321	Cleft palate and lip	2,923	3.0	12	1.7
322	Congenital hypertrophic pyloric stenosis	2,140	2.2	10	1.4
323	Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	6,254	6.5	40	5.7
324	Undescended testicle	7,383	7.6	26	3.6
325	Miscellaneous congenital anomalies of genitourinary system	12,154	12.6	70	9.8
326	Clubfoot	3,936	4.1	19	2.6
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	24,524	25.4	151	21.2
328	Perinatal conditions causing morbidity and mortality	11,266	11.7	75	10.5
329	Convulsions	44,153	45.7	240	33.7
330	Pyrexia of unknown origin	18,430	19.1	118	16.6
331	Headache	24,243	25.1	129	18.2
332	Epistaxis	13,169	13.6	65	9.2

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
333	Signs and symptoms referable to the cardiovascular system, except gangrene	9,957	10.3	51	7.1
334	Gangrene	8,776	9.1	190	26.7
335	Chest pain	82,485	85.4	392	55.1
336	Other signs and symptoms referable to respiratory system and chest	16,204	16.8	105	14.8
337	Signs and symptoms referable to urinary system	23,556	24.4	137	19.3
338	Abdominal pain	90,476	93.6	429	60.4
339	Other signs and symptoms referable to upper GI tract and abdomen	20,241	20.9	133	18.7
340	Miscellaneous signs, symptoms, and ill-defined conditions	111,329	115.2	717	100.8
341	Fracture of vault of skull	7,686	8.0	55	7.8
342	Fracture of base of skull	5,163	5.3	41	5.7
343	Fracture of face bones	32,005	33.1	138	19.5
344	Fracture of vertebral column without mention of spinal cord injury	28,543	29.5	315	44.3
345	Fracture of vertebral column with cord injury	1,808	1.9	38	5.3
346	Fracture of ribs, sternum, larynx and trachea	18,682	19.3	155	21.8
347	Fracture of pelvis	14,592	15.1	239	33.6
348	Fracture of humerus	24,980	25.9	208	29.3
349	Fracture of radius and ulna	38,411	39.8	168	23.7
350	Miscellaneous fractures of upper extremity	18,080	18.7	64	9.0
351	Fracture of neck of femur	64,926	67.2	1,320	185.6
352	Other femoral fracture	18,072	18.7	440	61.8
353	Fracture of tibia and fibula	29,683	30.7	284	39.9
354	Miscellaneous fractures of lower extremity	50,279	52.0	366	51.4
355	Fracture of other bones	6,154	6.4	39	5.5

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
356	Fracture of multiple bones	551	0.6	7	0.9
357	Dislocation of shoulder	7,163	7.4	29	4.1
358	Dislocation of knee	36,668	38.0	190	26.7
359	Other dislocation	9,705	10.0	72	10.1
360	Sprains and strains of knee and leg	11,291	11.7	61	8.6
361	Sprains and strains of sacroiliac region	47,938	49.6	384	54.0
362	Sprains and strains of other and unspecified parts of back	43,271	44.8	309	43.4
363	Other sprains and strains	16,347	16.9	77	10.9
364	Concussion	65,726	68.0	242	34.1
365	Intracranial injury, except concussion	21,788	22.6	174	24.5
366	Internal injury to thoracic region	5,701	5.9	51	7.2
367	Internal injury, except chest	13,906	14.4	133	18.7
368	Laceration or enucleation of eye	6,227	6.4	27	3.8
369	Other laceration of head and neck	24,345	25.2	106	14.9
370	Other laceration of trunk and multiple and unspecified sites	13,132	13.6	81	11.4
371	Open wound of upper limb	35,490	36.7	124	17.4
372	Open wound of lower limb	16,440	17.0	108	15.2
373	Injury to blood vessels	1,622	1.7	14	1.9
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	17,224	17.8	114	16.0
375	Contusion of eye and adnexa	5,678	5.9	26	3.6
376	Other superficial injuries	55,654	57.6	281	39.6

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
377	Miscellaneous crushing injury	4,231	4.4	29	4.1
378	Foreign body on external eye	420	0.4	1	0.2
379	Foreign body entering through other body orifice	10,444	10.8	32	4.5
380	Third degree burns	6,105	6.3	110	15.5
381	Other burns	15,932	16.5	143	20.1
382	Injury to nerve and spinal cord	5,731	5.9	34	4.8
383	Certain traumatic complications and unspecified injuries	14,565	15.1	91	12.8
384	Poisoning by drugs, medicinal, and biological substances	57,717	59.7	276	38.8
385	Toxic effects of substances chiefly nonmedicinal as to source	15,696	16.2	52	7.3
386	Miscellaneous adverse effects	15,811	16.4	93	13.0
387	Complications peculiar to certain specified procedures	37,690	39.0	339	47.7
388	Hemorrhage or hematoma complicating a procedure	14,091	14.6	56	7.9
389	Postoperative wound infection	10,950	11.3	107	15.1
390	Other complications of surgical procedures	14,627	15.1	128	18.0
391	Other complications of medical care, except drugs	1,126	1.2	7	0.9
392	Admission for prophylactic sterilization	79,132	81.9	168	23.6
396	Aftercare for removal of internal fixation device	18,475	19.1	69	9.7
397	Aftercare involving intermittent dialysis	4,087	4.2	8	1.1

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
398 Admission for special examinations and miscellaneous reasons	142,282	147.3	677	95.2
All patients except deliveries and newborn	9,662,039	10,000.0	71,123	10,000.0

For each of the four regions and for the United States as a whole, Tables 2 and 3 display frequency rankings of patients and total stay according to diagnosis group. The diagnosis groups are listed in their rank order for the U.S. as a whole. Delivery and newborn groups are excluded, as are deaths, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 2

Ranking of *ICD-9-CM* List A Diagnosis Groups by Live Discharges
U.S. PAS Hospitals, 1979
(Deliveries and Births Excluded)

	Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
179	Pneumonia	196,466	1	1	1	1	2
177	Chronic disease of tonsils and adenoids	185,695	2	3	2	2	1
200	Inguinal hernia without complication	153,037	3	2	5	5	3
143	Miscellaneous ischemic heart disease	149,929	4	12	3	3	6
208	Noninfectious gastroenteritis and colitis	143,510	5	13	4	4	9
398	Admission for special examinations and miscellaneous reasons	142,282	6	5	7	11	4
215	Gallbladder disease with calculus	134,463	7	9	6	8	7
124	Senile cataract	133,514	8	6	11	10	5
149	Heart failure	133,282	9	4	8	14	10
250	Other disorders of menstruation	128,423	10	8	9	6	19
140	Acute myocardial infarction	119,295	11	7	13	13	11
211	Miscellaneous diseases of intestine and peritoneum	113,749	12	17	10	12	14
340	Miscellaneous signs, symptoms, and ill-defined conditions	111,329	13	21	12	9	12

Table 2 (Continued)

		All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
234	Miscellaneous urinary diseases	105,221	14	22	14	7	21
183	Asthma	98,950	15	14	15	20	13
304	Derangement and displacement of lumbar disc	98,806	16	23	16	17	8
338	Abdominal pain	90,476	17	32	22	15	17
235	Hyperplasia of prostate	88,976	18	15	25	21	15
173	Acute URI except streptococcal	83,925	19	33	18	22	26
257	Spontaneous and unspecified abortion	83,445	20	18	20	28	27
195	Gastritis and duodenitis	83,397	21	37	17	19	40
335	Chest pain	82,485	22	40	27	16	18
071	Diabetes mellitus without complication	80,254	23	25	19	24	56
308	Other dorsopathies	80,127	24	39	24	26	16
174	Bronchitis and bronchiolitis, acute	79,430	25	35	21	25	30
392	Admission for prophylactic sterilization	79,132	26	24	26	23	35
141	Angina pectoris	77,141	27	29	28	27	20
104	Alcoholic dependence syndrome	74,022	28	16	23	51	34
187	Disease of teeth and jaws	73,154	29	10	30	31	92
252	Miscellaneous diseases of female genitalia	71,159	30	27	29	32	33
229	Calculus of ureter	69,126	31	43	44	18	38
295	Miscellaneous diseases of skin and subcutaneous tissue	68,776	32	30	31	33	37
184	Miscellaneous obstructive lung diseases	67,026	33	38	40	30	24
364	Concussion	65,726	34	19	34	63	28

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
244	Pelvic inflammatory disease	65,002	35	50	33	35	36
130	Otitis media, chronic and unspecified	64,951	36	42	43	29	32
351	Fracture of neck of femur	64,926	37	31	41	41	23
209	Diverticula of intestine	63,333	38	36	37	34	51
045	Malignant neoplasm of ill-defined and secondary sites	62,122	39	26	38	54	29
056	Uterine leiomyoma	60,817	40	28	52	38	44
148	Other arrhythmia and conduction disorders	59,826	41	34	45	44	39
137	Essential hypertension	58,878	42	58	32	37	91
248	Genital prolapse	58,313	43	60	47	36	43
384	Poisoning by drugs, medicinal, and biological substances	57,717	44	44	46	56	25
376	Other superficial injuries	55,654	45	62	39	49	45
102	Neurotic depression	55,160	46	79	36	42	64
171	Hemorrhoids	54,894	47	52	51	39	68
197	Acute appendicitis without peritonitis	54,359	48	53	53	55	31
316	Miscellaneous disorders of musculoskeletal system	53,969	49	63	42	53	47
186	Miscellaneous lung and pleural diseases	53,800	50	49	48	43	52
027	Malignant neoplasm of bronchus, lung, and trachea	53,623	51	46	59	45	49
263	False labor	52,644	52	61	35	78	58
241	Benign mammary dysplasia	52,574	53	55	60	40	69

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
160 Transient cerebral ischemia without paralysis	50,705	54	45	56	64	59
354 Miscellaneous fractures of lower extremity	50,279	55	59	55	67	42
313 Localized disorders of bone and cartilage	50,025	56	64	57	59	41
142 Other acute and subacute forms of ischemic heart disease	49,591	57	20	78	66	86
291 Cellulitis and abscess, except digit	49,264	58	47	62	62	60
181 Bronchitis, chronic and unspecified	49,239	59	87	54	46	81
253 Signs and symptoms referable to female genital organs	48,838	60	65	64	48	54
298 Osteoarthrosis (osteoarthritis), except spine	48,590	61	81	49	70	46
169 Phlebitis and thrombophlebitis	48,488	62	51	61	57	75
255 Legally induced abortion	48,424	63	11	96	96	79
361 Sprains and strains of sacroiliac region	47,938	64	83	50	52	80
073 Other complicated diabetes mellitus	47,044	65	56	48	83	89
300 Internal derangement of knee joint	46,879	66	66	65	90	22
032 Malignant neoplasm of breast (female) (male)	45,939	67	48	71	72	61

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
178	Miscellaneous diseases of upper respiratory system	45,146	68	57	73	61	70
329	Convulsions	44,153	69	54	70	68	83
001	Intestinal infectious disease	44,002	70	77	76	58	57
362	Sprains and strains of other and unspecified parts of back	43,271	71	90	68	60	74
150	Miscellaneous diseases of heart	42,868	72	76	69	71	63
192	Nongastric peptic ulcer without complication	42,538	73	108	67	47	107
175	Deviated nasal septum	41,665	74	41	84	93	67
309	Bursitis and synovitis, except spine	41,188	75	71	75	80	66
216	Gallbladder disease without mention of calculus	40,982	76	85	72	65	96
161	Acute, but ill-defined, cerebrovascular disease without paralysis	40,539	77	73	82	69	77
120	Peripheral nervous system disorder, except sciatica	40,295	78	101	74	77	62
245	Endometriosis	40,030	79	96	79	73	65
207	Intestinal obstruction without mention of hernia	39,533	80	67	85	84	55
232	Cystitis	38,879	81	97	66	76	131
349	Fracture of radius and ulna	38,411	82	84	77	100	72
117	Miscellaneous disease of central nervous system	38,235	83	75	80	88	76
310	Bunion and deformities of toe	38,223	84	93	63	123	71

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals Number of Patients (2)	All Hospitals Rank (3)	Rank by Region North-east (4)	Rank by Region North Central (5)	Rank by Region South (6)	Rank by Region West (7)
387 Complications peculiar to certain specified procedures	37,690	85	70	97	95	48
243 Ovarian cyst	37,240	86	80	87	82	85
358 Dislocation of knee	36,668	87	105	90	92	53
204 Diaphragmatic hernia without complication	36,418	88	122	89	50	127
189 Diseases of esophagus	36,229	89	102	88	74	98
301 Other disorders of joint	36,115	90	104	86	104	50
220 Gastrointestinal hemorrhage	35,900	91	68	98	87	84
371 Open wound of upper limb	35,490	92	94	92	98	73
163 Other and ill-defined cerebrovascular disease	35,480	93	98	83	81	104
233 Urethral stricture	35,333	94	114	81	75	114
037 Malignant neoplasm of prostate	34,890	95	91	99	85	78
219 Diseases of pancreas	34,416	96	86	94	86	97
147 Atrial fibrillation and flutter	33,541	97	82	103	99	82
210 Anal fissure, fistula, abscess	32,891	98	89	102	89	99
096 Miscellaneous schizophrenia	32,228	99	78	100	113	87
343 Fracture of face bones	32,005	100	92	104	103	88
303 Spondylosis and allied disorders	31,466	101	129	91	97	102
138 Hypertensive heart disease	31,356	102	103	101	79	136
023 Malignant neoplasm of colon	31,020	103	69	106	106	101
039 Malignant neoplasm of bladder	29,683	104	72	107	128	100

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
353	Fracture of tibia and fibula	29,683	105	106	105	110	90
111	Miscellaneous mental disorders	29,450	106	140	95	94	118
119	Carpal tunnel syndrome and other lesions of median nerve	29,398	107	119	93	136	94
344	Fracture of vertebral column without mention of spinal cord injury	28,543	108	113	108	111	93
305	Derangement and displacement of intervertebral disc, except lumbar	28,056	109	125	111	105	95
053	Benign neoplasm of bone, muscle, and connective tissue	27,300	110	100	113	107	121
170	Varicose veins of lower extremities	27,241	111	95	109	127	120
081	Disorders of fluid, electrolyte, and acid-base balance	27,186	112	115	110	109	103
228	Calculus of kidney	26,594	113	118	112	101	147
084	Anemia except iron deficiency and sickle-cell	26,356	114	99	117	115	125
172	Miscellaneous diseases of veins and circulatory system	26,155	115	112	115	118	110
127	Miscellaneous disorders of superficial structures of eye	25,495	116	74	140	125	116

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
251	Menopausal and postmenopausal disorders	25,363	117	88	129	119	154
348	Fracture of humerus	24,980	118	123	114	133	106
193	Nongastric peptic ulcer with hemorrhage or perforation	24,704	119	117	127	124	108
012	Miscellaneous viral diseases	24,590	120	109	130	116	119
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	24,524	121	124	120	132	105
369	Other laceration of head and neck	24,345	122	133	118	130	112
331	Headache	24,243	123	227	116	91	163
090	Chronic organic brain syndrome, except arterioslerotic dementia	24,192	124	120	128	117	122
311	Ganglion and cyst	24,035	125	132	121	112	153
337	Signs and symptoms referable to urinary system	23,556	126	107	126	122	185
196	Disease of stomach and duodenum, except ulcer and inflammation	22,426	127	220	122	102	177
203	Ventral hernia without complication	22,390	128	127	132	135	126
230	Miscellaneous diseases of kidney and ureter	22,342	129	136	133	121	141

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
297	Rheumatoid arthritis, except spine	22,277	130	151	125	131	130
365	Intracranial injury, except concussion	21,788	131	145	123	143	132
068	Neoplasms of uncertain behavior and unspecified nature	21,274	132	110	139	144	157
049	Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	21,089	133	126	137	145	144
268	Miscellaneous complications of preganancy without delivery	20,818	134	146	124	168	129
242	Miscellaneous diseases of breast	20,590	135	134	153	129	143
164	Atherosclerosis	20,362	136	168	134	142	124
339	Other signs and symptoms referable to upper GI tract and abdomen	20,241	137	177	145	120	148
168	Miscellaneous diseases of arteries	20,155	138	121	150	141	161
101	Anxiety states	20,037	139	192	119	139	194
190	Gastric ulcer without complication	19,941	140	174	136	126	187
098	Major depressive psychoses	19,908	141	130	131	174	155
126	Strabismus	19,678	142	135	143	146	149
134	Miscellaneous diseases of ear	19,521	143	162	151	140	128
293	Pilonidal cyst	19,359	144	111	147	152	195
239	Redundant prepuce and phimosis	19,255	145	137	160	114	250
132	Vertiginous syndromes	19,199	146	173	135	147	156

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
198 Acute appendicitis with peritonitis	19,100	147	142	155	164	117
103 Miscellaneous neuroses and personality disorders	19,020	148	164	138	163	140
116 Epilepsy	18,925	149	150	144	150	151
144 Pulmonary embolism and infarction	18,875	150	138	158	151	150
247 Inflammatory disease of vulva, vagina, and uterus, except cervix	18,771	151	141	141	149	188
346 Fracture of ribs, sternum, larynx and trachea	18,682	152	153	149	160	134
396 Aftercare for removal of internal fixation device	18,475	153	139	159	187	115
330 Pyrexia of unknown origin	18,430	154	161	168	134	158
227 Miscellaneous kidney infections	18,290	155	172	148	137	183
167 Arterial embolism and thrombosis	18,242	156	131	175	169	137
051 Benign neoplasm of other parts of digestive system	18,202	157	116	173	155	204
072 Diabetic acidosis or coma	18,113	158	154	161	158	145
350 Miscellaneous fractures of upper extremity	18,080	159	165	146	179	123
352 Other femoral fracture	18,072	160	158	164	156	142
075 Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	18,047	161	160	142	152	179

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
240 Miscellaneous diseases of male genital organs	17,862	162	163	157	148	175
151 Cardiovascular disease, unspecified	17,597	163	186	200	108	200
158 Occlusion of cerebral arteries, thrombosis and embolism without paralysis	17,525	164	144	171	162	160
024 Malignant neoplasm of rectum, rectosigmoid junction and anus	17,370	165	128	167	191	172
374 Late effects of injury, poisoning, non-medicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	17,224	166	219	154	165	135
110 Adjustment reactions and acute reactions to stress	17,203	167	188	156	180	133
094 Paranoid schizophrenia	17,159	168	149	186	196	109
156 Precerebral artery occlusion without paralysis	17,130	169	203	178	167	113
055 Benign neoplasm of breast	16,452	170	143	195	138	221
372 Open wound of lower limb	16,440	171	193	179	154	169
363 Other sprains and strains	16,347	172	195	163	194	138
246 Inflammatory disease of cervix uteri	16,220	173	176	152	170	215
336 Other signs and symptoms referable to respiratory system and chest	16,204	174	178	183	157	181

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
034 Malignant neoplasm of corpus uteri	16,148	175	148	172	202	159
128 Miscellaneous disorders of deep structures of eye	16,124	176	159	192	171	146
381 Other burns	15,932	177	185	166	175	189
386 Miscellaneous adverse effects	15,811	178	180	170	182	178
385 Toxic effects of substances chiefly nonmedicinal as to source	15,696	179	190	181	176	173
070 Other diseases of thyroid gland	15,530	180	194	169	161	216
299 Other arthropathies	15,245	181	213	184	178	166
082 Iron deficiency anemia	15,239	182	167	177	173	220
292 Miscellaneous infections of skin and subcutaneous tissue	15,198	183	156	188	184	191
100 Miscellaneous psychoses	15,142	184	184	187	185	176
226 Acute pyelonephritis	15,135	185	228	180	166	182
182 Emphysema	15,061	186	205	174	183	192
118 Migraine	14,859	187	247	165	172	203
236 Diseases of prostate, except hypertrophy	14,736	188	223	176	153	246
390 Other complications of surgical procedures	14,627	189	199	198	197	139
347 Fracture of pelvis	14,592	190	181	190	201	168
383 Certain traumatic complications and unspecified injuries	14,565	191	179	191	181	198
212 Alcoholic liver disease	14,279	192	147	208	214	152
388 Hemorrhage or hematoma complicating a procedure	14,091	193	218	194	192	170

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
213 Other cirrhosis and chronic liver disease	14,018	194	152	201	193	206
099 Other affective psychoses	13,937	195	201	185	217	174
367 Internal injury, except chest	13,906	196	191	204	195	164
254 Ectopic pregnancy	13,749	197	187	206	200	165
306 Sacroiliac joint disorder	13,734	198	241	162	220	197
066 Carcinoma in situ of cervix	13,481	199	208	202	188	199
224 Chronic renal failure	13,269	200	157	228	189	196
162 Acute, but ill-defined, cerebrovascular disease with paralysis	13,260	201	166	210	198	201
332 Epistaxis	13,169	202	204	196	205	202
370 Other laceration of trunk and multiple and unspecified sites	13,132	203	202	211	177	213
086 Disease of hematopoietic system, except anemia and hemophilia	13,111	204	183	199	210	205
136 Chronic rheumatic heart disease	12,895	205	175	205	226	180
130 Influenza	12,797	206	317	189	203	162
054 Benign neoplasm of skin, blood vessels, and miscellaneous sites	12,500	207	155	222	199	227
008 Viral diseases with exanthem	12,459	208	229	197	207	217
258 Other pregnancy with abortive outcome	12,437	209	209	203	208	209
202 Umbilical hernia without complication	12,340	210	217	207	190	232

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
087 Nonspecific mesenteric lymphadenitis	12,221	211	210	193	225	228
325 Miscellaneous congenital anomalies of genitourinary system	12,154	212	206	213	206	208
131 Other inflammation of ear and mastoid	12,082	213	169	217	204	236
191 Gastric ulcer with hemorrhage or perforation	11,800	214	215	214	227	190
031 Other malignant neoplasm of skin, excluding genital organs	11,635	215	171	252	186	238
259 Threatened abortion	11,635	216	230	182	239	267
214 Miscellaneous diseases of liver	11,592	217	212	218	212	210
121 Retinal detachment and defects	11,462	218	182	260	218	167
360 Sprains and strains of knee and leg	11,291	219	255	212	250	171
328 Perinatal conditions causing morbidity and mortality	11,266	220	266	247	253	111
033 Malignant neoplasm of cervix uteri excluding carcinoma in situ	11,000	221	231	220	209	239
092 Alcoholic psychoses	10,957	222	170	270	222	184
389 Postoperative wound infection	10,950	223	240	232	228	186
206 Complicated hernia of abdominal cavity, except inguinal	10,926	224	189	224	241	219

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
199 Disease of appendix, except acute appendicitis	10,922	225	256	209	216	225
188 Disease of mouth, except dental	10,919	226	222	226	213	223
019 Malignant neoplasm of lip, oral cavity, and pharynx	10,888	227	198	237	224	214
035 Malignant neoplasm of ovary	10,687	228	207	225	233	222
165 Aortic aneurysm	10,542	229	224	239	223	207
379 Foreign body entering through other body orifice	10,444	230	216	240	230	211
185 Spontaneous pneumothorax	10,306	231	225	238	215	235
217 Diseases of bile ducts with calculus	10,263	232	221	233	247	212
237 Hydrocele	10,165	233	226	227	238	234
079 Miscellaneous metabolic disorders	10,153	234	235	234	231	226
320 Congenital anomaly of heart and circulatory system	10,044	235	237	243	244	193
333 Signs and symptoms referable to the cardiovascular system, except gangrene	9,957	236	250	230	219	251
146 Paroxysmal supraventricular tachycardia	9,878	237	236	235	237	233
005 Septicemia	9,877	238	211	249	234	229
359 Other dislocation	9,705	239	246	236	245	218
238 Orchitis and epididymitis	9,645	240	253	223	229	261
009 Viral hepatitis	9,561	241	259	244	221	230

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals Number of Patients (2)	All Hospitals Rank (3)	Rank by Region North-east (4)	Rank by Region North Central (5)	Rank by Region South (6)	Rank by Region West (7)
201 Inguinal hernia, complicated	9,473	242	200	242	262	242
319 Congenital anomaly of eye, ear, face, and neck	9,299	243	239	250	249	224
011 Viral warts	9,242	244	238	229	243	288
058 Benign neoplasm of ovary	9,110	245	232	246	257	231
109 Psychophysiologic disorder	9,037	246	282	219	235	273
262 Excessive vomiting in pregnancy	9,025	247	271	231	251	247
069 Simple and non-toxic nodular goiter	8,994	248	276	251	211	271
231 Urinary calculus, except kidney and ureter	8,933	249	251	248	232	263
261 Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	8,928	250	260	241	236	258
010 Infectious mononucleosis	8,802	251	245	216	266	300
334 Gangrene	8,776	252	214	257	240	287
294 Sebaceous cyst	8,630	253	197	261	248	301
314 Acquired deformities of limbs, except toe	8,620	254	267	221	277	254
078 Obesity of nonendocrine origin	8,527	255	328	215	254	256
312 Osteomyelitis	8,377	256	242	266	256	241
007 Poliomyelitis and other enteroviral diseases of central nervous system	8,048	257	265	273	252	237

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals Number of Patients (2)	Rank (3)	Rank by Region Northeast (4)	North Central (5)	South (6)	West (7)
266 Infections of pregnancy without delivery	8,022	258	275	253	246	274
249 Metrorrhagia	7,921	259	244	258	255	291
064 Benign neoplasm of thyroid glands	7,852	260	252	272	260	245
028 Other malignant neoplasm of respiratory system and thoracic cavity	7,712	261	233	277	259	269
341 Fracture of vault of skull	7,686	262	268	265	268	240
307 Sciatica	7,643	263	248	245	290	277
113 Inflammatory diseases of central nervous system	7,572	264	280	268	258	243
114 Parkinson's disease	7,479	265	257	255	273	282
133 Otosclerosis	7,447	266	262	274	265	248
021 Malignant neoplasm of stomach	7,393	267	234	279	278	252
324 Undescended testicle	7,383	268	254	269	272	259
040 Malignant neoplasm of kidney and other urinary organs	7,299	269	263	271	264	265
026 Malignant neoplasm of pancreas	7,278	270	258	282	270	249
048 Leukemia, except lymphoid	7,237	271	261	262	282	262
357 Dislocation of shoulder	7,163	272	293	259	279	244
269 Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	7,112	273	270	264	275	270
122 Open angle and primary closure glaucoma	7,001	274	243	290	263	264

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
083 Sickle-cell anemia and trait	6,949	275	278	267	242	336
267 Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	6,885	276	274	256	274	314
139 Miscellaneous hypertensive disease	6,771	277	285	275	261	286
296 Diffuse diseases of connective tissue	6,707	278	279	281	271	272
176 Nasal polyp	6,660	279	249	276	299	276
115 Multiple sclerosis	6,590	280	272	254	314	283
159 Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	6,471	281	264	283	288	281
107 Nondependent abuse of alcohol	6,255	282	288	263	297	297
323 Congenital anomaly of respiratory system, except cleft palate and pyloric stenosis	6,254	283	273	287	276	278
368 Laceration or enucleation of eye	6,227	284	291	294	269	260
218 Diseases of bile ducts without mention of calculus	6,194	285	269	284	291	290
355 Fracture of other bones	6,154	286	302	280	287	266
380 Third degree burns	6,105	287	301	285	267	275
004 Streptococcal sore throat and scarlet fever	5,925	288	311	278	281	296

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
222 Chronic glomerulonephritis and nephrotic syndrome	5,817	289	296	286	284	284
382 Injury to nerve and spinal cord	5,731	290	297	298	289	257
366 Internal injury to thoracic region	5,701	291	305	299	283	255
375 Contusion of eye and adnexa	5,678	292	290	291	292	285
029 Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	5,642	293	295	296	293	268
042 Malignant neoplasm of brain	5,497	294	298	293	295	280
046 Hodgkins' disease	5,389	295	277	288	309	306
225 Other renal failure	5,375	296	283	302	286	311
017 Miscellaneous infective and parasitic diseases	5,285	297	292	295	280	327
030 Malignant melanoma of skin, excluding genital organs	5,285	298	289	312	285	295
025 Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	5,194	299	294	300	303	289
125 Cataract, except senile	5,170	300	284	308	301	279
342 Fracture of base of skull	5,163	301	309	304	308	253
047 Lymphoid leukemia	5,098	302	286	301	310	293
050 Benign neoplasm of lip, oral cavity, and pharynx	5,008	303	287	311	300	294

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
265 Other antepartum hemorrhage without delivery	4,733	304	303	297	312	307
205 Other hernia of abdominal cavity without complication	4,727	305	299	309	306	299
289 Puerperal hemorrhage (after 24 hrs.)	4,678	306	310	289	318	310
080 Gout	4,619	307	312	303	296	325
067 Carcinoma in situ, except cervix uteri	4,580	308	300	313	305	305
014 Syphilis and other venereal diseases	4,524	309	315	310	304	303
002 Respiratory tuberculosis	4,408	310	304	318	294	323
006 Miscellaneous bacterial diseases	4,379	311	314	316	298	313
088 Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	4,263	312	306	314	302	326
377 Miscellaneous crushing injury	4,231	313	321	305	320	304
044 Malignant neoplasm of endocrine glands	4,150	314	313	319	311	302
194 Peptic ulcer with obstruction	4,138	315	319	317	307	309
397 Aftercare involving intermittent dialysis	4,087	316	281	292	334	354
315 Neuralgia, neuritis, and radiculitis, unspecified	3,966	317	324	306	316	328
326 Clubfoot	3,936	318	320	307	325	312
154 Intracerebral hemorrhage without paralysis	3,804	319	323	325	315	298

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
020	Malignant neoplasm of esophagus	3,762	320	308	322	317	324
074	Ovarian dysfunction	3,696	321	322	315	313	334
015	Mycoses	3,473	322	345	321	327	292
123	Other glaucoma	3,460	323	307	331	319	322
264	Placenta previa without delivery	3,385	324	326	320	326	317
076	Nutritional deficiencies	3,341	325	325	327	322	318
063	Benign neoplasm of central nervous system	3,225	326	327	330	328	308
052	Benign neoplasm of respiratory system and intrathoracic organs	3,159	327	318	332	321	321
221	Intestinal malabsorption	3,103	328	329	323	329	331
105	Opioid dependence	3,067	329	196	360	368	352
106	Drug dependence except opioid	2,943	330	316	324	338	347
321	Cleft palate and lip	2,923	331	332	335	323	316
290	Other puerperal complications	2,886	332	331	328	340	319
129	Other disorders of eye	2,850	333	339	329	324	333
038	Malignant neoplasm of male genitalia, except prostate	2,731	334	334	333	333	315
166	Aneurysm except aortic	2,596	335	330	339	332	329
135	Rhematic fever, acute	2,345	336	338	334	337	342
091	Arteriosclerotic dementia	2,283	337	347	336	331	349
093	Drug psychoses	2,243	338	340	342	343	320
036	Malignant neoplasm of other female genital organs	2,206	339	335	340	341	345

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
322 Congenital hypertrophic pyloric stenosis	2,140	340	341	338	342	340
065 Benign neoplasm of endocrine glands, except thyroid	2,130	341	343	346	335	330
318 Congenital anomaly of nervous system	2,128	342	348	341	336	341
152 Subarachnoid hemorrhage without paralysis	2,085	343	342	343	339	338
108 Nondependent abuse of drugs, except alcohol	2,055	344	344	337	348	344
057 Benign neoplasm of uterus, except leiomyoma	1,901	345	333	345	349	343
345 Fracture of vertebral column with cord injury	1,808	346	351	348	344	335
288 Major puerperal infections	1,766	347	352	344	347	337
317 Somatic dysfunction	1,650	348	366	326	369	367
373 Injury to blood vessels	1,622	349	353	349	345	346
089 Transient organic psychotic conditions	1,564	350	349	355	350	339
095 Acute schizophrenic episode	1,556	351	346	351	359	332
145 Acute and subacute endocarditis	1,553	352	337	354	353	348
061 Benign neoplasm of urinary organ	1,506	353	336	350	352	358
112 Mental retardation	1,484	354	354	347	346	357
223 Miscellaneous nephritis and functional disorders	1,384	355	355	352	351	351

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
013	Rickettsioses and other arthropod-borne diseases	1,347	356	360	368	330	360
077	Cystic fibrosis	1,248	357	350	353	354	355
391	Other complications of medical care, except drugs	1,126	358	356	357	356	350
003	Nonrespiratory tuberculosis	917	359	357	364	357	356
059	Benign neoplasm of female genitalia, except uterus and ovary	905	360	358	358	358	365
260	Other early pregnancy hemorrhage	890	361	363	356	361	366
022	Malignant neoplasm of small intestine	871	362	359	359	363	359
157	Precerebral occlusion with paralysis	830	363	365	361	365	353
016	Helminthiases	823	364	368	365	355	362
302	Ankylosing spondylitis	767	365	372	362	360	364
085	Hemophilia (congenital factor VIII disorder)	754	366	361	363	362	371
041	Malignant neoplasm of eye	751	367	362	366	364	363
155	Intracerebral hemorrhage with paralysis	718	368	364	367	366	361
060	Benign neoplasm of male genital organ	637	369	367	369	367	368
356	Fracture of multiple bones	551	370	369	370	370	370
043	Malignant neoplasm of other parts of nervous system	481	371	371	373	371	369
062	Benign neoplasm of eye	466	372	370	371	372	373
378	Foreign body on external eye	420	373	373	374	373	374

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
018	Late effects of infectious and parasitic diseases	375	374	374	372	374	372
097	Childhood psychosis	132	375	375	377	375	376
153	Subarachnoid hemorrhage with paralysis	129	376	376	375	376	375
256	Other induced abortion	91	377	377	376	377	377
	All patients except deliveries and newborn	9,662,039					

Table 3

Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care
U.S. PAS Hospitals, 1979
(Deliveries and Births Excluded)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
140 Acute myocardial infarction	1,770	1	1	2	2	1
179 Pneumonia	1,627	2	3	1	1	2
149 Heart failure	1,478	3	2	3	5	5
351 Fracture of neck of femur	1,320	4	4	6	6	3
143 Miscellaneous ischemic heart disease	1,303	5	6	4	3	7
215 Gallbladder disease with calculus	1,302	6	5	5	4	6
304 Derangement and displacement of lumbar disc	1,041	7	9	8	7	4
211 Miscellaneous diseases of intestine and peritoneum	898	8	10	9	8	10
104 Alcoholic dependence syndrome	841	9	13	7	33	9
235 Hyperplasia of prostate	791	10	8	14	11	14
045 Malignant neoplasm of ill-defined and secondary sites	758	11	7	12	22	12
071 Diabetes mellitus without complication	733	12	15	11	13	47
200 Inguinal hernia without complication	730	13	11	15	17	15
102 Neurotic depression	723	14	41	10	16	24
340 Miscellaneous signs, symptoms, and ill-defined conditions	717	15	25	17	9	18

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
027 Malignant neoplasm of bronchus, lung, and trachea	700	16	12	21	14	17
208 Noninfectious gastroenteritis and colitis	695	17	33	13	12	19
308 Other dorsopathies	693	18	31	16	18	8
398 Admission for special examinations and miscellaneous reasons	677	19	16	20	21	11
184 Miscellaneous obstructive lung diseases	669	20	18	24	15	16
234 Miscellaneous urinary diseases	667	21	29	19	10	31
161 Acute, but ill-defined, cerebrovascular disease without paralysis	611	22	19	28	19	20
298 Osteoarthrosis (osteoarthritis), except spine	611	23	34	18	32	13
295 Miscellaneous diseases of skin and subcutaneous tissue	601	24	26	25	20	21
183 Asthma	597	25	22	23	25	22
209 Diverticula of intestine	562	26	21	29	23	32
073 Other complicated diabetes mellitus	543	27	23	22	48	44
096 Miscellaneous schizophrenia	537	28	20	27	49	27
023 Malignant neoplasm of colon	525	29	17	35	38	33
141 Angina pectoris	515	30	37	30	28	29
169 Phlebitis and thrombophlebitis	512	31	28	32	34	38

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
186	Miscellaneous lung and pleural diseases	512	32	30	37	27	35
124	Senile cataract	506	33	27	38	37	23
148	Other arrhythmia and conduction disorders	498	34	24	36	39	36
195	Gastritis and duodenitis	495	35	46	26	31	55
248	Genital prolapse	486	36	53	34	24	34
174	Bronchitis and bronchiolitis, acute	482	37	47	31	29	40
032	Malignant neoplasm of breast (female) (male)	469	38	32	40	42	37
313	Localized disorders of bone and cartilage	449	39	43	41	44	25
207	Intestinal obstruction without mention of hernia	448	40	39	43	47	26
056	Uterine leiomyoma	443	41	38	50	35	41
352	Other femoral fracture	440	42	42	47	41	28
250	Other disorders of menstruation	439	43	58	39	30	63
338	Abdominal pain	429	44	67	46	26	43
142	Other acute and subacute forms of ischemic heart disease	420	45	14	66	58	62
137	Essential hypertension	418	46	54	33	43	107
291	Cellulitis and abscess, except digit	416	47	35	48	56	45
117	Miscellaneous disease of central nervous system	410	48	40	45	61	39
335	Chest pain	392	49	77	54	36	51
244	Pelvic inflammatory disease	390	50	76	44	46	48

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
160	Transient cerebral ischemia without paralysis	389	51	36	52	65	61
150	Miscellaneous diseases of heart	386	52	56	49	57	46
361	Sprains and strains of sacroiliac region	384	53	69	42	51	60
163	Other and ill-defined cerebrovascular disease	380	54	49	53	50	83
216	Gallbladder disease without mention of calculus	370	55	59	59	45	74
037	Malignant neoplasm of prostate	369	56	50	62	55	49
354	Miscellaneous fractures of lower extremity	366	57	55	57	68	42
177	Chronic disease of tonsils and adenoids	360	58	84	51	59	50
219	Diseases of pancreas	355	59	51	63	60	58
229	Calculus of ureter	345	60	74	70	40	67
181	Bronchitis, chronic and unspecified	339	61	89	60	53	68
098	Major depressive psychoses	339	62	44	56	89	80
387	Complications peculiar to certain specified procedures	339	63	57	73	75	30
171	Hemorrhoids	328	64	85	64	52	91
173	Acute URI except streptococcal	327	65	93	58	63	93
316	Miscellaneous disorders of musculoskeletal system	323	66	95	55	77	59

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals		Rank by Region			
		Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
344	Fracture of vertebral column without mention of spinal cord injury	315	67	66	74	71	52
362	Sprains and strains of other and unspecified parts of back	309	68	94	69	64	69
252	Miscellaneous diseases of female genitalia	306	69	87	68	67	76
138	Hypertensive heart disease	306	70	70	71	62	116
192	Nongastric peptic ulcer without complication	302	71	105	67	54	112
090	Chronic organic brain syndrome, except arteriosclerotic dementia	302	72	48	89	69	87
111	Miscellaneous mental disorders	302	73	97	61	72	99
220	Gastrointestinal hemorrhage	302	74	52	80	76	65
024	Malignant neoplasm of rectum, rectosigmoid junction and anus	297	75	45	76	93	79
303	Spondylosis and allied disorders	294	76	101	65	73	88
353	Fracture of tibia and fibula	284	77	80	79	81	56
376	Other superficial injuries	281	78	90	72	83	82
384	Poisoning by drugs, medicinal, and biological substances	276	79	75	78	92	57
094	Paranoid schizophrenia	275	80	64	81	113	54

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
120	Peripheral nervous system disorder, except sciatica	273	81	104	75	84	71
305	Derangement and displacement of intervertebral disc, except lumbar	271	82	92	85	78	77
162	Acute, but ill-defined, cerebrovascular disease with paralysis	267	83	60	100	87	81
164	Atherosclerosis	265	84	99	83	82	75
253	Signs and symptoms referable to female genital organs	265	85	116	86	70	72
245	Endometriosis	260	86	114	84	80	66
158	Occlusion of cerebral arteries, thrombosis, and embolism without paralysis	258	87	68	96	88	92
144	Pulmonary embolism and infarction	257	88	79	98	86	84
297	Rheumatoid arthritis, except spine	256	89	108	82	85	86
189	Diseases of esophagus	255	90	102	87	74	109
197	Acute appendicitis without peritonitis	253	91	96	88	96	64
204	Diaphragmatic hernia without complication	250	92	119	91	66	128
081	Disorders of fluid, electrolyte, and acid-base balance	249	93	81	97	90	98
049	Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	249	94	73	93	99	101

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
039	Malignant neoplasm of bladder	248	95	62	95	108	103
147	Atrial fibrillation and flutter	243	96	71	106	98	94
364	Concussion	242	97	61	94	130	96
167	Arterial embolism and thrombosis	242	98	65	112	100	85
168	Miscellaneous diseases of arteries	241	99	63	109	91	113
329	Convulsions	240	100	72	102	94	121
347	Fracture of pelvis	239	101	91	101	106	78
099	Other affective psychoses	235	102	106	77	127	97
193	Nongastric peptic ulcer with hemorrhage or perforation	234	103	86	108	97	89
170	Varicose veins of lower extremities	231	104	82	99	105	120
100	Miscellaneous psychoses	229	105	107	92	104	108
300	Internal derangement of knee joint	227	106	113	104	123	53
172	Miscellaneous diseases of veins and circulatory system	225	107	98	107	102	100
084	Anemia except iron deficiency and sickle-cell	219	108	83	110	103	129
243	Ovarian cyst	216	109	110	111	95	110
348	Fracture of humerus	208	110	100	113	117	106
232	Cystitis	205	111	128	90	111	164
301	Other disorders of joint	204	112	127	114	124	73
001	Intestinal infectious disease	203	113	122	116	101	102
103	Miscellaneous neuroses and personality disorders	196	114	121	103	136	117

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
212 Alcoholic liver disease	192	115	88	137	140	70
358 Dislocation of knee	190	116	139	117	122	90
334 Gangrene	190	117	78	128	120	165
198 Acute appendicitis with peritonitis	190	118	111	121	129	95
309 Bursitis and synovitis, except spine	188	119	134	115	118	118
230 Miscellaneous diseases of kidney and ureter	185	120	115	123	110	125
310 Bunion and deformities of toe	184	121	138	105	157	111
228 Calculus of kidney	182	122	118	122	107	151
187 Disease of teeth and jaws	181	123	103	118	116	182
151 Cardiovascular disease, unspecified	177	124	145	156	79	159
365 Intracranial injury, except concussion	174	125	144	129	126	104
190 Gastric ulcer without complication	172	126	157	119	109	156
156 Precerebral artery occlusion without paralysis	169	127	164	130	128	105
349 Fracture of radius and ulna	168	128	129	124	142	119
392 Admission for prophylactic sterilization	168	129	130	127	115	167
210 Anal fissure, fistula, and abscess	167	130	131	133	119	138
203 Ventral hernia without complication	167	131	124	131	133	132
178 Miscellaneous diseases of upper respiratory system	160	132	141	136	125	146

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
068 Neoplasms of uncertain behavior and unspecified nature	160	133	109	138	144	153
196 Disease of stomach and duodenum, except ulcer and inflammation	156	134	192	132	112	154
241 Benign mammary dysplasia	156	135	161	141	114	162
346 Fracture of ribs, sternum, larynx and trachea	155	136	148	140	138	122
213 Other cirrhosis and chronic liver disease	153	137	112	144	147	172
072 Diabetic acidosis or coma	153	138	137	142	141	133
257 Spontaneous and unspecified abortion	153	139	150	125	148	168
182 Emphysema	152	140	147	134	143	144
110 Adjustment reactions and acute reactions to stress	152	141	163	120	165	131
165 Aortic aneurysm	152	142	133	153	139	123
327 Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	151	143	153	139	149	126
299 Other arthropathies	147	144	167	145	146	124
130 Otitis media, chronic and unspecified	145	145	171	146	134	147
233 Urethral stricture	143	146	185	135	132	195

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
381	Other burns	143	147	173	147	135	148
312	Osteomyelitis	141	148	126	159	159	127
224	Chronic renal failure	140	149	125	176	145	135
343	Fracture of face bones	138	150	159	154	151	134
005	Septicemia	137	151	117	165	162	140
337	Signs and symptoms referable to urinary system	137	152	132	150	153	204
034	Malignant neoplasm of corpus uteri	136	153	136	149	178	142
227	Miscellaneous kidney infections	136	154	175	151	137	176
101	Anxiety states	135	155	211	126	150	207
339	Other signs and symptoms referable to upper GI tract and abdomen	133	156	183	164	131	158
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	133	157	123	157	177	157
367	Internal injury, except chest	133	158	170	171	155	115
075	Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	132	159	162	152	156	173
331	Headache	129	160	244	148	121	197
390	Other complications of surgical procedures	128	161	172	167	171	114
082	Iron deficiency anemia	128	162	151	155	158	208
191	Gastric ulcer with hemorrhage or perforation	128	163	158	161	174	136
217	Diseases of bile ducts with calculus	127	164	152	162	176	141

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
021 Malignant neoplasm of stomach	126	165	120	177	183	150
026 Malignant neoplasm of pancreas	126	166	143	169	172	152
136 Chronic rheumatic heart disease	125	167	142	163	191	137
371 Open wound of upper limb	124	168	181	160	167	145
214 Miscellaneous diseases of liver	122	169	155	173	170	160
070 Other diseases of thyroid gland	120	170	180	158	160	210
306 Sacroiliac joint disorder	119	171	201	143	194	161
051 Benign neoplasm of other parts of digestive system	119	172	149	175	164	201
175 Deviated nasal septum	118	173	135	178	188	177
330 Pyrexia of unknown origin	118	174	174	188	152	166
035 Malignant neoplasm of ovary	115	175	156	179	184	169
116 Epilepsy	114	176	176	174	173	175
374 Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	114	177	222	170	161	149
292 Miscellaneous infections of skin and subcutaneous tissue	113	178	166	180	180	180

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals Days of Care (in 1,000s) (2)	All Hospitals Rank (3)	Rank by Region North-east (4)	Rank by Region North Central (5)	Rank by Region South (6)	Rank by Region West (7)
086	Disease of hematopoietic system, except anemia and hemophilia	112	179	165	172	189	184
019	Malignant neoplasm of lip, oral cavity, and pharynx	112	180	146	192	181	181
012	Miscellaneous viral diseases	111	181	178	187	166	178
380	Third degree burns	110	182	207	189	154	163
372	Open wound of lower limb	108	183	203	186	163	170
389	Postoperative wound infection	107	184	194	196	185	130
040	Malignant neoplasm of kidney and other urinary organs	106	185	169	184	190	190
369	Other laceration of head and neck	106	186	195	183	175	174
336	Other signs and symptoms referable to respiratory system and chest	105	187	186	191	168	200
226	Acute pyelonephritis	104	188	216	181	169	185
053	Benign neoplasm of bone, muscle, and connective tissue	103	189	187	185	179	202
132	Vertiginous syndromes	103	190	209	168	186	198
206	Complicated hernia of abdominal cavity, except inguinal	102	191	160	195	202	187
113	Inflammatory diseases of central nervous system	101	192	208	198	182	155
042	Malignant neoplasm of brain	97	193	193	199	197	171

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
114	Parkinson's disease	96	194	168	193	208	218
119	Carpal tunnel syndrome and other lesions of median nerve	93	195	230	166	221	194
386	Miscellaneous adverse effects	93	196	202	194	199	203
383	Certain traumatic complications and unspecified injuries	91	197	190	202	192	214
092	Alcoholic psychoses	89	198	177	248	206	139
008	Viral diseases with exanthem	89	199	218	197	200	206
033	Malignant neoplasm of cervix uteri excluding carcinoma in situ	88	200	197	203	195	224
048	Leukemia, except lymphoid	87	201	188	200	233	191
185	Spontaneous pneumothorax	86	202	196	211	196	205
293	Pilonidal cyst	86	203	184	204	209	253
009	Viral hepatitis	84	204	217	209	193	211
025	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	84	205	191	210	224	193
028	Other malignant neoplasm of respiratory system and thoracic cavity	83	206	179	219	207	235
254	Ectopic pregnancy	81	207	213	213	214	189
127	Miscellaneous disorders of superficial structures of eye	81	208	182	237	210	212

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
078	Obesity of nonendocrine origin	81	209	292	182	215	215
370	Other laceration of trunk and multiple and unspecified sites	81	210	224	216	187	228
218	Diseases of bile ducts without mention of calculus	80	211	189	212	229	227
115	Multiple sclerosis	79	212	206	190	272	229
128	Miscellaneous disorders of deep structures of eye	79	213	214	220	211	199
296	Diffuse diseases of connective tissue	79	214	210	215	218	217
255	Legally induced abortion	78	215	154	253	231	234
363	Other sprains and strains	77	216	238	207	234	188
251	Menopausal and postmenopausal disorders	76	217	205	223	203	257
079	Miscellaneous metabolic disorders	76	218	223	208	222	225
242	Miscellaneous diseases of breast	76	219	225	225	198	226
225	Other renal failure	75	220	200	228	216	239
328	Perinatal conditions causing morbidity and mortality	75	221	253	242	227	143
118	Migraine	74	222	277	201	217	244
066	Carcinoma in situ of cervix	73	223	236	222	204	233
307	Sciatica	73	224	198	206	263	252
002	Respiratory tuberculosis	73	225	212	230	213	251
359	Other dislocation	72	226	228	226	230	213

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
154	Intracerebral hemorrhage without paralysis	71	227	229	244	232	183
058	Benign neoplasm of ovary	71	228	219	227	238	219
139	Miscellaneous hypertensive disease	70	229	231	231	212	241
246	Inflammatory disease of cervix uteri	70	230	264	214	205	250
325	Miscellaneous congenital anomalies of genitourinary system	70	231	226	232	228	231
320	Congenital anomaly of heart and circulatory system	70	232	239	235	242	186
263	False labor	69	233	252	205	250	236
396	Aftercare for removal of internal fixation device	69	234	215	236	248	209
236	Diseases of prostate, except hypertrophy	69	235	261	217	201	270
240	Miscellaneous diseases of male genital organs	68	236	234	229	219	246
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	66	237	246	224	226	255
121	Retinal detachment and defects	66	238	204	276	241	179
180	Influenza	66	239	328	221	225	192
268	Miscellaneous complications of pregnancy without delivery	66	240	243	218	249	237
332	Epistaxis	65	241	235	234	237	240

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
311	Ganglion and cyst	65	242	249	233	220	261
350	Miscellaneous fractures of upper extremity	64	243	242	238	246	221
201	Inguinal hernia, complicated	63	244	199	246	265	247
194	Peptic ulcer with obstruction	61	245	247	247	239	223
360	Sprains and strains of knee and leg	61	246	262	239	264	196
031	Other malignant neoplasm of skin, excluding genital organs	60	247	227	266	223	265
020	Malignant neoplasm of esophagus	58	248	221	250	255	264
029	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	58	249	233	251	258	238
238	Orchitis and epididymitis	58	250	256	240	243	279
199	Disease of appendix, except acute appendicitis	57	251	273	241	252	256
388	Hemorrhage or hematoma complicating a procedure	56	252	266	254	251	230
231	Urinary calculus, except kidney and ureter	55	253	237	252	247	280
341	Fracture of vault of skull	55	254	248	267	259	220
063	Benign neoplasm of central nervous system	55	255	241	269	267	216

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
222 Chronic glomerulonephritis and nephrotic syndrome	54	256	250	260	257	258
134 Miscellaneous diseases of ear	53	257	272	262	244	245
202 Umbilical hernia without complication	53	258	257	255	245	276
109 Psychophysiologic disorder	52	259	290	243	253	282
385 Toxic effects of substances chiefly nonmedicinal as to source	52	260	255	264	260	249
047 Lymphoid leukemia	52	261	240	258	278	259
366 Internal injury to thoracic region	51	262	280	273	254	222
069 Simple and non-toxic nodular goiter	51	263	287	265	235	288
046 Hodgkin's disease	51	264	232	257	282	278
333 Signs and symptoms referable to the cardiovascular system, except gangrene	51	265	258	259	262	275
146 Paroxysmal supraventricular tachycardia	50	266	245	263	268	273
083 Sickle-cell anemia and trait	50	267	263	261	236	334
188 Disease of mouth, except dental	50	268	267	268	261	260
145 Acute and subacute endocarditis	48	269	220	298	289	243
152 Subarachnoid hemorrhage without paralysis	47	270	270	281	270	242

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
239 Redundant prepuce and phimosis	47	271	269	271	240	332
010 Infectious mononucleosis	47	272	260	245	294	314
054 Benign neoplasm of skin, blood vessels, and miscellaneous sites	46	273	251	278	269	277
106 Drug dependence except opioid	46	274	265	249	287	308
314 Acquired deformities of limbs, except toe	45	275	285	256	292	274
076 Nutritional deficiencies	44	276	254	283	277	263
126 Strabismus	43	277	283	280	276	266
030 Malignant melanoma of skin, excluding genital organs	43	278	259	288	271	281
055 Benign neoplasm of breast	43	279	268	285	256	310
006 Miscellaneous bacterial diseases	42	280	282	292	266	267
017 Miscellaneous infective and parasitic diseases	42	281	271	277	273	317
087 Nonspecific mesenteric lymphadenitis	41	282	286	270	290	290
237 Hydrocele	41	283	276	275	283	295
342 Fracture of base of skull	41	284	289	290	296	232
007 Poliomyelitis and other enteroviral diseases of central nervous system	41	285	288	295	275	262
064 Benign neoplasm of thyroid glands	41	286	278	291	279	272

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
323	Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	40	287	274	296	280	268
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	40	288	275	274	293	296
355	Fracture of other bones	39	289	295	282	285	269
105	Opioid dpendence	39	290	140	352	360	339
131	Other inflammation of ear and mastoid	38	291	281	297	281	289
345	Fracture of vertebral column with cord injury	38	292	307	305	274	248
262	Excessive vomiting in pregnancy	36	293	306	279	295	293
080	Gout	35	294	300	287	284	311
166	Aneurysm except aortic	35	295	284	300	297	283
261	Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	35	296	301	293	286	306
015	Mycoses	35	297	337	289	298	254
382	Injury to nerve and spinal cord	34	298	305	306	288	271
067	Carcinoma in situ, except cervix uteri	34	299	291	299	300	292
315	Neuralgia, neuritis, and radiculitis, unspecified	34	300	304	284	303	312

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
259 Threatened abortion	33	301	313	272	312	331
044 Malignant neoplasm of endocrine glands	32	302	294	309	302	284
379 Foreign body entering through other body orifice	32	303	293	310	301	286
267 Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	32	304	302	286	304	337
221 Intestinal malabsorption	32	305	303	294	317	297
091 Arteriosclerotic dementia	32	306	299	301	291	325
122 Open angle and primary closure glaucoma	31	307	279	315	306	305
205 Other hernia of abdominal cavity without complication	31	308	297	307	307	298
258 Other pregnancy with abortive outcome	30	309	308	302	308	307
266 Infections of pregnancy without delivery	29	310	317	308	299	309
357 Dislocation of shoulder	29	311	321	304	314	291
377 Miscellaneous crushing injury	29	312	322	303	322	285
014 Syphilis and other venereal diseases	27	313	324	313	310	301
368 Laceration or enucleation of eye	27	314	315	325	305	294
319 Congenital anomaly of eye, ear, face, and neck	26	315	314	314	313	302

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
036	Malignant neoplasm of other female genital organs	26	316	296	317	323	322
375	Contusion of eye and adnexa	26	317	309	322	315	303
324	Undescended testicle	26	318	310	316	319	316
011	Viral warts	26	319	323	311	311	342
107	Nondependent abuse of alcohol	24	320	331	312	318	344
095	Acute schizophrenic episode	24	321	298	321	347	287
249	Metrorrhagia	24	322	332	318	309	328
065	Benign neoplasm of endocrine glands, except thyroid	23	323	325	333	316	299
004	Streptococcal sore throat and scarlet fever	22	324	344	319	321	324
294	Sebaceous cyst	22	325	312	326	320	348
135	Rheumatic fever, acute	22	326	318	323	327	326
038	Malignant neoplasm of male genitalia, except prostate	22	327	320	329	330	313
133	Otosclerosis	21	328	329	332	325	320
155	Intracerebral hemorrhage with paralysis	21	329	327	337	332	300
050	Benign neoplasm of lip, oral cavity, and pharynx	21	330	316	335	331	319
093	Drug psychoses	21	331	334	328	336	304
089	Transient organic psychotic conditions	20	332	311	342	326	315
318	Congenital anomaly of nervous system	20	333	336	334	329	318

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
088 Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	20	334	333	330	324	346
176 Nasal polyp	19	335	319	331	337	335
326 Clubfoot	19	336	342	327	341	323
108 Nondependent abuse of drugs, except alcohol	18	337	343	324	344	330
125 Cataract, except senile	18	338	330	340	338	321
074 Ovarian dysfunction	17	339	345	338	328	345
112 Mental retardation	17	340	339	336	340	356
123 Other glaucoma	17	341	326	346	335	340
052 Benign neoplasm of respiratory system and intrathoracic organs	16	342	340	344	334	333
022 Malignant neoplasm of small intestine	16	343	338	341	346	329
157 Precerebral occlusion with paralysis	15	344	349	339	348	327
373 Injury to blood vessels	14	345	351	351	339	338
003 Nonrespiratory tuberculosis	13	346	341	357	343	343
077 Cystic fibrosis	13	347	335	345	352	355
129 Other disorders of eye	13	348	353	343	342	357
264 Placenta previa without delivery	13	349	347	347	350	349
317 Somatic dysfunction	13	350	366	320	369	365
321 Cleft palate and lip	12	351	348	355	345	336
265 Other antepartum hemorrhage without delivery	12	352	346	348	351	353
290 Other puerperal complications	12	353	352	350	354	341

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
223	Miscellaneous nephritis and functional disorders	11	354	358	353	349	347
289	Puerperal hemorrhage (after 24 hrs.)	11	355	359	349	355	358
057	Benign neoplasm of uterus, except leiomyoma	10	356	350	358	353	352
322	Congenital hypertrophic pyloric stenosis	10	357	357	354	358	359
043	Malignant neoplasm of other parts of nervous system	9	358	356	360	359	354
288	Major puerperal infections	8	359	361	359	357	350
013	Rickettsioses and other arthropod-borne diseases	8	360	365	369	333	363
397	Aftercare involving intermittent dialysis	8	361	355	356	366	372
302	Ankylosing spondylitis	7	362	370	361	356	360
061	Benign neoplasm of urinary organ	7	363	354	362	362	367
391	Other complications of medical care, except drugs	7	364	363	363	364	351
356	Fracture of multiple bones	7	365	360	364	361	361
016	Helminthiases	5	366	369	366	363	364
085	Hemophilia (congenital factor VIII disorder)	5	367	364	365	365	369
153	Subarachnoid hemorrhage with paralysis	5	368	362	371	368	362
041	Malignant neoplasm of eye	4	369	368	367	370	366

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
059 Benign neoplasm of female genitalia, except uterus and ovary	4	370	371	368	367	371
018 Late effects of infectious and parasitic diseases	4	371	372	370	372	368
060 Benign neoplasm of male genital organ	3	372	373	373	371	373
097 Childhood psychosis	3	373	367	374	374	370
260 Other early pregnancy hemorrhage	2	374	374	372	373	374
062 Benign neoplasm of eye	1	375	375	375	376	376
378 Foreign body on external eye	1	376	376	376	375	375
256 Other induced abortion	0	377	377	377	377	377
All diagnosis groups	71,123					

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain – *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

R3850-1.4

Length of Stay in PAS Hospitals,

by Operation,

United States, North Central Region, 1979

A Supplement To

Length of Stay in PAS Hospitals,
by Diagnosis,
North Central Region, 1979

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
OCTOBER 1980

LENGTH OF STAY IN PAS HOSPITALS

Copyright © 1980 by Commission on Professional and Hospital Activities, Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the series entitled
"Length of Stay in PAS Hospitals". . .

Volumes include:

- . . . by Diagnosis, United States, 1979
- . . . by Diagnosis, United States, North Central Region, 1979
- . . . by Diagnosis, United States, Northeastern Region, 1979
- . . . by Diagnosis, United States, Southern Region, 1979
- . . . by Diagnosis, United States, Western Region, 1979
- . . . by Diagnosis, Canada, 1979

- . . . by Operation, United States, 1979
- . . . by Operation, United States, North Central Region, 1979
- . . . by Operation, United States, Northeastern Region, 1979
- . . . by Operation, United States, Southern Region, 1979
- . . . by Operation, United States, Western Region, 1979
- . . . by Operation, Canada, 1979

Also included are:

- Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979
- Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities. Also for selected years there are length of stay books for particular regional groups of hospitals, for pediatric patients, and for geriatric patients.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1979 in North America. Twelve volumes describe stays for either diagnoses or operations in the United States, in each of the four U.S. census regions, or in Canada. The thirteenth and fourteenth volumes display data on both diagnoses and operations for pediatric and for geriatric patients in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities.

These statistics, which are also available on computer readable magnetic tape, can provide a valuable perspective for physicians, administrators, PSROs, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" (PSRO) and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1979 LENGTH OF STAY BOOKS

Walt Wood, Manager, Research and Statistics
Ed Kobrinski, Assistant Manager
Ann Matteson, Project Coordinator

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data 1
Data Quality 3
Coverage 4
Organization of Length of Stay Tables 7
ICD-9-CM List B: Hospital Procedure Groups 7
Definition of Multiple Dx Patients 8
Explanation of Statistics 8
Defining the Extended Stay Case 10
Length of Stay Tables 19
Summary of All Patients 21
Operation Groups 501-764 22
Distribution Tables 89
Table 1: Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups 91
Table 2: Ranking of *ICD-9-CM* List B Operation Groups by Live Discharges 104
Table 3: Ranking of *ICD-9-CM* List B Operation Groups by Days of Care 122
Appendix: ***ICD-9-CM*** **Codes for Selected Operation Groups** 141
Index to Length of Stay Tables 145

DISCUSSION OF THE DATA

Source of the Data

Data in this book were compiled from individual patient discharge abstracts submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain, and Figure 1 diagrams, the PAS method of storing and retrieving medical data.


PAS
HOSPITAL
CLINICAL RECORD
CASE ABSTRACT
DATA TAPE
CPHA DATA CENTER
COMPUTER
DATA FILE
HOSPITAL
ITS OWN OVERALL STATISTICS
MORE DETAILED STATISTICS
LISTINGS
MULTIHOSPITAL STUDIES
INTERHOSPITAL COMPARISONS
REGIONAL DATA

FIG. 1. Schematic diagram of the PAS medical record information system.

1. In each participating hospital, medical record personnel transfer information from the record of each discharged patient onto a PAS Case Abstract (Figure 2). The data may also be put onto a data tape at the hospital.
2. The abstract or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it serves as input to the computer system.
3. Data then undergo a comprehensive "cleaning" process and detected errors are corrected by contributing hospitals.
4. The computer system produces sets of reports which give comprehensive statistics on discharged patients plus listings of individual case abstracts in various sequences.
5. The computer system continually adds to a permanent history data file.
6. Length of stay statistics from this file are annually published in this series of length of stay books. The stored data are also available to researchers on a contractual basis.


PAS
1979 CASE ABSTRACT
1234567890EV
SAMPLE
79
PAS
79

FIG. 2 PAS Case Abstract

BEST AVAILABLE COPY

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its role as an extension of the hospital's medical record department.

Quality control of PAS data begins before a new hospital submits its first case abstract and continues as an ongoing system involving personal monitoring, computer checks, and education programs. In spite of these efforts, errors do occur. There are three ways errors can be introduced into PAS data: 1) the basic patient medical record can be incomplete or in error, 2) errors can be made in abstracting information from the medical record to the PAS Case Abstract, and 3) errors can be introduced during processing.

Although CPHA has indirect influence over the quality of the medical record through education and through feedback from use of PAS reports within the hospital, basic responsibility for the accuracy of the medical record rests with the physician and others in the hospital contributing to it. Clearly, the abstractor cannot add to the medical record. Errors or omissions made in it will be carried forward to the PAS Case Abstract.

CPHA goes to considerable lengths to prevent and correct errors in abstracting by training PAS hospital medical record personnel in coding and abstracting methods, by monitoring their work, and by judiciously checking and editing patient data for errors. During processing, over 350 computer checks* are performed on each abstract to check the reasonableness of the data received. When illogical, invalid, or missing data are detected, an error message is printed and the hospital is notified, often by phone. About 40% of the errors detected in the computer audit can be and are corrected at CPHA; the remainder must be handled by the hospitals because only they have the information necessary to make the corrections. Hospitals make such corrections on a voluntary basis.

---

*The following are examples of discrepancies and inconsistencies in the data that are detected by the computer audit: hospital day of operative episode exceeding total stay, cesarean sections with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded. Examples of invalid data detected by the computer are diagnosis and operation codes that do not exist in the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Coverage

The length of stay tables in this book display stay distributions for 2,069,465 operated patients discharged during 1979 from 642 nonfederal, short-term* hospitals participating in PAS in the North Central Region of the U.S. PAS hospitals in United States territories and Puerto Rico were excluded from this publication as were short-term psychiatric hospitals participating in PAS. Patients studied were selected from a total of 4,910,073 discharges. Only those patients who were operated are included in this book.

Characteristics of all hospitals in the North Central Region that participated in PAS during 1979 are shown in Tables A and B. Some of these hospitals did not participate for the entire 12-month period. In addition, because of the unavailability of data at the time of processing, data for some of these PAS hospitals are not included in the length of stay tables.

States included in the various census regions and divisions are shown in Figure 3.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

FIG. 3 Census Divisions and Regions in the United States

---

*Short-term hospitals are defined as those in which the median stay is shorter than 30 days.

Table A

Bed Size, Region, and Census Division: PAS Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

Hospital Class (1)	Short-Term Nonfederal Hospitals Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Beds Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
ALL U.S.						
Bed Size						
1. Less than 25 beds	305	27	8.9%	5,761	528	9.2%
2. 25-49	1,154	158	13.7	41,776	6,129	14.7
3. 50-99	1,459	345	23.6	105,411	25.666	24.3
4. 100-199	1,412	470	33.3	198,519	67,395	33.9
5. 200-299	716	301	42.0	174,636	73,904	42.3
6. 300-399	382	179	46.9	131,296	61,207	46.6
7. 400-499	244	102	41.8	107,790	45,171	41.9
8. 500 or more	311	115	37.0	212,247	77,156	36.4
Total	5,983	1,697	28.4%	977,436	357,156	36.5%
Region and Census Division						
Northeast	941	260	27.6%	221,260	73,590	33.3%
New England	276	88	31.9	51,658	20,198	39.1
Middle Atlantic	665	172	25.9	169,602	53,392	31.5
North Central	1,744	652	37.4	292,394	141,077	48.2
East North Central	935	499	53.4	193,639	110,157	56.9
West North Central	809	153	18.9	98,755	30,920	31.3
South	2,171	451	20.8	316,264	91,344	28.9
South Atlantic	823	292	35.5	149,347	57,261	38.3
East South Central	488	50	10.2	67,691	12,984	19.2
West South Central	860	109	12.7	99,226	21,099	21.3
West	1,127	334	29.6	147,518	51,175	34.7
Mountain	365	107	29.3	38,709	17,459	45.1
Pacific	762	227	29.8	108,809	33,716	31.0
Grand Total	5,983	1,697	28.4%	977,436	357,186	36.5%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Table B

Teaching Type, Region, and Census Division: PAS Hospitals Compared with all Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

	Hospitals with Residencies			Hospitals with Medical School Affiliation		
Region and Census Division (1)	**Total[2] (2)**	**Number in PAS (3)**	**Percent in PAS (4)**	**Total[2] (5)**	**Number in PAS (6)**	**Percent in PAS (7)**
Northeast	306	114	37.3%	228	87	38.2%
New England	69	31	44.9	58	29	50.0
Middle Atlantic	237	83	35.0	170	58	34.1
North Central	298	152	51.0	218	109	50.0
East North Central	205	116	56.6	140	75	53.6
West North Central	93	36	38.7	78	34	43.6
South	265	76	28.7	211	62	29.4
South Atlantic	127	44	34.6	104	38	36.5
East South Central	57	14	24.6	47	12	25.5
West South Central	81	18	22.2	60	12	20.0
West	140	47	33.6	116	38	32.8
Mountain	38	16	42.1	30	11	36.7
Pacific	102	31	30.4	86	27	31.4
Grand Total	1,009	389	38.6%	773	296	38.3%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Organization of Length of Stay Tables

The length of stay tables in the body of this book are organized according to the operation groupings in *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each operation group, patients are further stratified by single or multiple diagnoses and age.

ICD-9-CM List B: Hospital Procedure Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List B: Hospital Operation Groups* has been replaced by *ICD-9-CM List B: Hospital Procedure Groups,* which reflects the procedures contained in the new classification.

In List B there are 249 groups that contain at least one UHDDS Class 1[2] procedure. Fifteen of the 264 List B groups consist solely of Class 2, 3, and 4 procedures. This book displays data only for those 249 groups with Class 1 procedures.

Patients were assigned to the *ICD-9-CM* List B operation groups on the basis of their principal procedure. Operation information for all patients discharged from PAS hospitals during 1979 was coded using *ICD-9-CM.* "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS) and generally is that therapeutic procedure most related to the principal diagnosis.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Multiple Dx Patients

A patient is classified in the multiple dx category if he had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Explanation of Statistics

The operation group titles heading the tables are followed in parentheses by the operation codes they include. These codes refer to *ICD-9-CM.*

Length of stay is calculated from admission and discharge dates entered on the PAS Case Abstract, counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance, but as staying less than one day in the calculation of the percentiles. Thus, if more than 5% of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "$<$1."

Patients who were hospitalized 100 days or longer are not included in column 2, "Number of Patients"; column 3, "Average Stay"; or column 4, "Variance." The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are shown. If, for example, the 10th percentile for a group of patients is four days, it means that ten percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

The value of a percentile for a group of patients is determined by arranging the individual patients' stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Exclusions

The length of stay tables exclude:

(1) patients who died,
(2) patients admitted from other short-term hospitals,
(3) patients discharged to other short-term hospitals,
(4) patients discharged against medical advice,
(5) patients with length of stay greater than 99 days (these patients are included only in the percentile calculations).

These patients are excluded because they are not typical short-term patients (i.e., their stays are not "manageable" by the physician).

Other exclusions include stillborn, patients with incalculable age or stay, illegal or unrecorded principal diagnosis or principal procedure, unrecorded discharge status, and patients with diagnosis-age, diagnosis-sex, operation-age, or operation-sex inconsistencies. Also excluded are newborn with illegal or unrecorded birthweights.

Defining the Extended Stay[1] Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the PSRO is called extended stay review. This review, whether applied universally to all patients within the facility or "focused" on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in reasonably current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, the age of the patient, and whether the patient had single or multiple diagnoses.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and quite different lengths of stay) are appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy), primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung) and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

---

[1] Medicare regulations formerly referred to "extended duration," PSRO guidelines refer to "continued stay."

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the regional length of stay books published by the Commission on Professional and Hospital Activities.[1] With the appropriate book, the five steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[2]) that contains the contemplated operation in one of the following ways.

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[3] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group (in the CPHA length of stay books) for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. For diagnoses not in *Concurrent Review Screening* the contemplated operation can usually be found in the index at the back of the operation length of stay book.

c. If an operation is not listed in the index to the length of stay tables, the code for the operation can be found in Volume 3 of *ICD-9-CM.*[4] That code can then be located in List B or in the heading of the length of stay table.

---

[1] *Length of Stay in PAS Hospitals, by Diagnosis,* Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., Northeastern Region, 1979
U.S., Southern Region, 1979
U.S., North Central Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

Length of Stay in PAS Hospitals, by Operation, Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., Northeastern Region, 1979
U.S., Southern Region, 1979
U.S., North Central Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

[2] *ICD-9-CM List B: Hospital Procedure Groups*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[4] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table. There are four tables per page for operation groups in the length of stay books.

Step 3. Find the appropriate part of the table for number of diagnoses (single or multiple).

Step 4. Find the correct age group. The five age groupings presented are 0-19 years, 20-34 years, 35-49 years, 50-64 years, and 65 years and over.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line which includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November, a 57-year-old patient is admitted to a hospital in the North Central Region for elective surgery, in this case, a transurethral resection, the admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening*. Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.



1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The alphabetic index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
	Palate
551	Cleft palate repair
551	Palatoplasty
514	Parathyroid
	Penis
657	Circumcision
	Perineum, female
683	Excision of lesion or tissue
683	Incision
	Perirectal
607	Excision
607	Incision
609	Other
	Peritoneum
630	Division of adhesions
627	Drainage, except via cul de sac
682	Via cul de sac
626	Excision
630	Incision, except via cul de sac
682	Via cul de sac
628	Peritoneoscopy
	Pleura
576	Pleurocentesis
	Prostate
648	**Prostatectomy, transurethral**
649	Prostatectomy, except transurethral
650	Other
	Rectum
606	Excision, except proctectomy
609	Incision
608	Proctectomy
608	Other
	Reduction
	Dislocation, *see Joint*
	Fracture, *see Bone*
758	Retrograde pyelogram
	Sinuses, nasal
546	Radical maxillary sinusotomy

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure INDEX TO PROCEDURES

Procedure — *continued*
  diagnostic NEC — *continued*
    pleura 34.28
    posterior chamber, eye 14.19
    prostate 60.18
    pulmonary 33.29
    rectum 48.29
    renal 55.29
    respiratory 33.29
    retina 14.19
    retroperitoneum 59.29
    salivary gland or duct 26.19
    sclera 12.29
    scrotum 61.19
    seminal vesicle 60.19
    sigmoid 45.28
    sinus, nasal 22.19
    skin 86.19
    skull 01.19
    soft tissue 83.29
    spermatic cord 63.09
    sphincter of Oddi 51.19
    spine, spinal (canal) (cord) (meninges) (structure) 03.39
    spleen 41.39
    stomach 44.19
    subcutaneous tissue 86.19
    sympathetic nerve 05.19
    tarsus 09.19
    tendon NEC 83.29
      extraocular 15.09
    testicle 62.19
    thalamus 01.18
    thoracic duct 40.19
    thorax 34.28
    thymus 07.19
    thyroid gland 06.19
    tongue 25.09
    tonsils 28.19
    tooth 24.19
    trachea 31.49
    tunica vaginalis 61.19
    ureter 56.39
    urethra 58.29
    uterus and supporting structures 68.19
    uvula 27.29
    vagina 70.29
    vas deferens 63.09
    vesical 57.39
    vessel (blood) (any site) 38.29
    vitreous 14.19
    vulva 71.19
  fistulizing, sclera NEC 12.69
  miscellaneous (nonoperative) NEC 99.99
  respiratory (nonoperative) NEC 93.99
  surgical — *see* Operation
Proctectasis 96.22
Proctectomy (partial) (*see also* Resection, rectum) 48.69
  abdominoperineal 48.5

Proctectomy (partial) — *continued*
  complete (Miles) (Rankin) 48.5
  pull-through 48.49
Proctoclysis 96.37
Proctolysis 48.99
Proctopexy (Delorme) 48.76
  abdominal (Ripstein) 48.75
Proctoplasty 48.79
Proctorrhaphy 48.71
Proctoscopy 48.23
  through stoma (artificial) 48.22
  transabdominal approach 48.21
Proctosigmoidectomy (*see also* Resection, rectum) 48.69
Proctosigmoidopexy 48.76
Proctosigmoidoscopy 48.23
  through stoma (artificial) 48.22
  transabdominal approach 48.21
Proctostomy 48.1
Proctotomy (decompression) (linear) 48.0
Production — *see also* Formation
  atrial septal defect 35.42
  subcutaneous tunnel for esophageal anastomosis 42.86
    with anastomosis — *see* Anastomosis, esophagus, antesternal
Prognathic recession 76.64
Prophylaxis, dental (scaling) (polishing) 96.54
Prostatectomy (complete) (partial) NEC 60.69
  loop 60.2
  perineal 60.62
  radical (any approach) 60.5
  retropubic (punch) (transcapsular) 60.4
  suprapubic (punch) (transvesical) 60.3
  transcapsular NEC 60.69
    retropubic 60.4
  transurethral 60.2
  transvesical punch (suprapubic) 60.3
Prostatocystotomy 60.0
Prostatolithotomy 60.0
Prostatotomy (perineal) 60.0
Prostatovesiculectomy 60.5
Protection (of)
  individual from his surroundings 99.84
  surroundings from individual 99.84
Psychoanalysis 94.31
Psychodrama 94.43
Psychotherapy NEC 94.39
  biofeedback 94.39
  exploratory verbal 94.37
  group 94.44
    for psychosexual dysfunctions 94.41
  play 94.36
  psychosexual dysfunctions 94.34
  supportive verbal 94.38
Ptyalectasis 26.91
Ptyalithotomy 26.0
Ptyalolithotomy 26.0

408

Step 2. Find the table for group 648 of *Length of Stay in PAS Hospitals, by Operation, United States, North Central Region, 1979.*

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.4	13	2	3	7	11	74	99+	99+
20-34	14	6.8	14	1	2	6	9	11	15	16
35-49	157	7.2	10	4	4	7	8	10	13	21
50-64	2728	7.7	12	4	5	7	9	12	13	20
65+	5487	9.0	23	5	5	8	10	14	17	26
2. MULTIPLE DX										
0-19 YRS	26	9.7	60	2	2	8	11	16	22	42
20-34	39	9.7	54	2	3	8	12	24	29	99+
35-49	271	9.7	38	4	5	8	11	17	19	36
50-64	5250	10.6	47	5	5	9	13	18	23	38
65+	16023	13.1	77	5	6	10	16	24	30	47
TOT. SINGLE DX	8393	8.6	19	4	5	8	10	13	16	24
" MULTIPLE DX	21609	12.4	70	5	6	10	15	22	28	46
TOTAL 0-19 YRS	33	9.2	50	2	2	8	11	16	37	99+
20-34	53	9.0	45	2	3	7	11	22	26	97
35-49	428	8.8	29	4	5	7	10	15	18	32
50-64	7978	9.6	37	4	5	8	11	16	20	33
65+	21510	12.0	66	5	6	10	14	21	28	44
GRAND TOTAL	30002	11.3	59	5	5	9	13	20	26	42

Step 3. There are no secondary diagnoses recorded, so one needs to be concerned only with the top five lines of the table (Section 1).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.4	13	2	3	7	11	74	99+	99+
20-34	14	6.8	14	1	2	6	9	11	15	16
35-49	157	7.2	10	4	4	7	8	10	13	21
50-64	2728	7.7	12	4	5	7	9	12	13	20
65+	5487	9.0	23	5	5	8	10	14	17	26
2. MULTIPLE DX										
0-19 YRS	26	9.7	60	2	2	8	11	16	22	42
20-34	39	9.7	54	2	3	8	12	24	29	99+
35-49	271	9.7	38	4	5	8	11	17	19	36
50-64	5250	10.6	47	5	5	9	13	18	23	38
65+	16023	13.1	77	5	6	10	16	24	30	47
TOT. SINGLE DX	8393	8.6	19	4	5	8	10	13	16	24
" MULTIPLE DX	21609	12.4	70	5	6	10	15	22	28	46
TOTAL 0-19 YRS	33	9.2	50	2	2	8	11	16	37	99+
20-34	53	9.0	45	2	3	7	11	22	26	97
35-49	428	8.8	29	4	5	7	10	15	18	32
50-64	7978	9.6	37	4	5	8	11	16	20	33
65+	21510	12.0	66	5	6	10	14	21	28	44
GRAND TOTAL	30002	11.3	59	5	5	9	13	20	26	42

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.4	13	2	3	7	11	74	99+	99+
20-34	14	6.8	14	1	2	6	9	11	15	16
35-49	157	7.2	10	4	4	7	8	10	13	21
50-64	2728	7.7	12	4	5	7	9	12	13	20
65+	5487	9.0	23	5	5	8	10	14	17	26
2. MULTIPLE DX										
0-19 YRS	26	9.7	60	2	2	8	11	16	22	42
20-34	39	9.7	54	2	3	8	12	24	29	99+
35-49	271	9.7	38	4	5	8	11	17	19	36
50-64	5250	10.6	47	5	5	9	13	18	23	38
65+	16023	13.1	77	5	6	10	16	24	30	47
TOT. SINGLE DX	8393	8.6	19	4	5	8	10	13	16	24
" MULTIPLE DX	21609	12.4	70	5	6	10	15	22	28	46
TOTAL 0-19 YRS	33	9.2	50	2	2	8	11	16	37	99+
20-34	53	9.0	45	2	3	7	11	22	26	97
35-49	428	8.8	29	4	5	7	10	15	18	32
50-64	7978	9.6	37	4	5	8	11	16	20	33
65+	21510	12.0	66	5	6	10	14	21	28	44
GRAND TOTAL	30002	11.3	59	5	5	9	13	20	26	42

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.4	13	2	3	7	11	74	99+	99+
20-34	14	6.8	14	1	2	6	9	11	15	16
35-49	157	7.2	10	4	4	[illegible]	8	10	13	21
50-64	2728	7.7	12	4	5	7	9	12	13	20
65+	5487	9.0	23	5	5	[illegible]	10	14	17	26
2. MULTIPLE DX										
0-19 YRS	26	9.7	60	2	2	8	11	16	22	42
20-34	39	9.7	54	2	3	8	12	24	29	99+
35-49	271	9.7	38	4	5	8	11	17	19	36
50-64	5250	10.6	47	5	5	9	13	18	23	38
65+	16023	13.1	77	5	6	10	16	24	30	47
TOT. SINGLE DX	8393	8.6	19	4	5	8	10	13	16	24
" MULTIPLE DX	21609	12.4	70	5	6	10	15	22	28	46
TOTAL 0-19 YRS	33	9.2	50	2	2	8	11	16	37	99+
20-34	53	9.0	45	2	3	7	11	22	26	97
35-49	428	8.8	29	4	5	7	10	15	18	32
50-64	7978	9.6	37	4	5	8	11	16	20	33
65+	21510	12.0	66	5	6	10	14	21	28	44
GRAND TOTAL	30002	11.3	59	5	5	9	13	20	26	42

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November the UR coordinator, the physician advisor, the UR committee, or other group responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., 75th percentile (as suggested in the PSRO *Program Manual*, paragraph 705.26).

Subsequent extended stay review dates would ordinarily be set by the physician advisor or the peer review (utilization review) committee as necessary, based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

642 PAS Hospitals, North Central Region, 1979, by Operation

Summary of all patients in operation groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	202270	3.3	14	1	1	2	4	6	8	19
20-34	354781	4.1	14	1	1	3	5	7	10	19
35-49	153453	5.5	29	1	1	4	7	11	15	26
50-64	139427	6.7	42	1	2	5	9	14	18	31
65+	108744	8.3	64	2	2	6	11	18	23	38
2. MULTIPLE DX										
0-19 YRS	121234	5.3	60	1	1	3	6	11	17	48
20-34	294236	6.1	43	1	2	5	7	11	16	36
35-49	202945	8.2	66	2	2	6	10	16	22	44
50-64	233648	10.6	103	2	2	8	14	22	30	56
65+	258727	14.1	147	2	3	11	19	29	38	64
TOT. SINGLE DX	958675	5.0	29	1	1	3	6	10	15	27
" MULTIPLE DX	1110790	9.2	96	1	2	6	11	20	28	53
TOTAL 0-19 YRS	323504	4.0	32	1	1	2	4	8	12	31
20-34	649017	5.0	28	1	2	4	6	9	13	27
35-49	356398	7.0	51	1	2	5	9	14	19	37
50-64	373075	9.1	84	2	2	7	12	19	26	49
65+	367471	12.4	130	2	2	9	17	26	34	59
GRAND TOTAL	**2069465**	**7.3**	**69**	**1**	**2**	**5**	**9**	**16**	**23**	**44**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	153	13.2	170	2	3	10	16	23	39	94
20-34	198	14.3	101	2	4	12	17	26	37	52
35-49	221	17.7	159	4	6	15	22	34	45	60
50-64	348	19.0	162	3	7	16	24	36	45	78
65+	221	22.6	239	7	9	18	29	43	56	78
2. MULTIPLE DX										
0-19 YRS	176	20.6	226	3	4	17	30	41	59	99+
20-34	155	22.5	318	3	7	17	29	58	73	99+
35-49	234	26.5	350	7	10	20	33	60	75	99+
50-64	467	26.1	344	8	10	21	33	59	75	99+
65+	476	30.0	364	8	11	25	41	63	78	99+
TOT. SINGLE DX	1141	17.9	177	3	6	15	22	34	45	76
" MULTIPLE DX	1508	26.4	343	7	9	21	34	59	74	99+
TOTAL 0-19 YRS	329	17.1	213	2	3	13	22	36	54	99+
20-34	353	17.9	213	2	5	14	21	38	58	99
35-49	455	22.2	276	5	8	17	27	51	63	99
50-64	815	23.1	278	6	9	19	28	50	64	99+
65+	697	27.7	336	8	10	23	36	59	72	99+
GRAND TOTAL	2649	22.7	289	4	7	18	29	50	64	99+

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	136	12.6	82	4	5	9	17	24	30	48
20-34	133	16.1	171	4	6	12	18	35	48	72
35-49	139	17.8	147	5	8	15	20	32	43	69
50-64	183	20.0	198	7	8	17	26	41	65	99+
65+	168	20.9	202	6	8	17	27	40	53	70
2. MULTIPLE DX										
0-19 YRS	147	22.6	341	5	6	17	35	65	99+	99+
20-34	180	25.6	391	7	8	19	38	59	94	99+
35-49	193	25.4	290	7	9	21	34	58	84	99+
50-64	310	29.4	427	8	10	24	42	71	92	99+
65+	338	29.5	356	9	12	25	38	61	79	99+
TOT. SINGLE DX	759	17.8	172	5	6	14	22	35	48	85
" MULTIPLE DX	1168	27.3	373	7	9	23	38	65	91	99+
TOTAL 0-19 YRS	283	17.8	241	4	5	13	25	47	67	99+
20-34	313	21.6	319	5	7	15	31	53	73	99+
35-49	332	22.2	244	6	9	18	29	45	66	99+
50-64	493	25.9	362	7	9	21	35	66	87	99+
65+	506	26.6	320	8	10	22	35	54	72	99+
GRAND TOTAL	1927	23.6	315	6	8	18	32	53	75	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	220	7.8	52	2	3	7	9	12	16	43
20-34	102	8.0	22	2	3	8	10	13	16	27
35-49	60	8.5	32	2	3	7	10	16	23	26
50-64	30	11.1	189	4	4	8	11	15	25	80
65+	12	13.1	82	5	6	9	15	30	33	33
2. MULTIPLE DX										
0-19 YRS	172	12.2	114	3	4	9	14	25	36	99+
20-34	140	12.1	117	2	3	9	16	32	50	99+
35-49	64	11.9	98	3	4	10	14	30	68	99+
50-64	62	13.2	83	4	5	10	18	26	38	92
65+	25	18.6	224	4	5	11	27	38	47	64
TOT. SINGLE DX	424	8.3	53	2	3	7	10	13	18	38
" MULTIPLE DX	463	12.6	116	3	4	10	16	29	41	99+
TOTAL 0-19 YRS	392	9.8	84	2	3	8	11	18	26	74
20-34	242	10.4	80	2	3	8	12	21	34	99+
35-49	124	10.3	69	3	3	9	13	2[illegible]	31	99+
50-64	92	12.5	117	4	4	9	15	25	38	91
65+	37	16.8	181	5	5	10	26	35	40	64
GRAND TOTAL	887	10.6	90	3	3	8	12	22	33	99+

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	11.7	52	4	5	10	15	19	30	75
20-34	36	12.5	17	7	8	12	16	17	21	22
35-49	29	15.9	105	5	6	15	19	25	31	57
50-64	44	20.5	242	7	9	16	23	40	46	87
65+	49	21.3	143	7	8	20	27	37	45	64
2. MULTIPLE DX										
0-19 YRS	154	19.5	261	5	6	14	28	53	99+	99+
20-34	52	21.5	266	6	8	17	31	76	99+	99+
35-49	38	25.6	499	8	8	17	41	74	96	99+
50-64	87	28.4	412	8	8	22	44	60	76	99+
65+	136	32.3	314	11	13	28	40	59	70	95
TOT. SINGLE DX	254	15.7	119	5	6	13	19	28	39	64
" MULTIPLE DX	467	25.6	350	6	8	21	38	60	87	99+
TOTAL 0-19 YRS	250	16.5	194	5	6	12	21	42	71	99+
20-34	88	17.8	183	6	8	14	21	51	97	99+
35-49	67	21.4	348	6	8	15	24	57	88	99+
50-64	131	25.8	367	7	9	20	37	57	73	99+
65+	185	29.4	291	8	11	26	39	52	65	93
GRAND TOTAL	721	22.1	291	6	7	17	30	52	69	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	196	10.0	108	2	3	7	12	20	26	75
20-34	54	14.8	149	3	4	11	20	40	56	99+
35-49	33	12.3	122	2	2	10	17	20	27	61
50-64	36	12.9	108	1	2	10	17	27	33	45
65+	24	17.2	251	2	3	13	24	37	50	69
2. MULTIPLE DX										
0-19 YRS	374	14.7	185	2	3	10	19	36	54	99+
20-34	98	22.9	348	4	5	19	36	61	99+	99+
35-49	57	20.2	250	3	4	17	26	50	91	99+
50-64	66	22.6	292	4	6	19	32	50	75	99+
65+	82	25.3	318	5	6	21	35	49	65	77
TOT. SINGLE DX	343	11.8	129	2	3	9	15	25	37	85
" MULTIPLE DX	677	18.4	257	3	4	14	25	46	64	99+
TOTAL 0-19 YRS	570	13.1	163	2	3	9	17	29	47	99+
20-34	152	20.0	291	4	5	15	29	54	96	99+
35-49	90	17.3	216	2	3	16	23	46	60	99+
50-64	102	19.2	247	3	4	14	27	45	53	99+
65+	106	23.5	311	4	5	19	34	46	64	76
GRAND TOTAL	1020	16.2	224	2	4	12	22	40	56	99+

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	12.6	65	5	5	10	14	26	32	38
20-34	434	13.1	60	6	6	11	16	21	28	87
35-49	843	13.4	49	6	7	12	16	22	27	40
50-64	698	14.5	66	6	7	13	17	24	28	49
65+	196	18.1	94	7	9	15	23	33	39	48
2. MULTIPLE DX										
0-19 YRS	49	27.0	470	6	7	18	47	67	70	99+
20-34	291	18.3	202	6	7	15	21	33	61	99+
35-49	667	16.6	126	6	7	14	20	30	40	78
50-64	968	20.9	195	7	8	17	26	40	51	95
65+	537	27.2	292	9	11	24	35	54	70	99+
TOT. SINGLE DX	2208	14.1	63	6	7	12	17	24	29	47
" MULTIPLE DX	2512	20.9	218	7	8	17	26	41	56	99+
TOTAL 0-19 YRS	86	20.8	344	5	6	13	26	55	68	95
20-34	725	15.2	123	6	7	12	18	27	39	99+
35-49	1510	14.8	85	6	7	12	18	25	33	59
50-64	1666	18.2	151	7	8	15	23	33	44	87
65+	733	24.8	255	9	10	21	32	48	63	99+
GRAND TOTAL	4720	17.7	157	6	8	14	22	33	45	89

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	12.1	129	2	4	9	14	22	31	64
20-34	221	10.9	109	1	2	8	14	24	32	57
35-49	241	10.6	77	2	2	8	14	24	29	39
50-64	167	10.6	105	2	2	8	13	22	34	52
65+	51	18.2	244	2	4	13	22	43	46	72
2. MULTIPLE DX										
0-19 YRS	76	17.6	260	2	3	15	25	39	81	99+
20-34	219	14.7	225	2	2	11	18	36	51	99+
35-49	302	13.6	165	2	3	10	17	30	38	78
50-64	309	16.7	200	2	3	14	22	37	54	99+
65+	158	24.3	299	3	5	22	35	50	62	98
TOT. SINGLE DX	729	11.3	111	2	2	8	14	24	33	54
" MULTIPLE DX	1064	16.6	225	2	3	13	22	38	53	99+
TOTAL 0-19 YRS	125	15.4	214	2	4	12	21	32	64	99+
20-34	440	12.8	170	2	2	9	16	29	41	99+
35-49	543	12.3	128	2	2	10	15	27	34	60
50-64	476	14.5	175	2	3	11	19	33	47	95
65+	209	22.8	292	3	4	19	33	47	60	91
GRAND TOTAL	1793	14.4	186	2	3	11	19	33	45	90

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	144	3.1	4	1	1	3	4	5	8	11
20-34	663	3.7	11	1	2	3	4	6	9	22
35-49	785	3.6	10	1	2	3	4	6	9	20
50-64	911	3.9	14	1	2	3	4	6	10	23
65+	366	4.2	12	2	2	3	5	8	11	21
2. MULTIPLE DX										
0-19 YRS	71	4.7	26	1	2	3	6	9	21	99+
20-34	330	5.2	42	1	2	3	5	10	17	46
35-49	457	5.6	37	2	2	4	6	12	17	27
50-64	648	6.0	66	2	2	4	6	11	16	58
65+	248	8.2	76	2	2	5	10	21	26	42
TOT. SINGLE DX	2869	3.8	12	1	2	3	4	6	9	21
" MULTIPLE DX	1754	6.0	55	2	2	4	6	12	19	41
TOTAL 0-19 YRS	215	3.7	12	1	2	3	4	7	9	56
20-34	993	4.2	22	1	2	3	4	8	11	30
35-49	1242	4.3	21	1	2	3	5	8	12	25
50-64	1559	4.8	37	2	2	3	5	9	13	29
65+	614	5.8	42	2	2	4	6	12	21	33
GRAND TOTAL	4623	4.6	29	1	2	3	5	8	13	28

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	363	3.2	9	1	1	2	4	5	8	21
20-34	2652	2.8	6	1	1	2	3	4	6	12
35-49	3465	3.1	11	1	1	2	3	5	7	16
50-64	3415	3.1	9	1	2	2	3	5	7	14
65+	1289	3.6	12	1	2	3	4	6	10	20
2. MULTIPLE DX										
0-19 YRS	316	3.3	14	1	1	2	4	6	10	23
20-34	1069	4.3	23	1	1	3	5	9	12	24
35-49	1496	5.7	44	1	2	3	6	13	18	34
50-64	2033	5.4	30	2	2	3	6	12	16	31
65+	1114	6.7	60	2	2	4	8	15	20	34
TOT. SINGLE DX	11184	3.1	9	1	1	2	3	5	7	15
" MULTIPLE DX	6028	5.4	37	1	2	3	6	12	17	31
TOTAL 0-19 YRS	679	3.3	11	1	1	2	4	6	8	22
20-34	3721	3.2	11	1	1	2	3	5	8	20
35-49	4961	3.9	22	1	2	3	4	7	12	26
50-64	5448	3.9	18	1	2	3	4	8	12	22
65+	2403	5.0	36	1	2	3	5	11	15	29
GRAND TOTAL	17212	3.9	20	1	2	3	4	7	12	24

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	8.7	175	1	1	6	7	24	46	48
20-34	68	7.2	23	2	2	6	9	13	15	29
35-49	71	9.5	49	2	3	8	12	17	25	36
50-64	82	11.0	43	2	4	10	13	18	25	32
65+	72	15.7	184	5	7	11	18	28	38	82
2. MULTIPLE DX										
0-19 YRS	9	6.2	3	4	4	6	7	9	10	10
20-34	59	11.0	74	4	5	8	11	21	29	46
35-49	89	15.7	155	4	4	12	20	32	39	68
50-64	215	17.2	188	5	6	13	21	32	47	81
65+	344	21.0	206	7	8	17	26	39	48	83
TOT. SINGLE DX	304	10.8	86	2	3	9	13	20	27	43
" MULTIPLE DX	716	18.2	191	5	6	15	23	35	46	77
TOTAL 0-19 YRS	20	7.6	95	1	2	6	7	9	29	48
20-34	127	8.9	50	2	3	7	10	15	23	44
35-49	160	13.0	117	2	3	10	17	26	35	54
50-64	297	15.5	156	4	5	12	19	29	40	72
65+	416	20.1	206	6	8	16	25	37	46	84
GRAND TOTAL	1020	16.0	171	4	5	12	20	31	42	73

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	3.8	4	1	1	5	5	6	7	7
20-34	67	8.1	108	1	1	5	10	17	22	67
35-49	75	7.3	32	1	2	6	10	14	18	83
50-64	76	7.7	50	1	1	5	10	16	18	40
65+	29	13.0	240	3	3	9	13	32	43	77
2. MULTIPLE DX										
0-19 YRS	20	7.4	124	<1	1	2	7	28	34	39
20-34	65	8.3	48	1	1	6	12	16	25	31
35-49	83	11.8	89	2	2	11	15	25	35	82
50-64	110	12.0	61	2	4	10	16	22	29	38
65+	101	15.1	170	3	4	11	19	28	40	75
TOT. SINGLE DX	258	8.1	81	1	1	6	10	16	23	73
" MULTIPLE DX	379	11.9	102	1	2	10	16	25	31	48
TOTAL 0-19 YRS	31	6.1	83	1	1	2	5	18	29	39
20-34	132	8.2	78	1	1	6	11	17	24	39
35-49	158	9.7	67	2	2	8	13	19	27	95
50-64	186	10.3	61	1	2	8	14	19	26	38
65+	130	14.6	185	3	3	10	18	28	41	79
GRAND TOTAL	637	10.4	97	1	2	8	14	22	28	50

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	280	5.1	9	2	3	4	6	8	11	18
20-34	1453	5.0	9	3	3	4	5	7	9	17
35-49	1407	5.1	6	3	3	5	6	7	9	15
50-64	1179	5.5	6	3	3	5	6	8	10	17
65+	374	6.3	13	3	3	5	7	10	14	24
2. MULTIPLE DX										
0-19 YRS	98	7.2	44	3	3	5	8	13	17	44
20-34	610	6.4	29	3	3	5	7	11	15	33
35-49	894	7.0	42	3	3	5	7	12	16	28
50-64	1004	8.1	43	3	4	6	9	15	20	33
65+	587	10.7	77	4	4	8	13	20	28	48
TOT. SINGLE DX	4693	5.3	8	3	3	5	6	8	10	17
" MULTIPLE DX	3193	7.9	49	3	4	6	9	15	20	37
TOTAL 0-19 YRS	378	5.6	19	2	3	5	6	9	13	24
20-34	2063	5.4	15	3	3	5	6	8	11	23
35-49	2301	5.8	21	3	3	5	6	9	12	23
50-64	2183	6.7	25	3	4	5	7	12	15	27
65+	961	9.0	57	3	4	6	10	17	23	41
GRAND TOTAL	**7886**	**6.3**	**26**	**3**	**3**	**5**	**7**	**11**	**15**	**27**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	353	2.9	5	1	1	3	3	4	5	16
20-34	221	4.0	9	2	2	3	5	6	9	20
35-49	181	4.3	6	2	2	4	5	7	9	11
50-64	168	6.3	80	2	2	5	7	10	11	61
65+	90	7.0	26	2	2	6	9	12	19	24
2. MULTIPLE DX										
0-19 YRS	68	5.5	48	2	2	3	6	10	19	44
20-34	133	8.4	79	2	3	6	9	15	23	53
35-49	173	9.0	68	3	3	7	9	20	26	44
50-64	234	9.5	65	3	4	7	11	19	27	46
65+	170	14.3	138	4	5	10	18	28	37	65
TOT. SINGLE DX	1013	4.3	22	1	2	3	5	7	10	21
" MULTIPLE DX	778	9.9	89	2	3	7	12	21	28	50
TOTAL 0-19 YRS	421	3.4	13	1	1	3	4	5	7	19
20-34	354	5.7	39	2	2	4	6	10	15	29
35-49	354	6.6	41	2	2	5	8	10	20	35
50-64	402	8.2	74	2	3	6	9	15	24	49
65+	260	11.8	111	2	3	8	15	23	31	53
GRAND TOTAL	**1791**	**6.8**	**59**	**2**	**2**	**4**	**8**	**14**	**21**	**42**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	12.9	109	2	4	10	15	24	37	49
20-34	77	12.8	42	4	7	11	17	23	25	33
35-49	41	12.3	34	4	6	11	15	20	26	29
50-64	43	13.8	32	3	7	13	17	22	23	25
65+	16	18.6	268	2	4	16	19	28	60	74
2. MULTIPLE DX										
0-19 YRS	14	15.6	79	5	9	13	23	34	83	99+
20-34	58	16.6	259	6	7	12	18	24	44	95
35-49	92	18.4	166	6	9	14	21	35	47	70
50-64	99	19.5	127	8	9	16	26	34	44	84
65+	58	25.0	291	6	9	21	28	49	63	87
TOT. SINGLE DX	197	13.4	64	3	6	12	16	23	26	42
" MULTIPLE DX	321	19.5	195	7	9	15	24	37	47	91
TOTAL 0-19 YRS	34	14.0	95	3	5	11	17	32	45	99+
20-34	135	14.4	137	5	7	12	17	23	27	86
35-49	133	16.5	132	5	8	13	19	29	40	64
50-64	142	17.7	104	7	8	15	23	32	42	70
65+	74	23.6	289	5	8	19	27	47	64	85
GRAND TOTAL	**518**	**17.2**	**153**	**5**	**8**	**14**	**21**	**31**	**43**	**78**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	394	1.5	1	<1	<1	1	2	2	3	4
20-34	92	2.4	3	<1	1	2	3	4	7	9
35-49	104	2.4	3	<1	1	2	3	4	6	10
50-64	164	2.3	4	<1	1	2	3	4	5	17
65+	212	2.6	5	1	1	2	3	4	7	14
2. MULTIPLE DX										
0-19 YRS	78	4.9	138	<1	<1	2	3	6	26	70
20-34	61	7.8	82	1	1	5	9	21	33	39
35-49	130	6.4	39	1	1	4	9	14	20	30
50-64	235	6.4	61	1	1	3	8	16	25	39
65+	278	6.4	40	1	2	4	9	15	19	37
TOT. SINGLE DX	966	2.0	3	<1	1	2	2	3	4	10
" MULTIPLE DX	782	6.4	59	1	1	3	8	15	23	38
TOTAL 0-19 YRS	472	2.0	25	<1	<1	1	2	2	3	23
20-34	153	4.5	41	1	1	2	5	9	15	36
35-49	234	4.6	27	1	1	2	5	11	14	27
50-64	399	4.7	41	1	1	2	4	11	20	36
65+	490	4.8	28	1	1	2	5	12	16	28
GRAND TOTAL	**1748**	**4.0**	**33**	**<1**	**1**	**2**	**4**	**9**	**14**	**31**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	506	2.2	2	<1	1	2	2	4	4	9
20-34	214	2.2	2	1	1	2	3	4	5	8
35-49	313	2.3	3	<1	1	2	3	3	5	10
50-64	570	2.3	2	1	1	2	2	4	4	10
65+	677	2.3	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	502	3.5	21	1	1	2	4	7	9	22
20-34	515	4.1	33	<1	1	2	5	9	12	33
35-49	560	4.2	25	1	1	3	4	8	12	33
50-64	803	4.0	20	1	1	3	4	7	11	24
65+	910	5.7	55	1	2	3	6	14	20	41
TOT. SINGLE DX	2280	2.3	2	<1	1	2	2	4	5	9
" MULTIPLE DX	3290	4.4	33	1	1	3	5	9	14	33
TOTAL 0-19 YRS	1008	2.8	12	<1	1	2	3	5	7	15
20-34	729	3.5	24	<1	1	2	4	7	10	26
35-49	873	3.5	18	1	1	2	3	7	10	31
50-64	1373	3.3	14	1	1	2	3	5	8	21
65+	1587	4.3	35	1	1	2	4	9	15	33
GRAND TOTAL	**5570**	**3.5**	**22**	**1**	**1**	**2**	**4**	**7**	**10**	**26**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	2.0	1	<1	1	2	2	4	4	5
20-34	72	2.3	1	1	1	2	3	4	4	79
35-49	59	2.7	2	<1	1	2	3	5	6	7
50-64	80	3.0	6	1	2	3	3	5	5	17
65+	137	3.5	31	2	2	3	3	5	5	27
2. MULTIPLE DX										
0-19 YRS	43	3.3	5	1	1	2	4	7	9	10
20-34	38	3.9	10	1	2	3	4	7	10	18
35-49	32	3.2	1	2	2	3	4	5	5	6
50-64	58	4.4	13	1	2	3	4	11	12	17
65+	118	5.2	25	2	2	3	6	12	15	27
TOT. SINGLE DX	433	2.8	12	1	1	2	3	4	5	11
" MULTIPLE DX	289	4.4	16	2	2	3	5	9	12	20
TOTAL 0-19 YRS	128	2.4	3	1	1	2	3	4	6	9
20-34	110	2.9	5	1	1	2	3	4	7	50
35-49	91	2.9	2	1	2	3	4	5	5	7
50-64	138	3.6	9	1	2	3	4	6	11	17
65+	255	4.3	29	2	2	3	4	7	12	23
GRAND TOTAL	**722**	**3.4**	**14**	**1**	**2**	**3**	**4**	**5**	**9**	**19**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	65	1.7	1	<1	1	2	2	2	3	8
20-34	34	2.5	11	1	1	2	3	3	4	21
35-49	21	2.0	2	<1	<1	2	2	4	6	7
50-64	26	3.8	42	<1	1	2	3	7	16	34
65+	31	2.7	8	1	1	2	3	4	5	17
2. MULTIPLE DX										
0-19 YRS	20	2.9	8	1	1	2	3	5	9	13
20-34	19	2.8	5	<1	1	2	4	6	8	9
35-49	20	4.1	11	1	1	3	5	9	13	13
50-64	17	7.7	93	1	2	4	8	27	33	34
65+	40	5.4	23	1	2	3	7	12	15	22
TOT. SINGLE DX	177	2.4	11	<1	1	2	2	4	5	20
" MULTIPLE DX	116	4.6	27	1	1	3	5	10	14	31
TOTAL 0-19 YRS	85	2.0	3	<1	1	2	2	3	4	12
20-34	53	2.6	9	1	1	2	3	4	6	21
35-49	41	3.0	8	<1	1	2	4	6	10	13
50-64	43	5.3	64	1	1	2	4	11	31	34
65+	71	4.2	18	1	1	2	4	10	15	21
GRAND TOTAL	**293**	**3.3**	**18**	**1**	**1**	**2**	**3**	**6**	**10**	**27**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	5.5	8	2	3	5	7	9	11	15
20-34	80	5.0	6	3	3	4	6	8	9	17
35-49	56	5.0	9	2	3	4	6	8	10	20
50-64	77	4.5	5	2	3	4	5	7	10	12
65+	167	4.7	4	3	3	4	5	7	9	15
2. MULTIPLE DX										
0-19 YRS	12	4.6	1	3	3	5	6	6	6	6
20-34	26	5.8	24	2	2	4	7	9	15	26
35-49	32	7.9	106	3	3	5	7	14	34	52
50-64	84	6.7	36	3	3	5	7	12	25	77
65+	253	6.3	31	3	3	5	7	10	15	31
TOT. SINGLE DX	404	4.8	6	3	3	4	5	8	9	15
" MULTIPLE DX	407	6.5	36	3	3	5	7	10	15	35
TOTAL 0-19 YRS	36	5.2	6	3	3	5	6	8	9	15
20-34	106	5.2	11	2	3	4	6	9	10	22
35-49	88	6.1	46	2	3	5	6	9	13	46
50-64	161	5.6	22	2	3	5	6	10	13	35
65+	420	5.7	21	3	3	5	6	9	12	30
GRAND TOTAL	**811**	**5.6**	**22**	**3**	**3**	**5**	**6**	**9**	**12**	**32**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	3.9	8	1	1	3	5	7	10	15
20-34	259	2.6	3	1	1	2	3	5	6	11
35-49	212	2.3	3	1	1	2	2	3	4	12
50-64	150	2.5	2	1	1	2	3	4	5	9
65+	144	3.0	9	<1	1	2	3	6	7	15
2. MULTIPLE DX										
0-19 YRS	123	4.8	7	2	2	4	6	8	10	14
20-34	120	5.0	18	1	2	4	6	9	12	24
35-49	77	4.2	14	1	2	3	5	8	11	24
50-64	95	4.4	19	1	2	3	5	7	12	26
65+	146	5.2	41	1	2	3	5	14	19	40
TOT. SINGLE DX	903	2.8	5	1	1	2	3	5	6	13
" MULTIPLE DX	561	4.8	21	1	2	3	6	9	13	26
TOTAL 0-19 YRS	261	4.4	8	1	2	4	6	8	10	15
20-34	379	3.3	9	1	1	2	4	6	8	17
35-49	289	2.8	7	1	1	2	3	5	7	16
50-64	245	3.2	10	1	1	2	4	6	7	17
65+	290	4.1	26	1	1	3	4	8	14	27
GRAND TOTAL	**1464**	**3.6**	**12**	**1**	**1**	**2**	**4**	**7**	**9**	**19**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	3.7	9	1	2	3	4	6	10	18
20-34	36	5.8	103	<1	1	3	5	9	16	62
35-49	84	4.2	5	2	2	4	5	7	9	11
50-64	246	4.4	20	2	2	4	5	7	9	16
65+	448	4.5	13	2	2	3	5	8	11	18
2. MULTIPLE DX										
0-19 YRS	20	4.5	13	2	2	3	5	9	13	17
20-34	31	5.6	45	1	2	4	6	10	13	38
35-49	68	6.6	42	2	2	5	8	13	17	40
50-64	197	5.4	14	2	2	4	7	10	13	19
65+	397	5.8	24	2	2	4	7	11	14	24
TOT. SINGLE DX	855	4.5	18	2	2	3	5	8	10	18
" MULTIPLE DX	713	5.7	24	2	2	4	7	11	14	23
TOTAL 0-19 YRS	61	4.0	11	1	2	3	4	7	11	18
20-34	67	5.7	75	<1	2	4	5	9	14	58
35-49	152	5.3	23	2	2	4	6	9	12	23
50-64	443	4.8	18	2	2	4	6	9	11	18
65+	845	5.1	19	2	2	4	6	10	12	22
GRAND TOTAL	**1568**	**5.0**	**21**	**2**	**2**	**4**	**6**	**9**	**12**	**22**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	4.5	13	1	1	3	6	9	11	18
20-34	91	3.4	7	1	1	3	4	6	12	14
35-49	121	3.5	5	1	2	3	4	7	8	11
50-64	317	3.6	8	1	2	3	4	7	9	16
65+	515	3.9	10	1	2	3	4	7	9	16
2. MULTIPLE DX										
0-19 YRS	71	6.3	23	2	2	4	9	13	15	23
20-34	79	5.4	10	1	2	5	7	10	11	18
35-49	59	6.2	19	2	2	5	8	11	15	23
50-64	203	5.7	27	1	2	4	7	12	17	26
65+	379	5.9	47	2	2	4	7	12	17	37
TOT. SINGLE DX	1126	3.8	9	1	2	3	4	7	9	16
" MULTIPLE DX	791	5.9	34	2	2	4	7	12	16	28
TOTAL 0-19 YRS	153	5.3	18	1	2	4	7	11	14	18
20-34	170	4.3	10	1	1	4	5	9	12	14
35-49	180	4.4	11	1	2	3	6	8	10	19
50-64	520	4.4	16	1	2	3	5	9	12	22
65+	894	4.8	26	1	2	3	5	9	13	26
GRAND TOTAL	**1917**	**4.6**	**20**	**1**	**2**	**3**	**5**	**9**	**12**	**22**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	5.1	18	2	2	4	6	9	14	23
20-34	34	3.8	4	1	2	3	4	5	8	12
35-49	756	3.7	9	2	2	3	4	5	7	12
50-64	5164	3.7	5	2	2	3	4	5	7	12
65+	15888	3.9	6	2	2	3	4	6	8	12
2. MULTIPLE DX										
0-19 YRS	21	5.0	12	2	2	4	6	11	14	15
20-34	37	4.7	14	2	2	4	5	8	14	19
35-49	459	4.9	17	2	2	4	5	9	12	26
50-64	3740	4.8	16	2	2	4	5	8	11	23
65+	13847	5.1	21	2	2	4	5	9	12	24
TOT. SINGLE DX	21878	3.9	6	2	2	3	4	6	7	12
" MULTIPLE DX	18104	5.0	20	2	2	4	5	9	12	24
TOTAL 0-19 YRS	57	5.0	16	2	2	4	6	9	14	22
20-34	71	4.3	9	2	2	4	4	7	12	18
35-49	1215	4.2	12	2	2	3	4	7	9	23
50-64	8904	4.2	10	2	2	3	4	6	9	17
65+	29735	4.5	14	2	2	4	5	7	10	19
GRAND TOTAL	**39982**	**4.4**	**13**	**2**	**2**	**4**	**5**	**7**	**10**	**19**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	221	2.9	5	1	1	2	3	4	6	12
20-34	146	2.7	2	1	2	2	3	4	5	8
35-49	426	2.7	3	1	2	2	3	4	5	11
50-64	1288	2.6	2	1	2	2	3	4	5	10
65+	2888	3.0	3	2	2	3	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	123	3.7	8	2	2	3	4	7	9	15
20-34	88	4.0	19	1	2	3	5	7	10	28
35-49	198	3.4	6	1	2	3	4	6	8	13
50-64	709	3.7	9	2	2	3	4	6	10	18
65+	1405	4.6	24	2	2	3	5	8	12	25
TOT. SINGLE DX	4969	2.9	3	2	2	2	3	4	5	10
" MULTIPLE DX	2523	4.2	17	2	2	3	4	7	11	22
TOTAL 0-19 YRS	344	3.2	6	1	2	3	3	5	8	14
20-34	234	3.2	9	1	2	2	3	6	7	12
35-49	624	2.9	4	1	2	2	3	5	6	12
50-64	1997	3.0	5	1	2	2	3	5	6	14
65+	4293	3.5	10	2	2	3	4	5	8	18
GRAND TOTAL	**7492**	**3.3**	**8**	**2**	**2**	**3**	**3**	**5**	**7**	**15**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	4.0	11	2	2	2	5	10	11	11
20-34	7	3.7	2	2	2	3	5	5	5	5
35-49	34	3.8	15	1	2	3	4	5	7	24
50-64	227	3.0	2	1	2	3	3	4	5	9
65+	766	3.4	6	2	2	3	4	5	6	11
2. MULTIPLE DX										
0-19 YRS	5	3.4	1	2	2	3	4	5	5	5
20-34	6	3.7	1	3	3	3	4	6	6	6
35-49	11	6.2	30	3	3	4	6	14	21	22
50-64	133	4.3	13	2	2	3	4	7	13	19
65+	495	4.9	22	2	2	3	5	9	13	27
TOT. SINGLE DX	1041	3.3	5	2	2	3	4	5	6	11
" MULTIPLE DX	650	4.7	20	2	2	3	5	8	13	24
TOTAL 0-19 YRS	12	3.8	7	2	2	3	4	7	10	11
20-34	13	3.7	1	2	2	3	5	5	6	6
35-49	45	4.4	19	1	2	3	4	7	11	24
50-64	360	3.5	7	1	2	3	4	5	7	15
65+	1261	4.0	13	2	2	3	4	6	9	23
GRAND TOTAL	**1691**	**3.9**	**11**	**2**	**2**	**3**	**4**	**6**	**8**	**22**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	123	5.2	11	2	2	5	6	9	11	18
20-34	191	5.2	8	2	2	5	6	9	11	13
35-49	175	5.0	8	2	2	5	5	8	9	18
50-64	618	5.2	11	2	2	5	6	8	10	23
65+	597	5.6	8	2	3	5	7	9	10	16
2. MULTIPLE DX										
0-19 YRS	61	5.6	12	2	2	5	7	9	15	18
20-34	104	6.1	19	2	2	5	8	10	13	26
35-49	137	6.4	21	2	2	5	8	13	15	22
50-64	540	6.0	13	2	2	5	7	10	12	19
65+	600	6.5	21	2	3	5	8	11	15	25
TOT. SINGLE DX	1704	5.3	9	2	2	5	6	8	10	18
" MULTIPLE DX	1442	6.2	17	2	2	5	8	11	14	22
TOTAL 0-19 YRS	184	5.3	11	2	2	5	6	9	12	17
20-34	295	5.5	12	2	2	5	7	9	11	19
35-49	312	5.6	14	2	2	5	6	9	13	22
50-64	1158	5.6	12	2	2	5	7	9	11	21
65+	1197	6.0	15	2	3	5	7	10	13	22
GRAND TOTAL	**3146**	**5.7**	**13**	**2**	**2**	**5**	**7**	**9**	**12**	**21**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	4.0	20	1	1	3	4	5	7	27
20-34	52	4.8	18	<1	1	4	6	10	14	22
35-49	37	5.0	14	1	2	4	6	9	13	20
50-64	79	4.6	12	1	1	3	6	9	12	18
65+	139	4.3	10	1	2	4	5	7	9	16
2. MULTIPLE DX										
0-19 YRS	28	5.4	17	1	2	4	6	12	17	17
20-34	101	6.9	40	3	3	5	8	12	16	38
35-49	69	5.8	14	2	2	5	6	10	14	21
50-64	178	6.0	42	2	2	4	6	11	14	42
65+	238	5.6	22	2	2	4	7	11	13	24
TOT. SINGLE DX	338	4.5	13	1	2	4	5	7	12	20
" MULTIPLE DX	614	6.0	29	2	2	5	7	11	14	28
TOTAL 0-19 YRS	59	4.7	19	1	2	4	5	8	15	26
20-34	153	6.2	33	1	2	5	7	11	16	22
35-49	106	5.5	14	2	2	5	6	10	13	21
50-64	257	5.6	33	1	2	4	6	11	14	33
65+	377	5.2	18	2	2	4	6	9	12	22
GRAND TOTAL	**952**	**5.4**	**24**	**1**	**2**	**4**	**6**	**10**	**14**	**24**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4315	1.9	4	1	1	2	2	2	2	4
20-34	676	2.1	2	1	1	2	2	3	3	4
35-49	306	2.2	1	1	1	2	2	3	4	7
50-64	139	2.2		1	2	2	2	3	4	5
65+	66	2.3	1	1	2	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	784	2.1	6	1	1	2	2	2	3	10
20-34	205	2.5	3	1	2	2	3	3	5	11
35-49	127	2.8	7	1	2	2	3	4	7	17
50-64	116	2.6	4	1	2	2	3	4	4	14
65+	65	2.8	5	1	2	2	3	4	5	15
TOT. SINGLE DX	5502	1.9	4	1	1	2	2	2	3	4
" MULTIPLE DX	1297	2.3	5	1	1	2	2	3	4	12
TOTAL 0-19 YRS	5099	1.9	4	1	1	2	2	2	2	4
20-34	881	2.2	2	1	1	2	2	3	3	8
35-49	433	2.4	3	1	1	2	2	3	4	11
50-64	255	2.4	2	1	2	2	2	3	4	6
65+	131	2.6	3	1	2	2	3	4	5	13
GRAND TOTAL	**6799**	**2.0**	**4**	**1**	**1**	**2**	**2**	**2**	**3**	**6**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	1.7		1	1	2	2	2	3	3
20-34	13	3.0	10	<1	1	2	3	6	12	13
35-49	2	14.0	162	5	5	14	23	23	23	23
50-64	6	2.7	1	2	2	2	4	4	4	4
65+	4	12.3	64	1	1	14	17	20	20	20
2. MULTIPLE DX										
0-19 YRS	11	2.2		2	2	2	2	3	3	3
20-34	5	10.0	87	2	2	5	19	22	22	22
35-49	4	8.8	149	2	2	3	15	27	27	27
50-64	5	8.2	163	2	2	2	11	31	31	31
65+	5	11.0	130	1	1	4	21	27	27	27
TOT. SINGLE DX	40	3.9	27	1	1	2	3	13	17	23
" MULTIPLE DX	30	6.8	82	2	2	2	4	24	27	31
TOTAL 0-19 YRS	26	1.9		1	1	2	2	3	3	3
20-34	18	4.9	37	1	2	2	4	16	20	22
35-49	6	10.5	129	2	2	4	23	27	27	27
50-64	11	5.2	74	2	2	2	4	15	30	31
65+	9	11.6	89	1	1	14	19	24	27	27
GRAND TOTAL	**70**	**5.2**	**52**	**1**	**1**	**2**	**4**	**18**	**23**	**30**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	203	3.2	9	<1	1	2	4	7	9	17
20-34	191	3.6	7	1	1	3	4	7	9	14
35-49	111	4.9	79	1	2	3	4	7	11	61
50-64	168	4.1	13	1	2	3	5	7	8	24
65+	179	4.9	44	1	2	3	5	9	13	40
2. MULTIPLE DX										
0-19 YRS	145	5.1	24	1	2	4	6	10	14	31
20-34	185	5.8	31	1	2	4	7	11	14	28
35-49	117	7.5	82	2	2	4	9	17	30	67
50-64	206	6.8	65	2	2	4	8	15	19	36
65+	341	7.6	61	2	2	5	9	17	24	44
TOT. SINGLE DX	852	4.0	26	1	1	3	4	7	10	21
" MULTIPLE DX	994	6.7	54	2	2	4	8	14	21	40
TOTAL 0-19 YRS	348	4.0	16	1	1	3	5	8	11	22
20-34	376	4.7	20	1	2	3	5	9	12	23
35-49	228	6.2	82	2	2	4	6	12	19	58
50-64	374	5.6	43	1	2	4	6	11	17	32
65+	520	6.7	57	1	2	4	8	14	21	45
GRAND TOTAL	**1846**	**5.5**	**43**	**1**	**2**	**3**	**6**	**11**	**17**	**34**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	762	2.2	5	<1	1	2	2	3	4	8
20-34	300	2.4	2	1	1	2	3	4	5	9
35-49	116	3.3	23	1	1	2	3	5	8	30
50-64	126	3.8	46	<1	1	2	4	6	12	37
65+	202	4.0	13	1	1	3	5	9	11	19
2. MULTIPLE DX										
0-19 YRS	465	3.8	20	1	1	3	4	7	10	22
20-34	269	6.1	89	1	1	3	6	14	26	83
35-49	160	6.2	74	1	1	4	7	12	19	79
50-64	234	7.7	88	1	2	4	9	17	24	49
65+	330	8.5	68	1	2	6	12	19	27	54
TOT. SINGLE DX	1506	2.7	11	<1	1	2	3	4	6	16
" MULTIPLE DX	1458	6.2	64	1	1	3	7	14	20	49
TOTAL 0-19 YRS	1227	2.8	11	<1	1	2	3	5	7	15
20-34	569	4.1	47	1	1	2	4	8	13	46
35-49	276	5.0	54	1	1	3	6	11	17	41
50-64	360	6.4	77	1	1	3	7	14	20	46
65+	532	6.8	52	1	2	4	9	15	20	39
GRAND TOTAL	**2964**	**4.4**	**40**	**1**	**1**	**2**	**4**	**9**	**15**	**36**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	128	2.3	1	1	1	2	3	3	4	8
20-34	519	2.6	1	2	2	2	3	4	4	5
35-49	653	2.7	2	2	2	3	3	4	4	6
50-64	731	2.8	2	2	2	3	3	4	4	7
65+	287	3.0	5	2	2	3	3	4	4	11
2. MULTIPLE DX										
0-19 YRS	69	2.1	2	<1	<1	2	2	3	4	8
20-34	142	3.0	7	2	2	3	3	4	5	14
35-49	201	3.7	41	2	2	3	3	5	8	24
50-64	244	3.3	7	2	2	3	3	4	7	18
65+	89	3.6	8	2	2	3	4	7	8	18
TOT. SINGLE DX	2318	2.8	2	2	2	3	3	4	4	6
" MULTIPLE DX	745	3.3	16	1	2	3	3	4	7	17
TOTAL 0-19 YRS	197	2.2	1	<1	1	2	3	3	3	8
20-34	661	2.7	2	2	2	3	3	4	4	6
35-49	854	3.0	11	2	2	3	3	4	5	10
50-64	975	2.9	3	2	2	3	3	4	5	10
65+	376	3.2	6	2	2	3	3	4	6	12
GRAND TOTAL	**3063**	**2.9**	**5**	**2**	**2**	**3**	**3**	**4**	**5**	**9**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1219	2.2	2	1	1	2	2	3	3	5
20-34	922	2.4	2	1	2	2	3	3	4	9
35-49	712	2.4	1	1	2	2	3	3	4	6
50-64	651	2.5	1	1	2	2	3	3	4	5
65+	161	2.6	4	1	2	2	3	3	4	9
2. MULTIPLE DX										
0-19 YRS	940	2.5	3	1	2	2	3	3	4	8
20-34	772	2.7	5	1	2	2	3	4	5	11
35-49	683	3.0	10	2	2	2	3	4	5	12
50-64	629	3.1	9	2	2	2	3	4	6	14
65+	192	2.8	2	2	2	2	3	4	5	8
TOT. SINGLE DX	3665	2.4	2	1	2	2	3	3	4	7
" MULTIPLE DX	3216	2.8	6	1	2	2	3	4	5	11
TOTAL 0-19 YRS	2159	2.3	2	1	1	2	3	3	4	7
20-34	1694	2.6	4	1	2	2	3	3	4	11
35-49	1395	2.7	6	2	2	2	3	4	4	10
50-64	1280	2.8	5	2	2	2	3	4	5	11
65+	353	2.7	3	2	2	2	3	4	5	9
GRAND TOTAL	**6881**	**2.5**	**4**	**1**	**2**	**2**	**3**	**3**	**4**	**9**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6079	1.3	2	<1	<1	1	1	2	2	6
20-34	259	2.1	10	<1	<1	2	2	3	3	7
35-49	178	2.1	2	1	1	2	2	3	5	7
50-64	161	2.2	16	<1	1	2	2	3	5	15
65+	92	2.1	8	1	1	2	2	3	5	67
2. MULTIPLE DX										
0-19 YRS	4587	2.2	9	<1	<1	2	2	3	7	14
20-34	193	3.9	65	<1	1	2	3	7	15	33
35-49	158	4.3	29	1	1	2	5	9	11	33
50-64	180	5.1	31	1	1	3	6	13	18	26
65+	105	7.2	81	1	1	3	9	21	26	48
TOT. SINGLE DX	6769	1.4	3	<1	<1	1	1	2	2	6
" MULTIPLE DX	5223	2.5	15	<1	1	2	2	4	8	20
TOTAL 0-19 YRS	10666	1.7	5	<1	<1	1	2	2	3	11
20-34	452	2.8	34	<1	1	2	2	4	7	23
35-49	336	3.1	16	1	1	2	3	6	9	21
50-64	341	3.7	26	<1	1	2	3	9	14	23
65+	197	4.9	53	1	1	2	4	12	22	49
GRAND TOTAL	**11992**	**1.9**	**8**	**<1**	**<1**	**1**	**2**	**2**	**5**	**14**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	302	3.1	31	1	2	2	3	4	6	14
20-34	194	2.9	3	1	2	3	3	5	5	15
35-49	206	2.9	2	2	2	3	3	4	6	10
50-64	135	3.2	3	2	2	3	3	5	9	10
65+	61	4.8	13	2	2	3	6	10	13	18
2. MULTIPLE DX										
0-19 YRS	522	3.4	17	2	2	3	3	5	7	20
20-34	427	3.2	5	2	2	3	4	5	7	13
35-49	365	3.9	18	2	2	3	4	5	9	25
50-64	323	4.4	43	2	2	3	4	7	11	31
65+	133	6.7	100	2	2	3	6	16	25	73
TOT. SINGLE DX	898	3.2	13	2	2	3	3	5	7	13
" MULTIPLE DX	1770	3.9	26	2	2	3	4	6	9	25
TOTAL 0-19 YRS	824	3.3	22	2	2	2	3	4	7	18
20-34	621	3.1	5	2	2	3	3	5	6	13
35-49	571	3.5	12	2	2	3	4	5	8	22
50-64	458	4.1	32	2	2	3	4	6	9	23
65+	194	6.1	73	2	2	3	6	13	20	61
GRAND TOTAL	**2668**	**3.6**	**22**	**2**	**2**	**3**	**4**	**5**	**8**	**22**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	372	1.7	1	<1	<1	1	2	3	3	6
20-34	191	3.0	5	1	1	2	3	5	8	18
35-49	218	3.4	11	2	2	3	3	5	9	19
50-64	201	4.0	19	2	2	3	4	7	12	28
65+	63	4.6	32	2	2	3	4	8	12	38
2. MULTIPLE DX										
0-19 YRS	321	2.2	3	<1	1	2	2	3	5	9
20-34	173	3.6	27	1	2	2	3	5	10	45
35-49	147	3.9	16	2	2	3	4	7	9	30
50-64	161	4.7	26	1	2	3	5	10	16	29
65+	71	7.6	114	1	2	3	8	20	32	55
TOT. SINGLE DX	1045	2.9	10	<1	1	2	3	5	7	18
" MULTIPLE DX	873	3.7	25	1	1	2	3	6	10	31
TOTAL 0-19 YRS	693	1.9	2	<1	<1	2	2	3	4	7
20-34	364	3.3	16	1	2	2	3	5	9	30
35-49	365	3.6	13	2	2	3	3	6	9	22
50-64	362	4.4	22	2	2	3	4	8	13	29
65+	134	6.2	77	1	2	3	5	13	25	50
GRAND TOTAL	**1918**	**3.3**	**17**	**<1**	**1**	**2**	**3**	**5**	**9**	**25**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	397	2.6	1	1	2	2	3	4	4	6
20-34	937	2.7	2	1	2	2	3	4	5	6
35-49	409	2.8	3	1	2	3	3	4	5	9
50-64	248	2.8	3	1	2	3	3	4	5	24
65+	51	3.6	4	1	2	3	4	6	7	13
2. MULTIPLE DX										
0-19 YRS	712	3.4	11	1	2	3	4	5	6	14
20-34	1789	3.6	6	1	2	3	4	6	7	13
35-49	925	4.0	15	2	2	3	4	7	9	18
50-64	564	4.1	16	2	2	3	4	7	9	21
65+	156	4.3	10	2	2	3	5	8	10	20
TOT. SINGLE DX	2042	2.7	2	1	2	2	3	4	5	8
" MULTIPLE DX	4146	3.8	10	2	2	3	4	6	8	16
TOTAL 0-19 YRS	1109	3.1	8	1	2	3	4	5	5	12
20-34	2726	3.3	5	1	2	3	4	5	7	11
35-49	1334	3.7	12	1	2	3	4	6	8	16
50-64	812	3.7	13	2	2	3	4	6	9	22
65+	207	4.2	9	2	2	3	5	7	9	18
GRAND TOTAL	6188	3.4	8	1	2	3	4	5	7	14

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1216	2.7	5	1	1	2	3	4	5	9
20-34	2401	2.7	4	1	1	2	3	4	5	8
35-49	996	2.7	2	1	1	2	3	4	5	8
50-64	479	2.9	5	1	2	2	3	4	5	11
65+	123	3.1	4	1	2	3	4	5	7	12
2. MULTIPLE DX										
0-19 YRS	1603	3.3	8	1	2	3	4	5	6	13
20-34	3832	3.4	9	1	2	3	4	5	6	13
35-49	1901	3.7	14	2	2	3	4	5	8	17
50-64	1136	4.0	11	2	2	3	4	6	10	18
65+	354	5.4	37	1	2	3	6	11	15	29
TOT. SINGLE DX	5215	2.7	4	1	1	2	3	4	5	9
" MULTIPLE DX	8826	3.6	12	1	2	3	4	5	7	17
TOTAL 0-19 YRS	2819	3.1	7	1	2	3	4	5	5	11
20-34	6233	3.1	7	1	2	3	4	5	5	12
35-49	2897	3.4	10	1	2	3	4	5	6	15
50-64	1615	3.6	9	1	2	3	4	6	9	17
65+	477	4.8	30	1	2	3	5	10	13	27
GRAND TOTAL	14041	3.3	9	1	2	3	4	5	6	14

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	242	2.2	2	1	1	2	2	4	5	9
20-34	285	2.4	2	1	1	2	3	4	5	8
35-49	329	2.6	4	1	1	2	3	4	5	12
50-64	464	3.0	11	1	1	2	3	5	8	22
65+	456	3.4	18	1	1	2	4	6	9	24
2. MULTIPLE DX										
0-19 YRS	287	3.1	18	1	1	2	3	5	7	15
20-34	519	3.4	9	1	2	3	4	6	9	15
35-49	551	3.8	11	1	2	3	4	7	10	21
50-64	844	4.4	22	1	2	3	5	9	13	25
65+	787	7.3	70	2	2	4	9	16	21	41
TOT. SINGLE DX	1776	2.8	9	1	1	2	3	5	7	13
" MULTIPLE DX	2988	4.8	33	1	2	3	5	10	14	27
TOTAL 0-19 YRS	529	2.7	11	1	1	2	3	4	6	13
20-34	804	3.0	7	1	1	2	3	5	7	13
35-49	880	3.3	9	1	1	2	4	6	9	18
50-64	1308	3.9	19	1	1	3	4	8	11	24
65+	1243	5.9	55	1	2	3	7	13	18	37
GRAND TOTAL	4764	4.0	25	1	1	3	4	8	12	24

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1081	2.0	4	<1	<1	2	2	3	4	9
20-34	826	2.5	6	<1	1	2	3	5	6	10
35-49	268	3.5	6	1	1	3	5	7	8	11
50-64	263	4.7	14	1	2	4	6	9	11	21
65+	172	4.2	6	1	1	4	6	8	9	10
2. MULTIPLE DX										
0-19 YRS	724	3.5	17	1	1	3	4	6	8	25
20-34	893	4.5	25	1	1	3	5	8	11	31
35-49	376	5.4	32	1	2	4	7	10	12	28
50-64	476	6.6	32	2	2	5	8	13	17	27
65+	541	7.7	47	2	2	6	10	16	22	35
TOT. SINGLE DX	2610	2.7	7	<1	1	2	3	5	7	12
" MULTIPLE DX	3010	5.3	31	1	1	4	6	10	14	30
TOTAL 0-19 YRS	1805	2.6	10	<1	1	2	3	5	6	14
20-34	1719	3.6	17	1	1	2	4	7	9	21
35-49	644	4.6	22	1	1	3	6	8	11	18
50-64	739	5.9	26	1	2	5	7	11	15	26
65+	713	6.8	39	1	2	5	8	14	19	31
GRAND TOTAL	5620	4.1	21	1	1	3	5	8	11	24

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	81	3.1	5	1	1	3	3	5	10	12
20-34	265	3.3	6	1	2	3	4	5	6	16
35-49	248	3.1	3	1	2	3	4	4	6	12
50-64	181	4.0	8	2	2	3	4	6	8	16
65+	66	3.7	7	2	2	3	4	6	8	16
2. MULTIPLE DX										
0-19 YRS	79	5.2	71	2	2	3	4	10	13	58
20-34	270	5.2	35	2	2	3	5	10	16	39
35-49	251	4.8	20	2	2	3	5	9	13	25
50-64	239	5.6	31	2	2	4	6	11	17	30
65+	127	8.8	103	2	2	5	10	20	29	57
TOT. SINGLE DX	841	3.4	6	1	2	3	4	5	7	15
" MULTIPLE DX	966	5.7	43	2	2	4	6	11	17	37
TOTAL 0-19 YRS	160	4.2	38	1	2	3	4	8	11	29
20-34	535	4.3	22	2	2	3	4	6	11	26
35-49	499	4.0	12	2	2	3	4	7	10	21
50-64	420	4.9	21	2	2	4	5	9	13	26
65+	193	7.0	76	2	2	4	7	15	24	49
GRAND TOTAL	1807	4.6	27	2	2	3	5	8	13	29

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	169	3.5	15	<1	1	2	4	8	9	23
20-34	298	3.4	12	1	1	2	4	6	10	17
35-49	203	4.1	18	1	1	3	4	9	13	24
50-64	177	4.0	19	1	2	3	4	8	11	23
65+	84	4.8	44	1	2	3	4	11	18	40
2. MULTIPLE DX										
0-19 YRS	200	4.7	41	1	1	3	5	10	14	22
20-34	356	5.0	30	1	2	3	6	10	14	40
35-49	337	5.0	25	1	2	3	5	11	13	31
50-64	317	6.6	67	2	2	4	8	14	23	39
65+	202	8.4	84	2	2	5	11	18	24	48
TOT. SINGLE DX	931	3.8	18	1	1	2	4	8	11	23
" MULTIPLE DX	1412	5.8	48	1	2	3	7	12	17	36
TOTAL 0-19 YRS	369	4.1	29	1	1	2	5	9	13	23
20-34	654	4.3	22	1	1	3	5	9	12	31
35-49	540	4.7	23	1	2	3	5	10	13	28
50-64	494	5.7	51	1	2	3	6	12	19	35
65+	286	7.3	75	2	2	4	9	17	23	48
GRAND TOTAL	2343	5.0	37	1	2	3	5	11	15	31

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4830	2.0	4	1	1	2	2	2	3	8
20-34	4511	2.1	5	1	1	2	2	2	3	7
35-49	1028	2.3	7	1	1	2	2	3	3	12
50-64	682	2.5	7	1	1	2	2	3	4	14
65+	231	3.0	16	1	1	2	3	4	8	30
2. MULTIPLE DX										
0-19 YRS	1711	2.8	22	1	1	2	2	4	7	23
20-34	3290	3.5	33	1	1	2	3	5	11	31
35-49	2406	4.1	41	1	2	2	3	9	13	34
50-64	2384	4.7	39	1	2	2	4	11	16	31
65+	1396	7.1	81	2	2	3	8	17	24	52
TOT. SINGLE DX	11282	2.1	5	1	1	2	2	2	3	9
" MULTIPLE DX	11187	4.2	42	1	1	2	3	9	15	34
TOTAL 0-19 YRS	6541	2.2	9	1	1	2	2	3	3	13
20-34	7801	2.7	17	1	1	2	2	3	5	22
35-49	3434	3.6	31	1	1	2	3	6	11	29
50-64	3066	4.2	33	1	2	2	4	9	15	29
65+	1627	6.5	73	2	2	3	8	16	22	49
GRAND TOTAL	22469	3.2	25	1	1	2	2	5	10	26

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	690	1.3	1	<1	<1	1	1	2	2	4
20-34	107	2.7	6	<1	<1	2	4	5	8	54
35-49	32	2.1	1	<1	<1	2	3	4	4	5
50-64	14	2.6	3	<1	<1	2	4	5	7	7
65+	3	1.7		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	267	2.3	26	<1	<1	1	2	2	4	29
20-34	88	3.9	68	<1	1	2	3	6	12	56
35-49	31	3.5	39	<1	<1	2	3	5	13	35
50-64	12	4.3	28	<1	<1	3	5	10	19	20
65+	7	4.1	23	2	2	2	3	13	15	15
TOT. SINGLE DX	846	1.5	2	<1	<1	1	2	2	4	8
" MULTIPLE DX	405	2.8	37	<1	1	2	2	4	6	37
TOTAL 0-19 YRS	957	1.5	8	<1	<1	1	2	2	2	8
20-34	195	3.2	34	<1	1	2	3	5	8	54
35-49	63	2.8	20	<1	<1	2	3	4	5	32
50-64	26	3.4	14	<1	<1	2	5	5	10	20
65+	10	3.4	17	<1	1	2	3	9	15	15
GRAND TOTAL	1251	1.9	13	<1	<1	1	2	3	4	19

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	191	1.8	2	<1	<1	2	2	3	4	7
20-34	249	2.4	7	1	1	2	2	3	4	9
35-49	364	2.5	25	1	1	2	2	3	4	12
50-64	247	2.7	6	1	1	2	3	4	6	17
65+	53	3.7	11	1	2	3	4	6	7	24
2. MULTIPLE DX										
0-19 YRS	182	3.5	58	1	1	2	3	5	8	28
20-34	222	3.6	29	1	1	2	3	8	10	27
35-49	247	3.7	13	2	2	2	4	7	11	24
50-64	248	4.5	22	2	2	3	5	10	13	22
65+	133	8.7	79	2	2	5	11	19	29	43
TOT. SINGLE DX	1104	2.5	12	1	1	2	2	4	5	11
" MULTIPLE DX	1032	4.5	38	1	2	2	4	9	14	31
TOTAL 0-19 YRS	373	2.6	30	<1	1	2	2	4	7	23
20-34	471	3.0	18	1	1	2	3	5	8	22
35-49	611	3.0	20	1	1	2	3	5	7	22
50-64	495	3.6	15	1	2	2	4	7	11	20
65+	186	7.2	65	2	2	4	8	15	25	39
GRAND TOTAL	**2136**	**3.4**	**25**	**1**	**1**	**2**	**3**	**6**	**10**	**25**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	228	3.3	9	1	1	3	4	5	7	13
20-34	486	3.5	3	1	2	3	4	5	6	9
35-49	530	4.0	5	2	2	3	5	7	8	13
50-64	606	4.5	15	2	2	4	5	7	10	16
65+	395	4.8	9	2	2	4	6	8	10	16
2. MULTIPLE DX										
0-19 YRS	65	4.4	9	2	2	3	6	9	11	15
20-34	176	4.8	15	1	2	4	5	9	13	21
35-49	263	5.4	30	2	2	4	6	10	12	30
50-64	407	6.2	27	2	2	5	7	12	16	27
65+	421	9.2	68	3	3	6	11	18	26	42
TOT. SINGLE DX	2245	4.1	9	2	2	4	5	7	8	15
" MULTIPLE DX	1332	6.7	41	2	2	5	8	13	18	32
TOTAL 0-19 YRS	293	3.5	10	1	1	3	4	6	8	14
20-34	662	3.8	6	1	2	3	4	6	8	15
35-49	793	4.5	14	2	2	4	5	7	10	19
50-64	1013	5.2	21	2	2	4	6	9	13	23
65+	816	7.1	44	2	3	5	8	14	19	36
GRAND TOTAL	**3577**	**5.1**	**22**	**2**	**2**	**4**	**6**	**9**	**13**	**26**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	344	4.2	6	1	1	4	6	8	8	11
20-34	15	4.0	3	1	2	4	5	6	7	7
35-49	9	5.0	17	2	2	4	6	12	15	15
50-64	6	7.2	63	2	2	4	7	21	23	23
65+	3	4.7	8	3	3	3	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	180	4.6	9	1	2	4	6	8	10	15
20-34	16	5.5	13	2	2	4	7	12	13	13
35-49	13	6.1	24	2	3	5	6	12	19	21
50-64	10	6.5	35	2	2	4	8	15	22	22
65+	5	8.2	30	1	1	11	12	14	14	14
TOT. SINGLE DX	377	4.2	7	1	1	4	6	8	8	14
" MULTIPLE DX	224	4.9	12	1	2	4	6	9	11	21
TOTAL 0-19 YRS	524	4.3	7	1	1	4	6	8	9	15
20-34	31	4.8	8	2	2	4	6	9	12	13
35-49	22	5.6	21	2	2	4	6	11	17	21
50-64	16	6.8	42	2	2	4	7	21	23	23
65+	8	6.9	23	1	2	6	11	13	14	14
GRAND TOTAL	**601**	**4.5**	**9**	**1**	**1**	**4**	**6**	**8**	**9**	**16**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1031	3.0	16	<1	1	2	4	6	8	13
20-34	309	3.4	10	1	1	2	4	7	10	17
35-49	301	4.1	17	1	1	3	5	9	12	18
50-64	515	4.5	27	1	1	3	5	9	13	29
65+	474	4.4	27	1	1	3	5	9	12	29
2. MULTIPLE DX										
0-19 YRS	789	3.8	19	1	1	3	5	8	10	21
20-34	503	6.0	91	1	1	3	6	11	20	57
35-49	414	7.3	89	1	1	4	8	16	23	58
50-64	786	9.1	112	1	2	5	11	20	28	59
65+	847	9.2	100	2	2	6	11	20	26	55
TOT. SINGLE DX	2630	3.7	20	1	1	2	4	8	11	20
" MULTIPLE DX	3339	7.2	86	1	1	4	8	16	23	55
TOTAL 0-19 YRS	1820	3.4	17	<1	1	2	4	7	9	15
20-34	812	5.0	62	1	1	3	5	10	16	51
35-49	715	6.0	61	1	1	3	7	13	18	48
50-64	1301	7.3	83	1	2	4	9	17	23	49
65+	1321	7.5	79	1	2	4	9	17	23	47
GRAND TOTAL	**5969**	**5.7**	**60**	**1**	**1**	**3**	**6**	**12**	**18**	**43**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13741	2.1	3	1	1	2	2	3	3	5
20-34	9095	2.3	2	1	1	2	3	3	4	7
35-49	721	2.5	2	1	1	2	3	4	5	8
50-64	133	3.1	9	1	1	2	3	5	9	18
65+	55	4.0	25	1	2	2	4	9	11	31
2. MULTIPLE DX										
0-19 YRS	2504	2.5	10	1	1	2	2	4	5	12
20-34	1697	3.1	7	1	2	2	3	5	7	13
35-49	229	3.9	14	1	2	3	4	8	11	19
50-64	74	4.7	30	1	1	3	5	10	15	33
65+	26	9.7	188	2	2	4	14	38	66	99+
TOT. SINGLE DX	23745	2.2	2	1	1	2	2	3	4	6
" MULTIPLE DX	4530	2.8	11	1	1	2	3	4	7	15
TOTAL 0-19 YRS	16245	2.2	4	1	1	2	2	3	3	7
20-34	10792	2.5	3	1	1	2	3	3	4	9
35-49	950	2.8	5	1	1	2	3	4	6	14
50-64	207	3.7	17	1	1	2	4	8	11	20
65+	81	5.8	83	1	2	3	4	16	26	87
GRAND TOTAL	28275	2.3	4	1	1	2	2	3	4	9

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29029	1.9	3	1	1	2	2	2	3	5
20-34	829	2.4	1	1	2	2	3	3	4	5
35-49	62	2.7	2	1	2	2	3	4	6	88
50-64	29	2.0		1	1	2	2	3	4	99+
65+	59	1.7	1	1	1	2	2	2	2	7
2. MULTIPLE DX										
0-19 YRS	16404	1.9	3	1	1	2	2	2	3	8
20-34	223	3.2	14	1	1	2	3	5	8	24
35-49	30	5.0	93	1	1	3	4	7	14	54
50-64	19	2.1	1	<1	1	2	2	3	4	4
65+	24	2.1	4	1	1	2	2	2	5	11
TOT. SINGLE DX	30008	1.9	2	1	1	2	2	2	3	5
" MULTIPLE DX	16700	1.9	4	1	1	2	2	2	3	8
TOTAL 0-19 YRS	45433	1.9	3	1	1	2	2	2	3	6
20-34	1052	2.6	4	1	2	2	3	4	4	9
35-49	92	3.4	32	1	1	2	3	5	9	80
50-64	48	2.0		1	1	2	2	3	4	99+
65+	83	1.9	2	1	1	2	2	2	2	10
GRAND TOTAL	46708	1.9	3	1	1	2	2	2	3	6

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2291	1.6	2	<1	<1	2	2	2	2	3
20-34	26	2.1	1	<1	1	2	3	3	4	5
35-49	6	1.7		1	1	2	2	2	2	2
50-64	5	1.2		1	1	1	2	2	2	2
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	6238	1.6	3	<1	<1	2	2	2	2	4
20-34	26	2.3	2	<1	<1	2	3	4	5	8
35-49	8	3.0	9	<1	<1	2	3	8	10	10
50-64	11	3.4	10	<1	<1	2	4	8	12	12
65+	16	1.4		<1	<1	1	2	2	2	2
TOT. SINGLE DX	2330	1.6	2	<1	<1	2	2	2	2	3
" MULTIPLE DX	6299	1.6	3	<1	<1	2	2	2	2	4
TOTAL 0-19 YRS	8529	1.6	2	<1	<1	2	2	2	2	4
20-34	52	2.2	1	<1	1	2	3	3	4	8
35-49	14	2.4	5	<1	1	2	2	4	9	10
50-64	16	2.7	8	<1	1	2	3	6	10	12
65+	18	1.4		<1	<1	1	2	2	2	2
GRAND TOTAL	8629	1.6	2	<1	<1	2	2	2	2	4

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	842	2.5	7	1	1	2	3	4	5	9
20-34	599	2.8	3	1	1	2	3	5	6	10
35-49	197	3.5	10	1	1	2	4	6	11	15
50-64	207	4.6	58	1	1	3	5	9	14	37
65+	134	7.1	62	1	2	4	9	17	24	39
2. MULTIPLE DX										
0-19 YRS	253	3.4	9	1	1	2	4	6	9	19
20-34	174	4.8	21	1	2	4	6	9	14	27
35-49	135	6.3	64	1	2	4	8	11	15	48
50-64	250	8.4	82	1	2	5	11	22	28	53
65+	235	12.3	187	2	2	8	16	28	40	63
TOT. SINGLE DX	1979	3.2	17	1	1	2	3	6	8	18
" MULTIPLE DX	1047	7.2	86	1	2	4	8	17	25	53
TOTAL 0-19 YRS	1095	2.7	8	1	1	2	3	5	6	11
20-34	773	3.2	8	1	1	2	4	6	7	16
35-49	332	4.7	34	1	1	3	5	10	13	30
50-64	457	6.7	75	1	2	3	8	16	24	48
65+	369	10.4	148	2	2	6	13	25	35	60
GRAND TOTAL	3026	4.6	44	1	1	3	5	10	15	36

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	3.3	15	<1	<1	2	3	10	12	13
20-34	11	4.2	5	1	1	4	6	7	7	7
35-49	10	3.8	7	1	1	3	6	7	8	8
50-64	19	4.1	24	<1	1	3	5	6	15	23
65+	13	2.9	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	21	2.4	5	<1	<1	1	3	5	7	10
20-34	13	4.4	9	<1	1	3	6	9	11	11
35-49	18	5.3	8	1	2	5	7	9	11	11
50-64	49	7.1	29	2	2	6	8	12	17	29
65+	39	8.4	44	1	2	7	11	20	21	28
TOT. SINGLE DX	69	3.7	12	1	1	2	5	7	10	21
" MULTIPLE DX	140	6.3	29	<1	1	5	8	12	19	28
TOTAL 0-19 YRS	37	2.8	9	<1	<1	2	3	9	10	13
20-34	24	4.3	7	1	2	4	6	7	10	11
35-49	28	4.8	8	1	1	5	7	8	10	11
50-64	68	6.2	29	1	2	5	8	12	17	28
65+	52	7.0	39	1	2	5	8	19	20	28
GRAND TOTAL	**209**	**5.4**	**25**	**1**	**1**	**4**	**7**	**11**	**16**	**26**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	243	2.2	33	<1	1	2	2	2	3	12
20-34	485	2.0	2	1	1	2	2	2	3	10
35-49	685	2.3	10	1	1	2	2	3	4	14
50-64	1056	2.7	12	1	1	2	2	4	7	23
65+	501	3.0	18	1	1	2	2	4	7	29
2. MULTIPLE DX										
0-19 YRS	67	3.3	46	<1	1	2	2	4	8	43
20-34	197	3.3	22	1	1	2	3	5	9	26
35-49	451	4.3	27	1	1	2	4	10	15	25
50-64	797	5.1	42	1	1	2	6	12	17	30
65+	536	6.6	74	1	2	3	8	16	22	57
TOT. SINGLE DX	2970	2.5	13	1	1	2	2	3	5	19
" MULTIPLE DX	2048	5.1	46	1	1	2	5	12	17	39
TOTAL 0-19 YRS	310	2.5	36	<1	1	2	2	3	4	28
20-34	682	2.4	8	1	1	2	2	3	5	16
35-49	1136	3.1	18	1	1	2	2	5	10	23
50-64	1853	3.7	26	1	1	2	3	8	13	28
65+	1037	4.8	50	1	2	2	4	11	17	45
GRAND TOTAL	**5018**	**3.6**	**28**	**1**	**1**	**2**	**3**	**7**	**12**	**29**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	3.6	33	<1	1	2	2	9	20	23
20-34	17	5.5	26	1	1	2	10	13	15	16
35-49	40	6.1	54	1	2	2	9	16	20	37
50-64	84	10.0	127	1	2	8	13	23	28	64
65+	51	14.4	127	2	2	13	18	31	45	99
2. MULTIPLE DX										
0-19 YRS	9	15.7	1006	2	2	3	10	67	99	99+
20-34	19	6.5	35	1	1	3	13	16	18	18
35-49	24	14.9	137	2	2	11	24	33	36	38
50-64	93	14.3	136	2	2	13	19	35	42	99+
65+	68	18.6	219	2	3	16	23	40	56	96
TOT. SINGLE DX	206	9.5	109	1	2	7	14	21	29	65
" MULTIPLE DX	213	15.1	195	2	2	13	19	35	45	99+
TOTAL 0-19 YRS	23	8.3	422	<1	1	2	4	20	50	99
20-34	36	6.0	30	1	1	3	12	14	17	18
35-49	64	9.4	102	1	2	5	12	27	34	38
50-64	177	12.3	136	2	2	11	17	26	36	99+
65+	119	16.8	183	2	3	15	21	38	51	99+
GRAND TOTAL	**419**	**12.4**	**160**	**2**	**2**	**10**	**17**	**28**	**38**	**99+**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	17	19.6	76	8	9	20	24	34	35	35
50-64	94	18.5	104	10	11	16	21	28	40	64
65+	49	20.5	122	10	11	16	25	38	45	50
2. MULTIPLE DX										
0-19 YRS	2	8.5	13	6	6	8	11	11	11	11
20-34	1	10.0		10	10	10	10	10	10	10
35-49	18	24.6	194	12	13	22	29	35	58	72
50-64	133	24.4	249	10	11	19	27	46	53	87
65+	133	28.4	384	11	12	21	36	61	81	99+
TOT. SINGLE DX	160	19.2	106	10	11	16	22	34	42	50
" MULTIPLE DX	287	26.1	311	10	11	20	31	52	69	96
TOTAL 0-19 YRS	2	8.5	13	6	6	8	11	11	11	11
20-34	1	10.0		10	10	10	10	10	10	10
35-49	35	22.2	139	9	12	21	27	34	36	72
50-64	227	21.9	197	10	11	18	24	40	48	82
65+	182	26.3	325	10	11	20	33	55	69	99
GRAND TOTAL	**447**	**23.6**	**248**	**10**	**11**	**18**	**27**	**45**	**59**	**92**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	3	23.7	1408	2	2	2	51	67	67	67
35-49										
50-64	8	20.6	425	1	1	18	33	53	58	58
65+	7	9.6	9	7	7	8	11	14	15	15
2. MULTIPLE DX										
0-19 YRS	7	25.4	480	7	9	20	74	99+	99+	99+
20-34	11	24.4	474	2	3	14	43	58	65	66
35-49	11	28.3	392	4	5	26	55	71	96	99+
50-64	44	26.7	383	4	7	25	34	66	77	99+
65+	50	34.1	448	7	9	33	54	98	99+	99+
TOT. SINGLE DX	20	15.3	363	<1	1	8	18	50	62	67
" MULTIPLE DX	123	29.6	424	5	7	27	52	67	99+	99+
TOTAL 0-19 YRS	9	20.1	471	<1	1	16	60	99+	99+	99+
20-34	14	24.2	582	2	2	13	48	66	67	67
35-49	11	28.3	392	4	5	26	55	71	96	99+
50-64	52	25.8	386	2	5	24	34	64	70	99+
65+	57	31.1	459	7	8	31	52	88	99+	99+
GRAND TOTAL	**143**	**27.6**	**438**	**2**	**5**	**25**	**48**	**66**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	73	6.8	47	1	2	6	8	11	18	89
20-34	49	13.8	451	1	1	5	14	43	57	97
35-49	46	7.6	107	1	1	4	7	22	32	49
50-64	74	11.9	278	1	2	6	15	37	64	95
65+	67	10.1	171	2	2	5	12	24	45	65
2. MULTIPLE DX										
0-19 YRS	141	16.4	363	1	2	11	28	61	99+	99+
20-34	132	29.3	688	2	2	25	58	98	99+	99+
35-49	132	23.7	423	2	3	19	38	71	97	99+
50-64	287	29.2	550	2	3	28	48	89	99+	99+
65+	338	35.8	606	3	5	35	53	82	93	99+
TOT. SINGLE DX	309	9.9	206	1	2	5	10	25	45	91
" MULTIPLE DX	1030	28.9	582	2	2	26	48	84	99+	99+
TOTAL 0-19 YRS	214	13.1	276	1	2	7	18	54	99+	99+
20-34	181	25.1	669	2	2	16	52	88	99+	99+
35-49	178	19.6	391	2	2	13	32	51	86	99+
50-64	361	25.7	542	2	2	20	44	79	99+	99+
65+	405	31.5	624	2	3	29	48	79	90	99+
GRAND TOTAL	**1339**	**24.5**	**559**	**2**	**2**	**18**	**42**	**76**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	5.8	21	1	1	4	8	13	16	18
20-34	194	7.2	70	1	2	5	10	15	17	38
35-49	301	7.5	45	1	2	6	10	15	18	32
50-64	816	9.1	60	2	2	7	12	18	23	43
65+	717	10.1	84	2	2	7	14	21	27	49
2. MULTIPLE DX										
0-19 YRS	51	9.8	46	2	3	9	12	21	23	27
20-34	285	10.3	66	2	2	9	13	20	27	46
35-49	721	12.2	115	2	3	9	15	25	34	54
50-64	2371	13.5	119	2	3	11	17	27	34	60
65+	2911	14.9	131	3	4	12	19	29	38	61
TOT. SINGLE DX	2069	9.0	67	2	2	7	12	18	24	43
" MULTIPLE DX	6339	13.8	123	2	4	11	18	27	35	59
TOTAL 0-19 YRS	92	8.0	38	1	2	7	11	18	22	27
20-34	479	9.1	70	2	2	7	12	18	24	44
35-49	1022	10.8	99	2	2	8	14	22	30	51
50-64	3187	12.4	108	2	3	10	16	24	32	58
65+	3628	14.0	126	2	3	11	18	28	36	58
GRAND TOTAL	**8408**	**12.6**	**114**	**2**	**3**	**10**	**16**	**25**	**33**	**56**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	3.0	7	1	1	2	5	6	6	6
35-49	3	11.7	2	10	10	12	13	13	13	13
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	3	11.3	209	2	2	4	22	28	28	28
35-49	5	11.8	27	6	6	12	14	20	20	20
50-64	4	12.8	52	6	6	11	17	23	23	23
65+	10	13.5	49	4	5	12	19	24	25	25
TOT. SINGLE DX	6	7.3	26	1	1	8	12	13	13	13
" MULTIPLE DX	22	12.7	55	3	4	11	19	24	26	28
TOTAL 0-19 YRS										
20-34	6	7.2	107	1	1	3	6	26	28	28
35-49	8	11.8	16	6	7	12	13	18	20	20
50-64	4	12.8	52	6	6	11	17	23	23	23
65+	10	13.5	49	4	5	12	19	24	25	25
GRAND TOTAL	**28**	**11.5**	**52**	**2**	**3**	**11**	**14**	**23**	**25**	**28**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	9.9	27	1	2	9	13	18	20	21
20-34	193	12.5	62	4	6	10	16	21	25	44
35-49	257	12.3	82	3	4	10	15	22	28	49
50-64	510	14.1	92	3	5	12	18	25	31	48
65+	363	14.1	87	2	3	12	19	26	31	53
2. MULTIPLE DX										
0-19 YRS	70	17.4	173	6	7	13	20	39	48	93
20-34	206	15.3	190	5	5	12	18	26	35	96
35-49	416	16.9	163	4	6	13	21	32	45	78
50-64	1241	18.7	155	5	7	16	24	34	42	74
65+	1223	18.7	149	4	6	16	24	34	43	67
TOT. SINGLE DX	1360	13.4	84	3	4	11	17	24	30	46
" MULTIPLE DX	3156	18.2	157	4	6	16	23	33	43	74
TOTAL 0-19 YRS	107	14.8	135	4	6	11	18	29	42	81
20-34	399	14.0	130	4	6	11	17	23	32	84
35-49	673	15.1	137	3	5	12	18	27	39	65
50-64	1751	17.4	141	4	6	15	22	31	39	70
65+	1586	17.7	139	3	5	16	23	32	40	63
GRAND TOTAL	**4516**	**16.8**	**140**	**4**	**6**	**14**	**21**	**31**	**39**	**69**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	13.6	65	5	5	12	21	25	25	25
20-34	23	19.3	185	7	8	15	26	30	44	70
35-49	96	16.7	70	8	9	14	20	28	33	48
50-64	386	16.9	54	9	10	15	21	26	32	39
65+	209	18.1	75	9	10	16	22	29	32	63
2. MULTIPLE DX										
0-19 YRS	18	33.7	778	8	8	22	46	86	94	96
20-34	36	17.0	127	6	7	14	20	32	41	61
35-49	164	19.2	126	9	10	17	22	31	40	63
50-64	678	20.9	124	10	11	18	25	35	41	70
65+	507	23.0	120	10	11	21	29	37	43	58
TOT. SINGLE DX	722	17.3	67	9	10	15	21	28	32	47
" MULTIPLE DX	1403	21.6	134	10	11	19	26	36	42	70
TOTAL 0-19 YRS	26	27.5	636	6	7	21	27	73	91	96
20-34	59	17.9	148	6	8	15	22	30	40	69
35-49	260	18.3	106	9	10	16	21	30	38	61
50-64	1064	19.5	102	9	10	17	23	32	38	62
65+	716	21.6	112	9	11	19	27	35	41	59
GRAND TOTAL	**2125**	**20.1**	**115**	**9**	**10**	**18**	**24**	**33**	**40**	**63**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	286	4.8	36	1	1	3	6	11	15	25
20-34	382	6.9	48	1	2	4	9	15	21	31
35-49	588	7.0	46	1	2	5	9	15	20	39
50-64	1025	7.7	52	1	2	6	10	17	21	32
65+	754	9.4	73	1	2	7	13	20	26	39
2. MULTIPLE DX										
0-19 YRS	269	9.3	60	1	2	7	13	21	28	99+
20-34	604	10.5	92	2	2	8	14	22	28	56
35-49	1194	11.1	106	2	3	8	14	21	29	53
50-64	2826	12.5	118	2	3	9	16	25	33	55
65+	2955	14.9	151	2	4	12	19	29	38	66
TOT. SINGLE DX	3035	7.6	56	1	2	5	10	17	22	34
" MULTIPLE DX	7848	12.9	128	2	3	10	17	26	34	60
TOTAL 0-19 YRS	555	7.0	53	1	1	4	10	17	23	46
20-34	986	9.1	78	1	2	7	12	20	25	49
35-49	1782	9.7	90	2	2	7	12	20	27	50
50-64	3851	11.2	105	2	2	8	15	23	30	51
65+	3709	13.8	140	2	3	11	18	28	36	62
GRAND TOTAL	**10883**	**11.4**	**113**	**2**	**2**	**9**	**15**	**24**	**31**	**55**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	6.9	30	2	2	5	9	16	18	25
20-34	119	7.1	29	2	3	5	8	13	19	30
35-49	42	7.3	20	2	3	6	11	12	17	20
50-64	34	11.2	99	2	3	8	13	27	33	41
65+	27	17.6	504	3	4	10	15	45	78	98
2. MULTIPLE DX										
0-19 YRS	73	10.3	152	2	3	7	13	21	31	99
20-34	63	10.3	71	3	4	8	14	18	31	93
35-49	72	14.6	156	3	4	11	17	29	39	72
50-64	106	17.9	203	3	5	15	23	36	51	61
65+	113	19.0	282	4	5	13	24	46	63	90
TOT. SINGLE DX	275	8.6	92	2	3	6	10	17	25	47
" MULTIPLE DX	427	15.2	200	3	4	11	18	33	49	86
TOTAL 0-19 YRS	126	8.8	103	2	2	6	10	17	24	97
20-34	182	8.2	45	2	3	6	9	16	20	48
35-49	114	11.9	118	3	3	9	15	26	33	56
50-64	140	16.3	185	3	4	12	22	35	48	59
65+	140	18.7	322	4	5	13	24	47	64	98
GRAND TOTAL	**702**	**12.6**	**168**	**2**	**3**	**8**	**15**	**27**	**40**	**77**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	276	6.6	18	2	3	5	8	12	15	23
20-34	827	7.0	28	2	3	6	9	12	16	28
35-49	338	8.5	53	3	3	7	9	15	20	41
50-64	294	13.6	123	3	4	11	17	25	33	66
65+	165	12.7	99	3	4	10	16	24	32	47
2. MULTIPLE DX										
0-19 YRS	516	14.1	234	3	4	9	16	36	58	99+
20-34	768	11.4	117	3	4	8	14	23	33	66
35-49	624	13.5	138	3	4	10	17	28	39	63
50-64	1039	16.7	175	4	5	13	22	33	44	82
65+	1147	18.2	169	4	6	15	24	35	45	68
TOT. SINGLE DX	1900	8.7	58	3	3	6	10	17	22	40
" MULTIPLE DX	4094	15.3	170	4	4	11	19	32	43	75
TOTAL 0-19 YRS	792	11.5	171	3	3	7	13	24	42	98
20-34	1595	9.2	76	3	3	7	11	17	25	50
35-49	962	11.8	113	3	4	8	14	23	35	60
50-64	1333	16.0	165	4	5	12	20	32	42	79
65+	1312	17.5	164	4	5	14	23	34	43	68
GRAND TOTAL	5994	13.2	144	3	4	9	17	28	37	70

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	194	6.2	42	1	1	5	9	11	14	23
20-34	292	8.2	46	2	2	7	11	17	21	34
35-49	225	8.6	60	2	2	6	12	20	23	58
50-64	293	9.8	66	2	2	8	12	22	27	37
65+	203	11.4	86	2	2	10	16	21	31	48
2. MULTIPLE DX										
0-19 YRS	100	11.1	101	1	2	9	15	24	35	76
20-34	356	11.9	116	2	2	9	15	25	34	62
35-49	403	12.8	120	2	2	10	17	28	32	63
50-64	834	15.6	194	2	3	12	21	31	42	72
65+	975	17.5	178	3	4	15	24	36	44	72
TOT. SINGLE DX	1207	8.9	62	2	2	7	11	19	24	40
" MULTIPLE DX	2668	15.2	168	2	3	12	20	31	41	71
TOTAL 0-19 YRS	294	7.9	67	1	2	6	10	15	23	51
20-34	648	10.2	88	2	2	8	13	21	29	46
35-49	628	11.3	102	2	2	9	16	24	31	62
50-64	1127	14.1	167	2	3	11	19	29	37	70
65+	1178	16.4	167	3	4	13	22	34	42	66
GRAND TOTAL	3875	13.2	143	2	2	10	18	28	36	65

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	144	10.7	19	7	7	10	12	14	17	30
20-34	106	13.4	36	5	8	12	16	23	26	31
35-49	178	15.0	42	8	9	13	17	24	29	36
50-64	244	16.1	39	10	11	14	18	25	30	39
65+	110	18.1	67	11	12	16	21	28	35	47
2. MULTIPLE DX										
0-19 YRS	215	15.6	127	7	8	12	18	26	32	79
20-34	134	16.3	102	8	9	13	18	29	42	72
35-49	302	19.1	112	9	10	16	23	32	39	66
50-64	696	21.3	144	10	11	18	26	38	47	74
65+	491	24.9	203	11	13	21	29	44	53	93
TOT. SINGLE DX	782	14.8	45	8	9	13	17	24	29	39
" MULTIPLE DX	1838	20.8	159	9	10	17	25	37	47	81
TOTAL 0-19 YRS	359	13.6	89	7	8	11	14	23	29	74
20-34	240	15.0	75	8	9	13	17	24	31	60
35-49	480	17.6	90	9	10	15	20	30	35	60
50-64	940	19.9	122	10	11	17	24	33	43	70
65+	601	23.6	185	11	12	20	28	41	50	89
GRAND TOTAL	2620	19.0	132	9	10	16	23	32	43	76

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	12.0	1	11	11	12	13	13	13	13
20-34	27	14.6	55	7	9	13	17	21	28	44
35-49	697	14.1	24	9	9	13	16	20	22	33
50-64	1887	14.9	39	9	10	13	17	21	25	38
65+	503	17.0	48	10	11	16	20	24	28	44
2. MULTIPLE DX										
0-19 YRS	4	17.3	62	10	10	17	24	25	25	25
20-34	67	14.4	32	9	10	13	17	20	26	37
35-49	1505	15.1	47	9	10	13	17	23	28	40
50-64	4621	16.8	70	9	10	14	19	27	32	50
65+	1564	19.7	113	10	11	17	23	31	40	80
TOT. SINGLE DX	3118	15.1	38	9	10	13	17	21	25	38
" MULTIPLE DX	7761	17.0	76	9	10	15	19	27	33	56
TOTAL 0-19 YRS	8	14.6	35	10	10	12	18	24	25	25
20-34	94	14.5	38	9	10	13	17	21	25	41
35-49	2202	14.8	40	9	10	13	17	22	26	38
50-64	6508	16.2	62	9	10	14	18	25	30	48
65+	2067	19.0	99	10	11	17	22	30	38	70
GRAND TOTAL	10879	16.5	66	9	10	14	19	25	31	51

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	542	2.8	7	1	2	2	3	3	6	17
20-34	486	3.7	13	2	2	2	4	8	10	19
35-49	2512	3.8	14	2	2	2	4	8	12	19
50-64	4312	3.9	19	2	2	2	4	8	12	20
65+	878	4.7	27	2	2	3	5	10	15	25
2. MULTIPLE DX										
0-19 YRS	711	4.3	35	2	2	2	4	9	13	32
20-34	768	6.2	56	2	2	3	8	14	17	40
35-49	5407	5.8	37	2	2	3	7	13	17	29
50-64	11882	6.0	37	2	2	3	8	14	18	29
65+	3784	8.3	63	2	2	6	11	18	24	38
TOT. SINGLE DX	8730	3.9	18	2	2	2	4	8	12	21
" MULTIPLE DX	22552	6.3	43	2	2	4	8	14	18	32
TOTAL 0-19 YRS	1253	3.6	24	2	2	2	3	7	11	26
20-34	1254	5.2	41	2	2	3	6	11	16	33
35-49	7919	5.1	31	2	2	3	6	12	15	26
50-64	16194	5.5	33	2	2	3	7	13	17	28
65+	4662	7.7	59	2	2	5	10	17	22	37
GRAND TOTAL	**31282**	**5.6**	**37**	**2**	**2**	**3**	**7**	**13**	**17**	**29**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	5.7	6	2	2	6	8	8	10	10
20-34	35	7.6	36	1	2	6	11	17	21	22
35-49	91	8.0	47	1	2	6	11	19	21	32
50-64	487	7.4	38	1	2	5	10	16	20	30
65+	1823	7.1	45	2	2	5	9	15	21	31
2. MULTIPLE DX										
0-19 YRS	35	11.9	163	2	2	8	15	24	61	99+
20-34	82	11.7	135	2	2	10	15	21	25	72
35-49	304	14.4	107	3	4	13	19	25	33	48
50-64	1814	14.2	97	3	4	13	19	26	32	50
65+	8262	14.3	108	3	4	12	19	28	34	53
TOT. SINGLE DX	2451	7.2	43	2	2	5	9	15	20	31
" MULTIPLE DX	10497	14.2	107	3	4	12	19	27	33	53
TOTAL 0-19 YRS	50	10.0	123	2	2	7	11	23	40	99+
20-34	117	10.5	108	2	2	8	14	21	24	71
35-49	395	12.9	100	2	3	11	18	24	31	45
50-64	2301	12.8	92	2	3	11	18	24	31	46
65+	10085	13.0	104	2	3	11	17	26	32	51
GRAND TOTAL	**12948**	**12.9**	**102**	**2**	**3**	**11**	**17**	**26**	**32**	**50**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	9.7	27	2	5	9	10	12	18	31
20-34	30	9.1	29	2	3	9	11	14	22	26
35-49	32	12.2	44	4	6	10	15	19	29	33
50-64	57	12.6	84	2	3	11	16	21	30	53
65+	32	11.6	78	2	5	10	14	19	24	51
2. MULTIPLE DX										
0-19 YRS	37	16.9	286	5	6	11	16	37	54	87
20-34	65	14.8	154	2	5	12	18	28	45	96
35-49	128	15.8	134	4	5	13	19	28	36	65
50-64	301	17.4	163	3	5	15	21	33	43	98
65+	218	20.4	184	6	8	18	25	35	45	80
TOT. SINGLE DX	176	11.3	59	2	4	10	14	19	25	47
" MULTIPLE DX	749	17.8	172	4	6	15	21	33	44	85
TOTAL 0-19 YRS	62	14.0	192	4	6	10	14	31	41	84
20-34	95	13.0	121	2	4	11	15	25	39	90
35-49	160	15.1	118	4	5	13	18	27	34	59
50-64	358	16.7	154	3	4	15	21	32	41	94
65+	250	19.3	178	6	7	16	24	34	45	79
GRAND TOTAL	**925**	**16.5**	**157**	**3**	**5**	**14**	**20**	**31**	**41**	**80**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	108	4.4	32	1	1	2	5	12	19	28
20-34	179	3.9	60	1	1	2	3	8	12	30
35-49	249	3.3	17	1	1	2	3	6	12	28
50-64	368	4.8	78	1	1	2	3	12	19	46
65+	238	5.4	46	1	2	2	6	14	19	35
2. MULTIPLE DX										
0-19 YRS	110	8.6	167	1	1	4	9	19	35	71
20-34	132	10.1	141	1	2	5	15	27	32	62
35-49	276	9.0	122	1	2	5	12	21	32	63
50-64	601	11.6	140	2	2	8	17	28	35	54
65+	671	16.6	198	2	2	14	23	36	44	87
TOT. SINGLE DX	1142	4.4	51	1	1	2	3	11	17	35
" MULTIPLE DX	1790	12.8	170	2	2	9	18	30	39	72
TOTAL 0-19 YRS	218	6.5	104	1	1	3	7	15	25	61
20-34	311	6.5	104	1	1	2	7	17	27	53
35-49	525	6.3	80	1	1	2	7	16	24	52
50-64	969	9.0	127	1	2	3	13	23	31	53
65+	909	13.7	183	2	2	10	19	32	41	81
GRAND TOTAL	**2932**	**9.5**	**141**	**1**	**2**	**4**	**14**	**24**	**34**	**61**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	4.3	8	2	2	4	5	7	10	16
20-34	1373	4.4	4	2	2	4	5	7	8	13
35-49	2010	5.0	9	2	3	4	6	8	9	17
50-64	1587	5.6	13	2	3	5	6	9	12	20
65+	322	7.4	46	3	3	5	8	13	21	38
2. MULTIPLE DX										
0-19 YRS	16	7.6	91	3	3	4	8	12	33	42
20-34	395	6.1	20	3	3	5	7	10	14	23
35-49	857	7.6	38	3	3	6	9	14	18	37
50-64	1037	9.2	64	3	3	7	11	18	23	40
65+	358	12.5	110	3	4	9	16	26	39	55
TOT. SINGLE DX	5361	5.2	12	2	3	4	6	8	10	19
" MULTIPLE DX	2663	8.7	59	3	3	6	10	17	22	43
TOTAL 0-19 YRS	85	4.9	24	2	2	4	5	8	11	33
20-34	1768	4.8	8	2	3	4	5	7	9	16
35-49	2867	5.8	19	2	3	5	6	9	13	24
50-64	2624	7.0	36	3	3	5	8	13	18	34
65+	680	10.1	86	3	3	7	12	22	30	54
GRAND TOTAL	**8024**	**6.3**	**30**	**2**	**3**	**5**	**7**	**11**	**16**	**31**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	9.2	25	2	3	9	12	15	19	21
20-34	63	9.3	68	2	3	8	11	20	24	47
35-49	195	11.1	39	3	4	10	13	18	25	32
50-64	788	13.2	49	5	7	12	16	20	25	50
65+	521	14.5	68	6	7	13	17	23	29	50
2. MULTIPLE DX										
0-19 YRS	84	14.7	101	3	5	11	21	28	36	86
20-34	209	15.1	192	2	3	11	19	34	43	82
35-49	600	16.0	135	3	5	13	20	31	38	82
50-64	2207	17.8	144	5	8	15	21	33	43	72
65+	2149	22.3	219	7	9	18	27	42	54	82
TOT. SINGLE DX	1593	13.1	56	4	6	12	16	21	26	48
" MULTIPLE DX	5249	19.3	182	5	8	16	23	37	42	78
TOTAL 0-19 YRS	110	13.4	88	2	4	11	18	25	35	76
20-34	272	13.8	169	2	3	10	17	31	41	70
35-49	795	14.8	116	3	5	12	18	28	36	73
50-64	2995	16.6	123	5	7	14	19	30	39	64
65+	2670	20.8	199	7	9	17	25	39	52	78
GRAND TOTAL	**6842**	**17.8**	**159**	**5**	**7**	**14**	**21**	**33**	**44**	**73**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	14.3	1	13	13	15	15	15	15	15
20-34	2	11.0		11	11	11	11	11	11	11
35-49	4	12.0	53	2	2	13	17	19	19	19
50-64	10	14.9	11	11	11	14	18	19	20	20
65+	2	16.0	18	13	13	16	19	19	19	19
2. MULTIPLE DX										
0-19 YRS	1	32.0		32	32	32	32	32	32	32
20-34	1	33.0		33	33	33	33	33	33	33
35-49	10	16.9	37	11	11	14	21	27	29	29
50-64	50	19.0	85	11	12	18	23	27	35	99+
65+	9	24.6	116	12	14	23	29	42	44	44
TOT. SINGLE DX	21	14.0	16	7	11	13	17	19	20	20
" MULTIPLE DX	71	19.8	86	11	12	18	24	32	39	93
TOTAL 0-19 YRS	4	18.8	79	13	13	15	24	32	32	32
20-34	3	18.3	161	11	11	11	28	33	33	33
35-49	14	15.5	43	4	10	14	19	25	28	29
50-64	60	18.4	74	11	12	17	21	27	34	96
65+	11	23.0	106	12	13	19	25	42	44	44
GRAND TOTAL	**92**	**18.5**	**76**	**11**	**12**	**16**	**23**	**28**	**35**	**86**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	10.5	111	<1	1	7	15	28	32	32
20-34	24	6.0	12	1	2	5	9	10	12	13
35-49	34	6.2	120	<1	<1	3	8	12	13	64
50-64	54	6.4	56	<1	<1	4	8	15	26	31
65+	26	7.6	48	1	1	5	12	15	19	32
2. MULTIPLE DX										
0-19 YRS	137	6.7	39	1	2	5	8	15	18	27
20-34	507	6.1	31	<1	1	5	8	13	17	28
35-49	608	7.4	66	<1	1	5	9	15	19	45
50-64	1001	7.7	63	<1	1	5	10	16	22	40
65+	566	9.3	94	1	2	6	11	20	28	49
TOT. SINGLE DX	146	6.7	64	<1	<1	4	9	13	24	33
" MULTIPLE DX	2819	7.6	64	<1	1	5	9	16	21	42
TOTAL 0-19 YRS	145	6.9	43	1	2	5	8	15	18	33
20-34	531	6.1	31	<1	1	5	8	13	17	27
35-49	642	7.3	68	<1	1	5	9	15	19	51
50-64	1055	7.7	62	<1	1	5	9	16	22	39
65+	592	9.2	92	1	2	6	11	19	28	49
GRAND TOTAL	**2965**	**7.6**	**64**	**<1**	**1**	**5**	**9**	**16**	**21**	**42**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	411	9.0	78	1	2	7	12	17	24	41
20-34	440	7.7	90	1	1	4	9	19	25	48
35-49	538	10.6	97	1	2	8	15	21	29	53
50-64	1605	11.1	61	3	4	10	14	19	25	43
65+	1737	12.3	61	4	5	11	15	21	26	42
2. MULTIPLE DX										
0-19 YRS	2382	18.7	342	1	3	12	26	50	69	99+
20-34	931	12.4	188	1	2	8	16	30	42	85
35-49	1391	15.7	214	2	3	12	21	33	48	91
50-64	4799	15.8	156	3	5	13	19	30	41	75
65+	6263	18.6	182	5	6	15	23	36	47	74
TOT. SINGLE DX	4731	11.0	71	2	3	9	14	20	26	45
" MULTIPLE DX	15766	17.1	205	3	4	13	22	36	49	85
TOTAL 0-19 YRS	2793	17.3	315	1	3	11	23	46	65	99+
20-34	1371	10.9	161	1	1	7	14	26	38	77
35-49	1929	14.3	187	2	3	11	19	31	44	85
50-64	6404	14.6	137	3	4	12	18	27	38	72
65+	8000	17.2	162	4	6	14	21	33	43	70
GRAND TOTAL	**20497**	**15.7**	**181**	**2**	**4**	**12**	**20**	**32**	**44**	**80**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	858	3.6	13	<1	1	2	4	8	11	18
20-34	1018	5.2	30	1	1	3	6	12	17	27
35-49	586	6.5	55	1	2	4	8	14	19	35
50-64	687	7.4	47	1	2	5	10	16	20	35
65+	491	9.5	77	2	2	8	12	19	24	41
2. MULTIPLE DX										
0-19 YRS	349	6.3	44	1	2	4	8	13	18	38
20-34	667	8.1	54	2	2	6	11	17	22	34
35-49	699	10.0	96	2	2	7	13	22	28	47
50-64	1440	12.1	119	2	3	9	16	24	34	54
65+	1617	13.9	120	2	3	11	18	27	36	59
TOT. SINGLE DX	3640	6.0	43	1	1	3	8	14	18	31
" MULTIPLE DX	4772	11.4	107	2	2	9	15	24	31	53
TOTAL 0-19 YRS	1207	4.4	24	1	1	3	5	10	13	24
20-34	1685	6.3	41	1	2	4	8	14	19	30
35-49	1285	8.4	80	2	2	6	11	18	25	40
50-64	2127	10.6	101	2	2	8	14	22	30	53
65+	2108	12.9	113	2	3	10	17	26	34	57
GRAND TOTAL	**8412**	**9.1**	**87**	**1**	**2**	**6**	**12**	**20**	**26**	**47**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	3.6	15	1	1	2	4	7	9	23
20-34	65	7.4	51	2	2	5	9	19	29	89
35-49	76	9.7	82	2	3	8	12	16	20	58
50-64	121	10.5	37	3	4	9	13	18	23	33
65+	103	11.8	87	3	4	9	14	22	29	84
2. MULTIPLE DX										
0-19 YRS	22	10.0	88	1	2	8	12	15	29	47
20-34	82	9.5	36	2	3	9	12	16	19	34
35-49	105	11.6	69	3	4	9	15	24	29	68
50-64	348	14.2	103	3	5	11	19	27	35	62
65+	315	16.0	176	4	5	12	20	35	43	88
TOT. SINGLE DX	401	9.6	64	2	2	8	12	18	25	55
" MULTIPLE DX	872	14.0	123	3	4	11	18	28	37	62
TOTAL 0-19 YRS	58	6.0	51	1	1	4	8	13	16	45
20-34	147	8.5	43	2	2	7	11	16	25	37
35-49	181	10.8	75	2	3	9	13	21	28	57
50-64	469	13.2	89	3	4	10	17	25	33	51
65+	418	14.9	157	4	5	11	19	30	41	88
GRAND TOTAL	**1273**	**12.6**	**108**	**2**	**3**	**10**	**16**	**25**	**35**	**62**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	6.3	44	2	2	3	11	14	14	14
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	2	24.0	882	3	3	24	45	45	45	45
20-34	2	11.5	85	5	5	11	18	18	18	18
35-49	1	6.0		6	6	53	99+	99+	99+	99+
50-64	2	11.5	145	3	3	11	20	20	20	20
65+	1	23.0		23	23	23	23	23	23	23
TOT. SINGLE DX	5	4.8	27	2	2	3	6	14	14	14
" MULTIPLE DX	8	15.4	209	3	3	18	28	78	99+	99+
TOTAL 0-19 YRS	2	24.0	882	3	3	24	45	45	45	45
20-34	5	8.4	51	2	2	5	15	18	18	18
35-49	2	4.5	5	3	3	6	76	99+	99+	99+
50-64	3	8.3	102	2	2	3	16	20	20	20
65+	1	23.0		23	23	23	23	23	23	23
GRAND TOTAL	**13**	**11.3**	**160**	**2**	**2**	**5**	**20**	**50**	**89**	**99+**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	4.5	2	2	3	4	5	7	7	7
20-34	3	4.0	3	3	3	3	5	6	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	6.0	8	4	4	6	8	8	8	8
65+										
2. MULTIPLE DX										
0-19 YRS	2	10.5	5	9	9	10	12	12	12	12
20-34	5	14.4	262	4	4	8	19	43	43	43
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
TOT. SINGLE DX	17	4.5	3	2	3	4	5	7	8	8
" MULTIPLE DX	8	12.5	159	4	5	8	11	34	43	43
TOTAL 0-19 YRS	13	5.4	7	2	3	4	7	10	12	12
20-34	8	10.5	180	3	3	6	9	33	43	43
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	2	6.0	8	4	4	6	8	8	8	8
65+										
GRAND TOTAL	**25**	**7.0**	**63**	**2**	**3**	**5**	**7**	**11**	**20**	**43**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	695	8.0	53	1	2	6	9	15	21	40
20-34	663	9.7	86	2	3	7	11	19	25	55
35-49	505	9.9	87	2	3	8	11	20	27	50
50-64	770	10.9	104	2	3	8	13	22	31	52
65+	856	11.2	97	2	3	9	14	22	28	56
2. MULTIPLE DX										
0-19 YRS	799	11.4	131	2	3	8	13	22	35	72
20-34	1247	13.6	168	3	4	10	16	28	40	88
35-49	1443	13.5	139	3	4	10	16	28	38	70
50-64	3204	13.9	129	3	4	11	18	28	37	61
65+	6748	14.9	133	4	5	12	19	29	38	61
TOT. SINGLE DX	3489	10.0	88	2	3	8	12	20	27	50
" MULTIPLE DX	13441	14.2	136	3	4	11	18	28	38	65
TOTAL 0-19 YRS	1494	9.9	97	2	3	7	11	19	29	59
20-34	1910	12.3	143	3	4	9	14	25	35	74
35-49	1948	12.5	128	3	4	9	15	25	37	67
50-64	3974	13.3	125	3	4	10	17	27	36	60
65+	7604	14.5	130	3	4	11	18	28	37	60
GRAND TOTAL	**16930**	**13.4**	**129**	**3**	**4**	**10**	**17**	**27**	**36**	**63**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	10.2	88	3	3	6	13	26	46	99+
20-34	24	14.2	182	2	2	9	21	37	45	51
35-49	29	14.9	308	1	2	10	21	29	38	93
50-64	31	11.6	42	3	4	10	18	21	22	23
65+	25	18.4	173	3	5	15	28	39	40	41
2. MULTIPLE DX										
0-19 YRS	158	12.6	187	3	4	8	15	26	39	81
20-34	102	14.2	157	3	3	10	20	31	36	65
35-49	109	18.7	335	2	4	12	24	50	63	93
50-64	206	19.2	231	3	5	16	25	37	56	75
65+	280	22.3	263	5	6	18	30	44	58	79
TOT. SINGLE DX	135	13.8	160	2	3	9	20	29	38	94
" MULTIPLE DX	855	18.3	250	3	4	14	25	38	53	83
TOTAL 0-19 YRS	184	12.2	173	3	3	8	15	26	38	89
20-34	126	14.2	160	3	3	10	20	34	38	59
35-49	138	17.9	329	2	4	12	23	47	62	94
50-64	237	18.3	212	3	5	15	24	35	55	75
65+	305	22.0	256	5	6	18	30	43	54	78
GRAND TOTAL	**990**	**17.7**	**240**	**3**	**4**	**13**	**24**	**37**	**51**	**85**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	4.7	16	1	1	4	6	10	13	18
20-34	125	6.6	31	1	2	5	9	14	19	25
35-49	185	7.0	40	1	2	5	9	13	20	32
50-64	296	8.4	94	1	1	5	10	18	28	53
65+	368	8.1	94	1	1	5	10	18	25	52
2. MULTIPLE DX										
0-19 YRS	72	13.0	293	2	2	7	16	33	63	97
20-34	299	9.1	60	2	2	7	11	18	23	57
35-49	543	10.3	86	2	3	8	13	20	26	44
50-64	1273	11.3	121	2	3	8	14	23	31	66
65+	1761	12.4	137	2	3	9	15	25	37	58
TOT. SINGLE DX	1021	7.7	73	1	1	5	9	16	23	46
" MULTIPLE DX	3948	11.5	123	2	3	8	14	23	33	64
TOTAL 0-19 YRS	119	9.7	199	1	1	6	10	21	37	92
20-34	424	8.3	53	1	2	7	10	17	21	37
35-49	728	9.4	76	2	2	7	12	19	25	43
50-64	1569	10.8	117	2	2	8	14	22	31	64
65+	2129	11.6	132	2	2	8	15	24	35	58
GRAND TOTAL	**4969**	**10.7**	**115**	**2**	**2**	**8**	**14**	**22**	**31**	**58**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	760	4.6	7	2	2	4	5	7	9	15
20-34	13	14.4	179	4	4	8	21	32	47	50
35-49	10	13.4	47	8	8	10	22	24	25	25
50-64	16	19.6	583	1	4	11	18	51	84	97
65+	10	21.0	319	7	8	14	20	51	67	67
2. MULTIPLE DX										
0-19 YRS	182	7.1	32	2	3	6	8	12	19	42
20-34	21	15.4	180	5	6	11	17	33	51	58
35-49	25	18.2	134	6	7	14	28	32	40	45
50-64	34	20.1	221	8	9	15	26	44	68	99+
65+	46	28.6	363	9	10	22	39	61	69	77
TOT. SINGLE DX	809	5.4	34	2	2	4	6	8	11	26
" MULTIPLE DX	308	13.2	184	3	3	8	15	32	45	73
TOTAL 0-19 YRS	942	5.1	13	2	2	4	6	8	10	23
20-34	34	15.0	174	4	5	11	18	30	49	58
35-49	35	16.8	111	6	7	12	26	32	37	45
50-64	50	19.9	328	5	7	14	23	48	70	99+
65+	56	27.3	358	8	10	19	37	61	68	77
GRAND TOTAL	**1117**	**7.5**	**87**	**2**	**3**	**5**	**7**	**14**	**25**	**59**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	20.0	266	2	4	14	32	46	46	46
20-34	8	17.1	254	2	3	16	53	99+	99+	99+
35-49	14	15.5	75	5	7	13	17	33	33	33
50-64	28	20.4	335	5	5	14	27	58	77	99+
65+	68	20.5	185	5	7	18	27	34	44	78
2. MULTIPLE DX										
0-19 YRS	35	29.0	524	7	8	25	71	99+	99+	99+
20-34	37	28.0	585	5	6	19	60	99+	99+	99+
35-49	63	29.2	414	5	6	24	41	63	68	77
50-64	156	27.2	376	6	8	22	42	75	99+	99+
65+	519	28.8	329	7	10	26	39	57	73	99+
TOT. SINGLE DX	128	19.7	212	5	6	16	27	44	64	99+
" MULTIPLE DX	810	28.5	363	6	9	25	41	66	85	99+
TOTAL 0-19 YRS	45	27.0	474	7	7	24	57	99+	99+	99+
20-34	45	26.1	537	4	5	18	58	99+	99+	99+
35-49	77	26.7	379	5	6	23	34	61	68	76
50-64	184	25.1	374	6	8	21	41	69	99+	99+
65+	587	27.9	319	7	10	24	37	55	73	99+
GRAND TOTAL	**938**	**27.3**	**351**	**6**	**8**	**23**	**40**	**65**	**84**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	5.8	13	2	2	5	8	10	11	21
20-34	218	6.8	18	2	2	6	9	12	14	22
35-49	347	7.6	27	2	3	7	9	15	18	25
50-64	487	8.0	44	2	2	7	10	15	18	31
65+	395	9.6	59	2	3	8	12	18	22	41
2. MULTIPLE DX										
0-19 YRS	92	9.4	81	2	3	7	11	17	23	57
20-34	654	8.6	43	2	3	7	11	15	20	40
35-49	1337	9.9	57	3	4	8	12	18	23	38
50-64	2349	10.8	59	3	4	9	13	19	24	42
65+	3181	12.4	73	3	4	10	16	23	28	45
TOT. SINGLE DX	1503	8.1	40	2	2	7	10	15	19	31
" MULTIPLE DX	7613	11.1	65	3	4	9	14	20	26	42
TOTAL 0-19 YRS	148	8.0	58	2	2	6	10	14	21	45
20-34	872	8.2	37	2	3	7	10	14	18	39
35-49	1684	9.4	52	3	4	8	11	17	21	35
50-64	2836	10.3	58	2	3	9	13	18	23	42
65+	3576	12.1	73	3	4	10	15	22	28	44
GRAND TOTAL	**9116**	**10.6**	**62**	**3**	**4**	**9**	**13**	**19**	**25**	**41**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	13.6	138	2	3	10	17	30	43	43
20-34	123	10.9	23	3	4	11	14	17	19	26
35-49	249	14.4	50	8	8	13	17	23	28	41
50-64	304	14.8	41	8	9	13	18	23	27	37
65+	213	18.7	78	9	11	17	23	27	33	51
2. MULTIPLE DX										
0-19 YRS	13	23.5	219	7	9	18	43	56	90	99+
20-34	138	16.7	75	6	8	15	19	29	32	48
35-49	417	18.7	115	8	9	16	22	33	40	72
50-64	716	21.0	144	9	10	18	26	36	44	85
65+	907	25.1	179	11	12	22	30	43	52	87
TOT. SINGLE DX	899	15.1	56	7	8	13	18	24	28	40
" MULTIPLE DX	2191	22.0	157	9	10	19	27	38	48	85
TOTAL 0-19 YRS	23	19.2	201	3	6	16	29	46	66	99+
20-34	261	14.0	59	4	6	13	17	23	30	41
35-49	666	17.1	95	8	9	15	20	29	37	61
50-64	1020	19.2	121	8	10	16	23	33	41	68
65+	1120	23.9	166	10	12	21	29	40	50	85
GRAND TOTAL	3090	20.0	137	8	10	17	24	35	43	74

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	24.0		24	24	24	24	24	24	24
35-49	13	21.7	99	4	11	19	30	34	39	40
50-64	30	22.8	87	11	12	22	28	36	40	44
65+	21	23.6	200	5	11	20	27	38	59	70
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	24.5	102	13	13	26	33	33	33	33
35-49	19	23.9	188	12	12	19	28	42	57	66
50-64	93	28.6	336	7	10	25	36	53	85	99+
65+	114	27.7	189	12	13	24	36	51	58	64
TOT. SINGLE DX	66	22.6	124	5	12	20	28	35	41	67
" MULTIPLE DX	231	27.6	247	10	12	24	35	51	61	93
TOTAL 0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	5	24.4	77	13	13	24	33	33	33	33
35-49	32	23.0	148	12	12	19	29	36	46	66
50-64	123	27.2	280	8	11	25	34	48	69	99+
65+	135	27.1	192	12	13	23	35	50	58	70
GRAND TOTAL	297	26.5	224	9	12	24	33	47	58	91

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	11.9	22	5	6	11	16	18	18	18
20-34	148	11.7	28	7	7	10	13	19	25	29
35-49	212	12.7	25	6	7	12	15	19	23	29
50-64	194	13.5	44	8	8	12	16	21	25	35
65+	94	16.2	67	8	9	14	20	25	30	50
2. MULTIPLE DX										
0-19 YRS	6	12.3	82	3	3	12	15	27	28	28
20-34	125	14.8	63	8	8	13	17	22	25	57
35-49	263	15.8	74	8	9	14	18	26	33	45
50-64	372	18.3	152	8	9	15	22	30	39	79
65+	314	23.2	182	10	11	20	27	42	51	82
TOT. SINGLE DX	656	13.2	39	7	8	12	15	21	25	33
" MULTIPLE DX	1080	18.7	141	8	9	16	22	32	42	74
TOTAL 0-19 YRS	14	12.1	44	3	4	12	15	19	26	28
20-34	273	13.1	46	7	8	11	15	20	25	36
35-49	475	14.4	54	7	8	13	17	23	29	41
50-64	566	16.7	120	8	8	14	19	28	35	61
65+	408	21.6	164	9	10	18	25	40	51	78
GRAND TOTAL	1736	16.6	109	7	8	14	19	28	36	59

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	113	8.4	19	3	4	8	10	13	17	25
20-34	728	9.3	16	5	6	8	10	14	16	28
35-49	606	10.0	23	5	6	9	11	15	18	30
50-64	282	12.8	54	6	7	10	14	22	30	44
65+	178	15.2	71	7	8	13	19	25	30	48
2. MULTIPLE DX										
0-19 YRS	122	15.2	158	5	6	12	18	35	66	99+
20-34	1001	11.3	50	4	5	10	13	19	26	45
35-49	1337	13.0	79	4	6	10	15	23	31	53
50-64	958	16.9	139	6	8	13	20	31	46	75
65+	858	22.4	194	8	9	19	28	40	52	77
TOT. SINGLE DX	1907	10.5	33	5	6	9	12	16	21	37
" MULTIPLE DX	4276	15.4	127	5	7	12	18	29	39	73
TOTAL 0-19 YRS	235	12.0	103	4	5	9	15	23	35	99+
20-34	1729	10.5	37	4	6	9	12	16	22	36
35-49	1943	12.1	63	5	6	10	14	21	28	49
50-64	1240	16.0	122	6	7	13	19	29	40	73
65+	1036	21.1	180	8	9	17	26	38	50	74
GRAND TOTAL	6183	13.9	103	5	6	11	16	26	35	64

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	224	6.0	20	1	2	5	8	11	15	25
20-34	574	7.1	45	1	2	6	9	13	17	27
35-49	528	6.3	36	1	1	4	9	13	17	34
50-64	906	5.4	31	1	1	3	8	12	16	30
65+	718	6.2	45	1	1	4	8	14	20	35
2. MULTIPLE DX										
0-19 YRS	248	8.4	57	2	2	7	10	14	21	81
20-34	788	9.4	59	2	3	8	12	17	24	40
35-49	1075	9.8	66	2	3	8	12	18	24	42
50-64	2337	9.7	73	2	2	8	12	19	25	46
65+	3210	12.0	102	2	2	10	16	24	31	51
TOT. SINGLE DX	2950	6.1	38	1	1	4	8	13	17	30
" MULTIPLE DX	7658	10.6	84	2	2	8	14	21	27	48
TOTAL 0-19 YRS	472	7.3	41	2	2	6	9	14	17	34
20-34	1362	8.4	54	2	2	7	10	16	21	37
35-49	1603	8.6	59	1	2	7	11	17	23	37
50-64	3243	8.5	65	1	2	7	11	17	22	40
65+	3928	11.0	97	1	2	9	15	22	30	50
GRAND TOTAL	**10608**	**9.4**	**75**	**1**	**2**	**7**	**12**	**19**	**25**	**45**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	10.2	24	5	6	8	11	18	19	26
20-34	74	13.6	95	6	7	11	15	25	29	62
35-49	79	16.3	168	6	7	12	18	26	39	82
50-64	95	15.3	92	7	8	12	18	27	35	59
65+	118	16.5	96	8	9	14	19	27	32	61
2. MULTIPLE DX										
0-19 YRS	100	15.5	188	6	7	12	21	72	99+	99+
20-34	260	18.0	180	6	8	13	22	36	47	76
35-49	274	20.9	234	7	8	16	26	41	51	96
50-64	490	21.8	220	8	9	18	26	42	55	99
65+	777	24.5	225	9	11	20	30	46	58	93
TOT. SINGLE DX	400	15.1	105	6	7	12	18	26	32	62
" MULTIPLE DX	1901	21.9	224	8	9	18	27	43	57	99+
TOTAL 0-19 YRS	134	14.2	151	6	7	11	18	38	99+	99+
20-34	334	17.0	164	6	7	12	20	34	45	71
35-49	353	19.9	222	7	8	16	24	37	51	92
50-64	585	20.7	205	8	9	16	25	39	51	96
65+	895	23.5	215	9	10	19	29	44	57	92
GRAND TOTAL	**2301**	**20.7**	**210**	**7**	**9**	**16**	**26**	**41**	**53**	**98**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	13.4	102	4	5	10	16	24	30	57
20-34	222	14.8	86	7	8	13	17	25	28	72
35-49	409	14.1	46	7	8	12	16	22	27	46
50-64	1033	15.0	47	8	9	13	17	22	27	45
65+	1354	17.4	68	9	10	15	20	27	32	51
2. MULTIPLE DX										
0-19 YRS	103	20.4	213	6	8	16	27	41	57	88
20-34	410	20.0	187	8	9	16	24	40	51	93
35-49	896	18.4	123	9	9	15	21	31	42	69
50-64	2926	19.3	117	9	10	16	23	32	41	72
65+	6020	22.6	142	11	12	20	27	37	47	71
TOT. SINGLE DX	3077	15.9	62	8	9	14	18	25	29	50
" MULTIPLE DX	10355	21.2	139	10	11	18	25	36	45	72
TOTAL 0-19 YRS	162	17.8	183	5	7	14	21	37	52	76
20-34	632	18.2	157	7	8	14	22	34	45	91
35-49	1305	17.0	103	8	9	14	20	29	39	66
50-64	3959	18.2	102	9	10	15	21	30	38	65
65+	7374	21.7	132	10	11	19	26	36	44	68
GRAND TOTAL	**13432**	**20.0**	**126**	**9**	**10**	**17**	**24**	**34**	**42**	**68**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	6.1	9	3	3	6	8	11	12	13
20-34	29	12.8	41	6	6	13	15	20	24	36
35-49	53	13.6	85	6	6	11	15	28	32	47
50-64	73	13.8	42	6	7	13	18	22	25	37
65+	82	16.4	94	8	9	14	20	28	34	58
2. MULTIPLE DX										
0-19 YRS	34	20.0	365	6	7	12	24	42	61	91
20-34	70	17.7	84	7	8	15	23	32	36	45
35-49	109	17.5	126	6	8	16	22	29	33	66
50-64	227	21.3	158	8	10	17	27	40	54	99+
65+	430	23.2	196	9	11	20	28	41	56	95
TOT. SINGLE DX	252	14.1	71	5	6	12	17	24	29	47
" MULTIPLE DX	870	21.5	179	8	10	18	27	38	51	94
TOTAL 0-19 YRS	49	15.7	295	3	4	10	16	37	60	91
20-34	99	16.2	76	6	7	14	20	30	36	43
35-49	162	16.3	116	6	7	13	21	29	33	48
50-64	300	19.5	140	7	9	16	25	36	48	99+
65+	512	22.2	186	9	10	18	27	39	53	83
GRAND TOTAL	**1122**	**19.8**	**164**	**7**	**8**	**16**	**25**	**36**	**46**	**80**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	167	8.4	28	3	3	7	11	16	18	27
20-34	290	11.0	37	3	5	10	13	16	23	38
35-49	282	11.3	27	5	6	10	13	17	22	34
50-64	360	10.9	34	5	6	10	13	17	21	34
65+	413	12.7	50	4	6	11	15	21	26	44
2. MULTIPLE DX										
0-19 YRS	218	11.9	137	3	4	9	13	26	42	99+
20-34	622	14.1	99	6	7	11	16	25	33	60
35-49	634	15.7	119	6	7	12	18	30	41	60
50-64	840	16.1	139	6	8	12	19	30	41	78
65+	1140	18.1	155	7	8	15	22	33	43	86
TOT. SINGLE DX	1512	11.2	39	4	5	10	13	18	23	38
" MULTIPLE DX	3454	16.1	136	6	7	12	19	30	41	74
TOTAL 0-19 YRS	385	10.4	92	3	4	8	12	18	30	99
20-34	912	13.1	81	5	6	11	15	21	30	50
35-49	916	14.3	95	6	7	11	16	26	35	55
50-64	1200	14.6	113	5	7	12	17	26	34	69
65+	1553	16.7	133	6	7	13	20	30	40	73
GRAND TOTAL	**4966**	**14.6**	**111**	**5**	**6**	**12**	**17**	**26**	**35**	**66**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	18.0	421	6	6	10	17	55	59	59
20-34	25	15.5	239	2	4	12	15	29	50	79
35-49	38	15.5	157	5	6	11	17	32	37	72
50-64	90	18.0	138	7	8	16	21	29	34	78
65+	130	21.1	128	7	10	19	26	34	40	61
2. MULTIPLE DX										
0-19 YRS	29	27.2	514	6	8	20	56	99+	99+	99+
20-34	71	23.3	224	8	10	18	29	48	61	94
35-49	175	23.0	262	7	9	18	28	44	55	77
50-64	489	22.8	180	9	10	19	28	39	51	77
65+	919	26.5	219	11	12	23	34	47	59	99
TOT. SINGLE DX	289	18.8	152	6	8	16	23	33	39	76
" MULTIPLE DX	1683	25.0	220	9	11	21	31	45	58	97
TOTAL 0-19 YRS	35	25.6	498	6	6	20	54	93	99+	99+
20-34	96	21.3	237	6	8	16	26	45	60	90
35-49	213	21.7	251	6	8	16	27	43	55	75
50-64	579	22.1	176	8	10	19	27	37	49	77
65+	1049	25.9	211	10	12	22	32	46	58	97
GRAND TOTAL	**1972**	**24.1**	**215**	**9**	**10**	**20**	**30**	**44**	**56**	**93**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12837	4.7	8	2	3	4	5	7	10	15
20-34	7729	4.9	7	2	3	4	6	8	9	15
35-49	2103	6.1	13	3	3	5	7	10	13	21
50-64	1129	7.4	16	3	4	6	9	13	15	21
65+	378	9.6	31	4	5	8	12	16	19	29
2. MULTIPLE DX										
0-19 YRS	3610	7.1	25	3	3	5	8	13	16	25
20-34	2762	7.4	28	3	3	6	9	13	17	27
35-49	1113	9.4	42	3	4	8	11	16	20	31
50-64	963	11.9	55	4	5	10	15	21	26	40
65+	695	15.0	92	5	6	13	19	27	31	52
TOT. SINGLE DX	24176	5.1	10	2	3	4	6	8	11	17
" MULTIPLE DX	9143	8.5	42	3	3	7	11	16	21	33
TOTAL 0-19 YRS	16447	5.2	13	2	3	4	6	9	12	19
20-34	10491	5.5	14	2	3	5	6	9	12	20
35-49	3216	7.2	26	3	3	6	9	13	16	26
50-64	2092	9.5	39	3	4	8	12	17	21	33
65+	1073	13.1	77	4	5	11	16	24	28	47
GRAND TOTAL	**33319**	**6.0**	**21**	**2**	**3**	**5**	**7**	**11**	**14**	**24**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	144	5.2	7	3	3	4	6	8	10	15
20-34	126	5.5	9	2	3	5	7	9	11	17
35-49	20	6.9	9	2	3	7	9	11	11	12
50-64	23	7.6	4	5	6	7	9	11	12	12
65+	5	9.0	4	6	6	9	10	11	11	11
2. MULTIPLE DX										
0-19 YRS	56	7.0	17	2	3	5	9	14	17	94
20-34	102	8.4	58	3	4	7	9	15	18	49
35-49	34	11.1	90	3	4	8	13	17	37	47
50-64	29	9.5	16	4	5	8	13	15	20	99+
65+	18	14.2	28	6	7	14	18	22	23	24
TOT. SINGLE DX	318	5.6	8	3	3	5	7	10	11	16
" MULTIPLE DX	239	9.0	49	3	4	7	11	16	20	73
TOTAL 0-19 YRS	200	5.7	10	3	3	5	7	10	13	18
20-34	228	6.8	33	2	3	5	8	11	17	23
35-49	54	9.5	64	3	3	8	11	14	23	47
50-64	52	8.7	11	4	5	8	11	14	16	98
65+	23	13.1	27	6	7	12	16	21	23	24
GRAND TOTAL	**557**	**7.1**	**28**	**3**	**3**	**6**	**8**	**13**	**16**	**29**

605: Operations on Appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	7.8	19	2	3	7	11	13	16	21
20-34	28	7.8	9	4	5	7	9	12	13	16
35-49	17	7.8	27	2	2	7	10	14	19	22
50-64	16	10.7	35	3	3	10	14	19	22	23
65+	14	13.9	53	6	7	12	18	23	31	33
2. MULTIPLE DX										
0-19 YRS	20	12.1	32	3	5	11	17	19	22	24
20-34	20	13.5	172	5	6	9	15	27	48	60
35-49	21	17.2	148	7	7	15	19	33	49	56
50-64	18	18.6	68	7	8	18	27	30	32	32
65+	20	22.7	222	10	11	20	25	33	59	78
TOT. SINGLE DX	137	8.8	26	2	3	8	11	15	19	24
" MULTIPLE DX	99	16.8	139	6	7	15	20	28	38	69
TOTAL 0-19 YRS	82	8.8	25	2	3	8	11	16	19	23
20-34	48	10.2	83	5	5	8	11	17	21	60
35-49	38	13.0	114	2	3	10	17	22	36	56
50-64	34	14.9	67	3	5	13	19	29	31	32
65+	34	19.1	167	7	9	16	22	28	39	78
GRAND TOTAL	**236**	**12.1**	**89**	**3**	**4**	**10**	**15**	**22**	**27**	**57**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	286	4.9	24	1	1	4	6	9	13	23
20-34	433	5.1	33	1	2	4	6	9	11	28
35-49	275	6.4	55	1	2	4	7	14	17	44
50-64	450	5.2	43	1	1	4	6	10	14	24
65+	631	6.4	43	2	2	4	8	14	19	29
2. MULTIPLE DX										
0-19 YRS	188	7.3	70	1	2	5	8	13	17	54
20-34	373	7.5	32	2	3	6	9	14	19	32
35-49	469	7.8	45	2	3	6	9	16	21	38
50-64	1023	8.9	63	2	2	7	11	17	23	40
65+	1850	11.4	91	2	3	9	14	22	32	52
TOT. SINGLE DX	2075	5.7	40	1	2	4	7	11	15	28
" MULTIPLE DX	3903	9.8	74	2	3	7	12	20	27	46
TOTAL 0-19 YRS	474	5.9	44	1	2	4	7	11	14	42
20-34	806	6.2	34	2	2	5	7	11	15	32
35-49	744	7.3	49	1	2	5	9	15	20	40
50-64	1473	7.8	60	2	2	6	10	16	21	39
65+	2481	10.1	84	2	2	8	13	21	28	49
GRAND TOTAL	**5978**	**8.3**	**66**	**2**	**2**	**6**	**10**	**17**	**23**	**43**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	3.7	6	1	1	3	4	8	9	11
20-34	461	4.0	14	1	2	3	5	7	8	14
35-49	286	4.1	9	1	1	3	5	7	9	13
50-64	143	5.2	30	1	2	4	6	9	11	23
65+	51	6.2	28	2	2	5	7	13	16	30
2. MULTIPLE DX										
0-19 YRS	40	4.8	12	1	2	4	5	8	13	18
20-34	207	6.1	45	2	2	5	7	11	13	33
35-49	201	6.6	45	2	2	5	7	12	16	37
50-64	195	7.6	36	2	2	6	10	14	19	33
65+	135	11.6	94	3	4	8	15	23	28	54
TOT. SINGLE DX	1040	4.3	15	1	2	3	5	7	10	15
" MULTIPLE DX	778	7.5	53	2	2	5	9	14	21	39
TOTAL 0-19 YRS	139	4.0	8	1	1	3	5	8	10	17
20-34	668	4.7	24	1	2	4	5	8	10	20
35-49	487	5.2	25	1	2	4	6	9	12	26
50-64	338	6.6	35	2	2	5	8	12	16	31
65+	186	10.1	81	2	3	7	13	22	26	51
GRAND TOTAL	**1818**	**5.7**	**34**	**1**	**2**	**4**	**7**	**11**	**14**	**29**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	9.4	78	1	2	7	12	16	28	42
20-34	45	12.8	44	3	4	13	17	19	25	33
35-49	101	15.9	56	6	9	15	19	23	30	47
50-64	340	18.5	49	10	11	17	22	28	31	38
65+	401	20.3	92	9	12	18	24	31	37	52
2. MULTIPLE DX										
0-19 YRS	46	20.1	316	5	7	14	24	44	66	85
20-34	62	18.6	209	4	5	15	23	35	56	68
35-49	152	20.2	133	5	10	17	24	38	41	58
50-64	655	21.0	107	9	11	19	25	33	40	59
65+	1127	25.5	167	11	13	22	31	42	52	81
TOT. SINGLE DX	908	18.5	75	6	10	17	22	29	34	50
" MULTIPLE DX	2042	23.4	156	9	11	21	28	38	48	74
TOTAL 0-19 YRS	67	16.7	264	3	4	12	18	39	52	82
20-34	107	16.2	146	4	4	14	19	27	40	66
35-49	253	18.5	106	5	9	16	21	34	40	58
50-64	995	20.2	89	9	11	19	24	32	37	54
65+	1528	24.2	153	11	13	22	29	39	49	75
GRAND TOTAL	**2950**	**21.9**	**136**	**8**	**11**	**19**	**27**	**36**	**45**	**68**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	6.0	30	1	2	4	7	12	18	29
20-34	281	6.5	29	2	2	5	8	12	16	31
35-49	330	6.1	25	1	2	5	7	11	15	25
50-64	274	7.2	44	2	2	5	9	16	22	40
65+	214	8.4	58	2	2	7	11	17	20	54
2. MULTIPLE DX										
0-19 YRS	87	9.7	114	2	2	6	11	21	30	62
20-34	611	9.1	53	2	3	7	11	17	22	46
35-49	977	10.3	63	3	3	8	13	19	24	42
50-64	1272	11.5	100	2	3	9	14	21	30	54
65+	1535	13.8	107	3	4	11	18	27	34	54
TOT. SINGLE DX	1156	6.9	37	1	2	5	8	13	19	32
" MULTIPLE DX	4482	11.7	91	2	3	9	15	22	30	50
TOTAL 0-19 YRS	144	8.2	84	2	2	5	9	18	24	46
20-34	892	8.3	47	2	3	7	10	16	20	35
35-49	1307	9.2	56	2	3	7	12	18	22	40
50-64	1546	10.8	93	2	3	8	14	20	27	52
65+	1749	13.2	104	2	4	11	17	26	34	54
GRAND TOTAL	**5638**	**10.7**	**84**	**2**	**3**	**8**	**14**	**21**	**28**	**48**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	3.3	4	1	1	3	4	6	7	10
20-34	554	4.3	8	2	2	4	5	7	8	12
35-49	503	4.4	6	2	2	4	5	7	8	13
50-64	318	4.8	33	2	3	4	5	7	9	14
65+	94	5.0	9	2	2	4	6	8	12	18
2. MULTIPLE DX										
0-19 YRS	44	5.0	6	2	3	5	6	8	11	13
20-34	486	5.4	12	2	3	4	6	9	11	21
35-49	551	5.5	10	2	3	5	6	9	11	20
50-64	480	6.4	16	3	3	5	8	12	14	21
65+	188	9.5	97	3	3	6	11	19	26	50
TOT. SINGLE DX	1548	4.4	13	2	2	4	5	7	9	13
" MULTIPLE DX	1749	6.1	23	2	3	5	7	11	14	24
TOTAL 0-19 YRS	123	3.9	5	1	2	3	5	7	9	12
20-34	1040	4.8	11	2	2	4	5	8	10	17
35-49	1054	5.0	8	2	3	4	6	8	10	16
50-64	798	5.8	24	2	3	5	7	10	13	20
65+	282	8.0	72	2	3	5	9	15	21	47
GRAND TOTAL	**3297**	**5.3**	**19**	**2**	**3**	**4**	**6**	**9**	**12**	**21**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	115	2.9	3	<1	<1	2	4	5	7	40
20-34	643	3.3	6	1	2	3	4	5	6	11
35-49	329	4.0	28	1	2	3	4	6	8	11
50-64	202	4.4	9	2	2	4	5	7	8	21
65+	98	5.8	20	2	2	5	7	11	13	29
2. MULTIPLE DX										
0-19 YRS	65	4.4	5	1	2	4	5	7	8	15
20-34	706	5.5	25	2	3	5	6	8	11	29
35-49	704	6.0	26	2	3	5	7	10	13	24
50-64	574	6.4	18	3	3	5	8	11	13	24
65+	299	7.9	23	3	3	6	10	14	18	24
TOT. SINGLE DX	1387	3.8	13	1	2	3	4	6	8	14
" MULTIPLE DX	2348	6.2	23	2	3	5	7	10	13	24
TOTAL 0-19 YRS	180	3.4	5	<1	1	3	5	6	8	14
20-34	1349	4.5	17	1	2	4	5	7	9	21
35-49	1033	5.4	28	2	2	4	6	9	11	22
50-64	776	5.9	17	2	3	5	7	10	12	24
65+	397	7.4	23	2	3	6	9	13	17	25
GRAND TOTAL	**3735**	**5.3**	**21**	**2**	**2**	**4**	**6**	**9**	**12**	**23**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	5.1	5	2	2	5	6	8	8	14
20-34	906	5.5	15	2	3	5	6	8	9	13
35-49	1123	5.8	14	3	3	5	7	9	10	15
50-64	697	5.9	8	3	3	5	7	9	10	15
65+	233	6.7	11	3	3	6	8	11	13	18
2. MULTIPLE DX										
0-19 YRS	171	5.7	11	3	3	5	6	8	9	23
20-34	3789	6.2	11	3	4	5	7	9	12	19
35-49	5192	6.8	15	3	4	6	8	10	13	22
50-64	4184	7.6	21	3	4	6	9	12	16	25
65+	1651	9.4	40	4	4	8	11	17	21	32
TOT. SINGLE DX	3018	5.8	13	3	3	5	7	9	10	15
" MULTIPLE DX	14987	7.1	19	3	4	6	8	12	15	25
TOTAL 0-19 YRS	230	5.6	9	2	3	5	6	8	9	17
20-34	4695	6.0	12	3	3	5	7	9	11	18
35-49	6315	6.7	15	3	4	6	8	10	13	22
50-64	4881	7.3	20	3	4	6	8	12	15	24
65+	1884	9.0	38	4	4	7	11	16	21	32
GRAND TOTAL	**18005**	**6.9**	**18**	**3**	**4**	**6**	**8**	**11**	**14**	**24**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	146	3.9	7	1	1	3	5	7	9	15
20-34	600	4.1	15	1	2	4	5	7	8	16
35-49	431	4.6	19	1	2	4	6	8	10	18
50-64	281	4.8	13	1	2	4	6	8	12	18
65+	141	7.0	32	1	2	6	8	15	18	25
2. MULTIPLE DX										
0-19 YRS	74	6.9	28	2	3	5	8	13	20	26
20-34	390	5.8	22	2	2	5	7	10	13	28
35-49	434	7.0	55	2	2	5	8	14	18	38
50-64	426	8.1	54	2	3	6	9	16	23	44
65+	343	10.7	75	3	3	8	14	20	27	44
TOT. SINGLE DX	1599	4.6	17	1	2	4	5	8	10	20
" MULTIPLE DX	1667	7.8	53	2	3	6	9	15	21	42
TOTAL 0-19 YRS	220	4.9	16	1	2	4	6	9	12	25
20-34	990	4.8	18	1	2	4	6	8	11	24
35-49	865	5.8	39	2	2	4	6	11	14	31
50-64	707	6.8	40	2	2	5	8	14	19	36
65+	484	9.6	66	2	3	7	12	19	24	43
GRAND TOTAL	**3266**	**6.2**	**38**	**2**	**2**	**4**	**7**	**12**	**17**	**34**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	8.2	35	3	3	6	11	18	19	19
20-34	20	6.6	21	1	2	6	9	13	16	17
35-49	10	11.2	93	1	1	7	19	24	29	29
50-64	23	9.0	72	<1	1	6	14	24	26	27
65+	11	18.7	214	3	4	14	30	39	46	47
2. MULTIPLE DX										
0-19 YRS	11	14.8	115	4	5	12	17	35	37	37
20-34	27	17.1	334	2	3	10	20	41	50	87
35-49	49	14.4	138	3	4	11	17	30	41	59
50-64	67	13.3	123	2	2	10	20	25	36	58
65+	56	19.4	148	3	6	17	30	37	42	48
TOT. SINGLE DX	70	10.1	91	1	2	7	14	24	29	44
" MULTIPLE DX	210	15.7	163	2	3	12	21	35	41	60
TOTAL 0-19 YRS	17	12.5	94	3	4	11	15	30	36	37
20-34	47	12.6	225	2	2	9	13	28	42	87
35-49	59	13.9	130	2	3	11	18	29	41	57
50-64	90	12.2	112	1	2	10	18	24	34	53
65+	67	19.3	156	3	5	16	31	37	43	48
GRAND TOTAL	**280**	**14.3**	**150**	**2**	**2**	**10**	**19**	**32**	**39**	**56**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	98	7.6	41	1	2	6	10	15	18	33
20-34	544	6.4	35	1	1	4	9	14	17	32
35-49	443	8.0	48	1	2	6	11	17	23	32
50-64	473	7.9	54	1	1	6	11	18	20	33
65+	262	12.8	133	1	2	10	17	27	35	56
2. MULTIPLE DX										
0-19 YRS	172	13.5	160	2	3	10	17	26	40	73
20-34	885	12.3	121	2	2	10	15	25	33	58
35-49	1282	12.3	106	2	3	10	15	24	32	52
50-64	2078	13.7	113	2	3	11	18	27	34	53
65+	1756	16.5	144	3	5	14	21	31	38	62
TOT. SINGLE DX	1820	8.2	62	1	2	6	11	18	23	37
" MULTIPLE DX	6173	14.0	126	2	3	11	18	28	35	57
TOTAL 0-19 YRS	270	11.3	125	2	2	9	13	23	31	69
20-34	1429	10.1	97	1	2	8	13	21	29	51
35-49	1725	11.2	95	2	2	9	14	23	30	50
50-64	2551	12.7	107	2	2	10	17	25	32	51
65+	2018	16.0	144	2	4	13	21	30	38	61
GRAND TOTAL	**7993**	**12.7**	**117**	**2**	**2**	**10**	**17**	**25**	**33**	**53**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	642	8.1	16	5	5	7	10	12	14	20
20-34	7167	8.0	15	5	5	7	9	12	14	20
35-49	6205	8.5	12	5	5	8	10	13	15	21
50-64	6060	9.1	14	5	6	8	10	14	16	23
65+	2986	11.4	35	6	7	10	13	18	22	31
2. MULTIPLE DX										
0-19 YRS	389	10.6	40	5	6	9	12	16	19	37
20-34	5536	10.1	30	5	6	9	12	16	19	30
35-49	6650	11.1	38	5	6	9	13	18	22	35
50-64	9545	12.9	58	6	7	11	15	21	26	43
65+	9115	16.7	88	7	8	14	20	28	35	53
TOT. SINGLE DX	23060	8.9	18	5	6	8	10	13	16	24
" MULTIPLE DX	31235	13.1	64	6	6	11	16	22	28	45
TOTAL 0-19 YRS	1031	9.1	26	5	5	8	11	14	16	26
20-34	12703	9.0	23	5	5	8	10	14	17	25
35-49	12855	9.8	27	5	6	8	11	16	19	30
50-64	15605	11.4	44	6	6	9	13	19	23	38
65+	12101	15.4	80	7	8	13	19	26	32	49
GRAND TOTAL	**54295**	**11.3**	**49**	**5**	**6**	**9**	**13**	**19**	**24**	**39**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	9.6	97	1	1	7	10	26	35	37
20-34	125	10.6	75	3	3	8	13	19	28	51
35-49	147	10.4	60	3	4	9	12	16	21	43
50-64	178	12.7	56	3	4	11	16	24	28	39
65+	299	16.7	91	3	5	16	22	28	34	50
2. MULTIPLE DX										
0-19 YRS	26	14.0	97	2	2	12	18	27	34	43
20-34	121	13.9	111	4	6	11	16	23	33	62
35-49	223	17.5	166	5	7	15	21	33	42	99
50-64	508	19.1	131	5	8	17	24	34	40	67
65+	1132	22.6	144	8	11	20	28	38	46	66
TOT. SINGLE DX	769	13.4	82	3	4	11	17	25	30	44
" MULTIPLE DX	2010	20.5	147	6	8	18	26	36	44	66
TOTAL 0-19 YRS	46	12.1	100	1	2	9	17	27	34	43
20-34	246	12.2	95	3	4	10	14	22	30	58
35-49	370	14.7	136	4	5	12	18	28	38	91
50-64	686	17.5	119	4	7	15	22	32	37	60
65+	1431	21.4	138	6	10	19	26	36	44	63
GRAND TOTAL	**2779**	**18.5**	**139**	**4**	**7**	**16**	**24**	**33**	**41**	**62**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	6.1	11	1	2	7	8	9	11	12
20-34	91	11.4	91	2	2	9	17	25	36	76
35-49	104	10.1	97	2	2	8	13	22	26	54
50-64	121	15.0	153	1	2	12	21	30	39	60
65+	87	19.3	224	2	3	16	26	39	50	69
2. MULTIPLE DX										
0-19 YRS	26	13.6	168	1	2	12	16	33	69	99+
20-34	147	15.7	192	2	3	11	22	37	54	99+
35-49	269	18.6	246	3	4	14	25	41	52	97
50-64	395	21.3	266	3	5	17	28	45	58	94
65+	405	21.0	207	3	6	18	29	41	49	88
TOT. SINGLE DX	419	13.6	148	2	2	10	19	28	38	63
" MULTIPLE DX	1242	19.8	235	3	4	16	27	41	54	99+
TOTAL 0-19 YRS	42	10.7	120	1	2	8	15	23	44	99+
20-34	238	14.1	157	2	3	10	20	34	43	99+
35-49	373	16.2	218	2	3	12	23	37	47	86
50-64	516	19.8	246	2	4	16	27	41	55	84
65+	492	20.7	210	3	5	18	28	40	49	87
GRAND TOTAL	**1661**	**18.2**	**220**	**2**	**4**	**15**	**25**	**39**	**51**	**88**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	92	5.7	19	1	1	5	8	11	13	24
20-34	272	6.7	26	2	2	5	8	12	17	27
35-49	241	7.4	43	1	2	6	8	16	23	31
50-64	333	8.2	66	1	2	5	11	19	24	45
65+	292	10.0	105	1	2	7	14	22	29	56
2. MULTIPLE DX										
0-19 YRS	85	9.6	71	2	3	7	12	19	22	52
20-34	581	9.0	61	3	3	7	11	17	21	39
35-49	825	9.5	47	3	3	8	12	18	22	36
50-64	1384	11.1	86	2	3	9	14	22	29	45
65+	1820	13.8	122	3	4	11	18	26	35	57
TOT. SINGLE DX	1230	7.9	60	1	2	6	10	17	23	38
" MULTIPLE DX	4695	11.6	93	3	3	9	15	23	30	49
TOTAL 0-19 YRS	177	7.6	47	1	2	6	9	15	19	34
20-34	853	8.3	51	2	3	6	10	16	20	38
35-49	1066	9.1	47	2	3	7	12	18	22	34
50-64	1717	10.6	84	2	3	8	14	21	28	45
65+	2112	13.2	121	2	3	10	17	26	34	57
GRAND TOTAL	**5925**	**10.8**	**88**	**2**	**3**	**8**	**14**	**22**	**28**	**48**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7334	2.6	4	1	1	2	3	4	5	8
20-34	6227	4.2	4	2	3	4	5	6	7	10
35-49	5239	4.7	6	2	3	4	5	7	8	12
50-64	7593	5.1	6	3	3	5	6	7	8	13
65+	4641	5.8	9	3	3	5	7	9	10	15
2. MULTIPLE DX										
0-19 YRS	3968	3.2	14	1	1	2	4	5	8	17
20-34	2149	5.3	19	2	3	5	6	8	10	20
35-49	2880	5.9	14	3	3	5	7	9	12	22
50-64	5592	6.9	22	3	3	6	8	11	15	26
65+	6274	9.0	41	3	4	7	11	16	20	36
TOT. SINGLE DX	31034	4.4	7	1	2	4	5	7	8	12
" MULTIPLE DX	20863	6.5	29	2	2	5	8	12	16	29
TOTAL 0-19 YRS	11302	2.8	7	1	1	2	3	5	6	11
20-34	8376	4.5	8	2	3	4	5	6	8	13
35-49	8119	5.1	9	2	3	5	6	8	9	16
50-64	13185	5.8	13	3	3	5	7	9	11	20
65+	10915	7.7	30	3	4	6	9	13	17	30
GRAND TOTAL	**51897**	**5.2**	**17**	**2**	**2**	**4**	**6**	**9**	**11**	**22**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1099	2.4	6	1	1	2	3	4	5	8
20-34	637	4.9	4	3	3	5	6	7	8	11
35-49	836	5.2	4	3	3	5	6	7	8	12
50-64	1314	5.8	6	3	4	6	7	8	9	13
65+	690	6.9	15	3	4	6	8	10	12	17
2. MULTIPLE DX										
0-19 YRS	879	3.8	73	1	1	2	3	6	9	63
20-34	299	5.9	20	3	3	5	7	9	12	21
35-49	568	6.4	10	3	4	6	7	10	13	20
50-64	1245	7.3	22	3	4	6	8	11	14	28
65+	1131	9.7	43	4	5	8	11	17	22	34
TOT. SINGLE DX	4576	4.9	9	1	2	5	6	8	9	13
" MULTIPLE DX	4122	7.0	41	2	2	6	8	12	16	32
TOTAL 0-19 YRS	1978	3.0	36	1	1	2	3	5	6	19
20-34	936	5.2	10	3	3	5	6	7	9	15
35-49	1404	5.7	7	3	3	5	7	8	10	16
50-64	2559	6.6	14	3	4	6	7	9	12	22
65+	1821	8.6	34	4	4	7	10	15	19	32
GRAND TOTAL	**8698**	**5.9**	**25**	**1**	**2**	**5**	**7**	**10**	**13**	**25**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	3.1	2	1	1	3	4	5	6	7
20-34	139	4.7	10	2	3	4	5	6	8	15
35-49	227	5.1	10	2	3	5	6	8	9	18
50-64	285	5.5	7	3	3	5	6	8	10	16
65+	350	7.5	16	3	4	7	9	12	15	25
2. MULTIPLE DX										
0-19 YRS	18	9.3	190	1	2	6	9	15	44	62
20-34	64	6.4	44	3	3	5	7	9	11	44
35-49	135	6.9	19	2	3	6	8	12	16	24
50-64	235	7.5	25	3	3	6	9	12	19	32
65+	539	11.4	58	4	5	9	14	21	27	42
TOT. SINGLE DX	1053	5.9	12	2	3	5	7	9	12	21
" MULTIPLE DX	991	9.5	51	3	4	7	11	18	25	39
TOTAL 0-19 YRS	70	4.7	56	1	1	3	5	7	11	53
20-34	203	5.3	21	2	3	5	6	8	9	35
35-49	362	5.8	14	2	3	5	6	9	13	23
50-64	520	6.4	16	3	3	5	7	11	13	24
65+	889	9.8	45	3	4	8	11	18	25	38
GRAND TOTAL	**2044**	**7.6**	**34**	**3**	**3**	**6**	**9**	**14**	**19**	**33**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1553	2.4	5	1	1	2	3	4	5	9
20-34	486	4.0	21	2	2	3	5	6	7	13
35-49	592	4.6	9	2	2	4	5	7	9	12
50-64	469	5.2	8	2	3	5	6	8	11	16
65+	176	6.2	12	2	3	5	8	11	13	22
2. MULTIPLE DX										
0-19 YRS	392	4.2	28	1	1	3	5	8	11	30
20-34	308	6.0	24	2	2	5	7	10	13	29
35-49	554	7.0	34	2	3	6	8	13	17	30
50-64	670	8.3	36	3	3	7	10	15	20	35
65+	471	10.8	61	3	4	9	14	20	26	42
TOT. SINGLE DX	3276	3.7	11	1	1	3	4	7	8	14
" MULTIPLE DX	2395	7.5	42	2	2	6	9	15	19	33
TOTAL 0-19 YRS	1945	2.8	10	1	1	2	3	4	6	15
20-34	794	4.8	23	2	2	4	5	8	10	19
35-49	1146	5.7	23	2	3	5	7	9	13	25
50-64	1139	7.1	27	2	3	6	8	13	16	29
65+	647	9.5	52	3	3	8	12	18	24	41
GRAND TOTAL	**5671**	**5.3**	**28**	**1**	**2**	**4**	**6**	**10**	**14**	**27**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	290	2.9	5	1	1	2	3	5	6	10
20-34	792	4.7	7	2	2	4	6	8	10	15
35-49	1043	5.9	9	2	3	5	7	9	11	16
50-64	1260	6.9	12	3	3	6	9	11	13	19
65+	787	8.4	20	3	4	8	10	14	17	26
2. MULTIPLE DX										
0-19 YRS	94	4.8	15	2	2	4	6	10	11	22
20-34	473	7.5	25	3	3	6	9	14	18	26
35-49	1111	9.1	44	3	4	7	11	16	20	35
50-64	1760	10.7	53	4	5	9	13	19	25	42
65+	1558	12.6	79	4	5	10	15	22	29	46
TOT. SINGLE DX	4172	6.2	14	2	3	6	8	10	13	21
" MULTIPLE DX	4996	10.5	59	3	4	9	13	19	25	41
TOTAL 0-19 YRS	384	3.4	8	1	1	3	4	6	8	12
20-34	1265	5.8	16	2	2	5	7	10	13	21
35-49	2154	7.5	29	3	3	6	9	13	17	29
50-64	3020	9.1	39	3	4	8	11	16	21	35
65+	2345	11.2	63	4	5	9	13	20	25	41
GRAND TOTAL	**9168**	**8.6**	**43**	**2**	**3**	**7**	**10**	**15**	**20**	**34**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	4.1	9	<1	1	3	5	10	11	12
20-34	68	7.0	25	3	3	5	8	13	18	28
35-49	98	9.1	23	3	4	8	11	16	18	26
50-64	145	10.4	28	4	4	10	13	16	21	33
65+	97	12.0	45	4	5	11	14	20	24	39
2. MULTIPLE DX										
0-19 YRS	51	11.2	195	2	2	6	13	28	38	74
20-34	143	11.1	34	4	6	10	14	18	22	31
35-49	267	13.8	71	6	7	12	17	23	29	50
50-64	419	13.9	60	6	7	12	16	23	29	47
65+	328	18.4	112	7	9	16	22	32	37	63
TOT. SINGLE DX	449	9.4	33	3	3	8	12	16	20	30
" MULTIPLE DX	1208	14.6	85	5	7	12	18	25	32	52
TOTAL 0-19 YRS	92	8.0	123	1	2	4	9	20	29	65
20-34	211	9.8	34	3	4	9	12	16	21	30
35-49	365	12.6	62	4	6	10	15	21	27	48
50-64	564	13.0	54	5	6	11	15	22	27	44
65+	425	16.9	104	6	8	14	21	29	36	55
GRAND TOTAL	1657	13.2	76	4	5	11	16	23	29	48

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	379	4.5	17	1	1	3	5	10	12	21
20-34	503	5.5	26	1	2	4	7	10	12	30
35-49	440	7.2	44	2	2	5	9	14	18	42
50-64	425	9.1	67	2	2	7	12	20	25	51
65+	332	11.9	99	2	3	9	15	23	31	50
2. MULTIPLE DX										
0-19 YRS	211	7.8	72	1	2	6	9	18	21	57
20-34	573	9.4	80	2	3	7	11	19	25	49
35-49	638	12.6	136	2	3	9	16	25	37	73
50-64	1029	15.3	146	3	4	12	20	30	39	63
65+	1171	19.1	179	4	6	16	25	36	44	72
TOT. SINGLE DX	2079	7.4	54	1	2	5	9	15	22	38
" MULTIPLE DX	3622	14.7	155	2	3	11	20	30	39	67
TOTAL 0-19 YRS	590	5.7	39	1	1	4	7	12	17	33
20-34	1076	7.6	58	2	2	6	9	15	22	42
35-49	1078	10.4	105	2	3	7	13	22	31	58
50-64	1454	13.5	131	2	3	10	18	27	35	59
65+	1503	17.5	170	3	5	15	23	35	41	69
GRAND TOTAL	5701	12.1	130	2	2	8	16	26	35	58

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	581	6.9	20	2	3	6	9	12	16	23
20-34	1142	7.9	40	2	3	6	9	14	18	34
35-49	525	10.2	48	3	4	8	12	19	25	42
50-64	447	14.3	122	5	6	11	16	26	33	66
65+	349	16.5	88	6	7	15	21	30	33	49
2. MULTIPLE DX										
0-19 YRS	633	11.3	113	3	4	8	12	24	34	99+
20-34	1795	10.9	103	3	4	8	12	21	29	63
35-49	991	14.6	152	4	5	11	17	28	39	91
50-64	1234	19.6	189	6	7	16	24	37	46	88
65+	1507	22.9	200	8	10	19	28	42	53	83
TOT. SINGLE DX	3044	10.0	66	3	4	8	12	19	25	42
" MULTIPLE DX	6160	16.2	177	4	5	12	21	33	44	81
TOTAL 0-19 YRS	1214	9.2	73	3	3	7	10	17	26	61
20-34	2937	9.8	81	3	4	7	11	18	25	56
35-49	1516	13.1	120	4	5	10	15	25	34	78
50-64	1681	18.2	176	6	7	15	23	34	44	86
65+	1856	21.7	185	7	9	18	27	39	51	78
GRAND TOTAL	9204	14.2	149	4	5	10	18	29	39	72

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	851	3.7	9	1	1	3	5	7	9	14
20-34	3908	3.1	9	1	1	2	3	6	8	13
35-49	512	3.2	8	1	1	2	3	7	10	17
50-64	105	5.0	28	1	1	3	6	11	13	30
65+	38	5.5	47	1	1	3	6	14	22	32
2. MULTIPLE DX										
0-19 YRS	782	4.7	18	1	1	3	6	10	13	24
20-34	4497	4.0	20	1	1	2	5	9	12	21
35-49	744	5.3	40	1	1	3	7	12	16	30
50-64	194	8.8	76	1	2	6	13	19	23	48
65+	131	13.5	146	2	2	11	18	33	41	51
TOT. SINGLE DX	5414	3.2	10	1	1	2	4	7	9	14
" MULTIPLE DX	6348	4.6	29	1	1	3	6	10	14	26
TOTAL 0-19 YRS	1633	4.2	13	1	1	3	6	9	11	22
20-34	8405	3.6	15	1	1	2	4	8	10	18
35-49	1256	4.4	28	1	1	2	5	10	13	25
50-64	299	7.4	62	1	2	4	11	17	21	44
65+	169	11.7	135	1	2	8	16	28	40	49
GRAND TOTAL	11762	4.0	20	1	1	2	5	8	11	22

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of a procedure which is coded for indexing, quality review, and purposes other than its effect on length of stay. For the purpose of operation length of stay tables, patients with only this procedure are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	174	6.7	22	1	2	6	8	11	14	25
20-34	764	7.0	24	1	2	6	9	13	16	25
35-49	547	10.4	47	2	4	9	13	18	22	38
50-64	438	12.0	54	4	6	10	15	20	26	39
65+	328	14.0	60	6	7	12	17	23	27	46
2. MULTIPLE DX										
0-19 YRS	261	9.3	74	2	2	7	11	17	21	70
20-34	1789	8.4	53	2	2	7	9	16	21	41
35-49	1093	13.1	111	2	5	10	16	26	36	79
50-64	1073	17.7	154	5	7	14	22	35	45	77
65+	1215	20.7	168	8	9	17	26	38	48	74
TOT. SINGLE DX	2251	9.8	47	2	3	8	12	18	22	35
" MULTIPLE DX	5431	14.0	136	2	4	10	18	29	38	66
TOTAL 0-19 YRS	435	8.3	55	1	2	7	10	15	20	56
20-34	2553	8.0	45	2	2	7	9	15	20	36
35-49	1640	12.2	91	2	4	10	15	23	31	62
50-64	1511	16.0	132	5	6	13	20	31	41	73
65+	1543	19.2	153	7	8	16	24	34	46	71
GRAND TOTAL	7682	12.8	113	2	3	10	16	26	34	61

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	9.1	8	5	6	9	10	14	15	18
20-34	111	10.9	20	6	7	10	13	16	19	28
35-49	130	12.2	22	6	7	11	15	18	23	45
50-64	243	13.9	30	8	9	13	16	20	23	40
65+	192	16.2	47	8	9	15	20	24	29	37
2. MULTIPLE DX										
0-19 YRS	141	13.9	105	5	6	11	16	23	34	59
20-34	279	14.0	95	7	7	11	16	23	31	56
35-49	320	17.4	110	7	8	14	22	29	40	58
50-64	639	19.6	174	8	9	16	23	32	42	81
65+	791	21.2	128	9	10	19	25	34	42	70
TOT. SINGLE DX	730	13.4	35	7	8	12	16	21	24	36
" MULTIPLE DX	2170	18.8	140	8	9	16	22	32	40	74
TOTAL 0-19 YRS	195	12.6	83	5	6	10	14	22	27	59
20-34	390	13.1	75	6	7	11	15	20	27	50
35-49	450	15.9	90	7	8	13	18	27	37	55
50-64	882	18.0	141	8	9	15	21	30	39	80
65+	983	20.2	116	9	10	18	24	33	40	67
GRAND TOTAL	2900	17.4	119	7	8	15	21	30	37	67

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	280	8.0	27	2	2	8	11	15	17	24
20-34	523	9.9	49	2	3	9	12	17	23	35
35-49	522	10.8	50	2	3	10	13	18	23	35
50-64	487	11.1	46	2	4	10	14	19	22	37
65+	247	11.6	53	2	3	11	14	19	24	40
2. MULTIPLE DX										
0-19 YRS	324	13.8	148	2	3	11	17	26	43	64
20-34	736	15.3	166	2	3	12	19	31	42	73
35-49	746	15.3	123	3	5	13	19	28	36	67
50-64	1013	15.8	118	3	5	14	20	28	35	59
65+	779	17.4	151	3	5	14	23	33	41	59
TOT. SINGLE DX	2059	10.4	47	2	2	9	13	18	23	35
" MULTIPLE DX	3598	15.8	139	3	5	13	20	29	38	66
TOTAL 0-19 YRS	604	11.1	100	2	2	9	13	21	28	59
20-34	1259	13.1	125	2	3	10	16	25	33	65
35-49	1268	13.5	98	2	4	11	16	24	31	56
50-64	1500	14.3	99	3	5	12	18	25	32	54
65+	1026	16.0	133	3	4	13	20	30	38	56
GRAND TOTAL	5657	13.8	113	2	3	11	17	25	33	57

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	9.8	23	3	4	9	12	16	21	22
20-34	391	9.9	16	3	5	10	12	15	17	21
35-49	523	10.7	21	4	6	10	13	16	18	25
50-64	505	11.2	23	5	6	10	13	17	20	28
65+	220	11.9	26	4	6	11	14	18	22	27
2. MULTIPLE DX										
0-19 YRS	21	11.8	92	4	5	10	12	26	38	39
20-34	284	12.3	52	4	6	11	14	20	24	66
35-49	386	13.2	58	5	6	12	16	22	29	48
50-64	584	13.7	45	6	8	12	16	22	27	38
65+	431	15.7	85	6	8	13	19	25	31	51
TOT. SINGLE DX	1670	10.8	21	4	6	10	13	16	19	26
" MULTIPLE DX	1706	13.8	61	5	7	12	16	23	29	47
TOTAL 0-19 YRS	52	10.6	51	3	4	9	12	18	22	39
20-34	675	10.9	32	4	6	10	13	17	20	33
35-49	909	11.7	38	5	6	10	14	18	22	34
50-64	1089	12.5	36	5	7	11	15	20	24	32
65+	651	14.4	68	6	8	13	17	23	29	48
GRAND TOTAL	3376	12.3	44	5	6	11	15	20	24	38

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	230	10.5	10	7	8	10	11	14	16	21
20-34	37	12.9	21	6	7	12	16	19	21	23
35-49	34	14.9	38	8	9	13	16	25	29	35
50-64	31	18.6	74	8	10	18	22	27	38	45
65+	26	20.2	86	7	8	19	23	32	42	44
2. MULTIPLE DX										
0-19 YRS	339	11.7	48	6	7	10	13	18	22	42
20-34	94	18.2	101	8	9	16	22	34	39	79
35-49	81	20.7	155	9	10	18	24	35	57	90
50-64	129	21.8	150	7	8	20	27	38	46	86
65+	114	26.7	233	10	12	24	33	47	56	84
TOT. SINGLE DX	358	12.6	35	7	8	11	14	20	24	39
" MULTIPLE DX	757	17.4	143	7	8	13	22	34	41	69
TOTAL 0-19 YRS	569	11.2	33	7	7	10	12	16	20	33
20-34	131	16.7	84	7	8	14	20	31	36	61
35-49	115	19.0	127	9	10	16	22	33	41	80
50-64	160	21.2	136	7	9	19	27	37	45	80
65+	140	25.5	211	8	12	22	32	44	55	79
GRAND TOTAL	1115	15.9	113	7	8	12	19	30	37	60

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	116	4.9	11	1	1	4	7	10	11	16
20-34	723	5.6	10	2	2	5	7	9	12	16
35-49	801	5.4	10	2	2	5	7	9	11	17
50-64	608	6.0	16	2	2	5	7	10	13	23
65+	216	7.3	36	2	2	6	9	13	18	31
2. MULTIPLE DX										
0-19 YRS	113	8.5	95	1	1	7	12	16	21	96
20-34	389	7.0	25	2	2	6	8	12	16	24
35-49	507	7.0	35	2	2	6	8	13	17	29
50-64	578	8.5	44	2	3	7	10	15	21	38
65+	369	11.1	84	2	3	9	14	21	29	45
TOT. SINGLE DX	2464	5.7	14	2	2	5	7	10	12	20
" MULTIPLE DX	1956	8.3	50	2	3	7	10	15	21	38
TOTAL 0-19 YRS	229	6.7	56	1	1	5	9	13	17	39
20-34	1112	6.1	16	2	2	5	8	11	13	21
35-49	1308	6.1	20	2	2	5	8	11	13	23
50-64	1186	7.2	31	2	3	6	9	13	17	31
65+	585	9.7	70	2	3	7	12	19	25	42
GRAND TOTAL	4420	6.9	32	2	2	6	8	12	16	29

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2845	2.5	10	1	1	2	3	5	7	14
20-34	3455	3.9	14	1	1	3	5	8	11	17
35-49	3365	4.2	21	1	1	3	5	9	12	21
50-64	4365	4.1	21	1	1	2	5	9	12	22
65+	4464	4.9	31	1	1	3	6	11	15	27
2. MULTIPLE DX										
0-19 YRS	3499	3.7	20	1	1	2	5	8	10	20
20-34	5858	6.5	46	1	2	5	8	13	18	35
35-49	6417	7.5	60	1	2	5	9	16	21	38
50-64	10464	7.6	56	1	2	5	10	16	22	37
65+	15392	10.2	92	1	2	8	13	22	29	47
TOT. SINGLE DX	18494	4.0	21	1	1	2	5	9	12	22
" MULTIPLE DX	41630	8.1	69	1	2	6	11	18	24	42
TOTAL 0-19 YRS	6344	3.2	16	1	1	2	4	7	9	18
20-34	9313	5.5	36	1	1	4	7	12	16	30
35-49	9782	6.3	49	1	1	4	8	13	18	34
50-64	14829	6.6	49	1	1	4	9	15	20	33
65+	19856	9.0	83	1	2	6	12	20	27	45
GRAND TOTAL	60124	6.8	58	1	1	4	9	15	21	38

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	3.8	5	1	1	3	5	7	8	10
20-34	124	4.4	25	1	1	3	5	8	10	36
35-49	378	4.2	17	1	1	3	5	8	10	16
50-64	1441	4.4	13	1	2	4	5	8	10	19
65+	2592	5.5	20	2	2	4	7	11	14	23
2. MULTIPLE DX										
0-19 YRS	73	5.3	33	1	1	3	6	14	18	30
20-34	373	6.3	42	2	2	4	8	13	18	48
35-49	575	6.3	37	1	2	4	8	13	17	35
50-64	1884	6.9	45	1	2	5	9	14	19	35
65+	4680	9.0	71	2	2	7	11	19	24	43
TOT. SINGLE DX	4564	5.0	18	1	2	4	6	9	12	23
" MULTIPLE DX	7585	8.1	62	2	2	6	10	17	22	40
TOTAL 0-19 YRS	102	4.8	26	1	1	3	6	10	15	28
20-34	497	5.8	38	1	2	4	7	12	17	42
35-49	953	5.5	30	1	2	4	7	11	14	26
50-64	3325	5.8	33	1	2	4	7	12	16	30
65+	7272	7.8	56	2	2	6	9	16	21	39
GRAND TOTAL	12149	7.0	47	2	2	5	8	14	20	36

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	139	7.5	61	1	2	6	9	13	19	52
20-34	225	7.4	43	1	2	6	9	15	19	34
35-49	283	7.8	46	1	2	5	11	17	23	33
50-64	537	8.1	46	2	2	6	12	17	22	30
65+	800	9.5	69	1	2	7	14	20	26	38
2. MULTIPLE DX										
0-19 YRS	292	10.6	130	2	3	8	12	24	40	81
20-34	469	12.5	222	2	2	7	15	30	50	90
35-49	572	10.6	124	2	2	8	13	24	33	64
50-64	1193	12.0	122	2	2	9	16	27	34	60
65+	2440	14.8	150	2	3	11	20	30	40	61
TOT. SINGLE DX	1984	8.5	57	1	2	6	12	18	23	35
" MULTIPLE DX	4966	13.2	148	2	2	10	18	29	38	64
TOTAL 0-19 YRS	431	9.6	110	1	2	7	11	19	32	58
20-34	694	10.8	169	2	2	7	13	24	36	82
35-49	855	9.7	100	2	2	7	12	21	30	54
50-64	1730	10.8	102	2	2	8	15	23	30	47
65+	3240	13.5	135	2	2	11	18	29	36	60
GRAND TOTAL	6950	11.9	127	2	2	9	16	26	33	58

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	705	1.9	9	<1	1	1	2	3	4	10
20-34	61	2.9	4	1	1	2	3	5	7	12
35-49	42	2.8	4	1	1	2	3	6	7	11
50-64	33	3.6	5	2	2	3	4	7	8	12
65+	21	4.8	11	1	2	4	6	10	11	13
2. MULTIPLE DX										
0-19 YRS	628	2.5	10	<1	1	2	3	5	7	15
20-34	135	4.0	22	1	1	2	4	8	11	27
35-49	104	6.3	96	1	2	3	7	14	19	56
50-64	135	6.5	44	2	2	4	9	14	17	39
65+	125	8.4	56	2	2	7	12	17	21	34
TOT. SINGLE DX	862	2.1	8	<1	1	2	2	4	5	11
" MULTIPLE DX	1127	4.2	33	1	1	2	4	10	14	25
TOTAL 0-19 YRS	1333	2.2	9	<1	1	2	2	4	6	12
20-34	196	3.6	17	1	1	2	4	8	10	23
35-49	146	5.3	72	1	2	3	6	11	15	29
50-64	168	5.9	38	2	2	3	7	13	16	36
65+	146	7.9	51	2	2	6	11	17	21	28
GRAND TOTAL	1989	3.3	23	1	1	2	3	7	11	21

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	490	5.9	21	1	1	5	9	12	14	21
20-34	372	3.9	13	1	1	2	5	9	11	17
35-49	205	6.2	19	1	2	4	9	13	15	17
50-64	230	5.9	29	2	2	4	8	12	14	31
65+	205	5.7	26	2	2	4	7	10	14	28
2. MULTIPLE DX										
0-19 YRS	415	5.3	39	1	1	3	8	12	16	33
20-34	480	5.0	26	1	1	3	6	12	15	26
35-49	406	6.6	41	1	2	4	9	14	18	38
50-64	544	7.6	68	2	2	5	10	16	21	43
65+	658	7.9	64	2	2	5	10	16	22	38
TOT. SINGLE DX	1502	5.4	21	1	1	4	8	11	14	21
" MULTIPLE DX	2503	6.6	51	1	1	4	9	14	19	35
TOTAL 0-19 YRS	905	5.6	29	1	1	4	9	12	15	26
20-34	852	4.5	21	1	1	3	6	10	13	23
35-49	611	6.4	34	1	2	4	9	13	16	27
50-64	774	7.1	57	2	2	5	9	15	19	35
65+	863	7.3	55	2	2	5	9	15	19	38
GRAND TOTAL	4005	6.2	40	1	1	4	8	13	16	31

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	996	2.2	13	<1	1	2	2	3	6	13
20-34	601	3.1	8	1	1	2	4	6	9	15
35-49	455	3.5	11	1	1	2	4	7	9	16
50-64	475	4.0	18	1	1	2	5	8	11	25
65+	491	4.7	23	1	1	3	6	9	13	25
2. MULTIPLE DX										
0-19 YRS	1911	2.7	11	<1	1	2	3	6	8	12
20-34	1971	5.0	29	1	1	3	6	11	14	30
35-49	1749	6.2	46	1	2	4	8	14	19	33
50-64	2125	6.9	46	1	2	5	9	15	18	32
65+	3060	9.4	73	2	2	7	12	20	27	43
TOT. SINGLE DX	3018	3.3	15	1	1	2	4	7	9	20
" MULTIPLE DX	10816	6.4	50	1	1	4	8	14	19	35
TOTAL 0-19 YRS	2907	2.5	12	<1	1	2	3	5	7	12
20-34	2572	4.6	25	1	1	3	5	10	13	29
35-49	2204	5.7	40	1	1	3	7	12	17	31
50-64	2600	6.3	42	1	2	4	9	14	18	30
65+	3551	8.7	69	2	2	6	11	19	25	42
GRAND TOTAL	**13834**	**5.7**	**44**	**1**	**1**	**3**	**7**	**13**	**18**	**32**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	286	3.0	6	1	1	2	4	5	8	12
20-34	309	4.2	8	2	2	4	4	8	10	14
35-49	196	5.0	20	1	2	4	6	10	13	28
50-64	209	5.3	18	2	2	4	6	12	15	21
65+	185	5.6	17	2	2	5	7	10	14	22
2. MULTIPLE DX										
0-19 YRS	329	3.3	8	1	1	2	4	6	8	17
20-34	487	5.3	27	2	2	4	6	11	15	31
35-49	353	6.2	42	2	2	4	8	13	17	33
50-64	438	7.5	68	2	2	4	10	16	20	34
65+	515	9.6	81	2	3	7	12	20	26	47
TOT. SINGLE DX	1185	4.4	13	1	2	3	5	9	12	18
" MULTIPLE DX	2122	6.7	53	2	2	4	8	15	20	37
TOTAL 0-19 YRS	615	3.2	8	1	1	2	4	6	8	15
20-34	796	4.9	20	2	2	4	5	10	13	27
35-49	549	5.8	35	2	2	4	7	12	16	30
50-64	647	6.8	53	2	2	4	9	15	19	30
65+	700	8.6	67	2	2	6	10	17	24	44
GRAND TOTAL	**3307**	**5.9**	**40**	**1**	**2**	**4**	**7**	**12**	**17**	**31**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	9.0	12	4	4	10	11	12	12	12
20-34	117	7.4	6	3	5	7	9	11	12	16
35-49	478	8.8	7	5	6	8	10	12	14	19
50-64	405	9.8	11	6	7	9	11	14	16	21
65+	169	11.6	17	7	8	10	13	17	19	30
2. MULTIPLE DX										
0-19 YRS	10	7.6	14	3	3	7	11	13	13	13
20-34	230	9.5	26	4	5	8	11	14	19	33
35-49	803	10.5	23	6	7	9	12	16	19	32
50-64	773	11.8	31	6	7	10	14	18	24	30
65+	386	14.3	57	7	8	12	17	24	28	43
TOT. SINGLE DX	1173	9.4	11	5	6	9	11	13	16	21
" MULTIPLE DX	2202	11.5	34	6	7	10	13	18	23	34
TOTAL 0-19 YRS	14	8.0	13	3	3	8	11	13	13	13
20-34	347	8.8	21	4	5	8	10	13	16	30
35-49	1281	9.8	18	6	6	9	11	15	18	27
50-64	1178	11.1	25	6	7	10	13	17	21	28
65+	555	13.5	46	7	8	12	15	21	26	36
GRAND TOTAL	**3375**	**10.8**	**27**	**6**	**6**	**9**	**12**	**17**	**21**	**31**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	38	9.1	9	5	6	9	10	12	14	22
35-49	102	9.3	9	5	6	9	10	13	15	20
50-64	101	10.8	14	6	7	10	12	16	18	23
65+	43	11.3	15	5	6	11	14	17	17	18
2. MULTIPLE DX										
0-19 YRS										
20-34	32	9.9	11	4	6	10	12	13	14	20
35-49	145	10.0	21	4	5	9	12	16	18	23
50-64	170	12.2	54	5	7	10	13	20	29	38
65+	91	14.9	64	6	7	12	19	26	28	48
TOT. SINGLE DX	284	10.1	13	6	6	10	12	15	17	21
" MULTIPLE DX	438	11.9	45	5	6	10	13	20	26	34
TOTAL 0-19 YRS										
20-34	70	9.4	10	5	6	9	11	13	14	22
35-49	247	9.7	16	5	6	9	11	14	17	22
50-64	271	11.7	39	6	7	10	13	18	24	33
65+	134	13.7	51	6	7	12	17	21	27	45
GRAND TOTAL	**722**	**11.2**	**33**	**5**	**6**	**10**	**13**	**17**	**21**	**32**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	3.1	6	<1	<1	2	6	7	8	8
20-34	26	4.8	8	1	2	4	6	9	11	11
35-49	45	5.9	16	1	2	6	7	10	14	20
50-64	36	6.5	28	2	2	5	8	14	19	23
65+	20	5.5	12	1	2	5	8	10	12	13
2. MULTIPLE DX										
0-19 YRS	30	4.0	11	<1	<1	3	5	8	10	15
20-34	61	7.5	28	1	2	7	9	15	19	27
35-49	51	7.3	43	2	2	6	8	13	19	40
50-64	92	9.3	56	2	2	6	13	24	26	29
65+	102	12.1	119	2	2	10	15	24	28	63
TOT. SINGLE DX	144	5.5	17	1	1	5	7	11	13	20
" MULTIPLE DX	336	9.1	70	2	2	7	12	19	25	40
TOTAL 0-19 YRS	47	3.7	9	<1	<1	3	5	8	9	15
20-34	87	6.7	23	1	2	6	8	11	16	26
35-49	96	6.7	30	2	2	6	8	12	18	32
50-64	128	8.5	50	2	2	6	12	20	25	29
65+	122	11.1	107	2	2	9	13	21	27	56
GRAND TOTAL	**480**	**8.0**	**56**	**1**	**2**	**6**	**10**	**16**	**23**	**34**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	3.7	10	1	1	3	4	9	11	11
20-34	19	8.7	128	<1	1	7	9	34	76	99+
35-49	26	10.8	70	1	1	9	13	24	28	35
50-64	19	14.8	107	2	4	13	19	26	37	46
65+	17	9.7	144	1	2	6	12	15	40	53
2. MULTIPLE DX										
0-19 YRS	12	10.9	104	2	2	9	14	24	37	39
20-34	39	12.6	70	2	3	11	18	20	31	36
35-49	31	13.6	127	2	2	10	16	25	38	55
50-64	42	17.1	132	5	6	13	23	31	36	65
65+	63	12.8	157	2	2	8	20	29	34	62
TOT. SINGLE DX	90	10.3	103	1	2	8	13	24	35	81
" MULTIPLE DX	187	13.7	126	2	2	11	19	27	35	61
TOTAL 0-19 YRS	21	7.8	75	1	1	5	11	17	27	39
20-34	58	11.3	91	2	2	10	16	20	36	96
35-49	57	12.3	101	1	2	10	15	25	32	54
50-64	61	16.4	123	4	5	13	22	29	36	63
65+	80	12.2	154	1	2	8	17	28	34	61
GRAND TOTAL	**277**	**12.6**	**121**	**2**	**2**	**10**	**17**	**26**	**35**	**61**

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.4	13	2	3	7	11	74	99+	99+
20-34	14	6.8	14	1	2	6	9	11	15	16
35-49	157	7.2	10	4	4	7	8	10	13	21
50-64	2728	7.7	12	4	5	7	9	12	13	20
65+	5487	9.0	23	5	5	8	10	14	17	26
2. MULTIPLE DX										
0-19 YRS	26	9.7	60	2	2	8	11	16	22	42
20-34	39	9.7	54	2	3	8	12	24	29	99+
35-49	271	9.7	38	4	5	8	11	17	19	36
50-64	5250	10.6	47	5	5	9	13	18	23	38
65+	16023	13.1	77	5	6	10	16	24	30	47
TOT. SINGLE DX	8393	8.6	19	4	5	8	10	13	16	24
" MULTIPLE DX	21609	12.4	70	5	6	10	15	22	28	46
TOTAL 0-19 YRS	33	9.2	50	2	2	8	11	16	37	99+
20-34	53	9.0	45	2	3	7	11	22	26	97
35-49	428	8.8	29	4	5	7	10	15	18	32
50-64	7978	9.6	37	4	5	8	11	16	20	33
65+	21510	12.0	66	5	6	10	14	21	28	44
GRAND TOTAL	**30002**	**11.3**	**59**	**5**	**5**	**9**	**13**	**20**	**26**	**42**

BEST AVAILABLE COPY

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	5.5	20	2	2	4	8	12	12	12
20-34	3	9.3	89	2	2	6	16	20	20	20
35-49	12	9.5	37	2	2	10	13	17	20	21
50-64	327	13.6	30	6	8	13	16	20	23	34
65+	552	13.9	30	7	8	13	17	21	23	31
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	12	16.6	88	5	7	13	25	30	34	35
50-64	517	16.1	55	7	9	15	20	25	29	41
65+	1628	17.4	78	7	9	15	21	28	34	49
TOT. SINGLE DX	898	13.7	31	6	8	13	16	21	23	32
" MULTIPLE DX	2159	17.1	73	7	9	15	21	27	33	48
TOTAL 0-19 YRS	5	4.8	17	2	2	4	6	12	12	12
20-34	4	7.8	70	2	2	4	13	20	20	20
35-49	24	13.0	73	2	2	11	16	27	30	35
50-64	844	15.2	[illegible]	6	9	14	19	23	27	39
65+	2180	16.5	66	7	9	15	20	26	32	47
GRAND TOTAL	3057	16.1	63	6	9	15	19	26	31	43

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	4.9	25	1	1	3	7	14	15	15
20-34	23	3.8	6	1	2	3	5	7	9	11
35-49	105	4.3	36	1	2	3	5	8	9	38
50-64	646	3.6	10	1	2	3	4	6	10	19
65+	873	4.5	19	1	2	3	5	9	13	23
2. MULTIPLE DX										
0-19 YRS	6	3.0	2	1	1	3	4	5	5	5
20-34	47	6.1	41	1	1	4	8	11	13	42
35-49	134	5.6	18	1	2	4	8	12	14	20
50-64	842	7.4	57	2	2	5	10	16	22	40
65+	1646	9.5	86	2	2	7	13	20	26	43
TOT. SINGLE DX	1654	4.1	16	1	2	3	5	9	11	23
" MULTIPLE DX	2675	8.6	74	2	2	6	11	18	24	41
TOTAL 0-19 YRS	13	4.0	14	1	1	3	4	9	14	15
20-34	70	5.3	31	1	2	4	7	11	12	37
35-49	239	5.0	26	1	2	4	6	10	13	21
50-64	1488	5.8	40	1	2	3	7	12	17	30
65+	2519	7.8	68	2	2	5	10	17	23	40
GRAND TOTAL	4329	6.9	57	1	2	4	9	15	21	38

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	292	3.1	7	1	1	3	4	5	7	17
20-34	318	3.9	7	1	2	3	5	7	9	14
35-49	190	4.5	19	1	2	3	5	8	11	27
50-64	178	4.2	11	2	2	4	5	7	8	20
65+	108	5.0	8	2	2	4	6	9	11	15
2. MULTIPLE DX										
0-19 YRS	209	4.5	63	1	2	3	4	7	9	42
20-34	174	4.8	16	1	2	4	6	8	12	19
35-49	177	7.2	67	2	2	4	8	14	24	50
50-64	215	7.1	50	2	2	5	9	13	18	37
65+	206	10.5	101	2	3	7	14	23	28	57
TOT. SINGLE DX	1086	4.0	10	1	2	3	5	7	9	17
" MULTIPLE DX	981	6.9	65	2	2	4	8	14	19	43
TOTAL 0-19 YRS	501	3.7	31	1	1	3	4	6	8	19
20-34	492	4.2	10	1	2	3	5	7	10	17
35-49	367	5.8	43	2	2	4	6	11	17	37
50-64	393	5.8	34	2	2	4	6	10	15	31
65+	314	8.6	76	2	3	6	10	17	24	48
GRAND TOTAL	2067	5.3	38	1	2	4	6	10	15	33

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	273	4.3	16	2	2	3	4	8	10	25
20-34	359	5.5	18	2	2	4	6	10	15	24
35-49	192	5.4	14	2	2	4	7	10	13	20
50-64	148	6.1	21	2	3	5	7	10	14	24
65+	324	7.4	35	2	3	5	10	15	19	29
2. MULTIPLE DX										
0-19 YRS	298	4.2	20	2	2	3	4	7	10	16
20-34	278	7.2	60	2	2	5	8	15	22	41
35-49	158	7.0	34	2	2	5	9	15	18	32
50-64	353	10.4	84	3	3	7	14	22	30	42
65+	922	12.1	87	3	3	10	16	24	30	47
TOT. SINGLE DX	1296	5.8	22	2	2	4	7	11	15	25
" MULTIPLE DX	2009	9.5	77	2	3	6	12	20	27	41
TOTAL 0-19 YRS	571	4.3	18	2	2	3	4	7	10	24
20-34	637	6.3	37	2	2	4	7	13	17	30
35-49	350	6.1	23	2	2	5	8	12	16	28
50-64	501	9.2	69	2	3	6	11	20	25	40
65+	1246	10.9	77	2	3	9	15	22	28	41
GRAND TOTAL	3305	8.1	59	2	2	5	10	18	23	38

BEST AVAILABLE COPY

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1354	3.3	3	1	1	3	4	5	7	9
20-34	170	3.3	4	1	1	3	4	6	7	13
35-49	13	3.0	3	1	1	3	4	5	7	7
50-64	4	5.0	2	3	3	5	6	6	6	6
65+	2	8.0	2	7	7	8	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	1013	3.8	5	1	2	3	5	6	8	10
20-34	79	4.6	13	1	2	4	5	9	12	22
35-49	10	6.3	12	2	2	6	10	11	11	11
50-64	8	8.9	63	2	2	8	10	22	27	27
65+	7	7.1	23	2	2	6	11	14	15	15
TOT. SINGLE DX	1543	3.3	3	1	1	3	4	5	7	9
" MULTIPLE DX	1117	3.9	7	1	2	3	5	7	8	12
TOTAL 0-19 YRS	2367	3.5	4	1	2	3	4	6	7	9
20-34	249	3.7	7	1	2	3	4	6	8	13
35-49	23	4.4	9	1	1	3	6	10	11	11
50-64	12	7.6	44	2	3	6	9	15	25	27
65+	9	7.3	18	2	2	7	10	14	15	15
GRAND TOTAL	2660	3.5	5	1	2	3	4	6	8	10

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	269	2.9	5	1	1	2	3	5	8	11
20-34	290	3.0	5	1	1	2	3	5	7	12
35-49	59	3.0	3	1	1	3	4	5	6	9
50-64	29	3.6	3	1	1	4	4	6	7	9
65+	13	5.7	12	2	2	6	8	11	12	12
2. MULTIPLE DX										
0-19 YRS	98	3.7	4	1	1	3	5	6	8	10
20-34	149	3.9	9	1	2	3	4	7	9	16
35-49	50	6.5	45	1	1	4	7	15	21	31
50-64	45	7.3	24	2	2	7	11	14	15	23
65+	23	12.8	219	2	2	6	15	30	50	62
TOT. SINGLE DX	660	3.0	5	1	1	2	4	5	7	11
" MULTIPLE DX	365	5.2	33	1	2	4	5	11	14	27
TOTAL 0-19 YRS	367	3.1	5	1	1	2	4	6	8	11
20-34	439	3.3	6	1	1	3	4	6	8	13
35-49	109	4.6	25	1	1	3	5	10	14	29
50-64	74	5.9	19	1	2	4	8	13	14	22
65+	36	10.3	154	2	2	6	11	25	38	62
GRAND TOTAL	1025	3.8	16	1	1	3	4	7	10	21

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.2	2	<1	<1	2	3	4	4	4
20-34	538	1.3	1	<1	<1	1	2	2	2	5
35-49	280	1.9	19	<1	<1	1	2	2	4	16
50-64	34	4.4	13	<1	1	3	7	9	11	12
65+	11	8.9	30	3	3	7	11	18	19	19
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	261	3.1	17	<1	1	2	3	6	11	28
35-49	234	4.2	26	1	1	2	5	9	14	27
50-64	65	6.8	30	1	1	6	10	15	17	23
65+	44	13.3	65	2	5	11	16	24	31	38
TOT. SINGLE DX	868	1.8	8	<1	<1	1	2	2	4	11
" MULTIPLE DX	605	4.7	32	<1	1	2	6	11	15	29
TOTAL 0-19 YRS	6	2.3	1	<1	<1	2	3	4	4	4
20-34	799	1.9	7	<1	<1	1	2	3	5	14
35-49	514	3.0	23	<1	1	2	3	6	9	24
50-64	99	6.0	25	<1	1	5	8	13	16	22
65+	55	12.4	60	2	3	11	16	23	28	38
GRAND TOTAL	1473	3.0	20	<1	<1	1	2	7	11	23

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	880	2.8	2	1	1	2	3	5	5	9
20-34	1275	3.1	3	1	2	3	4	5	6	9
35-49	800	3.5	15	2	2	3	4	5	8	14
50-64	681	4.1	7	2	2	4	5	7	8	14
65+	261	4.6	6	2	3	4	6	8	9	12
2. MULTIPLE DX										
0-19 YRS	575	3.2	8	1	1	3	4	5	7	15
20-34	897	3.5	9	1	2	3	4	6	9	16
35-49	528	4.5	13	1	2	4	5	8	10	20
50-64	739	5.8	27	2	2	4	7	11	14	22
65+	449	7.1	26	2	3	5	9	14	17	24
TOT. SINGLE DX	3897	3.4	6	1	2	3	4	5	7	12
" MULTIPLE DX	3188	4.7	18	1	2	3	5	9	12	21
TOTAL 0-19 YRS	1455	2.9	5	1	1	3	3	5	6	10
20-34	2172	3.3	5	1	2	3	4	5	7	12
35-49	1328	3.9	14	2	2	3	4	7	9	16
50-64	1420	5.0	18	2	2	4	6	9	12	20
65+	710	6.2	20	2	3	5	7	11	15	22
GRAND TOTAL	7085	4.0	12	1	2	3	4	7	9	17

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	137	3.5	12	<1	<1	2	4	7	10	22
20-34	217	2.7	7	1	1	2	3	6	8	12
35-49	104	4.3	15	1	1	3	6	8	13	18
50-64	135	6.6	28	2	2	6	8	12	14	35
65+	62	6.5	50	1	2	5	8	12	17	46
2. MULTIPLE DX										
0-19 YRS	161	4.2	19	1	1	3	5	8	12	23
20-34	202	7.1	68	1	2	4	9	18	21	36
35-49	151	6.6	27	1	2	6	9	12	15	28
50-64	213	8.6	112	2	2	6	9	17	26	73
65+	146	9.7	50	2	3	7	14	19	26	29
TOT. SINGLE DX	655	4.3	20	1	1	3	6	9	12	23
" MULTIPLE DX	873	7.3	63	1	2	5	9	16	21	39
TOTAL 0-19 YRS	298	3.9	16	<1	1	3	5	8	10	23
20-34	419	4.8	41	1	1	2	5	12	18	33
35-49	255	5.7	23	1	1	4	8	11	14	28
50-64	348	7.8	80	2	2	6	9	13	23	51
65+	208	8.7	52	2	2	7	12	18	22	31
GRAND TOTAL	**1528**	**6.0**	**47**	**1**	**1**	**4**	**8**	**13**	**18**	**34**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	502	6.1	8	3	3	6	7	9	11	18
20-34	1582	6.1	7	3	4	6	7	9	10	16
35-49	235	7.2	10	3	4	7	9	11	13	19
50-64	48	9.7	45	2	3	8	12	18	24	36
65+	38	11.6	24	4	7	10	15	18	20	27
2. MULTIPLE DX										
0-19 YRS	569	6.8	19	3	4	6	8	10	12	24
20-34	2903	7.1	18	3	4	6	8	11	13	23
35-49	472	8.2	21	3	4	7	9	14	17	26
50-64	108	13.7	52	5	6	12	18	23	26	38
65+	133	18.8	140	7	8	16	23	32	42	77
TOT. SINGLE DX	2405	6.4	9	3	4	6	7	9	11	18
" MULTIPLE DX	4185	7.7	29	3	4	7	8	12	17	30
TOTAL 0-19 YRS	1071	6.5	14	3	4	6	7	10	12	20
20-34	4485	6.8	14	3	4	6	8	10	12	20
35-49	707	7.8	18	3	4	7	9	12	16	24
50-64	156	12.5	53	4	5	11	17	23	25	36
65+	171	17.2	123	7	8	15	21	31	36	71
GRAND TOTAL	**6590**	**7.2**	**22**	**3**	**4**	**6**	**8**	**11**	**15**	**27**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	347	6.6	5	4	4	6	8	9	10	14
20-34	1698	6.8	7	4	5	6	8	9	11	17
35-49	497	7.3	8	4	5	7	8	10	12	19
50-64	113	8.0	9	4	5	7	9	13	15	17
65+	61	11.9	45	5	6	10	14	20	24	38
2. MULTIPLE DX										
0-19 YRS	388	7.5	12	4	5	7	8	12	13	23
20-34	3105	7.8	16	4	5	7	8	12	15	26
35-49	1139	8.7	26	4	5	7	9	14	19	29
50-64	234	11.7	41	5	6	10	14	19	25	39
65+	177	17.1	74	7	8	15	23	31	33	41
TOT. SINGLE DX	2716	7.1	9	4	5	6	8	10	12	19
" MULTIPLE DX	5043	8.5	25	4	5	7	9	13	18	31
TOTAL 0-19 YRS	735	7.1	9	4	4	7	8	10	12	20
20-34	4803	7.4	13	4	5	7	8	11	13	24
35-49	1636	8.3	21	4	5	7	9	13	17	26
50-64	347	10.5	33	5	6	9	13	17	21	38
65+	238	15.8	72	7	7	14	21	29	33	39
GRAND TOTAL	7759	8.0	20	4	5	7	9	12	16	28

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	7.6	33	2	3	6	9	15	22	26
20-34	185	7.2	9	3	4	7	8	12	14	17
35-49	237	8.0	11	4	5	7	9	12	14	21
50-64	140	9.6	18	5	6	8	11	15	19	24
65+	67	12.0	26	7	8	10	14	21	22	28
2. MULTIPLE DX										
0-19 YRS	20	9.0	31	5	5	7	9	19	23	25
20-34	612	8.8	25	5	5	8	10	14	18	31
35-49	1040	10.0	42	5	6	8	11	16	21	37
50-64	439	13.1	77	6	6	11	15	22	27	64
65+	255	18.0	152	7	8	14	22	34	44	61
TOT. SINGLE DX	648	8.5	16	4	5	8	10	13	17	24
" MULTIPLE DX	2366	11.1	64	5	6	9	12	20	26	44
TOTAL 0-19 YRS	39	8.3	32	3	4	6	9	17	24	26
20-34	797	8.4	21	4	5	7	9	13	17	29
35-49	1277	9.6	37	5	5	8	11	16	20	35
50-64	579	12.2	65	6	6	10	14	21	26	39
65+	322	16.7	132	7	8	13	21	29	39	61
GRAND TOTAL	3014	10.6	54	5	5	8	12	18	24	40

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	5.0	12	1	2	4	6	10	13	15
20-34	328	4.1	10	1	1	3	6	8	10	15
35-49	39	3.6	5	1	1	3	5	7	9	10
50-64	3	6.0		6	6	6	6	6	6	6
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	94	5.8	15	2	2	5	7	10	14	20
20-34	728	5.4	14	1	2	5	7	9	11	19
35-49	120	7.4	31	2	2	6	10	14	18	28
50-64	18	10.9	192	<1	<1	9	12	15	44	63
65+	11	19.8	86	7	9	18	24	33	41	42
TOT. SINGLE DX	470	4.3	10	1	1	3	6	8	10	15
" MULTIPLE DX	971	6.0	23	1	2	5	7	10	14	26
TOTAL 0-19 YRS	193	5.4	13	2	2	5	7	10	13	17
20-34	1056	5.0	13	1	2	5	7	9	11	19
35-49	159	6.5	27	1	2	5	9	12	16	28
50-64	21	10.2	166	<1	1	8	12	14	37	63
65+	12	19.2	83	7	10	18	22	31	40	42
GRAND TOTAL	1441	5.4	19	1	2	5	7	10	13	22

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	1.7	2	<1	<1	1	2	3	4	8
20-34	7918	1.6	2	<1	<1	1	2	2	3	5
35-49	3339	1.5	1	<1	<1	1	2	2	2	4
50-64	15	1.4		<1	<1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	64	2.2	2	<1	1	2	3	3	5	10
20-34	5987	2.2	8	<1	1	2	2	3	5	11
35-49	3061	2.2	5	<1	1	2	2	3	5	13
50-64	20	3.0	27	<1	<1	2	2	3	14	25
65+										
TOT. SINGLE DX	11324	1.6	2	<1	<1	1	2	2	3	5
" MULTIPLE DX	9132	2.2	7	<1	1	2	2	3	5	11
TOTAL 0-19 YRS	116	2.0	2	<1	<1	2	2	3	4	9
20-34	13905	1.9	5	<1	<1	2	2	3	4	8
35-49	6400	1.8	3	<1	<1	2	2	3	3	9
50-64	35	2.3	16	<1	<1	2	2	3	3	25
65+										
GRAND TOTAL	20456	1.9	4	<1	<1	2	2	3	4	8

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	3.8	15	1	1	3	4	6	7	23
20-34	5994	2.9	6	1	1	3	4	5	6	8
35-49	2192	2.8	4	1	1	2	3	5	6	9
50-64	15	2.6	2	1	1	2	4	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	118	5.0	11	2	2	4	6	9	12	18
20-34	8492	4.1	8	1	2	4	5	6	8	14
35-49	2630	4.1	12	1	2	3	5	7	8	16
50-64	26	6.5	33	1	2	4	9	18	19	19
65+										
TOT. SINGLE DX	8260	2.9	6	1	1	2	4	5	6	9
" MULTIPLE DX	11266	4.1	9	1	2	4	5	6	8	15
TOTAL 0-19 YRS	177	4.6	13	1	2	4	5	8	11	21
20-34	14486	3.6	8	1	2	3	4	6	7	12
35-49	4822	3.5	9	1	1	3	4	6	8	14
50-64	41	5.0	25	1	1	3	5	14	18	19
65+										
GRAND TOTAL	19526	3.6	8	1	2	3	4	6	7	13

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	187	5.8	7	2	3	6	7	9	10	16
20-34	2464	5.4	7	2	2	5	7	8	9	13
35-49	265	4.8	9	1	2	5	7	8	9	14
50-64	9	6.9	2	5	5	7	8	9	9	9
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	242	6.7	12	2	3	6	8	11	14	22
20-34	2748	6.1	13	2	2	6	7	9	11	20
35-49	398	6.3	20	1	2	6	8	11	14	30
50-64	20	11.7	29	4	5	11	14	20	22	23
65+	15	17.2	296	6	6	13	16	29	64	76
TOT. SINGLE DX	2926	5.4	7	1	2	5	7	8	9	13
" MULTIPLE DX	3423	6.2	16	2	2	6	7	10	12	21
TOTAL 0-19 YRS	429	6.3	10	2	3	6	7	10	12	20
20-34	5212	5.7	11	2	2	6	7	8	10	16
35-49	663	5.7	16	1	2	5	7	10	13	22
50-64	29	10.2	26	5	5	9	11	20	21	23
65+	16	16.3	291	3	6	12	15	28	62	76
GRAND TOTAL	6349	5.8	12	2	2	6	7	9	11	18

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	2.5	7	1	1	2	3	4	4	19
20-34	1593	2.7	5	1	1	2	3	4	4	9
35-49	545	2.8	3	1	1	2	3	4	6	11
50-64	212	3.4	47	1	1	2	3	5	7	20
65+	59	3.7	4	1	2	3	4	7	9	11
2. MULTIPLE DX										
0-19 YRS	65	2.6	1	1	1	2	3	4	5	7
20-34	1490	3.2	16	1	2	3	3	5	7	15
35-49	775	3.3	9	1	2	3	3	6	9	16
50-64	342	4.4	21	1	2	3	4	10	15	25
65+	144	6.5	48	2	2	4	8	14	22	33
TOT. SINGLE DX	2480	2.8	8	1	1	2	3	4	5	10
" MULTIPLE DX	2816	3.5	16	1	2	3	3	6	9	22
TOTAL 0-19 YRS	136	2.6	4	1	1	2	3	4	4	9
20-34	3083	2.9	10	1	1	2	3	4	5	12
35-49	1320	3.1	6	1	2	2	3	5	7	14
50-64	554	4.0	31	1	2	3	4	8	12	25
65+	203	5.7	37	2	2	3	6	12	21	31
GRAND TOTAL	5296	3.2	13	1	2	2	3	5	7	17

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	81	2.3	4	1	1	2	2	3	6	15
20-34	762	2.5	3	1	1	2	3	4	6	9
35-49	676	2.7	6	1	1	2	3	4	7	14
50-64	529	3.2	12	1	1	2	3	6	9	18
65+	217	5.1	33	1	2	3	7	10	11	32
2. MULTIPLE DX										
0-19 YRS	102	3.2	6	1	1	2	3	7	9	13
20-34	1476	3.4	12	1	1	2	3	6	9	18
35-49	1563	3.7	18	1	1	2	3	8	12	25
50-64	1069	4.6	26	1	1	3	5	10	14	24
65+	643	8.7	60	2	2	7	11	18	24	43
TOT. SINGLE DX	2265	3.0	9	1	1	2	3	5	8	14
" MULTIPLE DX	4853	4.4	26	1	1	3	5	10	14	28
TOTAL 0-19 YRS	183	2.8	6	1	1	2	3	6	8	14
20-34	2238	3.1	9	1	1	2	3	6	8	16
35-49	2239	3.4	15	1	1	2	3	7	11	22
50-64	1598	4.1	22	1	1	2	4	9	13	23
65+	860	7.8	55	2	2	6	10	16	22	42
GRAND TOTAL	7118	4.0	21	1	1	2	4	9	12	24

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	3.4	4	1	1	3	4	6	7	10
20-34	1312	3.3	6	1	2	3	4	5	6	10
35-49	101	3.4	12	1	2	3	4	5	6	25
50-64	6	3.7	11	1	1	2	5	9	10	10
65+	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	27	4.3	8	2	2	3	5	7	10	15
20-34	447	4.0	9	1	2	3	5	7	10	20
35-49	34	5.4	27	1	2	4	7	12	14	28
50-64	9	5.4	12	1	1	6	8	10	10	10
65+	10	9.6	20	5	5	8	10	17	19	19
TOT. SINGLE DX	1489	3.3	6	1	2	3	4	5	6	10
" MULTIPLE DX	527	4.2	11	1	2	3	5	8	11	21
TOTAL 0-19 YRS	95	3.7	5	1	2	3	4	6	8	13
20-34	1759	3.5	7	1	2	3	4	6	7	15
35-49	135	3.9	16	1	2	3	4	6	8	28
50-64	15	4.7	12	1	1	3	8	10	10	10
65+	12	8.8	21	3	4	8	10	17	19	19
GRAND TOTAL	2016	3.6	8	1	2	3	4	6	8	15

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	3.5	4	1	1	3	5	6	7	9
20-34	473	4.5	9	<1	1	5	7	8	9	13
35-49	146	4.2	10	1	1	3	6	8	9	17
50-64	64	3.6	17	1	1	2	3	8	14	23
65+	28	6.7	64	2	2	4	8	15	26	37
2. MULTIPLE DX										
0-19 YRS	42	7.6	158	1	2	5	7	11	30	68
20-34	749	5.5	13	1	1	6	8	9	11	16
35-49	281	5.9	22	1	2	5	8	11	14	25
50-64	147	5.6	37	1	1	3	8	12	17	52
65+	92	9.4	66	2	2	8	13	22	27	74
TOT. SINGLE DX	744	4.4	12	<1	1	3	6	8	9	16
" MULTIPLE DX	1311	5.9	27	1	1	5	8	11	14	27
TOTAL 0-19 YRS	75	5.8	93	1	2	4	6	8	12	64
20-34	1222	5.1	12	1	1	5	7	9	10	16
35-49	427	5.3	19	1	1	4	7	10	13	22
50-64	211	5.0	31	1	1	3	7	12	15	34
65+	120	8.8	66	2	2	6	12	21	26	57
GRAND TOTAL	2055	5.4	22	1	1	5	7	10	13	24

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	8.3	13	2	4	8	11	13	15	16
20-34	2724	7.8	9	5	6	7	8	10	12	17
35-49	4194	8.1	9	6	6	8	9	10	12	19
50-64	1554	8.8	10	6	6	8	9	12	15	23
65+	516	10.8	28	6	7	9	12	16	19	30
2. MULTIPLE DX										
0-19 YRS	144	8.6	15	5	5	7	10	14	17	23
20-34	11196	8.5	14	5	6	8	9	12	15	23
35-49	23493	8.9	14	6	6	8	10	12	15	25
50-64	6867	10.0	25	6	6	9	11	15	18	30
65+	1900	13.3	57	7	7	11	15	22	28	44
TOT. SINGLE DX	9026	8.3	11	5	6	8	9	11	13	20
" MULTIPLE DX	43600	9.2	19	6	6	8	10	13	17	27
TOTAL 0-19 YRS	182	8.6	15	4	5	7	10	14	16	23
20-34	13920	8.4	13	5	6	8	9	11	14	22
35-49	27687	8.8	13	6	6	8	9	12	15	24
50-64	8421	9.8	22	6	6	8	10	14	18	29
65+	2416	12.8	52	7	7	11	15	20	26	42
GRAND TOTAL	52626	9.0	17	6	6	8	10	13	16	26

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	8.0	8	5	5	7	11	11	11	11
20-34	1387	6.7	5	4	5	6	8	9	11	14
35-49	1374	7.2	7	5	5	7	8	10	12	16
50-64	689	9.0	11	5	6	8	10	13	16	22
65+	457	9.7	16	6	7	9	11	14	17	22
2. MULTIPLE DX										
0-19 YRS	16	7.9	9	5	5	7	10	13	13	13
20-34	4158	7.5	10	5	5	7	8	11	13	20
35-49	7261	8.2	13	5	5	7	9	12	14	21
50-64	2710	9.5	19	5	6	9	11	14	17	26
65+	1587	11.3	31	6	7	10	13	17	21	34
TOT. SINGLE DX	3912	7.7	9	5	5	7	9	11	13	19
" MULTIPLE DX	15732	8.6	16	5	5	8	10	13	15	24
TOTAL 0-19 YRS	21	8.0	8	5	5	7	11	12	13	13
20-34	5545	7.3	9	5	5	7	8	10	12	19
35-49	8635	8.1	12	5	5	7	9	12	14	21
50-64	3399	9.4	18	5	6	9	11	14	16	25
65+	2044	10.9	28	6	7	10	12	16	20	31
GRAND TOTAL	19644	8.4	15	5	5	7	9	12	15	23

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	48	11.8	17	5	6	12	14	16	20	23
35-49	47	13.9	31	7	8	13	17	20	22	36
50-64	37	16.5	99	5	8	15	20	27	35	57
65+	18	19.4	52	10	12	18	23	30	35	37
2. MULTIPLE DX										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	38	13.7	34	6	7	12	16	20	24	35
35-49	66	15.6	120	6	7	13	20	28	37	96
50-64	63	20.6	225	8	10	15	26	36	71	97
65+	45	26.5	267	9	11	24	33	59	63	69
TOT. SINGLE DX	151	14.5	51	6	8	13	17	22	27	37
" MULTIPLE DX	213	19.1	185	7	8	15	24	35	56	86
TOTAL 0-19 YRS	2	19.0	50	14	14	19	24	24	24	24
20-34	86	12.6	25	6	6	12	15	19	21	31
35-49	113	14.9	83	7	7	13	18	26	29	87
50-64	100	19.1	181	8	9	15	22	32	52	89
65+	63	24.4	214	9	11	21	30	46	61	68
GRAND TOTAL	**364**	**17.2**	**134**	**7**	**8**	**14**	**20**	**30**	**37**	**78**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	457	1.5	1	<1	<1	<1	2	2	3	8
20-34	1273	1.7	2	<1	<1	1	2	3	4	7
35-49	131	2.1	7	<1	<1	2	2	4	5	15
50-64	10	2.0		<1	1	2	2	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	97	3.9	23	<1	1	2	5	9	11	30
20-34	545	3.5	20	<1	1	2	4	8	12	21
35-49	186	2.9	7	<1	1	2	4	6	8	11
50-64	3	2.0		2	2	2	2	2	2	2
65+										
TOT. SINGLE DX	1871	1.7	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	831	3.4	18	<1	1	2	4	7	10	21
TOTAL 0-19 YRS	554	1.9	6	<1	<1	1	2	3	6	11
20-34	1818	2.3	8	<1	<1	2	2	4	7	15
35-49	317	2.6	7	<1	<1	2	3	5	7	11
50-64	13	2.0		<1	1	2	2	3	3	3
65+										
GRAND TOTAL	**2702**	**2.2**	**8**	**<1**	**<1**	**1**	**2**	**4**	**7**	**13**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6343	2.1	5	<1	1	2	2	4	5	9
20-34	38189	2.1	5	<1	1	2	2	3	5	9
35-49	13620	2.1	3	<1	1	2	2	3	4	9
50-64	5432	2.3	5	<1	1	2	2	3	5	12
65+	1128	3.8	18	1	1	2	4	8	11	22
2. MULTIPLE DX										
0-19 YRS	2710	3.8	19	1	1	2	4	7	10	21
20-34	23394	3.4	15	1	1	2	4	7	9	18
35-49	16755	3.4	17	1	1	2	3	7	10	20
50-64	7430	3.8	24	1	1	2	4	8	12	24
65+	2264	6.3	67	1	2	3	8	14	19	43
TOT. SINGLE DX	64712	2.1	5	<1	1	2	2	3	5	10
" MULTIPLE DX	52553	3.6	20	1	1	2	4	8	11	21
TOTAL 0-19 YRS	9053	2.6	10	1	1	2	3	5	7	12
20-34	61583	2.6	9	<1	1	2	3	5	7	14
35-49	30375	2.8	11	<1	1	2	3	5	8	16
50-64	12862	3.2	17	1	1	2	3	6	10	20
65+	3392	5.5	52	1	2	3	6	12	17	37
GRAND TOTAL	**117265**	**2.8**	**12**	**1**	**1**	**2**	**3**	**5**	**8**	**16**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1708	1.3	1	<1	<1	<1	1	2	2	4
20-34	4161	1.4	4	<1	<1	<1	2	2	2	5
35-49	426	1.3		<1	<1	<1	1	2	2	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	230	2.7	10	<1	<1	1	3	7	8	13
20-34	1098	3.0	15	<1	<1	2	3	7	9	23
35-49	354	2.3	6	<1	<1	2	2	4	6	13
50-64	3	2.7	2	<1	<1	3	4	4	4	4
65+										
TOT. SINGLE DX	6296	1.4	3	<1	<1	<1	1	2	2	5
" MULTIPLE DX	1685	2.8	12	<1	<1	2	3	6	8	20
TOTAL 0-19 YRS	1938	1.5	2	<1	<1	1	1	2	3	8
20-34	5259	1.8	6	<1	<1	1	2	3	4	11
35-49	780	1.7	3	<1	<1	1	2	3	4	12
50-64	4	2.5	2	<1	<1	2	3	4	4	4
65+										
GRAND TOTAL	**7981**	**1.7**	**5**	**<1**	**<1**	**1**	**2**	**2**	**4**	**10**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	333	1.7	2	<1	<1	1	2	3	4	6
20-34	1828	1.7	2	<1	<1	1	2	3	4	8
35-49	183	2.1	25	<1	<1	1	2	3	4	10
50-64	10	4.9	32	1	1	3	4	15	18	18
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	87	2.9	4	<1	1	2	4	5	7	10
20-34	409	2.9	13	<1	1	2	3	5	8	17
35-49	75	3.2	10	<1	1	2	4	6	10	16
50-64	13	9.0	38	2	3	8	12	18	23	24
65+	18	9.8	29	2	3	10	15	17	19	20
TOT. SINGLE DX	2355	1.7	4	<1	<1	1	2	3	4	8
" MULTIPLE DX	602	3.3	14	<1	1	2	4	7	9	18
TOTAL 0-19 YRS	420	1.9	2	<1	<1	1	2	4	5	9
20-34	2237	1.9	4	<1	<1	1	2	3	5	10
35-49	258	2.4	21	<1	<1	1	2	4	6	13
50-64	23	7.2	38	1	1	5	11	17	20	24
65+	19	9.4	29	2	3	10	14	17	19	20
GRAND TOTAL	2957	2.0	6	<1	<1	1	2	4	5	11

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	4.7	7	1	1	4	7	8	8	8
20-34	66	5.2	6	1	1	5	6	8	9	12
35-49	9	7.1	14	2	2	7	9	12	13	13
50-64	5	10.2	9	7	7	11	13	13	13	13
65+	7	8.1	1	7	7	8	8	10	10	10
2. MULTIPLE DX										
0-19 YRS	30	5.8	2	4	4	6	7	8	8	9
20-34	304	6.6	10	2	3	6	8	9	11	17
35-49	40	6.7	10	1	2	7	9	10	12	16
50-64	15	10.1	31	6	6	8	10	21	24	25
65+	11	12.2	71	3	4	11	18	52	93	99+
TOT. SINGLE DX	94	5.9	8	1	2	6	8	9	11	13
" MULTIPLE DX	400	6.8	13	2	4	6	8	10	12	24
TOTAL 0-19 YRS	37	5.6	3	2	4	6	7	8	8	9
20-34	370	6.3	9	2	3	6	8	9	11	16
35-49	49	6.8	11	2	2	7	9	10	13	16
50-64	20	10.1	25	6	6	8	12	17	23	25
65+	18	10.6	46	4	5	9	12	28	69	99+
GRAND TOTAL	494	6.6	12	2	3	6	8	10	12	22

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	74	4.2	16	<1	1	4	6	8	8	26
20-34	372	3.1	6	<1	1	2	4	7	7	12
35-49	128	3.4	19	1	1	2	4	6	7	28
50-64	87	4.2	8	2	2	4	5	7	7	19
65+	51	5.1	6	2	2	5	6	9	10	12
2. MULTIPLE DX										
0-19 YRS	60	5.3	11	1	2	5	7	10	13	16
20-34	446	4.2	16	1	1	3	5	8	9	16
35-49	171	4.2	12	2	2	3	5	9	11	18
50-64	94	5.4	17	1	2	4	6	11	15	21
65+	80	5.6	31	2	3	4	5	10	18	81
TOT. SINGLE DX	712	3.5	10	<1	1	3	5	7	8	13
" MULTIPLE DX	851	4.5	17	1	2	4	5	8	11	22
TOTAL 0-19 YRS	134	4.7	14	1	1	4	6	8	12	18
20-34	818	3.7	12	<1	1	2	5	7	8	14
35-49	299	3.9	15	1	1	3	4	7	10	20
50-64	181	4.8	13	1	2	4	5	8	12	21
65+	131	5.4	21	2	3	4	5	10	12	51
GRAND TOTAL	1563	4.1	14	1	1	3	5	8	10	20

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	6.0	9	2	2	6	7	11	11	11
20-34	187	7.3	52	3	4	6	8	10	13	23
35-49	537	7.9	11	4	5	7	9	12	14	20
50-64	952	8.0	11	4	5	7	9	12	14	19
65+	536	8.6	12	4	5	8	10	13	15	21
2. MULTIPLE DX										
0-19 YRS	8	6.4	13	2	2	7	8	12	13	13
20-34	407	8.5	22	3	4	8	10	13	15	28
35-49	1257	9.6	21	5	6	9	11	15	18	26
50-64	1685	10.0	22	5	6	9	12	16	18	28
65+	1092	10.8	30	5	6	9	12	17	21	31
TOT. SINGLE DX	2218	8.0	15	4	5	7	9	12	14	20
" MULTIPLE DX	4449	9.9	24	5	6	9	12	16	19	29
TOTAL 0-19 YRS	14	6.2	11	2	2	6	8	11	13	13
20-34	594	8.1	32	3	4	7	9	13	14	27
35-49	1794	9.1	18	4	5	8	11	14	17	25
50-64	2637	9.3	19	5	5	8	11	15	17	27
65+	1628	10.1	25	5	6	9	12	16	20	29
GRAND TOTAL	6667	9.3	22	4	5	8	11	15	17	27

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	4.3	65	1	1	2	5	10	13	55
20-34	287	4.2	11	1	1	4	5	8	10	16
35-49	136	5.1	17	1	1	4	6	9	13	23
50-64	83	5.6	8	1	2	6	8	9	10	71
65+	44	8.7	51	2	3	7	10	17	23	37
2. MULTIPLE DX										
0-19 YRS	46	6.0	43	<1	1	3	7	14	19	31
20-34	190	5.5	19	1	1	4	7	12	14	21
35-49	125	8.3	83	1	2	6	9	15	18	59
50-64	138	9.7	78	2	3	8	12	17	24	39
65+	102	12.6	108	3	5	10	15	24	27	69
TOT. SINGLE DX	619	4.9	22	1	1	4	6	9	12	25
" MULTIPLE DX	601	8.3	69	1	2	7	10	16	22	42
TOTAL 0-19 YRS	115	5.0	56	1	1	3	6	11	15	43
20-34	477	4.7	15	1	1	4	6	10	12	20
35-49	261	6.6	51	1	2	5	8	12	16	47
50-64	221	8.2	56	1	2	7	10	14	21	47
65+	146	11.4	94	3	4	9	14	22	26	63
GRAND TOTAL	1220	6.6	48	1	1	5	8	13	17	32

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	323	2.5	9	<1	1	2	3	4	7	16
20-34	789	3.4	12	<1	1	2	4	7	10	18
35-49	299	4.7	23	1	1	3	6	12	16	22
50-64	248	5.1	24	1	1	4	7	10	13	28
65+	225	7.2	33	2	2	6	10	14	17	31
2. MULTIPLE DX										
0-19 YRS	229	4.6	22	1	1	3	5	9	13	33
20-34	625	5.4	37	1	1	4	7	11	14	28
35-49	341	7.3	61	1	2	5	9	15	22	39
50-64	495	8.2	62	2	2	7	10	16	22	40
65+	536	10.9	94	2	3	8	13	24	33	50
TOT. SINGLE DX	1884	4.1	20	<1	1	2	5	9	12	21
" MULTIPLE DX	2226	7.5	63	1	2	5	9	15	23	40
TOTAL 0-19 YRS	552	3.4	15	<1	1	2	4	7	10	24
20-34	1414	4.3	24	<1	1	3	5	9	13	24
35-49	640	6.1	45	1	1	4	8	13	19	32
50-64	743	7.2	51	1	2	6	9	14	19	37
65+	761	9.8	79	2	2	7	12	19	29	46
GRAND TOTAL	4110	6.0	46	1	1	4	8	13	18	35

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	506	2.7	3	<1	1	2	3	5	5	9
20-34	1948	2.7	3	1	1	2	3	4	5	10
35-49	784	2.8	5	1	1	2	3	5	6	10
50-64	363	3.1	7	1	1	2	4	5	7	13
65+	177	4.5	13	1	2	3	6	9	10	20
2. MULTIPLE DX										
0-19 YRS	196	4.1	19	1	1	3	5	8	10	29
20-34	760	4.4	20	1	2	3	5	8	11	22
35-49	456	5.2	26	1	2	3	6	10	16	24
50-64	331	6.7	65	1	2	4	8	14	24	35
65+	310	8.9	91	2	2	6	11	20	26	49
TOT. SINGLE DX	3778	2.8	5	1	1	2	3	5	6	11
" MULTIPLE DX	2053	5.6	42	1	2	3	6	11	17	25
TOTAL 0-19 YRS	702	3.1	8	1	1	2	4	5	7	12
20-34	2708	3.1	8	1	1	3	4	5	7	15
35-49	1240	3.7	14	1	1	3	4	7	10	21
50-64	694	4.8	38	1	1	3	5	10	15	38
65+	487	7.3	67	2	2	4	8	16	23	42
GRAND TOTAL	5831	3.8	19	1	1	3	4	7	10	23

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	2.5		2	2	2	3	3	3	3
20-34	29	5.6	57	2	2	3	5	12	26	35
35-49	35	9.0	63	2	2	5	15	18	24	33
50-64	46	9.0	42	2	2	7	14	18	23	25
65+	61	12.4	98	2	4	10	16	26	40	[illegible]
2. MULTIPLE DX										
0-19 YRS	3	5.7	22	2	2	4	9	11	11	11
20-34	14	9.6	76	1	3	6	12	20	32	[illegible]
35-49	34	11.4	111	1	2	9	15	29	33	[illegible]
50-64	53	18.5	207	3	5	15	25	36	45	[illegible]
65+	79	20.2	190	3	5	17	27	43	50	[illegible]
TOT. SINGLE DX	177	9.4	73	2	2	7	14	19	26	[illegible]
" MULTIPLE DX	183	17.0	184	2	3	12	24	37	45	[illegible]
TOTAL 0-19 YRS	9	3.6	8	2	2	3	3	8	11	[illegible]
20-34	43	6.9	65	2	2	4	7	15	28	[illegible]
35-49	69	10.2	87	1	2	7	15	24	30	[illegible]
50-64	99	14.1	152	2	3	9	15	29	38	[illegible]
65+	140	16.8	164	3	4	13	23	38	48	59
GRAND TOTAL	360	13.3	143	2	2	10	18	30	40	55

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	83	2.0	2	<1	1	2	3	3	5	7
20-34	138	3.0	4	<1	1	3	4	5	7	10
35-49	35	5.3	40	1	1	4	6	10	19	34
50-64	33	3.8	6	1	2	3	5	7	10	11
65+	10	6.9	21	1	1	6	11	13	14	14
2. MULTIPLE DX										
0-19 YRS	50	3.6	8	<1	1	3	5	7	10	12
20-34	108	5.2	88	1	2	4	5	7	12	52
35-49	48	6.2	20	2	3	5	8	11	12	29
50-64	53	7.6	60	2	2	6	9	13	18	46
65+	20	12.9	110	2	2	11	17	26	37	43
TOT. SINGLE DX	299	3.2	9	<1	1	3	4	6	8	15
" MULTIPLE DX	279	6.1	63	1	2	4	7	12	16	41
TOTAL 0-19 YRS	133	2.6	5	<1	1	2	3	5	7	12
20-34	246	4.0	42	1	1	3	4	6	9	16
35-49	83	5.8	28	1	2	4	7	11	13	32
50-64	86	6.2	42	2	2	4	8	11	15	42
65+	30	10.9	87	2	2	9	14	20	31	43
GRAND TOTAL	578	4.6	37	1	1	3	5	9	12	30

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	4.2	8	<1	1	4	6	8	10	10
20-34	17	2.9	4	<1	<1	2	3	6	8	9
35-49	6	3.3	4	2	2	3	4	7	7	7
50-64	4	3.0	1	2	2	3	4	4	4	4
65+	3	3.0	7	1	1	2	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	15	4.7	28	<1	1	2	7	11	18	20
20-34	24	6.3	64	1	2	4	6	14	23	38
35-49	10	4.7	15	1	1	3	7	11	12	12
50-64	10	13.1	123	2	3	8	20	31	33	33
65+	6	5.0	14	2	2	3	6	11	11	11
TOT. SINGLE DX	39	3.3	5	<1	1	2	4	6	8	10
" MULTIPLE DX	65	6.6	58	1	1	4	8	15	23	37
TOTAL 0-19 YRS	24	4.5	20	<1	1	3	6	10	14	20
20-34	41	4.9	41	<1	1	3	5	11	15	38
35-49	16	4.2	11	1	2	3	6	10	11	12
50-64	14	10.2	108	2	2	5	15	30	32	33
65+	9	4.3	11	1	1	3	6	10	11	11
GRAND TOTAL	104	5.4	40	1	1	3	6	11	18	35

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8387	3.5	3	2	2	3	4	5	5	8
20-34	34932	3.7	4	2	3	4	4	5	6	8
35-49	1254	3.8	2	2	3	4	4	5	6	8
50-64	13	3.5	1	2	2	3	4	5	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	4532	3.9	4	2	3	4	4	6	7	12
20-34	19963	4.2	6	2	3	4	5	6	7	13
35-49	1023	4.6	10	3	3	4	5	6	8	16
50-64	5	4.2	2	3	3	4	5	6	6	6
65+										
TOT. SINGLE DX	44586	3.7	4	2	2	3	4	5	5	8
" MULTIPLE DX	25523	4.2	6	2	3	4	5	6	7	13
TOTAL 0-19 YRS	12919	3.6	4	2	2	3	4	5	6	10
20-34	54895	3.9	5	2	3	4	4	5	6	9
35-49	2277	4.2	5	2	3	4	5	6	7	11
50-64	18	3.7	1	2	2	4	4	6	6	6
65+										
GRAND TOTAL	70109	3.9	5	2	3	4	4	5	6	10

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	121	3.7	12	1	2	3	4	5	5	26
20-34	972	3.6	14	2	2	3	4	5	5	8
35-49	55	3.6	1	2	2	4	4	5	5	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	210	3.6	4	1	2	3	4	5	7	11
20-34	1361	4.1	13	2	2	4	5	6	7	14
35-49	104	4.3	9	2	2	4	5	7	8	20
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
TOT. SINGLE DX	1148	3.7	13	2	2	3	4	5	5	9
" MULTIPLE DX	1677	4.0	12	2	2	4	5	6	7	14
TOTAL 0-19 YRS	331	3.6	7	1	2	3	4	5	7	13
20-34	2333	3.9	13	2	2	3	4	5	7	13
35-49	159	4.1	6	2	2	4	5	5	7	15
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
GRAND TOTAL	2825	3.9	12	2	2	3	4	5	7	13

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	788	3.8	3	2	3	3	4	5	6	10
20-34	3915	3.9	2	2	3	4	4	5	6	8
35-49	163	3.9	1	2	3	4	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	873	4.1	8	2	3	4	4	6	7	11
20-34	4398	4.3	5	2	3	4	5	6	7	12
35-49	229	4.8	12	2	3	4	5	7	8	15
50-64	2	4.0		4	4	4	4	4	4	4
65+										
TOT. SINGLE DX	4866	3.9	2	2	3	4	4	5	6	8
" MULTIPLE DX	5502	4.3	6	2	3	4	5	6	7	12
TOTAL 0-19 YRS	1661	3.9	6	2	3	4	4	5	7	10
20-34	8313	4.1	4	2	3	4	5	6	7	10
35-49	392	4.4	8	2	3	4	5	6	8	13
50-64	2	4.0		4	4	4	4	4	4	4
65+										
GRAND TOTAL	10368	4.1	4	2	3	4	5	6	7	10

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2610	6.3	8	4	5	6	7	8	9	14
20-34	17862	6.4	5	4	5	6	7	8	9	13
35-49	746	7.1	13	5	5	7	7	9	10	22
50-64	7	6.4	1	5	5	6	7	8	8	8
65+										
2. MULTIPLE DX										
0-19 YRS	4322	7.3	16	4	5	6	8	10	13	22
20-34	29154	7.1	14	4	5	6	8	9	11	23
35-49	2253	7.8	20	5	5	7	8	10	14	29
50-64	18	7.9	19	3	4	7	8	16	18	19
65+										
TOT. SINGLE DX	21225	6.4	6	4	5	6	7	8	9	13
" MULTIPLE DX	35747	7.2	15	4	5	6	8	9	12	24
TOTAL 0-19 YRS	6932	6.9	13	4	5	6	7	9	12	20
20-34	47016	6.9	11	4	5	6	7	9	10	20
35-49	2999	7.6	18	5	5	7	8	10	13	28
50-64	25	7.5	14	3	4	7	7	14	17	19
65+										
GRAND TOTAL	56972	6.9	12	4	5	6	7	9	11	20

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5249	3.4	3	2	2	3	4	5	5	8
20-34	30792	3.5	4	2	2	3	4	5	5	8
35-49	1163	3.7	3	2	2	4	4	5	6	8
50-64	14	3.1	1	1	2	3	3	4	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	2617	4.0	10	2	2	3	4	6	7	13
20-34	23215	4.3	6	2	3	4	5	6	7	12
35-49	1939	4.8	11	2	3	4	5	7	8	16
50-64	10	4.7	10	1	2	4	5	9	13	13
65+										
TOT. SINGLE DX	37218	3.5	4	2	2	3	4	5	5	8
" MULTIPLE DX	27781	4.3	7	2	3	4	3	6	7	13
TOTAL 0-19 YRS	7866	3.6	5	2	2	3	4	5	6	11
20-34	54007	3.8	5	2	2	4	4	5	6	10
35-49	3102	4.4	9	2	3	4	5	6	7	14
50-64	24	3.8	5	1	2	3	4	5	8	13
65+										
GRAND TOTAL	64999	3.8	5	2	2	4	4	5	6	11

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	390	6.2	4	4	4	6	7	8	9	13
20-34	2116	6.3	5	4	5	6	7	8	9	13
35-49	84	7.1	18	4	5	7	8	9	10	32
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	481	7.5	15	4	5	7	8	11	13	22
20-34	2772	7.0	13	4	5	6	7	9	12	22
35-49	267	8.1	29	4	5	7	8	11	17	32
50-64										
65+										
TOT. SINGLE DX	2590	6.3	5	4	5	6	7	8	9	13
" MULTIPLE DX	3520	7.2	15	4	5	6	8	10	12	22
TOTAL 0-19 YRS	871	6.9	10	4	5	6	7	10	11	19
20-34	4888	6.7	10	4	5	6	7	9	10	19
35-49	351	7.9	26	4	5	7	8	10	15	33
50-64										
65+										
GRAND TOTAL	6110	6.8	11	4	5	6	7	9	11	19

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	6.0		6	6	6	6	6	6	6
20-34	38	5.8	3	3	4	5	7	9	9	10
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	11	7.0	5	5	5	7	8	10	13	13
20-34	42	7.5	7	4	5	7	8	10	13	16
35-49	12	8.0	12	3	4	7	10	12	15	16
50-64										
65+										
TOT. SINGLE DX	42	5.8	3	3	4	6	7	8	9	10
" MULTIPLE DX	65	7.5	7	4	5	7	8	10	13	16
TOTAL 0-19 YRS	14	6.8	4	5	5	6	7	9	12	13
20-34	80	6.7	6	3	4	7	8	10	10	15
35-49	13	7.8	11	3	5	7	10	12	15	16
50-64										
65+										
GRAND TOTAL	107	6.9	6	4	4	7	8	10	11	16

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1008	1.7	1	1	1	2	2	2	3	4
20-34	910	1.7	1	1	1	2	2	3	3	5
35-49	89	1.7	1	1	1	2	2	3	3	5
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	85	2.6	17	1	1	2	2	5	6	28
20-34	132	3.0	28	1	1	2	3	4	7	27
35-49	20	3.1	9	1	1	2	3	6	10	14
50-64										
65+										
TOT. SINGLE DX	2008	1.7	1	1	1	2	2	2	3	4
" MULTIPLE DX	237	2.9	23	1	1	2	3	5	7	23
TOTAL 0-19 YRS	1093	1.7	3	1	1	2	2	2	3	5
20-34	1042	1.9	5	1	1	2	2	3	3	8
35-49	109	2.0	2	1	1	2	2	3	4	10
50-64	1	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	2245	1.8	4	1	1	2	2	3	3	7

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	73	4.5	69	<1	<1	2	6	9	13	56
20-34	393	3.5	16	<1	<1	2	4	8	13	21
35-49	40	5.4	112	<1	1	2	5	8	17	66
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	41	6.0	32	1	2	4	7	12	14	33
20-34	285	5.2	42	<1	<1	3	6	11	16	33
35-49	30	6.3	37	<1	<1	5	9	12	24	26
50-64										
65+										
TOT. SINGLE DX	506	3.8	31	<1	<1	2	4	8	13	23
" MULTIPLE DX	356	5.4	40	<1	<1	4	7	12	16	33
TOTAL 0-19 YRS	114	5.1	56	<1	<1	3	6	11	13	46
20-34	673	4.2	28	<1	<1	2	5	10	14	25
35-49	70	5.8	79	<1	1	3	6	11	22	58
50-64										
65+										
GRAND TOTAL	862	4.5	36	<1	<1	3	5	10	14	26

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1720	2.8	3	<1	<1	3	3	4	5	7
20-34	7837	3.0	4	<1	<1	3	4	4	5	9
35-49	340	2.8	3	<1	<1	3	4	5	5	9
50-64	5	3.4	1	2	2	4	4	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	472	3.4	3	<1	1	3	4	5	6	10
20-34	2628	3.8	12	<1	1	3	4	6	7	14
35-49	211	3.6	4	<1	1	3	4	6	7	11
50-64	1	4.0		4	4	4	4	4	4	4
65+										
TOT. SINGLE DX	9902	2.9	4	<1	<1	3	4	4	5	9
" MULTIPLE DX	3312	3.7	10	<1	1	3	4	6	7	13
TOTAL 0-19 YRS	2192	2.9	3	<1	<1	3	4	4	5	8
20-34	10465	3.2	6	<1	<1	3	4	5	6	10
35-49	551	3.1	3	<1	<1	3	4	5	6	10
50-64	6	3.5	1	2	2	4	4	4	4	4
65+										
GRAND TOTAL	13214	3.1	5	<1	<1	3	4	5	6	10

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3348	3.3	9	2	2	3	4	4	5	7
20-34	17591	3.4	4	2	2	3	4	5	5	7
35-49	929	3.4	2	2	2	3	4	5	5	7
50-64	5	3.4	6	1	1	4	5	7	7	7
65+										
2. MULTIPLE DX										
0-19 YRS	2047	3.7	6	2	2	3	4	5	7	12
20-34	10807	3.8	5	2	2	4	4	5	6	11
35-49	789	4.1	4	2	2	4	5	6	7	13
50-64	8	9.0	134	3	3	4	8	29	37	37
65+										
TOT. SINGLE DX	21873	3.4	4	2	2	3	4	5	5	7
" MULTIPLE DX	13651	3.8	5	2	2	3	4	5	6	11
TOTAL 0-19 YRS	5395	3.5	8	2	2	3	4	5	6	10
20-34	28398	3.5	4	2	2	3	4	5	6	9
35-49	1718	3.7	3	2	2	4	4	5	6	11
50-64	13	6.8	88	1	1	4	7	15	33	37
65+										
GRAND TOTAL	35524	3.5	5	2	2	3	4	5	6	9

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	3.5	5	1	2	3	4	6	8	12
20-34	95	3.6	7	1	2	3	4	6	9	17
35-49	52	4.6	25	1	2	3	4	12	15	25
50-64	71	6.4	41	2	2	4	9	12	17	39
65+	45	8.0	165	2	2	4	7	15	30	68
2. MULTIPLE DX										
0-19 YRS	24	4.3	5	1	2	4	6	6	8	10
20-34	45	5.2	13	2	2	4	7	11	12	19
35-49	66	6.1	140	1	2	3	6	16	60	99+
50-64	147	8.2	120	2	2	4	9	19	35	76
65+	98	11.7	131	2	3	8	17	25	34	62
TOT. SINGLE DX	339	4.9	39	1	2	3	5	10	13	28
" MULTIPLE DX	380	8.2	112	2	2	4	10	19	30	77
TOTAL 0-19 YRS	100	3.7	5	1	2	3	5	6	8	11
20-34	140	4.1	10	1	2	3	5	8	11	17
35-49	118	5.4	89	1	2	3	5	12	20	99+
50-64	218	7.6	95	2	2	4	9	17	29	60
65+	143	10.6	144	2	2	6	14	23	32	64
GRAND TOTAL	719	6.6	80	2	2	4	7	15	22	61

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	413	4.0	2	2	3	4	5	5	6	10
20-34	552	4.1	5	2	3	4	5	6	7	16
35-49	152	3.9	5	2	2	3	5	6	8	15
50-64	82	4.9	24	2	2	3	5	8	16	26
65+	13	7.1	33	1	2	5	9	16	21	22
2. MULTIPLE DX										
0-19 YRS	233	4.6	8	2	3	4	5	7	8	21
20-34	306	5.0	15	2	2	4	6	8	12	21
35-49	94	5.6	24	2	2	4	6	9	13	30
50-64	66	8.2	106	2	2	5	8	18	33	95
65+	22	14.0	270	2	3	7	18	31	58	69
TOT. SINGLE DX	1212	4.1	6	2	3	4	5	6	7	16
" MULTIPLE DX	721	5.5	33	2	3	4	6	8	15	34
TOTAL 0-19 YRS	646	4.2	4	2	3	4	5	6	7	15
20-34	858	4.4	9	2	3	4	5	6	8	18
35-49	246	4.6	13	2	2	4	5	8	9	22
50-64	148	6.4	62	2	2	4	7	15	23	71
65+	35	11.4	190	2	3	6	15	22	44	69
GRAND TOTAL	1933	4.7	16	2	3	4	5	7	9	24

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	417	3.1	4	1	1	3	4	5	7	10
20-34	582	3.4	6	1	1	3	4	6	8	12
35-49	91	4.3	19	1	2	3	5	7	9	29
50-64	40	3.7	6	1	1	3	5	7	8	14
65+	8	10.3	195	2	2	4	12	34	43	43
2. MULTIPLE DX										
0-19 YRS	444	5.8	70	1	2	4	6	10	14	62
20-34	582	6.2	57	2	2	4	7	12	16	46
35-49	160	8.1	50	2	2	6	11	15	21	39
50-64	62	10.0	72	2	3	8	12	19	30	94
65+	44	11.9	103	2	2	9	16	25	32	46
TOT. SINGLE DX	1138	3.4	8	1	1	3	4	6	8	13
" MULTIPLE DX	1292	6.7	65	1	2	4	7	13	19	51
TOTAL 0-19 YRS	861	4.5	40	1	1	3	5	8	11	47
20-34	1164	4.8	33	1	2	3	5	9	12	40
35-49	251	6.7	42	2	2	4	9	13	19	34
50-64	102	7.5	56	1	2	6	10	16	23	74
65+	52	11.6	114	2	2	8	15	25	35	46
GRAND TOTAL	2430	5.2	41	1	2	3	6	10	14	43

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	329	4.0	7	1	2	3	5	7	9	12
20-34	691	4.2	10	1	2	3	5	8	10	18
35-49	256	4.9	16	1	2	4	6	10	12	22
50-64	97	4.8	18	1	2	3	5	10	13	65
65+	36	7.3	32	2	2	6	9	18	20	25
2. MULTIPLE DX										
0-19 YRS	408	8.2	67	2	3	6	10	16	22	52
20-34	926	7.9	79	2	2	5	9	15	23	53
35-49	388	9.0	75	2	2	6	11	18	26	41
50-64	173	9.4	72	2	3	8	12	16	24	72
65+	105	12.5	102	3	4	9	14	25	32	55
TOT. SINGLE DX	1409	4.4	12	1	2	3	5	8	11	19
" MULTIPLE DX	2000	8.5	77	2	2	6	10	16	25	52
TOTAL 0-19 YRS	737	6.3	44	2	2	4	7	11	16	38
20-34	1617	6.3	53	2	2	4	7	12	17	47
35-49	644	7.4	56	2	2	5	9	15	20	34
50-64	270	7.7	57	2	2	6	10	14	20	73
65+	141	11.1	89	3	3	9	13	23	28	49
GRAND TOTAL	3409	6.8	54	2	2	5	8	13	19	42

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	4.4	20	1	1	3	6	9	13	23
20-34	45	4.8	16	<1	<1	4	7	9	12	21
35-49	32	4.8	10	1	1	4	7	10	10	12
50-64	16	5.0	8	1	2	4	6	9	11	12
65+	12	6.3	32	<1	1	4	8	17	18	18
2. MULTIPLE DX										
0-19 YRS	17	6.6	20	3	4	5	7	9	18	23
20-34	36	7.4	52	1	2	5	9	15	22	38
35-49	23	10.3	304	3	3	6	9	15	44	88
50-64	15	9.6	92	1	2	6	14	22	32	36
65+	14	7.6	87	1	2	4	9	14	33	38
TOT. SINGLE DX	134	4.9	16	<1	1	4	6	9	12	21
" MULTIPLE DX	105	8.3	110	2	2	5	9	15	23	61
TOTAL 0-19 YRS	46	5.2	21	1	2	4	6	9	14	23
20-34	81	6.0	33	<1	1	4	7	12	15	34
35-49	55	7.1	137	1	1	5	8	10	13	85
50-64	31	7.2	53	1	2	5	9	15	22	36
65+	26	7.0	60	1	1	4	9	16	22	38
GRAND TOTAL	239	6.4	60	1	1	4	7	12	17	38

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	917	6.5	40	2	2	5	8	12	19	32
20-34	1093	4.1	9	1	2	3	5	7	10	18
35-49	678	5.6	32	2	2	4	6	10	15	32
50-64	635	7.5	47	2	3	6	9	13	18	36
65+	207	11.4	109	3	3	8	14	23	32	64
2. MULTIPLE DX										
0-19 YRS	527	7.8	55	2	2	6	9	15	23	44
20-34	1381	5.1	33	2	2	4	5	9	12	32
35-49	976	5.6	33	2	2	4	6	10	14	34
50-64	960	7.9	56	2	3	6	9	15	22	46
65+	358	14.6	152	3	4	11	19	30	38	59
TOT. SINGLE DX	3530	6.0	37	2	2	4	7	11	16	32
" MULTIPLE DX	4202	7.0	58	2	2	5	8	14	22	44
TOTAL 0-19 YRS	1444	7.0	46	2	2	5	8	13	21	38
20-34	2474	4.6	22	2	2	3	5	8	11	24
35-49	1654	5.6	32	2	2	4	6	10	15	32
50-64	1595	7.7	53	2	3	6	9	14	21	39
65+	565	13.4	139	3	4	10	17	28	37	62
GRAND TOTAL	7732	6.6	49	2	2	4	7	13	19	39

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	485	4.4	12	2	2	4	5	6	7	11
20-34	1110	4.2	4	2	2	4	5	6	8	12
35-49	864	4.6	5	2	3	4	5	7	8	12
50-64	1121	5.1	7	2	3	5	6	8	10	14
65+	342	5.7	11	2	3	5	7	9	11	18
2. MULTIPLE DX										
0-19 YRS	557	4.7	4	2	3	4	5	7	9	13
20-34	2287	4.8	11	2	3	4	5	7	9	16
35-49	2193	5.3	11	2	3	5	6	8	10	19
50-64	3407	6.0	18	3	3	5	7	9	11	20
65+	1329	7.4	35	3	4	6	8	12	16	34
TOT. SINGLE DX	3922	4.7	7	2	3	4	6	7	9	13
" MULTIPLE DX	9773	5.7	17	2	3	5	6	9	11	21
TOTAL 0-19 YRS	1042	4.6	8	2	3	4	5	7	8	12
20-34	3397	4.6	9	2	2	4	5	7	8	14
35-49	3057	5.1	9	2	3	5	6	8	10	18
50-64	4528	5.8	15	3	3	5	7	9	11	18
65+	1671	7.0	30	3	3	6	8	11	15	31
GRAND TOTAL	13695	5.4	14	2	3	5	6	8	11	19

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2321	4.6	22	1	2	3	5	8	11	26
20-34	3242	5.0	29	1	2	4	5	8	12	33
35-49	2101	5.3	28	2	2	4	6	10	13	30
50-64	1721	6.3	49	2	2	4	7	12	18	37
65+	714	8.7	88	2	2	6	11	18	24	45
2. MULTIPLE DX										
0-19 YRS	1037	8.1	126	2	2	4	8	18	34	58
20-34	2307	8.0	120	2	2	4	8	18	31	77
35-49	1901	8.6	130	2	2	5	9	18	29	78
50-64	2457	9.9	124	2	2	6	12	23	33	64
65+	1466	16.0	225	2	3	12	21	36	48	84
TOT. SINGLE DX	10099	5.4	36	2	2	4	6	10	15	33
" MULTIPLE DX	9168	9.9	148	2	2	5	11	24	36	71
TOTAL 0-19 YRS	3358	5.7	57	1	2	4	6	10	17	47
20-34	5549	6.2	69	2	2	4	6	11	20	56
35-49	4002	6.9	79	2	2	4	7	13	21	53
50-64	4178	8.4	96	2	2	5	9	19	27	55
65+	2180	13.6	191	2	3	9	18	31	43	74
GRAND TOTAL	**19267**	**7.6**	**94**	**2**	**2**	**4**	**8**	**16**	**26**	**56**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	876	7.3	52	2	2	5	8	14	23	43
20-34	836	5.9	35	1	2	4	7	10	15	32
35-49	349	7.4	72	1	2	5	9	14	20	38
50-64	284	9.7	48	2	3	8	13	18	23	39
65+	459	18.0	107	4	6	17	23	30	38	58
2. MULTIPLE DX										
0-19 YRS	344	10.6	116	2	3	7	13	23	32	59
20-34	385	10.3	156	2	2	6	12	23	43	93
35-49	225	12.0	153	2	2	8	15	28	35	92
50-64	280	16.8	205	3	3	13	25	37	47	96
65+	750	22.6	180	7	10	19	28	40	51	93
TOT. SINGLE DX	2804	8.9	75	2	2	6	11	20	26	48
" MULTIPLE DX	1984	16.1	194	2	3	13	22	35	45	87
TOTAL 0-19 YRS	1220	8.2	72	2	3	5	9	18	26	47
20-34	1221	7.3	77	2	2	5	8	14	21	63
35-49	574	9.2	109	1	2	6	11	19	30	68
50-64	564	13.2	138	2	3	10	17	29	39	75
65+	1209	20.8	157	6	9	18	26	37	46	81
GRAND TOTAL	**4788**	**11.9**	**137**	**2**	**3**	**8**	**16**	**27**	**36**	**65**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1756	3.5	30	1	1	2	4	5	8	24
20-34	2429	3.3	15	1	1	3	4	5	8	20
35-49	1019	3.6	16	1	1	3	4	6	9	22
50-64	991	4.5	27	1	2	3	5	9	14	26
65+	709	7.3	59	2	2	5	9	16	21	40
2. MULTIPLE DX										
0-19 YRS	435	5.0	43	1	1	3	5	10	18	33
20-34	706	6.2	57	1	2	4	7	15	20	52
35-49	437	7.6	109	1	2	4	8	17	26	61
50-64	513	9.3	115	2	2	5	12	22	32	59
65+	814	15.0	171	2	3	11	21	33	44	88
TOT. SINGLE DX	6904	4.0	26	1	1	3	4	7	11	25
" MULTIPLE DX	2905	9.3	119	1	2	5	12	22	33	63
TOTAL 0-19 YRS	2191	3.8	33	1	1	3	4	6	10	29
20-34	3135	4.0	26	1	1	3	4	7	11	26
35-49	1456	4.8	47	1	2	3	5	10	15	47
50-64	1504	6.1	62	1	2	3	6	14	21	43
65+	1523	11.4	133	2	2	7	16	25	35	65
GRAND TOTAL	**9809**	**5.6**	**60**	**1**	**2**	**3**	**5**	**13**	**20**	**44**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	204	20.7	173	3	6	20	29	37	41	62
20-34	54	20.3	273	5	6	17	24	47	65	99
35-49	63	14.3	77	6	7	13	17	24	32	54
50-64	163	16.2	87	7	8	14	19	29	38	93
65+	736	18.5	75	8	10	17	22	29	36	77
2. MULTIPLE DX										
0-19 YRS	137	28.6	322	7	10	25	39	52	62	88
20-34	91	27.3	355	7	9	23	37	60	69	95
35-49	60	25.1	352	6	7	20	35	58	69	98
50-64	244	22.1	210	8	10	17	26	47	56	98
65+	1448	23.4	182	10	12	20	27	41	53	79
TOT. SINGLE DX	1220	18.4	104	6	8	16	23	33	39	69
" MULTIPLE DX	1980	23.8	210	9	11	20	28	44	55	81
TOTAL 0-19 YRS	341	23.9	247	4	6	22	35	44	54	71
20-34	145	24.7	334	6	8	21	32	55	68	99+
35-49	123	19.6	239	6	7	14	25	40	58	90
50-64	407	19.8	169	8	9	15	24	38	52	99
65+	2184	21.7	151	9	11	19	26	36	48	78
GRAND TOTAL	**3200**	**21.8**	**177**	**8**	**10**	**18**	**26**	**39**	**51**	**80**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	299	14.0	106	4	5	11	17	26	31	52
20-34	268	15.2	104	5	6	13	18	27	33	49
35-49	203	14.0	76	6	7	13	16	21	26	54
50-64	570	16.4	88	7	8	14	19	27	33	73
65+	2933	19.3	74	9	11	18	23	29	35	53
2. MULTIPLE DX										
0-19 YRS	362	22.8	277	7	9	18	28	49	63	99+
20-34	517	23.5	253	7	9	19	29	48	63	99+
35-49	300	24.7	264	7	9	20	34	49	62	99+
50-64	969	22.3	180	9	11	19	27	39	54	97
65+	6678	23.5	151	10	12	20	28	39	49	78
TOT. SINGLE DX	4273	18.0	84	7	9	16	22	28	34	55
" MULTIPLE DX	8826	23.4	170	10	11	20	28	40	51	85
TOTAL 0-19 YRS	661	18.8	219	5	6	15	23	37	54	93
20-34	785	20.6	218	6	8	17	25	41	54	99
35-49	503	20.3	216	7	8	16	25	43	57	99+
50-64	1539	20.1	154	8	9	17	24	35	46	94
65+	9611	22.2	131	10	12	19	26	36	45	72
GRAND TOTAL	**13099**	**21.6**	**148**	**8**	**11**	**19**	**26**	**36**	**47**	**80**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	491	14.1	163	2	2	9	22	31	37	54
20-34	43	23.9	449	3	4	18	35	61	69	74
35-49	27	19.3	413	1	2	12	21	55	73	73
50-64	49	19.7	291	3	4	13	26	42	53	77
65+	151	20.7	178	5	7	18	25	37	48	96
2. MULTIPLE DX										
0-19 YRS	264	21.6	279	3	4	19	30	46	57	88
20-34	124	28.7	376	5	6	27	41	58	84	99+
35-49	58	28.1	367	4	5	22	39	57	60	85
50-64	79	27.9	420	5	7	21	39	60	69	83
65+	244	25.2	326	6	8	20	34	50	74	99+
TOT. SINGLE DX	761	16.5	209	2	3	13	23	35	44	72
" MULTIPLE DX	769	25.0	337	4	5	21	34	53	67	99+
TOTAL 0-19 YRS	755	16.7	216	2	3	13	25	36	46	77
20-34	167	27.4	397	4	5	25	41	59	74	99+
35-49	85	25.3	394	2	5	19	38	56	62	82
50-64	128	24.7	384	4	6	19	36	57	66	82
65+	395	23.5	273	5	8	19	30	48	66	99+
GRAND TOTAL	**1530**	**20.8**	**291**	**2**	**4**	**17**	**29**	**45**	**57**	**93**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	667	6.2	49	1	1	3	7	17	22	33
20-34	601	4.6	21	1	1	3	6	9	12	23
35-49	397	5.5	39	1	1	4	6	10	15	37
50-64	408	6.2	56	1	1	4	7	12	18	40
65+	362	8.2	64	1	2	5	11	18	24	36
2. MULTIPLE DX										
0-19 YRS	294	9.2	90	1	2	6	14	22	32	99+
20-34	385	10.0	169	1	2	6	11	24	36	85
35-49	237	10.2	147	2	2	6	11	24	40	99+
50-64	323	11.9	190	1	2	7	15	27	45	78
65+	338	15.8	216	2	3	13	21	32	52	90
TOT. SINGLE DX	2435	6.0	45	1	1	4	7	14	20	33
" MULTIPLE DX	1577	11.5	171	1	2	7	15	26	43	90
TOTAL 0-19 YRS	961	7.2	63	1	1	4	9	19	24	43
20-34	986	6.7	86	1	1	4	8	13	22	56
35-49	634	7.2	84	1	2	4	8	16	25	64
50-64	731	8.7	123	1	2	5	10	19	29	67
65+	700	11.9	151	1	2	8	16	25	34	66
GRAND TOTAL	**4012**	**8.2**	**102**	**1**	**1**	**5**	**10**	**19**	**27**	**60**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2636	4.3	15	1	1	3	5	8	11	18
20-34	3369	5.2	18	1	2	4	6	10	13	22
35-49	1943	6.3	26	2	2	5	8	12	15	25
50-64	1737	7.8	33	2	3	6	9	14	18	29
65+	1047	11.2	89	3	3	9	14	21	27	46
2. MULTIPLE DX										
0-19 YRS	1382	8.1	100	1	2	5	9	17	26	60
20-34	2483	9.7	124	2	2	6	11	21	33	71
35-49	1511	10.2	119	2	3	7	12	20	32	62
50-64	1740	11.7	123	3	3	9	14	23	32	75
65+	1493	16.5	159	4	5	13	21	32	42	69
TOT. SINGLE DX	10732	6.2	32	1	2	5	8	12	16	28
" MULTIPLE DX	8609	11.1	133	2	3	7	13	24	34	68
TOTAL 0-19 YRS	4018	5.6	47	1	2	4	6	11	15	42
20-34	5852	7.1	68	1	2	5	8	13	21	52
35-49	3454	8.0	70	2	2	6	9	15	21	49
50-64	3477	9.7	82	2	3	7	12	18	25	55
65+	2540	14.3	137	3	4	11	19	28	36	65
GRAND TOTAL	**19341**	**8.4**	**83**	**1**	**2**	**6**	**10**	**17**	**25**	**53**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7848	2.8	13	1	1	2	3	5	8	19
20-34	2233	4.1	18	1	1	3	5	8	11	21
35-49	1474	4.7	30	1	1	3	5	9	12	25
50-64	1955	4.6	27	1	1	3	6	10	13	23
65+	1814	5.5	37	1	1	3	7	12	17	32
2. MULTIPLE DX										
0-19 YRS	2288	6.2	82	1	1	3	7	15	23	56
20-34	1775	8.7	135	1	1	5	10	19	34	68
35-49	1178	8.6	102	1	2	5	10	18	27	56
50-64	1690	9.0	107	1	2	6	11	19	29	63
65+	2379	10.9	107	2	2	8	14	24	31	55
TOT. SINGLE DX	15324	3.7	21	1	1	2	4	8	11	22
" MULTIPLE DX	9310	8.7	108	1	1	5	10	20	29	59
TOTAL 0-19 YRS	10136	3.6	30	1	1	2	4	7	12	27
20-34	4008	6.1	75	1	1	4	7	12	19	53
35-49	2652	6.4	66	1	1	4	7	13	20	44
50-64	3645	6.6	68	1	1	4	8	14	20	44
65+	4193	8.5	84	1	2	6	11	19	26	48
GRAND TOTAL	**24634**	**5.6**	**60**	**1**	**1**	**3**	**6**	**13**	**19**	**41**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	821	4.1	27	<1	1	2	5	10	16	25
20-34	581	3.5	24	<1	<1	2	4	7	10	24
35-49	292	3.3	17	<1	1	2	4	7	10	21
50-64	331	4.3	22	<1	1	3	5	11	13	21
65+	352	5.8	60	1	1	3	6	15	22	37
2. MULTIPLE DX										
0-19 YRS	336	7.5	103	1	1	4	9	20	26	67
20-34	412	9.4	132	1	1	5	11	22	38	56
35-49	242	10.0	181	1	1	5	11	28	41	65
50-64	328	10.2	166	1	1	5	12	27	42	72
65+	491	10.6	150	1	1	7	14	23	32	66
TOT. SINGLE DX	2377	4.1	30	<1	1	2	5	9	15	27
" MULTIPLE DX	1809	9.6	145	1	1	5	12	23	35	63
TOTAL 0-19 YRS	1157	5.1	51	<1	1	2	6	13	20	35
20-34	993	6.0	77	<1	1	3	6	14	22	51
35-49	534	6.3	102	<1	1	3	6	14	26	51
50-64	659	7.2	102	1	1	4	8	17	27	58
65+	843	8.6	118	1	1	4	11	21	28	56
GRAND TOTAL	**4186**	**6.5**	**87**	**<1**	**1**	**3**	**7**	**16**	**24**	**52**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	385	4.5	21	1	1	3	5	8	12	23
20-34	673	4.6	24	2	2	4	5	7	10	21
35-49	230	5.4	18	1	2	4	6	9	13	26
50-64	170	7.4	44	2	2	6	10	15	17	34
65+	116	14.5	91	2	3	14	19	29	34	45
2. MULTIPLE DX										
0-19 YRS	144	7.7	59	1	2	5	10	16	24	32
20-34	230	9.1	155	2	2	6	9	19	31	75
35-49	127	8.3	85	2	2	6	10	15	20	44
50-64	138	13.0	165	2	3	9	15	29	35	88
65+	169	20.0	209	4	6	16	25	39	55	78
TOT. SINGLE DX	1574	5.7	36	1	2	4	6	12	17	32
" MULTIPLE DX	808	11.7	161	2	2	7	14	25	35	70
TOTAL 0-19 YRS	529	5.4	33	1	2	4	6	11	17	27
20-34	903	5.8	61	2	2	4	6	9	14	39
35-49	357	6.4	44	2	2	5	7	12	16	27
50-64	308	9.9	105	2	3	7	12	19	29	63
65+	285	17.8	168	3	5	16	21	34	45	67
GRAND TOTAL	**2382**	**7.7**	**86**	**1**	**2**	**5**	**9**	**17**	**24**	**54**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1497	4.7	15	2	2	4	5	8	10	22
20-34	1714	4.7	15	2	2	4	5	8	10	21
35-49	792	5.5	32	2	2	4	6	10	13	27
50-64	529	7.5	55	2	2	5	8	17	24	38
65+	281	13.2	158	2	2	10	18	28	37	67
2. MULTIPLE DX										
0-19 YRS	749	7.0	62	2	2	5	7	14	20	41
20-34	1122	6.1	42	2	2	5	7	10	15	36
35-49	669	7.6	73	2	2	5	8	15	22	53
50-64	629	10.9	163	2	3	6	13	24	37	77
65+	460	20.2	276	3	5	16	27	43	57	84
TOT. SINGLE DX	4813	5.6	35	2	2	4	6	10	15	32
" MULTIPLE DX	3629	9.2	123	2	3	5	9	20	32	66
TOTAL 0-19 YRS	2246	5.5	32	2	2	4	6	9	15	30
20-34	2836	5.2	26	2	2	4	6	9	12	27
35-49	1461	6.4	52	2	2	5	7	12	17	47
50-64	1158	9.4	117	2	2	6	10	20	30	62
65+	741	17.6	242	2	4	13	23	38	51	77
GRAND TOTAL	**8442**	**7.2**	**76**	**2**	**2**	**5**	**7**	**14**	**22**	**49**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	192	11.1	40	5	5	9	13	20	26	36
20-34	3577	12.0	40	5	6	10	15	20	24	33
35-49	6032	12.4	37	6	7	11	15	20	24	33
50-64	3201	13.6	46	6	7	12	17	23	27	37
65+	511	16.7	76	7	8	15	20	27	34	50
2. MULTIPLE DX										
0-19 YRS	35	15.0	216	5	6	13	15	50	93	99+
20-34	1038	15.3	90	6	7	13	19	26	31	54
35-49	2489	15.5	79	6	7	13	19	26	32	47
50-64	2456	17.3	96	7	8	15	22	29	35	60
65+	818	21.9	156	8	10	19	27	38	47	71
TOT. SINGLE DX	13513	12.7	43	6	7	12	16	21	25	35
" MULTIPLE DX	6836	16.9	101	6	8	15	21	29	36	59
TOTAL 0-19 YRS	227	11.7	68	5	6	10	14	21	30	99+
20-34	4615	12.7	53	5	6	11	15	22	26	37
35-49	8521	13.3	51	6	7	11	16	22	27	39
50-64	5657	15.2	71	6	7	13	19	26	31	47
65+	1329	19.9	132	7	9	17	25	34	43	65
GRAND TOTAL	**20349**	**14.1**	**66**	**6**	**7**	**12**	**17**	**24**	**29**	**44**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2879	4.7	3	2	3	4	5	7	8	10
20-34	5576	4.8	6	2	3	4	6	7	8	13
35-49	2549	5.3	6	2	3	5	6	8	10	16
50-64	1390	5.9	8	3	3	5	7	9	11	16
65+	204	7.2	14	3	4	6	9	11	15	21
2. MULTIPLE DX										
0-19 YRS	1196	5.3	7	2	3	5	6	8	10	16
20-34	2850	5.7	17	3	3	5	6	9	11	22
35-49	1739	6.5	28	2	3	5	7	11	15	26
50-64	1634	7.3	28	3	3	6	8	13	16	28
65+	399	9.8	64	3	4	7	11	20	27	43
TOT. SINGLE DX	12598	5.0	6	2	3	5	6	7	9	14
" MULTIPLE DX	7818	6.4	24	3	3	5	7	10	14	27
TOTAL 0-19 YRS	4075	4.9	5	2	3	5	6	7	8	12
20-34	8426	5.1	10	2	3	5	6	8	9	16
35-49	4288	5.8	15	2	3	5	6	9	11	20
50-64	3024	6.6	19	3	3	6	8	11	14	24
65+	603	8.9	49	3	4	7	10	16	24	40
GRAND TOTAL	**20416**	**5.5**	**13**	**2**	**3**	**5**	**6**	**8**	**11**	**20**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2139	3.3	7	1	1	2	4	6	8	13
20-34	2857	3.6	12	1	1	3	4	6	8	16
35-49	1479	4.3	26	1	2	3	5	7	10	26
50-64	971	4.8	26	1	2	3	6	9	14	27
65+	286	7.3	70	1	2	4	9	18	23	30
2. MULTIPLE DX										
0-19 YRS	870	4.1	23	1	1	3	5	7	9	18
20-34	1608	4.8	29	1	2	4	5	9	13	29
35-49	1154	5.9	38	1	2	4	7	12	18	34
50-64	1125	7.3	65	1	2	5	9	16	25	48
65+	454	10.8	116	2	2	7	15	25	32	48
TOT. SINGLE DX	7732	3.9	18	1	1	3	5	7	10	22
" MULTIPLE DX	5211	6.0	49	1	2	4	7	12	19	39
TOTAL 0-19 YRS	3009	3.5	12	1	1	3	4	6	8	15
20-34	4465	4.1	19	1	1	3	5	7	10	23
35-49	2633	5.0	32	1	2	3	6	9	14	31
50-64	2096	6.1	48	1	2	4	7	13	19	40
65+	740	9.5	101	2	2	6	12	23	29	44
GRAND TOTAL	**12943**	**4.8**	**31**	**1**	**1**	**3**	**5**	**9**	**14**	**30**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	283	14.5	42	7	8	13	17	20	26	40
20-34	381	14.1	59	6	7	12	17	22	29	46
35-49	537	12.2	42	5	6	11	15	20	25	33
50-64	331	12.3	50	5	6	11	15	21	25	39
65+	25	12.5	35	6	6	10	16	23	24	24
2. MULTIPLE DX										
0-19 YRS	147	21.5	256	8	9	17	25	52	82	99+
20-34	250	21.3	312	7	8	17	27	58	99	99+
35-49	422	16.6	124	6	8	13	20	30	43	99+
50-64	353	19.5	201	6	8	16	23	39	57	99+
65+	80	24.8	278	8	9	20	32	53	72	99+
TOT. SINGLE DX	1557	13.1	49	5	6	12	16	21	26	40
" MULTIPLE DX	1252	19.5	213	7	8	16	23	42	64	99+
TOTAL 0-19 YRS	430	16.9	126	8	9	14	19	30	44	99+
20-34	631	17.0	172	6	8	14	20	33	52	99+
35-49	959	14.2	83	6	7	12	17	25	32	60
50-64	684	16.0	140	5	7	13	19	29	43	99+
65+	105	21.9	247	7	8	18	28	51	67	99+
GRAND TOTAL	**2809**	**15.9**	**132**	**6**	**7**	**13**	**19**	**29**	**42**	**99+**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	287	4.7	10	1	2	4	6	8	10	16
20-34	548	5.0	12	2	2	4	6	9	11	16
35-49	408	6.0	36	2	2	5	8	11	14	23
50-64	537	6.2	37	2	2	4	7	12	16	32
65+	243	7.2	49	2	2	5	8	17	20	31
2. MULTIPLE DX										
0-19 YRS	192	6.3	18	2	2	5	8	12	15	23
20-34	390	6.1	39	2	2	5	7	11	16	39
35-49	334	7.3	34	2	2	6	9	13	18	33
50-64	540	8.3	64	2	3	6	10	16	25	41
65+	331	11.6	120	2	3	8	15	25	34	53
TOT. SINGLE DX	2023	5.7	28	2	2	4	7	11	15	25
" MULTIPLE DX	1787	8.0	62	2	2	6	10	16	23	42
TOTAL 0-19 YRS	479	5.3	14	2	2	4	7	10	13	21
20-34	938	5.5	24	2	2	4	6	10	13	24
35-49	742	6.6	35	2	2	5	8	12	15	27
50-64	1077	7.2	51	2	2	5	8	14	20	38
65+	574	9.7	94	2	2	6	13	21	29	48
GRAND TOTAL	**3810**	**6.8**	**45**	**2**	**2**	**5**	**8**	**13**	**18**	**35**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	15.0	18	11	11	14	16	22	23	23
20-34	103	16.4	85	6	8	15	18	26	34	54
35-49	269	16.2	52	9	10	15	18	24	30	48
50-64	1196	16.8	47	10	11	16	19	24	29	43
65+	1800	18.4	50	10	12	17	21	26	31	44
2. MULTIPLE DX										
0-19 YRS	14	17.3	139	4	8	14	21	29	48	53
20-34	120	18.0	147	8	9	16	20	25	50	96
35-49	269	18.9	136	9	10	16	20	31	43	62
50-64	1038	20.2	103	10	11	17	23	33	41	57
65+	2435	23.0	129	11	13	20	27	38	46	77
TOT. SINGLE DX	3374	17.6	51	10	11	16	20	25	30	44
" MULTIPLE DX	3876	21.8	125	11	12	19	25	36	45	73
TOTAL 0-19 YRS	20	16.6	101	6	10	14	20	24	39	53
20-34	223	17.2	119	7	9	15	19	26	39	71
35-49	538	17.6	96	9	10	15	19	28	38	60
50-64	2234	18.4	76	10	11	16	20	28	35	50
65+	4235	21.1	100	11	12	18	24	33	41	66
GRAND TOTAL	**7250**	**19.8**	**95**	**10**	**12**	**17**	**23**	**31**	**39**	**60**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	11.8	66	2	4	9	16	24	27	36
20-34	46	12.7	54	3	3	12	16	23	24	39
35-49	62	15.3	129	6	9	13	17	21	29	84
50-64	318	16.7	52	9	10	15	19	25	29	43
65+	1898	18.9	68	10	11	17	22	28	33	48
2. MULTIPLE DX										
0-19 YRS	24	20.8	280	3	8	16	25	34	53	84
20-34	32	20.7	193	4	9	17	25	40	51	64
35-49	106	21.1	200	5	9	17	26	41	45	85
50-64	504	22.5	197	9	11	19	26	41	56	99+
65+	4002	23.3	132	11	13	20	28	38	45	70
TOT. SINGLE DX	2377	18.3	69	8	10	17	21	27	33	45
" MULTIPLE DX	4668	23.1	142	10	12	20	27	38	46	74
TOTAL 0-19 YRS	77	14.6	147	3	4	12	21	27	33	72
20-34	78	16.0	125	3	4	14	19	27	39	61
35-49	168	19.0	180	5	9	16	22	36	41	89
50-64	822	20.2	149	9	11	17	23	34	45	84
65+	5900	21.9	115	10	12	19	26	35	42	66
GRAND TOTAL	**7045**	**21.5**	**122**	**10**	**12**	**19**	**25**	**35**	**42**	**70**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1065	5.5	7	3	3	5	6	8	10	16
20-34	1138	6.1	11	3	3	5	7	9	12	20
35-49	379	10.1	65	3	4	7	13	20	24	42
50-64	849	16.5	66	5	8	16	19	26	31	46
65+	1434	18.7	54	10	11	17	22	28	32	42
2. MULTIPLE DX										
0-19 YRS	677	6.4	26	3	4	5	7	9	12	24
20-34	1019	7.3	30	3	4	6	8	11	15	33
35-49	396	11.8	119	3	4	8	15	23	30	60
50-64	906	18.4	101	5	8	17	22	31	38	68
65+	1729	22.6	123	10	12	20	27	36	45	66
TOT. SINGLE DX	4865	11.8	71	3	4	9	17	23	27	39
" MULTIPLE DX	4727	15.3	132	4	5	13	20	29	37	60
TOTAL 0-19 YRS	1742	5.9	15	3	3	5	7	9	10	19
20-34	2157	6.7	20	3	4	6	7	10	13	25
35-49	775	11.0	94	3	4	8	14	21	27	50
50-64	1755	17.5	85	5	8	16	21	28	35	57
65+	3163	20.8	95	10	12	19	24	32	39	60
GRAND TOTAL	**9592**	**13.5**	**104**	**3**	**4**	**11**	**18**	**26**	**32**	**50**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1289	4.0	4	2	2	4	5	6	7	11
20-34	2489	4.0	6	2	2	4	5	6	7	12
35-49	868	4.4	8	2	2	4	5	7	9	17
50-64	849	5.6	18	2	2	4	7	10	14	23
65+	306	7.6	35	2	2	5	10	16	21	28
2. MULTIPLE DX										
0-19 YRS	313	4.6	14	2	2	4	5	8	10	23
20-34	1138	4.8	24	2	2	4	5	9	13	25
35-49	738	5.2	25	2	2	4	6	9	11	29
50-64	947	7.0	53	2	3	5	8	12	18	35
65+	461	10.8	96	2	3	8	14	24	31	50
TOT. SINGLE DX	5801	4.5	[illegible]	2	2	4	5	7	9	18
" MULTIPLE DX	3597	6.2	[illegible]	2	2	4	7	11	18	35
TOTAL 0-19 YRS	1602	4.2	5	2	2	4	5	6	7	13
20-34	3627	4.3	12	2	2	4	5	7	9	18
35-49	1606	4.8	16	2	2	4	5	8	10	19
50-64	1796	6.4	37	2	2	5	7	11	16	26
65+	767	9.5	74	2	3	7	12	21	27	47
GRAND TOTAL	9398	5.2	24	2	2	4	6	9	12	25

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	674	4.5	25	1	1	3	5	9	13	24
20-34	769	3.8	12	1	1	3	5	7	9	20
35-49	620	3.7	14	1	1	3	4	6	9	17
50-64	643	3.2	13	1	1	2	3	5	8	19
65+	162	4.2	24	1	1	3	5	8	13	44
2. MULTIPLE DX										
0-19 YRS	392	7.3	58	1	2	5	9	17	23	44
20-34	423	7.1	67	1	2	4	8	16	24	50
35-49	404	7.0	55	2	2	4	9	17	24	44
50-64	458	7.3	73	1	2	4	8	16	24	40
65+	223	11.8	148	2	2	7	17	27	39	53
TOT. SINGLE DX	2868	3.8	17	1	1	3	4	7	10	20
" MULTIPLE DX	1900	7.7	76	1	2	5	9	18	25	47
TOTAL 0-19 YRS	1066	5.5	39	1	1	4	6	12	17	33
20-34	1192	5.0	34	1	1	3	5	10	15	33
35-49	1024	5.0	33	1	2	3	5	10	16	33
50-64	1101	4.9	42	1	1	3	5	10	16	36
65+	385	8.6	110	1	2	5	10	21	31	53
GRAND TOTAL	4768	5.4	44	1	1	3	6	11	18	38

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1882	2.4	5	<1	1	2	3	4	5	10
20-34	3110	2.6	8	1	1	2	3	4	5	12
35-49	1718	3.0	9	1	1	2	3	5	8	18
50-64	1270	3.6	12	1	1	3	4	6	10	20
65+	415	5.2	52	1	2	3	6	11	15	30
2. MULTIPLE DX										
0-19 YRS	294	4.6	33	1	1	3	5	9	15	35
20-34	896	5.2	48	1	2	3	5	11	17	32
35-49	906	6.6	49	1	2	4	8	15	22	38
50-64	1017	7.9	77	2	2	5	10	17	24	49
65+	583	12.0	153	2	2	9	15	26	35	64
TOT. SINGLE DX	8395	2.9	11	1	1	2	3	5	7	16
" MULTIPLE DX	3696	7.3	77	1	2	4	9	17	24	48
TOTAL 0-19 YRS	2176	2.7	9	1	1	2	3	4	6	15
20-34	4006	3.1	18	1	1	2	3	5	8	21
35-49	2624	4.3	26	1	1	3	4	9	14	28
50-64	2287	5.5	46	1	2	3	6	12	18	37
65+	998	9.2	122	1	2	5	11	22	30	55
GRAND TOTAL	12091	4.3	35	1	1	2	4	9	14	31

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	81	2.9	13	<1	1	2	3	4	8	23
20-34	206	2.7	4	1	1	2	3	4	5	13
35-49	294	3.1	23	1	1	2	3	4	7	23
50-64	776	2.9	8	1	2	2	3	4	5	11
65+	367	3.2	3	2	2	3	4	5	6	12
2. MULTIPLE DX										
0-19 YRS	36	3.6	8	1	1	3	4	9	13	99+
20-34	102	6.1	123	1	2	3	6	13	19	72
35-49	160	5.7	47	1	2	3	6	13	17	44
50-64	412	4.8	20	2	2	3	5	10	13	24
65+	210	5.6	60	2	2	4	6	10	14	61
TOT. SINGLE DX	1724	2.9	9	1	1	2	3	5	6	12
" MULTIPLE DX	920	5.3	45	2	2	3	6	11	14	36
TOTAL 0-19 YRS	117	3.1	11	1	1	2	3	5	10	49
20-34	308	3.8	46	1	1	2	4	6	11	22
35-49	454	4.0	33	1	1	2	4	8	12	31
50-64	1188	3.5	13	1	2	3	4	6	9	17
65+	577	4.1	25	2	2	3	4	7	10	22
GRAND TOTAL	2644	3.8	23	1	2	3	4	6	10	22

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	989	2.4	5	1	1	2	3	4	6	12
20-34	1543	2.6	11	1	1	2	3	4	6	11
35-49	630	2.6	6	1	1	2	3	5	6	9
50-64	443	2.8	4	1	1	2	3	5	7	10
65+	91	3.3	7	1	1	2	4	7	9	15
2. MULTIPLE DX										
0-19 YRS	646	3.0	14	1	1	2	3	6	8	14
20-34	939	3.4	13	1	1	2	4	6	9	22
35-49	418	3.8	21	1	1	2	4	7	10	22
50-64	319	3.8	17	1	1	3	4	7	10	25
65+	119	7.2	132	1	1	3	8	14	28	63
TOT. SINGLE DX	3696	2.6	8	1	1	2	3	5	6	11
" MULTIPLE DX	2441	3.6	22	1	1	2	4	7	10	24
TOTAL 0-19 YRS	1635	2.6	9	1	1	2	3	5	6	14
20-34	2482	2.9	12	1	1	2	3	5	7	13
35-49	1048	3.1	13	1	1	2	3	5	7	18
50-64	762	3.2	9	1	1	2	4	6	8	14
65+	210	5.5	81	1	1	3	5	11	18	40
GRAND TOTAL	**6137**	**3.0**	**13**	**1**	**1**	**2**	**3**	**5**	**7**	**17**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	486	2.9	7	1	1	2	4	5	7	14
20-34	837	3.5	10	1	1	3	4	6	7	14
35-49	721	4.0	20	1	2	3	5	7	9	18
50-64	812	4.7	17	1	2	4	6	8	11	24
65+	219	5.9	26	1	2	5	8	12	16	26
2. MULTIPLE DX										
0-19 YRS	275	4.9	43	1	1	3	5	10	14	38
20-34	497	5.9	78	1	1	3	6	12	18	54
35-49	460	6.1	52	1	2	4	7	13	19	35
50-64	584	7.0	69	2	2	5	8	13	20	39
65+	255	9.4	83	2	2	7	12	18	26	47
TOT. SINGLE DX	3075	4.0	15	1	1	3	5	7	10	20
" MULTIPLE DX	2071	6.6	67	1	2	4	7	14	20	43
TOTAL 0-19 YRS	761	3.6	21	1	1	3	4	7	10	26
20-34	1334	4.4	37	1	1	3	5	7	11	39
35-49	1181	4.8	33	1	2	3	5	9	12	28
50-64	1396	5.7	40	2	2	4	6	10	14	32
65+	474	7.8	60	2	2	6	10	16	20	41
GRAND TOTAL	**5146**	**5.0**	**38**	**1**	**1**	**3**	**6**	**9**	**14**	**31**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1101	4.2	23	1	2	3	5	7	9	18
20-34	947	4.5	18	1	2	4	5	8	9	17
35-49	490	4.6	30	1	2	4	5	7	10	17
50-64	354	5.3	19	2	2	4	6	9	13	24
65+	108	8.3	78	1	2	6	9	13	20	54
2. MULTIPLE DX										
0-19 YRS	683	5.0	30	1	2	4	6	9	11	35
20-34	503	6.3	60	1	2	4	7	11	16	49
35-49	233	7.8	85	2	2	5	9	15	21	51
50-64	261	8.0	75	2	2	6	9	15	23	65
65+	125	12.1	143	2	2	8	15	30	37	58
TOT. SINGLE DX	3000	4.6	25	1	2	4	5	8	10	21
" MULTIPLE DX	1805	6.7	63	1	2	5	7	12	19	51
TOTAL 0-19 YRS	1784	4.5	26	1	2	4	5	8	10	22
20-34	1450	5.1	33	1	2	4	6	9	11	31
35-49	723	5.6	50	1	2	4	6	9	13	34
50-64	615	6.4	45	2	2	5	7	11	18	36
65+	233	10.3	116	2	2	7	11	22	34	58
GRAND TOTAL	**4805**	**5.4**	**40**	**1**	**2**	**4**	**6**	**9**	**13**	**36**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	244	3.0	15	1	1	2	3	5	10	29
20-34	427	2.7	7	1	1	2	3	5	7	15
35-49	263	4.0	46	1	1	2	4	8	11	37
50-64	227	4.2	49	1	1	2	4	8	13	40
65+	86	4.7	40	1	1	2	4	12	20	31
2. MULTIPLE DX										
0-19 YRS	141	5.4	47	1	1	3	6	12	26	43
20-34	280	5.7	72	1	1	3	5	13	18	37
35-49	197	6.3	93	1	1	3	6	15	24	66
50-64	222	6.4	112	1	1	3	6	14	27	56
65+	127	8.3	108	1	1	4	9	21	32	48
TOT. SINGLE DX	1247	3.4	27	1	1	2	3	6	10	29
" MULTIPLE DX	967	6.3	87	1	1	3	6	15	25	50
TOTAL 0-19 YRS	385	3.9	28	1	1	2	4	7	15	34
20-34	707	3.8	35	1	1	2	4	7	13	28
35-49	460	5.0	67	1	1	2	5	10	18	51
50-64	449	5.3	81	1	1	3	5	10	18	45
65+	213	6.8	83	1	1	3	7	19	28	47
GRAND TOTAL	**2214**	**4.7**	**55**	**1**	**1**	**2**	**4**	**10**	**17**	**39**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	6.3	53	<1	1	3	6	20	23	27
20-34	31	8.5	67	2	2	6	10	20	29	37
35-49	16	6.1	22	2	2	5	8	10	18	21
50-64	11	5.9	15	1	1	7	9	11	11	11
65+	13	11.0	74	1	3	8	17	24	29	30
2. MULTIPLE DX										
0-19 YRS	7	16.7	360	1	1	13	26	48	53	53
20-34	28	11.7	299	2	3	6	14	24	34	92
35-49	26	18.0	576	1	2	9	20	56	77	93
50-64	29	22.7	547	2	3	13	33	60	76	94
65+	26	27.1	621	2	3	18	41	81	85	99+
TOT. SINGLE DX	95	7.6	52	1	2	5	9	18	23	34
" MULTIPLE DX	116	19.6	514	2	2	10	28	57	80	96
TOTAL 0-19 YRS	31	8.6	133	1	1	3	12	24	29	53
20-34	59	10.0	177	2	2	6	11	22	29	87
35-49	42	13.5	393	1	2	6	11	39	63	93
50-64	40	18.1	454	2	2	9	24	47	68	94
65+	39	21.7	491	1	3	15	32	67	81	99+
GRAND TOTAL	**211**	**14.2**	**341**	**1**	**2**	**7**	**17**	**37**	**57**	**93**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	5.0	38	1	1	3	5	8	19	35
20-34	101	5.8	38	2	2	4	6	11	21	34
35-49	69	7.1	65	2	2	5	7	16	21	48
50-64	93	9.6	124	1	2	5	10	27	38	47
65+	156	9.7	107	2	3	6	12	21	29	59
2. MULTIPLE DX										
0-19 YRS	64	8.8	160	1	2	5	10	16	26	82
20-34	121	12.2	148	2	2	8	16	28	35	63
35-49	193	15.7	222	2	3	12	21	34	48	95
50-64	523	21.7	307	3	4	17	31	46	57	91
65+	862	23.1	296	4	5	19	32	46	59	90
TOT. SINGLE DX	505	7.7	82	1	2	5	8	19	27	43
" MULTIPLE DX	1763	20.6	291	3	4	16	29	44	56	90
TOTAL 0-19 YRS	150	6.6	93	1	1	4	7	14	19	48
20-34	222	9.3	108	2	2	5	11	25	31	54
35-49	262	13.5	194	2	2	9	18	29	44	89
50-64	616	19.8	298	3	3	15	29	43	55	90
65+	1018	21.0	290	3	4	17	30	44	56	88
GRAND TOTAL	**2268**	**17.7**	**273**	**2**	**3**	**12**	**26**	**40**	**51**	**88**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	21.3	332	8	8	15	26	53	56	56
20-34	16	14.4	51	5	7	14	17	23	30	33
35-49	12	23.3	600	7	8	15	18	68	85	88
50-64	43	22.7	216	7	11	18	27	39	58	79
65+	69	28.5	296	9	12	25	35	58	73	97
2. MULTIPLE DX										
0-19 YRS	12	34.7	509	6	7	36	54	80	96	99+
20-34	56	26.8	297	6	8	26	39	49	71	98
35-49	126	28.9	311	8	10	26	42	63	92	99+
50-64	403	34.1	363	11	14	30	47	70	91	99+
65+	1181	33.1	326	12	14	29	43	61	77	99+
TOT. SINGLE DX	146	24.5	284	8	9	19	30	52	63	88
" MULTIPLE DX	1778	32.9	335	11	13	29	44	64	80	99+
TOTAL 0-19 YRS	18	30.2	469	6	7	30	53	68	89	99+
20-34	72	24.1	268	6	8	19	34	46	61	95
35-49	138	28.4	335	8	10	25	41	63	90	99+
50-64	446	33.0	360	11	13	29	46	68	88	99+
65+	1250	32.9	325	12	14	29	43	61	77	99+
GRAND TOTAL	**1924**	**32.2**	**336**	**10**	**13**	**29**	**43**	**63**	**80**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	17.9	154	3	4	19	26	35	39	39
20-34	4	13.0	12	10	10	12	15	18	18	18
35-49	13	17.3	84	6	8	16	20	30	38	40
50-64	25	31.2	427	10	11	27	35	80	92	99+
65+	103	22.9	263	8	9	19	27	41	51	91
2. MULTIPLE DX										
0-19 YRS	12	19.3	209	6	7	17	38	59	92	99+
20-34	33	31.1	514	6	8	28	57	86	99+	99+
35-49	45	29.6	452	8	9	24	43	93	99+	99+
50-64	264	31.6	345	9	12	28	40	68	79	99+
65+	1301	28.8	293	9	12	25	37	57	72	99+
TOT. SINGLE DX	154	23.2	275	7	9	20	28	41	62	96
" MULTIPLE DX	1655	29.3	310	9	11	25	38	58	77	99+
TOTAL 0-19 YRS	21	18.7	177	5	6	17	30	43	69	99+
20-34	37	29.2	490	6	9	25	53	82	99+	99+
35-49	58	26.9	394	8	9	21	41	78	99+	99+
50-64	289	31.6	351	9	12	28	40	68	84	99+
65+	1404	28.4	293	9	11	24	37	56	71	99+
GRAND TOTAL	**1809**	**28.8**	**310**	**9**	**11**	**25**	**37**	**58**	**76**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	14.9	193	4	5	11	17	29	52	57
20-34	9	9.3	100	3	3	5	10	27	33	33
35-49	11	23.1	659	2	3	18	44	87	98	99+
50-64	14	22.1	428	8	9	13	30	87	97	99+
65+	16	29.8	513	6	8	21	36	59	82	92
2. MULTIPLE DX										
0-19 YRS	15	23.1	453	3	5	16	29	56	75	81
20-34	27	34.0	555	7	8	34	62	90	99+	99+
35-49	32	29.3	604	5	7	24	41	75	96	99+
50-64	132	32.3	441	8	11	25	43	66	83	99+
65+	202	33.9	360	11	14	30	42	63	75	96
TOT. SINGLE DX	63	20.9	419	3	4	14	30	57	88	99+
" MULTIPLE DX	408	32.6	422	8	11	28	42	66	81	99+
TOTAL 0-19 YRS	28	19.3	338	4	5	13	24	49	59	81
20-34	36	27.8	553	4	5	24	55	78	99+	99+
35-49	43	27.7	610	3	5	24	41	81	97	99+
50-64	146	31.3	446	8	10	25	42	67	85	99+
65+	218	33.6	370	11	14	30	41	63	76	96
GRAND TOTAL	**471**	**31.0**	**437**	**6**	**9**	**27**	**41**	**66**	**82**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	4.8	48	1	1	2	6	11	16	39
20-34	32	10.5	197	1	1	6	12	21	53	62
35-49	20	11.5	334	1	2	6	11	30	61	77
50-64	11	5.5	13	1	2	4	8	11	13	13
65+	7	3.4	4	2	2	2	5	7	7	7
2. MULTIPLE DX										
0-19 YRS	22	8.6	116	<1	1	5	10	19	34	48
20-34	23	5.6	30	1	1	5	7	13	18	24
35-49	15	6.7	60	<1	1	4	10	18	25	28
50-64	16	13.4	317	<1	1	6	17	49	54	55
65+	6	11.3	91	<1	<1	10	19	24	25	25
TOT. SINGLE DX	122	7.4	134	1	1	4	7	14	25	66
" MULTIPLE DX	82	8.6	121	<1	1	5	10	23	30	54
TOTAL 0-19 YRS	74	6.0	70	1	1	3	7	15	23	46
20-34	55	8.4	131	1	1	6	10	16	23	62
35-49	35	9.4	217	1	1	5	11	18	41	77
50-64	27	10.2	204	1	1	5	10	32	52	55
65+	13	7.1	57	<1	1	4	9	20	24	25
GRAND TOTAL	**204**	**7.9**	**129**	**1**	**1**	**4**	**8**	**16**	**28**	**59**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	3.8	56	1	1	2	3	6	8	50
20-34	177	3.8	20	1	1	2	4	6	11	28
35-49	112	3.9	21	1	1	2	4	8	15	24
50-64	106	4.7	24	1	1	3	5	10	15	26
65+	52	10.5	88	2	2	8	13	22	31	46
2. MULTIPLE DX										
0-19 YRS	48	7.2	186	1	2	3	6	16	27	88
20-34	96	8.8	181	1	1	4	9	22	43	70
35-49	90	8.2	104	1	2	5	9	18	29	57
50-64	142	14.9	253	2	2	9	19	44	58	99+
65+	145	20.9	281	4	5	16	28	44	54	81
TOT. SINGLE DX	541	4.6	37	1	1	3	5	10	17	30
" MULTIPLE DX	521	13.6	243	1	2	8	18	35	50	81
TOTAL 0-19 YRS	142	4.9	102	1	1	2	4	8	18	67
20-34	273	5.6	82	1	1	3	5	12	21	49
35-49	202	5.8	62	1	1	3	6	14	23	44
50-64	248	10.5	181	1	2	5	14	28	46	72
65+	197	18.2	251	2	4	13	24	40	51	79
GRAND TOTAL	**1062**	**9.0**	**158**	**1**	**1**	**4**	**10**	**24**	**36**	**65**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	12.0	374	2	2	3	22	41	41	41
20-34	14	6.1	91	1	2	3	5	17	33	37
35-49	10	11.2	183	2	2	8	10	31	48	48
50-64	10	7.9	21	2	2	7	9	15	18	18
65+	11	13.1	55	4	5	13	18	24	27	27
2. MULTIPLE DX										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	8	12.1	240	2	2	5	15	38	48	48
35-49	3	11.3	82	3	3	15	60	99+	99+	99+
50-64	12	14.9	98	2	2	16	21	28	33	34
65+	16	22.9	333	5	6	17	38	62	88	99+
TOT. SINGLE DX	49	9.6	106	2	2	6	12	21	37	48
" MULTIPLE DX	41	16.8	227	2	3	15	24	49	77	99+
TOTAL 0-19 YRS	6	9.7	238	2	2	3	6	37	41	41
20-34	22	8.3	146	1	2	3	5	22	41	48
35-49	13	11.2	151	2	2	9	15	53	90	99+
50-64	22	11.7	73	2	2	9	18	24	29	34
65+	27	18.9	237	4	6	15	26	50	68	99+
GRAND TOTAL	**90**	**12.8**	**172**	**2**	**2**	**8**	**18**	**36**	**48**	**99+**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1374	2.2	2	1	1	2	2	3	4	9
20-34	4924	2.4	5	1	1	2	3	3	4	10
35-49	7136	2.6	4	1	2	2	3	4	5	11
50-64	3529	3.2	10	1	2	2	3	5	8	16
65+	1495	4.4	24	2	2	3	5	9	13	24
2. MULTIPLE DX										
0-19 YRS	265	3.6	21	1	1	2	4	7	9	32
20-34	2063	3.9	14	1	2	3	4	8	11	21
35-49	4247	4.3	21	1	2	3	5	9	13	23
50-64	3103	5.6	41	2	2	3	6	12	17	33
65+	2205	8.7	74	2	2	5	12	19	26	42
TOT. SINGLE DX	18458	2.8	7	1	1	2	3	4	6	14
" MULTIPLE DX	11883	5.4	38	1	2	3	6	12	17	31
TOTAL 0-19 YRS	1639	2.5	5	1	1	2	3	4	5	12
20-34	6987	2.9	8	1	1	2	3	4	7	15
35-49	11383	3.3	11	1	2	2	3	5	9	18
50-64	6632	4.3	26	1	2	3	4	9	13	26
65+	3700	6.9	58	2	2	4	9	16	22	38
GRAND TOTAL	**30341**	**3.8**	**21**	**1**	**2**	**2**	**4**	**8**	**12**	**24**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	179	2.7	6	1	1	2	3	4	6	13
20-34	177	3.2	5	1	1	3	4	6	7	13
35-49	204	5.0	16	2	2	4	7	9	12	21
50-64	221	5.9	24	2	2	4	7	11	15	28
65+	374	8.2	27	2	3	8	10	14	17	31
2. MULTIPLE DX										
0-19 YRS	25	3.6	5	1	2	3	4	9	9	9
20-34	59	7.0	31	1	2	5	9	16	19	26
35-49	174	7.3	82	2	2	6	8	12	18	67
50-64	272	9.9	74	2	3	7	12	21	31	51
65+	662	12.2	72	3	4	10	15	22	28	47
TOT. SINGLE DX	1155	5.6	22	2	2	4	8	11	14	24
" MULTIPLE DX	1192	10.5	75	2	3	8	13	20	27	47
TOTAL 0-19 YRS	204	2.8	6	1	1	2	3	5	6	12
20-34	236	4.2	14	1	2	3	5	7	13	20
35-49	378	6.1	48	2	2	5	7	10	13	24
50-64	493	8.1	55	2	2	6	10	16	23	42
65+	1036	10.8	59	2	4	9	13	19	26	43
GRAND TOTAL	**2347**	**8.1**	**55**	**2**	**2**	**6**	**10**	**16**	**21**	**37**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	3.4	3	2	2	3	5	6	6	6
20-34	195	8.7	8	5	6	8	10	12	14	18
35-49	936	8.9	14	5	6	8	10	13	15	22
50-64	1546	9.6	20	5	6	9	11	14	16	25
65+	1288	10.2	18	5	6	9	12	15	17	25
2. MULTIPLE DX										
0-19 YRS	6	9.3	7	5	5	9	11	13	13	13
20-34	147	10.0	24	5	5	9	12	17	22	31
35-49	975	10.4	25	5	6	9	12	16	20	30
50-64	1865	11.5	38	5	6	10	13	18	23	37
65+	2113	13.5	60	6	7	11	16	22	29	45
TOT. SINGLE DX	3973	9.6	17	5	6	9	11	14	16	24
" MULTIPLE DX	5106	12.1	46	6	6	10	14	19	25	41
TOTAL 0-19 YRS	14	5.9	14	2	2	5	9	11	13	13
20-34	342	9.3	15	5	6	8	11	14	17	27
35-49	1911	9.7	20	5	6	9	11	14	17	27
50-64	3411	10.6	30	5	6	9	12	17	20	34
65+	3401	12.3	46	6	7	10	14	19	25	41
GRAND TOTAL	**9079**	**11.0**	**35**	**5**	**6**	**9**	**13**	**17**	**21**	**37**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	479	3.5	3	1	2	3	4	6	7	11
20-34	1482	3.4	5	<1	1	3	4	6	7	13
35-49	982	4.1	15	1	1	3	5	7	9	14
50-64	388	4.3	7	1	2	4	5	7	10	15
65+	92	4.9	14	2	2	4	5	9	11	23
2. MULTIPLE DX										
0-19 YRS	152	4.3	11	2	2	4	5	7	11	14
20-34	710	5.0	19	1	2	4	6	8	12	28
35-49	828	5.4	23	1	2	4	6	10	13	28
50-64	426	6.5	38	2	2	5	7	11	15	36
65+	125	8.6	61	2	3	6	10	19	27	39
TOT. SINGLE DX	3423	3.7	8	1	1	3	5	6	8	13
" MULTIPLE DX	2241	5.6	27	1	2	4	6	10	13	30
TOTAL 0-19 YRS	631	3.7	5	1	2	3	4	6	7	12
20-34	2192	3.9	10	1	1	3	5	7	8	16
35-49	1810	4.7	19	1	1	4	6	8	10	22
50-64	814	5.4	25	2	2	4	6	9	13	28
65+	217	7.0	44	2	2	5	8	13	22	35
GRAND TOTAL	**5664**	**4.5**	**17**	**1**	**1**	**4**	**5**	**8**	**10**	**20**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1829	4.5	6	2	2	4	5	7	8	14
20-34	3256	4.5	8	2	2	4	5	7	9	13
35-49	441	4.6	7	2	2	4	6	8	9	14
50-64	120	4.9	8	2	2	4	6	8	9	18
65+	30	5.8	46	1	2	4	5	13	17	36
2. MULTIPLE DX										
0-19 YRS	231	5.9	29	2	3	4	7	9	14	29
20-34	581	5.7	20	2	3	5	7	10	13	20
35-49	172	7.2	62	2	3	6	9	13	15	23
50-64	95	7.5	63	2	3	6	8	15	18	51
65+	42	13.8	245	2	4	10	16	24	47	91
TOT. SINGLE DX	5676	4.5	8	2	2	4	5	7	9	13
" MULTIPLE DX	1121	6.4	43	2	3	5	7	12	15	27
TOTAL 0-19 YRS	2060	4.6	9	2	2	4	5	7	9	15
20-34	3837	4.7	10	2	2	4	5	8	10	15
35-49	613	5.4	24	2	2	4	6	9	12	18
50-64	215	6.1	34	2	2	5	7	11	15	23
65+	72	10.5	176	2	2	6	12	18	35	82
GRAND TOTAL	**6797**	**4.8**	**14**	**2**	**2**	**4**	**6**	**8**	**10**	**16**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2932	2.7	14	<1	1	2	3	5	7	18
20-34	2987	3.7	25	1	1	2	4	7	10	24
35-49	2261	3.9	23	1	1	3	4	8	12	23
50-64	2119	4.5	33	1	1	3	5	9	14	31
65+	1187	5.9	46	1	1	3	7	13	20	36
2. MULTIPLE DX										
0-19 YRS	1089	5.4	59	1	1	3	6	11	18	48
20-34	2244	7.6	82	1	2	4	9	18	28	62
35-49	2918	8.8	102	1	2	6	11	19	27	56
50-64	3835	9.4	92	2	2	6	12	20	27	54
65+	3812	11.5	111	2	3	9	15	24	32	57
TOT. SINGLE DX	11486	3.9	26	1	1	2	4	8	12	26
" MULTIPLE DX	13898	9.2	98	1	2	6	12	20	28	56
TOTAL 0-19 YRS	4021	3.4	27	<1	1	2	3	6	10	30
20-34	5231	5.4	53	1	1	3	6	12	19	41
35-49	5179	6.7	73	1	2	4	8	14	21	45
50-64	5954	7.6	76	1	2	5	10	17	24	46
65+	4999	10.2	102	2	2	7	13	22	29	54
GRAND TOTAL	**25384**	**6.8**	**73**	**1**	**1**	**4**	**8**	**16**	**23**	**46**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3349	4.7	39	1	1	3	5	10	15	33
20-34	3266	5.2	37	1	1	3	6	11	16	34
35-49	1685	6.1	48	1	1	4	7	13	18	41
50-64	1361	7.4	74	1	1	5	9	16	24	48
65+	1004	10.3	136	1	2	6	13	24	34	62
2. MULTIPLE DX										
0-19 YRS	4801	6.3	90	1	1	3	7	14	23	58
20-34	6212	7.2	106	1	1	4	8	17	28	69
35-49	3315	9.9	143	1	1	6	12	24	36	69
50-64	3538	12.6	189	1	2	8	16	30	44	95
65+	4559	16.4	254	2	3	11	22	38	52	90
TOT. SINGLE DX	10665	5.9	56	1	1	4	7	13	19	43
" MULTIPLE DX	22425	10.1	166	1	1	6	12	26	38	76
TOTAL 0-19 YRS	8150	5.7	69	1	1	3	6	12	20	49
20-34	9478	6.5	83	1	1	4	7	15	23	58
35-49	5000	8.6	115	1	1	5	10	20	30	62
50-64	4899	11.1	162	1	2	7	14	27	38	83
65+	5563	15.3	238	2	2	10	21	36	49	88
GRAND TOTAL	**33090**	**8.8**	**134**	**1**	**1**	**5**	**10**	**22**	**33**	**68**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	628	8.7	115	1	1	5	11	20	29	56
20-34	625	7.9	81	1	1	5	10	19	29	41
35-49	375	9.7	113	1	1	6	12	25	36	71
50-64	352	12.2	168	1	2	8	17	29	38	61
65+	293	18.2	222	2	3	15	25	36	44	71
2. MULTIPLE DX										
0-19 YRS	497	17.8	242	2	2	14	26	40	49	76
20-34	590	18.3	293	2	2	13	27	42	57	87
35-49	422	20.9	290	2	3	17	29	45	57	77
50-64	558	22.4	300	2	4	19	32	46	60	93
65+	786	28.6	320	5	8	26	39	56	65	99+
TOT. SINGLE DX	2273	10.4	138	1	1	6	14	26	35	62
" MULTIPLE DX	2853	22.3	310	2	3	19	32	47	60	89
TOTAL 0-19 YRS	1125	12.7	192	1	2	8	18	31	41	65
20-34	1215	13.0	211	1	2	8	18	33	43	81
35-49	797	15.6	238	1	2	10	22	38	49	75
50-64	910	18.5	273	2	2	14	27	41	52	90
65+	1079	25.8	315	3	6	23	35	52	63	97
GRAND TOTAL	5126	17.0	269	1	2	12	25	40	52	84

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	226	5.3	90	1	1	2	5	14	23	62
20-34	296	7.2	137	1	1	3	7	20	28	60
35-49	139	7.7	130	1	1	3	9	20	28	48
50-64	110	9.0	214	1	1	4	8	22	44	76
65+	54	11.6	130	1	2	6	19	29	37	42
2. MULTIPLE DX										
0-19 YRS	110	8.5	123	1	1	4	10	23	38	49
20-34	186	15.1	405	1	2	5	23	53	77	99+
35-49	128	15.9	324	1	2	9	27	50	71	99+
50-64	141	16.3	334	2	2	9	28	46	80	99+
65+	108	22.8	428	2	3	20	32	60	80	99+
TOT. SINGLE DX	825	7.3	135	1	1	3	7	20	30	63
" MULTIPLE DX	673	15.7	347	1	2	8	26	48	70	99+
TOTAL 0-19 YRS	336	6.3	103	1	1	2	6	16	30	55
20-34	482	10.3	254	1	1	3	12	31	52	98
35-49	267	11.6	239	1	1	5	16	32	53	99+
50-64	251	13.1	294	1	2	5	19	41	57	99+
65+	162	19.1	355	1	2	14	28	48	67	99+
GRAND TOTAL	1498	11.1	247	1	1	4	14	33	52	99+

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1282	2.7	10	<1	1	2	3	4	6	13
20-34	982	3.3	14	1	1	2	4	6	8	14
35-49	633	4.0	15	1	1	3	4	7	11	24
50-64	707	3.3	6	1	1	3	4	6	7	12
65+	267	3.9	23	1	1	3	4	6	9	40
2. MULTIPLE DX										
0-19 YRS	602	4.8	41	1	1	3	5	9	16	36
20-34	770	5.4	35	1	2	4	6	10	15	36
35-49	862	6.8	56	1	2	5	8	13	20	40
50-64	1112	6.5	46	1	2	4	7	13	18	38
65+	735	10.5	106	2	2	8	14	21	31	62
TOT. SINGLE DX	3871	3.3	12	1	1	2	4	6	8	16
" MULTIPLE DX	4081	6.8	59	1	2	4	8	15	20	42
TOTAL 0-19 YRS	1884	3.4	21	1	1	2	3	6	9	27
20-34	1752	4.3	24	1	1	3	5	8	12	29
35-49	1495	5.6	40	1	2	4	6	11	16	34
50-64	1819	5.3	32	1	2	4	6	10	15	31
65+	1002	8.8	92	1	2	5	11	19	27	58
GRAND TOTAL	7952	5.1	40	1	1	3	6	11	16	35

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	6.5	128	1	1	3	6	19	45	99+
20-34	166	8.2	172	1	2	4	9	17	24	83
35-49	150	6.7	47	1	2	4	8	14	24	33
50-64	127	7.0	65	1	1	5	9	17	20	44
65+	54	8.9	48	2	3	7	11	17	22	38
2. MULTIPLE DX										
0-19 YRS	71	11.4	331	1	2	5	14	22	68	99
20-34	231	7.6	49	2	2	6	9	17	22	99+
35-49	206	9.4	68	3	3	7	11	18	24	61
50-64	271	10.9	117	2	3	7	13	23	32	56
65+	273	12.3	103	3	4	9	16	25	37	72
TOT. SINGLE DX	576	7.4	98	1	1	4	8	16	22	69
" MULTIPLE DX	1052	10.3	106	2	3	7	12	21	30	78
TOTAL 0-19 YRS	150	8.8	228	1	1	4	8	22	52	99+
20-34	397	7.9	100	1	2	5	9	17	23	86
35-49	356	8.3	61	2	2	7	10	17	24	43
50-64	398	9.6	104	1	2	7	12	20	30	54
65+	327	11.8	95	3	4	9	15	24	34	58
GRAND TOTAL	**1628**	**9.2**	**105**	**1**	**2**	**6**	**11**	**20**	**28**	**75**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	443	6.3	47	1	2	4	9	13	16	27
20-34	4952	7.0	33	1	2	5	10	15	18	26
35-49	6254	7.2	35	2	2	5	10	15	18	27
50-64	3318	7.4	42	2	2	5	10	15	19	29
65+	626	8.7	52	2	2	7	12	18	23	34
2. MULTIPLE DX										
0-19 YRS	232	8.5	50	2	2	6	12	18	23	37
20-34	2683	9.3	54	2	2	8	12	18	23	37
35-49	4340	9.7	53	2	2	8	13	19	23	34
50-64	3766	10.5	75	2	2	9	14	21	26	45
65+	1517	13.7	105	2	3	12	18	27	33	48
TOT. SINGLE DX	15593	7.2	37	2	2	5	10	15	18	27
" MULTIPLE DX	12538	10.4	68	2	2	9	14	20	25	41
TOTAL 0-19 YRS	675	7.1	49	1	2	5	10	15	19	35
20-34	7635	7.8	41	2	2	6	11	16	20	30
35-49	10594	8.2	44	2	2	7	11	17	21	30
50-64	7084	9.1	62	2	2	7	12	18	24	39
65+	2143	12.3	95	2	3	10	16	25	31	46
GRAND TOTAL	**28131**	**8.6**	**53**	**2**	**2**	**7**	**12**	**17**	**22**	**35**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	170	5.5	16	2	2	4	7	11	14	19
20-34	620	6.6	38	2	2	5	8	13	18	32
35-49	716	6.2	27	2	2	5	8	12	17	27
50-64	1207	6.7	53	2	2	5	8	12	18	42
65+	883	6.7	43	2	2	5	8	14	19	34
2. MULTIPLE DX										
0-19 YRS	175	11.3	157	2	2	7	14	25	31	69
20-34	532	10.3	117	2	2	7	12	21	30	80
35-49	996	10.3	95	2	3	8	12	21	28	54
50-64	2830	10.5	104	2	2	8	12	21	29	53
65+	2735	11.6	119	2	3	9	14	24	34	57
TOT. SINGLE DX	3596	6.5	41	2	2	5	8	13	18	33
" MULTIPLE DX	7268	10.9	111	2	3	8	13	22	30	57
TOTAL 0-19 YRS	345	8.5	96	2	2	6	10	17	25	59
20-34	1152	8.3	78	2	2	6	10	17	24	53
35-49	1712	8.6	71	2	2	6	11	18	24	44
50-64	4037	9.3	92	2	2	7	11	19	26	52
65+	3618	10.4	105	2	2	7	13	22	30	53
GRAND TOTAL	**10864**	**9.5**	**92**	**2**	**2**	**7**	**12**	**19**	**27**	**52**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	2.3		2	2	2	3	3	3	3
20-34	49	4.1	9	2	2	3	5	10	11	13
35-49	389	4.0	13	2	2	3	4	8	10	21
50-64	593	4.1	25	2	2	3	4	9	12	19
65+	97	5.3	19	2	2	3	8	12	14	21
2. MULTIPLE DX										
0-19 YRS	12	4.4	13	2	2	3	6	9	13	14
20-34	95	5.9	22	2	2	4	9	12	14	23
35-49	986	5.2	31	2	2	3	7	11	15	24
50-64	1982	6.0	35	2	2	4	8	13	17	28
65+	567	7.7	45	2	2	6	10	16	23	33
TOT. SINGLE DX	1137	4.2	20	2	2	3	5	9	12	19
" MULTIPLE DX	3642	6.0	36	2	2	4	8	13	17	29
TOTAL 0-19 YRS	21	3.5	8	2	2	2	4	7	10	14
20-34	144	5.3	18	2	2	3	8	11	13	19
35-49	1375	4.8	26	2	2	3	6	10	14	23
50-64	2575	5.6	34	2	2	3	7	12	16	26
65+	664	7.3	42	2	2	5	10	15	21	32
GRAND TOTAL	**4779**	**5.6**	**33**	**2**	**2**	**3**	**7**	**12**	**16**	**27**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	310	5.5	24	1	1	4	8	12	13	21
20-34	1315	6.5	30	1	2	5	9	13	17	24
35-49	1580	6.4	29	1	2	5	9	13	17	27
50-64	2245	6.0	34	1	2	4	8	13	17	29
65+	1504	6.4	34	1	2	4	9	14	18	28
2. MULTIPLE DX										
0-19 YRS	242	8.1	55	1	2	6	10	16	26	56
20-34	1370	8.9	75	2	2	7	12	17	21	44
35-49	2635	9.0	65	2	2	7	12	18	23	40
50-64	5633	8.8	66	2	2	7	12	18	23	42
65+	5860	10.8	84	2	2	9	14	22	29	47
TOT. SINGLE DX	6954	6.2	32	1	2	4	9	13	17	28
" MULTIPLE DX	15740	9.6	74	2	2	8	13	19	25	45
TOTAL 0-19 YRS	552	6.7	40	1	2	5	9	13	17	37
20-34	2685	7.7	54	1	2	6	10	15	19	35
35-49	4215	8.1	53	2	2	6	11	17	21	36
50-64	7878	8.0	59	2	2	6	11	17	22	39
65+	7364	9.9	77	2	2	8	13	20	27	46
GRAND TOTAL	**22694**	**8.6**	**63**	**2**	**2**	**7**	**11**	**18**	**23**	**41**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	915	4.6	27	1	1	3	5	9	12	32
20-34	1501	5.4	34	1	1	4	7	11	14	27
35-49	1325	6.3	38	1	2	5	8	13	16	27
50-64	1370	6.7	35	1	2	5	9	14	18	30
65+	934	7.7	52	2	2	6	10	15	20	36
2. MULTIPLE DX										
0-19 YRS	1125	6.4	52	1	1	5	8	13	19	43
20-34	2158	7.6	61	1	2	6	10	15	20	42
35-49	2638	9.2	70	2	2	7	12	19	25	42
50-64	4082	10.3	86	2	2	8	13	21	27	50
65+	4706	12.3	116	2	3	9	15	25	34	58
TOT. SINGLE DX	6045	6.1	38	1	2	4	8	13	17	31
" MULTIPLE DX	14709	10.0	90	2	2	8	13	21	28	52
TOTAL 0-19 YRS	2040	5.6	42	1	1	4	7	11	16	34
20-34	3659	6.7	51	1	2	5	8	13	18	38
35-49	3963	8.3	61	2	2	6	10	17	22	41
50-64	5452	9.4	76	2	2	7	12	19	25	46
65+	5640	11.5	108	2	2	9	15	24	32	57
GRAND TOTAL	**20754**	**8.9**	**78**	**1**	**2**	**6**	**11**	**19**	**25**	**47**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	207	10.7	132	1	1	5	16	28	33	56
20-34	470	7.7	63	1	2	5	10	16	21	43
35-49	544	7.0	37	2	2	5	9	15	19	30
50-64	681	6.6	52	2	2	5	8	13	18	26
65+	180	8.4	86	2	2	6	10	17	22	52
2. MULTIPLE DX										
0-19 YRS	215	17.5	364	2	2	9	30	49	75	99+
20-34	479	13.0	196	2	2	9	16	28	46	81
35-49	588	11.5	104	2	3	9	15	23	31	60
50-64	627	13.1	204	2	3	9	15	26	41	87
65+	427	17.8	211	3	5	14	24	38	46	91
TOT. SINGLE DX	2082	7.5	63	1	2	5	9	16	22	41
" MULTIPLE DX	2336	13.9	199	2	3	10	18	31	44	83
TOTAL 0-19 YRS	422	14.2	261	1	2	8	22	40	54	99+
20-34	949	10.4	137	1	2	7	13	22	34	60
35-49	1132	9.3	77	2	2	7	12	19	25	47
50-64	1308	9.7	135	2	2	6	11	20	26	75
65+	607	15.0	192	2	3	11	20	33	43	81
GRAND TOTAL	**4418**	**10.9**	**145**	**2**	**2**	**7**	**13**	**24**	**35**	**73**

Distribution Tables

Table 1 displays total U.S. patients and days of care (after exclusions*) in each of the operation groups except those consisting solely of UHDDS Class 2-4 procedures** (512, 516, 533, 540, 589, 629, 647, 657, 659, 741, 752, 759, 761, 762, and 763). Also shown is the corresponding rate per 10,000 operated discharges and the rate per 10,000 days of care.

Table 1

Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups

1979

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
501	Incision, excision of skull, brain, and cerebral meninges	7,614	14.0	161	42.1
502	Craniotomy and craniectomy	5,941	10.9	133	34.9
503	Cranioplasty	2,695	4.9	27	7.1
504	Ventricular shunt, extracranial	2,030	3.7	43	11.3
505	Miscellaneous operations on brain and cerebral meninges	3,081	5.7	48	12.5
506	Exploration and decompression of spinal canal structures	13,306	24.4	220	57.7
507	Operations on spinal cord structures, except exploration	4,386	8.0	64	16.9
508	Excision or destruction of lesion of cranial or peripheral nerve	12,071	22.1	54	14.3
509	Miscellaneous operations on cranial and other peripheral nerves	39,244	72.0	142	37.2
510	Sympathectomy	3,333	6.1	53	13.8
511	Miscellaneous operations on sympathetic nerves and ganglia	1,457	2.7	14	3.6
513	Thyroidectomy	22,470	41.2	133	34.9

---

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

**Additional information regarding UHDDS classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
514	Operations on parathyroid and thyroid, except thyroidectomy	5,306	9.7	35	9.3
515	Operations on endocrine glands, except parathyroid and thyroid	1,656	3.0	25	6.5
517	Excision or destruction of lesion or tissue of eyelid	5,564	10.2	19	5.1
518	Miscellaneous operations on eyelid	17,407	31.9	57	15.0
519	Operations on lacrimal system	2,547	4.7	8	2.1
520	Operations on conjunctiva	995	1.8	3	0.8
521	Corneal transplant	3,007	5.5	17	4.4
522	Miscellaneous operations on cornea	4,992	9.2	17	4.5
523	Operations for regulation of intraocular pressure	5,303	9.7	25	6.5
524	Other operations on iris, ciliary body, sclera and anterior chamber	6,374	11.7	28	7.5
525	Intracapsular extraction of lens	113,615	208.5	466	122.1
526	Other lens extraction	25,066	46.0	76	20.0
527	Miscellaneous operations on lens	5,911	10.8	19	5.0
528	Repair of retina	12,277	22.5	70	18.5
529	Miscellaneous operations on retina, choroid, and vitreous	3,279	6.0	17	4.5
530	Resection and recession of ocular muscle	18,068	33.2	36	9.3
531	Miscellaneous operations on ocular muscle	197	0.4	1	0.3
532	Operations on orbit and eyeball	5,635	10.3	28	7.4
534	Operations on external ear	8,412	15.4	34	8.8
535	Stapes mobilization and stapedectomy	8,458	15.5	24	6.2
536	Tympanoplasty	17,728	32.5	44	11.5
537	Myringotomy	35,008	64.2	59	15.3

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
538	Mastoidectomy	7,841	14.4	29	7.5
539	Miscellaneous operations on middle ear and inner ear	5,923	10.9	18	4.8
541	Submucous resection of nasal septum	17,319	31.8	55	14.3
542	Rhinoplasty	40,900	75.0	122	31.9
543	Other incision, excision of nose	12,486	22.9	47	12.4
544	Miscellaneous operations on nose	15,441	28.3	58	15.1
545	Radical maxillary antrotomy	5,722	10.5	25	6.5
546	Miscellaneous operations on accessory sinus	6,409	11.8	32	8.3
547	Tooth extraction	59,096	108.4	173	45.3
548	Tooth restoration and orthodontia	3,526	6.5	7	1.7
549	Operations on teeth and gums except extraction and restoration	6,264	11.5	21	5.4
550	Operations on salivary glands and ducts	10,198	18.7	49	12.9
551	Palatoplasty	1,831	3.4	9	2.2
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	16,326	30.0	88	23.2
553	Tonsillectomy without adenoidectomy	69,380	127.3	152	39.9
554	Tonsillectomy with adenoidectomy	108,131	198.4	202	53.0
555	Adenoidectomy without tonsillectomy	24,021	44.1	38	9.9
556	Operations on pharynx except tonsillectomy and adenoidectomy	8,165	15.0	37	9.7
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	539	1.0	3	0.8

Table 1 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
558	Excision of lesion of larynx	14,765	27.1	47	12.3
559	Partial laryngectomy and local excision of lesion of trachea	1,265	2.3	15	3.9
560	Complete laryngectomy	1,416	2.6	33	8.5
561	Permanent tracheostomy	419	0.8	12	3.1
562	Operations on larynx and trachea except excision and permanent tracheostomy	3,956	7.3	98	25.8
563	Incision and local excision or destruction of lesion of bronchus	22,645	41.5	269	70.5
564	Bronchial resection and miscellaneous operations on bronchus	86	0.2	1	0.2
565	Local excision or destruction of lesion or tissue of lung	12,835	23.5	200	52.5
566	Lobectomy and complete pneumonectomy	6,207	11.4	118	31.0
567	Bronchoscopy (using natural orifice)	30,893	56.7	338	88.7
568	Miscellaneous operations on lung	2,194	4.0	26	6.7
569	Thoracotomy	17,013	31.2	213	55.7
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	12,012	22.0	148	38.7
571	Open heart operations	7,425	13.6	136	35.6
572	Direct heart revascularization	29,906	54.9	456	119.7
573	Cardiac catheterization	78,519	144.1	397	104.2
574	Pacemaker insertion, replacement, removal, and repair	39,291	72.1	473	124.2
575	Miscellaneous operations on heart	2,517	4.6	39	10.2
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart	9,081	16.7	79	20.6

Table 1 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
577	Ligation and stripping of varicose veins	20,415	37.5	126	33.1
578	Systemic shunt or graft bypass	21,233	39.0	362	95.0
579	Extracorporeal circulation	227	0.4	4	1.0
580	Hemodialysis	9,382	17.2	70	18.3
581	Other operations on blood vessels	60,735	111.4	886	232.2
582	Incision, excision of lymphatic structures	22,787	41.8	191	50.0
583	Radical excision of lymph nodes	3,891	7.1	45	11.8
584	Miscellaneous operations on lymphatic system	39	0.1	1	0.1
585	Bone marrow transplant	50	0.1	<1	0.1
586	Miscellaneous operations on spleen and bone marrow	42,542	78.1	570	149.4
587	Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen	2,122	3.9	35	9.3
588	Operations on esophagus	13,465	24.7	138	36.1
590	Gastrotomy, pyloromyotomy	2,815	5.2	20	5.4
591	Gastrostomy	2,411	4.4	63	16.6
592	Local excision or destruction of lesion or tissue of stomach	21,760	39.9	228	59.9
593	Partial gastrectomy	9,563	17.5	182	47.7
594	Total gastrectomy	945	1.7	25	6.5
595	Vagotomy	4,696	8.6	74	19.5
596	Miscellaneous operations on stomach	14,098	25.9	201	52.8
597	Local excision or destruction of intestinal lesion or tissue	27,341	50.2	239	62.7
598	Resection of small intestine	6,179	11.3	124	32.4
599	Colectomy	37,973	69.7	730	191.4
600	Other incision, resection of intestine	3,067	5.6	62	16.3

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
601	Intestinal anastomosis or repair	14,012	25.7	198	52.0
602	Ileostomy, colostomy, and other enterostomy	5,388	9.9	128	33.5
603	Appendectomy	87,962	161.4	512	134.3
604	Incidental appendectomy	1,590	2.9	11	2.8
605	Operations on appendix except appendectomy	688	1.3	8	2.1
606	Local excision or destruction of lesion or tissue of rectum	14,487	26.6	118	31.0
607	Other incision of rectum and incision or excision of perirectal tissue	5,181	9.5	29	7.5
608	Proctectomy	8,363	15.3	175	45.8
609	Miscellaneous operations on intestine	13,831	25.4	142	37.2
610	Incision or excision of anal fistula	10,033	18.4	49	12.8
611	Local excision or destruction of lesion or tissue of anus	10,031	18.4	50	13.0
612	Hemorrhoidectomy	47,961	88.0	306	80.1
613	Miscellaneous operations on anus	9,626	17.7	55	14.4
614	Incision of liver	863	1.6	12	3.2
615	Miscellaneous operations on liver	22,326	41.0	262	68.8
616	Cholecystectomy	140,005	256.9	1,561	409.4
617	Operations on biliary tract and gallbladder except cholecystectomy	7,257	13.3	135	35.5
618	Operations on pancreas	4,608	8.5	81	21.3
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	15,384	28.2	158	41.5
620	Unilateral repair of inguinal hernia	137,871	253.0	684	179.4
621	Bilateral repair of inguinal hernia	22,664	41.6	120	31.5

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
622	Unilateral or bilateral repair of femoral hernia	5,585	10.2	40	10.5
623	Repair of umbilical hernia	14,806	27.2	74	19.4
624	Repair of other hernia of anterior abdominal wall	24,376	44.7	198	51.8
625	Repair of diaphragmatic and other hernia	5,044	9.3	62	16.3
626	Incision, excision of abdominal wall and peritoneum except laparotomy	15,601	28.6	182	47.7
627	Laparotomy	25,030	45.9	337	88.3
628	Laparoscopy (excluding that for destruction of fallopian tubes)	26,869	49.3	97	25.5
630	Miscellaneous operations on abdominal wall and peritoneum	20,241	37.1	255	66.9
631	Complete nephrectomy	8,006	14.7	132	34.7
632	Miscellaneous operations on kidney	16,221	29.8	210	55.1
633	Ureterotomy	10,683	19.6	122	32.0
634	Ureteral diversion	3,166	5.8	47	12.3
635	Miscellaneous operations on ureter	12,769	23.4	81	21.3
636	Cystoscopy and urethroscopy	141,843	260.3	934	244.8
637	Transurethral excision or destruction of bladder lesion	32,751	60.1	217	57.0
638	Miscellaneous operations on bladder	18,098	33.2	204	53.6
639	Urethral meatotomy	5,110	9.4	15	3.8
640	Excision of urethral lesion, repair of urethra	10,151	18.6	62	16.2
641	Urethral dilation	30,079	55.2	170	44.7
642	Miscellaneous operations on urethra	9,781	17.9	51	13.4
643	Urethral suspension	8,306	15.2	86	22.4
644	Other repair of stress incontinence	1,614	3.0	16	4.3
645	Ureteral catheterization	1,396	2.6	10	2.7

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	317	3.7	38	1	1	2	4	7	12	34
20-34	322	4.5	34	<1	1	2	5	10	14	22
35-49	197	6.5	45	1	1	3	9	15	19	30
50-64	195	7.8	75	1	2	5	10	17	27	39
65+	172	12.3	157	1	2	8	17	27	36	84
2. MULTIPLE DX										
0-19 YRS	461	7.6	147	1	1	4	7	22	36	99+
20-34	681	7.4	93	1	2	5	9	18	26	99+
35-49	619	10.0	120	1	2	7	12	21	30	70
50-64	807	12.6	152	2	3	9	16	27	36	75
65+	1030	14.8	145	2	4	12	18	31	41	61
TOT. SINGLE DX	1203	6.3	69	1	1	3	8	15	21	41
" MULTIPLE DX	3598	11.1	141	1	2	8	15	25	35	79
TOTAL 0-19 YRS	778	6.0	106	1	1	3	6	12	30	91
20-34	1003	6.4	75	1	1	4	8	15	22	99
35-49	816	9.1	104	1	2	6	12	20	27	58
50-64	1002	11.7	140	2	2	8	15	25	34	72
65+	1202	14.4	147	2	3	11	18	3[illegible]	41	63
GRAND TOTAL	4801	9.9	127	1	1	6	13	23	32	70

Table 1 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
646	Miscellaneous operations on urinary tract	705	1.3	9	2.4
648	Transurethral prostatectomy	82,823	152.0	876	229.8
649	Other prostatectomy	10,238	18.8	155	40.5
650	Miscellaneous operations on prostate and seminal vesicles	12,943	23.7	82	21.5
651	Operations on scrotum and tunica vaginalis	5,065	9.3	27	7.1
652	Orchiectomy	9,069	16.6	69	18.1
653	Orchiopexy	7,181	13.2	24	6.2
654	Miscellaneous operations on testis	2,776	5.1	10	2.6
655	Interruption of vas deferens	3,735	6.9	11	2.8
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	18,082	33.2	68	17.7
658	Miscellaneous operations on penis	4,208	7.7	24	6.3
660	Local excision or destruction of ovarian lesion or tissue	17,425	32.0	121	31.8
661	Unilateral oophorectomy or salpingo-oophorectomy	20,844	38.2	159	41.6
662	Bilateral oophorectomy or salpingo-oophorectomy	8,553	15.7	81	21.3
663	Miscellaneous operations on ovary	3,642	6.7	19	5.1
664	Bilateral endoscopic destruction or occlusion of fallopian tubes	51,867	95.2	93	24.3
665	Other bilateral tubal interruption or salpingectomy	51,366	94.2	173	45.3
666	Miscellaneous operations on fallopian tube	18,027	33.1	96	25.2
667	Conization of cervix	13,499	24.8	40	10.5
668	Other excision or destruction of lesion or tissue of cervix	19,493	35.8	71	18.6
669	Repair and plastic operations on cervix	4,705	8.6	16	4.3

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
670	Hysterotomy and excision of lesion of uterus	5,403	9.9	31	8.0
671	Abdominal hysterectomy	144,448	265.0	1,231	322.7
672	Vaginal hysterectomy	57,045	104.7	438	114.9
673	Radical hysterectomy and pelvic evisceration	912	1.7	15	3.8
674	Dilation and curettage of uterus for termination of pregnancy	11,850	21.7	23	6.0
675	Other dilation and curettage	286,436	525.5	733	192.3
676	Aspiration curettage for termination of pregnancy	28,280	51.9	43	11.3
677	Other aspiration curettage	9,517	17.5	18	4.7
678	Repair and plastic operations on supporting structures of uterus	1,215	2.2	8	2.1
679	Miscellaneous operations on uterus, cervix, and supporting structures	3,774	6.9	15	3.9
680	Plastic repair of cystocele and rectocele	17,230	31.6	149	39.0
681	Other colporrhaphy	3,619	6.6	22	5.7
682	Miscellaneous operations on vagina	10,230	18.8	59	15.5
683	Incision and excision of lesion of vulva and perineum	15,252	28.0	52	13.7
684	Vulvectomy	1,015	1.9	13	3.4
685	Miscellaneous operations on vulva and perineum	1,644	3.0	7	1.8
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	358	0.7	2	0.4
687	Low forceps with and without episiotomy	190,746	350.0	682	178.9
688	Breech extraction	7,345	13.5	26	6.8
689	Other extraction procedures to assist delivery	28,341	52.0	106	27.7
690	Other procedures to assist delivery	154,551	283.6	547	143.4
691	Low cervical cesarean section	156,857	287.8	1,015	266.3

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
692	Other cesarean section	14,796	27.1	96	25.2
693	Other abdominal operation to remove embryo or fetus	394	0.7	3	0.7
694	Intra-amniotic injection for abortion	7,926	14.5	15	4.0
695	Diagnostic amniocentesis	2,860	5.2	10	2.6
696	Intrauterine procedures on fetus and amnion	25,683	47.1	73	19.1
697	Miscellaneous obstetric procedures	80,867	148.4	260	68.2
698	Excision of facial bone	2,197	4.0	15	4.0
699	Repair and plastic operations on facial bones	5,344	9.8	25	6.6
700	Closed reduction of maxillofacial fractures	6,602	12.1	33	8.7
701	Open reduction of maxillofacial fractures	9,445	17.3	62	16.2
702	Miscellaneous maxillofacial surgery	701	1.3	4	1.1
703	Incision and division of bones except facial	15,752	28.9	110	29.0
704	Bunionectomy	28,865	53.0	152	39.9
705	Excision of bone except facial	49,716	91.2	381	99.9
706	Repair and plastic operation on bone except facial	11,962	21.9	137	36.0
707	Removal of internal fixation device	25,368	46.5	141	36.8
708	Closed reduction of fracture of femur with internal fixation	8,009	14.7	170	44.7
709	Open reduction of fracture of femur with internal fixation	35,967	66.0	762	199.7
710	Reduction of fracture of femur without internal fixation	4,118	7.6	84	22.2

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
711 Closed reduction of fracture with internal fixation, except maxillofacial and femur	11,164	20.5	89	23.4
712 Open reduction of fracture with internal fixation, except maxillofacial and femur	50,669	93.0	412	108.0
713 Other reduction of fracture without internal fixation, except maxillofacial and femur	57,596	105.7	329	86.2
714 Closed reduction of dislocation	10,233	18.8	68	17.8
715 Open reduction of dislocation	6,165	11.3	47	12.3
716 Arthrotomy and division of joint capsule	22,126	40.6	155	40.7
717 Excision of intervertebral disc	56,462	103.6	745	195.4
718 Excision of semilunar cartilage of knee joint	53,197	97.6	282	73.8
719 Miscellaneous excisions of joint structures	33,240	61.0	149	39.1
720 Spinal fusion	8,067	14.8	124	32.6
721 Arthrodesis and stabilization of joint	9,956	18.3	67	17.5
722 Total hip replacement	18,543	34.0	358	93.8
723 Other arthroplasty of hip	19,118	35.1	401	105.2
724 Arthroplasty of knee	24,536	45.0	306	80.3
725 Repair of other joint	22,732	41.7	114	29.9
726 Incision and division of muscle, tendon, fascia and bursa	13,540	24.8	68	17.9
727 Excision of lesion of muscle, tendon, fascia, and bursa	30,754	56.4	122	32.0
728 Division and resection of muscle, tendon, and fascia of hand	6,838	12.5	24	6.2

Table 1 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
729	Repair and plastic operations on hand	15,127	27.8	44	11.4
730	Resection and suture of muscle, tendon, and fascia, except hand	13,682	25.1	65	17.1
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	12,718	23.3	66	17.3
732	Amputation of fingers and thumb	5,389	9.9	25	6.6
733	Amputation of hand, forearm, and upper arm	530	1.0	7	1.9
734	Amputation of toes	6,297	11.6	114	29.9
735	Below-knee amputation	5,458	10.0	169	44.3
736	Above-knee amputation	5,104	9.4	139	36.5
737	Other amputation of lower extremity	1,561	2.9	46	12.1
738	Reattachment of extremity	562	1.0	4	1.1
739	Revision of amputation stump	2,803	5.1	24	6.4
740	Miscellaneous operations on musculoskeletal system	247	0.5	3	0.8
742	Local excision or destruction of lesion of breast	84,844	155.7	299	78.4
743	Simple mastectomy	6,209	11.4	46	12.0
744	Extended simple mastectomy and radical mastectomy	25,311	46.4	257	67.4
745	Miscellaneous operations on breast	17,263	31.7	70	18.4
746	Incision and excision of pilonidal cyst or sinus	18,219	33.4	82	21.5
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	66,969	122.9	410	107.5
748	Other incision, excision, and suture of skin	88,934	163.2	776	203.4
749	Free skin grafts	13,963	25.6	226	59.4
750	Pedicle graft of skin	4,249	7.8	46	12.2
751	Miscellaneous operations on skin and subcutaneous tissue	20,805	38.2	95	24.8

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
753	Encephalography and ventriculography	3,750	6.9	32	8.5
754	Myelography	77,762	142.7	596	156.2
755	Cerebral arteriography	27,834	51.1	233	61.2
756	Coronary arteriography	10,145	18.6	51	13.3
757	Other arteriography and phlebography	57,821	106.1	466	122.2
758	Other radiography and special diagnostic procedures	48,009	88.1	427	111.9
760	Special therapies and rehabilitation	10,114	18.6	109	28.7
764	Miscellaneous diagnostic and therapeutic procedures	12,932	23.7	121	31.7
	All patients in operation groups	5,450,222	10,000.0	38,133	10,000.0

For each of the four regions and for the United States as a whole, Tables 2 and 3 display frequency rankings of patients and total stay according to operation group. The operation groups are listed in their rank order for the U.S. as a whole. Groups consisting solely of UHDDS Class 2-4 procedures are excluded (see explanation for Table 1), as are patients who died, patients admitted from other short-term hospitals, patients tranferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 2

Ranking of *ICD-9-CM* List B Operation Groups by Live Discharges
U.S. PAS Hospitals, 1979

Operation Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
675	Other dilation and curettage	286,436	1	1	1	1	1
687	Low forceps with and without episiotomy	190,746	2	4	2	2	4
691	Low cervical cesarean section	156,857	3	3	5	5	3
690	Other procedures to assist delivery	154,551	4	6	3	8	2
671	Abdominal hysterectomy	144,448	5	9	7	3	5
636	Cystoscopy and urethroscopy	141,843	6	8	4	4	20
616	Cholecystectomy	140,005	7	7	6	6	7
620	Unilateral repair of inguinal hernia	137,871	8	2	8	7	6
525	Intracapsular extraction of lens	113,615	9	5	10	10	8
554	Tonsillectomy with adenoidectomy	108,131	10	13	9	9	12
748	Other incision, excision, and suture of skin	88,934	11	11	13	12	14
603	Appendectomy	87,962	12	15	12	13	9
742	Local excision or destruction of lesion of breast	84,844	13	12	15	11	23

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
648 Transurethral prostatectomy	82,823	14	14	16	14	15
697 Miscellaneous obstetric procedures	80,867	15	18	11	23	11
573 Cardiac catheterization	78,519	16	21	14	17	13
754 Myelography	77,762	17	24	18	15	10
553 Tonsillectomy without adenoidectomy	69,380	18	19	17	19	18
747 Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	66,969	19	16	19	18	32
581 Other operations on blood vessels	60,735	20	22	24	24	16
547 Tooth extraction	59,096	21	10	22	26	82
757 Other arteriography	57,821	22	23	21	27	24
713 Other reduction of fracture without internal fixation, except maxillofacial	57,596	23	20	20	29	26
672 Vaginal hysterectomy	57,045	24	48	28	16	21
717 Excision of intervertebral disc	56,462	25	34	27	20	22
718 Excision of semilunar cartilage of knee joint	53,197	26	33	26	31	17
664 Bilateral endoscopic destruction or occlusion of fallopian tubes	51,867	27	28	25	21	41
665 Other bilateral tubal interruption or salpingectomy	51,366	28	29	29	22	37

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
712	Open reduction of fracture with internal fixation, except maxillofacial	50,669	29	38	30	30	19
705	Excision of bone except facial	49,716	30	32	31	32	25
758	Other radiography and special diagnostic procedures	48,009	31	35	23	28	39
612	Hemorrhoidectomy	47,961	32	30	32	25	36
586	Miscellaneous operations on spleen and bone marrow	42,542	33	26	34	34	38
542	Rhinoplasty	40,900	34	31	35	33	27
574	Pacemaker insertion, replacement, removal, and repair	39,291	35	25	41	37	31
509	Miscellaneous operations on cranial and other peripheral nerves	39,244	36	43	33	45	28
599	Colectomy	37,973	37	27	38	42	33
709	Open reduction of fracture of femur with internal fixation	35,967	38	39	40	39	34
573	Myringotomy	35,008	39	37	45	36	44
719	Miscellaneous excisions of joint structures	33,240	40	46	42	49	29
637	Transurethral excision or destruction of bladder lesion	32,751	41	36	43	50	43
567	Bronchoscopy (using natural orifice)	30,893	42	44	47	35	56
727	Excision of lesion of muscle, tendon, fascia, and bursa	30,754	43	47	44	40	53

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
641 Urethral dilation	30,079	44	65	36	38	99
572 Direct heart revascularization	29,906	45	97	48	41	30
704 Bunionectomy	28,865	46	60	37	67	47
689 Other extraction procedures to assist delivery	28,341	47	58	51	46	46
676 Aspiration curettage for termination of pregnancy	28,280	48	17	66	100	84
755 Cerebral arteriography	27,834	49	80	49	47	42
597 Local excision or destruction of intestinal lesion or tissue	27,341	50	42	50	52	68
628 Laparoscopy (excluding that for destruction of fallopian tubes)	26,869	51	59	46	53	55
696 Intrauterine procedures on fetus and amnion	25,683	52	70	39	96	50
707 Removal of internal fixation device	25,368	53	55	52	63	48
744 Extended simple mastectomy and radical mastectomy	25,311	54	45	58	56	52
526 Other lens extraction	25,066	55	74	72	44	40
627 Laparotomy	25,030	56	67	55	48	54
724 Arthroplasty of knee	24,536	57	91	53	65	35
624 Repair of other hernia of anterior abdominal wall	24,376	58	51	56	54	57
555 Adenoidectomy without tonsillectomy	24,021	59	64	60	43	93
582 Incision, excision of lymphatic structures	22,787	60	54	62	55	70
725 Repair of other joint	22,732	61	81	54	82	45

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
621	Bilateral repair of inguinal hernia	22,664	62	62	59	59	61
563	Incision and local excision or destruction of lesion of bronchus	22,645	63	52	63	60	65
513	Thyroidectomy	22,470	64	68	68	51	63
615	Miscellaneous operations on liver	22,326	65	49	65	64	60
716	Arthrotomy and division of joint capsule	22,126	66	85	61	66	49
592	Local excision or destruction of lesion or tissue of stomach	21,760	67	61	57	68	72
578	Systemic shunt or graft bypass	21,233	68	50	79	62	58
661	Unilateral oophorectomy or salpingo-oophorectomy	20,844	69	82	69	57	62
751	Miscellaneous operations on skin and subcutaneous tissue	20,805	70	69	67	58	73
577	Ligation and stripping of varicose veins	20,415	71	56	64	78	76
630	Miscellaneous operations on abdominal wall and peritoneum	20,241	72	86	71	61	66
668	Other excision or destruction of lesion or tissue of cervix	19,493	73	40	74	85	151

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
723 Other arthroplasty of hip	19,118	74	75	76	69	69
722 Total hip replacement	18,543	75	96	73	97	51
746 Incision and excision of pilonidal cyst or sinus	18,219	76	57	81	80	108
638 Miscellaneous operations on bladder	18,098	77	73	77	79	79
656 Miscellaneous operations on spermatic cord, epididymis, and vas deferens	18,082	78	72	75	86	78
530 Resection and recession of ocular muscle	18,068	79	78	80	75	77
666 Miscellaneous operations on fallopian tube	18,027	80	83	84	77	64
536 Tympanoplasty	17,728	81	106	78	74	67
660 Local excision or destruction of ovarian lesion or tissue	17,425	82	71	83	87	83
518 Miscellaneous operations on eyelid	17,407	83	53	100	89	85
541 Submucous resection of nasal septum	17,319	84	41	85	132	111
745 Miscellaneous operations on breast	17,263	85	94	96	70	59
680 Plastic repair of cystocele and rectocele	17,230	86	89	82	76	91
569 Thoracotomy	17,013	87	92	89	71	71

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
552 Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	16,326	88	84	91	83	95
632 Miscellaneous operations on kidney	16,221	89	90	97	73	90
703 Incision and division of bones except facial	15,752	90	111	70	117	94
626 Incision, excision of abdominal wall and peritoneum except laparotomy	15,601	91	88	94	92	96
544 Miscellaneous operations on nose	15,441	92	76	99	106	89
619 Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	15,384	93	77	92	81	145
683 Incision and excision of lesion of vulva and perineum	15,252	94	79	93	88	131
729 Repair and plastic operations on hand	15,127	95	109	87	109	74
623 Repair of umbilical hernia	14,806	96	101	95	84	114
692 Other cesarean section	14,796	97	120	88	93	98
558 Excision of lesion of larynx	14,765	98	66	104	101	106

Table 2 (Continued)

Operation Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
606	Local excision or destruction of lesion or tissue of rectum	14,487	99	87	90	108	127
596	Miscellaneous operations on stomach	14,098	100	135	86	110	87
601	Intestinal anastomosis or repair	14,012	101	95	106	113	86
749	Free skin grafts	13,963	102	116	103	91	100
609	Miscellaneous operations on intestine	13,831	103	117	98	90	128
730	Resection and suture of muscle, tendon, and fascia, except hand	13,682	104	110	102	115	81
726	Incision and division of muscle, tendon, fascia and bursa	13,540	105	103	111	107	88
667	Conization of cervix	13,499	106	108	101	94	123
588	Operations on esophagus	13,465	107	102	105	99	113
506	Exploration and decompression of spinal canal structures	13,306	108	123	113	103	80
650	Miscellaneous operations on prostate and seminal vesicles	12,943	109	105	118	102	102
764	Miscellaneous diagnostic and therapeutic procedures	12,932	110	104	108	98	129

Table 2 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
565	Local excision or destruction of lesion or tissue of lung	12,835	111	107	115	114	101
635	Miscellaneous operations on ureter	12,769	112	130	116	72	135
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	12,718	113	113	107	119	92
543	Other incision, excision of nose	12,486	114	98	112	118	118
528	Repair of retina	12,277	115	93	135	116	75
508	Excision or destruction of lesion of cranial or peripheral nerve	12,071	116	150	114	112	97
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	12,012	117	100	123	111	115
706	Repair and plastic operation on bone except facial	11,962	118	128	109	121	103
674	Dilation and curettage of uterus for termination of pregnancy	11,850	119	63	150	122	109
711	Closed reduction of fracture with internal fixation, except maxillofacial and femur	11,164	120	112	121	128	107
633	Ureterotomy	10,683	121	134	128	95	133
649	Other prostatectomy	10,238	122	99	138	133	125

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
714 Closed reduction of dislocation	10,233	123	126	119	142	119
682 Miscellaneous operations on vagina	10,230	124	127	120	130	142
550 Operations on salivary glands and ducts	10,198	125	121	126	131	120
640 Excision of urethral lesion, repair of urethra	10,151	126	132	122	120	143
756 Coronary arteriography	10,145	127	215	110	105	156
760 Special therapies and rehabilitation	10,114	128	144	117	136	134
610 Incision or excision of anal fistula	10,033	129	122	132	127	116
611 Local excision or destruction of lesion or tissue of anus	10,031	130	125	125	123	140
721 Arthrodesis and stabilization of joint	9,956	131	138	124	139	110
642 Miscellaneous operations on urethra	9,781	132	166	130	104	136
613 Miscellaneous operations on anus	9,626	133	118	133	137	132
593 Partial gastrectomy	9,563	134	124	136	125	126
677 Other aspiration curettage	9,517	135	115	143	135	121
701 Open reduction of maxillofacial fractures	9,445	136	152	127	134	112
580 Hemodialysis	9,382	137	129	141	144	105
576 Other diagnostic and therapeutic procedures on larynx, trachea	9,081	138	119	145	124	160

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
652	Orchiectomy	9,069	139	133	131	138	137
662	Bilateral oophorectomy or salpingo-oophorectomy	8,553	140	176	140	129	124
535	Stapes mobilization and stapedectomy	8,458	141	139	137	145	138
534	Operations on external ear	8,412	142	131	142	140	153
608	Proctectomy	8,363	143	114	144	155	150
643	Urethral suspension	8,306	144	169	129	147	130
556	Operations on pharynx except tonsillectomy and adenoidectomy	8,165	145	147	139	146	141
720	Spinal fusion	8,067	146	178	148	150	104
708	Closed reduction of fracture of femur with internal fixation	8,009	147	148	134	148	147
631	Complete nephrectomy	8,006	148	143	146	143	148
694	Intra-amniotic injection for abortion	7,926	149	145	162	126	144
538	Mastoidectomy	7,841	150	140	151	141	154
501	Incision, excision of skull, brain, and cerebral meninges	7,614	151	161	153	151	117
571	Open heart operations	7,425	152	160	155	154	122
688	Breech extraction	7,345	153	136	147	149	174
617	Operations on biliary tract and gallbladder except cholecystectomy	7,257	154	141	149	162	162
653	Orchiopexy	7,181	155	142	152	167	155
728	Division and resection of muscle, tendon, and fascia of hand	6,838	156	154	154	177	149

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
700 Closed reduction of maxillofacial fractures	6,602	157	151	156	170	164
546 Miscellaneous operations on accessory sinus	6,409	158	162	159	159	163
524 Other operations on iris, ciliary body, sclera and anterior chamber	6,374	159	146	176	164	158
734 Amputation of toes	6,297	160	153	161	157	177
549 Operations on teeth and gums except extraction and restoration	6,264	161	156	164	158	167
743 Simple mastectomy	6,209	162	159	158	160	178
566 Lobectomy and complete pneumonectomy	6,207	163	173	165	156	161
598 Resection of small intestine	6,179	164	163	160	178	159
715 Open reduction of dislocation	6,165	165	175	157	176	157
502 Craniotomy and craniectomy	5,941	166	180	173	166	152
539 Miscellaneous operations on middle ear and inner ear	5,923	167	172	175	175	146
527 Miscellaneous operations on lens	5,911	168	191	185	152	139
545 Radical maxillary antrotomy	5,722	169	170	180	163	166
532 Operations on orbit and eyeball	5,635	170	174	177	165	170
622 Unilateral or bilateral repair of femoral hernia	5,585	171	157	168	184	171

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
517 Excision or destruction of lesion or tissue of eyelid	5,564	172	137	183	174	201
735 Below-knee amputation	5,458	173	164	174	173	186
670 Hysterotomy and excision of lesion of uterus	5,403	174	155	167	182	190
732 Amputation of fingers and thumb	5,389	175	184	163	183	175
602 Ileostomy, colostomy, and other enterostomy	5,388	176	149	171	190	180
699 Repair and plastic operations on facial bones	5,344	177	198	172	169	165
514 Operations on parathyroid and thyroid, except thyroidectomy	5,306	178	171	182	180	176
523 Operations for regulation of intraocular pressure	5,303	179	158	189	179	173
607 Other incision of rectum and incision or excision of perirectal tissue	5,181	180	186	178	153	192
639 Urethral meatotomy	5,110	181	183	170	168	206
736 Above-knee amputation	5,104	182	179	179	161	203
651 Operations on scrotum and tunica vaginalis	5,065	183	177	166	187	182
625 Repair of diaphragmatic and other hernia	5,044	184	195	187	171	168

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals Number of Patients (2)	All Hospitals Rank (3)	Rank by Region North-east (4)	Rank by Region North Central (5)	Rank by Region South (6)	Rank by Region West (7)
522 Miscellaneous operations on cornea	4,992	185	168	195	172	183
669 Repair and plastic operations on cervix	4,705	186	181	169	192	198
595 Vagotomy	4,696	187	208	184	181	169
618 Operations on pancreas	4,608	188	167	186	189	191
507 Operations on spinal cord structures, except exploration	4,386	189	202	181	196	172
750 Pedicle graft of skin	4,249	190	194	193	188	179
658 Miscellaneous operations on penis	4,208	191	189	192	186	195
710 Reduction of fracture of femur without internal fixation	4,118	192	188	191	191	194
562 Operations on larynx and trachea except excision and permanent tracheostomy	3,956	193	187	197	193	187
583 Radical excision of lymph nodes	3,891	194	182	198	198	184
679 Miscellaneous operations on uterus, cervix, and supporting structures	3,774	195	193	190	201	202
753 Encephalography and ventriculography	3,750	196	203	188	206	185
655 Interruption of vas deferens	3,735	197	192	194	185	223
663 Miscellaneous operations on ovary	3,642	198	200	196	199	200

Table 2 (Continued)

	Operation Group Number and Title (1)	All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
681	Other colporrhaphy	3,619	199	199	299	194	189
548	Tooth restoration and orthodontia	3,526	200	201	199	195	196
510	Sympathectomy	3,333	201	185	207	197	208
529	Miscellaneous operations on retina, choroid, and vitreous	3,279	202	197	209	203	181
634	Ureteral diversion	3,166	203	207	203	202	193
505	Miscellaneous operations on brain and cerebral meninges	3,081	204	209	206	200	197
600	Other incision, resection of intestine	3,067	205	196	201	208	205
521	Corneal transplant	3,007	206	190	214	205	199
695	Diagnostic amniocentesis	2,860	207	165	213	218	217
590	Gastrotomy, pyloromyotomy	2,815	208	211	202	210	210
739	Revision of amputation stump	2,803	209	210	204	204	212
654	Miscellaneous operations on testis	2,776	210	205	205	209	214
503	Cranioplasty	2,695	211	216	212	211	188
519	Operations on lacrimal system	2,547	212	204	215	213	204
575	Miscellaneous operations on heart	2,517	213	219	211	212	209
591	Gastrostomy	2,411	214	206	210	215	220
698	Excision of facial bone	2,197	215	212	218	207	222
568	Miscellaneous operations on lung	2,194	216	214	219	214	213

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
587 Other diagnostic and therapeutic procedures on vessels, lymphatic	2,122	217	222	208	229	207
504 Ventricular shunt, extracranial	2,030	218	217	217	220	211
551 Palatoplasty	1,831	219	223	221	216	216
515 Operations on endocrine glands, except parathyroid and thyroid	1,656	220	224	224	221	218
685 Miscellaneous operations on vulva and perineum	1,644	221	225	222	217	221
644 Other repair of stress incontinence	1,614	222	235	216	227	215
604 Incidental appendectomy	1,590	223	228	223	219	219
737 Other amputation of lower extremity	1,561	224	213	227	223	224
511 Miscellaneous operations on sympathetic nerves and ganglia	1,457	225	230	220	224	225
560 Complete laryngectomy	1,416	226	218	228	222	230
645 Ureteral catheterization	1,396	227	221	226	225	226
559 Partial laryngectomy and local excision of lesion of trachea	1,265	228	220	229	228	228
678 Repair and plastic operations on supporting structures of uterus	1,215	229	232	225	226	229
684 Vulvectomy	1,015	230	229	231	230	235
520 Operations on conjunctiva	995	231	226	233	231	231
594 Total gastrectomy	945	232	227	232	233	232

Table 2 (Continued)

Operation Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
673	Radical hysterectomy and pelvic evisceration	912	233	231	230	232	237
614	Incision of liver	863	234	233	234	235	227
646	Miscellaneous operations on urinary tract	705	235	234	235	237	239
702	Miscellaneous maxillofacial surgery	701	236	241	236	234	236
605	Operations on appendix except appendectomy	688	237	237	237	236	233
738	Reattachment of extremity	562	238	240	240	241	234
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	539	239	236	239	239	241
733	Amputation of hand, forearm, and upper arm	530	240	243	238	238	238
561	Permanent tracheostomy	419	241	242	241	240	242
693	Other abdominal operation to remove embryo or fetus	394	242	239	242	242	240
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	358	243	238	243	243	243
740	Miscellaneous operations on musculoskeletal system	247	244	246	245	244	244
579	Extracorporeal circulation	227	245	244	244	246	246

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
531 Miscellaneous operations on ocular muscle	197	246	245	246	245	245
564 Bronchial resection and miscellaneous operations on bronchus	86	247	247	247	247	247
585 Bone marrow transplant	50	248	249	248	248	248
584 Miscellaneous operations on lymphatic system	39	249	248	249	249	249
All patients in operation groups	5,450,222					

Table 3

Ranking of *ICD-9-CM* Operation Groups by Days of Care U.S. PAS Hospitals, 1979

Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
616 Cholecystectomy	1,561	1	1	1	1	1
671 Abdominal hysterectomy	1,231	2	3	2	2	2
691 Low cervical cesarean section	1,015	3	2	4	4	4
636 Cystoscopy and urethroscopy	934	4	5	3	3	20
581 Other operations on blood vessels	886	5	8	7	5	3
648 Transurethral prostatectomy	876	6	4	5	6	7
748 Other incision, excision, and suture of skin	776	7	9	8	9	8
709 Open reduction of fracture of femur with internal fixation	762	8	7	10	11	6
717 Excision of intervertebral disc	745	9	15	9	8	5
675 Other dilation and curettage	733	10	10	6	10	28
599 Colectomy	730	11	6	13	14	9
620 Unilateral repair of inguinal hernia	684	12	11	11	13	12
687 Low forceps with and without episiotomy	682	13	16	12	7	17
754 Myelography	596	14	21	15	12	11
586 Miscellaneous operations on spleen and bone marrow	570	15	12	16	17	19
690 Other procedures to assist delivery	547	16	17	14	19	14
603 Appendectomy	512	17	19	17	18	13

Table 3 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
574	Pacemaker insertion, replacement, removal, and repair	473	18	13	24	21	21
757	Other arteriography and phlebography	466	19	18	18	22	27
525	Intracapsular extraction of lens	466	20	14	22	24	23
572	Direct heart revascularization	456	21	41	20	16	10
672	Vaginal hysterectomy	438	22	47	25	15	18
758	Other radiography and special diagnostic procedures	427	23	22	19	23	32
712	Open reduction of fracture with internal fixation, except maxillofacial	412	24	25	26	26	16
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	410	25	24	23	20	38
723	Other arthroplasty of hip	401	26	23	27	27	26
573	Cardiac catheterization	397	27	37	21	28	25
705	Excision of bone except facial	381	28	26	28	31	22
578	Systemic shunt or graft bypass	362	29	20	36	33	30
722	Total hip replacement	358	30	31	29	35	15
567	Bronchoscopy (using natural orifice)	338	31	28	34	25	37
627	Laparotomy	337	32	33	31	30	31
713	Other reduction of fracture without internal fixation, except maxillofacial	329	33	27	30	34	33

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
724	Arthroplasty of knee	306	34	55	32	37	24
612	Hemorrhoidectomy	306	35	42	35	29	41
742	Local excision or destruction of lesion of breast	299	36	32	37	32	56
718	Excision of semilunar cartilage of knee joint	282	37	43	38	40	29
563	Incision and local excision or destruction of lesion of bronchus	269	38	29	39	38	46
615	Miscellaneous operations on liver	262	39	30	41	41	45
697	Miscellaneous obstetric procedures	260	40	53	33	51	36
744	Extended simple mastectomy and radical mastectomy	257	41	34	42	43	40
630	Miscellaneous operations on abdominal wall and peritoneum	255	42	45	44	36	34
597	Local excision or destruction of intestinal lesion or tissue	239	43	35	43	49	59
755	Cerebral arteriography	233	44	65	40	42	48
592	Local excision or destruction of lesion or tissue of stomach	228	45	38	45	55	55
749	Free skin grafts	226	46	58	47	39	44
506	Exploration and decompression of spinal canal structures	220	47	61	50	47	35

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
637 Transurethral excision or destruction of bladder lesion	217	48	36	49	59	57
569 Thoracotomy	213	49	57	52	46	42
632 Miscellaneous operations on kidney	210	50	51	55	45	50
638 Miscellaneous operations on bladder	204	51	44	51	57	60
554 Tonsillectomy with adenoidectomy	202	52	83	46	44	58
596 Miscellaneous operations on stomach	201	53	71	48	56	39
565 Local excision or destruction of lesion or tissue of lung	200	54	50	57	52	53
601 Intestinal anastomosis or repair	198	55	49	59	60	43
624 Repair of other hernia of anterior abdominal wall	198	56	56	54	53	65
582 Incision, excision of lymphatic structures	191	57	48	56	58	76
593 Partial gastrectomy	182	58	59	72	54	54
626 Incision, excision of abdominal wall and peritoneum except laparotomy	182	59	54	63	62	62
608 Proctectomy	175	60	39	66	79	67
665 Other bilateral tubal interruption or salpingectomy	173	61	74	61	48	87
547 Tooth extraction	173	62	40	60	64	139
641 Urethral dilation	170	63	82	53	50	113

Table 3 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
708	Closed reduction of fracture of femur with internal fixation	170	64	64	62	72	64
735	Below-knee amputation	169	65	52	69	63	77
501	Incision, excision of skull, brain, and cerebral meninges	161	66	75	75	73	47
661	Unilateral oophorectomy or salpingo-oophorectomy	159	67	78	70	61	66
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	158	68	60	67	68	115
716	Arthrotomy and division of joint capsule	155	69	79	73	76	51
649	Other prostatectomy	155	70	46	90	75	74
553	Tonsillectomy without adenoidectomy	152	71	91	65	74	69
704	Bunionectomy	152	72	87	58	95	70
719	Miscellaneous excisions of joint structures	149	73	81	71	80	61
680	Plastic repair of cystocele and rectocele	149	74	80	68	67	82
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	148	75	63	83	71	78

Table 3 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
609	Miscellaneous operations on intestine	142	76	86	74	70	98
509	Miscellaneous operations on cranial and other peripheral nerves	142	77	103	64	89	71
707	Removal of internal fixation device	141	78	70	77	86	72
736	Above-knee amputation	139	79	67	79	65	109
588	Operations on esophagus	138	80	73	78	78	83
706	Repair and plastic operation on bone except facial	137	81	85	76	87	73
571	Open heart operations	136	82	89	88	88	52
617	Operations on biliary tract and gallbladder except cholecystectomy	135	83	66	81	90	79
513	Thyroidectomy	133	84	93	87	69	84
502	Craniotomy and craniectomy	133	85	88	99	77	63
631	Complete hephrectomy	132	86	76	86	81	81
602	Ileostomy, colostomy, and other enterostomy	128	87	62	96	106	88
577	Ligation and stripping of varicose veins	126	88	68	84	92	105
720	Spinal fusion	124	89	112	100	96	49
598	Resection of small intestine	124	90	84	93	98	75
727	Excision of lesion of muscle, tendon, fascia, and bursa	122	91	97	80	82	104
633	Ureterotomy	122	92	98	103	66	89
542	Rhinoplasty	122	93	90	98	85	80

Table 3 (Continued)

Operation Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
660	Local excision or destruction of ovarian lesion or tissue	121	94	77	94	94	93
764	Miscellaneous diagnostic and therapeutic procedures	121	95	92	95	84	95
621	Bilateral repair of inguinal hernia	120	96	95	82	97	86
566	Lobectomy and complete pneumonectomy	118	97	94	101	83	85
606	Local excision or destruction of lesion or tissue of rectum	118	98	72	89	104	120
734	Amputation of toes	114	99	69	107	93	110
725	Repair of other joint	114	100	114	91	111	68
703	Incision and division of bones except facial	110	101	107	85	108	91
760	Special therapies and rehabilitation	109	102	109	92	103	100
689	Other extraction procedures to assist delivery	106	103	110	102	99	94
562	Operations on larynx and trachea except excision and permanent tracheostomy	98	104	96	113	100	99
628	Laparoscopy (excluding that for destruction of fallopian tubes)	97	105	119	97	112	121
666	Miscellaneous operations on fallopian tube	96	106	113	109	109	92

Table 3 (Continued)

Operation Group Number and Title (1)		All Hospitals		Rank by Region			
		Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
692	Other cesarean section	96	107	127	104	105	106
751	Miscellaneous operations on skin and subcutaneous tissue	95	108	118	106	102	126
664	Bilateral endoscopic destruction or occlusion of fallopian tubes	93	109	126	108	91	147
711	Closed reduction of fracture with internal fixation, except maxillofacial and femur	89	110	106	114	113	102
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	88	111	104	111	114	117
643	Urethral suspension	86	112	138	110	116	101
710	Reduction of fracture of femur without internal fixation	84	113	108	116	118	114
650	Miscellaneous operations on prostate and seminal vesicles	82	114	105	120	115	130
746	Incision and excision of pilonidal cyst or sinus	82	115	99	112	123	152
662	Bilateral oophorectomy or salpingo-oophorectomy	81	116	148	115	107	103
618	Operations on pancreas	81	117	111	118	120	122

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
635 Miscellaneous operations on ureter	81	118	133	117	101	131
576 Other diagnostic and therapeutic procedures on larynx, trachea	79	119	102	124	122	129
526 Other lens extraction	76	120	137	135	110	96
595 Vagotomy	74	121	155	121	117	107
623 Repair of umbilical hernia	74	122	124	119	121	144
696 Intrauterine procedures on fetus and amnion	73	123	164	105	162	119
668 Other excision or destruction of lesion or tissue of cervix	71	124	100	122	131	173
528 Repair of retina	70	125	115	156	129	90
745 Miscellaneous operations on breast	70	126	144	134	124	108
580 Hemodialysis	70	127	117	140	138	97
652 Orchiectomy	69	128	125	127	126	137
726 Incision and division of muscle, tendon, fascia and bursa	68	129	136	132	130	112
714 Closed reduction of dislocation	68	130	128	125	140	127
656 Miscellaneous operations on spermatic cord, epididymis, and vas deferens	68	131	129	123	132	140
721 Arthrodesis and stabilization of joint	67	132	139	129	133	116

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
731 Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	66	133	130	128	139	123
730 Resection and suture of muscle, tendon, and fascia, except hand	65	134	140	130	136	118
507 Operations on spinal cord structures, except exploration	64	135	141	131	146	111
591 Gastrostomy	63	136	121	133	145	153
625 Repair of diaphragmatic and other hernia	62	137	161	144	119	128
600 Other incision, resection of intestine	62	138	122	143	137	136
701 Open reduction of maxillofacial fractures	62	139	156	138	128	125
640 Excision of urethral lesion, repair of urethra	62	140	143	136	125	156
662 Miscellaneous operations on vagina	59	141	142	137	141	146
537 Myringotomy	59	142	149	141	134	134
544 Miscellaneous operations on nose	58	143	134	139	153	138
518 Miscellaneous operations on eyelid	57	144	123	149	148	142
613 Miscellaneous operations on anus	55	145	132	147	150	143

Table 3 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
541	Submucous resection of nasal septum	55	146	101	146	178	172
508	Excision or destruction of lesion of cranial or peripheral nerve	54	147	172	145	142	124
510	Sympathectomy	53	148	120	165	147	160
683	Incision and excision of lesion of vulva and perineum	52	149	147	142	143	178
642	Miscellaneous operations on urethra	51	150	176	150	127	157
756	Coronary arteriography	51	151	220	126	135	171
611	Local excision or destruction of lesion or tissue of anus	50	152	159	148	144	162
550	Operations on salivary glands and ducts	49	153	146	155	154	155
610	Incision or excision of anal fistula	49	154	153	159	151	151
505	Miscellaneous operations on brain and cerebral meninges	48	155	162	164	152	133
543	Other incision, excision of nose	47	156	150	151	156	163
715	Open reduction of dislocation	47	157	152	153	164	148
634	Ureteral diversion	47	158	158	158	159	141
558	Excision of lesion of larynx	47	159	135	157	163	170
750	Pedicle graft of skin	46	160	163	163	155	132
737	Other amputation of lower extremity	46	161	131	171	157	159
743	Simple mastectomy	46	162	154	152	161	169

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
583 Radical excision of lymph nodes	45	163	145	166	165	154
536 Tympanoplasty	44	164	182	160	158	145
729 Repair and plastic operations on hand	44	165	173	154	166	149
504 Ventricular shunt, extracranial	43	166	157	167	174	135
676 Aspiration curettage for termination of pregnancy	43	167	116	175	188	184
667 Conization of cervix	40	168	169	162	160	191
622 Unilateral or bilateral repair of femoral hernia	40	169	151	168	176	164
575 Miscellaneous operations on heart	39	170	178	169	167	158
555 Adenoidectomy without tonsillectomy	38	171	184	172	149	190
556 Operations on pharynx except tonsillectomy and adenoidectomy	37	172	165	173	170	166
530 Resection and recession of ocular muscle	36	173	175	174	172	165
514 Operations on parathyroid and thyroid, except thyroidectomy	35	174	166	178	168	167
587 Other diagnostic and therapeutic procedures on vessels, lymphatic	35	175	188	161	212	150
534 Operations on external ear	34	176	180	176	171	180

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals Days of Care (in 1,000s) (2)	 Rank (3)	Rank by Region North-east (4)	 North Central (5)	 South (6)	 West (7)
700 Closed reduction of maxillofacial fractures	33	177	168	177	177	182
560 Complete laryngectomy	33	178	160	183	173	199
753 Encephalography and ventriculography	32	179	183	170	201	168
546 Miscellaneous operations on accessory sinus	32	180	181	179	175	179
670 Hysterotomy and excision of lesion of uterus	31	181	167	180	181	196
607 Other incision of rectum and incision or excision of perirectal tissue	29	182	189	185	169	203
538 Mastoidectomy	29	183	179	188	180	183
524 Other operations on iris, ciliary body, sclera and anterior chamber	28	184	170	195	184	175
532 Operations on orbit and eyeball	28	185	187	186	179	185
651 Operations on scrotum and tunica vaginalis	27	186	185	181	190	206
503 Cranioplasty	27	187	202	191	186	161
688 Breech extraction	26	188	186	182	193	212
568 Miscellaneous operations on lung	26	189	190	196	185	181
732 Amputation of fingers and thumb	25	190	203	184	189	186
699 Repair and plastic operations on facial bones	25	191	209	193	183	174
523 Operations for regulation of intraocular pressure	25	192	174	202	191	195

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
594	Total gastrectomy	25	193	171	203	198	192
545	Radical maxillary antrotomy	25	194	195	199	182	197
515	Operations on endocrine glands, except parathyroid and thyroid	25	195	197	194	192	177
739	Revision of amputation stump	24	196	194	189	196	200
658	Miscellaneous operations on penis	24	197	198	192	187	202
728	Division and resection of muscle, tendon, and fascia of hand	24	198	200	187	207	188
535	Stapes mobilzation and stapedectomy	24	199	193	197	195	194
653	Orchiopexy	24	200	191	190	200	201
674	Dilation and curettage of uterus for termination of pregnancy	23	201	177	215	197	187
681	Other colporrhaphy	22	202	205	201	194	198
549	Operations on teeth and gums except extraction and restoration	21	203	199	205	206	207
590	Gastrotomy, pyloromyotomy	20	204	207	198	205	209
663	Miscellaneous operations on ovary	19	205	211	204	209	208
517	Excision or destruction of lesion or tissue of eyelid	19	206	192	207	204	219
527	Miscellaneous operations on lens	19	207	222	209	203	176

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
539 Miscellaneous operations on middle ear and inner ear	18	208	212	212	210	189
677 Other aspiration curettage	18	209	204	214	211	210
529 Miscellaneous operations on retina, choroid, and vitreous	17	210	206	217	214	193
522 Miscellaneous operations on cornea	17	211	208	216	202	213
521 Corneal transplant	17	212	196	221	215	205
644 Other repair of stress incontinence	16	213	232	200	219	204
669 Repair and plastic operations on cervix	16	214	210	206	216	223
694 Intra-amniotic injection for abortion	15	215	214	223	199	216
698 Excision of facial bone	15	216	216	220	208	217
679 Miscellaneous operations on uterus, cervix, and supporting structures	15	217	217	211	222	214
559 Partial laryngectomy and local excision of lesion of trachea	15	218	201	218	217	228
673 Radical hysterectomy and pelvic evisceration	15	219	213	213	218	224
639 Urethral meatotomy	15	220	224	210	213	233

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
511 Miscellaneous operations on sympathetic nerves and ganglia	14	221	226	208	225	218
684 Vulvectomy	13	222	215	219	220	227
614 Incision of liver	12	223	218	224	226	211
561 Permanent tracheostomy	12	224	223	226	223	215
604 Incidental appendectomy	11	225	230	225	224	221
655 Interruption of vas deferens	11	226	228	222	221	240
645 Ureteral catheterization	10	227	219	229	229	226
695 Diagnostic amniocentesis	10	228	221	228	232	229
654 Miscellaneous operations on testis	10	229	227	227	227	230
646 Miscellaneous operations on urinary tract	9	230	225	230	230	231
551 Palatoplasty	9	231	231	234	231	220
519 Operations on lacrimal system	8	232	229	236	234	225
678 Repair and plastic operations on supporting structures of uterus	8	233	235	231	228	234
605 Operations on appendix except appendectomy	8	234	233	233	236	222
733 Amputation of hand, forearm, and upper arm	7	235	238	232	233	237
685 Miscellaneous operations on vulva and perineum	7	236	236	235	235	236

Table 3 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
548	Tooth restoration and orthodontia	7	237	234	237	237	232
738	Reattachment of extremity	4	238	239	239	241	235
702	Miscellaneous maxillofacial surgery	4	239	243	240	238	238
579	Extracorporeal circulation	4	240	237	238	244	239
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	3	241	241	242	239	244
520	Operations on conjunctiva	3	242	240	243	240	242
740	Miscellaneous operations on musculoskeletal system	3	243	245	241	242	241
693	Other abdominal operation to remove embryo or fetus	3	244	242	244	243	243
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	2	245	244	245	245	246
531	Miscellaneous operations on ocular muscle	1	246	246	246	247	245
564	Bronchial resection and miscellaneous operations on bronchus	1	247	248	247	246	247

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
584 Miscellaneous operations on lymphatic system	1	248	247	249	248	248
585 Bone marrow transplant	0	249	249	248	249	249
All operation groups	38,133					

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 3 Procedures: Tabular List and Alphabetic Index. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the ICD-9-CM List B operation group to which each operation belongs

Group Number	Title
	Abdominal wall, *see also Hernia*
627	Exploratory laparotomy
626	Excision
626	Incision
	Adenoid
554	Adenoidectomy with tonsillectomy
555	Adenoidectomy without tonsillectomy
556	Other
	Amputation, *see Extremity*
	Angiography
756	Cardiac
	Anus
611	Excision of lesion or tissue
612	Hemorrhoidectomy
613	Other
	Appendix
603	Appendectomy
605	Other
	Arteriography
757	Aorta
755	Head
756	Heart
755	Neck
757	Other
	Artery, *see Blood vessels*
617	Biliary tract, except cholecystectomy
	Bladder
637	Excision of lesion or tissue, transurethral
	Blood vessels
578	Bypass graft
572	Heart
577	Ligation and stripping, veins
578	Systemic shunt
	Bone, except facial, *see also Extremity*
705	Biopsy
703	Division

OPERATION INDEX (continued)

Group Number	Title
	Bone, except facial (continued)
705	Excision
703	Incision
707	Removal of internal fixation device
706	Repair
713	Reduction, closed
713	Reduction, open
	Bone, facial
698	Biopsy
703	Division
698	Excision
702	Incision
699	Repair
700	Reduction, closed
701	Reduction, open
	Bone marrow
585	Transplant
586	Other
	Brain
501	Excision
501	Incision
504	Ventricular shunt
	Breast
742	Biopsy
741	Complete mastectomy
742	Excision, lesion
745	Mastotomy
742	Partial mastectomy
744	Radical mastectomy
567	Bronchoscopy
	Bronchus
563	Excision of lesion or tissue
762	Removal of foreign body with incision
564	Resection
704	Bunionectomy
	Bursa, *see Muscle*
	Cartilage
716	Division

OPERATION INDEX (continued)

Group Number	Title
	Cartilage (continued)
717	Excision of intervertebral cartilage
718	Excision of semilunar cartilage of knee
	Cataract extraction
525	Intracapsular
526	Other
579	Circulation, extracorporeal
619	Colonoscopy, transabdominal
420	Conjunctiva
521	Corneal transplant
682	Culdoscopy
664	For ligation of fallopian tubes
636	Cystoscopy
629	Dialysis, peritoneal
	Ear
534	External
537	Myringotomy
536	Stapedectomy
535	Stapes mobilization
539	Tympanotomy
536	Tympanoplasty
753	Encephalography
515	Endocrine, except parathyroid, thyroid, and gonads
656	Epididymis
589	Esophagoscopy
	Extremity
	Amputation
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
732	Thumb
734	Toe
733	Upper arm

OPERATION INDEX (continued)

Group Number	Title
	Extremity (continued)
738	Reattachment
739	Revision of amputation
532	Eyelid, excision of lesion or tissue
	Fallopian tube
665	Excision, bilateral
665	Endoscopic approach
665	Ligation, bilateral
665	Endoscopic approach
662	Salpingo-oophorectomy, bilateral
661	Salpingo-oophorectomy, unilateral
666	Other
	Fascia, *see Muscle*
	Gallbladder
616	Cholecystectomy
589	Gastroscopy
596	Gastroscopy, surgical
	Graft, *see site*
	Gums
549	Alveoloplasty
549	Excision of lesion or tissue
549	Gingivectomy
549	Incision
	Hand, *see also Extremity*
728	Division of muscle, tendon, and fascia
	Heart
573	Catheterization
575	Massage, open
574	Pacemaker insertion or replacement
	Hernia repair
625	Diaphragmatic
624	Epigastric
622	Femoral, bilateral
624	Incisional
621	Inguinal, bilateral
620	Inguinal, unilateral

OPERATION INDEX (continued)

Group Number	Title
	Hernia repair (continued)
623	Umbilical
624	Ventral
	Hysterectomy, *see Uterus*
	Intestine, *see also Hernia*
601	Anastomosis
599	Colectomy
602	Colostomy
602	Enterostomy
597	Excision of lesion or tissue
600	Exteriorization
602	Ileostomy
600	Incision
601	Repair
599	Resection of large intestine
598	Resection of small intestine
	Joint, *see also Extremity*
741	Arthrocentesis
721	Arthrodesis, except spine
720	Spinal fusion
723	Arthroplasty of hip, except total replacement
722	Total hip replacement
716	Arthrotomy
716	Division of capsule
719	Excision, except intervertebral cartilage and cartilage of knee
741	Injection
717	Laminectomy with disc excision
718	Meniscectomy, knee
714	Reduction, dislocation, closed
715	Reduction, dislocation, open
725	Repair, except hip arthroplasty
724	Stabilization
	Kidney
631	Complete nephrectomy
	Larynx
558	Excision of lesion or tissue

OPERATION INDEX (continued)

Group Number	Title
	Larynx (continued)
562	Laryngotomy, permanent
559	Partial laryngectomy
560	Total laryngectomy
	Lens
526	Extraction, except intracapsular
525	Intracapsular extraction
716	Ligament, division
	Liver
614	Incision, including percutaneous
	Lung
566	Lobectomy
566	Pneumonectomy
	Lymph nodes
582	Excision, except radical
583	Excision, radical
582	Incision
584	Other
538	Mastoidectomy
	Meninges, cerebral
501	Excision
501	Incision
	Muscle, *see also Extremity*
726	Division, except hand
728	Division, hand
727	Excision of lesion or tissue
726	Incision
730	Resection, except hand
728	Resection, hand
730	Suture, except hand
729	Suture, hand
	Muscle, ocular
530	Recession
530	Resection
754	Myelography
	Nerve, peripheral
508	Excision of lesion or tissue

OPERATION INDEX (continued)

Group Number	Title
	Nerve, peripheral (continued)
595	Vagotomy
	Nerve, sympathetic
510	Sympathectomy
	Nose
543	Excision, except submucous resection
541	Submucous resection, nasal septum
543	Incision
542	Rhinoplasty
	Obstetrical procedures
677	Curettage, aspiration
675	D & C
	Delivery, assisted
688	Breech extraction
692	Cesarean section, except low cervical
691	Cesarean section, low cervical
690	Episiotomy
689	Low forceps
	Intrauterine procedures
695	Amniocentesis
690	Intra-amniotic injection
696	Intrauterine transfusion
697	Removal of retained placenta, manual
697	Repair of laceration
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage
691	Hysterotomy
694	Intra-amniotic injection
697	Other
	Oral cavity, except salivary glands
557	Frenotomy
551	Palatoplasty
	Ovary
660	Excision of lesion or tissue
662	Oophorectomy, bilateral
661	Oophorectomy, unilateral
663	Other

OPERATION INDEX (continued)

Group Number	Title
	Palate
551	Cleft palate repair
551	Palatoplasty
514	Parathyroid
	Penis
657	Circumcision
	Perineum, female
683	Excision of lesion or tissue
683	Incision
	Perirectal
607	Excision
607	Incision
609	Other
	Peritoneum
630	Division of adhesions
627	Drainage, except via cul de sac
682	Via cul de sac
626	Excision
630	Incision, except via cul de sac
682	Via cul de sac
628	Peritoneoscopy
	Pleura
576	Pleurocentesis
	Prostate
648	Prostatectomy, transurethral
649	Prostatectomy, except transurethral
650	Other
	Rectum
606	Excision, except proctectomy
609	Incision
608	Proctectomy
608	Other
	Reduction
	Dislocation, *see Joint*
	Fracture, *see Bone*
758	Retrograde pyelogram
	Sinuses, nasal
546	Radical maxillary sinusotomy

OPERATION INDEX (continued)

Group Number	Title
	Skin
747	Excision, except pilonidal sinus
746	Excision of pilonidal sinus
	Graft
749	Free
750	Pedicle
748	Incision, except pilonidal sinus
746	Incision of pilonidal sinus
751	Plastic, except lip
552	Plastic, lip
748	Suture
	Skull
503	Cranioplasty
502	Craniotomy
501	Excision
501	Puncture
	Spinal cord
506	Exploration
	Stomach
593	Complete gastrectomy
592	Excision of lesion or tissue
591	Gastrostomy
590	Gastrotomy
593	Partial gastrectomy
590	Pyloromyotomy
596	Pyloroplasty
595	Vagotomy
	Tendon
726	Division, except hand
728	Division, hand
727	Excision of lesion or tissue
726	Incision
730	Resection, except hand
727	Resection, hand
730	Suture, except hand
729	Suture, hand
	Testes
652	Orchiectomy
654	Other

OPERATION INDEX (continued)

Group Number	Title
570	Thoracoscopy, transpleural
	Thorax
576	Thoracentesis
	Thyroid
513	Thyroidectomy
514	Other
	Tongue
557	Frenotomy
557	Tongue-tie operation
	Tonsils
554	Tonsillectomy with adenoidectomy
555	Tonsillectomy without adenoidectomy
556	Other
	Tooth
548	Extraction
547	Restoration
549	Root resection
	Trachea
559	Excision of lesion or tissue
562	Permanent tracheostomy
563	Tracheotomy
	Ureter
645	Catheterization
634	Diversion
633	Ureterotomy
635	Other
	Urethra
641	Dilation
640	Excision of lesion or tissue
639	Meatotomy
640	Repair
642	Other
636	Urethroscopy
	Uterus, *see also Obstetrical procedures*
677	Aspiration curettage
670	Biopsy
667	Conization of cervix
675	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Uterus (continued)
668	Excision of cervix, except conization
668	Excision of lesion or tissue
673	Exenteration, pelvic
678	Hysteropexy
670	Hysterotomy, except to terminate pregnancy
671	Hysterectomy, abdominal, except radical
673	Hysterectomy, radical
672	Hysterectomy, vaginal, except radical
670	Myomectomy
679	Repair
678	Repair of supporting structures
	Vagina, except obstetrical
681	Colporrhaphy, except for cystocele and rectocele
680	Cystocele repair
680	Rectocele repair
682	Other
	Vas deferens
655	Interruption
656	Other
	Vein, *see Blood vessels*
757	Venography
	Ventricles, cerebral
505	Shunt
753	Ventriculography
	Vertebra
717	Excision, intervertebral disc
720	Fusion
506	Laminectomy, exploratory
	Other (grouped with other bone operations)
	Vulva, except obstetrical
683	Excision of lesion or tissue
683	Incision
684	Vulvectomy
685	Other

R 3850-1.5

Length of Stay in PAS Hospitals,

by Diagnosis,

United States, Southern Region,

1979

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
OCTOBER 1980

LENGTH OF STAY IN PAS HOSPITALS

Copyright © 1980 by Commission on Professional and Hospital Activities, Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the series entitled
"Length of Stay in PAS Hospitals". . .

Volumes include:

- . . . by Diagnosis, United States, 1979
- . . . by Diagnosis, United States, North Central Region, 1979
- . . . by Diagnosis, United States, Northeastern Region, 1979
- . . . by Diagnosis, United States, Southern Region, 1979
- . . . by Diagnosis, United States, Western Region, 1979
- . . . by Diagnosis, Canada, 1979

- . . . by Operation, United States, 1979
- . . . by Operation, United States, North Central Region, 1979
- . . . by Operation, United States, Northeastern Region, 1979
- . . . by Operation, United States, Southern Region, 1979
- . . . by Operation, United States, Western Region, 1979
- . . . by Operation, Canada, 1979

Also included are:

- Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979
- Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities. Also for selected years there are length of stay books for particular regional groups of hospitals, for pediatric patients, and for geriatric patients.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1979 in North America. Twelve volumes describe stays for either diagnoses or operations in the United States, in each of the four U.S. census regions, or in Canada. The thirteenth and fourteenth volumes display data on both diagnoses and operations for pediatric and for geriatric patients in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities.

These statistics, which are also available on computer readable magnetic tape, can provide a valuable perspective for physicians, administrators, PSROs, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" (PSRO) and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1979 LENGTH OF STAY BOOKS

Walt Wood, Manager, Research and Statistics
Ed Kobrinski, Assistant Manager
Ann Matteson, Project Coordinator

CONTENTS

Preface iii

Discussion of the Data 1

- Source of the Data 1
- Data Quality 3
- Coverage 4
- Organization of Length of Stay Tables 7
  - *ICD-9-CM* List A: Hospital Diagnosis Groups 7
  - Definition of Multiple Dx Patients 7
  - Definition of Operated Patients 8
- Explanation of Statistics 8
- Exclusions 9
- Defining the Extended Stay Case 10

Length of Stay Tables 21

- Summary of All Patients 22
- Summary of All Patients Except Newborn 23
- Diagnosis Groups 1-398 24

Distribution Tables 223

- Table 1: Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List A Hospital Diagnosis Groups 225
- Table 2: Ranking of *ICD-9-CM* List A Diagnosis Groups by Live Discharges 244
- Table 3: Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care 268

Appendix: *ICD-9-CM* **Codes for Selected Diagnosis Groups** 293

Index to Length of Stay Tables 297

DISCUSSION OF THE DATA

Source of the Data

Data in this book were compiled from individual patient discharge abstracts submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain, and Figure 1 diagrams, the PAS method of storing and retrieving medical data.


PAS
HOSPITAL
CLINICAL RECORD
CASE ABSTRACT
DATA TAPE
CPHA DATA CENTER
COMPUTER
DATA FILE
HOSPITAL
ITS OWN OVERALL STATISTICS
MORE DETAILED STATISTICS
LISTINGS
MULTIHOSPITAL STUDIES
INTERHOSPITAL COMPARISONS
REGIONAL DATA

FIG. 1. Schematic diagram of the PAS medical record information system.

1. In each participating hospital, medical record personnel transfer information from the record of each discharged patient onto a PAS Case Abstract (Figure 2). The data may also be put onto a data tape at the hospital.
2. The abstract or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it serves as input to the computer system.
3. Data then undergo a comprehensive "cleaning" process and detected errors are corrected by contributing hospitals.
4. The computer system produces sets of reports which give comprehensive statistics on discharged patients plus listings of individual case abstracts in various sequences.
5. The computer system continually adds to a permanent history data file.
6. Length of stay statistics from this file are annually published in this series of length of stay books. The stored data are also available to researchers on a contractual basis.


PAS
1979 CASE ABSTRACT
1234567890
SAMPLE
PAS

FIG. 2 PAS Case Abstract

BEST AVAILABLE COPY

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its role as an extension of the hospital's medical record department.

Quality control of PAS data begins before a new hospital submits its first case abstract and continues as an ongoing system involving personal monitoring, computer checks, and education programs. In spite of these efforts, errors do occur. There are three ways errors can be introduced into PAS data: 1) the basic patient medical record can be incomplete or in error, 2) errors can be made in abstracting information from the medical record to the PAS Case Abstract, and 3) errors can be introduced during processing.

Although CPHA has indirect influence over the quality of the medical record through education and through feedback from use of PAS reports within the hospital, basic responsibility for the accuracy of the medical record rests with the physician and others in the hospital contributing to it. Clearly, the abstractor cannot add to the medical record. Errors or omissions made in it will be carried forward to the PAS Case Abstract.

CPHA goes to considerable lengths to prevent and correct errors in abstracting by training PAS hospital medical record personnel in coding and abstracting methods, by monitoring their work, and by judiciously checking and editing patient data for errors. During processing, over 350 computer checks* are performed on each abstract to check the reasonableness of the data received. When illogical, invalid, or missing data are detected, an error message is printed and the hospital is notified, often by phone. About 40% of the errors detected in the computer audit can be and are corrected at CPHA; the remainder must be handled by the hospitals because only they have the information necessary to make the corrections. Hospitals make such corrections on a voluntary basis.

---

*The following are examples of discrepancies and inconsistencies in the data that are detected by the computer audit: hospital day of operative episode exceeding total stay, cesarean sections with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded. Examples of invalid data detected by the computer are diagnosis and operation codes that do not exist in the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Coverage

The length of stay tables in this book display stay distributions for 3,261,926 patients discharged during 1979 from 446 nonfederal, short-term* hospitals participating in PAS in the Southern Region of the U.S. PAS hospitals in United States territories and Puerto Rico were excluded from this publication as were short-term psychiatric hospitals participating in PAS. Patients studied were selected from a total of 3,459,567 discharges.

Characteristics of all hospitals in the Southern Region that participated in PAS during 1979 are shown in Tables A and B. Some of these hospitals did not participate for the entire 12-month period. In addition, because of the unavailability of data at the time of processing, data for some of these PAS hospitals are not included in the length of stay tables.

States included in the various census regions and divisions are shown in Figure 3.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

FIG. 3. Census Divisions and Regions in the United States

---

*Short-term hospitals are defined as those in which the median stay is shorter than 30 days.

Table A

Bed Size, Region, and Census Division: PAS Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
ALL U.S.						
Bed Size						
1. Less than 25 beds	305	27	8.9%	5,761	528	9.2%
2. 25-49	1,154	158	13.7	41,776	6,129	14.7
3. 50-99	1,459	345	23.6	105,411	25.666	24.3
4. 100-199	1,412	470	33.3	198,519	67,395	33.9
5. 200-299	716	301	42.0	174,636	73,904	42.3
6. 300-399	382	179	46.9	131,296	61,207	46.6
7. 400-499	244	102	41.8	107,790	45,171	41.9
8. 500 or more	311	115	37.0	212,247	77,156	36.4
Total	5,983	1,697	28.4%	977,436	357,156	36.5%
Region and Census Division						
Northeast	941	260	27.6%	221,260	73,590	33.3%
New England	276	88	31.9	51,658	20,198	39.1
Middle Atlantic	665	172	25.9	169,602	53,392	31.5
North Central	1,744	652	37.4	292,394	141,077	48.2
East North Central	935	499	53.4	193,639	110,157	56.9
West North Central	809	153	18.9	98,755	30,920	31.3
South	2,171	451	20.8	316,264	91,344	28.9
South Atlantic	823	292	35.5	149,347	57,261	38.3
East South Central	488	50	10.2	67,691	12,984	19.2
West South Central	860	109	12.7	99,226	21,099	21.3
West	1,127	334	29.6	147,518	51,175	34.7
Mountain	365	107	29.3	38,709	17,459	45.1
Pacific	762	227	29.8	108,809	33,716	31.0
Grand Total	5,983	1,697	28.4%	977,436	357,186	36.5%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Table B

Teaching Type, Region, and Census Division: PAS Hospitals Compared with all Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

Region and Census Division (1)	Hospitals with Residencies Total[2] (2)	Hospitals with Residencies Number in PAS (3)	Hospitals with Residencies Percent in PAS (4)	Hospitals with Medical School Affiliation Total[2] (5)	Hospitals with Medical School Affiliation Number in PAS (6)	Hospitals with Medical School Affiliation Percent in PAS (7)
Northeast	306	114	37.3%	228	87	38.2%
New England	69	31	44.9	58	29	50.0
Middle Atlantic	237	83	35.0	170	58	34.1
North Central	298	152	51.0	218	109	50.0
East North Central	205	116	56.6	140	75	53.6
West North Central	93	36	38.7	78	34	43.6
South	265	76	28.7	211	62	29.4
South Atlantic	127	44	34.6	104	38	36.5
East South Central	57	14	24.6	47	12	25.5
West South Central	81	18	22.2	60	12	20.0
West	140	47	33.6	116	38	32.8
Mountain	38	16	42.1	30	11	36.7
Pacific	102	31	30.4	86	27	31.4
Grand Total	1,009	389	38.6%	773	296	38.3%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Organization of Length of Stay Tables

The length of stay tables in the body of this book are organized according to the diagnosis groupings in *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, age, and operation status. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight as a means of stratifying patients.

ICD-9-CM List A: Hospital Diagnosis Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List A: Hospital Diagnosis Groups* has been replaced by *ICD-9-CM List A: Hospital Diagnosis Groups,* which reflects the diagnoses contained in the new classification.

Patients were assigned to *ICD-9-CM* List A groups on the basis of their final diagnosis explaining admission (UHDDS "principal diagnosis"). This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patients discharged from PAS hospitals during 1979 was coded using *ICD-9-CM.*

Definition of Multiple Dx Patients

A patient is classified in the multiple dx category if he had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] ***ICD-9-CM List A: Hospital Diagnosis Groups*** **is based on the** ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),*** **Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.**

Definition of Operated Patients

In 1979 PAS hospitals used *ICD-9-CM* to code procedures. An operated patient is a patient who had at least one UHDDS[2] Class 1 procedure. A patient with only Class 2-4 procedures is considered nonoperated.

Explanation of Statistics

The diagnosis group titles heading the tables are followed in parentheses by the diagnosis codes they include. These codes refer to *ICD-9-CM.*

Length of stay is calculated from admission and discharge dates entered on the PAS Case Abstract, counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance, but as staying less than one day in the calculation of the percentiles. Thus, if more than 5% of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in column 2, "Number of Patients"; column 3, "Average Stay"; or column 4, "Variance." The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

---

[2] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are shown. If, for example, the 10th percentile for a group of patients is four days, it means that ten percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

The value of a percentile for a group of patients is determined by arranging the individual patients' stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The tables displaying data for newborns (groups 393-395) use weight rather than age to stratify the patients. The weight is given in grams (G).

Exclusions

The length of stay tables exclude :

(1) patients who died
(2) patients admitted from other short-term hospitals
(3) patients discharged to other short-term hospitals
(4) patients discharged against medical advice
(5) patients with length of stay greater than 99 days (these patients are included only in the percentile calculations).

These patients are excluded because they are not typical short-term patients (i.e., their stays are not "manageable" by the physician).

Other exclusions include stillborn, patients with incalculable age or stay, illegal or unrecorded principal diagnosis, unrecorded discharge status, and patients with diagnosis-age or diagnosis-sex inconsistencies. Also excluded are newborn with illegal or unrecorded birthweights.

Defining the Extended Stay[1] Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the PSRO is called extended stay review. This review, whether applied universally to all patients within the facility or "focused" on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in reasonably current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, the age of a patient, whether the patient had single or multiple diagnoses, and whether that patient had an operation. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based upon the diagnosis.

---

[1] Medicare regulations formerly referred to "extended duration," PSRO guidelines refer to "continued stay."

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the regional length of stay books published by the Commission on Professional and Hospital Activities.[2] With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[3]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[4] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group (in the CPHA length of stay books) for each diagnosis is given in column 4.

b. Diagnoses not in *Concurrent Review Screening* can usually be found in the alphabetic index at the back of the length of stay books.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[5] That code can then be located in List A or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

---

[2] *Length of Stay in PAS Hospitals, by Diagnosis,* Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., North Central Region, 1979
U.S., Southern Region, 1979
U.S., Northeastern Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

Length of Stay in PAS Hospitals, by Operation, Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., North Central Region, 1979
U.S., Southern Region, 1979
U.S., Northeastern Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

[3] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[4] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[5] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Volume 2, Diseases: Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table. There are two tables per page for diagnosis groups in the length of stay books.

Step 3. Find the appropriate part of the table for number of diagnoses (single or multiple).

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses, two or more operations with widely different lengths of stay are commonly performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate *operation* length of stay table.

Step 5. Find the correct age group. The five age groupings presented are 0-19 years, 20-34 years, 35-49 years, 50-64 years, and 65 years and over.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line which includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November, a 47-year-old patient is admitted to a hospital in the Southern Region for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The alphabetic index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis INDEX TO DISEASES

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

124

Step 2. Find the table for group 215 of *Length of Stay in PAS Hospitals, by Diagnosis, United States, Southern Region, 1979.*

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	3.5	4	1	2	3	4	6	7	12
20-34	453	3.1	4	1	1	3	4	5	7	9
35-49	458	3.7	6	1	2	3	5	7	9	12
50-64	473	4.2	9	1	2	3	5	8	10	14
65+	444	5.4	15	2	2	5	7	9	12	16
B. *Operated*										
0-19 YRS	401	7.4	11	3	5	7	9	11	13	17
20-34	4313	7.7	8	5	5	7	9	11	13	18
35-49	3917	8.3	11	5	5	8	9	12	14	20
50-64	3982	9.2	14	5	6	8	11	14	16	22
65+	2336	11.2	26	6	7	10	13	18	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	4.2	6	1	2	3	6	7	10	10
20-34	385	4.1	7	1	1	4	5	7	9	12
35-49	544	4.9	11	2	2	4	6	9	11	16
50-64	1146	5.7	16	2	2	5	7	10	13	23
65+	2093	7.5	28	2	3	6	9	14	17	26
B. *Operated*										
0-19 YRS	208	10.1	46	5	6	8	12	16	20	34
20-34	2594	9.6	24	5	6	8	11	15	17	27
35-49	3095	10.4	26	5	6	9	12	16	20	29
50-64	4712	12.1	45	6	6	10	14	19	24	37
65+	4950	15.2	68	7	8	13	18	25	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1901	4.1	9	1	2	3	5	7	9	14
B. *Operated*	14949	8.8	15	5	5	8	10	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	4204	6.3	22	2	2	5	8	11	15	24
B. *Operated*	15559	12.3	50	6	6	10	15	20	25	39
1. SINGLE DX	16850	8.3	16	3	4	8	10	13	15	22
2. MULTIPLE DX	19763	11.0	50	3	4	9	14	19	23	36
A. NOT OPERATED	6105	5.6	19	1	2	4	7	10	14	22
B. OPERATED	30508	10.6	36	5	6	9	12	17	21	33
TOTAL 0-19 YRS	718	7.6	24	2	3	7	9	12	14	25
20-34	7745	7.9	16	3	4	7	9	12	15	20
35-49	8014	8.6	20	3	4	8	10	14	17	24
50-64	10313	9.9	34	3	5	9	12	16	20	31
65+	9823	12.2	58	3	5	10	15	21	26	40
GRAND TOTAL	**36613**	**9.8**	**36**	**3**	**4**	**8**	**12**	**16**	**20**	**32**

Step 3. There are no secondary diagnoses recorded, so one needs to be concerned only with the top ten lines of the table (Section 1).



446 PAS Hospitals Southern Region, January–December 1979

215: Gallbladder disease with calculus (574.0-574.2)

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	73	3.5	4	1	2	3	4	6
20-34	453	3.1	4	1	1	3	4	5
35-49	458	3.7	6	1	2	3	5	7
50-64	473	4.2	9	1	2	3	5	
65+	444	5.4	15	2	2	5	7	
B. *Operated*								
0-19 YRS	401	7.4	11	3	5	7	9	9
20-34	4313	7.7	8	5	5	7		
35-49	3917	8.3	11	5	5	8		
50-64	3982	9.2	14	5	6	8		
65+	2336	11.2	26	6	7			
LE DX								
	36	4.2						

Step 4. Since surgery is scheduled, one is restricted to the second five lines of the table (Section 1.B.).



446 PAS Hospitals Southern Region, January–December 1979

215: Gallbladder disease with calculus (574.0-574.2)

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	73	3.5	4	1	2	3	4	6
20-34	453	3.1	4	1	1	3	4	5
35-49	458	3.7	6	1	2	3	5	7
50-64	473	4.2	9	1	2	3	5	
65+	444	5.4	15	2	2	5	7	
B. *Operated*								
0-19 YRS	401	7.4	11	3	5	7	9	9
20-34	4313	7.7	8	5	5	7		
35-49	3917	8.3	11	5	5	8		
50-64	3982	9.2	14	5	6	8		
65+	2336	11.2	26	6	7			
LE DX								
	36	4.2						

Step 5. The patient is 47 years old and therefore falls in the age group 35-49.



446 PAS Hospitals, Southern Region, January–December 1979

216: Gallbladder disease without mention of calculus (575)

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	73	3.5	4	1	2	3	4	6
20-34	453	3.1	4	1	1	3	4	5
35-49	458	3.7	6	1	2	3	5	7
50-64	473	4.2	9	1	2	3	5	
65+	444	5.4	15	2	2	5	7	
B. *Operated*								
0-19 YRS	401	7.4	11	3	5	7	9	
20-34	4313	7.7	8	5	5	7		
35-49	3917	8.3	11	5	5	8		
50-64	3982	9.2	14	5	6	8		
65+	2336	11.2	26	6	7			
LE DX								
	36	4.2						

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the eighth day after admission to be the day that this patient comes up for extended stay review.



446 PAS Hospitals, Southern Region, January–December 1979

216: Gallbladder disease without mention of calculus (575)

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	73	3.5	4	1	2	3	4	6
20-34	453	3.1	4	1	1	3	4	5
35-49	458	3.7	6	1	2	3	5	7
50-64	473	4.2	9	1	2	3	5	
65+	444	5.4	15	2	2	5	7	
B. *Operated*								
0-19 YRS	401	7.4	11	3	5	7	9	
20-34	4313	7.7	8	5	5	7		
35-49	3917	8.3	11	5	5	8		
50-64	3982	9.2	14	5	6			
65+	2336	11.2	26	6	7			
LE DX								
	36	4.2						

The patient was admitted on 3 November; therefore the eighth day will fall on 11 November. Prior to or on 11 November, the committee or groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile (as suggested in the *PSRO Program Manual*, paragraph 705.26).

Subsequent extended stay review dates should be set by the physician advisor or the peer review (utilization review) committee as necessary, based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

446 PAS Hospitals, Southern Region, January–December 1979

A: Summary of all patients in diagnosis groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	343609	3.4	9	1	2	3	4	5	7	14
20-34	191169	4.0	23	1	1	3	4	7	10	24
35-49	83131	5.8	35	1	1	4	7	12	16	30
50-64	72498	6.5	40	1	2	5	8	13	17	32
65+	64867	7.5	48	1	2	6	9	15	20	37
B. *Operated*										
0-19 YRS	148217	3.1	13	1	1	2	3	6	8	17
20-34	250689	4.0	14	1	1	3	5	7	10	18
35-49	121532	5.4	26	1	2	4	7	11	14	24
50-64	107232	6.6	38	1	2	5	9	14	18	30
65+	92790	8.0	58	2	2	5	11	17	22	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176895	5.0	30	1	2	4	6	9	13	30
20-34	121746	5.6	35	1	2	4	7	11	15	31
35-49	133551	6.9	39	1	2	5	8	13	18	32
50-64	217263	7.9	47	2	2	6	10	15	20	35
65+	354486	9.6	65	2	3	7	12	18	24	43
B. *Operated*										
0-19 YRS	88634	5.0	60	1	1	3	5	10	17	48
20-34	209699	5.8	40	1	2	4	7	10	15	34
35-49	148278	7.8	59	2	2	6	9	15	21	43
50-64	156526	10.1	96	2	2	8	13	21	28	54
65+	179114	12.9	130	2	3	10	17	26	35	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	755274	4.5	24	1	1	3	5	8	12	25
B. *Operated*	720460	5.0	28	1	1	3	6	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	1003941	7.6	51	2	2	6	9	15	20	37
B. *Operated*	782251	8.6	86	1	2	6	10	18	26	51
1. SINGLE DX	1475734	4.7	26	1	1	3	5	9	13	25
2. MULTIPLE DX	1786192	8.0	67	1	2	6	10	16	23	44
A. NOT OPERATED	1759215	6.3	42	1	2	4	8	13	17	33
B. OPERATED	1502711	6.8	61	1	2	4	8	15	21	41
TOTAL 0-19 YRS	757355	3.9	21	1	1	3	4	7	9	24
20-34	773303	4.8	27	1	1	3	6	9	12	27
35-49	486492	6.6	42	1	2	5	8	13	17	33
50-64	553519	8.1	60	2	2	6	10	16	22	40
65+	691257	10.1	83	2	2	8	13	20	27	48
GRAND TOTAL	**3261926**	**6.5**	**51**	**1**	**2**	**4**	**8**	**14**	**19**	**37**

446 PAS Hospitals, Southern Region, January–December 1979

B: Summary of all patients in diagnosis groups except newborn

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	136113	3.8	19	1	1	3	4	7	9	22
20-34	191169	4.0	23	1	1	3	4	7	10	24
35-49	83131	5.8	35	1	1	4	7	12	16	30
50-64	72498	6.5	40	1	2	5	8	13	17	32
65+	64867	7.5	48	1	2	6	9	15	20	37
B. *Operated*										
0-19 YRS	148074	3.1	13	1	1	2	3	6	8	17
20-34	250689	4.0	14	1	1	3	5	7	10	18
35-49	121532	5.4	26	1	2	4	7	11	14	24
50-64	107232	6.6	38	1	2	5	9	14	18	30
65+	92790	8.0	58	2	2	5	11	17	22	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105437	4.7	28	1	1	3	5	9	12	28
20-34	121746	5.6	35	1	2	4	7	11	15	31
35-49	133551	6.9	39	1	2	5	8	13	18	32
50-64	217263	7.9	47	2	2	6	10	15	20	35
65+	354486	9.6	65	2	3	7	12	18	24	43
B. *Operated*										
0-19 YRS	86176	4.6	46	1	1	2	5	9	15	40
20-34	209699	5.8	40	1	2	4	7	10	15	34
35-49	148278	7.8	59	2	2	6	9	15	21	43
50-64	156526	10.1	96	2	2	8	13	21	28	54
65+	179114	12.9	130	2	3	10	17	26	35	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	547778	5.0	31	1	1	3	6	10	14	28
B. *Operated*	720317	5.0	28	1	1	3	6	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	932483	7.8	52	2	2	6	10	15	21	37
B. *Operated*	779793	8.6	85	1	2	6	10	18	26	50
1. SINGLE DX	1268095	5.0	29	1	1	3	6	10	14	27
2. MULTIPLE DX	1712276	8.1	67	1	2	6	10	17	23	44
A. NOT OPERATED	1480261	6.7	46	1	2	5	8	14	19	35
B. OPERATED	1500110	6.8	61	1	2	4	8	15	21	41
TOTAL 0-19 YRS	475800	3.9	25	1	1	3	4	7	10	26
20-34	773303	4.8	27	1	1	3	6	9	12	27
35-49	486492	6.6	42	1	2	5	8	13	17	33
50-64	553519	8.1	60	2	2	6	10	16	22	40
65+	691257	10.1	83	2	2	8	13	20	27	48
GRAND TOTAL	**2980371**	**6.8**	**53**	**1**	**2**	**5**	**8**	**14**	**20**	**38**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3235	3.6	8	1	1	3	4	6	8	14
20-34	1257	3.5	6	1	1	3	4	6	8	12
35-49	537	4.1	24	1	1	3	5	7	8	16
50-64	357	4.5	11	1	2	4	6	9	11	16
65+	267	4.8	15	1	2	4	6	9	11	22
B. *Operated*										
0-19 YRS	54	5.9	13	2	2	5	7	11	13	19
20-34	58	6.4	17	2	2	5	8	11	17	19
35-49	25	7.7	30	3	4	7	9	12	17	30
50-64	8	10.4	141	1	1	7	11	30	38	38
65+	7	8.7	12	3	4	9	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3004	4.0	8	1	2	3	5	7	9	15
20-34	1303	4.0	9	1	2	3	5	7	9	15
35-49	682	4.9	11	1	2	4	6	9	11	16
50-64	856	6.0	23	2	2	5	7	11	15	27
65+	1217	7.1	38	2	2	6	9	13	18	31
B. *Operated*										
0-19 YRS	81	8.5	80	2	3	6	9	16	28	52
20-34	80	9.2	78	3	3	6	11	18	30	86
35-49	50	8.7	42	3	3	7	11	15	19	40
50-64	55	10.1	39	3	4	9	12	18	24	32
65+	81	12.7	45	4	5	11	16	24	28	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5653	3.7	9	1	1	3	5	7	8	15
B. *Operated*	152	6.7	24	2	2	5	9	12	14	30
2. MULTIPLE DX										
A. *Not Operated*	7062	4.9	17	1	2	4	6	9	12	22
B. *Operated*	347	9.9	61	3	4	8	12	18	26	48
1. SINGLE DX	5805	3.8	10	1	1	3	5	7	9	16
2. MULTIPLE DX	7409	5.1	20	1	2	4	6	10	13	24
A. NOT OPERATED	12715	4.4	14	1	2	3	5	8	10	19
B. OPERATED	499	9.0	52	2	3	7	11	17	24	40
TOTAL 0-19 YRS	6374	3.9	9	1	1	3	5	7	9	15
20-34	2698	4.0	10	1	1	3	5	7	9	16
35-49	1294	4.8	19	1	2	4	6	8	11	18
50-64	1276	5.8	23	2	2	5	7	11	14	25
65+	1572	7.0	37	2	2	5	9	14	18	30
GRAND TOTAL	**13214**	**4.5**	**16**	**1**	**2**	**4**	**5**	**8**	**11**	**22**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	11.2	61	2	3	8	15	19	27	36
20-34	57	11.4	68	1	2	10	16	22	28	38
35-49	77	11.3	63	2	3	10	16	21	28	34
50-64	76	10.4	77	2	3	8	14	19	26	47
65+	66	13.1	114	2	4	10	19	23	28	60
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	30	12.6	150	2	2	10	19	26	27	60
35-49	41	11.6	60	2	3	10	17	24	26	27
50-64	44	17.5	157	4	4	15	22	36	43	51
65+	55	14.3	64	4	5	13	21	24	29	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	7.9	34	1	2	7	12	16	19	21
20-34	65	14.3	98	4	4	12	19	25	31	59
35-49	103	14.2	154	2	4	11	17	27	33	69
50-64	165	11.4	75	3	3	9	15	23	28	46
65+	246	15.5	145	3	4	13	19	32	43	67
B. *Operated*										
0-19 YRS	9	14.7	174	5	6	9	25	73	99+	99+
20-34	37	18.8	178	4	6	14	27	35	42	62
35-49	88	18.1	295	3	5	13	20	36	52	90
50-64	123	16.7	135	3	4	13	23	32	40	54
65+	157	19.4	185	5	7	15	24	36	53	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	297	11.5	78	2	3	10	16	21	28	46
B. *Operated*	172	14.0	106	2	3	11	20	27	33	50
2. MULTIPLE DX										
A. *Not Operated*	595	13.8	122	3	4	11	17	26	35	57
B. *Operated*	414	18.1	192	4	5	14	23	35	46	82
1. SINGLE DX	469	12.4	90	2	3	10	17	24	30	48
2. MULTIPLE DX	1009	15.6	155	3	4	13	19	31	42	70
A. NOT OPERATED	892	13.0	109	2	3	11	17	25	33	53
B. OPERATED	586	16.9	170	3	4	14	22	33	43	73
TOTAL 0-19 YRS	48	10.4	75	2	2	8	15	21	36	99+
20-34	189	14.0	118	2	3	12	19	27	35	61
35-49	309	14.2	165	2	3	11	17	27	34	78
50-64	408	13.5	110	3	3	10	17	28	36	51
65+	524	16.2	149	4	4	14	20	32	43	68
GRAND TOTAL	**1478**	**14.6**	**137**	**3**	**4**	**12**	**18**	**28**	**37**	**62**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	3	3	3	4	6	7	7	7
20-34	4	18.5	360	3	3	12	30	46	46	46
35-49	7	8.9	34	1	1	9	14	16	16	16
50-64	9	11.2	43	2	2	11	15	20	22	22
65+	6	10.5	54	3	3	8	13	23	24	24
B. *Operated*										
0-19 YRS	15	5.8	41	1	1	3	6	20	21	21
20-34	21	7.4	30	1	2	5	10	14	19	23
35-49	12	14.3	195	2	3	11	18	35	49	51
50-64	10	12.1	101	1	3	11	21	59	97	99+
65+	8	22.0	229	6	8	16	30	47	49	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	20.0	98	13	13	20	27	27	27	27
20-34	9	5.8	19	1	1	5	9	12	12	12
35-49	12	11.0	97	<1	1	8	13	30	32	32
50-64	11	8.3	45	3	3	5	10	21	22	22
65+	25	17.5	270	4	5	11	24	42	58	70
B. *Operated*										
0-19 YRS	4	14.0	485	2	2	3	25	47	47	47
20-34	18	20.7	691	1	2	11	24	68	87	94
35-49	17	18.5	145	4	5	19	25	35	42	46
50-64	32	18.4	217	4	4	15	25	33	40	78
65+	34	22.9	206	3	7	23	34	47	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	10.6	80	2	2	9	15	19	24	46
B. *Operated*	66	10.8	117	1	2	7	15	23	43	92
2. MULTIPLE DX										
A. *Not Operated*	59	12.8	166	1	3	8	15	28	37	69
B. *Operated*	105	20.1	285	3	4	16	28	46	60	99+
1. SINGLE DX	96	10.7	104	1	2	8	15	22	38	77
2. MULTIPLE DX	164	17.5	253	2	3	13	25	40	51	99
A. NOT OPERATED	89	12.0	137	2	3	9	15	26	32	64
B. OPERATED	171	16.5	240	2	3	12	24	40	50	99+
TOTAL 0-19 YRS	25	8.1	112	1	2	4	8	21	32	47
20-34	52	12.6	311	1	2	8	13	24	50	94
35-49	48	14.2	136	2	3	11	20	31	37	51
50-64	62	14.5	155	3	4	13	20	31	38	97
65+	73	20.0	225	4	6	16	29	46	56	99+
GRAND TOTAL	**260**	**15.0**	**208**	**2**	**3**	**11**	**21**	**34**	**47**	**99**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	370	3.2	5	1	1	3	4	5	6	12
20-34	164	3.6	3	2	2	3	4	6	7	9
35-49	44	3.8	4	2	2	3	5	6	7	12
50-64	30	4.2	4	1	2	4	5	7	8	10
65+	9	5.1	4	3	3	5	6	8	9	9
B. *Operated*										
0-19 YRS	25	2.4	4	1	2	2	2	3	6	12
20-34	13	2.1		1	1	2	2	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	573	3.9	19	1	2	3	5	6	7	18
20-34	232	4.1	5	2	2	4	5	6	8	14
35-49	70	4.9	12	2	2	4	6	9	10	22
50-64	74	5.9	15	2	3	5	7	10	13	24
65+	41	9.1	119	2	3	6	9	17	24	69
B. *Operated*										
0-19 YRS	23	5.0	18	1	1	2	8	11	13	15
20-34	10	5.9	18	2	2	5	8	12	15	15
35-49	5	6.4	14	4	4	5	8	13	13	13
50-64	3	6.7		6	6	7	7	7	7	7
65+	3	14.7	72	6	6	15	21	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	617	3.4	5	1	2	3	4	5	6	10
B. *Operated*	38	2.3	3	1	2	2	2	3	4	12
2. MULTIPLE DX										
A. *Not Operated*	990	4.4	20	1	2	4	5	7	10	19
B. *Operated*	44	6.2	23	1	2	5	8	13	15	23
1. SINGLE DX	655	3.4	5	1	2	3	4	5	6	10
2. MULTIPLE DX	1034	4.5	21	1	2	4	5	7	10	19
A. NOT OPERATED	1607	4.0	15	1	2	3	5	6	8	17
B. OPERATED	82	4.4	17	1	2	2	6	11	14	21
TOTAL 0-19 YRS	991	3.6	14	1	2	3	4	6	7	15
20-34	419	3.9	5	2	2	3	5	6	8	12
35-49	119	4.6	9	2	2	4	6	8	10	17
50-64	107	5.4	12	2	2	5	6	10	12	20
65+	53	8.7	100	2	3	6	9	17	23	68
GRAND TOTAL	**1689**	**4.0**	**15**	**1**	**2**	**3**	**5**	**7**	**9**	**17**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	337	6.3	19	2	2	5	8	11	12	30
20-34	29	5.8	13	2	2	5	7	11	14	16
35-49	18	6.1	7	2	3	6	7	10	11	11
50-64	26	11.2	69	4	4	8	15	26	30	32
65+	59	11.2	40	4	5	10	14	18	22	36
B. *Operated*										
0-19 YRS	9	8.2	31	2	2	7	13	16	17	17
20-34	3	27.7	410	5	5	34	41	44	44	44
35-49	4	12.0	179	4	4	6	19	32	32	32
50-64										
65+	5	24.2	205	7	7	20	38	40	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	371	7.7	31	2	3	6	10	14	17	32
20-34	108	9.2	51	2	2	8	11	20	24	35
35-49	92	14.3	140	3	4	11	18	28	41	63
50-64	275	12.7	74	4	5	11	15	23	28	48
65+	941	14.0	96	5	6	12	16	26	33	57
B. *Operated*										
0-19 YRS	32	16.3	133	3	4	14	18	34	43	45
20-34	30	18.9	192	4	5	13	29	39	50	54
35-49	39	20.1	268	4	6	17	27	38	42	94
50-64	84	22.4	244	6	7	16	35	46	58	99+
65+	205	22.9	270	6	8	18	29	47	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	469	7.2	27	2	3	6	9	12	16	32
B. *Operated*	21	15.5	189	2	3	10	23	39	42	44
2. MULTIPLE DX										
A. *Not Operated*	1787	12.2	85	3	4	10	15	23	30	52
B. *Operated*	390	21.7	249	5	7	17	29	43	55	99+
1. SINGLE DX	490	7.5	36	2	3	6	9	13	17	37
2. MULTIPLE DX	2177	13.9	128	3	4	11	16	28	37	69
A. NOT OPERATED	2256	11.1	77	3	4	9	14	21	28	48
B. OPERATED	411	21.4	247	5	7	16	29	43	54	99+
TOTAL 0-19 YRS	749	7.4	34	2	3	6	9	14	17	34
20-34	170	10.7	95	2	3	8	13	25	31	49
35-49	153	14.7	172	3	4	11	19	30	40	64
50-64	385	14.7	127	4	5	12	17	31	40	59
65+	1210	15.4	135	5	6	12	18	29	38	82
GRAND TOTAL	**2667**	**12.7**	**117**	**3**	**4**	**10**	**15**	**26**	**35**	**63**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	308	7.5	22	2	2	7	11	13	15	22
20-34	55	7.3	23	2	2	7	10	12	17	22
35-49	46	7.8	18	3	3	7	11	13	16	19
50-64	38	6.1	9	2	3	6	8	10	11	17
65+	31	6.8	29	2	2	5	8	14	21	26
B. *Operated*										
0-19 YRS	21	10.6	31	2	3	12	14	17	20	23
20-34	7	9.7	50	4	4	8	10	22	25	25
35-49	9	9.7	106	1	1	5	16	27	31	31
50-64	6	6.3	3	4	4	6	8	8	8	8
65+	11	16.0	199	1	2	13	22	35	51	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	248	7.8	26	2	2	7	11	14	16	23
20-34	81	6.2	20	2	3	5	8	10	12	29
35-49	86	7.8	41	3	3	6	9	14	18	41
50-64	128	9.1	32	3	4	8	11	17	20	28
65+	200	11.1	67	4	4	9	13	19	27	46
B. *Operated*										
0-19 YRS	22	16.8	376	1	4	11	16	37	62	91
20-34	16	11.1	55	1	2	9	16	24	25	25
35-49	20	17.0	191	3	4	12	23	43	48	49
50-64	42	19.7	377	3	4	11	28	49	58	93
65+	49	20.8	395	2	6	14	28	44	56	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	478	7.4	21	2	2	7	10	13	16	22
B. *Operated*	54	10.9	79	2	2	9	14	22	25	51
2. MULTIPLE DX										
A. *Not Operated*	743	8.8	42	2	3	7	11	15	20	38
B. *Operated*	149	18.3	325	2	4	12	23	42	53	93
1. SINGLE DX	532	7.7	28	2	2	7	11	13	17	25
2. MULTIPLE DX	892	10.4	101	2	3	8	12	19	28	53
A. NOT OPERATED	1221	8.2	34	2	3	7	11	14	18	36
B. OPERATED	203	16.4	270	2	3	11	20	35	49	92
TOTAL 0-19 YRS	599	8.1	39	2	2	7	11	14	16	31
20-34	159	7.2	27	2	2	6	9	12	18	25
35-49	161	9.1	64	3	3	7	11	16	23	48
50-64	214	10.6	115	3	3	7	11	20	29	58
65+	291	12.5	138	3	4	9	14	24	36	54
GRAND TOTAL	**1424**	**9.4**	**76**	**2**	**3**	**8**	**11**	**16**	**23**	**48**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1108	4.4	16	1	2	4	6	8	10	14
20-34	486	4.6	7	2	2	4	6	8	9	14
35-49	89	5.4	13	1	2	5	7	10	11	70
50-64	23	6.2	15	2	2	5	8	11	14	18
65+	5	7.8	45	1	1	6	10	19	19	19
B. *Operated*										
0-19 YRS	28	6.5	15	2	2	5	9	13	13	15
20-34	10	6.5	10	3	3	6	10	11	11	11
35-49										
50-64	2	8.0	32	4	4	8	12	12	12	12
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	341	5.4	22	2	2	4	6	10	12	19
20-34	176	5.6	10	2	3	5	7	10	12	15
35-49	48	8.0	36	2	3	7	9	16	22	29
50-64	22	9.2	56	2	3	7	10	23	26	30
65+	14	10.6	26	4	5	10	11	20	22	22
B. *Operated*										
0-19 YRS	15	13.9	155	1	3	9	21	35	39	41
20-34	23	9.9	29	2	3	9	13	19	20	21
35-49	6	10.7	23	6	6	9	15	18	18	18
50-64	3	18.0	61	9	9	22	23	23	23	23
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1711	4.6	13	1	2	4	6	8	10	14
B. *Operated*	40	6.6	13	2	2	6	10	12	13	15
2. MULTIPLE DX										
A. *Not Operated*	601	5.9	22	2	2	5	7	10	14	23
B. *Operated*	47	11.8	72	2	3	9	15	22	30	41
1. SINGLE DX	1751	4.6	13	1	2	4	6	8	10	15
2. MULTIPLE DX	648	6.3	28	2	2	5	8	11	15	25
A. NOT OPERATED	2312	4.9	16	1	2	4	6	9	11	18
B. OPERATED	87	9.4	52	2	3	7	12	19	22	39
TOTAL 0-19 YRS	1492	4.8	20	1	2	4	6	8	11	17
20-34	695	5.1	9	2	2	4	6	9	11	15
35-49	143	6.5	23	1	2	6	8	11	17	33
50-64	50	8.3	42	2	2	6	10	20	23	30
65+	19	9.9	30	2	4	9	11	20	21	22
GRAND TOTAL	**2399**	**5.1**	**18**	**1**	**2**	**4**	**6**	**9**	**11**	**20**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	554	3.5	5	1	2	3	4	5	7	13
20-34	136	4.6	7	2	2	4	6	7	9	14
35-49	49	5.0	11	1	2	4	7	10	11	16
50-64	113	6.4	12	2	3	6	8	11	14	16
65+	252	8.1	41	2	3	6	10	15	20	34
B. *Operated*										
0-19 YRS	5	4.8	47	<1	<1	2	17	92	99+	99+
20-34	13	5.0	24	<1	1	3	5	14	16	17
35-49	5	5.4	18	2	2	4	8	12	12	12
50-64	14	5.6	9	2	3	5	8	10	11	11
65+	14	7.9	54	1	2	4	11	20	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	698	4.0	6	1	2	3	5	7	8	14
20-34	151	5.4	11	2	2	5	7	9	12	19
35-49	74	7.1	37	2	3	5	8	12	19	37
50-64	287	8.2	37	2	3	7	10	15	19	34
65+	893	10.3	63	3	3	8	12	20	26	41
B. *Operated*										
0-19 YRS	24	11.3	249	2	3	6	10	20	59	66
20-34	25	5.6	16	1	2	4	8	9	15	17
35-49	14	13.1	188	2	2	7	16	37	42	44
50-64	33	13.0	142	2	3	9	15	25	47	53
65+	78	15.9	175	3	4	12	20	38	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1104	5.0	18	1	2	4	6	10	13	21
B. *Operated*	51	6.0	29	1	2	4	9	14	20	98
2. MULTIPLE DX										
A. *Not Operated*	2103	7.5	43	2	2	5	9	15	20	33
B. *Operated*	174	13.0	165	2	3	9	17	29	46	95
1. SINGLE DX	1155	5.1	18	1	2	4	6	10	13	22
2. MULTIPLE DX	2277	7.9	55	2	2	6	9	16	22	41
A. NOT OPERATED	3207	6.6	36	2	2	5	8	13	18	32
B. OPERATED	225	11.4	143	2	2	8	15	26	44	99+
TOTAL 0-19 YRS	1281	3.9	11	1	2	3	4	6	8	15
20-34	325	5.1	10	2	2	4	7	9	12	17
35-49	142	[illegible]	46	2	2	5	8	12	18	41
50-64	447	8.0	40	2	3	6	10	15	18	34
65+	1237	10.2	68	3	3	8	12	20	27	45
GRAND TOTAL	**3432**	**6.9**	**44**	**2**	**2**	**5**	**8**	**14**	**19**	**35**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	412	6.5	20	2	2	6	8	11	15	25
20-34	1029	7.6	26	2	3	6	10	13	16	26
35-49	245	8.3	27	2	3	7	10	15	19	24
50-64	123	8.9	44	3	3	7	11	14	21	36
65+	54	8.5	30	2	3	7	11	16	20	27
B. *Operated*										
0-19 YRS	18	6.4	24	2	2	5	10	14	15	16
20-34	62	8.2	53	2	2	6	10	19	23	32
35-49	26	11.2	100	2	2	10	13	22	37	43
50-64	25	11.9	59	2	5	9	16	27	46	99+
65+	3	23.0	304	11	11	15	36	43	43	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	7.2	27	2	3	6	8	15	18	27
20-34	333	8.0	28	2	3	7	10	15	18	27
35-49	165	9.1	40	3	3	8	11	17	20	34
50-64	131	10.8	49	4	4	9	14	20	22	39
65+	105	11.7	73	4	5	10	13	21	30	51
B. *Operated*										
0-19 YRS	7	12.4	71	4	4	8	19	24	25	25
20-34	36	10.0	42	2	2	9	15	19	22	24
35-49	40	13.7	127	2	3	10	16	30	39	53
50-64	33	19.9	285	3	3	16	33	47	57	58
65+	32	22.2	304	5	7	16	27	54	60	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1863	7.5	27	2	3	6	9	14	17	27
B. *Operated*	134	9.5	69	2	2	8	14	20	27	52
2. MULTIPLE DX										
A. *Not Operated*	856	9.0	41	3	3	7	11	17	21	35
B. *Operated*	148	16.0	195	2	3	12	19	37	51	60
1. SINGLE DX	1997	7.7	30	2	3	6	10	14	18	30
2. MULTIPLE DX	1004	10.0	70	3	3	8	12	19	24	49
A. NOT OPERATED	2719	8.0	32	2	3	7	10	14	19	30
B. OPERATED	282	12.9	145	2	2	10	16	27	40	60
TOTAL 0-19 YRS	559	6.8	23	2	2	6	8	13	16	26
20-34	1460	7.8	28	2	3	7	10	14	17	27
35-49	476	9.2	46	2	3	8	11	17	20	37
50-64	312	11.1	82	3	4	8	13	21	33	57
65+	194	12.7	122	3	4	10	15	23	37	60
GRAND TOTAL	**3001**	**8.5**	**44**	**2**	**3**	**7**	**10**	**15**	**20**	**37**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	734	4.4	6	2	2	4	6	8	9	12
20-34	263	4.9	8	1	2	4	7	9	10	13
35-49	42	5.4	10	2	2	5	7	9	13	15
50-64	6	7.8	8	4	4	7	11	11	11	11
65+	3	5.7	1	5	5	5	7	7	7	7
B. *Operated*										
0-19 YRS	3	4.3	12	1	1	4	7	8	8	8
20-34	9	6.0	15	1	1	8	8	11	12	12
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	602	5.1	9	2	2	4	6	8	10	16
20-34	200	5.3	9	2	2	5	7	10	11	17
35-49	33	6.7	9	2	3	6	8	11	13	14
50-64	7	7.3	27	3	3	5	9	16	18	18
65+	6	4.8	5	2	2	6	6	7	7	7
B. *Operated*										
0-19 YRS	22	7.6	15	1	2	8	9	13	15	16
20-34	15	8.8	33	1	3	8	10	18	22	23
35-49	2	14.5	41	10	10	14	19	19	19	19
50-64	4	8.5	16	3	3	9	11	12	12	12
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1048	4.6	7	2	2	4	6	8	10	12
B. *Operated*	12	5.6	14	1	1	6	8	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	848	5.2	9	2	2	5	6	9	11	17
B. *Operated*	43	8.4	23	2	3	8	10	15	18	23
1. SINGLE DX	1060	4.6	7	2	2	4	6	8	10	12
2. MULTIPLE DX	891	5.4	10	2	2	5	7	9	12	18
A. NOT OPERATED	1896	4.9	8	2	2	4	6	8	10	15
B. OPERATED	55	7.8	22	1	2	8	10	13	17	23
TOTAL 0-19 YRS	1361	4.7	8	2	2	4	6	8	10	15
20-34	487	5.2	10	2	2	5	7	9	11	17
35-49	77	6.2	12	2	3	5	8	11	14	18
50-64	17	7.8	16	3	3	7	11	12	16	18
65+	9	5.1	4	2	2	6	6	7	7	7
GRAND TOTAL	**1951**	**4.9**	**9**	**2**	**2**	**4**	**6**	**9**	**10**	**15**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	4	<1	<1	2	3	5	7	9
20-34	26	2.4	3	<1	1	2	3	5	6	8
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	3	4.3	16	2	2	2	7	9	9	9
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	455	2.4	21	<1	1	2	2	4	5	10
20-34	934	2.6	9	<1	1	2	3	4	5	9
35-49	242	2.9	4	1	1	2	3	5	6	14
50-64	93	3.0	4	1	1	3	3	5	7	13
65+	22	3.1	4	1	1	3	3	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.8	4	<1	<1	2	5	6	7	7
20-34	21	4.6	29	1	2	3	5	7	16	27
35-49	11	2.2	2	<1	<1	2	3	4	5	5
50-64	7	6.9	35	2	2	4	11	16	17	17
65+	2	6.5	1	6	6	6	7	7	7	7
B. *Operated*										
0-19 YRS	112	3.1	6	1	1	3	4	5	9	13
20-34	336	3.4	16	1	1	2	4	6	8	12
35-49	139	3.8	10	1	2	3	4	7	10	18
50-64	71	5.3	18	2	2	4	7	11	15	22
65+	19	5.5	14	1	1	4	8	10	13	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	2.5	4	<1	1	2	3	5	7	9
B. *Operated*	1746	2.6	11	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	59	3.9	18	<1	1	3	5	7	10	26
B. *Operated*	677	3.7	14	1	1	3	4	7	9	16
1. SINGLE DX	1803	2.6	11	<1	1	2	3	4	5	10
2. MULTIPLE DX	736	3.7	14	1	1	3	4	7	9	16
A. NOT OPERATED	116	3.3	11	<1	1	2	4	6	8	20
B. OPERATED	2423	2.9	12	1	1	2	3	5	7	12
TOTAL 0-19 YRS	608	2.5	17	<1	1	2	3	4	6	12
20-34	1317	2.8	11	<1	1	2	3	5	6	10
35-49	395	3.2	6	1	1	2	4	5	7	14
50-64	174	4.1	13	1	1	3	5	9	12	18
65+	45	4.2	9	1	1	3	6	9	9	16
GRAND TOTAL	**2539**	**2.9**	**12**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0, 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2058	3.3	4	1	1	3	4	6	7	10
20-34	547	4.2	23	1	1	3	5	8	10	15
35-49	202	5.1	29	2	2	4	5	9	10	27
50-64	147	5.3	13	1	2	4	7	10	12	20
65+	139	4.6	10	2	2	4	6	7	10	23
B. *Operated*										
0-19 YRS	82	4.4	33	1	1	3	4	8	16	33
20-34	42	4.8	53	1	1	3	5	9	11	48
35-49	20	6.9	91	<1	1	4	8	13	29	44
50-64	9	13.0	203	4	4	8	12	36	50	50
65+	6	12.3	153	2	2	8	19	32	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1540	3.7	13	1	1	3	4	6	8	15
20-34	703	4.4	11	1	2	4	5	8	9	19
35-49	435	5.4	15	2	2	4	7	9	11	22
50-64	456	6.1	18	2	2	5	8	12	13	25
65+	635	7.2	37	2	2	6	9	13	18	29
B. *Operated*										
0-19 YRS	51	6.8	56	2	2	4	7	14	26	36
20-34	60	7.7	41	1	2	5	10	16	20	30
35-49	30	10.6	53	2	4	9	15	22	24	32
50-64	32	10.1	70	2	3	9	13	17	21	47
65+	36	11.2	65	4	5	9	12	23	33	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3093	3.7	10	1	1	3	4	6	8	13
B. *Operated*	159	5.6	63	1	1	3	5	11	21	48
2. MULTIPLE DX										
A. *Not Operated*	3769	4.9	19	1	2	4	6	9	12	23
B. *Operated*	209	8.9	57	2	2	6	11	17	24	37
1. SINGLE DX	3252	3.8	13	1	1	3	4	7	8	15
2. MULTIPLE DX	3978	5.1	22	1	2	4	6	9	13	25
A. NOT OPERATED	6862	4.4	16	1	2	3	5	8	10	20
B. OPERATED	358	7.5	62	1	2	5	10	16	23	43
TOTAL 0-19 YRS	3731	3.5	9	1	1	3	4	6	7	13
20-34	1352	4.5	19	1	2	4	5	8	10	20
35-49	687	5.6	24	2	2	4	7	10	13	25
50-64	644	6.2	23	2	2	5	8	12	14	25
65+	816	7.0	37	2	2	5	8	13	18	31
GRAND TOTAL	**7230**	**4.5**	**18**	**1**	**2**	**3**	**5**	**8**	**11**	**22**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	296	5.0	6	2	2	5	6	8	10	15
20-34	131	4.8	5	2	2	5	6	8	9	99+
35-49	35	5.6	7	2	3	5	7	10	11	11
50-64	32	7.0	16	3	3	6	9	11	12	24
65+	11	6.7	16	3	3	5	11	12	13	13
B. *Operated*										
0-19 YRS	4	4.8	8	1	1	5	7	7	7	7
20-34	5	7.6	3	5	5	8	9	10	10	10
35-49	1	11.0		11	11	11	11	11	11	11
50-64	2	21.5	365	8	8	21	35	35	35	35
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	7.3	89	1	2	5	8	12	19	62
20-34	53	5.2	9	1	2	5	6	9	11	18
35-49	48	7.1	23	2	2	6	9	12	15	28
50-64	35	6.5	10	3	3	6	8	9	11	18
65+	21	13.5	78	5	6	11	16	24	35	43
B. *Operated*										
0-19 YRS	5	6.2	13	1	1	7	8	11	11	11
20-34	6	8.2	12	3	3	8	12	12	12	12
35-49	3	38.7	2665	4	4	14	77	98	98	98
50-64	6	17.8	335	8	8	11	13	51	55	55
65+	3	39.0	228	23	23	41	50	53	53	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	505	5.2	7	2	2	5	6	9	10	16
B. *Operated*	12	9.3	73	1	3	7	9	18	33	35
2. MULTIPLE DX										
A. *Not Operated*	235	7.2	48	2	2	6	8	12	18	37
B. *Operated*	23	18.3	521	2	4	10	14	53	70	98
1. SINGLE DX	517	5.3	9	2	2	5	6	9	10	16
2. MULTIPLE DX	258	8.2	99	2	2	6	9	14	19	55
A. NOT OPERATED	740	5.8	21	2	2	5	7	10	12	28
B. OPERATED	35	15.2	379	2	4	8	12	41	54	98
TOTAL 0-19 YRS	383	5.5	24	2	2	5	6	9	11	19
20-34	195	5.1	7	2	2	5	7	9	11	61
35-49	87	7.6	113	2	2	6	8	12	14	72
50-64	75	8.0	53	3	3	6	9	12	17	50
65+	35	13.6	136	3	3	11	16	28	42	53
GRAND TOTAL	**775**	**6.3**	**41**	**2**	**2**	**5**	**7**	**10**	**13**	**40**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	152	5.3	12	2	2	5	7	10	12	20
20-34	240	5.5	14	2	2	4	6	10	14	18
35-49	34	6.3	18	2	2	5	8	13	16	17
50-64	12	7.3	51	1	2	5	9	18	25	26
65+	12	4.2	10	1	1	3	6	9	11	11
B. *Operated*										
0-19 YRS	42	2.6	3	<1	1	2	3	5	7	7
20-34	120	2.8	6	<1	1	2	3	6	8	40
35-49	38	2.6	4	<1	1	2	3	4	7	10
50-64	13	4.8	26	<1	1	3	4	16	16	16
65+	5	4.6	19	2	2	2	7	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	5.9	11	1	3	5	7	11	12	17
20-34	184	5.7	15	2	2	5	7	9	12	25
35-49	41	8.2	58	2	3	5	8	18	28	36
50-64	29	10.8	69	1	2	10	15	22	25	35
65+	66	11.2	64	3	4	9	15	19	25	47
B. *Operated*										
0-19 YRS	23	5.8	39	1	2	4	6	10	18	32
20-34	74	5.6	26	1	2	4	8	12	14	28
35-49	36	8.3	240	1	2	4	9	15	20	94
50-64	16	12.9	137	2	2	9	18	30	38	42
65+	19	19.7	454	3	4	14	22	43	73	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	450	5.5	14	2	2	4	7	10	13	20
B. *Operated*	218	2.9	6	<1	1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	422	7.2	34	2	3	6	8	14	18	33
B. *Operated*	168	8.5	149	1	2	5	10	18	30	84
1. SINGLE DX	668	4.6	13	1	1	4	6	9	12	18
2. MULTIPLE DX	590	7.6	67	2	2	5	9	15	20	36
A. NOT OPERATED	872	6.3	25	2	2	5	7	12	16	26
B. OPERATED	386	5.3	76	1	1	3	6	11	17	46
TOTAL 0-19 YRS	319	5.2	13	1	2	4	7	10	11	19
20-34	618	5.0	15	1	2	4	6	10	12	20
35-49	149	6.4	83	1	2	4	7	13	17	37
50-64	70	9.5	79	1	2	6	15	21	26	41
65+	102	11.6	145	2	3	9	15	21	33	70
GRAND TOTAL	**1258**	**6.0**	**41**	**1**	**2**	**4**	**7**	**12**	**16**	**32**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	4.8	15	2	2	4	6	9	11	21
20-34	26	5.6	44	1	2	4	6	11	17	35
35-49	21	8.0	41	1	2	6	9	20	22	23
50-64	26	12.7	380	<1	<1	6	10	34	65	85
65+	18	8.8	56	1	2	7	11	22	26	28
B. *Operated*										
0-19 YRS	10	5.4	63	1	1	2	3	20	24	24
20-34	26	9.3	52	2	2	9	13	21	24	25
35-49	41	9.4	70	1	2	8	12	22	28	35
50-64	35	8.3	80	1	1	5	12	19	21	47
65+	27	10.9	226	2	2	8	14	23	82	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	5.1	8	1	2	5	7	8	9	16
20-34	48	9.3	127	2	2	5	11	16	27	64
35-49	62	11.5	228	1	2	7	10	32	44	77
50-64	95	9.5	102	3	3	6	11	15	25	56
65+	89	12.1	189	3	3	8	12	22	34	82
B. *Operated*										
0-19 YRS	7	10.9	368	1	1	3	7	45	54	54
20-34	34	12.3	213	2	3	6	16	37	60	99+
35-49	39	19.0	367	2	3	12	28	48	79	99+
50-64	51	18.4	318	3	3	13	25	48	65	99+
65+	60	17.6	416	2	3	10	19	55	67	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	7.7	112	1	2	5	8	16	23	66
B. *Operated*	139	9.1	98	1	2	7	12	20	25	82
2. MULTIPLE DX										
A. *Not Operated*	392	9.3	127	2	3	6	10	15	28	65
B. *Operated*	191	16.9	342	2	3	11	22	50	66	99+
1. SINGLE DX	264	8.5	105	1	2	5	11	19	24	77
2. MULTIPLE DX	583	11.8	210	2	3	7	12	28	49	88
A. NOT OPERATED	517	8.9	124	2	2	6	10	16	27	64
B. OPERATED	330	13.6	253	2	2	9	17	34	54	99+
TOTAL 0-19 YRS	149	5.3	29	1	2	4	6	9	12	24
20-34	134	9.4	121	2	2	5	11	21	34	69
35-49	163	12.3	210	1	2	8	13	29	44	88
50-64	207	11.9	198	2	2	8	13	27	48	86
65+	194	13.3	258	2	3	8	14	28	57	89
GRAND TOTAL	**847**	**10.7**	**179**	**2**	**2**	**6**	**12**	**23**	**44**	**85**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	3.2	4	1	1	3	4	5	8	11
20-34	11	3.6	8	<1	<1	2	6	8	10	10
35-49	6	3.8	6	1	1	3	5	8	8	8
50-64	8	5.6	20	<1	1	4	8	12	14	14
65+	3	5.7	20	1	1	6	9	10	10	10
B. *Operated*										
0-19 YRS	30	4.3	6	2	2	4	5	6	7	15
20-34	12	4.0	3	2	2	4	5	7	8	8
35-49	11	7.5	56	1	1	5	10	19	25	26
50-64	7	8.9	34	1	1	9	14	16	16	16
65+	2	12.5	221	2	2	12	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	3.9	5	2	2	3	5	6	9	13
20-34	9	4.9	8	1	1	4	7	9	9	9
35-49	10	7.7	19	2	3	6	9	15	15	15
50-64	11	6.4	17	3	3	4	8	12	17	17
65+	15	8.3	38	3	4	6	9	19	24	26
B. *Operated*										
0-19 YRS	18	4.7	6	2	2	4	5	7	11	13
20-34	11	5.9	5	2	2	6	7	8	9	9
35-49	21	12.5	79	2	3	10	17	26	32	34
50-64	7	6.9	48	2	2	4	9	19	21	21
65+	6	9.7	89	1	1	6	15	25	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	3.7	8	1	1	3	5	8	10	13
B. *Operated*	62	5.6	24	2	2	4	6	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	84	5.6	17	2	2	4	7	9	15	24
B. *Operated*	63	8.2	51	2	2	6	10	19	25	33
1. SINGLE DX	133	4.6	16	1	1	4	5	10	14	24
2. MULTIPLE DX	147	6.7	33	2	2	5	8	14	19	30
A. NOT OPERATED	155	4.7	14	1	2	4	6	9	11	19
B. OPERATED	125	6.9	39	2	2	5	8	15	22	31
TOTAL 0-19 YRS	130	3.9	5	1	2	3	5	6	8	14
20-34	43	4.6	6	1	1	4	6	8	9	10
35-49	48	9.3	60	2	2	8	12	20	26	34
50-64	33	6.8	26	1	2	5	9	15	17	21
65+	26	8.7	52	1	2	6	10	23	26	26
GRAND TOTAL	**280**	**5.7**	**26**	**1**	**2**	**4**	**7**	**11**	**16**	**26**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	4.1	6	1	2	3	5	7	9	14
20-34	91	5.3	13	1	2	4	7	10	13	16
35-49	40	5.9	21	2	2	4	8	11	15	23
50-64	23	5.7	11	2	3	5	6	9	15	16
65+	7	5.4	8	<1	1	5	8	9	9	9
B. *Operated*										
0-19 YRS	32	5.2	13	1	1	4	9	10	12	14
20-34	326	6.1	19	2	2	5	8	12	15	20
35-49	122	6.1	32	1	2	4	8	13	17	34
50-64	38	7.9	34	2	2	6	10	17	21	26
65+	16	9.7	46	2	2	8	13	21	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	4.6	10	1	2	4	5	9	13	14
20-34	160	6.4	16	1	2	6	9	12	14	21
35-49	117	7.8	49	2	2	6	10	16	21	34
50-64	59	7.9	35	2	2	6	10	17	20	29
65+	59	10.8	154	2	3	8	12	18	28	85
B. *Operated*										
0-19 YRS	27	7.5	40	1	1	5	10	15	18	30
20-34	232	9.5	50	3	3	8	12	17	21	42
35-49	128	8.4	33	2	3	7	11	17	20	26
50-64	73	10.9	106	2	3	8	13	21	26	60
65+	31	13.5	146	3	4	9	16	26	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	224	5.1	12	1	2	4	7	9	12	16
B. *Operated*	534	6.3	24	2	2	5	8	12	16	24
2. MULTIPLE DX										
A. *Not Operated*	461	7.3	46	2	2	6	9	14	18	29
B. *Operated*	491	9.5	61	2	3	8	12	18	23	42
1. SINGLE DX	758	5.9	21	2	2	5	8	12	15	22
2. MULTIPLE DX	952	8.4	55	2	3	6	11	16	21	36
A. NOT OPERATED	685	6.6	36	2	2	5	8	13	16	26
B. OPERATED	1025	7.8	44	2	2	6	10	16	20	32
TOTAL 0-19 YRS	188	4.9	15	1	2	4	6	10	13	16
20-34	809	7.0	29	2	2	6	9	14	17	25
35-49	407	7.3	37	2	2	5	9	16	19	27
50-64	193	8.8	61	2	3	6	11	18	22	40
65+	113	11.1	129	2	3	8	13	22	28	73
GRAND TOTAL	**1710**	**7.3**	**41**	**2**	**2**	**6**	**9**	**15**	**18**	**29**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64	2	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS										
20-34	5	13.4	207	5	5	7	16	39	39	39
35-49	4	5.8	8	2	2	6	8	8	8	8
50-64	2	6.5	5	5	5	6	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	6	5.2	7	2	2	6	7	8	8	8
35-49	8	4.8	4	2	2	4	6	8	8	8
50-64	6	4.8	7	2	2	4	8	8	8	8
65+	14	8.0	27	2	3	5	11	17	19	19
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	9	6.0	11	1	2	5	8	11	11	11
35-49	7	15.7	232	2	2	9	29	39	40	40
50-64	8	16.4	328	2	2	8	25	47	54	54
65+	8	9.9	44	2	3	9	13	20	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.7		3	3	4	4	4	4	4
B. *Operated*	11	9.4	101	2	4	7	8	21	37	39
2. MULTIPLE DX										
A. *Not Operated*	36	6.0	16	2	2	5	8	11	15	19
B. *Operated*	33	11.7	146	2	2	8	13	32	39	54
1. SINGLE DX	14	8.1	83	2	3	6	8	12	33	39
2. MULTIPLE DX	69	8.7	85	2	2	5	10	18	31	51
A. NOT OPERATED	39	5.8	15	2	2	5	8	11	15	19
B. OPERATED	44	11.1	133	2	2	8	11	31	39	54
TOTAL 0-19 YRS	4	5.3	27	2	2	3	8	13	13	13
20-34	20	7.6	62	1	2	7	8	10	25	39
35-49	19	9.0	108	2	2	5	8	26	37	40
50-64	18	10.1	172	2	2	5	8	28	45	54
65+	22	8.7	32	2	3	7	11	18	20	22
GRAND TOTAL	**83**	**8.6**	**84**	**2**	**2**	**5**	**9**	**17**	**32**	**49**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	7.3	82	1	1	4	8	22	30	30
35-49	14	8.1	113	<1	1	4	7	32	32	32
50-64	89	6.8	44	1	2	5	9	15	20	34
65+	106	7.6	84	1	2	4	8	20	33	72
B. *Operated*										
0-19 YRS	17	5.8	24	1	2	4	8	15	16	16
20-34	40	3.6	6	1	2	3	4	6	9	14
35-49	130	5.3	42	1	2	3	6	12	20	30
50-64	356	7.4	75	1	2	4	9	16	24	47
65+	480	7.1	75	1	2	4	9	15	24	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.7	27	2	2	6	12	12	12	12
20-34	7	11.9	531	1	1	4	6	52	64	64
35-49	48	8.4	59	2	2	5	13	17	25	34
50-64	204	8.9	94	1	1	6	11	21	30	45
65+	227	10.7	96	2	2	8	14	24	31	53
B. *Operated*										
0-19 YRS	6	5.3	19	1	1	4	7	12	13	13
20-34	21	14.6	290	2	2	7	19	44	56	58
35-49	111	15.1	249	2	2	10	19	38	50	85
50-64	498	13.1	162	2	2	9	18	32	44	99+
65+	590	12.4	164	2	2	8	16	29	38	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	219	7.3	68	1	2	4	8	18	30	43
B. *Operated*	1023	6.8	68	1	2	4	8	15	23	41
2. MULTIPLE DX										
A. *Not Operated*	492	9.7	96	1	2	7	13	22	30	48
B. *Operated*	1226	12.9	173	2	2	9	17	31	43	75
1. SINGLE DX	1242	6.9	68	1	2	4	8	15	23	41
2. MULTIPLE DX	1718	12.0	153	2	2	8	16	29	39	72
A. NOT OPERATED	711	9.0	89	1	2	6	11	21	30	48
B. OPERATED	2249	10.1	134	2	2	6	13	25	36	64
TOTAL 0-19 YRS	30	5.7	22	1	1	4	10	13	16	16
20-34	77	7.8	154	1	2	4	6	16	35	62
35-49	303	9.5	142	1	2	4	13	25	35	66
50-64	1147	10.1	121	1	2	6	13	25	35	61
65+	1403	9.9	122	2	2	6	13	23	32	64
GRAND TOTAL	**2960**	**9.9**	**123**	**2**	**2**	**6**	**13**	**24**	**33**	**63**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	11	9.4	91	1	2	5	13	25	31	32
50-64	49	7.0	57	1	1	5	8	17	24	36
65+	51	9.0	81	2	2	7	10	20	32	43
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	19	16.6	122	1	2	18	24	37	72	99+
50-64	100	13.8	144	2	3	11	18	30	36	66
65+	118	13.9	202	2	2	9	18	30	43	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	13	9.2	43	2	3	8	12	19	23	24
50-64	100	10.6	132	1	3	7	11	21	39	59
65+	150	12.1	105	2	3	8	16	27	35	43
B. *Operated*										
0-19 YRS	2	21.5	41	17	17	21	26	26	26	26
20-34	1	30.0		30	30	30	30	30	30	30
35-49	34	23.4	277	6	8	22	28	55	72	99+
50-64	174	18.1	211	3	4	15	25	40	47	97
65+	215	17.3	204	2	3	14	25	38	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	8.2	71	1	2	5	9	19	31	40
B. *Operated*	238	14.0	170	2	3	10	19	30	39	82
2. MULTIPLE DX										
A. *Not Operated*	263	11.4	112	2	3	8	14	24	35	52
B. *Operated*	426	18.1	213	2	4	15	25	40	54	99+
1. SINGLE DX	349	12.2	146	2	2	8	16	28	36	65
2. MULTIPLE DX	689	15.6	185	2	3	12	22	35	46	87
A. NOT OPERATED	374	10.4	102	1	2	7	13	24	32	49
B. OPERATED	664	16.7	201	2	3	13	23	37	47	97
TOTAL 0-19 YRS	2	21.5	41	17	17	21	26	26	26	26
20-34	2	16.5	365	3	3	16	30	30	30	30
35-49	77	17.3	205	2	4	14	24	38	58	99+
50-64	423	14.0	173	2	3	10	18	32	41	70
65+	534	14.3	171	2	3	10	20	32	43	70
GRAND TOTAL	**1038**	**14.4**	**174**	**2**	**3**	**10**	**20**	**32**	**43**	**82**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	4.6	14	2	2	4	6	11	11	11
35-49	8	5.3	9	1	1	6	8	9	9	9
50-64	48	7.1	28	1	2	5	10	16	18	21
65+	87	6.9	32	1	1	5	9	15	19	25
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	2	14.5	41	10	10	14	19	19	19	19
35-49	22	19.4	52	8	11	19	22	31	32	32
50-64	104	15.7	72	3	6	14	20	27	33	40
65+	147	17.6	125	4	6	15	22	33	39	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	4.9	33	1	1	3	5	14	20	20
35-49	28	7.5	42	1	1	6	10	13	23	29
50-64	143	10.0	141	1	2	6	12	22	27	72
65+	300	10.3	89	2	3	8	13	21	30	52
B. *Operated*										
0-19 YRS	2	10.5	13	8	8	10	13	13	13	13
20-34	18	21.7	306	7	8	16	29	34	63	82
35-49	45	18.8	256	4	4	15	20	41	51	75
50-64	252	20.0	173	5	8	17	25	35	43	96
65+	496	22.5	210	6	9	19	28	39	53	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	6.8	29	1	1	5	9	15	18	24
B. *Operated*	276	17.0	99	4	7	15	21	31	37	51
2. MULTIPLE DX										
A. *Not Operated*	481	10.0	101	1	2	7	12	21	29	57
B. *Operated*	813	21.5	204	5	8	18	27	38	51	85
1. SINGLE DX	424	13.4	98	2	3	12	18	26	33	43
2. MULTIPLE DX	1294	17.2	196	2	4	14	22	33	44	79
A. NOT OPERATED	629	9.2	86	1	2	7	12	19	25	48
B. OPERATED	1089	20.3	181	5	8	17	26	36	48	79
TOTAL 0-19 YRS	3	13.3	30	8	8	13	17	19	19	19
20-34	35	14.0	233	1	2	10	19	32	34	82
35-49	103	14.8	166	1	3	12	19	30	36	75
50-64	547	15.5	156	2	3	14	20	31	38	75
65+	1030	16.9	183	2	4	14	22	33	43	71
GRAND TOTAL	**1718**	**16.3**	**175**	**2**	**4**	**14**	**21**	**32**	**41**	**75**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	6	6.0	10	4	4	5	7	11	12	12
B. *Operated*										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	5	12.8	46	7	7	10	16	24	24	24
50-64	7	21.0	55	10	11	19	26	31	32	32
65+	11	16.5	81	9	9	13	17	34	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.0	5	1	1	4	5	6	6	6
35-49	4	3.5	6	1	1	3	5	6	6	6
50-64	18	13.6	385	2	3	7	12	39	68	80
65+	27	7.2	28	1	1	6	11	14	18	20
B. *Operated*										
0-19 YRS										
20-34	3	19.0	229	7	7	14	30	36	36	36
35-49	20	16.0	61	4	6	15	19	29	30	31
50-64	48	21.0	264	9	10	15	24	45	54	92
65+	56	21.6	203	10	10	18	25	38	55	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.7	9	4	4	4	6	11	12	12
B. *Operated*	24	16.9	67	8	9	14	21	32	33	36
2. MULTIPLE DX										
A. *Not Operated*	53	8.8	154	1	1	6	10	15	20	79
B. *Operated*	127	20.4	204	8	10	16	25	37	53	82
1. SINGLE DX	31	14.4	76	4	4	13	18	29	32	36
2. MULTIPLE DX	180	17.0	216	2	4	14	20	31	50	80
A. NOT OPERATED	60	8.5	137	1	2	6	10	14	19	77
B. OPERATED	151	19.9	183	8	10	16	24	34	51	79
TOTAL 0-19 YRS										
20-34	8	10.8	123	1	2	6	13	29	36	36
35-49	29	13.7	67	2	4	12	17	27	30	31
50-64	74	18.9	277	4	6	14	22	42	53	89
65+	100	16.2	174	2	4	13	19	30	38	73
GRAND TOTAL	**211**	**16.6**	**196**	**3**	**4**	**13**	**19**	**31**	**46**	**79**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49	14	10.6	142	1	2	6	13	29	41	45
50-64	117	6.4	35	1	1	5	7	14	19	31
65+	191	7.8	45	1	2	5	11	16	24	31
B. *Operated*										
0-19 YRS	10	11.0	33	3	3	12	16	17	18	18
20-34	23	13.7	50	4	6	13	17	21	27	38
35-49	114	12.9	35	3	7	12	16	20	23	32
50-64	450	14.0	40	5	9	13	16	21	24	39
65+	907	16.5	72	6	9	15	19	26	31	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	34	6.1	19	2	2	5	8	12	17	17
35-49	104	7.9	62	1	2	5	10	16	20	45
50-64	498	7.8	67	1	2	5	9	16	23	43
65+	1034	9.7	89	2	3	7	12	19	28	52
B. *Operated*										
0-19 YRS	6	17.5	46	5	6	19	22	24	24	24
20-34	67	15.5	101	5	6	13	18	29	36	54
35-49	266	16.9	95	6	8	15	20	28	34	58
50-64	1157	17.7	99	6	9	16	21	29	35	59
65+	2938	20.6	126	9	11	18	25	34	42	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	327	7.4	46	1	2	5	9	16	22	32
B. *Operated*	1504	15.4	61	5	9	14	18	23	28	44
2. MULTIPLE DX										
A. *Not Operated*	1670	9.0	80	2	2	6	11	18	25	47
B. *Operated*	4434	19.5	119	8	10	17	24	32	41	62
1. SINGLE DX	1831	14.0	68	2	4	13	17	23	28	43
2. MULTIPLE DX	6104	16.6	130	3	4	15	21	30	38	59
A. NOT OPERATED	1997	8.7	75	1	2	6	11	18	25	45
B. OPERATED	5938	18.5	107	7	9	16	22	30	38	59
TOTAL 0-19 YRS	18	12.6	46	3	3	14	18	21	23	24
20-34	127	12.4	85	2	3	11	16	21	31	48
35-49	498	13.9	88	2	4	13	17	25	30	53
50-64	2222	14.1	95	2	4	13	18	25	31	53
65+	5070	17.1	127	3	5	15	22	30	38	60
GRAND TOTAL	**7935**	**16.0**	**117**	**3**	**4**	**14**	**20**	**29**	**36**	**58**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	16	8.4	60	<1	1	6	11	22	26	27
50-64	74	7.6	55	1	2	5	10	15	26	34
65+	113	9.3	106	1	2	5	11	24	31	54
B. *Operated*										
0-19 YRS	3	15.3	169	2	2	16	25	28	28	28
20-34	18	10.4	63	2	2	10	14	19	28	34
35-49	102	12.5	51	2	3	13	17	21	23	37
50-64	340	14.8	68	3	4	14	19	25	28	45
65+	585	16.0	83	2	4	16	21	27	32	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	12.5	41	8	8	12	17	17	17	17
20-34	13	14.8	424	2	3	5	22	40	69	76
35-49	41	9.8	79	2	2	6	14	21	25	46
50-64	212	8.7	78	2	2	6	10	16	27	49
65+	402	10.1	88	2	2	7	13	21	31	48
B. *Operated*										
0-19 YRS	2	10.5	25	7	7	10	14	14	14	14
20-34	21	14.4	61	3	4	14	19	24	30	33
35-49	122	16.6	91	4	6	15	20	27	36	50
50-64	580	19.3	133	4	7	17	24	34	42	62
65+	1245	20.9	167	5	7	18	26	37	47	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	8.5	84	1	2	5	11	22	28	46
B. *Operated*	1048	15.2	76	2	3	15	20	25	30	45
2. MULTIPLE DX										
A. *Not Operated*	670	9.8	91	2	2	7	12	20	30	50
B. *Operated*	1970	20.1	153	4	7	18	25	36	46	67
1. SINGLE DX	1252	14.1	83	2	3	14	19	25	30	45
2. MULTIPLE DX	2640	17.5	157	3	4	15	23	33	42	65
A. NOT OPERATED	874	9.5	89	2	2	6	12	21	29	49
B. OPERATED	3018	18.4	132	3	5	16	23	32	41	61
TOTAL 0-19 YRS	7	13.1	72	2	3	14	17	26	28	28
20-34	53	12.9	148	2	3	10	17	25	33	75
35-49	281	13.7	80	2	3	13	18	23	29	47
50-64	1206	15.4	119	2	4	14	20	29	36	54
65+	2345	17.3	149	3	4	16	23	32	41	62
GRAND TOTAL	**3892**	**16.4**	**136**	**2**	**4**	**15**	**21**	**31**	**39**	**59**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	8.0	79	1	1	6	9	23	30	30
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	17	7.2	15	1	1	9	10	11	12	13
50-64	35	6.6	29	<1	<1	5	9	15	16	23
65+	65	8.4	63	<1	1	6	11	19	24	40
B. *Operated*										
0-19 YRS	2	13.0	98	6	6	13	20	20	20	20
20-34	9	10.0	27	1	3	10	12	18	20	20
35-49	18	15.8	54	6	7	15	22	27	29	29
50-64	74	17.0	73	7	8	15	21	30	36	88
65+	110	17.2	138	6	7	15	22	29	42	91
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.0	11	2	2	4	6	10	11	11
20-34	14	7.6	51	2	2	5	10	22	24	24
35-49	34	8.4	38	2	2	6	12	17	20	26
50-64	117	9.1	61	2	3	7	11	19	24	48
65+	225	10.6	88	3	3	8	14	21	26	65
B. *Operated*										
0-19 YRS	4	34.5	332	18	18	33	50	54	54	54
20-34	16	16.4	68	4	8	14	22	29	32	34
35-49	47	19.3	128	6	7	19	26	36	48	99+
50-64	158	19.9	160	6	8	16	26	38	49	66
65+	330	20.5	181	6	8	17	24	36	46	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	7.7	47	<1	1	6	10	15	22	34
B. *Operated*	213	16.7	104	6	8	14	21	29	33	91
2. MULTIPLE DX										
A. *Not Operated*	396	9.8	74	2	3	7	12	20	24	50
B. *Operated*	555	20.2	169	6	8	17	25	37	47	76
1. SINGLE DX	341	13.3	102	1	3	12	18	27	31	66
2. MULTIPLE DX	951	15.9	156	3	4	13	21	32	43	68
A. NOT OPERATED	524	9.3	68	1	2	7	11	19	24	46
B. OPERATED	768	19.2	154	6	8	16	24	34	46	77
TOTAL 0-19 YRS	21	12.7	212	1	2	6	18	36	50	54
20-34	41	11.4	65	2	2	10	15	23	27	34
35-49	116	13.8	100	2	3	11	20	28	33	66
50-64	384	14.8	128	2	4	12	20	30	38	61
65+	730	15.9	159	3	4	13	21	31	41	74
GRAND TOTAL	**1292**	**15.2**	**143**	**2**	**4**	**12**	**20**	**30**	**40**	**68**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	19	9.6	276	2	2	5	9	12	48	77
50-64	62	6.7	27	1	2	5	9	11	17	30
65+	110	9.5	55	2	3	7	14	17	21	43
B. *Operated*										
0-19 YRS										
20-34	4	21.0	74	10	10	21	26	31	31	31
35-49	16	16.4	29	8	9	15	20	25	26	26
50-64	70	19.8	88	8	11	18	23	32	35	61
65+	138	19.0	81	5	10	18	24	32	36	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	9	9.8	10	5	5	11	12	13	14	14
35-49	52	7.7	41	1	2	6	9	17	19	32
50-64	197	9.0	52	2	2	7	12	17	21	35
65+	319	10.4	99	2	3	7	13	21	29	62
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	8	14.5	64	5	7	12	17	28	31	31
35-49	65	17.1	74	5	6	16	23	29	30	47
50-64	306	21.1	171	6	8	18	25	42	47	68
65+	547	22.0	142	8	11	20	25	36	45	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	8.6	68	2	2	7	11	16	20	44
B. *Operated*	228	19.1	79	7	10	18	23	32	35	56
2. MULTIPLE DX										
A. *Not Operated*	579	9.6	77	2	2	7	12	19	25	43
B. *Operated*	927	21.3	147	7	9	19	25	37	45	66
1. SINGLE DX	419	14.3	102	2	3	13	19	27	33	48
2. MULTIPLE DX	1506	16.8	152	3	4	15	22	31	42	62
A. NOT OPERATED	770	9.4	75	2	2	7	12	18	24	44
B. OPERATED	1155	20.8	135	7	10	19	25	35	44	66
TOTAL 0-19 YRS	3	10.0	129	2	2	5	18	23	23	23
20-34	21	13.7	55	5	5	11	16	25	31	31
35-49	152	12.9	101	2	3	12	17	25	30	50
50-64	635	15.8	148	2	4	13	20	31	42	60
65+	1114	17.0	144	3	4	15	22	31	40	62
GRAND TOTAL	**1925**	**16.3**	**142**	**3**	**4**	**14**	**21**	**31**	**40**	**61**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	10	4.7	17	1	1	3	5	12	13	13
35-49	149	5.3	29	1	1	4	6	12	17	26
50-64	531	7.2	65	1	1	5	9	16	22	36
65+	558	7.9	54	1	1	6	10	16	22	36
B. *Operated*										
0-19 YRS	5	19.2	79	11	11	15	25	33	33	33
20-34	23	10.9	49	1	2	11	15	21	23	24
35-49	328	11.1	58	2	3	10	15	21	27	36
50-64	1265	12.7	76	2	3	11	17	23	29	46
65+	1239	12.8	82	2	3	11	17	24	29	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	12.4	63	2	3	12	16	24	27	27
20-34	26	7.2	51	1	2	5	9	14	20	35
35-49	469	9.1	95	1	2	6	11	21	29	43
50-64	2076	9.6	85	1	2	7	12	21	27	48
65+	2532	10.7	93	2	3	8	14	22	30	51
B. *Operated*										
0-19 YRS	10	13.6	264	1	2	9	11	39	57	57
20-34	31	11.0	36	3	4	11	15	20	24	99+
35-49	549	14.7	124	3	4	12	19	27	35	57
50-64	2736	15.7	126	3	4	13	20	30	37	57
65+	3003	16.2	128	3	5	14	21	31	38	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1250	7.3	56	1	1	5	9	16	22	35
B. *Operated*	2860	12.6	77	2	3	11	17	23	29	43
2. MULTIPLE DX										
A. *Not Operated*	5111	10.1	90	1	2	7	13	21	29	50
B. *Operated*	6329	15.8	127	3	4	13	20	30	37	58
1. SINGLE DX	4110	10.9	76	1	2	9	15	22	27	41
2. MULTIPLE DX	11440	13.2	119	2	3	10	18	27	34	55
A. NOT OPERATED	6361	9.5	85	1	2	7	12	20	28	49
B. OPERATED	9189	14.8	113	3	4	12	19	28	35	55
TOTAL 0-19 YRS	25	13.8	142	2	4	10	16	27	39	57
20-34	90	9.2	45	1	2	8	13	19	23	73
35-49	1495	11.2	100	1	2	9	15	23	30	47
50-64	6608	12.5	108	2	3	10	17	25	32	51
65+	7332	13.1	111	2	3	11	17	26	34	54
GRAND TOTAL	**15550**	**12.6**	**108**	**2**	**3**	**10**	**17**	**26**	**33**	**52**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	4	1	1	4	5	6	6	6
20-34	9	3.3	6	1	1	3	5	7	8	8
35-49	23	6.9	55	1	1	5	11	16	26	28
50-64	71	5.9	58	1	1	4	7	11	16	42
65+	67	6.1	46	1	1	3	7	17	22	31
B. *Operated*										
0-19 YRS	8	5.9	32	1	1	4	8	16	18	18
20-34	30	10.1	124	2	2	8	14	19	26	58
35-49	93	7.0	45	1	1	3	12	16	22	29
50-64	447	8.6	82	1	1	4	14	20	26	40
65+	359	7.2	61	1	1	3	12	18	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	6.3	13	2	2	5	10	11	12	12
20-34	12	7.3	26	<1	1	6	11	15	15	15
35-49	25	10.5	103	2	3	8	11	25	32	46
50-64	112	6.9	61	1	1	5	8	12	20	44
65+	103	10.6	96	1	2	8	13	25	35	44
B. *Operated*										
0-19 YRS	7	12.0	101	3	3	9	21	27	28	28
20-34	13	15.0	628	1	1	10	12	31	85	97
35-49	65	15.8	275	2	2	12	22	35	52	98
50-64	364	14.1	176	2	2	11	20	36	44	95
65+	350	14.6	185	2	2	11	20	32	44	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	5.9	49	1	1	4	6	13	22	38
B. *Operated*	937	8.0	71	1	1	3	13	18	24	37
2. MULTIPLE DX										
A. *Not Operated*	264	8.7	77	1	2	6	11	19	27	45
B. *Operated*	799	14.4	193	2	2	11	20	34	44	81
1. SINGLE DX	1111	7.6	68	1	1	3	12	18	24	37
2. MULTIPLE DX	1063	13.0	171	1	2	9	18	31	42	66
A. NOT OPERATED	438	7.6	68	1	1	5	10	17	25	43
B. OPERATED	1736	10.9	138	1	2	7	16	26	35	58
TOTAL 0-19 YRS	31	7.2	41	1	2	5	10	14	24	28
20-34	64	9.6	195	1	1	6	12	15	22	92
35-49	206	10.2	140	1	1	7	14	24	29	87
50-64	994	10.2	121	1	2	6	15	25	35	58
65+	879	10.5	125	1	2	6	15	25	33	53
GRAND TOTAL	**2174**	**10.3**	**126**	**1**	**2**	**6**	**15**	**24**	**33**	**57**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	3.8	6	<1	1	4	4	6	7	14
20-34	33	3.2	3	1	1	3	5	5	6	6
35-49	24	5.4	27	1	1	4	6	10	15	26
50-64	29	7.8	57	2	2	5	10	22	33	99+
65+	48	5.9	51	1	1	4	7	13	18	40
B. *Operated*										
0-19 YRS	56	7.7	38	2	2	7	11	14	20	32
20-34	76	8.0	53	1	2	6	11	18	20	41
35-49	86	7.1	41	1	2	5	9	15	22	33
50-64	139	9.3	106	1	2	6	11	20	27	66
65+	183	9.7	94	1	2	7	14	21	28	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	5.5	16	1	2	4	7	9	10	22
20-34	59	7.1	42	1	1	6	9	16	21	34
35-49	38	11.2	226	1	2	5	12	30	42	78
50-64	91	7.2	78	1	1	4	9	15	20	50
65+	123	10.1	148	1	2	5	12	25	33	62
B. *Operated*										
0-19 YRS	23	10.2	62	2	2	8	13	23	27	31
20-34	37	13.0	88	2	3	10	19	25	32	42
35-49	47	15.6	249	2	3	10	22	37	54	99+
50-64	117	13.8	209	2	2	9	19	26	37	79
65+	199	14.9	222	2	3	11	20	30	43	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	5.1	31	1	1	4	6	10	14	38
B. *Operated*	540	8.7	78	1	2	6	11	18	26	47
2. MULTIPLE DX										
A. *Not Operated*	363	8.3	105	1	2	5	9	18	28	55
B. *Operated*	423	14.2	201	2	2	10	19	30	40	85
1. SINGLE DX	716	7.8	68	1	2	5	10	17	26	46
2. MULTIPLE DX	786	11.5	165	1	2	7	15	25	35	71
A. NOT OPERATED	539	7.3	83	1	1	4	8	15	24	54
B. OPERATED	963	11.1	139	2	2	7	15	24	33	65
TOTAL 0-19 YRS	173	6.4	31	1	2	4	8	13	19	30
20-34	205	7.9	56	1	2	6	10	18	22	38
35-49	195	9.7	137	1	2	6	12	22	35	83
50-64	376	10.1	134	1	2	6	12	23	33	69
65+	553	11.3	156	1	2	7	15	26	33	65
GRAND TOTAL	**1502**	**9.8**	**122**	**1**	**2**	**6**	**12**	**22**	**31**	**61**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	12	3.6	2	2	2	3	5	6	6	6
35-49	22	4.8	9	2	2	4	6	9	11	12
50-54	47	6.0	19	1	2	4	8	13	15	20
65+	27	8.6	55	2	2	5	12	18	26	32
B. *Operated*										
0-19 YRS	4	1.8		1	1	2	2	2	2	2
20-34	137	6.0	21	1	2	5	8	11	15	23
35-49	229	6.1	16	2	2	5	8	12	14	19
50-64	228	7.4	40	2	2	6	9	13	19	35
65+	200	8.0	59	2	2	6	10	15	20	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	46	6.1	37	1	1	4	7	15	22	28
35-49	40	5.6	13	1	1	5	8	10	12	17
50-64	66	6.7	19	2	3	5	9	15	17	20
65+	88	10.2	112	2	3	6	10	24	32	52
B. *Operated*										
0-19 YRS	3	7.7	32	3	3	6	12	14	14	14
20-34	55	6.9	29	1	2	5	9	13	20	24
35-49	108	7.7	28	2	2	6	11	16	18	22
50-64	136	11.3	70	2	3	9	14	23	31	36
65+	202	11.4	85	2	3	9	15	21	30	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	6.1	26	2	2	4	7	13	15	28
B. *Operated*	798	6.9	35	2	2	5	9	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	241	7.7	59	1	2	5	9	16	23	43
B. *Operated*	504	10.0	65	2	2	8	13	20	26	39
1. SINGLE DX	907	6.8	34	2	2	5	9	13	17	26
2. MULTIPLE DX	745	9.3	64	2	2	7	12	19	24	41
A. NOT OPERATED	350	7.2	49	1	2	5	8	15	21	42
B. OPERATED	1302	8.1	49	2	2	6	11	16	21	36
TOTAL 0-19 YRS	9	4.0	16	1	1	2	4	11	14	14
20-34	250	6.1	25	1	2	5	8	12	17	24
35-49	399	6.4	19	2	2	5	9	12	15	20
50-64	477	8.3	47	2	2	6	11	16	22	35
65+	517	9.7	80	2	2	7	12	19	26	44
GRAND TOTAL	**1652**	**7.9**	**49**	**2**	**2**	**6**	**10**	**16**	**21**	**36**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	6	4.7	37	2	2	2	3	16	17	17
50-64	18	3.3	9	<1	<1	2	5	7	10	12
65+	51	5.3	42	1	2	4	6	9	11	45
B. *Operated*										
0-19 YRS	17	2.7	4	<1	1	2	3	5	7	8
20-34	54	4.4	16	1	1	3	6	10	12	21
35-49	246	3.1	11	1	1	2	3	6	9	16
50-64	561	3.1	12	1	1	2	3	5	8	20
65+	1008	4.0	18	1	1	2	4	8	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	6.7	20	2	2	7	10	11	11	11
35-49	7	3.3	2	<1	<1	4	4	5	5	5
50-64	22	5.9	14	1	1	5	9	11	12	13
65+	101	9.3	73	1	2	6	13	20	24	43
B. *Operated*										
0-19 YRS	7	5.9	23	2	2	5	6	14	16	16
20-34	37	5.6	50	<1	1	3	8	9	20	38
35-49	172	3.8	12	1	1	2	4	8	11	18
50-64	507	5.3	46	1	1	3	6	12	16	39
65+	1231	6.7	54	1	2	4	8	14	20	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	4.6	32	1	1	3	5	9	12	37
B. *Operated*	1886	3.6	16	1	1	2	4	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	133	8.3	61	1	2	5	11	19	22	42
B. *Operated*	1954	6.0	49	1	2	4	7	13	19	37
1. SINGLE DX	1965	3.6	16	1	1	2	4	7	11	21
2. MULTIPLE DX	2087	6.2	50	1	2	4	8	14	19	38
A. NOT OPERATED	212	6.9	53	1	1	4	9	15	20	43
B. OPERATED	3840	4.8	34	1	1	3	5	10	15	33
TOTAL 0-19 YRS	27	3.4	10	1	1	2	5	6	9	16
20-34	95	4.9	29	1	1	3	7	10	12	32
35-49	431	3.4	12	1	1	2	4	7	10	17
50-64	1108	4.2	29	1	1	2	4	9	13	32
65+	2391	5.6	42	1	1	3	7	12	17	36
GRAND TOTAL	**4052**	**4.9**	**35**	**1**	**1**	**3**	**6**	**11**	**15**	**33**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	12	4.8	16	<1	1	4	7	10	13	14
35-49	78	5.9	33	1	1	4	8	11	14	33
50-64	150	7.3	73	1	1	4	9	16	19	68
65+	136	8.9	71	1	2	8	11	19	29	99+
B. *Operated*										
0-19 YRS	18	3.1	11	1	1	2	2	9	12	12
20-34	226	6.5	14	1	2	7	9	11	12	16
35-49	893	7.7	11	2	3	8	9	12	13	16
50-64	1445	8.6	16	3	4	8	10	13	15	23
65+	1490	9.4	29	3	4	9	11	15	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	22.0	800	2	2	22	42	42	42	42
20-34	82	9.0	69	1	1	6	12	19	27	43
35-49	406	8.3	74	1	2	6	10	18	22	46
50-64	943	9.3	90	1	2	6	12	20	28	46
65+	944	10.8	100	2	2	8	14	24	32	50
B. *Operated*										
0-19 YRS	8	9.1	51	2	2	8	11	20	24	24
20-34	189	9.2	30	2	3	8	11	15	17	33
35-49	973	10.0	54	3	5	8	11	16	21	37
50-64	1808	11.8	74	4	5	10	13	20	29	53
65+	2034	12.5	78	4	5	10	15	21	28	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	377	7.5	63	1	1	5	9	16	22	66
B. *Operated*	4072	8.6	20	2	4	8	10	13	15	23
2. MULTIPLE DX										
A. *Not Operated*	2377	9.7	92	1	2	7	12	21	29	48
B. *Operated*	5012	11.6	71	4	5	10	13	20	27	50
1. SINGLE DX	4449	8.5	24	2	3	8	10	13	16	26
2. MULTIPLE DX	7389	11.0	79	2	3	9	13	20	28	50
A. NOT OPERATED	2754	9.4	88	1	2	7	12	21	29	48
B. OPERATED	9084	10.3	51	3	5	9	12	17	21	41
TOTAL 0-19 YRS	29	6.0	75	1	1	2	8	12	25	42
20-34	509	7.9	31	1	2	7	10	14	17	30
35-49	2350	8.7	42	2	3	8	10	14	18	35
50-64	4346	10.0	61	2	3	8	12	18	24	46
65+	4604	11.1	68	3	4	9	13	19	26	48
GRAND TOTAL	**11838**	**10.1**	**60**	**2**	**3**	**9**	**12**	**17**	**23**	**44**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	63	4.9	25	1	2	4	5	9	14	33
35-49	201	4.3	17	1	2	4	5	6	8	26
50-64	239	3.9	6	1	2	4	4	5	9	14
65+	165	6.1	55	2	3	4	5	10	20	45
B. *Operated*										
0-19 YRS	4	6.0	18	2	2	5	9	11	11	11
20-34	324	5.4	14	1	2	5	7	10	12	17
35-49	264	6.3	32	2	2	5	8	13	17	30
50-64	236	6.2	24	2	2	5	8	11	15	23
65+	190	6.4	28	2	2	5	8	11	14	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.3	72	2	2	5	15	18	18	18
20-34	52	6.0	31	1	1	4	8	15	19	21
35-49	125	6.1	46	1	1	4	7	12	20	57
50-64	210	7.7	88	1	2	5	9	17	26	45
65+	238	9.3	93	2	2	6	11	22	27	45
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	201	8.4	38	2	2	7	10	16	19	34
35-49	290	10.5	103	2	3	8	12	20	28	51
50-64	296	11.2	120	2	2	8	13	24	34	57
65+	255	12.0	103	2	3	9	16	24	32	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	668	4.7	24	1	2	4	5	7	10	32
B. *Operated*	1018	6.0	24	2	2	5	8	11	15	24
2. MULTIPLE DX										
A. *Not Operated*	628	7.9	78	1	2	5	9	18	25	45
B. *Operated*	1044	10.6	97	2	2	8	13	22	30	51
1. SINGLE DX	1686	5.5	24	2	2	4	6	10	13	26
2. MULTIPLE DX	1672	9.6	91	2	2	7	12	21	28	46
A. NOT OPERATED	1296	6.2	52	1	2	4	6	12	20	42
B. OPERATED	2062	8.3	66	2	2	6	10	17	23	43
TOTAL 0-19 YRS	9	6.3	29	2	2	5	9	15	18	18
20-34	640	6.3	26	1	2	5	8	13	16	27
35-49	880	7.2	60	1	2	5	8	15	21	42
50-64	981	7.5	70	2	2	5	9	15	23	45
65+	848	8.9	80	2	3	6	10	20	26	45
GRAND TOTAL	**3358**	**7.5**	**62**	**2**	**2**	**5**	**9**	**15**	**22**	**42**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	3.8	4	2	2	3	5	7	7	7
35-49	27	4.4	9	2	2	4	5	8	10	16
50-64	180	4.3	10	1	2	4	5	6	9	18
65+	149	5.0	20	2	2	4	5	8	11	30
B. *Operated*										
0-19 YRS	3	9.3	10	7	7	8	12	13	13	13
20-34	16	7.5	18	1	2	7	9	12	17	19
35-49	103	6.1	14	1	2	6	8	11	14	16
50-64	536	6.3	18	1	2	6	8	11	13	22
65+	413	7.8	32	2	2	7	10	15	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	36	6.7	29	2	2	5	8	16	18	26
50-64	159	7.8	78	1	2	5	9	17	25	51
65+	224	9.0	99	2	2	6	11	18	26	53
B. *Operated*										
0-19 YRS										
20-34	29	6.7	25	<1	1	6	10	14	17	18
35-49	168	8.5	32	2	2	8	10	14	18	29
50-64	763	9.2	43	2	2	8	11	16	20	36
65+	765	11.2	69	2	3	10	14	21	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	362	4.6	14	2	2	4	5	7	10	24
B. *Operated*	1071	6.9	23	1	2	7	9	13	15	23
2. MULTIPLE DX										
A. *Not Operated*	422	8.3	85	1	2	5	10	17	25	51
B. *Operated*	1725	10.0	54	2	2	9	12	18	23	40
1. SINGLE DX	1433	6.3	22	1	2	5	8	12	14	23
2. MULTIPLE DX	2147	9.6	61	2	2	8	12	18	23	42
A. NOT OPERATED	784	6.6	56	1	2	4	7	12	19	42
B. OPERATED	2796	8.8	45	2	2	8	11	16	20	34
TOTAL 0-19 YRS	5	8.2	14	3	3	8	11	13	13	13
20-34	52	6.6	21	1	1	6	9	12	17	19
35-49	334	7.2	26	1	2	7	9	13	16	23
50-64	1638	7.6	37	1	2	7	9	14	18	31
65+	1551	9.4	63	2	2	8	12	18	23	41
GRAND TOTAL	**3580**	**8.3**	**48**	**2**	**2**	**7**	**10**	**15**	**20**	**36**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.3	1	2	2	4	5	5	5	5
20-34	32	3.1	4	1	1	2	4	7	8	9
35-49	55	3.9	28	1	1	3	4	6	10	38
50-64	210	4.4	65	1	1	3	5	7	10	41
65+	113	4.3	26	1	1	3	5	8	11	30
B. *Operated*										
0-19 YRS	7	6.4	1	5	5	7	7	8	8	8
20-34	45	7.7	12	3	4	7	9	13	15	17
35-49	60	9.5	14	4	6	9	10	15	18	21
50-64	126	11.6	35	6	6	10	13	21	23	37
65+	95	12.8	43	5	7	11	16	20	25	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.6	8	<1	<1	5	7	9	9	9
20-34	15	3.7	5	2	2	3	4	5	9	11
35-49	112	5.8	56	1	1	4	6	12	16	51
50-64	396	5.4	40	1	2	3	6	12	17	35
65+	393	9.2	117	1	2	5	11	22	30	59
B. *Operated*										
0-19 YRS	16	10.3	29	5	5	7	13	18	21	22
20-34	52	10.3	32	3	5	9	12	17	22	29
35-49	176	13.8	100	7	7	11	15	26	30	63
50-64	366	15.1	85	5	7	13	18	26	35	48
65+	400	18.4	107	8	9	16	22	31	40	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	418	4.2	44	1	1	3	5	7	10	38
B. *Operated*	333	10.9	33	5	6	9	13	19	23	37
2. MULTIPLE DX										
A. *Not Operated*	923	7.0	77	1	2	4	8	16	24	48
B. *Operated*	1010	15.9	98	6	7	13	19	27	36	58
1. SINGLE DX	751	7.2	50	1	2	6	9	15	19	38
2. MULTIPLE DX	1933	11.6	108	2	2	9	15	24	31	56
A. NOT OPERATED	1341	6.1	68	1	1	3	7	13	20	43
B. OPERATED	1343	14.6	86	6	7	12	18	25	33	52
TOTAL 0-19 YRS	38	7.3	21	2	3	6	7	13	18	22
20-34	144	7.2	25	1	2	6	9	13	16	28
35-49	403	9.6	81	1	2	8	12	17	26	52
50-64	1098	9.2	81	1	2	7	13	19	25	42
65+	1001	12.7	122	2	2	10	17	26	34	57
GRAND TOTAL	**2684**	**10.4**	**95**	**1**	**2**	**8**	**14**	**22**	**28**	**48**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	20	2	2	6	10	11	11	11
20-34	5	8.6	65	4	4	5	10	23	23	23
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	25	4.1	16	1	1	3	5	10	13	17
65+	24	4.2	8	1	2	3	6	7	10	14
B. *Operated*										
0-19 YRS	4	11.0	61	2	2	10	16	21	21	21
20-34	11	4.7	17	<1	1	5	5	11	15	15
35-49	21	7.6	31	2	2	7	11	17	18	19
50-64	52	9.2	193	2	2	4	9	24	28	92
65+	63	8.3	73	2	3	5	11	15	27	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	14.5	724	2	3	5	7	59	81	81
20-34	4	6.5	4	4	4	6	8	9	9	9
35-49	12	3.7	4	1	1	4	5	6	7	7
50-64	30	10.0	121	1	2	6	9	30	34	47
65+	68	10.5	167	1	2	7	13	25	31	71
B. *Operated*										
0-19 YRS										
20-34	6	5.2	39	1	1	2	7	16	17	17
35-49	30	14.4	172	3	3	10	21	33	44	55
50-64	73	16.0	226	3	4	11	19	36	50	71
65+	38	16.4	240	3	4	11	19	42	50	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	4.6	17	1	1	3	6	9	13	22
B. *Operated*	151	8.3	104	2	2	5	10	17	25	54
2. MULTIPLE DX										
A. *Not Operated*	122	9.8	170	1	2	6	10	24	32	75
B. *Operated*	247	15.8	224	3	3	11	19	38	50	73
1. SINGLE DX	210	7.3	82	1	2	4	9	15	23	40
2. MULTIPLE DX	369	13.8	213	2	2	9	17	32	47	73
A. NOT OPERATED	181	8.1	125	1	2	5	9	17	27	70
B. OPERATED	398	12.9	191	2	3	9	16	29	44	70
TOTAL 0-19 YRS	15	11.9	389	2	2	6	11	21	66	81
20-34	26	5.8	28	1	1	5	7	14	18	23
35-49	65	9.9	108	2	2	6	13	23	31	53
50-64	180	11.4	185	1	2	7	14	27	37	71
65+	293	12.3	185	2	2	8	15	29	44	69
GRAND TOTAL	**579**	**11.4**	**175**	**2**	**2**	**7**	**14**	**26**	**41**	**70**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	5	6.4	146	<1	<1	1	8	28	28	28
50-64	72	5.9	23	2	2	4	6	14	18	23
65+	318	7.1	33	1	2	6	9	15	18	30
B. *Operated*										
0-19 YRS	4	6.8	16	2	2	7	10	11	11	11
20-34	3	23.3	702	2	2	15	43	53	53	53
35-49	17	6.3	25	1	2	5	8	14	18	20
50-64	725	8.8	41	2	2	8	12	17	20	29
65+	2231	8.8	34	2	3	8	11	16	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	9.6	55	2	3	8	12	22	25	25
20-34										
35-49	12	7.8	26	2	2	6	13	15	16	16
50-64	310	8.8	83	2	2	6	11	17	23	65
65+	1736	9.4	70	2	2	7	12	20	25	43
B. *Operated*										
0-19 YRS	6	17.0	66	8	8	15	18	31	32	32
20-34	3	8.0	13	5	5	7	11	12	12	12
35-49	38	12.6	61	3	4	12	16	25	29	34
50-64	773	11.5	68	2	3	9	15	23	27	40
65+	3769	12.0	75	3	4	10	15	22	28	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	396	6.9	33	1	2	5	9	15	18	29
B. *Operated*	2980	8.8	36	2	3	8	11	16	20	31
2. MULTIPLE DX										
A. *Not Operated*	2066	9.3	71	2	2	7	12	19	24	43
B. *Operated*	4589	12.0	74	3	4	10	15	22	28	45
1. SINGLE DX	3376	8.6	36	2	2	7	11	16	19	30
2. MULTIPLE DX	6655	11.1	74	2	3	9	14	21	27	44
A. NOT OPERATED	2462	8.9	66	2	2	7	12	19	24	40
B. OPERATED	7569	10.7	61	2	3	9	13	20	25	41
TOTAL 0-19 YRS	19	11.0	63	2	3	9	15	22	29	32
20-34	6	15.7	357	2	2	9	15	49	53	53
35-49	72	9.9	58	1	2	7	14	20	28	33
50-64	1880	9.8	61	2	2	8	13	19	24	38
65+	8054	10.4	63	2	3	8	13	20	25	41
GRAND TOTAL	**10031**	**10.3**	**63**	**2**	**3**	**8**	**13**	**20**	**25**	**40**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.2	10	1	1	3	7	9	9	9
20-34	57	4.6	12	1	1	5	6	7	10	21
35-49	19	5.2	17	<1	1	5	6	12	15	16
50-64	7	5.0	4	<1	1	5	7	7	7	7
65+	5	5.4	44	1	1	2	8	17	17	17
B. *Operated*										
0-19 YRS	17	7.1	22	3	3	5	9	16	18	18
20-34	136	7.8	33	2	3	6	10	15	19	27
35-49	61	6.3	14	2	2	5	8	13	14	16
50-64	33	5.8	9	2	2	5	7	10	12	12
65+	39	8.3	39	1	3	6	11	17	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.3	9	1	3	6	7	10	13	14
20-34	65	5.1	17	1	1	5	6	9	13	25
35-49	30	8.1	70	2	2	6	8	16	20	46
50-64	11	5.9	26	1	1	4	9	14	17	17
65+	8	11.0	121	3	3	6	14	30	36	36
B. *Operated*										
0-19 YRS	12	10.8	26	5	5	9	15	18	19	19
20-34	64	11.1	104	3	3	9	14	19	22	70
35-49	31	11.4	66	3	4	9	14	24	25	39
50-64	24	13.5	153	3	3	9	16	32	41	56
65+	35	14.7	118	2	4	11	19	36	39	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	4.8	13	1	1	5	6	9	11	20
B. *Operated*	286	7.2	27	2	3	6	10	14	17	26
2. MULTIPLE DX										
A. *Not Operated*	127	6.4	37	1	1	5	7	12	17	38
B. *Operated*	166	12.2	101	3	3	9	14	23	33	53
1. SINGLE DX	380	6.6	25	1	2	5	8	13	16	25
2. MULTIPLE DX	293	9.7	82	1	2	7	13	19	26	44
A. NOT OPERATED	221	5.7	28	1	1	5	6	10	15	29
B. OPERATED	452	9.1	60	2	3	7	12	17	23	39
TOTAL 0-19 YRS	48	7.4	22	2	3	6	9	15	18	19
20-34	322	7.3	45	1	2	6	9	15	18	28
35-49	141	7.7	41	2	2	6	9	15	18	40
50-64	75	8.2	69	1	2	6	10	16	22	50
65+	87	10.9	87	2	3	8	14	26	36	40
GRAND TOTAL	**673**	**8.0**	**52**	**1**	**2**	**6**	**10**	**16**	**20**	**37**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	8	3.0	4	1	1	2	5	6	6	6
50-64	42	4.9	18	1	1	4	6	9	15	21
65+	164	7.0	55	1	2	4	8	14	25	40
B. *Operated*										
0-19 YRS	6	7.0	12	3	3	7	9	12	12	12
20-34	32	4.2	12	1	1	3	6	8	11	16
35-49	173	5.7	47	1	2	4	6	13	15	41
50-64	817	5.9	27	1	2	4	7	13	17	27
65+	1913	6.6	39	1	2	5	8	14	18	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	12	7.3	15	2	2	7	9	14	14	14
50-64	114	5.8	36	1	2	4	6	12	22	29
65+	415	8.9	65	2	2	7	11	18	25	46
B. *Operated*										
0-19 YRS	5	10.4	86	2	2	9	14	26	26	26
20-34	11	9.0	52	3	3	7	10	22	26	26
35-49	83	9.5	174	2	2	5	10	16	35	71
50-64	647	9.8	92	2	2	6	12	22	30	51
65+	2160	10.7	90	2	3	8	14	22	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	216	6.4	46	1	1	4	7	13	19	38
B. *Operated*	2941	6.3	36	1	2	4	7	13	18	29
2. MULTIPLE DX										
A. *Not Operated*	542	8.2	59	2	2	6	10	17	24	45
B. *Operated*	2906	10.5	93	2	3	7	13	22	30	51
1. SINGLE DX	3157	6.3	36	1	2	4	7	13	18	30
2. MULTIPLE DX	3448	10.1	88	2	3	7	13	21	29	50
A. NOT OPERATED	758	7.7	56	1	2	5	10	17	23	41
B. OPERATED	5847	8.4	69	2	2	6	10	18	24	42
TOTAL 0-19 YRS	11	8.5	44	2	3	9	10	18	25	26
20-34	46	5.3	25	1	1	4	7	11	17	26
35-49	276	6.8	85	2	2	4	7	14	17	62
50-64	1620	7.4	57	1	2	5	9	17	22	38
65+	4652	8.7	69	2	2	6	11	18	25	43
GRAND TOTAL	**6605**	**8.3**	**67**	**2**	**2**	**6**	**10**	**18**	**24**	**42**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.8	4	1	1	4	5	7	7	7
20-34	5	7.0	55	1	1	4	11	19	19	19
35-49	11	12.9	343	2	2	8	11	37	64	67
50-64	45	7.3	50	1	1	5	9	19	22	30
65+	36	9.8	85	1	2	7	13	21	32	39
B. *Operated*										
0-19 YRS	14	12.9	63	4	5	11	13	27	32	33
20-34	11	19.3	361	4	5	15	24	48	67	69
35-49	83	10.8	19	3	4	11	13	16	19	23
50-64	212	12.7	48	2	4	12	16	20	23	35
65+	206	13.6	51	3	5	13	17	23	26	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.6	6	<1	<1	3	5	7	8	8
20-34	8	12.6	295	2	2	7	12	42	54	54
35-49	43	8.3	44	1	2	6	12	22	26	99+
50-64	158	9.6	94	1	2	7	11	23	29	43
65+	202	9.0	62	1	2	7	11	20	24	35
B. *Operated*										
0-19 YRS	8	18.3	91	6	7	16	26	32	32	32
20-34	14	11.1	21	3	4	11	14	17	19	20
35-49	106	15.1	88	3	7	13	18	25	35	52
50-64	323	16.1	107	4	5	14	20	28	36	55
65+	481	17.1	99	4	6	15	21	29	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	8.2	87	1	1	5	10	19	23	50
B. *Operated*	526	12.9	53	3	4	12	16	21	25	37
2. MULTIPLE DX										
A. *Not Operated*	421	9.1	76	1	2	6	11	21	27	46
B. *Operated*	932	16.4	100	4	6	15	20	28	35	55
1. SINGLE DX	637	12.1	62	2	3	11	15	21	25	38
2. MULTIPLE DX	1353	14.1	104	2	3	12	19	26	33	55
A. NOT OPERATED	532	8.9	78	1	2	6	11	21	26	45
B. OPERATED	1458	15.1	86	3	5	14	19	25	32	53
TOTAL 0-19 YRS	46	9.0	70	1	1	6	12	20	32	33
20-34	38	13.2	185	2	3	10	15	24	46	69
35-49	243	12.3	74	3	3	11	15	22	26	54
50-64	738	13.2	92	2	3	12	17	24	30	50
65+	925	14.2	91	2	4	13	19	25	32	46
GRAND TOTAL	**1990**	**13.5**	**91**	**2**	**3**	**12**	**18**	**24**	**31**	**53**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.3	8	<1	1	1	2	4	10	12
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	4.0	4	2	2	4	5	6	6	6
65+	3	9.3	82	1	1	8	16	19	19	19
B. *Operated*										
0-19 YRS	18	3.5	7	<1	1	3	5	7	10	11
20-34	7	3.3	2	1	1	3	5	5	5	5
35-49	11	4.8	4	2	3	4	6	8	9	9
50-64	20	5.1	11	2	2	4	6	10	13	15
65+	37	4.9	14	2	2	4	6	9	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.7	4	<1	<1	1	1	4	7	7
20-34	4	21.8	1173	3	3	6	40	73	73	73
35-49	2	6.5	1	6	6	6	7	7	7	7
50-64	1	5.0		5	5	5	5	5	5	5
65+	7	6.3	32	1	1	5	9	15	17	17
B. *Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34										
35-49	6	7.5	63	2	2	5	8	21	23	23
50-64	20	6.1	30	2	2	4	7	12	19	25
65+	28	7.1	43	2	2	5	9	16	19	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	3.5	19	<1	1	2	4	9	15	19
B. *Operated*	93	4.5	10	2	2	4	5	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	24	6.9	213	<1	1	3	7	10	34	73
B. *Operated*	57	6.5	38	2	2	4	8	15	21	31
1. SINGLE DX	115	4.4	12	1	1	4	5	8	11	19
2. MULTIPLE DX	81	6.6	88	1	1	4	7	14	20	60
A. NOT OPERATED	46	5.3	121	<1	1	2	6	9	17	73
B. OPERATED	150	5.3	22	2	2	4	6	10	15	25
TOTAL 0-19 YRS	46	2.6	6	<1	1	2	3	5	9	12
20-34	11	10.0	440	1	2	3	5	34	70	73
35-49	20	5.7	21	2	2	4	7	8	16	23
50-64	44	5.5	19	2	2	4	6	10	14	25
65+	75	6.1	29	1	2	4	8	15	17	28
GRAND TOTAL	**196**	**5.3**	**44**	**1**	**1**	**4**	**6**	**10**	**16**	**28**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	7.5	101	1	1	3	9	17	37	41
20-34	37	7.2	78	1	2	4	7	15	20	52
35-49	53	9.7	136	1	2	6	12	23	32	69
50-64	104	12.2	153	1	2	9	15	25	54	99+
65+	79	15.4	214	2	4	10	21	38	49	66
B. *Operated*										
0-19 YRS	55	15.7	82	5	8	13	20	26	31	52
20-34	68	13.6	92	3	4	12	16	24	26	61
35-49	95	16.2	82	5	7	15	20	28	34	50
50-64	168	19.7	208	6	8	16	22	35	52	83
65+	103	22.5	270	3	7	18	27	46	58	79
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	7.4	89	1	2	4	8	14	25	47
20-34	31	10.3	99	1	2	6	13	29	34	36
35-49	61	12.7	232	1	2	7	18	36	53	97
50-64	123	11.9	160	2	3	8	15	24	34	69
65+	81	14.0	173	2	2	11	18	35	39	94
B. *Operated*										
0-19 YRS	40	22.4	265	4	6	18	28	51	63	99+
20-34	43	20.6	240	4	7	16	26	39	56	76
35-49	64	20.0	253	4	5	17	26	43	59	98
50-64	106	23.9	338	4	8	18	31	52	62	95
65+	97	26.5	367	6	9	21	34	58	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	11.4	157	1	2	7	15	26	41	70
B. *Operated*	489	18.3	174	4	7	15	22	33	45	79
2. MULTIPLE DX										
A. *Not Operated*	321	12.1	167	2	2	8	16	28	39	85
B. *Operated*	350	23.3	313	5	7	18	30	52	65	99+
1. SINGLE DX	802	15.6	179	2	3	13	20	32	44	73
2. MULTIPLE DX	671	18.0	274	2	3	14	24	41	56	98
A. NOT OPERATED	634	11.7	162	1	2	8	15	28	40	78
B. OPERATED	839	20.4	238	4	7	16	24	40	57	92
TOTAL 0-19 YRS	160	14.0	167	1	2	11	18	30	46	65
20-34	179	13.4	146	2	3	11	16	26	36	64
35-49	273	15.1	177	2	3	12	20	32	44	82
50-64	501	17.1	235	2	4	14	21	37	54	92
65+	360	20.1	286	3	4	16	26	41	58	96
GRAND TOTAL	**1473**	**16.7**	**224**	**2**	**3**	**13**	**21**	**36**	**52**	**89**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.6	12	1	1	7	9	9	9	9
20-34	17	3.1	7	2	2	2	3	5	10	13
35-49	1	3.0		3	3	3	3	3	3	3
50-64	4	5.8	31	2	2	3	9	14	14	14
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	6	22.3	201	10	10	20	23	46	49	49
20-34	11	20.9	531	3	4	13	19	63	75	76
35-49	6	13.8	35	4	5	15	18	20	20	20
50-64	13	15.9	111	4	6	14	18	34	40	41
65+	4	22.5	110	16	16	18	29	38	38	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.1	5	1	1	3	4	7	8	8
20-34	5	3.4	3	2	2	3	4	6	6	6
35-49	3	19.0	313	3	3	16	32	38	38	38
50-64	10	11.3	172	2	2	8	10	31	47	47
65+	4	22.0	567	5	5	13	38	56	56	56
B. *Operated*										
0-19 YRS	8	12.8	71	2	3	10	21	24	24	24
20-34	7	17.3	178	3	3	22	32	81	99+	99+
35-49	11	18.5	97	8	10	15	24	35	39	39
50-64	20	22.6	328	5	7	17	30	59	80	99+
65+	3	42.3	264	24	24	48	53	55	55	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	4.1	11	2	2	3	5	9	13	14
B. *Operated*	40	18.6	220	4	6	15	21	39	52	76
2. MULTIPLE DX										
A. *Not Operated*	30	10.0	185	1	2	5	10	29	47	56
B. *Operated*	49	20.5	238	4	5	17	26	55	63	99+
1. SINGLE DX	70	12.4	182	2	2	9	16	23	41	72
2. MULTIPLE DX	79	16.5	241	2	3	11	23	49	56	99+
A. NOT OPERATED	60	7.0	105	1	2	3	7	14	29	55
B. OPERATED	89	19.7	228	4	6	16	24	49	56	99+
TOTAL 0-19 YRS	29	10.3	110	1	1	8	13	23	25	49
20-34	40	10.5	236	2	2	4	13	31	64	99+
35-49	21	16.5	103	3	4	15	20	34	38	39
50-64	47	16.9	232	3	3	14	19	49	57	99+
65+	12	25.8	360	4	5	20	43	55	56	56
GRAND TOTAL	**149**	**14.6**	**216**	**2**	**2**	**10**	**19**	**39**	**55**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	4.8	28	1	2	3	5	8	12	29
20-34	38	4.1	23	1	1	3	4	7	18	22
35-49	29	4.4	37	1	1	2	4	11	22	27
50-64	21	3.4	10	1	1	3	3	7	11	15
65+	30	4.4	14	1	1	3	5	11	13	13
B. *Operated*										
0-19 YRS	20	5.7	12	2	3	5	7	9	13	17
20-34	136	5.4	8	3	3	5	6	9	11	16
35-49	106	6.7	22	3	3	5	7	13	17	27
50-64	73	7.4	24	3	3	5	8	16	19	82
65+	65	8.6	43	3	3	7	10	15	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	6.5	87	1	1	4	7	12	15	54
20-34	20	5.1	7	2	2	5	7	9	10	11
35-49	27	5.5	28	1	1	4	6	14	18	23
50-64	32	6.2	50	1	1	4	6	16	22	31
65+	66	9.1	79	2	2	6	11	17	25	55
B. *Operated*										
0-19 YRS	24	11.8	124	2	3	8	13	32	38	40
20-34	108	7.6	42	3	3	6	8	15	19	38
35-49	118	7.8	33	3	4	6	9	15	24	54
50-64	100	8.9	19	3	4	8	11	16	18	22
65+	99	13.8	121	4	4	10	17	30	39	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	4.2	22	1	1	3	4	8	14	27
B. *Operated*	400	6.7	21	3	3	5	7	13	16	27
2. MULTIPLE DX										
A. *Not Operated*	177	7.1	61	1	2	5	9	15	21	48
B. *Operated*	449	9.5	62	3	4	7	11	19	28	45
1. SINGLE DX	544	6.0	23	1	2	5	7	12	16	27
2. MULTIPLE DX	626	8.8	63	2	3	6	10	17	25	45
A. NOT OPERATED	321	5.8	45	1	1	4	7	12	18	32
B. OPERATED	849	8.2	45	3	3	6	9	16	22	39
TOTAL 0-19 YRS	102	7.2	71	1	2	4	8	13	28	47
20-34	302	6.0	23	2	3	5	7	10	15	27
35-49	280	6.8	30	2	3	5	8	13	18	29
50-64	226	7.5	26	2	3	6	10	15	18	26
65+	260	10.2	88	2	3	7	12	22	32	49
GRAND TOTAL	**1170**	**7.5**	**46**	**2**	**3**	**5**	**9**	**15**	**21**	**38**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.9	37	<1	<1	2	3	12	21	22
20-34	32	6.0	48	1	1	4	7	14	19	35
35-49	89	7.5	37	1	2	6	11	15	17	33
50-64	285	7.8	75	1	1	5	10	17	23	55
65+	407	9.5	81	2	2	7	12	22	27	55
B. *Operated*										
0-19 YRS	23	5.6	21	<1	1	4	9	12	14	17
20-34	77	7.3	40	2	2	5	9	18	22	29
35-49	182	8.0	47	1	2	6	11	17	22	40
50-64	466	10.1	90	2	2	7	13	22	30	45
65+	654	9.8	80	2	2	8	13	21	28	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	5.8	25	1	1	5	7	13	14	26
20-34	164	8.3	88	1	2	5	10	18	26	63
35-49	654	8.5	75	1	2	6	11	18	27	43
50-64	2315	9.1	85	1	2	6	12	20	27	52
65+	3124	10.9	104	2	3	8	14	23	32	53
B. *Operated*										
0-19 YRS	24	9.6	58	1	2	9	12	19	26	33
20-34	185	10.2	73	2	2	8	13	21	27	48
35-49	681	12.8	130	2	3	10	17	26	33	64
50-64	1877	14.4	160	2	3	11	18	28	38	76
65+	2623	15.0	142	2	3	12	20	30	38	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	824	8.5	73	1	2	6	11	18	25	51
B. *Operated*	1402	9.5	77	2	2	7	13	20	28	43
2. MULTIPLE DX										
A. *Not Operated*	6290	9.9	94	2	2	7	13	21	29	52
B. *Operated*	5390	14.3	145	2	3	11	19	29	37	63
1. SINGLE DX	2226	9.1	76	1	2	6	12	20	27	44
2. MULTIPLE DX	11680	11.9	122	2	3	9	16	25	33	59
A. NOT OPERATED	7114	9.8	92	1	2	7	12	21	29	52
B. OPERATED	6792	13.3	135	2	3	10	17	28	35	60
TOTAL 0-19 YRS	91	6.5	37	1	1	5	9	14	19	30
20-34	458	8.7	73	2	2	6	11	18	25	49
35-49	1606	10.2	98	2	2	7	13	22	29	52
50-64	4943	11.1	120	2	2	8	15	24	31	60
65+	6808	12.3	120	2	3	9	16	26	34	56
GRAND TOTAL	**13906**	**11.5**	**116**	**2**	**2**	**8**	**15**	**25**	**32**	**57**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.5	5	1	1	2	5	7	8	9
20-34	79	4.4	23	1	1	3	5	10	14	28
35-49	42	6.1	40	1	1	5	7	11	15	38
50-64	37	5.3	39	1	1	3	6	15	18	29
65+	44	6.9	75	1	1	3	9	21	27	36
B. *Operated*										
0-19 YRS	90	8.0	39	2	2	6	11	17	22	27
20-34	183	8.5	34	2	2	7	11	16	19	27
35-49	70	8.9	37	1	2	8	12	18	21	25
50-64	46	10.6	64	2	2	8	15	24	26	31
65+	45	11.1	44	2	3	10	15	22	23	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	5.4	16	1	1	4	8	11	13	14
20-34	68	5.7	28	1	1	4	8	12	15	27
35-49	34	7.1	28	1	1	6	10	14	17	23
50-64	58	7.6	44	1	2	5	10	18	22	30
65+	79	12.1	151	2	2	8	17	28	35	93
B. *Operated*										
0-19 YRS	29	7.3	33	1	2	5	10	16	20	21
20-34	85	12.0	107	2	3	9	14	28	35	54
35-49	59	12.9	117	2	3	10	19	23	28	66
50-64	63	12.9	110	2	2	10	17	27	35	44
65+	55	16.5	182	2	3	13	21	32	54	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	5.3	38	1	1	3	6	11	18	32
B. *Operated*	434	9.0	40	2	2	8	12	18	22	27
2. MULTIPLE DX										
A. *Not Operated*	255	8.3	76	1	2	5	11	20	24	45
B. *Operated*	291	12.8	121	2	3	10	18	26	34	66
1. SINGLE DX	657	7.7	42	1	1	6	11	17	22	30
2. MULTIPLE DX	546	10.7	104	1	2	8	14	23	31	62
A. NOT OPERATED	478	6.9	60	1	1	4	9	16	23	36
B. OPERATED	725	10.5	76	2	2	8	14	21	26	42
TOTAL 0-19 YRS	156	7.0	33	1	2	5	9	15	20	23
20-34	415	8.0	52	1	2	6	11	16	22	36
35-49	205	9.2	65	1	2	7	12	19	22	38
50-64	204	9.5	75	1	2	7	14	22	27	43
65+	223	12.0	131	1	2	9	17	25	33	82
GRAND TOTAL	**1203**	**9.1**	**73**	**1**	**2**	**7**	**12**	**20**	**24**	**39**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	3.6	13	1	1	2	5	10	12	15
20-34	14	12.1	58	3	4	11	18	23	26	27
35-49	8	10.1	95	1	2	6	16	26	29	29
50-64	35	9.2	128	1	2	5	12	14	40	53
65+	62	6.3	55	1	1	4	9	13	16	48
B. *Operated*										
0-19 YRS	48	11.5	163	2	2	6	15	30	42	58
20-34	10	11.2	76	2	2	9	22	23	23	23
35-49	16	8.9	39	2	3	6	12	19	23	24
50-64	28	6.9	44	2	3	6	8	11	16	37
65+	39	9.2	79	2	2	8	10	21	29	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	5.2	21	1	1	3	7	11	13	23
20-34	12	9.3	72	1	2	6	12	22	29	30
35-49	18	9.5	54	1	1	9	13	21	25	26
50-64	119	9.5	92	1	2	7	12	20	26	57
65+	335	9.3	53	2	3	7	12	20	25	36
B. *Operated*										
0-19 YRS	31	13.2	113	3	3	11	18	28	38	42
20-34	6	21.3	405	1	2	14	36	52	54	54
35-49	11	14.7	247	2	2	8	22	39	52	53
50-64	67	13.0	104	2	3	10	15	29	37	43
65+	171	13.4	146	2	3	10	17	28	44	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	6.2	58	1	1	4	9	14	18	49
B. *Operated*	141	9.6	97	2	2	7	11	22	31	50
2. MULTIPLE DX										
A. *Not Operated*	559	8.8	59	1	2	7	11	19	24	36
B. *Operated*	286	13.5	140	2	3	10	17	30	41	72
1. SINGLE DX	345	7.6	76	1	1	5	9	17	23	49
2. MULTIPLE DX	845	10.4	91	2	2	8	13	23	30	53
A. NOT OPERATED	763	8.1	60	1	2	6	11	17	24	36
B. OPERATED	427	12.2	129	2	3	9	16	27	37	59
TOTAL 0-19 YRS	239	6.9	72	1	1	4	9	16	23	43
20-34	42	12.4	119	1	2	9	18	24	32	54
35-49	53	10.5	94	1	2	7	13	24	29	52
50-64	249	10.1	98	2	2	7	12	23	30	53
65+	607	10.1	86	2	2	8	13	21	28	53
GRAND TOTAL	**1190**	**9.6**	**89**	**1**	**2**	**7**	**12**	**21**	**27**	**52**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	5.0	52	<1	<1	2	5	11	27	30
20-34	54	9.2	102	<1	1	5	12	26	27	44
35-49	57	7.6	79	<1	1	5	8	20	32	39
50-64	99	6.9	65	1	1	4	9	17	25	38
65+	150	6.4	59	1	1	4	7	15	19	32
B. *Operated*										
0-19 YRS	10	19.2	445	1	1	8	27	55	57	57
20-34	19	20.0	542	1	1	14	30	42	72	95
35-49	45	15.0	315	1	2	6	25	39	55	71
50-64	51	13.3	137	2	3	9	21	27	30	63
65+	67	12.5	130	3	3	9	15	28	40	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	5.5	35	<1	<1	3	8	13	17	26
20-34	51	9.4	77	1	2	6	10	25	30	36
35-49	75	8.4	127	1	1	6	10	17	30	68
50-64	190	8.4	81	1	1	6	10	16	25	48
65+	344	8.0	53	1	2	6	11	17	23	37
B. *Operated*										
0-19 YRS	24	17.4	301	1	2	8	37	44	48	52
20-34	42	23.3	381	2	3	20	32	52	71	72
35-49	59	18.3	211	4	5	12	27	41	45	64
50-64	107	20.2	347	2	4	13	29	45	52	92
65+	166	16.2	243	3	4	11	20	35	46	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	400	7.0	69	<1	1	4	8	18	25	38
B. *Operated*	192	14.4	232	1	2	8	20	34	44	68
2. MULTIPLE DX										
A. *Not Operated*	687	8.2	70	1	1	6	10	17	25	39
B. *Operated*	398	18.4	287	2	4	12	26	40	51	84
1. SINGLE DX	592	9.4	133	1	1	5	11	25	32	56
2. MULTIPLE DX	1085	11.9	173	1	2	8	14	29	39	70
A. NOT OPERATED	1087	7.7	70	1	1	5	10	17	25	39
B. OPERATED	590	17.1	272	2	3	11	25	39	49	81
TOTAL 0-19 YRS	101	9.5	175	<1	<1	4	9	30	41	55
20-34	166	14.1	250	1	2	7	21	33	44	72
35-49	236	11.9	190	1	1	7	14	32	40	66
50-64	447	11.5	174	1	1	7	14	27	38	64
65+	727	10.0	118	1	1	7	13	21	31	57
GRAND TOTAL	**1677**	**11.0**	**161**	**1**	**1**	**7**	**14**	**27**	**37**	**65**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.2	6	1	1	2	4	6	8	11
20-34	41	7.0	103	1	1	4	9	14	21	61
35-49	93	6.3	41	1	1	4	9	14	18	33
50-64	249	7.4	106	1	1	4	9	15	22	57
65+	416	8.8	85	1	2	6	11	18	28	49
B. *Operated*										
0-19 YRS	22	7.0	33	<1	1	5	9	15	20	22
20-34	61	8.8	47	1	2	7	13	18	20	30
35-49	166	8.0	44	2	2	6	10	18	23	29
50-64	394	10.7	84	2	2	8	14	22	30	48
65+	462	10.4	59	2	3	8	14	20	25	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	6.2	53	1	1	4	7	10	14	43
20-34	49	9.0	65	2	2	6	13	17	24	38
35-49	185	8.5	70	1	2	6	11	19	26	47
50-64	560	9.8	116	1	2	7	12	21	30	64
65+	1108	10.3	90	1	2	7	14	23	29	48
B. *Operated*										
0-19 YRS	17	9.5	30	3	4	8	14	18	18	18
20-34	47	12.9	110	2	3	11	17	24	39	42
35-49	152	12.6	115	2	3	9	15	26	39	49
50-64	483	15.4	179	3	4	12	20	32	44	67
65+	838	16.8	188	3	5	13	22	31	45	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	820	7.8	87	1	1	5	9	17	24	48
B. *Operated*	1105	10.0	65	2	2	8	13	20	25	39
2. MULTIPLE DX										
A. *Not Operated*	1935	9.8	95	1	2	7	13	22	29	49
B. *Operated*	1537	15.8	176	3	4	12	21	31	43	71
1. SINGLE DX	1925	9.1	76	1	2	7	12	19	25	41
2. MULTIPLE DX	3472	12.5	139	2	2	9	16	26	36	61
A. NOT OPERATED	2755	9.2	93	1	2	6	12	21	28	49
B. OPERATED	2642	13.3	138	2	3	10	17	27	37	61
TOTAL 0-19 YRS	93	6.3	37	1	1	5	8	14	18	34
20-34	198	9.5	81	1	2	7	13	19	25	42
35-49	596	9.0	74	1	2	7	12	19	26	44
50-64	1686	11.2	133	1	2	8	14	24	34	62
65+	2824	12.0	123	2	2	9	16	25	33	56
GRAND TOTAL	**5397**	**11.2**	**119**	**1**	**2**	**8**	**15**	**24**	**32**	**57**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	4	2.8	5	1	1	2	4	6	6	6
35-49	5	1.8	2	<1	<1	1	2	4	4	4
50-64	6	3.2	1	2	2	3	4	4	4	4
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	91	2.8	6	1	1	2	3	6	7	14
20-34	194	3.5	4	1	1	3	4	6	7	10
35-49	204	3.5	2	2	2	3	4	6	6	8
50-64	257	3.8	5	1	2	4	5	6	7	12
65+	167	4.3	8	2	2	4	5	7	8	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	4	8.8	74	2	2	7	15	20	20	20
50-64	7	4.1	18	<1	<1	3	5	12	13	13
65+	8	6.8	12	3	3	6	8	12	14	14
B. *Operated*										
0-19 YRS	15	3.2	5	<1	1	2	5	6	8	9
20-34	43	4.3	20	1	2	4	4	7	8	31
35-49	90	4.2	7	1	2	4	6	8	9	13
50-64	105	4.4	8	1	2	3	6	8	12	14
65+	104	5.8	25	2	2	4	6	12	17	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.5	2	<1	<1	2	3	4	5	6
B. *Operated*	913	3.7	5	1	2	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	22	5.6	25	<1	1	4	7	13	16	20
B. *Operated*	357	4.7	15	1	2	4	6	9	12	21
1. SINGLE DX	934	3.6	5	1	2	3	5	6	7	11
2. MULTIPLE DX	379	4.8	15	1	2	4	6	9	12	21
A. NOT OPERATED	43	4.1	16	<1	1	3	5	9	13	20
B. OPERATED	1270	4.0	8	1	2	3	5	6	8	15
TOTAL 0-19 YRS	111	2.8	5	1	1	2	3	6	7	12
20-34	243	3.6	7	1	1	3	4	6	7	11
35-49	303	3.8	5	1	2	3	5	6	8	11
50-54	375	4.0	6	1	2	4	5	6	8	13
65+	281	4.9	15	2	2	4	5	9	12	23
GRAND TOTAL	**1313**	**4.0**	**8**	**1**	**2**	**3**	**5**	**6**	**9**	**16**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.6	5	1	1	2	3	7	9	9
20-34	28	2.9	5	1	1	2	4	6	8	9
35-49	63	2.6	6	1	1	2	3	5	9	13
50-64	136	2.7	4	1	1	2	3	5	7	9
65+	132	3.4	7	1	1	2	5	7	9	13
B. *Operated*										
0-19 YRS	64	4.6	11	1	2	3	7	10	11	14
20-34	130	6.0	23	1	2	5	9	12	16	22
35-49	276	4.9	23	1	1	3	7	12	15	19
50-64	661	4.5	22	1	1	2	5	12	15	21
65+	671	5.2	36	1	1	3	7	13	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.8	4	1	1	3	3	5	7	8
20-34	29	4.2	7	2	2	3	6	9	10	11
35-49	72	4.5	7	1	1	4	6	8	8	15
50-64	183	4.8	16	1	2	3	6	11	13	18
65+	298	6.5	41	1	2	5	8	12	16	33
B. *Operated*										
0-19 YRS	33	7.4	25	1	2	7	10	13	17	24
20-34	119	8.4	73	1	2	6	12	16	19	45
35-49	266	7.5	54	1	2	6	10	15	20	30
50-64	808	7.5	53	1	2	5	11	16	19	31
65+	1116	9.2	78	1	2	6	13	21	25	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	390	2.9	6	1	1	2	4	7	8	12
B. *Operated*	1802	4.9	27	1	1	3	7	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	595	5.5	28	1	2	4	7	11	14	25
B. *Operated*	2342	8.4	66	1	2	6	11	18	23	39
1. SINGLE DX	2192	4.6	24	1	1	2	6	11	14	21
2. MULTIPLE DX	2937	7.8	60	1	2	5	11	17	22	38
A. NOT OPERATED	985	4.5	20	1	1	3	6	9	12	23
B. OPERATED	4144	6.9	52	1	2	4	10	15	19	33
TOTAL 0-19 YRS	141	4.7	15	1	1	3	7	10	12	18
20-34	306	6.5	42	1	2	5	9	14	16	26
35-49	677	5.7	35	1	1	4	8	13	16	25
50-64	1788	5.8	36	1	1	3	8	14	16	27
65+	2217	7.3	60	1	2	4	10	17	22	37
GRAND TOTAL	**5129**	**6.4**	**47**	**1**	**1**	**4**	**9**	**14**	**18**	**31**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.5		1	1	1	2	2	2	2
20-34	5	6.6	68	2	2	2	10	21	21	21
35-49	3	3.0	7	<1	<1	2	5	6	6	6
50-64	9	2.8	2	1	1	3	4	5	5	5
65+	6	5.0	18	2	2	3	6	12	13	13
B. *Operated*										
0-19 YRS	155	2.2	3	1	1	2	2	3	6	12
20-34	71	3.4	13	1	1	2	3	8	9	19
35-49	127	3.3	9	1	1	2	4	8	10	14
50-64	151	5.0	26	1	1	2	8	12	16	27
65+	94	4.9	29	1	1	3	6	12	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	7.0		7	7	7	7	7	7	7
35-49	5	8.6	177	1	1	2	13	32	32	32
50-64	7	12.0	317	2	2	5	9	43	52	52
65+	18	10.2	87	1	2	7	14	26	32	34
B. *Operated*										
0-19 YRS	53	4.7	70	<1	1	2	4	9	20	44
20-34	23	7.5	58	<1	1	4	11	20	25	26
35-49	55	7.2	46	1	1	5	12	15	23	96
50-64	63	9.5	134	1	2	5	14	24	32	61
65+	75	8.2	50	2	2	6	12	20	23	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	3.4	16	1	1	2	4	6	12	21
B. *Operated*	598	3.7	16	1	1	2	3	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	32	9.9	136	1	1	6	10	29	34	52
B. *Operated*	269	7.5	75	1	1	4	10	19	25	43
1. SINGLE DX	631	3.7	16	1	1	2	3	9	13	21
2. MULTIPLE DX	301	7.8	82	1	1	4	10	20	27	48
A. NOT OPERATED	65	6.6	85	1	1	3	7	15	29	49
B. OPERATED	867	4.9	38	1	1	2	6	12	18	31
TOTAL 0-19 YRS	219	2.8	20	1	1	2	2	4	8	40
20-34	100	4.6	28	1	1	2	6	11	17	25
35-49	190	4.6	27	1	1	2	6	12	14	34
50-64	230	6.4	67	1	1	3	9	16	21	41
65+	193	6.7	45	1	2	4	9	15	23	29
GRAND TOTAL	**932**	**5.0**	**41**	**1**	**1**	**2**	**6**	**12**	**18**	**34**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.1	1	<1	1	2	3	4	4	4
20-34	31	3.3	5	<1	1	3	5	7	8	8
35-49	40	2.7	2	<1	<1	2	3	5	5	8
50-64	41	2.6	2	<1	<1	2	3	4	5	8
65+	12	2.6	4	<1	<1	2	3	5	8	8
B. *Operated*										
0-19 YRS	844	3.2	5	1	1	3	4	5	7	12
20-34	1169	3.2	7	1	1	2	3	6	8	15
35-49	1328	3.1	11	1	1	2	3	5	7	14
50-64	1318	3.2	8	1	1	2	4	5	7	16
65+	492	3.6	8	1	1	3	4	7	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.9	1	<1	<1	2	2	3	5	5
20-34	22	4.0	11	<1	<1	3	7	8	10	13
35-49	36	3.9	13	<1	1	3	5	8	13	16
50-64	38	5.6	50	1	2	4	6	11	12	44
65+	43	6.5	25	1	1	5	10	14	14	22
B. *Operated*										
0-19 YRS	154	4.1	17	1	2	3	5	7	11	24
20-34	415	4.4	18	1	2	3	5	9	11	23
35-49	667	4.5	20	1	2	3	5	8	12	27
50-64	796	5.0	27	1	2	3	6	10	13	28
65+	398	6.4	31	2	2	4	8	14	19	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	2.7	3	<1	<1	2	3	5	7	8
B. *Operated*	5151	3.2	8	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	152	4.9	26	<1	1	3	6	11	14	22
B. *Operated*	2430	4.9	24	1	2	3	6	10	14	26
1. SINGLE DX	5297	3.2	8	1	1	2	4	5	8	14
2. MULTIPLE DX	2582	4.9	24	1	2	3	6	10	14	26
A. NOT OPERATED	298	3.8	16	<1	1	3	5	8	11	15
B. OPERATED	7581	3.8	14	1	2	3	4	7	10	20
TOTAL 0-19 YRS	1033	3.3	7	1	1	3	4	5	7	13
20-34	1637	3.5	10	1	1	2	4	7	9	18
35-49	2071	3.6	14	1	1	2	4	7	9	19
50-64	2193	3.9	16	1	2	3	4	7	10	20
65+	945	4.9	20	1	2	3	6	11	14	22
GRAND TOTAL	**7879**	**3.8**	**14**	**1**	**1**	**3**	**4**	**7**	**10**	**20**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	3.2	9	<1	1	2	4	8	10	12
20-34	17	2.9	4	<1	<1	2	4	6	7	8
35-49	15	3.5	19	<1	1	2	3	7	15	18
50-64	18	3.7	12	1	1	2	4	8	12	14
65+	16	4.8	8	1	2	5	7	8	9	10
B. *Operated*										
0-19 YRS	920	2.3	4	1	1	2	2	4	5	12
20-34	456	3.1	11	<1	1	2	3	5	7	17
35-49	381	3.0	7	<1	1	2	3	5	8	16
50-64	281	3.5	18	1	1	2	3	6	10	22
65+	207	4.0	20	1	1	2	4	9	12	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.8	14	<1	<1	1	3	8	9	20
20-34	13	3.5	11	<1	<1	2	5	10	10	10
35-49	19	3.8	7	1	2	3	4	7	10	12
50-64	20	5.6	17	2	2	5	6	9	15	21
65+	23	6.2	27	1	2	5	7	12	16	24
B. *Operated*										
0-19 YRS	183	3.3	11	1	1	2	4	7	10	17
20-34	259	3.9	23	1	1	3	4	7	12	20
35-49	283	4.0	20	1	1	2	5	9	12	22
50-64	280	5.9	53	1	2	3	6	13	17	40
65+	193	7.7	81	1	2	4	9	19	24	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	3.5	10	<1	1	2	5	8	9	16
B. *Operated*	2245	2.9	9	1	1	2	3	5	7	17
2. MULTIPLE DX										
A. *Not Operated*	114	4.2	17	<1	1	3	5	10	12	22
B. *Operated*	1198	4.9	39	1	1	3	5	11	16	31
1. SINGLE DX	2349	2.9	9	1	1	2	3	5	8	17
2. MULTIPLE DX	1312	4.9	37	1	1	3	5	11	16	31
A. NOT OPERATED	218	3.9	14	<1	1	2	5	8	11	20
B. OPERATED	3443	3.6	21	1	1	2	4	7	11	23
TOTAL 0-19 YRS	1180	2.5	6	<1	1	2	3	4	7	13
20-34	745	3.4	15	<1	1	2	4	6	9	17
35-49	698	3.5	13	<1	1	2	4	7	10	20
50-64	599	4.7	35	1	1	3	5	10	15	31
65+	439	5.8	50	1	1	3	7	13	20	32
GRAND TOTAL	**3661**	**3.6**	**20**	**1**	**1**	**2**	**4**	**7**	**11**	**23**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.9	1	<1	<1	2	2	3	4	4
20-34	26	2.0		<1	1	2	2	3	3	4
35-49	13	2.2	1	<1	1	2	3	3	4	4
50-64	10	7.5	141	1	1	2	3	29	35	35
65+	6	2.2	1	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	992	2.1	1	1	1	2	2	3	3	5
20-34	1718	2.1	3	1	1	2	2	3	3	5
35-49	896	2.3	2	1	1	2	2	3	4	7
50-64	300	2.7	2	1	2	2	3	4	5	10
65+	179	3.2	5	2	2	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	1	<1	<1	2	3	3	3	3
20-34	16	2.6	7	<1	<1	2	3	4	10	12
35-49	16	3.4	6	1	2	2	4	8	9	9
50-64	10	4.7	20	2	2	3	4	11	17	17
65+	3	3.7	9	1	1	3	6	7	7	7
B. *Operated*										
0-19 YRS	143	2.6	4	1	1	2	3	4	5	13
20-34	540	2.8	6	1	1	2	3	4	6	13
35-49	545	3.2	7	1	2	2	3	6	8	14
50-64	239	4.0	13	2	2	3	4	8	10	19
65+	162	5.0	20	2	2	4	6	10	15	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	2.8	22	<1	<1	2	2	3	4	33
B. *Operated*	4085	2.2	3	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	52	3.3	9	<1	1	2	4	7	9	17
B. *Operated*	1629	3.3	9	1	2	2	3	6	9	16
1. SINGLE DX	4157	2.2	3	1	1	2	2	3	4	7
2. MULTIPLE DX	1681	3.3	9	1	2	2	3	6	9	16
A. NOT OPERATED	124	3.0	16	<1	1	2	3	4	7	27
B. OPERATED	5714	2.5	5	1	1	2	3	4	5	12
TOTAL 0-19 YRS	1159	2.2	2	1	1	2	2	3	3	7
20-34	2300	2.3	4	1	1	2	2	3	4	10
35-49	1470	2.6	4	1	2	2	3	4	6	12
50-64	559	3.4	10	1	2	2	4	6	8	18
65+	350	4.0	13	2	2	3	5	8	11	16
GRAND TOTAL	**5838**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**12**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	37	3.3	6	<1	1	3	4	7	8	10
35-49	58	4.3	12	<1	1	3	7	8	9	21
50-64	10	4.9	5	2	2	4	6	8	10	10
65+	6	6.2	15	1	1	6	8	12	12	12
B. *Operated*										
0-19 YRS	6	6.7	7	2	2	7	9	9	9	9
20-34	871	6.2	7	2	2	6	8	9	10	14
35-49	2209	6.8	11	2	3	7	8	9	10	14
50-64	351	6.6	11	1	2	7	8	10	12	18
65+	49	8.8	20	2	3	8	11	15	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	101	4.6	13	<1	1	4	6	9	13	17
35-49	246	4.7	16	1	1	4	7	8	10	18
50-64	54	5.7	9	1	2	6	8	10	10	11
65+	34	6.9	25	1	2	5	9	14	18	22
B. *Operated*										
0-19 YRS	15	6.1	8	2	3	6	7	8	13	15
20-34	2459	7.0	10	2	2	7	8	10	12	17
35-49	9234	7.8	13	2	5	7	9	11	13	20
50-64	1936	8.1	14	2	5	8	9	12	14	22
65+	226	11.2	38	4	6	9	14	19	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	4.1	[illegible]	<1	1	3	6	8	9	16
B. *Operated*	3486	6.7	10	2	2	7	8	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	437	5.0	16	1	1	4	7	9	11	18
B. *Operated*	13870	7.8	14	2	5	7	9	11	14	21
1. SINGLE DX	3598	6.6	10	2	2	7	8	9	10	15
2. MULTIPLE DX	14307	7.7	14	2	4	7	9	11	14	21
A. NOT OPERATED	549	4.8	15	<1	1	4	7	9	11	18
B. OPERATED	17356	7.5	13	2	4	7	9	11	13	20
TOTAL 0-19 YRS	24	5.6	10	1	1	6	7	9	11	15
20-34	3468	6.7	10	2	2	7	8	10	12	17
35-49	11747	7.5	13	2	4	7	9	11	13	20
50-64	2351	7.9	14	2	3	8	9	11	14	21
65+	315	10.3	36	3	4	9	13	17	22	32
GRAND TOTAL	**17905**	**7.5**	**13**	**2**	**3**	**7**	**9**	**11**	**13**	**20**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	3.0	7	1	1	2	5	6	6	6
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	28	4.4	8	1	1	3	7	8	9	10
35-49	55	5.6	10	1	2	6	8	9	10	13
50-64	23	3.9	7	2	2	3	6	8	10	10
65+	12	4.4	18	1	1	3	5	11	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.3	10	1	1	2	6	7	7	7
35-49	3	7.3	4	5	5	8	9	9	9	9
50-64	2	7.0	8	5	5	7	9	9	9	9
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	57	6.1	9	1	2	6	8	9	11	13
35-49	163	7.0	15	2	2	7	9	11	13	19
50-64	61	6.1	24	1	2	6	8	12	16	26
65+	20	8.7	79	2	2	8	10	13	28	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.2	5	1	1	2	5	6	6	6
B. *Operated*	120	4.9	10	1	2	4	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	9	6.6	14	1	1	7	9	11	13	13
B. *Operated*	302	6.8	20	1	2	7	8	11	13	23
1. SINGLE DX	125	4.8	10	1	2	3	7	9	10	14
2. MULTIPLE DX	311	6.8	20	1	2	7	8	11	13	22
A. NOT OPERATED	14	5.4	13	1	1	5	8	10	12	13
B. OPERATED	422	6.2	18	1	2	6	8	10	12	19
TOTAL 0-19 YRS	3	4.0	12	2	2	2	7	8	8	8
20-34	88	5.5	9	1	2	6	8	9	10	13
35-49	222	6.7	14	2	2	7	8	10	12	19
50-64	89	5.5	20	1	2	5	7	10	14	23
65+	34	7.2	57	2	2	5	9	13	15	43
GRAND TOTAL	**436**	**6.2**	**18**	**1**	**2**	**6**	**8**	**10**	**12**	**19**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	5	<1	<1	2	5	6	6	6
20-34	8	3.8	6	1	1	4	6	6	6	6
35-49	5	7.8	4	6	6	7	9	11	11	11
50-64	2	5.0	18	2	2	5	8	8	8	8
65+	3	5.0	4	3	3	5	6	7	7	7
B. *Operated*										
0-19 YRS	157	6.3	4	4	4	6	7	8	9	16
20-34	454	6.3	12	4	4	6	7	8	9	15
35-49	150	7.5	7	5	5	7	9	11	12	18
50-64	103	8.1	8	5	6	8	9	11	13	21
65+	53	9.7	10	5	6	9	11	14	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	7	5.4	3	3	3	5	7	8	8	8
35-49	5	4.8	9	<1	<1	5	7	9	9	9
50-64	8	9.5	36	3	3	8	13	19	20	20
65+	5	4.8	13	1	1	6	8	8	8	8
B. *Operated*										
0-19 YRS	97	7.0	6	4	5	6	8	11	13	14
20-34	458	7.1	9	4	5	6	8	10	11	21
35-49	309	8.4	12	5	6	8	9	12	17	27
50-64	229	10.3	19	6	7	9	12	16	19	25
65+	153	13.2	36	7	8	11	16	23	27	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	4.6	8	<1	1	5	7	8	9	11
B. *Operated*	917	6.9	10	4	5	6	8	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	28	6.1	19	1	1	6	8	10	17	20
B. *Operated*	1246	8.8	19	5	5	8	10	14	18	27
1. SINGLE DX	941	6.8	10	4	4	6	8	10	11	16
2. MULTIPLE DX	1274	8.7	19	5	5	8	10	14	18	27
A. NOT OPERATED	52	5.4	14	1	1	5	7	9	11	20
B. OPERATED	2163	8.0	16	4	5	7	9	12	16	25
TOTAL 0-19 YRS	263	6.4	5	4	4	6	7	9	11	16
20-34	927	6.6	11	4	4	6	7	9	10	17
35-49	469	8.1	10	5	5	7	9	12	14	24
50-64	342	9.6	17	5	6	8	11	15	18	24
65+	214	12.0	33	6	7	11	14	19	25	31
GRAND TOTAL	**2215**	**7.9**	**16**	**4**	**5**	**7**	**9**	**12**	**16**	**25**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	14	1	1	2	6	8	8	8
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	12	2.9	6	<1	<1	2	4	7	9	9
20-34	50	3.7	5	<1	1	3	6	6	8	10
35-49	29	3.9	15	1	1	2	6	8	11	19
50-64	19	3.8	6	<1	1	3	6	7	9	10
65+	12	4.2	11	2	2	3	4	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	4.8	5	1	1	5	6	7	7	7
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	7	3.9	6	<1	<1	4	6	7	7	7
20-34	37	5.3	12	1	1	5	7	10	11	17
35-49	36	5.7	11	1	2	6	8	11	12	13
50-64	26	5.6	16	2	2	4	8	10	15	17
65+	11	6.4	20	2	2	4	9	14	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.8	5	1	1	2	3	7	8	8
B. *Operated*	122	3.7	8	<1	1	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	8	5.8	6	1	2	6	7	9	9	9
B. *Operated*	117	5.5	13	1	2	5	7	10	12	17
1. SINGLE DX	130	3.7	8	1	1	3	5	7	9	13
2. MULTIPLE DX	125	5.5	12	1	2	5	7	10	12	17
A. NOT OPERATED	16	4.3	8	1	1	4	6	8	9	9
B. OPERATED	239	4.6	11	1	1	4	6	9	11	17
TOTAL 0-19 YRS	22	3.3	7	<1	<1	2	6	7	8	9
20-34	93	4.4	8	1	1	4	6	8	10	14
35-49	66	4.9	14	1	1	4	7	10	11	18
50-64	49	4.8	12	1	2	3	7	9	10	17
65+	25	5.1	15	2	2	3	6	11	13	15
GRAND TOTAL	**255**	**4.6**	**11**	**1**	**1**	**4**	**6**	**9**	**11**	**17**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	15	3.2	3	<1	1	3	4	6	7	8
20-34	30	3.3	3	1	2	3	4	6	6	10
35-49	19	3.4	4	<1	<1	3	5	7	8	8
50-64	22	3.1	3	<1	1	3	4	5	6	7
65+	11	5.9	31	2	2	3	6	16	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	4.8	24	2	2	3	7	12	12	12
65+	4	24.3	1645	1	1	5	45	85	85	85
B. *Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	16	2.8	1	1	1	3	4	4	4	4
35-49	12	4.1	4	1	2	4	5	7	8	8
50-64	13	4.5	6	2	2	4	6	8	9	9
65+	27	7.1	55	1	2	4	10	20	25	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5	2	<1	<1	2	3	4	4	4
B. *Operated*	97	3.6	7	<1	1	3	4	6	8	17
2. MULTIPLE DX										
A. *Not Operated*	10	12.2	664	1	1	3	6	48	85	85
B. *Operated*	71	5.0	26	1	2	3	5	9	18	28
1. SINGLE DX	101	3.5	7	<1	1	3	4	6	7	16
2. MULTIPLE DX	81	5.9	103	1	2	3	5	10	19	68
A. NOT OPERATED	14	9.4	481	<1	1	3	5	19	70	85
B. OPERATED	168	4.2	15	1	1	3	5	7	10	23
TOTAL 0-19 YRS	19	3.0	3	<1	1	3	3	5	7	8
20-34	48	3.1	3	1	1	3	4	5	6	10
35-49	32	3.6	4	<1	1	3	5	7	8	8
50-64	39	3.7	6	1	2	3	5	7	9	12
65+	44	8.2	183	1	2	4	8	19	25	85
GRAND TOTAL	**182**	**4.6**	**51**	**1**	**1**	**3**	**5**	**7**	**11**	**27**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	2	5.0	18	2	2	5	8	8	8	8
65+	3	2.3	1	1	1	3	3	3	3	3
B. *Operated*										
0-19 YRS	8	2.3	2	1	1	2	3	5	5	5
20-34	21	4.4	63	<1	1	2	4	7	22	38
35-49	27	4.3	11	1	1	3	5	9	11	14
50-64	35	3.9	13	1	1	2	5	10	11	17
65+	78	3.8	12	1	1	3	4	7	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	2.5	2	1	1	2	3	4	4	4
65+	5	4.0	9	1	1	3	6	8	8	8
B. *Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	11	4.1	5	2	2	3	5	8	8	8
35-49	14	4.6	12	1	2	4	6	7	13	15
50-64	47	8.3	60	1	2	5	12	18	25	34
65+	99	6.1	30	2	2	4	8	14	16	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.7	6	1	1	3	5	8	8	8
B. *Operated*	169	3.9	18	1	1	3	4	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	9	3.3	6	1	1	3	4	7	8	8
B. *Operated*	175	6.3	36	2	2	4	8	15	18	32
1. SINGLE DX	175	3.9	17	1	1	3	4	8	11	21
2. MULTIPLE DX	184	6.2	35	1	2	4	8	15	18	32
A. NOT OPERATED	15	3.5	5	1	1	3	5	8	8	8
B. OPERATED	344	5.1	28	1	2	3	6	11	16	28
TOTAL 0-19 YRS	12	2.2	2	1	1	2	3	4	5	5
20-34	33	4.3	41	1	1	2	5	8	9	38
35-49	41	4.4	11	1	1	3	5	9	12	15
50-64	88	6.2	42	1	1	3	9	16	18	32
65+	185	5.0	23	1	2	3	6	11	15	23
GRAND TOTAL	**359**	**5.1**	**28**	**1**	**2**	**3**	**6**	**11**	**16**	**28**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	63	1.6	1	<1	<1	1	2	2	3	87
20-34	16	2.6	7	1	1	2	3	4	10	12
35-49	5	2.2	1	1	1	2	3	3	3	3
50-64	12	2.5	1	2	2	2	3	4	6	6
65+	7	2.0		1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	13	1.8		1	1	2	2	3	3	3
20-34	6	3.7	19	1	1	2	5	11	12	12
35-49	2	3.0		3	3	3	3	3	3	3
50-64	5	4.0	13	1	1	3	5	10	10	10
65+	9	3.8	7	2	2	3	4	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*	103	1.9	2	<1	1	2	2	3	4	52
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	35	3.0	7	1	1	2	3	8	10	12
1. SINGLE DX	106	1.9	2	<1	1	2	2	3	4	50
2. MULTIPLE DX	36	2.9	7	1	1	2	3	8	10	12
A. NOT OPERATED	4	1.8	1	1	1	2	2	3	3	3
B. OPERATED	138	2.2	3	<1	1	2	2	3	6	22
TOTAL 0-19 YRS	76	1.6	1	<1	1	2	2	2	3	74
20-34	23	2.9	9	1	1	2	3	6	12	12
35-49	8	2.5	1	1	1	3	3	3	3	3
50-64	19	2.7	4	1	1	2	3	5	8	10
65+	16	3.0	5	1	2	2	3	8	9	9
GRAND TOTAL	**142**	**2.2**	**3**	**<1**	**1**	**2**	**2**	**3**	**6**	**18**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	6.4	43	1	1	2	13	15	15	15
20-34	16	4.3	14	1	1	3	4	9	14	16
35-49	14	2.9	3	<1	1	3	4	6	7	7
50-64	19	7.3	163	1	1	3	7	14	39	57
65+	27	8.1	38	1	2	6	13	18	19	22
B. *Operated*										
0-19 YRS	12	11.4	41	3	3	9	17	20	23	24
20-34	44	11.7	48	2	3	11	16	22	25	29
35-49	105	12.1	99	1	2	11	16	22	31	52
50-64	115	15.4	128	2	4	13	19	28	36	64
65+	91	18.5	176	2	4	16	23	32	37	77
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	8.1	80	1	1	5	16	22	22	22
20-34	3	3.3	6	1	1	3	5	6	6	6
35-49	10	5.1	12	1	2	4	7	10	13	13
50-64	30	14.8	366	2	2	6	18	48	60	75
65+	60	11.0	125	2	3	8	14	20	28	72
B. *Operated*										
0-19 YRS	9	12.1	51	1	4	9	17	23	23	23
20-34	27	19.7	236	2	3	14	33	46	51	52
35-49	54	16.3	156	2	3	15	21	34	44	57
50-64	81	23.9	397	4	7	19	27	55	80	99
65+	93	28.8	409	4	10	22	42	60	80	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	6.2	58	1	1	3	8	15	17	46
B. *Operated*	367	14.7	125	2	3	13	19	26	36	59
2. MULTIPLE DX										
A. *Not Operated*	110	11.1	180	2	2	6	14	23	32	76
B. *Operated*	264	23.2	347	3	5	19	28	49	70	95
1. SINGLE DX	448	13.1	124	1	2	12	17	24	32	58
2. MULTIPLE DX	374	19.7	328	2	3	15	25	46	60	89
A. NOT OPERATED	191	9.0	134	1	2	5	11	19	28	69
B. OPERATED	631	18.3	236	2	3	15	22	36	52	83
TOTAL 0-19 YRS	33	10.2	52	1	2	9	15	22	23	24
20-34	90	12.5	125	1	2	10	16	28	34	52
35-49	183	12.3	117	1	2	10	17	23	35	52
50-64	245	17.5	270	2	3	13	21	36	57	87
65+	271	19.3	288	2	3	16	24	42	58	83
GRAND TOTAL	**822**	**16.1**	**227**	**2**	**3**	**13**	**20**	**34**	**49**	**81**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	3	2	2	4	5	6	6	6
20-34	13	3.6	2	<1	1	4	5	5	5	5
35-49	11	4.8	38	2	2	3	5	12	22	23
50-64	9	4.7	3	2	2	5	6	7	7	7
65+	5	4.0	3	1	1	5	5	5	5	5
B. *Operated*										
0-19 YRS	52	3.9	2	2	2	4	4	6	6	8
20-34	411	4.3	2	3	3	4	5	6	7	10
35-49	472	4.5	5	3	3	4	5	6	7	12
50-64	342	4.9	7	3	3	4	5	7	9	22
65+	149	5.9	13	3	3	5	6	9	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	5.0	3	3	3	5	6	7	7	7
35-49	9	8.2	122	<1	1	5	7	26	37	37
50-64	11	5.7	15	1	2	5	8	12	13	13
65+	9	9.3	43	1	3	7	11	20	24	24
B. *Operated*										
0-19 YRS	8	4.8	3	3	3	4	6	7	8	8
20-34	123	5.0	7	3	3	4	5	7	9	17
35-49	204	6.1	20	3	3	5	6	10	15	24
50-64	212	6.2	14	3	3	5	7	11	14	22
65+	118	9.0	48	3	4	7	11	19	21	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	4.2	11	1	2	4	5	6	7	23
B. *Operated*	1426	4.7	6	3	3	4	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	33	7.3	49	1	2	6	8	13	22	37
B. *Operated*	665	6.4	22	3	3	5	7	12	16	24
1. SINGLE DX	1468	4.7	6	3	3	4	5	6	8	13
2. MULTIPLE DX	698	6.5	23	3	3	5	7	12	17	25
A. NOT OPERATED	75	5.6	30	1	2	5	6	10	13	34
B. OPERATED	2091	5.2	12	3	3	4	6	8	11	21
TOTAL 0-19 YRS	64	4.0	2	2	2	4	5	6	7	8
20-34	551	4.4	4	3	3	4	5	6	8	14
35-49	696	5.0	12	3	3	4	5	7	10	21
50-64	574	5.4	10	3	3	5	6	8	12	22
65+	281	7.3	31	3	3	6	8	13	20	28
GRAND TOTAL	**2166**	**5.2**	**12**	**3**	**3**	**4**	**6**	**8**	**11**	**22**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	32	4.8	51	1	2	3	4	9	10	42
35-49	11	4.1	29	1	1	2	4	11	19	20
50-64	10	5.9	20	1	1	5	8	12	16	16
65+	5	5.8	10	2	2	7	8	9	9	9
B. *Operated*										
0-19 YRS	5	8.6	17	4	4	9	12	14	14	14
20-34	64	10.2	49	3	5	9	12	17	20	42
35-49	52	10.9	109	3	4	8	14	18	20	73
50-64	67	9.5	68	3	4	8	12	16	29	92
65+	42	10.4	46	4	5	8	13	22	25	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	15	4.0	5	1	2	4	5	6	9	10
35-49	15	9.0	81	2	2	6	9	19	33	38
50-64	15	9.3	56	2	2	5	13	18	26	29
65+	14	16.7	291	1	3	12	20	47	58	61
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	50	10.2	73	3	4	8	12	18	21	57
35-49	55	13.9	195	4	5	10	17	23	29	86
50-64	96	12.9	163	3	4	9	16	26	33	79
65+	88	14.7	158	4	5	9	18	34	40	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	4.9	36	1	2	3	5	9	13	40
B. *Operated*	230	10.2	66	3	4	8	13	18	23	58
2. MULTIPLE DX										
A. *Not Operated*	59	9.6	120	2	2	6	12	20	34	60
B. *Operated*	290	13.1	153	4	5	9	16	26	35	65
1. SINGLE DX	290	9.1	64	2	3	7	11	17	22	49
2. MULTIPLE DX	349	12.5	148	3	4	8	15	25	35	64
A. NOT OPERATED	119	7.2	83	1	2	4	8	16	20	51
B. OPERATED	520	11.8	116	3	4	9	15	22	31	64
TOTAL 0-19 YRS	8	6.4	20	2	2	5	10	13	14	14
20-34	161	8.5	59	2	2	7	10	16	20	42
35-49	133	11.4	141	2	3	8	15	20	24	76
50-64	188	11.0	116	3	4	8	13	23	31	81
65+	149	13.4	138	4	5	9	17	29	39	61
GRAND TOTAL	**639**	**11.0**	**113**	**2**	**3**	**8**	**13**	**21**	**31**	**64**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	3.6	6	<1	<1	4	5	6	8	9
35-49	8	3.8	13	<1	<1	2	7	9	10	10
50-64	6	4.2	7	<1	<1	4	4	9	9	9
65+	2	9.5	85	3	3	9	16	16	16	16
B. *Operated*										
0-19 YRS	37	3.3	5	1	2	2	4	7	8	9
20-34	1503	4.7	12	1	2	5	6	8	9	12
35-49	464	5.6	8	2	2	6	7	9	10	12
50-64	161	5.6	12	2	2	6	8	10	11	16
65+	82	5.5	15	2	2	4	7	11	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	20	3.6	10	<1	<1	3	5	8	10	12
35-49	9	4.4	15	<1	1	3	6	11	13	13
50-64	5	4.2	2	2	2	4	5	6	6	6
65+	6	6.7	19	3	3	5	10	14	14	14
B. *Operated*										
0-19 YRS	19	5.0	9	2	2	5	6	8	12	15
20-34	881	5.7	11	2	2	6	7	9	11	17
35-49	532	6.8	11	2	3	7	8	10	12	19
50-64	186	7.7	22	2	2	7	9	13	18	25
65+	95	9.4	93	2	2	7	12	17	20	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	4.2	12	<1	<1	4	5	9	10	16
B. *Operated*	2247	5.0	12	1	2	5	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	40	4.3	12	<1	1	4	6	9	12	14
B. *Operated*	1713	6.5	18	2	2	6	8	10	13	20
1. SINGLE DX	2277	5.0	12	1	2	5	7	8	9	12
2. MULTIPLE DX	1753	6.4	18	2	2	6	8	10	13	20
A. NOT OPERATED	70	4.3	12	<1	<1	4	6	9	12	16
B. OPERATED	3960	5.6	15	2	2	6	7	9	11	17
TOTAL 0-19 YRS	56	3.9	7	1	2	3	5	7	9	15
20-34	2418	5.1	12	1	2	5	7	8	9	13
35-49	1013	6.2	10	2	2	6	8	9	11	17
50-64	358	6.6	18	2	2	6	8	11	14	24
65+	185	7.6	59	2	2	6	10	15	17	29
GRAND TOTAL	**4030**	**5.6**	**15**	**2**	**2**	**6**	**7**	**9**	**11**	**17**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.6	1	1	2	2	3	4	5	7
20-34	3	2.3		2	2	2	3	3	3	3
35-49	3	9.3	102	3	3	4	17	21	21	21
50-64	15	7.8	45	2	3	5	11	17	24	26
65+	13	7.6	69	1	1	5	9	17	29	32
B. *Operated*										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	51	4.9	22	1	1	3	6	9	15	25
35-49	100	5.7	19	1	2	5	7	11	14	23
50-64	173	5.5	22	1	2	4	8	12	15	23
65+	189	6.4	29	1	2	4	9	15	18	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	4	3	3	4	6	7	7	7
20-34	7	7.3	9	4	4	6	10	11	11	11
35-49	9	6.0	8	2	2	6	7	10	11	11
50-64	17	6.3	26	1	2	5	7	12	19	22
65+	25	12.3	148	3	4	7	16	26	43	52
B. *Operated*										
0-19 YRS										
20-34	44	6.7	17	2	2	6	8	10	12	26
35-49	108	7.4	48	2	2	6	9	14	21	43
50-64	203	7.7	41	1	2	6	10	15	21	29
65+	228	10.7	83	2	2	9	15	22	27	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	4.9	32	1	2	3	5	12	17	31
B. *Operated*	516	5.8	24	1	2	4	8	12	16	24
2. MULTIPLE DX										
A. *Not Operated*	62	8.7	76	2	3	6	10	18	24	51
B. *Operated*	583	8.7	59	2	2	7	11	19	23	41
1. SINGLE DX	587	5.7	25	1	2	4	8	12	16	24
2. MULTIPLE DX	645	8.7	61	2	2	7	11	19	23	43
A. NOT OPERATED	133	6.7	56	2	2	4	7	14	22	42
B. OPERATED	1099	7.4	45	1	2	5	10	16	21	31
TOTAL 0-19 YRS	44	2.8	2	1	1	2	3	5	7	7
20-34	105	5.8	19	1	2	5	8	10	12	25
35-49	220	6.6	34	1	2	5	8	12	17	31
50-64	408	6.7	34	1	2	5	9	14	18	27
65+	455	8.9	68	2	2	6	12	19	25	40
GRAND TOTAL	**1232**	**7.3**	**46**	**1**	**2**	**5**	**10**	**16**	**21**	**32**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	2.9	3	1	1	3	4	6	7	99+
20-34	95	3.2	7	1	1	2	4	6	8	14
35-49	84	3.9	6	1	1	3	5	7	9	11
50-64	156	5.3	37	1	1	3	6	12	17	23
65+	181	6.5	58	1	1	4	8	14	19	49
B. *Operated*										
0-19 YRS	203	4.3	18	1	1	3	5	8	13	22
20-34	376	5.0	21	1	2	4	6	11	15	25
35-49	335	5.4	36	1	1	3	6	13	16	35
50-64	464	5.6	31	1	2	3	8	12	16	27
65+	474	6.5	51	1	2	4	9	15	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.6	9	<1	1	3	5	7	13	99+
20-34	95	5.6	44	<1	1	4	7	11	13	40
35-49	125	5.4	30	1	1	4	7	10	13	32
50-64	276	7.2	61	1	2	5	9	14	17	41
65+	550	8.5	69	1	2	6	11	19	25	44
B. *Operated*										
0-19 YRS	77	9.8	141	1	2	5	11	26	30	63
20-34	307	7.9	108	2	2	5	9	14	20	61
35-49	325	7.1	57	2	2	5	8	13	18	42
50-64	515	9.2	72	2	2	7	12	20	24	56
65+	782	11.4	123	2	2	8	15	24	31	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	565	4.9	33	1	1	3	6	10	15	38
B. *Operated*	1852	5.5	34	1	2	3	7	13	16	28
2. MULTIPLE DX										
A. *Not Operated*	1090	7.4	60	1	2	5	9	15	21	45
B. *Operated*	2006	9.6	100	2	2	7	12	21	28	58
1. SINGLE DX	2417	5.4	34	1	1	3	7	12	16	29
2. MULTIPLE DX	3096	8.8	87	1	2	6	11	19	25	55
A. NOT OPERATED	1655	6.6	52	1	1	4	8	14	19	44
B. OPERATED	3858	7.6	72	1	2	5	10	17	23	42
TOTAL 0-19 YRS	373	5.2	46	1	1	3	6	10	19	48
20-34	873	5.9	55	1	2	4	7	12	16	42
35-49	869	5.9	41	1	2	4	7	12	16	35
50-64	1411	7.2	55	1	2	5	10	15	21	36
65+	1987	9.0	89	1	2	6	12	20	26	51
GRAND TOTAL	**5513**	**7.3**	**66**	**1**	**2**	**5**	**9**	**16**	**22**	**42**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.1	3	1	1	3	4	5	7	8
20-34	67	3.7	20	1	1	3	4	6	9	31
35-49	57	3.7	12	1	1	3	4	6	8	24
50-64	51	4.5	13	1	2	4	5	7	8	26
65+	36	4.7	9	2	2	4	6	10	11	13
B. *Operated*										
0-19 YRS	47	4.3	3	2	3	4	5	6	7	11
20-34	369	4.5	4	3	3	4	5	6	7	14
35-49	533	4.9	3	3	3	4	6	7	9	11
50-64	487	5.2	5	3	3	5	6	8	10	13
65+	259	6.0	11	3	3	5	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.8	11	1	2	4	6	10	13	13
20-34	59	4.1	8	1	1	3	5	7	10	15
35-49	100	5.0	10	2	2	4	6	9	11	19
50-64	111	5.4	13	2	2	5	7	9	13	20
65+	134	6.3	20	2	3	5	8	11	14	26
B. *Operated*										
0-19 YRS	18	4.9	5	2	3	4	7	8	9	9
20-34	132	5.0	7	2	3	5	6	7	10	17
35-49	263	6.0	11	3	3	5	7	10	12	19
50-64	337	7.1	21	3	4	6	8	13	17	23
65+	215	8.5	34	3	4	7	10	16	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	4.0	13	1	1	3	5	7	9	25
B. *Operated*	1695	5.0	5	3	3	5	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	415	5.4	14	2	2	5	7	10	12	23
B. *Operated*	965	6.8	20	3	3	5	8	12	16	24
1. SINGLE DX	1924	4.9	7	2	3	4	6	7	9	13
2. MULTIPLE DX	1380	6.4	19	2	3	5	8	11	15	24
A. NOT OPERATED	644	4.9	14	1	2	4	6	8	11	23
B. OPERATED	2660	5.7	11	3	3	5	6	9	11	20
TOTAL 0-19 YRS	94	4.3	4	1	2	4	5	7	8	12
20-34	627	4.5	7	2	2	4	5	6	8	15
35-49	953	5.1	7	2	3	4	6	8	10	16
50-64	986	5.8	13	3	3	5	7	9	12	21
65+	644	6.8	22	3	3	6	8	11	15	31
GRAND TOTAL	**3304**	**5.5**	**12**	**2**	**3**	**5**	**6**	**9**	**11**	**20**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	5.1	18	1	1	4	6	10	15	20
20-34	244	5.4	22	1	2	4	7	10	13	21
35-49	249	5.0	8	2	2	4	7	9	10	14
50-64	186	6.2	20	2	2	5	8	12	14	22
65+	90	7.4	22	3	3	6	9	13	16	27
B. *Operated*										
0-19 YRS	78	5.7	15	3	3	5	6	9	15	25
20-34	412	5.6	12	3	3	5	6	8	10	20
35-49	311	5.1	5	3	3	5	6	8	9	13
50-64	213	5.8	48	2	3	5	6	8	10	22
65+	85	6.7	21	2	3	5	8	11	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	7.0	69	2	2	5	7	13	15	58
20-34	331	6.4	19	2	3	5	8	12	14	23
35-49	449	7.1	30	2	2	5	9	14	17	29
50-64	533	7.7	29	2	3	7	10	13	17	27
65+	611	10.2	73	3	3	8	12	19	27	42
B. *Operated*										
0-19 YRS	33	9.2	65	4	4	7	9	19	24	41
20-34	213	7.8	45	3	4	6	9	14	20	42
35-49	237	7.1	22	3	3	6	9	13	15	29
50-64	205	8.3	50	3	3	6	10	15	21	51
65+	168	12.1	108	3	4	9	16	23	30	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	855	5.6	18	1	2	4	7	11	13	20
B. *Operated*	1099	5.6	18	3	3	5	6	8	10	20
2. MULTIPLE DX										
A. *Not Operated*	1989	8.1	44	2	3	6	10	15	20	32
B. *Operated*	856	8.6	56	3	4	6	10	16	22	42
1. SINGLE DX	1954	5.6	18	2	3	5	7	9	12	20
2. MULTIPLE DX	2845	8.3	48	2	3	6	10	15	21	36
A. NOT OPERATED	2844	7.4	38	2	2	6	9	14	17	31
B. OPERATED	1955	6.9	37	3	3	5	7	12	17	33
TOTAL 0-19 YRS	262	6.3	37	2	2	4	7	13	17	27
20-34	1200	6.2	23	2	3	5	7	11	14	27
35-49	1246	6.2	19	2	3	5	7	11	14	25
50-64	1137	7.2	36	2	3	6	9	13	16	27
65+	954	10.0	72	3	3	8	12	19	26	44
GRAND TOTAL	**4799**	**7.2**	**37**	**2**	**3**	**5**	**8**	**13**	**17**	**31**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	626	6.3	12	2	2	6	8	11	13	17
20-34	580	5.7	10	2	2	5	7	9	12	17
35-49	773	6.5	17	2	3	6	8	11	13	20
50-64	1119	7.1	17	2	3	6	9	12	14	21
65+	936	7.8	21	3	3	7	10	13	15	26
B. *Operated*										
0-19 YRS	4	7.8	18	2	2	8	10	12	12	12
20-34	6	11.0	58	6	6	8	12	25	26	26
35-49	10	5.6	6	2	2	6	7	9	9	9
50-64	22	7.7	24	2	3	6	10	15	19	20
65+	30	10.0	61	2	2	8	14	19	21	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	452	6.1	24	1	2	5	8	11	14	32
20-34	1198	6.5	16	2	3	6	8	11	14	21
35-49	2703	7.5	22	2	3	6	9	13	16	26
50-64	5695	8.2	28	3	3	7	10	14	17	29
65+	6796	9.3	44	3	4	8	11	16	21	36
B. *Operated*										
0-19 YRS	22	7.8	45	2	2	6	9	21	22	23
20-34	137	10.0	89	2	2	7	12	21	25	49
35-49	391	12.1	98	2	3	9	16	24	32	68
50-64	783	13.1	106	3	4	11	16	24	34	64
65+	826	15.7	152	3	4	12	19	31	39	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4034	6.8	17	2	3	6	8	11	14	21
B. *Operated*	72	8.7	41	2	2	7	11	18	20	35
2. MULTIPLE DX										
A. *Not Operated*	16844	8.4	34	3	3	7	10	15	18	31
B. *Operated*	2159	13.7	123	3	4	11	17	27	36	70
1. SINGLE DX	4106	6.8	17	2	3	6	8	12	14	21
2. MULTIPLE DX	19003	9.0	47	3	3	7	11	16	21	37
A. NOT OPERATED	20878	8.1	31	2	3	7	10	14	17	29
B. OPERATED	2231	13.5	121	3	4	11	17	27	36	66
TOTAL 0-19 YRS	1104	6.2	18	2	2	5	8	11	13	21
20-34	1921	6.5	21	2	2	6	8	11	14	22
35-49	3877	7.7	31	2	3	7	9	13	18	31
50-64	7619	8.5	37	3	3	7	10	15	19	34
65+	8588	9.8	56	3	4	8	12	17	23	40
GRAND TOTAL	**23109**	**8.6**	**42**	**2**	**3**	**7**	**10**	**15**	**20**	**35**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	693	5.0	14	1	2	4	6	9	11	20
20-34	538	5.0	9	2	2	4	7	9	11	14
35-49	235	6.6	14	2	3	6	9	11	14	17
50-64	201	7.0	17	2	3	6	9	12	15	22
65+	159	8.7	42	3	3	7	10	15	19	36
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	5	6.6	13	3	3	5	10	11	11	11
35-49	3	5.3	2	4	4	5	6	7	7	7
50-64	3	9.0	3	7	7	10	10	10	10	10
65+	2	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	454	5.6	14	2	2	5	7	11	13	16
20-34	660	6.7	28	2	2	5	8	12	17	31
35-49	564	8.3	30	2	3	7	10	16	19	28
50-64	627	10.0	49	3	4	9	13	18	21	33
65+	649	12.1	96	3	5	10	15	22	28	57
B. *Operated*										
0-19 YRS	17	10.0	16	3	7	10	12	16	18	18
20-34	49	13.1	60	4	5	11	17	22	34	37
35-49	55	14.2	81	5	5	12	19	24	29	54
50-64	68	18.7	164	6	8	15	22	34	45	97
65+	68	23.0	179	8	10	19	29	43	50	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1826	5.8	17	2	2	5	7	10	13	20
B. *Operated*	14	8.0	12	3	4	8	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	2954	8.7	51	2	3	7	11	16	21	39
B. *Operated*	257	17.3	137	5	6	14	21	32	42	63
1. SINGLE DX	1840	5.8	17	2	2	5	7	10	13	20
2. MULTIPLE DX	3211	9.4	63	2	3	7	12	18	23	47
A. NOT OPERATED	4780	7.6	40	2	2	6	10	14	18	32
B. OPERATED	271	16.8	135	5	6	14	21	32	40	62
TOTAL 0-19 YRS	1165	5.3	14	1	2	4	7	10	12	19
20-34	1252	6.2	23	2	2	5	8	11	15	29
35-49	857	8.2	32	2	3	7	10	15	19	28
50-64	899	10.0	58	3	3	8	13	18	22	39
65+	878	12.4	104	3	4	10	15	22	31	57
GRAND TOTAL	**5051**	**8.1**	**49**	**2**	**2**	**6**	**10**	**15**	**20**	**37**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	5.5	11	1	2	5	7	10	12	16
20-34	188	5.6	12	2	2	5	7	9	12	16
35-49	256	6.5	13	2	3	6	8	12	14	18
50-64	417	7.4	22	3	3	6	9	13	17	25
65+	324	7.9	23	3	3	7	10	14	16	28
B. *Operated*										
0-19 YRS	6	6.8	82	1	1	2	10	23	24	24
20-34	34	5.2	44	1	1	3	6	15	25	27
35-49	20	6.9	21	1	2	6	9	14	17	18
50-64	88	9.3	157	1	1	5	10	21	32	64
65+	77	9.1	125	2	2	5	11	16	34	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	6.2	19	2	2	5	8	12	15	23
20-34	536	7.2	34	2	2	6	9	13	17	33
35-49	987	7.9	24	3	3	7	10	14	17	26
50-64	2236	8.8	35	[illegible]	4	7	11	15	19	33
65+	2531	9.9	51	[illegible]	4	8	12	18	22	40
B. *Operated*										
0-19 YRS	11	8.4	20	3	5	7	9	16	19	19
20-34	158	13.7	133	2	3	10	17	31	38	56
35-49	327	16.5	191	4	5	12	21	35	46	70
50-64	872	17.5	210	3	4	13	23	38	49	70
65+	976	21.1	269	3	5	16	28	43	57	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1318	6.9	19	2	3	6	8	12	15	24
B. *Operated*	225	8.3	116	1	1	5	9	18	27	61
2. MULTIPLE DX										
A. *Not Operated*	6409	8.9	40	3	3	7	11	16	20	34
B. *Operated*	2344	18.6	231	3	4	14	24	40	51	74
1. SINGLE DX	1543	7.1	33	2	3	6	8	13	16	28
2. MULTIPLE DX	8753	11.5	110	3	4	8	14	22	33	60
A. NOT OPERATED	7727	8.6	37	3	3	7	10	15	19	33
B. OPERATED	2569	17.7	229	3	4	13	23	39	50	73
TOTAL 0-19 YRS	269	5.9	16	1	2	5	7	11	14	21
20-34	916	7.9	54	2	2	6	9	15	20	42
35-49	1590	9.4	69	3	3	7	11	17	24	49
50-64	3613	10.8	93	3	4	8	13	21	30	56
65+	3908	12.5	129	3	4	9	15	25	35	65
GRAND TOTAL	**10296**	**10.8**	**100**	**3**	**3**	**8**	**13**	**21**	**31**	**57**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.3	33	2	2	3	5	15	18	18
20-34	34	3.7	5	<1	1	3	4	7	9	9
35-49	3	2.7		2	2	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	50	4.6	5	1	2	5	6	8	8	10
20-34	288	4.5	9	1	1	5	6	8	9	14
35-49	19	4.5	9	<1	<1	5	7	9	9	9
50-64										
65+	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.9	7	1	1	4	5	7	10	11
20-34	29	4.5	8	1	1	4	5	8	11	14
35-49	10	9.1	59	1	2	6	15	21	24	24
50-64	3	8.0	9	5	5	8	10	11	11	11
65+										
B. *Operated*										
0-19 YRS	62	4.7	8	1	1	5	6	8	10	13
20-34	515	4.9	11	<1	1	5	7	8	11	17
35-49	62	6.6	15	1	2	7	8	10	15	20
50-64	5	5.2	12	1	1	7	8	8	8	8
65+	3	10.0	27	7	7	7	14	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	3.8	9	<1	2	3	4	7	9	18
B. *Operated*	359	4.5	8	1	1	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	57	5.4	19	1	1	4	6	11	15	24
B. *Operated*	647	5.1	12	<1	1	5	7	8	11	17
1. SINGLE DX	404	4.5	9	1	1	4	6	8	9	14
2. MULTIPLE DX	704	5.1	12	<1	1	5	7	9	11	18
A. NOT OPERATED	102	4.7	15	1	1	4	5	9	12	21
B. OPERATED	1006	4.9	10	1	1	5	7	8	10	16
TOTAL 0-19 YRS	134	4.6	8	1	1	5	6	8	10	14
20-34	866	4.7	10	<1	1	5	7	8	10	15
35-49	94	6.3	19	1	2	6	8	10	16	22
50-64	9	5.8	12	1	1	7	8	10	11	11
65+	5	8.2	21	4	4	7	9	16	16	16
GRAND TOTAL	**1108**	**4.9**	**11**	**1**	**1**	**5**	**7**	**8**	**10**	**17**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	232	3.6	12	1	1	3	4	6	9	20
20-34	273	5.0	28	1	2	4	6	9	11	16
35-49	229	4.8	15	1	1	4	6	9	12	20
50-64	176	4.6	8	1	2	4	6	8	10	15
65+	157	5.8	19	1	2	5	7	11	15	25
B. *Operated*										
0-19 YRS	24	5.8	17	1	2	4	8	12	15	16
20-34	53	6.8	21	2	2	6	10	12	15	24
35-49	50	7.7	59	2	3	6	9	14	16	54
50-64	46	7.4	43	1	2	6	8	14	25	34
65+	26	8.8	59	1	2	7	9	24	26	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	208	3.8	9	1	1	3	5	7	9	19
20-34	513	5.4	21	1	2	4	6	10	13	25
35-49	629	6.2	39	1	2	4	7	11	16	39
50-64	809	7.1	46	1	2	5	9	13	18	37
65+	1211	8.1	45	2	3	6	10	16	20	36
B. *Operated*										
0-19 YRS	28	10.6	347	1	1	5	8	29	50	91
20-34	98	8.7	56	1	2	7	13	19	24	70
35-49	111	9.2	45	1	1	8	12	19	24	62
50-64	161	12.4	90	3	4	10	16	24	32	64
65+	150	16.6	199	4	5	12	21	36	47	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1067	4.7	18	1	1	4	6	9	11	18
B. *Operated*	199	7.3	40	1	2	6	9	13	17	32
2. MULTIPLE DX										
A. *Not Operated*	3370	6.8	40	1	2	5	8	13	18	35
B. *Operated*	548	12.2	126	1	3	9	16	24	35	91
1. SINGLE DX	1266	5.1	22	1	2	4	6	9	13	25
2. MULTIPLE DX	3918	7.6	55	1	2	5	9	15	21	41
A. NOT OPERATED	4437	6.3	35	1	2	5	8	12	16	30
B. OPERATED	747	10.9	108	1	2	8	14	23	33	66
TOTAL 0-19 YRS	492	4.2	32	1	1	3	5	7	10	25
20-34	937	5.7	28	1	2	4	7	11	15	30
35-49	1019	6.3	37	1	2	5	8	12	16	38
50-64	1192	7.5	51	1	2	6	9	15	20	37
65+	1544	8.7	65	2	3	6	11	17	23	44
GRAND TOTAL	**5184**	**7.0**	**48**	**1**	**2**	**5**	**8**	**14**	**19**	**37**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	5.1	16	1	2	4	6	9	15	17
20-34	12	4.5	19	1	1	3	5	11	16	17
35-49	3	7.0	39	2	2	5	12	14	14	14
50-64	26	6.6	17	1	2	6	9	12	14	20
65+	22	12.0	60	4	5	9	15	22	31	33
B. *Operated*										
0-19 YRS	5	9.6	34	4	4	8	14	18	18	18
20-34	8	2.8	3	<1	<1	2	3	5	6	6
35-49	3	6.3	10	4	4	5	9	10	10	10
50-64	5	10.0	68	3	3	7	13	24	24	24
65+	3	15.3	5	14	14	14	17	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	12.7	196	3	3	7	16	23	49	70
20-34	34	8.0	33	2	2	6	10	16	21	24
35-49	52	10.2	46	2	3	8	15	20	21	32
50-64	129	10.4	101	2	3	7	12	18	30	60
65+	403	13.2	127	3	4	10	16	24	33	62
B. *Operated*										
0-19 YRS	8	9.0	170	<1	<1	5	9	32	40	40
20-34	20	10.7	83	2	2	8	12	28	31	32
35-49	16	17.9	220	4	4	10	33	42	43	43
50-64	37	21.4	141	3	6	21	29	40	41	45
65+	67	20.2	134	7	8	18	27	34	48	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	7.6	37	1	2	6	9	16	19	32
B. *Operated*	24	7.7	38	1	2	5	12	18	20	24
2. MULTIPLE DX										
A. *Not Operated*	670	12.1	118	3	4	9	15	23	31	63
B. *Operated*	148	18.4	153	3	5	16	27	35	41	54
1. SINGLE DX	101	7.6	37	1	2	6	10	17	19	31
2. MULTIPLE DX	818	13.2	130	3	4	10	17	27	35	59
A. NOT OPERATED	747	11.6	112	2	3	9	15	22	31	61
B. OPERATED	172	16.9	150	2	4	14	24	34	41	53
TOTAL 0-19 YRS	79	10.7	157	2	2	6	14	22	35	68
20-34	74	7.6	46	2	2	5	10	17	24	32
35-49	74	11.6	91	2	3	8	16	22	37	43
50-64	197	11.9	118	2	3	8	15	27	34	52
65+	495	14.1	130	4	4	11	18	27	34	60
GRAND TOTAL	**919**	**12.6**	**123**	**2**	**3**	**9**	**16**	**26**	**34**	**57**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	8.7	34	1	2	7	13	16	20	22
20-34	5	10.8	43	3	3	9	17	19	19	19
35-49	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	4	12.5	4	11	11	12	14	15	15	15
20-34	5	3.6	3	2	2	3	5	6	6	6
35-49	14	2.9	2	1	2	2	3	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	10.5	43	2	3	10	14	19	22	32
20-34	29	10.4	50	3	3	8	13	21	26	29
35-49	6	8.0	15	4	4	8	11	13	13	13
B. *Operated*										
0-19 YRS	17	13.0	46	3	4	14	17	26	71	99+
20-34	10	9.4	160	1	1	5	11	29	43	43
35-49	10	3.4	3	2	2	3	4	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	8.7	35	1	2	7	13	17	19	22
B. *Operated*	23	4.7	16	1	2	3	6	12	14	15
2. MULTIPLE DX										
A. *Not Operated*	177	10.4	43	2	3	9	14	20	22	32
B. *Operated*	37	9.4	78	2	2	7	15	21	37	99+
1. SINGLE DX	72	7.4	32	1	2	6	12	15	19	22
2. MULTIPLE DX	214	10.2	49	2	2	9	14	20	23	37
A. NOT OPERATED	226	10.0	42	2	3	9	14	19	22	31
B. OPERATED	60	7.6	59	2	2	4	13	17	25	94
TOTAL 0-19 YRS	206	10.4	42	2	3	10	14	19	22	33
20-34	49	9.5	67	2	2	7	12	20	26	43
35-49	31	4.0	9	2	2	3	5	8	11	13
GRAND TOTAL	**286**	**9.5**	**46**	**2**	**2**	**8**	**14**	**19**	**22**	**33**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	3.1	7	<1	1	2	4	5	8	14
20-34	41	4.5	14	1	1	3	6	9	12	18
35-49	26	4.0	7	1	1	4	6	8	9	11
50-64	13	7.3	51	2	2	4	11	16	25	27
65+	4	5.3	5	3	3	5	7	8	8	8
B. *Operated*										
0-19 YRS	20	9.4	5	7	7	9	10	13	14	15
20-34	332	9.4	13	6	6	9	11	13	17	22
35-49	206	9.7	13	6	6	9	12	14	18	25
50-64	32	9.2	10	5	6	9	11	13	16	17
65+	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	4.9	13	1	2	4	6	10	11	21
20-34	137	5.9	43	1	1	4	7	11	15	36
35-49	210	5.8	24	1	2	4	7	12	15	29
50-64	174	6.5	21	2	2	5	9	13	17	20
65+	88	9.3	84	2	3	7	11	18	25	54
B. *Operated*										
0-19 YRS	20	9.7	26	2	3	9	12	16	19	22
20-34	366	10.8	47	5	6	9	12	17	22	52
35-49	410	12.3	62	5	7	10	14	19	25	47
50-64	117	13.6	128	3	4	11	15	29	41	55
65+	16	12.8	132	3	3	8	20	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	4.4	15	1	1	3	5	9	12	21
B. *Operated*	592	9.5	13	6	6	9	11	13	17	22
2. MULTIPLE DX										
A. *Not Operated*	664	6.4	36	1	2	5	8	13	17	31
B. *Operated*	929	11.8	65	4	6	10	13	19	27	47
1. SINGLE DX	706	8.6	17	2	4	8	10	13	16	22
2. MULTIPLE DX	1593	9.6	60	2	3	8	12	17	22	44
A. NOT OPERATED	778	6.1	33	1	2	4	7	12	16	28
B. OPERATED	1521	10.9	46	5	6	9	12	17	22	43
TOTAL 0-19 YRS	125	5.9	19	1	1	4	9	12	14	21
20-34	876	9.2	36	2	3	8	11	15	18	34
35-49	852	9.8	47	2	3	9	12	17	20	39
50-64	336	9.3	68	2	3	7	12	17	22	44
65+	110	9.6	88	2	3	7	11	21	32	50
GRAND TOTAL	**2299**	**9.3**	**47**	**2**	**3**	**8**	**11**	**16**	**20**	**40**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	126	4.3	11	1	1	3	6	8	10	19
20-34	86	5.0	20	1	1	4	6	8	14	28
35-49	92	5.6	17	1	2	4	7	10	12	25
50-64	62	5.5	28	1	1	4	7	9	11	31
65+	39	5.8	26	1	1	4	8	10	16	27
B. *Operated*										
0-19 YRS	52	5.1	31	1	1	4	7	10	12	36
20-34	81	4.4	8	1	2	3	6	8	10	14
35-49	75	4.1	9	1	1	3	6	9	10	14
50-64	97	5.4	22	1	2	3	9	13	14	22
65+	43	6.8	44	1	2	5	9	16	19	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	155	5.4	41	1	2	4	6	11	14	68
20-34	234	6.1	32	1	2	5	7	12	18	32
35-49	339	6.5	31	2	2	5	8	12	15	34
50-64	333	7.4	39	2	3	5	9	15	20	32
65+	300	9.6	63	2	3	7	12	19	25	40
B. *Operated*										
0-19 YRS	51	5.4	45	1	1	4	7	11	17	99
20-34	125	8.0	35	2	2	7	10	14	16	33
35-49	190	8.7	76	2	2	6	10	17	25	48
50-64	165	9.1	83	2	2	6	11	18	26	55
65+	161	12.7	121	2	3	11	16	24	35	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	5.1	19	1	1	4	6	9	11	27
B. *Operated*	348	5.0	21	1	1	3	7	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	1361	7.2	43	2	2	5	9	14	20	38
B. *Operated*	692	9.3	82	1	2	7	12	18	27	54
1. SINGLE DX	753	5.0	19	1	1	4	6	10	12	27
2. MULTIPLE DX	2053	7.9	57	2	2	6	10	16	22	43
A. NOT OPERATED	1766	6.7	38	1	2	5	8	13	19	34
B. OPERATED	1040	7.9	66	1	2	6	10	16	22	46
TOTAL 0-19 YRS	384	5.0	30	1	1	4	6	10	12	42
20-34	526	6.1	28	1	2	5	8	12	15	30
35-49	696	6.8	41	1	2	5	8	13	17	38
50-64	657	7.4	48	2	2	5	9	14	20	31
65+	543	10.0	80	2	3	7	13	20	27	45
GRAND TOTAL	**2806**	**7.2**	**49**	**1**	**2**	**5**	**9**	**14**	**20**	**39**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	20	4.7	11	1	1	4	5	9	13	15
35-49	63	5.1	12	2	2	4	7	9	11	21
50-64	93	5.3	9	2	2	4	7	9	11	15
65+	85	5.8	13	2	2	5	7	10	13	17
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	7.1	18	3	3	5	11	14	14	14
35-49	13	4.1	5	2	2	3	7	7	7	7
50-64	7	6.6	19	2	2	7	11	12	12	12
65+	18	3.6	6	1	1	3	5	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.8	15	2	2	4	9	12	12	12
20-34	35	6.1	19	2	2	4	8	14	15	19
35-49	136	6.4	29	2	3	5	8	10	15	35
50-64	336	7.4	30	2	3	6	9	13	18	28
65+	484	8.3	35	2	3	7	11	16	19	27
B. *Operated*										
0-19 YRS										
20-34	5	8.0	29	4	4	7	10	17	17	17
35-49	26	10.3	112	2	2	8	11	22	36	50
50-64	43	11.3	94	2	2	8	16	21	28	52
65+	48	12.4	85	3	4	9	17	24	32	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	263	5.4	11	2	2	4	7	10	12	16
B. *Operated*	46	4.7	11	1	2	4	7	9	12	14
2. MULTIPLE DX										
A. *Not Operated*	997	7.6	32	2	3	6	9	14	18	28
B. *Operated*	122	11.4	91	2	3	8	15	23	32	51
1. SINGLE DX	309	5.3	11	2	2	4	7	10	12	16
2. MULTIPLE DX	1119	8.0	40	2	3	6	10	15	20	34
A. NOT OPERATED	1260	7.2	29	2	3	6	9	13	17	27
B. OPERATED	168	9.5	78	2	2	7	12	20	25	49
TOTAL 0-19 YRS	9	5.0	12	2	2	4	7	11	12	12
20-34	67	5.9	17	2	2	5	7	14	15	19
35-49	238	6.4	34	2	2	5	8	10	14	35
50-64	479	7.3	33	2	3	6	9	13	18	32
65+	635	8.1	38	2	3	6	10	16	19	29
GRAND TOTAL	**1428**	**7.4**	**35**	**2**	**3**	**6**	**9**	**14**	**18**	**31**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	3.6	10	1	1	3	4	7	12	16
20-34	76	4.4	58	<1	1	3	5	7	11	53
35-49	60	4.8	16	1	1	4	6	9	11	25
50-64	87	4.4	7	1	1	4	6	8	9	12
65+	176	6.7	15	2	2	6	9	12	14	19
B. *Operated*										
0-19 YRS	4	6.0	9	3	3	5	8	10	10	10
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	5.0		5	5	5	5	5	5	5
50-64	5	9.0	16	6	6	8	10	16	16	16
65+	2	15.0	2	14	14	15	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	697	4.8	25	1	2	3	5	9	13	32
20-34	423	4.9	17	1	2	4	6	9	13	22
35-49	574	6.3	27	2	2	5	8	12	16	27
50-64	1049	7.5	37	2	3	6	9	15	18	33
65+	3882	10.0	70	3	3	8	12	19	25	48
B. *Operated*										
0-19 YRS	19	11.3	83	2	3	9	13	26	33	37
20-34	32	7.8	59	<1	<1	5	11	18	19	36
35-49	61	10.2	89	3	3	7	12	20	29	96
50-64	121	15.2	177	2	4	12	20	35	49	99+
65+	261	19.3	221	5	6	14	26	39	56	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	526	5.0	20	1	1	4	6	10	12	19
B. *Operated*	13	8.2	21	2	3	7	11	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	6625	8.4	57	2	2	6	10	16	22	40
B. *Operated*	494	16.1	193	3	4	12	20	35	49	99+
1. SINGLE DX	539	5.1	20	1	1	4	7	10	13	19
2. MULTIPLE DX	7119	9.0	70	2	3	7	11	17	24	47
A. NOT OPERATED	7151	8.2	55	2	2	6	10	16	21	39
B. OPERATED	507	15.9	190	3	4	12	20	35	48	99+
TOTAL 0-19 YRS	847	4.7	25	1	1	3	5	9	13	30
20-34	532	5.0	25	1	2	4	6	10	14	24
35-49	696	6.5	33	2	2	5	8	12	16	29
50-64	1262	8.0	54	2	2	6	10	16	21	42
65+	4321	10.5	82	3	3	8	13	20	27	53
GRAND TOTAL	**7658**	**8.7**	**68**	**2**	**2**	**6**	**11**	**17**	**23**	**47**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	4.1	7	1	2	4	5	7	9	14
20-34	53	4.2	5	1	2	4	5	7	8	11
35-49	78	5.2	7	2	2	5	7	9	10	12
50-64	69	5.8	10	2	3	5	7	10	13	16
65+	194	5.7	12	1	2	5	7	10	12	17
B. *Operated*										
0-19 YRS	19	4.2	8	<1	1	3	5	9	10	11
20-34	20	5.1	12	1	2	4	7	9	13	16
35-49	33	5.4	8	2	3	5	6	11	12	12
50-64	25	7.9	25	2	3	7	11	16	18	18
65+	54	8.4	31	2	3	7	10	17	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	4.7	10	2	2	4	6	8	11	16
20-34	144	5.3	12	1	2	4	7	10	12	20
35-49	293	5.7	12	2	2	5	8	10	12	16
50-64	478	6.9	30	2	3	6	9	13	17	30
65+	1656	8.2	37	2	3	7	10	15	19	31
B. *Operated*										
0-19 YRS	25	7.1	62	1	2	5	8	11	19	42
20-34	70	7.7	46	1	2	7	9	12	18	42
35-49	181	7.8	25	3	3	7	10	13	15	24
50-64	227	10.2	87	3	3	8	11	20	27	46
65+	610	11.4	59	4	5	10	14	19	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	465	5.2	9	1	2	5	7	9	11	16
B. *Operated*	151	6.7	22	2	2	5	8	14	17	22
2. MULTIPLE DX										
A. *Not Operated*	2732	7.4	32	2	3	6	9	13	17	28
B. *Operated*	1113	10.2	61	3	4	8	12	18	23	42
1. SINGLE DX	616	5.6	13	1	2	5	7	10	13	18
2. MULTIPLE DX	3845	8.2	42	2	3	7	10	15	19	32
A. NOT OPERATED	3197	7.0	29	2	2	6	9	13	16	27
B. OPERATED	1264	9.8	57	3	3	8	12	17	22	39
TOTAL 0-19 YRS	276	4.7	14	1	2	4	6	8	11	16
20-34	287	5.6	20	1	2	5	7	10	13	23
35-49	585	6.3	16	2	2	5	8	11	13	19
50-64	799	7.8	47	2	3	6	9	14	18	38
65+	2514	8.8	43	2	3	7	11	16	20	32
GRAND TOTAL	**4461**	**7.8**	**38**	**2**	**3**	**6**	**10**	**14**	**18**	**31**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	424	5.0	13	1	2	4	6	9	11	17
20-34	529	5.9	24	1	2	5	8	10	13	17
35-49	93	6.4	16	1	2	6	9	11	14	19
50-64	8	4.1	7	1	1	3	6	8	9	9
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	8	5.9	33	1	1	3	9	15	16	16
20-34	13	10.6	27	3	5	10	12	17	23	24
35-49	5	5.8	28	2	2	4	7	15	15	15
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	442	6.4	29	2	2	5	8	11	14	27
20-34	651	8.2	36	2	3	7	10	15	19	28
35-49	162	8.1	25	2	3	7	11	14	19	24
50-64	36	9.8	69	3	3	7	11	19	33	36
65+	13	8.7	28	2	2	8	12	17	19	19
B. *Operated*										
0-19 YRS	33	11.5	103	1	2	10	15	21	35	49
20-34	75	11.4	67	2	3	9	15	24	29	37
35-49	27	9.9	72	2	2	7	14	19	25	41
50-64	13	13.4	109	3	4	11	18	27	38	41
65+	6	10.5	52	4	4	9	15	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1055	5.6	19	1	2	5	7	10	12	17
B. *Operated*	27	8.0	32	2	2	7	12	15	17	24
2. MULTIPLE DX										
A. *Not Operated*	1304	7.6	34	2	3	6	10	14	17	28
B. *Operated*	154	11.3	77	2	3	9	15	22	29	41
1. SINGLE DX	1082	5.6	19	1	2	5	7	10	12	18
2. MULTIPLE DX	1458	8.0	40	2	3	6	10	15	19	34
A. NOT OPERATED	2359	6.7	28	2	2	5	9	12	15	25
B. OPERATED	181	10.8	72	2	3	9	14	22	27	41
TOTAL 0-19 YRS	907	5.9	26	1	2	5	7	11	13	27
20-34	1268	7.4	35	2	2	6	9	14	17	28
35-49	287	7.7	27	1	2	7	10	14	18	24
50-64	58	9.7	74	2	3	7	12	20	32	41
65+	20	9.1	32	2	3	8	13	17	20	22
GRAND TOTAL	**2540**	**7.0**	**32**	**2**	**2**	**6**	**9**	**13**	**16**	**28**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	230	2.9	11	<1	<1	1	3	7	10	19
20-34	82	4.0	12	1	1	3	5	9	10	16
35-49	114	4.9	17	<1	1	4	6	9	15	21
50-64	211	4.7	18	1	1	3	7	10	13	22
65+	571	5.2	31	1	1	4	6	11	15	31
B. *Operated*										
0-19 YRS	45	6.3	48	1	1	5	7	11	16	44
20-34	43	7.3	18	2	3	7	10	11	17	21
35-49	22	9.3	30	2	3	9	11	18	22	22
50-64	83	8.3	30	2	3	7	10	15	17	30
65+	177	8.7	33	2	3	8	11	16	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	173	5.1	34	1	1	4	6	9	14	35
20-34	208	5.5	19	1	1	4	7	11	13	23
35-49	335	6.2	29	1	1	5	8	12	16	29
50-64	730	6.7	37	1	1	6	9	13	17	29
65+	2619	8.0	48	1	2	6	10	16	21	37
B. *Operated*										
0-19 YRS	54	8.0	63	2	2	5	10	15	18	48
20-34	97	9.5	38	2	3	9	12	18	21	32
35-49	172	11.7	64	2	4	10	14	21	26	46
50-64	316	11.8	70	2	3	10	15	23	29	40
65+	988	13.1	91	3	4	11	16	24	31	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1208	4.6	23	<1	1	3	6	10	13	23
B. *Operated*	370	8.2	32	2	3	7	10	15	18	29
2. MULTIPLE DX										
A. *Not Operated*	4065	7.4	43	1	2	6	9	15	19	35
B. *Operated*	1627	12.3	81	3	4	10	15	23	29	43
1. SINGLE DX	1578	5.4	28	<1	1	4	7	11	16	25
2. MULTIPLE DX	5692	8.8	59	1	2	7	11	18	23	39
A. NOT OPERATED	5273	6.7	40	1	1	5	9	14	18	33
B. OPERATED	1997	11.6	75	3	4	9	15	22	28	42
TOTAL 0-19 YRS	502	4.5	31	<1	<1	3	6	9	13	30
20-34	430	6.3	26	1	1	5	9	12	16	24
35-49	643	7.5	43	1	2	6	10	15	20	31
50-64	1340	7.7	47	1	1	6	10	16	20	32
65+	4355	8.8	61	1	2	7	12	18	23	40
GRAND TOTAL	**7270**	**8.0**	**54**	**1**	**1**	**6**	**11**	**17**	**22**	**37**

85: Hemophilia (congenital factor viii disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.5	5	1	1	3	4	6	8	11
20-34	3	9.3	72	3	3	6	16	19	19	19
35-49	4	10.8	23	5	5	11	14	16	16	16
50-64	3	15.3	265	4	4	8	27	34	34	34
65+	2	6.5	41	2	2	6	11	11	11	11
B. *Operated*										
0-19 YRS	3	15.7	154	8	8	9	25	30	30	30
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	17.0		17	17	17	17	17	17	17
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	3.9	7	1	1	3	4	8	11	13
20-34	56	6.2	24	1	2	5	7	13	17	25
35-49	10	11.6	60	2	3	8	18	23	26	26
50-64	14	5.2	5	1	2	5	7	8	8	8
65+	6	8.3	50	3	3	5	14	19	20	20
B. *Operated*										
0-19 YRS	8	14.6	163	2	2	12	26	31	33	33
20-34	9	15.1	224	3	4	13	15	39	53	53
35-49	3	7.7	17	3	3	9	10	11	11	11
50-64										
65+	2	9.5	1	9	9	9	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	6.0	41	1	2	4	7	13	18	34
B. *Operated*	5	13.4	111	3	3	9	20	30	30	30
2. MULTIPLE DX										
A. *Not Operated*	155	5.5	21	1	1	4	7	11	16	25
B. *Operated*	22	13.4	149	2	3	10	17	29	41	53
1. SINGLE DX	41	6.9	53	1	2	4	8	16	24	34
2. MULTIPLE DX	177	6.5	43	1	2	4	7	14	19	31
A. NOT OPERATED	191	5.6	25	1	2	4	7	11	17	26
B. OPERATED	27	13.4	138	3	3	9	17	29	36	53
TOTAL 0-19 YRS	104	5.0	32	1	1	3	5	10	15	31
20-34	69	7.4	57	1	2	6	8	16	19	48
35-49	18	11.1	42	2	4	9	16	19	24	26
50-64	17	7.0	53	1	2	6	8	8	25	34
65+	10	8.2	33	2	2	7	11	17	20	20
GRAND TOTAL	**218**	**6.6**	**45**	**1**	**2**	**4**	**8**	**14**	**20**	**33**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	220	4.2	12	1	1	3	5	8	10	19
20-34	103	4.7	34	1	1	3	6	10	12	36
35-49	56	5.2	19	1	2	4	6	12	16	19
50-64	71	5.1	12	1	2	4	6	9	14	17
65+	164	5.0	19	1	1	4	7	11	12	20
B. *Operated*										
0-19 YRS	132	6.6	16	1	2	6	8	13	16	20
20-34	84	8.0	19	3	3	7	10	13	18	22
35-49	46	7.5	21	3	3	7	10	13	15	27
50-64	77	8.7	34	2	3	7	11	19	21	26
65+	73	10.1	39	3	3	9	13	21	23	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	195	5.5	47	1	2	4	6	10	16	31
20-34	147	5.9	17	2	2	5	8	11	13	23
35-49	164	6.3	23	2	2	5	8	12	15	24
50-64	367	6.7	37	1	2	5	8	14	18	35
65+	572	8.4	75	1	2	6	10	17	24	55
B. *Operated*										
0-19 YRS	75	9.3	110	1	2	6	10	18	33	62
20-34	116	9.1	33	2	3	8	12	17	20	27
35-49	126	11.9	90	2	3	9	16	26	33	44
50-64	223	12.4	95	3	4	10	16	25	33	51
65+	294	14.9	158	3	4	11	18	29	41	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	614	4.7	18	1	1	4	6	9	12	20
B. *Operated*	412	8.0	26	2	3	7	10	15	20	25
2. MULTIPLE DX										
A. *Not Operated*	1445	7.1	51	1	2	5	9	14	19	37
B. *Operated*	834	12.5	113	2	3	9	16	26	34	56
1. SINGLE DX	1026	6.0	24	1	1	5	8	12	16	23
2. MULTIPLE DX	2279	9.1	80	1	2	7	11	19	26	50
A. NOT OPERATED	2059	6.4	42	1	1	5	8	12	18	33
B. OPERATED	1246	11.0	89	2	3	8	13	22	29	50
TOTAL 0-19 YRS	622	5.7	38	1	1	4	7	10	15	30
20-34	450	6.8	28	1	2	6	9	13	17	24
35-49	392	8.1	50	2	2	6	10	17	22	37
50-64	738	8.5	59	1	2	6	10	17	23	39
65+	1103	9.8	98	1	2	7	12	21	28	58
GRAND TOTAL	**3305**	**8.1**	**65**	**1**	**2**	**6**	**10**	**17**	**23**	**43**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	906	2.3	3	1	1	2	3	4	5	7
20-34	189	2.9	3	1	1	2	3	5	7	12
35-49	35	3.3	5	1	1	3	5	6	8	11
50-64	10	3.4	3	1	1	3	4	6	6	6
65+	5	4.0	5	2	2	4	5	7	7	7
B. *Operated*										
0-19 YRS	689	4.1	5	2	2	4	5	6	8	11
20-34	208	4.8	22	2	3	4	5	7	9	15
35-49	23	5.3	5	2	3	5	7	8	9	10
50-64	8	4.6	3	3	3	4	6	7	8	8
65+	2	8.0	2	7	7	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	359	3.2	30	1	1	2	4	5	6	12
20-34	106	3.2	4	1	1	3	4	6	7	9
35-49	21	4.4	4	1	2	4	5	8	8	9
50-64	15	5.0	8	2	2	5	6	10	11	11
65+	4	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	248	4.9	6	2	3	4	6	8	9	15
20-34	86	5.9	10	3	3	5	7	10	13	18
35-49	16	9.0	46	2	3	6	15	15	23	26
50-64	6	5.5	3	4	4	5	7	8	8	8
65+	4	9.5	68	3	3	7	15	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1145	2.5	3	1	1	2	3	4	5	8
B. *Operated*	930	4.3	9	2	2	4	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	505	3.3	23	1	1	3	4	5	7	12
B. *Operated*	360	5.4	10	2	3	5	6	8	12	16
1. SINGLE DX	2075	3.3	7	1	1	3	4	5	7	10
2. MULTIPLE DX	865	4.2	18	1	2	4	5	7	9	15
A. NOT OPERATED	1650	2.7	9	1	1	2	3	5	6	10
B. OPERATED	1290	4.6	10	2	2	4	5	7	9	15
TOTAL 0-19 YRS	2202	3.3	9	1	1	3	4	5	7	11
20-34	589	4.1	12	1	2	3	5	7	9	14
35-49	95	5.0	15	1	2	4	6	9	14	21
50-64	39	4.6	5	1	2	4	6	8	9	11
65+	15	5.5	26	1	1	4	7	10	18	21
GRAND TOTAL	**2940**	**3.5**	**10**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	164	3.9	4	1	2	3	5	7	8	11
20-34	34	4.0	4	2	2	4	5	7	8	9
35-49	22	3.8	8	1	1	3	5	7	11	13
50-64	10	4.2	5	2	2	4	5	7	9	9
65+	5	4.0	3	2	2	4	5	6	6	6
B. *Operated*										
0-19 YRS	223	3.3	7	1	1	2	4	7	9	13
20-34	160	3.6	11	1	1	2	4	7	10	21
35-49	66	3.5	9	1	1	3	4	8	9	16
50-64	44	4.6	8	1	1	4	6	9	11	11
65+	35	4.0	6	2	2	3	5	7	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	5.5	22	1	2	4	7	10	14	23
20-34	48	4.7	7	2	2	4	6	7	10	14
35-49	21	5.6	12	1	1	5	8	11	12	12
50-64	13	6.8	14	2	3	6	9	12	14	15
65+	22	10.5	222	2	3	5	9	25	52	65
B. *Operated*										
0-19 YRS	109	4.8	17	1	2	4	6	9	12	23
20-34	74	4.6	15	1	2	3	6	9	12	19
35-49	37	6.2	24	1	2	4	8	15	17	18
50-64	30	8.2	97	2	2	6	11	14	15	56
65+	37	7.7	49	2	2	6	8	16	27	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	235	3.9	5	1	2	3	5	7	8	11
B. *Operated*	528	3.5	9	1	1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	247	5.9	37	2	2	4	7	10	14	39
B. *Operated*	287	5.7	31	1	2	4	7	12	15	28
1. SINGLE DX	763	3.7	7	1	1	3	5	7	9	12
2. MULTIPLE DX	534	5.7	34	1	2	4	7	11	15	29
A. NOT OPERATED	482	4.9	22	1	2	4	6	9	11	19
B. OPERATED	815	4.3	18	1	1	3	5	9	11	20
TOTAL 0-19 YRS	639	4.2	12	1	1	3	5	8	10	18
20-34	316	4.0	11	1	1	3	5	8	10	19
35-49	146	4.5	14	1	1	3	6	10	12	17
50-64	97	5.9	38	1	2	5	7	11	13	37
65+	99	6.8	74	2	2	5	7	12	22	54
GRAND TOTAL	**1297**	**4.5**	**19**	**1**	**1**	**3**	**6**	**9**	**11**	**19**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	11.8	339	1	1	5	14	24	55	85
20-34	59	10.1	133	<1	1	6	14	22	28	72
35-49	8	15.5	573	1	1	6	18	57	71	71
50-64	13	16.5	371	1	2	7	26	46	61	64
65+	28	7.8	27	2	2	7	10	13	20	25
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	10.0	39	5	5	8	15	17	17	17
65+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	10.9	159	1	1	5	18	30	39	44
20-34	54	14.5	154	2	2	10	22	32	42	50
35-49	43	14.6	278	1	2	8	21	28	49	80
50-64	52	17.0	247	1	2	14	24	40	47	77
65+	109	13.7	134	3	4	11	17	25	29	73
B. *Operated*										
0-19 YRS										
20-34	1	20.0		20	20	60	99+	99+	99+	99+
35-49	1	2.0		2	2	2	2	2	2	2
50-64	6	20.7	119	11	11	15	33	36	36	36
65+	16	14.1	103	4	5	12	15	26	40	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	10.8	192	1	2	7	13	25	31	78
B. *Operated*	5	10.0	52	2	2	8	17	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	276	14.4	182	1	2	11	20	29	41	73
B. *Operated*	24	15.5	111	3	5	13	20	36	59	99+
1. SINGLE DX	134	10.8	187	1	2	7	13	24	30	77
2. MULTIPLE DX	300	14.5	176	1	3	11	20	30	41	75
A. NOT OPERATED	405	13.3	188	1	2	9	18	28	40	75
B. OPERATED	29	14.5	103	2	4	13	18	34	45	99+
TOTAL 0-19 YRS	39	11.4	250	1	1	5	15	28	39	85
20-34	114	12.3	146	1	2	9	17	29	40	84
35-49	53	14.2	308	1	1	8	20	28	66	80
50-64	74	16.9	246	1	2	13	25	40	47	74
65+	154	12.7	115	3	3	10	16	24	29	72
GRAND TOTAL	**434**	**13.4**	**182**	**1**	**2**	**9**	**18**	**28**	**41**	**76**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	3.7	50	<1	1	2	4	6	9	46
20-34	164	5.8	84	1	1	3	6	12	19	41
35-49	86	8.6	114	1	2	5	11	19	24	63
50-64	190	10.8	102	1	2	7	15	27	33	47
65+	879	11.4	104	2	2	9	15	24	33	64
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	4	6.8	33	2	2	5	10	15	15	15
35-49	4	3.0	2	2	2	3	4	5	5	5
50-64	14	7.5	28	2	3	6	10	16	19	20
65+	25	16.9	301	1	3	10	22	52	54	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	155	7.2	74	1	1	4	9	19	23	59
20-34	318	8.0	61	1	2	5	10	17	24	45
35-49	280	10.4	83	2	3	7	14	23	31	48
50-64	607	12.8	145	2	3	9	16	26	35	77
65+	3895	12.8	122	3	4	10	16	27	36	66
B. *Operated*										
0-19 YRS	8	6.5	59	1	1	3	12	19	19	19
20-34	20	10.3	32	2	3	10	14	20	56	99+
35-49	17	18.4	272	3	4	13	22	51	58	59
50-64	66	17.5	157	4	5	14	22	38	47	54
65+	362	19.8	242	4	6	16	26	42	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1451	9.8	104	1	2	7	13	23	31	50
B. *Operated*	49	11.7	190	2	2	6	14	25	52	55
2. MULTIPLE DX										
A. *Not Operated*	5255	12.2	119	2	3	9	15	25	35	64
B. *Operated*	473	18.8	225	4	5	15	24	40	57	99+
1. SINGLE DX	1500	9.9	107	1	2	7	13	23	31	54
2. MULTIPLE DX	5728	12.8	131	2	3	9	16	27	37	70
A. NOT OPERATED	6706	11.7	117	2	3	9	15	25	34	64
B. OPERATED	522	18.2	226	3	4	14	23	40	55	99+
TOTAL 0-19 YRS	297	5.6	65	1	1	3	6	14	20	51
20-34	506	7.4	68	1	1	5	9	16	23	45
35-49	387	10.3	101	2	2	7	14	22	31	55
50-64	877	12.6	137	2	3	9	16	27	35	70
65+	5161	13.1	132	3	3	10	16	27	37	71
GRAND TOTAL	**7228**	**12.2**	**128**	**2**	**3**	**9**	**15**	**26**	**35**	**69**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	6.8	8	3	3	7	9	9	9	9
65+	84	10.5	85	2	2	9	14	21	25	84
B. *Operated*										
YRS										
20-34										
35-49										
50-64										
65+	3	13.0	12	9	9	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
YRS										
20-34										
35-49	2	44.0	1800	14	14	44	74	74	74	74
50-64	36	13.0	85	3	5	9	17	29	33	35
65+	571	13.3	134	3	4	10	17	26	32	62
B. *Operated*										
YRS										
20-34										
35-49										
50-64	2	10.5	1	10	10	10	11	11	11	11
65+	36	22.5	299	6	8	20	28	35	51	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	10.2	82	2	2	9	13	20	23	82
B. *Operated*	3	13.0	12	9	9	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	609	13.4	137	3	4	10	17	26	33	65
B. *Operated*	38	21.9	290	6	8	19	28	35	49	99
1. SINGLE DX	92	10.3	80	2	2	9	14	20	23	81
2. MULTIPLE DX	647	13.9	149	3	4	10	18	27	34	69
A. NOT OPERATED	698	13.0	131	2	4	10	17	25	32	66
B. OPERATED	41	21.2	274	6	8	17	27	35	46	99
TOTAL YRS										
20-34										
35-49	3	30.0	1488	2	2	14	59	74	74	74
50-64	42	12.3	77	3	5	9	15	28	32	35
65+	694	13.4	141	2	4	10	17	26	34	66
GRAND TOTAL	**739**	**13.4**	**142**	**2**	**4**	**10**	**17**	**26**	**34**	**69**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.2	3	<1	<1	1	4	5	5	5
20-34	137	4.0	13	1	1	3	5	8	10	20
35-49	348	4.5	21	1	1	3	5	8	13	26
50-64	219	6.2	77	1	1	4	7	12	16	44
65+	65	6.6	34	1	2	5	9	15	18	29
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	6.7	71	<1	1	2	10	19	28	29
20-34	290	5.9	18	1	2	5	7	12	16	21
35-49	808	7.1	46	2	2	5	9	15	19	39
50-64	725	8.6	67	2	2	6	11	16	22	47
65+	264	10.9	103	2	3	8	14	21	29	56
B. *Operated*										
0-19 YRS	2	19.5	113	12	12	19	27	27	27	27
20-34	17	8.2	28	1	2	7	13	18	67	99+
35-49	23	12.5	50	4	5	11	17	21	26	33
50-64	37	18.2	163	4	4	15	27	39	41	42
65+	23	26.3	490	6	7	21	30	62	79	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	778	5.0	37	1	1	3	6	10	14	26
B. *Operated*	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	2098	7.9	59	2	2	6	10	16	21	44
B. *Operated*	102	17.1	219	3	4	13	22	37	42	98
1. SINGLE DX	780	5.0	37	1	1	3	6	10	14	26
2. MULTIPLE DX	2200	8.4	70	2	2	6	10	17	23	47
A. NOT OPERATED	2876	7.2	55	1	2	5	9	15	20	40
B. OPERATED	104	16.8	219	3	4	13	22	37	42	98
TOTAL 0-19 YRS	22	6.0	64	<1	<1	2	6	17	28	29
20-34	445	5.4	18	1	1	4	7	11	15	21
35-49	1179	6.5	41	1	2	4	8	14	17	35
50-64	981	8.5	78	2	2	6	10	17	23	47
65+	353	11.1	133	2	3	8	14	23	30	66
GRAND TOTAL	**2980**	**7.5**	**63**	**1**	**2**	**5**	**9**	**15**	**21**	**43**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	6.5	52	1	1	3	10	15	24	27
20-34	52	8.0	60	1	1	5	11	21	27	29
35-49	16	8.6	31	2	4	7	12	15	21	23
50-64	16	7.5	47	2	2	5	9	15	25	29
65+	22	9.2	65	1	1	7	11	21	29	31
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	8.6	89	1	1	6	10	20	32	44
20-34	104	6.2	33	1	1	5	8	14	18	29
35-49	33	8.7	52	1	2	6	12	18	24	33
50-64	58	12.3	170	2	3	9	13	24	46	68
65+	77	9.8	54	2	3	8	11	21	27	37
B. *Operated*										
0-19 YRS	3	12.7	180	3	3	7	23	28	28	28
20-34	11	10.3	27	3	4	10	15	17	18	18
35-49	4	23.5	188	4	4	28	52	99+	99+	99+
50-64	5	14.0	100	6	6	11	18	31	31	31
65+	5	24.4	242	10	10	16	39	45	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	7.8	53	1	1	5	11	17	26	29
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	331	8.8	78	1	2	6	11	19	25	45
B. *Operated*	28	15.6	131	3	4	12	26	37	48	99+
1. SINGLE DX	142	7.8	53	1	1	5	11	17	26	29
2. MULTIPLE DX	359	9.3	85	1	2	7	12	20	29	49
A. NOT OPERATED	473	8.5	70	1	1	6	11	18	25	40
B. OPERATED	28	15.6	131	3	4	12	26	37	48	99+
TOTAL 0-19 YRS	98	8.0	78	1	1	5	10	20	27	42
20-34	167	7.0	42	1	1	5	9	16	19	29
35-49	53	9.8	67	1	3	7	13	25	32	97
50-64	79	11.4	143	2	3	8	13	23	36	65
65+	104	10.4	73	2	3	8	12	22	31	42
GRAND TOTAL	**501**	**8.9**	**76**	**1**	**2**	**6**	**11**	**19**	**28**	**44**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	163	16.2	282	1	2	11	22	32	56	91
20-34	1376	13.5	203	1	2	9	17	31	43	81
35-49	764	13.1	130	1	2	10	18	28	36	53
50-64	365	14.5	167	2	3	10	20	29	38	59
65+	73	13.9	99	1	2	13	19	26	34	46
B. *Operated*										
0-19 YRS	1	41.0		41	41	41	41	41	41	41
20-34	3	30.7	6	28	28	31	32	33	33	33
35-49	4	22.0	675	2	2	13	38	60	60	60
50-64	2	13.0	128	5	5	21	80	99+	99+	99+
65+	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	23.1	310	2	5	19	32	54	60	68
20-34	367	13.6	152	2	2	10	18	30	39	60
35-49	235	14.8	166	2	4	11	20	34	43	71
50-64	198	17.0	188	2	4	13	24	37	47	61
65+	76	18.8	231	3	5	15	26	37	48	78
B. *Operated*										
0-19 YRS	3	46.7	1664	9	9	41	78	90	90	90
20-34	21	25.7	264	7	8	23	38	55	74	99+
35-49	13	28.8	280	8	11	26	34	56	64	66
50-64	15	24.2	494	4	6	19	22	62	78	83
65+	1	13.0		13	13	56	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2741	13.7	180	1	2	10	18	30	41	74
B. *Operated*	11	25.0	285	2	4	28	37	72	96	99+
2. MULTIPLE DX										
A. *Not Operated*	923	15.5	183	2	3	11	21	34	45	65
B. *Operated*	53	27.0	393	7	8	21	40	62	88	99+
1. SINGLE DX	2752	13.7	181	1	2	10	18	30	41	77
2. MULTIPLE DX	976	16.2	201	2	3	12	21	36	48	77
A. NOT OPERATED	3664	14.2	181	1	2	10	19	31	42	72
B. OPERATED	64	26.6	370	6	7	22	40	62	91	99+
TOTAL 0-19 YRS	214	18.3	319	1	2	13	24	43	63	91
20-34	1767	13.7	195	1	2	10	18	31	43	82
35-49	1016	13.7	145	2	2	10	19	29	39	62
50-64	580	15.6	185	2	3	12	21	33	45	63
65+	151	16.5	170	2	3	14	23	33	42	81
GRAND TOTAL	**3728**	**14.4**	**187**	**1**	**2**	**10**	**19**	**31**	**43**	**77**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	20.1	409	3	3	14	28	53	91	99+
20-34	106	12.0	92	3	3	10	15	24	30	53
35-49	26	10.8	50	1	1	9	16	22	23	24
50-64	13	10.2	86	3	3	7	11	25	33	35
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	13.2	49	3	5	13	17	24	25	25
20-34	30	14.4	177	1	2	11	18	28	54	57
35-49	15	15.3	52	5	5	15	19	22	31	34
50-64	8	13.4	131	3	4	9	19	32	37	37
65+	3	22.7	137	14	14	18	31	36	36	36
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	23.0	50	18	18	23	28	28	28	28
65+	1	41.0		41	41	41	41	41	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	13.1	147	3	3	10	16	27	35	83
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	65	14.7	120	2	5	12	19	28	36	57
B. *Operated*	3	29.0	133	18	18	28	38	41	41	41
1. SINGLE DX	177	13.1	146	3	3	10	16	27	35	83
2. MULTIPLE DX	68	15.4	128	2	5	13	20	29	37	56
A. NOT OPERATED	241	13.5	140	2	3	11	17	27	36	60
B. OPERATED	4	23.8	199	8	8	23	34	41	41	41
TOTAL 0-19 YRS	39	18.5	331	3	3	14	24	49	75	99+
20-34	136	12.6	111	2	3	10	15	26	31	55
35-49	42	12.4	53	1	3	13	16	22	23	34
50-64	23	12.4	104	3	3	9	17	29	36	37
65+	5	23.6	198	9	9	18	37	41	41	41
GRAND TOTAL	**245**	**13.7**	**141**	**3**	**3**	**11**	**18**	**28**	**36**	**59**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	411	18.4	325	1	2	13	25	42	60	96
20-34	2417	13.8	199	1	2	10	18	30	42	79
35-49	1334	13.3	130	1	2	10	18	28	35	56
50-64	691	14.6	158	1	2	12	20	31	38	69
65+	127	16.8	232	1	2	14	22	39	46	77
B. *Operated*										
0-19 YRS	4	33.8	536	4	4	37	51	57	57	57
20-34	5	19.4	159	5	5	19	31	33	33	33
35-49	7	33.9	332	17	18	25	42	64	69	69
50-64	3	28.3	121	17	17	29	36	39	39	39
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	19.9	404	2	3	14	27	56	83	99+
20-34	865	14.7	201	2	3	11	20	32	46	82
35-49	682	14.4	155	2	3	10	20	30	41	74
50-64	525	14.9	158	2	4	12	20	31	38	63
65+	130	16.4	178	2	3	13	22	34	42	68
B. *Operated*										
0-19 YRS	9	40.3	941	8	8	34	73	97	99+	99+
20-34	47	22.8	225	4	8	21	28	45	55	72
35-49	48	22.4	395	4	6	15	29	44	61	95
50-64	41	24.7	283	3	7	23	35	47	63	64
65+	8	24.1	102	9	10	25	33	35	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4980	14.2	188	1	2	10	19	30	42	75
B. *Operated*	20	28.1	296	4	6	26	39	51	63	69
2. MULTIPLE DX										
A. *Not Operated*	2359	15.1	192	2	3	11	20	32	43	84
B. *Operated*	153	24.3	336	4	8	21	32	47	64	95
1. SINGLE DX	5000	14.3	189	1	2	10	20	30	42	74
2. MULTIPLE DX	2512	15.7	205	2	3	11	21	34	45	87
A. NOT OPERATED	7339	14.5	189	1	2	11	20	31	42	77
B. OPERATED	173	24.7	331	4	8	21	34	47	64	95
TOTAL 0-19 YRS	581	19.3	363	2	3	13	26	48	73	99+
20-34	3334	14.2	201	1	2	10	19	30	43	79
35-49	2071	13.9	148	2	3	10	19	29	39	61
50-64	1260	15.1	165	2	3	12	21	32	39	64
65+	266	16.8	201	1	2	13	23	35	43	70
GRAND TOTAL	**7512**	**14.8**	**195**	**1**	**2**	**11**	**20**	**31**	**43**	**77**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	7.4	96	2	2	3	7	18	26	53
B. *Operated*										
0-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	23.7	819	3	3	15	19	75	89	89
B. *Operated*										
0-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	7.4	96	2	2	3	7	18	26	53
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	10	23.7	819	3	3	15	19	75	89	89
B. *Operated*										
1. SINGLE DX	43	7.4	96	2	2	3	7	18	26	53
2. MULTIPLE DX	10	23.7	819	3	3	15	19	75	89	89
A. NOT OPERATED	53	10.5	261	2	3	3	13	22	50	88
B. OPERATED										
TOTAL 0-19 YRS	53	10.5	261	2	3	3	13	22	50	88
GRAND TOTAL	**53**	**10.5**	**261**	**2**	**3**	**3**	**13**	**22**	**50**	**88**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	11.5	220	1	1	7	14	29	38	99
20-34	498	10.5	118	1	2	7	15	23	31	59
35-49	542	13.6	174	1	2	10	19	29	38	69
50-64	639	16.6	174	3	4	13	22	33	41	76
65+	397	18.8	194	3	4	16	25	37	48	67
B. *Operated*										
0-19 YRS										
20-34	1	34.0		34	34	34	34	34	34	34
35-49	5	25.8	666	6	6	14	44	66	66	66
50-64	9	15.9	165	5	5	9	25	36	40	40
65+	7	28.6	115	8	11	30	36	38	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	16.6	424	1	2	9	25	48	78	99+
20-34	379	10.8	143	1	2	7	13	27	38	66
35-49	548	12.7	144	2	3	8	16	29	36	59
50-64	592	15.4	193	2	4	11	20	33	43	81
65+	558	17.4	199	3	4	13	23	36	45	73
B. *Operated*										
0-19 YRS	4	36.5	232	22	22	33	46	58	58	58
20-34	19	22.9	268	2	4	19	34	47	56	59
35-49	34	24.9	298	5	7	20	42	52	60	64
50-64	45	19.8	201	4	6	17	22	47	53	66
65+	50	27.5	290	6	8	26	38	50	59	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2143	14.7	175	2	3	11	20	31	40	69
B. *Operated*	22	23.0	262	5	6	22	36	39	50	66
2. MULTIPLE DX										
A. *Not Operated*	2138	14.5	185	2	3	10	19	32	42	73
B. *Operated*	152	24.3	268	5	6	20	34	50	58	66
1. SINGLE DX	2165	14.8	176	2	3	11	21	31	40	69
2. MULTIPLE DX	2290	15.1	197	2	3	10	20	33	44	72
A. NOT OPERATED	4281	14.6	180	2	3	10	20	31	40	72
B. OPERATED	174	24.1	266	5	6	20	35	49	58	66
TOTAL 0-19 YRS	132	14.6	332	1	2	8	21	37	58	99+
20-34	897	10.9	135	1	2	7	15	26	34	61
35-49	1129	13.5	169	2	2	9	18	30	39	66
50-64	1285	16.2	184	3	4	12	22	33	43	75
65+	1012	18.6	205	3	4	15	26	37	48	72
GRAND TOTAL	**4455**	**14.9**	**187**	**2**	**3**	**11**	**20**	**33**	**42**	**71**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	20.6	358	2	3	16	28	46	66	96
20-34	643	13.9	161	1	2	10	19	31	38	71
35-49	598	13.5	121	2	3	11	18	28	34	56
50-64	395	15.0	120	2	3	13	21	29	36	52
65+	140	18.9	263	3	4	15	24	43	49	93
B. *Operated*										
0-19 YRS	1	40.0		40	40	40	40	40	40	40
20-34	2	18.0	72	12	12	24	81	99+	99+	99+
35-49	2	10.0		10	10	10	10	10	10	10
50-64	7	23.4	300	3	4	27	32	49	53	53
65+	2	25.0	50	20	20	25	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	16.8	217	1	3	14	24	43	55	99+
20-34	255	15.3	177	2	3	11	21	35	46	70
35-49	285	14.4	141	2	3	12	20	29	38	99
50-64	322	17.1	155	3	4	14	22	34	43	58
65+	196	17.5	236	2	5	14	22	35	46	91
B. *Operated*										
0-19 YRS	1	36.0		36	36	36	36	36	36	36
20-34	18	26.4	238	7	9	22	37	50	53	53
35-49	18	21.7	195	5	7	18	28	46	49	51
50-64	21	22.3	151	6	10	23	28	44	78	99+
65+	27	29.9	388	7	9	26	44	52	68	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1858	14.7	159	2	3	11	20	31	39	71
B. *Operated*	14	22.1	200	4	8	24	33	53	88	99+
2. MULTIPLE DX										
A. *Not Operated*	1096	16.0	174	2	4	13	21	34	44	72
B. *Operated*	85	25.6	257	7	8	22	36	50	55	95
1. SINGLE DX	1872	14.7	160	2	3	11	20	31	40	71
2. MULTIPLE DX	1181	16.7	186	2	4	13	22	36	46	82
A. NOT OPERATED	2954	15.2	165	2	3	12	21	32	41	71
B. OPERATED	99	25.1	248	6	8	22	35	50	58	99+
TOTAL 0-19 YRS	122	19.7	315	2	3	15	28	45	62	99+
20-34	918	14.5	170	1	2	11	20	33	41	72
35-49	903	14.0	129	2	3	11	19	28	36	66
50-64	745	16.2	139	2	4	14	22	32	42	59
65+	365	19.0	265	3	4	15	24	40	50	91
GRAND TOTAL	**3053**	**15.5**	**171**	**2**	**3**	**12**	**21**	**33**	**42**	**71**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	13.7	212	1	2	10	17	33	47	99+
20-34	608	11.4	152	1	2	8	14	24	39	73
35-49	457	14.4	187	1	2	10	21	32	41	67
50-64	397	14.7	186	1	2	10	20	32	41	68
65+	263	16.0	189	1	2	12	24	36	43	64
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	4	8.0	57	2	2	5	12	19	19	19
50-64	9	15.4	296	3	3	9	20	46	52	52
65+	12	10.7	54	3	4	8	13	22	28	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	11.7	119	1	2	8	17	32	41	99+
20-34	338	13.6	176	1	2	9	18	30	43	75
35-49	349	13.5	150	1	2	11	19	28	35	70
50-64	444	15.7	241	2	3	11	20	33	52	84
65+	775	14.0	162	2	3	10	18	30	42	62
B. *Operated*										
0-19 YRS	8	13.1	65	3	3	18	21	70	99+	99+
20-34	16	29.6	687	2	2	22	53	69	78	81
35-49	31	30.2	841	2	4	21	46	95	99	99+
50-64	41	18.6	395	4	5	12	20	40	69	94
65+	90	18.8	222	3	6	15	26	43	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1884	13.7	180	1	2	10	19	31	42	69
B. *Operated*	26	11.8	133	3	3	8	14	28	40	52
2. MULTIPLE DX										
A. *Not Operated*	1998	14.1	179	2	3	10	19	31	41	72
B. *Operated*	186	21.3	413	3	4	15	28	59	90	99+
1. SINGLE DX	1910	13.6	180	1	2	9	19	30	42	69
2. MULTIPLE DX	2184	14.7	202	2	3	11	19	32	44	84
A. NOT OPERATED	3882	13.9	179	1	2	10	19	31	42	70
B. OPERATED	212	20.2	388	3	4	14	26	54	87	99+
TOTAL 0-19 YRS	259	13.0	175	1	2	9	17	33	45	99+
20-34	963	12.5	175	1	2	8	16	28	42	77
35-49	841	14.6	203	1	2	11	21	31	42	91
50-64	891	15.4	224	2	3	11	20	33	43	79
65+	1140	14.8	174	2	3	11	20	33	43	65
GRAND TOTAL	**4094**	**14.2**	**192**	**1**	**2**	**10**	**19**	**31**	**43**	**78**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	183	4.9	85	<1	1	3	4	9	17	49
20-34	681	6.0	43	1	1	4	7	13	21	36
35-49	538	6.7	66	1	1	4	8	15	21	49
50-64	286	5.8	36	1	1	4	7	11	17	48
65+	116	5.4	18	1	1	4	7	10	15	23
B. *Operated*										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	27	4.0	32	1	2	2	2	10	15	29
35-49	22	5.1	31	2	2	4	5	8	18	28
50-64	6	8.2	120	1	1	4	7	28	30	30
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	206	5.0	46	1	1	3	5	9	15	38
20-34	967	6.3	41	1	2	4	8	13	18	33
35-49	1079	6.9	46	1	2	5	8	14	20	33
50-64	870	7.0	45	1	2	5	9	13	19	34
65+	565	6.5	38	1	2	5	8	12	18	30
B. *Operated*										
0-19 YRS	17	7.1	106	<1	1	3	8	19	34	41
20-34	89	6.1	54	1	1	4	8	14	19	42
35-49	72	10.0	64	2	2	7	14	23	26	37
50-64	65	11.9	78	2	2	10	16	25	29	41
65+	23	8.6	23	3	4	7	11	15	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1804	6.0	52	1	1	4	7	13	19	38
B. *Operated*	57	5.3	44	2	2	2	5	11	26	30
2. MULTIPLE DX										
A. *Not Operated*	3687	6.6	43	1	2	5	8	13	19	33
B. *Operated*	266	8.8	68	1	2	7	12	20	25	41
1. SINGLE DX	1861	6.0	51	1	1	4	7	13	19	38
2. MULTIPLE DX	3953	6.7	45	1	2	5	8	14	19	34
A. NOT OPERATED	5491	6.4	46	1	2	4	8	13	19	35
B. OPERATED	323	8.2	65	1	2	6	11	19	25	39
TOTAL 0-19 YRS	407	5.1	66	1	1	3	5	9	18	41
20-34	1764	6.2	42	1	1	4	8	13	19	34
35-49	1711	6.9	53	1	2	5	8	15	21	36
50-64	1227	6.9	46	1	2	5	9	14	20	39
65+	705	6.4	34	1	2	5	8	12	17	28
GRAND TOTAL	**5814**	**6.5**	**47**	**1**	**2**	**4**	**8**	**13**	**19**	**35**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	458	12.1	215	1	2	7	15	30	51	99+
20-34	2744	10.1	118	1	2	7	13	22	33	56
35-49	2241	11.4	119	2	2	8	15	24	32	57
50-64	1107	13.0	126	2	3	10	17	28	36	59
65+	495	12.6	92	2	3	10	17	25	33	46
B. *Operated*										
0-19 YRS	3	19.0	309	6	6	12	32	39	39	39
20-34	17	17.4	316	1	3	13	24	35	60	73
35-49	16	12.9	124	2	2	9	17	35	38	38
50-64	10	15.3	147	4	4	15	18	32	45	45
65+	2	10.0	32	6	6	10	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	440	12.0	161	1	2	8	17	29	38	99+
20-34	2673	10.9	115	1	2	8	14	24	32	61
35-49	2497	11.1	107	2	3	8	14	24	31	51
50-64	1870	12.3	123	3	3	9	15	27	34	59
65+	1178	13.7	164	3	4	10	17	28	39	72
B. *Operated*										
0-19 YRS	15	18.9	207	2	3	19	31	46	84	99+
20-34	193	18.5	257	3	4	14	25	39	53	84
35-49	218	20.6	211	5	6	17	29	40	54	99+
50-64	170	20.4	192	6	7	17	25	39	53	69
65+	77	22.5	351	4	5	18	29	42	63	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7045	11.3	125	1	2	8	15	25	33	59
B. *Operated*	48	15.3	195	2	3	11	18	37	40	73
2. MULTIPLE DX										
A. *Not Operated*	8658	11.7	124	2	3	8	15	25	33	61
B. *Operated*	673	20.1	235	4	6	16	27	40	54	95
1. SINGLE DX	7093	11.3	125	1	2	8	15	25	33	59
2. MULTIPLE DX	9331	12.3	137	2	3	9	16	27	35	64
A. NOT OPERATED	15703	11.5	125	2	2	8	15	25	33	60
B. OPERATED	721	19.8	234	4	5	16	27	40	53	92
TOTAL 0-19 YRS	916	12.2	189	1	2	8	16	30	43	99+
20-34	5627	10.8	124	1	2	7	14	24	33	61
35-49	4972	11.6	120	2	3	8	15	25	33	57
50-64	3157	13.0	131	2	3	9	17	28	36	59
65+	1752	13.8	155	3	4	10	17	28	38	69
GRAND TOTAL	**16424**	**11.9**	**132**	**2**	**3**	**8**	**15**	**26**	**35**	**62**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	400	8.4	179	<1	1	4	9	25	44	99+
20-34	768	8.0	117	1	1	5	9	17	25	63
35-49	370	7.5	67	1	1	5	9	17	22	42
50-64	150	6.7	55	1	1	4	9	15	22	57
65+	74	7.5	72	1	1	5	9	16	25	49
B. Operated										
0-19 YRS	3	3.0	7	<1	<1	2	5	6	6	6
20-34	35	9.4	190	1	2	6	8	21	33	77
35-49	27	5.7	28	1	2	4	7	12	16	26
50-64	34	4.6	8	1	2	4	5	7	10	15
65+	11	7.5	64	2	2	6	8	19	29	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	372	10.6	205	1	1	5	13	29	46	99+
20-34	1001	9.5	121	1	2	6	11	22	31	64
35-49	652	9.4	93	1	2	6	12	21	30	53
50-64	395	9.0	86	1	2	6	11	18	26	69
65+	192	9.4	77	2	2	6	12	22	34	40
B. Operated										
0-19 YRS	16	9.1	91	1	2	8	9	15	34	42
20-34	107	10.1	123	<1	1	7	12	27	33	56
35-49	89	10.8	106	1	1	8	15	25	36	46
50-64	65	9.9	105	2	3	7	14	21	40	94
65+	26	11.9	125	4	5	8	11	28	41	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1762	7.9	114	1	1	4	9	18	28	69
B. Operated	110	6.7	79	1	2	4	7	12	21	53
2. MULTIPLE DX										
A. Not Operated	2612	9.5	117	1	2	6	12	22	32	69
B. Operated	303	10.4	112	1	1	7	12	23	35	56
1. SINGLE DX	1872	7.8	112	1	1	4	9	17	27	69
2. MULTIPLE DX	2915	9.6	117	1	2	6	12	22	32	66
A. NOT OPERATED	4374	8.8	116	1	1	5	11	21	30	69
B. OPERATED	413	9.4	105	1	2	6	10	21	32	56
TOTAL 0-19 YRS	791	9.4	190	1	1	5	10	27	44	99+
20-34	1911	8.9	121	1	1	5	10	21	29	63
35-49	1138	8.8	85	1	2	6	11	20	27	49
50-64	644	8.3	78	1	2	6	11	18	24	60
65+	303	9.1	80	1	2	6	11	22	30	45
GRAND TOTAL	**4787**	**8.9**	**115**	**1**	**1**	**5**	**11**	**21**	**30**	**68**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	100	7.4	135	<1	<1	1	8	28	34	46
20-34	629	8.6	96	1	1	5	13	27	30	36
35-49	1378	8.0	67	1	1	5	11	22	28	33
50-64	1116	7.5	62	1	2	4	9	21	28	31
65+	241	7.8	62	1	2	5	10	20	23	33
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	30.0		30	30	30	30	30	30	30
35-49	3	7.3	37	2	2	6	12	14	14	14
50-64	7	20.7	305	6	6	13	26	50	56	56
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	194	17.7	335	1	1	9	29	47	51	60
20-34	1501	9.7	89	1	2	6	13	24	30	40
35-49	3603	9.1	71	2	2	6	12	22	28	36
50-64	3548	9.7	76	2	2	7	13	22	28	39
65+	1184	11.2	95	2	3	8	15	25	30	44
B. Operated										
0-19 YRS	1	37.0		37	37	37	37	37	37	37
20-34	81	14.9	116	2	3	13	21	29	38	50
35-49	171	15.8	111	3	5	13	22	30	37	49
50-64	196	17.3	155	3	5	14	25	33	41	69
65+	89	17.1	124	3	5	15	24	30	38	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3464	7.9	72	1	1	5	10	21	28	33
B. Operated	13	16.1	226	2	2	11	25	35	52	56
2. MULTIPLE DX										
A. Not Operated	10030	9.8	85	1	2	7	13	23	29	42
B. Operated	538	16.5	130	3	5	14	23	31	40	58
1. SINGLE DX	3477	7.9	73	1	1	5	10	21	28	33
2. MULTIPLE DX	10568	10.2	89	2	2	7	13	24	29	44
A. NOT OPERATED	13494	9.3	82	1	2	6	12	23	28	40
B. OPERATED	551	16.5	132	3	5	14	23	31	40	58
TOTAL 0-19 YRS	296	14.2	290	<1	1	5	24	45	50	56
20-34	2212	9.6	93	1	1	6	13	26	30	40
35-49	5155	9.1	73	1	2	6	12	22	28	35
50-64	4867	9.5	79	2	2	6	12	23	28	40
65+	1515	11.0	95	2	3	8	15	25	30	44
GRAND TOTAL	**14045**	**9.6**	**86**	**1**	**2**	**6**	**13**	**23**	**29**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	14.0	98	7	7	14	21	21	21	21
20-34	45	9.0	42	1	2	8	12	19	22	31
35-49	4	8.8	13	6	6	7	11	14	14	14
50-64	2	17.5	13	15	15	17	20	20	20	20
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	71	10.2	71	1	2	8	14	23	29	38
35-49	23	13.1	259	1	2	8	16	27	58	68
50-64	13	16.8	203	2	3	13	19	40	51	54
65+	6	11.0	28	5	5	10	11	20	21	21
B. *Operated*										
0-19 YRS										
20-34	4	11.8	62	5	5	9	17	23	23	23
35-49										
50-64	2	27.5	313	15	15	27	40	40	40	40
65+	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	9.5	42	1	3	8	13	19	22	31
B. *Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*	114	11.5	123	1	2	8	15	23	33	59
B. *Operated*	7	15.9	147	5	6	11	21	37	40	40
1. SINGLE DX	54	9.3	42	1	2	8	13	19	22	31
2. MULTIPLE DX	121	11.8	124	1	2	9	15	23	35	58
A. NOT OPERATED	167	10.9	98	1	2	8	14	21	29	54
B. OPERATED	8	14.0	154	<1	1	10	19	35	40	40
TOTAL 0-19 YRS	3	10.0	97	2	2	7	17	21	21	21
20-34	121	9.7	60	1	2	8	13	21	26	35
35-49	27	12.5	223	1	2	8	15	21	54	68
50-64	17	18.2	185	2	4	15	19	39	49	54
65+	7	10.7	24	5	6	10	11	19	21	21
GRAND TOTAL	**175**	**11.0**	**100**	**1**	**2**	**8**	**14**	**21**	**30**	**53**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	16.2	271	1	2	8	24	44	47	49
20-34	79	7.6	63	<1	1	5	9	18	28	35
35-49	18	8.3	62	<1	1	7	9	21	28	31
50-64	7	27.3	857	1	1	18	50	72	76	76
65+	7	8.1	33	1	1	8	12	16	17	17
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	9.0	2	8	8	9	10	10	10	10
50-64										
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	26.6	281	3	5	26	44	48	52	57
20-34	166	16.5	178	1	2	12	29	37	40	50
35-49	60	13.1	105	2	3	9	19	30	36	39
50-64	49	13.3	148	3	4	10	16	29	35	65
65+	27	19.7	217	4	5	13	30	39	50	58
B. *Operated*										
0-19 YRS	4	42.3	674	5	5	51	60	61	61	61
20-34	11	19.7	215	<1	2	23	29	41	42	42
35-49	3	44.3	354	32	32	35	58	66	66	66
50-64	2	22.5	761	3	3	22	42	42	42	42
65+	3	9.7	17	5	5	11	12	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	11.0	174	1	1	6	13	30	43	56
B. *Operated*	3	8.0	4	6	6	8	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	434	18.9	225	2	3	14	30	43	48	56
B. *Operated*	23	25.8	409	2	4	25	42	59	63	66
1. SINGLE DX	155	10.9	171	1	1	6	13	29	43	56
2. MULTIPLE DX	457	19.3	236	2	3	14	31	43	48	61
A. NOT OPERATED	586	16.9	224	1	2	11	28	41	47	56
B. OPERATED	26	23.7	394	2	4	18	41	57	62	66
TOTAL 0-19 YRS	177	24.5	308	2	4	22	43	48	52	60
20-34	256	13.9	161	1	2	8	24	34	39	48
35-49	83	13.1	139	2	2	9	19	31	36	57
50-64	58	15.3	251	2	3	10	18	34	52	75
65+	38	16.4	186	2	4	12	24	37	45	58
GRAND TOTAL	**612**	**17.1**	**232**	**1**	**2**	**11**	**28**	**42**	**47**	**60**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	1.7	6	<1	<1	1	2	3	4	39
20-34	132	3.7	54	<1	<1	2	3	6	10	46
35-49	146	6.3	55	<1	1	4	7	19	27	28
50-64	89	5.7	37	1	1	4	7	11	25	27
65+	16	7.0	64	1	1	4	8	16	27	32
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	2.1	14	<1	<1	1	2	3	4	21
20-34	145	5.3	34	<1	1	3	7	13	18	27
35-49	285	5.0	24	1	1	3	6	11	14	25
50-64	255	5.9	22	1	1	5	7	12	15	24
65+	74	7.0	32	1	2	5	9	14	20	27
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	15	4.1	25	<1	<1	1	4	14	15	16
35-49	4	14.0	108	<1	<1	15	22	25	25	25
50-64	9	6.4	35	<1	<1	4	11	16	18	18
65+	7	13.9	33	9	9	11	18	23	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	515	4.4	42	<1	<1	2	5	9	21	30
B. *Operated*	3	2.3	1	1	1	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	872	5.1	26	<1	1	3	7	11	15	25
B. *Operated*	37	7.5	51	<1	<1	4	11	19	22	25
1. SINGLE DX	518	4.4	42	<1	<1	2	5	9	21	30
2. MULTIPLE DX	909	5.2	27	<1	1	4	7	12	16	25
A. NOT OPERATED	1387	4.8	32	<1	1	3	6	11	16	28
B. OPERATED	40	7.1	49	<1	<1	4	11	18	22	25
TOTAL 0-19 YRS	248	1.9	9	<1	<1	1	2	3	4	26
20-34	292	4.5	43	<1	<1	2	5	10	16	30
35-49	437	5.5	36	1	1	3	6	13	21	28
50-64	353	5.9	26	1	1	5	7	12	17	26
65+	97	7.5	39	1	2	5	10	16	21	30
GRAND TOTAL	**1427**	**4.9**	**33**	**<1**	**1**	**3**	**6**	**11**	**17**	**27**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	6.0	67	1	1	2	7	18	29	32
20-34	62	6.8	60	<1	<1	3	9	20	27	28
35-49	12	6.8	62	<1	1	4	8	21	25	26
50-64	11	7.2	17	2	3	6	9	13	17	17
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	9.9	133	1	1	5	14	28	32	55
20-34	125	7.9	88	1	1	5	9	18	29	49
35-49	44	8.5	72	1	1	6	11	23	25	42
50-64	36	10.1	92	1	1	7	14	27	33	34
65+	20	6.2	13	1	2	5	9	11	13	14
B. *Operated*										
0-19 YRS	2	8.0	50	3	3	8	13	13	13	13
20-34	5	10.2	152	2	2	4	17	31	31	31
35-49	4	19.8	952	3	3	5	36	66	66	66
50-64	3	16.7	316	4	4	9	30	37	37	37
65+	3	9.0	37	5	5	6	13	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	6.5	58	<1	1	3	8	19	27	30
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	288	8.6	91	1	1	5	11	22	29	48
B. *Operated*	17	13.1	286	2	2	6	14	36	56	66
1. SINGLE DX	141	6.5	58	<1	1	3	8	19	27	30
2. MULTIPLE DX	305	8.8	102	1	1	5	11	23	30	50
A. NOT OPERATED	428	7.9	81	1	1	5	10	21	28	43
B. OPERATED	18	12.6	274	2	2	5	13	35	54	66
TOTAL 0-19 YRS	119	8.1	104	1	1	4	11	27	30	49
20-34	193	7.6	79	<1	1	4	9	19	28	46
35-49	60	8.9	122	1	1	5	10	24	26	64
50-64	50	9.9	86	1	1	7	11	25	34	37
65+	24	6.4	15	2	2	5	9	12	15	16
GRAND TOTAL	**446**	**8.1**	**89**	**1**	**1**	**5**	**10**	**22**	**29**	**46**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	185	3.8	9	1	1	3	5	7	8	23
20-34	297	4.5	13	1	2	3	5	8	11	21
35-49	200	4.7	10	1	2	4	6	9	11	16
50-64	101	4.2	7	1	1	4	6	8	9	13
65+	48	5.0	10	1	1	5	6	10	12	14
B. *Operated*										
0-19 YRS	15	4.5	8	2	2	4	5	9	11	12
20-34	23	5.5	14	2	2	4	8	11	13	15
35-49	18	5.6	23	2	2	4	7	10	18	22
50-64	11	5.9	23	1	1	5	10	13	15	15
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	4.4	10	1	1	4	5	9	10	15
20-34	392	5.4	16	1	2	4	7	10	13	25
35-49	404	6.4	35	2	2	5	8	11	15	24
50-64	365	6.1	18	1	2	5	7	11	16	19
65+	252	7.2	35	2	2	6	9	14	20	31
B. *Operated*										
0-19 YRS	11	4.7	11	2	2	4	5	10	14	14
20-34	53	10.2	84	2	3	8	12	20	28	53
35-49	45	9.5	41	2	2	9	13	15	17	38
50-64	37	10.0	80	2	2	7	16	24	27	41
65+	32	14.1	104	1	2	13	20	29	34	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	831	4.4	10	1	2	3	5	8	10	17
B. *Operated*	69	5.2	16	2	2	4	7	11	12	21
2. MULTIPLE DX										
A. *Not Operated*	1563	6.0	24	1	2	5	7	11	15	25
B. *Operated*	178	10.3	75	2	2	8	14	21	29	40
1. SINGLE DX	900	4.4	11	1	2	4	6	8	11	17
2. MULTIPLE DX	1741	6.4	31	1	2	5	8	12	16	29
A. NOT OPERATED	2394	5.4	20	1	2	4	7	10	13	23
B. OPERATED	247	8.9	63	2	2	7	12	19	25	38
TOTAL 0-19 YRS	361	4.1	9	1	1	3	5	8	10	15
20-34	765	5.4	21	1	2	4	6	10	13	26
35-49	667	6.1	29	1	2	5	8	11	15	23
50-64	514	6.0	22	1	2	5	7	11	16	23
65+	334	7.5	42	2	2	5	9	15	22	34
GRAND TOTAL	**2641**	**5.8**	**25**	**1**	**2**	**4**	**7**	**11**	**15**	**26**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	795	9.9	129	1	1	6	13	23	34	62
20-34	616	5.6	41	1	1	4	7	12	17	28
35-49	327	6.0	59	1	1	4	7	12	17	45
50-64	112	5.5	23	1	1	4	7	11	16	23
65+	64	8.3	49	1	1	6	12	17	22	30
B. *Operated*										
0-19 YRS	3	8.3	140	1	1	2	17	22	22	22
20-34	5	5.0	26	<1	<1	2	8	13	13	13
35-49	4	7.5	59	1	1	7	14	16	16	16
50-64										
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	502	9.8	130	1	1	6	12	26	39	99+
20-34	729	6.9	64	1	1	4	8	15	22	42
35-49	523	7.2	61	1	2	5	9	15	20	37
50-64	262	7.3	31	2	2	6	9	14	18	27
65+	173	8.3	49	1	2	6	11	17	23	34
B. *Operated*										
0-19 YRS	25	13.8	287	1	1	6	28	35	78	99+
20-34	54	7.5	66	2	2	4	10	20	27	32
35-49	33	9.5	76	<1	1	8	16	22	27	34
50-64	15	10.7	64	2	2	8	13	22	30	33
65+	6	18.7	91	6	7	17	22	34	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1914	7.5	84	1	1	5	9	17	24	52
B. *Operated*	13	6.4	50	<1	1	2	12	17	21	22
2. MULTIPLE DX										
A. *Not Operated*	2189	7.8	75	1	1	5	9	17	24	50
B. *Operated*	133	10.0	116	1	2	6	16	27	33	76
1. SINGLE DX	1927	7.5	84	1	1	5	9	17	24	52
2. MULTIPLE DX	2322	7.9	77	1	1	5	10	17	25	50
A. NOT OPERATED	4103	7.7	79	1	1	5	9	17	24	51
B. OPERATED	146	9.7	111	1	1	6	15	26	32	73
TOTAL 0-19 YRS	1325	9.9	132	1	1	6	13	24	35	73
20-34	1404	6.3	54	1	1	4	8	14	20	35
35-49	887	6.9	61	1	1	5	8	14	20	38
50-64	389	6.9	31	1	2	6	9	14	18	28
65+	244	8.5	52	1	2	6	12	17	23	34
GRAND TOTAL	**4249**	**7.7**	**80**	**1**	**1**	**5**	**9**	**17**	**24**	**51**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	616	8.9	195	1	1	4	8	24	35	99
20-34	1261	7.6	86	1	2	4	8	17	25	53
35-49	863	9.5	101	1	2	6	12	21	29	52
50-64	476	11.0	103	2	2	8	15	24	32	57
65+	212	12.3	141	2	2	8	16	28	38	51
B. *Operated*										
0-19 YRS	27	3.6	15	1	1	3	4	5	11	21
20-34	40	4.9	15	<1	1	4	6	9	14	18
35-49	33	11.5	127	2	2	8	16	30	39	43
50-64	13	7.3	23	2	2	6	10	14	17	18
65+	6	6.5	28	1	1	5	8	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	576	9.5	191	1	2	5	10	26	50	99+
20-34	1529	7.5	62	1	2	5	9	16	23	42
35-49	1366	8.7	83	2	2	6	10	18	26	48
50-64	1014	8.9	75	2	3	6	11	18	24	46
65+	682	10.1	78	2	3	7	12	20	30	44
B. *Operated*										
0-19 YRS	34	8.5	166	<1	2	4	9	23	58	99+
20-34	147	11.4	102	3	3	8	15	26	36	99+
35-49	147	13.3	180	3	3	10	16	28	38	75
50-64	89	14.4	162	3	4	11	17	34	48	55
65+	48	13.5	210	4	5	10	15	24	35	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3428	9.1	117	1	2	5	11	21	30	61
B. *Operated*	119	6.8	56	1	2	4	8	16	21	40
2. MULTIPLE DX										
A. *Not Operated*	5167	8.7	88	2	2	6	10	18	26	56
B. *Operated*	465	12.6	155	2	3	9	15	27	40	77
1. SINGLE DX	3547	9.0	115	1	2	5	11	21	30	59
2. MULTIPLE DX	5632	9.0	94	2	2	6	11	19	28	59
A. NOT OPERATED	8595	8.8	99	1	2	6	10	19	29	59
B. OPERATED	584	11.4	140	2	3	8	14	25	38	74
TOTAL 0-19 YRS	1253	9.0	189	1	2	4	9	24	42	99+
20-34	2977	7.7	75	1	2	5	9	17	24	46
35-49	2409	9.3	97	2	2	6	11	20	28	50
50-64	1592	9.8	90	2	3	7	12	21	29	52
65+	948	10.8	99	2	3	8	13	22	32	48
GRAND TOTAL	**9179**	**9.0**	**102**	**1**	**2**	**6**	**11**	**20**	**29**	**59**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	6.0	55	1	1	3	6	16	25	30
20-34	18	8.3	131	<1	1	4	9	30	35	38
35-49	10	6.3	31	1	1	4	9	15	19	19
50-64	12	5.2	7	1	2	5	7	9	9	9
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	7	2.9	4	<1	<1	2	4	6	6	6
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	8.7	103	1	2	6	10	20	31	53
20-34	130	10.6	106	2	2	8	13	22	30	53
35-49	55	8.3	42	2	2	6	12	16	21	34
50-64	32	8.3	27	3	3	7	12	18	21	99+
65+	19	6.7	13	1	2	6	9	11	13	15
B. *Operated*										
0-19 YRS	32	9.0	247	1	2	6	8	11	18	93
20-34	15	8.5	87	1	1	4	12	23	31	34
35-49	3	18.0	199	3	3	20	28	31	31	31
50-64	4	10.5	54	2	2	11	16	18	18	18
65+	3	30.7	297	12	12	34	43	46	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	6.3	61	1	1	4	8	14	28	37
B. *Operated*	9	2.8	3	<1	<1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	336	9.2	82	2	2	7	11	21	26	51
B. *Operated*	57	10.6	206	1	2	7	10	22	34	90
1. SINGLE DX	75	5.9	55	1	1	3	7	13	26	36
2. MULTIPLE DX	393	9.4	100	1	2	7	11	21	28	59
A. NOT OPERATED	402	8.7	80	1	2	6	11	20	26	43
B. OPERATED	66	9.5	185	1	1	6	9	20	34	85
TOTAL 0-19 YRS	162	8.1	121	1	2	5	8	17	24	64
20-34	164	10.1	106	1	2	7	12	23	31	47
35-49	69	8.4	48	1	2	6	11	17	22	34
50-64	48	7.7	25	2	3	7	10	17	20	99+
65+	25	9.0	104	1	2	6	11	15	37	46
GRAND TOTAL	**468**	**8.8**	**94**	**1**	**2**	**6**	**11**	**20**	**27**	**48**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	625	10.5	23	2	4	11	13	16	18	24
20-34	90	8.3	49	2	2	7	10	15	18	42
35-49	71	8.8	28	2	3	8	12	16	21	24
50-64	43	10.2	189	2	2	7	13	17	20	91
65+	26	14.5	122	2	3	11	20	31	38	44
B. *Operated*										
0-19 YRS	90	15.2	101	5	8	13	16	24	38	58
20-34	38	14.1	126	2	3	11	16	30	34	56
35-49	52	12.2	127	2	2	8	18	26	38	49
50-64	42	15.2	135	2	3	12	19	38	47	99+
65+	10	10.4	39	3	3	11	13	19	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	439	12.4	31	3	5	12	15	18	22	36
20-34	87	11.2	111	2	3	9	14	19	29	65
35-49	81	13.3	104	2	3	11	16	24	37	50
50-64	67	16.1	158	2	2	13	20	34	44	59
65+	78	17.4	148	2	3	15	26	36	43	89
B. *Operated*										
0-19 YRS	136	17.7	140	5	9	14	22	34	39	58
20-34	37	16.8	138	3	4	15	25	38	46	99+
35-49	61	17.1	222	4	5	13	24	34	40	89
50-64	68	21.3	276	2	4	19	34	54	98	99+
65+	36	25.0	416	3	5	24	39	71	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	855	10.3	38	2	3	11	13	16	19	28
B. *Operated*	232	14.2	115	2	3	12	17	28	38	57
2. MULTIPLE DX										
A. *Not Operated*	752	13.2	74	2	4	12	16	22	29	47
B. *Operated*	338	19.0	215	3	5	15	26	39	49	99+
1. SINGLE DX	1087	11.1	57	2	3	11	13	18	23	45
2. MULTIPLE DX	1090	15.0	125	2	4	12	18	29	39	91
A. NOT OPERATED	1607	11.6	57	2	3	11	14	18	24	43
B. OPERATED	570	17.0	179	3	4	13	22	36	47	99+
TOTAL 0-19 YRS	1290	12.2	48	2	5	12	14	19	23	41
20-34	252	11.4	102	2	3	9	14	24	32	56
35-49	265	12.7	123	2	3	9	16	25	35	49
50-64	220	16.4	209	2	3	13	22	38	52	99+
65+	150	18.3	215	2	4	14	27	39	47	99+
GRAND TOTAL	**2177**	**13.0**	**95**	**2**	**4**	**11**	**15**	**24**	**33**	**58**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	18	7	7	10	13	13	13	13
20-34	7	6.7	9	3	3	7	9	11	11	11
35-49	21	6.5	46	1	1	5	7	11	23	33
50-64	81	8.1	35	2	3	7	10	15	17	35
65+	214	9.7	89	2	3	7	12	18	26	45
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	7.7	17	3	3	9	10	11	11	11
50-64	5	5.6	16	2	2	4	8	12	12	12
65+	11	13.3	128	<1	3	9	18	29	41	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	4.0	6	<1	<1	4	6	6	6	6
35-49	31	10.5	231	2	3	6	10	24	45	76
50-64	234	12.0	111	3	3	9	15	25	31	78
65+	1077	11.9	89	3	4	9	15	23	29	55
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	28	11.5	53	2	4	10	15	21	29	31
65+	139	20.4	220	4	5	16	27	41	55	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	325	9.0	71	2	3	7	11	16	23	39
B. *Operated*	19	10.4	89	1	2	8	12	21	33	42
2. MULTIPLE DX										
A. *Not Operated*	1347	11.8	96	3	3	9	15	23	30	58
B. *Operated*	168	18.9	202	4	5	15	23	38	53	65
1. SINGLE DX	344	9.1	72	2	3	7	11	16	23	41
2. MULTIPLE DX	1515	12.6	112	3	4	10	16	25	34	63
A. NOT OPERATED	1672	11.3	92	3	3	9	14	22	29	55
B. OPERATED	187	18.0	196	3	4	14	22	38	52	64
TOTAL 0-19 YRS	3	7.3	30	2	2	7	11	13	13	13
20-34	11	5.7	9	<1	2	6	7	10	11	11
35-49	56	8.8	147	2	2	5	9	15	33	74
50-64	348	11.0	90	3	3	8	14	23	29	58
65+	1441	12.4	109	3	4	9	15	24	34	58
GRAND TOTAL	**1859**	**12.0**	**107**	**3**	**3**	**9**	**15**	**24**	**32**	**58**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	12.3	152	2	3	8	16	31	40	43
20-34	172	8.8	60	2	2	7	11	17	23	46
35-49	157	8.7	83	2	2	7	10	16	22	43
50-64	63	12.0	94	2	2	10	16	23	29	56
65+	3	5.3	6	3	3	5	7	8	8	8
B. *Operated*										
0-19 YRS	3	5.7	14	3	3	4	8	10	10	10
20-34	29	8.9	65	2	2	6	11	19	23	40
35-49	36	8.4	35	2	2	7	12	18	22	24
50-64	14	10.0	68	1	2	7	15	22	25	26
65+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.9	16	2	2	4	5	11	15	15
20-34	128	12.7	190	2	3	8	17	29	48	99+
35-49	161	12.8	157	3	4	9	15	25	39	77
50-64	139	11.9	123	3	3	9	14	23	31	63
65+	40	10.8	83	3	4	8	13	15	34	46
B. *Operated*										
0-19 YRS										
20-34	29	21.3	529	2	2	13	26	56	69	97
35-49	51	18.4	327	2	4	11	21	48	65	68
50-64	42	12.9	157	2	3	9	17	29	48	99+
65+	12	15.4	69	3	6	13	22	27	30	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	409	9.3	78	2	2	7	11	19	25	45
B. *Operated*	84	8.6	49	2	2	6	12	19	22	35
2. MULTIPLE DX										
A. *Not Operated*	477	12.2	148	3	3	9	14	24	38	78
B. *Operated*	134	17.0	298	2	3	12	21	41	65	97
1. SINGLE DX	493	9.2	73	2	2	7	11	19	24	44
2. MULTIPLE DX	611	13.2	184	2	3	9	16	28	44	85
A. NOT OPERATED	886	10.9	117	2	3	8	13	22	31	67
B. OPERATED	218	13.8	219	2	3	9	17	28	52	80
TOTAL 0-19 YRS	26	9.0	99	2	2	5	10	24	33	43
20-34	358	11.2	156	2	2	7	13	23	38	94
35-49	405	11.5	148	2	3	8	14	22	35	68
50-64	258	12.0	117	2	3	9	15	24	31	71
65+	57	11.2	80	3	4	9	13	23	29	46
GRAND TOTAL	**1104**	**11.4**	**138**	**2**	**3**	**8**	**14**	**23**	**34**	**69**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	819	3.7	14	1	1	3	4	7	9	18
20-34	487	3.9	13	1	1	3	5	8	10	21
35-49	287	4.2	14	1	1	3	5	7	10	19
50-64	186	5.3	35	1	1	4	6	10	15	30
65+	125	5.1	12	1	2	4	7	9	11	18
B. *Operated*										
0-19 YRS	9	5.6	16	1	1	4	8	12	14	14
20-34	19	5.5	15	2	2	4	7	10	14	18
35-49	24	6.6	26	1	2	5	9	15	17	20
50-64	8	4.5	7	2	2	4	6	8	9	9
65+	4	6.0	41	1	1	4	10	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	638	4.6	19	1	1	3	6	9	12	20
20-34	628	5.9	29	1	2	4	7	11	15	31
35-49	539	6.2	36	1	2	4	8	12	16	29
50-64	599	7.2	51	1	2	5	9	14	17	37
65+	623	8.3	71	2	2	6	10	16	21	48
B. *Operated*										
0-19 YRS	26	11.9	475	2	2	4	6	58	72	78
20-34	48	11.3	113	1	1	8	15	26	40	45
35-49	66	10.8	60	2	2	9	14	19	28	39
50-64	65	13.2	118	2	3	10	17	31	38	47
65+	55	15.1	130	2	3	13	21	34	37	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1904	4.1	16	1	1	3	5	8	10	21
B. *Operated*	64	5.8	19	1	2	4	8	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	3027	6.4	43	1	2	5	8	13	17	33
B. *Operated*	260	12.5	140	2	3	9	16	28	37	62
1. SINGLE DX	1968	4.1	16	1	1	3	5	8	10	21
2. MULTIPLE DX	3287	6.9	53	1	2	5	8	14	18	38
A. NOT OPERATED	4931	5.5	34	1	1	4	7	11	15	29
B. OPERATED	324	11.2	123	2	2	8	15	25	36	52
TOTAL 0-19 YRS	1492	4.3	25	1	1	3	5	8	10	21
20-34	1182	5.3	28	1	1	4	6	11	14	30
35-49	916	5.9	33	1	2	4	7	12	16	29
50-64	858	7.2	56	1	2	5	9	14	18	40
65+	807	8.3	70	2	2	6	10	17	22	44
GRAND TOTAL	**5255**	**5.9**	**41**	**1**	**1**	**4**	**7**	**12**	**16**	**33**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	305	4.4	23	1	1	3	5	8	11	21
20-34	418	5.6	31	1	1	4	7	12	16	22
35-49	300	5.8	38	1	2	4	7	11	13	36
50-64	314	6.7	43	2	2	5	8	14	19	33
65+	363	8.3	65	2	2	6	10	16	22	48
B. *Operated*										
0-19 YRS	303	5.6	21	1	1	4	8	11	15	23
20-34	257	7.7	74	1	2	6	10	15	20	47
35-49	240	8.5	60	2	2	6	11	16	25	40
50-64	222	7.8	50	2	2	5	10	17	23	67
65+	216	10.5	108	2	2	7	13	24	32	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	489	6.8	81	1	1	4	8	15	22	56
20-34	562	9.0	132	2	2	5	10	18	28	73
35-49	549	8.9	95	2	2	6	11	18	26	60
50-64	848	11.0	112	2	3	8	14	23	33	63
65+	1935	11.8	105	3	3	9	15	24	31	55
B. *Operated*										
0-19 YRS	417	8.1	95	1	2	5	10	18	27	74
20-34	397	11.8	180	2	2	8	15	31	50	99+
35-49	379	12.9	180	2	2	8	17	33	48	99+
50-64	555	14.7	251	2	3	10	18	33	55	99+
65+	742	16.4	238	2	3	11	22	37	53	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1700	6.2	42	1	2	4	7	12	17	37
B. *Operated*	1238	7.9	62	1	2	5	10	16	23	41
2. MULTIPLE DX										
A. *Not Operated*	4383	10.4	109	2	2	7	13	22	30	60
B. *Operated*	2490	13.4	207	2	2	9	17	32	50	99+
1. SINGLE DX	2938	6.9	51	1	2	5	9	14	20	41
2. MULTIPLE DX	6873	11.5	146	2	2	8	14	25	36	83
A. NOT OPERATED	6083	9.2	93	2	2	6	11	19	27	57
B. OPERATED	3728	11.5	166	2	2	7	14	27	40	97
TOTAL 0-19 YRS	1514	6.4	63	1	1	4	7	14	20	54
20-34	1634	8.6	113	1	2	5	10	17	27	84
35-49	1468	9.2	105	2	2	6	11	20	30	71
50-64	1939	11.0	141	2	2	7	14	24	35	91
65+	3256	12.4	137	2	3	9	16	26	36	65
GRAND TOTAL	**9811**	**10.1**	**122**	**2**	**2**	**7**	**12**	**22**	**32**	**72**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	359	3.2	10	1	1	3	4	5	6	13
20-34	782	3.8	8	1	1	3	5	7	9	14
35-49	538	4.2	7	1	2	3	5	8	10	14
50-64	191	4.6	8	1	2	4	6	8	10	15
65+	43	6.2	92	1	2	4	7	11	12	65
B. *Operated*										
0-19 YRS	13	4.2	7	2	2	3	5	9	10	10
20-34	85	4.7	9	2	2	4	6	8	10	18
35-49	76	5.3	15	2	2	4	7	11	12	80
50-64	26	6.5	25	2	2	5	7	13	17	25
65+	4	4.5	2	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	3.6	6	1	1	3	4	7	8	11
20-34	706	4.8	17	1	2	4	6	9	11	18
35-49	702	5.6	17	2	2	4	7	10	13	22
50-64	361	5.6	13	2	2	5	7	10	12	21
65+	122	6.2	18	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	9	6.9	6	3	3	7	9	10	10	10
20-34	75	7.8	49	2	2	6	11	16	18	40
35-49	88	8.3	43	3	3	6	10	17	23	33
50-64	62	6.4	20	2	3	5	8	11	13	29
65+	19	7.9	40	2	3	6	9	14	24	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1913	3.9	10	1	1	3	5	7	9	14
B. *Operated*	204	5.1	13	2	2	4	6	10	13	25
2. MULTIPLE DX										
A. *Not Operated*	2096	5.1	16	1	2	4	6	10	12	20
B. *Operated*	253	7.6	38	2	3	6	10	15	19	34
1. SINGLE DX	2117	4.0	11	1	1	3	5	7	10	15
2. MULTIPLE DX	2349	5.4	18	1	2	4	7	10	13	22
A. NOT OPERATED	4009	4.6	13	1	2	4	6	8	11	17
B. OPERATED	457	6.5	28	2	2	5	8	12	16	31
TOTAL 0-19 YRS	586	3.4	8	1	1	3	4	6	7	12
20-34	1648	4.5	15	1	2	3	5	8	11	18
35-49	1404	5.2	16	1	2	4	6	10	12	22
50-64	640	5.4	13	2	2	4	7	10	12	18
65+	188	6.4	36	2	2	5	7	11	14	28
GRAND TOTAL	**4466**	**4.8**	**15**	**1**	**2**	**4**	**6**	**9**	**11**	**20**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8		<1	<1	2	2	2	2	2
20-34	47	3.0	17	<1	1	2	3	7	8	27
35-49	65	3.4	11	<1	1	2	4	8	10	17
50-64	66	3.2	5	1	1	3	4	5	9	12
65+	14	3.7	10	<1	1	2	4	9	11	11
B. *Operated*										
0-19 YRS	41	2.2	1	1	1	2	2	3	4	6
20-34	728	2.6	2	1	1	2	3	4	5	9
35-49	1305	2.9	5	1	2	2	3	4	6	12
50-64	1370	2.9	4	1	2	2	3	5	6	11
65+	596	2.9	3	1	2	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	33	3.3	5	<1	1	2	5	6	7	9
35-49	51	4.7	7	2	2	4	7	9	10	11
50-64	65	4.8	15	1	2	3	6	10	14	18
65+	29	6.2	23	2	2	5	8	11	17	23
B. *Operated*										
0-19 YRS	30	3.2	3	1	1	3	4	6	7	9
20-34	196	4.4	15	1	2	3	5	9	12	19
35-49	442	4.4	21	2	2	3	5	8	12	22
50-64	587	4.8	20	2	2	3	6	10	13	20
65+	333	4.9	23	2	2	3	5	9	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	3.2	10	1	1	2	3	7	9	17
B. *Operated*	4040	2.8	4	1	2	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	180	4.7	12	1	[illegible]	4	6	9	11	18
B. *Operated*	1588	4.6	20	2	2	3	5	9	13	22
1. SINGLE DX	4236	2.8	4	1	1	2	3	4	6	11
2. MULTIPLE DX	1768	4.6	19	2	2	3	5	9	13	22
A. NOT OPERATED	376	3.9	12	1	1	3	5	8	10	17
B. OPERATED	5628	3.3	9	1	2	2	4	6	8	16
TOTAL 0-19 YRS	77	2.6	2	1	1	2	3	5	6	8
20-34	1004	3.0	6	1	1	2	3	5	7	13
35-49	1863	3.3	9	1	2	2	3	6	8	17
50-64	2088	3.5	10	1	2	2	4	6	9	16
65+	972	3.7	11	1	2	3	4	6	9	18
GRAND TOTAL	**6004**	**3.4**	**9**	**1**	**2**	**2**	**4**	**6**	**8**	**16**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	6.1	58	1	2	4	7	12	17	48
20-34	349	5.9	46	1	2	4	7	12	17	35
35-49	453	5.6	21	1	2	4	7	11	14	26
50-64	404	6.3	38	1	2	4	8	12	17	39
65+	281	6.6	31	2	2	5	8	14	18	30
B. *Operated*										
0-19 YRS	165	4.8	34	2	2	3	5	9	17	27
20-34	942	4.7	20	1	2	3	5	9	12	23
35-49	1310	5.1	24	2	2	3	6	11	14	26
50-64	1281	4.8	31	1	2	3	5	9	14	28
65+	553	5.6	47	1	2	3	6	12	16	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	6.1	37	2	2	4	7	13	20	33
20-34	314	7.4	80	1	2	5	8	14	25	82
35-49	557	6.6	31	2	2	5	8	14	18	26
50-64	804	7.3	25	2	3	6	9	14	17	30
65+	906	9.1	56	2	3	7	12	18	23	38
B. *Operated*										
0-19 YRS	86	8.1	191	2	2	3	6	20	45	95
20-34	419	6.6	45	2	2	5	8	13	17	31
35-49	684	7.7	62	2	2	5	10	16	24	44
50-64	807	8.4	84	2	2	5	10	19	24	56
65+	502	10.9	135	2	2	8	14	24	33	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1606	6.1	35	1	2	4	7	12	17	35
B. *Operated*	4251	5.0	29	1	2	3	5	10	14	27
2. MULTIPLE DX										
A. *Not Operated*	2652	7.7	45	2	2	6	10	15	20	37
B. *Operated*	2498	8.4	87	2	2	5	10	18	25	57
1. SINGLE DX	5857	5.3	31	1	2	4	6	11	15	29
2. MULTIPLE DX	5150	8.1	65	2	2	6	10	16	23	49
A. NOT OPERATED	4258	7.1	42	2	2	5	9	14	19	36
B. OPERATED	6749	6.2	53	2	2	4	7	13	19	39
TOTAL 0-19 YRS	441	6.0	72	1	2	3	6	12	19	56
20-34	2024	5.7	40	1	2	4	7	11	16	36
35-49	3004	6.1	34	2	2	4	7	12	17	32
50-64	3296	6.5	46	2	2	4	8	13	19	38
65+	2242	8.3	72	2	2	6	10	17	24	49
GRAND TOTAL	**11007**	**6.6**	**49**	**2**	**2**	**4**	**8**	**14**	**19**	**39**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	2.4	4	<1	<1	1	4	5	5	5
35-49	3	3.3	6	<1	<1	3	5	6	6	6
50-64	8	4.3	5	1	1	4	6	7	7	7
65+	12	3.3	7	1	1	2	5	7	8	8
B. *Operated*										
0-19 YRS	88	5.0	6	1	3	5	6	8	10	14
20-34	139	5.6	11	1	2	5	7	10	11	17
35-49	150	4.7	6	1	2	4	6	8	9	13
50-64	628	5.0	10	1	2	4	6	9	10	15
65+	575	5.2	13	2	2	5	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	10	5.2	36	1	1	3	5	16	19	19
65+	13	4.5	7	1	1	5	7	8	9	9
B. *Operated*										
0-19 YRS	49	5.8	10	2	2	5	7	10	12	16
20-34	106	6.0	9	2	3	6	7	9	11	18
35-49	113	6.1	8	2	3	6	8	9	11	15
50-64	508	6.2	14	2	3	5	8	10	13	19
65+	639	6.5	18	2	3	6	8	11	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.3	5	<1	1	3	5	7	7	8
B. *Operated*	1580	5.1	10	1	2	5	6	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	29	4.2	16	1	1	3	6	8	13	19
B. *Operated*	1415	6.3	15	2	3	6	8	10	13	19
1. SINGLE DX	1609	5.1	10	1	2	5	6	9	10	16
2. MULTIPLE DX	1444	6.2	15	2	3	5	8	10	13	19
A. NOT OPERATED	58	3.8	11	1	1	3	5	7	9	19
B. OPERATED	2995	5.7	13	2	2	5	7	10	12	18
TOTAL 0-19 YRS	142	5.2	8	1	2	5	7	8	10	15
20-34	251	5.7	10	2	2	5	7	9	11	16
35-49	267	5.3	7	1	2	5	7	9	9	15
50-64	1154	5.5	12	2	2	5	7	10	11	18
65+	1239	5.8	16	2	2	5	7	10	12	19
GRAND TOTAL	**3053**	**5.6**	**13**	**2**	**2**	**5**	**7**	**10**	**12**	**18**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.4	1	<1	<1	1	1	3	4	5
20-34	7	2.0	1	1	1	2	3	4	4	4
35-49	13	3.2	4	1	1	3	4	6	8	8
50-64	25	3.1	5	1	1	3	4	5	7	11
65+	44	3.5	6	1	2	3	4	7	8	14
B. *Operated*										
0-19 YRS	18	3.8	5	2	2	3	4	6	9	11
20-34	41	4.2	8	2	2	4	5	9	10	15
35-49	99	3.6	6	1	2	3	4	7	9	13
50-64	368	3.6	5	1	2	3	4	6	9	13
65+	551	3.7	8	1	2	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	5	3.8	2	3	3	3	4	6	6	6
35-49	9	2.6	3	<1	<1	2	3	5	6	6
50-64	42	5.0	14	1	1	4	7	12	13	15
65+	69	4.2	12	1	1	3	6	9	11	17
B. *Operated*										
0-19 YRS	7	5.9	21	2	2	4	7	14	15	15
20-34	10	5.6	8	2	2	5	7	10	11	11
35-49	45	4.2	12	2	2	3	5	9	12	19
50-64	205	4.8	14	1	2	4	6	9	12	20
65+	438	5.1	22	1	2	4	6	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	3.0	5	1	1	2	4	5	7	12
B. *Operated*	1077	3.7	7	1	2	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	128	4.3	12	1	1	3	6	9	12	16
B. *Operated*	705	5.0	19	2	2	4	6	10	12	22
1. SINGLE DX	1180	3.6	7	1	2	3	4	7	9	14
2. MULTIPLE DX	833	4.9	18	1	2	4	6	9	12	20
A. NOT OPERATED	231	3.7	9	1	1	3	5	7	11	15
B. OPERATED	1782	4.2	12	1	2	3	5	8	11	16
TOTAL 0-19 YRS	42	3.1	8	1	1	2	4	6	9	15
20-34	63	4.1	8	1	2	3	6	9	10	14
35-49	166	3.7	7	1	2	3	4	7	9	14
50-64	640	4.1	9	1	2	3	5	8	10	14
65+	1102	4.3	14	1	2	3	5	8	11	17
GRAND TOTAL	**2013**	**4.1**	**12**	**1**	**2**	**3**	**5**	**8**	**11**	**16**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.4	6	<1	<1	1	3	6	8	8
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	3	4.3	10	2	2	3	7	8	8	8
50-64	10	3.7	4	2	2	3	5	7	8	8
65+	31	3.6	4	1	1	3	5	6	7	9
B. *Operated*										
0-19 YRS	26	2.9	2	1	2	3	3	5	6	8
20-34	36	3.7	5	2	2	3	5	7	7	11
35-49	40	4.0	6	1	2	3	5	7	8	14
50-64	100	3.8	12	1	2	3	4	6	9	22
65+	179	3.7	7	1	2	3	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.9	15	<1	<1	1	2	9	13	13
20-34	7	4.3	2	3	3	4	4	6	7	7
35-49	7	6.6	37	1	1	4	10	17	18	18
50-64	19	4.5	11	1	1	4	5	10	13	14
65+	41	6.7	29	2	2	4	9	14	16	28
B. *Operated*										
0-19 YRS	21	4.4	21	<1	1	4	5	9	15	21
20-34	31	5.5	24	1	2	4	7	10	18	23
35-49	44	4.9	12	1	2	4	6	9	14	15
50-64	127	4.4	10	1	2	3	6	8	10	17
65+	260	5.5	31	2	2	4	6	11	14	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	3.5	5	1	1	3	5	7	8	9
B. *Operated*	381	3.7	8	1	2	3	4	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	84	5.5	23	1	1	4	7	12	15	25
B. *Operated*	483	5.1	23	1	2	4	6	10	13	24
1. SINGLE DX	436	3.7	7	1	2	3	4	7	8	14
2. MULTIPLE DX	567	5.2	23	1	2	4	6	10	14	24
A. NOT OPERATED	139	4.7	16	1	1	3	6	10	13	19
B. OPERATED	864	4.5	17	1	2	3	5	8	11	21
TOTAL 0-19 YRS	66	3.3	10	<1	1	2	4	6	9	20
20-34	76	4.5	13	2	2	3	6	8	10	22
35-49	94	4.6	11	1	2	4	6	8	13	17
50-64	256	4.1	11	1	2	3	5	8	10	15
65+	511	4.8	22	1	2	3	5	10	14	22
GRAND TOTAL	**1003**	**4.5**	**17**	**1**	**2**	**3**	**5**	**8**	**12**	**20**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
YRS										
35-49	16	3.4	6	<1	<1	3	4	5	9	11
50-64	70	2.8	4	<1	<1	2	4	5	6	12
65+	206	3.0	5	<1	1	3	4	5	7	11
B. *Operated*										
YRS										
35-49	820	3.0	4	1	2	3	3	4	6	12
50-64	4795	3.1	5	2	2	3	4	5	6	10
65+	14966	3.2	5	2	2	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
YRS										
35-49	24	3.0	9	<1	<1	2	4	9	9	10
50-64	127	3.5	11	<1	1	3	4	7	10	17
65+	443	3.7	11	1	1	2	4	8	10	17
B. *Operated*										
YRS										
35-49	398	3.9	6	2	2	3	4	7	9	15
50-64	3000	4.0	11	2	2	3	4	7	9	16
65+	10983	4.2	12	2	2	3	5	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	292	3.0	5	<1	1	3	4	5	7	12
B. *Operated*	20581	3.2	5	2	2	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	594	3.6	11	<1	1	2	4	8	10	17
B. *Operated*	14381	4.1	11	2	2	3	5	7	10	17
1. SINGLE DX	20873	3.2	5	2	2	3	4	5	6	11
2. MULTIPLE DX	14975	4.1	11	2	2	3	5	7	10	17
A. NOT OPERATED	886	3.4	9	<1	1	3	4	7	9	16
B. OPERATED	34962	3.6	8	2	2	3	4	6	8	14
TOTAL YRS										
35-49	1258	3.3	5	1	2	3	4	5	7	12
50-64	7992	3.4	8	2	2	3	4	5	7	13
65+	26598	3.6	8	2	2	3	4	6	8	14
GRAND TOTAL	**35848**	**3.6**	**8**	**2**	**2**	**3**	**4**	**6**	**8**	**14**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	6	1	1	2	4	6	6	6
20-34	4	1.3		1	1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	2.7	4	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	152	2.5	2	1	1	2	3	4	5	11
20-34	99	2.7	2	1	2	2	3	4	6	7
35-49	134	2.8	1	1	2	3	3	4	5	6
50-64	125	2.8	4	1	1	2	3	4	5	15
65+	200	2.6	3	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.2	3	<1	<1	1	3	5	5	5
20-34	3	1.0		1	1	1	1	1	1	1
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	7	4.7	14	1	1	4	6	11	12	12
65+	9	2.9	10	<1	<1	2	3	8	11	11
B. *Operated*										
0-19 YRS	72	3.4	6	1	2	3	4	6	10	13
20-34	53	3.5	14	2	2	3	3	6	8	27
35-49	75	3.6	3	1	2	3	4	6	8	10
50-64	156	4.9	19	2	2	4	5	10	12	24
65+	196	4.0	7	1	2	3	5	7	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.2	3	1	1	2	3	5	6	6
B. *Operated*	710	2.7	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	27	3.3	11	<1	<1	2	4	10	11	12
B. *Operated*	552	4.1	10	2	2	3	5	7	10	17
1. SINGLE DX	723	2.7	2	1	1	2	3	4	5	10
2. MULTIPLE DX	579	4.0	10	1	2	3	5	7	10	17
A. NOT OPERATED	40	2.9	8	<1	1	2	3	6	11	12
B. OPERATED	1262	3.3	6	1	2	3	4	5	7	13
TOTAL 0-19 YRS	234	2.8	3	1	1	2	3	5	6	12
20-34	159	2.9	6	1	2	2	3	5	6	9
35-49	212	3.1	2	1	2	3	4	5	6	10
50-64	289	4.0	13	1	2	3	4	6	11	21
65+	408	3.3	5	1	1	3	4	6	8	13
GRAND TOTAL	**1302**	**3.3**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	1.8	1	<1	<1	2	2	4	4	7
20-34	21	4.2	10	1	1	3	5	8	12	14
35-49	27	3.5	6	<1	1	3	5	7	8	10
50-64	12	4.4	5	2	2	4	6	7	8	8
65+	26	3.8	5	2	2	3	4	5	10	12
B. *Operated*										
0-19 YRS	2903	1.9	6	1	1	2	2	2	2	4
20-34	517	2.2	2	1	1	2	2	3	3	12
35-49	231	2.3	1	1	1	2	2	3	4	7
50-64	129	2.5	2	1	1	2	3	4	5	8
65+	60	3.1	12	1	1	2	3	5	8	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	1.8	4	<1	<1	1	2	3	6	13
20-34	27	4.0	19	<1	1	2	5	8	15	21
35-49	11	7.1	44	<1	1	5	8	15	25	26
50-64	41	5.6	19	2	2	4	7	10	15	23
65+	65	6.9	67	2	3	5	8	11	17	55
B. *Operated*										
0-19 YRS	663	2.1	5	1	1	2	2	2	3	10
20-34	172	2.6	7	1	1	2	2	4	7	12
35-49	93	2.8	5	1	2	2	3	5	6	15
50-64	99	4.0	10	1	2	3	5	8	12	15
65+	79	4.9	39	2	2	3	5	11	15	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	2.9	5	<1	<1	2	4	5	7	12
B. *Operated*	3840	2.0	5	1	1	2	2	2	3	8
2. MULTIPLE DX										
A. *Not Operated*	236	4.3	32	<1	<1	3	5	8	13	27
B. *Operated*	1106	2.6	9	1	1	2	2	4	7	15
1. SINGLE DX	4014	2.0	5	1	1	2	2	2	3	8
2. MULTIPLE DX	1342	2.9	13	1	1	2	2	5	8	20
A. NOT OPERATED	410	3.7	21	<1	<1	2	5	8	10	24
B. OPERATED	4946	2.1	6	1	1	2	2	2	3	11
TOTAL 0-19 YRS	3746	1.9	5	1	1	2	2	2	3	7
20-34	737	2.4	4	1	1	2	2	3	5	12
35-49	362	2.6	4	1	2	2	3	4	6	9
50-64	281	3.6	9	1	2	2	4	7	9	15
65+	230	4.9	38	2	2	3	5	10	14	33
GRAND TOTAL	**5356**	**2.3**	**7**	**1**	**1**	**2**	**2**	**3**	**4**	**12**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
SINGLE DX										
A. *Not Operated*										
0-19 YRS	311	2.2	4	<1	<1	1	3	5	7	10
20-34	99	3.8	10	<1	1	3	5	7	9	18
35-49	65	4.8	30	1	1	3	5	13	17	28
50-64	75	4.6	19	1	1	3	6	9	13	23
65+	83	4.9	14	1	1	4	6	10	12	19
B. *Operated*										
0-19 YRS	485	2.2	21	<1	1	2	2	3	5	13
20-34	407	2.6	5	1	1	2	3	4	6	11
35-49	600	2.5	10	<1	1	2	2	4	5	11
50-64	770	2.5	4	1	1	2	3	4	6	13
65+	1093	2.8	6	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	188	3.9	19	<1	1	3	5	7	9	28
20-34	56	4.7	13	1	1	4	6	8	11	19
35-49	59	5.0	20	1	1	3	7	12	15	21
50-64	83	5.8	29	1	1	4	8	11	15	32
65+	172	6.4	24	1	1	5	8	13	17	24
B. *Operated*										
0-19 YRS	136	2.9	4	1	1	2	3	6	9	10
20-34	160	3.4	7	1	1	3	4	6	7	11
35-49	349	3.1	6	1	1	2	4	5	8	13
50-64	627	3.2	18	1	1	2	3	5	7	14
65+	1072	4.1	15	1	2	3	5	7	10	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	633	3.4	12	<1	<1	2	4	7	9	19
B. *Operated*	3355	2.5	8	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	558	5.2	22	1	1	4	7	11	14	23
B. *Operated*	2344	3.6	13	1	1	3	4	7	9	17
1. SINGLE DX	3988	2.7	9	<1	1	2	3	5	7	14
2. MULTIPLE DX	2902	3.9	16	1	1	3	4	7	10	19
A. NOT OPERATED	1191	4.2	18	<1	1	3	6	9	12	22
B. OPERATED	5699	3.0	11	1	1	2	3	5	7	14
TOTAL 0-19 YRS	1120	2.6	14	<1	<1	2	3	5	7	13
20-34	722	3.1	7	1	1	2	4	6	8	15
35-49	1073	3.0	11	<1	1	2	3	5	7	17
50-64	1555	3.0	12	1	1	2	3	6	8	15
65+	2420	3.7	13	1	1	3	4	7	10	20
GRAND TOTAL	**6890**	**3.2**	**12**	**1**	**1**	**2**	**4**	**6**	**8**	**17**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	334	3.9	6	1	1	3	5	7	9	13
20-34	156	4.7	16	1	2	4	6	8	11	24
35-49	98	4.6	9	1	2	4	6	9	11	15
50-64	96	4.9	12	1	1	4	6	10	11	19
65+	109	5.1	11	1	2	5	7	10	11	15
B. *Operated*										
0-19 YRS	109	3.7	12	1	1	3	4	7	12	18
20-34	129	4.2	36	2	2	3	5	7	9	26
35-49	112	3.8	10	1	2	3	5	7	10	18
50-64	230	3.4	5	1	1	3	4	7	8	11
65+	522	3.6	9	1	1	3	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	271	4.9	13	1	2	4	6	8	11	21
20-34	139	5.6	14	1	2	5	7	11	13	17
35-49	103	5.4	15	1	2	4	7	10	12	20
50-64	199	6.2	13	2	3	5	8	11	14	17
65+	247	6.1	20	1	2	5	8	12	15	22
B. *Operated*										
0-19 YRS	129	4.8	21	1	2	3	5	10	15	23
20-34	146	6.2	44	1	2	5	7	12	14	42
35-49	175	5.7	21	1	2	4	8	12	15	23
50-64	433	5.3	19	1	2	4	7	11	13	22
65+	790	5.1	20	2	2	3	6	11	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	793	4.4	10	1	2	4	6	8	11	15
B. *Operated*	1102	3.6	12	1	1	3	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	959	5.6	15	1	2	5	7	11	14	20
B. *Operated*	1673	5.3	22	2	2	4	7	11	14	23
1. SINGLE DX	1895	4.0	11	1	1	3	5	7	10	16
2. MULTIPLE DX	2632	5.4	20	1	2	4	7	11	14	21
A. NOT OPERATED	1752	5.1	13	1	2	4	6	10	12	19
B. OPERATED	2775	4.6	19	1	2	3	6	10	13	21
TOTAL 0-19 YRS	843	4.3	11	1	1	3	5	8	11	19
20-34	570	5.2	28	1	2	4	6	9	12	24
35-49	488	5.0	15	1	2	4	6	10	12	20
50-64	958	5.0	15	1	2	4	6	10	12	19
65+	1668	4.8	17	1	2	3	6	10	13	21
GRAND TOTAL	**4527**	**4.8**	**17**	**1**	**2**	**4**	**6**	**10**	**12**	**20**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.4	3	<1	1	2	3	5	6	9
20-34	22	3.0	2	1	1	3	4	5	6	7
35-49	25	3.2	3	1	2	3	4	5	7	9
50-64	33	3.3	4	1	1	3	4	6	7	8
65+	29	4.3	11	1	2	4	5	7	9	18
B. *Operated*										
0-19 YRS	30	2.2	2	1	1	2	2	4	5	8
20-34	28	3.8	6	2	2	3	4	7	10	11
35-49	25	3.4	4	<1	1	3	5	5	8	9
50-64	34	3.8	5	2	2	3	4	6	7	14
65+	34	3.4	9	1	1	2	4	8	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	3.3	11	1	1	2	3	6	8	21
20-34	38	4.3	14	1	2	4	5	7	10	23
35-49	63	5.0	9	2	2	4	6	9	12	14
50-64	90	5.4	13	1	2	4	7	11	12	19
65+	97	6.4	19	1	2	5	8	13	14	22
B. *Operated*										
0-19 YRS	24	2.8	2	2	2	2	3	4	6	9
20-34	40	4.1	7	2	2	3	5	9	12	99+
35-49	44	5.1	18	2	2	4	5	11	16	20
50-64	71	5.5	29	1	2	4	6	9	14	33
65+	70	5.4	34	2	2	3	5	11	14	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	3.3	5	1	1	3	4	6	7	10
B. *Operated*	151	3.3	6	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	331	5.2	15	1	2	4	7	10	13	21
B. *Operated*	249	4.9	23	2	2	3	5	9	14	35
1. SINGLE DX	290	3.3	5	1	1	3	4	6	8	12
2. MULTIPLE DX	580	5.1	18	1	2	4	6	10	13	23
A. NOT OPERATED	470	4.6	13	1	2	4	6	9	12	20
B. OPERATED	400	4.3	17	1	2	3	5	8	12	27
TOTAL 0-19 YRS	127	2.7	6	1	1	2	3	5	7	12
20-34	128	3.9	8	2	2	3	5	7	10	39
35-49	157	4.5	10	1	2	4	5	8	11	16
50-64	228	4.9	16	1	2	4	6	9	12	22
65+	230	5.4	22	1	2	4	7	11	13	25
GRAND TOTAL	**870**	**4.5**	**15**	**1**	**2**	**3**	**5**	**9**	**12**	**21**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1126	2.7	4	<1	<1	2	3	5	6	11
20-34	53	4.2	15	1	1	3	6	9	11	21
35-49	33	3.8	4	1	2	4	5	6	8	10
50-64	22	3.5	6	<1	<1	3	5	6	8	11
65+	14	3.4	9	<1	1	2	5	9	10	10
B. *Operated*										
0-19 YRS	7664	1.3	4	<1	<1	1	1	2	2	5
20-34	431	2.5	3	1	1	2	3	4	5	11
35-49	378	2.9	14	1	1	2	3	4	6	11
50-64	382	2.5	2	1	1	2	3	4	5	7
65+	138	2.7	2	<1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3166	3.6	7	<1	1	3	4	6	8	13
20-34	100	4.6	17	1	1	4	6	7	10	27
35-49	75	5.7	13	2	3	5	7	10	11	22
50-64	86	6.3	24	2	2	5	7	12	13	30
65+	80	7.3	18	2	3	7	9	14	16	22
B. *Operated*										
0-19 YRS	5320	1.8	3	<1	<1	2	2	2	3	8
20-34	539	3.0	8	1	2	2	3	4	6	12
35-49	417	3.0	5	2	2	3	3	4	6	13
50-64	348	3.1	7	1	2	3	3	5	6	14
65+	167	3.8	14	1	2	3	4	8	10	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1248	2.8	5	<1	<1	2	4	5	6	11
B. *Operated*	8993	1.5	5	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	3507	3.8	9	1	1	3	5	7	8	14
B. *Operated*	6791	2.1	4	<1	<1	2	2	3	4	10
1. SINGLE DX	10241	1.7	5	<1	<1	1	2	3	4	8
2. MULTIPLE DX	10298	2.7	6	<1	1	2	3	5	7	12
A. NOT OPERATED	4755	3.6	8	<1	1	3	4	6	8	13
B. OPERATED	15784	1.8	4	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	17276	2.0	5	<1	<1	1	2	4	5	9
20-34	1123	3.0	8	1	1	2	3	5	7	13
35-49	903	3.2	10	1	2	3	3	5	8	13
50-64	838	3.2	7	1	1	3	3	5	7	13
65+	399	4.1	13	1	1	3	5	8	11	18
GRAND TOTAL	**20539**	**2.2**	**6**	**<1**	**<1**	**2**	**2**	**4**	**6**	**11**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	173	3.4	9	<1	1	3	4	7	9	15
20-34	88	4.0	8	1	2	3	5	7	8	18
35-49	50	5.9	96	2	2	4	6	8	11	69
50-64	31	5.4	8	2	2	5	7	9	12	12
65+	18	9.2	117	2	2	5	12	23	37	44
B. *Operated*										
0-19 YRS	1017	1.5	3	<1	<1	1	2	2	3	8
20-34	124	3.0	5	1	1	2	3	5	7	14
35-49	90	2.9	3	1	2	2	3	4	5	13
50-64	75	3.2	3	1	1	3	4	6	7	10
65+	38	2.9	7	<1	1	2	3	6	7	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	308	4.2	16	<1	1	3	5	7	10	15
20-34	91	4.7	11	2	2	4	5	8	10	21
35-49	63	5.5	10	2	2	5	7	10	11	17
50-64	61	6.0	22	2	3	5	7	9	11	34
65+	60	8.7	57	2	3	7	10	14	22	46
B. *Operated*										
0-19 YRS	811	2.2	4	1	1	2	2	4	6	11
20-34	113	3.9	12	2	2	3	4	7	10	22
35-49	107	4.5	21	2	2	3	5	7	12	28
50-64	93	4.9	46	1	2	3	4	7	18	41
65+	74	9.6	103	2	2	4	13	28	29	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	360	4.4	27	1	1	3	5	8	10	25
B. *Operated*	1344	1.9	4	<1	1	1	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	583	5.0	21	1	2	4	6	9	11	26
B. *Operated*	1198	3.2	19	1	1	2	3	6	9	27
1. SINGLE DX	1704	2.4	10	<1	1	2	3	5	7	12
2. MULTIPLE DX	1781	3.8	20	1	1	2	4	7	10	27
A. NOT OPERATED	943	4.8	23	1	1	4	6	8	11	25
B. OPERATED	2542	2.5	11	<1	1	2	3	4	7	22
TOTAL 0-19 YRS	2309	2.3	6	<1	1	2	2	4	7	11
20-34	416	3.8	9	1	2	3	4	7	9	19
35-49	310	4.4	26	2	2	3	5	7	11	25
50-64	260	4.7	24	1	2	3	5	8	11	35
65+	190	7.9	76	1	2	5	10	22	28	41
GRAND TOTAL	**3485**	**3.1**	**16**	**<1**	**1**	**2**	**3**	**6**	**9**	**22**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	3.5	4	1	2	3	4	6	7	13
20-34	265	3.6	7	1	2	3	4	6	8	12
35-49	390	3.9	6	1	2	3	5	7	8	13
50-64	538	3.9	7	1	2	3	5	7	9	13
65+	417	4.2	8	1	2	3	5	8	10	14
B. *Operated*										
0-19 YRS	5	3.0	1	2	2	3	3	4	4	4
20-34	82	4.0	5	2	2	3	5	6	8	13
35-49	106	4.3	6	2	2	4	5	8	10	12
50-64	134	4.8	9	2	2	4	6	8	10	18
65+	43	5.0	10	1	2	4	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	5.0	21	1	2	3	6	9	13	25
20-34	245	5.4	25	1	2	4	6	10	12	25
35-49	430	5.1	11	2	2	4	6	9	12	17
50-64	905	5.3	13	2	2	4	7	9	12	18
65+	1472	6.0	17	2	2	5	7	11	14	22
B. *Operated*										
0-19 YRS	3	4.3	10	2	2	3	7	8	8	8
20-34	20	6.8	21	2	2	6	8	14	17	19
35-49	57	8.5	57	2	2	6	12	17	26	39
50-64	64	7.3	23	2	3	7	10	11	16	28
65+	87	9.0	29	2	3	9	12	16	17	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1668	3.9	7	1	2	3	5	7	9	14
B. *Operated*	370	4.5	7	2	2	4	5	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	3085	5.6	16	2	2	5	7	10	13	20
B. *Operated*	231	8.1	34	2	3	7	11	15	18	34
1. SINGLE DX	2038	4.0	7	1	2	3	5	7	9	13
2. MULTIPLE DX	3316	5.8	17	2	2	5	7	11	13	21
A. NOT OPERATED	4753	5.0	13	2	2	4	6	9	12	18
B. OPERATED	601	5.9	21	2	2	4	7	12	15	27
TOTAL 0-19 YRS	99	4.0	10	1	2	3	5	7	9	20
20-34	612	4.5	15	1	2	3	5	8	11	17
35-49	983	4.7	12	1	2	4	6	9	11	17
50-64	1641	4.9	11	1	2	4	6	9	11	18
65+	2019	5.7	17	2	2	5	7	11	13	21
GRAND TOTAL	**5354**	**5.1**	**14**	**2**	**2**	**4**	**6**	**9**	**12**	**19**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.3	1	1	1	2	3	3	3	3
35-49	7	2.1	1	1	1	2	3	4	4	4
50-64	5	1.8	1	1	1	2	2	3	3	3
65+	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*										
0-19 YRS	39	2.7	1	2	2	3	3	4	4	5
20-34	271	2.8	1	2	2	3	3	4	4	5
35-49	478	2.8	2	2	2	3	3	4	4	7
50-64	559	2.9	1	2	2	3	3	4	4	8
65+	256	3.0	1	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	4	5.3	18	<1	<1	4	8	11	11	11
50-64	6	3.7	6	<1	<1	4	5	7	7	7
65+	5	5.0	18	1	1	3	9	10	10	10
B. *Operated*										
0-19 YRS	14	2.7	1	1	2	3	3	5	5	5
20-34	42	3.4	6	2	2	3	3	5	10	12
35-49	101	2.9	1	2	2	3	3	4	5	8
50-64	119	3.3	7	2	2	3	3	5	6	21
65+	53	3.8	5	2	2	3	4	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.4	2	1	1	2	3	4	6	7
B. *Operated*	1603	2.9	2	2	2	3	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	18	4.2	10	<1	<1	3	5	10	11	11
B. *Operated*	329	3.3	5	2	2	3	3	5	6	12
1. SINGLE DX	1621	2.9	2	2	2	3	3	4	4	7
2. MULTIPLE DX	347	3.3	5	2	2	3	3	5	7	12
A. NOT OPERATED	36	3.3	7	<1	1	3	4	7	10	11
B. OPERATED	1932	2.9	2	2	2	3	3	4	5	9
TOTAL 0-19 YRS	54	2.7	1	2	2	3	3	4	5	5
20-34	319	2.8	2	2	2	3	3	4	4	12
35-49	590	2.9	2	2	2	3	3	4	4	8
50-64	689	3.0	2	2	2	3	3	4	5	9
65+	316	3.2	2	2	2	3	3	4	6	11
GRAND TOTAL	**1968**	**2.9**	**2**	**2**	**2**	**3**	**3**	**4**	**5**	**9**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	2.2	4	<1	<1	2	2	5	6	12
20-34	64	3.3	6	1	1	3	4	6	7	15
35-49	85	3.8	5	1	2	3	5	7	8	13
50-64	106	3.5	4	1	2	3	4	6	7	12
65+	62	3.6	3	2	2	3	5	6	7	12
B. *Operated*										
0-19 YRS	1057	2.2	2	1	1	2	2	3	3	7
20-34	715	2.6	3	1	2	2	3	3	4	11
35-49	595	2.5	2	1	2	2	3	3	4	7
50-64	454	2.7	3	1	2	2	3	4	5	11
65+	149	2.8	2	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.7	20	<1	<1	2	4	7	11	25
20-34	54	3.6	6	<1	1	3	5	7	9	12
35-49	68	3.9	6	1	1	4	5	7	8	13
50-64	90	4.2	8	1	2	4	5	8	10	15
65+	79	5.9	18	1	2	5	7	11	15	21
B. *Operated*										
0-19 YRS	688	2.3	4	1	1	2	3	3	4	9
20-34	475	2.9	5	2	2	2	3	4	5	15
35-49	432	2.9	4	2	2	3	3	4	6	11
50-64	359	3.5	13	2	2	3	3	5	8	17
65+	161	3.7	13	2	2	3	4	6	12	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	363	3.4	5	1	1	3	4	6	7	13
B. *Operated*	2970	2.4	3	1	1	2	3	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	353	4.3	12	1	1	4	5	8	11	19
B. *Operated*	2115	2.9	6	1	2	2	3	4	6	15
1. SINGLE DX	3333	2.6	3	1	1	2	3	4	5	10
2. MULTIPLE DX	2468	3.1	8	1	1	2	3	5	7	15
A. NOT OPERATED	716	3.9	9	1	1	3	5	7	9	15
B. OPERATED	5085	2.6	4	1	1	2	3	4	5	12
TOTAL 0-19 YRS	1853	2.3	4	1	1	2	2	3	4	9
20-34	1308	2.8	4	1	2	2	3	4	5	13
35-49	1180	2.8	3	1	2	2	3	4	6	10
50-64	1009	3.2	8	1	2	3	3	5	7	15
65+	451	3.8	10	1	2	3	4	7	9	18
GRAND TOTAL	**5801**	**2.8**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**13**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	7.7	50	2	3	6	9	14	16	33
20-34	38	6.4	12	2	3	5	7	11	15	18
35-49	13	7.7	24	2	2	7	11	16	16	16
50-64	6	5.5	4	3	3	5	7	8	8	8
65+	4	6.0	13	3	3	5	8	11	11	11
B. *Operated*										
0-19 YRS	3	10.0	117	1	1	7	18	22	22	22
20-34	4	12.3	36	8	8	10	16	21	21	21
35-49	7	6.0	20	2	2	4	11	12	12	12
50-64	8	8.0	31	2	2	7	12	16	17	17
65+	4	3.5	6	2	2	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	9.4	76	2	3	7	11	19	27	50
20-34	44	6.9	15	2	2	6	9	15	15	15
35-49	43	7.0	50	1	2	5	8	13	15	45
50-64	78	8.5	38	2	2	7	10	16	20	33
65+	72	11.0	65	3	4	9	14	19	31	88
B. *Operated*										
0-19 YRS	5	6.2	51	1	1	2	12	17	17	17
20-34	9	11.4	75	2	3	11	13	25	32	32
35-49	22	10.6	164	2	2	6	13	31	45	47
50-64	36	12.3	117	2	2	10	16	26	38	45
65+	18	14.1	94	1	2	13	21	29	32	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	7.3	39	2	3	6	9	13	16	30
B. *Operated*	26	7.7	35	1	2	7	12	17	21	22
2. MULTIPLE DX										
A. *Not Operated*	310	8.8	53	2	3	7	11	17	21	47
B. *Operated*	90	11.8	115	2	2	9	16	26	34	46
1. SINGLE DX	231	7.4	39	2	2	6	9	13	16	29
2. MULTIPLE DX	400	9.5	69	2	2	7	13	19	27	46
A. NOT OPERATED	515	8.2	48	2	3	7	10	15	19	39
B. OPERATED	116	10.9	100	2	2	9	15	25	32	46
TOTAL 0-19 YRS	225	8.2	59	2	2	6	10	15	21	38
20-34	95	7.3	22	2	3	6	9	15	15	27
35-49	85	8.0	73	2	2	5	10	15	19	46
50-64	128	9.4	61	2	2	7	12	19	26	42
65+	98	11.1	70	3	3	9	15	22	31	75
GRAND TOTAL	**631**	**8.7**	**59**	**2**	**2**	**7**	**11**	**16**	**22**	**45**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.8	4	1	1	2	4	6	7	7
20-34	37	3.7	6	1	1	3	5	7	9	10
35-49	50	4.9	13	1	2	4	6	10	11	20
50-64	42	5.5	19	1	2	4	7	11	14	23
65+	28	6.2	15	2	2	5	8	10	13	20
B. *Operated*										
0-19 YRS	13	4.4	22	<1	<1	2	5	12	15	16
20-34	53	8.8	34	2	2	9	12	16	19	25
35-49	126	8.3	43	2	2	8	12	17	22	27
50-64	149	9.2	87	2	2	5	14	20	26	41
65+	45	9.4	116	2	2	4	13	18	35	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	7.2	68	2	2	4	10	11	25	40
20-34	135	5.6	38	1	2	4	6	9	15	35
35-49	323	6.5	24	1	2	5	8	12	15	29
50-64	438	7.9	65	2	2	6	10	14	19	43
65+	470	9.3	49	2	3	7	11	18	23	38
B. *Operated*										
0-19 YRS	13	5.7	20	2	2	3	8	10	17	18
20-34	101	8.4	56	2	2	5	13	17	20	39
35-49	282	9.0	81	2	2	6	12	17	24	48
50-64	404	11.5	153	2	2	8	16	24	37	66
65+	200	14.9	186	2	2	12	20	33	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	4.9	14	1	2	4	6	10	11	20
B. *Operated*	386	8.7	67	2	2	7	13	18	23	38
2. MULTIPLE DX										
A. *Not Operated*	1387	7.8	49	2	2	6	9	14	20	36
B. *Operated*	1000	11.1	132	2	2	8	15	24	34	64
1. SINGLE DX	552	7.6	54	2	2	5	11	16	21	33
2. MULTIPLE DX	2387	9.2	86	2	2	6	12	18	26	51
A. NOT OPERATED	1553	7.5	46	2	2	6	9	14	19	35
B. OPERATED	1386	10.4	115	2	2	8	14	22	30	61
TOTAL 0-19 YRS	56	5.5	37	1	1	3	8	11	15	39
20-34	326	6.8	42	1	2	4	9	15	18	32
35-49	781	7.6	48	2	2	6	10	15	20	33
50-64	1033	9.4	104	2	2	6	12	19	26	55
65+	743	10.7	95	2	3	8	13	22	30	55
GRAND TOTAL	**2939**	**8.9**	**81**	**2**	**2**	**6**	**11**	**18**	**25**	**49**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	3.4	8	1	1	3	4	6	8	16
20-34	495	4.0	6	1	2	4	5	7	9	12
35-49	834	4.7	9	1	2	4	6	8	11	16
50-64	802	4.7	10	1	2	4	6	8	11	16
65+	455	5.2	15	2	2	4	6	10	13	20
B. *Operated*										
0-19 YRS	19	4.8	5	2	2	4	7	8	9	9
20-34	85	4.2	12	2	2	3	5	8	10	22
35-49	99	4.6	15	1	2	3	6	10	15	18
50-64	88	5.1	18	2	2	4	6	10	16	20
65+	32	7.5	65	2	2	4	10	17	22	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	4.7	12	2	2	4	6	8	10	19
20-34	1066	5.1	11	2	2	4	6	9	11	18
35-49	3006	5.8	17	2	2	5	7	10	13	21
50-64	4480	6.4	23	2	2	5	8	12	15	26
65+	4433	7.5	37	2	3	6	9	14	18	32
B. *Operated*										
0-19 YRS	23	8.2	46	2	3	7	11	17	22	31
20-34	216	6.2	25	<1	1	5	9	12	17	24
35-49	466	8.2	50	2	2	7	11	16	19	34
50-64	751	9.1	59	2	2	7	12	19	26	38
65+	518	12.8	120	2	3	10	16	24	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2702	4.6	10	1	2	4	6	8	10	16
B. *Operated*	323	4.9	20	2	2	3	6	10	15	22
2. MULTIPLE DX										
A. *Not Operated*	13113	6.5	26	2	2	5	8	12	15	26
B. *Operated*	1974	9.5	73	2	2	7	12	19	26	44
1. SINGLE DX	3025	4.6	11	1	2	4	6	8	11	17
2. MULTIPLE DX	15087	6.9	33	2	2	5	8	13	17	31
A. NOT OPERATED	15815	6.2	24	2	2	5	8	11	15	24
B. OPERATED	2297	8.9	68	2	2	7	11	18	24	42
TOTAL 0-19 YRS	286	4.5	14	1	2	4	5	8	10	22
20-34	1862	4.9	12	1	2	4	6	9	11	19
35-49	4405	5.8	20	2	2	5	7	11	14	22
50-64	6121	6.5	27	2	2	5	8	12	16	28
65+	5438	7.8	46	2	3	6	9	15	19	35
GRAND TOTAL	**18112**	**6.5**	**30**	**2**	**2**	**5**	**8**	**12**	**16**	**28**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.3	9	2	2	3	5	9	10	10
20-34	23	4.7	10	1	2	4	6	10	12	14
35-49	156	5.4	14	2	2	6	8	12	14	19
50-64	271	5.5	10	2	2	5	7	9	12	17
65+	341	6.6	18	2	3	6	8	11	14	22
B. *Operated*										
0-19 YRS										
20-34	7	4.1	6	2	2	3	6	8	8	8
35-49	28	4.7	17	1	1	3	7	11	13	17
50-64	31	5.1	18	1	2	3	6	12	14	19
65+	21	7.4	61	1	2	3	9	21	26	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	7.8	42	1	2	7	10	13	21	32
20-34	139	6.2	15	2	2	5	8	11	13	24
35-49	787	7.2	25	2	3	6	9	13	16	26
50-64	2574	8.2	43	2	3	7	10	15	20	33
65+	5141	9.7	62	3	3	8	12	18	24	40
B. *Operated*										
0-19 YRS	3	10.7	72	2	2	11	17	19	19	19
20-34	14	6.3	31	1	2	4	11	21	80	99+
35-49	166	8.9	55	2	2	7	12	17	24	32
50-64	406	11.2	122	2	2	8	14	24	30	52
65+	562	14.4	135	2	3	12	19	28	39	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	797	6.1	15	2	2	5	8	11	13	20
B. *Operated*	87	5.4	28	1	2	3	7	12	17	27
2. MULTIPLE DX										
A. *Not Operated*	8663	9.0	53	2	3	7	11	17	22	37
B. *Operated*	1151	12.4	122	2	2	10	16	25	34	58
1. SINGLE DX	884	6.1	16	2	2	5	8	11	13	20
2. MULTIPLE DX	9814	9.4	62	2	3	7	12	18	24	41
A. NOT OPERATED	9460	8.8	51	2	3	7	11	16	22	36
B. OPERATED	1238	11.9	118	2	2	9	16	25	32	58
TOTAL 0-19 YRS	31	7.4	39	1	2	5	10	13	19	32
20-34	183	6.0	15	2	2	5	8	11	13	24
35-49	1137	7.3	28	2	2	6	9	13	17	27
50-64	3282	8.3	51	2	3	7	10	16	21	35
65+	6065	10.0	69	3	3	8	12	19	25	44
GRAND TOTAL	**10698**	**9.1**	**59**	**2**	**3**	**7**	**11**	**17**	**23**	**40**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	6	1	1	4	6	7	7	7
20-34	22	5.7	24	1	2	4	6	14	17	19
35-49	44	6.7	23	1	2	6	10	14	15	22
50-64	64	6.7	28	1	2	5	10	13	17	25
65+	44	7.8	30	2	3	5	10	16	18	27
B. *Operated*										
0-19 YRS	4	7.8	71	1	1	5	13	20	20	20
20-34	26	8.2	86	1	2	4	9	23	32	35
35-49	49	9.8	90	1	2	7	14	21	23	53
50-64	46	11.3	83	3	3	9	12	27	32	39
65+	27	7.3	62	2	2	5	9	13	19	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	7.3	66	2	2	5	7	13	29	34
20-34	62	6.2	27	1	2	5	8	12	16	27
35-49	152	7.7	47	1	2	6	10	14	19	31
50-64	323	8.9	57	2	2	7	11	17	23	36
65+	481	10.9	82	2	3	9	13	22	27	47
B. *Operated*										
0-19 YRS	18	9.6	99	1	2	7	11	16	34	45
20-34	80	11.5	79	2	3	10	13	25	34	83
35-49	140	12.1	128	2	3	9	15	29	34	82
50-64	265	13.6	153	2	3	10	18	29	38	60
65+	195	14.8	134	3	3	12	19	29	32	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	6.8	27	1	2	5	10	14	17	25
B. *Operated*	152	9.5	82	2	2	7	11	22	30	42
2. MULTIPLE DX										
A. *Not Operated*	1032	9.5	68	2	2	8	12	19	25	40
B. *Operated*	698	13.3	134	2	3	10	17	29	33	61
1. SINGLE DX	330	8.0	54	1	2	6	10	17	22	36
2. MULTIPLE DX	1730	11.0	98	2	2	8	14	23	30	56
A. NOT OPERATED	1210	9.1	62	2	2	7	11	18	23	38
B. OPERATED	850	12.6	127	2	3	10	16	28	33	59
TOTAL 0-19 YRS	40	8.0	74	1	2	6	10	16	27	45
20-34	190	8.6	62	1	2	7	11	17	27	46
35-49	385	9.5	83	2	2	7	12	20	29	55
50-64	698	10.6	99	2	2	8	13	23	30	55
65+	747	11.6	96	2	3	9	15	23	30	55
GRAND TOTAL	**2060**	**10.5**	**92**	**2**	**2**	**8**	**13**	**22**	**30**	**53**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	10.6	22	2	3	11	14	15	18	20
20-34	114	11.5	23	3	6	11	14	18	20	24
35-49	1351	12.1	20	5	7	12	14	17	20	27
50-64	2944	12.6	22	5	7	12	15	18	21	26
65+	2348	13.4	31	6	8	13	16	19	22	32
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	13	8.2	33	2	2	8	14	16	18	19
35-49	111	12.0	44	2	2	12	15	19	23	35
50-64	228	12.7	43	2	3	12	16	19	23	37
65+	109	16.9	65	4	7	16	22	28	31	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	12.4	42	1	3	13	17	19	21	31
20-34	213	13.0	33	4	6	13	16	19	22	30
35-49	2648	12.9	31	4	7	13	15	19	22	32
50-64	8390	13.7	37	5	7	13	16	21	25	35
65+	11196	14.9	56	6	8	14	18	23	28	43
B. *Operated*										
0-19 YRS	6	21.0	115	3	4	24	30	31	31	31
20-34	44	12.4	63	2	2	12	16	25	27	35
35-49	414	13.8	97	2	2	13	18	25	30	53
50-64	1077	16.3	120	2	3	15	21	29	36	58
65+	1088	21.0	137	7	10	19	26	35	43	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6775	12.7	25	5	7	12	15	19	21	28
B. *Operated*	462	13.4	52	2	3	13	17	22	28	39
2. MULTIPLE DX										
A. *Not Operated*	22483	14.2	46	5	7	13	17	22	26	39
B. *Operated*	2629	17.8	130	2	4	16	23	31	39	62
1. SINGLE DX	7237	12.8	27	5	7	13	15	19	21	29
2. MULTIPLE DX	25112	14.6	56	5	7	13	17	23	28	42
A. NOT OPERATED	29258	13.9	42	5	7	13	16	21	25	37
B. OPERATED	3091	17.1	121	2	4	15	22	30	37	60
TOTAL 0-19 YRS	61	12.7	49	2	3	12	17	21	27	31
20-34	384	12.3	34	2	5	12	15	19	23	30
35-49	4524	12.7	34	3	6	12	15	19	22	32
50-64	12639	13.7	41	5	7	13	16	21	25	36
65+	14741	15.1	61	6	8	14	18	24	29	44
GRAND TOTAL	**32349**	**14.2**	**50**	**5**	**7**	**13**	**17**	**22**	**27**	**40**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	38	4.6	7	2	2	4	5	9	10	13
35-49	420	4.4	8	1	2	4	6	8	9	14
50-64	875	4.8	12	1	2	4	6	9	11	16
65+	735	5.2	13	1	2	4	7	9	11	19
B. *Operated*										
0-19 YRS										
20-34	11	4.7	12	1	2	4	5	11	12	12
35-49	123	4.6	16	1	2	3	6	11	13	18
50-64	249	4.4	16	2	2	3	5	10	14	19
65+	71	5.5	23	2	2	4	7	12	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.5	10	1	2	3	6	9	11	13
20-34	142	5.5	15	2	2	5	7	10	13	23
35-49	1955	5.2	12	1	2	4	7	9	11	18
50-64	5935	6.1	18	2	2	5	7	11	14	22
65+	7429	6.8	22	2	3	6	8	12	15	24
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	48	6.3	23	2	2	5	9	14	15	19
35-49	794	7.3	44	2	2	5	11	15	19	30
50-64	2259	8.1	56	2	2	6	11	16	21	36
65+	955	10.9	85	2	2	9	15	21	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2069	4.8	11	1	2	4	6	9	10	18
B. *Operated*	454	4.6	17	2	2	3	6	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	15486	6.3	19	2	2	5	8	11	14	23
B. *Operated*	4057	8.6	62	2	2	7	12	18	22	38
1. SINGLE DX	2523	4.8	12	1	2	4	6	9	11	18
2. MULTIPLE DX	19543	6.8	29	2	2	5	9	13	16	27
A. NOT OPERATED	17555	6.1	19	2	2	5	8	11	14	23
B. OPERATED	4511	8.2	59	2	2	6	12	17	21	36
TOTAL 0-19 YRS	27	4.6	10	1	2	3	6	9	10	13
20-34	239	5.5	15	2	2	4	7	10	13	19
35-49	3292	5.6	20	2	2	4	7	11	14	22
50-64	9318	6.4	28	2	2	5	8	12	16	26
65+	9190	7.1	30	2	2	6	9	13	17	28
GRAND TOTAL	**22066**	**6.5**	**28**	**2**	**2**	**5**	**8**	**12**	**16**	**26**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	22	5.2	8	1	1	5	6	8	11	13
35-49	258	5.2	12	1	2	4	7	10	12	19
50-64	589	5.6	11	2	2	5	7	10	13	16
65+	620	6.2	14	2	3	5	8	11	14	18
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	5	6.0	23	2	2	3	10	13	13	13
35-49	49	8.5	20	2	2	9	12	14	15	16
50-64	138	10.2	38	2	2	9	12	18	23	30
65+	61	11.1	31	2	3	11	15	19	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	6.8	26	2	2	5	8	13	20	21
20-34	62	6.7	15	2	3	6	9	13	14	17
35-49	911	6.9	24	2	3	6	9	12	15	22
50-64	3282	7.3	25	2	3	6	9	13	16	24
65+	4809	8.1	29	3	3	7	10	15	18	28
B. *Operated*										
0-19 YRS										
20-34	14	9.1	53	1	2	8	12	19	24	26
35-49	296	10.7	51	2	2	10	14	19	24	36
50-64	797	11.8	67	2	2	11	15	21	27	41
65+	454	14.9	103	3	4	13	19	28	34	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1491	5.8	13	2	2	5	7	11	13	17
B. *Operated*	254	10.0	33	2	2	10	13	17	20	27
2. MULTIPLE DX										
A. *Not Operated*	9076	7.7	27	2	3	6	10	14	17	26
B. *Operated*	1561	12.5	77	2	3	11	15	23	29	44
1. SINGLE DX	1745	6.4	18	2	2	5	8	12	14	21
2. MULTIPLE DX	10637	8.4	37	2	3	7	11	15	19	31
A. NOT OPERATED	10567	7.4	26	2	3	6	9	13	16	25
B. OPERATED	1815	12.1	71	2	3	11	15	22	28	43
TOTAL 0-19 YRS	15	6.5	22	2	2	6	8	10	18	21
20-34	103	6.7	19	1	2	6	9	13	15	22
35-49	1514	7.4	31	2	2	6	10	14	17	26
50-64	4806	7.9	34	2	3	7	10	15	18	29
65+	5944	8.5	37	3	3	7	11	16	19	31
GRAND TOTAL	**12382**	**8.1**	**35**	**2**	**3**	**7**	**10**	**15**	**19**	**30**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	5	1	1	3	5	6	6	6
20-34	35	4.1	7	1	2	3	5	9	9	11
35-49	306	5.2	19	1	1	4	7	10	13	20
50-64	779	5.2	16	1	2	4	7	10	13	20
65+	825	6.5	24	2	2	5	8	12	14	24
B. *Operated*										
0-19 YRS	23	3.9	17	1	1	2	3	11	13	14
20-34	78	6.0	37	2	2	3	10	13	15	35
35-49	1524	6.7	26	2	2	5	10	13	15	21
50-64	3316	7.9	36	2	2	8	12	15	18	27
65+	1073	9.1	54	2	2	9	13	18	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	7.2	20	2	2	6	11	14	15	16
20-34	129	5.5	12	2	2	5	8	10	13	15
35-49	2101	6.5	27	2	2	5	8	12	15	25
50-64	7953	7.2	27	2	2	6	9	14	17	26
65+	16418	9.0	49	2	3	7	11	16	22	37
B. *Operated*										
0-19 YRS	18	10.4	109	1	2	6	17	29	30	30
20-34	142	6.6	79	2	2	3	9	13	16	80
35-49	2411	6.8	41	2	2	4	10	14	18	31
50-64	6365	8.5	61	2	2	7	12	17	22	36
65+	3508	12.6	107	2	2	11	17	25	32	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1949	5.7	20	1	2	5	7	11	14	21
B. *Operated*	6014	7.7	37	2	2	8	12	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	26644	8.2	41	2	3	7	10	15	20	34
B. *Operated*	12444	9.3	75	2	2	8	13	19	25	41
1. SINGLE DX	7963	7.2	34	2	2	6	11	14	17	26
2. MULTIPLE DX	39088	8.6	52	2	2	7	11	16	22	36
A. NOT OPERATED	28593	8.1	40	2	3	6	10	15	19	33
B. OPERATED	18458	8.8	63	2	2	8	12	18	23	37
TOTAL 0-19 YRS	88	6.8	41	1	2	4	10	14	17	30
20-34	384	5.9	42	2	2	4	8	12	15	40
35-49	6342	6.6	32	2	2	5	10	13	16	27
50-64	18413	7.7	40	2	2	6	11	15	19	30
65+	21824	9.5	59	2	3	8	12	18	24	39
GRAND TOTAL	**47051**	**8.4**	**49**	**2**	**2**	**7**	**11**	**16**	**21**	**35**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	7.5	17	1	2	8	11	13	14	14
20-34	231	9.7	27	2	4	9	12	16	18	34
35-49	289	10.8	25	3	5	10	13	17	21	26
50-64	320	11.3	27	4	6	11	14	17	19	30
65+	301	12.3	26	5	7	11	15	18	22	26
B. *Operated*										
0-19 YRS	2	15.0	32	11	11	15	19	19	19	19
20-34	36	12.0	14	6	7	12	15	17	19	19
35-49	40	12.7	26	5	7	12	15	20	22	25
50-64	54	13.8	83	4	6	12	16	22	30	58
65+	43	14.3	67	3	6	13	16	22	35	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	8.4	13	2	3	8	11	14	15	16
20-34	255	10.9	37	3	5	10	13	17	21	35
35-49	513	11.8	30	4	5	11	15	19	22	31
50-64	970	12.9	38	5	6	12	15	20	24	33
65+	1528	14.5	63	5	7	13	18	23	29	42
B. *Operated*										
0-19 YRS	4	20.8	58	16	16	18	25	32	32	32
20-34	62	16.6	75	7	8	14	22	26	34	46
35-49	116	15.8	87	5	6	13	20	28	33	54
50-64	210	18.2	134	6	8	15	22	30	40	59
65+	217	19.1	97	8	9	17	23	33	39	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1154	11.1	27	4	5	10	13	17	20	27
B. *Operated*	175	13.3	51	4	6	12	15	20	23	41
2. MULTIPLE DX										
A. *Not Operated*	3288	13.3	50	5	6	12	16	21	26	38
B. *Operated*	609	17.9	106	6	9	15	22	31	37	57
1. SINGLE DX	1329	11.3	31	4	5	11	14	18	20	31
2. MULTIPLE DX	3897	14.0	61	5	7	12	17	23	28	44
A. NOT OPERATED	4442	12.7	45	5	6	11	15	20	24	36
B. OPERATED	784	16.9	98	6	8	14	20	30	36	56
TOTAL 0-19 YRS	41	9.6	34	2	3	8	12	16	19	32
20-34	584	11.1	40	3	5	10	13	18	22	35
35-49	958	12.0	37	4	5	11	15	20	23	32
50-64	1554	13.3	54	5	6	12	16	21	26	42
65+	2089	14.6	64	5	7	13	18	24	31	45
GRAND TOTAL	**5226**	**13.3**	**55**	**5**	**6**	**12**	**16**	**22**	**26**	**41**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	17.4	225	2	2	21	27	39	41	41
20-34	14	20.0	175	4	5	18	30	41	43	43
35-49	2	26.5	1013	4	4	26	49	49	49	49
50-64	7	18.0	320	3	3	13	29	46	50	50
65+	6	20.0	120	6	7	20	29	32	32	32
B. *Operated*										
0-19 YRS										
20-34	2	53.0	288	41	41	53	65	65	65	65
35-49	2	28.0	800	8	8	28	48	48	48	48
50-64	1	20.0		20	20	20	20	20	20	20
65+	2	43.5	1	43	43	43	44	44	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	29.1	238	3	7	29	42	49	52	52
20-34	45	24.0	195	4	8	24	32	45	48	54
35-49	28	27.2	164	10	12	25	34	44	48	63
50-64	53	29.3	239	5	11	30	34	44	53	95
65+	78	27.1	199	3	6	28	37	46	52	87
B. *Operated*										
0-19 YRS										
20-34	21	37.0	316	6	10	34	48	62	70	75
35-49	20	34.1	251	9	10	36	43	54	61	66
50-64	30	37.7	240	10	20	37	51	63	64	99+
65+	26	42.4	273	20	25	40	52	56	77	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	19.5	209	3	3	18	30	41	47	50
B. *Operated*	7	38.4	354	8	10	43	47	62	65	65
2. MULTIPLE DX										
A. *Not Operated*	214	27.1	205	4	7	28	36	45	51	75
B. *Operated*	97	38.1	268	10	19	37	49	61	66	96
1. SINGLE DX	43	22.6	274	3	3	21	32	45	49	65
2. MULTIPLE DX	311	30.5	250	5	10	30	41	51	57	93
A. NOT OPERATED	250	26.0	212	3	6	27	35	45	50	63
B. OPERATED	104	38.1	270	9	19	38	48	62	66	96
TOTAL 0-19 YRS	17	24.3	253	2	3	23	36	45	50	52
20-34	82	27.3	272	4	7	27	40	48	56	72
35-49	52	29.8	227	8	10	29	41	48	56	66
50-64	91	31.1	268	3	9	31	39	54	63	98
65+	112	30.6	255	4	7	31	41	51	54	95
GRAND TOTAL	**354**	**29.6**	**259**	**4**	**8**	**30**	**40**	**50**	**57**	**91**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.9	5	<1	1	2	4	6	8	11
20-34	110	3.0	11	1	1	2	4	6	7	18
35-49	205	2.5	3	<1	1	2	3	5	6	8
50-64	239	3.3	19	1	1	2	4	6	7	31
65+	152	3.8	8	1	1	3	5	7	9	13
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	4	5.3	5	3	3	5	7	8	8	8
50-64	7	4.1	2	2	2	4	6	6	6	6
65+	6	6.5	9	3	3	7	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.6	14	<1	1	2	4	8	10	21
20-34	127	3.7	7	1	1	3	5	7	8	14
35-49	292	4.7	13	1	1	4	6	9	12	18
50-64	581	5.1	18	1	2	4	6	9	12	19
65+	700	6.6	38	2	2	5	8	13	17	30
B. *Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	7	8.1	60	2	2	5	8	22	25	25
35-49	24	7.6	28	2	2	7	10	13	20	24
50-64	56	7.5	33	2	2	6	10	12	18	34
65+	42	14.2	76	2	4	13	18	26	33	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	747	3.1	11	1	1	2	4	6	7	13
B. *Operated*	18	5.2	6	2	3	5	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	1741	5.5	25	1	2	4	7	10	14	24
B. *Operated*	131	9.6	56	2	2	8	12	19	25	36
1. SINGLE DX	765	3.2	11	1	1	2	4	6	7	13
2. MULTIPLE DX	1872	5.8	28	1	2	4	7	11	15	27
A. NOT OPERATED	2488	4.8	22	1	1	4	6	9	13	22
B. OPERATED	149	9.1	52	2	2	7	11	18	24	35
TOTAL 0-19 YRS	85	3.3	9	<1	1	2	4	7	9	17
20-34	244	3.5	11	1	1	3	5	7	8	16
35-49	525	4.0	11	1	1	3	5	8	11	18
50-64	883	4.8	20	1	1	4	6	9	11	22
65+	900	6.5	38	1	2	5	8	13	17	31
GRAND TOTAL	**2637**	**5.0**	**25**	**1**	**1**	**4**	**6**	**10**	**14**	**25**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.6	4	<1	1	4	4	6	8	8
20-34	99	3.0	6	1	1	2	3	5	7	15
35-49	206	3.0	4	1	1	3	4	6	7	9
50-64	504	3.8	10	1	1	3	5	7	10	17
65+	550	4.6	13	1	1	4	6	9	11	19
B. *Operated*										
0-19 YRS										
20-34	5	5.0	8	2	2	5	7	9	9	9
35-49	12	6.8	87	1	1	2	8	21	30	32
50-64	18	4.9	10	1	2	4	6	10	11	12
65+	26	8.0	16	2	4	7	10	13	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	4.9	18	1	1	4	6	11	16	17
20-34	126	4.4	10	1	2	3	6	9	11	16
35-49	413	5.3	20	1	1	4	7	10	12	23
50-64	1817	5.9	26	1	2	5	7	11	14	26
65+	4390	7.7	43	2	2	6	10	14	19	35
B. *Operated*										
0-19 YRS	3	4.7	6	2	2	5	6	7	7	7
20-34	10	7.6	37	1	1	6	12	17	18	18
35-49	38	7.6	57	2	2	5	7	21	27	31
50-64	165	9.1	48	2	2	7	13	18	22	34
65+	421	15.0	129	4	5	12	19	28	34	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1377	3.9	10	1	1	3	5	8	10	17
B. *Operated*	61	6.6	28	1	2	5	9	12	16	30
2. MULTIPLE DX										
A. *Not Operated*	6774	7.0	37	2	2	5	9	13	17	30
B. *Operated*	637	12.9	111	2	3	10	17	24	32	53
1. SINGLE DX	1438	4.1	11	1	1	3	5	8	10	17
2. MULTIPLE DX	7411	7.5	46	2	2	6	9	14	19	34
A. NOT OPERATED	8151	6.5	34	1	2	5	8	13	16	29
B. OPERATED	698	12.4	107	2	3	10	16	24	31	50
TOTAL 0-19 YRS	49	4.4	12	1	1	4	5	8	11	17
20-34	240	4.0	10	1	1	3	5	8	10	17
35-49	669	4.7	20	1	1	4	6	9	12	27
50-64	2504	5.7	26	1	2	4	7	11	14	26
65+	5387	8.0	51	2	2	6	10	15	20	39
GRAND TOTAL	**8849**	**7.0**	**42**	**1**	**2**	**5**	**9**	**14**	**18**	**33**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	3.3	4	1	1	3	4	6	8	9
20-34	223	3.6	6	1	1	3	4	6	8	14
35-49	361	4.1	9	1	1	3	5	8	10	16
50-64	507	4.6	16	1	1	4	5	9	11	17
65+	586	5.3	17	1	2	4	7	10	13	20
B. *Operated*										
0-19 YRS	7	3.9	7	2	2	2	6	8	8	8
20-34	22	4.3	6	1	2	4	6	7	8	10
35-49	89	5.4	25	1	2	4	7	11	16	26
50-64	192	6.7	22	2	2	6	9	13	16	25
65+	697	8.2	26	2	3	7	10	14	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	130	4.3	20	1	1	3	5	9	12	28
20-34	472	4.7	15	1	2	4	6	9	11	17
35-49	999	5.3	17	1	2	4	7	10	12	22
50-64	2567	6.6	30	2	2	5	8	12	16	26
65+	4872	8.1	40	2	3	7	10	15	20	32
B. *Operated*										
0-19 YRS	25	7.2	40	2	2	5	9	14	22	28
20-34	68	8.6	56	2	2	6	10	18	24	37
35-49	220	8.1	74	2	2	7	10	16	23	57
50-64	844	9.9	58	2	2	8	13	20	24	41
65+	2826	11.8	68	3	4	10	15	22	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1730	4.6	14	1	1	4	6	8	11	18
B. *Operated*	1007	7.5	25	2	2	7	10	14	16	26
2. MULTIPLE DX										
A. *Not Operated*	9040	7.1	35	2	2	6	9	14	18	30
B. *Operated*	3983	11.1	67	2	3	9	14	21	26	42
1. SINGLE DX	2737	5.7	20	1	2	4	7	11	14	23
2. MULTIPLE DX	13023	8.3	48	2	2	7	11	16	21	35
A. NOT OPERATED	10770	6.7	32	2	2	5	8	13	17	29
B. OPERATED	4990	10.4	61	2	3	9	13	20	25	39
TOTAL 0-19 YRS	215	4.4	19	1	1	3	5	8	12	27
20-34	785	4.7	17	1	2	4	6	9	12	21
35-49	1669	5.4	24	1	2	4	7	10	14	24
50-64	4110	7.0	36	2	2	5	9	14	18	30
65+	8981	9.1	50	2	3	7	11	17	22	36
GRAND TOTAL	**15760**	**7.9**	**44**	**2**	**2**	**6**	**10**	**15**	**20**	**34**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	8.5	39	1	1	8	13	17	18	18
20-34	13	8.8	183	1	1	4	9	21	46	52
35-49	82	6.3	15	2	3	5	7	11	15	21
50-64	431	7.3	35	2	2	6	9	13	17	30
65+	1664	8.1	48	2	3	6	10	15	19	36
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	4	4.3	15	2	2	3	6	10	10	10
35-49	5	6.4	25	2	2	4	10	14	14	14
50-64	21	10.4	75	1	2	11	16	19	27	36
65+	46	15.6	156	5	6	13	17	24	49	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	7.8	37	1	2	7	10	14	17	33
20-34	168	9.1	90	2	3	7	10	16	23	88
35-49	966	8.5	46	2	3	7	10	15	21	34
50-64	5439	9.1	47	3	3	7	11	16	21	36
65+	21006	10.3	63	3	4	8	13	19	25	41
B. *Operated*										
0-19 YRS	4	9.3	55	1	1	8	14	19	19	19
20-34	45	13.0	176	1	2	8	17	27	48	58
35-49	142	11.2	93	2	2	8	15	24	31	43
50-64	531	15.3	146	2	3	12	21	31	40	67
65+	1609	18.0	150	5	6	15	23	34	43	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2198	7.9	45	2	3	6	10	14	18	35
B. *Operated*	78	12.7	129	2	2	11	15	22	36	62
2. MULTIPLE DX										
A. *Not Operated*	27699	10.0	59	3	4	8	12	19	24	39
B. *Operated*	2331	16.9	149	3	5	14	22	33	42	63
1. SINGLE DX	2276	8.1	48	2	3	6	10	15	19	37
2. MULTIPLE DX	30030	10.5	70	3	4	8	13	20	26	43
A. NOT OPERATED	29897	9.8	58	3	3	8	12	18	24	39
B. OPERATED	2409	16.7	149	3	5	14	21	33	42	63
TOTAL 0-19 YRS	134	7.8	37	1	2	7	10	14	18	31
20-34	230	9.7	112	2	3	7	11	20	27	66
35-49	1195	8.7	50	2	3	7	11	16	22	36
50-64	6422	9.5	57	2	3	7	12	18	23	39
65+	24325	10.7	72	3	4	8	13	20	27	44
GRAND TOTAL	**32306**	**10.4**	**69**	**3**	**3**	**8**	**13**	**20**	**26**	**43**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	4.9	23	1	1	4	6	10	13	29
20-34	358	5.4	24	1	2	4	7	10	12	32
35-49	346	5.2	18	1	2	4	7	10	12	20
50-64	344	5.9	21	2	2	5	8	12	15	23
65+	255	8.4	55	2	2	6	10	16	23	42
B. *Operated*										
0-19 YRS	60	5.6	29	1	2	3	9	13	15	25
20-34	116	5.9	70	1	2	3	8	13	15	47
35-49	308	5.6	27	2	2	3	8	13	15	24
50-64	472	6.7	45	2	2	3	11	16	20	30
65+	248	8.1	55	2	2	5	13	18	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	7.8	63	1	2	5	9	18	22	40
20-34	474	6.7	39	2	2	5	8	13	17	35
35-49	945	7.2	35	2	2	6	9	15	18	29
50-64	1998	8.2	42	2	3	7	10	15	20	35
65+	2783	9.2	47	2	3	7	12	17	23	35
B. *Operated*										
0-19 YRS	40	8.4	75	1	2	5	11	19	28	38
20-34	198	8.2	61	2	2	6	11	16	24	42
35-49	514	8.6	77	2	2	6	12	19	28	47
50-64	1189	10.2	105	2	2	7	14	23	29	49
65+	993	13.1	115	2	2	11	18	26	33	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1387	6.0	29	1	2	5	7	11	15	32
B. *Operated*	1204	6.6	45	2	2	3	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	6342	8.4	44	2	3	7	10	16	21	35
B. *Operated*	2934	10.7	103	2	2	8	15	23	30	49
1. SINGLE DX	2591	6.3	36	2	2	4	8	14	17	31
2. MULTIPLE DX	9276	9.1	64	2	2	7	12	18	24	41
A. NOT OPERATED	7729	7.9	42	2	2	6	10	15	20	34
B. OPERATED	4138	9.5	90	2	2	7	13	21	27	46
TOTAL 0-19 YRS	326	6.7	49	1	2	4	9	14	20	37
20-34	1146	6.5	42	2	2	5	8	13	17	36
35-49	2113	7.0	43	2	2	5	9	15	19	32
50-64	4003	8.4	61	2	2	6	11	17	23	40
65+	4279	10.0	67	2	3	8	13	20	25	41
GRAND TOTAL	**11867**	**8.5**	**59**	**2**	**2**	**6**	**11**	**17**	**23**	**38**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	15	4.5	10	1	1	4	6	11	11	11
50-64	38	6.7	19	1	2	6	8	14	16	18
65+	143	7.8	27	2	2	7	10	15	20	36
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	19	5.8	33	2	2	3	8	14	19	22
50-64	49	5.4	25	2	2	2	9	13	15	22
65+	27	8.8	96	2	2	5	11	25	30	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.3	9	2	2	5	7	9	10	10
20-34	26	5.1	14	2	2	4	5	8	12	21
35-49	276	7.2	36	2	2	5	10	14	17	29
50-64	1397	7.9	41	2	3	6	10	15	19	32
65+	4607	10.1	71	2	3	8	13	20	26	44
B. *Operated*										
0-19 YRS	2	8.5	61	3	3	8	14	14	14	14
20-34	8	4.9	29	2	2	3	4	14	18	18
35-49	99	7.6	37	2	2	6	11	14	20	31
50-64	379	11.2	130	2	2	9	14	22	32	72
65+	731	15.3	157	2	3	12	20	32	40	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	7.3	25	2	2	6	10	14	18	30
B. *Operated*	96	6.5	48	2	2	3	9	15	21	36
2. MULTIPLE DX										
A. *Not Operated*	6313	9.5	63	2	3	7	12	18	24	41
B. *Operated*	1219	13.3	145	2	3	10	17	28	36	72
1. SINGLE DX	294	7.0	32	2	2	6	10	14	18	30
2. MULTIPLE DX	7532	10.1	78	2	3	8	13	20	26	47
A. NOT OPERATED	6511	9.4	62	2	3	7	12	18	24	41
B. OPERATED	1315	12.8	141	2	2	10	16	27	35	70
TOTAL 0-19 YRS	9	6.0	16	2	2	5	8	12	14	14
20-34	37	5.1	16	2	2	4	6	9	15	21
35-49	409	7.1	35	2	2	5	10	14	17	29
50-64	1863	8.5	60	2	2	7	11	16	21	36
65+	5508	10.7	84	2	3	8	13	21	28	52
GRAND TOTAL	**7826**	**10.0**	**77**	**2**	**3**	**8**	**13**	**20**	**26**	**46**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34	12	4.8	25	<1	<1	2	8	13	14	14
35-49	16	3.7	13	<1	<1	2	6	10	10	10
50-64	16	9.1	98	1	1	4	11	28	30	30
65+	7	21.9	256	1	1	26	34	39	40	40
B. *Operated*										
0-19 YRS	7	16.6	91	2	3	18	24	27	28	28
20-34	37	19.8	283	2	4	17	25	35	46	95
35-49	64	19.5	209	2	6	17	24	36	42	87
50-64	75	18.7	155	3	5	14	29	36	38	58
65+	31	25.5	366	2	7	21	36	58	69	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	5	4	4	4	7	8	8	8
20-34	9	11.1	132	2	2	5	16	30	37	37
35-49	11	6.4	53	<1	<1	2	11	18	23	23
50-64	21	13.7	152	<1	2	8	24	33	38	38
65+	58	22.4	198	2	6	19	32	42	49	56
B. *Operated*										
0-19 YRS	4	18.3	102	8	8	17	26	30	30	30
20-34	26	24.7	405	2	5	23	32	48	99	99+
35-49	71	26.3	390	3	5	22	40	66	78	99+
50-64	88	28.7	401	5	9	25	39	58	78	99+
65+	51	29.9	274	9	10	27	44	58	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	8.1	102	<1	1	3	10	27	33	40
B. *Operated*	214	20.1	223	2	5	17	27	37	44	78
2. MULTIPLE DX										
A. *Not Operated*	102	17.4	196	[illegible]	2	15	27	38	43	57
B. *Operated*	240	27.6	365	5	8	24	39	59	80	99+
1. SINGLE DX	267	17.7	221	1	2	15	25	36	43	70
2. MULTIPLE DX	342	24.6	336	2	4	22	35	53	75	99+
A. NOT OPERATED	155	14.2	183	<1	1	10	22	35	40	57
B. OPERATED	454	24.1	312	3	6	21	33	50	68	99+
TOTAL 0-19 YRS	16	13.6	91	2	2	10	23	28	29	30
20-34	84	18.3	307	1	2	15	26	37	48	99+
35-49	162	20.0	312	1	2	16	27	43	66	99
50-64	200	21.8	300	3	4	18	31	44	58	99
65+	147	25.6	268	3	7	23	35	52	68	99+
GRAND TOTAL	**609**	**21.5**	**297**	**2**	**3**	**18**	**30**	**44**	**59**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	9	20.9	633	1	1	10	29	62	81	81
65+	4	30.5	355	14	14	25	43	57	57	57
B. *Operated*										
0-19 YRS										
20-34	2	79.0	2	78	78	79	80	80	80	80
35-49	7	24.1	403	3	4	29	63	99+	99+	99+
50-64	7	32.6	153	8	12	37	42	44	44	44
65+	7	36.4	709	11	12	33	47	81	86	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	13	23.8	532	1	1	15	31	62	77	81
B. *Operated*	23	35.2	561	4	8	37	51	88	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	36	31.1	566	2	6	29	50	81	95	99+
A. NOT OPERATED	13	23.8	532	1	1	15	31	62	77	81
B. OPERATED	23	35.2	561	4	8	37	51	88	99+	99+
TOTAL 0-19 YRS										
20-34	2	79.0	2	78	78	79	80	80	80	80
35-49	7	24.1	403	3	4	29	63	99+	99+	99+
50-64	16	26.0	435	1	2	28	37	44	70	81
65+	11	34.3	541	11	13	30	47	69	86	88
GRAND TOTAL	**36**	**31.1**	**566**	**2**	**6**	**29**	**50**	**81**	**95**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.8	14	<1	<1	4	6	11	11	11
20-34	9	12.0	258	1	1	7	11	39	53	53
35-49	11	10.4	220	<1	<1	7	11	31	50	52
50-64	20	13.4	250	<1	1	10	18	47	82	99+
65+	64	11.9	75	1	2	10	18	28	30	90
B. *Operated*										
0-19 YRS	15	13.9	50	5	6	11	20	21	27	29
20-34	19	13.7	77	5	6	11	19	28	34	35
35-49	27	14.1	111	3	5	12	19	22	30	56
50-64	59	16.6	141	6	7	12	20	34	45	96
65+	127	16.0	111	5	7	13	21	30	35	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	19.8	1025	3	3	7	10	77	85	85
20-34	5	5.2	10	2	2	5	7	10	10	10
35-49	19	14.5	156	<1	1	12	25	33	36	37
50-64	83	13.7	120	2	2	11	19	32	40	82
65+	242	17.0	246	3	4	12	21	37	52	85
B. *Operated*										
0-19 YRS	12	21.6	330	3	7	20	58	99+	99+	99+
20-34	23	25.0	366	3	7	19	31	47	68	88
35-49	56	22.2	306	4	7	18	30	50	84	99+
50-64	102	23.7	326	6	7	19	31	55	68	99+
65+	148	25.0	231	8	9	21	35	46	55	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	11.7	130	1	1	9	17	29	34	99+
B. *Operated*	247	15.6	111	5	6	13	20	31	35	64
2. MULTIPLE DX										
A. *Not Operated*	355	16.0	222	2	3	11	21	35	47	85
B. *Operated*	341	24.0	282	7	8	19	33	51	65	99+
1. SINGLE DX	356	14.4	120	2	4	12	20	30	35	67
2. MULTIPLE DX	696	19.9	267	3	5	16	27	45	60	99+
A. NOT OPERATED	464	15.0	203	1	2	11	19	32	47	96
B. OPERATED	588	20.5	227	6	7	16	27	43	57	99+
TOTAL 0-19 YRS	38	16.1	288	2	4	11	21	71	99+	99+
20-34	56	17.3	257	2	3	13	21	36	51	86
35-49	113	17.8	241	1	2	13	24	39	55	99+
50-64	264	18.2	232	2	5	13	24	41	63	99+
65+	581	18.3	211	3	5	14	23	39	48	82
GRAND TOTAL	**1052**	**18.1**	**224**	**2**	**5**	**14**	**23**	**39**	**53**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	31.5	221	21	21	31	42	42	42	42
35-49	13	21.9	317	1	3	22	30	73	94	99+
50-64	28	22.8	322	2	4	17	35	45	55	75
65+	84	22.0	155	5	7	21	28	40	48	87
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	3	68.3	1094	31	31	80	90	94	94	94
35-49	15	33.5	441	[illegible]	11	31	53	97	99+	99+
50-64	15	38.7	334	12	16	39	55	76	93	99+
65+	23	34.9	302	7	16	31	50	66	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	127	22.3	205	4	6	21	30	43	53	99+
B. *Operated*	57	36.9	422	10	12	36	54	82	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	184	26.8	316	5	8	24	38	56	78	99+
A. NOT OPERATED	127	22.3	205	4	6	21	30	43	53	99+
B. OPERATED	57	36.9	422	10	12	36	54	82	99+	99+
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	5	53.6	1009	21	21	42	83	94	94	94
35-49	28	28.1	404	3	9	28	42	90	99+	99+
50-64	43	28.3	378	3	6	26	42	57	76	99+
65+	107	24.7	213	5	7	23	32	48	56	99+
GRAND TOTAL	**184**	**26.8**	**316**	**5**	**8**	**24**	**38**	**56**	**78**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	10	4.3	8	1	1	4	6	8	9	9
50-64	49	5.7	54	<1	1	3	7	11	23	40
65+	65	7.1	57	1	2	4	8	20	27	30
B. *Operated*										
0-19 YRS	2	10.0	98	3	3	10	17	17	17	17
20-34	5	4.2	16	1	1	3	6	11	11	11
35-49	77	7.9	75	2	2	6	9	14	15	60
50-64	561	8.0	37	2	2	7	10	14	17	30
65+	822	8.4	33	2	2	7	11	15	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	25	3	3	6	10	10	10	10
35-49	13	12.1	312	2	3	7	10	24	61	70
50-64	118	7.0	32	1	2	5	9	14	21	25
65+	257	10.1	103	2	3	7	12	24	33	56
B. *Operated*										
0-19 YRS	4	2.8	2	2	2	2	4	5	5	5
20-34	10	9.6	61	2	2	7	12	21	28	28
35-49	116	10.0	57	2	3	8	14	20	27	64
50-64	1072	11.2	89	2	3	9	14	21	26	58
65+	1480	11.6	81	2	3	9	15	22	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	6.3	51	1	1	4	7	13	24	32
B. *Operated*	1467	8.2	37	2	2	7	10	15	18	30
2. MULTIPLE DX										
A. *Not Operated*	390	9.2	90	2	2	6	11	21	27	53
B. *Operated*	2682	11.3	84	2	3	9	14	22	28	51
1. SINGLE DX	1593	8.1	38	2	2	7	10	15	18	30
2. MULTIPLE DX	3072	11.0	85	2	3	9	14	22	28	51
A. NOT OPERATED	516	8.5	82	1	2	6	10	20	27	46
B. OPERATED	4149	10.2	69	2	3	8	13	20	25	44
TOTAL 0-19 YRS	6	5.2	35	2	2	3	5	16	17	17
20-34	19	7.3	42	1	2	5	11	14	22	28
35-49	216	9.1	77	2	2	7	11	17	24	70
50-64	1800	9.8	71	2	3	8	12	19	24	45
65+	2624	10.3	70	2	3	8	13	20	27	43
GRAND TOTAL	**4665**	**10.0**	**71**	**2**	**3**	**8**	**12**	**20**	**25**	**45**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	32.0		32	32	32	32	32	32	32
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	11	19.5	132	2	3	22	30	32	32	32
65+	31	14.6	92	3	3	12	19	30	32	36
B. *Operated*										
0-19 YRS	2	21.5	265	10	10	21	33	33	33	33
20-34										
35-49	9	9.3	29	2	3	8	15	16	17	17
50-64	51	18.4	246	3	4	12	26	49	57	99
65+	88	17.3	185	3	5	14	22	32	45	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	45	15.8	109	3	3	12	25	32	32	36
B. *Operated*	150	17.3	198	3	4	13	24	34	52	81
1. SINGLE DX										
2. MULTIPLE DX	195	16.9	178	3	4	13	24	32	48	72
A. NOT OPERATED	45	15.8	109	3	3	12	25	32	32	36
B. OPERATED	150	17.3	198	3	4	13	24	34	52	81
TOTAL 0-19 YRS	2	21.5	265	10	10	21	33	33	33	33
20-34	1	32.0		32	32	32	32	32	32	32
35-49	11	8.5	27	2	3	7	14	16	17	17
50-64	62	18.6	223	3	4	14	27	47	56	95
65+	119	16.6	161	3	4	14	21	31	39	66
GRAND TOTAL	**195**	**16.9**	**178**	**3**	**4**	**13**	**24**	**32**	**48**	**72**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	8	24.1	929	2	2	8	41	76	85	85
35-49	27	11.0	103	1	1	6	16	27	33	35
50-64	134	9.8	66	2	3	7	14	20	28	38
65+	395	12.3	112	3	3	9	15	25	33	56
B. *Operated*										
0-19 YRS										
20-34	16	8.1	70	2	2	7	9	13	30	37
35-49	26	9.3	156	2	2	6	8	22	36	62
50-64	92	10.7	156	2	2	7	13	22	40	71
65+	86	10.6	83	3	3	8	12	20	28	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	9.1	38	2	2	10	12	17	22	22
20-34	26	7.8	81	1	2	5	8	16	32	42
35-49	131	11.4	108	2	3	9	14	21	36	75
50-64	668	13.2	131	3	4	9	17	27	39	60
65+	2496	14.5	140	3	4	11	18	29	38	70
B. *Operated*										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	14	10.0	38	4	4	9	11	22	23	23
35-49	59	14.5	136	3	4	10	19	31	44	48
50-64	235	16.0	286	3	3	10	20	39	54	99+
65+	364	18.3	233	3	5	13	25	44	55	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	566	11.8	120	2	3	8	15	24	33	54
B. *Operated*	220	10.3	120	2	2	7	12	20	31	56
2. MULTIPLE DX										
A. *Not Operated*	3331	14.0	137	3	4	11	17	28	38	68
B. *Operated*	674	17.0	241	3	4	11	22	41	51	96
1. SINGLE DX	786	11.4	121	2	3	8	14	23	33	54
2. MULTIPLE DX	4005	14.5	156	3	4	11	18	30	41	70
A. NOT OPERATED	3897	13.7	135	3	4	10	17	28	37	67
B. OPERATED	894	15.3	219	3	3	10	20	36	49	93
TOTAL 0-19 YRS	14	8.4	30	2	2	8	11	14	20	22
20-34	64	10.4	188	2	2	6	10	24	38	81
35-49	243	11.9	121	2	3	9	15	25	37	62
50-64	1129	13.2	161	2	3	9	16	28	41	88
65+	3341	14.5	149	3	4	11	18	29	39	68
GRAND TOTAL	**4791**	**14.0**	**151**	**3**	**4**	**10**	**18**	**29**	**40**	**70**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	17.5	226	<1	<1	16	29	36	36	36
20-34	6	10.8	106	2	2	7	11	29	31	31
35-49	37	16.0	276	2	3	13	21	30	38	97
50-64	272	18.4	289	4	5	13	22	39	58	94
65+	1074	18.7	204	5	6	15	23	36	49	91
B. *Operated*										
0-19 YRS	1	37.0		37	37	37	37	37	37	37
20-34	4	15.0	89	6	6	14	23	25	25	25
35-49	16	12.1	100	2	2	8	21	34	78	99+
50-64	48	24.6	490	5	6	18	30	59	74	95
65+	109	22.6	205	5	8	20	29	44	50	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1393	18.5	222	4	6	15	23	36	50	92
B. *Operated*	178	22.1	279	5	7	19	28	45	58	98
1. SINGLE DX										
2. MULTIPLE DX	1571	18.9	230	4	6	15	24	38	50	93
A. NOT OPERATED	1393	18.5	222	4	6	15	23	36	50	92
B. OPERATED	178	22.1	279	5	7	19	28	45	58	98
TOTAL 0-19 YRS	5	21.4	245	<1	<1	22	36	37	37	37
20-34	10	12.5	93	2	4	8	21	28	31	31
35-49	53	14.8	223	2	3	12	21	30	41	99+
50-64	320	19.3	323	4	5	13	24	43	61	95
65+	1183	19.1	206	5	7	15	24	37	49	91
GRAND TOTAL	**1571**	**18.9**	**230**	**4**	**6**	**15**	**24**	**38**	**50**	**93**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.3	1	1	1	2	3	3	3	3
20-34	27	3.7	5	1	2	3	5	7	9	9
35-49	112	4.8	13	1	2	4	6	9	11	19
50-64	406	4.7	10	1	2	4	6	9	10	16
65+	1062	5.2	15	1	2	4	7	10	12	19
B. *Operated*										
0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	5	3.8	12	2	2	2	5	10	10	10
35-49	78	5.9	28	2	2	4	7	11	15	32
50-64	303	6.4	25	2	2	5	8	12	15	31
65+	307	6.5	30	2	2	5	8	13	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.5	11	1	2	5	6	11	12	13
20-34	40	4.7	9	1	2	4	6	9	12	13
35-49	246	5.9	13	2	2	5	8	10	11	17
50-64	1468	6.3	26	2	2	5	8	12	14	25
65+	6705	7.4	35	2	3	6	9	14	18	31
B. *Operated*										
0-19 YRS	3	9.7	12	6	6	10	12	13	13	13
20-34	14	9.8	77	1	2	7	12	24	28	29
35-49	133	7.5	35	2	3	6	10	13	20	60
50-64	688	8.6	47	2	3	7	11	16	19	34
65+	1175	11.0	87	2	3	8	14	22	28	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1613	5.0	13	1	2	4	6	9	12	18
B. *Operated*	695	6.4	28	2	2	5	8	12	15	30
2. MULTIPLE DX										
A. *Not Operated*	8481	7.1	33	2	2	6	9	13	17	29
B. *Operated*	2013	10.0	71	2	3	8	13	19	26	44
1. SINGLE DX	2308	5.4	18	1	2	4	7	10	13	20
2. MULTIPLE DX	10494	7.7	41	2	3	6	9	14	19	34
A. NOT OPERATED	10094	6.8	30	2	2	5	8	13	16	29
B. OPERATED	2708	9.0	62	2	2	7	11	18	23	41
TOTAL 0-19 YRS	33	5.3	13	1	2	5	7	11	13	13
20-34	86	5.2	22	1	2	4	6	10	13	27
35-49	569	6.1	21	2	2	5	8	11	13	23
50-64	2865	6.6	30	2	2	5	8	12	16	28
65+	9249	7.6	41	2	2	6	9	14	19	34
GRAND TOTAL	**12802**	**7.3**	**38**	**2**	**2**	**6**	**9**	**14**	**18**	**32**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	6.6	86	1	1	4	5	21	31	31
20-34	23	6.7	48	1	2	5	8	12	21	35
35-49	63	9.0	57	2	3	7	9	21	29	37
50-64	354	9.7	77	2	3	7	13	19	25	56
65+	1480	12.4	113	2	3	10	16	24	33	56
B. *Operated*										
0-19 YRS	2	10.5	145	2	2	10	19	19	19	19
20-34	11	6.3	30	1	1	4	9	16	17	17
35-49	37	10.3	84	2	3	8	13	19	33	45
50-64	97	11.7	122	2	3	9	13	23	35	57
65+	110	15.2	260	2	2	10	20	35	48	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	11.4	78	1	4	8	14	24	34	37
20-34	31	8.9	94	2	2	5	9	25	29	45
35-49	236	11.0	96	2	3	8	13	23	31	51
50-64	1554	12.9	125	3	4	10	16	26	35	69
65+	6928	14.7	134	3	4	12	19	29	38	67
B. *Operated*										
0-19 YRS	4	4.8	38	<1	<1	2	8	14	14	14
20-34	17	12.2	163	2	2	9	15	24	43	54
35-49	74	14.3	147	2	2	10	22	31	47	88
50-64	335	16.9	236	3	4	12	21	39	57	96
65+	717	22.0	268	5	7	18	31	47	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1929	11.7	105	2	3	9	15	23	30	55
B. *Operated*	257	12.7	175	2	2	9	14	29	39	67
2. MULTIPLE DX										
A. *Not Operated*	8774	14.2	132	3	4	11	18	28	37	67
B. *Operated*	1147	19.8	257	3	5	15	27	45	58	99+
1. SINGLE DX	2186	11.8	114	2	3	9	15	24	32	57
2. MULTIPLE DX	9921	14.9	150	3	4	12	19	30	40	75
A. NOT OPERATED	10703	13.8	128	3	4	11	17	27	36	66
B. OPERATED	1404	18.5	249	3	4	14	25	43	54	99+
TOTAL 0-19 YRS	40	9.6	79	1	2	7	13	21	32	37
20-34	82	8.6	88	2	2	5	9	21	28	51
35-49	410	11.2	100	2	3	8	14	24	33	51
50-64	2340	13.0	138	2	3	10	16	26	37	70
65+	9235	14.9	148	3	4	12	19	30	40	75
GRAND TOTAL	**12107**	**14.3**	**145**	**3**	**4**	**11**	**18**	**29**	**39**	**73**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	10.8	45	2	3	10	12	21	25	25
20-34	14	14.1	134	3	3	9	21	34	36	37
35-49	109	17.1	231	3	4	12	23	42	51	99+
50-64	647	16.7	187	4	5	13	21	35	47	99
65+	2519	18.2	184	4	6	15	23	35	45	77
B. *Operated*										
0-19 YRS	2	26.0	882	5	5	26	47	47	47	47
20-34	3	20.3	152	10	10	17	30	34	34	34
35-49	19	18.2	441	2	3	8	26	47	72	83
50-64	118	24.8	360	5	7	19	36	52	69	99
65+	249	26.8	337	6	8	21	37	51	68	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3297	17.9	186	4	5	14	23	35	46	84
B. *Operated*	391	25.7	349	5	7	20	36	51	69	85
1. SINGLE DX										
2. MULTIPLE DX	3688	18.7	209	4	5	15	24	37	49	84
A. NOT OPERATED	3297	17.9	186	4	5	14	23	35	46	84
B. OPERATED	391	25.7	349	5	7	20	36	51	69	85
TOTAL 0-19 YRS	10	13.8	174	2	3	10	13	36	47	47
20-34	17	15.2	134	3	4	10	23	34	36	37
35-49	128	17.3	259	3	4	12	23	42	55	99+
50-64	765	17.9	222	4	5	14	23	39	52	99+
65+	2768	19.0	204	4	6	15	24	37	48	81
GRAND TOTAL	**3688**	**18.7**	**209**	**4**	**5**	**15**	**24**	**37**	**49**	**84**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.6	4	<1	<1	3	5	6	6	6
20-34	35	3.7	12	1	1	3	4	6	9	20
35-49	73	5.4	14	2	2	4	7	10	13	20
50-64	205	5.9	45	1	2	4	7	10	13	43
65+	591	6.7	33	2	2	5	8	13	19	33
B. *Operated*										
0-19 YRS	5	5.2	46	1	1	2	8	17	17	17
20-34	23	12.3	114	2	3	10	20	28	59	99+
35-49	76	9.2	57	2	2	6	13	21	23	33
50-64	199	8.1	44	2	2	6	10	17	23	35
65+	211	9.1	57	2	2	6	13	20	24	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	14.2	364	1	2	8	17	26	58	88
20-34	81	7.5	69	2	2	5	9	14	25	43
35-49	317	8.5	90	2	2	6	10	16	30	65
50-64	1164	9.4	93	2	3	7	11	18	29	59
65+	6013	10.6	99	2	3	8	13	21	31	55
B. *Operated*										
0-19 YRS	12	9.9	226	2	2	6	7	30	51	55
20-34	23	14.2	196	2	3	11	17	29	42	65
35-49	89	13.2	133	2	3	10	20	35	56	99+
50-64	450	13.5	204	2	3	9	18	31	49	99+
65+	938	14.1	143	2	3	11	19	30	39	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	911	6.3	33	2	2	5	7	12	17	32
B. *Operated*	514	8.8	55	2	2	6	12	20	25	37
2. MULTIPLE DX										
A. *Not Operated*	7595	10.3	98	2	3	7	12	21	30	56
B. *Operated*	1512	13.9	162	2	3	10	18	31	40	99
1. SINGLE DX	1425	7.2	43	2	2	5	9	15	21	34
2. MULTIPLE DX	9107	10.9	111	2	3	8	13	23	33	62
A. NOT OPERATED	8506	9.9	93	2	3	7	12	20	29	54
B. OPERATED	2026	12.6	140	2	3	9	17	28	37	90
TOTAL 0-19 YRS	44	10.3	241	1	2	6	10	23	37	88
20-34	162	8.3	91	2	2	5	10	20	29	62
35-49	555	9.0	87	2	2	6	11	20	32	96
50-64	2018	9.8	113	2	2	7	12	21	31	71
65+	7753	10.7	101	2	3	8	13	22	31	55
GRAND TOTAL	**10532**	**10.4**	**103**	**2**	**3**	**7**	**13**	**22**	**31**	**60**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	9	4.0	16	1	1	2	5	11	12	12
50-64	20	4.8	16	1	1	4	6	10	14	17
65+	114	6.5	36	2	2	4	8	13	19	34
B. *Operated*										
0-19 YRS	2	7.0	32	3	3	7	11	11	11	11
20-34	4	6.3	11	3	3	6	9	10	10	10
35-49	60	9.4	43	2	2	9	12	17	21	36
50-64	228	10.2	87	2	2	10	13	19	26	48
65+	209	10.3	60	2	2	10	14	21	26	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	18.4	105	4	6	17	25	33	36	36
20-34	3	4.3	17	1	1	3	7	9	9	9
35-49	45	6.2	16	2	2	5	8	11	13	20
50-64	316	7.8	43	2	2	6	10	15	21	43
65+	1784	10.0	81	2	3	8	12	20	27	45
B. *Operated*										
0-19 YRS	2	23.0	32	19	19	23	27	27	27	27
20-34	13	9.2	49	2	2	8	12	20	25	26
35-49	180	12.8	155	2	2	10	14	23	33	64
50-64	982	14.0	156	2	3	11	17	28	37	77
65+	1692	18.5	223	3	4	15	23	40	51	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	6.1	32	1	2	4	8	12	17	34
B. *Operated*	503	10.1	70	2	2	10	13	19	25	37
2. MULTIPLE DX										
A. *Not Operated*	2156	9.7	76	2	3	7	12	20	26	44
B. *Operated*	2869	16.6	200	2	3	13	21	35	47	77
1. SINGLE DX	646	9.2	64	2	2	8	12	18	24	36
2. MULTIPLE DX	5025	13.6	158	2	3	10	17	28	40	71
A. NOT OPERATED	2299	9.4	74	2	3	7	11	19	26	43
B. OPERATED	3372	15.6	186	2	3	12	19	32	45	75
TOTAL 0-19 YRS	12	17.3	99	3	4	17	25	30	35	36
20-34	20	7.9	38	1	2	8	10	16	22	26
35-49	294	10.8	114	2	2	9	13	20	25	59
50-64	1546	12.1	128	2	2	10	15	24	33	73
65+	3799	13.7	161	2	3	10	17	29	40	70
GRAND TOTAL	**5671**	**13.1**	**150**	**2**	**3**	**10**	**16**	**27**	**38**	**69**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	3.0	5	1	1	3	5	5	5	5
50-64	23	4.2	17	<1	1	2	7	11	13	15
65+	75	5.5	30	1	1	3	7	13	21	81
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	8.0	30	2	2	9	12	15	15	15
35-49	22	10.5	34	1	2	11	15	17	20	25
50-64	249	11.5	41	2	4	11	14	17	18	39
65+	440	13.3	55	2	4	12	16	21	26	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	10	11.8	185	2	2	8	12	31	49	49
50-64	86	8.0	51	1	2	6	11	19	21	36
65+	415	7.8	51	2	2	6	9	16	22	39
B. *Operated*										
0-19 YRS	1	53.0		53	53	53	53	53	53	53
20-34	6	13.0	125	2	2	12	15	31	33	33
35-49	29	12.6	47	4	4	13	17	21	26	28
50-64	493	15.5	105	3	7	13	18	27	35	60
65+	1113	17.4	117	3	7	15	22	31	38	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	5.1	26	1	1	3	7	13	17	60
B. *Operated*	717	12.6	50	2	4	12	15	19	24	38
2. MULTIPLE DX										
A. *Not Operated*	515	7.8	53	2	2	6	10	17	22	39
B. *Operated*	1642	16.7	114	3	6	14	20	30	37	62
1. SINGLE DX	820	11.6	53	2	2	11	15	19	24	38
2. MULTIPLE DX	2157	14.6	114	2	3	13	19	28	35	58
A. NOT OPERATED	618	7.4	50	1	2	5	9	15	21	39
B. OPERATED	2359	15.5	98	3	5	13	18	27	35	58
TOTAL 0-19 YRS	4	16.3	608	2	2	5	30	53	53	53
20-34	14	8.8	78	1	2	6	13	17	29	33
35-49	65	11.2	63	2	3	10	15	18	25	46
50-64	851	13.3	87	2	3	12	16	22	30	53
65+	2043	14.1	104	2	3	12	18	26	33	57
GRAND TOTAL	**2977**	**13.8**	**99**	**2**	**3**	**12**	**17**	**25**	**33**	**56**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	6.3	9	3	3	7	8	9	9	9
35-49	3	7.0	37	3	3	4	11	14	14	14
50-64	8	4.3	24	<1	<1	2	6	12	15	15
65+	8	7.1	55	<1	<1	7	8	19	24	24
B. *Operated*										
0-19 YRS	11	11.0	73	2	2	6	19	23	24	24
20-34	28	7.0	40	1	1	5	9	18	19	25
35-49	36	11.3	45	2	3	11	17	20	23	27
50-64	101	11.3	78	2	3	10	14	21	29	51
65+	90	9.8	36	2	2	10	13	16	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34										
35-49	6	10.2	129	1	1	6	15	29	31	31
50-64	8	6.6	29	<1	<1	6	11	14	14	14
65+	26	7.5	36	<1	1	6	10	16	21	23
B. *Operated*										
0-19 YRS	5	14.0	539	1	1	2	21	55	55	55
20-34	14	22.5	613	3	4	10	32	62	81	87
35-49	48	15.1	215	2	3	10	17	38	43	67
50-64	140	12.7	114	2	3	11	17	22	32	99+
65+	178	17.0	189	3	4	13	21	31	45	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	6.0	33	<1	1	5	7	14	19	24
B. *Operated*	266	10.3	56	2	2	9	14	20	24	33
2. MULTIPLE DX										
A. *Not Operated*	41	8.3	61	<1	1	6	11	18	27	33
B. *Operated*	385	15.4	187	2	3	12	19	31	43	91
1. SINGLE DX	288	10.0	56	1	2	9	14	20	24	32
2. MULTIPLE DX	426	14.7	179	2	3	11	19	30	42	88
A. NOT OPERATED	63	7.5	51	<1	1	6	10	15	23	33
B. OPERATED	651	13.3	139	2	3	11	17	25	35	83
TOTAL 0-19 YRS	17	13.2	208	1	2	6	20	31	47	55
20-34	45	11.8	259	1	2	7	12	27	43	87
35-49	93	13.1	140	2	3	10	16	28	39	63
50-64	257	11.7	97	2	2	10	15	22	29	84
65+	302	13.8	142	2	3	11	18	26	34	76
GRAND TOTAL	**714**	**12.8**	**134**	**2**	**2**	**10**	**16**	**25**	**33**	**73**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	9.0	128	1	1	9	17	17	17	17
20-34	13	7.1	32	1	2	4	11	16	17	17
35-49	18	5.4	13	1	2	5	8	9	14	16
50-64	46	5.2	20	1	1	3	8	12	13	20
65+	53	7.1	33	1	1	5	9	15	16	25
B. *Operated*										
0-19 YRS	7	8.7	65	2	2	7	13	22	24	24
20-34	37	6.9	45	2	2	6	9	13	17	38
35-49	184	9.7	33	2	2	10	12	18	21	25
50-64	548	10.3	49	2	2	10	13	17	19	34
65+	493	11.4	74	2	2	10	14	20	26	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	9.5	145	1	1	9	18	18	18	18
20-34	9	7.9	14	1	3	7	11	12	12	12
35-49	25	9.0	30	1	2	9	11	17	19	24
50-64	108	7.6	44	1	2	7	10	15	21	32
65+	184	10.3	69	2	3	8	13	19	27	41
B. *Operated*										
0-19 YRS	3	9.3	20	5	5	9	13	14	14	14
20-34	44	12.2	163	2	2	7	16	26	43	60
35-49	296	13.3	104	2	3	11	16	25	34	60
50-64	1151	14.3	121	2	3	12	17	27	36	61
65+	1363	16.4	168	2	4	13	20	32	43	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	6.2	27	1	1	4	9	14	16	25
B. *Operated*	1269	10.5	57	2	2	10	13	18	22	39
2. MULTIPLE DX										
A. *Not Operated*	328	9.2	58	2	2	7	12	18	24	39
B. *Operated*	2857	15.2	144	2	3	12	18	29	39	67
1. SINGLE DX	1401	10.1	56	2	2	9	13	18	22	38
2. MULTIPLE DX	3185	14.6	138	2	3	12	18	28	38	65
A. NOT OPERATED	460	8.4	51	1	2	7	11	17	22	31
B. OPERATED	4126	13.7	122	2	3	11	17	25	36	61
TOTAL 0-19 YRS	14	9.0	54	1	1	8	14	19	23	24
20-34	103	9.3	96	2	2	7	11	20	27	54
35-49	523	11.5	76	2	2	10	14	22	27	52
50-64	1853	12.5	99	2	2	11	15	22	31	56
65+	2093	14.4	142	2	3	12	18	28	38	66
GRAND TOTAL	**4586**	**13.2**	**117**	**2**	**3**	**11**	**16**	**25**	**34**	**60**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	5.4	17	1	1	5	7	11	14	18
20-34	47	5.2	24	1	2	4	5	9	15	27
35-49	66	5.2	16	1	2	4	6	10	14	19
50-64	108	5.9	52	1	1	3	6	13	19	41
65+	154	6.4	50	1	1	5	8	13	18	29
B. *Operated*										
0-19 YRS	26	5.9	20	1	2	5	8	12	16	18
20-34	61	11.1	183	1	2	8	15	23	29	87
35-49	182	7.4	47	2	2	5	10	16	19	32
50-64	413	8.7	54	2	2	8	12	16	23	36
65+	402	10.0	65	2	2	9	13	20	25	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	6.3	45	2	2	4	7	13	20	37
20-34	79	6.6	48	1	1	4	8	17	20	37
35-49	144	7.4	54	2	2	6	9	14	17	34
50-64	370	7.6	56	1	2	5	9	16	21	32
65+	788	9.0	63	2	2	7	11	18	24	46
B. *Operated*										
0-19 YRS	28	13.5	156	1	1	9	22	31	40	44
20-34	97	9.8	59	2	2	8	12	23	26	35
35-49	277	11.1	114	2	2	9	14	21	32	81
50-64	959	14.4	178	2	2	11	18	31	43	74
65+	1373	15.8	173	2	3	13	20	32	44	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	444	5.8	37	1	1	4	7	12	16	28
B. *Operated*	1084	9.0	65	2	2	7	12	19	23	39
2. MULTIPLE DX										
A. *Not Operated*	1421	8.3	60	2	2	6	10	17	22	41
B. *Operated*	2734	14.6	167	2	3	11	19	30	40	71
1. SINGLE DX	1528	8.1	59	1	2	6	11	17	22	35
2. MULTIPLE DX	4155	12.4	139	2	2	9	16	26	36	66
A. NOT OPERATED	1865	7.7	55	1	2	5	9	16	21	39
B. OPERATED	3818	13.0	144	2	2	10	17	27	36	66
TOTAL 0-19 YRS	163	7.1	56	1	2	5	9	16	22	40
20-34	284	8.4	81	1	2	5	10	20	25	37
35-49	669	8.7	77	2	2	6	11	18	23	53
50-64	1850	11.3	129	2	2	8	14	23	33	64
65+	2717	12.4	130	2	3	9	16	25	35	62
GRAND TOTAL	**5683**	**11.3**	**121**	**2**	**2**	**8**	**15**	**23**	**32**	**60**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	7.3	10	3	3	7	10	12	12	50
20-34	876	8.0	21	2	3	7	10	13	16	24
35-49	1015	8.7	19	3	4	8	11	14	17	22
50-64	1094	8.7	19	3	4	8	11	14	17	23
65+	830	9.3	22	3	4	8	12	15	18	25
B. *Operated*										
0-19 YRS	35	8.5	20	3	4	7	11	14	15	25
20-34	226	7.9	25	2	3	7	10	14	16	29
35-49	277	9.0	41	2	3	8	11	16	19	39
50-64	232	9.7	34	2	3	9	13	16	19	34
65+	159	10.8	40	3	4	10	14	20	24	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	9.0	39	3	4	7	11	19	22	33
20-34	692	9.0	27	3	4	8	12	14	18	28
35-49	1230	10.0	34	3	4	9	13	17	21	31
50-64	2085	10.3	37	4	5	9	13	17	20	35
65+	2535	11.1	40	4	5	10	14	19	22	35
B. *Operated*										
0-19 YRS	18	13.8	73	3	4	12	19	26	28	29
20-34	221	11.8	68	3	4	10	14	20	25	43
35-49	411	11.5	58	3	4	10	14	22	25	37
50-64	557	13.3	101	3	4	11	16	23	33	54
65+	559	14.6	99	4	5	12	18	27	35	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3924	8.7	20	3	4	8	11	14	17	23
B. *Operated*	929	9.2	35	2	3	8	12	16	20	30
2. MULTIPLE DX										
A. *Not Operated*	6626	10.4	37	4	4	9	13	17	21	34
B. *Operated*	1766	13.1	87	3	4	11	16	23	31	50
1. SINGLE DX	4853	8.8	23	3	4	8	11	15	17	25
2. MULTIPLE DX	8392	11.0	49	4	4	10	14	19	23	39
A. NOT OPERATED	10550	9.8	32	3	4	9	12	16	20	30
B. OPERATED	2695	11.8	73	3	4	10	14	21	28	44
TOTAL 0-19 YRS	246	8.5	28	3	4	7	11	15	20	29
20-34	2015	8.8	30	2	3	8	11	14	18	28
35-49	2933	9.7	34	3	4	9	12	16	20	30
50-64	3968	10.3	43	3	4	9	13	17	21	38
65+	4083	11.2	47	4	5	10	14	19	24	38
GRAND TOTAL	**13245**	**10.2**	**41**	**3**	**4**	**9**	**13**	**17**	**21**	**35**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	2	1	1	3	4	5	5	5
20-34	34	4.3	10	<1	<1	4	6	9	9	15
35-49	57	6.4	30	<1	<1	5	8	13	15	31
50-64	91	10.3	79	2	3	8	12	20	24	51
65+	150	12.6	108	1	2	10	17	28	35	43
B. *Operated*										
0-19 YRS	50	4.0	4	1	2	4	5	7	8	10
20-34	841	4.9	27	2	2	4	5	7	9	17
35-49	1195	5.4	16	2	3	4	6	9	11	24
50-64	992	6.9	35	2	3	5	8	12	18	34
65+	403	12.3	119	3	4	8	16	29	36	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.3	77	1	1	4	9	22	27	27
20-34	45	4.6	24	<1	<1	3	7	10	15	24
35-49	107	7.6	54	<1	1	5	10	16	22	37
50-64	203	10.0	55	2	3	8	13	18	26	37
65+	578	14.0	110	3	4	11	18	26	31	57
B. *Operated*										
0-19 YRS	8	7.0	43	2	2	4	8	18	22	22
20-34	233	6.0	26	1	2	5	7	11	13	31
35-49	532	7.8	55	2	3	5	9	15	20	39
50-64	629	10.1	95	3	3	7	12	21	30	55
65+	492	18.0	210	4	4	15	24	38	50	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	10.0	84	1	1	7	12	21	31	42
B. *Operated*	3481	6.5	41	2	3	5	7	11	18	36
2. MULTIPLE DX										
A. *Not Operated*	941	11.9	95	2	3	10	15	24	29	50
B. *Operated*	1894	11.0	124	3	3	7	13	24	33	60
1. SINGLE DX	3818	6.8	46	2	3	5	7	13	20	37
2. MULTIPLE DX	2835	11.3	114	2	3	8	14	24	31	56
A. NOT OPERATED	1278	11.4	93	1	3	9	15	23	29	48
B. OPERATED	5375	8.1	75	2	3	5	8	17	25	46
TOTAL 0-19 YRS	71	4.6	17	1	2	4	5	8	10	26
20-34	1153	5.1	27	2	2	4	6	8	10	21
35-49	1891	6.2	31	2	3	5	7	11	16	27
50-64	1915	8.4	61	2	3	6	10	16	24	39
65+	1623	14.7	147	3	4	11	20	30	39	62
GRAND TOTAL	**6653**	**8.7**	**80**	**2**	**3**	**6**	**10**	**19**	**26**	**47**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.7	3	1	1	2	3	5	6	7
20-34	161	3.0	4	1	1	3	4	5	7	12
35-49	238	3.2	5	1	1	3	4	6	7	11
50-64	157	3.4	4	1	1	3	4	6	8	11
65+	84	4.1	8	1	1	3	5	8	9	15
B. *Operated*										
0-19 YRS	60	4.7	6	1	1	5	6	8	9	11
20-34	935	5.3	5	3	3	5	6	8	9	12
35-49	1125	5.6	6	3	3	5	7	8	9	14
50-64	701	6.1	19	3	3	5	7	9	11	15
65+	218	6.3	13	2	3	6	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.7	8	1	1	3	5	8	9	13
20-34	277	4.1	6	1	2	4	5	7	9	14
35-49	489	4.4	8	1	2	4	5	8	10	17
50-64	561	4.8	10	1	2	4	6	9	11	16
65+	504	5.8	26	2	2	4	7	11	14	25
B. *Operated*										
0-19 YRS	125	5.4	11	2	3	5	6	8	9	20
20-34	3080	5.8	10	3	3	5	7	9	10	15
35-49	4509	6.3	9	3	4	6	7	10	11	17
50-64	3160	6.8	12	3	4	6	8	11	13	19
65+	1303	8.3	27	3	4	7	10	14	17	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	670	3.3	5	1	1	3	4	6	8	12
B. *Operated*	3039	5.6	9	3	3	5	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	1862	4.8	14	1	2	4	6	9	11	18
B. *Operated*	12177	6.5	12	3	4	6	8	10	12	19
1. SINGLE DX	3709	5.2	9	2	2	5	6	8	10	14
2. MULTIPLE DX	14039	6.3	13	3	3	6	8	10	12	19
A. NOT OPERATED	2532	4.4	12	1	2	4	5	8	10	17
B. OPERATED	15216	6.3	12	3	3	6	7	10	12	19
TOTAL 0-19 YRS	246	4.7	9	1	2	4	6	8	9	15
20-34	4453	5.5	9	2	3	5	7	8	10	14
35-49	6361	5.9	9	2	3	5	7	9	11	16
50-64	4579	6.4	13	2	3	6	8	10	13	18
65+	2109	7.3	26	2	3	6	9	13	16	27
GRAND TOTAL	**17748**	**6.1**	**12**	**2**	**3**	**5**	**7**	**10**	**12**	**18**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	4.3	7	1	2	4	6	8	10	12
20-34	119	6.1	20	2	2	5	8	11	14	26
35-49	143	7.1	26	1	2	6	9	12	16	30
50-64	176	7.5	57	1	2	6	9	15	19	43
65+	229	7.8	35	2	2	6	11	15	22	29
B. *Operated*										
0-19 YRS	139	3.4	7	1	2	3	4	5	7	18
20-34	449	4.0	21	1	1	3	4	8	12	16
35-49	238	6.2	66	<1	1	4	8	13	18	37
50-64	198	8.5	50	1	2	7	11	17	20	39
65+	142	10.1	55	2	2	9	14	21	24	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	4.7	16	1	1	4	6	10	13	22
20-34	246	6.6	35	1	2	5	8	12	16	28
35-49	413	7.5	30	2	2	6	10	14	18	27
50-64	787	8.2	64	2	2	6	10	15	21	45
65+	1587	8.9	42	2	3	7	11	17	22	33
B. *Operated*										
0-19 YRS	66	5.5	32	1	1	4	7	12	16	34
20-34	670	3.9	35	<1	1	2	4	8	12	36
35-49	441	7.1	67	1	1	4	10	16	24	34
50-64	453	12.4	115	2	2	10	16	23	33	52
65+	606	15.4	162	3	4	12	19	32	41	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	721	7.1	35	1	2	6	9	13	18	29
B. *Operated*	1166	5.9	43	1	1	4	8	13	18	29
2. MULTIPLE DX										
A. *Not Operated*	3104	8.2	46	2	2	7	11	16	20	34
B. *Operated*	2236	9.4	114	1	1	6	13	21	31	57
1. SINGLE DX	1887	6.4	40	1	2	4	8	13	18	29
2. MULTIPLE DX	5340	8.7	75	1	2	6	11	18	24	44
A. NOT OPERATED	3825	8.0	44	2	2	6	10	15	20	32
B. OPERATED	3402	8.2	92	1	1	5	11	19	26	49
TOTAL 0-19 YRS	330	4.3	14	1	1	3	5	8	11	20
20-34	1484	4.5	31	1	1	3	6	10	13	28
35-49	1235	7.1	50	1	1	5	10	15	20	32
50-64	1614	9.3	80	2	2	7	12	19	24	48
65+	2564	10.4	78	2	3	8	13	20	27	48
GRAND TOTAL	**7227**	**8.1**	**67**	**1**	**2**	**6**	**10**	**17**	**23**	**42**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5488	3.0	5	1	1	3	4	5	6	9
20-34	892	3.5	5	1	2	3	4	6	7	12
35-49	334	4.1	6	2	2	3	5	7	9	13
50-64	214	4.2	5	2	2	4	5	7	8	11
65+	190	4.9	12	1	2	4	6	8	11	17
B. *Operated*										
0-19 YRS	1743	2.2	3	1	1	2	2	3	4	8
20-34	688	2.6	7	1	2	2	3	4	5	9
35-49	110	3.1	5	1	1	2	4	6	8	13
50-64	62	3.9	11	1	2	2	5	8	10	19
65+	40	4.4	25	1	2	2	5	9	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7675	3.6	9	1	1	3	4	6	8	12
20-34	1698	4.4	8	1	2	4	5	8	10	15
35-49	1007	5.5	15	2	2	5	7	10	12	19
50-64	1175	6.4	19	2	3	5	8	11	14	23
65+	1504	7.6	31	2	3	6	9	14	18	28
B. *Operated*										
0-19 YRS	978	2.8	7	1	1	2	2	5	8	16
20-34	274	4.6	13	2	2	3	6	9	11	20
35-49	144	6.9	33	2	2	5	9	15	17	29
50-64	155	8.1	46	1	2	6	10	17	20	36
65+	117	9.3	44	2	2	8	12	18	22	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7118	3.2	6	1	1	3	4	5	7	11
B. *Operated*	2643	2.4	5	1	1	2	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	13059	4.6	15	1	2	4	6	8	11	19
B. *Operated*	1668	4.4	22	1	2	2	5	10	14	23
1. SINGLE DX	9761	3.0	6	1	1	2	4	5	6	10
2. MULTIPLE DX	14727	4.6	16	1	2	4	5	8	11	19
A. NOT OPERATED	20177	4.1	12	1	1	3	5	7	9	17
B. OPERATED	4311	3.2	13	1	1	2	3	6	9	20
TOTAL 0-19 YRS	15884	3.2	7	1	1	3	4	6	7	11
20-34	3552	3.8	8	1	2	3	5	7	8	14
35-49	1595	5.2	15	2	2	4	6	9	12	19
50-64	1606	6.2	21	2	2	5	8	11	14	23
65+	1851	7.3	31	2	3	6	9	14	18	27
GRAND TOTAL	**24488**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4523	3.9	6	1	2	3	5	7	8	11
20-34	493	4.5	6	2	2	4	5	7	9	15
35-49	444	5.3	21	2	2	4	6	9	11	25
50-64	520	5.6	9	2	3	5	7	9	11	15
65+	523	6.4	18	2	3	6	8	11	13	19
B. *Operated*										
0-19 YRS	29	6.4	15	2	2	5	9	12	14	17
20-34	24	4.5	10	1	1	4	6	10	11	13
35-49	28	6.2	24	1	2	5	8	13	14	23
50-64	44	5.6	10	2	3	5	7	9	11	17
65+	22	5.7	8	2	3	5	7	9	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4150	4.6	8	2	2	4	6	8	9	14
20-34	984	5.4	11	2	2	5	7	9	11	17
35-49	1532	6.6	20	2	3	6	8	11	15	23
50-64	3302	7.4	22	2	3	6	9	13	16	24
65+	5202	8.5	33	3	4	7	10	15	18	29
B. *Operated*										
0-19 YRS	54	8.7	61	1	3	6	10	17	22	40
20-34	109	8.3	29	2	3	7	11	16	18	26
35-49	176	8.6	32	2	3	7	11	17	20	26
50-64	337	10.0	53	2	3	8	13	18	23	36
65+	321	13.7	107	3	5	11	18	27	34	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6503	4.4	9	1	2	4	5	7	9	14
B. *Operated*	147	5.7	13	2	2	5	7	10	13	17
2. MULTIPLE DX										
A. *Not Operated*	15170	6.8	24	2	3	6	8	12	15	24
B. *Operated*	997	10.7	69	2	3	9	14	21	26	42
1. SINGLE DX	6650	4.4	9	1	2	4	5	8	9	14
2. MULTIPLE DX	16167	7.0	27	2	3	6	9	13	16	27
A. NOT OPERATED	21673	6.1	20	2	2	5	7	11	14	23
B. OPERATED	1144	10.1	64	2	3	8	13	19	26	41
TOTAL 0-19 YRS	8756	4.2	8	1	2	4	5	7	9	14
20-34	1610	5.3	12	2	2	4	7	9	12	18
35-49	2180	6.5	21	2	3	5	8	11	15	24
50-64	4203	7.3	23	2	3	6	9	13	17	25
65+	6068	8.6	38	3	3	7	10	15	19	32
GRAND TOTAL	**22817**	**6.3**	**23**	**2**	**2**	**5**	**8**	**11**	**15**	**24**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.8	1	<1	<1	2	3	3	3	3
20-34	23	2.5	2	<1	1	2	3	4	5	6
35-49	19	1.9		<1	1	2	2	3	3	3
50-64	10	2.0		1	1	2	2	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	713	2.6	3	1	2	2	3	4	4	6
20-34	1676	2.7	3	1	2	2	3	4	4	8
35-49	791	2.7	3	1	2	3	3	4	4	6
50-64	388	3.0	4	1	2	3	3	5	5	10
65+	104	2.9	2	1	2	3	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.0	2	<1	<1	2	2	5	6	6
20-34	42	2.5	2	<1	<1	2	3	5	6	7
35-49	21	7.0	389	<1	<1	3	4	5	45	93
50-64	21	4.1	10	1	1	3	6	9	11	11
65+	4	5.0	5	3	3	4	6	8	8	8
B. *Operated*										
0-19 YRS	854	2.8	2	1	2	3	3	4	5	7
20-34	2367	3.0	3	2	2	3	3	4	5	10
35-49	1317	3.1	3	2	2	3	3	4	5	11
50-64	732	3.5	9	2	2	3	4	5	6	13
65+	181	3.4	6	2	2	3	4	5	6	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	2.1	1	<1	1	2	3	3	4	6
B. *Operated*	3672	2.7	3	1	2	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	100	3.9	85	<1	1	3	3	6	8	52
B. *Operated*	5451	3.0	4	2	2	3	3	4	5	11
1. SINGLE DX	3737	2.7	3	1	2	2	3	4	5	7
2. MULTIPLE DX	5551	3.1	5	2	2	3	3	4	5	11
A. NOT OPERATED	165	3.2	53	<1	1	2	3	5	6	11
B. OPERATED	9123	2.9	3	1	2	3	3	4	5	9
TOTAL 0-19 YRS	1591	2.7	2	1	2	2	3	4	4	7
20-34	4108	2.9	3	1	2	3	3	4	5	8
35-49	2148	3.0	7	1	2	3	3	4	5	10
50-64	1151	3.4	7	2	2	3	4	5	6	11
65+	290	3.2	5	1	2	3	4	5	6	14
GRAND TOTAL	**9288**	**2.9**	**4**	**1**	**2**	**3**	**3**	**4**	**5**	**9**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	3	4.0	4	2	2	4	5	6	6	6
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	49	2.1	1	1	1	2	2	3	4	7
20-34	90	2.2	1	1	1	2	2	4	5	7
35-49	96	2.3	1	<1	1	2	3	4	5	6
50-64	144	2.5	2	1	1	2	3	4	5	8
65+	78	2.9	6	1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	9	2.7	3	<1	<1	3	4	5	6	6
35-49	11	4.5	13	1	1	3	6	10	13	13
50-64	9	2.2	1	<1	<1	2	3	4	4	4
65+	8	7.5	15	3	3	7	10	13	14	14
B. *Operated*										
0-19 YRS	90	3.0	3	1	1	3	4	5	5	10
20-34	187	3.3	3	1	2	3	4	5	6	12
35-49	215	3.3	3	1	2	3	4	6	7	10
50-64	254	3.6	8	1	2	3	4	5	7	13
65+	131	3.8	10	2	2	3	4	6	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.0	3	1	1	2	4	6	6	6
B. *Operated*	457	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	40	4.1	11	<1	1	3	5	9	12	14
B. *Operated*	877	3.4	5	1	2	3	4	5	7	13
1. SINGLE DX	469	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX	917	3.4	6	1	2	3	4	5	7	13
A. NOT OPERATED	52	3.8	9	1	1	3	5	8	11	14
B. OPERATED	1334	3.1	5	1	1	3	4	5	6	12
TOTAL 0-19 YRS	144	2.7	2	1	1	2	3	5	5	9
20-34	289	2.9	3	1	1	3	4	5	6	9
35-49	324	3.0	3	1	1	3	4	5	7	10
50-64	410	3.1	6	1	2	3	4	5	6	11
65+	219	3.6	9	1	2	3	4	6	10	16
GRAND TOTAL	**1386**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**13**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	515	2.1	11	<1	<1	2	2	3	4	8
20-34	116	2.1	1	<1	1	2	2	3	4	7
35-49	16	1.6		<1	<1	2	2	2	3	3
50-64	3	3.7	2	2	2	4	5	5	5	5
65+	3	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	23263	2.0	2	1	1	2	2	2	3	4
20-34	6270	2.3	2	1	2	2	2	3	4	5
35-49	602	2.5	2	1	1	2	3	4	4	11
50-64	125	2.4	2	1	1	2	3	3	5	10
65+	63	2.8	9	1	1	2	2	3	7	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	733	1.7	4	<1	<1	1	2	3	4	11
20-34	65	2.4	8	<1	<1	2	3	4	5	19
35-49	7	4.0	18	1	1	3	5	11	13	13
50-64	4	7.0	35	1	1	7	12	13	13	13
65+	6	5.7	5	4	4	5	8	9	9	9
B. *Operated*										
0-19 YRS	15918	2.0	5	1	1	2	2	2	3	5
20-34	1019	2.6	2	1	2	2	3	4	5	9
35-49	184	3.5	10	1	2	2	4	6	9	22
50-64	66	3.4	29	1	2	2	3	5	7	39
65+	51	2.9	7	1	1	2	2	5	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	653	2.1	9	<1	<1	2	2	3	4	7
B. *Operated*	30323	2.0	2	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	815	1.8	4	<1	<1	1	2	3	5	12
B. *Operated*	17238	2.0	5	1	1	2	2	2	3	6
1. SINGLE DX	30976	2.0	2	1	1	2	2	3	3	5
2. MULTIPLE DX	18053	2.0	5	1	1	2	2	2	3	7
A. NOT OPERATED	1468	2.0	7	<1	<1	1	2	3	4	11
B. OPERATED	47561	2.0	3	1	1	2	2	3	3	5
TOTAL 0-19 YRS	40429	2.0	3	1	1	2	2	2	3	5
20-34	7470	2.3	2	1	2	2	2	3	4	6
35-49	809	2.7	4	1	1	2	3	4	5	15
50-64	198	2.9	12	1	1	2	3	5	7	13
65+	123	2.9	8	1	1	2	3	5	9	17
GRAND TOTAL	**49029**	**2.0**	**3**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	638	3.3	22	1	1	3	4	5	7	12
20-34	454	3.4	6	1	2	3	4	5	7	14
35-49	257	3.6	10	1	1	3	4	7	9	18
50-64	164	3.6	13	1	1	2	4	7	9	17
65+	90	4.0	16	1	2	3	4	8	11	23
B. *Operated*										
0-19 YRS	706	2.8	15	1	1	2	3	4	5	11
20-34	1355	2.8	4	1	1	2	3	5	6	10
35-49	1214	2.7	5	1	1	2	3	4	6	13
50-64	1142	2.6	3	1	1	2	3	4	6	10
65+	499	2.9	6	1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	621	4.0	8	1	1	3	5	7	9	15
20-34	475	4.6	17	1	2	4	6	8	9	17
35-49	461	5.2	18	1	2	4	6	10	12	22
50-64	353	5.4	15	2	2	4	7	10	13	22
65+	311	6.6	37	2	2	5	8	12	13	29
B. *Operated*										
0-19 YRS	640	3.1	10	1	1	2	3	6	8	13
20-34	1104	3.6	12	1	2	3	4	6	8	19
35-49	964	4.1	30	1	2	3	4	7	12	23
50-64	1004	4.7	26	1	2	3	5	9	13	29
65+	531	5.8	42	2	2	3	7	13	18	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1603	3.5	14	1	1	3	4	6	8	17
B. *Operated*	4916	2.7	6	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	2221	5.0	18	1	2	4	6	9	12	19
B. *Operated*	4243	4.2	23	1	2	3	4	8	11	25
1. SINGLE DX	6519	2.9	8	1	1	2	3	5	6	12
2. MULTIPLE DX	6464	4.4	22	1	2	3	5	8	12	23
A. NOT OPERATED	3824	4.3	17	1	1	3	5	8	11	18
B. OPERATED	9159	3.4	14	1	1	2	4	6	9	19
TOTAL 0-19 YRS	2605	3.3	14	1	1	2	4	6	7	14
20-34	3388	3.4	9	1	2	3	4	6	8	14
35-49	2896	3.7	17	1	1	3	4	7	9	19
50-64	2663	3.8	15	1	1	2	4	7	10	20
65+	1431	4.8	29	1	2	3	6	10	14	29
GRAND TOTAL	**12983**	**3.7**	**15**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11964	4.7	8	2	2	4	6	8	9	14
20-34	2504	5.6	10	2	3	5	7	9	11	17
35-49	1743	6.5	16	2	3	6	8	11	13	20
50-64	1871	7.2	18	3	3	6	9	12	14	22
65+	2413	8.3	26	3	4	7	10	14	17	26
B. *Operated*										
0-19 YRS	87	7.0	27	2	2	5	10	16	18	20
20-34	65	8.8	30	2	3	7	13	16	20	23
35-49	152	10.6	60	2	3	9	14	21	23	42
50-64	241	9.6	45	1	2	9	13	17	20	32
65+	189	10.8	56	2	3	10	15	20	23	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9554	5.5	14	2	2	5	7	10	12	20
20-34	2137	6.9	23	2	3	6	8	12	15	23
35-49	2727	8.1	28	3	3	7	10	14	17	27
50-64	5437	9.3	35	3	4	8	11	16	20	31
65+	13144	11.4	61	4	5	9	14	20	26	42
B. *Operated*										
0-19 YRS	267	11.9	81	3	4	10	16	21	28	42
20-34	229	13.7	85	3	4	12	18	25	32	50
35-49	419	15.8	168	4	5	13	19	30	42	81
50-64	896	15.3	107	4	5	13	20	29	35	58
65+	1413	18.5	166	5	7	16	23	33	45	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20495	5.6	14	2	2	5	7	10	12	19
B. *Operated*	734	9.8	49	2	2	9	14	18	22	33
2. MULTIPLE DX										
A. *Not Operated*	32999	8.8	44	2	3	7	11	16	21	35
B. *Operated*	3224	16.4	141	4	6	14	21	30	40	73
1. SINGLE DX	21229	5.8	15	2	2	5	7	10	13	20
2. MULTIPLE DX	36223	9.4	58	2	3	7	12	18	23	40
A. NOT OPERATED	53494	7.6	35	2	3	6	9	14	18	31
B. OPERATED	3958	15.2	131	3	5	13	19	28	36	67
TOTAL 0-19 YRS	21872	5.1	12	2	2	4	6	9	11	18
20-34	4935	6.6	22	2	3	5	8	11	15	25
35-49	5041	8.3	42	3	3	7	10	14	19	34
50-64	8445	9.5	44	3	4	8	12	17	22	36
65+	17159	11.5	70	4	4	9	14	21	27	46
GRAND TOTAL	**57452**	**8.1**	**45**	**2**	**3**	**6**	**10**	**15**	**20**	**35**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	347	3.3	5	1	1	3	4	6	7	10
20-34	269	3.5	4	1	1	3	4	6	8	9
35-49	166	4.4	8	1	2	4	6	8	10	17
50-64	126	5.0	9	2	2	4	7	9	12	15
65+	164	5.4	13	2	2	5	7	9	11	20
B. *Operated*										
0-19 YRS	7	2.6	1	2	2	2	3	4	4	4
20-34	3	4.7	14	2	2	3	7	9	9	9
35-49	4	4.8		4	4	5	5	5	5	5
50-64	3	6.3	16	2	2	7	9	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	410	3.7	5	1	2	3	4	6	7	11
20-34	454	4.8	11	2	2	4	6	8	10	19
35-49	344	5.6	13	2	2	5	7	9	11	22
50-64	449	6.8	21	2	3	6	8	12	15	27
65+	725	7.6	24	2	3	6	9	13	17	27
B. *Operated*										
0-19 YRS	10	7.9	57	1	1	6	7	21	26	26
20-34	13	8.5	99	3	4	5	8	16	36	41
35-49	12	11.4	48	3	6	9	13	21	29	30
50-64	24	11.0	37	5	5	10	12	21	24	29
65+	38	11.2	65	4	5	9	14	18	29	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1072	4.0	7	1	2	3	5	7	9	14
B. *Operated*	17	4.1	6	2	2	4	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	2382	6.0	18	2	2	5	7	11	14	24
B. *Operated*	97	10.5	59	4	4	8	12	18	28	43
1. SINGLE DX	1089	4.0	7	1	2	3	5	7	9	14
2. MULTIPLE DX	2479	6.1	21	2	2	5	8	11	14	26
A. NOT OPERATED	3454	5.4	16	2	2	4	7	10	13	23
B. OPERATED	114	9.5	56	2	3	8	12	16	25	42
TOTAL 0-19 YRS	774	3.6	6	1	2	3	4	6	7	12
20-34	739	4.4	11	1	2	4	5	8	10	16
35-49	526	5.4	13	2	2	5	7	9	11	21
50-64	602	6.5	21	2	3	5	8	12	15	27
65+	927	7.4	25	2	3	6	9	13	17	27
GRAND TOTAL	**3568**	**5.5**	**18**	**2**	**2**	**4**	**7**	**10**	**13**	**24**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2102	3.8	10	1	2	3	5	7	8	13
20-34	309	4.5	7	1	2	4	6	8	9	13
35-49	383	5.6	23	2	2	4	7	10	12	25
50-64	665	6.5	23	2	3	6	8	12	14	20
65+	584	6.8	16	2	3	6	9	12	14	19
B. *Operated*										
0-19 YRS	38	4.0	21	1	1	2	4	9	15	23
20-34	70	3.8	6	1	2	3	4	7	9	13
35-49	110	5.2	22	1	2	3	7	10	13	27
50-64	187	4.6	12	1	2	3	6	9	12	20
65+	105	5.8	32	1	2	4	7	14	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1665	4.5	9	2	2	4	5	8	10	14
20-34	636	5.5	16	2	2	5	7	10	13	22
35-49	1087	6.4	24	2	2	5	8	11	14	29
50-64	2414	8.0	36	2	3	7	10	14	18	30
65+	3713	8.8	34	3	3	7	11	16	20	30
B. *Operated*										
0-19 YRS	53	6.1	10	2	3	6	8	10	13	15
20-34	106	7.0	38	2	2	5	9	13	19	34
35-49	266	7.9	45	1	2	6	10	15	22	32
50-64	540	9.7	89	2	2	7	12	20	29	49
65+	517	11.9	120	2	3	9	14	22	30	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4043	4.9	15	1	2	4	6	9	11	18
B. *Operated*	510	4.8	19	1	2	3	6	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	9515	7.3	30	2	3	6	9	14	17	28
B. *Operated*	1482	9.8	89	2	2	7	12	20	26	52
1. SINGLE DX	4553	4.9	16	1	2	4	6	9	11	18
2. MULTIPLE DX	10997	7.7	39	2	3	6	9	14	19	31
A. NOT OPERATED	13558	6.6	27	2	2	5	8	12	16	26
B. OPERATED	1992	8.5	75	2	2	6	11	17	23	47
TOTAL 0-19 YRS	3858	4.1	10	1	2	3	5	7	9	14
20-34	1121	5.3	15	2	2	4	6	9	12	22
35-49	1846	6.4	27	2	2	5	8	12	15	29
50-64	3806	7.8	41	2	3	6	9	14	18	33
65+	4919	8.8	42	2	3	7	11	16	20	32
GRAND TOTAL	**15550**	**6.9**	**34**	**2**	**2**	**5**	**8**	**13**	**17**	**29**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	7	<1	<1	2	6	7	7	7
20-34	5	9.6	32	2	2	10	15	15	15	15
35-49	50	6.1	21	1	2	5	8	13	16	20
50-64	208	7.2	39	2	2	6	9	15	19	33
65+	286	8.9	70	2	2	7	11	18	22	43
B. *Operated*										
0-19 YRS	4	13.3	38	4	4	16	17	17	17	17
20-34	8	21.6	970	7	7	9	17	74	98	98
35-49	12	7.8	23	1	2	8	12	14	14	14
50-64	17	9.6	47	1	2	7	15	18	22	24
65+	8	13.3	190	3	4	9	13	37	46	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	6.7	25	1	1	6	11	14	16	16
20-34	15	4.7	5	2	3	4	6	8	10	10
35-49	200	7.2	26	2	3	6	9	13	16	35
50-64	1041	8.6	42	2	3	7	10	16	21	32
65+	1874	10.0	66	3	3	8	12	19	25	43
B. *Operated*										
0-19 YRS	3	7.0	3	6	6	6	8	9	9	9
20-34	13	14.2	167	2	4	10	19	30	47	51
35-49	46	13.0	131	2	3	10	15	35	46	99+
50-64	144	15.0	203	3	4	11	17	27	55	69
65+	188	16.1	176	3	4	12	21	32	46	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	555	8.0	54	2	2	6	10	16	20	38
B. *Operated*	49	12.0	215	2	2	9	14	18	25	98
2. MULTIPLE DX										
A. *Not Operated*	3141	9.3	56	2	3	7	11	17	23	41
B. *Operated*	394	15.2	179	3	4	11	18	31	47	73
1. SINGLE DX	604	8.3	68	2	2	6	10	17	20	40
2. MULTIPLE DX	3535	10.0	73	2	3	8	12	19	25	48
A. NOT OPERATED	3696	9.1	56	2	3	7	11	17	23	40
B. OPERATED	443	14.9	184	3	4	11	17	29	46	76
TOTAL 0-19 YRS	24	7.0	28	1	1	6	10	16	17	17
20-34	41	11.6	265	2	3	7	11	20	37	98
35-49	308	7.9	45	2	3	6	10	15	18	50
50-64	1410	9.0	62	2	3	7	11	17	23	42
65+	2356	10.4	79	2	3	8	13	20	27	48
GRAND TOTAL	**4139**	**9.7**	**73**	**2**	**3**	**7**	**12**	**18**	**25**	**47**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5171	3.6	6	1	2	3	4	6	7	10
20-34	1596	4.4	9	1	2	4	5	7	9	13
35-49	1403	5.6	14	2	2	5	7	10	12	22
50-64	1621	6.3	16	2	2	5	8	11	14	20
65+	1066	6.9	24	2	3	6	9	12	14	22
B. *Operated*										
0-19 YRS	19	5.1	17	1	2	4	6	9	15	19
20-34	31	5.1	13	2	2	4	8	9	12	17
35-49	38	6.6	28	1	1	5	9	12	20	24
50-64	39	8.1	41	2	2	6	10	18	22	31
65+	19	7.4	23	3	3	6	9	11	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3160	4.4	8	1	2	4	6	8	9	14
20-34	1342	5.5	16	2	2	5	7	9	11	22
35-49	1904	6.9	25	2	3	6	9	12	15	24
50-64	3492	7.8	31	2	3	7	10	14	17	29
65+	3425	8.8	37	3	3	7	11	15	19	32
B. *Operated*										
0-19 YRS	46	7.4	21	2	3	7	9	13	14	25
20-34	82	9.6	59	2	3	7	13	16	19	48
35-49	143	10.9	63	3	4	9	14	17	24	41
50-64	214	13.1	116	3	4	10	16	25	37	89
65+	179	16.4	158	4	5	13	20	31	43	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10857	4.7	12	1	2	4	6	8	11	17
B. *Operated*	146	6.6	27	2	2	5	9	12	19	25
2. MULTIPLE DX										
A. *Not Operated*	13323	6.9	27	2	2	6	9	12	16	27
B. *Operated*	664	12.7	109	3	4	10	15	24	32	61
1. SINGLE DX	11003	4.7	13	1	2	4	6	9	11	17
2. MULTIPLE DX	13987	7.2	33	2	2	6	9	13	17	29
A. NOT OPERATED	24180	5.9	22	2	2	5	7	11	14	23
B. OPERATED	810	11.6	100	2	3	9	15	23	30	54
TOTAL 0-19 YRS	8396	3.9	7	1	2	3	5	7	8	12
20-34	3051	5.0	14	2	2	4	6	9	11	18
35-49	3488	6.5	24	2	2	5	8	12	15	24
50-64	5366	7.5	31	2	3	6	9	13	17	29
65+	4689	8.6	41	2	3	7	11	15	20	34
GRAND TOTAL	**24990**	**6.1**	**25**	**2**	**2**	**5**	**7**	**11**	**15**	**25**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	5.6	45	1	1	3	7	13	17	33
20-34	48	6.1	14	2	2	5	8	13	14	14
35-49	248	6.3	15	2	2	5	8	12	13	18
50-64	1063	7.8	51	2	3	6	9	14	18	35
65+	1368	8.3	39	2	3	7	10	15	20	32
B. *Operated*										
0-19 YRS	19	6.7	38	1	1	3	12	14	19	23
20-34	28	7.6	22	2	2	8	11	14	16	17
35-49	57	7.2	29	1	2	6	10	16	18	23
50-64	127	7.2	43	2	2	5	9	14	16	39
65+	96	8.6	48	2	2	7	12	19	24	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	7.6	56	1	2	5	11	14	16	48
20-34	119	7.0	36	1	2	5	9	14	20	30
35-49	974	7.7	34	2	3	6	9	14	19	31
50-64	5446	9.0	51	2	3	7	11	17	22	39
65+	8752	9.8	57	3	3	8	12	18	23	39
B. *Operated*										
0-19 YRS	11	7.3	21	2	2	5	10	14	16	16
20-34	46	8.7	60	1	2	6	12	20	27	33
35-49	172	11.9	119	2	3	9	16	25	35	99+
50-64	738	13.5	171	2	3	9	16	28	39	76
65+	1020	15.9	160	3	4	12	21	32	43	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2756	7.9	41	2	3	6	10	14	19	33
B. *Operated*	327	7.6	40	2	2	6	10	15	19	28
2. MULTIPLE DX										
A. *Not Operated*	15351	9.3	54	3	3	8	11	17	23	38
B. *Operated*	1987	14.5	160	3	4	11	19	30	41	77
1. SINGLE DX	3083	7.9	41	2	3	6	10	14	19	33
2. MULTIPLE DX	17338	9.9	69	3	3	8	12	19	25	45
A. NOT OPERATED	18107	9.1	52	2	3	7	11	17	22	37
B. OPERATED	2314	13.5	149	2	3	10	17	28	38	73
TOTAL 0-19 YRS	119	6.9	47	1	1	4	10	14	16	39
20-34	241	7.2	35	2	2	5	10	14	19	29
35-49	1451	7.9	43	2	3	6	10	15	21	34
50-64	7374	9.2	65	2	3	7	11	17	23	45
65+	11236	10.2	68	3	3	8	12	19	26	43
GRAND TOTAL	**20421**	**9.6**	**65**	**2**	**3**	**8**	**12**	**18**	**24**	**43**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	3.3	4	1	1	3	4	6	8	10
20-34	274	4.1	8	1	1	4	5	7	9	16
35-49	88	5.0	18	1	2	4	6	8	10	28
50-64	58	6.1	16	1	2	5	8	11	14	20
65+	25	6.4	9	2	3	6	8	10	13	15
B. *Operated*										
0-19 YRS	172	6.8	21	2	3	6	8	12	15	24
20-34	705	6.5	17	2	3	5	8	11	15	21
35-49	270	7.2	28	3	3	5	9	13	18	29
50-64	118	8.1	40	3	3	6	9	17	22	32
65+	82	10.0	41	3	4	9	12	18	21	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	6.0	14	2	2	5	7	10	16	16
20-34	58	5.4	10	1	2	5	8	10	11	12
35-49	44	5.8	14	1	2	5	7	12	14	18
50-64	90	9.2	45	2	3	8	11	16	20	41
65+	105	10.8	65	3	4	9	13	17	25	50
B. *Operated*										
0-19 YRS	45	8.2	23	2	3	7	11	14	18	24
20-34	195	9.3	38	3	4	8	12	17	21	34
35-49	142	10.9	48	4	4	9	14	21	25	35
50-64	250	12.8	100	4	4	10	15	26	33	42
65+	254	14.5	112	4	4	12	19	28	34	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	540	4.4	11	1	1	4	6	8	10	16
B. *Operated*	1347	7.0	24	3	3	6	9	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	321	8.3	43	2	3	7	11	15	18	35
B. *Operated*	886	12.0	82	3	4	9	15	23	30	41
1. SINGLE DX	1887	6.3	21	2	2	5	8	12	16	24
2. MULTIPLE DX	1207	11.0	74	3	4	8	14	21	28	41
A. NOT OPERATED	861	5.9	26	1	2	5	7	11	15	24
B. OPERATED	2233	9.0	53	3	3	7	11	18	23	35
TOTAL 0-19 YRS	336	6.0	19	1	2	5	8	11	14	22
20-34	1232	6.4	20	2	2	5	8	12	15	22
35-49	544	7.7	34	2	3	6	9	16	20	29
50-64	516	10.3	73	3	3	8	13	20	27	39
65+	466	12.5	89	3	4	10	16	25	31	45
GRAND TOTAL	**3094**	**8.1**	**47**	**2**	**3**	**6**	**10**	**16**	**21**	**35**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	481	3.8	11	1	1	3	5	7	9	16
20-34	389	4.3	10	1	1	3	5	9	11	16
35-49	381	5.2	17	1	2	4	6	10	13	22
50-64	431	5.6	20	1	2	4	7	11	13	23
65+	527	6.8	23	1	2	6	9	13	17	23
B. *Operated*										
0-19 YRS	86	7.3	55	1	1	5	11	14	18	41
20-34	197	8.2	58	1	2	7	11	16	20	32
35-49	342	9.3	65	2	2	8	12	18	24	44
50-64	501	9.5	67	2	2	7	13	19	24	40
65+	411	9.5	71	2	2	7	13	20	27	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	681	4.8	19	1	2	4	6	9	12	25
20-34	593	5.6	20	1	2	4	7	11	14	24
35-49	959	6.9	36	2	2	5	9	13	17	32
50-64	2226	7.9	41	2	3	6	10	15	19	33
65+	4543	10.0	60	2	3	8	13	18	24	41
B. *Operated*										
0-19 YRS	139	10.3	178	1	2	7	14	23	43	99+
20-34	295	11.1	109	2	2	8	14	23	29	67
35-49	528	13.1	146	2	3	10	16	27	40	63
50-64	1117	13.0	128	2	3	10	17	26	36	61
65+	1383	14.5	135	2	3	11	19	28	38	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2209	5.2	18	1	2	4	7	10	13	21
B. *Operated*	1537	9.2	66	2	2	7	12	18	25	40
2. MULTIPLE DX										
A. *Not Operated*	9002	8.5	50	2	3	7	11	16	21	37
B. *Operated*	3462	13.4	135	2	3	10	18	27	36	62
1. SINGLE DX	3746	6.8	41	1	2	5	9	14	18	33
2. MULTIPLE DX	12464	9.8	79	2	3	7	12	20	26	47
A. NOT OPERATED	11211	7.8	46	2	2	6	10	15	20	34
B. OPERATED	4999	12.1	118	2	2	9	16	25	33	58
TOTAL 0-19 YRS	1387	5.2	38	1	1	4	6	10	14	32
20-34	1474	6.7	46	1	2	5	8	14	18	30
35-49	2210	8.5	71	2	2	6	10	17	24	49
50-64	4275	9.2	71	2	2	7	11	18	24	45
65+	6864	10.6	78	2	3	8	14	21	27	45
GRAND TOTAL	**16210**	**9.1**	**72**	**2**	**2**	**7**	**12**	**18**	**25**	**45**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	2.3	5	<1	<1	2	3	4	6	10
20-34	148	2.5	3	<1	1	2	3	5	7	9
35-49	68	3.6	11	<1	1	3	4	7	12	19
50-64	43	2.8	5	<1	<1	2	4	5	8	12
65+	25	3.6	6	<1	1	3	6	8	8	8
B. *Operated*										
0-19 YRS	5133	1.9	2	1	1	2	2	2	3	6
20-34	3801	2.2	3	1	1	2	2	3	4	7
35-49	1282	2.4	2	1	1	2	3	4	5	9
50-64	858	2.7	6	1	1	2	3	4	5	12
65+	243	2.8	10	1	1	2	3	4	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	173	2.6	4	<1	<1	2	4	5	7	9
20-34	176	4.3	25	<1	1	3	5	8	11	31
35-49	141	6.0	36	1	1	4	7	12	19	30
50-64	129	5.5	33	1	2	4	6	11	13	34
65+	84	5.5	27	1	1	4	7	11	13	27
B. *Operated*										
0-19 YRS	1659	2.4	6	1	1	2	2	4	5	11
20-34	2208	2.8	6	1	1	2	3	5	6	15
35-49	1414	3.0	8	1	2	2	3	5	8	14
50-64	1362	3.3	10	2	2	2	3	6	8	18
65+	654	4.0	17	2	2	3	4	8	12	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	446	2.7	5	<1	1	2	3	5	7	12
B. *Operated*	11317	2.2	3	1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	703	4.6	25	<1	1	3	6	9	12	29
B. *Operated*	7297	3.0	8	1	1	2	3	5	7	15
1. SINGLE DX	11763	2.2	3	1	1	2	2	3	4	8
2. MULTIPLE DX	8000	3.1	10	1	1	2	3	5	8	17
A. NOT OPERATED	1149	3.8	18	<1	1	2	4	8	11	26
B. OPERATED	18614	2.5	5	1	1	2	2	4	5	12
TOTAL 0-19 YRS	7127	2.0	3	1	1	2	2	3	4	8
20-34	6333	2.5	5	1	1	2	2	4	5	11
35-49	2905	2.9	8	1	1	2	3	5	7	14
50-64	2392	3.2	10	1	2	2	3	5	8	17
65+	1006	3.8	16	1	2	2	4	7	11	22
GRAND TOTAL	**19763**	**2.6**	**6**	**1**	**1**	**2**	**3**	**4**	**6**	**13**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	3.5	4	1	1	3	4	6	7	10
20-34	65	4.4	7	1	2	4	5	7	8	18
35-49	43	3.8	4	1	1	4	5	6	7	10
50-64	51	4.1	8	1	1	4	5	8	9	18
65+	49	5.4	12	1	2	4	7	10	13	15
B. *Operated*										
0-19 YRS	248	2.6	5	<1	1	2	3	5	7	10
20-34	277	3.7	20	1	1	3	4	6	9	15
35-49	239	3.4	6	1	2	3	4	6	7	16
50-64	276	3.1	2	1	2	3	4	5	6	8
65+	208	3.7	7	1	2	3	4	6	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	170	4.1	6	1	2	4	5	7	9	16
20-34	64	5.4	21	2	2	4	6	10	19	89
35-49	66	7.0	36	1	2	5	9	13	19	33
50-64	94	5.7	15	2	2	5	8	10	13	22
65+	140	8.8	85	2	3	6	11	17	22	48
B. *Operated*										
0-19 YRS	143	3.2	6	1	1	3	4	5	9	14
20-34	212	4.4	19	1	2	3	5	8	12	28
35-49	180	4.5	18	2	2	3	5	8	12	23
50-64	282	5.3	35	2	2	4	6	10	13	30
65+	264	6.5	50	2	2	4	7	13	18	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	4.0	7	1	2	4	5	7	9	15
B. *Operated*	1248	3.3	8	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	534	6.1	37	1	2	5	7	12	16	34
B. *Operated*	1081	5.0	30	1	2	3	6	9	13	31
1. SINGLE DX	1585	3.5	8	1	1	3	4	6	8	13
2. MULTIPLE DX	1615	5.4	33	1	2	4	6	11	14	31
A. NOT OPERATED	871	5.3	26	1	2	4	6	10	14	28
B. OPERATED	2329	4.1	19	1	2	3	4	7	10	23
TOTAL 0-19 YRS	690	3.3	5	1	1	3	4	6	8	13
20-34	618	4.2	19	1	2	3	4	7	10	26
35-49	528	4.3	15	1	2	3	5	7	11	23
50-64	703	4.4	19	1	2	3	5	8	10	24
65+	661	6.0	44	1	2	4	7	12	17	35
GRAND TOTAL	**3200**	**4.4**	**21**	**1**	**2**	**3**	**5**	**8**	**12**	**23**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	221	3.8	7	1	1	3	5	7	9	13
20-34	377	4.0	9	1	2	3	5	7	9	15
35-49	514	4.0	7	1	1	3	5	7	9	15
50-64	443	4.3	9	1	1	4	5	8	10	14
65+	306	4.8	15	1	2	4	6	9	11	24
B. *Operated*										
0-19 YRS	73	5.4	29	1	1	3	8	12	15	28
20-34	153	5.9	21	1	1	5	8	12	15	23
35-49	237	6.5	28	1	2	5	9	14	16	26
50-64	290	6.5	50	1	1	4	9	14	18	33
65+	303	7.4	51	1	2	5	10	15	21	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	218	6.0	57	1	2	4	7	11	15	29
20-34	749	5.2	13	1	2	4	7	9	12	19
35-49	1432	5.3	13	2	2	4	7	9	11	17
50-64	1722	6.0	17	2	2	5	8	11	14	21
65+	1733	6.8	28	2	2	5	8	13	16	27
B. *Operated*										
0-19 YRS	91	7.0	121	1	1	4	9	14	22	89
20-34	320	8.3	42	2	2	6	10	16	23	33
35-49	624	8.7	53	2	2	7	11	17	22	34
50-64	909	9.7	77	2	2	7	12	20	28	45
65+	1096	11.3	113	2	2	9	14	23	30	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1861	4.2	9	1	1	3	5	8	9	16
B. *Operated*	1056	6.6	40	1	2	5	9	14	18	31
2. MULTIPLE DX										
A. *Not Operated*	5854	6.0	21	2	2	5	7	11	14	22
B. *Operated*	3040	9.8	84	2	2	7	12	20	27	47
1. SINGLE DX	2917	5.0	22	1	1	4	6	10	13	25
2. MULTIPLE DX	8894	7.3	46	2	2	5	9	14	19	35
A. NOT OPERATED	7715	5.5	19	1	2	4	7	10	13	21
B. OPERATED	4096	9.0	75	1	2	7	11	19	25	44
TOTAL 0-19 YRS	603	5.3	46	1	1	4	6	10	14	27
20-34	1599	5.6	21	1	2	4	7	10	14	25
35-49	2807	5.9	25	1	2	5	7	11	15	25
50-64	3364	6.8	39	1	2	5	8	13	18	32
65+	3438	8.1	61	2	2	6	10	16	22	40
GRAND TOTAL	**11811**	**6.7**	**41**	**1**	**2**	**5**	**8**	**13**	**18**	**32**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	4.6	9	1	2	4	6	8	8	18
20-34	220	5.5	40	1	2	4	6	10	13	24
35-49	401	5.2	19	1	2	4	7	9	11	16
50-64	382	5.6	13	1	2	5	7	10	13	18
65+	287	6.5	23	1	2	6	8	12	14	25
B. *Operated*										
0-19 YRS	4	8.5	11	4	4	9	11	12	12	12
20-34	87	8.3	20	2	3	8	11	14	16	22
35-49	240	8.5	27	1	2	8	11	15	18	26
50-64	241	9.3	41	1	2	8	13	17	20	32
65+	195	10.0	62	2	3	9	12	19	22	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	5.5	26	2	2	4	7	8	11	31
20-34	243	6.1	21	2	2	5	8	12	14	25
35-49	581	6.8	25	2	3	6	8	12	16	29
50-64	889	7.0	24	2	3	6	9	13	16	24
65+	1138	8.6	31	3	3	7	11	15	19	29
B. *Operated*										
0-19 YRS	8	9.4	38	3	4	8	11	20	23	23
20-34	121	10.0	55	2	3	8	13	18	26	41
35-49	372	10.6	51	3	4	9	13	19	24	34
50-64	587	11.1	62	3	4	9	14	21	28	43
65+	598	11.6	72	3	4	9	15	22	26	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1326	5.6	21	1	2	5	7	10	13	20
B. *Operated*	767	9.1	39	2	3	8	12	17	20	29
2. MULTIPLE DX										
A. *Not Operated*	2886	7.5	28	2	3	6	9	14	17	28
B. *Operated*	1686	11.1	63	3	4	9	14	21	26	41
1. SINGLE DX	2093	6.9	31	1	2	6	9	13	17	25
2. MULTIPLE DX	4572	8.8	44	2	3	7	11	17	21	33
A. NOT OPERATED	4212	6.9	26	2	2	6	9	13	16	25
B. OPERATED	2453	10.4	56	2	3	9	13	19	24	38
TOTAL 0-19 YRS	83	5.6	21	1	2	5	7	9	12	28
20-34	671	6.9	36	2	2	5	9	13	16	28
35-49	1594	7.5	34	2	2	6	10	14	18	29
50-64	2099	8.2	39	2	3	7	10	16	19	33
65+	2218	9.3	47	2	3	8	12	17	21	33
GRAND TOTAL	**6665**	**8.2**	**40**	**2**	**3**	**7**	**10**	**16**	**19**	**31**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	5.7	8	2	3	5	7	10	12	12
20-34	48	6.0	9	3	3	6	7	9	12	17
35-49	111	6.3	16	2	3	6	7	10	13	22
50-64	158	6.9	14	2	3	6	8	13	15	19
65+	179	7.7	13	3	4	7	9	13	14	19
B. *Operated*										
0-19 YRS	7	7.7	10	<1	1	9	9	10	10	10
20-34	35	12.4	88	4	5	9	14	29	36	41
35-49	83	10.8	35	5	6	10	13	16	20	40
50-64	139	10.7	42	4	5	9	13	17	23	33
65+	144	12.2	56	4	5	11	15	20	25	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.2	12	2	2	5	9	11	12	12
20-34	60	6.0	11	2	2	6	7	11	12	16
35-49	123	7.3	11	3	4	7	9	12	15	16
50-64	314	8.0	22	3	4	7	10	14	17	27
65+	622	10.1	41	4	5	8	12	18	22	37
B. *Operated*										
0-19 YRS	5	8.8	18	4	4	10	12	14	14	14
20-34	35	10.5	30	3	6	10	13	20	26	99+
35-49	109	13.4	110	4	5	10	15	26	32	57
50-64	249	14.1	103	4	5	11	18	27	32	54
65+	434	16.3	133	5	6	13	21	32	41	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	510	6.9	14	3	3	6	8	12	14	18
B. *Operated*	408	11.3	49	4	5	10	14	18	25	39
2. MULTIPLE DX										
A. *Not Operated*	1132	8.9	32	3	4	7	11	16	19	33
B. *Operated*	832	15.0	118	4	6	12	19	29	39	66
1. SINGLE DX	918	8.9	34	3	4	7	11	15	18	32
2. MULTIPLE DX	1964	11.5	78	3	4	9	14	22	29	48
A. NOT OPERATED	1642	8.3	27	3	4	7	10	14	18	28
B. OPERATED	1240	13.8	98	4	5	11	17	26	34	59
TOTAL 0-19 YRS	39	6.6	11	2	2	6	9	11	12	14
20-34	178	8.1	36	2	3	7	10	14	19	40
35-49	426	9.3	50	3	4	7	11	15	20	43
50-64	860	10.0	55	3	4	8	12	18	25	40
65+	1379	12.0	78	4	5	9	14	22	29	51
GRAND TOTAL	**2882**	**10.7**	**65**	**3**	**4**	**8**	**13**	**20**	**26**	**45**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	396	4.2	10	1	2	3	5	7	9	15
20-34	1420	4.5	10	1	2	4	6	8	10	15
35-49	1486	4.8	11	2	2	4	6	8	10	17
50-64	1024	5.1	10	2	2	4	6	9	11	17
65+	519	5.8	11	2	2	5	7	10	12	18
B. *Operated*										
0-19 YRS	19	10.0	16	4	5	10	12	15	18	20
20-34	193	10.8	35	4	6	9	12	19	22	31
35-49	283	10.8	36	3	5	10	13	18	20	26
50-64	171	10.8	32	3	4	10	13	18	21	31
65+	75	11.2	42	3	4	10	14	22	25	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	229	5.1	12	2	2	5	6	9	11	20
20-34	1318	5.6	22	2	2	5	7	10	12	19
35-49	2016	5.9	17	2	2	5	7	11	14	21
50-64	2365	6.4	17	2	3	5	8	11	14	22
65+	2215	7.4	28	2	3	6	9	13	16	27
B. *Operated*										
0-19 YRS	19	8.8	23	2	3	8	12	16	18	19
20-34	252	10.5	57	3	4	9	13	18	23	38
35-49	504	11.6	72	3	4	10	14	21	28	50
50-64	554	12.3	78	4	4	10	15	23	28	51
65+	396	14.3	105	3	5	11	18	26	36	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4845	4.8	11	2	2	4	6	8	10	16
B. *Operated*	741	10.8	35	3	5	10	13	19	22	29
2. MULTIPLE DX										
A. *Not Operated*	8143	6.4	21	2	3	5	8	11	14	22
B. *Operated*	1725	12.3	80	3	4	10	15	23	28	51
1. SINGLE DX	5586	5.6	18	2	2	4	7	10	14	21
2. MULTIPLE DX	9868	7.4	37	2	3	6	9	14	18	30
A. NOT OPERATED	12988	5.8	18	2	2	5	7	10	13	21
B. OPERATED	2466	11.8	67	3	4	10	15	21	26	45
TOTAL 0-19 YRS	663	4.8	13	1	2	4	6	8	11	19
20-34	3183	5.8	24	2	2	5	7	11	14	23
35-49	4289	6.5	28	2	2	5	8	12	16	27
50-64	4114	7.1	30	2	3	6	9	13	17	28
65+	3205	8.1	41	2	3	7	10	15	20	35
GRAND TOTAL	**15454**	**6.8**	**31**	**2**	**2**	**5**	**8**	**13**	**16**	**28**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	5.1	9	2	2	4	7	9	11	16
20-34	435	5.2	8	2	2	5	7	9	10	14
35-49	501	5.4	7	2	3	5	7	8	10	15
50-64	615	6.1	10	2	3	6	8	10	12	16
65+	456	7.1	10	3	4	7	9	11	13	18
B. *Operated*										
0-19 YRS	18	8.5	14	1	3	8	10	14	15	15
20-34	171	9.4	21	5	6	8	11	15	19	30
35-49	204	9.9	20	5	6	9	12	15	17	22
50-64	224	10.7	21	5	6	10	13	16	19	24
65+	206	12.9	45	5	7	11	16	20	26	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	6.1	9	3	3	5	8	9	11	19
20-34	263	5.8	13	2	3	5	7	9	11	27
35-49	479	6.6	16	2	3	6	8	11	14	21
50-64	826	7.5	23	3	3	7	9	12	16	26
65+	1294	9.4	41	3	4	8	11	16	21	32
B. *Operated*										
0-19 YRS	13	14.3	125	2	2	11	23	30	35	36
20-34	83	14.5	126	4	6	11	17	29	38	62
35-49	176	13.8	80	5	6	12	16	22	35	50
50-64	332	15.3	128	5	6	12	18	29	43	60
65+	469	17.8	144	5	7	15	22	32	43	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2081	5.9	9	2	3	5	7	10	11	16
B. *Operated*	823	10.7	28	5	6	10	13	17	20	30
2. MULTIPLE DX										
A. *Not Operated*	2914	8.0	31	3	3	7	10	14	18	29
B. *Operated*	1073	16.1	129	5	6	13	20	30	40	59
1. SINGLE DX	2904	7.3	19	2	3	6	9	13	15	22
2. MULTIPLE DX	3987	10.2	70	3	4	8	12	19	26	46
A. NOT OPERATED	4995	7.2	23	2	3	6	9	12	15	25
B. OPERATED	1896	13.8	92	5	6	11	16	24	32	54
TOTAL 0-19 YRS	157	6.6	25	2	2	5	8	11	15	29
20-34	952	7.0	29	2	3	6	8	12	15	33
35-49	1360	7.6	29	2	3	6	9	14	17	32
50-64	1997	8.7	47	3	3	7	10	15	20	42
65+	2425	10.9	69	3	4	9	13	20	26	46
GRAND TOTAL	**6891**	**9.0**	**51**	**3**	**3**	**7**	**11**	**16**	**22**	**40**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.5	4	2	2	4	6	7	7	7
20-34	28	5.9	20	2	3	5	7	8	12	26
35-49	39	6.6	12	2	3	6	8	11	14	17
50-64	39	8.3	33	2	3	7	11	16	21	29
65+	51	7.6	32	2	4	6	8	13	15	32
B. *Operated*										
0-19 YRS	3	7.3	22	2	2	9	10	11	11	11
20-34	29	10.3	22	1	3	10	14	17	18	19
35-49	72	14.3	96	4	7	12	17	23	31	65
50-64	115	16.1	132	6	7	13	18	25	37	73
65+	56	16.5	64	5	8	16	19	26	36	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.8	20	2	2	8	11	13	13	13
20-34	29	6.2	16	2	2	5	8	13	16	16
35-49	49	8.9	40	3	3	8	11	16	19	36
50-64	88	9.3	31	2	3	9	12	15	21	30
65+	132	10.7	43	3	4	9	14	20	24	36
B. *Operated*										
0-19 YRS	2	4.0	18	<1	<1	3	7	7	7	7
20-34	40	15.4	167	4	6	12	19	24	44	69
35-49	80	18.4	108	7	9	15	22	32	43	52
50-64	157	19.4	146	8	9	16	23	34	43	70
65+	194	20.5	147	6	9	18	25	36	51	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	7.1	25	2	3	6	8	12	16	30
B. *Operated*	275	15.0	100	5	7	13	18	24	31	69
2. MULTIPLE DX										
A. *Not Operated*	302	9.5	38	2	3	8	12	17	21	33
B. *Operated*	473	19.3	143	7	9	16	23	34	44	67
1. SINGLE DX	438	12.1	86	3	4	10	15	22	27	49
2. MULTIPLE DX	775	15.5	125	3	5	13	20	29	37	57
A. NOT OPERATED	465	8.7	34	2	3	7	11	16	21	31
B. OPERATED	748	17.7	131	6	8	15	21	31	42	69
TOTAL 0-19 YRS	15	5.9	13	<1	2	6	8	11	12	13
20-34	126	10.0	81	2	3	8	13	19	21	63
35-49	240	13.3	95	3	4	11	16	25	31	47
50-64	399	15.1	125	3	5	13	18	27	36	65
65+	433	15.5	116	4	5	13	20	30	37	56
GRAND TOTAL	**1213**	**14.3**	**113**	**3**	**5**	**12**	**18**	**26**	**35**	**57**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1093	3.0	5	1	1	3	4	5	6	11
20-34	2114	3.6	6	1	1	3	4	6	8	12
35-49	1613	4.0	8	1	2	3	5	7	9	15
50-64	1003	4.2	8	1	2	3	5	7	9	13
65+	576	4.6	9	1	2	4	6	8	10	15
B. *Operated*										
0-19 YRS	16	7.4	36	3	3	5	8	16	23	25
20-34	103	6.2	18	2	2	5	8	13	15	20
35-49	160	7.2	29	2	2	6	9	13	18	26
50-64	109	7.8	37	2	2	7	10	15	21	31
65+	82	8.3	36	1	2	7	11	16	21	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1346	3.7	13	1	2	3	4	6	8	13
20-34	3406	4.7	10	1	2	4	6	8	11	17
35-49	3943	5.3	13	2	2	4	7	9	12	19
50-64	3791	5.8	16	2	2	5	7	11	14	22
65+	3460	6.9	26	2	3	6	8	12	15	26
B. *Operated*										
0-19 YRS	59	7.7	37	2	3	6	10	14	18	94
20-34	462	8.2	37	2	3	7	10	15	18	35
35-49	654	9.8	77	2	3	8	12	18	24	46
50-64	737	10.1	71	3	3	8	12	19	26	49
65+	624	10.9	74	3	4	9	13	20	26	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6399	3.8	7	1	1	3	5	7	8	13
B. *Operated*	470	7.3	30	2	2	6	9	14	19	28
2. MULTIPLE DX										
A. *Not Operated*	15946	5.5	17	2	2	4	7	10	13	21
B. *Operated*	2536	9.8	67	2	3	8	12	18	24	45
1. SINGLE DX	6869	4.0	9	1	2	3	5	7	9	16
2. MULTIPLE DX	18482	6.1	26	2	2	5	7	11	15	26
A. NOT OPERATED	22345	5.0	15	1	2	4	6	9	12	19
B. OPERATED	3006	9.4	62	2	3	8	11	17	23	43
TOTAL 0-19 YRS	2514	3.5	11	1	1	3	4	6	8	15
20-34	6085	4.6	12	1	2	4	6	8	11	18
35-49	6370	5.5	21	2	2	4	7	10	13	23
50-64	5640	6.1	25	2	2	5	7	11	15	27
65+	4742	7.2	33	2	2	6	9	13	17	30
GRAND TOTAL	**25351**	**5.6**	**22**	**2**	**2**	**4**	**7**	**10**	**14**	**24**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	451	3.3	5	1	1	3	4	5	7	12
20-34	800	3.7	6	1	2	3	4	7	8	13
35-49	664	4.1	8	1	2	3	5	7	9	16
50-64	388	4.2	8	1	2	3	5	7	9	15
65+	212	5.6	21	1	2	4	7	10	16	24
B. *Operated*										
0-19 YRS	134	4.6	7	2	2	4	6	7	9	16
20-34	62	10.2	58	1	2	9	13	20	26	37
35-49	98	9.9	66	1	3	8	13	20	26	42
50-64	78	12.3	94	2	3	11	16	21	27	61
65+	61	13.2	78	1	2	12	17	28	31	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	396	4.0	6	1	2	3	5	7	9	14
20-34	1010	4.5	8	2	2	4	6	8	10	14
35-49	1152	5.3	14	2	2	4	6	9	12	20
50-64	1078	5.8	18	2	2	5	7	11	13	20
65+	939	7.3	38	2	2	6	9	14	18	33
B. *Operated*										
0-19 YRS	49	6.6	20	2	2	6	9	11	23	99+
20-34	166	10.4	76	3	3	8	14	19	26	46
35-49	230	12.5	129	2	4	9	15	23	34	66
50-64	279	14.9	134	3	4	12	19	29	37	85
65+	287	19.2	186	4	6	16	25	37	43	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2515	4.0	8	1	2	3	5	7	9	16
B. *Operated*	433	9.2	63	2	2	7	12	19	25	37
2. MULTIPLE DX										
A. *Not Operated*	4575	5.5	19	2	2	4	7	10	13	22
B. *Operated*	1011	14.4	145	3	4	11	19	29	39	67
1. SINGLE DX	2948	4.7	20	1	2	3	5	9	13	23
2. MULTIPLE DX	5586	7.1	53	2	2	5	8	14	20	39
A. NOT OPERATED	7090	5.0	16	1	2	4	6	9	12	20
B. OPERATED	1444	12.9	126	2	3	10	17	27	35	61
TOTAL 0-19 YRS	1030	3.9	7	1	2	3	5	7	9	14
20-34	2038	4.8	18	1	2	4	6	9	12	23
35-49	2144	5.9	33	2	2	4	7	11	15	30
50-64	1823	7.1	50	2	2	5	9	14	19	37
65+	1499	9.6	89	2	2	7	11	21	28	46
GRAND TOTAL	**8534**	**6.3**	**43**	**2**	**2**	**4**	**7**	**12**	**18**	**35**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	3.6	7	1	1	3	4	6	7	18
20-34	96	3.5	3	1	1	3	4	6	6	10
35-49	21	3.5	3	1	1	3	5	6	7	8
50-64	10	6.8	24	<1	1	5	11	14	17	17
65+	3	4.3	9	1	1	5	6	7	7	7
B. *Operated*										
0-19 YRS	6102	3.8	4	2	2	3	4	6	7	11
20-34	3648	4.1	5	2	2	4	5	6	7	12
35-49	1000	4.8	13	2	3	4	6	7	9	14
50-64	495	5.6	9	2	3	5	7	9	10	17
65+	155	6.9	27	2	3	5	8	12	15	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.1	5	1	2	4	5	7	8	10
20-34	29	3.2	4	<1	1	3	4	6	8	9
35-49	11	4.2	9	<1	1	4	5	8	12	12
50-64	6	8.5	130	1	1	4	9	29	31	31
65+	5	13.0	168	2	2	9	18	35	35	35
B. *Operated*										
0-19 YRS	870	5.6	18	2	3	4	6	10	13	24
20-34	642	6.1	13	2	3	5	7	11	14	21
35-49	268	8.0	33	3	3	6	9	14	21	33
50-64	191	8.9	31	3	4	7	11	16	19	31
65+	144	12.3	130	4	5	9	14	21	31	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	3.7	6	1	1	3	5	6	7	13
B. *Operated*	11400	4.1	6	2	2	4	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	78	4.7	28	1	1	3	5	9	11	34
B. *Operated*	2115	6.8	30	2	3	5	8	12	16	27
1. SINGLE DX	11634	4.1	6	2	2	4	5	6	8	12
2. MULTIPLE DX	2193	6.7	31	2	3	5	8	12	16	28
A. NOT OPERATED	312	3.9	12	1	1	3	5	6	8	20
B. OPERATED	13515	4.5	11	2	2	4	5	7	9	17
TOTAL 0-19 YRS	7103	4.0	6	2	2	4	5	6	7	13
20-34	4415	4.4	7	2	2	4	5	7	8	14
35-49	1300	5.5	19	2	3	5	6	9	11	22
50-64	702	6.5	18	2	3	5	8	11	15	22
65+	307	9.5	84	3	4	7	10	17	22	50
GRAND TOTAL	**13827**	**4.5**	**11**	**2**	**2**	**4**	**5**	**7**	**9**	**17**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	6.6	15	2	3	6	8	11	14	21
20-34	20	7.4	12	2	3	7	10	12	13	14
35-49	15	6.6	21	1	2	6	8	12	18	20
50-64	12	6.7	9	1	2	7	9	10	10	10
65+	6	9.8	116	<1	<1	7	12	28	30	30
B. *Operated*										
0-19 YRS	1411	7.3	22	2	3	7	9	12	15	25
20-34	756	6.8	17	2	3	6	9	12	14	22
35-49	375	8.3	21	3	4	8	10	14	17	25
50-64	336	9.9	26	4	5	9	13	17	20	27
65+	198	11.3	31	4	6	10	14	19	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	10.3	38	3	3	9	13	20	21	21
20-34	12	8.0	34	1	2	8	10	17	20	21
35-49	9	12.3	46	2	3	11	19	21	22	22
50-64	16	10.7	52	2	4	8	14	22	25	26
65+	11	11.1	13	6	8	10	13	17	19	19
B. *Operated*										
0-19 YRS	467	12.4	81	4	5	10	15	22	28	50
20-34	290	10.9	34	4	5	10	14	20	24	30
35-49	229	13.4	61	5	6	11	16	23	28	44
50-64	271	15.2	78	6	7	13	19	26	32	48
65+	293	18.4	119	7	9	16	23	35	41	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	7.1	21	1	2	6	9	12	14	27
B. *Operated*	3076	7.8	23	2	3	7	10	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	54	10.4	37	2	3	9	13	21	22	26
B. *Operated*	1550	13.9	82	4	6	11	17	25	31	56
1. SINGLE DX	3155	7.8	23	2	3	7	10	13	16	26
2. MULTIPLE DX	1604	13.8	81	4	6	11	17	25	31	53
A. NOT OPERATED	133	8.4	30	1	3	8	10	15	21	27
B. OPERATED	4626	9.9	51	3	3	8	12	18	23	38
TOTAL 0-19 YRS	1910	8.5	41	2	3	7	10	15	20	33
20-34	1078	7.9	25	2	3	7	10	14	18	27
35-49	628	10.2	42	3	4	9	13	18	22	33
50-64	635	12.1	56	4	5	10	15	22	26	42
65+	508	15.4	94	5	7	13	19	28	35	60
GRAND TOTAL	**4759**	**9.8**	**51**	**3**	**3**	**8**	**12**	**18**	**23**	**37**

199: Disease of Appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	2.4	7	1	1	2	3	4	5	12
20-34	104	2.5	3	<1	1	2	3	5	6	9
35-49	24	3.8	9	1	1	3	5	8	11	12
50-64	18	4.4	26	1	1	3	5	8	17	23
65+	8	3.1	1	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	924	4.1	9	2	2	4	5	6	8	12
20-34	584	4.7	7	2	3	4	5	7	9	14
35-49	134	5.6	8	3	3	5	7	9	11	16
50-64	61	8.1	143	2	3	6	8	13	15	87
65+	33	7.0	8	3	4	6	9	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	3.1	12	1	1	2	4	5	6	23
20-34	49	3.4	7	1	1	3	4	7	8	15
35-49	19	3.6	4	1	1	3	5	7	8	8
50-64	13	5.2	28	2	2	4	5	9	20	22
65+	11	8.4	24	1	2	8	[illegible]	15	16	16
B. *Operated*										
0-19 YRS	356	5.3	9	2	3	5	7	9	11	16
20-34	295	6.3	14	3	3	5	7	10	14	20
35-49	93	7.8	18	3	4	7	10	13	16	21
50-64	68	12.4	106	3	4	9	16	23	36	53
65+	47	11.3	41	4	5	10	13	17	27	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	303	2.7	7	1	1	2	3	5	6	12
B. *Operated*	1736	4.6	13	2	2	4	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	164	3.8	13	1	1	3	4	7	11	22
B. *Operated*	859	6.8	25	3	3	5	8	12	16	28
1. SINGLE DX	2039	4.3	13	1	2	4	5	7	9	14
2. MULTIPLE DX	1023	6.3	25	2	2	5	8	12	15	25
A. NOT OPERATED	467	3.1	9	1	1	2	4	6	8	20
B. OPERATED	2595	5.3	18	2	2	4	6	9	12	20
TOTAL 0-19 YRS	1501	4.2	9	1	2	4	5	7	9	14
20-34	1032	4.9	10	1	2	4	6	8	10	16
35-49	270	6.0	13	2	3	5	7	11	13	19
50-64	160	9.3	112	2	2	6	11	18	23	53
65+	99	8.9	31	2	3	8	11	15	17	31
GRAND TOTAL	**3062**	**5.0**	**18**	**1**	**2**	**4**	**6**	**9**	**11**	**20**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	1.6	1	<1	<1	1	2	3	5	6
20-34	34	3.4	18	<1	<1	2	4	8	11	22
35-49	26	3.3	7	<1	<1	2	5	8	9	11
50-64	34	3.2	5	<1	<1	3	4	6	8	11
65+	61	4.0	9	<1	1	3	6	9	10	11
B. *Operated*										
0-19 YRS	5398	2.4	6	1	1	2	3	4	5	7
20-34	4411	4.2	4	2	3	4	5	6	7	10
35-49	4218	4.6	5	2	3	4	5	7	8	11
50-64	5861	5.0	6	3	3	5	6	7	8	12
65+	4140	5.7	8	3	3	5	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	212	1.7	3	<1	<1	1	2	3	4	11
20-34	42	2.3	3	<1	<1	2	3	4	6	9
35-49	58	4.0	13	<1	1	3	5	8	14	15
50-64	88	4.9	15	1	1	4	7	10	12	18
65+	194	5.4	28	1	1	4	6	11	16	30
B. *Operated*										
0-19 YRS	2889	2.5	3	<1	1	2	3	4	5	9
20-34	1331	5.1	21	2	3	4	6	8	9	18
35-49	2006	5.8	17	3	3	5	7	9	11	19
50-64	3573	6.5	15	3	3	6	8	10	13	22
65+	3931	7.9	26	3	4	7	9	13	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	224	3.0	8	<1	<1	2	4	7	9	11
B. *Operated*	24028	4.3	7	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	594	3.7	17	<1	<1	2	4	8	11	20
B. *Operated*	13730	5.8	20	1	2	5	7	10	13	23
1. SINGLE DX	24252	4.3	7	1	2	4	5	7	8	12
2. MULTIPLE DX	14324	5.7	20	1	2	5	7	10	13	22
A. NOT OPERATED	818	3.5	15	<1	<1	2	4	8	11	19
B. OPERATED	37758	4.9	12	1	2	4	6	8	10	17
TOTAL 0-19 YRS	8568	2.4	5	1	1	2	3	4	5	8
20-34	5818	4.4	8	2	3	4	5	6	8	12
35-49	6308	5.0	9	2	3	4	6	7	9	15
50-64	9556	5.6	10	3	3	5	6	8	10	17
65+	8326	6.7	18	3	3	6	8	11	14	23
GRAND TOTAL	**38576**	**4.8**	**12**	**1**	**2**	**4**	**6**	**8**	**10**	**17**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.5		1	1	1	2	2	2	2
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	3.0	11	1	1	2	5	8	8	8
65+	18	2.6	4	<1	<1	2	4	6	7	7
B. *Operated*										
0-19 YRS	302	2.5	2	1	1	2	3	4	5	8
20-34	144	4.4	3	2	2	4	5	7	8	9
35-49	116	5.2	8	2	3	5	6	8	10	18
50-64	198	5.6	6	3	3	5	7	9	11	14
65+	333	7.0	13	3	3	6	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.0	2	<1	<1	1	3	4	4	4
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	5	7.4	38	1	1	5	14	14	14	14
50-64	7	4.0	19	1	1	2	5	12	13	13
65+	38	7.6	50	1	2	5	10	16	24	34
B. *Operated*										
0-19 YRS	151	3.3	5	1	1	3	4	6	8	11
20-34	46	5.4	14	2	3	4	5	9	13	21
35-49	57	7.4	31	3	3	6	8	11	21	32
50-64	160	9.1	46	3	3	7	11	16	22	38
65+	453	10.7	59	4	5	9	13	19	25	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.4	4	<1	<1	2	3	6	7	8
B. *Operated*	1093	5.0	10	1	2	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	62	6.1	40	1	1	4	8	14	17	33
B. *Operated*	867	8.6	51	2	3	7	11	16	21	40
1. SINGLE DX	1124	4.9	10	1	2	4	6	9	10	15
2. MULTIPLE DX	929	8.5	50	1	2	7	10	16	21	38
A. NOT OPERATED	93	4.9	31	<1	1	3	6	12	15	31
B. OPERATED	1960	6.6	31	1	2	5	8	12	16	31
TOTAL 0-19 YRS	468	2.7	3	1	1	2	3	5	6	10
20-34	195	4.6	6	2	2	4	5	7	8	15
35-49	179	5.9	17	2	3	5	7	9	14	24
50-64	369	7.1	27	2	3	6	8	13	16	30
65+	842	8.9	43	3	4	7	10	15	20	37
GRAND TOTAL	**2053**	**6.5**	**31**	**1**	**2**	**5**	**8**	**12**	**16**	**31**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.4	1	<1	<1	1	2	3	3	3
20-34	6	2.3	4	1	1	1	5	5	5	5
35-49	9	4.2	8	1	1	3	5	9	10	10
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	9.5	1	9	9	9	10	10	10	10
B. *Operated*										
0-19 YRS	1477	2.4	7	1	1	2	3	4	4	6
20-34	369	3.8	4	2	2	3	4	6	7	9
35-49	334	4.2	5	2	2	4	5	7	8	13
50-64	225	4.9	7	2	2	4	7	8	9	14
65+	109	5.8	9	2	3	5	7	10	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	1.8	3	<1	<1	1	2	3	5	9
20-34	19	3.5	8	<1	1	2	5	8	10	10
35-49	10	3.3	2	1	1	3	4	5	5	5
50-64	24	5.8	55	<1	<1	4	6	9	20	38
65+	19	7.2	49	1	2	5	7	20	26	26
B. *Operated*										
0-19 YRS	331	3.1	5	1	2	2	4	5	8	11
20-34	209	5.4	11	2	2	5	7	8	10	15
35-49	246	5.6	10	2	3	5	7	10	11	18
50-64	276	7.5	25	3	3	6	9	12	17	28
65+	174	9.1	40	3	4	7	11	14	21	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.1	8	<1	<1	2	4	8	10	10
B. *Operated*	2514	3.2	7	1	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	137	3.6	22	<1	<1	2	5	7	9	28
B. *Operated*	1236	5.8	20	2	2	5	7	11	13	27
1. SINGLE DX	2545	3.2	7	1	2	2	4	6	7	10
2. MULTIPLE DX	1373	5.6	21	1	2	5	7	10	13	27
A. NOT OPERATED	168	3.5	20	<1	<1	2	5	7	9	26
B. OPERATED	3750	4.1	13	1	2	3	5	8	10	18
TOTAL 0-19 YRS	1886	2.5	7	1	1	2	3	4	5	8
20-34	603	4.3	7	2	2	4	5	7	8	13
35-49	599	4.8	7	2	2	4	6	8	10	15
50-64	526	6.3	20	2	3	5	8	10	13	25
65+	304	7.8	31	3	3	7	9	13	18	32
GRAND TOTAL	**3918**	**4.1**	**13**	**1**	**2**	**3**	**5**	**8**	**10**	**18**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	1	1	1	1	3	3	3	3
20-34	18	3.1	8	<1	<1	2	4	6	10	12
35-49	17	2.8	3	<1	1	3	4	5	6	6
50-64	20	3.4	5	<1	<1	3	5	7	7	8
65+	26	3.6	4	1	1	3	5	7	7	8
B. *Operated*										
0-19 YRS	209	2.6	2	1	1	2	3	5	6	8
20-34	469	4.8	8	2	2	4	6	8	9	17
35-49	810	6.1	10	2	3	5	8	10	11	19
50-64	932	6.9	13	3	3	6	9	11	13	19
65+	590	7.6	14	3	4	7	9	12	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	6	1	1	1	5	6	6	6
20-34	20	4.3	19	<1	<1	3	5	12	14	16
35-49	40	4.6	10	1	1	4	6	9	10	15
50-64	83	5.6	17	1	1	4	8	12	13	19
65+	118	6.0	17	2	2	5	8	11	15	19
B. *Operated*										
0-19 YRS	54	3.3	10	1	1	2	4	6	7	21
20-34	298	6.5	16	2	3	6	8	10	12	26
35-49	630	8.1	31	3	3	7	10	14	18	31
50-64	906	9.9	47	3	4	8	12	17	21	33
65+	771	11.1	54	4	5	9	13	19	24	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	3.2	5	<1	1	3	5	6	7	11
B. *Operated*	3010	6.2	13	2	3	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	268	5.4	16	1	1	4	7	11	15	18
B. *Operated*	2659	9.3	44	3	4	8	11	16	20	35
1. SINGLE DX	3096	6.1	13	2	2	6	8	10	12	18
2. MULTIPLE DX	2927	9.0	43	2	3	8	11	15	20	33
A. NOT OPERATED	354	4.9	14	1	1	4	6	10	13	18
B. OPERATED	5669	7.7	30	2	3	7	9	13	17	28
TOTAL 0-19 YRS	275	2.7	4	1	1	2	3	5	6	9
20-34	805	5.4	12	2	2	5	7	9	11	21
35-49	1497	6.9	20	2	3	6	8	11	15	24
50-64	1941	8.2	32	3	4	7	10	13	17	28
65+	1505	9.2	39	3	4	8	11	15	19	34
GRAND TOTAL	**6023**	**7.5**	**29**	**2**	**3**	**6**	**9**	**13**	**16**	**28**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.9	3	1	1	3	4	5	7	7
20-34	183	3.9	9	1	2	3	5	6	8	16
35-49	501	4.1	7	2	2	3	5	7	9	12
50-64	631	4.1	7	1	2	3	5	7	8	14
65+	410	4.5	8	2	2	4	6	8	10	16
B. *Operated*										
0-19 YRS	11	4.5	15	1	1	3	5	10	15	15
20-34	64	7.5	21	2	3	6	10	15	17	19
35-49	127	8.3	24	2	2	8	10	15	17	26
50-64	136	9.1	24	2	3	9	12	15	18	24
65+	66	14.1	123	3	5	11	16	25	30	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	5.2	16	<1	1	4	7	11	15	18
20-34	620	4.6	11	1	2	4	6	8	10	15
35-49	1987	5.0	10	2	2	4	6	9	11	16
50-64	3097	5.4	16	2	2	4	7	9	12	19
65+	3667	6.2	18	2	3	5	8	11	14	22
B. *Operated*										
0-19 YRS	20	12.9	503	1	2	6	9	31	73	98
20-34	248	9.7	40	3	3	9	12	18	21	31
35-49	752	10.0	46	2	3	9	12	17	22	38
50-64	1029	10.4	49	2	3	9	13	18	23	38
65+	782	11.0	67	2	3	9	15	21	26	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1736	4.2	7	1	2	3	5	7	9	14
B. *Operated*	404	9.3	44	2	3	9	11	16	21	29
2. MULTIPLE DX										
A. *Not Operated*	9409	5.6	16	2	2	5	7	10	12	20
B. *Operated*	2831	10.4	56	2	3	9	13	19	23	38
1. SINGLE DX	2140	5.1	18	2	2	4	6	10	13	22
2. MULTIPLE DX	12240	6.7	29	2	2	5	8	13	16	27
A. NOT OPERATED	11145	5.4	15	2	2	4	7	9	12	19
B. OPERATED	3235	10.3	54	2	3	9	13	18	23	38
TOTAL 0-19 YRS	80	6.7	144	1	1	4	7	11	16	83
20-34	1115	5.8	22	1	2	4	8	11	14	25
35-49	3367	6.1	23	2	2	5	8	11	15	23
50-64	4893	6.4	27	2	2	5	8	12	16	25
65+	4925	7.0	31	2	3	5	9	13	17	28
GRAND TOTAL	**14380**	**6.5**	**28**	**2**	**2**	**5**	**8**	**12**	**16**	**26**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	4.9	10	3	3	4	4	10	12	12
35-49	13	5.6	13	1	2	5	7	11	13	14
50-64	10	4.0	5	1	1	4	6	7	7	7
65+	9	4.9	22	<1	<1	3	7	12	15	15
B. *Operated*										
0-19 YRS	39	3.6	10	1	1	3	4	7	12	16
20-34	85	4.4	3	2	3	4	5	7	8	10
35-49	145	5.1	7	2	3	4	6	8	9	14
50-64	192	5.8	9	3	3	5	7	9	12	17
65+	141	6.5	11	3	3	6	7	10	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	16	1	1	4	8	9	9	9
20-34	4	6.3	14	3	3	6	9	10	10	10
35-49	18	5.2	16	1	2	4	6	12	14	16
50-64	28	6.3	13	2	2	5	8	13	13	15
65+	35	7.1	40	1	1	5	8	13	22	31
B. *Operated*										
0-19 YRS	23	5.1	40	1	1	3	6	8	17	32
20-34	53	6.6	26	2	3	5	7	12	14	31
35-49	106	7.7	43	3	3	6	8	13	18	39
50-64	128	8.4	24	4	4	7	10	14	19	27
65+	180	9.4	70	3	4	7	11	17	25	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	4.8	12	1	1	4	7	9	13	15
B. *Operated*	602	5.5	9	2	3	5	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	88	6.3	24	1	2	5	8	12	15	29
B. *Operated*	490	8.3	47	3	3	7	10	14	21	32
1. SINGLE DX	642	5.4	9	2	3	5	7	9	11	17
2. MULTIPLE DX	578	8.0	44	2	3	6	9	13	20	32
A. NOT OPERATED	128	5.8	21	1	1	5	7	12	14	26
B. OPERATED	1092	6.7	28	2	3	5	8	11	15	27
TOTAL 0-19 YRS	66	4.2	20	1	1	3	5	8	11	29
20-34	149	5.2	13	2	3	4	6	9	10	24
35-49	282	6.1	23	2	3	5	7	10	13	27
50-64	358	6.7	16	3	3	6	8	11	14	22
65+	365	7.9	45	2	3	6	9	13	19	31
GRAND TOTAL	**1220**	**6.6**	**27**	**2**	**3**	**5**	**8**	**11**	**15**	**27**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	4	2.5	4	1	1	2	4	5	5	5
35-49	9	2.7	2	<1	<1	3	4	5	5	5
50-64	33	4.1	5	<1	1	4	6	7	8	9
65+	29	4.5	7	1	1	4	6	9	10	11
B. *Operated*										
0-19 YRS	79	3.0	6	1	1	2	4	5	7	14
20-34	133	4.7	8	2	2	4	6	8	9	17
35-49	193	6.0	14	2	3	5	7	11	14	19
50-64	272	7.3	24	2	3	6	9	12	17	29
65+	329	9.4	33	3	4	8	11	17	19	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.0	140	1	1	2	5	28	31	31
20-34	4	4.0	1	3	3	4	5	5	5	5
35-49	42	6.0	37	1	2	4	6	9	19	33
50-64	70	5.7	17	1	2	5	7	10	14	25
65+	139	7.4	29	2	3	6	9	14	17	28
B. *Operated*										
0-19 YRS	20	5.2	13	2	2	4	6	9	13	17
20-34	96	9.0	55	2	3	7	11	17	25	40
35-49	200	10.4	72	3	4	8	12	18	26	51
50-64	356	11.7	78	3	4	9	14	22	27	55
65+	542	12.8	77	4	5	11	15	22	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	3.9	6	<1	1	3	5	7	9	11
B. *Operated*	1006	7.0	26	2	2	6	9	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	261	6.7	29	2	2	5	8	13	17	31
B. *Operated*	1214	11.7	76	3	4	9	14	22	27	49
1. SINGLE DX	1083	6.8	25	2	2	6	9	12	16	27
2. MULTIPLE DX	1475	10.8	71	3	3	8	13	20	26	46
A. NOT OPERATED	338	6.1	25	1	2	5	8	10	16	28
B. OPERATED	2220	9.6	58	2	3	8	12	18	24	40
TOTAL 0-19 YRS	107	3.6	15	1	1	2	4	6	10	23
20-34	237	6.4	31	2	2	5	8	12	17	30
35-49	444	7.9	47	2	3	6	9	15	19	34
50-64	731	9.2	56	2	3	7	11	17	24	36
65+	1039	10.8	60	3	4	9	13	19	25	39
GRAND TOTAL	**2558**	**9.1**	**55**	**2**	**3**	**7**	**11**	**17**	**23**	**38**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	3.3	9	1	1	3	4	6	8	20
20-34	304	4.9	12	1	2	4	6	9	11	21
35-49	427	5.3	10	2	2	5	7	10	12	15
50-64	560	5.6	14	1	2	5	7	10	13	18
65+	680	6.7	25	2	2	6	8	12	15	30
B. *Operated*										
0-19 YRS	173	7.4	16	2	3	7	10	12	16	21
20-34	254	10.2	31	4	5	9	12	16	23	33
35-49	357	11.4	51	5	6	10	13	18	20	38
50-64	407	13.4	71	5	6	11	16	23	29	47
65+	465	14.3	56	7	8	13	16	24	27	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	4.4	9	1	1	4	7	8	10	14
20-34	206	6.1	37	1	2	4	8	11	13	25
35-49	412	6.7	18	2	2	6	8	12	14	23
50-64	748	7.2	22	2	3	6	9	13	16	27
65+	1669	9.1	55	2	3	7	11	17	23	42
B. *Operated*										
0-19 YRS	145	9.8	48	3	4	8	12	16	21	99+
20-34	338	13.9	112	6	7	11	16	24	34	66
35-49	500	15.5	105	6	7	13	18	28	38	60
50-64	825	17.7	151	6	8	14	22	32	41	70
65+	1428	19.6	158	7	9	16	23	35	46	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2095	5.7	17	1	2	5	7	10	13	21
B. *Operated*	1656	12.1	55	4	6	10	15	20	26	40
2. MULTIPLE DX										
A. *Not Operated*	3097	8.0	42	2	3	6	10	15	20	35
B. *Operated*	3236	17.5	145	6	7	14	21	31	43	69
1. SINGLE DX	3751	8.5	44	2	2	7	11	16	21	34
2. MULTIPLE DX	6333	12.9	117	3	4	10	16	25	34	59
A. NOT OPERATED	5192	7.1	33	2	2	6	9	13	17	30
B. OPERATED	4892	15.7	121	5	7	13	19	28	38	65
TOTAL 0-19 YRS	504	6.7	29	1	2	6	9	12	16	31
20-34	1102	9.1	66	2	3	7	11	16	23	47
35-49	1696	9.9	66	2	3	8	12	18	24	47
50-64	2540	11.3	96	2	3	9	14	22	29	58
65+	4242	12.8	113	3	3	10	16	25	32	56
GRAND TOTAL	**10084**	**11.2**	**94**	**2**	**3**	**9**	**14**	**22**	**29**	**53**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7896	3.3	7	1	1	3	4	6	7	11
20-34	3840	3.3	10	1	1	3	4	6	7	11
35-49	1955	3.7	8	1	1	3	5	7	8	12
50-64	1559	4.2	9	1	1	3	5	8	10	16
65+	1283	4.6	12	1	2	4	6	8	11	17
B. *Operated*										
0-19 YRS	261	4.0	11	1	1	3	5	7	8	16
20-34	244	5.4	20	2	2	4	6	9	12	25
35-49	118	6.1	25	2	2	5	7	11	17	30
50-64	92	6.8	27	2	2	5	9	12	16	29
65+	58	8.9	84	2	2	6	11	20	24	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8824	4.2	10	1	2	3	5	7	9	16
20-34	3563	4.1	9	1	2	3	5	7	9	15
35-49	2790	5.1	11	2	2	4	6	9	11	18
50-64	3592	5.8	17	2	2	5	7	10	13	22
65+	5840	7.2	32	2	3	6	9	13	17	29
B. *Operated*										
0-19 YRS	394	5.9	48	1	2	4	7	10	14	44
20-34	318	7.8	37	2	2	6	10	14	18	28
35-49	302	9.3	57	2	3	8	11	17	21	38
50-64	407	11.0	81	3	3	8	14	21	26	59
65+	568	12.2	81	3	4	10	15	22	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16533	3.5	9	1	1	3	4	6	8	13
B. *Operated*	773	5.4	25	1	2	4	6	10	14	28
2. MULTIPLE DX										
A. *Not Operated*	24609	5.2	18	1	2	4	6	10	13	22
B. *Operated*	1989	9.6	69	2	3	7	12	19	24	48
1. SINGLE DX	17306	3.6	10	1	1	3	4	6	8	14
2. MULTIPLE DX	26598	5.5	23	2	2	4	7	10	14	25
A. NOT OPERATED	41142	4.5	15	1	2	4	6	8	11	19
B. OPERATED	2762	8.4	60	2	2	6	10	17	22	44
TOTAL 0-19 YRS	17375	3.8	10	1	1	3	5	7	8	15
20-34	7965	3.9	12	1	1	3	5	7	9	16
35-49	5165	4.9	15	1	2	4	6	9	11	18
50-64	5650	5.7	22	1	2	5	7	11	14	24
65+	7749	7.2	36	2	2	6	9	14	18	31
GRAND TOTAL	**43904**	**4.8**	**19**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.9	2	1	1	2	4	5	5	5
20-34	99	4.7	9	1	2	4	6	9	12	15
35-49	690	4.8	8	2	2	4	6	8	10	15
50-64	1384	5.2	12	1	2	4	7	9	11	18
65+	1831	5.5	19	1	2	5	7	10	12	19
B. *Operated*										
0-19 YRS	6	5.2	13	2	2	4	6	11	12	12
20-34	43	8.5	18	2	4	8	10	13	18	22
35-49	165	10.8	28	4	4	10	13	18	20	28
50-64	389	12.6	37	4	6	12	15	19	22	34
65+	320	14.1	76	3	5	12	17	24	31	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	5.8	11	2	3	5	7	9	14	16
20-34	88	5.2	11	2	2	4	6	9	10	20
35-49	809	5.4	11	2	2	5	7	9	12	18
50-64	2864	6.0	17	2	2	5	7	11	14	23
65+	7092	7.2	30	2	3	6	9	13	16	29
B. *Operated*										
0-19 YRS	5	23.2	1178	<1	<1	8	36	83	83	83
20-34	48	17.0	354	4	5	11	15	36	54	98
35-49	396	13.8	81	4	5	12	16	24	31	51
50-64	1093	14.2	96	3	5	12	17	26	34	55
65+	1753	16.2	139	4	5	13	21	31	40	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4011	5.3	14	1	2	4	7	9	11	17
B. *Operated*	923	12.6	50	4	5	12	16	20	25	40
2. MULTIPLE DX										
A. *Not Operated*	10869	6.7	25	2	3	5	8	12	15	26
B. *Operated*	3295	15.2	123	3	5	13	19	28	37	58
1. SINGLE DX	4934	6.6	29	2	2	5	8	13	16	27
2. MULTIPLE DX	14164	8.7	61	2	3	7	11	17	23	42
A. NOT OPERATED	14880	6.3	23	2	2	5	8	11	14	24
B. OPERATED	4218	14.7	108	3	5	12	18	27	35	55
TOTAL 0-19 YRS	34	7.6	195	1	2	5	7	12	20	83
20-34	278	7.6	90	1	2	5	9	13	17	48
35-49	2060	7.3	37	2	2	5	9	14	18	31
50-64	5730	7.8	45	2	2	6	10	15	20	36
65+	10996	8.5	60	2	3	6	10	17	23	42
GRAND TOTAL	**19098**	**8.2**	**54**	**2**	**2**	**6**	**10**	**16**	**21**	**39**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	3.1	2	1	1	3	4	5	6	8
20-34	115	2.9	4	<1	1	2	4	5	7	12
35-49	71	3.8	5	1	1	3	5	7	8	11
50-64	41	4.6	11	1	1	4	6	10	12	14
65+	22	6.0	14	1	1	5	8	12	14	15
B. *Operated*										
0-19 YRS	308	3.7	8	1	1	3	4	6	8	13
20-34	1776	4.1	14	1	2	4	5	6	8	13
35-49	1442	4.3	7	2	2	4	5	7	8	14
50-64	757	4.6	10	2	2	4	5	8	9	19
65+	252	5.8	23	2	2	4	7	9	13	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	3.2	4	1	1	3	4	5	7	10
20-34	106	5.3	18	1	1	4	7	10	15	21
35-49	125	5.9	63	1	2	4	7	10	13	39
50-64	113	5.3	11	1	2	4	7	9	11	16
65+	109	8.6	71	2	2	6	10	19	25	48
B. *Operated*										
0-19 YRS	123	4.9	20	1	2	4	5	8	11	33
20-34	1277	5.0	9	2	3	4	6	8	10	17
35-49	1425	5.4	12	2	3	5	6	9	11	20
50-64	1119	6.2	34	2	3	5	7	11	14	23
65+	522	8.6	61	3	3	6	10	15	22	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	308	3.6	6	1	1	3	4	6	9	13
B. *Operated*	4535	4.3	12	2	2	4	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	499	5.9	40	1	2	4	7	11	16	29
B. *Operated*	4466	5.8	24	2	3	5	7	10	13	25
1. SINGLE DX	4843	4.2	11	1	2	4	5	7	9	15
2. MULTIPLE DX	4965	5.8	26	2	3	5	7	10	13	25
A. NOT OPERATED	807	5.0	29	1	1	4	6	9	13	23
B. OPERATED	9001	5.1	18	2	2	4	6	8	11	21
TOTAL 0-19 YRS	536	3.9	10	1	1	3	5	7	9	13
20-34	3274	4.4	12	2	2	4	5	7	9	16
35-49	3063	4.8	12	2	2	4	6	8	10	19
50-64	2030	5.5	24	2	2	4	6	9	12	22
65+	905	7.7	52	2	3	6	9	14	20	39
GRAND TOTAL	**9808**	**5.1**	**19**	**2**	**2**	**4**	**6**	**9**	**11**	**21**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1205	3.5	9	1	1	3	4	7	9	15
20-34	2520	4.5	10	1	2	4	6	8	11	17
35-49	1860	4.7	14	1	2	4	6	9	11	18
50-64	1293	4.7	15	1	2	4	6	9	11	20
65+	1056	5.4	22	1	2	4	7	11	14	23
B. *Operated*										
0-19 YRS	436	5.5	30	1	1	4	7	11	14	33
20-34	898	7.8	54	1	2	6	10	15	21	36
35-49	723	8.3	59	1	2	6	11	17	23	40
50-64	687	9.0	68	2	2	7	13	18	23	47
65+	567	9.7	94	2	2	7	12	19	27	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	932	4.5	17	1	1	3	5	8	10	21
20-34	2652	5.2	18	2	2	4	6	10	12	23
35-49	2942	5.7	19	2	2	4	7	11	14	21
50-64	3215	6.0	27	2	2	5	7	11	14	26
65+	4731	7.0	35	2	2	5	9	13	17	33
B. *Operated*										
0-19 YRS	393	8.9	100	1	2	6	10	20	32	63
20-34	1594	10.2	98	2	3	7	12	20	28	57
35-49	1661	10.6	109	3	3	8	12	20	29	63
50-64	1803	11.5	119	2	3	8	14	24	32	63
65+	1964	14.3	148	3	4	11	17	29	41	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7934	4.6	14	1	2	4	6	9	11	19
B. *Operated*	3311	8.2	63	1	2	6	11	16	22	40
2. MULTIPLE DX										
A. *Not Operated*	14472	6.0	26	2	2	5	7	11	15	27
B. *Operated*	7415	11.6	122	2	3	8	14	24	34	64
1. SINGLE DX	11245	5.6	31	1	2	4	7	11	15	28
2. MULTIPLE DX	21887	7.9	66	2	2	5	9	16	22	45
A. NOT OPERATED	22406	5.5	22	1	2	4	7	10	14	25
B. OPERATED	10726	10.6	106	2	3	8	13	21	30	58
TOTAL 0-19 YRS	2966	4.8	30	1	1	3	6	9	13	32
20-34	7664	6.3	41	1	2	4	7	12	17	34
35-49	7186	6.8	48	2	2	5	8	13	18	37
50-64	6998	7.5	59	2	2	5	9	15	20	42
65+	8318	8.7	75	2	2	6	11	17	24	48
GRAND TOTAL	**33132**	**7.1**	**55**	**1**	**2**	**5**	**9**	**14**	**20**	**40**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	41	8.6	61	1	2	6	10	17	29	36
35-49	140	8.6	67	2	2	6	10	16	26	42
50-64	121	11.6	112	2	3	9	14	22	30	56
65+	52	10.3	95	2	4	7	11	23	28	59
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	14	17.7	526	2	3	9	21	40	77	88
35-49	43	9.7	50	2	2	7	15	20	25	27
50-64	39	8.4	39	1	2	6	13	17	21	25
65+	8	10.6	38	3	4	8	16	19	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	13.0	94	3	3	11	20	27	28	28
20-34	170	10.2	75	2	3	8	14	21	28	63
35-49	695	12.5	114	3	4	9	16	25	35	53
50-64	854	12.6	107	3	4	10	16	26	32	55
65+	325	13.1	103	3	4	10	16	27	33	49
B. *Operated*										
0-19 YRS	1	30.0		30	30	30	30	30	30	30
20-34	52	17.7	168	2	5	14	23	36	43	69
35-49	215	16.7	165	4	6	13	23	32	42	82
50-64	292	16.2	119	3	5	14	21	30	39	52
65+	96	17.8	164	5	6	15	22	35	44	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	9.8	87	2	3	7	12	21	28	48
B. *Operated*	105	10.3	112	2	2	7	15	20	25	59
2. MULTIPLE DX										
A. *Not Operated*	2050	12.4	106	3	4	9	16	25	33	54
B. *Operated*	656	16.8	144	4	5	14	22	32	41	62
1. SINGLE DX	461	9.9	92	2	3	7	12	20	27	48
2. MULTIPLE DX	2706	13.5	119	3	4	10	17	27	35	55
A. NOT OPERATED	2406	12.0	104	3	3	9	15	24	32	52
B. OPERATED	761	15.9	145	3	4	13	21	31	39	61
TOTAL 0-19 YRS	10	11.8	116	1	2	7	20	29	30	30
20-34	277	11.7	122	2	3	8	15	25	34	70
35-49	1093	12.7	121	2	3	9	16	26	34	54
50-64	1306	13.2	111	3	4	11	17	27	34	54
65+	481	13.7	118	3	4	10	17	28	35	55
GRAND TOTAL	**3167**	**13.0**	**117**	**3**	**4**	**10**	**16**	**27**	**34**	**54**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	5.6	11	1	2	5	8	11	12	12
20-34	51	6.1	36	1	1	4	8	13	22	27
35-49	71	9.0	65	2	2	7	12	18	29	88
50-64	144	7.9	43	2	2	6	10	15	23	32
65+	67	8.3	42	2	2	7	11	17	18	38
B. *Operated*										
0-19 YRS	19	3.4	7	1	1	2	5	8	9	9
20-34	163	3.4	9	1	1	2	4	8	10	16
35-49	119	6.0	39	1	1	4	8	12	16	32
50-64	151	5.7	45	1	1	3	7	15	21	31
65+	86	8.6	47	1	2	7	12	18	23	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	8.6	128	1	1	5	10	19	26	57
20-34	92	7.8	52	1	2	5	10	18	24	34
35-49	330	10.4	74	2	3	8	13	19	25	48
50-64	662	10.3	54	2	3	8	13	19	24	36
65+	577	12.7	108	3	4	10	16	24	33	51
B. *Operated*										
0-19 YRS	26	8.3	51	1	2	5	16	19	22	22
20-34	130	9.2	95	2	2	6	13	20	23	52
35-49	241	10.9	90	2	2	9	14	21	29	46
50-64	449	12.4	130	2	3	10	16	24	34	60
65+	392	15.5	159	2	3	12	20	32	43	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	348	7.8	45	2	2	6	10	16	22	40
B. *Operated*	538	5.4	35	1	1	3	7	13	18	29
2. MULTIPLE DX										
A. *Not Operated*	1688	11.0	79	2	3	9	14	21	27	46
B. *Operated*	1238	12.7	131	2	2	10	17	26	36	58
1. SINGLE DX	886	6.4	40	1	1	4	9	14	19	31
2. MULTIPLE DX	2926	11.7	102	2	3	9	15	23	30	51
A. NOT OPERATED	2036	10.4	75	2	3	8	13	20	26	46
B. OPERATED	1776	10.5	113	1	2	8	14	23	31	52
TOTAL 0-19 YRS	87	6.9	61	1	1	4	9	17	20	44
[illegible]4	436	6.4	53	1	1	3	8	16	20	31
[illegible]9	761	9.8	75	2	2	8	12	19	26	46
[illegible]4	1406	10.2	81	2	2	8	13	21	25	44
6[illegible]+	1122	13.1	122	2	3	10	17	26	36	53
GRAND TOTAL	**3812**	**10.5**	**92**	**2**	**2**	**8**	**14**	**22**	**29**	**48**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	5.6	12	2	2	5	7	10	12	16
20-34	332	6.5	20	2	2	5	8	12	16	23
35-49	175	7.2	28	2	2	6	9	13	16	30
50-64	131	7.2	27	1	2	6	9	13	18	25
65+	82	8.2	38	2	2	6	12	16	21	30
B. *Operated*										
0-19 YRS	20	6.8	68	1	2	3	8	16	28	36
20-34	79	6.9	56	1	1	5	10	14	20	43
35-49	51	5.6	36	1	1	3	7	16	22	24
50-64	72	10.3	63	2	2	9	15	22	24	34
65+	42	11.7	50	1	2	12	17	21	24	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	6.9	31	2	2	6	8	14	17	33
20-34	260	7.4	27	2	2	6	9	14	18	28
35-49	284	9.1	45	3	3	7	12	19	23	33
50-64	464	10.9	100	3	3	8	13	20	29	58
65+	431	11.3	95	3	3	9	14	22	27	68
B. *Operated*										
0-19 YRS	22	13.0	128	1	2	10	13	34	40	41
20-34	84	10.2	133	2	2	6	13	20	29	68
35-49	115	14.1	150	2	3	11	17	28	47	78
50-64	196	14.4	126	2	3	12	19	30	39	64
65+	180	16.9	154	3	5	14	22	32	41	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	869	6.7	23	2	2	5	8	13	16	26
B. *Operated*	264	8.3	58	1	2	6	12	19	23	34
2. MULTIPLE DX										
A. *Not Operated*	1515	9.9	75	2	3	7	12	19	25	49
B. *Operated*	597	14.4	144	2	3	12	19	30	40	66
1. SINGLE DX	1133	7.1	32	2	2	6	9	15	18	29
2. MULTIPLE DX	2112	11.2	98	2	3	8	14	22	30	56
A. NOT OPERATED	2384	8.7	58	2	3	7	11	17	22	39
B. OPERATED	861	12.6	125	2	2	10	17	26	34	62
TOTAL 0-19 YRS	267	6.7	34	2	2	5	8	12	15	37
20-34	755	7.3	40	2	2	6	9	14	18	30
35-49	625	9.2	65	2	2	7	11	19	25	47
50-64	863	11.1	96	2	3	8	14	22	31	56
65+	735	12.4	108	2	3	10	16	23	31	63
GRAND TOTAL	**3245**	**9.8**	**79**	**2**	**2**	**7**	**12**	**20**	**26**	**47**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	3.5	4	1	2	3	4	6	7	12
20-34	453	3.1	4	1	1	3	4	5	7	9
35-49	458	3.7	6	1	2	3	5	7	9	12
50-64	473	4.2	9	1	2	3	5	8	10	14
65+	444	5.4	15	2	2	5	7	9	12	16
B. *Operated*										
0-19 YRS	401	7.4	11	3	5	7	9	11	13	17
20-34	4313	7.7	8	5	5	7	9	11	13	18
35-49	3917	8.3	11	5	5	8	9	12	14	20
50-64	3982	9.2	14	5	6	8	11	14	16	22
65+	2336	11.2	26	6	7	10	13	18	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	4.2	6	1	2	3	6	7	10	10
20-34	385	4.1	7	1	1	4	5	7	9	12
35-49	544	4.9	11	2	2	4	6	9	11	16
50-64	1146	5.7	16	2	2	5	7	10	13	23
65+	2093	7.5	28	2	3	6	9	14	17	26
B. *Operated*										
0-19 YRS	208	10.1	46	5	6	8	12	16	20	34
20-34	2594	9.6	24	5	6	8	11	15	17	27
35-49	3095	10.4	26	5	6	9	12	16	20	29
50-64	4712	12.1	45	6	6	10	14	19	24	37
65+	4950	15.2	68	7	8	13	18	25	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1901	4.1	9	1	2	3	5	7	9	14
B. *Operated*	14949	8.8	15	5	5	8	10	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	4204	6.3	22	2	2	5	8	11	15	24
B. *Operated*	15559	12.3	50	6	6	10	15	20	25	39
1. SINGLE DX	16850	8.3	16	3	4	8	10	13	15	22
2. MULTIPLE DX	19763	11.0	50	3	4	9	14	19	23	36
A. NOT OPERATED	6105	5.6	19	1	2	4	7	10	14	22
B. OPERATED	30508	10.6	36	5	6	9	12	17	21	33
TOTAL 0-19 YRS	718	7.6	24	2	3	7	9	12	14	25
20-34	7745	7.9	16	3	4	7	9	12	15	20
35-49	8014	8.6	20	3	4	8	10	14	17	24
50-64	10313	9.9	34	3	5	9	12	16	20	31
65+	9823	12.2	58	3	5	10	15	21	26	40
GRAND TOTAL	**36613**	**9.8**	**36**	**3**	**4**	**8**	**12**	**16**	**20**	**32**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	4.1	5	1	2	4	5	6	9	13
20-34	559	4.1	19	1	2	3	5	7	9	14
35-49	493	4.1	5	1	2	4	5	7	8	12
50-64	467	4.9	13	2	2	4	6	8	10	19
65+	415	6.0	26	2	2	5	7	11	14	26
B. *Operated*										
0-19 YRS	56	8.0	12	3	4	7	10	13	14	20
20-34	653	8.8	13	5	5	8	11	13	15	22
35-49	685	8.9	19	4	5	8	10	13	16	23
50-64	518	10.2	20	5	6	9	12	16	18	27
65+	359	11.9	30	6	7	11	14	19	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	4.7	19	1	2	4	5	7	8	33
20-34	457	4.7	10	1	2	4	6	9	11	17
35-49	599	5.6	19	2	2	5	7	10	12	19
50-64	872	6.4	30	2	2	5	8	11	13	24
65+	1614	8.2	35	2	3	7	10	15	19	29
B. *Operated*										
0-19 YRS	59	9.0	20	4	5	8	11	15	19	23
20-34	878	9.7	23	5	5	9	12	16	19	26
35-49	1169	11.0	40	5	6	9	13	18	23	37
50-64	1369	12.7	52	6	6	11	15	21	25	42
65+	1374	15.9	72	7	8	14	20	27	32	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2010	4.7	16	1	2	4	6	8	10	16
B. *Operated*	2271	9.6	20	5	5	9	11	15	18	26
2. MULTIPLE DX										
A. *Not Operated*	3601	6.8	29	2	2	6	9	12	16	26
B. *Operated*	4849	12.6	55	5	6	11	15	21	27	40
1. SINGLE DX	4281	7.3	24	2	2	7	9	13	16	24
2. MULTIPLE DX	8450	10.2	52	3	3	9	13	19	24	37
A. NOT OPERATED	5611	6.1	26	2	2	5	8	11	14	24
B. OPERATED	7120	11.7	46	5	6	10	14	20	24	37
TOTAL 0-19 YRS	250	6.3	18	2	2	5	8	11	14	22
20-34	2547	7.3	24	2	2	7	9	13	15	23
35-49	2946	8.3	33	2	3	7	10	14	18	31
50-64	3226	9.5	45	2	3	8	12	17	21	33
65+	3762	11.1	62	3	4	9	14	21	26	38
GRAND TOTAL	**12731**	**9.2**	**45**	**2**	**3**	**8**	**12**	**17**	**21**	**34**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.5	31	1	1	4	6	15	16	16
20-34	39	4.1	7	1	1	3	5	8	10	11
35-49	38	4.7	7	2	2	4	6	10	10	11
50-64	48	5.4	14	1	2	4	7	10	16	16
65+	80	6.8	19	2	3	6	9	11	14	26
B. *Operated*										
0-19 YRS	16	7.9	30	2	4	6	10	15	21	24
20-34	177	9.4	31	4	5	8	11	15	18	24
35-49	141	9.4	17	5	5	8	11	15	19	23
50-64	173	11.1	34	4	5	10	14	20	23	28
65+	260	13.7	47	3	5	13	17	22	25	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	2	3	3	4	5	6	6	6
20-34	31	4.5	6	1	2	4	7	8	9	9
35-49	46	6.2	30	2	3	5	7	9	10	39
50-64	107	5.7	11	2	2	5	8	10	12	17
65+	196	8.1	25	2	4	7	10	14	18	27
B. *Operated*										
0-19 YRS	9	10.7	46	5	5	9	12	22	27	27
20-34	129	11.2	50	6	6	10	12	16	23	65
35-49	132	11.8	38	6	7	11	14	17	21	47
50-64	287	15.2	85	6	7	13	18	25	32	50
65+	561	18.3	107	7	9	16	22	32	36	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	5.6	15	1	2	5	7	10	11	18
B. *Operated*	767	11.2	38	4	5	10	14	20	23	31
2. MULTIPLE DX										
A. *Not Operated*	384	6.9	21	2	3	6	8	12	15	25
B. *Operated*	1118	15.9	94	6	7	14	19	28	35	53
1. SINGLE DX	978	10.0	38	2	3	9	13	18	22	28
2. MULTIPLE DX	1502	13.6	91	3	4	11	17	25	32	50
A. NOT OPERATED	595	6.4	19	2	2	6	8	11	14	23
B. OPERATED	1885	14.0	76	5	6	12	17	24	30	47
TOTAL 0-19 YRS	35	7.8	34	1	2	6	10	15	22	27
20-34	376	9.0	39	2	3	8	11	15	18	43
35-49	357	9.4	31	3	4	9	12	15	18	26
50-64	615	11.7	67	2	3	10	15	21	27	40
65+	1097	14.5	91	3	5	13	18	26	32	48
GRAND TOTAL	**2480**	**12.2**	**73**	**3**	**4**	**10**	**15**	**22**	**28**	**45**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.6	10	2	2	4	5	10	11	11
20-34	34	5.0	13	1	2	4	6	11	12	14
35-49	53	6.1	16	2	2	5	8	10	12	26
50-64	56	6.9	22	1	2	6	9	15	16	23
65+	104	6.7	13	2	2	6	9	12	13	17
B. *Operated*										
0-19 YRS	4	7.8	133	1	1	2	14	25	25	25
20-34	24	12.9	49	2	5	12	16	25	26	29
35-49	27	14.4	53	3	6	14	19	26	30	30
50-64	37	13.1	66	3	4	13	17	20	32	38
65+	54	17.1	152	4	6	15	21	30	33	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.9	9	2	2	5	5	10	12	12
20-34	44	6.9	34	2	3	5	8	13	15	37
35-49	70	7.2	21	2	2	6	9	14	16	21
50-64	115	8.5	36	2	3	7	11	16	18	34
65+	306	9.9	49	3	4	8	12	18	25	35
B. *Operated*										
0-19 YRS	5	11.0	153	2	2	6	17	32	32	32
20-34	48	14.1	93	2	4	12	19	25	32	49
35-49	86	14.9	128	4	6	12	17	25	35	70
50-64	165	17.4	136	4	6	15	22	31	42	59
65+	272	21.3	153	8	10	18	25	39	46	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	6.3	16	2	2	5	8	11	13	18
B. *Operated*	146	14.7	96	3	4	13	18	27	30	41
2. MULTIPLE DX										
A. *Not Operated*	544	8.9	42	2	3	7	11	16	22	33
B. *Operated*	576	18.6	147	4	7	16	23	34	44	63
1. SINGLE DX	400	9.4	61	2	2	8	12	18	25	34
2. MULTIPLE DX	1120	13.9	119	3	4	11	18	27	35	54
A. NOT OPERATED	798	8.1	35	2	3	7	10	15	19	31
B. OPERATED	722	17.8	139	4	6	15	22	32	40	62
TOTAL 0-19 YRS	25	6.5	54	1	2	4	6	12	27	32
20-34	150	9.7	65	2	2	8	13	21	25	37
35-49	236	10.6	78	2	3	8	13	19	26	49
50-64	373	12.7	101	2	3	10	16	24	32	54
65+	736	14.2	125	3	4	11	18	28	38	52
GRAND TOTAL	**1520**	**12.7**	**108**	**2**	**3**	**10**	**16**	**25**	**32**	**52**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	6.1	16	2	2	6	7	11	14	22
20-34	782	6.4	18	2	3	5	8	11	13	22
35-49	903	7.2	23	2	3	6	9	13	16	26
50-64	593	7.1	19	2	3	6	9	12	15	22
65+	394	8.4	28	2	3	7	11	15	18	27
B. *Operated*										
0-19 YRS	15	11.5	46	1	3	11	15	19	26	28
20-34	56	12.1	118	2	3	10	14	22	32	65
35-49	96	13.8	178	2	3	11	16	26	37	76
50-64	89	13.5	99	2	3	11	18	28	36	44
65+	45	15.1	129	2	2	13	19	29	40	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	7.1	16	2	3	6	10	13	15	20
20-34	1060	7.9	34	3	3	7	10	14	18	28
35-49	1813	8.5	35	2	3	7	10	15	20	32
50-64	1366	8.7	31	3	4	7	11	15	19	30
65+	1206	10.4	48	3	4	9	13	18	24	33
B. *Operated*										
0-19 YRS	16	17.0	117	8	8	14	17	37	45	47
20-34	200	17.5	217	4	6	13	21	33	53	96
35-49	380	19.4	221	4	6	15	24	38	52	78
50-64	378	19.6	228	4	6	16	24	39	51	92
65+	370	21.9	237	6	8	18	28	45	54	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2774	7.1	22	2	3	6	9	12	16	25
B. *Operated*	301	13.5	129	2	3	11	17	27	35	61
2. MULTIPLE DX										
A. *Not Operated*	5531	8.8	37	3	3	7	11	16	20	31
B. *Operated*	1344	19.8	227	4	6	16	24	40	53	93
1. SINGLE DX	3075	7.7	36	2	3	6	9	14	18	31
2. MULTIPLE DX	6875	11.0	93	3	4	8	13	21	28	54
A. NOT OPERATED	8305	8.2	33	2	3	7	10	15	18	29
B. OPERATED	1645	18.7	215	4	5	15	23	38	50	89
TOTAL 0-19 YRS	219	7.7	33	2	3	6	10	14	17	31
20-34	2098	8.4	57	2	3	7	10	15	20	39
35-49	3192	9.6	72	2	3	7	11	18	25	47
50-64	2426	10.2	79	3	3	8	12	19	26	49
65+	2015	12.2	102	3	4	9	15	23	31	54
GRAND TOTAL	**9950**	**10.0**	**78**	**3**	**3**	**8**	**12**	**19**	**25**	**49**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	3.5	7	1	1	3	4	6	7	20
20-34	248	3.8	5	1	1	3	5	7	8	12
35-49	284	4.9	10	1	2	4	6	9	11	16
50-64	328	4.9	8	1	2	4	6	8	11	14
65+	502	6.1	16	1	2	5	8	11	14	21
B. *Operated*										
0-19 YRS	20	5.5	13	1	1	5	8	11	12	12
20-34	28	8.4	28	3	4	6	11	16	20	23
35-49	26	7.3	24	2	2	6	10	14	18	22
50-64	57	9.9	48	2	2	8	13	20	24	31
65+	62	10.0	52	2	2	9	12	21	26	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	218	4.2	11	1	2	3	5	8	10	16
20-34	584	5.3	21	1	2	4	6	9	12	26
35-49	882	6.3	22	2	2	5	8	12	14	29
50-64	1605	7.0	26	2	3	6	9	13	16	29
65+	3385	8.7	39	3	3	7	11	15	20	35
B. *Operated*										
0-19 YRS	26	8.7	37	2	3	8	11	18	21	27
20-34	109	9.6	39	2	3	8	13	18	22	28
35-49	192	10.3	70	2	3	8	12	20	28	53
50-64	411	12.1	93	3	4	9	15	23	32	50
65+	800	13.9	118	4	5	11	17	25	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1524	5.0	11	1	2	4	6	9	11	19
B. *Operated*	193	8.9	41	2	2	7	11	18	22	31
2. MULTIPLE DX										
A. *Not Operated*	6674	7.5	33	2	3	6	9	14	18	32
B. *Operated*	1538	12.6	101	3	4	10	16	24	31	60
1. SINGLE DX	1717	5.4	16	1	2	4	7	10	13	21
2. MULTIPLE DX	8212	8.5	49	2	3	7	10	16	21	37
A. NOT OPERATED	8198	7.1	30	2	2	6	9	13	17	30
B. OPERATED	1731	12.2	95	3	4	10	15	23	30	57
TOTAL 0-19 YRS	426	4.3	13	1	1	3	5	8	11	19
20-34	969	5.5	22	1	2	4	7	10	15	25
35-49	1384	6.6	29	2	2	5	8	12	16	31
50-64	2401	7.7	40	2	3	6	9	14	19	35
65+	4749	9.3	55	2	3	7	11	17	23	42
GRAND TOTAL	**9929**	**8.0**	**45**	**2**	**2**	**6**	**10**	**15**	**20**	**35**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	4.5	9	1	2	4	6	8	9	17
20-34	28	6.1	13	1	2	6	8	11	13	16
35-49	25	5.7	17	1	2	4	8	13	14	18
50-64	22	7.4	22	2	2	6	12	14	17	18
65+	17	8.6	53	2	3	8	9	14	27	34
B. *Operated*										
0-19 YRS	6	12.8	412	1	1	5	8	49	54	54
20-34	18	7.6	28	2	2	7	11	16	17	17
35-49	15	9.7	34	1	2	8	14	16	20	22
50-64	10	11.7	67	3	3	11	15	24	30	30
65+	11	10.5	49	2	3	10	16	20	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	6.6	39	2	2	5	8	12	15	40
20-34	33	6.2	16	2	2	5	8	11	13	21
35-49	63	8.4	45	2	3	7	10	16	20	39
50-64	72	9.3	52	2	3	7	10	18	24	36
65+	85	10.2	52	2	3	8	14	22	26	32
B. *Operated*										
0-19 YRS	13	6.4	74	1	1	4	8	15	30	33
20-34	36	12.9	68	3	4	11	17	24	28	39
35-49	40	14.8	103	4	5	12	19	24	29	60
50-64	49	11.9	78	3	4	10	15	23	32	99+
65+	37	17.7	249	5	6	14	22	29	37	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	5.7	18	1	2	4	7	11	13	18
B. *Operated*	60	9.8	73	2	2	8	14	17	23	52
2. MULTIPLE DX										
A. *Not Operated*	364	8.2	45	2	2	6	10	16	22	35
B. *Operated*	175	13.6	123	2	4	11	18	25	32	87
1. SINGLE DX	240	6.7	35	1	2	5	8	13	17	30
2. MULTIPLE DX	539	10.0	77	2	3	8	13	20	26	42
A. NOT OPERATED	544	7.4	38	2	2	6	9	15	18	34
B. OPERATED	235	12.6	113	2	3	11	17	24	30	65
TOTAL 0-19 YRS	218	5.9	39	1	2	4	7	10	13	39
20-34	115	8.5	42	2	2	7	11	17	21	33
35-49	143	9.9	65	2	3	8	13	20	23	42
50-64	153	10.0	59	2	3	8	13	18	26	51
65+	150	11.9	110	2	3	9	15	23	29	38
GRAND TOTAL	**779**	**9.0**	**66**	**2**	**2**	**7**	**11**	**18**	**24**	**39**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	163	6.8	23	2	2	6	9	13	16	24
20-34	49	5.6	20	1	2	4	7	12	16	22
35-49	35	6.5	32	2	2	5	8	10	15	32
50-64	26	5.7	17	1	2	5	7	11	16	17
65+	18	7.8	23	1	2	7	11	14	17	18
B. *Operated*										
0-19 YRS	58	4.9	15	2	2	4	6	10	14	19
20-34	51	5.4	16	2	2	4	9	10	15	18
35-49	36	6.1	20	2	2	5	8	12	15	23
50-64	27	6.1	24	1	2	5	10	14	16	19
65+	16	8.0	32	1	2	7	13	16	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	7.5	88	2	2	5	9	14	18	59
20-34	90	7.3	42	1	2	6	9	14	21	35
35-49	87	6.7	29	1	1	5	8	13	16	75
50-64	159	8.9	41	2	3	7	12	18	22	30
65+	219	11.3	84	3	4	9	15	19	26	46
B. *Operated*										
0-19 YRS	53	9.6	156	1	1	5	13	19	29	78
20-34	122	10.3	123	1	2	7	13	25	36	54
35-49	115	9.7	73	2	2	8	13	21	26	42
50-64	128	11.7	111	2	2	9	15	22	28	56
65+	112	14.8	137	3	4	12	20	26	34	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	291	6.5	23	2	2	6	8	13	16	24
B. *Operated*	188	5.7	19	2	2	4	8	12	15	19
2. MULTIPLE DX										
A. *Not Operated*	653	9.0	64	2	2	7	12	17	22	35
B. *Operated*	530	11.4	118	2	2	8	15	23	31	53
1. SINGLE DX	479	6.2	22	2	2	5	8	12	16	22
2. MULTIPLE DX	1183	10.1	90	2	2	8	13	20	27	47
A. NOT OPERATED	944	8.2	53	2	2	6	10	16	20	33
B. OPERATED	718	9.9	99	2	2	7	13	21	28	49
TOTAL 0-19 YRS	372	7.1	59	2	2	5	9	14	19	32
20-34	312	7.9	70	1	2	5	9	16	25	43
35-49	273	7.8	49	1	2	6	10	16	24	40
50-64	340	9.5	68	2	2	7	13	18	23	42
65+	365	12.0	99	3	3	10	16	22	28	54
GRAND TOTAL	**1662**	**9.0**	**73**	**2**	**2**	**7**	**12**	**18**	**24**	**41**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	5.4	14	1	2	5	7	10	12	19
20-34	20	4.8	13	1	1	4	7	9	12	15
35-49	6	5.7	9	2	2	5	8	10	10	10
50-64	5	9.0	27	2	2	12	13	14	14	14
65+	3	15.0	247	4	4	8	27	33	33	33
B. *Operated*										
0-19 YRS	17	6.6	31	2	2	4	9	13	20	24
20-34	10	4.3	14	1	1	2	8	10	12	12
35-49	6	8.5	63	2	2	6	16	20	20	20
50-64	7	7.3	41	2	2	4	11	18	19	19
65+	2	8.5	1	8	8	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	7.7	52	2	3	7	10	12	13	50
20-34	16	5.1	8	1	2	5	7	9	10	11
35-49	10	7.6	15	1	2	8	9	12	15	15
50-64	14	7.0	30	<1	2	6	7	17	20	21
65+	23	10.1	78	2	2	8	15	22	32	33
B. *Operated*										
0-19 YRS	13	6.5	89	1	1	3	8	16	32	36
20-34	15	9.8	33	2	2	9	14	18	19	19
35-49	12	9.3	112	1	2	5	10	28	35	36
50-64	21	12.8	42	6	6	10	17	23	24	25
65+	16	15.9	175	2	3	15	21	37	42	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	5.6	19	1	2	5	7	11	13	21
B. *Operated*	42	6.5	31	2	2	4	9	14	19	24
2. MULTIPLE DX										
A. *Not Operated*	137	7.7	47	2	2	6	9	13	17	37
B. *Operated*	77	11.2	92	2	2	8	16	24	36	42
1. SINGLE DX	204	5.8	21	1	2	5	8	12	14	22
2. MULTIPLE DX	214	9.0	66	2	2	7	10	17	24	40
A. NOT OPERATED	299	6.6	33	1	2	6	8	12	15	32
B. OPERATED	119	9.6	75	2	2	7	12	21	25	39
TOTAL 0-19 YRS	232	6.3	32	2	2	5	8	12	13	26
20-34	61	6.0	21	1	1	5	8	12	16	19
35-49	34	8.0	54	1	2	6	9	16	24	36
50-64	47	9.8	42	2	2	8	14	21	23	25
65+	44	12.5	121	2	3	8	17	33	36	44
GRAND TOTAL	**418**	**7.4**	**46**	**2**	**2**	**6**	**9**	**15**	**19**	**36**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	24	5.3	124	<1	<1	2	4	11	28	55
35-49	37	3.5	12	1	2	2	4	6	9	21
50-64	104	3.4	23	1	1	2	4	7	13	26
65+	84	8.3	155	1	1	3	11	22	27	64
B. *Operated*										
0-19 YRS	14	8.7	104	<1	1	3	14	25	32	34
20-34	43	7.2	38	1	2	4	11	16	20	26
35-49	76	7.8	96	<1	1	4	9	22	32	48
50-64	179	5.4	50	1	1	3	7	13	16	29
65+	114	5.9	60	1	1	3	6	14	19	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	3.8	12	1	1	3	5	8	14	15
20-34	106	4.6	21	<1	1	3	6	10	14	25
35-49	194	7.1	100	1	1	4	8	14	25	48
50-64	398	8.0	87	1	1	5	10	16	24	52
65+	584	10.1	74	1	2	8	13	21	30	40
B. *Operated*										
0-19 YRS	41	17.6	312	1	2	11	23	45	64	69
20-34	276	11.9	189	1	2	7	14	28	41	89
35-49	448	10.4	103	1	2	7	14	22	30	55
50-64	727	11.6	145	2	2	8	15	24	32	68
65+	539	14.7	173	2	2	11	20	32	43	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	5.2	79	1	1	2	5	13	21	57
B. *Operated*	426	6.2	62	1	1	3	7	14	22	39
2. MULTIPLE DX										
A. *Not Operated*	1314	8.4	79	1	1	6	11	18	26	43
B. *Operated*	2031	12.3	155	2	2	8	16	27	39	69
1. SINGLE DX	677	5.9	68	1	1	3	7	14	21	46
2. MULTIPLE DX	3345	10.8	129	1	2	7	14	24	33	63
A. NOT OPERATED	1565	7.9	80	1	1	5	10	17	25	45
B. OPERATED	2457	11.3	144	1	2	7	15	26	35	67
TOTAL 0-19 YRS	89	10.9	203	1	1	5	15	27	44	68
20-34	449	9.3	142	1	1	6	11	21	32	83
35-49	755	8.9	100	1	2	5	11	21	29	53
50-64	1408	9.2	115	1	1	6	12	20	28	58
65+	1321	11.5	127	1	2	8	15	27	35	59
GRAND TOTAL	**4022**	**10.0**	**122**	**1**	**2**	**7**	**13**	**22**	**32**	**59**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	28	3	3	4	9	14	14	14
20-34	9	3.0	3	<1	<1	4	4	5	5	5
35-49	10	3.6	6	<1	<1	3	6	7	7	7
50-64	34	2.9	6	<1	1	2	4	7	8	9
65+	43	7.8	54	1	1	6	12	19	26	99+
B. *Operated*										
0-19 YRS	5	7.0	13	2	2	8	9	11	11	11
20-34	9	7.6	37	<1	<1	9	11	16	18	18
35-49	14	8.7	62	2	2	6	15	19	26	28
50-64	29	6.3	45	1	1	3	8	17	21	28
65+	18	7.3	45	2	2	4	10	19	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	8.5	69	1	2	6	10	24	28	33
20-34	45	6.3	54	1	2	4	7	13	17	45
35-49	72	7.8	48	1	2	6	10	15	24	33
50-64	201	10.2	63	1	2	8	13	20	25	37
65+	610	13.3	109	2	4	11	17	25	33	50
B. *Operated*										
0-19 YRS	9	15.8	398	1	2	7	21	48	65	65
20-34	38	11.1	188	2	2	8	15	23	58	99+
35-49	86	14.5	126	2	4	11	21	30	35	53
50-64	152	17.8	243	2	4	13	23	37	55	99
65+	227	19.8	169	4	5	17	27	39	50	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	5.2	32	<1	1	3	7	13	18	68
B. *Operated*	75	7.2	44	1	2	4	11	18	21	28
2. MULTIPLE DX										
A. *Not Operated*	952	11.8	95	2	3	10	15	23	31	48
B. *Operated*	512	17.6	194	2	4	14	24	37	50	94
1. SINGLE DX	175	6.1	38	1	1	4	8	15	20	35
2. MULTIPLE DX	1464	13.8	137	2	3	11	18	29	38	57
A. NOT OPERATED	1052	11.2	93	1	2	9	15	22	31	48
B. OPERATED	587	16.3	187	2	3	13	22	33	47	88
TOTAL 0-19 YRS	42	9.7	131	1	2	6	11	23	29	65
20-34	101	7.9	104	1	1	5	11	17	23	91
35-49	182	10.8	96	1	2	8	14	24	31	49
50-64	416	12.1	145	1	2	9	17	26	35	72
65+	898	14.6	131	2	4	12	19	30	39	55
GRAND TOTAL	**1639**	**13.0**	**133**	**2**	**2**	**10**	**17**	**28**	**37**	**57**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	454	4.1	6	2	2	4	5	6	7	10
20-34	630	4.6	10	2	2	4	5	7	8	12
35-49	178	4.8	6	2	2	4	6	8	9	14
50-64	111	5.6	12	2	3	5	7	9	9	21
65+	134	6.6	17	2	3	6	8	10	14	20
B. *Operated*										
0-19 YRS	43	5.3	5	2	3	5	6	8	9	13
20-34	49	5.6	6	2	3	6	7	8	10	15
35-49	19	5.8	8	2	2	6	8	10	11	11
50-64	15	8.9	17	5	5	7	10	17	18	18
65+	12	8.4	48	1	2	6	12	18	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	359	4.9	12	2	2	4	6	8	9	17
20-34	631	5.4	10	2	2	5	6	9	11	16
35-49	317	6.7	17	3	3	6	8	11	14	22
50-64	411	7.8	27	3	3	7	9	14	16	30
65+	765	9.9	51	3	4	8	12	17	23	36
B. *Operated*										
0-19 YRS	53	6.5	27	1	2	5	8	11	13	28
20-34	155	7.5	33	2	4	6	9	12	14	54
35-49	96	10.9	61	4	4	9	14	21	26	44
50-64	120	11.2	55	4	4	9	14	20	24	46
65+	132	15.4	118	5	7	13	18	25	41	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1507	4.7	10	2	2	4	6	7	9	15
B. *Operated*	138	6.2	12	2	3	6	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	2483	7.3	31	2	3	6	9	13	17	30
B. *Operated*	556	10.7	72	3	4	8	13	20	25	50
1. SINGLE DX	1645	4.8	10	2	2	4	6	8	9	15
2. MULTIPLE DX	3039	7.9	40	2	3	6	9	14	19	35
A. NOT OPERATED	3990	6.3	24	2	3	5	7	11	15	27
B. OPERATED	694	9.8	63	3	4	7	12	18	23	49
TOTAL 0-19 YRS	909	4.6	10	2	2	4	5	7	9	14
20-34	1465	5.3	13	2	2	5	6	8	10	17
35-49	610	6.8	24	2	3	6	8	12	15	27
50-64	657	8.1	32	3	3	7	9	14	17	31
65+	1043	10.2	60	3	4	8	12	18	23	43
GRAND TOTAL	**4684**	**6.8**	**32**	**2**	**3**	**5**	**8**	**12**	**16**	**31**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	432	4.1	7	1	2	4	5	7	7	12
20-34	663	4.4	6	2	2	4	5	7	8	12
35-49	202	4.9	7	2	2	4	6	8	10	14
50-64	145	5.5	10	2	3	5	7	9	11	13
65+	140	6.5	19	2	3	5	8	12	15	26
B. *Operated*										
0-19 YRS	70	5.1	64	1	1	4	6	8	11	56
20-34	109	5.4	15	2	2	4	6	10	13	20
35-49	70	6.4	21	1	2	5	9	12	15	23
50-64	67	10.6	122	3	3	7	13	20	26	75
65+	31	7.5	31	2	2	6	10	14	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	368	4.7	29	2	2	4	5	7	9	15
20-34	693	5.2	9	2	2	5	6	9	11	16
35-49	333	7.0	29	2	3	6	8	13	17	30
50-64	455	7.6	30	2	3	6	9	13	17	35
65+	848	9.5	46	3	4	8	12	16	21	39
B. *Operated*										
0-19 YRS	131	5.9	18	1	2	5	8	11	14	19
20-34	267	8.2	50	2	2	6	10	15	21	42
35-49	229	10.6	79	2	3	8	13	23	30	46
50-64	307	11.8	65	2	3	10	16	23	28	36
65+	298	14.5	123	2	3	12	19	28	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1582	4.7	8	2	2	4	6	7	9	15
B. *Operated*	347	6.8	52	1	2	5	8	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	2697	7.1	33	2	3	6	9	13	16	30
B. *Operated*	1232	10.8	81	2	3	8	14	23	29	44
1. SINGLE DX	1929	5.1	17	2	2	4	6	8	11	20
2. MULTIPLE DX	3929	8.3	51	2	3	6	10	16	22	38
A. NOT OPERATED	4279	6.2	25	2	2	5	7	11	14	26
B. OPERATED	1579	9.9	77	2	2	8	13	20	27	43
TOTAL 0-19 YRS	1001	4.7	21	1	2	4	6	7	10	16
20-34	1732	5.4	16	2	2	4	6	9	12	22
35-49	834	7.4	41	2	2	6	9	14	21	35
50-64	974	8.8	49	2	3	7	11	17	22	35
65+	1317	10.3	66	3	3	8	13	19	26	43
GRAND TOTAL	**5858**	**7.2**	**42**	**2**	**2**	**5**	**9**	**14**	**19**	**33**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	2.8	4	1	1	2	3	5	7	12
20-34	675	2.3	3	1	1	2	3	4	6	10
35-49	736	2.6	5	1	1	2	3	5	6	12
50-64	488	2.9	4	1	1	2	4	5	7	11
65+	157	3.8	9	1	1	3	5	7	10	12
B. *Operated*										
0-19 YRS	57	6.9	11	2	2	7	9	11	12	15
20-34	431	8.4	21	2	3	8	10	13	16	25
35-49	562	8.2	19	2	2	8	10	12	16	24
50-64	529	9.2	24	2	3	9	11	14	18	22
65+	219	9.4	21	2	3	9	12	15	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	3.7	9	1	1	3	4	7	7	20
20-34	380	3.6	7	1	1	3	4	6	8	14
35-49	521	3.9	9	1	1	3	5	7	10	15
50-64	590	4.5	12	1	1	4	5	9	11	17
65+	473	5.9	18	1	2	5	8	12	15	20
B. *Operated*										
0-19 YRS	42	8.9	36	1	2	8	10	16	21	29
20-34	368	9.5	49	2	2	9	12	16	20	33
35-49	635	9.5	40	2	2	9	12	17	20	32
50-64	874	11.0	72	2	3	10	13	20	25	42
65+	655	11.8	67	2	3	10	15	21	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2166	2.7	5	1	1	2	3	5	7	12
B. *Operated*	1798	8.7	21	2	3	8	11	14	16	23
2. MULTIPLE DX										
A. *Not Operated*	2020	4.5	12	1	1	4	6	9	11	18
B. *Operated*	2574	10.6	60	2	3	9	13	19	24	40
1. SINGLE DX	3964	5.4	21	1	1	4	8	11	13	20
2. MULTIPLE DX	4594	7.9	48	1	2	6	11	16	20	34
A. NOT OPERATED	4186	3.5	9	1	1	3	4	7	9	16
B. OPERATED	4372	9.8	45	2	3	9	12	17	21	35
TOTAL 0-19 YRS	265	4.8	17	1	1	3	7	10	12	21
20-34	1854	5.4	27	1	1	3	8	11	14	22
35-49	2454	5.9	27	1	1	4	9	12	15	24
50-64	2481	7.5	45	1	2	6	10	15	19	31
65+	1504	8.8	48	1	2	7	12	17	21	35
GRAND TOTAL	**8558**	**6.7**	**37**	**1**	**1**	**5**	**9**	**14**	**17**	**28**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	432	2.6	12	1	1	2	3	4	6	15
20-34	3542	2.3	6	1	1	2	3	4	5	8
35-49	3547	2.3	4	1	1	2	3	4	5	8
50-64	2127	2.5	3	1	1	2	3	5	6	9
65+	533	3.1	6	1	1	3	4	6	7	12
B. *Operated*										
0-19 YRS	260	5.9	12	2	2	5	8	11	13	17
20-34	2257	6.0	20	2	2	5	8	11	13	18
35-49	2620	6.3	15	2	2	6	8	11	13	20
50-64	1945	6.9	20	2	2	6	9	12	14	23
65+	689	8.2	24	2	3	8	11	15	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	2.5	2	1	1	2	3	4	5	9
20-34	814	3.0	7	1	1	2	4	5	6	16
35-49	1067	3.1	12	1	1	2	4	6	7	12
50-64	1084	3.4	7	1	1	3	4	6	8	13
65+	573	4.7	18	1	1	4	6	9	12	24
B. *Operated*										
0-19 YRS	80	6.1	22	2	2	5	8	11	13	29
20-34	781	7.0	21	2	2	6	9	13	15	22
35-49	1091	7.5	24	2	3	7	10	14	17	26
50-64	1364	9.2	36	2	3	8	12	16	20	30
65+	948	10.7	47	3	3	9	14	19	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10181	2.4	5	1	1	2	3	4	5	8
B. *Operated*	7771	6.5	19	2	2	6	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	3629	3.4	10	1	1	3	4	6	8	14
B. *Operated*	4264	8.6	34	2	3	8	11	16	19	30
1. SINGLE DX	17952	4.2	15	1	1	3	5	9	11	17
2. MULTIPLE DX	7893	6.2	30	1	2	4	8	13	17	27
A. NOT OPERATED	13810	2.7	7	1	1	2	3	5	6	11
B. OPERATED	12035	7.3	25	2	2	6	9	13	16	25
TOTAL 0-19 YRS	863	3.9	14	1	1	3	5	8	11	17
20-34	7394	4.0	15	1	1	3	5	8	11	17
35-49	8325	4.3	16	1	1	3	6	9	12	18
50-64	6520	5.4	23	1	1	4	7	11	14	23
65+	2743	7.3	36	1	2	6	10	15	18	30
GRAND TOTAL	**25845**	**4.8**	**21**	**1**	**1**	**3**	**6**	**10**	**13**	**21**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	3.0	16	1	1	2	4	6	7	19
20-34	90	3.3	7	1	1	2	4	7	9	15
35-49	103	3.3	8	1	1	3	4	6	9	16
50-64	93	3.5	10	1	1	3	4	6	9	19
65+	83	4.4	14	1	2	3	5	9	12	21
B. *Operated*										
0-19 YRS	649	5.7	22	1	1	5	9	12	14	20
20-34	320	7.4	29	1	2	7	10	14	16	25
35-49	312	7.5	41	1	2	6	10	15	18	30
50-64	346	6.3	29	1	1	4	9	13	16	28
65+	261	6.6	31	1	2	5	9	15	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	4.6	34	1	1	3	5	10	12	22
20-34	152	4.7	19	1	2	3	6	8	11	23
35-49	146	5.5	16	1	2	4	7	10	15	19
50-64	272	7.3	33	2	2	6	9	14	19	23
65+	564	9.4	68	2	3	7	11	19	24	45
B. *Operated*										
0-19 YRS	727	6.0	32	1	1	3	9	13	16	24
20-34	508	9.3	79	1	2	8	12	17	22	48
35-49	560	9.1	43	2	2	8	13	18	21	32
50-64	738	10.0	69	2	2	8	13	20	26	40
65+	847	11.3	98	2	3	9	15	23	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	490	3.5	11	1	1	3	4	7	9	19
B. *Operated*	1888	6.5	29	1	1	5	9	13	15	25
2. MULTIPLE DX										
A. *Not Operated*	1299	7.3	49	1	2	5	9	15	20	39
B. *Operated*	3380	9.2	69	1	2	8	12	18	23	39
1. SINGLE DX	2378	5.9	27	1	1	4	9	12	16	23
2. MULTIPLE DX	4679	8.7	64	1	2	7	11	18	23	39
A. NOT OPERATED	1789	6.3	41	1	1	4	8	13	18	33
B. OPERATED	5268	8.3	56	1	1	7	11	16	22	35
TOTAL 0-19 YRS	1662	5.5	28	1	1	3	9	12	15	22
20-34	1070	7.6	54	1	2	6	10	15	18	30
35-49	1121	7.6	39	1	2	6	10	16	19	29
50-64	1449	8.2	53	1	2	6	11	17	22	34
65+	1755	9.7	78	2	2	7	13	20	26	44
GRAND TOTAL	**7057**	**7.8**	**53**	**1**	**1**	**6**	**10**	**16**	**21**	**35**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	2.4	2	1	1	2	3	4	5	5
20-34	300	2.3	2	<1	1	2	3	4	5	7
35-49	265	2.3	2	1	1	2	3	4	5	7
50-64	178	2.7	5	<1	1	2	3	5	6	10
65+	49	3.4	4	1	1	3	4	6	7	10
B. *Operated*										
0-19 YRS	26	4.2	11	<1	1	3	6	10	10	11
20-34	136	6.2	15	2	2	5	8	12	13	18
35-49	168	6.2	19	2	2	5	8	11	14	24
50-64	153	6.5	37	2	2	5	9	12	14	60
65+	136	7.1	37	1	2	6	10	14	15	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.5	1	1	1	2	3	4	5	5
20-34	93	3.1	5	1	1	2	4	6	7	13
35-49	123	3.7	13	1	1	3	4	6	8	20
50-64	145	4.1	13	1	1	3	5	7	9	21
65+	84	7.1	116	1	2	5	8	12	16	73
B. *Operated*										
0-19 YRS	26	5.2	13	2	2	4	7	13	29	99+
20-34	115	7.5	29	1	2	6	10	15	17	27
35-49	115	7.3	20	2	2	7	10	13	16	22
50-64	249	8.0	46	2	2	6	11	15	21	30
65+	383	10.5	58	2	3	9	13	20	26	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	832	2.4	3	1	1	2	3	4	5	8
B. *Operated*	619	6.4	26	1	2	5	9	12	14	27
2. MULTIPLE DX										
A. *Not Operated*	456	4.3	32	1	1	3	5	8	10	20
B. *Operated*	888	8.8	47	2	2	7	12	16	22	32
1. SINGLE DX	1451	4.1	17	1	1	3	5	9	11	17
2. MULTIPLE DX	1344	7.3	46	1	2	5	10	14	19	32
A. NOT OPERATED	1288	3.1	14	1	1	2	4	6	7	13
B. OPERATED	1507	7.8	40	2	2	6	10	15	19	32
TOTAL 0-19 YRS	103	3.5	8	1	1	3	5	7	10	55
20-34	644	4.2	15	1	1	3	5	9	12	17
35-49	671	4.4	15	1	1	3	6	9	12	17
50-64	725	5.6	32	1	1	4	7	12	15	28
65+	652	8.8	61	2	2	7	11	17	23	35
GRAND TOTAL	**2795**	**5.7**	**33**	**1**	**1**	**4**	**8**	**12**	**15**	**29**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	207	2.8	3	1	1	2	3	5	6	10
20-34	198	2.9	3	1	1	3	4	5	7	8
35-49	86	3.5	12	1	1	3	4	6	8	74
50-64	87	4.4	9	1	1	4	6	8	10	15
65+	106	5.2	13	1	2	4	6	10	12	20
B. *Operated*										
0-19 YRS	484	2.4	4	1	1	2	3	4	5	10
20-34	728	3.2	12	1	1	2	3	6	7	14
35-49	556	3.4	7	1	1	3	4	6	8	14
50-64	628	3.4	8	1	1	3	4	6	7	13
65+	540	4.3	11	1	2	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	242	3.7	8	1	1	3	4	6	7	18
20-34	338	4.4	9	1	2	4	5	8	10	15
35-49	266	5.4	15	1	2	5	7	10	12	22
50-64	313	6.3	23	2	2	5	8	11	15	28
65+	750	8.3	42	2	3	7	10	15	18	31
B. *Operated*										
0-19 YRS	686	3.0	16	1	1	2	4	6	7	13
20-34	1316	3.9	15	1	1	3	5	8	10	18
35-49	1088	4.9	24	1	2	3	6	10	14	23
50-64	1179	5.4	30	1	2	4	7	11	14	28
65+	1536	7.4	43	2	2	5	9	14	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	684	3.5	7	1	1	3	4	6	8	14
B. *Operated*	2936	3.3	9	1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	1909	6.3	28	2	2	5	8	11	15	27
B. *Operated*	5805	5.2	29	1	1	3	6	11	14	28
1. SINGLE DX	3620	3.4	9	1	1	3	4	6	8	14
2. MULTIPLE DX	7714	5.5	29	1	2	4	7	11	15	28
A. NOT OPERATED	2593	5.5	24	1	2	4	7	10	14	25
B. OPERATED	8741	4.6	23	1	1	3	5	9	13	24
TOTAL 0-19 YRS	1619	2.9	9	1	1	2	3	5	7	12
20-34	2580	3.7	13	1	1	3	4	7	10	16
35-49	1996	4.5	18	1	1	3	5	9	12	22
50-64	2207	4.9	23	1	2	4	6	10	13	24
65+	2932	6.9	37	2	2	5	9	14	18	31
GRAND TOTAL	**11334**	**4.8**	**24**	**1**	**1**	**3**	**6**	**10**	**13**	**24**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	1.9	3	<1	<1	1	2	3	6	10
20-34	14	2.8	7	<1	1	2	3	7	9	10
35-49	19	2.5	2	1	1	2	3	4	6	7
50-64	14	3.5	5	1	1	3	6	7	7	7
65+	31	4.5	7	1	1	4	6	7	8	13
B. *Operated*										
0-19 YRS	2103	1.8	2	<1	1	2	2	3	4	7
20-34	779	3.3	11	1	1	2	4	6	9	20
35-49	513	3.7	26	1	1	2	4	7	11	18
50-64	579	4.0	12	1	1	3	5	8	11	17
65+	489	4.7	14	1	2	3	6	9	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	2.9	13	<1	1	2	3	5	12	20
20-34	42	4.3	9	1	1	4	7	8	9	12
35-49	33	5.2	14	1	1	5	7	10	15	16
50-64	53	6.8	127	1	2	4	7	10	16	81
65+	128	7.2	54	1	2	6	9	12	16	46
B. *Operated*										
0-19 YRS	1736	2.2	6	1	1	2	2	4	5	11
20-34	1371	3.7	14	1	1	3	4	7	10	17
35-49	1015	4.5	16	1	1	3	5	9	12	23
50-64	1228	5.2	21	1	2	4	7	10	14	22
65+	1388	7.4	45	2	2	5	10	15	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	2.9	5	<1	<1	2	4	6	7	11
B. *Operated*	4463	2.9	10	1	1	2	3	6	8	17
2. MULTIPLE DX										
A. *Not Operated*	311	5.8	51	1	1	4	7	11	14	30
B. *Operated*	6738	4.5	23	1	1	3	5	10	13	23
1. SINGLE DX	4594	2.9	10	1	1	2	3	6	8	16
2. MULTIPLE DX	7049	4.5	25	1	1	3	5	10	13	23
A. NOT OPERATED	442	4.9	39	<1	1	3	6	10	12	22
B. OPERATED	11201	3.9	19	1	1	2	4	8	11	21
TOTAL 0-19 YRS	3947	2.0	4	1	1	2	2	3	5	9
20-34	2206	3.6	13	1	1	3	4	7	9	19
35-49	1580	4.2	19	1	1	3	5	9	12	21
50-64	1874	4.9	22	1	2	3	6	10	13	21
65+	2036	6.7	39	1	2	5	9	13	18	33
GRAND TOTAL	**11643**	**3.9**	**20**	**1**	**1**	**2**	**4**	**8**	**11**	**21**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1358	3.3	6	1	1	3	4	6	7	13
20-34	828	3.7	8	1	1	3	5	6	7	11
35-49	405	4.2	8	1	1	4	5	7	9	14
50-64	428	4.8	14	1	2	4	6	9	11	17
65+	794	5.9	21	2	2	5	7	11	14	21
B. *Operated*										
0-19 YRS	1682	2.4	8	1	1	2	3	4	7	14
20-34	1232	3.2	8	1	1	2	4	6	8	14
35-49	1009	3.7	10	1	1	3	5	8	10	15
50-64	988	3.8	10	1	1	3	5	8	10	17
65+	961	5.3	26	1	2	4	6	10	14	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1748	4.1	7	1	2	4	5	7	9	13
20-34	1774	4.8	13	1	2	4	6	9	11	20
35-49	1319	5.8	30	2	2	5	7	10	13	23
50-64	2127	7.0	30	2	3	6	9	12	16	26
65+	6890	9.4	53	3	3	8	12	17	22	40
B. *Operated*										
0-19 YRS	2321	3.0	11	1	1	2	3	6	9	15
20-34	2239	4.5	27	1	1	3	6	9	12	23
35-49	2080	5.2	28	1	1	3	6	10	15	28
50-64	2650	6.5	40	1	2	5	8	13	17	30
65+	3920	9.5	77	2	2	7	12	19	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3813	4.2	12	1	1	3	5	8	10	16
B. *Operated*	5872	3.5	13	1	1	2	4	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	13858	7.4	41	2	2	6	9	14	18	33
B. *Operated*	13210	6.2	48	1	1	4	8	14	18	34
1. SINGLE DX	9685	3.8	12	1	1	3	5	7	10	17
2. MULTIPLE DX	27068	6.8	44	1	2	5	9	14	18	34
A. NOT OPERATED	17671	6.7	36	1	2	5	8	13	17	31
B. OPERATED	19082	5.4	38	1	1	3	7	12	16	31
TOTAL 0-19 YRS	7109	3.2	9	1	1	2	4	6	8	14
20-34	6073	4.2	17	1	1	3	5	8	10	20
35-49	4813	4.9	24	1	1	4	6	10	13	23
50-64	6193	6.1	31	1	2	5	8	12	15	27
65+	12565	8.9	58	2	3	7	11	17	22	41
GRAND TOTAL	**36753**	**6.0**	**38**	**1**	**1**	**4**	**8**	**12**	**17**	**31**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	6	3.8	4	2	2	3	5	7	7	7
35-49	7	2.7	4	1	1	2	4	6	6	6
50-64	81	3.9	6	1	1	3	5	7	9	11
65+	163	4.6	17	1	1	3	7	9	12	18
B. *Operated*										
0-19 YRS	12	4.9	19	1	1	4	7	11	15	16
20-34	30	3.5	7	1	1	3	4	8	9	10
35-49	277	4.1	8	1	1	3	6	8	10	14
50-64	3053	6.5	14	2	2	6	8	11	12	17
65+	5451	7.8	19	2	3	7	9	13	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.8	29	<1	<1	8	11	14	14	14
20-34	11	3.2	4	<1	<1	3	5	6	6	6
35-49	21	5.7	26	1	2	4	6	14	19	20
50-64	290	5.2	20	1	2	4	6	10	14	23
65+	873	7.3	43	1	2	5	9	14	18	33
B. *Operated*										
0-19 YRS	19	7.6	28	1	1	9	10	12	18	22
20-34	44	5.3	19	1	2	4	7	12	15	20
35-49	365	6.0	18	1	2	5	8	11	13	22
50-64	4020	8.0	27	2	3	7	10	14	17	25
65+	10036	10.5	48	3	4	9	13	18	22	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	260	4.3	13	1	1	3	6	9	11	14
B. *Operated*	8823	7.2	17	2	2	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	1199	6.7	37	1	2	5	9	13	17	31
B. *Operated*	14484	9.6	43	2	3	8	12	17	21	34
1. SINGLE DX	9083	7.1	18	2	2	7	9	12	14	21
2. MULTIPLE DX	15683	9.4	43	2	3	8	12	17	21	34
A. NOT OPERATED	1459	6.3	34	1	2	5	8	12	16	30
B. OPERATED	23307	8.7	35	2	3	8	11	15	19	30
TOTAL 0-19 YRS	38	6.3	25	1	1	6	9	12	15	22
20-34	91	4.3	13	1	1	3	5	9	12	18
35-49	670	5.1	15	1	1	4	7	10	12	20
50-64	7444	7.2	22	2	2	7	9	12	15	23
65+	16523	9.4	40	2	3	8	11	16	20	33
GRAND TOTAL	**24766**	**8.6**	**35**	**2**	**3**	**7**	**10**	**15**	**19**	**30**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	3.5	5	1	1	3	4	6	7	13
20-34	147	3.5	4	1	1	3	4	6	8	10
35-49	150	4.5	33	1	2	4	5	6	9	22
50-64	160	4.5	3	2	2	4	6	7	7	11
65+	85	4.8	11	1	2	4	5	8	10	20
B. *Operated*										
0-19 YRS	40	2.8	4	1	1	2	3	5	6	11
20-34	404	2.4	3	1	1	2	3	5	6	8
35-49	407	2.4	3	1	1	2	3	5	5	9
50-64	274	3.1	5	1	1	2	4	6	8	10
65+	134	4.7	15	1	1	3	7	10	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	3.5	3	1	2	3	5	5	7	8
20-34	223	4.7	10	2	2	4	6	7	9	17
35-49	232	4.8	7	2	2	4	6	8	11	15
50-64	355	5.7	12	2	2	5	7	10	12	19
65+	290	6.6	26	2	2	6	8	10	14	25
B. *Operated*										
0-19 YRS	56	3.1	8	1	1	2	4	8	9	14
20-34	457	3.2	8	1	1	2	4	7	9	14
35-49	603	3.8	11	1	1	3	5	8	11	16
50-64	624	5.6	28	1	2	4	7	12	15	29
65+	483	8.0	43	2	2	7	10	15	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	570	4.2	13	1	2	4	5	7	8	13
B. *Operated*	1259	2.8	5	1	1	2	3	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	1127	5.5	15	2	2	5	7	9	12	22
B. *Operated*	2223	5.0	25	1	1	3	7	11	14	26
1. SINGLE DX	1829	3.2	8	1	1	2	4	6	8	12
2. MULTIPLE DX	3350	5.2	22	1	2	4	7	10	13	24
A. NOT OPERATED	1697	5.1	14	2	2	4	6	9	11	19
B. OPERATED	3482	4.2	19	1	1	3	5	9	12	23
TOTAL 0-19 YRS	151	3.2	5	1	1	2	4	6	8	13
20-34	1231	3.2	7	1	1	2	4	6	8	13
35-49	1392	3.6	11	1	1	3	5	7	9	15
50-64	1413	5.0	18	1	2	4	6	9	12	23
65+	992	6.8	33	2	2	5	9	13	16	28
GRAND TOTAL	**5179**	**4.5**	**18**	**1**	**1**	**3**	**6**	**9**	**12**	**22**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.6	1	<1	<1	1	2	3	3	3
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	1.8	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	450	2.6	4	1	1	2	3	4	5	8
20-34	195	3.7	3	2	2	3	4	6	7	10
35-49	186	3.8	3	2	2	3	4	6	7	11
50-64	329	4.1	4	2	2	4	5	7	8	12
65+	210	4.8	10	2	2	4	6	8	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.8	12	<1	<1	1	3	7	11	16
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	4	5.5	11	2	2	5	8	10	10	10
50-64	11	4.3	6	<1	1	5	6	7	8	8
65+	13	5.9	46	<1	1	3	8	15	23	25
B. *Operated*										
0-19 YRS	397	3.1	12	1	1	3	3	5	6	12
20-34	106	4.9	14	2	2	4	5	9	11	24
35-49	133	4.4	9	2	2	4	5	8	9	17
50-64	261	5.2	10	2	3	4	6	9	11	18
65+	266	7.1	28	2	3	5	9	13	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	1.8	1	<1	<1	1	3	3	4	4
B. *Operated*	1370	3.6	5	1	2	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	52	4.0	20	<1	<1	2	5	9	12	25
B. *Operated*	1163	4.8	17	2	2	4	5	9	12	21
1. SINGLE DX	1397	3.6	5	1	2	3	4	6	7	12
2. MULTIPLE DX	1215	4.8	17	1	2	4	5	9	12	21
A. NOT OPERATED	79	3.3	14	<1	<1	2	4	7	11	22
B. OPERATED	2533	4.2	11	1	2	3	5	7	10	16
TOTAL 0-19 YRS	886	2.8	8	1	1	2	3	4	6	11
20-34	306	4.1	7	2	2	4	5	6	9	15
35-49	325	4.0	5	2	2	4	5	6	8	12
50-64	602	4.6	7	2	2	4	5	8	10	15
65+	493	6.0	22	2	2	5	7	11	14	25
GRAND TOTAL	**2612**	**4.1**	**11**	**1**	**2**	**3**	**5**	**7**	**10**	**16**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	207	4.6	8	1	2	4	6	8	10	14
20-34	420	4.4	6	1	2	4	6	7	9	12
35-49	191	5.3	7	2	2	5	7	9	10	14
50-64	148	5.8	7	2	3	5	7	10	11	14
65+	88	6.1	9	2	3	5	8	11	11	15
B. *Operated*										
0-19 YRS	68	3.8	4	1	2	3	5	6	9	9
20-34	161	5.1	9	2	2	4	6	9	11	18
35-49	110	4.4	9	1	2	4	5	7	10	17
50-64	98	5.3	8	2	3	5	7	9	11	15
65+	64	5.1	5	2	3	5	7	9	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	5.2	7	2	2	4	7	9	10	13
20-34	130	5.1	7	2	2	4	7	9	10	13
35-49	116	6.6	19	2	3	6	8	11	14	27
50-64	173	7.0	17	2	3	6	9	12	14	20
65+	199	7.7	26	3	3	7	10	13	14	43
B. *Operated*										
0-19 YRS	55	5.3	13	1	2	4	7	11	14	95
20-34	101	6.6	28	2	2	5	8	13	18	27
35-49	98	6.9	20	2	2	6	9	13	16	21
50-64	161	7.8	23	3	3	7	10	14	17	29
65+	189	10.9	83	3	4	8	13	21	29	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1054	5.0	7	2	2	4	6	9	10	13
B. *Operated*	501	4.8	8	2	2	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	669	6.6	18	2	3	6	8	11	14	20
B. *Operated*	604	8.2	45	2	3	7	10	15	20	36
1. SINGLE DX	1555	4.9	7	2	2	4	6	8	10	14
2. MULTIPLE DX	1273	7.4	31	2	3	6	9	13	16	32
A. NOT OPERATED	1723	5.6	12	2	2	5	7	10	11	16
B. OPERATED	1105	6.7	31	2	2	5	8	12	16	30
TOTAL 0-19 YRS	381	4.6	8	1	2	4	6	9	10	14
20-34	812	4.9	10	1	2	4	6	8	11	17
35-49	515	5.7	13	2	2	5	7	10	12	18
50-64	580	6.6	16	2	3	6	8	11	14	19
65+	540	8.3	45	3	3	7	10	14	19	40
GRAND TOTAL	**2828**	**6.0**	**20**	**2**	**2**	**5**	**7**	**11**	**13**	**23**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	725	1.9	1	<1	1	2	2	2	3	5
20-34	344	2.2	1	1	1	2	2	3	4	6
35-49	95	2.3	2	<1	1	2	2	3	5	9
50-64	45	2.2	4	1	1	2	2	3	4	14
65+	28	3.0	5	1	1	2	3	6	8	10
B. *Operated*										
0-19 YRS	2134	1.9	2	1	1	2	2	2	3	4
20-34	916	2.2	2	1	1	2	2	3	3	6
35-49	282	2.3	4	1	1	2	2	3	4	6
50-64	129	2.4	3	1	1	2	2	3	7	11
65+	94	2.9	9	1	1	2	3	4	9	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	201	1.8	1	<1	<1	2	2	3	4	7
20-34	115	2.7	4	1	1	2	3	5	7	12
35-49	77	3.9	17	1	1	3	4	8	11	25
50-64	55	3.5	8	1	2	2	4	7	9	18
65+	36	4.2	15	1	1	4	5	7	10	23
B. *Operated*										
0-19 YRS	663	2.3	2	1	1	2	2	3	5	8
20-34	637	2.7	5	1	2	2	3	4	6	12
35-49	349	3.4	7	1	1	2	4	7	9	12
50-64	246	3.5	8	1	2	2	4	7	9	15
65+	195	4.8	21	2	2	3	6	10	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1237	2.1	1	1	1	2	2	3	3	6
B. *Operated*	3555	2.0	2	1	1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	484	2.8	7	<1	1	2	3	5	7	13
B. *Operated*	2090	3.0	7	1	1	2	3	5	8	15
1. SINGLE DX	4792	2.0	2	1	1	2	2	3	3	6
2. MULTIPLE DX	2574	2.9	7	1	1	2	3	5	8	14
A. NOT OPERATED	1721	2.2	3	<1	1	2	2	3	5	10
B. OPERATED	5645	2.4	4	1	1	2	2	3	5	11
TOTAL 0-19 YRS	3723	1.9	2	1	1	2	2	3	3	6
20-34	2012	2.4	3	1	1	2	2	3	4	10
35-49	803	2.9	7	1	1	2	3	5	7	12
50-64	475	3.1	6	1	1	2	3	6	8	14
65+	353	4.1	17	1	2	3	5	8	11	23
GRAND TOTAL	**7366**	**2.3**	**4**	**1**	**1**	**2**	**2**	**3**	**5**	**11**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	2.2	3	<1	1	2	3	4	5	10
20-34	142	2.5	2	1	1	2	3	4	5	7
35-49	65	2.9	4	<1	1	2	4	5	7	10
50-64	38	3.0	5	1	1	2	3	7	8	11
65+	31	3.9	8	1	1	3	5	8	10	13
B. *Operated*										
0-19 YRS	867	2.6	3	1	1	2	3	4	5	9
20-34	818	2.9	5	1	1	2	3	5	6	11
35-49	420	3.2	6	1	1	3	4	5	7	13
50-64	351	4.0	6	2	2	3	5	7	9	14
65+	132	4.4	11	2	2	3	5	8	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	3.5	10	1	1	2	4	9	9	16
20-34	96	4.0	17	1	1	3	5	8	10	23
35-49	84	3.9	7	1	2	3	5	8	9	14
50-64	74	4.2	16	1	1	3	5	9	10	24
65+	66	8.0	75	2	2	5	10	15	24	52
B. *Operated*										
0-19 YRS	345	3.4	9	1	2	3	4	6	7	18
20-34	566	4.1	17	1	2	3	5	7	11	24
35-49	421	4.7	24	1	2	3	6	9	12	27
50-64	400	5.9	29	2	2	4	7	11	15	31
65+	231	8.2	65	2	2	6	10	16	25	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	391	2.6	4	1	1	2	3	5	6	11
B. *Operated*	2588	3.1	5	1	1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	374	4.7	26	1	1	3	6	9	14	25
B. *Operated*	1963	4.9	27	1	2	3	6	10	13	30
1. SINGLE DX	2979	3.0	5	1	1	2	4	5	7	11
2. MULTIPLE DX	2337	4.9	27	1	2	3	6	9	13	28
A. NOT OPERATED	765	3.6	16	1	1	2	4	7	10	20
B. OPERATED	4551	3.9	15	1	2	3	4	7	10	21
TOTAL 0-19 YRS	1381	2.8	5	1	1	2	3	5	6	10
20-34	1622	3.4	10	1	1	2	4	6	8	16
35-49	990	3.8	14	1	1	3	4	8	10	20
50-64	863	4.9	18	1	2	4	6	9	11	26
65+	460	6.8	50	2	2	4	8	13	20	35
GRAND TOTAL	**5316**	**3.8**	**15**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.6	1	<1	1	2	3	4	5	6
20-34	59	2.4	2	<1	1	2	3	4	5	7
35-49	99	2.6	2	<1	<1	2	3	4	6	8
50-64	44	3.2	6	<1	<1	2	4	6	9	13
65+	16	3.3	6	1	1	2	4	8	9	9
B. *Operated*										
0-19 YRS	381	2.1	1	1	1	2	2	3	3	5
20-34	2802	2.5	3	1	1	2	3	4	5	10
35-49	5396	2.6	4	1	2	2	3	4	5	8
50-64	2049	2.7	4	1	2	2	3	4	5	9
65+	710	3.1	9	2	2	3	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	48	3.7	9	1	1	3	4	7	12	14
35-49	74	4.6	13	1	1	3	6	10	11	17
50-64	47	4.4	11	1	1	4	5	7	11	19
65+	22	5.7	26	1	2	4	6	9	16	26
B. *Operated*										
0-19 YRS	101	2.9	3	1	2	2	4	5	7	10
20-34	1241	3.3	10	1	2	2	4	6	8	15
35-49	2560	3.7	10	2	2	3	4	7	9	15
50-64	1263	3.9	8	2	2	3	5	7	10	15
65+	586	4.6	21	2	2	3	5	8	10	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	232	2.7	3	<1	1	2	3	5	6	9
B. *Operated*	11338	2.6	4	1	2	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	195	4.4	13	1	1	3	5	9	11	18
B. *Operated*	5751	3.7	10	2	2	3	4	7	9	16
1. SINGLE DX	11570	2.6	4	1	2	2	3	4	5	8
2. MULTIPLE DX	5946	3.7	10	2	2	3	4	7	9	16
A. NOT OPERATED	427	3.5	8	1	1	3	4	7	9	15
B. OPERATED	17089	3.0	7	1	2	2	3	5	7	12
TOTAL 0-19 YRS	500	2.3	2	1	1	2	3	3	4	8
20-34	4150	2.7	5	1	1	2	3	4	6	12
35-49	8129	3.0	6	1	2	2	3	5	7	11
50-64	3403	3.2	6	1	2	2	3	5	7	13
65+	1334	3.8	15	2	2	3	4	7	8	19
GRAND TOTAL	**17516**	**3.0**	**7**	**1**	**2**	**2**	**3**	**5**	**7**	**12**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	2.9	4	<1	1	3	3	5	8	10
20-34	116	3.6	34	1	1	3	4	5	6	35
35-49	62	3.9	9	<1	1	3	5	7	10	16
50-64	40	2.6	5	<1	<1	2	4	6	6	11
65+	25	4.2	11	<1	1	3	5	11	12	13
B. *Operated*										
0-19 YRS	646	3.0	16	1	2	2	3	5	6	9
20-34	1327	3.0	4	1	1	2	4	5	7	10
35-49	902	3.0	5	1	1	2	4	5	6	11
50-64	587	3.3	4	1	2	3	4	6	7	12
65+	323	3.5	7	1	2	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.8	4	2	2	3	5	7	7	9
20-34	74	4.5	12	1	1	4	6	9	10	19
35-49	83	3.9	10	<1	1	3	5	8	11	15
50-64	74	4.9	16	1	1	4	6	9	10	26
65+	56	5.5	17	1	1	5	7	13	15	16
B. *Operated*										
0-19 YRS	141	3.5	17	1	1	3	4	5	7	19
20-34	598	3.9	12	1	2	3	5	7	8	19
35-49	654	4.3	14	1	2	3	5	8	10	16
50-64	499	4.8	14	2	2	4	6	9	12	22
65+	290	5.7	27	2	2	4	7	11	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	293	3.5	18	<1	1	3	4	6	8	15
B. *Operated*	3785	3.1	7	1	1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	315	4.5	13	1	1	4	6	9	11	16
B. *Operated*	2182	4.4	16	1	2	3	5	8	11	20
1. SINGLE DX	4078	3.1	8	1	1	2	4	5	7	12
2. MULTIPLE DX	2497	4.4	16	1	2	3	5	8	11	20
A. NOT OPERATED	608	4.0	15	1	1	3	5	8	10	16
B. OPERATED	5967	3.6	10	1	2	3	4	6	8	15
TOTAL 0-19 YRS	865	3.1	15	1	1	3	4	5	6	10
20-34	2115	3.4	9	1	1	3	4	6	7	13
35-49	1701	3.6	9	1	1	3	4	7	9	15
50-64	1200	4.0	10	1	2	3	5	7	10	18
65+	694	4.6	17	1	2	3	5	9	13	20
GRAND TOTAL	**6575**	**3.6**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	294	2.6	2	1	1	2	3	5	5	7
20-34	565	2.9	7	1	1	2	3	6	7	11
35-49	126	3.5	8	1	1	3	4	6	8	17
50-64	13	4.5	6	2	2	4	6	9	9	9
65+	6	4.5	8	2	2	4	5	9	10	10
B. *Operated*										
0-19 YRS	576	5.1	7	2	2	5	6	8	9	14
20-34	1987	5.3	12	1	2	5	7	8	9	15
35-49	531	6.8	10	2	3	6	8	10	12	18
50-64	89	8.1	7	4	5	8	10	12	13	14
65+	29	9.8	23	5	6	9	12	15	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	130	3.5	9	1	1	3	4	6	8	21
20-34	411	3.6	7	1	1	3	5	7	8	13
35-49	100	5.0	11	1	2	4	7	10	11	15
50-64	18	5.0	10	1	2	4	8	9	11	12
65+	18	10.1	193	1	2	6	9	22	46	61
B. *Operated*										
0-19 YRS	486	5.6	8	2	2	5	7	9	11	16
20-34	3253	6.6	14	2	3	6	8	10	12	19
35-49	1441	8.4	22	3	5	7	9	13	16	26
50-64	199	10.4	42	5	6	9	11	17	21	45
65+	78	12.7	49	6	7	10	15	22	26	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1004	2.9	6	1	1	2	3	5	7	10
B. *Operated*	3212	5.7	11	1	2	6	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	677	4.0	14	1	1	3	5	7	9	17
B. *Operated*	5457	7.2	19	2	3	7	8	11	14	23
1. SINGLE DX	4216	5.0	11	1	1	5	7	8	10	16
2. MULTIPLE DX	6134	6.8	19	2	2	6	8	11	14	22
A. NOT OPERATED	1681	3.4	9	1	1	3	4	6	8	13
B. OPERATED	8669	6.6	16	2	2	6	8	11	13	21
TOTAL 0-19 YRS	1486	4.6	8	1	2	4	6	8	10	14
20-34	6216	5.7	13	1	2	5	7	9	11	18
35-49	2198	7.6	20	2	3	7	9	12	15	24
50-64	319	9.2	32	3	4	8	10	14	18	32
65+	131	11.3	63	4	5	9	13	20	26	44
GRAND TOTAL	**10350**	**6.1**	**17**	**1**	**2**	**6**	**8**	**10**	**12**	**20**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1487	4.6	14	2	2	4	6	7	9	14
20-34	3115	4.5	8	2	2	4	6	7	9	12
35-49	368	5.4	9	2	2	5	7	9	11	18
50-64	31	6.1	12	2	2	6	7	12	14	14
65+	12	4.5	5	1	2	4	5	8	9	9
B. *Operated*										
0-19 YRS	369	5.6	13	1	2	5	7	9	12	23
20-34	1978	5.5	13	1	2	5	7	9	12	18
35-49	476	7.2	18	1	2	7	9	12	14	27
50-64	80	7.7	14	2	3	7	10	11	14	20
65+	21	9.8	34	2	3	8	14	16	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	756	4.8	6	2	2	4	6	8	9	15
20-34	2024	5.4	11	2	2	5	7	9	11	17
35-49	403	6.4	14	2	3	6	8	11	13	21
50-64	58	7.0	22	2	3	6	8	12	14	28
65+	21	8.2	31	3	4	7	9	16	23	24
B. *Operated*										
0-19 YRS	587	6.8	17	2	2	6	8	12	15	22
20-34	5163	6.7	18	1	2	6	8	11	14	22
35-49	1742	8.5	24	2	4	7	10	14	17	26
50-64	243	10.8	50	3	5	9	12	19	23	35
65+	74	13.0	79	3	5	11	15	23	32	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5013	4.6	10	2	2	4	6	7	9	13
B. *Operated*	2924	5.9	15	1	2	6	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	3262	5.4	11	2	2	5	7	9	11	17
B. *Operated*	7809	7.3	22	2	2	7	9	12	15	24
1. SINGLE DX	7937	5.1	12	2	2	4	6	9	10	16
2. MULTIPLE DX	11071	6.8	19	2	2	6	8	11	14	23
A. NOT OPERATED	8275	4.9	10	2	2	4	6	8	10	16
B. OPERATED	10733	6.9	20	1	2	6	8	12	15	24
TOTAL 0-19 YRS	3199	5.2	13	2	2	4	6	9	11	17
20-34	12280	5.7	14	1	2	5	7	10	12	20
35-49	2989	7.6	21	2	3	7	9	13	15	25
50-64	412	9.3	40	2	4	8	11	17	21	31
65+	128	10.9	64	2	3	9	14	22	26	44
GRAND TOTAL	**19008**	**6.1**	**17**	**2**	**2**	**5**	**8**	**10**	**13**	**21**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.7	2	<1	1	3	3	5	5	5
20-34	106	3.1	4	1	1	3	4	6	7	9
35-49	42	4.7	7	1	2	4	6	9	10	11
50-64										
65+										
B. *Operated*										
0-19 YRS	86	3.5	5	1	1	3	5	6	7	9
20-34	1781	5.0	8	1	1	6	7	8	9	12
35-49	882	6.5	6	2	2	7	8	9	10	15
50-64	54	6.5	8	2	2	7	8	10	11	13
65+	13	6.2	44	1	2	5	6	13	24	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.4	9	2	2	5	7	8	12	13
20-34	166	4.5	14	<1	1	4	6	8	10	21
35-49	85	5.9	10	1	2	6	8	9	11	16
50-64	10	7.1	9	2	2	7	9	11	11	11
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	91	4.8	7	1	2	5	6	8	8	14
20-34	4325	6.3	11	1	2	6	8	9	11	16
35-49	3659	7.7	9	4	5	7	9	11	13	18
50-64	441	8.3	10	5	6	8	9	12	13	23
65+	51	10.0	30	2	4	9	11	17	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	3.5	5	1	1	3	5	7	8	10
B. *Operated*	2816	5.5	8	1	2	6	7	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	275	5.1	13	1	1	5	7	9	11	20
B. *Operated*	8567	7.0	11	2	2	7	8	10	12	18
1. SINGLE DX	2980	5.4	8	1	1	6	7	8	9	13
2. MULTIPLE DX	8842	6.9	11	2	2	7	8	10	12	18
A. NOT OPERATED	439	4.5	10	1	1	4	6	8	9	18
B. OPERATED	11383	6.6	11	1	2	7	8	10	11	17
TOTAL 0-19 YRS	206	4.2	6	1	1	4	6	7	8	13
20-34	6378	5.8	11	1	2	6	7	9	10	15
35-49	4668	7.4	9	2	5	7	8	10	12	18
50-64	505	8.1	10	3	5	8	9	11	13	21
65+	65	9.2	34	2	2	8	10	17	21	32
GRAND TOTAL	**11822**	**6.5**	**11**	**1**	**2**	**7**	**8**	**10**	**11**	**17**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	6	1	1	5	5	6	6	6
20-34	34	3.5	4	<1	1	3	5	6	8	8
35-49	9	3.2	8	1	1	2	5	8	9	9
50-64	3	6.0	28	2	2	4	10	12	12	12
65+										
B. *Operated*										
0-19 YRS	35	2.6	1	1	2	2	3	4	5	7
20-34	494	3.0	6	1	1	2	3	6	7	10
35-49	241	3.0	4	1	1	2	3	6	7	9
50-64	117	3.0	4	1	1	2	3	5	7	12
65+	38	3.0	4	1	2	3	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	6	1	1	3	6	7	7	7
20-34	65	4.0	8	1	2	3	5	8	9	17
35-49	24	3.9	5	1	2	3	5	7	9	10
50-64	9	5.3	9	2	2	5	8	9	9	9
65+	4	4.5	11	2	2	4	7	9	9	9
B. *Operated*										
0-19 YRS	75	3.4	11	1	2	2	3	6	7	21
20-34	1594	5.0	11	1	2	5	7	8	10	15
35-49	1318	6.0	16	2	2	6	8	10	12	17
50-64	365	5.6	13	2	2	5	8	10	12	17
65+	133	6.5	42	2	2	5	8	11	17	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.6	6	1	1	3	5	7	8	12
B. *Operated*	925	3.0	5	1	1	2	3	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	108	4.1	7	1	2	3	6	8	9	13
B. *Operated*	3485	5.4	15	1	2	5	7	9	11	17
1. SINGLE DX	976	3.0	5	1	1	2	3	6	7	10
2. MULTIPLE DX	3593	5.4	14	1	2	5	7	9	11	17
A. NOT OPERATED	159	3.9	7	1	1	3	5	8	9	12
B. OPERATED	4410	4.9	14	1	2	4	7	9	11	16
TOTAL 0-19 YRS	121	3.2	7	1	2	2	3	6	7	17
20-34	2187	4.5	10	1	2	3	6	8	10	14
35-49	1592	5.5	15	1	2	5	8	9	11	16
50-64	494	5.0	12	1	2	4	8	9	11	17
65+	175	5.7	35	2	2	4	8	10	15	24
GRAND TOTAL	**4569**	**4.9**	**13**	**1**	**2**	**4**	**7**	**9**	**11**	**16**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	3.2	5	1	1	3	4	6	7	12
20-34	253	3.6	5	1	1	3	4	6	8	12
35-49	59	4.4	15	<1	1	4	6	7	12	24
50-64	11	4.0	3	<1	1	4	5	7	7	7
65+	13	5.5	9	1	2	5	6	9	12	13
B. *Operated*										
0-19 YRS	257	2.6	2	1	1	2	3	4	5	10
20-34	1413	2.4	2	<1	1	2	3	4	5	8
35-49	601	2.7	6	<1	1	2	3	4	6	14
50-64	190	2.9	4	1	1	2	4	5	6	10
65+	46	3.5	5	1	2	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	4.5	11	1	2	4	5	7	9	17
20-34	313	5.7	65	1	2	4	6	9	12	26
35-49	81	5.9	14	2	2	5	7	11	13	19
50-64	63	7.2	22	2	3	7	8	12	16	29
65+	64	8.1	23	2	3	7	10	13	18	25
B. *Operated*										
0-19 YRS	144	3.7	10	1	1	3	4	7	11	26
20-34	860	4.3	20	1	1	3	6	8	10	17
35-49	448	4.6	14	1	2	3	7	9	12	18
50-64	125	5.3	26	1	2	3	7	13	18	46
65+	76	9.1	112	1	2	6	11	22	29	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	470	3.7	6	1	1	3	5	7	8	13
B. *Operated*	2507	2.6	4	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	645	5.9	41	1	2	5	7	10	12	24
B. *Operated*	1653	4.6	23	1	1	3	6	9	12	23
1. SINGLE DX	2977	2.7	4	1	1	2	3	5	6	11
2. MULTIPLE DX	2298	5.0	28	1	2	4	6	9	12	23
A. NOT OPERATED	1115	4.9	27	1	1	4	6	9	11	19
B. OPERATED	4160	3.4	12	1	1	2	4	7	9	17
TOTAL 0-19 YRS	659	3.3	7	1	1	3	4	6	8	13
20-34	2839	3.4	16	1	1	3	4	6	8	14
35-49	1189	3.8	11	1	1	3	5	8	10	18
50-64	389	4.4	17	1	2	3	5	9	12	23
65+	199	7.3	57	1	2	5	9	14	20	40
GRAND TOTAL	**5275**	**3.7**	**16**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	17	6.2	8	<1	2	6	7	10	12	13
35-49	23	4.7	17	<1	<1	3	8	10	12	14
50-64	21	4.6	10	<1	1	4	7	9	11	12
65+	24	4.5	9	<1	1	4	8	9	9	9
B. *Operated*										
0-19 YRS	9	6.8	14	1	2	7	8	12	14	14
20-34	1015	6.6	5	4	4	6	8	9	10	14
35-49	1299	7.6	9	4	5	7	9	11	13	20
50-64	1420	8.0	8	4	5	8	9	12	13	18
65+	938	8.7	11	4	6	8	10	13	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	101	5.6	13	<1	1	6	7	9	12	18
35-49	138	6.0	16	1	1	6	8	9	13	21
50-64	144	6.0	22	1	2	5	8	11	13	25
65+	163	6.8	46	1	2	5	8	14	18	41
B. *Operated*										
0-19 YRS	21	8.4	28	1	2	7	12	15	18	21
20-34	3211	7.3	9	4	5	7	8	10	12	18
35-49	4804	8.2	13	5	5	8	9	12	14	20
50-64	3096	9.2	20	5	6	8	11	14	16	23
65+	2275	10.2	21	5	6	9	12	15	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	4.9	11	<1	1	4	7	9	11	14
B. *Operated*	4681	7.7	9	4	5	7	9	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	546	6.1	26	1	1	5	8	10	14	27
B. *Operated*	13407	8.5	16	4	5	8	10	13	15	23
1. SINGLE DX	4766	7.7	9	4	5	7	9	11	13	18
2. MULTIPLE DX	13953	8.4	17	4	5	8	10	13	15	23
A. NOT OPERATED	631	6.0	24	1	1	5	8	10	14	27
B. OPERATED	18088	8.3	14	4	5	8	10	12	15	22
TOTAL 0-19 YRS	30	7.9	24	1	2	7	10	15	15	21
20-34	4344	7.1	9	4	5	7	8	10	12	18
35-49	6264	8.0	12	4	5	7	9	12	14	20
50-64	4681	8.7	17	4	5	8	10	13	15	22
65+	3400	9.6	21	4	5	9	11	14	18	28
GRAND TOTAL	**18719**	**8.2**	**15**	**4**	**5**	**8**	**9**	**12**	**15**	**22**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6	1	1	1	1	2	3	3	3
20-34	25	2.2	1	<1	1	2	3	4	4	5
35-49	7	1.4	1	<1	<1	1	2	3	3	3
50-64										
B. *Operated*										
0-19 YRS	34	1.7		<1	1	2	2	2	2	3
20-34	415	2.2	2	<1	1	2	2	4	6	8
35-49	375	2.2	4	<1	1	2	2	3	5	11
50-64	60	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.6	6	<1	<1	2	4	7	7	7
20-34	28	2.9	3	<1	1	2	4	5	6	7
35-49	21	5.3	74	<1	1	3	4	10	24	41
50-64	3	4.7	2	3	3	5	6	6	6	6
B. *Operated*										
0-19 YRS	32	2.9	4	1	1	2	3	5	8	10
20-34	578	4.0	10	1	1	3	6	8	9	14
35-49	617	4.4	13	1	1	2	7	9	10	17
50-64	84	4.7	14	1	1	3	7	9	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	1.9	1	<1	<1	2	3	4	4	5
B. *Operated*	884	2.1	3	<1	1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	60	3.8	29	<1	1	2	5	6	8	38
B. *Operated*	1311	4.2	12	1	1	2	6	8	10	15
1. SINGLE DX	921	2.1	3	<1	1	2	2	3	5	8
2. MULTIPLE DX	1371	4.2	12	1	1	2	6	8	10	15
A. NOT OPERATED	97	3.1	19	<1	1	2	4	5	7	27
B. OPERATED	2195	3.4	9	<1	1	2	5	7	9	14
TOTAL 0-19 YRS	79	2.3	3	<1	1	2	2	4	6	9
20-34	1046	3.2	7	<1	1	2	4	7	8	13
35-49	1020	3.6	12	<1	1	2	5	8	10	15
50-64	147	3.5	10	<1	1	2	5	8	9	16
GRAND TOTAL	**2292**	**3.4**	**10**	**<1**	**1**	**2**	**4**	**7**	**9**	**14**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	2.4	3	<1	1	2	3	4	5	10
20-34	450	2.4	3	<1	1	2	3	4	6	11
35-49	162	2.1	2	<1	<1	2	2	4	6	8
50-64	20	1.8	2	<1	<1	1	2	3	5	7
B. *Operated*										
0-19 YRS	822	2.0	2	1	1	2	2	3	4	7
20-34	7506	2.3	5	<1	1	2	2	5	6	9
35-49	5493	2.5	7	<1	1	2	2	6	7	10
50-64	641	2.2	3	<1	1	2	2	3	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	173	2.8	3	1	1	2	4	5	6	9
20-34	595	3.3	7	<1	1	3	4	7	8	13
35-49	355	4.0	10	<1	1	3	6	8	10	16
50-64	48	4.2	12	1	1	2	7	10	11	12
B. *Operated*										
0-19 YRS	568	3.1	20	1	1	2	3	6	7	13
20-34	9581	4.5	12	1	1	3	7	8	9	14
35-49	10335	5.1	15	1	1	5	7	9	11	17
50-64	1136	4.8	21	1	1	3	7	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	797	2.3	3	<1	1	2	3	4	6	9
B. *Operated*	14462	2.4	5	<1	1	2	2	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	1171	3.5	8	<1	1	3	5	7	9	13
B. *Operated*	21620	4.7	14	1	1	4	7	9	10	16
1. SINGLE DX	15259	2.4	5	<1	1	2	2	5	7	10
2. MULTIPLE DX	22791	4.7	14	1	1	4	7	9	10	16
A. NOT OPERATED	1968	3.0	6	<1	1	2	4	6	8	12
B. OPERATED	36082	3.8	12	1	1	2	6	8	9	14
TOTAL 0-19 YRS	1728	2.5	8	1	1	2	3	4	6	9
20-34	18132	3.5	10	1	1	2	5	7	9	13
35-49	16345	4.2	14	<1	1	2	7	8	10	15
50-64	1845	3.8	16	<1	1	2	6	9	10	16
GRAND TOTAL	**38050**	**3.7**	**12**	**1**	**1**	**2**	**6**	**8**	**9**	**14**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.8	2	1	1	3	4	4	4	4
35-49	35	2.9	7	<1	<1	2	3	6	8	13
50-64	45	2.8	5	<1	1	2	3	5	9	10
65+	25	2.6	3	1	1	2	4	5	6	6
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	17	2.2	2	<1	<1	2	2	3	6	7
35-49	542	2.1	9	<1	1	2	2	3	4	9
50-64	1899	2.2	7	1	1	2	2	3	4	10
65+	409	2.5	3	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.8	5	2	2	3	5	7	7	7
35-49	71	5.4	10	1	2	5	8	9	12	15
50-64	109	4.5	17	1	1	3	6	10	12	22
65+	74	4.6	19	<1	1	4	5	9	14	22
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	19	4.5	12	1	1	3	6	9	13	15
35-49	638	3.9	19	1	1	2	5	8	10	22
50-64	2332	3.7	11	1	1	2	4	8	10	17
65+	842	4.6	24	1	2	3	5	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	2.8	5	<1	1	2	4	6	8	11
B. *Operated*	2869	2.2	7	1	1	2	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	259	4.8	15	1	1	4	6	9	12	22
B. *Operated*	3833	3.9	15	1	1	2	5	8	11	19
1. SINGLE DX	2978	2.2	7	1	1	2	2	3	4	10
2. MULTIPLE DX	4092	4.0	15	1	1	2	5	8	11	19
A. NOT OPERATED	368	4.2	13	1	1	3	5	9	11	19
B. OPERATED	6702	3.2	12	1	1	2	3	7	9	16
TOTAL 0-19 YRS	4	3.8	13	1	1	2	6	9	9	9
20-34	45	3.4	7	<1	1	2	5	7	8	15
35-49	1286	3.2	15	<1	1	2	3	7	9	15
50-64	4385	3.1	10	1	1	2	3	7	9	15
65+	1350	3.9	18	1	2	2	4	8	11	19
GRAND TOTAL	**7070**	**3.2**	**13**	**1**	**1**	**2**	**3**	**7**	**9**	**17**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	2.7	3	<1	1	2	3	6	7	8
20-34	238	3.0	6	<1	1	2	4	6	7	13
35-49	94	3.2	8	<1	1	2	4	7	9	14
50-64	45	4.2	33	<1	<1	2	4	7	14	34
65+	24	3.3	5	1	1	2	4	7	8	9
B. *Operated*										
0-19 YRS	347	2.7	5	1	1	2	3	5	6	12
20-34	3305	3.4	9	1	1	2	4	7	8	14
35-49	1967	3.7	11	1	1	2	5	8	9	17
50-64	1263	3.6	11	1	1	2	4	8	10	16
65+	385	4.0	15	1	2	3	4	9	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	3.3	8	<1	1	3	4	7	7	17
20-34	284	3.3	6	<1	1	3	4	7	8	12
35-49	142	3.9	11	<1	1	3	6	8	10	99+
50-64	88	6.8	59	1	1	4	9	16	21	41
65+	93	7.4	59	1	2	6	9	14	21	46
B. *Operated*										
0-19 YRS	310	3.8	9	1	1	3	5	7	9	13
20-34	3901	5.0	12	1	1	5	7	8	10	17
35-49	3972	5.7	17	1	2	6	8	9	12	20
50-64	2241	5.9	26	1	2	5	8	11	13	24
65+	869	6.9	48	2	2	5	9	14	18	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	500	3.1	8	<1	1	2	4	6	7	14
B. *Operated*	7267	3.5	10	1	1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	681	4.4	24	<1	1	3	6	9	13	29
B. *Operated*	11293	5.5	20	1	2	5	7	10	12	21
1. SINGLE DX	7767	3.5	10	1	1	2	4	7	9	15
2. MULTIPLE DX	11974	5.4	20	1	2	5	7	10	12	21
A. NOT OPERATED	1181	3.9	18	<1	1	3	5	7	10	22
B. OPERATED	18560	4.7	17	1	1	3	7	9	11	19
TOTAL 0-19 YRS	830	3.2	7	1	1	2	4	6	7	12
20-34	7728	4.2	11	1	1	3	6	8	9	15
35-49	6175	4.9	15	1	1	4	7	9	11	19
50-64	3637	5.1	23	1	1	3	7	10	12	22
65+	1371	6.1	41	1	2	4	8	13	17	34
GRAND TOTAL	**19741**	**4.7**	**17**	**1**	**1**	**3**	**7**	**9**	**11**	**19**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	310	2.2	2	1	1	2	3	4	5	7
20-34	505	2.4	3	<1	1	2	3	5	6	9
35-49	114	3.1	5	<1	1	2	4	6	8	11
50-64	24	5.2	16	1	1	5	9	11	35	99+
65+	12	4.8	26	1	1	2	8	12	16	17
B. *Operated*										
0-19 YRS	231	3.0	6	1	1	2	4	6	7	16
20-34	2295	3.4	8	<1	1	2	5	7	8	12
35-49	817	7.1	34	1	2	7	9	11	13	18
50-64	475	8.5	14	2	3	9	10	13	15	21
65+	213	9.7	21	2	3	9	12	15	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	195	3.1	6	1	1	3	4	5	6	13
20-34	569	3.5	14	1	1	3	4	6	8	14
35-49	175	4.0	8	<1	1	3	5	8	9	13
50-64	85	6.1	32	1	2	5	8	10	15	35
65+	39	7.6	34	2	2	6	10	17	21	26
B. *Operated*										
0-19 YRS	296	3.6	9	1	1	3	5	7	9	14
20-34	5229	5.2	12	1	1	5	7	9	10	16
35-49	2418	7.6	19	2	2	7	9	12	14	22
50-64	805	9.4	22	2	4	9	11	15	18	25
65+	329	11.2	35	3	5	10	14	19	22	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	965	2.5	4	<1	1	2	3	5	6	11
B. *Operated*	4031	5.1	20	1	1	4	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	1063	3.9	14	1	1	3	5	7	10	17
B. *Operated*	9077	6.4	19	1	2	6	8	11	14	21
1. SINGLE DX	4996	4.6	18	1	1	3	7	10	11	17
2. MULTIPLE DX	10140	6.1	19	1	1	6	8	11	13	21
A. NOT OPERATED	2028	3.2	10	1	1	2	4	6	9	14
B. OPERATED	13108	6.0	19	1	1	6	8	11	13	20
TOTAL 0-19 YRS	1032	3.0	6	1	1	2	4	6	7	13
20-34	8598	4.4	11	<1	1	4	6	8	10	15
35-49	3524	7.1	23	1	2	7	9	11	13	21
50-64	1389	8.8	21	2	3	9	11	14	17	24
65+	593	10.3	31	2	3	10	13	18	21	30
GRAND TOTAL	**15136**	**5.6**	**19**	**1**	**1**	**5**	**8**	**10**	**13**	**20**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	3	1	1	2	5	5	5	5
20-34	38	3.6	6	1	1	3	5	7	8	11
35-49	3	5.7	2	4	4	6	7	7	7	7
50-64										
B. *Operated*										
0-19 YRS	132	5.3	3	3	3	5	6	7	8	12
20-34	1630	5.7	4	3	4	5	6	8	9	12
35-49	151	6.1	6	3	4	6	7	8	10	18
50-64	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.7	3	1	1	3	4	5	5	5
20-34	19	4.8	8	<1	1	5	6	8	10	11
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
B. *Operated*										
0-19 YRS	110	5.8	14	3	4	5	6	7	9	23
20-34	1352	6.1	5	4	4	6	7	9	10	15
35-49	187	7.0	9	4	4	6	8	10	12	20
50-64	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	3.6	6	1	1	3	5	7	7	11
B. *Operated*	1915	5.7	4	3	4	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	27	4.5	8	1	1	5	6	8	10	11
B. *Operated*	1650	6.2	7	4	4	6	7	9	10	15
1. SINGLE DX	1962	5.6	4	3	4	5	6	8	9	13
2. MULTIPLE DX	1677	6.2	7	4	4	6	7	9	10	15
A. NOT OPERATED	74	3.9	7	1	1	4	5	7	8	11
B. OPERATED	3565	5.9	5	3	4	6	7	8	10	14
TOTAL 0-19 YRS	255	5.4	8	2	3	5	6	7	8	12
20-34	3039	5.8	5	3	4	6	7	8	9	14
35-49	342	6.6	8	4	4	6	7	9	12	18
50-64	3	4.7	6	2	2	5	6	7	7	7
GRAND TOTAL	**3639**	**5.9**	**6**	**3**	**4**	**6**	**7**	**8**	**10**	**14**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	2.0	1	<1	1	2	2	3	4	7
20-34	84	2.0	1	<1	<1	2	2	4	5	6
35-49	11	2.8	12	1	1	2	3	7	13	13
50-64										
B. *Operated*										
0-19 YRS	1661	1.8	2	<1	<1	2	2	3	4	6
20-34	2479	1.8	4	<1	<1	1	2	3	4	7
35-49	260	1.8	5	<1	<1	1	2	3	4	8
50-64	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	1.9	3	<1	<1	1	2	5	6	7
20-34	68	2.0	2	<1	<1	2	2	4	5	8
35-49	16	2.2	5	<1	<1	2	2	3	8	10
50-64										
B. *Operated*										
0-19 YRS	890	2.1	5	1	1	2	2	3	5	9
20-34	2793	2.4	8	<1	<1	2	2	5	7	10
35-49	718	2.7	7	<1	<1	2	3	6	7	11
50-64	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	2.1	2	<1	<1	2	2	3	5	7
B. *Operated*	4403	1.8	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	111	2.0	3	<1	<1	1	2	4	5	9
B. *Operated*	4402	2.4	7	<1	<1	2	2	5	6	10
1. SINGLE DX	4558	1.8	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX	4513	2.4	7	<1	<1	2	2	5	6	10
A. NOT OPERATED	266	2.0	2	<1	<1	2	2	4	5	8
B. OPERATED	8805	2.1	5	<1	<1	2	2	4	5	9
TOTAL 0-19 YRS	2638	1.9	3	<1	1	2	2	3	4	7
20-34	5424	2.1	6	<1	<1	2	2	4	5	9
35-49	1005	2.5	7	<1	<1	2	3	5	7	11
50-64	4	1.3		<1	<1	1	2	2	2	2
GRAND TOTAL	**9071**	**2.1**	**5**	**<1**	**<1**	**2**	**2**	**4**	**5**	**9**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
B. *Operated*										
0-19 YRS	5	3.6	1	2	2	4	4	5	5	5
20-34	5	2.4	1	<1	<1	2	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	2	4.5	25	<1	<1	4	8	8	8	8
35-49	4	3.8	2	2	2	4	5	5	5	5
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*	11	2.8	2	<1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	7	5.4	20	<1	<1	5	7	13	14	14
1. SINGLE DX	13	2.9	2	<1	1	3	4	5	5	5
2. MULTIPLE DX	7	5.4	20	<1	<1	5	7	13	14	14
A. NOT OPERATED	2	3.5	5	2	2	3	5	5	5	5
B. OPERATED	18	3.8	10	<1	<1	3	5	7	12	14
TOTAL 0-19 YRS	7	4.9	17	2	2	4	5	12	14	14
20-34	8	3.3	6	<1	<1	3	4	7	8	8
35-49	5	3.2	3	1	1	3	5	5	5	5
50-64										
GRAND TOTAL	**20**	**3.8**	**9**	**<1**	**1**	**3**	**5**	**7**	**11**	**14**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	506	2.0	10	<1	1	1	2	4	4	7
20-34	1234	1.9	3	<1	1	1	2	3	4	7
35-49	99	1.8	1	1	1	1	2	4	4	5
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	3016	1.8	3	<1	1	1	2	3	4	7
20-34	12108	1.6	2	<1	1	1	2	3	4	6
35-49	1256	1.7	3	<1	<1	1	2	3	4	7
50-64	7	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	2.4	2	<1	1	2	3	4	5	8
20-34	244	2.7	5	1	1	2	3	5	7	12
35-49	28	2.1	1	1	1	2	3	4	4	6
50-64										
B. *Operated*										
0-19 YRS	413	2.7	5	1	1	2	3	5	8	11
20-34	1925	2.7	7	1	1	2	3	5	7	11
35-49	396	2.6	5	1	1	2	3	5	7	10
50-64	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1840	1.9	5	<1	1	1	2	3	4	7
B. *Operated*	16387	1.7	2	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	353	2.6	4	1	1	2	3	5	6	12
B. *Operated*	2735	2.7	6	1	1	2	3	5	7	11
1. SINGLE DX	18227	1.7	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	3088	2.6	6	1	1	2	3	5	7	11
A. NOT OPERATED	2193	2.0	5	<1	1	2	2	4	5	8
B. OPERATED	19122	1.8	3	<1	1	1	2	3	4	8
TOTAL 0-19 YRS	4016	1.9	4	<1	1	1	2	3	4	8
20-34	15511	1.8	3	<1	1	1	2	3	4	8
35-49	1779	1.9	3	<1	1	1	2	3	5	9
50-64	9	1.6	1	<1	<1	1	2	3	3	3
GRAND TOTAL	**21315**	**1.8**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**	**8**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	2.8	4	<1	<1	2	4	5	6	12
20-34	217	2.2	2	<1	1	2	3	4	5	10
35-49	14	2.9	6	<1	1	2	3	6	9	10
50-64										
B. *Operated*										
0-19 YRS	243	2.2	2	<1	1	2	3	4	5	7
20-34	1896	2.0	2	<1	1	2	2	3	4	8
35-49	177	1.9	2	<1	1	2	2	3	4	8
50-64	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.5	9	1	1	3	4	6	11	15
20-34	85	3.9	18	1	1	3	5	8	9	26
35-49	6	3.0	3	1	1	3	5	5	5	5
50-64										
B. *Operated*										
0-19 YRS	78	4.1	14	1	1	3	5	8	11	20
20-34	448	3.3	10	<1	1	2	4	7	9	15
35-49	100	3.2	7	<1	1	2	4	6	8	15
50-64	2	1.5	1	1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	310	2.4	3	<1	1	2	3	5	6	11
B. *Operated*	2317	2.0	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	115	3.8	15	1	1	3	4	8	9	23
B. *Operated*	628	3.4	10	<1	1	2	4	7	9	16
1. SINGLE DX	2627	2.0	2	<1	1	2	2	3	5	8
2. MULTIPLE DX	743	3.4	11	1	1	2	4	7	9	18
A. NOT OPERATED	425	2.8	7	<1	1	2	3	5	7	13
B. OPERATED	2945	2.3	4	<1	1	2	2	4	6	11
TOTAL 0-19 YRS	424	2.7	6	<1	1	2	3	5	6	14
20-34	2646	2.3	4	<1	1	2	2	4	6	11
35-49	297	2.4	4	<1	1	2	3	4	6	11
50-64	3	1.3		1	1	1	2	2	2	2
GRAND TOTAL	**3370**	**2.3**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**11**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	388	2.4	3	<1	1	2	3	4	6	8
20-34	1658	2.6	4	1	1	2	3	5	6	10
35-49	83	2.9	4	<1	1	2	4	5	7	10
50-64										
B. *Operated*										
0-19 YRS	13	3.0	5	<1	1	2	4	6	8	9
20-34	58	2.8	3	<1	1	2	4	5	6	9
35-49	5	2.4	1	2	2	2	3	4	4	4
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	3.1	5	1	1	3	3	5	6	14
20-34	266	3.4	5	1	1	3	4	7	8	12
35-49	16	3.8	10	1	1	3	5	8	11	13
50-64										
B. *Operated*										
0-19 YRS	11	3.3	6	1	1	2	6	7	7	7
20-34	41	6.9	129	1	1	5	8	10	11	75
35-49	4	3.8	7	1	1	4	6	6	6	6
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2129	2.6	4	1	1	2	3	5	6	9
B. *Operated*	76	2.8	3	<1	1	2	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	349	3.4	5	1	1	3	4	6	8	13
B. *Operated*	56	5.9	98	1	1	4	7	10	11	71
1. SINGLE DX	2205	2.6	4	1	1	2	3	5	6	9
2. MULTIPLE DX	405	3.7	19	1	1	3	4	7	9	13
A. NOT OPERATED	2478	2.7	4	1	1	2	3	5	6	10
B. OPERATED	132	4.1	45	1	1	3	5	8	10	23
TOTAL 0-19 YRS	479	2.5	3	1	1	2	3	5	6	9
20-34	2023	2.8	7	1	1	2	3	5	7	10
35-49	108	3.0	5	1	1	2	4	6	7	11
50-64										
GRAND TOTAL	**2610**	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**10**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.1	6	<1	<1	1	2	4	7	14
20-34	111	2.5	6	1	1	2	3	5	8	14
35-49	7	2.3	1	1	1	2	3	4	4	4
50-64										
B. *Operated*										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.2	1	1	1	2	2	4	4	4
20-34	36	3.1	5	1	1	2	4	6	8	10
35-49	4	3.8	10	<1	<1	3	6	7	7	7
50-64										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	18	3.3	10	1	1	2	3	8	11	13
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	2.4	5	<1	1	2	3	5	7	14
B. *Operated*	6	2.8	5	<1	<1	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	46	3.0	5	<1	1	2	4	6	7	10
B. *Operated*	22	3.0	8	1	1	2	3	7	11	13
1. SINGLE DX	156	2.5	5	<1	1	2	3	5	7	14
2. MULTIPLE DX	68	3.0	6	1	1	2	4	6	8	12
A. NOT OPERATED	196	2.6	5	<1	1	2	3	5	7	14
B. OPERATED	28	3.0	7	1	1	2	3	6	9	13
TOTAL 0-19 YRS	42	2.1	5	<1	<1	1	2	4	6	14
20-34	168	2.7	6	1	1	2	3	6	8	13
35-49	14	2.9	4	<1	1	2	4	6	7	7
50-64										
GRAND TOTAL	**224**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**6**	**7**	**13**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	397	3.9	8	1	1	3	5	7	9	16
20-34	1387	3.7	7	1	1	3	4	7	8	14
35-49	111	4.2	16	1	2	3	5	7	11	23
50-64	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	30	5.7	26	1	2	4	6	12	20	22
20-34	72	5.1	43	1	1	3	6	9	12	41
35-49	8	8.0	9	4	5	7	9	13	14	14
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	4.8	15	1	2	4	6	9	14	21
20-34	399	4.2	12	1	1	3	5	8	10	22
35-49	48	4.2	7	1	2	4	5	8	11	12
50-64										
B. *Operated*										
0-19 YRS	22	5.7	10	2	3	5	7	12	13	13
20-34	71	5.4	11	2	2	4	7	11	13	14
35-49	8	7.9	92	<1	<1	4	9	24	30	30
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1897	3.8	8	1	1	3	4	7	9	16
B. *Operated*	110	5.5	36	1	1	4	7	9	16	38
2. MULTIPLE DX										
A. *Not Operated*	531	4.3	12	1	2	3	5	8	10	22
B. *Operated*	101	5.7	17	1	2	5	7	11	13	22
1. SINGLE DX	2007	3.9	10	1	1	3	5	7	9	16
2. MULTIPLE DX	632	4.5	13	1	2	4	5	9	11	22
A. NOT OPERATED	2428	3.9	9	1	1	3	5	7	9	16
B. OPERATED	211	5.6	27	1	2	4	7	11	13	32
TOTAL 0-19 YRS	533	4.2	10	1	2	3	5	8	10	18
20-34	1929	3.9	10	1	1	3	5	7	9	16
35-49	175	4.5	17	1	2	3	5	8	11	25
50-64	2	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**2639**	**4.0**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	328	3.4	17	1	2	3	4	5	6	10
20-34	1371	3.8	6	1	2	3	5	7	8	12
35-49	31	4.0	4	2	2	4	5	7	9	9
50-64	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	10	3.0	7	1	1	2	4	7	9	9
20-34	46	2.1	5	<1	1	1	2	4	6	14
35-49	3	2.3	2	<1	<1	2	3	4	4	4
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	4.0	17	1	1	3	4	7	10	28
20-34	427	4.2	10	1	2	4	5	7	9	17
35-49	11	3.9	5	<1	1	3	6	7	7	7
50-64										
B. *Operated*										
0-19 YRS	8	3.8	2	2	2	4	5	6	6	6
20-34	34	7.1	41	1	2	6	9	11	19	35
35-49	3	6.0	13	2	2	7	8	9	9	9
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1731	3.8	8	1	2	3	4	6	8	12
B. *Operated*	59	2.2	5	<1	1	1	2	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	566	4.2	11	1	2	3	5	7	9	19
B. *Operated*	45	6.4	33	1	2	5	8	10	17	35
1. SINGLE DX	1790	3.7	8	1	2	3	4	6	8	12
2. MULTIPLE DX	611	4.3	13	1	2	3	5	8	10	20
A. NOT OPERATED	2297	3.9	9	1	2	3	5	7	8	13
B. OPERATED	104	4.0	22	1	1	2	6	9	10	27
TOTAL 0-19 YRS	474	3.6	16	1	2	3	4	6	8	18
20-34	1878	3.9	8	1	2	3	5	7	9	15
35-49	48	4.0	4	<1	2	4	5	7	9	9
50-64	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**2401**	**3.9**	**9**	**1**	**2**	**3**	**5**	**7**	**8**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2079	1.3	4	<1	<1	1	1	2	3	6
20-34	7129	1.4	5	<1	<1	1	1	2	3	6
35-49	369	1.4	4	<1	<1	1	1	2	3	13
50-64	3	10.3	234	<1	<1	2	21	28	28	28
B. *Operated*										
0-19 YRS	86	1.4	1	<1	<1	1	1	2	3	7
20-34	294	1.4	1	<1	<1	1	1	2	4	6
35-49	12	1.6	2	<1	<1	1	2	3	6	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	212	1.9	3	<1	<1	1	2	4	5	8
20-34	647	2.0	4	<1	<1	1	2	4	5	9
35-49	43	1.9	2	<1	<1	1	2	3	5	8
50-64										
B. *Operated*										
0-19 YRS	10	2.5	5	1	1	2	3	6	8	8
20-34	50	2.7	6	<1	<1	2	3	6	8	13
35-49	3	2.7	8	1	1	1	5	6	6	6
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9580	1.4	5	<1	<1	1	1	2	3	6
B. *Operated*	392	1.4	1	<1	<1	1	1	2	4	7
2. MULTIPLE DX										
A. *Not Operated*	902	2.0	3	<1	<1	1	2	4	5	9
B. *Operated*	63	2.6	6	<1	<1	2	3	6	8	12
1. SINGLE DX	9972	1.4	5	<1	<1	1	1	2	3	6
2. MULTIPLE DX	965	2.0	3	<1	<1	1	2	4	5	9
A. NOT OPERATED	10482	1.4	5	<1	<1	1	1	2	3	7
B. OPERATED	455	1.6	2	<1	<1	1	2	3	5	8
TOTAL 0-19 YRS	2387	1.4	4	<1	<1	1	1	2	3	7
20-34	8120	1.4	5	<1	<1	1	1	2	3	7
35-49	427	1.5	4	<1	<1	1	1	2	3	10
50-64	3	10.3	234	<1	<1	2	21	28	28	28
GRAND TOTAL	**10937**	**1.4**	**5**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	2.9	4	1	1	2	4	6	8	10
20-34	543	3.4	8	1	1	3	4	6	7	16
35-49	52	3.3	8	1	1	3	4	6	7	19
50-64	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	26	5.2	25	1	1	4	5	12	17	23
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.5	6	1	1	3	4	8	9	9
20-34	120	4.2	15	<1	1	3	5	8	10	23
35-49	7	4.9	9	1	1	4	8	9	9	9
50-64										
B. *Operated*										
0-19 YRS	2	9.0	72	3	3	9	15	15	15	15
20-34	14	6.9	40	1	2	4	9	17	20	21
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	666	3.3	8	1	1	3	4	6	7	16
B. *Operated*	30	4.9	22	1	1	4	5	10	15	23
2. MULTIPLE DX										
A. *Not Operated*	138	4.2	14	<1	1	3	5	8	10	21
B. *Operated*	17	7.2	37	1	2	4	10	17	20	21
1. SINGLE DX	696	3.4	8	1	1	3	4	6	8	17
2. MULTIPLE DX	155	4.5	17	1	1	3	6	9	14	21
A. NOT OPERATED	804	3.5	9	1	1	3	4	6	8	17
B. OPERATED	47	5.7	28	1	1	4	7	15	18	23
TOTAL 0-19 YRS	86	3.1	6	1	1	2	4	7	8	13
20-34	703	3.7	11	1	1	3	4	7	9	18
35-49	61	3.6	8	1	1	3	4	6	8	18
50-64	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**851**	**3.6**	**10**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	186	2.2	3	<1	1	2	3	4	5	9
20-34	617	2.6	13	<1	1	2	3	4	6	13
35-49	33	2.1	4	<1	1	1	2	4	8	9
50-64										
B. *Operated*										
0-19 YRS	8	2.5	3	1	1	2	4	5	5	5
20-34	35	2.7	4	<1	<1	2	4	5	6	9
35-49										
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.5	4	<1	<1	2	3	4	5	14
20-34	148	2.7	3	<1	1	2	3	5	6	10
35-49	11	2.8	1	2	2	3	4	4	4	4
50-64										
B. *Operated*										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	26	4.3	33	<1	<1	3	5	8	13	30
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	836	2.5	10	<1	1	2	3	4	5	11
B. *Operated*	43	2.7	4	<1	1	2	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	208	2.6	3	<1	1	2	3	5	6	11
B. *Operated*	29	4.3	30	<1	<1	3	5	8	9	30
1. SINGLE DX	879	2.5	10	<1	1	2	3	4	6	11
2. MULTIPLE DX	237	2.8	7	<1	1	2	3	6	6	16
A. NOT OPERATED	1044	2.5	9	<1	1	2	3	4	6	11
B. OPERATED	72	3.3	15	<1	<1	2	4	6	8	25
TOTAL 0-19 YRS	246	2.3	3	<1	1	2	3	5	5	9
20-34	826	2.7	11	<1	1	2	3	5	6	13
35-49	44	2.3	3	<1	1	2	3	4	6	9
50-64										
GRAND TOTAL	**1116**	**2.6**	**9**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	446	3.4	4	<1	1	3	4	6	7	11
20-34	739	3.3	4	1	1	3	4	6	6	10
35-49	20	3.2	4	<1	1	3	4	6	7	7
50-64										
B. *Operated*										
0-19 YRS	24	4.0	3	2	2	4	5	6	7	9
20-34	63	3.9	6	1	1	3	6	7	8	11
35-49	4	2.3		2	2	2	3	3	3	3
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	369	3.7	5	1	1	3	5	6	7	12
20-34	639	3.7	5	1	1	3	5	6	8	11
35-49	27	3.8	7	<1	1	4	5	6	8	13
50-64										
B. *Operated*										
0-19 YRS	29	5.0	8	1	2	5	6	8	11	14
20-34	115	5.8	16	2	2	5	7	9	11	24
35-49	8	5.8	5	2	3	6	7	8	8	8
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1205	3.3	4	<1	1	3	4	6	7	10
B. *Operated*	91	3.8	5	1	1	4	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	1035	3.7	5	1	1	3	5	6	7	12
B. *Operated*	153	5.6	14	2	2	5	7	9	11	17
1. SINGLE DX	1296	3.4	4	<1	1	3	4	6	7	10
2. MULTIPLE DX	1188	3.9	7	1	1	4	5	7	8	13
A. NOT OPERATED	2240	3.5	5	1	1	3	4	6	7	11
B. OPERATED	244	5.0	11	1	2	4	6	8	10	14
TOTAL 0-19 YRS	868	3.6	5	1	1	3	5	6	7	12
20-34	1557	3.7	6	1	1	3	5	6	8	11
35-49	59	3.7	6	<1	1	3	5	7	8	13
50-64										
GRAND TOTAL	**2484**	**3.6**	**5**	**1**	**1**	**3**	**5**	**6**	**7**	**11**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	4.5	17	<1	1	3	6	8	11	25
20-34	477	4.5	14	<1	1	3	6	9	11	20
35-49	36	5.7	18	1	1	5	7	11	13	21
50-64	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*										
0-19 YRS	9	4.1	5	1	1	4	6	7	8	8
20-34	31	3.6	5	<1	<1	3	5	7	8	9
35-49	5	2.6	4	1	1	2	4	6	6	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	172	3.9	12	1	1	3	5	7	10	20
20-34	838	4.6	20	1	1	3	6	9	12	22
35-49	59	5.4	18	1	2	4	6	9	12	28
50-64										
B. *Operated*										
0-19 YRS	20	5.7	33	1	2	4	6	17	20	20
20-34	79	5.8	23	<1	1	4	8	12	17	23
35-49	7	6.0	14	2	2	4	9	12	12	12
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	622	4.6	15	<1	1	3	6	9	11	21
B. *Operated*	45	3.6	5	<1	1	3	5	6	8	9
2. MULTIPLE DX										
A. *Not Operated*	1069	4.5	19	1	1	3	6	9	12	22
B. *Operated*	106	5.8	24	1	1	4	7	12	17	22
1. SINGLE DX	667	4.5	14	<1	1	3	6	9	11	21
2. MULTIPLE DX	1175	4.7	19	1	1	3	6	9	12	22
A. NOT OPERATED	1691	4.6	17	1	1	3	6	9	12	21
B. OPERATED	151	5.1	19	<1	1	4	6	11	15	20
TOTAL 0-19 YRS	308	4.2	15	1	1	3	5	7	11	21
20-34	1425	4.6	18	1	1	3	6	9	12	21
35-49	107	5.4	17	1	1	4	7	10	12	24
50-64	2	5.5	5	4	4	5	7	7	7	7
GRAND TOTAL	**1842**	**4.6**	**18**	**1**	**1**	**3**	**6**	**9**	**12**	**21**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	462	2.6	7	<1	<1	2	3	6	8	14
20-34	1536	2.9	22	<1	<1	2	3	6	7	21
35-49	79	2.6	5	<1	<1	2	4	6	8	9
50-64	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	90	3.4	7	1	1	3	4	6	9	15
20-34	817	3.4	7	1	1	3	4	6	7	13
35-49	58	3.4	4	<1	1	3	4	7	8	10
50-64	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	237	3.4	10	<1	1	2	4	6	9	16
20-34	815	3.4	13	<1	1	3	4	6	8	21
35-49	52	5.0	25	<1	<1	3	7	12	15	25
50-64	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	68	5.9	18	1	2	5	7	11	13	23
20-34	382	5.2	24	1	2	4	6	8	11	25
35-49	31	5.6	5	2	3	6	7	9	10	11
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2079	2.9	18	<1	<1	2	3	6	7	20
B. *Operated*	966	3.4	7	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	1107	3.4	13	<1	1	3	4	6	9	22
B. *Operated*	481	5.3	22	1	2	4	6	9	11	24
1. SINGLE DX	3045	3.0	14	<1	<1	2	4	6	7	15
2. MULTIPLE DX	1588	4.0	16	<1	1	3	5	7	10	23
A. NOT OPERATED	3186	3.1	16	<1	<1	2	4	6	8	21
B. OPERATED	1447	4.0	13	1	1	3	5	7	9	17
TOTAL 0-19 YRS	857	3.2	10	<1	<1	2	4	6	9	16
20-34	3550	3.4	17	<1	1	3	4	6	8	21
35-49	220	3.8	11	<1	1	3	5	8	10	16
50-64	6	2.5	1	1	1	2	3	4	4	4
GRAND TOTAL	**4633**	**3.4**	**15**	**<1**	**1**	**3**	**4**	**6**	**8**	**20**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	3.4	11	2	2	3	3	4	7	21
20-34	242	3.4	4	1	2	3	4	5	7	13
35-49	9	4.6	6	2	2	4	5	8	10	10
50-64	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	32	4.3	25	2	2	3	4	7	17	26
20-34	138	5.9	40	2	2	4	6	9	17	39
35-49	11	5.1	3	3	3	5	7	8	8	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	3.4	5	1	2	3	4	5	9	52
20-34	332	3.9	11	2	2	3	4	6	8	20
35-49	16	5.4	40	1	2	3	6	11	22	27
50-64	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	105	7.3	99	2	2	4	8	15	22	84
20-34	637	7.0	51	2	3	5	8	13	20	40
35-49	71	8.4	84	2	3	5	8	20	26	53
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	351	3.4	6	2	2	3	4	5	7	18
B. *Operated*	181	5.6	35	2	2	4	6	9	15	37
2. MULTIPLE DX										
A. *Not Operated*	453	3.8	11	2	2	3	4	6	8	24
B. *Operated*	813	7.2	60	2	2	5	8	14	22	43
1. SINGLE DX	532	4.1	17	2	2	3	4	7	9	26
2. MULTIPLE DX	1266	6.0	45	2	2	4	6	11	18	40
A. NOT OPERATED	804	3.6	9	2	2	3	4	5	8	19
B. OPERATED	994	6.9	56	2	2	5	7	13	21	42
TOTAL 0-19 YRS	340	4.7	40	2	2	3	4	9	15	60
20-34	1349	5.5	35	2	2	4	6	10	15	36
35-49	107	7.3	64	2	2	5	8	15	26	44
50-64	2	3.0	2	2	2	3	4	4	4	4
GRAND TOTAL	**1798**	**5.4**	**38**	**2**	**2**	**4**	**6**	**10**	**16**	**37**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15627	2.8	4	1	2	3	3	4	4	6
20-34	59164	2.9	3	1	2	3	3	4	4	6
35-49	2289	2.9	2	1	2	3	3	4	4	7
50-64	30	2.7	1	1	2	3	3	4	5	5
B. *Operated*										
0-19 YRS	2531	2.9	1	1	2	3	3	4	4	6
20-34	10363	3.1	3	2	2	3	3	4	5	7
35-49	427	3.3	4	2	2	3	4	5	5	7
50-64	8	3.9	2	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	915	3.4	3	2	2	3	4	5	7	10
20-34	3028	3.4	6	2	2	3	4	5	6	11
35-49	171	3.5	4	2	2	3	4	5	7	13
50-64	4	3.0	2	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	496	3.7	14	2	2	3	4	5	6	12
20-34	11147	3.7	6	2	2	3	4	5	6	9
35-49	1211	4.0	9	2	3	4	4	5	6	9
50-64	6	3.7	1	2	2	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77110	2.9	3	1	2	3	3	4	4	6
B. *Operated*	13329	3.0	3	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	4118	3.4	6	2	2	3	4	5	6	11
B. *Operated*	12860	3.8	6	2	2	3	4	5	6	9
1. SINGLE DX	90439	2.9	3	1	2	3	3	4	4	6
2. MULTIPLE DX	16978	3.7	6	2	2	3	4	5	6	10
A. NOT OPERATED	81228	2.9	4	1	2	3	3	4	4	6
B. OPERATED	26189	3.4	5	2	2	3	4	5	5	8
TOTAL 0-19 YRS	19569	2.9	4	1	2	3	3	4	4	7
20-34	83702	3.0	4	2	2	3	3	4	5	7
35-49	4098	3.3	5	2	2	3	4	5	5	8
50-64	48	3.1	1	2	2	3	4	5	5	6
GRAND TOTAL	**107417**	**3.0**	**4**	**2**	**2**	**3**	**3**	**4**	**5**	**7**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.1	3	1	1	3	4	6	7	7
20-34	69	3.0	2	1	2	3	4	5	5	8
35-49	5	5.6	52	1	1	2	9	18	18	18
50-64										
B. *Operated*										
0-19 YRS	31	5.7	6	2	3	5	6	8	11	15
20-34	289	7.1	35	3	4	6	7	10	17	38
35-49	21	7.5	62	2	3	6	7	12	25	40
50-64	1	44.0		44	44	44	44	44	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	2	2	2	3	4	6	6	6
20-34	53	5.9	103	1	2	3	5	10	25	67
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
B. *Operated*										
0-19 YRS	51	7.7	23	3	3	6	9	14	21	23
20-34	497	8.1	59	3	4	6	8	14	23	39
35-49	77	10.5	104	3	4	7	9	27	39	45
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	3.2	5	1	1	3	4	5	6	15
B. *Operated*	342	7.1	38	3	4	6	7	10	16	41
2. MULTIPLE DX										
A. *Not Operated*	61	5.6	90	1	2	3	5	8	20	64
B. *Operated*	625	8.3	62	3	4	6	8	14	24	42
1. SINGLE DX	430	6.3	33	2	2	5	6	9	15	40
2. MULTIPLE DX	686	8.1	65	2	3	6	8	14	24	42
A. NOT OPERATED	149	4.2	41	1	1	3	4	6	9	28
B. OPERATED	967	7.9	54	3	4	6	8	13	22	41
TOTAL 0-19 YRS	102	6.2	17	2	3	5	7	11	15	22
20-34	908	7.3	51	2	3	6	7	12	20	39
35-49	105	9.5	93	3	4	6	9	19	38	44
50-64	1	44.0		44	44	44	44	44	44	44
GRAND TOTAL	**1116**	**7.4**	**54**	**2**	**3**	**6**	**7**	**12**	**21**	**41**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	2.8	1	1	2	3	3	4	5	6
20-34	279	3.0	2	1	1	3	3	5	6	9
35-49	10	2.6	1	1	1	3	3	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	71	4.9	4	2	2	5	6	7	7	12
20-34	298	4.7	6	2	2	5	6	7	7	12
35-49	16	7.4	61	3	3	6	7	10	28	36
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	2.7	1	1	2	2	3	4	6	6
20-34	168	3.6	6	1	2	3	4	6	9	14
35-49	8	2.9	2	1	1	3	4	5	5	5
50-64										
B. *Operated*										
0-19 YRS	163	5.2	10	2	2	4	6	9	12	18
20-34	675	5.2	14	2	3	5	6	8	10	20
35-49	60	7.3	45	2	3	5	7	13	22	38
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	372	2.9	2	1	1	3	3	4	6	8
B. *Operated*	385	4.9	8	2	3	5	6	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	232	3.3	5	1	2	3	4	5	7	14
B. *Operated*	898	5.4	16	2	3	5	6	8	11	21
1. SINGLE DX	757	3.9	6	1	2	3	5	6	7	10
2. MULTIPLE DX	1130	5.0	14	2	2	4	6	8	10	19
A. NOT OPERATED	604	3.1	3	1	2	3	3	5	6	11
B. OPERATED	1283	5.2	13	2	3	5	6	8	10	20
TOTAL 0-19 YRS	372	4.3	7	2	2	4	6	7	9	16
20-34	1420	4.5	10	2	2	4	5	7	9	14
35-49	94	6.4	42	2	2	5	6	10	19	38
50-64	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**1887**	**4.5**	**11**	**2**	**2**	**4**	**6**	**7**	**9**	**16**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.9	2	2	2	2	3	5	6	6
20-34	56	3.1	10	<1	1	3	3	4	5	24
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
B. *Operated*										
0-19 YRS	98	2.8	1	1	2	3	3	4	4	6
20-34	477	2.9	2	1	1	3	3	4	5	8
35-49	25	3.3	4	<1	1	3	4	6	7	9
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	2	2	2	2	4	5	5	5
20-34	20	3.0	2	1	1	3	4	5	5	6
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64										
B. *Operated*										
0-19 YRS	45	3.8	8	2	2	3	4	6	10	17
20-34	280	3.8	6	2	2	3	4	5	7	14
35-49	33	4.4	10	2	2	3	5	9	12	13
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	3.1	9	1	1	3	3	4	5	22
B. *Operated*	600	2.9	2	1	1	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	28	2.9	2	1	1	3	4	5	5	6
B. *Operated*	358	3.9	7	2	2	3	4	5	9	15
1. SINGLE DX	665	2.9	2	1	1	3	3	4	5	8
2. MULTIPLE DX	386	3.8	7	2	2	3	4	5	8	14
A. NOT OPERATED	93	3.0	7	1	1	3	4	4	5	17
B. OPERATED	958	3.3	4	1	2	3	4	5	6	12
TOTAL 0-19 YRS	157	3.1	3	1	2	3	4	4	5	12
20-34	833	3.2	4	1	2	3	4	5	5	12
35-49	61	3.8	7	1	2	3	4	8	10	13
50-64										
GRAND TOTAL	**1051**	**3.2**	**4**	**1**	**2**	**3**	**4**	**5**	**6**	**12**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.2	1	2	2	3	4	4	5	5
20-34	150	3.5	59	1	2	3	3	4	5	9
35-49	9	3.2	1	2	2	3	4	5	5	5
50-64										
B. *Operated*										
0-19 YRS	29	3.1	1	1	2	3	4	4	5	5
20-34	140	3.3	3	1	1	3	4	5	6	11
35-49	7	3.0	3	1	1	2	4	6	6	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.0	2	2	2	3	4	5	5	7
20-34	70	3.2	2	2	2	3	3	5	5	9
35-49	4	4.3	15	2	2	3	6	10	10	10
50-64										
B. *Operated*										
0-19 YRS	44	4.4	14	2	2	4	5	7	8	26
20-34	157	3.9	5	2	2	3	4	6	8	16
35-49	10	3.8	2	1	2	4	5	6	6	6
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	3.4	45	1	2	3	3	4	5	8
B. *Operated*	176	3.2	3	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	105	3.2	2	2	2	3	4	5	6	9
B. *Operated*	211	4.0	7	2	2	3	4	6	8	16
1. SINGLE DX	374	3.3	25	1	2	3	4	5	5	9
2. MULTIPLE DX	316	3.7	6	2	2	3	4	5	7	14
A. NOT OPERATED	303	3.3	30	1	2	3	4	4	5	9
B. OPERATED	387	3.7	5	1	2	3	4	5	7	12
TOTAL 0-19 YRS	143	3.5	5	2	2	3	4	5	6	9
20-34	517	3.5	20	1	2	3	4	5	6	12
35-49	30	3.5	4	1	2	3	5	6	6	10
50-64										
GRAND TOTAL	**690**	**3.5**	**16**	**1**	**2**	**3**	**4**	**5**	**6**	**12**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	3.3	2	2	2	3	3	5	6	8
20-34	177	3.9	13	2	2	3	4	5	6	29
35-49	14	2.7	1	1	1	3	3	4	4	4
50-64										
B. *Operated*										
0-19 YRS	15	4.0	7	2	2	3	4	6	11	13
20-34	122	5.2	22	2	2	4	6	8	14	53
35-49	5	5.0	1	4	4	5	6	6	6	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.5	5	2	2	3	4	5	8	13
20-34	160	3.9	6	2	2	3	5	6	7	13
35-49	16	4.2	9	1	2	3	5	9	12	13
50-64										
B. *Operated*										
0-19 YRS	124	5.4	40	2	2	4	6	9	12	73
20-34	825	5.3	24	2	3	4	6	8	10	23
35-49	57	5.8	30	2	2	5	7	9	11	40
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	3.7	11	2	2	3	4	5	6	22
B. *Operated*	142	5.1	20	2	2	4	6	8	13	40
2. MULTIPLE DX										
A. *Not Operated*	210	3.9	6	2	2	3	4	6	7	13
B. *Operated*	1006	5.3	26	2	3	4	6	8	11	27
1. SINGLE DX	365	4.3	15	2	2	3	5	6	8	33
2. MULTIPLE DX	1216	5.1	23	2	2	4	6	8	10	23
A. NOT OPERATED	433	3.8	8	2	2	3	4	6	7	14
B. OPERATED	1148	5.3	26	2	3	4	6	8	11	30
TOTAL 0-19 YRS	205	4.7	27	2	2	3	5	8	11	43
20-34	1284	4.9	20	2	2	4	5	8	10	24
35-49	92	5.0	22	2	2	4	6	8	11	30
50-64										
GRAND TOTAL	**1581**	**4.9**	**21**	**2**	**2**	**4**	**5**	**8**	**10**	**26**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	3.0	2	1	2	3	3	5	5	9
20-34	401	3.0	2	1	2	3	3	4	5	6
35-49	34	3.0	1	2	2	3	4	4	5	6
50-64	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	480	4.8	22	2	2	4	5	7	7	11
20-34	2304	4.8	10	2	3	5	6	6	7	10
35-49	90	4.5	3	2	2	5	6	7	7	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	3.8	5	1	2	3	5	8	9	10
20-34	146	3.1	2	1	1	3	4	5	6	7
35-49	11	3.5	1	2	2	4	4	5	5	5
50-64										
B. *Operated*										
0-19 YRS	485	5.6	9	2	3	5	7	8	10	17
20-34	2695	5.5	9	2	3	5	6	8	9	16
35-49	237	5.9	10	3	3	5	7	9	11	19
50-64	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	513	3.0	2	1	2	3	3	4	5	6
B. *Operated*	2874	4.8	12	2	3	5	6	7	7	10
2. MULTIPLE DX										
A. *Not Operated*	200	3.3	3	1	2	3	4	5	6	9
B. *Operated*	3418	5.6	9	2	3	5	6	8	10	16
1. SINGLE DX	3387	4.5	10	2	2	4	5	6	7	9
2. MULTIPLE DX	3618	5.4	9	2	3	5	6	8	10	16
A. NOT OPERATED	713	3.0	2	1	2	3	4	5	5	8
B. OPERATED	6292	5.2	11	2	3	5	6	7	8	15
TOTAL 0-19 YRS	1085	5.0	15	2	2	5	6	7	9	15
20-34	5546	5.0	9	2	3	5	6	7	8	14
35-49	372	5.2	8	2	3	5	6	8	10	16
50-64	2	3.5	5	2	2	3	5	5	5	5
GRAND TOTAL	**7005**	**5.0**	**10**	**2**	**3**	**5**	**6**	**7**	**8**	**14**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	3.0	2	1	2	3	4	4	5	9
20-34	412	3.0	1	2	2	3	3	4	5	6
35-49	22	3.3	1	2	2	3	4	5	6	6
50-64										
B. *Operated*										
0-19 YRS	378	4.0	14	2	2	3	5	6	7	11
20-34	1762	4.0	3	2	3	4	5	6	7	10
35-49	79	4.6	4	2	2	4	6	7	8	12
50-64	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.2	2	2	2	3	4	4	5	11
20-34	206	3.6	4	2	2	3	4	6	6	12
35-49	18	3.2	2	<1	1	3	4	6	6	6
50-64										
B. *Operated*										
0-19 YRS	730	4.7	9	2	3	4	6	7	9	14
20-34	3146	4.8	11	2	3	4	6	7	8	15
35-49	239	6.2	33	3	3	6	7	9	10	24
50-64	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	518	3.0	1	2	2	3	3	4	5	6
B. *Operated*	2220	4.1	5	2	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	268	3.5	3	2	2	3	4	6	6	11
B. *Operated*	4116	4.9	12	2	3	4	6	7	8	15
1. SINGLE DX	2738	3.9	5	2	2	3	5	6	7	10
2. MULTIPLE DX	4384	4.8	11	2	3	4	6	7	8	15
A. NOT OPERATED	786	3.2	2	2	2	3	4	5	6	9
B. OPERATED	6336	4.6	10	2	3	4	5	7	8	14
TOTAL 0-19 YRS	1236	4.3	10	2	2	4	5	7	8	13
20-34	5526	4.4	8	2	2	4	5	7	8	13
35-49	358	5.5	24	2	3	5	7	8	10	19
50-64	2	3.0	2	2	2	3	4	4	4	4
GRAND TOTAL	**7122**	**4.4**	**9**	**2**	**2**	**4**	**5**	**7**	**8**	**13**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	4.6	9	2	2	4	6	7	13	15
20-34	179	3.9	26	2	2	3	4	6	6	21
35-49	9	3.7	3	1	1	4	5	6	6	6
50-64										
B. *Operated*										
0-19 YRS	1316	5.7	4	4	4	5	6	7	8	12
20-34	4432	5.6	3	4	4	5	6	7	8	10
35-49	119	5.8	3	3	4	6	7	7	8	12
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	5.2	7	2	2	5	6	8	9	15
20-34	106	4.5	4	2	2	5	6	7	7	10
35-49	3	5.7	16	2	2	5	9	10	10	10
50-64										
B. *Operated*										
0-19 YRS	1568	6.7	11	4	4	6	7	10	12	17
20-34	5394	6.1	9	4	4	6	7	8	10	16
35-49	333	6.3	8	4	4	6	7	8	11	23
50-64	3	7.7	4	6	6	7	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	4.0	23	2	2	3	5	6	7	19
B. *Operated*	5867	5.6	3	4	4	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	139	4.7	5	2	2	5	6	7	8	13
B. *Operated*	7298	6.2	9	4	4	6	7	8	10	16
1. SINGLE DX	6085	5.5	4	3	4	5	6	7	8	11
2. MULTIPLE DX	7437	6.2	9	4	4	6	7	8	10	16
A. NOT OPERATED	357	4.3	16	2	2	4	5	6	7	15
B. OPERATED	13165	6.0	7	4	4	6	7	8	9	14
TOTAL 0-19 YRS	2944	6.2	8	4	4	6	7	8	10	16
20-34	10111	5.8	7	3	4	5	6	8	9	13
35-49	464	6.2	7	3	4	6	7	8	10	17
50-64	3	7.7	4	6	6	7	9	10	10	10
GRAND TOTAL	**13522**	**5.9**	**7**	**3**	**4**	**6**	**7**	**8**	**9**	**14**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	3.3	1	2	2	3	4	5	5	6
20-34	405	3.3	1	2	2	3	4	5	5	8
35-49	10	2.5	2	<1	<1	3	3	4	5	5
50-64										
B. *Operated*										
0-19 YRS	171	4.3	3	2	2	4	5	7	7	8
20-34	707	4.5	4	2	3	4	6	7	7	10
35-49	24	4.9	2	2	3	5	6	6	7	7
50-64	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	3.7	5	2	2	3	4	5	7	15
20-34	213	3.6	9	2	2	3	4	5	6	26
35-49	9	2.9	1	1	1	3	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	412	5.0	7	2	2	5	6	8	10	15
20-34	1465	5.0	10	2	3	5	6	7	9	14
35-49	121	5.7	8	3	3	5	7	8	9	19
50-64	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	520	3.3	1	2	2	3	4	5	5	7
B. *Operated*	903	4.4	4	2	3	4	6	7	7	10
2. MULTIPLE DX										
A. *Not Operated*	302	3.6	7	2	2	3	4	5	6	20
B. *Operated*	1999	5.0	9	2	3	5	6	8	9	14
1. SINGLE DX	1423	4.0	3	2	2	4	5	6	7	9
2. MULTIPLE DX	2301	4.8	9	2	3	4	6	7	9	14
A. NOT OPERATED	822	3.4	4	2	2	3	4	5	5	10
B. OPERATED	2902	4.8	7	2	3	4	6	7	8	13
TOTAL 0-19 YRS	767	4.5	6	2	2	4	5	7	9	14
20-34	2790	4.5	7	2	2	4	6	7	8	13
35-49	164	5.2	8	2	3	5	6	8	9	15
50-64	3	7.3	26	3	3	6	11	13	13	13
GRAND TOTAL	**3724**	**4.5**	**7**	**2**	**2**	**4**	**6**	**7**	**8**	**13**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.4	5	1	1	3	4	6	9	11
20-34	95	3.1	2	2	2	3	3	4	5	10
35-49	6	2.7	1	1	1	3	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	67	5.0	13	2	2	4	5	8	9	24
20-34	383	4.8	4	2	3	5	6	7	8	10
35-49	16	4.2	3	<1	1	4	6	6	6	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.0	3	2	2	3	5	7	8	8
20-34	84	5.4	56	1	2	4	6	7	10	51
35-49	9	4.8	5	2	2	4	6	8	9	9
50-64										
B. *Operated*										
0-19 YRS	145	6.2	10	2	3	6	8	10	12	17
20-34	895	6.0	12	3	3	6	7	8	10	21
35-49	87	6.4	30	3	3	5	7	8	10	38
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	3.2	2	1	2	3	3	4	6	12
B. *Operated*	466	4.8	5	2	2	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	110	5.2	44	2	2	4	6	7	9	42
B. *Operated*	1127	6.1	13	3	3	6	7	9	11	20
1. SINGLE DX	584	4.5	5	2	2	4	6	7	8	11
2. MULTIPLE DX	1237	6.0	16	2	3	6	7	9	11	22
A. NOT OPERATED	228	4.1	23	2	2	3	4	6	7	23
B. OPERATED	1593	5.7	11	2	3	5	7	8	10	18
TOTAL 0-19 YRS	246	5.5	10	2	2	5	7	10	11	20
20-34	1457	5.5	12	2	3	5	6	8	9	18
35-49	118	5.8	24	2	3	5	7	8	9	28
50-64										
GRAND TOTAL	**1821**	**5.5**	**13**	**2**	**3**	**5**	**6**	**8**	**10**	**18**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.9	2	3	3	5	6	7	7	7
20-34	76	5.3	4	2	3	5	6	7	7	15
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64										
B. *Operated*										
0-19 YRS	588	5.7	2	4	4	6	6	7	8	10
20-34	5292	5.8	2	4	4	6	7	7	8	9
35-49	207	6.0	2	4	4	6	7	8	8	10
50-64	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3		4	4	4	5	5	5	5
20-34	70	5.4	3	3	3	5	6	7	8	14
35-49	5	5.8	3	3	3	7	7	7	7	7
50-64										
B. *Operated*										
0-19 YRS	509	6.1	4	4	4	6	7	8	10	15
20-34	6572	6.3	8	4	4	6	7	8	9	16
35-49	524	6.6	5	4	5	6	7	8	9	16
50-64	3	6.0	16	2	2	6	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	5.2	4	2	3	5	6	7	7	15
B. *Operated*	6088	5.8	2	4	4	6	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	78	5.4	3	3	3	5	6	7	8	13
B. *Operated*	7608	6.3	8	4	4	6	7	8	9	16
1. SINGLE DX	6177	5.8	2	4	4	6	6	7	8	9
2. MULTIPLE DX	7686	6.3	8	4	4	6	7	8	9	16
A. NOT OPERATED	167	5.3	4	2	3	5	6	7	7	14
B. OPERATED	13696	6.1	5	4	4	6	7	8	8	13
TOTAL 0-19 YRS	1111	5.9	3	4	4	6	6	8	9	13
20-34	12010	6.0	6	4	4	6	7	8	8	13
35-49	738	6.4	5	4	5	6	7	8	9	15
50-64	4	6.0	11	2	2	6	8	10	10	10
GRAND TOTAL	**13863**	**6.1**	**5**	**4**	**4**	**6**	**7**	**8**	**8**	**13**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	407	3.1	3	1	1	3	4	5	6	9
20-34	1692	3.4	12	1	2	3	4	5	6	11
35-49	73	3.8	6	1	2	3	4	6	8	14
50-64	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	233	3.8	5	2	2	3	4	6	8	13
20-34	1058	4.0	5	2	2	3	5	6	7	11
35-49	57	4.2	3	2	2	4	5	7	7	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	3.8	22	2	2	3	4	6	7	13
20-34	730	3.8	6	1	2	3	4	6	7	14
35-49	63	3.4	10	1	1	3	4	5	7	23
50-64										
B. *Operated*										
0-19 YRS	525	4.5	9	2	2	4	5	7	8	13
20-34	2695	4.7	7	2	3	4	6	7	9	15
35-49	226	5.2	6	2	3	5	6	8	9	15
50-64	4	11.5	226	3	3	4	19	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2173	3.4	10	1	2	3	4	5	6	10
B. *Operated*	1348	4.0	5	2	2	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	998	3.8	10	1	2	3	4	6	7	14
B. *Operated*	3450	4.7	8	2	3	4	6	7	9	15
1. SINGLE DX	3521	3.6	8	1	2	3	4	5	7	11
2. MULTIPLE DX	4448	4.5	8	2	2	4	5	7	8	15
A. NOT OPERATED	3171	3.5	10	1	2	3	4	5	7	12
B. OPERATED	4798	4.5	7	2	2	4	5	7	8	14
TOTAL 0-19 YRS	1370	3.9	9	2	2	3	4	6	8	12
20-34	6175	4.1	8	2	2	4	5	6	8	13
35-49	419	4.6	7	2	2	4	6	7	9	14
50-64	5	9.8	184	3	3	4	12	34	34	34
GRAND TOTAL	**7969**	**4.1**	**8**	**2**	**2**	**4**	**5**	**6**	**8**	**13**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	594	2.8	2	2	2	3	3	4	4	6
20-34	2753	3.0	6	2	2	3	3	4	4	7
35-49	100	3.0	1	1	2	3	3	4	5	6
50-64	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	303	3.1	1	2	2	3	4	4	5	6
20-34	1392	3.2	3	2	2	3	4	4	5	8
35-49	53	3.6	2	2	2	3	4	5	6	8
50-64	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	3.0	5	2	2	3	3	4	5	13
20-34	572	3.0	2	2	2	3	3	4	5	8
35-49	24	3.1	1	1	2	3	3	4	5	6
50-64										
B. *Operated*										
0-19 YRS	353	3.6	9	2	2	3	4	6	6	14
20-34	2144	3.6	3	2	2	3	4	5	6	10
35-49	153	3.9	2	2	2	4	5	6	7	8
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3448	2.9	5	2	2	3	3	4	4	7
B. *Operated*	1749	3.2	2	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	736	3.0	2	2	2	3	3	4	5	8
B. *Operated*	2650	3.6	4	2	2	3	4	5	6	10
1. SINGLE DX	5197	3.0	4	2	2	3	3	4	5	7
2. MULTIPLE DX	3386	3.5	3	2	2	3	4	5	6	10
A. NOT OPERATED	4184	3.0	5	2	2	3	3	4	4	7
B. OPERATED	4399	3.5	3	2	2	3	4	5	6	9
TOTAL 0-19 YRS	1390	3.1	4	2	2	3	3	4	5	8
20-34	6861	3.2	4	2	2	3	4	5	5	8
35-49	330	3.5	2	2	2	3	4	5	6	8
50-64	2	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**8583**	**3.2**	**4**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	201	2.6	1	1	2	3	3	4	4	6
20-34	762	2.6	1	1	1	3	3	4	4	6
35-49	22	2.5	1	<1	1	2	3	5	5	5
50-64										
B. *Operated*										
0-19 YRS	1506	2.9	8	2	2	3	3	4	4	7
20-34	6270	2.9	4	1	2	3	3	4	4	7
35-49	342	3.0	5	1	2	3	3	4	5	23
50-64	4	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	3.2	4	2	2	3	3	5	6	13
20-34	172	2.9	2	1	2	3	3	4	5	7
35-49	13	2.8	1	2	2	3	3	4	5	5
50-64										
B. *Operated*										
0-19 YRS	516	3.2	2	2	2	3	3	4	5	9
20-34	3094	3.5	7	2	2	3	4	5	6	11
35-49	251	3.8	5	2	2	3	4	5	6	14
50-64	2	3.0	8	1	1	3	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	985	2.6	1	1	1	3	3	4	4	6
B. *Operated*	8122	2.9	5	1	2	3	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	225	3.0	2	2	2	3	3	4	5	8
B. *Operated*	3863	3.5	6	2	2	3	4	5	6	11
1. SINGLE DX	9107	2.8	4	1	2	3	3	4	4	7
2. MULTIPLE DX	4088	3.5	6	2	2	3	4	5	6	11
A. NOT OPERATED	1210	2.7	1	1	2	3	3	4	4	6
B. OPERATED	11985	3.1	5	2	2	3	3	4	5	8
TOTAL 0-19 YRS	2263	2.9	6	2	2	3	3	4	5	7
20-34	10298	3.0	5	1	2	3	3	4	5	8
35-49	628	3.3	5	1	2	3	4	5	5	14
50-64	6	2.3	2	1	1	2	2	5	5	5
GRAND TOTAL	**13195**	**3.0**	**5**	**1**	**2**	**3**	**3**	**4**	**5**	**8**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	2.9	1	2	2	3	3	4	4	6
20-34	542	3.0	1	2	2	3	3	4	4	6
35-49	11	2.9	1	1	1	3	3	4	5	5
50-64	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	1783	3.1	6	2	2	3	3	4	4	7
20-34	4794	3.2	1	2	2	3	4	4	5	6
35-49	109	3.4	1	2	2	3	4	5	5	7
50-64	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	3.8	10	1	2	3	4	6	6	23
20-34	135	3.4	2	2	2	3	4	5	5	11
35-49	6	3.7	1	3	3	4	4	5	5	5
50-64										
B. *Operated*										
0-19 YRS	1043	3.5	4	2	2	3	4	5	6	11
20-34	3215	3.6	5	2	2	3	4	5	6	11
35-49	95	3.9	2	2	3	4	4	6	6	11
50-64	2	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	731	2.9	1	2	2	3	3	4	4	6
B. *Operated*	6688	3.2	3	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	187	3.5	4	2	2	3	4	5	6	13
B. *Operated*	4355	3.6	5	2	2	3	4	5	6	11
1. SINGLE DX	7419	3.1	3	2	2	3	4	4	5	6
2. MULTIPLE DX	4542	3.6	5	2	2	3	4	5	6	11
A. NOT OPERATED	918	3.1	2	2	2	3	3	4	5	7
B. OPERATED	11043	3.3	4	2	2	3	4	4	5	8
TOTAL 0-19 YRS	3048	3.2	5	2	2	3	4	4	5	9
20-34	8686	3.3	3	2	2	3	4	5	5	8
35-49	221	3.6	2	2	2	3	4	5	6	8
50-64	6	4.0	1	3	3	4	5	5	5	5
GRAND TOTAL	**11961**	**3.3**	**4**	**2**	**2**	**3**	**4**	**4**	**5**	**8**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	3.1	6	2	2	3	3	4	5	17
20-34	252	2.9	3	2	2	3	3	4	4	7
35-49	6	2.7		2	2	3	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	601	2.9	1	2	2	3	3	4	4	6
20-34	1897	3.1	2	2	2	3	4	4	5	7
35-49	46	3.3	2	2	2	3	4	4	5	10
50-64	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	3.2	4	1	2	3	4	5	6	13
20-34	93	3.5	21	2	2	3	3	5	6	30
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	407	3.4	3	2	2	3	4	5	6	10
20-34	1440	3.8	9	2	2	3	4	5	6	12
35-49	81	3.8	2	2	3	3	5	6	7	8
50-64	2	6.5	13	4	4	6	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	382	3.0	4	2	2	3	3	4	4	12
B. *Operated*	2545	3.1	2	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	134	3.4	16	2	2	3	3	5	6	18
B. *Operated*	1930	3.7	8	2	2	3	4	5	6	11
1. SINGLE DX	2927	3.1	2	2	2	3	3	4	5	7
2. MULTIPLE DX	2064	3.7	8	2	2	3	4	5	6	11
A. NOT OPERATED	516	3.1	7	2	2	3	3	4	5	13
B. OPERATED	4475	3.3	4	2	2	3	4	5	5	9
TOTAL 0-19 YRS	1171	3.1	2	2	2	3	3	4	5	9
20-34	3682	3.4	5	2	2	3	4	5	6	9
35-49	135	3.6	2	2	2	3	4	5	6	8
50-64	3	5.3	10	3	3	4	8	9	9	9
GRAND TOTAL	**4991**	**3.3**	**5**	**2**	**2**	**3**	**4**	**5**	**5**	**9**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1837	3.2	5	1	2	3	3	5	6	13
20-34	5412	3.0	5	1	1	3	3	4	6	10
35-49	243	3.1	4	1	1	3	3	5	7	10
50-64	6	2.5		2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	8886	3.3	5	2	2	3	4	4	5	10
20-34	33692	3.5	4	2	2	3	4	5	6	9
35-49	1140	3.6	2	2	2	3	4	5	6	9
50-64	13	3.6	4	<1	2	3	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	891	3.5	5	1	2	3	4	6	8	12
20-34	2402	3.7	9	1	2	3	4	6	8	17
35-49	167	3.8	12	1	1	3	4	7	10	18
50-64	6	5.0	5	3	3	4	6	9	9	9
B. *Operated*										
0-19 YRS	4217	4.6	17	2	2	4	5	8	10	20
20-34	20032	4.6	12	2	2	4	5	7	9	18
35-49	1630	5.1	14	2	3	4	6	8	10	20
50-64	5	5.4	23	3	3	3	6	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7498	3.1	5	1	1	3	3	5	6	10
B. *Operated*	43731	3.4	4	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	3466	3.6	8	1	2	3	4	6	8	15
B. *Operated*	25884	4.6	13	2	2	4	5	7	9	18
1. SINGLE DX	51229	3.4	4	2	2	3	4	5	6	9
2. MULTIPLE DX	29350	4.5	13	2	2	4	5	7	9	18
A. NOT OPERATED	10964	3.3	6	1	1	3	4	5	7	12
B. OPERATED	69615	3.9	8	2	2	3	4	6	7	14
TOTAL 0-19 YRS	15831	3.7	9	2	2	3	4	6	7	14
20-34	61538	3.8	7	2	2	3	4	6	7	13
35-49	3180	4.3	10	2	2	4	5	7	8	16
50-64	30	4.0	7	2	2	3	4	7	9	14
GRAND TOTAL	**80579**	**3.8**	**7**	**2**	**2**	**3**	**4**	**6**	**7**	**13**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	4.5	5	2	2	4	6	7	8	13
20-34	161	4.4	6	2	2	4	5	7	9	15
35-49	8	3.5	3	1	1	3	5	6	6	6
50-64										
B. *Operated*										
0-19 YRS	11	4.8	9	2	2	4	5	10	12	12
20-34	28	5.2	11	2	2	4	7	11	12	15
35-49	3	4.7	1	4	4	4	6	6	6	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	4.6	12	2	2	4	5	7	7	21
20-34	65	5.4	18	2	2	4	6	10	14	28
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	12	7.1	44	2	3	5	7	15	25	27
20-34	51	5.7	26	2	2	5	6	8	16	32
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256	4.4	6	2	2	4	5	7	9	13
B. *Operated*	42	5.1	9	2	2	4	7	10	12	15
2. MULTIPLE DX										
A. *Not Operated*	97	5.1	16	2	2	4	6	7	13	26
B. *Operated*	65	5.9	29	2	2	5	6	9	18	31
1. SINGLE DX	298	4.5	6	2	2	4	5	7	10	14
2. MULTIPLE DX	162	5.4	21	2	2	4	6	8	14	30
A. NOT OPERATED	353	4.6	8	2	2	4	5	7	10	16
B. OPERATED	107	5.6	21	2	2	5	6	9	12	29
TOTAL 0-19 YRS	141	4.8	10	2	2	4	5	7	9	22
20-34	305	4.9	13	2	2	4	5	8	11	21
35-49	14	3.6	2	1	2	4	5	6	6	6
50-64										
GRAND TOTAL	**460**	**4.8**	**12**	**2**	**2**	**4**	**5**	**7**	**11**	**21**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	1.9	1	<1	1	2	2	4	4	5
20-34	131	1.9	1	<1	1	2	2	3	4	6
35-49	7	2.0	1	1	1	2	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	79	2.1	2	1	1	2	3	4	5	8
20-34	426	2.2	3	<1	1	2	2	4	6	11
35-49	27	2.6	4	<1	1	2	3	6	7	9
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.2	4	2	2	4	5	7	8	9
20-34	57	2.8	3	<1	1	2	3	5	6	11
35-49	4	2.8	2	<1	<1	3	4	4	4	4
50-64										
B. *Operated*										
0-19 YRS	41	3.1	5	1	1	2	4	5	8	12
20-34	208	3.0	5	1	1	2	4	6	7	11
35-49	9	3.1	2	1	1	3	4	5	5	5
50-64	2	2.5	1	2	2	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	167	1.9	1	<1	1	2	2	3	4	6
B. *Operated*	532	2.2	3	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	77	3.1	4	<1	1	3	4	5	7	10
B. *Operated*	260	3.1	5	1	1	2	4	6	7	11
1. SINGLE DX	699	2.1	3	<1	1	2	2	4	5	9
2. MULTIPLE DX	337	3.1	5	1	1	2	4	6	7	11
A. NOT OPERATED	244	2.3	2	<1	1	2	3	4	5	8
B. OPERATED	792	2.5	4	1	1	2	3	5	7	11
TOTAL 0-19 YRS	165	2.6	3	1	1	2	3	5	6	10
20-34	822	2.4	4	1	1	2	3	5	6	11
35-49	47	2.6	3	<1	1	2	3	5	6	9
50-64	2	2.5	1	2	2	2	3	3	3	3
GRAND TOTAL	**1036**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	4.4	15	1	1	3	5	12	14	15
20-34	102	4.6	13	1	1	3	6	10	12	17
35-49	7	9.3	76	1	1	7	13	24	26	26
50-64										
B. *Operated*										
0-19 YRS	39	3.1	5	<1	<1	2	4	6	7	11
20-34	160	3.3	7	<1	1	3	4	7	8	15
35-49	5	1.8	1	1	1	2	2	3	3	3
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.2	11	1	1	3	4	10	12	12
20-34	69	5.3	18	1	1	4	7	12	14	20
35-49	3	9.7	5	7	7	11	11	11	11	11
50-64										
B. *Operated*										
0-19 YRS	28	6.8	46	1	1	4	8	20	24	25
20-34	132	4.5	21	1	1	3	5	9	12	27
35-49	9	4.1	19	1	1	3	4	11	15	15
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	4.8	18	1	1	3	6	11	14	20
B. *Operated*	204	3.2	6	<1	1	3	4	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	85	5.3	17	1	1	4	7	11	13	20
B. *Operated*	169	4.8	26	1	1	3	5	10	15	25
1. SINGLE DX	340	3.8	11	1	1	3	4	8	11	15
2. MULTIPLE DX	254	5.0	23	1	1	3	6	11	14	24
A. NOT OPERATED	221	5.0	17	1	1	4	6	11	14	19
B. OPERATED	373	3.9	16	1	1	3	4	8	11	23
TOTAL 0-19 YRS	107	4.5	21	<1	1	3	5	10	14	24
20-34	463	4.2	14	1	1	3	5	9	12	18
35-49	24	5.8	37	1	1	3	9	14	18	26
50-64										
GRAND TOTAL	**594**	**4.3**	**17**	**1**	**1**	**3**	**5**	**9**	**13**	**21**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	943	4.5	12	2	2	4	5	7	9	14
20-34	703	4.7	8	2	2	4	6	8	10	16
35-49	515	5.4	12	2	2	5	7	9	12	19
50-64	438	6.2	16	2	3	5	8	10	13	22
65+	444	7.5	29	2	3	7	9	13	16	29
B. *Operated*										
0-19 YRS	559	4.8	17	1	1	4	6	8	11	25
20-34	530	5.8	29	1	2	4	7	10	14	30
35-49	320	6.4	30	1	2	5	8	12	15	28
50-64	278	8.5	56	2	3	6	11	16	21	39
65+	163	9.6	69	2	3	8	11	19	25	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	720	5.1	17	2	2	4	6	9	12	24
20-34	804	5.9	20	2	2	5	7	11	14	22
35-49	908	7.3	29	2	3	6	9	13	16	31
50-64	1283	8.6	42	3	3	7	10	15	19	36
65+	1865	9.9	46	3	4	8	12	18	23	41
B. *Operated*										
0-19 YRS	324	7.4	62	1	2	5	9	14	19	41
20-34	483	8.3	72	2	2	6	10	16	24	42
35-49	474	11.5	130	2	3	8	14	25	34	81
50-64	600	14.0	140	3	4	10	19	30	39	70
65+	620	15.7	136	4	5	13	20	31	41	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3043	5.4	15	2	2	4	7	9	12	19
B. *Operated*	1850	6.3	36	1	2	5	8	12	16	32
2. MULTIPLE DX										
A. *Not Operated*	5580	8.0	38	2	3	6	10	14	19	33
B. *Operated*	2501	12.0	124	2	3	8	15	26	34	63
1. SINGLE DX	4893	5.7	23	2	2	5	7	10	13	24
2. MULTIPLE DX	8081	9.2	68	2	3	7	11	18	25	46
A. NOT OPERATED	8623	7.1	31	2	3	6	9	13	17	30
B. OPERATED	4351	9.6	94	2	2	7	12	21	29	54
TOTAL 0-19 YRS	2546	5.1	22	1	2	4	6	9	11	24
20-34	2520	6.0	30	2	2	5	7	11	15	27
35-49	2217	7.6	51	2	2	6	9	14	20	40
50-64	2599	9.4	68	2	3	7	11	18	25	47
65+	3092	10.7	70	3	4	9	13	20	27	51
GRAND TOTAL	**12974**	**7.9**	**54**	**2**	**2**	**6**	**9**	**15**	**21**	**40**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	301	4.1	7	1	2	4	5	7	8	14
20-34	179	4.9	15	1	2	4	6	8	10	19
35-49	115	5.3	13	2	2	4	6	9	14	19
50-64	79	6.6	14	2	3	6	9	12	14	18
65+	62	8.5	58	2	3	7	10	14	22	46
B. *Operated*										
0-19 YRS	313	4.0	22	1	1	2	5	8	11	26
20-34	275	5.1	33	1	2	3	6	10	15	32
35-49	164	4.6	17	1	1	3	6	9	12	20
50-64	129	6.4	53	1	1	4	8	14	23	38
65+	106	7.1	46	2	2	5	8	15	25	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	335	4.7	9	1	2	4	6	9	11	14
20-34	206	5.6	24	2	2	4	7	11	13	30
35-49	180	6.7	18	2	3	6	9	12	14	22
50-64	246	8.4	37	3	3	7	11	15	21	38
65+	301	9.9	43	3	4	8	13	19	23	31
B. *Operated*										
0-19 YRS	163	5.3	18	1	1	4	7	11	15	21
20-34	202	7.5	79	1	2	4	9	16	24	53
35-49	196	10.3	118	1	2	7	12	24	34	55
50-64	293	11.3	107	2	2	8	15	24	31	60
65+	264	14.7	165	3	4	11	20	31	40	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	736	5.1	16	1	2	4	6	9	12	20
B. *Operated*	987	5.1	32	1	1	3	6	10	14	33
2. MULTIPLE DX										
A. *Not Operated*	1268	7.1	30	2	2	6	9	14	18	27
B. *Operated*	1118	10.4	114	1	2	7	13	24	31	57
1. SINGLE DX	1723	5.1	25	1	2	4	6	9	13	27
2. MULTIPLE DX	2386	8.6	72	2	2	6	11	18	25	45
A. NOT OPERATED	2004	6.4	26	2	2	5	8	13	16	25
B. OPERATED	2105	7.9	83	1	2	5	9	18	26	46
TOTAL 0-19 YRS	1112	4.5	14	1	1	4	6	8	11	17
20-34	862	5.7	39	1	2	4	7	11	15	33
35-49	655	7.0	52	1	2	5	8	14	20	38
50-64	747	9.0	69	2	2	7	11	19	25	46
65+	733	11.1	96	2	3	8	14	23	31	48
GRAND TOTAL	**4109**	**7.1**	**56**	**1**	**2**	**5**	**8**	**15**	**21**	**40**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	4.4	22	1	1	3	5	7	8	27
20-34	56	3.8	4	1	1	4	5	6	7	8
35-49	12	5.9	41	<1	1	4	6	14	23	25
50-64										
65+										
B. *Operated*										
0-19 YRS	1337	4.1	6	2	2	4	5	7	8	13
20-34	2289	4.3	9	2	2	4	5	7	8	13
35-49	347	4.2	5	2	2	4	5	7	9	12
50-64	76	4.6	7	2	2	4	6	9	10	12
65+	23	4.7	8	2	2	4	5	7	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.8	4	<1	<1	2	4	6	7	7
20-34	26	3.4	4	<1	1	3	5	6	7	8
35-49	5	6.6	5	3	3	7	8	9	9	9
50-64	5	3.8	10	1	1	3	5	9	9	9
65+										
B. *Operated*										
0-19 YRS	155	5.0	12	2	2	4	6	8	11	22
20-34	395	5.4	16	2	2	4	6	9	13	24
35-49	162	6.0	17	2	3	5	7	10	12	24
50-64	47	5.8	18	2	3	5	6	10	13	27
65+	16	10.6	46	2	3	9	16	20	23	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	4.2	14	1	1	4	5	7	8	26
B. *Operated*	4072	4.2	8	2	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	48	3.6	5	<1	1	3	5	7	8	9
B. *Operated*	775	5.6	17	2	2	4	6	10	13	24
1. SINGLE DX	4170	4.2	8	2	2	4	5	7	8	13
2. MULTIPLE DX	823	5.5	16	2	2	4	6	9	12	23
A. NOT OPERATED	146	4.0	11	1	1	3	5	7	8	25
B. OPERATED	4847	4.5	10	2	2	4	5	7	9	15
TOTAL 0-19 YRS	1534	4.2	7	2	2	4	5	7	8	14
20-34	2766	4.4	10	2	2	4	5	7	8	14
35-49	526	4.8	10	2	2	4	6	8	10	17
50-64	128	5.0	11	2	2	4	6	9	11	18
65+	39	7.1	32	2	3	5	8	16	19	25
GRAND TOTAL	**4993**	**4.4**	**10**	**2**	**2**	**4**	**5**	**7**	**9**	**15**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.9	2	<1	<1	1	3	4	5	5
20-34	17	2.4	3	<1	<1	2	3	5	7	8
35-49	7	3.6	6	<1	<1	3	6	7	7	7
50-64	11	1.5		<1	<1	1	2	3	3	3
65+	4	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	398	1.8	1	<1	1	2	2	3	3	6
20-34	452	2.2	4	<1	1	2	2	4	5	10
35-49	322	2.5	3	<1	1	2	3	4	6	11
50-64	251	2.4	3	<1	1	2	3	4	6	9
65+	116	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	8	1	1	2	4	7	7	7
20-34	9	5.3	87	<1	<1	2	3	20	30	30
35-49	12	2.3	3	<1	<1	2	3	4	7	7
50-64	18	4.6	12	1	2	4	5	10	13	15
65+	11	4.9	13	<1	<1	4	8	10	11	11
B. *Operated*										
0-19 YRS	72	3.0	15	1	1	2	3	4	7	26
20-34	207	3.4	12	1	1	2	4	6	9	23
35-49	229	3.8	10	1	1	3	5	8	9	18
50-64	194	3.9	13	1	1	3	5	8	10	21
65+	125	5.6	33	1	2	3	7	12	18	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.2	3	<1	<1	2	3	5	6	8
B. *Operated*	1539	2.2	3	<1	1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	54	4.1	22	<1	1	3	5	9	11	29
B. *Operated*	827	3.9	16	1	1	3	5	8	10	25
1. SINGLE DX	1589	2.2	3	<1	1	2	2	4	5	9
2. MULTIPLE DX	881	3.9	16	1	1	3	5	8	10	26
A. NOT OPERATED	104	3.2	14	<1	<1	2	4	7	9	22
B. OPERATED	2366	2.8	8	<1	1	2	3	5	7	16
TOTAL 0-19 YRS	485	1.9	3	<1	1	2	2	3	4	7
20-34	685	2.6	8	<1	1	2	3	5	6	14
35-49	570	3.0	6	1	1	2	3	6	8	15
50-64	474	3.1	8	1	1	2	3	6	8	15
65+	256	4.0	20	1	1	3	4	8	12	29
GRAND TOTAL	**2470**	**2.8**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**16**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	619	4.2	18	1	1	3	5	8	10	25
20-34	443	5.5	35	1	1	4	6	12	18	25
35-49	356	5.7	24	1	2	4	7	12	15	21
50-64	314	8.4	94	1	1	6	10	17	26	41
65+	343	9.6	74	1	2	7	12	21	25	46
B. *Operated*										
0-19 YRS	1650	2.8	15	<1	1	2	3	5	8	18
20-34	1782	4.4	32	1	1	3	4	9	14	31
35-49	1175	4.9	48	1	1	3	5	10	16	33
50-64	1136	5.3	66	1	1	3	5	11	20	46
65+	800	10.1	171	1	2	4	14	27	39	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	616	5.2	39	1	1	4	6	9	13	34
20-34	550	6.9	63	1	2	5	8	14	20	45
35-49	674	8.3	72	2	2	6	10	17	22	43
50-64	950	10.0	79	2	3	8	13	21	27	55
65+	1887	13.1	124	3	4	10	16	27	35	68
B. *Operated*										
0-19 YRS	630	5.1	52	1	1	2	5	12	21	37
20-34	1185	10.1	210	1	2	4	10	28	46	89
35-49	1217	9.4	188	1	2	4	9	25	41	89
50-64	1601	9.9	175	1	2	4	11	25	37	74
65+	1674	16.8	315	2	2	11	24	42	59	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2075	6.3	47	1	1	4	7	14	19	34
B. *Operated*	6543	4.9	58	1	1	2	4	11	18	43
2. MULTIPLE DX										
A. *Not Operated*	4677	10.0	97	2	2	7	12	21	29	59
B. *Operated*	6307	11.2	222	1	2	5	14	30	46	87
1. SINGLE DX	8618	5.3	56	1	1	3	5	11	19	41
2. MULTIPLE DX	10984	10.7	169	1	2	6	13	26	38	79
A. NOT OPERATED	6752	8.8	85	1	2	6	11	19	27	51
B. OPERATED	12850	8.0	149	1	1	3	8	22	34	71
TOTAL 0-19 YRS	3515	3.9	28	1	1	2	4	8	11	27
20-34	3960	6.6	96	1	1	3	6	15	24	63
35-49	3422	7.3	104	1	2	4	8	16	26	65
50-64	4001	8.5	119	1	2	4	10	21	30	62
65+	4704	13.7	203	2	2	9	18	32	45	86
GRAND TOTAL	**19602**	**8.3**	**127**	**1**	**2**	**4**	**9**	**21**	**31**	**66**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	6.2	29	1	2	5	8	15	20	20
20-34	84	6.8	23	2	2	5	8	14	16	24
35-49	95	7.9	44	2	2	6	10	16	20	39
50-64	65	8.4	44	2	3	7	12	16	24	33
65+	36	8.6	20	3	4	8	11	15	16	22
B. *Operated*										
0-19 YRS	15	9.3	45	1	3	8	10	17	26	29
20-34	46	10.7	205	2	2	7	11	19	32	86
35-49	41	8.7	40	2	2	7	13	18	22	24
50-64	24	12.7	64	3	4	13	18	28	49	99+
65+	23	14.8	121	2	3	12	20	32	41	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	8.2	65	2	3	6	9	16	30	38
20-34	226	8.5	55	2	3	6	10	16	23	41
35-49	233	10.3	91	3	3	8	12	19	25	61
50-64	224	9.7	84	2	3	7	12	20	23	58
65+	209	11.8	83	2	3	9	15	25	33	42
B. *Operated*										
0-19 YRS	22	13.2	115	2	3	11	15	29	39	47
20-34	107	14.1	225	2	3	9	17	30	45	84
35-49	121	13.5	143	2	4	11	15	28	39	67
50-64	134	15.6	163	3	4	13	19	28	40	69
65+	109	17.2	149	3	5	14	23	34	38	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	7.6	34	2	2	6	10	15	19	27
B. *Operated*	149	10.9	110	2	3	8	14	22	29	86
2. MULTIPLE DX										
A. *Not Operated*	951	10.0	79	2	3	8	12	19	26	44
B. *Operated*	493	15.0	167	3	4	12	18	31	40	67
1. SINGLE DX	462	8.7	61	2	2	7	11	17	22	42
2. MULTIPLE DX	1444	11.7	114	2	3	9	15	24	33	58
A. NOT OPERATED	1264	9.4	69	2	3	7	12	18	24	43
B. OPERATED	642	14.1	156	2	3	11	17	28	38	67
TOTAL 0-19 YRS	129	8.6	66	1	2	6	11	17	27	40
20-34	463	9.7	109	2	3	7	12	19	28	52
35-49	490	10.5	94	2	3	8	13	20	26	58
50-64	447	11.5	108	2	3	9	15	22	28	65
65+	377	13.3	105	2	3	11	17	27	36	49
GRAND TOTAL	**1906**	**11.0**	**103**	**2**	**3**	**8**	**14**	**22**	**30**	**53**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	5.9	16	2	2	5	8	12	14	21
20-34	115	6.7	28	2	3	5	8	12	15	31
35-49	206	7.1	26	2	2	6	9	13	20	25
50-64	333	8.3	34	2	3	7	11	15	21	29
65+	310	9.4	49	3	3	8	11	17	24	40
B. *Operated*										
0-19 YRS	33	7.2	41	2	2	5	12	19	22	99+
20-34	91	11.1	149	2	2	6	15	24	33	69
35-49	232	10.1	78	2	3	8	14	19	25	43
50-64	524	11.6	90	2	3	9	16	22	29	44
65+	297	15.4	112	3	4	15	20	30	37	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	7.3	47	2	2	6	9	12	18	43
20-34	127	7.2	18	2	3	6	9	14	15	22
35-49	391	8.8	47	3	3	7	11	16	20	46
50-64	947	9.6	54	2	3	8	12	17	23	37
65+	1161	11.2	68	3	4	9	14	21	27	44
B. *Operated*										
0-19 YRS	17	14.9	292	2	2	7	21	41	54	60
20-34	67	11.3	119	2	3	7	15	23	29	66
35-49	296	11.3	123	2	3	8	14	25	34	52
50-64	630	13.9	154	3	3	10	18	30	39	62
65+	458	16.9	168	3	5	14	22	32	42	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1134	7.9	35	2	3	6	10	14	20	30
B. *Operated*	1177	12.1	100	2	3	10	17	24	31	47
2. MULTIPLE DX										
A. *Not Operated*	2707	10.0	58	3	3	8	13	19	24	41
B. *Operated*	1468	14.2	156	3	3	11	18	30	39	65
1. SINGLE DX	2311	10.0	73	2	3	7	13	20	26	43
2. MULTIPLE DX	4175	11.5	97	3	3	9	14	23	31	52
A. NOT OPERATED	3841	9.4	52	2	3	8	12	18	23	37
B. OPERATED	2645	13.3	132	2	3	10	17	28	35	61
TOTAL 0-19 YRS	301	6.9	46	2	2	5	9	13	19	45
20-34	400	8.6	71	2	3	6	10	18	23	36
35-49	1125	9.4	72	2	3	7	12	18	24	43
50-64	2434	11.0	89	2	3	8	14	22	29	49
65+	2226	12.7	99	3	4	10	16	25	32	51
GRAND TOTAL	**6486**	**11.0**	**89**	**2**	**3**	**8**	**14**	**22**	**29**	**49**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.8	4	1	1	4	5	7	7	7
20-34	38	5.0	10	1	2	4	7	9	12	13
35-49	99	5.6	19	1	2	5	7	10	14	26
50-64	256	5.5	15	1	2	4	7	10	15	18
65+	441	7.0	26	2	2	6	9	14	18	25
B. *Operated*										
0-19 YRS	25	7.5	134	2	2	4	6	16	28	58
20-34	220	6.3	32	1	2	5	8	13	16	25
35-49	386	8.3	45	2	2	6	12	17	20	32
50-64	1332	12.0	53	2	3	12	16	21	25	34
65+	1784	16.7	59	4	8	16	20	26	31	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	11.6	89	2	2	9	17	27	30	30
20-34	44	5.1	14	1	2	4	6	11	12	18
35-49	302	5.7	11	2	2	5	7	10	12	17
50-64	1122	7.2	26	2	3	6	9	13	17	25
65+	2739	8.7	45	2	3	7	11	16	21	36
B. *Operated*										
0-19 YRS	11	6.4	35	2	2	4	9	15	21	22
20-34	123	7.4	84	2	2	5	8	12	22	50
35-49	315	8.9	53	2	2	7	13	18	22	33
50-64	1026	13.4	97	2	3	12	18	24	30	48
65+	1632	18.7	128	4	7	17	23	32	40	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	843	6.3	22	1	2	5	8	12	16	23
B. *Operated*	3747	13.5	66	2	3	14	18	23	28	39
2. MULTIPLE DX										
A. *Not Operated*	4216	8.1	38	2	3	7	10	15	19	31
B. *Operated*	3107	15.4	122	3	4	14	20	28	36	58
1. SINGLE DX	4590	12.2	66	2	3	12	17	22	26	38
2. MULTIPLE DX	7323	11.2	87	2	3	8	15	22	28	46
A. NOT OPERATED	5059	7.8	36	2	3	6	10	15	18	30
B. OPERATED	6854	14.4	93	2	3	14	19	25	31	47
TOTAL 0-19 YRS	54	7.3	87	2	2	4	7	16	23	57
20-34	425	6.4	43	1	2	5	8	12	15	31
35-49	1102	7.5	37	2	2	5	10	16	19	30
50-64	3736	10.5	63	2	3	9	15	20	24	36
65+	6596	13.3	90	3	4	12	18	24	30	46
GRAND TOTAL	**11913**	**11.6**	**79**	**2**	**3**	**10**	**16**	**22**	**27**	**43**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	206	7.6	38	2	2	6	10	15	20	32
20-34	170	6.4	29	2	2	5	8	12	15	27
35-49	144	6.3	22	1	2	5	8	11	16	24
50-64	129	6.8	57	1	2	5	8	13	15	48
65+	162	8.2	68	1	2	7	10	15	20	42
B. *Operated*										
0-19 YRS	101	11.7	70	2	3	11	16	22	25	44
20-34	243	6.6	27	2	2	5	8	14	17	22
35-49	254	7.0	30	2	2	5	9	14	17	28
50-64	287	9.1	51	2	2	6	14	18	23	32
65+	166	14.1	78	2	3	14	18	23	26	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	9.2	60	2	3	6	12	20	24	41
20-34	191	6.5	19	2	2	5	8	13	15	23
35-49	224	7.4	48	2	2	6	9	14	20	33
50-64	401	7.9	36	2	3	7	10	14	18	31
65+	679	9.0	56	2	3	7	11	17	24	39
B. *Operated*										
0-19 YRS	62	13.3	108	2	2	11	16	27	37	48
20-34	161	10.2	101	2	3	7	13	21	29	70
35-49	180	9.9	86	2	2	7	12	21	27	53
50-64	246	14.1	171	2	3	11	18	29	41	82
65+	197	18.2	216	3	5	15	24	35	42	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	811	7.1	42	2	2	5	9	14	18	29
B. *Operated*	1051	9.1	53	2	2	7	13	18	22	34
2. MULTIPLE DX										
A. *Not Operated*	1630	8.2	47	2	3	6	10	15	21	36
B. *Operated*	846	13.4	155	2	3	10	17	28	37	72
1. SINGLE DX	1862	8.2	50	2	2	6	11	17	21	33
2. MULTIPLE DX	2476	10.0	89	2	3	7	12	21	28	50
A. NOT OPERATED	2441	7.9	46	2	3	6	10	15	20	34
B. OPERATED	1897	11.0	103	2	2	8	15	23	29	52
TOTAL 0-19 YRS	504	9.5	63	2	2	7	13	20	24	42
20-34	765	7.3	43	2	2	5	8	14	20	37
35-49	802	7.6	48	2	2	6	9	15	21	34
50-64	1063	9.5	81	2	3	7	12	19	26	44
65+	1204	11.1	100	2	3	8	14	22	29	52
GRAND TOTAL	**4338**	**9.2**	**73**	**2**	**3**	**7**	**12**	**19**	**25**	**44**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	3.4	5	<1	1	3	5	6	8	10
20-34	82	3.4	4	1	1	3	5	6	7	9
35-49	39	4.3	13	<1	<1	3	6	10	12	16
50-64	28	4.7	27	<1	1	3	5	9	19	24
65+	16	5.6	21	1	1	5	7	12	16	18
B. *Operated*										
0-19 YRS	1290	4.1	7	2	2	4	5	6	8	11
20-34	2434	4.6	9	2	2	4	5	7	9	13
35-49	1209	4.8	8	2	2	4	6	8	9	15
50-64	531	5.4	8	2	3	5	7	9	11	16
65+	108	7.1	24	3	3	6	9	12	16	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.3	7	<1	<1	3	5	6	8	12
20-34	59	3.4	14	<1	<1	2	4	6	12	19
35-49	49	5.1	19	1	1	4	7	13	16	16
50-64	42	6.3	31	1	1	5	9	14	18	27
65+	23	9.1	55	2	3	7	11	16	28	33
B. *Operated*										
0-19 YRS	667	4.5	6	2	2	4	5	7	9	13
20-34	1397	5.1	15	2	2	5	6	8	10	18
35-49	830	5.7	18	2	2	5	7	9	13	21
50-64	625	6.6	20	2	3	6	8	11	15	24
65+	177	8.7	34	3	3	7	10	17	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	221	3.9	10	<1	1	3	5	8	9	18
B. *Operated*	5572	4.7	9	2	2	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	196	5.1	26	<1	1	4	6	12	16	27
B. *Operated*	3696	5.6	17	2	2	5	7	9	12	21
1. SINGLE DX	5793	4.6	9	2	2	4	5	7	9	14
2. MULTIPLE DX	3892	5.5	17	2	2	5	7	9	12	21
A. NOT OPERATED	417	4.5	18	<1	1	3	5	9	13	22
B. OPERATED	9268	5.0	12	2	2	4	6	8	10	17
TOTAL 0-19 YRS	2036	4.2	6	1	2	4	5	7	8	12
20-34	3972	4.7	11	2	2	4	6	7	9	15
35-49	2127	5.2	12	2	2	5	6	9	11	18
50-64	1226	6.0	16	2	3	5	7	10	13	22
65+	324	8.0	32	3	3	7	10	15	19	31
GRAND TOTAL	**9685**	**5.0**	**12**	**2**	**2**	**4**	**6**	**8**	**10**	**17**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	323	3.9	7	1	1	3	5	7	8	15
20-34	215	4.2	11	1	1	3	5	10	12	15
35-49	131	5.2	23	1	1	4	6	9	15	25
50-64	120	5.8	20	1	1	5	8	11	13	24
65+	123	7.0	29	1	2	5	9	14	18	27
B. *Operated*										
0-19 YRS	1132	4.4	16	1	2	4	5	7	9	20
20-34	1722	4.6	17	1	2	4	5	8	10	17
35-49	624	5.3	23	1	2	4	6	10	14	25
50-64	344	5.7	27	1	2	4	7	12	16	26
65+	162	8.0	57	1	2	5	11	19	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	208	4.2	12	1	1	3	5	8	11	19
20-34	253	6.1	51	1	1	4	7	11	15	36
35-49	261	6.4	44	2	2	5	8	11	16	37
50-64	254	7.8	68	2	2	5	10	15	21	30
65+	389	8.8	44	2	2	7	11	17	22	34
B. *Operated*										
0-19 YRS	362	5.0	13	2	2	4	6	9	11	22
20-34	714	5.3	17	2	2	4	6	9	12	25
35-49	429	7.6	66	2	2	5	9	15	24	43
50-64	350	8.9	81	2	2	6	11	19	26	52
65+	211	13.1	116	2	3	10	18	26	34	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	912	4.8	16	1	1	4	6	10	12	20
B. *Operated*	3984	4.9	21	1	2	4	6	9	12	23
2. MULTIPLE DX										
A. *Not Operated*	1365	7.0	47	1	2	5	9	13	19	30
B. *Operated*	2066	7.1	54	2	2	5	8	15	22	41
1. SINGLE DX	4896	4.9	20	1	2	4	6	9	12	23
2. MULTIPLE DX	3431	7.1	51	2	2	5	8	14	21	38
A. NOT OPERATED	2277	6.1	36	1	2	4	8	12	16	26
B. OPERATED	6050	5.7	33	1	2	4	6	11	15	30
TOTAL 0-19 YRS	2025	4.4	14	1	2	4	5	7	10	20
20-34	2904	4.9	20	1	2	4	6	8	11	21
35-49	1445	6.2	41	1	2	4	7	12	17	35
50-64	1068	7.2	55	1	2	5	9	15	21	39
65+	885	9.5	66	2	2	7	12	20	24	40
GRAND TOTAL	**8327**	**5.8**	**34**	**1**	**2**	**4**	**7**	**11**	**16**	**29**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	11.6	101	2	2	11	16	28	28	28
20-34	16	7.8	55	3	3	5	7	23	27	28
35-49	27	6.9	18	2	3	6	9	12	14	21
50-64	17	6.9	27	2	2	4	10	11	18	22
65+	5	11.6	81	2	2	12	18	24	24	24
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	7	9.3	20	3	3	9	12	15	16	16
35-49	5	9.4	25	2	2	11	13	15	15	15
50-64	3	7.7	17	3	3	9	10	11	11	11
65+	3	10.7	21	8	8	8	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	14	8.5	74	1	2	5	11	25	28	29
35-49	29	5.6	11	2	3	4	8	10	11	16
50-64	28	7.2	20	2	3	6	11	15	22	99+
65+	27	11.0	87	3	3	7	14	24	34	36
B. *Operated*										
0-19 YRS	2	7.0	18	4	4	7	10	10	10	10
20-34	10	15.0	27	7	7	15	17	22	25	25
35-49	12	18.8	219	3	4	14	26	45	48	48
50-64	14	18.9	464	2	3	15	22	42	76	86
65+	9	16.6	307	5	5	10	20	45	60	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	7.8	38	2	3	6	10	14	24	28
B. *Operated*	19	10.0	27	2	3	9	12	16	20	23
2. MULTIPLE DX										
A. *Not Operated*	100	7.9	46	2	2	5	10	17	25	67
B. *Operated*	47	17.1	250	3	4	14	19	35	50	86
1. SINGLE DX	89	8.2	36	2	3	7	11	16	23	28
2. MULTIPLE DX	147	10.8	128	2	3	7	14	23	34	86
A. NOT OPERATED	170	7.8	42	2	3	5	10	16	24	36
B. OPERATED	66	15.0	195	3	3	12	17	25	45	82
TOTAL 0-19 YRS	10	10.2	79	2	2	8	12	25	28	28
20-34	47	9.7	55	2	3	7	14	23	26	29
35-49	73	8.5	67	2	3	6	10	16	23	47
50-64	62	9.8	140	2	3	8	12	19	28	98
65+	44	12.2	123	3	3	8	16	24	35	60
GRAND TOTAL	**236**	**9.8**	**95**	**2**	**3**	**7**	**12**	**22**	**27**	**63**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	7.4	48	1	1	5	13	18	18	18
20-34	44	6.4	19	1	2	5	9	13	15	16
35-49	244	6.7	23	2	2	5	9	13	16	21
50-64	455	6.9	19	2	2	6	9	13	15	23
65+	393	7.0	39	2	3	6	9	12	16	24
B. *Operated*										
0-19 YRS	7	6.7	16	1	2	5	10	12	12	12
20-34	65	8.1	23	2	3	7	10	16	18	24
35-49	474	8.7	30	2	3	8	11	16	19	29
50-64	660	9.7	49	2	3	9	12	18	21	35
65+	210	12.0	77	2	3	10	16	24	29	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.5	38	1	1	3	5	16	21	21
20-34	72	6.3	14	2	3	5	8	11	14	20
35-49	584	6.9	20	2	3	6	9	13	16	22
50-64	1587	7.5	27	2	3	6	9	14	17	25
65+	2348	8.8	37	3	3	7	11	16	21	32
B. *Operated*										
0-19 YRS	3	14.0	61	5	5	18	19	19	19	19
20-34	59	10.8	48	2	4	9	14	20	27	34
35-49	398	10.5	60	2	3	9	14	19	23	39
50-64	806	11.3	71	3	3	10	15	20	26	50
65+	542	14.6	140	3	4	12	19	26	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1144	6.9	27	2	2	6	9	13	16	23
B. *Operated*	1416	9.6	47	2	3	8	12	18	22	36
2. MULTIPLE DX										
A. *Not Operated*	4601	8.1	32	2	3	7	10	15	19	29
B. *Operated*	1808	12.1	91	2	3	10	15	22	27	56
1. SINGLE DX	2560	8.4	40	2	3	7	11	16	20	30
2. MULTIPLE DX	6409	9.2	52	2	3	7	12	17	22	36
A. NOT OPERATED	5745	7.8	31	2	3	7	10	14	18	28
B. OPERATED	3224	11.0	73	2	3	9	14	20	26	49
TOTAL 0-19 YRS	28	7.3	40	1	1	5	11	18	19	21
20-34	240	7.9	29	2	3	7	10	15	18	29
35-49	1700	8.2	35	2	3	7	11	15	19	29
50-64	3508	8.7	43	2	3	7	11	16	20	33
65+	3493	9.7	61	2	3	8	12	19	24	42
GRAND TOTAL	**8969**	**9.0**	**49**	**2**	**3**	**7**	**11**	**17**	**21**	**35**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	8.8	35	2	3	7	12	17	21	28
20-34	987	7.7	20	2	2	7	10	14	16	22
35-49	1712	7.8	21	2	3	7	10	14	16	23
50-64	992	8.4	26	2	3	8	11	14	17	25
65+	300	8.7	28	2	3	8	11	15	18	26
B. *Operated*										
0-19 YRS	197	9.4	26	2	3	9	12	16	20	25
20-34	4071	9.7	36	2	3	9	12	17	20	29
35-49	6712	10.4	35	2	4	9	13	18	21	30
50-64	3214	11.3	39	3	4	10	14	19	23	31
65+	619	13.7	65	3	6	12	17	23	26	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	7.2	13	2	3	7	10	12	13	14
20-34	366	8.0	29	2	3	7	10	13	17	24
35-49	871	8.8	28	2	3	8	11	16	19	28
50-64	977	9.1	30	3	3	8	12	16	19	29
65+	768	9.8	36	3	4	9	12	17	21	30
B. *Operated*										
0-19 YRS	16	13.2	38	6	7	11	19	23	24	24
20-34	764	12.0	59	2	4	10	15	21	25	42
35-49	1846	12.9	62	3	5	11	16	22	28	43
50-64	1521	14.0	73	3	5	13	18	25	30	42
65+	603	16.2	102	4	6	14	21	29	35	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4054	8.0	23	2	3	7	10	14	17	24
B. *Operated*	14813	10.5	38	2	4	9	13	18	22	31
2. MULTIPLE DX										
A. *Not Operated*	3004	9.0	31	3	3	8	11	16	19	28
B. *Operated*	4750	13.5	71	3	5	12	17	24	29	45
1. SINGLE DX	18867	10.0	36	2	3	9	13	17	21	30
2. MULTIPLE DX	7754	11.8	60	3	4	10	15	21	26	39
A. NOT OPERATED	7058	8.5	26	2	3	8	11	15	18	26
B. OPERATED	19563	11.2	48	2	4	10	14	20	24	35
TOTAL 0-19 YRS	298	9.3	29	2	3	9	12	16	21	25
20-34	6188	9.6	37	2	3	9	12	17	20	31
35-49	11141	10.3	39	2	3	9	13	18	22	32
50-64	6704	11.1	47	3	4	10	14	20	24	34
65+	2290	12.4	68	3	4	11	16	22	27	44
GRAND TOTAL	**26621**	**10.5**	**44**	**2**	**3**	**9**	**13**	**19**	**22**	**33**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	7.6	34	1	2	6	10	15	21	25
20-34	336	7.3	20	2	2	7	9	13	15	27
35-49	714	7.7	20	2	3	7	10	13	16	24
50-64	474	7.9	19	2	3	7	10	14	17	21
65+	133	8.2	21	3	3	7	10	15	18	23
B. *Operated*										
0-19 YRS	17	9.4	35	3	4	8	13	17	23	25
20-34	617	9.2	29	2	3	8	12	16	20	27
35-49	1660	9.5	32	2	3	9	12	17	20	29
50-64	956	10.1	35	2	3	9	13	18	21	30
65+	116	12.3	57	3	4	11	16	21	31	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.6	25	1	1	4	6	12	18	20
20-34	163	7.5	21	2	3	7	11	14	15	20
35-49	526	8.0	24	2	3	7	11	14	16	24
50-64	658	8.4	29	2	3	7	11	15	17	29
65+	474	9.2	34	3	4	8	12	17	21	29
B. *Operated*										
0-19 YRS	2	9.5	25	6	6	9	13	13	13	13
20-34	155	11.5	45	3	4	10	15	21	23	33
35-49	583	11.7	64	2	4	10	15	20	25	38
50-64	534	12.4	61	2	4	11	16	22	28	38
65+	140	14.6	139	3	4	12	18	25	37	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1675	7.7	20	2	3	7	10	13	16	23
B. *Operated*	3366	9.7	33	2	3	9	12	17	21	30
2. MULTIPLE DX										
A. *Not Operated*	1834	8.4	29	2	3	7	11	15	17	28
B. *Operated*	1414	12.2	69	3	4	10	16	22	27	40
1. SINGLE DX	5041	9.1	30	2	3	8	11	16	19	28
2. MULTIPLE DX	3248	10.1	49	2	3	9	13	18	23	35
A. NOT OPERATED	3509	8.1	25	2	3	7	10	14	17	26
B. OPERATED	4780	10.4	45	2	3	9	13	19	23	33
TOTAL 0-19 YRS	50	7.8	32	1	2	6	10	15	20	25
20-34	1271	8.8	29	2	3	8	11	16	19	27
35-49	3483	9.3	35	2	3	8	12	16	20	30
50-64	2622	9.7	38	2	3	9	12	17	21	32
65+	863	10.4	57	3	4	9	13	19	24	38
GRAND TOTAL	**8289**	**9.4**	**38**	**2**	**3**	**8**	**12**	**17**	**21**	**31**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	7.7	14	2	3	7	10	13	15	16
20-34	341	7.3	32	2	3	6	9	12	15	22
35-49	365	8.2	20	3	3	7	10	14	16	24
50-64	174	8.1	18	2	3	8	10	13	16	24
65+	43	6.6	15	2	2	6	9	12	15	18
B. *Operated*										
0-19 YRS	16	7.4	35	2	2	5	9	18	20	21
20-34	315	6.9	24	2	2	5	9	13	16	22
35-49	338	7.8	34	2	2	6	11	15	19	23
50-64	90	8.8	66	2	3	7	11	16	22	49
65+	11	9.5	73	1	1	8	12	25	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	5.9	7	3	3	6	7	10	11	11
20-34	187	8.5	35	2	3	7	11	15	18	33
35-49	278	8.4	22	3	3	8	10	14	17	26
50-64	222	8.8	26	2	3	8	12	17	19	22
65+	142	9.3	57	3	4	8	11	16	20	31
B. *Operated*										
0-19 YRS	7	7.4	13	3	3	6	10	13	13	13
20-34	144	11.0	69	2	3	10	15	19	23	46
35-49	208	9.3	35	2	3	8	13	18	21	28
50-64	96	11.0	44	3	3	10	15	21	26	29
65+	19	15.3	223	1	2	9	23	41	44	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	943	7.8	24	2	3	7	10	13	15	22
B. *Operated*	770	7.6	34	2	2	6	10	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	845	8.6	32	3	3	8	11	15	19	27
B. *Operated*	474	10.4	55	2	3	9	14	19	24	39
1. SINGLE DX	1713	7.7	29	2	3	7	10	14	17	24
2. MULTIPLE DX	1319	9.3	41	2	3	8	12	17	20	30
A. NOT OPERATED	1788	8.2	28	2	3	7	10	14	17	25
B. OPERATED	1244	8.6	44	2	2	7	12	16	20	30
TOTAL 0-19 YRS	59	7.1	17	2	3	6	9	12	16	21
20-34	987	7.9	37	2	3	7	10	14	17	30
35-49	1189	8.3	27	2	3	7	11	15	18	25
50-64	582	9.0	34	2	3	8	11	16	19	27
65+	215	9.3	68	2	3	7	11	16	23	43
GRAND TOTAL	**3032**	**8.4**	**35**	**2**	**3**	**7**	**11**	**15**	**18**	**27**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	6.0	7	2	2	6	7	9	9	9
20-34	91	6.1	14	1	2	5	8	11	14	17
35-49	149	8.0	24	2	3	7	11	15	19	24
50-64	113	8.2	28	2	3	7	11	14	17	28
65+	63	8.1	48	2	3	6	10	14	18	45
B. *Operated*										
0-19 YRS	3	5.0	13	2	2	4	8	9	9	9
20-34	53	8.5	43	1	2	8	10	18	23	29
35-49	72	7.5	33	2	2	6	10	17	20	26
50-64	40	7.5	28	2	2	6	11	15	18	23
65+	11	10.5	53	<1	2	8	17	20	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	6.0	10	2	2	5	7	11	12	12
20-34	66	8.0	31	2	4	6	10	14	21	28
35-49	136	8.2	19	3	4	7	10	15	17	24
50-64	225	9.5	26	3	4	9	12	16	20	25
65+	288	9.7	33	3	4	8	12	17	20	28
B. *Operated*										
0-19 YRS	2	11.5	1	11	11	11	12	12	12	12
20-34	35	10.9	49	2	3	9	14	18	23	36
35-49	72	12.0	71	2	3	11	16	24	31	39
50-64	65	12.0	50	3	3	11	15	23	25	32
65+	44	15.8	110	6	8	13	18	26	34	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	421	7.6	27	2	2	6	10	14	17	26
B. *Operated*	179	7.9	36	2	2	7	11	17	20	27
2. MULTIPLE DX										
A. *Not Operated*	722	9.2	28	3	4	8	12	16	20	26
B. *Operated*	218	12.6	70	2	4	11	16	24	27	43
1. SINGLE DX	600	7.7	29	2	2	6	10	14	18	27
2. MULTIPLE DX	940	10.0	40	3	4	8	13	18	23	30
A. NOT OPERATED	1143	8.6	28	2	3	7	11	15	19	26
B. OPERATED	397	10.5	60	2	2	9	14	20	25	37
TOTAL 0-19 YRS	17	6.5	11	2	2	6	9	12	12	12
20-34	245	7.8	32	2	2	7	10	15	18	28
35-49	429	8.6	34	2	3	7	11	16	20	31
50-64	443	9.4	31	2	3	9	12	17	21	26
65+	406	10.2	48	3	3	9	13	18	23	36
GRAND TOTAL	**1540**	**9.1**	**37**	**2**	**3**	**8**	**12**	**17**	**21**	**29**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	233	4.6	13	1	1	3	6	9	13	18
20-34	1689	6.5	23	1	2	5	8	12	14	25
35-49	2130	7.1	28	2	2	6	9	13	16	26
50-64	1172	7.4	31	2	3	6	9	13	17	26
65+	423	8.0	31	2	3	7	10	15	18	28
B. *Operated*										
0-19 YRS	115	5.8	21	2	2	4	8	13	17	48
20-34	1570	7.0	34	2	2	5	10	14	17	25
35-49	2077	7.6	34	2	2	6	10	15	18	27
50-64	1037	8.9	46	2	2	8	12	17	21	31
65+	250	11.4	79	2	2	10	15	21	25	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	182	4.7	15	1	1	4	6	9	11	18
20-34	1326	7.0	28	2	2	6	9	13	17	27
35-49	2137	7.8	32	2	3	7	10	14	18	30
50-64	1968	7.9	25	2	3	7	10	14	18	26
65+	1376	8.8	36	2	3	7	11	16	20	30
B. *Operated*										
0-19 YRS	86	6.6	23	2	2	5	9	14	15	22
20-34	1110	8.4	41	2	2	7	11	16	20	31
35-49	1801	9.9	61	2	2	8	13	19	24	40
50-64	1250	11.4	75	2	3	10	14	21	27	46
65+	481	14.7	101	3	4	13	18	26	36	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5647	6.9	27	2	2	6	9	13	16	26
B. *Operated*	5049	7.8	40	2	2	6	11	15	19	28
2. MULTIPLE DX										
A. *Not Operated*	6989	7.8	30	2	3	7	10	14	18	28
B. *Operated*	4728	10.4	67	2	3	9	13	20	25	40
1. SINGLE DX	10696	7.4	33	2	2	6	10	14	18	27
2. MULTIPLE DX	11717	8.8	47	2	3	7	11	17	21	34
A. NOT OPERATED	12636	7.4	29	2	2	6	9	14	17	27
B. OPERATED	9777	9.0	54	2	2	7	12	18	22	37
TOTAL 0-19 YRS	616	5.1	17	1	2	4	7	11	14	20
20-34	5695	7.1	31	2	2	6	9	14	17	27
35-49	8145	8.0	39	2	2	7	10	15	19	30
50-64	5427	8.8	44	2	3	7	11	16	20	33
65+	2530	10.0	57	2	3	8	13	19	24	39
GRAND TOTAL	**22413**	**8.1**	**41**	**2**	**2**	**7**	**10**	**15**	**20**	**31**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	241	4.4	13	1	1	3	5	8	11	18
20-34	177	4.5	13	1	1	4	6	8	12	20
35-49	279	5.3	13	1	2	4	7	10	12	18
50-64	300	5.4	14	1	2	4	7	10	13	17
65+	153	5.5	12	1	1	5	7	10	13	22
B. *Operated*										
0-19 YRS	360	3.0	5	1	1	2	4	5	7	12
20-34	1066	3.4	18	1	1	3	4	6	7	14
35-49	1588	3.6	8	1	2	3	4	6	9	16
50-64	1730	3.5	8	1	1	3	4	6	9	16
65+	417	3.9	9	1	1	3	5	8	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	4.6	13	2	2	4	6	7	9	25
20-34	157	5.9	20	1	2	4	8	11	15	23
35-49	368	6.0	20	1	2	5	8	11	15	22
50-64	594	6.8	19	2	2	6	9	13	16	22
65+	474	7.8	31	2	3	6	10	15	18	28
B. *Operated*										
0-19 YRS	102	3.6	7	1	1	3	4	7	9	15
20-34	471	4.4	20	2	2	3	5	8	11	23
35-49	777	5.3	29	2	2	4	6	11	15	31
50-64	984	5.4	27	1	2	4	6	10	15	27
65+	371	7.5	42	2	2	5	9	17	22	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1150	5.0	13	1	2	4	6	10	12	19
B. *Operated*	5161	3.5	10	1	1	3	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	1682	6.7	23	2	2	5	8	13	16	23
B. *Operated*	2705	5.4	29	2	2	4	6	11	15	28
1. SINGLE DX	6311	3.8	11	1	1	3	5	7	10	16
2. MULTIPLE DX	4387	5.9	27	2	2	4	7	12	16	27
A. NOT OPERATED	2832	6.0	20	1	2	5	8	11	15	22
B. [illegible]RATED	7866	4.2	17	1	2	3	5	8	11	22
TC[illegible] 0-19 YRS	792	3.7	9	1	1	3	5	7	9	15
20-34	1871	4.0	19	1	2	3	4	7	10	19
35-49	3012	4.5	16	1	2	3	5	9	11	20
50-64	3608	4.7	17	1	2	3	6	9	13	21
65+	1415	6.3	28	1	2	5	8	13	18	28
GRAND TOTAL	**10698**	**4.7**	**19**	**1**	**2**	**3**	**6**	**9**	**12**	**22**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4		<1	<1	1	2	2	2	2
20-34	9	3.9	3	2	2	4	5	6	7	7
35-49	14	3.8	15	<1	<1	3	4	8	14	16
50-64	19	3.6	8	<1	<1	3	5	8	10	11
65+	11	3.2	4	<1	<1	3	4	6	7	7
B. *Operated*										
0-19 YRS	220	3.9	5	2	2	4	5	6	7	11
20-34	538	4.3	6	2	2	4	5	6	8	15
35-49	600	4.5	5	2	2	4	5	7	9	12
50-64	769	4.7	6	2	2	4	6	8	9	12
65+	364	5.2	8	2	2	5	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	12	4.2	1	2	3	4	5	6	6	6
35-49	25	4.7	5	<1	2	5	6	8	9	10
50-64	48	4.6	9	<1	<1	4	6	8	11	14
65+	41	7.5	68	1	1	5	10	17	21	46
B. *Operated*										
0-19 YRS	161	4.5	8	2	2	4	5	7	10	17
20-34	600	4.5	6	2	2	4	5	7	9	13
35-49	936	5.0	22	2	2	4	6	8	10	19
50-64	1624	5.5	13	2	3	5	6	9	11	18
65+	945	6.6	28	2	3	5	8	11	14	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.4	7	<1	<1	3	4	7	8	16
B. *Operated*	2491	4.5	6	2	2	4	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	129	5.4	28	<1	1	4	7	10	14	27
B. *Operated*	4266	5.5	18	2	2	5	6	9	11	20
1. SINGLE DX	2549	4.5	6	2	2	4	5	7	9	13
2. MULTIPLE DX	4395	5.5	18	2	2	5	6	9	11	21
A. NOT OPERATED	187	4.8	22	<1	<1	4	6	8	12	22
B. OPERATED	6757	5.1	13	2	2	4	6	8	10	17
TOTAL 0-19 YRS	389	4.1	6	2	2	4	5	6	9	14
20-34	1159	4.4	6	2	2	4	5	7	9	13
35-49	1575	4.8	15	2	2	4	6	7	9	16
50-64	2460	5.2	11	2	2	5	6	8	10	16
65+	1361	6.2	24	2	3	5	7	10	13	27
GRAND TOTAL	**6944**	**5.1**	**14**	**2**	**2**	**4**	**6**	**8**	**10**	**17**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	1.8	1	<1	<1	2	2	3	4	5
20-34	69	2.1	3	<1	<1	2	3	4	5	10
35-49	36	2.3	2	<1	<1	2	3	4	5	5
50-64	24	2.3	2	<1	<1	2	3	5	5	5
65+	12	4.5	12	<1	1	3	6	9	12	13
B. *Operated*										
0-19 YRS	1279	2.2	11	1	1	2	2	3	4	8
20-34	2366	2.2	2	<1	1	2	3	3	4	8
35-49	1222	2.5	3	1	1	2	3	4	5	8
50-64	668	2.8	4	1	1	2	3	4	6	11
65+	214	3.2	18	1	1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.1	8	<1	<1	1	2	5	10	11
20-34	21	3.0	13	<1	<1	2	3	6	12	16
35-49	14	4.1	21	<1	1	2	6	12	14	15
50-64	24	4.4	5	1	2	3	6	8	9	9
65+	7	7.1	130	1	1	2	8	28	32	32
B. *Operated*										
0-19 YRS	135	2.4	2	1	1	2	3	4	5	6
20-34	469	3.2	13	1	2	2	3	5	7	15
35-49	411	3.8	12	1	2	3	4	7	11	17
50-64	361	4.4	13	1	2	3	5	9	11	20
65+	172	5.9	44	2	2	4	6	12	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	2.3	3	<1	<1	2	3	4	5	10
B. *Operated*	5749	2.4	5	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	78	3.9	21	<1	<1	2	5	9	12	28
B. *Operated*	1548	3.9	16	1	2	3	4	7	10	20
1. SINGLE DX	5918	2.4	5	1	1	2	3	4	5	8
2. MULTIPLE DX	1626	3.9	16	1	2	3	4	7	10	20
A. NOT OPERATED	247	2.8	9	<1	<1	2	3	5	8	15
B. OPERATED	7297	2.7	8	1	1	2	3	4	6	13
TOTAL 0-19 YRS	1454	2.2	10	1	1	2	2	3	4	8
20-34	2925	2.4	4	<1	1	2	3	4	4	9
35-49	1683	2.8	6	1	1	2	3	5	6	14
50-64	1077	3.4	8	1	1	3	4	6	8	18
65+	405	4.4	32	1	2	3	5	8	13	29
GRAND TOTAL	**7544**	**2.7**	**8**	**1**	**1**	**2**	**3**	**4**	**6**	**13**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	12.0	70	2	2	11	18	22	27	41
20-34	57	10.8	99	1	2	7	14	23	33	47
35-49	48	9.3	58	1	2	7	13	17	31	32
50-64	52	9.9	59	2	3	8	14	18	24	43
65+	34	11.4	63	1	2	9	15	23	29	30
B. *Operated*										
0-19 YRS	147	14.8	122	2	2	12	22	29	34	51
20-34	163	12.1	144	2	2	9	15	25	31	66
35-49	126	12.7	115	2	3	10	18	27	34	57
50-64	129	13.6	138	2	3	9	19	32	39	51
65+	97	13.9	131	2	3	10	19	31	34	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	16.5	103	2	4	15	25	32	35	93
20-34	47	9.2	59	1	3	6	11	22	26	34
35-49	76	9.6	87	1	2	8	12	18	26	56
50-64	89	12.7	140	3	3	9	16	27	38	61
65+	115	15.9	145	3	4	13	23	36	44	48
B. *Operated*										
0-19 YRS	81	19.7	235	4	4	16	29	44	53	92
20-34	148	17.7	259	2	3	12	28	42	48	81
35-49	164	16.8	232	3	3	13	23	34	50	86
50-64	278	20.0	259	3	4	15	26	42	55	82
65+	215	22.1	270	3	6	17	31	46	52	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	319	11.0	71	2	2	9	15	22	28	41
B. *Operated*	662	13.4	131	2	3	10	18	29	35	57
2. MULTIPLE DX										
A. *Not Operated*	388	13.2	123	2	3	10	17	29	37	52
B. *Operated*	886	19.5	257	3	4	15	28	43	53	86
1. SINGLE DX	981	12.6	112	2	2	10	17	27	33	50
2. MULTIPLE DX	1274	17.6	224	3	3	13	24	39	48	82
A. NOT OPERATED	707	12.2	101	2	3	9	16	25	33	47
B. OPERATED	1548	16.9	212	2	3	13	23	37	47	76
TOTAL 0-19 YRS	417	15.1	131	2	3	12	21	30	38	58
20-34	415	13.6	178	2	2	9	17	32	42	73
35-49	414	13.4	158	2	3	10	17	29	38	65
50-64	548	16.3	206	3	3	12	21	37	46	65
65+	461	18.1	209	3	4	14	25	40	47	78
GRAND TOTAL	**2255**	**15.4**	**182**	**2**	**3**	**12**	**21**	**33**	**44**	**69**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	211	5.4	27	1	1	4	7	11	15	25
20-34	223	3.9	8	1	1	3	5	7	9	16
35-49	304	4.5	9	1	1	4	6	8	10	15
50-64	258	5.9	27	1	2	5	8	13	16	24
65+	404	8.6	37	2	3	7	12	16	20	28
B. *Operated*										
0-19 YRS	1072	5.1	19	1	2	4	6	9	12	23
20-34	1051	5.8	25	2	2	4	7	11	16	24
35-49	687	7.3	38	2	2	6	9	14	17	32
50-64	542	9.3	65	2	3	7	12	18	22	50
65+	381	13.3	93	3	4	11	17	25	31	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	6.1	34	1	1	4	8	14	21	27
20-34	281	5.1	20	1	2	4	7	9	12	21
35-49	540	5.9	24	2	2	5	7	10	16	29
50-64	925	8.1	54	2	2	6	10	16	20	42
65+	2931	11.1	67	3	4	9	14	21	26	45
B. *Operated*										
0-19 YRS	344	6.3	33	2	2	4	8	13	17	33
20-34	619	7.6	82	2	2	5	8	15	22	56
35-49	620	9.8	105	2	2	6	12	19	28	59
50-64	712	12.5	111	2	3	10	17	24	31	50
65+	894	17.5	146	3	5	15	22	32	41	70
SURTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1400	6.0	26	1	1	4	8	12	16	24
B. *Operated*	3733	7.2	45	2	2	5	9	15	19	32
2. MULTIPLE DX										
A. *Not Operated*	4781	9.5	61	2	3	7	12	19	24	43
B. *Operated*	3189	11.8	122	2	3	8	16	24	33	58
1. SINGLE DX	5133	6.8	40	1	2	5	9	14	19	30
2. MULTIPLE DX	7970	10.4	87	2	3	8	14	21	28	50
A. NOT OPERATED	6181	8.7	55	2	2	7	11	17	23	38
B. OPERATED	6922	9.3	86	2	2	6	12	20	26	49
TOTAL 0-19 YRS	1731	5.4	24	1	2	4	6	11	14	27
20-34	2174	6.0	40	2	2	4	7	12	17	32
35-49	2151	7.2	53	2	2	5	9	15	19	38
50-64	2437	9.4	75	2	2	7	12	19	24	46
65+	4610	12.3	90	3	4	10	16	23	30	50
GRAND TOTAL	**13103**	**9.0**	**71**	**2**	**2**	**6**	**12**	**19**	**24**	**44**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.8	10	1	1	2	3	8	10	10
20-34	13	3.6	6	<1	1	3	5	7	9	9
35-49	12	5.3	29	1	1	3	9	14	17	17
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	4	5.5	27	<1	<1	5	10	10	10	10
B. *Operated*										
0-19 YRS	302	4.4	15	1	2	3	5	8	11	19
20-34	243	4.1	18	1	2	3	5	8	11	18
35-49	151	4.6	16	1	2	3	6	8	13	20
50-64	105	5.5	32	1	2	4	7	13	17	32
65+	52	6.3	32	1	2	4	7	15	21	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	3	<1	<1	1	3	5	6	6
20-34	17	4.5	13	<1	<1	4	6	9	12	14
35-49	17	6.9	21	3	3	5	8	16	18	18
50-64	14	8.0	35	1	2	7	9	17	22	23
65+	26	9.7	57	1	2	7	14	22	26	28
B. *Operated*										
0-19 YRS	158	4.6	10	1	2	4	5	8	10	14
20-34	221	5.0	15	1	2	4	6	9	14	19
35-49	154	5.8	21	2	2	4	7	12	16	24
50-64	175	7.6	38	2	2	5	10	17	21	37
65+	93	12.1	156	2	3	8	17	23	29	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	4.1	15	<1	1	3	5	10	12	17
B. *Operated*	853	4.6	19	1	2	3	5	8	13	22
2. MULTIPLE DX										
A. *Not Operated*	87	6.7	36	<1	1	5	9	16	19	27
B. *Operated*	801	6.5	42	2	2	5	8	14	18	29
1. SINGLE DX	893	4.6	19	1	2	3	5	8	13	22
2. MULTIPLE DX	888	6.5	41	2	2	5	8	14	18	28
A. NOT OPERATED	127	5.9	31	<1	1	4	8	14	17	26
B. OPERATED	1654	5.5	31	1	2	4	7	11	16	26
TOTAL 0-19 YRS	481	4.4	13	1	2	4	5	8	10	18
20-34	494	4.5	16	1	2	3	6	9	12	18
35-49	334	5.3	20	2	2	4	7	11	15	21
50-64	297	6.8	37	2	2	5	8	15	20	34
65+	175	9.9	107	2	2	7	14	21	25	66
GRAND TOTAL	**1781**	**5.5**	**31**	**1**	**2**	**4**	**7**	**11**	**17**	**26**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	7.6	11	4	4	7	9	13	14	14
20-34	71	5.6	13	1	2	5	7	10	13	18
35-49	91	6.4	14	2	2	5	8	12	15	17
50-64	66	6.8	23	1	2	6	9	14	17	23
65+	38	9.2	50	2	3	7	12	16	24	36
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	35	6.7	39	1	2	4	9	15	23	26
35-49	71	8.1	32	2	2	7	11	15	20	29
50-64	43	8.2	43	2	3	6	10	16	22	35
65+	12	15.7	214	3	3	10	23	39	48	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	2	3	3	4	5	6	6	6
20-34	53	6.9	22	2	2	6	9	13	16	22
35-49	99	7.5	27	2	3	6	9	14	17	30
50-64	138	8.4	41	2	3	7	10	16	20	34
65+	150	9.2	71	2	3	7	11	17	21	53
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	27	8.4	29	2	2	8	11	15	17	26
35-49	50	10.1	35	2	4	9	14	17	22	28
50-64	72	9.9	50	2	3	9	13	20	23	39
65+	24	12.4	41	4	4	13	14	18	24	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	6.7	22	2	2	5	9	13	16	23
B. *Operated*	162	8.3	53	2	2	6	10	16	23	35
2. MULTIPLE DX										
A. *Not Operated*	443	8.3	46	2	3	7	10	15	19	34
B. *Operated*	174	10.0	41	2	3	9	14	17	22	33
1. SINGLE DX	435	7.3	34	2	2	6	9	14	17	31
2. MULTIPLE DX	617	8.8	45	2	3	7	11	16	20	34
A. NOT OPERATED	716	7.7	37	2	2	6	9	15	18	33
B. OPERATED	336	9.2	47	2	2	8	12	17	22	35
TOTAL 0-19 YRS	12	6.0	10	3	3	5	7	10	13	14
20-34	186	6.6	23	2	2	5	9	13	16	25
35-49	311	7.7	27	2	3	6	10	15	17	27
50-64	319	8.4	40	2	2	7	11	16	21	34
65+	224	9.9	74	2	3	8	12	18	24	50
GRAND TOTAL	**1052**	**8.2**	**41**	**2**	**2**	**7**	**10**	**15**	**20**	**34**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	274	3.5	9	1	1	3	4	6	10	17
20-34	589	4.6	10	1	1	4	6	9	11	15
35-49	625	5.0	13	1	2	4	6	10	13	17
50-64	416	5.5	14	1	2	4	7	11	13	18
65+	216	6.6	31	1	2	5	8	13	17	32
B. *Operated*										
0-19 YRS	757	5.5	30	1	1	3	7	16	17	24
20-34	1120	4.3	16	1	1	3	5	9	12	20
35-49	819	4.6	20	1	2	3	5	9	12	22
50-64	856	4.2	15	1	2	3	5	8	12	22
65+	376	5.0	44	1	2	3	5	10	15	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	212	4.2	28	1	1	3	5	7	10	15
20-34	768	5.1	14	1	2	4	6	9	13	19
35-49	1119	6.2	19	2	2	5	8	12	15	22
50-64	1086	6.4	20	2	2	5	8	12	14	23
65+	930	7.9	39	2	3	6	10	15	19	31
B. *Operated*										
0-19 YRS	443	4.6	29	1	2	3	4	9	16	29
20-34	1000	4.9	21	2	2	3	6	10	14	24
35-49	906	6.3	35	2	2	4	8	13	17	28
50-64	880	7.2	55	2	2	5	9	15	20	41
65+	517	10.0	120	2	2	6	12	22	31	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2120	5.0	14	1	2	4	6	10	12	18
B. *Operated*	3928	4.6	22	1	2	3	5	10	14	22
2. MULTIPLE DX										
A. *Not Operated*	4115	6.3	24	2	2	5	8	12	15	24
B. *Operated*	3746	6.4	50	2	2	4	8	14	19	35
1. SINGLE DX	6048	4.7	19	1	2	3	6	10	14	21
2. MULTIPLE DX	7861	6.4	37	2	2	5	8	13	17	30
A. NOT OPERATED	6235	5.9	21	1	2	5	7	11	14	22
B. OPERATED	7674	5.5	36	1	2	3	6	12	17	30
TOTAL 0-19 YRS	1686	4.8	27	1	1	3	5	12	16	24
20-34	3477	4.7	16	1	2	3	6	9	12	20
35-49	3469	5.6	23	1	2	4	7	11	15	24
50-64	3238	5.9	29	2	2	4	7	12	15	26
65+	2039	7.7	62	2	2	5	9	16	21	41
GRAND TOTAL	**13909**	**5.7**	**30**	**1**	**2**	**4**	**7**	**12**	**16**	**27**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	7	1	1	3	5	7	7	7
20-34	11	5.6	7	2	3	5	7	10	12	12
35-49	4	4.8	4	2	2	5	6	7	7	7
50-64	8	4.3	7	1	1	4	5	8	10	10
65+	2	6.5	1	6	6	6	7	7	7	7
B. *Operated*										
0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34										
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
65+	3	5.0	28	1	1	3	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.1	6	2	2	3	4	8	10	10
20-34	25	6.2	25	1	2	5	7	13	16	25
35-49	35	5.9	14	1	2	5	7	9	16	18
50-64	22	7.9	16	2	3	7	9	15	16	17
65+	15	9.5	24	4	5	8	11	19	19	19
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	9	8.9	36	<1	1	10	12	17	19	19
50-64	9	7.9	19	4	4	8	9	15	18	18
65+	3	16.7	210	2	2	17	27	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	4.9	6	1	2	4	6	8	10	12
B. *Operated*	8	3.9	10	1	1	3	4	9	11	11
2. MULTIPLE DX										
A. *Not Operated*	105	6.8	19	2	3	6	8	13	17	22
B. *Operated*	24	9.2	47	1	2	9	10	18	23	31
1. SINGLE DX	37	4.7	7	1	1	4	6	8	11	12
2. MULTIPLE DX	129	7.2	25	2	2	6	9	15	18	26
A. NOT OPERATED	134	6.4	17	2	2	6	8	10	16	20
B. OPERATED	32	7.9	43	1	2	7	10	17	19	31
TOTAL 0-19 YRS	16	3.9	7	1	1	3	5	9	10	10
20-34	38	6.0	19	2	2	5	7	11	13	25
35-49	50	6.3	17	1	2	5	7	10	18	19
50-64	39	7.2	16	2	3	7	9	13	17	18
65+	23	9.6	48	2	3	8	11	19	23	31
GRAND TOTAL	**166**	**6.7**	**22**	**2**	**2**	**6**	**8**	**12**	**17**	**24**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	4.2	40	1	1	2	4	8	11	39
20-34	4	4.8	18	2	2	3	7	11	11	11
35-49	4	7.5	82	2	2	3	12	21	21	21
50-64	3	3.7	1	3	3	3	5	5	5	5
65+	3	2.0	3	<1	<1	<1	3	4	4	4
B. *Operated*										
0-19 YRS	100	8.0	46	2	2	6	10	16	21	38
20-34	16	7.9	23	1	2	8	11	16	17	17
35-49	14	8.9	83	2	2	4	13	24	26	27
50-64	10	15.4	144	4	4	11	20	35	38	38
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	6.1	38	1	1	4	8	13	19	35
20-34	18	8.6	72	2	3	5	10	17	29	37
35-49	10	10.9	79	3	3	7	16	25	32	32
50-64	11	10.2	60	3	3	8	15	23	25	25
65+	12	11.7	104	<1	3	7	15	29	34	35
B. *Operated*										
0-19 YRS	173	10.8	108	2	2	7	13	21	33	54
20-34	28	11.0	71	1	2	10	14	25	29	33
35-49	19	11.3	55	2	3	10	18	20	25	30
50-64	2	19.0	128	11	11	19	27	27	27	27
65+	4	10.3	22	4	4	11	13	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	4.3	37	<1	1	3	4	9	12	38
B. *Operated*	141	8.6	56	2	2	6	11	19	22	38
2. MULTIPLE DX										
A. *Not Operated*	191	7.2	51	1	1	5	9	17	21	36
B. *Operated*	226	10.9	97	2	2	8	14	21	31	54
1. SINGLE DX	219	7.0	53	1	1	5	9	16	22	39
2. MULTIPLE DX	417	9.2	79	1	2	6	12	19	28	49
A. NOT OPERATED	269	6.3	48	1	1	4	8	14	21	36
B. OPERATED	367	10.0	82	2	2	7	13	20	29	52
TOTAL 0-19 YRS	477	7.9	71	1	2	5	10	17	22	46
20-34	66	9.2	58	1	2	7	13	18	28	36
35-49	47	10.2	68	2	2	7	16	22	27	32
50-64	26	12.1	99	3	3	8	20	27	33	38
65+	20	9.5	78	<1	<1	7	12	23	31	35
GRAND TOTAL	**636**	**8.5**	**71**	**1**	**2**	**6**	**11**	**19**	**25**	**42**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	1.4	2	<1	<1	1	1	2	3	7
20-34	8	2.1	1	<1	<1	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	5.5	25	2	2	5	9	9	9	9
65+	2	4.5	13	2	2	4	7	7	7	7
B. *Operated*										
0-19 YRS	762	2.4	4	1	1	2	3	4	5	10
20-34	226	2.9	6	1	1	2	3	4	6	14
35-49	109	3.3	9	1	2	3	4	5	5	22
50-64	191	3.1	2	2	2	3	4	5	6	9
65+	159	3.0	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	1.5	2	<1	<1	1	2	2	4	8
20-34	8	3.0	3	<1	<1	3	4	6	6	6
35-49	3	3.3	10	1	1	2	6	7	7	7
50-64	6	4.5	12	1	1	4	6	10	10	10
65+	16	3.9	7	<1	2	3	4	7	10	12
B. *Operated*										
0-19 YRS	238	2.8	15	1	1	2	3	4	5	16
20-34	64	4.5	30	2	2	3	4	6	11	38
35-49	76	4.3	19	1	2	3	5	9	11	28
50-64	167	4.2	11	2	2	3	4	8	11	22
65+	153	4.6	16	2	2	3	5	10	12	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	1.5	3	<1	<1	1	1	2	3	9
B. *Operated*	1447	2.7	4	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	117	2.2	4	<1	<1	1	2	5	7	11
B. *Operated*	698	3.8	17	1	2	3	4	7	11	23
1. SINGLE DX	1655	2.6	4	1	1	2	3	4	5	9
2. MULTIPLE DX	815	3.6	15	1	1	3	4	6	10	20
A. NOT OPERATED	325	1.7	3	<1	<1	1	2	3	5	9
B. OPERATED	2145	3.1	9	1	1	2	3	5	7	14
TOTAL 0-19 YRS	1279	2.3	6	<1	1	2	2	4	5	12
20-34	306	3.2	11	1	2	3	4	5	6	19
35-49	189	3.7	13	1	2	3	4	6	9	23
50-64	366	3.6	7	2	2	3	4	6	9	14
65+	330	3.8	9	2	2	3	4	6	10	18
GRAND TOTAL	**2470**	**2.9**	**8**	**1**	**1**	**2**	**3**	**5**	**6**	**14**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	3.5	29	1	1	2	3	5	12	30
20-34	33	6.1	121	1	1	3	6	10	16	64
35-49	14	5.0	12	1	1	4	6	11	12	12
50-64	9	2.2		1	1	2	3	3	3	3
65+	7	3.4	4	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	450	5.4	27	1	2	2	9	11	12	19
20-34	132	6.3	35	2	2	4	9	12	19	30
35-49	93	6.6	37	2	2	4	9	13	16	34
50-64	54	9.6	190	2	2	7	12	17	22	95
65+	25	8.3	42	1	2	8	12	18	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	291	4.6	32	<1	1	3	6	9	11	30
20-34	100	5.5	23	2	2	4	7	10	12	29
35-49	79	7.9	86	1	2	5	9	14	20	56
50-64	65	7.1	43	2	2	5	9	15	18	35
65+	85	8.1	56	2	2	6	11	14	22	46
B. *Operated*										
0-19 YRS	469	6.8	66	1	2	3	9	15	21	44
20-34	175	8.4	91	2	2	5	12	18	28	46
35-49	125	8.5	63	2	2	5	13	18	23	37
50-64	124	10.5	98	2	2	9	14	20	27	76
65+	73	14.9	107	2	3	14	22	30	37	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	4.1	44	1	1	2	4	8	11	32
B. *Operated*	754	6.1	43	1	2	3	9	12	15	30
2. MULTIPLE DX										
A. *Not Operated*	620	5.9	43	1	2	4	7	11	15	37
B. *Operated*	966	8.4	82	2	2	5	12	19	27	48
1. SINGLE DX	914	5.8	44	1	2	3	9	12	15	31
2. MULTIPLE DX	1586	7.4	68	1	2	4	10	16	23	43
A. NOT OPERATED	780	5.5	44	1	1	4	6	11	15	36
B. OPERATED	1720	7.4	66	2	2	4	10	16	21	42
TOTAL 0-19 YRS	1307	5.6	43	1	2	3	8	11	15	38
20-34	440	6.9	62	2	2	4	9	14	21	37
35-49	311	7.6	59	1	2	5	10	16	20	39
50-64	252	9.1	103	2	2	6	13	18	24	68
65+	190	10.6	84	2	2	8	14	25	30	51
GRAND TOTAL	**2500**	**6.8**	**60**	**1**	**2**	**4**	**9**	**14**	**20**	**41**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	13	2.8	4	<1	<1	2	5	6	7	7
20-34										
35-49										
50-64										
65+										
B. ***Operated***										
0-19 YRS	517	3.9	4	1	2	4	5	7	8	9
20-34	22	4.0	10	1	2	3	5	7	11	16
35-49	4	3.0	2	2	2	3	4	5	5	5
50-64	5	4.4	1	3	3	4	5	6	6	6
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	27	3.7	37	<1	<1	1	4	8	18	29
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. ***Operated***										
0-19 YRS	250	4.2	11	1	2	4	5	7	8	26
20-34	27	5.3	58	1	2	3	6	7	14	42
35-49	9	3.4	4	2	2	3	4	7	8	8
50-64	2	9.5	5	8	8	9	11	11	11	11
65+										
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	13	2.8	4	<1	<1	2	5	6	7	7
B. ***Operated***	549	3.9	4	1	2	4	5	7	8	9
2. MULTIPLE DX										
A. ***Not Operated***	28	3.6	36	<1	<1	1	4	8	17	29
B. ***Operated***	288	4.3	15	1	2	4	5	7	8	32
1. SINGLE DX	562	3.9	4	1	2	4	5	7	8	9
2. MULTIPLE DX	316	4.3	17	1	1	4	5	7	8	31
A. NOT OPERATED	41	3.4	26	<1	<1	1	4	7	12	29
B. OPERATED	837	4.1	8	1	2	4	5	7	8	12
TOTAL 0-19 YRS	807	4.0	7	1	2	4	5	7	8	12
20-34	50	4.7	36	2	2	3	5	7	9	42
35-49	13	3.3	3	2	2	3	4	6	8	8
50-64	7	5.9	8	3	3	5	7	10	11	11
65+	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**878**	**4.0**	**9**	**1**	**2**	**4**	**5**	**7**	**8**	**14**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	3.1	4	1	1	3	4	6	7	8
B. *Operated*										
0-19 YRS	402	4.3	4	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.2	2	<1	1	3	4	5	6	6
B. *Operated*										
0-19 YRS	58	6.0	7	2	3	6	7	9	11	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	3.1	4	1	1	3	4	6	7	8
B. *Operated*	402	4.3	4	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	14	3.2	2	<1	1	3	4	5	6	6
B. *Operated*	58	6.0	7	2	3	6	7	9	11	14
1. SINGLE DX	434	4.2	4	2	2	4	5	7	8	12
2. MULTIPLE DX	72	5.4	7	2	2	5	7	9	10	14
A. NOT OPERATED	46	3.2	3	1	1	3	4	6	6	8
B. OPERATED	460	4.5	5	2	2	4	5	7	8	13
TOTAL 0-19 YRS	506	4.4	5	2	2	4	5	7	8	12
GRAND TOTAL	**506**	**4.4**	**5**	**2**	**2**	**4**	**5**	**7**	**8**	**12**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
SINGLE DX										
A. *Not Operated*										
0-19 YRS	163	2.3	6	<1	<1	1	3	4	7	10
20-34	19	3.1	5	1	1	2	3	6	8	10
35-49	13	5.8	34	2	2	4	6	11	22	24
50-64	20	4.7	9	1	2	4	7	10	10	11
65+	17	4.9	10	1	1	4	8	10	11	11
B. *Operated*										
0-19 YRS	332	4.4	28	<1	1	2	5	10	13	33
20-34	145	4.6	18	1	1	3	6	9	13	19
35-49	56	5.1	15	1	2	4	7	11	13	17
50-64	52	6.2	37	1	1	3	10	14	16	28
65+	26	5.6	22	1	2	4	8	12	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	4.6	15	<1	1	3	6	9	13	20
20-34	34	5.0	17	1	2	4	6	13	14	18
35-49	47	6.4	66	1	2	4	7	10	15	55
50-64	62	7.1	38	1	2	5	9	15	22	28
65+	87	7.6	43	2	2	6	10	14	17	39
B. *Operated*										
0-19 YRS	248	8.4	126	1	2	5	10	19	40	79
20-34	122	7.2	34	2	2	5	10	15	21	26
35-49	80	10.9	151	1	2	8	15	20	24	79
50-64	82	10.8	52	2	2	9	15	22	26	29
65+	74	13.4	162	2	3	11	17	26	35	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	232	3.0	9	<1	1	2	4	7	9	13
B. *Operated*	611	4.7	25	1	1	3	6	11	14	27
2. MULTIPLE DX										
A. *Not Operated*	335	6.1	35	1	1	4	8	13	16	28
B. *Operated*	606	9.4	108	1	2	6	12	21	27	62
1. SINGLE DX	843	4.2	21	1	1	3	5	10	13	24
2. MULTIPLE DX	941	8.3	85	1	2	5	11	18	24	48
A. NOT OPERATED	567	4.8	27	1	1	3	6	10	14	25
B. OPERATED	1217	7.1	72	1	1	4	9	16	22	43
TOTAL 0-19 YRS	848	5.2	56	<1	1	3	6	12	16	43
20-34	320	5.5	25	1	2	4	7	12	16	24
35-49	196	7.8	90	1	2	5	10	17	21	51
50-64	216	8.1	45	1	2	6	11	18	23	28
65+	204	9.2	91	1	2	7	12	18	25	44
GRAND TOTAL	**1784**	**6.4**	**59**	**1**	**1**	**4**	**8**	**14**	**20**	**41**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.3	2	<1	<1	2	4	4	5	5
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	23.0		23	23	23	23	23	23	23
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	801	3.5	3	1	2	3	4	6	7	9
20-34	82	4.4	16	2	2	4	5	6	8	28
35-49	22	3.9	3	2	2	4	5	6	7	9
50-64	5	3.0	4	1	1	3	4	6	6	6
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	1.9	1	<1	<1	1	3	4	4	5
20-34	3	7.7	22	4	4	6	11	13	13	13
35-49										
50-64	1	10.0		10	10	10	10	10	10	10
65+										
B. *Operated*										
0-19 YRS	745	3.8	6	1	2	3	5	6	8	12
20-34	87	4.9	6	2	3	4	5	8	9	17
35-49	29	4.6	7	2	2	4	5	8	12	13
50-64	14	5.6	9	1	2	5	7	11	12	12
65+	10	5.1	9	1	1	5	7	9	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.1	18	<1	<1	2	4	5	8	23
B. *Operated*	911	3.6	4	1	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	47	2.4	6	<1	<1	1	3	5	7	13
B. *Operated*	885	4.0	7	2	2	3	5	7	8	12
1. SINGLE DX	938	3.5	5	1	2	3	4	6	7	10
2. MULTIPLE DX	932	3.9	7	1	2	3	5	7	8	12
A. NOT OPERATED	74	2.7	10	<1	<1	2	3	5	6	21
B. OPERATED	1796	3.8	5	2	2	3	4	6	8	12
TOTAL 0-19 YRS	1612	3.6	5	1	2	3	4	6	7	10
20-34	174	4.6	11	2	2	4	5	7	9	17
35-49	52	4.7	12	2	2	4	5	7	12	23
50-64	21	5.1	9	1	2	5	6	10	11	12
65+	11	4.9	8	1	2	4	7	9	11	11
GRAND TOTAL	**1870**	**3.7**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**12**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.5	84	<1	<1	2	2	6	8	63
20-34	27	3.2	4	1	1	3	4	5	8	8
35-49	20	4.6	22	1	2	3	5	7	16	23
50-64	13	3.5	4	1	1	4	4	6	8	9
65+	15	3.1	6	1	1	3	4	8	8	8
B. *Operated*										
0-19 YRS	820	5.2	34	1	1	4	7	10	13	18
20-34	318	4.6	14	1	1	4	6	9	11	21
35-49	99	5.4	17	1	1	4	8	11	14	18
50-64	100	5.5	20	1	2	4	8	13	15	19
65+	51	5.5	38	1	2	3	6	13	18	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	3.3	9	<1	1	2	5	7	8	15
20-34	68	4.6	13	1	2	4	5	9	12	21
35-49	64	4.7	12	1	2	4	6	8	11	18
50-64	92	6.2	28	1	2	5	8	13	17	26
65+	78	6.6	19	2	2	6	9	13	15	23
B. *Operated*										
0-19 YRS	616	4.9	22	1	1	3	7	11	15	22
20-34	429	6.3	27	1	2	5	8	12	15	30
35-49	225	7.7	44	2	2	6	9	14	21	36
50-64	157	8.4	46	1	2	7	11	17	20	29
65+	135	9.1	57	2	2	7	13	18	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	3.6	37	1	1	2	4	6	8	35
B. *Operated*	1388	5.1	27	1	1	4	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	370	5.2	18	1	1	4	7	10	13	23
B. *Operated*	1562	6.4	34	1	1	5	8	14	17	31
1. SINGLE DX	1509	5.0	28	1	1	3	7	10	13	20
2. MULTIPLE DX	1932	6.2	31	1	1	5	8	13	17	29
A. NOT OPERATED	491	4.8	23	1	1	4	6	9	13	23
B. OPERATED	2950	5.8	31	1	1	4	8	12	15	27
TOTAL 0-19 YRS	1550	4.9	30	1	1	3	7	10	13	20
20-34	842	5.4	21	1	1	5	7	10	14	24
35-49	408	6.5	33	1	2	5	8	13	17	33
50-64	362	6.9	35	1	2	5	9	14	17	27
65+	279	7.4	43	1	2	6	9	16	20	36
GRAND TOTAL	**3441**	**5.7**	**30**	**1**	**1**	**4**	**8**	**12**	**15**	**27**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	1.9	2	<1	<1	1	2	4	5	6
20-34										
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	398	4.2	15	1	2	4	5	7	8	12
20-34	22	5.0	5	1	2	5	7	7	9	11
35-49	12	5.0	3	2	3	5	6	7	7	7
50-64	8	4.6	9	<1	1	3	7	9	9	9
65+	2	9.5	61	4	4	9	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	2.5	10	<1	<1	1	3	6	10	14
20-34	3	10.0	133	1	1	6	19	23	23	23
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	3.0	8	<1	<1	2	5	5	5	5
B. *Operated*										
0-19 YRS	166	4.4	4	2	2	4	5	7	8	12
20-34	61	5.8	8	2	3	5	7	10	11	17
35-49	62	5.3	4	3	3	5	6	7	9	13
50-64	44	8.4	52	3	4	7	9	12	20	47
65+	27	7.9	49	3	3	6	9	11	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	1.9	2	<1	<1	1	2	4	5	6
B. *Operated*	442	4.3	14	1	2	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	26	3.6	25	<1	<1	1	5	7	16	23
B. *Operated*	360	5.5	16	2	3	5	6	9	10	20
1. SINGLE DX	467	4.2	14	1	2	4	5	7	8	12
2. MULTIPLE DX	386	5.4	17	2	2	5	6	[illegible]	10	22
A. NOT OPERATED	51	2.8	14	<1	<1	1	3	6	7	23
B. OPERATED	802	4.9	15	2	2	4	6	8	10	16
TOTAL 0-19 YRS	607	4.1	12	1	2	4	5	7	8	12
20-34	86	5.8	11	2	2	5	7	10	11	21
35-49	75	5.3	4	3	3	5	6	7	8	13
50-64	53	7.8	46	3	3	6	9	11	19	46
65+	32	7.5	46	2	3	6	9	12	19	38
GRAND TOTAL	**853**	**4.8**	**16**	**1**	**2**	**4**	**6**	**8**	**10**	**16**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	318	2.9	19	1	1	2	3	5	9	42
20-34	88	5.2	14	<1	1	5	7	11	12	17
35-49	82	6.4	22	1	2	5	9	14	16	74
50-64	64	7.1	17	2	3	6	10	12	16	19
65+	38	6.9	15	2	3	6	10	12	15	18
B. *Operated*										
0-19 YRS	1524	4.5	17	1	2	3	6	9	12	22
20-34	704	4.4	19	<1	1	3	5	10	13	20
35-49	445	6.9	47	1	2	4	9	15	20	34
50-64	284	8.0	44	2	2	6	11	17	21	36
65+	81	8.3	80	2	2	4	10	19	26	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	332	4.3	22	<1	1	3	6	9	13	23
20-34	166	6.1	57	1	2	5	8	11	14	38
35-49	155	7.3	29	2	3	5	9	13	17	31
50-64	200	7.3	21	2	3	7	9	13	14	28
65+	146	8.9	31	3	3	7	12	17	22	99+
B. *Operated*										
0-19 YRS	524	5.4	28	1	2	4	7	11	16	32
20-34	367	7.0	56	1	1	5	9	14	18	36
35-49	386	8.4	59	2	2	7	11	17	23	30
50-64	300	10.5	74	2	2	8	14	21	28	40
65+	147	12.9	96	2	3	10	19	27	32	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	590	4.5	21	1	1	3	6	10	13	21
B. *Operated*	3038	5.3	28	1	1	3	6	11	15	28
2. MULTIPLE DX										
A. *Not Operated*	999	6.3	32	1	1	5	8	12	15	29
B. *Operated*	1724	7.9	60	1	2	5	10	18	23	37
1. SINGLE DX	3628	5.1	27	1	1	3	6	11	15	27
2. MULTIPLE DX	2723	7.3	50	1	2	5	9	15	21	36
A. NOT OPERATED	1589	5.6	29	1	1	4	8	12	15	29
B. OPERATED	4762	6.2	41	1	2	4	8	14	19	33
TOTAL 0-19 YRS	2698	4.5	20	1	1	3	6	9	13	25
20-34	1325	5.4	35	<1	1	3	7	11	15	30
35-49	1068	7.4	47	1	2	5	10	15	21	32
50-64	848	8.7	49	2	2	7	11	18	22	37
65+	412	10.0	67	2	3	7	13	21	28	43
GRAND TOTAL	**6351**	**6.1**	**38**	**1**	**1**	**4**	**8**	**13**	**18**	**32**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1234	5.2	38	1	1	3	5	13	18	31
B. *Operated*										
0-19 YRS	44	8.8	110	1	2	5	11	18	27	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	946	10.7	129	2	2	6	14	27	38	99
B. *Operated*										
0-19 YRS	123	21.7	440	2	3	22	59	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1234	5.2	38	1	1	3	5	13	18	31
B. *Operated*	44	8.8	110	1	2	5	11	18	27	55
2. MULTIPLE DX										
A. *Not Operated*	946	10.7	129	2	2	6	14	27	38	99
B. *Operated*	123	21.7	440	2	3	22	59	99+	99+	99+
1. SINGLE DX	1278	5.3	41	1	1	3	5	13	18	32
2. MULTIPLE DX	1069	11.9	177	2	2	7	17	35	59	99+
A. NOT OPERATED	2180	7.6	85	1	2	4	9	19	28	53
B. OPERATED	167	18.3	385	2	2	15	42	99+	99+	99+
TOTAL 0-19 YRS	2347	8.3	114	1	2	4	10	23	35	99+
GRAND TOTAL	**2347**	**8.3**	**114**	**1**	**2**	**4**	**10**	**23**	**35**	**99+**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2232	3.0	5	1	1	2	4	5	7	10
20-34	940	3.9	12	1	1	3	5	7	9	17
35-49	521	4.3	16	1	1	3	5	7	10	18
50-64	380	4.5	13	1	1	4	6	8	10	22
65+	254	5.2	15	1	2	4	6	10	13	22
B. *Operated*										
0-19 YRS	32	5.5	20	1	1	4	7	11	16	20
20-34	51	5.1	10	2	2	4	6	9	12	16
35-49	44	5.7	13	2	2	5	7	8	12	20
50-64	38	6.5	19	2	2	6	9	11	15	23
65+	20	6.5	47	2	2	4	8	11	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2582	3.8	11	1	1	3	4	7	9	16
20-34	973	5.7	32	1	2	4	7	11	15	31
35-49	1022	6.1	33	1	2	5	7	12	16	32
50-64	1255	7.0	42	2	2	5	8	13	18	36
65+	1251	8.1	59	2	2	6	9	15	21	42
B. *Operated*										
0-19 YRS	70	8.4	136	1	2	5	8	17	28	77
20-34	77	9.5	76	2	2	8	12	17	20	54
35-49	126	10.4	76	2	3	8	13	18	33	45
50-64	156	13.2	116	3	4	10	17	26	35	64
65+	105	13.8	141	3	4	10	18	25	44	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4327	3.6	10	1	1	3	4	7	8	16
B. *Operated*	185	5.7	18	2	2	5	7	10	14	22
2. MULTIPLE DX										
A. *Not Operated*	7083	5.7	34	1	2	4	7	11	15	31
B. *Operated*	534	11.5	112	2	3	8	14	22	33	57
1. SINGLE DX	4512	3.7	10	1	1	3	5	7	9	16
2. MULTIPLE DX	7617	6.1	41	1	2	4	7	12	17	35
A. NOT OPERATED	11410	4.9	26	1	1	3	6	9	13	27
B. OPERATED	719	10.0	94	2	3	7	12	20	29	50
TOTAL 0-19 YRS	4916	3.5	10	1	1	3	4	6	8	15
20-34	2041	5.0	25	1	1	4	6	9	13	27
35-49	1713	5.9	33	1	2	4	7	12	16	33
50-64	1829	7.0	46	1	2	5	8	14	19	37
65+	1630	8.0	60	2	2	6	9	15	21	46
GRAND TOTAL	**12129**	**5.2**	**31**	**1**	**1**	**4**	**6**	**10**	**14**	**29**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	990	3.3	4	1	1	3	4	6	7	11
20-34	294	4.6	8	2	2	4	6	8	10	14
35-49	169	5.7	35	2	2	4	7	10	13	19
50-64	160	5.7	11	2	2	5	8	11	12	16
65+	204	6.3	15	2	2	6	8	10	14	20
B. *Operated*										
0-19 YRS	32	6.7	25	2	2	5	9	14	15	23
20-34	27	11.5	43	4	5	10	16	20	25	28
35-49	12	9.7	30	1	2	10	14	17	18	18
50-64	25	12.7	77	5	7	9	15	21	31	45
65+	21	15.9	105	5	6	13	20	27	39	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1224	3.6	6	1	1	3	4	6	8	14
20-34	448	5.4	15	2	2	4	6	10	12	21
35-49	382	6.2	17	2	3	5	8	12	14	19
50-64	574	7.2	30	2	3	6	9	14	17	25
65+	1004	8.6	48	2	3	7	11	16	21	38
B. *Operated*										
0-19 YRS	45	8.4	50	2	3	6	10	15	18	45
20-34	76	11.2	64	3	3	9	14	22	30	36
35-49	65	10.2	42	2	3	9	12	22	25	29
50-64	123	13.0	77	4	5	10	17	24	32	45
65+	189	16.4	139	5	6	14	20	29	38	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1817	4.3	11	1	2	4	5	8	10	15
B. *Operated*	117	11.0	63	2	3	9	15	21	25	46
2. MULTIPLE DX										
A. *Not Operated*	3632	6.1	28	2	2	5	7	12	15	26
B. *Operated*	498	13.2	99	3	4	10	17	26	31	59
1. SINGLE DX	1934	4.7	16	1	2	4	6	9	11	19
2. MULTIPLE DX	4130	6.9	42	2	2	5	8	14	19	32
A. NOT OPERATED	5449	5.5	23	1	2	4	7	11	14	23
B. OPERATED	615	12.8	93	3	4	10	17	25	30	50
TOTAL 0-19 YRS	2291	3.6	7	1	1	3	4	6	8	14
20-34	845	5.9	22	2	2	5	7	11	14	25
35-49	628	6.6	26	2	2	5	8	13	15	24
50-64	882	7.9	39	2	3	6	9	15	20	32
65+	1418	9.4	65	2	3	7	11	18	24	42
GRAND TOTAL	**6064**	**6.2**	**35**	**1**	**2**	**4**	**7**	**12**	**17**	**29**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	740	3.4	20	1	1	3	4	6	7	12
20-34	1497	4.1	10	1	2	3	5	7	9	16
35-49	863	4.7	13	1	2	4	6	9	11	15
50-64	374	4.6	16	1	2	4	5	8	11	23
65+	157	4.4	9	1	2	4	6	8	10	14
B. *Operated*										
0-19 YRS	32	4.0	7	2	2	3	4	8	11	12
20-34	143	4.9	12	2	2	4	6	9	12	17
35-49	108	5.9	21	2	2	4	8	11	13	28
50-64	61	7.7	115	1	2	5	9	16	18	74
65+	22	5.5	13	2	2	4	7	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	591	3.9	7	1	2	3	5	7	8	15
20-34	1583	5.0	16	2	2	4	6	9	11	21
35-49	1226	5.6	17	2	2	5	7	10	13	22
50-64	902	5.8	16	2	2	5	7	10	13	21
65+	551	6.3	25	2	2	5	7	11	15	24
B. *Operated*										
0-19 YRS	33	4.9	6	2	2	5	6	9	10	11
20-34	204	7.8	26	3	3	7	10	13	15	27
35-49	192	8.9	39	2	3	7	11	18	20	30
50-64	169	10.1	62	2	3	9	13	18	23	47
65+	97	9.0	54	2	3	7	11	17	25	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3631	4.1	14	1	1	3	5	7	10	16
B. *Operated*	366	5.6	32	2	2	4	7	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	4853	5.3	17	2	2	4	7	10	12	22
B. *Operated*	695	8.7	42	2	3	7	11	16	21	34
1. SINGLE DX	3997	4.3	16	1	2	3	5	8	10	17
2. MULTIPLE DX	5548	5.7	21	2	2	5	7	11	14	23
A. NOT OPERATED	8484	4.8	16	1	2	4	6	9	11	20
B. OPERATED	1061	7.6	41	2	2	6	10	15	19	30
TOTAL 0-19 YRS	1396	3.6	14	1	1	3	4	6	8	13
20-34	3427	4.8	15	1	2	4	6	9	11	21
35-49	2389	5.6	19	2	2	4	7	10	14	22
50-64	1506	6.0	28	2	2	5	7	11	15	26
65+	827	6.2	27	2	2	5	7	11	14	28
GRAND TOTAL	**9545**	**5.1**	**19**	**1**	**2**	**4**	**6**	**10**	**12**	**22**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	3.3	16	<1	1	2	3	6	11	26
20-34	92	4.3	17	1	2	4	5	7	8	26
35-49	191	3.7	4	1	1	3	5	6	7	10
50-64	345	4.2	6	1	1	4	5	7	8	13
65+	301	4.1	10	1	1	4	5	7	8	17
B. *Operated*										
0-19 YRS	83	2.0	2	<1	1	1	2	4	5	9
20-34	43	4.9	8	1	1	5	7	9	11	12
35-49	96	5.0	6	2	2	5	6	7	10	15
50-64	183	5.3	7	1	2	5	7	9	10	15
65+	115	4.8	9	1	2	4	6	8	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	3.4	6	1	1	3	5	6	9	12
20-34	67	4.6	16	1	1	4	6	8	9	27
35-49	192	4.9	10	1	2	4	6	8	11	15
50-64	463	5.2	12	1	2	5	6	9	11	19
65+	604	5.8	32	1	2	4	7	11	14	27
B. *Operated*										
0-19 YRS	53	3.5	9	<1	1	2	5	8	10	11
20-34	39	5.2	11	1	2	5	6	8	13	18
35-49	84	6.3	12	2	3	5	7	11	13	19
50-64	188	6.6	34	2	2	5	8	11	14	35
65+	195	8.5	44	2	3	6	11	17	23	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	994	4.0	8	1	1	4	5	7	8	13
B. *Operated*	520	4.6	8	1	1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	1389	5.3	21	1	2	4	6	9	12	22
B. *Operated*	559	6.8	32	1	2	5	8	13	17	28
1. SINGLE DX	1514	4.2	8	1	1	4	5	7	8	14
2. MULTIPLE DX	1948	5.7	24	1	2	5	7	10	14	25
A. NOT OPERATED	2383	4.8	16	1	2	4	6	8	11	20
B. OPERATED	1079	5.7	22	1	2	5	7	10	14	23
TOTAL 0-19 YRS	264	3.0	8	1	1	2	4	6	8	12
20-34	241	4.6	14	1	1	4	6	8	9	19
35-49	563	4.7	8	1	2	4	6	8	10	15
50-64	1179	5.1	14	1	2	5	6	9	11	18
65+	1215	5.7	28	1	2	4	7	11	14	27
GRAND TOTAL	**3462**	**5.1**	**18**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	3.4	8	<1	1	2	4	8	9	16
20-34	72	3.9	9	1	1	3	5	8	9	15
35-49	56	3.9	9	1	1	3	5	9	10	14
50-64	60	4.0	6	1	1	3	6	8	9	10
65+	39	3.8	14	<1	1	3	5	6	8	23
B. *Operated*										
0-19 YRS	395	2.2	2	<1	1	2	2	3	5	9
20-34	334	2.8	4	1	1	2	3	5	7	10
35-49	179	3.8	20	1	1	3	4	7	10	28
50-64	135	3.7	11	1	2	2	4	8	11	32
65+	77	4.1	11	1	2	3	5	8	9	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	3.8	7	1	1	3	5	7	8	14
20-34	143	4.4	15	1	2	3	5	7	10	28
35-49	166	5.2	16	2	2	4	6	9	11	21
50-64	213	5.9	27	1	2	5	7	11	14	32
65+	241	7.6	39	2	2	6	10	14	19	32
B. *Operated*										
0-19 YRS	101	3.8	12	1	1	2	5	8	11	19
20-34	172	5.7	63	1	2	4	7	11	14	30
35-49	131	6.1	68	1	2	4	8	11	13	47
50-64	177	6.5	50	2	2	4	7	15	20	38
65+	162	7.8	70	2	2	5	10	17	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	3.8	9	1	1	3	5	8	9	15
B. *Operated*	1120	3.0	8	1	1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*	863	5.7	26	1	2	4	7	11	14	29
B. *Operated*	743	6.2	57	1	2	4	8	12	17	36
1. SINGLE DX	1433	3.1	8	1	1	2	4	6	8	14
2. MULTIPLE DX	1606	5.9	40	1	2	4	7	11	15	31
A. NOT OPERATED	1176	5.2	22	1	2	4	6	10	13	25
B. OPERATED	1863	4.2	30	1	1	3	5	9	12	27
TOTAL 0-19 YRS	682	2.8	6	1	1	2	3	5	7	12
20-34	721	3.9	22	1	1	3	4	8	10	16
35-49	532	4.8	30	1	2	3	6	9	12	23
50-64	585	5.4	30	1	2	4	7	11	15	32
65+	519	6.9	45	2	2	5	8	14	19	33
GRAND TOTAL	**3039**	**4.6**	**27**	**1**	**1**	**3**	**5**	**9**	**13**	**25**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.5	34	2	2	7	12	13	13	13
20-34	3	2.3	2	<1	<1	2	3	4	4	4
35-49	4	3.5	6	2	2	3	5	7	7	7
50-64	5	9.8	66	4	4	6	13	24	24	24
65+	27	7.6	23	1	2	7	12	14	15	17
B. *Operated*										
0-19 YRS	31	5.5	66	<1	1	3	4	12	29	36
20-34	41	6.2	46	1	1	4	9	13	22	33
35-49	71	10.7	118	1	2	7	16	25	29	53
50-64	96	14.6	179	2	2	11	18	33	43	63
65+	276	17.7	162	4	6	14	22	38	49	91
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	8.8	63	2	2	6	13	22	22	22
20-34	3	5.0	12	<1	<1	7	7	7	7	7
35-49	15	15.4	411	2	3	9	13	33	70	82
50-64	53	9.5	51	2	3	8	12	18	26	36
65+	212	12.6	124	1	3	10	16	24	30	62
B. *Operated*										
0-19 YRS	21	5.9	40	1	1	3	7	19	20	21
20-34	57	13.8	172	2	3	10	15	34	44	61
35-49	98	19.7	231	4	6	16	27	41	65	99+
50-64	439	22.5	274	5	7	18	30	47	62	99+
65+	1113	22.9	241	6	8	19	29	45	58	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	7.1	27	1	2	5	12	13	16	24
B. *Operated*	515	14.5	161	2	2	11	19	32	44	66
2. MULTIPLE DX										
A. *Not Operated*	288	12.0	124	2	3	10	15	24	29	64
B. *Operated*	1728	22.1	250	5	7	18	29	45	58	99
1. SINGLE DX	558	13.9	155	2	2	11	18	30	43	64
2. MULTIPLE DX	2016	20.7	245	3	6	16	27	43	54	94
A. NOT OPERATED	331	11.4	114	2	2	9	15	22	28	61
B. OPERATED	2243	20.4	240	3	5	16	27	43	54	94
TOTAL 0-19 YRS	61	6.0	53	1	1	3	7	18	21	35
20-34	104	10.2	128	1	2	6	13	22	35	57
35-49	188	15.6	216	2	2	12	22	34	47	93
50-64	593	19.9	257	3	3	15	28	44	55	97
65+	1628	20.4	225	4	6	16	26	41	53	92
GRAND TOTAL	**2574**	**19.2**	**233**	**2**	**4**	**15**	**26**	**41**	**53**	**92**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	160	2.9	4	1	1	2	4	5	6	10
20-34	997	3.5	18	1	1	3	4	6	7	12
35-49	2303	3.7	10	1	1	3	5	7	8	14
50-64	1862	4.2	12	1	2	4	5	7	9	16
65+	719	4.6	13	1	2	4	6	9	11	20
B. *Operated*										
0-19 YRS	5	2.0	1	1	1	2	2	3	3	3
20-34	116	4.0	10	2	2	3	5	8	11	15
35-49	646	3.4	7	2	2	2	4	7	9	14
50-64	606	3.6	9	2	2	2	4	7	10	15
65+	107	4.1	8	2	2	3	5	8	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	213	3.5	5	1	1	3	4	6	7	15
20-34	1541	4.3	8	1	2	3	5	8	10	15
35-49	4705	4.8	13	1	2	4	6	9	11	16
50-64	5935	5.3	13	2	2	4	7	9	11	19
65+	3883	5.8	18	2	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	8	7.1	44	2	2	5	8	19	22	22
20-34	219	6.2	25	2	2	5	8	12	17	25
35-49	985	5.7	25	2	2	4	8	11	15	25
50-64	1291	6.4	31	2	2	4	9	14	17	26
65+	347	7.9	36	2	2	7	10	15	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6041	3.9	12	1	1	3	5	7	9	15
B. *Operated*	1480	3.6	8	2	2	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	16277	5.1	14	2	2	4	6	9	12	18
B. *Operated*	2850	6.3	30	2	2	5	8	13	16	26
1. SINGLE DX	7521	3.9	11	1	2	3	5	7	9	15
2. MULTIPLE DX	19127	5.3	16	2	2	4	7	10	12	20
A. NOT OPERATED	22318	4.8	14	1	2	4	6	9	11	18
B. OPERATED	4330	5.4	24	2	2	3	7	11	15	23
TOTAL 0-19 YRS	386	3.3	6	1	1	3	4	6	7	13
20-34	2873	4.1	13	1	2	3	5	8	10	16
35-49	8639	4.5	13	1	2	4	6	8	11	16
50-64	9694	5.1	15	2	2	4	6	9	12	20
65+	5056	5.8	19	2	2	5	7	10	13	22
GRAND TOTAL	**26648**	**4.9**	**15**	**1**	**2**	**4**	**6**	**9**	**12**	**19**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	190	3.9	23	1	1	2	4	8	12	31
20-34	85	3.0	4	<1	1	2	4	6	7	12
35-49	95	4.1	17	1	1	3	5	8	10	23
50-64	118	4.9	30	<1	1	4	6	9	11	40
65+	111	5.3	12	1	2	4	7	10	12	17
B. *Operated*										
0-19 YRS	39	3.6	12	1	1	2	5	8	11	17
20-34	84	4.5	13	1	1	3	6	8	11	19
35-49	133	4.5	16	1	1	3	6	9	12	20
50-64	263	4.5	22	1	1	3	5	9	12	25
65+	151	5.2	21	1	1	4	6	12	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	284	4.5	31	1	1	3	5	9	12	30
20-34	206	4.4	12	1	1	3	5	8	11	19
35-49	321	5.7	18	2	2	4	7	12	15	22
50-64	694	6.9	34	1	2	5	9	14	18	30
65+	955	7.6	31	2	2	6	10	14	18	26
B. *Operated*										
0-19 YRS	41	6.7	25	1	2	5	10	13	16	23
20-34	94	7.8	75	2	2	4	9	19	25	47
35-49	226	7.0	63	2	2	5	9	14	17	45
50-64	501	7.3	56	2	2	5	9	14	20	42
65+	475	8.9	66	2	2	7	10	16	22	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	599	4.2	19	1	1	3	5	8	11	23
B. *Operated*	670	4.6	19	1	1	3	6	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	2460	6.5	30	1	2	5	8	13	17	26
B. *Operated*	1337	7.8	62	2	2	6	9	15	21	43
1. SINGLE DX	1269	4.4	19	1	1	3	6	9	12	22
2. MULTIPLE DX	3797	7.0	41	1	2	5	9	14	18	34
A. NOT OPERATED	3059	6.1	29	1	2	4	8	12	16	26
B. OPERATED	2007	6.8	50	1	2	5	8	13	18	39
TOTAL 0-19 YRS	554	4.4	27	1	1	3	5	9	12	27
20-34	469	4.8	26	1	1	3	6	9	14	26
35-49	775	5.7	32	1	2	4	7	11	15	30
50-64	1576	6.5	40	1	2	5	8	12	18	32
65+	1692	7.6	40	2	2	6	10	14	18	35
GRAND TOTAL	**5066**	**6.3**	**37**	**1**	**2**	**5**	**8**	**13**	**17**	**32**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	2.1	2	<1	1	2	3	4	5	7
20-34	429	2.5	6	<1	1	2	3	5	6	12
35-49	439	2.8	12	1	1	2	3	5	6	9
50-64	301	2.8	4	<1	1	2	4	5	7	10
65+	197	4.0	19	<1	1	3	5	8	11	21
B. *Operated*										
0-19 YRS	493	2.0	7	1	1	1	2	3	4	12
20-34	139	4.2	10	1	1	3	6	9	10	15
35-49	141	5.8	17	1	2	5	8	11	13	19
50-64	122	7.0	25	1	2	6	9	13	15	28
65+	139	7.1	29	1	2	5	10	14	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	3.0	6	1	1	2	4	5	8	14
20-34	372	3.4	6	1	1	3	4	6	8	14
35-49	430	3.7	10	1	1	3	5	7	9	18
50-64	477	4.8	18	1	1	4	6	9	13	20
65+	787	6.9	47	1	2	5	8	14	18	46
B. *Operated*										
0-19 YRS	498	2.3	6	1	1	2	2	4	5	15
20-34	208	6.0	17	1	2	5	8	11	14	19
35-49	261	7.5	29	1	2	6	10	14	19	31
50-64	404	8.4	34	2	2	7	11	16	21	27
65+	875	11.5	65	3	4	10	14	20	25	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1512	2.8	9	<1	1	2	3	5	7	12
B. *Operated*	1034	4.1	18	1	1	2	5	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	2198	5.0	26	1	1	4	6	10	14	25
B. *Operated*	2246	7.9	50	1	1	6	11	16	21	33
1. SINGLE DX	2546	3.3	13	1	1	2	4	7	9	18
2. MULTIPLE DX	4444	6.5	40	1	1	4	9	14	18	30
A. NOT OPERATED	3710	4.1	20	1	1	3	5	8	12	21
B. OPERATED	3280	6.7	43	1	1	5	9	15	19	29
TOTAL 0-19 YRS	1269	2.2	6	1	1	2	2	4	5	14
20-34	1148	3.6	10	1	1	3	5	7	10	16
35-49	1271	4.4	18	1	1	3	6	9	12	20
50-64	1304	5.7	25	1	1	4	8	12	16	24
65+	1998	8.7	58	1	2	7	11	17	21	43
GRAND TOTAL	**6990**	**5.3**	**33**	**1**	**1**	**3**	**7**	**12**	**16**	**27**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3567	2.8	6	1	1	2	3	5	6	11
20-34	3705	3.4	8	1	1	3	4	6	8	13
35-49	2143	4.1	8	1	1	3	5	7	9	15
50-64	1404	4.3	9	1	2	4	5	8	10	16
65+	960	4.9	13	1	2	4	6	9	11	15
B. *Operated*										
0-19 YRS	441	4.1	8	1	2	3	5	7	9	18
20-34	689	4.9	12	1	2	4	6	9	11	17
35-49	327	5.4	13	1	2	5	7	10	12	19
50-64	153	6.6	39	2	2	6	8	11	13	32
65+	94	7.9	39	1	2	7	10	16	19	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2001	3.4	10	1	1	3	4	6	8	12
20-34	3472	4.3	10	1	1	4	5	8	10	16
35-49	2811	5.4	17	2	2	4	7	10	12	21
50-64	2926	5.7	15	2	2	5	7	10	13	21
65+	3100	6.6	28	2	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	337	5.2	13	2	2	4	6	9	12	18
20-34	950	6.8	33	1	2	5	8	13	16	29
35-49	722	8.2	38	2	3	7	10	15	20	31
50-64	552	9.4	53	2	3	8	12	18	23	36
65+	412	10.7	53	3	4	9	14	19	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11779	3.6	8	1	1	3	4	7	8	14
B. *Operated*	1704	5.1	16	1	2	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	14310	5.2	17	1	2	4	6	10	12	21
B. *Operated*	2973	8.0	41	2	2	6	10	15	19	34
1. SINGLE DX	13483	3.8	10	1	1	3	5	7	9	15
2. MULTIPLE DX	17283	5.7	23	1	2	4	7	10	14	23
A. NOT OPERATED	26089	4.5	14	1	1	4	6	8	11	18
B. OPERATED	4677	6.9	34	2	2	5	9	13	17	30
TOTAL 0-19 YRS	6346	3.2	8	1	1	3	4	6	7	13
20-34	8816	4.3	13	1	1	3	5	8	10	17
35-49	6003	5.3	18	1	2	4	7	10	12	22
50-64	5035	5.8	20	2	2	5	7	10	13	23
65+	4566	6.7	29	2	2	5	8	12	16	28
GRAND TOTAL	**30766**	**4.8**	**18**	**1**	**1**	**4**	**6**	**9**	**12**	**21**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	360	3.2	6	1	1	3	4	6	8	13
20-34	272	3.7	9	1	1	3	5	7	9	16
35-49	219	4.2	10	1	1	3	5	8	11	17
50-64	175	4.5	12	1	1	3	6	10	12	15
65+	250	5.7	16	1	2	4	8	11	14	20
B. *Operated*										
0-19 YRS	40	4.2	15	<1	1	3	5	9	13	18
20-34	80	5.1	11	1	2	4	6	9	12	15
35-49	69	6.2	31	1	1	5	8	12	15	31
50-64	81	5.4	26	1	2	3	7	12	17	24
65+	58	9.7	86	2	2	9	12	19	23	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	745	3.7	7	1	1	3	4	6	8	16
20-34	581	4.5	13	1	1	3	6	9	11	19
35-49	601	5.9	32	1	2	5	7	10	16	30
50-64	818	6.9	36	2	2	5	9	13	17	31
65+	1587	7.8	49	2	2	6	10	15	20	35
B. *Operated*										
0-19 YRS	50	6.2	31	1	2	5	8	11	14	32
20-34	204	7.8	38	2	2	7	9	13	18	37
35-49	233	9.4	59	2	2	8	12	18	24	37
50-64	328	11.1	119	2	2	8	14	23	30	55
65+	318	13.3	116	2	3	11	17	26	33	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1276	4.2	11	1	1	3	5	8	11	17
B. *Operated*	328	6.1	35	1	2	4	8	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	4332	6.2	35	1	2	5	8	12	16	30
B. *Operated*	1133	10.6	92	2	2	8	13	21	28	51
1. SINGLE DX	1604	4.6	16	1	1	3	6	9	12	20
2. MULTIPLE DX	5465	7.1	50	1	2	5	9	14	20	35
A. NOT OPERATED	5608	5.7	30	1	2	4	7	11	15	28
B. OPERATED	1461	9.6	83	2	2	7	12	19	26	49
TOTAL 0-19 YRS	1195	3.7	8	1	1	3	4	7	8	16
20-34	1137	5.0	18	1	1	4	6	10	12	20
35-49	1122	6.3	36	1	2	5	8	12	17	31
50-64	1402	7.5	56	1	2	5	9	15	21	37
65+	2213	8.4	61	2	2	6	10	16	22	37
GRAND TOTAL	**7069**	**6.5**	**43**	**1**	**2**	**5**	**8**	**13**	**18**	**32**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2559	4.1	27	1	1	3	5	8	11	25
20-34	2244	4.7	33	1	1	3	5	9	13	28
35-49	1897	5.6	49	1	1	4	6	11	17	50
50-64	2188	6.5	63	1	2	4	7	14	20	45
65+	2223	7.3	70	1	2	5	8	15	22	51
B. *Operated*										
0-19 YRS	324	4.2	38	<1	1	2	4	10	14	41
20-34	642	4.5	49	1	1	3	5	9	13	45
35-49	566	4.9	30	1	1	3	6	10	14	28
50-64	618	6.3	62	1	1	3	8	15	22	39
65+	424	7.2	58	1	2	4	9	15	21	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2131	5.1	30	1	2	4	6	10	15	26
20-34	2095	4.6	14	1	2	4	6	8	10	19
35-49	2513	5.4	21	2	2	4	7	10	12	21
50-64	4362	6.5	30	2	2	5	8	12	16	30
65+	8068	7.6	41	2	3	6	9	15	19	32
B. *Operated*										
0-19 YRS	174	6.2	49	1	1	3	8	15	20	43
20-34	603	5.4	48	1	2	3	6	11	15	29
35-49	667	7.0	38	2	2	5	9	14	18	35
50-64	933	8.3	74	2	2	6	10	17	24	47
65+	1174	12.0	124	2	3	9	15	24	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11111	5.6	49	1	1	4	6	11	17	41
B. *Operated*	2574	5.4	49	1	1	3	6	12	17	39
2. MULTIPLE DX										
A. *Not Operated*	19169	6.5	33	2	2	5	8	12	17	29
B. *Operated*	3551	8.7	84	2	2	6	11	18	25	50
1. SINGLE DX	13685	5.6	49	1	1	4	6	11	17	40
2. MULTIPLE DX	22720	6.8	41	2	2	5	8	13	18	33
A. NOT OPERATED	30280	6.1	39	1	2	4	7	12	17	33
B. OPERATED	6125	7.3	72	1	2	5	9	16	23	46
TOTAL 0-19 YRS	5188	4.6	30	1	1	3	5	9	13	27
20-34	5584	4.7	29	1	1	3	5	9	12	26
35-49	5643	5.6	33	1	2	4	7	11	15	33
50-64	8101	6.7	47	1	2	5	8	13	18	37
65+	11889	8.0	57	2	2	6	10	16	21	40
GRAND TOTAL	**36405**	**6.3**	**45**	**1**	**2**	**4**	**8**	**13**	**18**	**36**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	454	2.9	15	1	1	2	3	6	8	14
20-34	67	5.3	27	1	1	4	7	10	12	33
35-49	38	3.9	8	1	1	3	5	7	10	13
50-64	14	4.8	8	1	1	4	6	9	11	11
65+	9	4.8	22	1	1	3	6	12	16	16
B. *Operated*										
0-19 YRS	130	5.8	31	1	2	4	7	10	14	35
20-34	68	9.2	53	3	3	7	10	18	29	35
35-49	25	8.7	43	3	3	6	12	25	42	99+
50-64	11	6.9	38	1	1	5	9	15	22	23
65+	4	16.3	191	3	3	14	27	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	340	4.0	14	1	1	3	5	8	11	20
20-34	123	6.2	50	1	1	4	7	14	17	43
35-49	53	6.5	23	1	2	6	9	13	15	25
50-64	57	8.0	63	1	2	6	9	15	23	46
65+	56	8.3	64	2	2	6	9	23	27	34
B. *Operated*										
0-19 YRS	182	13.7	266	1	3	8	16	33	49	92
20-34	142	16.3	279	4	4	11	18	42	77	99+
35-49	64	16.6	307	2	3	12	25	37	99	99+
50-64	53	17.9	341	2	4	13	26	66	99+	99+
65+	37	17.3	248	3	4	15	24	50	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	582	3.3	17	1	1	2	4	7	9	17
B. *Operated*	238	7.3	44	1	2	6	8	15	23	37
2. MULTIPLE DX										
A. *Not Operated*	629	5.4	33	1	1	4	6	11	16	31
B. *Operated*	478	15.6	283	2	3	10	19	41	74	99+
1. SINGLE DX	820	4.5	28	1	1	3	6	9	13	31
2. MULTIPLE DX	1107	9.8	166	1	2	6	11	24	38	99+
A. NOT OPERATED	1211	4.4	26	1	1	3	5	9	13	26
B. OPERATED	716	12.8	219	2	3	8	16	33	53	99+
TOTAL 0-19 YRS	1106	5.4	72	1	1	3	6	11	17	48
20-34	400	10.2	150	1	2	6	12	22	37	95
35-49	180	9.9	149	1	2	6	13	25	35	99+
50-64	135	11.5	190	1	2	8	13	32	60	99+
65+	106	11.4	148	2	2	7	16	29	38	99+
GRAND TOTAL	**1927**	**7.5**	**114**	**1**	**1**	**4**	**8**	**17**	**29**	**89**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	234	2.7	5	1	1	2	3	5	6	11
20-34	70	4.5	13	1	1	3	6	10	11	18
35-49	26	4.4	17	<1	1	3	5	9	13	19
50-64	13	5.5	13	1	2	5	7	10	14	15
65+	9	7.0	34	1	1	7	9	16	20	20
B. *Operated*										
0-19 YRS	43	4.7	14	1	1	3	7	9	14	15
20-34	41	6.1	55	<1	1	4	7	11	16	46
35-49	12	7.7	47	1	2	4	14	18	20	20
50-64	4	5.0	23	2	2	3	8	12	12	12
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	182	6.1	66	1	1	4	6	12	18	43
20-34	127	7.9	80	1	2	5	11	16	20	48
35-49	57	7.5	63	1	2	4	10	20	22	44
50-64	41	7.0	39	1	1	6	9	12	14	38
65+	38	9.1	51	3	3	7	14	16	21	39
B. *Operated*										
0-19 YRS	92	10.9	173	2	2	7	14	26	68	99+
20-34	131	14.2	227	2	3	10	16	36	48	85
35-49	44	13.0	251	2	3	9	18	77	99+	99+
50-64	30	17.5	172	2	3	15	22	40	44	52
65+	16	18.3	454	1	3	10	25	58	69	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	3.4	10	1	1	2	4	7	9	19
B. *Operated*	101	5.6	35	<1	1	4	7	14	16	33
2. MULTIPLE DX										
A. *Not Operated*	445	7.1	66	1	2	5	9	15	20	40
B. *Operated*	313	13.6	222	2	3	9	16	39	65	99+
1. SINGLE DX	453	3.9	16	1	1	3	5	8	11	19
2. MULTIPLE DX	758	9.8	141	1	2	6	12	20	39	97
A. NOT OPERATED	797	5.5	44	1	1	3	6	12	16	33
B. OPERATED	414	11.6	188	2	2	8	15	30	50	99+
TOTAL 0-19 YRS	551	5.4	62	1	1	3	6	11	18	68
20-34	369	9.3	131	1	2	6	11	18	32	74
35-49	139	8.6	121	1	2	5	11	20	46	99+
50-64	88	10.3	106	1	2	7	14	21	38	49
65+	64	11.0	161	2	3	7	14	20	35	70
GRAND TOTAL	**1211**	**7.6**	**102**	**1**	**1**	**4**	**9**	**16**	**25**	**75**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	1.9	2	<1	<1	1	2	4	6	40
20-34	141	2.2	3	<1	<1	2	3	4	6	8
35-49	65	3.0	10	<1	<1	2	4	6	7	20
50-64	28	3.1	7	<1	1	2	4	8	9	9
65+	18	2.8	2	<1	<1	3	4	5	5	5
B. *Operated*										
0-19 YRS	1394	2.4	4	<1	1	2	3	4	6	11
20-34	1578	3.3	8	1	1	2	4	6	8	14
35-49	462	3.7	11	1	1	3	4	7	9	16
50-64	172	3.9	7	1	2	3	5	8	9	14
65+	73	5.3	14	1	2	4	7	11	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	141	3.4	16	<1	1	2	4	7	10	17
20-34	223	3.5	13	<1	1	3	5	7	9	30
35-49	118	4.4	18	<1	1	3	6	9	11	25
50-64	104	5.8	50	1	1	4	6	13	19	40
65+	146	8.0	61	2	2	6	10	15	18	49
B. *Operated*										
0-19 YRS	964	4.6	39	1	1	3	5	8	11	35
20-34	1580	5.7	39	1	2	4	7	11	16	31
35-49	613	6.5	57	2	2	4	8	12	18	37
50-64	298	8.5	74	2	2	6	11	17	21	55
65+	185	11.6	140	2	2	8	14	26	41	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	366	2.4	4	<1	<1	2	3	5	6	10
B. *Operated*	3679	3.1	7	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	732	4.8	32	1	1	3	6	10	15	32
B. *Operated*	3640	6.1	52	1	2	4	7	12	17	38
1. SINGLE DX	4045	3.0	7	1	1	2	4	6	8	13
2. MULTIPLE DX	4372	5.9	49	1	1	4	7	12	16	37
A. NOT OPERATED	1098	4.0	24	<1	1	3	5	8	12	26
B. OPERATED	7319	4.6	32	1	1	3	5	9	13	29
TOTAL 0-19 YRS	2613	3.3	18	<1	1	2	4	6	8	16
20-34	3522	4.3	24	1	1	3	5	8	12	24
35-49	1258	5.1	36	1	1	3	6	10	14	28
50-64	602	6.5	52	1	2	4	8	13	20	46
65+	422	8.9	92	1	2	6	11	17	27	55
GRAND TOTAL	**8417**	**4.5**	**31**	**1**	**1**	**3**	**5**	**9**	**13**	**28**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	387	6.4	45	1	2	5	7	12	17	43
20-34	685	6.3	25	1	2	5	8	11	14	24
35-49	383	7.3	25	2	3	6	9	13	16	24
50-64	462	8.5	29	2	3	7	11	16	19	26
65+	714	10.5	38	3	4	10	13	18	20	36
B. *Operated*										
0-19 YRS	59	17.4	333	2	3	12	24	46	54	83
20-34	92	15.5	186	3	4	13	18	29	43	79
35-49	46	11.7	37	3	5	10	18	21	21	23
50-64	37	14.5	104	2	3	12	20	28	35	46
65+	32	13.4	83	3	3	12	19	25	32	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	275	7.3	51	1	2	5	8	13	20	38
20-34	545	7.3	37	2	2	6	9	14	18	31
35-49	378	9.8	58	2	3	8	13	17	23	41
50-64	583	10.6	61	2	4	9	13	19	24	44
65+	1979	12.9	70	4	5	11	16	22	28	42
B. *Operated*										
0-19 YRS	125	20.4	347	2	4	15	33	47	72	99+
20-34	262	17.9	230	3	4	13	25	42	51	96
35-49	136	17.3	200	3	5	14	22	39	62	99+
50-64	154	19.5	218	4	6	16	25	38	52	95
65+	211	20.5	210	5	7	17	26	39	49	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2631	8.0	35	2	2	7	10	15	18	30
B. *Operated*	266	14.9	171	2	4	12	19	29	42	73
2. MULTIPLE DX										
A. *Not Operated*	3760	11.0	66	2	3	9	14	21	25	41
B. *Operated*	888	19.1	236	3	5	15	26	41	54	99+
1. SINGLE DX	2897	8.6	52	2	3	7	11	16	20	40
2. MULTIPLE DX	4648	12.5	109	3	4	10	16	24	33	59
A. NOT OPERATED	6391	9.7	56	2	3	8	13	18	23	39
B. OPERATED	1154	18.1	224	3	4	14	23	39	51	99
TOTAL 0-19 YRS	846	9.5	139	1	2	6	10	22	37	72
20-34	1584	9.1	92	2	2	6	10	18	28	53
35-49	943	10.0	75	2	3	8	12	20	26	54
50-64	1236	11.0	81	2	3	9	14	21	27	47
65+	2936	12.8	78	3	5	11	16	22	28	46
GRAND TOTAL	**7545**	**11.0**	**90**	**2**	**3**	**8**	**14**	**21**	**29**	**52**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	9.2	220	2	2	5	8	71	98	99+
20-34	34	10.6	240	1	2	6	11	21	42	83
35-49	14	5.9	14	1	1	6	9	11	13	13
50-64	16	8.6	11	3	4	9	11	12	13	14
65+	19	13.9	263	3	4	9	14	22	52	77
B. *Operated*										
0-19 YRS	21	19.4	99	6	9	17	25	33	38	42
20-34	30	31.1	316	6	8	29	44	62	63	99+
35-49	15	24.3	359	5	7	22	56	99+	99+	99+
50-64	3	51.3	990	15	15	69	70	70	70	70
65+	5	35.4	371	18	18	24	53	61	61	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	24.7	1048	1	1	11	80	97	99+	99+
20-34	36	23.0	670	2	2	12	47	86	96	99+
35-49	20	12.7	188	1	2	9	15	31	48	56
50-64	24	9.8	42	1	1	10	13	15	21	32
65+	56	15.9	194	4	5	12	18	27	41	85
B. *Operated*										
0-19 YRS	26	46.5	558	15	24	61	99+	99+	99+	99+
20-34	87	37.0	505	6	11	37	65	99+	99+	99+
35-49	25	41.4	748	9	11	38	73	95	99+	99+
50-64	26	39.4	995	8	10	38	97	99+	99+	99+
65+	10	26.7	262	8	12	26	40	78	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	10.1	169	1	2	7	11	20	42	93
B. *Operated*	74	27.5	323	6	8	23	41	63	89	99+
2. MULTIPLE DX										
A. *Not Operated*	152	17.1	386	1	3	11	19	51	87	99+
B. *Operated*	174	38.8	613	8	11	42	81	99+	99+	99+
1. SINGLE DX	167	17.8	311	2	3	11	24	52	70	99+
2. MULTIPLE DX	326	28.7	623	3	5	25	55	99+	99+	99+
A. NOT OPERATED	245	14.4	314	1	2	10	15	41	80	99+
B. OPERATED	248	35.5	551	7	10	35	66	99+	99+	99+
TOTAL 0-19 YRS	73	28.8	663	3	4	30	80	99+	99+	99+
20-34	187	28.6	551	2	4	27	50	88	99+	99+
35-49	74	23.5	567	1	3	16	38	83	99+	99+
50-64	69	22.5	660	3	4	12	37	99	99+	99+
65+	90	17.8	248	4	6	13	20	38	61	95
GRAND TOTAL	**493**	**25.0**	**543**	**3**	**4**	**19**	**45**	**91**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.4	2	<1	1	2	3	4	5	7
20-34	99	3.1	10	1	1	2	3	5	7	20
35-49	135	4.4	15	1	2	3	5	8	11	25
50-64	192	4.6	11	1	2	4	6	9	10	17
65+	222	5.7	17	1	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	3	7.3	9	4	4	8	9	10	10	10
20-34	11	11.4	311	1	1	6	12	36	60	62
35-49	8	11.1	100	<1	1	7	18	27	29	29
50-64	5	5.4	43	1	1	3	7	17	17	17
65+	12	8.1	26	3	4	6	9	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	4.7	16	1	1	4	6	10	11	23
20-34	375	5.5	25	1	1	4	7	10	13	28
35-49	538	6.3	33	1	2	5	8	13	15	24
50-64	834	7.2	27	2	2	6	9	13	16	28
65+	1434	9.7	53	2	3	8	12	18	24	38
B. *Operated*										
0-19 YRS	57	10.4	108	1	1	8	13	25	33	97
20-34	200	11.7	160	2	3	9	12	23	39	79
35-49	154	12.3	113	2	3	9	16	23	32	60
50-64	219	14.6	182	3	4	11	18	32	45	74
65+	236	16.1	168	3	5	14	20	34	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	682	4.6	14	1	2	4	6	9	11	19
B. *Operated*	39	9.2	118	1	1	6	10	19	26	62
2. MULTIPLE DX										
A. *Not Operated*	3305	7.8	42	2	2	6	10	15	19	33
B. *Operated*	866	13.7	159	2	4	10	17	29	43	75
1. SINGLE DX	721	4.8	21	1	2	4	6	9	12	22
2. MULTIPLE DX	4171	9.1	72	2	2	7	11	17	24	49
A. NOT OPERATED	3987	7.3	38	1	2	6	9	14	18	32
B. OPERATED	905	13.5	158	2	3	10	16	28	43	74
TOTAL 0-19 YRS	218	5.9	46	1	1	4	8	12	19	42
20-34	685	7.1	76	1	2	5	8	13	20	60
35-49	835	7.2	52	1	2	5	9	15	20	32
50-64	1250	8.1	62	2	2	6	10	15	21	45
65+	1904	10.0	70	2	3	8	13	19	26	49
GRAND TOTAL	**4892**	**8.4**	**66**	**2**	**2**	**6**	**10**	**16**	**23**	**46**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	147	7.5	56	1	2	5	9	13	23	44
20-34	149	9.7	86	1	3	7	12	19	31	51
35-49	71	12.9	103	3	4	10	17	26	32	53
50-64	122	11.0	99	3	3	8	12	24	31	54
65+	487	12.6	72	3	4	11	16	23	28	42
B. *Operated*										
0-19 YRS	11	10.5	73	1	2	8	16	24	29	29
20-34	15	22.9	338	3	4	20	39	46	59	64
35-49	7	23.6	241	4	7	22	43	85	99+	99+
50-64	6	25.7	327	8	8	21	39	52	54	54
65+	12	27.4	434	8	9	21	34	62	75	77
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	200	10.7	99	2	3	8	13	21	32	52
20-34	277	12.6	129	2	3	9	16	27	37	57
35-49	148	15.0	178	3	4	11	19	33	41	91
50-64	261	15.7	181	3	5	12	19	30	43	72
65+	1105	15.8	110	4	5	14	20	28	36	58
B. *Operated*										
0-19 YRS	133	19.1	225	4	5	14	29	43	60	99+
20-34	174	26.2	393	5	7	19	39	57	66	94
35-49	85	32.8	457	6	9	30	49	59	88	97
50-64	67	40.8	659	7	10	36	62	78	89	92
65+	146	25.9	277	7	10	23	33	47	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	976	11.2	81	2	3	9	14	22	28	46
B. *Operated*	51	21.7	304	3	5	17	29	51	63	99+
2. MULTIPLE DX										
A. *Not Operated*	1991	14.8	128	3	4	12	19	28	37	60
B. *Operated*	605	27.1	404	5	7	22	39	58	75	99+
1. SINGLE DX	1027	11.7	97	2	3	9	15	24	32	54
2. MULTIPLE DX	2596	17.6	220	3	5	13	22	37	49	83
A. NOT OPERATED	2967	13.6	115	3	4	11	18	26	35	56
B. OPERATED	656	26.7	398	5	7	21	38	58	75	99+
TOTAL 0-19 YRS	491	12.0	140	2	3	8	14	28	42	63
20-34	615	16.0	243	2	3	10	20	39	52	74
35-49	311	19.6	305	3	5	14	26	48	57	95
50-64	456	18.3	322	3	4	12	21	43	61	89
65+	1750	15.8	127	4	5	13	20	29	37	62
GRAND TOTAL	**3623**	**16.0**	**192**	**3**	**4**	**12**	**20**	**34**	**45**	**77**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	252	4.5	34	1	1	2	4	14	19	24
20-34	80	4.0	18	<1	1	2	5	9	13	22
35-49	73	4.9	63	1	1	3	5	8	19	47
50-64	146	5.1	30	1	1	4	6	9	14	29
65+	480	6.9	45	1	2	5	8	14	19	30
B. *Operated*										
0-19 YRS	1320	4.5	26	1	1	3	5	11	16	24
20-34	188	5.7	44	1	1	4	6	12	20	34
35-49	144	5.8	25	1	1	4	8	12	18	22
50-64	213	7.7	47	1	2	6	10	15	19	37
65+	350	8.4	51	2	2	6	10	18	26	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	5.3	36	1	1	3	5	13	17	31
20-34	104	7.7	77	1	1	5	9	16	29	77
35-49	81	6.5	31	1	1	5	9	15	19	23
50-64	192	10.0	103	1	2	7	13	22	30	39
65+	845	11.0	83	2	3	8	14	23	30	51
B. *Operated*										
0-19 YRS	404	8.0	108	1	2	4	9	19	25	62
20-34	237	11.0	186	2	2	7	12	22	29	83
35-49	174	10.9	118	1	2	7	13	26	32	55
50-64	291	11.4	123	2	3	8	15	25	36	75
65+	568	13.3	125	2	3	10	17	27	35	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1031	5.7	41	1	1	4	7	13	19	29
B. *Operated*	2215	5.6	36	1	1	3	7	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	1331	9.8	82	1	2	7	13	21	29	45
B. *Operated*	1674	11.1	132	1	2	7	14	24	33	63
1. SINGLE DX	3246	5.6	37	1	1	3	7	13	18	30
2. MULTIPLE DX	3005	10.5	110	1	2	7	14	23	31	57
A. NOT OPERATED	2362	8.0	68	1	1	5	10	18	24	42
B. OPERATED	3889	8.0	85	1	1	5	10	19	25	46
TOTAL 0-19 YRS	2085	5.2	45	1	1	3	5	13	19	30
20-34	609	7.9	108	1	1	5	9	18	25	65
35-49	472	7.7	72	1	1	5	9	18	23	44
50-64	842	9.0	88	1	2	6	11	21	29	44
65+	2243	10.3	86	2	2	7	13	22	29	51
GRAND TOTAL	**6251**	**8.0**	**78**	**1**	**1**	**5**	**10**	**18**	**25**	**44**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151	2.3	27	<1	1	1	2	3	4	12
20-34	61	3.2	13	1	1	3	4	5	7	24
35-49	45	3.2	7	<1	1	2	4	8	9	11
50-64	49	3.6	10	1	1	3	4	7	12	16
65+	96	4.2	16	1	1	3	5	9	13	65
B. *Operated*										
0-19 YRS	2303	2.2	5	1	1	2	3	4	5	11
20-34	801	4.0	9	1	1	3	5	7	9	15
35-49	553	3.9	16	1	1	3	5	7	8	20
50-64	706	3.5	8	1	1	3	4	6	9	14
65+	646	4.3	18	1	1	3	5	8	10	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	3.5	17	1	1	2	4	6	11	25
20-34	99	3.7	10	1	1	3	5	7	10	17
35-49	69	5.4	19	1	1	4	7	12	15	19
50-64	118	7.4	77	1	1	5	8	14	30	70
65+	258	9.1	65	1	2	7	12	19	24	39
B. *Operated*										
0-19 YRS	573	4.6	46	1	1	3	5	9	16	30
20-34	584	7.4	64	1	2	5	9	14	21	47
35-49	382	7.8	79	1	2	5	9	16	22	44
50-64	489	7.2	65	1	2	5	8	14	22	47
65+	686	8.5	65	2	2	6	10	18	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	402	3.1	18	1	1	2	4	6	9	21
B. *Operated*	5009	3.1	10	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	647	6.7	52	1	1	4	8	14	20	36
B. *Operated*	2714	7.1	65	1	1	5	8	15	21	45
1. SINGLE DX	5411	3.1	10	1	1	2	4	6	8	15
2. MULTIPLE DX	3361	7.0	62	1	1	5	8	15	21	44
A. NOT OPERATED	1049	5.3	42	1	1	3	6	12	16	36
B. OPERATED	7723	4.5	33	1	1	3	5	9	14	28
TOTAL 0-19 YRS	3130	2.7	14	1	1	2	3	5	7	19
20-34	1545	5.3	33	1	1	4	6	10	13	29
35-49	1049	5.4	42	1	1	4	6	10	15	34
50-64	1362	5.2	38	1	1	4	6	10	14	32
65+	1686	6.7	49	1	1	4	8	15	20	36
GRAND TOTAL	**8772**	**4.6**	**34**	**1**	**1**	**3**	**5**	**9**	**14**	**30**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.0	1	<1	1	2	3	3	5	5
20-34	58	2.9	7	<1	<1	2	4	5	8	17
35-49	24	2.8	4	<1	1	2	4	5	7	8
50-64	20	6.5	279	<1	<1	2	4	6	42	77
65+	26	4.1	12	1	1	3	6	10	11	11
B. *Operated*										
0-19 YRS	720	2.2	7	<1	1	2	2	3	4	9
20-34	861	2.7	6	1	1	2	3	5	6	12
35-49	312	2.8	7	1	1	2	3	5	6	13
50-64	205	3.0	7	1	1	2	4	5	7	14
65+	117	3.7	11	1	1	2	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.3	11	1	1	2	4	7	9	18
20-34	78	3.8	11	1	1	3	5	8	9	20
35-49	42	4.1	10	1	1	3	6	9	11	12
50-64	62	7.4	32	1	2	6	11	13	15	34
65+	120	7.3	26	1	2	6	10	15	19	21
B. *Operated*										
0-19 YRS	316	3.2	10	1	1	2	4	6	9	18
20-34	582	4.9	55	1	1	3	5	9	15	43
35-49	250	4.9	33	1	1	3	6	10	15	34
50-64	208	4.9	28	1	1	3	6	9	15	27
65+	169	8.4	97	1	2	6	10	17	22	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	3.3	40	<1	1	2	4	6	9	16
B. *Operated*	2215	2.6	7	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	360	5.6	23	1	1	4	8	12	15	21
B. *Operated*	1525	4.9	45	1	1	3	5	10	15	34
1. SINGLE DX	2379	2.7	9	1	1	2	3	5	6	13
2. MULTIPLE DX	1885	5.0	41	1	1	3	6	11	15	30
A. NOT OPERATED	524	4.9	29	1	1	3	6	11	13	20
B. OPERATED	3740	3.6	24	1	1	2	4	6	10	23
TOTAL 0-19 YRS	1130	2.5	8	1	1	2	3	4	6	13
20-34	1579	3.6	25	1	1	2	4	6	9	24
35-49	628	3.7	18	1	1	3	4	7	11	24
50-64	495	4.5	32	1	1	3	5	9	13	24
65+	432	6.6	53	1	1	4	9	14	18	36
GRAND TOTAL	**4264**	**3.7**	**25**	**1**	**1**	**2**	**4**	**7**	**11**	**23**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	15.8	180	2	2	15	24	34	49	92
20-34	21	23.0	474	2	3	18	41	61	90	99+
35-49	21	15.1	383	1	1	7	20	51	63	64
50-64	79	10.6	105	1	2	8	13	24	30	51
65+	415	13.3	154	1	1	11	17	28	36	67
B. *Operated*										
0-19 YRS	141	12.6	88	3	4	11	16	23	30	54
20-34	112	13.8	114	3	5	11	16	31	39	99+
35-49	199	12.9	64	5	6	11	16	22	27	46
50-64	931	14.4	57	6	7	13	17	22	27	45
65+	5133	17.6	70	9	10	16	20	27	32	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	17.2	237	1	2	15	24	37	41	76
20-34	26	18.1	582	1	2	8	17	71	80	85
35-49	27	12.7	100	2	4	11	17	24	29	50
50-64	96	16.5	196	1	3	13	20	38	50	88
65+	822	17.2	185	2	4	15	23	35	50	99+
B. *Operated*										
0-19 YRS	125	24.3	334	5	6	19	31	58	62	92
20-34	180	21.9	213	6	8	18	28	49	61	99+
35-49	236	21.7	234	7	9	17	26	42	59	94
50-64	970	19.7	163	8	9	16	23	36	47	81
65+	7361	21.7	131	10	11	19	26	35	44	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	605	13.6	173	1	2	10	18	29	43	75
B. *Operated*	6516	16.8	71	7	9	15	20	26	31	50
2. MULTIPLE DX										
A. *Not Operated*	1007	17.0	196	2	4	14	22	35	50	99+
B. *Operated*	8872	21.5	142	9	11	18	25	36	46	73
1. SINGLE DX	7121	16.6	81	6	8	15	20	26	32	53
2. MULTIPLE DX	9879	21.0	149	8	10	18	25	36	46	76
A. NOT OPERATED	1612	15.8	190	1	3	13	21	33	48	99+
B. OPERATED	15388	19.5	118	8	10	17	23	32	41	66
TOTAL 0-19 YRS	371	17.6	226	3	4	14	23	38	53	80
20-34	339	19.0	236	3	5	15	24	45	60	99+
35-49	483	17.3	180	4	6	14	21	34	48	74
50-64	2076	16.8	123	6	7	14	19	28	39	67
65+	13731	19.6	117	8	10	17	23	32	40	66
GRAND TOTAL	**17000**	**19.2**	**126**	**7**	**9**	**17**	**23**	**32**	**41**	**68**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	673	19.7	181	1	2	19	28	37	45	59
20-34	93	29.2	512	2	2	28	45	59	74	85
35-49	47	24.2	493	1	2	14	40	59	65	81
50-64	65	26.5	520	2	4	17	42	58	70	88
65+	140	25.3	436	2	4	19	42	54	68	97
B. *Operated*										
0-19 YRS	643	15.5	187	2	2	12	23	34	41	58
20-34	246	19.3	244	4	5	15	23	44	51	85
35-49	82	17.9	133	3	4	14	23	43	51	85
50-64	116	19.0	193	5	7	16	22	39	55	83
65+	341	22.2	245	5	9	18	26	44	57	95
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	232	22.8	260	2	3	22	32	45	50	74
20-34	90	29.1	381	3	5	29	42	57	68	93
35-49	67	25.9	458	2	4	21	42	56	70	98
50-64	82	32.4	606	2	4	30	49	72	91	99+
65+	253	27.6	535	4	6	19	41	68	80	99+
B. *Operated*										
0-19 YRS	598	25.2	301	4	6	21	34	49	60	92
20-34	496	28.6	369	5	8	23	41	59	70	99+
35-49	177	32.0	522	4	7	26	49	68	88	99+
50-64	202	33.5	509	8	11	28	51	68	92	99+
65+	477	27.3	299	8	11	23	37	58	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1018	22.0	292	2	3	20	31	46	55	79
B. *Operated*	1428	18.2	218	2	3	15	24	38	48	84
2. MULTIPLE DX										
A. *Not Operated*	724	26.6	436	3	4	23	38	59	72	99+
B. *Operated*	1950	28.0	366	5	8	23	39	59	71	99+
1. SINGLE DX	2446	19.8	252	2	3	17	27	42	51	79
2. MULTIPLE DX	2674	27.7	385	4	7	23	39	59	72	99+
A. NOT OPERATED	1742	23.9	357	2	3	20	34	51	64	93
B. OPERATED	3378	23.9	327	3	5	19	33	52	64	99+
TOTAL 0-19 YRS	2146	20.3	239	2	3	18	29	41	49	76
20-34	925	26.2	367	4	6	20	40	56	66	91
35-49	373	26.8	461	3	5	21	43	63	74	99+
50-64	465	28.7	483	5	6	22	41	64	83	99+
65+	1211	25.7	353	5	8	20	35	57	72	99+
GRAND TOTAL	**5120**	**23.9**	**337**	**3**	**4**	**20**	**33**	**52**	**64**	**99**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	430	3.6	18	1	1	2	4	6	9	27
20-34	269	4.4	18	1	1	3	5	9	13	25
35-49	191	6.7	46	1	2	4	8	13	21	33
50-64	184	7.9	50	2	2	6	10	15	23	39
65+	217	10.0	85	1	2	7	13	21	25	51
B. *Operated*										
0-19 YRS	1036	5.0	35	1	1	4	6	10	13	35
20-34	722	8.1	77	1	2	6	10	15	24	51
35-49	476	8.3	64	2	2	6	10	15	22	44
50-64	444	9.8	68	2	3	8	12	18	23	49
65+	251	11.3	83	3	3	10	15	21	24	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	5.4	24	1	1	4	7	10	13	29
20-34	168	6.9	49	1	2	5	9	14	20	57
35-49	161	9.3	108	1	2	6	11	17	21	64
50-64	211	11.3	100	2	2	7	15	25	35	44
65+	309	14.7	163	3	4	11	19	31	39	69
B. *Operated*										
0-19 YRS	539	11.5	178	2	2	7	13	26	40	67
20-34	637	14.7	218	2	3	10	19	35	48	96
35-49	435	15.2	243	3	4	10	18	38	51	99
50-64	410	16.6	216	3	4	12	21	37	51	95
65+	297	19.4	271	3	5	15	24	43	58	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1291	5.9	44	1	1	4	7	13	19	36
B. *Operated*	2929	7.6	64	1	2	5	9	15	21	45
2. MULTIPLE DX										
A. *Not Operated*	1009	10.3	112	1	2	7	13	22	33	59
B. *Operated*	2318	15.0	225	2	3	10	19	35	50	93
1. SINGLE DX	4220	7.1	58	1	2	5	9	14	20	41
2. MULTIPLE DX	3327	13.6	195	2	3	9	17	31	45	85
A. NOT OPERATED	2300	7.8	78	1	1	5	9	18	25	45
B. OPERATED	5247	10.8	149	2	2	7	13	24	36	72
TOTAL 0-19 YRS	2165	6.4	75	1	1	4	7	13	20	54
20-34	1796	9.8	131	1	2	6	11	22	34	74
35-49	1263	10.5	140	2	3	7	12	22	34	70
50-64	1249	12.0	130	2	3	8	15	25	37	63
65+	1074	14.2	171	2	3	11	19	29	40	74
GRAND TOTAL	**7547**	**9.9**	**129**	**1**	**2**	**6**	**12**	**22**	**33**	**64**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	209	3.2	8	<1	1	2	4	6	8	20
20-34	298	3.7	14	1	1	3	5	7	9	16
35-49	244	4.5	12	1	1	4	6	8	11	20
50-64	286	5.0	18	1	1	4	6	9	12	30
65+	264	6.9	31	1	2	6	9	13	17	28
B. *Operated*										
0-19 YRS	1073	4.5	24	1	1	4	5	8	11	18
20-34	1582	5.3	11	2	2	5	6	9	11	18
35-49	1120	6.2	19	2	3	5	8	11	14	23
50-64	1179	7.2	24	2	3	6	9	12	16	26
65+	695	9.2	34	3	4	8	11	16	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	3.9	12	1	1	3	5	7	10	11
20-34	247	4.9	28	1	1	4	6	9	12	23
35-49	174	6.4	47	1	2	5	8	12	16	61
50-64	286	8.2	65	1	2	6	10	15	22	39
65+	387	10.0	73	2	3	8	13	20	26	51
B. *Operated*										
0-19 YRS	665	7.4	55	1	2	5	9	14	22	49
20-34	1179	8.2	66	2	3	6	9	16	25	47
35-49	744	9.2	86	2	3	7	10	18	25	55
50-64	832	10.7	108	3	4	8	12	19	26	67
65+	641	13.8	112	4	5	11	17	27	35	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1301	4.7	19	1	1	4	6	9	12	23
B. *Operated*	5649	6.2	23	2	2	5	8	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	1251	7.3	56	1	2	5	9	15	21	40
B. *Operated*	4061	9.6	88	2	3	7	11	19	27	55
1. SINGLE DX	6950	5.9	22	1	2	5	7	11	14	23
2. MULTIPLE DX	5312	9.1	81	2	3	7	11	18	26	51
A. NOT OPERATED	2552	6.0	39	1	1	4	7	12	16	33
B. OPERATED	9710	7.6	53	2	2	6	9	14	19	42
TOTAL 0-19 YRS	2104	5.2	34	1	1	4	6	10	13	30
20-34	3306	6.2	34	1	2	5	7	11	15	36
35-49	2282	7.0	45	2	2	5	8	12	17	41
50-64	2583	8.2	59	2	3	6	10	15	20	40
65+	1987	10.5	72	2	3	8	13	20	27	49
GRAND TOTAL	**12262**	**7.3**	**50**	**1**	**2**	**5**	**9**	**14**	**19**	**40**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	3.6	128	1	1	2	3	4	6	80
20-34	58	2.9	8	1	1	2	3	6	8	16
35-49	19	2.1	2	<1	1	2	2	4	5	6
50-64	27	4.3	18	1	1	3	6	9	12	21
65+	37	6.2	28	1	1	5	8	13	19	23
B. *Operated*										
0-19 YRS	87	3.0	2	1	2	3	4	5	5	8
20-34	71	4.0	15	1	1	3	5	6	8	28
35-49	13	8.4	252	2	2	5	5	17	53	61
50-64	23	3.9	5	1	1	4	5	7	9	10
65+	7	5.9	17	2	2	5	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	183	3.8	20	1	1	3	5	8	10	22
20-34	191	4.4	12	1	1	3	6	8	12	18
35-49	112	6.6	36	1	1	5	8	13	17	34
50-64	128	7.3	32	1	2	6	10	14	16	31
65+	228	10.4	67	2	3	9	14	20	22	44
B. *Operated*										
0-19 YRS	87	8.0	135	1	1	4	8	16	31	70
20-34	117	8.6	134	2	2	5	9	17	25	69
35-49	62	9.3	153	1	2	6	11	18	21	85
50-64	52	12.5	184	2	2	8	17	29	41	64
65+	42	12.4	103	2	3	9	18	29	34	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	3.8	51	1	1	2	4	7	10	22
B. *Operated*	201	3.9	24	1	2	3	4	6	7	22
2. MULTIPLE DX										
A. *Not Operated*	842	6.6	42	1	1	5	9	14	19	31
B. *Operated*	360	9.6	143	1	2	6	11	20	31	64
1. SINGLE DX	406	3.9	37	1	1	3	4	6	9	22
2. MULTIPLE DX	1202	7.5	74	1	1	5	9	16	21	44
A. NOT OPERATED	1047	6.1	45	1	1	4	8	13	17	31
B. OPERATED	561	7.5	108	1	2	4	8	17	24	62
TOTAL 0-19 YRS	421	4.5	59	1	1	3	4	8	12	42
20-34	437	5.2	49	1	1	3	6	9	15	35
35-49	206	7.1	84	1	1	5	8	15	19	49
50-64	230	7.8	70	1	2	5	10	15	21	46
65+	314	10.1	68	2	2	8	13	20	24	41
GRAND TOTAL	**1608**	**6.6**	**67**	**1**	**1**	**4**	**8**	**14**	**19**	**41**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.9	5	1	1	2	5	8	68	99+
20-34	8	5.8	18	1	1	5	9	12	12	12
35-49	3	20.0	441	5	5	11	36	44	44	44
50-64	3	6.0	31	1	1	5	10	12	12	12
65+	4	16.8	77	8	8	15	23	28	28	28
B. *Operated*										
0-19 YRS	10	5.0	6	1	1	5	7	8	9	9
20-34	5	7.0	29	3	3	4	10	16	16	16
35-49	5	6.2	26	1	1	5	11	12	12	12
50-64	5	6.6	8	3	3	8	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	7.3	59	<1	1	4	8	19	26	30
20-34	11	5.5	19	1	1	4	9	12	15	15
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	4	8.8	34	2	2	9	13	15	15	15
65+	6	19.3	146	10	10	13	28	39	40	40
B. *Operated*										
0-19 YRS	12	24.8	939	<1	1	11	32	84	88	89
20-34	21	18.8	553	2	3	10	23	75	97	99+
35-49	9	27.6	354	6	7	18	45	53	55	55
50-64	8	16.9	135	3	3	18	25	32	35	35
65+	1	17.0		17	17	17	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	7.0	78	1	1	5	10	19	40	99+
B. *Operated*	25	6.0	13	1	2	5	8	11	13	16
2. MULTIPLE DX										
A. *Not Operated*	42	8.5	74	<1	1	5	12	18	29	40
B. *Operated*	51	21.4	520	2	3	12	27	59	88	99+
1. SINGLE DX	59	6.5	50	1	1	5	9	12	23	94
2. MULTIPLE DX	93	15.6	357	1	2	10	18	44	65	98
A. NOT OPERATED	76	7.8	75	1	1	5	11	18	29	85
B. OPERATED	76	16.3	404	1	2	9	18	46	77	99
TOTAL 0-19 YRS	58	9.3	270	1	1	5	9	22	65	99
20-34	45	11.9	304	1	2	8	12	28	73	99+
35-49	18	18.9	331	<1	1	11	36	48	53	55
50-64	20	11.1	85	1	2	8	16	25	30	35
65+	11	18.2	98	8	9	15	26	33	39	40
GRAND TOTAL	**152**	**12.1**	**256**	**1**	**1**	**7**	**13**	**30**	**49**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	1.7	2	<1	<1	1	2	5	53	99+
20-34	31	2.2	2	<1	<1	2	3	4	5	6
35-49	6	1.8		<1	<1	2	2	2	2	2
50-64	8	3.5	8	1	1	3	5	8	9	9
65+	18	2.2	4	<1	1	1	3	5	7	9
B. *Operated*										
0-19 YRS	204	3.6	7	1	1	3	4	6	6	13
20-34	544	3.5	2	1	1	3	4	5	6	8
35-49	152	3.6	7	1	1	3	5	6	8	13
50-64	111	3.2	7	<1	1	2	4	8	10	12
65+	99	3.2	10	<1	1	2	4	7	8	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.9	1	1	1	2	2	4	4	4
20-34	28	2.7	4	<1	1	2	3	6	8	8
35-49	19	5.8	15	1	1	6	9	11	12	12
50-64	18	6.6	46	1	1	3	9	18	22	24
65+	42	4.9	17	1	1	4	6	9	12	24
B. *Operated*										
0-19 YRS	39	4.7	14	1	1	4	5	11	14	15
20-34	128	5.4	23	1	1	4	6	11	14	29
35-49	70	6.2	24	1	1	5	7	14	18	22
50-64	64	9.1	213	1	1	5	10	17	30	91
65+	107	6.9	46	1	1	5	9	16	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	2.2	3	<1	<1	2	3	5	6	70
B. *Operated*	1110	3.5	5	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	116	4.5	19	1	1	3	6	9	12	24
B. *Operated*	408	6.4	59	1	1	4	8	13	18	32
1. SINGLE DX	1192	3.4	5	1	1	3	4	6	7	10
2. MULTIPLE DX	524	6.0	51	1	1	4	7	12	17	30
A. NOT OPERATED	198	3.6	13	<1	1	2	5	8	11	24
B. OPERATED	1518	4.3	21	1	1	3	5	7	10	22
TOTAL 0-19 YRS	271	3.5	8	1	1	3	4	6	7	15
20-34	731	3.7	7	1	1	3	4	6	7	12
35-49	247	4.5	14	1	1	4	5	8	12	21
50-64	201	5.4	83	1	1	3	6	10	15	48
65+	266	4.9	28	1	1	3	6	11	16	29
GRAND TOTAL	**1716**	**4.2**	**20**	**1**	**1**	**3**	**5**	**7**	**10**	**23**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.8	5	<1	<1	2	4	5	8	12
20-34	74	3.1	5	1	1	2	5	6	7	12
35-49	26	2.9	4	<1	1	2	4	5	7	9
50-64	11	4.6	17	1	1	4	6	10	15	15
65+	8	4.1	9	<1	<1	4	6	9	10	10
B. *Operated*										
0-19 YRS	1454	4.5	5	2	2	4	5	7	8	12
20-34	2689	4.7	6	2	3	4	5	7	8	13
35-49	1219	4.9	6	2	3	4	6	8	9	14
50-64	518	5.5	8	2	3	5	6	9	11	16
65+	109	6.7	17	2	3	6	8	12	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.0	30	<1	<1	2	4	10	16	26
20-34	45	3.7	16	<1	<1	2	4	6	11	22
35-49	30	4.7	15	<1	<1	4	6	11	12	15
50-64	27	5.4	21	1	1	4	7	10	16	20
65+	17	8.5	85	1	1	6	11	24	31	33
B. *Operated*										
0-19 YRS	731	5.2	14	1	2	5	6	8	11	22
20-34	1276	5.7	26	2	2	5	6	9	12	25
35-49	618	6.1	27	2	3	5	7	10	13	23
50-64	455	6.4	19	2	3	6	7	11	14	24
65+	123	8.3	36	2	3	7	10	15	19	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	3.1	6	<1	1	2	4	6	8	13
B. *Operated*	5989	4.8	6	2	3	4	6	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	142	4.8	29	<1	1	3	6	10	16	27
B. *Operated*	3203	5.9	23	2	2	5	7	10	13	25
1. SINGLE DX	6170	4.8	6	2	2	4	6	7	9	14
2. MULTIPLE DX	3345	5.8	23	2	2	5	7	10	13	25
A. NOT OPERATED	323	3.9	17	<1	1	3	5	8	11	23
B. OPERATED	9192	5.2	12	2	3	5	6	8	10	18
TOTAL 0-19 YRS	2270	4.7	9	1	2	4	5	7	9	16
20-34	4084	5.0	12	2	2	4	6	8	9	17
35-49	1893	5.3	13	2	3	5	6	9	10	18
50-64	1011	5.9	13	2	3	5	7	10	12	21
65+	257	7.5	31	2	2	6	9	13	17	33
GRAND TOTAL	**9515**	**5.1**	**13**	**2**	**2**	**5**	**6**	**8**	**10**	**18**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	5.4	35	1	1	3	6	14	22	24
20-34	69	6.2	40	1	1	5	8	11	19	34
35-49	46	6.9	47	1	1	5	10	15	19	37
50-64	39	6.3	20	1	2	4	10	12	14	16
65+	11	5.6	16	<1	1	4	10	12	12	12
B. *Operated*										
0-19 YRS	332	4.3	63	1	1	2	4	10	18	40
20-34	344	5.6	35	1	1	3	7	13	18	28
35-49	215	7.3	48	1	1	5	11	16	20	32
50-64	136	7.2	107	1	1	3	10	18	23	44
65+	58	8.8	153	1	1	4	12	22	32	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	6.9	105	1	1	4	6	16	27	62
20-34	75	8.9	72	1	1	7	12	18	28	85
35-49	41	10.5	110	1	2	8	11	25	30	55
50-64	58	9.1	78	2	3	7	11	19	27	96
65+	53	7.4	51	2	2	6	9	13	21	42
B. *Operated*										
0-19 YRS	181	7.6	81	1	1	4	10	20	25	86
20-34	298	11.2	141	1	2	7	14	28	37	55
35-49	189	8.7	90	1	2	6	10	19	27	72
50-64	127	11.6	114	1	2	8	15	28	34	50
65+	98	11.7	134	2	2	6	17	30	39	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	6.1	35	1	1	4	9	12	18	29
B. *Operated*	1085	5.9	63	1	1	3	7	14	20	36
2. MULTIPLE DX										
A. *Not Operated*	279	8.5	81	1	2	6	11	18	28	61
B. *Operated*	893	10.1	116	1	2	6	13	24	34	56
1. SINGLE DX	1319	6.0	58	1	1	3	8	14	20	35
2. MULTIPLE DX	1172	9.7	108	1	2	6	13	23	33	57
A. NOT OPERATED	513	7.4	62	1	1	5	10	16	23	48
B. OPERATED	1978	7.8	91	1	1	4	10	19	27	49
TOTAL 0-19 YRS	634	5.6	70	1	1	3	6	15	22	44
20-34	786	8.1	86	1	1	5	11	18	28	48
35-49	491	8.0	70	1	1	5	11	17	24	50
50-64	360	9.0	99	1	1	6	12	20	28	52
65+	220	9.6	116	1	2	6	13	23	35	62
GRAND TOTAL	**2491**	**7.7**	**85**	**1**	**1**	**4**	**10**	**18**	**26**	**49**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	2.8	3	<1	1	2	4	6	7	9
20-34	91	2.9	5	<1	1	2	4	6	9	11
35-49	51	4.1	7	1	1	4	6	8	10	10
50-64	51	4.8	10	1	1	4	6	10	12	13
65+	42	6.1	14	2	3	5	7	11	13	20
B. *Operated*										
0-19 YRS	332	4.3	4	1	2	4	5	7	8	10
20-34	398	4.6	7	1	2	4	6	8	9	16
35-49	106	5.3	10	2	2	5	7	10	12	15
50-64	50	6.1	12	1	2	6	7	10	11	23
65+	16	10.1	44	2	3	10	13	17	25	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.7	6	1	1	3	5	8	11	99+
20-34	75	5.3	18	<1	1	4	7	12	13	20
35-49	46	6.2	28	1	2	5	9	12	13	33
50-64	64	6.6	29	1	2	5	8	11	18	34
65+	116	8.0	33	2	3	7	10	13	17	34
B. *Operated*										
0-19 YRS	290	5.6	8	2	2	5	7	9	11	17
20-34	400	6.5	42	2	3	6	7	10	12	35
35-49	130	7.6	20	3	4	6	9	13	17	24
50-64	61	9.1	41	2	3	6	11	17	21	32
65+	29	13.7	181	3	4	9	17	28	47	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	310	3.8	8	1	1	3	5	8	10	13
B. *Operated*	902	4.8	8	1	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	342	6.4	27	1	2	5	8	12	14	33
B. *Operated*	910	6.8	35	2	3	6	7	11	15	31
1. SINGLE DX	1212	4.5	8	1	2	4	6	8	10	14
2. MULTIPLE DX	1252	6.7	33	2	2	5	8	11	15	32
A. NOT OPERATED	652	5.2	20	1	1	4	7	10	13	21
B. OPERATED	1812	5.8	22	2	2	5	7	9	12	23
TOTAL 0-19 YRS	738	4.6	7	1	2	4	6	8	9	13
20-34	964	5.3	24	1	2	5	6	9	11	19
35-49	333	6.1	17	1	2	5	8	11	14	23
50-64	226	6.8	26	1	2	6	8	12	16	32
65+	203	8.6	56	2	3	6	11	14	21	46
GRAND TOTAL	**2464**	**5.6**	**22**	**1**	**2**	**5**	**7**	**10**	**12**	**23**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	250	5.4	14	1	2	5	7	11	14	20
20-34	2335	6.5	18	2	2	6	8	11	14	18
35-49	2076	7.1	18	2	3	6	9	13	15	23
50-64	1023	6.9	15	2	3	6	9	12	14	20
65+	275	7.0	20	2	3	6	9	13	16	20
B. *Operated*										
0-19 YRS	33	[illegible]	22	1	2	5	9	13	14	21
20-34	552	[illegible]	43	2	2	7	11	16	18	26
35-49	428	[illegible]	40	2	2	8	12	17	22	33
50-64	147	7.9	28	2	3	7	10	16	19	23
65+	12	11.9	93	2	3	10	13	26	36	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	5.9	24	1	2	4	8	12	14	31
20-34	1411	7.4	21	2	3	6	10	14	16	23
35-49	1751	8.0	22	2	3	7	10	14	17	24
50-64	1479	8.4	25	3	3	7	10	15	17	26
65+	998	8.9	32	3	3	8	11	16	19	27
B. *Operated*										
0-19 YRS	20	7.6	27	1	2	8	10	11	18	25
20-34	318	11.2	48	3	3	10	15	21	24	32
35-49	375	10.6	39	3	4	10	14	18	23	32
50-64	217	11.0	36	3	4	10	14	21	23	26
65+	80	14.7	90	3	6	12	21	30	32	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5959	6.8	17	2	3	6	9	12	14	21
B. *Operated*	1172	8.4	40	2	2	7	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*	5789	8.1	25	2	3	7	10	14	17	25
B. *Operated*	1010	11.1	46	3	4	10	14	20	24	33
1. SINGLE DX	7131	7.1	22	2	3	6	9	13	15	22
2. MULTIPLE DX	6799	8.5	29	2	3	7	11	15	18	27
A. NOT OPERATED	11748	7.4	21	2	3	7	9	13	16	23
B. OPERATED	2182	9.7	45	2	3	9	13	18	23	32
TOTAL 0-19 YRS	453	5.7	19	1	2	5	7	11	14	21
20-34	4616	7.3	25	2	3	6	9	13	16	24
35-49	4630	7.9	24	2	3	7	10	14	17	25
50-64	2866	8.0	24	3	3	7	10	14	17	25
65+	1365	8.9	36	2	3	8	11	16	19	31
GRAND TOTAL	**13930**	**7.8**	**26**	**2**	**3**	**7**	**10**	**14**	**17**	**25**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	412	3.7	11	1	1	3	5	8	10	16
20-34	1900	6.3	18	1	2	5	8	11	14	21
35-49	1474	6.9	24	2	2	6	9	12	15	23
50-64	655	7.1	20	2	3	6	9	13	15	22
65+	201	6.7	23	1	2	5	9	13	16	26
B. *Operated*										
0-19 YRS	38	6.9	26	2	2	6	8	13	18	23
20-34	489	7.0	30	2	2	6	10	14	17	26
35-49	411	7.8	33	2	2	6	11	16	18	26
50-64	120	8.6	42	2	3	7	12	18	21	29
65+	8	8.4	42	1	2	6	14	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	444	4.6	13	1	1	4	6	9	12	18
20-34	2097	6.9	28	1	2	6	9	13	16	25
35-49	1745	7.7	26	2	3	7	10	14	17	25
50-64	1220	8.3	33	2	3	7	11	15	19	29
65+	797	8.5	31	2	3	7	11	15	20	28
B. *Operated*										
0-19 YRS	41	5.0	16	1	1	4	6	10	11	22
20-34	398	9.7	62	2	3	8	13	18	24	33
35-49	354	11.1	55	2	3	10	15	22	25	33
50-64	201	11.4	54	3	3	10	15	20	25	34
65+	60	13.5	108	3	4	11	18	25	28	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4642	6.4	21	1	2	5	8	12	14	22
B. *Operated*	1066	7.5	32	2	2	6	10	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	6303	7.4	29	2	2	6	10	14	17	26
B. *Operated*	1054	10.5	61	2	3	9	14	20	25	34
1. SINGLE DX	5708	6.6	23	1	2	6	9	12	15	23
2. MULTIPLE DX	7357	7.9	34	2	2	7	10	15	19	27
A. NOT OPERATED	10945	7.0	25	1	2	6	9	13	16	25
B. OPERATED	2120	9.0	49	2	2	7	12	18	22	31
TOTAL 0-19 YRS	935	4.3	13	1	1	3	6	9	11	18
20-34	4884	6.9	28	1	2	6	9	13	16	26
35-49	3984	7.7	30	2	2	6	10	14	18	25
50-64	2196	8.2	33	2	3	7	11	15	19	29
65+	1066	8.4	36	2	3	7	11	16	20	28
GRAND TOTAL	**13065**	**7.3**	**30**	**2**	**2**	**6**	**10**	**14**	**17**	**26**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	2.8	3	1	1	2	4	5	6	9
20-34	218	3.3	6	1	1	3	4	6	8	11
35-49	143	3.7	6	1	1	3	5	7	8	11
50-64	86	5.2	11	2	2	4	7	10	12	16
65+	78	5.9	15	2	2	5	8	11	14	18
B. *Operated*										
0-19 YRS	264	3.1	2	1	2	3	4	5	6	9
20-34	507	3.9	28	1	2	3	4	6	8	13
35-49	378	4.3	8	1	2	4	5	7	9	15
50-64	332	5.3	16	2	2	4	7	9	12	17
65+	96	5.9	12	2	2	5	7	11	13	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	3.2	6	1	1	2	4	7	8	14
20-34	212	4.5	26	1	1	4	5	8	11	17
35-49	180	5.0	10	1	2	4	6	9	11	21
50-64	211	5.8	15	1	2	5	8	11	13	20
65+	256	8.1	47	2	2	6	10	17	24	32
B. *Operated*										
0-19 YRS	107	4.6	14	1	2	4	5	7	10	26
20-34	174	4.5	11	1	2	4	5	8	12	17
35-49	134	5.7	14	2	2	5	7	11	15	18
50-64	155	6.9	34	2	3	5	8	13	18	29
65+	83	8.2	33	2	2	6	12	17	20	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	627	3.9	9	1	1	3	5	8	10	15
B. *Operated*	1577	4.3	16	1	2	4	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	947	5.7	27	1	2	4	7	11	15	27
B. *Operated*	653	5.8	22	2	2	4	7	11	15	25
1. SINGLE DX	2204	4.2	14	1	1	3	5	8	9	15
2. MULTIPLE DX	1600	5.8	25	1	2	4	7	11	15	26
A. NOT OPERATED	1574	5.0	20	1	1	4	6	10	13	24
B. OPERATED	2230	4.7	18	1	2	4	5	8	11	20
TOTAL 0-19 YRS	561	3.4	6	1	1	3	4	6	7	11
20-34	1111	4.0	21	1	1	3	5	7	9	15
35-49	835	4.5	9	1	2	4	6	8	10	15
50-64	784	5.7	19	1	2	5	7	10	13	22
65+	513	7.4	34	2	2	6	9	15	20	30
GRAND TOTAL	**3804**	**4.8**	**19**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2866	1.7	2	<1	1	1	2	3	4	8
20-34	972	2.4	9	<1	1	2	3	5	6	11
35-49	284	2.9	14	1	1	2	3	5	9	24
50-64	137	2.6	4	1	1	2	3	5	6	10
65+	88	2.9	8	1	1	2	4	5	7	18
B. *Operated*										
0-19 YRS	49	3.1	45	1	1	2	3	5	6	48
20-34	30	3.9	37	<1	<1	2	5	7	8	34
35-49	6	3.8	7	1	1	3	4	8	9	9
50-64	5	4.2	12	1	1	2	8	8	8	8
65+	2	5.0	32	1	1	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2567	2.7	13	1	1	2	3	5	7	15
20-34	1932	3.7	15	1	1	3	4	8	10	17
35-49	834	4.5	25	1	1	3	5	9	14	22
50-64	591	5.3	23	1	1	4	7	11	15	23
65+	567	7.5	46	1	2	5	10	17	22	28
B. *Operated*										
0-19 YRS	635	4.9	77	1	1	2	5	10	19	53
20-34	651	6.3	88	1	1	3	7	14	21	54
35-49	233	6.4	80	1	1	4	7	12	18	44
50-64	194	8.7	125	1	1	5	11	17	29	58
65+	167	9.5	169	1	1	5	9	25	36	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4347	2.0	5	<1	1	1	2	4	5	11
B. *Operated*	92	3.5	37	<1	1	2	4	7	8	42
2. MULTIPLE DX										
A. *Not Operated*	6491	3.9	21	1	1	2	5	8	12	22
B. *Operated*	1880	6.4	96	1	1	3	7	14	24	57
1. SINGLE DX	4439	2.0	6	<1	1	1	2	4	5	11
2. MULTIPLE DX	8371	4.4	39	1	1	3	5	9	14	32
A. NOT OPERATED	10838	3.1	15	1	1	2	3	7	10	20
B. OPERATED	1972	6.2	94	1	1	3	7	13	23	56
TOTAL 0-19 YRS	6117	2.5	16	1	1	2	2	5	7	17
20-34	3585	3.8	28	1	1	2	4	8	11	28
35-49	1357	4.5	33	1	1	3	5	9	14	29
50-64	927	5.6	45	1	1	4	7	12	17	32
65+	824	7.4	70	1	1	5	9	17	23	39
GRAND TOTAL	**12810**	**3.6**	**28**	**1**	**1**	**2**	**4**	**8**	**11**	**27**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	906	2.6	21	<1	1	1	2	5	7	18
20-34	341	3.3	17	<1	1	2	4	7	11	23
35-49	118	4.3	31	<1	1	2	4	10	17	27
50-64	71	6.0	70	1	1	3	7	12	26	45
65+	50	5.9	50	1	1	4	6	18	24	33
B. *Operated*										
0-19 YRS	72	10.7	129	1	2	8	12	30	56	99+
20-34	68	11.9	194	2	2	7	12	30	41	78
35-49	37	11.0	68	2	4	9	13	22	24	46
50-64	59	14.8	116	6	7	12	18	33	53	99+
65+	99	16.2	160	4	5	12	21	28	49	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1024	4.4	57	1	1	2	4	9	19	40
20-34	698	5.5	79	1	1	3	6	11	18	57
35-49	312	6.1	64	1	1	4	7	14	19	39
50-64	245	6.9	75	1	1	4	8	15	25	48
65+	300	8.9	81	1	2	6	11	18	25	41
B. *Operated*										
0-19 YRS	341	16.9	390	1	1	10	28	63	99+	99+
20-34	386	19.8	470	1	2	12	33	66	94	99+
35-49	150	18.8	362	1	2	12	30	57	68	99+
50-64	135	21.2	316	2	3	16	32	57	70	99+
65+	207	23.1	321	2	5	19	32	52	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1486	3.1	25	<1	1	2	3	7	11	25
B. *Operated*	335	13.3	146	2	3	10	17	28	49	99+
2. MULTIPLE DX										
A. *Not Operated*	2579	5.7	70	1	1	3	6	13	20	45
B. *Operated*	1219	19.6	395	1	2	13	31	59	87	99+
1. SINGLE DX	1821	5.0	63	<1	1	2	6	12	19	49
2. MULTIPLE DX	3798	10.1	217	1	1	4	12	30	49	99+
A. NOT OPERATED	4065	4.7	55	1	1	2	5	11	17	38
B. OPERATED	1554	18.3	348	1	2	12	27	54	79	99+
TOTAL 0-19 YRS	2343	5.7	117	1	1	2	5	15	29	99
20-34	1493	9.0	215	1	1	4	9	27	48	99+
35-49	617	9.1	162	1	1	4	11	24	40	93
50-64	510	11.5	183	1	1	7	14	32	47	99+
65+	656	14.3	209	1	2	10	19	34	49	86
GRAND TOTAL	**5619**	**8.5**	**173**	**1**	**1**	**3**	**10**	**24**	**40**	**99+**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	3.6	15	<1	1	3	4	6	7	27
20-34	81	4.1	9	1	1	3	5	8	10	16
35-49	27	3.9	4	1	1	4	6	7	7	8
50-64	18	4.2	9	<1	1	4	5	7	11	13
65+	13	4.7	21	1	1	3	6	13	15	16
B. *Operated*										
0-19 YRS	46	6.0	11	2	2	5	8	10	13	14
20-34	133	5.5	9	2	2	5	7	9	11	15
35-49	43	7.0	9	3	3	7	9	11	13	14
50-64	22	9.1	52	3	3	8	10	20	27	29
65+	15	7.8	35	2	2	6	13	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	5.2	20	1	2	4	7	9	14	26
20-34	120	5.7	27	1	1	4	7	11	15	31
35-49	79	6.9	24	1	2	6	9	14	17	20
50-64	87	7.4	28	2	3	6	9	13	18	31
65+	63	10.2	77	2	3	8	13	19	23	55
B. *Operated*										
0-19 YRS	129	10.6	76	3	3	8	13	24	31	60
20-34	317	11.4	94	3	4	9	13	23	30	59
35-49	147	12.0	117	3	4	9	14	25	33	99+
50-64	137	14.2	197	4	5	10	15	32	54	99+
65+	75	14.5	144	3	5	11	20	31	38	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	4.0	11	1	1	3	5	7	9	17
B. *Operated*	259	6.3	15	2	2	5	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	412	6.9	35	1	2	5	9	14	18	28
B. *Operated*	805	12.1	119	3	4	9	14	25	35	82
1. SINGLE DX	446	5.3	15	1	2	4	7	10	13	19
2. MULTIPLE DX	1217	10.4	97	2	3	8	12	21	30	63
A. NOT OPERATED	599	6.0	29	1	1	4	7	12	16	26
B. OPERATED	1064	10.7	100	3	3	8	12	22	31	73
TOTAL 0-19 YRS	286	7.5	51	1	2	5	9	15	25	41
20-34	651	8.2	63	2	2	6	10	16	24	47
35-49	296	9.1	74	2	3	7	11	18	25	76
50-64	264	10.8	129	3	3	8	12	20	35	88
65+	166	11.5	108	2	3	8	15	25	31	62
GRAND TOTAL	**1663**	**9.0**	**80**	**2**	**2**	**7**	**11**	**18**	**26**	**59**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	309	3.5	8	1	1	3	5	8	9	13
20-34	207	3.2	7	1	1	2	4	6	9	14
35-49	55	4.2	14	1	1	3	5	8	10	20
50-64	20	5.4	24	<1	1	4	7	11	17	22
65+	27	3.6	5	1	1	3	5	6	8	9
B. *Operated*										
0-19 YRS	215	6.9	13	2	3	6	8	10	14	19
20-34	241	7.7	14	3	4	7	9	12	13	27
35-49	85	9.8	38	4	5	8	11	16	23	36
50-64	43	12.0	137	2	4	8	12	25	40	61
65+	15	7.3	13	2	2	8	9	12	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	262	4.0	10	1	1	3	5	8	10	15
20-34	270	4.3	17	1	1	3	5	8	9	21
35-49	81	5.6	20	1	2	4	7	10	13	27
50-64	62	5.6	43	1	1	4	6	9	14	45
65+	70	9.5	65	1	2	7	13	21	28	34
B. *Operated*										
0-19 YRS	448	12.9	126	3	5	9	15	28	39	56
20-34	789	14.4	169	4	6	10	16	28	44	88
35-49	303	15.8	226	3	5	11	18	34	45	88
50-64	165	17.0	196	4	5	13	20	33	52	70
65+	89	17.4	168	4	6	13	21	35	50	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	618	3.5	9	1	1	3	5	7	9	16
B. *Operated*	599	8.0	27	2	4	7	9	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	745	4.9	24	1	1	4	6	9	14	28
B. *Operated*	1794	14.7	172	4	5	10	17	31	43	77
1. SINGLE DX	1217	5.7	23	1	1	5	8	10	13	25
2. MULTIPLE DX	2539	11.8	148	2	2	8	14	26	38	71
A. NOT OPERATED	1363	4.3	18	1	1	3	5	8	11	21
B. OPERATED	2393	13.0	144	3	5	9	14	27	39	71
TOTAL 0-19 YRS	1234	7.6	69	1	1	6	9	15	23	46
20-34	1507	10.0	118	1	2	7	11	20	30	69
35-49	524	12.0	163	2	3	8	14	25	37	83
50-64	290	13.0	167	2	3	9	15	30	38	66
65+	201	12.0	124	2	2	9	16	28	35	53
GRAND TOTAL	**3756**	**9.8**	**116**	**1**	**2**	**7**	**11**	**20**	**31**	**63**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.0	5	<1	1	2	4	6	10	99+
20-34	26	3.0	4	<1	<1	2	5	6	7	7
35-49	13	2.8	3	<1	<1	2	4	5	6	6
50-64	3	4.0	1	3	3	4	5	5	5	5
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	365	3.0	5	1	1	2	4	6	8	12
20-34	223	3.8	13	1	1	3	5	7	10	17
35-49	100	4.1	13	1	1	3	5	7	12	20
50-64	54	3.7	5	1	1	3	6	7	8	10
65+	33	4.3	14	1	2	3	5	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	3.2	3	<1	1	3	4	5	6	9
20-34	42	3.7	8	1	1	3	5	8	10	11
35-49	16	3.9	9	<1	<1	3	5	8	11	12
50-64	18	6.3	26	1	1	5	9	14	17	19
65+	17	4.9	10	1	2	5	6	8	12	14
B. *Operated*										
0-19 YRS	327	4.5	14	1	1	4	6	10	12	20
20-34	325	5.2	21	1	1	4	6	10	13	24
35-49	145	6.5	45	1	1	5	8	12	15	44
50-64	90	6.1	17	1	2	5	8	11	15	22
65+	51	5.0	10	1	1	5	7	9	11	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	3.0	4	<1	<1	2	4	6	7	72
B. *Operated*	775	3.4	9	1	1	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	133	4.1	10	1	1	3	5	8	11	15
B. *Operated*	938	5.2	22	1	1	4	7	10	13	23
1. SINGLE DX	855	3.4	8	1	1	3	4	7	9	14
2. MULTIPLE DX	1071	5.1	20	1	1	4	6	10	13	22
A. NOT OPERATED	213	3.7	8	<1	1	3	5	7	10	16
B. OPERATED	1713	4.4	17	1	1	3	6	9	11	20
TOTAL 0-19 YRS	768	3.6	10	1	1	3	5	7	10	15
20-34	616	4.5	17	1	1	4	5	9	12	21
35-49	274	5.3	30	1	1	4	7	10	14	26
50-64	165	5.3	15	1	2	4	7	10	13	21
65+	103	4.7	11	1	2	4	6	9	11	16
GRAND TOTAL	**1926**	**4.3**	**16**	**1**	**1**	**3**	**5**	**9**	**11**	**20**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	2.7	11	<1	1	2	3	5	8	22
20-34	165	2.8	5	<1	1	2	4	5	8	11
35-49	59	3.1	8	<1	1	2	4	8	11	91
50-64	35	3.1	11	<1	1	2	4	6	6	19
65+	31	4.2	15	1	1	4	6	8	8	21
B. *Operated*										
0-19 YRS	533	2.2	6	<1	1	1	2	5	7	12
20-34	337	3.4	28	<1	1	2	4	6	9	20
35-49	145	4.2	51	1	1	2	4	9	14	34
50-64	83	3.5	10	1	1	2	4	7	10	18
65+	53	4.5	27	<1	1	3	6	9	15	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	349	2.8	6	<1	1	2	3	5	8	12
20-34	479	3.7	46	<1	1	2	4	7	10	32
35-49	242	4.4	24	1	1	3	6	8	11	16
50-64	243	4.6	21	1	1	3	6	10	12	24
65+	320	6.8	63	1	2	5	8	14	18	41
B. *Operated*										
0-19 YRS	920	4.1	33	1	1	2	4	8	12	32
20-34	1185	5.1	45	1	1	3	6	11	16	41
35-49	474	6.2	88	1	1	3	6	12	22	55
50-64	370	6.9	70	1	1	5	8	13	20	48
65+	387	7.7	73	1	2	5	9	17	23	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	449	2.9	9	<1	1	2	3	6	8	21
B. *Operated*	1151	3.0	20	<1	1	2	3	6	8	18
2. MULTIPLE DX										
A. *Not Operated*	1633	4.4	36	1	1	3	5	9	12	24
B. *Operated*	3336	5.5	55	1	1	3	6	11	18	44
1. SINGLE DX	1600	3.0	17	<1	1	2	3	6	8	19
2. MULTIPLE DX	4969	5.1	49	1	1	3	6	10	16	38
A. NOT OPERATED	2082	4.0	30	<1	1	3	5	8	11	23
B. OPERATED	4487	4.8	47	1	1	3	5	10	16	37
TOTAL 0-19 YRS	1961	3.2	20	<1	1	2	4	6	9	25
20-34	2166	4.3	40	<1	1	3	5	9	13	33
35-49	920	5.2	61	1	1	3	6	10	15	52
50-64	731	5.6	46	1	1	4	7	11	17	39
65+	791	7.0	64	1	1	5	8	15	20	38
GRAND TOTAL	**6569**	**4.6**	**42**	**1**	**1**	**3**	**5**	**9**	**14**	**33**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	224	2.2	4	<1	1	2	3	4	5	11
20-34	422	2.6	5	1	1	2	3	5	7	11
35-49	153	2.7	4	<1	1	2	3	5	7	11
50-64	58	3.3	10	1	1	2	4	7	11	16
65+	27	4.3	21	1	1	3	5	8	11	24
B. *Operated*										
0-19 YRS	291	3.6	16	<1	1	2	5	7	9	18
20-34	476	5.1	19	1	1	4	7	9	12	24
35-49	157	5.4	25	1	1	4	7	10	13	26
50-64	62	5.0	23	1	1	3	7	12	18	90
65+	20	7.6	73	1	1	5	8	19	30	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	3.1	5	1	1	3	4	6	7	13
20-34	313	4.1	14	<1	1	3	5	8	11	19
35-49	138	4.0	10	<1	1	3	5	9	10	14
50-64	73	5.2	43	1	1	4	6	10	14	43
65+	49	6.7	26	1	1	5	9	15	16	25
B. *Operated*										
0-19 YRS	375	8.4	91	1	1	6	10	17	26	49
20-34	902	9.1	103	1	2	7	10	17	25	59
35-49	340	11.2	164	1	2	8	12	23	34	81
50-64	136	9.9	100	1	2	7	12	21	29	68
65+	60	11.5	63	2	4	10	15	23	31	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	884	2.6	5	<1	1	2	3	5	7	12
B. *Operated*	1006	4.8	21	1	1	4	6	9	12	26
2. MULTIPLE DX										
A. *Not Operated*	697	4.2	16	1	1	3	5	9	12	17
B. *Operated*	1813	9.5	111	1	2	7	11	19	27	61
1. SINGLE DX	1890	3.8	15	1	1	3	5	8	10	21
2. MULTIPLE DX	2510	8.0	90	1	1	6	9	16	24	56
A. NOT OPERATED	1581	3.3	11	<1	1	2	4	7	9	16
B. OPERATED	2819	7.8	84	1	1	6	9	15	23	54
TOTAL 0-19 YRS	1014	5.0	47	1	1	3	6	10	15	36
20-34	2113	6.2	58	1	1	4	7	12	17	44
35-49	788	7.1	91	1	1	4	8	14	22	57
50-64	329	6.8	64	1	1	4	8	15	21	59
65+	156	8.2	52	1	2	6	11	19	25	38
GRAND TOTAL	**4400**	**6.2**	**62**	**1**	**1**	**4**	**7**	**12**	**18**	**45**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	183	2.6	5	<1	<1	2	3	5	6	13
20-34	281	2.7	5	<1	<1	2	3	6	7	10
35-49	101	3.8	64	<1	1	3	4	6	8	46
50-64	47	3.0	4	<1	1	2	5	7	7	7
65+	28	3.6	5	1	1	3	5	7	8	9
B. *Operated*										
0-19 YRS	1191	2.5	13	1	1	2	3	5	6	12
20-34	1730	2.9	14	1	1	2	3	5	8	15
35-49	708	2.9	13	1	1	2	3	6	7	21
50-64	449	3.2	15	1	1	2	3	6	11	22
65+	165	2.9	8	1	1	2	3	6	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	4.3	56	<1	1	3	4	8	13	48
20-34	262	4.0	17	<1	1	3	5	7	12	25
35-49	115	4.1	8	1	1	4	5	8	10	14
50-64	93	4.8	15	1	1	4	6	9	13	20
65+	78	6.9	44	1	1	5	8	14	19	38
B. *Operated*										
0-19 YRS	839	3.9	37	1	1	2	4	7	11	32
20-34	1399	4.1	25	1	1	3	5	8	12	25
35-49	585	4.9	38	1	1	3	5	10	14	33
50-64	389	5.2	45	1	1	3	6	12	19	42
65+	206	6.9	73	1	1	4	8	16	22	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	640	2.9	14	<1	1	2	3	6	7	12
B. *Operated*	4243	2.9	13	1	1	2	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*	657	4.5	25	1	1	3	5	9	13	25
B. *Operated*	3418	4.5	36	1	1	3	5	9	14	33
1. SINGLE DX	4883	2.9	13	1	1	2	3	5	7	15
2. MULTIPLE DX	4075	4.5	34	1	1	3	5	9	14	33
A. NOT OPERATED	1297	3.7	21	<1	1	3	4	7	10	20
B. OPERATED	7661	3.6	24	1	1	2	4	7	10	25
TOTAL 0-19 YRS	2322	3.1	23	1	1	2	3	6	8	19
20-34	3672	3.5	18	1	1	2	4	7	9	20
35-49	1509	3.9	26	1	1	2	4	7	11	30
50-64	978	4.2	27	1	1	3	5	9	13	27
65+	477	5.3	45	1	1	3	6	12	17	36
GRAND TOTAL	**8958**	**3.6**	**23**	**1**	**1**	**2**	**4**	**7**	**10**	**24**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	290	2.8	5	<1	1	2	4	5	8	11
20-34	376	3.5	18	1	1	2	4	6	8	21
35-49	147	4.0	17	<1	1	3	5	7	9	25
50-64	68	4.0	9	1	1	3	5	8	9	15
65+	43	5.1	18	1	1	4	7	9	14	21
B. *Operated*										
0-19 YRS	927	4.4	31	1	1	3	5	9	13	32
20-34	682	5.4	33	1	1	4	6	11	16	31
35-49	242	6.3	44	1	1	4	7	14	20	35
50-64	164	7.4	69	1	2	4	8	21	28	38
65+	102	10.1	175	1	2	5	12	21	29	79
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	4.7	14	1	1	4	6	8	12	29
20-34	202	4.9	23	<1	1	4	6	9	12	26
35-49	99	5.9	27	1	2	5	7	11	15	30
50-64	101	7.3	46	1	2	5	9	15	21	37
65+	108	8.8	43	2	2	7	11	17	24	31
B. *Operated*										
0-19 YRS	441	9.5	134	1	2	5	11	25	36	52
20-34	474	9.5	132	1	2	6	10	22	32	63
35-49	215	10.5	157	2	2	7	12	24	40	83
50-64	162	12.8	163	2	3	8	17	29	36	61
65+	144	14.0	192	2	2	10	19	30	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	924	3.5	13	<1	1	2	4	6	9	18
B. *Operated*	2117	5.5	45	1	1	3	6	11	17	34
2. MULTIPLE DX										
A. *Not Operated*	653	6.0	31	1	2	4	8	11	17	30
B. *Operated*	1436	10.5	148	1	2	6	12	25	36	64
1. SINGLE DX	3041	4.9	36	1	1	3	5	10	15	32
2. MULTIPLE DX	2089	9.1	116	1	2	6	10	21	30	60
A. NOT OPERATED	1577	4.5	22	1	1	3	5	9	12	25
B. OPERATED	3553	7.5	93	1	1	4	8	17	26	52
TOTAL 0-19 YRS	1801	5.4	56	1	1	3	6	11	19	44
20-34	1734	6.1	61	1	1	4	7	12	19	49
35-49	703	7.0	76	1	1	4	8	15	23	46
50-64	495	8.7	96	1	2	5	10	22	29	47
65+	397	10.6	136	1	2	7	13	23	30	80
GRAND TOTAL	**5130**	**6.6**	**73**	**1**	**1**	**4**	**7**	**14**	**23**	**48**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.0	23	<1	1	1	2	8	15	21
20-34	11	3.8	8	<1	<1	3	6	7	8	8
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	3	3.3	4	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS	28	4.9	19	1	1	3	7	12	15	16
20-34	35	5.3	16	1	1	4	8	9	13	18
35-49	18	7.1	36	1	2	5	9	13	21	26
50-64	5	4.8	25	1	1	3	8	13	13	13
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	2.5	4	<1	1	2	3	4	5	10
20-34	20	3.3	6	1	1	3	4	7	9	11
35-49	11	6.2	18	1	2	5	9	13	13	13
50-64	7	9.0	77	3	3	5	10	24	28	28
65+	11	6.7	42	<1	1	4	10	16	22	23
B. *Operated*										
0-19 YRS	61	11.1	285	1	1	6	12	20	49	86
20-34	125	12.7	205	1	2	8	15	33	55	78
35-49	49	10.5	103	1	2	8	12	26	43	99+
50-64	19	14.6	347	2	2	12	14	27	60	85
65+	10	21.8	324	1	3	16	31	50	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	3.2	14	<1	1	2	4	7	9	21
B. *Operated*	87	5.4	22	1	1	4	8	12	14	23
2. MULTIPLE DX										
A. *Not Operated*	78	4.4	22	1	1	3	5	10	12	27
B. *Operated*	264	12.4	220	1	2	8	14	31	53	87
1. SINGLE DX	127	4.7	20	1	1	3	7	11	14	22
2. MULTIPLE DX	342	10.6	186	1	1	6	12	25	42	85
A. NOT OPERATED	118	4.0	19	1	1	3	5	9	11	25
B. OPERATED	351	10.7	180	1	1	7	12	24	42	85
TOTAL 0-19 YRS	139	6.8	147	1	1	3	7	14	20	83
20-34	191	9.8	154	1	1	6	11	20	40	70
35-49	81	8.9	77	1	2	6	11	22	33	82
50-64	33	11.3	230	1	2	7	13	24	29	85
65+	25	12.2	205	<1	1	6	15	31	46	58
GRAND TOTAL	**469**	**9.0**	**148**	**1**	**1**	**5**	**11**	**19**	**33**	**80**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	3.5	11	<1	1	2	4	8	12	88
20-34	122	6.7	60	1	1	4	8	13	25	38
35-49	88	4.9	10	1	2	4	6	9	11	14
50-64	39	7.9	57	1	1	6	9	20	27	32
65+	46	6.9	32	1	2	5	10	15	20	23
B. *Operated*										
0-19 YRS	501	4.2	30	1	1	3	5	8	11	21
20-34	864	4.8	40	1	2	3	5	9	12	30
35-49	439	5.2	35	1	2	3	6	10	15	36
50-64	246	7.1	92	1	2	4	8	13	22	52
65+	104	9.0	107	2	2	5	13	18	23	94
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	8.9	147	1	2	4	10	28	53	99+
20-34	214	11.9	220	1	2	7	17	45	89	99+
35-49	137	9.0	96	1	2	6	11	20	42	99+
50-64	98	9.0	59	1	2	7	12	20	24	99+
65+	183	13.2	93	3	3	10	19	27	32	50
B. *Operated*										
0-19 YRS	262	6.1	78	1	2	3	6	15	23	99+
20-34	518	7.0	83	2	2	4	8	16	26	99+
35-49	317	8.8	145	1	2	5	10	18	41	99+
50-64	249	9.2	125	2	2	5	13	19	26	75
65+	171	16.4	303	2	3	10	23	37	49	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	359	5.8	37	1	1	4	7	12	17	32
B. *Operated*	2154	5.2	47	1	2	3	6	11	15	32
2. MULTIPLE DX										
A. *Not Operated*	714	11.0	136	2	2	7	15	27	47	99+
B. *Operated*	1517	8.7	135	2	2	5	10	20	34	99+
1. SINGLE DX	2513	5.3	46	1	2	3	6	11	15	32
2. MULTIPLE DX	2231	9.4	137	2	2	5	11	23	38	99+
A. NOT OPERATED	1073	9.3	108	1	2	6	12	23	35	99+
B. OPERATED	3671	6.6	86	1	2	4	7	14	22	74
TOTAL 0-19 YRS	909	5.2	55	1	1	3	5	11	18	78
20-34	1718	6.5	82	1	2	4	7	14	25	99+
35-49	981	6.9	80	1	2	4	8	14	22	96
50-64	632	8.3	98	2	2	5	10	18	25	65
65+	504	12.9	171	2	3	9	17	27	36	84
GRAND TOTAL	**4744**	**7.2**	**93**	**1**	**2**	**4**	**8**	**16**	**26**	**91**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	436	4.4	5	2	2	4	5	7	8	16
20-34	183	4.2	6	1	1	4	5	6	9	13
35-49	74	3.8	4	1	2	4	5	6	6	12
50-64	29	5.4	13	1	2	5	7	11	14	15
65+	12	6.2	45	1	1	3	9	16	22	23
B. *Operated*										
0-19 YRS	33	7.1	26	1	2	5	9	16	18	20
20-34	16	6.2	11	1	3	6	8	12	13	13
35-49	6	4.0	8	1	1	4	4	9	9	9
50-64	2	7.5	5	6	6	7	9	9	9	9
65+	3	3.7	8	2	2	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	252	4.3	6	1	1	4	5	7	8	13
20-34	171	4.0	7	1	1	3	5	7	10	14
35-49	73	4.5	7	1	2	4	5	7	9	15
50-64	37	4.5	10	1	1	4	5	8	12	16
65+	58	5.8	23	1	1	4	7	13	18	22
B. *Operated*										
0-19 YRS	52	5.8	12	2	3	5	7	11	13	17
20-34	29	4.9	8	1	2	5	6	10	11	11
35-49	15	6.9	27	<1	2	4	11	15	16	17
50-64	21	7.1	66	2	2	4	7	16	28	37
65+	14	12.9	434	2	3	7	13	21	70	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	734	4.4	6	1	2	4	5	7	8	15
B. *Operated*	60	6.4	19	1	2	5	9	13	16	20
2. MULTIPLE DX										
A. *Not Operated*	591	4.4	9	1	1	4	5	7	10	16
B. *Operated*	131	6.7	68	2	2	5	8	12	15	46
1. SINGLE DX	794	4.5	8	1	2	4	5	7	9	16
2. MULTIPLE DX	722	4.8	20	1	2	4	6	8	12	18
A. NOT OPERATED	1325	4.4	7	1	2	4	5	7	9	15
B. OPERATED	191	6.6	53	2	2	5	8	12	16	30
TOTAL 0-19 YRS	773	4.6	7	1	2	4	5	7	9	17
20-34	399	4.3	7	1	1	4	5	7	10	14
35-49	168	4.4	8	1	2	4	5	7	10	15
50-64	89	5.5	25	1	2	4	6	9	14	30
65+	87	6.9	94	1	2	4	7	13	19	61
GRAND TOTAL	**1516**	**4.7**	**14**	**1**	**2**	**4**	**5**	**7**	**10**	**17**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1060	2.2	5	<1	1	2	3	4	6	9
20-34	964	2.9	6	<1	1	2	4	6	8	13
35-49	477	3.9	14	1	1	3	5	8	11	20
50-64	342	4.1	13	1	1	3	5	9	11	19
65+	398	5.5	32	1	1	4	7	11	14	22
B. *Operated*										
0-19 YRS	175	3.5	13	1	1	2	4	8	10	20
20-34	212	4.5	23	1	1	3	5	9	13	27
35-49	123	5.3	31	1	1	4	6	11	16	28
50-64	81	5.5	19	1	1	4	8	12	14	18
65+	65	7.6	34	1	2	7	9	17	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1734	2.7	8	<1	1	2	3	5	7	12
20-34	2282	3.7	12	<1	1	3	5	7	10	16
35-49	1265	4.6	16	1	1	3	6	9	12	21
50-64	1321	6.0	25	1	2	5	8	12	15	23
65+	2518	7.9	47	2	2	6	10	15	19	36
B. *Operated*										
0-19 YRS	314	5.3	60	1	1	3	6	10	15	42
20-34	450	5.8	37	1	1	4	7	12	16	29
35-49	244	8.4	62	1	2	6	11	18	21	37
50-64	227	9.3	81	1	2	7	12	19	23	49
65+	316	12.1	105	2	3	9	16	25	33	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3241	3.3	12	1	1	2	4	7	9	17
B. *Operated*	656	4.8	24	1	1	3	6	10	15	24
2. MULTIPLE DX										
A. *Not Operated*	9120	5.1	27	1	1	4	7	11	15	26
B. *Operated*	1551	7.9	72	1	1	5	10	17	24	42
1. SINGLE DX	3897	3.5	14	1	1	2	4	7	10	19
2. MULTIPLE DX	10671	5.5	35	1	1	4	7	12	16	29
A. NOT OPERATED	12361	4.6	24	1	1	3	6	10	14	23
B. OPERATED	2207	7.0	60	1	1	4	9	16	21	38
TOTAL 0-19 YRS	3283	2.8	13	<1	1	2	3	6	8	16
20-34	3908	3.8	15	1	1	3	5	8	10	19
35-49	2109	4.9	24	1	1	3	6	10	14	24
50-64	1971	6.0	31	1	1	4	8	13	16	25
65+	3297	8.0	52	1	2	6	10	16	21	37
GRAND TOTAL	**14568**	**5.0**	**30**	**1**	**1**	**3**	**6**	**11**	**15**	**27**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.4	2	1	1	2	3	5	6	7
20-34	69	3.7	22	1	1	2	4	7	9	32
35-49	19	3.8	11	<1	1	2	6	9	11	13
50-64	15	4.2	8	1	1	3	5	9	10	10
65+	4	4.0	10	1	1	3	6	8	8	8
B. *Operated*										
0-19 YRS	39	8.3	56	2	2	5	11	21	24	30
20-34	116	7.3	119	1	1	3	7	22	28	61
35-49	55	6.6	61	1	1	4	7	15	24	37
50-64	26	5.7	48	1	1	3	7	15	23	29
65+	9	8.3	119	1	1	3	14	27	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	4.0	15	1	1	3	5	10	12	19
20-34	46	4.3	10	1	1	3	6	10	12	13
35-49	15	6.3	13	2	2	6	9	11	13	14
50-64	33	7.3	45	1	2	5	8	17	24	30
65+	8	8.6	28	2	2	8	12	16	18	18
B. *Operated*										
0-19 YRS	77	9.7	98	1	1	6	14	23	35	86
20-34	147	8.5	91	1	1	5	11	21	31	46
35-49	75	9.2	142	1	1	5	11	19	33	68
50-64	54	9.9	137	1	2	6	11	27	45	98
65+	17	17.9	358	1	2	12	25	50	61	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	3.3	12	1	1	2	4	6	8	15
B. *Operated*	245	7.1	88	1	1	4	8	22	28	45
2. MULTIPLE DX										
A. *Not Operated*	156	5.2	22	1	1	4	7	12	14	25
B. *Operated*	370	9.5	124	1	1	5	12	22	36	62
1. SINGLE DX	414	5.6	60	1	1	3	6	12	23	37
2. MULTIPLE DX	526	8.3	97	1	1	5	10	20	30	53
A. NOT OPERATED	325	4.2	18	1	1	3	5	9	12	20
B. OPERATED	615	8.6	110	1	1	4	10	22	31	56
TOTAL 0-19 YRS	232	6.2	55	1	1	3	7	16	23	43
20-34	378	6.7	81	1	1	3	7	16	27	45
35-49	164	7.4	90	1	1	5	9	15	24	48
50-64	128	7.7	83	1	1	4	9	21	29	63
65+	38	12.2	215	1	1	8	16	30	47	65
GRAND TOTAL	**940**	**7.1**	**83**	**1**	**1**	**4**	**8**	**17**	**26**	**49**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.6	2	<1	<1	1	2	2	5	7
20-34	10	1.7	1	<1	<1	1	3	4	4	4
35-49	3	3.0	12	1	1	1	6	7	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	32	2.3	12	<1	<1	1	2	5	12	17
20-34	11	4.7	26	<1	1	2	5	14	17	17
35-49	7	1.9	1	1	1	2	3	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	1	1	1	2	2	3	3	3
20-34	12	2.7	2	<1	1	2	4	5	5	5
35-49	4	3.5	1	3	3	3	4	5	5	5
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	8	4.3	13	1	1	3	5	10	12	12
20-34	15	3.3	5	<1	1	3	5	9	73	99+
35-49	7	3.7	7	1	1	3	5	8	9	9
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	1.7	2	<1	<1	1	2	3	6	7
B. *Operated*	52	2.7	14	<1	<1	1	2	6	12	17
2. MULTIPLE DX										
A. *Not Operated*	24	2.8	2	<1	1	3	4	5	5	5
B. *Operated*	33	3.6	7	1	1	3	5	9	11	99+
1. SINGLE DX	85	2.3	10	<1	<1	1	2	4	9	17
2. MULTIPLE DX	57	3.3	5	1	1	3	4	6	9	93
A. NOT OPERATED	57	2.2	2	<1	<1	2	3	5	5	7
B. OPERATED	85	3.1	11	<1	1	2	4	8	12	70
TOTAL 0-19 YRS	63	2.3	9	<1	<1	1	2	5	9	16
20-34	48	3.1	9	<1	<1	2	4	6	12	99+
35-49	21	3.0	4	1	1	3	4	6	8	9
50-64	6	2.7	3	1	1	2	5	5	5	5
65+	4	2.5		2	2	2	3	3	3	3
GRAND TOTAL	**142**	**2.7**	**8**	**<1**	**<1**	**2**	**3**	**5**	**9**	**23**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	786	1.5	3	<1	<1	1	1	2	3	8
20-34	183	2.0	6	<1	<1	1	2	3	6	14
35-49	160	1.9	5	<1	<1	1	2	4	6	13
50-64	175	1.8	2	<1	1	1	2	4	4	7
65+	184	2.4	8	1	1	2	3	4	6	15
B. *Operated*										
0-19 YRS	208	2.2	5	<1	1	1	2	5	6	10
20-34	45	5.0	94	<1	1	2	6	9	17	56
35-49	32	4.4	36	<1	<1	2	5	13	15	30
50-64	57	3.0	9	<1	1	2	4	6	11	14
65+	48	3.9	26	1	1	2	4	7	13	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	2.8	12	<1	1	2	3	5	9	22
20-34	69	3.3	19	<1	1	2	3	8	14	23
35-49	58	3.4	24	1	1	2	3	6	9	34
50-64	112	3.9	12	1	1	2	6	9	11	15
65+	200	4.9	31	1	1	3	6	11	15	32
B. *Operated*										
0-19 YRS	76	6.0	70	1	1	3	7	15	23	46
20-34	30	10.8	206	<1	1	6	13	29	49	59
35-49	45	8.2	59	1	2	4	14	21	23	30
50-64	70	8.5	114	1	1	5	12	15	27	65
65+	138	8.1	86	1	1	4	11	19	29	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1488	1.7	4	<1	<1	1	2	3	4	11
B. *Operated*	390	3.0	21	<1	1	2	3	6	9	26
2. MULTIPLE DX										
A. *Not Operated*	571	3.9	21	1	1	2	4	9	12	24
B. *Operated*	359	8.0	95	1	1	4	11	19	28	48
1. SINGLE DX	1878	2.0	8	<1	<1	1	2	4	6	12
2. MULTIPLE DX	930	5.5	54	1	1	3	6	13	19	39
A. NOT OPERATED	2059	2.3	10	<1	<1	1	2	5	8	16
B. OPERATED	749	5.4	63	<1	1	2	6	13	20	41
TOTAL 0-19 YRS	1202	2.0	9	<1	<1	1	2	4	6	16
20-34	327	3.5	45	<1	<1	1	3	8	13	40
35-49	295	3.4	25	<1	1	2	3	8	14	28
50-64	414	3.7	30	<1	1	2	4	9	12	26
65+	570	4.8	41	1	1	2	5	11	18	33
GRAND TOTAL	**2808**	**3.2**	**26**	**<1**	**1**	**1**	**3**	**7**	**11**	**27**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	7.6	27	1	2	7	11	15	17	22
20-34	54	7.1	60	1	1	4	9	21	24	37
35-49	24	10.1	133	1	1	7	12	22	40	51
50-64	19	11.6	74	<1	1	9	18	24	28	29
65+	11	11.3	53	<1	3	10	16	23	25	25
B. *Operated*										
0-19 YRS	184	13.7	223	2	2	8	19	34	44	74
20-34	154	12.2	169	2	3	8	14	27	40	64
35-49	117	15.6	255	2	2	10	21	39	50	72
50-64	54	21.4	294	2	3	15	32	48	59	66
65+	42	28.0	517	5	8	22	45	71	92	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	8.8	39	2	2	7	12	17	22	28
20-34	103	10.4	68	2	2	8	15	22	28	38
35-49	52	11.9	89	2	3	9	14	26	32	44
50-64	44	12.5	85	1	3	10	16	25	29	45
65+	51	15.5	110	4	4	13	21	27	38	53
B. *Operated*										
0-19 YRS	213	22.5	301	3	5	18	33	46	56	82
20-34	243	24.5	339	3	4	22	36	53	67	99+
35-49	162	28.2	352	4	8	26	40	62	74	99+
50-64	131	30.4	378	6	10	28	43	61	76	99+
65+	114	33.3	465	8	11	32	51	86	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	8.5	60	1	1	6	12	18	24	37
B. *Operated*	551	15.5	261	2	2	10	21	38	52	87
2. MULTIPLE DX										
A. *Not Operated*	355	11.2	74	2	3	9	15	24	29	44
B. *Operated*	863	26.8	367	4	6	23	39	57	77	99+
1. SINGLE DX	721	13.9	223	1	2	9	18	34	48	77
2. MULTIPLE DX	1218	22.2	332	3	4	17	33	51	69	99+
A. NOT OPERATED	525	10.3	71	1	2	8	14	22	27	40
B. OPERATED	1414	22.4	355	2	3	17	33	52	69	99+
TOTAL 0-19 YRS	564	15.5	231	2	2	10	21	37	46	76
20-34	554	16.8	262	2	3	11	24	39	53	90
35-49	355	20.4	319	2	3	15	30	49	62	99+
50-64	248	23.8	341	2	5	19	33	54	66	99+
65+	218	27.0	432	4	8	22	43	78	99+	99+
GRAND TOTAL	**1939**	**19.1**	**307**	**2**	**3**	**13**	**28**	**46**	**60**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	452	6.3	35	1	1	5	8	13	17	32
20-34	346	6.1	36	1	1	4	9	15	18	29
35-49	162	6.5	42	1	1	4	9	15	18	36
50-64	101	7.3	49	1	1	5	9	16	18	39
65+	44	12.1	68	1	2	11	16	23	32	44
B. *Operated*										
0-19 YRS	114	11.1	133	1	2	8	15	32	40	71
20-34	76	9.4	73	2	2	7	11	20	24	48
35-49	52	11.6	64	2	3	10	17	25	30	98
50-64	33	17.8	332	2	4	13	24	33	58	92
65+	22	16.4	183	2	3	14	23	34	44	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	825	6.9	41	1	1	5	9	15	20	32
20-34	665	7.2	44	1	1	5	10	16	20	30
35-49	392	9.0	67	1	2	7	12	19	24	36
50-64	227	9.1	79	1	2	7	12	20	24	56
65+	204	14.6	203	1	2	9	19	32	45	65
B. *Operated*										
0-19 YRS	205	14.2	144	1	3	11	21	33	38	58
20-34	240	17.1	248	2	3	13	24	37	50	99+
35-49	122	18.2	226	2	3	14	24	39	53	67
50-64	96	22.0	323	2	4	18	31	55	71	99+
65+	63	29.6	605	5	8	22	41	82	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1105	6.6	41	1	1	4	9	15	18	33
B. *Operated*	297	11.9	137	2	2	8	16	27	35	77
2. MULTIPLE DX										
A. *Not Operated*	2313	8.2	69	1	1	6	11	18	23	41
B. *Operated*	726	18.2	272	2	3	14	25	41	57	99+
1. SINGLE DX	1402	7.7	66	1	1	5	10	17	23	41
2. MULTIPLE DX	3039	10.6	135	1	2	7	14	24	33	65
A. NOT OPERATED	3418	7.7	60	1	1	5	10	17	22	38
B. OPERATED	1023	16.4	241	2	3	12	23	36	51	99+
TOTAL 0-19 YRS	1596	7.9	66	1	1	5	10	18	25	41
20-34	1327	8.8	96	1	1	6	12	20	27	51
35-49	728	10.2	102	1	2	7	14	22	28	55
50-64	457	12.0	173	1	2	8	15	27	43	91
65+	333	17.2	297	2	3	11	23	39	[illegible]	91
GRAND TOTAL	**4441**	**9.7**	**115**	**1**	**1**	**6**	**12**	**22**	**31**	**59**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	3.4	10	1	1	2	5	8	11	14
20-34	84	4.1	13	<1	1	3	6	8	10	21
35-49	52	7.2	111	1	1	4	8	12	17	71
50-64	27	8.2	59	1	2	5	10	23	26	28
65+	13	13.3	242	1	3	9	11	46	49	50
B. *Operated*										
0-19 YRS	117	3.3	12	1	1	2	3	6	10	18
20-34	198	4.6	31	1	1	3	5	10	16	38
35-49	101	4.1	16	1	1	3	4	9	12	22
50-64	52	4.4	53	1	2	3	4	8	17	99
65+	10	3.3	6	2	2	3	3	7	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	9.4	374	1	1	3	6	15	62	94
20-34	101	8.2	133	<1	1	5	9	17	32	69
35-49	70	8.6	173	1	2	5	9	17	38	97
50-64	55	8.1	60	2	2	5	11	16	24	41
65+	61	9.7	87	2	2	6	12	23	33	45
B. *Operated*										
0-19 YRS	120	4.3	58	1	1	2	4	7	25	99+
20-34	187	7.6	198	1	1	3	7	21	68	99+
35-49	100	9.1	144	1	2	4	11	23	40	52
50-64	60	11.3	298	1	2	4	12	34	65	98
65+	31	18.7	483	1	2	9	31	66	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	232	5.6	57	1	1	4	7	11	15	46
B. *Operated*	478	4.1	25	1	1	3	4	8	13	34
2. MULTIPLE DX										
A. *Not Operated*	354	8.8	166	1	1	5	9	19	33	85
B. *Operated*	498	8.2	193	1	1	3	7	25	49	99+
1. SINGLE DX	710	4.6	36	1	1	3	5	10	13	37
2. MULTIPLE DX	852	8.5	182	1	1	4	8	23	40	99+
A. NOT OPERATED	586	7.5	125	1	1	4	8	15	25	71
B. OPERATED	976	6.2	115	1	1	3	5	14	29	99+
TOTAL 0-19 YRS	360	4.8	98	1	1	2	4	8	14	88
20-34	570	6.2	104	1	1	3	6	13	25	95
35-49	323	7.1	108	1	2	4	8	15	24	67
50-64	194	8.1	137	1	2	4	8	23	31	92
65+	115	12.0	221	1	2	7	12	35	48	86
GRAND TOTAL	**1562**	**6.7**	**119**	**1**	**1**	**3**	**7**	**14**	**28**	**84**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	355	2.6	11	<1	1	2	3	5	6	15
20-34	389	3.6	13	<1	1	3	4	7	9	21
35-49	161	4.1	20	<1	1	3	5	8	11	21
50-64	100	5.7	28	1	1	4	7	12	17	27
65+	76	6.3	41	1	2	4	7	14	21	36
B. *Operated*										
0-19 YRS	160	4.8	50	1	1	3	5	10	15	41
20-34	198	5.2	27	1	1	3	7	11	15	25
35-49	117	4.9	25	1	1	3	6	11	14	25
50-64	51	7.4	84	1	1	4	10	18	28	48
65+	29	8.3	65	1	1	7	15	20	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	331	3.4	10	1	1	3	4	6	9	16
20-34	522	4.2	16	1	1	3	5	9	11	23
35-49	277	5.9	23	1	1	5	8	12	15	25
50-64	279	6.5	50	1	2	5	8	13	18	29
65+	377	9.2	57	2	2	7	11	18	22	39
B. *Operated*										
0-19 YRS	165	9.7	177	1	1	5	12	24	40	88
20-34	284	9.9	158	1	2	6	11	22	38	59
35-49	151	13.2	279	1	2	8	14	38	51	98
50-64	114	10.9	137	2	2	7	13	22	32	67
65+	69	14.2	169	2	4	10	19	29	35	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1081	3.7	18	<1	1	2	4	7	10	25
B. *Operated*	555	5.4	41	1	1	3	6	12	19	33
2. MULTIPLE DX										
A. *Not Operated*	1786	5.7	34	1	1	4	7	12	17	28
B. *Operated*	783	11.0	185	1	2	7	13	25	40	78
1. SINGLE DX	1636	4.3	26	1	1	3	5	9	13	29
2. MULTIPLE DX	2569	7.3	86	1	1	5	9	16	23	56
A. NOT OPERATED	2867	5.0	29	1	1	3	6	10	15	27
B. OPERATED	1338	8.7	133	1	1	5	10	20	31	61
TOTAL 0-19 YRS	1011	4.4	50	1	1	2	4	8	15	42
20-34	1393	5.3	51	1	1	3	6	11	17	41
35-49	706	6.9	88	1	1	4	8	14	22	59
50-64	544	7.3	71	1	2	5	9	15	20	48
65+	551	9.4	73	2	2	7	12	19	23	42
GRAND TOTAL	**4205**	**6.1**	**65**	**1**	**1**	**4**	**7**	**13**	**20**	**45**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2010	2.0	6	<1	1	1	2	3	4	10
20-34	1351	2.5	6	<1	1	2	3	5	7	13
35-49	554	3.0	15	<1	1	2	3	5	8	21
50-64	226	3.9	15	<1	1	3	5	9	12	21
65+	193	5.4	19	1	1	5	7	10	12	25
B. *Operated*										
0-19 YRS	9	7.8	289	<1	<1	2	3	34	53	53
20-34	41	3.1	6	1	1	2	3	5	10	12
35-49	20	5.3	101	<1	1	3	4	8	28	47
50-64	5	11.4	118	3	3	5	20	28	28	28
65+	3	4.7	14	2	2	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1656	3.9	31	1	1	2	4	7	12	34
20-34	2853	4.4	33	1	1	3	5	9	14	31
35-49	1653	5.7	50	1	1	4	6	12	17	36
50-64	1127	6.5	37	1	2	5	8	13	17	30
65+	1489	7.9	35	2	2	7	10	14	19	31
B. *Operated*										
0-19 YRS	27	12.6	157	1	2	10	15	28	34	60
20-34	194	5.7	79	<1	1	2	7	15	20	66
35-49	133	7.9	79	<1	1	5	11	18	29	59
50-64	78	13.1	131	2	4	9	15	30	40	52
65+	114	14.2	106	4	5	12	19	26	32	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4334	2.5	9	<1	1	2	3	5	7	17
B. *Operated*	78	4.8	70	<1	1	3	4	10	15	51
2. MULTIPLE DX										
A. *Not Operated*	8778	5.4	39	1	1	4	7	12	16	31
B. *Operated*	546	9.4	108	1	1	6	13	22	30	60
1. SINGLE DX	4412	2.6	10	<1	1	2	3	5	7	18
2. MULTIPLE DX	9324	5.6	43	1	1	4	7	12	17	34
A. NOT OPERATED	13112	4.5	31	1	1	3	5	10	14	28
B. OPERATED	624	8.8	105	1	1	5	12	21	30	55
TOTAL 0-19 YRS	3702	3.0	20	<1	1	2	3	5	8	27
20-34	4439	3.9	27	<1	1	2	4	8	12	26
35-49	2360	5.1	46	1	1	3	6	11	16	35
50-64	1436	6.5	42	1	1	5	8	13	17	32
65+	1799	8.0	41	2	2	7	10	15	20	33
GRAND TOTAL	**13736**	**4.7**	**35**	**1**	**1**	**3**	**5**	**10**	**15**	**30**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1211	1.9	4	<1	1	1	2	4	5	13
20-34	599	2.2	10	<1	1	2	2	4	5	12
35-49	295	2.3	7	<1	1	2	2	5	7	13
50-64	182	2.5	5	1	1	2	3	5	7	12
65+	84	2.6	7	1	1	2	3	4	8	16
B. *Operated*										
0-19 YRS	25	4.7	20	1	2	3	6	7	13	24
20-34	24	4.7	16	<1	1	3	8	11	12	13
35-49	20	7.4	27	1	2	7	9	15	20	20
50-64	13	7.3	94	1	2	4	6	22	33	36
65+	6	7.5	70	1	1	4	11	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	614	3.1	11	1	1	2	4	6	8	15
20-34	436	3.5	17	<1	1	2	4	7	10	23
35-49	322	4.0	28	1	1	2	4	8	11	29
50-64	271	4.7	19	1	1	3	6	10	12	22
65+	205	5.9	36	1	1	4	8	11	17	33
B. *Operated*										
0-19 YRS	21	13.1	236	2	2	7	13	32	48	66
20-34	39	10.1	104	1	2	7	13	24	43	99+
35-49	19	17.1	339	2	3	11	20	47	61	69
50-64	23	13.6	126	2	4	12	19	40	61	99+
65+	14	21.7	515	5	6	11	27	47	80	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2371	2.1	6	<1	1	1	2	4	5	13
B. *Operated*	88	5.9	34	1	1	4	7	11	20	31
2. MULTIPLE DX										
A. *Not Operated*	1848	3.9	20	1	1	2	5	8	11	26
B. *Operated*	116	13.9	225	2	3	10	16	34	55	99+
1. SINGLE DX	2459	2.3	8	<1	1	1	2	4	6	14
2. MULTIPLE DX	1964	4.5	38	1	1	3	5	9	14	33
A. NOT OPERATED	4219	2.9	13	1	1	2	3	6	9	19
B. OPERATED	204	10.4	158	1	2	7	12	25	40	94
TOTAL 0-19 YRS	1871	2.5	11	1	1	2	3	5	7	18
20-34	1098	3.0	18	<1	1	2	3	6	9	25
35-49	656	3.7	33	1	1	2	4	8	11	30
50-64	489	4.4	26	1	1	3	5	9	13	32
65+	309	5.8	63	1	1	3	7	11	18	35
GRAND TOTAL	**4423**	**3.2**	**22**	**1**	**1**	**2**	**3**	**7**	**10**	**27**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	479	2.5	6	1	1	2	3	5	6	15
20-34	311	2.5	5	1	1	2	3	5	7	10
35-49	197	3.2	9	1	1	2	4	7	9	63
50-64	152	3.6	12	1	1	3	5	7	9	21
65+	125	5.1	17	1	1	4	7	9	14	19
B. *Operated*										
0-19 YRS	5	3.6	10	1	1	2	7	7	7	7
20-34	16	4.6	42	<1	1	3	4	22	73	99+
35-49	23	5.4	24	1	2	4	6	14	17	20
50-64	10	7.5	98	1	1	5	6	21	35	35
65+	9	12.8	82	2	3	11	26	63	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	407	4.2	36	1	1	3	4	9	13	27
20-34	353	4.0	35	1	1	3	5	7	9	15
35-49	386	5.4	38	1	1	4	6	10	15	29
50-64	532	6.4	44	1	2	4	8	13	17	31
65+	836	7.6	35	1	2	6	10	15	20	30
B. *Operated*										
0-19 YRS	21	17.6	396	1	2	10	32	59	79	99+
20-34	51	7.9	158	1	2	5	8	15	22	83
35-49	55	12.7	306	1	2	5	15	41	60	99+
50-64	89	14.6	314	2	2	10	16	35	59	83
65+	105	18.3	287	3	3	14	22	41	59	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1264	3.0	9	1	1	2	4	6	8	18
B. *Operated*	63	6.5	52	1	1	4	7	20	29	99+
2. MULTIPLE DX										
A. *Not Operated*	2514	5.9	39	1	1	4	7	12	16	29
B. *Operated*	321	14.6	294	2	2	9	18	39	58	87
1. SINGLE DX	1327	3.2	11	1	1	2	4	7	9	21
2. MULTIPLE DX	2835	6.9	76	1	1	4	8	14	21	45
A. NOT OPERATED	3778	5.0	31	1	1	3	6	10	15	27
B. OPERATED	384	13.3	263	2	2	7	17	36	57	97
TOTAL 0-19 YRS	912	3.6	33	1	1	2	4	7	11	30
20-34	731	3.6	32	1	1	2	4	7	9	21
35-49	661	5.3	57	1	1	3	6	10	17	45
50-64	783	6.8	77	1	1	4	8	13	18	52
65+	1075	8.4	69	1	2	6	10	17	23	41
GRAND TOTAL	**4162**	**5.7**	**58**	**1**	**1**	**3**	**7**	**12**	**18**	**39**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	4.0	16	1	1	2	5	10	11	22
20-34	74	4.3	28	<1	1	2	5	9	19	26
35-49	53	5.4	44	1	1	3	7	12	14	39
50-64	77	6.7	40	1	1	5	9	16	22	28
65+	102	8.1	54	1	2	7	11	16	24	68
B. *Operated*										
0-19 YRS	421	5.6	39	1	1	4	7	11	16	33
20-34	553	4.2	27	1	1	2	4	9	13	24
35-49	470	5.9	39	1	1	3	8	13	17	34
50-64	708	9.1	83	1	2	6	13	19	25	46
65+	1399	8.2	82	1	2	5	11	19	25	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	5.6	29	1	2	5	6	10	16	30
20-34	110	5.6	17	1	1	5	7	11	13	23
35-49	81	6.4	42	1	1	5	8	15	21	33
50-64	120	8.0	77	1	1	5	11	18	24	48
65+	237	8.7	58	1	2	7	11	18	27	48
B. *Operated*										
0-19 YRS	314	10.5	125	1	2	7	15	24	34	62
20-34	620	7.0	78	1	1	4	8	17	25	42
35-49	678	8.8	104	1	2	5	12	19	28	53
50-64	1084	10.9	130	1	2	7	14	25	32	55
65+	1888	11.4	157	2	2	7	14	25	38	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	382	5.9	40	1	1	4	7	13	20	36
B. *Operated*	3551	7.2	66	1	2	4	9	17	22	41
2. MULTIPLE DX										
A. *Not Operated*	605	7.4	51	1	2	5	9	16	23	40
B. *Operated*	4584	10.2	132	1	2	6	13	23	32	62
1. SINGLE DX	3933	7.0	63	1	1	4	9	16	22	40
2. MULTIPLE DX	5189	9.9	124	1	2	6	12	23	31	60
A. NOT OPERATED	987	6.8	47	1	1	5	9	15	22	38
B. OPERATED	8135	8.9	106	1	2	5	11	20	29	55
TOTAL 0-19 YRS	868	7.2	74	1	1	4	8	16	24	45
20-34	1357	5.6	51	1	1	3	6	12	20	34
35-49	1282	7.4	76	1	1	5	9	16	23	45
50-64	1989	10.0	108	1	2	7	13	22	30	54
65+	3626	9.9	121	2	2	6	13	22	31	61
GRAND TOTAL	**9122**	**8.7**	**100**	**1**	**2**	**5**	**11**	**20**	**28**	**54**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	338	1.8	1	<1	1	1	2	3	4	6
20-34	481	2.7	4	1	1	2	4	4	6	10
35-49	237	3.3	5	1	1	3	4	6	9	11
50-64	248	3.9	5	1	2	3	5	7	8	11
65+	344	4.7	9	1	2	4	6	7	10	15
B. *Operated*										
0-19 YRS	281	2.1	5	<1	1	1	2	4	5	15
20-34	444	3.1	9	1	1	2	4	6	8	16
35-49	198	3.8	19	1	1	3	5	7	10	17
50-64	93	4.8	18	1	1	4	6	10	15	22
65+	81	5.7	15	1	2	5	8	12	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	3.2	12	1	1	2	4	7	9	20
20-34	140	4.0	10	1	1	3	5	7	10	19
35-49	111	4.5	13	1	2	4	5	9	10	56
50-64	145	5.1	19	1	2	4	6	9	14	24
65+	252	5.8	19	1	2	4	7	11	15	25
B. *Operated*										
0-19 YRS	21	3.0	6	<1	1	2	4	7	8	9
20-34	139	5.2	19	1	1	4	7	12	14	22
35-49	93	6.6	29	1	2	5	9	13	15	30
50-64	69	9.3	88	1	1	6	14	26	41	99+
65+	105	10.1	81	2	3	7	12	23	28	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1648	3.2	6	1	1	3	4	6	8	11
B. *Operated*	1097	3.3	12	1	1	2	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	696	4.9	16	1	2	4	6	9	13	23
B. *Operated*	427	7.2	52	1	1	5	9	15	23	42
1. SINGLE DX	2745	3.2	8	1	1	2	4	6	8	14
2. MULTIPLE DX	1123	5.8	31	1	1	4	7	12	16	32
A. NOT OPERATED	2344	3.7	10	1	1	3	5	7	9	16
B. OPERATED	1524	4.4	26	1	1	3	5	10	14	27
TOTAL 0-19 YRS	688	2.0	4	<1	1	1	2	4	5	10
20-34	1204	3.3	9	1	1	2	4	6	9	16
35-49	639	4.1	15	1	1	3	5	9	10	18
50-64	555	5.1	24	1	2	4	6	10	15	29
65+	782	5.9	25	1	2	5	7	11	15	28
GRAND TOTAL	**3868**	**4.0**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	5.6	19	1	2	4	7	11	15	22
20-34	234	6.1	22	2	2	5	7	10	14	22
35-49	212	6.7	29	2	2	6	8	13	15	31
50-64	164	8.1	25	2	3	7	10	15	18	25
65+	119	8.7	45	2	2	7	11	16	21	40
B. *Operated*										
0-19 YRS	123	6.7	28	1	2	5	9	15	17	25
20-34	199	9.1	80	2	2	7	11	17	24	40
35-49	149	8.9	76	2	2	7	10	20	29	99+
50-64	155	11.2	155	2	2	8	15	24	35	93
65+	89	11.0	83	2	3	8	15	25	30	78
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	5.6	15	<1	1	5	8	11	13	16
20-34	144	7.5	32	2	3	6	9	14	19	32
35-49	140	8.3	28	2	3	7	10	15	19	27
50-64	152	9.5	44	2	3	8	12	17	22	38
65+	183	11.7	126	3	3	9	14	23	30	88
B. *Operated*										
0-19 YRS	44	10.8	70	2	3	9	14	20	25	46
20-34	130	13.1	151	2	3	9	19	29	37	61
35-49	130	13.6	218	2	3	9	17	28	39	81
50-64	185	14.5	168	2	4	10	20	32	41	97
65+	138	17.5	197	3	4	14	24	37	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	850	6.9	28	2	2	6	8	13	16	29
B. *Operated*	715	9.3	88	2	2	7	11	20	27	70
2. MULTIPLE DX										
A. *Not Operated*	659	9.2	62	2	3	7	12	17	23	38
B. *Operated*	627	14.4	177	2	3	10	20	31	41	89
1. SINGLE DX	1565	8.0	57	2	2	6	10	16	21	40
2. MULTIPLE DX	1286	11.7	125	2	3	9	14	24	34	74
A. NOT OPERATED	1509	7.9	44	2	2	6	10	15	19	34
B. OPERATED	1342	11.7	136	2	2	8	15	25	36	78
TOTAL 0-19 YRS	328	6.7	31	1	2	5	9	14	18	25
20-34	707	8.5	70	2	2	6	10	17	24	44
35-49	631	9.0	84	2	3	7	10	18	25	61
50-64	656	11.0	106	2	3	8	14	22	30	68
65+	529	12.4	129	2	3	9	16	25	36	89
GRAND TOTAL	**2851**	**9.7**	**91**	**2**	**2**	**7**	**12**	**20**	**28**	**55**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	3.3	13	<1	1	2	4	7	13	17
20-34	109	4.8	16	1	1	4	6	10	13	21
35-49	106	5.3	15	1	2	4	7	11	13	19
50-64	94	8.1	42	1	2	6	11	16	21	34
65+	93	7.8	61	1	2	6	9	18	27	39
B. *Operated*										
0-19 YRS	103	4.3	14	<1	1	3	5	11	12	20
20-34	286	5.8	52	1	2	4	7	11	16	40
35-49	236	7.0	57	1	2	4	8	15	22	37
50-64	273	7.4	72	1	2	5	9	15	21	42
65+	231	8.9	82	1	2	5	11	23	27	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	4.7	83	1	1	2	4	7	17	59
20-34	161	4.8	19	1	1	4	6	10	14	19
35-49	186	6.8	38	1	2	5	9	14	17	48
50-64	168	8.2	55	2	2	6	11	16	20	42
65+	192	10.7	116	2	3	8	13	22	35	87
B. *Operated*										
0-19 YRS	81	6.7	128	1	1	4	7	13	17	77
20-34	221	7.6	42	2	2	6	9	18	22	63
35-49	312	10.3	97	2	2	8	13	21	34	56
50-64	387	12.9	212	2	2	9	16	28	39	88
65+	389	12.6	135	2	2	10	16	26	36	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	439	6.1	33	1	1	4	8	13	17	29
B. *Operated*	1129	6.9	62	1	2	4	8	15	22	43
2. MULTIPLE DX										
A. *Not Operated*	766	7.5	65	1	2	5	9	15	20	56
B. *Operated*	1390	11.0	137	2	2	8	14	24	34	77
1. SINGLE DX	1568	6.7	54	1	2	4	8	14	20	36
2. MULTIPLE DX	2156	9.8	114	1	2	7	12	21	30	65
A. NOT OPERATED	1205	7.0	54	1	2	5	9	15	19	42
B. OPERATED	2519	9.2	108	1	2	6	12	20	28	57
TOTAL 0-19 YRS	280	4.9	62	1	1	3	5	10	14	49
20-34	777	6.0	38	1	2	4	7	12	18	33
35-49	840	8.0	66	1	2	5	10	17	23	50
50-64	922	9.9	131	2	2	6	12	21	30	72
65+	905	10.8	113	2	2	8	14	23	32	60
GRAND TOTAL	**3724**	**8.5**	**91**	**1**	**2**	**5**	**11**	**18**	**26**	**54**

Distribution Tables

Table 1 displays total U.S. patients and days of care (after exclusions*) in each of the diagnosis groups except those for deliveries (groups 270-287) and newborn (groups 393-395). Also shown is the corresponding rate per 10,000 discharges and the rate per 10,000 days of care (excluding deliveries and newborn).

Table 1

Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List A: Hospital Diagnosis Groups 1979

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
1	Intestinal infectious disease	44,002	45.5	203	28.6
2	Respiratory tuberculosis	4,408	4.6	73	10.2
3	Nonrespiratory tuberculosis	917	0.9	13	1.9
4.	Streptococcal sore throat and scarlet fever	5,925	6.1	22	3.1
5	Septicemia	9,877	10.2	137	19.3
6	Miscellaneous bacterial diseases	4,379	4.5	42	6.0
7	Poliomyelitis and other enteroviral diseases of central nervous system	8,048	8.3	41	5.7
8	Viral diseases with exanthem	12,459	12.9	89	12.5
9	Viral hepatitis	9,561	9.9	84	11.8
10	Infectious mononucleosis	8,802	9.1	47	6.6
11	Viral warts	9,242	9.6	26	3.6
12	Miscellaneous viral diseases	24,590	25.5	111	15.6
13	Rickettsioses and other arthropod-borne diseases	1,347	1.4	8	1.2
14	Syphilis and other venereal diseases	4,524	4.7	27	3.8
15	Mycoses	3,473	3.6	35	4.9
16	Helminthiases	823	0.9	5	0.7
17	Miscellaneous infective and parasitic diseases	5,285	5.5	42	5.8
18	Late effects of infectious and parasitic diseases	375	0.4	4	0.5

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
19	Malignant neoplasm of lip, oral cavity, and pharynx	10,888	11.3	112	15.8
20	Malignant neoplasm of esophagus	3,762	3.9	58	8.2
21	Malignant neoplasm of stomach	7,393	7.7	126	17.8
22	Malignant neoplasm of small intestine	871	0.9	16	2.2
23	Malignant neoplasm of colon	31,020	32.1	525	73.8
24	Malignant neoplasm of rectum, rectosigmoid junction and anus	17,370	18.0	297	41.8
25	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	5,194	5.4	84	11.7
26	Malignant neoplasm of pancreas	7,278	7.5	126	17.7
27	Malignant neoplasm of bronchus, lung, and trachea	53,623	55.5	700	98.4
28	Other malignant neoplasm of respiratory system and thoracic cavity	7,712	8.0	83	11.7
29	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	5,642	5.8	58	8.2
30	Malignant melanoma of skin, excluding genital organs	5,285	5.5	43	6.0
31	Other malignant neoplasm of skin, excluding genital organs	11,635	12.0	60	8.5
32	Malignant neoplasm of breast (female) (male)	45,939	47.5	469	66.0
33	Malignant neoplasm of cervix uteri excluding carcinoma in situ	11,000	11.4	88	12.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
34 Malignant neoplasm of corpus uteri	16,148	16.7	136	19.2
35 Malignant neoplasm of ovary	10,687	11.1	115	16.1
36 Malignant neoplasm of other female genital organs	2,206	2.3	26	3.6
37 Malignant neoplasm of prostate	34,890	36.1	369	51.9
38 Malignant neoplasm of male genitalia, except prostate	2,731	2.8	22	3.1
39 Malignant neoplasm of bladder	29,683	30.7	248	34.8
40 Malignant neoplasm of kidney and other urinary organs	7,299	7.6	106	14.9
41 Malignant neoplasm of eye	751	0.8	4	0.6
42 Malignant neoplasm of brain	5,497	5.7	97	13.7
43 Malignant neoplasm of other parts of nervous system	481	0.5	9	1.2
44 Malignant neoplasm of endocrine glands	4,150	4.3	32	4.5
45 Malignant neoplasm of ill-defined and secondary sites	62,122	64.3	758	106.5
46 Hodgkin's disease	5,389	5.6	51	7.1
47 Lymphoid leukemia	5,098	5.3	52	7.3
48 Leukemia, except lymphoid	7,237	7.5	87	12.3
49 Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	21,089	21.8	249	35.0
50 Benign neoplasm of lip, oral cavity, and pharynx	5,008	5.2	21	2.9
51 Benign neoplasm of other parts of digestive system	18,202	18.8	119	16.7
52 Benign neoplasm of respiratory system and intrathoracic organs	3,159	3.3	16	2.3
53 Benign neoplasm of bone, muscle, and connective tissue	27,300	28.3	103	14.6

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.1	4	<1	<1	2	4	5	8	11
20-34	29	4.2	14	1	1	3	5	8	10	20
35-49	10	2.8	2	<1	<1	3	4	5	5	5
50-64	8	3.3	6	<1	<1	2	5	7	8	8
65+	5	1.8	3	1	1	1	2	5	5	5
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	9.2	107	2	2	4	12	27	29	29
35-49	7	7.6	29	2	2	5	12	15	15	15
50-64	4	17.0	135	6	6	15	26	32	32	32
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.4	4	1	2	3	4	6	8	10
20-34	23	4.5	11	1	1	4	6	10	12	13
35-49	23	4.8	11	1	1	4	8	9	10	11
50-64	25	5.7	28	<1	1	4	9	15	17	21
65+	20	6.0	9	1	1	7	9	9	10	10
B. *Operated*										
0-19 YRS	6	7.3	19	2	2	7	12	12	12	12
20-34	7	10.4	166	2	2	4	13	33	38	38
35-49	14	7.3	36	1	2	6	8	13	22	25
50-64	12	10.9	114	2	3	7	15	24	38	41
65+	7	9.3	54	2	2	9	16	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	3.4	8	<1	1	3	4	6	8	17
B. *Operated*	18	9.9	83	2	2	6	13	26	31	32
2. MULTIPLE DX										
A. *Not Operated*	121	4.8	13	1	1	4	7	9	11	17
B. *Operated*	46	9.0	72	2	2	6	12	18	28	41
1. SINGLE DX	97	4.6	28	<1	1	3	5	10	14	31
2. MULTIPLE DX	167	6.0	33	1	1	4	8	12	16	36
A. NOT OPERATED	200	4.2	12	1	1	3	6	9	10	18
B. OPERATED	64	9.3	74	2	2	6	12	19	30	41
TOTAL 0-19 YRS	64	3.6	7	1	2	3	4	7	10	12
20-34	65	5.5	39	1	1	3	6	11	15	37
35-49	54	5.4	20	1	1	5	8	11	13	25
50-64	49	7.5	65	<1	1	5	9	16	22	41
65+	32	6.0	22	1	1	5	9	11	17	19
GRAND TOTAL	**264**	**5.5**	**31**	**1**	**1**	**4**	**7**	**11**	**15**	**32**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	3	<1	<1	1	3	5	5	5
20-34	124	1.5	1	<1	<1	1	2	2	3	7
35-49	35	1.9	4	<1	<1	2	2	2	4	12
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	112	2.1	1	<1	<1	2	3	4	4	6
20-34	10770	1.9	3	<1	<1	2	2	3	4	7
35-49	3832	2.0	3	<1	<1	2	2	3	4	7
50-64	48	1.7	1	<1	<1	2	2	3	5	6
65+	16	1.8		<1	<1	2	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	253	1.4	1	<1	<1	1	1	2	4	7
35-49	82	1.5	1	<1	<1	1	2	2	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	86	3.0	4	<1	1	2	4	6	8	9
20-34	5919	2.5	7	<1	1	2	3	5	6	9
35-49	2664	2.4	7	<1	1	2	3	5	6	9
50-64	16	2.4	7	<1	1	2	2	4	10	12
65+	10	3.0	10	1	1	2	3	8	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	1.6	2	<1	<1	1	2	2	3	11
B. *Operated*	14778	2.0	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	339	1.4	1	<1	<1	1	1	2	4	7
B. *Operated*	8695	2.5	7	<1	1	2	3	5	6	9
1. SINGLE DX	14943	1.9	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX	9034	2.4	7	<1	1	2	3	5	6	9
A. NOT OPERATED	504	1.5	2	<1	<1	1	2	2	3	7
B. OPERATED	23473	2.1	5	<1	<1	2	2	4	5	8
TOTAL 0-19 YRS	207	2.5	3	<1	<1	2	3	4	6	9
20-34	17066	2.1	5	<1	<1	2	2	4	5	8
35-49	6613	2.1	5	<1	<1	2	2	4	5	8
50-64	65	1.9	2	<1	<1	2	2	3	4	11
65+	26	2.2	4	<1	<1	2	2	3	5	12
GRAND TOTAL	**23977**	**2.1**	**5**	**<1**	**<1**	**2**	**2**	**4**	**5**	**8**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	81	4.3	50	<1	2	3	4	6	8	48
1000-1499	44	11.2	189	<1	1	4	18	37	45	99+
1500-1749	59	12.9	118	<1	1	12	22	27	33	35
1750-2499	4627	3.9	8	2	2	3	4	6	9	17
2500+	199868	3.2	2	2	2	3	4	5	6	8
B. *Operated*										
1-999 G	1	1.0		<1	<1	<1	<1	<1	<1	<1
1000-1499										
1500-1749										
1750-2499	10	8.9	53	4	4	6	8	21	28	28
2500+	125	3.6	3	1	2	3	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	158	25.6	1081	<1	<1	5	61	79	94	99+
1000-1499	612	31.6	387	<1	<1	34	44	55	62	83
1500-1749	795	21.9	118	<1	3	23	29	35	38	47
1750-2499	8754	8.0	41	2	2	6	11	17	20	28
2500+	58764	4.2	5	2	2	4	5	7	8	12
B. *Operated*										
1-999 G	60	54.2	1000	<1	3	69	92	99+	99+	99+
1000-1499	244	47.1	334	17	28	47	61	78	95	99+
1500-1749	151	33.4	231	7	19	31	39	52	59	85
1750-2499	481	17.2	126	4	6	16	22	29	36	91
2500+	1320	8.2	74	2	3	6	9	15	21	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204679	3.2	2	2	2	3	4	5	6	8
B. *Operated*	136	4.0	8	1	2	3	5	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	69083	5.2	29	2	2	4	6	8	13	30
B. *Operated*	2256	17.2	346	2	3	9	24	48	64	99+
1. SINGLE DX	204815	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX	71339	5.6	44	2	2	4	6	9	15	38
A. NOT OPERATED	273762	3.7	10	2	2	3	4	6	7	15
B. OPERATED	2392	16.5	336	2	3	9	22	47	63	99+
TOTAL 1-999 G	300	25.5	1068	<1	<1	6	67	91	99+	99+
1000-1499	900	34.8	438	<1	<1	37	50	62	71	99+
1500-1749	1005	23.1	158	<1	3	23	30	37	42	58
1750-2499	13872	7.0	40	2	2	5	9	16	20	29
2500+	260077	3.4	3	2	2	3	4	5	6	9
GRAND TOTAL	**276154**	**3.8**	**14**	**2**	**2**	**3**	**4**	**6**	**7**	**18**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	6	26.8	435	<1	<1	35	37	50	51	51
1500-1749	20	17.7	65	3	7	17	22	25	32	39
1750-2499	588	5.3	12	2	2	4	6	9	12	21
2500+	1633	4.4	4	2	2	4	5	7	8	11
B. *Operated*										
1-999 G	1	1.0		<1	<1	<1	<1	<1	<1	<1
1000-1499	1	1.0		<1	<1	<1	<1	<1	<1	<1
1500-1749	1	21.0		21	21	21	21	21	21	21
1750-2499	2	17.0	32	13	13	17	21	21	21	21
2500+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	15	3.6	45	<1	<1	<1	4	24	78	99+
1000-1499	104	32.4	431	<1	<1	34	46	62	68	79
1500-1749	153	23.0	106	4	12	23	29	34	37	62
1750-2499	1111	10.0	43	3	3	8	14	19	22	29
2500+	668	5.5	7	2	3	5	7	9	11	15
B. *Operated*										
1-999 G	12	51.2	1114	<1	<1	65	89	99+	99+	99+
1000-1499	43	46.6	493	<1	13	50	63	77	85	99+
1500-1749	33	26.7	209	<1	<1	29	33	39	48	66
1750-2499	58	19.3	217	4	6	18	22	30	71	98
2500+	23	9.3	72	2	3	6	14	15	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2247	4.8	11	2	2	4	6	7	9	20
B. *Operated*	6	10.2	90	<1	<1	8	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	2051	10.6	100	2	3	7	14	22	29	51
B. *Operated*	169	28.6	520	<1	3	23	45	66	79	99+
1. SINGLE DX	2253	4.8	11	2	2	4	6	7	9	20
2. MULTIPLE DX	2220	11.9	155	2	3	7	15	26	36	68
A. NOT OPERATED	4298	7.6	62	2	3	5	8	16	22	42
B. OPERATED	175	27.9	516	<1	3	22	44	66	79	99+
TOTAL 1-999 G	28	23.9	1056	<1	<1	1	66	93	99+	99+
1000-1499	154	35.9	491	<1	<1	36	51	66	71	85
1500-1749	207	23.1	122	<1	10	23	29	34	39	64
1750-2499	1759	8.7	47	2	3	6	12	18	21	28
2500+	2325	4.8	6	2	3	4	6	7	9	14
GRAND TOTAL	**4473**	**8.4**	**95**	**2**	**3**	**5**	**8**	**18**	**27**	**59**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	1	2.0		2	2	2	2	2	2	2
1000-1499	2	28.0	2	27	27	28	29	29	29	29
1500-1749	3	15.3	116	3	3	20	22	23	23	23
1750-2499	38	4.6	18	2	2	3	5	10	14	21
2500+	526	2.7	2	1	1	3	3	4	5	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	3	3.3	16	<1	<1	<1	6	8	8	8
1000-1499	10	25.7	353	<1	<1	27	45	48	49	49
1500-1749	23	24.2	180	<1	2	24	33	41	48	53
1750-2499	109	10.2	64	2	2	9	16	21	24	39
2500+	179	4.3	10	1	2	3	5	8	11	18
B. *Operated*										
1-999 G										
1000-1499	7	35.7	681	1	1	41	49	68	72	72
1500-1749	2	23.5	1	23	23	23	24	24	24	24
1750-2499	11	17.2	161	5	5	13	22	34	49	50
2500+	13	8.8	69	1	2	6	11	19	30	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	570	3.0	6	1	1	3	3	4	5	14
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	324	8.4	87	1	2	4	11	21	28	46
B. *Operated*	33	18.2	309	1	2	11	24	46	51	72
1. SINGLE DX	571	3.0	6	1	1	3	3	4	5	14
2. MULTIPLE DX	357	9.3	115	1	2	5	12	23	34	50
A. NOT OPERATED	894	4.9	42	1	2	3	4	11	19	37
B. OPERATED	34	17.7	308	1	2	11	24	45	51	72
TOTAL 1-999 G	4	3.0	11	<1	<1	1	5	8	8	8
1000-1499	19	29.6	427	<1	<1	29	45	50	63	72
1500-1749	28	23.2	163	<1	3	23	29	39	47	53
1750-2499	158	9.3	69	2	2	6	13	21	23	40
2500+	719	3.2	6	1	1	3	4	5	7	13
GRAND TOTAL	**928**	**5.4**	**57**	**1**	**2**	**3**	**5**	**13**	**21**	**42**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.4	4	1	1	2	3	4	8	9
20-34	42	2.4	2	<1	1	2	3	4	5	6
35-49	21	2.6	1	1	1	2	3	4	5	6
50-64	15	4.9	46	<1	2	3	4	11	24	28
65+	4	8.3	32	2	2	8	13	14	14	14
B. *Operated*										
0-19 YRS	801	2.8	22	<1	1	2	3	4	5	11
20-34	1050	2.8	5	1	1	2	3	5	6	12
35-49	542	3.2	8	1	1	2	4	6	8	22
50-64	411	3.9	12	1	1	3	5	8	10	18
65+	308	5.8	47	1	2	4	7	13	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	16	1	1	1	4	10	10	10
20-34	16	2.2	2	<1	<1	2	3	5	5	5
35-49	13	4.1	37	<1	<1	1	5	10	21	23
50-64	7	6.0	37	1	1	4	10	16	17	17
65+	7	3.0	5	1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	135	4.1	14	1	1	3	4	8	12	21
20-34	193	4.9	44	1	2	3	5	8	12	28
35-49	127	4.8	29	1	2	3	5	9	12	25
50-64	153	6.2	51	1	2	4	7	15	17	44
65+	170	11.0	102	2	3	8	14	24	37	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	3.0	10	1	1	2	3	4	8	20
B. *Operated*	3112	3.3	16	1	1	2	4	6	8	17
2. MULTIPLE DX										
A. *Not Operated*	48	3.5	18	<1	<1	2	4	7	12	23
B. *Operated*	778	6.3	57	1	2	4	7	14	19	45
1. SINGLE DX	3222	3.3	16	1	1	2	4	6	8	17
2. MULTIPLE DX	826	6.2	55	1	2	4	7	14	19	44
A. NOT OPERATED	158	3.1	13	<1	1	2	4	5	10	23
B. OPERATED	3890	3.9	26	1	1	3	4	7	11	24
TOTAL 0-19 YRS	969	3.0	21	<1	1	2	3	5	6	15
20-34	1301	3.1	11	1	1	2	4	5	7	14
35-49	703	3.5	13	1	1	2	4	6	9	22
50-64	586	4.6	24	1	1	3	5	10	14	23
65+	489	7.6	72	1	2	5	10	16	23	45
GRAND TOTAL	**4048**	**3.9**	**25**	**1**	**1**	**3**	**4**	**7**	**11**	**24**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	2.3	1	1	1	2	3	4	4	4
35-49	31	1.9	2	<1	<1	2	2	3	6	6
50-64	56	1.9	2	1	1	2	2	2	6	9
65+	30	1.8	9	1	1	1	2	2	4	17
B. *Operated*										
0-19 YRS										
20-34	3	2.0	1	<1	<1	2	3	3	3	3
35-49										
50-64	8	1.9	2	1	1	1	2	4	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	1.7	1	1	1	1	2	3	5	5
20-34	55	1.9	8	<1	<1	1	2	3	5	17
35-49	39	1.7	1	1	1	2	2	2	2	8
50-64	255	1.7	4	1	1	1	2	2	3	7
65+	104	2.0	4	1	1	2	2	3	4	13
B. *Operated*										
0-19 YRS	4	4.0	2	2	2	4	5	5	5	5
20-34	3	2.3	2	<1	<1	2	3	4	4	4
35-49	7	3.4	10	<1	<1	2	4	9	10	10
50-64	19	6.2	50	<1	<1	3	9	22	62	99+
65+	10	5.0	14	<1	<1	4	8	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	1.9	4	1	1	1	2	3	5	11
B. *Operated*	11	1.9	2	<1	<1	1	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	468	1.8	4	1	1	1	2	2	3	10
B. *Operated*	43	5.0	28	<1	<1	4	7	12	21	99+
1. SINGLE DX	135	1.9	3	1	1	1	2	3	5	10
2. MULTIPLE DX	511	2.1	7	<1	1	1	2	3	5	18
A. NOT OPERATED	592	1.8	4	1	1	1	2	2	4	10
B. OPERATED	54	4.4	24	<1	<1	3	5	11	19	96
TOTAL 0-19 YRS	19	2.2	2	1	1	2	3	5	5	5
20-34	68	2.0	7	<1	<1	1	2	3	4	17
35-49	77	1.9	2	<1	1	2	2	3	5	9
50-64	338	2.0	7	1	1	1	2	3	5	20
65+	144	2.2	6	1	1	2	2	4	7	17
GRAND TOTAL	**646**	**2.0**	**6**	**<1**	**1**	**1**	**2**	**3**	**5**	**17**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1574	2.5	12	<1	<1	2	3	5	7	16
20-34	2385	2.4	13	<1	<1	1	3	4	6	17
35-49	855	3.1	18	<1	<1	2	4	6	10	19
50-64	1066	3.4	27	1	1	2	4	7	11	33
65+	925	4.8	53	1	1	3	5	13	22	99+
B. *Operated*										
0-19 YRS	948	2.8	12	<1	<1	2	3	6	10	18
20-34	3830	2.9	9	<1	<1	2	3	6	8	14
35-49	1668	3.5	14	<1	1	2	4	8	11	17
50-64	1150	4.4	24	1	1	2	6	11	13	21
65+	1196	4.9	30	1	1	3	6	11	15	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	962	4.3	33	<1	1	2	5	9	15	30
20-34	1899	4.1	46	<1	1	2	4	7	11	37
35-49	1409	5.1	52	1	1	3	5	11	18	37
50-64	2803	5.4	69	1	1	3	5	11	19	53
65+	3241	8.0	118	1	1	4	9	20	32	99
B. *Operated*										
0-19 YRS	442	5.0	64	1	1	3	4	11	24	99+
20-34	3295	3.7	34	<1	1	2	4	7	10	35
35-49	1953	4.7	45	<1	1	3	5	10	15	47
50-64	1861	6.3	65	1	1	3	8	14	20	55
65+	2131	7.3	92	1	1	4	9	16	25	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6805	3.0	22	<1	<1	2	3	6	10	31
B. *Operated*	8792	3.5	15	<1	1	2	4	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	10314	5.8	77	1	1	3	6	13	22	60
B. *Operated*	9682	5.3	59	1	1	3	6	12	17	52
1. SINGLE DX	15597	3.3	18	<1	<1	2	3	7	11	22
2. MULTIPLE DX	19996	5.6	68	1	1	3	6	12	20	55
A. NOT OPERATED	17119	4.7	57	<1	1	2	5	10	18	54
B. OPERATED	18474	4.4	39	<1	1	2	5	10	14	36
TOTAL 0-19 YRS	3926	3.3	24	<1	<1	2	3	7	11	28
20-34	11409	3.2	24	<1	<1	2	3	6	9	23
35-49	5885	4.2	34	<1	1	2	5	9	13	33
50-64	6880	5.2	55	1	1	3	6	11	17	46
65+	7493	6.9	90	1	1	4	8	17	26	85
GRAND TOTAL	**35593**	**4.5**	**48**	**<1**	**1**	**2**	**5**	**10**	**16**	**44**

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
54 Benign neoplasm of skin, blood vessels, and miscellaneous sites	12,500	12.9	46	6.5
55 Benign neoplasm of breast	16,452	17.0	43	6.0
56 Uterine leiomyoma	60,817	62.9	443	62.3
57 Benign neoplasm of uterus, except leiomyoma	1,901	2.0	10	1.5
58 Benign neoplasm of ovary	9,110	9.4	71	9.9
59 Benign neoplasm of female genitalia, except uterus and ovary	905	0.9	4	0.6
60 Benign neoplasm of male genital organ	637	0.7	3	0.4
61 Benign neoplasm of urinary organ	1,506	1.6	7	1.0
62 Benign neoplasm of eye	466	0.5	1	0.2
63 Benign neoplasm of central nervous system	3,225	3.3	55	7.7
64 Benign neoplasm of thyroid glands	7,852	8.1	41	5.7
65 Benign neoplasm of endocrine glands, except thyroid	2,130	2.2	23	3.3
66 Carcinoma in situ of cervix	13,481	14.0	73	10.3
67 Carcinoma in situ, except cervix uteri	4,580	4.7	34	4.8
68 Neoplasms of uncertain behavior and unspecified nature	21,274	22.0	160	22.4
69 Simple and non-toxic nodular goiter	8,994	9.3	51	7.2
70 Other diseases of thyroid gland	15,530	16.1	120	16.8
71 Diabetes mellitus without complication	80,254	83.1	733	103.1
72 Diabetic acidosis or coma	18,113	18.7	153	21.5
73 Other complicated diabetes mellitus	47,044	48.7	543	76.3
74 Ovarian dysfunction	3,696	3.8	17	2.4

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
75 Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	18,047	18.7	132	18.5
76 Nutritional deficiencies	3,341	3.5	44	6.2
77 Cystic fibrosis	1,248	1.3	13	1.9
78 Obesity of nonendocrine origin	8,527	8.8	81	11.4
79 Miscellaneous metabolic disorders	10,153	10.5	76	10.7
80 Gout	4,619	4.8	35	5.0
81 Disorders of fluid, electrolyte, and acid-base balance	27,186	28.1	249	35.0
82 Iron deficiency anemia	15,239	15.8	128	18.0
83 Sickle-cell anemia and trait	6,949	7.2	50	7.0
84 Anemia except iron deficiency and sickle-cell	26,356	27.3	219	30.8
85 Hemophilia (congenital factor VIII disorder)	754	0.8	5	0.7
86 Disease of hematopoietic system, except anemia and hemophilia	13,111	13.6	112	15.8
87 Nonspecific mesenteric lymphadenitis	12,221	12.6	41	5.8
88 Lymphatic disease, except acute lyphadenitis and mesenteric adenitis	4,263	4.4	20	2.8
89 Transient organic psychotic conditions	1,564	1.6	20	2.8
90 Chronic organic brain syndrome, except arteriosclerotic dementia	24,192	25.0	302	42.5
91 Arteriosclerotic dementia	2,283	2.4	32	4.5
92 Alcoholic psychoses	10,957	11.3	89	12.6
93 Drug psychoses	2,243	2.3	21	2.9
94 Paranoid schizophrenia	17,159	17.8	275	38.6
95 Acute schizophrenic episode	1,556	1.6	24	3.4
96 Miscellaneous schizophrenia	32,228	33.4	537	75.5

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
97	Childhood psychosis	132	0.1	3	0.4
98	Major depressive psychoses	19,908	20.6	339	47.7
99	Other affective psychoses	13,937	14.4	235	33.0
100	Miscellaneous psychoses	15,142	15.7	229	32.2
101	Anxiety states	20,037	20.7	135	19.0
102	Neurotic depression	55,160	57.1	723	101.6
103	Miscellaneous neuroses and personality disorders	19,020	19.7	196	27.5
104	Alcoholic dependence syndrome	74,022	76.6	841	118.2
105	Opioid dependence	3,067	3.2	39	5.5
106	Drug dependence except opioid	2,943	3.0	46	6.4
107	Nondependent abuse of alcohol	6,255	6.5	24	3.4
108	Nondependent abuse of drugs, except alcohol	2,055	2.1	18	2.6
109	Psychophysiologic disorder	9,037	9.4	52	7.4
110	Adjustment reactions and acute reactions to stress	17,203	17.8	152	21.4
111	Miscellaneous mental disorders	29,450	30.5	302	42.5
112	Mental retardation	1,484	1.5	17	2.3
113	Inflammatory diseases of central nervous system	7,572	7.8	101	14.1
114	Parkinson's disease	7,479	7.7	96	13.5
115	Multiple sclerosis	6,590	6.8	79	11.1
116	Epilepsy	18,925	19.6	114	16.1
117	Miscellaneous disease of central nervous system	38,235	39.6	410	57.7
118	Migraine	14,859	15.4	74	10.4
119	Carpal tunnel syndrome and other lesions of median nerve	29,398	30.4	93	13.1
120	Peripheral nervous system disorder, except sciatica	40,295	41.7	273	38.4
121	Retinal detachment and defects	11,462	11.9	66	9.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
122	Open angle and primary closure glaucoma	7,001	7.2	31	4.3
123	Other glaucoma	3,460	3.6	17	2.3
124	Senile cataract	133,514	138.2	506	71.1
125	Cataract, except senile	5,170	5.4	18	2.5
126	Strabismus	19,678	20.4	43	6.1
127	Miscellaneous disorders of superficial structures of eye	25,495	26.4	81	11.5
128	Miscellaneous disorders of deep structures of eye	16,124	16.7	79	11.1
129	Other disorders of eye	2,850	2.9	13	1.9
130	Otitis media, chronic and unspecified	64,951	67.2	145	20.4
131	Other inflammation of ear and mastoid	12,082	12.5	38	5.4
132	Vertiginous syndromes	19,199	19.9	103	14.5
133	Otosclerosis	7,447	7.7	21	2.9
134	Miscellaneous diseases of ear	19,521	20.2	53	7.5
135	Rheumatic fever, acute	2,345	2.4	22	3.1
136	Chronic rheumatic heart disease	12,895	13.3	125	17.6
137	Essential hypertension	58,878	60.9	418	58.8
138	Hypertensive heart disease	31,356	32.5	306	43.0
139	Miscellaneous hypertensive disease	6,771	7.0	70	9.9
140	Acute myocardial infarction	119,295	123.5	1,770	248.8
141	Angina pectoris	77,141	79.8	515	72.4
142	Other acute and subacute forms of ischemic heart disease	49,591	51.3	420	59.1
143	Miscellaneous ischemic heart disease	149,929	155.2	1,303	183.2
144	Pulmonary embolism and infarction	18,875	19.5	257	36.1
145	Acute and subacute endocarditis	1,553	1.6	48	6.7

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
146	Paroxysmal supraventricular tachycardia	9,878	10.2	50	7.1
147	Atrial fibrillation and flutter	33,541	34.7	243	34.2
148	Other arrhythmia and conduction disorders	59,826	61.9	498	70.0
149	Heart failure	133,282	137.9	1,478	207.8
150	Miscellaneous diseases of heart	42,868	44.4	386	54.3
151	Cardiovascular disease, unspecified	17,597	18.2	177	24.9
152	Subarachnoid hemorrhage without paralysis	2,085	2.2	47	6.6
153	Subarachnoid hemorrhage with paralysis	129	0.1	5	0.7
154	Intracerebral hemorrhage without paralysis	3,804	3.9	71	10.0
155	Intracerebral hemorrhage with paralysis	718	0.7	21	2.9
156	Precerebral artery occlusion without paralysis	17,130	17.7	169	23.8
157	Precerebral occlusion with paralysis	830	0.9	15	2.2
158	Occlusion of cerebral arteries, thrombosis and embolism without paralysis	17,525	18.1	258	36.2
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	6,471	6.7	133	18.7
160	Transient cerebral ischemia without paralysis	50,705	52.5	389	54.6
161	Acute, but ill-defined, cerebrovascular disease without paralysis	40,539	42.0	611	85.9
162	Acute, but ill-defined, cerebrovascular disease with paralysis	13,260	13.7	267	37.5

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
163	Other and ill-defined cerebrovascular disease	35,480	36.7	380	53.4
164	Atherosclerosis	20,362	21.1	265	37.3
165	Aortic aneurysm	10,542	10.9	152	21.3
166	Aneurysm except aortic	2,596	2.7	35	5.0
167	Arterial embolism and thrombosis	18,242	18.9	242	34.0
168	Miscellaneous diseases of arteries	20,155	20.9	241	33.9
169	Phlebitis and thrombophlebitis	48,488	50.2	512	72.0
170	Varicose veins of lower extremities	27,241	28.2	231	32.5
171	Hemorrhoids	54,894	56.8	328	46.2
172	Miscellaneous diseases of veins and circulatory system	26,155	27.1	225	31.7
173	Acute URI except streptococcal	83,925	86.9	327	46.0
174	Bronchitis and bronchiolitis, acute	79,430	82.2	482	67.7
175	Deviated nasal septum	41,665	43.1	118	16.6
176	Nasal polyp	6,660	6.9	19	2.7
177	Chronic disease of tonsils and adenoids	185,695	192.2	360	50.6
178	Miscellaneous diseases of upper respiratory system	45,146	46.7	160	22.5
179	Pneumonia	196,466	203.3	1,627	228.8
180	Influenza	12,797	13.2	66	9.2
181	Bronchitis, chronic and unspecified	49,239	51.0	339	47.7
182	Emphysema	15,061	15.6	152	21.4
183	Asthma	98,950	102.4	597	84.0
184	Miscellaneous obstructive lung diseases	67,026	69.4	669	94.1
185	Spontaneous pneumothorax	10,306	10.7	86	12.1
186	Miscellaneous lung and pleural diseases	53,800	55.7	512	72.0

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
187	Disease of teeth and jaws	73,154	75.7	181	25.4
188	Disease of mouth, except dental	10,919	11.3	50	7.0
189	Diseases of esophagus	36,229	37.5	255	35.9
190	Gastric ulcer without complication	19,941	20.6	172	24.1
191	Gastric ulcer with hemorrhage or perforation	11,800	12.2	128	18.0
192	Nongastric peptic ulcer without complication	42.538	44.0	302	42.5
193	Nongastric peptic ulcer with hemorrhage or perforation	24,704	25.6	234	32.9
194	Peptic ulcer with obstruction	4,138	4.3	61	8.6
195	Gastritis and duodenitis	83,397	86.3	495	69.7
196	Disease of stomach and duodenum, except ulcer and inflammation	22,426	23.2	156	21.9
197	Acute appendicitis without peritonitis	54,359	56.3	253	35.6
198	Acute appendicitis with peritonitis	19,100	19.8	190	26.7
199	Disease of appendix, except acute appendicitis	10,922	11.3	57	8.0
200	Inguinal hernia without complication	153,037	158.4	730	102.6
201	Inguinal hernia, complicated	9,473	9.8	63	8.8
202	Umbilical hernia without complication	12,340	12.8	53	7.4
203	Ventral hernia without complication	22,390	23.2	167	23.4
204	Diaphragmatic hernia without complication	36.418	37.7	250	35.1
205	Other hernia of abdominal cavity without complication	4,727	4.9	31	4.3
206	Complicated hernia of abdominal cavity, except inguinal	10,926	11.3	102	14.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
207	Intestinal obstruction without mention of hernia	39,533	40.9	448	63.1
208	Noninfectious gastroenteritis and colitis	143,510	148.5	695	97.7
209	Diverticula of intestine	63,333	65.5	562	79.0
210	Anal fissure, fistula, and abscess	32,891	34.0	167	23.5
211	Miscellaneous diseases of intestine and peritoneum	113,749	117.7	898	126.2
212	Alcoholic liver disease	14,279	14.8	192	27.1
213	Other cirrhosis and chronic liver disease	14,018	14.5	153	21.5
214	Miscellaneous diseases of liver	11,592	12.0	122	17.1
215	Gallbladder disease with calculus	134,463	139.2	1,302	183.1
216	Gallbladder disease without mention of calculus	40,982	42.4	370	52.0
217	Diseases of bile ducts with calculus	10,263	10.6	127	17.9
218	Diseases of bile ducts without mention of calculus	6,194	6.4	80	11.3
219	Diseases of pancreas	34,416	35.6	355	49.9
220	Gastrointestinal hemorrhage	35,900	37.2	302	42.4
221	Intestinal malabsorption	3,103	3.2	32	4.5
222	Chronic glomerulonephritis and nephrotic syndrome	5,817	6.0	54	7.6
223	Miscellaneous nephritis and functional disorders	1,384	1.4	11	1.6
224	Chronic renal failure	13,269	13.7	140	19.7
225	Other renal failure	5,375	5.6	75	10.6
226	Acute pyelonephritis	15,135	15.7	104	14.7
227	Miscellaneous kidney infections	18,290	18.9	136	19.1
228	Calculus of kidney	26,594	27.5	182	25.5
229	Calculus of ureter	69,126	71.5	345	48.5
230	Miscellaneous diseases of kidney and ureter	22,342	23.1	185	26.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
231	Urinary calculus, except kidney and ureter	8,933	9.2	55	7.8
232	Cystitis	38,879	40.2	205	28.8
233	Urethral stricture	35,333	36.6	143	20.1
234	Miscellaneous urinary diseases	105,221	108.9	667	93.7
235	Hyperplasia of prostate	88,976	92.1	791	111.2
236	Diseases of prostate, except hypertrophy	14,736	15.3	69	9.7
237	Hydrocele	10,165	10.5	41	5.8
238	Orchitis and epididymitis	9,645	10.0	58	8.1
239	Redundant prepuce and phimosis	19,255	19.9	47	6.6
240	Miscellaneous diseases of male genital organs	17,862	18.5	68	9.6
241	Benign mammary dysplasia	52,574	54.4	156	21.9
242	Miscellaneous diseases of breast	20,590	21.3	76	10.6
243	Ovarian cyst	37,240	38.5	216	30.4
244	Pelvic inflammatory disease	65,002	67.3	390	54.8
245	Endometriosis	40,030	41.4	260	36.6
246	Inflammatory disease of cervix uteri	16,220	16.8	70	9.8
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	18,771	19.4	66	9.3
248	Genital prolapse	58,313	60.4	486	68.3
249	Metrorrhagia	7,921	8.2	24	3.4
250	Other disorders of menstruation	128,423	132.9	439	61.7
251	Menopausal and postmenopausal disorders	25,363	26.3	76	10.7
252	Miscellaneous diseases of female genitalia	71,159	73.6	306	43.1
253	Signs and symptoms referable to female genital organs	48,838	50.5	265	37.3
254	Ectopic pregnancy	13,749	14.2	81	11.5
255	Legally induced abortion	48,424	50.1	78	11.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
256	Other induced abortion	91	0.1	<1	0.0
257	Spontaneous and unspecified abortion	83,445	86.4	153	21.5
258	Other pregnancy with abortive outcome	12,437	12.9	30	4.2
259	Threatened abortion	11,635	12.0	33	4.6
260	Other early pregnancy hemorrhage	890	0.9	2	0.3
261	Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	8,928	9.2	35	4.9
262	Excessive vomiting in pregnancy	9,025	9.3	36	5.1
263	False labor	52,644	54.5	69	9.7
264	Placenta previa without delivery	3,385	3.5	13	1.8
265	Other antepartum hemorrhage without delivery	4,733	4.9	12	1.7
266	Infections of pregnancy without delivery	8,022	8.3	29	4.1
267	Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	6,885	7.1	32	4.5
268	Miscellaneous complications of pregnancy without delivery	20,818	21.5	66	9.2
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	7,112	7.4	40	5.6
288	Major puerperal infections	1,766	1.8	8	1.2
289	Puerperal hemorrhage (after 24 hrs.)	4,678	4.8	11	1.5
290	Other puerperal complications	2,886	3.0	12	1.7

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
291	Cellulitis and abscess, except digit	49,264	51.0	416	58.5
292	Miscellaneous infections of skin and subcutaneous tissue	15,198	15.7	113	15.8
293	Pilonidal cyst	19,359	20.0	86	12.1
294	Sebaceous cyst	8,630	8.9	22	3.1
295	Miscellaneous diseases of skin and subcutaneous tissue	68,776	71.2	601	84.6
296	Diffuse diseases of connective tissue	6,707	6.9	79	11.0
297	Rheumatoid arthritis, except spine	22,277	23.1	256	36.0
298	Osteoarthrosis (osteoarthritis), except spine	48,590	50.3	611	85.9
299	Other arthropathies	15,245	15.8	147	20.7
300	Internal derangement of knee joint	46,879	48.5	227	31.9
301	Other disorders of joint	36,115	37.4	204	28.7
302	Ankylosing spondylitis	767	0.8	7	1.0
303	Spondylosis and allied disorders	31,466	32.6	294	41.3
304	Derangement and displacement of lumbar disc	98,806	102.3	1,041	146.4
305	Derangement and displacement of intervertebral disc, except lumbar	28,056	29.0	271	38.1
306	Sacroiliac joint disorder	13,734	14.2	119	16.7
307	Sciatica	7,643	7.9	73	10.3
308	Other dorsopathies	80,127	82.9	693	97.4
309	Bursitis and synovitis, except spine	41,188	42.6	188	26.5
310	Bunion and deformities of toe	38,223	39.6	184	25.9
311	Ganglion and cyst	24,035	24.9	65	9.1
312	Osteomyelitis	8,377	8.7	141	19.8
313	Localized disorders of bone and cartilage	50,025	51.8	449	63.1

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
314 Acquired deformities of limbs, except toe	8,620	8.9	45	6.3
315 Neuralgia, neuritis, and radiculitis, unspecified	3,966	4.1	34	4.8
316 Miscellaneous disorders of musculoskeletal system	53,969	55.9	323	45.4
317 Somatic dysfunction	1,650	1.7	13	1.8
318 Congenital anomaly of nervous system	2,128	2.2	20	2.8
319 Congenital anomaly of eye, ear, face, and neck	9,299	9.6	26	3.7
320 Congenital anomaly of heart and circulatory system	10,044	10.4	70	9.8
321 Cleft palate and lip	2,923	3.0	12	1.7
322 Congenital hypertrophic pyloric stenosis	2,140	2.2	10	1.4
323 Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	6,254	6.5	40	5.7
324 Undescended testicle	7,383	7.6	26	3.6
325 Miscellaneous congenital anomalies of genitourinary system	12,154	12.6	70	9.8
326 Clubfoot	3,936	4.1	19	2.6
327 Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	24,524	25.4	151	21.2
328 Perinatal conditions causing morbidity and mortality	11,266	11.7	75	10.5
329 Convulsions	44,153	45.7	240	33.7
330 Pyrexia of unknown origin	18,430	19.1	118	16.6
331 Headache	24,243	25.1	129	18.2
332 Epistaxis	13,169	13.6	65	9.2

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
333	Signs and symptoms referable to the cardiovascular system, except gangrene	9,957	10.3	51	7.1
334	Gangrene	8,776	9.1	190	26.7
335	Chest pain	82,485	85.4	392	55.1
336	Other signs and symptoms referable to respiratory system and chest	16,204	16.8	105	14.8
337	Signs and symptoms referable to urinary system	23,556	24.4	137	19.3
338	Abdominal pain	90,476	93.6	429	60.4
339	Other signs and symptoms referable to upper GI tract and abdomen	20,241	20.9	133	18.7
340	Miscellaneous signs, symptoms, and ill-defined conditions	111,329	115.2	717	100.8
341	Fracture of vault of skull	7,686	8.0	55	7.8
342	Fracture of base of skull	5,163	5.3	41	5.7
343	Fracture of face bones	32,005	33.1	138	19.5
344	Fracture of vertebral column without mention of spinal cord injury	28,543	29.5	315	44.3
345	Fracture of vertebral column with cord injury	1,808	1.9	38	5.3
346	Fracture of ribs, sternum, larynx and trachea	18,682	19.3	155	21.8
347	Fracture of pelvis	14,592	15.1	239	33.6
348	Fracture of humerus	24,980	25.9	208	29.3
349	Fracture of radius and ulna	38,411	39.8	168	23.7
350	Miscellaneous fractures of upper extremity	18,080	18.7	64	9.0
351	Fracture of neck of femur	64,926	67.2	1,320	185.6
352	Other femoral fracture	18,072	18.7	440	61.8
353	Fracture of tibia and fibula	29,683	30.7	284	39.9
354	Miscellaneous fractures of lower extremity	50,279	52.0	366	51.4
355	Fracture of other bones	6,154	6.4	39	5.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
356	Fracture of multiple bones	551	0.6	7	0.9
357	Dislocation of shoulder	7,163	7.4	29	4.1
358	Dislocation of knee	36,668	38.0	190	26.7
359	Other dislocation	9,705	10.0	72	10.1
360	Sprains and strains of knee and leg	11,291	11.7	61	8.6
361	Sprains and strains of sacroiliac region	47,938	49.6	384	54.0
362	Sprains and strains of other and unspecified parts of back	43,271	44.8	309	43.4
363	Other sprains and strains	16,347	16.9	77	10.9
364	Concussion	65,726	68.0	242	34.1
365	Intracranial injury, except concussion	21,788	22.6	174	24.5
366	Internal injury to thoracic region	5,701	5.9	51	7.2
367	Internal injury, except chest	13,906	14.4	133	18.7
368	Laceration or enucleation of eye	6,227	6.4	27	3.8
369	Other laceration of head and neck	24,345	25.2	106	14.9
370	Other laceration of trunk and multiple and unspecified sites	13,132	13.6	81	11.4
371	Open wound of upper limb	35,490	36.7	124	17.4
372	Open wound of lower limb	16,440	17.0	108	15.2
373	Injury to blood vessels	1,622	1.7	14	1.9
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	17,224	17.8	114	16.0
375	Contusion of eye and adnexa	5,678	5.9	26	3.6
376	Other superficial injuries	55,654	57.6	281	39.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
377	Miscellaneous crushing injury	4,231	4.4	29	4.1
378	Foreign body on external eye	420	0.4	1	0.2
379	Foreign body entering through other body orifice	10,444	10.8	32	4.5
380	Third degree burns	6,105	6.3	110	15.5
381	Other burns	15,932	16.5	143	20.1
382	Injury to nerve and spinal cord	5,731	5.9	34	4.8
383	Certain traumatic complications and unspecified injuries	14,565	15.1	91	12.8
384	Poisoning by drugs, medicinal, and biological substances	57,717	59.7	276	38.8
385	Toxic effects of substances chiefly nonmedicinal as to source	15,696	16.2	52	7.3
386	Miscellaneous adverse effects	15,811	16.4	93	13.0
387	Complications peculiar to certain specified procedures	37,690	39.0	339	47.7
388	Hemorrhage or hematoma complicating a procedure	14,091	14.6	56	7.9
389	Postoperative wound infection	10,950	11.3	107	15.1
390	Other complications of surgical procedures	14,627	15.1	128	18.0
391	Other complications of medical care, except drugs	1,126	1.2	7	0.9
392	Admission for prophylactic sterilization	79,132	81.9	168	23.6
396	Aftercare for removal of internal fixation device	18,475	19.1	69	9.7
397	Aftercare involving intermittent dialysis	4,087	4.2	8	1.1

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
398 Admission for special examinations and miscellaneous reasons	142,282	147.3	677	95.2
All patients except deliveries and newborn	9,662,039	10,000.0	71,123	10,000.0

For each of the four regions and for the United States as a whole, Tables 2 and 3 display frequency rankings of patients and total stay according to diagnosis group. The diagnosis groups are listed in their rank order for the U.S. as a whole. Delivery and newborn groups are excluded, as are deaths, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 2

Ranking of *ICD-9-CM* List A Diagnosis Groups by Live Discharges U.S. PAS Hospitals, 1979 (Deliveries and Births Excluded)

Diagnosis Group Number and Title (1)		All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
179	Pneumonia	196,466	1	1	1	1	2
177	Chronic disease of tonsils and adenoids	185,695	2	3	2	2	1
200	Inguinal hernia without complication	153,037	3	2	5	5	3
143	Miscellaneous ischemic heart disease	149,929	4	12	3	3	6
208	Noninfectious gastroenteritis and colitis	143,510	5	13	4	4	9
398	Admission for special examinations and miscellaneous reasons	142,282	6	5	7	11	4
215	Gallbladder disease with calculus	134,463	7	9	6	8	7
124	Senile cataract	133,514	8	6	11	10	5
149	Heart failure	133,282	9	4	8	14	10
250	Other disorders of menstruation	128,423	10	8	9	6	19
140	Acute myocardial infarction	119,295	11	7	13	13	11
211	Miscellaneous diseases of intestine and peritoneum	113,749	12	17	10	12	14
340	Miscellaneous signs, symptoms, and ill-defined conditions	111,329	13	21	12	9	12

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
234 Miscellaneous urinary diseases	105,221	14	22	14	7	21
183 Asthma	98,950	15	14	15	20	13
304 Derangement and displacement of lumbar disc	98,806	16	23	16	17	8
338 Abdominal pain	90,476	17	32	22	15	17
235 Hyperplasia of prostate	88,976	18	15	25	21	15
173 Acute URI except streptococcal	83,925	19	33	18	22	26
257 Spontaneous and unspecified abortion	83,445	20	18	20	28	27
195 Gastritis and duodenitis	83,397	21	37	17	19	40
335 Chest pain	82,485	22	40	27	16	18
071 Diabetes mellitus without complication	80,254	23	25	19	24	56
308 Other dorsopathies	80,127	24	39	24	26	16
174 Bronchitis and bronchiolitis, acute	79,430	25	35	21	25	30
392 Admission for prophylactic sterilization	79,132	26	24	26	23	35
141 Angina pectoris	77,141	27	29	28	27	20
104 Alcoholic dependence syndrome	74,022	28	16	23	51	34
187 Disease of teeth and jaws	73,154	29	10	30	31	92
252 Miscellaneous diseases of female genitalia	71,159	30	27	29	32	33
229 Calculus of ureter	69,126	31	43	44	18	38
295 Miscellaneous diseases of skin and subcutaneous tissue	68,776	32	30	31	33	37
184 Miscellaneous obstructive lung diseases	67,026	33	38	40	30	24
364 Concussion	65,726	34	19	34	63	28

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
244 Pelvic inflammatory disease	65,002	35	50	33	35	36
130 Otitis media, chronic and unspecified	64,951	36	42	43	29	32
351 Fracture of neck of femur	64,926	37	31	41	41	23
209 Diverticula of intestine	63,333	38	36	37	34	51
045 Malignant neoplasm of ill-defined and secondary sites	62,122	39	26	38	54	29
056 Uterine leiomyoma	60,817	40	28	52	38	44
148 Other arrhythmia and conduction disorders	59,826	41	34	45	44	39
137 Essential hypertension	58,878	42	58	32	37	91
248 Genital prolapse	58,313	43	60	47	36	43
384 Poisoning by drugs, medicinal, and biological substances	57,717	44	44	46	56	25
376 Other superficial injuries	55,654	45	62	39	49	45
102 Neurotic depression	55,160	46	79	36	42	64
171 Hemorrhoids	54,894	47	52	51	39	68
197 Acute appendicitis without peritonitis	54,359	48	53	53	55	31
316 Miscellaneous disorders of musculoskeletal system	53,969	49	63	42	53	47
186 Miscellaneous lung and pleural diseases	53,800	50	49	48	43	52
027 Malignant neoplasm of bronchus, lung, and trachea	53,623	51	46	59	45	49
263 False labor	52,644	52	61	35	78	58
241 Benign mammary dysplasia	52,574	53	55	60	40	69

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
160 Transient cerebral ischemia without paralysis	50,705	54	45	56	64	59
354 Miscellaneous fractures of lower extremity	50,279	55	59	55	67	42
313 Localized disorders of bone and cartilage	50,025	56	64	57	59	41
142 Other acute and subacute forms of ischemic heart disease	49,591	57	20	78	66	86
291 Cellulitis and abscess, except digit	49,264	58	47	62	62	60
181 Bronchitis, chronic and unspecified	49,239	59	87	54	46	81
253 Signs and symptoms referable to female genital organs	48,838	60	65	64	48	54
298 Osteoarthrosis (osteoarthritis), except spine	48,590	61	81	49	70	46
169 Phlebitis and thrombophlebitis	48,488	62	51	61	57	75
255 Legally induced abortion	48,424	63	11	96	96	79
361 Sprains and strains of sacroiliac region	47,938	64	83	50	52	80
073 Other complicated diabetes mellitus	47,044	65	56	48	83	89
300 Internal derangement of knee joint	46,879	66	66	65	90	22
032 Malignant neoplasm of breast (female) (male)	45,939	67	48	71	72	61

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
178 Miscellaneous diseases of upper respiratory system	45,146	68	57	73	61	70
329 Convulsions	44,153	69	54	70	68	83
001 Intestinal infectious disease	44,002	70	77	76	58	57
362 Sprains and strains of other and unspecified parts of back	43,271	71	90	68	60	74
150 Miscellaneous diseases of heart	42,868	72	76	69	71	63
192 Nongastric peptic ulcer without complication	42,538	73	108	67	47	107
175 Deviated nasal septum	41,665	74	41	84	93	67
309 Bursitis and synovitis, except spine	41,188	75	71	75	80	66
216 Gallbladder disease without mention of calculus	40,982	76	85	72	65	96
161 Acute, but ill-defined, cerebrovascular disease without paralysis	40,539	77	73	82	69	77
120 Peripheral nervous system disorder, except sciatica	40,295	78	101	74	77	62
245 Endometriosis	40,030	79	96	79	73	65
207 Intestinal obstruction without mention of hernia	39,533	80	67	85	84	55
232 Cystitis	38,879	81	97	66	76	131
349 Fracture of radius and ulna	38,411	82	84	77	100	72
117 Miscellaneous disease of central nervous system	38,235	83	75	80	88	76
310 Bunion and deformities of toe	38,223	84	93	63	123	71

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
387 Complications peculiar to certain specified procedures	37,690	85	70	97	95	48
243 Ovarian cyst	37,240	86	80	87	82	85
358 Dislocation of knee	36,668	87	105	90	92	53
204 Diaphragmatic hernia without complication	36,418	88	122	89	50	127
189 Diseases of esophagus	36,229	89	102	88	74	98
301 Other disorders of joint	36,115	90	104	86	104	50
220 Gastrointestinal hemorrhage	35,900	91	68	98	87	84
371 Open wound of upper limb	35,490	92	94	92	98	73
163 Other and ill-defined cerebrovascular disease	35,480	93	98	83	81	104
233 Urethral stricture	35,333	94	114	81	75	114
037 Malignant neoplasm of prostate	34,890	95	91	99	85	78
219 Diseases of pancreas	34,416	96	86	94	86	97
147 Atrial fibrillation and flutter	33,541	97	82	103	99	82
210 Anal fissure, fistula, abscess	32,891	98	89	102	89	99
096 Miscellaneous schizophrenia	32,228	99	78	100	113	87
343 Fracture of face bones	32,005	100	92	104	103	88
303 Spondylosis and allied disorders	31,466	101	129	91	97	102
138 Hypertensive heart disease	31,356	102	103	101	79	136
023 Malignant neoplasm of colon	31,020	103	69	106	106	101
039 Malignant neoplasm of bladder	29,683	104	72	107	128	100

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
353 Fracture of tibia and fibula	29,683	105	106	105	110	90
111 Miscellaneous mental disorders	29,450	106	140	95	94	118
119 Carpal tunnel syndrome and other lesions of median nerve	29,398	107	119	93	136	94
344 Fracture of vertebral column without mention of spinal cord injury	28,543	108	113	108	111	93
305 Derangement and displacement of intervertebral disc, except lumbar	28,056	109	125	111	105	95
053 Benign neoplasm of bone, muscle, and connective tissue	27,300	110	100	113	107	121
170 Varicose veins of lower extremities	27,241	111	95	109	127	120
081 Disorders of fluid, electrolyte, and acid-base balance	27,186	112	115	110	109	103
228 Calculus of kidney	26,594	113	118	112	101	147
084 Anemia except iron deficiency and sickle-cell	26,356	114	99	117	115	125
172 Miscellaneous diseases of veins and circulatory system	26,155	115	112	115	118	110
127 Miscellaneous disorders of superficial structures of eye	25,495	116	74	140	125	116

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
251 Menopausal and postmenopausal disorders	25,363	117	88	129	119	154
348 Fracture of humerus	24,980	118	123	114	133	106
193 Nongastric peptic ulcer with hemorrhage or perforation	24,704	119	117	127	124	108
012 Miscellaneous viral diseases	24,590	120	109	130	116	119
327 Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	24,524	121	124	120	132	105
369 Other laceration of head and neck	24,345	122	133	118	130	112
331 Headache	24,243	123	227	116	91	163
090 Chronic organic brain syndrome, except arterioslerotic dementia	24,192	124	120	128	117	122
311 Ganglion and cyst	24,035	125	132	121	112	153
337 Signs and symptoms referable to urinary system	23,556	126	107	126	122	185
196 Disease of stomach and duodenum, except ulcer and inflammation	22,426	127	220	122	102	177
203 Ventral hernia without complication	22,390	128	127	132	135	126
230 Miscellaneous diseases of kidney and ureter	22,342	129	136	133	121	141

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
297 Rheumatoid arthritis, except spine	22,277	130	151	125	131	130
365 Intracranial injury, except concussion	21,788	131	145	123	143	132
068 Neoplasms of uncertain behavior and unspecified nature	21,274	132	110	139	144	157
049 Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	21,089	133	126	137	145	144
268 Miscellaneous complications of preganancy without delivery	20,818	134	146	124	168	129
242 Miscellaneous diseases of breast	20,590	135	134	153	129	143
164 Atherosclerosis	20,362	136	168	134	142	124
339 Other signs and symptoms referable to upper GI tract and abdomen	20,241	137	177	145	120	148
168 Miscellaneous diseases of arteries	20,155	138	121	150	141	161
101 Anxiety states	20,037	139	192	119	139	194
190 Gastric ulcer without complication	19,941	140	174	136	126	187
098 Major depressive psychoses	19,908	141	130	131	174	155
126 Strabismus	19,678	142	135	143	146	149
134 Miscellaneous diseases of ear	19,521	143	162	151	140	128
293 Pilonidal cyst	19,359	144	111	147	159	195
239 Redundant prepuce and phimosis	19,255	145	137	160	114	250
132 Vertiginous syndromes	19,199	146	173	135	147	156

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
198 Acute appendicitis with peritonitis	19,100	147	142	155	164	117
103 Miscellaneous neuroses and personality disorders	19,020	148	164	138	163	140
116 Epilepsy	18,925	149	150	144	150	151
144 Pulmonary embolism and infarction	18,875	150	138	158	151	150
247 Inflammatory disease of vulva, vagina, and uterus, except cervix	18,771	151	141	141	149	188
346 Fracture of ribs, sternum, larynx and trachea	18,682	152	153	149	160	134
396 Aftercare for removal of internal fixation device	18,475	153	139	159	187	115
330 Pyrexia of unknown origin	18,430	154	161	168	134	158
227 Miscellaneous kidney infections	18,290	155	172	148	137	183
167 Arterial embolism and thrombosis	18,242	156	131	175	169	137
051 Benign neoplasm of other parts of digestive system	18,202	157	116	173	155	204
072 Diabetic acidosis or coma	18,113	158	154	161	158	145
350 Miscellaneous fractures of upper extremity	18,080	159	165	146	179	123
352 Other femoral fracture	18,072	160	158	164	156	142
075 Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	18,047	161	160	142	152	179

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
240 Miscellaneous diseases of male genital organs	17,862	162	163	157	148	175
151 Cardiovascular disease, unspecified	17,597	163	186	200	108	200
158 Occlusion of cerebral arteries, thrombosis and embolism without paralysis	17,525	164	144	171	162	160
024 Malignant neoplasm of rectum, rectosigmoid junction and anus	17,370	165	128	167	191	172
374 Late effects of injury, poisoning, non-medicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	17,224	166	219	154	165	135
110 Adjustment reactions and acute reactions to stress	17,203	167	188	156	180	133
094 Paranoid schizophrenia	17,159	168	149	186	196	109
156 Precerebral artery occlusion without paralysis	17,130	169	203	178	167	113
055 Benign neoplasm of breast	16,452	170	143	195	138	221
372 Open wound of lower limb	16,440	171	193	179	154	169
363 Other sprains and strains	16,347	172	195	163	194	138
246 Inflammatory disease of cervix uteri	16,220	173	176	152	170	215
336 Other signs and symptoms referable to respiratory system and chest	16,204	174	178	183	157	181

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
034 Malignant neoplasm of corpus uteri	16,148	175	148	172	202	159
128 Miscellaneous disorders of deep structures of eye	16,124	176	159	192	171	146
381 Other burns	15,932	177	185	166	175	189
386 Miscellaneous adverse effects	15,811	178	180	170	182	178
385 Toxic effects of substances chiefly nonmedicinal as to source	15,696	179	190	181	176	173
070 Other diseases of thyroid gland	15,530	180	194	169	161	216
299 Other arthropathies	15,245	181	213	184	178	166
082 Iron deficiency anemia	15,239	182	167	177	173	220
292 Miscellaneous infections of skin and subcutaneous tissue	15,198	183	156	188	184	191
100 Miscellaneous psychoses	15,142	184	184	187	185	176
226 Acute pyelonephritis	15,135	185	228	180	166	182
182 Emphysema	15,061	186	205	174	183	192
118 Migraine	14,859	187	247	165	172	203
236 Diseases of prostate, except hypertrophy	14,736	188	223	176	153	246
390 Other complications of surgical procedures	14,627	189	199	198	197	139
347 Fracture of pelvis	14,592	190	181	190	201	168
383 Certain traumatic complications and unspecified injuries	14,565	191	179	191	181	198
212 Alcoholic liver disease	14,279	192	147	208	214	152
388 Hemorrhage or hematoma complicating a procedure	14,091	193	218	194	192	170

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
213	Other cirrhosis and chronic liver disease	14,018	194	152	201	193	206
099	Other affective psychoses	13,937	195	201	185	217	174
367	Internal injury, except chest	13,906	196	191	204	195	164
254	Ectopic pregnancy	13,749	197	187	206	200	165
306	Sacroiliac joint disorder	13,734	198	241	162	220	197
066	Carcinoma in situ of cervix	13,481	199	208	202	188	199
224	Chronic renal failure	13,269	200	157	228	189	196
162	Acute, but ill-defined, cerebrovascular disease with paralysis	13,260	201	166	210	198	201
332	Epistaxis	13,169	202	204	196	205	202
370	Other laceration of trunk and multiple and unspecified sites	13,132	203	202	211	177	213
086	Disease of hematopoietic system, except anemia and hemophilia	13,111	204	183	199	210	205
136	Chronic rheumatic heart disease	12,895	205	175	205	226	180
180	Influenza	12,797	206	317	189	203	162
054	Benign neoplasm of skin, blood vessels, and miscellaneous sites	12,500	207	155	222	199	227
008	Viral diseases with exanthem	12,459	208	229	197	207	217
258	Other pregnancy with abortive outcome	12,437	209	209	203	208	209
202	Umbilical hernia without complication	12,340	210	217	207	190	232

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
087	Nonspecific mesenteric lymphadenitis	12,221	211	210	193	225	228
325	Miscellaneous congenital anomalies of genitourinary system	12,154	212	206	213	206	208
131	Other inflammation of ear and mastoid	12,082	213	169	217	204	236
191	Gastric ulcer with hemorrhage or perforation	11,800	214	215	214	227	190
031	Other malignant neoplasm of skin, excluding genital organs	11,635	215	171	252	186	238
259	Threatened abortion	11,635	216	230	182	239	267
214	Miscellaneous diseases of liver	11,592	217	212	218	212	210
121	Retinal detachment and defects	11,462	218	182	260	218	167
360	Sprains and strains of knee and leg	11,291	219	255	212	250	171
328	Perinatal conditions causing morbidity and mortality	11,266	220	266	247	253	111
033	Malignant neoplasm of cervix uteri excluding carcinoma in situ	11,000	221	231	220	209	239
092	Alcoholic psychoses	10,957	222	170	270	222	184
389	Postoperative wound infection	10,950	223	240	232	228	186
206	Complicated hernia of abdominal cavity, except inguinal	10,926	224	189	224	241	219

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
199	Disease of appendix, except acute appendicitis	10,922	225	256	209	216	225
188	Disease of mouth, except dental	10,919	226	222	226	213	223
019	Malignant neoplasm of lip, oral cavity, and pharynx	10,888	227	198	237	224	214
035	Malignant neoplasm of ovary	10,687	228	207	225	233	222
165	Aortic aneurysm	10,542	229	224	239	223	207
379	Foreign body entering through other body orifice	10,444	230	216	240	230	211
185	Spontaneous pneumothorax	10,306	231	225	238	215	235
217	Diseases of bile ducts with calculus	10,263	232	221	233	247	212
237	Hydrocele	10,165	233	226	227	238	234
079	Miscellaneous metabolic disorders	10,153	234	235	234	231	226
320	Congenital anomaly of heart and circulatory system	10,044	235	237	243	244	193
333	Signs and symptoms referable to the cardiovascular system, except gangrene	9,957	236	250	230	219	251
146	Paroxysmal supraventricular tachycardia	9,878	237	236	235	237	233
005	Septicemia	9,877	238	211	249	234	229
359	Other dislocation	9,705	239	246	236	245	218
238	Orchitis and epididymitis	9,645	240	253	223	229	261
009	Viral hepatitis	9,561	241	259	244	221	230

Table 2 (Continued)

		All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
201	Inguinal hernia, complicated	9,473	242	200	242	262	242
319	Congenital anomaly of eye, ear, face, and neck	9,299	243	239	250	249	224
011	Viral warts	9,242	244	238	229	243	288
058	Benign neoplasm of ovary	9,110	245	232	246	257	231
109	Psychophysiologic disorder	9,037	246	282	219	235	273
262	Excessive vomiting in pregnancy	9,025	247	271	231	251	247
069	Simple and non-toxic nodular goiter	8,994	248	276	251	211	271
231	Urinary calculus, except kidney and ureter	8,933	249	251	248	232	263
261	Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	8,928	250	260	241	236	258
010	Infectious mononucleosis	8,802	251	245	216	266	300
334	Gangrene	8,776	252	214	257	240	287
294	Sebaceous cyst	8,630	253	197	261	248	301
314	Acquired deformities of limbs, except toe	8,620	254	267	221	277	254
078	Obesity of nonendocrine origin	8,527	255	328	215	254	256
312	Osteomyelits	8,377	256	242	266	256	241
007	Poliomyelitis and other enteroviral diseases of central nervous system	8,048	257	265	273	252	237

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
266	Infections of pregnancy without delivery	8,022	258	275	253	246	274
249	Metrorrhagia	7,921	259	244	258	255	291
064	Benign neoplasm of thyroid glands	7,852	260	252	272	260	245
028	Other malignant neoplasm of respiratory system and thoracic cavity	7,712	261	233	277	259	269
341	Fracture of vault of skull	7,686	262	268	265	268	240
307	Sciatica	7,643	263	248	245	290	277
113	Inflammatory diseases of central nervous system	7,572	264	280	268	258	243
114	Parkinson's disease	7,479	265	257	255	273	282
133	Otosclerosis	7,447	266	262	274	265	248
021	Malignant neoplasm of stomach	7,393	267	234	279	278	252
324	Undescended testicle	7,383	268	254	269	272	259
040	Malignant neoplasm of kidney and other urinary organs	7,299	269	263	271	264	265
026	Malignant neoplasm of pancreas	7,278	270	258	282	270	249
043	Leukemia, except lymphoid	7,237	271	261	262	282	262
357	Dislocation of shoulder	7,163	272	293	259	279	244
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	7,112	273	270	264	275	270
122	Open angle and primary closure glaucoma	7,001	274	243	290	263	264

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
083 Sickle-cell anemia and trait	6,949	275	278	267	242	336
267 Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	6,885	276	274	256	274	314
139 Miscellaneous hypertensive disease	6,771	277	285	275	261	286
296 Diffuse diseases of connective tissue	6,707	278	279	281	271	272
176 Nasal polyp	6,660	279	249	276	299	276
115 Multiple sclerosis	6,590	280	272	254	314	283
159 Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	6,471	281	264	283	288	281
107 Nondependent abuse of alcohol	6,255	282	288	263	297	297
323 Congenital anomaly of respiratory system, except cleft palate and pyloric stenosis	6,254	283	273	287	276	278
368 Laceration or enucleation of eye	6,227	284	291	294	269	260
218 Diseases of bile ducts without mention of calculus	6,194	285	269	284	291	290
355 Fracture of other bones	6,154	286	302	280	287	266
380 Third degree burns	6,105	287	301	285	267	275
004 Streptococcal sore throat and scarlet fever	5,925	288	311	278	281	296

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
222 Chronic glomerulonephritis and nephrotic syndrome	5,817	289	296	286	284	284
382 Injury to nerve and spinal cord	5,731	290	297	298	289	257
366 Internal injury to thoracic region	5,701	291	305	299	283	255
375 Contusion of eye and adnexa	5,678	292	290	291	292	285
029 Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	5,642	293	295	296	293	268
042 Malignant neoplasm of brain	5,497	294	298	293	295	280
046 Hodgkins' disease	5,389	295	277	288	309	306
225 Other renal failure	5,375	296	283	302	286	311
017 Miscellaneous infective and parasitic diseases	5,285	297	292	295	280	327
030 Malignant melanoma of skin, excluding genital organs	5,285	298	289	312	285	295
025 Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	5,194	299	294	300	303	289
125 Cataract, except senile	5,170	300	284	308	301	279
342 Fracture of base of skull	5,163	301	309	304	308	253
047 Lymphoid leukemia	5,098	302	286	301	310	293
050 Benign neoplasm of lip, oral cavity, and pharynx	5,008	303	287	311	300	294

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
265	Other antepartum hemorrhage without delivery	4,733	304	303	297	312	307
205	Other hernia of abdominal cavity without complication	4,727	305	299	309	306	299
289	Puerperal hemorrhage (after 24 hrs.)	4,678	306	310	289	318	310
080	Gout	4,619	307	312	303	296	325
067	Carcinoma in situ, except cervix uteri	4,580	308	300	313	305	305
014	Syphilis and other venereal diseases	4,524	309	315	310	304	303
002	Respiratory tuberculosis	4,408	310	304	318	294	323
006	Miscellaneous bacterial diseases	4,379	311	314	316	298	313
088	Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	4,263	312	306	314	302	326
377	Miscellaneous crushing injury	4,231	313	321	305	320	304
044	Malignant neoplasm of endocrine glands	4,150	314	313	319	311	302
194	Peptic ulcer with obstruction	4,138	315	319	317	307	309
397	Aftercare involving intermittent dialysis	4,087	316	281	292	334	354
315	Neuralgia, neuritis, and radiculitis, unspecified	3,966	317	324	306	316	328
326	Clubfoot	3,936	318	320	307	325	312
154	Intracerebral hemorrhage without paralysis	3,804	319	323	325	315	298

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
020	Malignant neoplasm of esophagus	3,762	320	308	322	317	324
074	Ovarian dysfunction	3,696	321	322	315	313	334
015	Mycoses	3,473	322	345	321	327	292
123	Other glaucoma	3,460	323	307	331	319	322
264	Placenta previa without delivery	3,385	324	326	320	326	317
076	Nutritional deficiencies	3,341	325	325	327	322	318
063	Benign neoplasm of central nervous system	3,225	326	327	330	328	308
052	Benign neoplasm of respiratory system and intrathoracic organs	3,159	327	318	332	321	321
221	Intestinal malabsorption	3,103	328	329	323	329	331
105	Opioid dependence	3,067	329	196	360	368	352
106	Drug dependence except opioid	2,943	330	316	324	338	347
321	Cleft palate and lip	2,923	331	332	335	323	316
290	Other puerperal complications	2,886	332	331	328	340	319
129	Other disorders of eye	2,850	333	339	329	324	333
038	Malignant neoplasm of male genitalia, except prostate	2,731	334	334	333	333	315
166	Aneurysm except aortic	2,596	335	330	339	332	329
135	Rhematic fever, acute	2,345	336	338	334	337	342
091	Arteriosclerotic dementia	2,283	337	347	336	331	349
093	Drug psychoses	2,243	338	340	342	343	320
036	Malignant neoplasm of other female genital organs	2,206	339	335	340	341	345

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
322 Congenital hypertrophic pyloric stenosis	2,140	340	341	338	342	340
065 Benign neoplasm of endocrine glands, except thyroid	2,130	341	343	346	335	330
318 Congenital anomaly of nervous system	2,128	342	348	341	336	341
152 Subarachnoid hemorrhage without paralysis	2,085	343	342	343	339	338
108 Nondependent abuse of drugs, except alcohol	2,055	344	344	337	348	344
057 Benign neoplasm of uterus, except leiomyoma	1,901	345	333	345	349	343
345 Fracture of vertebral column with cord injury	1,808	346	351	348	344	335
288 Major puerperal infections	1,766	347	352	344	347	337
317 Somatic dysfunction	1,650	348	366	326	369	367
373 Injury to blood vessels	1,622	349	353	349	345	346
089 Transient organic psychotic conditions	1,564	350	349	355	350	339
095 Acute schizophrenic episode	1,556	351	346	351	359	332
145 Acute and subacute endocarditis	1,553	352	337	354	353	348
061 Benign neoplasm of urinary organ	1,506	353	336	350	352	358
112 Mental retardation	1,484	354	354	347	346	357
223 Miscellaneous nephritis and functional disorders	1,384	355	355	352	351	351

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
013 Rickettsioses and other arthropod-borne diseases	1,347	356	360	368	330	360
077 Cystic fibrosis	1,248	357	350	353	354	355
391 Other complications of medical care, except drugs	1,126	358	356	357	356	350
003 Nonrespiratory tuberculosis	917	359	357	364	357	356
059 Benign neoplasm of female genitalia, except uterus and ovary	905	360	358	358	358	365
260 Other early pregnancy hemorrhage	890	361	363	356	361	366
022 Malignant neoplasm of small intestine	871	362	359	359	363	359
157 Precerebral occlusion with paralysis	830	363	365	361	365	353
016 Helminthiases	823	364	368	365	355	362
302 Ankylosing spondylitis	767	365	372	362	360	364
085 Hemophilia (congenital factor VIII disorder)	754	366	361	363	362	371
041 Malignant neoplasm of eye	751	367	362	366	364	363
155 Intracerebral hemorrhage with paralysis	718	368	364	367	366	361
060 Benign neoplasm of male genital organ	637	369	367	369	367	368
356 Fracture of multiple bones	551	370	369	370	370	370
043 Malignant neoplasm of other parts of nervous system	481	371	371	373	371	369
062 Benign neoplasm of eye	466	372	370	371	372	373
378 Foreign body on external eye	420	373	373	374	373	374

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
018 Late effects of infectious and parasitic diseases	375	374	374	372	374	372
097 Childhood psychosis	132	375	375	377	375	376
153 Subarachnoid hemorrhage with paralysis	129	376	376	375	376	375
256 Other induced abortion	91	377	377	376	377	377
All patients except deliveries and newborn	9,662,039					

Table 3

Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care U.S. PAS Hospitals, 1979 (Deliveries and Births Excluded)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
140 Acute myocardial infarction	1,770	1	1	2	2	1
179 Pneumonia	1,627	2	3	1	1	2
149 Heart failure	1,478	3	2	3	5	5
351 Fracture of neck of femur	1,320	4	4	6	6	3
143 Miscellaneous ischemic heart disease	1,303	5	6	4	3	7
215 Gallbladder disease with calculus	1,302	6	5	5	4	6
304 Derangement and displacement of lumbar disc	1,041	7	9	8	7	4
211 Miscellaneous diseases of intestine and peritoneum	898	8	10	9	8	10
104 Alcoholic dependence syndrome	841	9	13	7	33	9
235 Hyperplasia of prostate	791	10	8	14	11	14
045 Malignant neoplasm of ill-defined and secondary sites	758	11	7	12	22	12
071 Diabetes mellitus without complication	733	12	15	11	13	47
200 Inguinal hernia without complication	730	13	11	15	17	15
102 Neurotic depression	723	14	41	10	16	24
340 Miscellaneous signs, symptoms, and ill-defined conditions	717	15	25	17	9	18

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
027 Malignant neoplasm of bronchus, lung, and trachea	700	16	12	21	14	17
208 Noninfectious gastroenteritis and colitis	695	17	33	13	12	19
308 Other dorsopathies	693	18	31	16	18	8
398 Admission for special examinations and miscellaneous reasons	677	19	16	20	21	11
184 Miscellaneous obstructive lung diseases	669	20	18	24	15	16
234 Miscellaneous urinary diseases	667	21	29	19	10	31
161 Acute, but ill-defined, cerebrovascular disease without paralysis	611	22	19	28	19	20
298 Osteoarthrosis (osteoarthritis), except spine	611	23	34	18	32	13
295 Miscellaneous diseases of skin and subcutaneous tissue	601	24	26	25	20	21
183 Asthma	597	25	22	23	25	22
209 Diverticula of intestine	562	26	21	29	23	32
073 Other complicated diabetes mellitus	543	27	23	22	48	44
096 Miscellaneous schizophrenia	537	28	20	27	49	27
023 Malignant neoplasm of colon	525	29	17	35	38	33
141 Angina pectoris	515	30	37	30	28	29
169 Phlebitis and thrombophlebitis	512	31	28	32	34	38

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
186 Miscellaneous lung and pleural diseases	512	32	30	37	27	35
124 Senile cataract	506	33	27	38	37	23
148 Other arrhythmia and conduction disorders	498	34	24	36	39	36
195 Gastritis and duodenitis	495	35	46	26	31	55
248 Genital prolapse	486	36	53	34	24	34
174 Bronchitis and bronchiolitis, acute	482	37	47	31	29	40
032 Malignant neoplasm of breast (female) (male)	469	38	32	40	42	37
313 Localized disorders of bone and cartilage	449	39	43	41	44	25
207 Intestinal obstruction without mention of hernia	448	40	39	43	47	26
056 Uterine leiomyoma	443	41	38	50	35	41
352 Other femoral fracture	440	42	42	47	41	28
250 Other disorders of menstruation	439	43	58	39	30	63
338 Abdominal pain	429	44	67	46	26	43
142 Other acute and subacute forms of ischemic heart disease	420	45	14	66	58	62
137 Essential hypertension	418	46	54	33	43	107
291 Cellulitis and abscess, except digit	416	47	35	48	56	45
117 Miscellaneous disease of central nervous system	410	48	40	45	61	39
335 Chest pain	392	49	77	54	36	51
244 Pelvic inflammatory disease	390	50	76	44	46	48

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
160	Transient cerebral ischemia without paralysis	389	51	36	52	65	61
150	Miscellaneous diseases of heart	386	52	56	49	57	46
361	Sprains and strains of sacroiliac region	384	53	69	42	51	60
163	Other and ill-defined cerebrovascular disease	380	54	49	53	50	83
216	Gallbladder disease without mention of calculus	370	55	59	59	45	74
037	Malignant neoplasm of prostate	369	56	50	62	55	49
354	Miscellaneous fractures of lower extremity	366	57	55	57	68	42
177	Chronic disease of tonsils and adenoids	360	58	84	51	59	50
219	Diseases of pancreas	355	59	51	63	60	58
229	Calculus of ureter	345	60	74	70	40	67
181	Bronchitis, chronic and unspecified	339	61	89	60	53	68
098	Major depressive psychoses	339	62	44	56	89	80
387	Complications peculiar to certain specified procedures	339	63	57	73	75	30
171	Hemorrhoids	328	64	85	64	52	91
173	Acute URI except streptococcal	327	65	93	58	63	93
316	Miscellaneous disorders of musculoskeletal system	323	66	95	55	77	59

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
344	Fracture of vertebral column without mention of spinal cord injury	315	67	66	74	71	52
362	Sprains and strains of other and unspecified parts of back	309	68	94	69	64	69
252	Miscellaneous diseases of female genitalia	306	69	87	68	67	76
138	Hypertensive heart disease	306	70	70	71	62	116
192	Nongastric peptic ulcer without complication	302	71	105	67	54	112
090	Chronic organic brain syndrome, except arteriosclerotic dementia	302	72	48	89	69	87
111	Miscellaneous mental disorders	302	73	97	61	72	99
220	Gastrointestinal hemorrhage	302	74	52	80	76	65
024	Malignant neoplasm of rectum, rectosigmoid junction and anus	297	75	45	76	93	79
303	Spondylosis and allied disorders	294	76	101	65	73	88
353	Fracture of tibia and fibula	284	77	80	79	81	56
376	Other superficial injuries	281	78	90	72	83	82
384	Poisoning by drugs, medicinal, and biological substances	276	79	75	78	92	57
094	Paranoid schizophrenia	275	80	64	81	113	54

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
120	Peripheral nervous system disorder, except sciatica	273	81	104	75	84	71
305	Derangement and displacement of intervertebral disc, except lumbar	271	82	92	85	78	77
162	Acute, but ill-defined, cerebrovascular disease with paralysis	267	83	60	100	87	81
164	Atherosclerosis	265	84	99	83	82	75
253	Signs and symptoms referable to female genital organs	265	85	116	86	70	72
245	Endometriosis	260	86	114	84	80	66
158	Occlusion of cerebral arteries, thrombosis, and embolism without paralysis	258	87	68	96	88	92
144	Pulmonary embolism and infarction	257	88	79	98	86	84
297	Rheumatoid arthritis, except spine	256	89	108	82	85	86
189	Diseases of esophagus	255	90	102	87	74	109
197	Acute appendicitis without peritonitis	253	91	96	88	96	64
204	Diaphragmatic hernia without complication	250	92	119	91	66	128
081	Disorders of fluid, electrolyte, and acid-base balance	249	93	81	97	90	98
049	Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	249	94	73	93	99	101

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
039 Malignant neoplasm of bladder	248	95	62	95	108	103
147 Atrial fibrillation and flutter	243	96	71	106	98	94
364 Concussion	242	97	61	94	130	96
167 Arterial embolism and thrombosis	242	98	65	112	100	85
168 Miscellaneous diseases of arteries	241	99	63	109	91	113
329 Convulsions	240	100	72	102	94	121
347 Fracture of pelvis	239	101	91	101	106	78
099 Other affective psychoses	235	102	106	77	127	97
193 Nongastric peptic ulcer with hemorrhage or perforation	234	103	86	108	97	89
170 Varicose veins of lower extremities	231	104	82	99	105	120
100 Miscellaneous psychoses	229	105	107	92	104	108
300 Internal derangement of knee joint	227	106	113	104	123	53
172 Miscellaneous diseases of veins and circulatory system	225	107	98	107	102	100
084 Anemia except iron deficiency and sickle-cell	219	108	83	110	103	129
243 Ovarian cyst	216	109	110	111	95	110
348 Fracture of humerus	208	110	100	113	117	106
232 Cystitis	205	111	128	90	111	164
301 Other disorders of joint	204	112	127	114	124	73
001 Intestinal infectious disease	203	113	122	116	101	102
103 Miscellaneous neuroses and personality disorders	196	114	121	103	136	117

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
212	Alcoholic liver disease	192	115	88	137	140	70
358	Dislocation of knee	190	116	139	117	122	90
334	Gangrene	190	117	78	28	120	165
198	Acute appendicitis with peritonitis	190	118	111	121	129	95
309	Bursitis and synovitis, except spine	188	119	134	115	118	118
230	Miscellaneous diseases of kidney and ureter	185	120	115	123	110	125
310	Bunion and deformities of toe	184	121	138	105	157	111
228	Calculus of kidney	182	122	118	122	107	151
187	Disease of teeth and jaws	181	123	103	118	116	182
151	Cardiovascular disease, unspecified	177	124	145	156	79	159
365	Intracranial injury, except concussion	174	125	144	129	126	104
190	Gastric ulcer without complication	172	126	157	119	109	156
156	Precerebral artery occlusion without paralysis	169	127	164	130	128	105
349	Fracture of radius and ulna	168	128	129	124	142	119
392	Admission for prophylactic sterilization	168	129	130	127	115	167
210	Anal fissure, fistula, and abscess	167	130	131	133	119	138
203	Ventral hernia without complication	167	131	124	131	133	132
178	Miscellaneous diseases of upper respiratory system	160	132	141	136	125	146

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
068 Neoplasms of uncertain behavior and unspecified nature	160	133	109	138	144	153
196 Disease of stomach and duodenum, except ulcer and inflammation	156	134	192	132	112	154
241 Benign mammary dysplasia	156	135	161	141	114	162
346 Fracture of ribs, sternum, larynx and trachea	155	136	148	140	138	122
213 Other cirrhosis and chronic liver disease	153	137	112	144	147	172
072 Diabetic acidosis or coma	153	138	137	142	141	133
257 Spontaneous and unspecified abortion	153	139	150	125	148	168
182 Emphysema	152	140	147	134	143	144
110 Adjustment reactions and acute reactions to stress	152	141	163	120	165	131
165 Aortic aneurysm	152	142	133	153	139	123
327 Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	151	143	153	139	149	126
299 Other arthropathies	147	144	167	145	146	124
130 Otitis media, chronic and unspecified	145	145	171	146	134	147
233 Urethral stricture	143	146	185	135	132	195

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
381 Other burns	143	147	173	147	135	148
312 Osteomyelitis	141	148	126	159	159	127
224 Chronic renal failure	140	149	125	176	145	135
343 Fracture of face bones	138	150	159	154	151	134
005 Septicemia	137	151	117	165	162	140
337 Signs and symptoms referable to urinary system	137	152	132	150	153	204
034 Malignant neoplasm of corpus uteri	136	153	136	149	178	142
227 Miscellaneous kidney infections	136	154	175	151	137	176
101 Anxiety states	135	155	211	126	150	207
339 Other signs and symptoms referable to upper GI tract and abdomen	133	156	183	164	131	158
159 Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	133	157	123	157	177	157
367 Internal injury, except chest	133	158	170	171	155	115
075 Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	132	159	162	152	156	173
331 Headache	129	160	244	148	121	197
390 Other complications of surgical procedures	128	161	172	167	171	114
082 Iron deficiency anemia	128	162	151	155	158	208
191 Gastric ulcer with hemorrhage or perforation	128	163	158	161	174	136
217 Diseases of bile ducts with calculus	127	164	152	162	176	141

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
021	Malignant neoplasm of stomach	126	165	120	177	183	150
026	Malignant neoplasm of pancreas	126	166	143	169	172	152
136	Chronic rheumatic heart disease	125	167	142	163	191	137
371	Open wound of upper limb	124	168	181	160	167	145
214	Miscellaneous diseases of liver	122	169	155	173	170	160
070	Other diseases of thyroid gland	120	170	180	158	160	210
306	Sacroiliac joint disorder	119	171	201	143	194	161
051	Benign neoplasm of other parts of digestive system	119	172	149	175	164	201
175	Deviated nasal septum	118	173	135	178	188	177
330	Pyrexia of unknown origin	118	174	174	188	152	166
035	Malignant neoplasm of ovary	115	175	156	179	184	169
116	Epilepsy	114	176	176	174	173	175
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	114	177	222	170	161	149
292	Miscellaneous infections of skin and subcutaneous tissue	113	178	166	180	180	180

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
086 Disease of hematopoietic system, except anemia and hemophilia	112	179	165	172	189	184
019 Malignant neoplasm of lip, oral cavity, and pharynx	112	180	146	192	181	181
012 Miscellaneous viral diseases	111	181	178	187	166	178
380 Third degree burns	110	182	207	189	154	163
372 Open wound of lower limb	108	183	203	186	163	170
389 Postoperative wound infection	107	184	194	196	185	130
040 Malignant neoplasm of kidney and other urinary organs	106	185	169	184	190	190
369 Other laceration of head and neck	106	186	195	183	175	174
336 Other signs and symptoms referable to respiratory system and chest	105	187	186	191	168	200
226 Acute pyelonephritis	104	188	216	181	169	185
053 Benign neoplasm of bone, muscle, and connective tissue	103	189	187	185	179	202
132 Vertiginous syndromes	103	190	209	168	186	198
206 Complicated hernia of abdominal cavity, except inguinal	102	191	160	195	202	187
113 Inflammatory diseases of central nervous system	101	192	208	198	182	155
042 Malignant neoplasm of brain	97	193	193	199	197	171

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
114 Parkinson's disease	96	194	168	193	208	218
119 Carpal tunnel syndrome and other lesions of median nerve	93	195	230	166	221	194
386 Miscellaneous adverse effects	93	196	202	194	199	203
383 Certain traumatic complications and unspecified injuries	91	197	190	202	192	214
092 Alcoholic psychoses	89	198	177	248	206	139
008 Viral diseases with exanthem	89	199	218	197	200	206
033 Malignant neoplasm of cervix uteri excluding carcinoma in situ	88	200	197	203	195	224
048 Leukemia, except lymphoid	87	201	188	200	233	191
185 Spontaneous pneumothorax	86	202	196	211	196	205
293 Pilonidal cyst	86	203	184	204	209	253
009 Viral hepatitis	84	204	217	209	193	211
025 Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	84	205	191	210	224	193
028 Other malignant neoplasm of respiratory system and thoracic cavity	83	206	179	219	207	235
254 Ectopic pregnancy	81	207	213	213	214	189
127 Miscellaneous disorders of superficial structures of eye	81	208	182	237	210	212

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
078 Obesity of nonendocrine origin	81	209	292	182	215	215
370 Other laceration of trunk and multiple and unspecified sites	81	210	224	216	187	228
218 Diseases of bile ducts without mention of calculus	80	211	189	212	229	227
115 Multiple sclerosis	79	212	206	190	272	229
128 Miscellaneous disorders of deep structures of eye	79	213	214	220	211	199
296 Diffuse diseases of connective tissue	79	214	210	215	218	217
255 Legally induced abortion	78	215	154	253	231	234
363 Other sprains and strains	77	216	238	207	234	188
251 Menopausal and postmenopausal disorders	76	217	205	223	203	257
079 Miscellaneous metabolic disorders	76	218	223	208	222	225
242 Miscellaneous diseases of breast	76	219	225	225	198	226
225 Other renal failure	75	220	200	228	216	239
328 Perinatal conditions causing morbidity and mortality	75	221	253	242	227	143
118 Migraine	74	222	277	201	217	244
066 Carcinoma in situ of cervix	73	223	236	222	204	233
307 Sciatica	73	224	198	206	263	252
002 Respiratory tuberculosis	73	225	212	230	213	251
359 Other dislocation	72	226	228	226	230	213

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
154	Intracerebral hemorrhage without paralysis	71	227	229	244	232	183
058	Benign neoplasm of ovary	71	228	219	227	238	219
139	Miscellaneous hypertensive disease	70	229	231	231	212	241
246	Inflammatory disease of cervix uteri	70	230	264	214	205	250
325	Miscellaneous congenital anomalies of genitourinary system	70	231	226	232	228	231
320	Congenital anomaly of heart and circulatory system	70	232	239	235	242	186
263	False labor	69	233	252	205	250	236
396	Aftercare for removal of internal fixation device	69	234	215	236	248	209
236	Diseases of prostate, except hypertrophy	69	235	261	217	201	270
240	Miscellaneous diseases of male genital organs	68	236	234	229	219	246
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	66	237	246	224	226	255
121	Retinal detachment and defects	66	238	204	276	241	179
180	Influenza	66	239	328	221	225	192
268	Miscellaneous complications of pregnancy without delivery	66	240	243	218	249	237
332	Epistaxis	65	241	235	234	237	240

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals Days of Care (in 1,000s) (2)	Rank (3)	Rank by Region Northeast (4)	North Central (5)	South (6)	West (7)
311	Ganglion and cyst	65	242	249	233	220	261
350	Miscellaneous fractures of upper extremity	64	243	242	238	246	221
201	Inguinal hernia, complicated	63	244	199	246	265	247
194	Peptic ulcer with obstruction	61	245	247	247	239	223
360	Sprains and strains of knee and leg	61	246	262	239	264	196
031	Other malignant neoplasm of skin, excluding genital organs	60	247	227	266	223	265
020	Malignant neoplasm of esophagus	58	248	221	250	255	264
029	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	58	249	233	251	258	238
238	Orchitis and epididymitis	58	250	256	240	243	279
199	Disease of appendix, except acute appendicitis	57	251	273	241	252	256
388	Hemorrhage or hematoma complicating a procedure	56	252	266	254	251	230
231	Urinary calculus, except kidney and ureter	55	253	237	252	247	280
341	Fracture of vault of skull	55	254	248	267	259	220
063	Benign neoplasm of central nervous system	55	255	241	269	267	216

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
222	Chronic glomerulonephritis and nephrotic syndrome	54	256	250	260	257	258
134	Miscellaneous diseases of ear	53	257	272	262	244	245
202	Umbilical hernia without complication	53	258	257	255	245	276
109	Psychophysiologic disorder	52	259	290	243	253	282
385	Toxic effects of substances chiefly nonmedicinal as to source	52	260	255	264	260	249
047	Lymphoid leukemia	52	261	240	258	278	259
366	Internal injury to thoracic region	51	262	280	273	254	222
069	Simple and non-toxic nodular goiter	51	263	287	265	235	288
046	Hodgkin's disease	51	264	232	257	282	278
333	Signs and symptoms referable to the cardiovascular system, except gangrene	51	265	258	259	262	275
146	Paroxysmal supraventricular tachycardia	50	266	245	263	268	273
083	Sickle-cell anemia and trait	50	267	263	261	236	334
188	Disease of mouth, except dental	50	268	267	268	261	260
145	Acute and subacute endocarditis	48	269	220	298	289	243
152	Subarachnoid hemorrhage without paralysis	47	270	270	281	270	242

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
239 Redundant prepuce and phimosis	47	271	269	271	240	332
010 Infectious mononucleosis	47	272	260	245	294	314
054 Benign neoplasm of skin, blood vessels, and miscellaneous sites	46	273	251	278	269	277
106 Drug dependence except opioid	46	274	265	249	287	308
314 Acquired deformities of limbs, except toe	45	275	285	256	292	274
076 Nutritional deficiencies	44	276	254	283	277	263
126 Strabismus	43	277	283	280	276	266
030 Malignant melanoma of skin, excluding genital organs	43	278	259	288	271	281
055 Benign neoplasm of breast	43	279	268	285	256	310
006 Miscellaneous bacterial diseases	42	280	282	292	266	267
017 Miscellaneous infective and parasitic diseases	42	281	271	277	273	317
087 Nonspecific mesenteric lymphadenitis	41	282	286	270	290	290
237 Hydrocele	41	283	276	275	283	295
342 Fracture of base of skull	41	284	289	290	296	232
007 Poliomyelitis and other enteroviral diseases of central nervous system	41	285	288	295	275	262
064 Benign neoplasm of thyroid glands	41	286	278	291	279	272

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
323	Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	40	287	274	296	280	268
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	40	288	275	274	293	296
355	Fracture of other bones	39	289	295	282	285	269
105	Opioid dpendence	39	290	140	352	360	339
131	Other inflammation of ear and mastoid	38	291	281	297	281	289
345	Fracture of vertebral column with cord injury	38	292	307	305	274	248
262	Excessive vomiting in pregnancy	36	293	306	279	295	293
080	Gout	35	294	300	287	284	311
166	Aneurysm except aortic	35	295	284	300	297	283
261	Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	35	296	301	293	286	306
015	Mycoses	35	297	337	289	298	254
382	Injury to nerve and spinal cord	34	298	305	306	288	271
067	Carcinoma in situ, except cervix uteri	34	299	291	299	300	292
315	Neuralgia, neuritis, and radiculitis, unspecified	34	300	304	284	303	312

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
259 Threatened abortion	33	301	313	272	312	331
044 Malignant neoplasm of endocrine glands	32	302	294	309	302	284
379 Foreign body entering through other body orifice	32	303	293	310	301	286
267 Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	32	304	302	286	304	337
221 Intestinal malabsorption	32	305	303	294	317	297
091 Arteriosclerotic dementia	32	306	299	301	291	325
122 Open angle and primary closure glaucoma	31	307	279	315	306	305
205 Other hernia of abdominal cavity without complication	31	308	297	307	307	298
258 Other pregnancy with abortive outcome	30	309	308	302	308	307
266 Infections of pregnancy without delivery	29	310	317	308	299	309
357 Dislocation of shoulder	29	311	321	304	314	291
377 Miscellaneous crushing injury	29	312	322	303	322	285
014 Syphilis and other venereal diseases	27	313	324	313	310	301
368 Laceration or enucleation of eye	27	314	315	325	305	294
319 Congenital anomaly of eye, ear, face, and neck	26	315	314	314	313	302

Table 3 (Continued)

		All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)		Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
036	Malignant neoplasm of other female genital organs	26	316	296	317	323	322
375	Contusion of eye and adnexa	26	317	309	322	315	303
324	Undescended testicle	26	318	310	316	319	316
011	Viral warts	26	319	323	311	311	342
107	Nondependent abuse of alcohol	24	320	331	312	318	344
095	Acute schizophrenic episode	24	321	298	321	347	287
249	Metrorrhagia	24	322	332	318	309	328
065	Benign neoplasm of endocrine glands, except thyroid	23	323	325	333	316	299
004	Streptococcal sore throat and scarlet fever	22	324	344	319	321	324
294	Sebaceous cyst	22	325	312	326	320	348
135	Rheumatic fever, acute	22	326	318	323	327	326
038	Malignant neoplasm of male genitalia, except prostate	22	327	320	329	330	313
133	Otosclerosis	21	328	329	332	325	320
155	Intracerebral hemorrhage with paralysis	21	329	327	337	332	300
050	Benign neoplasm of lip, oral cavity, and pharynx	21	330	316	335	331	319
093	Drug psychoses	21	331	334	328	336	304
089	Transient organic psychotic conditions	20	332	311	342	326	315
318	Congenital anomaly of nervous system	20	333	336	334	329	318

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
088 Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	20	334	333	330	324	346
176 Nasal polyp	19	335	319	331	337	335
326 Clubfoot	19	336	342	327	341	323
108 Nondependent abuse of drugs, except alcohol	18	337	343	324	344	330
125 Cataract, except senile	18	338	330	340	338	321
074 Ovarian dysfunction	17	339	345	338	328	345
112 Mental retardation	17	340	339	336	340	356
123 Other glaucoma	17	341	326	346	335	340
052 Benign neoplasm of respiratory system and intrathoracic organs	16	342	340	344	334	333
022 Malignant neoplasm of small intestine	16	343	338	341	346	329
157 Precerebral occlusion with paralysis	15	344	349	339	348	327
373 Injury to blood vessels	14	345	351	351	339	338
003 Nonrespiratory tuberculosis	13	346	341	357	343	343
077 Cystic fibrosis	13	347	335	345	352	355
129 Other disorders of eye	13	348	353	343	342	357
264 Placenta previa without delivery	13	349	347	347	350	349
317 Somatic dysfunction	13	350	366	320	369	365
321 Cleft palate and lip	12	351	348	355	345	336
265 Other antepartum hemorrhage without delivery	12	352	346	348	351	353
290 Other puerperal complications	12	353	352	350	354	341

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
223	Miscellaneous nephritis and functional disorders	11	354	358	353	349	347
289	Puerperal hemorrhage (after 24 hrs.)	11	355	359	349	355	358
057	Benign neoplasm of uterus, except leiomyoma	10	356	350	358	353	352
322	Congenital hypertrophic pyloric stenosis	10	357	357	354	358	359
043	Malignant neoplasm of other parts of nervous system	9	358	356	360	359	354
288	Major puerperal infections	8	359	361	359	357	350
013	Rickettsioses and other arthropod-borne diseases	8	360	365	369	333	363
397	Aftercare involving intermittent dialysis	8	361	355	356	366	372
302	Ankylosing spondylitis	7	362	370	361	356	360
061	Benign neoplasm of urinary organ	7	363	354	362	362	367
391	Other complications of medical care, except drugs	7	364	363	363	364	351
356	Fracture of multiple bones	7	365	360	364	361	361
016	Helminthiases	5	366	369	366	363	364
085	Hemophilia (congenital factor VIII disorder)	5	367	364	365	365	369
153	Subarachnoid hemorrhage with paralysis	5	368	362	371	368	362
041	Malignant neoplasm of eye	4	369	368	367	370	366

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
059 Benign neoplasm of female genitalia, except uterus and ovary	4	370	371	368	367	371
018 Late effects of infectious and parasitic diseases	4	371	372	370	372	368
060 Benign neoplasm of male genital organ	3	372	373	373	371	373
097 Childhood psychosis	3	373	367	374	374	370
260 Other early pregnancy hemorrhage	2	374	374	372	373	374
062 Benign neoplasm of eye	1	375	375	375	376	376
378 Foreign body on external eye	1	376	376	376	375	375
256 Other induced abortion	0	377	377	377	377	377
All diagnosis groups	71,123					

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease – *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer – *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease – *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease – *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic cr senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

R 3850 -1.6

Length of Stay in PAS Hospitals,

by Operation,

United States, Southern Region, 1979

A Supplement To

Length of Stay in PAS Hospitals,
by Diagnosis,
Southern Region, 1979

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
OCTOBER 1980

LENGTH OF STAY IN PAS HOSPITALS

Copyright © 1980 by Commission on Professional and Hospital Activities, Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the series entitled
"Length of Stay in PAS Hospitals"...

Volumes include:

- ... by Diagnosis, United States, 1979
- ... by Diagnosis, United States, North Central Region, 1979
- ... by Diagnosis, United States, Northeastern Region, 1979
- ... by Diagnosis, United States, Southern Region, 1979
- ... by Diagnosis, United States, Western Region, 1979
- ... by Diagnosis, Canada, 1979

- ... by Operation, United States, 1979
- ... by Operation, United States, North Central Region, 1979
- ... by Operation, United States, Northeastern Region, 1979
- ... by Operation, United States, Southern Region, 1979
- ... by Operation, United States, Western Region, 1979
- ... by Operation, Canada, 1979

Also included are:

- Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979
- Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities. Also for selected years there are length of stay books for particular regional groups of hospitals, for pediatric patients, and for geriatric patients.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1979 in North America. Twelve volumes describe stays for either diagnoses or operations in the United States, in each of the four U.S. census regions, or in Canada. The thirteenth and fourteenth volumes display data on both diagnoses and operations for pediatric and for geriatric patients in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities.

These statistics, which are also available on computer readable magnetic tape, can provide a valuable perspective for physicians, administrators, PSROs, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" (PSRO) and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1979 LENGTH OF STAY BOOKS

Walt Wood, Manager, Research and Statistics
Ed Kobrinski, Assistant Manager
Ann Matteson, Project Coordinator

CONTENTS

Preface iii

Discussion of the Data 1

- Source of the Data 1
- Data Quality 3
- Coverage 4
- Organization of Length of Stay Tables 7
  - *ICD-9-CM* List B: Hospital Procedure Groups 7
  - Definition of Multiple Dx Patients 8
- Explanation of Statistics 8
- Defining the Extended Stay Case 10

Length of Stay Tables 19

- Summary of All Patients 21
- Operation Groups 501-764 22

Distribution Tables 89

- Table 1: Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups 91
- Table 2: Ranking of *ICD-9-CM* List B Operation Groups by Live Discharges 104
- Table 3: Ranking of *ICD-9-CM* List B Operation Groups by Days of Care 122

Appendix: *ICD-9-CM* Codes for Selected Operation Groups 141

Index to Length of Stay Tables 145

DISCUSSION OF THE DATA

Source of the Data

Data in this book were compiled from individual patient discharge abstracts submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain, and Figure 1 diagrams, the PAS method of storing and retrieving medical data.


PAS
HOSPITAL
CLINICAL RECORD
CASE ABSTRACT
DATA TAPE
CPHA
DATA CENTER
COMPUTER
DATA FILE
HOSPITAL
ITS OWN OVERALL STATISTICS
MORE DETAILED STATISTICS
LISTINGS
MULTIHOSPITAL STUDIES
INTERHOSPITAL COMPARISONS
REGIONAL DATA

FIG. 1. Schematic diagram of the PAS medical record information system.

1. In each participating hospital, medical record personnel transfer information from the record of each discharged patient onto a PAS Case Abstract (Figure 2). The data may also be put onto a data tape at the hospital.
2. The abstract or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it serves as input to the computer system.
3. Data then undergo a comprehensive "cleaning" process and detected errors are corrected by contributing hospitals.
4. The computer system produces sets of reports which give comprehensive statistics on discharged patients plus listings of individual case abstracts in various sequences.
5. The computer system continually adds to a permanent history data file.
6. Length of stay statistics from this file are annually published in this series of length of stay books. The stored data are also available to researchers on a contractual basis.



PAS

1979 CASE ABSTRACT

1234567890EV

SAMPLE

79

PAS

79

FIG. 2 PAS Case Abstract

BEST AVAILABLE COPY

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its role as an extension of the hospital's medical record department.

Quality control of PAS data begins before a new hospital submits its first case abstract and continues as an ongoing system involving personal monitoring, computer checks, and education programs. In spite of these efforts, errors do occur. There are three ways errors can be introduced into PAS data: 1) the basic patient medical record can be incomplete or in error, 2) errors can be made in abstracting information from the medical record to the PAS Case Abstract, and 3) errors can be introduced during processing.

Although CPHA has indirect influence over the quality of the medical record through education and through feedback from use of PAS reports within the hospital, basic responsibility for the accuracy of the medical record rests with the physician and others in the hospital contributing to it. Clearly, the abstractor cannot add to the medical record. Errors or omissions made in it will be carried forward to the PAS Case Abstract.

CPHA goes to considerable lengths to prevent and correct errors in abstracting by training PAS hospital medical record personnel in coding and abstracting methods, by monitoring their work, and by judiciously checking and editing patient data for errors. During processing, over 350 computer checks* are performed on each abstract to check the reasonableness of the data received. When illogical, invalid, or missing data are detected, an error message is printed and the hospital is notified, often by phone. About 40% of the errors detected in the computer audit can be and are corrected at CPHA; the remainder must be handled by the hospitals because only they have the information necessary to make the corrections. Hospitals make such corrections on a voluntary basis.

---

*The following are examples of discrepancies and inconsistencies in the data that are detected by the computer audit: hospital day of operative episode exceeding total stay, cesarean sections with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded. Examples of invalid data detected by the computer are diagnosis and operation codes that do not exist in the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Coverage

The length of stay tables in this book display stay distributions for 1,486,821 operated patients discharged during 1979 from 446 nonfederal, short-term* hospitals participating in PAS in the Southern Region of the U.S. PAS hospitals in United States territories and Puerto Rico were excluded from this publication as were short-term psychiatric hospitals participating in PAS. Patients studied were selected from a total of 3,459,567 discharges. Only those patients who were operated are included in this book.

Characteristics of all hospitals in the Southern Region that participated in PAS during 1979 are shown in Tables A and B. Some of these hospitals did not participate for the entire 12-month period. In addition, because of the unavailability of data at the time of processing, data for some of these PAS hospitals are not included in the length of stay tables.

States included in the various census regions and divisions are shown in Figure 3.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

FIG. 3 Census Divisions and Regions in the United States

---

*Short-term hospitals are defined as those in which the median stay is shorter than 30 days.

Table A

Bed Size, Region, and Census Division: PAS Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

Hospital Class (1)	Short-Term Nonfederal Hospitals: Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Beds: Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
ALL U.S.						
Bed Size						
1. Less than 25 beds	305	27	8.9%	5,761	528	9.2%
2. 25-49	1,154	158	13.7	41,776	6,129	14.7
3. 50-99	1,459	345	23.6	105,411	25.666	24.3
4. 100-199	1,412	470	33.3	198,519	67,395	33.9
5. 200-299	716	301	42.0	174,636	73,904	42.3
6. 300-399	382	179	46.9	131,296	61,207	46.6
7. 400-499	244	102	41.8	107,790	45,171	41.9
8. 500 or more	311	115	37.0	212,247	77,156	36.4
Total	5,983	1,697	28.4%	977,436	357,156	36.5%
Region and Census Division						
Northeast	941	260	27.6%	221,260	73,590	33.3%
New England	276	88	31.9	51,658	20,198	39.1
Middle Atlantic	665	172	25.9	169,602	53,392	31.5
North Central	1,744	652	37.4	292,394	141,077	48.2
East North Central	935	499	53.4	193,639	110,157	56.9
West North Central	809	153	18.9	98,755	30,920	31.3
South	2,171	451	20.8	316,264	91,344	28.9
South Atlantic	823	292	35.5	149,347	57,261	38.3
East South Central	488	50	10.2	67,691	12,984	19.2
West South Central	860	109	12.7	99,226	21,099	21.3
West	1,127	334	29.6	147,518	51,175	34.7
Mountain	365	107	29.3	38,709	17,459	45.1
Pacific	762	227	29.8	108,809	33,716	31.0
Grand Total	5,983	1,697	28.4%	977,436	357,186	36.5%

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Table B

Teaching Type, Region, and Census Division: PAS Hospitals Compared with all Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

Region and Census Division (1)	Hospitals with Residencies Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Hospitals with Medical School Affiliation Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
Northeast	306	114	37.3%	228	87	38.2%
New England	69	31	44.9	58	29	50.0
Middle Atlantic	237	83	35.0	170	58	34.1
North Central	298	152	51.0	218	109	50.0
East North Central	205	116	56.6	140	75	53.6
West North Central	93	36	38.7	78	34	43.6
South	265	76	28.7	211	62	29.4
South Atlantic	127	44	34.6	104	38	36.5
East South Central	57	14	24.6	47	12	25.5
West South Central	81	18	22.2	60	12	20.0
West	140	47	33.6	116	38	32.8
Mountain	38	16	42.1	30	11	36.7
Pacific	102	31	30.4	86	27	31.4
Grand Total	1,009	389	38.6%	773	296	38.3%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Organization of Length of Stay Tables

The length of stay tables in the body of this book are organized according to the operation groupings in *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each operation group, patients are further stratified by single or multiple diagnoses and age.

ICD-9-CM List B: Hospital Procedure Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List B: Hospital Operation Groups* has been replaced by *ICD-9-CM List B: Hospital Procedure Groups,* which reflects the procedures contained in the new classification.

In List B there are 249 groups that contain at least one UHDDS Class 1[2] procedure. Fifteen of the 264 List B groups consist solely of Class 2, 3, and 4 procedures. This book displays data only for those 249 groups with Class 1 procedures.

Patients were assigned to the *ICD-9-CM* List B operation groups on the basis of their principal procedure. Operation information for all patients discharged from PAS hospitals during 1979 was coded using *ICD-9-CM.* "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS) and generally is that therapeutic procedure most related to the principal diagnosis.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Multiple Dx Patients

A patient is classified in the multiple dx category if he had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Explanation of Statistics

The operation group titles heading the tables are followed in parentheses by the operation codes they include. These codes refer to *ICD-9-CM.*

Length of stay is calculated from admission and discharge dates entered on the PAS Case Abstract, counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance, but as staying less than one day in the calculation of the percentiles. Thus, if more than 5% of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in column 2, "Number of Patients"; column 3, "Average Stay"; or column 4, "Variance." The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are shown. If, for example, the 10th percentile for a group of patients is four days, it means that ten percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

The value of a percentile for a group of patients is determined by arranging the individual patients' stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Exclusions

The length of stay tables exclude:

(1) patients who died,
(2) patients admitted from other short-term hospitals,
(3) patients discharged to other short-term hospitals,
(4) patients discharged against medical advice,
(5) patients with length of stay greater than 99 days (these patients are included only in the percentile calculations).

These patients are excluded because they are not typical short-term patients (i.e., their stays are not "manageable" by the physician).

Other exclusions include stillborn, patients with incalculable age or stay, illegal or unrecorded principal diagnosis or principal procedure, unrecorded discharge status, and patients with diagnosis-age, diagnosis-sex, operation-age, or operation-sex inconsistencies. Also excluded are newborn with illegal or unrecorded birthweights.

Defining the Extended Stay[1] Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the PSRO is called extended stay review. This review, whether applied universally to all patients within the facility or "focused" on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in reasonably current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, the age of the patient, and whether the patient had single or multiple diagnoses.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and quite different lengths of stay) are appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy), primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung) and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

---

[1] Medicare regulations formerly referred to "extended duration," PSRO guidelines refer to "continued stay."

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the regional length of stay books published by the Commission on Professional and Hospital Activities.[1] With the appropriate book, the five steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[2]) that contains the contemplated operation in one of the following ways.

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[3] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group (in the CPHA length of stay books) for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. For diagnoses not in *Concurrent Review Screening* the contemplated operation can usually be found in the index at the back of the operation length of stay book.

c. If an operation is not listed in the index to the length of stay tables, the code for the operation can be found in Volume 3 of *ICD-9-CM.*[4] That code can then be located in List B or in the heading of the length of stay table.

---

[1] *Length of Stay in PAS Hospitals, by Diagnosis,* Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., Northeastern Region, 1979
U.S., Southern Region, 1979
U.S., North Central Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

Length of Stay in PAS Hospitals, by Operation, Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., Northeastern Region, 1979
U.S., Southern Region, 1979
U.S., North Central Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

[2] *ICD-9-CM List B: Hospital Procedure Groups*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[4] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table. There are four tables per page for operation groups in the length of stay books.

Step 3. Find the appropriate part of the table for number of diagnoses (single or multiple).

Step 4. Find the correct age group. The five age groupings presented are 0-19 years, 20-34 years, 35-49 years, 50-64 years, and 65 years and over.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line which includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November, a 57-year-old patient is admitted to a hospital in the Southern Region for elective surgery, in this case, a transurethral resection, the admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening*. Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. *Diastolic BP > 110*			
2. *Not controlled by outpatient Rx*			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	**2**		**235**
for: Cystoscopy			636
TUR			**648**
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. *Sepsis or fever > 102°, chills*			
2. *Abscess formation*			

b. The alphabetic index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
	Palate
551	Cleft palate repair
551	Palatoplasty
514	Parathyroid
	Penis
657	Circumcision
	Perineum, female
683	Excision of lesion or tissue
683	Incision
	Perirectal
607	Excision
607	Incision
609	Other
	Peritoneum
630	Division of adhesions
627	Drainage, except via cul de sac
682	Via cul de sac
626	Excision
630	Incision, except via cul de sac
682	Via cul de sac
628	Peritoneoscopy
	Pleura
576	Pleurocentesis
	Prostate
648	**Prostatectomy, transurethral**
649	Prostatectomy, except transurethral
650	Other
	Rectum
606	Excision, except proctectomy
609	Incision
608	Proctectomy
608	Other
	Reduction
	Dislocation, *see Joint*
	Fracture, *see Bone*
758	Retrograde pyelogram
	Sinuses, nasal
546	Radical maxillary sinusotomy

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure INDEX TO PROCEDURES

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) *(see also* Resection, rectum) 48.69
  - abdominoperineal 48.5

- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** *(see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** (complete) (partial) NEC 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral** 60.2
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

408

Step 2. Find the table for group 648 of *Length of Stay in PAS Hospitals, by Operation, United States, Southern Region, 1979.*

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.9	15	5	5	7	9	15	16	16
20-34	14	6.6	7	2	2	7	9	10	10	10
35-49	114	6.3	6	3	4	6	8	9	11	15
50-64	2278	7.4	10	4	5	7	9	11	13	18
65+	5205	8.4	17	4	5	8	9	13	16	25
2. MULTIPLE DX										
0-19 YRS	18	8.9	21	2	4	8	12	14	19	22
20-34	24	9.6	35	3	4	8	13	20	45	99+
35-49	256	9.1	36	4	4	8	10	15	22	39
50-64	3393	9.7	36	4	5	8	11	16	21	36
65+	11139	12.0	65	5	6	10	14	21	27	45
TOT. SINGLE DX	7618	8.1	15	4	5	7	9	12	15	23
" MULTIPLE DX	14830	11.4	59	5	5	9	14	20	26	43
TOTAL 0-19 YRS	25	8.6	19	3	5	8	10	14	17	22
20-34	38	8.5	26	2	3	7	11	16	24	99+
35-49	370	8.2	28	4	4	7	9	14	18	38
50-64	5671	8.8	27	4	5	8	10	14	17	29
65+	16344	10.9	52	5	5	9	13	19	24	40
GRAND TOTAL	**22448**	**10.3**	**46**	**4**	**5**	**8**	**12**	**17**	**23**	**38**

Step 3. There are no secondary diagnoses recorded, so one needs to be concerned only with the top five lines of the table (Section 1).



648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.9	15	5	5	7	9	15	16	16
20-34	14	6.6	7	2	2	7	9	10	10	10
35-49	114	6.3	6	3	4	6	8	9	11	15
50-64	2278	7.4	10	4	5	7	9	11	13	18
65+	5205	8.4	17	4	5	8	9	13	16	25
2. MULTIPLE DX										
0-19 YRS	18	8.9	21	2	4	8	12	14	19	22
20-34	24	9.6	35	3	4	8	13	20	45	99+
35-49	256	9.1	36	4	4	8	10	15	22	39
50-64	3393	9.7	36	4	5	8	11	16	21	36
65+	11139	12.0	65	5	6	10	14	21	27	45
TOT. SINGLE DX	7618	8.1	15	4	5	7	9	12	15	23
" MULTIPLE DX	14830	11.4	59	5	5	9	14	20	26	43
TOTAL 0-19 YRS	25	8.6	19	3	5	8	10	14	17	22
20-34	38	8.5	26	2	3	7	11	16	24	99+
35-49	370	8.2	28	4	4	7	9	14	18	38
50-64	5671	8.8	27	4	5	8	10	14	17	29
65+	16344	10.9	52	5	5	9	13	19	24	40
GRAND TOTAL	22448	10.3	46	4	5	8	12	17	23	38

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.



648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.9	15	5	5	7	9	15	16	16
20-34	14	6.6	7	2	2	7	9	10	10	10
35-49	114	6.3	6	3	4	6	8	9	11	15
50-64	2278	7.4	10	4	5	7	9	11	13	18
65+	5205	8.4	17	4	5	8	9	13	16	25
2. MULTIPLE DX										
0-19 YRS	18	8.9	21	2	4	8	12	14	19	22
20-34	24	9.6	35	3	4	8	13	20	45	99+
35-49	256	9.1	36	4	4	8	10	15	22	39
50-64	3393	9.7	36	4	5	8	11	16	21	36
65+	11139	12.0	65	5	6	10	14	21	27	45
TOT. SINGLE DX	7618	8.1	15	4	5	7	9	12	15	23
" MULTIPLE DX	14830	11.4	59	5	5	9	14	20	26	43
TOTAL 0-19 YRS	25	8.6	19	3	5	8	10	14	17	22
20-34	38	8.5	26	2	3	7	11	16	24	99+
35-49	370	8.2	28	4	4	7	9	14	18	38
50-64	5671	8.8	27	4	5	8	10	14	17	29
65+	16344	10.9	52	5	5	9	13	19	24	40
GRAND TOTAL	22448	10.3	46	4	5	8	12	17	23	38

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.9	15	5	5	7	9	15	16	16
20-34	14	6.6	7	2	2	7	9	10	10	10
35-49	114	6.3	6	3	4	[illegible]	8	9	11	15
50-64	2278	7.4	10	4	5	7	9	11	13	18
65+	5205	8.4	17	4	5	[illegible]	9	13	16	25
2. MULTIPLE DX										
0-19 YRS	18	8.9	21	2	4	8	12	14	19	22
20-34	24	9.6	35	3	4	8	13	20	45	99+
35-49	256	9.1	36	4	4	8	10	15	22	39
50-64	3393	9.7	36	4	5	8	11	16	21	36
65+	11139	12.0	65	5	6	10	14	21	27	45
TOT. SINGLE DX	7618	8.1	15	4	5	7	9	12	15	23
" MULTIPLE DX	14830	11.4	59	5	5	9	14	20	26	43
TOTAL 0-19 YRS	25	8.6	19	3	5	8	10	14	17	22
20-34	38	8.5	26	2	3	7	11	16	24	99+
35-49	370	8.2	28	4	4	7	9	14	18	38
50-64	5671	8.8	27	4	5	8	10	14	17	29
65+	16344	10.9	52	5	5	9	13	19	24	40
GRAND TOTAL	22448	10.3	46	4	5	8	12	17	23	38

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November the UR coordinator, the physician advisor, the UR committee, or other group responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., 75th percentile (as suggested in the PSRO *Program Manual*, paragraph 705.26).

Subsequent extended stay review dates would ordinarily be set by the physician advisor or the peer review (utilization review) committee as necessary, based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

446 PAS Hospitals, Southern Region, 1979, by Operation

Summary of all patients in operation groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	145454	3.2	13	1	1	2	3	6	8	17
20-34	248804	4.0	14	1	1	3	5	7	10	18
35-49	120470	5.4	26	1	2	4	7	11	14	24
50-64	106426	6.6	38	1	2	5	9	14	18	30
65+	92182	8.0	58	2	2	5	11	17	22	36
2. MULTIPLE DX										
0-19 YRS	87088	5.0	59	1	1	3	5	10	16	48
20-34	207957	5.8	39	1	2	4	7	10	15	34
35-49	146682	7.8	59	2	2	6	9	15	20	42
50-64	154701	10.1	96	2	2	8	13	21	28	54
65+	177057	12.9	130	2	3	10	17	26	35	61
TOT. SINGLE DX	713336	5.0	28	1	1	3	6	10	14	26
" MULTIPLE DX	773485	8.6	86	1	2	6	10	18	26	51
TOTAL 0-19 YRS	232542	3.8	31	1	1	2	4	7	11	30
20-34	456761	4.8	26	1	1	4	6	9	12	26
35-49	267152	6.7	45	1	2	5	8	13	18	35
50-64	261127	8.7	75	2	2	6	11	18	24	46
65+	269239	11.3	111	2	2	8	15	23	31	55
GRAND TOTAL	**1486821**	**6.8**	**61**	**1**	**2**	**4**	**8**	**15**	**21**	**41**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	12.4	93	2	3	11	16	22	31	74
20-34	135	12.6	96	2	3	11	15	25	33	46
35-49	153	14.4	61	4	6	13	18	23	29	43
50-64	247	18.0	195	3	7	14	21	36	53	99+
65+	249	17.6	145	4	7	15	21	35	45	60
2. MULTIPLE DX										
0-19 YRS	125	20.6	268	3	4	17	26	43	61	95
20-34	128	23.5	377	6	7	16	33	65	88	99+
35-49	167	22.7	307	6	8	17	30	52	75	99+
50-64	297	25.5	283	8	10	20	34	52	62	99+
65+	323	28.2	357	7	10	23	38	57	77	99+
TOT. SINGLE DX	891	15.8	136	3	5	13	19	30	40	73
" MULTIPLE DX	1040	25.0	325	6	9	19	33	53	73	99+
TOTAL 0-19 YRS	232	16.8	203	2	4	14	21	36	50	94
20-34	263	17.9	261	3	4	13	22	41	65	99+
35-49	320	18.7	206	5	7	15	22	38	53	99+
50-64	544	22.1	256	6	8	17	29	50	61	99+
65+	572	23.6	292	6	8	19	30	49	63	99+
GRAND TOTAL	1931	20.8	259	4	7	16	26	45	60	99+

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	146	11.3	104	2	3	8	14	21	38	64
20-34	131	14.2	115	3	5	11	17	27	38	71
35-49	138	16.0	121	5	6	13	21	34	41	71
50-64	198	18.2	127	6	8	16	23	32	40	68
65+	170	20.5	220	6	8	16	24	36	54	79
2. MULTIPLE DX										
0-19 YRS	124	22.2	327	5	7	17	34	63	99	99+
20-34	174	23.9	343	5	8	19	36	62	92	99+
35-49	153	26.4	369	6	9	22	37	60	93	99+
50-64	244	24.6	325	7	8	19	32	57	80	99+
65+	276	28.7	337	9	11	24	40	56	78	99+
TOT. SINGLE DX	783	16.4	149	4	5	13	21	31	42	69
" MULTIPLE DX	971	25.6	343	6	8	20	35	59	84	99+
TOTAL 0-19 YRS	270	16.3	235	3	4	11	21	42	65	99+
20-34	305	19.8	268	4	6	14	27	47	74	99+
35-49	291	21.5	278	5	7	17	28	46	68	99+
50-64	442	21.7	246	7	8	18	27	44	63	99+
65+	446	25.6	308	8	9	21	34	53	69	99+
GRAND TOTAL	1754	21.5	277	5	7	17	29	48	67	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	200	6.3	17	2	2	5	8	10	14	22
20-34	114	7.0	20	3	3	6	9	12	16	24
35-49	41	8.3	72	2	3	6	9	15	18	54
50-64	30	8.6	20	2	3	8	11	15	18	19
65+	7	6.7	17	2	3	6	8	14	15	15
2. MULTIPLE DX										
0-19 YRS	142	13.2	284	3	3	8	14	31	68	99+
20-34	110	13.1	211	3	4	9	13	26	50	89
35-49	47	12.1	99	2	3	9	14	28	44	99+
50-64	35	13.3	231	4	5	9	13	22	39	89
65+	19	13.0	124	2	3	11	18	69	99+	99+
TOT. SINGLE DX	392	6.9	24	2	3	6	8	12	15	23
" MULTIPLE DX	353	13.0	221	3	3	9	14	29	50	99+
TOTAL 0-19 YRS	342	9.2	139	2	3	6	9	16	28	90
20-34	224	10.0	123	3	3	7	11	16	29	73
35-49	88	10.3	89	2	3	7	13	22	32	82
50-64	65	11.1	137	3	4	8	12	18	22	82
65+	26	11.3	102	2	2	9	17	43	99+	99+
GRAND TOTAL	745	9.8	126	2	3	7	11	17	30	89

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	10.0	42	3	4	8	13	19	22	33
20-34	20	14.0	388	3	4	9	12	20	58	95
35-49	18	16.2	379	6	8	11	15	19	64	93
50-64	19	14.2	24	8	9	12	17	21	24	26
65+	50	19.5	167	6	7	17	24	36	42	68
2. MULTIPLE DX										
0-19 YRS	103	23.3	418	5	5	16	41	72	99+	99+
20-34	34	15.6	137	5	6	14	21	49	86	99+
35-49	16	18.3	278	4	5	14	19	44	60	67
50-64	47	27.6	372	6	10	22	40	54	87	99+
65+	81	27.5	239	9	12	24	37	58	99+	99+
TOT. SINGLE DX	189	13.9	153	4	5	10	17	24	30	83
" MULTIPLE DX	281	24.0	329	6	7	19	36	58	98	99+
TOTAL 0-19 YRS	185	17.4	295	3	4	12	21	53	78	99+
20-34	54	15.0	225	4	6	10	18	36	82	99+
35-49	34	17.2	323	5	6	12	16	32	63	93
50-64	66	23.7	307	7	10	19	31	51	61	99
65+	131	24.5	225	7	9	22	33	52	67	99+
GRAND TOTAL	470	20.0	282	4	6	15	26	52	71	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	285	8.1	62	2	2	6	10	15	24	45
20-34	60	11.0	117	2	2	9	13	20	39	54
35-49	31	11.7	80	1	3	12	16	23	43	99+
50-64	26	13.3	122	4	4	9	16	24	44	49
65+	19	18.8	367	2	4	11	23	50	67	72
2. MULTIPLE DX										
0-19 YRS	251	14.9	259	2	3	9	19	36	57	99+
20-34	76	26.8	543	3	4	19	44	83	99+	99+
35-49	44	21.1	351	4	5	16	34	62	99+	99+
50-64	68	23.9	334	3	5	20	35	53	95	99+
65+	57	24.3	461	3	4	15	38	60	71	99
TOT. SINGLE DX	421	9.6	94	2	2	7	12	19	30	60
" MULTIPLE DX	496	19.6	365	3	4	14	29	53	86	99+
TOTAL 0-19 YRS	536	11.3	166	2	3	7	13	25	42	99+
20-34	136	19.8	414	2	3	13	31	61	88	99+
35-49	75	17.2	258	3	4	13	24	45	98	99+
50-64	94	20.9	296	3	4	16	30	49	72	99+
65+	76	22.9	438	3	4	15	34	60	69	98
GRAND TOTAL	917	15.0	265	2	3	9	18	42	60	99+

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	15.3	155	5	6	11	17	40	52	99+
20-34	396	12.4	73	5	6	10	14	21	26	42
35-49	742	12.0	34	5	7	10	15	20	24	30
50-64	581	13.9	59	6	7	12	16	22	28	44
65+	202	16.5	75	7	8	14	21	27	33	50
2. MULTIPLE DX										
0-19 YRS	25	23.2	364	7	8	15	32	61	79	99+
20-34	225	16.1	144	5	7	12	18	33	44	80
35-49	517	15.6	117	6	7	12	18	28	36	82
50-64	643	17.8	160	6	8	14	21	33	44	86
65+	368	23.3	181	9	10	19	30	43	54	79
TOT. SINGLE DX	1969	13.2	58	6	7	11	16	22	27	43
" MULTIPLE DX	1778	18.1	161	6	8	14	22	35	46	85
TOTAL 0-19 YRS	73	18.0	236	5	7	12	23	47	61	99+
20-34	621	13.7	102	5	6	11	15	24	33	68
35-49	1259	13.5	71	6	7	11	16	23	29	49
50-64	1224	15.9	116	6	7	13	18	28	36	69
65+	570	20.9	154	8	9	17	27	39	48	67
GRAND TOTAL	3747	15.5	113	6	7	12	18	28	37	67

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	13.2	186	1	1	9	18	27	35	75
20-34	129	9.9	112	1	2	7	12	21	32	71
35-49	124	7.8	42	1	2	6	11	18	21	27
50-64	76	13.5	192	2	2	11	17	30	41	74
65+	55	12.3	126	1	2	11	17	26	38	48
2. MULTIPLE DX										
0-19 YRS	69	21.0	292	4	6	16	28	45	58	84
20-34	112	16.1	190	2	4	12	24	45	56	99+
35-49	128	13.2	174	2	2	9	17	34	38	98
50-64	173	17.6	250	2	4	13	25	39	64	99+
65+	111	20.2	281	2	4	15	29	41	52	84
TOT. SINGLE DX	432	10.6	120	1	2	8	14	22	32	64
" MULTIPLE DX	593	17.2	238	2	3	13	25	39	53	99+
TOTAL 0-19 YRS	117	17.8	261	2	3	13	23	36	54	79
20-34	241	12.8	157	2	2	9	17	33	51	99+
35-49	252	10.6	116	2	2	8	14	22	35	46
50-64	249	16.4	235	2	2	12	22	36	55	99+
65+	166	17.6	242	2	2	13	26	38	49	79
GRAND TOTAL	1025	14.4	199	2	2	11	18	33	46	93

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	3.6	8	1	2	3	4	8	10	16
20-34	452	3.7	13	1	1	3	4	7	9	21
35-49	613	3.5	14	1	2	3	4	6	10	19
50-64	803	3.8	22	1	2	3	4	6	9	20
65+	365	4.3	24	1	2	3	5	8	13	26
2. MULTIPLE DX										
0-19 YRS	57	5.0	54	1	1	3	5	10	28	95
20-34	203	5.9	46	1	2	4	6	13	22	48
35-49	308	4.9	28	2	2	3	5	10	14	35
50-64	386	5.4	61	2	2	3	5	10	14	41
65+	206	6.2	32	2	2	4	8	14	20	25
TOT. SINGLE DX	2328	3.8	18	1	2	3	4	6	10	21
" MULTIPLE DX	1160	5.5	44	2	2	3	6	11	17	38
TOTAL 0-19 YRS	152	4.1	26	1	2	3	4	8	11	43
20-34	655	4.4	24	1	2	3	5	8	13	27
35-49	921	4.0	19	1	2	3	4	7	12	26
50-64	1189	4.3	36	1	2	3	4	7	12	23
65+	571	5.0	28	2	2	3	5	10	15	26
GRAND TOTAL	3488	4.3	27	1	2	3	4	8	12	27

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	202	2.9	42	1	1	2	3	4	5	12
20-34	1163	3.0	6	1	1	2	3	5	7	13
35-49	1678	3.2	7	1	2	2	3	5	8	16
50-64	1669	3.2	7	1	2	2	3	5	8	14
65+	696	3.3	10	1	2	2	3	5	8	18
2. MULTIPLE DX										
0-19 YRS	239	3.2	11	1	1	2	3	6	9	15
20-34	590	4.9	36	1	1	3	5	10	14	30
35-49	717	5.2	28	2	2	3	6	12	16	25
50-64	860	5.9	33	2	2	4	7	13	18	27
65+	452	6.2	45	2	2	4	7	13	17	38
TOT. SINGLE DX	5408	3.2	8	1	2	2	3	5	7	15
" MULTIPLE DX	2858	5.3	33	1	2	3	6	11	16	30
TOTAL 0-19 YRS	441	3.0	25	1	1	2	3	5	7	13
20-34	1753	3.7	17	1	1	3	4	7	10	24
35-49	2395	3.8	14	1	2	3	4	7	11	22
50-64	2529	4.1	17	1	2	3	4	8	12	23
65+	1148	4.4	25	1	2	3	4	9	13	30
GRAND TOTAL	**8266**	**3.9**	**18**	**1**	**2**	**3**	**4**	**8**	**11**	**23**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	9.2	23	3	3	9	11	16	17	17
20-34	58	8.2	23	2	3	7	10	15	17	24
35-49	72	9.0	52	[illegible]	3	8	10	15	18	49
50-64	78	11.2	49	4	5	10	13	21	29	35
65+	88	13.8	75	5	6	12	16	24	30	51
2. MULTIPLE DX										
0-19 YRS	8	6.3	5	4	4	6	7	10	11	11
20-34	57	8.2	23	2	4	6	11	15	18	25
35-49	77	14.9	181	4	5	11	15	26	42	80
50-64	185	16.2	160	5	6	12	19	29	46	80
65+	340	18.7	153	6	7	15	23	34	45	64
TOT. SINGLE DX	302	10.8	56	3	4	9	13	19	24	37
" MULTIPLE DX	667	16.6	155	5	6	13	20	32	44	65
TOTAL 0-19 YRS	14	7.5	14	3	4	7	9	12	16	17
20-34	115	8.2	23	2	4	7	11	15	18	24
35-49	149	12.0	126	3	4	9	14	20	33	64
50-64	263	14.7	132	5	6	12	17	27	36	75
65+	428	17.7	141	6	7	14	22	33	43	60
GRAND TOTAL	**969**	**14.8**	**131**	**4**	**5**	**12**	**18**	**28**	**37**	**63**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	8.3	63	2	2	4	18	19	19	19
20-34	51	7.2	65	2	2	6	8	12	27	43
35-49	57	7.4	51	<1	1	5	10	17	25	32
50-64	57	6.6	35	2	2	5	9	13	20	31
65+	18	8.7	96	1	1	4	11	27	31	33
2. MULTIPLE DX										
0-19 YRS	10	6.5	74	<1	<1	2	10	22	23	23
20-34	30	7.3	44	1	2	5	9	16	18	32
35-49	56	9.0	44	1	3	7	12	16	23	34
50-64	54	12.1	117	2	3	9	17	23	27	63
65+	38	12.3	110	3	5	10	12	24	31	61
TOT. SINGLE DX	189	7.3	54	1	2	5	9	17	25	35
" MULTIPLE DX	188	10.2	83	1	2	8	13	20	26	53
TOTAL 0-19 YRS	16	7.2	67	<1	1	3	14	21	22	23
20-34	81	7.3	57	1	2	5	8	15	23	41
35-49	113	8.2	48	1	2	6	11	17	24	33
50-64	111	9.3	82	2	2	6	13	20	24	50
65+	56	11.2	107	2	2	9	12	26	32	59
GRAND TOTAL	**377**	**8.7**	**70**	**1**	**2**	**6**	**11**	**19**	**25**	**40**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	187	4.8	8	2	3	4	5	7	9	18
20-34	1315	4.9	7	3	3	4	5	7	9	16
35-49	1381	4.9	5	3	3	4	5	7	9	13
50-64	1086	5.3	17	3	3	5	6	8	10	21
65+	509	6.0	11	3	3	5	7	9	11	20
2. MULTIPLE DX										
0-19 YRS	66	7.6	47	3	3	5	8	17	22	39
20-34	521	6.2	24	3	3	5	6	10	15	32
35-49	748	6.6	20	3	3	5	7	11	15	25
50-64	767	7.3	22	3	4	6	8	13	17	24
65+	493	9.6	51	3	4	7	11	15	25	41
TOT. SINGLE DX	4478	5.1	9	3	3	4	6	7	9	16
" MULTIPLE DX	2595	7.3	29	3	3	5	8	13	18	31
TOTAL 0-19 YRS	253	5.5	20	2	3	4	6	8	14	27
20-34	1836	5.2	12	3	3	4	6	8	10	19
35-49	2129	5.5	11	3	3	5	6	9	11	20
50-64	1853	6.1	20	3	3	5	7	10	14	22
65+	1002	7.8	34	3	4	6	9	14	20	33
GRAND TOTAL	**7073**	**5.9**	**18**	**3**	**3**	**5**	**6**	**10**	**13**	**24**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	292	2.9	2	1	2	3	3	4	5	10
20-34	167	3.8	9	1	2	3	4	6	7	13
35-49	147	4.6	11	2	2	4	5	8	9	18
50-64	145	5.4	11	2	3	5	6	10	12	99+
65+	92	8.2	50	2	3	6	10	22	25	31
2. MULTIPLE DX										
0-19 YRS	46	4.8	15	1	2	3	6	12	13	17
20-34	98	7.7	51	2	2	6	9	14	23	43
35-49	134	9.4	101	3	3	6	11	19	25	48
50-64	208	10.0	97	3	4	7	11	20	25	73
65+	176	14.0	146	4	5	9	17	33	45	53
TOT. SINGLE DX	843	4.4	14	2	2	3	5	8	10	25
" MULTIPLE DX	662	10.2	105	2	3	7	12	21	31	53
TOTAL 0-19 YRS	338	3.1	4	1	2	3	3	5	7	13
20-34	265	5.2	28	1	2	4	6	10	13	32
35-49	281	6.9	60	2	3	5	8	13	19	35
50-64	353	8.1	67	2	3	6	9	16	24	81
65+	268	12.0	120	3	4	8	15	26	37	52
GRAND TOTAL	**1505**	**7.0**	**63**	**2**	**2**	**5**	**8**	**15**	**22**	**46**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	9.8	16	4	4	10	12	15	17	17
20-34	84	10.4	39	4	6	9	12	17	19	41
35-49	58	11.2	24	4	5	11	15	18	19	20
50-64	39	12.9	68	2	5	10	16	25	28	42
65+	25	14.2	66	5	5	12	19	23	31	39
2. MULTIPLE DX										
0-19 YRS	7	14.9	20	8	9	16	19	76	99+	99+
20-34	60	13.6	77	6	7	11	16	23	27	55
35-49	61	18.7	328	6	7	12	21	32	68	91
50-64	70	17.9	126	6	7	15	22	31	44	63
65+	42	19.4	141	8	9	17	25	32	46	57
TOT. SINGLE DX	224	11.4	43	4	5	10	15	19	22	40
" MULTIPLE DX	240	17.2	167	6	7	14	21	29	45	87
TOTAL 0-19 YRS	25	11.2	21	4	5	11	15	19	36	99+
20-34	144	11.7	57	5	6	9	14	21	24	43
35-49	119	15.1	193	4	6	12	17	22	32	88
50-64	109	16.1	110	5	6	14	21	28	36	56
65+	67	17.4	118	5	8	15	23	29	39	56
GRAND TOTAL	**464**	**14.4**	**115**	**5**	**6**	**11**	**17**	**25**	**32**	**66**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	304	1.8	28	<1	<1	1	2	2	3	7
20-34	79	1.8	1	<1	<1	2	2	3	4	7
35-49	114	2.5	19	<1	<1	2	2	3	5	34
50-64	182	2.2	3	1	1	2	2	4	5	11
65+	249	2.6	4	1	1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	53	2.2	9	<1	<1	2	2	3	5	22
20-34	42	4.1	15	<1	1	3	5	10	14	16
35-49	96	5.5	47	1	1	3	5	14	20	34
50-64	177	5.2	35	1	1	3	7	12	14	23
65+	293	6.8	82	1	2	4	9	14	19	59
TOT. SINGLE DX	928	2.2	13	<1	1	2	2	3	5	9
" MULTIPLE DX	661	5.6	56	1	1	3	7	13	16	35
TOTAL 0-19 YRS	357	1.9	25	<1	<1	1	2	2	3	8
20-34	121	2.6	7	<1	1	2	3	5	8	15
35-49	210	3.9	34	<1	1	2	3	8	16	34
50-64	359	3.7	21	1	1	2	4	9	12	19
65+	542	4.8	51	1	1	3	5	10	15	35
GRAND TOTAL	**1589**	**3.6**	**34**	**<1**	**1**	**2**	**3**	**8**	**12**	**26**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	478	2.0	1	1	1	2	2	3	4	7
20-34	191	2.9	21	<1	1	2	3	4	6	18
35-49	283	2.4	10	<1	1	2	2	3	5	16
50-64	435	2.3	3	<1	1	2	3	4	5	10
65+	622	2.4	5	1	1	2	2	3	4	9
2. MULTIPLE DX										
0-19 YRS	325	3.5	18	1	1	2	4	6	9	18
20-34	352	4.3	32	<1	1	3	5	9	12	34
35-49	363	4.4	50	1	1	3	4	7	13	50
50-64	526	3.9	33	1	1	3	4	7	9	29
65+	712	4.7	55	1	2	3	4	9	15	36
TOT. SINGLE DX	2009	2.3	6	<1	1	2	2	3	5	10
" MULTIPLE DX	2278	4.2	41	1	1	3	4	8	12	36
TOTAL 0-19 YRS	803	2.6	9	1	1	2	3	5	6	12
20-34	543	3.8	29	<1	1	2	4	7	10	31
35-49	646	3.5	34	<1	1	2	3	6	9	40
50-64	961	3.2	20	1	1	2	3	6	8	21
65+	1334	3.6	33	1	1	2	3	6	10	30
GRAND TOTAL	**4287**	**3.3**	**25**	**1**	**1**	**2**	**3**	**6**	**9**	**26**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	2.2	2	<1	1	2	3	3	5	8
20-34	69	2.9	9	1	1	2	3	4	5	20
35-49	68	2.5	1	1	2	2	3	4	4	5
50-64	85	2.7	2	1	2	3	3	4	4	11
65+	118	3.0	2	2	2	3	3	5	5	9
2. MULTIPLE DX										
0-19 YRS	34	3.0	4	1	1	3	4	5	8	9
20-34	51	3.3	5	2	2	3	4	5	6	15
35-49	32	3.0	1	1	2	3	4	4	5	5
50-64	69	3.7	15	1	2	3	3	6	9	27
65+	116	4.4	13	2	2	3	5	8	13	21
TOT. SINGLE DX	415	2.7	3	1	1	2	3	4	5	9
" MULTIPLE DX	302	3.8	10	1	2	3	4	6	9	18
TOTAL 0-19 YRS	109	2.5	2	<1	1	2	3	4	6	9
20-34	120	3.1	7	1	2	2	3	4	5	19
35-49	100	2.7	1	1	2	2	3	4	5	5
50-64	154	3.2	8	1	2	3	3	4	7	15
65+	234	3.7	8	2	2	3	4	6	9	17
GRAND TOTAL	**717**	**3.1**	**6**	**1**	**2**	**3**	**3**	**5**	**7**	**15**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	1.8	3	<1	1	2	2	2	3	11
20-34	30	1.8	1	<1	1	2	2	3	4	5
35-49	14	1.9		1	1	2	2	3	3	3
50-64	24	2.8	4	1	1	2	3	5	8	10
65+	34	2.2	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
0-19 YRS	22	3.6	24	<1	1	2	3	7	16	23
20-34	16	8.8	410	1	1	3	7	10	62	84
35-49	18	4.8	31	<1	<1	2	7	13	18	21
50-64	26	3.3	8	<1	1	2	4	9	10	11
65+	29	5.2	32	1	1	3	6	13	22	22
TOT. SINGLE DX	172	2.0	2	<1	1	2	2	3	4	10
" MULTIPLE DX	111	4.9	78	1	1	2	5	10	14	47
TOTAL 0-19 YRS	92	2.3	8	<1	1	2	2	3	6	18
20-34	46	4.3	149	<1	1	2	3	5	9	84
35-49	32	3.6	19	<1	1	2	4	9	14	21
50-64	50	3.1	6	1	1	2	3	7	10	11
65+	63	3.6	17	1	1	2	3	7	13	22
GRAND TOTAL	**283**	**3.2**	**34**	**1**	**1**	**2**	**3**	**6**	**10**	**22**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	5.9	11	1	2	5	8	11	13	14
20-34	62	5.4	17	1	2	4	6	9	14	23
35-49	44	5.0	9	1	2	4	7	8	12	15
50-64	64	6.0	16	1	2	4	8	12	15	17
65+	184	4.6	10	2	2	4	5	7	9	18
2. MULTIPLE DX										
0-19 YRS	21	6.1	10	2	3	5	8	10	13	16
20-34	34	6.3	22	3	3	5	7	10	16	26
35-49	36	6.3	19	2	2	5	8	13	17	19
50-64	62	5.3	13	1	2	4	6	11	13	17
65+	271	6.1	27	2	3	5	7	9	14	37
TOT. SINGLE DX	374	5.1	12	2	2	4	6	8	11	20
" MULTIPLE DX	424	6.0	23	2	3	5	7	10	14	27
TOTAL 0-19 YRS	41	6.0	10	2	3	5	8	10	12	16
20-34	96	5.7	19	2	2	5	6	9	16	25
35-49	80	5.6	14	1	2	5	7	10	14	19
50-64	126	5.6	15	2	2	4	7	11	14	17
65+	455	5.5	21	2	2	4	6	8	11	30
GRAND TOTAL	**798**	**5.6**	**18**	**2**	**2**	**4**	**7**	**9**	**13**	**20**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	165	3.6	6	1	1	3	4	7	9	12
20-34	212	2.9	6	1	1	2	3	5	7	12
35-49	257	2.7	19	1	1	2	3	4	7	10
50-64	224	2.1	3	1	1	2	2	3	5	10
65+	186	2.8	9	1	1	2	3	4	8	20
2. MULTIPLE DX										
0-19 YRS	125	4.8	7	1	2	4	7	8	10	34
20-34	109	5.5	25	1	2	4	7	10	13	31
35-49	107	5.0	17	1	2	3	7	11	12	21
50-64	114	4.2	14	1	1	3	6	8	11	22
65+	174	4.5	19	1	2	3	5	9	13	27
TOT. SINGLE DX	1044	2.7	9	1	1	2	3	5	7	12
" MULTIPLE DX	629	4.7	16	1	2	3	6	9	12	26
TOTAL 0-19 YRS	290	4.1	7	1	1	3	5	8	10	12
20-34	321	3.7	14	1	1	2	5	8	10	17
35-49	364	3.3	19	1	1	2	4	7	10	16
50-64	338	2.8	8	1	1	2	3	6	8	15
65+	360	3.6	15	1	1	2	4	8	11	21
GRAND TOTAL	**1673**	**3.5**	**13**	**1**	**1**	**2**	**4**	**7**	**10**	**17**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	3.1	3	1	2	3	4	5	6	11
20-34	59	4.1	6	2	2	3	5	7	9	15
35-49	84	4.0	6	2	2	3	5	7	10	13
50-64	246	3.8	5	1	2	3	4	7	9	13
65+	362	4.0	8	1	2	3	5	8	10	15
2. MULTIPLE DX										
0-19 YRS	30	4.7	19	1	1	3	6	13	15	17
20-34	32	5.7	29	1	2	4	6	14	18	26
35-49	59	5.4	58	1	2	4	6	9	14	53
50-64	241	5.1	37	1	2	4	6	9	12	31
65+	335	5.0	23	2	2	4	6	9	12	23
TOT. SINGLE DX	812	3.8	7	2	2	3	4	7	9	14
" MULTIPLE DX	697	5.1	31	1	2	4	6	9	13	26
TOTAL 0-19 YRS	91	3.7	9	1	2	3	4	6	11	16
20-34	91	4.6	15	2	2	4	6	8	13	23
35-49	143	4.6	28	2	2	3	5	8	12	22
50-64	487	4.4	21	1	2	3	5	8	10	18
65+	697	4.5	15	2	2	3	5	8	12	17
GRAND TOTAL	**1509**	**4.4**	**18**	**1**	**2**	**3**	**5**	**8**	**11**	**18**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	4.1	15	1	1	3	6	9	12	19
20-34	90	4.2	8	1	1	3	6	8	10	14
35-49	94	3.5	9	1	1	3	4	6	9	17
50-64	262	3.6	8	1	2	3	4	6	9	13
65+	437	3.5	9	1	2	3	4	6	8	15
2. MULTIPLE DX										
0-19 YRS	89	5.5	17	1	2	4	7	12	13	18
20-34	94	5.4	48	1	2	4	6	9	14	48
35-49	66	5.3	21	2	2	3	7	10	16	23
50-64	136	4.9	15	1	2	4	7	10	13	18
65+	413	5.3	21	1	2	4	7	11	15	23
TOT. SINGLE DX	970	3.6	9	1	1	3	4	7	9	15
" MULTIPLE DX	798	5.3	23	1	2	4	7	11	14	22
TOTAL 0-19 YRS	176	4.8	16	1	1	3	6	11	13	18
20-34	184	4.8	29	1	2	3	6	9	11	33
35-49	160	4.2	14	1	2	3	5	9	13	20
50-64	398	4.0	11	1	2	3	5	8	11	16
65+	850	4.4	16	1	2	3	5	9	13	19
GRAND TOTAL	**1768**	**4.4**	**16**	**1**	**2**	**3**	**5**	**9**	**12**	**19**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	2.6	2	1	1	2	3	5	6	7
20-34	30	3.1	1	2	2	3	4	5	5	5
35-49	553	3.5	5	2	2	3	4	5	7	14
50-64	3538	3.4	6	2	2	3	4	5	6	11
65+	11589	3.4	6	2	2	3	4	5	7	11
2. MULTIPLE DX										
0-19 YRS	22	3.8	7	1	2	3	4	8	10	11
20-34	30	6.1	22	2	2	5	8	10	12	25
35-49	354	4.5	13	2	2	4	5	8	10	18
50-64	2654	4.3	11	2	2	3	5	7	11	19
65+	9606	4.5	14	2	2	4	5	8	11	19
TOT. SINGLE DX	15735	3.4	6	2	2	3	4	5	7	11
" MULTIPLE DX	12666	4.5	13	2	2	4	5	8	11	19
TOTAL 0-19 YRS	47	3.1	4	1	2	2	4	6	8	11
20-34	60	4.6	14	2	2	4	5	9	10	24
35-49	907	3.9	9	2	2	3	4	6	9	16
50-64	6192	3.8	8	2	2	3	4	6	8	15
65+	21195	3.9	10	2	2	3	4	6	9	16
GRAND TOTAL	**28401**	**3.9**	**9**	**2**	**2**	**3**	**4**	**6**	**9**	**15**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	224	2.6	3	1	1	2	3	4	5	12
20-34	105	2.5	1	1	1	2	3	4	5	6
35-49	446	2.5	2	1	1	2	3	4	5	7
50-64	1454	2.4	3	1	2	2	3	4	5	7
65+	3259	2.6	3	1	2	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	124	3.6	19	1	2	2	3	6	10	32
20-34	58	4.6	39	1	2	3	4	7	17	37
35-49	185	4.0	15	1	2	3	4	8	10	21
50-64	730	3.5	20	2	2	2	4	6	9	18
65+	1742	3.6	16	2	2	2	4	6	9	18
TOT. SINGLE DX	5488	2.5	3	1	2	2	3	4	5	9
" MULTIPLE DX	2839	3.6	17	2	2	2	4	6	9	19
TOTAL 0-19 YRS	348	2.9	9	1	1	2	3	5	7	14
20-34	163	3.2	16	1	2	2	3	5	7	27
35-49	631	2.9	6	1	1	2	3	5	6	13
50-64	2184	2.8	9	1	2	2	3	4	6	12
65+	5001	2.9	8	1	2	2	3	4	6	14
GRAND TOTAL	**8327**	**2.9**	**8**	**1**	**2**	**2**	**3**	**4**	**6**	**13**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	2.2	1	1	1	2	3	3	3	3
20-34	12	3.8	30	<1	1	2	3	9	19	21
35-49	39	2.3	3	<1	<1	2	3	3	4	11
50-64	226	2.4	2	<1	1	2	3	4	4	7
65+	832	2.7	4	1	1	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	7	3.6	11	<1	<1	2	5	9	10	10
20-34	5	2.6	1	2	2	2	3	4	4	4
35-49	15	2.7	3	1	2	2	3	5	7	8
50-64	143	3.4	8	2	2	3	3	6	9	16
65+	607	3.6	16	2	2	3	4	6	8	21
TOT. SINGLE DX	1115	2.7	4	1	1	2	3	4	5	10
" MULTIPLE DX	777	3.6	14	2	2	3	4	6	9	20
TOTAL 0-19 YRS	13	2.9	6	<1	1	2	3	7	9	10
20-34	17	3.5	21	1	2	2	3	4	15	21
35-49	54	2.4	3	<1	1	2	3	3	5	11
50-64	369	2.8	4	1	1	2	3	4	6	12
65+	1439	3.1	9	1	1	2	3	5	7	16
GRAND TOTAL	**1892**	**3.0**	**8**	**1**	**1**	**2**	**3**	**5**	**6**	**15**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	93	4.9	7	1	2	5	6	7	10	15
20-34	162	5.0	11	1	2	4	7	9	11	16
35-49	158	4.5	6	1	2	4	6	8	9	13
50-64	648	4.9	10	1	2	4	6	9	10	15
65+	592	5.2	13	1	2	4	6	9	11	16
2. MULTIPLE DX										
0-19 YRS	73	5.4	12	1	2	5	7	9	13	16
20-34	131	6.4	14	2	3	6	8	11	12	21
35-49	140	6.0	10	1	2	5	8	10	11	16
50-64	561	6.1	15	2	3	5	8	10	13	20
65+	696	6.4	18	2	3	6	8	11	13	20
TOT. SINGLE DX	1653	5.0	11	1	2	4	6	8	10	15
" MULTIPLE DX	1601	6.2	16	2	3	5	8	10	13	20
TOTAL 0-19 YRS	166	5.1	9	1	2	5	6	8	11	15
20-34	293	5.7	13	1	2	5	7	10	12	19
35-49	298	5.2	8	1	2	5	7	9	10	15
50-64	1209	5.5	13	1	2	5	7	9	11	17
65+	1288	5.8	16	2	2	5	7	10	12	19
GRAND TOTAL	**3254**	**5.6**	**13**	**2**	**2**	**5**	**7**	**10**	**12**	**18**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	3.8	8	<1	1	3	5	7	9	13
20-34	60	4.0	9	1	1	3	5	7	11	14
35-49	17	3.8	5	1	1	4	5	7	8	8
50-64	74	3.7	9	1	1	3	5	7	9	18
65+	96	4.2	11	2	2	3	5	8	11	18
2. MULTIPLE DX										
0-19 YRS	42	4.6	12	2	2	4	5	8	11	21
20-34	79	6.5	27	1	2	6	7	12	16	32
35-49	70	6.6	26	2	3	5	8	12	17	86
50-64	179	6.0	20	1	2	5	7	12	15	22
65+	215	5.5	21	2	2	4	7	11	14	28
TOT. SINGLE DX	272	3.9	9	1	1	3	5	7	10	15
" MULTIPLE DX	585	5.9	21	1	2	5	7	11	15	25
TOTAL 0-19 YRS	67	4.3	11	1	2	4	5	7	10	20
20-34	139	5.4	21	1	1	4	7	10	14	24
35-49	87	6.1	23	[illegible]	2	5	7	11	15	76
50-64	253	5.3	18	[illegible]	1	4	7	10	13	22
65+	311	5.1	18	2	2	4	6	10	13	22
GRAND TOTAL	857	5.2	18	1	2	4	7	10	13	22

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2896	1.9	6	1	1	2	2	2	2	4
20-34	506	2.1	2	1	1	2	2	3	3	12
35-49	220	2.1		1	1	2	2	3	3	4
50-64	117	2.4	4	1	1	2	2	3	4	15
65+	59	2.1		1	2	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	672	2.1	4	1	1	2	2	2	3	8
20-34	168	2.1	1	1	1	2	2	3	3	7
35-49	92	2.7	5	1	2	2	3	4	5	16
50-64	81	2.9	4	1	2	2	3	6	7	11
65+	48	2.4	2	1	2	2	3	3	3	10
TOT. SINGLE DX	3798	1.9	5	1	1	2	2	2	3	5
" MULTIPLE DX	1061	2.2	4	1	1	2	2	3	4	9
TOTAL 0-19 YRS	3568	1.9	5	1	1	2	2	2	2	6
20-34	674	2.1	1	1	1	2	2	3	3	7
35-49	312	2.3	2	1	1	2	2	3	4	8
50-64	198	2.6	4	1	2	2	3	4	6	14
65+	107	2.3	1	1	2	2	2	3	3	7
GRAND TOTAL	4859	2.0	4	1	1	2	2	2	3	7

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	2.2	2	<1	1	2	2	3	6	7
20-34	7	3.7	12	1	1	2	4	10	11	11
35-49	4	6.8	35	1	1	6	11	14	14	14
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	11	2.5	1	1	1	2	3	4	4	4
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	3	10.0	97	2	2	7	17	21	21	21
65+	4	2.0	1	1	1	2	3	3	3	3
TOT. SINGLE DX	31	3.4	10	1	1	2	3	8	11	14
" MULTIPLE DX	23	3.4	16	1	1	2	3	5	12	21
TOTAL 0-19 YRS	28	2.3	1	1	1	2	3	4	5	7
20-34	9	3.4	9	1	1	2	4	9	11	11
35-49	7	5.0	23	1	1	3	8	13	14	14
50-64	4	7.8	85	1	1	4	14	21	21	21
65+	6	3.7	7	1	1	3	6	8	8	8
GRAND TOTAL	54	3.4	13	1	1	2	3	7	11	21

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	232	3.1	6	1	1	2	4	6	8	17
20-34	185	3.9	35	1	2	3	4	6	7	36
35-49	122	4.3	23	1	1	3	5	8	13	57
50-64	138	3.8	6	2	2	3	4	7	8	15
65+	176	4.0	11	1	2	3	5	7	9	15
2. MULTIPLE DX										
0-19 YRS	121	4.5	17	1	1	3	5	10	12	23
20-34	177	5.9	39	1	2	4	6	13	16	48
35-49	147	6.5	57	2	2	4	7	12	20	44
50-64	202	5.9	40	1	2	4	7	12	17	32
65+	262	5.7	33	2	2	4	7	12	16	30
TOT. SINGLE DX	853	3.7	16	1	1	3	4	7	9	19
" MULTIPLE DX	909	5.7	38	1	2	4	6	12	16	34
TOTAL 0-19 YRS	353	3.6	10	1	1	3	4	7	11	19
20-34	362	4.9	38	1	2	3	5	9	14	37
35-49	269	5.5	43	1	2	4	6	11	16	43
50-64	340	5.0	27	1	2	3	6	10	15	27
65+	438	5.0	25	1	2	3	6	10	14	27
GRAND TOTAL	1762	4.8	28	1	2	3	5	9	13	32

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	564	2.1	3	<1	1	2	2	3	5	9
20-34	211	2.8	28	<1	1	2	3	4	6	15
35-49	143	2.6	6	<1	1	2	3	4	6	14
50-64	165	3.0	10	1	1	2	3	5	8	22
65+	206	3.3	11	1	1	2	4	7	10	16
2. MULTIPLE DX										
0-19 YRS	316	3.7	27	1	1	2	4	7	9	37
20-34	184	4.6	35	1	1	3	5	9	15	27
35-49	127	6.2	110	1	1	3	6	10	25	51
50-64	193	6.2	51	1	1	3	8	14	22	37
65+	289	8.5	82	2	2	5	11	19	26	43
TOT. SINGLE DX	1289	2.6	10	<1	1	2	3	4	6	14
" MULTIPLE DX	1109	5.8	59	1	1	3	7	13	19	38
TOTAL 0-19 YRS	880	2.7	12	1	1	2	3	4	7	17
20-34	395	3.7	32	1	1	2	3	6	10	25
35-49	270	4.3	58	1	1	2	4	7	13	35
50-64	358	4.7	34	1	1	2	5	11	16	31
65+	495	6.3	58	1	1	4	8	14	20	38
GRAND TOTAL	**2398**	**4.1**	**35**	**1**	**1**	**2**	**4**	**8**	**13**	**30**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	77	2.5	1	1	2	2	3	3	4	5
20-34	301	2.8	1	2	2	3	3	4	4	5
35-49	503	2.8	2	2	2	3	3	4	4	7
50-64	564	2.9	2	2	2	3	3	4	5	7
65+	265	3.0	1	2	2	3	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	42	2.3	1	1	2	2	3	3	4	5
20-34	80	3.3	18	2	2	3	3	4	6	30
35-49	138	2.8	1	2	2	3	3	4	5	7
50-64	173	3.4	7	2	2	3	4	5	6	21
65+	75	3.5	6	2	2	3	3	6	8	14
TOT. SINGLE DX	1710	2.9	2	2	2	3	3	4	4	7
" MULTIPLE DX	508	3.1	6	2	2	3	3	4	5	14
TOTAL 0-19 YRS	119	2.4	1	1	2	2	3	3	4	5
20-34	381	2.9	5	2	2	3	3	4	4	11
35-49	641	2.8	2	2	2	3	3	4	4	7
50-64	737	3.0	3	2	2	3	3	4	5	9
65+	340	3.1	2	2	2	3	3	4	6	11
GRAND TOTAL	**2218**	**2.9**	**3**	**2**	**2**	**3**	**3**	**4**	**5**	**8**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	985	2.2	1	1	1	2	2	3	3	5
20-34	743	2.4	2	1	2	2	3	3	4	8
35-49	590	2.6	9	1	2	2	3	3	4	8
50-64	479	2.6	1	1	2	2	3	4	4	7
65+	127	2.7	1	1	2	3	3	4	4	8
2. MULTIPLE DX										
0-19 YRS	604	2.3	1	1	2	2	3	3	4	6
20-34	446	2.6	5	2	2	2	3	3	4	9
35-49	432	2.8	3	2	2	2	3	4	5	9
50-64	328	2.9	5	2	2	2	3	4	5	12
65+	138	3.1	6	2	2	3	3	5	6	11
TOT. SINGLE DX	2924	2.4	3	1	2	2	3	3	4	7
" MULTIPLE DX	1948	2.6	3	2	2	2	3	4	4	9
TOTAL 0-19 YRS	1589	2.2	1	1	1	2	2	3	3	6
20-34	1189	2.5	3	1	2	2	3	3	4	8
35-49	1022	2.7	6	1	2	2	3	4	4	8
50-64	807	2.7	3	2	2	2	3	4	5	8
65+	265	2.9	4	2	2	3	3	4	5	9
GRAND TOTAL	**4872**	**2.5**	**3**	**1**	**2**	**2**	**3**	**3**	**4**	**8**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6168	1.2	4	<1	<1	1	1	1	2	6
20-34	154	2.0	3	<1	<1	2	2	3	5	12
35-49	114	2.3	3	<1	1	2	3	4	5	11
50-64	112	2.1	5	<1	<1	1	2	4	5	15
65+	62	1.8	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX										
0-19 YRS	3296	2.0	5	<1	<1	1	2	3	6	12
20-34	112	3.5	26	1	1	2	3	6	10	30
35-49	93	3.9	22	1	1	2	4	9	14	26
50-64	111	4.8	31	1	1	2	5	12	18	29
65+	82	6.9	62	1	1	3	9	15	24	39
TOT. SINGLE DX	6610	1.3	4	<1	<1	1	1	2	2	6
" MULTIPLE DX	3694	2.2	9	<1	<1	2	2	4	7	15
TOTAL 0-19 YRS	9464	1.5	4	<1	<1	1	1	2	3	9
20-34	266	2.6	13	<1	1	2	3	5	6	14
35-49	207	3.0	12	1	1	2	3	6	10	17
50-64	223	3.4	20	<1	1	2	3	8	12	23
65+	144	4.7	42	<1	1	2	5	12	17	30
GRAND TOTAL	**10304**	**1.6**	**6**	**<1**	**<1**	**1**	**2**	**2**	**4**	**11**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	292	2.9	3	2	2	2	3	4	6	11
20-34	247	3.3	9	2	2	3	3	5	7	20
35-49	189	3.0	6	2	2	3	3	4	6	71
50-64	150	3.6	11	2	2	3	4	6	7	11
65+	62	3.8	4	2	2	3	5	6	8	11
2. MULTIPLE DX										
0-19 YRS	417	3.5	10	2	2	3	3	6	8	18
20-34	395	3.5	9	2	2	3	4	5	7	21
35-49	280	3.5	6	2	2	3	4	5	8	14
50-64	234	4.0	24	2	2	3	4	6	9	24
65+	107	5.8	59	2	2	3	6	11	17	50
TOT. SINGLE DX	940	3.2	6	2	2	3	3	5	6	13
" MULTIPLE DX	1433	3.8	15	2	2	3	4	6	9	20
TOTAL 0-19 YRS	709	3.2	7	2	2	3	3	5	8	14
20-34	642	3.4	9	2	2	3	3	5	7	20
35-49	469	3.3	6	2	2	3	3	5	8	17
50-64	384	3.9	19	2	2	3	4	6	8	18
65+	169	5.0	40	2	2	3	5	9	12	40
GRAND TOTAL	**2373**	**3.5**	**12**	**2**	**2**	**3**	**4**	**5**	**8**	**19**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	289	2.0	8	<1	<1	2	2	3	4	10
20-34	201	3.4	8	1	2	3	4	5	7	16
35-49	218	3.6	9	2	2	3	4	6	9	14
50-64	222	3.8	6	2	2	3	5	6	7	14
65+	77	3.6	4	2	2	3	4	6	7	13
2. MULTIPLE DX										
0-19 YRS	205	2.4	4	1	1	2	3	4	6	11
20-34	104	3.6	9	2	2	3	4	6	8	17
35-49	115	3.6	12	2	2	3	4	6	7	21
50-64	87	4.0	10	2	2	3	4	7	9	21
65+	39	5.8	53	2	2	3	6	15	22	37
TOT. SINGLE DX	1007	3.1	8	1	1	2	4	5	7	14
" MULTIPLE DX	550	3.4	12	1	1	2	4	6	8	19
TOTAL 0-19 YRS	494	2.2	6	<1	1	2	2	3	5	11
20-34	305	3.4	8	2	2	3	4	6	8	16
35-49	333	3.6	10	2	2	3	4	6	9	15
50-64	309	3.9	7	2	2	3	4	6	8	16
65+	116	4.3	21	2	2	3	4	7	12	28
GRAND TOTAL	**1557**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**7**	**16**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	187	2.6	1	1	2	2	3	4	4	5
20-34	431	2.8	3	1	2	3	3	4	5	8
35-49	181	3.1	7	1	2	3	4	4	5	18
50-64	98	3.3	3	1	2	3	4	5	6	9
65+	25	3.2	1	1	2	3	3	5	5	6
2. MULTIPLE DX										
0-19 YRS	325	3.0	12	1	2	3	3	4	5	9
20-34	761	3.2	4	2	2	3	4	5	5	11
35-49	444	3.4	5	2	2	3	4	5	7	13
50-64	225	3.8	8	2	2	3	4	6	8	12
65+	56	4.4	14	2	2	3	5	9	13	18
TOT. SINGLE DX	922	2.9	3	1	2	3	3	4	5	8
" MULTIPLE DX	1811	3.3	7	2	2	3	4	5	6	13
TOTAL 0-19 YRS	512	2.9	8	1	2	3	3	4	5	7
20-34	1192	3.1	4	2	2	3	4	5	5	10
35-49	625	3.3	6	2	2	3	4	5	6	13
50-64	323	3.6	6	2	2	3	4	5	8	10
65+	81	4.0	10	2	2	3	4	6	12	18
GRAND TOTAL	**2733**	**3.2**	**6**	**1**	**2**	**3**	**4**	**5**	**6**	**12**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	917	2.6	3	1	2	2	3	4	4	7
20-34	1996	2.7	3	1	2	2	3	4	5	8
35-49	937	2.7	2	1	2	3	3	4	4	7
50-64	418	3.0	4	1	2	3	3	5	5	9
65+	123	3.2	4	1	2	3	4	5	7	12
2. MULTIPLE DX										
0-19 YRS	1125	2.9	3	1	2	3	3	4	5	12
20-34	2782	3.1	7	1	2	3	3	4	6	13
35-49	1484	3.3	8	1	2	3	4	5	7	14
50-64	855	4.0	19	2	2	3	4	6	9	23
65+	257	4.5	20	1	2	3	5	8	12	27
TOT. SINGLE DX	4391	2.7	3	1	2	2	3	4	5	8
" MULTIPLE DX	6503	3.3	9	1	2	3	4	5	6	15
TOTAL 0-19 YRS	2042	2.8	3	1	2	2	3	4	5	9
20-34	4778	2.9	5	1	2	3	3	4	5	12
35-49	2421	3.1	6	1	2	3	3	4	5	13
50-64	1273	3.7	15	2	2	3	4	5	8	22
65+	380	4.0	15	1	2	3	4	7	10	25
GRAND TOTAL	**10894**	**3.1**	**7**	**1**	**2**	**3**	**3**	**4**	**6**	**13**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	147	2.4	3	<1	1	2	3	4	6	10
20-34	181	2.6	5	1	1	2	3	4	6	15
35-49	214	2.4	3	1	1	2	3	4	5	12
50-64	340	2.6	4	1	1	2	3	4	6	11
65+	384	3.1	5	1	1	2	4	6	7	13
2. MULTIPLE DX										
0-19 YRS	165	3.2	13	1	1	2	4	5	7	36
20-34	295	3.2	4	1	1	3	4	5	6	11
35-49	360	3.9	34	1	2	3	4	7	9	21
50-64	474	5.0	41	1	2	3	5	10	14	31
65+	557	6.4	42	1	2	4	8	14	19	34
TOT. SINGLE DX	1266	2.7	4	1	1	2	3	5	7	12
" MULTIPLE DX	1851	4.8	33	1	2	3	5	10	14	30
TOTAL 0-19 YRS	312	2.8	8	1	1	2	3	5	7	14
20-34	476	3.0	4	1	1	2	4	5	6	12
35-49	574	3.4	23	1	1	2	4	6	8	21
50-64	814	4.0	27	1	1	3	4	8	11	28
65+	941	5.0	30	1	2	3	6	11	16	28
GRAND TOTAL	**3117**	**3.9**	**22**	**1**	**1**	**3**	**4**	**8**	**11**	**25**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	910	1.9	2	<1	1	2	2	3	4	8
20-34	609	2.4	4	<1	1	2	3	4	5	11
35-49	226	3.5	5	1	1	3	5	6	7	12
50-64	226	4.8	8	1	2	5	6	8	10	16
65+	133	5.0	18	1	1	4	6	9	13	20
2. MULTIPLE DX										
0-19 YRS	440	3.5	25	1	1	2	4	6	9	24
20-34	461	4.2	17	1	1	3	5	8	11	19
35-49	207	5.4	26	1	2	4	6	12	16	35
50-64	241	6.0	22	1	2	5	7	11	13	27
65+	224	7.5	34	2	2	6	9	15	18	30
TOT. SINGLE DX	2104	2.7	6	<1	1	2	3	5	7	12
" MULTIPLE DX	1573	4.9	25	1	1	3	6	10	13	26
TOTAL 0-19 YRS	1350	2.4	10	<1	1	2	3	4	6	11
20-34	1070	3.2	11	1	1	2	4	6	8	17
35-49	433	4.4	16	1	1	3	5	9	12	21
50-64	467	5.4	16	1	2	5	7	9	12	20
65+	357	6.6	29	1	2	5	8	13	17	28
GRAND TOTAL	**3677**	**3.7**	**15**	**1**	**1**	**2**	**5**	**7**	**10**	**19**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	3.0	5	1	2	2	3	5	7	15
20-34	237	3.3	3	2	2	3	4	5	6	9
35-49	223	3.6	4	2	2	3	4	5	6	14
50-64	171	3.7	4	2	2	3	4	6	6	11
65+	86	4.2	9	2	2	3	4	7	9	20
2. MULTIPLE DX										
0-19 YRS	91	4.0	12	1	2	3	4	7	13	20
20-34	277	4.7	23	2	2	4	5	8	10	20
35-49	266	5.5	28	2	2	4	6	12	15	32
50-64	255	6.2	25	2	2	4	8	13	16	27
65+	110	7.0	29	2	2	5	10	16	18	22
TOT. SINGLE DX	779	3.6	4	2	2	3	4	5	7	13
" MULTIPLE DX	999	5.5	25	2	2	4	6	11	15	24
TOTAL 0-19 YRS	153	3.6	10	1	2	3	4	6	10	18
20-34	514	4.1	14	2	2	3	5	6	9	14
35-49	489	4.6	18	2	2	3	5	8	13	22
50-64	426	5.2	18	2	2	4	6	10	14	22
65+	196	5.8	22	2	2	4	7	14	17	22
GRAND TOTAL	1778	4.6	17	2	2	3	5	9	13	21

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	130	4.2	49	1	1	2	4	7	10	39
20-34	223	3.7	6	1	1	3	5	7	8	12
35-49	170	3.7	10	1	2	3	4	7	11	18
50-64	153	3.9	13	1	2	3	4	8	12	20
65+	74	5.6	25	2	2	4	7	13	15	22
2. MULTIPLE DX										
0-19 YRS	181	4.2	15	1	1	3	5	9	11	16
20-34	286	5.8	35	2	2	4	7	12	16	22
35-49	215	5.3	21	2	2	4	6	12	16	25
50-64	248	6.7	50	2	2	4	8	15	20	36
65+	143	7.7	43	2	2	6	11	16	20	32
TOT. SINGLE DX	750	4.0	18	1	1	3	5	7	11	21
" MULTIPLE DX	1073	5.9	34	2	2	4	7	12	17	28
TOTAL 0-19 YRS	311	4.2	29	1	1	3	5	9	10	27
20-34	509	4.8	23	1	2	3	6	9	13	19
35-49	385	4.6	17	1	2	3	5	9	14	21
50-64	401	5.6	38	1	2	3	6	13	16	28
65+	217	7.0	38	2	2	5	10	15	19	29
GRAND TOTAL	1823	5.1	28	1	2	3	6	11	15	23

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4181	1.9	2	1	1	2	2	2	2	5
20-34	3108	2.0	2	1	1	2	2	2	3	5
35-49	673	2.2	2	1	1	2	2	3	3	7
50-64	457	2.6	9	1	1	2	2	3	5	21
65+	161	3.0	21	1	1	2	3	5	6	31
2. MULTIPLE DX										
0-19 YRS	1257	2.4	6	1	1	2	2	4	5	17
20-34	1905	3.2	26	1	1	2	3	5	9	23
35-49	1256	4.0	30	1	2	2	3	9	14	32
50-64	1302	4.6	36	2	2	2	4	11	14	30
65+	847	7.1	67	2	2	4	9	17	22	42
TOT. SINGLE DX	8580	2.0	3	1	1	2	2	2	3	6
" MULTIPLE DX	6567	4.0	32	1	1	2	3	8	14	30
TOTAL 0-19 YRS	5438	2.0	3	1	1	2	2	2	3	8
20-34	5013	2.4	12	1	1	2	2	3	4	16
35-49	1929	3.4	21	1	2	2	3	6	11	24
50-64	1759	4.1	30	1	2	2	4	9	13	28
65+	1008	6.5	62	2	2	3	8	16	22	41
GRAND TOTAL	15147	2.9	17	1	1	2	2	4	8	22

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	601	1.2		<1	1	1	1	2	2	3
20-34	72	2.3	2	<1	1	2	3	3	5	9
35-49	18	1.8		<1	1	2	2	3	3	3
50-64	14	7.3	229	1	1	3	3	21	50	58
65+	3	6.7	66	1	1	3	13	16	16	16
2. MULTIPLE DX										
0-19 YRS	238	1.6	5	1	1	1	2	2	4	21
20-34	54	3.5	25	1	1	2	4	6	9	35
35-49	10	3.4	6	1	1	2	6	7	7	7
50-64	12	5.6	21	2	2	3	10	12	14	14
65+	4	7.0	35	2	2	5	11	15	15	15
TOT. SINGLE DX	708	1.5	6	<1	1	1	1	2	3	5
" MULTIPLE DX	318	2.2	10	1	1	1	2	4	7	21
TOTAL 0-19 YRS	839	1.3	2	1	1	1	1	2	2	6
20-34	126	2.8	12	<1	1	2	3	5	6	16
35-49	28	2.4	3	1	1	2	2	5	7	7
50-64	26	6.5	129	1	1	3	5	14	25	58
65+	7	6.9	40	1	1	3	13	16	16	16
GRAND TOTAL	1026	1.7	7	1	1	1	2	2	3	12

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	2.2	4	<1	1	2	2	3	5	15
20-34	202	2.6	3	1	1	2	3	5	6	11
35-49	402	2.3	2	1	1	2	2	4	4	8
50-64	307	2.7	3	1	1	2	3	4	6	10
65+	71	3.1	6	1	1	2	4	5	9	13
2. MULTIPLE DX										
0-19 YRS	139	3.5	34	1	1	2	3	5	9	39
20-34	124	3.6	16	1	2	2	4	6	11	23
35-49	162	4.0	24	1	2	2	4	7	14	31
50-64	192	4.0	14	1	2	3	5	9	10	20
65+	95	5.3	24	1	2	4	6	10	16	26
TOT. SINGLE DX	1117	2.5	3	1	1	2	3	4	5	10
" MULTIPLE DX	712	4.0	22	1	1	2	4	8	12	29
TOTAL 0-19 YRS	274	2.9	20	1	1	2	3	4	6	32
20-34	326	3.0	8	1	1	2	3	5	7	18
35-49	564	2.8	9	1	1	2	3	4	6	17
50-64	499	3.2	8	1	1	2	4	6	8	14
65+	166	4.4	17	1	2	3	5	8	14	19
GRAND TOTAL	**1829**	**3.1**	**11**	**1**	**1**	**2**	**3**	**5**	**8**	**17**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	172	3.0	3	1	1	3	4	5	6	10
20-34	395	3.8	14	1	2	3	4	6	7	10
35-49	419	3.8	4	2	2	3	4	6	7	12
50-64	451	4.0	5	2	2	4	5	6	7	12
65+	337	4.8	10	2	2	4	6	8	10	21
2. MULTIPLE DX										
0-19 YRS	50	4.2	16	1	2	3	5	6	11	26
20-34	160	4.2	10	2	2	3	5	7	11	16
35-49	183	5.0	15	2	2	4	6	9	12	21
50-64	277	6.6	57	2	2	5	7	12	17	51
65+	307	8.3	58	2	3	6	10	16	22	41
TOT. SINGLE DX	1774	3.9	8	2	2	3	5	6	8	13
" MULTIPLE DX	977	6.3	42	2	2	4	7	12	17	32
TOTAL 0-19 YRS	222	3.2	6	1	1	3	4	5	6	12
20-34	555	3.9	13	1	2	3	4	6	8	14
35-49	602	4.1	8	2	2	3	5	6	8	16
50-64	728	5.0	26	2	2	4	5	8	11	27
65+	644	6.5	36	2	3	5	7	12	18	29
GRAND TOTAL	**2751**	**4.8**	**21**	**2**	**2**	**4**	**5**	**8**	**11**	**25**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	328	3.8	4	1	1	4	5	7	8	9
20-34	12	4.6	4	2	2	5	6	7	9	9
35-49	4	4.5	7	2	2	4	6	8	8	8
50-64	5	4.0	3	2	2	4	5	6	6	6
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	145	5.0	19	2	2	4	5	7	9	27
20-34	14	5.6	11	2	2	5	7	10	14	15
35-49	9	8.8	37	2	3	8	12	19	21	21
50-64	5	6.0	6	2	2	6	8	8	8	8
65+	5	24.0	1141	4	4	9	32	84	84	84
TOT. SINGLE DX	350	3.8	4	1	1	4	5	7	8	9
" MULTIPLE DX	178	5.8	54	2	2	4	6	9	13	33
TOTAL 0-19 YRS	473	4.2	9	1	1	4	5	7	8	11
20-34	26	5.1	8	2	2	5	6	9	10	15
35-49	13	7.5	31	2	2	5	9	16	20	21
50-64	10	5.0	5	2	2	5	6	8	8	8
65+	6	21.0	966	4	4	8	15	77	84	84
GRAND TOTAL	**528**	**4.5**	**22**	**1**	**1**	**4**	**5**	**7**	**8**	**21**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	801	2.7	4	<1	1	2	3	6	7	9
20-34	272	3.2	7	1	1	2	4	6	9	14
35-49	288	3.6	21	1	1	2	4	7	10	25
50-64	434	4.5	29	1	1	3	5	10	14	27
65+	501	4.5	23	1	1	3	5	9	14	29
2. MULTIPLE DX										
0-19 YRS	456	4.2	37	1	1	3	5	8	11	46
20-34	334	5.6	53	1	1	4	6	12	15	54
35-49	311	6.7	64	1	2	4	8	15	20	45
50-64	512	7.5	76	1	2	4	9	19	27	48
65+	628	8.3	89	2	2	5	10	18	27	56
TOT. SINGLE DX	2296	3.6	16	1	1	2	4	7	10	19
" MULTIPLE DX	2241	6.7	69	1	1	4	8	15	22	49
TOTAL 0-19 YRS	1257	3.2	17	<1	1	2	4	6	8	16
20-34	606	4.5	34	1	1	3	5	9	13	34
35-49	599	5.2	46	1	1	3	6	12	17	36
50-64	946	6.1	57	1	2	3	7	14	22	45
65+	1129	6.6	63	1	2	4	8	15	22	42
GRAND TOTAL	**4537**	**5.1**	**45**	**1**	**1**	**3**	**6**	**11**	**16**	**39**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7954	2.1	1	1	1	2	2	3	3	5
20-34	6034	2.3	2	1	2	2	2	3	4	6
35-49	606	2.5	3	1	1	2	3	4	5	11
50-64	106	3.1	6	1	2	2	3	5	7	16
65+	42	2.7	3	1	1	2	3	5	7	10
2. MULTIPLE DX										
0-19 YRS	1564	2.3	6	1	1	2	2	3	4	8
20-34	967	2.9	6	1	2	2	3	4	6	12
35-49	184	3.4	7	1	2	3	4	6	10	17
50-64	47	3.6	10	1	2	2	4	8	9	19
65+	21	4.9	32	2	2	3	4	11	19	26
TOT. SINGLE DX	14742	2.2	2	1	1	2	2	3	3	6
" MULTIPLE DX	2783	2.6	7	1	2	2	3	4	6	12
TOTAL 0-19 YRS	9518	2.1	2	1	1	2	2	3	3	5
20-34	7001	2.4	3	1	2	2	2	3	4	8
35-49	790	2.7	4	1	2	2	3	4	6	13
50-64	153	3.2	7	1	2	2	3	6	8	19
65+	63	3.4	14	1	2	2	3	7	10	24
GRAND TOTAL	**17525**	**2.3**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**7**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16611	2.0	2	1	1	2	2	2	3	4
20-34	932	2.3	1	1	2	2	3	3	4	5
35-49	64	2.4	1	1	2	2	3	4	5	7
50-64	27	2.0		1	1	2	2	3	3	3
65+	35	2.3	1	1	2	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	11711	2.1	6	1	1	2	2	2	3	6
20-34	222	2.9	3	1	2	2	3	5	6	11
35-49	28	5.0	41	2	2	3	5	8	11	36
50-64	14	2.2		1	1	2	2	3	4	4
65+	25	1.8		1	1	2	2	2	3	3
TOT. SINGLE DX	17669	2.0	2	1	1	2	2	2	3	4
" MULTIPLE DX	12000	2.1	6	1	1	2	2	2	3	7
TOTAL 0-19 YRS	28322	2.0	4	1	1	2	2	2	3	5
20-34	1154	2.4	1	1	2	2	3	4	4	7
35-49	92	3.2	14	1	2	2	3	5	8	24
50-64	41	2.1		1	1	2	2	3	3	4
65+	60	2.1	1	1	1	2	2	3	3	8
GRAND TOTAL	**29669**	**2.0**	**3**	**1**	**1**	**2**	**2**	**2**	**3**	**5**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2576	1.5	4	<1	<1	1	2	2	2	5
20-34	17	2.4	1	<1	1	2	3	3	4	5
35-49	6	2.7	2	1	1	2	3	5	5	5
50-64	6	1.7	1	<1	<1	1	2	3	3	3
65+	4	1.5		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	6087	1.6	3	<1	<1	2	2	2	2	4
20-34	31	2.3	3	<1	1	2	3	4	4	10
35-49	8	3.0	5	1	1	2	3	7	8	8
50-64	12	2.0	1	<1	1	2	2	3	4	4
65+	11	2.3	9	<1	<1	1	2	6	11	11
TOT. SINGLE DX	2609	1.5	4	<1	<1	1	2	2	2	5
" MULTIPLE DX	6149	1.6	3	<1	<1	2	2	2	2	4
TOTAL 0-19 YRS	8663	1.6	4	<1	<1	1	2	2	2	4
20-34	48	2.3	2	<1	1	2	3	4	4	10
35-49	14	2.9	3	1	1	2	3	5	7	8
50-64	18	1.9	1	<1	<1	2	2	3	4	4
65+	15	2.1	6	<1	<1	1	2	2	9	11
GRAND TOTAL	**8758**	**1.6**	**4**	**<1**	**<1**	**1**	**2**	**2**	**2**	**5**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	622	2.4	4	1	1	2	3	4	5	12
20-34	439	2.7	3	1	1	2	3	5	6	9
35-49	136	3.4	11	1	1	2	4	6	11	19
50-64	174	4.5	27	1	2	3	5	10	13	30
65+	111	7.1	63	1	2	4	9	17	25	41
2. MULTIPLE DX										
0-19 YRS	168	4.1	43	1	1	2	4	7	9	39
20-34	121	4.0	13	1	1	3	4	7	11	23
35-49	110	7.7	176	1	2	4	7	13	22	89
50-64	165	8.6	84	2	2	5	12	19	26	50
65+	146	11.3	150	2	2	7	15	27	36	56
TOT. SINGLE DX	1482	3.2	13	1	1	2	4	6	9	20
" MULTIPLE DX	710	7.2	97	1	2	4	8	17	24	53
TOTAL 0-19 YRS	790	2.8	13	1	1	2	3	5	7	15
20-34	560	3.0	6	1	1	2	4	5	7	14
35-49	246	5.3	89	1	1	3	5	9	14	52
50-64	339	6.5	59	1	2	3	8	14	23	37
65+	257	9.5	116	1	2	6	12	23	30	53
GRAND TOTAL	**2192**	**4.5**	**44**	**1**	**1**	**2**	**4**	**9**	**15**	**31**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	2.4	3	<1	<1	2	3	5	6	6
20-34	13	3.7	8	1	1	2	6	8	9	9
35-49	15	5.1	17	1	1	5	6	11	15	16
50-64	17	3.2	5	<1	1	2	4	7	8	9
65+	9	3.4	7	1	1	3	4	8	10	10
2. MULTIPLE DX										
0-19 YRS	14	2.6	4	<1	1	2	3	6	8	8
20-34	13	17.5	735	1	3	5	14	62	87	93
35-49	19	4.1	5	1	2	3	5	8	9	9
50-64	13	7.0	17	<1	2	7	9	14	14	14
65+	21	12.2	287	2	2	4	12	43	55	64
TOT. SINGLE DX	62	3.7	9	1	1	3	5	8	10	15
" MULTIPLE DX	80	8.6	217	1	1	4	8	14	44	84
TOTAL 0-19 YRS	22	2.5	4	<1	<1	2	3	6	7	8
20-34	26	10.6	407	1	1	4	8	29	62	93
35-49	34	4.5	10	1	2	4	5	9	11	16
50-64	30	4.9	13	<1	1	4	7	10	14	14
65+	30	9.6	217	2	2	4	9	29	47	64
GRAND TOTAL	**142**	**6.5**	**132**	**1**	**1**	**4**	**6**	**10**	**16**	**66**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	245	1.9	2	<1	1	2	2	3	3	9
20-34	335	2.0	2	1	1	2	2	2	3	6
35-49	596	2.2	6	1	1	2	2	3	4	12
50-64	888	2.4	7	1	1	2	2	3	5	15
65+	468	2.5	5	1	1	2	2	4	5	11
2. MULTIPLE DX										
0-19 YRS	67	3.3	35	1	1	2	2	7	16	90
20-34	95	4.0	39	1	2	2	3	7	10	40
35-49	232	3.5	21	1	1	2	3	7	12	29
50-64	516	4.8	44	1	2	2	5	10	16	38
65+	344	5.6	42	1	2	3	7	12	18	32
TOT. SINGLE DX	2532	2.3	5	1	1	2	2	3	4	11
" MULTIPLE DX	1254	4.7	39	1	1	2	5	10	16	36
TOTAL 0-19 YRS	312	2.2	9	<1	1	2	2	3	4	17
20-34	430	2.4	11	1	1	2	2	3	5	17
35-49	828	2.6	10	1	1	2	2	4	6	20
50-64	1404	3.3	22	1	1	2	3	6	10	24
65+	812	3.8	23	1	1	2	3	9	12	29
GRAND TOTAL	**3786**	**3.1**	**17**	**1**	**1**	**2**	**3**	**5**	**9**	**23**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	3.6	14	1	1	2	4	10	13	13
20-34	22	4.8	40	1	1	2	4	12	22	26
35-49	29	5.9	38	<1	<1	2	10	17	18	19
50-64	68	10.7	90	1	2	10	15	20	28	53
65+	48	13.9	181	2	2	12	18	25	30	83
2. MULTIPLE DX										
0-19 YRS	6	4.7	57	<1	<1	2	2	18	20	20
20-34	8	9.8	37	2	2	11	17	68	99+	99+
35-49	13	19.8	253	2	2	20	36	52	89	99+
50-64	54	18.2	156	2	4	17	24	31	44	61
65+	58	15.7	181	2	2	13	18	33	51	56
TOT. SINGLE DX	176	9.7	107	1	2	7	15	20	26	52
" MULTIPLE DX	139	16.3	172	2	2	16	23	34	48	99+
TOTAL 0-19 YRS	15	4.0	29	<1	1	2	4	13	18	20
20-34	30	6.1	43	1	2	3	10	19	26	99+
35-49	42	10.2	142	<1	1	5	17	29	47	99+
50-64	122	14.0	132	2	2	12	18	28	33	58
65+	106	14.9	180	2	2	13	18	29	40	68
GRAND TOTAL	**315**	**12.6**	**146**	**1**	**2**	**11**	**18**	**27**	**35**	**69**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	16	13.5	24	7	9	12	15	23	23	23
50-64	107	16.8	85	9	10	15	18	27	31	59
65+	71	18.1	112	11	11	15	18	30	38	72
2. MULTIPLE DX										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	17	27.1	426	4	7	23	43	78	94	99+
50-64	103	24.9	181	11	13	21	36	52	99+	99+
65+	116	26.9	247	11	12	22	33	56	61	87
TOT. SINGLE DX	195	17.0	91	9	10	14	18	27	36	60
" MULTIPLE DX	238	25.9	230	11	12	22	35	56	71	99+
TOTAL 0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	33	20.5	271	5	9	15	24	45	80	99+
50-64	210	20.8	148	10	11	17	26	41	57	99+
65+	187	23.6	213	11	12	18	28	45	60	80
GRAND TOTAL	**433**	**21.9**	**187**	**10**	**11**	**17**	**27**	**43**	**59**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	7	9.6	56	2	2	7	16	20	21	21
65+	11	16.4	152	1	2	16	23	35	41	42
2. MULTIPLE DX										
0-19 YRS	2	90.5	25	87	87	94	98	99+	99+	99+
20-34	6	34.3	1019	1	3	19	66	80	82	82
35-49	12	22.7	106	7	9	25	34	99+	99+	99+
50-64	35	29.9	302	3	9	32	47	57	86	99+
65+	49	29.9	407	5	7	25	40	61	82	99+
TOT. SINGLE DX	23	11.6	112	1	2	7	17	26	34	42
" MULTIPLE DX	104	30.5	428	5	8	26	46	75	99+	99+
TOTAL 0-19 YRS	3	62.3	2392	6	6	90	97	99+	99+	99+
20-34	8	26.5	939	1	1	18	43	77	82	82
35-49	14	19.9	139	3	5	23	31	94	99+	99+
50-64	42	26.5	317	3	4	22	45	54	73	99+
65+	60	27.4	385	4	6	24	39	60	74	98
GRAND TOTAL	127	27.1	423	2	5	22	43	63	93	99+

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	11.5	279	1	1	6	9	34	50	83
20-34	31	14.3	284	2	2	7	16	46	48	62
35-49	39	10.8	211	1	1	7	13	38	59	99+
50-64	59	11.1	247	1	1	6	15	37	95	99+
65+	35	13.4	316	1	2	7	18	34	62	76
2. MULTIPLE DX										
0-19 YRS	103	23.3	478	1	2	19	47	99+	99+	99+
20-34	111	30.0	616	2	4	25	59	86	99+	99+
35-49	95	29.0	475	4	6	28	51	99+	99+	99+
50-64	268	31.6	622	2	3	29	51	82	99+	99+
65+	290	31.8	475	2	3	30	49	69	89	99+
TOT. SINGLE DX	217	12.0	261	1	2	6	15	43	56	99+
" MULTIPLE DX	867	30.2	544	2	3	28	51	82	99+	99+
TOTAL 0-19 YRS	156	19.3	440	1	2	12	37	79	99+	99+
20-34	142	26.6	583	2	2	21	54	72	99+	99+
35-49	134	23.7	465	2	2	20	45	94	99+	99+
50-64	327	27.9	616	2	2	25	47	78	99+	99+
65+	325	29.8	490	2	3	28	47	67	87	99+
GRAND TOTAL	1084	26.5	540	2	2	23	46	74	99+	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	6.5	54	1	1	4	8	13	21	38
20-34	177	6.6	41	1	2	5	9	13	18	24
35-49	273	7.2	37	1	2	5	9	15	18	32
50-64	590	8.6	68	2	2	6	11	17	23	44
65+	621	9.2	67	2	2	7	12	18	24	42
2. MULTIPLE DX										
0-19 YRS	33	7.5	43	1	1	5	9	17	24	26
20-34	204	9.6	82	2	3	7	13	18	26	48
35-49	478	10.7	78	2	3	8	14	21	28	49
50-64	1525	12.1	104	2	3	9	16	24	31	51
65+	1899	13.4	96	3	4	11	17	25	32	54
TOT. SINGLE DX	1693	8.4	61	2	2	6	11	17	22	39
" MULTIPLE DX	4139	12.4	97	2	3	10	16	24	31	52
TOTAL 0-19 YRS	65	7.0	48	1	1	5	9	16	22	36
20-34	381	8.2	65	2	2	6	11	16	22	45
35-49	751	9.4	66	2	2	7	12	18	25	46
50-64	2115	11.2	96	2	3	8	15	23	30	49
65+	2520	12.4	92	2	3	10	16	24	30	51
GRAND TOTAL	5832	11.2	90	2	3	9	15	22	29	49

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	9.5	5	8	8	9	11	11	11	11
65+	3	9.7	10	6	6	11	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	3	17.0	49	12	12	14	22	25	25	25
20-34	2	12.5	13	10	10	12	15	15	15	15
35-49	1	5.0		5	5	5	5	5	5	5
50-64	11	12.4	35	4	5	12	17	21	22	22
65+	3	11.7	40	8	8	8	16	19	19	19
TOT. SINGLE DX	10	6.9	14	2	2	7	11	12	12	12
" MULTIPLE DX	20	12.6	35	4	5	12	16	21	23	25
TOTAL 0-19 YRS	5	11.8	77	2	2	12	17	25	25	25
20-34	4	7.5	38	2	2	6	12	15	15	15
35-49	2	6.5	5	5	5	6	8	8	8	8
50-64	13	11.9	30	4	5	11	14	21	22	22
65+	6	10.7	21	6	6	10	12	18	19	19
GRAND TOTAL	30	10.7	34	2	3	10	13	20	22	25

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	10.3	18	2	4	10	13	15	18	20
20-34	138	10.0	31	2	4	9	12	18	22	27
35-49	230	11.2	57	2	4	9	14	18	24	42
50-64	464	12.5	50	3	5	11	16	21	25	40
65+	381	13.8	76	3	4	13	18	24	28	43
2. MULTIPLE DX										
0-19 YRS	29	16.9	157	6	7	13	18	43	46	52
20-34	125	13.1	87	3	4	10	17	26	33	48
35-49	321	15.4	105	5	7	13	19	27	34	60
50-64	861	17.0	115	4	6	15	21	32	38	56
65+	888	17.8	121	4	7	15	23	32	40	54
TOT. SINGLE DX	1247	12.3	58	3	4	11	16	21	25	40
" MULTIPLE DX	2224	16.9	116	4	6	14	21	31	38	54
TOTAL 0-19 YRS	63	13.3	92	4	6	11	15	19	41	51
20-34	263	11.4	60	3	4	9	13	22	27	39
35-49	551	13.7	89	4	6	11	17	24	31	52
50-64	1325	15.4	97	3	6	13	19	28	35	50
65+	1269	16.6	111	4	5	14	21	30	37	54
GRAND TOTAL	**3471**	**15.2**	**100**	**3**	**5**	**13**	**19**	**28**	**35**	**52**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	15.6	57	8	9	13	20	27	32	33
20-34	19	12.9	32	5	7	10	18	21	22	22
35-49	103	14.5	55	5	8	13	17	23	31	43
50-64	354	16.0	59	8	9	14	19	25	31	46
65+	233	18.0	51	9	10	17	21	27	32	46
2. MULTIPLE DX										
0-19 YRS	11	16.5	107	9	9	11	21	34	39	39
20-34	29	20.1	177	5	7	16	28	47	58	99+
35-49	170	21.0	139	9	10	18	25	37	47	78
50-64	472	19.8	97	9	10	18	24	33	40	57
65+	436	22.1	144	10	11	19	26	36	43	74
TOT. SINGLE DX	721	16.3	57	8	9	15	20	25	32	45
" MULTIPLE DX	1118	20.8	124	9	10	18	25	35	44	66
TOTAL 0-19 YRS	23	16.0	78	8	9	11	21	31	35	39
20-34	48	17.3	130	5	7	15	21	32	51	99+
35-49	273	18.5	117	7	9	16	23	33	44	52
50-64	826	18.1	84	9	9	16	22	30	36	54
65+	669	20.7	115	10	11	18	24	33	39	70
GRAND TOTAL	**1839**	**19.1**	**103**	**9**	**10**	**17**	**23**	**32**	**38**	**59**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	280	4.8	34	1	1	3	6	12	15	39
20-34	363	5.8	27	1	2	4	7	13	15	30
35-49	579	6.4	39	1	1	5	8	14	18	35
50-64	1140	7.1	45	1	2	5	9	15	20	33
65+	884	8.0	49	2	2	6	11	18	23	32
2. MULTIPLE DX										
0-19 YRS	257	10.5	125	2	2	8	14	20	30	94
20-34	481	9.3	80	2	2	7	12	18	25	54
35-49	1050	10.1	92	2	2	7	13	21	30	55
50-64	2549	11.1	105	2	3	8	14	23	31	55
65+	2909	13.4	121	2	3	10	18	27	35	57
TOT. SINGLE DX	3246	6.9	43	1	2	5	9	15	20	32
" MULTIPLE DX	7246	11.8	111	2	3	9	15	24	32	56
TOTAL 0-19 YRS	537	7.5	86	1	1	4	11	17	22	60
20-34	844	7.8	60	1	2	5	10	16	20	38
35-49	1629	8.8	77	1	2	6	11	18	26	45
50-64	3689	9.9	90	2	2	7	13	21	27	50
65+	3793	12.2	109	2	3	9	16	25	32	53
GRAND TOTAL	**10492**	**10.2**	**95**	**2**	**2**	**8**	**13**	**22**	**29**	**51**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	7.4	89	1	2	4	7	18	25	54
20-34	89	6.7	15	2	3	5	9	12	14	20
35-49	47	11.2	102	2	3	8	14	24	32	47
50-64	35	10.6	78	2	3	7	16	22	28	40
65+	32	14.4	135	2	3	12	19	24	31	60
2. MULTIPLE DX										
0-19 YRS	69	11.1	183	2	3	7	12	23	27	81
20-34	66	9.7	100	3	3	7	12	19	31	95
35-49	52	11.9	85	3	4	10	13	28	33	45
50-64	109	14.3	118	3	4	11	18	29	38	52
65+	103	16.9	154	4	5	14	22	34	38	68
TOT. SINGLE DX	246	9.2	75	2	3	6	11	20	25	47
" MULTIPLE DX	399	13.3	137	3	4	10	16	29	36	71
TOTAL 0-19 YRS	112	9.7	149	2	2	6	11	21	27	78
20-34	155	7.9	53	2	3	6	10	15	19	66
35-49	99	11.5	92	3	4	9	13	26	32	46
50-64	144	13.4	110	3	4	10	17	28	37	52
65+	135	16.3	149	3	4	14	21	34	38	64
GRAND TOTAL	**645**	**11.8**	**117**	**2**	**3**	**9**	**15**	**25**	**34**	**60**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	210	6.3	19	1	2	5	8	12	14	23
20-34	751	6.2	27	2	3	5	8	11	14	21
35-49	344	7.6	29	3	3	6	9	15	19	27
50-64	248	11.2	69	3	3	9	15	21	27	44
65+	199	12.4	77	3	4	10	16	24	32	41
2. MULTIPLE DX										
0-19 YRS	333	11.5	128	2	4	8	14	23	32	74
20-34	655	10.2	86	3	4	8	12	20	26	50
35-49	460	13.8	152	3	4	10	17	28	39	71
50-64	870	15.0	141	4	5	12	19	29	37	67
65+	846	17.2	165	4	5	14	22	33	44	72
TOT. SINGLE DX	1752	7.9	43	2	3	6	10	15	20	33
" MULTIPLE DX	3164	14.1	143	3	4	10	18	29	36	67
TOTAL 0-19 YRS	543	9.5	92	2	3	7	11	19	26	59
20-34	1406	8.1	58	2	3	6	10	15	21	40
35-49	804	11.2	109	3	3	8	14	23	31	61
50-64	1118	14.1	128	3	4	11	18	27	35	63
65+	1045	16.3	152	4	5	13	21	32	41	67
GRAND TOTAL	**4916**	**11.9**	**116**	**3**	**3**	**8**	**15**	**24**	**32**	**58**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	271	6.2	21	1	2	6	7	10	12	22
20-34	255	7.2	40	1	2	6	10	14	17	29
35-49	225	8.3	51	1	2	6	11	18	24	33
50-64	294	10.0	82	2	2	8	14	21	27	46
65+	242	9.5	59	2	2	8	13	20	24	36
2. MULTIPLE DX										
0-19 YRS	93	9.4	57	1	2	8	11	23	27	34
20-34	261	10.7	117	2	2	8	14	22	29	58
35-49	335	11.0	95	2	2	9	14	24	29	47
50-64	711	14.1	156	2	3	11	18	28	38	63
65+	856	15.1	131	2	3	13	20	29	37	63
TOT. SINGLE DX	1287	8.3	53	1	2	6	11	17	22	36
" MULTIPLE DX	2256	13.4	132	2	3	10	17	27	35	61
TOTAL 0-19 YRS	364	7.0	32	1	2	6	8	12	18	30
20-34	516	9.0	82	1	2	7	12	17	25	46
35-49	560	9.9	79	2	2	8	13	21	28	40
50-64	1005	12.9	138	2	3	10	16	26	35	62
65+	1098	13.8	121	2	3	11	18	28	35	58
GRAND TOTAL	**3543**	**11.5**	**110**	**2**	**2**	**9**	**15**	**24**	**31**	**56**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	131	10.2	15	6	7	10	12	14	15	27
20-34	92	11.2	71	2	5	10	13	16	19	57
35-49	135	12.3	23	7	8	12	15	18	22	26
50-64	199	15.6	53	9	10	14	18	25	29	40
65+	98	16.3	49	8	10	15	19	25	32	41
2. MULTIPLE DX										
0-19 YRS	102	15.1	135	7	8	11	16	30	42	65
20-34	92	16.8	104	6	9	13	18	29	39	56
35-49	218	17.8	144	8	9	14	21	32	45	83
50-64	461	20.7	160	9	10	17	24	37	48	67
65+	324	22.2	141	10	11	19	28	37	48	99+
TOT. SINGLE DX	655	13.3	46	6	8	12	15	21	25	37
" MULTIPLE DX	1197	19.8	150	8	9	16	24	35	47	75
TOTAL 0-19 YRS	233	12.3	73	7	8	10	13	17	29	55
20-34	184	14.0	95	4	7	12	15	24	31	56
35-49	353	15.7	104	7	9	13	17	26	36	75
50-64	660	19.2	133	9	10	16	22	32	45	65
65+	422	20.8	125	9	11	18	26	35	44	86
GRAND TOTAL	**1852**	**17.5**	**123**	**8**	**9**	**14**	**21**	**31**	**41**	**67**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	10.8	5	9	9	10	13	14	14	14
20-34	27	12.1	40	8	9	10	13	15	21	41
35-49	712	11.5	14	8	8	11	13	15	18	29
50-64	1791	12.6	22	8	9	12	14	18	21	31
65+	581	14.5	39	8	9	13	16	22	26	36
2. MULTIPLE DX										
0-19 YRS	4	3.8	12	2	2	2	6	9	9	9
20-34	64	12.9	47	7	8	11	14	19	27	43
35-49	1119	13.5	38	8	9	12	15	20	26	38
50-64	3483	15.0	60	8	9	13	17	23	29	46
65+	1365	18.0	87	9	10	15	22	29	35	57
TOT. SINGLE DX	3117	12.7	24	8	9	12	14	18	21	32
" MULTIPLE DX	6035	15.4	64	8	9	13	18	25	30	49
TOTAL 0-19 YRS	10	8.0	20	2	2	9	11	13	14	14
20-34	91	12.7	45	7	8	11	14	18	24	43
35-49	1831	12.7	30	8	8	11	14	18	23	36
50-64	5274	14.2	49	8	9	12	16	22	27	42
65+	1946	17.0	75	9	10	14	20	27	33	52
GRAND TOTAL	**9152**	**14.5**	**52**	**8**	**9**	**12**	**16**	**23**	**28**	**43**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	300	2.3	6	1	2	2	2	3	4	10
20-34	321	3.6	12	2	2	2	3	7	11	20
35-49	1865	3.4	9	2	2	2	3	7	9	15
50-64	2747	3.7	13	2	2	2	4	8	11	18
65+	812	4.3	18	2	2	3	5	9	13	24
2. MULTIPLE DX										
0-19 YRS	334	3.9	37	1	2	2	3	8	14	33
20-34	538	4.9	24	2	2	3	6	12	15	25
35-49	3697	4.9	26	2	2	3	6	11	15	23
50-64	7489	5.4	31	2	2	3	7	12	16	28
65+	2463	7.0	50	2	2	4	10	15	20	33
TOT. SINGLE DX	6045	3.6	12	2	2	2	4	7	10	18
" MULTIPLE DX	14521	5.5	33	2	2	3	7	12	16	28
TOTAL 0-19 YRS	634	3.2	23	1	2	2	2	4	9	28
20-34	859	4.4	20	2	2	3	5	10	14	24
35-49	5562	4.4	21	2	2	3	5	10	13	21
50-64	10236	4.9	27	2	2	3	6	11	15	26
65+	3275	6.3	44	2	2	4	9	14	18	30
GRAND TOTAL	**20566**	**4.9**	**28**	**2**	**2**	**3**	**6**	**11**	**15**	**26**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	4.4	6	2	2	4	7	8	8	8
20-34	24	5.9	21	1	2	5	7	10	16	22
35-49	105	8.1	40	2	2	6	12	17	21	28
50-64	365	7.3	34	2	2	5	9	16	18	29
65+	1725	6.6	32	2	2	5	8	13	17	27
2. MULTIPLE DX										
0-19 YRS	31	10.4	73	2	3	8	14	27	28	30
20-34	66	9.7	54	2	3	7	14	18	26	35
35-49	235	12.1	64	2	4	11	16	23	27	42
50-64	1360	12.9	89	2	3	11	17	24	30	50
65+	6157	12.8	91	2	4	11	17	24	31	47
TOT. SINGLE DX	2235	6.7	33	2	2	5	9	14	17	27
" MULTIPLE DX	7849	12.8	90	2	4	11	17	24	30	47
TOTAL 0-19 YRS	47	8.3	58	2	2	6	9	23	28	30
20-34	90	8.7	48	2	2	6	12	17	24	33
35-49	340	10.9	60	2	3	9	15	21	26	39
50-64	1725	11.7	83	2	3	10	16	23	29	46
65+	7882	11.5	85	2	3	9	15	23	29	45
GRAND TOTAL	**10084**	**11.4**	**83**	**2**	**3**	**9**	**15**	**23**	**29**	**45**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	7.3	23	2	2	6	9	12	18	22
20-34	19	10.4	56	2	3	9	12	23	29	31
35-49	47	11.3	36	2	4	11	13	18	26	29
50-64	57	12.2	32	3	4	12	16	21	23	25
65+	40	9.9	37	2	3	10	12	19	22	28
2. MULTIPLE DX										
0-19 YRS	28	12.9	78	2	3	10	17	28	31	33
20-34	79	13.9	114	4	6	11	15	24	34	64
35-49	115	15.2	78	4	7	13	18	29	32	44
50-64	202	14.9	104	3	5	13	18	26	33	58
65+	137	18.4	159	5	7	15	23	37	49	73
TOT. SINGLE DX	181	10.8	37	2	3	10	13	19	23	29
" MULTIPLE DX	561	15.6	114	4	6	13	19	29	36	62
TOTAL 0-19 YRS	46	10.7	63	2	2	8	13	23	30	33
20-34	98	13.3	104	3	6	11	15	24	32	63
35-49	162	14.1	69	3	6	12	17	27	30	42
50-64	259	14.3	89	3	5	12	17	24	30	48
65+	177	16.5	144	3	5	13	21	31	44	67
GRAND TOTAL	**742**	**14.4**	**100**	**3**	**5**	**12**	**18**	**27**	**33**	**58**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	123	3.2	16	1	1	2	2	10	13	44
20-34	182	3.6	76	1	1	2	2	5	8	63
35-49	291	3.4	23	1	1	2	3	6	13	23
50-64	394	3.7	29	1	1	2	3	8	14	29
65+	306	4.6	33	1	2	2	4	11	15	31
2. MULTIPLE DX										
0-19 YRS	99	7.2	143	1	1	2	9	25	65	99+
20-34	118	8.0	79	1	2	4	11	19	27	44
35-49	251	9.9	125	2	2	6	13	23	33	58
50-64	520	9.7	116	1	2	6	13	23	32	49
65+	515	13.1	172	2	2	9	17	29	38	69
TOT. SINGLE DX	1296	3.8	34	1	1	2	3	9	14	29
" MULTIPLE DX	1503	10.6	139	1	2	7	14	25	34	64
TOTAL 0-19 YRS	222	5.0	76	1	1	2	4	14	25	99+
20-34	300	5.3	82	1	1	2	4	13	19	45
35-49	542	6.4	80	1	1	2	7	17	23	44
50-64	914	7.1	87	1	1	3	9	19	27	45
65+	821	9.9	137	2	2	5	14	23	32	59
GRAND TOTAL	**2799**	**7.4**	**102**	**1**	**1**	**3**	**10**	**19**	**28**	**53**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	4.0	5	1	2	4	5	7	7	13
20-34	812	4.7	22	2	2	4	5	7	8	14
35-49	1145	5.1	10	2	3	4	6	8	10	19
50-64	897	6.1	20	2	3	5	7	10	13	25
65+	264	7.6	29	3	3	6	9	14	18	26
2. MULTIPLE DX										
0-19 YRS	9	6.9	23	2	2	5	10	14	16	16
20-34	221	6.1	13	3	3	5	7	10	13	19
35-49	499	7.4	41	3	3	5	9	14	19	30
50-64	567	8.7	52	3	3	7	11	17	21	37
65+	280	13.3	142	4	4	9	17	27	36	62
TOT. SINGLE DX	3167	5.5	18	2	3	4	6	9	11	22
" MULTIPLE DX	1576	8.7	64	3	3	6	10	17	21	43
TOTAL 0-19 YRS	58	4.5	8	1	2	4	5	7	11	16
20-34	1033	5.0	20	2	3	4	6	8	9	17
35-49	1644	5.8	21	2	3	5	7	9	14	23
50-64	1464	7.1	34	3	3	5	8	13	17	33
65+	544	10.5	95	3	4	7	13	21	29	53
GRAND TOTAL	**4743**	**6.5**	**36**	**2**	**3**	**5**	**7**	**12**	**16**	**31**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	6.6	25	1	2	7	10	14	16	17
20-34	42	7.5	28	2	2	7	10	16	18	23
35-49	205	10.8	40	2	3	10	13	18	21	36
50-64	622	12.1	49	3	5	11	14	19	23	37
65+	485	13.6	69	3	6	12	17	23	29	47
2. MULTIPLE DX										
0-19 YRS	42	18.0	253	6	7	12	20	39	64	67
20-34	195	13.7	206	2	2	9	19	33	43	98
35-49	526	13.9	131	2	3	11	17	26	34	61
50-64	1893	16.3	147	4	6	13	19	30	41	74
65+	1699	19.4	171	6	8	16	23	37	46	78
TOT. SINGLE DX	1371	12.2	56	3	4	11	15	20	25	40
" MULTIPLE DX	4355	17.1	162	4	6	14	21	33	44	76
TOTAL 0-19 YRS	59	14.7	213	2	3	10	18	28	57	67
20-34	237	12.6	180	2	2	8	16	29	39	96
35-49	731	13.0	107	2	3	11	16	24	31	57
50-64	2515	15.2	126	4	6	12	18	27	37	70
65+	2184	18.1	155	5	7	15	22	34	44	75
GRAND TOTAL	**5726**	**15.9**	**141**	**3**	**6**	**13**	**19**	**29**	**40**	**71**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34										
35-49	1	11.0		11	11	11	11	11	11	11
50-64	12	12.0	6	10	10	11	13	16	18	18
65+	2	13.5	1	13	13	13	14	14	14	14
2. MULTIPLE DX										
0-19 YRS	2	8.5	1	8	8	8	9	9	9	9
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	26.3	241	9	9	31	37	39	39	39
50-64	13	11.9	12	9	9	11	13	17	20	21
65+	3	18.7	60	10	10	21	24	25	25	25
TOT. SINGLE DX	16	12.3	5	10	10	12	13	15	17	18
" MULTIPLE DX	22	14.3	58	8	8	11	16	27	34	39
TOTAL 0-19 YRS	3	10.3	10	8	8	9	13	14	14	14
20-34	1	7.0		7	7	7	7	7	7	7
35-49	4	22.5	220	9	9	21	35	39	39	39
50-64	25	12.0	9	9	9	11	13	16	19	21
65+	5	16.6	38	10	10	14	22	25	25	25
GRAND TOTAL	**38**	**13.4**	**42**	**8**	**9**	**11**	**14**	**21**	**29**	**39**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	4.8	16	1	1	3	8	10	10	10
20-34	16	3.4	7	<1	1	3	4	8	9	10
35-49	21	3.2	2	1	1	3	4	5	6	7
50-64	102	4.4	61	<1	1	2	5	10	13	47
65+	52	3.9	37	1	1	2	4	9	10	41
2. MULTIPLE DX										
0-19 YRS	36	6.7	67	1	1	4	8	14	18	47
20-34	328	6.3	35	1	2	5	8	12	16	33
35-49	462	7.6	45	1	2	6	10	16	22	34
50-64	731	7.2	48	1	2	5	9	15	19	36
65+	468	8.6	74	1	2	6	10	16	25	49
TOT. SINGLE DX	196	4.1	42	1	1	2	4	8	11	35
" MULTIPLE DX	2025	7.4	52	1	2	5	9	15	21	39
TOTAL 0-19 YRS	41	6.4	61	1	1	4	8	14	17	47
20-34	344	6.1	34	1	1	5	8	12	15	29
35-49	483	7.4	44	1	2	5	9	15	22	34
50-64	833	6.8	50	1	1	5	8	14	19	36
65+	520	8.1	72	1	2	6	10	16	24	47
GRAND TOTAL	**2221**	**7.1**	**52**	**1**	**1**	**5**	**9**	**14**	**20**	**40**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	379	7.9	38	1	2	7	11	14	18	32
20-34	379	7.0	61	1	1	5	9	15	20	35
35-49	507	9.4	61	1	2	8	12	20	23	35
50-64	1440	10.8	60	2	4	9	13	18	23	39
65+	1651	11.7	57	3	4	10	15	20	25	42
2. MULTIPLE DX										
0-19 YRS	1839	19.2	365	2	3	12	27	52	65	99+
20-34	757	11.9	184	1	2	8	15	27	41	78
35-49	1213	12.7	152	2	2	10	16	28	40	79
50-64	3672	14.4	142	3	4	12	18	28	37	73
65+	4983	16.6	150	4	6	13	21	31	41	71
TOT. SINGLE DX	4356	10.4	59	2	3	9	13	18	24	40
" MULTIPLE DX	12464	15.7	186	2	4	12	20	32	46	83
TOTAL 0-19 YRS	2218	17.2	327	2	3	10	23	48	63	99+
20-34	1136	10.2	148	1	2	6	12	22	32	73
35-49	1720	11.7	127	2	2	9	15	25	35	65
50-64	5112	13.4	121	3	4	11	16	25	34	63
65+	6634	15.4	132	4	5	12	19	29	38	67
GRAND TOTAL	**16820**	**14.3**	**158**	**2**	**4**	**11**	**18**	**29**	**40**	**76**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	778	3.2	10	1	1	2	3	6	9	19
20-34	750	4.5	18	1	1	3	5	10	13	21
35-49	482	5.1	25	1	2	3	6	11	15	24
50-64	528	7.1	45	1	2	5	10	15	22	35
65+	471	8.6	47	2	2	7	12	17	21	33
2. MULTIPLE DX										
0-19 YRS	264	5.3	30	1	1	3	7	11	15	28
20-34	486	6.9	38	1	2	5	9	15	19	30
35-49	483	9.1	77	2	2	7	12	19	26	48
50-64	948	10.7	87	2	2	8	14	22	28	46
65+	1095	12.5	98	2	3	10	16	25	32	54
TOT. SINGLE DX	3009	5.4	30	1	1	3	7	12	17	28
" MULTIPLE DX	3276	10.1	83	2	2	8	13	21	27	45
TOTAL 0-19 YRS	1042	3.7	16	1	1	2	4	8	10	20
20-34	1236	5.4	27	1	2	4	7	12	16	26
35-49	965	7.1	55	1	2	5	9	15	21	37
50-64	1476	9.4	75	2	2	7	12	20	26	44
65+	1566	11.3	86	2	3	9	15	23	28	46
GRAND TOTAL	**6285**	**7.8**	**63**	**1**	**2**	**5**	**10**	**17**	**23**	**39**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	3.0	8	1	1	2	3	6	8	16
20-34	60	6.0	23	1	1	4	9	12	15	23
35-49	53	7.0	29	1	2	6	9	15	18	26
50-64	109	9.9	45	2	3	8	13	19	24	34
65+	95	12.1	79	3	5	9	16	24	27	51
2. MULTIPLE DX										
0-19 YRS	20	6.5	28	1	1	7	9	14	17	20
20-34	34	9.0	27	3	4	9	10	12	17	32
35-49	83	12.5	116	4	5	9	15	25	32	65
50-64	217	13.9	90	5	6	11	18	28	34	59
65+	249	13.8	125	3	5	11	16	25	34	60
TOT. SINGLE DX	353	8.7	52	1	2	7	11	18	24	32
" MULTIPLE DX	603	13.2	105	3	5	10	16	26	33	58
TOTAL 0-19 YRS	56	4.2	18	1	1	2	6	9	14	20
20-34	94	7.1	26	1	2	6	10	12	15	28
35-49	136	10.4	89	2	3	8	13	20	27	48
50-64	326	12.6	78	3	5	10	16	25	31	45
65+	344	13.3	112	3	5	10	16	25	33	57
GRAND TOTAL	**956**	**11.5**	**90**	**2**	**3**	**9**	**15**	**23**	**29**	**53**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	14.5	13	12	12	14	17	17	17	17
50-64	2	6.5	41	2	2	6	11	11	11	11
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	2	9.0	2	8	8	9	10	10	10	10
50-64	3	9.3	120	3	3	3	17	22	22	22
65+										
TOT. SINGLE DX	6	9.3	28	2	2	10	12	16	17	17
" MULTIPLE DX	6	9.8	51	3	3	9	13	21	22	22
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	2	9.0	32	5	5	9	13	13	13	13
35-49	4	11.8	15	8	8	11	14	17	17	17
50-64	5	8.2	73	2	2	3	14	22	22	22
65+										
GRAND TOTAL	**12**	**9.6**	**36**	**2**	**3**	**9**	**12**	**18**	**21**	**22**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	5	2.6	1	1	1	3	3	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	5	3.2		3	3	3	4	4	4	4
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS										
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49										
50-64										
65+										
TOT. SINGLE DX	14	3.1	1	1	2	3	4	4	4	4
" MULTIPLE DX	2	6.5	5	5	5	6	8	8	8	8
TOTAL 0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	7	3.7	5	1	1	3	5	7	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64	5	3.2		3	3	3	4	4	4	4
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	16	3.5	2	1	2	3	4	5	7	8

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	442	7.5	59	1	2	6	8	13	19	49
20-34	355	9.4	64	2	3	8	11	17	23	35
35-49	303	10.5	112	2	2	8	12	23	30	59
50-64	496	9.9	68	2	3	8	12	20	26	44
65+	673	10.4	67	2	3	8	13	21	25	41
2. MULTIPLE DX										
0-19 YRS	470	11.4	131	2	3	8	13	22	37	60
20-34	767	13.6	180	3	4	9	15	28	43	83
35-49	923	12.9	119	3	4	10	15	25	34	55
50-64	1953	13.0	121	3	4	10	16	25	33	59
65+	4169	13.8	111	3	4	11	17	26	34	58
TOT. SINGLE DX	2269	9.6	72	2	3	7	11	19	25	44
" MULTIPLE DX	8282	13.3	122	3	4	10	16	26	34	61
TOTAL 0-19 YRS	912	9.5	99	2	3	7	10	18	29	55
20-34	1122	12.3	147	3	4	9	14	23	35	71
35-49	1226	12.3	118	3	4	9	14	25	33	55
50-64	2449	12.4	112	3	4	9	15	24	32	57
65+	4842	13.3	106	3	4	11	17	25	33	56
GRAND TOTAL	10551	12.5	114	3	4	10	15	24	33	58

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	8.7	53	<1	1	6	14	20	24	24
20-34	16	12.3	279	2	2	4	20	29	54	65
35-49	6	4.7	3	3	3	4	5	8	8	8
50-64	11	14.2	176	1	2	12	20	32	46	47
65+	10	11.7	93	1	1	8	21	26	30	30
2. MULTIPLE DX										
0-19 YRS	39	16.4	218	[illegible]	3	10	26	43	51	99+
20-34	20	13.4	326	2	3	7	18	52	90	99+
35-49	43	13.3	117	2	2	9	22	27	38	43
50-64	73	16.6	141	3	5	15	20	32	44	56
65+	81	19.8	225	4	7	16	27	41	57	94
TOT. SINGLE DX	53	11.0	148	1	2	6	17	23	30	64
" MULTIPLE DX	256	16.8	192	3	4	13	23	38	49	98
TOTAL 0-19 YRS	49	14.8	192	2	3	9	24	42	50	99+
20-34	36	12.9	297	2	2	5	19	32	76	99+
35-49	49	12.2	111	2	2	8	20	26	38	43
50-64	84	16.3	144	3	4	15	20	32	46	56
65+	91	18.9	216	3	5	15	24	39	53	92
GRAND TOTAL	309	15.8	189	2	3	12	22	35	47	89

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	4.2	29	<1	1	2	4	11	15	28
20-34	123	4.9	14	1	1	4	7	9	13	43
35-49	204	6.3	35	1	1	4	9	14	20	34
50-64	295	7.3	68	1	1	4	9	15	24	38
65+	339	8.4	86	1	2	5	10	18	27	47
2. MULTIPLE DX										
0-19 YRS	81	8.7	208	1	1	3	8	23	51	91
20-34	252	8.6	99	2	2	6	9	17	28	75
35-49	484	8.8	69	1	2	7	11	18	24	45
50-64	851	10.5	101	2	2	7	14	24	30	53
65+	1221	11.4	119	2	3	8	14	24	32	62
TOT. SINGLE DX	1029	7.0	60	1	1	4	9	15	23	38
" MULTIPLE DX	2889	10.4	107	2	2	7	13	22	30	60
TOTAL 0-19 YRS	149	6.6	131	1	1	2	6	17	28	73
20-34	375	7.4	74	1	2	6	9	15	20	69
35-49	688	8.0	60	1	2	6	10	17	24	40
50-64	1146	9.7	95	1	2	7	12	22	29	47
65+	1560	10.8	114	2	2	8	13	23	31	60
GRAND TOTAL	3918	9.5	97	1	2	7	12	21	28	54

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	516	4.4	5	2	2	4	5	7	8	13
20-34	13	7.5	15	2	3	7	9	14	16	16
35-49	4	14.5	43	6	6	15	19	22	22	22
50-64	14	13.4	30	7	8	13	15	20	26	28
65+	14	16.1	153	6	7	13	17	31	49	54
2. MULTIPLE DX										
0-19 YRS	85	6.3	19	2	3	6	7	10	12	76
20-34	10	16.6	157	5	7	12	20	36	49	49
35-49	13	17.3	111	4	6	14	23	34	38	39
50-64	30	17.1	134	8	8	13	22	31	39	61
65+	61	23.2	210	8	9	20	30	44	53	98
TOT. SINGLE DX	561	5.0	15	2	2	4	6	8	12	20
" MULTIPLE DX	199	14.3	160	3	4	10	20	33	42	93
TOTAL 0-19 YRS	601	4.6	7	2	2	4	6	7	9	15
20-34	23	11.5	94	3	4	9	13	21	32	49
35-49	17	16.6	93	5	6	15	22	31	37	39
50-64	44	16.0	103	7	8	13	19	24	38	61
65+	75	21.9	205	7	9	19	28	44	54	96
GRAND TOTAL	**760**	**7.5**	**70**	**2**	**3**	**5**	**8**	**15**	**24**	**49**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	25.8	340	3	3	28	39	50	50	50
20-34	14	10.7	24	3	6	10	16	19	80	99+
35-49	11	11.5	24	5	6	11	16	45	92	99+
50-64	31	13.7	86	3	5	11	18	26	32	44
65+	44	21.4	252	6	7	15	29	42	58	67
2. MULTIPLE DX										
0-19 YRS	24	23.1	306	4	5	24	37	92	99+	99+
20-34	21	25.4	497	5	6	22	56	99+	99+	99+
35-49	38	22.8	248	6	7	17	37	51	59	99+
50-64	119	24.1	292	6	8	19	34	59	67	99+
65+	320	25.7	308	7	9	22	34	52	74	99+
TOT. SINGLE DX	105	16.9	171	5	6	12	22	38	52	99+
" MULTIPLE DX	522	25.0	306	6	8	21	35	57	76	99+
TOTAL 0-19 YRS	29	23.6	301	3	5	24	37	75	99+	99+
20-34	35	19.5	355	5	6	14	26	95	99+	99+
35-49	49	20.3	219	5	7	15	32	51	59	99+
50-64	150	22.0	266	5	7	17	32	47	64	99+
65+	364	25.2	303	7	9	21	34	52	68	99+
GRAND TOTAL	**627**	**23.7**	**292**	**6**	**8**	**19**	**33**	**52**	**72**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	5.8	11	1	2	5	8	12	12	12
20-34	145	7.3	53	2	2	6	8	13	15	33
35-49	242	7.0	35	2	2	6	8	12	17	30
50-64	310	7.4	29	2	2	6	10	14	17	29
65+	337	8.7	38	2	3	7	11	16	20	31
2. MULTIPLE DX										
0-19 YRS	37	8.4	58	2	2	6	10	16	21	44
20-34	360	8.1	48	2	2	6	10	15	19	34
35-49	745	8.9	63	2	3	7	10	16	21	45
50-64	1272	9.7	54	3	3	8	12	18	24	37
65+	1727	11.7	80	3	4	9	14	22	28	44
TOT. SINGLE DX	1057	7.7	37	2	2	6	10	14	18	31
" MULTIPLE DX	4141	10.2	67	2	3	8	13	19	25	42
TOTAL 0-19 YRS	60	7.4	41	2	2	6	9	12	17	42
20-34	505	7.8	49	2	2	6	9	15	18	34
35-49	987	8.4	57	2	3	7	10	15	20	41
50-64	1582	9.2	56	2	3	8	11	17	23	34
65+	2064	11.2	74	3	4	9	14	21	27	43
GRAND TOTAL	**5198**	**9.7**	**62**	**2**	**3**	**8**	**12**	**18**	**24**	**39**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	9.3	20	3	3	9	12	16	16	16
20-34	142	12.8	52	3	6	11	15	22	29	37
35-49	300	13.4	39	8	8	12	16	20	23	34
50-64	319	14.7	40	7	8	14	17	22	27	38
65+	234	17.6	66	9	10	16	20	28	31	53
2. MULTIPLE DX										
0-19 YRS	19	21.3	373	7	8	13	28	65	93	99+
20-34	149	17.2	112	7	8	14	21	30	40	66
35-49	399	17.8	114	8	9	15	20	30	44	72
50-64	584	19.7	126	9	10	17	24	34	45	82
65+	637	22.9	161	9	11	20	28	39	51	79
TOT. SINGLE DX	1004	14.7	51	7	8	13	17	23	28	40
" MULTIPLE DX	1788	20.2	142	8	10	17	25	36	47	80
TOTAL 0-19 YRS	28	17.4	287	3	7	13	20	43	88	99+
20-34	291	15.1	87	6	8	12	18	27	35	61
35-49	699	15.9	87	8	8	13	18	25	35	68
50-64	903	18.0	101	8	9	15	22	31	39	68
65+	871	21.5	141	9	10	19	26	36	46	74
GRAND TOTAL	**2792**	**18.2**	**116**	**8**	**9**	**15**	**22**	**31**	**40**	**70**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	10	24.4	224	10	11	19	32	50	54	54
50-64	27	20.4	68	10	10	19	23	34	36	43
65+	27	22.8	124	11	13	18	27	38	45	58
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	6	23.8	147	12	12	22	32	41	42	42
35-49	11	25.4	73	13	15	26	29	37	43	44
50-64	61	26.2	257	11	13	21	31	48	65	99+
65+	95	29.0	300	12	14	25	35	57	77	99+
TOT. SINGLE DX	65	21.8	115	10	11	18	26	37	44	57
" MULTIPLE DX	174	27.5	265	11	13	23	33	54	69	99+
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	7	21.6	158	8	9	16	31	40	42	42
35-49	21	24.9	137	11	13	22	30	45	50	54
50-64	88	24.4	205	10	12	20	30	44	55	98
65+	122	27.6	266	11	13	24	34	55	68	99+
GRAND TOTAL	**239**	**25.9**	**230**	**10**	**13**	**22**	**32**	**47**	**59**	**99+**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	10.7	18	4	6	11	13	16	19	20
20-34	125	11.7	29	6	7	10	14	19	22	32
35-49	203	12.1	44	7	7	10	14	19	21	40
50-64	159	14.1	68	8	8	12	16	21	25	57
65+	100	13.2	33	6	8	12	15	20	24	37
2. MULTIPLE DX										
0-19 YRS	11	20.8	434	9	9	11	27	49	76	79
20-34	119	13.9	96	7	8	12	15	20	29	68
35-49	237	14.9	78	7	8	12	17	24	31	57
50-64	286	18.4	127	7	9	15	22	33	42	72
65+	209	21.5	143	9	10	18	26	40	47	62
TOT. SINGLE DX	605	12.7	45	7	7	11	14	19	23	41
" MULTIPLE DX	862	17.6	124	7	8	15	21	30	42	64
TOTAL 0-19 YRS	29	14.6	190	6	7	11	14	26	31	79
20-34	244	12.7	62	7	7	11	14	19	23	44
35-49	440	13.6	64	7	7	11	16	21	27	49
50-64	445	16.8	110	8	8	14	19	28	38	66
65+	309	18.8	122	8	9	15	23	36	43	56
GRAND TOTAL	**1467**	**15.6**	**98**	**7**	**8**	**13**	**18**	**26**	**36**	**58**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	7.6	12	3	3	8	9	12	15	17
20-34	430	9.2	13	6	6	8	10	14	17	22
35-49	377	10.3	40	6	6	9	11	15	19	38
50-64	239	12.1	75	5	6	10	14	18	23	65
65+	155	14.5	97	6	7	11	17	27	31	62
2. MULTIPLE DX										
0-19 YRS	60	14.3	201	3	5	10	13	34	99	99+
20-34	481	11.6	45	6	7	9	14	19	26	63
35-49	626	13.9	94	6	7	11	16	24	35	57
50-64	544	17.6	162	6	8	13	21	35	45	79
65+	566	21.1	160	7	9	18	26	38	49	71
TOT. SINGLE DX	1269	10.6	46	5	6	9	12	17	20	40
" MULTIPLE DX	2277	16.1	131	6	7	12	19	31	41	71
TOTAL 0-19 YRS	128	10.8	111	3	4	8	12	23	33	99+
20-34	911	10.5	31	6	6	9	12	17	20	38
35-49	1003	12.5	77	6	7	10	14	21	30	55
50-64	783	15.9	142	6	7	12	18	29	42	69
65+	721	19.7	153	7	8	17	24	36	46	66
GRAND TOTAL	**3546**	**14.1**	**108**	**6**	**7**	**11**	**17**	**26**	**36**	**65**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	145	4.5	10	1	1	4	6	8	10	14
20-34	351	5.9	24	1	2	5	8	12	16	22
35-49	414	5.4	25	1	1	3	7	11	16	26
50-64	721	4.8	23	1	1	3	7	11	15	21
65+	681	5.7	43	1	1	3	8	12	17	33
2. MULTIPLE DX										
0-19 YRS	215	6.0	74	1	1	4	7	12	15	39
20-34	471	8.5	50	2	3	7	10	16	23	38
35-49	680	8.4	48	2	2	7	11	16	22	32
50-64	1461	8.6	63	2	2	6	11	18	24	42
65+	1920	10.1	73	2	2	8	14	21	26	46
TOT. SINGLE DX	2312	5.3	29	1	1	3	7	12	15	25
" MULTIPLE DX	4747	9.1	65	2	2	7	12	18	24	41
TOTAL 0-19 YRS	360	5.4	49	1	1	4	7	11	14	33
20-34	822	7.4	41	1	2	6	9	14	19	37
35-49	1094	7.3	42	1	2	6	9	14	19	30
50-64	2182	7.3	53	1	2	5	10	15	21	36
65+	2601	9.0	69	1	2	7	12	19	24	43
GRAND TOTAL	**7059**	**7.8**	**56**	**1**	**2**	**6**	**10**	**16**	**22**	**38**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	9.4	55	5	5	8	9	12	22	45
20-34	54	11.5	42	6	6	10	13	18	24	43
35-49	77	13.1	38	6	7	11	17	23	26	30
50-64	76	15.3	67	8	8	13	18	26	39	86
65+	90	15.3	46	7	9	13	19	25	29	75
2. MULTIPLE DX										
0-19 YRS	80	18.8	314	6	7	12	22	56	77	99+
20-34	168	15.9	112	7	7	12	19	27	37	64
35-49	187	18.6	189	7	8	14	22	38	50	99
50-64	294	22.6	257	8	9	18	27	47	61	99+
65+	475	22.5	175	9	10	19	27	42	54	75
TOT. SINGLE DX	328	13.6	53	6	7	12	16	23	27	45
" MULTIPLE DX	1204	20.8	203	7	8	17	25	41	55	99+
TOTAL 0-19 YRS	111	16.2	259	5	6	10	18	48	70	99+
20-34	222	14.8	99	6	7	12	17	25	36	63
35-49	264	17.0	151	7	7	13	20	32	42	93
50-64	370	21.1	226	8	9	17	25	44	59	99+
65+	565	21.4	162	9	10	18	26	39	51	75
GRAND TOTAL	**1532**	**19.2**	**180**	**7**	**8**	**15**	**23**	**38**	**51**	**97**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	12.3	55	5	7	11	13	17	29	45
20-34	180	14.2	81	7	8	12	16	22	27	44
35-49	319	13.7	44	7	8	13	16	20	23	52
50-64	840	14.5	38	8	9	13	16	21	26	39
65+	1193	16.5	51	9	10	15	19	25	30	42
2. MULTIPLE DX										
0-19 YRS	73	23.8	417	6	7	16	35	69	96	99+
20-34	281	18.4	165	7	8	15	22	33	45	74
35-49	573	17.1	95	8	9	14	19	29	39	61
50-64	1805	18.5	108	9	10	16	21	30	39	71
65+	3790	21.5	131	10	11	18	25	35	45	68
TOT. SINGLE DX	2581	15.3	49	8	9	14	17	23	28	42
" MULTIPLE DX	6522	20.2	129	9	11	17	24	34	43	71
TOTAL 0-19 YRS	122	19.2	302	6	7	13	22	51	81	99+
20-34	461	16.8	137	7	8	13	19	28	37	67
35-49	892	15.9	79	8	9	14	18	26	34	61
50-64	2645	17.2	89	9	10	15	19	27	35	60
65+	4983	20.3	116	10	11	17	24	33	42	65
GRAND TOTAL	**9103**	**18.8**	**111**	**9**	**10**	**16**	**22**	**31**	**39**	**64**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	11.1	105	3	4	8	10	28	38	38
20-34	22	13.4	108	5	6	12	16	26	71	99+
35-49	36	12.1	30	6	7	10	14	20	26	28
50-64	56	15.6	73	6	7	14	20	26	34	47
65+	49	18.5	113	8	9	16	21	38	48	99+
2. MULTIPLE DX										
0-19 YRS	21	15.4	85	5	7	15	21	51	99+	99+
20-34	60	21.6	344	5	7	15	24	54	61	89
35-49	73	18.1	182	8	9	14	20	30	43	83
50-64	150	21.9	231	8	10	18	27	42	52	99+
65+	291	24.2	215	8	10	21	31	44	55	68
TOT. SINGLE DX	173	15.2	86	6	7	12	19	26	38	89
" MULTIPLE DX	595	22.3	228	8	9	18	28	43	56	93
TOTAL 0-19 YRS	31	14.0	93	4	6	12	19	38	91	99+
20-34	82	19.4	292	5	7	15	22	53	61	97
35-49	109	16.1	139	7	8	13	19	26	34	74
50-64	206	20.2	196	7	9	16	24	35	48	99
65+	340	23.4	204	8	10	19	30	43	53	70
GRAND TOTAL	**768**	**20.7**	**205**	**7**	**8**	**17**	**25**	**40**	**52**	**95**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	8.1	23	2	3	8	10	13	15	27
20-34	305	10.0	20	5	6	9	12	15	18	25
35-49	223	10.8	25	5	6	10	12	17	20	28
50-64	240	11.6	68	4	5	10	13	17	24	51
65+	315	12.5	56	5	6	11	15	20	24	44
2. MULTIPLE DX										
0-19 YRS	180	13.3	150	4	5	9	15	32	40	92
20-34	412	13.1	92	6	6	10	14	23	30	57
35-49	379	15.2	118	5	7	12	18	26	39	64
50-64	536	16.0	119	6	7	13	19	31	42	91
65+	748	17.4	134	6	8	14	20	32	41	64
TOT. SINGLE DX	1218	10.9	42	4	5	10	13	17	21	37
" MULTIPLE DX	2255	15.6	124	6	7	12	18	29	39	65
TOTAL 0-19 YRS	315	11.1	102	3	4	8	12	20	33	76
20-34	717	11.8	64	5	6	10	13	20	25	49
35-49	602	13.6	88	5	6	11	15	24	31	53
50-64	776	14.6	107	5	7	12	17	26	38	71
65+	1063	16.0	116	6	7	13	18	28	38	63
GRAND TOTAL	**3473**	**14.0**	**100**	**5**	**6**	**11**	**16**	**25**	**34**	**61**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	9.7	23	3	3	10	12	17	18	18
20-34	28	12.4	128	3	3	10	13	21	38	59
35-49	32	15.1	74	4	4	13	20	27	30	38
50-64	62	15.3	40	5	7	14	19	25	27	30
65+	110	19.6	114	8	9	17	24	33	42	61
2. MULTIPLE DX										
0-19 YRS	27	20.7	173	4	8	18	29	41	66	99+
20-34	51	17.7	246	3	4	13	20	46	52	99+
35-49	109	21.3	270	4	6	16	26	48	57	96
50-64	226	22.3	187	8	10	18	28	45	61	99+
65+	518	25.9	205	10	12	23	32	45	58	99+
TOT. SINGLE DX	245	16.6	95	4	7	14	20	28	34	56
" MULTIPLE DX	931	23.9	214	7	10	20	30	45	59	99+
TOTAL 0-19 YRS	40	17.1	150	3	5	14	24	35	52	99+
20-34	79	15.8	209	3	4	12	17	44	50	92
35-49	141	19.9	231	4	5	16	24	42	56	94
50-64	288	20.8	164	7	10	17	26	39	55	87
65+	628	24.8	194	9	12	22	30	44	57	91
GRAND TOTAL	**1176**	**22.4**	**198**	**6**	**9**	**19**	**28**	**43**	**56**	**97**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9460	4.3	8	2	2	4	5	7	9	15
20-34	5507	4.6	8	2	2	4	5	7	9	15
35-49	1558	5.6	15	2	3	5	7	10	12	17
50-64	898	7.2	25	3	3	6	9	13	15	21
65+	395	8.9	28	3	4	8	11	15	19	26
2. MULTIPLE DX										
0-19 YRS	2132	6.7	33	2	3	5	8	12	17	30
20-34	1577	7.0	23	3	3	6	8	13	16	26
35-49	641	9.8	49	3	4	8	12	18	24	40
50-64	522	12.2	73	4	4	10	15	22	29	46
65+	469	15.0	117	4	6	12	18	27	35	67
TOT. SINGLE DX	17818	4.7	11	2	2	4	5	8	10	17
" MULTIPLE DX	5341	8.4	50	3	3	6	10	16	21	36
TOTAL 0-19 YRS	11592	4.8	14	2	2	4	5	8	11	19
20-34	7084	5.1	12	2	3	4	6	9	11	18
35-49	2199	6.8	28	2	3	5	8	12	15	28
50-64	1420	9.0	49	3	3	7	11	16	21	36
65+	864	12.2	86	3	4	10	15	22	28	53
GRAND TOTAL	**23159**	**5.6**	**22**	**2**	**2**	**4**	**6**	**10**	**14**	**25**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	126	4.9	10	2	3	4	6	8	10	20
20-34	112	5.4	9	2	3	5	7	9	10	18
35-49	34	8.1	32	3	3	7	9	14	21	28
50-64	17	8.8	20	4	4	8	10	14	20	22
65+	9	11.2	13	6	6	10	15	16	16	16
2. MULTIPLE DX										
0-19 YRS	42	6.1	13	2	3	5	8	10	13	20
20-34	66	7.3	27	3	4	6	8	11	18	32
35-49	35	10.8	73	4	4	9	14	17	20	52
50-64	21	15.3	101	6	7	11	21	29	37	45
65+	9	12.6	24	7	7	12	16	61	99+	99+
TOT. SINGLE DX	298	5.9	15	2	3	5	7	10	13	22
" MULTIPLE DX	173	9.0	50	3	4	7	10	16	23	50
TOTAL 0-19 YRS	168	5.2	11	2	3	4	6	9	11	20
20-34	178	6.1	16	3	3	5	7	10	12	27
35-49	69	9.5	54	3	4	7	12	17	21	47
50-64	38	12.4	74	4	5	10	14	25	29	45
65+	18	11.9	18	6	7	12	15	20	65	99+
GRAND TOTAL	**471**	**7.0**	**30**	**3**	**3**	**6**	**8**	**13**	**17**	**31**

605: Operations on Appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	8.7	25	3	3	8	11	15	17	28
20-34	34	8.7	26	2	3	8	11	16	17	26
35-49	18	9.7	48	2	3	8	11	20	25	28
50-64	13	14.1	80	3	3	12	22	27	29	29
65+	3	7.3	2	6	6	7	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	19	11.8	65	4	4	10	13	21	30	37
20-34	13	9.9	22	4	5	8	14	18	18	18
35-49	9	11.7	21	3	5	12	15	17	18	18
50-64	11	15.8	63	4	6	14	22	26	30	30
65+	11	14.5	55	4	6	14	19	25	30	31
TOT. SINGLE DX	130	9.3	35	3	3	8	11	17	22	29
" MULTIPLE DX	63	12.6	49	4	5	11	16	21	26	36
TOTAL 0-19 YRS	81	9.4	35	3	4	9	12	16	20	35
20-34	47	9.0	25	3	3	8	11	16	18	26
35-49	27	10.3	39	3	3	9	14	19	22	28
50-64	24	14.9	70	3	4	13	22	26	29	30
65+	14	13.0	52	4	6	12	16	21	29	31
GRAND TOTAL	**193**	**10.4**	**42**	**3**	**4**	**9**	**14**	**19**	**23**	**31**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	237	4.1	14	1	1	3	5	8	11	20
20-34	288	4.7	18	1	2	4	6	9	10	18
35-49	226	4.9	14	1	2	4	6	10	13	18
50-64	280	5.2	29	1	2	3	6	10	13	25
65+	389	6.2	44	2	2	4	7	13	19	45
2. MULTIPLE DX										
0-19 YRS	122	7.6	96	1	2	4	8	19	30	74
20-34	228	7.1	51	2	2	5	8	13	20	37
35-49	315	7.3	42	1	2	6	9	13	18	40
50-64	585	8.4	49	2	2	6	11	17	23	35
65+	913	11.3	102	2	3	8	14	22	29	59
TOT. SINGLE DX	1420	5.1	26	1	2	4	6	10	13	27
" MULTIPLE DX	2163	9.3	76	2	2	7	11	19	25	51
TOTAL 0-19 YRS	359	5.3	44	1	1	3	6	11	17	34
20-34	516	5.8	34	1	2	4	7	10	14	30
35-49	541	6.3	32	1	2	5	8	12	15	28
50-64	865	7.4	45	2	2	5	9	15	22	34
65+	1302	9.8	90	2	2	7	12	20	26	55
GRAND TOTAL	**3583**	**7.6**	**61**	**1**	**2**	**5**	**9**	**16**	**22**	**45**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	3.6	6	1	1	3	4	7	9	13
20-34	492	3.8	15	1	1	3	4	7	8	11
35-49	311	3.9	7	1	1	3	5	7	8	17
50-64	176	4.4	9	1	2	4	5	8	9	18
65+	65	7.2	53	2	2	5	9	12	16	49
2. MULTIPLE DX										
0-19 YRS	32	6.1	44	1	1	4	6	11	20	35
20-34	211	5.4	18	2	2	4	6	10	14	19
35-49	204	6.2	28	2	2	4	8	13	17	32
50-64	173	7.8	72	2	3	5	10	15	20	78
65+	101	14.8	238	2	3	10	20	33	42	79
TOT. SINGLE DX	1138	4.1	14	1	2	3	5	7	9	15
" MULTIPLE DX	721	7.6	75	2	2	5	9	16	22	51
TOTAL 0-19 YRS	126	4.3	17	1	1	3	5	8	10	24
20-34	703	4.3	17	1	2	3	5	8	9	18
35-49	515	4.8	17	1	2	4	6	9	13	25
50-64	349	6.1	43	2	2	4	7	12	16	31
65+	166	11.9	179	2	2	8	14	26	37	75
GRAND TOTAL	**1859**	**5.5**	**40**	**1**	**2**	**4**	**6**	**10**	**15**	**35**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	11.5	317	1	2	9	11	17	46	90
20-34	35	10.6	88	2	2	7	13	28	33	35
35-49	80	13.7	74	3	4	13	18	22	28	44
50-64	217	17.2	51	8	10	16	20	25	29	46
65+	305	19.5	59	10	12	18	23	29	34	45
2. MULTIPLE DX										
0-19 YRS	22	19.1	296	4	5	13	25	41	57	79
20-34	58	13.7	134	3	3	11	17	23	34	70
35-49	121	16.5	120	4	5	15	21	33	42	54
50-64	352	19.8	105	6	10	18	24	34	40	55
65+	633	23.7	162	8	11	21	29	42	50	68
TOT. SINGLE DX	661	17.3	75	4	7	16	22	28	32	45
" MULTIPLE DX	1186	21.2	150	5	9	19	26	37	46	67
TOTAL 0-19 YRS	46	15.2	315	2	2	10	16	32	49	90
20-34	93	12.5	118	2	3	10	16	23	33	61
35-49	201	15.4	103	4	4	14	19	26	40	50
50-64	569	18.8	86	6	10	17	23	30	37	54
65+	938	22.3	132	9	11	20	26	37	46	66
GRAND TOTAL	**1847**	**19.8**	**127**	**5**	**8**	**18**	**24**	**34**	**42**	**59**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	5.0	27	1	1	4	6	9	10	33
20-34	214	5.0	9	2	2	4	7	9	10	15
35-49	287	6.1	28	2	2	5	7	12	17	29
50-64	222	6.9	50	1	2	5	8	14	17	39
65+	195	7.8	35	1	2	6	11	16	18	31
2. MULTIPLE DX										
0-19 YRS	43	8.1	35	2	2	8	11	16	22	24
20-34	433	7.8	36	2	3	6	10	16	20	28
35-49	703	9.2	66	2	3	7	11	17	24	40
50-64	998	10.4	68	2	3	8	13	20	25	47
65+	1145	12.7	97	3	4	10	16	24	31	53
TOT. SINGLE DX	959	6.3	31	1	2	5	8	13	16	29
" MULTIPLE DX	3322	10.6	76	2	3	8	13	21	26	47
TOTAL 0-19 YRS	84	6.6	33	1	2	5	9	12	20	30
20-34	647	6.9	28	2	2	5	9	13	18	27
35-49	990	8.3	57	2	2	6	10	16	23	35
50-64	1220	9.7	67	2	3	8	12	18	24	47
65+	1340	12.0	91	2	3	9	16	23	29	51
GRAND TOTAL	**4281**	**9.6**	**69**	**2**	**3**	**7**	**12**	**19**	**25**	**44**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	3.8	17	1	1	3	5	5	6	29
20-34	525	4.3	22	2	2	4	5	6	8	15
35-49	462	4.3	8	2	2	4	5	7	8	14
50-64	266	4.5	7	2	2	4	5	7	9	16
65+	71	4.7	6	2	3	4	6	8	9	16
2. MULTIPLE DX										
0-19 YRS	29	5.1	17	1	1	4	6	12	13	19
20-34	369	4.8	6	2	3	4	6	8	9	14
35-49	453	5.3	12	2	3	4	6	9	10	22
50-64	355	5.6	10	2	3	5	7	9	12	15
65+	186	7.9	51	3	3	6	9	13	19	45
TOT. SINGLE DX	1394	4.3	13	2	2	4	5	7	8	16
" MULTIPLE DX	1392	5.6	16	2	3	5	7	9	12	22
TOTAL 0-19 YRS	99	4.2	17	1	1	3	5	7	12	26
20-34	894	4.5	15	2	2	4	5	7	9	15
35-49	915	4.8	10	2	2	4	6	8	9	20
50-64	621	5.1	9	2	2	4	6	8	11	16
65+	257	7.0	41	3	3	5	8	12	15	36
GRAND TOTAL	**2786**	**5.0**	**15**	**2**	**2**	**4**	**6**	**8**	**10**	**19**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	109	3.2	4	1	1	3	4	6	6	10
20-34	566	3.5	3	1	2	3	4	6	7	10
35-49	294	4.2	4	2	2	4	5	7	8	11
50-64	167	4.8	12	2	2	4	6	8	9	22
65+	78	5.3	13	2	2	4	6	9	14	20
2. MULTIPLE DX										
0-19 YRS	60	4.8	13	1	2	4	5	8	10	24
20-34	475	4.8	9	2	2	4	6	8	10	17
35-49	522	5.4	10	2	3	5	6	9	12	20
50-64	409	6.9	47	3	3	5	8	11	14	33
65+	213	9.1	64	3	3	7	12	16	21	41
TOT. SINGLE DX	1214	3.9	6	1	2	3	5	6	8	13
" MULTIPLE DX	1679	6.1	28	2	3	5	7	10	14	26
TOTAL 0-19 YRS	169	3.8	7	1	1	3	5	6	8	12
20-34	1041	4.1	6	1	2	4	5	7	8	12
35-49	816	5.0	8	2	3	4	6	8	10	18
50-64	576	6.3	38	2	3	5	7	10	13	31
65+	291	8.1	53	2	3	6	10	15	20	39
GRAND TOTAL	**2893**	**5.2**	**20**	**2**	**2**	**4**	**6**	**9**	**12**	**21**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	4.8	5	1	2	5	6	8	9	11
20-34	879	5.3	5	3	3	5	6	8	9	13
35-49	1061	5.6	6	3	3	5	7	8	9	13
50-64	658	6.1	20	3	3	5	7	9	11	16
65+	204	6.6	16	2	3	6	8	10	12	23
2. MULTIPLE DX										
0-19 YRS	120	5.5	11	2	3	5	6	8	10	21
20-34	3151	5.9	12	3	3	5	7	9	11	16
35-49	4572	6.4	13	3	4	6	7	10	12	19
50-64	3264	7.1	15	3	4	6	8	11	14	21
65+	1372	8.7	33	3	4	7	10	15	20	33
TOT. SINGLE DX	2855	5.7	9	3	3	5	7	9	10	14
" MULTIPLE DX	12479	6.7	16	3	4	6	8	11	13	22
TOTAL 0-19 YRS	173	5.3	10	2	3	5	6	8	9	17
20-34	4030	5.8	10	3	3	5	7	9	10	15
35-49	5633	6.3	12	3	3	6	7	9	12	18
50-64	3922	6.9	16	3	4	6	8	11	14	20
65+	1576	8.4	32	3	4	7	10	14	19	32
GRAND TOTAL	**15334**	**6.5**	**15**	**3**	**3**	**6**	**8**	**10**	**13**	**21**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	121	3.5	6	1	1	3	4	7	9	13
20-34	485	4.0	12	1	2	3	5	7	8	14
35-49	400	4.1	6	1	2	3	5	7	8	13
50-64	194	4.5	8	1	2	4	5	8	10	15
65+	118	5.6	11	2	2	5	7	9	12	19
2. MULTIPLE DX										
0-19 YRS	61	5.5	35	1	1	4	6	12	26	92
20-34	275	5.6	21	2	2	4	6	10	13	22
35-49	307	6.5	59	2	2	5	7	11	16	28
50-64	315	7.0	57	2	2	5	8	13	17	45
65+	260	9.1	45	2	3	7	11	18	23	33
TOT. SINGLE DX	1318	4.2	9	1	2	3	5	7	9	14
" MULTIPLE DX	1218	6.9	47	2	2	5	8	13	17	34
TOTAL 0-19 YRS	182	4.2	17	1	1	3	5	8	12	30
20-34	760	4.5	16	1	2	4	5	8	10	20
35-49	707	5.1	30	2	2	4	6	9	11	19
50-64	509	6.0	39	2	2	4	7	11	14	31
65+	378	8.0	37	2	3	6	10	16	19	32
GRAND TOTAL	**2536**	**5.5**	**29**	**1**	**2**	**4**	**6**	**10**	**14**	**28**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	12.0	127	2	2	8	16	31	36	36
20-34	18	8.2	118	1	1	5	8	16	36	48
35-49	11	9.0	111	1	1	4	10	27	34	35
50-64	14	6.0	19	1	2	4	8	13	14	14
65+	11	12.5	33	3	4	14	16	20	20	20
2. MULTIPLE DX										
0-19 YRS	11	8.7	64	2	2	7	9	21	29	30
20-34	39	15.1	224	2	4	10	17	25	59	67
35-49	35	14.7	207	2	3	10	19	41	50	59
50-64	44	13.2	115	2	2	10	17	34	37	44
65+	38	17.8	230	3	4	15	23	36	45	78
TOT. SINGLE DX	62	9.1	81	1	2	6	13	20	27	47
" MULTIPLE DX	167	14.7	184	2	3	10	20	30	44	67
TOTAL 0-19 YRS	19	10.1	88	2	2	7	12	26	33	36
20-34	57	12.9	198	1	2	10	15	24	51	67
35-49	46	13.3	187	2	2	9	17	34	47	59
50-64	58	11.4	101	1	2	8	14	26	36	44
65+	49	16.6	189	3	4	15	22	28	41	78
GRAND TOTAL	**229**	**13.2**	**162**	**2**	**2**	**9**	**16**	**27**	**41**	**65**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	6.3	29	1	2	4	9	14	16	27
20-34	397	5.7	35	1	1	3	8	12	17	31
35-49	285	6.9	49	1	2	4	9	15	22	34
50-64	393	7.9	56	1	2	5	11	18	23	39
65+	244	10.5	75	1	2	9	15	19	24	44
2. MULTIPLE DX										
0-19 YRS	144	14.9	182	2	3	11	20	32	45	81
20-34	525	11.2	127	2	2	8	14	22	32	70
35-49	849	12.2	98	2	3	10	16	24	31	48
50-64	1378	12.3	96	2	3	10	16	25	32	52
65+	1244	14.8	108	3	4	12	19	28	35	54
TOT. SINGLE DX	1397	7.4	53	1	2	5	10	17	21	37
" MULTIPLE DX	4140	13.0	109	2	3	11	17	26	33	55
TOTAL 0-19 YRS	222	11.9	145	2	2	8	15	27	40	65
20-34	922	8.8	95	1	2	7	11	18	25	52
35-49	1134	10.8	91	2	2	9	14	22	29	47
50-64	1771	11.3	91	2	2	9	15	23	30	50
65+	1488	14.1	105	2	3	12	18	27	35	54
GRAND TOTAL	**5537**	**11.6**	**100**	**2**	**2**	**9**	**15**	**24**	**31**	**51**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	442	7.7	10	4	5	7	9	11	13	18
20-34	5061	7.9	11	5	5	7	9	12	13	19
35-49	4636	8.5	14	5	5	8	10	12	14	21
50-64	4526	9.4	16	5	6	8	11	14	17	24
65+	2766	11.4	27	6	7	10	14	18	21	30
2. MULTIPLE DX										
0-19 YRS	287	10.1	27	5	6	9	12	16	20	30
20-34	3612	10.1	31	5	6	9	12	16	19	31
35-49	4496	11.2	41	5	6	10	13	18	22	35
50-64	6475	12.9	55	6	7	11	15	21	26	42
65+	6906	16.3	80	7	8	14	19	27	33	52
TOT. SINGLE DX	17431	9.0	17	5	5	8	10	14	16	23
" MULTIPLE DX	21776	13.1	61	6	6	11	16	22	27	45
TOTAL 0-19 YRS	729	8.6	18	5	5	7	10	13	15	27
20-34	8673	8.8	21	5	5	8	10	13	16	25
35-49	9132	9.8	29	5	6	8	11	15	19	29
50-64	11001	11.5	42	6	6	10	13	18	23	37
65+	9672	14.9	70	7	8	13	18	25	30	49
GRAND TOTAL	**39207**	**11.3**	**46**	**5**	**6**	**9**	**13**	**19**	**23**	**38**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	12.1	155	1	1	7	22	29	38	41
20-34	72	9.3	34	2	3	9	12	17	20	25
35-49	95	10.5	57	2	3	9	15	19	21	41
50-64	143	14.2	87	3	4	12	18	27	35	57
65+	243	16.8	101	3	6	16	21	27	34	56
2. MULTIPLE DX										
0-19 YRS	11	11.9	218	1	3	7	13	32	52	54
20-34	83	15.4	156	3	5	12	20	29	34	74
35-49	133	15.8	110	2	6	14	19	28	41	68
50-64	303	19.2	149	4	7	16	24	35	47	67
65+	682	21.9	136	9	11	19	27	37	45	61
TOT. SINGLE DX	568	14.0	91	2	3	13	18	25	31	52
" MULTIPLE DX	1212	20.0	144	6	8	17	25	35	45	63
TOTAL 0-19 YRS	26	12.0	174	1	1	7	16	29	44	54
20-34	155	12.6	108	3	3	10	16	25	30	68
35-49	228	13.6	94	2	3	12	17	25	30	56
50-64	446	17.6	134	3	6	15	23	33	41	64
65+	925	20.6	131	7	10	18	25	35	42	60
GRAND TOTAL	**1780**	**18.1**	**135**	**3**	**6**	**16**	**23**	**33**	**40**	**61**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	7.6	33	1	1	6	10	17	19	19
20-34	59	9.3	69	2	2	7	12	19	27	44
35-49	81	11.2	125	2	2	8	15	23	30	66
50-64	118	14.1	106	2	2	12	21	28	33	46
65+	93	17.7	195	2	3	15	25	34	45	70
2. MULTIPLE DX										
0-19 YRS	17	19.9	397	4	5	13	23	30	70	91
20-34	94	15.1	205	3	3	11	18	36	50	88
35-49	173	20.3	309	3	4	13	29	46	57	89
50-64	255	20.9	266	3	5	17	28	43	51	73
65+	281	21.2	275	3	6	16	27	44	57	78
TOT. SINGLE DX	361	13.4	134	2	2	10	19	28	34	49
" MULTIPLE DX	820	20.2	276	3	4	15	27	43	55	81
TOTAL 0-19 YRS	27	15.4	293	2	3	12	21	24	41	91
20-34	153	12.9	160	2	3	10	15	29	39	73
35-49	254	17.4	267	2	3	12	24	41	55	80
50-64	373	18.7	225	2	4	15	25	39	49	72
65+	374	20.4	257	2	4	16	27	43	55	79
GRAND TO[illegible]	**1181**	**18.1**	**242**	**2**	**3**	**14**	**24**	**39**	**50**	**77**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	93	5.1	24	1	1	4	6	10	12	29
20-34	210	6.0	45	1	2	5	7	10	13	31
35-49	221	6.1	27	1	2	5	7	12	15	29
50-64	290	7.4	46	1	2	5	10	15	20	33
65+	288	8.6	82	1	2	6	12	19	24	41
2. MULTIPLE DX										
0-19 YRS	74	7.0	106	1	2	5	8	10	16	71
20-34	430	7.3	28	2	3	6	9	14	18	27
35-49	667	8.2	45	2	3	6	10	15	20	37
50-64	946	9.9	75	2	3	7	12	21	27	49
65+	1376	11.5	85	2	3	9	15	22	30	48
TOT. SINGLE DX	1102	7.0	51	1	2	5	9	14	19	35
" MULTIPLE DX	3493	9.8	70	2	3	8	12	20	26	46
TOTAL 0-19 YRS	167	5.9	61	1	1	4	8	10	13	33
20-34	640	6.9	34	2	2	5	8	13	17	27
35-49	888	7.7	42	2	3	6	9	14	19	35
50-64	1236	9.3	69	2	2	7	11	19	26	48
65+	1664	11.0	85	2	3	9	14	22	30	47
GRAND TOTAL	**4595**	**9.2**	**67**	**2**	**2**	**7**	**11**	**19**	**25**	**44**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4636	2.5	6	1	1	2	3	4	5	7
20-34	4150	4.1	3	2	3	4	5	6	7	10
35-49	3776	4.5	5	2	3	4	5	6	8	11
50-64	5175	4.9	6	3	3	5	6	7	8	12
65+	3871	5.7	8	3	3	5	7	9	10	15
2. MULTIPLE DX										
0-19 YRS	2403	2.9	12	1	1	2	3	5	6	14
20-34	1252	5.0	14	2	3	4	6	8	9	16
35-49	1768	5.9	21	3	3	5	7	9	11	23
50-64	3192	6.8	22	3	3	6	8	11	15	27
65+	3851	8.5	37	3	4	7	10	15	19	36
TOT. SINGLE DX	21608	4.3	7	2	2	4	5	7	8	12
" MULTIPLE DX	12466	6.3	28	2	2	5	7	11	15	28
TOTAL 0-19 YRS	7039	2.7	8	1	1	2	3	4	5	9
20-34	5402	4.3	6	2	3	4	5	6	8	12
35-49	5544	5.0	10	2	3	4	6	7	9	16
50-64	8367	5.6	13	3	3	5	6	9	11	19
65+	7722	7.1	24	3	3	6	8	12	15	28
GRAND TOTAL	**34074**	**5.0**	**15**	**2**	**2**	**4**	**6**	**8**	**11**	**20**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1078	2.0	2	<1	1	2	2	3	5	7
20-34	398	4.8	3	3	3	5	5	7	7	10
35-49	556	5.1	3	3	3	5	6	7	8	11
50-64	844	5.6	5	3	3	5	7	8	9	13
65+	575	6.4	8	3	4	6	8	10	11	16
2. MULTIPLE DX										
0-19 YRS	746	2.6	25	<1	<1	2	2	4	6	28
20-34	129	6.2	67	3	3	5	7	8	9	33
35-49	326	6.5	13	3	3	5	7	10	13	23
50-64	638	7.3	20	3	4	6	8	11	14	24
65+	622	8.9	33	4	4	8	10	15	19	32
TOT. SINGLE DX	3451	4.4	7	1	1	4	6	8	9	12
" MULTIPLE DX	2461	6.1	32	1	1	5	8	11	14	28
TOTAL 0-19 YRS	1824	2.3	12	<1	1	2	2	4	5	12
20-34	527	5.1	19	3	3	5	6	7	8	12
35-49	882	5.6	7	3	3	5	6	8	10	16
50-64	1482	6.3	12	3	4	6	7	9	11	20
65+	1197	7.7	22	3	4	7	9	12	16	28
GRAND TOTAL	**5912**	**5.1**	**18**	**1**	**1**	**5**	**6**	**9**	**11**	**20**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	3.3	4	2	2	3	4	5	6	11
20-34	79	4.4	3	2	3	4	5	7	8	10
35-49	170	4.7	6	2	3	4	6	7	8	12
50-64	229	5.7	8	3	3	5	7	9	12	16
65+	238	7.0	13	3	3	6	9	11	13	17
2. MULTIPLE DX										
0-19 YRS	11	3.8	5	<1	1	4	5	7	8	8
20-34	36	5.4	5	3	3	5	7	9	9	10
35-49	90	6.9	21	3	3	6	8	12	14	29
50-64	135	8.7	40	3	4	7	10	14	19	34
65+	281	9.9	53	3	4	8	12	18	24	34
TOT. SINGLE DX	747	5.6	9	2	3	5	7	9	11	17
" MULTIPLE DX	553	8.7	43	3	4	7	10	15	21	32
TOTAL 0-19 YRS	42	3.4	4	1	2	3	5	6	7	11
20-34	115	4.7	4	2	3	4	6	8	9	10
35-49	260	5.5	12	2	3	5	6	9	11	23
50-64	364	6.8	22	3	3	6	8	11	14	26
65+	519	8.6	37	3	4	7	10	15	18	32
GRAND TOTAL	**1300**	**7.0**	**26**	**2**	**3**	**6**	**8**	**12**	**15**	**27**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1562	2.4	7	1	1	2	3	4	4	6
20-34	448	3.9	4	2	2	3	5	6	8	10
35-49	405	4.3	5	2	2	4	5	7	8	13
50-64	298	5.1	7	2	2	4	7	9	10	15
65+	155	6.2	11	2	3	6	8	10	12	20
2. MULTIPLE DX										
0-19 YRS	371	3.6	15	1	2	3	4	6	9	27
20-34	255	5.5	11	2	2	5	7	9	11	15
35-49	345	6.7	24	2	3	5	8	12	14	22
50-64	412	8.4	30	3	3	7	10	15	19	28
65+	283	9.5	39	3	4	8	12	16	21	35
TOT. SINGLE DX	2868	3.4	8	1	2	3	4	6	8	12
" MULTIPLE DX	1666	6.7	28	2	2	5	8	13	16	29
TOTAL 0-19 YRS	1933	2.7	9	1	1	2	3	4	5	11
20-34	703	4.5	7	2	2	4	6	7	9	13
35-49	750	5.4	15	2	2	4	6	10	12	19
50-64	710	7.0	23	2	3	6	9	13	16	25
65+	438	8.3	32	3	3	7	10	14	19	33
GRAND TOTAL	**4534**	**4.6**	**18**	**1**	**2**	**3**	**6**	**9**	**12**	**21**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	221	2.6	2	1	1	2	3	5	6	8
20-34	496	4.7	7	2	2	4	6	8	9	15
35-49	860	6.2	11	2	3	6	8	10	11	18
50-64	1020	7.0	14	3	3	6	9	11	13	20
65+	694	7.9	16	3	4	7	9	12	14	24
2. MULTIPLE DX										
0-19 YRS	67	3.6	10	1	1	2	5	7	9	20
20-34	341	6.8	19	2	3	6	8	11	15	25
35-49	727	8.6	39	3	4	7	10	15	19	36
50-64	1057	10.8	64	3	4	9	13	19	24	39
65+	960	11.9	62	4	5	10	14	21	27	43
TOT. SINGLE DX	3291	6.3	14	2	3	6	8	10	12	20
" MULTIPLE DX	3152	10.0	55	3	4	8	12	18	24	39
TOTAL 0-19 YRS	288	2.9	4	1	1	2	3	5	7	10
20-34	837	5.6	13	2	2	5	7	9	11	21
35-49	1587	7.3	25	3	3	6	9	12	16	26
50-64	2077	8.9	43	3	4	6	[illegible]	15	20	31
65+	1654	10.2	47	4	5	8	12	17	24	39
GRAND TOTAL	**6443**	**8.1**	**38**	**2**	**3**	**7**	**10**	**14**	**18**	**32**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	5.5	21	<1	1	4	8	13	15	18
20-34	72	8.2	71	2	3	6	9	16	19	57
35-49	107	9.5	26	3	4	8	11	15	21	27
50-64	134	10.1	33	4	4	9	13	16	20	32
65+	90	13.4	104	3	4	11	16	23	29	64
2. MULTIPLE DX										
0-19 YRS	43	10.0	180	1	2	7	10	21	49	63
20-34	144	12.4	53	4	6	10	15	21	29	36
35-49	352	12.9	47	6	7	11	15	21	25	38
50-64	413	14.0	67	7	8	12	16	23	28	45
65+	290	16.0	96	6	8	14	19	26	35	77
TOT. SINGLE DX	438	9.9	55	3	4	9	12	17	22	38
" MULTIPLE DX	1242	13.8	72	6	7	12	16	23	29	49
TOTAL 0-19 YRS	78	8.0	113	1	2	5	9	15	24	59
20-34	216	11.0	62	3	4	9	13	19	25	40
35-49	459	12.1	44	5	6	11	15	20	24	36
50-64	547	13.0	61	5	6	11	16	22	27	40
65+	380	15.4	99	5	7	13	19	26	33	75
GRAND TOTAL	**1680**	**12.8**	**71**	**4**	**5**	**11**	**15**	**22**	**27**	**43**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	301	4.2	14	1	1	3	5	9	12	19
20-34	453	5.4	16	1	2	4	7	10	13	19
35-49	319	6.3	34	1	2	5	8	12	17	31
50-54	355	9.0	56	2	2	7	12	18	22	43
65+	290	10.7	72	2	2	9	14	23	28	45
2. MULTIPLE DX										
0-19 YRS	162	6.8	59	2	2	5	8	14	17	63
20-34	410	9.4	93	2	2	7	11	19	27	53
35-49	444	11.1	108	2	3	8	14	22	27	68
50-64	651	15.3	149	3	4	13	19	29	39	70
65+	773	17.7	157	5	6	15	22	33	45	75
TOT. SINGLE DX	1718	6.9	42	1	2	5	9	15	20	34
" MULTIPLE DX	2440	13.7	142	2	3	11	18	27	37	70
TOTAL 0-19 YRS	463	5.1	31	1	2	3	6	10	15	31
20-34	863	7.3	57	2	2	5	9	14	20	36
35-49	763	9.1	83	2	2	6	11	19	24	47
50-64	1006	13.0	125	2	3	10	17	25	34	67
65+	1063	15.8	144	3	5	13	21	30	42	72
GRAND TOTAL	**4158**	**10.9**	**112**	**2**	**2**	**8**	**14**	**23**	**30**	**58**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	483	6.7	21	2	3	6	8	12	16	25
20-34	1044	7.4	32	2	3	6	9	13	16	28
35-49	501	10.0	48	3	4	8	12	18	22	40
50-64	385	12.5	73	5	5	11	15	21	28	46
65+	344	15.7	109	5	7	13	19	27	30	76
2. MULTIPLE DX										
0-19 YRS	500	9.9	82	3	4	7	11	19	32	99+
20-34	1712	9.5	70	3	4	7	11	17	25	48
35-49	976	13.1	91	5	6	10	15	24	31	51
50-64	861	17.9	184	6	7	14	21	35	47	85
65+	1127	21.1	170	8	9	18	26	38	48	93
TOT. SINGLE DX	2757	9.5	57	3	4	7	12	18	23	37
" MULTIPLE DX	5176	14.1	138	4	5	11	18	28	38	74
TOTAL 0-19 YRS	983	8.3	54	3	3	6	9	15	22	53
20-34	2756	8.7	57	3	4	7	10	15	21	43
35-49	1477	12.0	78	4	5	9	14	22	28	50
50-64	1246	16.2	156	5	6	13	19	30	42	76
65+	1471	19.8	161	7	9	17	24	35	45	85
GRAND TOTAL	**7933**	**12.5**	**115**	**3**	**4**	**9**	**15**	**25**	**33**	**64**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	435	3.2	7	1	1	2	4	6	8	12
20-34	2345	2.7	5	<1	1	2	3	6	7	12
35-49	320	3.3	9	<1	1	2	4	7	10	15
50-64	71	4.2	47	1	1	2	4	8	9	48
65+	27	6.1	35	1	1	3	11	14	17	24
2. MULTIPLE DX										
0-19 YRS	373	4.0	9	1	1	3	5	8	10	14
20-34	2438	3.6	12	<1	1	2	4	7	10	16
35-49	407	4.8	25	1	1	3	7	9	14	27
50-64	125	8.6	85	2	2	6	11	16	20	61
65+	78	12.9	96	2	2	10	17	29	34	41
TOT. SINGLE DX	3198	2.9	7	<1	1	2	3	6	8	12
" MULTIPLE DX	3421	4.2	21	<1	1	2	5	9	12	22
TOTAL 0-19 YRS	808	3.6	8	1	1	3	5	7	9	13
20-34	4783	3.2	9	<1	1	2	4	7	9	15
35-49	727	4.1	18	<1	1	2	5	9	11	22
50-64	196	7.0	75	1	2	4	9	15	19	57
65+	105	11.2	89	1	2	10	14	27	31	40
GRAND TOTAL	**6619**	**3.6**	**15**	**<1**	**1**	**2**	**4**	**7**	**10**	**18**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	142	6.8	18	1	2	6	9	11	16	20
20-34	557	7.1	25	2	2	6	9	12	16	26
35-49	430	9.7	42	2	4	8	12	17	19	34
50-64	384	11.6	50	4	5	10	14	20	24	43
65+	351	13.1	42	5	7	11	15	21	24	43
2. MULTIPLE DX										
0-19 YRS	211	9.9	69	2	3	7	12	20	28	99+
20-34	1137	8.9	64	2	2	7	10	16	23	42
35-49	820	13.0	106	4	5	10	15	23	31	58
50-64	831	15.6	129	4	6	12	19	29	38	60
65+	916	19.2	146	7	8	16	24	34	44	67
TOT. SINGLE DX	1864	9.7	42	2	3	8	12	17	21	34
" MULTIPLE DX	3915	13.6	121	3	5	10	17	27	35	60
TOTAL 0-19 YRS	353	8.6	51	2	2	7	10	17	24	60
20-34	1694	8.3	51	2	2	7	10	15	21	37
35-49	1250	11.9	86	3	5	9	14	21	29	55
50-64	1215	14.3	107	4	6	11	17	26	34	57
65+	1267	17.5	124	6	8	14	22	31	41	59
GRAND TOTAL	**5779**	**12.4**	**99**	**2**	**4**	**10**	**15**	**24**	**31**	**56**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	12.5	181	5	5	9	12	22	39	79
20-34	73	12.4	87	6	7	9	12	19	34	62
35-49	115	11.0	12	7	8	10	12	15	17	23
50-64	215	13.7	62	7	8	12	15	22	25	44
65+	191	15.0	34	8	9	14	18	23	25	38
2. MULTIPLE DX										
0-19 YRS	92	13.2	116	5	6	11	13	25	39	88
20-34	191	12.8	68	7	7	10	14	20	26	53
35-49	252	15.0	58	7	8	13	18	24	32	46
50-64	457	16.5	104	8	8	14	19	26	31	68
65+	615	19.0	108	9	10	16	22	30	38	70
TOT. SINGLE DX	634	13.4	56	7	8	12	15	21	25	39
" MULTIPLE DX	1607	16.6	99	7	8	14	20	27	35	67
TOTAL 0-19 YRS	132	13.0	134	5	5	10	13	24	39	83
20-34	264	12.7	73	7	7	10	13	19	27	54
35-49	367	13.8	47	7	8	12	16	23	27	40
50-64	672	15.6	92	7	8	13	18	24	29	65
65+	806	18.1	93	9	9	16	21	29	37	66
GRAND TOTAL	**2241**	**15.7**	**89**	**7**	**8**	**13**	**19**	**25**	**32**	**60**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	219	7.6	23	2	2	8	10	13	16	24
20-34	500	9.4	25	2	4	9	11	14	18	31
35-49	586	10.0	33	3	5	9	11	15	21	34
50-64	581	10.1	32	2	4	9	12	16	20	29
65+	278	9.9	37	2	2	10	12	16	20	33
2. MULTIPLE DX										
0-19 YRS	178	12.9	119	3	3	10	16	27	33	66
20-34	510	14.4	162	3	4	11	16	29	43	85
35-49	623	13.7	99	3	6	11	16	24	35	54
50-64	806	14.1	87	3	5	12	17	25	31	50
65+	601	15.4	106	3	6	13	18	27	35	58
TOT. SINGLE DX	2164	9.6	31	2	3	9	11	15	19	31
" MULTIPLE DX	2718	14.3	111	3	5	12	17	26	35	62
TOTAL 0-19 YRS	397	10.0	73	2	3	8	12	18	24	45
20-34	1010	11.9	100	2	4	9	13	20	31	66
35-49	1209	11.9	70	3	5	10	13	20	27	51
50-64	1387	12.4	68	3	5	11	15	21	27	47
65+	879	13.7	91	2	4	11	16	24	31	52
GRAND TOTAL	**4882**	**12.2**	**81**	**3**	**4**	**10**	**14**	**21**	**28**	**52**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	60	8.3	16	2	3	8	11	14	15	20
20-34	576	8.9	16	4	5	8	11	13	15	21
35-49	754	9.1	14	4	5	9	11	14	16	21
50-64	666	9.7	17	4	5	9	11	14	17	25
65+	272	10.9	17	6	7	10	13	16	19	22
2. MULTIPLE DX										
0-19 YRS	27	9.4	44	1	2	8	12	16	42	99+
20-34	246	11.0	47	3	5	10	13	17	22	40
35-49	409	10.8	32	4	6	9	13	17	21	33
50-64	554	12.9	49	6	7	11	15	21	27	40
65+	430	14.7	54	6	7	13	18	25	29	39
TOT. SINGLE DX	2328	9.4	16	4	5	9	11	14	17	22
" MULTIPLE DX	1666	12.5	48	5	6	11	15	21	26	39
TOTAL 0-19 YRS	87	8.7	25	2	3	8	11	14	16	76
20-34	822	9.5	26	3	5	9	11	15	17	27
35-49	1163	9.7	21	4	5	9	12	15	18	25
50-64	1220	11.2	34	5	6	10	13	18	22	36
65+	702	13.2	43	6	7	12	16	22	26	36
GRAND TOTAL	**3994**	**10.7**	**32**	**4**	**5**	**9**	**13**	**17**	**21**	**32**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	209	9.8	10	6	7	9	11	14	16	22
20-34	41	11.9	13	8	8	11	14	17	20	22
35-49	30	16.2	58	8	9	14	20	25	28	43
50-64	34	15.0	50	4	8	14	17	26	31	32
65+	29	15.2	53	2	5	15	19	24	26	33
2. MULTIPLE DX										
0-19 YRS	233	11.3	28	7	8	10	12	17	23	38
20-34	75	14.2	63	7	8	12	16	24	33	86
35-49	42	19.2	162	7	8	16	27	36	60	99+
50-64	73	17.9	95	5	7	17	25	30	43	87
65+	104	21.9	176	8	11	19	26	40	44	82
TOT. SINGLE DX	343	11.6	28	6	8	10	14	18	23	32
" MULTIPLE DX	527	15.3	99	7	8	12	19	28	36	80
TOTAL 0-19 YRS	442	10.6	20	7	7	9	11	15	19	32
20-34	116	13.4	46	8	8	12	15	21	29	65
35-49	72	18.0	119	8	9	15	23	32	42	93
50-64	107	17.0	82	5	7	15	22	30	34	68
65+	133	20.4	156	5	10	18	24	34	44	80
GRAND TOTAL	**870**	**13.9**	**74**	**7**	**8**	**11**	**16**	**25**	**32**	**53**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	155	4.5	9	1	1	4	6	8	9	13
20-34	983	4.9	22	2	2	4	6	8	10	15
35-49	1077	4.8	8	2	2	4	6	8	10	14
50-64	720	5.4	15	2	2	4	6	10	12	21
65+	240	6.1	18	2	2	5	8	12	15	23
2. MULTIPLE DX										
0-19 YRS	108	5.0	18	1	1	3	7	11	14	19
20-34	366	6.0	21	2	2	5	7	10	14	24
35-49	437	6.8	28	2	3	5	8	13	17	26
50-64	478	7.2	27	2	3	6	9	14	17	29
65+	333	10.0	56	2	3	8	12	19	24	42
TOT. SINGLE DX	3175	5.1	15	2	2	4	6	9	11	17
" MULTIPLE DX	1722	7.3	33	2	2	6	9	14	18	29
TOTAL 0-19 YRS	263	4.7	13	1	1	4	6	9	12	15
20-34	1349	5.2	22	2	2	4	6	9	11	20
35-49	1514	5.4	15	2	2	5	7	10	12	20
50-64	1198	6.1	20	2	2	5	7	11	15	24
65+	573	8.4	44	2	3	6	11	17	21	37
GRAND TOTAL	**4897**	**5.8**	**22**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3160	2.4	7	1	1	2	2	4	6	13
20-34	3155	3.7	11	1	1	3	5	8	10	16
35-49	2909	4.1	15	1	1	3	5	8	11	18
50-64	3307	4.2	16	1	1	3	5	9	11	21
65+	3102	5.0	26	1	1	3	6	10	14	25
2. MULTIPLE DX										
0-19 YRS	3217	3.1	15	1	1	2	3	6	9	17
20-34	4179	5.3	35	1	1	4	7	11	15	28
35-49	4794	6.1	39	1	1	4	8	13	17	33
50-64	7236	7.2	50	1	2	5	9	15	20	35
65+	10249	9.6	81	2	2	7	12	20	27	44
TOT. SINGLE DX	15633	3.9	16	1	1	2	5	8	11	19
" MULTIPLE DX	29675	7.1	58	1	1	5	9	15	21	38
TOTAL 0-19 YRS	6377	2.7	11	1	1	2	3	5	8	16
20-34	7334	4.6	25	1	1	3	6	9	13	24
35-49	7703	5.3	31	1	1	4	7	11	15	27
50-64	10543	6.2	42	1	1	4	8	13	18	32
65+	13351	8.5	72	1	2	6	11	18	25	42
GRAND TOTAL	**45308**	**6.0**	**46**	**1**	**1**	**4**	**8**	**13**	**18**	**34**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	4.2	8	1	2	3	5	9	10	12
20-34	132	4.3	35	1	2	3	5	7	9	25
35-49	315	4.6	25	2	2	3	5	7	9	22
50-64	867	4.4	8	2	2	4	5	8	10	16
65+	1801	5.5	24	2	2	4	7	10	12	24
2. MULTIPLE DX										
0-19 YRS	88	5.0	20	1	2	3	6	11	14	24
20-34	330	4.9	41	1	2	3	5	9	13	51
35-49	441	5.8	29	2	2	4	7	11	16	29
50-64	1048	6.8	40	2	2	5	8	13	18	34
65+	2424	8.7	61	2	3	7	10	17	23	41
TOT. SINGLE DX	3141	5.0	20	2	2	4	6	9	11	22
" MULTIPLE DX	4331	7.6	52	2	2	5	9	15	20	38
TOTAL 0-19 YRS	114	4.8	17	1	2	3	5	10	13	21
20-34	462	4.7	39	1	2	3	5	8	12	45
35-49	756	5.3	28	2	2	4	6	9	14	29
50-64	1915	5.7	27	2	2	4	7	10	15	31
65+	4225	7.3	47	2	2	5	9	14	20	36
GRAND TOTAL	**7472**	**6.5**	**40**	**2**	**2**	**5**	**8**	**12**	**17**	**34**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	157	5.1	15	1	1	4	8	11	13	17
20-34	180	5.7	22	1	1	4	8	13	16	19
35-49	222	7.7	36	1	2	6	11	15	18	28
50-64	407	7.7	43	2	2	6	11	17	21	31
65+	569	9.1	70	2	2	6	13	19	25	39
2. MULTIPLE DX										
0-19 YRS	246	9.8	123	1	2	7	12	25	38	99+
20-34	292	11.0	199	1	2	8	12	23	46	97
35-49	381	10.6	135	2	2	8	13	21	38	73
50-64	742	10.9	113	2	2	8	14	24	31	59
65+	1477	13.6	127	2	3	11	17	28	37	62
TOT. SINGLE DX	1535	7.7	48	1	2	5	11	17	20	35
" MULTIPLE DX	3138	12.1	133	2	2	9	15	26	37	74
TOTAL 0-19 YRS	403	8.0	86	1	1	5	10	18	28	99+
20-34	472	9.0	138	1	2	6	11	17	29	92
35-49	603	9.6	100	2	2	7	12	18	26	66
50-64	1149	9.8	91	2	2	7	13	21	29	48
65+	2046	12.4	115	2	3	10	16	26	35	56
GRAND TOTAL	**4673**	**10.6**	**109**	**2**	**2**	**8**	**14**	**22**	**31**	**62**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	651	1.7	15	<1	1	1	2	2	3	6
20-34	48	3.3	14	<1	1	2	3	6	12	22
35-49	42	3.6	14	<1	1	2	4	7	9	23
50-64	23	2.6	4	<1	1	2	3	6	7	8
65+	10	3.4	6	1	1	3	4	7	9	9
2. MULTIPLE DX										
0-19 YRS	537	2.3	6	1	1	2	2	4	6	14
20-34	131	3.5	17	1	1	2	4	6	8	21
35-49	95	4.4	20	1	1	3	5	10	14	23
50-64	93	4.9	30	1	2	3	5	10	12	34
65+	95	7.4	30	2	3	6	10	13	17	31
TOT. SINGLE DX	774	2.0	15	<1	1	1	2	3	4	11
" MULTIPLE DX	951	3.4	16	1	1	2	4	7	10	21
TOTAL 0-19 YRS	1188	2.0	11	<1	1	1	2	3	4	10
20-34	179	3.4	16	1	1	2	4	6	9	20
35-49	137	4.2	18	1	1	3	4	10	12	24
50-64	116	4.5	25	1	1	3	5	9	12	29
65+	105	7.0	29	2	2	6	9	12	16	31
GRAND TOTAL	**1725**	**2.8**	**16**	**1**	**1**	**2**	**3**	**5**	**8**	**19**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	470	6.2	19	1	1	6	9	12	14	18
20-34	303	4.9	17	1	1	3	7	10	13	21
35-49	216	6.6	26	2	2	5	9	12	15	30
50-64	215	5.9	23	2	2	4	8	12	16	24
65+	199	5.5	19	2	2	4	7	11	12	24
2. MULTIPLE DX										
0-19 YRS	347	4.9	26	1	1	3	7	11	15	41
20-34	313	5.4	31	1	2	3	7	13	16	23
35-49	273	6.2	35	2	2	4	8	14	17	53
50-64	336	7.0	48	2	2	5	9	13	19	32
65+	356	8.6	54	2	2	7	11	19	24	38
TOT. SINGLE DX	1403	5.8	20	1	2	5	8	11	14	22
" MULTIPLE DX	1625	6.5	41	1	2	4	9	14	19	32
TOTAL 0-19 YRS	817	5.7	22	1	1	5	8	11	14	22
20-34	616	5.2	24	1	1	3	7	11	15	22
35-49	489	6.4	31	2	2	5	9	13	17	32
50-64	551	6.6	38	2	2	5	9	13	17	30
65+	555	7.5	43	2	2	5	9	16	21	31
GRAND TOTAL	**3028**	**6.2**	**31**	**1**	**2**	**4**	**8**	**13**	**16**	**27**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	943	1.9	2	<1	1	2	2	3	4	9
20-34	532	3.4	13	1	1	2	4	6	10	23
35-49	408	3.3	8	1	1	2	4	6	8	13
50-64	361	3.9	13	1	1	3	4	9	13	19
65+	319	5.3	31	1	2	4	6	10	15	30
2. MULTIPLE DX										
0-19 YRS	1403	2.5	12	1	1	2	3	5	7	11
20-34	1391	4.7	24	1	1	3	6	10	12	22
35-49	1202	6.1	41	1	2	4	8	13	17	31
50-64	1411	6.9	44	1	2	5	9	14	20	35
65+	1966	9.3	84	2	2	7	12	18	24	44
TOT. SINGLE DX	2563	3.1	12	1	1	2	3	6	9	18
" MULTIPLE DX	7373	6.2	50	1	1	4	8	13	18	35
TOTAL 0-19 YRS	2346	2.3	8	1	1	2	2	4	6	11
20-34	1923	4.3	21	1	1	3	5	9	12	22
35-49	1610	5.4	35	1	1	4	7	11	16	29
50-64	1772	6.3	39	1	2	4	8	14	18	34
65+	2285	8.7	79	2	2	6	11	18	23	43
GRAND TOTAL	**9936**	**5.4**	**42**	**1**	**1**	**3**	**7**	**12**	**17**	**32**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	333	2.4	5	<1	1	2	3	4	6	14
20-34	371	3.8	11	1	1	3	4	8	11	16
35-49	261	4.8	42	1	1	3	6	10	12	16
50-64	233	5.1	13	2	2	4	7	10	12	19
65+	165	6.7	32	2	2	5	8	13	20	27
2. MULTIPLE DX										
0-19 YRS	470	2.6	6	1	1	2	3	5	7	13
20-34	580	4.2	26	1	1	3	5	8	12	23
35-49	453	5.3	28	2	2	3	7	10	13	24
50-64	444	6.6	37	2	2	5	8	13	16	34
65+	422	8.7	59	2	2	7	11	17	21	36
TOT. SINGLE DX	1363	4.2	20	1	1	3	5	9	11	20
" MULTIPLE DX	2369	5.4	34	1	1	3	7	11	15	30
TOTAL 0-19 YRS	803	2.5	6	1	1	2	3	4	6	13
20-34	951	4.1	20	1	1	3	5	8	11	17
35-49	714	5.1	33	1	2	3	6	10	13	23
50-64	677	6.1	29	2	2	4	8	12	15	29
65+	587	8.2	52	2	2	6	10	16	21	34
GRAND TOTAL	**3732**	**4.9**	**30**	**1**	**1**	**3**	**6**	**10**	**14**	**26**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.5	10	2	2	3	6	10	10	10
20-34	69	8.1	17	3	4	8	9	11	13	27
35-49	376	9.3	30	5	6	9	10	13	15	22
50-64	352	9.4	10	6	7	9	10	13	16	21
65+	152	10.1	10	6	7	10	11	14	16	20
2. MULTIPLE DX										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	107	9.6	28	5	6	9	11	14	18	35
35-49	425	11.3	54	6	7	9	12	18	21	44
50-64	459	11.8	33	6	7	10	14	19	22	33
65+	210	12.9	38	7	7	11	16	21	25	34
TOT. SINGLE DX	957	9.4	19	5	6	9	10	13	15	21
" MULTIPLE DX	1202	11.6	41	6	7	10	13	18	22	36
TOTAL 0-19 YRS	9	5.7	21	2	2	3	9	13	15	15
20-34	176	9.0	24	4	5	8	10	13	16	27
35-49	801	10.4	44	6	6	9	11	15	18	34
50-64	811	10.8	24	6	7	10	12	16	20	28
65+	362	11.7	28	7	7	10	13	18	22	31
GRAND TOTAL	**2159**	**10.6**	**33**	**6**	**7**	**9**	**12**	**16**	**20**	**31**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	6.0	13	3	3	6	9	10	10	10
20-34	7	6.9	7	2	2	8	9	9	9	9
35-49	45	9.4	8	6	7	9	10	11	12	25
50-64	56	10.0	16	5	7	9	11	13	15	30
65+	29	10.8	14	5	6	11	13	15	17	18
2. MULTIPLE DX										
0-19 YRS	19	8.3	12	4	4	7	11	13	15	16
20-34	20	8.6	6	5	6	8	10	11	14	16
35-49	47	11.6	23	7	7	10	14	19	23	26
50-64	69	10.4	15	6	7	10	12	15	16	29
65+	58	13.9	51	5	7	12	19	24	27	36
TOT. SINGLE DX	141	9.7	13	5	6	9	11	13	15	26
" MULTIPLE DX	213	11.3	29	5	7	10	13	18	22	31
TOTAL 0-19 YRS	23	7.9	12	3	4	7	10	13	14	16
20-34	27	8.1	7	4	5	8	9	11	12	16
35-49	92	10.5	17	6	7	9	11	16	20	26
50-64	125	10.2	16	6	7	10	11	14	16	31
65+	87	12.9	40	5	7	11	16	22	26	35
GRAND TOTAL	**354**	**10.6**	**23**	**5**	**7**	**10**	**12**	**16**	**20**	**31**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	4.2	17	1	1	4	5	9	15	16
20-34	32	5.7	18	1	1	4	8	12	15	16
35-49	36	4.8	10	1	1	4	6	9	11	14
50-64	34	4.8	20	1	2	4	5	10	17	21
65+	14	4.6	8	1	2	4	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	13	4.9	41	1	1	3	5	13	22	24
20-34	41	5.0	11	1	2	4	7	10	12	14
35-49	52	7.5	43	2	2	5	9	16	24	30
50-64	75	7.8	40	1	2	6	13	17	20	24
65+	62	10.7	56	2	3	10	13	19	26	40
TOT. SINGLE DX	129	4.9	15	1	1	4	6	10	13	19
" MULTIPLE DX	243	7.9	43	1	2	6	11	17	21	29
TOTAL 0-19 YRS	26	4.5	28	1	1	3	5	10	18	24
20-34	73	5.3	14	1	1	4	7	11	13	16
35-49	88	6.4	31	1	2	5	8	13	17	29
50-64	109	6.9	36	1	2	4	9	17	19	24
65+	76	9.6	52	2	2	8	13	18	23	39
GRAND TOTAL	**372**	**6.8**	**35**	**1**	**2**	**5**	**9**	**15**	**19**	**29**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	5.3	12	2	2	5	8	9	9	9
20-34	24	8.1	32	1	1	8	11	15	19	23
35-49	13	9.1	19	4	5	8	12	15	17	17
50-64	13	7.4	14	2	3	7	9	12	15	16
65+	9	15.9	104	3	5	11	25	31	32	32
2. MULTIPLE DX										
0-19 YRS	7	7.4	17	2	2	9	11	12	12	12
20-34	23	10.3	48	1	2	11	15	21	22	22
35-49	30	14.2	45	4	6	14	19	25	27	30
50-64	30	19.5	285	4	6	15	21	44	55	79
65+	29	18.2	198	3	3	13	26	42	44	54
TOT. SINGLE DX	62	9.1	41	2	2	8	11	17	23	32
" MULTIPLE DX	119	15.4	153	2	3	12	19	29	42	62
TOTAL 0-19 YRS	10	6.8	15	2	2	7	10	11	12	12
20-34	47	9.2	40	1	2	9	13	19	22	23
35-49	43	12.7	42	4	5	11	16	21	26	30
50-64	43	15.8	233	3	4	11	19	35	53	79
65+	38	17.7	174	3	3	13	25	40	43	54
GRAND TOTAL	**181**	**13.2**	**123**	**2**	**3**	**11**	**16**	**25**	**34**	**55**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.9	15	5	5	7	9	15	16	16
20-34	14	6.6	7	2	2	7	9	10	10	10
35-49	114	6.3	6	3	4	6	8	9	11	15
50-64	2278	7.4	10	4	5	7	9	11	13	18
65+	5205	8.4	17	4	5	8	9	13	16	25
2. MULTIPLE DX										
0-19 YRS	18	8.9	21	2	4	8	12	14	19	22
20-34	24	9.6	35	3	4	8	13	20	45	99+
35-49	256	9.1	36	4	4	8	10	15	22	39
50-64	3393	9.7	36	4	5	8	11	16	21	36
65+	11139	12.0	65	5	6	10	14	21	27	45
TOT. SINGLE DX	7618	8.1	15	4	5	7	9	12	15	23
" MULTIPLE DX	14830	11.4	59	5	5	9	14	20	26	43
TOTAL 0-19 YRS	25	8.6	19	3	5	8	10	14	17	22
20-34	38	8.5	26	2	3	7	11	16	24	99+
35-49	370	8.2	28	4	4	7	9	14	18	38
50-64	5671	8.8	27	4	5	8	10	14	17	29
65+	16344	10.9	52	5	5	9	13	19	24	40
GRAND TOTAL	**22448**	**10.3**	**46**	**4**	**5**	**8**	**12**	**17**	**23**	**38**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	2.2	2	<1	<1	2	3	4	5	5
20-34	3	6.7	52	2	2	3	12	15	15	15
35-49	7	9.1	47	2	2	8	15	18	19	19
50-64	343	13.1	31	7	8	12	16	19	23	32
65+	655	12.9	27	7	8	12	15	19	22	30
2. MULTIPLE DX										
0-19 YRS	6	6.8	19	2	2	7	10	12	12	12
20-34	5	10.6	76	3	3	8	15	25	25	25
35-49	12	15.7	105	3	4	14	27	28	29	29
50-64	387	13.7	39	7	7	12	16	22	26	36
65+	1290	15.8	75	7	8	14	18	24	30	59
TOT. SINGLE DX	1017	12.8	29	6	8	12	15	19	22	30
" MULTIPLE DX	1700	15.3	67	7	8	14	18	24	29	53
TOTAL 0-19 YRS	15	4.1	13	<1	1	3	5	10	12	12
20-34	8	9.1	63	2	2	6	13	22	25	25
35-49	19	13.3	90	2	3	12	20	28	29	29
50-64	730	13.4	35	7	8	12	16	21	24	34
65+	1945	14.8	60	7	8	13	17	23	27	50
GRAND TOTAL	**2717**	**14.4**	**54**	**7**	**8**	**13**	**17**	**22**	**27**	**42**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	6.0	22	2	2	6	10	11	11	11
20-34	37	4.7	76	1	1	2	4	8	14	53
35-49	124	3.2	6	1	1	2	4	6	8	14
50-64	623	3.4	9	1	2	2	3	6	9	16
65+	887	4.5	20	1	2	3	5	9	12	21
2. MULTIPLE DX										
0-19 YRS	6	10.2	50	3	3	9	17	19	19	19
20-34	24	4.8	33	2	2	3	4	7	22	26
35-49	116	6.5	48	1	2	4	9	12	21	37
50-64	632	6.2	31	2	2	4	8	13	16	26
65+	1320	8.7	66	2	2	6	11	18	24	40
TOT. SINGLE DX	1675	4.0	16	1	2	3	4	8	11	19
" MULTIPLE DX	2098	7.8	56	2	2	5	10	16	22	36
TOTAL 0-19 YRS	10	8.5	40	2	2	7	13	18	19	19
20-34	61	4.8	58	1	1	3	4	7	18	50
35-49	240	4.8	29	1	2	3	6	10	12	29
50-64	1255	4.8	22	1	2	3	6	10	14	23
65+	2207	7.0	52	2	2	5	9	15	21	36
GRAND TOTAL	**3773**	**6.1**	**42**	**1**	**2**	**4**	**8**	**13**	**18**	**30**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	165	2.7	4	1	1	2	3	5	6	12
20-34	202	3.6	5	1	1	3	4	7	8	11
35-49	114	3.9	13	1	2	3	5	6	7	26
50-64	128	4.1	8	1	2	4	5	7	9	16
65+	67	5.1	15	2	2	4	6	8	12	24
2. MULTIPLE DX										
0-19 YRS	109	5.1	63	1	2	3	5	11	17	78
20-34	108	6.4	35	1	2	5	8	13	15	35
35-49	105	6.5	46	2	2	5	8	12	18	42
50-64	117	8.5	94	2	3	5	10	17	24	56
65+	130	11.1	72	3	3	9	15	22	31	44
TOT. SINGLE DX	676	3.7	8	1	1	3	4	6	8	13
" MULTIPLE DX	569	7.7	67	2	2	5	9	16	23	45
TOTAL 0-19 YRS	274	3.7	29	1	1	2	4	6	11	38
20-34	310	4.6	17	1	2	3	5	8	11	21
35-49	219	5.1	30	1	2	4	6	9	12	32
50-64	245	6.2	54	2	2	4	7	11	17	37
65+	197	9.1	61	2	3	6	11	19	25	41
GRAND TOTAL	**1245**	**5.5**	**39**	**1**	**2**	**4**	**6**	**11**	**16**	**35**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	245	3.6	5	1	2	3	4	6	8	12
20-34	245	5.9	23	2	3	4	7	10	14	28
35-49	107	5.1	10	2	2	4	6	9	11	19
50-64	125	5.6	15	2	2	4	6	10	14	20
65+	311	7.2	39	2	3	5	9	13	17	31
2. MULTIPLE DX										
0-19 YRS	255	4.0	6	2	2	3	5	7	9	15
20-34	176	6.3	22	2	3	5	7	13	16	24
35-49	95	7.5	36	2	3	6	10	16	19	33
50-64	217	9.0	63	2	3	7	11	16	23	43
65+	706	11.1	86	3	3	9	14	21	25	58
TOT. SINGLE DX	1033	5.6	23	2	2	4	7	10	14	25
" MULTIPLE DX	1449	8.7	65	2	3	6	11	17	22	39
TOTAL 0-19 YRS	500	3.8	5	1	2	3	4	6	8	13
20-34	421	6.1	23	2	3	5	7	12	15	26
35-49	202	6.2	24	2	2	5	7	12	16	24
50-64	342	7.8	48	2	3	6	10	15	19	32
65+	1017	9.9	74	3	3	8	13	19	24	50
GRAND TOTAL	**2482**	**7.4**	**50**	**2**	**2**	**5**	**9**	**15**	**20**	**36**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	928	3.2	3	1	2	3	4	5	6	9
20-34	106	3.4	5	1	2	3	4	5	7	14
35-49	3	3.7	1	3	3	3	5	5	5	5
50-64										
65+	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	631	3.7	4	1	2	3	5	6	8	10
20-34	55	5.7	47	2	2	5	6	8	11	49
35-49	4	2.8		2	2	3	3	3	3	3
50-64	3	8.0	36	2	2	8	12	14	14	14
65+	3	2.3	2	1	1	2	3	4	4	4
TOT. SINGLE DX	1040	3.2	3	1	2	3	4	5	6	9
" MULTIPLE DX	696	3.9	8	1	2	3	5	6	8	11
TOTAL 0-19 YRS	1559	3.4	4	1	2	3	4	6	7	9
20-34	161	4.2	20	1	2	3	5	7	8	21
35-49	7	3.1	1	2	2	3	3	5	5	5
50-64	3	8.0	36	2	2	8	12	14	14	14
65+	6	2.5	1	1	1	2	3	4	4	4
GRAND TOTAL	1736	3.5	5	1	2	3	4	6	7	10

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	215	2.6	2	1	1	2	3	5	6	7
20-34	213	3.2	4	1	1	3	4	5	7	11
35-49	67	3.3	4	1	1	3	4	6	7	10
50-64	26	3.8	3	1	2	4	5	7	7	7
65+	9	4.3	3	3	3	3	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	71	4.2	11	1	1	3	5	8	9	19
20-34	103	4.0	14	1	2	3	4	7	12	21
35-49	27	4.4	8	2	2	3	6	9	11	12
50-64	20	5.4	10	2	2	4	7	10	12	14
65+	10	12.5	135	4	4	8	17	31	41	41
TOT. SINGLE DX	530	3.0	3	1	1	3	4	5	7	9
" MULTIPLE DX	231	4.6	20	1	2	3	5	9	12	23
TOTAL 0-19 YRS	286	3.0	5	1	1	2	4	5	7	10
20-34	316	3.5	8	1	2	3	4	6	8	17
35-49	94	3.6	5	1	2	3	4	7	8	12
50-64	46	4.5	6	2	2	4	5	8	9	14
65+	19	8.6	117	3	3	6	8	20	32	41
GRAND TOTAL	761	3.5	9	1	1	3	4	6	8	17

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	2.8	2	1	1	2	4	5	5	5
20-34	472	1.5	3	<1	<1	1	2	2	2	9
35-49	249	1.5	2	<1	<1	1	2	2	3	8
50-64	30	4.4	13	<1	<1	3	8	9	12	12
65+	34	9.4	25	1	2	9	13	15	17	21
2. MULTIPLE DX										
0-19 YRS	3	11.3	261	2	2	2	23	30	30	30
20-34	198	2.8	6	<1	1	2	3	6	9	13
35-49	185	3.4	11	<1	1	2	4	7	12	16
50-64	38	8.4	44	2	2	7	10	13	21	38
65+	44	11.8	67	2	4	10	15	23	33	38
TOT. SINGLE DX	793	1.9	6	<1	<1	1	2	3	7	14
" MULTIPLE DX	468	4.4	26	1	1	2	6	11	14	29
TOTAL 0-19 YRS	11	5.1	70	1	1	2	4	15	29	30
20-34	670	1.9	4	<1	<1	1	2	3	5	11
35-49	434	2.3	6	<1	<1	1	2	4	7	15
50-64	68	6.7	34	<1	1	6	9	12	14	35
65+	78	10.8	49	2	3	10	13	17	24	37
GRAND TOTAL	1261	2.9	15	<1	<1	1	2	7	11	17

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	630	2.8	4	1	1	2	3	4	5	8
20-34	746	3.3	4	1	2	3	4	5	7	10
35-49	483	3.3	3	1	2	3	4	5	6	11
50-64	469	4.0	5	2	2	4	5	7	8	12
65+	221	4.6	9	2	2	4	5	8	10	17
2. MULTIPLE DX										
0-19 YRS	418	3.1	3	1	2	3	4	5	6	11
20-34	482	3.9	11	2	2	3	4	6	10	21
35-49	332	4.5	11	2	2	4	5	8	11	17
50-64	394	5.6	14	2	3	5	7	10	12	23
65+	302	7.4	35	2	3	6	9	13	19	36
TOT. SINGLE DX	2549	3.4	5	1	2	3	4	5	7	11
" MULTIPLE DX	1928	4.7	16	2	2	4	5	9	12	23
TOTAL 0-19 YRS	1048	2.9	3	1	1	2	3	5	6	9
20-34	1228	3.5	7	1	2	3	4	6	7	15
35-49	815	3.8	7	1	2	3	4	6	8	13
50-64	863	4.8	10	2	2	4	6	8	11	18
65+	523	6.2	26	2	2	5	7	11	15	27
GRAND TOTAL	4477	4.0	10	1	2	3	4	7	9	18

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	162	3.2	6	1	1	2	3	6	9	13
20-34	156	3.2	15	<1	1	2	3	6	8	28
35-49	85	5.1	16	1	1	4	7	10	13	21
50-64	134	5.1	7	2	2	5	7	9	10	12
65+	75	6.9	23	1	2	6	9	12	16	26
2. MULTIPLE DX										
0-19 YRS	109	5.0	67	1	1	3	5	9	17	43
20-34	147	6.7	52	1	1	4	8	15	21	40
35-49	112	6.8	39	1	2	6	9	12	15	41
50-64	160	8.1	58	2	3	6	9	13	20	46
65+	109	9.4	65	2	3	7	11	16	29	39
TOT. SINGLE DX	612	4.4	14	1	1	3	6	9	11	19
" MULTIPLE DX	637	7.2	57	1	2	5	9	14	20	41
TOTAL 0-19 YRS	271	3.9	31	1	1	3	4	7	10	19
20-34	303	4.9	36	1	1	3	6	11	16	29
35-49	197	6.1	29	1	2	5	8	11	13	31
50-64	294	6.8	37	2	2	5	8	11	14	40
65+	184	8.4	49	2	2	7	10	16	26	38
GRAND TOTAL	1249	5.8	38	1	1	4	7	11	15	34

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	375	5.9	7	3	4	6	7	8	10	16
20-34	1131	6.0	5	3	4	6	7	8	9	14
35-49	174	7.1	12	2	4	7	8	10	13	21
50-64	51	8.9	16	4	5	8	11	14	17	21
65+	27	10.1	20	4	5	10	13	17	18	20
2. MULTIPLE DX										
0-19 YRS	365	6.4	10	3	3	6	7	9	11	23
20-34	1791	6.9	18	3	4	6	8	10	12	23
35-49	299	8.9	34	3	4	8	11	14	19	28
50-64	79	13.3	67	4	6	11	16	25	28	43
65+	84	17.2	80	8	9	15	21	29	36	51
TOT. SINGLE DX	1758	6.2	7	3	4	6	7	9	11	17
" MULTIPLE DX	2618	7.6	27	3	4	6	8	12	16	27
TOTAL 0-19 YRS	740	6.1	9	3	4	6	7	9	10	20
20-34	2922	6.6	13	3	4	6	7	9	12	19
35-49	473	8.2	27	3	4	7	9	13	18	26
50-64	130	11.6	52	4	5	10	14	21	25	42
65+	111	15.5	74	6	7	13	18	26	34	49
GRAND TOTAL	4376	7.0	20	3	4	6	8	11	14	25

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	213	6.4	4	4	4	6	7	8	10	14
20-34	1362	6.5	8	4	4	6	7	9	10	16
35-49	410	7.3	11	4	5	7	8	10	13	20
50-64	64	8.3	8	5	6	8	9	11	12	23
65+	47	10.7	21	5	6	10	13	16	19	27
2. MULTIPLE DX										
0-19 YRS	277	7.2	7	4	5	6	8	11	13	15
20-34	2388	7.3	10	4	5	7	8	11	13	21
35-49	961	8.8	30	5	5	7	9	14	17	36
50-64	163	11.8	34	6	7	10	14	20	23	30
65+	126	15.4	77	6	7	13	18	27	31	51
TOT. SINGLE DX	2096	6.8	9	4	4	6	8	9	12	18
" MULTIPLE DX	3915	8.1	21	4	5	7	9	13	16	27
TOTAL 0-19 YRS	490	6.8	6	4	5	6	8	10	12	15
20-34	3750	7.0	10	4	5	6	8	10	12	20
35-49	1371	8.3	25	4	5	7	9	13	16	30
50-64	227	10.8	29	6	6	9	12	19	22	29
65+	173	14.1	66	6	7	12	17	23	28	46
GRAND TOTAL	6011	7.6	17	4	5	7	8	12	15	25

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	7.2	10	4	4	6	11	11	11	11
20-34	212	7.2	8	4	5	7	8	11	13	18
35-49	256	7.7	6	5	5	7	9	11	13	15
50-64	124	9.4	15	5	6	8	10	14	18	24
65+	42	10.0	12	5	6	9	13	16	17	18
2. MULTIPLE DX										
0-19 YRS	18	8.4	24	5	5	7	8	17	20	22
20-34	721	8.1	14	5	5	7	9	13	15	24
35-49	968	9.0	32	5	5	8	10	14	18	36
50-64	281	11.4	41	6	6	9	13	18	22	36
65+	140	14.7	77	7	8	12	17	24	30	53
TOT. SINGLE DX	640	8.0	10	5	5	7	9	12	14	21
" MULTIPLE DX	2128	9.4	33	5	5	8	10	15	19	33
TOTAL 0-19 YRS	24	8.1	20	4	5	7	8	15	19	22
20-34	933	7.9	13	5	5	7	9	12	14	23
35-49	1224	8.7	27	5	5	8	9	13	17	29
50-64	405	10.8	34	6	6	9	13	16	21	34
65+	182	13.6	66	7	7	11	16	22	28	52
GRAND TOTAL	2768	9.1	28	5	5	8	10	14	18	29

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	4.0	4	1	2	3	6	7	8	9
20-34	208	4.4	6	1	2	4	6	7	9	12
35-49	28	4.9	9	2	2	4	7	9	10	13
50-64	2	10.0	18	7	7	10	13	13	13	13
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	48	6.3	16	2	2	5	7	13	14	19
20-34	520	5.6	11	1	2	6	7	9	10	17
35-49	78	7.1	26	2	2	6	9	11	17	31
50-64	17	12.8	51	3	6	10	16	26	26	26
65+	4	16.0	125	7	7	12	23	32	32	32
TOT. SINGLE DX	285	4.4	6	1	2	4	6	8	9	12
" MULTIPLE DX	667	6.1	16	2	2	6	7	9	13	25
TOTAL 0-19 YRS	94	5.2	11	2	2	5	6	9	14	17
20-34	728	5.2	10	1	2	5	7	8	10	14
35-49	106	6.5	22	2	2	6	8	10	14	28
50-64	19	12.5	47	4	6	10	15	25	26	26
65+	5	14.6	103	7	7	10	19	32	32	32
GRAND TOTAL	952	5.6	14	1	2	5	7	9	11	22

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	1.9	1	<1	<1	2	2	3	4	6
20-34	7120	1.7	3	<1	<1	2	2	2	3	5
35-49	2521	1.7	3	<1	<1	2	2	2	3	6
50-64	16	1.7		<1	1	2	2	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	57	2.4	4	<1	1	2	2	4	7	14
20-34	5097	2.1	7	<1	<1	2	2	3	4	11
35-49	2250	2.1	8	<1	<1	2	2	3	4	9
50-64	24	3.3	19	<1	1	2	3	12	15	16
65+										
TOT. SINGLE DX	9714	1.7	3	<1	<1	2	2	2	3	5
" MULTIPLE DX	7428	2.1	8	<1	<1	2	2	3	4	11
TOTAL 0-19 YRS	114	2.1	3	<1	<1	2	2	4	5	10
20-34	12217	1.9	5	<1	<1	2	2	3	3	7
35-49	4771	1.9	6	<1	<1	2	2	3	3	8
50-64	40	2.7	12	<1	1	2	2	4	13	16
65+										
GRAND TOTAL	17142	1.9	5	<1	<1	2	2	3	3	8

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	80	3.1	3	<1	1	3	4	5	6	72
20-34	5222	2.7	3	<1	<1	2	3	4	5	8
35-49	1532	2.6	3	<1	1	2	3	4	5	9
50-64	27	4.0	19	<1	1	2	5	9	12	21
65+										
2. MULTIPLE DX										
0-19 YRS	191	4.3	23	2	2	3	5	7	10	19
20-34	8092	3.8	9	1	2	3	4	6	7	12
35-49	1947	3.6	7	1	1	3	4	6	8	13
50-64	9	7.3	33	2	2	5	9	16	21	21
65+										
TOT. SINGLE DX	6861	2.6	3	<1	1	2	3	4	5	8
" MULTIPLE DX	10239	3.7	9	1	2	3	4	6	7	13
TOTAL 0-19 YRS	271	4.0	17	1	2	3	4	7	8	20
20-34	13314	3.3	7	1	1	3	4	5	6	10
35-49	3479	3.1	6	<1	1	3	4	5	6	12
50-64	36	4.9	24	<1	1	3	7	9	18	21
65+										
GRAND TOTAL	17100	3.3	7	<1	1	3	4	5	6	11

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	5.3	5	2	3	5	6	8	10	13
20-34	1899	4.9	6	1	2	5	6	7	8	11
35-49	265	4.3	10	1	1	4	6	8	9	17
50-64	5	7.6	1	7	7	7	8	9	9	9
65+	2	11.0	2	10	10	11	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	139	5.5	5	1	2	6	7	8	9	12
20-34	1959	5.5	10	1	2	5	7	8	10	17
35-49	327	5.8	22	1	1	5	7	10	12	25
50-64	15	10.0	33	2	4	8	13	18	22	23
65+	6	14.2	85	5	5	12	19	29	30	30
TOT. SINGLE DX	2306	4.9	6	1	2	5	6	7	8	12
" MULTIPLE DX	2446	5.6	12	1	2	5	7	9	10	18
TOTAL 0-19 YRS	274	5.4	5	2	3	5	6	8	10	13
20-34	3858	5.2	8	1	2	5	6	8	9	14
35-49	592	5.1	17	1	1	5	7	8	11	23
50-64	20	9.4	25	3	4	8	11	17	20	23
65+	8	13.4	63	5	6	11	16	27	30	30
GRAND TOTAL	4752	5.2	9	1	2	5	6	8	9	15

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	98	2.3	1	1	1	2	3	3	4	6
20-34	1495	2.6	3	1	1	2	3	4	6	9
35-49	413	2.9	3	1	1	2	3	5	7	10
50-64	169	3.0	3	1	2	3	3	5	6	11
65+	91	3.6	6	2	2	3	4	8	9	12
2. MULTIPLE DX										
0-19 YRS	59	3.3	5	1	1	3	4	7	7	12
20-34	916	3.0	4	1	2	2	3	5	7	12
35-49	441	3.5	7	1	2	3	4	7	8	12
50-64	204	3.7	8	1	2	3	4	8	9	15
65+	110	4.8	19	2	2	3	5	11	16	23
TOT. SINGLE DX	2266	2.7	3	1	1	2	3	4	6	10
" MULTIPLE DX	1730	3.4	7	1	2	3	4	6	8	14
TOTAL 0-19 YRS	157	2.7	3	1	1	2	3	4	6	11
20-34	2411	2.8	3	1	1	2	3	4	6	10
35-49	854	3.2	5	1	2	3	3	6	8	11
50-64	373	3.4	6	1	2	3	4	6	9	14
65+	201	4.3	13	2	2	3	4	9	11	20
GRAND TOTAL	3996	3.0	5	1	1	2	3	5	7	11

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	2.2	1	<1	1	2	3	4	4	7
20-34	440	2.6	5	1	1	2	3	4	6	12
35-49	398	2.6	6	<1	1	2	3	4	6	15
50-64	338	3.3	10	1	1	2	3	6	9	22
65+	184	5.3	19	1	2	4	7	10	12	25
2. MULTIPLE DX										
0-19 YRS	49	3.8	15	1	2	2	4	8	13	21
20-34	895	3.2	9	1	1	2	3	7	9	15
35-49	967	3.4	14	1	1	2	3	7	10	20
50-64	700	4.8	25	1	1	3	6	10	14	27
65+	493	7.8	46	2	2	6	10	15	20	37
TOT. SINGLE DX	1399	3.1	9	1	1	2	3	6	9	16
" MULTIPLE DX	3104	4.4	23	1	1	2	5	10	13	24
TOTAL 0-19 YRS	88	3.1	9	1	1	2	3	4	9	19
20-34	1335	3.0	8	1	1	2	3	6	8	14
35-49	1365	3.1	12	1	1	2	3	6	10	17
50-64	1038	4.3	21	1	1	2	5	9	13	23
65+	677	7.1	40	2	2	5	10	14	18	34
GRAND TOTAL	4503	4.0	19	1	1	2	4	9	12	22

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	3.6	3	2	2	3	4	6	8	9
20-34	746	3.1	3	1	1	3	4	5	6	9
35-49	54	3.1	2	1	1	3	4	4	5	10
50-64	4	1.8		<1	<1	2	2	2	2	2
65+	3	6.7	6	4	4	7	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	17	6.1	25	1	2	4	8	15	17	17
20-34	222	5.0	25	1	2	4	6	8	11	28
35-49	21	3.5	5	1	1	3	4	6	8	11
50-64	4	6.0	5	3	3	6	7	8	8	8
65+	4	10.5	25	4	4	11	14	16	16	16
TOT. SINGLE DX	853	3.1	3	1	1	3	4	5	6	9
" MULTIPLE DX	268	5.0	24	1	2	4	6	9	12	26
TOTAL 0-19 YRS	63	4.3	10	2	2	3	5	8	11	17
20-34	968	3.5	8	1	1	3	4	6	7	12
35-49	75	3.2	3	1	1	3	4	5	6	11
50-64	8	3.9	7	<1	<1	3	6	8	8	8
65+	7	8.9	19	4	4	9	11	15	16	16
GRAND TOTAL	**1121**	**3.6**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	3.2	4	1	1	2	4	6	7	8
20-34	330	5.6	7	1	2	6	7	8	9	13
35-49	84	4.6	8	1	1	4	7	8	9	13
50-64	33	3.8	18	1	1	2	4	9	11	23
65+	13	5.1	13	2	2	4	5	11	14	15
2. MULTIPLE DX										
0-19 YRS	21	5.2	22	1	1	4	6	10	16	22
20-34	506	6.3	12	1	2	6	8	10	12	19
35-49	197	5.8	23	1	1	6	8	10	13	20
50-64	97	6.4	46	1	1	4	8	13	22	36
65+	82	9.4	96	1	2	6	14	21	31	47
TOT. SINGLE DX	476	5.2	9	1	2	6	7	8	9	14
" MULTIPLE DX	903	6.5	26	1	2	6	8	11	15	29
TOTAL 0-19 YRS	37	4.4	15	1	1	3	6	8	10	22
20-34	836	6.1	10	1	2	6	7	9	11	18
35-49	281	5.5	19	1	1	5	8	10	12	19
50-64	130	5.7	40	1	1	3	8	12	21	33
65+	95	8.8	86	2	2	5	13	21	29	46
GRAND TOTAL	**1379**	**6.0**	**21**	**1**	**2**	**6**	**7**	**10**	**13**	**24**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	8.2	8	5	5	8	9	12	14	18
20-34	2842	7.3	7	5	5	7	8	9	11	15
35-49	3649	7.6	8	5	6	7	8	10	11	16
50-64	1029	8.4	7	6	6	8	9	11	13	19
65+	399	10.4	19	6	6	9	12	16	18	28
2. MULTIPLE DX										
0-19 YRS	179	8.1	13	5	5	7	9	13	15	23
20-34	11957	7.9	10	5	6	7	8	11	13	20
35-49	19723	8.4	12	6	6	8	9	11	14	21
50-64	4931	9.4	21	6	6	8	10	13	17	28
65+	1378	12.4	47	7	7	10	14	20	25	39
TOT. SINGLE DX	7960	7.7	9	5	6	7	8	10	12	18
" MULTIPLE DX	38168	8.5	14	5	6	8	9	12	15	23
TOTAL 0-19 YRS	220	8.1	12	5	5	7	9	13	15	22
20-34	14799	7.8	9	5	6	7	8	10	13	19
35-49	23372	8.2	11	5	6	8	9	11	13	20
50-64	5960	9.2	19	6	6	8	10	13	16	26
65+	1777	12.0	41	6	7	10	14	19	24	38
GRAND TOTAL	**46128**	**8.3**	**13**	**5**	**6**	**8**	**9**	**12**	**14**	**22**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	6.4	7	4	4	6	7	9	13	14
20-34	2045	6.3	4	4	5	6	7	8	9	12
35-49	1498	6.9	13	4	5	6	8	9	11	16
50-64	493	8.3	7	5	6	8	9	12	13	18
65+	342	9.3	10	6	6	8	11	13	15	22
2. MULTIPLE DX										
0-19 YRS	24	8.0	16	4	5	7	9	14	17	21
20-34	6329	6.9	7	4	5	6	8	9	11	18
35-49	7396	7.5	10	5	5	7	8	10	12	19
50-64	1956	8.9	14	5	6	8	10	13	15	22
65+	1155	10.6	32	6	7	9	12	15	19	29
TOT. SINGLE DX	4392	7.0	9	4	5	6	8	10	11	17
" MULTIPLE DX	16860	7.6	12	5	5	7	8	11	13	20
TOTAL 0-19 YRS	38	7.4	13	4	5	6	8	13	15	21
20-34	8374	6.7	7	4	5	6	7	9	11	17
35-49	8894	7.4	11	5	5	7	8	10	12	19
50-64	2449	8.8	13	5	6	8	10	13	15	21
65+	1497	10.3	28	6	7	9	11	15	18	28
GRAND TOTAL	**21252**	**7.5**	**11**	**5**	**5**	**7**	**8**	**11**	**13**	**20**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	30	10.6	8	5	7	10	12	14	17	17
35-49	22	14.0	63	8	9	11	15	23	35	41
50-64	17	11.9	12	7	8	12	13	18	19	19
65+	9	16.9	112	2	3	15	23	31	36	36
2. MULTIPLE DX										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	39	12.2	48	5	5	10	17	20	24	38
35-49	54	12.5	67	5	6	10	14	19	29	51
50-64	48	17.1	171	8	9	13	19	39	58	99+
65+	39	20.8	202	8	9	16	24	45	54	64
TOT. SINGLE DX	80	12.3	40	5	7	10	14	18	23	39
" MULTIPLE DX	181	15.5	129	5	6	12	19	28	45	65
TOTAL 0-19 YRS	3	9.0	93	2	2	5	16	20	20	20
20-34	69	11.5	31	5	6	10	13	18	20	35
35-49	76	12.9	65	6	6	10	15	19	31	49
50-64	65	15.8	134	7	9	13	17	26	55	95
65+	48	20.1	184	5	9	16	24	41	51	64
GRAND TOTAL	**261**	**14.5**	**104**	**5**	**7**	**11**	**17**	**24**	**38**	**63**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	400	1.6	4	<1	<1	1	2	2	3	7
20-34	1125	1.7	5	<1	<1	1	2	3	4	8
35-49	132	1.6	2	<1	<1	1	2	2	4	9
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	131	3.5	30	<1	1	2	4	6	12	39
20-34	869	2.9	12	<1	<1	2	3	6	8	18
35-49	241	2.6	6	<1	<1	2	3	5	7	33
50-64	4	5.5	33	2	2	3	9	14	14	14
65+										
TOT. SINGLE DX	1659	1.7	4	<1	<1	1	2	2	4	8
" MULTIPLE DX	1245	2.9	13	<1	<1	2	3	6	8	19
TOTAL 0-19 YRS	531	2.1	11	<1	<1	1	2	3	5	14
20-34	1994	2.2	8	<1	<1	2	2	4	6	12
35-49	373	2.2	5	<1	<1	2	2	4	6	12
50-64	6	4.2	24	1	1	2	4	13	14	14
65+										
GRAND TOTAL	**2904**	**2.2**	**8**	**<1**	**<1**	**2**	**2**	**4**	**6**	**12**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4344	2.0	3	<1	1	2	2	3	4	8
20-34	24409	1.9	3	<1	1	2	2	3	4	8
35-49	8876	2.0	4	<1	1	2	2	3	4	9
50-64	3647	2.3	6	<1	1	2	2	3	5	11
65+	865	3.2	10	1	1	2	3	5	9	16
2. MULTIPLE DX										
0-19 YRS	1702	3.3	14	1	1	2	4	6	8	16
20-34	14906	3.0	9	<1	1	2	3	6	8	14
35-49	10127	3.2	13	<1	1	2	3	7	9	17
50-64	4255	3.4	13	1	1	2	3	7	10	19
65+	1575	5.7	43	2	2	3	7	12	17	34
TOT. SINGLE DX	42141	2.0	4	<1	1	2	2	3	4	9
" MULTIPLE DX	32565	3.3	13	1	1	2	3	7	9	18
TOTAL 0-19 YRS	6046	2.3	6	<1	1	2	3	4	6	11
20-34	39315	2.3	6	<1	1	2	2	4	6	11
35-49	19003	2.6	9	<1	1	2	2	5	7	14
50-64	7902	2.9	10	1	1	2	3	5	8	17
65+	2440	4.8	32	1	2	3	5	10	15	29
GRAND TOTAL	**74706**	**2.6**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	448	1.4	2	<1	<1	1	1	2	2	4
20-34	1124	1.5	1	<1	<1	1	2	2	3	7
35-49	118	1.7	8	<1	<1	1	2	2	3	15
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	340	2.2	21	<1	<1	1	2	3	5	15
20-34	1521	2.2	7	<1	<1	2	2	4	6	13
35-49	344	2.0	2	<1	<1	2	2	3	5	7
50-64	1	1.0		1	1	1	1	1	1	1
65+										
TOT. SINGLE DX	1690	1.5	2	<1	<1	1	2	2	3	6
" MULTIPLE DX	2206	2.1	8	<1	<1	2	2	3	6	12
TOTAL 0-19 YRS	788	1.7	11	<1	<1	1	2	2	3	9
20-34	2645	1.9	4	<1	<1	1	2	3	5	10
35-49	462	1.9	4	<1	<1	2	2	3	5	7
50-64	1	1.0		1	1	1	1	1	1	1
65+										
GRAND TOTAL	**3896**	**1.9**	**6**	**<1**	**<1**	**1**	**2**	**3**	**5**	**10**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	338	1.8	2	<1	1	1	2	3	4	9
20-34	1521	1.6	2	<1	<1	1	2	3	4	6
35-49	149	1.6	1	<1	<1	1	2	3	4	7
50-64	5	1.6		1	1	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	68	2.5	3	1	1	2	3	5	6	8
20-34	371	2.7	6	<1	1	2	3	5	7	15
35-49	87	3.0	8	<1	1	2	4	7	11	13
50-64	9	8.9	269	<1	1	2	7	35	52	52
65+	9	10.6	75	2	2	8	18	23	26	26
TOT. SINGLE DX	2013	1.7	2	<1	<1	1	2	3	4	6
" MULTIPLE DX	544	3.0	13	<1	1	2	3	6	8	16
TOTAL 0-19 YRS	406	1.9	2	<1	1	1	2	4	5	9
20-34	1892	1.8	3	<1	1	1	2	3	5	8
35-49	236	2.1	4	<1	1	1	2	4	6	11
50-64	14	6.3	179	<1	1	2	3	14	44	52
65+	9	10.6	75	2	2	8	18	23	26	26
GRAND TOTAL	2557	1.9	4	<1	1	1	2	3	5	10

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	6.8		6	6	7	7	7	7	7
20-34	73	5.7	5	2	3	6	7	8	9	13
35-49	12	4.3	12	<1	<1	4	6	9	12	12
50-64	3	10.0	3	9	9	9	11	12	12	12
65+	7	10.9	29	4	5	11	13	19	21	21
2. MULTIPLE DX										
0-19 YRS	21	6.2	3	3	4	6	7	8	9	9
20-34	217	6.8	15	2	4	6	8	10	12	28
35-49	12	10.5	186	<1	1	5	11	37	40	41
50-64	10	8.1	23	2	3	8	9	15	20	20
65+	11	12.4	16	7	8	12	14	19	21	21
TOT. SINGLE DX	99	6.1	9	1	2	6	7	9	12	18
" MULTIPLE DX	271	7.2	23	2	4	6	8	11	13	40
TOTAL 0-19 YRS	25	6.3	2	4	4	6	7	8	9	9
20-34	290	6.5	13	2	4	6	8	10	11	16
35-49	24	7.4	103	<1	<1	4	8	15	37	41
50-64	13	8.5	19	2	4	8	9	14	19	20
65+	18	11.8	20	5	7	11	13	20	21	21
GRAND TOTAL	370	6.9	20	2	3	6	8	10	13	33

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	113	2.5	7	1	1	1	2	6	10	12
20-34	267	2.9	7	1	1	2	4	6	7	11
35-49	63	3.6	6	1	1	3	4	7	8	13
50-64	50	4.7	4	2	2	4	5	7	9	12
65+	39	5.4	10	2	2	4	6	10	11	17
2. MULTIPLE DX										
0-19 YRS	21	5.3	13	1	1	6	8	10	12	14
20-34	213	4.8	12	1	1	4	6	9	10	16
35-49	58	4.2	8	<1	1	3	5	8	10	14
50-64	48	5.9	40	2	2	4	6	10	15	42
65+	33	6.8	18	3	3	5	9	13	14	22
TOT. SINGLE DX	532	3.2	8	1	1	2	5	7	9	12
" MULTIPLE DX	373	5.0	16	1	1	4	7	9	12	19
TOTAL 0-19 YRS	134	2.9	9	1	1	1	4	8	10	13
20-34	480	3.7	10	1	1	2	5	7	10	15
35-49	121	3.9	7	<1	1	3	5	7	9	13
50-64	98	5.3	22	2	2	4	6	9	10	31
65+	72	6.1	14	2	3	5	8	11	13	21
GRAND TOTAL	905	4.0	12	1	1	3	5	8	10	15

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	6.8	16	2	2	7	10	11	11	11
20-34	174	6.4	10	3	3	6	8	10	12	17
35-49	509	7.5	10	4	4	7	9	11	13	19
50-64	780	7.6	7	4	5	7	9	11	13	17
65+	409	8.3	13	4	5	8	9	12	15	23
2. MULTIPLE DX										
0-19 YRS	4	5.3	12	2	2	4	7	10	10	10
20-34	268	7.7	13	3	4	7	9	12	15	18
35-49	892	9.2	25	5	5	8	10	14	16	28
50-64	1107	9.3	17	5	5	8	11	15	17	23
65+	701	10.4	32	5	6	9	12	16	20	32
TOT. SINGLE DX	1876	7.6	10	4	4	7	9	11	13	19
" MULTIPLE DX	2972	9.4	23	5	5	8	11	15	17	27
TOTAL 0-19 YRS	8	6.0	13	2	2	5	9	11	11	11
20-34	442	7.2	12	3	4	7	9	12	14	18
35-49	1401	8.6	20	4	5	8	10	13	16	25
50-64	1887	8.6	14	4	5	8	10	13	15	21
65+	1110	9.7	26	5	6	8	11	15	18	29
GRAND TOTAL	4848	8.7	19	4	5	8	10	13	16	24

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	2.9	11	<1	<1	2	3	6	11	17
20-34	249	4.0	8	1	1	3	5	7	9	13
35-49	124	4.8	14	1	1	4	6	9	12	19
50-64	81	6.3	10	1	2	7	9	10	11	14
65+	36	8.1	32	2	2	8	10	11	13	36
2. MULTIPLE DX										
0-19 YRS	65	5.0	42	1	1	3	6	10	19	40
20-34	155	5.9	23	1	2	5	8	11	15	24
35-49	101	8.3	38	1	2	7	11	15	21	31
50-64	105	9.9	100	2	2	9	12	17	19	71
65+	77	11.2	60	3	4	9	14	19	22	44
TOT. SINGLE DX	572	4.6	13	1	1	4	7	9	10	16
" MULTIPLE DX	503	7.9	55	1	2	6	10	15	19	39
TOTAL 0-19 YRS	147	3.8	26	<1	1	2	4	9	12	20
20-34	404	4.7	14	1	1	4	6	9	10	20
35-49	225	6.4	28	1	1	5	9	13	16	30
50-64	186	8.3	64	1	2	8	10	13	18	52
65+	113	10.2	53	2	4	9	12	18	21	43
GRAND TOTAL	[illegible]	6.1	35	1	1	5	8	12	15	29

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	225	2.9	9	<1	1	2	3	6	8	18
20-34	540	3.7	19	<1	1	2	4	8	10	16
35-49	258	4.2	22	1	1	2	5	9	14	36
50-64	188	4.9	17	1	1	4	6	10	13	21
65+	167	6.6	34	1	2	6	8	11	16	38
2. MULTIPLE DX										
0-19 YRS	148	4.1	23	1	1	2	4	9	14	26
20-34	429	5.9	46	1	1	4	7	12	17	37
35-49	251	5.8	25	1	1	4	8	12	15	23
50-64	274	8.1	48	2	2	7	10	19	22	36
65+	284	10.2	84	2	3	8	13	21	27	50
TOT. SINGLE DX	1378	4.2	21	1	1	3	5	9	12	25
" MULTIPLE DX	1386	7.0	52	1	2	5	9	15	20	35
TOTAL 0-19 YRS	373	3.4	15	1	1	2	3	7	10	23
20-34	969	4.6	33	1	1	3	6	10	13	27
35-49	509	5.0	24	1	1	3	7	11	15	31
50-64	462	6.8	38	1	2	5	8	14	19	32
65+	451	8.8	69	2	2	7	10	17	25	45
GRAND TOTAL	2764	5.6	38	1	1	3	7	12	17	32

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	378	2.7	25	<1	1	2	3	4	5	8
20-34	1495	2.4	7	<1	1	2	3	4	5	8
35-49	691	2.6	4	<1	1	2	3	4	5	10
50-64	282	3.4	9	1	1	3	4	6	8	19
65+	110	4.3	17	2	2	3	4	8	12	24
2. MULTIPLE DX										
0-19 YRS	155	3.4	7	1	1	3	4	6	8	16
20-34	515	4.0	19	1	1	3	5	7	9	22
35-49	350	5.0	23	1	2	3	6	11	14	26
50-64	189	6.0	44	1	2	4	7	13	20	35
65+	188	9.0	81	2	2	6	11	22	28	47
TOT. SINGLE DX	2956	2.7	9	<1	1	2	3	4	5	11
" MULTIPLE DX	1397	5.1	33	1	2	3	6	10	15	31
TOTAL 0-19 YRS	533	2.9	20	1	1	2	3	4	6	13
20-34	2010	2.8	10	<1	1	2	3	5	6	12
35-49	1041	3.4	12	1	1	2	4	6	9	19
50-64	471	4.4	25	1	2	3	5	8	12	28
65+	298	7.2	62	2	2	4	9	17	23	45
GRAND TOTAL	4353	3.5	18	1	1	2	4	6	9	22

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	2.3	2	<1	<1	2	3	4	5	5
20-34	24	4.3	13	1	1	3	5	9	12	15
35-49	28	7.2	22	2	2	7	9	13	18	19
50-64	41	10.0	228	2	2	6	11	24	28	93
65+	42	8.8	68	2	3	7	11	13	17	54
2. MULTIPLE DX										
0-19 YRS	3	6.3	6	4	4	6	8	9	9	9
20-34	11	6.9	28	1	1	5	10	15	17	17
35-49	33	12.0	108	2	3	8	15	28	35	44
50-64	41	16.1	228	2	3	11	19	31	54	73
65+	65	21.3	364	3	4	15	30	51	63	99+
TOT. SINGLE DX	144	7.7	95	1	2	5	10	13	19	56
" MULTIPLE DX	153	16.6	261	2	3	11	21	42	52	96
TOTAL 0-19 YRS	12	3.3	6	<1	1	3	4	7	9	9
20-34	35	5.1	18	1	1	3	8	11	15	17
35-49	61	9.8	73	2	2	8	12	21	28	43
50-64	82	13.1	234	2	2	9	15	26	40	87
65+	107	16.4	284	3	3	10	19	48	54	98
GRAND TOTAL	297	12.3	200	2	2	8	14	29	46	83

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	67	2.1	3	<1	<1	1	3	4	6	10
20-34	155	3.2	3	1	1	3	4	5	7	10
35-49	48	4.1	5	1	1	4	6	7	8	8
50-64	33	4.4	5	1	2	4	5	7	9	12
65+	6	5.7	25	1	1	5	8	13	14	14
2. MULTIPLE DX										
0-19 YRS	50	3.8	10	1	1	3	5	8	12	13
20-34	83	4.0	7	1	2	3	5	7	9	14
35-49	33	4.8	6	2	2	5	6	8	10	12
50-64	33	7.7	48	2	2	6	10	15	24	34
65+	14	9.3	32	3	4	7	13	18	22	23
TOT. SINGLE DX	309	3.3	5	1	1	3	4	6	7	11
" MULTIPLE DX	213	5.0	18	1	2	4	6	10	13	24
TOTAL 0-19 YRS	117	2.8	7	<1	1	2	3	6	9	13
20-34	238	3.5	5	1	2	3	4	6	7	12
35-49	81	4.4	5	1	2	4	6	7	8	11
50-64	66	6.0	29	2	2	5	7	10	15	33
65+	20	8.2	31	1	2	7	12	15	20	23
GRAND TOTAL	522	4.0	11	1	1	3	5	7	10	15

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	1.8	1	1	1	2	2	3	4	4
20-34	15	1.9	1	1	1	2	2	3	3	3
35-49	5	3.2	5	2	2	2	4	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	7	3.3	7	<1	<1	2	5	8	8	8
20-34	36	3.4	9	1	1	2	4	9	11	14
35-49	9	6.3	23	1	1	6	9	13	15	15
50-64	4	4.0	10	1	1	3	6	8	8	8
65+	7	6.4	30	2	2	6	8	15	17	17
TOT. SINGLE DX	35	2.1	2	1	1	2	2	3	5	7
" MULTIPLE DX	63	4.2	14	1	1	2	6	9	12	17
TOTAL 0-19 YRS	20	2.4	3	<1	1	2	2	5	7	8
20-34	51	3.0	7	1	1	2	3	6	10	14
35-49	14	5.2	18	1	1	3	8	11	14	15
50-64	5	3.6	8	1	1	2	6	8	8	8
65+	8	6.3	26	2	2	5	8	15	17	17
GRAND TOTAL	98	3.5	10	1	1	2	4	8	10	16

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9348	3.2	3	2	2	3	4	4	5	7
20-34	34462	3.3	3	2	2	3	4	4	5	7
35-49	1100	3.5	3	2	2	3	4	5	5	7
50-64	12	3.3	1	<1	2	3	4	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	3644	3.8	11	2	2	3	4	5	7	14
20-34	16386	3.8	7	2	2	3	4	5	6	11
35-49	1040	4.0	6	2	2	4	5	6	6	12
50-64	5	3.6	1	3	3	3	4	5	5	5
65+										
TOT. SINGLE DX	44922	3.3	3	2	2	3	4	4	5	7
" MULTIPLE DX	21075	3.8	7	2	2	3	4	5	6	12
TOTAL 0-19 YRS	12992	3.3	5	2	2	3	4	4	5	9
20-34	50848	3.5	4	2	2	3	4	5	5	8
35-49	2140	3.7	4	2	2	3	4	5	6	9
50-64	17	3.4	1	1	3	3	4	5	5	5
65+										
GRAND TOTAL	65997	3.5	4	2	2	3	4	5	5	9

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	140	3.1	8	2	2	3	3	4	4	15
20-34	625	3.2	4	1	2	3	4	4	5	9
35-49	34	3.1	1	2	2	3	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	185	3.1	6	1	2	3	3	5	6	23
20-34	887	3.7	10	1	2	3	4	5	7	16
35-49	75	3.4	5	1	2	3	4	4	7	14
50-64										
65+										
TOT. SINGLE DX	799	3.1	5	1	2	3	3	4	5	10
" MULTIPLE DX	1147	3.6	9	1	2	3	4	5	7	16
TOTAL 0-19 YRS	325	3.1	7	1	2	3	3	4	5	19
20-34	1512	3.5	7	1	2	3	4	5	6	14
35-49	109	3.3	4	2	2	3	3	4	6	14
50-64										
65+										
GRAND TOTAL	1946	3.4	7	1	2	3	4	5	6	14

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	788	3.2	2	2	2	3	4	4	5	8
20-34	3238	3.4	2	2	2	3	4	5	5	7
35-49	108	3.4	1	2	2	3	4	5	5	8
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	729	3.8	4	2	2	3	4	6	7	11
20-34	2990	3.9	5	2	3	4	4	5	6	11
35-49	138	4.6	15	2	3	4	5	7	9	20
50-64	1	4.0		4	4	4	4	4	4	4
65+										
TOT. SINGLE DX	4136	3.3	2	2	2	3	4	4	5	7
" MULTIPLE DX	3858	3.9	5	2	2	4	4	5	7	12
TOTAL 0-19 YRS	1517	3.5	3	2	2	3	4	5	6	10
20-34	6228	3.6	3	2	2	3	4	5	6	9
35-49	246	4.1	10	2	2	4	4	6	8	13
50-64	3	3.0	1	2	2	3	4	4	4	4
65+										
GRAND TOTAL	7994	3.6	3	2	2	3	4	5	6	10

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3138	3.1	6	2	2	3	3	4	5	8
20-34	13189	3.1	4	2	2	3	3	4	5	8
35-49	510	3.4	2	2	2	3	4	5	6	10
50-64	6	3.3	2	2	2	3	3	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	1511	3.8	7	2	2	3	4	5	7	14
20-34	14041	3.9	9	2	2	3	4	5	6	13
35-49	1302	4.1	11	2	3	4	4	6	6	10
50-64	5	3.0	2	2	2	3	4	5	5	5
65+										
TOT. SINGLE DX	16843	3.1	4	2	2	3	3	4	5	8
" MULTIPLE DX	16859	3.9	9	2	2	3	4	5	6	13
TOTAL 0-19 YRS	4649	3.3	6	2	2	3	4	4	5	11
20-34	27230	3.5	6	2	2	3	4	5	6	11
35-49	1812	3.9	9	2	2	3	4	5	6	10
50-64	11	3.2	2	2	2	3	3	5	6	6
65+										
GRAND TOTAL	33702	3.5	7	2	2	3	4	5	6	11

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2489	5.9	10	4	4	5	6	7	9	13
20-34	12956	5.8	5	4	4	6	6	7	8	12
35-49	516	6.1	6	4	4	6	7	8	8	12
50-64	2	6.5	1	6	6	6	7	7	7	7
65+										
2. MULTIPLE DX										
0-19 YRS	3765	6.9	14	4	5	6	8	10	12	20
20-34	20311	6.5	13	4	4	6	7	9	11	21
35-49	1765	7.2	21	4	5	6	7	10	14	29
50-64	6	11.2	129	4	4	7	10	32	34	34
65+										
TOT. SINGLE DX	15963	5.8	6	4	4	6	6	7	8	12
" MULTIPLE DX	25847	6.6	14	4	4	6	7	9	11	21
TOTAL 0-19 YRS	6254	6.5	12	4	4	6	7	9	11	18
20-34	33267	6.3	10	4	4	6	7	8	10	18
35-49	2281	7.0	18	4	5	6	7	9	12	27
50-64	8	10.0	97	4	4	7	9	27	34	34
65+										
GRAND TOTAL	41810	6.3	11	4	4	6	7	8	10	18

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	349	5.9	6	4	4	6	6	8	9	20
20-34	1313	5.8	5	4	4	6	6	8	8	15
35-49	49	6.0	3	4	4	6	7	8	8	12
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	388	7.1	38	4	4	6	7	10	12	29
20-34	1785	6.8	16	4	4	6	7	9	12	23
35-49	194	7.4	24	4	5	7	8	10	12	29
50-64										
65+										
TOT. SINGLE DX	1711	5.8	5	4	4	6	6	8	8	15
" MULTIPLE DX	2367	6.9	21	4	4	6	7	9	12	25
TOTAL 0-19 YRS	737	6.5	23	4	4	6	7	9	10	26
20-34	3098	6.4	12	4	4	6	7	8	10	19
35-49	243	7.1	20	4	4	6	8	9	11	21
50-64										
65+										
GRAND TOTAL	4078	6.4	14	4	4	6	7	8	11	21

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	6.0	9	3	3	6	8	9	9	9
20-34	25	5.8	3	3	4	6	7	8	9	11
35-49	4	5.0	5	2	2	5	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	7	5.7	8	1	2	6	7	9	10	10
20-34	58	7.1	29	3	4	6	8	11	14	36
35-49	14	6.6	6	3	4	6	9	10	11	11
50-64	1	10.0		10	10	10	10	10	10	10
65+										
TOT. SINGLE DX	32	5.7	4	3	3	6	7	8	9	11
" MULTIPLE DX	80	6.9	23	3	4	6	8	10	12	34
TOTAL 0-19 YRS	10	5.8	7	1	2	6	7	9	10	10
20-34	83	6.7	22	3	4	6	7	10	12	33
35-49	18	6.3	6	2	3	6	7	10	11	11
50-64	1	10.0		10	10	10	10	10	10	10
65+										
GRAND TOTAL	**112**	**6.6**	**18**	**3**	**4**	**6**	**7**	**10**	**11**	**30**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	928	2.1	2	1	1	2	2	3	4	6
20-34	819	2.2	3	1	1	2	2	3	4	6
35-49	49	2.1	2	1	1	2	2	4	5	8
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	479	2.1	5	1	1	2	2	3	4	9
20-34	454	2.5	5	1	1	2	3	4	5	17
35-49	59	2.6	3	1	1	2	3	4	6	8
50-64										
65+										
TOT. SINGLE DX	1797	2.1	2	1	1	2	2	3	4	6
" MULTIPLE DX	992	2.3	5	1	1	2	3	4	5	10
TOTAL 0-19 YRS	1407	2.1	3	1	1	2	2	3	4	7
20-34	1273	2.3	4	1	1	2	3	4	4	8
35-49	108	2.4	2	1	1	2	3	4	5	8
50-64	1	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	**2789**	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**8**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	3.9	18	1	1	3	4	9	15	21
20-34	228	3.8	14	<1	<1	3	5	8	11	20
35-49	11	4.1	9	<1	<1	4	7	8	8	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	29	7.1	32	1	2	5	9	16	20	23
20-34	146	6.1	43	1	1	4	8	11	17	40
35-49	13	4.5	6	1	2	4	6	8	10	10
50-64										
65+										
TOT. SINGLE DX	314	3.8	15	<1	1	3	5	8	12	21
" MULTIPLE DX	188	6.1	39	1	1	4	8	12	17	35
TOTAL 0-19 YRS	104	4.8	24	1	1	3	5	11	16	22
20-34	374	4.7	27	<1	1	3	6	9	12	25
35-49	24	4.3	7	<1	1	4	6	8	9	10
50-64										
65+										
GRAND TOTAL	**502**	**4.7**	**25**	**<1**	**1**	**3**	**6**	**10**	**14**	**23**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	573	2.7	2	<1	1	3	3	4	5	8
20-34	2161	2.7	2	<1	1	3	3	4	5	8
35-49	94	2.8	3	<1	1	3	3	5	6	9
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	228	3.9	25	1	2	3	4	6	8	11
20-34	845	3.7	7	1	2	3	4	6	7	11
35-49	48	4.3	9	2	2	4	5	7	8	21
50-64										
65+										
TOT. SINGLE DX	2829	2.7	2	<1	1	3	3	4	5	8
" MULTIPLE DX	1121	3.8	11	1	2	3	4	6	7	11
TOTAL 0-19 YRS	801	3.1	9	1	1	3	3	4	6	10
20-34	3006	3.0	4	<1	1	3	3	5	6	9
35-49	142	3.3	5	<1	1	3	4	6	7	11
50-64	1	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	**3950**	**3.0**	**5**	**<1**	**1**	**3**	**3**	**5**	**6**	**9**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2404	2.9	5	2	2	3	3	4	4	6
20-34	7532	2.9	3	1	2	3	3	4	4	6
35-49	365	3.0	5	1	2	3	4	4	5	19
50-64	4	2.0	1	1	1	2	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	1460	3.4	4	2	2	3	4	5	7	11
20-34	4902	3.5	8	2	2	3	4	5	6	13
35-49	313	3.8	4	2	2	3	4	6	7	13
50-64	2	3.0	8	1	1	3	5	5	5	5
65+										
TOT. SINGLE DX	10305	2.9	4	1	2	3	3	4	4	6
" MULTIPLE DX	6677	3.5	7	2	2	3	4	5	6	12
TOTAL 0-19 YRS	3864	3.1	5	2	2	3	3	4	5	9
20-34	12434	3.1	5	2	2	3	3	4	5	9
35-49	678	3.4	5	1	2	3	4	5	6	13
50-64	6	2.3	2	1	1	2	3	5	5	5
65+										
GRAND TOTAL	16982	3.1	5	2	2	3	3	4	5	9

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	2.6	3	<1	1	2	3	5	5	12
20-34	92	3.3	5	2	2	3	4	5	7	14
35-49	59	4.3	16	1	2	3	5	10	15	18
50-64	82	7.6	91	1	2	3	10	19	26	52
65+	62	7.3	66	1	2	5	10	15	20	48
2. MULTIPLE DX										
0-19 YRS	26	3.2	2	1	2	3	4	6	6	7
20-34	77	6.2	78	2	2	3	6	16	23	52
35-49	77	7.1	70	2	2	4	9	16	26	44
50-64	141	10.1	113	2	2	5	16	26	38	56
65+	113	10.4	106	2	2	8	15	21	31	77
TOT. SINGLE DX	352	5.1	41	1	2	3	5	12	16	32
" MULTIPLE DX	434	8.6	95	2	2	4	12	21	29	58
TOTAL 0-19 YRS	83	2.8	3	1	1	2	3	5	6	10
20-34	169	4.6	40	2	2	3	4	8	17	35
35-49	136	5.9	48	2	2	3	7	15	17	35
50-64	223	9.2	106	2	2	4	13	24	32	54
65+	175	9.3	93	2	2	6	13	18	28	63
GRAND TOTAL	786	7.0	74	2	2	3	9	17	24	49

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	252	4.2	3	2	3	4	5	6	7	12
20-34	468	4.2	3	2	3	4	5	6	7	12
35-49	176	3.6	4	1	1	3	4	6	7	10
50-64	60	3.3	4	1	1	3	4	6	7	10
65+	16	8.0	78	1	2	5	9	19	30	35
2. MULTIPLE DX										
0-19 YRS	211	5.0	8	2	3	4	6	8	10	18
20-34	315	4.7	5	2	3	4	5	7	9	15
35-49	121	6.2	98	2	2	4	6	9	16	62
50-64	55	8.9	97	2	2	5	10	19	35	48
65+	26	16.3	253	2	3	11	19	44	54	56
TOT. SINGLE DX	972	4.1	5	2	2	4	5	6	7	12
" MULTIPLE DX	728	5.8	42	2	3	4	6	9	14	46
TOTAL 0-19 YRS	463	4.6	5	2	3	4	5	6	9	15
20-34	783	4.4	4	2	3	4	5	6	8	14
35-49	297	4.7	44	1	2	4	5	7	10	29
50-64	115	6.0	56	1	2	4	6	12	19	41
65+	42	13.1	200	1	2	8	16	36	49	56
GRAND TOTAL	1700	4.8	21	2	2	4	5	7	10	26

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	263	2.8	4	1	1	2	3	5	6	13
20-34	365	3.6	13	1	1	3	4	6	9	17
35-49	97	3.4	5	1	1	3	4	6	7	12
50-64	32	3.9	5	1	1	4	5	8	9	9
65+	12	3.8	3	1	1	4	5	6	7	7
2. MULTIPLE DX										
0-19 YRS	300	5.5	72	1	2	4	6	9	14	55
20-34	393	6.4	59	1	2	4	7	12	18	44
35-49	142	7.8	92	2	2	5	9	14	20	56
50-64	54	9.6	87	2	2	7	12	20	27	54
65+	29	12.8	136	2	3	8	16	32	39	50
TOT. SINGLE DX	769	3.4	9	1	1	3	4	6	8	14
" MULTIPLE DX	918	6.7	74	1	2	4	7	12	19	51
TOTAL 0-19 YRS	563	4.3	42	1	1	3	4	7	11	30
20-34	758	5.1	39	1	1	3	6	10	13	36
35-49	239	6.0	61	1	2	4	7	11	16	40
50-64	86	7.5	64	1	2	5	9	14	21	47
65+	41	10.1	114	2	2	7	11	24	36	50
GRAND TOTAL	1687	5.2	47	1	1	3	6	10	13	37

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	227	3.9	9	1	2	3	5	7	9	16
20-34	574	4.1	10	1	2	3	5	7	9	18
35-49	210	4.3	11	1	2	3	5	8	10	18
50-64	75	3.9	6	1	2	3	5	8	9	11
65+	36	7.0	32	2	2	5	9	13	17	30
2. MULTIPLE DX										
0-19 YRS	314	8.3	98	2	2	6	9	16	26	49
20-34	735	7.5	64	2	2	5	9	14	21	49
35-49	310	8.5	68	2	2	6	10	16	25	51
50-64	147	10.7	114	3	3	7	12	21	33	55
65+	75	14.6	191	2	3	10	16	34	50	65
TOT. SINGLE DX	1122	4.2	11	1	2	3	5	8	10	18
" MULTIPLE DX	1581	8.5	85	2	2	6	10	17	25	53
TOTAL 0-19 YRS	541	6.5	65	2	2	4	7	12	19	42
20-34	1309	6.0	43	2	2	4	7	12	16	38
35-49	520	6.8	49	2	2	5	8	13	20	45
50-64	222	8.4	87	2	2	6	9	18	27	54
65+	111	12.1	151	2	3	8	14	28	45	59
GRAND TOTAL	**2703**	**6.7**	**58**	**2**	**2**	**4**	**8**	**13**	**19**	**45**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	3.8	6	<1	1	3	5	7	8	11
20-34	47	4.1	8	<1	2	4	5	7	8	18
35-49	21	4.6	12	1	1	4	5	9	13	15
50-64	23	6.4	24	1	1	6	8	12	17	22
65+	5	3.8	7	2	2	2	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	17	6.1	26	1	1	4	8	15	18	19
20-34	27	8.0	55	2	2	5	9	21	24	27
35-49	31	6.8	59	2	2	6	7	11	19	43
50-64	25	5.5	12	1	2	5	7	11	13	13
65+	12	12.2	229	<1	1	6	16	31	52	55
TOT. SINGLE DX	124	4.5	11	<1	1	4	6	8	11	19
" MULTIPLE DX	112	7.3	61	1	2	5	8	17	21	48
TOTAL 0-19 YRS	45	4.6	15	1	1	4	6	8	13	19
20-34	74	5.5	28	<1	2	4	6	10	20	26
35-49	52	5.9	40	1	2	5	7	11	15	42
50-64	48	5.9	17	1	1	5	7	12	13	22
65+	17	9.7	175	1	2	5	12	21	43	55
GRAND TOTAL	**236**	**5.8**	**37**	**1**	**2**	**4**	**6**	**12**	**18**	**29**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	443	6.3	40	2	2	4	7	12	19	28
20-34	471	5.2	32	2	2	4	6	10	14	30
35-49	325	6.4	34	2	2	5	7	13	18	28
50-64	299	7.5	33	2	3	6	9	13	17	32
65+	144	10.4	85	2	3	8	13	20	29	51
2. MULTIPLE DX										
0-19 YRS	260	8.4	97	2	2	5	8	18	31	53
20-34	338	7.3	65	2	2	5	9	14	20	56
35-49	317	7.9	91	2	2	5	9	15	23	52
50-64	331	10.2	116	2	3	7	12	20	25	56
65+	214	15.6	239	3	3	11	18	34	43	86
TOT. SINGLE DX	1682	6.6	41	2	2	5	8	13	18	33
" MULTIPLE DX	1460	9.5	121	2	2	6	11	20	30	56
TOTAL 0-19 YRS	703	7.0	62	2	2	5	8	14	23	47
20-34	809	6.1	47	2	2	4	7	13	16	40
35-49	642	7.1	63	2	2	5	8	14	20	42
50-64	630	8.9	78	2	3	7	11	17	23	51
65+	358	13.5	183	3	3	10	16	28	41	78
GRAND TOTAL	**3142**	**7.9**	**80**	**2**	**2**	**5**	**9**	**16**	**23**	**50**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	165	4.3	6	2	2	4	5	6	8	14
20-34	391	4.5	7	2	2	4	5	7	8	14
35-49	454	4.7	5	2	3	4	6	7	9	12
50-64	561	5.3	7	2	3	5	6	9	10	14
65+	227	6.0	9	3	3	5	7	10	11	16
2. MULTIPLE DX										
0-19 YRS	166	4.7	7	2	3	4	5	7	9	17
20-34	515	4.8	7	2	3	4	5	8	10	15
35-49	793	5.4	25	2	3	5	6	8	10	24
50-64	1404	6.0	19	3	3	5	7	10	12	21
65+	749	7.2	35	3	3	6	8	12	15	38
TOT. SINGLE DX	1798	5.0	7	2	3	4	6	8	9	14
" MULTIPLE DX	3627	5.9	22	2	3	5	7	9	12	24
TOTAL 0-19 YRS	331	4.5	6	2	2	4	5	7	8	15
20-34	906	4.7	7	2	2	4	5	7	9	14
35-49	1247	5.2	18	2	3	5	6	8	10	17
50-64	1965	5.8	16	2	3	5	7	9	11	19
65+	976	6.9	29	3	3	6	8	11	15	32
GRAND TOTAL	**5425**	**5.6**	**17**	**2**	**3**	**5**	**6**	**9**	**11**	**20**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1476	4.9	31	1	2	3	5	9	13	31
20-34	1914	5.4	45	2	2	4	6	10	15	35
35-49	1467	5.8	32	2	2	4	7	11	15	30
50-64	1210	6.4	48	2	2	4	7	12	18	43
65+	603	8.4	76	2	2	6	10	18	24	47
2. MULTIPLE DX										
0-19 YRS	705	9.6	163	1	2	5	10	27	39	95
20-34	1322	9.4	160	2	2	5	9	22	40	96
35-49	1192	9.1	133	2	2	5	9	21	32	69
50-64	1371	10.1	128	2	2	6	12	23	32	61
65+	1005	15.7	225	2	3	11	21	36	49	96
TOT. SINGLE DX	6670	5.8	43	2	2	4	6	11	17	34
" MULTIPLE DX	5595	10.7	164	2	2	6	13	26	39	78
TOTAL 0-19 YRS	2181	6.4	78	1	2	4	6	12	23	53
20-34	3236	7.0	96	2	2	4	7	15	24	66
35-49	2659	7.3	80	2	2	4	8	15	23	52
50-64	2581	8.4	94	2	2	5	10	18	26	53
65+	1608	13.0	182	2	3	8	17	30	42	90
GRAND TOTAL	**12265**	**8.0**	**104**	**2**	**2**	**5**	**9**	**18**	**28**	**61**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	516	6.0	32	2	2	4	7	11	15	35
20-34	460	6.6	53	2	2	5	8	12	19	37
35-49	197	8.1	66	2	2	6	9	15	23	48
50-64	223	10.4	79	2	3	9	13	20	22	61
65+	308	14.5	83	4	5	13	17	23	28	57
2. MULTIPLE DX										
0-19 YRS	196	11.5	252	2	2	5	12	28	46	86
20-34	247	11.4	212	2	2	6	11	29	49	93
35-49	159	13.9	276	2	3	8	16	36	54	94
50-64	218	14.8	190	3	3	11	18	34	47	99+
65+	389	20.0	175	6	9	16	24	38	44	88
TOT. SINGLE DX	1704	8.5	67	2	2	6	11	17	22	42
" MULTIPLE DX	1209	15.1	223	2	3	11	19	35	48	92
TOTAL 0-19 YRS	712	7.5	99	2	2	5	7	14	24	52
20-34	707	8.3	114	2	2	5	8	18	27	74
35-49	356	10.7	167	2	2	7	11	23	38	73
50-64	441	12.6	138	2	3	10	15	26	40	88
65+	697	17.6	142	5	7	15	20	32	42	83
GRAND TOTAL	**2913**	**11.2**	**142**	**2**	**3**	**7**	**14**	**24**	**35**	**74**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	976	3.0	24	<1	1	2	3	5	6	21
20-34	1291	3.1	10	1	1	2	3	5	7	16
35-49	686	3.6	15	1	1	2	4	7	9	25
50-64	566	5.3	54	1	1	3	5	10	18	39
65+	549	7.8	74	1	2	5	10	16	24	41
2. MULTIPLE DX										
0-19 YRS	232	5.9	74	1	1	3	5	13	23	53
20-34	395	7.3	121	1	2	3	7	17	30	71
35-49	241	6.7	94	1	2	4	6	14	22	53
50-64	330	9.6	151	1	2	5	12	20	40	66
65+	454	16.3	224	2	3	12	22	38	49	78
TOT. SINGLE DX	4068	4.1	32	1	1	3	4	8	13	31
" MULTIPLE DX	1652	9.9	161	1	2	5	12	25	39	67
TOTAL 0-19 YRS	1208	3.6	35	<1	1	2	3	5	8	32
20-34	1686	4.1	39	1	1	3	4	7	12	37
35-49	927	4.4	37	1	1	3	4	8	14	33
50-64	896	6.9	94	1	2	4	7	16	23	55
65+	1003	11.6	159	2	2	7	15	28	39	65
GRAND TOTAL	**5720**	**5.8**	**76**	**1**	**1**	**3**	**5**	**13**	**21**	**50**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	142	18.3	180	2	3	17	28	35	42	60
20-34	40	19.7	256	4	6	13	35	47	50	56
35-49	51	14.7	93	5	7	12	18	28	46	99
50-64	125	15.3	114	5	7	13	16	26	36	61
65+	518	17.3	74	8	10	15	20	27	35	55
2. MULTIPLE DX										
0-19 YRS	108	26.4	286	5	8	22	38	50	57	73
20-34	77	24.8	217	10	11	19	35	49	57	90
35-49	45	22.4	215	7	7	18	28	55	60	99+
50-64	137	24.8	256	8	10	20	33	49	64	99+
65+	762	21.8	141	9	11	19	26	36	45	91
TOT. SINGLE DX	876	17.1	107	5	7	15	20	31	39	58
" MULTIPLE DX	1129	22.8	179	9	11	19	28	41	53	93
TOTAL 0-19 YRS	250	21.8	241	3	4	19	32	43	50	69
20-34	117	23.1	234	6	8	17	35	49	55	77
35-49	96	18.3	164	6	7	15	24	36	56	99+
50-64	262	20.3	210	6	8	15	25	39	55	91
65+	1280	20.0	119	9	11	17	23	33	42	78
GRAND TOTAL	**2005**	**20.3**	**155**	**7**	**9**	**17**	**25**	**37**	**47**	**80**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	239	12.7	100	4	5	11	15	20	27	47
20-34	244	16.3	142	5	6	13	19	31	41	64
35-49	180	13.8	110	4	6	11	16	25	37	60
50-64	564	14.9	74	6	7	13	18	23	28	57
65+	2655	17.9	83	8	10	16	21	28	33	56
2. MULTIPLE DX										
0-19 YRS	293	20.9	220	6	7	17	26	40	55	95
20-34	352	23.2	235	7	9	19	29	44	61	99
35-49	261	23.1	275	7	9	18	29	44	63	92
50-64	678	21.3	214	8	9	17	25	41	53	95
65+	3971	22.0	136	10	11	19	26	36	47	75
TOT. SINGLE DX	3882	16.9	90	7	8	15	20	27	33	57
" MULTIPLE DX	5555	22.0	163	9	11	19	26	38	50	83
TOTAL 0-19 YRS	532	17.2	183	4	6	14	21	33	42	90
20-34	596	20.4	208	6	7	17	25	40	54	84
35-49	441	19.3	229	5	7	15	23	38	53	81
50-64	1242	18.4	161	7	8	15	21	34	46	82
65+	6626	20.3	119	9	11	18	24	33	42	68
GRAND TOTAL	**9437**	**19.9**	**139**	**8**	**9**	**17**	**23**	**34**	**44**	**75**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	362	12.2	155	1	2	7	20	31	38	51
20-34	36	23.3	400	1	2	19	42	51	58	68
35-49	28	15.4	282	1	2	8	22	49	52	53
50-64	49	14.8	149	3	4	12	18	30	45	61
65+	132	20.8	335	3	5	16	24	47	60	95
2. MULTIPLE DX										
0-19 YRS	165	21.2	292	3	4	18	31	44	53	70
20-34	85	25.2	312	5	6	20	40	53	62	91
35-49	45	25.9	367	5	5	20	39	56	68	99+
50-64	41	28.8	426	7	9	19	40	59	68	84
65+	192	23.5	204	7	10	19	32	44	57	74
TOT. SINGLE DX	607	15.1	228	1	2	10	21	36	47	65
" MULTIPLE DX	528	23.7	282	4	6	19	34	48	60	80
TOTAL 0-19 YRS	527	15.0	215	1	2	9	23	36	44	65
20-34	121	24.6	336	3	5	20	40	52	61	82
35-49	73	21.9	356	2	4	16	34	53	62	95
50-64	90	21.1	321	3	5	15	28	50	59	79
65+	324	22.4	258	5	7	18	28	45	58	87
GRAND TOTAL	**1135**	**19.1**	**271**	**2**	**3**	**15**	**26**	**44**	**54**	**75**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	489	5.2	31	1	1	3	6	14	18	26
20-34	428	4.9	30	1	1	4	5	10	13	32
35-49	277	5.2	17	1	2	4	7	10	14	21
50-64	297	6.1	39	1	2	4	8	12	17	35
65+	214	8.6	68	2	2	6	10	20	27	42
2. MULTIPLE DX										
0-19 YRS	198	13.1	257	1	2	7	16	32	50	74
20-34	278	10.6	154	2	2	6	12	23	41	62
35-49	187	12.6	236	2	2	7	12	26	48	84
50-64	181	13.9	252	2	2	7	19	35	46	92
65+	230	13.8	122	3	3	11	19	26	34	59
TOT. SINGLE DX	1705	5.7	36	1	1	4	7	12	17	29
" MULTIPLE DX	1074	12.7	198	2	2	8	16	27	46	76
TOTAL 0-19 YRS	687	7.5	109	1	1	4	9	18	24	58
20-34	706	7.1	87	1	2	4	7	15	23	55
35-49	464	8.2	118	1	2	5	9	16	25	60
50-64	478	9.0	134	1	2	5	10	21	32	69
65+	444	11.3	103	2	2	8	15	24	30	57
GRAND TOTAL	**2779**	**8.4**	**110**	**1**	**2**	**5**	**10**	**19**	**27**	**57**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1787	4.1	17	1	1	3	5	7	10	16
20-34	2166	5.1	17	1	2	4	6	9	11	22
35-49	1262	6.4	27	2	2	5	8	12	15	33
50-64	1181	7.5	27	2	3	6	9	14	17	28
65+	803	10.4	62	3	3	8	14	19	23	36
2. MULTIPLE DX										
0-19 YRS	860	8.1	111	1	2	5	9	17	29	64
20-34	1546	9.7	126	2	2	6	11	20	32	70
35-49	927	11.1	166	2	3	7	12	23	42	86
50-64	1000	12.5	158	3	3	8	15	27	36	78
65+	869	15.9	157	4	5	13	20	31	40	73
TOT. SINGLE DX	7199	6.1	29	1	2	5	7	12	16	28
" MULTIPLE DX	5202	11.3	148	2	3	7	13	25	36	73
TOTAL 0-19 YRS	2647	5.4	51	1	2	4	6	10	14	40
20-34	3712	7.0	67	2	2	5	8	13	20	47
35-49	2189	8.4	91	2	2	6	9	16	24	63
50-64	2181	9.8	93	2	3	7	11	19	27	61
65+	1672	13.3	119	3	4	10	17	25	33	60
GRAND TOTAL	**12401**	**8.2**	**86**	**2**	**2**	**5**	**9**	**17**	**25**	**54**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4005	2.8	14	1	1	2	3	5	8	19
20-34	1294	4.4	24	1	1	3	5	9	11	27
35-49	868	4.9	32	1	1	4	6	10	13	24
50-64	1028	5.2	31	1	1	4	7	11	14	26
65+	960	6.0	40	1	1	4	8	13	17	31
2. MULTIPLE DX										
0-19 YRS	1225	6.3	77	1	1	3	7	14	23	43
20-34	1017	8.7	120	1	2	5	10	18	33	63
35-49	715	9.2	115	1	2	6	11	19	30	56
50-64	854	9.8	150	1	2	6	12	19	30	64
65+	1172	10.8	110	2	2	7	14	23	33	60
TOT. SINGLE DX	8155	4.0	24	1	1	2	5	8	12	24
" MULTIPLE DX	4983	8.9	114	1	2	5	11	19	29	59
TOTAL 0-19 YRS	5230	3.6	31	1	1	2	4	7	12	28
20-34	2311	6.3	71	1	1	4	7	12	19	50
35-49	1583	6.9	74	1	1	4	8	14	20	45
50-64	1882	7.3	90	1	1	5	9	14	21	55
65+	2132	8.6	84	1	2	6	11	19	26	49
GRAND TOTAL	**13138**	**5.8**	**64**	**1**	**1**	**3**	**7**	**13**	**19**	**43**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	401	4.7	43	<1	1	2	5	12	19	35
20-34	331	3.7	18	<1	1	2	5	8	12	21
35-49	171	4.7	41	1	1	3	5	11	14	29
50-64	190	5.0	73	1	1	3	6	10	13	40
65+	200	5.6	51	1	1	3	6	15	20	43
2. MULTIPLE DX										
0-19 YRS	170	7.1	77	1	1	3	9	20	24	46
20-34	250	9.9	166	1	1	5	12	25	37	64
35-49	167	9.4	155	1	1	5	11	23	30	59
50-64	170	9.7	130	1	2	6	13	23	33	72
65+	252	11.2	152	1	2	7	15	28	36	63
TOT. SINGLE DX	1293	4.6	42	1	1	2	5	11	17	35
" MULTIPLE DX	1009	9.6	141	1	1	5	12	23	34	63
TOTAL 0-19 YRS	571	5.4	54	1	1	2	6	14	22	39
20-34	581	6.4	91	1	1	3	6	14	24	53
35-49	338	7.0	102	1	1	4	7	17	24	57
50-64	360	7.2	105	1	1	4	8	16	24	66
65+	452	8.7	115	1	1	5	11	21	32	62
GRAND TOTAL	**2302**	**6.8**	**92**	**1**	**1**	**3**	**8**	**16**	**24**	**51**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	252	4.4	47	1	1	3	5	7	11	24
20-34	358	4.2	7	1	2	4	5	7	9	17
35-49	159	4.7	8	1	2	4	6	8	10	15
50-64	121	6.8	43	1	2	5	8	13	20	66
65+	109	12.0	69	2	3	10	16	22	27	41
2. MULTIPLE DX										
0-19 YRS	93	7.5	57	1	2	5	10	19	22	80
20-34	170	7.6	77	1	2	5	8	17	25	49
35-49	86	9.0	102	2	3	6	9	18	38	87
50-64	89	10.0	68	3	4	8	13	18	25	85
65+	118	17.0	169	4	5	14	20	31	45	69
TOT. SINGLE DX	999	5.5	34	1	2	4	6	11	16	27
" MULTIPLE DX	556	10.2	108	2	3	6	13	22	31	64
TOTAL 0-19 YRS	345	5.2	52	1	1	4	5	11	17	27
20-34	528	5.3	32	1	2	4	6	9	14	32
35-49	245	6.2	45	2	2	5	7	10	16	49
50-64	210	8.2	56	2	3	6	10	17	23	76
65+	227	14.6	127	3	4	13	18	28	35	61
GRAND TOTAL	**1555**	**7.2**	**66**	**1**	**2**	**5**	**8**	**16**	**22**	**50**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	934	5.1	23	1	2	4	6	9	13	26
20-34	1100	4.8	14	2	2	4	6	8	10	21
35-49	568	5.1	15	2	2	4	6	9	13	23
50-64	356	7.6	85	2	2	5	8	15	23	57
65+	207	12.7	140	2	3	10	17	25	39	70
2. MULTIPLE DX										
0-19 YRS	434	6.3	42	2	2	4	6	12	19	34
20-34	728	6.9	63	2	2	5	7	12	22	44
35-49	435	7.4	68	2	2	5	8	16	23	48
50-64	407	11.1	123	2	3	7	13	27	39	56
65+	285	17.5	279	3	4	13	23	37	50	95
TOT. SINGLE DX	3165	5.8	37	2	2	4	6	11	16	33
" MULTIPLE DX	2289	9.0	110	2	2	5	10	20	30	57
TOTAL 0-19 YRS	1368	5.5	29	2	2	4	6	10	15	28
20-34	1828	5.6	34	2	2	4	6	9	14	31
35-49	1003	6.1	39	2	2	4	7	12	17	42
50-64	763	9.5	108	2	2	6	11	21	31	57
65+	492	15.5	226	2	3	11	20	33	46	93
GRAND TOTAL	**5454**	**7.1**	**70**	**2**	**2**	**5**	**7**	**14**	**23**	**47**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	153	10.4	26	4	5	9	12	17	20	32
20-34	3166	11.0	33	5	6	10	13	18	21	32
35-49	5895	11.4	30	5	6	10	14	18	22	31
50-64	3110	12.4	37	6	7	11	15	20	24	33
65+	600	15.2	63	7	8	13	18	24	30	45
2. MULTIPLE DX										
0-19 YRS	34	21.8	424	5	6	17	26	48	95	99+
20-34	669	14.2	70	6	7	12	17	24	30	50
35-49	1704	14.6	76	6	7	12	18	24	30	49
50-64	1544	15.7	80	6	8	14	19	27	32	52
65+	568	19.8	146	8	9	17	24	35	44	69
TOT. SINGLE DX	12924	11.7	35	5	6	10	14	19	23	32
" MULTIPLE DX	4519	15.6	91	6	7	13	19	26	33	56
TOTAL 0-19 YRS	187	12.4	116	4	5	10	14	22	32	93
20-34	3835	11.5	41	5	6	10	14	19	23	36
35-49	7599	12.1	42	5	6	10	15	20	24	36
50-64	4654	13.5	53	6	7	12	16	22	27	40
65+	1168	17.4	108	7	8	15	21	29	38	60
GRAND TOTAL	**17443**	**12.7**	**52**	**5**	**6**	**11**	**15**	**21**	**26**	**40**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1612	4.4	3	2	3	4	5	6	8	12
20-34	3414	4.8	5	2	3	4	5	7	8	13
35-49	1788	4.9	6	2	3	4	6	8	9	14
50-64	783	5.7	8	3	3	5	7	9	11	17
65+	156	6.6	13	2	3	6	8	12	14	18
2. MULTIPLE DX										
0-19 YRS	777	5.1	9	2	3	5	6	7	9	16
20-34	1704	5.4	11	2	3	5	6	8	11	19
35-49	995	6.1	17	2	3	5	7	10	12	24
50-64	843	6.8	20	2	3	6	8	11	15	24
65+	233	8.4	31	3	3	7	10	15	19	32
TOT. SINGLE DX	7753	4.9	5	2	3	4	6	7	9	14
" MULTIPLE DX	4552	5.9	15	2	3	5	7	9	12	22
TOTAL 0-19 YRS	2389	4.6	5	2	3	4	5	7	8	14
20-34	5118	5.0	7	2	3	5	6	7	9	15
35-49	2783	5.3	10	2	3	5	6	8	10	17
50-64	1626	6.2	15	2	3	5	7	10	13	22
65+	389	7.7	24	3	3	6	9	13	17	29
GRAND TOTAL	**12305**	**5.2**	**9**	**2**	**3**	**5**	**6**	**8**	**10**	**17**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1182	3.5	19	<1	1	2	4	6	8	20
20-34	1767	3.6	14	1	1	3	4	6	8	16
35-49	1006	4.0	12	1	1	3	5	7	10	21
50-64	695	4.6	23	1	1	3	5	9	13	23
65+	228	6.4	81	1	2	3	7	14	23	54
2. MULTIPLE DX										
0-19 YRS	429	3.9	15	<1	1	3	5	7	10	25
20-34	848	4.5	23	<1	1	3	5	8	12	26
35-49	633	5.7	39	1	2	4	6	12	17	38
50-64	597	7.4	82	1	2	5	8	16	24	55
65+	280	9.7	78	2	2	6	14	22	26	43
TOT. SINGLE DX	4878	3.9	20	1	1	3	4	7	10	22
" MULTIPLE DX	2787	5.8	46	1	1	4	6	13	18	35
TOTAL 0-19 YRS	1611	3.6	18	<1	1	3	4	6	9	21
20-34	2615	3.9	17	<1	1	3	5	7	9	20
35-49	1639	4.7	23	1	1	3	5	9	14	27
50-64	1292	5.9	52	1	2	4	7	13	18	39
65+	508	8.2	82	2	2	5	10	19	26	46
GRAND TOTAL	**7665**	**4.6**	**30**	**1**	**1**	**3**	**5**	**9**	**14**	**29**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	240	14.5	35	8	9	14	17	19	26	37
20-34	263	14.6	140	5	6	11	17	25	31	63
35-49	390	12.5	60	5	6	11	15	20	26	48
50-64	229	12.5	61	4	5	10	15	22	26	40
65+	20	14.9	50	6	7	14	19	24	28	32
2. MULTIPLE DX										
0-19 YRS	94	20.0	177	5	8	17	32	55	99+	99+
20-34	191	20.3	244	6	7	15	29	48	76	99+
35-49	275	16.2	148	6	7	13	18	31	46	79
50-64	193	18.6	154	6	7	15	23	35	42	80
65+	50	23.6	205	7	8	22	31	48	55	99+
TOT. SINGLE DX	1142	13.5	74	5	6	12	16	21	28	47
" MULTIPLE DX	803	18.7	183	6	7	15	24	40	55	99+
TOTAL 0-19 YRS	334	16.1	80	7	9	15	18	30	44	99+
20-34	454	17.0	191	5	7	13	20	35	53	99+
35-49	665	14.0	99	5	6	12	16	23	33	72
50-64	422	15.3	112	5	6	12	18	27	36	59
65+	70	21.1	175	7	8	19	29	43	55	92
GRAND TOTAL	**1945**	**15.6**	**125**	**5**	**7**	**13**	**18**	**29**	**41**	**99+**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	194	4.8	8	2	2	4	6	9	10	14
20-34	331	5.3	12	2	2	4	7	9	11	19
35-49	315	6.2	21	2	2	5	8	11	15	22
50-64	343	6.0	27	2	2	5	7	12	15	28
65+	183	9.7	89	2	2	6	14	21	25	44
2. MULTIPLE DX										
0-19 YRS	129	5.9	23	2	2	5	7	12	15	31
20-34	239	6.7	43	2	2	5	8	11	15	39
35-49	212	7.6	37	2	3	5	9	15	20	35
50-64	301	8.0	54	2	2	6	10	16	21	44
65+	209	11.9	77	2	3	9	17	25	28	39
TOT. SINGLE DX	1366	6.2	30	2	2	5	8	12	16	26
" MULTIPLE DX	1090	8.1	53	2	2	6	10	17	24	39
TOTAL 0-19 YRS	323	5.2	[illegible]	2	2	4	6	9	12	19
20-34	570	5.9	[illegible]	2	2	5	7	10	14	23
35-49	527	6.7	[illegible]	2	2	5	8	13	17	29
50-64	644	7.0	[illegible]	2	2	5	8	14	18	32
65+	392	10.8	84	2	2	8	16	24	27	40
GRAND TOTAL	**2456**	**7.1**	**41**	**2**	**2**	**5**	**8**	**14**	**19**	**32**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	16.1	22	10	10	17	19	22	24	24
20-34	72	16.7	116	7	9	15	18	25	32	77
35-49	200	14.9	29	8	9	14	17	23	26	33
50-64	638	16.1	44	9	10	15	18	23	26	39
65+	1178	18.2	55	10	12	17	20	26	31	47
2. MULTIPLE DX										
0-19 YRS	5	15.4	40	6	6	16	20	22	22	22
20-34	44	19.2	206	8	9	17	20	30	47	84
35-49	182	18.3	93	8	10	16	22	27	38	62
50-64	517	19.5	95	9	11	17	23	32	40	57
65+	1088	23.0	157	11	13	19	26	39	50	81
TOT. SINGLE DX	2096	17.2	53	9	11	16	19	25	29	44
" MULTIPLE DX	1836	21.4	137	10	11	18	25	35	46	71
TOTAL 0-19 YRS	13	15.8	26	7	9	16	19	22	24	24
20-34	116	17.6	150	7	9	15	19	27	33	84
35-49	382	16.6	62	8	9	15	19	25	30	53
50-64	1155	17.7	69	9	10	16	20	27	34	51
65+	2266	20.5	110	11	12	18	23	31	41	67
GRAND TOTAL	**3932**	**19.2**	**97**	**9**	**11**	**17**	**22**	**29**	**38**	**62**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	10.8	77	3	3	8	13	20	29	42
20-34	36	15.2	185	5	6	13	17	20	27	88
35-49	50	12.9	22	6	7	12	16	20	21	23
50-64	319	15.3	39	7	9	14	18	23	27	39
65+	1718	17.8	56	9	11	16	21	26	31	45
2. MULTIPLE DX										
0-19 YRS	19	22.1	442	3	4	15	29	45	70	90
20-34	27	13.9	52	2	4	12	18	23	27	30
35-49	61	19.1	178	5	9	16	23	33	49	73
50-64	348	21.8	226	8	10	17	25	40	56	81
65+	2486	22.3	138	10	12	19	26	37	47	74
TOT. SINGLE DX	2149	17.2	57	8	10	16	20	26	30	44
" MULTIPLE DX	2941	22.1	151	9	11	19	26	38	47	75
TOTAL 0-19 YRS	45	15.6	257	3	4	11	18	42	44	90
20-34	63	14.6	127	4	6	13	18	23	28	80
35-49	111	16.3	116	6	8	14	19	25	34	66
50-64	667	18.7	147	8	9	15	21	30	42	71
65+	4204	20.5	109	9	11	18	24	33	42	64
GRAND TOTAL	**5090**	**20.0**	**117**	**9**	**11**	**17**	**23**	**32**	**42**	**66**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	597	5.4	4	3	3	5	6	8	9	13
20-34	681	6.2	17	2	3	5	7	9	12	23
35-49	250	10.3	69	3	4	8	14	19	24	35
50-64	597	16.3	67	5	8	15	20	26	31	42
65+	927	18.6	64	9	11	17	22	28	35	45
2. MULTIPLE DX										
0-19 YRS	438	6.1	14	3	3	5	7	9	11	16
20-34	611	7.5	52	3	4	6	8	11	16	37
35-49	256	10.6	89	3	4	8	13	20	26	46
50-64	382	18.4	115	4	6	17	22	32	38	60
65+	744	22.8	140	10	12	20	27	37	45	65
TOT. SINGLE DX	3052	12.1	76	3	4	10	17	23	28	40
" MULTIPLE DX	2431	14.0	136	4	4	10	19	28	36	59
TOTAL 0-19 YRS	1035	5.7	9	3	3	5	6	9	10	14
20-34	1292	6.8	34	3	3	6	7	10	14	29
35-49	506	10.4	79	3	4	8	14	19	25	42
50-64	979	17.1	87	5	7	16	21	28	34	49
65+	1671	20.5	102	9	11	18	24	33	39	60
GRAND TOTAL	**5483**	**12.9**	**103**	**3**	**4**	**10**	**18**	**25**	**32**	**47**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	683	3.8	3	2	2	4	5	6	7	10
20-34	1259	4.3	12	2	2	4	5	6	8	14
35-49	466	4.8	17	2	2		6	8	10	22
50-64	533	5.9	25	2	2	4	7	12	15	26
65+	184	7.8	40	2	2	6	10	16	19	34
2. MULTIPLE DX										
0-19 YRS	166	4.8	24	1	2	4	5	8	11	40
20-34	410	5.4	26	1	2	4	6	9	14	33
35-49	287	6.0	42	2	2	4	7	10	14	40
50-64	354	7.1	51	2	2	5	8	15	22	47
65+	197	8.4	47	2	2	6	10	18	24	34
TOT. SINGLE DX	3125	4.7	16	2	2	4	5	8	10	20
" MULTIPLE DX	1414	6.3	39	2	2	5	7	12	18	39
TOTAL 0-19 YRS	849	4.0	8	2	2	4	5	6	7	16
20-34	1669	4.5	16	2	2	4	5	7	9	20
35-49	753	5.3	27	2	2	4	6	9	13	25
50-64	887	6.4	36	2	2	5	7	13	17	30
65+	381	8.1	44	2	2	6	10	16	22	34
GRAND TOTAL	**4539**	**5.2**	**24**	**2**	**2**	**4**	**6**	**9**	**13**	**26**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	463	4.1	18	1	1	3	5	8	12	25
20-34	555	4.1	34	1	1	3	5	7	10	20
35-49	546	3.4	10	1	1	2	4	7	9	18
50-64	595	2.9	7	<1	1	2	3	5	8	16
65+	175	3.9	20	1	1	2	4	8	11	31
2. MULTIPLE DX										
0-19 YRS	260	6.7	76	1	2	4	7	14	24	54
20-34	256	6.4	41	1	2	4	8	14	20	32
35-49	263	7.7	117	1	2	4	8	16	25	56
50-64	338	7.2	86	1	2	4	8	17	29	54
65+	146	12.5	162	2	2	8	17	29	42	61
TOT. SINGLE DX	2334	3.6	17	1	1	2	4	7	10	21
" MULTIPLE DX	1263	7.6	93	1	2	4	8	18	27	54
TOTAL 0-19 YRS	723	5.0	40	1	1	3	5	10	15	39
20-34	811	4.8	37	1	1	3	6	9	13	28
35-49	809	4.8	49	1	1	3	5	9	14	37
50-64	933	4.5	40	1	1	2	4	9	15	34
65+	321	7.8	103	1	1	3	9	22	30	55
GRAND TOTAL	**3597**	**5.0**	**48**	**1**	**1**	**3**	**5**	**10**	**16**	**39**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1462	2.4	11	1	1	2	2	3	4	11
20-34	2602	2.4	3	<1	1	2	3	4	5	10
35-49	1435	2.9	9	1	1	2	3	4	7	18
50-64	913	3.5	17	1	1	2	4	7	10	23
65+	345	4.5	24	1	1	3	5	10	15	27
2. MULTIPLE DX										
0-19 YRS	217	3.9	22	1	1	2	4	7	12	27
20-34	583	4.5	35	1	2	3	4	9	15	29
35-49	645	5.8	38	1	2	3	7	13	19	28
50-64	703	7.7	73	2	2	5	10	17	23	45
65+	390	9.9	118	2	2	6	13	23	28	96
TOT. SINGLE DX	6757	2.7	9	1	1	2	3	4	6	16
" MULTIPLE DX	2543	6.5	62	1	2	4	8	15	22	41
TOTAL 0-19 YRS	1679	2.6	13	1	1	2	3	4	6	16
20-34	3190	2.8	10	1	1	2	3	4	6	17
35-49	2080	3.8	20	1	1	2	4	7	11	25
50-64	1616	5.4	46	1	2	3	6	12	18	37
65+	735	7.3	81	1	2	4	9	18	25	52
GRAND TOTAL	**9300**	**3.8**	**27**	**1**	**1**	**2**	**4**	**7**	**12**	**26**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	2.3	1	1	1	2	3	3	4	7
20-34	116	3.4	18	1	1	2	3	6	10	25
35-49	163	3.2	5	1	2	2	4	6	7	10
50-64	437	2.8	3	1	1	2	3	4	5	10
65+	216	3.1	4	1	2	3	4	5	6	10
2. MULTIPLE DX										
0-19 YRS	29	5.5	94	1	2	3	4	8	16	54
20-34	68	4.9	34	1	1	3	6	9	13	37
35-49	91	4.3	18	1	2	3	4	8	16	23
50-64	231	4.7	44	2	2	3	5	8	10	31
65+	130	5.7	52	2	2	3	6	11	15	35
TOT. SINGLE DX	986	3.0	5	1	1	2	3	5	6	11
" MULTIPLE DX	549	4.9	43	1	2	3	5	9	14	29
TOTAL 0-19 YRS	83	3.4	35	1	1	2	3	5	7	41
20-34	184	4.0	24	1	1	2	4	8	11	32
35-49	254	3.6	10	1	2	3	4	6	9	21
50-64	668	3.5	18	1	2	3	4	6	8	16
65+	346	4.1	23	1	2	3	4	7	10	21
GRAND TOTAL	**1535**	**3.7**	**20**	**1**	**2**	**3**	**4**	**6**	**9**	**21**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	608	2.3	2	1	1	2	3	4	5	10
20-34	880	2.6	5	1	1	2	3	4	6	10
35-49	343	2.9	6	1	1	2	3	5	6	11
50-64	245	2.8	8	1	1	2	3	5	6	12
65+	67	3.2	11	<1	1	2	4	5	9	19
2. MULTIPLE DX										
0-19 YRS	358	3.0	9	1	1	2	3	5	7	13
20-34	589	3.3	9	1	1	3	4	6	8	16
35-49	242	4.2	30	1	1	3	5	7	11	37
50-64	172	4.4	38	1	1	3	5	7	10	44
65+	77	5.5	21	1	2	5	6	10	13	28
TOT. SINGLE DX	2143	2.6	5	1	1	2	3	4	6	11
" MULTIPLE DX	1438	3.6	17	1	1	3	4	6	9	22
TOTAL 0-19 YRS	966	2.5	5	1	1	2	3	4	6	11
20-34	1469	2.9	7	1	1	2	3	5	6	14
35-49	585	3.4	16	1	1	3	4	6	8	25
50-64	417	3.4	21	1	1	2	4	6	8	27
65+	144	4.4	17	1	1	3	5	9	12	22
GRAND TOTAL	**3581**	**3.0**	**10**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	337	3.0	8	1	1	2	4	5	7	12
20-34	535	3.3	7	1	1	3	4	6	8	12
35-49	575	4.0	12	1	1	3	5	7	9	21
50-64	525	4.1	12	1	2	3	5	8	9	18
65+	169	5.4	31	2	2	4	7	11	14	91
2. MULTIPLE DX										
0-19 YRS	148	5.3	56	1	1	3	6	10	19	30
20-34	342	5.2	49	1	1	4	5	9	16	44
35-49	328	6.1	55	1	2	4	7	12	15	32
50-64	317	7.0	65	1	2	5	8	15	20	47
65+	162	9.0	68	2	2	6	12	19	27	38
TOT. SINGLE DX	2141	3.8	12	1	1	3	5	7	9	17
" MULTIPLE DX	1297	6.4	59	1	2	4	7	13	19	38
TOTAL 0-19 YRS	485	3.7	23	1	1	2	4	7	9	26
20-34	877	4.0	24	1	1	3	5	7	9	26
35-49	903	4.8	29	1	2	3	6	9	12	28
50-64	842	5.2	34	1	2	4	6	10	14	29
65+	331	7.2	52	2	2	5	9	14	21	58
GRAND TOTAL	**3438**	**4.8**	**31**	**1**	**1**	**3**	**5**	**9**	**13**	**29**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	727	3.7	4	1	2	3	5	6	7	10
20-34	584	4.4	21	1	2	4	5	7	9	18
35-49	329	4.4	18	1	2	4	5	7	10	26
50-64	251	5.0	13	2	2	4	6	9	12	21
65+	75	7.6	38	2	2	6	9	14	20	32
2. MULTIPLE DX										
0-19 YRS	416	4.7	36	1	2	3	5	7	11	33
20-34	323	7.0	70	2	2	5	7	12	23	51
35-49	161	6.7	85	1	2	4	7	11	18	54
50-64	143	7.5	62	2	2	5	9	15	23	45
65+	61	13.0	310	2	3	7	14	30	73	99
TOT. SINGLE DX	1966	4.3	15	1	2	4	5	7	9	18
" MULTIPLE DX	1104	6.5	75	2	2	4	6	11	18	53
TOTAL 0-19 YRS	1143	4.0	16	1	2	3	5	6	8	15
20-34	907	5.3	40	1	2	4	6	9	12	37
35-49	490	5.2	41	1	2	4	5	9	12	40
50-64	394	5.9	32	2	2	4	7	11	16	31
65+	136	10.1	166	2	3	6	10	19	30	94
GRAND TOTAL	**3070**	**5.1**	**37**	**1**	**2**	**4**	**6**	**9**	**12**	**31**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	118	2.9	7	1	1	2	3	6	9	14
20-34	254	2.9	11	1	1	2	3	6	9	18
35-49	175	3.7	30	1	1	2	4	6	11	30
50-64	127	4.8	45	1	1	3	4	11	20	34
65+	56	3.7	17	1	1	2	4	10	11	23
2. MULTIPLE DX										
0-19 YRS	80	4.3	37	1	1	3	5	8	13	40
20-34	202	6.6	97	1	1	3	7	14	28	54
35-49	133	6.4	46	1	2	4	7	14	25	33
50-64	124	8.0	162	1	1	4	9	15	33	69
65+	97	8.3	151	1	2	4	8	19	41	64
TOT. SINGLE DX	730	3.5	22	1	1	2	3	7	11	27
" MULTIPLE DX	636	6.8	100	1	1	4	7	14	25	55
TOTAL 0-19 YRS	198	3.5	20	1	1	2	4	7	11	18
20-34	456	4.6	52	1	1	2	5	9	15	36
35-49	308	4.9	39	1	1	3	5	10	18	32
50-64	251	6.4	105	1	1	3	6	13	26	55
65+	153	6.6	106	1	1	3	7	13	22	58
GRAND TOTAL	**1366**	**5.0**	**61**	**1**	**1**	**3**	**5**	**10**	**17**	**44**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	10.1	129	3	3	5	11	30	35	35
20-34	18	10.0	346	1	1	5	8	14	55	83
35-49	15	3.8	7	1	1	3	6	8	8	8
50-64	6	14.0	141	<1	1	10	26	30	31	31
65+	9	9.7	28	2	3	8	13	18	18	18
2. MULTIPLE DX										
0-19 YRS	8	12.6	212	3	3	5	19	38	42	42
20-34	20	15.6	292	2	3	7	20	35	54	72
35-49	17	21.6	713	1	2	9	30	68	87	93
50-64	17	29.6	730	5	7	21	44	89	97	99+
65+	27	20.3	266	4	5	15	29	42	59	62
TOT. SINGLE DX	55	8.7	153	1	1	6	8	17	30	81
" MULTIPLE DX	89	20.6	448	3	3	12	29	51	75	97
TOTAL 0-19 YRS	15	11.5	163	3	3	5	12	35	40	42
20-34	38	12.9	317	1	2	6	14	33	58	83
35-49	32	13.3	452	1	1	5	9	39	71	93
50-64	23	25.6	612	3	6	18	36	83	94	99+
65+	36	17.6	226	3	5	13	23	40	54	62
GRAND TOTAL	**144**	**16.0**	**367**	**2**	**2**	**8**	**20**	**39**	**68**	**93**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	5.1	43	1	1	3	5	13	21	33
20-34	84	5.9	34	1	2	4	7	14	19	31
35-49	71	6.6	37	2	2	4	8	13	23	28
50-64	92	9.8	133	1	2	6	11	27	35	55
65+	125	12.1	133	2	3	8	16	27	40	54
2. MULTIPLE DX										
0-19 YRS	52	9.9	254	2	2	4	7	24	42	92
20-34	88	12.0	141	2	2	8	16	29	37	59
35-49	163	18.0	257	3	3	13	25	41	56	99
50-64	466	19.0	223	3	5	15	25	41	49	90
65+	621	22.2	306	3	5	17	30	48	63	89
TOT. SINGLE DX	444	8.4	91	1	2	5	10	20	30	49
" MULTIPLE DX	1390	19.5	270	3	4	15	27	43	56	92
TOTAL 0-19 YRS	124	7.1	136	1	1	3	6	16	32	61
20-34	172	9.0	98	2	2	5	11	22	30	43
35-49	234	14.5	217	2	3	10	21	34	48	93
50-64	558	17.5	219	3	4	13	24	39	48	77
65+	746	20.5	291	3	4	16	28	46	58	85
GRAND TOTAL	**1834**	**16.8**	**249**	**2**	**3**	**12**	**23**	**39**	**50**	**84**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	30.8	318	11	11	32	41	57	57	57
20-34	13	17.6	228	2	4	12	24	33	56	61
35-49	14	16.5	105	5	7	13	25	32	37	39
50-64	40	21.4	299	6	7	15	26	47	59	85
65+	90	22.5	234	7	9	18	28	47	53	97
2. MULTIPLE DX										
0-19 YRS	21	27.9	497	2	5	26	34	59	75	93
20-34	37	26.3	382	6	8	23	37	68	86	99+
35-49	106	27.7	405	8	9	22	35	66	86	99+
50-64	404	26.3	244	9	10	22	33	49	60	85
65+	932	27.2	286	9	11	22	35	52	66	96
TOT. SINGLE DX	162	21.6	242	7	8	16	26	46	54	91
" MULTIPLE DX	1500	27.0	288	9	11	22	34	53	67	99+
TOTAL 0-19 YRS	26	28.4	450	2	7	26	35	57	67	93
20-34	50	24.0	351	5	8	19	32	66	69	99+
35-49	120	26.4	382	7	9	21	33	64	82	99+
50-64	444	25.8	250	8	10	22	33	49	60	85
65+	1022	26.8	283	9	11	22	34	51	66	96
GRAND TOTAL	**1662**	**26.5**	**286**	**8**	**10**	**22**	**33**	**52**	**66**	**99**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	16.0	87	8	8	12	18	32	33	33
20-34	5	12.0	34	5	5	13	15	20	20	20
35-49	9	22.0	205	10	10	19	26	47	53	53
50-64	32	19.1	154	6	8	14	26	39	48	49
65+	145	18.0	147	6	7	14	22	34	48	76
2. MULTIPLE DX										
0-19 YRS	14	19.6	186	3	3	20	25	41	46	48
20-34	22	25.2	507	3	5	18	27	67	80	82
35-49	59	25.1	284	7	9	19	37	60	89	99+
50-64	286	25.1	258	8	10	21	35	56	69	99+
65+	1208	24.8	273	8	10	20	32	49	62	98
TOT. SINGLE DX	200	18.1	145	6	8	14	23	34	48	65
" MULTIPLE DX	1589	24.9	273	7	9	20	32	50	65	99+
TOTAL 0-19 YRS	23	18.2	145	3	4	16	24	34	43	48
20-34	27	22.8	442	3	5	17	24	59	79	82
35-49	68	24.7	272	7	9	19	37	57	81	99+
50-64	318	24.5	250	8	9	20	34	52	65	99+
65+	1353	24.1	264	7	9	19	31	48	60	98
GRAND TOTAL	**1789**	**24.1**	**263**	**7**	**9**	**19**	**31**	**49**	**62**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	9.1	25	2	2	10	13	15	15	15
20-34	8	12.5	56	3	3	12	21	69	99+	99+
35-49	9	15.0	216	<1	1	11	24	39	43	43
50-64	13	28.2	314	7	7	26	40	49	61	64
65+	22	27.9	409	6	8	26	39	71	83	99+
2. MULTIPLE DX										
0-19 YRS	10	18.6	170	3	3	17	25	38	46	46
20-34	15	33.9	299	10	16	30	45	61	66	68
35-49	35	31.0	471	6	7	29	46	81	98	99+
50-64	131	29.5	401	7	9	24	42	64	85	99+
65+	175	30.2	323	9	11	27	41	59	68	98
TOT. SINGLE DX	60	21.5	311	3	3	15	34	52	72	99+
" MULTIPLE DX	366	29.9	360	7	10	25	41	61	79	99+
TOTAL 0-19 YRS	18	14.4	123	2	3	13	19	28	40	46
20-34	23	26.5	317	4	8	23	41	62	78	99+
35-49	44	27.7	455	3	5	28	43	61	95	99+
50-64	144	29.4	391	7	9	24	41	63	84	99+
65+	197	29.9	331	9	11	26	41	59	72	99+
GRAND TOTAL	**426**	**28.7**	**361**	**7**	**9**	**24**	**41**	**59**	**78**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	2.6	3	<1	1	2	3	5	6	7
20-34	25	4.6	9	1	1	4	6	10	10	10
35-49	15	7.9	145	<1	1	4	7	28	40	44
50-64	12	5.4	22	<1	1	4	8	12	16	17
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	14	6.4	26	1	1	5	9	13	17	18
20-34	12	11.7	214	3	3	7	14	29	51	55
35-49	10	11.2	103	1	1	9	17	25	33	33
50-64	5	12.2	191	2	2	4	22	34	34	34
65+	4	20.8	884	2	2	8	38	65	65	65
TOT. SINGLE DX	76	4.7	38	1	1	3	6	9	10	40
" MULTIPLE DX	45	10.8	175	1	1	6	14	18	39	65
TOTAL 0-19 YRS	37	4.0	15	1	1	3	5	9	13	18
20-34	37	6.9	83	1	1	5	8	10	13	55
35-49	25	9.2	126	<1	1	5	13	28	36	44
50-64	17	7.4	73	<1	1	4	9	18	28	34
65+	5	16.8	741	1	1	5	24	65	65	65
GRAND TOTAL	**121**	**7.0**	**97**	**1**	**1**	**4**	**7**	**17**	**23**	**58**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	66	3.1	11	1	1	2	3	6	9	20
20-34	128	3.5	11	1	1	2	4	7	11	18
35-49	99	4.6	36	1	1	3	4	8	18	34
50-64	89	7.2	72	<1	1	4	9	18	22	46
65+	62	10.8	81	1	2	8	15	27	29	42
2. MULTIPLE DX										
0-19 YRS	18	4.0	20	1	1	2	4	9	15	19
20-34	55	4.6	19	1	1	3	6	9	12	22
35-49	68	8.9	153	1	1	5	9	19	32	63
50-64	100	12.6	172	2	2	10	17	25	37	99+
65+	114	16.5	166	3	4	14	22	38	48	99+
TOT. SINGLE DX	444	5.4	45	1	1	3	6	14	19	32
" MULTIPLE DX	355	11.5	154	1	2	8	15	26	38	99
TOTAL 0-19 YRS	84	3.3	13	1	1	2	3	6	10	21
20-34	183	3.8	14	1	1	2	5	8	11	21
35-49	167	6.3	87	1	1	3	6	14	29	56
50-64	189	10.1	132	1	2	6	14	23	30	95
65+	176	14.5	143	2	3	12	18	33	43	91
GRAND TOTAL	**799**	**8.1**	**102**	**1**	**1**	**4**	**11**	**19**	**29**	**60**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	5.1	32	2	2	3	4	15	19	19
20-34	11	4.5	14	2	2	3	5	10	15	15
35-49	7	16.6	292	4	4	9	27	45	48	48
50-64	14	8.4	55	2	2	5	15	19	24	25
65+	3	24.7	596	5	5	17	43	52	52	52
2. MULTIPLE DX										
0-19 YRS										
20-34	6	25.2	231	7	8	24	37	44	45	45
35-49	4	9.0	30	3	3	8	13	16	16	16
50-64	9	12.1	99	3	4	9	14	30	32	32
65+	7	15.6	77	7	7	12	24	28	28	28
TOT. SINGLE DX	43	9.2	131	2	2	4	11	20	38	52
" MULTIPLE DX	26	15.6	133	3	5	10	26	33	39	45
TOTAL 0-19 YRS	8	5.1	32	2	2	3	4	15	19	19
20-34	17	11.8	185	2	2	5	15	36	42	45
35-49	11	13.8	199	3	3	9	15	39	47	48
50-64	23	9.8	72	2	2	6	14	25	28	32
65+	10	18.3	203	5	6	14	26	40	52	52
GRAND TOTAL	**69**	**11.6**	**140**	**2**	**2**	**7**	**16**	**30**	**37**	**51**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1580	2.1	1	1	1	2	2	3	3	5
20-34	5148	2.3	3	1	1	2	2	3	4	8
35-49	6824	2.6	4	1	2	2	3	4	5	10
50-64	3103	3.1	8	1	2	2	3	5	8	14
65+	1466	4.1	19	2	2	3	4	8	12	18
2. MULTIPLE DX										
0-19 YRS	309	2.9	6	1	1	2	3	5	8	14
20-34	2099	3.3	16	1	2	2	3	6	9	17
35-49	3594	4.0	16	1	2	3	4	8	11	19
50-64	2228	5.3	36	2	2	3	6	11	15	31
65+	1487	7.5	72	2	2	5	9	16	22	45
TOT. SINGLE DX	18121	2.7	6	1	1	2	3	4	5	12
" MULTIPLE DX	9717	4.6	31	1	2	3	5	10	14	28
TOTAL 0-19 YRS	1889	2.3	2	1	1	2	2	3	4	9
20-34	7247	2.6	7	1	1	2	3	4	5	12
35-49	10418	3.0	9	1	2	2	3	5	8	14
50-64	5331	4.0	21	1	2	3	4	8	12	23
65+	2953	5.8	49	2	2	3	7	12	17	35
GRAND TOTAL	**27838**	**3.4**	**15**	**1**	**2**	**2**	**3**	**6**	**9**	**19**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	182	2.8	2	1	2	2	3	4	6	9
20-34	189	3.2	6	1	2	3	3	6	6	11
35-49	197	4.2	7	1	2	4	5	8	9	13
50-64	180	5.0	27	2	2	4	6	9	11	19
65+	239	7.7	56	2	2	6	10	13	18	36
2. MULTIPLE DX										
0-19 YRS	26	2.8	1	1	2	3	3	4	5	5
20-34	68	6.5	53	2	2	4	7	12	23	42
35-49	178	7.2	34	2	2	6	8	15	19	32
50-64	204	8.3	34	2	3	7	11	17	20	29
65+	351	11.0	76	3	3	9	13	20	26	49
TOT. SINGLE DX	987	4.7	25	1	2	3	6	9	12	21
" MULTIPLE DX	827	8.9	56	2	2	7	11	18	23	42
TOTAL 0-19 YRS	208	2.8	2	1	2	2	3	4	5	8
20-34	257	4.0	21	1	2	3	5	7	10	26
35-49	375	5.6	22	2	2	5	7	10	15	27
50-64	384	6.8	33	2	2	5	9	13	18	28
65+	590	9.6	70	2	3	8	12	18	23	47
GRAND TOTAL	**1814**	**6.6**	**43**	**2**	**2**	**5**	**8**	**13**	**18**	**33**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	5.3	22	2	2	3	10	12	12	12
20-34	143	8.2	10	3	5	8	10	12	13	17
35-49	669	8.1	8	4	5	8	10	12	13	16
50-64	1122	8.9	11	5	6	8	10	13	15	21
65+	1029	9.9	18	5	6	9	12	15	18	24
2. MULTIPLE DX										
0-19 YRS	5	6.2	20	2	2	4	10	12	12	12
20-34	118	9.5	15	4	5	9	11	15	16	21
35-49	666	9.9	23	5	6	9	11	15	19	31
50-64	1208	11.0	45	5	6	10	12	17	22	41
65+	1269	12.3	46	6	7	11	14	20	25	40
TOT. SINGLE DX	2970	9.0	13	5	5	8	10	13	16	22
" MULTIPLE DX	3266	11.2	41	5	6	10	13	18	22	36
TOTAL 0-19 YRS	12	5.7	19	2	2	3	11	12	12	12
20-34	261	8.8	13	3	5	8	10	13	16	20
35-49	1335	9.0	16	5	5	8	10	13	16	26
50-64	2330	10.0	30	5	6	9	11	15	19	31
65+	2298	11.2	35	5	6	10	13	18	22	34
GRAND TOTAL	**6236**	**10.2**	**29**	**5**	**6**	**9**	**12**	**16**	**20**	**31**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	341	3.6	28	1	2	3	4	5	6	11
20-34	1178	3.3	6	<1	1	3	4	6	7	11
35-49	961	3.9	7	1	1	3	5	7	8	12
50-64	317	4.2	8	1	2	4	5	7	9	15
65+	95	4.9	11	2	2	4	6	10	13	15
2. MULTIPLE DX										
0-19 YRS	96	4.2	23	1	2	3	5	7	9	31
20-34	645	4.3	13	1	1	4	5	7	9	19
35-49	797	5.1	23	1	2	4	6	8	10	26
50-64	388	5.4	14	2	2	4	7	9	13	18
65+	101	7.1	48	2	2	4	8	15	23	35
TOT. SINGLE DX	2892	3.7	9	1	1	3	5	7	8	12
" MULTIPLE DX	2027	4.9	19	1	2	4	6	9	11	24
TOTAL 0-19 YRS	437	3.7	27	1	2	3	4	5	7	12
20-34	1823	3.7	9	<1	1	3	5	7	8	14
35-49	1758	4.4	15	1	2	4	5	7	9	17
50-64	705	4.8	11	1	2	4	6	9	11	17
65+	196	6.0	31	2	2	4	7	12	16	31
GRAND TOTAL	**4919**	**4.2**	**14**	**1**	**1**	**4**	**5**	**7**	**9**	**17**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1261	4.1	6	2	2	4	5	6	8	13
20-34	2184	4.3	10	2	2	4	5	7	8	13
35-49	335	4.1	5	2	2	4	5	7	8	12
50-64	73	4.6	6	2	2	4	6	8	10	12
65+	25	4.8	16	1	2	4	5	8	16	18
2. MULTIPLE DX										
0-19 YRS	145	5.1	13	2	2	4	7	9	11	22
20-34	389	5.4	14	2	2	4	6	9	12	22
35-49	153	6.3	25	2	3	5	7	10	13	34
50-64	55	5.7	9	2	3	5	7	10	13	14
65+	24	10.3	40	2	2	10	14	20	22	25
TOT. SINGLE DX	3878	4.2	8	2	2	4	5	7	8	13
" MULTIPLE DX	766	5.7	17	2	2	5	7	10	13	23
TOTAL 0-19 YRS	1406	4.2	7	2	2	4	5	7	8	13
20-34	2573	4.5	10	2	2	4	5	7	9	14
35-49	488	4.8	12	2	2	4	6	8	10	17
50-64	128	5.1	8	2	2	4	6	9	11	13
65+	49	7.5	35	1	2	5	11	17	20	25
GRAND TOTAL	**4644**	**4.5**	**10**	**2**	**2**	**4**	**5**	**7**	**9**	**15**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2268	2.4	7	<1	1	2	2	4	6	13
20-34	2405	3.4	16	1	1	2	4	6	9	20
35-49	2043	3.7	20	1	1	2	4	7	10	24
50-64	1905	4.0	26	1	1	3	4	7	11	32
65+	1256	5.2	40	1	1	3	6	12	18	34
2. MULTIPLE DX										
0-19 YRS	741	4.4	28	1	1	2	5	10	15	30
20-34	1677	6.4	75	1	2	4	7	13	20	48
35-49	2168	6.8	63	1	2	4	8	14	20	48
50-64	2838	8.1	77	2	2	6	10	16	25	46
65+	3055	10.0	91	2	2	7	13	21	28	48
TOT. SINGLE DX	9877	3.6	20	1	1	2	4	7	10	24
" MULTIPLE DX	10479	7.8	77	1	2	5	10	17	24	47
TOTAL 0-19 YRS	3009	2.9	13	1	1	2	3	5	8	22
20-34	4082	4.7	42	1	1	3	5	9	14	31
35-49	4211	5.3	45	1	1	3	6	11	16	37
50-64	4743	6.4	60	1	2	4	8	13	21	42
65+	4311	8.6	80	1	2	6	11	19	26	46
GRAND TOTAL	**20356**	**5.8**	**54**	**1**	**1**	**3**	**7**	**13**	**19**	**39**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2296	4.6	37	1	1	3	5	10	14	33
20-34	2497	5.6	53	1	1	4	7	11	17	37
35-49	1516	6.2	59	1	1	4	7	13	20	43
50-64	1200	7.4	78	1	1	4	9	17	23	52
65+	1079	9.8	136	1	2	6	12	23	34	66
2. MULTIPLE DX										
0-19 YRS	2869	6.7	86	1	1	4	7	16	26	52
20-34	3932	7.9	118	1	1	4	8	19	31	60
35-49	2275	10.1	161	1	2	6	12	25	38	78
50-64	2573	12.6	178	1	2	8	17	30	41	76
65+	3009	15.7	241	2	2	11	21	37	52	99+
TOT. SINGLE DX	8588	6.2	66	1	1	4	7	14	21	44
" MULTIPLE DX	14658	10.4	165	1	1	6	13	27	39	75
TOTAL 0-19 YRS	5165	5.8	65	1	1	3	6	13	22	45
20-34	6429	7.0	94	1	1	4	8	15	26	56
35-49	3791	8.6	124	1	1	5	10	20	31	68
50-64	3773	10.9	152	1	2	7	14	26	37	69
65+	4088	14.1	220	2	2	9	19	34	48	90
GRAND TOTAL	**23246**	**8.9**	**133**	**1**	**1**	**5**	**10**	**22**	**33**	**66**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	497	8.1	104	1	1	4	9	19	30	48
20-34	532	8.1	85	1	2	5	10	19	24	43
35-49	344	9.3	102	1	2	7	12	21	29	53
50-64	302	12.8	159	1	2	9	18	30	36	64
65+	323	17.9	223	2	3	15	26	38	50	99+
2. MULTIPLE DX										
0-19 YRS	355	15.7	207	2	2	11	23	37	47	76
20-34	471	18.5	310	2	2	13	27	40	57	97
35-49	341	18.5	249	2	3	14	27	41	53	92
50-64	445	20.7	291	2	3	16	30	48	64	99+
65+	573	24.6	318	3	6	22	33	51	65	99+
TOT. SINGLE DX	1998	10.6	139	1	2	7	14	26	34	62
" MULTIPLE DX	2185	20.1	291	2	3	16	28	45	58	99+
TOTAL 0-19 YRS	852	11.3	161	1	2	6	15	29	39	58
20-34	1003	13.0	217	1	2	8	18	31	42	86
35-49	685	13.9	196	1	2	9	20	32	43	77
50-64	747	17.5	252	2	2	13	25	40	57	99
65+	896	22.2	294	2	4	19	30	48	59	99+
GRAND TOTAL	**4183**	**15.6**	**241**	**1**	**2**	**11**	**23**	**37**	**50**	**93**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	5.3	86	1	1	2	4	15	27	63
20-34	251	5.7	77	1	1	3	5	12	27	46
35-49	126	6.1	73	1	1	3	6	14	22	50
50-64	102	9.3	185	1	1	3	8	30	37	65
65+	47	16.3	320	2	2	8	29	49	56	60
2. MULTIPLE DX										
0-19 YRS	85	7.8	128	1	2	4	8	22	39	85
20-34	150	16.1	394	1	2	7	24	52	70	99+
35-49	86	15.2	389	1	2	7	21	54	84	99+
50-64	115	13.4	361	1	2	6	17	34	69	99
65+	119	17.1	404	2	2	9	25	49	82	99+
TOT. SINGLE DX	664	7.0	119	1	1	3	6	19	32	59
" MULTIPLE DX	555	14.3	355	1	2	6	19	46	68	99+
TOTAL 0-19 YRS	223	6.3	103	1	1	2	5	17	30	69
20-34	401	9.6	220	1	1	3	10	29	46	89
35-49	212	9.8	220	1	1	4	11	29	48	99+
50-64	217	11.5	282	1	1	5	13	32	53	91
65+	166	16.8	379	2	2	9	26	49	61	99+
GRAND TOTAL	**1219**	**10.3**	**240**	**1**	**1**	**4**	**11**	**31**	**49**	**98**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1030	2.5	13	<1	1	2	2	4	5	11
20-34	685	3.2	12	1	1	2	4	5	7	18
35-49	517	3.3	12	1	1	2	4	6	8	19
50-64	569	3.1	5	1	1	3	4	5	7	14
65+	246	4.5	32	1	1	3	5	8	14	24
2. MULTIPLE DX										
0-19 YRS	381	4.2	49	1	1	2	4	8	11	42
20-34	505	5.2	34	1	2	4	6	10	15	40
35-49	611	6.1	67	1	2	4	7	11	17	50
50-64	815	5.8	44	1	2	3	7	13	19	32
65+	640	8.7	78	2	2	6	12	19	24	51
TOT. SINGLE DX	3047	3.1	13	1	1	2	3	5	7	16
" MULTIPLE DX	2952	6.2	57	1	2	4	7	13	20	41
TOTAL 0-19 YRS	1411	2.9	23	<1	1	2	3	5	7	24
20-34	1190	4.1	22	1	1	3	4	7	11	29
35-49	1128	4.8	43	1	1	3	5	9	13	38
50-64	1384	4.7	30	1	2	3	5	10	15	26
65+	886	7.5	68	1	2	5	10	17	22	49
GRAND TOTAL	**5999**	**4.6**	**37**	**1**	**1**	**3**	**5**	**9**	**14**	**32**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

Distribution Tables

Table 1 displays total U.S. patients and days of care (after exclusions*) in each of the operation groups except those consisting solely of UHDDS Class 2-4 procedures** (512, 516, 533, 540, 589, 629, 647, 657, 659, 741, 752, 759, 761, 762, and 763). Also shown is the corresponding rate per 10,000 operated discharges and the rate per 10,000 days of care.

Table 1

Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups 1979

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
501	Incision, excision of skull, brain, and cerebral meninges	7,614	14.0	161	42.1
502	Craniotomy and craniectomy	5,941	10.9	133	34.9
503	Cranioplasty	2,695	4.9	27	7.1
504	Ventricular shunt, extracranial	2,030	3.7	43	11.3
505	Miscellaneous operations on brain and cerebral meninges	3,081	5.7	48	12.5
506	Exploration and decompression of spinal canal structures	13,306	24.4	220	57.7
507	Operations on spinal cord structures, except exploration	4,386	8.0	64	16.9
508	Excision or destruction of lesion of cranial or peripheral nerve	12,071	22.1	54	14.3
509	Miscellaneous operations on cranial and other peripheral nerves	39,244	72.0	142	37.2
510	Sympathectomy	3,333	6.1	53	13.8
511	Miscellaneous operations on sympathetic nerves and ganglia	1,457	2.7	14	3.6
513	Thyroidectomy	22,470	41.2	133	34.9

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

**Additional information regarding UHDDS classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
514	Operations on parathyroid and thyroid, except thyroidectomy	5,306	9.7	35	9.3
515	Operations on endocrine glands, except parathyroid and thyroid	1,656	3.0	25	6.5
517	Excision or destruction of lesion or tissue of eyelid	5,564	10.2	19	5.1
518	Miscellaneous operations on eyelid	17,407	31.9	57	15.0
519	Operations on lacrimal system	2,547	4.7	8	2.1
520	Operations on conjunctiva	995	1.8	3	0.8
521	Corneal transplant	3,007	5.5	17	4.4
522	Miscellaneous operations on cornea	4,992	9.2	17	4.5
523	Operations for regulation of intraocular pressure	5,303	9.7	25	6.5
524	Other operations on iris, ciliary body, sclera and anterior chamber	6,374	11.7	28	7.5
525	Intracapsular extraction of lens	113,615	208.5	466	122.1
526	Other lens extraction	25,066	46.0	76	20.0
527	Miscellaneous operations on lens	5,911	10.8	19	5.0
528	Repair of retina	12,277	22.5	70	18.5
529	Miscellaneous operations on retina, choroid, and vitreous	3,279	6.0	17	4.5
530	Resection and recession of ocular muscle	18,068	33.2	36	9.3
531	Miscellaneous operations on ocular muscle	197	0.4	1	0.3
532	Operations on orbit and eyeball	5,635	10.3	28	7.4
534	Operations on external ear	8,412	15.4	34	8.8
535	Stapes mobilization and stapedectomy	8,458	15.5	24	6.2
536	Tympanoplasty	17,728	32.5	44	11.5
537	Myringotomy	35,008	64.2	59	15.3

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
538 Mastoidectomy	7,841	14.4	29	7.5
539 Miscellaneous operations on middle ear and inner ear	5,923	10.9	18	4.8
541 Submucous resection of nasal septum	17,319	31.8	55	14.3
542 Rhinoplasty	40,900	75.0	122	31.9
543 Other incision, excision of nose	12,486	22.9	47	12.4
544 Miscellaneous operations on nose	15,441	28.3	58	15.1
545 Radical maxillary antrotomy	5,722	10.5	25	6.5
546 Miscellaneous operations on accessory sinus	6,409	11.8	32	8.3
547 Tooth extraction	59,096	108.4	173	45.3
548 Tooth restoration and orthodontia	3,526	6.5	7	1.7
549 Operations on teeth and gums except extraction and restoration	6,264	11.5	21	5.4
550 Operations on salivary glands and ducts	10,198	18.7	49	12.9
551 Palatoplasty	1,831	3.4	9	2.2
552 Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	16,326	30.0	88	23.2
553 Tonsillectomy without adenoidectomy	69,380	127.3	152	39.9
554 Tonsillectomy with adenoidectomy	108,131	198.4	202	53.0
555 Adenoidectomy without tonsillectomy	24,021	44.1	38	9.9
556 Operations on pharynx except tonsillectomy and adenoidectomy	8,165	15.0	37	9.7
557 Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	539	1.0	3	0.8

Table 1 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
558	Excision of lesion of larynx	14,765	27.1	47	12.3
559	Partial laryngectomy and local excision of lesion of trachea	1,265	2.3	15	3.9
560	Complete laryngectomy	1,416	2.6	33	8.5
561	Permanent tracheostomy	419	0.8	12	3.1
562	Operations on larynx and trachea except excision and permanent tracheostomy	3,956	7.3	98	25.8
563	Incision and local excision or destruction of lesion of bronchus	22,645	41.5	269	70.5
564	Bronchial resection and miscellaneous operations on bronchus	86	0.2	1	0.2
565	Local excision or destruction of lesion or tissue of lung	12,835	23.5	200	52.5
566	Lobectomy and complete pneumonectomy	6,207	11.4	118	31.0
567	Bronchoscopy (using natural orifice)	30,893	56.7	338	88.7
568	Miscellaneous operations on lung	2,194	4.0	26	6.7
569	Thoracotomy	17,013	31.2	213	55.7
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	12,012	22.0	148	38.7
571	Open heart operations	7,425	13.6	136	35.6
572	Direct heart revascularization	29,906	54.9	456	119.7
573	Cardiac catheterization	78,519	144.1	397	104.2
574	Pacemaker insertion, replacement, removal, and repair	39,291	72.1	473	124.2
575	Miscellaneous operations on heart	2,517	4.6	39	10.2
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart	9,081	16.7	79	20.6

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
577	Ligation and stripping of varicose veins	20,415	37.5	126	33.1
578	Systemic shunt or graft bypass	21,233	39.0	362	95.0
579	Extracorporeal circulation	227	0.4	4	1.0
580	Hemodialysis	9,382	17.2	70	18.3
581	Other operations on blood vessels	60,735	111.4	886	232.2
582	Incision, excision of lymphatic structures	22,787	41.8	191	50.0
583	Radical excision of lymph nodes	3,891	7.1	45	11.8
584	Miscellaneous operations on lymphatic system	39	0.1	1	0.1
585	Bone marrow transplant	50	0.1	<1	0.1
586	Miscellaneous operations on spleen and bone marrow	42,542	78.1	570	149.4
587	Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen	2,122	3.9	35	9.3
588	Operations on esophagus	13,465	24.7	138	36.1
590	Gastrotomy, pyloromyotomy	2,815	5.2	20	5.4
591	Gastrostomy	2,411	4.4	63	16.6
592	Local excision or destruction of lesion or tissue of stomach	21,760	39.9	228	59.9
593	Partial gastrectomy	9,563	17.5	182	47.7
594	Total gastrectomy	945	1.7	25	6.5
595	Vagotomy	4,696	8.6	74	19.5
596	Miscellaneous operations on stomach	14,098	25.9	201	52.8
597	Local excision or destruction of intestinal lesion or tissue	27,341	50.2	239	62.7
598	Resection of small intestine	6,179	11.3	124	32.4
599	Colectomy	37,973	69.7	730	191.4
600	Other incision, resection of intestine	3,067	5.6	62	16.3

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	5.6	86	1	1	3	7	10	13	57
20-34	66	4.8	13	1	1	4	6	11	13	15
35-49	85	5.3	26	1	1	4	6	12	17	23
50-64	79	5.4	68	<1	1	3	5	13	16	50
65+	52	7.4	41	1	1	6	10	16	19	29
2. MULTIPLE DX										
0-19 YRS	43	5.8	28	1	2	4	7	14	19	22
20-34	71	5.7	14	2	2	5	8	11	15	82
35-49	82	7.6	32	2	3	6	10	15	21	27
50-64	103	8.1	47	2	2	6	10	17	23	34
65+	176	11.6	111	3	3	9	14	24	32	49
TOT. SINGLE DX	319	5.6	43	1	1	4	7	12	16	34
" MULTIPLE DX	475	8.8	67	2	2	6	11	18	24	39
TOTAL 0-19 YRS	80	5.7	54	1	1	4	7	12	16	47
20-34	137	5.3	14	1	2	4	7	11	14	27
35-49	167	6.4	30	1	1	4	9	14	20	24
50-64	182	6.9	57	1	1	4	9	15	20	42
65+	228	10.7	98	1	3	8	13	23	30	44
GRAND TOTAL	**794**	**7.5**	**60**	**1**	**2**	**5**	**10**	**16**	**22**	**39**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	335	5.7	22	2	2	4	8	12	16	23
20-34	4327	6.7	29	2	2	5	9	14	17	25
35-49	5442	6.9	31	2	2	5	9	14	17	25
50-64	2719	7.1	31	2	2	5	10	15	18	27
65+	544	7.8	47	2	2	6	11	15	20	36
2. MULTIPLE DX										
0-19 YRS	157	6.8	40	2	2	5	8	13	17	36
20-34	2131	8.6	47	2	2	7	11	17	21	35
35-49	3264	8.8	53	2	2	7	11	17	22	35
50-64	2517	9.6	62	2	3	8	12	18	23	39
65+	987	11.8	102	2	3	9	16	23	28	52
TOT. SINGLE DX	13367	6.8	31	2	2	5	9	14	17	25
" MULTIPLE DX	9056	9.3	60	2	2	7	12	18	23	38
TOTAL 0-19 YRS	492	6.0	28	2	2	4	8	13	16	25
20-34	6458	7.3	36	2	2	6	10	15	18	28
35-49	8706	7.6	40	2	2	6	10	15	19	30
50-64	5236	8.3	48	2	2	7	11	17	21	33
65+	1531	10.3	86	2	2	8	14	21	25	48
GRAND TOTAL	**22423**	**7.8**	**44**	**2**	**2**	**6**	**10**	**16**	**20**	**31**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	115	5.1	19	2	2	4	7	10	13	25
20-34	427	5.7	31	2	2	4	6	11	15	30
35-49	596	6.0	41	2	2	4	7	12	16	36
50-64	950	6.5	49	2	2	4	8	12	18	36
65+	778	6.1	50	2	2	4	7	12	18	36
2. MULTIPLE DX										
0-19 YRS	92	12.1	153	2	3	8	12	35	47	81
20-34	329	9.6	96	2	2	6	11	21	31	60
35-49	680	8.8	76	2	2	6	10	19	26	50
50-64	1816	9.0	83	2	2	6	11	18	26	52
65+	2157	9.2	76	2	2	7	11	20	27	48
TOT. SINGLE DX	2866	6.1	44	2	2	4	7	12	17	34
" MULTIPLE DX	5074	9.2	81	2	2	7	11	19	27	50
TOTAL 0-19 YRS	207	8.2	90	2	2	5	9	16	29	54
20-34	756	7.4	63	2	2	5	9	15	23	40
35-49	1276	7.5	61	2	2	5	9	15	22	46
50-64	2766	8.2	73	2	2	5	10	17	24	44
65+	2935	8.4	71	2	2	6	10	18	25	47
GRAND TOTAL	**7940**	**8.1**	**70**	**2**	**2**	**5**	**10**	**17**	**24**	**46**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.4		2	2	2	3	3	3	3
20-34	40	3.4	5	1	2	2	4	7	8	9
35-49	323	3.5	9	1	2	2	4	7	11	15
50-64	527	3.3	9	1	1	2	3	7	10	16
65+	137	4.3	36	1	2	3	4	8	12	25
2. MULTIPLE DX										
0-19 YRS	5	2.0		2	2	2	2	2	2	2
20-34	78	4.6	32	1	1	3	5	10	12	85
35-49	711	4.4	17	2	2	3	5	9	13	19
50-64	1458	4.7	26	1	2	3	6	10	14	23
65+	442	6.0	36	2	2	4	8	12	16	29
TOT. SINGLE DX	1032	3.5	13	1	2	2	4	7	10	15
" MULTIPLE DX	2694	4.8	26	2	2	3	6	10	14	23
TOTAL 0-19 YRS	10	2.2		2	2	2	2	3	3	3
20-34	118	4.2	23	1	2	3	5	9	11	63
35-49	1034	4.1	15	1	2	2	5	9	12	17
50-64	1985	4.3	22	1	2	2	5	9	13	22
65+	579	5.6	37	2	2	4	7	12	15	29
GRAND TOTAL	**3726**	**4.4**	**22**	**1**	**2**	**3**	**5**	**10**	**13**	**22**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	200	5.0	21	1	1	3	7	11	16	22
20-34	827	6.0	24	1	2	4	9	13	16	24
35-49	1104	5.8	24	1	2	4	8	12	16	22
50-64	1479	5.5	24	2	2	4	7	12	15	23
65+	1165	6.5	44	2	2	4	9	14	18	31
2. MULTIPLE DX										
0-19 YRS	156	8.6	93	2	2	5	10	20	26	53
20-34	774	7.8	53	2	2	6	10	15	20	43
35-49	1660	7.8	46	2	2	6	10	16	21	33
50-64	3501	8.1	62	2	2	6	11	16	22	40
65+	3638	9.8	84	2	2	7	13	19	26	50
TOT. SINGLE DX	4775	5.9	29	1	2	4	8	13	16	23
" MULTIPLE DX	9729	8.7	68	2	2	6	11	18	23	42
TOTAL 0-19 YRS	356	6.6	56		1	4	8	15	21	36
20-34	1601	6.9	38	1	2	5	9	14	18	30
35-49	2764	7.0	38	2	2	5	9	15	19	29
50-64	4980	7.4	52	2	2	5	10	15	20	35
65+	4803	9.0	76	2	2	7	12	18	24	45
GRAND TOTAL	**14504**	**7.8**	**57**	**2**	**2**	**5**	**10**	**16**	**21**	**38**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	656	3.9	17	1	1	3	5	8	11	22
20-34	1064	5.1	24	1	1	4	6	10	14	26
35-49	1079	5.7	24	1	2	4	8	12	15	23
50-64	970	6.2	37	1	2	4	8	13	17	31
65+	700	7.3	38	2	2	6	9	14	19	30
2. MULTIPLE DX										
0-19 YRS	704	5.6	47	1	1	4	6	12	18	36
20-34	1493	6.9	53	1	2	5	9	13	18	41
35-49	1648	8.0	50	2	2	6	10	16	22	38
50-64	2497	9.8	89	2	2	7	12	19	26	52
65+	2888	11.7	104	2	3	9	15	24	31	53
TOT. SINGLE DX	4469	5.7	29	1	1	4	7	12	16	27
" MULTIPLE DX	9230	9.3	82	2	2	7	12	19	26	49
TOTAL 0-19 YRS	1360	4.8	33	1	1	3	6	10	15	33
20-34	2557	6.1	41	1	1	4	8	12	16	34
35-49	2727	7.1	41	1	2	5	9	14	19	34
50-64	3467	8.8	77	2	2	6	11	18	23	47
65+	3588	10.8	94	2	3	8	14	22	29	50
GRAND TOTAL	**13699**	**8.1**	**67**	**1**	**2**	**6**	**10**	**17**	**23**	**44**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of a procedure which is coded for indexing, quality review, and purposes other than its effect on length of stay. For the purpose of operation length of stay tables, patients with only this procedure are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	148	10.3	164	1	2	5	15	27	35	52
20-34	246	6.8	34	1	2	5	10	15	17	23
35-49	350	7.2	47	1	2	5	10	15	21	33
50-64	446	6.2	44	1	2	5	7	12	16	32
65+	121	7.9	47	1	2	5	11	17	22	36
2. MULTIPLE DX										
0-19 YRS	150	17.6	316	1	2	11	30	42	50	92
20-34	259	15.0	292	2	2	8	19	43	58	78
35-49	240	11.8	159	2	3	8	14	25	35	84
50-64	322	12.8	235	2	3	8	15	26	39	94
65+	275	16.9	182	3	4	14	23	38	50	99+
TOT. SINGLE DX	1311	7.2	58	1	2	5	9	15	21	37
" MULTIPLE DX	1246	14.5	234	2	3	9	18	34	47	89
TOTAL 0-19 YRS	298	14.0	253	1	2	6	21	37	45	88
20-34	505	11.0	183	1	2	6	13	22	44	72
35-49	590	9.0	98	2	2	6	11	18	26	59
50-64	768	9.0	134	2	2	6	10	18	27	77
65+	396	14.2	158	2	3	11	19	32	41	90
GRAND TOTAL	**2557**	**10.8**	**157**	**2**	**2**	**6**	**13**	**24**	**37**	**74**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	250	3.3	28	1	1	2	3	6	9	28
20-34	318	3.9	19	1	1	2	4	9	12	22
35-49	193	5.8	29	1	1	4	8	12	16	29
50-64	173	7.4	46	1	2	6	10	15	21	32
65+	143	7.7	47	1	2	6	10	15	21	39
2. MULTIPLE DX										
0-19 YRS	431	6.1	117	1	1	3	5	14	25	77
20-34	514	5.8	42	1	1	4	7	12	17	39
35-49	470	9.2	129	1	2	6	11	18	25	73
50-64	635	12.1	138	2	3	9	14	25	37	61
65+	799	13.9	146	3	4	11	17	28	38	69
TOT. SINGLE DX	1077	5.2	34	1	1	3	7	12	15	30
" MULTIPLE DX	2849	10.1	129	1	2	7	13	22	33	66
TOTAL 0-19 YRS	681	5.1	86	1	1	2	5	10	17	61
20-34	832	5.1	34	1	1	3	6	11	15	37
35-49	663	8.2	102	1	2	5	10	16	24	63
50-64	808	11.1	122	2	2	8	14	23	34	60
65+	942	13.0	136	2	3	10	16	26	36	68
GRAND TOTAL	**3926**	**8.7**	**107**	**1**	**1**	**5**	**11**	**19**	**28**	**58**

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
601	Intestinal anastomosis or repair	14,012	25.7	198	52.0
602	Ileostomy, colostomy, and other enterostomy	5,388	9.9	128	33.5
603	Appendectomy	87,962	161.4	512	134.3
604	Incidental appendectomy	1,590	2.9	11	2.8
605	Operations on appendix except appendectomy	688	1.3	8	2.1
606	Local excision or destruction of lesion or tissue of rectum	14,487	26.6	118	31.0
607	Other incision of rectum and incision or excision of perirectal tissue	5,181	9.5	29	7.5
608	Proctectomy	8,363	15.3	175	45.8
609	Miscellaneous operations on intestine	13,831	25.4	142	37.2
610	Incision or excision of anal fistula	10,033	18.4	49	12.8
611	Local excision or destruction of lesion or tissue of anus	10,031	18.4	50	13.0
612	Hemorrhoidectomy	47,961	88.0	306	80.1
613	Miscellaneous operations on anus	9,626	17.7	55	14.4
614	Incision of liver	863	1.6	12	3.2
615	Miscellaneous operations on liver	22,326	41.0	262	68.8
616	Cholecystectomy	140,005	256.9	1,561	409.4
617	Operations on biliary tract and gallbladder except cholecystectomy	7,257	13.3	135	35.5
618	Operations on pancreas	4,608	8.5	81	21.3
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	15,384	28.2	158	41.5
620	Unilateral repair of inguinal hernia	137,871	253.0	684	179.4
621	Bilateral repair of inguinal hernia	22,664	41.6	120	31.5

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
622 Unilateral or bilateral repair of femoral hernia	5,585	10.2	40	10.5
623 Repair of umbilical hernia	14,806	27.2	74	19.4
624 Repair of other hernia of anterior abdominal wall	24,376	44.7	198	51.8
625 Repair of diaphragmatic and other hernia	5,044	9.3	62	16.3
626 Incision, excision of abdominal wall and peritoneum except laparotomy	15,601	28.6	182	47.7
627 Laparotomy	25,030	45.9	337	88.3
628 Laparoscopy (excluding that for destruction of fallopian tubes)	26,869	49.3	97	25.5
630 Miscellaneous operations on abdominal wall and peritoneum	20,241	37.1	255	66.9
631 Complete nephrectomy	8,006	14.7	132	34.7
632 Miscellaneous operations on kidney	16,221	29.8	210	55.1
633 Ureterotomy	10,683	19.6	122	32.0
634 Ureteral diversion	3,166	5.8	47	12.3
635 Miscellaneous operations on ureter	12,769	23.4	81	21.3
636 Cystoscopy and urethroscopy	141,843	260.3	934	244.8
637 Transurethral excision or destruction of bladder lesion	32,751	60.1	217	57.0
638 Miscellaneous operations on bladder	18,098	33.2	204	53.6
639 Urethral meatotomy	5,110	9.4	15	3.8
640 Excision of urethral lesion, repair of urethra	10,151	18.6	62	16.2
641 Urethral dilation	30,079	55.2	170	44.7
642 Miscellaneous operations on urethra	9,781	17.9	51	13.4
643 Urethral suspension	8,306	15.2	86	22.4
644 Other repair of stress incontinence	1,614	3.0	16	4.3
645 Ureteral catheterization	1,396	2.6	10	2.7

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
646	Miscellaneous operations on urinary tract	705	1.3	9	2.4
648	Transurethral prostatectomy	82,823	152.0	876	229.8
649	Other prostatectomy	10,238	18.8	155	40.5
650	Miscellaneous operations on prostate and seminal vesicles	12,943	23.7	82	21.5
651	Operations on scrotum and tunica vaginalis	5,065	9.3	27	7.1
652	Orchiectomy	9,069	16.6	69	18.1
653	Orchiopexy	7,181	13.2	24	6.2
654	Miscellaneous operations on testis	2,776	5.1	10	2.6
655	Interruption of vas deferens	3,735	6.9	11	2.8
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	18,082	33.2	68	17.7
658	Miscellaneous operations on penis	4,208	7.7	24	6.3
660	Local excision or destruction of ovarian lesion or tissue	17,425	32.0	121	31.8
661	Unilateral oophorectomy or salpingo-oophorectomy	20,844	38.2	159	41.6
662	Bilateral oophorectomy or salpingo-oophorectomy	8,553	15.7	81	21.3
663	Miscellaneous operations on ovary	3,642	6.7	19	5.1
664	Bilateral endoscopic destruction or occlusion of fallopian tubes	51,867	95.2	93	24.3
665	Other bilateral tubal interruption or salpingectomy	51,366	94.2	173	45.3
666	Miscellaneous operations on fallopian tube	18,027	33.1	96	25.2
667	Conization of cervix	13,499	24.8	40	10.5
668	Other excision or destruction of lesion or tissue of cervix	19,493	35.8	71	18.6
669	Repair and plastic operations on cervix	4,705	8.6	16	4.3

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
670 Hysterotomy and excision of lesion of uterus	5,403	9.9	31	8.0
671 Abdominal hysterectomy	144,448	265.0	1,231	322.7
672 Vaginal hysterectomy	57,045	104.7	438	114.9
673 Radical hysterectomy and pelvic evisceration	912	1.7	15	3.8
674 Dilation and curettage of uterus for termination of pregnancy	11,850	21.7	23	6.0
675 Other dilation and curettage	286,436	525.5	733	192.3
676 Aspiration curettage for termination of pregnancy	28,280	51.9	43	11.3
677 Other aspiration curettage	9,517	17.5	18	4.7
678 Repair and plastic operations on supporting structures of uterus	1,215	2.2	8	2.1
679 Miscellaneous operations on uterus, cervix, and supporting structures	3,774	6.9	15	3.9
680 Plastic repair of cystocele and rectocele	17,230	31.6	149	39.0
681 Other colporrhaphy	3,619	6.6	22	5.7
682 Miscellaneous operations on vagina	10,230	18.8	59	15.5
683 Incision and excision of lesion of vulva and perineum	15,252	28.0	52	13.7
684 Vulvectomy	1,015	1.9	13	3.4
685 Miscellaneous operations on vulva and perineum	1,644	3.0	7	1.8
686 Miscellaneous diagnostic and therapeutic procedures on female genital system	358	0.7	2	0.4
687 Low forceps with and without episiotomy	190,746	350.0	682	178.9
688 Breech extraction	7,345	13.5	26	6.8
689 Other extraction procedures to assist delivery	28,341	52.0	106	27.7
690 Other procedures to assist delivery	154,551	283.6	547	143.4
691 Low cervical cesarean section	156,857	287.8	1,015	266.3

Table 1 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
692	Other cesarean section	14,796	27.1	96	25.2
693	Other abdominal operation to remove embryo or fetus	394	0.7	3	0.7
694	Intra-amniotic injection for abortion	7,926	14.5	15	4.0
695	Diagnostic amniocentesis	2,860	5.2	10	2.6
696	Intrauterine procedures on fetus and amnion	25,683	47.1	73	19.1
697	Miscellaneous obstetric procedures	80,867	148.4	260	68.2
698	Excision of facial bone	2,197	4.0	15	4.0
699	Repair and plastic operations on facial bones	5,344	9.8	25	6.6
700	Closed reduction of maxillofacial fractures	6,602	12.1	33	8.7
701	Open reduction of maxillofacial fractures	9,445	17.3	62	16.2
702	Miscellaneous maxillofacial surgery	701	1.3	4	1.1
703	Incision and division of bones except facial	15,752	28.9	110	29.0
704	Bunionectomy	28,865	53.0	152	39.9
705	Excision of bone except facial	49,716	91.2	381	99.9
706	Repair and plastic operation on bone except facial	11,962	21.9	137	36.0
707	Removal of internal fixation device	25,368	46.5	141	36.8
708	Closed reduction of fracture of femur with internal fixation	8,009	14.7	170	44.7
709	Open reduction of fracture of femur with internal fixation	35,967	66.0	762	199.7
710	Reduction of fracture of femur without internal fixation	4,118	7.6	84	22.2

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
711 Closed reduction of fracture with internal fixation, except maxillofacial and femur	11,164	20.5	89	23.4
712 Open reduction of fracture with internal fixation, except maxillofacial and femur	50,669	93.0	412	108.0
713 Other reduction of fracture without internal fixation, except maxillofacial and femur	57,596	105.7	329	86.2
714 Closed reduction of dislocation	10,233	18.8	68	17.8
715 Open reduction of dislocation	6,165	11.3	47	12.3
716 Arthrotomy and division of joint capsule	22,126	40.6	155	40.7
717 Excision of intervertebral disc	56,462	103.6	745	195.4
718 Excision of semilunar cartilage of knee joint	53,197	97.6	282	73.8
719 Miscellaneous excisions of joint structures	33,240	61.0	149	39.1
720 Spinal fusion	8,067	14.8	124	32.6
721 Arthrodesis and stabilization of joint	9,956	18.3	67	17.5
722 Total hip replacement	18,543	34.0	358	93.8
723 Other arthroplasty of hip	19,118	35.1	401	105.2
724 Arthroplasty of knee	24,536	45.0	306	80.3
725 Repair of other joint	22,732	41.7	114	29.9
726 Incision and division of muscle, tendon, fascia and bursa	13,540	24.8	68	17.9
727 Excision of lesion of muscle, tendon, fascia, and bursa	30,754	56.4	122	32.0
728 Division and resection of muscle, tendon, and fascia of hand	6,838	12.5	24	6.2

Table 1 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
729	Repair and plastic operations on hand	15,127	27.8	44	11.4
730	Resection and suture of muscle, tendon, and fascia, except hand	13,682	25.1	65	17.1
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	12,718	23.3	66	17.3
732	Amputation of fingers and thumb	5,389	9.9	25	6.6
733	Amputation of hand, forearm, and upper arm	530	1.0	7	1.9
734	Amputation of toes	6,297	11.6	114	29.9
735	Below-knee amputation	5,458	10.0	169	44.3
736	Above-knee amputation	5,104	9.4	139	36.5
737	Other amputation of lower extremity	1,561	2.9	46	12.1
738	Reattachment of extremity	562	1.0	4	1.1
739	Revision of amputation stump	2,803	5.1	24	6.4
740	Miscellaneous operations on musculoskeletal system	247	0.5	3	0.8
742	Local excision or destruction of lesion of breast	84,844	155.7	299	78.4
743	Simple mastectomy	6,209	11.4	46	12.0
744	Extended simple mastectomy and radical mastectomy	25,311	46.4	257	67.4
745	Miscellaneous operations on breast	17,263	31.7	70	18.4
746	Incision and excision of pilonidal cyst or sinus	18,219	33.4	82	21.5
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	66,969	122.9	410	107.5
748	Other incision, excision, and suture of skin	88,934	163.2	776	203.4
749	Free skin grafts	13,963	25.6	226	59.4
750	Pedicle graft of skin	4,249	7.8	46	12.2
751	Miscellaneous operations on skin and subcutaneous tissue	20,805	38.2	95	24.8

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
753	Encephalography and ventriculography	3,750	6.9	32	8.5
754	Myelography	77,762	142.7	596	156.2
755	Cerebral arteriography	27,834	51.1	233	61.2
756	Coronary arteriography	10,145	18.6	51	13.3
757	Other arteriography and phlebography	57,821	106.1	466	122.2
758	Other radiography and special diagnostic procedures	48,009	88.1	427	111.9
760	Special therapies and rehabilitation	10,114	18.6	109	28.7
764	Miscellaneous diagnostic and therapeutic procedures	12,932	23.7	121	31.7
	All patients in operation groups	5,450,222	10,000.0	38,133	10,000.0

For each of the four regions and for the United States as a whole, Tables 2 and 3 display frequency rankings of patients and total stay according to operation group. The operation groups are listed in their rank order for the U.S. as a whole. Groups consisting solely of UHDDS Class 2-4 procedures are excluded (see explanation for Table 1), as are patients who died, patients admitted from other short-term hospitals, patients tranferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 2

Ranking of *ICD-9-CM* List B Operation Groups by Live Discharges U.S. PAS Hospitals, 1979

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
675 Other dilation and curettage	286,436	1	1	1	1	1
687 Low forceps with and without episiotomy	190,746	2	4	2	2	4
691 Low cervical cesarean section	156,857	3	3	5	5	3
690 Other procedures to assist delivery	154,551	4	6	3	8	2
671 Abdominal hysterectomy	144,448	5	9	7	3	5
636 Cystoscopy and urethroscopy	141,843	6	8	4	4	20
616 Cholecystectomy	140,005	7	7	6	6	7
620 Unilateral repair of inguinal hernia	137,871	8	2	8	7	6
525 Intracapsular extraction of lens	113,615	9	5	10	10	8
554 Tonsillectomy with adenoidectomy	108,131	10	13	9	9	12
748 Other incision, excision, and suture of skin	88,934	11	11	13	12	14
603 Appendectomy	87,962	12	15	12	13	9
742 Local excision or destruction of lesion of breast	84,844	13	12	15	11	23

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
648 Transurethral prostatectomy	82,823	14	14	16	14	15
697 Miscellaneous obstetric procedures	80,867	15	18	11	23	11
573 Cardiac catheterization	78,519	16	21	14	17	13
754 Myelography	77,762	17	24	18	15	10
553 Tonsillectomy without adenoidectomy	69,380	18	19	17	19	18
747 Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	66,969	19	16	19	18	32
581 Other operations on blood vessels	60,735	20	22	24	24	16
547 Tooth extraction	59,096	21	10	22	26	82
757 Other arteriography	57,821	22	23	21	27	24
713 Other reduction of fracture without internal fixation, except maxillofacial	57,596	23	20	20	29	26
672 Vaginal hysterectomy	57,045	24	48	28	16	21
717 Excision of intervertebral disc	56,462	25	34	27	20	22
718 Excision of semilunar cartilage of knee joint	53,197	26	33	26	31	17
664 Bilateral endoscopic destruction or occlusion of fallopian tubes	51,867	27	28	25	21	41
665 Other bilateral tubal interruption or salpingectomy	51,366	28	29	29	22	37

Table 2 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
712	Open reduction of fracture with internal fixation, except maxillofacial	50,669	29	38	30	30	19
705	Excision of bone except facial	49,716	30	32	31	32	25
758	Other radiography and special diagnostic procedures	48,009	31	35	23	28	39
612	Hemorrhoidectomy	47,961	32	30	32	25	36
586	Miscellaneous operations on spleen and bone marrow	42,542	33	26	34	34	38
542	Rhinoplasty	40,900	34	31	35	33	27
574	Pacemaker insertion, replacement, removal, and repair	39,291	35	25	41	37	31
509	Miscellaneous operations on cranial and other peripheral nerves	39,244	36	43	33	45	28
599	Colectomy	37,973	37	27	38	42	33
709	Open reduction of fracture of femur with internal fixation	35,967	38	39	40	39	34
573	Myringotomy	35,008	39	37	45	36	44
719	Miscellaneous excisions of joint structures	33,240	40	46	42	49	29
637	Transurethral excision or destruction of bladder lesion	32,751	41	36	43	50	43
567	Bronchoscopy (using natural orifice)	30,893	42	44	47	35	56
727	Excision of lesion of muscle, tendon, fascia, and bursa	30,754	43	47	44	40	53

Table 2 (Continued)

Operation Group Number and Title (1)		All Hospitals Number of Patients (2)	All Hospitals Rank (3)	Rank by Region North-east (4)	Rank by Region North Central (5)	Rank by Region South (6)	Rank by Region West (7)
641	Urethral dilation	30,079	44	65	36	38	99
572	Direct heart revascularization	29,906	45	97	48	41	30
704	Bunionectomy	28,865	46	60	37	67	47
689	Other extraction procedures to assist delivery	28,341	47	58	51	46	46
676	Aspiration curettage for termination of pregnancy	28,280	48	17	66	100	84
755	Cerebral arteriography	27,834	49	80	49	47	42
597	Local excision or destruction of intestinal lesion or tissue	27,341	50	42	50	52	68
628	Laparoscopy (excluding that for destruction of fallopian tubes)	26,869	51	59	46	53	55
696	Intrauterine procedures on fetus and amnion	25,683	52	70	39	96	50
707	Removal of internal fixation device	25,368	53	55	52	63	48
744	Extended simple mastectomy and radical mastectomy	25,311	54	45	58	56	52
526	Other lens extraction	25,066	55	74	72	44	40
627	Laparotomy	25,030	56	67	55	48	54
724	Arthroplasty of knee	24,536	57	91	53	65	35
624	Repair of other hernia of anterior abdominal wall	24,376	58	51	56	54	57
555	Adenoidectomy without tonsillectomy	24,021	59	64	60	43	93
582	Incision, excision of lymphatic structures	22,787	60	54	62	55	70
725	Repair of other joint	22,732	61	81	54	82	45

Table 2 (Continued)

Operation Group Number and Title (1)		All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
621	Bilateral repair of inguinal hernia	22,664	62	62	59	59	61
563	Incision and local excision or destruction of lesion of bronchus	22,645	63	52	63	60	65
513	Thyroidectomy	22,470	64	68	68	51	63
615	Miscellaneous operations on liver	22,326	65	49	65	64	60
716	Arthrotomy and division of joint capsule	22,126	66	85	61	66	49
592	Local excision or destruction of lesion or tissue of stomach	21,760	67	61	57	68	72
578	Systemic shunt or graft bypass	21,233	68	50	79	62	58
661	Unilateral oophorectomy or salpingo-oophorectomy	20,844	69	82	69	57	62
751	Miscellaneous operations on skin and subcutaneous tissue	20,805	70	69	67	58	73
577	Ligation and stripping of varicose veins	20,415	71	56	64	78	76
630	Miscellaneous operations on abdominal wall and peritoneum	20,241	72	86	71	61	66
668	Other excision or destruction of lesion or tissue of cervix	19,493	73	40	74	85	151

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
723 Other arthroplasty of hip	19,118	74	75	76	69	69
722 Total hip replacement	18,543	75	96	73	97	51
746 Incision and excision of pilonidal cyst or sinus	18,219	76	57	81	80	108
638 Miscellaneous operations on bladder	18,098	77	73	77	79	79
656 Miscellaneous operations on spermatic cord, epididymis, and vas deferens	18,082	78	72	75	86	78
530 Resection and recession of ocular muscle	18,068	79	78	80	75	77
666 Miscellaneous operations on fallopian tube	18,027	80	83	84	77	64
536 Tympanoplasty	17,728	81	106	78	74	67
660 Local excision or destruction of ovarian lesion or tissue	17,425	82	71	83	87	83
518 Miscellaneous operations on eyelid	17,407	83	53	100	89	85
541 Submucous resection of nasal septum	17,319	84	41	85	132	111
745 Miscellaneous operations on breast	17,263	85	94	96	70	59
680 Plastic repair of cystocele and rectocele	17,230	86	89	82	76	91
569 Thoracotomy	17,013	87	92	89	71	71

Table 2 (Continued)

	Operation Group Number and Title (1)	All Hospitals Number of Patients (2)	All Hospitals Rank (3)	Rank by Region North-east (4)	Rank by Region North Central (5)	Rank by Region South (6)	Rank by Region West (7)
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	16,326	88	84	91	83	95
632	Miscellaneous operations on kidney	16,221	89	90	97	73	90
703	Incision and division of bones except facial	15,752	90	111	70	117	94
626	Incision, excision of abdominal wall and peritoneum except laparotomy	15,601	91	88	94	92	96
544	Miscellaneous operations on nose	15,441	92	76	99	106	89
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	15,384	93	77	92	81	145
683	Incision and excision of lesion of vulva and perineum	15,252	94	79	93	88	131
729	Repair and plastic operations on hand	15,127	95	109	87	109	74
623	Repair of umbilical hernia	14,806	96	101	95	84	114
692	Other cesarean section	14,796	97	120	88	93	98
558	Excision of lesion of larynx	14,765	98	66	104	101	106

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
606 Local excision or destruction of lesion or tissue of rectum	14,487	99	87	90	108	127
596 Miscellaneous operations on stomach	14,098	100	135	86	110	87
601 Intestinal anastomosis or repair	14,012	101	95	106	113	86
749 Free skin grafts	13,963	102	116	103	91	100
609 Miscellaneous operations on intestine	13,831	103	117	98	90	128
730 Resection and suture of muscle, tendon, and fascia, except hand	13,682	104	110	102	115	81
726 Incision and division of muscle, tendon, fascia and bursa	13,540	105	103	111	107	88
667 Conization of cervix	13,499	106	108	101	94	123
588 Operations on esophagus	13,465	107	102	105	99	113
506 Exploration and decompression of spinal canal structures	13,306	108	123	113	103	80
650 Miscellaneous operations on prostate and seminal vesicles	12,943	109	105	118	102	102
764 Miscellaneous diagnostic and therapeutic procedures	12,932	110	104	108	98	129

Table 2 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
565	Local excision or destruction of lesion or tissue of lung	12,835	111	107	115	114	101
635	Miscellaneous operations on ureter	12,769	112	130	116	72	135
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	12,718	113	113	107	119	92
543	Other incision, excision of nose	12,486	114	98	112	118	118
528	Repair of retina	12,277	115	93	135	116	75
508	Excision or destruction of lesion of cranial or peripheral nerve	12,071	116	150	114	112	97
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	12,012	117	100	123	111	115
706	Repair and plastic operation on bone except facial	11,962	118	128	109	121	103
674	Dilation and curettage of uterus for termination of pregnancy	11,850	119	63	150	122	109
711	Closed reduction of fracture with internal fixation, except maxillofacial and femur	11,164	120	112	121	128	107
633	Ureterotomy	10,683	121	134	128	95	133
649	Other prostatectomy	10,238	122	99	138	133	125

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
714 Closed reduction of dislocation	10,233	123	126	119	142	119
682 Miscellaneous operations on vagina	10,230	124	127	120	130	142
550 Operations on salivary glands and ducts	10,198	125	121	126	131	120
640 Excision of urethral lesion, repair of urethra	10,151	126	132	122	120	143
756 Coronary arteriography	10,145	127	215	110	105	156
760 Special therapies and rehabilitation	10,114	128	144	117	136	134
610 Incision or excision of anal fistula	10,033	129	122	132	127	116
611 Local excision or destruction of lesion or tissue of anus	10,031	130	125	125	123	140
721 Arthrodesis and stabilization of joint	9,956	131	138	124	139	110
642 Miscellaneous operations on urethra	9,781	132	166	130	104	136
613 Miscellaneous operations on anus	9,626	133	118	133	137	132
593 Partial gastrectomy	9,563	134	124	136	125	126
677 Other aspiration curettage	9,517	135	115	143	135	121
701 Open reduction of maxillofacial fractures	9,445	136	152	127	134	112
580 Hemodialysis	9,382	137	129	141	144	105
576 Other diagnostic and therapeutic procedures on larynx, trachea	9,081	138	119	145	124	160

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
652 Orchiectomy	9,069	139	133	131	138	137
662 Bilateral oophorectomy or salpingo-oophorectomy	8,553	140	176	140	129	124
535 Stapes mobilization and stapedectomy	8,458	141	139	137	145	138
534 Operations on external ear	8,412	142	131	142	140	153
608 Proctectomy	8,363	143	114	144	155	150
643 Urethral suspension	8,306	144	169	129	147	130
556 Operations on pharynx except tonsillectomy and adenoidectomy	8,165	145	147	139	146	141
720 Spinal fusion	8,067	146	178	148	150	104
708 Closed reduction of fracture of femur with internal fixation	8,009	147	148	134	148	147
631 Complete nephrectomy	8,006	148	143	146	143	148
694 Intra-amniotic injection for abortion	7,926	149	145	162	126	144
538 Mastoidectomy	7,841	150	140	151	141	154
501 Incision, excision of skull, brain, and cerebral meninges	7,614	151	161	153	151	117
571 Open heart operations	7,425	152	160	155	154	122
688 Breech extraction	7,345	153	136	147	149	174
617 Operations on biliary tract and gallbladder except cholecystectomy	7,257	154	141	149	162	162
653 Orchiopexy	7,181	155	142	152	167	155
728 Division and resection of muscle, tendon, and fascia of hand	6,838	156	154	154	177	149

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
700 Closed reduction of maxillofacial fractures	6,602	157	151	156	170	164
546 Miscellaneous operations on accessory sinus	6,409	158	162	159	159	163
524 Other operations on iris, ciliary body, sclera and anterior chamber	6,374	159	146	176	164	158
734 Amputation of toes	6,297	160	153	161	157	177
549 Operations on teeth and gums except extraction and restoration	6,264	161	156	164	158	167
743 Simple mastectomy	6,209	162	159	158	160	178
566 Lobectomy and complete pneumonectomy	6,207	163	173	165	156	161
598 Resection of small intestine	6,179	164	163	160	178	159
715 Open reduction of dislocation	6,165	165	175	157	176	157
502 Craniotomy and craniectomy	5,941	166	180	173	166	152
539 Miscellaneous operations on middle ear and inner ear	5,923	167	172	175	175	146
527 Miscellaneous operations on lens	5,911	168	191	185	152	139
545 Radical maxillary antrotomy	5,722	169	170	180	163	166
532 Operations on orbit and eyeball	5,635	170	174	177	165	170
622 Unilateral or bilateral repair of femoral hernia	5,585	171	157	168	184	171

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals Number of Patients (2)	Rank (3)	Rank by Region North-east (4)	North Central (5)	South (6)	West (7)
517 Excision or destruction of lesion or tissue of eyelid	5,564	172	137	183	174	201
735 Below-knee amputation	5,458	173	164	174	173	186
670 Hysterotomy and excision of lesion of uterus	5,403	174	155	167	182	190
732 Amputation of fingers and thumb	5,389	175	184	163	183	175
602 Ileostomy, colostomy, and other enterostomy	5,388	176	149	171	190	180
699 Repair and plastic operations on facial bones	5,344	177	198	172	169	165
514 Operations on parathyroid and thyroid, except thyroidectomy	5,306	178	171	182	180	176
523 Operations for regulation of intraocular pressure	5,303	179	158	189	179	173
607 Other incision of rectum and incision or excision of perirectal tissue	5,181	180	186	178	153	192
639 Urethral meatotomy	5,110	181	183	170	168	206
736 Above-knee amputation	5,104	182	179	179	161	203
651 Operations on scrotum and tunica vaginalis	5,065	183	177	166	187	182
625 Repair of diaphragmatic and other hernia	5,044	184	195	187	171	168

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
522 Miscellaneous operations on cornea	4,992	185	168	195	172	183
669 Repair and plastic operations on cervix	4,705	186	181	169	192	198
595 Vagotomy	4,696	187	208	184	181	169
618 Operations on pancreas	4,608	188	167	186	189	191
507 Operations on spinal cord structures, except exploration	4,386	189	202	181	196	172
750 Pedicle graft of skin	4,249	190	194	193	188	179
658 Miscellaneous operations on penis	4,208	191	189	192	186	195
710 Reduction of fracture of femur without internal fixation	4,118	192	188	191	191	194
562 Operations on larynx and trachea except excision and permanent tracheostomy	3,956	193	187	197	193	187
583 Radical excision of lymph nodes	3,891	194	182	198	198	184
679 Miscellaneous operations on uterus, cervix, and supporting structures	3,774	195	193	190	201	202
753 Encephalography and ventriculography	3,750	196	203	188	206	185
655 Interruption of vas deferens	3,735	197	192	194	185	223
663 Miscellaneous operations on ovary	3,642	198	200	196	199	200

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
681	Other colporrhaphy	3,619	199	199	299	194	189
548	Tooth restoration and orthodontia	3,526	200	201	199	195	196
510	Sympathectomy	3,333	201	185	207	197	208
529	Miscellaneous operations on retina, choroid, and vitreous	3,279	202	197	209	203	181
634	Ureteral diversion	3,166	203	207	203	202	193
505	Miscellaneous operations on brain and cerebral meninges	3,081	204	209	206	200	197
600	Other incision, resection of intestine	3,067	205	196	201	208	205
521	Corneal transplant	3,007	206	190	214	205	199
695	Diagnostic amniocentesis	2,860	207	165	213	218	217
590	Gastrotomy, pyloromyotomy	2,815	208	211	202	210	210
739	Revision of amputation stump	2,803	209	210	204	204	212
654	Miscellaneous operations on testis	2,776	210	205	205	209	214
503	Cranioplasty	2,695	211	216	212	211	188
519	Operations on lacrimal system	2,547	212	204	215	213	204
575	Miscellaneous operations on heart	2,517	213	219	211	212	209
591	Gastrostomy	2,411	214	206	210	215	220
698	Excision of facial bone	2,197	215	212	218	207	222
568	Miscellaneous operations on lung	2,194	216	214	219	214	213

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
587 Other diagnostic and therapeutic procedures on vessels, lymphatic	2,122	217	222	208	229	207
504 Ventricular shunt, extracranial	2,030	218	217	217	220	211
551 Palatoplasty	1,831	219	223	221	216	216
515 Operations on endocrine glands, except parathyroid and thyroid	1,656	220	224	224	221	218
685 Miscellaneous operations on vulva and perineum	1,644	221	225	222	217	221
644 Other repair of stress incontinence	1,614	222	235	216	227	215
604 Incidental appendectomy	1,590	223	228	223	219	219
737 Other amputation of lower extremity	1,561	224	213	227	223	224
511 Miscellaneous operations on sympathetic nerves and ganglia	1,457	225	230	220	224	225
560 Complete laryngectomy	1,416	226	218	228	222	230
645 Ureteral catheterization	1,396	227	221	226	225	226
559 Partial laryngectomy and local excision of lesion of trachea	1,265	228	220	229	228	228
678 Repair and plastic operations on supporting structures of uterus	1,215	229	232	225	226	229
684 Vulvectomy	1,015	230	229	231	230	235
520 Operations on conjunctiva	995	231	226	233	231	231
594 Total gastrectomy	945	232	227	232	233	232

Table 2 (Continued)

Operation Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
673	Radical hysterectomy and pelvic evisceration	912	233	231	230	232	237
614	Incision of liver	863	234	233	234	235	227
646	Miscellaneous operations on urinary tract	705	235	234	235	237	239
702	Miscellaneous maxillofacial surgery	701	236	241	236	234	236
605	Operations on appendix except appendectomy	688	237	237	237	236	233
738	Reattachment of extremity	562	238	240	240	241	234
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	539	239	236	239	239	241
733	Amputation of hand, forearm, and upper arm	530	240	243	238	238	238
561	Permanent tracheostomy	419	241	242	241	240	242
693	Other abdominal operation to remove embryo or fetus	394	242	239	242	242	240
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	358	243	238	243	243	243
740	Miscellaneous operations on musculoskeletal system	247	244	246	245	244	244
579	Extracorporeal circulation	227	245	244	244	246	246

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
531 Miscellaneous operations on ocular muscle	197	246	245	246	245	245
564 Bronchial resection and miscellaneous operations on bronchus	86	247	247	247	247	247
585 Bone marrow transplant	50	248	249	248	248	248
584 Miscellaneous operations on lymphatic system	39	249	248	249	249	249
All patients in operation groups	5,450,222					

Table 3

Ranking of *ICD-9-CM* Operation Groups by Days of Care
U.S. PAS Hospitals, 1979

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
616 Cholecystectomy	1,561	1	1	1	1	1
671 Abdominal hysterectomy	1,231	2	3	2	2	2
691 Low cervical cesarean section	1,015	3	2	4	4	4
636 Cystoscopy and urethroscopy	934	4	5	3	3	20
581 Other operations on blood vessels	886	5	8	7	5	3
648 Transurethral prostatectomy	876	6	4	5	6	7
748 Other incision, excision, and suture of skin	776	7	9	8	9	8
709 Open reduction of fracture of femur with internal fixation	762	8	7	10	11	6
717 Excision of intervertebral disc	745	9	15	9	8	5
675 Other dilation and curettage	733	10	10	6	10	28
599 Colectomy	730	11	6	13	14	9
620 Unilateral repair of inguinal hernia	684	12	11	11	13	12
687 Low forceps with and without episiotomy	682	13	16	12	7	17
754 Myelography	596	14	21	15	12	11
586 Miscellaneous operations on spleen and bone marrow	570	15	12	16	17	19
690 Other procedures to assist delivery	547	16	17	14	19	14
603 Appendectomy	512	17	19	17	18	13

Table 3 (Continued)

Operation Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
574	Pacemaker insertion, replacement, removal, and repair	473	18	13	24	21	21
757	Other arteriography and phlebography	466	19	18	18	22	27
525	Intracapsular extraction of lens	466	20	14	22	24	23
572	Direct heart revascularization	456	21	41	20	16	10
672	Vaginal hysterectomy	438	22	47	25	15	18
758	Other radiography and special diagnostic procedures	427	23	22	19	23	32
712	Open reduction of fracture with internal fixation, except maxillofacial	412	24	25	26	26	16
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	410	25	24	23	20	38
723	Other arthroplasty of hip	401	26	23	27	27	26
573	Cardiac catheterization	397	27	37	21	28	25
705	Excision of bone except facial	381	28	26	28	31	22
578	Systemic shunt or graft bypass	362	29	20	36	33	30
722	Total hip replacement	358	30	31	29	35	15
567	Bronchoscopy (using natural orifice)	338	31	28	34	25	37
627	Laparotomy	337	32	33	31	30	31
713	Other reduction of fracture without internal fixation, except maxillofacial	329	33	27	30	34	33

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
724	Arthroplasty of knee	306	34	55	32	37	24
612	Hemorrhoidectomy	306	35	42	35	29	41
742	Local excision or destruction of lesion of breast	299	36	32	37	32	56
718	Excision of semilunar cartilage of knee joint	282	37	43	38	40	29
563	Incision and local excision or destruction of lesion of bronchus	269	38	29	39	38	46
615	Miscellaneous operations on liver	262	39	30	41	41	45
697	Miscellaneous obstetric procedures	260	40	53	33	51	36
744	Extended simple mastectomy and radical mastectomy	257	41	34	42	43	40
630	Miscellaneous operations on abdominal wall and peritoneum	255	42	45	44	36	34
597	Local excision or destruction of intestinal lesion or tissue	239	43	35	43	49	59
755	Cerebral arteriography	233	44	65	40	42	48
592	Local excision or destruction of lesion or tissue of stomach	228	45	38	45	55	55
749	Free skin grafts	226	46	58	47	39	44
506	Exploration and decompression of spinal canal structures	220	47	61	50	47	35

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
637 Transurethral excision or destruction of bladder lesion	217	48	36	49	59	57
569 Thoracotomy	213	49	57	52	46	42
632 Miscellaneous operations on kidney	210	50	51	55	45	50
638 Miscellaneous operations on bladder	204	51	44	51	57	60
554 Tonsillectomy with adenoidectomy	202	52	83	46	44	58
596 Miscellaneous operations on stomach	201	53	71	48	56	39
565 Local excision or destruction of lesion or tissue of lung	200	54	50	57	52	53
601 Intestinal anastomosis or repair	198	55	49	59	60	43
624 Repair of other hernia of anterior abdominal wall	198	56	56	54	53	65
582 Incision, excision of lymphatic structures	191	57	48	56	58	76
593 Partial gastrectomy	182	58	59	72	54	54
626 Incision, excision of abdominal wall and peritoneum except laparotomy	182	59	54	63	62	62
608 Proctectomy	175	60	39	66	79	67
665 Other bilateral tubal interruption or salpingectomy	173	61	74	61	48	87
547 Tooth extraction	173	62	40	60	64	139
641 Urethral dilation	170	63	82	53	50	113

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
708 Closed reduction of fracture of femur with internal fixation	170	64	64	62	72	64
735 Below-knee amputation	169	65	52	69	63	77
501 Incision, excision of skull, brain, and cerebral meninges	161	66	75	75	73	47
661 Unilateral oophorectomy or salpingo-oophorectomy	159	67	78	70	61	66
619 Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	158	68	60	67	68	115
716 Arthrotomy and division of joint capsule	155	69	79	73	76	51
649 Other prostatectomy	155	70	46	90	75	74
553 Tonsillectomy without adenoidectomy	152	71	91	65	74	69
704 Bunionectomy	152	72	87	58	95	70
719 Miscellaneous excisions of joint structures	149	73	81	71	80	61
680 Plastic repair of cystocele and rectocele	149	74	80	68	67	82
570 Operations on chest wall, pleura, and mediastinum except thoracotomy	148	75	63	83	71	78

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
609 Miscellaneous operations on intestine	142	76	86	74	70	98
509 Miscellaneous operations on cranial and other peripheral nerves	142	77	103	64	89	71
707 Removal of internal fixation device	141	78	70	77	86	72
736 Above-knee amputation	139	79	67	79	65	109
588 Operations on esophagus	138	80	73	78	78	83
706 Repair and plastic operation on bone except facial	137	81	85	76	87	73
571 Open heart operations	136	82	89	88	88	52
617 Operations on biliary tract and gallbladder except cholecystectomy	135	83	66	81	90	79
513 Thyroidectomy	133	84	93	87	69	84
502 Craniotomy and craniectomy	133	85	88	99	77	63
631 Complete hephrectomy	132	86	76	86	81	81
602 Ileostomy, colostomy, and other enterostomy	128	87	62	96	106	88
577 Ligation and stripping of varicose veins	126	88	68	84	92	105
720 Spinal fusion	124	89	112	100	96	49
598 Resection of small intestine	124	90	84	93	98	75
727 Excision of lesion of muscle, tendon, fascia, and bursa	122	91	97	80	82	104
633 Ureterotomy	122	92	98	103	66	89
542 Rhinoplasty	122	93	90	98	85	80

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
660 Local excision or destruction of ovarian lesion or tissue	121	94	77	94	94	93
764 Miscellaneous diagnostic and therapeutic procedures	121	95	92	95	84	95
621 Bilateral repair of inguinal hernia	120	96	95	82	97	86
566 Lobectomy and complete pneumonectomy	118	97	94	101	83	85
606 Local excision or destruction of lesion or tissue of rectum	118	98	72	89	104	120
734 Amputation of toes	114	99	69	107	93	110
725 Repair of other joint	114	100	114	91	111	68
703 Incision and division of bones except facial	110	101	107	85	108	91
760 Special therapies and rehabilitation	109	102	109	92	103	100
689 Other extraction procedures to assist delivery	106	103	110	102	99	94
562 Operations on larynx and trachea except excision and permanent tracheostomy	98	104	96	113	100	99
628 Laparoscopy (excluding that for destruction of fallopian tubes)	97	105	119	97	112	121
666 Miscellaneous operations on fallopian tube	96	106	113	109	109	92

Table 3 (Continued)

	Operation Group Number and Title (1)	All Hospitals Days of Care (in 1,000s) (2)	All Hospitals Rank (3)	Rank by Region North-east (4)	Rank by Region North Central (5)	Rank by Region South (6)	Rank by Region West (7)
692	Other cesarean section	96	107	127	104	105	106
751	Miscellaneous operations on skin and subcutaneous tissue	95	108	118	106	102	126
664	Bilateral endoscopic destruction or occlusion of fallopian tubes	93	109	126	108	91	147
711	Closed reduction of fracture with internal fixation, except maxillofacial and femur	89	110	106	114	113	102
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	88	111	104	111	114	117
643	Urethral suspension	86	112	138	110	116	101
710	Reduction of fracture of femur without internal fixation	84	113	108	116	118	114
650	Miscellaneous operations on prostate and seminal vesicles	82	114	105	120	115	130
746	Incision and excision of pilonidal cyst or sinus	82	115	99	112	123	152
662	Bilateral oophorectomy or salpingo-oophorectomy	81	116	143	115	107	103
618	Operations on pancreas	81	117	111	118	120	122

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
635 Miscellaneous operations on ureter	81	118	133	117	101	131
576 Other diagnostic and therapeutic procedures on larynx, trachea	79	119	102	124	122	129
526 Other lens extraction	76	120	137	135	110	96
595 Vagotomy	74	121	155	121	117	107
623 Repair of umbilical hernia	74	122	124	119	121	144
696 Intrauterine procedures on fetus and amnion	73	123	164	105	162	119
668 Other excision or destruction of lesion or tissue of cervix	71	124	100	122	131	173
528 Repair of retina	70	125	115	156	129	90
745 Miscellaneous operations on breast	70	126	144	134	124	108
580 Hemodialysis	70	127	117	140	138	97
652 Orchiectomy	69	128	125	127	126	137
726 Incision and division of muscle, tendon, fascia and bursa	68	129	136	132	130	112
714 Closed reduction of dislocation	68	130	128	125	140	127
656 Miscellaneous operations on spermatic cord, epididymis, and vas deferens	68	131	129	123	132	140
721 Arthrodesis and stabilization of joint	67	132	139	129	133	116

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
731 Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	66	133	130	128	139	123
730 Resection and suture of muscle, tendon, and fascia, except hand	65	134	140	130	136	118
507 Operations on spinal cord structures, except exploration	64	135	141	131	146	111
591 Gastrostomy	63	136	121	133	145	153
625 Repair of diaphragmatic and other hernia	62	137	161	144	119	128
600 Other incision, resection of intestine	62	138	122	143	137	136
701 Open reduction of maxillofacial fractures	62	139	156	138	128	125
640 Excision of urethral lesion, repair of urethra	62	140	143	136	125	156
662 Miscellaneous operations on vagina	59	141	142	137	141	146
537 Myringotomy	59	142	149	141	134	134
544 Miscellaneous operations on nose	58	143	134	139	153	138
518 Miscellaneous operations on eyelid	57	144	123	149	148	142
613 Miscellaneous operations on anus	55	145	132	147	150	143

Table 3 (Continued)

Operation Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
541	Submucous resection of nasal septum	55	146	101	146	178	172
508	Excision or destruction of lesion of cranial or peripheral nerve	54	147	172	145	142	124
510	Sympathectomy	53	148	120	165	147	160
683	Incision and excision of lesion of vulva and perineum	52	149	147	142	143	178
642	Miscellaneous operations on urethra	51	150	176	150	127	157
756	Coronary arteriography	51	151	220	126	135	171
611	Local excision or destruction of lesion or tissue of anus	50	152	159	148	144	162
550	Operations on salivary glands and ducts	49	153	146	155	154	155
610	Incision or excision of anal fistula	49	154	153	159	151	151
505	Miscellaneous operations on brain and cerebral meninges	48	155	162	164	152	133
543	Other incision, excision of nose	47	156	150	151	156	163
715	Open reduction of dislocation	47	157	152	153	164	148
634	Ureteral diversion	47	158	158	158	159	141
558	Excision of lesion of larynx	47	159	135	157	163	170
750	Pedicle graft of skin	46	160	163	163	155	132
737	Other amputation of lower extremity	46	161	131	171	157	159
743	Simple mastectomy	46	162	154	152	161	169

Table 3 (Continued)

Operation Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
583	Radical excision of lymph nodes	45	163	145	166	165	154
536	Tympanoplasty	44	164	182	160	158	145
729	Repair and plastic operations on hand	44	165	173	154	166	149
504	Ventricular shunt, extracranial	43	166	157	167	174	135
676	Aspiration curettage for termination of pregnancy	43	167	116	175	188	184
667	Conization of cervix	40	168	169	162	160	191
622	Unilateral or bilateral repair of femoral hernia	40	169	151	168	176	164
575	Miscellaneous operations on heart	39	170	178	169	167	158
555	Adenoidectomy without tonsillectomy	38	171	184	172	149	190
556	Operations on pharynx except tonsillectomy and adenoidectomy	37	172	165	173	170	166
530	Resection and recession of ocular muscle	36	173	175	174	172	165
514	Operations on parathyroid and thyroid, except thyroidectomy	35	174	166	178	168	167
587	Other diagnostic and therapeutic procedures on vessels, lymphatic	35	175	188	161	212	150
534	Operations on external ear	34	176	180	176	171	180

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
700 Closed reduction of maxillofacial fractures	33	177	168	177	177	182
560 Complete laryngectomy	33	178	160	183	173	199
753 Encephalography and ventriculography	32	179	183	170	201	168
546 Miscellaneous operations on accessory sinus	32	180	181	179	175	179
670 Hysterotomy and excision of lesion of uterus	31	181	167	180	181	196
607 Other incision of rectum and incision or excision of perirectal tissue	29	182	189	185	169	203
538 Mastoidectomy	29	183	179	188	180	183
524 Other operations on iris, ciliary body, sclera and anterior chamber	28	184	170	195	184	175
532 Operations on orbit and eyeball	28	185	187	186	179	185
651 Operations on scrotum and tunica vaginalis	27	186	185	181	190	206
503 Cranioplasty	27	187	202	191	186	161
688 Breech extraction	26	188	186	182	193	212
568 Miscellaneous operations on lung	26	189	190	196	185	181
732 Amputation of fingers and thumb	25	190	203	184	189	186
699 Repair and plastic operations on facial bones	25	191	209	193	183	174
523 Operations for regulation of intraocular pressure	25	192	174	202	191	195

Table 3 (Continued)

Operation Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
594	Total gastrectomy	25	193	171	203	198	192
545	Radical maxillary antrotomy	25	194	195	199	182	197
515	Operations on endocrine glands, except parathyroid and thyroid	25	195	197	194	192	177
739	Revision of amputation stump	24	196	194	189	196	200
658	Miscellaneous operations on penis	24	197	198	192	187	202
728	Division and resection of muscle, tendon, and fascia of hand	24	198	200	187	207	188
535	Stapes mobilzation and stapedectomy	24	199	193	197	195	194
653	Orchiopexy	24	200	191	190	200	201
674	Dilation and curettage of uterus for termination of pregnancy	23	201	177	215	197	187
681	Other colporrhaphy	22	202	205	201	194	198
549	Operations on teeth and gums except extraction and restoration	21	203	199	205	206	207
590	Gastrotomy, pyloromyotomy	20	204	207	198	205	209
663	Miscellaneous operations on ovary	19	205	211	204	209	208
517	Excision or destruction of lesion or tissue of eyelid	19	206	192	207	204	219
527	Miscellaneous operations on lens	19	207	222	209	203	176

Table 3 (Continued)

	Operation Group Number and Title (1)	All Hospitals Days of Care (in 1,000s) (2)	All Hospitals Rank (3)	Rank by Region Northeast (4)	Rank by Region North Central (5)	Rank by Region South (6)	Rank by Region West (7)
539	Miscellaneous operations on middle ear and inner ear	18	208	212	212	210	189
677	Other aspiration curettage	18	209	204	214	211	210
529	Miscellaneous operations on retina, choroid, and vitreous	17	210	206	217	214	193
522	Miscellaneous operations on cornea	17	211	208	216	202	213
521	Corneal transplant	17	212	196	221	215	205
644	Other repair of stress incontinence	16	213	232	200	219	204
669	Repair and plastic operations on cervix	16	214	210	206	216	223
694	Intra-amniotic injection for abortion	15	215	214	223	199	216
698	Excision of facial bone	15	216	216	220	208	217
679	Miscellaneous operations on uterus, cervix, and supporting structures	15	217	217	211	222	214
559	Partial laryngectomy and local excision of lesion of trachea	15	218	201	218	217	228
673	Radical hysterectomy and pelvic evisceration	15	219	213	213	218	224
639	Urethral meatotomy	15	220	224	210	213	233

Table 3 (Continued)

Operation Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
511	Miscellaneous operations on sympathetic nerves and ganglia	14	221	226	208	225	218
684	Vulvectomy	13	222	215	219	220	227
614	Incision of liver	12	223	218	224	226	211
561	Permanent tracheostomy	12	224	223	226	223	215
604	Incidental appendectomy	11	225	230	225	224	221
655	Interruption of vas deferens	11	226	228	222	221	240
645	Ureteral catheterization	10	227	219	229	229	226
695	Diagnostic amniocentesis	10	228	221	228	232	229
654	Miscellaneous operations on testis	10	229	227	227	227	230
646	Miscellaneous operations on urinary tract	9	230	225	230	230	231
551	Palatoplasty	9	231	231	234	231	220
519	Operations on lacrimal system	8	232	229	236	234	225
678	Repair and plastic operations on supporting structures of uterus	8	233	235	231	228	234
605	Operations on appendix except appendectomy	8	234	233	233	236	222
733	Amputation of hand, forearm, and upper arm	7	235	238	232	233	237
685	Miscellaneous operations on vulva and perineum	7	236	236	235	235	236

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
548 Tooth restoration and orthodontia	7	237	234	237	237	232
738 Reattachment of extremity	4	238	239	239	241	235
702 Miscellaneous maxillofacial surgery	4	239	243	240	238	238
579 Extracorporeal circulation	4	240	237	238	244	239
557 Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	3	241	241	242	239	244
520 Operations on conjunctiva	3	242	240	243	240	242
740 Miscellaneous operations on musculoskeletal system	3	243	245	241	242	241
693 Other abdominal operation to remove embryo or fetus	3	244	242	244	243	243
686 Miscellaneous diagnostic and therapeutic procedures on female genital system	2	245	244	245	245	246
531 Miscellaneous operations on ocular muscle	1	246	246	246	247	245
564 Bronchial resection and miscellaneous operations on bronchus	1	247	248	247	246	247

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
584 Miscellaneous operations on lymphatic system	1	248	247	249	248	248
585 Bone marrow transplant	0	249	249	248	249	249
All operation groups	38,133					

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 3 Procedures: Tabular List and Alphabetic Index. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the ICD-9-CM List B operation group to which each operation belongs

Group Number	Title
	Abdominal wall, *see also Hernia*
627	Exploratory laparotomy
626	Excision
626	Incision
	Adenoid
554	Adenoidectomy with tonsillectomy
555	Adenoidectomy without tonsillectomy
556	Other
	Amputation, *see Extremity*
	Angiography
756	Cardiac
	Anus
611	Excision of lesion or tissue
612	Hemorrhoidectomy
613	Other
	Appendix
603	Appendectomy
605	Other
	Arteriography
757	Aorta
755	Head
756	Heart
755	Neck
757	Other
	Artery, *see Blood vessels*
617	Biliary tract, except cholecystectomy
	Bladder
637	Excision of lesion or tissue, transurethral
	Blood vessels
578	Bypass graft
572	Heart
577	Ligation and stripping, veins
578	Systemic shunt
	Bone, except facial, *see also Extremity*
705	Biopsy
703	Division

OPERATION INDEX (continued)

Group Number	Title
	Bone, except facial (continued)
705	Excision
703	Incision
707	Removal of internal fixation device
706	Repair
713	Reduction, closed
713	Reduction, open
	Bone, facial
698	Biopsy
703	Division
698	Excision
702	Incision
699	Repair
700	Reduction, closed
701	Reduction, open
	Bone marrow
585	Transplant
586	Other
	Brain
501	Excision
501	Incision
504	Ventricular shunt
	Breast
742	Biopsy
741	Complete mastectomy
742	Excision, lesion
745	Mastotomy
742	Partial mastectomy
744	Radical mastectomy
567	Bronchoscopy
	Bronchus
563	Excision of lesion or tissue
762	Removal of foreign body with incision
564	Resection
704	Bunionectomy
	Bursa, *see Muscle*
	Cartilage
716	Division

OPERATION INDEX (continued)

Group Number	Title
	Cartilage (continued)
717	Excision of intervertebral cartilage
718	Excision of semilunar cartilage of knee
	Cataract extraction
525	Intracapsular
526	Other
579	Circulation, extracorporeal
619	Colonoscopy, transabdominal
420	Conjunctiva
521	Corneal transplant
682	Culdoscopy
664	For ligation of fallopian tubes
636	Cystoscopy
629	Dialysis, peritoneal
	Ear
534	External
537	Myringotomy
536	Stapedectomy
535	Stapes mobilization
539	Tympanotomy
536	Tympanoplasty
753	Encephalography
515	Endocrine, except parathyroid, thyroid, and gonads
656	Epididymis
589	Esophagoscopy
	Extremity
	Amputation
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
732	Thumb
734	Toe
733	Upper arm

OPERATION INDEX (continued)

Group Number	Title
	Extremity (continued)
738	Reattachment
739	Revision of amputation
532	Eyelid, excision of lesion or tissue
	Fallopian tube
665	Excision, bilateral
665	Endoscopic approach
665	Ligation, bilateral
665	Endoscopic approach
662	Salpingo-oophorectomy, bilateral
661	Salpingo-oophorectomy, unilateral
666	Other
	Fascia, *see Muscle*
	Gallbladder
616	Cholecystectomy
589	Gastroscopy
596	Gastroscopy, surgical
	Graft, *see site*
	Gums
549	Alveoloplasty
549	Excision of lesion or tissue
549	Gingivectomy
549	Incision
	Hand, *see also Extremity*
728	Division of muscle, tendon, and fascia
	Heart
573	Catheterization
575	Massage, open
574	Pacemaker insertion or replacement
	Hernia repair
625	Diaphragmatic
624	Epigastric
622	Femoral, bilateral
624	Incisional
621	Inguinal, bilateral
620	Inguinal, unilateral

OPERATION INDEX (continued)

Group Number	Title
	Hernia repair (continued)
623	Umbilical
624	Ventral
	Hysterectomy, *see Uterus*
	Intestine, *see also Hernia*
601	Anastomosis
599	Colectomy
602	Colostomy
602	Enterostomy
597	Excision of lesion or tissue
600	Exteriorization
602	Ileostomy
600	Incision
601	Repair
599	Resection of large intestine
598	Resection of small intestine
	Joint, *see also Extremity*
741	Arthrocentesis
721	Arthrodesis, except spine
720	Spinal fusion
723	Arthroplasty of hip, except total replacement
722	Total hip replacement
716	Arthrotomy
716	Division of capsule
719	Excision, except intervertebral cartilage and cartilage of knee
741	Injection
717	Laminectomy with disc excision
718	Meniscectomy, knee
714	Reduction, dislocation, closed
715	Reduction, dislocation, open
725	Repair, except hip arthroplasty
724	Stabilization
	Kidney
631	Complete nephrectomy
	Larynx
558	Excision of lesion or tissue

OPERATION INDEX (continued)

Group Number	Title
	Larynx (continued)
562	Laryngotomy, permanent
559	Partial laryngectomy
560	Total laryngectomy
	Lens
526	Extraction, except intracapsular
525	Intracapsular extraction
716	Ligament, division
	Liver
614	Incision, including percutaneous
	Lung
566	Lobectomy
566	Pneumonectomy
	Lymph nodes
582	Excision, except radical
583	Excision, radical
582	Incision
584	Other
538	Mastoidectomy
	Meninges, cerebral
501	Excision
501	Incision
	Muscle, *see also Extremity*
726	Division, except hand
728	Division, hand
727	Excision of lesion or tissue
726	Incision
730	Resection, except hand
728	Resection, hand
730	Suture, except hand
729	Suture, hand
	Muscle, ocular
530	Recession
530	Resection
754	Myelography
	Nerve, peripheral
508	Excision of lesion or tissue

OPERATION INDEX (continued)

Group Number	Title
	Nerve, peripheral (continued)
595	Vagotomy
	Nerve, sympathetic
510	Sympathectomy
	Nose
543	Excision, except submucous resection
541	Submucous resection, nasal septum
543	Incision
542	Rhinoplasty
	Obstetrical procedures
677	Curettage, aspiration
675	D & C
	Delivery, assisted
688	Breech extraction
692	Cesarean section, except low cervical
691	Cesarean section, low cervical
690	Episiotomy
689	Low forceps
	Intrauterine procedures
695	Amniocentesis
690	Intra-amniotic injection
696	Intrauterine transfusion
697	Removal of retained placenta, manual
697	Repair of laceration
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage
691	Hysterotomy
694	Intra-amniotic injection
697	Other
	Oral cavity, except salivary glands
557	Frenotomy
551	Palatoplasty
	Ovary
660	Excision of lesion or tissue
662	Oophorectomy, bilateral
661	Oophorectomy, unilateral
663	Other

OPERATION INDEX (continued)

Group Number	Title
	Palate
551	Cleft palate repair
551	Palatoplasty
514	Parathyroid
	Penis
657	Circumcision
	Perineum, female
683	Excision of lesion or tissue
683	Incision
	Perirectal
607	Excision
607	Incision
609	Other
	Peritoneum
630	Division of adhesions
627	Drainage, except via cul de sac
682	Via cul de sac
626	Excision
630	Incision, except via cul de sac
682	Via cul de sac
628	Peritoneoscopy
	Pleura
576	Pleurocentesis
	Prostate
648	Prostatectomy, transurethral
649	Prostatectomy, except transurethral
650	Other
	Rectum
606	Excision, except proctectomy
609	Incision
608	Proctectomy
608	Other
	Reduction
	Dislocation, *see Joint*
	Fracture, *see Bone*
758	Retrograde pyelogram
	Sinuses, nasal
546	Radical maxillary sinusotomy

OPERATION INDEX (continued)

Group Number	Title
	Skin
747	Excision, except pilonidal sinus
746	Excision of pilonidal sinus
	Graft
749	Free
750	Pedicle
748	Incision, except pilonidal sinus
746	Incision of pilonidal sinus
751	Plastic, except lip
552	Plastic, lip
748	Suture
	Skull
503	Cranioplasty
502	Craniotomy
501	Excision
501	Puncture
	Spinal cord
506	Exploration
	Stomach
593	Complete gastrectomy
592	Excision of lesion or tissue
591	Gastrostomy
590	Gastrotomy
593	Partial gastrectomy
590	Pyloromyotomy
596	Pyloroplasty
595	Vagotomy
	Tendon
726	Division, except hand
728	Division, hand
727	Excision of lesion or tissue
726	Incision
730	Resection, except hand
727	Resection, hand
730	Suture, except hand
729	Suture, hand
	Testes
652	Orchiectomy
654	Other

OPERATION INDEX (continued)

Group Number	Title
570	Thoracoscopy, transpleural
	Thorax
576	Thoracentesis
	Thyroid
513	Thyroidectomy
514	Other
	Tongue
557	Frenotomy
557	Tongue-tie operation
	Tonsils
554	Tonsillectomy with adenoidectomy
555	Tonsillectomy without adenoidectomy
556	Other
	Tooth
548	Extraction
547	Restoration
549	Root resection
	Trachea
559	Excision of lesion or tissue
562	Permanent tracheostomy
563	Tracheotomy
	Ureter
645	Catheterization
634	Diversion
633	Ureterotomy
635	Other
	Urethra
641	Dilation
640	Excision of lesion or tissue
639	Meatotomy
640	Repair
642	Other
636	Urethroscopy
	Uterus, *see also Obstetrical procedures*
677	Aspiration curettage
670	Biopsy
667	Conization of cervix
675	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Uterus (continued)
668	Excision of cervix, except conization
668	Excision of lesion or tissue
673	Exenteration, pelvic
678	Hysteropexy
670	Hysterotomy, except to terminate pregnancy
671	Hysterectomy, abdominal, except radical
673	Hysterectomy, radical
672	Hysterectomy, vaginal, except radical
670	Myomectomy
679	Repair
678	Repair of supporting structures
	Vagina, except obstetrical
681	Colporrhaphy, except for cystocele and rectocele
680	Cystocele repair
680	Rectocele repair
682	Other
	Vas deferens
655	Interruption
656	Other
	Vein, *see Blood vessels*
757	Venography
	Ventricles, cerebral
505	Shunt
753	Ventriculography
	Vertebra
717	Excision, intervertebral disc
720	Fusion
506	Laminectomy, exploratory
	Other (grouped with other bone operations)
	Vulva, except obstetrical
683	Excision of lesion or tissue
683	Incision
684	Vulvectomy
685	Other

R3850-1.7

Length of Stay in PAS Hospitals,

by Diagnosis,

United States, Western Region,

1979

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
OCTOBER 1980

LENGTH OF STAY IN PAS HOSPITALS

Copyright © 1980 by Commission on Professional and Hospital Activities, Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the series entitled
"Length of Stay in PAS Hospitals". . .

Volumes include:
. . . by Diagnosis, United States, 1979
. . . by Diagnosis, United States, North Central Region, 1979
. . . by Diagnosis, United States, Northeastern Region, 1979
. . . by Diagnosis, United States, Southern Region, 1979
. . . by Diagnosis, United States, Western Region, 1979
. . . by Diagnosis, Canada, 1979

. . . by Operation, United States, 1979
. . . by Operation, United States, North Central Region, 1979
. . . by Operation, United States, Northeastern Region, 1979
. . . by Operation, United States, Southern Region, 1979
. . . by Operation, United States, Western Region, 1979
. . . by Operation, Canada, 1979

Also included are:
Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979
Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities. Also for selected years there are length of stay books for particular regional groups of hospitals, for pediatric patients, and for geriatric patients.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1979 in North America. Twelve volumes describe stays for either diagnoses or operations in the United States, in each of the four U.S. census regions, or in Canada. The thirteenth and fourteenth volumes display data on both diagnoses and operations for pediatric and for geriatric patients in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities.

These statistics, which are also available on computer readable magnetic tape, can provide a valuable perspective for physicians, administrators, PSROs, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" (PSRO) and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1979 LENGTH OF STAY BOOKS

Walt Wood, Manager, Research and Statistics
Ed Kobrinski, Assistant Manager
Ann Matteson, Project Coordinator

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data 1
Data Quality 3
Coverage 4
Organization of Length of Stay Tables 7
ICD-9-CM List A: Hospital Diagnosis Groups 7
Definition of Multiple Dx Patients 7
Definition of Operated Patients 8
Explanation of Statistics 8
Exclusions 9
Defining the Extended Stay Case 10
Length of Stay Tables 21
Summary of All Patients 22
Summary of All Patients Except Newborn 23
Diagnosis Groups 1-398 24
Distribution Tables 223
Table 1: Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List A Hospital Diagnosis Groups 225
Table 2: Ranking of *ICD-9-CM* List A Diagnosis Groups by Live Discharges 244
Table 3: Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care 268
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 293
Index to Length of Stay Tables 297

DISCUSSION OF THE DATA

Source of the Data

Data in this book were compiled from individual patient discharge abstracts submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain, and Figure 1 diagrams, the PAS method of storing and retrieving medical data.


PAS
HOSPITAL
HOSPITAL
CLINICAL RECORD
CASE ABSTRACT
DATA TAPE
CPHA DATA CENTER
COMPUTER
DATA FILE
ITS OWN OVERALL STATISTICS
+
MORE DETAILED STATISTICS
+
LISTINGS
MULTIHOSPITAL STUDIES
INTERHOSPITAL COMPARISONS
REGIONAL DATA

FIG. 1. Schematic diagram of the PAS medical record information system.

BEST AVAILABLE COPY

1. In each participating hospital, medical record personnel transfer information from the record of each discharged patient onto a PAS Case Abstract (Figure 2). The data may also be put onto a data tape at the hospital.
2. The abstract or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it serves as input to the computer system.
3. Data then undergo a comprehensive "cleaning" process and detected errors are corrected by contributing hospitals.
4. The computer system produces sets of reports which give comprehensive statistics on discharged patients plus listings of individual case abstracts in various sequences.
5. The computer system continually adds to a permanent history data file.
6. Length of stay statistics from this file are annually published in this series of length of stay books. The stored data are also available to researchers on a contractual basis.



PAS

1979 CASE ABSTRACT

1234567890EV

SAMPLE

79

PAS

79

FIG. 2 PAS Case Abstract

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its role as an extension of the hospital's medical record department.

Quality control of PAS data begins before a new hospital submits its first case abstract and continues as an ongoing system involving personal monitoring, computer checks, and education programs. In spite of these efforts, errors do occur. There are three ways errors can be introduced into PAS data: 1) the basic patient medical record can be incomplete or in error, 2) errors can be made in abstracting information from the medical record to the PAS Case Abstract, and 3) errors can be introduced during processing.

Although CPHA has indirect influence over the quality of the medical record through education and through feedback from use of PAS reports within the hospital, basic responsibility for the accuracy of the medical record rests with the physician and others in the hospital contributing to it. Clearly, the abstractor cannot add to the medical record. Errors or omissions made in it will be carried forward to the PAS Case Abstract.

CPHA goes to considerable lengths to prevent and correct errors in abstracting by training PAS hospital medical record personnel in coding and abstracting methods, by monitoring their work, and by judiciously checking and editing patient data for errors. During processing, over 350 computer checks* are performed on each abstract to check the reasonableness of the data received. When illogical, invalid, or missing data are detected, an error message is printed and the hospital is notified, often by phone. About 40% of the errors detected in the computer audit can be and are corrected at CPHA; the remainder must be handled by the hospitals because only they have the information necessary to make the corrections. Hospitals make such corrections on a voluntary basis.

---

*The following are examples of discrepancies and inconsistencies in the data that are detected by the computer audit: hospital day of operative episode exceeding total stay, cesarean sections with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded. Examples of invalid data detected by the computer are diagnosis and operation codes that do not exist in the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Coverage

The length of stay tables in this book display stay distributions for 1,876,959 patients discharged during 1979 from 326 nonfederal, short-term* hospitals participating in PAS in the Western Region of the U.S. PAS hospitals in United States territories and Puerto Rico were excluded from this publication as were short-term psychiatric hospitals participating in PAS. Patients studied were selected from a total of 1,999,692 discharges.

Characteristics of all hospitals in the Western Region that participated in PAS during 1979 are shown in Tables A and B. Some of these hospitals did not participate for the entire 12-month period. In addition, because of the unavailability of data at the time of processing, data for some of these PAS hospitals are not included in the length of stay tables.

States included in the various census regions and divisions are shown in Figure 3.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
** Includes Alaska and Hawaii
South

FIG. 3. Census Divisions and Regions in the United States

---

*Short-term hospitals are defined as those in which the median stay is shorter than 30 days.

Table A

Bed Size, Region, and Census Division: PAS Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
ALL U.S.						
Bed Size						
1. Less than 25 beds	305	27	8.9%	5,761	528	9.2%
2. 25-49	1,154	158	13.7	41,776	6,129	14.7
3. 50-99	1,459	345	23.6	105,411	25.666	24.3
4. 100-199	1,412	470	33.3	198,519	67,395	33.9
5. 200-299	716	301	42.0	174,636	73,904	42.3
6. 300-399	382	179	46.9	131,296	61,207	46.6
7. 400-499	244	102	41.8	107,790	45,171	41.9
8. 500 or more	311	115	37.0	212,247	77,156	36.4
Total	5,983	1,697	28.4%	977,436	357,156	36.5%
Region and Census Division						
Northeast	941	260	27.6%	221,260	73,590	33.3%
New England	276	88	31.9	51,658	20,198	39.1
Middle Atlantic	665	172	25.9	169,602	53,392	31.5
North Central	1,744	652	37.4	292,394	141,077	48.2
East North Central	935	499	53.4	193,639	110,157	56.9
West North Central	809	153	18.9	98,755	30,920	31.3
South	2,171	451	20.8	316,264	91,344	28.9
South Atlantic	823	292	35.5	149,347	57,261	38.3
East South Central	488	50	10.2	67,691	12,984	19.2
West South Central	860	109	12.7	99,226	21,099	21.3
West	1,127	334	29.6	147,518	51,175	34.7
Mountain	365	107	29.3	38,709	17,459	45.1
Pacific	762	227	29.8	108,809	33,716	31.0
Grand Total	5,983	1,697	28.4%	977,436	357,186	36.5%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Table B

Teaching Type, Region, and Census Division: PAS Hospitals Compared with all Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

	Hospitals with Residencies			Hospitals with Medical School Affiliation		
Region and Census Division (1)	Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
Northeast	306	114	37.3%	228	87	38.2%
New England	69	31	44.9	58	29	50.0
Middle Atlantic	237	83	35.0	170	58	34.1
North Central	298	152	51.0	218	109	50.0
East North Central	205	116	56.6	140	75	53.6
West North Central	93	36	38.7	78	34	43.6
South	265	76	28.7	211	62	29.4
South Atlantic	127	44	34.6	104	38	36.5
East South Central	57	14	24.6	47	12	25.5
West South Central	81	18	22.2	60	12	20.0
West	140	47	33.6	116	38	32.8
Mountain	38	16	42.1	30	11	36.7
Pacific	102	31	30.4	86	27	31.4
Grand Total	1,009	389	38.6%	773	296	38.3%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Organization of Length of Stay Tables

The length of stay tables in the body of this book are organized according to the diagnosis groupings in *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, age, and operation status. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight as a means of stratifying patients.

ICD-9-CM List A: Hospital Diagnosis Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List A: Hospital Diagnosis Groups* has been replaced by *ICD-9-CM List A: Hospital Diagnosis Groups,* which reflects the diagnoses contained in the new classification.

Patients were assigned to *ICD-9-CM* List A groups on the basis of their final diagnosis explaining admission (UHDDS "principal diagnosis"). This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patients discharged from PAS hospitals during 1979 was coded using *ICD-9-CM.*

Definition of Multiple Dx Patients

A patient is classified in the multiple dx category if he had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] ***ICD-9-CM List A: Hospital Diagnosis Groups*** **is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.**

Definition of Operated Patients

In 1979 PAS hospitals used *ICD-9-CM* to code procedures. An operated patient is a patient who had at least one UHDDS[2] Class 1 procedure. A patient with only Class 2-4 procedures is considered nonoperated.

Explanation of Statistics

The diagnosis group titles heading the tables are followed in parentheses by the diagnosis codes they include. These codes refer to *ICD-9-CM.*

Length of stay is calculated from admission and discharge dates entered on the PAS Case Abstract, counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance, but as staying less than one day in the calculation of the percentiles. Thus, if more than 5% of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in column 2, "Number of Patients"; column 3, "Average Stay"; or column 4, "Variance." The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

---

[2] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are shown. If, for example, the 10th percentile for a group of patients is four days, it means that ten percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

The value of a percentile for a group of patients is determined by arranging the individual patients' stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The tables displaying data for newborns (groups 393-395) use weight rather than age to stratify the patients. The weight is given in grams (G).

Exclusions

The length of stay tables exclude :

(1) patients who died
(2) patients admitted from other short-term hospitals
(3) patients discharged to other short-term hospitals
(4) patients discharged against medical advice
(5) patients with length of stay greater than 99 days (these patients are included only in the percentile calculations).

These patients are excluded because they are not typical short-term patients (i.e., their stays are not "manageable" by the physician).

Other exclusions include stillborn, patients with incalculable age or stay, illegal or unrecorded principal diagnosis, unrecorded discharge status, and patients with diagnosis-age or diagnosis-sex inconsistencies. Also excluded are newborn with illegal or unrecorded birthweights.

Defining the Extended Stay[1] Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the PSRO is called extended stay review. This review, whether applied universally to all patients within the facility or "focused" on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in reasonably current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, the age of a patient, whether the patient had single or multiple diagnoses, and whether that patient had an operation. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based upon the diagnosis.

---

[1] Medicare regulations formerly referred to "extended duration," PSRO guidelines refer to "continued stay."

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the regional length of stay books published by the Commission on Professional and Hospital Activities.[2] With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[3]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[4] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group (in the CPHA length of stay books) for each diagnosis is given in column 4.

b. Diagnoses not in *Concurrent Review Screening* can usually be found in the alphabetic index at the back of the length of stay books.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[5] That code can then be located in List A or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

---

[2] *Length of Stay in PAS Hospitals, by Diagnosis,* Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., North Central Region, 1979
U.S., Southern Region, 1979
U.S., Northeastern Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

Length of Stay in PAS Hospitals, by Operation, Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., North Central Region, 1979
U.S., Southern Region, 1979
U.S., Northeastern Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

[3] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[4] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[5] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Volume 2, Diseases: Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table. There are two tables per page for diagnosis groups in the length of stay books.

Step 3. Find the appropriate part of the table for number of diagnoses (single or multiple).

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses, two or more operations with widely different lengths of stay are commonly performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate *operation* length of stay table.

Step 5. Find the correct age group. The five age groupings presented are 0-19 years, 20-34 years, 35-49 years, 50-64 years, and 65 years and over.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line which includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November, a 47-year-old patient is admitted to a hospital in the Western Region for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The alphabetic index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 27[illegible]
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

124

Step 2. Find the table for group 215 of *Length of Stay in PAS Hospitals, by Diagnosis, United States, Western Region, 1979*.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.6	28	1	1	2	4	5	16	25
20-34	225	2.8	5	1	1	2	3	5	7	12
35-49	209	2.8	3	<1	1	2	4	5	7	9
50-64	232	3.5	42	<1	1	3	4	6	7	20
65+	260	4.3	10	1	1	3	5	8	10	18
B. *Operated*										
0-19 YRS	215	6.3	4	4	4	6	7	9	9	13
20-34	2203	6.5	5	4	5	6	7	9	10	15
35-49	2018	6.8	9	4	5	6	8	9	11	15
50-64	2113	7.3	7	5	5	7	8	10	12	17
65+	1237	8.7	12	5	6	8	10	13	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.4	4	1	1	3	4	6	8	10
20-34	158	3.3	9	<1	1	3	4	6	8	18
35-49	216	4.0	13	1	1	3	5	7	10	19
50-64	435	5.0	32	1	2	4	6	9	12	24
65+	928	6.0	20	2	2	5	7	11	13	24
B. *Operated*										
0-19 YRS	108	7.7	10	4	4	7	9	12	14	17
20-34	1500	7.8	11	5	5	7	9	12	14	21
35-49	1874	8.3	17	5	5	7	9	13	15	25
50-64	2915	9.6	34	5	6	8	11	15	19	33
65+	3143	12.7	60	6	6	10	15	22	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	945	3.4	16	1	1	3	4	6	8	14
B. *Operated*	7786	7.1	8	4	5	7	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	1759	5.3	22	1	2	4	6	9	13	24
B. *Operated*	9540	10.1	39	5	5	8	11	17	21	34
1. SINGLE DX	8731	6.7	10	2	4	6	8	10	12	17
2. MULTIPLE DX	11299	9.3	40	3	4	8	11	16	20	34
A. NOT OPERATED	2704	4.6	20	1	1	4	6	9	11	21
B. OPERATED	17326	8.7	27	5	5	7	10	14	18	30
TOTAL 0-19 YRS	364	6.4	8	2	3	6	7	9	11	16
20-34	4086	6.6	9	2	4	6	8	10	12	18
35-49	4317	7.1	15	3	4	6	8	11	13	21
50-64	5695	8.2	27	3	4	7	9	13	16	28
65+	5568	10.3	49	3	4	9	12	18	23	36
GRAND TOTAL	**20030**	**8.2**	**28**	**3**	**4**	**7**	**9**	**13**	**17**	**30**

Step 3. There are no secondary diagnoses recorded, so one needs to be concerned only with the top ten lines of the table (Section 1).



326 PAS Hospitals. Western Region. January–December 1979

215: Gallbladder disease with calculus (574.0-574.2)

216: Gallbladder disease without mention of calculus (575)

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTIL				
				5th (5)	10th (6)	50th (7)	75th (8)	9 (9)
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	19	3.6	28	1	1	2	4	
20-34	225	2.8	5	1	1	2	3	
35-49	209	2.8	3	<1	1	2	4	
50-64	232	3.5	42	<1	1	3	4	
65+	260	4.3	10	1	1	3	5	
B. *Operated*								
0-19 YRS	215	6.3	4	4	4	6	7	
20-34	2203	6.5	5	4	5	6		
35-49	2018	6.8	9	4	5	6		
50-64	2113	7.3	7	5	5	7		
65+	1237	8.7	12	5	6			
LE DX								
	22	3.4						

131

Step 4. Since surgery is scheduled, one is restricted to the second five lines of the table (Section 1.B.).



326 PAS Hospitals. Western Region. January–December 1979

215: Gallbladder disease with calculus (574.0-574.2)

216: Gallbladder disease without mention of calculus (575)

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTIL				
				5th (5)	10th (6)	50th (7)	75th (8)	90 (9)
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	19	3.6	28	1	1	2	4	5
20-34	225	2.8	5	1	1	2	3	5
35-49	209	2.8	3	<1	1	2	4	
50-64	232	3.5	42	<1	1	3	4	
65+	260	4.3	10	1	1	3	5	
B. *Operated*								
0-19 YRS	215	6.3	4	4	4	6	7	
20-34	2203	6.5	5	4	5	6		
35-49	2018	6.8	9	4	5	6		
50-64	2113	7.3	7	5	5	7		
65+	1237	8.7	12	5	6			
LE DX								
	22	3.4						

131

Step 5. The patient is 47 years old and therefore falls in the age group 35-49.



326 PAS Hospitals, Western Region, January–December 1979

215: Gallbladder disease with calculus (574.0-574.2)

216: Gallbladder disease without mention of calculus (575)

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTIL				
				5th (5)	10th (6)	50th (7)	75th (8)	90 (9
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	19	3.6	28	1	1	2	4	5
20-34	225	2.8	5	1	1	2	3	5
35-49	209	2.8	3	<1	1	2	4	5
50-64	232	3.5	42	<1	1	3	4	
65+	260	4.3	10	1	1	3	5	
B. *Operated*								
0-19 YRS	215	6.3	4	4	4	6	7	
20-34	2203	6.5	5	4	5	6		
35-49	2018	6.8	9	4	5	6		
50-64	2113	7.3	7	5	5	7		
65+	1237	8.7	12	5	6			
LE DX								
	22	3.4						

131

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.



326 PAS Hospitals, Western Region, January–December 1979

215: Gallbladder disease with calculus (574.0-574.2)

216: Gallbladder disease without mention of calculus (575)

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTIL				
				5th (5)	10th (6)	50th (7)	75th (8)	90 (9
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	19	3.6	28	1	1	2	4	5
20-34	225	2.8	5	1	1	2	3	5
35-49	209	2.8	3	<1	1	2	4	
50-64	232	3.5	42	<1	1	3	4	
65+	260	4.3	10	1	1	3	5	
B. *Operated*								
0-19 YRS	215	6.3	4	4	4	6	7	
20-34	2203	6.5	5	4	5	6		
35-49	2018	6.8	9	4	5	6		
50-64	2113	7.3	7	5	5	7		
65+	1237	8.7	12	5	6			
LE DX								
	22	3.4						

131

The patient was admitted on 3 November; therefore, the sixth day will fall on 9 November. Prior to or on 9 November, the committee or groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile (as suggested in the *PSRO Program Manual*, paragraph 705.26).

Subsequent extended stay review dates should be set by the physician advisor or the peer review (utilization review) committee as necessary, based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

A: Summary of all patients in diagnosis groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	200272	2.7	8	1	1	2	3	4	5	12
20-34	118797	3.2	17	<1	1	2	3	6	9	21
35-49	38836	4.8	29	1	1	3	6	10	14	27
50-64	33039	5.3	32	1	1	4	7	11	15	28
65+	32846	6.0	35	1	1	4	8	12	16	30
B. *Operated*										
0-19 YRS	82582	2.8	12	<1	1	2	3	5	7	16
20-34	150433	3.3	11	<1	1	2	4	6	8	16
35-49	66122	4.4	19	<1	1	3	6	9	12	21
50-64	63650	5.1	26	1	1	3	7	11	14	24
65+	57129	6.3	40	1	2	4	8	14	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114558	4.1	26	1	1	3	5	7	10	27
20-34	71146	5.0	37	1	1	3	6	10	16	31
35-49	61733	6.2	43	1	1	4	7	13	19	32
50-64	102321	6.8	45	1	2	5	8	14	19	33
65+	200467	8.2	57	2	2	6	10	16	22	40
B. *Operated*										
0-19 YRS	52565	5.0	63	<1	1	3	5	10	18	49
20-34	125395	5.1	39	1	1	4	6	9	14	35
35-49	81787	6.7	55	1	1	5	8	13	19	42
50-64	98945	8.4	82	1	2	6	11	17	24	50
65+	124336	11.2	117	2	2	8	15	24	32	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	423790	3.5	18	1	1	2	4	7	10	21
B. *Operated*	419916	4.0	20	<1	1	3	5	8	12	22
2. MULTIPLE DX										
A. *Not Operated*	550225	6.4	47	1	2	4	8	14	19	35
B. *Operated*	483028	7.6	79	1	1	5	9	17	24	49
1. SINGLE DX	843706	3.8	19	<1	1	2	4	8	11	21
2. MULTIPLE DX	1033253	7.0	62	1	1	5	8	15	21	42
A. NOT OPERATED	974015	5.2	36	1	1	3	6	11	16	30
B. OPERATED	902944	6.0	55	1	1	4	7	13	19	39
TOTAL 0-19 YRS	449977	3.3	20	1	1	2	4	6	8	23
20-34	465771	4.0	25	<1	1	3	5	8	11	25
35-49	248478	5.7	39	1	1	4	7	11	16	31
50-64	297955	6.8	54	1	1	5	9	14	20	38
65+	414778	8.7	74	1	2	6	11	18	24	46
GRAND TOTAL	**1876959**	**5.5**	**45**	**1**	**1**	**3**	**7**	**12**	**17**	**35**

B: Summary of all patients in diagnosis groups except newborn

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68703	3.2	20	<1	1	2	3	6	8	22
20-34	118797	3.2	17	<1	1	2	3	6	9	21
35-49	38836	4.8	29	1	1	3	6	10	14	27
50-64	33039	5.3	32	1	1	4	7	11	15	28
65+	32846	6.0	35	1	1	4	8	12	16	30
B. *Operated*										
0-19 YRS	82447	2.8	12	<1	1	2	3	5	7	16
20-34	150433	3.3	11	<1	1	2	4	6	8	16
35-49	66122	4.4	19	<1	1	3	6	9	12	21
50-64	63650	5.1	26	1	1	3	7	11	14	24
65+	57129	6.3	40	1	2	4	8	14	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54923	4.3	38	1	1	3	5	8	12	34
20-34	71146	5.0	37	1	1	3	6	10	16	31
35-49	61733	6.2	43	1	1	4	7	13	19	32
50-64	102321	6.8	45	1	2	5	8	14	19	33
65+	200467	8.2	57	2	2	6	10	16	22	40
B. *Operated*										
0-19 YRS	50078	4.6	50	<1	1	2	5	9	15	43
20-34	125395	5.1	39	1	1	4	6	9	14	35
35-49	81787	6.7	55	1	1	5	8	13	19	42
50-64	98945	8.4	82	1	2	6	11	17	24	50
65+	124336	11.2	117	2	2	8	15	24	32	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	292221	3.9	24	<1	1	2	4	8	12	24
B. *Operated*	419781	4.0	20	<1	1	3	5	8	12	22
2. MULTIPLE DX										
A. *Not Operated*	490590	6.8	50	1	1	5	8	14	20	36
B. *Operated*	480541	7.6	78	1	1	5	9	17	24	49
1. SINGLE DX	712002	4.0	22	<1	1	3	5	8	12	23
2. MULTIPLE DX	971131	7.2	64	1	1	5	9	15	21	43
A. NOT OPERATED	782811	5.7	42	1	1	4	7	12	17	32
B. OPERATED	900322	5.9	54	1	1	4	7	13	19	39
TOTAL 0-19 YRS	256151	3.6	28	<1	1	2	4	7	10	28
20-34	465771	4.0	25	<1	1	3	5	8	11	25
35-49	248478	5.7	39	1	1	4	7	11	16	31
50-64	297955	6.8	54	1	1	5	9	14	20	38
65+	414778	8.7	74	1	2	6	11	18	24	46
GRAND TOTAL	**1683133**	**5.8**	**48**	**1**	**1**	**4**	**7**	**13**	**18**	**36**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1562	3.0	6	1	1	2	4	5	7	14
20-34	799	2.8	5	1	1	2	4	5	7	12
35-49	337	3.4	10	1	1	3	4	6	7	14
50-64	265	3.3	8	1	1	3	4	5	7	14
65+	224	3.8	6	1	1	3	5	7	8	13
B. *Operated*										
0-19 YRS	38	5.2	23	2	2	4	5	8	9	32
20-34	52	6.9	31	2	2	5	9	15	18	25
35-49	17	5.8	12	3	3	4	7	11	14	15
50-64	7	5.7	7	2	2	7	8	9	9	9
65+	7	8.0	16	3	4	7	9	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1604	4.0	20	1	1	3	5	7	9	20
20-34	734	3.6	9	1	1	3	4	7	9	15
35-49	374	4.7	13	1	2	4	5	9	12	18
50-64	498	4.4	12	1	1	3	5	8	10	19
65+	877	5.4	22	1	2	4	7	10	13	25
B. *Operated*										
0-19 YRS	53	8.4	143	2	3	5	8	16	25	80
20-34	51	6.9	19	1	2	6	9	14	16	18
35-49	33	14.0	296	2	3	9	16	47	78	99+
50-64	47	11.6	145	3	3	7	12	26	42	60
65+	56	15.1	199	3	4	10	16	45	50	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3187	3.1	7	1	1	2	4	5	7	14
B. *Operated*	121	6.2	24	2	2	5	7	12	16	27
2. MULTIPLE DX										
A. *Not Operated*	4087	4.3	17	1	1	3	5	8	11	20
B. *Operated*	240	11.1	159	2	3	7	12	24	45	81
1. SINGLE DX	3308	3.2	8	1	1	3	4	6	7	15
2. MULTIPLE DX	4327	4.7	27	1	1	3	5	9	12	26
A. NOT OPERATED	7274	3.8	13	1	1	3	5	7	9	18
B. OPERATED	361	9.4	119	2	3	6	10	18	31	60
TOTAL 0-19 YRS	3257	3.6	16	1	1	3	4	6	8	19
20-34	1636	3.4	9	1	1	3	4	7	9	16
35-49	761	4.5	28	1	1	3	5	8	12	25
50-64	817	4.5	22	1	1	3	5	8	11	25
65+	1164	5.6	32	1	2	4	7	10	14	40
GRAND TOTAL	**7635**	**4.0**	**19**	**1**	**1**	**3**	**5**	**7**	**10**	**21**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	8.5	41	3	3	7	13	19	21	21
20-34	29	10.2	107	2	3	8	11	16	31	55
35-49	18	9.8	46	3	3	6	16	24	67	99+
50-64	17	10.6	91	2	2	7	13	25	33	37
65+	25	10.2	51	1	2	8	15	24	41	99+
B. *Operated*										
0-19 YRS	6	8.8	100	1	1	7	9	26	28	28
20-34	8	9.9	21	<1	2	9	14	15	15	15
35-49	15	9.4	45	2	2	6	15	19	20	21
50-64	22	9.1	41	1	2	8	14	15	20	28
65+	10	8.7	21	1	2	9	12	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	11.3	80	3	3	9	20	24	27	27
20-34	36	13.1	127	3	4	11	15	20	40	58
35-49	52	16.8	328	2	3	11	19	36	73	99+
50-64	59	13.4	213	3	3	9	16	40	67	99+
65+	88	12.8	107	2	4	10	17	28	34	51
B. *Operated*										
0-19 YRS	4	6.0	35	1	1	4	10	14	14	14
20-34	19	12.9	76	4	4	12	15	21	33	42
35-49	37	17.8	316	3	5	14	22	48	79	99+
50-64	43	14.1	121	3	5	11	18	29	47	99+
65+	61	19.7	310	3	5	14	23	43	63	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	10.0	70	2	3	8	14	21	28	99+
B. *Operated*	61	9.2	39	1	2	8	14	16	20	28
2. MULTIPLE DX										
A. *Not Operated*	245	13.8	181	3	3	10	18	31	44	99+
B. *Operated*	164	16.7	234	2	4	12	20	42	56	99
1. SINGLE DX	161	9.7	58	2	2	8	14	19	27	94
2. MULTIPLE DX	409	14.9	204	2	4	11	19	34	48	99+
A. NOT OPERATED	345	12.7	152	2	3	9	16	27	37	99+
B. OPERATED	225	14.7	192	2	3	11	18	30	47	95
TOTAL 0-19 YRS	31	9.2	61	1	2	7	14	21	27	28
20-34	92	11.9	101	3	4	10	14	19	31	57
35-49	122	15.2	255	2	3	11	19	35	67	99+
50-64	141	12.6	145	2	3	9	15	27	46	99+
65+	184	14.5	175	2	3	11	18	33	42	73
GRAND TOTAL	**570**	**13.5**	**168**	**2**	**3**	**10**	**17**	**28**	**44**	**99+**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+	3	7.0	63	1	1	4	13	16	16	16
B. *Operated*										
0-19 YRS	19	3.0	8	<1	<1	2	4	7	10	12
20-34	7	3.1	3	1	1	3	5	5	5	5
35-49	13	6.7	25	1	2	5	10	13	17	18
50-64	9	13.0	255	2	2	7	17	41	44	44
65+	8	11.9	194	<1	<1	6	22	34	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.8	122	1	1	4	15	25	25	25
20-34	7	5.9	46	1	1	2	10	17	18	18
35-49	3	28.3	641	9	9	19	47	57	57	57
50-64	5	32.2	717	7	7	19	52	73	73	73
65+	15	12.0	62	3	4	10	18	24	26	27
B. *Operated*										
0-19 YRS	10	11.4	206	1	1	6	9	38	42	42
20-34	19	14.4	356	1	2	10	14	31	62	84
35-49	6	19.2	399	3	3	11	25	54	57	57
50-64	19	17.1	278	4	5	13	20	35	61	74
65+	24	16.4	187	1	2	11	27	36	44	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.3	26	1	1	4	7	14	16	16
B. *Operated*	56	6.8	87	<1	1	3	8	14	34	44
2. MULTIPLE DX										
A. *Not Operated*	34	14.8	259	1	2	10	19	29	55	73
B. *Operated*	78	15.6	259	1	2	10	20	35	46	81
1. SINGLE DX	64	6.6	79	<1	1	3	8	14	32	43
2. MULTIPLE DX	112	15.4	257	1	2	10	20	35	46	78
A. NOT OPERATED	42	13.0	227	1	1	8	18	26	50	73
B. OPERATED	134	11.9	205	1	1	7	14	34	43	76
TOTAL 0-19 YRS	34	6.3	87	<1	1	3	6	13	32	42
20-34	36	9.5	220	1	1	4	12	18	32	84
35-49	23	12.8	230	1	2	9	13	31	57	57
50-64	33	18.3	349	2	3	11	20	45	69	74
65+	50	13.8	143	1	1	10	20	32	36	46
GRAND TOTAL	**176**	**12.2**	**209**	**1**	**1**	**7**	**15**	**30**	**44**	**74**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	2.5	2	1	1	2	3	4	5	6
20-34	87	3.1	3	1	2	3	4	5	6	10
35-49	21	2.4	2	1	1	2	3	4	5	6
50-64	13	3.8	10	2	2	3	4	7	13	14
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	49	1.7		<1	<1	2	2	2	3	3
20-34	15	2.1	1	1	1	2	3	3	3	3
35-49	1	16.0		16	16	16	16	16	16	16
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	302	3.1	4	1	1	3	4	6	7	11
20-34	125	3.5	6	1	2	3	4	6	7	16
35-49	28	3.9	12	2	2	3	4	6	15	16
50-64	35	3.9	3	2	2	4	5	6	7	9
65+	26	4.8	7	2	2	4	6	9	10	12
B. *Operated*										
0-19 YRS	24	3.3	13	<1	1	2	3	9	12	16
20-34	4	5.3	27	2	2	3	8	13	13	13
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	10.0	18	7	7	10	13	13	13	13
65+	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	268	2.7	2	1	1	2	3	4	5	8
B. *Operated*	66	2.0	4	<1	1	2	2	3	3	14
2. MULTIPLE DX										
A. *Not Operated*	516	3.4	5	1	1	3	4	6	7	13
B. *Operated*	32	4.1	16	<1	1	2	5	11	13	16
1. SINGLE DX	334	2.6	3	1	1	2	3	4	5	8
2. MULTIPLE DX	548	3.4	6	1	1	3	4	6	8	14
A. NOT OPERATED	784	3.2	4	1	1	3	4	6	7	12
B. OPERATED	98	2.7	9	<1	1	2	3	4	10	16
TOTAL 0-19 YRS	521	2.8	4	1	1	2	3	5	6	11
20-34	231	3.3	5	1	2	3	4	6	7	14
35-49	51	3.6	11	1	1	3	4	6	15	16
50-64	51	4.1	6	2	2	3	5	6	9	14
65+	28	4.7	6	2	2	4	6	9	10	12
GRAND TOTAL	**882**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	160	5.3	14	1	2	4	7	10	12	19
20-34	15	7.3	85	2	2	4	7	13	32	38
35-49	12	7.8	31	3	3	6	9	16	21	22
50-64	14	7.4	21	2	3	6	9	15	17	18
65+	30	7.7	29	2	2	6	10	16	18	22
B. *Operated*										
0-19 YRS	16	6.9	12	2	3	6	9	11	13	14
20-34	3	14.3	72	8	8	11	21	24	24	24
35-49	2	14.5	41	10	10	14	19	19	19	19
50-64	1	6.0		6	6	6	6	6	6	6
65+	4	20.0	210	3	3	20	31	36	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	183	6.5	20	1	2	5	9	12	16	23
20-34	98	8.1	35	2	3	6	11	16	19	31
35-49	71	9.7	44	2	3	8	13	19	23	31
50-64	182	11.1	74	3	3	8	14	22	30	43
65+	563	13.9	104	4	5	11	17	25	37	63
B. *Operated*										
0-19 YRS	24	11.6	58	2	4	10	15	24	29	29
20-34	32	20.8	244	1	3	20	28	38	44	77
35-49	34	20.5	299	6	8	15	22	37	68	84
50-64	74	21.8	294	4	7	16	25	45	59	85
65+	115	23.3	327	4	7	18	29	50	65	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	6.0	22	1	2	4	8	11	15	22
B. *Operated*	26	10.3	66	3	3	8	11	23	29	36
2. MULTIPLE DX										
A. *Not Operated*	1097	11.4	83	2	3	9	14	22	29	52
B. *Operated*	279	21.3	289	4	6	16	27	43	59	90
1. SINGLE DX	257	6.4	28	1	2	5	9	13	16	27
2. MULTIPLE DX	1376	13.4	140	3	4	10	16	27	36	68
A. NOT OPERATED	1328	10.5	77	2	3	8	14	21	27	49
B. OPERATED	305	20.3	279	4	5	16	25	41	57	89
TOTAL 0-19 YRS	383	6.3	21	1	2	5	9	12	15	25
20-34	148	10.9	112	2	2	7	14	25	33	45
35-49	119	12.7	138	3	4	9	16	23	31	78
50-64	271	13.8	155	3	4	10	17	29	41	62
65+	712	15.2	151	4	5	12	18	29	39	76
GRAND TOTAL	**1633**	**12.3**	**129**	**2**	**3**	**9**	**15**	**25**	**34**	**64**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	6.5	17	2	2	6	10	12	15	37
20-34	26	5.5	15	1	2	5	7	12	14	15
35-49	22	5.2	15	1	2	4	6	11	14	15
50-64	22	5.9	52	1	2	4	6	11	22	35
65+	15	7.3	24	1	3	6	8	16	19	20
B. *Operated*										
0-19 YRS	9	6.2	27	1	1	4	11	13	14	14
20-34	6	5.7	25	1	1	5	6	14	15	15
35-49	8	15.8	246	3	3	9	24	42	48	48
50-64	7	8.4	28	<1	1	9	12	15	16	16
65+	3	12.3	30	6	6	15	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	7.7	36	1	2	5	11	15	21	28
20-34	40	5.0	18	2	2	4	6	9	13	24
35-49	28	6.1	14	2	2	5	8	12	14	15
50-64	60	8.5	83	2	3	5	10	16	22	59
65+	110	10.4	86	2	3	7	14	22	32	45
B. *Operated*										
0-19 YRS	13	15.8	192	2	3	11	22	37	46	48
20-34	16	16.6	170	2	5	12	24	36	42	45
35-49	18	20.1	373	2	3	13	30	52	57	59
50-64	24	12.6	114	1	1	10	18	27	35	43
65+	31	19.5	249	3	6	15	29	46	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	213	6.3	20	2	2	5	9	12	15	26
B. *Operated*	33	9.5	88	1	1	7	13	17	27	48
2. MULTIPLE DX										
A. *Not Operated*	339	8.2	58	2	2	5	10	16	23	38
B. *Operated*	102	17.1	219	2	3	12	24	42	51	83
1. SINGLE DX	246	6.7	30	1	2	5	10	13	15	35
2. MULTIPLE DX	441	10.2	109	2	2	7	13	23	32	56
A. NOT OPERATED	552	7.4	44	2	2	5	10	15	20	35
B. OPERATED	135	15.2	197	1	2	11	20	36	48	72
TOTAL 0-19 YRS	251	7.5	37	2	2	6	10	14	19	34
20-34	88	7.3	62	2	2	5	8	15	24	42
35-49	86	9.7	142	2	3	6	10	20	48	57
50-64	103	8.9	83	1	2	5	11	19	27	51
65+	159	11.9	124	2	3	8	16	27	36	67
GRAND TOTAL	**687**	**9.0**	**83**	**2**	**2**	**6**	**11**	**19**	**28**	**52**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	538	3.4	5	1	1	3	4	6	7	12
20-34	493	3.7	5	1	2	3	4	7	8	12
35-49	70	4.3	9	1	1	3	5	9	11	15
50-64	11	6.4	15	2	3	5	8	12	16	16
65+	5	5.6	21	2	2	3	10	12	12	12
B. *Operated*										
0-19 YRS	10	5.0	6	2	2	5	7	8	9	9
20-34	8	11.0	263	1	1	6	10	39	50	50
35-49	4	4.5	14	1	1	4	7	9	9	9
50-64	6	6.3	12	2	2	6	9	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	202	4.5	46	1	2	3	5	8	11	96
20-34	162	5.0	12	2	2	4	6	9	11	19
35-49	22	5.4	16	1	2	4	7	12	15	17
50-64	13	13.1	115	2	3	10	18	30	35	36
65+	9	13.6	47	5	6	11	20	23	23	23
B. *Operated*										
0-19 YRS	10	12.0	53	4	5	11	13	24	28	28
20-34	12	11.6	100	4	5	8	14	25	38	40
35-49										
50-64	3	12.0	129	4	4	7	20	25	25	25
65+	2	16.0	8	14	14	16	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1117	3.6	6	1	1	3	4	6	8	12
B. *Operated*	28	6.9	81	1	1	6	8	11	16	50
2. MULTIPLE DX										
A. *Not Operated*	408	5.2	36	1	2	4	6	10	12	33
B. *Operated*	27	12.1	72	4	4	9	15	24	30	40
1. SINGLE DX	1145	3.7	8	1	1	3	4	7	9	13
2. MULTIPLE DX	435	5.7	41	1	2	4	6	11	15	37
A. NOT OPERATED	1525	4.1	14	1	2	3	5	7	10	15
B. OPERATED	55	9.5	82	1	2	7	12	18	27	49
TOTAL 0-19 YRS	760	3.8	17	1	1	3	5	7	9	14
20-34	675	4.2	13	1	2	3	5	8	10	15
35-49	96	4.6	11	1	2	4	6	9	12	16
50-64	33	9.5	69	2	3	7	10	25	28	36
65+	16	11.4	48	2	2	10	17	22	23	23
GRAND TOTAL	**1580**	**4.2**	**18**	**1**	**2**	**3**	**5**	**8**	**11**	**19**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	201	3.0	4	1	1	3	4	5	6	12
20-34	59	3.9	15	1	1	3	5	6	9	26
35-49	36	3.7	5	1	1	3	5	7	8	9
50-64	57	5.1	14	1	2	4	7	10	11	23
65+	125	6.2	18	1	2	5	9	12	14	21
B. *Operated*										
0-19 YRS	4	3.3	2	2	2	3	4	5	5	5
20-34	7	2.7	2	<1	<1	3	4	4	4	4
35-49	10	7.2	68	2	2	5	6	19	30	30
50-64	8	13.1	216	<1	1	6	24	36	37	37
65+	7	10.1	131	<1	<1	5	20	28	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	342	3.3	5	1	1	3	4	6	8	12
20-34	119	5.4	26	2	2	4	6	9	12	31
35-49	38	7.2	87	1	1	5	8	12	26	52
50-64	125	6.4	18	1	2	6	9	11	13	22
65+	564	9.5	55	2	3	7	12	19	23	39
B. *Operated*										
0-19 YRS	15	9.1	44	1	2	9	15	22	77	99+
20-34	21	6.3	32	<1	1	5	8	17	19	21
35-49	13	8.9	47	1	2	9	12	21	22	22
50-64	19	8.9	214	3	3	5	7	13	44	68
65+	54	13.6	160	2	3	9	17	31	43	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	478	4.3	12	1	1	3	5	9	11	19
B. *Operated*	36	7.8	99	<1	<1	4	7	28	33	37
2. MULTIPLE DX										
A. *Not Operated*	1188	6.9	42	1	2	5	9	15	20	34
B. *Operated*	122	10.6	125	2	2	7	13	24	36	77
1. SINGLE DX	514	4.5	19	1	1	3	5	9	11	25
2. MULTIPLE DX	1310	7.2	51	1	2	5	9	16	21	39
A. NOT OPERATED	1666	6.1	35	1	2	4	8	13	18	30
B. OPERATED	158	9.9	120	1	2	6	12	25	35	67
TOTAL 0-19 YRS	562	3.3	6	1	1	3	4	6	8	15
20-34	206	5.0	23	1	2	4	5	9	13	28
35-49	97	6.1	51	1	1	4	7	11	21	42
50-64	209	6.5	43	1	2	5	8	11	14	36
65+	750	9.2	60	2	2	7	12	19	23	40
GRAND TOTAL	**1824**	**6.5**	**43**	**1**	**2**	**4**	**8**	**14**	**20**	**34**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	179	5.0	14	1	2	4	7	9	11	18
20-34	469	6.0	15	2	2	5	8	11	13	21
35-49	157	6.5	18	2	2	5	8	12	15	18
50-64	64	7.3	24	2	2	6	10	14	17	22
65+	28	6.8	11	2	3	6	10	12	12	13
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	29	7.1	31	1	1	6	11	16	17	18
35-49	23	6.8	24	<1	1	7	10	14	16	17
50-64	18	8.7	44	<1	1	7	16	18	19	19
65+	7	15.1	153	1	2	10	28	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	5.3	17	2	2	4	7	10	13	25
20-34	229	6.5	24	2	2	5	8	12	15	22
35-49	82	8.4	39	2	3	7	10	17	21	34
50-64	85	8.1	26	2	3	7	11	15	19	75
65+	88	10.4	46	3	3	9	14	18	24	35
B. *Operated*										
0-19 YRS	5	7.8	40	1	1	8	12	17	17	17
20-34	22	12.6	340	1	2	7	13	26	54	88
35-49	22	10.2	104	1	1	6	12	32	34	35
50-64	21	11.5	74	2	2	10	13	24	30	36
65+	18	14.6	104	1	3	13	21	31	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	897	6.0	16	2	2	5	8	11	13	20
B. *Operated*	78	8.1	45	1	1	7	12	17	18	32
2. MULTIPLE DX										
A. *Not Operated*	562	7.5	31	2	2	6	10	14	18	30
B. *Operated*	88	11.9	150	1	2	9	15	25	35	68
1. SINGLE DX	975	6.2	19	2	2	5	8	12	14	21
2. MULTIPLE DX	650	8.1	49	2	2	6	10	15	21	35
A. NOT OPERATED	1459	6.6	22	2	2	5	8	13	15	24
B. OPERATED	166	10.1	104	1	1	8	13	19	32	36
TOTAL 0-19 YRS	263	5.2	15	2	2	4	7	9	12	19
20-34	749	6.4	29	2	2	5	8	12	15	22
35-49	284	7.4	32	1	2	6	9	14	17	33
50-64	188	8.3	33	1	2	7	12	16	19	34
65+	141	10.5	56	2	3	9	14	20	27	36
GRAND TOTAL	**1625**	**6.9**	**32**	**2**	**2**	**6**	**9**	**13**	**17**	**31**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	258	3.7	6	1	1	3	5	6	8	15
20-34	102	4.3	11	1	2	3	5	8	9	20
35-49	13	3.5	3	2	2	3	4	6	7	7
50-64	6	6.7	23	2	2	6	6	15	16	16
65+	2	10.5	85	4	4	10	17	17	17	17
B. *Operated*										
0-19 YRS	6	4.5	4	2	2	4	6	7	7	7
20-34	3	5.0	3	3	3	6	6	6	6	6
35-49	2	10.5	25	7	7	10	14	14	14	14
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	273	3.8	5	1	2	3	5	6	7	11
20-34	106	3.8	4	1	2	3	5	6	8	10
35-49	19	6.1	15	1	2	4	8	12	15	16
50-64	7	5.9	11	2	2	6	8	11	11	11
65+	3	8.3	12	5	5	8	11	12	12	12
B. *Operated*										
0-19 YRS	7	12.0	233	3	3	6	10	39	46	46
20-34	6	7.2	9	3	3	7	8	12	12	12
35-49	1	19.0		19	19	19	19	19	19	19
50-64	2	16.0	200	6	6	16	26	26	26	26
65+	1	21.0		21	21	21	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	381	3.9	8	1	1	3	5	7	9	17
B. *Operated*	12	5.8	9	2	3	6	7	9	13	14
2. MULTIPLE DX										
A. *Not Operated*	408	4.0	6	1	2	3	5	7	8	12
B. *Operated*	17	11.7	121	3	3	8	14	25	39	46
1. SINGLE DX	393	4.0	8	1	1	3	5	7	9	17
2. MULTIPLE DX	425	4.3	13	1	2	4	5	7	9	19
A. NOT OPERATED	789	4.0	7	1	2	3	5	7	8	16
B. OPERATED	29	9.2	82	3	3	6	9	20	27	46
TOTAL 0-19 YRS	544	3.9	9	1	1	3	5	6	8	13
20-34	217	4.2	8	1	2	3	5	8	9	16
35-49	35	5.7	18	2	2	4	7	13	15	19
50-64	16	7.4	37	2	2	6	8	15	23	26
65+	6	11.2	46	4	4	10	17	21	21	21
GRAND TOTAL	**818**	**4.1**	**11**	**1**	**2**	**3**	**5**	**7**	**9**	**18**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	12	2.3	6	<1	<1	1	2	6	9	9
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	130	1.9	2	<1	<1	1	2	3	4	8
20-34	441	2.0	2	<1	<1	2	3	4	4	6
35-49	80	2.1	2	<1	<1	2	3	4	5	7
50-64	36	2.3	4	<1	<1	2	2	4	7	11
65+	4	2.3	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	9	1	1	3	6	8	8	8
20-34	9	2.3	5	<1	<1	1	3	6	8	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	26	2.5	3	<1	1	2	3	5	7	7
20-34	135	2.7	7	<1	<1	2	3	5	6	16
35-49	44	3.3	5	<1	1	3	5	6	7	12
50-64	17	2.6	2	<1	<1	3	3	5	5	5
65+	10	3.0	2	2	2	3	3	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.4	5	<1	<1	1	3	6	8	9
B. *Operated*	691	2.0	2	<1	<1	2	2	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	18	3.3	11	<1	1	2	5	8	10	12
B. *Operated*	232	2.8	6	<1	<1	2	3	5	6	13
1. SINGLE DX	708	2.0	2	<1	<1	2	2	4	4	7
2. MULTIPLE DX	250	2.8	6	<1	<1	2	3	5	7	12
A. NOT OPERATED	35	2.9	8	<1	<1	1	3	8	9	12
B. OPERATED	923	2.2	3	<1	<1	2	3	4	5	9
TOTAL 0-19 YRS	163	2.0	3	<1	<1	2	2	4	5	8
20-34	597	2.2	3	<1	<1	2	3	4	5	10
35-49	127	2.5	3	<1	<1	2	3	5	6	9
50-64	56	2.5	4	<1	<1	2	3	5	6	11
65+	15	3.4	7	<1	2	3	3	6	10	12
GRAND TOTAL	**958**	**2.2**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**10**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	757	2.7	5	1	1	2	3	5	6	8
20-34	343	3.3	6	1	1	3	4	6	7	16
35-49	130	4.0	18	1	1	3	5	7	10	29
50-64	88	4.3	13	1	1	3	5	8	10	21
65+	79	4.2	14	1	1	3	5	8	13	21
B. *Operated*										
0-19 YRS	36	2.5	3	<1	<1	2	3	5	5	9
20-34	19	4.6	9	1	1	4	6	9	11	12
35-49	8	5.5	64	<1	<1	3	5	19	25	25
50-64	6	8.5	104	1	1	3	14	26	27	27
65+	2	6.0	32	2	2	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	852	3.1	12	1	1	2	4	5	7	12
20-34	421	3.8	13	1	1	3	4	7	10	16
35-49	237	4.3	14	1	2	3	5	8	10	19
50-64	300	4.6	17	1	2	4	5	8	11	29
65+	380	5.7	18	2	2	4	7	11	14	23
B. *Operated*										
0-19 YRS	32	7.0	217	1	1	4	7	10	12	86
20-34	33	8.0	95	1	2	6	9	14	20	56
35-49	25	9.8	94	2	2	6	13	20	33	42
50-64	30	8.2	32	2	2	6	14	18	19	99+
65+	30	9.0	45	2	3	7	10	18	23	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1397	3.2	8	1	1	2	4	6	7	15
B. *Operated*	71	4.0	22	<1	<1	3	4	8	12	27
2. MULTIPLE DX										
A. *Not Operated*	2190	4.0	15	1	1	3	5	7	10	19
B. *Operated*	150	8.3	96	1	2	6	9	17	21	86
1. SINGLE DX	1468	3.2	9	1	1	3	4	6	7	15
2. MULTIPLE DX	2340	4.3	21	1	1	3	5	8	11	23
A. NOT OPERATED	3587	3.7	12	1	1	3	4	7	9	17
B. OPERATED	221	6.9	76	1	1	4	9	15	20	64
TOTAL 0-19 YRS	1677	3.0	13	1	1	2	4	5	6	11
20-34	816	3.8	14	1	1	3	4	7	9	16
35-49	400	4.6	23	1	1	3	5	9	13	30
50-64	424	4.9	19	1	2	4	6	9	14	29
65+	491	5.6	20	2	2	4	7	11	15	24
GRAND TOTAL	**3808**	**3.9**	**17**	**1**	**1**	**3**	**4**	**7**	**10**	**20**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	4.6	5	1	2	4	6	8	9	9
20-34	44	3.6	3	1	2	3	4	6	8	9
35-49	11	3.7	6	1	1	3	4	7	10	10
50-64	10	3.5	1	2	2	3	4	5	5	5
65+	2	3.5	13	<1	<1	3	6	6	6	6
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	5.3	9	3	3	4	6	10	12	13
20-34	22	4.3	4	2	2	4	6	7	8	9
35-49	8	8.0	26	3	3	7	12	16	16	16
50-64	11	6.5	16	1	2	5	9	13	15	15
65+	6	7.8	54	1	1	7	9	20	21	21
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34										
35-49	1	25.0		25	25	25	25	25	25	25
50-64	1	13.0		13	13	13	13	13	13	13
65+	3	5.7	16	2	2	5	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	3.8	4	1	2	3	5	7	9	10
B. *Operated*	4	7.5	38	2	2	6	12	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	62	5.7	15	2	2	4	7	10	15	20
B. *Operated*	6	13.0	88	2	2	11	23	25	25	25
1. SINGLE DX	92	4.0	6	1	2	3	5	7	9	13
2. MULTIPLE DX	68	6.4	25	2	2	5	8	13	16	25
A. NOT OPERATED	150	4.6	10	1	2	4	6	9	10	16
B. OPERATED	10	10.8	70	2	2	9	16	24	25	25
TOTAL 0-19 YRS	39	5.4	15	2	2	4	7	9	12	23
20-34	67	3.8	4	2	2	3	5	7	8	9
35-49	20	6.5	36	1	2	4	8	15	20	25
50-64	22	5.4	13	1	2	4	6	12	14	15
65+	12	7.3	39	<1	1	6	9	17	20	21
GRAND TOTAL	**160**	**5.0**	**15**	**1**	**2**	**4**	**6**	**9**	**13**	**23**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	5.2	17	2	2	4	6	9	11	26
20-34	146	4.4	8	1	2	4	5	8	9	15
35-49	21	5.0	5	2	2	5	7	8	9	10
50-64	7	1.4	1	1	1	1	2	3	3	3
65+	5	5.8	53	<1	<1	2	10	18	18	18
B. *Operated*										
0-19 YRS	18	3.3	8	<1	1	2	6	7	9	11
20-34	59	3.4	10	<1	<1	2	5	7	10	17
35-49	13	3.0	14	<1	<1	2	2	10	12	13
50-64	4	7.0	115	1	1	2	13	23	23	23
65+	7	3.1	4	1	1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	4.6	5	2	2	4	6	7	9	11
20-34	164	5.1	11	1	2	4	6	9	11	19
35-49	26	6.3	13	2	3	5	7	11	15	16
50-64	28	7.2	61	1	1	5	8	16	19	39
65+	42	7.9	40	1	2	5	12	16	22	25
B. *Operated*										
0-19 YRS	13	3.6	4	<1	<1	3	6	6	7	7
20-34	39	5.5	13	<1	1	5	8	10	12	17
35-49	19	6.8	108	<1	1	4	7	13	33	47
50-64	15	6.7	62	<1	1	4	8	20	27	29
65+	8	5.6	12	2	2	5	7	11	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	277	4.7	12	1	2	4	6	8	10	17
B. *Operated*	101	3.4	13	<1	<1	2	4	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	336	5.6	19	1	2	4	7	11	15	21
B. *Operated*	94	5.7	38	<1	1	4	7	10	16	39
1. SINGLE DX	378	4.4	12	1	1	4	5	8	10	18
2. MULTIPLE DX	430	5.6	23	1	2	4	7	11	15	24
A. NOT OPERATED	613	5.2	16	1	2	4	6	9	12	19
B. OPERATED	195	4.5	26	<1	1	3	6	9	12	26
TOTAL 0-19 YRS	205	4.7	11	1	2	4	6	8	10	14
20-34	408	4.6	10	1	1	4	6	9	11	18
35-49	79	5.6	35	<1	1	4	7	10	14	38
50-64	54	6.3	58	1	1	3	7	17	22	39
65+	62	6.9	35	1	1	5	10	15	19	25
GRAND TOTAL	**808**	**5.0**	**18**	**1**	**1**	**4**	**6**	**9**	**12**	**20**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	6.0	24	1	1	4	7	15	16	16
20-34	22	6.8	51	1	1	5	7	13	24	34
35-49	29	5.5	60	<1	<1	3	5	17	24	33
50-64	16	21.9	512	3	4	11	30	62	73	77
65+	9	10.0	51	2	3	7	16	21	22	22
B. *Operated*										
0-19 YRS	5	10.2	50	2	2	14	16	16	16	16
20-34	128	2.6	20	1	1	1	1	7	14	46
35-49	65	5.6	24	1	1	6	8	12	14	22
50-64	127	3.1	16	1	1	1	4	8	10	22
65+	25	10.1	48	1	5	8	11	22	26	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	7.2	142	<1	1	3	6	15	29	68
20-34	38	7.8	63	1	2	5	10	15	28	38
35-49	29	8.3	55	1	2	6	9	16	24	37
50-64	47	12.5	239	2	3	6	14	26	49	79
65+	62	9.7	53	2	3	7	11	22	26	34
B. *Operated*										
0-19 YRS	8	21.6	836	2	3	11	26	73	87	87
20-34	35	15.9	171	1	2	16	23	35	56	99+
35-49	86	9.5	269	1	1	2	10	29	37	90
50-64	56	17.0	425	2	3	11	19	40	89	99+
65+	57	13.2	137	2	3	9	16	33	39	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	9.2	159	<1	1	4	10	23	33	72
B. *Operated*	350	4.0	26	1	1	1	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	215	9.3	113	1	2	6	11	21	30	59
B. *Operated*	242	13.4	284	1	1	8	17	33	46	98
1. SINGLE DX	442	5.1	58	1	1	2	7	12	18	35
2. MULTIPLE DX	457	11.5	207	1	1	7	14	28	38	90
A. NOT OPERATED	307	9.3	127	1	2	6	11	21	31	66
B. OPERATED	592	7.8	153	1	1	3	10	19	32	89
TOTAL 0-19 YRS	68	8.8	200	1	2	4	10	16	35	84
20-34	223	6.0	76	1	1	2	7	18	26	71
35-49	209	7.6	136	1	1	4	9	17	30	69
50-64	246	9.3	226	1	1	5	11	22	43	90
65+	153	11.1	84	2	3	8	14	23	32	40
GRAND TOTAL	**899**	**8.3**	**144**	**1**	**1**	**5**	**10**	**20**	**32**	**82**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.8	5	<1	<1	2	3	6	7	7
20-34	7	3.7	7	1	1	3	6	8	8	8
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	3	4.0	9	1	1	4	6	7	7	7
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	17	3.7	5	2	2	3	4	5	10	12
20-34	14	7.3	61	1	1	4	8	24	25	25
35-49	6	5.7	24	<1	<1	5	11	11	11	11
50-64	3	4.3	33	<1	<1	1	8	11	11	11
65+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.7	17	2	2	3	4	12	13	13
20-34	17	4.8	6	1	1	5	6	8	9	10
35-49	5	6.6	21	2	2	5	11	12	12	12
50-64	3	5.3	5	4	4	4	7	8	8	8
65+	6	6.0	13	1	1	5	9	11	11	11
B. *Operated*										
0-19 YRS	14	4.6	11	3	3	3	4	10	13	14
20-34	15	5.3	32	<1	<1	2	9	15	18	19
35-49	5	7.8	29	1	1	11	12	13	13	13
50-64	4	16.5	294	5	5	9	26	42	42	42
65+	5	5.8	7	3	3	5	7	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.2	5	<1	1	3	4	7	7	8
B. *Operated*	41	5.6	32	<1	1	3	6	12	20	25
2. MULTIPLE DX										
A. *Not Operated*	37	5.3	10	1	2	5	7	11	12	13
B. *Operated*	43	6.5	50	<1	1	4	10	13	16	42
1. SINGLE DX	66	4.7	23	1	1	3	5	11	13	25
2. MULTIPLE DX	80	5.9	31	1	1	4	8	11	14	35
A. NOT OPERATED	62	4.4	9	1	1	4	6	9	11	13
B. OPERATED	84	6.0	41	<1	1	4	9	12	17	36
TOTAL 0-19 YRS	47	3.9	8	1	2	3	4	7	12	14
20-34	53	5.5	28	<1	1	4	7	11	18	25
35-49	19	6.0	21	<1	1	4	11	12	13	13
50-64	13	8.2	115	<1	1	5	9	17	37	42
65+	14	6.2	17	1	1	5	9	11	15	16
GRAND TOTAL	**146**	**5.4**	**28**	**1**	**1**	**4**	**7**	**11**	**13**	**26**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	4.4	9	1	2	4	5	9	12	13
20-34	25	3.7	3	<1	2	3	5	6	7	7
35-49	11	6.5	30	1	2	4	10	16	17	17
50-64	5	5.0	6	3	3	4	6	9	9	9
65+	4	5.3	4	4	4	5	6	8	8	8
B. *Operated*										
0-19 YRS	6	4.2	18	1	1	2	6	11	12	12
20-34	70	3.9	16	1	1	2	4	8	10	23
35-49	51	3.6	12	1	1	2	4	8	11	19
50-64	18	6.7	82	<1	1	3	8	18	30	37
65+	10	5.0	14	1	1	3	9	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	4.2	12	1	1	4	5	7	8	23
20-34	31	5.5	23	1	2	4	6	12	14	24
35-49	33	8.6	170	1	2	5	7	24	59	99+
50-64	27	6.2	22	2	2	4	9	13	18	18
65+	23	8.8	53	2	2	8	10	23	27	29
B. *Operated*										
0-19 YRS	4	12.8	209	2	2	7	21	34	34	34
20-34	42	9.2	122	1	1	5	10	22	26	62
35-49	35	9.4	89	1	1	7	15	25	32	36
50-64	29	8.2	48	1	2	7	11	17	22	32
65+	16	11.7	112	1	2	8	22	28	30	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	4.6	10	1	2	4	5	8	12	17
B. *Operated*	155	4.2	23	1	1	2	5	9	12	25
2. MULTIPLE DX										
A. *Not Operated*	158	6.4	57	1	2	4	7	12	22	59
B. *Operated*	126	9.4	95	1	1	6	13	23	30	42
1. SINGLE DX	225	4.3	19	1	1	3	5	9	12	21
2. MULTIPLE DX	284	7.7	76	1	2	5	9	19	25	58
A. NOT OPERATED	228	5.8	43	1	2	4	6	11	17	54
B. OPERATED	281	6.5	62	1	1	3	8	16	23	35
TOTAL 0-19 YRS	79	4.7	22	1	1	4	5	8	12	31
20-34	168	5.5	46	1	1	3	6	11	19	28
35-49	130	6.7	79	1	1	4	7	16	25	68
50-64	79	7.0	44	1	2	4	10	13	20	36
65+	53	8.7	64	2	2	7	10	23	28	31
GRAND TOTAL	**509**	**6.2**	**53**	**1**	**1**	**4**	**8**	**13**	**22**	**36**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	5	3.2	1	2	2	3	4	4	4	4
20-34	6	6.5	28	3	3	5	6	16	17	17
35-49	3	3.7		3	3	4	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	7	6.6	18	2	2	7	9	13	14	14
50-64	4	6.3	10	4	4	5	8	11	11	11
65+	10	13.6	345	3	3	6	13	40	65	65
B. *Operated*										
0-19 YRS	6	5.2	7	<1	<1	5	8	8	8	8
20-34	10	11.9	363	2	2	6	9	40	65	65
35-49	4	4.0	1	3	3	4	5	5	5	5
50-64	10	8.5	58	1	1	6	13	20	26	26
65+	8	9.3	40	4	4	10	14	69	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.3	10	2	2	3	7	8	8	8
B. *Operated*	16	5.3	22	2	2	4	5	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	23	9.2	165	2	2	6	10	14	33	65
B. *Operated*	38	8.6	118	1	2	5	10	20	47	99+
1. SINGLE DX	19	5.2	19	2	2	4	5	13	17	17
2. MULTIPLE DX	61	8.8	133	1	2	5	10	15	41	96
A. NOT OPERATED	26	8.6	148	2	2	5	9	14	26	65
B. OPERATED	54	7.6	91	2	2	5	9	17	25	98
TOTAL 0-19 YRS	12	4.2	5	<1	1	4	5	8	8	8
20-34	19	8.9	201	1	2	5	8	16	43	65
35-49	15	5.0	11	2	2	4	6	9	13	14
50-64	15	7.5	43	1	2	5	11	14	23	26
65+	19	11.9	194	3	4	9	14	44	82	99+
GRAND TOTAL	**80**	**7.9**	**108**	**2**	**2**	**5**	**9**	**15**	**24**	**89**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	1	2	2	4	4	4	4	4
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	11	5.1	62	1	1	2	5	15	27	28
50-64	47	5.1	41	1	1	4	6	8	11	44
65+	50	6.3	55	1	1	5	7	10	17	47
B. *Operated*										
0-19 YRS	3	6.3	1	5	5	7	7	7	7	7
20-34	23	4.3	11	<1	<1	3	6	10	11	12
35-49	62	4.4	24	<1	1	3	5	8	14	29
50-64	244	5.5	74	<1	1	3	6	10	14	53
65+	253	5.0	38	<1	1	3	6	10	14	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	7.6	81	1	2	4	9	11	31	38
20-34	8	4.4	13	1	1	2	8	9	9	9
35-49	29	5.2	23	1	1	3	7	11	13	22
50-64	115	7.7	110	1	1	4	8	17	33	55
65+	180	8.9	90	1	2	5	11	22	31	45
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	14	6.0	24	1	2	4	9	12	17	19
35-49	79	8.0	95	1	2	4	10	20	36	41
50-64	327	11.1	168	1	2	7	15	24	36	77
65+	391	9.7	140	1	2	6	12	22	36	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	5.5	46	1	1	4	6	9	12	45
B. *Operated*	585	5.1	50	<1	1	3	6	10	13	36
2. MULTIPLE DX										
A. *Not Operated*	347	8.0	90	1	1	5	10	19	29	48
B. *Operated*	813	10.1	145	1	2	6	13	22	36	71
1. SINGLE DX	702	5.2	49	<1	1	3	6	10	13	38
2. MULTIPLE DX	1160	9.4	130	1	2	6	12	22	34	58
A. NOT OPERATED	464	7.4	80	1	1	4	8	15	28	47
B. OPERATED	1398	9.0	111	1	1	4	9	18	28	58
TOTAL 0-19 YRS	26	6.0	50	1	2	4	7	11	17	38
20-34	48	4.7	15	<1	1	3	7	10	11	19
35-49	181	6.2	59	<1	1	3	6	15	21	40
50-64	733	8.3	126	1	1	4	10	19	29	59
65+	874	8.0	99	1	1	5	9	17	29	56
GRAND TOTAL	**1862**	**7.8**	**104**	**1**	**1**	**4**	**9**	**17**	**28**	**54**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	4.0	3	2	2	4	5	6	6	6
50-64	16	3.6	8	<1	1	4	4	8	10	11
65+	30	3.7	7	<1	<1	3	4	8	9	11
B. *Operated*										
0-19 YRS										
20-34										
35-49	9	7.0	33	<1	1	6	9	16	20	20
50-64	48	10.0	64	1	1	9	16	23	24	27
65+	64	9.8	130	1	1	6	13	23	28	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	7	7.9	43	1	1	5	13	17	18	18
50-64	51	9.3	152	1	2	6	12	18	25	83
65+	82	7.9	46	2	2	6	11	14	22	35
B. *Operated*										
0-19 YRS										
20-34	3	15.7	102	4	4	21	22	22	22	22
35-49	18	16.4	344	3	4	12	16	41	66	77
50-64	81	15.8	269	2	3	11	18	35	46	84
65+	141	17.0	216	2	3	13	23	36	48	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	3.7	7	<1	<1	4	4	8	9	11
B. *Operated*	121	9.7	96	1	1	7	14	22	25	42
2. MULTIPLE DX										
A. *Not Operated*	142	8.4	83	1	2	6	11	16	22	40
B. *Operated*	243	16.5	239	2	3	12	22	36	49	78
1. SINGLE DX	171	7.9	77	1	1	4	11	19	23	29
2. MULTIPLE DX	385	13.5	197	2	2	9	17	29	40	76
A. NOT OPERATED	192	7.2	67	1	1	5	9	14	21	35
B. OPERATED	364	14.2	202	1	2	11	19	29	40	75
TOTAL 0-19 YRS										
20-34	5	11.8	84	3	3	9	21	22	22	22
35-49	38	11.3	198	1	2	6	14	20	39	77
50-64	196	11.7	180	1	2	7	15	25	34	79
65+	317	11.9	157	1	2	8	16	27	36	62
GRAND TOTAL	**556**	**11.8**	**166**	**1**	**2**	**8**	**15**	**25**	**36**	**73**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64	17	4.5	7	<1	1	4	6	9	10	10
65+	57	7.8	75	<1	1	5	11	18	28	42
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	6	17.2	54	5	6	17	21	26	27	27
35-49	18	12.6	26	5	7	12	15	19	24	26
50-64	56	13.0	93	3	5	11	15	21	28	66
65+	91	13.6	70	2	4	12	18	24	33	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.7	2	1	1	4	5	5	5	5
20-34	4	23.0	374	4	4	19	35	50	50	50
35-49	18	8.5	28	1	1	8	11	16	17	18
50-64	74	7.9	52	1	2	5	11	16	26	36
65+	221	8.5	46	2	2	7	11	16	21	35
B. *Operated*										
0-19 YRS	2	29.5	685	11	11	29	48	48	48	48
20-34	11	22.4	497	6	6	11	35	61	69	70
35-49	54	18.0	217	6	7	13	21	34	52	73
50-64	220	18.0	156	6	8	15	21	33	42	60
65+	467	17.2	145	4	6	14	20	32	42	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	7.0	60	<1	1	5	9	16	25	40
B. *Operated*	172	13.4	72	2	5	12	17	22	30	40
2. MULTIPLE DX										
A. *Not Operated*	323	8.4	51	2	2	6	11	16	21	36
B. *Operated*	754	17.6	159	5	7	14	21	33	45	67
1. SINGLE DX	248	11.4	77	1	2	10	15	21	28	41
2. MULTIPLE DX	1077	14.8	144	3	4	12	18	29	39	61
A. NOT OPERATED	399	8.2	53	1	2	6	11	16	22	37
B. OPERATED	926	16.8	145	4	7	14	20	31	41	65
TOTAL 0-19 YRS	10	9.2	194	1	2	4	8	29	48	48
20-34	22	20.5	315	5	6	15	22	51	61	70
35-49	90	15.0	154	3	6	12	16	25	43	73
50-64	367	14.6	139	2	4	12	18	29	37	54
65+	836	13.9	122	2	3	11	17	27	34	59
GRAND TOTAL	**1325**	**14.2**	**133**	**2**	**3**	**12**	**17**	**28**	**35**	**59**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+	6	5.2	2	3	3	6	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	4	12.0	18	8	8	11	15	18	18	18
50-64	4	14.0	30	10	10	12	17	22	22	22
65+	8	16.4	48	6	7	16	21	26	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	7.7	21	5	5	5	11	13	13	13
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	16	10.2	183	<1	<1	6	10	25	46	54
65+	16	7.8	13	3	4	7	11	14	15	15
B. *Operated*										
0-19 YRS										
20-34	4	14.8	68	3	3	17	20	22	22	22
35-49	12	14.3	123	7	7	10	14	32	43	45
50-64	28	17.0	89	5	7	14	23	32	34	39
65+	61	18.9	118	6	8	16	26	36	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.1	1	3	3	6	6	6	6	6
B. *Operated*	17	14.3	36	7	8	11	18	23	26	27
2. MULTIPLE DX										
A. *Not Operated*	37	8.7	85	<1	2	7	11	15	24	54
B. *Operated*	105	17.7	109	6	8	16	24	35	44	99+
1. SINGLE DX	24	11.6	43	4	5	11	16	22	24	27
2. MULTIPLE DX	142	15.4	118	3	4	12	21	33	40	99+
A. NOT OPERATED	44	8.1	74	<1	2	6	9	14	21	54
B. OPERATED	122	17.2	100	6	8	15	23	33	40	99+
TOTAL 0-19 YRS										
20-34	8	11.3	49	3	4	10	17	21	22	22
35-49	18	12.8	92	4	7	10	11	24	38	45
50-64	49	14.3	120	<1	2	12	21	28	34	54
65+	91	15.8	110	4	5	14	22	33	43	99+
GRAND TOTAL	**166**	**14.8**	**108**	**3**	**4**	**12**	**20**	**31**	**37**	**91**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	8	4.0	7	1	1	3	5	8	10	10
50-64	30	4.2	32	1	1	3	5	7	9	32
65+	53	5.6	33	1	1	4	7	15	18	27
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	8.3	26	1	2	9	10	15	19	19
35-49	52	10.1	16	2	7	10	12	17	18	20
50-64	213	10.6	27	2	6	9	13	16	20	29
65+	476	12.5	36	4	8	12	14	19	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.7	9	2	2	6	8	9	9	9
35-49	42	8.0	92	1	2	5	9	20	28	49
50-64	214	7.6	61	2	2	5	8	15	24	42
65+	501	8.4	58	1	2	6	11	18	24	37
B. *Operated*										
0-19 YRS	4	8.3	10	5	5	8	11	11	11	11
20-34	33	13.8	66	5	7	10	17	28	31	31
35-49	172	13.9	60	6	8	12	17	21	25	67
50-64	734	14.4	81	6	8	12	17	24	31	57
65+	2023	17.3	104	7	9	15	21	30	37	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	5.0	30	1	1	3	5	12	17	30
B. *Operated*	751	11.7	33	3	7	11	14	18	22	34
2. MULTIPLE DX										
A. *Not Operated*	763	8.1	60	1	2	6	10	17	23	41
B. *Operated*	2966	16.4	97	7	8	14	19	28	35	59
1. SINGLE DX	844	11.0	37	1	3	10	14	17	21	33
2. MULTIPLE DX	3729	14.7	101	3	5	13	18	26	34	55
A. NOT OPERATED	856	7.8	58	1	2	5	9	17	23	39
B. OPERATED	3717	15.4	88	6	8	13	18	26	33	54
TOTAL 0-19 YRS	5	7.0	16	2	2	6	11	11	11	11
20-34	50	11.4	61	2	3	9	13	25	30	31
35-49	274	12.0	62	2	4	11	15	20	22	48
50-64	1191	12.2	76	2	4	11	15	21	27	47
65+	3053	14.9	98	3	5	13	18	27	34	54
GRAND TOTAL	**4573**	**14.0**	**91**	**2**	**4**	**12**	**17**	**25**	**32**	**53**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	8.6	169	1	1	3	8	31	40	40
50-64	28	3.8	16	<1	<1	2	4	9	15	17
65+	48	4.4	16	1	1	4	4	8	11	24
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	10	8.6	52	<1	1	5	13	19	24	24
35-49	52	12.2	112	1	2	11	15	18	24	66
50-64	199	11.5	52	2	3	11	15	20	25	31
65+	339	11.9	55	2	3	12	15	19	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	19	5.5	31	<1	1	4	9	17	60	99+
50-64	136	8.2	122	1	1	4	10	18	27	54
65+	299	9.7	104	1	2	7	12	22	30	62
B. *Operated*										
0-19 YRS	3	14.0	67	7	7	12	20	23	23	23
20-34	17	15.4	112	1	2	15	19	31	39	42
35-49	72	14.2	81	3	6	13	17	21	28	61
50-64	487	15.4	113	3	5	14	19	27	31	80
65+	1025	17.6	122	3	5	15	22	32	41	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	4.6	30	<1	1	3	4	9	14	35
B. *Operated*	602	11.7	59	2	3	11	15	19	24	35
2. MULTIPLE DX										
A. *Not Operated*	456	9.0	107	1	2	6	12	20	30	65
B. *Operated*	1604	16.7	118	3	5	15	21	29	37	63
1. SINGLE DX	686	10.8	61	1	2	10	14	19	24	36
2. MULTIPLE DX	2060	15.0	126	2	3	13	19	28	36	63
A. NOT OPERATED	540	8.3	97	1	2	5	10	18	29	59
B. OPERATED	2206	15.4	107	2	4	14	19	28	34	59
TOTAL 0-19 YRS	5	9.2	77	1	1	7	15	23	23	23
20-34	29	12.2	98	<1	1	12	17	23	33	42
35-49	151	12.1	96	1	2	11	15	20	28	69
50-64	850	13.0	107	2	3	11	17	24	29	57
65+	1711	14.7	116	2	3	13	19	28	35	58
GRAND TOTAL	**2746**	**14.0**	**113**	**2**	**3**	**12**	**18**	**26**	**34**	**59**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.0	3	<1	1	4	4	5	5	5
20-34	9	4.9	3	2	3	5	6	8	8	8
35-49	7	7.3	28	1	1	7	11	14	15	15
50-64	21	5.2	21	<1	<1	4	7	11	16	19
65+	23	9.8	82	1	2	7	11	22	34	36
B. *Operated*										
0-19 YRS	2	8.0	72	2	2	8	14	14	14	14
20-34	13	9.5	16	2	4	9	12	14	16	16
35-49	22	12.5	108	2	4	9	16	26	37	45
50-64	46	13.9	102	3	4	12	18	24	27	58
65+	64	11.4	82	1	2	9	17	20	29	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.0	13	1	2	5	8	12	13	13
20-34	17	7.4	39	2	3	5	8	18	23	25
35-49	15	4.3	6	1	1	4	5	7	10	11
50-64	90	8.3	70	1	2	5	9	19	25	45
65+	158	10.0	119	1	2	6	12	23	32	57
B. *Operated*										
0-19 YRS	11	15.5	174	3	4	12	20	35	48	49
20-34	4	23.8	1238	1	1	9	44	76	76	76
35-49	33	14.7	109	4	6	12	16	29	42	47
50-64	143	15.3	134	3	4	12	19	29	40	69
65+	257	19.3	195	5	7	15	24	38	47	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	6.4	40	<1	1	5	8	12	18	35
B. *Operated*	147	12.1	86	1	2	10	17	24	28	46
2. MULTIPLE DX										
A. *Not Operated*	288	8.9	92	1	2	5	10	19	27	51
B. *Operated*	448	17.7	179	3	6	14	22	35	46	76
1. SINGLE DX	221	10.2	78	1	2	8	14	20	26	45
2. MULTIPLE DX	736	14.2	163	2	3	10	18	31	40	68
A. NOT OPERATED	362	8.4	82	1	2	5	9	18	26	50
B. OPERATED	595	16.3	162	3	5	13	20	32	43	70
TOTAL 0-19 YRS	35	7.9	87	1	1	5	10	15	25	49
20-34	43	9.0	134	1	3	5	11	14	21	76
35-49	77	11.4	96	1	2	9	14	23	36	46
50-64	300	12.3	115	1	2	9	17	25	32	59
65+	502	14.9	172	2	3	11	18	32	40	69
GRAND TOTAL	**957**	**13.3**	**146**	**1**	**3**	**10**	**17**	**28**	**38**	**65**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	19	7.1	70	1	1	4	7	19	29	34
50-64	20	6.8	55	<1	1	4	8	21	24	25
65+	48	7.6	59	2	2	5	8	15	24	45
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	13.5	41	9	9	13	18	18	18	18
35-49	9	16.0	18	11	11	17	19	22	22	22
50-64	38	13.6	63	6	7	12	16	22	31	44
65+	69	14.1	59	2	3	15	19	24	27	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	4.4	3	2	2	4	5	7	8	8
35-49	41	5.6	20	1	1	4	8	11	15	20
50-64	178	7.3	57	1	1	5	9	16	23	41
65+	242	10.0	94	2	3	7	12	21	30	45
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	13.0		13	13	13	13	13	13	13
35-49	47	18.4	218	4	5	14	25	43	60	99+
50-64	219	15.8	107	4	7	14	19	30	37	87
65+	403	18.9	132	5	8	16	23	33	42	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	7.3	58	1	2	5	8	17	24	41
B. *Operated*	119	14.0	57	3	5	13	18	23	27	38
2. MULTIPLE DX										
A. *Not Operated*	469	8.5	74	1	2	6	10	18	25	43
B. *Operated*	671	17.8	131	5	7	15	22	33	42	67
1. SINGLE DX	207	11.1	68	2	2	9	16	23	25	39
2. MULTIPLE DX	1140	14.0	129	2	3	11	18	28	37	60
A. NOT OPERATED	557	8.3	72	1	2	5	10	18	25	43
B. OPERATED	790	17.2	122	5	7	15	22	31	40	66
TOTAL 0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	12	6.6	22	2	3	4	8	14	17	18
35-49	116	11.8	143	1	1	8	17	25	38	78
50-64	455	11.9	98	1	2	10	16	25	32	50
65+	762	14.9	128	3	4	13	20	29	37	57
GRAND TOTAL	**1347**	**13.6**	**120**	**2**	**3**	**11**	**18**	**27**	**35**	**57**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	13.0		13	13	13	13	13	13	13
35-49	42	5.0	25	<1	1	4	6	11	14	26
50-64	197	5.6	42	1	1	3	7	14	18	34
65+	225	5.9	30	1	1	4	8	12	18	25
B. *Operated*										
0-19 YRS	7	7.7	45	<1	<1	8	9	19	21	21
20-34	10	8.1	35	2	2	7	8	18	22	22
35-49	121	7.9	33	1	2	8	10	14	18	30
50-64	578	8.4	48	1	1	8	11	17	20	28
65+	626	8.2	47	1	2	7	12	17	21	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	7.9	59	1	1	5	12	20	25	25
20-34	7	5.3	10	2	2	4	7	10	11	11
35-49	265	6.7	52	1	1	5	8	14	23	46
50-64	1086	8.1	71	1	2	6	10	17	23	42
65+	1431	9.0	63	1	2	7	12	19	24	39
B. *Operated*										
0-19 YRS	5	10.6	69	3	3	7	19	21	21	21
20-34	21	10.0	63	2	2	8	12	25	28	30
35-49	323	11.2	89	1	2	9	15	21	30	46
50-64	1594	12.1	110	2	3	10	16	23	32	57
65+	1981	13.0	113	2	3	10	17	26	34	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	466	5.7	34	1	1	4	7	13	18	28
B. *Operated*	1342	8.3	46	1	2	7	11	17	21	30
2. MULTIPLE DX										
A. *Not Operated*	2800	8.4	65	1	2	6	11	18	24	42
B. *Operated*	3924	12.5	110	2	3	10	16	25	33	52
1. SINGLE DX	1808	7.6	44	1	1	6	11	16	20	29
2. MULTIPLE DX	6724	10.8	95	1	2	8	14	22	29	50
A. NOT OPERATED	3266	8.0	62	1	2	6	10	17	23	37
B. OPERATED	5266	11.4	97	1	2	9	15	23	30	50
TOTAL 0-19 YRS	24	8.3	52	<1	1	6	12	21	22	25
20-34	39	8.8	47	2	2	8	11	19	25	30
35-49	751	8.7	68	1	2	7	11	18	25	41
50-64	3455	9.8	88	1	2	8	13	20	27	48
65+	4263	10.6	88	1	2	8	14	22	28	48
GRAND TOTAL	**8532**	**10.1**	**86**	**1**	**2**	**8**	**13**	**21**	**28**	**47**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	<1	<1	1	3	4	4	4
20-34	11	2.3	3	<1	<1	1	4	5	5	5
35-49	4	3.8	18	<1	<1	2	6	10	10	10
50-64	15	5.3	61	<1	<1	2	6	11	26	31
65+	25	3.7	10	<1	1	2	5	8	11	13
B. *Operated*										
0-19 YRS	10	6.3	41	1	1	3	12	16	18	18
20-34	14	7.1	33	1	1	6	9	13	21	23
35-49	42	5.4	45	<1	1	2	8	15	19	31
50-64	203	5.6	46	<1	1	2	9	15	19	33
65+	205	5.5	63	<1	1	2	8	14	18	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	16	6.4	24	1	2	5	6	17	18	18
35-49	16	8.6	30	1	2	8	13	17	17	17
50-64	40	5.7	45	<1	1	3	7	15	21	30
65+	79	8.9	82	1	2	6	11	20	25	47
B. *Operated*										
0-19 YRS	3	5.7	22	2	2	4	9	11	11	11
20-34	9	12.9	66	1	3	12	16	26	28	28
35-49	45	10.1	117	<1	1	5	15	27	38	40
50-64	185	12.6	174	1	1	10	18	29	38	92
65+	184	11.6	222	1	1	7	14	27	42	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.8	22	<1	<1	2	5	9	11	30
B. *Operated*	474	5.6	53	<1	1	2	8	15	19	34
2. MULTIPLE DX										
A. *Not Operated*	155	7.6	61	1	1	5	10	17	22	41
B. *Operated*	426	11.9	185	1	1	8	16	27	39	91
1. SINGLE DX	532	5.4	50	<1	1	2	8	14	19	33
2. MULTIPLE DX	581	10.7	156	1	1	7	14	25	36	83
A. NOT OPERATED	213	6.5	53	<1	1	4	8	15	20	40
B. OPERATED	900	8.6	125	<1	1	4	12	22	29	64
TOTAL 0-19 YRS	20	4.6	27	<1	<1	2	6	13	16	18
20-34	50	6.9	39	1	1	5	9	16	22	28
35-49	107	7.8	76	<1	1	4	12	17	27	40
50-64	443	8.5	112	<1	1	4	12	22	30	62
65+	493	8.2	131	<1	1	4	11	19	29	63
GRAND TOTAL	**1113**	**8.2**	**112**	**<1**	**1**	**4**	**11**	**20**	**28**	**59**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	3.3	15	<1	1	2	4	6	7	27
20-34	19	3.7	15	1	1	2	5	8	13	17
35-49	4	1.5		1	1	1	2	2	2	2
50-64	16	7.9	64	1	2	4	11	18	28	32
65+	20	9.7	143	1	2	5	8	31	39	40
B. *Operated*										
0-19 YRS	57	6.6	151	<1	1	4	8	11	14	88
20-34	53	7.4	76	1	2	4	8	18	26	48
35-49	69	6.5	52	1	1	4	8	13	18	37
50-64	90	6.4	25	<1	1	5	9	14	17	23
65+	117	6.9	47	1	2	4	10	15	18	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	4.0	18	1	1	3	5	7	10	25
20-34	47	4.5	20	<1	1	3	6	10	13	21
35-49	10	7.2	52	1	1	6	8	18	26	26
50-64	42	7.3	64	1	1	5	9	18	27	38
65+	72	8.1	49	2	2	6	11	17	23	37
B. *Operated*										
0-19 YRS	47	11.3	258	1	2	6	9	28	53	76
20-34	38	8.3	45	1	1	6	12	19	20	28
35-49	34	11.1	153	2	3	7	13	27	35	63
50-64	72	10.9	139	1	2	9	14	19	36	94
65+	134	15.0	192	2	2	12	20	33	41	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	5.1	50	1	1	3	5	10	22	39
B. *Operated*	386	6.7	62	1	1	4	9	14	18	37
2. MULTIPLE DX										
A. *Not Operated*	291	5.7	37	1	1	4	7	11	19	34
B. *Operated*	325	12.3	172	1	2	8	15	28	39	72
1. SINGLE DX	498	6.4	59	1	1	4	8	14	18	38
2. MULTIPLE DX	616	9.2	119	1	2	5	11	21	31	63
A. NOT OPERATED	403	5.5	40	1	1	4	6	11	19	38
B. OPERATED	711	9.3	120	1	2	6	12	20	29	63
TOTAL 0-19 YRS	277	5.6	92	1	1	3	5	10	15	56
20-34	157	6.3	47	1	1	4	8	15	20	28
35-49	117	7.7	83	1	1	5	9	14	30	46
50-64	220	8.1	76	1	1	5	11	17	22	66
65+	343	10.5	122	1	2	6	14	24	33	59
GRAND TOTAL	**1114**	**7.9**	**94**	**1**	**1**	**5**	**10**	**17**	**26**	**54**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	3.8	12	1	1	3	4	9	13	13
35-49	10	3.2	3	1	1	3	4	6	6	6
50-64	12	4.1	30	<1	<1	1	6	13	16	17
65+	16	5.1	6	2	2	5	6	9	10	10
B. *Operated*										
0-19 YRS	7	4.4	5	2	2	5	6	8	8	8
20-34	91	5.1	16	1	1	5	7	9	10	25
35-49	105	5.2	12	1	2	4	7	9	11	17
50-64	111	5.0	21	1	1	3	6	10	12	25
65+	119	6.0	28	1	2	5	8	13	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	20	5.3	30	<1	1	4	5	11	18	25
35-49	21	4.5	17	1	1	3	6	12	13	14
50-64	33	5.9	27	<1	1	5	8	13	16	23
65+	41	5.7	23	1	1	4	6	13	15	25
B. *Operated*										
0-19 YRS	4	7.8	22	3	3	7	11	14	14	14
20-34	49	5.4	15	<1	1	5	7	11	13	17
35-49	49	6.5	27	2	2	5	8	11	14	29
50-64	76	7.3	61	1	2	5	9	16	19	46
65+	109	9.0	96	2	2	5	10	20	37	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	4.2	12	1	1	3	5	10	11	17
B. *Operated*	433	5.3	19	1	2	4	7	9	14	22
2. MULTIPLE DX										
A. *Not Operated*	116	5.4	23	1	1	4	7	12	15	25
B. *Operated*	287	7.5	61	1	2	5	9	15	23	43
1. SINGLE DX	481	5.2	19	1	1	4	7	10	13	22
2. MULTIPLE DX	403	6.9	51	1	1	5	9	14	19	42
A. NOT OPERATED	164	5.1	20	1	1	4	6	11	14	25
B. OPERATED	720	6.2	37	1	2	5	8	12	17	37
TOTAL 0-19 YRS	12	5.4	12	2	2	5	7	10	13	14
20-34	170	5.2	17	1	1	4	7	10	11	25
35-49	185	5.3	17	1	2	4	7	10	13	22
50-64	232	5.8	36	1	1	4	7	12	17	31
65+	285	7.0	54	1	2	5	9	15	20	42
GRAND TOTAL	**884**	**6.0**	**34**	**1**	**1**	**4**	**8**	**11**	**16**	**34**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	1.3		1	1	1	2	2	2	2
50-64	3	6.0	7	4	4	5	8	9	9	9
65+	24	3.5	6	1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	11	3.1	25	<1	<1	2	2	9	17	18
20-34	31	2.9	7	<1	<1	2	4	6	9	11
35-49	100	2.6	6	<1	<1	2	3	6	8	12
50-64	229	2.4	5	<1	<1	2	3	4	6	11
65+	425	3.1	12	<1	1	2	3	6	9	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	9.5	85	3	3	9	16	16	16	16
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	6	6.8	68	2	2	3	8	21	23	23
65+	53	8.0	45	<1	1	6	11	15	23	36
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	12	4.5	26	1	1	2	6	12	17	18
35-49	46	9.4	174	<1	1	4	10	27	39	58
50-64	161	4.4	25	<1	1	2	5	10	15	26
65+	445	5.6	48	1	1	3	7	12	17	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.4	6	1	1	3	5	7	8	9
B. *Operated*	796	2.8	9	<1	<1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	63	7.8	45	1	2	6	10	16	23	35
B. *Operated*	666	5.6	52	1	1	3	6	12	18	38
1. SINGLE DX	827	2.9	9	<1	<1	2	3	6	8	16
2. MULTIPLE DX	729	5.7	52	1	1	3	7	12	18	36
A. NOT OPERATED	94	6.3	36	1	1	5	9	13	16	31
B. OPERATED	1462	4.1	30	<1	1	2	4	9	13	31
TOTAL 0-19 YRS	13	2.9	21	<1	<1	2	2	6	16	18
20-34	45	3.6	15	<1	<1	2	4	9	12	18
35-49	152	4.6	66	<1	<1	2	4	10	19	55
50-64	399	3.3	15	<1	<1	2	4	7	10	21
65+	947	4.6	33	<1	1	3	5	10	14	31
GRAND TOTAL	**1556**	**4.2**	**31**	**<1**	**1**	**2**	**4**	**9**	**13**	**31**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	3.8	3	1	1	4	5	6	6	6
35-49	43	5.2	31	<1	1	3	5	13	18	27
50-64	62	6.5	45	1	1	5	7	14	24	33
65+	39	7.2	51	1	2	5	8	16	25	33
B. *Operated*										
0-19 YRS	4	3.5	3	<1	<1	4	5	5	5	5
20-34	116	5.0	15	<1	1	5	7	8	10	19
35-49	539	5.6	9	<1	1	6	7	9	11	14
50-64	973	6.4	13	1	2	6	8	10	12	18
65+	955	6.9	13	2	3	7	8	11	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	34	4.1	9	1	1	3	7	9	10	11
35-49	170	8.4	146	1	1	5	10	19	22	83
50-64	418	8.9	107	1	2	6	10	19	31	52
65+	449	10.6	127	2	2	7	13	22	33	53
B. *Operated*										
0-19 YRS	6	6.7	3	4	4	7	8	9	9	9
20-34	107	6.7	20	2	2	6	8	11	16	27
35-49	636	7.6	52	2	3	6	8	11	17	44
50-64	1246	8.2	46	2	3	7	9	13	18	43
65+	1537	9.5	54	3	4	8	11	16	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	6.2	41	1	1	4	7	13	21	33
B. *Operated*	2587	6.4	13	1	2	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	1072	9.4	120	1	2	6	11	20	30	53
B. *Operated*	3532	8.6	51	2	4	7	10	14	20	43
1. SINGLE DX	2739	6.3	14	1	2	6	8	10	12	19
2. MULTIPLE DX	4604	8.8	67	2	3	7	10	16	23	47
A. NOT OPERATED	1224	9.0	111	1	2	5	11	19	29	53
B. OPERATED	6119	7.7	36	2	3	7	9	12	16	36
TOTAL 0-19 YRS	11	5.0	7	<1	1	5	7	8	9	9
20-34	265	5.5	17	1	1	5	7	9	11	25
35-49	1388	6.9	47	1	2	6	8	11	15	33
50-64	2699	7.6	45	2	2	6	9	12	17	42
65+	2980	8.8	54	2	3	7	10	15	21	43
GRAND TOTAL	**7343**	**7.9**	**49**	**2**	**2**	**6**	**9**	**13**	**19**	**41**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	24	3.6	3	1	2	3	4	5	7	10
35-49	64	3.6	4	1	2	3	4	5	7	14
50-64	81	4.4	19	1	2	4	4	6	9	31
65+	65	4.0	9	1	1	4	5	7	8	20
B. *Operated*										
0-19 YRS	5	1.8	2	<1	<1	1	2	4	4	4
20-34	152	4.1	10	<1	1	3	6	8	11	15
35-49	132	4.3	7	1	1	4	6	7	8	13
50-64	114	4.4	19	<1	1	3	5	9	11	26
65+	79	4.3	16	1	1	3	5	8	10	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	25	5.9	23	2	2	4	7	14	17	19
35-49	53	5.8	47	1	2	4	6	9	18	41
50-64	97	6.2	49	1	1	4	6	14	24	37
65+	102	8.3	96	1	1	4	11	16	23	56
B. *Operated*										
0-19 YRS	3	20.7	550	2	2	13	38	47	47	47
20-34	125	6.8	51	1	1	5	8	13	23	67
35-49	131	7.9	61	1	2	6	9	15	24	42
50-64	146	10.2	132	1	2	6	13	23	31	84
65+	150	10.5	113	2	2	7	13	25	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	4.0	11	1	2	4	4	6	8	21
B. *Operated*	482	4.3	12	<1	1	4	6	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	278	6.9	64	1	2	4	8	15	21	44
B. *Operated*	555	9.0	96	1	2	6	11	21	29	61
1. SINGLE DX	716	4.2	12	1	1	4	5	7	9	18
2. MULTIPLE DX	833	8.3	86	1	2	5	10	19	27	57
A. NOT OPERATED	512	5.5	42	1	2	4	5	11	16	36
B. OPERATED	1037	6.8	63	1	1	5	8	14	22	49
TOTAL 0-19 YRS	9	8.4	224	<1	<1	2	7	33	47	47
20-34	326	5.2	28	<1	1	4	6	11	14	30
35-49	380	5.6	33	1	2	4	6	10	15	29
50-64	438	6.7	69	1	1	4	7	15	24	45
65+	396	7.6	80	1	2	4	9	18	26	51
GRAND TOTAL	**1549**	**6.4**	**56**	**1**	**1**	**4**	**7**	**14**	**21**	**45**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.7	2	2	2	4	5	5	5	5
35-49	9	3.7	3	2	2	3	4	7	8	8
50-64	88	3.5	5	1	1	3	4	5	7	14
65+	94	3.4	6	1	1	3	4	5	6	17
B. *Operated*										
0-19 YRS										
20-34	8	4.8	7	<1	<1	5	6	8	8	8
35-49	56	5.2	11	<1	1	6	7	9	10	15
50-64	385	5.3	13	<1	1	6	7	9	10	16
65+	386	5.9	17	<1	1	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	6.3	4	4	4	7	8	8	8	8
35-49	16	5.3	21	<1	1	4	6	12	17	19
50-64	93	8.0	79	1	2	4	8	20	29	42
65+	158	7.2	65	1	1	4	9	17	25	33
B. *Operated*										
0-19 YRS	2	10.0	2	9	9	10	11	11	11	11
20-34	24	6.5	14	1	2	6	9	12	14	15
35-49	130	7.2	28	1	2	6	8	12	15	38
50-64	717	7.7	34	1	2	7	9	13	17	35
65+	719	8.4	53	1	2	7	10	14	19	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	3.5	5	1	1	3	4	5	6	14
B. *Operated*	835	5.5	15	<1	1	6	8	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	271	7.3	66	1	1	4	8	19	25	36
B. *Operated*	1592	7.9	42	1	2	7	9	13	18	38
1. SINGLE DX	1029	5.2	13	<1	1	5	7	9	11	16
2. MULTIPLE DX	1863	7.8	46	1	2	7	9	13	19	37
A. NOT OPERATED	465	5.7	44	1	1	4	5	12	19	33
B. OPERATED	2427	7.1	34	1	2	7	8	12	15	31
TOTAL 0-19 YRS	3	9.0	4	7	7	9	10	11	11	11
20-34	38	5.9	11	<1	1	6	8	10	13	15
35-49	211	6.4	23	1	1	6	8	11	14	28
50-64	1283	6.7	31	1	1	6	8	11	15	31
65+	1357	7.2	43	1	2	6	9	13	17	32
GRAND TOTAL	**2892**	**6.9**	**36**	**1**	**1**	**6**	**8**	**12**	**16**	**31**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	7	3.1	4	<1	<1	3	5	6	6	6
35-49	29	2.9	7	1	1	2	4	4	5	15
50-64	109	2.9	14	<1	1	2	3	6	7	22
65+	55	4.9	50	1	1	2	5	11	23	38
B. *Operated*										
0-19 YRS	11	7.8	16	4	4	6	10	14	16	16
20-34	26	6.2	7	1	3	6	8	10	11	12
35-49	32	7.8	22	1	1	7	11	13	15	22
50-64	66	9.2	24	5	5	8	10	14	22	29
65+	36	10.8	73	3	4	8	11	26	29	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	41	4.9	27	<1	1	3	5	12	19	22
35-49	83	5.6	43	<1	1	3	7	10	23	35
50-64	256	5.4	68	1	1	3	6	12	17	43
65+	206	7.1	64	1	1	4	9	16	28	35
B. *Operated*										
0-19 YRS	11	13.3	147	5	6	9	12	33	45	46
20-34	41	10.1	49	4	5	9	11	19	21	42
35-49	133	11.9	88	5	6	9	13	22	29	54
50-64	296	13.3	109	5	6	10	15	23	36	62
65+	269	15.0	116	4	6	12	18	27	36	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	3.4	23	<1	1	2	4	6	9	32
B. *Operated*	171	8.7	33	3	4	7	10	14	22	30
2. MULTIPLE DX										
A. *Not Operated*	588	6.0	60	1	1	3	7	14	20	38
B. *Operated*	750	13.5	106	5	6	10	16	25	35	63
1. SINGLE DX	373	5.9	34	1	1	5	8	11	15	30
2. MULTIPLE DX	1338	10.2	100	1	1	8	13	21	29	53
A. NOT OPERATED	790	5.3	52	1	1	3	6	12	18	37
B. OPERATED	921	12.6	96	4	5	10	14	23	32	59
TOTAL 0-19 YRS	26	9.6	77	4	4	7	9	16	29	46
20-34	115	6.9	34	1	1	6	9	13	19	30
35-49	277	8.6	69	1	1	7	10	17	25	38
50-64	727	8.6	90	1	1	6	11	18	23	49
65+	566	10.9	104	1	2	9	14	25	30	57
GRAND TOTAL	**1711**	**9.2**	**89**	**1**	**1**	**7**	**12**	**19**	**27**	**48**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	7.0		7	7	7	7	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	6	2.7	1	1	1	3	3	4	4	4
65+	12	7.3	103	1	1	4	7	20	35	38
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	10	3.1	7	<1	<1	2	6	7	7	7
35-49	22	6.0	30	1	1	5	8	13	20	21
50-64	16	5.6	12	1	1	5	9	10	11	11
65+	42	7.7	76	<1	1	5	10	15	29	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	12	1	1	7	7	7	7	7
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	8	4.4	4	3	3	4	5	8	9	9
50-64	7	20.4	865	1	2	5	30	72	81	81
65+	23	6.9	59	<1	1	5	8	16	27	33
B. *Operated*										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	6	10.5	92	3	3	7	14	27	28	28
35-49	23	7.9	34	1	3	7	10	15	23	25
50-64	47	11.1	144	1	2	7	14	21	36	68
65+	76	13.0	146	1	2	10	15	29	44	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	5.7	60	1	1	4	7	9	22	38
B. *Operated*	92	6.4	46	<1	1	5	9	12	20	39
2. MULTIPLE DX										
A. *Not Operated*	43	8.3	187	1	1	5	8	16	34	81
B. *Operated*	153	11.6	127	1	2	8	14	25	37	58
1. SINGLE DX	114	6.3	48	1	1	5	7	11	19	40
2. MULTIPLE DX	196	10.9	141	1	2	7	13	24	36	63
A. NOT OPERATED	65	7.5	144	1	1	4	7	12	34	75
B. OPERATED	245	9.6	103	1	2	7	11	21	31	51
TOTAL 0-19 YRS	7	7.6	47	1	1	7	7	19	22	22
20-34	20	5.8	40	<1	1	4	7	12	21	28
35-49	54	6.5	29	1	2	5	8	12	21	25
50-64	76	10.1	179	1	1	6	11	19	36	78
65+	153	10.2	116	1	1	7	12	24	37	51
GRAND TOTAL	**310**	**9.2**	**112**	**1**	**1**	**6**	**11**	**20**	**33**	**54**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	25	4.2	34	1	1	2	4	11	17	28
65+	94	6.3	35	1	1	5	7	13	17	33
B. *Operated*										
0-19 YRS	3	4.3	6	2	2	4	6	7	7	7
20-34	2	1.0		1	1	1	1	1	1	1
35-49	17	5.2	29	<1	1	3	8	15	17	17
50-64	414	5.7	26	1	1	5	8	11	15	20
65+	1273	6.0	22	1	2	5	8	11	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	4	8.5	15	3	3	9	11	12	12	12
50-64	136	6.5	54	1	1	4	8	15	20	38
65+	891	8.5	62	2	2	6	10	17	23	42
B. *Operated*										
0-19 YRS	3	4.3	1	3	3	5	5	5	5	5
20-34	3	32.3	2172	2	2	9	67	86	86	86
35-49	23	8.7	20	3	4	8	12	15	17	20
50-64	557	8.3	45	2	2	7	10	17	22	31
65+	2907	9.1	57	2	3	7	11	18	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	5.8	35	1	1	4	7	13	16	32
B. *Operated*	1709	5.9	23	1	2	5	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	1032	8.2	61	1	2	6	10	17	23	41
B. *Operated*	3493	9.0	57	2	3	7	11	17	23	40
1. SINGLE DX	1829	5.9	24	1	2	5	8	11	14	23
2. MULTIPLE DX	4525	8.8	58	2	2	7	11	17	23	40
A. NOT OPERATED	1152	7.9	59	1	2	6	10	16	22	41
B. OPERATED	5202	8.0	48	2	2	6	10	16	20	35
TOTAL 0-19 YRS	7	4.0	3	2	2	4	5	7	7	7
20-34	5	19.8	1381	1	1	2	28	86	86	86
35-49	45	7.2	25	1	1	7	10	15	16	20
50-64	1132	7.1	41	1	2	6	9	15	19	30
65+	5165	8.2	51	2	2	6	10	16	21	38
GRAND TOTAL	**6354**	**8.0**	**50**	**2**	**2**	**6**	**10**	**16**	**21**	**37**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	38	3.9	5	1	1	5	5	6	8	9
35-49	7	4.9		4	4	5	5	5	5	5
50-64	4	4.5	16	<1	<1	4	8	8	8	8
65+										
B. *Operated*										
0-19 YRS	18	3.5	4	1	1	3	5	7	8	8
20-34	172	4.3	10	1	2	3	5	9	10	17
35-49	55	3.8	6	1	2	3	5	7	9	13
50-64	19	5.1	23	2	2	3	4	14	18	18
65+	16	4.6	15	1	1	3	6	8	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	5.9	5	3	4	5	6	9	11	12
20-34	71	5.0	6	1	2	5	6	8	10	14
35-49	13	7.1	33	1	2	5	10	17	19	19
50-64	2	16.0	288	4	4	16	28	28	28	28
65+	7	5.7	22	2	2	5	5	14	16	16
B. *Operated*										
0-19 YRS	12	7.9	15	1	2	8	11	13	14	14
20-34	61	8.9	35	2	3	9	12	16	21	31
35-49	31	9.7	65	1	2	7	13	19	24	39
50-64	21	5.3	35	1	1	3	5	14	22	24
65+	35	11.0	112	2	3	7	14	21	36	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	4.2	5	1	1	5	5	7	8	9
B. *Operated*	280	4.3	10	1	2	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	108	5.6	15	1	2	5	6	9	14	23
B. *Operated*	160	9.0	58	2	2	7	12	17	23	39
1. SINGLE DX	331	4.2	9	1	2	3	5	8	9	17
2. MULTIPLE DX	268	7.6	43	2	2	6	9	15	19	36
A. NOT OPERATED	159	5.2	12	1	2	5	6	8	11	19
B. OPERATED	440	6.0	32	1	2	4	8	13	16	32
TOTAL 0-19 YRS	47	5.5	10	1	2	5	7	10	12	14
20-34	342	5.2	16	1	2	4	7	10	13	19
35-49	106	6.0	32	1	2	4	7	13	16	31
50-64	46	5.6	37	1	2	3	5	16	21	28
65+	58	8.6	82	1	2	6	10	17	30	49
GRAND TOTAL	**599**	**5.8**	**27**	**1**	**2**	**4**	**7**	**11**	**16**	**26**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	5	2.8	3	1	1	2	4	5	5	5
50-64	13	6.4	53	1	1	3	9	17	23	25
65+	63	6.4	57	<1	1	4	8	15	17	40
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	16	3.5	5	<1	1	3	5	7	8	8
35-49	107	4.1	18	1	1	3	5	9	12	24
50-64	574	4.4	20	1	1	3	5	10	14	24
65+	1287	4.4	14	1	1	3	5	9	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	7	6.0	18	2	2	4	7	13	15	15
50-64	76	6.3	37	1	1	5	7	13	16	37
65+	255	8.2	69	1	1	6	11	17	24	38
B. *Operated*										
0-19 YRS	3	4.3	2	3	3	4	5	6	6	6
20-34	6	14.2	383	2	2	4	19	49	52	52
35-49	74	6.1	41	1	1	4	9	12	17	34
50-64	491	7.5	65	1	2	5	9	17	22	45
65+	1732	8.3	71	2	2	5	10	18	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	6.2	52	<1	1	4	7	15	17	40
B. *Operated*	1986	4.4	16	1	1	3	5	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	339	7.7	61	1	1	5	10	16	24	38
B. *Operated*	2306	8.0	70	2	2	5	10	18	23	44
1. SINGLE DX	2068	4.5	18	1	1	3	5	9	13	23
2. MULTIPLE DX	2645	8.0	69	1	2	5	10	17	23	44
A. NOT OPERATED	421	7.4	60	1	1	5	10	16	23	39
B. OPERATED	4292	6.4	48	1	2	4	7	14	19	35
TOTAL 0-19 YRS	5	4.0	2	3	3	4	5	6	6	6
20-34	24	6.2	109	<1	1	4	5	9	29	52
35-49	193	4.9	28	1	1	3	6	11	13	33
50-64	1154	5.9	42	1	1	4	7	14	18	32
65+	3337	6.8	52	1	2	4	8	15	20	38
GRAND TOTAL	**4713**	**6.5**	**49**	**1**	**2**	**4**	**8**	**14**	**19**	**36**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.6	7	1	1	3	5	8	10	10
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	7.0		7	7	7	7	7	7	7
50-64	20	4.0	12	1	1	3	5	7	12	16
65+	4	3.0	3	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	6	7.3	5	3	3	8	9	9	9	9
20-34	13	8.5	31	<1	1	8	11	15	20	21
35-49	40	9.3	76	1	2	9	11	14	22	53
50-64	104	8.5	28	1	1	9	11	14	19	26
65+	114	10.2	35	1	2	9	13	17	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.9	11	<1	<1	3	5	8	11	13
20-34	4	3.5	4	1	1	4	5	5	5	5
35-49	18	5.7	38	1	1	3	7	15	21	24
50-64	71	6.9	37	1	2	5	8	17	22	26
65+	92	9.8	109	1	2	7	12	24	44	99+
B. *Operated*										
0-19 YRS	10	13.3	52	8	8	12	14	24	32	32
20-34	2	12.0	2	11	11	12	13	13	13	13
35-49	51	14.2	110	2	5	12	17	27	36	54
50-64	210	12.5	83	2	3	11	15	22	29	49
65+	355	15.4	141	2	4	12	19	28	36	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.8	9	1	1	3	5	7	10	16
B. *Operated*	277	9.3	38	1	2	9	11	16	20	29
2. MULTIPLE DX										
A. *Not Operated*	201	7.8	71	1	1	5	10	18	25	77
B. *Operated*	628	14.3	119	2	3	12	18	27	35	62
1. SINGLE DX	313	8.7	38	1	2	8	11	15	19	28
2. MULTIPLE DX	829	12.7	115	2	3	11	16	24	33	62
A. NOT OPERATED	237	7.2	63	1	1	5	9	16	24	61
B. OPERATED	905	12.8	99	2	3	11	16	23	30	58
TOTAL 0-19 YRS	42	6.6	34	<1	1	5	8	13	15	32
20-34	20	7.6	28	<1	1	7	11	14	17	21
35-49	110	11.0	94	1	2	9	13	20	29	53
50-64	405	10.1	64	1	2	9	13	19	24	41
65+	565	13.4	121	2	3	11	17	26	35	70
GRAND TOTAL	**1142**	**11.6**	**97**	**1**	**2**	**10**	**14**	**22**	**29**	**58**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.4	1	<1	<1	<1	1	2	4	5
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	4	6.3	41	1	1	4	11	15	15	15
B. *Operated*										
0-19 YRS	13	2.8	1	2	2	3	3	4	5	5
20-34	5	3.8	2	2	2	4	5	5	5	5
35-49	9	3.4	8	1	1	2	4	8	10	10
50-64	13	3.3	2	2	2	3	4	6	6	6
65+	25	4.1	15	<1	1	3	4	7	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.7	15	1	1	3	4	10	11	11
20-34	4	5.5	1	5	5	5	6	7	7	7
35-49	4	4.3	7	2	2	3	6	8	8	8
50-64	1	3.0		3	3	3	3	3	3	3
65+	4	8.5	28	3	3	13	35	99+	99+	99+
B. *Operated*										
0-19 YRS	6	6.8	32	1	1	6	13	14	14	14
20-34	1	11.0		11	11	11	11	11	11	11
35-49	4	5.3	7	3	3	5	7	8	8	8
50-64	9	4.6	21	1	1	2	9	11	13	13
65+	18	9.0	97	2	3	5	9	20	35	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.7	12	<1	<1	1	3	6	11	15
B. *Operated*	65	3.6	7	1	2	3	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*	19	5.2	14	1	1	4	7	13	57	99+
B. *Operated*	38	7.3	58	1	1	5	9	14	19	43
1. SINGLE DX	86	3.3	8	<1	<1	3	4	6	8	18
2. MULTIPLE DX	57	6.6	44	1	1	5	9	13	19	95
A. NOT OPERATED	40	3.9	14	<1	<1	3	5	12	14	99+
B. OPERATED	103	4.9	29	1	2	3	5	10	13	32
TOTAL 0-19 YRS	39	3.0	10	<1	<1	2	3	6	12	14
20-34	12	5.3	5	2	3	5	6	8	11	11
35-49	18	3.9	7	1	2	3	6	8	9	10
50-64	23	3.8	9	1	1	3	4	9	11	13
65+	51	6.3	50	1	2	4	8	14	23	99
GRAND TOTAL	**143**	**4.6**	**25**	**<1**	**1**	**3**	**5**	**10**	**13**	**46**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	7.0	77	1	1	4	8	22	28	34
20-34	14	5.7	35	<1	1	5	6	15	20	22
35-49	30	8.2	52	2	2	6	10	20	26	28
50-64	44	11.0	138	2	2	7	14	25	50	99+
65+	45	10.5	104	1	2	8	15	23	32	47
B. *Operated*										
0-19 YRS	32	16.2	155	7	8	13	18	43	58	99+
20-34	46	12.4	44	4	7	11	15	18	27	37
35-49	66	12.8	117	3	5	10	15	20	28	73
50-64	101	16.0	149	3	5	13	19	26	45	62
65+	69	18.5	279	2	4	14	23	39	56	90
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.5	46	1	1	2	4	14	23	26
20-34	25	6.7	50	1	1	4	10	14	22	31
35-49	46	8.4	76	2	2	6	9	21	26	44
50-64	88	12.3	182	1	2	8	16	27	38	74
65+	66	14.9	157	2	3	11	22	31	34	62
B. *Operated*										
0-19 YRS	27	20.0	186	2	5	18	25	35	47	68
20-34	48	15.9	197	2	4	12	17	33	51	68
35-49	48	20.5	302	5	8	14	22	50	64	71
50-64	82	23.3	378	4	6	18	31	52	68	98
65+	98	26.0	328	7	8	23	33	49	64	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	9.3	95	1	1	6	12	23	29	57
B. *Operated*	314	15.4	159	3	5	12	18	27	44	70
2. MULTIPLE DX										
A. *Not Operated*	245	11.0	140	1	1	7	14	27	32	53
B. *Operated*	303	22.2	312	4	6	16	28	49	63	92
1. SINGLE DX	468	13.4	146	2	3	10	17	25	40	65
2. MULTIPLE DX	548	17.2	266	1	2	12	24	37	51	85
A. NOT OPERATED	399	10.4	123	1	1	7	13	26	32	54
B. OPERATED	617	18.7	246	3	6	14	23	42	54	87
TOTAL 0-19 YRS	100	13.0	161	1	1	10	18	28	42	84
20-34	133	11.9	113	1	2	10	14	22	33	63
35-49	190	13.0	165	2	3	10	15	24	44	69
50-64	315	16.1	235	2	3	12	20	37	51	93
65+	278	19.0	270	2	3	14	27	38	53	83
GRAND TOTAL	**1016**	**15.5**	**214**	**2**	**3**	**11**	**20**	**33**	**48**	**78**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.8	3	<1	<1	3	4	5	7	7
20-34										
35-49	2	10.5	61	5	5	10	16	16	16	16
50-64	3	8.0	127	<1	<1	2	16	21	21	21
65+	3	17.0	228	3	3	15	28	33	33	33
B. *Operated*										
0-19 YRS	7	9.0	38	2	2	12	14	16	17	17
20-34	7	17.9	212	3	4	15	17	43	49	49
35-49	6	15.2	31	10	10	14	18	23	24	24
50-64	5	20.6	248	9	9	15	26	48	48	48
65+	3	5.0	19	2	2	3	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.2	45	<1	<1	4	11	18	19	19
20-34	2	7.0		7	7	7	7	7	7	7
35-49	2	9.0	50	4	4	9	14	14	14	14
50-64	5	9.6	57	2	2	8	17	18	18	18
65+	11	15.2	295	2	2	5	22	43	56	57
B. *Operated*										
0-19 YRS	6	24.2	349	1	2	19	39	52	53	53
20-34	3	15.3	86	9	9	11	22	26	26	26
35-49	5	16.4	37	9	9	19	21	23	23	23
50-64	7	32.3	432	6	8	25	47	62	65	65
65+	6	31.0	391	9	10	25	55	55	55	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	6.3	68	<1	<1	3	5	18	26	33
B. *Operated*	28	14.2	127	2	2	12	17	22	48	49
2. MULTIPLE DX										
A. *Not Operated*	26	11.2	151	1	2	6	17	23	38	57
B. *Operated*	27	25.4	302	5	9	20	37	54	57	65
1. SINGLE DX	49	10.8	115	1	1	10	15	20	34	49
2. MULTIPLE DX	53	18.4	275	2	3	14	23	50	55	65
A. NOT OPERATED	47	9.0	118	<1	1	4	14	21	33	57
B. OPERATED	55	19.7	241	2	3	15	23	49	54	65
TOTAL 0-19 YRS	32	9.0	134	<1	1	4	13	19	37	53
20-34	12	15.4	148	3	6	13	16	33	47	49
35-49	15	14.1	37	4	5	14	19	23	24	24
50-64	20	20.1	321	1	2	16	24	48	57	65
65+	23	18.2	319	2	3	14	28	55	56	57
GRAND TOTAL	**102**	**14.7**	**211**	**1**	**2**	**11**	**19**	**35**	**51**	**61**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.5	3	<1	1	2	4	5	5	5
20-34	24	2.0	3	1	1	2	2	3	5	9
35-49	17	2.9	5	1	1	2	4	7	8	8
50-64	18	2.6	5	1	1	2	3	5	8	10
65+	7	3.1	3	1	1	3	4	6	6	6
B. *Operated*										
0-19 YRS	16	5.3	18	1	2	4	6	7	16	20
20-34	92	4.3	4	2	2	4	5	6	8	13
35-49	59	4.5	3	2	3	4	5	7	8	11
50-64	63	5.7	47	2	2	4	6	9	13	49
65+	25	8.0	46	2	3	5	9	16	24	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	4.6	16	1	1	4	5	10	15	17
20-34	9	2.9	8	1	1	2	4	8	9	9
35-49	15	3.2	6	1	1	2	4	8	9	9
50-64	36	5.1	15	1	1	4	7	11	12	16
65+	33	7.3	36	2	2	5	10	13	21	30
B. *Operated*										
0-19 YRS	24	7.5	35	2	2	5	13	16	18	23
20-34	88	7.0	54	3	3	5	7	13	18	45
35-49	75	6.3	23	3	3	5	7	11	14	31
50-64	89	9.0	130	2	3	5	9	17	32	66
65+	81	11.8	117	3	4	8	13	28	38	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	2.5	4	1	1	2	4	5	6	10
B. *Operated*	255	5.1	20	2	3	4	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	112	5.2	21	1	1	4	7	11	13	25
B. *Operated*	357	8.5	83	3	3	5	9	15	29	52
1. SINGLE DX	347	4.4	17	1	1	4	5	8	10	20
2. MULTIPLE DX	469	7.7	70	2	2	5	8	15	22	49
A. NOT OPERATED	204	4.0	15	1	1	3	5	9	11	19
B. OPERATED	612	7.1	60	2	3	5	7	13	18	47
TOTAL 0-19 YRS	85	4.9	21	1	1	4	5	13	16	22
20-34	213	5.1	27	1	2	4	5	8	13	34
35-49	166	5.0	14	1	2	4	6	8	11	21
50-64	206	6.8	78	1	2	4	7	12	17	53
65+	146	9.7	87	2	3	7	12	20	32	50
GRAND TOTAL	**816**	**6.3**	**50**	**1**	**2**	**4**	**7**	**12**	**16**	**41**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.0	6	<1	<1	2	5	45	95	99+
20-34	10	14.1	360	<1	<1	6	12	49	51	51
35-49	47	7.6	114	1	2	5	7	18	25	64
50-64	113	5.8	51	1	1	3	6	14	20	36
65+	223	7.3	58	1	1	5	8	16	23	50
B. *Operated*										
0-19 YRS	18	8.2	172	<1	1	5	8	11	40	59
20-34	30	5.6	49	1	1	3	6	10	16	38
35-49	97	5.5	41	<1	1	4	7	12	14	37
50-64	227	7.1	56	1	1	4	9	18	22	37
65+	308	7.6	50	1	1	6	10	16	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	4.7	16	<1	<1	3	8	11	13	15
20-34	134	6.8	63	1	1	5	8	14	22	44
35-49	493	7.7	69	1	1	5	9	18	23	46
50-64	1805	8.1	68	1	1	5	10	19	24	42
65+	2598	9.4	81	1	2	7	12	20	26	44
B. *Operated*										
0-19 YRS	36	11.1	54	2	4	9	13	21	28	34
20-34	157	10.7	129	2	3	8	12	20	32	90
35-49	546	10.7	100	1	2	8	14	24	31	45
50-64	1534	12.0	127	2	2	9	16	26	36	57
65+	2179	13.2	145	2	2	10	17	28	37	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	403	7.0	70	1	1	5	8	16	25	51
B. *Operated*	680	7.1	54	1	1	5	9	15	21	38
2. MULTIPLE DX										
A. *Not Operated*	5065	8.7	75	1	2	6	11	19	25	44
B. *Operated*	4452	12.4	133	2	2	9	16	27	35	62
1. SINGLE DX	1083	7.0	60	1	1	5	9	16	22	47
2. MULTIPLE DX	9517	10.4	105	1	2	7	13	23	31	54
A. NOT OPERATED	5468	8.5	75	1	2	6	11	19	25	45
B. OPERATED	5132	11.7	126	1	2	8	15	25	34	59
TOTAL 0-19 YRS	99	7.5	65	<1	<1	6	10	16	21	79
20-34	331	8.7	105	1	2	6	10	17	30	54
35-49	1183	8.9	86	1	2	6	11	21	27	47
50-64	3679	9.6	96	1	2	7	12	22	29	51
65+	5308	10.8	109	1	2	8	14	23	32	54
GRAND TOTAL	**10600**	**10.1**	**102**	**1**	**2**	**7**	**13**	**22**	**30**	**52**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	3.0	19	<1	<1	1	3	6	8	24
20-34	35	2.9	7	<1	1	2	4	6	10	11
35-49	28	4.4	15	1	1	3	6	11	14	15
50-64	15	6.5	25	<1	2	6	11	14	15	16
65+	7	4.3	8	1	1	3	6	9	9	9
B. *Operated*										
0-19 YRS	69	5.4	16	1	1	5	8	10	14	16
20-34	137	6.2	27	1	1	5	8	14	16	24
35-49	45	9.2	90	<1	2	7	12	18	22	59
50-64	28	5.6	29	1	1	4	8	11	14	27
65+	20	6.2	32	<1	1	4	8	15	18	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	7.9	69	1	1	5	9	14	30	35
20-34	55	4.8	21	<1	1	3	8	9	14	21
35-49	29	6.5	22	1	1	5	11	13	13	17
50-64	42	4.6	15	1	1	3	7	11	12	15
65+	39	5.4	33	1	1	3	8	13	20	23
B. *Operated*										
0-19 YRS	16	11.9	427	1	1	8	11	23	67	86
20-34	63	9.2	100	1	2	8	11	17	21	69
35-49	46	10.4	64	<1	2	8	14	23	35	99+
50-64	38	10.7	95	1	2	8	16	19	26	52
65+	42	12.6	152	1	2	8	19	28	34	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	3.8	16	<1	1	2	5	9	12	19
B. *Operated*	299	6.4	35	1	1	5	8	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	180	5.4	27	1	1	4	8	12	14	23
B. *Operated*	205	10.7	125	1	2	8	14	22	28	80
1. SINGLE DX	415	5.7	31	<1	1	4	8	13	15	24
2. MULTIPLE DX	385	8.2	86	1	1	6	11	17	23	60
A. NOT OPERATED	296	4.8	23	<1	1	3	7	11	14	23
B. OPERATED	504	8.1	76	1	1	6	10	17	23	55
TOTAL 0-19 YRS	131	5.9	76	<1	1	4	8	11	14	45
20-34	290	6.2	42	1	1	5	8	13	17	25
35-49	148	8.1	59	1	1	7	11	17	23	59
50-64	123	6.9	50	1	1	5	10	16	18	34
65+	108	8.3	88	1	1	5	12	21	27	47
GRAND TOTAL	**800**	**6.9**	**59**	**1**	**1**	**5**	**9**	**14**	**20**	**35**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	3.7	14	<1	<1	2	5	8	10	18
20-34	16	6.3	38	1	1	5	8	13	22	26
35-49	7	5.0	10	1	1	7	8	8	8	8
50-64	11	4.6	26	1	1	2	6	14	16	16
65+	30	6.1	31	<1	1	4	9	15	18	21
B. *Operated*										
0-19 YRS	95	7.2	114	<1	<1	3	8	22	28	54
20-34	8	13.6	210	1	1	6	25	36	39	39
35-49	7	8.9	68	2	2	5	15	22	23	23
50-64	18	5.7	18	1	1	5	9	11	14	16
65+	23	7.6	80	2	2	5	8	15	32	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	4.7	26	<1	<1	3	6	12	17	24
20-34	14	7.6	50	1	1	4	11	19	21	22
35-49	18	6.0	49	<1	<1	2	10	17	22	24
50-64	76	6.6	31	1	1	5	9	14	19	26
65+	196	8.2	53	1	2	6	10	17	24	35
B. *Operated*										
0-19 YRS	48	14.1	285	2	2	8	17	30	66	73
20-34	8	9.0	63	1	1	5	16	21	22	22
35-49	19	15.4	221	2	3	12	20	32	50	64
50-64	46	12.3	158	1	2	7	19	27	43	55
65+	104	9.9	64	2	2	7	13	21	26	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	4.6	21	<1	<1	3	7	10	15	21
B. *Operated*	151	7.5	100	<1	<1	4	8	21	29	45
2. MULTIPLE DX										
A. *Not Operated*	374	7.1	44	1	1	5	9	16	21	32
B. *Operated*	225	11.7	145	2	2	8	17	23	31	67
1. SINGLE DX	300	6.0	63	<1	<1	3	7	14	22	42
2. MULTIPLE DX	599	8.8	87	1	1	6	12	20	25	46
A. NOT OPERATED	523	6.4	39	<1	1	4	8	14	19	31
B. OPERATED	376	10.0	131	<1	1	6	13	22	30	63
TOTAL 0-19 YRS	298	6.7	104	<1	<1	3	8	17	22	64
20-34	46	8.4	76	1	1	5	11	22	27	39
35-49	51	9.7	126	<1	1	6	14	22	28	64
50-64	151	8.1	75	1	1	5	10	19	23	48
65+	353	8.5	57	1	2	6	11	19	24	36
GRAND TOTAL	**899**	**7.9**	**81**	**<1**	**1**	**5**	**10**	**19**	**24**	**44**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	3.3	6	<1	<1	3	5	6	9	11
20-34	16	4.6	9	<1	1	5	6	7	11	12
35-49	35	8.4	125	1	1	5	7	22	42	47
50-64	31	6.2	93	<1	1	2	7	19	31	41
65+	81	4.7	33	1	1	3	6	10	16	30
B. *Operated*										
0-19 YRS	28	10.3	190	<1	<1	6	13	31	47	54
20-34	17	17.9	387	1	1	7	33	53	55	55
35-49	15	8.9	67	2	2	8	9	27	28	28
50-64	27	18.4	206	1	2	14	29	35	45	52
65+	32	8.8	68	2	2	6	10	21	30	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	4.3	26	<1	<1	2	6	11	18	19
20-34	41	9.9	111	1	1	6	11	29	33	47
35-49	54	7.0	53	1	1	5	8	14	28	32
50-64	82	6.9	63	<1	1	5	9	16	26	39
65+	303	7.0	74	1	1	4	9	17	24	37
B. *Operated*										
0-19 YRS	22	21.8	222	2	4	20	35	45	48	49
20-34	33	23.2	278	6	7	18	30	50	60	72
35-49	51	23.9	442	3	4	22	32	48	77	96
50-64	87	18.4	275	1	2	14	27	41	52	71
65+	155	16.2	220	3	4	11	23	37	46	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	5.3	54	<1	1	3	6	10	21	44
B. *Operated*	119	12.6	186	<1	1	7	17	33	45	54
2. MULTIPLE DX										
A. *Not Operated*	515	7.1	71	1	1	4	9	18	26	38
B. *Operated*	348	18.9	278	2	3	12	28	41	50	79
1. SINGLE DX	315	8.1	116	<1	1	4	8	25	33	53
2. MULTIPLE DX	863	11.8	188	1	1	7	15	30	40	65
A. NOT OPERATED	711	6.6	67	1	1	4	8	16	25	39
B. OPERATED	467	17.3	261	1	2	11	26	40	49	72
TOTAL 0-19 YRS	118	8.7	140	<1	<1	4	9	25	38	51
20-34	107	14.5	234	1	1	7	23	33	50	66
35-49	155	13.1	254	1	2	7	16	32	47	82
50-64	227	12.6	198	1	1	7	19	34	41	60
65+	571	9.3	126	1	1	5	11	24	32	51
GRAND TOTAL	**1178**	**10.8**	**171**	**1**	**1**	**6**	**13**	**29**	**38**	**57**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.9	18	<1	<1	1	3	5	14	18
20-34	23	5.2	41	<1	1	3	5	16	23	24
35-49	59	5.1	45	1	1	2	7	12	16	41
50-64	139	4.7	24	1	1	3	6	10	15	24
65+	204	7.3	64	1	1	4	10	17	23	39
B. *Operated*										
0-19 YRS	20	3.6	14	<1	<1	2	4	9	13	15
20-34	44	7.3	58	1	1	4	11	16	32	99+
35-49	63	7.0	46	<1	1	5	9	15	19	37
50-64	173	7.7	58	1	1	5	10	17	22	42
65+	217	9.1	72	1	2	6	12	21	30	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	11.6	317	1	1	7	11	21	39	92
20-34	56	8.0	113	<1	1	4	9	22	35	48
35-49	97	5.5	27	<1	1	4	8	13	16	24
50-64	374	7.7	65	1	1	5	10	18	25	37
65+	708	9.5	85	1	2	7	12	21	30	48
B. *Operated*										
0-19 YRS	17	13.9	200	2	3	10	17	33	50	57
20-34	55	12.6	154	2	2	8	15	30	42	53
35-49	92	11.0	144	1	2	7	14	25	35	63
50-64	299	13.3	185	1	3	9	17	29	43	76
65+	544	14.6	146	2	3	11	19	30	41	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	441	5.9	47	1	1	3	8	15	21	31
B. *Operated*	517	8.0	62	1	1	5	10	17	26	38
2. MULTIPLE DX										
A. *Not Operated*	1260	8.6	82	1	1	6	11	20	27	46
B. *Operated*	1007	13.8	159	2	3	10	18	30	41	67
1. SINGLE DX	958	7.0	56	1	1	4	9	16	22	38
2. MULTIPLE DX	2267	10.9	123	1	2	8	14	24	33	57
A. NOT OPERATED	1701	7.9	74	1	1	5	10	18	25	43
B. OPERATED	1524	11.8	134	1	2	9	15	27	36	62
TOTAL 0-19 YRS	78	8.3	170	<1	1	4	10	18	22	82
20-34	178	8.9	108	1	1	5	11	24	33	52
35-49	311	7.4	74	1	1	4	9	17	22	43
50-64	985	9.0	103	1	1	6	11	21	29	54
65+	1673	10.8	108	1	2	8	14	24	32	54
GRAND TOTAL	**3225**	**9.8**	**106**	**1**	**1**	**7**	**13**	**22**	**31**	**53**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.3	10	1	1	2	6	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	42	2.5	2	<1	<1	2	4	4	5	7
20-34	152	3.0	2	1	1	3	4	5	6	8
35-49	140	3.2	5	1	1	3	4	5	6	13
50-64	174	3.4	4	1	1	3	4	5	6	13
65+	122	3.4	3	1	1	3	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	6.0	39	1	1	4	11	13	13	13
65+	3	4.7	6	2	2	5	6	7	7	7
B. *Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	21	2.8	1	1	1	3	3	4	5	6
35-49	53	3.5	5	1	2	3	4	6	8	12
50-64	89	3.8	8	1	2	3	4	6	9	18
65+	84	5.0	13	1	2	4	6	8	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.6	4	1	1	2	3	6	7	7
B. *Operated*	630	3.2	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	6	5.3	19	1	1	4	7	12	13	13
B. *Operated*	250	4.0	9	1	2	3	5	7	9	18
1. SINGLE DX	637	3.2	4	1	1	3	4	5	6	9
2. MULTIPLE DX	256	4.1	9	1	2	3	5	7	10	18
A. NOT OPERATED	13	3.8	12	1	1	2	5	8	12	13
B. OPERATED	880	3.4	5	1	1	3	4	6	7	13
TOTAL 0-19 YRS	45	2.5	2	<1	<1	2	4	4	5	7
20-34	176	3.0	2	1	1	3	4	5	6	8
35-49	194	3.3	5	1	1	3	4	5	7	12
50-64	268	3.5	6	1	2	3	4	6	7	14
65+	210	4.0	8	1	1	4	5	7	9	16
GRAND TOTAL	**893**	**3.4**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	17	1	1	3	7	9	9	9
20-34	9	3.1	3	<1	1	3	4	6	6	6
35-49	14	2.6	5	<1	1	2	3	6	8	8
50-64	29	2.2	3	<1	<1	2	3	5	6	8
65+	44	2.8	9	<1	1	2	3	5	9	17
B. *Operated*										
0-19 YRS	25	4.7	12	<1	<1	3	8	9	12	12
20-34	44	6.0	16	1	2	5	8	11	13	20
35-49	93	3.9	17	<1	<1	2	6	9	12	20
50-64	290	4.1	14	1	1	2	7	10	11	16
65+	309	4.7	18	1	1	3	8	11	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	3	3.3	4	<1	<1	4	5	5	5	5
35-49	20	2.7	3	<1	1	2	3	5	6	7
50-64	67	4.0	9	1	1	3	6	7	9	15
65+	111	5.7	28	1	1	4	7	12	15	26
B. *Operated*										
0-19 YRS	15	[illegible]	15	2	2	5	8	12	14	15
20-34	38	7.3	33	1	1	6	11	17	18	22
35-49	112	6.6	28	1	1	6	9	11	14	27
50-64	302	6.7	[illegible]	1	1	5	9	14	18	24
65+	555	8.0	65	1	1	6	11	16	21	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	2.7	6	<	1	2	3	6	8	13
B. *Operated*	761	4.5	16	<	1	2	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	203	4.8	19	1	1	4	7	9	14	18
B. *Operated*	1022	7.4	49	1	1	6	10	15	19	32
1. SINGLE DX	860	4.2	16	<1	1	2	7	10	12	17
2. MULTIPLE DX	1225	7.0	45	1	1	5	10	15	18	30
A. NOT OPERATED	302	4.1	16	1	1	3	5	8	12	17
B. OPERATED	1783	6.1	37	1	1	4	9	13	16	27
TOTAL 0-19 YRS	45	5.2	13	<1	1	4	8	11	12	15
20-34	94	6.2	23	1	1	5	8	12	17	21
35-49	239	5.0	22	<1	1	3	7	11	12	18
50-64	688	5.1	22	1	1	3	8	11	14	21
65+	1019	6.5	47	1	1	4	9	14	17	32
GRAND TOTAL	**2085**	**5.8**	**35**	**1**	**1**	**4**	**9**	**13**	**16**	**26**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.3		<1	<1	1	2	2	2	2
20-34	5	1.4		<1	<1	1	2	2	2	2
35-49	5	1.8		1	1	2	2	2	2	2
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	3	1.7		<1	<1	2	2	2	2	2
B. *Operated*										
0-19 YRS	66	2.4	17	<1	<1	2	2	3	8	29
20-34	62	2.9	8	<1	<1	2	3	8	9	14
35-49	68	3.6	10	<1	<1	2	6	8	9	14
50-64	105	3.7	14	<1	<1	2	5	8	10	21
65+	47	3.6	19	<1	1	2	4	10	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	11.0		11	11	11	11	11	11	11
65+	3	3.7	2	2	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	39	1.7	1	<1	1	2	2	3	3	4
20-34	20	8.7	162	1	1	2	8	32	41	43
35-49	33	4.5	15	<1	<1	2	8	11	12	13
50-64	44	6.8	52	1	1	6	9	13	20	41
65+	61	8.0	58	1	1	5	11	20	24	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	1.5		<1	<1	1	2	2	2	2
B. *Operated*	348	3.3	13	<1	<1	2	3	8	10	21
2. MULTIPLE DX										
A. *Not Operated*	8	3.8	11	1	1	3	5	9	11	11
B. *Operated*	197	6.0	54	1	1	2	8	15	20	41
1. SINGLE DX	371	3.2	13	<1	<1	2	3	8	10	20
2. MULTIPLE DX	205	5.9	52	1	1	2	8	13	20	40
A. NOT OPERATED	31	2.1	4	<1	<1	2	2	4	5	11
B. OPERATED	545	4.2	30	<1	<1	2	5	10	14	27
TOTAL 0-19 YRS	114	2.1	10	<1	<1	1	2	3	4	18
20-34	88	4.2	47	<1	<1	2	4	8	14	42
35-49	107	3.7	11	<1	<1	2	6	9	11	13
50-64	153	4.6	27	<1	1	2	7	10	12	21
65+	114	5.9	44	<1	1	3	9	18	21	28
GRAND TOTAL	**576**	**4.1**	**29**	**<1**	**<1**	**2**	**5**	**10**	**13**	**27**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	4	1	1	2	4	6	6	6
20-34	5	2.8	12	<1	<1	1	4	9	9	9
35-49	4	4.8	7	2	2	5	7	7	7	7
50-64	11	1.9	1	1	1	2	2	3	4	4
65+	11	4.4	45	<1	<1	2	4	13	23	24
B. *Operated*										
0-19 YRS	590	2.6	3	<1	1	2	3	5	6	10
20-34	583	2.8	5	<1	<1	2	3	5	7	11
35-49	512	2.6	7	<1	<1	2	3	4	7	15
50-64	585	2.6	5	<1	<1	2	3	5	7	13
65+	263	3.1	10	<1	1	2	3	5	9	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.8	1	<1	<1	1	3	3	3	3
20-34	8	2.6	4	1	1	2	4	6	6	6
35-49	10	3.4	5	<1	<1	3	4	7	8	8
50-64	14	4.4	10	<1	1	4	6	9	11	12
65+	15	10.9	412	<1	1	3	9	22	66	81
B. *Operated*										
0-19 YRS	89	3.6	7	1	1	3	4	7	9	15
20-34	179	4.1	12	1	1	3	5	8	10	20
35-49	257	4.4	38	<1	1	3	5	8	12	36
50-64	346	4.2	21	1	1	3	5	9	13	26
65+	218	5.7	57	1	2	3	7	12	14	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	3.2	16	<1	1	2	3	7	8	24
B. *Operated*	2533	2.7	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	56	5.3	121	<1	1	3	5	9	14	77
B. *Operated*	1089	4.5	30	1	1	3	5	9	13	30
1. SINGLE DX	2570	2.7	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX	1145	4.5	34	1	1	3	5	9	13	33
A. NOT OPERATED	93	4.5	80	<1	1	2	4	9	12	56
B. OPERATED	3622	3.2	14	<1	1	2	4	6	9	18
TOTAL 0-19 YRS	694	2.7	4	<1	1	2	3	5	6	11
20-34	775	3.1	7	<1	1	2	4	6	8	15
35-49	783	3.2	18	<1	<1	2	3	6	9	20
50-64	956	3.2	12	<1	1	2	3	6	10	18
65+	507	4.5	45	1	1	3	5	10	13	34
GRAND TOTAL	**3715**	**3.3**	**15**	**<1**	**1**	**2**	**4**	**6**	**9**	**18**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.0	14	<1	<1	2	3	6	12	18
20-34	3	3.0	7	<1	<1	2	5	6	6	6
35-49	3	1.7		1	1	2	2	2	2	2
50-64	6	1.5	2	<1	<1	1	1	4	4	4
65+	4	10.8	101	2	2	8	18	24	24	24
B. *Operated*										
0-19 YRS	463	2.2	6	<1	<1	1	2	4	6	13
20-34	217	2.9	40	<1	<1	2	3	5	7	15
35-49	139	2.5	5	<1	<1	2	3	5	8	12
50-64	144	3.0	10	<1	<1	2	3	6	9	18
65+	94	3.4	8	<1	1	3	4	6	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.4	7	<1	<1	1	3	6	10	11
20-34	4	5.3	16	2	2	4	8	11	11	11
35-49	8	2.4	1	1	1	2	3	4	4	4
50-64	8	4.6	11	1	1	4	6	10	11	11
65+	19	4.5	17	1	1	4	6	10	15	17
B. *Operated*										
0-19 YRS	92	7.0	225	<1	<1	2	5	10	33	87
20-34	101	3.7	16	<1	<1	2	5	9	13	18
35-49	95	4.4	36	<1	<1	2	6	10	16	34
50-64	102	3.8	13	<1	<1	3	5	8	11	18
65+	102	6.3	54	<1	1	4	8	15	22	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	3.4	23	<1	<1	2	4	7	15	24
B. *Operated*	1057	2.6	14	<1	<1	2	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*	63	3.5	11	<1	<1	2	4	8	11	16
B. *Operated*	492	5.0	67	<1	<1	2	6	10	16	43
1. SINGLE DX	1097	2.6	14	<1	<1	2	3	5	8	15
2. MULTIPLE DX	555	4.8	61	<1	<1	2	5	10	15	39
A. NOT OPERATED	103	3.5	16	<1	<1	2	4	8	12	21
B. OPERATED	1549	3.4	32	<1	<1	2	3	7	10	23
TOTAL 0-19 YRS	603	2.9	42	<1	<1	2	2	5	9	33
20-34	325	3.2	32	<1	<1	2	4	6	9	16
35-49	245	3.2	18	<1	<1	2	3	7	10	22
50-64	260	3.4	11	<1	<1	2	4	8	10	18
65+	219	5.0	34	<1	1	3	6	11	16	31
GRAND TOTAL	**1652**	**3.4**	**31**	**<1**	**<1**	**2**	**3**	**7**	**10**	**23**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	5	1.6		<1	<1	2	2	2	2	2
35-49	6	2.0	1	1	1	2	2	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	217	1.6	1	<1	<1	2	2	2	2	4
20-34	493	1.6	1	<1	<1	1	2	2	3	4
35-49	288	1.8	1	<1	<1	2	2	2	3	6
50-64	111	2.4	11	<1	1	2	2	3	4	18
65+	87	2.4	1	1	2	2	3	3	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	2.0	1	<1	<1	2	3	3	3	3
35-49	3	1.7		1	1	2	2	2	2	2
50-64	1	4.0		4	4	4	4	4	4	4
65+	3	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	29	2.0	1	<1	<1	2	2	3	4	7
20-34	127	2.1	4	<1	<1	2	2	3	4	38
35-49	189	2.3	3	<1	<1	2	3	4	6	10
50-64	125	2.6	4	1	1	2	3	4	5	12
65+	69	4.3	55	1	1	2	4	7	10	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.7	1	<1	<1	2	2	2	4	4
B. *Operated*	1196	1.8	2	<1	<1	2	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	15	2.3	1	<1	<1	3	3	3	4	4
B. *Operated*	539	2.6	10	<1	1	2	3	4	6	14
1. SINGLE DX	1211	1.8	2	<1	<1	2	2	2	3	5
2. MULTIPLE DX	554	2.6	10	<1	1	2	3	4	6	14
A. NOT OPERATED	30	2.0	1	<1	<1	2	3	3	4	4
B. OPERATED	1735	2.0	5	<1	<1	2	2	3	4	9
TOTAL 0-19 YRS	248	1.6	1	<1	<1	2	2	2	3	4
20-34	633	1.7	1	<1	<1	2	2	2	3	5
35-49	486	2.0	2	<1	<1	2	2	3	4	8
50-64	238	2.5	7	1	1	2	2	4	5	12
65+	160	3.2	25	1	1	2	3	5	7	25
GRAND TOTAL	**1765**	**2.0**	**5**	**<1**	**<1**	**2**	**2**	**3**	**4**	**9**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	3.2	3	<1	1	3	5	5	7	7
35-49	34	4.2	8	<1	1	4	6	7	8	13
50-64	6	3.3	3	<1	<1	3	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	3	7.3	1	6	6	8	8	8	8	8
20-34	303	5.2	4	1	2	5	6	7	8	10
35-49	867	5.6	5	1	2	6	7	8	8	11
50-64	191	5.1	6	<1	1	6	7	7	8	12
65+	14	2.9	8	<1	1	2	2	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	23	4.0	9	<1	1	3	6	7	10	13
35-49	102	3.2	6	<1	<1	2	5	6	8	10
50-64	19	3.2	6	<1	1	2	6	7	8	8
65+	9	5.2	5	2	2	5	7	9	9	9
B. *Operated*										
0-19 YRS	8	8.4	5	4	5	9	10	11	11	11
20-34	995	5.9	16	1	2	6	7	8	10	16
35-49	4991	6.4	9	2	4	6	7	9	10	16
50-64	1246	6.7	12	2	4	6	8	9	11	19
65+	151	7.9	13	2	5	7	9	13	15	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	3.9	6	<1	1	4	5	7	7	13
B. *Operated*	1378	5.4	5	1	2	6	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	153	3.4	7	<1	<1	2	5	7	8	10
B. *Operated*	7391	6.4	11	2	4	6	7	9	11	17
1. SINGLE DX	1432	5.4	5	1	2	6	6	7	8	11
2. MULTIPLE DX	7544	6.4	11	1	4	6	7	9	10	17
A. NOT OPERATED	207	3.5	6	<1	<1	3	5	7	8	11
B. OPERATED	8769	6.3	10	1	4	6	7	9	10	16
TOTAL 0-19 YRS	11	8.1	4	4	5	8	10	11	11	11
20-34	1335	5.7	13	1	2	6	7	8	9	15
35-49	5994	6.2	9	1	4	6	7	8	10	15
50-64	1462	6.5	11	1	2	6	7	9	11	18
65+	174	7.3	14	1	2	7	9	12	15	20
GRAND TOTAL	**8976**	**6.2**	**10**	**1**	**3**	**6**	**7**	**9**	**10**	**16**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	26	2.7	5	<1	<1	1	5	6	6	7
35-49	30	4.5	12	<1	<1	5	7	8	8	17
50-64	19	2.9	6	<1	<1	2	5	7	8	8
65+	6	2.2	8	<1	<1	1	1	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	48	4.4	10	<1	<1	5	6	8	9	18
35-49	114	5.6	9	<1	1	6	7	9	11	16
50-64	56	5.5	18	<1	1	6	7	8	9	29
65+	17	4.8	8	<1	1	4	7	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	84	3.3	8	<1	<1	2	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*	235	5.3	11	<1	1	6	7	8	10	17
1. SINGLE DX	85	3.3	8	<1	<1	2	5	7	8	14
2. MULTIPLE DX	237	5.3	11	<1	1	6	7	8	10	17
A. NOT OPERATED	3	4.0	1	3	3	4	5	5	5	5
B. OPERATED	319	4.8	11	<1	<1	5	7	8	9	17
TOTAL 0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	75	3.8	9	<1	<1	4	6	7	8	16
35-49	145	5.4	9	<1	1	6	7	8	11	17
50-64	76	4.9	16	<1	1	5	7	8	8	25
65+	23	4.1	9	<1	<1	4	7	8	9	10
GRAND TOTAL	322	4.8	11	<1	<1	5	7	8	9	17

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	5.0		5	5	5	5	5	5	5
35-49	3	2.3	1	<1	<1	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	110	5.0	1	3	4	5	6	6	7	9
20-34	338	4.9	2	3	3	5	6	6	7	8
35-49	106	5.8	3	4	4	6	6	7	8	14
50-64	72	6.7	3	4	5	6	7	9	10	14
65+	35	8.2	8	4	6	8	9	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.0	5	1	1	3	5	5	5	5
35-49	4	4.5	2	3	3	4	5	6	6	6
50-64										
65+	4	12.3	86	6	6	8	17	26	26	26
B. *Operated*										
0-19 YRS	58	5.9	13	4	4	5	6	8	10	28
20-34	327	5.6	2	4	4	5	6	8	9	11
35-49	229	6.8	7	4	5	6	7	10	10	18
50-64	184	8.0	17	5	5	7	8	11	15	28
65+	133	10.0	20	5	6	9	12	15	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.0	3	<1	<1	3	5	5	5	5
B. *Operated*	661	5.4	3	3	4	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	12	6.6	43	1	1	5	7	14	24	26
B. *Operated*	931	7.0	12	4	4	6	8	10	13	24
1. SINGLE DX	667	5.4	3	3	4	5	6	7	8	12
2. MULTIPLE DX	943	7.0	12	4	4	6	8	10	13	24
A. NOT OPERATED	18	5.4	32	<1	1	5	6	9	19	26
B. OPERATED	1592	6.4	9	4	4	6	7	9	11	19
TOTAL 0-19 YRS	169	5.3	6	3	4	5	6	7	8	11
20-34	671	5.2	2	3	4	5	6	7	8	10
35-49	342	6.4	6	4	4	6	7	9	10	16
50-64	256	7.6	13	5	5	7	8	11	13	26
65+	172	9.7	19	5	6	8	11	15	18	28
GRAND TOTAL	1610	6.3	9	4	4	6	7	9	11	20

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	1.0		<1	<1	<1	1	1	1	1
20-34	13	3.6	5	1	1	4	6	6	6	6
35-49	22	2.3	4	<1	<1	2	3	5	8	8
50-64	12	5.1	18	1	1	4	7	10	15	16
65+	11	3.5	10	1	1	3	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	13	4.9	3	2	3	5	6	7	7	7
35-49	24	6.0	12	1	1	6	7	11	13	16
50-64	16	3.6	5	<1	<1	3	5	7	8	8
65+	8	3.5	8	1	1	2	5	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*	63	3.2	8	<1	1	2	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	64	4.7	8	1	1	5	6	8	9	15
1. SINGLE DX	65	3.2	8	<1	1	2	5	7	8	15
2. MULTIPLE DX	64	4.7	8	1	1	5	6	8	9	15
A. NOT OPERATED	2	4.0	2	3	3	4	5	5	5	5
B. OPERATED	127	4.0	9	<1	1	3	6	8	8	16
TOTAL 0-19 YRS	9	2.1	2	<1	<1	1	3	5	5	5
20-34	27	4.3	4	1	1	5	6	6	7	7
35-49	46	4.2	11	<1	1	3	6	8	11	16
50-64	28	4.2	11	<1	1	3	6	8	9	16
65+	19	3.5	9	1	1	3	5	8	9	10
GRAND TOTAL	**129**	**4.0**	**9**	**<1**	**1**	**3**	**6**	**8**	**8**	**16**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	6	2.0	1	<1	<1	2	3	3	3	3
20-34	13	2.6	2	1	1	2	3	5	6	6
35-49	13	2.3	2	<1	<1	3	3	4	5	5
50-64	11	4.5	17	1	1	3	6	12	13	13
65+	12	3.0	2	1	1	3	4	5	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	14.0		14	14	14	14	14	14	14
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	10	2.3	2	<1	<1	2	3	4	5	5
35-49	8	3.5	16	1	1	2	3	10	13	13
50-64	14	2.4	1	1	1	2	4	4	4	4
65+	11	3.6	3	1	1	3	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	55	2.9	5	<1	1	3	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	4	5.3	34	2	2	3	8	14	14	14
B. *Operated*	45	3.0	5	1	1	2	4	6	6	13
1. SINGLE DX	56	2.9	5	<1	1	2	3	5	7	13
2. MULTIPLE DX	49	3.1	7	1	1	2	4	6	7	14
A. NOT OPERATED	5	4.4	29	<1	<1	2	6	14	14	14
B. OPERATED	100	2.9	5	1	1	2	4	5	7	13
TOTAL 0-19 YRS	8	2.6	4	<1	<1	2	3	6	7	7
20-34	23	2.5	2	<1	1	2	3	5	6	6
35-49	22	2.7	6	<1	1	2	3	4	8	13
50-64	27	3.6	13	<1	1	2	4	10	13	14
65+	25	3.2	3	1	2	3	4	6	6	7
GRAND TOTAL	**105**	**3.0**	**6**	**<1**	**1**	**2**	**3**	**6**	**7**	**14**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	5.0	32	<1	<1	4	9	9	9	9
20-34	7	5.0	18	<1	<1	5	9	11	11	11
35-49	15	3.5	15	1	1	2	3	11	13	14
50-64	17	2.8	10	<1	<1	2	2	9	11	11
65+	27	2.8	5	<1	1	2	4	7	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	2	7.5	41	3	3	7	12	12	12	12
20-34	8	6.9	17	2	2	6	11	12	12	12
35-49	14	4.6	28	1	1	2	5	15	17	18
50-64	21	3.6	9	<1	<1	2	5	10	10	10
65+	54	3.8	7	1	2	3	5	7	10	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	68	3.3	10	<1	1	2	4	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	1	9.0		9	9	9	9	9	9	9
B. *Operated*	99	4.2	12	1	1	3	5	10	12	17
1. SINGLE DX	68	3.3	10	<1	1	2	4	9	11	14
2. MULTIPLE DX	100	4.3	12	1	1	3	6	10	12	16
A. NOT OPERATED	1	9.0		9	9	9	9	9	9	9
B. OPERATED	167	3.8	11	<1	1	2	5	10	11	15
TOTAL 0-19 YRS	4	6.3	26	<1	<1	6	10	12	12	12
20-34	15	6.0	17	<1	<1	5	10	12	12	12
35-49	29	4.0	21	1	1	2	4	13	15	18
50-64	38	3.2	9	<1	<1	2	3	10	11	11
65+	82	3.5	7	1	1	3	5	7	9	12
GRAND TOTAL	**168**	**3.8**	**11**	**<1**	**1**	**2**	**5**	**10**	**11**	**15**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34										
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	24	1.3		<1	<1	1	2	2	2	2
20-34	10	2.3	2	<1	<1	2	3	4	5	5
35-49	4	1.5		1	1	1	2	2	2	2
50-64	10	2.6	6	<1	<1	1	5	6	7	7
65+	3	2.7	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	3	1.7		<1	<1	2	2	2	2	2
65+	10	2.6	3	<1	<1	2	3	5	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.7	6	1	1	4	5	6	6	6
B. *Operated*	51	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	17	2.4	2	<1	<1	2	3	4	6	7
1. SINGLE DX	54	2.0	2	<1	<1	1	2	4	6	7
2. MULTIPLE DX	18	2.3	2	<1	<1	2	3	4	6	7
A. NOT OPERATED	4	3.0	6	<1	<1	2	5	6	6	6
B. OPERATED	68	2.0	2	<1	<1	2	2	4	5	7
TOTAL 0-19 YRS	28	1.5	1	<1	<1	1	2	2	3	4
20-34	11	2.3	1	<1	<1	2	3	4	5	5
35-49	6	1.8	1	1	1	2	2	3	3	3
50-64	14	2.6	5	<1	<1	2	5	6	7	7
65+	13	2.6	3	<1	1	2	3	5	7	7
GRAND TOTAL	**72**	**2.1**	**2**	**<1**	**<1**	**2**	**2**	**4**	**6**	**7**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	7	8.7	232	1	1	4	5	35	43	43
50-64	8	4.0	15	<1	<1	3	6	10	12	12
65+	8	7.4	91	1	1	3	11	24	26	26
B. *Operated*										
0-19 YRS	7	10.6	17	4	5	11	13	16	17	17
20-34	53	8.4	30	1	2	8	12	16	18	22
35-49	70	9.5	35	1	1	10	12	16	19	29
50-64	125	10.7	99	1	2	9	14	18	23	53
65+	75	15.6	169	2	3	14	18	30	40	78
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	3	5.7	20	<1	<1	6	9	10	10	10
35-49	4	6.0	15	1	1	6	9	10	10	10
50-64	12	5.6	18	1	2	4	6	12	15	16
65+	36	9.6	46	2	3	8	14	18	26	29
B. *Operated*										
0-19 YRS	10	13.9	62	5	5	11	21	26	29	29
20-34	43	18.0	184	2	6	15	26	47	74	99+
35-49	72	16.4	86	4	8	14	20	31	36	40
50-64	119	18.9	225	5	8	14	22	38	54	94
65+	100	22.6	317	4	7	17	31	49	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	6.1	84	<1	1	3	5	17	28	43
B. *Operated*	330	11.2	94	1	2	10	14	19	24	46
2. MULTIPLE DX										
A. *Not Operated*	57	8.1	38	1	2	6	10	16	21	29
B. *Operated*	344	19.2	217	4	8	15	24	38	53	99+
1. SINGLE DX	358	10.8	95	1	2	10	14	19	25	44
2. MULTIPLE DX	401	17.6	207	3	5	14	22	36	48	99+
A. NOT OPERATED	85	7.4	54	1	1	5	9	16	24	38
B. OPERATED	674	15.3	173	2	3	12	18	31	41	91
TOTAL 0-19 YRS	20	11.3	48	2	4	10	13	22	26	29
20-34	103	12.1	117	1	2	10	15	27	45	99+
35-49	153	12.6	79	1	2	11	15	26	32	40
50-64	264	13.9	171	2	2	11	16	26	39	91
65+	219	17.5	239	2	3	14	22	36	52	91
GRAND TOTAL	**759**	**14.4**	**165**	**1**	**2**	**11**	**17**	**29**	**40**	**88**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	41	3.4	1	2	2	3	4	5	6	7
20-34	251	3.6	1	2	2	4	4	5	5	7
35-49	286	3.7	1	2	3	4	4	5	5	8
50-64	201	3.9	2	2	3	4	4	5	6	10
65+	109	4.3	4	2	3	4	5	6	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49										
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	3	5.0	7	2	2	6	7	7	7	7
B. *Operated*										
0-19 YRS	11	3.3	3	2	2	3	3	6	8	8
20-34	89	3.9	2	3	3	4	4	5	6	10
35-49	140	4.2	7	2	3	4	4	5	7	16
50-64	149	5.3	33	3	3	4	5	6	14	32
65+	103	6.9	52	3	3	5	8	11	14	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.2	2	<1	<1	2	3	4	4	4
B. *Operated*	888	3.8	2	2	3	4	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	8	3.6	4	<1	1	3	5	7	7	7
B. *Operated*	492	5.0	25	3	3	4	5	7	11	30
1. SINGLE DX	897	3.8	2	2	3	4	4	5	6	9
2. MULTIPLE DX	500	5.0	24	3	3	4	5	7	10	29
A. NOT OPERATED	17	2.9	3	<1	<1	3	4	6	7	7
B. OPERATED	1380	4.2	10	2	3	4	4	5	7	15
TOTAL 0-19 YRS	53	3.4	1	2	2	3	4	5	6	8
20-34	343	3.7	2	2	2	4	4	5	5	8
35-49	429	3.8	3	2	3	4	4	5	6	12
50-64	355	4.5	15	3	3	4	5	6	7	19
65+	217	5.5	29	2	3	4	5	9	11	43
GRAND TOTAL	**1397**	**4.2**	**10**	**2**	**3**	**4**	**4**	**5**	**7**	**15**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.3	9	1	1	4	6	8	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	4.7		4	4	5	5	5	5	5
B. *Operated*										
0-19 YRS	12	7.8	8	3	4	7	10	11	12	12
20-34	63	8.7	129	3	4	7	9	12	15	84
35-49	52	6.6	9	2	3	6	9	10	11	12
50-64	49	7.6	20	2	3	6	10	13	17	23
65+	20	7.3	21	2	2	6	9	14	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.0	19	3	3	10	11	11	11	11
20-34	9	3.4	10	1	1	2	4	9	11	11
35-49	9	3.9	5	2	2	4	5	7	9	9
50-64	8	9.8	117	<1	1	5	13	28	34	34
65+	5	15.8	233	7	7	10	18	43	43	43
B. *Operated*										
0-19 YRS	10	11.4	199	2	2	6	10	34	49	49
20-34	40	10.2	52	3	4	8	13	21	31	99+
35-49	43	9.1	48	2	3	7	12	19	22	38
50-64	88	10.6	119	3	4	7	13	21	26	69
65+	51	10.2	94	3	3	7	11	20	37	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.9	5	1	1	4	5	7	8	8
B. *Operated*	196	7.7	51	2	3	7	9	12	14	22
2. MULTIPLE DX										
A. *Not Operated*	34	7.3	77	1	2	4	10	12	30	43
B. *Operated*	232	10.2	91	3	4	7	13	20	26	55
1. SINGLE DX	205	7.5	50	2	3	6	9	12	14	21
2. MULTIPLE DX	266	9.8	90	2	3	7	11	20	27	50
A. NOT OPERATED	43	6.6	64	1	1	4	9	11	21	43
B. OPERATED	428	9.0	74	2	4	7	10	17	22	50
TOTAL 0-19 YRS	25	9.3	83	2	3	7	10	12	26	49
20-34	116	8.7	92	2	3	7	9	15	20	96
35-49	105	7.4	27	2	3	6	10	12	15	30
50-64	146	9.5	86	2	3	7	11	18	23	51
65+	79	9.6	83	2	3	7	11	19	32	48
GRAND TOTAL	**471**	**8.8**	**74**	**2**	**3**	**7**	**10**	**16**	**22**	**50**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	1.8	3	<1	<1	1	2	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	3.3	4	1	1	3	5	6	6	6
65+										
B. *Operated*										
0-19 YRS	16	1.8	1	1	1	2	2	3	3	3
20-34	747	3.3	5	<1	<1	2	5	6	7	9
35-49	260	4.3	10	<1	1	5	6	7	8	16
50-64	70	4.4	7	1	1	5	7	8	8	9
65+	40	4.0	7	<1	1	3	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	5.4	75	<1	<1	3	6	14	29	32
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	8	2.8	6	<1	<1	2	4	7	7	7
20-34	517	4.7	9	1	1	5	6	8	10	15
35-49	364	5.6	9	1	1	6	7	8	10	14
50-64	89	6.6	39	1	2	6	7	10	15	41
65+	49	5.4	7	1	2	6	7	9	9	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.3	4	<1	<1	1	3	5	6	6
B. *Operated*	1133	3.6	7	<1	1	3	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	19	3.8	51	<1	<1	1	5	7	21	32
B. *Operated*	1027	5.2	12	1	1	5	7	8	10	15
1. SINGLE DX	1143	3.6	7	<1	1	3	5	7	7	10
2. MULTIPLE DX	1046	5.2	13	1	1	5	7	8	10	15
A. NOT OPERATED	29	3.3	34	<1	<1	1	4	6	8	32
B. OPERATED	2160	4.3	10	<1	1	5	6	8	9	14
TOTAL 0-19 YRS	24	2.1	2	<1	1	2	2	4	6	7
20-34	1281	3.9	8	<1	1	4	6	7	8	14
35-49	630	5.0	10	1	1	5	7	8	9	14
50-64	165	5.5	25	1	1	6	7	9	10	20
65+	89	4.7	7	1	2	5	7	8	9	11
GRAND TOTAL	**2189**	**4.3**	**10**	**<1**	**1**	**4**	**6**	**8**	**9**	**14**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.8	10	<1	<1	3	6	7	7	7
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	8	8.1	158	<1	<1	2	10	30	37	37
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	38	3.1	4	<1	1	2	5	6	7	7
35-49	51	4.7	15	<1	1	4	6	9	11	19
50-64	98	4.0	19	<1	1	3	5	8	10	25
65+	105	3.8	9	<1	1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	13.2	264	3	3	8	17	42	42	42
65+	13	8.7	51	1	2	4	17	18	20	21
B. *Operated*										
0-19 YRS	4	3.5	19	<1	<1	1	6	10	10	10
20-34	32	6.2	32	<1	<1	5	8	14	20	23
35-49	66	6.4	76	1	1	5	7	9	15	60
50-64	149	7.0	31	1	2	6	9	13	17	23
65+	221	7.3	32	1	2	6	10	16	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	5.6	77	<1	<1	2	5	13	29	37
B. *Operated*	294	3.9	13	<1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	18	9.9	102	2	3	6	17	20	34	42
B. *Operated*	472	7.0	37	1	2	6	9	14	18	30
1. SINGLE DX	311	4.0	16	<1	1	3	5	8	10	18
2. MULTIPLE DX	490	7.1	40	1	2	6	9	15	19	31
A. NOT OPERATED	35	7.9	92	<1	1	4	8	17	33	42
B. OPERATED	766	5.8	30	1	1	5	8	12	16	26
TOTAL 0-19 YRS	6	3.2	13	<1	<1	1	4	9	10	10
20-34	74	4.4	18	<1	<1	4	6	8	13	23
35-49	119	5.6	49	<1	1	5	6	9	14	39
50-64	255	5.9	33	1	1	5	8	11	15	36
65+	347	6.3	31	1	1	5	8	15	18	30
GRAND TOTAL	**801**	**5.9**	**33**	**1**	**1**	**5**	**8**	**12**	**17**	**29**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.2	2	<1	<1	2	3	4	5	5
20-34	31	3.1	3	<1	1	3	4	6	7	7
35-49	53	2.8	3	1	1	2	4	5	6	8
50-64	53	4.9	81	<1	1	2	5	8	13	55
65+	85	4.9	24	<1	1	3	6	11	18	24
B. *Operated*										
0-19 YRS	91	3.7	11	<1	1	3	4	8	11	17
20-34	207	4.3	13	1	1	3	6	9	12	18
35-49	208	4.1	14	1	1	3	6	8	11	17
50-64	253	4.2	18	1	1	3	5	9	11	27
65+	255	4.9	23	1	1	3	7	11	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.2	3	<1	1	3	5	6	6	6
20-34	51	5.0	84	<1	1	3	5	10	11	62
35-49	53	4.5	11	<1	1	4	6	9	12	15
50-64	141	5.1	28	1	1	3	7	10	16	26
65+	294	7.2	66	1	1	5	8	15	23	54
B. *Operated*										
0-19 YRS	56	5.6	33	1	1	4	7	12	15	33
20-34	136	7.7	97	1	2	5	8	14	21	64
35-49	175	7.5	55	1	2	6	9	14	20	54
50-64	291	7.5	66	1	1	5	10	17	21	40
65+	479	9.4	73	1	2	7	13	20	26	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	4.0	28	<1	1	3	5	7	11	27
B. *Operated*	1014	4.3	17	1	1	3	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	555	6.1	52	<1	1	4	7	13	20	43
B. *Operated*	1137	8.2	70	1	2	6	10	18	24	46
1. SINGLE DX	1256	4.3	19	1	1	3	5	9	12	21
2. MULTIPLE DX	1692	7.5	65	1	1	5	9	16	23	45
A. NOT OPERATED	797	5.4	46	<1	1	3	6	11	18	37
B. OPERATED	2151	6.4	49	1	1	4	8	14	19	35
TOTAL 0-19 YRS	183	4.1	17	<1	1	3	5	8	13	22
20-34	425	5.4	50	1	1	4	6	10	14	39
35-49	489	5.2	30	1	1	4	7	10	14	32
50-64	738	5.7	45	1	1	3	7	12	18	31
65+	1113	7.4	60	1	1	5	10	17	22	42
GRAND TOTAL	**2948**	**6.1**	**48**	**1**	**1**	**4**	**8**	**13**	**19**	**35**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	1	<1	<1	2	3	3	3	3
20-34	8	2.1	1	1	1	2	3	3	3	3
35-49	3	9.3	41	2	2	12	13	14	14	14
50-64	6	2.7	4	<1	<1	2	5	5	5	5
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	14	3.6	1	2	2	3	4	5	6	6
20-34	136	3.7	1	2	3	4	4	5	5	7
35-49	190	3.8	4	2	2	4	4	5	6	9
50-64	179	4.2	2	2	3	4	5	5	7	12
65+	88	4.9	5	3	3	4	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	11	3.9	12	1	1	3	5	9	13	13
35-49	9	3.8	6	<1	<1	4	6	7	7	7
50-64	18	4.4	17	1	1	3	5	9	14	18
65+	18	6.0	15	2	3	4	8	11	14	16
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	61	4.3	3	2	2	4	5	6	7	13
35-49	103	4.8	9	3	3	4	5	8	10	20
50-64	160	4.8	4	3	3	4	5	7	9	12
65+	94	6.3	14	3	3	5	7	11	16	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	3.2	11	<1	1	2	3	7	13	14
B. *Operated*	607	4.0	3	2	3	4	5	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	57	4.6	14	1	1	3	6	10	12	18
B. *Operated*	420	5.0	8	3	3	4	5	8	10	18
1. SINGLE DX	630	4.0	3	2	2	4	5	5	7	12
2. MULTIPLE DX	477	5.0	8	2	3	4	5	8	11	18
A. NOT OPERATED	80	4.2	13	1	1	3	5	10	12	17
B. OPERATED	1027	4.4	5	2	3	4	5	7	8	14
TOTAL 0-19 YRS	22	3.1	2	<1	1	3	4	5	6	6
20-34	216	3.8	2	2	2	4	4	5	6	10
35-49	305	4.2	6	2	2	4	4	6	8	15
50-64	363	4.4	4	2	3	4	5	7	8	13
65+	201	5.6	11	3	3	5	6	9	12	19
GRAND TOTAL	**1107**	**4.4**	**6**	**2**	**3**	**4**	**5**	**7**	**9**	**15**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.9	2	1	1	3	4	5	5	5
20-34	45	4.3	11	1	2	3	5	8	9	21
35-49	48	5.1	13	1	1	4	7	10	13	17
50-64	39	5.2	11	1	1	4	7	11	13	14
65+	29	6.9	68	2	2	4	9	15	19	43
B. *Operated*										
0-19 YRS	44	4.4	6	2	3	4	5	6	8	17
20-34	204	4.4	4	2	3	4	5	6	8	13
35-49	139	4.2	3	2	3	4	5	6	8	11
50-64	120	4.0	1	2	3	4	5	5	6	8
65+	42	4.8	5	2	2	4	5	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	5.0	12	1	1	4	6	10	13	16
20-34	109	5.1	16	1	1	4	7	10	11	23
35-49	118	6.2	19	2	2	5	8	11	14	24
50-64	195	6.9	34	2	2	5	9	12	16	28
65+	289	9.3	63	2	3	7	12	17	23	66
B. *Operated*										
0-19 YRS	18	6.3	19	3	3	5	7	10	17	22
20-34	75	5.4	14	2	2	4	5	11	12	23
35-49	100	5.9	20	2	3	4	6	11	16	25
50-64	107	8.1	129	2	3	5	7	14	20	77
65+	78	9.3	66	3	3	6	12	23	28	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	175	5.0	21	1	1	4	6	10	13	20
B. *Operated*	549	4.3	4	2	3	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	736	7.4	42	2	2	6	9	14	18	34
B. *Operated*	378	7.1	61	2	3	5	7	13	21	44
1. SINGLE DX	724	4.5	8	2	3	4	5	7	9	16
2. MULTIPLE DX	1114	7.3	48	2	2	5	9	14	19	38
A. NOT OPERATED	911	6.9	39	1	2	5	9	13	17	33
B. OPERATED	927	5.5	29	2	3	4	5	9	12	27
TOTAL 0-19 YRS	101	4.7	10	1	2	4	5	8	10	19
20-34	433	4.7	10	2	2	4	5	8	11	21
35-49	405	5.3	14	2	2	4	6	10	12	21
50-64	461	6.3	48	2	2	5	7	11	15	37
65+	438	8.7	60	2	3	7	11	17	23	49
GRAND TOTAL	**1838**	**6.2**	**34**	**2**	**2**	**4**	**7**	**12**	**16**	**32**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	328	5.0	7	1	2	5	7	8	10	14
20-34	269	4.5	11	1	2	4	5	7	9	18
35-49	240	5.1	15	1	2	5	6	8	10	18
50-64	332	5.5	10	2	2	5	7	9	11	17
65+	298	6.2	14	2	2	5	7	11	13	20
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	6.3	8	3	3	6	8	9	9	9
35-49	3	6.7	5	4	4	8	8	8	8	8
50-64	11	8.6	136	1	2	5	8	23	41	43
65+	2	9.0	2	8	8	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	219	4.9	16	1	1	4	6	9	12	19
20-34	500	4.8	9	1	2	4	6	9	11	16
35-49	745	6.1	19	2	2	5	7	11	14	23
50-64	1640	6.4	20	2	2	6	8	11	14	23
65+	2455	7.9	46	2	3	6	9	14	19	42
B. *Operated*										
0-19 YRS	5	4.2	2	3	3	4	5	6	6	6
20-34	58	8.8	37	1	2	7	11	19	22	24
35-49	76	11.2	66	2	3	10	15	20	28	45
50-64	212	11.6	122	2	3	9	13	23	29	66
65+	249	13.8	135	3	4	11	18	27	38	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1467	5.3	11	1	2	5	6	9	11	18
B. *Operated*	21	7.7	72	2	3	6	8	10	25	43
2. MULTIPLE DX										
A. *Not Operated*	5559	6.8	31	2	2	6	8	12	16	29
B. *Operated*	600	12.1	113	2	3	9	15	24	31	59
1. SINGLE DX	1488	5.3	12	1	2	5	7	9	11	18
2. MULTIPLE DX	6159	7.3	42	2	2	6	9	13	18	37
A. NOT OPERATED	7026	6.5	27	2	2	5	8	12	15	27
B. OPERATED	621	12.0	112	2	3	9	15	23	31	58
TOTAL 0-19 YRS	553	4.9	11	1	2	4	6	9	11	17
20-34	831	5.0	13	1	2	4	6	9	11	21
35-49	1064	6.2	23	2	2	5	8	11	15	25
50-64	2195	6.8	31	2	2	6	8	12	15	28
65+	3004	8.2	53	2	3	7	10	15	20	44
GRAND TOTAL	**7647**	**6.9**	**37**	**2**	**2**	**6**	**8**	**12**	**16**	**33**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	474	4.2	9	1	1	3	5	8	9	16
20-34	321	3.7	5	1	1	3	5	7	8	11
35-49	121	4.5	10	1	1	4	6	8	11	17
50-64	92	5.6	15	1	2	5	7	9	14	22
65+	90	7.3	29	2	2	6	9	15	17	28
B. *Operated*										
0-19 YRS	3	5.7	6	3	3	6	7	8	8	8
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	7.5	25	4	4	7	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	324	4.4	10	1	1	4	5	8	10	20
20-34	495	5.0	18	1	2	4	6	9	12	24
35-49	297	7.0	44	2	2	5	9	13	20	32
50-64	356	8.2	47	2	3	7	10	15	20	33
65+	478	10.0	60	3	3	8	12	21	26	53
B. *Operated*										
0-19 YRS	14	15.7	542	2	4	8	14	30	80	94
20-34	42	10.0	69	2	3	7	12	17	27	46
35-49	24	11.8	186	2	4	8	14	34	75	99+
50-64	31	20.9	281	4	6	15	29	54	71	99+
65+	43	21.5	226	6	8	19	26	48	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1098	4.5	11	1	1	4	6	8	10	17
B. *Operated*	7	6.3	7	3	3	6	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	1950	7.0	41	2	2	5	9	14	20	33
B. *Operated*	154	16.2	236	3	4	12	20	40	64	99+
1. SINGLE DX	1105	4.5	11	1	1	4	6	8	10	17
2. MULTIPLE DX	2104	7.7	61	2	2	5	9	16	22	47
A. NOT OPERATED	3048	6.1	32	1	2	5	7	12	16	29
B. OPERATED	161	15.8	230	3	4	11	20	38	64	99+
TOTAL 0-19 YRS	815	4.5	21	1	1	4	5	8	10	19
20-34	859	4.7	17	1	2	4	6	9	11	23
35-49	442	6.6	45	1	2	5	8	12	18	39
50-64	480	8.5	67	2	3	7	10	16	22	53
65+	613	10.4	77	2	3	8	13	21	27	61
GRAND TOTAL	**3209**	**6.6**	**46**	**1**	**2**	**5**	**8**	**13**	**19**	**36**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	4.7	15	1	1	4	6	9	10	24
20-34	120	4.7	7	1	2	4	6	8	10	13
35-49	111	5.1	10	1	2	4	6	11	12	13
50-64	197	6.2	16	2	3	5	8	11	13	24
65+	159	6.9	34	2	3	5	8	12	18	49
B. *Operated*										
0-19 YRS	4	3.0	2	2	2	3	4	5	5	5
20-34	29	6.8	39	1	2	5	7	17	22	24
35-49	35	3.4	6	1	1	3	5	7	8	11
50-64	55	4.9	17	1	1	4	6	12	14	18
65+	51	5.3	38	1	2	3	6	13	18	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	5.3	24	1	1	4	6	10	17	26
20-34	355	6.1	29	1	2	5	8	12	15	31
35-49	537	6.4	27	2	2	5	8	12	14	23
50-64	1057	7.2	33	2	2	6	9	13	17	32
65+	1441	8.5	52	2	3	7	10	16	21	43
B. *Operated*										
0-19 YRS	10	6.1	14	3	3	5	9	12	14	14
20-34	152	11.0	151	2	2	7	12	25	39	67
35-49	255	13.5	164	1	2	9	19	31	37	67
50-64	524	14.4	186	1	2	11	20	33	45	78
65+	611	19.1	268	2	3	15	26	44	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	644	5.7	18	1	2	5	7	10	12	24
B. *Operated*	174	5.0	25	1	1	3	6	11	16	24
2. MULTIPLE DX										
A. *Not Operated*	3472	7.5	40	2	2	6	9	14	18	33
B. *Operated*	1552	15.7	218	2	3	11	22	36	48	83
1. SINGLE DX	818	5.6	20	1	2	5	7	10	13	24
2. MULTIPLE DX	5024	10.0	110	2	2	7	12	22	31	60
A. NOT OPERATED	4116	7.2	37	2	2	6	9	13	17	32
B. OPERATED	1726	14.6	209	1	2	10	20	34	47	81
TOTAL 0-19 YRS	153	5.1	20	1	1	4	6	10	14	25
20-34	656	7.0	58	1	2	5	8	13	21	41
35-49	938	8.1	72	1	2	6	9	16	25	48
50-64	1833	9.1	86	2	2	6	11	19	27	49
65+	2262	11.2	132	2	3	8	13	25	36	72
GRAND TOTAL	**5842**	**9.4**	**100**	**2**	**2**	**6**	**11**	**20**	**29**	**58**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	1	2	2	3	3	4	4	4
20-34	3	4.3	12	1	1	4	7	8	8	8
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	16	2.6	3	<1	<1	2	4	5	5	5
20-34	120	3.8	5	1	1	4	6	6	8	10
35-49	5	5.4	8	<1	<1	6	7	9	9	9
50-64	2	6.5	61	1	1	6	12	12	12	12
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	2	2	2	4	5	5	5	5
20-34	11	2.6	2	<1	<1	2	4	5	5	5
35-49	3	7.7	9	5	5	7	10	11	11	11
50-64										
65+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	26	5.3	8	1	1	5	6	10	11	12
20-34	207	4.7	5	1	1	5	6	7	8	11
35-49	16	5.7	3	3	3	6	7	8	8	8
50-64	4	2.5	9	<1	<1	1	4	7	7	7
65+	2	9.5	13	7	7	9	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.4	5	1	1	3	4	7	8	8
B. *Operated*	144	3.8	6	<1	1	4	6	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	21	3.9	6	<1	1	4	5	6	9	11
B. *Operated*	255	4.9	6	1	1	5	6	8	9	12
1. SINGLE DX	151	3.8	6	<1	1	4	5	6	8	11
2. MULTIPLE DX	276	4.8	6	1	1	5	6	8	9	12
A. NOT OPERATED	28	3.8	5	1	1	4	5	7	8	11
B. OPERATED	399	4.5	6	1	1	5	6	7	8	12
TOTAL 0-19 YRS	51	4.1	6	<1	1	4	6	7	10	12
20-34	341	4.3	6	1	1	5	6	7	8	11
35-49	24	5.9	5	2	3	6	7	8	10	11
50-64	6	3.8	22	<1	<1	1	7	11	12	12
65+	5	7.4	9	4	4	7	9	12	12	12
GRAND TOTAL	**427**	**4.4**	**6**	**1**	**1**	**5**	**6**	**7**	**8**	**12**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	3.3	64	<1	1	2	3	5	8	48
20-34	109	3.9	11	1	1	3	5	9	11	15
35-49	80	4.0	10	<1	1	3	5	8	10	19
50-64	84	3.7	8	1	1	3	5	7	8	17
65+	52	3.9	7	1	1	3	5	9	10	97
B. *Operated*										
0-19 YRS	10	3.8	6	<1	<1	3	5	7	9	9
20-34	42	5.3	8	1	2	5	7	8	10	14
35-49	24	5.0	13	1	1	4	7	10	13	14
50-64	20	6.3	21	<1	1	5	9	11	16	20
65+	22	5.9	29	1	2	4	7	12	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	4.1	27	1	1	2	5	9	13	30
20-34	260	4.6	24	1	1	3	6	9	12	23
35-49	243	4.8	20	1	1	4	6	9	12	26
50-64	363	5.5	38	1	1	4	7	11	13	31
65+	634	7.4	81	1	2	5	8	15	19	39
B. *Operated*										
0-19 YRS	9	7.3	33	1	1	6	12	16	17	17
20-34	55	9.3	72	2	3	7	10	20	30	40
35-49	66	11.6	202	3	4	7	12	24	38	89
50-64	96	9.9	128	2	3	7	12	19	28	67
65+	89	14.1	172	3	5	11	17	30	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	435	3.7	23	1	1	3	5	7	10	21
B. *Operated*	118	5.4	15	1	1	4	7	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	1624	5.9	51	1	1	4	7	11	15	33
B. *Operated*	315	11.3	146	2	3	8	13	24	34	95
1. SINGLE DX	553	4.1	22	1	1	3	5	8	11	20
2. MULTIPLE DX	1939	6.8	70	1	1	5	8	14	19	40
A. NOT OPERATED	2059	5.4	46	1	1	4	7	11	15	28
B. OPERATED	433	9.6	117	2	2	7	11	19	29	88
TOTAL 0-19 YRS	253	3.9	43	<1	1	2	4	8	13	27
20-34	466	5.1	28	1	1	4	6	10	13	28
35-49	413	5.7	53	1	1	4	7	11	15	36
50-64	563	6.0	52	1	1	4	7	11	16	33
65+	797	7.9	90	1	2	5	9	15	23	77
GRAND TOTAL	**2492**	**6.2**	**60**	**1**	**1**	**4**	**7**	**12**	**17**	**37**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.3	16	1	1	3	5	11	13	13
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	4	5.0	15	1	1	4	8	10	10	10
50-64	11	6.1	12	1	2	5	8	11	13	13
65+	10	6.4	66	2	2	4	6	18	29	29
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49										
50-64	3	2.0		2	2	2	2	2	2	2
65+	3	6.7	22	3	3	5	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	7.2	138	1	1	5	7	12	15	72
20-34	23	10.2	108	3	3	8	12	19	32	52
35-49	24	14.6	301	2	2	10	17	29	51	85
50-64	80	7.6	33	2	2	6	11	15	18	29
65+	294	10.9	81	2	3	8	14	21	29	52
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	10	9.0	22	2	2	10	12	14	16	16
35-49	8	18.3	313	8	8	13	17	48	61	61
50-64	27	26.6	545	2	4	17	43	59	77	86
65+	36	20.7	283	4	7	13	31	47	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	5.4	27	1	1	4	7	10	13	29
B. *Operated*	9	3.6	11	1	1	2	4	9	12	12
2. MULTIPLE DX										
A. *Not Operated*	457	10.2	92	2	3	8	13	19	28	54
B. *Operated*	82	20.9	357	3	5	12	31	52	66	95
1. SINGLE DX	44	5.0	24	1	1	3	6	10	13	29
2. MULTIPLE DX	539	11.8	146	2	3	8	14	25	37	76
A. NOT OPERATED	492	9.8	89	2	3	7	12	19	28	53
B. OPERATED	91	19.1	349	2	3	11	28	50	61	94
TOTAL 0-19 YRS	46	6.6	112	1	1	4	7	12	15	72
20-34	37	9.0	78	2	2	8	12	16	20	52
35-49	36	14.3	275	2	2	10	16	27	54	85
50-64	121	11.6	207	2	2	7	13	29	45	78
65+	343	11.8	110	2	3	9	14	26	35	67
GRAND TOTAL	**583**	**11.3**	**140**	**2**	**3**	**8**	**13**	**24**	**36**	**74**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	7.9	17	2	3	7	11	14	16	16
20-34	14	7.4	4	3	5	8	9	10	10	10
35-49										
B. *Operated*										
0-19 YRS	3	17.0	127	4	4	23	24	24	24	24
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	8.0	27	2	2	6	11	13	17	28
20-34	35	8.9	26	2	4	9	11	12	15	31
35-49	4	3.0	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	9	13.9	69	2	3	16	20	23	24	24
20-34	6	5.0	7	2	2	4	5	10	10	10
35-49	4	7.0	50	2	2	5	12	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	7.7	13	2	3	8	10	12	15	16
B. *Operated*	6	9.5	118	2	2	3	23	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	112	8.1	27	2	2	7	11	13	15	29
B. *Operated*	19	9.6	59	2	2	5	17	21	23	24
1. SINGLE DX	52	7.9	24	2	2	7	10	14	16	24
2. MULTIPLE DX	131	8.3	31	2	2	7	11	14	20	29
A. NOT OPERATED	158	8.0	23	2	3	7	11	13	15	28
B. OPERATED	25	9.6	69	2	2	5	18	23	24	24
TOTAL 0-19 YRS	117	8.6	32	2	2	7	11	16	21	27
20-34	56	8.0	20	2	3	8	10	11	13	30
35-49	10	4.4	22	1	1	3	4	12	17	17
GRAND TOTAL	**183**	**8.2**	**29**	**2**	**2**	**7**	**11**	**14**	**20**	**27**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.0	34	2	2	7	12	13	13	13
20-34	11	2.8	5	<1	<1	2	4	6	8	8
35-49	12	3.3	3	1	1	3	5	6	6	6
50-64	2	5.0	32	1	1	5	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	11	7.9	1	6	6	8	9	9	9	9
20-34	228	7.7	7	5	6	7	8	10	11	16
35-49	149	8.0	6	5	6	8	9	11	13	17
50-64	17	7.7	7	3	5	8	10	11	12	12
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.6	8	2	2	6	8	9	9	9
20-34	34	4.0	9	1	1	3	5	8	11	14
35-49	60	4.6	12	1	2	4	6	9	13	16
50-64	47	6.2	73	2	2	4	6	13	30	99+
65+	33	8.5	66	1	2	6	11	20	27	37
B. *Operated*										
0-19 YRS	17	10.6	23	6	6	10	13	17	22	24
20-34	247	9.2	22	6	6	8	10	13	16	38
35-49	312	10.6	65	5	6	8	11	17	24	44
50-64	73	11.6	121	6	6	9	12	20	32	96
65+	5	13.2	91	3	3	13	18	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.8	10	1	1	3	5	9	11	13
B. *Operated*	406	7.8	6	5	6	7	9	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	181	5.7	39	1	2	4	7	11	16	47
B. *Operated*	654	10.2	55	6	6	8	11	16	22	51
1. SINGLE DX	435	7.5	8	4	5	7	8	10	12	16
2. MULTIPLE DX	835	9.2	55	2	3	8	10	15	22	51
A. NOT OPERATED	210	5.4	35	1	1	4	6	11	15	43
B. OPERATED	1060	9.3	38	5	6	8	10	13	18	37
TOTAL 0-19 YRS	39	8.6	18	2	3	8	10	14	16	24
20-34	520	8.1	17	3	5	7	9	11	14	28
35-49	533	9.1	46	2	4	8	10	14	20	35
50-64	139	9.2	95	2	3	7	10	17	26	99+
65+	39	9.1	68	1	2	6	12	21	28	37
GRAND TOTAL	**1270**	**8.7**	**39**	**2**	**4**	**8**	**9**	**13**	**17**	**37**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	3.2	10	<1	<1	2	4	8	11	15
20-34	76	2.6	28	<1	<1	<1	3	5	8	36
35-49	56	2.7	6	<1	<1	1	4	6	9	11
50-64	72	2.5	12	<1	<1	<1	2	7	9	17
65+	40	4.6	26	<1	<1	3	6	9	14	28
B. *Operated*										
0-19 YRS	21	3.8	8	<1	<1	3	5	8	10	11
20-34	52	4.7	22	1	1	4	5	8	14	29
35-49	77	4.4	11	1	1	4	5	9	10	20
50-64	39	3.6	14	<1	<1	2	4	10	12	17
65+	27	5.3	42	1	1	3	6	16	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	5.5	30	1	2	4	7	11	13	36
20-34	104	5.0	21	1	1	4	6	11	12	25
35-49	145	6.5	37	1	2	5	8	12	16	35
50-64	191	6.5	22	2	2	5	8	12	17	23
65+	197	7.1	30	1	2	6	9	14	19	25
B. *Operated*										
0-19 YRS	13	4.2	17	<1	1	3	4	8	15	17
20-34	66	8.6	70	1	2	5	11	19	30	37
35-49	105	7.5	33	<1	2	6	10	14	21	28
50-64	123	8.6	67	1	2	7	10	16	23	43
65+	91	10.2	75	2	2	7	15	24	30	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	330	3.0	16	<1	<1	1	4	7	10	16
B. *Operated*	216	4.4	17	<1	1	3	5	9	12	24
2. MULTIPLE DX										
A. *Not Operated*	710	6.3	28	1	2	5	8	12	16	28
B. *Operated*	398	8.5	60	1	2	6	11	17	25	35
1. SINGLE DX	546	3.5	17	<1	<1	2	4	8	10	19
2. MULTIPLE DX	1108	7.1	41	1	2	5	9	14	20	33
A. NOT OPERATED	1040	5.3	27	<1	<1	4	7	11	15	25
B. OPERATED	614	7.1	49	1	1	5	9	16	22	34
TOTAL 0-19 YRS	193	4.2	19	<1	<1	3	5	9	11	16
20-34	298	5.2	37	<1	<1	3	6	11	16	34
35-49	383	5.8	29	<1	1	4	8	12	15	29
50-64	425	6.2	37	<1	<1	4	8	13	17	26
65+	355	7.5	45	1	2	6	9	16	22	31
GRAND TOTAL	**1654**	**5.9**	**36**	**<1**	**<1**	**4**	**8**	**13**	**17**	**30**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	2.3	1	1	1	2	3	3	3	3
35-49	21	2.9	4	1	1	2	4	5	7	9
50-64	27	4.3	9	1	1	3	6	7	9	15
65+	46	3.9	4	1	2	3	5	7	7	10
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	7.5	25	4	4	7	11	11	11	11
35-49	7	8.4	185	1	1	4	6	32	39	39
50-64	6	3.8	8	2	2	2	7	8	8	8
65+	9	2.9	4	<1	<1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	6	8.2	61	4	4	5	6	22	24	24
35-49	35	4.9	13	1	2	4	7	9	11	18
50-64	82	5.9	25	2	3	5	6	9	11	31
65+	243	6.4	14	2	3	5	8	12	14	17
B. *Operated*										
0-19 YRS										
20-34	3	9.0	31	3	3	10	13	14	14	14
35-49	9	6.4	16	1	2	5	9	12	13	13
50-64	21	11.3	308	2	2	8	11	13	47	86
65+	30	12.9	201	2	3	8	13	32	55	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	3.7	5	1	1	3	5	7	7	12
B. *Operated*	25	5.0	57	<1	1	2	5	8	18	39
2. MULTIPLE DX										
A. *Not Operated*	367	6.2	17	2	2	5	8	11	14	23
B. *Operated*	63	11.3	201	2	3	8	12	19	46	82
1. SINGLE DX	126	3.9	15	1	1	3	5	7	8	21
2. MULTIPLE DX	430	6.9	47	2	2	5	8	12	15	34
A. NOT OPERATED	468	5.6	16	2	2	5	7	10	14	22
B. OPERATED	88	9.5	167	1	2	6	11	15	39	75
TOTAL 0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	17	6.2	33	1	2	4	7	13	20	24
35-49	72	4.9	27	1	1	3	6	9	11	34
50-64	136	6.3	68	1	2	5	7	10	12	40
65+	328	6.5	34	2	2	5	8	13	15	28
GRAND TOTAL	**556**	**6.2**	**42**	**2**	**2**	**5**	**7**	**11**	**14**	**32**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.5	2	<1	1	2	3	4	5	8
20-34	36	2.6	4	<1	<1	2	3	5	8	10
35-49	35	4.7	23	1	1	4	6	8	11	28
50-64	47	5.1	42	1	1	3	6	9	14	40
65+	109	5.0	10	1	1	4	6	9	11	15
B. *Operated*										
0-19 YRS										
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	1	14.0		14	14	14	14	14	14	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	368	3.8	12	1	1	3	5	7	11	19
20-34	231	3.8	10	1	1	3	4	7	10	16
35-49	287	4.9	22	1	1	4	6	9	12	30
50-64	656	5.7	22	1	2	4	7	11	15	25
65+	2375	8.4	63	2	2	6	10	16	21	41
B. *Operated*										
0-19 YRS	12	8.3	68	2	2	5	10	21	29	30
20-34	25	7.9	33	1	1	7	9	17	22	24
35-49	31	13.7	286	2	2	9	20	55	97	99+
50-64	57	11.4	131	1	2	6	16	26	38	52
65+	162	15.6	155	2	4	13	20	32	46	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	283	4.2	16	1	1	3	5	8	10	20
B. *Operated*	3	8.0	31	3	3	7	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	3917	7.0	48	1	2	5	9	14	18	35
B. *Operated*	287	13.6	156	2	2	10	18	30	45	99+
1. SINGLE DX	286	4.2	16	1	1	3	5	8	10	20
2. MULTIPLE DX	4204	7.4	58	1	2	5	9	15	20	40
A. NOT OPERATED	4200	6.8	47	1	2	5	8	13	17	34
B. OPERATED	290	13.5	154	2	2	10	17	30	44	99+
TOTAL 0-19 YRS	436	3.8	12	1	1	3	4	7	11	20
20-34	294	4.0	13	1	1	3	5	8	10	19
35-49	354	5.6	51	1	1	4	7	11	15	47
50-64	760	6.1	34	1	2	4	7	12	16	31
65+	2646	8.7	70	2	2	7	11	17	22	48
GRAND TOTAL	**4490**	**7.2**	**56**	**1**	**2**	**5**	**9**	**14**	**20**	**39**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.4	4	<1	1	2	3	5	6	9
20-34	11	2.6	1	1	1	2	3	4	5	5
35-49	24	3.8	5	1	1	4	5	7	8	11
50-64	26	3.2	7	<1	1	3	4	5	7	14
65+	71	3.9	13	<1	<1	2	5	8	10	19
B. *Operated*										
0-19 YRS	6	4.0	4	1	1	4	6	6	6	6
20-34	5	4.8	10	<1	<1	4	8	8	8	8
35-49	5	7.0	17	4	4	6	9	14	14	14
50-64	9	8.1	8	4	4	9	11	11	11	11
65+	21	8.3	10	4	4	8	10	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	4.6	12	1	1	4	6	8	14	17
20-34	47	4.4	15	<1	1	3	5	9	14	19
35-49	106	4.2	10	1	1	4	5	8	10	18
50-64	179	5.5	23	1	1	4	7	11	14	25
65+	784	6.6	26	1	2	5	8	13	16	24
B. *Operated*										
0-19 YRS	8	5.4	21	2	2	3	8	13	14	14
20-34	18	7.6	22	1	1	7	12	14	15	15
35-49	46	6.6	31	2	2	5	7	12	15	36
50-64	68	9.0	40	3	3	8	11	18	25	33
65+	264	10.3	80	3	4	8	12	19	24	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	3.4	9	<1	1	3	4	7	9	15
B. *Operated*	46	7.2	11	2	3	7	10	11	14	16
2. MULTIPLE DX										
A. *Not Operated*	1164	6.0	24	1	2	5	8	12	15	24
B. *Operated*	404	9.4	65	2	3	8	11	17	23	45
1. SINGLE DX	203	4.3	12	<1	1	3	6	9	11	15
2. MULTIPLE DX	1568	6.9	37	1	2	5	9	13	17	30
A. NOT OPERATED	1321	5.7	23	1	1	4	7	11	15	23
B. OPERATED	450	9.2	60	2	3	8	11	16	22	39
TOTAL 0-19 YRS	87	4.0	11	1	1	3	5	8	11	16
20-34	81	4.9	16	<1	1	4	7	11	14	18
35-49	181	4.9	16	1	1	4	6	9	12	19
50-64	282	6.2	28	1	1	5	8	12	15	27
65+	1140	7.3	41	1	2	6	9	14	18	31
GRAND TOTAL	**1771**	**6.6**	**35**	**1**	**2**	**5**	**8**	**13**	**16**	**29**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	4.3	13	1	1	3	5	8	11	21
20-34	118	4.9	13	1	2	4	6	10	12	18
35-49	27	5.9	27	1	2	5	7	14	19	22
50-64	2	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS										
20-34	2	14.5	145	6	6	14	23	23	23	23
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	5.2	14	<1	1	4	7	10	12	18
20-34	111	6.5	19	1	2	6	8	12	14	24
35-49	42	6.9	19	2	3	6	10	13	15	21
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	5	14.0	421	1	1	6	21	50	50	50
20-34	8	11.3	86	2	2	9	15	27	30	30
35-49	3	14.0	52	8	8	12	19	22	22	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	4.8	15	1	1	4	6	10	12	22
B. *Operated*	2	14.5	145	6	6	14	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	193	6.3	18	1	2	5	8	11	14	23
B. *Operated*	16	12.6	161	1	2	9	15	29	44	50
1. SINGLE DX	193	4.9	16	1	1	4	6	10	13	22
2. MULTIPLE DX	209	6.8	31	1	2	6	9	12	18	27
A. NOT OPERATED	384	5.6	17	1	2	5	7	10	14	22
B. OPERATED	18	12.8	151	1	2	9	19	28	42	50
TOTAL 0-19 YRS	88	5.2	37	1	1	4	6	10	12	39
20-34	239	5.9	20	1	2	5	8	11	14	24
35-49	72	6.8	25	2	2	5	9	14	19	22
50-64	3	2.0	3	1	1	1	3	4	4	4
65+										
GRAND TOTAL	**402**	**5.9**	**25**	**1**	**2**	**5**	**8**	**11**	**14**	**24**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	2.0	4	<1	<1	1	2	4	5	12
20-34	27	5.3	50	<1	1	2	5	18	23	27
35-49	45	3.7	17	<1	1	2	5	7	11	24
50-64	44	4.3	39	<1	<1	2	5	9	18	29
65+	304	3.1	19	<1	<1	2	4	7	10	16
B. *Operated*										
0-19 YRS	29	5.3	5	2	2	6	7	8	8	11
20-34	19	6.1	5	2	3	6	7	8	10	12
35-49	19	5.5	8	1	1	6	8	9	10	10
50-64	33	7.2	35	1	1	6	9	14	23	25
65+	67	6.7	27	2	2	6	8	12	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	4.6	28	1	1	3	6	10	13	30
20-34	120	3.9	14	1	1	3	5	9	12	19
35-49	145	4.5	23	1	1	3	6	9	13	20
50-64	384	4.6	26	<1	1	3	6	10	14	28
65+	1438	5.7	37	1	1	4	7	11	16	31
B. *Operated*										
0-19 YRS	33	8.4	33	2	3	7	11	19	20	25
20-34	54	7.8	29	1	2	6	12	16	19	20
35-49	83	9.4	51	1	2	8	13	19	24	34
50-64	160	9.5	80	2	3	8	12	17	21	56
65+	461	10.6	85	2	3	8	14	20	25	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	504	3.2	20	<1	<1	2	4	7	10	25
B. *Operated*	167	6.3	20	1	2	6	7	10	13	25
2. MULTIPLE DX										
A. *Not Operated*	2200	5.2	33	1	1	4	7	11	15	30
B. *Operated*	791	9.9	75	2	2	8	13	19	23	40
1. SINGLE DX	671	4.0	22	<1	1	2	5	8	12	25
2. MULTIPLE DX	2991	6.5	48	1	1	4	8	14	18	33
A. NOT OPERATED	2704	4.9	31	<1	1	3	6	10	14	29
B. OPERATED	958	9.3	67	2	2	7	12	18	22	36
TOTAL 0-19 YRS	259	4.3	22	<1	1	3	6	9	12	25
20-34	220	5.2	24	1	1	4	7	12	16	23
35-49	292	5.8	34	1	1	4	8	13	17	28
50-64	621	6.0	46	<1	1	4	8	13	17	31
65+	2270	6.3	50	1	1	4	8	14	19	34
GRAND TOTAL	**3662**	**6.0**	**44**	**1**	**1**	**4**	**8**	**13**	**18**	**31**

85: Hemophilia (congenital factor viii disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.6	3	<1	<1	2	4	5	5	5
20-34	12	2.7	2	<1	1	2	3	5	6	6
35-49	4	11.8	381	1	1	2	22	41	41	41
50-64	1	12.0		12	12	12	12	12	12	12
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	5.2	56	1	1	3	4	14	25	32
20-34	23	5.1	9	1	2	4	7	10	12	12
35-49	6	2.3	1	2	2	2	2	4	4	4
50-64	4	6.0	22	3	3	4	9	13	13	13
65+	4	14.0	235	1	1	9	24	36	36	36
B. *Operated*										
0-19 YRS	2	21.0	242	10	10	21	32	32	32	32
20-34	5	5.4	25	2	2	2	9	13	13	13
35-49	1	31.0		31	31	31	31	31	31	31
50-64	2	14.5	145	6	6	14	23	23	23	23
65+	1	26.0		26	26	26	26	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	4.4	61	<1	1	2	3	6	18	41
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	58	5.5	43	1	1	4	6	12	17	36
B. *Operated*	11	14.1	139	2	2	10	25	31	32	32
1. SINGLE DX	27	4.4	59	<1	1	3	4	6	16	41
2. MULTIPLE DX	69	6.9	66	1	1	4	7	17	31	35
A. NOT OPERATED	84	5.2	48	1	1	3	5	12	15	39
B. OPERATED	12	13.3	135	2	2	9	24	31	32	32
TOTAL 0-19 YRS	32	5.4	62	1	1	3	5	13	31	32
20-34	40	4.4	10	1	1	3	6	9	12	13
35-49	11	8.4	192	1	1	2	4	35	40	41
50-64	7	9.3	53	3	3	6	13	21	23	23
65+	6	14.3	190	1	1	9	26	35	36	36
GRAND TOTAL	**96**	**6.2**	**65**	**1**	**1**	**3**	**6**	**13**	**29**	**39**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153	3.3	6	1	1	3	4	6	8	12
20-34	35	5.1	58	<1	<1	2	5	10	23	39
35-49	22	4.8	12	1	1	4	9	9	10	12
50-64	37	4.4	18	1	1	2	7	9	13	19
65+	74	4.2	28	<1	<1	2	4	11	15	27
B. *Operated*										
0-19 YRS	94	5.1	19	1	1	4	6	7	13	26
20-34	48	5.3	5	1	2	5	7	8	9	10
35-49	31	11.0	129	2	3	7	13	24	29	58
50-64	33	7.5	19	2	3	6	10	13	16	18
65+	32	9.2	26	3	3	8	12	17	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	4.6	29	1	1	3	6	9	11	27
20-34	106	4.9	28	<1	1	4	6	10	13	29
35-49	117	5.5	24	1	1	4	8	11	13	27
50-64	206	6.2	31	1	1	5	8	12	18	25
65+	406	6.5	48	1	1	5	8	14	17	29
B. *Operated*										
0-19 YRS	65	5.8	18	1	2	5	7	11	16	21
20-34	70	9.2	63	2	2	6	12	19	26	40
35-49	61	10.1	153	2	3	7	10	17	28	84
50-64	128	10.9	150	2	3	8	12	19	29	81
65+	232	11.6	84	2	3	9	15	25	33	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	321	3.9	18	<1	1	3	5	9	11	24
B. *Operated*	238	6.8	36	1	2	6	8	13	18	27
2. MULTIPLE DX										
A. *Not Operated*	956	5.9	37	1	1	4	7	12	16	29
B. *Operated*	556	10.3	99	2	3	7	12	21	29	42
1. SINGLE DX	559	5.1	28	1	1	4	6	10	15	26
2. MULTIPLE DX	1512	7.5	64	1	1	5	9	15	21	38
A. NOT OPERATED	1277	5.4	33	1	1	4	7	11	15	28
B. OPERATED	794	9.2	82	2	2	7	11	19	26	41
TOTAL 0-19 YRS	433	4.4	18	1	1	3	6	8	11	19
20-34	259	6.2	40	1	1	5	7	12	16	39
35-49	231	7.4	76	1	1	5	9	13	22	44
50-64	404	7.6	71	1	1	6	9	14	19	43
65+	744	7.9	63	1	1	6	10	17	24	38
GRAND TOTAL	**2071**	**6.9**	**56**	**1**	**1**	**5**	**8**	**14**	**19**	**37**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	515	1.8	2	1	1	1	2	3	4	6
20-34	108	2.3	3	1	1	2	3	4	5	11
35-49	15	3.1	3	1	1	3	4	5	7	7
50-64	7	2.0	1	1	1	2	3	4	4	4
65+										
B. *Operated*										
0-19 YRS	385	3.5	2	2	2	3	4	5	6	8
20-34	126	4.0	2	2	3	4	5	6	7	9
35-49	7	4.7	4	3	3	4	5	8	9	9
50-64	2	4.5	5	3	3	4	6	6	6	6
65+	3	19.0	721	3	3	4	38	50	50	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	193	2.4	10	1	1	2	2	4	5	22
20-34	52	2.7	4	<1	1	2	3	5	7	11
35-49	11	3.1	2	1	1	3	3	5	6	6
50-64	3	4.0	3	3	3	3	5	6	6	6
65+	3	3.0	7	1	1	2	5	6	6	6
B. *Operated*										
0-19 YRS	159	4.4	8	2	3	4	5	6	9	21
20-34	52	5.0	23	2	2	4	5	7	9	35
35-49	4	8.5	36	3	3	7	12	17	17	17
50-64	4	5.8	7	2	2	6	7	8	8	8
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	645	1.9	2	1	1	2	2	3	4	7
B. *Operated*	523	3.7	6	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	262	2.5	8	1	1	2	3	4	5	20
B. *Operated*	219	4.6	12	2	2	4	5	7	9	23
1. SINGLE DX	1168	2.7	5	1	1	2	4	5	6	8
2. MULTIPLE DX	481	3.5	11	1	1	3	4	6	7	22
A. NOT OPERATED	907	2.1	4	1	1	2	2	3	4	8
B. OPERATED	742	4.0	8	2	2	4	4	6	7	11
TOTAL 0-19 YRS	1252	2.7	5	1	1	2	3	5	6	9
20-34	338	3.4	7	1	1	3	4	6	7	11
35-49	37	4.0	8	1	1	3	5	7	8	17
50-64	16	3.6	5	1	1	3	6	7	8	8
65+	6	11.0	368	1	1	3	6	46	50	50
GRAND TOTAL	**1649**	**2.9**	**7**	**1**	**1**	**2**	**4**	**5**	**6**	**11**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	3.6	4	1	1	3	5	7	7	9
20-34	14	2.6	3	<1	1	2	4	5	6	6
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	2	8.0	2	7	7	8	9	9	9	9
B. *Operated*										
0-19 YRS	93	2.5	5	<1	<1	2	3	5	7	11
20-34	72	2.2	2	<1	<1	2	3	4	4	10
35-49	29	2.6	8	<1	<1	2	3	5	6	16
50-64	21	3.2	5	<1	1	2	4	6	8	11
65+	9	4.1	5	2	2	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	3.8	5	1	1	4	5	7	8	9
20-34	17	4.1	4	1	2	4	5	7	8	8
35-49	6	3.8	3	1	1	4	5	6	6	6
50-64	3	4.0	7	2	2	3	6	7	7	7
65+	7	5.6	8	<1	1	6	8	9	9	9
B. *Operated*										
0-19 YRS	29	3.0	5	<1	<1	2	4	7	7	8
20-34	28	4.6	13	1	1	3	7	9	12	13
35-49	24	3.6	3	<1	1	3	5	6	7	7
50-64	24	8.0	195	1	2	4	8	15	33	70
65+	12	6.8	48	2	2	5	7	14	26	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	3.4	4	1	1	3	5	7	7	9
B. *Operated*	224	2.6	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	92	4.0	5	1	1	4	6	7	8	9
B. *Operated*	117	4.9	51	<1	1	3	6	9	12	42
1. SINGLE DX	321	2.8	5	<1	<1	2	4	6	7	11
2. MULTIPLE DX	209	4.5	31	1	1	3	6	8	9	21
A. NOT OPERATED	189	3.7	5	1	1	3	5	7	8	9
B. OPERATED	341	3.4	22	<1	<1	2	4	6	9	16
TOTAL 0-19 YRS	256	3.2	5	<1	1	2	5	7	7	9
20-34	131	3.0	6	<1	<1	2	4	6	8	12
35-49	63	3.0	5	<1	1	2	4	6	6	15
50-64	50	5.5	100	1	2	3	5	11	15	70
65+	30	5.8	23	2	2	5	7	9	9	28
GRAND TOTAL	**530**	**3.5**	**16**	**<1**	**1**	**3**	**4**	**7**	**8**	**14**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	10.8	324	<1	<1	3	8	40	59	63
20-34	47	5.8	17	1	2	5	7	10	13	23
35-49	15	3.7	8	1	1	4	4	9	10	10
50-64	8	6.0	33	1	1	3	9	15	17	17
65+	7	4.6	10	2	2	3	6	10	11	11
B. *Operated*										
0-19 YRS										
20-34	1	79.0		79	79	79	79	79	79	79
35-49	1	14.0		14	14	14	14	14	14	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	10.8	204	<1	1	5	12	38	46	48
20-34	69	8.3	80	1	1	5	10	19	31	43
35-49	32	9.3	156	2	2	6	9	18	38	62
50-64	43	9.3	77	1	2	7	10	21	34	37
65+	102	8.8	36	3	3	7	12	18	23	62
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	2	17.5	25	14	14	17	21	21	21	21
35-49	3	31.0	2524	1	1	3	67	89	89	89
50-64	3	30.3	410	14	14	24	46	53	53	53
65+	3	15.0	48	11	11	11	20	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	6.1	61	1	1	4	7	11	14	51
B. *Operated*	2	46.5	2113	14	14	46	79	79	79	79
2. MULTIPLE DX										
A. *Not Operated*	266	8.9	80	1	2	7	11	19	31	47
B. *Operated*	12	23.4	603	1	2	16	23	64	85	89
1. SINGLE DX	92	7.0	118	1	1	4	7	12	17	72
2. MULTIPLE DX	278	9.6	109	1	2	7	11	21	32	59
A. NOT OPERATED	356	8.2	77	1	2	6	10	17	27	48
B. OPERATED	14	26.7	743	1	3	16	24	80	87	89
TOTAL 0-19 YRS	34	10.9	236	<1	<1	5	12	35	47	63
20-34	119	8.0	99	1	1	5	10	17	23	56
35-49	51	9.1	238	1	1	4	9	13	39	89
50-64	54	9.9	107	1	2	7	11	23	36	52
65+	112	8.7	37	2	3	7	11	18	23	55
GRAND TOTAL	**370**	**8.9**	**112**	**1**	**2**	**6**	**10**	**19**	**31**	**63**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	3.0	61	1	1	1	2	4	7	44
20-34	115	3.2	8	<1	1	2	4	6	9	15
35-49	37	5.6	49	1	1	3	6	16	24	31
50-64	94	8.3	107	1	1	5	10	17	26	62
65+	473	8.4	64	1	2	6	11	17	22	41
B. *Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	8.0		8	8	8	8	8	8	8
50-64	5	6.6	76	2	2	2	9	22	22	22
65+	12	14.8	614	1	2	9	13	39	84	92
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	7.0	153	1	1	2	5	19	34	62
20-34	190	8.0	133	1	1	4	9	19	29	56
35-49	135	8.9	81	1	2	6	13	21	30	99+
50-64	262	9.9	103	2	2	7	13	20	28	60
65+	1913	9.8	93	2	3	7	12	20	27	62
B. *Operated*										
0-19 YRS	9	19.0	916	<1	<1	8	30	97	99+	99+
20-34	18	[illegible]	785	1	3	16	46	88	95	99+
35-49	9	[illegible]	617	2	2	8	36	61	74	74
50-64	34	14.5	240	2	4	10	17	44	64	99+
65+	152	18.7	253	3	5	14	23	43	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	831	6.8	65	1	1	4	9	15	20	40
B. *Operated*	25	9.1	330	<1	1	4	9	16	39	92
2. MULTIPLE DX										
A. *Not Operated*	2615	9.5	99	1	2	7	12	20	28	61
B. *Operated*	222	18.8	333	3	4	13	25	47	69	99+
1. SINGLE DX	856	6.9	73	1	1	4	9	15	21	42
2. MULTIPLE DX	2837	10.2	124	1	2	7	13	22	33	78
A. NOT OPERATED	3446	8.9	93	1	2	6	11	19	27	59
B. OPERATED	247	17.8	340	2	3	12	23	46	68	99+
TOTAL 0-19 YRS	241	5.4	142	1	1	2	4	12	29	79
20-34	325	7.3	150	1	1	3	7	16	29	87
35-49	182	8.8	106	1	1	5	11	21	32	91
50-64	395	9.9	117	1	2	7	12	21	30	64
65+	2550	10.1	104	2	3	7	12	20	29	63
GRAND TOTAL	**3693**	**9.5**	**114**	**1**	**2**	**6**	**12**	**20**	**30**	**67**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	10.0		10	10	10	10	10	10	10
65+	24	9.0	116	1	2	6	12	15	28	54
B. *Operated*										
YRS										
20-34										
35-49										
50-64										
65+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	16	8.1	46	2	2	6	9	21	24	25
65+	210	9.8	59	2	3	8	12	20	27	99+
B. *Operated*										
YRS										
20-34										
35-49										
50-64	3	15.0	127	8	8	9	23	28	28	28
65+	9	25.2	635	2	6	19	26	66	88	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	8.8	104	1	2	6	10	15	23	54
B. *Operated*	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	227	9.6	58	2	3	8	12	20	27	99+
B. *Operated*	12	22.7	506	3	6	16	26	50	83	88
1. SINGLE DX	29	8.4	98	1	2	6	10	15	19	54
2. MULTIPLE DX	239	10.3	87	2	3	8	12	21	30	99+
A. NOT OPERATED	254	9.5	63	2	3	8	12	18	26	96
B. OPERATED	14	19.9	477	2	2	13	24	39	77	88
TOTAL YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	20	9.2	56	2	2	7	10	23	26	28
65+	245	10.2	91	2	2	8	13	21	32	99+
GRAND TOTAL	**268**	**10.1**	**88**	**2**	**3**	**8**	**12**	**21**	**28**	**97**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4		<1	<1	1	2	2	2	2
20-34	120	3.4	13	<1	1	2	4	7	8	21
35-49	134	4.4	18	1	1	3	5	9	13	40
50-64	120	5.6	34	1	1	4	6	12	19	28
65+	37	7.3	51	1	1	5	9	20	24	25
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	19.0		19	19	19	19	19	19	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	7.2	117	<1	1	3	6	23	35	42
20-34	348	7.4	93	1	1	4	7	22	30	45
35-49	659	8.2	80	1	2	5	10	23	28	38
50-64	652	8.7	87	1	2	5	10	23	28	39
65+	286	10.2	93	2	3	7	14	21	27	50
B. *Operated*										
0-19 YRS										
20-34	3	11.0	244	<1	<1	3	22	29	29	29
35-49	22	12.6	118	2	3	10	14	24	37	50
50-64	36	19.5	288	4	4	15	22	44	63	67
65+	21	21.4	322	5	7	16	24	43	65	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	418	4.7	25	1	1	3	5	10	16	26
B. *Operated*	2	11.5	113	4	4	11	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	1963	8.5	88	1	2	5	10	22	28	44
B. *Operated*	82	17.8	254	3	4	13	22	39	53	77
1. SINGLE DX	420	4.7	25	1	1	3	5	10	16	26
2. MULTIPLE DX	2045	8.9	97	1	2	5	11	23	28	49
A. NOT OPERATED	2381	7.8	79	1	1	5	9	21	28	42
B. OPERATED	84	17.7	251	3	4	13	22	38	53	77
TOTAL 0-19 YRS	25	5.6	90	<1	<1	2	5	17	29	42
20-34	472	6.4	76	1	1	4	6	18	28	43
35-49	816	7.7	74	1	2	4	9	21	28	39
50-64	808	8.7	94	1	2	5	10	22	28	44
65+	344	10.6	110	2	2	7	14	22	27	52
GRAND TOTAL	**2465**	**8.2**	**88**	**1**	**2**	**5**	**9**	**21**	**28**	**45**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	6.1	48	<1	<1	3	10	15	17	29
20-34	89	5.1	28	<1	1	3	6	12	15	30
35-49	6	5.7	16	2	2	5	6	12	13	13
50-64	13	6.6	73	1	1	4	8	18	29	31
65+	5	8.4	164	1	1	3	12	31	31	31
B. *Operated*										
0-19 YRS										
20-34	1	23.0		23	23	23	23	23	23	23
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	6.8	104	1	1	4	8	21	47	99+
20-34	199	6.2	51	1	1	4	7	12	23	37
35-49	47	4.6	12	1	1	4	7	10	11	16
50-64	51	8.6	49	2	2	6	12	17	19	41
65+	74	8.9	62	1	3	7	11	17	28	40
B. *Operated*										
0-19 YRS	1	25.0		25	25	25	25	25	25	25
20-34	5	4.8	15	2	2	3	7	11	11	11
35-49	2	9.0		9	9	9	9	9	9	9
50-64	4	20.8	300	1	1	19	32	43	43	43
65+	3	13.7	57	5	5	17	18	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	5.6	39	<1	1	3	7	14	16	31
B. *Operated*	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	421	6.9	56	1	1	5	8	14	23	41
B. *Operated*	15	12.7	130	1	2	9	19	25	38	43
1. SINGLE DX	142	5.7	41	<1	1	3	7	14	16	31
2. MULTIPLE DX	436	7.1	59	1	1	5	9	15	24	42
A. NOT OPERATED	562	6.6	52	1	1	4	8	14	21	40
B. OPERATED	16	13.4	128	1	2	10	20	25	38	43
TOTAL 0-19 YRS	79	6.8	86	<1	1	3	9	18	27	85
20-34	294	5.9	45	<1	1	4	7	12	19	36
35-49	55	4.9	12	1	1	4	7	10	12	16
50-64	68	8.9	72	1	2	6	12	19	23	43
65+	82	9.0	67	1	2	7	11	19	29	40
GRAND TOTAL	**578**	**6.7**	**55**	**1**	**1**	**4**	**8**	**14**	**23**	**41**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	14.0	295	1	2	9	15	35	61	99+
20-34	1782	10.5	83	1	2	8	14	22	28	45
35-49	698	10.1	90	2	2	8	13	19	27	47
50-64	260	10.9	109	1	2	8	14	23	29	50
65+	41	11.7	107	1	1	10	15	28	35	47
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	1	12.0		12	12	12	12	12	12	12
35-49	2	8.0	72	2	2	8	14	14	14	14
50-64	1	29.0		29	29	29	29	29	29	29
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	16.3	220	1	3	11	22	43	50	59
20-34	629	11.8	120	1	2	9	15	24	32	59
35-49	293	10.9	62	2	3	9	14	21	28	35
50-64	193	14.9	196	2	4	11	18	27	42	81
65+	57	12.2	81	1	3	11	17	25	29	43
B. *Operated*										
0-19 YRS	5	43.0	1088	13	14	65	97	99+	99+	99+
20-34	21	14.7	83	3	4	15	23	29	59	99+
35-49	7	23.6	179	9	10	20	36	43	43	43
50-64	5	12.2	52	3	3	10	19	20	20	20
65+	5	30.4	551	11	11	20	49	65	65	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2976	10.7	102	1	2	8	14	22	29	56
B. *Operated*	6	14.3	75	2	3	14	15	28	29	29
2. MULTIPLE DX										
A. *Not Operated*	1247	12.3	124	2	3	10	16	26	32	58
B. *Operated*	43	21.0	324	3	5	17	28	65	99+	99+
1. SINGLE DX	2982	10.7	102	1	2	8	14	22	29	55
2. MULTIPLE DX	1290	12.6	133	2	3	10	16	27	34	65
A. NOT OPERATED	4223	11.2	109	1	2	8	14	23	30	56
B. OPERATED	49	20.2	296	3	4	16	28	65	99	99+
TOTAL 0-19 YRS	276	15.1	298	1	2	10	17	44	61	99+
20-34	2433	10.9	93	1	2	8	14	23	29	50
35-49	1000	10.5	83	2	2	8	14	21	28	44
50-64	459	12.6	149	2	3	9	16	25	35	75
65+	104	12.9	122	1	2	11	16	27	37	55
GRAND TOTAL	**4272**	**11.3**	**112**	**1**	**2**	**9**	**14**	**23**	**30**	**59**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	57	12.7	112	2	3	11	18	29	43	95
20-34	193	9.1	60	1	2	7	13	19	23	39
35-49	54	10.3	61	2	2	8	13	19	25	43
50-64	16	10.3	40	1	2	9	14	20	22	23
65+	3	7.3	46	2	2	5	12	15	15	15
B. ***Operated***										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	24	22.8	624	4	7	14	26	61	93	96
20-34	61	12.0	145	2	3	8	16	27	45	96
35-49	21	10.1	123	1	3	7	11	19	38	52
50-64	7	9.0	37	2	2	7	13	18	19	19
65+	1	7.0		7	7	7	7	7	7	7
B. ***Operated***										
0-19 YRS	1	46.0		46	46	46	46	46	46	46
20-34	2	23.0	200	13	13	23	33	33	33	33
35-49	2	18.5	265	7	7	18	30	30	30	30
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	323	10.0	69	1	2	8	14	20	28	44
B. ***Operated***										
2. MULTIPLE DX										
A. ***Not Operated***	114	13.7	251	2	3	9	16	27	55	97
B. ***Operated***	5	25.8	249	7	7	30	36	46	46	46
1. SINGLE DX	323	10.0	69	1	2	8	14	20	28	44
2. MULTIPLE DX	119	14.2	254	2	3	9	17	29	54	97
A. NOT OPERATED	437	10.9	119	1	2	8	14	23	29	68
B. OPERATED	5	25.8	249	7	7	30	36	46	46	46
TOTAL 0-19 YRS	82	16.1	287	2	3	12	19	33	50	99
20-34	256	9.9	83	1	2	7	13	20	29	55
35-49	77	10.5	80	2	3	7	13	21	27	50
50-64	23	9.9	38	1	2	9	14	19	22	23
65+	4	7.3	31	2	2	6	11	15	15	15
GRAND TOTAL	**442**	**11.1**	**122**	**1**	**2**	**8**	**14**	**23**	**30**	**67**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	324	16.4	267	2	3	12	22	40	60	99+
20-34	2225	11.0	93	1	2	9	15	23	29	50
35-49	883	10.1	74	2	2	8	13	20	26	46
50-64	325	11.4	77	2	3	9	16	23	29	49
65+	70	13.9	145	2	3	10	18	31	38	63
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34										
35-49										
50-64	1	35.0		35	35	35	35	35	35	35
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	18.7	321	2	3	13	27	46	61	98
20-34	965	12.4	127	1	2	9	17	25	33	63
35-49	499	11.5	95	2	3	9	15	24	30	47
50-64	300	13.5	98	2	3	12	19	27	33	88
65+	97	15.3	132	3	4	12	21	34	42	80
B. *Operated*										
0-19 YRS	8	17.1	162	<1	1	23	35	99+	99+	99+
20-34	34	22.9	561	3	4	11	38	70	85	99+
35-49	22	21.0	259	5	6	15	29	52	54	56
50-64	13	23.9	448	5	7	20	26	41	81	90
65+	4	11.8	105	1	1	12	20	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3827	11.3	106	1	2	9	15	23	31	55
B. *Operated*	2	23.0	288	11	11	23	35	35	35	35
2. MULTIPLE DX										
A. *Not Operated*	2026	13.0	135	2	3	10	17	27	36	71
B. *Operated*	81	21.4	393	3	5	16	29	57	89	99+
1. SINGLE DX	3829	11.4	106	1	2	9	15	23	31	55
2. MULTIPLE DX	2107	13.3	147	2	3	10	18	28	38	76
A. NOT OPERATED	5853	11.9	116	1	2	9	16	25	32	61
B. OPERATED	83	21.4	387	3	5	16	29	56	88	99+
TOTAL 0-19 YRS	498	17.2	283	2	3	12	24	44	61	99+
20-34	3224	11.6	110	1	2	9	15	24	31	56
35-49	1404	10.7	86	2	2	8	14	22	29	49
50-64	639	12.7	98	2	3	11	18	26	32	60
65+	171	14.6	136	2	3	11	20	31	40	67
GRAND TOTAL	**5936**	**12.1**	**121**	**1**	**2**	**9**	**16**	**25**	**33**	**65**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	26.8	448	6	6	26	71	99+	99+	99+
B. *Operated*										
0-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	39.5	54	34	34	39	50	91	99+	99+
B. *Operated*										
0-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	26.8	448	6	6	26	71	99+	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	6	39.5	54	34	34	39	50	91	99+	99+
B. *Operated*										
1. SINGLE DX	12	26.8	448	6	6	26	71	99+	99+	99+
2. MULTIPLE DX	6	39.5	54	34	34	39	50	91	99+	99+
A. NOT OPERATED	18	31.1	344	6	8	35	53	99+	99+	99+
B. OPERATED										
TOTAL 0-19 YRS	18	31.1	344	6	8	35	53	99+	99+	99+
GRAND TOTAL	**18**	**31.1**	**344**	**6**	**8**	**35**	**53**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	13.4	211	1	2	7	19	29	48	64
20-34	382	10.6	144	1	2	7	13	23	31	68
35-49	329	11.4	144	1	2	8	14	26	34	62
50-64	333	13.1	104	1	3	11	17	26	33	48
65+	240	16.3	218	2	3	12	21	33	49	69
B. *Operated*										
0-19 YRS										
20-34	3	17.7	174	6	6	15	28	32	32	32
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	8.0		8	8	8	8	8	8	8
65+	4	15.5	352	3	3	8	27	43	43	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	9.7	128	1	1	6	14	22	29	66
20-34	394	9.2	78	1	2	7	12	19	26	47
35-49	370	11.6	130	1	2	8	14	27	36	58
50-64	405	13.2	149	2	3	9	17	29	38	58
65+	379	15.4	197	3	3	10	20	33	43	66
B. *Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	15	22.9	226	3	6	25	32	58	88	99+
35-49	14	19.0	387	3	4	15	23	29	71	83
50-64	22	23.0	138	9	12	20	29	35	49	59
65+	26	25.3	427	6	8	20	36	46	73	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1315	12.5	153	1	2	9	16	27	36	65
B. *Operated*	9	14.2	196	3	3	8	19	39	43	43
2. MULTIPLE DX										
A. *Not Operated*	1594	12.2	143	1	2	9	16	27	36	60
B. *Operated*	78	23.0	287	5	7	20	29	44	64	97
1. SINGLE DX	1324	12.6	153	1	2	9	16	27	36	65
2. MULTIPLE DX	1672	12.7	154	2	2	9	16	28	37	65
A. NOT OPERATED	2909	12.4	147	1	2	9	16	27	36	64
B. OPERATED	87	22.1	283	4	6	19	29	43	61	97
TOTAL 0-19 YRS	78	11.3	161	1	1	7	15	27	31	65
20-34	794	10.2	116	1	2	7	13	22	29	59
35-49	714	11.6	142	1	2	8	14	27	36	63
50-64	761	13.4	131	2	3	10	17	28	37	55
65+	649	16.1	217	3	3	12	21	34	46	68
GRAND TOTAL	**2996**	**12.7**	**154**	**1**	**2**	**9**	**16**	**28**	**37**	**65**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	12.7	98	2	3	10	17	24	35	47
20-34	675	11.1	83	2	2	9	15	22	28	48
35-49	531	11.1	101	1	2	8	15	24	30	49
50-64	298	11.8	92	2	3	10	16	23	30	50
65+	82	14.3	105	2	3	11	19	29	34	47
B. *Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	7.3	10	5	5	6	10	11	11	11
50-64	2	22.0	450	7	7	22	37	37	37	37
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	14.7	287	2	3	8	19	33	35	98
20-34	313	12.1	133	1	2	9	16	27	34	71
35-49	271	11.8	99	2	3	9	16	24	28	57
50-64	224	12.7	79	2	3	11	17	25	30	46
65+	132	16.1	157	2	3	14	21	30	36	62
B. *Operated*										
0-19 YRS										
20-34	14	17.4	98	6	6	16	26	30	32	33
35-49	15	17.7	140	3	4	17	24	34	44	47
50-64	10	27.0	367	5	7	21	35	58	62	62
65+	4	47.8	254	27	27	50	60	63	63	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1667	11.4	93	2	2	9	15	23	30	48
B. *Operated*	7	11.6	129	5	5	7	10	32	37	37
2. MULTIPLE DX										
A. *Not Operated*	981	12.8	123	2	3	10	17	26	33	63
B. *Operated*	43	22.6	256	5	6	18	30	49	59	63
1. SINGLE DX	1674	11.4	93	2	2	9	15	23	30	48
2. MULTIPLE DX	1024	13.2	132	2	3	10	18	27	34	63
A. NOT OPERATED	2648	11.9	104	2	2	9	16	25	31	54
B. OPERATED	50	21.0	250	5	6	16	29	45	57	63
TOTAL 0-19 YRS	122	13.3	160	2	3	10	17	30	35	61
20-34	1003	11.5	100	1	2	9	15	24	31	53
35-49	820	11.4	101	2	2	9	15	24	30	52
50-64	534	12.5	96	2	3	10	17	24	31	54
65+	219	16.0	156	2	3	13	21	30	38	61
GRAND TOTAL	**2698**	**12.1**	**108**	**2**	**3**	**9**	**16**	**25**	**31**	**55**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	10.7	102	1	2	8	14	22	35	72
20-34	430	8.8	94	1	2	6	11	20	26	51
35-49	302	10.5	101	1	2	7	14	23	32	54
50-64	241	13.3	124	1	2	10	17	28	36	50
65+	150	11.5	105	1	2	9	15	25	37	49
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	9.5	85	3	3	9	16	16	16	16
50-64										
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	12.9	308	1	2	8	15	26	55	90
20-34	327	10.0	85	1	2	7	13	22	28	49
35-49	217	10.4	82	2	2	8	15	21	27	42
50-64	262	13.5	152	2	3	10	18	31	38	70
65+	476	10.9	117	2	2	7	14	24	35	58
B. *Operated*										
0-19 YRS	2	13.0	288	<1	<1	12	25	25	25	25
20-34	5	15.0	87	2	2	15	20	28	28	28
35-49	19	21.0	223	4	5	16	28	44	52	58
50-64	16	16.9	189	4	5	11	22	39	49	53
65+	44	14.9	94	2	3	14	20	29	31	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1233	10.6	106	1	2	7	14	23	33	51
B. *Operated*	5	5.2	37	2	2	3	6	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	1347	11.2	121	2	2	8	14	25	34	59
B. *Operated*	86	16.6	142	2	4	14	23	29	43	56
1. SINGLE DX	1238	10.6	106	1	2	7	14	23	33	51
2. MULTIPLE DX	1433	11.5	124	2	2	8	15	26	35	58
A. NOT OPERATED	2580	10.9	114	1	2	8	14	24	34	57
B. OPERATED	91	16.0	142	2	3	14	22	29	42	56
TOTAL 0-19 YRS	177	11.5	178	1	2	8	14	25	37	87
20-34	763	9.4	90	1	2	6	12	21	28	50
35-49	540	10.8	100	1	2	8	15	23	30	53
50-64	519	13.5	140	1	2	10	18	29	38	58
65+	672	11.2	114	2	2	8	14	25	35	53
GRAND TOTAL	**2671**	**11.1**	**115**	**1**	**2**	**8**	**14**	**24**	**34**	**57**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	8.8	185	<1	1	2	10	29	41	60
20-34	219	3.8	14	<1	1	3	5	8	12	20
35-49	220	4.8	42	1	1	3	5	10	16	34
50-64	108	3.6	11	<1	1	2	4	7	12	17
65+	64	4.8	27	1	1	3	5	11	18	24
B. *Operated*										
0-19 YRS										
20-34	3	4.0	9	1	1	4	6	7	7	7
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	3	4.3	2	3	3	4	5	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	13.0	404	<1	1	3	9	45	63	76
20-34	399	5.2	31	1	1	3	6	12	16	30
35-49	425	5.1	47	1	1	3	6	11	15	28
50-64	350	4.9	24	1	1	3	6	9	13	27
65+	271	4.5	15	1	1	3	6	9	12	22
B. *Operated*										
0-19 YRS	4	12.0	428	1	1	2	23	43	43	43
20-34	15	13.7	115	1	2	10	18	34	36	37
35-49	12	6.1	20	2	2	4	8	13	16	17
50-64	13	6.8	30	2	2	6	8	16	20	21
65+	9	6.4	33	<1	<1	5	7	16	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	655	4.5	37	<1	1	3	5	9	16	31
B. *Operated*	8	4.5	4	1	2	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	1535	5.4	56	1	1	3	6	11	16	43
B. *Operated*	53	8.9	83	1	2	6	10	20	32	43
1. SINGLE DX	663	4.5	37	<1	1	3	5	9	15	31
2. MULTIPLE DX	1588	5.5	57	1	1	3	6	11	17	43
A. NOT OPERATED	2190	5.2	51	1	1	3	6	10	16	41
B. OPERATED	61	8.3	75	1	2	6	10	19	28	42
TOTAL 0-19 YRS	138	11.6	334	<1	1	3	9	43	52	74
20-34	636	4.9	29	1	1	3	6	11	16	30
35-49	659	5.0	45	1	1	3	6	10	16	29
50-64	474	4.7	22	1	1	3	6	9	13	27
65+	344	4.6	18	1	1	3	6	9	12	23
GRAND TOTAL	**2251**	**5.2**	**52**	**1**	**1**	**3**	**6**	**11**	**17**	**41**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	192	22.9	492	1	2	13	43	57	66	79
20-34	1017	8.3	93	1	1	5	11	18	25	49
35-49	737	8.7	73	1	2	6	11	21	27	38
50-64	359	10.2	113	1	2	7	13	22	29	54
65+	144	9.6	67	1	2	7	11	21	27	38
B. *Operated*										
0-19 YRS										
20-34	6	16.8	105	4	4	17	22	31	32	32
35-49	1	18.0		18	18	18	18	18	18	18
50-64	1	36.0		36	36	36	36	36	36	36
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	258	22.6	523	1	2	13	44	59	75	99+
20-34	1618	9.8	104	1	2	7	13	22	29	52
35-49	1289	9.5	86	1	2	6	12	21	28	43
50-64	733	9.5	77	1	2	7	12	21	27	40
65+	425	10.2	96	2	3	7	13	21	30	53
B. *Operated*										
0-19 YRS	17	35.5	759	1	2	29	58	66	85	94
20-34	71	16.0	181	1	2	13	23	36	51	92
35-49	54	23.0	523	3	4	14	30	51	76	97
50-64	31	19.7	363	3	5	13	26	47	54	88
65+	22	18.8	225	4	6	16	24	32	53	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2449	9.9	134	1	2	6	12	22	33	62
B. *Operated*	8	19.4	120	4	5	19	27	35	36	36
2. MULTIPLE DX										
A. *Not Operated*	4323	10.4	127	1	2	7	13	23	33	61
B. *Operated*	195	20.5	381	2	3	14	27	51	63	96
1. SINGLE DX	2457	10.0	134	1	2	6	12	22	33	62
2. MULTIPLE DX	4518	10.9	142	1	2	7	14	24	35	63
A. NOT OPERATED	6772	10.3	130	1	2	6	13	23	33	61
B. OPERATED	203	20.5	370	2	3	14	27	50	63	96
TOTAL 0-19 YRS	467	23.1	522	1	2	14	44	59	69	99+
20-34	2712	9.4	103	1	2	6	13	21	29	54
35-49	2081	9.6	97	1	2	6	12	22	29	50
50-64	1124	10.0	99	1	2	7	13	22	28	48
65+	591	10.4	96	2	3	7	14	22	30	51
GRAND TOTAL	**6975**	**10.6**	**140**	**1**	**2**	**7**	**13**	**24**	**35**	**63**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	189	8.4	237	<1	1	3	7	25	51	99+
20-34	533	5.7	50	1	1	3	7	13	21	42
35-49	206	6.4	59	1	1	4	8	15	20	31
50-64	92	4.8	22	1	1	3	7	10	12	27
65+	29	4.5	14	<1	<1	3	6	11	13	14
B. *Operated*										
0-19 YRS	4	3.3	8	<1	<1	2	5	7	7	7
20-34	57	9.4	56	2	3	9	9	12	23	51
35-49	26	6.7	9	2	2	8	9	9	10	11
50-64	10	6.7	104	1	1	3	5	22	35	35
65+	3	2.7	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	211	12.9	384	<1	1	5	15	48	75	99+
20-34	965	7.2	78	1	1	4	8	17	24	46
35-49	482	7.8	77	1	1	5	10	18	24	42
50-64	248	7.6	74	1	1	5	9	18	26	46
65+	108	8.0	87	1	2	5	10	16	23	89
B. *Operated*										
0-19 YRS	8	19.1	158	3	4	21	28	35	37	37
20-34	83	11.5	142	1	1	9	12	26	46	86
35-49	33	12.3	150	1	2	9	17	42	90	99+
50-64	27	13.1	213	3	3	9	15	31	39	68
65+	16	7.5	28	2	2	7	11	19	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1049	6.2	83	1	1	3	7	14	23	56
B. *Operated*	100	8.0	47	1	2	9	9	10	14	44
2. MULTIPLE DX										
A. *Not Operated*	2014	8.1	112	1	1	5	10	19	27	67
B. *Operated*	167	11.9	146	1	2	9	15	30	52	99+
1. SINGLE DX	1149	6.4	80	1	1	4	8	14	22	55
2. MULTIPLE DX	2181	8.3	116	1	1	5	10	20	29	73
A. NOT OPERATED	3063	7.4	103	1	1	4	9	17	26	60
B. OPERATED	267	10.4	112	1	2	9	11	25	36	99+
TOTAL 0-19 YRS	412	10.9	314	<1	1	4	11	39	60	99+
20-34	1638	7.0	73	1	1	4	9	16	24	51
35-49	747	7.6	74	1	1	5	10	17	24	45
50-64	377	7.3	75	1	1	4	9	16	26	46
65+	156	7.2	68	1	2	5	10	15	20	98
GRAND TOTAL	**3330**	**7.7**	**104**	**1**	**1**	**4**	**9**	**18**	**27**	**66**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	4.1	53	<1	<1	1	2	20	22	28
20-34	497	10.2	116	<1	1	4	21	23	27	36
35-49	704	9.3	78	1	1	4	20	22	24	28
50-64	536	8.4	73	1	1	4	15	22	24	30
65+	128	8.8	62	1	1	5	16	21	22	27
B. *Operated*										
0-19 YRS										
20-34	3	15.0	127	2	2	21	22	22	22	22
35-49	4	17.3	91	3	3	21	22	23	23	23
50-64	4	16.3	90	2	2	21	21	21	21	21
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	9.8	123	<1	<1	2	21	28	30	35
20-34	1595	11.1	98	1	1	6	21	24	28	34
35-49	2555	11.4	100	1	2	6	21	24	28	35
50-64	2258	10.9	87	1	2	6	21	24	27	33
65+	1065	11.1	78	2	2	8	21	21	24	37
B. *Operated*										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	60	14.4	102	<1	1	18	21	24	28	43
35-49	120	16.1	154	1	2	17	22	27	32	67
50-64	137	17.2	164	2	3	14	24	32	42	64
65+	62	17.3	104	3	4	20	23	29	34	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1969	9.0	85	<1	1	4	20	22	24	30
B. *Operated*	11	16.3	81	2	2	21	22	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	7602	11.1	93	1	2	7	21	24	28	34
B. *Operated*	383	16.3	142	1	2	17	22	29	35	62
1. SINGLE DX	1980	9.0	86	<1	1	4	20	22	24	30
2. MULTIPLE DX	7985	11.4	97	1	2	7	21	24	28	36
A. NOT OPERATED	9571	10.7	92	1	1	6	21	23	27	33
B. OPERATED	394	16.3	140	1	2	18	22	29	35	61
TOTAL 0-19 YRS	237	7.2	98	<1	<1	1	14	23	28	34
20-34	2155	11.0	103	<1	1	6	21	24	28	34
35-49	3383	11.1	99	1	1	6	21	24	28	34
50-64	2935	10.8	91	1	2	6	21	24	27	34
65+	1255	11.2	80	1	2	8	21	22	25	37
GRAND TOTAL	**9965**	**10.9**	**95**	**1**	**1**	**6**	**21**	**24**	**27**	**35**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	8.0	75	3	3	4	13	21	21	21
20-34	28	7.6	44	1	2	6	9	21	23	24
35-49	5	9.6	94	1	1	6	14	26	26	26
50-64	2	5.0	18	2	2	5	8	8	8	8
65+	3	9.0	1	8	8	9	10	10	10	10
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.8	110	1	1	3	5	26	28	28
20-34	71	10.6	90	1	2	6	15	28	28	39
35-49	38	13.9	108	2	2	11	21	28	32	41
50-64	13	13.2	84	2	3	11	22	27	27	27
65+	19	14.4	102	2	3	11	25	29	32	35
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	2	30.0	722	11	11	30	49	49	49	49
65+	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	7.8	45	1	2	6	10	21	23	26
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	147	12.0	98	1	2	9	19	28	29	41
B. *Operated*	4	19.8	381	9	9	10	30	49	49	49
1. SINGLE DX	43	7.8	44	1	2	7	9	21	23	26
2. MULTIPLE DX	151	12.2	104	1	2	9	19	28	29	42
A. NOT OPERATED	189	11.1	89	1	2	8	16	27	28	39
B. OPERATED	5	17.4	313	8	8	10	20	49	49	49
TOTAL 0-19 YRS	10	7.3	87	1	1	4	5	24	28	28
20-34	99	9.8	79	1	2	6	14	26	28	36
35-49	44	13.3	104	2	2	10	20	28	31	41
50-64	18	13.8	145	2	2	10	21	27	40	49
65+	23	13.5	88	3	4	10	19	28	31	35
GRAND TOTAL	**194**	**11.3**	**94**	**1**	**2**	**8**	**16**	**27**	**28**	**42**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	17.5	164	1	1	23	29	31	31	31
20-34	38	6.6	63	1	1	4	8	14	29	33
35-49	8	11.5	97	<1	1	8	20	26	26	26
50-64	4	9.3	86	1	1	8	17	20	20	20
65+	4	7.3	10	3	3	8	9	10	10	10
B. *Operated*										
0-19 YRS										
20-34	2	15.0	242	4	4	15	26	26	26	26
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	13.2	145	1	1	10	22	34	35	35
20-34	99	11.3	117	1	1	6	21	28	30	41
35-49	55	14.0	145	1	2	10	23	29	36	52
50-64	45	12.6	113	1	3	9	20	31	34	44
65+	16	13.5	92	3	4	10	20	26	34	37
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	20.7	261	2	2	30	30	30	30	30
50-64	1	21.0		21	21	21	21	21	21	21
65+	2	49.0	1152	25	25	49	73	73	73	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	9.3	94	1	1	5	13	28	30	33
B. *Operated*	3	12.3	142	4	4	7	21	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	232	12.5	122	1	2	9	21	29	34	43
B. *Operated*	7	26.3	562	2	2	25	30	64	73	73
1. SINGLE DX	68	9.4	95	1	1	5	13	27	30	33
2. MULTIPLE DX	239	12.9	138	1	2	9	21	29	34	45
A. NOT OPERATED	297	11.8	118	1	1	8	20	29	32	41
B. OPERATED	10	22.1	452	2	2	23	30	52	73	73
TOTAL 0-19 YRS	28	14.9	151	1	1	13	26	31	35	35
20-34	140	10.0	106	1	1	5	14	28	30	39
35-49	67	13.9	140	1	2	10	25	30	34	51
50-64	50	12.5	109	1	2	9	20	29	33	44
65+	22	15.6	245	3	4	10	21	30	51	73
GRAND TOTAL	**307**	**12.1**	**130**	**1**	**1**	**8**	**21**	**29**	**32**	**43**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	1.3	3	<1	<1	1	1	2	2	9
20-34	74	1.4	1	<1	<1	1	1	2	3	4
35-49	44	2.0	2	<1	<1	2	2	4	5	7
50-64	25	1.8	2	<1	<1	1	2	3	5	7
65+	14	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	1.9	13	<1	<1	1	1	3	4	23
20-34	177	2.4	10	<1	<1	1	3	5	7	18
35-49	124	4.0	37	<1	<1	2	4	8	19	31
50-64	67	3.7	20	<1	1	2	4	7	11	29
65+	53	3.8	15	<1	1	3	4	7	12	23
B. *Operated*										
0-19 YRS	6	1.7	1	<1	<1	1	3	81	99+	99+
20-34	13	3.2	10	<1	<1	2	4	8	10	11
35-49	6	2.3	5	<1	<1	1	4	6	6	6
50-64	6	3.8	16	1	1	2	6	10	11	11
65+	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	295	1.5	2	<1	<1	1	1	3	3	7
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	544	3.0	19	<1	<1	1	3	6	10	29
B. *Operated*	32	2.8	8	<1	<1	1	4	8	11	99+
1. SINGLE DX	295	1.5	2	<1	<1	1	1	3	3	7
2. MULTIPLE DX	576	2.9	18	<1	<1	1	3	6	10	29
A. NOT OPERATED	839	2.4	14	<1	<1	1	2	5	7	23
B. OPERATED	32	2.8	8	<1	<1	1	4	8	11	99+
TOTAL 0-19 YRS	267	1.6	8	<1	<1	1	1	2	4	20
20-34	264	2.2	7	<1	<1	1	2	4	6	17
35-49	174	3.4	28	<1	<1	2	4	6	11	30
50-64	98	3.2	16	<1	1	2	4	6	10	24
65+	68	3.3	13	<1	1	2	4	7	10	21
GRAND TOTAL	**871**	**2.4**	**13**	**<1**	**<1**	**1**	**2**	**5**	**7**	**24**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.5	6	<1	<1	1	3	7	8	9
20-34	43	4.7	40	<1	1	2	5	13	22	28
35-49	6	2.3	2	1	1	2	4	4	4	4
50-64	3	12.7	154	5	5	6	22	27	27	27
65+	3	3.3	10	1	1	2	6	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	8.5	108	<1	1	3	10	28	29	37
20-34	104	8.3	120	1	1	4	9	28	32	51
35-49	43	9.8	91	1	1	5	16	26	30	33
50-64	27	9.3	88	1	2	7	10	22	31	42
65+	19	8.9	70	1	2	7	11	22	30	32
B. *Operated*										
0-19 YRS										
20-34	4	9.5	28	2	2	11	13	14	14	14
35-49	4	9.0	117	1	1	5	15	25	25	25
50-64	1	14.0		14	14	14	14	14	14	14
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	4.1	32	<1	<1	2	5	9	18	28
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	231	8.8	103	1	1	4	11	28	30	43
B. *Operated*	9	9.8	57	1	1	10	14	21	25	25
1. SINGLE DX	77	4.1	32	<1	<1	2	5	9	18	28
2. MULTIPLE DX	240	8.8	101	1	1	4	11	26	30	42
A. NOT OPERATED	308	7.6	89	1	1	4	9	22	29	41
B. OPERATED	9	9.8	57	1	1	10	14	21	25	25
TOTAL 0-19 YRS	60	6.3	78	<1	<1	3	7	21	29	36
20-34	151	7.3	97	1	1	3	8	22	29	47
35-49	53	8.9	86	1	1	5	13	25	29	33
50-64	31	9.8	89	1	2	7	11	24	29	42
65+	22	8.2	65	1	1	7	10	18	30	32
GRAND TOTAL	**317**	**7.7**	**88**	**1**	**1**	**4**	**9**	**22**	**29**	**41**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	3.0	5	1	1	3	4	6	7	11
20-34	92	3.8	31	<1	1	2	4	8	10	35
35-49	78	4.4	22	1	1	3	5	9	15	26
50-64	42	3.8	31	<1	<1	2	4	8	18	28
65+	30	4.7	18	1	1	3	6	10	15	18
B. *Operated*										
0-19 YRS	5	5.0	22	1	1	4	6	13	13	13
20-34	7	3.9	11	1	1	2	7	9	9	9
35-49	8	3.9	14	1	1	2	6	10	10	10
50-64	6	7.7	17	2	2	7	10	14	14	14
65+	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	3.5	36	<1	<1	2	4	5	7	44
20-34	160	5.5	26	1	1	4	6	10	19	26
35-49	155	5.1	29	1	1	3	6	11	17	29
50-64	151	4.9	18	1	1	4	6	11	14	23
65+	159	5.5	24	1	2	4	7	10	14	26
B. *Operated*										
0-19 YRS	4	3.3	8	1	1	3	5	7	7	7
20-34	22	6.7	29	1	2	5	9	13	18	25
35-49	17	6.5	14	2	2	5	9	11	13	14
50-64	16	9.0	90	2	3	6	9	15	34	42
65+	10	13.4	254	2	2	7	14	41	53	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	294	3.9	23	<1	1	3	4	8	11	25
B. *Operated*	29	4.7	15	1	1	2	8	10	13	14
2. MULTIPLE DX										
A. *Not Operated*	676	5.1	25	1	1	4	6	10	16	26
B. *Operated*	69	7.9	73	1	2	6	9	14	25	51
1. SINGLE DX	323	4.0	22	<1	1	3	4	9	12	24
2. MULTIPLE DX	745	5.4	30	1	1	4	6	11	16	27
A. NOT OPERATED	970	4.7	25	1	1	3	6	10	14	26
B. OPERATED	98	7.0	58	1	2	5	9	13	15	48
TOTAL 0-19 YRS	112	3.3	20	<1	1	3	4	6	7	25
20-34	281	5.0	28	1	1	4	6	9	14	26
35-49	258	4.9	25	1	1	3	6	11	15	29
50-64	215	5.0	27	1	1	4	6	11	15	27
65+	202	5.7	36	1	2	4	7	10	16	33
GRAND TOTAL	**1068**	**4.9**	**28**	**1**	**1**	**3**	**6**	**10**	**14**	**27**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	331	8.7	154	<1	1	4	12	26	45	99+
20-34	519	3.9	25	<1	1	2	4	9	13	23
35-49	250	4.7	63	<1	1	3	5	9	13	30
50-64	98	6.2	55	1	1	4	8	13	17	76
65+	53	5.3	31	1	1	3	6	11	19	29
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	3.3	8	<1	<1	2	5	7	7	7
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	419	9.4	194	1	1	4	12	27	47	99+
20-34	909	5.3	46	<1	1	3	6	12	17	35
35-49	492	5.3	49	1	1	4	6	10	15	37
50-64	238	6.1	40	1	1	4	7	14	20	28
65+	165	7.6	88	1	1	5	9	15	23	49
B. *Operated*										
0-19 YRS	4	4.0	7	1	1	4	6	7	7	7
20-34	24	6.8	65	<1	1	4	8	15	28	34
35-49	18	8.8	68	1	1	6	13	21	27	31
50-64	8	8.0	8	4	5	7	10	12	12	12
65+	6	11.8	23	6	6	10	16	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1251	5.6	73	<1	1	3	6	14	21	69
B. *Operated*	5	3.6	7	<1	<1	4	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	2223	6.3	79	1	1	4	7	14	22	56
B. *Operated*	60	7.9	51	1	1	6	10	17	24	34
1. SINGLE DX	1256	5.6	73	<1	1	3	6	14	21	69
2. MULTIPLE DX	2283	6.4	79	1	1	4	7	14	22	55
A. NOT OPERATED	3474	6.1	77	<1	1	3	7	14	21	59
B. OPERATED	65	7.5	49	<1	1	6	10	16	23	34
TOTAL 0-19 YRS	755	9.1	175	<1	1	4	12	26	46	99+
20-34	1456	4.8	39	<1	1	3	6	11	16	34
35-49	760	5.2	54	1	1	3	6	10	15	35
50-64	344	6.2	44	1	1	4	7	13	19	42
65+	224	7.1	74	1	1	5	9	15	21	49
GRAND TOTAL	**3539**	**6.1**	**77**	**<1**	**1**	**3**	**7**	**14**	**21**	**59**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	259	10.9	258	1	1	4	13	39	65	99+
20-34	477	6.6	76	<1	1	4	7	15	22	52
35-49	289	7.3	62	1	1	5	10	16	22	33
50-64	158	8.2	82	<1	2	5	10	19	24	49
65+	80	8.1	113	1	2	5	9	17	26	66
B. *Operated*										
0-19 YRS	5	8.6	133	1	1	5	11	29	29	29
20-34	13	3.2	8	1	1	2	3	8	10	11
35-49	5	13.6	517	1	1	3	19	54	54	54
50-64	6	6.7	44	2	2	3	13	17	17	17
65+	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	286	14.5	391	1	1	6	20	59	77	99+
20-34	831	7.3	76	1	1	4	9	16	24	51
35-49	590	7.1	63	1	1	5	9	15	21	37
50-64	375	7.2	43	1	2	5	9	15	20	28
65+	370	8.9	73	2	2	6	10	21	26	41
B. *Operated*										
0-19 YRS	15	14.4	402	<1	1	7	29	93	99+	99+
20-34	33	13.8	332	1	1	6	15	40	52	82
35-49	27	14.3	106	2	3	11	20	28	32	47
50-64	29	10.9	90	2	2	7	15	26	32	37
65+	27	12.8	107	3	4	9	17	30	36	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1263	7.9	115	1	1	4	9	19	29	88
B. *Operated*	31	6.4	112	1	1	2	5	15	28	54
2. MULTIPLE DX										
A. *Not Operated*	2452	8.3	110	1	2	5	9	19	28	67
B. *Operated*	131	13.1	189	2	2	9	18	32	47	99+
1. SINGLE DX	1294	7.9	115	1	1	4	9	19	29	87
2. MULTIPLE DX	2583	8.6	115	1	2	5	10	20	29	69
A. NOT OPERATED	3715	8.2	112	1	1	5	9	19	28	74
B. OPERATED	162	11.8	181	1	2	7	15	30	46	97
TOTAL 0-19 YRS	565	12.8	330	1	1	5	16	52	77	99+
20-34	1354	7.2	83	1	1	4	8	16	24	53
35-49	911	7.4	67	1	1	5	9	16	22	37
50-64	568	7.6	57	1	2	5	10	17	22	34
65+	479	9.0	82	2	2	6	10	21	26	43
GRAND TOTAL	**3877**	**8.3**	**115**	**1**	**1**	**5**	**10**	**20**	**29**	**76**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	9.8	18	4	4	10	12	14	14	14
20-34	10	4.5	11	1	1	4	6	9	12	12
35-49	3	3.3	6	1	1	3	5	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	2	4.0	18	<1	<1	3	7	7	7	7
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	9.4	214	1	1	5	12	14	26	85
20-34	63	10.0	67	1	2	8	14	22	24	39
35-49	20	9.8	75	1	2	7	11	26	28	29
50-64	10	9.0	43	2	3	7	15	54	96	99+
65+	4	6.0	9	3	3	5	8	10	10	10
B. *Operated*										
0-19 YRS	11	7.2	36	1	2	6	11	45	92	99+
20-34	3	5.7	2	4	4	6	7	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	9.5	25	6	6	9	13	13	13	13
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	5.3	15	1	1	4	7	12	13	14
B. *Operated*	3	4.7	10	<1	<1	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	131	9.6	101	1	2	7	13	22	26	88
B. *Operated*	17	6.9	27	1	2	6	11	19	69	99+
1. SINGLE DX	22	5.2	14	<1	1	5	7	11	13	14
2. MULTIPLE DX	148	9.3	93	1	2	7	13	22	26	99+
A. NOT OPERATED	150	9.1	92	1	2	6	12	21	26	85
B. OPERATED	20	6.6	24	1	2	6	8	17	57	99+
TOTAL 0-19 YRS	51	8.8	152	1	1	6	12	15	28	99+
20-34	77	9.0	60	1	1	7	13	20	23	38
35-49	24	8.7	69	1	2	6	10	26	27	29
50-64	13	8.5	38	2	2	7	13	31	85	99+
65+	5	5.6	7	3	3	5	7	10	10	10
GRAND TOTAL	**170**	**8.8**	**85**	**1**	**2**	**6**	**12**	**21**	**26**	**96**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	331	10.1	36	1	2	11	13	15	17	29
20-34	69	5.7	18	1	1	4	7	12	15	19
35-49	35	6.7	14	1	2	6	9	12	13	16
50-64	32	8.8	76	1	2	7	11	17	35	37
65+	11	10.5	149	2	3	6	11	28	44	45
B. *Operated*										
0-19 YRS	63	12.6	40	2	5	12	15	20	21	40
20-34	32	10.3	157	1	1	5	11	25	39	58
35-49	34	6.2	62	<1	1	3	8	18	26	34
50-64	36	11.2	298	1	1	4	16	29	47	83
65+	14	9.0	31	1	2	9	12	17	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	273	11.5	40	2	3	11	14	18	23	31
20-34	53	9.5	129	1	2	7	10	16	34	61
35-49	63	10.6	93	2	3	9	12	18	31	52
50-64	66	12.9	91	2	2	12	19	24	28	52
65+	46	14.5	176	1	3	11	19	36	46	57
B. *Operated*										
0-19 YRS	104	16.9	112	4	7	15	20	33	37	60
20-34	47	16.2	259	1	2	11	20	40	48	72
35-49	74	16.3	360	1	2	11	20	47	59	97
50-64	66	19.5	334	2	2	15	33	59	76	99+
65+	29	25.0	268	2	2	24	34	55	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	478	9.1	39	1	2	10	12	15	17	34
B. *Operated*	179	10.4	119	1	1	9	14	21	28	55
2. MULTIPLE DX										
A. *Not Operated*	501	11.6	76	2	3	11	14	20	27	50
B. *Operated*	320	17.9	254	2	2	14	23	40	57	99+
1. SINGLE DX	657	9.5	61	1	2	10	12	16	21	43
2. MULTIPLE DX	821	14.1	155	2	2	11	17	30	41	73
A. NOT OPERATED	979	10.4	60	1	2	10	13	17	23	45
B. OPERATED	499	15.2	218	1	2	12	20	36	49	93
TOTAL 0-19 YRS	771	11.7	53	2	3	11	14	19	23	38
20-34	201	9.9	139	1	2	6	11	21	38	59
35-49	206	11.3	186	1	2	8	13	26	47	87
50-64	200	14.1	219	1	2	10	20	35	50	99+
65+	100	16.4	210	2	2	12	23	38	53	79
GRAND TOTAL	**1478**	**12.0**	**118**	**1**	**2**	**11**	**15**	**23**	**34**	**61**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49	7	8.7	65	1	1	4	16	20	21	21
50-64	21	7.6	21	3	3	7	9	13	18	22
65+	108	9.2	81	2	3	7	10	19	24	56
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	4.0	1	3	3	4	5	5	5	5
65+	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.0	8	1	1	2	5	7	7	7
35-49	12	11.8	297	1	2	8	10	29	60	65
50-64	98	8.6	36	2	3	7	12	17	22	29
65+	651	10.5	93	3	3	8	12	20	29	69
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	9.8	8	7	7	9	12	13	13	13
50-64	18	10.8	68	1	2	10	13	25	29	30
65+	67	16.7	262	2	3	13	19	37	72	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	8.9	70	2	3	7	10	18	22	55
B. *Operated*	5	7.8	73	3	3	4	9	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	765	10.2	88	3	3	8	12	20	28	64
B. *Operated*	89	15.2	217	2	3	12	18	29	53	91
1. SINGLE DX	143	8.9	69	2	3	7	10	18	23	55
2. MULTIPLE DX	854	10.7	104	2	3	8	13	20	29	72
A. NOT OPERATED	903	10.0	86	2	3	7	12	19	27	57
B. OPERATED	94	14.8	211	2	3	12	18	28	53	90
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	5	2.8	6	1	1	2	4	7	7	7
35-49	24	10.2	164	1	2	8	11	18	34	65
50-64	140	8.7	38	2	3	7	11	17	22	30
65+	827	10.8	108	2	3	8	13	21	30	72
GRAND TOTAL	**997**	**10.5**	**99**	**2**	**3**	**8**	**12**	**20**	**28**	**70**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.7	19	1	1	3	5	12	13	13
20-34	130	7.2	71	1	1	5	10	14	19	84
35-49	125	8.8	55	1	2	7	12	20	23	33
50-64	57	9.8	144	1	1	6	11	21	28	70
65+	9	11.6	55	3	3	9	17	22	25	25
B. *Operated*										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	36	2.8	4	1	1	2	4	6	7	7
35-49	35	5.8	43	1	1	3	6	16	21	28
50-64	11	3.2	2	1	1	3	4	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.0	3	5	5	7	8	9	9	9
20-34	120	10.2	110	2	2	7	13	25	38	99+
35-49	175	10.5	109	1	2	7	13	24	29	67
50-64	124	10.7	104	2	2	8	14	24	33	53
65+	29	8.3	40	2	2	6	13	20	27	99+
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	22	13.4	448	1	1	6	23	48	98	99+
35-49	55	14.8	165	2	2	11	24	35	53	99+
50-64	41	12.5	174	2	2	8	16	27	39	69
65+	13	21.5	479	4	6	12	26	45	79	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	327	8.3	77	1	1	6	11	18	23	52
B. *Operated*	85	4.1	21	1	1	3	4	7	14	26
2. MULTIPLE DX										
A. *Not Operated*	452	10.3	102	2	2	7	13	24	33	68
B. *Operated*	132	14.4	244	2	2	9	22	35	53	99+
1. SINGLE DX	412	7.5	68	1	1	5	10	16	22	46
2. MULTIPLE DX	584	11.2	137	2	2	8	14	26	36	99+
A. NOT OPERATED	779	9.5	93	1	2	7	12	20	28	66
B. OPERATED	217	10.4	182	1	1	5	14	27	36	99+
TOTAL 0-19 YRS	14	4.9	11	1	1	5	6	9	12	13
20-34	308	8.3	111	1	1	5	10	19	30	99+
35-49	390	10.1	98	1	2	7	14	24	29	66
50-64	233	10.5	123	1	2	7	14	24	33	58
65+	51	12.2	177	2	3	9	16	26	34	99+
GRAND TOTAL	**996**	**9.7**	**112**	**1**	**2**	**6**	**12**	**23**	**30**	**83**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	378	2.6	5	1	1	2	3	5	7	12
20-34	295	2.9	7	1	1	2	4	5	9	13
35-49	154	3.0	13	<1	1	2	4	6	7	12
50-64	91	3.8	54	1	1	2	4	6	7	47
65+	62	4.4	13	1	1	3	6	9	14	16
B. *Operated*										
0-19 YRS	12	7.3	248	1	1	3	4	21	52	57
20-34	15	4.7	14	1	2	4	5	7	14	17
35-49	8	2.8	1	1	1	3	4	4	4	4
50-64	15	3.1	5	<1	1	2	5	7	7	7
65+	7	5.4	16	2	2	5	6	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	327	3.8	21	1	1	3	4	8	10	20
20-34	429	4.6	36	1	1	3	5	10	14	23
35-49	340	4.9	29	1	1	3	6	10	14	27
50-64	413	5.6	35	1	1	4	6	11	15	32
65+	432	7.3	47	1	2	5	9	15	22	32
B. *Operated*										
0-19 YRS	18	9.5	231	1	2	4	8	21	48	66
20-34	35	6.5	92	1	1	5	10	20	34	44
35-49	28	8.5	46	2	2	7	10	17	22	32
50-64	43	10.0	125	2	3	6	10	24	39	55
65+	39	13.5	156	2	3	10	17	30	33	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	980	3.0	12	1	1	2	4	5	8	14
B. *Operated*	57	4.6	58	1	1	3	5	7	12	54
2. MULTIPLE DX										
A. *Not Operated*	1941	5.3	36	1	1	4	6	11	15	28
B. *Operated*	163	10.2	124	2	2	7	12	23	33	65
1. SINGLE DX	1037	3.0	15	1	1	2	4	6	8	15
2. MULTIPLE DX	2104	5.7	44	1	1	4	7	12	17	33
A. NOT OPERATED	2921	4.5	29	1	1	3	5	9	13	26
B. OPERATED	220	8.8	113	1	2	5	10	20	32	60
TOTAL 0-19 YRS	735	3.3	23	1	1	2	4	6	9	19
20-34	774	4.1	29	1	1	3	5	9	13	21
35-49	530	4.5	26	1	1	3	5	9	12	27
50-64	562	5.6	46	1	1	4	6	11	15	38
65+	540	7.4	54	1	2	5	9	16	22	33
GRAND TOTAL	**3141**	**4.8**	**36**	**1**	**1**	**3**	**5**	**10**	**14**	**29**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	4.2	76	1	1	2	4	8	13	34
20-34	260	4.3	28	1	1	3	5	8	11	25
35-49	174	4.8	41	1	1	3	5	9	12	23
50-64	173	5.9	45	1	1	4	7	11	22	37
65+	230	7.4	91	1	1	5	9	14	21	70
B. *Operated*										
0-19 YRS	161	5.4	25	1	1	4	7	12	16	24
20-34	200	5.0	32	1	1	3	7	11	14	29
35-49	184	4.9	36	1	1	3	6	12	14	21
50-64	237	5.8	35	1	1	4	8	12	15	27
65+	224	7.9	56	1	2	5	10	17	24	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	279	6.0	62	1	1	4	8	12	19	99+
20-34	338	7.4	104	1	2	5	8	16	39	99+
35-49	332	7.2	56	1	1	5	9	16	24	99+
50-64	487	8.6	92	2	2	6	10	17	29	99+
65+	1242	10.4	98	2	3	7	13	22	31	63
B. *Operated*										
0-19 YRS	270	8.1	112	1	2	5	9	20	33	99+
20-34	284	12.2	272	1	2	7	14	32	54	99+
35-49	306	10.4	170	1	2	6	13	26	40	99+
50-64	411	11.4	147	2	2	8	15	25	36	88
65+	523	15.9	225	2	3	11	21	36	48	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1002	5.4	57	1	1	3	6	11	14	37
B. *Operated*	1006	5.9	39	1	1	4	8	13	17	30
2. MULTIPLE DX										
A. *Not Operated*	2678	8.8	91	1	2	6	11	19	30	99+
B. *Operated*	1794	12.2	195	1	2	8	16	30	42	99
1. SINGLE DX	2008	5.6	48	1	1	4	7	12	16	34
2. MULTIPLE DX	4472	10.2	135	1	2	7	12	23	36	99+
A. NOT OPERATED	3680	7.9	84	1	2	5	10	17	27	74
B. OPERATED	2800	9.9	148	1	2	6	12	23	35	86
TOTAL 0-19 YRS	875	6.2	75	1	1	4	7	13	21	99
20-34	1082	7.4	126	1	1	4	8	16	30	99+
35-49	996	7.3	89	1	1	4	9	16	25	77
50-64	1308	8.6	97	1	2	6	10	19	29	72
65+	2219	11.1	131	2	2	8	14	25	34	74
GRAND TOTAL	**6480**	**8.8**	**113**	**1**	**2**	**5**	**11**	**20**	**30**	**83**

118: Migraine (346)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	2.4	5	1	1	2	3	4	6	12
20-34	385	3.2	6	1	1	3	4	6	8	15
35-49	247	3.3	5	1	1	3	4	7	8	11
50-64	105	3.2	4	1	1	3	4	6	7	10
65+	33	3.3	4	1	1	3	5	6	7	7
B. *Operated*										
0-19 YRS	10	3.3	2	1	1	3	5	5	5	5
20-34	34	3.7	16	1	1	3	4	6	13	22
35-49	29	3.0	3	1	1	2	4	6	7	8
50-64	20	3.6	5	1	1	3	4	8	9	10
65+	3	4.0	7	2	2	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	2.9	7	1	1	2	3	5	6	16
20-34	338	4.1	11	1	1	3	5	8	10	20
35-49	308	5.3	22	1	2	4	6	10	15	25
50-64	191	4.7	21	1	1	4	6	8	10	20
65+	68	4.3	12	2	2	3	5	8	10	20
B. *Operated*										
0-19 YRS	6	5.2	5	2	2	5	7	8	8	8
20-34	28	6.2	27	2	2	5	6	13	17	26
35-49	43	6.5	46	1	1	4	8	14	22	33
50-64	31	7.4	40	2	2	6	10	14	20	31
65+	8	7.4	9	2	3	8	9	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	924	3.1	5	1	1	2	4	6	8	13
B. *Operated*	96	3.4	8	1	1	3	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*	970	4.5	17	1	1	3	6	8	11	22
B. *Operated*	116	6.7	35	2	2	5	8	13	17	32
1. SINGLE DX	1020	3.1	6	1	1	2	4	6	8	13
2. MULTIPLE DX	1086	4.8	19	1	1	4	6	9	12	24
A. NOT OPERATED	1894	3.8	12	1	1	3	5	7	9	19
B. OPERATED	212	5.2	25	1	2	4	6	10	14	30
TOTAL 0-19 YRS	235	2.7	5	1	1	2	3	5	7	13
20-34	785	3.7	10	1	1	3	5	7	9	18
35-49	627	4.5	17	1	1	3	6	9	11	24
50-64	347	4.4	18	1	1	3	5	8	10	20
65+	112	4.2	10	1	1	3	6	8	10	19
GRAND TOTAL	**2106**	**4.0**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**20**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	2.1	2	<1	<1	2	2	4	6	6
35-49	20	2.2	3	1	1	2	2	5	6	7
50-64	10	2.1	5	<1	<1	1	3	6	8	8
65+	7	3.0	3	1	1	3	4	6	6	6
B. *Operated*										
0-19 YRS	49	1.9	2	<1	1	2	2	3	3	9
20-34	765	1.9	1	<1	<1	2	2	3	4	5
35-49	1016	2.1	3	<1	<1	2	2	3	4	8
50-64	1169	2.2	2	<1	1	2	2	3	4	8
65+	599	2.2	2	<1	1	2	3	3	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	14	<1	<1	2	6	8	8	8
20-34	11	3.9	12	<1	<1	3	6	10	11	11
35-49	20	3.6	5	<1	1	3	5	7	7	7
50-64	27	3.3	10	<1	<1	3	4	5	9	17
65+	23	5.8	41	<1	1	4	7	11	19	31
B. *Operated*										
0-19 YRS	18	2.3	2	1	1	2	3	4	6	7
20-34	221	2.7	5	1	1	2	3	5	7	13
35-49	384	2.8	4	1	1	2	3	5	6	12
50-64	533	3.2	10	1	1	2	3	5	8	18
65+	382	3.4	10	1	1	2	4	6	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	2.2	3	<1	1	2	3	5	6	8
B. *Operated*	3598	2.1	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	84	4.1	18	<1	1	3	5	8	11	26
B. *Operated*	1538	3.1	8	1	1	2	3	5	8	15
1. SINGLE DX	3649	2.1	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	1622	3.1	8	1	1	2	3	5	8	16
A. NOT OPERATED	135	3.4	13	<1	1	2	4	7	9	19
B. OPERATED	5136	2.4	4	<1	1	2	3	4	5	11
TOTAL 0-19 YRS	71	2.1	2	<1	1	2	2	3	4	9
20-34	1010	2.1	2	<1	<1	2	2	3	4	8
35-49	1440	2.3	3	<1	1	2	3	4	5	9
50-64	1739	2.5	5	<1	1	2	3	4	5	12
65+	1011	2.8	7	<1	1	2	3	4	7	14
GRAND TOTAL	**5271**	**2.4**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**11**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	7.1	52	1	1	4	9	23	30	91
20-34	158	6.0	55	1	1	4	7	12	17	43
35-49	200	6.0	43	1	2	4	7	12	18	36
50-64	180	6.0	61	1	1	3	7	15	26	88
65+	140	7.0	43	1	2	5	9	16	22	44
B. *Operated*										
0-19 YRS	130	3.6	29	<1	1	2	4	6	9	58
20-34	894	3.6	9	1	1	3	4	7	8	15
35-49	988	3.7	13	1	1	3	4	7	9	17
50-64	883	3.4	16	1	1	2	4	6	8	15
65+	387	4.2	19	1	1	3	5	10	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	6.7	56	<1	1	4	8	19	26	31
20-34	166	8.3	108	1	1	5	10	18	25	63
35-49	229	6.3	22	1	2	5	8	13	16	20
50-64	342	6.7	43	1	2	5	8	14	21	31
65+	513	9.0	92	2	2	6	11	20	26	51
B. *Operated*										
0-19 YRS	74	6.0	124	1	2	3	5	11	42	99+
20-34	401	5.6	65	1	1	3	6	9	15	48
35-49	520	5.8	56	1	2	4	7	11	15	65
50-64	648	6.1	78	1	1	4	6	13	21	54
65+	371	9.1	114	2	2	5	11	22	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	741	6.3	51	1	1	4	7	14	23	43
B. *Operated*	3282	3.7	14	1	1	3	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	1290	7.7	68	1	2	5	9	17	22	39
B. *Operated*	2014	6.5	80	1	2	4	7	14	22	67
1. SINGLE DX	4023	4.1	22	1	1	3	5	8	11	26
2. MULTIPLE DX	3304	7.0	76	1	2	4	8	15	22	58
A. NOT OPERATED	2031	7.2	63	1	2	5	9	16	22	41
B. OPERATED	5296	4.7	41	1	1	3	5	9	13	41
TOTAL 0-19 YRS	307	5.3	64	<1	1	3	5	10	26	99+
20-34	1619	4.8	40	1	1	3	5	8	13	37
35-49	1937	4.8	30	1	1	3	6	9	13	27
50-64	2053	5.0	46	1	1	3	5	10	16	37
65+	1411	7.5	77	1	2	4	9	17	24	57
GRAND TOTAL	**7327**	**5.4**	**48**	**1**	**1**	**3**	**6**	**11**	**17**	**41**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	5	3.0	12	<1	<1	2	4	9	9	9
35-49	1	5.0		5	5	5	5	5	5	5
50-64	5	2.8	9	<1	<1	1	4	8	8	8
65+	5	5.8	22	1	1	5	10	12	12	12
B. *Operated*										
0-19 YRS	68	4.7	5	2	2	4	6	8	9	11
20-34	136	4.9	6	2	2	4	6	8	9	14
35-49	147	5.0	10	2	2	4	6	8	10	15
50-64	552	4.6	5	1	2	4	6	7	8	12
65+	503	5.2	8	2	3	5	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	5	2.8	3	1	1	2	4	5	5	5
35-49	5	7.4	63	1	1	5	10	21	21	21
50-64	9	3.4	10	<1	<1	2	4	9	11	11
65+	17	3.3	7	1	1	2	5	7	9	10
B. *Operated*										
0-19 YRS	51	4.7	7	2	2	4	6	8	9	16
20-34	138	5.2	8	2	2	5	6	8	10	16
35-49	128	6.2	20	2	3	5	7	10	13	25
50-64	474	5.6	8	2	3	5	7	9	11	15
65+	545	5.9	10	2	3	5	7	10	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.5	12	<1	<1	2	5	9	11	12
B. *Operated*	1406	4.9	6	2	2	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	41	3.5	14	<1	1	2	5	7	10	21
B. *Operated*	1336	5.7	10	2	3	5	7	9	11	17
1. SINGLE DX	1426	4.9	7	1	2	4	6	8	9	14
2. MULTIPLE DX	1377	5.6	11	2	3	5	7	9	11	18
A. NOT OPERATED	61	3.5	13	<1	1	2	5	8	10	20
B. OPERATED	2742	5.3	9	2	2	5	6	9	10	16
TOTAL 0-19 YRS	128	4.5	7	1	2	4	6	8	9	14
20-34	284	5.0	7	2	2	5	6	8	10	15
35-49	281	5.6	15	2	2	5	7	9	12	21
50-64	1040	5.0	7	2	2	5	6	8	10	14
65+	1070	5.5	9	2	3	5	7	9	11	17
GRAND TOTAL	**2803**	**5.2**	**9**	**2**	**2**	**5**	**6**	**9**	**10**	**16**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64	5	2.8	4	1	1	2	4	6	6	6
65+	23	2.7	5	1	1	2	3	5	8	11
B. *Operated*										
0-19 YRS	8	1.8	1	<1	<1	2	2	3	3	3
20-34	19	3.4	6	<1	1	3	4	7	9	10
35-49	41	3.0	4	1	1	3	3	5	6	12
50-64	228	2.6	2	1	1	2	3	4	5	9
65+	337	3.0	6	1	2	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.0		3	3	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	7	2.3	3	1	1	2	4	5	5	5
65+	26	4.0	15	1	1	3	4	7	14	18
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	7	7.7	25	2	2	7	9	16	17	17
35-49	18	3.3	6	1	1	2	5	8	9	9
50-64	105	3.5	5	1	2	3	4	5	8	13
65+	319	4.1	14	1	2	3	5	8	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.9	5	1	1	2	3	6	7	11
B. *Operated*	633	2.9	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	37	3.5	12	1	1	3	4	7	11	18
B. *Operated*	451	4.0	12	1	2	3	5	7	10	17
1. SINGLE DX	664	2.9	4	1	1	2	3	5	7	10
2. MULTIPLE DX	488	4.0	12	1	2	3	5	7	10	18
A. NOT OPERATED	68	3.3	9	1	1	2	4	7	8	17
B. OPERATED	1084	3.3	8	1	1	3	4	6	8	15
TOTAL 0-19 YRS	12	2.0	1	<1	<1	2	2	4	5	5
20-34	29	4.5	13	1	1	3	7	9	11	17
35-49	61	3.1	4	1	1	2	4	6	7	12
50-64	345	2.8	3	1	1	2	3	5	6	10
65+	705	3.6	10	1	2	3	4	6	8	17
GRAND TOTAL	**1152**	**3.3**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	1	<1	<1	1	2	4	4	4
20-34	3	6.7	66	1	1	3	13	16	16	16
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	7	2.9	2	2	2	2	3	5	6	6
B. *Operated*										
0-19 YRS	11	2.5	3	1	1	2	3	5	7	7
20-34	22	3.7	14	1	1	3	4	7	14	17
35-49	23	2.5	2	1	1	2	3	4	6	7
50-64	58	3.6	15	1	1	3	4	6	10	24
65+	116	3.6	11	1	2	3	4	6	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	<1	1	2	2	2
20-34	3	3.7	9	1	1	3	6	7	7	7
35-49	1	5.0		5	5	5	5	5	5	5
50-64	5	1.8	2	<1	<1	1	2	4	4	4
65+	25	4.3	5	1	2	4	6	8	9	10
B. *Operated*										
0-19 YRS	10	2.7	4	1	1	2	3	6	8	8
20-34	18	2.9	3	1	1	2	4	5	6	7
35-49	23	4.0	14	1	1	3	4	9	13	18
50-64	74	4.0	12	1	1	3	5	7	11	19
65+	159	4.5	16	1	2	3	5	8	10	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.8	11	<1	<1	2	3	5	10	16
B. *Operated*	230	3.4	11	1	1	3	4	6	12	18
2. MULTIPLE DX										
A. *Not Operated*	39	3.6	6	<1	<1	3	5	7	8	10
B. *Operated*	284	4.2	14	1	2	3	5	8	10	20
1. SINGLE DX	251	3.4	11	1	1	2	4	6	12	18
2. MULTIPLE DX	323	4.1	13	1	1	3	5	8	10	19
A. NOT OPERATED	60	3.3	7	<1	<1	3	4	7	8	15
B. OPERATED	514	3.8	13	1	1	3	4	7	10	19
TOTAL 0-19 YRS	32	2.3	3	<1	<1	2	2	4	7	8
20-34	46	3.6	12	1	1	3	4	7	13	17
35-49	49	3.2	8	1	1	2	4	5	9	18
50-64	140	3.7	12	1	1	3	4	6	11	20
65+	307	4.1	13	1	2	3	5	7	10	20
GRAND TOTAL	**574**	**3.8**	**12**	**1**	**1**	**3**	**4**	**7**	**10**	**19**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
YRS										
35-49	5	1.8	1	<1	<1	1	3	3	3	3
50-64	19	2.5	2	<1	<1	2	3	5	6	7
65+	65	2.3	1	<1	<1	2	3	4	4	7
B. *Operated*										
YRS										
35-49	494	2.5	1	1	2	2	3	4	4	7
50-64	2952	2.7	5	1	2	2	3	4	4	7
65+	9279	2.9	5	2	2	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
YRS										
35-49	9	4.0	47	1	1	1	3	15	22	22
50-64	58	2.0	3	<1	1	1	2	5	5	8
65+	242	2.4	6	<1	1	2	3	4	7	20
B. *Operated*										
YRS										
35-49	261	3.3	10	2	2	3	3	5	7	20
50-64	2115	3.1	4	2	2	3	3	4	6	11
65+	8033	3.6	10	2	2	3	4	5	8	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	2.3	2	<1	<1	2	3	4	4	8
B. *Operated*	12725	2.9	5	2	2	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	309	2.4	6	<1	1	2	3	4	7	20
B. *Operated*	10409	3.5	9	2	2	3	4	5	7	15
1. SINGLE DX	12814	2.9	5	1	2	3	3	4	5	8
2. MULTIPLE DX	10718	3.5	9	2	2	3	4	5	7	16
A. NOT OPERATED	398	2.3	5	<1	1	2	3	4	7	15
B. OPERATED	23134	3.2	7	2	2	3	3	4	6	12
TOTAL YRS										
35-49	769	2.8	5	1	2	2	3	4	5	10
50-64	5144	2.8	5	1	2	3	3	4	5	9
65+	17619	3.3	8	2	2	3	4	5	6	13
GRAND TOTAL	**23532**	**3.1**	**7**	**2**	**2**	**3**	**3**	**4**	**6**	**12**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	107	2.2	1	1	1	2	2	3	4	7
20-34	72	2.4	1	1	1	2	3	4	4	7
35-49	76	2.9	4	1	2	3	3	4	5	15
50-64	125	2.6	4	1	1	2	3	4	4	9
65+	121	2.4	1	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	7	2.3	2	1	1	2	4	4	4	4
65+	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	57	3.3	16	<1	1	2	3	5	6	28
20-34	66	3.8	15	1	2	3	4	7	9	25
35-49	69	2.8	3	1	1	3	3	4	5	12
50-64	145	3.6	14	1	2	3	4	6	7	13
65+	161	3.3	4	1	2	3	4	6	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.8	4	<1	<1	2	4	5	5	5
B. *Operated*	501	2.5	2	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	14	2.0	2	<1	1	2	3	4	4	4
B. *Operated*	498	3.4	10	1	2	3	4	6	7	14
1. SINGLE DX	505	2.5	2	1	1	2	3	4	4	7
2. MULTIPLE DX	512	3.4	9	1	1	3	4	5	7	14
A. NOT OPERATED	18	2.2	2	<1	<1	2	4	4	5	5
B. OPERATED	999	2.9	6	1	1	2	3	5	6	12
TOTAL 0-19 YRS	168	2.6	6	1	1	2	3	4	5	13
20-34	139	3.1	8	1	1	2	3	5	7	21
35-49	147	2.9	4	1	1	2	3	4	5	12
50-64	277	3.1	9	1	1	3	3	5	6	12
65+	286	2.9	3	1	1	3	3	5	6	10
GRAND TOTAL	**1017**	**2.9**	**6**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	1.5	1	<1	<1	1	2	3	3	3
20-34	12	3.4	23	<1	<1	2	3	10	17	18
35-49	12	3.2	4	1	1	3	4	7	7	7
50-64	9	2.7	1	1	1	2	4	4	4	4
65+	3	2.0	3	1	1	1	3	4	4	4
B. *Operated*										
0-19 YRS	1737	1.7	7	<1	<1	2	2	2	2	7
20-34	332	1.9	1	<1	1	2	2	2	3	6
35-49	131	2.0	4	1	1	2	2	3	3	36
50-64	80	2.0	1	1	1	2	2	3	3	6
65+	61	2.0	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	1.9	12	<1	<1	1	1	2	6	21
20-34	13	3.6	9	1	1	3	4	9	10	10
35-49	12	7.3	238	1	1	3	5	21	51	56
50-64	21	5.0	9	1	2	4	6	10	11	12
65+	31	6.2	24	2	2	5	7	12	14	26
B. *Operated*										
0-19 YRS	376	1.8	3	<1	<1	2	2	2	3	11
20-34	111	2.2	2	1	1	2	2	3	4	9
35-49	64	2.5	5	1	1	2	2	4	8	13
50-64	58	2.8	6	1	1	2	3	5	9	14
65+	49	3.2	26	1	1	2	3	3	5	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	2.3	5	<1	<1	2	3	4	6	15
B. *Operated*	2341	1.8	5	<1	<1	2	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	114	4.4	40	<1	1	2	5	9	12	37
B. *Operated*	658	2.1	5	<1	1	2	2	3	4	13
1. SINGLE DX	2415	1.8	5	<1	<1	2	2	2	3	7
2. MULTIPLE DX	772	2.5	11	<1	1	2	2	4	7	19
A. NOT OPERATED	188	3.6	27	<1	<1	2	4	7	10	24
B. OPERATED	2999	1.9	5	<1	1	2	2	2	3	8
TOTAL 0-19 YRS	2188	1.7	6	<1	<1	2	2	2	2	7
20-34	468	2.1	2	1	1	2	2	3	4	9
35-49	219	2.5	17	1	1	2	2	4	5	32
50-64	168	2.7	4	1	1	2	3	5	7	12
65+	144	3.3	17	1	1	2	3	6	9	26
GRAND TOTAL	**3187**	**2.0**	**7**	**<1**	**1**	**2**	**2**	**2**	**3**	**10**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	1.8	2	<1	<1	1	2	4	5	8
20-34	37	3.8	11	1	1	3	5	9	11	15
35-49	27	4.7	43	<1	<1	2	5	9	25	28
50-64	39	4.0	29	<1	<1	3	4	8	16	28
65+	41	4.5	17	<1	<1	3	6	9	11	22
B. *Operated*										
0-19 YRS	183	2.2	4	<1	<1	2	2	5	6	11
20-34	234	2.7	8	<1	<1	2	3	5	7	11
35-49	304	2.2	6	<1	<1	2	2	4	5	10
50-64	389	2.2	2	<1	<1	2	2	4	5	7
65+	590	2.1	2	<1	1	2	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	3.3	8	<1	<1	3	4	6	8	17
20-34	34	5.2	40	<1	1	3	6	9	13	37
35-49	26	4.5	8	1	1	4	6	9	10	11
50-64	51	4.5	16	1	1	3	6	10	12	20
65+	116	6.2	69	<1	1	4	8	13	18	84
B. *Operated*										
0-19 YRS	109	3.7	19	<1	<1	2	5	8	12	55
20-34	132	3.4	9	1	1	2	4	7	9	34
35-49	198	2.9	12	<1	<1	2	3	6	8	21
50-64	419	2.8	8	<1	1	2	3	5	7	12
65+	705	3.4	9	1	1	2	4	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	286	3.0	14	<1	<1	2	3	7	8	23
B. *Operated*	1700	2.2	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	342	4.7	34	<1	1	3	6	9	13	28
B. *Operated*	1563	3.2	10	<1	1	2	4	6	8	17
1. SINGLE DX	1986	2.3	6	<1	<1	2	3	4	6	11
2. MULTIPLE DX	1905	3.5	15	<1	1	2	4	7	9	20
A. NOT OPERATED	628	4.0	26	<1	<1	3	5	8	11	25
B. OPERATED	3263	2.7	7	<1	<1	2	3	5	7	14
TOTAL 0-19 YRS	549	2.6	8	<1	<1	2	3	5	8	18
20-34	437	3.2	12	<1	<1	2	4	6	8	20
35-49	555	2.7	10	<1	<1	2	3	5	7	21
50-64	898	2.7	7	<1	<1	2	3	5	7	12
65+	1452	3.1	13	<1	1	2	4	6	8	17
GRAND TOTAL	**3891**	**2.9**	**10**	**<1**	**<1**	**2**	**3**	**6**	**8**	**16**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	239	3.6	6	1	1	3	4	6	7	14
20-34	80	3.9	14	1	1	3	4	8	10	23
35-49	39	4.2	12	1	1	3	6	8	10	18
50-64	47	4.3	9	1	1	4	5	9	11	13
65+	61	4.0	8	1	1	3	5	8	10	13
B. *Operated*										
0-19 YRS	69	3.2	7	<1	1	2	4	7	9	15
20-34	68	3.2	4	1	1	2	4	6	7	10
35-49	66	3.1	11	1	1	2	3	6	8	23
50-64	209	2.7	5	1	1	2	3	5	6	9
65+	454	2.7	4	1	1	2	3	4	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	198	4.1	7	1	2	4	5	7	8	16
20-34	63	3.8	9	<1	1	3	4	6	12	16
35-49	49	5.0	8	2	2	5	6	9	11	12
50-64	75	5.1	14	1	1	4	7	10	13	80
65+	163	6.0	33	1	2	4	8	13	18	32
B. *Operated*										
0-19 YRS	74	4.3	20	1	1	3	4	8	11	29
20-34	147	4.3	9	1	1	4	6	8	10	21
35-49	127	4.8	17	1	2	4	5	10	11	22
50-64	309	4.0	15	1	1	3	5	8	10	20
65+	669	4.0	15	1	2	3	5	7	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	466	3.8	8	1	1	3	5	7	9	14
B. *Operated*	866	2.8	5	1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	548	4.8	17	1	2	4	6	9	12	23
B. *Operated*	1326	4.1	15	1	1	3	5	8	10	19
1. SINGLE DX	1332	3.2	6	1	1	2	4	6	7	14
2. MULTIPLE DX	1874	4.3	15	1	2	3	5	8	11	20
A. NOT OPERATED	1014	4.4	13	1	1	3	5	8	11	20
B. OPERATED	2192	3.6	11	1	1	3	4	7	9	18
TOTAL 0-19 YRS	580	3.8	8	1	1	3	5	6	9	15
20-34	358	3.9	9	1	1	3	5	7	10	18
35-49	281	4.3	14	1	1	3	5	9	11	18
50-64	640	3.7	12	1	1	3	5	7	9	18
65+	1347	3.8	14	1	1	3	4	7	10	19
GRAND TOTAL	**3206**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.0	1	<1	<1	1	2	4	4	4
20-34	11	2.9	5	1	1	2	5	7	7	7
35-49	12	2.2	1	<1	<1	2	3	4	4	4
50-64	7	1.6	1	<1	<1	1	2	3	3	3
65+	9	3.1	3	<1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	18	1.7	1	<1	1	2	2	3	3	3
20-34	14	2.4	1	<1	1	2	3	4	4	4
35-49	14	2.6	3	1	1	2	3	5	6	7
50-64	31	2.1	1	1	1	2	3	3	4	6
65+	22	3.3	11	1	1	3	4	5	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.4	1	<1	<1	1	2	3	3	3
20-34	24	2.7	3	<1	1	2	4	5	7	7
35-49	20	3.9	11	1	1	3	5	10	12	12
50-64	39	4.7	26	1	2	3	5	8	9	33
65+	45	5.1	7	2	2	5	7	10	11	99+
B. *Operated*										
0-19 YRS	26	2.0	1	<1	1	2	2	3	4	4
20-34	18	4.3	31	1	1	2	4	8	19	25
35-49	26	3.7	6	1	1	3	4	8	9	10
50-64	34	4.3	10	1	2	3	6	9	11	14
65+	43	3.6	7	1	1	3	4	6	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.3	3	<1	1	2	3	5	6	7
B. *Operated*	99	2.4	4	1	1	2	3	4	4	12
2. MULTIPLE DX										
A. *Not Operated*	136	4.2	13	1	1	3	5	9	10	42
B. *Operated*	147	3.6	9	1	1	3	4	8	9	15
1. SINGLE DX	149	2.4	3	1	1	2	3	4	6	7
2. MULTIPLE DX	283	3.9	11	1	1	3	5	8	9	22
A. NOT OPERATED	186	3.7	11	1	1	3	5	7	9	25
B. OPERATED	246	3.1	7	1	1	2	4	6	8	15
TOTAL 0-19 YRS	63	1.8	1	<1	1	2	2	3	4	4
20-34	67	3.1	11	1	1	2	4	6	7	22
35-49	72	3.3	6	1	1	3	4	7	9	12
50-64	111	3.6	14	1	1	3	4	7	9	21
65+	119	4.1	8	1	2	3	5	8	10	42
GRAND TOTAL	**432**	**3.3**	**9**	**1**	**1**	**3**	**4**	**6**	**9**	**15**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	332	2.5	7	<1	1	2	3	4	5	11
20-34	10	2.7	2	1	1	3	4	5	5	5
35-49	5	3.2	9	<1	<1	2	5	8	8	8
50-64	5	2.6	7	1	1	1	4	7	7	7
65+	7	8.4	153	1	1	5	7	30	36	36
B. *Operated*										
0-19 YRS	3238	1.2	1	<1	<1	<1	1	2	2	4
20-34	376	2.1	2	<1	1	2	2	3	4	9
35-49	336	2.0	1	<1	1	2	2	3	3	5
50-64	365	2.0	1	1	1	2	2	3	4	7
65+	106	2.0	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1206	3.0	5	1	1	2	4	5	7	12
20-34	45	3.8	9	1	1	3	4	7	10	16
35-49	32	3.9	7	<1	1	4	5	7	8	12
50-64	45	3.7	8	1	1	3	5	8	9	15
65+	44	5.8	13	1	2	5	9	11	12	99+
B. *Operated*										
0-19 YRS	3019	1.6	5	<1	<1	1	2	2	3	8
20-34	329	2.3	2	1	1	2	3	4	4	7
35-49	291	2.7	7	1	1	2	3	4	5	15
50-64	264	2.6	6	1	1	2	3	4	5	8
65+	130	2.6	3	<1	1	2	3	4	5	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	359	2.6	10	<1	1	2	3	4	6	13
B. *Operated*	4421	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	1372	3.1	5	1	1	3	4	6	8	12
B. *Operated*	4033	1.9	5	<1	<1	1	2	3	4	8
1. SINGLE DX	4780	1.5	2	<1	<1	1	2	2	3	6
2. MULTIPLE DX	5405	2.2	6	<1	<1	2	2	4	5	11
A. NOT OPERATED	1731	3.0	7	1	1	2	4	6	7	12
B. OPERATED	8454	1.6	3	<1	<1	1	2	3	3	7
TOTAL 0-19 YRS	7795	1.7	4	<1	<1	1	2	3	4	8
20-34	760	2.3	2	1	1	2	3	4	4	10
35-49	664	2.4	4	1	1	2	3	4	5	8
50-64	679	2.4	4	1	1	2	3	4	5	9
65+	287	3.0	9	<1	1	2	3	6	9	15
GRAND TOTAL	**10185**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	3.8	17	1	1	3	4	6	8	27
20-34	32	4.1	10	1	1	3	5	9	12	13
35-49	30	4.1	7	1	2	4	5	7	9	14
50-64	9	2.9	1	1	1	3	4	4	4	4
65+	8	5.3	10	1	1	5	7	9	10	10
B. *Operated*										
0-19 YRS	317	1.8	29	<1	<1	1	1	2	4	15
20-34	46	2.5	6	<1	1	2	3	4	4	17
35-49	41	2.6	5	<1	<1	2	3	5	7	12
50-64	39	2.5	1	<1	1	2	3	4	5	7
65+	21	3.7	7	<1	1	3	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	3.3	7	<1	1	3	4	7	10	16
20-34	43	4.2	11	1	1	3	5	9	11	18
35-49	31	6.0	13	2	3	5	8	10	13	19
50-64	24	6.6	67	1	2	4	7	13	22	41
65+	40	7.9	129	1	2	5	9	12	27	67
B. *Operated*										
0-19 YRS	395	2.0	4	<1	<1	1	2	4	5	12
20-34	72	2.7	3	1	1	2	3	4	7	11
35-49	69	3.5	12	1	2	2	3	7	11	22
50-64	75	3.9	10	1	1	3	4	9	11	17
65+	54	6.8	122	2	2	3	6	12	32	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	3.9	12	1	1	3	5	7	10	22
B. *Operated*	464	2.1	22	<1	<1	1	2	3	5	12
2. MULTIPLE DX										
A. *Not Operated*	305	4.6	31	1	1	3	5	9	12	39
B. *Operated*	665	2.8	17	<1	<1	2	3	5	9	18
1. SINGLE DX	616	2.5	20	<1	<1	2	3	5	7	15
2. MULTIPLE DX	970	3.4	22	<1	<1	2	4	7	10	19
A. NOT OPERATED	457	4.4	25	1	1	3	5	8	12	28
B. OPERATED	1129	2.5	19	<1	<1	2	3	4	7	16
TOTAL 0-19 YRS	952	2.3	14	<1	<1	1	2	4	6	13
20-34	193	3.2	7	1	1	2	3	6	8	15
35-49	171	3.9	11	1	1	3	5	8	11	18
50-64	147	3.9	18	1	1	3	4	7	11	19
65+	123	6.5	98	1	2	4	7	11	19	67
GRAND TOTAL	**1586**	**3.1**	**21**	**<1**	**<1**	**2**	**3**	**6**	**9**	**19**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.8	4	1	1	2	3	6	8	9
20-34	100	2.6	2	1	1	2	3	4	5	9
35-49	145	3.1	5	1	1	2	4	6	7	12
50-64	283	2.8	3	1	1	2	4	5	6	10
65+	276	3.4	4	1	1	3	4	6	8	10
B. *Operated*										
0-19 YRS	16	3.3	3	1	1	3	4	7	7	7
20-34	62	3.4	3	1	1	3	4	5	7	10
35-49	86	3.7	5	1	1	3	4	6	7	14
50-64	144	4.3	7	1	2	4	5	8	9	14
65+	37	4.1	6	1	1	4	5	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.6	8	1	1	3	7	9	10	10
20-34	114	3.9	6	1	2	4	5	6	9	13
35-49	210	4.5	26	1	2	3	5	7	11	29
50-64	437	4.0	11	1	1	3	5	8	9	15
65+	850	5.0	24	1	2	4	6	9	11	19
B. *Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	20	5.5	19	<1	1	4	7	13	14	15
35-49	30	6.2	24	1	2	5	7	14	15	22
50-64	58	5.7	22	1	2	4	6	11	18	22
65+	51	8.7	53	2	2	7	11	17	27	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	824	3.0	4	1	1	3	4	5	7	10
B. *Operated*	345	3.9	5	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	1628	4.6	19	1	2	4	6	8	11	18
B. *Operated*	163	6.6	33	1	2	5	8	14	19	30
1. SINGLE DX	1169	3.3	5	1	1	3	4	6	8	11
2. MULTIPLE DX	1791	4.8	21	1	2	4	6	9	11	20
A. NOT OPERATED	2452	4.1	15	1	1	3	5	8	10	16
B. OPERATED	508	4.8	16	1	2	4	6	9	12	21
TOTAL 0-19 YRS	57	3.4	5	1	1	3	5	7	8	10
20-34	296	3.5	5	1	1	3	4	6	8	13
35-49	471	4.0	16	1	1	3	5	7	10	20
50-64	922	3.8	9	1	1	3	5	7	9	15
65+	1214	4.8	21	1	2	4	6	9	11	19
GRAND TOTAL	**2960**	**4.2**	**15**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	23	2.0	1	1	1	2	3	3	4	4
20-34	192	1.9	1	1	1	2	2	3	3	6
35-49	349	2.0	2	1	1	2	2	3	4	5
50-64	347	2.4	36	1	1	2	2	3	4	10
65+	146	2.0	1	1	1	2	3	3	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	2.0	1	<1	<1	2	3	3	3	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	5	2.4	2	<1	<1	3	3	4	4	4
B. *Operated*										
0-19 YRS	8	3.0	1	2	2	3	4	4	4	4
20-34	57	2.3	1	1	1	2	3	4	4	5
35-49	79	2.3	1	1	1	2	3	3	5	6
50-64	104	2.5	2	1	1	2	3	4	4	10
65+	42	2.5	2	1	1	2	3	4	4	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	1	2	2	2	4	4	4	4
B. *Operated*	1057	2.1	13	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	14	2.1	1	<1	<1	2	3	3	4	4
B. *Operated*	290	2.4	1	1	1	2	3	4	4	7
1. SINGLE DX	1063	2.1	13	1	1	2	2	3	4	6
2. MULTIPLE DX	304	2.4	1	1	1	2	3	4	4	7
A. NOT OPERATED	20	2.3	1	<1	<1	2	3	4	4	4
B. OPERATED	1347	2.2	10	1	1	2	3	3	4	6
TOTAL 0-19 YRS	34	2.2	1	1	1	2	3	3	4	4
20-34	252	2.0	1	1	1	2	2	3	4	5
35-49	434	2.0	2	1	1	2	2	3	4	6
50-64	454	2.4	28	1	1	2	3	3	4	10
65+	193	2.1	1	1	1	2	3	3	4	6
GRAND TOTAL	**1367**	**2.2**	**10**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	1.5	1	<1	<1	1	2	3	4	5
20-34	23	3.0	5	<1	1	2	4	7	8	9
35-49	26	3.2	3	1	1	3	4	5	7	8
50-64	34	3.3	5	1	1	3	4	6	9	11
65+	25	2.6	2	<1	<1	2	3	5	6	6
B. *Operated*										
0-19 YRS	614	1.7	1	<1	<1	2	2	3	3	4
20-34	484	1.9	2	<1	1	2	2	3	3	6
35-49	357	2.1	1	1	1	2	2	3	4	5
50-64	300	2.4	31	1	1	2	2	3	4	8
65+	114	2.5	3	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.8	7	<1	<1	2	3	8	8	10
20-34	26	3.3	14	<1	<1	3	4	5	10	20
35-49	32	3.1	10	<1	1	2	4	7	12	15
50-64	38	4.4	9	1	1	4	6	9	11	12
65+	59	4.7	36	1	1	4	5	7	9	44
B. *Operated*										
0-19 YRS	447	1.9	4	<1	1	2	2	3	3	6
20-34	320	2.2	2	1	1	2	3	4	5	7
35-49	259	2.4	3	1	1	2	3	4	5	12
50-64	285	2.7	5	1	1	2	3	4	6	11
65+	112	2.9	11	1	1	2	3	5	6	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	2.8	4	<1	<1	2	3	5	7	10
B. *Operated*	1869	2.0	6	<1	1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	185	3.9	18	<1	1	3	5	8	9	18
B. *Operated*	1423	2.3	4	1	1	2	3	4	5	9
1. SINGLE DX	2000	2.1	6	<1	1	2	2	3	4	7
2. MULTIPLE DX	1608	2.5	6	1	1	2	3	4	6	11
A. NOT OPERATED	316	3.4	13	<1	1	3	4	7	8	13
B. OPERATED	3292	2.1	5	<1	1	2	2	3	4	8
TOTAL 0-19 YRS	1114	1.8	2	<1	<1	2	2	3	3	6
20-34	853	2.1	2	<1	1	2	2	3	4	8
35-49	674	2.3	3	1	1	2	3	4	4	10
50-64	657	2.7	17	1	1	2	3	4	6	12
65+	310	3.1	13	1	1	2	3	5	7	21
GRAND TOTAL	**3608**	**2.3**	**6**	**<1**	**1**	**2**	**3**	**3**	**4**	**9**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	8.3	88	2	2	6	9	19	24	56
20-34	22	7.6	30	2	3	6	9	14	20	26
35-49	7	4.1	6	2	2	4	5	8	9	9
50-64	4	2.8	2	<1	<1	3	4	4	4	4
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	4	16.0	211	3	3	12	26	36	36	36
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	17.0	32	13	13	17	21	21	21	21
65+	2	9.5	85	3	3	9	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	5.9	19	2	2	5	7	12	15	22
20-34	28	8.3	44	2	3	6	11	16	19	33
35-49	17	7.6	35	1	1	9	13	15	16	16
50-64	40	6.7	42	1	1	5	7	18	23	26
65+	63	8.9	131	2	3	6	9	15	21	77
B. *Operated*										
0-19 YRS	6	5.0	13	1	1	4	8	10	10	10
20-34	4	12.5	102	2	2	11	19	26	26	26
35-49	11	8.0	36	2	2	7	12	16	21	21
50-64	17	12.9	521	1	1	6	11	22	72	98
65+	11	9.2	77	2	2	7	9	24	30	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	7.4	62	2	2	5	8	15	23	47
B. *Operated*	9	13.4	115	3	3	13	18	30	36	36
2. MULTIPLE DX										
A. *Not Operated*	188	7.6	67	2	2	6	9	15	21	41
B. *Operated*	49	10.0	213	1	2	7	11	21	26	98
1. SINGLE DX	93	8.0	69	2	2	5	9	17	24	47
2. MULTIPLE DX	237	8.1	97	1	2	6	9	15	22	51
A. NOT OPERATED	272	7.5	65	2	2	5	9	15	22	43
B. OPERATED	58	10.5	197	1	2	7	12	21	29	93
TOTAL 0-19 YRS	95	7.1	55	2	2	5	8	15	21	44
20-34	58	8.8	54	2	3	6	12	17	26	36
35-49	36	7.0	30	1	2	5	12	15	16	21
50-64	63	8.4	173	1	1	5	9	21	23	89
65+	78	8.8	118	2	2	6	9	16	22	72
GRAND TOTAL	**330**	**8.0**	**89**	**2**	**2**	**6**	**9**	**16**	**22**	**48**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	12.5	5	11	11	12	14	14	14	14
20-34	12	3.6	4	1	1	3	5	7	7	7
35-49	17	3.1	2	1	2	3	4	4	6	7
50-64	21	3.1	3	<1	1	3	4	5	7	8
65+	20	5.4	20	1	1	5	7	10	16	19
B. *Operated*										
0-19 YRS	9	8.3	79	1	1	2	14	22	26	26
20-34	57	6.2	32	1	1	3	10	13	18	26
35-49	107	6.2	30	1	2	2	11	14	16	22
50-64	117	7.4	44	1	2	3	13	17	21	26
65+	48	7.0	50	1	2	3	12	20	21	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.2	12	1	1	3	4	11	12	13
20-34	53	4.3	10	1	1	3	7	9	12	14
35-49	133	4.0	13	<1	1	3	5	7	9	19
50-64	344	5.7	25	1	1	4	7	11	13	26
65+	447	8.1	35	2	2	7	11	16	19	27
B. *Operated*										
0-19 YRS	18	7.1	31	1	1	7	11	15	16	16
20-34	78	7.8	56	1	2	4	12	19	27	81
35-49	218	9.4	67	2	2	9	13	21	26	37
50-64	481	9.9	102	1	2	8	14	21	26	52
65+	287	14.1	177	2	2	11	19	32	40	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	4.1	10	1	1	3	5	7	11	18
B. *Operated*	338	6.8	39	1	2	3	11	15	20	27
2. MULTIPLE DX										
A. *Not Operated*	995	6.5	30	1	2	5	8	13	17	26
B. *Operated*	1082	10.7	115	2	2	9	15	23	31	53
1. SINGLE DX	410	6.3	35	1	2	3	11	15	18	26
2. MULTIPLE DX	2077	8.7	78	1	2	6	12	18	25	46
A. NOT OPERATED	1067	6.3	29	1	2	5	8	13	17	26
B. OPERATED	1420	9.8	100	1	2	8	14	21	28	51
TOTAL 0-19 YRS	47	6.4	34	1	1	3	11	15	16	26
20-34	200	6.2	36	1	1	4	9	13	19	33
35-49	475	6.9	47	1	2	4	11	16	21	31
50-64	963	7.9	70	1	2	5	12	18	22	45
65+	802	10.1	95	2	2	7	14	21	29	50
GRAND TOTAL	**2487**	**8.3**	**72**	**1**	**2**	**5**	**12**	**18**	**24**	**45**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	3.3	9	<1	1	2	4	8	9	13
20-34	97	3.3	3	1	1	3	4	5	7	9
35-49	211	3.5	5	1	1	3	4	6	9	11
50-64	270	4.3	42	1	2	3	5	7	9	23
65+	164	4.3	9	1	1	4	6	8	10	16
B. *Operated*										
0-19 YRS	13	2.1	1	1	1	2	2	4	5	5
20-34	41	3.2	13	<1	1	2	3	7	9	22
35-49	29	2.4	2	1	1	2	3	5	8	99+
50-64	30	2.6	4	<1	1	2	3	7	9	99+
65+	13	4.6	16	1	1	3	7	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	4.1	6	1	2	4	5	8	11	99+
20-34	247	4.5	18	1	2	3	5	8	12	16
35-49	748	4.7	15	1	2	4	6	8	11	22
50-64	1312	5.1	17	1	2	4	6	9	12	22
65+	1680	6.2	39	1	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	9	8.0	43	1	1	7	11	19	21	21
20-34	52	4.8	15	1	1	3	7	10	11	20
35-49	121	5.4	16	1	2	4	8	11	13	21
50-64	255	7.4	72	1	2	5	9	17	20	46
65+	182	9.6	75	2	2	8	12	20	27	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	770	3.9	19	1	1	3	5	7	9	18
B. *Operated*	126	2.9	8	1	1	2	3	6	9	99+
2. MULTIPLE DX										
A. *Not Operated*	4019	5.4	26	1	2	4	7	10	13	24
B. *Operated*	619	7.5	59	1	2	5	10	15	20	45
1. SINGLE DX	896	3.8	17	1	1	3	5	7	9	20
2. MULTIPLE DX	4638	5.7	31	1	2	4	7	11	14	26
A. NOT OPERATED	4789	5.2	25	1	2	4	6	9	13	23
B. OPERATED	745	6.7	53	1	2	5	9	14	20	46
TOTAL 0-19 YRS	82	3.9	12	1	1	3	5	8	12	74
20-34	437	4.1	14	1	1	3	5	8	10	17
35-49	1109	4.5	14	1	2	4	5	8	11	20
50-64	1867	5.3	29	1	2	4	6	10	14	25
65+	2039	6.3	41	1	2	5	8	12	16	32
GRAND TOTAL	**5534**	**5.4**	**29**	**1**	**2**	**4**	**7**	**10**	**14**	**25**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.8	6	2	2	3	5	7	7	7
35-49	36	3.7	8	1	1	3	4	7	9	15
50-64	65	5.0	15	1	2	4	6	11	13	20
65+	118	6.3	24	2	2	5	8	12	14	27
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	4	2.8	2	2	2	2	4	5	5	5
50-64	15	4.2	19	2	2	2	4	11	15	17
65+	7	6.4	13	3	3	5	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	13	1	1	3	7	8	8	8
20-34	18	4.1	4	1	2	4	5	7	8	9
35-49	170	5.2	17	1	2	4	6	9	13	20
50-64	597	6.1	16	2	2	5	8	11	14	21
65+	1987	7.9	41	2	3	6	10	15	19	38
B. *Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	12	5.6	36	1	1	4	6	14	22	23
35-49	35	7.6	34	1	1	6	12	15	18	22
50-64	149	7.4	44	1	2	5	11	16	21	29
65+	203	12.4	92	2	2	11	16	24	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	5.4	19	1	2	4	7	11	14	21
B. *Operated*	27	4.6	15	2	2	3	5	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	2775	7.3	35	2	2	6	9	14	18	34
B. *Operated*	402	9.8	73	2	2	8	13	21	26	46
1. SINGLE DX	250	5.3	19	2	2	4	7	11	14	20
2. MULTIPLE DX	3177	7.6	40	2	2	6	10	15	19	36
A. NOT OPERATED	2998	7.2	34	2	2	6	9	14	17	32
B. OPERATED	429	9.5	71	2	2	7	13	21	25	46
TOTAL 0-19 YRS	7	3.4	5	1	1	3	4	7	8	8
20-34	34	4.6	15	1	2	4	5	7	10	23
35-49	245	5.3	19	1	2	4	6	10	15	21
50-64	826	6.2	22	2	2	5	8	12	15	24
65+	2315	8.2	46	2	3	6	10	16	20	39
GRAND TOTAL	**3427**	**7.5**	**39**	**2**	**2**	**6**	**9**	**14**	**19**	**36**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	5	2.8	2	1	1	3	4	5	5	5
35-49	11	4.1	4	1	2	4	6	7	7	7
50-64	19	8.2	137	2	2	4	9	14	36	54
65+	19	4.9	6	1	2	5	6	8	10	11
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	25	3.9	18	1	1	2	4	8	16	18
35-49	18	4.6	18	<1	1	3	6	10	14	17
50-64	31	5.4	40	1	1	3	7	12	14	33
65+	14	6.7	59	<1	<1	3	9	21	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.3	21	1	1	4	7	14	15	16
20-34	21	4.4	13	2	2	4	5	6	12	19
35-49	47	6.1	22	1	1	5	9	10	13	26
50-64	97	5.8	17	1	1	5	8	11	16	18
65+	231	9.6	58	2	3	7	13	18	24	40
B. *Operated*										
0-19 YRS	11	7.0	40	1	1	6	7	18	22	22
20-34	49	8.8	105	1	2	5	12	21	27	59
35-49	76	10.0	102	1	2	7	13	19	37	47
50-64	135	9.8	73	2	2	8	13	19	26	41
65+	130	13.9	127	2	3	11	19	27	37	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	5.5	51	1	2	4	6	9	12	51
B. *Operated*	90	4.9	32	1	1	3	6	12	17	29
2. MULTIPLE DX										
A. *Not Operated*	415	7.9	44	1	2	6	10	17	19	32
B. *Operated*	401	11.0	102	2	2	8	15	23	31	49
1. SINGLE DX	147	5.1	39	1	1	3	6	10	16	34
2. MULTIPLE DX	816	9.4	75	1	2	7	12	19	26	45
A. NOT OPERATED	472	7.6	46	1	2	6	9	16	19	32
B. OPERATED	491	9.9	95	1	2	7	13	22	28	49
TOTAL 0-19 YRS	35	5.3	26	1	1	3	7	14	16	22
20-34	100	6.4	64	1	2	3	7	14	21	45
35-49	152	7.7	65	1	1	6	10	16	21	44
50-64	282	7.9	58	1	2	6	10	17	20	39
65+	394	10.7	84	2	3	8	14	22	27	51
GRAND TOTAL	**963**	**8.7**	**72**	**1**	**2**	**6**	**11**	**18**	**24**	**44**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	8.0	28	1	1	9	11	15	16	16
20-34	61	9.5	15	3	4	9	12	14	15	22
35-49	634	9.9	15	4	5	10	12	14	16	22
50-64	1346	10.6	19	4	6	10	13	16	18	22
65+	1240	11.1	21	4	6	11	14	16	19	25
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	10.1	82	2	2	8	16	23	25	25
35-49	62	8.7	35	1	2	9	11	16	20	27
50-64	111	11.5	42	2	3	11	14	19	22	36
65+	65	11.6	44	2	2	12	15	18	20	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	11.2	22	5	6	11	14	17	21	22
20-34	111	9.4	23	1	2	10	12	16	18	21
35-49	1300	10.8	22	4	5	10	13	16	19	27
50-64	4394	11.6	30	4	6	11	14	17	20	31
65+	6646	12.8	40	5	7	12	15	20	24	36
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	23	7.8	23	2	2	8	12	14	15	15
35-49	278	11.3	77	2	2	11	14	20	24	42
50-64	843	14.6	103	2	2	13	18	26	32	54
65+	831	18.8	126	6	9	16	22	32	41	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3288	10.6	19	4	6	10	13	16	18	23
B. *Operated*	246	10.7	43	2	2	11	14	18	22	33
2. MULTIPLE DX										
A. *Not Operated*	12463	12.1	35	4	6	11	14	18	22	33
B. *Operated*	1976	15.8	116	2	3	14	20	28	35	59
1. SINGLE DX	3534	10.6	21	4	6	10	13	16	18	24
2. MULTIPLE DX	14439	12.6	48	4	6	12	15	20	25	40
A. NOT OPERATED	15751	11.8	32	4	6	11	14	18	21	32
B. OPERATED	2222	15.3	110	2	3	14	19	27	33	59
TOTAL 0-19 YRS	21	9.9	27	2	3	10	14	15	19	22
20-34	202	9.3	22	2	2	9	12	15	17	22
35-49	2274	10.6	27	3	5	10	13	16	19	27
50-64	6694	11.7	39	3	6	11	14	18	21	34
65+	8782	13.1	50	5	7	12	15	21	26	41
GRAND TOTAL	**17973**	**12.2**	**43**	**4**	**6**	**11**	**14**	**19**	**23**	**37**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	29	3.0	4	1	1	3	4	6	7	10
35-49	235	2.9	14	1	1	2	4	5	6	10
50-64	505	3.2	20	1	1	3	4	5	7	11
65+	427	3.5	5	1	1	3	4	6	8	11
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	7	3.7	17	1	1	2	3	11	13	13
35-49	84	3.4	10	1	1	2	4	8	12	71
50-64	147	3.6	11	1	1	2	4	8	11	16
65+	42	4.3	25	1	1	2	5	9	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.4	30	1	1	4	6	15	17	17
20-34	81	3.9	10	1	1	3	5	8	10	18
35-49	763	3.7	9	1	1	3	5	7	9	14
50-64	2537	4.3	11	1	2	3	5	8	10	16
65+	4128	5.3	16	1	2	4	7	10	12	22
B. *Operated*										
0-19 YRS	4	3.8	2	2	2	4	5	5	5	5
20-34	26	5.2	22	2	2	2	9	12	16	17
35-49	645	6.4	34	1	2	4	10	13	15	26
50-64	2169	7.0	39	2	2	5	11	15	18	28
65+	1053	9.3	65	2	2	8	13	20	25	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1197	3.2	13	1	1	3	4	6	7	11
B. *Operated*	282	3.6	13	1	1	2	4	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	7516	4.8	14	1	2	4	6	9	11	20
B. *Operated*	3897	7.5	46	2	2	5	11	15	20	32
1. SINGLE DX	1479	3.3	13	1	1	2	4	6	8	13
2. MULTIPLE DX	11413	5.7	27	1	2	4	7	12	15	26
A. NOT OPERATED	8713	4.5	14	1	2	4	6	8	11	19
B. OPERATED	4179	7.2	45	1	2	5	11	15	20	31
TOTAL 0-19 YRS	14	4.6	16	1	1	4	5	8	15	17
20-34	143	4.0	11	1	1	3	5	9	11	17
35-49	1727	4.6	21	1	1	3	6	10	13	20
50-64	5358	5.2	25	1	2	3	7	11	14	22
65+	5650	5.9	28	1	2	4	7	12	16	27
GRAND TOTAL	**12892**	**5.4**	**26**	**1**	**2**	**4**	**7**	**11**	**15**	**25**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	17	3	3	5	9	11	11	11
20-34	4	1.8	1	<1	<1	1	2	3	3	3
35-49	109	4.0	7	1	1	3	5	7	9	17
50-64	265	4.2	8	1	2	4	5	8	10	15
65+	258	4.8	9	1	2	4	6	9	11	16
B. *Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	30	6.4	23	2	2	5	9	13	14	18
50-64	74	6.7	27	1	2	6	10	14	16	23
65+	29	6.7	32	1	1	5	10	15	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	19	5.1	13	1	1	4	7	9	13	16
35-49	339	5.0	36	2	2	4	6	9	11	20
50-64	1311	5.0	11	2	2	4	6	9	11	18
65+	2071	6.2	17	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS										
20-34	14	7.5	29	1	2	7	12	14	16	16
35-49	202	9.7	60	2	2	10	13	16	19	32
50-64	758	10.6	49	2	2	10	14	18	22	32
65+	466	12.9	80	2	3	11	17	24	31	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	639	4.4	9	1	2	4	5	8	10	15
B. *Operated*	134	6.6	27	1	2	5	10	14	16	21
2. MULTIPLE DX										
A. *Not Operated*	3743	5.7	17	2	2	5	7	10	13	21
B. *Operated*	1440	11.2	62	2	2	10	15	20	24	39
1. SINGLE DX	773	4.8	12	1	2	4	6	10	12	17
2. MULTIPLE DX	5183	7.2	36	2	2	5	9	14	18	29
A. NOT OPERATED	4382	5.5	16	2	2	5	7	10	13	20
B. OPERATED	1574	10.8	60	2	2	10	14	19	24	37
TOTAL 0-19 YRS	6	5.0	11	2	2	4	6	10	11	11
20-34	38	5.8	20	1	1	4	9	13	15	16
35-49	680	6.3	43	2	2	4	8	13	15	25
50-64	2408	6.7	30	2	2	5	9	14	17	25
65+	2824	7.2	33	2	2	6	9	14	18	30
GRAND TOTAL	**5956**	**6.9**	**33**	**2**	**2**	**5**	**9**	**14**	**17**	**28**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	5	5.2	8	3	3	4	6	10	10	10
35-49	86	3.9	15	1	1	3	5	7	10	25
50-64	234	3.6	9	1	1	3	4	7	10	18
65+	270	5.1	22	1	2	4	6	10	13	24
B. *Operated*										
0-19 YRS	5	1.8	1	1	1	2	2	3	3	3
20-34	39	3.9	11	1	1	2	6	10	11	12
35-49	608	5.0	20	1	1	2	9	11	14	18
50-64	1531	5.6	27	1	2	2	9	12	14	22
65+	503	6.8	55	1	2	3	11	15	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	6.5	32	<1	1	6	9	12	20	22
20-34	37	5.2	31	1	1	4	6	8	18	30
35-49	648	4.9	28	1	1	4	6	9	12	20
50-64	2672	5.5	21	1	2	4	7	11	14	23
65+	6709	7.3	40	2	2	6	9	14	19	33
B. *Operated*										
0-19 YRS	10	7.4	38	2	2	6	9	18	19	19
20-34	98	6.1	37	1	2	2	9	16	19	28
35-49	1417	6.4	34	1	2	3	10	13	16	27
50-64	4459	7.9	52	1	2	7	12	16	19	33
65+	2493	10.5	90	2	2	9	14	21	27	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	597	4.3	16	1	1	3	5	9	12	24
B. *Operated*	2686	5.6	31	1	1	2	9	13	15	21
2. MULTIPLE DX										
A. *Not Operated*	10081	6.7	35	1	2	5	8	13	17	30
B. *Operated*	8477	8.4	62	1	2	7	12	17	22	37
1. SINGLE DX	3283	5.4	28	1	1	2	9	12	14	22
2. MULTIPLE DX	18558	7.5	48	1	2	5	10	15	19	34
A. NOT OPERATED	10678	6.6	34	1	2	5	8	13	17	30
B. OPERATED	11163	7.7	56	1	2	6	11	16	20	35
TOTAL 0-19 YRS	32	5.9	29	1	1	4	7	14	19	22
20-34	179	5.4	30	1	1	2	8	12	16	29
35-49	2759	5.7	30	1	2	3	9	12	14	24
50-64	8896	6.7	39	1	2	4	10	14	17	29
65+	9975	8.1	55	2	2	6	11	16	21	37
GRAND TOTAL	**21841**	**7.2**	**46**	**1**	**2**	**5**	**10**	**15**	**19**	**33**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	6.3	11	1	2	7	8	11	12	12
20-34	147	8.3	11	3	4	8	10	12	15	18
35-49	143	8.4	13	3	4	8	10	13	15	19
50-64	177	9.0	13	3	5	9	11	13	16	18
65+	168	10.4	18	5	6	10	13	15	18	24
B. *Operated*										
0-19 YRS	2	9.0	8	7	7	9	11	11	11	11
20-34	20	10.0	14	6	7	9	12	16	19	20
35-49	30	10.0	19	3	6	10	12	15	16	24
50-64	25	10.2	29	1	3	10	13	17	21	22
65+	22	13.1	40	4	7	11	18	24	25	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	9.6	26	3	4	9	12	17	21	22
20-34	156	8.7	19	2	3	8	11	13	15	26
35-49	278	9.7	33	4	5	9	11	15	18	35
50-64	573	10.6	35	4	6	9	12	17	20	33
65+	916	12.2	49	4	6	11	15	20	25	43
B. *Operated*										
0-19 YRS	2	9.5	1	9	9	9	10	10	10	10
20-34	52	13.7	54	6	7	12	17	24	25	43
35-49	96	15.1	135	4	7	12	17	26	34	79
50-64	138	13.4	54	5	7	11	15	24	29	39
65+	191	17.4	155	7	8	14	20	30	41	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	644	9.0	15	3	5	9	11	14	16	20
B. *Operated*	99	10.7	26	3	6	10	13	18	22	26
2. MULTIPLE DX										
A. *Not Operated*	1940	11.1	41	4	5	10	13	18	21	37
B. *Operated*	479	15.4	113	6	7	12	18	26	35	65
1. SINGLE DX	743	9.2	16	3	5	9	11	14	17	22
2. MULTIPLE DX	2419	11.9	58	4	6	10	14	19	25	43
A. NOT OPERATED	2584	10.6	35	4	5	9	13	17	20	34
B. OPERATED	578	14.6	101	5	7	12	17	24	31	56
TOTAL 0-19 YRS	30	8.6	20	2	4	8	11	13	18	22
20-34	375	9.3	23	2	4	9	11	14	18	26
35-49	547	10.3	50	3	5	9	12	16	20	36
50-64	913	10.7	35	4	5	10	12	17	21	33
65+	1297	12.7	64	5	6	11	15	21	28	46
GRAND TOTAL	**3162**	**11.3**	**50**	**4**	**5**	**10**	**13**	**18**	**23**	**40**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	46	2	2	5	12	15	15	15
20-34	3	28.0	229	16	16	23	39	45	45	45
35-49	3	20.0	73	11	11	21	26	28	28	28
50-64	7	21.6	184	4	5	20	32	39	41	41
65+	4	27.3	131	17	17	24	35	43	43	43
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	17.5	545	1	1	17	34	34	34	34
35-49										
50-64	2	27.5	1405	1	1	27	54	54	54	54
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	19.9	131	2	5	19	30	34	37	37
20-34	35	21.7	199	3	4	17	32	46	51	99+
35-49	23	25.6	174	4	5	27	35	42	43	44
50-64	51	26.1	224	2	5	25	34	46	53	62
65+	75	29.3	219	5	8	28	38	48	58	69
B. *Operated*										
0-19 YRS	5	40.0	342	18	18	39	50	68	68	68
20-34	15	36.7	399	4	6	39	47	60	73	78
35-49	16	38.8	179	13	19	43	48	55	56	56
50-64	24	34.0	216	10	13	35	45	51	53	56
65+	19	32.2	210	7	15	32	44	50	56	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	21.3	161	3	4	20	30	42	44	45
B. *Operated*	5	19.6	554	1	1	8	39	54	54	54
2. MULTIPLE DX										
A. *Not Operated*	193	26.2	213	4	6	27	35	45	51	68
B. *Operated*	79	35.4	243	8	15	37	46	53	58	75
1. SINGLE DX	25	21.0	220	1	2	20	31	43	47	54
2. MULTIPLE DX	272	28.9	238	4	7	29	42	48	55	70
A. NOT OPERATED	213	25.7	209	4	6	26	35	45	50	67
B. OPERATED	84	34.5	269	4	12	36	45	53	57	75
TOTAL 0-19 YRS	18	22.7	294	2	3	18	31	42	58	68
20-34	55	26.0	294	2	4	24	40	50	58	99
35-49	42	30.2	211	5	9	30	42	47	54	56
50-64	84	28.0	241	2	6	29	41	51	53	60
65+	98	29.8	211	6	10	29	40	48	56	68
GRAND TOTAL	**297**	**28.2**	**241**	**4**	**6**	**28**	**40**	**48**	**54**	**69**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	1.6	2	<1	<1	1	2	3	5	6
20-34	41	2.0	3	<1	<1	1	2	4	5	11
35-49	97	1.8	2	<1	<1	1	2	4	5	6
50-64	159	2.0	2	<1	1	1	3	4	4	7
65+	107	2.4	4	1	1	2	3	5	6	12
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.3		2	2	2	3	3	3	3
50-64	6	2.3	5	1	1	2	2	7	7	7
65+	4	6.8	27	2	2	6	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.4	2	<1	1	2	3	5	6	6
20-34	57	3.0	7	<1	1	2	4	5	7	18
35-49	141	3.5	21	1	1	2	4	6	8	24
50-64	349	3.3	6	<1	1	3	4	7	9	11
65+	519	4.7	27	1	1	3	6	9	11	25
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	7	3.7	3	2	2	3	5	7	7	7
50-64	30	6.1	25	2	2	5	8	12	20	21
65+	28	15.4	137	2	3	14	20	35	43	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	434	2.0	3	<1	1	1	2	4	5	9
B. *Operated*	16	3.4	11	1	1	2	3	9	12	13
2. MULTIPLE DX										
A. *Not Operated*	1083	3.9	19	1	1	3	5	8	10	20
B. *Operated*	67	9.7	92	2	2	6	14	21	27	45
1. SINGLE DX	450	2.1	3	<1	1	1	2	4	5	9
2. MULTIPLE DX	1150	4.3	25	1	1	3	5	8	11	25
A. NOT OPERATED	1517	3.4	15	1	1	2	4	7	9	17
B. OPERATED	83	8.5	82	1	2	5	11	20	25	44
TOTAL 0-19 YRS	50	2.0	2	<1	<1	1	3	4	5	6
20-34	100	2.6	6	<1	<1	2	3	5	6	15
35-49	248	2.9	14	<1	1	2	4	5	7	12
50-64	544	3.0	7	<1	1	2	4	6	8	14
65+	658	4.8	34	1	1	3	6	10	14	29
GRAND TOTAL	**1600**	**3.7**	**20**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	17	1	1	1	8	9	9	9
20-34	66	1.5	1	<1	<1	1	2	2	3	6
35-49	120	2.0	2	<1	<1	1	3	4	5	35
50-64	328	2.2	4	<1	<1	2	3	4	6	9
65+	382	2.9	7	<1	1	2	4	5	7	13
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	1.8		1	1	2	2	2	2	2
50-64	12	2.1		1	1	2	2	3	3	3
65+	7	4.0	7	1	1	4	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.0	21	<1	<1	2	6	12	14	14
20-34	82	2.3	5	<1	<1	2	3	4	6	14
35-49	222	3.5	12	1	1	2	4	8	9	17
50-64	[illegible]	4.1	17	1	1	3	5	8	11	19
65+	3234	6.1	34	1	2	5	8	12	16	29
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	13.3	262	3	3	5	25	32	32	32
35-49	19	6.4	14	2	2	7	9	11	13	14
50-64	131	8.0	39	2	2	7	11	15	22	32
65+	344	11.2	82	2	2	9	15	22	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	901	2.4	5	<1	1	2	3	5	6	12
B. *Operated*	25	2.6	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	4751	5.4	29	1	1	4	7	11	14	26
B. *Operated*	498	10.2	71	2	2	8	13	21	26	43
1. SINGLE DX	926	2.4	5	<1	1	2	3	5	6	11
2. MULTIPLE DX	5249	5.9	35	1	1	4	7	12	16	30
A. NOT OPERATED	5652	4.9	26	1	1	3	6	10	14	25
B. OPERATED	523	9.8	70	2	2	8	13	20	26	42
TOTAL 0-19 YRS	15	4.3	18	<1	1	2	8	9	13	14
20-34	151	2.2	9	<1	<1	1	2	4	5	16
35-49	367	3.1	10	<1	1	2	4	7	9	15
50-64	1675	4.0	18	<1	1	3	5	8	12	20
65+	3967	6.2	39	1	1	4	8	13	17	31
GRAND TOTAL	**6175**	**5.3**	**32**	**1**	**1**	**4**	**7**	**11**	**15**	**28**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.6	2	<1	<1	2	4	4	5	6
20-34	84	2.5	3	<1	1	2	4	5	6	9
35-49	181	2.8	7	<1	1	2	4	5	6	17
50-64	261	2.9	5	1	1	2	4	6	7	12
65+	316	3.6	9	1	1	3	5	6	9	19
B. *Operated*										
0-19 YRS	9	2.9	3	<1	<1	3	4	5	6	6
20-34	15	4.5	9	1	2	3	7	9	10	11
35-49	46	4.3	11	1	2	3	5	10	11	17
50-64	145	5.0	12	1	2	4	7	9	11	19
65+	356	5.6	14	2	2	5	7	10	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	[illegible]	5.4	68	1	1	3	6	12	19	52
20-34	211	3.1	5	1	1	3	4	6	7	10
35-49	505	4.3	24	1	1	3	5	9	11	19
50-64	1479	4.9	20	1	1	4	6	9	13	24
65+	3128	6.2	30	1	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	11	6.3	66	1	1	3	8	18	28	29
20-34	35	8.5	131	2	2	4	8	21	40	52
35-49	140	7.8	50	1	2	6	11	16	19	43
50-64	534	8.0	54	2	2	6	10	16	22	40
65+	1969	9.8	57	3	3	8	12	18	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	866	3.1	7	1	1	2	4	6	7	15
B. *Operated*	571	5.3	13	1	2	4	7	10	11	19
2. MULTIPLE DX										
A. *Not Operated*	5372	5.5	27	1	1	4	7	11	15	26
B. *Operated*	2689	9.3	57	2	3	8	12	18	23	44
1. SINGLE DX	1437	4.0	11	1	1	3	5	8	10	17
2. MULTIPLE DX	8061	6.8	40	1	2	5	9	14	18	30
A. NOT OPERATED	6238	5.2	25	1	1	4	6	10	14	25
B. OPERATED	3260	8.6	52	2	2	7	11	17	22	38
TOTAL 0-19 YRS	93	4.5	45	<1	1	3	5	8	16	42
20-34	345	3.6	20	1	1	3	4	7	8	21
35-49	872	4.6	26	1	1	3	5	10	13	22
50-64	2419	5.4	28	1	1	4	7	11	15	27
65+	5769	7.3	41	1	2	6	9	14	19	31
GRAND TOTAL	**9498**	**6.4**	**37**	**1**	**2**	**5**	**8**	**13**	**17**	**30**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.6	1	1	1	3	3	4	4	4
20-34	5	8.6	27	4	4	6	13	16	16	16
35-49	29	5.1	9	1	2	4	7	10	11	11
50-64	160	5.0	13	1	1	4	7	10	13	16
65+	879	6.3	29	2	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	3	5.3	9	2	2	6	7	8	8	8
50-64	7	5.0	31	1	1	2	7	15	16	16
65+	19	9.0	43	2	3	8	12	19	24	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	7.9	64	2	2	6	10	16	23	47
20-34	81	7.7	52	1	2	6	9	14	21	43
35-49	384	6.8	33	2	2	5	8	13	17	24
50-64	2473	7.2	35	2	2	6	9	13	17	31
65+	13274	8.6	45	2	3	7	11	16	21	34
B. *Operated*										
0-19 YRS	17	7.8	49	<1	<1	6	9	14	25	31
20-34	27	6.1	21	1	1	5	9	11	17	19
35-49	77	10.5	117	1	1	8	15	26	48	99+
50-64	380	11.9	121	2	2	9	15	27	38	78
65+	1154	14.7	114	3	5	12	19	28	36	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1081	6.1	26	1	2	5	7	11	14	22
B. *Operated*	32	7.4	35	2	2	6	10	16	21	26
2. MULTIPLE DX										
A. *Not Operated*	16290	8.4	44	2	3	7	10	16	20	34
B. *Operated*	1655	13.7	117	2	3	11	18	28	36	59
1. SINGLE DX	1113	6.1	27	1	2	5	8	12	15	22
2. MULTIPLE DX	17945	8.9	53	2	3	7	11	17	22	39
A. NOT OPERATED	17371	8.2	43	2	3	7	10	16	20	33
B. OPERATED	1687	13.5	116	2	3	11	18	28	36	59
TOTAL 0-19 YRS	104	7.5	57	1	2	5	9	15	22	42
20-34	115	7.3	43	1	2	6	9	14	19	35
35-49	493	7.3	47	1	2	5	9	14	20	48
50-64	3020	7.7	47	2	2	6	9	14	19	40
65+	15326	9.0	52	2	3	7	11	17	22	37
GRAND TOTAL	**19058**	**8.7**	**52**	**2**	**3**	**7**	**11**	**17**	**22**	**38**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	3.4	8	<1	1	3	4	7	10	12
20-34	171	3.6	7	1	1	3	4	7	9	13
35-49	199	3.8	7	1	1	3	5	7	9	15
50-64	208	4.7	15	1	2	4	6	9	11	20
65+	125	5.9	23	1	2	5	7	10	16	27
B. *Operated*										
0-19 YRS	62	3.0	11	1	1	2	2	7	11	17
20-34	62	3.7	9	1	1	2	5	9	10	11
35-49	177	4.3	16	1	1	2	6	11	13	16
50-64	282	5.3	31	1	1	2	9	13	16	25
65+	143	6.4	41	1	2	2	11	16	20	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	6.0	75	<1	1	4	6	12	22	47
20-34	252	5.6	27	1	2	4	7	11	15	28
35-49	444	5.8	31	1	2	4	7	11	15	27
50-64	1069	6.7	36	1	2	5	8	13	17	29
65+	1765	8.0	47	2	2	6	10	15	19	34
B. *Operated*										
0-19 YRS	43	4.8	62	1	1	2	4	12	21	42
20-34	123	8.3	92	2	2	5	10	17	25	50
35-49	310	8.1	85	1	2	5	11	17	25	64
50-64	865	8.6	65	2	2	6	13	19	24	37
65+	874	11.5	106	2	2	9	16	24	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	738	4.4	13	1	1	3	5	8	11	19
B. *Operated*	726	4.9	27	1	1	2	7	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	3580	7.1	41	1	2	5	9	14	18	31
B. *Operated*	2215	9.6	88	2	2	7	14	21	27	47
1. SINGLE DX	1464	4.6	20	1	1	3	6	11	14	21
2. MULTIPLE DX	5795	8.1	61	1	2	6	10	17	22	40
A. NOT OPERATED	4318	6.6	37	1	2	5	8	13	17	29
B. OPERATED	2941	8.4	77	1	2	5	12	19	25	44
TOTAL 0-19 YRS	190	4.3	40	1	1	2	4	9	14	41
20-34	608	5.4	35	1	1	3	7	11	15	32
35-49	1130	5.8	42	1	1	4	8	12	16	33
50-64	2424	7.0	46	1	2	5	9	15	19	34
65+	2907	8.9	66	2	2	7	11	18	24	43
GRAND TOTAL	**7259**	**7.4**	**54**	**1**	**2**	**5**	**10**	**16**	**21**	**36**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	4	2.8	1	2	2	3	3	4	4	4
50-64	12	6.1	103	<1	1	3	5	16	35	38
65+	43	5.7	20	1	2	4	7	12	16	21
B. *Operated*										
0-19 YRS										
20-34										
35-49	14	4.2	12	<1	1	2	8	9	11	11
50-64	18	8.6	37	1	2	9	11	15	21	25
65+	19	8.4	104	1	2	5	13	16	32	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	1	6	6	6	7	7	7	7
35-49	70	5.0	17	1	2	4	6	11	14	21
50-64	285	5.7	20	1	2	5	7	11	14	18
65+	1228	8.4	73	2	2	6	10	17	23	60
B. *Operated*										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	2	8.0		8	8	8	8	8	8	8
35-49	59	6.2	23	2	2	5	10	12	14	21
50-64	180	7.5	49	2	2	5	11	16	20	29
65+	213	10.4	76	2	2	8	14	25	31	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	5.6	34	1	2	4	6	11	16	36
B. *Operated*	51	7.3	57	1	2	5	11	14	16	45
2. MULTIPLE DX										
A. *Not Operated*	1585	7.8	62	2	2	6	9	15	21	55
B. *Operated*	455	8.7	61	2	2	7	12	19	27	49
1. SINGLE DX	111	6.4	45	1	2	4	8	14	16	41
2. MULTIPLE DX	2040	8.0	62	2	2	6	10	16	22	53
A. NOT OPERATED	1645	7.7	61	2	2	5	9	15	21	53
B. OPERATED	506	8.6	61	2	2	7	12	18	26	47
TOTAL 0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	5	7.2	1	6	6	7	8	8	8	8
35-49	147	5.3	19	1	2	3	8	11	13	21
50-64	495	6.5	33	1	2	5	9	13	16	29
65+	1503	8.6	73	2	2	6	11	18	25	60
GRAND TOTAL	**2151**	**7.9**	**61**	**2**	**2**	**6**	**10**	**16**	**22**	**53**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	7.0	105	2	2	3	5	25	30	30
35-49	6	7.7	101	1	1	4	5	26	28	28
50-64	11	5.9	39	<1	<1	2	9	16	20	20
65+										
B. *Operated*										
0-19 YRS	4	13.5	62	8	8	10	18	25	25	25
20-34	23	16.4	128	3	4	14	20	33	39	47
35-49	46	17.4	132	1	3	16	21	34	40	58
50-64	35	17.0	95	4	7	15	22	30	39	39
65+	5	20.0	78	8	8	18	26	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	40	1	1	2	8	14	14	14
20-34	4	9.3	98	3	3	5	15	24	24	24
35-49	1	3.0		3	3	3	3	3	3	3
50-64	10	13.0	400	<1	<1	10	21	80	98	99+
65+	34	19.5	189	4	4	20	25	31	41	75
B. *Operated*										
0-19 YRS	6	11.3	57	<1	<1	12	18	20	20	20
20-34	20	23.6	254	7	8	17	40	55	75	99+
35-49	45	34.7	548	12	16	26	44	74	82	99
50-64	82	28.6	376	6	9	26	38	72	99+	99+
65+	34	30.5	351	8	11	28	49	79	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	6.4	65	<1	<1	3	7	20	28	30
B. *Operated*	113	17.0	112	2	5	16	22	33	38	51
2. MULTIPLE DX										
A. *Not Operated*	53	16.1	224	1	2	14	24	31	61	99
B. *Operated*	187	29.3	405	6	9	25	42	71	98	99+
1. SINGLE DX	138	15.1	120	1	2	14	20	30	37	48
2. MULTIPLE DX	240	26.4	394	3	6	23	36	66	94	99+
A. NOT OPERATED	78	13.0	192	<1	1	9	23	29	38	93
B. OPERATED	300	24.7	329	4	8	20	34	56	76	99+
TOTAL 0-19 YRS	15	9.4	60	<1	1	9	14	20	24	25
20-34	54	17.3	196	2	3	14	26	42	53	98
35-49	98	24.6	409	2	4	19	30	56	72	97
50-64	138	22.7	334	2	4	19	34	64	88	99+
65+	73	24.6	282	5	7	23	31	53	79	99+
GRAND TOTAL	**378**	**22.3**	**323**	**2**	**4**	**18**	**31**	**52**	**74**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	15.0	171	6	6	9	25	30	30	30
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	30.7	510	1	4	41	80	99+	99+	99+
50-64	9	50.4	390	22	25	56	71	86	99+	99+
65+	6	27.3	68	17	18	27	38	88	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5	14.2	137	3	3	9	25	30	30	30
B. *Operated*	21	38.2	420	9	17	39	70	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	26	33.6	451	3	7	31	60	99+	99+	99+
A. NOT OPERATED	5	14.2	137	3	3	9	25	30	30	30
B. OPERATED	21	38.2	420	9	17	39	70	99+	99+	99+
TOTAL 0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34										
35-49	6	30.7	510	1	4	41	80	99+	99+	99+
50-64	10	45.7	572	4	14	53	71	84	99	99+
65+	9	23.2	123	6	7	25	35	69	99+	99+
GRAND TOTAL	**26**	**33.6**	**451**	**3**	**7**	**31**	**60**	**99+**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	<1	2	3	3	3
20-34	5	1.2		<1	<1	1	1	2	2	2
35-49	7	6.6	8	1	2	6	9	9	9	9
50-64	18	9.4	110	<1	1	7	13	17	34	45
65+	51	10.2	57	<1	2	9	15	21	24	35
B. *Operated*										
0-19 YRS	6	10.7	41	<1	1	11	14	19	20	20
20-34	15	10.9	50	1	3	10	16	22	23	23
35-49	20	9.1	34	1	3	7	13	17	20	23
50-64	48	12.8	50	4	5	11	16	23	24	36
65+	82	14.8	153	3	5	12	17	27	37	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	10.0	51	4	4	9	16	18	18	18
20-34	11	6.5	36	<1	<1	3	10	16	17	17
35-49	16	8.4	69	<1	<1	6	12	20	27	30
50-64	64	15.0	329	1	3	9	15	46	65	99
65+	161	16.4	169	3	4	13	23	37	44	69
B. *Operated*										
0-19 YRS	12	20.8	170	1	3	20	32	39	39	39
20-34	20	18.0	254	5	6	12	23	56	81	99+
35-49	31	20.3	369	5	6	14	31	77	99+	99+
50-64	91	20.7	270	6	7	15	28	45	69	99+
65+	184	23.9	294	6	7	20	33	47	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	8.9	64	<1	1	7	12	20	23	42
B. *Operated*	171	13.0	100	2	4	11	16	24	27	55
2. MULTIPLE DX										
A. *Not Operated*	256	15.0	201	1	3	11	19	35	45	91
B. *Operated*	338	22.2	288	6	7	17	32	48	71	99+
1. SINGLE DX	255	11.7	92	1	2	10	15	23	26	51
2. MULTIPLE DX	594	19.1	263	3	5	14	27	44	60	99+
A. NOT OPERATED	340	13.5	174	1	2	10	17	30	43	89
B. OPERATED	509	19.2	243	4	6	14	25	43	60	99+
TOTAL 0-19 YRS	25	14.4	141	<1	<1	13	20	35	39	39
20-34	51	11.8	151	1	1	10	15	24	49	99
35-49	74	13.4	211	1	2	10	17	33	74	99+
50-64	221	16.4	239	2	4	12	21	40	53	99+
65+	478	18.3	224	3	5	14	25	40	51	95
GRAND TOTAL	**849**	**16.9**	**223**	**2**	**4**	**12**	**23**	**38**	**52**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	6	14.0	334	<1	<1	6	19	46	49	49
50-64	25	24.1	332	<1	6	21	34	53	58	69
65+	65	24.7	345	5	5	21	34	57	75	99+
B. *Operated*										
0-19 YRS										
20-34	3	43.7	1220	23	23	24	69	84	84	84
35-49	8	38.1	841	7	13	40	87	99+	99+	99+
50-64	14	30.9	624	7	9	21	50	70	80	83
65+	34	26.5	329	5	9	23	40	58	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	97	23.7	341	4	5	19	33	54	67	99+
B. *Operated*	59	30.0	496	7	9	23	48	77	92	99+
1. SINGLE DX										
2. MULTIPLE DX	156	26.1	406	4	6	21	42	62	79	99+
A. NOT OPERATED	97	23.7	341	4	5	19	33	54	67	99+
B. OPERATED	59	30.0	496	7	9	23	48	77	92	99+
TOTAL 0-19 YRS										
20-34	4	33.8	1207	4	4	23	54	84	84	84
35-49	14	27.8	735	1	3	21	63	98	99+	99+
50-64	39	26.6	434	3	7	21	39	59	69	83
65+	99	25.4	337	5	6	21	34	58	75	99+
GRAND TOTAL	**156**	**26.1**	**406**	**4**	**6**	**21**	**42**	**62**	**79**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	22.0	800	2	2	22	42	42	42	42
35-49	6	4.5	8	2	2	4	5	9	10	10
50-64	10	4.6	58	<1	<1	2	4	15	26	26
65+	26	6.3	88	<1	1	3	6	17	23	45
B. *Operated*										
0-19 YRS	5	3.0	4	1	1	2	4	6	6	6
20-34	1	3.0		3	3	3	3	3	3	3
35-49	55	5.2	13	1	2	5	7	10	12	15
50-64	474	5.4	19	1	2	5	7	10	13	30
65+	808	6.2	22	1	2	5	8	12	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	11	6.0	17	1	2	5	9	13	14	14
50-64	57	6.8	44	1	1	5	8	17	25	95
65+	183	7.3	41	1	1	5	10	15	20	31
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	12.3	106	2	2	11	20	27	28	28
35-49	93	8.6	53	2	2	7	10	18	23	39
50-64	831	7.4	57	1	2	6	9	14	18	41
65+	1492	8.8	77	2	2	7	11	17	23	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	6.4	95	<1	1	3	5	17	31	45
B. *Operated*	1343	5.9	20	1	2	5	7	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	252	7.1	40	1	1	5	10	15	20	35
B. *Operated*	2423	8.3	70	2	2	6	10	16	21	47
1. SINGLE DX	1387	5.9	23	1	2	5	7	11	15	27
2. MULTIPLE DX	2675	8.2	67	1	2	6	10	16	21	46
A. NOT OPERATED	296	7.0	48	1	1	5	9	16	20	41
B. OPERATED	3766	7.5	54	1	2	6	9	14	19	37
TOTAL 0-19 YRS	6	3.0	3	1	1	3	4	6	6	6
20-34	10	13.2	178	2	2	10	20	35	42	42
35-49	165	7.1	38	1	2	6	10	14	18	30
50-64	1372	6.7	44	1	2	5	8	13	17	36
65+	2509	7.8	58	1	2	6	10	15	20	39
GRAND TOTAL	**4062**	**7.4**	**53**	**1**	**2**	**6**	**9**	**14**	**19**	**38**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	10.0	50	5	5	10	15	15	15	15
50-64	25	7.4	34	3	4	5	6	21	42	99+
65+	28	16.5	111	2	4	16	23	34	43	99+
B. *Operated*										
0-19 YRS										
20-34	3	25.7	456	10	10	17	42	50	50	50
35-49	12	17.8	385	2	2	6	34	45	60	62
50-64	40	11.0	97	2	3	7	16	23	33	46
65+	82	14.9	191	2	2	10	21	36	50	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	55	12.1	92	3	4	9	19	31	38	99+
B. *Operated*	137	14.2	186	2	2	9	19	34	48	70
1. SINGLE DX										
2. MULTIPLE DX	192	13.6	160	2	3	9	19	34	45	99+
A. NOT OPERATED	55	12.1	92	3	4	9	19	31	38	99+
B. OPERATED	137	14.2	186	2	2	9	19	34	48	70
TOTAL 0-19 YRS										
20-34	3	25.7	456	10	10	17	42	50	50	50
35-49	14	16.6	337	2	2	6	34	40	57	62
50-64	65	9.6	75	2	3	6	12	22	32	91
65+	110	15.3	170	2	3	11	22	34	48	99+
GRAND TOTAL	**192**	**13.6**	**160**	**2**	**3**	**9**	**19**	**34**	**45**	**99+**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	4	7.5	55	1	1	5	12	18	18	18
35-49	13	5.8	18	<1	1	4	8	14	14	14
50-64	85	8.3	95	2	2	6	9	16	28	55
65+	215	8.9	81	2	2	6	11	15	26	40
B. *Operated*										
0-19 YRS	2	9.0		9	9	9	9	9	9	9
20-34	7	4.9	22	<1	<1	2	9	11	12	12
35-49	14	6.4	41	2	2	2	10	17	20	21
50-64	52	6.6	38	1	2	5	9	14	18	33
65+	36	6.3	25	1	2	5	9	13	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.0	18	2	2	7	10	13	14	14
20-34	12	9.9	78	2	2	7	14	22	31	32
35-49	74	7.9	59	2	2	5	9	16	25	41
50-64	366	11.4	128	2	3	8	14	24	34	66
65+	1559	12.3	94	3	3	10	16	24	32	49
B. *Operated*										
0-19 YRS	2	15.0		15	15	15	15	15	15	15
20-34	14	14.0	80	6	7	10	17	25	36	39
35-49	41	14.5	236	1	2	9	16	38	51	65
50-64	160	13.4	230	2	2	8	16	44	49	98
65+	197	16.0	202	2	3	11	22	38	44	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	319	8.6	82	2	2	6	10	15	26	49
B. *Operated*	111	6.4	32	1	2	5	9	13	17	28
2. MULTIPLE DX										
A. *Not Operated*	2018	11.9	99	2	3	9	15	24	32	56
B. *Operated*	414	14.8	212	2	2	10	19	39	46	95
1. SINGLE DX	430	8.0	70	2	2	6	10	15	22	39
2. MULTIPLE DX	2432	12.4	119	2	3	9	16	26	36	61
A. NOT OPERATED	2337	11.5	98	2	3	9	14	23	31	54
B. OPERATED	525	13.0	185	2	2	9	16	33	45	88
TOTAL 0-19 YRS	13	8.0	22	2	2	7	12	15	15	15
20-34	37	10.2	73	1	1	8	14	20	29	39
35-49	142	9.5	114	2	2	6	12	20	33	58
50-64	663	11.1	144	2	2	7	13	26	38	67
65+	2007	12.2	105	2	3	9	16	25	33	52
GRAND TOTAL	**2862**	**11.8**	**114**	**2**	**3**	**9**	**15**	**25**	**34**	**60**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	2	25.5	313	13	13	25	38	38	38	38
35-49	23	13.3	126	3	4	8	17	30	39	48
50-64	143	14.3	174	2	4	11	20	34	48	99+
65+	719	17.1	198	3	5	13	22	35	50	84
B. Operated										
0-19 YRS	2	16.5	221	6	6	16	27	27	27	27
20-34	2	12.5	13	10	10	12	15	15	15	15
35-49	10	11.0	69	5	5	10	13	60	97	99+
50-64	30	23.0	281	3	6	18	32	47	51	72
65+	68	24.1	307	4	6	21	33	56	59	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	888	16.5	193	3	4	12	22	35	50	99+
B. Operated	112	22.3	283	4	6	18	32	54	59	99+
1. SINGLE DX										
2. MULTIPLE DX	1000	17.2	206	3	4	13	23	38	54	99+
A. NOT OPERATED	888	16.5	193	3	4	12	22	35	50	99+
B. OPERATED	112	22.3	283	4	6	18	32	54	59	99+
TOTAL 0-19 YRS	3	17.0	111	6	6	18	25	27	27	27
20-34	4	19.0	165	10	10	14	26	38	38	38
35-49	33	12.6	108	4	5	8	15	33	45	99+
50-64	173	15.8	202	2	4	12	22	36	50	99+
65+	787	17.7	211	3	5	13	23	39	54	88
GRAND TOTAL	**1000**	**17.2**	**206**	**3**	**4**	**13**	**23**	**38**	**54**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	14	1.8		1	1	2	2	3	3	3
35-49	52	2.5	2	1	1	2	4	5	5	7
50-64	224	3.6	10	1	1	3	4	7	9	16
65+	660	3.8	8	1	1	3	5	7	9	14
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	3.5	10	1	1	2	6	8	10	11
35-49	62	3.5	8	1	1	2	4	7	10	14
50-64	196	3.8	9	1	1	2	5	8	9	15
65+	218	4.3	24	1	1	3	5	8	10	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	6.9	122	1	1	3	5	26	34	34
20-34	23	4.1	17	<1	1	3	4	9	13	20
35-49	120	3.8	6	1	1	3	5	7	9	12
50-64	762	4.6	15	1	1	4	6	9	11	20
65+	3880	5.8	29	1	2	4	7	11	15	26
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.3	5	2	2	2	5	6	6	6
35-49	81	6.4	28	1	2	5	8	13	15	29
50-64	427	5.9	41	1	2	4	8	11	14	27
65+	778	8.0	70	1	2	5	10	17	24	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	951	3.7	8	1	1	3	5	7	9	14
B. Operated	490	4.0	15	1	1	3	5	8	10	18
2. MULTIPLE DX										
A. Not Operated	4793	5.6	26	1	2	4	7	10	14	25
B. Operated	1290	7.2	59	1	2	5	9	15	21	40
1. SINGLE DX	1441	3.8	11	1	1	3	5	7	9	14
2. MULTIPLE DX	6083	5.9	34	1	2	4	7	11	15	30
A. NOT OPERATED	5744	5.3	24	1	2	4	6	10	13	24
B. OPERATED	1780	6.3	49	1	2	4	8	13	18	38
TOTAL 0-19 YRS	11	5.5	91	1	1	3	4	17	33	34
20-34	53	3.3	11	1	1	2	4	7	9	20
35-49	315	4.2	13	1	1	3	5	8	11	16
50-64	1609	4.7	21	1	1	3	6	9	12	22
65+	5536	5.8	33	1	2	4	7	11	15	29
GRAND TOTAL	**7524**	**5.5**	**30**	**1**	**2**	**4**	**7**	**11**	**14**	**27**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.2	24	1	1	2	3	13	14	14
20-34	8	5.6	47	1	1	3	7	18	21	21
35-49	33	6.1	37	1	1	4	8	13	22	26
50-64	181	9.2	121	1	2	5	11	19	28	57
65+	728	9.9	91	2	2	7	13	21	28	57
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	5	4.4	17	1	1	2	7	11	11	11
35-49	20	5.7	22	1	2	3	9	12	15	17
50-64	49	7.5	181	1	1	3	7	10	40	78
65+	66	10.7	139	1	2	6	13	31	37	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.0	30	2	2	5	9	16	18	18
20-34	29	8.0	254	<1	1	3	7	16	26	86
35-49	108	8.3	94	2	2	6	10	15	19	67
50-64	726	11.4	155	2	3	7	14	25	34	77
65+	3855	12.4	125	2	3	9	15	25	34	63
B. *Operated*										
0-19 YRS	2	11.0	50	6	6	11	16	16	16	16
20-34	9	9.9	101	2	2	8	15	66	99+	99+
35-49	34	12.8	237	2	2	7	14	45	91	99+
50-64	157	14.8	303	2	3	9	18	37	56	99
65+	413	18.0	207	3	4	13	26	41	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	956	9.6	94	2	2	7	12	20	28	57
B. *Operated*	142	8.5	134	1	2	5	10	20	36	60
2. MULTIPLE DX										
A. *Not Operated*	4725	12.1	130	2	3	9	15	24	34	64
B. *Operated*	615	16.8	234	2	3	12	23	40	55	99+
1. SINGLE DX	1098	9.5	99	1	2	6	12	20	28	57
2. MULTIPLE DX	5340	12.7	144	2	3	9	16	26	36	70
A. NOT OPERATED	5681	11.7	125	2	3	8	14	24	33	63
B. OPERATED	757	15.2	225	2	2	11	21	37	50	99+
TOTAL 0-19 YRS	17	5.9	28	1	2	4	7	16	17	18
20-34	51	7.6	169	1	1	3	10	19	32	99+
35-49	195	8.4	105	1	2	6	10	16	29	87
50-64	1113	11.3	174	2	2	7	13	25	38	80
65+	5062	12.5	130	2	3	9	16	26	35	63
GRAND TOTAL	**6438**	**12.1**	**138**	**2**	**3**	**9**	**15**	**25**	**35**	**67**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	14.0	364	2	2	4	28	36	36	36
20-34	3	15.0	151	1	1	20	23	24	24	24
35-49	57	12.3	157	2	3	8	16	25	41	67
50-64	301	16.7	249	2	3	12	22	40	51	99+
65+	1545	17.1	187	3	5	13	22	36	47	84
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	18	23.6	635	1	3	13	39	62	82	92
50-64	60	20.3	328	2	3	16	29	58	69	99+
65+	161	24.2	308	5	6	20	35	48	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1909	16.9	196	3	4	13	22	37	47	87
B. *Operated*	240	23.1	337	2	5	18	34	50	67	99+
1. SINGLE DX										
2. MULTIPLE DX	2149	17.6	216	3	4	13	23	39	50	91
A. NOT OPERATED	1909	16.9	196	3	4	13	22	37	47	87
B. OPERATED	240	23.1	337	2	5	18	34	50	67	99+
TOTAL 0-19 YRS	3	14.0	364	2	2	4	28	36	36	36
20-34	4	11.8	143	1	1	11	22	24	24	24
35-49	75	15.0	289	2	3	8	18	39	51	86
50-64	361	17.3	263	2	3	12	23	43	56	99+
65+	1706	17.7	202	3	5	14	23	38	48	88
GRAND TOTAL	**2149**	**17.6**	**216**	**3**	**4**	**13**	**23**	**39**	**50**	**91**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	7	2.7	3	1	1	3	3	5	6	6
35-49	28	3.8	5	1	2	3	5	7	9	10
50-64	82	3.9	12	1	1	3	5	8	10	21
65+	230	5.4	34	1	1	4	6	9	14	32
B. *Operated*										
0-19 YRS	6	4.7	11	1	1	4	8	9	9	9
20-34	11	9.9	55	2	2	10	17	21	22	22
35-49	42	6.8	46	1	1	4	10	15	18	36
50-64	106	7.1	106	1	1	3	8	24	33	74
65+	112	4.3	20	1	1	3	6	8	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	12.8	446	1	1	4	14	43	71	71
20-34	22	4.9	27	<1	1	3	5	12	18	22
35-49	103	6.5	46	1	2	4	8	14	18	69
50-64	406	7.1	61	1	2	5	8	14	20	54
65+	2596	8.4	67	2	2	6	10	17	24	63
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	22	14.6	275	1	2	8	18	38	56	63
35-49	58	12.5	232	2	2	7	14	35	51	70
50-64	196	9.9	127	1	2	7	13	23	33	99+
65+	440	11.9	154	2	2	8	16	27	37	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	4.8	26	1	1	4	6	9	11	25
B. *Operated*	277	6.0	60	1	1	3	7	13	21	50
2. MULTIPLE DX										
A. *Not Operated*	3137	8.1	67	2	2	6	10	16	23	63
B. *Operated*	717	11.5	157	2	2	8	15	26	38	94
1. SINGLE DX	626	5.3	41	1	1	3	6	10	15	36
2. MULTIPLE DX	3854	8.8	85	2	2	6	11	18	27	66
A. NOT OPERATED	3486	7.8	64	2	2	6	9	16	22	58
B. OPERATED	994	9.9	136	1	2	6	13	24	35	84
TOTAL 0-19 YRS	19	8.5	249	<1	1	3	9	14	45	71
20-34	62	9.0	136	1	1	5	10	22	32	62
35-49	231	7.7	95	1	2	5	9	16	31	60
50-64	790	7.5	81	1	2	5	9	17	25	71
65+	3378	8.5	77	2	2	6	10	18	25	63
GRAND TOTAL	**4480**	**8.3**	**81**	**2**	**2**	**6**	**10**	**18**	**26**	**63**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	1.8	3	<1	<1	1	2	5	5	5
50-64	18	2.1	1	<1	<1	2	3	4	5	5
65+	30	4.8	10	1	1	4	6	8	13	15
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	7.3	37	2	2	6	12	14	14	14
35-49	45	4.8	14	<1	1	4	7	10	12	14
50-64	184	5.7	24	1	1	4	9	12	14	23
65+	226	6.5	44	1	1	3	10	14	17	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	1	6.0		6	6	6	6	6	6	6
35-49	18	4.2	22	<1	1	3	5	7	16	21
50-64	115	7.0	123	1	1	4	8	14	26	69
65+	841	7.9	53	2	2	6	10	17	23	44
B. *Operated*										
0-19 YRS	4	23.3	993	3	3	10	42	70	70	70
20-34	13	8.3	23	1	2	9	12	13	16	17
35-49	138	9.3	48	1	2	9	11	17	22	34
50-64	742	10.9	146	1	2	9	13	22	35	67
65+	1294	14.6	187	1	2	11	19	34	44	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	3.6	8	<1	1	3	5	7	8	15
B. *Operated*	459	6.0	33	1	1	4	9	13	15	29
2. MULTIPLE DX										
A. *Not Operated*	978	7.7	61	1	2	5	9	16	23	46
B. *Operated*	2191	13.0	169	1	2	10	16	29	41	73
1. SINGLE DX	513	5.7	31	1	1	3	9	12	15	26
2. MULTIPLE DX	3169	11.3	141	1	2	8	14	25	36	65
A. NOT OPERATED	1032	7.5	59	1	2	5	9	16	22	45
B. OPERATED	2650	11.8	152	1	2	9	15	26	38	66
TOTAL 0-19 YRS	8	13.6	532	2	2	5	10	53	70	70
20-34	18	7.7	23	1	2	9	12	13	16	17
35-49	206	7.7	42	1	1	7	10	15	20	31
50-64	1059	9.4	125	1	1	7	12	19	30	65
65+	2391	11.3	137	1	2	8	15	25	36	62
GRAND TOTAL	**3682**	**10.6**	**130**	**1**	**2**	**8**	**13**	**23**	**34**	**62**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.0	32	2	2	6	10	10	10	10
35-49										
50-64	7	2.9	6	<1	<1	2	3	7	8	8
65+	39	3.1	6	<1	<1	3	4	6	9	11
B. *Operated*										
0-19 YRS										
20-34	5	4.4	15	1	1	3	8	9	9	9
35-49	5	13.0	34	7	7	11	18	21	21	21
50-64	117	9.0	22	2	2	9	11	15	17	22
65+	240	10.4	33	1	2	10	13	18	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	38	6.0	20	1	2	5	8	12	17	19
65+	200	7.3	64	1	1	5	9	15	22	46
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	3	19.7	340	4	4	15	34	40	40	40
35-49	16	10.3	98	1	2	7	13	23	34	39
50-64	342	13.3	106	2	2	11	15	22	28	64
65+	934	15.1	117	2	4	13	19	27	35	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	3.1	6	<1	<1	2	4	7	10	11
B. *Operated*	367	9.9	30	1	2	10	13	17	20	27
2. MULTIPLE DX										
A. *Not Operated*	243	7.0	56	1	1	5	8	15	20	43
B. *Operated*	1296	14.6	115	2	4	12	18	25	34	70
1. SINGLE DX	415	9.1	32	1	2	9	12	16	19	27
2. MULTIPLE DX	1539	13.4	113	2	2	11	17	24	33	64
A. NOT OPERATED	291	6.4	50	1	1	4	8	13	19	40
B. OPERATED	1663	13.6	100	2	3	12	17	24	31	62
TOTAL 0-19 YRS	2	7.5	41	3	3	7	12	12	12	12
20-34	11	8.7	127	1	1	4	10	25	39	40
35-49	24	9.9	79	1	2	7	13	21	28	39
50-64	504	11.6	86	2	2	10	14	19	25	55
65+	1413	12.9	103	1	2	11	16	23	31	58
GRAND TOTAL	**1954**	**12.5**	**99**	**2**	**2**	**11**	**16**	**23**	**30**	**57**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	4	3.8	3	2	2	3	5	6	6	6
65+	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	4	3.8	7	1	1	4	6	6	6	6
20-34	16	5.9	29	<1	1	4	9	15	17	18
35-49	21	6.8	45	<1	1	4	10	19	21	22
50-64	57	9.1	136	1	1	6	12	19	24	75
65+	57	9.5	75	1	2	8	11	19	23	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	3.0	4	2	2	2	4	6	6	6
65+	18	5.9	22	2	2	4	8	14	17	18
B. *Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	15	9.0	104	1	2	6	8	26	34	37
35-49	22	11.3	84	1	2	11	15	24	29	36
50-64	77	13.1	108	2	3	10	17	26	32	56
65+	177	13.0	142	2	2	10	16	27	39	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.7	3	1	1	2	4	5	6	6
B. *Operated*	155	8.5	87	1	1	6	11	18	22	53
2. MULTIPLE DX										
A. *Not Operated*	22	5.4	20	2	2	4	6	11	17	18
B. *Operated*	293	12.6	126	2	2	10	16	25	36	61
1. SINGLE DX	164	8.2	84	1	1	6	10	18	21	52
2. MULTIPLE DX	315	12.1	122	2	2	10	16	25	35	60
A. NOT OPERATED	31	4.6	16	1	1	4	6	9	16	18
B. OPERATED	448	11.2	116	1	2	9	14	22	31	60
TOTAL 0-19 YRS	6	4.2	5	1	1	5	6	6	6	6
20-34	31	7.4	66	1	1	5	8	18	26	37
35-49	45	8.8	68	1	1	7	13	21	24	36
50-64	142	10.9	119	1	2	8	15	22	30	62
65+	255	11.6	122	1	2	9	14	22	33	60
GRAND TOTAL	**479**	**10.8**	**112**	**1**	**2**	**8**	**14**	**22**	**30**	**58**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	7	7.4	6	3	4	8	9	10	10	10
35-49	14	6.6	22	1	1	6	9	14	15	15
50-64	22	5.3	18	<1	1	4	8	12	14	14
65+	33	5.5	16	<1	1	4	9	11	13	13
B. *Operated*										
0-19 YRS	6	6.2	26	1	1	6	10	13	13	13
20-34	24	4.9	20	<1	1	3	7	10	13	20
35-49	97	7.8	39	1	2	7	10	14	17	35
50-64	394	6.7	24	1	1	7	10	13	15	23
65+	371	7.9	39	1	2	7	11	14	19	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	9	9.2	23	<1	2	9	12	16	18	18
35-49	25	8.2	39	1	2	7	10	17	22	26
50-64	70	7.0	28	1	1	6	10	14	16	26
65+	144	9.0	64	1	2	7	11	17	24	36
B. *Operated*										
0-19 YRS	5	13.8	236	2	2	9	20	40	40	40
20-34	22	8.5	44	1	2	8	13	19	22	22
35-49	166	9.5	53	2	2	9	12	18	23	45
50-64	764	10.9	91	1	2	9	13	22	27	71
65+	1235	13.2	126	2	2	11	17	26	33	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	5.8	17	<1	1	5	9	11	14	15
B. *Operated*	892	7.3	32	1	1	7	10	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	249	8.4	50	1	2	7	11	16	21	34
B. *Operated*	2192	12.1	109	1	2	10	15	24	31	61
1. SINGLE DX	969	7.2	31	1	1	7	10	13	16	27
2. MULTIPLE DX	2441	11.7	104	1	2	10	15	23	30	59
A. NOT OPERATED	326	7.8	43	1	1	7	10	14	18	34
B. OPERATED	3084	10.7	92	1	2	9	13	21	28	55
TOTAL 0-19 YRS	13	9.1	105	1	2	7	11	19	36	40
20-34	62	7.1	30	1	1	7	10	14	19	22
35-49	302	8.7	46	1	2	8	11	16	21	40
50-64	1250	9.3	69	1	2	8	12	18	23	48
65+	1783	11.6	107	1	2	9	15	24	30	58
GRAND TOTAL	**3410**	**10.4**	**88**	**1**	**2**	**9**	**13**	**20**	**27**	**53**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	5.5	22	1	1	3	9	14	16	18
20-34	17	4.6	27	<1	1	3	4	9	18	23
35-49	22	2.7	3	<1	<1	2	4	5	6	6
50-64	46	4.5	39	<1	<1	3	5	10	13	39
65+	52	4.8	23	1	1	3	6	11	16	26
B. *Operated*										
0-19 YRS	14	6.4	41	1	1	5	8	13	22	25
20-34	44	5.5	23	<1	1	4	7	14	17	19
35-49	81	5.3	27	1	1	4	7	11	14	30
50-64	192	5.0	22	1	1	3	8	12	13	24
65+	204	6.2	45	1	1	4	8	14	19	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.4	19	1	2	3	5	14	15	15
20-34	37	7.9	258	1	1	4	6	12	30	95
35-49	68	5.7	35	1	2	4	6	12	17	35
50-64	149	6.3	37	1	1	4	8	15	19	27
65+	413	8.5	68	1	2	6	11	18	23	41
B. *Operated*										
0-19 YRS	15	8.0	76	1	1	6	9	23	30	32
20-34	67	9.7	159	1	1	6	10	23	37	70
35-49	146	9.4	106	1	2	7	11	20	28	52
50-64	468	9.8	118	1	2	6	12	24	35	59
65+	767	13.5	194	1	2	10	17	30	41	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	4.6	25	<1	1	3	5	10	14	25
B. *Operated*	535	5.6	32	1	1	4	8	12	15	27
2. MULTIPLE DX										
A. *Not Operated*	689	7.6	67	1	1	5	9	16	22	39
B. *Operated*	1463	11.7	162	1	2	8	15	27	39	75
1. SINGLE DX	709	5.3	30	1	1	3	7	12	15	27
2. MULTIPLE DX	2152	10.4	135	1	2	7	13	24	34	66
A. NOT OPERATED	863	7.0	60	1	1	5	9	15	20	38
B. OPERATED	1998	10.0	134	1	1	7	12	24	34	64
TOTAL 0-19 YRS	88	6.0	33	1	1	4	8	14	16	29
20-34	165	7.6	133	1	1	4	8	16	25	71
35-49	317	7.1	68	1	1	5	9	15	21	49
50-64	855	7.8	83	1	1	5	10	18	27	52
65+	1436	10.7	140	1	2	7	14	24	34	73
GRAND TOTAL	**2861**	**9.1**	**114**	**1**	**1**	**6**	**11**	**21**	**29**	**59**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	7.1	15	1	2		9	10	13	19
20-34	305	6.9	15	2	3	6	9	12	14	17
35-49	395	7.0	15	2	3	7	9	12	14	21
50-64	424	7.4	17	2	3	7	9	12	15	24
65+	418	7.8	17	3	4	7	10	13	15	22
B. *Operated*										
0-19 YRS	14	5.0	11	1	1	5	7	9	11	12
20-34	157	7.3	24	1	2	7	9	14	17	24
35-49	164	7.7	41	2	2	7	10	14	15	57
50-64	162	7.9	31	1	2	7	10	13	15	35
65+	106	8.5	22	2	3	8	12	15	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	8.2	32	1	2	7	10	14	16	32
20-34	333	8.6	29	2	3	8	11	15	20	29
35-49	514	8.4	28	2	3	7	11	14	17	35
50-64	870	8.7	23	3	4	8	11	14	17	26
65+	1284	9.6	38	3	4	8	11	16	19	34
B. *Operated*										
0-19 YRS	13	12.0	37	2	4	12	15	22	22	22
20-34	145	9.7	56	2	3	8	12	17	22	44
35-49	223	9.2	47	2	3	8	12	16	22	39
50-64	397	10.4	61	2	3	9	13	18	23	43
65+	491	11.9	75	3	4	10	14	22	29	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1587	7.3	16	2	3	7	9	12	14	21
B. *Operated*	603	7.7	30	2	2	7	10	14	16	29
2. MULTIPLE DX										
A. *Not Operated*	3034	9.0	31	3	4	8	11	15	18	31
B. *Operated*	1269	10.7	64	2	3	9	13	19	26	46
1. SINGLE DX	2190	7.4	20	2	3	7	9	13	15	24
2. MULTIPLE DX	4303	9.5	42	3	4	8	11	16	20	36
A. NOT OPERATED	4621	8.4	27	3	4	8	10	14	17	28
B. OPERATED	1872	9.8	55	2	3	8	12	17	22	44
TOTAL 0-19 YRS	105	7.8	25	1	2	8	10	13	16	27
20-34	940	8.0	29	2	3	7	10	14	17	28
35-49	1296	8.0	30	2	3	7	10	14	16	32
50-64	1853	8.7	31	3	4	8	11	14	17	29
65+	2299	9.7	43	3	4	8	12	16	21	36
GRAND TOTAL	**6493**	**8.8**	**35**	**2**	**3**	**8**	**11**	**15**	**19**	**32**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	7	4.0	26	1	1	2	4	13	15	15
35-49	19	5.6	13	<1	1	5	7	10	13	15
50-64	29	8.8	59	1	2	6	12	21	28	28
65+	63	9.1	33	2	3	8	12	18	20	24
B. *Operated*										
0-19 YRS	28	3.2	2	1	2	3	4	6	6	8
20-34	541	3.6	3	1	2	3	4	5	6	10
35-49	751	4.0	6	1	2	3	4	6	8	15
50-64	607	4.7	19	2	2	4	5	7	11	26
65+	219	8.9	88	2	3	5	9	22	30	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	16	9.6	105	<1	<1	4	16	21	32	37
35-49	36	8.0	120	1	1	5	9	15	17	67
50-64	110	9.9	92	2	3	8	13	19	31	99+
65+	303	11.9	93	3	3	9	15	23	31	55
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	153	5.1	22	2	2	4	5	9	14	43
35-49	267	5.9	50	2	2	4	6	10	14	31
50-64	365	7.4	81	2	2	5	8	14	22	56
65+	262	15.3	246	3	3	10	21	33	49	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	8.1	37	1	2	7	11	18	21	28
B. *Operated*	2146	4.6	19	2	2	4	5	7	10	27
2. MULTIPLE DX										
A. *Not Operated*	465	11.1	96	2	3	9	14	22	31	67
B. *Operated*	1049	8.7	120	2	3	5	9	20	30	67
1. SINGLE DX	2265	4.7	21	2	2	4	5	7	12	28
2. MULTIPLE DX	1514	9.4	114	2	3	5	11	21	30	67
A. NOT OPERATED	584	10.5	85	2	3	8	14	21	28	62
B. OPERATED	3195	5.9	56	2	2	4	5	11	19	41
TOTAL 0-19 YRS	31	3.4	3	2	2	3	4	6	8	8
20-34	717	4.0	10	1	2	3	5	6	8	19
35-49	1073	4.6	22	2	2	4	5	7	10	21
50-64	1111	6.2	51	2	2	4	6	12	19	41
65+	847	12.0	141	2	3	8	15	26	35	67
GRAND TOTAL	**3779**	**6.6**	**64**	**2**	**2**	**4**	**7**	**14**	**21**	**45**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	50	2.3	2	<1	1	2	3	4	6	8
35-49	47	3.0	6	<1	1	2	4	5	7	13
50-64	34	2.1	2	1	1	2	3	4	4	7
65+	27	3.3	3	1	1	3	4	6	6	7
B. *Operated*										
0-19 YRS	16	3.7	3	1	1	4	5	5	6	6
20-34	345	4.4	5	2	2	4	5	7	7	12
35-49	484	4.5	3	2	3	4	5	7	8	10
50-64	337	4.6	3	2	2	4	5	7	8	10
65+	104	4.8	4	2	2	5	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	3	<1	<1	3	4	5	5	5
20-34	67	3.6	8	1	1	3	4	7	8	15
35-49	110	3.6	9	<1	1	3	5	6	7	18
50-64	122	3.5	9	1	1	3	4	6	8	14
65+	167	4.9	17	1	2	4	6	10	13	23
B. *Operated*										
0-19 YRS	37	4.6	3	2	3	5	5	7	8	9
20-34	1101	4.8	5	2	3	4	6	7	8	13
35-49	1782	5.0	6	2	3	5	6	7	9	13
50-64	1414	5.4	9	3	3	5	6	8	10	18
65+	649	6.5	24	3	3	5	7	11	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	2.7	3	1	1	2	4	5	6	10
B. *Operated*	1286	4.5	4	2	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	470	4.0	12	1	1	3	5	7	9	20
B. *Operated*	4983	5.3	9	2	3	5	6	8	10	17
1. SINGLE DX	1447	4.3	4	1	2	4	5	7	8	10
2. MULTIPLE DX	5453	5.2	10	2	3	5	6	8	10	17
A. NOT OPERATED	631	3.7	10	1	1	3	4	7	9	17
B. OPERATED	6269	5.1	8	2	3	5	6	8	9	16
TOTAL 0-19 YRS	60	4.1	3	1	2	4	5	6	7	9
20-34	1563	4.6	6	2	2	4	5	7	8	12
35-49	2423	4.8	5	2	3	4	6	7	9	13
50-64	1907	5.1	9	2	3	5	6	8	9	17
65+	947	6.0	20	2	2	5	7	10	13	21
GRAND TOTAL	**6900**	**5.0**	**9**	**2**	**3**	**4**	**6**	**8**	**9**	**16**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	4.7	14	1	1	3	8	11	12	12
20-34	61	4.8	7	1	2	4	6	9	10	12
35-49	59	5.6	17	1	2	4	8	11	14	21
50-64	95	6.1	60	1	1	4	8	10	16	48
65+	121	5.7	16	1	1	5	7	11	14	20
B. *Operated*										
0-19 YRS	84	3.2	18	<1	1	2	3	6	9	28
20-34	247	3.4	26	<1	1	2	3	8	11	18
35-49	99	5.4	38	1	1	3	7	11	16	37
50-64	89	6.1	18	1	1	5	9	12	14	18
65+	87	7.1	30	1	1	6	11	14	19	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.1	8	<1	1	3	5	8	11	12
20-34	143	6.1	26	1	2	5	8	12	15	26
35-49	232	7.1	70	1	2	5	9	13	19	36
50-64	496	6.8	30	1	2	5	9	13	19	27
65+	1025	7.7	40	2	2	6	10	15	20	36
B. *Operated*										
0-19 YRS	46	6.1	49	1	1	3	7	17	21	34
20-34	272	4.8	29	1	1	3	6	11	14	27
35-49	192	8.0	65	1	2	6	10	15	21	60
50-64	312	12.2	161	1	2	9	15	26	36	67
65+	428	14.1	192	2	3	10	17	29	45	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	365	5.6	26	1	1	5	7	10	13	21
B. *Operated*	606	4.6	28	1	1	3	6	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	1937	7.2	40	1	2	6	9	14	19	32
B. *Operated*	1250	10.4	138	1	2	7	13	22	33	68
1. SINGLE DX	971	5.0	28	1	1	3	7	11	13	22
2. MULTIPLE DX	3187	8.4	80	1	2	6	11	17	23	49
A. NOT OPERATED	2302	6.9	36	1	2	5	9	13	18	31
B. OPERATED	1856	8.5	109	1	1	5	11	18	27	62
TOTAL 0-19 YRS	200	4.3	24	1	1	3	5	10	12	28
20-34	723	4.6	26	1	1	3	6	10	13	25
35-49	582	6.9	58	1	1	5	9	14	19	39
50-64	992	8.4	80	1	2	6	10	16	22	44
65+	1661	9.2	85	2	2	7	11	18	24	56
GRAND TOTAL	**4158**	**7.6**	**70**	**1**	**2**	**5**	**10**	**15**	**21**	**46**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3463	2.3	3	1	1	2	3	4	5	8
20-34	308	2.9	3	1	1	3	4	5	6	10
35-49	119	2.9	4	1	1	3	4	5	6	11
50-64	76	3.1	4	1	1	3	4	6	6	8
65+	69	3.9	6	1	1	3	5	7	9	83
B. *Operated*										
0-19 YRS	591	1.9	2	<1	1	2	2	3	4	8
20-34	261	2.2	4	1	1	2	2	3	5	21
35-49	52	2.8	5	<1	1	2	3	5	6	13
50-64	25	3.8	7	<1	1	3	5	8	9	9
65+	17	2.4	1	<1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3240	2.9	4	1	1	2	4	5	7	10
20-34	607	3.6	6	1	1	3	4	6	8	14
35-49	347	4.2	9	1	2	3	5	8	10	14
50-64	418	4.8	16	1	2	4	6	9	11	16
65+	714	6.1	21	2	2	5	7	11	14	24
B. *Operated*										
0-19 YRS	337	2.9	11	1	1	2	3	6	9	19
20-34	124	3.8	15	1	1	3	4	7	10	21
35-49	61	4.9	41	<1	1	3	6	11	13	40
50-64	71	4.5	17	1	1	2	7	11	13	17
65+	47	8.6	61	2	2	7	12	18	32	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4035	2.4	3	1	1	2	3	4	5	8
B. *Operated*	946	2.1	3	<1	1	2	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	5326	3.7	9	1	1	3	4	7	9	15
B. *Operated*	640	3.8	21	1	1	2	4	9	12	27
1. SINGLE DX	4981	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX	5966	3.7	10	1	1	3	4	7	9	16
A. NOT OPERATED	9361	3.1	7	1	1	2	4	6	7	13
B. OPERATED	1586	2.8	11	1	1	2	3	6	9	17
TOTAL 0-19 YRS	7631	2.5	4	1	1	2	3	4	6	9
20-34	1300	3.2	6	1	1	3	4	6	7	14
35-49	579	3.9	11	1	1	3	5	7	10	14
50-64	590	4.5	15	1	1	4	6	9	11	16
65+	847	6.0	22	2	2	5	7	11	15	28
GRAND TOTAL	**10947**	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2363	3.1	5	1	1	3	4	5	7	11
20-34	181	3.7	4	1	2	3	5	6	8	10
35-49	166	4.4	6	2	2	4	5	8	10	14
50-64	187	4.8	11	2	2	4	5	9	10	18
65+	238	5.3	12	2	2	4	7	9	11	18
B. *Operated*										
0-19 YRS	11	6.5	18	2	2	7	9	12	16	16
20-34	6	2.8	3	1	1	2	4	6	6	6
35-49	12	5.1	11	1	1	5	7	9	12	13
50-64	10	4.0	15	<1	1	3	3	10	14	14
65+	11	8.1	15	2	3	10	11	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2021	3.9	6	1	2	3	5	7	8	13
20-34	359	4.5	11	1	2	4	6	8	10	15
35-49	494	5.1	10	2	2	4	6	9	12	15
50-64	1249	6.4	29	2	2	5	8	11	15	27
65+	2792	7.6	31	2	3	6	9	14	17	28
B. *Operated*										
0-19 YRS	31	8.7	105	1	2	5	8	23	31	48
20-34	32	7.5	31	1	2	6	9	19	23	99+
35-49	50	8.6	67	2	3	7	10	16	20	54
50-64	94	10.6	85	1	2	8	14	24	26	82
65+	142	13.0	107	2	3	11	16	26	35	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3135	3.5	6	1	1	3	4	6	8	13
B. *Operated*	50	5.6	15	1	2	4	7	11	14	16
2. MULTIPLE DX										
A. *Not Operated*	6915	5.9	23	2	2	5	7	11	14	23
B. *Operated*	349	10.9	91	2	2	8	14	23	29	59
1. SINGLE DX	3185	3.5	6	1	1	3	4	6	8	13
2. MULTIPLE DX	7264	6.2	28	2	2	5	8	12	15	26
A. NOT OPERATED	10050	5.2	19	1	2	4	6	10	13	22
B. OPERATED	399	10.2	85	2	2	8	13	21	28	56
TOTAL 0-19 YRS	4426	3.5	7	1	1	3	4	6	8	12
20-34	578	4.4	10	1	2	4	5	8	10	17
35-49	722	5.2	14	2	2	4	6	9	12	18
50-64	1540	6.4	31	2	2	5	8	11	16	27
65+	3183	7.6	34	2	3	6	9	14	17	29
GRAND TOTAL	**10449**	**5.4**	**23**	**1**	**2**	**4**	**7**	**10**	**14**	**24**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.1	1	<1	<1	2	3	4	4	4
20-34	8	1.6	1	<1	<1	1	2	3	3	3
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	3	2.0	1	1	1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	458	1.9	1	1	1	2	2	3	3	4
20-34	1157	1.9	5	1	1	2	2	3	3	5
35-49	511	1.9	1	<1	1	2	2	3	4	5
50-64	275	2.0	1	<1	1	2	2	3	4	5
65+	59	2.3	1	<1	1	2	3	4	5	90
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.0		<1	<1	<1	1	1	1	1
20-34	15	2.2	1	1	1	2	3	5	71	99+
35-49	14	1.8	1	<1	<1	1	3	3	4	4
50-64	10	1.4		<1	<1	1	2	2	2	2
65+	6	5.2	6	2	2	5	8	8	8	8
B. *Operated*										
0-19 YRS	691	2.3	2	1	1	2	3	3	4	9
20-34	1859	2.2	2	1	1	2	3	3	4	6
35-49	1111	2.3	2	1	1	2	3	4	4	6
50-64	578	2.4	3	1	1	2	3	3	4	6
65+	139	2.7	7	1	1	2	3	4	5	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	1.8	1	<1	<1	2	2	3	4	4
B. *Operated*	2460	1.9	3	<1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	52	2.1	3	<1	<1	2	3	5	7	97
B. *Operated*	4378	2.3	2	1	1	2	3	3	4	6
1. SINGLE DX	2483	1.9	3	<1	1	2	2	3	4	5
2. MULTIPLE DX	4430	2.3	2	1	1	2	3	3	4	7
A. NOT OPERATED	75	2.0	2	<1	<1	2	2	4	5	76
B. OPERATED	6838	2.2	2	1	1	2	3	3	4	6
TOTAL 0-19 YRS	1165	2.1	2	1	1	2	3	3	4	6
20-34	3039	2.1	3	1	1	2	3	3	4	6
35-49	1639	2.2	1	1	1	2	3	3	4	5
50-64	866	2.2	3	1	1	2	3	3	4	6
65+	204	2.7	5	1	1	2	3	4	5	18
GRAND TOTAL	**6913**	**2.2**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	28	1.9	1	<1	<1	2	3	3	4	4
20-34	60	2.5	9	<1	<1	2	3	4	5	21
35-49	84	1.9	1	<1	<1	2	2	3	4	4
50-64	94	1.8	1	<1	<1	2	2	3	4	5
65+	57	1.9	1	<1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	3	<1	<1	1	3	5	5	5
20-34	6	2.0	6	<1	<1	1	1	6	7	7
35-49	3	2.0	1	<1	<1	2	3	3	3	3
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	8	3.6	23	1	1	2	4	12	15	15
B. *Operated*										
0-19 YRS	65	2.0	2	<1	1	2	2	3	4	9
20-34	119	2.0	1	1	1	2	3	3	4	5
35-49	186	2.4	6	<1	1	2	3	4	4	8
50-64	193	2.4	2	1	1	2	3	4	5	7
65+	114	2.9	4	1	1	2	3	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	323	2.0	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	27	2.5	9	<1	<1	1	3	5	8	15
B. *Operated*	677	2.4	3	1	1	2	3	4	5	9
1. SINGLE DX	325	2.0	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX	704	2.4	3	1	1	2	3	4	5	9
A. NOT OPERATED	29	2.4	8	<1	<1	1	3	5	7	15
B. OPERATED	1000	2.3	3	<1	1	2	3	4	4	8
TOTAL 0-19 YRS	99	2.0	2	<1	1	2	2	3	4	8
20-34	185	2.2	4	<1	1	2	3	3	4	7
35-49	273	2.2	4	<1	1	2	3	4	4	7
50-64	292	2.2	2	<1	1	2	3	4	5	7
65+	180	2.6	4	1	1	2	3	4	6	12
GRAND TOTAL	**1029**	**2.3**	**3**	**<1**	**1**	**2**	**3**	**4**	**4**	**9**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	2.0	9	<1	<1	1	2	3	5	21
20-34	36	1.9	1	<1	<1	2	3	4	4	5
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	15135	1.7	4	<1	1	2	2	2	3	4
20-34	3729	2.0	6	1	1	2	2	3	3	5
35-49	322	2.5	26	1	1	2	2	3	4	7
50-64	79	2.4	3	<1	1	2	3	4	5	11
65+	40	1.9	1	<1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	211	1.7	3	<1	<1	1	2	3	5	10
20-34	29	1.8	1	<1	<1	1	2	4	4	5
35-49	6	2.2	2	1	1	2	4	4	4	4
50-64	2	5.5	13	3	3	5	8	8	8	8
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	7537	1.6	6	<1	<1	1	2	2	2	4
20-34	770	2.2	2	1	1	2	3	3	4	7
35-49	102	2.4	2	1	1	2	3	4	5	7
50-64	36	2.8	4	<1	1	2	3	5	7	10
65+	18	3.3	10	<1	<1	2	4	9	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	2.0	7	<1	<1	1	2	3	4	14
B. *Operated*	19305	1.8	5	1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	249	1.7	3	<1	<1	1	2	4	5	8
B. *Operated*	8463	1.7	5	<1	1	2	2	2	3	5
1. SINGLE DX	19438	1.8	5	1	1	2	2	2	3	4
2. MULTIPLE DX	8712	1.7	5	<1	<1	2	2	2	3	5
A. NOT OPERATED	382	1.8	4	<1	<1	1	2	3	5	10
B. OPERATED	27768	1.8	5	<1	1	2	2	2	3	4
TOTAL 0-19 YRS	22975	1.7	5	<1	1	2	2	2	3	4
20-34	4564	2.0	5	1	1	2	2	3	3	5
35-49	433	2.4	20	1	1	2	3	3	4	7
50-64	119	2.6	3	<1	1	2	3	4	7	11
65+	59	2.3	4	<1	1	2	3	4	6	11
GRAND TOTAL	**28150**	**1.8**	**5**	**<1**	**1**	**2**	**2**	**2**	**3**	**5**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	303	2.5	2	<1	1	2	3	4	5	7
20-34	205	2.9	3	1	1	2	3	5	6	10
35-49	99	2.6	3	<1	1	2	3	5	7	8
50-64	73	2.6	8	<1	1	2	3	5	8	18
65+	46	3.6	28	<1	1	2	4	7	9	36
B. *Operated*										
0-19 YRS	416	2.4	5	<1	1	2	3	5	6	13
20-34	721	2.3	3	<1	1	2	3	4	5	8
35-49	598	2.1	2	<1	<1	2	3	4	4	11
50-64	648	2.0	2	<1	<1	2	2	3	4	8
65+	301	2.5	7	<1	1	2	2	4	6	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	229	3.4	8	1	1	3	4	6	8	17
20-34	137	3.3	4	1	1	3	4	6	8	9
35-49	125	3.9	8	1	1	3	5	7	9	15
50-64	131	4.4	28	1	1	3	5	7	9	27
65+	138	5.0	28	1	1	4	5	11	15	24
B. *Operated*										
0-19 YRS	389	2.6	7	<1	1	2	3	4	6	15
20-34	668	3.0	12	1	1	2	3	5	7	16
35-49	573	2.8	8	<1	1	2	3	4	6	16
50-64	675	3.2	14	<1	1	2	3	5	8	20
65+	371	4.3	29	1	1	2	4	10	16	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	726	2.7	5	<1	1	2	3	5	6	9
B. *Operated*	2684	2.2	4	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	760	3.9	15	1	1	3	5	7	9	19
B. *Operated*	2676	3.1	13	<1	1	2	3	5	8	22
1. SINGLE DX	3410	2.3	4	<1	1	2	3	4	5	10
2. MULTIPLE DX	3436	3.3	14	1	1	2	4	6	9	20
A. NOT OPERATED	1486	3.3	10	<1	1	3	4	6	8	15
B. OPERATED	5360	2.7	9	<1	1	2	3	4	6	16
TOTAL 0-19 YRS	1337	2.6	6	<1	1	2	3	5	6	12
20-34	1731	2.7	7	<1	1	2	3	5	6	11
35-49	1395	2.6	5	<1	1	2	3	4	6	14
50-64	1527	2.7	10	<1	1	2	3	5	6	13
65+	856	3.7	22	1	1	2	4	8	13	28
GRAND TOTAL	**6846**	**2.8**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**16**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4419	4.0	6	1	2	3	5	7	8	13
20-34	1010	4.4	6	2	2	4	5	7	9	13
35-49	763	5.1	21	2	2	4	6	8	10	15
50-64	817	5.7	14	2	2	5	7	10	11	18
65+	1298	6.9	23	2	3	6	9	12	14	22
B. *Operated*										
0-19 YRS	38	6.8	22	1	2	6	9	14	16	20
20-34	37	7.3	23	2	2	6	10	16	17	19
35-49	52	7.0	42	<1	1	5	9	14	17	39
50-64	82	8.8	45	2	2	7	12	17	22	36
65+	80	9.2	56	1	2	7	13	19	22	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4153	4.9	20	1	2	4	6	9	11	18
20-34	1036	5.7	15	2	2	5	7	10	12	25
35-49	1138	6.6	22	2	3	6	8	12	14	23
50-64	2709	7.8	37	2	3	6	10	14	18	32
65+	8202	9.9	56	3	4	8	12	18	23	40
B. *Operated*										
0-19 YRS	130	10.5	62	3	3	9	13	20	26	45
20-34	112	11.8	119	3	3	8	15	24	37	57
35-49	198	14.0	136	3	5	11	16	27	41	73
50-64	441	15.3	202	3	4	11	18	32	46	83
65+	905	16.9	158	4	6	14	21	32	44	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8307	4.7	12	1	2	4	6	8	10	16
B. *Operated*	289	8.1	42	1	2	7	11	17	21	37
2. MULTIPLE DX										
A. *Not Operated*	17238	7.9	44	2	3	6	10	15	19	34
B. *Operated*	1786	15.4	161	3	4	12	19	31	43	73
1. SINGLE DX	8596	4.9	14	1	2	4	6	9	11	17
2. MULTIPLE DX	19024	8.6	60	2	3	7	11	16	22	42
A. NOT OPERATED	25545	6.9	36	2	2	5	8	13	17	30
B. OPERATED	2075	14.4	151	2	4	11	18	28	39	70
TOTAL 0-19 YRS	8740	4.5	14	1	2	4	5	8	10	17
20-34	2195	5.4	19	2	2	4	6	10	12	25
35-49	2151	6.7	38	2	2	5	8	12	15	32
50-64	4049	8.2	58	2	3	6	10	15	21	43
65+	10485	10.1	66	3	4	8	12	19	25	45
GRAND TOTAL	**27620**	**7.4**	**49**	**2**	**2**	**6**	**9**	**14**	**19**	**36**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	295	2.6	5	1	1	2	3	5	7	13
20-34	207	2.9	5	1	1	3	3	5	6	11
35-49	122	3.5	3	1	2	3	4	6	7	9
50-64	112	4.1	6	1	2	4	5	7	9	13
65+	146	4.3	6	1	2	4	5	7	9	12
B. *Operated*										
0-19 YRS	4	5.3	1	4	4	5	6	6	6	6
20-34	7	3.0	7	1	1	2	4	7	8	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	348	3.4	9	1	1	3	4	6	8	11
20-34	308	3.5	10	1	1	3	4	6	7	11
35-49	233	4.4	7	1	2	4	6	8	10	13
50-64	332	5.1	19	1	2	4	6	9	11	22
65+	679	6.2	26	2	2	5	8	11	16	27
B. *Operated*										
0-19 YRS	6	5.0	28	1	1	3	7	14	15	15
20-34	4	12.3	193	4	4	6	20	33	33	33
35-49	9	8.1	28	2	2	8	10	16	19	19
50-64	13	10.2	28	2	3	11	13	16	20	21
65+	29	10.8	61	2	3	9	14	22	29	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	882	3.3	5	1	1	3	4	6	7	12
B. *Operated*	14	4.9	21	1	1	4	6	9	17	19
2. MULTIPLE DX										
A. *Not Operated*	1900	4.8	18	1	2	4	6	9	11	22
B. *Operated*	61	9.8	53	2	2	8	13	20	25	33
1. SINGLE DX	896	3.3	6	1	1	3	4	6	7	12
2. MULTIPLE DX	1961	5.0	20	1	2	4	6	9	12	23
A. NOT OPERATED	2782	4.3	15	1	1	3	5	8	10	20
B. OPERATED	75	8.9	51	1	2	7	12	19	22	33
TOTAL 0-19 YRS	653	3.1	8	1	1	2	4	5	7	14
20-34	526	3.3	10	1	1	3	4	5	7	12
35-49	365	4.2	7	1	2	3	5	8	9	13
50-64	458	5.0	17	1	2	4	6	9	12	22
65+	855	6.1	25	2	2	5	7	11	16	27
GRAND TOTAL	**2857**	**4.5**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	620	2.8	3	1	1	2	3	5	6	9
20-34	91	3.7	4	1	2	3	5	7	8	11
35-49	108	4.2	6	1	1	4	5	8	9	11
50-64	266	5.3	11	2	2	4	7	9	12	18
65+	317	6.3	23	2	2	5	8	12	15	33
B. *Operated*										
0-19 YRS	12	3.8	24	<1	<1	2	4	10	17	18
20-34	18	2.7	11	<1	<1	2	2	5	11	15
35-49	24	2.9	6	<1	<1	2	4	6	9	11
50-64	55	3.2	13	<1	<1	2	3	7	9	22
65+	42	4.8	40	<1	1	2	5	12	23	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	510	3.5	5	1	1	3	5	6	8	12
20-34	202	4.5	12	1	2	4	6	8	10	20
35-49	327	5.0	12	1	2	4	6	9	12	18
50-64	1022	7.0	35	2	2	6	9	13	16	34
65+	2042	8.1	44	2	3	7	10	15	19	37
B. *Operated*										
0-19 YRS	18	7.4	38	1	2	6	10	14	21	26
20-34	29	7.2	44	1	1	5	10	17	19	28
35-49	79	6.6	65	<1	1	4	8	14	17	51
50-64	192	8.0	70	1	2	5	10	17	32	76
65+	254	11.3	111	1	2	8	15	26	30	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1402	4.2	12	1	1	3	5	8	10	18
B. *Operated*	151	3.6	20	<1	<1	2	4	7	14	24
2. MULTIPLE DX										
A. *Not Operated*	4103	6.8	36	2	2	5	8	13	17	34
B. *Operated*	572	9.2	89	1	2	6	12	20	29	61
1. SINGLE DX	1553	4.2	12	1	1	3	5	8	10	18
2. MULTIPLE DX	4675	7.1	43	2	2	5	9	14	18	37
A. NOT OPERATED	5505	6.2	31	1	2	5	8	12	15	30
B. OPERATED	723	8.0	79	<1	1	5	10	19	27	55
TOTAL 0-19 YRS	1160	3.2	5	1	1	3	4	6	7	12
20-34	340	4.4	13	1	1	3	5	8	11	20
35-49	538	5.0	19	1	2	4	6	9	12	20
50-64	1535	6.7	36	1	2	5	8	12	16	35
65+	2655	8.1	49	2	3	6	10	15	20	39
GRAND TOTAL	**6228**	**6.4**	**37**	**1**	**2**	**5**	**8**	**13**	**17**	**34**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	15	4.3	8	1	1	3	6	9	10	10
50-64	92	5.4	14	1	2	4	7	11	13	19
65+	148	5.9	26	2	2	5	8	11	14	32
B. *Operated*										
0-19 YRS	4	2.8	5	1	1	2	4	6	6	6
20-34	1	7.0		7	7	7	7	7	7	7
35-49	5	7.4	36	2	2	6	11	17	17	17
50-64	15	9.7	42	2	2	7	13	17	24	26
65+	5	15.4	203	1	1	13	28	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.3	6	1	1	4	6	7	8	8
20-34	6	6.5	16	<1	<1	6	10	12	12	12
35-49	53	6.6	22	2	3	5	8	12	14	28
50-64	558	7.8	39	2	3	6	9	15	19	36
65+	1187	8.7	53	2	3	7	11	17	22	36
B. *Operated*										
0-19 YRS	7	9.4	23	1	2	11	13	14	14	14
20-34	11	10.1	10	7	7	8	13	15	16	16
35-49	26	10.3	40	2	5	9	12	19	26	27
50-64	57	14.0	135	2	3	10	19	30	42	49
65+	108	15.1	192	3	4	10	18	35	44	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256	5.6	21	1	2	4	7	10	13	28
B. *Operated*	30	9.2	67	1	2	7	13	22	27	33
2. MULTIPLE DX										
A. *Not Operated*	1812	8.3	48	2	3	7	10	16	20	36
B. *Operated*	209	13.7	145	3	4	10	16	30	40	74
1. SINGLE DX	286	6.0	27	1	2	5	8	11	15	31
2. MULTIPLE DX	2021	8.9	60	2	3	7	11	17	22	41
A. NOT OPERATED	2068	8.0	45	2	3	6	10	15	20	36
B. OPERATED	239	13.2	137	2	3	10	16	29	38	73
TOTAL 0-19 YRS	19	5.8	19	1	1	5	9	13	14	14
20-34	19	8.4	15	1	3	8	12	14	15	16
35-49	99	7.3	29	1	2	6	9	13	18	28
50-64	722	8.0	47	2	2	6	10	15	21	39
65+	1448	8.9	65	2	3	7	11	18	22	41
GRAND TOTAL	**2307**	**8.5**	**57**	**2**	**3**	**7**	**10**	**16**	**22**	**39**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3054	3.1	10	1	1	3	4	5	6	10
20-34	1077	3.8	13	1	1	3	5	6	8	12
35-49	869	4.4	13	1	2	4	5	8	10	15
50-64	993	5.0	14	1	2	4	6	9	11	18
65+	746	5.3	11	1	2	5	7	10	12	16
B. *Operated*										
0-19 YRS	11	4.7	5	2	2	4	6	8	10	10
20-34	15	5.8	15	1	2	5	10	11	12	12
35-49	19	6.5	41	1	1	5	7	15	23	27
50-64	16	11.4	494	1	1	5	10	17	70	93
65+	6	9.0	23	1	1	10	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1695	3.5	7	1	1	3	4	6	7	12
20-34	848	4.5	11	1	2	4	6	8	11	16
35-49	1067	5.7	21	2	2	5	7	11	13	21
50-64	1927	6.4	22	2	2	5	8	12	15	26
65+	2358	7.3	31	2	3	6	9	13	17	28
B. *Operated*										
0-19 YRS	22	8.6	59	2	3	6	10	20	28	32
20-34	52	8.4	93	1	2	6	10	16	20	59
35-49	57	9.2	39	2	3	8	12	18	22	32
50-64	113	11.8	120	2	2	9	14	22	32	62
65+	126	15.2	164	4	5	11	19	31	40	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6739	3.9	12	1	1	3	5	7	9	14
B. *Operated*	67	7.5	135	1	2	5	9	12	18	82
2. MULTIPLE DX										
A. *Not Operated*	7895	5.7	22	1	2	4	7	11	14	23
B. *Operated*	370	11.9	122	2	3	9	14	23	33	61
1. SINGLE DX	6806	3.9	14	1	1	3	5	7	9	14
2. MULTIPLE DX	8265	6.0	29	1	2	5	7	11	15	26
A. NOT OPERATED	14634	4.9	19	1	2	4	6	9	12	21
B. OPERATED	437	11.2	126	2	2	8	13	22	32	63
TOTAL 0-19 YRS	4782	3.2	9	1	1	3	4	5	6	11
20-34	1992	4.2	15	1	1	3	5	7	10	16
35-49	2012	5.3	19	1	2	4	6	10	12	21
50-64	3049	6.2	27	2	2	5	7	11	14	26
65+	3236	7.2	35	2	2	6	9	13	17	30
GRAND TOTAL	**15071**	**5.1**	**23**	**1**	**2**	**4**	**6**	**10**	**13**	**22**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	4.1	7	<1	<1	3	6	7	10	11
20-34	17	3.4	2	1	1	3	4	5	6	7
35-49	71	4.9	10	2	2	4	7	9	11	17
50-64	493	6.2	23	2	2	5	8	11	15	23
65+	755	6.4	20	1	2	5	8	12	14	23
B. *Operated*										
0-19 YRS	13	3.2	10	<1	<1	2	3	9	11	12
20-34	8	5.3	15	<1	<1	6	8	10	10	10
35-49	15	6.7	70	1	1	5	7	16	29	33
50-64	41	6.3	18	1	1	5	9	12	14	16
65+	31	8.5	41	1	1	9	12	17	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	7.5	68	2	2	4	10	14	29	39
20-34	54	5.9	36	1	1	3	7	13	22	27
35-49	330	6.2	43	1	2	5	8	10	13	26
50-64	2702	7.6	34	2	3	6	9	14	18	31
65+	5821	8.6	49	2	3	7	10	16	21	36
B. *Operated*										
0-19 YRS	6	8.0	32	2	2	8	13	14	14	14
20-34	28	8.1	27	1	1	7	12	16	17	18
35-49	60	9.5	55	2	2	9	13	20	24	94
50-64	276	13.5	208	2	3	9	15	25	47	81
65+	542	14.0	167	3	3	10	17	28	37	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1351	6.2	20	1	2	5	8	12	14	22
B. *Operated*	108	6.5	32	1	1	5	10	14	16	29
2. MULTIPLE DX										
A. *Not Operated*	8936	8.2	45	2	3	7	10	15	20	35
B. *Operated*	912	13.3	169	2	3	10	16	26	37	79
1. SINGLE DX	1459	6.2	21	1	2	5	8	12	14	23
2. MULTIPLE DX	9848	8.6	58	2	3	7	10	16	22	41
A. NOT OPERATED	10287	7.9	42	2	3	6	10	15	19	34
B. OPERATED	1020	12.6	158	2	3	9	15	25	36	78
TOTAL 0-19 YRS	63	5.8	41	<1	1	4	6	12	14	38
20-34	107	6.0	29	1	1	4	8	14	17	26
35-49	476	6.4	41	1	2	5	8	11	15	38
50-64	3512	7.8	49	2	2	6	10	15	19	37
65+	7149	8.7	57	2	3	7	11	16	22	40
GRAND TOTAL	**11307**	**8.3**	**54**	**2**	**3**	**7**	**10**	**16**	**21**	**38**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.6	2	1	1	3	4	4	5	6
20-34	116	3.2	9	1	1	2	4	6	9	16
35-49	40	4.0	8	<1	1	4	5	6	8	17
50-64	13	4.8	19	<1	<1	4	6	10	16	17
65+	12	5.4	30	2	2	4	5	12	21	22
B. *Operated*										
0-19 YRS	69	6.2	17	2	2	5	7	12	14	20
20-34	421	5.6	32	2	2	4	6	10	12	22
35-49	125	6.2	22	2	2	5	7	14	17	21
50-64	53	7.0	39	1	2	5	8	13	15	33
65+	30	7.8	40	3	3	5	9	16	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.9	8	1	1	2	6	8	8	8
20-34	22	4.4	7	1	1	4	6	8	10	11
35-49	17	5.2	20	1	1	4	5	14	15	15
50-64	39	6.1	18	1	1	5	9	12	15	16
65+	52	8.7	25	2	3	8	12	16	18	23
B. *Operated*										
0-19 YRS	25	11.0	68	2	3	8	15	25	26	28
20-34	137	8.5	33	2	3	7	11	16	19	28
35-49	81	7.8	23	2	3	7	10	14	16	23
50-64	126	12.2	122	3	3	9	15	26	36	54
65+	169	14.3	170	3	3	10	19	29	37	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	3.5	10	1	1	3	5	6	8	19
B. *Operated*	698	6.0	30	2	2	5	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	137	6.6	21	1	2	5	9	13	16	22
B. *Operated*	538	11.2	104	3	3	8	14	22	30	48
1. SINGLE DX	915	5.4	26	1	2	4	6	10	14	22
2. MULTIPLE DX	675	10.2	90	2	3	7	13	21	26	47
A. NOT OPERATED	354	4.7	16	1	1	4	6	10	13	22
B. OPERATED	1236	8.2	68	2	3	5	10	17	22	42
TOTAL 0-19 YRS	137	6.0	29	1	1	4	7	13	18	26
20-34	696	5.7	30	1	2	4	7	11	14	22
35-49	263	6.3	22	2	2	5	8	14	16	22
50-64	231	9.6	88	2	3	7	12	20	30	49
65+	263	12.0	129	3	3	8	16	24	33	48
GRAND TOTAL	**1590**	**7.4**	**59**	**1**	**2**	**5**	**9**	**15**	**21**	**37**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	253	3.5	13	1	1	2	4	7	9	19
20-34	187	3.3	8	1	1	2	4	6	8	17
35-49	152	3.5	6	1	1	3	5	7	9	11
50-64	181	4.3	19	1	1	3	5	8	12	23
65+	228	5.3	22	1	1	4	7	11	15	24
B. *Operated*										
0-19 YRS	57	5.9	32	1	1	5	8	13	18	26
20-34	97	6.7	35	1	1	5	9	16	20	27
35-49	150	6.1	26	1	1	5	9	13	15	24
50-64	265	5.9	63	<1	1	3	8	12	17	34
65+	238	5.8	33	<1	1	3	9	14	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	348	4.7	25	1	1	3	5	9	14	24
20-34	291	5.0	31	1	1	3	6	9	14	34
35-49	366	5.4	40	1	1	4	6	11	15	26
50-64	913	6.8	35	1	2	5	9	14	18	32
65+	2202	8.4	54	2	2	6	10	17	23	36
B. *Operated*										
0-19 YRS	80	12.3	235	1	1	8	14	29	43	84
20-34	161	9.1	116	1	2	6	11	20	28	48
35-49	306	10.9	129	2	2	8	15	21	31	75
50-64	703	10.5	110	1	2	8	14	22	32	60
65+	890	12.8	137	2	2	10	17	27	34	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1001	4.0	15	1	1	3	5	8	11	21
B. *Operated*	807	6.0	42	1	1	4	8	13	17	30
2. MULTIPLE DX										
A. *Not Operated*	4120	7.2	46	1	2	5	9	15	21	34
B. *Operated*	2140	11.5	130	1	2	8	15	25	32	70
1. SINGLE DX	1808	4.9	28	1	1	3	6	11	14	25
2. MULTIPLE DX	6260	8.7	79	1	2	6	11	19	25	44
A. NOT OPERATED	5121	6.6	42	1	2	5	8	14	19	32
B. OPERATED	2947	10.0	112	1	2	7	13	22	30	59
TOTAL 0-19 YRS	738	5.2	51	1	1	3	6	11	16	33
20-34	736	5.7	48	1	1	3	7	13	18	33
35-49	974	6.9	68	1	1	4	9	15	21	42
50-64	2062	7.7	67	1	1	5	10	16	23	41
65+	3558	9.1	77	1	2	7	12	20	26	43
GRAND TOTAL	**8068**	**7.8**	**70**	**1**	**2**	**5**	**10**	**17**	**24**	**41**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	1.8	1	<1	<1	1	2	3	4	5
20-34	42	2.6	3	<1	<1	2	4	5	6	8
35-49	12	2.7	4	<1	<1	2	4	6	7	7
50-64	14	3.3	5	<1	1	3	4	7	8	8
65+	10	2.8	4	<1	<1	2	4	5	6	6
B. *Operated*										
0-19 YRS	1222	1.8	3	<1	<1	1	2	3	4	7
20-34	785	2.6	9	<1	1	2	3	4	5	9
35-49	478	2.4	2	1	1	2	3	4	5	7
50-64	278	2.6	3	1	1	2	3	4	6	12
65+	102	2.8	7	1	1	2	3	5	7	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	2.4	3	<1	<1	2	3	5	5	10
20-34	58	3.7	26	<1	<1	2	4	7	9	31
35-49	40	3.9	12	1	1	3	5	9	12	15
50-64	44	3.5	9	<1	<1	3	5	6	9	15
65+	45	5.4	26	1	1	4	7	10	13	30
B. *Operated*										
0-19 YRS	539	2.6	5	<1	1	2	3	5	6	12
20-34	613	2.8	12	1	1	2	3	5	6	12
35-49	442	2.8	12	1	1	2	3	5	7	14
50-64	452	3.4	13	1	1	2	4	6	10	27
65+	270	3.7	16	1	2	2	4	8	12	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	2.5	3	<1	<1	2	4	5	6	8
B. *Operated*	2865	2.3	5	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	244	3.7	16	<1	<1	3	5	8	10	23
B. *Operated*	2316	3.0	11	1	1	2	3	5	7	18
1. SINGLE DX	2967	2.3	5	<1	<1	2	3	4	5	9
2. MULTIPLE DX	2560	3.1	12	1	1	2	3	5	8	18
A. NOT OPERATED	346	3.4	12	<1	<1	2	4	7	9	16
B. OPERATED	5181	2.6	8	<1	1	2	3	4	6	12
TOTAL 0-19 YRS	1842	2.1	4	<1	<1	2	2	4	5	9
20-34	1498	2.8	11	1	1	2	3	5	6	12
35-49	972	2.7	7	1	1	2	3	5	6	11
50-64	788	3.1	10	1	1	2	3	6	8	16
65+	427	3.6	15	1	1	2	4	8	12	23
GRAND TOTAL	**5527**	**2.6**	**8**	**<1**	**1**	**2**	**3**	**5**	**6**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	3.0	2	1	1	3	4	5	6	8
20-34	35	3.7	5	1	2	3	4	7	8	11
35-49	19	3.5	4	1	1	3	4	7	8	8
50-64	27	5.0	11	<1	1	4	7	8	12	16
65+	32	4.0	5	1	1	4	5	7	8	9
B. *Operated*										
0-19 YRS	124	2.4	4	<1	<1	2	3	5	6	11
20-34	123	3.0	6	<1	1	2	4	5	9	13
35-49	130	3.5	40	<1	1	3	4	5	7	31
50-64	161	3.1	8	<1	1	3	4	5	6	22
65+	113	3.4	5	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	3.8	6	1	1	3	5	7	8	14
20-34	41	5.1	39	1	2	4	5	7	11	41
35-49	25	4.7	15	<1	1	4	6	12	14	16
50-64	65	6.1	24	1	2	5	8	13	15	26
65+	96	6.8	18	2	3	6	9	12	16	22
B. *Operated*										
0-19 YRS	53	2.9	6	<1	1	2	4	6	8	13
20-34	102	3.9	14	1	1	3	4	7	10	22
35-49	91	3.5	7	1	1	3	4	7	8	16
50-64	159	4.4	30	<1	1	3	5	7	12	33
65+	162	6.0	45	1	2	4	7	13	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	3.6	5	1	1	3	5	7	8	11
B. *Operated*	651	3.1	13	<1	1	2	4	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	307	5.5	20	1	2	4	7	10	14	23
B. *Operated*	567	4.5	27	1	1	3	5	8	13	29
1. SINGLE DX	835	3.2	11	<1	1	3	4	6	7	13
2. MULTIPLE DX	874	4.8	24	1	1	3	6	9	13	28
A. NOT OPERATED	491	4.8	15	1	2	4	6	9	12	18
B. OPERATED	1218	3.7	20	<1	1	3	4	7	9	22
TOTAL 0-19 YRS	328	3.0	5	<1	1	2	4	6	7	12
20-34	301	3.7	13	1	1	3	4	7	9	17
35-49	265	3.6	24	1	1	3	4	6	8	16
50-64	412	4.2	20	<1	1	3	5	8	12	25
65+	403	5.3	26	1	2	4	6	10	15	28
GRAND TOTAL	**1709**	**4.0**	**19**	**1**	**1**	**3**	**5**	**7**	**11**	**22**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	3.1	10	1	1	3	4	5	7	17
20-34	116	3.1	19	<1	<1	2	4	5	7	33
35-49	158	3.0	6	<1	1	2	4	6	7	16
50-64	149	2.9	4	<1	<1	3	4	5	7	11
65+	129	4.1	13	<1	1	3	5	8	11	21
B. *Operated*										
0-19 YRS	26	4.0	8	<1	1	4	6	8	8	9
20-34	72	6.0	31	<1	<1	6	8	11	16	31
35-49	92	5.7	20	1	1	5	8	10	12	23
50-64	150	5.4	25	<1	1	4	8	11	13	23
65+	169	5.1	18	<1	1	4	7	11	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	4.6	14	1	1	3	6	9	12	20
20-34	243	3.8	6	1	1	3	5	7	9	12
35-49	417	4.4	14	1	1	3	6	8	11	21
50-64	663	4.6	13	1	1	4	6	9	11	18
65+	809	6.1	32	1	2	5	7	11	16	35
B. *Operated*										
0-19 YRS	44	8.2	50	<1	1	7	11	17	24	30
20-34	102	8.7	91	2	2	7	10	15	21	93
35-49	235	7.5	45	1	2	6	9	13	17	45
50-64	438	8.6	80	1	2	6	11	16	25	46
65+	652	9.1	95	1	2	7	11	18	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	666	3.2	10	<1	1	3	4	6	8	15
B. *Operated*	509	5.3	22	<1	1	4	8	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	2293	5.0	20	1	1	4	6	9	12	24
B. *Operated*	1471	8.7	81	1	2	7	10	16	24	49
1. SINGLE DX	1175	4.1	16	<1	1	3	6	9	11	21
2. MULTIPLE DX	3764	6.4	47	1	2	5	8	13	17	34
A. NOT OPERATED	2959	4.6	18	1	1	3	6	9	11	23
B. OPERATED	1980	7.8	68	1	2	6	9	15	21	46
TOTAL 0-19 YRS	345	4.5	19	1	1	3	6	9	12	24
20-34	533	4.9	33	<1	1	3	6	9	12	31
35-49	902	5.1	24	1	1	4	7	10	12	24
50-64	1400	5.7	38	1	1	4	7	12	15	29
65+	1759	7.0	56	1	2	5	8	14	19	41
GRAND TOTAL	**4939**	**5.9**	**41**	**1**	**1**	**4**	**7**	**11**	**16**	**32**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	4.4	22	1	1	3	5	8	15	23
20-34	75	3.8	9	1	1	3	5	7	8	19
35-49	117	4.0	5	<1	1	4	5	8	9	11
50-64	113	4.1	6	<1	1	4	5	8	10	11
65+	95	4.9	10	<1	1	5	7	9	11	17
B. *Operated*										
0-19 YRS	4	4.0	5	2	2	3	5	7	7	7
20-34	31	6.8	14	2	2	7	10	12	14	15
35-49	84	8.0	16	2	3	8	10	12	16	23
50-64	114	7.3	22	<1	1	7	10	13	15	22
65+	71	8.0	43	1	2	6	10	15	24	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.4	5	<1	1	3	5	6	8	9
20-34	91	5.1	10	2	2	4	6	10	11	18
35-49	140	5.4	13	2	2	5	7	9	13	18
50-64	214	5.6	13	2	2	5	7	10	13	18
65+	427	7.3	32	2	3	6	9	13	17	31
B. *Operated*										
0-19 YRS	5	5.4	4	4	4	4	7	8	8	8
20-34	43	8.9	28	2	3	8	11	15	21	27
35-49	162	10.1	47	2	3	9	13	18	23	31
50-64	277	9.6	59	2	3	8	11	18	22	40
65+	302	10.8	65	3	4	9	13	21	28	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	421	4.2	8	<1	1	4	6	8	9	13
B. *Operated*	304	7.6	24	1	2	7	10	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	886	6.3	23	2	2	5	8	11	14	24
B. *Operated*	789	10.1	57	2	3	8	12	19	24	38
1. SINGLE DX	725	5.6	18	1	1	5	8	10	13	22
2. MULTIPLE DX	1675	8.1	42	2	3	6	10	15	20	35
A. NOT OPERATED	1307	5.6	19	1	2	5	7	10	13	21
B. OPERATED	1093	9.4	49	2	3	8	11	17	22	36
TOTAL 0-19 YRS	44	4.2	13	1	1	3	5	8	9	23
20-34	240	5.6	17	1	2	4	7	11	14	22
35-49	503	7.0	29	1	2	6	9	13	17	28
50-64	718	7.2	36	1	2	6	9	13	17	31
65+	895	8.3	45	2	3	7	10	15	21	37
GRAND TOTAL	**2400**	**7.4**	**36**	**1**	**2**	**6**	**9**	**14**	**18**	**32**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.0	6	1	1	3	6	8	9	9
20-34	26	7.0	136	2	2	4	6	10	21	63
35-49	68	4.5	7	1	2	4	6	7	9	15
50-64	121	5.4	75	2	2	4	6	8	10	38
65+	133	5.5	7	2	3	5	7	10	11	15
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	25	9.5	33	3	5	8	11	15	21	29
35-49	59	8.3	18	3	4	7	11	13	17	22
50-64	83	8.8	19	3	4	8	11	14	18	22
65+	98	10.1	25	2	4	10	13	17	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.4	1	2	2	3	4	5	5	5
20-34	42	4.4	4	1	2	4	5	7	7	11
35-49	90	4.8	5	2	2	5	6	8	9	11
50-64	255	5.9	15	2	3	5	7	10	13	23
65+	526	8.0	30	3	3	7	9	14	18	32
B. *Operated*										
0-19 YRS	4	7.5	18	3	3	7	10	13	13	13
20-34	28	9.8	39	3	3	9	11	18	24	27
35-49	74	10.9	62	2	3	9	14	20	24	42
50-64	247	12.2	107	3	4	9	15	24	31	51
65+	437	13.7	130	4	5	10	17	26	33	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	359	5.3	39	2	2	4	6	8	10	16
B. *Operated*	266	9.2	23	3	4	8	12	15	18	22
2. MULTIPLE DX										
A. *Not Operated*	921	6.9	24	2	3	6	8	12	16	25
B. *Operated*	790	12.8	114	3	4	10	16	25	31	58
1. SINGLE DX	625	7.0	36	2	2	6	9	13	15	21
2. MULTIPLE DX	1711	9.6	74	3	3	7	11	19	25	43
A. NOT OPERATED	1280	6.5	29	2	3	5	8	11	14	24
B. OPERATED	1056	11.9	93	3	4	9	14	23	28	49
TOTAL 0-19 YRS	24	4.3	7	1	2	3	5	8	10	13
20-34	121	7.3	50	2	2	5	9	13	17	39
35-49	291	7.0	29	2	2	5	9	13	18	29
50-64	706	8.3	66	2	3	6	10	15	22	38
65+	1194	10.0	73	3	4	8	12	19	25	43
GRAND TOTAL	**2336**	**8.9**	**65**	**2**	**3**	**7**	**11**	**17**	**23**	**41**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	3.3	4	1	1	3	4	7	8	8
20-34	324	3.6	5	1	1	3	4	6	8	12
35-49	309	3.7	6	1	1	3	5	7	8	10
50-64	217	3.8	4	1	2	4	5	7	8	9
65+	179	4.9	12	1	2	4	6	8	11	16
B. *Operated*										
0-19 YRS	6	8.0	4	6	6	8	9	11	11	11
20-34	72	8.8	12	3	6	8	10	14	16	20
35-49	96	8.5	14	4	6	8	9	13	16	23
50-64	82	10.2	29	4	5	9	12	18	22	30
65+	34	8.9	18	3	5	8	11	13	13	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	4.9	17	2	2	4	6	9	13	23
20-34	363	4.7	15	1	2	4	6	8	10	22
35-49	474	4.8	25	1	2	4	6	8	10	15
50-64	558	5.3	18	2	2	4	6	10	12	19
65+	791	6.2	18	2	2	5	8	11	15	24
B. *Operated*										
0-19 YRS	9	6.3	11	3	3	5	9	11	11	11
20-34	85	10.7	95	2	3	8	12	20	27	61
35-49	173	11.5	107	3	5	9	12	18	26	65
50-64	199	11.2	64	3	4	9	13	22	29	44
65+	186	12.3	70	3	4	10	15	23	30	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1102	3.9	7	1	1	3	5	7	8	13
B. *Operated*	290	9.1	18	4	5	8	10	14	18	26
2. MULTIPLE DX										
A. *Not Operated*	2254	5.4	19	2	2	4	7	9	12	21
B. *Operated*	652	11.5	81	3	4	9	13	21	28	53
1. SINGLE DX	1392	4.9	14	1	2	4	7	9	11	20
2. MULTIPLE DX	2906	6.8	39	2	2	5	8	12	17	32
A. NOT OPERATED	3356	4.9	16	1	2	4	6	9	11	20
B. OPERATED	942	10.7	63	3	5	9	12	18	24	44
TOTAL 0-19 YRS	156	4.3	11	1	2	3	5	8	10	21
20-34	844	5.2	24	1	2	4	7	9	13	23
35-49	1052	5.9	40	1	2	5	7	10	14	26
50-64	1056	6.5	32	2	2	5	8	12	16	31
65+	1190	7.0	31	2	2	6	9	13	18	30
GRAND TOTAL	**4298**	**6.2**	**32**	**1**	**2**	**5**	**8**	**11**	**15**	**29**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	4.5	4	2	2	4	6	7	8	8
20-34	196	3.7	4	1	2	3	5	6	7	10
35-49	243	4.0	3	2	2	4	5	7	7	10
50-64	303	4.4	6	1	2	4	5	7	9	13
65+	291	5.4	7	2	3	5	7	9	11	13
B. *Operated*										
0-19 YRS	7	6.0	24	2	2	5	7	14	16	16
20-34	78	8.8	15	2	5	8	10	13	15	25
35-49	106	9.5	38	4	5	8	10	15	21	40
50-64	130	9.3	16	4	5	9	11	14	16	22
65+	96	11.7	48	4	6	11	14	17	21	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.0	7	1	1	3	5	8	9	11
20-34	137	5.0	21	1	2	4	5	8	12	28
35-49	264	4.9	16	2	2	4	6	8	10	17
50-64	514	5.9	22	2	3	5	7	9	12	24
65+	949	7.9	33	3	3	6	9	14	18	30
B. *Operated*										
0-19 YRS	10	9.1	29	4	4	8	10	18	20	20
20-34	62	11.4	116	3	5	9	12	18	35	56
35-49	129	13.1	115	4	5	10	15	25	39	82
50-64	259	13.2	143	3	4	10	15	24	33	83
65+	441	16.6	169	4	6	13	19	30	46	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1062	4.5	6	2	2	4	6	7	9	12
B. *Operated*	417	9.8	30	4	5	9	12	15	18	29
2. MULTIPLE DX										
A. *Not Operated*	1894	6.7	28	2	3	5	8	12	16	28
B. *Operated*	901	14.7	152	4	5	11	17	27	40	76
1. SINGLE DX	1479	6.0	18	2	2	5	8	11	13	20
2. MULTIPLE DX	2795	9.2	82	2	3	7	11	18	25	52
A. NOT OPERATED	2956	5.9	21	2	2	5	7	10	13	24
B. OPERATED	1318	13.1	116	4	5	10	15	24	33	60
TOTAL 0-19 YRS	76	5.0	12	1	2	4	7	9	11	19
20-34	473	5.9	33	1	2	5	7	11	13	28
35-49	742	6.7	44	2	2	5	8	12	17	40
50-64	1206	7.5	54	2	3	5	9	13	18	37
65+	1777	9.8	80	3	3	7	12	18	25	53
GRAND TOTAL	**4274**	**8.1**	**62**	**2**	**3**	**6**	**10**	**15**	**21**	**45**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34	8	4.4	13	2	2	3	4	10	13	13
35-49	14	4.8	7	1	2	4	6	8	10	11
50-64	20	6.8	29	1	2	6	7	13	20	25
65+	19	6.3	14	2	2	6	8	12	15	16
B. *Operated*										
0-19 YRS	5	8.4	25	1	1	8	12	14	14	14
20-34	13	8.8	39	<1	2	8	12	19	19	19
35-49	37	11.4	18	7	7	11	13	16	19	27
50-64	49	11.4	40	5	6	10	14	16	17	43
65+	49	15.3	188	5	7	13	16	20	28	92
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	5.8	15	1	2	5	6	13	15	15
35-49	22	5.4	13	1	2	5	7	10	13	16
50-64	44	6.5	16	2	3	5	8	13	15	18
65+	82	8.6	27	3	4	7	11	14	19	29
B. *Operated*										
0-19 YRS	3	11.7	20	7	7	12	15	16	16	16
20-34	14	12.0	52	5	7	10	12	26	30	31
35-49	57	15.6	118	7	7	12	18	28	32	73
50-64	135	17.2	219	5	7	13	19	30	49	92
65+	162	18.9	174	5	7	15	23	39	50	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	5.8	17	2	2	5	7	10	14	24
B. *Operated*	153	12.3	85	4	6	11	14	18	20	57
2. MULTIPLE DX										
A. *Not Operated*	161	7.4	22	2	3	6	9	13	16	26
B. *Operated*	371	17.5	178	6	7	14	20	33	48	79
1. SINGLE DX	217	10.4	73	2	3	9	13	16	20	48
2. MULTIPLE DX	532	14.4	152	3	4	11	17	28	40	73
A. NOT OPERATED	225	6.9	21	2	3	6	9	13	16	25
B. OPERATED	524	16.0	156	5	7	12	18	29	42	76
TOTAL 0-19 YRS	11	8.3	22	1	3	7	12	15	16	16
20-34	48	8.2	39	2	2	7	10	16	20	31
35-49	130	11.5	78	2	3	10	14	19	27	47
50-64	248	13.3	152	3	4	10	16	24	36	82
65+	312	14.9	150	3	5	12	17	28	42	59
GRAND TOTAL	**749**	**13.2**	**132**	**3**	**4**	**10**	**16**	**24**	**34**	**65**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	304	2.4	2	1	1	2	3	4	5	7
20-34	660	2.9	5	1	1	2	4	5	7	11
35-49	447	3.3	7	1	1	3	4	6	8	14
50-64	335	3.3	6	<1	1	3	4	7	8	12
65+	238	4.0	11	<1	1	3	5	8	9	18
B. *Operated*										
0-19 YRS	11	3.6	5	<1	1	3	6	7	7	7
20-34	46	4.2	9	<1	<1	3	6	8	9	12
35-49	63	5.6	20	<1	<1	4	8	13	16	18
50-64	52	6.1	27	<1	<1	5	8	11	20	23
65+	33	7.1	30	1	2	6	9	15	16	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	402	3.2	24	1	1	2	4	5	7	11
20-34	1076	3.9	9	1	1	3	5	7	10	17
35-49	1361	4.3	10	1	2	4	5	8	10	18
50-64	1481	5.3	19	1	2	4	6	10	13	25
65+	1788	6.1	21	2	2	5	7	11	14	25
B. *Operated*										
0-19 YRS	19	5.7	6	2	3	6	7	8	10	12
20-34	163	7.6	41	1	2	6	9	15	18	38
35-49	231	8.2	38	2	2	7	10	15	20	33
50-64	334	8.7	51	2	3	7	10	17	22	42
65+	429	10.5	73	3	3	8	12	19	26	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1984	3.1	6	1	1	3	4	6	7	13
B. *Operated*	205	5.5	21	<1	<1	5	7	10	15	22
2. MULTIPLE DX										
A. *Not Operated*	6108	4.9	17	1	2	4	6	9	12	23
B. *Operated*	1176	9.1	56	2	3	7	11	17	23	41
1. SINGLE DX	2189	3.3	8	<1	1	3	4	6	8	15
2. MULTIPLE DX	7284	5.6	26	1	2	4	7	11	14	27
A. NOT OPERATED	8092	4.5	15	1	1	4	5	8	11	21
B. OPERATED	1381	8.5	52	1	2	7	10	16	21	40
TOTAL 0-19 YRS	736	2.9	14	1	1	2	4	5	6	9
20-34	1945	3.9	12	1	1	3	5	7	10	18
35-49	2102	4.6	15	1	1	4	6	9	12	20
50-64	2202	5.5	24	1	2	4	7	11	14	28
65+	2488	6.6	32	1	2	5	8	12	17	30
GRAND TOTAL	**9473**	**5.1**	**22**	**1**	**1**	**4**	**6**	**10**	**13**	**26**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	2.9	4	1	1	3	4	5	6	12
20-34	166	3.0	4	1	1	3	4	5	7	9
35-49	147	3.4	6	1	1	3	4	7	8	14
50-64	115	3.7	11	<1	1	3	4	7	11	18
65+	73	5.2	22	1	1	4	6	10	13	29
B. *Operated*										
0-19 YRS	63	3.7	5	1	2	3	4	6	8	14
20-34	18	9.3	85	1	2	6	14	21	31	37
35-49	21	11.2	43	3	4	10	13	22	25	26
50-64	30	9.5	20	2	3	9	12	15	19	20
65+	24	12.4	78	<1	2	10	17	24	32	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	3.3	8	1	1	3	4	7	8	17
20-34	268	4.6	18	1	1	3	5	9	12	29
35-49	252	5.2	24	1	2	4	6	9	13	32
50-64	289	4.9	16	1	2	4	6	9	12	19
65+	457	6.4	28	1	2	5	8	13	17	28
B. *Operated*										
0-19 YRS	16	8.5	47	2	3	7	10	15	26	31
20-34	55	12.2	93	2	3	11	16	27	32	41
35-49	99	13.3	126	2	3	10	17	22	34	59
50-64	134	14.8	143	4	5	11	18	31	39	60
65+	190	17.8	179	4	5	15	23	34	46	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	587	3.5	9	1	1	3	4	7	8	15
B. *Operated*	156	7.8	45	1	2	5	11	17	21	34
2. MULTIPLE DX										
A. *Not Operated*	1371	5.3	22	1	1	4	6	10	14	27
B. *Operated*	494	15.2	150	3	4	12	18	30	41	60
1. SINGLE DX	743	4.4	19	1	1	3	5	9	12	23
2. MULTIPLE DX	1865	7.9	75	1	2	5	9	17	25	50
A. NOT OPERATED	1958	4.7	19	1	1	4	6	9	13	23
B. OPERATED	650	13.4	134	2	3	10	17	27	36	58
TOTAL 0-19 YRS	270	3.6	10	1	1	3	4	7	9	15
20-34	507	5.0	31	1	1	3	5	11	16	32
35-49	519	6.5	52	1	1	4	8	14	18	34
50-64	568	7.2	64	1	2	5	9	15	21	40
65+	744	9.4	93	2	2	6	12	20	28	52
GRAND TOTAL	**2608**	**6.9**	**61**	**1**	**1**	**4**	**8**	**15**	**22**	**42**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.2	2	<1	1	2	3	4	5	7
20-34	48	2.6	2	1	1	3	3	4	6	9
35-49	6	2.8	3	1	1	2	4	6	6	6
50-64	7	3.6	2	2	2	4	5	5	5	5
65+	4	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	4236	3.4	5	2	2	3	4	5	6	9
20-34	3058	3.7	6	2	2	3	4	5	6	9
35-49	803	4.1	4	2	2	4	5	6	8	12
50-64	331	4.5	6	2	2	4	5	7	8	13
65+	132	5.4	7	2	3	5	6	9	11	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.5	6	<1	<1	3	5	7	8	8
20-34	20	2.9	4	<1	<1	2	4	6	7	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64	4	8.8	46	2	2	7	13	18	18	18
65+	5	8.0	47	3	3	6	10	20	20	20
B. *Operated*										
0-19 YRS	593	4.7	8	2	2	4	5	7	10	19
20-34	623	4.9	10	2	3	4	6	8	11	18
35-49	227	6.2	21	2	3	5	8	11	13	24
50-64	144	7.2	21	2	3	6	9	13	17	24
65+	107	8.7	26	3	4	7	11	14	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	2.5	2	1	1	2	3	4	5	8
B. *Operated*	8560	3.6	6	2	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	44	4.2	16	<1	1	3	6	8	12	20
B. *Operated*	1694	5.4	14	2	3	4	6	10	12	20
1. SINGLE DX	8667	3.6	6	2	2	3	4	5	6	10
2. MULTIPLE DX	1738	5.4	14	2	3	4	6	10	12	20
A. NOT OPERATED	151	3.0	7	<1	1	2	4	6	7	18
B. OPERATED	10254	3.9	7	2	2	3	4	6	8	14
TOTAL 0-19 YRS	4885	3.6	6	2	2	3	4	5	5	11
20-34	3749	3.8	7	2	2	3	4	6	7	12
35-49	1037	4.5	8	2	2	4	5	8	9	14
50-64	486	5.3	12	2	3	4	6	9	12	21
65+	248	6.8	18	2	3	6	8	12	15	28
GRAND TOTAL	**10405**	**3.9**	**7**	**2**	**2**	**3**	**4**	**6**	**8**	**14**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	5.5	21	<1	<1	5	6	10	16	21
20-34	12	4.6	5	2	2	4	6	8	9	9
35-49	5	3.2	10	1	1	1	6	8	8	8
50-64	3	5.3	4	3	3	6	7	7	7	7
65+	3	6.3	2	5	5	6	7	8	8	8
B. *Operated*										
0-19 YRS	1022	6.3	13	2	3	6	8	10	12	20
20-34	680	6.3	20	2	3	6	8	10	12	22
35-49	318	7.4	11	3	4	7	9	12	14	18
50-64	246	8.3	17	3	4	8	10	13	15	23
65+	140	9.7	23	3	4	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.8	9	2	2	3	7	9	9	9
20-34	3	9.3	4	7	7	10	11	11	11	11
35-49	2	13.0	98	6	6	13	20	20	20	20
50-64	5	8.8	25	2	2	8	11	16	16	16
65+	6	6.8	26	1	1	7	11	13	13	13
B. *Operated*										
0-19 YRS	413	10.6	34	4	5	9	13	19	22	30
20-34	305	10.0	47	3	4	8	12	18	23	43
35-49	213	10.2	45	4	5	9	12	17	23	36
50-64	243	11.4	38	5	5	10	14	18	24	40
65+	235	15.7	124	6	6	13	19	26	32	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	5.0	13	<1	1	5	6	8	10	21
B. *Operated*	2406	6.9	16	2	3	6	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	21	7.8	25	1	2	8	10	14	18	20
B. *Operated*	1409	11.4	58	4	5	9	14	20	25	39
1. SINGLE DX	2448	6.8	16	2	3	6	8	11	14	21
2. MULTIPLE DX	1430	11.3	58	4	5	9	14	20	24	38
A. NOT OPERATED	63	5.9	18	1	1	5	8	11	14	21
B. OPERATED	3815	8.5	36	3	3	7	10	15	19	31
TOTAL 0-19 YRS	1459	7.5	23	2	3	7	9	13	17	25
20-34	1000	7.4	31	2	3	6	9	13	17	30
35-49	538	8.5	27	3	4	7	10	14	17	33
50-64	497	9.8	29	4	4	9	12	16	20	32
65+	384	13.3	94	4	6	11	16	21	28	51
GRAND TOTAL	**3878**	**8.5**	**36**	**3**	**3**	**7**	**10**	**15**	**19**	**31**

199: Disease of Appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	1.5	1	<1	<1	1	2	3	3	4
20-34	54	2.5	7	<1	1	2	3	5	10	12
35-49	12	2.1	2	1	1	2	2	4	6	6
50-64	3	1.3		1	1	1	2	2	2	2
65+	5	2.6	1	1	1	3	3	4	4	4
B. *Operated*										
0-19 YRS	431	3.8	3	2	2	4	4	5	7	10
20-34	345	4.0	4	2	2	4	5	6	7	12
35-49	75	4.5	5	2	2	4	5	7	9	12
50-64	44	4.8	5	2	2	4	6	9	9	10
65+	15	5.3	7	1	2	5	8	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.5	4	1	1	2	3	4	6	11
20-34	27	2.8	5	<1	1	2	3	7	8	9
35-49	13	3.8	6	1	1	4	5	8	8	8
50-64	8	2.0	1	<1	<1	2	3	4	4	4
65+	8	3.3	4	1	1	3	4	6	7	7
B. *Operated*										
0-19 YRS	222	4.8	9	2	3	4	5	8	10	17
20-34	223	5.3	7	2	3	5	6	9	10	13
35-49	56	6.7	14	3	3	6	8	10	13	22
50-64	33	8.6	51	3	4	7	10	14	20	42
65+	25	13.2	127	4	5	10	16	22	33	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	2.0	3	<1	1	1	2	3	5	12
B. *Operated*	910	4.0	4	2	2	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	89	2.8	4	1	1	2	3	6	8	10
B. *Operated*	559	5.8	20	2	3	5	7	10	12	22
1. SINGLE DX	1057	3.7	4	1	2	4	4	6	7	11
2. MULTIPLE DX	648	5.4	18	2	2	4	6	9	12	21
A. NOT OPERATED	236	2.3	4	<1	1	2	3	4	6	11
B. OPERATED	1469	4.7	10	2	2	4	5	8	10	17
TOTAL 0-19 YRS	759	3.8	6	1	2	4	4	6	8	13
20-34	649	4.3	6	1	2	4	5	7	9	12
35-49	156	5.1	10	2	2	4	7	9	10	19
50-64	88	5.8	27	1	2	5	7	10	12	34
65+	53	8.5	82	1	2	6	10	18	22	58
GRAND TOTAL	**1705**	**4.4**	**10**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	1.2		<1	<1	1	1	2	2	3
20-34	16	1.8	2	<1	<1	1	2	4	5	5
35-49	14	2.6	3	<1	<1	2	4	5	6	7
50-64	14	2.7	3	<1	<1	2	5	5	5	5
65+	19	3.3	7	1	1	3	4	7	9	11
B. *Operated*										
0-19 YRS	2751	2.1	4	<1	<1	2	3	3	4	6
20-34	3080	3.2	2	1	2	3	4	5	5	8
35-49	2540	3.5	3	1	2	3	4	5	6	8
50-64	3951	3.8	4	2	2	4	4	5	6	9
65+	3141	4.3	4	2	2	4	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	1.3	1	<1	<1	1	1	2	3	9
20-34	26	1.6	2	<1	<1	1	2	4	5	5
35-49	16	2.1	4	<1	<1	1	2	5	7	8
50-64	51	2.8	5	<1	1	2	4	5	6	12
65+	98	4.3	35	<1	<1	3	6	10	13	74
B. *Operated*										
0-19 YRS	1359	2.1	3	<1	<1	2	3	4	5	9
20-34	891	3.8	8	1	2	3	4	5	7	12
35-49	1202	4.0	4	2	2	4	5	6	7	12
50-64	2495	4.6	14	2	2	4	5	7	9	16
65+	3147	5.9	16	2	3	5	7	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	2.2	3	<1	<1	1	3	5	5	10
B. *Operated*	15463	3.4	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	284	2.7	15	<1	<1	1	3	6	9	22
B. *Operated*	9094	4.5	13	1	2	4	5	8	10	18
1. SINGLE DX	15552	3.4	4	1	1	3	4	5	6	9
2. MULTIPLE DX	9378	4.4	13	1	2	4	5	7	10	18
A. NOT OPERATED	373	2.6	13	<1	<1	1	3	5	8	15
B. OPERATED	24557	3.8	8	1	2	3	5	6	8	14
TOTAL 0-19 YRS	4229	2.1	4	<1	<1	2	3	4	4	7
20-34	4013	3.3	4	1	2	3	4	5	6	10
35-49	3772	3.7	4	2	2	3	4	5	6	9
50-64	6511	4.1	8	2	2	4	5	6	7	12
65+	6405	5.0	11	2	3	4	6	8	11	20
GRAND TOTAL	**24930**	**3.8**	**8**	**1**	**1**	**3**	**5**	**6**	**8**	**14**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	4	2.3	6	1	1	1	4	6	6	6
65+	8	3.5	13	1	1	1	6	9	10	10
B. *Operated*										
0-19 YRS	223	2.2	21	<1	<1	2	2	3	4	12
20-34	103	3.1	2	1	2	3	4	5	5	8
35-49	78	3.5	3	1	2	3	4	5	6	10
50-64	154	4.9	58	2	2	4	5	7	10	25
65+	198	5.3	7	2	3	5	6	9	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4	1	<1	<1	1	2	3	3	3
20-34										
35-49	3	6.0	25	1	1	6	10	11	11	11
50-64	5	2.2	2	<1	<1	2	3	4	4	4
65+	29	4.1	9	1	1	3	5	9	11	12
B. *Operated*										
0-19 YRS	134	2.4	5	<1	1	2	3	4	7	13
20-34	39	4.3	8	1	1	4	6	9	10	11
35-49	50	5.5	17	2	2	4	6	9	12	23
50-64	96	7.0	48	2	2	5	7	13	18	42
65+	385	8.8	39	3	4	7	11	16	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.2	6	<1	1	1	2	6	8	10
B. *Operated*	756	3.8	22	1	1	3	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*	42	3.7	9	<1	1	3	4	9	11	12
B. *Operated*	704	6.9	37	1	1	5	9	13	18	34
1. SINGLE DX	780	3.8	22	1	1	3	4	6	8	18
2. MULTIPLE DX	746	6.7	36	1	1	5	8	13	17	34
A. NOT OPERATED	66	3.1	8	<1	1	2	4	8	10	12
B. OPERATED	1460	5.3	31	1	1	4	6	10	14	25
TOTAL 0-19 YRS	368	2.3	15	<1	1	2	2	4	5	12
20-34	145	3.4	4	1	1	3	4	5	8	10
35-49	134	4.2	10	1	2	4	5	7	9	22
50-64	259	5.6	54	2	2	4	6	9	13	35
65+	620	7.4	30	2	3	6	9	14	18	33
GRAND TOTAL	**1526**	**5.2**	**31**	**1**	**1**	**4**	**6**	**10**	**14**	**25**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	3	2.7	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	320	1.7	1	<1	<1	1	2	3	3	7
20-34	161	2.7	2	1	1	2	3	4	5	8
35-49	206	3.1	3	1	1	3	4	5	6	10
50-64	174	3.4	6	1	2	3	4	6	6	8
65+	70	3.8	5	1	2	3	5	6	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.8	55	<1	<1	1	2	16	22	22
20-34	5	1.4		<1	<1	1	2	2	2	2
35-49	5	1.4	1	<1	<1	1	2	3	3	3
50-64	11	2.3	1	<1	<1	2	3	4	4	4
65+	13	3.3	19	<1	<1	1	3	10	15	16
B. *Operated*										
0-19 YRS	58	2.5	6	<1	<1	2	2	5	7	15
20-34	114	4.1	21	1	2	3	5	6	8	24
35-49	160	4.5	7	1	2	4	5	8	11	13
50-64	181	5.3	20	2	2	4	6	9	14	24
65+	99	6.9	32	2	2	5	8	13	20	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.1	2	<1	1	1	3	4	4	4
B. *Operated*	931	2.6	4	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	42	2.7	16	<1	<1	1	3	4	12	22
B. *Operated*	612	4.9	19	1	2	4	6	9	12	23
1. SINGLE DX	947	2.6	4	<1	1	2	3	4	6	8
2. MULTIPLE DX	654	4.7	19	1	2	4	5	9	12	23
A. NOT OPERATED	58	2.5	12	<1	<1	1	3	4	7	22
B. OPERATED	1543	3.5	11	<1	1	3	4	6	8	16
TOTAL 0-19 YRS	392	1.8	3	<1	<1	2	2	3	4	8
20-34	283	3.2	10	1	1	3	4	5	6	9
35-49	373	3.7	6	1	1	3	4	6	8	13
50-64	368	4.3	14	1	2	3	5	7	9	23
65+	185	5.4	23	1	2	4	6	10	15	28
GRAND TOTAL	**1601**	**3.5**	**11**	**<1**	**1**	**3**	**4**	**6**	**8**	**17**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	1.4	1	<1	<1	1	2	3	3	3
35-49	10	2.8	7	<1	<1	2	3	7	8	8
50-64	10	3.5	7	<1	<1	3	4	8	10	10
65+	8	3.6	4	<1	1	3	4	7	8	8
B. *Operated*										
0-19 YRS	99	2.3	3	<1	<1	2	3	4	5	12
20-34	291	3.5	5	1	2	3	4	6	7	11
35-49	414	4.5	6	2	2	4	6	7	8	11
50-64	549	5.1	6	2	2	5	6	8	10	13
65+	375	6.1	10	2	3	6	8	10	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	<1	2	2	2	2
20-34	12	2.5	5	<1	<1	2	3	6	8	8
35-49	24	5.0	28	<1	1	3	7	13	18	19
50-64	31	3.6	8	<1	<1	3	5	8	11	11
65+	58	4.9	9	1	1	4	8	9	10	12
B. *Operated*										
0-19 YRS	28	4.0	11	1	1	3	6	9	10	15
20-34	182	5.4	9	2	2	5	7	9	11	17
35-49	381	5.9	11	2	3	5	7	9	11	20
50-64	577	7.1	34	2	3	6	8	12	15	27
65+	590	8.2	43	3	4	7	9	13	19	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.0	5	<1	<1	2	3	7	8	10
B. *Operated*	1728	4.7	8	2	2	4	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	128	4.3	12	<1	1	3	6	9	11	18
B. *Operated*	1758	7.0	30	2	3	6	8	11	15	25
1. SINGLE DX	1762	4.7	8	1	2	4	6	8	10	13
2. MULTIPLE DX	1886	6.8	29	2	3	6	8	11	14	24
A. NOT OPERATED	162	4.0	11	<1	1	3	6	9	10	17
B. OPERATED	3486	5.9	20	2	2	5	7	10	12	21
TOTAL 0-19 YRS	131	2.6	5	<1	<1	2	3	5	7	13
20-34	490	4.2	7	1	2	4	5	7	9	15
35-49	829	5.1	9	2	2	5	6	8	10	18
50-64	1167	6.1	21	2	3	5	7	10	12	20
65+	1031	7.2	30	3	3	6	8	11	15	25
GRAND TOTAL	**3648**	**5.8**	**20**	**2**	**2**	**5**	**7**	**10**	**12**	**21**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	25	3.3	4	1	1	3	4	7	8	9
35-49	60	3.3	12	<1	<1	3	4	5	7	24
50-64	118	3.0	3	<1	1	3	4	5	6	9
65+	107	3.8	5	1	1	3	5	6	7	13
B. *Operated*										
0-19 YRS	6	6.7	10	1	1	7	9	10	10	10
20-34	21	8.2	15	2	4	7	10	13	16	19
35-49	41	7.8	9	3	5	7	9	11	17	99+
50-64	67	8.2	15	4	5	7	10	12	13	25
65+	38	8.9	11	2	5	9	10	13	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.6	5	1	1	3	4	7	9	9
20-34	86	3.4	4	<1	1	3	4	6	7	10
35-49	298	3.9	9	1	1	3	5	7	8	16
50-64	589	4.2	7	1	2	4	5	8	9	15
65+	1058	5.1	14	2	2	4	6	9	11	22
B. *Operated*										
0-19 YRS	8	8.5	14	3	4	8	10	14	16	16
20-34	78	8.2	14	3	4	7	10	14	15	22
35-49	259	8.8	28	2	4	8	10	14	19	32
50-64	430	9.3	33	3	4	8	11	15	19	34
65+	339	10.0	43	2	3	9	12	17	22	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	312	3.4	6	<1	1	3	4	6	7	13
B. *Operated*	173	8.2	12	2	5	8	10	12	14	25
2. MULTIPLE DX										
A. *Not Operated*	2043	4.6	11	1	2	4	6	8	10	18
B. *Operated*	1114	9.3	34	3	4	8	11	15	19	30
1. SINGLE DX	485	5.1	13	1	1	4	7	10	12	18
2. MULTIPLE DX	3157	6.3	24	1	2	5	8	12	15	25
A. NOT OPERATED	2355	4.4	10	1	2	4	5	8	10	17
B. OPERATED	1287	9.2	31	3	4	8	11	15	19	30
TOTAL 0-19 YRS	28	5.7	12	1	1	6	8	10	11	16
20-34	210	5.7	14	1	2	5	7	10	14	18
35-49	658	6.0	23	1	2	5	8	10	14	28
50-64	1204	6.1	23	1	2	5	8	11	14	23
65+	1542	6.2	24	2	2	5	8	12	15	23
GRAND TOTAL	**3642**	**6.1**	**23**	**1**	**2**	**5**	**8**	**11**	**14**	**24**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	4.4	21	1	1	3	5	12	14	14
35-49	3	4.3	4	2	2	5	6	6	6	6
50-64	8	2.6	2	1	1	2	3	5	5	5
65+	4	2.3	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	34	2.9	4	<1	1	2	3	5	8	9
20-34	63	4.2	10	2	2	4	4	6	11	22
35-49	82	3.9	3	1	2	4	5	6	7	11
50-64	109	4.4	6	2	2	4	5	8	10	13
65+	110	4.9	5	2	3	4	6	8	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	4.0	1	3	3	4	5	5	5	5
35-49	7	3.6	3	1	1	4	5	6	6	6
50-64	15	6.3	20	1	2	5	8	15	16	16
65+	19	6.1	23	1	2	5	8	10	17	22
B. *Operated*										
0-19 YRS	10	2.8	2	1	1	3	3	5	6	6
20-34	48	4.8	8	1	2	4	6	9	10	15
35-49	65	5.4	16	2	2	4	6	11	14	24
50-64	88	5.9	13	2	3	5	7	12	13	18
65+	148	7.6	20	3	3	6	10	13	16	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	3.4	8	1	1	3	5	6	9	14
B. *Operated*	398	4.3	6	1	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	46	5.5	17	1	2	4	7	10	15	22
B. *Operated*	359	6.3	17	2	3	5	8	12	15	20
1. SINGLE DX	420	4.2	6	1	2	4	5	7	8	13
2. MULTIPLE DX	405	6.2	17	2	2	5	8	11	15	21
A. NOT OPERATED	68	4.8	15	1	1	4	6	9	14	21
B. OPERATED	757	5.2	12	2	2	4	6	10	12	19
TOTAL 0-19 YRS	45	2.8	3	<1	1	3	3	4	7	9
20-34	122	4.4	9	1	2	4	5	8	10	17
35-49	157	4.5	9	2	2	4	5	7	10	15
50-64	220	5.1	10	2	2	4	6	9	12	16
65+	281	6.3	16	2	3	5	8	11	14	21
GRAND TOTAL	**825**	**5.2**	**12**	**2**	**2**	**4**	**6**	**9**	**12**	**19**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	9	2.3	1	1	1	2	3	3	3	3
50-64	17	3.3	6	<1	<1	2	4	8	9	9
65+	22	3.6	6	<1	1	3	4	7	9	10
B. *Operated*										
0-19 YRS	37	2.7	3	1	1	2	3	4	6	9
20-34	104	3.2	8	1	1	3	4	5	6	19
35-49	155	4.0	7	1	2	3	5	7	9	14
50-64	187	5.5	15	2	2	4	7	11	13	20
65+	235	7.6	23	2	3	7	10	13	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.8	3	1	1	3	4	5	5	5
35-49	6	5.0	4	2	2	5	7	7	7	7
50-64	32	4.3	7	1	1	4	5	8	9	11
65+	85	5.9	21	1	2	5	7	12	14	26
B. *Operated*										
0-19 YRS	16	3.3	6	1	1	2	4	7	9	10
20-34	49	4.8	6	2	2	4	7	9	9	12
35-49	146	7.5	51	2	3	6	9	14	17	39
50-64	252	8.7	88	3	3	6	10	15	18	58
65+	452	11.5	69	3	4	9	14	22	28	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.2	5	<1	1	3	4	7	8	10
B. *Operated*	718	5.4	17	1	2	4	7	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	128	5.4	17	1	2	4	7	10	12	24
B. *Operated*	915	9.6	71	2	3	8	12	18	24	41
1. SINGLE DX	769	5.3	17	1	2	4	7	10	13	21
2. MULTIPLE DX	1043	9.1	66	2	3	7	11	17	23	39
A. NOT OPERATED	179	4.7	14	1	1	4	6	9	11	22
B. OPERATED	1633	7.8	52	2	2	6	10	15	20	34
TOTAL 0-19 YRS	55	2.8	4	1	1	2	4	5	7	10
20-34	159	3.7	8	1	1	3	4	7	9	14
35-49	316	5.6	30	2	2	4	7	10	14	24
50-64	488	7.0	55	2	2	5	8	12	16	32
65+	794	9.6	54	2	3	8	12	18	23	37
GRAND TOTAL	**1812**	**7.5**	**49**	**2**	**2**	**5**	**9**	**14**	**19**	**33**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	2.9	10	<1	1	2	4	6	8	12
20-34	236	3.7	6	1	1	3	5	7	8	11
35-49	332	4.3	19	1	1	3	5	8	9	15
50-64	431	4.5	18	1	1	4	5	8	10	17
65+	512	5.0	16	1	2	4	6	9	12	25
B. *Operated*										
0-19 YRS	142	7.2	27	3	3	6	8	12	14	37
20-34	173	8.9	24	4	5	8	11	14	18	28
35-49	194	10.3	23	5	6	9	12	16	20	27
50-64	266	10.2	21	5	6	9	12	16	20	27
65+	340	12.9	61	6	7	11	14	20	26	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	3.4	7	<1	1	3	5	7	10	11
20-34	189	5.1	38	1	2	4	6	9	11	22
35-49	300	5.3	17	1	2	4	6	10	13	22
50-64	663	6.0	26	1	2	5	7	11	14	28
65+	1342	7.1	34	2	2	6	9	14	18	28
B. *Operated*										
0-19 YRS	137	9.0	71	3	3	7	10	15	25	72
20-34	211	11.5	45	4	5	10	14	19	26	42
35-49	288	13.6	104	4	6	11	16	24	35	58
50-64	595	15.6	153	5	6	12	18	29	38	76
65+	1108	18.0	139	7	8	14	21	34	44	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1666	4.3	16	1	1	3	5	8	10	18
B. *Operated*	1115	10.5	38	4	5	9	12	17	22	34
2. MULTIPLE DX										
A. *Not Operated*	2577	6.4	30	1	2	5	8	12	16	28
B. *Operated*	2339	15.8	133	5	6	13	19	30	39	71
1. SINGLE DX	2781	6.8	34	1	2	5	9	13	16	27
2. MULTIPLE DX	4916	10.8	101	2	3	8	14	22	30	56
A. NOT OPERATED	4243	5.6	26	1	2	4	7	10	14	26
B. OPERATED	3454	14.0	109	5	6	11	16	25	35	62
TOTAL 0-19 YRS	517	5.8	37	1	1	5	7	11	14	37
20-34	809	7.2	38	1	2	6	9	14	17	31
35-49	1114	8.0	56	2	2	6	10	16	20	41
50-64	1955	9.2	83	2	2	7	11	18	24	51
65+	3302	11.0	98	2	3	9	14	22	30	53
GRAND TOTAL	**7697**	**9.4**	**81**	**2**	**2**	**7**	**12**	**19**	**26**	**49**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3274	2.7	6	1	1	2	3	5	6	11
20-34	1701	2.5	6	1	1	2	3	4	6	10
35-49	769	3.1	19	<1	1	2	4	5	7	13
50-64	654	3.1	7	1	1	3	4	6	7	11
65+	664	3.7	18	1	1	3	5	7	9	12
B. *Operated*										
0-19 YRS	89	4.0	7	2	2	3	4	6	9	18
20-34	108	4.4	7	2	2	4	6	8	10	14
35-49	57	6.1	20	2	2	5	8	10	14	27
50-64	47	6.8	53	1	1	5	8	11	16	49
65+	37	7.6	21	1	2	8	12	14	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4026	3.9	14	1	1	3	5	7	9	17
20-34	1552	3.2	9	1	1	3	4	6	7	13
35-49	1081	4.1	13	1	1	3	5	7	10	18
50-64	1498	4.7	19	1	2	4	6	9	11	18
65+	3312	5.8	26	1	2	4	7	11	14	27
B. *Operated*										
0-19 YRS	129	9.4	121	2	2	6	10	23	37	54
20-34	136	6.9	21	2	3	5	9	13	16	21
35-49	99	8.8	64	2	3	6	12	16	20	51
50-64	177	9.8	86	2	3	8	12	18	28	70
65+	242	11.7	97	2	3	10	14	21	27	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7062	2.9	9	1	1	2	3	5	6	11
B. *Operated*	338	5.3	19	1	2	4	6	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	11469	4.5	18	1	1	3	5	8	11	21
B. *Operated*	783	9.7	83	2	3	7	12	18	25	53
1. SINGLE DX	7400	3.0	10	1	1	2	4	5	7	12
2. MULTIPLE DX	12252	4.8	24	1	1	4	6	9	12	24
A. NOT OPERATED	18531	3.8	15	1	1	3	5	7	10	18
B. OPERATED	1121	8.4	68	2	2	6	10	16	21	48
TOTAL 0-19 YRS	7518	3.5	13	1	1	3	4	6	8	16
20-34	3497	3.0	9	1	1	2	4	6	7	13
35-49	2006	4.0	20	1	1	3	5	7	10	20
50-64	2376	4.7	24	1	1	3	5	9	12	23
65+	4255	5.8	31	1	2	4	7	11	15	28
GRAND TOTAL	**19652**	**4.1**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	39	3.7	3	1	2	4	5	6	7	9
35-49	219	4.5	11	1	2	4	6	7	9	14
50-64	535	4.3	6	1	2	4	6	7	8	13
65+	740	4.8	11	1	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	4	6.0	3	4	4	6	7	8	8	8
20-34	24	8.6	21	2	3	8	10	15	17	21
35-49	115	9.3	20	3	5	9	11	13	18	25
50-64	265	10.7	22	5	7	10	12	15	20	29
65+	222	12.7	31	6	7	12	15	19	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	6.1	59	<1	<1	4	7	20	23	23
20-34	36	5.1	6	2	2	4	7	9	10	10
35-49	217	4.7	9	1	2	4	6	8	11	15
50-64	866	5.2	15	2	2	4	6	9	12	20
65+	2870	6.4	23	2	2	5	8	11	15	25
B. *Operated*										
0-19 YRS	6	9.8	19	5	5	9	15	15	15	15
20-34	42	12.0	89	4	5	10	14	20	26	60
35-49	199	11.8	41	4	5	10	14	20	24	35
50-64	614	13.3	71	4	6	11	16	23	28	49
65+	1053	15.5	114	4	6	13	19	28	36	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1534	4.5	9	1	2	4	6	8	10	15
B. *Operated*	630	11.0	26	5	6	10	13	17	22	29
2. MULTIPLE DX										
A. *Not Operated*	3998	6.0	21	2	2	5	7	11	14	24
B. *Operated*	1914	14.3	93	4	6	12	17	25	32	57
1. SINGLE DX	2164	6.4	23	1	2	5	9	12	15	24
2. MULTIPLE DX	5912	8.7	59	2	3	7	11	17	23	41
A. NOT OPERATED	5532	5.6	18	2	2	5	7	10	13	22
B. OPERATED	2544	13.5	79	4	6	11	16	23	29	52
TOTAL 0-19 YRS	20	7.2	34	<1	1	5	9	15	19	23
20-34	141	7.4	44	2	2	6	9	14	17	34
35-49	750	7.2	30	2	2	6	10	14	17	29
50-64	2280	7.8	43	2	2	6	10	15	20	32
65+	4885	8.4	57	2	2	6	11	17	22	39
GRAND TOTAL	**8076**	**8.1**	**50**	**2**	**2**	**6**	**10**	**16**	**21**	**36**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.4	15	<1	<1	2	4	8	14	15
20-34	26	2.2	2	<1	<1	2	3	4	5	6
35-49	19	3.2	15	<1	1	2	3	5	13	18
50-64	22	4.2	44	<1	<1	3	4	6	17	33
65+	10	2.5	2	1	1	2	3	5	6	6
B. *Operated*										
0-19 YRS	126	2.9	10	<1	1	2	4	5	6	15
20-34	740	3.1	14	1	1	3	4	5	6	10
35-49	704	3.3	5	1	1	3	4	5	7	10
50-64	433	3.6	7	1	1	3	4	6	7	13
65+	178	4.0	11	1	2	3	4	7	8	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.9	3	<1	1	3	4	5	6	6
20-34	30	3.8	9	1	1	3	5	9	11	12
35-49	33	4.5	25	<1	1	3	5	11	17	23
50-64	37	4.6	8	1	1	4	7	9	10	12
65+	48	7.5	36	2	2	6	11	14	19	32
B. *Operated*										
0-19 YRS	56	4.5	18	1	1	4	5	8	14	25
20-34	633	4.0	13	1	2	3	5	6	8	14
35-49	759	4.6	17	1	2	4	5	7	10	26
50-64	638	5.1	21	2	2	4	5	8	12	29
65+	360	7.3	68	2	2	5	8	14	23	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	3.1	17	<1	<1	2	3	5	6	27
B. *Operated*	2181	3.3	9	1	1	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	162	5.1	22	1	1	4	7	11	13	26
B. *Operated*	2446	5.0	26	1	2	4	5	8	11	31
1. SINGLE DX	2270	3.3	9	1	1	3	4	5	7	12
2. MULTIPLE DX	2608	5.0	26	1	2	4	5	8	12	31
A. NOT OPERATED	251	4.4	21	<1	1	3	5	10	12	26
B. OPERATED	4627	4.2	19	1	2	3	5	7	9	22
TOTAL 0-19 YRS	208	3.4	12	1	1	3	4	5	7	21
20-34	1429	3.5	13	1	1	3	4	5	7	12
35-49	1515	4.0	12	1	2	3	5	6	9	18
50-64	1130	4.5	16	1	2	4	5	7	10	23
65+	596	6.3	50	2	2	4	7	11	18	36
GRAND TOTAL	**4878**	**4.2**	**19**	**1**	**1**	**3**	**5**	**7**	**10**	**23**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	418	3.2	17	<1	1	2	4	6	8	14
20-34	783	4.5	16	1	1	3	5	8	11	20
35-49	547	4.6	19	1	1	4	6	9	11	23
50-64	448	4.2	16	1	1	3	5	8	11	24
65+	557	4.0	12	<1	1	3	5	8	12	18
B. *Operated*										
0-19 YRS	205	6.1	41	1	1	4	8	13	19	32
20-34	482	6.7	36	1	1	5	8	14	19	33
35-49	355	7.5	45	1	2	6	10	15	19	42
50-64	381	7.3	46	1	1	6	10	15	18	36
65+	322	8.8	50	1	2	7	12	19	22	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	352	4.0	14	1	1	3	5	7	10	18
20-34	944	5.2	23	1	2	4	6	9	12	25
35-49	903	5.4	20	1	2	4	7	10	13	24
50-64	1256	5.9	39	1	2	4	7	11	15	32
65+	2613	6.3	41	1	2	5	8	12	17	32
B. *Operated*										
0-19 YRS	215	8.9	107	1	2	6	10	19	30	58
20-34	864	8.7	70	2	2	6	10	19	26	46
35-49	850	9.6	90	2	3	7	11	20	29	55
50-64	1046	11.8	142	2	3	8	14	26	38	68
65+	1286	13.8	158	2	3	10	18	30	41	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2753	4.2	16	1	1	3	5	8	11	20
B. *Operated*	1745	7.3	44	1	1	5	10	15	20	34
2. MULTIPLE DX										
A. *Not Operated*	6068	5.8	34	1	2	4	7	11	15	29
B. *Operated*	4261	11.2	124	2	3	8	14	24	35	64
1. SINGLE DX	4498	5.4	29	1	1	4	7	11	16	26
2. MULTIPLE DX	10329	8.0	78	1	2	5	9	17	24	51
A. NOT OPERATED	8821	5.3	29	1	1	4	6	10	14	27
B. OPERATED	6006	10.1	104	2	2	7	12	21	30	60
TOTAL 0-19 YRS	1190	5.0	41	1	1	3	6	10	15	34
20-34	3073	6.2	40	1	2	4	7	12	18	34
35-49	2655	6.9	50	1	2	5	8	14	19	43
50-64	3131	7.8	80	1	2	5	9	16	24	54
65+	4778	8.2	82	1	2	5	10	18	25	51
GRAND TOTAL	**14827**	**7.2**	**65**	**1**	**2**	**5**	**9**	**15**	**21**	**44**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	15	7.1	67	2	2	4	6	17	28	32
35-49	72	6.9	41	2	2	5	8	13	17	38
50-64	74	8.1	48	2	2	6	11	17	22	37
65+	32	6.7	15	2	3	5	9	14	15	17
B. *Operated*										
0-19 YRS										
20-34	13	4.2	23	<1	<1	2	5	13	15	15
35-49	30	3.7	9	1	1	3	5	8	10	14
50-64	49	7.0	61	1	1	3	9	19	23	37
65+	6	4.2	10	<1	<1	3	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	28.7	56	21	21	29	34	36	36	36
20-34	203	14.5	154	2	3	10	23	29	32	66
35-49	656	13.2	107	2	3	10	22	29	30	46
50-64	912	12.3	83	2	3	9	18	26	30	40
65+	450	13.2	99	2	3	11	20	24	30	42
B. *Operated*										
0-19 YRS	3	27.7	1104	7	7	10	52	66	66	66
20-34	49	14.1	155	1	3	9	18	30	40	62
35-49	178	14.4	164	2	3	10	21	31	39	63
50-64	261	14.4	184	2	2	10	20	32	46	69
65+	108	15.7	117	3	4	13	21	33	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	7.3	41	2	2	5	9	14	18	36
B. *Operated*	98	5.5	39	1	1	3	8	14	19	31
2. MULTIPLE DX										
A. *Not Operated*	2224	13.0	100	2	3	10	20	28	30	41
B. *Operated*	599	14.7	167	2	3	11	20	31	42	67
1. SINGLE DX	291	6.7	41	1	1	5	8	14	18	35
2. MULTIPLE DX	2823	13.3	115	2	3	10	20	29	31	57
A. NOT OPERATED	2417	12.5	98	2	3	9	20	27	30	41
B. OPERATED	697	13.4	159	1	2	9	19	31	39	65
TOTAL 0-19 YRS	6	28.2	465	7	7	25	36	63	66	66
20-34	280	13.6	150	2	2	9	22	29	33	65
35-49	936	12.6	115	2	3	9	20	29	31	51
50-64	1296	12.3	103	2	3	9	18	27	31	52
65+	596	13.2	101	2	3	11	20	25	32	56
GRAND TOTAL	**3114**	**12.7**	**112**	**2**	**3**	**9**	**20**	**28**	**31**	**56**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	7.3	52	2	2	5	9	20	21	21
20-34	18	4.3	12	<1	1	3	6	10	11	12
35-49	26	6.0	13	1	2	6	8	10	13	17
50-64	32	8.2	43	1	2	6	12	19	21	22
65+	34	6.2	17	1	1	6	8	14	15	16
B. *Operated*										
0-19 YRS	12	2.8	5	<1	<1	2	4	7	8	8
20-34	148	2.1	5	<1	<1	1	2	5	7	12
35-49	97	3.8	22	<1	1	2	4	8	15	24
50-64	131	3.4	15	<1	1	2	4	8	11	22
65+	49	6.7	74	<1	1	2	10	20	23	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	5.2	35	1	1	3	6	13	21	23
20-34	50	6.4	22	2	2	4	10	12	17	20
35-49	131	9.2	61	2	3	7	12	20	25	37
50-64	245	9.5	79	2	2	7	12	20	28	48
65+	290	9.9	55	2	2	8	14	20	22	37
B. *Operated*										
0-19 YRS	22	4.9	48	<1	<1	2	4	12	22	30
20-34	89	6.7	55	1	1	3	9	19	22	29
35-49	160	8.3	90	1	1	5	12	22	27	50
50-64	259	9.6	112	1	1	6	13	23	30	62
65+	180	10.5	92	1	1	8	16	26	30	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	6.5	25	1	1	5	9	14	17	22
B. *Operated*	437	3.4	21	<1	1	2	3	8	12	24
2. MULTIPLE DX										
A. *Not Operated*	730	9.3	63	2	2	7	12	19	23	38
B. *Operated*	710	9.0	95	1	1	5	13	23	29	48
1. SINGLE DX	553	4.0	23	<1	1	2	5	10	15	22
2. MULTIPLE DX	1440	9.2	78	1	1	7	12	21	26	42
A. NOT OPERATED	846	8.9	58	2	2	7	12	18	22	37
B. OPERATED	1147	6.9	74	1	1	3	9	19	25	39
TOTAL 0-19 YRS	54	4.8	35	<1	1	2	6	10	20	30
20-34	305	4.3	27	<1	1	2	5	11	17	25
35-49	414	7.4	64	1	1	5	10	17	24	37
50-64	667	8.3	83	1	1	5	11	20	25	48
65+	553	9.6	68	1	1	8	14	22	26	39
GRAND TOTAL	**1993**	**7.8**	**68**	**1**	**1**	**5**	**10**	**18**	**24**	**39**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	4.0	7	1	2	4	5	7	9	14
20-34	150	5.8	22	1	2	4	7	12	15	22
35-49	72	5.9	22	1	2	4	7	14	19	83
50-64	62	6.7	39	1	2	5	8	13	15	35
65+	49	7.6	51	1	2	6	9	15	23	37
B. *Operated*										
0-19 YRS	8	4.1	11	1	1	4	5	9	11	11
20-34	37	5.1	27	<1	1	3	6	12	17	23
35-49	43	6.5	50	1	1	3	9	18	23	28
50-64	42	7.4	63	1	1	4	11	18	27	31
65+	32	6.2	30	1	1	6	9	12	13	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	4.8	15	2	2	4	6	7	9	26
20-34	112	6.2	33	2	2	4	7	14	18	31
35-49	158	8.5	55	1	2	6	11	16	23	37
50-64	350	9.8	68	2	3	7	12	21	28	39
65+	324	9.4	51	2	3	8	12	18	24	33
B. *Operated*										
0-19 YRS	10	9.5	20	4	5	8	14	16	18	18
20-34	48	11.3	88	1	1	9	18	25	28	35
35-49	79	10.0	76	1	1	8	14	24	29	82
50-64	114	12.8	112	1	2	10	18	28	31	53
65+	106	17.5	192	2	3	14	26	36	46	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	5.9	26	1	2	4	7	12	15	32
B. *Operated*	162	6.2	43	1	1	4	9	15	21	29
2. MULTIPLE DX										
A. *Not Operated*	986	8.8	56	2	2	7	11	18	24	36
B. *Operated*	357	13.3	130	1	2	10	19	29	35	54
1. SINGLE DX	561	6.0	31	1	1	4	8	13	17	30
2. MULTIPLE DX	1343	10.0	79	2	2	7	13	22	28	44
A. NOT OPERATED	1385	8.0	49	2	2	6	10	16	22	36
B. OPERATED	519	11.1	113	1	1	8	16	26	32	53
TOTAL 0-19 YRS	126	4.7	13	1	2	4	6	8	11	20
20-34	347	6.6	38	1	1	4	8	16	19	29
35-49	352	8.0	54	1	1	6	11	18	25	40
50-64	568	9.9	76	2	2	7	13	22	29	39
65+	511	10.7	92	1	2	8	14	24	31	51
GRAND TOTAL	**1904**	**8.8**	**68**	**1**	**2**	**6**	**11**	**19**	**27**	**39**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.6	28	1	1	2	4	5	16	25
20-34	225	2.8	5	1	1	2	3	5	7	12
35-49	209	2.8	3	<1	1	2	4	5	7	9
50-64	232	3.5	42	<1	1	3	4	6	7	20
65+	260	4.3	10	1	1	3	5	8	10	18
B. *Operated*										
0-19 YRS	215	6.3	4	4	4	6	7	9	9	13
20-34	2203	6.5	5	4	5	6	7	9	10	15
35-49	2018	6.8	9	4	5	6	8	9	11	15
50-64	2113	7.3	7	5	5	7	8	10	12	17
65+	1237	8.7	12	5	6	8	10	13	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.4	4	1	1	3	4	6	8	10
20-34	158	3.3	9	<1	1	3	4	6	8	18
35-49	216	4.0	13	1	1	3	5	7	10	19
50-64	435	5.0	32	1	2	4	6	9	12	24
65+	928	6.0	20	2	2	5	7	11	13	24
B. *Operated*										
0-19 YRS	108	7.7	10	4	4	7	9	12	14	17
20-34	1500	7.8	11	5	5	7	9	12	14	21
35-49	1874	8.3	17	5	5	7	9	13	15	25
50-64	2915	9.6	34	5	6	8	11	15	19	33
65+	3143	12.7	60	6	6	10	15	22	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	945	3.4	16	1	1	3	4	6	8	14
B. *Operated*	7786	7.1	8	4	5	7	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	1759	5.3	22	1	2	4	6	9	13	24
B. *Operated*	9540	10.1	39	5	5	8	11	17	21	34
1. SINGLE DX	8731	6.7	10	2	4	6	8	10	12	17
2. MULTIPLE DX	11299	9.3	40	3	4	8	11	16	20	34
A. NOT OPERATED	2704	4.6	20	1	1	4	6	9	11	21
B. OPERATED	17326	8.7	27	5	5	7	10	14	18	30
TOTAL 0-19 YRS	364	6.4	8	2	3	6	7	9	11	16
20-34	4086	6.6	9	2	4	6	8	10	12	18
35-49	4317	7.1	15	3	4	6	8	11	13	21
50-64	5695	8.2	27	3	4	7	9	13	16	28
65+	5568	10.3	49	3	4	9	12	18	23	36
GRAND TOTAL	**20030**	**8.2**	**28**	**3**	**4**	**7**	**9**	**13**	**17**	**30**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.1	2	1	1	3	4	5	6	7
20-34	220	2.9	3	1	1	2	4	5	6	10
35-49	213	3.7	17	1	1	3	4	6	8	15
50-64	176	4.0	23	1	1	3	5	6	8	16
65+	160	4.2	7	1	1	4	6	8	10	12
B. *Operated*										
0-19 YRS	23	7.6	10	4	5	7	8	14	15	16
20-34	278	7.1	13	4	5	6	8	10	11	27
35-49	240	7.7	12	5	5	7	8	12	14	22
50-64	205	8.4	23	5	5	7	9	13	16	35
65+	132	9.5	13	6	6	9	11	14	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.5	4	1	1	3	4	7	7	8
20-34	177	3.7	5	1	1	3	5	7	8	12
35-49	191	4.2	5	1	2	4	5	7	9	10
50-64	311	5.1	16	1	2	4	7	9	13	31
65+	515	6.9	27	2	2	6	9	12	16	29
B. *Operated*										
0-19 YRS	18	8.4	14	3	4	8	10	14	16	17
20-34	372	8.0	15	4	5	7	9	13	16	24
35-49	509	8.9	18	5	5	8	10	14	17	24
50-64	621	9.9	30	5	6	8	11	16	20	35
65+	661	13.3	58	6	7	11	15	22	28	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	815	3.6	12	1	1	3	4	6	8	12
B. *Operated*	878	7.9	16	4	5	7	9	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	1214	5.5	19	1	2	4	7	10	13	26
B. *Operated*	2181	10.3	37	5	5	9	12	17	21	35
1. SINGLE DX	1693	5.9	19	1	2	5	7	10	13	20
2. MULTIPLE DX	3395	8.6	36	2	3	7	11	15	20	34
A. NOT OPERATED	2029	4.7	17	1	1	4	6	9	11	21
B. OPERATED	3059	9.7	32	5	5	8	11	16	20	34
TOTAL 0-19 YRS	107	5.0	12	1	2	4	7	9	12	16
20-34	1047	6.0	15	1	2	6	7	10	12	22
35-49	1153	6.9	19	2	2	6	8	12	15	21
50-64	1313	7.7	30	2	2	7	9	13	17	34
65+	1468	9.7	49	2	3	8	12	17	22	37
GRAND TOTAL	**5088**	**7.7**	**32**	**2**	**2**	**7**	**9**	**14**	**18**	**32**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS [illegible]	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	27	2	2	2	9	11	11	11
20-34	28	3.7	7	1	1	3	5	8	9	11
35-49	17	2.8	4	<1	1	2	4	5	7	8
50-64	31	3.5	6	<1	1	3	5	6	10	10
65+	57	4.5	8	1	1	4	6	9	10	11
B. *Operated*										
0-19 YRS	10	7.3	8	2	3	7	9	11	12	12
20-34	121	7.4	9	4	4	7	9	11	12	18
35-49	102	8.2	22	3	5	7	9	13	16	29
50-64	161	9.2	21	4	5	8	11	14	20	26
65+	172	10.4	24	3	5	9	13	17	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.4	17	2	2	6	10	12	12	12
20-34	16	5.5	47	1	1	4	5	10	23	29
35-49	31	4.9	10	1	2	4	7	10	12	14
50-64	45	5.5	20	1	2	5	8	10	17	99+
65+	158	8.0	65	2	2	6	9	15	19	58
B. *Operated*										
0-19 YRS	8	8.9	9	6	6	8	11	13	14	14
20-34	105	9.3	12	5	6	8	11	14	17	19
35-49	131	10.8	57	4	5	9	13	17	20	40
50-64	230	12.6	51	5	7	11	15	21	25	35
65+	462	15.8	69	6	8	14	19	28	33	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	3.9	7	1	1	3	6	8	10	11
B. *Operated*	566	9.0	21	3	5	8	11	15	18	24
2. MULTIPLE DX										
A. *Not Operated*	255	7.0	50	1	2	5	8	14	18	59
B. *Operated*	936	13.5	62	5	6	11	17	24	29	42
1. SINGLE DX	702	8.0	22	2	2	7	10	14	17	24
2. MULTIPLE DX	1191	12.1	66	3	4	10	15	22	28	43
A. NOT OPERATED	391	5.9	37	1	1	5	8	11	15	28
B. OPERATED	1502	11.8	51	5	6	10	14	21	26	38
TOTAL 0-19 YRS	26	7.3	12	2	2	7	9	12	13	14
20-34	270	7.6	15	2	3	7	9	12	15	20
35-49	281	8.7	42	2	3	7	11	15	18	31
50-64	467	10.1	43	2	4	9	12	19	23	32
65+	849	12.5	70	2	3	11	16	23	29	42
GRAND TOTAL	**1893**	**10.6**	**54**	**2**	**3**	**9**	**13**	**19**	**25**	**38**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	7.3	34	2	2	6	13	15	15	15
20-34	19	4.7	6	1	1	5	7	8	9	10
35-49	29	5.0	21	1	1	4	6	9	17	22
50-64	37	3.6	12	1	1	3	4	7	12	17
65+	49	5.6	20	1	1	5	8	11	14	21
B. *Operated*										
0-19 YRS	5	11.4	16	7	7	11	15	16	16	16
20-34	18	8.9	45	1	1	7	14	20	22	23
35-49	16	11.9	30	2	6	11	15	20	21	21
50-64	26	10.2	82	<1	1	8	15	25	27	31
65+	24	9.9	72	1	1	8	13	21	30	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	12.5	57	3	3	11	16	24	25	25
20-34	25	5.2	9	1	2	5	6	10	11	13
35-49	47	4.8	8	2	2	4	6	9	10	14
50-64	87	6.1	16	1	2	5	8	11	14	21
65+	200	8.8	75	1	2	7	10	17	24	44
B. *Operated*										
0-19 YRS	7	12.3	59	1	2	11	19	22	22	22
20-34	25	8.8	22	2	4	9	11	14	19	21
35-49	47	12.4	74	2	3	10	19	26	29	34
50-64	82	12.6	68	2	3	11	16	24	31	37
65+	183	18.8	157	4	8	17	23	31	44	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	4.9	17	1	1	3	7	9	14	21
B. *Operated*	89	10.2	58	1	1	9	15	21	25	33
2. MULTIPLE DX										
A. *Not Operated*	365	7.5	50	1	2	6	9	13	18	35
B. *Operated*	344	15.6	124	2	4	13	21	27	34	59
1. SINGLE DX	229	7.0	40	1	1	5	9	16	21	29
2. MULTIPLE DX	709	11.4	102	2	3	9	15	23	30	50
A. NOT OPERATED	505	6.8	42	1	2	5	8	13	17	33
B. OPERATED	433	14.5	115	1	3	12	19	25	33	55
TOTAL 0-19 YRS	24	10.9	43	2	2	10	15	20	23	25
20-34	87	6.9	23	1	2	6	9	13	17	22
35-49	139	8.3	49	1	2	6	10	19	24	31
50-64	232	8.5	53	1	2	6	11	18	24	36
65+	456	12.5	129	1	2	9	17	24	32	58
GRAND TOTAL	**938**	**10.3**	**91**	**1**	**2**	**8**	**14**	**22**	**27**	**46**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	5.8	22	1	2	5	7	10	14	27
20-34	387	5.4	14	1	2	5	7	10	12	18
35-49	431	5.9	17	2	2	5	7	11	13	21
50-64	314	5.5	12	2	2	5	7	10	12	17
65+	195	6.7	19	2	2	6	8	11	14	26
B. *Operated*										
0-19 YRS	5	7.4	47	1	1	5	10	19	19	19
20-34	32	13.3	143	1	4	11	17	28	42	54
35-49	40	12.7	95	1	3	10	17	22	26	57
50-64	45	10.7	99	1	1	9	15	22	35	43
65+	25	12.9	56	3	7	11	16	21	30	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	5.5	10	1	2	5	8	10	11	12
20-34	522	6.6	18	2	2	6	8	12	14	21
35-49	908	7.1	27	2	3	6	9	13	17	29
50-64	697	8.1	40	2	3	7	10	14	20	38
65+	657	8.6	38	3	3	7	10	15	20	32
B. *Operated*										
0-19 YRS	13	20.3	285	7	7	14	26	49	56	58
20-34	109	14.9	186	3	4	11	18	31	45	96
35-49	168	20.2	255	4	6	16	26	44	53	96
50-64	213	18.5	206	4	6	14	24	39	57	99+
65+	182	19.6	247	6	8	15	22	36	55	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1382	5.8	16	2	2	5	7	10	13	20
B. *Operated*	147	12.1	98	1	2	10	16	23	29	54
2. MULTIPLE DX										
A. *Not Operated*	2827	7.6	31	2	3	6	9	14	18	30
B. *Operated*	685	18.7	229	4	6	14	23	40	54	97
1. SINGLE DX	1529	6.4	27	2	2	5	8	12	15	28
2. MULTIPLE DX	3512	9.7	89	2	3	7	11	19	27	55
A. NOT OPERATED	4209	7.0	27	2	2	6	9	12	16	28
B. OPERATED	832	17.5	212	3	5	13	22	37	51	93
TOTAL 0-19 YRS	116	7.4	67	1	2	5	9	12	20	51
20-34	1050	7.2	46	2	2	5	9	13	18	39
35-49	1547	8.3	69	2	3	6	10	16	23	49
50-64	1269	9.3	81	2	3	7	11	18	26	51
65+	1059	10.3	90	2	3	8	12	19	26	54
GRAND TOTAL	**5041**	**8.7**	**73**	**2**	**3**	**6**	**10**	**17**	**23**	**50**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	2.9	3	1	1	3	4	5	6	7
20-34	139	2.7	7	<1	1	2	4	5	5	10
35-49	131	3.6	5	1	1	3	5	6	7	13
50-64	206	4.0	7	1	1	3	5	7	8	14
65+	310	4.7	9	1	2	4	6	9	10	17
B. *Operated*										
0-19 YRS	8	4.6	12	1	1	4	7	10	10	10
20-34	10	3.1	5	1	1	3	4	6	8	8
35-49	17	5.6	11	2	2	6	7	9	12	14
50-64	21	5.1	13	1	1	5	6	11	13	15
65+	45	7.5	25	1	2	7	9	15	20	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	3.8	13	1	1	3	5	7	9	23
20-34	333	4.0	12	1	1	3	5	7	10	17
35-49	487	5.1	16	1	2	4	6	8	11	23
50-64	929	5.8	24	1	2	5	7	10	12	27
65+	2288	7.0	31	2	2	6	8	13	17	29
B. *Operated*										
0-19 YRS	14	6.0	13	2	2	5	8	11	13	13
20-34	48	9.3	171	2	3	6	10	15	29	87
35-49	107	8.8	54	2	3	7	12	16	22	45
50-64	254	9.3	48	2	3	8	12	17	22	34
65+	554	12.1	110	3	4	9	15	25	36	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	879	3.8	8	1	1	3	5	7	9	14
B. *Operated*	101	6.0	19	1	2	6	8	11	15	21
2. MULTIPLE DX										
A. *Not Operated*	4151	6.2	27	2	2	5	8	11	15	27
B. *Operated*	977	10.8	92	2	3	8	13	21	30	51
1. SINGLE DX	980	4.1	9	1	1	3	5	7	9	16
2. MULTIPLE DX	5128	7.1	42	2	2	5	8	13	18	36
A. NOT OPERATED	5030	5.8	24	1	2	5	7	10	14	26
B. OPERATED	1078	10.3	87	2	3	8	12	21	29	49
TOTAL 0-19 YRS	229	3.6	9	1	1	3	5	6	9	16
20-34	530	4.1	28	1	1	3	5	8	11	28
35-49	742	5.4	22	1	2	4	6	10	13	26
50-64	1410	6.1	28	1	2	5	7	11	14	29
65+	3197	7.7	47	2	2	6	9	15	21	37
GRAND TOTAL	**6108**	**6.6**	**38**	**1**	**2**	**5**	**8**	**12**	**17**	**34**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	3.8	8	1	1	3	5	8	9	16
20-34	9	3.7	8	1	1	2	5	8	10	10
35-49	5	5.6	4	3	3	7	7	7	7	7
50-64	16	4.3	5	1	1	4	5	7	9	10
65+	5	5.4	7	<1	<1	6	7	8	8	8
B. *Operated*										
0-19 YRS	6	3.7	8	<1	<1	3	6	8	8	8
20-34	4	4.3	11	1	1	4	7	8	8	8
35-49	9	8.1	50	<1	<1	7	11	19	23	23
50-64	13	8.8	68	3	4	6	7	22	31	33
65+	8	7.5	147	1	1	3	6	28	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	5.5	53	1	1	3	5	9	23	41
20-34	18	8.9	92	1	1	4	10	25	29	31
35-49	31	8.0	90	2	2	6	8	19	48	99+
50-64	50	9.8	96	2	2	6	12	22	23	59
65+	74	10.5	54	2	3	8	14	19	25	37
B. *Operated*										
0-19 YRS	4	15.5	78	6	6	16	23	24	24	24
20-34	18	13.9	171	5	5	10	13	32	48	57
35-49	14	12.7	177	3	4	9	13	26	49	55
50-64	36	14.7	117	3	4	12	18	29	42	45
65+	39	18.5	151	4	7	15	26	35	45	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	4.1	7	1	1	4	5	8	9	14
B. *Operated*	40	7.2	63	<1	1	6	8	16	28	37
2. MULTIPLE DX										
A. *Not Operated*	221	8.8	74	1	2	6	10	22	26	53
B. *Operated*	111	15.7	143	4	5	12	21	34	43	56
1. SINGLE DX	117	5.2	28	1	1	4	6	8	12	34
2. MULTIPLE DX	332	11.1	107	2	2	8	14	24	34	55
A. NOT OPERATED	298	7.6	61	1	2	5	9	17	24	46
B. OPERATED	151	13.4	136	1	3	10	16	32	40	55
TOTAL 0-19 YRS	100	5.1	36	1	1	3	6	9	19	35
20-34	49	9.4	111	1	2	6	11	25	31	57
35-49	59	8.9	98	1	2	7	10	20	40	95
50-64	115	10.4	96	2	3	7	12	22	29	50
65+	126	12.6	103	1	3	10	16	27	35	50
GRAND TOTAL	**449**	**9.5**	**93**	**1**	**2**	**6**	**12**	**22**	**31**	**51**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	5.4	12	1	2	4	7	11	13	15
20-34	18	3.8	3	1	2	4	4	7	8	8
35-49	9	3.3	4	2	2	2	4	7	8	8
50-64	11	4.3	8	<1	1	3	6	9	11	11
65+	13	8.3	47	2	2	5	12	21	21	21
B. *Operated*										
0-19 YRS	38	3.8	13	<1	1	2	4	8	12	18
20-34	49	3.0	5	1	1	2	4	5	7	11
35-49	35	3.8	14	1	1	2	5	9	14	17
50-64	21	4.1	14	1	1	2	5	11	13	14
65+	7	4.4	18	1	1	2	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	6.6	29	2	2	6	8	12	18	32
20-34	52	5.3	14	1	1	5	7	10	13	19
35-49	41	7.0	38	1	2	5	9	12	21	30
50-64	70	7.7	45	1	1	6	10	15	23	31
65+	86	11.7	110	1	2	9	16	27	36	83
B. *Operated*										
0-19 YRS	32	8.8	70	<1	1	6	12	22	27	33
20-34	89	8.4	87	1	1	4	12	23	31	78
35-49	67	9.6	115	1	2	5	13	26	34	50
50-64	105	7.9	58	1	2	6	10	15	23	45
65+	75	11.6	104	2	3	10	14	21	34	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	5.2	14	1	2	4	7	11	13	21
B. *Operated*	150	3.6	11	1	1	2	4	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	328	8.0	57	1	2	6	10	17	25	41
B. *Operated*	368	9.2	87	1	2	6	12	21	31	49
1. SINGLE DX	294	4.4	13	1	1	3	6	10	13	18
2. MULTIPLE DX	696	8.6	73	1	2	6	11	19	28	47
A. NOT OPERATED	472	7.2	46	1	2	5	9	15	21	36
B. OPERATED	518	7.6	71	1	2	4	10	18	26	45
TOTAL 0-19 YRS	242	6.0	27	1	2	5	7	12	15	27
20-34	208	5.9	47	1	1	4	7	14	21	41
35-49	152	7.2	70	1	2	4	9	16	28	39
50-64	207	7.3	48	1	2	5	10	15	20	37
65+	181	11.2	101	2	2	9	15	24	34	56
GRAND TOTAL	**990**	**7.4**	**59**	**1**	**2**	**5**	**9**	**16**	**23**	**42**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	5.7	22	1	2	4	7	11	13	27
20-34	7	2.6	2	1	1	3	3	5	5	5
35-49	3	4.0	13	1	1	3	7	8	8	8
50-64	3	5.0	4	3	3	5	6	7	7	7
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	2	14.5	221	4	4	14	25	25	25	25
20-34	4	4.5	4	2	2	4	6	7	7	7
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	1	21.0		21	21	21	21	21	21	21
65+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	5.9	14	2	2	5	8	11	11	22
20-34	8	4.6	19	1	1	3	6	12	14	14
35-49	3	8.7	66	3	3	5	15	18	18	18
50-64	4	3.5	3	2	2	3	5	5	5	5
65+	16	9.5	37	4	4	8	10	20	24	25
B. *Operated*										
0-19 YRS	10	6.1	20	<1	<1	5	10	12	14	14
20-34	10	11.6	79	1	1	8	19	24	25	25
35-49	15	7.6	39	1	1	7	10	17	22	24
50-64	13	10.5	29	3	3	9	14	18	21	22
65+	13	23.1	473	5	7	17	26	41	82	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	5.2	19	1	2	4	6	10	12	26
B. *Operated*	11	7.4	64	1	1	4	7	23	25	25
2. MULTIPLE DX										
A. *Not Operated*	99	6.4	20	2	2	5	9	11	15	24
B. *Operated*	61	11.9	162	1	2	9	17	24	26	84
1. SINGLE DX	74	5.5	25	1	2	4	6	11	18	27
2. MULTIPLE DX	160	8.5	81	2	2	6	10	17	23	29
A. NOT OPERATED	162	5.9	20	2	2	5	8	11	14	25
B. OPERATED	72	11.2	149	1	2	8	16	24	26	77
TOTAL 0-19 YRS	129	6.0	20	2	2	5	8	11	13	25
20-34	29	6.5	46	1	1	4	7	18	24	25
35-49	23	6.9	35	1	1	6	8	17	20	24
50-64	21	8.9	35	2	2	9	12	19	21	22
65+	32	14.5	256	4	4	9	19	26	29	91
GRAND TOTAL	**234**	**7.6**	**65**	**1**	**2**	**5**	**9**	**17**	**23**	**28**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.4	25	1	1	5	8	13	13	13
20-34	6	1.8	4	<1	<1	1	1	6	6	6
35-49	3	8.0	91	2	2	3	15	19	19	19
50-64	12	2.8	7	<1	<1	2	3	8	9	9
65+	21	4.1	20	<1	1	2	5	11	15	17
B. *Operated*										
0-19 YRS	17	7.8	64	<1	<1	6	10	22	25	26
20-34	38	11.8	161	1	2	7	18	32	35	60
35-49	49	5.2	28	<1	1	4	6	11	17	26
50-64	80	5.9	38	1	2	4	7	12	18	35
65+	56	4.0	11	1	1	3	5	7	9	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.1	4	<1	1	3	4	6	7	7
20-34	40	4.5	32	<1	<1	3	5	11	17	29
35-49	72	4.2	21	1	1	2	5	8	10	28
50-64	142	5.0	21	1	1	4	7	11	13	25
65+	337	6.5	52	1	1	4	10	17	22	57
B. *Operated*										
0-19 YRS	36	15.9	240	1	2	11	22	33	52	66
20-34	226	14.1	234	1	2	9	20	32	47	72
35-49	254	11.8	151	1	1	8	17	29	43	57
50-64	411	10.6	132	1	2	7	14	26	33	59
65+	402	11.4	146	1	2	8	15	26	35	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	3.9	19	<1	<1	2	5	10	14	19
B. *Operated*	240	6.4	57	1	1	4	7	15	22	36
2. MULTIPLE DX										
A. *Not Operated*	616	5.6	39	1	1	4	8	14	20	30
B. *Operated*	1329	11.8	161	1	2	7	16	27	37	60
1. SINGLE DX	287	6.0	51	1	1	4	7	13	20	35
2. MULTIPLE DX	1945	9.9	131	1	1	6	13	24	32	58
A. NOT OPERATED	663	5.5	38	1	1	3	7	13	19	30
B. OPERATED	1569	11.0	149	1	2	7	15	26	36	60
TOTAL 0-19 YRS	83	9.7	149	<1	1	5	12	24	30	62
20-34	310	12.3	206	1	1	7	18	30	43	63
35-49	378	9.5	120	1	1	5	12	25	33	50
50-64	645	8.6	100	1	1	5	10	21	29	53
65+	816	8.7	102	1	1	5	11	21	28	58
GRAND TOTAL	**2232**	**9.4**	**122**	**1**	**1**	**5**	**12**	**23**	**31**	**57**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	3	5.3	10	3	3	4	8	9	9	9
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	6	4.3	4	2	2	4	5	8	8	8
65+	12	11.6	80	1	2	10	20	23	26	26
B. *Operated*										
0-19 YRS										
20-34	7	8.0	39	1	2	7	11	18	20	20
35-49	1	6.0		6	6	6	6	6	6	6
50-64	8	5.4	38	<1	<1	2	10	15	16	16
65+	8	8.0	70	1	1	5	11	22	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.0	14	<1	<1	3	6	9	13	13
20-34	12	5.8	15	2	3	4	7	12	15	16
35-49	26	6.4	16	2	2	6	8	10	16	18
50-64	73	7.6	40	1	1	7	10	14	19	34
65+	260	12.3	97	2	3	9	17	26	31	44
B. *Operated*										
0-19 YRS	7	12.3	35	4	5	13	17	20	21	21
20-34	27	11.5	170	1	1	7	23	73	99+	99+
35-49	35	13.3	228	1	2	7	17	36	42	71
50-64	87	11.6	81	1	2	9	18	25	29	40
65+	132	19.0	190	2	3	16	28	38	45	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	7.6	52	1	2	5	9	21	23	26
B. *Operated*	24	7.0	45	<1	1	5	11	16	22	26
2. MULTIPLE DX										
A. *Not Operated*	382	10.6	83	1	2	8	14	22	29	39
B. *Operated*	288	15.2	167	1	2	12	22	35	42	99+
1. SINGLE DX	50	7.3	47	1	1	5	11	19	22	26
2. MULTIPLE DX	670	12.6	124	1	2	9	17	29	36	70
A. NOT OPERATED	408	10.4	81	1	2	8	14	22	29	39
B. OPERATED	312	14.6	162	1	2	11	22	34	41	99+
TOTAL 0-19 YRS	21	6.7	34	<1	<1	5	10	15	19	21
20-34	49	9.2	108	1	2	6	12	38	94	99+
35-49	64	10.1	142	1	2	6	10	23	37	67
50-64	174	9.4	64	1	2	7	14	20	26	35
65+	412	14.4	136	2	3	11	20	31	37	58
GRAND TOTAL	**720**	**12.2**	**120**	**1**	**2**	**9**	**17**	**28**	**35**	**67**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	221	3.6	4	1	2	3	4	6	7	10
20-34	353	3.7	5	1	2	3	4	6	7	12
35-49	93	4.2	3	2	2	4	6	6	7	10
50-64	86	3.9	4	1	2	4	5	6	7	10
65+	61	5.2	9	2	2	5	7	9	12	90
B. *Operated*										
0-19 YRS	11	6.0	31	1	1	5	7	15	20	20
20-34	16	6.2	9	2	3	6	7	11	12	13
35-49	8	5.4	6	2	3	5	6	9	10	10
50-64	3	7.7	30	4	4	5	12	14	14	14
65+	4	6.8	18	1	1	7	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	206	4.1	3	2	2	4	5	7	8	10
20-34	390	4.4	6	2	2	4	6	7	9	13
35-49	159	5.5	10	2	2	5	7	10	12	16
50-64	219	6.2	13	2	3	6	8	10	12	18
65+	392	8.3	57	3	3	6	9	15	19	33
B. *Operated*										
0-19 YRS	35	5.2	11	1	1	5	6	9	12	17
20-34	66	8.5	31	3	4	7	9	17	20	30
35-49	40	10.6	69	3	4	8	14	21	29	39
50-64	48	13.5	178	3	4	9	17	27	35	83
65+	63	12.9	55	4	5	11	17	25	29	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	814	3.9	5	1	2	3	5	6	7	12
B. *Operated*	42	6.1	15	1	1	5	7	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	1366	5.9	25	2	2	5	7	10	14	21
B. *Operated*	252	10.4	75	3	4	8	13	21	27	40
1. SINGLE DX	856	4.0	5	1	2	4	5	7	8	13
2. MULTIPLE DX	1618	6.6	35	2	2	5	8	12	16	29
A. NOT OPERATED	2180	5.2	18	2	2	4	6	9	12	20
B. OPERATED	294	9.8	69	2	4	7	12	20	26	40
TOTAL 0-19 YRS	473	4.0	5	1	2	4	5	7	8	12
20-34	825	4.5	9	2	2	4	5	7	9	16
35-49	300	5.8	19	2	2	5	7	10	14	22
50-64	356	6.7	41	2	2	5	8	11	16	31
65+	520	8.5	54	2	3	6	10	16	21	35
GRAND TOTAL	**2474**	**5.7**	**26**	**2**	**2**	**4**	**7**	**10**	**14**	**27**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	3.3	4	1	1	3	4	6	7	11
20-34	266	3.5	4	1	1	3	4	6	6	10
35-49	67	4.3	5	2	2	4	5	7	9	13
50-64	61	4.3	6	1	2	4	5	8	9	12
65+	61	4.9	7	2	2	4	6	8	11	14
B. *Operated*										
0-19 YRS	21	5.1	12	<1	1	5	6	10	12	13
20-34	31	4.4	12	1	1	4	6	8	12	16
35-49	20	5.4	15	<1	1	4	8	12	13	13
50-64	21	7.4	64	<1	1	4	9	15	26	36
65+	15	7.8	30	1	2	7	11	16	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	211	4.1	5	2	2	4	5	7	8	14
20-34	357	4.6	7	1	2	4	6	8	10	14
35-49	125	6.0	28	2	2	5	7	11	13	31
50-64	187	7.1	39	2	3	5	8	13	17	38
65+	342	7.6	25	2	3	6	9	14	20	28
B. *Operated*										
0-19 YRS	59	6.7	20	<1	1	6	8	13	17	20
20-34	113	7.3	25	1	2	6	9	14	17	24
35-49	75	11.2	198	1	2	8	12	23	33	98
50-64	109	12.1	127	2	2	10	15	25	32	66
65+	133	11.2	60	2	3	9	14	21	26	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	650	3.8	5	1	2	3	5	6	8	12
B. *Operated*	108	5.8	26	1	1	4	8	12	14	27
2. MULTIPLE DX										
A. *Not Operated*	1222	5.9	21	2	2	5	7	11	14	24
B. *Operated*	489	10.0	87	1	2	8	12	19	26	60
1. SINGLE DX	758	4.0	8	1	2	3	5	7	9	14
2. MULTIPLE DX	1711	7.0	43	2	2	5	8	14	18	32
A. NOT OPERATED	1872	5.1	16	1	2	4	6	9	12	20
B. OPERATED	597	9.2	79	1	2	7	12	18	24	48
TOTAL 0-19 YRS	486	4.2	8	1	2	4	5	8	10	16
20-34	767	4.6	10	1	2	4	6	8	11	17
35-49	287	6.9	73	1	2	5	8	12	18	63
50-64	378	8.1	67	2	2	6	10	15	21	50
65+	551	8.1	35	2	3	7	10	17	20	30
GRAND TOTAL	**2469**	**6.1**	**34**	**1**	**2**	**4**	**7**	**12**	**17**	**30**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	1.8	1	<1	1	2	2	3	3	6
20-34	245	2.0	4	<1	<1	1	2	4	5	12
35-49	288	2.1	4	<1	<1	2	3	4	5	10
50-64	202	2.2	3	<1	1	2	3	4	5	8
65+	89	2.6	6	1	1	2	3	4	5	15
B. *Operated*										
0-19 YRS	11	6.5	5	2	3	7	8	9	9	9
20-34	138	7.3	14	1	3	7	9	11	13	20
35-49	153	7.8	14	2	3	7	9	12	13	21
50-64	177	8.0	17	2	3	8	9	11	15	27
65+	76	8.4	14	2	4	8	10	14	16	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	2.7	3	<1	1	2	4	6	6	7
20-34	178	2.6	5	1	1	2	3	5	7	11
35-49	204	3.0	6	<1	1	2	4	6	8	13
50-64	231	3.3	21	1	1	2	4	6	8	12
65+	173	4.4	12	1	1	3	5	8	12	18
B. *Operated*										
0-19 YRS	19	9.9	45	3	4	7	12	18	27	32
20-34	167	9.1	34	2	2	8	11	15	17	34
35-49	222	9.9	45	2	3	9	12	19	23	41
50-64	326	9.4	38	2	2	9	12	16	20	28
65+	243	11.2	59	2	3	10	14	20	27	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	858	2.2	4	<1	1	2	3	4	5	10
B. *Operated*	555	7.8	15	2	3	8	9	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	813	3.3	12	1	1	2	4	6	8	14
B. *Operated*	977	9.9	44	2	3	9	12	17	22	35
1. SINGLE DX	1413	4.4	16	<1	1	3	7	9	11	17
2. MULTIPLE DX	1790	6.9	40	1	1	5	9	14	18	32
A. NOT OPERATED	1671	2.7	8	<1	1	2	3	5	7	12
B. OPERATED	1532	9.2	35	2	3	8	11	15	19	33
TOTAL 0-19 YRS	91	4.3	21	1	1	2	6	9	12	27
20-34	728	4.8	22	<1	1	3	7	10	13	21
35-49	867	5.3	28	<1	1	3	8	11	15	26
50-64	936	6.1	32	1	1	5	9	12	15	24
65+	581	7.5	43	1	2	6	10	14	19	33
GRAND TOTAL	**3203**	**5.8**	**31**	**1**	**1**	**4**	**8**	**12**	**16**	**27**

229: Calculus of ureter (592.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	1.9	1	1	1	1	2	3	4	6
20-34	1296	1.8	3	<1	1	1	2	3	4	6
35-49	1359	1.9	3	<1	1	1	2	3	4	9
50-64	982	2.1	11	<1	1	2	2	4	5	8
65+	301	2.4	2	1	1	2	3	5	6	8
B. *Operated*										
0-19 YRS	59	6.6	20	1	2	6	9	15	17	92
20-34	612	5.6	11	1	2	5	7	10	12	16
35-49	702	5.5	13	1	2	5	8	10	12	16
50-64	618	5.8	13	1	2	5	8	10	12	17
65+	257	7.2	20	2	2	7	9	13	16	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.2	1	1	1	2	3	4	4	4
20-34	349	2.6	4	1	1	2	3	5	6	10
35-49	428	2.5	5	1	1	2	3	5	6	9
50-64	505	2.8	6	1	1	2	3	5	7	11
65+	293	3.5	8	1	1	3	4	6	9	17
B. *Operated*										
0-19 YRS	25	6.6	12	2	3	6	8	11	15	15
20-34	290	7.1	20	2	2	6	10	12	15	26
35-49	394	7.4	39	1	2	6	9	13	17	34
50-64	568	8.2	38	2	2	7	11	16	19	36
65+	416	10.4	72	2	3	9	13	19	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4053	2.0	5	<1	1	2	2	4	4	8
B. *Operated*	2248	5.8	14	1	2	5	8	10	13	17
2. MULTIPLE DX										
A. *Not Operated*	1608	2.8	6	1	1	2	3	5	7	11
B. *Operated*	1693	8.4	45	2	2	7	11	15	20	36
1. SINGLE DX	6301	3.4	11	1	1	2	4	8	10	15
2. MULTIPLE DX	3301	5.7	33	1	1	4	8	12	16	26
A. NOT OPERATED	5661	2.2	5	<1	1	2	3	4	5	9
B. OPERATED	3941	6.9	29	2	2	6	9	12	16	25
TOTAL 0-19 YRS	232	3.6	12	1	1	2	5	8	11	18
20-34	2547	3.4	11	1	1	2	4	8	10	15
35-49	2883	3.7	15	1	1	2	5	8	10	18
50-64	2673	4.4	22	1	1	3	6	10	12	21
65+	1267	6.3	41	1	1	4	8	13	17	30
GRAND TOTAL	**9602**	**4.1**	**20**	**1**	**1**	**3**	**5**	**9**	**12**	**21**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.4	4	<1	<1	2	3	5	7	10
20-34	43	3.1	21	1	1	2	3	5	6	31
35-49	29	2.5	3	<1	<1	2	3	5	6	9
50-64	35	2.9	4	1	1	2	4	5	6	11
65+	35	3.7	10	1	1	3	5	8	10	14
B. *Operated*										
0-19 YRS	277	5.8	16	<1	<1	7	8	10	12	17
20-34	129	6.4	23	1	1	6	9	11	15	24
35-49	114	5.2	17	<1	1	4	8	10	13	19
50-64	153	4.9	29	1	1	2	8	11	16	35
65+	105	5.6	38	1	1	3	7	14	17	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	3.2	4	<1	1	3	5	6	7	8
20-34	80	3.6	8	1	1	3	5	7	9	16
35-49	65	5.4	26	1	1	3	7	11	18	24
50-64	99	5.3	13	1	2	4	6	11	14	16
65+	246	8.2	71	2	2	6	10	16	23	43
B. *Operated*										
0-19 YRS	377	6.5	27	<1	1	7	9	12	14	27
20-34	285	8.0	26	1	2	8	10	15	17	23
35-49	247	7.9	37	1	2	7	10	15	21	35
50-64	387	8.9	61	1	2	8	12	17	21	40
65+	475	10.8	102	2	2	8	14	24	30	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	2.9	9	<1	1	2	4	6	7	13
B. *Operated*	778	5.6	23	<1	1	5	8	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	546	6.1	43	1	2	4	7	13	16	32
B. *Operated*	1771	8.6	58	1	1	7	11	17	22	37
1. SINGLE DX	962	5.1	21	<1	1	4	8	10	13	23
2. MULTIPLE DX	2317	8.0	56	1	1	7	10	16	21	37
A. NOT OPERATED	730	5.3	36	1	1	4	6	11	15	30
B. OPERATED	2549	7.7	49	1	1	7	10	15	20	35
TOTAL 0-19 YRS	752	5.8	21	<1	<1	6	8	10	13	19
20-34	537	6.6	26	1	1	6	9	13	16	23
35-49	455	6.5	31	1	1	5	9	13	17	31
50-64	674	7.1	48	1	1	5	10	15	19	37
65+	861	9.1	86	1	2	6	11	20	27	43
GRAND TOTAL	**3279**	**7.2**	**47**	**1**	**1**	**6**	**9**	**14**	**19**	**35**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.7	1	1	1	2	2	3	3	3
20-34	100	1.7	1	<1	<1	1	2	3	4	6
35-49	82	2.0	2	<1	1	1	2	4	5	9
50-64	80	2.1	6	<1	1	1	2	4	4	17
65+	24	3.2	5	1	1	2	5	7	7	8
B. *Operated*										
0-19 YRS	7	3.4	6	<1	<1	4	4	7	8	8
20-34	43	5.2	12	1	2	4	7	11	13	14
35-49	56	5.2	27	1	1	3	7	11	14	27
50-64	52	3.9	8	1	1	3	6	8	9	15
65+	49	5.7	17	1	1	4	9	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.8	3	<1	<1	3	4	5	6	6
20-34	43	2.2	2	<1	1	2	3	4	5	6
35-49	47	2.7	3	1	1	2	4	5	7	99+
50-64	47	3.4	11	1	1	3	4	6	7	22
65+	41	3.3	5	1	1	3	5	7	8	9
B. *Operated*										
0-19 YRS	6	5.3	25	<1	<1	4	10	12	12	12
20-34	42	6.3	20	1	2	5	9	13	16	19
35-49	58	5.6	20	2	2	4	8	11	12	23
50-64	126	6.3	26	2	2	5	8	12	18	27
65+	238	7.7	46	1	2	6	10	14	19	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	298	2.0	3	<1	1	1	2	3	5	8
B. *Operated*	207	4.9	16	1	1	4	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	189	2.9	5	1	1	2	4	5	7	17
B. *Operated*	470	6.9	35	1	2	5	9	13	17	29
1. SINGLE DX	505	3.2	11	<1	1	2	4	7	10	15
2. MULTIPLE DX	659	5.8	30	1	1	4	8	12	15	27
A. NOT OPERATED	487	2.3	4	<1	1	2	3	5	6	9
B. OPERATED	677	6.3	30	1	2	5	9	12	15	27
TOTAL 0-19 YRS	36	3.0	7	<1	1	2	4	7	9	12
20-34	228	3.3	10	<1	1	2	4	7	11	16
35-49	243	3.7	15	1	1	2	5	8	11	24
50-64	305	4.4	18	1	1	3	6	9	12	23
65+	352	6.6	37	1	1	5	9	13	15	36
GRAND TOTAL	**1164**	**4.6**	**23**	**1**	**1**	**3**	**6**	**10**	**13**	**24**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	2.2	2	1	1	2	3	4	5	9
20-34	65	2.5	2	<1	1	2	3	5	6	7
35-49	37	2.9	3	<1	1	2	4	6	6	7
50-64	48	3.3	5	1	1	2	4	7	7	11
65+	46	5.2	23	1	2	4	5	11	14	28
B. *Operated*										
0-19 YRS	48	2.5	21	<1	<1	1	3	5	6	32
20-34	115	2.5	4	<1	1	2	3	5	7	11
35-49	116	3.0	11	<1	1	2	3	6	9	21
50-64	190	2.6	5	<1	1	2	3	5	7	11
65+	191	2.8	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	3.2	4	1	1	3	4	6	8	68
20-34	120	4.3	29	1	1	3	5	8	11	34
35-49	104	5.9	42	1	2	4	6	10	17	38
50-64	155	5.5	15	1	2	4	7	10	13	23
65+	378	7.3	38	2	3	5	9	14	18	38
B. *Operated*										
0-19 YRS	167	2.5	4	<1	<1	2	3	5	7	10
20-34	269	4.0	29	<1	1	2	4	8	10	34
35-49	271	4.4	31	1	1	3	5	9	12	26
50-64	403	4.3	18	1	1	3	5	9	12	22
65+	678	6.6	47	1	2	4	8	14	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	3.1	8	1	1	2	4	6	7	14
B. *Operated*	660	2.7	7	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	842	5.9	31	1	2	4	7	11	15	32
B. *Operated*	1788	5.0	33	1	1	3	6	11	14	28
1. SINGLE DX	911	2.8	7	<1	1	2	3	5	7	13
2. MULTIPLE DX	2630	5.3	33	1	1	3	6	11	15	29
A. NOT OPERATED	1093	5.3	27	1	1	4	6	10	14	29
B. OPERATED	2448	4.4	27	<1	1	3	5	9	13	27
TOTAL 0-19 YRS	355	2.6	6	<1	<1	2	3	5	7	10
20-34	569	3.6	22	<1	1	2	4	7	10	27
35-49	528	4.3	28	1	1	3	5	9	12	26
50-64	796	4.0	15	1	1	3	5	9	11	21
65+	1293	6.2	39	1	2	4	8	13	17	32
GRAND TOTAL	**3541**	**4.6**	**27**	**1**	**1**	**3**	**5**	**10**	**13**	**27**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4		<1	<1	1	2	2	2	2
20-34	4	1.5		<1	<1	1	2	2	2	2
35-49	6	1.8	4	<1	<1	1	1	6	6	6
50-64	13	2.8	4	1	1	2	4	6	6	6
65+	12	2.5	4	1	1	2	3	6	7	7
B. *Operated*										
0-19 YRS	524	1.6	3	<1	<1	1	2	2	4	10
20-34	305	2.7	8	<1	<1	2	3	6	8	16
35-49	199	2.4	4	<1	<1	2	2	5	7	10
50-64	202	2.7	5	<1	1	2	3	5	7	12
65+	248	3.2	10	1	1	2	4	5	7	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.2	86	<1	<1	1	2	15	31	32
20-34	11	3.4	12	1	1	2	4	8	13	13
35-49	12	6.7	21	1	2	5	9	15	16	16
50-64	14	1.8	1	<1	<1	1	3	3	3	3
65+	61	5.9	28	1	2	4	7	12	15	28
B. *Operated*										
0-19 YRS	479	1.8	5	<1	<1	1	2	3	5	10
20-34	395	2.8	7	<1	1	2	3	6	9	15
35-49	346	3.6	23	<1	1	2	4	8	11	18
50-64	442	3.7	16	1	1	2	4	8	10	20
65+	684	5.5	27	1	2	4	7	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.2	3	<1	<1	2	2	5	6	7
B. *Operated*	1478	2.3	6	<1	<1	2	2	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	109	5.0	30	<1	1	3	6	12	15	30
B. *Operated*	2346	3.7	18	<1	1	2	4	8	11	19
1. SINGLE DX	1520	2.3	6	<1	<1	2	2	4	6	13
2. MULTIPLE DX	2455	3.7	19	<1	1	2	4	8	12	21
A. NOT OPERATED	151	4.2	24	<1	1	3	5	10	14	28
B. OPERATED	3824	3.2	14	<1	<1	2	4	7	10	17
TOTAL 0-19 YRS	1021	1.7	5	<1	<1	1	2	3	5	11
20-34	715	2.7	8	<1	<1	2	3	6	9	15
35-49	563	3.2	17	<1	1	2	4	7	10	17
50-64	671	3.3	13	1	1	2	4	7	8	17
65+	1005	4.9	24	1	2	3	6	10	15	25
GRAND TOTAL	**3975**	**3.2**	**14**	**<1**	**<1**	**2**	**4**	**7**	**10**	**17**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	326	2.8	4	1	1	2	3	5	6	10
20-34	212	2.8	6	1	1	2	3	5	7	17
35-49	106	3.3	6	1	1	3	4	7	8	13
50-64	144	3.6	6	1	1	3	5	7	8	12
65+	260	4.2	12	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	317	2.0	4	<1	<1	1	2	4	7	10
20-34	378	2.8	11	<1	<1	2	3	6	8	17
35-49	273	2.6	6	<1	<1	2	3	6	9	11
50-64	379	3.0	8	<1	1	2	4	6	9	14
65+	430	3.4	8	<1	1	3	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	503	3.7	9	1	1	3	4	6	9	18
20-34	561	4.3	25	1	1	3	5	8	10	22
35-49	397	5.0	21	1	2	4	6	9	13	28
50-64	651	6.3	44	1	2	5	8	11	16	36
65+	2571	7.8	50	2	2	6	9	15	19	39
B. *Operated*										
0-19 YRS	516	3.1	23	<1	<1	2	3	8	10	20
20-34	528	4.5	35	<1	1	3	5	10	14	35
35-49	531	4.3	17	<1	1	3	6	9	13	22
50-64	955	5.4	29	1	1	4	7	12	15	25
65+	1823	8.5	76	1	2	6	11	18	23	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1048	3.3	7	1	1	3	4	6	8	16
B. *Operated*	1777	2.8	8	<1	<1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	4683	6.5	42	1	2	5	8	13	17	34
B. *Operated*	4353	6.2	52	<1	1	4	8	14	19	35
1. SINGLE DX	2825	3.0	8	<1	<1	2	4	6	8	14
2. MULTIPLE DX	9036	6.4	47	1	1	4	8	13	18	35
A. NOT OPERATED	5731	5.9	37	1	2	4	7	12	16	31
B. OPERATED	6130	5.2	41	<1	1	3	7	12	16	31
TOTAL 0-19 YRS	1662	3.0	12	<1	<1	2	4	6	8	16
20-34	1679	3.8	23	<1	1	2	4	8	10	24
35-49	1307	4.1	16	<1	1	3	5	8	11	22
50-64	2129	5.2	30	1	1	4	7	10	14	27
65+	5084	7.5	56	1	2	6	9	15	20	38
GRAND TOTAL	**11861**	**5.6**	**39**	**1**	**1**	**4**	**7**	**12**	**16**	**31**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.0	8	<1	<1	2	5	5	5	5
50-64	27	3.4	6	<1	1	3	5	6	7	9
65+	62	3.3	8	<1	1	3	5	6	7	17
B. *Operated*										
0-19 YRS	6	3.8	23	<1	<1	2	5	12	13	13
20-34	7	2.1	2	1	1	2	3	5	5	5
35-49	132	3.7	8	1	1	3	5	6	9	13
50-64	1632	4.9	6	1	2	5	6	8	9	12
65+	2931	5.8	11	2	2	5	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	5	<1	<1	5	5	5	5	5
20-34	1	8.0		8	8	8	8	8	8	8
35-49	4	7.5	48	1	1	6	12	17	17	17
50-64	91	3.8	12	<1	1	3	4	7	12	19
65+	456	5.3	29	1	1	4	7	11	16	22
B. *Operated*										
0-19 YRS	9	7.9	36	2	3	6	8	17	23	23
20-34	6	6.2	22	2	2	4	11	13	13	13
35-49	151	5.1	19	<1	1	5	6	8	10	20
50-64	2503	6.2	16	2	2	5	7	10	14	21
65+	6710	8.0	33	3	4	6	9	14	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	3.3	7	<1	1	3	5	6	7	14
B. *Operated*	4708	5.4	9	1	2	5	6	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	555	5.1	26	1	1	4	6	11	15	22
B. *Operated*	9379	7.5	29	2	3	6	9	13	17	30
1. SINGLE DX	4799	5.4	9	1	2	5	6	9	10	16
2. MULTIPLE DX	9934	7.4	29	2	3	6	9	13	17	29
A. NOT OPERATED	646	4.8	24	1	1	4	6	10	14	21
B. OPERATED	14087	6.8	23	2	3	6	8	12	15	26
TOTAL 0-19 YRS	18	5.8	29	<1	<1	5	7	12	19	23
20-34	14	4.3	15	1	1	3	5	11	13	13
35-49	289	4.5	15	1	1	4	5	8	9	19
50-64	4253	5.6	12	1	2	5	7	9	12	19
65+	10159	7.2	28	2	3	6	9	13	16	29
GRAND TOTAL	**14733**	**6.7**	**24**	**2**	**2**	**6**	**8**	**12**	**15**	**26**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	3	1	1	2	3	5	5	5
20-34	37	2.7	3	<1	1	2	4	5	7	8
35-49	39	3.1	2	<1	1	3	4	5	6	6
50-64	37	3.9	3	1	2	4	5	6	7	8
65+	28	3.6	2	1	2	4	5	5	6	7
B. *Operated*										
0-19 YRS	10	1.5	1	<1	<1	1	2	3	3	3
20-34	50	1.8	3	<1	<1	1	2	4	4	11
35-49	47	2.6	10	<1	<1	1	2	7	9	15
50-64	66	2.7	4	1	1	2	3	5	7	11
65+	49	3.7	18	<1	1	2	4	7	10	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.0	2	2	2	3	3	5	6	6
20-34	59	3.8	5	1	1	3	5	7	7	12
35-49	58	3.9	5	1	2	4	5	6	7	14
50-64	114	4.5	6	1	2	4	6	9	9	11
65+	121	5.3	8	2	2	5	7	9	11	41
B. *Operated*										
0-19 YRS	20	2.6	8	<1	<1	2	3	6	10	13
20-34	78	2.8	8	<1	<1	2	4	6	8	16
35-49	101	4.4	62	<1	<1	2	5	8	12	48
50-64	190	4.9	24	<1	1	4	6	11	14	25
65+	252	6.3	29	1	1	5	8	13	17	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	3.3	3	1	1	3	4	5	6	8
B. *Operated*	222	2.6	8	<1	<1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*	362	4.5	7	1	2	4	6	8	9	15
B. *Operated*	641	5.1	31	<1	1	4	6	11	14	26
1. SINGLE DX	368	2.9	6	<1	<1	2	4	5	7	13
2. MULTIPLE DX	1003	4.9	22	<1	1	4	6	9	13	25
A. NOT OPERATED	508	4.2	6	1	2	4	5	7	9	13
B. OPERATED	863	4.4	26	<1	1	3	6	9	13	26
TOTAL 0-19 YRS	45	2.4	5	<1	1	2	3	4	6	13
20-34	224	2.8	5	<1	<1	2	4	6	7	11
35-49	245	3.8	29	<1	<1	3	5	6	8	19
50-64	407	4.4	14	1	1	3	5	9	11	20
65+	450	5.6	22	1	2	4	7	11	14	26
GRAND TOTAL	**1371**	**4.3**	**19**	**<1**	**1**	**3**	**5**	**8**	**12**	**21**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	267	1.9	1	<1	<1	2	2	3	4	6
20-34	116	2.6	1	1	1	2	3	4	5	5
35-49	118	2.7	3	1	1	2	3	4	5	12
50-64	206	2.8	2	1	1	3	3	5	5	8
65+	140	3.4	6	1	1	3	4	5	7	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.4	1	<1	<1	1	2	3	3	3
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	5	4.6	42	<1	<1	1	7	16	16	16
50-64	6	3.5	20	<1	<1	1	5	11	12	12
65+	9	5.4	12	<1	<1	6	9	10	10	10
B. *Operated*										
0-19 YRS	260	2.1	2	<1	<1	2	3	4	4	6
20-34	55	3.4	4	1	2	3	4	5	7	11
35-49	78	3.4	5	1	1	3	4	6	7	14
50-64	154	4.3	18	1	2	3	5	7	11	26
65+	156	4.4	13	2	2	3	5	8	10	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.7	2	<1	<1	1	3	4	4	4
B. *Operated*	847	2.6	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	31	3.5	15	<1	<1	1	5	10	12	16
B. *Operated*	703	3.4	9	<1	1	3	4	6	8	20
1. SINGLE DX	858	2.6	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	734	3.4	10	<1	1	3	4	6	8	20
A. NOT OPERATED	42	3.1	12	<1	<1	1	4	9	11	16
B. OPERATED	1550	2.9	6	<1	1	2	3	5	6	13
TOTAL 0-19 YRS	540	2.0	1	<1	<1	2	2	3	4	6
20-34	174	2.8	2	1	1	3	4	5	5	8
35-49	203	3.0	5	1	1	3	3	5	6	14
50-64	368	3.5	10	1	1	3	4	5	7	21
65+	307	4.0	10	1	2	3	5	7	9	17
GRAND TOTAL	**1592**	**2.9**	**6**	**<1**	**1**	**2**	**3**	**5**	**6**	**13**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	3.7	9	1	1	3	5	7	8	20
20-34	162	3.8	6	1	2	3	5	6	8	9
35-49	51	4.7	5	2	2	4	6	8	9	11
50-64	56	4.1	3	1	2	4	5	6	7	9
65+	33	4.8	6	2	2	4	6	8	11	12
B. *Operated*										
0-19 YRS	32	2.9	7	1	1	2	4	6	11	12
20-34	68	3.6	12	1	1	3	4	8	10	20
35-49	52	4.1	69	1	1	2	4	5	9	59
50-64	43	4.2	7	1	2	4	6	8	10	13
65+	27	3.9	5	1	2	3	4	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.7	6	1	2	3	4	8	10	10
20-34	70	4.4	12	1	2	4	5	7	9	22
35-49	50	5.0	5	2	2	5	6	9	10	11
50-64	74	4.9	9	1	2	4	6	9	10	18
65+	105	6.2	12	2	3	5	8	11	12	19
B. *Operated*										
0-19 YRS	25	3.4	5	1	1	3	4	8	8	9
20-34	53	4.5	16	1	1	3	5	10	13	21
35-49	50	4.0	9	<1	1	3	6	10	11	99
50-64	70	5.2	19	1	2	4	7	10	12	25
65+	68	8.9	59	2	3	7	11	17	24	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	4.1	6	1	2	4	5	7	8	11
B. *Operated*	222	3.8	23	1	1	3	4	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	322	5.1	10	2	2	4	6	9	11	18
B. *Operated*	266	5.6	29	1	2	4	7	12	15	32
1. SINGLE DX	600	3.9	12	1	1	3	5	7	8	14
2. MULTIPLE DX	588	5.3	19	1	2	4	7	10	13	24
A. NOT OPERATED	700	4.6	8	1	2	4	6	8	10	14
B. OPERATED	488	4.8	27	1	1	3	6	10	13	26
TOTAL 0-19 YRS	156	3.5	8	1	1	3	4	7	9	12
20-34	353	4.0	10	1	1	3	5	7	9	21
35-49	203	4.5	22	1	2	4	6	8	10	37
50-64	243	4.6	10	1	2	4	6	8	10	20
65+	233	6.5	27	2	3	5	8	12	15	26
GRAND TOTAL	**1188**	**4.6**	**16**	**1**	**2**	**4**	**6**	**8**	**11**	**21**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	192	1.3		<1	<1	1	2	2	2	4
20-34	45	1.6	1	<1	<1	2	2	3	3	4
35-49	33	1.5		<1	<1	1	2	2	3	3
50-64	18	1.7	1	<1	<1	2	2	3	3	3
65+	13	1.8		<1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	336	1.5	3	<1	<1	1	2	2	2	8
20-34	101	1.8	4	<1	<1	1	2	2	3	13
35-49	55	1.5	1	<1	<1	1	2	2	3	5
50-64	43	1.8	2	<1	<1	2	2	2	3	10
65+	31	2.3	2	<1	1	2	2	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	1.4		<1	<1	1	2	2	3	3
20-34	14	1.4		1	1	1	2	2	3	3
35-49	25	2.3	4	<1	1	1	3	5	7	8
50-64	13	2.2		1	1	2	2	3	4	4
65+	22	2.2	2	<1	1	2	3	3	5	7
B. *Operated*										
0-19 YRS	105	1.5		<1	<1	1	2	2	3	4
20-34	53	1.8	1	<1	<1	1	2	3	4	6
35-49	71	1.9	2	<1	<1	2	2	3	5	9
50-64	61	2.9	8	<1	1	2	3	6	8	19
65+	68	3.8	11	1	1	2	5	7	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	1.4		<1	<1	1	2	2	3	4
B. *Operated*	566	1.6	3	<1	<1	1	2	2	3	8
2. MULTIPLE DX										
A. *Not Operated*	119	1.8	2	<1	<1	1	2	3	4	7
B. *Operated*	358	2.3	5	<1	<1	2	2	5	6	12
1. SINGLE DX	867	1.6	2	<1	<1	1	2	2	3	7
2. MULTIPLE DX	477	2.2	4	<1	<1	2	2	4	6	11
A. NOT OPERATED	420	1.5	1	<1	<1	1	2	2	3	6
B. OPERATED	924	1.9	4	<1	<1	1	2	3	5	10
TOTAL 0-19 YRS	678	1.4	2	<1	<1	1	2	2	2	6
20-34	213	1.7	2	<1	<1	1	2	2	3	7
35-49	184	1.8	2	<1	<1	1	2	3	4	8
50-64	135	2.3	5	<1	1	2	2	4	6	11
65+	134	3.0	7	1	1	2	3	6	7	16
GRAND TOTAL	**1344**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.0	3	<1	<1	1	2	5	6	7
20-34	41	2.1	2	<1	<1	2	3	4	5	7
35-49	25	2.4	2	<1	<1	2	3	4	5	7
50-64	13	2.2	2	1	1	2	3	4	5	5
65+	8	3.1	8	2	2	2	3	8	10	10
B. *Operated*										
0-19 YRS	436	1.8	1	<1	1	1	2	3	4	6
20-34	397	2.4	24	<1	1	2	2	4	5	12
35-49	212	2.5	7	<1	<1	2	3	4	5	17
50-64	214	2.9	4	<1	1	2	3	5	7	12
65+	112	3.2	7	1	2	3	4	6	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.5	5	<1	<1	2	3	6	8	9
20-34	30	3.8	8	1	1	2	6	8	9	10
35-49	25	2.9	3	1	1	3	4	5	6	8
50-64	25	3.2	7	<1	1	2	5	8	9	9
65+	37	6.3	52	1	2	4	6	14	22	37
B. *Operated*										
0-19 YRS	177	2.1	2	<1	1	2	3	4	4	7
20-34	230	2.7	8	<1	1	2	3	4	6	15
35-49	181	3.8	21	1	1	2	4	7	11	27
50-64	264	4.2	15	1	1	3	5	8	11	24
65+	190	5.6	35	1	2	4	6	11	16	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	2.2	3	<1	<1	2	3	4	6	8
B. *Operated*	1371	2.4	10	<1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	141	4.0	20	<1	1	3	5	8	10	27
B. *Operated*	1042	3.7	17	1	1	3	4	7	10	26
1. SINGLE DX	1491	2.4	9	<1	1	2	3	4	5	10
2. MULTIPLE DX	1183	3.7	18	1	1	3	4	7	10	26
A. NOT OPERATED	261	3.2	13	<1	<1	2	4	7	9	16
B. OPERATED	2413	2.9	14	<1	1	2	3	5	7	19
TOTAL 0-19 YRS	670	1.9	2	<1	1	2	2	4	4	7
20-34	698	2.5	17	<1	1	2	3	4	6	13
35-49	443	3.0	13	<1	1	2	3	5	8	23
50-64	516	3.6	10	1	1	3	4	6	9	19
65+	347	4.8	29	1	2	3	5	9	15	31
GRAND TOTAL	**2674**	**3.0**	**14**	**<1**	**1**	**2**	**3**	**5**	**8**	**19**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	10	1.3		<1	<1	1	1	2	3	3
35-49	29	1.9	1	<1	<1	2	2	3	4	6
50-64	11	1.6		<1	<1	2	2	3	3	3
65+	6	1.5		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	100	1.6		<1	<1	2	2	2	2	4
20-34	939	2.0	4	<1	<1	2	2	3	4	8
35-49	2027	2.1	3	<1	<1	2	2	3	5	8
50-64	1032	2.2	3	<1	1	2	2	3	4	8
65+	392	2.4	2	<1	1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	4.4	7	1	1	4	6	8	10	10
35-49	18	3.4	14	<1	1	2	4	9	13	15
50-64	19	2.5	2	<1	1	2	4	5	5	5
65+	6	3.0	3	1	1	3	4	6	6	6
B. *Operated*										
0-19 YRS	22	2.1	2	<1	<1	2	3	4	5	6
20-34	360	2.8	5	<1	1	2	3	5	7	12
35-49	926	2.9	7	<1	1	2	3	5	7	12
50-64	625	3.2	13	1	1	2	4	6	8	15
65+	360	3.4	8	1	2	2	4	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	1.7	1	<1	<1	2	2	3	3	6
B. *Operated*	4490	2.1	3	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	53	3.2	7	1	1	3	4	6	9	15
B. *Operated*	2293	3.0	8	<1	1	2	3	6	7	13
1. SINGLE DX	4548	2.1	3	<1	<1	2	2	3	4	8
2. MULTIPLE DX	2346	3.0	8	<1	1	2	3	6	7	13
A. NOT OPERATED	111	2.4	4	<1	<1	2	3	5	6	12
B. OPERATED	6783	2.4	5	<1	<1	2	3	4	6	10
TOTAL 0-19 YRS	124	1.7	1	<1	<1	2	2	2	3	5
20-34	1319	2.2	4	<1	<1	2	2	4	5	10
35-49	3000	2.4	4	<1	<1	2	3	4	6	10
50-64	1687	2.6	7	<1	1	2	3	4	6	12
65+	764	2.9	5	1	1	2	3	5	7	11
GRAND TOTAL	**6894**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**10**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.5	5	<1	<1	3	4	6	9	10
20-34	53	2.9	6	1	1	2	3	4	7	14
35-49	16	2.1	2	<1	<1	2	3	4	5	5
50-64	11	2.0	2	<1	<1	1	3	4	5	5
65+	9	3.4	7	<1	<1	3	5	8	8	8
B. *Operated*										
0-19 YRS	285	2.5	2	<1	1	2	3	4	5	8
20-34	693	2.5	3	<1	<1	2	3	4	6	8
35-49	428	2.6	6	<1	<1	2	3	5	6	10
50-64	333	2.8	5	<1	1	2	3	5	6	11
65+	172	2.9	6	1	1	2	3	5	7	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.8	9	1	1	4	5	10	10	10
20-34	40	3.1	8	<1	<1	2	4	6	9	15
35-49	22	3.0	2	1	1	3	3	5	6	7
50-64	30	3.7	6	<1	<1	3	5	7	9	9
65+	20	7.6	83	<1	1	4	10	21	30	35
B. *Operated*										
0-19 YRS	55	2.8	2	<1	<1	3	4	5	6	7
20-34	278	3.2	5	<1	1	3	4	5	7	12
35-49	319	3.6	5	<1	1	3	5	7	8	12
50-64	278	3.8	8	1	2	3	5	7	9	15
65+	164	4.0	11	1	2	3	5	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	2.8	5	<1	1	2	3	5	7	13
B. *Operated*	1911	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	118	4.1	21	<1	<1	3	5	8	11	29
B. *Operated*	1094	3.6	6	1	1	3	4	7	8	13
1. SINGLE DX	2017	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	1212	3.6	8	<1	1	3	4	7	8	14
A. NOT OPERATED	224	3.5	14	<1	1	3	4	6	10	19
B. OPERATED	3005	3.0	5	<1	1	2	4	5	7	12
TOTAL 0-19 YRS	363	2.6	3	<1	1	2	3	4	5	10
20-34	1064	2.8	4	<1	<1	2	4	5	6	11
35-49	785	3.0	6	<1	1	2	4	6	7	11
50-64	652	3.3	6	1	1	3	4	6	8	12
65+	365	3.6	13	1	1	3	4	7	10	25
GRAND TOTAL	**3229**	**3.0**	**6**	**<1**	**1**	**2**	**4**	**5**	**7**	**12**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	2.1	1	<1	1	2	3	4	4	6
20-34	385	2.2	4	<1	1	2	3	4	5	9
35-49	73	2.5	4	1	1	2	3	4	7	10
50-64	3	2.7	1	2	2	2	4	4	4	4
65+	3	4.0	7	2	2	3	6	7	7	7
B. *Operated*										
0-19 YRS	365	3.9	4	1	1	4	5	6	7	10
20-34	1218	4.2	8	1	1	4	5	6	7	11
35-49	288	5.3	4	1	3	5	6	7	9	12
50-64	50	5.9	7	3	4	6	7	8	9	21
65+	25	7.2	5	4	5	7	9	10	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	2.6	3	1	1	2	3	5	6	7
20-34	225	3.0	41	<1	1	2	3	5	6	11
35-49	60	3.1	5	<1	1	3	4	6	9	11
50-64	7	3.0	3	<1	<1	3	4	6	6	6
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	287	4.7	5	1	2	5	6	7	8	12
20-34	1917	5.3	9	1	2	5	6	8	10	15
35-49	739	6.6	14	2	4	6	7	9	12	26
50-64	131	6.8	5	4	5	6	8	9	11	17
65+	54	9.6	24	5	6	8	11	14	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	634	2.2	3	<1	1	2	3	4	5	8
B. *Operated*	1946	4.4	7	1	1	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	371	2.9	26	<1	1	2	3	5	6	10
B. *Operated*	3128	5.7	11	1	2	5	7	9	10	17
1. SINGLE DX	2580	3.8	7	1	1	4	5	6	7	11
2. MULTIPLE DX	3499	5.4	13	1	2	5	6	8	10	17
A. NOT OPERATED	1005	2.5	12	<1	1	2	3	4	6	10
B. OPERATED	5074	5.2	10	1	2	5	6	8	10	16
TOTAL 0-19 YRS	899	3.7	5	1	1	4	5	6	7	11
20-34	3745	4.5	11	1	1	4	6	7	9	13
35-49	1160	5.8	12	1	2	6	7	9	11	19
50-64	191	6.4	6	3	4	6	7	9	10	18
65+	84	8.6	19	3	5	8	10	13	15	29
GRAND TOTAL	**6079**	**4.7**	**11**	**1**	**1**	**5**	**6**	**8**	**9**	**15**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	657	3.8	5	1	2	3	5	7	8	13
20-34	1506	4.2	12	1	2	4	5	7	9	14
35-49	168	4.4	7	1	2	4	5	7	10	14
50-64	20	6.0	19	1	2	5	9	12	15	17
65+	3	4.0	1	3	3	4	52	99+	99+	99+
B. *Operated*										
0-19 YRS	244	4.7	8	1	1	4	6	8	10	16
20-34	1103	4.5	8	<1	1	5	6	8	9	15
35-49	249	6.3	18	1	1	6	8	10	14	17
50-64	35	7.0	38	1	2	6	8	13	13	38
65+	11	8.8	39	1	2	8	13	19	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	327	4.6	9	1	2	4	6	8	10	13
20-34	961	4.6	7	1	2	4	6	8	9	15
35-49	145	5.4	10	2	3	5	7	9	11	17
50-64	25	5.2	7	1	1	5	7	9	10	10
65+	14	15.6	269	2	4	11	16	38	57	63
B. *Operated*										
0-19 YRS	356	5.6	11	1	2	5	7	10	12	16
20-34	2845	5.7	16	1	1	5	7	9	12	18
35-49	902	7.6	28	2	4	6	8	12	16	28
50-64	119	9.8	82	3	5	7	11	18	22	55
65+	51	16.3	258	4	5	11	21	31	36	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2354	4.1	10	1	2	4	5	7	8	14
B. *Operated*	1642	4.9	11	<1	1	5	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	1472	4.8	11	1	2	4	6	8	10	16
B. *Operated*	4273	6.3	25	1	2	6	7	10	14	25
1. SINGLE DX	3996	4.4	10	1	1	4	6	8	9	15
2. MULTIPLE DX	5745	5.9	22	1	2	5	7	10	13	23
A. NOT OPERATED	3826	4.4	10	1	2	4	5	7	9	15
B. OPERATED	5915	5.9	21	1	1	5	7	10	13	23
TOTAL 0-19 YRS	1584	4.5	8	1	2	4	6	8	10	15
20-34	6415	5.0	13	1	1	5	6	8	10	16
35-49	1464	6.8	23	2	2	6	8	11	15	25
50-64	199	8.3	61	2	3	6	9	13	20	46
65+	79	14.7	226	3	4	10	19	31	49	98
GRAND TOTAL	**9741**	**5.3**	**18**	**1**	**2**	**5**	**6**	**9**	**11**	**19**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.4	4	1	1	3	5	6	6	6
20-34	54	2.6	2	<1	<1	2	3	5	6	6
35-49	13	5.1	8	<1	1	6	7	9	10	10
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	33	2.9	4	<1	1	2	5	6	6	7
20-34	840	4.4	9	<1	<1	5	6	7	8	14
35-49	450	5.4	4	1	2	6	7	7	8	11
50-64	40	5.5	8	<1	1	6	7	9	10	11
65+	5	6.0	12	1	1	7	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	59	3.7	7	<1	<1	3	5	7	8	14
35-49	39	4.3	9	1	1	4	6	7	11	15
50-64	4	4.8	5	2	2	5	6	7	7	7
65+										
B. *Operated*										
0-19 YRS	56	3.9	4	<1	1	4	6	6	7	7
20-34	2461	5.5	9	1	2	6	7	8	9	14
35-49	2481	6.5	7	3	4	6	7	9	10	16
50-64	376	6.9	4	4	5	7	8	9	10	15
65+	45	7.0	17	2	4	6	8	9	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	3.2	4	<1	<1	3	5	6	7	10
B. *Operated*	1368	4.7	8	<1	1	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	103	4.0	8	<1	1	4	6	7	9	15
B. *Operated*	5419	6.1	8	1	3	6	7	8	10	15
1. SINGLE DX	1444	4.6	7	<1	1	5	6	7	8	12
2. MULTIPLE DX	5522	6.0	8	1	3	6	7	8	10	15
A. NOT OPERATED	179	3.6	6	<1	1	3	5	7	8	14
B. OPERATED	6787	5.8	8	1	2	6	7	8	10	15
TOTAL 0-19 YRS	98	3.5	4	<1	1	4	5	6	7	7
20-34	3414	5.2	9	<1	1	5	6	8	9	14
35-49	2983	6.3	7	2	4	6	7	9	10	15
50-64	421	6.7	5	4	5	7	8	9	10	15
65+	50	6.9	17	2	3	6	8	9	14	28
GRAND TOTAL	**6966**	**5.7**	**8**	**1**	**2**	**6**	**7**	**8**	**10**	**15**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	5	2.6	6	<1	<1	2	3	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	12	3.2	6	1	1	2	5	7	7	7
20-34	131	2.6	4	<1	<1	2	4	6	7	8
35-49	96	2.6	5	<1	<1	2	4	6	7	8
50-64	38	1.7	2	<1	<1	1	2	3	5	6
65+	14	1.9	1	<1	1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	3	<1	<1	4	4	4	4	4
20-34	9	3.0	4	<1	<1	2	5	6	6	6
35-49	4	4.0	7	<1	<1	4	6	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	25	2.2	4	<1	<1	2	2	4	8	8
20-34	632	4.4	8	<1	1	5	6	7	8	14
35-49	614	4.8	10	<1	1	5	6	8	10	14
50-64	196	4.1	11	<1	<1	2	7	8	10	14
65+	61	5.3	29	<1	1	2	7	12	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.8	5	<1	<1	2	4	7	7	7
B. *Operated*	291	2.5	4	<1	<1	2	3	[illegible]	7	8
2. MULTIPLE DX										
A. *Not Operated*	18	3.1	4	<1	<1	3	5	6	7	7
B. *Operated*	1528	4.5	10	<1	1	5	6	8	9	14
1. SINGLE DX	300	2.5	4	<1	<1	2	3	6	7	8
2. MULTIPLE DX	1546	4.5	10	<1	1	5	6	8	9	14
A. NOT OPERATED	27	3.0	4	<1	<1	2	5	6	7	7
B. OPERATED	1819	4.2	10	<1	1	4	6	8	9	14
TOTAL 0-19 YRS	42	2.5	4	<1	<1	2	3	6	7	8
20-34	777	4.1	8	<1	1	4	6	7	8	13
35-49	715	4.5	10	<1	1	5	6	8	9	14
50-64	236	3.7	10	<1	<1	2	6	8	10	13
65+	76	4.6	25	<1	1	2	7	11	13	26
GRAND TOTAL	**1846**	**4.2**	**10**	**<1**	**1**	**4**	**6**	**8**	**9**	**14**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.1	3	1	2	3	4	5	6	9
20-34	130	2.9	2	1	1	3	4	5	5	8
35-49	28	3.7	6	<1	1	3	6	7	8	8
50-64	6	2.5	4	<1	<1	2	3	6	6	6
65+	5	2.8	1	<1	<1	3	3	4	4	4
B. *Operated*										
0-19 YRS	76	2.2	10	<1	<1	1	2	3	7	20
20-34	538	2.1	21	<1	<1	1	2	3	5	13
35-49	228	1.9	2	<1	<1	1	2	4	5	9
50-64	87	1.8	2	<1	<1	1	2	3	4	8
65+	21	3.9	35	<1	1	2	4	6	17	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.7	10	1	1	3	5	6	8	21
20-34	137	3.7	5	1	1	3	5	6	8	14
35-49	35	3.9	5	<1	2	3	5	7	10	10
50-64	16	5.0	14	<1	1	4	6	8	14	17
65+	21	6.1	14	2	2	5	8	12	14	16
B. *Operated*										
0-19 YRS	56	3.7	14	<1	<1	2	5	8	12	17
20-34	436	3.9	13	<1	1	3	6	8	9	20
35-49	258	4.0	9	<1	1	3	6	8	10	12
50-64	87	4.0	25	<1	<1	2	4	8	12	29
65+	63	6.6	38	1	1	4	8	18	22	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	232	3.0	3	1	1	3	4	5	6	8
B. *Operated*	950	2.1	14	<1	<1	1	2	3	5	12
2. MULTIPLE DX										
A. *Not Operated*	271	4.0	8	1	1	3	5	7	9	16
B. *Operated*	900	4.1	15	<1	1	3	6	8	11	21
1. SINGLE DX	1182	2.3	12	<1	<1	2	3	4	5	10
2. MULTIPLE DX	1171	4.1	14	<1	1	3	6	8	10	20
A. NOT OPERATED	503	3.6	6	1	1	3	4	6	8	13
B. OPERATED	1850	3.1	16	<1	<1	2	4	7	9	20
TOTAL 0-19 YRS	257	3.1	9	<1	1	2	4	6	8	17
20-34	1241	3.0	15	<1	<1	2	4	6	8	16
35-49	549	3.1	7	<1	<1	2	5	7	9	12
50-64	196	3.0	14	<1	<1	2	3	7	8	21
65+	110	5.8	32	<1	1	4	7	14	18	26
GRAND TOTAL	2353	3.2	14	<1	<1	2	4	7	8	18

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	2.0	3	<1	<1	1	3	5	5	5
35-49	12	5.0	6	1	2	5	6	9	9	9
50-64	10	3.7	9	<1	<1	3	6	7	8	8
65+	14	4.1	8	<1	<1	4	7	7	8	8
B. *Operated*										
0-19 YRS	6	3.3	5	<1	<1	3	6	6	6	6
20-34	343	5.7	6	2	3	6	7	8	9	14
35-49	554	6.3	13	3	4	6	7	9	10	18
50-64	651	6.6	9	3	4	6	7	9	11	14
65+	503	7.1	8	4	4	7	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	3.4	11	<1	<1	2	6	8	11	12
35-49	51	4.3	15	<1	1	4	6	7	8	25
50-64	54	3.8	12	<1	<1	3	6	8	9	19
65+	55	4.0	7	1	1	4	6	7	10	11
B. *Operated*										
0-19 YRS	14	5.4	12	<1	1	5	7	12	12	12
20-34	1318	6.3	6	4	4	6	7	9	10	15
35-49	2293	6.9	7	4	5	6	8	9	11	16
50-64	1841	7.4	9	4	5	7	8	11	12	17
65+	1388	8.3	20	4	5	7	9	12	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	4.0	7	<1	<1	4	6	7	8	9
B. *Operated*	2057	6.5	10	3	4	6	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	174	4.0	11	<1	1	3	6	8	9	17
B. *Operated*	6854	7.2	10	4	5	7	8	10	12	18
1. SINGLE DX	2099	6.4	10	3	4	6	7	9	11	16
2. MULTIPLE DX	7028	7.1	11	4	4	7	8	10	12	18
A. NOT OPERATED	216	4.0	10	<1	1	3	6	8	9	14
B. OPERATED	8911	7.0	10	4	4	7	8	10	12	18
TOTAL 0-19 YRS	21	4.7	10	<1	1	4	6	9	12	12
20-34	1680	6.1	6	3	4	6	7	9	10	15
35-49	2910	6.7	8	4	4	6	8	9	11	16
50-64	2556	7.1	9	3	4	7	8	10	12	17
65+	1960	7.9	17	4	5	7	9	12	14	22
GRAND TOTAL	9127	7.0	10	3	4	6	8	10	12	18

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.5	1	1	1	1	2	3	3	3
20-34	17	1.8	1	<1	<1	2	2	3	4	5
35-49	5	1.6		1	1	2	2	2	2	2
50-64										
B. *Operated*										
0-19 YRS	8	2.0	2	<1	<1	2	2	4	5	5
20-34	144	1.9	7	<1	<1	1	2	4	6	20
35-49	171	1.6	3	<1	<1	1	2	2	5	7
50-64	28	1.4		<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	14	1.9	4	<1	<1	1	2	3	8	9
35-49	10	1.5	1	<1	<1	1	2	3	3	3
50-64	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	7	2.9	4	1	1	2	4	6	6	6
20-34	187	3.3	12	<1	<1	2	5	7	8	12
35-49	281	3.6	13	<1	<1	2	6	7	9	20
50-64	46	3.6	11	<1	<1	2	6	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	1.7	1	<1	<1	2	2	3	3	5
B. *Operated*	351	1.7	4	<1	<1	1	2	2	5	8
2. MULTIPLE DX										
A. *Not Operated*	30	1.7	2	<1	<1	1	2	3	3	9
B. *Operated*	521	3.5	12	<1	<1	2	6	7	9	17
1. SINGLE DX	379	1.7	4	<1	<1	1	2	2	5	8
2. MULTIPLE DX	551	3.4	12	<1	<1	2	5	7	8	16
A. NOT OPERATED	58	1.7	2	<1	<1	1	2	3	3	9
B. OPERATED	872	2.8	10	<1	<1	1	4	6	8	16
TOTAL 0-19 YRS	24	2.1	2	<1	1	2	3	5	5	6
20-34	362	2.6	9	<1	<1	1	3	6	7	13
35-49	467	2.8	10	<1	<1	1	4	7	8	17
50-64	77	2.7	8	<1	<1	1	3	7	7	15
GRAND TOTAL	**930**	**2.7**	**9**	**<1**	**<1**	**1**	**3**	**6**	**7**	**15**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	1.8	1	<1	<1	1	2	3	4	5
20-34	181	1.8	2	<1	<1	1	2	3	4	10
35-49	71	1.8	1	<1	<1	1	2	3	4	7
50-64	7	2.4	1	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	208	1.5	1	<1	<1	1	2	2	3	5
20-34	2191	1.8	3	<1	<1	1	2	4	6	8
35-49	1845	1.9	3	<1	<1	1	2	5	6	8
50-64	276	1.7	2	<1	<1	1	2	3	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	2.4	3	<1	1	2	3	4	6	8
20-34	178	2.2	3	<1	1	2	3	5	6	8
35-49	128	2.6	9	<1	<1	1	3	6	7	14
50-64	12	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	198	2.3	3	<1	1	2	3	5	5	11
20-34	3064	3.7	9	<1	<1	3	6	7	8	12
35-49	4154	4.2	13	<1	<1	4	6	8	9	14
50-64	514	4.0	9	<1	<1	2	6	8	9	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	309	1.8	2	<1	<1	1	2	3	4	8
B. *Operated*	4520	1.8	3	<1	<1	1	2	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	386	2.4	5	<1	<1	2	3	5	6	9
B. *Operated*	7930	3.9	11	<1	<1	3	6	7	8	13
1. SINGLE DX	4829	1.8	3	<1	<1	1	2	4	6	8
2. MULTIPLE DX	8316	3.9	11	<1	<1	3	6	7	8	13
A. NOT OPERATED	695	2.1	4	<1	<1	1	2	4	6	8
B. OPERATED	12450	3.2	9	<1	<1	2	5	7	8	12
TOTAL 0-19 YRS	524	2.0	2	<1	<1	2	2	4	5	8
20-34	5614	2.8	7	<1	<1	2	5	6	7	11
35-49	6198	3.4	11	<1	<1	2	6	7	8	12
50-64	809	3.2	8	<1	<1	2	6	7	8	11
GRAND TOTAL	**13145**	**3.1**	**9**	**<1**	**<1**	**2**	**5**	**7**	**8**	**12**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	11	2.5	2	<1	<1	2	4	5	5	5
50-64	24	1.6	1	<1	<1	1	2	3	4	4
65+	5	2.4	2	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	15	2.2	5	<1	<1	1	2	5	8	9
35-49	220	1.9	39	<1	<1	1	2	2	3	8
50-64	768	1.6	12	<1	<1	1	2	2	3	7
65+	279	1.8	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.7	6	1	1	4	5	6	6	6
35-49	20	2.9	7	<1	<1	2	4	5	9	12
50-64	44	2.9	5	<1	<1	2	4	7	7	8
65+	27	3.9	12	<1	<1	3	5	7	10	17
B. *Operated*										
0-19 YRS										
20-34	25	3.9	4	<1	1	4	5	7	7	7
35-49	233	3.0	8	<1	<1	2	4	7	8	19
50-64	986	2.7	7	<1	<1	2	3	7	8	13
65+	426	3.3	27	<1	1	2	3	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	2.0	1	<1	<1	1	3	4	4	5
B. *Operated*	1283	1.7	14	<1	<1	1	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	94	3.2	7	<1	<1	2	4	7	8	15
B. *Operated*	1670	2.9	12	<1	<1	2	3	7	8	15
1. SINGLE DX	1326	1.7	14	<1	<1	1	2	2	3	7
2. MULTIPLE DX	1764	2.9	12	<1	<1	2	3	7	8	15
A. NOT OPERATED	137	2.8	6	<1	<1	2	4	6	7	13
B. OPERATED	2953	2.4	13	<1	<1	2	2	6	7	12
TOTAL 0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	44	3.3	5	<1	<1	3	5	6	7	9
35-49	484	2.5	23	<1	<1	1	2	6	7	13
50-64	1822	2.2	9	<1	<1	1	2	5	7	11
65+	737	2.7	17	<1	<1	2	2	6	8	16
GRAND TOTAL	**3090**	**2.4**	**13**	**<1**	**<1**	**2**	**2**	**6**	**7**	**12**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.3	4	<1	<1	2	3	4	5	11
20-34	93	2.4	3	<1	1	2	3	5	6	10
35-49	26	2.0	3	<1	<1	1	2	5	5	6
50-64	17	1.9	2	<1	<1	1	2	4	6	7
65+	8	2.8	6	1	1	2	3	7	8	8
B. *Operated*										
0-19 YRS	145	2.4	4	<1	<1	2	3	5	6	12
20-34	1427	2.6	12	<1	<1	2	3	6	7	11
35-49	978	2.6	7	<1	<1	1	3	6	7	11
50-64	713	2.7	12	<1	<1	2	3	6	7	13
65+	224	3.1	11	<1	1	2	3	7	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	1.8	1	<1	<1	1	3	3	4	5
20-34	104	2.8	13	<1	<1	2	3	6	10	58
35-49	58	2.3	4	<1	<1	1	3	6	8	92
50-64	36	5.0	34	1	1	4	6	8	12	34
65+	41	7.6	58	2	2	5	10	22	32	99+
B. *Operated*										
0-19 YRS	129	3.4	4	<1	1	3	5	6	7	9
20-34	1836	4.1	12	<1	<1	4	6	7	9	17
35-49	2209	4.5	12	<1	<1	5	6	8	10	15
50-64	1523	4.6	15	<1	<1	5	7	8	10	17
65+	459	6.2	50	1	1	3	8	13	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	177	2.3	3	<1	<1	2	3	5	6	10
B. *Operated*	3487	2.7	10	<1	<1	2	3	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	268	3.6	23	<1	<1	2	4	8	12	86
B. *Operated*	6156	4.5	16	<1	<1	4	6	8	10	20
1. SINGLE DX	3664	2.6	10	<1	<1	2	3	6	7	11
2. MULTIPLE DX	6424	4.5	16	<1	<1	4	6	8	10	21
A. NOT OPERATED	445	3.1	15	<1	<1	2	4	6	9	34
B. OPERATED	9643	3.9	15	<1	<1	2	6	8	9	17
TOTAL 0-19 YRS	336	2.8	4	<1	<1	2	4	6	7	10
20-34	3460	3.4	12	<1	<1	2	5	7	8	14
35-49	3271	3.9	11	<1	<1	3	6	8	9	14
50-64	2289	4.0	15	<1	<1	2	6	8	10	16
65+	732	5.3	41	<1	1	3	7	12	18	31
GRAND TOTAL	**10088**	**3.8**	**15**	**<1**	**<1**	**2**	**6**	**7**	**9**	**18**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	166	2.1	24	1	1	1	2	3	4	53
20-34	243	2.1	4	<1	<1	1	2	4	5	8
35-49	67	2.4	3	<1	<1	2	3	4	6	8
50-64	26	3.3	13	<1	<1	2	5	7	11	17
65+	11	2.0	1	<1	<1	2	2	4	5	5
B. *Operated*										
0-19 YRS	120	2.1	2	<1	<1	2	3	4	5	8
20-34	1124	2.9	8	<1	<1	2	5	6	7	9
35-49	445	5.7	9	<1	1	6	8	9	10	15
50-64	332	7.6	32	3	4	7	9	10	12	15
65+	143	8.1	8	4	5	8	10	12	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	2.4	6	<1	<1	2	3	5	7	13
20-34	258	2.5	6	<1	<1	2	3	5	6	11
35-49	73	2.5	3	<1	<1	2	3	5	7	8
50-64	37	3.2	11	<1	<1	1	4	8	12	13
65+	30	9.2	227	<1	1	4	8	20	32	80
B. *Operated*										
0-19 YRS	122	3.5	8	<1	1	2	5	7	8	15
20-34	2500	4.7	12	<1	1	5	6	8	9	14
35-49	1311	6.4	9	1	2	6	8	9	11	17
50-64	548	7.8	9	4	4	7	9	12	13	18
65+	263	9.2	27	4	5	8	10	14	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	513	2.2	11	<1	<1	2	2	4	5	10
B. *Operated*	2164	4.5	15	<1	<1	4	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	473	3.0	22	<1	<1	2	3	5	7	20
B. *Operated*	4744	5.7	13	<1	1	6	7	9	11	17
1. SINGLE DX	2677	4.1	15	<1	<1	3	6	8	10	13
2. MULTIPLE DX	5217	5.5	15	<1	1	6	7	9	11	17
A. NOT OPERATED	986	2.6	16	<1	<1	2	3	5	6	15
B. OPERATED	6908	5.3	14	<1	1	5	7	9	11	16
TOTAL 0-19 YRS	483	2.5	12	<1	1	2	3	5	6	13
20-34	4125	3.9	11	<1	<1	4	6	7	8	12
35-49	1896	5.9	9	1	1	6	7	9	11	16
50-64	943	7.4	19	1	4	7	9	11	13	16
65+	447	8.7	34	2	4	8	10	12	16	29
GRAND TOTAL	**7894**	**5.0**	**15**	**<1**	**1**	**5**	**7**	**9**	**10**	**16**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	3	<1	<1	3	4	5	5	5
20-34	22	2.4	2	<1	1	2	4	5	5	6
35-49	3	5.0	16	1	1	5	8	9	9	9
50-64										
B. *Operated*										
0-19 YRS	109	4.4	2	3	3	4	5	6	7	9
20-34	1256	4.5	3	3	3	4	5	6	7	10
35-49	71	4.9	3	3	3	5	6	6	7	13
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	3.4	3	<1	<1	4	4	6	7	7
35-49										
50-64										
B. *Operated*										
0-19 YRS	96	4.9	5	3	3	5	5	6	7	16
20-34	1126	5.0	4	3	3	5	6	7	8	13
35-49	134	5.4	5	3	3	5	6	9	10	12
50-64	2	6.0	2	5	5	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.8	4	<1	1	2	4	5	6	9
B. *Operated*	1436	4.5	3	3	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	10	3.2	4	<1	<1	3	4	6	7	7
B. *Operated*	1358	5.0	4	3	3	5	6	7	8	13
1. SINGLE DX	1465	4.5	3	2	3	4	5	6	7	10
2. MULTIPLE DX	1368	5.0	4	3	3	5	6	7	8	13
A. NOT OPERATED	39	2.9	4	<1	<1	2	4	5	7	9
B. OPERATED	2794	4.8	4	3	3	4	5	7	8	12
TOTAL 0-19 YRS	210	4.6	3	3	3	4	5	6	7	10
20-34	2413	4.7	3	3	3	4	5	6	8	12
35-49	208	5.3	4	3	3	5	6	8	10	12
50-64	2	6.0	2	5	5	6	7	7	7	7
GRAND TOTAL	**2833**	**4.7**	**4**	**3**	**3**	**4**	**5**	**6**	**8**	**12**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	1.3		<1	<1	1	1	2	3	3
20-34	46	2.0	21	<1	<1	1	1	2	4	32
35-49	9	1.2		<1	<1	1	1	2	2	2
50-64										
B. *Operated*										
0-19 YRS	1294	1.2	1	<1	<1	1	1	2	2	5
20-34	2318	1.2	1	<1	<1	<1	1	2	2	5
35-49	184	1.3	1	<1	<1	<1	1	2	3	6
50-64	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	1.5	1	<1	<1	1	2	4	5	5
20-34	28	2.4	3	<1	<1	2	3	5	7	7
35-49	9	3.2	24	<1	<1	1	3	11	16	16
50-64										
B. *Operated*										
0-19 YRS	393	1.7	13	<1	<1	1	1	3	4	9
20-34	1556	2.0	8	<1	<1	1	2	4	5	9
35-49	420	2.0	6	<1	<1	1	2	4	6	10
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	1.6	10	<1	<1	1	1	2	3	18
B. *Operated*	3797	1.2	1	<1	<1	1	1	2	2	5
2. MULTIPLE DX										
A. *Not Operated*	54	2.3	6	<1	<1	1	3	4	7	16
B. *Operated*	2369	1.9	9	<1	<1	1	2	4	5	9
1. SINGLE DX	3900	1.2	1	<1	<1	1	1	2	2	5
2. MULTIPLE DX	2423	1.9	8	<1	<1	1	2	4	5	9
A. NOT OPERATED	157	1.8	8	<1	<1	1	2	3	4	15
B. OPERATED	6166	1.5	4	<1	<1	1	1	2	4	7
TOTAL 0-19 YRS	1752	1.3	4	<1	<1	1	1	2	2	6
20-34	3948	1.5	4	<1	<1	1	1	2	4	7
35-49	622	1.8	4	<1	<1	1	2	3	5	8
50-64	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**6323**	**1.5**	**4**	**<1**	**<1**	**1**	**1**	**2**	**4**	**7**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
B. *Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	3	1.7		1	1	2	2	2	2	2
35-49										
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*	6	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	5	1.8	1	1	1	2	2	3	3	3
B. *Operated*	1	4.0		4	4	4	4	4	4	4
1. SINGLE DX	9	1.9	1	<1	<1	2	2	4	4	4
2. MULTIPLE DX	6	2.2	1	1	1	2	3	4	4	4
A. NOT OPERATED	8	2.0	1	1	1	2	3	4	4	4
B. OPERATED	7	2.0	1	<1	<1	2	3	4	4	4
TOTAL 0-19 YRS	5	1.8	1	<1	<1	2	2	3	3	3
20-34	8	2.0	1	1	1	2	3	4	4	4
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64										
GRAND TOTAL	**15**	**2.0**	**1**	**<1**	**1**	**2**	**3**	**4**	**4**	**4**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	228	1.4	1	<1	<1	1	2	2	3	6
20-34	783	1.6	11	<1	<1	1	2	2	3	6
35-49	79	1.4	1	<1	<1	1	2	2	3	4
50-64	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	1232	1.3	1	<1	<1	1	1	2	3	5
20-34	6031	1.3	2	<1	<1	1	1	2	3	5
35-49	742	1.4	2	<1	<1	1	1	2	3	5
50-64	5	2.0	2	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	2.1	3	1	1	1	2	4	5	9
20-34	146	2.0	4	<1	1	1	2	4	5	8
35-49	18	2.2	18	<1	<1	1	1	3	13	19
50-64										
B. *Operated*										
0-19 YRS	229	2.2	6	<1	<1	1	2	4	5	12
20-34	1151	2.0	10	<1	<1	1	2	4	5	11
35-49	234	1.9	2	<1	<1	1	2	4	5	8
50-64	2	1.0		<1	<1	<1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1091	1.5	8	<1	<1	1	2	2	3	5
B. *Operated*	8010	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	214	2.1	5	<1	1	1	2	4	5	13
B. *Operated*	1616	2.0	8	<1	<1	1	2	4	5	10
1. SINGLE DX	9101	1.3	2	<1	<1	1	1	2	3	5
2. MULTIPLE DX	1830	2.0	8	<1	<1	1	2	4	5	10
A. NOT OPERATED	1305	1.6	8	<1	<1	1	2	3	4	6
B. OPERATED	9626	1.4	3	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	1739	1.5	2	<1	<1	1	2	2	3	6
20-34	8111	1.4	4	<1	<1	1	1	2	3	6
35-49	1073	1.5	2	<1	<1	1	1	2	4	6
50-64	8	1.6	1	<1	<1	1	2	3	4	4
GRAND TOTAL	**10931**	**1.5**	**3**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	3.0	5	<1	1	2	4	5	7	13
20-34	170	2.2	2	<1	<1	2	3	4	5	8
35-49	16	1.5	2	<1	<1	1	2	2	5	6
50-64										
B. *Operated*										
0-19 YRS	124	2.0	2	<1	<1	1	2	4	5	8
20-34	1009	1.5	2	<1	<1	1	2	2	3	7
35-49	90	1.5	1	<1	<1	1	2	2	4	7
50-64	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.8	25	1	1	3	5	13	18	20
20-34	57	2.9	5	<1	1	2	4	6	7	11
35-49	10	2.5	4	<1	<1	2	3	6	6	6
50-64										
B. *Operated*										
0-19 YRS	42	3.0	11	1	1	2	3	6	7	21
20-34	281	2.8	22	<1	<1	2	3	6	8	18
35-49	60	2.3	5	<1	<1	1	3	6	8	10
50-64	2	3.0	2	2	2	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	241	2.3	3	<1	<1	2	3	4	6	8
B. *Operated*	1224	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	85	3.3	9	<1	1	3	4	6	8	18
B. *Operated*	385	2.8	18	<1	<1	2	3	6	8	18
1. SINGLE DX	1465	1.7	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	470	2.9	16	<1	<1	2	3	6	8	18
A. NOT OPERATED	326	2.6	5	<1	1	2	3	5	6	11
B. OPERATED	1609	1.9	6	<1	<1	1	2	3	5	9
TOTAL 0-19 YRS	239	2.6	7	<1	<1	2	3	5	6	16
20-34	1517	1.9	6	<1	<1	1	2	3	5	9
35-49	176	1.8	3	<1	<1	1	2	3	6	9
50-64	3	2.7	1	2	2	2	4	4	4	4
GRAND TOTAL	**1935**	**2.0**	**6**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	156	1.7	1	<1	<1	1	2	3	4	4
20-34	679	1.9	3	<1	<1	1	2	3	4	9
35-49	40	2.2	1	<1	1	2	3	4	5	5
50-64										
B. *Operated*										
0-19 YRS	11	1.5	1	<1	<1	1	2	3	4	4
20-34	39	1.9	4	<1	<1	1	2	4	8	99+
35-49	4	2.5	4	1	1	2	4	5	5	5
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.9	5	1	1	2	4	6	7	12
20-34	133	3.4	69	<1	1	2	3	5	7	27
35-49	10	2.5	1	1	1	3	3	4	4	4
50-64										
B. *Operated*										
0-19 YRS	6	2.2	1	<1	<1	2	2	4	4	4
20-34	30	2.3	3	<1	<1	2	3	5	5	9
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	875	1.9	3	<1	<1	1	2	3	4	8
B. *Operated*	54	1.9	3	<1	<1	1	2	4	5	96
2. MULTIPLE DX										
A. *Not Operated*	173	3.3	54	<1	1	2	3	5	7	13
B. *Operated*	36	2.3	3	<1	<1	2	3	5	5	9
1. SINGLE DX	929	1.9	3	<1	<1	1	2	3	4	9
2. MULTIPLE DX	209	3.1	45	<1	1	2	3	5	7	12
A. NOT OPERATED	1048	2.1	11	<1	<1	2	2	4	5	10
B. OPERATED	90	2.0	3	<1	<1	1	2	4	5	64
TOTAL 0-19 YRS	203	1.9	2	<1	<1	2	2	3	4	6
20-34	881	2.2	13	<1	<1	2	2	4	5	11
35-49	54	2.2	1	1	1	2	3	4	5	5
50-64										
GRAND TOTAL	**1138**	**2.1**	**11**	**<1**	**<1**	**2**	**2**	**4**	**5**	**10**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.3		<1	<1	1	2	2	2	2
20-34	66	2.5	13	<1	<1	2	2	3	6	22
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	2.0	3	<1	<1	1	3	5	5	5
35-49										
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6	1	1	1	1	2	3	3	3
20-34	20	2.1	3	<1	<1	2	3	4	6	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	5	2.4	5	<1	<1	1	4	6	6	6
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	2.2	11	<1	<1	1	2	3	5	22
B. *Operated*	6	2.0	2	<1	<1	1	2	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	26	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	6	2.8	5	<1	<1	2	5	6	6	6
1. SINGLE DX	89	2.2	10	<1	<1	1	2	3	5	22
2. MULTIPLE DX	32	2.2	3	<1	<1	2	3	5	6	7
A. NOT OPERATED	109	2.2	9	<1	<1	1	2	4	5	21
B. OPERATED	12	2.4	4	<1	<1	2	4	5	6	6
TOTAL 0-19 YRS	21	1.6	1	<1	<1	1	2	3	4	5
20-34	96	2.4	10	<1	<1	1	3	4	6	22
35-49	4	1.8	2	<1	<1	1	3	4	4	4
50-64										
GRAND TOTAL	**121**	**2.2**	**8**	**<1**	**<1**	**1**	**2**	**4**	**6**	**21**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	141	2.6	3	<1	1	2	3	4	6	10
20-34	623	2.9	19	<1	1	2	3	5	7	11
35-49	43	3.2	4	<1	1	3	4	6	7	9
50-64										
B. ***Operated***										
0-19 YRS	15	3.3	7	1	1	3	3	8	9	10
20-34	75	2.9	8	<1	<1	2	4	6	7	16
35-49	7	1.9	2	<1	<1	<1	3	4	4	4
50-64										
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	41	3.2	4	<1	<1	3	4	5	7	12
20-34	210	3.2	7	<1	1	3	4	6	8	15
35-49	23	4.1	28	<1	<1	3	4	9	16	26
50-64										
B. ***Operated***										
0-19 YRS	17	3.6	3	1	1	3	5	5	7	8
20-34	56	4.4	14	<1	1	4	6	11	13	94
35-49	4	6.3	28	2	2	4	9	14	14	14
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	807	2.8	16	<1	1	2	3	5	7	10
B. ***Operated***	97	2.9	7	<1	<1	2	4	6	8	16
2. MULTIPLE DX										
A. ***Not Operated***	274	3.3	8	<1	1	3	4	6	8	15
B. ***Operated***	77	4.3	12	<1	1	4	5	8	13	77
1. SINGLE DX	904	2.9	15	<1	<1	2	3	5	7	11
2. MULTIPLE DX	351	3.5	9	<1	1	3	4	7	9	19
A. NOT OPERATED	1081	3.0	14	<1	1	2	3	5	7	12
B. OPERATED	174	3.5	10	<1	<1	3	4	7	12	18
TOTAL 0-19 YRS	214	2.9	4	<1	1	2	3	5	7	11
20-34	964	3.0	16	<1	<1	2	4	6	7	15
35-49	77	3.5	12	<1	<1	3	4	6	9	23
50-64										
GRAND TOTAL	**1255**	**3.0**	**13**	**<1**	**<1**	**2**	**4**	**5**	**7**	**14**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	180	2.9	4	1	1	3	3	5	6	10
20-34	730	3.5	10	1	1	3	4	6	8	14
35-49	26	3.3	5	1	2	3	4	6	7	12
50-64										
B. *Operated*										
0-19 YRS	3	2.3	5	<1	<1	1	4	5	5	5
20-34	20	2.8	5	<1	1	2	4	6	7	8
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	2.9	4	1	1	2	4	5	7	12
20-34	295	3.7	12	1	1	3	4	6	8	18
35-49	11	3.9	17	1	1	3	4	11	14	14
50-64										
B. *Operated*										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	22	3.5	6	1	1	3	4	6	9	12
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	936	3.4	9	1	1	3	4	6	8	13
B. *Operated*	25	2.6	4	<1	<1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	382	3.6	10	1	1	3	4	6	8	15
B. *Operated*	25	3.5	6	1	1	3	4	5	8	12
1. SINGLE DX	961	3.4	9	1	1	3	4	6	7	13
2. MULTIPLE DX	407	3.6	10	1	1	3	4	6	8	15
A. NOT OPERATED	1318	3.4	9	1	1	3	4	6	8	14
B. OPERATED	50	3.1	5	<1	1	3	4	6	7	12
TOTAL 0-19 YRS	262	2.9	4	1	1	2	3	5	6	10
20-34	1067	3.6	11	1	1	3	4	6	8	15
35-49	39	3.4	8	1	1	3	4	6	11	14
50-64										
GRAND TOTAL	**1368**	**3.4**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1337	1.2	1	<1	<1	<1	1	1	2	4
20-34	4782	1.1	1	<1	<1	<1	1	1	2	4
35-49	260	1.1		<1	<1	<1	1	1	1	4
50-64	4	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	97	1.1		<1	<1	1	1	2	2	3
20-34	465	1.2	1	<1	<1	<1	1	1	2	6
35-49	23	1.2		<1	<1	1	1	2	3	3
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	1.5	1	<1	<1	1	2	3	4	6
20-34	394	1.7	5	<1	<1	1	2	3	4	15
35-49	32	1.5	1	<1	<1	1	1	3	5	5
50-64	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS		1.3		<1	<1	1	2	2	2	2
20-34	6[illegible]	2.2	7	<1	<1	1	3	4	6	17
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6383	1.1	1	<1	<1	<1	1	1	2	4
B. *Operated*	585	1.2	1	<1	<1	1	1	1	2	5
2. MULTIPLE DX										
A. *Not Operated*	556	1.6	4	<1	<1	1	2	3	4	11
B. *Operated*	69	2.1	6	<1	<1	1	2	4	5	16
1. SINGLE DX	6968	1.1	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	625	1.7	4	<1	<1	1	2	3	4	12
A. NOT OPERATED	6939	1.2	1	<1	<1	<1	1	1	2	5
B. OPERATED	654	1.3	2	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	1570	1.2	1	<1	<1	<1	1	1	2	5
20-34	5701	1.2	1	<1	<1	<1	1	1	2	5
35-49	317	1.1		<1	<1	<1	1	1	2	4
50-64	5	1.0		<1	<1	<1	1	1	1	1
GRAND TOTAL	**7593**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.5	3	<1	<1	2	4	5	6	7
20-34	338	2.7	12	<1	<1	2	3	5	7	17
35-49	36	2.5	6	<1	<1	2	3	5	5	14
50-64										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	42	3.1	11	<1	1	2	4	6	11	16
35-49	7	3.4	6	1	1	3	4	7	8	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.2	2	1	1	3	5	5	5	5
20-34	87	3.8	16	<1	1	2	4	10	14	17
35-49	13	3.3	5	<1	<1	3	5	7	8	8
50-64										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	16	3.4	9	<1	<1	2	5	8	10	11
35-49	3	7.0	21	2	2	8	10	11	11	11
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	2.7	11	<1	<1	2	3	5	7	15
B. *Operated*	50	3.2	10	1	1	2	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	110	3.7	14	<1	1	2	4	9	13	17
B. *Operated*	20	3.9	11	<1	<1	2	6	9	11	11
1. SINGLE DX	455	2.7	10	<1	<1	2	3	5	7	16
2. MULTIPLE DX	130	3.7	13	<1	1	2	5	9	12	16
A. NOT OPERATED	515	2.9	11	<1	<1	2	3	5	8	16
B. OPERATED	70	3.4	10	<1	1	2	4	8	11	16
TOTAL 0-19 YRS	43	2.6	3	<1	<1	2	4	5	6	7
20-34	483	3.0	13	<1	<1	2	3	6	9	16
35-49	59	3.0	7	<1	<1	2	4	6	8	14
50-64										
GRAND TOTAL	**585**	**2.9**	**11**	**<1**	**<1**	**2**	**3**	**6**	**8**	**16**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	1.5	1	<1	<1	1	2	3	3	6
20-34	441	1.9	11	<1	<1	1	2	3	4	10
35-49	18	1.8	2	<1	<1	1	2	3	5	6
50-64										
B. *Operated*										
0-19 YRS	5	4.6	10	2	2	4	6	10	10	10
20-34	45	2.0	1	<1	1	2	3	4	4	5
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.1	3	<1	<1	2	2	3	4	11
20-34	104	2.3	5	<1	<1	2	3	5	6	13
35-49	5	1.8	2	1	1	1	2	4	4	4
50-64										
B. *Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	20	2.9	4	<1	1	2	5	6	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	554	1.8	9	<1	<1	1	2	3	4	9
B. *Operated*	52	2.2	3	<1	<1	2	3	4	4	10
2. MULTIPLE DX										
A. *Not Operated*	145	2.2	4	<1	<1	2	3	4	5	11
B. *Operated*	24	2.7	4	<1	1	2	4	6	6	7
1. SINGLE DX	606	1.9	9	<1	<1	1	2	3	4	9
2. MULTIPLE DX	169	2.3	4	<1	<1	2	3	5	6	11
A. NOT OPERATED	699	1.9	8	<1	<1	1	2	3	5	9
B. OPERATED	76	2.4	3	<1	1	2	3	5	6	9
TOTAL 0-19 YRS	139	1.8	2	<1	<1	1	2	3	4	10
20-34	610	2.0	9	<1	<1	1	2	4	5	9
35-49	26	1.8	2	<1	<1	1	2	3	4	6
50-64										
GRAND TOTAL	**775**	**2.0**	**8**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	3.0	3	<1	<1	3	4	5	7	8
20-34	286	2.8	3	<1	<1	2	4	5	5	8
35-49	6	3.2	5	<1	<1	3	5	6	6	6
50-64										
B. *Operated*										
0-19 YRS	22	2.4	2	<1	1	2	3	5	6	6
20-34	30	3.1	3	<1	<1	3	4	5	7	7
35-49										
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	3.4	3	<1	1	3	4	6	6	9
20-34	266	3.7	10	1	1	3	4	6	8	14
35-49	10	3.7	5	1	1	3	4	7	9	9
50-64	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	32	4.5	12	<1	1	4	5	10	13	14
20-34	87	4.9	11	1	1	4	6	9	11	18
35-49	5	7.6	36	2	2	7	11	17	17	17
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	459	2.8	3	<1	<1	2	4	5	6	8
B. *Operated*	52	2.8	3	<1	1	2	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	425	3.5	8	1	1	3	4	6	7	11
B. *Operated*	124	4.9	12	1	1	4	6	9	12	18
1. SINGLE DX	511	2.8	3	<1	<1	2	4	5	6	8
2. MULTIPLE DX	549	3.9	9	1	1	3	5	6	8	14
A. NOT OPERATED	884	3.2	5	<1	1	3	4	5	6	9
B. OPERATED	176	4.3	10	1	1	4	6	8	11	16
TOTAL 0-19 YRS	369	3.2	4	<1	1	3	4	6	7	10
20-34	669	3.4	7	<1	1	3	4	6	7	14
35-49	21	4.5	14	<1	1	4	5	9	13	17
50-64	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**1060**	**3.4**	**6**	**<1**	**1**	**3**	**4**	**6**	**7**	**13**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.7	6	<1	<1	2	3	4	9	11
20-34	143	3.5	6	<1	1	3	5	7	9	11
35-49	11	2.2	1	<1	<1	2	3	4	4	4
50-64										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	28	2.0	2	<1	<1	1	3	4	5	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.1	6	<1	1	3	4	6	7	16
20-34	333	3.4	11	<1	<1	3	4	7	8	15
35-49	28	3.2	4	1	1	3	4	6	7	10
50-64										
B. *Operated*										
0-19 YRS	6	1.8	2	1	1	1	3	4	4	4
20-34	40	4.5	23	<1	1	2	5	9	18	21
35-49	4	5.3	20	1	1	5	9	10	10	10
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	3.4	6	<1	<1	3	5	6	8	11
B. *Operated*	30	2.1	2	<1	<1	1	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	421	3.3	10	<1	1	3	4	6	8	15
B. *Operated*	50	4.2	20	1	1	2	5	9	18	21
1. SINGLE DX	199	3.2	5	<1	<1	3	4	6	8	11
2. MULTIPLE DX	471	3.4	11	<1	1	3	4	7	9	17
A. NOT OPERATED	590	3.3	9	<1	1	3	4	6	8	13
B. OPERATED	80	3.4	14	<1	<1	2	4	7	10	20
TOTAL 0-19 YRS	82	2.9	6	<1	1	2	4	6	7	15
20-34	544	3.4	10	<1	<1	3	4	7	9	16
35-49	44	3.1	5	<1	1	3	4	6	9	10
50-64										
GRAND TOTAL	**670**	**3.4**	**9**	**<1**	**<1**	**3**	**4**	**6**	**8**	**16**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	369	2.0	7	<1	<1	1	2	4	5	12
20-34	1264	2.0	7	<1	<1	1	2	4	6	11
35-49	54	1.9	4	<1	<1	1	2	3	8	10
50-64										
B. *Operated*										
0-19 YRS	70	2.0	1	<1	<1	2	3	4	4	6
20-34	613	2.4	5	<1	<1	2	3	4	6	11
35-49	45	2.2	4	<1	<1	2	3	4	4	13
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	153	2.9	14	<1	<1	2	3	6	9	19
20-34	557	3.0	20	<1	<1	2	3	6	8	19
35-49	40	2.9	6	<1	1	2	3	6	10	11
50-64										
B. *Operated*										
0-19 YRS	45	3.8	8	<1	1	4	5	6	8	16
20-34	353	3.6	14	<1	<1	3	5	6	8	25
35-49	41	3.2	5	<1	<1	3	5	6	7	10
50-64	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1687	2.0	7	<1	<1	1	2	4	5	11
B. *Operated*	728	2.3	4	<1	<1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	750	3.0	18	<1	<1	2	3	6	8	19
B. *Operated*	440	3.6	13	<1	<1	3	5	6	8	18
1. SINGLE DX	2415	2.1	6	<1	<1	1	2	4	5	11
2. MULTIPLE DX	1190	3.2	16	<1	<1	2	4	6	8	19
A. NOT OPERATED	2437	2.3	10	<1	<1	1	3	4	7	13
B. OPERATED	1168	2.8	8	<1	<1	2	4	5	7	14
TOTAL 0-19 YRS	637	2.3	8	<1	<1	1	3	5	6	16
20-34	2787	2.5	10	<1	<1	2	3	5	7	13
35-49	180	2.5	5	<1	<1	2	3	5	7	11
50-64	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**3605**	**2.5**	**9**	**<1**	**<1**	**2**	**3**	**5**	**7**	**13**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.4	4	<1	1	2	3	3	5	12
20-34	156	3.3	59	1	1	2	3	4	5	23
35-49	15	2.9	3	1	2	3	3	5	7	8
50-64										
B. *Operated*										
0-19 YRS	18	2.8	1	1	2	3	3	4	5	5
20-34	88	3.8	21	1	2	3	4	6	8	31
35-49	9	3.9	37	1	1	2	3	13	20	20
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	2.5	3	1	1	2	3	4	6	9
20-34	204	2.7	2	1	1	2	3	4	5	8
35-49	15	2.9	3	1	1	3	4	6	7	7
50-64										
B. *Operated*										
0-19 YRS	54	4.3	16	2	2	3	5	6	9	27
20-34	435	5.3	33	2	2	4	5	9	15	30
35-49	44	5.4	11	2	2	5	7	9	12	18
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	3.1	47	1	1	2	3	4	5	21
B. *Operated*	115	3.6	19	1	2	3	4	5	8	28
2. MULTIPLE DX										
A. *Not Operated*	263	2.7	2	1	1	2	3	4	5	9
B. *Operated*	533	5.2	30	2	2	4	5	8	14	29
1. SINGLE DX	312	3.3	37	1	1	2	3	5	6	21
2. MULTIPLE DX	796	4.3	22	1	2	3	5	7	10	28
A. NOT OPERATED	460	2.9	21	1	1	2	3	4	5	12
B. OPERATED	648	4.9	28	1	2	4	5	8	12	29
TOTAL 0-19 YRS	142	3.2	8	1	1	3	3	5	7	16
20-34	883	4.2	30	1	2	3	4	6	10	28
35-49	83	4.4	12	1	2	3	5	8	10	19
50-64										
GRAND TOTAL	**1108**	**4.1**	**26**	**1**	**2**	**3**	**4**	**6**	**9**	**27**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7880	2.2	2	1	1	2	3	3	3	5
20-34	42814	2.2	3	1	1	2	3	3	3	5
35-49	1926	2.2	3	1	1	2	3	3	4	5
50-64	15	2.2	1	1	1	2	3	3	4	4
B. *Operated*										
0-19 YRS	2119	2.3	1	1	1	2	3	3	4	5
20-34	10989	2.5	5	1	1	2	3	3	4	5
35-49	555	2.6	2	1	1	3	3	4	4	6
50-64	6	2.7	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	466	2.6	2	1	1	2	3	4	4	7
20-34	2371	2.6	3	1	1	2	3	4	4	7
35-49	119	2.8	5	1	1	2	3	4	5	45
50-64	2	4.5	13	2	2	4	7	7	7	7
B. *Operated*										
0-19 YRS	271	3.0	2	1	2	3	3	4	5	8
20-34	4712	3.0	3	2	2	3	3	4	5	7
35-49	590	3.3	2	2	2	3	4	5	5	8
50-64	2	4.5	1	4	4	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52635	2.2	3	1	1	2	3	3	3	5
B. *Operated*	13669	2.4	4	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	2958	2.6	3	1	1	2	3	4	4	8
B. *Operated*	5575	3.1	3	2	2	3	4	4	5	7
1. SINGLE DX	66304	2.2	3	1	1	2	3	3	4	5
2. MULTIPLE DX	8533	2.9	3	1	2	3	3	4	5	7
A. NOT OPERATED	55593	2.2	3	1	1	2	3	3	4	5
B. OPERATED	19244	2.6	4	1	1	2	3	4	4	6
TOTAL 0-19 YRS	10736	2.3	2	1	1	2	3	3	4	5
20-34	60886	2.3	3	1	1	2	3	3	4	5
35-49	3190	2.5	3	1	1	2	3	4	4	6
50-64	25	2.7	2	1	1	2	3	4	5	7
GRAND TOTAL	**74837**	**2.3**	**3**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	2	1	1	3	4	5	5	5
20-34	45	3.4	16	1	1	2	3	4	14	23
35-49	5	3.0	4	<1	<1	3	5	5	5	5
50-64										
B. *Operated*										
0-19 YRS	14	5.2	13	2	2	4	5	10	14	15
20-34	233	5.8	55	2	3	5	5	7	12	34
35-49	20	4.9	8	2	2	4	5	9	12	13
50-64	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	24	2.6	2	1	1	2	3	5	6	6
35-49	7	3.4	4	1	1	3	5	6	6	6
50-64										
B. *Operated*										
0-19 YRS	18	4.8	7	2	2	4	5	6	11	14
20-34	369	6.3	27	2	3	5	6	11	16	33
35-49	68	6.9	31	3	4	5	7	11	15	39
50-64	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	3.3	14	1	1	2	3	5	11	23
B. *Operated*	268	5.7	49	2	3	5	5	7	13	32
2. MULTIPLE DX										
A. *Not Operated*	33	2.8	2	1	1	2	3	5	6	6
B. *Operated*	456	6.3	27	2	3	5	6	11	15	34
1. SINGLE DX	324	5.3	44	2	2	4	5	7	13	32
2. MULTIPLE DX	489	6.1	26	2	3	5	6	11	15	32
A. NOT OPERATED	89	3.1	9	1	1	2	3	5	6	20
B. OPERATED	724	6.1	35	2	3	5	6	10	15	33
TOTAL 0-19 YRS	40	4.6	8	2	2	4	5	7	12	15
20-34	671	5.8	36	2	2	5	6	9	15	32
35-49	100	6.1	25	2	3	5	6	11	13	33
50-64	2	6.0	2	5	5	6	7	7	7	7
GRAND TOTAL	**813**	**5.8**	**33**	**2**	**2**	**5**	**6**	**9**	**15**	**32**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	1.9	1	1	1	2	2	3	4	4
20-34	184	2.3	1	1	1	2	3	3	4	6
35-49	10	2.1		2	2	2	2	3	3	3
50-64										
B. *Operated*										
0-19 YRS	37	3.8	5	1	2	4	5	5	5	15
20-34	179	3.7	3	1	2	4	5	6	6	10
35-49	9	3.9	3	2	2	4	5	6	6	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.4	2	<1	1	2	3	4	5	8
20-34	139	2.8	6	1	1	2	3	5	5	11
35-49	15	2.6	3	1	1	2	3	4	7	8
50-64										
B. *Operated*										
0-19 YRS	83	4.6	9	1	2	4	6	8	10	17
20-34	406	4.0	6	1	2	4	5	6	8	11
35-49	32	5.5	22	2	2	4	5	10	16	25
50-64	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	225	2.2	1	1	1	2	3	3	4	5
B. *Operated*	225	3.8	3	1	2	4	5	6	6	10
2. MULTIPLE DX										
A. *Not Operated*	187	2.7	5	1	1	2	3	5	5	9
B. *Operated*	522	4.2	7	1	2	4	5	7	8	15
1. SINGLE DX	450	3.0	3	1	1	3	4	5	6	7
2. MULTIPLE DX	709	3.8	7	1	1	3	5	6	8	14
A. NOT OPERATED	412	2.4	3	1	1	2	3	4	5	7
B. OPERATED	747	4.0	6	1	2	4	5	6	7	14
TOTAL 0-19 YRS	184	3.6	7	1	1	3	5	6	8	15
20-34	908	3.4	5	1	1	3	4	6	7	10
35-49	66	4.1	13	1	2	3	5	6	9	24
50-64	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**1159**	**3.5**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.4	1	1	1	2	3	4	4	4
20-34	47	2.2	1	1	1	2	3	4	4	4
35-49	5	2.6	1	1	1	3	3	4	4	4
50-64										
B. *Operated*										
0-19 YRS	71	2.3	1	1	1	2	3	3	4	5
20-34	550	2.5	17	1	1	2	3	4	4	7
35-49	31	2.5	1	<1	1	3	3	4	4	5
50-64	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	26	2.7	2	1	1	3	4	4	5	6
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	56	2.6	1	1	1	2	3	4	5	6
20-34	334	3.0	13	1	1	3	3	5	6	10
35-49	28	3.1	3	1	1	3	4	5	6	9
50-64	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	2.2	1	1	1	2	3	4	4	4
B. *Operated*	653	2.5	14	1	1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	32	2.6	1	1	1	2	3	4	4	6
B. *Operated*	419	3.0	10	1	1	3	3	5	6	9
1. SINGLE DX	715	2.5	13	1	1	2	3	4	4	6
2. MULTIPLE DX	451	2.9	10	1	1	3	3	5	6	9
A. NOT OPERATED	94	2.4	1	1	1	2	3	4	4	5
B. OPERATED	1072	2.7	13	1	1	2	3	4	5	8
TOTAL 0-19 YRS	141	2.4	1	1	1	2	3	4	5	5
20-34	957	2.7	14	1	1	2	3	4	5	8
35-49	66	2.8	2	1	1	3	3	5	5	9
50-64	2	3.5	13	1	1	3	6	6	6	6
GRAND TOTAL	**1166**	**2.7**	**12**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.6	1	1	2	2	3	4	4	6
20-34	193	2.3	1	1	1	2	3	3	4	5
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	25	2.6	2	<1	1	2	3	4	5	8
20-34	120	2.6	1	1	1	3	3	4	4	5
35-49	6	2.2	1	1	1	2	3	3	3	3
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.7	1	1	2	2	3	4	5	6
20-34	122	2.6	1	1	1	2	3	4	4	6
35-49	7	4.1	10	2	2	3	5	10	11	11
50-64										
B. *Operated*										
0-19 YRS	29	2.6	1	1	2	3	3	3	4	5
20-34	180	3.1	3	1	2	3	4	5	5	8
35-49	15	3.5	2	1	2	3	4	6	6	6
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	2.3	1	1	1	2	3	4	4	5
B. *Operated*	151	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	153	2.7	2	1	1	2	3	4	4	7
B. *Operated*	224	3.1	3	1	2	3	3	5	5	7
1. SINGLE DX	382	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX	377	2.9	2	1	2	3	3	4	5	7
A. NOT OPERATED	384	2.5	1	1	1	2	3	4	4	6
B. OPERATED	375	2.9	2	1	1	3	3	4	5	7
TOTAL 0-19 YRS	114	2.6	1	1	2	2	3	4	4	7
20-34	615	2.6	2	1	1	3	3	4	5	6
35-49	30	3.3	4	1	2	3	4	5	6	11
50-64										
GRAND TOTAL	**759**	**2.7**	**2**	**1**	**1**	**3**	**3**	**4**	**5**	**6**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.7	1	1	1	3	3	5	58	99+
20-34	121	3.6	71	1	2	3	3	4	5	35
35-49	10	3.2	2	1	1	3	4	5	5	5
50-64										
B. *Operated*										
0-19 YRS	8	2.9	1	2	2	3	4	4	4	4
20-34	85	3.6	3	1	2	3	4	5	6	11
35-49	5	4.8	2	3	3	5	6	6	6	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.4	3	1	1	3	4	6	6	6
20-34	122	3.1	2	1	2	3	4	5	6	8
35-49	5	3.2	4	1	1	3	4	6	6	6
50-64										
B. *Operated*										
0-19 YRS	54	4.2	10	2	2	3	5	7	12	19
20-34	526	4.4	10	2	2	4	5	7	8	16
35-49	40	5.2	20	2	2	4	5	8	14	26
50-64	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	3.5	58	1	2	3	3	4	5	94
B. *Operated*	98	3.6	3	1	2	3	4	6	6	11
2. MULTIPLE DX										
A. *Not Operated*	138	3.2	2	1	2	3	4	5	6	8
B. *Operated*	621	4.4	11	2	2	4	5	7	8	19
1. SINGLE DX	247	3.5	36	1	2	3	4	5	6	14
2. MULTIPLE DX	759	4.2	10	2	2	4	5	6	8	18
A. NOT OPERATED	287	3.3	31	1	2	3	4	5	6	11
B. OPERATED	719	4.3	10	2	2	4	5	7	8	18
TOTAL 0-19 YRS	91	3.7	7	1	2	3	4	6	11	66
20-34	854	4.0	17	1	2	3	5	6	7	14
35-49	60	4.7	15	1	2	4	5	7	8	25
50-64	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**1006**	**4.0**	**16**	**1**	**2**	**3**	**5**	**6**	**7**	**17**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.0	1	1	1	2	2	3	4	5
20-34	274	2.2	1	1	1	2	3	3	4	5
35-49	22	2.0	1	<1	1	2	3	3	4	4
50-64										
B. *Operated*										
0-19 YRS	259	4.0	3	2	2	4	5	5	6	8
20-34	1603	3.9	2	1	2	4	5	5	6	8
35-49	59	4.0	3	2	2	4	5	6	7	10
50-64	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	1	1	1	2	3	4	5	5
20-34	107	2.7	13	1	1	2	3	4	6	21
35-49	8	2.6	1	1	1	3	3	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	230	4.9	6	2	2	4	6	8	9	13
20-34	1847	4.6	10	2	2	4	5	7	8	12
35-49	179	4.6	3	2	2	5	5	7	7	11
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	329	2.1	1	1	1	2	3	3	4	5
B. *Operated*	1922	3.9	2	2	2	4	5	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	129	2.6	11	1	1	2	3	4	5	15
B. *Operated*	2256	4.6	9	2	2	4	5	7	8	12
1. SINGLE DX	2251	3.7	3	1	2	4	5	5	6	8
2. MULTIPLE DX	2385	4.5	9	2	2	4	5	7	8	12
A. NOT OPERATED	458	2.3	4	1	1	2	3	3	4	7
B. OPERATED	4178	4.3	6	2	2	4	5	6	7	11
TOTAL 0-19 YRS	535	4.2	5	1	2	4	5	7	8	12
20-34	3831	4.1	7	1	2	4	5	6	7	11
35-49	268	4.2	3	2	2	4	5	6	7	10
50-64	2	3.0	2	2	2	3	4	4	4	4
GRAND TOTAL	**4636**	**4.1**	**6**	**1**	**2**	**4**	**5**	**6**	**7**	**11**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	2.3	1	1	1	2	3	3	4	4
20-34	670	2.3	4	1	1	2	3	3	4	6
35-49	30	2.4	1	1	1	2	3	3	4	4
50-64										
B. *Operated*										
0-19 YRS	358	3.0	2	1	2	3	3	4	5	7
20-34	2126	3.0	2	1	2	3	4	5	5	7
35-49	103	3.4	3	1	2	3	4	5	7	10
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	2.6	2	1	1	2	3	4	5	8
20-34	381	2.5	1	1	1	2	3	4	4	6
35-49	19	3.2	4	1	2	3	3	5	8	10
50-64										
B. *Operated*										
0-19 YRS	628	3.5	3	2	2	3	4	5	6	9
20-34	3690	3.6	5	2	2	3	4	6	6	10
35-49	272	4.4	9	2	2	4	5	6	8	17
50-64	2	6.5	25	3	3	6	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	769	2.3	3	1	1	2	3	3	4	6
B. *Operated*	2587	3.0	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	463	2.5	1	1	1	2	3	4	5	6
B. *Operated*	4592	3.6	5	2	2	3	4	6	6	10
1. SINGLE DX	3356	2.9	2	1	2	3	3	4	5	7
2. MULTIPLE DX	5055	3.5	5	1	2	3	4	6	6	10
A. NOT OPERATED	1232	2.4	3	1	1	2	3	3	4	6
B. OPERATED	7179	3.4	4	2	2	3	4	5	6	9
TOTAL 0-19 YRS	1118	3.2	3	1	2	3	4	5	6	8
20-34	6867	3.2	4	1	2	3	4	5	6	9
35-49	424	3.9	7	2	2	3	5	6	7	14
50-64	2	6.5	25	3	3	6	10	10	10	10
GRAND TOTAL	**8411**	**3.3**	**4**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.9	6	2	2	3	4	8	10	10
20-34	56	3.2	3	1	2	3	4	5	6	13
35-49	5	2.4	1	1	1	3	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	583	4.6	2	3	3	4	5	6	6	9
20-34	2433	4.6	5	3	3	5	5	6	6	9
35-49	81	5.0	2	3	4	5	6	7	7	9
50-64	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.2	2	1	1	3	4	5	5	5
20-34	66	3.6	3	1	2	3	5	5	7	9
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64										
B. *Operated*										
0-19 YRS	937	5.3	4	3	3	5	6	7	9	14
20-34	3976	5.0	6	3	3	5	6	7	8	11
35-49	231	5.1	3	3	3	5	6	7	8	14
50-64	4	7.5	14	4	4	7	10	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	3.2	4	1	2	3	4	5	6	12
B. *Operated*	3098	4.6	5	3	3	5	5	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	80	3.6	3	1	2	3	5	5	7	9
B. *Operated*	5148	5.1	5	3	3	5	6	7	8	12
1. SINGLE DX	3168	4.6	5	3	3	4	5	6	6	9
2. MULTIPLE DX	5228	5.1	5	3	3	5	6	7	8	12
A. NOT OPERATED	150	3.4	3	1	2	3	4	5	6	10
B. OPERATED	8246	4.9	5	3	3	5	5	6	7	11
TOTAL 0-19 YRS	1540	5.0	4	3	3	5	6	7	8	12
20-34	6531	4.9	6	3	3	5	5	6	7	11
35-49	320	5.0	3	3	3	5	6	7	8	13
50-64	5	6.8	13	4	4	5	10	12	12	12
GRAND TOTAL	**8396**	**4.9**	**5**	**3**	**3**	**5**	**5**	**6**	**7**	**11**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	2.4	1	1	1	2	3	4	4	6
20-34	712	2.5	3	1	1	2	3	4	4	5
35-49	23	2.7	1	1	2	3	3	4	5	5
50-64										
B. *Operated*										
0-19 YRS	219	3.2	3	1	2	3	4	5	6	9
20-34	995	3.2	2	1	2	3	4	5	6	7
35-49	43	3.3	3	1	2	3	5	6	6	7
50-64	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	2.9	2	1	1	3	3	4	6	8
20-34	398	2.8	21	1	1	3	3	4	5	7
35-49	17	3.1	2	2	2	3	3	5	6	6
50-64										
B. *Operated*										
0-19 YRS	389	3.9	5	2	2	3	5	6	8	12
20-34	1941	3.7	4	2	2	3	5	6	7	9
35-49	120	4.9	73	2	2	4	5	6	7	39
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	867	2.5	3	1	1	2	3	4	4	5
B. *Operated*	1259	3.2	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	514	2.9	17	1	1	3	3	4	5	7
B. *Operated*	2450	3.8	7	2	2	3	5	6	7	10
1. SINGLE DX	2126	2.9	3	1	1	3	4	5	5	7
2. MULTIPLE DX	2964	3.7	9	1	2	3	4	6	7	9
A. NOT OPERATED	1381	2.6	8	1	1	2	3	4	4	6
B. OPERATED	3709	3.6	6	1	2	3	4	6	6	9
TOTAL 0-19 YRS	839	3.3	4	1	2	3	4	6	7	10
20-34	4046	3.3	5	1	2	3	4	5	6	8
35-49	203	4.1	45	2	2	3	5	6	7	11
50-64	2	2.5	1	2	2	2	3	3	3	3
GRAND TOTAL	**5090**	**3.3**	**7**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.4	1	1	1	2	3	4	4	4
20-34	83	2.7	13	<1	1	2	3	4	5	25
35-49	8	2.4		2	2	2	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	48	3.4	2	1	2	3	5	5	6	99+
20-34	271	4.0	22	1	2	4	5	5	6	14
35-49	15	4.4	4	2	2	4	6	7	7	7
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	10	3	3	4	7	10	10	10
20-34	45	2.6	1	<1	1	3	3	4	4	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
B. *Operated*										
0-19 YRS	70	4.7	5	2	2	4	6	7	9	14
20-34	478	4.7	8	2	2	4	6	7	8	15
35-49	61	5.0	3	2	3	5	6	7	8	89
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	2.6	11	1	1	2	3	4	4	19
B. *Operated*	334	3.9	18	1	2	4	5	6	6	18
2. MULTIPLE DX										
A. *Not Operated*	51	2.8	2	<1	1	3	4	4	5	10
B. *Operated*	609	4.7	7	2	2	4	6	7	8	15
1. SINGLE DX	435	3.6	17	1	1	3	4	5	6	18
2. MULTIPLE DX	660	4.5	7	2	2	4	5	7	8	15
A. NOT OPERATED	152	2.7	8	1	1	2	3	4	4	10
B. OPERATED	943	4.4	11	2	2	4	5	7	8	15
TOTAL 0-19 YRS	132	4.1	4	2	2	4	5	6	8	29
20-34	877	4.1	13	1	2	4	5	6	7	15
35-49	86	4.6	4	2	2	5	6	7	8	67
50-64										
GRAND TOTAL	**1095**	**4.2**	**11**	**1**	**2**	**4**	**5**	**6**	**7**	**15**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	60	3.8	3	1	2	4	5	6	6	6
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
B. *Operated*										
0-19 YRS	286	4.8	2	3	3	5	5	6	7	9
20-34	4443	4.8	2	3	3	5	5	6	6	8
35-49	224	4.8	1	3	4	5	6	6	7	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	43	4.5	3	1	2	5	6	6	8	9
35-49	8	5.1	4	2	3	5	6	8	8	8
50-64										
B. *Operated*										
0-19 YRS	239	5.1	2	3	4	5	6	7	8	10
20-34	4625	5.2	6	3	4	5	6	7	7	12
35-49	435	5.8	15	3	4	5	6	7	9	16
50-64	3	6.7	1	6	6	6	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	3.6	3	1	1	4	5	6	6	6
B. *Operated*	4953	4.8	2	3	3	5	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	53	4.6	3	1	2	5	6	7	8	9
B. *Operated*	5302	5.2	7	3	4	5	6	7	8	13
1. SINGLE DX	5017	4.8	2	3	3	5	5	6	6	8
2. MULTIPLE DX	5355	5.2	7	3	4	5	6	7	8	13
A. NOT OPERATED	117	4.1	3	1	2	4	5	6	7	9
B. OPERATED	10255	5.0	5	3	3	5	6	6	7	11
TOTAL 0-19 YRS	529	4.9	2	3	3	5	5	6	7	9
20-34	9171	5.0	4	3	3	5	6	6	7	10
35-49	669	5.5	10	3	4	5	6	7	8	14
50-64	3	6.7	1	6	6	6	8	8	8	8
GRAND TOTAL	**10372**	**5.0**	**5**	**3**	**3**	**5**	**6**	**6**	**7**	**11**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	232	2.5	2	<1	1	2	3	4	5	9
20-34	1200	2.4	2	1	1	2	3	4	4	9
35-49	70	2.4	2	<1	1	2	3	4	5	7
50-64	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	206	3.1	5	1	2	3	3	5	6	14
20-34	1071	2.8	3	1	1	3	3	4	5	8
35-49	69	3.1	3	1	1	3	4	5	6	11
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	146	2.8	3	1	1	3	3	5	5	10
20-34	658	2.9	5	1	1	2	3	4	6	14
35-49	45	3.7	17	1	1	3	4	5	7	28
50-64										
B. *Operated*										
0-19 YRS	406	3.8	4	2	2	3	5	6	7	11
20-34	2445	3.8	9	1	2	3	5	6	7	12
35-49	215	4.2	6	2	2	4	5	7	10	14
50-64	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1503	2.4	2	<1	1	2	3	4	4	8
B. *Operated*	1346	2.9	3	1	1	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	849	2.9	6	1	1	3	3	4	6	14
B. *Operated*	3067	3.8	8	1	2	3	5	6	7	12
1. SINGLE DX	2849	2.6	3	1	1	2	3	4	5	8
2. MULTIPLE DX	3916	3.6	8	1	2	3	4	6	7	12
A. NOT OPERATED	2352	2.6	3	1	1	2	3	4	5	10
B. OPERATED	4413	3.5	7	1	2	3	4	6	7	12
TOTAL 0-19 YRS	990	3.2	4	1	1	3	4	5	6	10
20-34	5374	3.2	6	1	1	3	4	5	6	11
35-49	399	3.7	6	1	1	3	4	6	7	13
50-64	2	2.5	5	1	1	2	4	4	4	4
GRAND TOTAL	**6765**	**3.2**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	644	2.3	1	1	1	2	3	3	4	5
20-34	4078	2.2	2	1	1	2	3	3	4	5
35-49	184	2.3	1	1	1	2	3	3	4	6
50-64	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	364	2.4	1	1	1	2	3	3	4	6
20-34	1962	2.5	3	1	1	2	3	3	4	5
35-49	103	2.7	1	1	2	3	3	4	5	7
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	2.6	1	1	1	2	3	4	4	7
20-34	972	2.5	2	1	1	2	3	4	4	7
35-49	63	2.7	2	1	1	2	3	4	6	8
50-64										
B. *Operated*										
0-19 YRS	372	2.8	2	1	2	3	3	4	5	9
20-34	2465	2.9	6	1	2	3	3	4	5	7
35-49	172	3.0	1	1	2	3	4	4	5	8
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4907	2.2	2	1	1	2	3	3	4	5
B. *Operated*	2429	2.5	3	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	1195	2.5	2	1	1	2	3	4	4	7
B. *Operated*	3009	2.9	5	1	2	3	3	4	5	7
1. SINGLE DX	7336	2.3	2	1	1	2	3	3	4	5
2. MULTIPLE DX	4204	2.8	4	1	2	3	3	4	5	7
A. NOT OPERATED	6102	2.3	2	1	1	2	3	3	4	5
B. OPERATED	5438	2.7	4	1	2	3	3	4	5	7
TOTAL 0-19 YRS	1540	2.5	1	1	1	2	3	3	4	7
20-34	9477	2.5	3	1	1	2	3	4	4	6
35-49	522	2.7	1	1	1	3	3	4	5	7
50-64	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**11540**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	2.1	1	1	1	2	3	3	3	6
20-34	714	2.2	10	<1	1	2	2	3	3	8
35-49	54	2.1	1	1	1	2	3	3	4	5
50-64										
B. *Operated*										
0-19 YRS	911	2.2	11	1	1	2	3	3	3	5
20-34	6229	2.1	2	1	1	2	3	3	3	5
35-49	375	2.1	1	1	1	2	3	3	3	4
50-64	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.3	1	1	1	2	3	3	4	4
20-34	230	2.2	2	1	1	2	3	3	4	5
35-49	17	2.9	7	<1	1	2	4	5	10	12
50-64										
B. *Operated*										
0-19 YRS	348	2.7	5	1	1	2	3	4	5	9
20-34	2770	2.6	3	1	1	2	3	4	4	7
35-49	283	2.9	4	1	2	3	3	4	5	14
50-64	4	2.5	1	1	1	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	905	2.1	8	<1	1	2	2	3	3	6
B. *Operated*	7516	2.1	3	1	1	2	3	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	283	2.3	3	1	1	2	3	3	4	6
B. *Operated*	3405	2.6	3	1	1	2	3	4	4	8
1. SINGLE DX	8421	2.1	3	1	1	2	3	3	3	5
2. MULTIPLE DX	3688	2.6	3	1	1	2	3	4	4	8
A. NOT OPERATED	1188	2.2	7	<1	1	2	3	3	4	6
B. OPERATED	10921	2.3	3	1	1	2	3	3	4	6
TOTAL 0-19 YRS	1432	2.3	8	1	1	2	3	3	4	7
20-34	9943	2.2	3	1	1	2	3	3	4	6
35-49	729	2.4	2	1	1	2	3	4	4	8
50-64	5	2.4	1	1	1	3	3	3	3	3
GRAND TOTAL	**12109**	**2.3**	**3**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	2.6	4	1	1	2	3	3	4	10
20-34	502	2.5	13	1	1	2	3	3	4	11
35-49	21	2.2	1	1	1	2	3	3	4	5
50-64										
B. *Operated*										
0-19 YRS	998	2.3	1	1	1	2	3	3	4	5
20-34	3491	2.4	1	1	1	2	3	3	4	5
35-49	76	2.6	1	1	1	2	3	4	4	5
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	2.3	1	1	1	2	3	4	4	4
20-34	167	2.6	1	1	1	3	3	4	4	6
35-49	5	3.0	3	1	1	3	4	5	5	5
50-64										
B. *Operated*										
0-19 YRS	594	2.8	3	1	2	3	3	4	5	9
20-34	2270	2.8	3	1	2	3	3	4	5	8
35-49	103	3.1	2	1	2	3	4	5	6	10
50-64	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	650	2.5	11	1	1	2	3	3	4	11
B. *Operated*	4565	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	216	2.5	1	1	1	2	3	4	4	6
B. *Operated*	2968	2.8	3	1	2	3	3	4	5	8
1. SINGLE DX	5215	2.4	2	1	1	2	3	3	4	5
2. MULTIPLE DX	3184	2.8	3	1	2	3	3	4	5	8
A. NOT OPERATED	866	2.5	8	1	1	2	3	3	4	7
B. OPERATED	7533	2.6	2	1	1	2	3	4	4	6
TOTAL 0-19 YRS	1763	2.5	2	1	2	2	3	4	4	7
20-34	6430	2.6	3	1	1	2	3	4	4	6
35-49	205	2.8	2	1	1	3	3	4	5	7
50-64	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**8399**	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	2.1	1	1	1	2	3	3	4	5
20-34	217	2.1	1	1	1	2	3	3	4	6
35-49	5	2.0	1	1	1	2	2	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	358	2.3	1	1	1	2	3	3	4	4
20-34	1269	2.4	7	1	1	2	3	3	4	6
35-49	45	2.2	1	<1	1	2	3	3	4	8
50-64	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.6	2	1	1	2	3	4	6	6
20-34	85	2.5	3	<1	1	2	3	4	5	10
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	228	2.7	7	1	1	2	3	4	4	13
20-34	1022	2.8	6	1	1	3	3	4	5	8
35-49	30	3.0	2	1	1	3	4	4	6	8
50-64	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	278	2.1	1	1	1	2	3	3	4	6
B. *Operated*	1673	2.4	6	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	100	2.5	2	1	1	2	3	4	5	9
B. *Operated*	1281	2.8	6	1	1	3	3	4	5	8
1. SINGLE DX	1951	2.4	5	1	1	2	3	3	4	6
2. MULTIPLE DX	1381	2.8	6	1	1	3	3	4	5	8
A. NOT OPERATED	378	2.2	1	1	1	2	3	3	4	7
B. OPERATED	2954	2.6	6	1	1	2	3	4	4	8
TOTAL 0-19 YRS	655	2.4	3	1	1	2	3	3	4	6
20-34	2593	2.6	6	1	1	2	3	4	4	8
35-49	81	2.5	2	1	1	2	3	4	5	8
50-64	3	3.0	3	2	2	2	4	5	5	5
GRAND TOTAL	**3332**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**4**	**8**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1022	2.5	14	1	1	2	3	4	4	8
20-34	4866	2.3	5	<1	1	2	3	3	4	7
35-49	249	2.4	1	1	1	2	3	4	4	6
50-64	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	2652	2.7	3	1	2	2	3	4	4	8
20-34	11341	2.7	2	1	1	2	3	4	5	8
35-49	562	2.9	4	1	1	3	3	5	5	10
50-64	6	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	516	2.7	5	1	1	2	3	4	6	9
20-34	2262	2.8	8	<1	1	2	3	4	5	13
35-49	178	2.9	10	1	1	2	3	5	6	12
50-64	3	3.3	6	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	2053	3.7	8	1	2	3	4	6	8	14
20-34	9912	3.7	11	1	2	3	4	6	8	15
35-49	840	4.2	9	2	2	4	5	7	9	16
50-64	7	3.6	1	2	2	4	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6138	2.4	6	<1	1	2	3	3	4	7
B. *Operated*	14561	2.7	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	2959	2.8	7	<1	1	2	3	4	5	12
B. *Operated*	12812	3.8	10	1	2	3	4	6	8	15
1. SINGLE DX	20699	2.6	4	1	1	2	3	4	5	8
2. MULTIPLE DX	15771	3.6	10	1	2	3	4	6	7	15
A. NOT OPERATED	9097	2.5	7	<1	1	2	3	4	4	9
B. OPERATED	27373	3.2	6	1	2	3	4	5	6	12
TOTAL 0-19 YRS	6243	3.0	7	1	1	3	3	5	6	12
20-34	28381	3.0	6	1	1	3	3	5	6	11
35-49	1829	3.4	7	1	1	3	4	6	7	14
50-64	17	3.0	2	1	1	3	4	5	6	6
GRAND TOTAL	**36470**	**3.0**	**7**	**1**	**1**	**3**	**3**	**5**	**6**	**12**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	3.5	3	1	2	3	4	6	7	10
20-34	135	3.8	3	2	2	3	5	6	7	23
35-49	15	4.5	3	2	3	4	5	6	8	9
50-64										
B. *Operated*										
0-19 YRS	11	2.8	2	1	1	2	4	5	5	5
20-34	18	3.9	7	1	1	4	5	7	10	12
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.4	3	2	2	4	6	7	8	8
20-34	85	4.8	11	2	2	4	6	7	8	22
35-49	3	5.3		5	5	5	6	6	6	6
50-64										
B. *Operated*										
0-19 YRS	3	7.0	7	5	5	6	9	10	10	10
20-34	37	5.3	11	1	2	4	7	11	13	14
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	3.8	3	2	2	3	5	6	7	11
B. *Operated*	32	3.3	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	113	4.7	9	2	2	4	6	7	8	20
B. *Operated*	40	5.5	11	1	2	5	7	11	13	14
1. SINGLE DX	232	3.7	3	1	2	3	5	6	7	11
2. MULTIPLE DX	153	4.9	10	2	2	4	6	8	10	16
A. NOT OPERATED	313	4.1	5	2	2	4	5	7	8	13
B. OPERATED	72	4.5	9	1	1	4	6	9	12	14
TOTAL 0-19 YRS	89	3.8	4	1	2	3	5	7	8	10
20-34	275	4.3	7	2	2	4	5	7	8	16
35-49	20	4.4	3	1	2	4	5	6	8	9
50-64	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**385**	**4.2**	**6**	**2**	**2**	**4**	**5**	**7**	**8**	**14**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.4	1	<1	<1	1	2	3	3	3
20-34	88	1.7	3	<1	<1	1	2	3	4	12
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	52	1.5	1	<1	<1	1	2	2	3	5
20-34	282	1.7	3	<1	<1	1	2	3	4	6
35-49	19	1.5		<1	<1	1	2	3	3	3
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.7	1	1	1	1	2	3	4	4
20-34	48	2.2	3	<1	1	2	3	4	5	8
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	35	3.0	6	<1	1	2	4	5	8	13
20-34	174	2.3	3	<1	1	2	3	4	5	10
35-49	11	4.0	17	1	1	3	5	10	15	15
50-64	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	1.7	3	<1	<1	1	2	3	3	12
B. *Operated*	353	1.6	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	59	2.1	2	<1	1	2	3	4	5	8
B. *Operated*	221	2.5	4	<1	1	2	3	5	6	13
1. SINGLE DX	459	1.7	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	280	2.4	4	<1	1	2	3	5	6	12
A. NOT OPERATED	165	1.8	3	<1	1	1	2	3	4	11
B. OPERATED	574	2.0	3	<1	<1	1	2	4	5	9
TOTAL 0-19 YRS	111	2.0	3	<1	<1	1	2	4	5	11
20-34	592	1.9	3	<1	<1	1	2	4	5	8
35-49	35	2.4	7	<1	<1	2	3	3	7	15
50-64	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**739**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	6.7	234	1	1	2	4	12	49	61
20-34	97	3.4	7	<1	1	3	4	7	9	14
35-49	8	5.8	11	2	2	6	8	10	10	10
50-64										
B. *Operated*										
0-19 YRS	25	2.3	1	<1	1	2	3	4	4	5
20-34	186	3.1	47	<1	1	2	3	5	7	13
35-49	10	1.6	1	<1	<1	1	2	3	3	3
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	6.3	24	1	2	5	8	16	18	19
20-34	60	4.1	16	<1	1	3	5	9	12	22
35-49	7	3.6	6	<1	<1	2	6	7	7	7
50-64										
B. *Operated*										
0-19 YRS	17	3.8	16	1	1	3	4	6	14	18
20-34	127	4.0	14	<1	1	3	5	8	12	18
35-49	7	5.4	19	<1	<1	4	7	13	14	14
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	4.0	35	1	1	3	4	8	10	29
B. *Operated*	221	3.0	40	<1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	90	4.6	18	1	1	3	6	10	15	21
B. *Operated*	151	4.0	14	<1	1	3	5	8	14	18
1. SINGLE DX	341	3.3	39	<1	1	2	3	6	8	13
2. MULTIPLE DX	241	4.2	16	<1	1	3	5	9	14	19
A. NOT OPERATED	210	4.3	28	1	1	3	5	8	11	21
B. OPERATED	372	3.4	30	<1	1	2	4	6	9	18
TOTAL 0-19 YRS	80	4.6	55	1	1	3	4	8	16	48
20-34	470	3.5	26	<1	1	2	4	7	10	17
35-49	32	3.9	11	<1	<1	3	6	9	10	14
50-64										
GRAND TOTAL	**582**	**3.7**	**29**	**<1**	**1**	**2**	**4**	**7**	**10**	**18**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	487	3.9	8	1	2	3	5	7	8	14
20-34	488	3.8	4	1	2	3	5	6	7	10
35-49	293	4.8	9	1	2	4	6	8	11	16
50-64	236	5.1	11	2	2	4	6	10	13	33
65+	201	6.8	19	2	3	6	8	12	16	24
B. *Operated*										
0-19 YRS	254	4.8	17	1	1	4	6	10	13	25
20-34	261	4.8	15	1	1	4	7	9	12	22
35-49	166	6.0	41	1	1	4	8	13	18	26
50-64	147	7.2	58	1	2	5	9	15	19	32
65+	98	8.4	129	1	2	6	9	17	25	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	409	4.6	36	1	2	3	5	8	11	21
20-34	568	5.0	13	2	2	4	6	9	11	21
35-49	530	6.5	21	2	2	5	8	13	16	22
50-64	659	7.6	31	2	3	6	9	15	19	31
65+	1090	9.2	57	3	3	7	11	16	22	39
B. *Operated*										
0-19 YRS	214	6.3	44	1	2	5	8	12	14	38
20-34	319	8.4	81	2	2	6	10	18	24	55
35-49	284	10.1	106	1	2	7	13	21	27	50
50-64	335	11.7	99	2	3	9	15	24	32	59
65+	427	16.4	212	3	5	12	20	35	43	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1705	4.5	10	1	2	4	5	8	10	18
B. *Operated*	926	5.8	40	1	1	4	7	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	3256	7.1	39	2	2	5	9	14	18	33
B. *Operated*	1579	11.3	132	2	3	8	14	24	34	65
1. SINGLE DX	2631	5.0	21	1	2	4	6	9	12	23
2. MULTIPLE DX	4835	8.5	73	2	2	6	10	17	23	45
A. NOT OPERATED	4961	6.2	30	2	2	5	7	12	16	28
B. OPERATED	2505	9.3	105	1	2	6	11	20	27	58
TOTAL 0-19 YRS	1364	4.7	24	1	2	4	5	9	11	21
20-34	1636	5.3	26	1	2	4	6	9	13	27
35-49	1273	6.9	43	1	2	5	8	13	18	33
50-64	1377	8.1	52	2	2	6	10	17	22	37
65+	1816	10.6	104	2	3	8	13	21	29	56
GRAND TOTAL	**7466**	**7.3**	**57**	**2**	**2**	**5**	**9**	**14**	**20**	**40**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	3.7	4	1	2	3	5	7	8	10
20-34	118	4.0	8	1	2	3	5	7	9	17
35-49	52	4.0	15	1	1	3	4	7	10	25
50-64	41	5.6	17	<1	2	4	8	10	14	21
65+	26	6.9	21	3	3	5	9	14	17	21
B. *Operated*										
0-19 YRS	134	4.2	80	<1	<1	2	4	8	13	45
20-34	149	3.8	18	<1	1	3	5	7	10	18
35-49	93	3.9	18	<1	<1	3	5	8	11	25
50-64	63	5.4	73	<1	1	3	5	13	16	57
65+	44	6.3	32	1	1	5	8	14	16	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	206	4.6	12	2	2	4	5	8	11	18
20-34	138	5.3	26	1	2	4	7	10	14	51
35-49	122	5.4	10	2	2	5	7	9	10	19
50-64	134	7.1	28	2	2	6	8	15	18	27
65+	193	8.6	76	2	3	7	10	17	21	99
B. *Operated*										
0-19 YRS	121	5.5	25	1	1	4	7	11	14	26
20-34	125	6.6	54	1	1	4	7	15	22	36
35-49	115	9.2	125	1	2	6	12	18	30	60
50-64	141	9.5	82	1	2	6	13	24	29	49
65+	164	13.0	184	2	2	9	15	29	39	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	379	4.2	10	1	2	3	5	8	10	19
B. *Operated*	483	4.3	44	<1	1	3	5	8	13	31
2. MULTIPLE DX										
A. *Not Operated*	793	6.2	35	2	2	5	8	12	17	32
B. *Operated*	666	9.0	106	1	2	6	11	21	29	57
1. SINGLE DX	862	4.3	29	<1	1	3	5	8	12	21
2. MULTIPLE DX	1459	7.5	69	1	2	5	9	15	22	45
A. NOT OPERATED	1172	5.6	28	2	2	4	7	10	15	26
B. OPERATED	1149	7.1	85	1	1	4	8	15	23	45
TOTAL 0-19 YRS	603	4.5	28	1	1	3	5	8	11	18
20-34	530	4.9	27	1	1	3	6	9	14	28
35-49	382	6.0	52	1	1	4	7	12	16	32
50-64	379	7.5	57	1	2	5	9	17	23	41
65+	427	9.9	115	2	2	7	12	21	30	72
GRAND TOTAL	**2321**	**6.3**	**56**	**1**	**1**	**4**	**7**	**13**	**18**	**39**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.3	3	<1	<1	3	4	6	6	6
20-34	9	2.2	1	<1	<1	2	3	4	4	4
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	591	3.2	5	1	1	3	4	5	6	11
20-34	1081	3.2	5	1	1	3	4	5	6	9
35-49	156	3.5	4	1	1	3	4	6	8	12
50-64	41	3.8	4	1	1	4	5	7	8	8
65+	10	4.9	15	1	1	4	7	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.8	1	1	1	1	2	4	4	4
20-34	6	2.3	2	1	1	2	3	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	74	3.4	3	1	1	3	4	6	7	9
20-34	173	4.2	11	1	2	3	5	7	10	21
35-49	42	4.0	6	1	2	3	5	7	9	11
50-64	18	6.2	39	1	1	3	7	17	19	21
65+	14	4.8	10	1	2	3	7	9	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.7	2	<1	<1	3	4	4	6	6
B. *Operated*	1879	3.2	5	1	1	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	17	2.3	3	1	1	2	3	5	6	6
B. *Operated*	321	4.1	10	1	2	3	5	7	10	20
1. SINGLE DX	1906	3.2	5	1	1	3	4	5	6	11
2. MULTIPLE DX	338	4.0	10	1	1	3	5	7	10	20
A. NOT OPERATED	44	2.6	2	<1	1	2	4	4	6	6
B. OPERATED	2200	3.4	6	1	1	3	4	5	7	13
TOTAL 0-19 YRS	687	3.2	5	1	1	3	4	5	6	10
20-34	1269	3.3	6	1	1	3	4	5	6	14
35-49	203	3.6	5	1	1	3	4	6	8	12
50-64	60	4.5	15	1	1	4	5	8	14	21
65+	25	4.9	12	1	1	3	7	9	12	13
GRAND TOTAL	**2244**	**3.3**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	5	1.2		<1	<1	<1	1	2	2	2
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	3	1.3		1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	150	1.3		<1	<1	1	2	2	2	4
20-34	176	1.7	1	<1	<1	1	2	3	4	6
35-49	107	2.1	5	<1	<1	1	2	4	7	14
50-64	95	1.7	2	<1	<1	1	2	3	3	10
65+	36	3.1	37	<1	<1	2	3	4	9	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	3	6.7	44	<1	<1	5	12	14	14	14
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	26	1.7	1	<1	<1	1	2	3	4	5
20-34	53	2.4	6	<1	1	2	2	5	7	16
35-49	54	2.8	10	<1	<1	2	3	6	9	18
50-64	56	3.6	21	<1	<1	2	4	8	13	28
65+	41	4.4	14	1	1	3	6	11	12	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*	564	1.8	4	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	10	3.9	15	<1	<1	3	5	10	14	14
B. *Operated*	230	3.1	12	<1	<1	2	3	7	10	17
1. SINGLE DX	578	1.8	4	<1	<1	1	2	3	4	9
2. MULTIPLE DX	240	3.1	12	<1	<1	2	3	7	10	16
A. NOT OPERATED	24	2.5	8	<1	<1	2	3	5	8	14
B. OPERATED	794	2.1	7	<1	<1	1	2	4	6	14
TOTAL 0-19 YRS	182	1.4		<1	<1	1	2	2	3	5
20-34	236	1.8	2	<1	<1	1	2	3	5	7
35-49	166	2.4	7	<1	<1	2	2	5	7	15
50-64	155	2.4	10	<1	<1	2	2	4	7	15
65+	79	3.8	24	<1	<1	2	4	9	11	31
GRAND TOTAL	**818**	**2.2**	**7**	**<1**	**<1**	**1**	**2**	**4**	**6**	**14**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	271	3.9	13	1	1	3	5	9	11	81
20-34	201	3.7	8	<1	1	3	5	7	10	14
35-49	142	4.9	38	1	1	3	5	10	14	39
50-64	129	6.3	71	1	1	5	8	11	17	84
65+	153	8.6	110	1	2	6	10	15	26	64
B. *Operated*										
0-19 YRS	576	2.7	15	<1	<1	2	3	5	8	24
20-34	670	3.8	29	<1	<1	2	4	7	14	30
35-49	556	3.8	24	<1	1	2	4	7	12	27
50-64	673	3.4	26	<1	<1	2	3	7	11	31
65+	404	7.5	108	<1	1	3	9	19	34	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	269	4.7	28	1	1	3	5	10	12	34
20-34	264	7.4	95	1	1	5	9	16	23	87
35-49	265	7.8	97	1	2	5	9	17	39	99+
50-64	436	8.6	102	1	2	6	10	17	26	54
65+	1093	12.3	148	3	3	9	15	26	43	99+
B. *Operated*										
0-19 YRS	309	4.7	63	<1	1	2	4	10	17	51
20-34	616	9.7	228	1	1	4	9	29	52	99+
35-49	664	8.4	153	1	1	4	8	24	35	73
50-64	925	8.6	159	1	1	3	10	25	34	80
65+	1031	17.8	367	1	2	12	25	47	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	896	5.1	44	1	1	3	6	10	14	48
B. *Operated*	2879	4.0	38	<1	<1	2	4	8	15	34
2. MULTIPLE DX										
A. *Not Operated*	2327	9.6	121	1	2	6	12	21	34	99+
B. *Operated*	3545	11.1	242	1	1	4	14	32	49	98
1. SINGLE DX	3775	4.3	39	<1	<1	2	4	9	15	34
2. MULTIPLE DX	5872	10.5	194	1	1	5	13	28	44	99+
A. NOT OPERATED	3223	8.4	104	1	2	5	10	18	28	96
B. OPERATED	6424	7.9	163	<1	1	3	8	23	35	79
TOTAL 0-19 YRS	1425	3.7	28	<1	<1	2	4	8	12	32
20-34	1751	6.4	114	<1	1	3	6	15	27	76
35-49	1627	6.4	94	<1	1	3	6	15	27	64
50-64	2163	6.8	106	<1	1	3	7	17	28	58
65+	2681	13.5	239	1	2	8	17	34	54	99+
GRAND TOTAL	**9647**	**8.1**	**143**	**<1**	**1**	**4**	**9**	**21**	**34**	**83**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.8	8	<1	<1	3	4	10	10	10
20-34	48	4.1	8	<1	<1	4	6	8	9	12
35-49	52	5.8	33	<1	1	4	7	11	14	34
50-64	39	7.9	84	1	2	6	9	16	19	55
65+	13	8.2	41	1	2	5	14	18	20	20
B. *Operated*										
0-19 YRS	6	8.2	19	2	2	8	10	14	15	15
20-34	24	7.3	38	1	1	5	10	17	21	25
35-49	17	9.6	48	2	3	7	15	20	24	25
50-64	17	4.3	12	<1	1	4	6	10	11	12
65+	12	9.7	89	2	2	5	17	24	28	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	7.6	44	1	2	6	10	17	21	26
20-34	117	8.2	67	2	2	6	10	14	25	47
35-49	125	9.0	132	2	2	6	10	16	28	99
50-64	139	9.5	62	2	3	7	12	21	29	36
65+	128	9.9	80	2	3	8	13	19	23	48
B. *Operated*										
0-19 YRS	25	11.9	87	1	2	10	18	26	29	31
20-34	73	12.6	146	2	2	10	17	28	45	90
35-49	68	11.6	109	3	3	8	13	25	38	48
50-64	78	12.7	119	2	2	10	17	24	33	58
65+	71	17.8	171	3	4	16	24	35	41	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	5.9	38	<1	1	4	7	12	16	33
B. *Operated*	76	7.6	43	1	1	5	10	17	22	28
2. MULTIPLE DX										
A. *Not Operated*	533	9.1	83	2	3	7	11	18	27	46
B. *Operated*	315	13.5	136	2	3	10	18	29	41	58
1. SINGLE DX	242	6.4	40	<1	1	5	8	14	19	29
2. MULTIPLE DX	848	10.7	107	2	3	7	13	23	31	58
A. NOT OPERATED	699	8.3	74	1	2	6	10	16	24	45
B. OPERATED	391	12.3	123	2	2	10	17	26	37	58
TOTAL 0-19 YRS	69	8.4	58	1	2	6	12	19	26	31
20-34	262	8.6	83	1	2	6	10	17	27	50
35-49	262	9.1	104	2	2	6	11	17	28	57
50-64	273	9.8	83	2	2	7	12	21	29	52
65+	224	12.3	120	2	3	9	17	25	35	56
GRAND TOTAL	**1090**	**9.8**	**95**	**2**	**2**	**7**	**12**	**21**	**29**	**53**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	5.4	18	1	2	4	8	11	12	19
20-34	53	7.1	77	2	2	5	7	13	18	60
35-49	57	5.8	24	1	2	5	7	9	19	25
50-64	138	6.6	24	2	2	6	8	12	15	29
65+	107	7.9	21	2	3	7	11	14	18	55
B. *Operated*										
0-19 YRS	28	6.6	73	<1	1	4	8	13	21	44
20-34	61	9.7	191	1	2	5	11	18	30	88
35-49	165	8.4	85	2	2	6	11	15	19	49
50-64	376	9.2	48	2	2	7	13	18	23	36
65+	209	12.2	114	2	3	10	17	25	31	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	7.0	47	1	2	5	8	15	22	34
20-34	62	7.4	50	1	2	5	9	16	22	39
35-49	127	8.1	93	2	2	6	10	14	19	67
50-64	369	8.1	57	1	2	6	10	16	23	38
65+	570	9.7	73	2	3	7	11	19	28	56
B. *Operated*										
0-19 YRS	18	7.3	40	1	2	5	11	23	66	99+
20-34	71	9.5	155	2	2	5	11	20	24	79
35-49	194	10.3	111	2	2	6	14	22	33	55
50-64	460	11.8	152	2	3	8	15	26	39	66
65+	372	15.8	199	3	3	13	21	32	50	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	424	6.7	29	2	2	5	9	12	16	27
B. *Opsrated*	839	9.7	85	2	2	7	13	19	26	44
2. MULTIPLE DX										
A. *Not Operated*	1168	8.8	69	2	2	7	10	17	25	55
B. *Operated*	1115	12.7	164	2	3	9	16	27	39	77
1. SINGLE DX	1263	8.7	68	2	2	6	11	17	23	41
2. MULTIPLE DX	2283	10.7	119	2	2	7	13	23	31	65
A. NOT OPERATED	1592	8.2	59	2	2	6	10	16	22	53
B. OPERATED	1954	11.4	132	2	2	8	15	24	33	64
TOTAL 0-19 YRS	155	6.3	37	1	2	4	8	12	19	43
20-34	247	8.5	121	1	2	5	9	17	24	62
35-49	543	8.7	92	2	2	6	11	17	24	54
50-64	1343	9.5	87	2	2	7	12	20	27	52
65+	1258	11.7	121	2	3	9	15	24	32	74
GRAND TOTAL	**3546**	**10.0**	**102**	**2**	**2**	**7**	**13**	**21**	**29**	**60**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	7	2	2	5	7	8	8	8
20-34	8	3.0	3	1	1	3	4	5	5	5
35-49	25	4.7	33	<1	1	3	5	7	15	30
50-64	67	4.9	17	<1	1	3	7	11	14	19
65+	181	6.0	24	1	1	5	8	12	15	26
B. *Operated*										
0-19 YRS	29	4.8	15	2	2	3	5	13	13	16
20-34	189	4.7	23	1	1	3	6	9	12	21
35-49	340	6.3	30	1	2	5	9	13	16	29
50-64	1191	9.8	39	2	2	10	14	18	21	30
65+	1847	14.2	40	4	8	14	17	21	25	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	8.5	66	2	2	4	15	21	22	22
20-34	15	4.2	5	2	2	3	6	8	8	8
35-49	67	5.7	14	1	2	4	7	10	14	19
50-64	301	6.3	29	1	2	5	8	13	17	27
65+	1139	7.9	49	2	2	6	10	16	21	38
B. *Operated*										
0-19 YRS	19	5.6	16	1	2	4	9	12	14	15
20-34	146	6.2	46	1	1	4	8	14	16	36
35-49	294	7.0	37	1	2	5	10	15	19	28
50-64	983	11.0	57	2	3	10	15	20	24	39
65+	1975	16.6	78	4	7	15	20	27	32	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	285	5.5	22	1	1	4	7	11	14	26
B. *Operated*	3596	11.4	48	2	2	11	15	20	23	34
2. MULTIPLE DX										
A. *Not Operated*	1528	7.5	44	2	2	6	9	15	20	35
B. *Operated*	3417	13.6	80	2	3	13	18	24	29	43
1. SINGLE DX	3881	11.0	48	2	2	11	15	19	23	34
2. MULTIPLE DX	4945	11.7	77	2	3	10	16	23	28	40
A. NOT OPERATED	1813	7.2	41	1	2	5	9	14	19	33
B. OPERATED	7013	12.5	65	2	3	12	16	22	27	39
TOTAL 0-19 YRS	58	5.4	20	2	2	4	6	13	15	22
20-34	358	5.3	32	1	1	4	7	11	14	25
35-49	726	6.5	32	1	2	5	9	14	17	28
50-64	2542	9.7	47	2	2	9	14	18	21	32
65+	5142	13.5	69	2	4	13	17	23	28	40
GRAND TOTAL	**8826**	**11.4**	**65**	**2**	**2**	**11**	**16**	**21**	**26**	**38**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	6.6	23	1	2	5	10	13	16	19
20-34	94	5.4	13	1	2	4	7	11	13	16
35-49	54	6.7	31	1	1	5	10	16	19	22
50-64	58	6.2	25	1	1	4	10	15	17	19
65+	57	5.6	18	1	2	4	7	12	14	18
B. *Operated*										
0-19 YRS	79	9.5	61	2	2	8	14	20	23	41
20-34	238	4.7	19	1	2	3	6	10	12	25
35-49	219	5.6	25	1	2	4	7	11	13	28
50-64	223	7.8	45	1	2	5	11	16	21	32
65+	131	12.4	62	2	3	13	17	22	25	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	8.5	53	1	2	6	13	19	22	32
20-34	85	6.9	43	2	2	5	8	15	18	39
35-49	76	6.9	39	1	2	5	8	13	17	39
50-64	135	7.6	49	1	2	5	9	14	26	34
65+	337	8.0	48	2	2	6	10	16	25	51
B. *Operated*										
0-19 YRS	72	12.9	109	2	3	10	18	29	35	42
20-34	181	7.1	63	1	2	4	9	15	24	51
35-49	176	8.3	83	1	2	5	10	19	28	49
50-64	222	11.3	120	2	2	8	15	25	31	61
65+	202	18.9	258	3	5	14	23	38	55	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	359	6.1	21	1	2	4	8	13	16	19
B. *Operated*	890	7.2	44	1	2	5	10	16	21	34
2. MULTIPLE DX										
A. *Not Operated*	711	7.7	47	2	2	6	9	16	22	41
B. *Operated*	853	11.7	151	2	2	8	15	26	36	60
1. SINGLE DX	1249	6.9	37	1	2	5	10	15	19	30
2. MULTIPLE DX	1564	9.9	108	2	2	7	12	22	31	57
A. NOT OPERATED	1070	7.2	39	1	2	5	9	15	19	33
B. OPERATED	1743	9.4	101	1	2	6	12	21	28	54
TOTAL 0-19 YRS	325	9.1	63	1	2	7	13	19	24	36
20-34	598	5.8	36	1	2	4	7	12	16	38
35-49	525	6.8	48	1	2	5	8	14	20	37
50-64	638	8.9	73	1	2	6	12	19	26	44
65+	727	11.6	130	2	3	8	15	24	33	66
GRAND TOTAL	**2813**	**8.6**	**79**	**1**	**2**	**6**	**11**	**18**	**25**	**46**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	1.7	1	<1	<1	1	2	3	4	4
20-34	62	2.3	5	<1	<1	1	3	5	6	12
35-49	13	2.8	2	<1	1	3	4	5	6	6
50-64	15	3.9	12	<1	<1	3	6	10	11	11
65+	8	9.0	67	1	2	7	12	23	26	26
B. *Operated*										
0-19 YRS	1335	3.5	10	1	1	3	4	5	6	11
20-34	2905	3.7	6	1	2	3	5	6	7	11
35-49	1345	4.0	6	1	2	4	5	6	8	12
50-64	648	4.7	9	2	2	4	5	8	9	20
65+	134	4.9	12	2	2	4	6	7	9	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.1	3	<1	1	1	2	6	6	6
20-34	43	2.9	19	<1	<1	2	3	6	8	28
35-49	33	2.3	4	<1	<1	1	3	5	6	10
50-64	36	3.3	12	1	1	2	4	10	12	12
65+	16	5.6	11	1	2	5	6	10	13	15
B. *Operated*										
0-19 YRS	782	4.0	5	1	2	4	5	6	7	11
20-34	1987	4.3	7	1	2	4	5	7	8	14
35-49	1092	4.6	10	1	2	4	5	8	11	17
50-64	928	5.0	12	2	2	4	6	8	11	20
65+	277	5.9	18	2	2	5	7	10	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	2.8	11	<1	<1	2	3	6	9	18
B. *Operated*	6367	3.9	7	1	2	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	146	3.0	12	<1	1	2	4	7	10	16
B. *Operated*	5066	4.5	9	1	2	4	5	8	10	16
1. SINGLE DX	6490	3.8	7	1	2	4	5	6	7	12
2. MULTIPLE DX	5212	4.5	9	1	2	4	5	8	10	16
A. NOT OPERATED	269	3.0	11	<1	<1	2	4	6	10	15
B. OPERATED	11433	4.2	8	1	2	4	5	7	8	14
TOTAL 0-19 YRS	2160	3.7	8	1	1	3	4	6	7	11
20-34	4997	3.9	7	1	2	4	5	6	8	13
35-49	2483	4.3	8	1	2	4	5	7	9	15
50-64	1627	4.8	11	1	2	4	6	8	10	19
65+	435	5.7	17	2	2	5	7	10	13	24
GRAND TOTAL	**11702**	**4.1**	**8**	**1**	**2**	**4**	**5**	**7**	**8**	**15**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	3.5	9	<1	1	3	4	7	9	16
20-34	119	3.8	11	<1	<1	3	5	7	11	18
35-49	63	4.5	20	<1	1	3	6	11	13	24
50-64	70	4.8	20	1	1	4	5	8	12	27
65+	94	6.7	34	1	1	5	9	16	20	25
B. *Operated*										
0-19 YRS	1429	3.8	11	1	2	3	4	6	7	12
20-34	2162	3.9	12	1	1	3	5	6	8	13
35-49	603	4.1	13	<1	1	3	5	8	10	20
50-64	318	4.6	28	1	1	3	5	8	13	22
65+	138	7.4	57	1	1	5	10	15	24	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	3.0	5	<1	1	3	4	5	7	12
20-34	136	5.5	35	<1	1	4	7	13	18	27
35-49	123	5.5	29	1	1	4	6	12	18	51
50-64	155	6.7	31	1	2	5	9	15	19	26
65+	270	7.2	32	2	2	6	10	14	18	33
B. *Operated*										
0-19 YRS	499	4.3	12	1	2	4	5	7	8	24
20-34	945	4.8	15	1	2	4	6	8	11	20
35-49	434	5.4	37	1	2	4	6	10	15	28
50-64	342	5.9	45	1	2	4	7	12	17	32
65+	228	11.6	172	2	2	7	15	27	39	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	492	4.5	19	<1	1	3	5	10	14	21
B. *Operated*	4650	4.1	15	1	1	3	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	779	6.0	30	1	1	4	8	13	17	31
B. *Operated*	2448	5.6	41	1	2	4	6	10	16	35
1. SINGLE DX	5142	4.1	15	1	1	3	5	7	9	18
2. MULTIPLE DX	3227	5.7	38	1	2	4	6	11	16	34
A. NOT OPERATED	1271	5.4	26	1	1	4	7	12	16	26
B. OPERATED	7098	4.6	24	1	2	4	5	8	11	24
TOTAL 0-19 YRS	2169	3.8	11	1	1	3	5	6	8	14
20-34	3362	4.2	14	1	1	4	5	7	9	18
35-49	1223	4.7	24	1	1	4	5	9	13	24
50-64	885	5.5	35	1	1	4	7	11	16	28
65+	730	8.5	84	1	2	6	11	18	25	49
GRAND TOTAL	**8369**	**4.7**	**25**	**1**	**1**	**4**	**5**	**8**	**12**	**25**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	9.0	2	8	8	9	10	10	10	10
20-34	13	6.8	9	2	3	7	10	10	11	11
35-49	10	5.9	10	2	2	5	8	10	12	12
50-64	3	5.0	4	3	3	5	6	7	7	7
65+	4	6.0	2	4	4	6	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34	9	5.7	21	1	1	4	10	12	14	14
35-49	4	3.8	4	1	1	4	5	6	6	6
50-64	3	2.7	4	1	1	2	4	5	5	5
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.8	3	4	4	5	7	8	8	8
20-34	8	4.5	4	2	2	4	6	8	8	8
35-49	17	6.6	35	1	1	5	8	18	20	21
50-64	17	8.4	23	2	3	8	12	16	17	17
65+	18	7.1	26	1	2	6	10	16	19	20
B. *Operated*										
0-19 YRS										
20-34	6	19.5	534	3	3	11	23	60	64	64
35-49	7	7.0	27	2	2	6	11	15	15	15
50-64	7	24.4	349	11	11	13	39	54	57	57
65+	8	12.8	67	3	3	13	16	25	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	6.4	8	2	3	6	9	10	11	12
B. *Operated*	17	5.2	20	1	1	4	7	13	15	15
2. MULTIPLE DX										
A. *Not Operated*	65	6.9	24	1	2	5	8	15	18	21
B. *Operated*	28	15.7	245	2	3	12	16	39	58	64
1. SINGLE DX	49	6.0	12	1	2	5	8	10	12	15
2. MULTIPLE DX	93	9.5	105	2	2	7	12	18	23	61
A. NOT OPERATED	97	6.7	18	2	2	6	8	12	17	21
B. OPERATED	45	11.7	183	1	2	7	15	23	47	64
TOTAL 0-19 YRS	7	6.7	5	4	4	7	8	10	10	10
20-34	36	8.1	112	2	2	5	10	14	21	64
35-49	38	6.2	23	1	2	5	8	13	17	21
50-64	30	11.2	144	1	2	8	12	20	44	57
65+	31	8.7	39	2	3	7	12	17	20	28
GRAND TOTAL	**142**	**8.3**	**75**	**1**	**2**	**6**	**10**	**16**	**20**	**58**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.2	10	3	3	3	8	10	10	10
20-34	35	5.2	17	1	1	5	7	11	13	19
35-49	74	5.5	14	1	2	5	7	10	13	19
50-64	152	6.0	15	1	2	5	8	10	12	21
65+	179	6.6	20	2	2	6	9	12	13	27
B. *Operated*										
0-19 YRS	6	4.5	15	1	1	3	7	11	11	11
20-34	72	5.8	26	1	1	5	8	11	14	31
35-49	257	6.1	21	1	1	5	9	12	14	20
50-64	400	6.6	32	1	2	5	9	13	17	24
65+	181	7.3	43	1	1	5	11	16	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	8.8	95	3	3	4	12	26	26	26
20-34	37	5.0	18	1	1	5	7	8	13	23
35-49	199	6.1	15	1	2	5	8	11	14	18
50-64	510	6.8	20	2	2	6	9	12	14	21
65+	1133	8.1	39	2	3	7	10	15	19	30
B. *Operated*										
0-19 YRS	5	9.4	151	2	2	3	14	31	31	31
20-34	70	9.2	167	1	1	6	10	18	32	83
35-49	280	7.4	30	1	2	6	10	14	17	29
50-64	518	8.1	44	1	1	7	11	16	20	34
65+	386	12.9	118	1	2	10	17	25	34	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	445	6.1	17	1	2	5	8	11	13	21
B. *Operated*	916	6.5	31	1	1	5	9	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	1884	7.5	32	2	3	6	9	14	17	27
B. *Operated*	1259	9.5	76	1	2	8	12	19	25	43
1. SINGLE DX	1361	6.4	26	1	1	5	9	12	16	25
2. MULTIPLE DX	3143	8.3	50	1	2	7	10	16	21	36
A. NOT OPERATED	2329	7.2	29	2	2	6	9	13	16	26
B. OPERATED	2175	8.2	59	1	1	6	11	17	22	38
TOTAL 0-19 YRS	21	6.9	60	1	2	4	7	17	28	31
20-34	214	6.7	72	1	1	5	8	12	17	37
35-49	810	6.5	23	1	2	5	9	12	16	21
50-64	1580	7.1	31	1	2	6	9	14	17	26
65+	1879	8.9	58	2	2	7	11	17	23	39
GRAND TOTAL	**4504**	**7.7**	**44**	**1**	**2**	**6**	**10**	**15**	**19**	**32**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	7.2	20	1	2	7	10	12	16	99+
20-34	844	6.5	16	1	2	6	8	11	14	19
35-49	1200	6.9	18	1	2	6	9	12	14	21
50-64	709	7.0	20	1	2	6	9	12	15	23
65+	241	7.8	23	2	3	7	10	14	17	23
B. *Operated*										
0-19 YRS	163	7.8	28	1	1	7	11	15	18	24
20-34	3199	7.4	30	1	1	7	10	14	17	24
35-49	4337	8.0	35	1	1	7	11	15	19	27
50-64	2207	8.5	41	1	1	8	12	16	20	30
65+	491	10.0	50	1	2	9	13	18	22	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	11.7	177	2	2	7	10	35	45	47
20-34	339	7.7	28	1	3	7	10	14	17	27
35-49	608	7.9	38	2	3	7	9	14	18	31
50-64	724	8.2	32	2	3	7	10	14	17	32
65+	636	9.2	37	3	3	8	12	17	20	31
B. *Operated*										
0-19 YRS	18	10.7	105	1	2	7	15	23	36	43
20-34	782	9.8	46	1	2	9	13	18	23	32
35-49	1538	10.3	52	1	2	9	13	19	23	36
50-64	1358	11.0	59	2	2	10	15	21	25	37
65+	534	13.8	84	2	3	12	19	26	32	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3042	6.9	19	1	2	6	9	12	14	22
B. *Operated*	10397	8.0	36	1	1	7	11	15	19	27
2. MULTIPLE DX										
A. *Not Operated*	2319	8.4	35	2	3	7	10	15	18	32
B. *Operated*	4230	10.9	59	1	2	10	14	20	25	37
1. SINGLE DX	13439	7.8	32	1	1	7	10	15	18	26
2. MULTIPLE DX	6549	10.0	52	2	3	9	13	19	23	36
A. NOT OPERATED	5361	7.5	26	1	3	7	9	13	16	26
B. OPERATED	14627	8.8	44	1	2	8	12	17	21	31
TOTAL 0-19 YRS	241	8.1	40	1	2	7	11	15	19	43
20-34	5164	7.6	31	1	1	7	10	14	18	26
35-49	7683	8.3	37	1	2	7	11	16	19	29
50-64	4998	8.9	44	1	2	8	12	17	21	32
65+	1902	10.5	57	2	3	9	14	20	24	36
GRAND TOTAL	**19988**	**8.5**	**40**	**1**	**2**	**8**	**11**	**16**	**20**	**30**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.2	3	1	1	4	4	5	6	6
20-34	183	6.1	13	1	2	6	8	10	12	18
35-49	320	6.5	16	1	2	6	9	11	13	19
50-64	208	6.7	18	1	2	6	8	12	15	22
65+	56	7.4	25	1	2	6	9	14	20	24
B. *Operated*										
0-19 YRS	17	5.1	14	<1	1	4	8	10	13	14
20-34	405	6.5	29	1	1	5	9	13	16	26
35-49	1100	7.0	26	1	1	6	9	13	16	23
50-64	618	6.9	27	1	1	6	9	13	16	26
65+	83	9.2	44	1	2	8	13	20	23	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.4	15	1	1	2	8	10	10	10
20-34	104	7.4	37	1	2	6	9	13	21	67
35-49	244	7.3	25	2	2	6	9	13	17	25
50-64	294	7.6	28	2	3	6	10	14	17	26
65+	243	8.0	42	2	3	6	11	15	19	40
B. *Operated*										
0-19 YRS	5	8.0	25	2	2	9	12	14	14	14
20-34	146	8.6	44	1	2	7	12	17	22	47
35-49	463	8.7	40	1	2	7	11	17	21	31
50-64	461	9.5	60	1	2	8	12	19	24	48
65+	124	13.1	142	2	3	9	16	27	36	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	778	6.5	17	1	2	6	8	11	14	23
B. *Operated*	2223	7.0	27	1	1	6	9	13	17	25
2. MULTIPLE DX										
A. *Not Operated*	890	7.6	32	2	3	6	10	15	18	31
B. *Operated*	1199	9.4	60	1	2	8	12	18	24	44
1. SINGLE DX	3001	6.8	25	1	1	6	9	13	16	24
2. MULTIPLE DX	2089	8.6	49	1	2	7	11	17	22	39
A. NOT OPERATED	1668	7.1	25	1	2	6	9	13	16	25
B. OPERATED	3422	7.8	40	1	1	7	10	15	20	31
TOTAL 0-19 YRS	38	4.8	13	1	1	4	7	10	13	14
20-34	838	6.9	29	1	1	6	9	13	17	28
35-49	2127	7.3	28	1	2	6	10	14	17	26
50-64	1581	7.8	37	1	2	6	10	15	19	30
65+	506	9.4	69	2	2	7	12	19	23	46
GRAND TOTAL	**5090**	**7.6**	**35**	**1**	**2**	**6**	**10**	**14**	**18**	**30**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	5.3	11	1	1	6	8	10	10	10
20-34	259	7.0	15	2	3	6	9	12	15	20
35-49	253	7.4	17	2	3	7	9	13	16	21
50-64	128	7.5	46	2	3	6	9	12	14	39
65+	33	6.8	18	2	2	6	9	12	15	20
B. *Operated*										
0-19 YRS	15	4.0	10	1	1	3	6	9	10	10
20-34	202	5.6	25	1	1	3	9	12	16	23
35-49	179	6.4	37	1	1	4	10	14	19	32
50-64	58	8.7	70	1	1	6	13	22	27	35
65+	5	5.2	11	2	2	6	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.3	19	1	1	5	9	13	14	14
20-34	163	7.2	19	2	3	6	9	13	17	22
35-49	260	8.0	29	2	3	7	10	14	18	25
50-64	174	8.2	28	2	3	7	10	16	19	25
65+	100	8.4	26	3	3	7	11	15	18	27
B. *Operated*										
0-19 YRS	9	8.9	72	2	2	7	12	23	27	27
20-34	98	9.0	64	1	1	8	12	16	23	46
35-49	158	9.8	57	1	2	8	13	19	24	39
50-64	88	8.9	55	1	2	8	12	19	27	31
65+	11	10.7	58	1	2	10	15	23	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	686	7.2	21	2	3	6	9	12	15	21
B. *Operated*	459	6.3	36	1	1	4	9	14	18	28
2. MULTIPLE DX										
A. *Not Operated*	705	7.9	26	2	3	7	10	15	18	25
B. *Operated*	364	9.4	58	1	2	8	12	18	24	39
1. SINGLE DX	1145	6.8	27	1	2	6	9	13	16	25
2. MULTIPLE DX	1069	8.4	37	2	2	7	11	16	20	30
A. NOT OPERATED	1391	7.5	24	2	3	7	9	13	17	24
B. OPERATED	823	7.6	48	1	1	6	11	16	21	33
TOTAL 0-19 YRS	45	5.8	25	1	1	5	8	11	15	27
20-34	722	6.9	26	1	2	6	9	13	16	25
35-49	850	7.8	33	1	2	7	10	15	19	28
50-64	448	8.2	44	2	2	7	11	15	22	31
65+	149	8.1	27	2	3	7	10	15	18	25
GRAND TOTAL	**2214**	**7.6**	**33**	**1**	**2**	**6**	**10**	**14**	**18**	**28**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	9.0	128	1	1	9	17	17	17	17
20-34	64	6.0	14	1	2	5	8	12	13	15
35-49	85	6.2	13	1	2	6	8	9	12	20
50-64	77	6.7	21	2	3	6	8	11	16	26
65+	44	7.4	24	2	3	6	8	15	19	23
B. *Operated*										
0-19 YRS	9	3.8	11	1	1	2	6	9	10	10
20-34	46	7.1	37	<1	1	6	10	16	19	23
35-49	64	5.3	27	<1	1	3	9	14	16	18
50-64	51	5.3	24	1	1	3	8	15	16	17
65+	16	9.3	70	1	1	7	16	23	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	54	7.0	31	2	2	6	8	12	17	29
35-49	86	7.6	18	2	3	7	9	12	16	24
50-64	119	8.0	24	2	3	7	10	14	16	30
65+	130	8.1	20	3	4	7	10	14	18	22
B. *Operated*										
0-19 YRS	2	7.5	85	1	1	7	14	14	14	14
20-34	40	10.3	61	1	1	9	15	20	26	30
35-49	60	9.0	50	1	2	8	13	18	27	93
50-64	44	7.3	27	1	2	7	10	13	16	26
65+	34	11.9	79	2	3	9	16	26	31	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	6.5	18	1	2	6	8	12	14	23
B. *Operated*	186	6.0	33	1	1	4	9	15	17	23
2. MULTIPLE DX										
A. *Not Operated*	389	7.8	22	2	3	7	10	14	17	27
B. *Operated*	180	9.4	54	1	2	8	14	18	26	37
1. SINGLE DX	458	6.3	24	1	1	5	9	13	17	23
2. MULTIPLE DX	569	8.3	33	2	2	7	11	15	19	31
A. NOT OPERATED	661	7.3	21	2	3	7	9	13	16	25
B. OPERATED	366	7.7	46	1	1	6	12	17	20	32
TOTAL 0-19 YRS	13	5.2	30	1	1	2	8	15	17	17
20-34	204	7.4	35	1	1	6	10	15	19	29
35-49	295	7.0	26	1	1	6	9	14	17	29
50-64	291	7.1	24	1	2	6	10	13	16	26
65+	224	8.6	35	2	3	7	11	17	20	30
GRAND TOTAL	**1027**	**7.4**	**30**	**1**	**2**	**6**	**10**	**14**	**18**	**29**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	4.3	17	<1	1	3	6	9	12	23
20-34	1046	6.0	18	1	2	5	8	11	15	20
35-49	1196	6.4	22	1	2	5	8	12	15	23
50-64	680	6.6	32	1	2	6	9	12	15	24
65+	303	6.8	29	1	2	5	9	13	17	24
B. *Operated*										
0-19 YRS	74	4.0	16	1	1	2	5	10	15	18
20-34	912	4.8	22	1	1	3	7	11	14	21
35-49	1220	5.4	27	1	1	3	8	12	15	24
50-64	806	6.0	28	1	1	4	9	13	17	24
65+	345	8.6	50	1	1	7	12	18	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	4.4	16	1	1	4	6	8	10	23
20-34	948	8.2	40	1	2	7	11	18	19	32
35-49	1416	9.0	42	2	3	7	13	18	20	28
50-64	1221	9.1	47	2	3	7	12	18	22	32
65+	1098	8.3	50	2	3	7	10	15	20	35
B. *Operated*										
0-19 YRS	47	4.8	18	1	1	4	6	11	13	20
20-34	620	7.0	40	1	1	5	10	15	19	30
35-49	1005	8.1	60	1	1	6	11	17	23	39
50-64	896	9.3	69	1	2	8	12	19	24	42
65+	561	13.1	104	2	2	11	18	25	34	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3321	6.3	23	1	2	5	8	12	15	23
B. *Operated*	3357	5.7	29	1	1	4	8	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	4770	8.6	45	2	2	7	11	18	20	32
B. *Operated*	3129	9.1	70	1	1	7	12	19	24	40
1. SINGLE DX	6678	6.0	26	1	1	5	8	12	16	24
2. MULTIPLE DX	7899	8.8	55	1	2	7	12	18	22	35
A. NOT OPERATED	8091	7.7	37	1	2	6	10	16	19	29
B. OPERATED	6486	7.3	52	1	1	5	10	16	21	34
TOTAL 0-19 YRS	304	4.4	16	1	1	3	6	9	13	19
20-34	3526	6.5	31	1	1	5	8	14	18	25
35-49	4837	7.3	39	1	1	6	10	16	19	28
50-64	3603	8.0	48	1	2	6	11	17	20	32
65+	2307	9.3	65	1	2	7	12	19	24	39
GRAND TOTAL	**14577**	**7.5**	**44**	**1**	**2**	**6**	**10**	**16**	**20**	**32**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	3.8	7	1	1	3	5	8	10	12
20-34	95	4.2	12	1	1	3	6	7	10	21
35-49	110	4.1	8	<1	1	3	5	8	10	13
50-64	100	4.7	15	<1	1	3	6	12	14	17
65+	78	4.9	18	1	1	4	7	10	13	23
B. *Operated*										
0-19 YRS	281	2.6	4	<1	<1	2	3	4	5	11
20-34	845	2.8	5	<1	1	2	3	5	7	13
35-49	1021	2.9	5	<1	1	2	4	5	6	12
50-64	1077	2.7	5	<1	<1	2	3	5	7	11
65+	297	3.1	18	<1	<1	2	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	4.0	8	1	1	3	6	8	10	12
20-34	79	4.8	9	1	2	4	6	9	10	15
35-49	143	5.9	29	1	1	4	8	12	16	32
50-64	253	5.7	41	1	1	4	7	11	14	38
65+	266	6.8	22	1	2	6	9	13	17	22
B. *Operated*										
0-19 YRS	123	3.7	17	1	1	3	4	6	9	27
20-34	423	3.4	8	1	1	3	4	6	8	16
35-49	567	3.8	14	1	1	3	4	7	9	17
50-64	711	4.3	24	1	1	3	5	8	11	22
65+	311	5.1	17	1	2	4	7	10	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	501	4.3	11	1	1	3	6	8	11	17
B. *Operated*	3521	2.8	6	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	792	5.9	28	1	1	5	8	11	15	22
B. *Operated*	2135	4.1	17	1	1	3	5	8	10	20
1. SINGLE DX	4022	3.0	7	<1	<1	2	4	6	8	13
2. MULTIPLE DX	2927	4.6	21	1	1	3	5	9	12	21
A. NOT OPERATED	1293	5.3	22	1	1	4	7	10	13	21
B. OPERATED	5656	3.3	11	<1	1	2	4	6	8	16
TOTAL 0-19 YRS	573	3.2	8	<1	1	2	4	6	8	13
20-34	1442	3.2	7	<1	1	3	4	6	8	14
35-49	1841	3.5	10	<1	1	3	4	6	9	16
50-64	2141	3.7	17	<1	1	3	4	7	10	19
65+	952	4.9	21	<1	1	4	7	10	13	21
GRAND TOTAL	**6949**	**3.7**	**13**	**<1**	**1**	**3**	**4**	**7**	**10**	**18**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	1.2		<1	<1	1	1	2	2	2
35-49	7	2.4	2	<1	<1	2	4	5	5	5
50-64	11	3.1	2	<1	1	3	5	5	5	5
65+	8	2.5	1	1	1	3	3	4	4	4
B. *Operated*										
0-19 YRS	225	3.6	21	1	2	3	4	5	6	12
20-34	452	3.3	2	1	1	3	4	5	6	8
35-49	460	3.8	7	1	2	3	4	6	7	14
50-64	628	3.7	4	1	2	3	5	6	7	11
65+	368	3.7	5	1	2	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	<1	1	1	1	1
20-34	11	3.5	23	<1	<1	1	5	10	16	17
35-49	12	1.8	5	<1	<1	1	2	4	8	9
50-64	37	3.5	28	<1	<1	2	4	8	11	31
65+	27	3.0	6	<1	<1	2	5	7	7	8
B. *Operated*										
0-19 YRS	221	3.7	3	2	2	3	4	6	6	8
20-34	659	3.8	4	2	2	3	5	6	7	15
35-49	868	4.1	4	2	2	4	5	6	8	13
50-64	1664	4.4	6	2	2	4	5	7	8	14
65+	1173	4.8	8	2	2	4	6	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.4	2	<1	<1	2	4	5	5	5
B. *Operated*	2133	3.6	6	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	93	3.0	16	<1	<1	1	4	6	9	25
B. *Operated*	4585	4.3	6	2	2	4	5	7	8	14
1. SINGLE DX	2165	3.6	6	1	2	3	4	6	7	11
2. MULTIPLE DX	4678	4.3	6	2	2	4	5	7	8	14
A. NOT OPERATED	125	2.8	13	<1	<1	1	4	6	8	20
B. OPERATED	6718	4.1	6	2	2	4	5	6	8	13
TOTAL 0-19 YRS	453	3.6	12	1	2	3	4	5	6	11
20-34	1127	3.6	4	1	2	3	4	6	6	11
35-49	1347	3.9	5	1	2	4	5	6	8	13
50-64	2340	4.2	6	2	2	4	5	7	8	14
65+	1576	4.5	7	2	2	4	5	7	9	14
GRAND TOTAL	**6843**	**4.1**	**6**	**1**	**2**	**4**	**5**	**6**	**8**	**13**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.1	2	<1	<1	1	3	5	5	5
20-34	15	1.3		<1	<1	1	2	2	2	2
35-49	8	1.9	2	<1	<1	1	2	4	5	5
50-64	6	2.3	2	<1	<1	2	4	4	4	4
65+	4	3.3	15	<1	<1	1	5	9	9	9
B. *Operated*										
0-19 YRS	512	1.8	4	<1	<1	2	2	3	3	6
20-34	857	1.8	2	<1	<1	1	2	3	4	6
35-49	520	1.9	2	<1	<1	2	2	3	4	8
50-64	346	2.2	2	<1	<1	2	3	4	5	7
65+	139	2.8	4	<1	<1	2	3	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	11	3.1	20	<1	<1	<1	2	12	13	13
35-49	7	3.0	11	1	1	1	4	9	10	10
50-64	14	4.1	12	<1	<1	3	5	9	12	13
65+	8	5.3	12	<1	<1	5	7	10	11	11
B. *Operated*										
0-19 YRS	65	2.9	20	<1	<1	2	2	5	9	31
20-34	153	2.6	5	<1	<1	2	3	5	7	14
35-49	157	2.8	3	<1	1	2	3	5	6	11
50-64	178	3.3	9	<1	1	2	4	6	8	20
65+	97	4.5	16	1	1	3	5	10	16	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	1.9	3	<1	<1	1	2	4	5	9
B. *Operated*	2374	1.9	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	42	3.7	13	<1	<1	2	5	10	12	13
B. *Operated*	650	3.2	9	<1	1	2	4	6	9	17
1. SINGLE DX	2418	1.9	3	<1	<1	2	2	3	4	7
2. MULTIPLE DX	692	3.2	10	<1	1	2	4	6	9	17
A. NOT OPERATED	86	2.8	9	<1	<1	1	3	7	10	13
B. OPERATED	3024	2.2	4	<1	<1	2	2	4	5	10
TOTAL 0-19 YRS	590	1.9	6	<1	<1	2	2	3	3	10
20-34	1036	1.9	2	<1	<1	2	2	3	4	9
35-49	692	2.1	3	<1	<1	2	3	4	5	9
50-64	544	2.6	5	<1	<1	2	3	5	6	11
65+	248	3.6	10	<1	1	3	4	8	10	17
GRAND TOTAL	**3110**	**2.2**	**4**	**<1**	**<1**	**2**	**2**	**4**	**5**	**11**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	12.4	57	1	4	12	16	21	25	40
20-34	35	8.2	62	1	1	5	11	21	26	33
35-49	23	8.1	38	1	2	6	11	17	23	24
50-64	42	9.2	84	1	1	6	10	20	31	44
65+	18	10.1	54	3	4	8	14	20	27	31
B. *Operated*										
0-19 YRS	136	13.1	121	1	2	9	21	28	35	44
20-34	136	11.0	114	1	2	8	15	26	40	99+
35-49	77	13.6	226	1	2	8	18	30	57	92
50-64	95	10.1	79	2	2	7	15	23	29	37
65+	46	13.0	158	2	2	9	17	32	45	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	16.9	101	2	3	16	24	30	35	37
20-34	31	13.1	160	2	3	8	19	30	39	54
35-49	36	10.3	147	1	1	6	12	25	39	55
50-64	50	11.6	107	2	3	7	16	26	31	46
65+	75	13.7	164	1	2	10	17	29	44	61
B. *Operated*										
0-19 YRS	76	19.4	263	2	3	18	27	47	61	99+
20-34	110	19.0	345	2	3	13	29	49	89	99+
35-49	120	16.1	264	2	2	13	21	35	54	99
50-64	161	17.3	303	2	3	12	23	43	63	99+
65+	149	20.5	290	3	4	17	29	46	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	195	10.2	63	1	2	8	14	21	26	39
B. *Operated*	490	12.0	131	1	2	8	17	28	36	65
2. MULTIPLE DX										
A. *Not Operated*	241	13.4	139	1	2	10	20	29	37	54
B. *Operated*	616	18.4	296	2	3	14	26	45	65	99+
1. SINGLE DX	685	11.5	112	1	2	8	16	26	33	55
2. MULTIPLE DX	857	17.0	256	2	3	13	23	39	55	99+
A. NOT OPERATED	436	12.0	107	1	2	9	16	27	31	50
B. OPERATED	1106	15.6	233	2	2	11	22	36	53	99+
TOTAL 0-19 YRS	338	14.9	142	1	2	13	21	30	37	66
20-34	312	13.7	209	1	2	9	19	35	50	99+
35-49	256	13.8	221	1	2	9	18	31	49	97
50-64	348	13.5	199	2	2	9	17	31	44	99
65+	288	16.9	235	2	3	13	23	38	52	99+
GRAND TOTAL	**1542**	**14.5**	**200**	**2**	**2**	**10**	**21**	**33**	**46**	**99+**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	4.7	18	<1	1	3	6	12	14	19
20-34	95	3.4	12	<1	<1	2	4	6	11	18
35-49	128	3.7	13	1	1	2	5	8	13	17
50-64	110	3.9	11	1	1	3	5	8	10	16
65+	213	7.4	33	1	2	6	10	14	18	28
B. *Operated*										
0-19 YRS	862	4.0	10	1	1	3	5	7	9	16
20-34	1112	4.4	14	1	2	3	5	8	10	18
35-49	491	5.3	17	1	2	4	7	11	14	20
50-64	407	6.8	34	1	2	5	9	14	17	28
65+	261	10.7	58	2	2	9	15	21	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	7.1	110	<1	1	4	10	13	24	68
20-34	150	4.4	18	<1	1	3	5	9	12	22
35-49	218	5.3	27	1	1	4	6	13	19	28
50-64	527	7.3	46	1	2	5	9	15	20	36
65+	2096	9.7	52	2	3	8	12	18	24	39
B. *Operated*										
0-19 YRS	338	4.7	25	1	1	3	5	9	15	27
20-34	608	6.5	64	1	2	4	7	13	19	47
35-49	454	8.4	93	2	2	5	11	18	25	56
50-64	567	11.8	123	2	2	9	15	24	35	59
65+	698	16.3	139	3	4	14	21	31	40	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	627	5.1	23	1	1	4	7	12	14	22
B. *Operated*	3133	5.3	23	1	2	4	6	11	15	23
2. MULTIPLE DX										
A. *Not Operated*	3042	8.7	51	2	2	7	11	17	22	38
B. *Operated*	2665	10.3	114	2	2	6	14	23	32	57
1. SINGLE DX	3760	5.2	23	1	1	4	6	11	15	23
2. MULTIPLE DX	5707	9.4	81	2	2	7	12	20	26	47
A. NOT OPERATED	3669	8.1	48	1	2	6	11	16	21	36
B. OPERATED	5798	7.6	71	1	2	5	9	17	23	45
TOTAL 0-19 YRS	1332	4.3	18	1	1	3	5	8	11	22
20-34	1965	5.0	31	1	1	4	6	9	13	31
35-49	1291	6.3	47	1	2	4	8	14	18	33
50-64	1611	8.5	74	1	2	6	11	18	24	47
65+	3268	11.1	77	2	3	9	14	21	28	45
GRAND TOTAL	**9467**	**7.8**	**62**	**1**	**2**	**5**	**10**	**17**	**22**	**41**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.7	26	<1	<1	1	4	13	15	15
20-34	7	1.4	1	<1	<1	1	2	3	3	3
35-49	9	2.0	1	<1	<1	2	3	4	4	4
50-64										
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	177	3.6	6	<1	1	3	5	7	9	14
20-34	197	3.0	7	<1	<1	2	4	5	8	15
35-49	86	3.4	10	<1	<1	2	4	7	11	70
50-64	73	3.4	11	<1	<1	3	4	6	12	17
65+	31	4.6	19	<1	1	3	5	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	12	<1	<1	2	2	9	10	10
20-34	8	4.5	6	<1	1	4	6	8	8	8
35-49	2	15.0	338	2	2	15	28	28	28	28
50-64	11	5.5	20	<1	<1	5	9	12	14	14
65+	13	17.5	317	1	1	11	30	59	91	99+
B. *Operated*										
0-19 YRS	171	4.6	17	1	2	4	5	8	11	25
20-34	190	4.1	7	1	1	3	5	7	10	14
35-49	115	4.9	19	1	1	3	6	10	15	23
50-64	111	6.4	51	1	2	4	7	13	16	40
65+	78	8.2	47	1	2	6	11	16	20	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	2.3	8	<1	<1	1	3	4	7	15
B. *Operated*	564	3.4	8	<1	1	3	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	40	9.3	153	<1	1	5	11	29	51	99+
B. *Operated*	665	5.2	25	1	2	4	6	10	14	25
1. SINGLE DX	589	3.4	8	<1	<1	2	4	7	10	16
2. MULTIPLE DX	705	5.4	33	1	2	4	6	11	15	30
A. NOT OPERATED	65	6.6	108	<1	<1	3	8	17	34	93
B. OPERATED	1229	4.4	18	<1	1	3	5	9	13	22
TOTAL 0-19 YRS	361	4.0	12	1	1	3	5	8	10	24
20-34	402	3.5	7	<1	1	3	4	7	8	14
35-49	212	4.3	18	<1	1	3	5	9	14	25
50-64	195	5.2	36	<1	1	3	6	11	15	24
65+	124	8.2	78	1	2	5	11	16	29	99+
GRAND TOTAL	**1294**	**4.5**	**23**	**<1**	**1**	**3**	**5**	**9**	**13**	**25**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	18	6.7	26	<1	1	5	11	13	17	19
35-49	37	4.6	8	1	1	4	7	9	10	12
50-64	30	6.4	33	1	1	4	9	16	19	21
65+	16	7.4	79	2	2	5	8	17	31	37
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	29	5.0	17	1	1	4	8	10	12	17
35-49	45	5.2	22	1	1	4	8	10	14	21
50-64	30	5.8	71	1	1	3	6	13	16	45
65+	13	5.7	47	1	1	3	6	15	24	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	23	4.7	9	<1	1	4	6	9	11	12
35-49	39	5.9	44	1	2	4	7	9	12	43
50-64	55	7.2	34	1	1	6	10	14	17	31
65+	70	8.9	34	2	3	8	12	17	21	28
B. *Operated*										
0-19 YRS										
20-34	16	9.3	66	1	1	8	12	23	28	30
35-49	26	8.6	41	1	2	8	11	17	21	28
50-64	37	9.7	118	2	2	8	11	17	20	67
65+	17	7.4	17	2	3	7	11	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	6.0	30	1	1	4	8	12	18	29
B. *Operated*	118	5.4	35	1	1	3	8	11	16	32
2. MULTIPLE DX										
A. *Not Operated*	189	7.2	35	1	2	6	10	13	18	30
B. *Operated*	96	8.9	69	1	2	8	11	15	20	50
1. SINGLE DX	220	5.6	32	1	1	4	8	12	16	29
2. MULTIPLE DX	285	7.8	47	1	2	6	11	14	18	31
A. NOT OPERATED	291	6.8	33	1	2	5	9	13	18	30
B. OPERATED	214	7.0	53	1	1	5	10	14	18	35
TOTAL 0-19 YRS	4	4.3	14	1	1	4	7	8	8	8
20-34	86	6.1	28	1	1	5	9	12	15	28
35-49	147	5.8	29	1	1	4	8	11	14	28
50-64	152	7.4	62	1	2	5	10	15	19	45
65+	116	8.1	39	2	2	7	11	16	20	31
GRAND TOTAL	**505**	**6.9**	**42**	**1**	**1**	**5**	**9**	**13**	**18**	**30**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	2.8	5	1	1	2	3	6	7	12
20-34	233	4.0	14	1	1	3	5	8	11	22
35-49	255	4.2	11	1	1	3	6	9	11	17
50-64	182	4.4	12	1	1	3	6	10	12	17
65+	133	5.0	15	1	1	4	7	11	14	16
B. *Operated*										
0-19 YRS	559	4.2	18	<1	1	2	5	10	12	22
20-34	816	4.3	43	<1	1	2	5	10	13	29
35-49	548	4.3	26	<1	1	2	5	10	13	24
50-64	691	3.4	13	<1	1	2	4	7	10	23
65+	402	3.3	12	1	1	2	3	7	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	3.4	8	1	1	3	4	7	9	16
20-34	322	4.9	17	1	1	4	6	10	13	19
35-49	448	6.0	29	1	2	4	8	12	17	29
50-64	476	5.9	29	1	2	4	7	12	18	26
65+	673	6.5	28	1	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	418	4.5	34	1	1	2	4	9	17	35
20-34	772	4.4	40	1	1	3	4	9	14	33
35-49	586	5.2	32	1	1	3	6	12	17	31
50-64	591	5.9	71	1	1	3	6	13	20	49
65+	443	7.6	83	1	2	4	9	17	25	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	901	4.2	12	1	1	3	5	9	11	17
B. *Operated*	3016	3.9	24	<1	1	2	4	9	12	23
2. MULTIPLE DX										
A. *Not Operated*	2008	5.8	26	1	2	4	7	12	16	25
B. *Operated*	2810	5.4	52	1	1	3	6	12	18	37
1. SINGLE DX	3917	4.0	22	1	1	2	5	9	12	22
2. MULTIPLE DX	4818	5.6	41	1	1	4	7	12	17	34
A. NOT OPERATED	2909	5.3	23	1	1	4	7	11	14	23
B. OPERATED	5826	4.7	38	1	1	3	5	10	15	30
TOTAL 0-19 YRS	1164	4.1	22	1	1	2	5	10	13	25
20-34	2143	4.4	35	1	1	3	5	10	13	28
35-49	1837	5.0	27	1	1	3	6	11	14	26
50-64	1940	4.9	36	1	1	3	6	10	15	30
65+	1651	5.9	40	1	2	4	8	12	16	32
GRAND TOTAL	**8735**	**4.9**	**33**	**1**	**1**	**3**	**6**	**11**	**15**	**28**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	11	6.4	14	1	2	7	8	11	14	14
50-64	4	3.0	1	2	2	3	4	4	4	4
65+										
B. *Operated*										
0-19 YRS										
20-34	3	10.3	9	7	7	11	12	13	13	13
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	7.7	54	2	2	5	13	16	16	16
65+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.1	4	<1	1	5	6	7	8	8
20-34	19	6.8	33	1	2	5	9	15	20	24
35-49	20	5.8	19	1	2	5	7	9	15	21
50-64	12	5.0	15	1	1	4	7	11	13	13
65+	5	4.6	2	2	2	5	5	6	6	6
B. *Operated*										
0-19 YRS										
20-34	4	4.3	2	3	3	4	5	6	6	6
35-49	4	10.3	112	3	3	6	16	26	26	26
50-64	6	10.5	109	2	2	8	9	29	31	31
65+	5	23.4	215	10	10	16	37	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	5.6	12	1	2	5	8	9	12	14
B. *Operated*	8	9.3	34	2	2	9	14	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	64	5.8	19	1	2	5	7	10	14	24
B. *Operated*	19	12.5	148	2	3	8	15	33	39	43
1. SINGLE DX	24	6.8	21	1	2	6	9	14	16	17
2. MULTIPLE DX	83	7.3	55	1	2	5	8	14	25	40
A. NOT OPERATED	80	5.7	17	1	2	5	7	10	14	23
B. OPERATED	27	11.6	114	2	3	8	15	30	36	43
TOTAL 0-19 YRS	8	5.1	4	<1	1	5	6	7	8	8
20-34	27	6.8	26	2	2	5	9	14	16	24
35-49	36	6.4	26	1	2	5	8	10	19	26
50-64	25	6.3	42	1	2	4	9	13	20	31
65+	11	14.3	176	2	4	10	17	38	43	43
GRAND TOTAL	**107**	**7.2**	**47**	**1**	**2**	**5**	**8**	**14**	**21**	**38**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	7.6	147	<1	1	2	5	27	38	43
20-34	5	2.2	1	1	1	2	3	4	4	4
35-49	2	10.0	128	2	2	10	18	18	18	18
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	5.0	18	2	2	5	8	8	8	8
B. *Operated*										
0-19 YRS	63	6.7	38	2	2	5	8	14	23	31
20-34	13	7.3	57	1	1	5	18	31	85	99+
35-49	9	9.2	67	1	1	6	15	21	22	22
50-64	6	5.0	13	2	2	4	5	11	12	12
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	5.0	49	1	1	3	6	10	26	91
20-34	11	5.5	13	2	2	5	8	40	91	99+
35-49	9	5.4	13	<1	1	6	7	11	12	12
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	5	5.0	8	1	1	5	7	8	8	8
B. *Operated*										
0-19 YRS	88	11.1	93	1	2	9	14	25	29	50
20-34	14	10.5	64	1	2	9	13	26	27	27
35-49	19	22.3	520	1	3	14	29	47	75	98
50-64	15	12.4	75	2	3	13	18	24	29	31
65+	5	18.8	141	3	3	20	29	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	6.1	98	1	1	2	4	20	30	43
B. *Operated*	91	6.9	41	1	2	5	9	18	23	71
2. MULTIPLE DX										
A. *Not Operated*	92	5.1	38	1	1	3	6	10	22	99+
B. *Operated*	141	13.0	158	2	2	10	17	27	32	54
1. SINGLE DX	118	6.7	54	1	1	4	8	18	23	61
2. MULTIPLE DX	233	9.9	125	1	1	6	13	24	32	98
A. NOT OPERATED	119	5.3	51	1	1	3	6	12	26	99+
B. OPERATED	232	10.6	121	1	2	7	14	24	31	58
TOTAL 0-19 YRS	232	8.0	75	1	1	5	10	20	28	50
20-34	43	7.3	47	1	1	5	11	23	45	99+
35-49	39	14.8	324	1	1	10	19	35	47	98
50-64	25	9.0	65	1	2	5	14	19	26	31
65+	12	10.8	106	1	2	7	15	30	31	31
GRAND TOTAL	**351**	**8.8**	**103**	**1**	**1**	**5**	**12**	**22**	**30**	**96**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	1.2	1	<1	<1	<1	1	1	1	7
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	513	2.2	3	<1	<1	2	2	4	5	11
20-34	136	2.4	5	<1	<1	2	3	4	5	32
35-49	74	2.2	1	1	1	2	3	3	4	9
50-64	127	2.7	2	1	1	3	3	4	4	7
65+	127	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	1.3	1	<1	<1	1	1	2	4	6
20-34	5	1.0		<1	<1	1	1	1	1	1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	1.7	1	<1	<1	1	2	3	3	3
65+	4	4.8	7	2	2	5	7	7	7	7
B. *Operated*										
0-19 YRS	176	2.5	3	<1	<1	2	3	5	7	10
20-34	66	2.6	2	1	1	2	3	4	5	7
35-49	53	2.5	3	1	1	2	3	4	6	10
50-64	101	3.3	12	1	2	3	3	5	7	22
65+	137	2.9	2	1	2	3	3	4	5	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	1.2	1	<1	<1	<1	1	1	2	7
B. *Operated*	977	2.4	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	49	1.6	2	<1	<1	1	1	3	6	7
B. *Operated*	533	2.8	5	1	1	2	3	4	6	10
1. SINGLE DX	1124	2.2	3	<1	<1	2	3	4	4	10
2. MULTIPLE DX	582	2.7	4	<1	1	2	3	4	6	10
A. NOT OPERATED	196	1.3	1	<1	<1	<1	1	1	3	7
B. OPERATED	1510	2.5	3	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	870	2.0	3	<1	<1	2	2	3	5	10
20-34	207	2.5	4	<1	1	2	3	4	5	13
35-49	128	2.3	2	1	1	2	3	4	4	10
50-64	232	3.0	6	1	1	3	3	4	5	12
65+	269	2.9	2	1	2	3	3	4	5	9
GRAND TOTAL	**1706**	**2.4**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**10**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	3.5	19	<1	<1	2	4	7	12	23
20-34	8	4.1	22	1	1	2	5	12	15	15
35-49	5	4.8	17	2	2	4	6	12	12	12
50-64	8	8.0	93	1	1	4	11	25	29	29
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	615	4.3	22	1	1	2	7	9	11	21
20-34	112	6.5	81	1	1	3	8	11	17	52
35-49	57	5.3	29	1	2	2	8	11	13	32
50-64	53	5.8	30	1	2	2	10	14	19	97
65+	24	10.2	151	1	1	7	11	31	41	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	154	5.3	55	<1	1	3	6	11	22	54
20-34	43	5.3	38	<1	1	3	6	15	18	30
35-49	47	4.6	11	1	1	4	6	11	12	13
50-64	40	8.3	161	1	2	5	8	12	26	78
65+	49	6.6	25	1	2	6	9	12	15	28
B. *Operated*										
0-19 YRS	676	6.9	96	1	1	3	9	14	20	66
20-34	116	7.4	71	1	1	5	10	15	22	73
35-49	74	8.3	60	1	2	7	11	19	23	85
50-64	93	9.4	71	2	2	8	14	19	26	41
65+	53	12.1	159	2	2	10	15	31	34	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	4.3	29	<1	1	2	5	11	15	29
B. *Operated*	861	4.9	35	1	1	2	7	10	12	33
2. MULTIPLE DX										
A. *Not Operated*	333	5.7	55	1	1	4	7	11	17	50
B. *Operated*	1012	7.6	93	1	1	5	10	16	22	63
1. SINGLE DX	919	4.9	35	1	1	2	7	10	13	32
2. MULTIPLE DX	1345	7.1	84	1	1	4	9	15	21	60
A. NOT OPERATED	391	5.5	52	<1	1	4	6	11	16	44
B. OPERATED	1873	6.4	68	1	1	3	9	13	19	46
TOTAL 0-19 YRS	1480	5.6	61	1	1	2	8	11	16	43
20-34	279	6.6	69	1	1	3	9	14	20	55
35-49	183	6.3	39	1	2	4	9	13	18	39
50-64	194	8.1	80	1	2	5	12	17	23	65
65+	128	9.5	109	1	2	7	12	18	31	54
GRAND TOTAL	**2264**	**6.2**	**65**	**1**	**1**	**3**	**8**	**13**	**19**	**46**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	335	3.9	12	1	1	4	5	6	7	12
20-34	26	2.7	2	1	1	2	3	5	6	6
35-49	5	3.4	2	<1	<1	4	4	4	4	4
50-64	4	4.5	12	<1	<1	4	7	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.3	5	<1	<1	1	3	6	8	9
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	187	4.0	6	1	2	4	5	7	8	13
20-34	6	3.2	1	2	2	3	4	4	4	4
35-49	3	3.3	6	1	1	3	5	6	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.5	1	1	1	1	2	3	3	3
B. *Operated*	370	3.8	11	1	1	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	25	2.2	5	<1	<1	1	2	6	8	9
B. *Operated*	198	4.0	6	1	2	4	5	7	8	13
1. SINGLE DX	374	3.8	11	1	1	3	5	6	7	11
2. MULTIPLE DX	223	3.8	6	<1	1	3	5	7	8	12
A. NOT OPERATED	29	2.1	4	<1	<1	1	2	5	8	9
B. OPERATED	568	3.9	9	1	1	3	5	6	8	12
TOTAL 0-19 YRS	549	3.9	10	1	1	3	5	6	8	12
20-34	34	2.7	2	1	1	3	3	4	6	6
35-49	8	3.4	3	<1	<1	4	4	6	6	6
50-64	5	4.2	10	<1	<1	3	7	8	8	8
65+	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**597**	**3.8**	**9**	**1**	**1**	**3**	**5**	**6**	**8**	**12**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.2	1	<1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	256	3.3	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.4	9	<1	<1	2	5	9	10	10
B. *Operated*										
0-19 YRS	77	5.0	14	2	2	4	5	8	12	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.2	1	<1	1	2	3	4	4	4
B. *Operated*	256	3.3	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	12	3.4	9	<1	<1	2	5	9	10	10
B. *Operated*	77	5.0	14	2	2	4	5	8	12	23
1. SINGLE DX	273	3.3	2	1	2	3	4	5	6	8
2. MULTIPLE DX	89	4.8	13	2	2	4	5	8	11	23
A. NOT OPERATED	29	2.7	4	<1	1	2	3	5	8	10
B. OPERATED	333	3.7	5	2	2	3	4	6	7	12
TOTAL 0-19 YRS	362	3.6	5	1	2	3	4	6	7	12
GRAND TOTAL	**362**	**3.6**	**5**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	2.7	19	<1	<1	1	3	5	8	30
20-34	7	2.3	2	<1	<1	2	4	4	4	4
35-49	6	3.0	9	<1	<1	2	3	8	9	9
50-64	6	2.0	2	<1	<1	2	3	4	4	4
65+	5	3.8	9	<1	<1	3	7	7	7	7
B. *Operated*										
0-19 YRS	204	3.9	15	<1	1	2	5	9	11	19
20-34	85	3.2	9	<1	<1	2	4	7	8	17
35-49	34	4.8	13	<1	<1	5	8	9	12	12
50-64	19	4.1	6	<1	1	3	6	7	8	9
65+	13	7.5	75	<1	<1	2	13	21	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	6.8	145	1	1	4	8	14	19	82
20-34	15	5.1	30	1	2	3	6	7	20	24
35-49	9	3.8	7	1	1	3	4	8	10	10
50-64	17	5.1	28	1	1	4	6	10	18	23
65+	42	4.7	8	1	2	4	6	7	9	16
B. *Operated*										
0-19 YRS	203	7.6	107	1	2	5	8	15	25	97
20-34	74	8.3	126	1	1	6	9	14	21	74
35-49	53	9.9	106	1	2	7	11	23	29	61
50-64	42	7.0	45	<1	1	4	11	16	19	31
65+	51	12.9	100	2	3	9	20	25	35	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	2.7	15	<1	<1	2	3	5	8	24
B. *Operated*	355	4.0	16	<1	<1	2	6	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	152	5.7	75	1	1	4	6	10	16	24
B. *Operated*	423	8.6	105	1	2	6	10	19	26	71
1. SINGLE DX	445	3.7	16	<1	<1	2	5	8	11	19
2. MULTIPLE DX	575	7.8	99	1	1	5	9	17	24	66
A. NOT OPERATED	242	4.6	54	<1	1	3	5	9	14	25
B. OPERATED	778	6.5	70	<1	1	4	8	14	20	46
TOTAL 0-19 YRS	542	5.5	70	<1	1	3	6	11	17	56
20-34	181	5.4	64	<1	<1	3	7	10	15	39
35-49	102	7.2	68	<1	1	6	9	13	23	46
50-64	84	5.6	32	<1	1	3	7	14	17	28
65+	111	8.7	72	1	1	6	10	23	25	40
GRAND TOTAL	**1020**	**6.0**	**67**	**<1**	**1**	**4**	**7**	**13**	**19**	**41**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.0		<1	<1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	592	2.6	4	1	1	2	3	4	5	10
20-34	49	2.6	1	1	1	2	3	4	4	5
35-49	12	1.8	1	1	1	2	2	3	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.8	6	<1	<1	1	1	3	8	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	454	2.7	3	1	1	2	3	4	5	9
20-34	68	3.4	5	1	1	3	4	6	8	13
35-49	22	3.4	15	1	1	2	3	7	15	15
50-64	6	2.7	1	1	1	3	4	4	4	4
65+	4	4.8	24	2	2	3	7	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.0		<1	<1	1	1	1	1	1
B. *Operated*	656	2.6	4	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	14	1.8	6	<1	<1	1	1	3	8	10
B. *Operated*	554	2.8	4	1	1	2	3	4	6	12
1. SINGLE DX	661	2.5	4	1	1	2	3	4	5	9
2. MULTIPLE DX	568	2.8	4	1	1	2	3	4	6	12
A. NOT OPERATED	19	1.6	4	<1	<1	1	1	2	7	10
B. OPERATED	1210	2.7	4	1	1	2	3	4	5	11
TOTAL 0-19 YRS	1065	2.6	3	1	1	2	3	4	5	10
20-34	117	3.0	4	1	1	3	4	5	7	11
35-49	34	2.8	10	1	1	2	3	4	13	15
50-64	7	2.6	1	1	1	2	4	4	4	4
65+	6	5.3	17	2	2	3	9	12	12	12
GRAND TOTAL	**1229**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	3.1	8	<1	<1	2	5	8	9	11
20-34	8	3.4	15	<1	<1	2	6	10	10	10
35-49	12	3.8	4	<1	1	4	5	6	9	9
50-64	8	3.5	11	1	1	2	5	9	10	10
65+	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	473	4.1	17	<1	<1	3	6	9	12	18
20-34	183	4.0	8	<1	1	3	6	7	9	15
35-49	52	5.1	36	<1	1	3	6	10	11	38
50-64	39	3.6	9	<1	1	2	6	8	9	13
65+	18	4.3	7	<1	1	4	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	3.1	7	<1	<1	2	5	7	9	12
20-34	22	3.3	3	1	1	3	5	5	6	8
35-49	22	4.2	9	1	1	3	6	8	11	13
50-64	23	6.6	35	1	2	5	9	10	18	30
65+	18	5.4	20	2	2	4	7	9	16	21
B. *Operated*										
0-19 YRS	404	4.8	21	<1	1	3	7	10	13	22
20-34	269	5.1	15	1	1	4	7	10	12	19
35-49	112	7.7	113	1	1	5	8	14	30	57
50-64	144	8.0	55	1	2	6	10	18	25	34
65+	56	6.2	24	1	2	6	8	11	14	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	3.3	8	<1	<1	2	4	8	10	11
B. *Operated*	765	4.1	16	<1	1	3	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	127	4.3	15	<1	1	3	5	8	10	23
B. *Operated*	985	5.7	36	<1	1	4	8	12	15	30
1. SINGLE DX	824	4.0	15	<1	<1	3	6	9	11	17
2. MULTIPLE DX	1112	5.6	34	<1	1	4	7	11	15	30
A. NOT OPERATED	186	4.0	13	<1	1	3	5	8	10	18
B. OPERATED	1750	5.0	28	<1	1	4	7	10	13	28
TOTAL 0-19 YRS	947	4.3	18	<1	<1	3	6	9	12	22
20-34	482	4.5	12	<1	1	4	6	9	11	17
35-49	198	6.4	76	1	1	4	7	11	19	38
50-64	214	6.9	46	1	1	5	9	14	23	33
65+	95	5.5	20	1	2	4	7	10	13	26
GRAND TOTAL	**1936**	**4.9**	**27**	**<1**	**1**	**4**	**7**	**10**	**13**	**28**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.1		<1	<1	1	1	2	2	2
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	262	3.5	8	1	1	3	4	5	7	11
20-34	33	4.8	11	1	2	4	6	10	13	14
35-49	11	6.2	37	2	2	5	6	13	23	24
50-64	9	4.0	3	2	2	4	5	6	6	6
65+	5	3.8	5	<1	<1	4	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.4	1	<1	<1	1	1	3	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	162	4.0	4	2	2	4	5	6	7	11
20-34	60	4.8	8	1	2	4	6	9	11	14
35-49	40	4.7	4	2	3	4	6	7	9	11
50-64	62	4.7	5	2	2	4	6	7	9	14
65+	29	4.8	7	2	2	4	6	10	12	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.1		<1	<1	1	1	2	2	2
B. *Operated*	320	3.8	10	1	1	3	5	6	7	17
2. MULTIPLE DX										
A. *Not Operated*	10	1.4	1	<1	<1	1	1	3	4	4
B. *Operated*	353	4.4	5	2	2	4	5	7	9	14
1. SINGLE DX	331	3.7	10	1	1	3	5	6	7	16
2. MULTIPLE DX	363	4.3	5	2	2	4	5	7	9	14
A. NOT OPERATED	21	1.2		<1	<1	1	1	2	3	4
B. OPERATED	673	4.1	7	1	2	4	5	6	8	14
TOTAL 0-19 YRS	443	3.6	7	1	1	3	5	6	7	11
20-34	93	4.8	9	1	2	4	6	9	12	14
35-49	51	5.0	11	2	3	4	6	7	11	24
50-64	72	4.6	5	2	2	4	6	7	8	13
65+	35	4.5	7	<1	2	4	6	9	12	99+
GRAND TOTAL	**694**	**4.0**	**7**	**1**	**2**	**4**	**5**	**6**	**8**	**14**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	2.8	9	<1	<1	2	3	6	10	17
20-34	51	4.1	7	1	1	4	6	8	9	10
35-49	21	5.8	13	1	1	5	8	11	13	15
50-64	33	4.3	8	1	1	4	7	8	10	11
65+	15	8.5	32	1	2	8	11	20	20	20
B. *Operated*										
0-19 YRS	1153	3.8	14	<1	1	3	5	8	11	20
20-34	639	3.7	20	<1	<1	2	4	9	12	19
35-49	321	4.8	25	<1	<1	3	7	12	15	23
50-64	181	4.8	18	1	1	3	7	10	14	20
65+	42	7.0	40	1	2	5	9	15	23	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	163	5.7	58	<1	1	3	7	11	20	46
20-34	83	4.6	11	1	1	3	6	9	12	15
35-49	66	6.8	22	1	2	6	9	12	16	26
50-64	69	6.6	18	1	2	6	9	13	15	18
65+	74	8.3	30	2	3	7	10	14	20	28
B. *Operated*										
0-19 YRS	435	5.4	35	1	1	4	6	11	17	37
20-34	352	6.1	49	<1	1	4	9	13	18	37
35-49	274	7.0	41	1	1	5	9	15	17	33
50-64	229	7.5	43	1	2	6	10	16	20	34
65+	92	11.2	127	1	2	9	15	23	27	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	3.9	12	<1	1	2	5	8	11	19
B. *Operated*	2336	4.1	18	<1	<1	3	5	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	455	6.2	35	1	1	5	8	12	16	29
B. *Operated*	1382	6.6	49	1	1	4	9	15	19	37
1. SINGLE DX	2590	4.0	17	<1	<1	3	5	9	12	20
2. MULTIPLE DX	1837	6.5	46	1	1	4	9	14	18	36
A. NOT OPERATED	709	5.4	28	<1	1	4	7	11	14	26
B. OPERATED	3718	5.0	31	<1	1	3	6	11	15	28
TOTAL 0-19 YRS	1885	4.3	23	<1	1	3	5	9	13	26
20-34	1125	4.5	29	<1	<1	3	6	10	14	23
35-49	682	5.9	32	<1	1	4	9	13	16	30
50-64	512	6.2	30	1	1	5	8	13	17	26
65+	223	9.3	74	1	2	8	12	19	24	36
GRAND TOTAL	**4427**	**5.1**	**31**	**<1**	**1**	**3**	**7**	**11**	**15**	**27**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2771	3.1	13	1	1	2	3	5	6	22
B. *Operated*										
0-19 YRS	86	5.3	31	1	2	3	5	14	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1177	7.9	110	1	2	4	9	21	31	62
B. *Operated*										
0-19 YRS	106	14.9	314	1	2	10	50	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2771	3.1	13	1	1	2	3	5	6	22
B. *Operated*	86	5.3	31	1	2	3	5	14	19	26
2. MULTIPLE DX										
A. *Not Operated*	1177	7.9	110	1	2	4	9	21	31	62
B. *Operated*	106	14.9	314	1	2	10	50	99+	99+	99+
1. SINGLE DX	2857	3.1	14	1	1	2	3	5	7	22
2. MULTIPLE DX	1283	8.5	130	1	2	4	10	26	42	99+
A. NOT OPERATED	3948	4.5	47	1	1	3	4	9	17	40
B. OPERATED	192	10.6	209	1	2	6	20	99+	99+	99+
TOTAL 0-19 YRS	4140	4.8	56	1	1	3	4	10	21	62
GRAND TOTAL	**4140**	**4.8**	**56**	**1**	**1**	**3**	**4**	**10**	**21**	**62**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1046	2.4	4	1	1	2	3	4	6	10
20-34	478	2.7	6	<1	1	2	3	5	7	12
35-49	235	2.9	6	1	1	2	3	5	6	13
50-64	183	3.5	8	1	1	3	4	6	8	72
65+	169	4.1	24	1	1	3	5	7	9	20
B. *Operated*										
0-19 YRS	19	3.8	13	1	1	2	5	8	12	16
20-34	26	4.0	14	1	1	3	4	10	14	15
35-49	20	4.9	26	2	2	3	5	9	17	24
50-64	17	4.8	29	1	2	3	6	8	18	24
65+	6	3.3	4	2	2	3	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1228	3.0	16	1	1	2	3	5	6	15
20-34	528	3.8	18	1	1	3	4	7	10	18
35-49	501	4.4	18	1	1	3	5	9	12	22
50-64	663	5.3	22	1	1	4	7	10	14	27
65+	787	6.0	31	1	2	4	7	12	15	27
B. *Operated*										
0-19 YRS	43	4.2	9	1	1	3	6	9	11	13
20-34	51	11.5	124	1	2	5	9	21	40	50
35-49	39	7.3	39	1	2	6	10	14	19	33
50-64	53	9.1	87	2	3	6	11	20	27	53
65+	63	13.1	153	2	3	10	17	25	33	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2111	2.8	7	1	1	2	3	5	7	14
B. *Operated*	88	4.3	18	1	2	3	5	8	14	24
2. MULTIPLE DX										
A. *Not Operated*	3707	4.3	22	1	1	3	5	9	12	22
B. *Operated*	249	8.9	98	1	2	5	11	20	26	50
1. SINGLE DX	2199	2.8	8	1	1	2	3	5	7	15
2. MULTIPLE DX	3956	4.6	28	1	1	3	5	9	13	26
A. NOT OPERATED	5818	3.8	17	1	1	3	4	7	10	21
B. OPERATED	337	7.7	81	1	2	5	9	17	24	49
TOTAL 0-19 YRS	2336	2.7	11	1	1	2	3	5	6	13
20-34	1083	3.5	19	1	1	2	4	7	9	21
35-49	795	4.1	17	1	1	3	5	8	12	22
50-64	916	5.1	24	1	1	4	6	10	14	29
65+	1025	6.1	41	1	2	4	7	12	17	29
GRAND TOTAL	**6155**	**4.0**	**21**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	419	2.8	3	1	1	2	3	5	6	10
20-34	131	3.8	5	1	1	3	5	7	9	29
35-49	82	4.5	10	1	2	4	6	8	9	20
50-64	75	5.1	11	2	2	4	6	10	13	17
65+	83	5.1	11	1	2	4	7	10	12	15
B. *Operated*										
0-19 YRS	15	5.4	13	1	2	4	7	12	13	13
20-34	12	10.2	97	<1	1	8	14	23	34	36
35-49	10	8.3	50	2	2	6	8	21	23	23
50-64	8	9.8	112	1	1	4	17	27	30	30
65+	10	10.1	46	2	3	10	16	20	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	546	3.1	10	1	1	3	4	5	7	11
20-34	233	4.8	48	1	2	3	5	9	12	24
35-49	171	5.6	25	2	2	4	7	10	14	27
50-64	259	6.6	56	2	2	5	8	12	15	28
65+	560	7.2	37	2	2	6	9	13	17	36
B. *Operated*										
0-19 YRS	27	5.1	20	1	2	4	5	9	18	20
20-34	45	10.5	140	2	2	7	12	23	30	70
35-49	52	11.6	122	3	3	9	13	24	37	55
50-64	69	11.9	83	3	4	9	15	21	27	52
65+	107	12.2	84	3	4	9	15	25	32	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	790	3.6	7	1	1	3	4	7	9	13
B. *Operated*	55	8.5	58	1	2	6	12	19	22	36
2. MULTIPLE DX										
A. *Not Operated*	1769	5.4	34	1	2	4	6	10	14	28
B. *Operated*	300	11.1	96	2	3	8	14	23	30	53
1. SINGLE DX	845	3.9	11	1	1	3	5	7	10	19
2. MULTIPLE DX	2069	6.2	47	1	2	4	7	12	17	34
A. NOT OPERATED	2559	4.8	27	1	1	4	6	9	12	26
B. OPERATED	355	10.7	91	2	3	8	14	23	30	52
TOTAL 0-19 YRS	1007	3.1	8	1	1	3	4	5	7	11
20-34	421	5.3	50	1	2	4	6	10	14	34
35-49	315	6.4	43	2	2	5	8	11	17	40
50-64	411	7.2	58	2	2	5	9	14	20	32
65+	760	7.7	45	2	2	6	10	15	21	38
GRAND TOTAL	**2914**	**5.5**	**38**	**1**	**1**	**4**	**7**	**11**	**15**	**32**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	141	2.6	6	1	1	2	3	4	6	11
20-34	401	3.0	6	1	1	2	4	6	8	13
35-49	239	3.4	10	1	1	3	4	7	8	15
50-64	109	3.5	9	1	1	3	4	6	8	18
65+	46	5.8	25	1	2	4	7	15	18	21
B. *Operated*										
0-19 YRS	16	3.4	7	<1	1	3	5	8	9	10
20-34	62	4.0	11	1	1	3	5	9	11	16
35-49	52	3.3	7	1	1	2	4	7	9	12
50-64	27	3.6	8	1	1	2	5	8	9	11
65+	11	4.0	6	2	2	3	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	162	3.0	4	1	1	3	4	6	7	10
20-34	489	4.3	17	1	1	3	5	9	11	19
35-49	383	5.6	29	1	2	4	6	12	17	25
50-64	274	5.2	21	1	1	4	6	11	15	24
65+	231	5.6	25	1	2	4	7	12	16	26
B. *Operated*										
0-19 YRS	8	2.8	3	1	1	2	4	6	6	6
20-34	49	5.7	18	1	2	5	7	10	18	19
35-49	67	5.9	27	1	2	4	8	13	18	22
50-64	56	7.7	92	1	2	6	9	13	15	69
65+	32	8.9	49	2	2	7	12	22	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	936	3.2	9	1	1	2	4	6	8	16
B. *Operated*	168	3.6	8	1	1	2	5	8	10	12
2. MULTIPLE DX										
A. *Not Operated*	1539	4.8	21	1	1	3	6	10	14	24
B. *Operated*	212	6.7	46	1	2	5	8	14	18	24
1. SINGLE DX	1104	3.3	9	1	1	2	4	6	8	16
2. MULTIPLE DX	1751	5.1	25	1	1	4	6	10	15	24
A. NOT OPERATED	2475	4.2	17	1	1	3	5	8	12	22
B. OPERATED	380	5.3	31	1	1	4	7	11	15	23
TOTAL 0-19 YRS	327	2.8	5	1	1	2	3	5	7	10
20-34	1001	3.9	13	1	1	3	5	8	10	18
35-49	741	4.8	23	1	1	3	5	10	14	23
50-64	466	5.0	27	1	1	4	6	10	13	23
65+	320	5.9	28	1	2	4	7	13	19	25
GRAND TOTAL	**2855**	**4.4**	**19**	**1**	**1**	**3**	**5**	**9**	**12**	**22**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.0	2	<1	1	1	3	4	5	8
20-34	47	3.1	7	<1	1	3	4	5	7	16
35-49	70	3.3	5	1	1	2	5	7	9	81
50-64	139	3.3	6	1	1	3	4	6	7	12
65+	166	3.2	6	1	1	3	4	6	7	21
B. *Operated*										
0-19 YRS	45	2.0	5	<1	<1	1	2	5	8	11
20-34	42	4.4	17	1	1	3	5	8	10	26
35-49	65	4.5	7	1	2	4	5	8	9	14
50-64	98	4.1	6	1	1	4	5	7	9	13
65+	109	4.3	7	1	1	4	5	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	2.4	5	<1	<1	2	3	3	6	13
20-34	49	2.9	3	1	1	3	4	5	7	9
35-49	73	3.6	6	1	1	3	5	7	10	11
50-64	216	4.0	12	1	1	3	5	8	10	17
65+	436	4.4	14	1	1	3	6	8	11	19
B. *Operated*										
0-19 YRS	33	4.1	21	<1	1	2	5	9	17	20
20-34	44	5.1	11	1	2	5	6	8	9	21
35-49	64	5.5	21	1	1	5	7	10	13	25
50-64	175	5.1	42	1	1	4	6	8	11	17
65+	176	5.4	15	1	2	5	7	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	450	3.2	6	1	1	3	4	6	7	16
B. *Operated*	359	4.0	8	<1	1	4	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	812	4.0	12	1	1	3	5	8	10	17
B. *Operated*	492	5.2	25	1	1	4	6	9	11	21
1. SINGLE DX	809	3.5	7	<1	1	3	5	7	8	14
2. MULTIPLE DX	1304	4.5	17	1	1	4	6	8	10	20
A. NOT OPERATED	1262	3.7	10	1	1	3	5	7	9	17
B. OPERATED	851	4.7	18	1	1	4	6	8	10	20
TOTAL 0-19 YRS	144	2.6	9	<1	<1	1	3	6	9	18
20-34	182	3.8	10	1	1	3	5	7	8	19
35-49	272	4.2	10	1	1	4	5	8	10	22
50-64	628	4.1	19	1	1	4	5	7	9	14
65+	887	4.4	13	1	1	4	6	8	10	20
GRAND TOTAL	**2113**	**4.1**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.4	3	<1	<1	2	3	5	6	7
20-34	22	2.7	3	<1	<1	2	4	5	6	6
35-49	14	1.9	1	1	1	2	2	3	5	5
50-64	21	2.9	7	1	1	2	3	5	9	13
65+	15	2.1	1	1	1	2	3	4	5	5
B. *Operated*										
0-19 YRS	157	1.8	1	<1	<1	2	2	3	3	8
20-34	177	2.1	4	<1	<1	2	2	4	5	12
35-49	81	2.0	1	<1	1	2	2	3	4	7
50-64	90	2.4	3	<1	<1	2	3	5	7	9
65+	40	3.9	62	<1	1	2	3	7	9	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	3.8	15	<1	1	3	5	7	8	22
20-34	38	3.4	7	<1	1	3	4	6	10	13
35-49	52	3.9	18	<1	1	3	4	8	12	26
50-64	108	5.1	80	1	1	3	5	9	12	58
65+	152	9.0	108	1	1	5	12	21	30	57
B. *Operated*										
0-19 YRS	48	3.6	13	1	1	2	5	9	11	99+
20-34	69	5.8	28	1	1	3	9	14	17	22
35-49	48	4.4	20	1	1	3	5	10	15	23
50-64	74	5.3	76	1	1	3	5	10	14	56
65+	76	9.7	180	1	2	4	10	27	42	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	2.5	3	<1	1	2	3	4	6	10
B. *Operated*	545	2.2	7	<1	<1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	382	6.2	75	1	1	3	7	13	21	46
B. *Operated*	315	6.1	76	1	1	3	7	13	21	58
1. SINGLE DX	638	2.2	6	<1	<1	2	2	4	5	9
2. MULTIPLE DX	697	6.2	75	1	1	3	7	13	21	57
A. NOT OPERATED	475	5.5	63	1	1	3	6	12	18	39
B. OPERATED	860	3.6	36	<1	<1	2	3	7	11	40
TOTAL 0-19 YRS	258	2.4	6	<1	<1	2	3	5	7	20
20-34	306	3.1	12	<1	<1	2	3	7	11	18
35-49	195	3.1	11	<1	1	2	3	6	10	21
50-64	293	4.2	51	<1	1	3	4	8	11	42
65+	283	8.1	120	1	1	4	9	20	31	58
GRAND TOTAL	**1335**	**4.3**	**46**	**<1**	**1**	**2**	**4**	**9**	**13**	**40**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	8	8	8	10	12	12	12	12
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49										
50-64										
65+	11	7.0	49	<1	1	4	9	16	25	26
B. *Operated*										
0-19 YRS	20	5.5	35	1	1	3	6	15	19	22
20-34	33	5.8	35	<1	<1	3	8	14	16	27
35-49	19	6.7	63	<1	<1	3	10	23	24	24
50-64	23	9.2	92	1	2	5	18	25	28	28
65+	58	15.4	95	4	5	13	22	30	36	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	3	16.0	21	11	11	17	19	20	20	20
35-49	7	9.9	18	6	6	9	12	17	18	18
50-64	12	18.7	294	7	7	10	32	70	94	99+
65+	83	12.0	172	1	2	7	14	31	42	89
B. *Operated*										
0-19 YRS	25	6.0	63	<1	1	4	6	24	46	99+
20-34	47	8.4	120	<1	1	5	9	21	34	55
35-49	49	16.6	269	2	3	11	20	44	52	71
50-64	151	18.0	237	2	3	15	25	43	66	99+
65+	412	22.4	245	4	6	18	31	44	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	6.9	38	<1	2	4	9	12	22	26
B. *Operated*	153	10.0	87	1	1	7	15	24	28	38
2. MULTIPLE DX										
A. *Not Operated*	107	12.5	172	1	3	8	14	33	53	99+
B. *Operated*	684	19.4	250	2	3	16	28	43	54	99+
1. SINGLE DX	168	9.8	83	1	1	7	14	24	28	38
2. MULTIPLE DX	791	18.5	245	2	3	14	26	42	54	99+
A. NOT OPERATED	122	11.8	158	1	3	8	14	31	42	99+
B. OPERATED	837	17.7	233	2	2	14	25	40	50	99+
TOTAL 0-19 YRS	49	5.9	47	<1	1	4	7	19	24	99+
20-34	85	7.5	84	<1	1	4	10	17	28	49
35-49	75	13.5	210	1	2	9	17	32	47	69
50-64	186	16.9	229	2	2	14	24	41	63	99+
65+	564	19.8	234	3	4	16	29	42	53	98
GRAND TOTAL	**959**	**17.0**	**228**	**1**	**2**	**13**	**24**	**40**	**50**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.0	2	<1	1	2	2	4	5	6
20-34	472	2.4	5	<1	1	2	3	4	6	10
35-49	1323	2.5	3	1	1	2	3	4	6	9
50-64	1146	2.8	5	1	1	2	3	5	6	10
65+	556	3.3	9	1	1	3	4	6	8	16
B. *Operated*										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	54	3.0	6	<1	1	2	3	7	9	12
35-49	307	2.6	3	1	1	2	3	5	7	11
50-64	351	3.1	37	1	1	2	3	5	6	10
65+	73	3.0	4	1	1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	3.2	6	1	1	3	4	6	7	15
20-34	583	3.1	18	1	1	2	4	5	7	11
35-49	2146	3.3	13	1	1	3	4	6	7	15
50-64	3086	3.6	10	1	1	3	4	6	8	14
65+	2484	4.4	15	1	2	3	5	8	11	19
B. *Operated*										
0-19 YRS	10	3.6	8	1	1	2	6	8	8	8
20-34	62	4.6	21	1	2	3	6	10	11	26
35-49	420	4.1	17	1	2	3	5	8	11	17
50-64	677	4.3	15	1	2	3	5	9	12	18
65+	238	6.1	29	1	2	4	8	12	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3559	2.7	5	1	1	2	3	5	6	10
B. *Operated*	788	2.9	19	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	8364	3.7	13	1	1	3	4	7	9	15
B. *Operated*	1407	4.6	19	1	2	3	6	10	12	21
1. SINGLE DX	4347	2.7	7	1	1	2	3	5	6	10
2. MULTIPLE DX	9771	3.9	14	1	1	3	5	7	9	17
A. NOT OPERATED	11923	3.4	11	1	1	3	4	6	8	15
B. OPERATED	2195	4.0	19	1	1	2	5	8	11	18
TOTAL 0-19 YRS	140	2.7	5	1	1	2	4	5	7	12
20-34	1171	2.9	13	1	1	2	3	5	7	12
35-49	4196	3.1	10	1	1	2	4	6	7	13
50-64	5260	3.5	12	1	1	3	4	6	8	14
65+	3351	4.3	15	1	1	3	5	8	11	20
GRAND TOTAL	**14118**	**3.5**	**12**	**1**	**1**	**3**	**4**	**6**	**9**	**15**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	156	2.6	8	<1	1	2	3	5	8	17
20-34	36	2.8	6	<1	1	2	4	8	9	9
35-49	40	2.5	3	<1	1	2	3	5	6	8
50-64	56	3.3	9	<1	1	2	4	7	10	14
65+	56	4.4	16	<1	1	3	5	8	13	21
B. *Operated*										
0-19 YRS	8	2.8	8	1	1	2	3	7	9	9
20-34	30	2.6	5	<1	<1	2	3	5	7	12
35-49	59	3.4	14	<1	<1	2	4	8	11	21
50-64	105	2.8	7	<1	1	2	3	5	8	15
65+	77	2.9	6	<1	<1	2	4	6	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	202	4.1	17	1	1	3	5	8	12	22
20-34	86	3.3	14	<1	1	2	4	7	10	24
35-49	129	4.5	74	1	1	3	5	8	9	33
50-64	307	5.3	33	1	1	4	7	10	15	34
65+	556	6.0	25	1	2	5	8	12	17	26
B. *Operated*										
0-19 YRS	24	6.4	50	1	1	4	10	12	20	34
20-34	34	6.8	153	1	1	4	7	11	14	74
35-49	71	5.4	53	1	1	3	6	10	13	46
50-64	202	5.5	29	1	1	4	8	11	18	30
65+	247	7.4	67	1	1	5	9	15	19	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	344	3.0	9	<1	1	2	4	7	9	17
B. *Operated*	279	3.0	8	<1	1	2	3	6	9	16
2. MULTIPLE DX										
A. *Not Operated*	1280	5.2	31	1	1	4	6	10	14	28
B. *Operated*	578	6.4	57	1	1	4	8	13	18	49
1. SINGLE DX	623	3.0	9	<1	1	2	3	6	9	17
2. MULTIPLE DX	1858	5.6	39	1	1	4	7	11	16	31
A. NOT OPERATED	1624	4.8	27	1	1	3	6	10	14	25
B. OPERATED	857	5.3	43	1	1	3	6	11	15	39
TOTAL 0-19 YRS	390	3.6	16	1	1	2	4	8	11	21
20-34	186	3.8	38	<1	1	2	4	8	10	24
35-49	299	4.2	48	1	1	3	5	8	10	31
50-64	670	4.8	27	1	1	3	6	10	14	31
65+	936	6.0	36	1	1	4	8	13	16	30
GRAND TOTAL	**2481**	**4.9**	**33**	**1**	**1**	**3**	**6**	**10**	**14**	**29**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	1.7	1	<1	1	2	2	3	3	4
20-34	135	1.9	2	<1	1	1	2	3	4	8
35-49	112	2.2	3	<1	<1	2	3	4	5	8
50-64	101	2.3	4	<1	1	2	3	4	6	12
65+	97	2.7	4	1	1	2	4	5	6	11
B. *Operated*										
0-19 YRS	91	1.5	3	<1	<1	1	2	2	3	13
20-34	29	3.6	8	<1	<1	2	5	8	9	11
35-49	41	5.1	14	<1	<1	4	7	11	12	14
50-64	40	6.2	19	<1	1	5	9	13	15	16
65+	68	5.8	27	1	1	4	7	12	17	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	2.9	4	1	1	2	4	5	6	10
20-34	131	3.2	12	<1	1	2	4	5	8	22
35-49	109	3.2	14	1	1	2	4	6	7	22
50-64	193	3.7	17	1	1	3	4	8	10	26
65+	417	5.9	30	1	1	5	7	11	17	29
B. *Operated*										
0-19 YRS	130	1.7	5	<1	<1	1	2	2	3	13
20-34	48	6.9	167	<1	1	4	8	11	14	91
35-49	75	7.1	61	1	2	6	9	11	15	47
50-64	168	7.3	26	1	2	6	9	14	17	24
65+	386	9.2	48	2	3	8	11	17	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	481	2.2	3	<1	1	2	3	4	5	10
B. *Operated*	269	4.1	17	<1	<1	2	6	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	900	4.5	23	1	1	3	5	9	13	27
B. *Operated*	807	7.3	51	1	1	6	9	14	19	35
1. SINGLE DX	750	2.9	9	<1	<1	2	3	6	9	14
2. MULTIPLE DX	1707	5.8	38	1	1	4	8	12	16	32
A. NOT OPERATED	1381	3.7	17	1	1	2	4	8	11	21
B. OPERATED	1076	6.5	45	<1	1	5	9	13	17	32
TOTAL 0-19 YRS	307	1.9	4	<1	<1	1	2	3	4	11
20-34	343	3.2	32	<1	1	2	4	6	9	18
35-49	337	4.0	24	<1	1	3	5	8	11	34
50-64	502	4.8	21	1	1	3	7	10	14	21
65+	968	6.9	39	1	2	5	9	13	18	32
GRAND TOTAL	**2457**	**4.9**	**31**	**<1**	**1**	**3**	**6**	**11**	**14**	**28**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1592	2.0	2	<1	1	2	2	4	4	7
20-34	1812	2.6	5	1	1	2	3	5	6	11
35-49	927	2.9	6	<1	1	2	4	5	7	12
50-64	677	3.2	6	1	1	3	4	6	7	13
65+	500	3.9	13	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	251	3.5	5	1	2	3	4	5	6	11
20-34	361	3.7	9	<1	1	3	5	7	9	12
35-49	158	4.8	21	<1	1	4	6	10	13	24
50-64	84	4.9	12	1	1	4	7	10	12	16
65+	50	6.7	28	1	1	6	10	13	14	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	821	2.6	4	<1	1	2	3	5	6	13
20-34	1612	3.5	11	1	1	3	4	6	9	19
35-49	1136	4.1	13	1	1	3	5	8	11	17
50-64	1237	4.6	15	1	1	4	6	8	12	21
65+	1801	5.4	18	1	2	4	7	10	12	21
B. *Operated*										
0-19 YRS	149	4.3	11	1	2	4	5	8	8	16
20-34	413	5.8	28	1	1	5	7	11	14	29
35-49	261	7.9	62	1	2	6	9	15	22	42
50-64	232	7.4	29	1	2	6	9	14	17	28
65+	228	9.4	44	2	3	7	13	18	21	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5508	2.7	6	<1	1	2	3	5	7	11
B. *Operated*	904	4.1	12	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	6607	4.2	14	1	1	3	5	8	11	20
B. *Operated*	1283	7.0	38	1	2	5	8	14	18	31
1. SINGLE DX	6412	2.9	7	1	1	2	4	5	7	13
2. MULTIPLE DX	7890	4.7	19	1	1	3	6	9	12	23
A. NOT OPERATED	12115	3.5	11	1	1	3	4	7	9	16
B. OPERATED	2187	5.8	29	1	1	4	7	11	15	29
TOTAL 0-19 YRS	2813	2.4	4	<1	1	2	3	4	6	9
20-34	4198	3.4	11	1	1	3	4	6	9	17
35-49	2482	4.1	18	1	1	3	5	8	11	22
50-64	2230	4.5	15	1	1	3	6	9	12	21
65+	2579	5.5	21	1	2	4	7	11	14	24
GRAND TOTAL	**14302**	**3.9**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**20**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	2.6	4	<1	1	2	3	4	6	12
20-34	88	3.0	4	1	1	3	4	6	6	9
35-49	95	3.4	14	<1	1	2	4	6	10	23
50-64	86	3.3	6	<1	1	2	5	6	8	13
65+	119	3.6	13	1	1	3	4	7	9	19
B. *Operated*										
0-19 YRS	15	2.3	3	<1	<1	2	3	5	6	6
20-34	40	4.2	9	<1	1	3	6	9	10	11
35-49	34	4.1	7	<1	1	4	6	8	9	10
50-64	46	6.5	49	1	1	4	8	16	23	30
65+	39	5.6	24	1	1	5	8	12	18	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	310	3.1	8	1	1	2	4	6	7	15
20-34	207	3.6	13	<1	1	3	5	6	8	24
35-49	251	5.0	23	1	1	4	6	10	11	24
50-64	422	5.7	32	1	2	4	7	12	16	27
65+	840	6.1	29	1	2	5	7	12	16	27
B. *Operated*										
0-19 YRS	29	6.2	39	1	2	4	7	12	16	33
20-34	77	7.3	66	1	1	6	8	11	18	54
35-49	98	7.4	41	1	1	7	9	15	24	69
50-64	127	7.7	43	1	2	6	10	15	18	35
65+	167	10.2	88	1	2	8	13	21	30	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	486	3.2	9	<1	1	2	4	6	8	14
B. *Operated*	174	4.9	23	<1	1	4	7	10	15	26
2. MULTIPLE DX										
A. *Not Operated*	2030	5.2	25	1	1	4	6	10	14	25
B. *Operated*	498	8.3	62	1	2	6	10	17	24	41
1. SINGLE DX	660	3.7	13	<1	1	3	5	7	10	21
2. MULTIPLE DX	2528	5.8	34	1	1	4	7	12	16	30
A. NOT OPERATED	2516	4.8	23	1	1	3	6	10	13	24
B. OPERATED	672	7.4	54	1	1	6	9	15	21	36
TOTAL 0-19 YRS	452	3.1	9	1	1	2	4	6	8	15
20-34	412	4.2	22	<1	1	3	5	8	10	24
35-49	478	5.1	25	1	1	4	7	10	14	26
50-64	681	5.8	33	1	1	4	7	13	16	28
65+	1165	6.4	38	1	2	5	8	13	18	31
GRAND TOTAL	**3188**	**5.4**	**30**	**1**	**1**	**4**	**7**	**11**	**15**	**28**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	845	3.5	13	1	1	2	4	7	10	19
20-34	484	3.0	10	1	1	2	3	6	7	22
35-49	455	3.1	15	<1	1	2	4	6	8	17
50-64	616	3.6	19	1	1	3	4	7	9	26
65+	841	4.4	23	1	1	3	5	9	13	21
B. *Operated*										
0-19 YRS	92	2.6	4	<1	<1	2	3	6	7	11
20-34	177	2.5	5	<1	1	2	3	5	8	12
35-49	191	3.0	9	<1	1	2	3	7	9	19
50-64	228	4.3	50	<1	1	2	4	10	16	31
65+	214	5.5	54	1	1	3	6	13	19	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1032	5.3	38	1	1	4	6	10	15	30
20-34	811	3.7	15	1	1	3	5	7	10	24
35-49	954	4.2	23	1	1	3	5	9	11	22
50-64	1971	5.0	23	1	1	4	6	10	14	25
65+	5008	6.1	34	1	2	4	7	12	16	30
B. *Operated*										
0-19 YRS	124	7.2	103	1	1	4	8	15	22	68
20-34	229	4.1	28	1	1	3	5	8	13	38
35-49	274	4.9	33	1	1	3	6	11	17	33
50-64	435	7.3	77	1	1	5	9	17	24	99+
65+	671	10.6	123	2	2	8	13	23	33	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3241	3.6	17	1	1	3	4	7	10	21
B. *Operated*	902	3.8	30	<1	1	2	4	8	12	27
2. MULTIPLE DX										
A. *Not Operated*	9776	5.4	30	1	1	4	7	11	15	28
B. *Operated*	1733	7.8	89	1	1	5	10	18	25	62
1. SINGLE DX	4143	3.7	20	1	1	2	4	7	10	22
2. MULTIPLE DX	11509	5.7	40	1	1	4	7	12	16	33
A. NOT OPERATED	13017	4.9	27	1	1	3	6	10	14	26
B. OPERATED	2635	6.4	73	1	1	3	8	15	22	53
TOTAL 0-19 YRS	2093	4.5	32	1	1	3	5	9	14	26
20-34	1701	3.4	14	1	1	2	4	7	9	23
35-49	1874	3.9	21	1	1	3	5	8	11	22
50-64	3250	5.0	32	1	1	3	6	10	15	30
65+	6734	6.3	44	1	2	4	8	13	18	34
GRAND TOTAL	**15652**	**5.2**	**35**	**1**	**1**	**3**	**6**	**11**	**15**	**30**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	376	2.2	5	1	1	2	3	4	6	10
20-34	39	4.0	13	<1	<1	3	6	8	10	18
35-49	10	2.1	1	1	1	2	2	4	5	5
50-64	11	5.2	40	<1	1	2	7	15	21	22
65+	13	6.5	31	1	1	4	10	15	17	18
B. *Operated*										
0-19 YRS	96	4.9	15	1	2	4	6	8	12	22
20-34	38	6.2	14	1	2	5	8	13	14	14
35-49	13	4.9	15	1	1	4	7	10	14	15
50-64	5	11.0	233	2	2	4	15	38	38	38
65+	2	10.0	18	7	7	10	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	311	3.4	10	1	1	2	4	7	10	15
20-34	102	4.7	14	1	2	4	6	12	37	99+
35-49	47	5.0	22	1	1	4	6	11	13	25
50-64	39	10.3	205	1	1	5	10	23	42	74
65+	31	10.4	52	2	3	10	13	21	24	32
B. *Operated*										
0-19 YRS	147	12.8	249	1	2	7	15	41	57	99+
20-34	160	12.6	164	2	2	9	16	38	54	99+
35-49	58	13.4	294	1	2	8	14	31	50	96
50-64	33	17.8	471	<1	2	11	23	67	90	99+
65+	17	27.2	430	6	10	23	32	58	77	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	449	2.6	8	1	1	2	3	5	7	18
B. *Operated*	154	5.5	22	1	2	4	7	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	530	4.7	33	1	1	3	6	11	15	78
B. *Operated*	415	13.8	254	1	2	9	17	42	58	99+
1. SINGLE DX	603	3.3	13	1	1	2	4	7	9	20
2. MULTIPLE DX	945	8.7	150	1	1	5	10	23	43	99+
A. NOT OPERATED	979	3.7	23	1	1	2	4	8	12	26
B. OPERATED	569	11.5	205	1	2	7	14	28	50	99+
TOTAL 0-19 YRS	930	4.6	59	1	1	2	5	9	15	52
20-34	339	8.5	99	1	2	6	11	21	47	99+
35-49	128	8.6	162	1	1	5	9	18	28	69
50-64	88	12.5	298	1	1	6	16	34	67	98
65+	63	14.1	209	2	3	11	17	29	39	83
GRAND TOTAL	**1548**	**6.6**	**104**	**1**	**1**	**3**	**7**	**15**	**25**	**99**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	237	2.7	9	1	1	2	3	5	6	12
20-34	68	3.7	11	1	1	2	5	8	10	15
35-49	23	3.8	12	<1	1	3	5	8	12	15
50-64	15	4.1	16	1	1	3	4	13	14	14
65+	8	4.5	24	2	2	2	5	13	16	16
B. *Operated*										
0-19 YRS	24	5.5	19	1	2	5	7	9	14	22
20-34	27	5.6	18	1	1	4	7	12	16	17
35-49	6	21.5	420	2	3	11	45	49	50	50
50-64	2	6.0	18	3	3	6	9	9	9	9
65+	3	4.0	7	2	2	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	242	4.8	33	1	1	3	6	10	15	38
20-34	160	5.3	27	1	1	4	7	10	14	28
35-49	54	6.1	32	1	2	4	7	14	18	30
50-64	43	8.1	132	1	2	6	8	13	18	76
65+	42	10.1	55	2	2	8	14	22	24	27
B. *Operated*										
0-19 YRS	113	14.9	281	1	1	9	23	47	59	99+
20-34	140	13.5	305	1	2	8	15	39	87	99+
35-49	49	10.2	134	2	2	6	14	27	40	99+
50-64	23	17.8	220	2	4	13	24	40	53	56
65+	23	17.4	443	2	2	10	25	73	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	351	3.1	10	1	1	2	4	6	9	15
B. *Operated*	62	7.1	73	1	2	5	8	12	19	49
2. MULTIPLE DX										
A. *Not Operated*	541	5.7	42	1	1	4	7	12	18	31
B. *Operated*	348	14.0	278	1	2	8	18	39	62	99+
1. SINGLE DX	413	3.7	22	1	1	2	4	8	10	19
2. MULTIPLE DX	889	9.0	151	1	1	5	10	21	38	98
A. NOT OPERATED	892	4.7	31	1	1	3	6	10	14	27
B. OPERATED	410	13.0	253	1	2	8	16	38	58	99+
TOTAL 0-19 YRS	616	5.9	87	1	1	3	6	13	24	58
20-34	395	7.9	139	1	1	4	9	17	35	99+
35-49	132	7.9	95	1	2	5	9	18	30	70
50-64	83	10.0	155	1	2	6	13	19	34	69
65+	76	11.5	182	2	2	7	16	25	34	95
GRAND TOTAL	**1302**	**7.3**	**116**	**1**	**1**	**4**	**8**	**17**	**30**	**82**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	1.6	1	<1	<1	1	2	3	4	6
20-34	86	2.2	8	<1	<1	1	2	4	6	71
35-49	27	1.9	3	<1	<1	1	2	3	5	10
50-64	14	1.4		1	1	1	2	2	2	2
65+	12	3.5	12	<1	<1	2	5	8	12	13
B. *Operated*										
0-19 YRS	900	2.0	2	<1	<1	2	2	3	5	8
20-34	1157	2.3	4	<1	1	2	3	4	6	10
35-49	282	2.7	5	1	1	2	3	5	6	10
50-64	121	2.8	5	1	1	2	3	6	8	12
65+	42	3.7	13	<1	1	3	4	7	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	2.9	12	<1	<1	2	3	5	10	22
20-34	165	2.7	8	<1	<1	2	3	5	7	19
35-49	80	2.0	3	<1	<1	1	2	4	5	11
50-64	42	3.9	24	<1	<1	2	4	9	10	30
65+	114	5.4	17	1	1	4	7	10	13	21
B. *Operated*										
0-19 YRS	658	3.8	27	1	1	3	5	7	10	27
20-34	1235	4.8	33	1	1	3	6	9	13	26
35-49	456	5.1	45	1	1	3	6	10	13	39
50-64	199	5.3	32	1	1	3	7	12	17	40
65+	141	8.9	104	1	1	6	12	21	27	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	2.0	5	<1	<1	1	2	4	5	18
B. *Operated*	2502	2.3	4	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	514	3.3	13	<1	<1	2	4	7	10	20
B. *Operated*	2689	4.8	38	1	1	3	6	10	14	33
1. SINGLE DX	2699	2.3	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX	3203	4.6	35	1	1	3	5	9	13	30
A. NOT OPERATED	711	2.9	11	<1	<1	2	3	6	9	20
B. OPERATED	5191	3.6	23	<1	1	2	4	7	11	23
TOTAL 0-19 YRS	1729	2.8	13	<1	<1	2	3	5	7	16
20-34	2643	3.5	19	<1	1	2	4	7	10	21
35-49	845	3.9	28	1	1	2	4	7	11	29
50-64	376	4.2	23	1	1	3	5	9	12	28
65+	309	6.7	60	1	1	4	8	14	21	34
GRAND TOTAL	**5902**	**3.5**	**22**	**<1**	**1**	**2**	**4**	**7**	**10**	**23**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	218	4.1	12	1	1	3	5	8	10	20
20-34	468	4.7	12	1	1	4	6	9	11	16
35-49	226	5.9	22	1	2	5	7	10	13	28
50-64	235	6.3	17	2	2	5	9	11	13	28
65+	395	8.1	22	2	3	7	10	15	18	22
B. *Operated*										
0-19 YRS	21	11.0	36	4	5	8	15	19	23	26
20-34	61	12.4	105	2	3	10	18	23	26	59
35-49	25	12.7	286	3	4	9	10	20	40	90
50-64	18	16.6	486	3	4	11	17	33	74	98
65+	14	14.7	120	3	4	11	20	34	38	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	217	5.7	40	1	1	4	7	12	15	72
20-34	490	6.4	38	1	2	5	8	12	15	40
35-49	248	7.0	24	1	2	6	9	13	17	20
50-64	421	8.7	53	2	3	7	11	16	19	39
65+	1679	10.6	57	3	4	9	13	18	23	39
B. *Operated*										
0-19 YRS	107	13.1	130	2	3	10	17	33	41	99+
20-34	237	13.8	168	2	3	10	18	29	40	73
35-49	82	12.8	99	2	4	10	15	24	34	87
50-64	87	18.2	236	4	5	13	22	42	50	79
65+	164	19.0	125	5	7	17	24	35	40	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1542	5.9	19	1	2	5	8	11	14	21
B. *Operated*	139	13.0	175	2	4	9	17	23	31	91
2. MULTIPLE DX										
A. *Not Operated*	3055	9.1	53	2	3	7	12	17	21	39
B. *Operated*	677	15.4	158	3	4	12	20	32	42	73
1. SINGLE DX	1681	6.5	35	1	2	5	8	12	16	26
2. MULTIPLE DX	3732	10.2	78	2	3	8	13	19	26	50
A. NOT OPERATED	4597	8.0	44	2	2	6	10	15	19	32
B. OPERATED	816	15.0	161	3	4	12	20	31	41	74
TOTAL 0-19 YRS	563	6.7	57	1	1	4	8	14	21	58
20-34	1256	7.4	68	1	2	5	9	15	22	46
35-49	581	7.6	51	1	2	6	10	15	19	40
50-64	761	9.3	86	2	3	7	11	17	23	50
65+	2252	10.8	62	3	4	9	14	20	24	40
GRAND TOTAL	**5413**	**9.1**	**68**	**2**	**2**	**7**	**11**	**18**	**23**	**44**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.8	12	<1	<1	2	5	10	11	11
20-34	25	8.1	55	1	2	5	12	16	22	34
35-49	4	5.5	26	2	2	3	8	13	13	13
50-64	14	10.9	177	2	2	7	12	21	47	54
65+	10	8.3	24	1	1	8	13	14	15	15
B. *Operated*										
0-19 YRS	20	15.3	124	2	3	13	19	29	41	50
20-34	22	15.7	98	2	6	13	22	29	35	43
35-49	10	13.3	61	5	6	11	19	25	30	30
50-64	3	9.0	25	4	4	9	13	14	14	14
65+	2	15.5	145	7	7	15	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	13.2	133	3	4	10	20	40	68	99+
20-34	26	9.7	49	1	2	8	17	20	34	99+
35-49	17	10.8	400	2	3	5	8	16	62	87
50-64	14	8.1	33	1	3	7	10	19	21	21
65+	58	11.2	64	3	4	8	14	24	26	37
B. *Operated*										
0-19 YRS	34	40.4	645	10	15	36	80	99+	99+	99+
20-34	77	27.8	346	5	10	24	76	83	99+	99+
35-49	23	31.4	788	5	6	22	70	99+	99+	99+
50-64	15	24.9	598	3	4	22	63	99+	99+	99+
65+	15	25.9	377	7	8	25	56	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	7.9	70	1	2	6	11	15	17	51
B. *Operated*	57	14.8	95	2	4	12	19	28	31	50
2. MULTIPLE DX										
A. *Not Operated*	136	10.8	108	2	3	8	15	23	29	99+
B. *Operated*	164	30.5	511	5	9	28	57	99+	99+	99+
1. SINGLE DX	120	11.2	93	1	2	9	14	23	30	51
2. MULTIPLE DX	300	21.6	424	3	4	17	36	82	99+	99+
A. NOT OPERATED	199	9.9	98	2	2	7	13	21	26	93
B. OPERATED	221	26.5	450	4	7	21	45	93	99+	99+
TOTAL 0-19 YRS	85	23.5	519	2	3	18	37	84	99+	99+
20-34	150	19.6	284	2	3	17	30	59	99+	99+
35-49	54	19.6	568	3	3	12	24	84	99+	99+
50-64	46	14.5	303	2	3	9	18	59	99+	99+
65+	85	13.5	145	2	4	9	19	31	56	99+
GRAND TOTAL	**420**	**18.6**	**351**	**2**	**3**	**13**	**26**	**63**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.0	4	<1	<1	2	4	5	7	10
20-34	78	2.7	8	1	1	2	3	5	7	19
35-49	89	3.0	5	<1	1	2	4	5	7	12
50-64	92	3.6	7	1	1	3	4	7	10	13
65+	132	5.5	24	1	2	4	7	10	14	27
B. *Operated*										
0-19 YRS	3	3.7	1	3	3	3	5	5	5	5
20-34	8	2.8	4	1	1	2	4	6	7	7
35-49	4	12.0	67	4	4	10	18	23	23	23
50-64	4	7.0	55	2	2	4	11	18	18	18
65+	3	6.7	12	3	3	7	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	3.1	5	1	1	3	4	6	8	10
20-34	323	4.2	14	1	1	3	6	8	11	25
35-49	349	5.2	33	1	1	4	7	10	12	30
50-64	508	6.0	20	1	2	5	8	12	15	21
65+	1078	8.1	38	2	2	7	11	16	20	30
B. *Operated*										
0-19 YRS	60	8.8	97	1	2	6	11	16	21	66
20-34	175	8.7	81	2	2	6	9	17	23	50
35-49	136	10.3	96	2	3	7	12	22	30	49
50-64	153	11.6	138	2	4	8	13	23	39	66
65+	156	14.1	104	3	4	11	19	28	34	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	412	3.9	13	1	1	3	5	8	10	22
B. *Operated*	22	5.9	32	1	1	4	7	14	20	23
2. MULTIPLE DX										
A. *Not Operated*	2348	6.5	31	1	2	5	8	13	17	26
B. *Operated*	680	10.9	107	2	3	8	14	22	31	59
1. SINGLE DX	434	4.0	14	1	1	3	5	8	11	22
2. MULTIPLE DX	3028	7.5	52	1	2	6	9	15	20	39
A. NOT OPERATED	2760	6.1	29	1	1	5	8	12	16	26
B. OPERATED	702	10.8	105	2	3	7	13	22	30	58
TOTAL 0-19 YRS	174	5.1	44	1	1	3	6	11	15	25
20-34	584	5.4	38	1	1	4	6	10	15	42
35-49	578	6.1	50	1	1	4	7	12	20	41
50-64	757	6.9	48	1	2	5	9	13	17	39
65+	1369	8.5	49	2	2	7	11	17	22	34
GRAND TOTAL	**3462**	**7.1**	**48**	**1**	**2**	**5**	**9**	**14**	**20**	**37**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	6.9	59	1	1	5	8	15	18	46
20-34	106	8.0	76	2	2	6	9	14	20	52
35-49	61	9.3	146	2	3	7	11	15	19	87
50-64	84	10.4	139	2	2	8	11	19	34	65
65+	322	10.5	66	2	3	8	13	21	28	39
B. *Operated*										
0-19 YRS	6	13.3	150	2	2	11	16	34	36	36
20-34	11	19.4	222	1	5	19	26	39	55	56
35-49	4	26.0	401	9	9	20	38	55	55	55
50-64	1	35.0		35	35	35	35	35	35	35
65+	6	16.8	169	1	2	14	31	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	159	9.4	107	1	2	6	12	21	28	53
20-34	224	10.1	84	2	3	8	12	18	26	59
35-49	113	12.2	113	2	3	9	17	23	31	59
50-64	169	12.7	134	3	4	10	16	24	31	88
65+	983	13.5	88	4	5	11	17	24	29	52
B. *Operated*										
0-19 YRS	86	19.5	277	2	4	16	25	49	54	92
20-34	148	23.0	341	4	6	17	31	49	58	95
35-49	58	29.4	393	5	8	22	47	59	74	98
50-64	65	30.9	467	8	8	25	49	63	73	84
65+	99	24.2	239	7	8	20	30	48	56	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	663	9.5	85	2	2	7	11	18	26	47
B. *Operated*	28	19.0	211	1	3	17	27	36	55	56
2. MULTIPLE DX										
A. *Not Operated*	1648	12.5	98	3	4	10	16	24	30	58
B. *Operated*	456	24.5	343	4	6	19	35	52	63	94
1. SINGLE DX	691	9.9	93	2	2	7	12	19	28	55
2. MULTIPLE DX	2104	15.1	176	3	4	11	19	30	45	76
A. NOT OPERATED	2311	11.6	96	2	3	9	15	23	29	54
B. OPERATED	484	24.2	336	4	6	19	35	52	62	94
TOTAL 0-19 YRS	341	11.4	161	1	2	7	14	25	41	66
20-34	489	13.7	202	2	3	9	16	31	46	70
35-49	236	15.9	256	2	3	10	20	40	54	81
50-64	319	15.9	262	2	4	10	18	37	55	83
65+	1410	13.6	104	3	4	11	17	25	32	54
GRAND TOTAL	**2795**	**13.8**	**160**	**2**	**3**	**10**	**17**	**28**	**41**	**66**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	158	4.0	27	<1	1	2	4	13	17	21
20-34	52	2.8	8	<1	1	2	3	6	7	17
35-49	41	3.3	8	1	1	2	4	6	8	16
50-64	82	3.7	10	<1	1	3	4	8	9	18
65+	335	5.1	20	1	1	4	6	10	15	26
B. *Operated*										
0-19 YRS	947	4.0	25	1	1	2	4	11	16	23
20-34	139	4.3	14	1	1	4	5	7	11	21
35-49	93	5.2	29	1	1	4	6	10	14	31
50-64	125	5.6	48	1	1	4	7	11	15	35
65+	184	7.6	47	1	1	6	10	16	22	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	4.5	41	1	1	3	5	9	13	42
20-34	65	4.6	19	<1	1	4	5	8	13	22
35-49	47	5.3	43	1	1	3	5	13	17	34
50-64	166	6.6	33	1	1	5	9	13	15	30
65+	660	9.1	62	1	2	7	12	18	22	41
B. *Operated*										
0-19 YRS	328	6.9	72	1	1	3	8	17	23	48
20-34	209	10.0	135	1	2	6	13	25	32	68
35-49	85	7.5	92	1	2	4	8	14	25	56
50-64	189	10.3	139	1	2	6	13	23	34	59
65+	392	13.6	170	2	3	9	17	29	39	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	668	4.4	20	1	1	3	6	9	14	23
B. *Operated*	1488	4.7	30	1	1	3	5	12	17	25
2. MULTIPLE DX										
A. *Not Operated*	1006	7.9	55	1	1	6	10	17	21	39
B. *Operated*	1203	10.2	134	1	2	6	13	24	33	63
1. SINGLE DX	2156	4.6	27	1	1	3	5	11	16	24
2. MULTIPLE DX	2209	9.2	99	1	2	6	12	20	29	54
A. NOT OPERATED	1674	6.5	44	1	1	4	8	15	19	34
B. OPERATED	2691	7.2	84	1	1	4	8	17	24	48
TOTAL 0-19 YRS	1501	4.7	38	1	1	2	5	13	18	27
20-34	465	6.7	77	1	1	4	7	15	23	42
35-49	266	5.6	50	1	1	4	6	13	16	36
50-64	562	7.2	74	1	1	4	9	14	22	44
65+	1571	9.2	87	1	2	6	12	20	27	52
GRAND TOTAL	**4365**	**6.9**	**69**	**1**	**1**	**4**	**8**	**16**	**22**	**42**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	1.9	6	<1	1	1	2	3	4	17
20-34	49	1.9	2	<1	<1	1	3	5	6	99+
35-49	31	2.2	1	1	1	2	3	4	4	5
50-64	35	2.3	3	<1	1	2	3	5	6	7
65+	64	5.1	39	1	1	3	6	10	17	38
B. *Operated*										
0-19 YRS	1797	1.8	3	<1	1	1	2	3	4	7
20-34	677	3.1	6	1	1	3	4	5	7	10
35-49	391	2.8	4	1	1	2	4	5	6	10
50-64	537	2.8	5	1	1	2	4	5	7	10
65+	463	3.3	12	1	1	2	4	6	8	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	2.1	3	<1	1	1	2	4	7	9
20-34	95	3.4	9	<1	1	3	4	7	11	16
35-49	40	3.6	6	1	1	3	5	7	9	11
50-64	84	5.1	26	1	1	3	6	10	18	24
65+	212	6.8	31	1	2	6	8	14	20	29
B. *Operated*										
0-19 YRS	473	4.2	32	1	1	2	5	9	12	36
20-34	496	6.2	80	1	1	4	7	12	18	67
35-49	305	5.9	46	1	1	4	7	12	19	36
50-64	355	4.8	20	1	1	3	6	10	13	27
65+	518	7.7	76	1	2	5	10	17	23	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	2.7	13	<1	1	2	3	5	7	22
B. *Operated*	3865	2.4	5	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	511	4.9	23	1	1	3	6	10	15	26
B. *Operated*	2147	5.8	55	1	1	4	7	12	18	41
1. SINGLE DX	4152	2.4	6	<1	1	2	3	5	6	11
2. MULTIPLE DX	2658	5.7	49	1	1	4	7	12	18	38
A. NOT OPERATED	798	4.1	21	1	1	3	5	9	14	25
B. OPERATED	6012	3.6	26	1	1	2	4	7	11	25
TOTAL 0-19 YRS	2458	2.2	9	<1	1	1	2	4	6	13
20-34	1317	4.2	36	1	1	3	5	8	11	33
35-49	767	4.0	23	1	1	3	5	7	11	26
50-64	1011	3.7	13	1	1	3	4	7	10	21
65+	1257	5.8	47	1	1	4	7	13	19	37
GRAND TOTAL	**6810**	**3.7**	**25**	**1**	**1**	**2**	**4**	**7**	**11**	**25**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	5.7	381	<1	<1	1	2	3	39	93
20-34	41	1.7	1	<1	<1	1	2	3	4	5
35-49	17	1.6	1	<1	<1	1	2	3	4	4
50-64	8	3.0	17	<1	<1	2	3	10	13	13
65+	21	2.5	4	<1	1	2	3	5	8	9
B. *Operated*										
0-19 YRS	658	2.1	27	<1	<1	1	2	3	4	9
20-34	883	1.9	2	<1	<1	2	2	3	4	7
35-49	283	1.8	1	<1	<1	2	2	3	4	5
50-64	145	2.2	3	<1	1	2	3	4	5	8
65+	84	2.2	5	<1	1	2	2	4	5	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	2.6	6	<1	<1	2	3	6	7	11
20-34	53	3.2	9	<1	1	3	4	6	8	17
35-49	23	3.1	11	<1	<1	1	4	9	11	11
50-64	31	5.5	19	1	1	4	7	12	16	19
65+	69	7.1	75	1	2	5	7	13	21	91
B. *Operated*										
0-19 YRS	265	2.9	6	<1	1	2	4	7	8	11
20-34	542	3.5	17	<1	1	2	4	7	10	24
35-49	211	3.2	13	1	1	2	4	6	8	27
50-64	182	3.9	43	1	1	2	4	7	11	40
65+	119	6.2	81	1	1	3	6	13	19	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	2.8	79	<1	<1	1	2	4	5	46
B. *Operated*	2053	2.0	10	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	204	4.8	36	<1	1	3	6	10	13	51
B. *Operated*	1319	3.6	24	1	1	2	4	7	10	29
1. SINGLE DX	2162	2.0	14	<1	<1	2	2	3	4	8
2. MULTIPLE DX	1523	3.8	26	1	1	2	4	7	11	30
A. NOT OPERATED	313	4.1	51	<1	1	2	5	8	12	50
B. OPERATED	3372	2.6	16	<1	1	2	3	5	7	16
TOTAL 0-19 YRS	973	2.4	29	<1	<1	2	2	4	6	11
20-34	1519	2.5	8	<1	<1	2	3	5	7	15
35-49	534	2.4	7	<1	<1	2	3	4	6	14
50-64	366	3.3	25	1	1	2	3	6	10	22
65+	293	5.0	56	1	1	3	5	11	17	52
GRAND TOTAL	**3685**	**2.8**	**19**	**<1**	**1**	**2**	**3**	**5**	**7**	**17**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	15.9	187	1	1	17	24	30	44	55
20-34	19	6.6	77	1	2	4	6	11	28	41
35-49	13	6.9	148	<1	1	2	5	23	40	44
50-64	49	10.3	74	1	2	8	12	21	26	48
65+	194	11.0	153	1	1	8	14	23	29	89
B. *Operated*										
0-19 YRS	91	12.2	79	3	4	10	16	24	31	47
20-34	78	11.2	124	3	4	8	11	22	40	90
35-49	113	10.5	23	4	5	10	13	17	21	53
50-64	500	12.5	55	5	6	11	15	19	24	48
65+	2737	15.7	61	7	9	14	18	24	29	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	17.3	309	2	3	14	23	38	60	74
20-34	10	15.3	725	<1	<1	4	6	63	82	82
35-49	15	7.5	30	1	1	8	13	17	75	99+
50-64	74	12.4	92	2	3	9	15	27	34	45
65+	534	14.5	203	2	3	11	18	32	54	99+
B. *Operated*										
0-19 YRS	91	20.2	262	3	5	16	25	46	64	91
20-34	147	18.9	288	5	7	13	22	45	73	99+
35-49	160	19.4	236	5	7	15	23	46	65	99+
50-64	735	17.1	111	7	7	14	20	30	38	65
65+	6052	19.3	124	8	10	16	23	32	42	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	11.0	142	1	1	8	14	24	30	69
B. *Operated*	3519	14.9	63	6	8	14	17	23	28	50
2. MULTIPLE DX										
A. *Not Operated*	656	14.2	198	2	3	10	18	32	51	99+
B. *Operated*	7185	19.1	130	8	9	16	22	33	42	71
1. SINGLE DX	3830	14.5	71	5	7	13	17	23	29	51
2. MULTIPLE DX	7841	18.7	138	7	9	16	22	32	43	79
A. NOT OPERATED	967	13.2	182	1	2	10	17	28	44	99+
B. OPERATED	10704	17.7	112	7	9	15	21	29	38	69
TOTAL 0-19 YRS	241	16.3	196	2	4	13	21	32	47	77
20-34	254	15.5	254	3	4	10	17	37	65	99+
35-49	301	14.9	154	3	5	12	18	33	51	99+
50-64	1358	14.9	94	5	6	13	18	26	33	58
65+	9517	17.8	115	7	9	15	21	30	39	70
GRAND TOTAL	**11671**	**17.3**	**120**	**6**	**8**	**15**	**20**	**29**	**39**	**71**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	363	17.9	150	1	2	18	25	33	38	49
20-34	48	17.7	468	<1	1	7	29	56	70	99+
35-49	20	18.5	411	2	2	9	35	51	61	63
50-64	26	22.7	474	2	3	12	43	53	62	74
65+	92	22.8	363	1	3	19	35	51	68	93
B. *Operated*										
0-19 YRS	363	15.6	177	1	2	13	23	32	38	60
20-34	150	14.4	192	2	3	10	17	28	46	76
35-49	51	18.6	253	2	4	15	26	47	60	99
50-64	46	17.4	165	5	7	13	21	30	45	63
65+	129	18.6	157	6	7	15	21	41	50	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	22.1	206	2	4	21	30	39	48	77
20-34	46	24.0	439	1	1	21	39	47	64	82
35-49	26	22.8	432	3	4	27	44	93	99+	99+
50-64	65	24.1	473	2	4	15	44	54	59	87
65+	178	22.8	390	2	4	16	36	59	86	99+
B. *Operated*										
0-19 YRS	454	23.1	272	3	4	20	33	46	56	99+
20-34	442	26.1	409	4	6	20	37	60	79	99+
35-49	118	26.7	419	4	6	21	36	57	75	95
50-64	105	27.8	450	5	7	20	42	64	77	99+
65+	349	25.4	287	7	10	21	32	50	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	549	18.9	240	1	2	18	27	39	50	75
B. *Operated*	739	16.2	182	2	3	13	22	33	45	66
2. MULTIPLE DX										
A. *Not Operated*	518	22.8	333	2	4	20	34	49	66	99+
B. *Operated*	1468	25.2	343	4	6	20	35	54	71	99+
1. SINGLE DX	1288	17.4	208	1	2	15	24	36	47	75
2. MULTIPLE DX	1986	24.6	341	3	5	20	35	52	69	99+
A. NOT OPERATED	1067	20.8	288	1	3	18	30	46	58	99+
B. OPERATED	2207	22.2	307	3	4	18	30	48	64	99+
TOTAL 0-19 YRS	1383	19.6	215	2	3	18	28	38	47	78
20-34	686	22.8	391	2	4	17	33	54	73	99+
35-49	215	23.6	389	3	4	18	35	56	75	99+
50-64	242	24.3	415	3	5	17	39	57	67	90
65+	748	23.3	303	4	7	18	32	50	65	99+
GRAND TOTAL	**3274**	**21.7**	**301**	**2**	**4**	**18**	**30**	**47**	**62**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	330	2.5	5	1	1	2	3	5	5	8
20-34	197	3.6	15	1	1	3	4	7	9	32
35-49	121	4.2	12	1	1	3	5	8	11	17
50-64	107	5.7	58	1	1	4	6	11	15	51
65+	125	7.4	34	1	2	6	9	14	19	32
B. *Operated*										
0-19 YRS	763	4.0	24	1	1	3	5	7	12	21
20-34	745	5.9	27	1	2	4	7	11	15	26
35-49	355	5.9	24	1	2	5	7	11	14	34
50-64	253	7.1	31	2	3	6	9	12	16	31
65+	111	10.9	105	2	3	8	14	20	24	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	4.8	95	1	1	3	5	7	15	65
20-34	144	6.2	55	1	2	4	7	11	16	47
35-49	81	5.5	70	1	1	4	6	10	14	55
50-64	96	9.9	199	1	2	6	10	17	42	83
65+	235	11.5	122	2	3	9	14	22	28	72
B. *Operated*										
0-19 YRS	410	9.9	160	1	2	6	10	20	35	70
20-34	612	11.5	142	2	3	7	13	27	39	62
35-49	313	11.5	195	2	3	8	13	26	47	99+
50-64	279	14.5	206	3	3	10	17	31	46	83
65+	210	17.4	246	4	4	13	21	35	51	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	880	4.1	21	1	1	3	5	8	11	25
B. *Operated*	2227	5.6	32	1	1	4	7	11	15	29
2. MULTIPLE DX										
A. *Not Operated*	659	8.3	115	1	1	5	10	17	25	65
B. *Operated*	1824	12.4	182	2	3	8	14	28	43	79
1. SINGLE DX	3107	5.2	30	1	1	4	6	10	14	27
2. MULTIPLE DX	2483	11.3	168	2	2	7	13	25	39	76
A. NOT OPERATED	1539	5.9	66	1	1	4	7	12	18	47
B. OPERATED	4051	8.7	111	1	2	5	10	18	29	61
TOTAL 0-19 YRS	1606	5.3	67	1	1	3	6	10	15	47
20-34	1698	7.7	78	1	2	5	9	15	26	53
35-49	870	7.8	98	1	2	5	9	15	24	78
50-64	735	10.1	136	2	2	7	11	20	31	67
65+	681	12.5	154	2	3	9	16	25	33	79
GRAND TOTAL	**5590**	**7.9**	**100**	**1**	**1**	**5**	**9**	**16**	**26**	**60**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	2.8	7	<1	1	2	3	5	7	17
20-34	188	3.3	19	<1	1	3	4	6	7	13
35-49	134	3.6	8	1	1	3	4	7	8	16
50-64	142	3.5	7	1	1	3	5	7	9	13
65+	171	5.7	39	1	1	4	7	11	13	32
B. *Operated*										
0-19 YRS	878	3.3	7	1	1	3	4	6	7	12
20-34	1359	4.2	11	1	2	4	5	7	9	15
35-49	822	4.8	11	2	2	4	6	8	10	16
50-64	789	5.6	12	2	2	5	7	10	12	19
65+	456	7.5	23	2	3	7	9	14	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	3.5	13	<1	1	3	4	7	9	22
20-34	203	4.5	20	1	1	3	6	9	14	22
35-49	122	4.5	10	1	1	4	6	8	11	16
50-64	166	6.8	37	1	2	5	9	13	18	39
65+	354	8.2	57	1	2	6	10	16	21	39
B. *Operated*										
0-19 YRS	506	6.2	52	1	2	4	7	12	17	39
20-34	1129	6.8	49	2	2	5	8	14	20	40
35-49	634	7.4	61	2	2	5	8	14	20	47
50-64	626	8.1	60	2	3	6	9	15	19	40
65+	518	10.9	93	3	4	8	13	20	27	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	767	3.8	18	<1	1	3	5	8	10	16
B. *Operated*	4304	4.8	13	1	2	4	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	941	6.2	38	1	1	4	8	13	17	35
B. *Operated*	3413	7.7	62	2	2	5	9	15	21	47
1. SINGLE DX	5071	4.6	14	1	1	4	6	8	11	17
2. MULTIPLE DX	4354	7.4	58	1	2	5	9	15	20	43
A. NOT OPERATED	1708	5.1	31	1	1	4	6	10	14	30
B. OPERATED	7717	6.1	37	1	2	4	7	11	15	32
TOTAL 0-19 YRS	1612	4.2	23	1	1	3	5	8	11	29
20-34	2879	5.2	29	1	2	4	6	9	13	28
35-49	1712	5.7	31	1	2	4	6	10	14	31
50-64	1723	6.4	34	1	2	5	8	12	16	29
65+	1499	8.7	60	2	3	7	11	16	21	43
GRAND TOTAL	**9425**	**5.9**	**36**	**1**	**2**	**4**	**7**	**11**	**15**	**32**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	2.7	24	<1	1	2	3	4	4	32
20-34	35	2.8	13	<1	<1	2	3	5	7	21
35-49	20	2.4	2	<1	1	2	3	5	6	6
50-64	9	2.3	2	1	1	2	3	4	5	5
65+	18	3.9	15	<1	<1	3	6	8	13	16
B. *Operated*										
0-19 YRS	39	2.1	1	1	1	2	2	3	4	7
20-34	44	2.9	3	1	1	3	4	5	6	9
35-49	12	2.4	1	<1	<1	2	3	4	5	5
50-64	9	3.7	8	1	1	3	5	8	10	10
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	3.5	77	1	1	2	4	6	6	41
20-34	183	3.9	15	1	1	3	6	8	10	30
35-49	83	4.6	13	1	1	4	6	9	12	19
50-64	86	5.5	16	2	2	4	7	10	14	21
65+	171	7.7	43	1	2	5	9	14	22	35
B. *Operated*										
0-19 YRS	60	4.6	22	1	1	3	6	9	11	30
20-34	111	6.8	61	1	1	5	8	15	20	45
35-49	50	8.5	91	1	2	4	11	19	29	44
50-64	29	9.4	71	1	1	7	16	22	37	99+
65+	27	12.1	170	1	2	8	15	23	33	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	2.8	14	<1	1	2	3	5	7	24
B. *Operated*	106	2.6	3	1	1	2	3	5	5	9
2. MULTIPLE DX										
A. *Not Operated*	636	5.2	36	1	1	4	6	10	14	25
B. *Operated*	277	7.4	73	1	1	4	9	16	24	48
1. SINGLE DX	228	2.7	9	<1	1	2	3	5	6	17
2. MULTIPLE DX	913	5.8	48	1	1	4	7	13	17	39
A. NOT OPERATED	758	4.8	33	1	1	3	6	10	13	25
B. OPERATED	383	6.1	58	1	1	3	7	15	19	43
TOTAL 0-19 YRS	252	3.4	44	1	1	2	4	6	8	31
20-34	373	4.5	29	1	1	3	6	9	13	36
35-49	165	5.3	39	1	1	3	6	12	15	40
50-64	133	6.0	30	1	2	4	8	14	17	47
65+	218	7.9	59	1	1	6	10	15	22	41
GRAND TOTAL	**1141**	**5.2**	**42**	**1**	**1**	**3**	**6**	**11**	**16**	**37**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.0	32	<1	<1	1	2	5	18	23
20-34	4	1.5	1	1	1	1	2	3	3	3
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	8	5.0	15	1	1	5	8	10	11	11
20-34	5	9.4	76	2	2	8	15	23	23	23
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.3	9	<1	1	3	7	8	9	9
20-34	9	3.7	11	1	1	3	5	9	11	11
35-49										
50-64	1	10.0		10	10	10	10	10	10	10
65+	7	15.4	314	1	2	8	18	46	53	53
B. *Operated*										
0-19 YRS	9	24.4	829	2	3	14	70	89	99+	99+
20-34	14	24.6	654	4	4	13	34	59	84	91
35-49	7	15.0	568	2	2	5	14	58	68	68
50-64	2	9.0	50	4	4	9	14	14	14	14
65+	4	22.3	548	7	7	12	36	57	57	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	3.2	26	<1	<1	1	3	8	16	23
B. *Operated*	15	6.6	37	1	1	6	10	12	20	23
2. MULTIPLE DX										
A. *Not Operated*	28	7.1	102	1	1	4	8	15	21	53
B. *Operated*	36	21.6	602	3	4	12	29	70	86	99+
1. SINGLE DX	37	4.6	32	<1	<1	2	7	11	19	23
2. MULTIPLE DX	64	15.2	430	1	2	8	15	55	72	99
A. NOT OPERATED	50	5.4	71	<1	<1	2	7	11	18	53
B. OPERATED	51	17.2	479	1	2	9	16	60	77	99+
TOTAL 0-19 YRS	43	8.2	245	<1	<1	3	8	22	72	99+
20-34	32	13.5	392	1	1	7	13	40	55	91
35-49	9	12.6	452	1	1	5	9	47	68	68
50-64	4	7.3	34	<1	<1	7	12	14	14	14
65+	13	16.8	311	1	3	11	17	54	56	57
GRAND TOTAL	**101**	**11.3**	**310**	**<1**	**1**	**6**	**11**	**29**	**61**	**95**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.3	1	<1	<1	1	1	3	3	3
20-34	14	3.1	28	<1	<1	1	3	6	18	21
35-49	7	2.4	2	<1	<1	3	4	4	4	4
50-64	8	1.3	1	1	1	1	1	3	3	3
65+	9	2.3	2	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	153	2.7	2	1	1	3	3	4	5	6
20-34	478	2.9	3	1	1	3	4	4	5	10
35-49	149	3.0	4	<1	1	3	4	5	6	8
50-64	67	2.2	3	<1	<1	2	3	4	5	11
65+	73	1.9	3	<1	1	1	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.2	3	1	1	3	4	6	6	6
20-34	20	1.8	1	<1	<1	1	3	4	4	4
35-49	10	2.4	3	<1	<1	2	4	5	5	5
50-64	12	4.3	5	1	2	4	5	8	8	8
65+	31	6.5	68	1	1	4	7	13	18	45
B. *Operated*										
0-19 YRS	33	3.8	10	1	1	3	4	7	12	14
20-34	134	4.8	44	1	1	4	5	8	12	27
35-49	61	5.0	24	<1	1	3	6	12	18	21
50-64	67	4.7	27	1	1	3	5	10	12	32
65+	80	5.4	28	1	1	4	6	11	14	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	2.2	9	<1	<1	1	3	4	4	21
B. *Operated*	920	2.8	3	<1	1	3	3	5	5	9
2. MULTIPLE DX										
A. *Not Operated*	86	4.1	29	<1	1	3	5	7	10	35
B. *Operated*	375	4.8	31	1	1	3	5	10	13	24
1. SINGLE DX	966	2.7	3	<1	1	3	3	4	5	10
2. MULTIPLE DX	461	4.7	31	1	1	3	5	9	13	25
A. NOT OPERATED	132	3.4	23	<1	1	2	4	6	9	25
B. OPERATED	1295	3.4	12	1	1	3	4	6	8	16
TOTAL 0-19 YRS	207	2.8	3	1	1	3	4	5	6	10
20-34	646	3.3	12	1	1	3	4	5	6	13
35-49	227	3.5	10	<1	1	3	4	6	8	20
50-64	154	3.4	15	<1	1	2	4	6	10	24
65+	193	4.1	27	1	1	3	5	9	12	29
GRAND TOTAL	**1427**	**3.4**	**13**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.0	1	<1	1	2	3	4	5	5
20-34	51	2.4	4	<1	<1	2	3	5	5	11
35-49	9	2.2	4	<1	<1	1	3	5	7	7
50-64	11	4.1	9	<1	<1	5	7	8	8	8
65+	5	6.0	9	2	2	6	8	10	10	10
B. *Operated*										
0-19 YRS	1092	3.8	11	1	2	4	5	6	6	10
20-34	2221	3.9	4	1	2	4	5	6	7	10
35-49	983	4.2	4	2	2	4	5	6	7	12
50-64	495	4.6	6	2	2	4	5	7	8	13
65+	77	5.5	8	2	3	5	7	9	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.9	3	<1	<1	1	2	5	6	6
20-34	30	3.5	7	<1	1	3	4	7	8	12
35-49	12	3.7	11	<1	1	3	5	8	12	13
50-64	14	3.3	7	1	1	2	5	6	10	11
65+	7	7.7	26	1	2	7	12	15	15	15
B. *Operated*										
0-19 YRS	553	4.6	9	2	2	4	5	7	9	15
20-34	1275	4.7	10	2	2	4	6	7	9	16
35-49	572	4.9	11	1	2	4	6	8	10	17
50-64	435	5.4	20	2	2	5	6	9	10	18
65+	95	7.6	36	2	3	5	9	16	21	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	2.6	4	<1	1	2	3	5	7	10
B. *Operated*	4868	4.0	6	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	77	3.6	10	<1	1	2	5	7	12	15
B. *Operated*	2930	4.9	13	2	2	4	6	8	10	18
1. SINGLE DX	4976	4.0	6	1	2	4	5	6	7	11
2. MULTIPLE DX	3007	4.9	13	1	2	4	6	8	10	18
A. NOT OPERATED	185	3.0	7	<1	1	2	4	6	8	14
B. OPERATED	7798	4.4	9	2	2	4	5	7	8	14
TOTAL 0-19 YRS	1691	4.0	10	1	2	4	5	6	8	12
20-34	3577	4.1	6	1	2	4	5	6	8	13
35-49	1576	4.4	7	2	2	4	5	7	8	14
50-64	955	4.9	13	2	2	4	6	8	9	15
65+	184	6.7	24	2	3	5	8	14	16	24
GRAND TOTAL	**7983**	**4.3**	**9**	**1**	**2**	**4**	**5**	**7**	**8**	**14**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	4.6	36	<1	1	2	5	14	21	22
20-34	50	5.0	15	<1	<1	3	8	11	12	15
35-49	32	6.4	34	1	1	4	11	16	23	99+
50-64	11	2.6	5	<1	<1	1	4	6	8	8
65+	11	4.4	8	1	1	5	7	8	8	8
B. *Operated*										
0-19 YRS	246	3.0	17	<1	1	1	3	6	12	21
20-34	295	4.0	19	<1	1	3	5	10	14	21
35-49	133	4.6	19	1	1	3	6	10	14	22
50-64	96	5.3	28	<1	1	3	7	13	17	24
65+	56	6.5	51	1	1	4	8	15	25	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	6.7	94	<1	1	[illegible]	6	16	32	45
20-34	56	5.8	54	<1	1	4	7	11	15	49
35-49	28	5.6	11	1	2	6	8	12	17	99+
50-64	21	4.8	12	1	1	3	7	10	11	13
65+	34	6.0	15	2	3	5	7	10	16	18
B. *Operated*										
0-19 YRS	138	8.6	113	1	1	5	11	22	31	58
20-34	257	8.0	99	1	1	5	9	17	27	61
35-49	119	8.9	91	1	1	6	12	19	29	73
50-64	100	10.4	123	1	1	6	14	25	32	56
65+	79	10.0	150	1	2	6	12	24	34	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	5.0	23	<1	1	3	8	12	15	39
B. *Operated*	826	4.1	22	<1	1	2	5	10	15	23
2. MULTIPLE DX										
A. *Not Operated*	172	5.9	41	1	1	4	7	11	16	50
B. *Operated*	693	8.8	110	1	1	5	11	21	30	60
1. SINGLE DX	955	4.3	23	<1	1	2	5	11	15	24
2. MULTIPLE DX	865	8.3	97	1	1	5	10	19	29	59
A. NOT OPERATED	301	5.5	33	<1	1	4	8	11	15	48
B. OPERATED	1519	6.3	68	1	1	3	8	15	22	44
TOTAL 0-19 YRS	442	5.1	59	<1	1	2	5	13	21	44
20-34	658	5.8	56	<1	1	3	7	13	18	42
35-49	312	6.5	51	1	1	5	9	14	20	75
50-64	228	7.4	74	1	1	4	10	18	25	40
65+	180	7.8	88	1	1	5	9	17	25	44
GRAND TOTAL	**1820**	**6.2**	**62**	**1**	**1**	**3**	**8**	**14**	**21**	**45**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	2.1	3	<1	<1	1	3	4	6	8
20-34	90	2.4	6	<1	1	2	2	5	7	15
35-49	32	2.4	4	1	1	2	3	4	7	10
50-64	33	5.4	13	1	2	4	6	11	14	16
65+	18	5.2	27	1	1	3	6	9	17	23
B. *Operated*										
0-19 YRS	366	3.7	5	1	1	4	5	6	7	11
20-34	542	3.8	4	1	1	4	5	7	8	10
35-49	141	4.3	7	1	1	4	6	7	9	13
50-64	55	5.3	13	1	1	5	7	10	13	16
65+	17	6.8	40	1	1	5	8	12	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	1.9	2	<1	<1	1	2	3	4	9
20-34	49	2.8	7	<1	<1	2	3	6	7	13
35-49	30	4.4	10	1	1	4	5	10	11	12
50-64	42	5.1	19	1	1	4	7	10	15	19
65+	114	7.3	35	2	3	6	9	13	16	34
B. *Operated*										
0-19 YRS	264	4.6	6	1	2	4	6	7	9	13
20-34	577	5.4	21	1	2	5	6	9	11	18
35-49	174	5.6	10	1	2	5	7	9	13	16
50-64	80	6.9	24	1	2	6	8	12	15	31
65+	29	9.2	28	2	3	9	12	17	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	2.9	9	<1	1	2	4	6	8	16
B. *Operated*	1121	3.9	6	1	1	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	268	5.2	24	1	1	4	7	11	13	28
B. *Operated*	1124	5.4	17	1	2	5	6	9	12	18
1. SINGLE DX	1367	3.8	6	1	1	3	5	7	8	13
2. MULTIPLE DX	1392	5.4	18	1	2	5	6	9	12	18
A. NOT OPERATED	514	4.1	18	<1	1	3	5	9	11	21
B. OPERATED	2245	4.7	12	1	2	4	6	8	10	16
TOTAL 0-19 YRS	736	3.8	5	1	1	4	5	6	8	12
20-34	1258	4.4	13	1	1	4	6	7	9	16
35-49	377	4.7	9	1	1	4	6	8	11	14
50-64	210	5.9	19	1	1	5	7	11	14	20
65+	178	7.4	34	2	2	6	9	14	18	30
GRAND TOTAL	**2759**	**4.6**	**13**	**1**	**1**	**4**	**6**	**8**	**10**	**17**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	4.8	15	<1	1	4	7		12	19
20-34	1026	5.9	19	1	2	5	8	10	12	18
35-49	892	6.2	13	2	2	6	8	11	13	18
50-64	465	6.1	13	2	2	5	8	10	12	19
65+	150	6.7	14	2	2	6	9	12	14	18
B. *Operated*										
0-19 YRS	11	7.7	10	1	4	8	9	12	13	13
20-34	169	6.1	28	1	1	4	9	14	16	22
35-49	148	6.4	31	1	1	5	9	14	18	26
50-64	43	8.2	44	1	2	8	12	16	23	30
65+	3	10.0	49	2	2	13	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	4.9	15	1	1	4	7	9	12	20
20-34	690	6.1	13	1	2	6	8	11	13	18
35-49	901	6.9	17	2	3	6	9	12	15	20
50-64	675	7.4	21	2	3	7	9	12	15	24
65+	597	8.0	31	2	3	7	10	14	17	26
B. *Operated*										
0-19 YRS	8	7.4	21	1	2	7	11	13	14	14
20-34	156	8.8	38	2	2	8	12	18	21	26
35-49	137	9.5	34	2	2	9	12	15	21	31
50-64	83	9.0	45	1	3	7	12	16	19	39
65+	56	15.0	122	3	4	11	22	35	38	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2631	6.0	15	2	2	5	8	10	12	18
B. *Operated*	374	6.5	31	1	1	5	9	14	17	26
2. MULTIPLE DX										
A. *Not Operated*	2838	7.0	20	2	3	6	9	12	15	22
B. *Operated*	440	9.8	52	2	2	8	12	19	23	37
1. SINGLE DX	3005	6.1	17	1	2	5	8	11	13	20
2. MULTIPLE DX	3278	7.4	25	2	3	6	9	13	16	25
A. NOT OPERATED	5469	6.5	18	2	2	6	8	11	14	21
B. OPERATED	814	8.3	45	1	2	7	11	16	21	35
TOTAL 0-19 YRS	192	5.1	15	1	1	4	7	10	13	20
20-34	2041	6.2	20	1	2	5	8	11	14	21
35-49	1978	6.7	18	2	2	6	9	12	14	21
50-64	1266	7.0	21	2	3	6	9	12	15	24
65+	806	8.3	37	2	3	7	10	15	18	36
GRAND TOTAL	**6283**	**6.8**	**22**	**2**	**2**	**6**	**9**	**12**	**15**	**23**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	216	3.1	7	1	1	2	4	7	8	13
20-34	906	5.2	12	1	1	5	7	10	12	16
35-49	655	5.8	23	1	2	5	8	10	12	18
50-64	288	6.0	15	1	2	5	8	11	13	21
65+	99	5.8	27	1	2	4	7	12	17	28
B. *Operated*										
0-19 YRS	9	7.8	92	<1	<1	7	8	23	32	32
20-34	197	5.9	65	1	1	4	8	12	17	25
35-49	151	6.2	34	1	1	4	9	13	18	31
50-64	41	5.4	20	1	1	5	8	10	16	19
65+	3	10.0	57	2	2	11	15	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	238	3.7	9	<1	1	3	5	8	10	13
20-34	1062	5.6	23	1	1	5	7	11	14	18
35-49	885	6.8	20	1	2	6	9	13	16	22
50-64	665	6.9	32	1	2	6	9	12	15	23
65+	569	7.4	27	2	2	6	9	14	18	25
B. *Operated*										
0-19 YRS	19	5.7	21	<1	1	5	9	12	15	17
20-34	194	7.8	68	1	1	6	11	16	20	35
35-49	170	8.4	62	1	1	7	12	17	20	43
50-64	88	7.4	30	1	2	6	12	15	17	24
65+	42	13.1	108	3	4	11	16	25	37	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2164	5.3	17	1	1	5	7	10	12	18
B. *Operated*	401	6.1	49	1	1	4	8	12	17	29
2. MULTIPLE DX										
A. *Not Operated*	3419	6.3	25	1	2	5	8	12	15	22
B. *Operated*	513	8.3	63	1	1	6	12	17	20	42
1. SINGLE DX	2565	5.4	22	1	1	5	7	10	13	20
2. MULTIPLE DX	3932	6.6	30	1	2	5	9	13	16	24
A. NOT OPERATED	5583	5.9	22	1	2	5	8	11	14	21
B. OPERATED	914	7.3	58	1	1	5	10	16	20	32
TOTAL 0-19 YRS	482	3.6	11	<1	1	2	5	8	10	13
20-34	2359	5.7	27	1	1	5	7	11	14	20
35-49	1861	6.6	27	1	2	6	8	12	16	23
50-64	1082	6.6	27	1	2	6	9	12	15	23
65+	713	7.5	34	2	2	6	9	15	19	29
GRAND TOTAL	**6497**	**6.1**	**27**	**1**	**1**	**5**	**8**	**12**	**15**	**23**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	2.3	14	<1	<1	1	2	4	5	27
20-34	87	2.5	3	<1	<1	2	3	5	6	8
35-49	70	3.0	10	<1	1	2	4	6	8	20
50-64	54	3.6	8	<1	1	3	4	8	9	13
65+	56	4.7	16	1	1	3	6	10	14	18
B. *Operated*										
0-19 YRS	262	2.5	3	<1	1	2	3	4	6	9
20-34	616	2.7	3	1	1	2	3	5	5	8
35-49	408	3.2	3	<1	1	3	4	5	6	9
50-64	394	4.3	7	1	2	4	5	7	9	14
65+	132	5.2	10	1	2	5	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	2.8	3	<1	1	2	4	5	7	7
20-34	116	3.7	17	<1	1	2	4	8	13	22
35-49	82	4.4	21	1	1	3	5	9	13	26
50-64	116	4.1	20	1	1	3	5	8	10	29
65+	268	6.9	27	1	2	5	10	14	17	26
B. *Operated*										
0-19 YRS	70	3.1	3	1	1	3	4	5	6	8
20-34	180	3.6	12	1	1	3	4	6	8	24
35-49	117	5.4	36	1	1	4	6	9	16	39
50-64	187	5.5	15	2	2	5	6	10	14	72
65+	89	7.2	25	2	3	5	8	15	18	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	327	3.1	10	<1	1	2	4	7	8	16
B. *Operated*	1812	3.3	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	626	5.2	24	1	1	4	7	12	15	26
B. *Operated*	643	4.9	20	1	1	4	6	9	14	27
1. SINGLE DX	2139	3.3	6	1	1	3	4	6	8	12
2. MULTIPLE DX	1269	5.0	22	1	1	4	6	10	14	26
A. NOT OPERATED	953	4.5	20	1	1	3	6	10	13	25
B. OPERATED	2455	3.7	9	1	1	3	5	7	9	17
TOTAL 0-19 YRS	436	2.6	4	<1	1	2	3	5	6	8
20-34	999	3.0	6	1	1	2	4	5	7	13
35-49	677	3.7	12	<1	1	3	4	6	8	19
50-64	751	4.5	11	1	2	4	5	8	10	21
65+	545	6.3	22	1	2	5	8	13	16	25
GRAND TOTAL	**3408**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**10**	**19**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2209	1.4	2	<1	1	1	1	2	3	6
20-34	716	1.9	3	<1	<1	1	2	3	5	8
35-49	190	2.1	3	<1	1	1	3	4	6	11
50-64	83	1.9	2	1	1	2	2	3	5	8
65+	48	2.8	8	<1	1	2	3	7	11	12
B. *Operated*										
0-19 YRS	30	1.5	1	<1	<1	1	2	3	3	4
20-34	24	1.8	1	<1	1	1	2	4	5	5
35-49	1	46.0		46	46	46	46	46	46	46
50-64	4	5.5	22	1	1	4	8	12	12	12
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2318	2.2	7	<1	1	1	2	4	6	14
20-34	1887	2.8	11	<1	1	2	3	6	8	15
35-49	645	3.6	13	1	1	2	4	8	11	19
50-64	442	4.1	20	1	1	3	5	9	12	25
65+	490	5.6	31	1	1	4	7	12	15	27
B. *Operated*										
0-19 YRS	564	4.8	71	<1	1	2	4	11	22	45
20-34	739	4.8	68	<1	1	2	5	10	17	51
35-49	228	6.4	93	<1	1	3	7	15	20	55
50-64	152	6.6	79	1	1	3	8	17	24	47
65+	150	9.8	152	1	1	5	12	23	34	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3246	1.6	2	<1	1	1	2	3	4	7
B. *Operated*	59	2.6	36	<1	1	1	2	4	5	43
2. MULTIPLE DX										
A. *Not Operated*	5782	3.0	13	<1	1	2	3	6	9	19
B. *Operated*	1833	5.6	82	<1	1	3	6	13	21	54
1. SINGLE DX	3305	1.6	3	<1	1	1	2	3	4	8
2. MULTIPLE DX	7615	3.6	31	<1	1	2	4	8	11	30
A. NOT OPERATED	9028	2.5	9	<1	1	1	3	5	8	16
B. OPERATED	1892	5.5	81	<1	1	2	5	12	21	54
TOTAL 0-19 YRS	5121	2.1	13	<1	1	1	2	4	6	18
20-34	3366	3.1	23	<1	1	2	3	6	9	23
35-49	1064	4.0	32	<1	1	2	4	8	13	27
50-64	681	4.4	32	1	1	2	5	10	14	30
65+	688	6.3	60	1	1	4	8	14	20	36
GRAND TOTAL	**10920**	**3.0**	**23**	**<1**	**1**	**2**	**3**	**6**	**10**	**23**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	494	2.0	7	<1	1	1	2	4	8	16
20-34	204	3.1	23	<1	<1	2	3	6	10	30
35-49	54	3.6	17	<1	1	2	4	8	15	20
50-64	27	2.4	4	<1	1	2	3	5	7	8
65+	33	4.1	15	<1	1	3	6	10	13	16
B. *Operated*										
0-19 YRS	61	10.6	167	1	1	7	11	24	28	82
20-34	55	11.7	221	1	3	7	10	29	56	65
35-49	20	15.0	358	1	2	8	14	49	60	71
50-64	38	9.5	29	4	4	8	11	19	21	24
65+	44	15.4	180	3	5	10	18	28	53	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	586	4.0	56	<1	1	2	4	9	15	47
20-34	421	4.9	51	<1	1	2	5	12	21	46
35-49	170	4.3	46	<1	1	3	5	10	14	95
50-64	146	6.7	87	1	1	3	9	16	33	99+
65+	217	8.6	115	1	1	5	10	21	27	79
B. *Operated*										
0-19 YRS	271	16.6	397	1	1	9	27	57	95	99+
20-34	303	20.7	545	1	1	12	36	80	99+	99+
35-49	135	16.2	370	1	1	10	21	47	75	99+
50-64	105	16.4	324	1	2	11	26	58	99	99+
65+	157	19.7	257	2	3	16	27	51	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	812	2.5	12	<1	1	1	2	5	8	18
B. *Operated*	218	12.1	178	1	3	8	13	24	47	67
2. MULTIPLE DX										
A. *Not Operated*	1540	5.2	67	<1	1	2	6	12	21	61
B. *Operated*	971	18.3	411	1	1	11	29	61	97	99+
1. SINGLE DX	1030	4.5	63	<1	1	2	5	10	16	50
2. MULTIPLE DX	2511	10.3	241	1	1	4	12	33	57	99+
A. NOT OPERATED	2352	4.3	50	<1	1	2	4	10	16	45
B. OPERATED	1189	17.2	374	1	2	10	26	56	87	99+
TOTAL 0-19 YRS	1412	6.0	138	<1	1	2	5	17	33	99+
20-34	983	9.8	263	<1	1	3	10	35	61	99+
35-49	379	9.0	207	1	1	4	10	22	48	99+
50-64	316	9.9	174	1	1	6	12	28	55	99+
65+	451	12.8	194	1	1	8	17	31	50	99
GRAND TOTAL	**3541**	**8.6**	**196**	**1**	**1**	**3**	**10**	**26**	**48**	**99+**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.1	1	<1	1	2	3	3	4	5
20-34	43	3.3	9	1	1	2	4	7	8	17
35-49	24	3.7	8	1	1	3	5	7	10	12
50-64	10	4.2	7	1	1	3	7	8	8	8
65+	6	4.3	7	1	1	4	6	8	8	8
B. *Operated*										
0-19 YRS	37	5.1	12	1	2	4	7	9	13	17
20-34	73	5.5	14	2	2	5	7	10	12	23
35-49	35	5.5	10	2	2	5	7	10	12	15
50-64	12	4.9	6	<1	1	5	7	8	9	9
65+	4	6.5	10	4	4	5	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	3.7	5	1	1	4	5	7	8	10
20-34	124	4.4	20	1	1	4	5	8	10	23
35-49	64	4.3	7	1	1	4	6	8	9	11
50-64	52	5.6	25	1	1	4	7	12	17	23
65+	51	10.0	76	2	3	7	14	21	23	52
B. *Operated*										
0-19 YRS	145	8.6	85	2	2	6	10	17	20	46
20-34	267	10.3	130	2	3	8	11	19	35	99
35-49	110	9.9	88	3	3	7	13	19	27	53
50-64	83	12.0	109	3	3	9	14	25	35	57
65+	61	15.7	246	3	4	11	18	32	45	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	3.3	7	1	1	2	4	7	8	14
B. *Operated*	161	5.4	12	1	2	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	352	5.2	28	1	1	4	6	9	15	23
B. *Operated*	666	10.6	124	2	3	8	12	21	31	77
1. SINGLE DX	270	4.5	11	1	1	4	6	9	11	16
2. MULTIPLE DX	1018	8.7	97	1	2	6	10	17	25	62
A. NOT OPERATED	461	4.8	23	1	1	4	6	9	12	23
B. OPERATED	827	9.6	106	2	3	7	11	18	28	72
TOTAL 0-19 YRS	269	6.4	55	1	1	5	8	12	17	33
20-34	507	7.5	84	1	2	5	9	13	21	72
35-49	233	7.0	53	1	2	5	8	14	19	45
50-64	157	8.9	78	1	2	6	11	18	26	46
65+	122	12.5	166	2	3	8	15	26	34	78
GRAND TOTAL	**1288**	**7.8**	**82**	**1**	**2**	**6**	**9**	**15**	**23**	**56**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	218	3.3	13	<1	1	2	4	8	9	17
20-34	114	2.8	4	<1	1	2	3	6	7	10
35-49	30	2.9	15	<1	1	2	3	5	8	22
50-64	9	3.1	5	1	1	3	4	6	8	8
65+	6	4.2	4	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS	160	6.5	13	2	4	6	7	10	12	27
20-34	203	6.9	15	2	4	6	8	11	14	23
35-49	50	7.4	7	4	4	7	8	10	11	17
50-64	22	6.9	10	1	2	7	8	11	12	13
65+	11	9.3	27	3	3	9	13	17	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	233	3.9	17	1	1	3	4	8	10	21
20-34	206	3.3	6	1	1	3	4	7	8	11
35-49	76	3.8	6	1	1	3	5	8	9	11
50-64	50	5.2	18	1	1	4	7	11	12	21
65+	36	6.0	19	1	1	6	8	12	16	19
B. *Operated*										
0-19 YRS	426	12.6	181	3	4	8	13	30	42	73
20-34	660	12.8	165	3	5	9	14	26	47	95
35-49	201	13.2	95	4	5	10	16	28	34	57
50-64	87	18.0	259	4	5	12	21	40	52	93
65+	55	17.8	305	3	5	12	22	51	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	377	3.1	10	<1	1	2	4	7	9	14
B. *Operated*	446	6.9	13	3	4	6	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	601	3.9	12	1	1	3	5	8	10	18
B. *Operated*	1429	13.3	173	3	5	9	15	30	43	90
1. SINGLE DX	823	5.2	15	1	1	5	7	9	12	20
2. MULTIPLE DX	2030	10.5	144	1	2	7	12	22	37	77
A. NOT OPERATED	978	3.6	12	1	1	3	4	8	9	17
B. OPERATED	1875	11.8	142	3	4	8	13	24	38	78
TOTAL 0-19 YRS	1037	7.8	100	1	1	5	9	14	26	55
20-34	1183	9.2	114	1	2	7	10	17	29	71
35-49	357	9.5	76	1	2	7	11	20	30	47
50-64	168	12.0	180	1	2	8	13	31	40	80
65+	108	12.2	196	2	2	8	15	30	53	99+
GRAND TOTAL	**2853**	**9.0**	**113**	**1**	**2**	**6**	**10**	**18**	**31**	**68**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.7	4	1	1	2	4	7	7	7
20-34	16	2.2	3	<1	1	2	3	4	7	8
35-49	4	1.5		1	1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	6.5	25	3	3	6	10	10	10	10
B. *Operated*										
0-19 YRS	189	2.8	5	1	1	2	4	6	7	11
20-34	149	3.7	64	<1	1	2	4	6	8	24
35-49	49	3.1	6	1	1	2	4	7	9	10
50-64	32	2.2	2	1	1	2	3	4	5	5
65+	27	2.8	3	1	1	2	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	3.6	13	<1	1	3	4	6	10	20
20-34	30	4.5	19	<1	1	3	6	10	11	22
35-49	15	2.4	7	<1	1	2	2	5	9	11
50-64	8	3.4	7	1	1	2	5	7	8	8
65+	13	9.1	164	1	1	3	11	34	40	41
B. *Operated*										
0-19 YRS	194	4.2	15	1	1	3	5	8	10	23
20-34	228	4.3	18	1	1	3	5	8	11	22
35-49	93	4.8	16	<1	1	4	6	8	11	23
50-64	61	3.7	5	1	1	3	5	7	8	11
65+	44	6.4	28	1	2	5	9	16	18	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	2.5	5	1	1	2	3	6	8	10
B. *Operated*	446	3.1	24	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	102	4.4	35	<1	1	3	5	10	12	36
B. *Operated*	620	4.4	16	1	1	3	5	8	11	23
1. SINGLE DX	484	3.0	23	1	1	2	4	6	8	11
2. MULTIPLE DX	722	4.4	19	1	1	3	5	8	11	23
A. NOT OPERATED	140	3.9	27	1	1	2	4	8	11	33
B. OPERATED	1066	3.9	20	1	1	3	5	7	10	20
TOTAL 0-19 YRS	434	3.5	10	1	1	3	5	7	9	19
20-34	423	4.0	34	1	1	3	5	7	10	22
35-49	161	4.0	13	1	1	3	5	8	10	22
50-64	102	3.2	4	1	1	3	4	6	7	10
65+	86	5.7	43	1	1	3	7	13	18	38
GRAND TOTAL	**1206**	**3.9**	**21**	**1**	**1**	**3**	**5**	**7**	**10**	**22**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	1.9	1	<1	1	1	2	4	5	80
20-34	53	2.6	7	<1	<1	2	3	5	9	14
35-49	34	2.1	2	<1	<1	2	2	4	6	7
50-64	11	2.0	1	1	1	2	3	4	4	4
65+	16	2.5	5	<1	1	2	3	9	68	99+
B. *Operated*										
0-19 YRS	307	2.0	4	<1	<1	1	2	4	6	13
20-34	178	2.8	15	<1	<1	2	3	5	8	24
35-49	62	2.8	7	<1	1	2	4	6	8	14
50-64	38	2.4	6	<1	1	2	3	5	6	14
65+	34	3.2	10	1	1	2	3	8	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	2.6	27	<1	1	2	3	5	7	26
20-34	271	2.9	9	<1	<1	2	3	5	7	16
35-49	135	3.2	16	<1	<1	2	4	7	10	45
50-64	107	4.4	17	<1	1	3	6	10	12	19
65+	240	5.6	40	1	1	4	7	13	17	26
B. *Operated*										
0-19 YRS	667	2.9	14	<1	1	2	3	6	8	19
20-34	894	4.0	36	<1	1	2	5	8	12	30
35-49	323	4.9	63	<1	1	3	5	11	16	45
50-64	214	4.7	29	<1	1	3	6	11	14	30
65+	293	5.6	41	1	1	3	7	12	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	2.2	4	<1	<1	2	3	4	7	69
B. *Operated*	619	2.4	8	<1	<1	1	2	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	930	3.8	24	<1	1	2	4	8	11	23
B. *Operated*	2391	4.1	34	<1	1	2	5	9	13	29
1. SINGLE DX	803	2.3	7	<1	<1	1	2	5	7	15
2. MULTIPLE DX	3321	4.0	31	<1	1	2	5	9	12	28
A. NOT OPERATED	1114	3.5	21	<1	1	2	4	8	11	23
B. OPERATED	3010	3.7	29	<1	1	2	4	8	12	27
TOTAL 0-19 YRS	1221	2.6	13	<1	<1	1	3	5	7	17
20-34	1396	3.6	27	<1	1	2	4	7	11	24
35-49	554	4.1	42	<1	1	2	5	9	14	43
50-64	370	4.3	23	<1	1	3	5	10	13	24
65+	583	5.4	39	1	1	3	7	12	17	29
GRAND TOTAL	**4124**	**3.7**	**27**	**<1**	**1**	**2**	**4**	**8**	**11**	**26**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	2.0	5	<1	<1	1	2	4	5	14
20-34	168	2.0	3	<1	<1	1	2	4	5	11
35-49	51	2.9	21	<1	1	2	3	5	8	32
50-64	23	3.0	8	<1	<1	2	3	7	10	11
65+	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	153	3.3	14	<1	1	2	4	6	8	22
20-34	177	3.8	14	<1	1	3	5	7	9	22
35-49	46	4.0	9	<1	1	3	5	8	10	15
50-64	24	5.0	25	1	1	4	6	8	14	26
65+	8	6.4	85	1	1	2	7	23	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	2.7	6	<1	1	2	3	6	9	13
20-34	150	3.5	14	<1	1	2	4	7	11	19
35-49	66	3.2	5	<1	1	3	4	6	10	85
50-64	33	3.5	8	1	1	3	5	7	11	13
65+	21	7.2	29	1	2	5	11	16	18	20
B. *Operated*										
0-19 YRS	169	6.8	58	1	1	5	8	14	19	40
20-34	392	7.9	62	1	1	6	9	16	23	41
35-49	134	9.0	92	1	2	7	10	16	21	56
50-64	44	9.4	91	1	2	7	11	20	25	56
65+	28	10.3	217	2	3	6	10	18	32	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	2.2	7	<1	<1	1	2	4	6	11
B. *Operated*	408	3.7	15	<1	1	3	5	7	9	25
2. MULTIPLE DX										
A. *Not Operated*	352	3.5	12	<1	1	2	4	7	11	19
B. *Operated*	767	8.0	74	1	1	6	9	16	23	50
1. SINGLE DX	751	3.0	12	<1	1	2	4	6	8	17
2. MULTIPLE DX	1119	6.6	59	1	1	5	8	14	19	44
A. NOT OPERATED	695	2.8	10	<1	1	2	3	6	9	16
B. OPERATED	1175	6.5	58	1	1	5	8	14	19	41
TOTAL 0-19 YRS	502	4.1	30	<1	1	2	5	9	13	31
20-34	887	5.2	39	<1	1	3	7	11	16	33
35-49	297	5.9	55	<1	1	4	7	12	16	50
50-64	124	5.8	48	<1	1	4	7	11	19	34
65+	60	8.2	124	1	2	5	10	16	24	75
GRAND TOTAL	**1870**	**5.2**	**43**	**<1**	**1**	**3**	**6**	**11**	**16**	**33**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	2.5	3	<1	<1	2	3	5	6	10
20-34	158	2.9	5	<1	1	2	4	6	7	10
35-49	43	2.8	3	<1	1	2	4	5	6	8
50-64	25	3.8	12	<1	1	2	4	9	13	14
65+	9	3.2	6	1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	903	2.1	6	<1	<1	1	2	4	6	12
20-34	1357	2.3	6	<1	1	1	3	5	7	13
35-49	462	2.8	17	<1	1	2	3	5	8	21
50-64	308	2.4	6	<1	<1	1	3	5	8	13
65+	122	2.3	7	<1	<1	1	3	5	7	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	3.1	9	<1	<1	2	4	6	9	16
20-34	195	3.4	9	<1	<1	2	5	8	9	16
35-49	71	3.8	11	1	1	3	5	6	7	21
50-64	41	4.6	29	1	1	3	6	11	13	32
65+	52	6.2	19	2	2	5	9	12	16	19
B. *Operated*										
0-19 YRS	669	2.7	7	<1	1	2	3	6	7	14
20-34	1200	3.5	23	<1	1	2	4	7	10	23
35-49	434	3.9	33	1	1	2	4	9	13	31
50-64	248	3.7	24	<1	1	2	4	8	14	29
65+	153	5.4	68	1	1	3	6	11	18	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	329	2.9	5	<1	1	2	4	5	7	11
B. *Operated*	3152	2.3	8	<1	1	1	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	440	3.8	13	<1	1	3	5	8	11	19
B. *Operated*	2704	3.5	23	<1	1	2	4	7	11	27
1. SINGLE DX	3481	2.4	7	<1	1	2	3	5	7	14
2. MULTIPLE DX	3144	3.5	22	<1	1	2	4	7	11	24
A. NOT OPERATED	769	3.4	10	<1	1	3	4	7	9	16
B. OPERATED	5856	2.9	15	<1	1	2	3	6	9	19
TOTAL 0-19 YRS	1747	2.4	6	<1	1	2	3	5	7	12
20-34	2910	2.9	13	<1	1	2	3	6	9	17
35-49	1010	3.3	23	<1	1	2	4	7	10	25
50-64	622	3.1	15	<1	1	2	3	7	10	24
65+	336	4.4	39	<1	1	2	5	10	16	30
GRAND TOTAL	**6625**	**2.9**	**15**	**<1**	**1**	**2**	**3**	**6**	**9**	**19**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	2.9	6	<1	<1	2	4	5	7	14
20-34	144	3.0	4	<1	1	3	4	5	7	9
35-49	34	3.5	11	<1	<1	2	5	7	13	14
50-64	22	3.8	7	<1	1	3	6	7	9	11
65+	18	4.0	14	<1	1	3	6	11	13	13
B. *Operated*										
0-19 YRS	465	3.9	28	<1	1	2	4	7	11	28
20-34	483	3.9	21	1	1	3	5	8	10	28
35-49	142	4.6	29	<1	1	3	5	10	14	28
50-64	85	5.5	38	1	1	3	6	17	21	24
65+	36	10.2	172	1	1	5	12	23	46	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.4	8	<1	1	3	5	6	9	16
20-34	117	4.4	17	1	1	3	5	9	12	49
35-49	55	5.1	14	1	1	3	7	10	12	17
50-64	37	6.3	46	1	2	5	7	11	17	40
65+	45	7.5	36	2	2	6	10	18	26	99+
B. *Operated*										
0-19 YRS	272	6.5	64	1	1	4	7	14	24	42
20-34	373	8.1	81	1	2	5	9	21	28	53
35-49	111	10.3	207	1	1	5	12	27	44	76
50-64	79	11.4	226	1	2	7	13	28	44	82
65+	72	14.6	133	2	3	11	20	33	39	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	355	3.1	6	<1	<1	3	4	6	7	14
B. *Operated*	1211	4.3	31	1	1	3	5	9	12	29
2. MULTIPLE DX										
A. *Not Operated*	312	5.0	22	1	1	4	6	10	13	32
B. *Operated*	907	8.7	113	1	1	5	10	21	31	52
1. SINGLE DX	1566	4.0	26	<1	1	3	5	8	12	27
2. MULTIPLE DX	1219	7.7	92	1	1	5	9	19	28	51
A. NOT OPERATED	667	4.0	14	<1	1	3	5	8	11	23
B. OPERATED	2118	6.2	71	1	1	3	7	14	22	48
TOTAL 0-19 YRS	932	4.5	36	<1	1	3	5	9	14	37
20-34	1117	5.2	43	1	1	3	6	10	18	39
35-49	342	6.4	89	1	1	4	7	14	22	48
50-64	223	7.6	111	1	1	4	8	18	23	54
65+	171	10.7	116	1	2	7	14	23	34	55
GRAND TOTAL	**2785**	**5.7**	**58**	**1**	**1**	**3**	**6**	**12**	**20**	**44**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.5		<1	<1	1	2	2	2	2
20-34	4	1.5		<1	<1	1	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	9	4.2	8	2	2	4	5	9	11	11
20-34	36	3.9	16	1	1	3	4	8	15	17
35-49	10	4.2	9	2	2	3	5	9	11	11
50-64	5	4.8	10	2	2	4	7	9	9	9
65+	2	7.0	8	5	5	7	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.9	27	1	1	3	4	5	18	22
20-34	10	4.6	53	<1	<1	2	4	15	25	25
35-49	6	3.7	7	1	1	3	6	8	8	8
50-64	5	5.4	15	1	1	4	9	10	10	10
65+	3	7.7	6	5	5	8	9	10	10	10
B. *Operated*										
0-19 YRS	45	10.7	208	1	1	5	11	28	44	69
20-34	89	8.5	121	1	1	5	9	17	31	63
35-49	28	11.1	207	1	1	6	14	43	59	99+
50-64	21	6.8	50	1	1	5	8	19	24	25
65+	9	10.0	61	2	3	11	12	22	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.6		<1	<1	2	2	2	3	3
B. *Operated*	62	4.2	12	1	1	3	5	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	39	4.5	27	<1	1	3	5	9	17	25
B. *Operated*	192	9.3	143	1	1	6	11	21	34	68
1. SINGLE DX	79	3.6	11	<1	1	2	4	8	11	17
2. MULTIPLE DX	231	8.5	126	1	1	5	10	20	31	67
A. NOT OPERATED	56	3.6	20	<1	1	2	4	8	10	25
B. OPERATED	254	8.0	115	1	1	5	9	18	29	66
TOTAL 0-19 YRS	77	7.6	140	1	1	4	7	20	32	65
20-34	139	6.8	90	<1	1	4	8	15	22	59
35-49	46	8.2	140	1	1	5	10	21	57	99+
50-64	32	6.2	37	1	1	4	8	13	22	25
65+	16	8.2	41	2	2	7	11	12	23	28
GRAND TOTAL	**310**	**7.2**	**101**	**1**	**1**	**4**	**8**	**16**	**28**	**61**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	4.0	36	<1	<1	2	3	11	22	23
20-34	59	5.7	26	<1	1	4	7	14	17	24
35-49	32	6.8	68	1	1	5	8	12	18	46
50-64	13	4.8	16	1	1	4	6	11	13	14
65+	20	6.1	41	1	2	4	7	16	23	24
B. *Operated*										
0-19 YRS	368	3.5	12	<1	1	2	4	7	10	18
20-34	651	3.7	15	1	1	3	4	7	11	24
35-49	293	4.2	21	<1	1	3	5	8	12	21
50-64	157	4.0	20	1	1	3	5	7	11	28
65+	56	6.2	62	1	1	3	9	15	24	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	4.8	56	1	1	3	5	7	20	40
20-34	143	6.4	79	1	1	4	8	13	37	99+
35-49	108	7.8	56	1	1	6	9	19	24	36
50-64	73	7.4	35	1	1	6	10	15	18	30
65+	102	9.4	79	2	2	7	13	21	37	99+
B. *Operated*										
0-19 YRS	202	4.6	48	1	1	3	5	9	13	56
20-34	524	6.1	68	1	1	4	7	12	21	58
35-49	267	5.9	47	1	1	4	7	13	18	37
50-64	198	7.6	74	1	2	4	9	19	28	47
65+	111	12.5	144	2	2	10	16	28	32	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	5.6	38	<1	1	4	7	12	18	25
B. *Operated*	1525	3.9	18	1	1	3	4	8	11	24
2. MULTIPLE DX										
A. *Not Operated*	483	7.3	66	1	1	5	9	17	25	83
B. *Operated*	1302	6.6	72	1	1	4	8	15	23	52
1. SINGLE DX	1673	4.0	20	1	1	3	5	8	12	24
2. MULTIPLE DX	1785	6.8	70	1	1	4	8	15	23	55
A. NOT OPERATED	631	6.9	60	1	1	5	9	16	24	52
B. OPERATED	2827	5.1	44	1	1	3	6	11	16	36
TOTAL 0-19 YRS	651	4.0	28	<1	1	3	4	8	11	29
20-34	1377	5.0	44	1	1	3	5	10	16	45
35-49	700	5.5	40	1	1	3	6	12	17	34
50-64	441	6.2	49	1	1	4	8	14	21	38
65+	289	9.8	104	1	2	7	14	21	32	66
GRAND TOTAL	**3458**	**5.5**	**48**	**1**	**1**	**3**	**6**	**12**	**18**	**39**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	268	3.9	4	1	2	4	5	6	7	11
20-34	128	3.6	7	1	1	3	5	5	8	18
35-49	49	3.1	3	1	1	2	4	5	7	8
50-64	14	3.9	3	1	1	4	5	6	6	6
65+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	12	7.4	40	2	2	5	10	16	23	24
20-34	3	4.7	1	4	4	4	6	6	6	6
35-49	4	6.0	7	3	3	6	8	9	9	9
50-64	4	3.8	3	2	2	3	5	6	6	6
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	166	4.2	9	1	1	4	5	7	9	17
20-34	129	3.2	5	<1	1	3	4	5	7	12
35-49	52	4.0	9	1	1	3	5	6	11	17
50-64	31	4.4	6	1	2	4	5	8	9	11
65+	32	7.1	133	1	1	4	8	11	15	67
B. *Operated*										
0-19 YRS	27	5.6	18	1	1	5	8	11	13	19
20-34	45	5.0	18	1	1	4	6	11	13	23
35-49	4	3.3	8	<1	<1	2	5	7	7	7
50-64	11	3.1	2	<1	<1	4	4	5	5	5
65+	7	7.0	40	<1	1	5	9	18	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	461	3.7	5	1	1	4	5	6	7	11
B. *Operated*	24	6.1	22	2	2	5	7	11	16	24
2. MULTIPLE DX										
A. *Not Operated*	410	4.1	18	1	1	4	5	7	9	16
B. *Operated*	94	5.0	18	<1	1	4	7	10	13	22
1. SINGLE DX	485	3.9	6	1	1	4	5	6	7	13
2. MULTIPLE DX	504	4.3	18	1	1	4	5	8	10	18
A. NOT OPERATED	871	3.9	11	1	1	4	5	6	8	16
B. OPERATED	118	5.2	19	1	1	4	7	10	13	23
TOTAL 0-19 YRS	473	4.2	8	1	1	4	5	7	8	17
20-34	305	3.6	8	<1	1	3	5	6	8	15
35-49	109	3.6	7	1	1	3	5	6	8	14
50-64	60	4.0	4	1	1	4	5	6	8	11
65+	42	6.9	107	1	1	4	8	11	17	67
GRAND TOTAL	**989**	**4.1**	**12**	**1**	**1**	**4**	**5**	**7**	**9**	**17**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	600	1.8	2	<1	<1	1	2	3	4	8
20-34	653	2.3	4	<1	1	2	3	4	6	11
35-49	272	2.6	6	1	1	2	3	5	7	18
50-64	174	3.1	8	<1	1	2	4	6	8	16
65+	255	4.3	13	1	1	3	6	9	12	16
B. *Operated*										
0-19 YRS	111	2.5	4	<1	<1	2	3	6	7	9
20-34	103	3.0	6	<1	1	2	4	6	8	13
35-49	48	3.8	14	1	1	3	4	10	13	17
50-64	37	4.3	17	1	1	3	5	9	15	19
65+	29	6.1	45	1	2	4	5	20	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1087	2.1	4	<1	1	1	3	4	5	10
20-34	1310	3.0	11	<1	1	2	4	6	8	15
35-49	671	3.7	23	1	1	3	5	7	10	17
50-64	676	4.9	20	1	1	3	6	10	14	23
65+	1981	6.7	33	1	2	5	9	13	17	29
B. *Operated*										
0-19 YRS	181	3.4	11	1	1	2	4	8	10	18
20-34	267	5.0	40	<1	1	3	6	11	16	45
35-49	122	5.0	18	<1	1	3	7	11	14	18
50-64	121	5.9	33	1	1	4	8	14	16	29
65+	200	12.6	128	1	2	9	17	28	34	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1954	2.5	6	<1	1	2	3	5	7	12
B. *Operated*	328	3.4	12	<1	1	2	4	6	9	20
2. MULTIPLE DX										
A. *Not Operated*	5725	4.4	23	1	1	3	6	10	13	23
B. *Operated*	891	6.5	61	1	1	4	8	16	21	40
1. SINGLE DX	2282	2.7	7	<1	1	2	3	5	7	14
2. MULTIPLE DX	6616	4.7	29	1	1	3	6	10	14	26
A. NOT OPERATED	7679	3.9	20	<1	1	2	5	9	12	21
B. OPERATED	1219	5.7	50	1	1	3	7	13	19	35
TOTAL 0-19 YRS	1979	2.2	4	<1	1	1	3	4	6	10
20-34	2333	3.0	13	<1	1	2	4	6	8	17
35-49	1113	3.6	18	1	1	2	4	7	10	17
50-64	1008	4.7	20	1	1	3	6	10	14	23
65+	2465	6.9	42	1	2	5	9	14	19	33
GRAND TOTAL	**8898**	**4.2**	**24**	**<1**	**1**	**3**	**5**	**9**	**13**	**24**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.2	2	1	1	2	3	4	5	8
20-34	78	3.3	11	<1	1	2	4	7	9	19
35-49	18	3.4	15	1	1	2	4	10	14	15
50-64	10	5.4	39	<1	<1	2	9	15	20	20
65+	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	54	5.0	35	1	1	3	5	13	17	33
20-34	62	5.8	36	1	1	3	6	15	20	26
35-49	29	4.9	29	<1	<1	2	7	13	18	21
50-64	24	5.9	92	1	1	2	4	16	28	44
65+	5	9.4	99	3	3	6	12	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	3.0	13	<1	1	2	3	5	10	23
20-34	56	3.7	9	1	1	3	4	8	9	17
35-49	26	3.3	7	<1	1	3	4	6	8	14
50-64	19	5.4	20	1	1	4	6	13	16	18
65+	11	10.4	197	1	2	7	11	28	49	51
B. *Operated*										
0-19 YRS	54	8.3	151	1	1	4	10	21	30	60
20-34	151	9.9	134	1	1	5	14	23	41	53
35-49	50	11.7	295	1	1	5	12	33	42	97
50-64	39	8.4	89	1	1	5	11	18	27	47
65+	8	10.3	167	1	1	5	15	33	37	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	3.0	10	1	1	2	4	6	9	19
B. *Operated*	174	5.5	43	1	1	3	6	15	19	32
2. MULTIPLE DX										
A. *Not Operated*	160	4.1	26	1	1	3	5	8	11	23
B. *Operated*	302	9.7	158	1	1	5	12	23	40	56
1. SINGLE DX	346	4.3	28	1	1	2	4	9	15	26
2. MULTIPLE DX	462	7.8	119	1	1	4	9	19	29	53
A. NOT OPERATED	332	3.5	18	1	1	2	4	7	10	20
B. OPERATED	476	8.2	120	1	1	4	10	19	30	53
TOTAL 0-19 YRS	219	4.6	54	1	1	2	4	11	16	41
20-34	347	6.7	77	1	1	4	7	17	23	49
35-49	123	7.1	143	<1	1	3	8	15	26	64
50-64	92	6.8	70	1	1	3	10	16	20	46
65+	27	9.3	142	1	1	5	9	26	39	51
GRAND TOTAL	**808**	**6.3**	**83**	**1**	**1**	**3**	**7**	**15**	**22**	**50**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.4		<1	<1	1	2	2	2	2
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	10	1.6	2	<1	<1	1	2	4	5	5
20-34	14	2.6	6	<1	1	2	3	5	9	10
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	8	2	2	2	6	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	7	2.4	2	1	1	3	4	4	4	4
20-34	10	4.4	16	1	1	4	5	10	14	14
35-49	5	3.0	5	1	1	3	4	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.3		<1	<1	1	2	2	2	2
B. *Operated*	27	2.1	4	<1	<1	1	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	6	2.8	5	1	1	2	4	7	7	7
B. *Operated*	23	3.3	9	1	1	3	4	6	9	14
1. SINGLE DX	39	1.9	3	<1	<1	1	2	4	5	10
2. MULTIPLE DX	29	3.2	8	1	1	3	4	6	8	14
A. NOT OPERATED	18	1.8	2	<1	<1	1	2	4	6	7
B. OPERATED	50	2.7	6	<1	<1	2	4	5	7	14
TOTAL 0-19 YRS	28	2.0	2	<1	<1	1	2	4	5	7
20-34	28	3.0	9	<1	1	2	4	6	10	14
35-49	9	2.2	3	1	1	1	3	5	6	6
50-64	3	2.7	2	1	1	3	4	4	4	4
65+										
GRAND TOTAL	**68**	**2.5**	**5**	**<1**	**<1**	**2**	**3**	**5**	**7**	**13**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	524	1.5	11	<1	<1	1	1	2	3	11
20-34	111	1.3	1	<1	<1	1	1	2	3	5
35-49	104	1.5	2	<1	<1	1	1	3	4	9
50-64	114	1.4	1	<1	<1	1	2	2	3	5
65+	113	1.4	1	<1	1	1	2	2	3	39
B. *Operated*										
0-19 YRS	141	2.5	11	<1	<1	1	3	5	7	16
20-34	41	2.7	10	<1	<1	2	3	6	7	19
35-49	18	3.1	33	<1	<1	1	2	6	17	25
50-64	24	2.9	12	<1	1	2	3	6	11	16
65+	28	2.7	10	<1	<1	2	3	8	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	1.9	2	<1	<1	1	2	3	5	9
20-34	41	2.8	9	<1	1	2	3	7	8	17
35-49	38	3.2	6	1	1	2	5	7	8	11
50-64	81	3.5	13	<1	1	2	4	10	11	17
65+	160	4.3	36	1	1	3	6	9	11	24
B. *Operated*										
0-19 YRS	55	4.5	20	<1	1	2	6	12	14	20
20-34	31	5.8	41	<1	1	5	8	15	30	99+
35-49	33	6.0	53	<1	<1	3	9	15	26	28
50-64	55	4.3	18	<1	1	3	6	10	11	19
65+	93	7.1	55	1	1	4	11	20	24	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	966	1.5	6	<1	<1	1	1	2	3	8
B. *Operated*	252	2.6	12	<1	<1	1	3	5	8	19
2. MULTIPLE DX										
A. *Not Operated*	419	3.3	19	<1	1	2	4	7	10	17
B. *Operated*	267	5.7	39	<1	1	3	8	14	20	30
1. SINGLE DX	1218	1.7	8	<1	<1	1	2	3	4	13
2. MULTIPLE DX	686	4.3	28	<1	1	2	5	10	14	27
A. NOT OPERATED	1385	2.0	11	<1	<1	1	2	4	6	14
B. OPERATED	519	4.2	28	<1	1	2	5	11	15	28
TOTAL 0-19 YRS	319	1.9	11	<1	<1	1	2	3	5	14
20-34	224	2.5	11	<1	<1	1	2	6	8	22
35-49	193	2.7	17	<1	<1	1	3	6	9	27
50-64	274	2.8	10	<1	1	2	3	7	10	18
65+	394	4.0	33	1	1	2	4	10	14	27
GRAND TOTAL	**1904**	**2.6**	**17**	**<1**	**<1**	**1**	**2**	**6**	**9**	**23**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	6.5	32	1	1	5	9	14	17	27
20-34	28	7.9	46	1	1	6	11	17	23	28
35-49	11	6.7	71	1	1	4	8	22	27	27
50-64	9	10.6	93	2	2	8	13	25	33	33
65+	3	18.7	341	8	8	8	32	40	40	40
B. *Operated*										
0-19 YRS	79	9.1	112	1	2	6	10	16	30	64
20-34	75	8.7	77	1	2	6	9	23	27	40
35-49	37	9.9	135	<1	1	5	11	28	41	44
50-64	26	13.8	320	1	2	7	18	36	57	76
65+	22	18.5	201	4	5	15	24	40	47	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	7.3	55	1	1	5	9	15	21	40
20-34	53	8.0	101	1	1	5	11	18	29	58
35-49	36	7.0	58	1	1	4	9	15	21	39
50-64	24	8.6	60	<1	1	6	13	20	26	27
65+	29	11.9	129	1	1	9	13	30	38	44
B. *Operated*										
0-19 YRS	140	18.9	260	2	3	14	28	47	56	99+
20-34	143	22.2	334	2	5	19	34	57	96	99+
35-49	78	25.0	382	2	3	23	36	46	64	87
50-64	75	23.6	437	2	3	20	34	60	78	99+
65+	75	27.1	421	2	4	23	42	58	61	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	7.7	57	1	1	5	10	16	27	37
B. *Operated*	239	10.5	141	1	2	7	12	26	38	57
2. MULTIPLE DX										
A. *Not Operated*	205	8.2	80	1	1	6	10	18	28	42
B. *Operated*	511	22.7	354	2	4	18	34	53	69	99+
1. SINGLE DX	330	9.7	119	1	2	6	11	24	33	53
2. MULTIPLE DX	716	18.5	318	1	2	13	28	46	60	99+
A. NOT OPERATED	296	8.1	73	1	1	6	10	18	27	41
B. OPERATED	750	18.8	318	2	2	13	28	46	60	99+
TOTAL 0-19 YRS	322	12.7	185	1	2	8	15	34	45	70
20-34	299	14.9	248	1	1	9	23	40	58	99+
35-49	162	16.3	302	1	1	10	25	40	46	82
50-64	134	18.2	360	1	2	12	27	46	73	99+
65+	129	22.0	351	2	3	17	36	48	58	97
GRAND TOTAL	**1046**	**15.8**	**272**	**1**	**2**	**10**	**23**	**41**	**55**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	224	5.1	27	1	1	3	7	11	15	30
20-34	192	4.7	29	<1	1	3	6	11	16	25
35-49	94	6.4	94	<1	1	3	8	15	26	81
50-64	35	4.7	21	1	1	3	6	11	15	21
65+	16	3.6	10	1	1	3	4	9	11	12
B. *Operated*										
0-19 YRS	48	7.7	53	1	1	5	11	17	23	30
20-34	35	8.8	33	1	2	9	14	16	17	21
35-49	18	7.7	101	1	2	4	10	16	33	43
50-64	16	7.1	77	<1	<1	4	8	17	30	35
65+	6	11.8	81	2	2	8	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	488	5.5	27	1	1	4	8	13	17	22
20-34	350	5.5	35	1	1	4	7	13	16	28
35-49	157	6.9	56	1	1	5	9	14	19	46
50-64	119	8.3	79	1	1	5	11	19	23	48
65+	100	12.3	195	2	2	8	15	32	40	94
B. *Operated*										
0-19 YRS	153	13.6	216	1	1	8	19	36	43	57
20-34	123	12.1	154	1	2	9	15	23	34	70
35-49	75	20.2	330	2	2	14	33	51	62	92
50-64	60	20.2	451	1	1	15	24	49	64	98
65+	41	21.4	190	3	4	21	32	42	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	561	5.1	38	1	1	3	7	11	16	32
B. *Operated*	123	8.1	58	1	1	6	12	17	23	37
2. MULTIPLE DX										
A. *Not Operated*	1214	6.5	56	1	1	4	9	15	19	37
B. *Operated*	452	15.9	258	1	2	11	22	41	51	78
1. SINGLE DX	684	5.6	43	1	1	3	7	13	17	33
2. MULTIPLE DX	1666	9.1	128	1	1	5	12	21	34	59
A. NOT OPERATED	1775	6.1	50	1	1	4	8	14	18	35
B. OPERATED	575	14.2	225	1	2	9	19	36	45	72
TOTAL 0-19 YRS	913	6.9	69	1	1	4	9	16	22	42
20-34	700	6.6	61	1	1	4	9	15	21	38
35-49	344	9.7	158	1	1	5	12	25	44	66
50-64	230	10.8	198	1	1	6	14	23	39	73
65+	163	13.7	196	2	2	10	19	34	42	98
GRAND TOTAL	**2350**	**8.1**	**105**	**1**	**1**	**5**	**10**	**19**	**28**	**53**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.7	8	1	1	2	4	6	12	99+
20-34	47	5.5	53	1	1	3	6	13	19	39
35-49	29	4.0	14	<1	1	3	6	9	10	18
50-64	22	3.7	7	<1	1	3	5	8	10	10
65+	7	5.6	19	1	1	5	8	12	13	13
B. *Operated*										
0-19 YRS	114	2.3	3	<1	1	2	2	4	6	9
20-34	190	3.0	11	<1	<1	2	3	6	10	18
35-49	68	2.8	6	<1	1	2	3	5	7	16
50-64	37	2.8	9	<1	1	2	3	6	8	17
65+	13	3.5	10	<1	<1	3	4	7	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.1	10	<1	<1	2	4	7	9	15
20-34	66	4.4	14	<1	1	3	7	9	11	19
35-49	38	4.8	15	1	1	4	7	9	14	17
50-64	29	4.9	8	<1	1	5	6	9	12	12
65+	41	9.0	105	1	2	6	10	19	35	48
B. *Operated*										
0-19 YRS	124	4.3	40	1	1	2	4	11	15	58
20-34	217	5.6	103	1	1	2	5	10	27	55
35-49	77	7.5	227	<1	1	3	6	22	44	99
50-64	45	8.3	152	1	1	4	10	26	38	99+
65+	23	14.6	529	1	1	3	11	63	64	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	4.1	25	1	1	2	5	10	14	41
B. *Operated*	422	2.8	8	<1	1	2	3	5	8	16
2. MULTIPLE DX										
A. *Not Operated*	202	5.3	34	1	1	4	7	10	15	36
B. *Operated*	486	6.2	135	1	1	2	5	13	30	73
1. SINGLE DX	568	3.1	13	<1	1	2	3	6	10	18
2. MULTIPLE DX	688	6.0	105	1	1	3	6	12	25	67
A. NOT OPERATED	348	4.8	31	1	1	3	6	10	14	39
B. OPERATED	908	4.6	79	<1	1	2	4	9	15	64
TOTAL 0-19 YRS	307	3.2	20	1	1	2	3	7	11	40
20-34	520	4.5	55	<1	1	2	4	9	14	41
35-49	212	5.0	92	<1	1	3	5	9	17	77
50-64	133	5.3	61	<1	1	3	6	10	19	76
65+	84	9.4	208	1	1	4	9	18	52	65
GRAND TOTAL	**1256**	**4.7**	**65**	**<1**	**1**	**2**	**5**	**9**	**15**	**59**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	2.0	4	<1	1	1	2	4	5	7
20-34	188	2.8	6	<1	1	2	3	6	8	13
35-49	91	3.8	21	<1	1	3	4	7	9	29
50-64	45	3.7	6	<1	1	3	5	6	9	10
65+	36	6.2	30	1	1	4	8	14	19	23
B. *Operated*										
0-19 YRS	83	3.5	17	<1	1	2	4	7	9	26
20-34	124	4.1	19	<1	1	3	5	9	11	21
35-49	50	4.5	40	1	1	2	5	10	15	40
50-64	26	5.1	25	<1	1	4	6	16	18	19
65+	10	4.2	21	<1	<1	2	5	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	2.6	6	<1	1	2	3	5	8	12
20-34	267	3.6	12	<1	1	2	4	7	9	21
35-49	139	4.7	14	1	1	4	6	10	11	17
50-64	106	5.3	15	1	1	4	7	10	13	19
65+	242	8.6	86	1	2	6	10	17	23	47
B. *Operated*										
0-19 YRS	108	5.8	47	1	1	3	7	14	19	40
20-34	159	7.3	120	1	1	4	8	18	34	99
35-49	63	8.9	119	1	2	5	8	26	35	49
50-64	52	13.7	275	2	2	9	19	44	99+	99+
65+	40	12.6	125	2	2	9	19	27	35	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	557	3.0	10	<1	1	2	3	6	8	17
B. *Operated*	293	4.1	23	<1	1	3	5	9	13	26
2. MULTIPLE DX										
A. *Not Operated*	923	5.1	36	1	1	3	6	10	14	27
B. *Operated*	422	8.4	127	1	1	5	9	22	35	99+
1. SINGLE DX	850	3.4	15	<1	1	2	4	7	10	19
2. MULTIPLE DX	1345	6.1	67	1	1	4	7	13	20	47
A. NOT OPERATED	1480	4.3	27	1	1	3	5	9	12	23
B. OPERATED	715	6.7	89	1	1	3	8	16	27	63
TOTAL 0-19 YRS	557	3.1	17	<1	1	2	3	6	9	20
20-34	738	4.3	38	<1	1	3	5	8	13	36
35-49	343	5.2	42	1	1	3	6	10	15	37
50-64	229	6.9	87	1	1	5	8	16	27	99+
65+	328	8.7	85	1	2	6	10	19	24	46
GRAND TOTAL	**2195**	**5.1**	**49**	**1**	**1**	**3**	**6**	**10**	**16**	**40**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1333	1.6	2	<1	<1	1	2	3	4	6
20-34	941	1.8	4	<1	<1	1	2	3	5	9
35-49	321	2.2	4	<1	<1	2	3	4	5	12
50-64	180	2.7	11	<1	1	2	3	5	7	14
65+	137	4.1	12	1	1	3	5	9	10	16
B. *Operated*										
0-19 YRS	7	1.9	1	1	1	1	3	3	3	3
20-34	8	2.1	2	<1	<1	2	3	4	5	5
35-49	8	1.8	1	1	1	2	2	3	4	4
50-64	2	10.5	13	8	8	10	13	13	13	13
65+	2	9.0	50	4	4	9	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1367	3.0	23	<1	1	2	3	6	9	24
20-34	2814	3.5	23	<1	1	2	4	7	11	25
35-49	1514	4.2	33	<1	1	2	4	9	14	35
50-64	978	5.2	40	1	1	3	6	11	16	28
65+	1300	6.4	28	1	2	5	8	12	15	30
B. *Operated*										
0-19 YRS	26	8.3	111	<1	1	4	10	22	29	47
20-34	98	11.3	236	1	1	5	13	27	45	83
35-49	67	12.9	264	1	1	8	18	29	71	96
50-64	79	13.2	241	1	2	8	16	28	46	86
65+	115	14.1	135	2	3	11	18	29	44	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2912	1.9	4	<1	<1	1	2	4	5	9
B. *Operated*	27	3.1	12	<1	1	2	3	7	13	14
2. MULTIPLE DX										
A. *Not Operated*	7973	4.2	29	<1	1	2	5	9	13	27
B. *Operated*	385	12.6	204	1	2	8	16	28	46	86
1. SINGLE DX	2939	1.9	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX	8358	4.6	40	<1	1	3	5	10	15	33
A. NOT OPERATED	10885	3.6	24	<1	1	2	4	8	11	24
B. OPERATED	412	11.9	196	1	1	7	16	27	43	83
TOTAL 0-19 YRS	2733	2.4	14	<1	<1	1	2	4	6	20
20-34	3861	3.3	26	<1	<1	2	3	7	11	25
35-49	1910	4.1	40	<1	1	2	4	9	14	36
50-64	1239	5.3	53	1	1	3	6	11	17	33
65+	1554	6.8	39	1	2	5	8	13	18	35
GRAND TOTAL	**11297**	**3.9**	**32**	**<1**	**1**	**2**	**4**	**8**	**13**	**28**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	659	1.4	1	<1	<1	1	1	2	3	6
20-34	363	1.9	20	<1	<1	1	2	3	4	10
35-49	159	1.8	2	<1	<1	1	2	3	5	7
50-64	104	2.3	7	<1	1	2	2	4	7	16
65+	35	2.3	11	1	1	1	2	3	6	20
B. *Operated*										
0-19 YRS	14	6.5	49	1	2	4	7	14	25	28
20-34	14	6.7	34	<1	2	4	9	17	19	20
35-49	5	3.4	11	<1	<1	3	5	9	9	9
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	318	2.3	16	<1	1	1	2	5	6	13
20-34	418	2.9	14	<1	<1	2	3	6	8	22
35-49	248	3.5	17	<1	1	2	5	7	9	19
50-64	176	4.0	60	<1	1	2	5	7	9	30
65+	156	5.2	35	1	1	3	6	10	16	34
B. *Operated*										
0-19 YRS	16	13.8	428	1	1	7	17	30	66	82
20-34	16	8.3	71	1	1	4	14	19	27	30
35-49	9	17.0	144	2	4	15	29	31	32	32
50-64	18	13.6	225	<1	1	5	23	36	45	50
65+	10	19.8	349	1	1	17	34	48	55	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1320	1.7	7	<1	<1	1	2	3	4	9
B. *Operated*	36	6.0	34	<1	1	4	7	13	19	28
2. MULTIPLE DX										
A. *Not Operated*	1316	3.3	24	<1	1	2	4	7	9	21
B. *Operated*	69	13.7	243	1	1	7	23	32	41	77
1. SINGLE DX	1356	1.8	9	<1	<1	1	2	3	4	11
2. MULTIPLE DX	1385	3.8	40	<1	1	2	4	7	11	31
A. NOT OPERATED	2636	2.5	17	<1	<1	1	2	5	7	17
B. OPERATED	105	11.1	184	1	1	5	15	30	35	67
TOTAL 0-19 YRS	1007	1.9	16	<1	<1	1	2	3	5	12
20-34	811	2.6	19	<1	<1	1	3	6	8	21
35-49	421	3.2	18	<1	1	2	3	7	9	26
50-64	300	4.0	57	<1	1	2	4	7	11	35
65+	202	5.4	57	1	1	3	6	12	19	42
GRAND TOTAL	**2741**	**2.8**	**26**	**<1**	**<1**	**1**	**3**	**6**	**8**	**25**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	287	1.9	4	1	1	1	2	3	5	11
20-34	192	2.1	4	<1	1	1	2	4	6	10
35-49	143	2.4	12	<1	<1	2	3	4	6	16
50-64	85	2.6	8	<1	1	2	3	5	8	17
65+	83	3.1	7	1	1	2	4	7	9	11
B. *Operated*										
0-19 YRS	4	14.0	239	4	4	7	23	37	37	37
20-34	14	5.3	20	<1	1	4	7	14	14	14
35-49	8	10.0	143	2	2	6	11	30	38	38
50-64	6	13.0	194	1	1	9	20	35	37	37
65+	6	12.5	56	2	2	14	15	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	271	3.3	36	1	1	2	3	7	9	27
20-34	259	3.2	21	1	1	2	3	6	10	28
35-49	216	3.8	22	1	1	2	4	8	11	26
50-64	268	4.6	17	1	1	3	6	9	13	21
65+	529	6.2	29	1	2	5	8	13	16	27
B. *Operated*										
0-19 YRS	19	16.6	352	<1	1	7	29	42	55	64
20-34	18	16.9	451	2	2	12	21	30	69	94
35-49	27	16.2	247	1	2	10	19	41	48	56
50-64	58	14.6	336	1	2	8	18	46	59	99+
65+	73	13.5	221	2	2	8	19	30	35	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	790	2.2	6	<1	1	1	2	4	6	12
B. *Operated*	38	9.6	100	1	1	6	14	22	37	38
2. MULTIPLE DX										
A. *Not Operated*	1543	4.6	27	1	1	3	6	10	14	27
B. *Operated*	195	14.8	288	1	2	9	19	38	53	97
1. SINGLE DX	828	2.6	13	<1	1	1	3	5	8	18
2. MULTIPLE DX	1738	5.7	67	1	1	3	7	12	19	42
A. NOT OPERATED	2333	3.8	21	1	1	2	5	8	11	21
B. OPERATED	233	14.0	260	1	2	8	19	37	49	95
TOTAL 0-19 YRS	581	3.1	38	1	1	2	3	6	9	38
20-34	483	3.3	37	<1	1	2	3	6	11	28
35-49	394	4.3	47	<1	1	2	4	9	15	38
50-64	417	5.7	76	1	1	3	6	11	19	52
65+	691	6.7	53	1	1	5	8	14	19	33
GRAND TOTAL	**2566**	**4.7**	**52**	**1**	**1**	**2**	**5**	**10**	**15**	**38**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	41	3.3	9	<1	1	2	5	6	9	16
20-34	75	3.4	22	<1	<1	2	4	8	9	30
35-49	36	6.4	73	<1	1	3	8	14	22	46
50-64	67	6.3	109	1	1	3	7	11	19	70
65+	85	5.5	30	<1	1	3	8	11	14	29
B. *Operated*										
0-19 YRS	204	5.2	29	<1	1	4	6	11	16	28
20-34	537	4.0	26	<1	<1	2	5	9	14	25
35-49	386	5.2	31	<1	1	3	7	12	15	31
50-64	627	7.4	61	1	1	5	10	17	22	41
65+	1189	7.1	51	1	2	4	10	17	22	33
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	56	4.6	26	1	1	3	5	9	15	27
20-34	108	4.6	31	<1	1	3	5	9	12	33
35-49	75	6.3	36	1	1	4	8	14	20	30
50-64	111	7.1	72	1	1	5	8	14	19	50
65+	200	7.8	66	1	1	5	10	17	26	49
B. *Operated*										
0-19 YRS	316	8.5	90	1	2	5	10	20	30	51
20-34	602	6.9	94	<1	1	4	8	16	23	58
35-49	619	7.9	78	1	1	5	10	18	26	42
50-64	1166	9.8	121	1	1	6	13	24	32	62
65+	2186	10.2	131	1	2	6	13	24	31	57
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	304	5.0	49	<1	<1	3	6	11	15	35
B. ***Operated***	2943	6.2	46	1	1	4	8	15	20	32
2. MULTIPLE DX										
A. ***Not Operated***	550	6.5	54	1	1	4	8	14	22	41
B. ***Operated***	4889	9.3	116	1	2	5	12	22	30	57
1. SINGLE DX	3247	6.1	47	<1	1	3	8	15	20	33
2. MULTIPLE DX	5439	9.0	110	1	1	5	11	22	30	55
A. NOT OPERATED	854	6.0	52	<1	1	4	7	12	19	36
B. OPERATED	7832	8.1	92	1	1	5	10	19	27	50
TOTAL 0-19 YRS	617	6.7	62	<1	1	4	8	15	23	43
20-34	1322	5.3	59	<1	<1	3	6	12	18	43
35-49	1116	6.8	60	1	1	4	9	16	22	41
50-64	1971	8.8	100	1	1	5	12	20	29	58
65+	3660	8.9	101	1	2	5	12	21	28	50
GRAND TOTAL	**8686**	**7.9**	**88**	**1**	**1**	**4**	**10**	**19**	**26**	**49**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	199	1.6	3	<1	<1	1	2	3	3	5
20-34	245	2.4	4	<1	1	2	3	4	5	8
35-49	166	2.7	6	1	1	2	3	6	7	11
50-64	164	2.8	3	1	1	3	4	5	6	7
65+	238	3.6	20	1	1	3	4	7	8	13
B. *Operated*										
0-19 YRS	192	1.8	6	<1	<1	1	2	3	4	16
20-34	301	2.3	4	<1	1	2	3	5	7	11
35-49	158	2.6	5	<1	1	2	3	6	8	12
50-64	81	3.8	12	1	1	3	5	9	12	17
65+	92	4.9	17	1	1	4	6	10	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	2.3	3	<1	<1	2	3	4	6	11
20-34	86	3.0	8	1	1	2	4	6	8	16
35-49	73	3.5	6	1	1	3	5	6	8	12
50-64	98	3.8	11	1	1	3	5	7	11	20
65+	211	4.9	15	1	1	4	6	9	12	21
B. *Operated*										
0-19 YRS	33	3.0	11	1	1	2	4	6	11	16
20-34	108	4.7	29	1	1	3	6	10	12	34
35-49	70	5.1	41	1	1	4	6	9	12	43
50-64	77	7.2	71	1	1	4	9	15	20	47
65+	126	8.8	105	1	2	5	10	21	25	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1012	2.6	8	<1	1	2	3	5	6	10
B. *Operated*	824	2.7	8	<1	1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	522	3.9	12	1	1	3	5	8	10	17
B. *Operated*	414	6.3	64	1	1	4	8	13	19	39
1. SINGLE DX	1836	2.7	8	<1	1	2	3	5	7	12
2. MULTIPLE DX	936	5.0	36	1	1	3	6	10	14	32
A. NOT OPERATED	1534	3.1	10	1	1	2	4	6	8	13
B. OPERATED	1238	3.9	30	<1	1	2	4	9	12	25
TOTAL 0-19 YRS	478	1.8	5	<1	<1	1	2	3	4	12
20-34	740	2.8	9	<1	1	2	3	6	8	13
35-49	467	3.1	12	1	1	2	4	6	8	13
50-64	420	4.0	21	1	1	3	5	8	12	22
65+	667	5.2	38	1	1	4	6	10	13	30
GRAND TOTAL	**2772**	**3.4**	**19**	**<1**	**1**	**2**	**4**	**7**	**10**	**21**

Distribution Tables

Table 1 displays total U.S. patients and days of care (after exclusions*) in each of the diagnosis groups except those for deliveries (groups 270-287) and newborn (groups 393-395). Also shown is the corresponding rate per 10,000 discharges and the rate per 10,000 days of care (excluding deliveries and newborn).

Table 1

Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List A: Hospital Diagnosis Groups 1979

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
1	Intestinal infectious disease	44,002	45.5	203	28.6
2	Respiratory tuberculosis	4,408	4.6	73	10.2
3	Nonrespiratory tuberculosis	917	0.9	13	1.9
4.	Streptococcal sore throat and scarlet fever	5,925	6.1	22	3.1
5	Septicemia	9,877	10.2	137	19.3
6	Miscellaneous bacterial diseases	4,379	4.5	42	6.0
7	Poliomyelitis and other enteroviral diseases of central nervous system	8,048	8.3	41	5.7
8	Viral diseases with exanthem	12,459	12.9	89	12.5
9	Viral hepatitis	9,561	9.9	84	11.8
10	Infectious mononucleosis	8,802	9.1	47	6.6
11	Viral warts	9,242	9.6	26	3.6
12	Miscellaneous viral diseases	24,590	25.5	111	15.6
13	Rickettsioses and other arthropod-borne diseases	1,347	1.4	8	1.2
14	Syphilis and other venereal diseases	4,524	4.7	27	3.8
15	Mycoses	3,473	3.6	35	4.9
16	Helminthiases	823	0.9	5	0.7
17	Miscellaneous infective and parasitic diseases	5,285	5.5	42	5.8
18	Late effects of infectious and parasitic diseases	375	0.4	4	0.5

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	4.8	9	1	2	4	6	8	11	75
20-34	165	4.7	11	2	2	4	6	8	10	17
35-49	153	6.1	20	2	2	5	8	12	16	21
50-64	92	6.3	18	2	2	5	8	12	15	23
65+	86	7.3	43	1	2	5	8	13	20	36
B. *Operated*										
0-19 YRS	75	6.3	24	1	2	5	8	11	15	26
20-34	168	7.9	34	2	2	7	10	16	22	28
35-49	128	7.8	56	1	2	6	10	14	22	40
50-64	103	8.5	40	1	2	7	12	17	20	30
65+	79	11.9	201	1	2	8	13	23	38	86
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	6.7	20	1	2	5	9	13	16	23
20-34	130	5.6	25	1	2	4	7	10	14	30
35-49	117	6.8	46	2	2	5	8	12	16	39
50-64	148	8.2	82	2	2	6	10	14	17	60
65+	162	9.5	41	2	3	7	13	19	24	30
B. *Operated*										
0-19 YRS	41	8.8	48	1	2	7	11	19	22	33
20-34	155	10.3	117	1	2	7	12	22	33	57
35-49	128	13.2	127	2	3	10	18	29	42	99+
50-64	198	15.5	224	2	3	11	20	38	49	75
65+	159	15.7	161	2	4	12	20	33	49	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	575	5.7	20	2	2	4	7	10	15	26
B. *Operated*	553	8.3	65	1	2	6	11	16	22	44
2. MULTIPLE DX										
A. *Not Operated*	618	7.6	48	2	2	6	9	15	18	32
B. *Operated*	681	13.5	162	2	3	10	18	29	42	67
1. SINGLE DX	1128	7.0	44	1	2	5	9	14	19	34
2. MULTIPLE DX	1299	10.7	116	2	2	7	13	22	32	59
A. NOT OPERATED	1193	6.7	35	2	2	5	8	13	17	29
B. OPERATED	1234	11.2	125	2	2	8	14	24	34	59
TOTAL 0-19 YRS	256	6.3	24	1	2	5	8	12	17	26
20-34	618	7.2	51	1	2	5	9	14	21	42
35-49	526	8.4	68	2	2	6	10	18	26	45
50-64	541	10.6	129	2	2	8	12	21	31	61
65+	486	11.5	116	2	3	8	14	23	30	58
GRAND TOTAL	**2427**	**9.0**	**86**	**2**	**2**	**6**	**11**	**19**	**27**	**54**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	3.2	10	1	1	2	4	8	9	15
20-34	80	4.5	18	1	1	3	6	8	13	25
35-49	68	5.1	18	1	1	4	7	11	14	19
50-64	75	4.4	11	<1	1	3	7	10	11	13
65+	62	6.4	18	1	2	5	8	13	15	18
B. *Operated*										
0-19 YRS	74	4.3	23	<1	<1	2	5	10	17	21
20-34	196	4.9	33	1	1	3	6	10	15	34
35-49	183	4.8	23	<1	1	4	6	10	13	24
50-64	182	7.2	69	1	1	4	10	15	21	43
65+	143	6.5	58	1	1	4	8	14	21	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	3.3	6	1	1	3	4	7	9	12
20-34	176	5.2	20	1	1	4	7	11	15	25
35-49	145	6.4	35	1	1	5	8	12	17	30
50-64	196	7.8	85	1	2	5	9	16	24	40
65+	239	7.5	39	1	2	6	9	14	19	35
B. *Operated*										
0-19 YRS	99	6.7	42	<1	1	4	10	17	22	27
20-34	250	9.5	157	1	1	5	11	22	38	93
35-49	263	8.3	76	1	2	6	11	18	26	49
50-64	408	10.2	135	1	2	6	12	25	35	68
65+	432	12.4	192	1	2	8	16	29	40	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	320	4.8	16	1	1	3	7	10	13	18
B. *Operated*	778	5.7	44	<1	1	3	7	12	17	37
2. MULTIPLE DX										
A. *Not Operated*	803	6.6	45	1	1	5	8	13	19	34
B. *Operated*	1452	10.2	141	1	2	6	12	23	35	69
1. SINGLE DX	1098	5.4	36	1	1	3	7	12	15	35
2. MULTIPLE DX	2255	8.9	110	1	2	6	11	20	30	62
A. NOT OPERATED	1123	6.1	37	1	1	4	8	12	16	31
B. OPERATED	2230	8.6	112	1	1	5	10	19	30	61
TOTAL 0-19 YRS	255	4.9	28	<1	1	3	6	11	17	24
20-34	702	6.6	77	1	1	4	8	13	21	58
35-49	659	6.6	48	1	1	5	8	14	19	41
50-64	861	8.5	102	1	1	5	10	18	29	49
65+	876	9.7	123	1	2	6	12	20	30	62
GRAND TOTAL	**3353**	**7.8**	**88**	**1**	**1**	**5**	**9**	**17**	**26**	**50**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	1.9	1	<1	1	1	3	4	4	4
20-34	15	3.1	5	1	1	3	3	7	8	8
35-49	5	5.4	16	2	2	4	7	12	12	12
50-64	6	4.5	22	<1	<1	3	6	12	13	13
65+	6	5.2	19	1	1	4	8	12	12	12
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	6.5	13	4	4	6	9	9	9	9
35-49	9	11.6	84	5	5	7	14	28	31	31
50-64	1	21.0		21	21	21	21	21	21	21
65+	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.3	7	<1	1	2	4	6	9	11
20-34	23	4.2	10	1	1	3	6	10	11	12
35-49	27	5.9	31	<1	1	4	8	16	19	22
50-64	31	3.6	15	1	1	2	5	8	14	17
65+	36	6.1	23	1	1	6	8	12	15	23
B. *Operated*										
0-19 YRS										
20-34	13	7.3	43	1	1	6	10	19	21	22
35-49	13	8.6	41	1	2	7	11	18	23	24
50-64	18	8.2	45	2	2	7	11	16	24	29
65+	14	15.9	414	1	2	9	12	62	64	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.3	9	1	1	2	4	7	12	13
B. *Operated*	15	10.1	67	4	4	6	11	23	29	31
2. MULTIPLE DX										
A. *Not Operated*	135	4.8	19	1	1	3	6	10	14	22
B. *Operated*	58	9.9	137	1	2	7	11	18	27	64
1. SINGLE DX	66	4.8	30	1	1	3	6	11	15	30
2. MULTIPLE DX	193	6.3	60	1	1	4	8	12	17	48
A. NOT OPERATED	186	4.4	17	1	1	3	6	10	12	21
B. OPERATED	73	10.0	121	1	2	7	11	21	28	64
TOTAL 0-19 YRS	38	2.6	4	<1	1	2	4	5	6	11
20-34	53	4.7	18	1	1	3	7	10	12	22
35-49	54	7.4	43	1	1	6	9	17	23	31
50-64	56	5.5	33	1	1	4	7	13	17	29
65+	58	8.3	129	1	1	6	9	13	20	64
GRAND TOTAL	**259**	**6.0**	**52**	**1**	**1**	**4**	**7**	**12**	**17**	**31**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	32	1.8	2	<1	<1	1	2	4	4	8
35-49	17	1.8	1	<1	<1	1	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	42	1.7	2	<1	<1	1	2	3	4	10
20-34	4646	1.5	2	<1	<1	1	2	3	3	5
35-49	1829	1.4	1	<1	<1	1	2	2	3	4
50-64	11	1.4		<1	<1	<1	2	3	3	3
65+	5	1.4	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	40	1.3	1	<1	<1	<1	1	2	4	5
35-49	18	1.4	2	<1	<1	1	1	3	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	35	3.9	36	<1	<1	2	4	6	20	29
20-34	2072	2.1	4	<1	<1	1	2	4	5	9
35-49	988	2.0	4	<1	<1	1	2	4	5	9
50-64	7	1.6	1	1	1	1	2	4	4	4
65+	6	1.2		<1	<1	1	1	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	1.8	2	<1	<1	1	2	4	4	8
B. *Operated*	6533	1.5	2	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	58	1.3	1	<1	<1	<1	1	2	4	6
B. *Operated*	3108	2.0	4	<1	<1	1	2	4	5	9
1. SINGLE DX	6583	1.5	2	<1	<1	1	2	3	3	5
2. MULTIPLE DX	3166	2.0	4	<1	<1	1	2	4	5	9
A. NOT OPERATED	108	1.6	1	<1	<1	1	2	3	4	7
B. OPERATED	9641	1.7	3	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	78	2.7	19	<1	<1	1	2	5	8	28
20-34	6790	1.7	3	<1	<1	1	2	3	4	7
35-49	2852	1.6	2	<1	<1	1	2	3	4	7
50-64	18	1.4	1	<1	<1	1	2	3	4	4
65+	11	1.3		<1	<1	1	1	2	3	3
GRAND TOTAL	**9749**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	103	2.7	1	1	1	2	3	4	5	7
1000-1499	19	4.7	84	<1	1	2	3	6	26	42
1500-1749	14	6.5	56	<1	<1	2	15	19	21	21
1750-2499	2443	2.8	4	1	1	2	3	5	6	11
2500+	127168	2.4	2	1	1	2	3	4	5	6
B. *Operated*										
1-999 G	1	3.0		3	3	3	3	3	3	3
1000-1499										
1500-1749										
1750-2499	4	5.8	28	1	1	4	9	13	13	13
2500+	123	3.2	3	1	2	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	104	7.4	300	<1	<1	3	5	10	64	96
1000-1499	207	25.4	364	<1	<1	27	37	50	58	85
1500-1749	301	19.9	148	<1	2	20	26	34	39	63
1750-2499	5140	6.3	31	1	2	5	8	14	18	25
2500+	52075	3.3	4	1	2	3	4	5	6	10
B. *Operated*										
1-999 G	39	35.8	1066	<1	<1	52	72	99+	99+	99+
1000-1499	184	42.6	440	<1	20	43	56	78	99+	99+
1500-1749	138	27.7	167	2	13	27	34	45	53	99+
1750-2499	530	14.7	141	2	4	13	19	26	34	80
2500+	1399	6.5	35	1	2	5	8	11	16	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129747	2.4	2	1	1	2	3	4	5	6
B. *Operated*	128	3.2	4	1	2	3	4	5	6	13
2. MULTIPLE DX										
A. *Not Operated*	57827	3.8	13	1	2	3	4	6	8	19
B. *Operated*	2290	13.1	236	1	2	7	16	36	51	99+
1. SINGLE DX	129875	2.4	2	1	1	2	3	4	5	6
2. MULTIPLE DX	60117	4.1	24	1	2	3	5	6	9	26
A. NOT OPERATED	187574	2.8	5	1	1	2	3	5	6	10
B. OPERATED	2418	12.6	228	1	2	7	15	34	49	99+
TOTAL 1-999 G	247	9.9	422	<1	<1	3	5	62	79	99+
1000-1499	410	32.1	491	<1	<1	34	48	67	84	99+
1500-1749	453	21.9	171	<1	2	21	29	38	44	69
1750-2499	8117	5.8	38	1	2	4	7	14	18	27
2500+	180765	2.7	3	1	1	2	3	5	5	8
GRAND TOTAL	**189992**	**2.9**	**9**	**1**	**1**	**2**	**3**	**5**	**6**	**13**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	1	3.0		3	3	3	3	3	3	3
1000-1499	5	6.2	135	<1	<1	<1	7	27	27	27
1500-1749	4	8.3	72	<1	<1	7	15	17	17	17
1750-2499	335	4.0	6	2	2	3	5	6	9	16
2500+	1110	3.5	3	1	2	3	4	5	6	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	3	4.0	3	2	2	5	5	5	5	5
2500+	3	2.7	4	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	13	8.4	396	<1	<1	<1	6	21	64	74
1000-1499	46	29.2	383	<1	<1	31	40	56	60	76
1500-1749	84	22.4	88	5	10	23	28	34	41	81
1750-2499	733	8.6	37	2	3	6	12	17	20	27
2500+	694	4.7	6	2	2	4	6	7	8	13
B. *Operated*										
1-999 G	10	18.8	796	<1	<1	1	50	87	99	99+
1000-1499	27	33.7	429	<1	<1	34	48	54	61	89
1500-1749	21	23.0	123	1	1	26	29	34	39	42
1750-2499	73	13.7	83	3	4	12	17	24	33	49
2500+	30	7.9	50	2	2	6	8	16	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1455	3.7	4	1	2	3	5	6	7	11
B. *Operated*	6	3.3	3	<1	<1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1570	8.2	68	2	2	5	9	18	25	42
B. *Operated*	161	17.5	249	1	2	14	26	38	52	88
1. SINGLE DX	1461	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX	1731	9.1	92	2	2	6	10	20	29	52
A. NOT OPERATED	3025	6.0	42	2	2	4	6	12	19	34
B. OPERATED	167	17.0	247	1	2	13	24	38	52	87
TOTAL 1-999 G	24	12.5	549	<1	<1	1	12	74	84	99+
1000-1499	78	29.3	417	<1	<1	31	42	54	59	85
1500-1749	109	22.0	100	1	7	23	29	33	41	68
1750-2499	1144	7.6	37	2	2	5	10	17	19	27
2500+	1837	4.0	5	2	2	4	5	6	7	12
GRAND TOTAL	**3192**	**6.6**	**59**	**2**	**2**	**4**	**6**	**15**	**22**	**41**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	1	3.0		3	3	3	3	3	3	3
1000-1499										
1500-1749										
1750-2499	15	2.6	6	<1	1	2	3	4	9	11
2500+	351	2.0	1	<1	1	2	3	3	4	5
B. *Operated*										
1-999 G										
1000-1499	1	56.0		56	56	56	56	56	56	56
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	4	32.0	461	2	2	37	46	52	52	52
1500-1749	4	19.8	44	14	14	18	24	29	29	29
1750-2499	61	6.6	44	1	1	4	9	17	20	30
2500+	169	3.5	6	1	1	3	4	7	9	12
B. *Operated*										
1-999 G	1	78.0		78	78	78	78	78	78	78
1000-1499	4	27.3	355	1	1	32	40	44	44	44
1500-1749	2	27.5	13	25	25	30	82	99+	99+	99+
1750-2499	11	12.3	65	2	2	13	20	23	25	25
2500+	18	4.2	8	1	1	4	5	7	11	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	2.0	1	<1	1	2	3	3	4	5
B. *Operated*	1	56.0		56	56	56	56	56	56	56
2. MULTIPLE DX										
A. *Not Operated*	238	5.0	40	1	1	3	5	11	16	34
B. *Operated*	36	12.6	249	1	1	6	21	36	66	99+
1. SINGLE DX	368	2.1	9	<1	1	2	3	3	4	5
2. MULTIPLE DX	274	6.0	73	1	1	3	6	14	24	50
A. NOT OPERATED	605	3.2	18	1	1	2	3	5	9	23
B. OPERATED	37	13.7	293	1	1	6	21	42	69	99+
TOTAL 1-999 G	2	40.5	2813	3	3	40	78	78	78	78
1000-1499	9	32.6	389	1	1	37	46	54	56	56
1500-1749	6	22.3	45	14	14	25	30	86	99+	99+
1750-2499	87	6.6	46	1	1	4	10	17	21	29
2500+	538	2.5	3	1	1	2	3	4	6	10
GRAND TOTAL	**642**	**3.8**	**40**	**1**	**1**	**2**	**3**	**6**	**13**	**37**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.0	4	<1	<1	1	2	4	6	10
20-34	28	2.4	2	<1	1	2	3	4	5	7
35-49	16	1.7	2	<1	<1	1	2	4	5	5
50-64	10	2.6	5	1	1	2	3	6	8	8
65+	9	3.6	10	<1	<1	2	5	9	10	10
B. *Operated*										
0-19 YRS	750	2.1	3	<1	<1	2	3	4	5	8
20-34	1210	2.4	4	<1	<1	2	3	4	5	11
35-49	478	2.6	5	<1	<1	2	3	5	6	11
50-64	414	2.8	7	<1	1	2	3	5	5	13
65+	273	4.1	16	<1	1	3	5	8	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.5	84	<1	<1	1	3	15	31	32
20-34	12	1.8	3	<1	<1	1	2	4	7	7
35-49	9	2.0	3	<1	<1	1	3	5	6	6
50-64	12	3.2	10	<1	<1	2	4	8	11	11
65+	4	4.3	34	1	1	2	7	13	13	13
B. *Operated*										
0-19 YRS	117	2.7	5	<1	1	2	3	5	6	14
20-34	192	4.0	21	1	1	3	4	7	11	26
35-49	111	4.0	13	<1	1	3	5	8	12	18
50-64	116	4.9	40	1	1	3	5	11	14	37
65+	150	8.4	125	1	2	6	9	17	22	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	2.3	4	<1	<1	2	3	5	7	10
B. *Operated*	3125	2.5	5	<1	<1	2	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	48	3.0	25	<1	<1	1	3	7	11	32
B. *Operated*	686	4.9	46	1	1	3	5	10	15	27
1. SINGLE DX	3219	2.5	5	<1	<1	2	3	4	6	12
2. MULTIPLE DX	734	4.8	45	<1	1	3	5	10	14	27
A. NOT OPERATED	142	2.5	11	<1	<1	1	3	5	7	15
B. OPERATED	3811	3.0	14	<1	<1	2	3	5	7	18
TOTAL 0-19 YRS	909	2.2	4	<1	<1	2	3	4	5	9
20-34	1442	2.6	6	<1	<1	2	3	4	6	14
35-49	614	2.8	7	<1	<1	2	3	5	7	14
50-64	552	3.2	15	<1	1	2	4	5	8	16
65+	436	5.6	58	1	1	3	6	12	16	29
GRAND TOTAL	**3953**	**3.0**	**14**	**<1**	**<1**	**2**	**3**	**5**	**7**	**18**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49										
50-64	8	1.1		1	1	1	1	2	2	2
65+										
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	5	1.0		<1	<1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	4.1	18	1	1	3	4	10	16	17
20-34	22	1.7	1	1	1	1	2	3	4	4
35-49	4	1.8		1	1	2	2	2	2	2
50-64	12	2.7	21	<1	<1	1	2	7	16	17
65+	18	1.7	2	1	1	1	2	3	5	7
B. *Operated*										
0-19 YRS	3	8.3	121	1	1	3	16	21	21	21
20-34	9	2.6	2	<1	<1	2	3	5	6	6
35-49	29	2.0	4	<1	<1	1	2	4	5	10
50-64	30	4.7	83	<1	<1	2	3	7	27	46
65+	25	2.0	1	<1	1	2	2	3	4	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.1		<1	<1	1	1	2	2	2
B. *Operated*	7	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	77	2.5	10	1	1	2	3	4	6	17
B. *Operated*	96	3.1	32	<1	<1	2	3	5	7	37
1. SINGLE DX	18	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX	173	2.8	22	<1	<1	2	3	4	7	26
A. NOT OPERATED	88	2.3	9	1	1	1	2	4	5	17
B. OPERATED	103	3.0	30	<1	<1	2	3	4	7	36
TOTAL 0-19 YRS	24	4.7	28	1	1	3	4	16	18	21
20-34	35	1.9	1	<1	1	2	2	3	4	6
35-49	34	2.0	3	<1	<1	1	2	4	5	10
50-64	55	3.4	51	<1	<1	1	3	5	15	45
65+	43	1.9	2	<1	1	2	2	3	4	7
GRAND TOTAL	**191**	**2.7**	**20**	**<1**	**<1**	**2**	**3**	**4**	**6**	**25**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1083	2.1	15	<1	<1	1	2	4	6	16
20-34	2057	1.6	5	<1	<1	<1	1	3	5	9
35-49	568	2.6	11	<1	<1	1	3	5	7	18
50-64	556	2.9	17	<1	<1	2	3	5	9	24
65+	497	5.4	50	<1	1	3	7	14	18	46
B. *Operated*										
0-19 YRS	647	2.6	11	<1	<1	1	3	6	8	15
20-34	1868	2.7	9	<1	<1	2	3	6	8	14
35-49	965	3.5	16	<1	<1	2	4	8	10	18
50-64	758	4.1	16	<1	1	2	6	10	11	20
65+	749	4.7	27	<1	1	2	7	11	13	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1232	3.4	32	<1	<1	2	4	6	10	24
20-34	1440	4.7	58	<1	<1	2	4	11	21	39
35-49	1253	6.0	71	<1	1	3	6	19	22	47
50-64	2489	5.2	56	1	1	3	5	11	21	37
65+	2755	6.4	74	1	1	4	6	16	24	46
B. *Operated*										
0-19 YRS	468	4.4	54	<1	1	2	5	9	17	53
20-34	1287	3.7	28	<1	1	2	4	8	11	29
35-49	1019	5.0	43	1	1	3	6	10	16	37
50-64	1405	5.5	62	1	1	3	7	12	18	46
65+	1483	6.6	70	1	1	3	9	14	22	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4761	2.4	16	<1	<1	1	2	5	8	20
B. *Operated*	4987	3.3	15	<1	<1	2	4	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	9169	5.4	61	<1	1	3	5	13	21	42
B. *Operated*	5662	5.2	54	1	1	3	6	11	17	44
1. SINGLE DX	9748	2.9	15	<1	<1	1	3	7	10	19
2. MULTIPLE DX	14831	5.3	58	<1	1	3	6	12	20	42
A. NOT OPERATED	13930	4.4	48	<1	<1	2	5	10	19	36
B. OPERATED	10649	4.3	36	<1	1	2	5	10	14	32
TOTAL 0-19 YRS	3430	3.0	26	<1	<1	2	3	6	9	23
20-34	6652	3.0	23	<1	<1	1	3	6	10	26
35-49	3805	4.6	42	<1	1	2	5	10	19	32
50-64	5208	4.9	48	1	1	2	5	10	18	36
65+	5484	6.2	65	1	1	3	7	14	22	46
GRAND TOTAL	**24579**	**4.3**	**43**	**<1**	**<1**	**2**	**5**	**10**	**16**	**35**

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
19 Malignant neoplasm of lip, oral cavity, and pharynx	10,888	11.3	112	15.8
20 Malignant neoplasm of esophagus	3,762	3.9	58	8.2
21 Malignant neoplasm of stomach	7,393	7.7	126	17.8
22 Malignant neoplasm of small intestine	871	0.9	16	2.2
23 Malignant neoplasm of colon	31,020	32.1	525	73.8
24 Malignant neoplasm of rectum, rectosigmoid junction and anus	17,370	18.0	297	41.8
25 Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	5,194	5.4	84	11.7
26 Malignant neoplasm of pancreas	7,278	7.5	126	17.7
27 Malignant neoplasm of bronchus, lung, and trachea	53,623	55.5	700	98.4
28 Other malignant neoplasm of respiratory system and thoracic cavity	7,712	8.0	83	11.7
29 Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	5,642	5.8	58	8.2
30 Malignant melanoma of skin, excluding genital organs	5,285	5.5	43	6.0
31 Other malignant neoplasm of skin, excluding genital organs	11,635	12.0	60	8.5
32 Malignant neoplasm of breast (female) (male)	45,939	47.5	469	66.0
33 Malignant neoplasm of cervix uteri excluding carcinoma in situ	11,000	11.4	88	12.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
34 Malignant neoplasm of corpus uteri	16,148	16.7	136	19.2
35 Malignant neoplasm of ovary	10,687	11.1	115	16.1
36 Malignant neoplasm of other female genital organs	2,206	2.3	26	3.6
37 Malignant neoplasm of prostate	34,890	36.1	369	51.9
38 Malignant neoplasm of male genitalia, except prostate	2,731	2.8	22	3.1
39 Malignant neoplasm of bladder	29,683	30.7	248	34.8
40 Malignant neoplasm of kidney and other urinary organs	7,299	7.6	106	14.9
41 Malignant neoplasm of eye	751	0.8	4	0.6
42 Malignant neoplasm of brain	5,497	5.7	97	13.7
43 Malignant neoplasm of other parts of nervous system	481	0.5	9	1.2
44 Malignant neoplasm of endocrine glands	4,150	4.3	32	4.5
45 Malignant neoplasm of ill-defined and secondary sites	62,122	64.3	758	106.5
46 Hodgkin's disease	5,389	5.6	51	7.1
47 Lymphoid leukemia	5,098	5.3	52	7.3
48 Leukemia, except lymphoid	7,237	7.5	87	12.3
49 Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	21,089	21.8	249	35.0
50 Benign neoplasm of lip, oral cavity, and pharynx	5,008	5.2	21	2.9
51 Benign neoplasm of other parts of digestive system	18,202	18.8	119	16.7
52 Benign neoplasm of respiratory system and intrathoracic organs	3,159	3.3	16	2.3
53 Benign neoplasm of bone, muscle, and connective tissue	27,300	28.3	103	14.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
54	Benign neoplasm of skin, blood vessels, and miscellaneous sites	12,500	12.9	46	6.5
55	Benign neoplasm of breast	16,452	17.0	43	6.0
56	Uterine leiomyoma	60,817	62.9	443	62.3
57	Benign neoplasm of uterus, except leiomyoma	1,901	2.0	10	1.5
58	Benign neoplasm of ovary	9,110	9.4	71	9.9
59	Benign neoplasm of female genitalia, except uterus and ovary	905	0.9	4	0.6
60	Benign neoplasm of male genital organ	637	0.7	3	0.4
61	Benign neoplasm of urinary organ	1,506	1.6	7	1.0
62	Benign neoplasm of eye	466	0.5	1	0.2
63	Benign neoplasm of central nervous system	3,225	3.3	55	7.7
64	Benign neoplasm of thyroid glands	7,852	8.1	41	5.7
65	Benign neoplasm of endocrine glands, except thyroid	2,130	2.2	23	3.3
66	Carcinoma in situ of cervix	13,481	14.0	73	10.3
67	Carcinoma in situ, except cervix uteri	4,580	4.7	34	4.8
68	Neoplasms of uncertain behavior and unspecified nature	21,274	22.0	160	22.4
69	Simple and non-toxic nodular goiter	8,994	9.3	51	7.2
70	Other diseases of thyroid gland	15,530	16.1	120	16.8
71	Diabetes mellitus without complication	80,254	83.1	733	103.1
72	Diabetic acidosis or coma	18,113	18.7	153	21.5
73	Other complicated diabetes mellitus	47,044	48.7	543	76.3
74	Ovarian dysfunction	3,696	3.8	17	2.4

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
75 Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	18,047	18.7	132	18.5
76 Nutritional deficiencies	3,341	3.5	44	6.2
77 Cystic fibrosis	1,248	1.3	13	1.9
78 Obesity of nonendocrine origin	8,527	8.8	81	11.4
79 Miscellaneous metabolic disorders	10,153	10.5	76	10.7
80 Gout	4,619	4.8	35	5.0
81 Disorders of fluid, electrolyte, and acid-base balance	27,186	28.1	249	35.0
82 Iron deficiency anemia	15,239	15.8	128	18.0
83 Sickle-cell anemia and trait	6,949	7.2	50	7.0
84 Anemia except iron deficiency and sickle-cell	26,356	27.3	219	30.8
85 Hemophilia (congenital factor VIII disorder)	754	0.8	5	0.7
86 Disease of hematopoietic system, except anemia and hemophilia	13,111	13.6	112	15.8
87 Nonspecific mesenteric lymphadenitis	12,221	12.6	41	5.8
88 Lymphatic disease, except acute lyphadenitis and mesenteric adenitis	4,263	4.4	20	2.8
89 Transient organic psychotic conditions	1,564	1.6	20	2.8
90 Chronic organic brain syndrome, except arteriosclerotic dementia	24,192	25.0	302	42.5
91 Arteriosclerotic dementia	2,283	2.4	32	4.5
92 Alcoholic psychoses	10,957	11.3	89	12.6
93 Drug psychoses	2,243	2.3	21	2.9
94 Paranoid schizophrenia	17,159	17.8	275	38.6
95 Acute schizophrenic episode	1,556	1.6	24	3.4
96 Miscellaneous schizophrenia	32,228	33.4	537	75.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
97	Childhood psychosis	132	0.1	3	0.4
98	Major depressive psychoses	19,908	20.6	339	47.7
99	Other affective psychoses	13,937	14.4	235	33.0
100	Miscellaneous psychoses	15,142	15.7	229	32.2
101	Anxiety states	20,037	20.7	135	19.0
102	Neurotic depression	55,160	57.1	723	101.6
103	Miscellaneous neuroses and personality disorders	19,020	19.7	196	27.5
104	Alcoholic dependence syndrome	74,022	76.6	841	118.2
105	Opioid dependence	3,067	3.2	39	5.5
106	Drug dependence except opioid	2,943	3.0	46	6.4
107	Nondependent abuse of alcohol	6,255	6.5	24	3.4
108	Nondependent abuse of drugs, except alcohol	2,055	2.1	18	2.6
109	Psychophysiologic disorder	9,037	9.4	52	7.4
110	Adjustment reactions and acute reactions to stress	17,203	17.8	152	21.4
111	Miscellaneous mental disorders	29,450	30.5	302	42.5
112	Mental retardation	1,484	1.5	17	2.3
113	Inflammatory diseases of central nervous system	7,572	7.8	101	14.1
114	Parkinson's disease	7,479	7.7	96	13.5
115	Multiple sclerosis	6,590	6.8	79	11.1
116	Epilepsy	18,925	19.6	114	16.1
117	Miscellaneous disease of central nervous system	38,235	39.6	410	57.7
118	Migraine	14,859	15.4	74	10.4
119	Carpal tunnel syndrome and other lesions of median nerve	29,398	30.4	93	13.1
120	Peripheral nervous system disorder, except sciatica	40,295	41.7	273	38.4
121	Retinal detachment and defects	11,462	11.9	66	9.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days
122 Open angle and primary closure glaucoma	7,001	7.2	31	4.3
123 Other glaucoma	3,460	3.6	17	2.3
124 Senile cataract	133,514	138.2	506	71.1
125 Cataract, except senile	5,170	5.4	18	2.5
126 Strabismus	19,678	20.4	43	6.1
127 Miscellaneous disorders of superficial structures of eye	25,495	26.4	81	11.5
128 Miscellaneous disorders of deep structures of eye	16,124	16.7	79	11.1
129 Other disorders of eye	2,850	2.9	13	1.9
130 Otitis media, chronic and unspecified	64,951	67.2	145	20.4
131 Other inflammation of ear and mastoid	12,082	12.5	38	5.4
132 Vertiginous syndromes	19,199	19.9	103	14.5
133 Otosclerosis	7,447	7.7	21	2.9
134 Miscellaneous diseases of ear	19,521	20.2	53	7.5
135 Rheumatic fever, acute	2,345	2.4	22	3.1
136 Chronic rheumatic heart disease	12,895	13.3	125	17.6
137 Essential hypertension	58,878	60.9	418	58.8
138 Hypertensive heart disease	31,356	32.5	306	43.0
139 Miscellaneous hypertensive disease	6,771	7.0	70	9.9
140 Acute myocardial infarction	119,295	123.5	1,770	248.8
141 Angina pectoris	77,141	79.8	515	72.4
142 Other acute and subacute forms of ischemic heart disease	49,591	51.3	420	59.1
143 Miscellaneous ischemic heart disease	149,929	155.2	1,303	183.2
144 Pulmonary embolism and infarction	18,875	19.5	257	36.1
145 Acute and subacute endocarditis	1,553	1.6	48	6.7

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
146 Paroxysmal supraventricular tachycardia	9,878	10.2	50	7.1
147 Atrial fibrillation and flutter	33,541	34.7	243	34.2
148 Other arrhythmia and conduction disorders	59,826	61.9	498	70.0
149 Heart failure	133,282	137.9	1,478	207.8
150 Miscellaneous diseases of heart	42,868	44.4	386	54.3
151 Cardiovascular disease, unspecified	17,597	18.2	177	24.9
152 Subarachnoid hemorrhage without paralysis	2,085	2.2	47	6.6
153 Subarachnoid hemorrhage with paralysis	129	0.1	5	0.7
154 Intracerebral hemorrhage without paralysis	3,804	3.9	71	10.0
155 Intracerebral hemorrhage with paralysis	718	0.7	21	2.9
156 Precerebral artery occlusion without paralysis	17,130	17.7	169	23.8
157 Precerebral occlusion with paralysis	830	0.9	15	2.2
158 Occlusion of cerebral arteries, thrombosis and embolism without paralysis	17,525	18.1	258	36.2
159 Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	6,471	6.7	133	18.7
160 Transient cerebral ischemia without paralysis	50,705	52.5	389	54.6
161 Acute, but ill-defined, cerebrovascular disease without paralysis	40,539	42.0	611	85.9
162 Acute, but ill-defined, cerebrovascular disease with paralysis	13,260	13.7	267	37.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
163	Other and ill-defined cerebrovascular disease	35,480	36.7	380	53.4
164	Atherosclerosis	20,362	21.1	265	37.3
165	Aortic aneurysm	10,542	10.9	152	21.3
166	Aneurysm except aortic	2,596	2.7	35	5.0
167	Arterial embolism and thrombosis	18,242	18.9	242	34.0
168	Miscellaneous diseases of arteries	20,155	20.9	241	33.9
169	Phlebitis and thrombophlebitis	48,488	50.2	512	72.0
170	Varicose veins of lower extremities	27,241	28.2	231	32.5
171	Hemorrhoids	54,894	56.8	328	46.2
172	Miscellaneous diseases of veins and circulatory system	26,155	27.1	225	31.7
173	Acute URI except streptococcal	83,925	86.9	327	46.0
174	Bronchitis and bronchiolitis, acute	79,430	82.2	482	67.7
175	Deviated nasal septum	41,665	43.1	118	16.6
176	Nasal polyp	6,660	6.9	19	2.7
177	Chronic disease of tonsils and adenoids	185,695	192.2	360	50.6
178	Miscellaneous diseases of upper respiratory system	45,146	46.7	160	22.5
179	Pneumonia	196,466	203.3	1,627	228.8
180	Influenza	12,797	13.2	66	9.2
181	Bronchitis, chronic and unspecified	49,239	51.0	339	47.7
182	Emphysema	15,061	15.6	152	21.4
183	Asthma	98,950	102.4	597	84.0
184	Miscellaneous obstructive lung diseases	67,026	69.4	669	94.1
185	Spontaneous pneumothorax	10,306	10.7	86	12.1
186	Miscellaneous lung and pleural diseases	53,800	55.7	512	72.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
187 Disease of teeth and jaws	73,154	75.7	181	25.4
188 Disease of mouth, except dental	10,919	11.3	50	7.0
189 Diseases of esophagus	36,229	37.5	255	35.9
190 Gastric ulcer without complication	19,941	20.6	172	24.1
191 Gastric ulcer with hemorrhage or perforation	11,800	12.2	128	18.0
192 Nongastric peptic ulcer without complication	42.538	44.0	302	42.5
193 Nongastric peptic ulcer with hemorrhage or perforation	24,704	25.6	234	32.9
194 Peptic ulcer with obstruction	4,138	4.3	61	8.6
195 Gastritis and duodenitis	83,397	86.3	495	69.7
196 Disease of stomach and duodenum, except ulcer and inflammation	22,426	23.2	156	21.9
197 Acute appendicitis without peritonitis	54,359	56.3	253	35.6
198 Acute appendicitis with peritonitis	19,100	19.8	190	26.7
199 Disease of appendix, except acute appendicitis	10,922	11.3	57	8.0
200 Inguinal hernia without complication	153,037	158.4	730	102.6
201 Inguinal hernia, complicated	9,473	9.8	63	8.8
202 Umbilical hernia without complication	12,340	12.8	53	7.4
203 Ventral hernia without complication	22,390	23.2	167	23.4
204 Diaphragmatic hernia without complication	36.418	37.7	250	35.1
205 Other hernia of abdominal cavity without complication	4,727	4.9	31	4.3
206 Complicated hernia of abdominal cavity, except inguinal	10,926	11.3	102	14.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5
207	Intestinal obstruction without mention of hernia	39,533	40.9	448	63.1
208	Noninfectious gastroenteritis and colitis	143,510	148.5	695	97.7
209	Diverticula of intestine	63,333	65.5	562	79.0
210	Anal fissure, fistula, and abscess	32,891	34.0	167	23.5
211	Miscellaneous diseases of intestine and peritoneum	113,749	117.7	898	126.2
212	Alcoholic liver disease	14,279	14.8	192	27.1
213	Other cirrhosis and chronic liver disease	14,018	14.5	153	21.5
214	Miscellaneous diseases of liver	11,592	12.0	122	17.1
215	Gallbladder disease with calculus	134,463	139.2	1,302	183.1
216	Gallbladder disease without mention of calculus	40,982	42.4	370	52.0
217	Diseases of bile ducts with calculus	10,263	10.6	127	17.9
218	Diseases of bile ducts without mention of calculus	6,194	6.4	80	11.3
219	Diseases of pancreas	34,416	35.6	355	49.9
220	Gastrointestinal hemorrhage	35,900	37.2	302	42.4
221	Intestinal malabsorption	3,103	3.2	32	4.5
222	Chronic glomerulonephritis and nephrotic syndrome	5,817	6.0	54	7.6
223	Miscellaneous nephritis and functional disorders	1,384	1.4	11	1.6
224	Chronic renal failure	13,269	13.7	140	19.7
225	Other renal failure	5,375	5.6	75	10.6
226	Acute pyelonephritis	15,135	15.7	104	14.7
227	Miscellaneous kidney infections	18,290	18.9	136	19.1
228	Calculus of kidney	26,594	27.5	182	25.5
229	Calculus of ureter	69,126	71.5	345	48.5
230	Miscellaneous diseases of kidney and ureter	22,342	23.1	185	26.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
231	Urinary calculus, except kidney and ureter	8,933	9.2	55	7.8
232	Cystitis	38,879	40.2	205	28.8
233	Urethral stricture	35,333	36.6	143	20.1
234	Miscellaneous urinary diseases	105,221	108.9	667	93.7
235	Hyperplasia of prostate	88,976	92.1	791	111.2
236	Diseases of prostate, except hypertrophy	14,736	15.3	69	9.7
237	Hydrocele	10,165	10.5	41	5.8
238	Orchitis and epididymitis	9,645	10.0	58	8.1
239	Redundant prepuce and phimosis	19,255	19.9	47	6.6
240	Miscellaneous diseases of male genital organs	17,862	18.5	68	9.6
241	Benign mammary dysplasia	52,574	54.4	156	21.9
242	Miscellaneous diseases of breast	20,590	21.3	76	10.6
243	Ovarian cyst	37,240	38.5	216	30.4
244	Pelvic inflammatory disease	65,002	67.3	390	54.8
245	Endometriosis	40,030	41.4	260	36.6
246	Inflammatory disease of cervix uteri	16,220	16.8	70	9.8
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	18,771	19.4	66	9.3
248	Genital prolapse	58,313	60.4	486	68.3
249	Metrorrhagia	7,921	8.2	24	3.4
250	Other disorders of menstruation	128,423	132.9	439	61.7
251	Menopausal and postmenopausal disorders	25,363	26.3	76	10.7
252	Miscellaneous diseases of female genitalia	71,159	73.6	306	43.1
253	Signs and symptoms referable to female genital organs	48,838	50.5	265	37.3
254	Ectopic pregnancy	13,749	14.2	81	11.5
255	Legally induced abortion	48,424	50.1	78	11.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
256 Other induced abortion	91	0.1	<1	0.0
257 Spontaneous and unspecified abortion	83,445	86.4	153	21.5
258 Other pregnancy with abortive outcome	12,437	12.9	30	4.2
259 Threatened abortion	11,635	12.0	33	4.6
260 Other early pregnancy hemorrhage	890	0.9	2	0.3
261 Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	8,928	9.2	35	4.9
262 Excessive vomiting in pregnancy	9,025	9.3	36	5.1
263 False labor	52,644	54.5	69	9.7
264 Placenta previa without delivery	3,385	3.5	13	1.8
265 Other antepartum hemorrhage without delivery	4,733	4.9	12	1.7
266 Infections of pregnancy without delivery	8,022	8.3	29	4.1
267 Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	6,885	7.1	32	4.5
268 Miscellaneous complications of pregnancy without delivery	20,818	21.5	66	9.2
269 Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	7,112	7.4	40	5.6
288 Major puerperal infections	1,766	1.8	8	1.2
289 Puerperal hemorrhage (after 24 hrs.)	4,678	4.8	11	1.5
290 Other puerperal complications	2,886	3.0	12	1.7

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
291	Cellulitis and abscess, except digit	49,264	51.0	416	58.5
292	Miscellaneous infections of skin and subcutaneous tissue	15,198	15.7	113	15.8
293	Pilonidal cyst	19,359	20.0	86	12.1
294	Sebaceous cyst	8,630	8.9	22	3.1
295	Miscellaneous diseases of skin and subcutaneous tissue	68,776	71.2	601	84.6
296	Diffuse diseases of connective tissue	6,707	6.9	79	11.0
297	Rheumatoid arthritis, except spine	22,277	23.1	256	36.0
298	Osteoarthrosis (osteoarthritis), except spine	48,590	50.3	611	85.9
299	Other arthropathies	15,245	15.8	147	20.7
300	Internal derangement of knee joint	46,879	48.5	227	31.9
301	Other disorders of joint	36,115	37.4	204	28.7
302	Ankylosing spondylitis	767	0.8	7	1.0
303	Spondylosis and allied disorders	31,466	32.6	294	41.3
304	Derangement and displacement of lumbar disc	98,806	102.3	1,041	146.4
305	Derangement and displacement of intervertebral disc, except lumbar	28,056	29.0	271	38.1
306	Sacroiliac joint disorder	13,734	14.2	119	16.7
307	Sciatica	7,643	7.9	73	10.3
308	Other dorsopathies	80,127	82.9	693	97.4
309	Bursitis and synovitis, except spine	41,188	42.6	188	26.5
310	Bunion and deformities of toe	38,223	39.6	184	25.9
311	Ganglion and cyst	24,035	24.9	65	9.1
312	Osteomyelitis	8,377	8.7	141	19.8
313	Localized disorders of bone and cartilage	50,025	51.8	449	63.1

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
314	Acquired deformities of limbs, except toe	8,620	8.9	45	6.3
315	Neuralgia, neuritis, and radiculitis, unspecified	3,966	4.1	34	4.8
316	Miscellaneous disorders of musculoskeletal system	53,969	55.9	323	45.4
317	Somatic dysfunction	1,650	1.7	13	1.8
318	Congenital anomaly of nervous system	2,128	2.2	20	2.8
319	Congenital anomaly of eye, ear, face, and neck	9,299	9.6	26	3.7
320	Congenital anomaly of heart and circulatory system	10,044	10.4	70	9.8
321	Cleft palate and lip	2,923	3.0	12	1.7
322	Congenital hypertrophic pyloric stenosis	2,140	2.2	10	1.4
323	Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	6,254	6.5	40	5.7
324	Undescended testicle	7,383	7.6	26	3.6
325	Miscellaneous congenital anomalies of genitourinary system	12,154	12.6	70	9.8
326	Clubfoot	3,936	4.1	19	2.6
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	24,524	25.4	151	21.2
328	Perinatal conditions causing morbidity and mortality	11,266	11.7	75	10.5
329	Convulsions	44,153	45.7	240	33.7
330	Pyrexia of unknown origin	18,430	19.1	118	16.6
331	Headache	24,243	25.1	129	18.2
332	Epistaxis	13,169	13.6	65	9.2

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
333	Signs and symptoms referable to the cardiovascular system, except gangrene	9,957	10.3	51	7.1
334	Gangrene	8,776	9.1	190	26.7
335	Chest pain	82,485	85.4	392	55.1
336	Other signs and symptoms referable to respiratory system and chest	16,204	16.8	105	14.8
337	Signs and symptoms referable to urinary system	23,556	24.4	137	19.3
338	Abdominal pain	90,476	93.6	429	60.4
339	Other signs and symptoms referable to upper GI tract and abdomen	20,241	20.9	133	18.7
340	Miscellaneous signs, symptoms, and ill-defined conditions	111,329	115.2	717	100.8
341	Fracture of vault of skull	7,686	8.0	55	7.8
342	Fracture of base of skull	5,163	5.3	41	5.7
343	Fracture of face bones	32,005	33.1	138	19.5
344	Fracture of vertebral column without mention of spinal cord injury	28,543	29.5	315	44.3
345	Fracture of vertebral column with cord injury	1,808	1.9	38	5.3
346	Fracture of ribs, sternum, larynx and trachea	18,682	19.3	155	21.8
347	Fracture of pelvis	14,592	15.1	239	33.6
348	Fracture of humerus	24,980	25.9	208	29.3
349	Fracture of radius and ulna	38,411	39.8	168	23.7
350	Miscellaneous fractures of upper extremity	18,080	18.7	64	9.0
351	Fracture of neck of femur	64,926	67.2	1,320	185.6
352	Other femoral fracture	18,072	18.7	440	61.8
353	Fracture of tibia and fibula	29,683	30.7	284	39.9
354	Miscellaneous fractures of lower extremity	50,279	52.0	366	51.4
355	Fracture of other bones	6,154	6.4	39	5.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
356	Fracture of multiple bones	551	0.6	7	0.9
357	Dislocation of shoulder	7,163	7.4	29	4.1
358	Dislocation of knee	36,668	38.0	190	26.7
359	Other dislocation	9,705	10.0	72	10.1
360	Sprains and strains of knee and leg	11,291	11.7	61	8.6
361	Sprains and strains of sacroiliac region	47,938	49.6	384	54.0
362	Sprains and strains of other and unspecified parts of back	43,271	44.8	309	43.4
363	Other sprains and strains	16,347	16.9	77	10.9
364	Concussion	65,726	68.0	242	34.1
365	Intracranial injury, except concussion	21,788	22.6	174	24.5
366	Internal injury to thoracic region	5,701	5.9	51	7.2
367	Internal injury, except chest	13,906	14.4	133	18.7
368	Laceration or enucleation of eye	6,227	6.4	27	3.8
369	Other laceration of head and neck	24,345	25.2	106	14.9
370	Other laceration of trunk and multiple and unspecified sites	13,132	13.6	81	11.4
371	Open wound of upper limb	35,490	36.7	124	17.4
372	Open wound of lower limb	16,440	17.0	108	15.2
373	Injury to blood vessels	1,622	1.7	14	1.9
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	17,224	17.8	114	16.0
375	Contusion of eye and adnexa	5,678	5.9	26	3.6
376	Other superficial injuries	55,654	57.6	281	39.6

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
377	Miscellaneous crushing injury	4,231	4.4	29	4.1
378	Foreign body on external eye	420	0.4	1	0.2
379	Foreign body entering through other body orifice	10,444	10.8	32	4.5
380	Third degree burns	6,105	6.3	110	15.5
381	Other burns	15,932	16.5	143	20.1
382	Injury to nerve and spinal cord	5,731	5.9	34	4.8
383	Certain traumatic complications and unspecified injuries	14,565	15.1	91	12.8
384	Poisoning by drugs, medicinal, and biological substances	57,717	59.7	276	38.8
385	Toxic effects of substances chiefly nonmedicinal as to source	15,696	16.2	52	7.3
386	Miscellaneous adverse effects	15,811	16.4	93	13.0
387	Complications peculiar to certain specified procedures	37,690	39.0	339	47.7
388	Hemorrhage or hematoma complicating a procedure	14,091	14.6	56	7.9
389	Postoperative wound infection	10,950	11.3	107	15.1
390	Other complications of surgical procedures	14,627	15.1	128	18.0
391	Other complications of medical care, except drugs	1,126	1.2	7	0.9
392	Admission for prophylactic sterilization	79,132	81.9	168	23.6
396	Aftercare for removal of internal fixation device	18,475	19.1	69	9.7
397	Aftercare involving intermittent dialysis	4,087	4.2	8	1.1

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
398 Admission for special examinations and miscellaneous reasons	142,282	147.3	677	95.2
All patients except deliveries and newborn	9,662,039	10,000.0	71,123	10,000.0

For each of the four regions and for the United States as a whole, Tables 2 and 3 display frequency rankings of patients and total stay according to diagnosis group. The diagnosis groups are listed in their rank order for the U.S. as a whole. Delivery and newborn groups are excluded, as are deaths, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 2

Ranking of *ICD-9-CM* List A Diagnosis Groups by Live Discharges U.S. PAS Hospitals, 1979 (Deliveries and Births Excluded)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
179	Pneumonia	196,466	1	1	1	1	2
177	Chronic disease of tonsils and adenoids	185,695	2	3	2	2	1
200	Inguinal hernia without complication	153,037	3	2	5	5	3
143	Miscellaneous ischemic heart disease	149,929	4	12	3	3	6
208	Noninfectious gastroenteritis and colitis	143,510	5	13	4	4	9
398	Admission for special examinations and miscellaneous reasons	142,282	6	5	7	11	4
215	Gallbladder disease with calculus	134,463	7	9	6	8	7
124	Senile cataract	133,514	8	6	11	10	5
149	Heart failure	133,282	9	4	8	14	10
250	Other disorders of menstruation	128,423	10	8	9	6	19
140	Acute myocardial infarction	119,295	11	7	13	13	11
211	Miscellaneous diseases of intestine and peritoneum	113,749	12	17	10	12	14
340	Miscellaneous signs, symptoms, and ill-defined conditions	111,329	13	21	12	9	12

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
234 Miscellaneous urinary diseases	105,221	14	22	14	7	21
183 Asthma	98,950	15	14	15	20	13
304 Derangement and displacement of lumbar disc	98,806	16	23	16	17	8
338 Abdominal pain	90,476	17	32	22	15	17
235 Hyperplasia of prostate	88,976	18	15	25	21	15
173 Acute URI except streptococcal	83,925	19	33	18	22	26
257 Spontaneous and unspecified abortion	83,445	20	18	20	28	27
195 Gastritis and duodenitis	83,397	21	37	17	19	40
335 Chest pain	82,485	22	40	27	16	18
071 Diabetes mellitus without complication	80,254	23	25	19	24	56
308 Other dorsopathies	80,127	24	39	24	26	16
174 Bronchitis and bronchiolitis, acute	79,430	25	35	21	25	30
392 Admission for prophylactic sterilization	79,132	26	24	26	23	35
141 Angina pectoris	77,141	27	29	28	27	20
104 Alcoholic dependence syndrome	74,022	28	16	23	51	34
187 Disease of teeth and jaws	73,154	29	10	30	31	92
252 Miscellaneous diseases of female genitalia	71,159	30	27	29	32	33
229 Calculus of ureter	69,126	31	43	44	18	38
295 Miscellaneous diseases of skin and subcutaneous tissue	68,776	32	30	31	33	37
184 Miscellaneous obstructive lung diseases	67,026	33	38	40	30	24
364 Concussion	65,726	34	19	34	63	28

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
244 Pelvic inflammatory disease	65,002	35	50	33	35	36
130 Otitis media, chronic and unspecified	64,951	36	42	43	29	32
351 Fracture of neck of femur	64,926	37	31	41	41	23
209 Diverticula of intestine	63,333	38	36	37	34	51
045 Malignant neoplasm of ill-defined and secondary sites	62,122	39	26	38	54	29
056 Uterine leiomyoma	60,817	40	28	52	38	44
148 Other arrhythmia and conduction disorders	59,826	41	34	45	44	39
137 Essential hypertension	58,878	42	58	32	37	91
248 Genital prolapse	58,313	43	60	47	36	43
384 Poisoning by drugs, medicinal, and biological substances	57,717	44	44	46	56	25
376 Other superficial injuries	55,654	45	62	39	49	45
102 Neurotic depression	55,160	46	79	36	42	64
171 Hemorrhoids	54,894	47	52	51	39	68
197 Acute appendicitis without peritonitis	54,359	48	53	53	55	31
316 Miscellaneous disorders of musculoskeletal system	53,969	49	63	42	53	47
186 Miscellaneous lung and pleural diseases	53,800	50	49	48	43	52
027 Malignant neoplasm of bronchus, lung, and trachea	53,623	51	46	59	45	49
263 False labor	52,644	52	61	35	78	58
241 Benign mammary dysplasia	52,574	53	55	60	40	69

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
160 Transient cerebral ischemia without paralysis	50,705	54	45	56	64	59
354 Miscellaneous fractures of lower extremity	50,279	55	59	55	67	42
313 Localized disorders of bone and cartilage	50,025	56	64	57	59	41
142 Other acute and subacute forms of ischemic heart disease	49,591	57	20	78	66	86
291 Cellulitis and abscess, except digit	49,264	58	47	62	62	60
181 Bronchitis, chronic and unspecified	49,239	59	87	54	46	81
253 Signs and symptoms referable to female genital organs	48,838	60	65	64	48	54
298 Osteoarthrosis (osteoarthritis), except spine	48,590	61	81	49	70	46
169 Phlebitis and thrombophlebitis	48,488	62	51	61	57	75
255 Legally induced abortion	48,424	63	11	96	96	79
361 Sprains and strains of sacroiliac region	47,938	64	83	50	52	80
073 Other complicated diabetes mellitus	47,044	65	56	48	83	89
300 Internal derangement of knee joint	46,879	66	66	65	90	22
032 Malignant neoplasm of breast (female) (male)	45,939	67	48	71	72	61

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
178	Miscellaneous diseases of upper respiratory system	45,146	68	57	73	61	70
329	Convulsions	44,153	69	54	70	68	83
001	Intestinal infectious disease	44,002	70	77	76	58	57
362	Sprains and strains of other and unspecified parts of back	43,271	71	90	68	60	74
150	Miscellaneous diseases of heart	42,868	72	76	69	71	63
192	Nongastric peptic ulcer without complication	42,538	73	108	67	47	107
175	Deviated nasal septum	41,665	74	41	84	93	67
309	Bursitis and synovitis, except spine	41,188	75	71	75	80	66
216	Gallbladder disease without mention of calculus	40,982	76	85	72	65	96
161	Acute, but ill-defined, cerebrovascular disease without paralysis	40,539	77	73	82	69	77
120	Peripheral nervous system disorder, except sciatica	40,295	78	101	74	77	62
245	Endometriosis	40,030	79	96	79	73	65
207	Intestinal obstruction without mention of hernia	39,533	80	67	85	84	55
232	Cystitis	38,879	81	97	66	76	131
349	Fracture of radius and ulna	38,411	82	84	77	100	72
117	Miscellaneous disease of central nervous system	38,235	83	75	80	88	76
310	Bunion and deformities of toe	38,223	84	93	63	123	71

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals Number of Patients (2)	Rank (3)	Rank by Region Northeast (4)	North Central (5)	South (6)	West (7)
387 Complications peculiar to certain specified procedures	37,690	85	70	97	95	48
243 Ovarian cyst	37,240	86	80	87	82	85
358 Dislocation of knee	36,668	87	105	90	92	53
204 Diaphragmatic hernia without complication	36,418	88	122	89	50	127
189 Diseases of esophagus	36,229	89	102	88	74	98
301 Other disorders of joint	36,115	90	104	86	104	50
220 Gastrointestinal hemorrhage	35,900	91	68	98	87	84
371 Open wound of upper limb	35,490	92	94	92	98	73
163 Other and ill-defined cerebrovascular disease	35,480	93	98	83	81	104
233 Urethral stricture	35,333	94	114	81	75	114
037 Malignant neoplasm of prostate	34,890	95	91	99	85	78
219 Diseases of pancreas	34,416	96	86	94	86	97
147 Atrial fibrillation and flutter	33,541	97	82	103	99	82
210 Anal fissure, fistula, abscess	32,891	98	89	102	89	99
096 Miscellaneous schizophrenia	32,228	99	78	100	113	87
343 Fracture of face bones	32,005	100	92	104	103	88
303 Spondylosis and allied disorders	31,466	101	129	91	97	102
138 Hypertensive heart disease	31,356	102	103	101	79	136
023 Malignant neoplasm of colon	31,020	103	69	106	106	101
039 Malignant neoplasm of bladder	29,683	104	72	107	128	100

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
353	Fracture of tibia and fibula	29,683	105	106	105	110	90
111	Miscellaneous mental disorders	29,450	106	140	95	94	118
119	Carpal tunnel syndrome and other lesions of median nerve	29,398	107	119	93	136	94
344	Fracture of vertebral column without mention of spinal cord injury	28,543	108	113	108	111	93
305	Derangement and displacement of intervertebral disc, except lumbar	28,056	109	125	111	105	95
053	Benign neoplasm of bone, muscle, and connective tissue	27,300	110	100	113	107	121
170	Varicose veins of lower extremities	27,241	111	95	109	127	120
081	Disorders of fluid, electrolyte, and acid-base balance	27,186	112	115	110	109	103
228	Calculus of kidney	26,594	113	118	112	101	147
084	Anemia except iron deficiency and sickle-cell	26,356	114	99	117	115	125
172	Miscellaneous diseases of veins and circulatory system	26,155	115	112	115	118	110
127	Miscellaneous disorders of superficial structures of eye	25,495	116	74	140	125	116

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
251	Menopausal and postmenopausal disorders	25,363	117	88	129	119	154
348	Fracture of humerus	24,980	118	123	114	133	106
193	Nongastric peptic ulcer with hemorrhage or perforation	24,704	119	117	127	124	108
012	Miscellaneous viral diseases	24,590	120	109	130	116	119
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	24,524	121	124	120	132	105
369	Other laceration of head and neck	24,345	122	133	118	130	112
331	Headache	24,243	123	227	116	91	163
090	Chronic organic brain syndrome, except arterioslerotic dementia	24,192	124	120	128	117	122
311	Ganglion and cyst	24,035	125	132	121	112	153
337	Signs and symptoms referable to urinary system	23,556	126	107	126	122	185
196	Disease of stomach and duodenum, except ulcer and inflammation	22,426	127	220	122	102	177
203	Ventral hernia without complication	22,390	128	127	132	135	126
230	Miscellaneous diseases of kidney and ureter	22,342	129	136	133	121	141

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
297	Rheumatoid arthritis, except spine	22,277	130	151	125	131	130
365	Intracranial injury, except concussion	21,788	131	145	123	143	132
068	Neoplasms of uncertain behavior and unspecified nature	21,274	132	110	139	144	157
049	Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	21,089	133	126	137	145	144
268	Miscellaneous complications of preganancy without delivery	20,818	134	146	124	168	129
242	Miscellaneous diseases of breast	20,590	135	134	153	129	143
164	Atherosclerosis	20,362	136	168	134	142	124
339	Other signs and symptoms referable to upper GI tract and abdomen	20,241	137	177	145	120	148
168	Miscellaneous diseases of arteries	20,155	138	121	150	141	161
101	Anxiety states	20,037	139	192	119	139	194
190	Gastric ulcer without complication	19,941	140	174	136	126	187
098	Major depressive psychoses	19,908	141	130	131	174	155
126	Strabismus	19,678	142	135	143	146	149
134	Miscellaneous diseases of ear	19,521	143	162	151	140	128
293	Pilonidal cyst	19,359	144	111	147	159	195
239	Redundant prepuce and phimosis	19,255	145	137	160	114	250
132	Vertiginous syndromes	19,199	146	173	135	147	156

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
198 Acute appendicitis with peritonitis	19,100	147	142	155	164	117
103 Miscellaneous neuroses and personality disorders	19,020	148	164	138	163	140
116 Epilepsy	18,925	149	150	144	150	151
144 Pulmonary embolism and infarction	18,875	150	138	158	151	150
247 Inflammatory disease of vulva, vagina, and uterus, except cervix	18,771	151	141	141	149	188
346 Fracture of ribs, sternum, larynx and trachea	18,682	152	153	149	160	134
396 Aftercare for removal of internal fixation device	18,475	153	139	159	187	115
330 Pyrexia of unknown origin	18,430	154	161	168	134	158
227 Miscellaneous kidney infections	18,290	155	172	148	137	183
167 Arterial embolism and thrombosis	18,242	156	131	175	169	137
051 Benign neoplasm of other parts of digestive system	18,202	157	116	173	155	204
072 Diabetic acidosis or coma	18,113	158	154	161	158	145
350 Miscellaneous fractures of upper extremity	18,080	159	165	146	179	123
352 Other femoral fracture	18,072	160	158	164	156	142
075 Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	18,047	161	160	142	152	179

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
240 Miscellaneous diseases of male genital organs	17,862	162	163	157	148	175
151 Cardiovascular disease, unspecified	17,597	163	186	200	108	200
158 Occlusion of cerebral arteries, thrombosis and embolism without paralysis	17,525	164	144	171	162	160
024 Malignant neoplasm of rectum, rectosigmoid junction and anus	17,370	165	128	167	191	172
374 Late effects of injury, poisoning, non-medicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	17,224	166	219	154	165	135
110 Adjustment reactions and acute reactions to stress	17,203	167	188	156	180	133
094 Paranoid schizophrenia	17,159	168	149	186	196	109
156 Precerebral artery occlusion without paralysis	17,130	169	203	178	167	113
055 Benign neoplasm of breast	16,452	170	143	195	138	221
372 Open wound of lower limb	16,440	171	193	179	154	169
363 Other sprains and strains	16,347	172	195	163	194	138
246 Inflammatory disease of cervix uteri	16,220	173	176	152	170	215
336 Other signs and symptoms referable to respiratory system and chest	16,204	174	178	183	157	181

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
034 Malignant neoplasm of corpus uteri	16,148	175	148	172	202	159
128 Miscellaneous disorders of deep structures of eye	16,124	176	159	192	171	146
381 Other burns	15,932	177	185	166	175	189
386 Miscellaneous adverse effects	15,811	178	180	170	182	178
385 Toxic effects of substances chiefly nonmedicinal as to source	15,696	179	190	181	176	173
070 Other diseases of thyroid gland	15,530	180	194	169	161	216
299 Other arthropathies	15,245	181	213	184	178	166
082 Iron deficiency anemia	15,239	182	167	177	173	220
292 Miscellaneous infections of skin and subcutaneous tissue	15,198	183	156	188	184	191
100 Miscellaneous psychoses	15,142	184	184	187	185	176
226 Acute pyelonephritis	15,135	185	228	180	166	182
182 Emphysema	15,061	186	205	174	183	192
118 Migraine	14,859	187	247	165	172	203
236 Diseases of prostate, except hypertrophy	14,736	188	223	176	153	246
390 Other complications of surgical procedures	14,627	189	199	198	197	139
347 Fracture of pelvis	14,592	190	181	190	201	168
383 Certain traumatic complications and unspecified injuries	14,565	191	179	191	181	198
212 Alcoholic liver disease	14,279	192	147	208	214	152
388 Hemorrhage or hematoma complicating a procedure	14,091	193	218	194	192	170

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
213 Other cirrhosis and chronic liver disease	14,018	194	152	201	193	206
099 Other affective psychoses	13,937	195	201	185	217	174
367 Internal injury, except chest	13,906	196	191	204	195	164
254 Ectopic pregnancy	13,749	197	187	206	200	165
306 Sacroiliac joint disorder	13,734	198	241	162	220	197
066 Carcinoma in situ of cervix	13,481	199	208	202	188	199
224 Chronic renal failure	13,269	200	157	228	189	196
162 Acute, but ill-defined, cerebrovascular disease with paralysis	13,260	201	166	210	198	201
332 Epistaxis	13,169	202	204	196	205	202
370 Other laceration of trunk and multiple and unspecified sites	13,132	203	202	211	177	213
086 Disease of hematopoietic system, except anemia and hemophilia	13,111	204	183	199	210	205
136 Chronic rheumatic heart disease	12,895	205	175	205	226	180
180 Influenza	12,797	206	317	189	203	162
054 Benign neoplasm of skin, blood vessels, and miscellaneous sites	12,500	207	155	222	199	227
008 Viral diseases with exanthem	12,459	208	229	197	207	217
258 Other pregnancy with abortive outcome	12,437	209	209	203	208	209
202 Umbilical hernia without complication	12,340	210	217	207	190	232

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
087 Nonspecific mesenteric lymphadenitis	12,221	211	210	193	225	228
325 Miscellaneous congenital anomalies of genitourinary system	12,154	212	206	213	206	208
131 Other inflammation of ear and mastoid	12,082	213	169	217	204	236
191 Gastric ulcer with hemorrhage or perforation	11,800	214	215	214	227	190
031 Other malignant neoplasm of skin, excluding genital organs	11,635	215	171	252	186	238
259 Threatened abortion	11,635	216	230	182	239	267
214 Miscellaneous diseases of liver	11,592	217	212	218	212	210
121 Retinal detachment and defects	11,462	218	182	260	218	167
360 Sprains and strains of knee and leg	11,291	219	255	212	250	171
328 Perinatal conditions causing morbidity and mortality	11,266	220	266	247	253	111
033 Malignant neoplasm of cervix uteri excluding carcinoma in situ	11,000	221	231	220	209	239
092 Alcoholic psychoses	10,957	222	170	270	222	184
389 Postoperative wound infection	10,950	223	240	232	228	186
206 Complicated hernia of abdominal cavity, except inguinal	10,926	224	189	224	241	219

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals Number of Patients (2)	 Rank (3)	Rank by Region North-east (4)	 North Central (5)	 South (6)	 West (7)
199 Disease of appendix, except acute appendicitis	10,922	225	256	209	216	225
188 Disease of mouth, except dental	10,919	226	222	226	213	223
019 Malignant neoplasm of lip, oral cavity, and pharynx	10,888	227	198	237	224	214
035 Malignant neoplasm of ovary	10,687	228	207	225	233	222
165 Aortic aneurysm	10,542	229	224	239	223	207
379 Foreign body entering through other body orifice	10,444	230	216	240	230	211
185 Spontaneous pneumothorax	10,306	231	225	238	215	235
217 Diseases of bile ducts with calculus	10,263	232	221	233	247	212
237 Hydrocele	10,165	233	226	227	238	234
079 Miscellaneous metabolic disorders	10,153	234	235	234	231	226
320 Congenital anomaly of heart and circulatory system	10,044	235	237	243	244	193
333 Signs and symptoms referable to the cardiovascular system, except gangrene	9,957	236	250	230	219	251
146 Paroxysmal supraventricular tachycardia	9,878	237	236	235	237	233
005 Septicemia	9,877	238	211	249	234	229
359 Other dislocation	9,705	239	246	236	245	218
238 Orchitis and epididymitis	9,645	240	253	223	229	261
009 Viral hepatitis	9,561	241	259	244	221	230

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
201 Inguinal hernia, complicated	9,473	242	200	242	262	242
319 Congenital anomaly of eye, ear, face, and neck	9,299	243	239	250	249	224
011 Viral warts	9,242	244	238	229	243	288
058 Benign neoplasm of ovary	9,110	245	232	246	257	231
109 Psychophysiologic disorder	9,037	246	282	219	235	273
262 Excessive vomiting in pregnancy	9,025	247	271	231	251	247
069 Simple and non-toxic nodular goiter	8,994	248	276	251	211	271
231 Urinary calculus, except kidney and ureter	8,933	249	251	248	232	263
261 Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	8,928	250	260	241	236	258
010 Infectious mononucleosis	8,802	251	245	216	266	300
334 Gangrene	8,776	252	214	257	240	287
294 Sebaceous cyst	8,630	253	197	261	248	301
314 Acquired deformities of limbs, except toe	8,620	254	267	221	277	254
078 Obesity of nonendocrine origin	8,527	255	328	215	254	256
312 Osteomyelitis	8,377	256	242	266	256	241
007 Poliomyelitis and other enteroviral diseases of central nervous system	8,048	257	265	273	252	237

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals Number of Patients (2)	All Hospitals Rank (3)	Rank by Region North-east (4)	Rank by Region North Central (5)	Rank by Region South (6)	Rank by Region West (7)
266	Infections of pregnancy without delivery	8,022	258	275	253	246	274
249	Metrorrhagia	7,921	259	244	258	255	291
064	Benign neoplasm of thyroid glands	7,852	260	252	272	260	245
028	Other malignant neoplasm of respiratory system and thoracic cavity	7,712	261	233	277	259	269
341	Fracture of vault of skull	7,686	262	268	265	268	240
307	Sciatica	7,643	263	248	245	290	277
113	Inflammatory diseases of central nervous system	7,572	264	280	268	258	243
114	Parkinson's disease	7,479	265	257	255	273	282
133	Otosclerosis	7,447	266	262	274	265	248
021	Malignant neoplasm of stomach	7,393	267	234	279	278	252
324	Undescended testicle	7,383	268	254	269	272	259
040	Malignant neoplasm of kidney and other urinary organs	7,299	269	263	271	264	265
026	Malignant neoplasm of pancreas	7,278	270	258	282	270	249
048	Leukemia, except lymphoid	7,237	271	261	262	282	262
357	Dislocation of shoulder	7,163	272	293	259	279	244
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	7,112	273	270	264	275	270
122	Open angle and primary closure glaucoma	7,001	274	243	290	263	264

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
083	Sickle-cell anemia and trait	6,949	275	278	267	242	336
267	Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	6,885	276	274	256	274	314
139	Miscellaneous hypertensive disease	6,771	277	285	275	261	286
296	Diffuse diseases of connective tissue	6,707	278	279	281	271	272
176	Nasal polyp	6,660	279	249	276	299	276
115	Multiple sclerosis	6,590	280	272	254	314	283
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	6,471	281	264	283	288	281
107	Nondependent abuse of alcohol	6,255	282	288	263	297	297
323	Congenital anomaly of respiratory system, except cleft palate and pyloric stenosis	6,254	283	273	287	276	278
368	Laceration or enucleation of eye	6,227	284	291	294	269	260
218	Diseases of bile ducts without mention of calculus	6,194	285	269	284	291	290
355	Fracture of other bones	6,154	286	302	280	287	266
380	Third degree burns	6,105	287	301	285	267	275
004	Streptococcal sore throat and scarlet fever	5,925	288	311	278	281	296

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
222	Chronic glomerulonephritis and nephrotic syndrome	5,817	289	296	286	284	284
382	Injury to nerve and spinal cord	5,731	290	297	298	289	257
366	Internal injury to thoracic region	5,701	291	305	299	283	255
375	Contusion of eye and adnexa	5,678	292	290	291	292	285
029	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	5,642	293	295	296	293	268
042	Malignant neoplasm of brain	5,497	294	298	293	295	280
046	Hodgkins' disease	5,389	295	277	288	309	306
225	Other renal failure	5,375	296	283	302	286	311
017	Miscellaneous infective and parasitic diseases	5,285	297	292	295	280	327
030	Malignant melanoma of skin, excluding genital organs	5,285	298	289	312	285	295
025	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	5,194	299	294	300	303	289
125	Cataract, except senile	5,170	300	284	308	301	279
342	Fracture of base of skull	5,163	301	309	304	308	253
047	Lymphoid leukemia	5,098	302	286	301	310	293
050	Benign neoplasm of lip, oral cavity, and pharynx	5,008	303	287	311	300	294

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
265	Other antepartum hemorrhage without delivery	4,733	304	303	297	312	307
205	Other hernia of abdominal cavity without complication	4,727	305	299	309	306	299
289	Puerperal hemorrhage (after 24 hrs.)	4,678	306	310	289	318	310
080	Gout	4,619	307	312	303	296	325
067	Carcinoma in situ, except cervix uteri	4,580	308	300	313	305	305
014	Syphilis and other venereal diseases	4,524	309	315	310	304	303
002	Respiratory tuberculosis	4,408	310	304	318	294	323
006	Miscellaneous bacterial diseases	4,379	311	314	316	298	313
088	Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	4,263	312	306	314	302	326
377	Miscellaneous crushing injury	4,231	313	321	305	320	304
044	Malignant neoplasm of endocrine glands	4,150	314	313	319	311	302
194	Peptic ulcer with obstruction	4,138	315	319	317	307	309
397	Aftercare involving intermittent dialysis	4,087	316	281	292	334	354
315	Neuralgia, neuritis, and radiculitis, unspecified	3,966	317	324	306	316	328
326	Clubfoot	3,936	318	320	307	325	312
154	Intracerebral hemorrhage without paralysis	3,804	319	323	325	315	298

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
020	Malignant neoplasm of esophagus	3,762	320	308	322	317	324
074	Ovarian dysfunction	3,696	321	322	315	313	334
015	Mycoses	3,473	322	345	321	327	292
123	Other glaucoma	3,460	323	307	331	319	322
264	Placenta previa without delivery	3,385	324	326	320	326	317
076	Nutritional deficiencies	3,341	325	325	327	322	318
063	Benign neoplasm of central nervous system	3,225	326	327	330	328	308
052	Benign neoplasm of respiratory system and intrathoracic organs	3,159	327	318	332	321	321
221	Intestinal malabsorption	3,103	328	329	323	329	331
105	Opioid dependence	3,067	329	196	360	368	352
106	Drug dependence except opioid	2,943	330	316	324	338	347
321	Cleft palate and lip	2,923	331	332	335	323	316
290	Other puerperal complications	2,886	332	331	328	340	319
129	Other disorders of eye	2,850	333	339	329	324	333
038	Malignant neoplasm of male genitalia, except prostate	2,731	334	334	333	333	315
166	Aneurysm except aortic	2,596	335	330	339	332	329
135	Rhematic fever, acute	2,345	336	338	334	337	342
091	Arteriosclerotic dementia	2,283	337	347	336	331	349
093	Drug psychoses	2,243	338	340	342	343	320
036	Malignant neoplasm of other female genital organs	2,206	339	335	340	341	345

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
322 Congenital hypertrophic pyloric stenosis	2,140	340	341	338	342	340
065 Benign neoplasm of endocrine glands, except thyroid	2,130	341	343	346	335	330
318 Congenital anomaly of nervous system	2,128	342	348	341	336	341
152 Subarachnoid hemorrhage without paralysis	2,085	343	342	343	339	338
108 Nondependent abuse of drugs, except alcohol	2,055	344	344	337	348	344
057 Benign neoplasm of uterus, except leiomyoma	1,901	345	333	345	349	343
345 Fracture of vertebral column with cord injury	1,808	346	351	348	344	335
288 Major puerperal infections	1,766	347	352	344	347	337
317 Somatic dysfunction	1,650	348	366	326	369	367
373 Injury to blood vessels	1,622	349	353	349	345	346
089 Transient organic psychotic conditions	1,564	350	349	355	350	339
095 Acute schizophrenic episode	1,556	351	346	351	359	332
145 Acute and subacute endocarditis	1,553	352	337	354	353	348
061 Benign neoplasm of urinary organ	1,506	353	336	350	352	358
112 Mental retardation	1,484	354	354	347	346	357
223 Miscellaneous nephritis and functional disorders	1,384	355	355	352	351	351

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
013	Rickettsioses and other arthropod-borne diseases	1,347	356	360	368	330	360
077	Cystic fibrosis	1,248	357	350	353	354	355
391	Other complications of medical care, except drugs	1,126	358	356	357	356	350
003	Nonrespiratory tuberculosis	917	359	357	364	357	356
059	Benign neoplasm of female genitalia, except uterus and ovary	905	360	358	358	358	365
260	Other early pregnancy hemorrhage	890	361	363	356	361	366
022	Malignant neoplasm of small intestine	871	362	359	359	363	359
157	Precerebral occlusion with paralysis	830	363	365	361	365	353
016	Helminthiases	823	364	368	365	355	362
302	Ankylosing spondylitis	767	365	372	362	360	364
085	Hemophilia (congenital factor VIII disorder)	754	366	361	363	362	371
041	Malignant neoplasm of eye	751	367	362	366	364	363
155	Intracerebral hemorrhage with paralysis	718	368	364	367	366	361
060	Benign neoplasm of male genital organ	637	369	367	369	367	368
356	Fracture of multiple bones	551	370	369	370	370	370
043	Malignant neoplasm of other parts of nervous system	481	371	371	373	371	369
062	Benign neoplasm of eye	466	372	370	371	372	373
378	Foreign body on external eye	420	373	373	374	373	374

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
018 Late effects of infectious and parasitic diseases	375	374	374	372	374	372
097 Childhood psychosis	132	375	375	377	375	376
153 Subarachnoid hemorrhage with paralysis	129	376	376	375	376	375
256 Other induced abortion	91	377	377	376	377	377
All patients except deliveries and newborn	9,662,039					

Table 3

Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care
U.S. PAS Hospitals, 1979
(Deliveries and Births Excluded)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
140	Acute myocardial infarction	1,770	1	1	2	2	1
179	Pneumonia	1,627	2	3	1	1	2
149	Heart failure	1,478	3	2	3	5	5
351	Fracture of neck of femur	1,320	4	4	6	6	3
143	Miscellaneous ischemic heart disease	1,303	5	6	4	3	7
215	Gallbladder disease with calculus	1,302	6	5	5	4	6
304	Derangement and displacement of lumbar disc	1,041	7	9	8	7	4
211	Miscellaneous diseases of intestine and peritoneum	898	8	10	9	8	10
104	Alcoholic dependence syndrome	841	9	13	7	33	9
235	Hyperplasia of prostate	791	10	8	14	11	14
045	Malignant neoplasm of ill-defined and secondary sites	758	11	7	12	22	12
071	Diabetes mellitus without complication	733	12	15	11	13	47
200	Inguinal hernia without complication	730	13	11	15	17	15
102	Neurotic depression	723	14	41	10	16	24
340	Miscellaneous signs, symptoms, and ill-defined conditions	717	15	25	17	9	18

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
027 Malignant neoplasm of bronchus, lung, and trachea	700	16	12	21	14	17
208 Noninfectious gastroenteritis and colitis	695	17	33	13	12	19
308 Other dorsopathies	693	18	31	16	18	8
398 Admission for special examinations and miscellaneous reasons	677	19	16	20	21	11
184 Miscellaneous obstructive lung diseases	669	20	18	24	15	16
234 Miscellaneous urinary diseases	667	21	29	19	10	31
161 Acute, but ill-defined, cerebrovascular disease without paralysis	611	22	19	28	19	20
298 Osteoarthrosis (osteoarthritis), except spine	611	23	34	18	32	13
295 Miscellaneous diseases of skin and subcutaneous tissue	601	24	26	25	20	21
183 Asthma	597	25	22	23	25	22
209 Diverticula of intestine	562	26	21	29	23	32
073 Other complicated diabetes mellitus	543	27	23	22	48	44
096 Miscellaneous schizophrenia	537	28	20	27	49	27
023 Malignant neoplasm of colon	525	29	17	35	38	33
141 Angina pectoris	515	30	37	30	28	29
169 Phlebitis and thrombophlebitis	512	31	28	32	34	38

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
186 Miscellaneous lung and pleural diseases	512	32	30	37	27	35
124 Senile cataract	506	33	27	38	37	23
148 Other arrhythmia and conduction disorders	498	34	24	36	39	36
195 Gastritis and duodenitis	495	35	46	26	31	55
248 Genital prolapse	486	36	53	34	24	34
174 Bronchitis and bronchiolitis, acute	482	37	47	31	29	40
032 Malignant neoplasm of breast (female) (male)	469	38	32	40	42	37
313 Localized disorders of bone and cartilage	449	39	43	41	44	25
207 Intestinal obstruction without mention of hernia	448	40	39	43	47	26
056 Uterine leiomyoma	443	41	38	50	35	41
352 Other femoral fracture	440	42	42	47	41	28
250 Other disorders of menstruation	439	43	58	39	30	63
338 Abdominal pain	429	44	67	46	26	43
142 Other acute and subacute forms of ischemic heart disease	420	45	14	66	58	62
137 Essential hypertension	418	46	54	33	43	107
291 Cellulitis and abscess, except digit	416	47	35	48	56	45
117 Miscellaneous disease of central nervous system	410	48	40	45	61	39
335 Chest pain	392	49	77	54	36	51
244 Pelvic inflammatory disease	390	50	76	44	46	48

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
160 Transient cerebral ischemia without paralysis	389	51	36	52	65	61
150 Miscellaneous diseases of heart	386	52	56	49	57	46
361 Sprains and strains of sacroiliac region	384	53	69	42	51	60
163 Other and ill-defined cerebrovascular disease	380	54	49	53	50	83
216 Gallbladder disease without mention of calculus	370	55	59	59	45	74
037 Malignant neoplasm of prostate	369	56	50	62	55	49
354 Miscellaneous fractures of lower extremity	366	57	55	57	68	42
177 Chronic disease of tonsils and adenoids	360	58	84	51	59	50
219 Diseases of pancreas	355	59	51	63	60	58
229 Calculus of ureter	345	60	74	70	40	67
181 Bronchitis, chronic and unspecified	339	61	89	60	53	68
098 Major depressive psychoses	339	62	44	56	89	80
387 Complications peculiar to certain specified procedures	339	63	57	73	75	30
171 Hemorrhoids	328	64	85	64	52	91
173 Acute URI except streptococcal	327	65	93	58	63	93
316 Miscellaneous disorders of musculoskeletal system	323	66	95	55	77	59

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
344 Fracture of vertebral column without mention of spinal cord injury	315	67	66	74	71	52
362 Sprains and strains of other and unspecified parts of back	309	68	94	69	64	69
252 Miscellaneous diseases of female genitalia	306	69	87	68	67	76
138 Hypertensive heart disease	306	70	70	71	62	116
192 Nongastric peptic ulcer without complication	302	71	105	67	54	112
090 Chronic organic brain syndrome, except arteriosclerotic dementia	302	72	48	89	69	87
111 Miscellaneous mental disorders	302	73	97	61	72	99
220 Gastrointestinal hemorrhage	302	74	52	80	76	65
024 Malignant neoplasm of rectum, rectosigmoid junction and anus	297	75	45	76	93	79
303 Spondylosis and allied disorders	294	76	101	65	73	88
353 Fracture of tibia and fibula	284	77	80	79	81	56
376 Other superficial injuries	281	78	90	72	83	82
384 Poisoning by drugs, medicinal, and biological substances	276	79	75	78	92	57
094 Paranoid schizophrenia	275	80	64	81	113	54

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
120 Peripheral nervous system disorder, except sciatica	273	81	104	75	84	71
305 Derangement and displacement of intervertebral disc, except lumbar	271	82	92	85	78	77
162 Acute, but ill-defined, cerebrovascular disease with paralysis	267	83	60	100	87	81
164 Atherosclerosis	265	84	99	83	82	75
253 Signs and symptoms referable to female genital organs	265	85	116	86	70	72
245 Endometriosis	260	86	114	84	80	66
158 Occlusion of cerebral arteries, thrombosis, and embolism without paralysis	258	87	68	96	88	92
144 Pulmonary embolism and infarction	257	88	79	98	86	84
297 Rheumatoid arthritis, except spine	256	89	108	82	85	86
189 Diseases of esophagus	255	90	102	87	74	109
197 Acute appendicitis without peritonitis	253	91	96	88	96	64
204 Diaphragmatic hernia without complication	250	92	119	91	66	128
081 Disorders of fluid, electrolyte, and acid-base balance	249	93	81	97	90	98
049 Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	249	94	73	93	99	101

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
039	Malignant neoplasm of bladder	248	95	62	95	108	103
147	Atrial fibrillation and flutter	243	96	71	106	98	94
364	Concussion	242	97	61	94	130	96
167	Arterial embolism and thrombosis	242	98	65	112	100	85
168	Miscellaneous diseases of arteries	241	99	63	109	91	113
329	Convulsions	240	100	72	102	94	121
347	Fracture of pelvis	239	101	91	101	106	78
099	Other affective psychoses	235	102	106	77	127	97
193	Nongastric peptic ulcer with hemorrhage or perforation	234	103	86	108	97	89
170	Varicose veins of lower extremities	231	104	82	99	105	120
100	Miscellaneous psychoses	229	105	107	92	104	108
300	Internal derangement of knee joint	227	106	113	104	123	53
172	Miscellaneous diseases of veins and circulatory system	225	107	98	107	102	100
084	Anemia except iron deficiency and sickle-cell	219	108	83	110	103	129
243	Ovarian cyst	216	109	110	111	95	110
348	Fracture of humerus	208	110	100	113	117	106
232	Cystitis	205	111	128	90	111	164
301	Other disorders of joint	204	112	127	114	124	73
001	Intestinal infectious disease	203	113	122	116	101	102
103	Miscellaneous neuroses and personality disorders	196	114	121	103	136	117

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
212 Alcoholic liver disease	192	115	88	137	140	70
358 Dislocation of knee	190	116	139	117	122	90
334 Gangrene	190	117	78	128	120	165
198 Acute appendicitis with peritonitis	190	118	111	121	129	95
309 Bursitis and synovitis, except spine	188	119	134	115	118	118
230 Miscellaneous diseases of kidney and ureter	185	120	115	123	110	125
310 Bunion and deformities of toe	184	121	138	105	157	111
228 Calculus of kidney	182	122	118	122	107	151
187 Disease of teeth and jaws	181	123	103	118	116	182
151 Cardiovascular disease, unspecified	177	124	145	156	79	159
365 Intracranial injury, except concussion	174	125	144	129	126	104
190 Gastric ulcer without complication	172	126	157	119	109	156
156 Precerebral artery occlusion without paralysis	169	127	164	130	128	105
349 Fracture of radius and ulna	168	128	129	124	142	119
392 Admission for prophylactic sterilization	168	129	130	127	115	167
210 Anal fissure, fistula, and abscess	167	130	131	133	119	138
203 Ventral hernia without complication	167	131	124	131	133	132
178 Miscellaneous diseases of upper respiratory system	160	132	141	136	125	146

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
068	Neoplasms of uncertain behavior and unspecified nature	160	133	109	138	144	153
196	Disease of stomach and duodenum, except ulcer and inflammation	156	134	192	132	112	154
241	Benign mammary dysplasia	156	135	161	141	114	162
346	Fracture of ribs, sternum, larynx and trachea	155	136	148	140	138	122
213	Other cirrhosis and chronic liver disease	153	137	112	144	147	172
072	Diabetic acidosis or coma	153	138	137	142	141	133
257	Spontaneous and unspecified abortion	153	139	150	125	148	168
182	Emphysema	152	140	147	134	143	144
110	Adjustment reactions and acute reactions to stress	152	141	163	120	165	131
165	Aortic aneurysm	152	142	133	153	139	123
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	151	143	153	139	149	126
299	Other arthropathies	147	144	167	145	146	124
130	Otitis media, chronic and unspecified	145	145	171	146	134	147
233	Urethral stricture	143	146	185	135	132	195

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
381	Other burns	143	147	173	147	135	148
312	Osteomyelitis	141	148	126	159	159	127
224	Chronic renal failure	140	149	125	176	145	135
343	Fracture of face bones	138	150	159	154	151	134
005	Septicemia	137	151	117	165	162	140
337	Signs and symptoms referable to urinary system	137	152	132	150	153	204
034	Malignant neoplasm of corpus uteri	136	153	136	149	178	142
227	Miscellaneous kidney infections	136	154	175	151	137	176
101	Anxiety states	135	155	211	126	150	207
339	Other signs and symptoms referable to upper GI tract and abdomen	133	156	183	164	131	158
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	133	157	123	157	177	157
367	Internal injury, except chest	133	158	170	171	155	115
075	Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	132	159	162	152	156	173
331	Headache	129	160	244	148	121	197
390	Other complications of surgical procedures	128	161	172	167	171	114
082	Iron deficiency anemia	128	162	151	155	158	208
191	Gastric ulcer with hemorrhage or perforation	128	163	158	161	174	136
217	Diseases of bile ducts with calculus	127	164	152	162	176	141

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
021	Malignant neoplasm of stomach	126	165	120	177	183	150
026	Malignant neoplasm of pancreas	126	166	143	169	172	152
136	Chronic rheumatic heart disease	125	167	142	163	191	137
371	Open wound of upper limb	124	168	181	160	167	145
214	Miscellaneous diseases of liver	122	169	155	173	170	160
070	Other diseases of thyroid gland	120	170	180	158	160	210
306	Sacroiliac joint disorder	119	171	201	143	194	161
051	Benign neoplasm of other parts of digestive system	119	172	149	175	164	201
175	Deviated nasal septum	118	173	135	178	188	177
330	Pyrexia of unknown origin	118	174	174	188	152	166
035	Malignant neoplasm of ovary	115	175	156	179	184	169
116	Epilepsy	114	176	176	174	173	175
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	114	177	222	170	161	149
292	Miscellaneous infections of skin and subcutaneous tissue	113	178	166	180	180	180

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
086 Disease of hematopoietic system, except anemia and hemophilia	112	179	165	172	189	184
019 Malignant neoplasm of lip, oral cavity, and pharynx	112	180	146	192	181	181
012 Miscellaneous viral diseases	111	181	178	187	166	178
380 Third degree burns	110	182	207	189	154	163
372 Open wound of lower limb	108	183	203	186	163	170
389 Postoperative wound infection	107	184	194	196	185	130
040 Malignant neoplasm of kidney and other urinary organs	106	185	169	184	190	190
369 Other laceration of head and neck	106	186	195	183	175	174
336 Other signs and symptoms referable to respiratory system and chest	105	187	186	191	168	200
226 Acute pyelonephritis	104	188	216	181	169	185
053 Benign neoplasm of bone, muscle, and connective tissue	103	189	187	185	179	202
132 Vertiginous syndromes	103	190	209	168	186	198
206 Complicated hernia of abdominal cavity, except inguinal	102	191	160	195	202	187
113 Inflammatory diseases of central nervous system	101	192	208	198	182	155
042 Malignant neoplasm of brain	97	193	193	199	197	171

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
114	Parkinson's disease	96	194	168	193	208	218
119	Carpal tunnel syndrome and other lesions of median nerve	93	195	230	166	221	194
386	Miscellaneous adverse effects	93	196	202	194	199	203
383	Certain traumatic complications and unspecified injuries	91	197	190	202	192	214
092	Alcoholic psychoses	89	198	177	248	206	139
008	Viral diseases with exanthem	89	199	218	197	200	206
033	Malignant neoplasm of cervix uteri excluding carcinoma in situ	88	200	197	203	195	224
048	Leukemia, except lymphoid	87	201	188	200	233	191
185	Spontaneous pneumothorax	86	202	196	211	196	205
293	Pilonidal cyst	86	203	184	204	209	253
009	Viral hepatitis	84	204	217	209	193	211
025	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	84	205	191	210	224	193
028	Other malignant neoplasm of respiratory system and thoracic cavity	83	206	179	219	207	235
254	Ectopic pregnancy	81	207	213	213	214	189
127	Miscellaneous disorders of superficial structures of eye	81	208	182	237	210	212

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
078 Obesity of nonendocrine origin	81	209	292	182	215	215
370 Other laceration of trunk and multiple and unspecified sites	81	210	224	216	187	228
218 Diseases of bile ducts without mention of calculus	80	211	189	212	229	227
115 Multiple sclerosis	79	212	206	190	272	229
128 Miscellaneous disorders of deep structures of eye	79	213	214	220	211	199
296 Diffuse diseases of connective tissue	79	214	210	215	218	217
255 Legally induced abortion	78	215	154	253	231	234
363 Other sprains and strains	77	216	238	207	234	188
251 Menopausal and postmenopausal disorders	76	217	205	223	203	257
079 Miscellaneous metabolic disorders	76	218	223	208	222	225
242 Miscellaneous diseases of breast	76	219	225	225	198	226
225 Other renal failure	75	220	200	228	216	239
328 Perinatal conditions causing morbidity and mortality	75	221	253	242	227	143
118 Migraine	74	222	277	201	217	244
066 Carcinoma in situ of cervix	73	223	236	222	204	233
307 Sciatica	73	224	198	206	263	252
002 Respiratory tuberculosis	73	225	212	230	213	251
359 Other dislocation	72	226	228	226	230	213

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
154 Intracerebral hemorrhage without paralysis	71	227	229	244	232	183
058 Benign neoplasm of ovary	71	228	219	227	238	219
139 Miscellaneous hypertensive disease	70	229	231	231	212	241
246 Inflammatory disease of cervix uteri	70	230	264	214	205	250
325 Miscellaneous congenital anomalies of genitourinary system	70	231	226	232	228	231
320 Congenital anomaly of heart and circulatory system	70	232	239	235	242	136
263 False labor	69	233	252	205	250	236
396 Aftercare for removal of internal fixation device	69	234	215	236	248	209
236 Diseases of prostate, except hypertrophy	69	235	261	217	201	270
240 Miscellaneous diseases of male genital organs	68	236	234	229	219	246
247 Inflammatory disease of vulva, vagina, and uterus, except cervix	66	237	246	224	226	255
121 Retinal detachment and defects	66	238	204	276	241	179
180 Influenza	66	239	328	221	225	192
268 Miscellaneous complications of pregnancy without delivery	66	240	243	218	249	237
332 Epistaxis	65	241	235	234	237	240

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
311 Ganglion and cyst	65	242	249	233	220	261
350 Miscellaneous fractures of upper extremity	64	243	242	238	246	221
201 Inguinal hernia, complicated	63	244	199	246	265	247
194 Peptic ulcer with obstruction	61	245	247	247	239	223
360 Sprains and strains of knee and leg	61	246	262	239	264	196
031 Other malignant neoplasm of skin, excluding genital organs	60	247	227	266	223	265
020 Malignant neoplasm of esophagus	58	248	221	250	255	264
029 Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	58	249	233	251	258	238
238 Orchitis and epididymitis	58	250	256	240	243	279
199 Disease of appendix, except acute appendicitis	57	251	273	241	252	256
388 Hemorrhage or hematoma complicating a procedure	56	252	266	254	251	230
231 Urinary calculus, except kidney and ureter	55	253	237	252	247	280
341 Fracture of vault of skull	55	254	248	267	259	220
063 Benign neoplasm of central nervous system	55	255	241	269	267	216

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
222 Chronic glomerulonephritis and nephrotic syndrome	54	256	250	260	257	258
134 Miscellaneous diseases of ear	53	257	272	262	244	245
202 Umbilical hernia without complication	53	258	257	255	245	276
109 Psychophysiologic disorder	52	259	290	243	253	282
385 Toxic effects of substances chiefly nonmedicinal as to source	52	260	255	264	260	249
047 Lymphoid leukemia	52	261	240	258	278	259
366 Internal injury to thoracic region	51	262	280	273	254	222
069 Simple and non-toxic nodular goiter	51	263	287	265	235	288
046 Hodgkin's disease	51	264	232	257	282	278
333 Signs and symptoms referable to the cardiovascular system, except gangrene	51	265	258	259	262	275
146 Paroxysmal supraventricular tachycardia	50	266	245	263	268	273
083 Sickle-cell anemia and trait	50	267	263	261	236	334
188 Disease of mouth, except dental	50	268	267	268	261	260
145 Acute and subacute endocarditis	48	269	220	298	289	243
152 Subarachnoid hemorrhage without paralysis	47	270	270	281	270	242

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
239	Redundant prepuce and phimosis	47	271	269	271	240	332
010	Infectious mononucleosis	47	272	260	245	294	314
054	Benign neoplasm of skin, blood vessels, and miscellaneous sites	46	273	251	278	269	277
106	Drug dependence except opioid	46	274	265	249	287	308
314	Acquired deformities of limbs, except toe	45	275	285	256	292	274
076	Nutritional deficiencies	44	276	254	283	277	263
126	Strabismus	43	277	283	280	276	266
030	Malignant melanoma of skin, excluding genital organs	43	278	259	288	271	281
055	Benign neoplasm of breast	43	279	268	285	256	310
006	Miscellaneous bacterial diseases	42	280	282	292	266	267
017	Miscellaneous infective and parasitic diseases	42	281	271	277	273	317
087	Nonspecific mesenteric lymphadenitis	41	282	286	270	290	290
237	Hydrocele	41	283	276	275	283	295
342	Fracture of base of skull	41	284	289	290	296	232
007	Poliomyelitis and other enteroviral diseases of central nervous system	41	285	288	295	275	262
064	Benign neoplasm of thyroid glands	41	286	278	291	279	272

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
323 Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	40	287	274	296	280	268
269 Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	40	288	275	274	293	296
355 Fracture of other bones	39	289	295	282	285	269
105 Opioid dpendence	39	290	140	352	360	339
131 Other inflammation of ear and mastoid	38	291	281	297	281	289
345 Fracture of vertebral column with cord injury	38	292	307	305	274	248
262 Excessive vomiting in pregnancy	36	293	306	279	295	293
080 Gout	35	294	300	287	284	311
166 Aneurysm except aortic	35	295	284	300	297	283
261 Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	35	296	301	293	286	306
015 Mycoses	35	297	337	289	298	254
382 Injury to nerve and spinal cord	34	298	305	306	288	271
067 Carcinoma in situ, except cervix uteri	34	299	291	299	300	292
315 Neuralgia, neuritis, and radiculitis, unspecified	34	300	304	284	303	312

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
259 Threatened abortion	33	301	313	272	312	331
044 Malignant neoplasm of endocrine glands	32	302	294	309	302	284
379 Foreign body entering through other body orifice	32	303	293	310	301	286
267 Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	32	304	302	286	304	337
221 Intestinal malabsorption	32	305	303	294	317	297
091 Arteriosclerotic dementia	32	306	299	301	291	325
122 Open angle and primary closure glaucoma	31	307	279	315	306	305
205 Other hernia of abdominal cavity without complication	31	308	297	307	307	298
258 Other pregnancy with abortive outcome	30	309	308	302	308	307
266 Infections of pregnancy without delivery	29	310	317	308	299	309
357 Dislocation of shoulder	29	311	321	304	314	291
377 Miscellaneous crushing injury	29	312	322	303	322	285
014 Syphilis and other venereal diseases	27	313	324	313	310	301
368 Laceration or enucleation of eye	27	314	315	325	305	294
319 Congenital anomaly of eye, ear, face, and neck	26	315	314	314	313	302

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
036	Malignant neoplasm of other female genital organs	26	316	296	317	323	322
375	Contusion of eye and adnexa	26	317	309	322	315	303
324	Undescended testicle	26	318	310	316	319	316
011	Viral warts	26	319	323	311	311	342
107	Nondependent abuse of alcohol	24	320	331	312	318	344
095	Acute schizophrenic episode	24	321	298	321	347	287
249	Metrorrhagia	24	322	332	318	309	328
065	Benign neoplasm of endocrine glands, except thyroid	23	323	325	333	316	299
004	Streptococcal sore throat and scarlet fever	22	324	344	319	321	324
294	Sebaceous cyst	22	325	312	326	320	348
135	Rheumatic fever, acute	22	326	318	323	327	326
038	Malignant neoplasm of male genitalia, except prostate	22	327	320	329	330	313
133	Otosclerosis	21	328	329	332	325	320
155	Intracerebral hemorrhage with paralysis	21	329	327	337	332	300
050	Benign neoplasm of lip, oral cavity, and pharynx	21	330	316	335	331	319
093	Drug psychoses	21	331	334	328	336	304
089	Transient organic psychotic conditions	20	332	311	342	326	315
318	Congenital anomaly of nervous system	20	333	336	334	329	318

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
088	Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	20	334	333	330	324	346
176	Nasal polyp	19	335	319	331	337	335
326	Clubfoot	19	336	342	327	341	323
108	Nondependent abuse of drugs, except alcohol	18	337	343	324	344	330
125	Cataract, except senile	18	338	330	340	338	321
074	Ovarian dysfunction	17	339	345	338	328	345
112	Mental retardation	17	340	339	336	340	356
123	Other glaucoma	17	341	326	346	335	340
052	Benign neoplasm of respiratory system and intrathoracic organs	16	342	340	344	334	333
022	Malignant neoplasm of small intestine	16	343	338	341	346	329
157	Precerebral occlusion with paralysis	15	344	349	339	348	327
373	Injury to blood vessels	14	345	351	351	339	338
003	Nonrespiratory tuberculosis	13	346	341	357	343	343
077	Cystic fibrosis	13	347	335	345	352	355
129	Other disorders of eye	13	348	353	343	342	357
264	Placenta previa without delivery	13	349	347	347	350	349
317	Somatic dysfunction	13	350	366	320	369	365
321	Cleft palate and lip	12	351	348	355	345	336
265	Other antepartum hemorrhage without delivery	12	352	346	348	351	353
290	Other puerperal complications	12	353	352	350	354	341

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
223	Miscellaneous nephritis and functional disorders	11	354	358	353	349	347
289	Puerperal hemorrhage (after 24 hrs.)	11	355	359	349	355	358
057	Benign neoplasm of uterus, except leiomyoma	10	356	350	358	353	352
322	Congenital hypertrophic pyloric stenosis	10	357	357	354	358	359
043	Malignant neoplasm of other parts of nervous system	9	358	356	360	359	354
288	Major puerperal infections	8	359	361	359	357	350
013	Rickettsioses and other arthropod-borne diseases	8	360	365	369	333	363
397	Aftercare involving intermittent dialysis	8	361	355	356	366	372
302	Ankylosing spondylitis	7	362	370	361	356	360
061	Benign neoplasm of urinary organ	7	363	354	362	362	367
391	Other complications of medical care, except drugs	7	364	363	363	364	351
356	Fracture of multiple bones	7	365	360	364	361	361
016	Helminthiases	5	366	369	366	363	364
085	Hemophilia (congenital factor VIII disorder)	5	367	364	365	365	369
153	Subarachnoid hemorrhage with paralysis	5	368	362	371	368	362
041	Malignant neoplasm of eye	4	369	368	367	370	366

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals		Rank by Region			
		Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
059	Benign neoplasm of female genitalia, except uterus and ovary	4	370	371	368	367	371
018	Late effects of infectious and parasitic diseases	4	371	372	370	372	368
060	Benign neoplasm of male genital organ	3	372	373	373	371	373
097	Childhood psychosis	3	373	367	374	374	370
260	Other early pregnancy hemorrhage	2	374	374	372	373	374
062	Benign neoplasm of eye	1	375	375	375	376	376
378	Foreign body on external eye	1	376	376	376	375	375
256	Other induced abortion	0	377	377	377	377	377
	All diagnosis groups	71,123					

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number Title

131 Otitis media, acute
133 Otosclerosis
243 Ovarian cyst
252 Ovarian disease, except endometriosis and dysfunction
74 Ovarian dysfunction
254 Ovarian pregnancy
74 Ovary, polycystic
384 Overdose, drug

Paget's disease — *see Disease, Paget's*
Pain
  338 Abdominal
  335 Chest
  253 Female genital organ
  331 Head
  335 Precordial
219 Pancreatic disease
128 Papilledema
114 Paralysis agitans
207 Paralytic ileus
100 Paranoia, except schizophrenic
94 Paranoid schizophrenia
114 Parkinsonism
146 Paroxysmal atrial or supraventricular tachycardia
17 Pediculosis
Peptic ulcer — *see Ulcer, peptic*
189 Perforation, esophagus
397 Peritoneal dialysis treatment
211 Peritonitis, except due to appendicitis
84 Pernicious anemia
6 Pertussis
314 Pes planus
116 Petit mal epilepsy
240 Peyronie's disease
239 Phimosis
169 Phlebitis
244 PID
171 Piles
293 Pilonidal cyst
16 Pinworm infection
70 PKU
264 Placenta previa
271 Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

R 3850-1.8

Length of Stay in PAS Hospitals,

by Operation,

United States, Western Region, 1979

A Supplement To

Length of Stay in PAS Hospitals,
by Diagnosis,
Western Region, 1979

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
OCTOBER 1980

LENGTH OF STAY IN PAS HOSPITALS

Copyright © 1980 by Commission on Professional and Hospital Activities, Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the series entitled
"Length of Stay in PAS Hospitals"...

Volumes include:

- ... by Diagnosis, United States, 1979
- ... by Diagnosis, United States, North Central Region, 1979
- ... by Diagnosis, United States, Northeastern Region, 1979
- ... by Diagnosis, United States, Southern Region, 1979
- ... by Diagnosis, United States, Western Region, 1979
- ... by Diagnosis, Canada, 1979

- ... by Operation, United States, 1979
- ... by Operation, United States, North Central Region, 1979
- ... by Operation, United States, Northeastern Region, 1979
- ... by Operation, United States, Southern Region, 1979
- ... by Operation, United States, Western Region, 1979
- ... by Operation, Canada, 1979

Also included are:

- Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979
- Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities. Also for selected years there are length of stay books for particular regional groups of hospitals, for pediatric patients, and for geriatric patients.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1979 in North America. Twelve volumes describe stays for either diagnoses or operations in the United States, in each of the four U.S. census regions, or in Canada. The thirteenth and fourteenth volumes display data on both diagnoses and operations for pediatric and for geriatric patients in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities.

These statistics, which are also available on computer readable magnetic tape, can provide a valuable perspective for physicians, administrators, PSROs, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" (PSRO) and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1979 LENGTH OF STAY BOOKS

Walt Wood, Manager, Research and Statistics
Ed Kobrinski, Assistant Manager
Ann Matteson, Project Coordinator

CONTENTS

Preface . . . iii
Discussion of the Data . . . 1
  Source of the Data . . . 1
  Data Quality . . . 3
  Coverage . . . 4
  Organization of Length of Stay Tables . . . 7
    ICD-9-CM List B: Hospital Procedure Groups . . . 7
    Definition of Multiple Dx Patients . . . 8
  Explanation of Statistics . . . 8
  Defining the Extended Stay Case . . . 10
Length of Stay Tables . . . 19
  Summary of All Patients . . . 21
  Operation Groups 501-764 . . . 22
Distribution Tables . . . 89
  Table 1: Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups . . . 91
  Table 2: Ranking of *ICD-9-CM* List B Operation Groups by Live Discharges . . . 104
  Table 3: Ranking of *ICD-9-CM* List B Operation Groups by Days of Care . . . 122
Appendix: *ICD-9-CM* Codes for Selected Operation Groups . . . 141
Index to Length of Stay Tables . . . 145

DISCUSSION OF THE DATA

Source of the Data

Data in this book were compiled from individual patient discharge abstracts submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain, and Figure 1 diagrams, the PAS method of storing and retrieving medical data.


PAS
HOSPITAL
CLINICAL RECORD
CASE ABSTRACT
DATA TAPE
CPHA
DATA CENTER
COMPUTER
DATA FILE
HOSPITAL
ITS OWN OVERALL STATISTICS
+
MORE DETAILED STATISTICS
+
LISTINGS
MULTIHOSPITAL STUDIES
INTERHOSPITAL COMPARISONS
REGIONAL DATA

FIG. 1. Schematic diagram of the PAS medical record information system.

BEST AVAILABLE COPY

1. In each participating hospital, medical record personnel transfer information from the record of each discharged patient onto a PAS Case Abstract (Figure 2). The data may also be put onto a data tape at the hospital.
2. The abstract or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it serves as input to the computer system.
3. Data then undergo a comprehensive "cleaning" process and detected errors are corrected by contributing hospitals.
4. The computer system produces sets of reports which give comprehensive statistics on discharged patients plus listings of individual case abstracts in various sequences.
5. The computer system continually adds to a permanent history data file.
6. Length of stay statistics from this file are annually published in this series of length of stay books. The stored data are also available to researchers on a contractual basis.


PAS
1979 CASE ABSTRACT
SAMPLE
PAS
79
79

FIG. 2 PAS Case Abstract

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its role as an extension of the hospital's medical record department.

Quality control of PAS data begins before a new hospital submits its first case abstract and continues as an ongoing system involving personal monitoring, computer checks, and education programs. In spite of these efforts, errors do occur. There are three ways errors can be introduced into PAS data: 1) the basic patient medical record can be incomplete or in error, 2) errors can be made in abstracting information from the medical record to the PAS Case Abstract, and 3) errors can be introduced during processing.

Although CPHA has indirect influence over the quality of the medical record through education and through feedback from use of PAS reports within the hospital, basic responsibility for the accuracy of the medical record rests with the physician and others in the hospital contributing to it. Clearly, the abstractor cannot add to the medical record. Errors or omissions made in it will be carried forward to the PAS Case Abstract.

CPHA goes to considerable lengths to prevent and correct errors in abstracting by training PAS hospital medical record personnel in coding and abstracting methods, by monitoring their work, and by judiciously checking and editing patient data for errors. During processing, over 350 computer checks* are performed on each abstract to check the reasonableness of the data received. When illogical, invalid, or missing data are detected, an error message is printed and the hospital is notified, often by phone. About 40% of the errors detected in the computer audit can be and are corrected at CPHA; the remainder must be handled by the hospitals because only they have the information necessary to make the corrections. Hospitals make such corrections on a voluntary basis.

---

*The following are examples of discrepancies and inconsistencies in the data that are detected by the computer audit: hospital day of operative episode exceeding total stay, cesarean sections with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded. Examples of invalid data detected by the computer are diagnosis and operation codes that do not exist in the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Coverage

The length of stay tables in this book display stay distributions for 896,518 operated patients discharged during 1979 from 326 nonfederal, short-term* hospitals participating in PAS in the Western Region of the U.S. PAS hospitals in United States territories and Puerto Rico were excluded from this publication as were short-term psychiatric hospitals participating in PAS. Patients studied were selected from a total of 1,999,692 discharges. Only those patients who were operated are included in this book.

Characteristics of all hospitals in the Western Region that participated in PAS during 1979 are shown in Tables A and B. Some of these hospitals did not participate for the entire 12-month period. In addition, because of the unavailability of data at the time of processing, data for some of these PAS hospitals are not included in the length of stay tables.

States included in the various census regions and divisions are shown in Figure 3.


West
North Central
Northeast
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

FIG. 3 Census Divisions and Regions in the United States

---

*Short-term hospitals are defined as those in which the median stay is shorter than 30 days.

Table A

Bed Size, Region, and Census Division: PAS Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
ALL U.S.						
Bed Size						
1. Less than 25 beds	305	27	8.9%	5,761	528	9.2%
2. 25-49	1,154	158	13.7	41,776	6,129	14.7
3. 50-99	1,459	345	23.6	105,411	25,666	24.3
4. 100-199	1,412	470	33.3	198,519	67,395	33.9
5. 200-299	716	301	42.0	174,636	73,904	42.3
6. 300-399	382	179	46.9	131,296	61,207	46.6
7. 400-499	244	102	41.8	107,790	45,171	41.9
8. 500 or more	311	115	37.0	212,247	77,156	36.4
Total	5,983	1,697	28.4%	977,436	357,156	36.5%
Region and Census Division						
Northeast	941	260	27.6%	221,260	73,590	33.3%
New England	276	88	31.9	51,658	20,198	39.1
Middle Atlantic	665	172	25.9	169,602	53,392	31.5
North Central	1,744	652	37.4	292,394	141,077	48.2
East North Central	935	499	53.4	193,639	110,157	56.9
West North Central	809	153	18.9	98,755	30,920	31.3
South	2,171	451	20.8	316,264	91,344	28.9
South Atlantic	823	292	35.5	149,347	57,261	38.3
East South Central	488	50	10.2	67,691	12,984	19.2
West South Central	860	109	12.7	99,226	21,099	21.3
West	1,127	334	29.6	147,518	51,175	34.7
Mountain	365	107	29.3	38,709	17,459	45.1
Pacific	762	227	29.8	108,809	33,716	31.0
Grand Total	5,983	1,697	28.4%	977,436	357,186	36.5%

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Table B

Teaching Type, Region, and Census Division: PAS Hospitals Compared with all Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

	Hospitals with Residencies			Hospitals with Medical School Affiliation		
Region and Census Division (1)	Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
Northeast	306	114	37.3%	228	87	38.2%
New England	69	31	44.9	58	29	50.0
Middle Atlantic	237	83	35.0	170	58	34.1
North Central	298	152	51.0	218	109	50.0
East North Central	205	116	56.6	140	75	53.6
West North Central	93	36	38.7	78	34	43.6
South	265	76	28.7	211	62	29.4
South Atlantic	127	44	34.6	104	38	36.5
East South Central	57	14	24.6	47	12	25.5
West South Central	81	18	22.2	60	12	20.0
West	140	47	33.6	116	38	32.8
Mountain	38	16	42.1	30	11	36.7
Pacific	102	31	30.4	86	27	31.4
Grand Total	1,009	389	38.6%	773	296	38.3%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Organization of Length of Stay Tables

The length of stay tables in the body of this book are organized according to the operation groupings in *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each operation group, patients are further stratified by single or multiple diagnoses and age.

ICD-9-CM List B: Hospital Procedure Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List B: Hospital Operation Groups* has been replaced by *ICD-9-CM List B: Hospital Procedure Groups,* which reflects the procedures contained in the new classification.

In List B there are 249 groups that contain at least one UHDDS Class 1[2] procedure. Fifteen of the 264 List B groups consist solely of Class 2, 3, and 4 procedures. This book displays data only for those 249 groups with Class 1 procedures.

Patients were assigned to the *ICD-9-CM* List B operation groups on the basis of their principal procedure. Operation information for all patients discharged from PAS hospitals during 1979 was coded using *ICD-9-CM.* "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS) and generally is that therapeutic procedure most related to the principal diagnosis.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Multiple Dx Patients

A patient is classified in the multiple dx category if he had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Explanation of Statistics

The operation group titles heading the tables are followed in parentheses by the operation codes they include. These codes refer to *ICD-9-CM.*

Length of stay is calculated from admission and discharge dates entered on the PAS Case Abstract, counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance, but as staying less than one day in the calculation of the percentiles. Thus, if more than 5% of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in column 2, "Number of Patients"; column 3, "Average Stay"; or column 4, "Variance." The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are shown. If, for example, the 10th percentile for a group of patients is four days, it means that ten percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

The value of a percentile for a group of patients is determined by arranging the individual patients' stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Exclusions

The length of stay tables exclude:

(1) patients who died,
(2) patients admitted from other short-term hospitals,
(3) patients discharged to other short-term hospitals,
(4) patients discharged against medical advice,
(5) patients with length of stay greater than 99 days (these patients are included only in the percentile calculations).

These patients are excluded because they are not typical short-term patients (i.e., their stays are not "manageable" by the physician).

Other exclusions include stillborn, patients with incalculable age or stay, illegal or unrecorded principal diagnosis or principal procedure, unrecorded discharge status, and patients with diagnosis-age, diagnosis-sex, operation-age, or operation-sex inconsistencies. Also excluded are newborn with illegal or unrecorded birthweights.

Defining the Extended Stay[1] Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the PSRO is called extended stay review. This review, whether applied universally to all patients within the facility or "focused" on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in reasonably current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, the age of the patient, and whether the patient had single or multiple diagnoses.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and quite different lengths of stay) are appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy), primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung) and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

---

[1] Medicare regulations formerly referred to "extended duration," PSRO guidelines refer to "continued stay."

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the regional length of stay books published by the Commission on Professional and Hospital Activities.[1] With the appropriate book, the five steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[2]) that contains the contemplated operation in one of the following ways.

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[3] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group (in the CPHA length of stay books) for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. For diagnoses not in *Concurrent Review Screening* the contemplated operation can usually be found in the index at the back of the operation length of stay book.

c. If an operation is not listed in the index to the length of stay tables, the code for the operation can be found in Volume 3 of *ICD-9-CM.*[4] That code can then be located in List B or in the heading of the length of stay table.

---

[1] *Length of Stay in PAS Hospitals, by Diagnosis,* Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., Northeastern Region, 1979
U.S., Southern Region, 1979
U.S., North Central Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

Length of Stay in PAS Hospitals, by Operation, Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., Northeastern Region, 1979
U.S., Southern Region, 1979
U.S., North Central Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

[2] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[4] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table. There are four tables per page for operation groups in the length of stay books.

Step 3. Find the appropriate part of the table for number of diagnoses (single or multiple).

Step 4. Find the correct age group. The five age groupings presented are 0-19 years, 20-34 years, 35-49 years, 50-64 years, and 65 years and over.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line which includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November, a 57-year-old patient is admitted to a hospital in the Western Region for elective surgery, in this case, a transurethral resection, the admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening*. Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP $>$ 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	**2**		**235**
for: Cystoscopy			636
TUR			**648**
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever $>$ 102°, chills			
2. Abscess formation			

b. The alphabetic index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
	Palate
551	Cleft palate repair
551	Palatoplasty
514	Parathyroid
	Penis
657	Circumcision
	Perineum, female
683	Excision of lesion or tissue
683	Incision
	Perirectal
607	Excision
607	Incision
609	Other
	Peritoneum
630	Division of adhesions
627	Drainage, except via cul de sac
682	Via cul de sac
626	Excision
630	Incision, except via cul de sac
682	Via cul de sac
628	Peritoneoscopy
	Pleura
576	Pleurocentesis
	Prostate
648	**Prostatectomy, transurethral**
649	Prostatectomy, except transurethral
650	Other
	Rectum
606	Excision, except proctectomy
609	Incision
608	Proctectomy
608	Other
	Reduction
	Dislocation, *see Joint*
	Fracture, *see Bone*
758	Retrograde pyelogram
	Sinuses, nasal
546	Radical maxillary sinusotomy

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure INDEX TO PROCEDURES

- **Procedure** -- *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) *(see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** *(see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** (complete) (partial) NEC 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral 60.2**
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

408

Step 2. Find the table for group 648 of *Length of Stay in PAS Hospitals, by Operation, United States, Western Region, 1979.*

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	65	5.2	3	3	4	5	6	7	9	11
50-64	1324	5.4	5	3	4	5	6	8	9	12
65+	2925	6.1	8	3	4	6	7	9	11	17
2. MULTIPLE DX										
0-19 YRS	9	9.1	33	5	5	7	10	19	23	23
20-34	13	7.0	21	3	3	6	8	14	18	19
35-49	141	6.4	19	3	3	5	7	10	13	27
50-64	2404	7.0	25	3	4	6	8	12	15	28
65+	8073	8.9	49	4	4	7	10	16	21	39
TOT. SINGLE DX	4319	5.9	7	3	4	5	7	9	10	16
" MULTIPLE DX	10640	8.5	44	4	4	6	9	15	20	37
TOTAL 0-19 YRS	12	7.6	32	2	2	6	8	16	22	23
20-34	15	6.6	20	2	3	6	8	13	17	19
35-49	206	6.0	14	3	4	5	7	9	12	21
50-64	3728	6.5	18	3	4	5	7	10	13	25
65+	10998	8.2	40	4	4	6	9	14	19	35
GRAND TOTAL	**14959**	**7.7**	**35**	**4**	**4**	**6**	**8**	**13**	**18**	**33**

Step 3. There are no secondary diagnoses recorded, so one needs to be concerned only with the top five lines of the table (Section 1).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	65	5.2	3	3	4	5	6	7	9	11
50-64	1324	5.4	5	3	4	5	6	8	9	12
65+	2925	6.1	8	3	4	6	7	9	11	17
2. MULTIPLE DX										
0-19 YRS	9	9.1	33	5	5	7	10	19	23	23
20-34	13	7.0	21	3	3	6	8	14	18	19
35-49	141	6.4	19	3	3	5	7	10	13	27
50-64	2404	7.0	25	3	4	6	8	12	15	28
65+	8073	8.9	49	4	4	7	10	16	21	39
TOT. SINGLE DX	4319	5.9	7	3	4	5	7	9	10	16
" MULTIPLE DX	10640	8.5	44	4	4	6	9	15	20	37
TOTAL 0-19 YRS	12	7.6	32	2	2	6	8	16	22	23
20-34	15	6.6	20	2	3	6	8	13	17	19
35-49	206	6.0	14	3	4	5	7	9	12	21
50-64	3728	6.5	18	3	4	5	7	10	13	25
65+	10998	8.2	40	4	4	6	9	14	19	35
GRAND TOTAL	14959	7.7	35	4	4	6	8	13	18	33

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	65	5.2	3	3	4	5	6	7	9	11
50-64	1324	5.4	5	3	4	5	6	8	9	12
65+	2925	6.1	8	3	4	6	7	9	11	17
2. MULTIPLE DX										
0-19 YRS	9	9.1	33	5	5	7	10	19	23	23
20-34	13	7.0	21	3	3	6	8	14	18	19
35-49	141	6.4	19	3	3	5	7	10	13	27
50-64	2404	7.0	25	3	4	6	8	12	15	28
65+	8073	8.9	49	4	4	7	10	16	21	39
TOT. SINGLE DX	4319	5.9	7	3	4	5	7	9	10	16
" MULTIPLE DX	10640	8.5	44	4	4	6	9	15	20	37
TOTAL 0-19 YRS	12	7.6	32	2	2	6	8	16	22	23
20-34	15	6.6	20	2	3	6	8	13	17	19
35-49	206	6.0	14	3	4	5	7	9	12	21
50-64	3728	6.5	18	3	4	5	7	10	13	25
65+	10998	8.2	40	4	4	6	9	14	19	35
GRAND TOTAL	14959	7.7	35	4	4	6	8	13	18	33

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the fifth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	65	5.2	3	3	4	[illegible]	6	7	9	11
50-64	1324	5.4	5	3	4	5	6	8	9	12
65+	2925	6.1	8	3	4	[illegible]	7	9	11	17
2. MULTIPLE DX										
0-19 YRS	9	9.1	33	5	5	7	10	19	23	23
20-34	13	7.0	21	3	3	6	8	14	18	19
35-49	141	6.4	19	3	3	5	7	10	13	27
50-64	2404	7.0	25	3	4	6	8	12	15	28
65+	8073	8.9	49	4	4	7	10	16	21	39
TOT. SINGLE DX	4319	5.9	7	3	4	5	7	9	10	16
" MULTIPLE DX	10640	8.5	44	4	4	6	9	15	20	37
TOTAL 0-19 YRS	12	7.6	32	2	2	6	8	16	22	23
20-34	15	6.6	20	2	3	6	8	13	17	19
35-49	206	6.0	14	3	4	5	7	9	12	21
50-64	3728	6.5	18	3	4	5	7	10	13	25
65+	10998	8.2	40	4	4	6	9	14	19	35
GRAND TOTAL	**14959**	**7.7**	**35**	**4**	**4**	**6**	**8**	**13**	**18**	**33**

The patient was admitted on 3 November; therefore, the fifth day will fall on 8 November. Prior to or on 8 November the UR coordinator, the physician advisor, the UR committee, or other group responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., 75th percentile (as suggested in the PSRO *Program Manual*, paragraph 705.26).

Subsequent extended stay review dates would ordinarily be set by the physician advisor or the peer review (utilization review) committee as necessary, based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

326 PAS Hospitals, Western Region, 1979, by Operation

Summary of all patients in operation groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	81850	2.8	11	<1	1	2	3	5	7	16
20-34	149865	3.3	11	<1	1	2	4	6	8	16
35-49	65755	4.4	19	<1	1	3	6	9	12	21
50-64	63306	5.1	26	1	1	3	7	11	14	24
65+	56830	6.3	40	1	2	4	8	14	18	30
2. MULTIPLE DX										
0-19 YRS	51686	4.9	61	<1	1	3	5	10	17	49
20-34	124832	5.1	39	1	1	4	6	9	14	35
35-49	81199	6.7	54	1	1	5	8	13	19	42
50-64	98078	8.4	81	1	2	6	11	17	24	50
65+	123117	11.2	117	2	2	8	15	24	32	59
TOT. SINGLE DX	417606	4.0	20	<1	1	3	5	8	12	22
" MULTIPLE DX	478912	7.6	79	1	1	5	9	17	24	49
TOTAL 0-19 YRS	133536	3.6	32	<1	1	2	4	7	11	31
20-34	274697	4.1	25	<1	1	3	5	7	10	25
35-49	146954	5.7	40	1	1	4	7	11	15	33
50-64	161384	7.1	62	1	1	5	9	15	21	42
65+	179947	9.6	97	1	2	7	13	21	28	52
GRAND TOTAL	**896518**	**5.9**	**54**	**1**	**1**	**4**	**7**	**13**	**19**	**39**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	12.3	127	2	2	9	16	26	44	86
20-34	184	6.9	86	1	1	2	10	16	22	50
35-49	141	10.5	77	1	1	10	14	18	23	51
50-64	269	10.8	136	1	1	9	14	22	31	59
65+	162	17.0	200	5	6	14	20	30	54	94
2. MULTIPLE DX										
0-19 YRS	108	17.6	244	2	3	13	24	44	52	99+
20-34	127	20.6	288	5	7	15	26	60	92	99+
35-49	189	17.0	301	1	1	13	23	40	56	99
50-64	271	21.4	291	7	8	15	27	45	64	98
65+	346	25.5	317	5	8	21	35	55	68	99+
TOT. SINGLE DX	840	11.2	137	1	1	9	15	23	31	60
" MULTIPLE DX	1041	21.5	306	2	6	16	29	49	67	99+
TOTAL 0-19 YRS	192	15.3	199	2	3	11	20	36	50	99+
20-34	311	12.5	213	1	1	9	16	32	57	99+
35-49	330	14.2	215	1	1	11	18	33	47	89
50-64	540	16.1	241	1	1	12	20	34	50	93
65+	508	22.8	295	5	7	18	30	51	61	99+
GRAND TOTAL	1881	16.9	256	1	1	13	22	40	56	99+

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	8.8	32	3	3	7	11	18	21	26
20-34	93	11.2	89	4	5	8	13	18	26	57
35-49	66	13.8	136	3	4	11	17	24	36	68
50-64	108	12.5	52	4	5	11	16	23	25	36
65+	102	15.8	162	4	5	12	19	28	39	74
2. MULTIPLE DX										
0-19 YRS	144	19.9	360	4	5	13	28	49	73	99+
20-34	150	23.5	441	5	6	17	37	68	96	99+
35-49	126	21.8	308	6	7	17	27	54	75	99+
50-64	190	23.4	340	6	8	18	32	59	77	99+
65+	244	24.1	296	6	8	20	33	54	84	99+
TOT. SINGLE DX	453	12.5	98	3	5	10	15	23	28	55
" MULTIPLE DX	854	22.8	344	5	7	17	32	57	83	99+
TOTAL 0-19 YRS	228	15.8	267	3	4	10	20	40	60	99+
20-34	243	18.8	341	4	5	11	23	54	75	99+
35-49	192	19.1	263	4	6	15	22	47	66	99+
50-64	298	19.4	263	5	7	14	24	44	67	99+
65+	346	21.6	270	6	8	17	29	50	67	99+
GRAND TOTAL	1307	19.2	283	4	5	14	24	47	69	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	163	5.0	8	2	2	4	6	8	10	14
20-34	75	5.3	17	2	2	4	6	8	11	28
35-49	42	5.8	10	1	2	5	8	10	12	14
50-64	22	6.2	13	1	2	5	9	12	13	13
65+	18	8.5	33	1	2	7	10	18	20	21
2. MULTIPLE DX										
0-19 YRS	122	8.7	92	2	2	6	9	18	31	71
20-34	115	12.1	227	3	3	8	13	28	82	99+
35-49	61	11.4	187	2	2	8	11	26	47	67
50-64	50	16.8	436	4	4	9	16	35	68	95
65+	20	13.7	266	4	4	9	12	35	60	64
TOT. SINGLE DX	320	5.4	12	2	2	5	7	9	11	20
" MULTIPLE DX	368	11.6	210	2	3	7	12	27	54	99+
TOTAL 0-19 YRS	285	6.6	47	2	2	5	7	11	17	51
20-34	190	9.4	155	2	3	6	10	20	39	99+
35-49	103	9.1	122	2	2	7	10	15	29	65
50-64	72	13.5	329	3	3	8	13	31	64	94
65+	38	11.2	159	2	4	8	11	18	43	64
GRAND TOTAL	688	8.7	127	2	2	6	9	15	29	93

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	8.1	35	2	3	6	9	16	22	31
20-34	20	11.1	71	3	4	8	13	22	32	38
35-49	12	8.4	15	4	4	7	10	15	17	17
50-64	20	9.8	30	3	4	8	12	19	20	21
65+	55	12.7	62	6	7	10	14	23	32	37
2. MULTIPLE DX										
0-19 YRS	92	17.5	232	3	4	13	31	55	99+	99+
20-34	18	14.9	135	5	7	11	23	73	99+	99+
35-49	31	28.8	731	4	4	26	65	99+	99+	99+
50-64	52	23.7	336	7	8	19	35	77	99+	99+
65+	115	24.9	230	8	9	22	34	52	67	99+
TOT. SINGLE DX	163	10.3	50	3	4	8	13	20	25	37
" MULTIPLE DX	308	22.3	306	4	6	19	33	62	99+	99+
TOTAL 0-19 YRS	148	13.9	177	3	4	9	20	42	57	99+
20-34	38	12.9	103	4	5	10	15	39	73	99+
35-49	43	23.1	612	4	4	16	33	98	99+	99+
50-64	72	19.8	289	4	5	16	26	51	94	99+
65+	170	21.0	207	7	8	17	28	44	62	99+
GRAND TOTAL	471	18.1	250	4	4	13	26	47	77	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	7.1	35	2	2	5	9	14	23	29
20-34	39	8.2	34	1	2	6	12	18	21	22
35-49	18	14.8	401	3	3	10	13	28	67	90
50-64	13	10.8	231	1	1	6	12	28	52	58
65+	17	11.9	71	2	3	10	15	19	32	38
2. MULTIPLE DX										
0-19 YRS	229	12.5	191	2	3	7	15	37	51	99+
20-34	89	18.1	387	2	4	9	25	60	87	99+
35-49	38	18.9	306	2	2	13	27	56	66	99+
50-64	47	18.3	189	3	6	15	25	41	73	99+
65+	57	18.9	249	3	5	16	27	32	50	84
TOT. SINGLE DX	183	8.8	91	2	2	6	11	17	23	51
" MULTIPLE DX	460	15.5	252	2	3	9	22	43	61	99+
TOTAL 0-19 YRS	325	10.9	151	2	3	6	13	32	43	99+
20-34	128	15.0	299	2	3	8	20	52	65	99+
35-49	56	17.6	334	2	3	13	20	51	67	99
50-64	60	16.7	204	2	3	14	22	36	65	99+
65+	74	17.3	216	3	5	14	22	31	45	81
GRAND TOTAL	**643**	**13.6**	**215**	**2**	**3**	**8**	**17**	**35**	**55**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	8.9	28	2	2	9	12	16	18	21
20-34	244	10.6	48	4	5	9	13	18	23	38
35-49	438	10.2	26	5	5	9	12	16	19	30
50-64	382	10.7	33	5	6	9	12	17	21	30
65+	214	12.6	43	5	7	11	16	22	26	32
2. MULTIPLE DX										
0-19 YRS	37	18.1	249	3	4	13	29	43	55	58
20-34	185	15.6	224	5	6	10	17	31	44	87
35-49	358	13.0	86	5	5	10	16	23	35	72
50-64	556	16.0	152	5	6	12	19	30	44	71
65+	429	19.2	155	7	8	16	24	37	47	86
TOT. SINGLE DX	1310	10.8	36	4	5	9	13	18	22	31
" MULTIPLE DX	1565	16.2	153	5	6	12	20	32	44	77
TOTAL 0-19 YRS	69	13.8	165	2	3	10	15	33	44	58
20-34	429	12.8	130	4	5	9	14	22	32	72
35-49	796	11.5	55	5	5	10	14	19	26	47
50-64	938	13.8	111	5	6	11	16	25	35	67
65+	643	17.0	127	6	7	14	21	32	42	76
GRAND TOTAL	**2875**	**13.7**	**107**	**5**	**6**	**11**	**16**	**25**	**35**	**66**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	45	6.8	33	1	1	4	11	17	19	21
20-34	110	7.2	57	1	1	5	10	17	24	99+
35-49	110	6.9	85	1	1	4	8	14	17	55
50-64	90	7.1	58	1	1	5	9	15	21	42
65+	41	14.5	138	1	2	11	21	32	37	49
2. MULTIPLE DX										
0-19 YRS	74	15.9	230	2	3	11	19	31	52	78
20-34	109	13.6	218	1	2	11	17	33	45	98
35-49	145	13.9	203	1	1	11	19	27	42	88
50-64	136	15.2	226	1	2	11	19	36	46	93
65+	108	21.8	268	3	6	17	29	43	61	74
TOT. SINGLE DX	396	7.8	75	1	1	5	10	17	25	50
" MULTIPLE DX	572	15.9	234	1	2	12	20	35	47	87
TOTAL 0-19 YRS	119	12.5	174	1	2	9	16	24	37	73
20-34	219	10.4	147	1	1	7	14	22	36	99+
35-49	255	10.9	164	1	1	7	14	24	35	85
50-64	226	12.0	175	1	1	8	16	29	42	77
65+	149	19.7	242	2	4	16	28	40	50	74
GRAND TOTAL	**968**	**12.6**	**185**	**1**	**1**	**9**	**17**	**29**	**42**	**79**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	2.7	4	<1	<1	2	4	6	8	73
20-34	357	2.8	6	<1	<1	2	3	5	8	14
35-49	391	3.0	7	<1	1	2	3	6	9	13
50-64	523	3.3	9	<1	1	2	4	7	10	14
65+	231	3.7	17	<1	1	3	4	7	12	19
2. MULTIPLE DX										
0-19 YRS	31	3.5	16	1	1	2	4	5	8	23
20-34	194	6.4	73	1	1	3	7	15	22	46
35-49	238	6.4	60	1	2	4	8	14	18	41
50-64	344	5.0	28	1	1	3	6	11	15	31
65+	176	7.0	58	2	2	4	9	17	23	45
TOT. SINGLE DX	1581	3.2	9	<1	1	2	3	6	9	14
" MULTIPLE DX	983	5.9	50	1	2	3	6	14	19	40
TOTAL 0-19 YRS	110	2.9	7	<1	<1	2	4	6	8	53
20-34	551	4.1	32	<1	1	2	4	9	13	28
35-49	629	4.3	30	<1	1	3	4	10	13	29
50-64	867	4.0	17	<1	1	3	4	9	12	23
65+	407	5.1	37	1	1	3	5	12	17	37
GRAND TOTAL	**2564**	**4.2**	**26**	**<1**	**1**	**3**	**4**	**9**	**13**	**28**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	217	2.4	8	<1	1	2	3	4	6	10
20-34	1241	2.3	3	<1	<1	2	3	4	4	8
35-49	1411	2.4	3	<1	1	2	3	4	5	9
50-64	1478	2.5	9	<1	1	2	3	4	5	12
65+	722	2.6	5	<1	1	2	3	4	7	12
2. MULTIPLE DX										
0-19 YRS	215	2.7	7	1	1	2	3	5	7	18
20-34	623	3.4	15	1	1	2	4	6	9	25
35-49	629	3.5	15	1	1	2	4	6	10	22
50-64	801	3.7	14	1	1	3	4	7	11	22
65+	508	4.8	41	1	1	3	5	11	15	37
TOT. SINGLE DX	5069	2.4	5	<1	1	2	3	4	5	10
" MULTIPLE DX	2776	3.7	19	1	1	2	4	7	11	23
TOTAL 0-19 YRS	432	2.5	7	<1	1	2	3	4	6	13
20-34	1864	2.6	7	<1	1	2	3	4	6	15
35-49	2040	2.7	7	<1	1	2	3	4	6	15
50-64	2279	2.9	11	<1	1	2	3	5	8	17
65+	1230	3.5	21	<1	1	2	3	7	11	22
GRAND TOTAL	**7845**	**2.9**	**11**	**<1**	**1**	**2**	**3**	**5**	**7**	**17**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	32	5.3	6	2	2	5	7	9	11	12
35-49	30	6.0	24	2	2	5	8	11	12	26
50-64	41	7.2	14	2	4	7	8	11	14	24
65+	38	9.0	42	2	4	7	11	18	20	37
2. MULTIPLE DX										
0-19 YRS	7	5.3	9	3	3	4	8	10	10	10
20-34	30	8.0	40	3	3	6	8	15	23	32
35-49	37	12.7	142	4	5	8	14	25	45	55
50-64	99	12.6	115	3	4	9	15	26	37	57
65+	185	16.9	144	5	7	14	21	29	39	72
TOT. SINGLE DX	143	6.9	24	2	2	6	8	11	15	27
" MULTIPLE DX	358	14.3	133	4	5	11	18	28	37	67
TOTAL 0-19 YRS	9	4.7	9	1	2	4	6	10	10	10
20-34	62	6.6	24	2	3	5	8	11	15	31
35-49	67	9.7	99	2	2	7	10	20	28	54
50-64	140	11.0	91	3	4	8	12	23	31	43
65+	223	15.5	136	5	6	12	20	28	37	70
GRAND TOTAL	**501**	**12.2**	**113**	**3**	**4**	**9**	**15**	**24**	**32**	**54**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.3	3	1	1	3	4	5	5	5
20-34	22	4.5	15	<1	1	3	7	10	14	14
35-49	21	5.0	22	<1	1	4	7	11	16	19
50-64	22	4.2	10	<1	1	4	6	8	11	13
65+	8	4.1	14	2	2	3	4	11	13	13
2. MULTIPLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	37	6.3	28	1	1	4	9	14	18	22
35-49	40	6.8	68	<1	1	4	9	14	25	42
50-64	50	7.6	42	1	1	7	11	14	16	38
65+	38	11.6	135	1	2	9	13	20	36	63
TOT. SINGLE DX	77	4.5	14	1	1	4	6	9	13	18
" MULTIPLE DX	166	8.0	69	1	1	5	11	16	21	41
TOTAL 0-19 YRS	5	4.6	11	1	1	4	6	10	10	10
20-34	59	5.7	24	1	1	4	8	13	17	22
35-49	61	6.2	52	<1	1	4	9	13	21	40
50-64	72	6.6	35	1	1	4	9	13	16	34
65+	46	10.3	122	2	2	7	13	19	33	63
GRAND TOTAL	**243**	**6.9**	**55**	**1**	**1**	**4**	**9**	**13**	**19**	**39**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of a procedure which is coded for indexing, quality review, and purposes other than its effect on length of stay. For the purpose of operation length of stay tables, patients with only this procedure are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	117	3.9	3	2	2	4	4	5	6	11
20-34	672	3.9	2	2	3	4	4	5	6	9
35-49	669	3.9	3	2	3	4	4	5	6	10
50-64	550	4.1	3	2	3	4	5	5	7	12
65+	252	4.8	7	3	3	4	5	7	9	17
2. MULTIPLE DX										
0-19 YRS	49	5.2	16	2	2	4	5	9	15	22
20-34	293	5.1	16	3	3	4	5	8	12	18
35-49	389	4.9	11	3	3	4	5	7	10	20
50-64	443	5.5	44	3	3	4	5	8	11	40
65+	289	7.6	41	3	3	5	9	14	20	39
TOT. SINGLE DX	2260	4.1	3	2	3	4	4	5	7	12
" MULTIPLE DX	1463	5.7	29	3	3	4	6	9	13	29
TOTAL 0-19 YRS	166	4.3	7	2	2	4	5	6	8	17
20-34	965	4.3	7	2	3	4	5	6	8	14
35-49	1058	4.3	6	2	3	4	5	6	8	14
50-64	993	4.7	21	3	3	4	5	6	8	18
65+	541	6.3	27	3	3	5	7	11	15	31
GRAND TOTAL	**3723**	**4.7**	**14**	**2**	**3**	**4**	**5**	**7**	**9**	**19**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	188	2.2	2	1	1	2	3	3	4	7
20-34	128	2.9	2	1	1	3	4	5	6	7
35-49	92	3.6	4	1	2	3	4	6	7	12
50-64	79	4.3	6	1	1	4	5	8	10	12
65+	40	5.4	9	1	3	5	6	9	10	18
2. MULTIPLE DX										
0-19 YRS	24	3.9	18	1	1	2	4	13	15	16
20-34	67	6.9	24	2	3	5	8	16	18	22
35-49	79	7.4	47	1	2	5	9	16	26	81
50-64	142	8.4	71	3	3	6	9	17	28	44
65+	109	9.4	81	3	3	6	11	16	35	47
TOT. SINGLE DX	527	3.2	4	1	1	3	4	6	7	11
" MULTIPLE DX	421	8.0	60	2	3	5	9	16	23	44
TOTAL 0-19 YRS	212	2.4	4	1	1	2	3	4	5	14
20-34	195	4.3	13	1	1	3	5	8	11	21
35-49	171	5.3	28	1	2	4	6	12	16	36
50-64	221	6.9	51	2	2	5	7	13	19	39
65+	149	8.4	64	3	3	6	10	14	22	45
GRAND TOTAL	**948**	**5.3**	**35**	**1**	**1**	**4**	**6**	**11**	**15**	**37**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	7.2	10	2	3	7	8	11	14	16
20-34	52	8.0	10	4	5	7	10	12	15	18
35-49	34	8.8	5	5	5	9	10	12	12	13
50-64	35	10.5	74	2	5	9	12	15	19	54
65+	13	10.6	58	3	5	8	13	22	29	31
2. MULTIPLE DX										
0-19 YRS	9	14.6	185	6	6	10	16	37	49	49
20-34	43	12.4	63	5	6	9	14	23	30	39
35-49	46	12.0	91	5	5	9	13	20	29	51
50-64	70	14.3	165	5	6	12	18	23	31	88
65+	43	19.5	176	7	8	14	26	40	49	59
TOT. SINGLE DX	152	8.9	28	4	5	8	10	13	16	31
" MULTIPLE DX	211	14.5	136	5	6	11	18	26	39	54
TOTAL 0-19 YRS	27	9.6	76	3	4	7	10	16	23	49
20-34	95	10.0	38	4	5	8	12	19	21	38
35-49	80	10.6	57	5	5	9	11	16	21	51
50-64	105	13.1	137	4	6	10	14	21	27	73
65+	56	17.5	162	5	6	14	21	38	47	58
GRAND TOTAL	**363**	**12.1**	**99**	**4**	**5**	**9**	**13**	**20**	**31**	**51**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	127	1.3		<1	<1	1	1	2	2	4
20-34	25	2.2	9	<1	<1	1	2	4	9	15
35-49	38	1.8	3	<1	<1	1	2	3	6	10
50-64	82	1.9	1	<1	<1	2	2	3	4	5
65+	128	2.4	5	<1	<1	2	2	4	6	14
2. MULTIPLE DX										
0-19 YRS	19	2.7	8	<1	<1	2	3	7	11	12
20-34	13	2.9	4	<1	<1	2	4	6	6	6
35-49	23	3.2	14	<1	<1	2	3	9	13	15
50-64	51	3.7	13	<1	<1	2	5	8	10	18
65+	110	5.0	64	1	1	2	5	12	19	50
TOT. SINGLE DX	400	1.9	3	<1	<1	1	2	3	4	10
" MULTIPLE DX	216	4.2	39	<1	1	2	4	8	15	32
TOTAL 0-19 YRS	146	1.5	2	<1	<1	1	2	2	3	9
20-34	38	2.4	7	<1	<1	1	3	6	7	15
35-49	61	2.3	7	<1	<1	1	2	5	9	15
50-64	133	2.6	6	<1	<1	2	3	5	7	15
65+	238	3.6	34	<1	1	2	3	6	12	28
GRAND TOTAL	616	2.7	17	<1	<1	2	2	5	8	19

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	220	1.9	3	<1	<1	1	2	3	4	12
20-34	99	2.4	13	<1	<1	2	2	4	7	25
35-49	141	1.7	3	<1	<1	1	2	3	4	10
50-64	239	1.7	1	<1	<1	1	2	3	3	6
65+	377	1.8	1	<1	<1	2	2	3	3	7
2. MULTIPLE DX										
0-19 YRS	272	2.8	16	<1	1	2	3	5	9	32
20-34	369	3.7	35	<1	1	2	4	8	12	28
35-49	216	3.8	64	<1	<1	2	3	6	13	47
50-64	369	2.7	10	<1	1	2	3	5	8	14
65+	482	3.8	39	<1	1	2	3	8	12	30
TOT. SINGLE DX	1076	1.8	3	<1	<1	1	2	3	4	9
" MULTIPLE DX	1708	3.4	32	<1	1	2	3	7	10	28
TOTAL 0-19 YRS	492	2.4	10	<1	<1	2	2	4	7	24
20-34	468	3.5	30	<1	<1	2	4	7	10	28
35-49	357	3.0	40	<1	<1	2	2	5	8	26
50-64	608	2.3	7	<1	<1	2	2	4	6	13
65+	859	2.9	23	<1	1	2	3	5	9	23
GRAND TOTAL	2784	2.8	21	<1	<1	2	3	5	8	23

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	2.2	7	<1	<1	2	2	3	6	18
20-34	41	1.9	1	<1	<1	2	2	3	3	3
35-49	48	2.3	1	<1	1	2	3	3	4	4
50-64	63	2.6	2	1	1	2	3	4	5	7
65+	92	2.5	2	2	2	2	3	4	4	9
2. MULTIPLE DX										
0-19 YRS	33	2.7	5	<1	<1	2	3	5	8	11
20-34	31	2.4	2	1	1	2	4	5	6	99+
35-49	35	3.0	4	1	2	2	3	5	7	12
50-64	57	3.3	9	1	1	3	3	5	10	19
65+	85	3.2	6	1	2	3	4	5	6	17
TOT. SINGLE DX	297	2.4	2	<1	1	2	3	4	4	7
" MULTIPLE DX	241	3.0	6	1	1	2	3	5	7	19
TOTAL 0-19 YRS	86	2.4	6	<1	<1	2	2	5	7	15
20-34	72	2.1	1	<1	1	2	3	4	4	78
35-49	83	2.6	2	<1	1	2	3	4	5	10
50-64	120	2.9	5	1	1	2	3	4	7	14
65+	177	2.9	4	1	2	2	3	4	5	10
GRAND TOTAL	538	2.7	4	1	1	2	3	4	6	12

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	1.7	1	<1	<1	2	2	3	3	4
20-34	19	1.3		<1	<1	1	2	2	3	3
35-49	9	1.8	2	<1	<1	1	2	4	5	5
50-64	15	1.7	1	<1	<1	1	2	3	3	3
65+	15	2.9	18	<1	<1	2	2	3	14	18
2. MULTIPLE DX										
0-19 YRS	21	3.4	8	1	1	2	6	8	9	10
20-34	9	3.9	15	1	1	2	5	10	13	13
35-49	5	7.6	24	4	4	7	9	16	16	16
50-64	7	3.6	6	2	2	3	3	8	9	9
65+	25	4.9	31	1	1	3	4	13	18	25
TOT. SINGLE DX	96	1.8	3	<1	<1	1	2	3	3	12
" MULTIPLE DX	67	4.3	19	1	1	3	6	9	14	24
TOTAL 0-19 YRS	59	2.3	4	<1	<1	2	2	5	7	10
20-34	28	2.1	6	<1	<1	1	2	5	7	13
35-49	14	3.9	17	<1	<1	2	5	8	14	16
50-64	22	2.3	3	<1	<1	2	3	3	6	9
65+	40	4.1	26	<1	<1	2	4	11	17	25
GRAND TOTAL	163	2.8	11	<1	<1	2	3	6	9	18

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	4.7	4	2	3	4	6	8	8	10
20-34	76	4.7	14	2	2	4	5	7	8	27
35-49	48	4.2	2	2	2	4	5	7	7	8
50-64	44	4.5	4	2	2	5	6	6	7	12
65+	85	3.8	3	2	2	3	5	6	7	11
2. MULTIPLE DX										
0-19 YRS	18	6.4	5	3	4	6	9	11	60	99+
20-34	34	5.5	11	3	3	5	6	8	10	21
35-49	21	4.3	4	1	2	4	5	7	8	9
50-64	71	5.1	9	1	2	4	6	9	12	17
65+	202	5.2	13	2	2	5	6	8	10	19
TOT. SINGLE DX	283	4.3	6	2	2	4	5	7	7	11
" MULTIPLE DX	346	5.2	11	2	3	5	6	8	11	21
TOTAL 0-19 YRS	48	5.3	5	3	3	5	7	9	10	99+
20-34	110	4.9	13	2	2	4	6	7	8	26
35-49	69	4.2	3	2	2	4	5	7	7	9
50-64	115	4.9	7	1	2	5	6	7	11	15
65+	287	4.8	10	2	2	4	6	7	9	16
GRAND TOTAL	**629**	**4.8**	**9**	**2**	**2**	**4**	**6**	**7**	**9**	**17**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	3.0	4	<1	1	2	4	6	7	9
20-34	126	2.4	4	<1	<1	2	3	5	7	10
35-49	93	2.2	13	<1	<1	2	2	3	5	26
50-64	85	1.9	1	<1	1	2	2	3	3	5
65+	64	2.2	4	<1	1	2	3	4	5	13
2. MULTIPLE DX										
0-19 YRS	59	5.5	34	1	1	3	6	14	21	25
20-34	78	4.0	13	1	1	3	5	7	11	22
35-49	39	3.5	7	1	1	3	4	6	9	15
50-64	58	3.8	34	<1	1	2	4	8	12	40
65+	85	4.7	32	1	1	2	6	13	16	30
TOT. SINGLE DX	452	2.3	5	<1	<1	2	3	4	6	9
" MULTIPLE DX	319	4.4	25	1	1	3	5	8	15	25
TOTAL 0-19 YRS	143	4.0	18	1	1	3	5	7	9	25
20-34	204	3.0	8	<1	1	2	4	6	8	15
35-49	132	2.6	12	<1	<1	2	3	5	6	22
50-64	143	2.7	15	<1	1	2	3	4	8	15
65+	149	3.6	21	1	1	2	3	8	15	18
GRAND TOTAL	**771**	**3.2**	**15**	**<1**	**1**	**2**	**3**	**6**	**8**	**21**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	2.7	4	<1	1	2	3	5	7	11
20-34	33	4.1	13	1	1	3	5	10	12	17
35-49	45	3.2	4	1	1	3	4	5	6	12
50-64	151	3.0	7	1	1	3	3	5	6	16
65+	230	3.2	5	1	2	3	4	5	7	13
2. MULTIPLE DX										
0-19 YRS	31	3.0	6	1	1	2	3	7	8	11
20-34	30	3.9	11	1	2	3	4	8	10	17
35-49	29	3.2	4	2	2	3	4	6	9	9
50-64	111	3.7	8	1	1	3	4	7	10	15
65+	243	4.6	15	1	2	3	5	8	13	22
TOT. SINGLE DX	521	3.1	6	1	1	3	4	5	7	13
" MULTIPLE DX	444	4.1	12	1	2	3	5	7	10	19
TOTAL 0-19 YRS	93	2.8	5	1	1	2	3	6	7	11
20-34	63	4.0	12	1	1	3	5	9	11	17
35-49	74	3.2	4	1	2	3	4	5	7	11
50-64	262	3.3	7	1	1	3	4	5	8	16
65+	473	3.9	11	1	2	3	4	7	9	21
GRAND TOTAL	**965**	**3.6**	**9**	**1**	**1**	**3**	**4**	**6**	**9**	**17**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	4.1	15	1	1	3	6	8	10	24
20-34	77	4.1	119	<1	1	2	4	6	8	75
35-49	56	2.5	3	<1	1	2	3	5	5	10
50-64	180	2.7	6	1	1	2	3	5	6	11
65+	287	3.0	8	1	1	2	3	5	8	14
2. MULTIPLE DX										
0-19 YRS	57	5.3	12	1	2	4	7	10	12	15
20-34	61	4.8	15	1	1	4	6	10	16	90
35-49	37	3.2	4	1	1	2	5	7	7	8
50-64	130	4.4	22	1	2	3	5	8	11	26
65+	285	4.2	22	1	1	3	4	9	14	25
TOT. SINGLE DX	651	3.1	21	1	1	2	3	5	8	14
" MULTIPLE DX	570	4.4	19	1	1	3	5	9	14	24
TOTAL 0-19 YRS	108	4.7	13	1	1	4	7	9	11	19
20-34	138	4.4	73	<1	1	3	5	8	11	96
35-49	93	2.8	4	1	1	2	4	5	7	10
50-64	310	3.4	13	1	1	2	4	6	8	23
65+	572	3.6	15	1	1	2	4	7	10	19
GRAND TOTAL	**1221**	**3.7**	**20**	**1**	**1**	**2**	**4**	**7**	**10**	**22**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	2.0	1	1	1	2	2	3	4	4
20-34	22	3.0	2	1	2	3	3	5	6	7
35-49	354	2.8	2	1	2	3	3	4	5	10
50-64	2307	2.9	6	2	2	3	3	4	4	8
65+	7342	3.1	5	2	2	3	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	11	2.6	1	1	1	3	3	4	5	5
20-34	33	5.1	22	2	2	4	5	8	19	23
35-49	225	3.6	8	2	2	3	4	6	8	19
50-64	1790	3.4	7	2	2	3	4	5	7	14
65+	6813	3.8	11	2	2	3	4	6	8	18
TOT. SINGLE DX	10045	3.0	5	2	2	3	3	4	5	9
" MULTIPLE DX	8872	3.7	11	2	2	3	4	6	8	18
TOTAL 0-19 YRS	31	2.2	1	1	1	2	3	4	4	5
20-34	55	4.3	15	2	2	3	5	7	10	23
35-49	579	3.1	5	2	2	3	3	4	6	12
50-64	4097	3.1	7	2	2	3	3	4	5	12
65+	14155	3.4	8	2	2	3	4	5	7	14
GRAND TOTAL	**18917**	**3.4**	**8**	**2**	**2**	**3**	**4**	**5**	**6**	**13**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	143	2.3	2	1	1	2	2	4	5	8
20-34	74	2.2	1	1	1	2	3	3	4	6
35-49	258	2.2	1	1	1	2	2	3	3	7
50-64	851	2.2	2	1	1	2	2	3	4	7
65+	1934	2.4	6	1	1	2	3	3	4	7
2. MULTIPLE DX										
0-19 YRS	82	3.7	54	<1	1	2	3	5	9	51
20-34	75	3.0	9	1	1	2	3	5	7	21
35-49	147	2.8	4	1	1	2	3	5	6	10
50-64	595	2.8	10	1	1	2	3	4	6	9
65+	1527	3.2	10	1	2	3	3	5	7	16
TOT. SINGLE DX	3260	2.4	4	1	1	2	3	3	4	7
" MULTIPLE DX	2426	3.1	11	1	2	2	3	5	7	15
TOTAL 0-19 YRS	225	2.8	21	1	1	2	3	4	6	15
20-34	149	2.6	5	1	1	2	3	4	5	8
35-49	405	2.4	2	1	1	2	2	3	4	9
50-64	1446	2.5	5	1	1	2	3	4	4	8
65+	3461	2.8	8	1	2	2	3	4	5	12
GRAND TOTAL	**5686**	**2.7**	**7**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	2.6	1	2	2	3	3	4	4	4
20-34	11	3.2	8	1	1	2	3	7	11	11
35-49	28	2.3	2	1	1	2	2	4	6	6
50-64	169	2.3	1	1	1	2	3	3	4	8
65+	698	2.5	1	1	2	2	3	4	4	6
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	3.4	4	2	2	3	5	7	7	7
35-49	17	4.4	21	1	2	3	5	7	16	21
50-64	109	2.8	3	1	1	2	3	5	6	11
65+	522	3.4	12	1	2	3	4	5	7	15
TOT. SINGLE DX	914	2.4	1	1	1	2	3	3	4	7
" MULTIPLE DX	656	3.3	11	1	2	3	4	5	7	14
TOTAL 0-19 YRS	9	2.6	1	2	2	2	3	4	4	4
20-34	18	3.3	6	1	2	2	3	6	9	11
35-49	45	3.1	10	1	1	2	3	6	7	21
50-64	278	2.5	2	1	1	2	3	4	5	9
65+	1220	2.9	6	1	2	2	3	4	5	11
GRAND TOTAL	**1570**	**2.8**	**5**	**1**	**2**	**2**	**3**	**4**	**5**	**11**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	81	4.6	6	1	2	4	6	8	9	12
20-34	148	5.0	8	1	2	4	6	8	11	16
35-49	153	4.9	9	2	2	4	6	8	10	15
50-64	558	4.5	5	1	2	4	5	7	8	13
65+	502	5.1	8	1	2	5	6	8	10	16
2. MULTIPLE DX										
0-19 YRS	67	5.1	24	1	2	4	6	8	10	34
20-34	189	5.6	9	2	2	5	7	9	11	18
35-49	165	6.5	22	2	3	5	7	10	13	31
50-64	528	5.6	10	2	2	5	7	9	11	19
65+	594	5.9	10	2	3	5	7	9	12	18
TOT. SINGLE DX	1442	4.8	7	1	2	4	6	8	9	14
" MULTIPLE DX	1543	5.8	12	2	3	5	7	9	12	18
TOTAL 0-19 YRS	148	4.8	14	1	2	4	6	8	9	16
20-34	337	5.3	9	2	2	5	6	8	11	18
35-49	318	5.7	17	2	2	5	7	10	12	22
50-64	1086	5.1	8	2	2	5	6	8	10	15
65+	1096	5.5	9	2	3	5	7	9	11	17
GRAND TOTAL	**2985**	**5.3**	**10**	**2**	**2**	**5**	**6**	**9**	**11**	**17**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	3.4	5	<1	<1	3	4	7	9	9
20-34	40	3.9	4	2	2	3	5	6	7	10
35-49	33	2.8	2	1	1	3	4	4	5	7
50-64	50	3.4	3	1	1	3	5	6	6	7
65+	76	3.4	6	1	2	3	4	6	7	16
2. MULTIPLE DX										
0-19 YRS	40	5.2	30	1	2	4	6	8	13	34
20-34	89	5.1	9	1	2	5	7	9	10	17
35-49	78	4.8	22	1	1	4	5	10	15	27
50-64	165	4.6	17	1	1	4	6	9	11	19
65+	227	4.4	12	1	1	3	5	10	11	18
TOT. SINGLE DX	220	3.4	4	1	1	3	4	6	7	10
" MULTIPLE DX	599	4.7	16	1	1	4	6	9	11	19
TOTAL 0-19 YRS	61	4.6	22	<1	1	4	5	8	11	32
20-34	129	4.7	7	2	2	4	6	8	10	14
35-49	111	4.2	17	1	1	3	5	8	11	23
50-64	215	4.3	14	1	1	4	5	8	10	17
65+	303	4.2	11	1	1	3	5	9	10	18
GRAND TOTAL	819	4.3	13	1	1	3	5	8	10	18

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1749	1.7	6	<1	<1	2	2	2	2	7
20-34	310	1.9	1	<1	1	2	2	2	3	5
35-49	116	2.0	4	1	1	2	2	3	3	48
50-64	77	2.0	1	<1	1	2	2	3	3	6
65+	59	1.8		<1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	393	1.8	3	<1	<1	2	2	2	3	10
20-34	111	2.2	3	1	1	2	2	3	4	12
35-49	65	2.2	1	1	1	2	2	3	4	7
50-64	56	2.4	2	1	1	2	2	3	4	12
65+	46	3.0	15	1	1	2	3	3	13	22
TOT. SINGLE DX	2311	1.8	5	<1	<1	2	2	2	3	7
" MULTIPLE DX	671	2.0	4	<1	1	2	2	3	4	12
TOTAL 0-19 YRS	2142	1.7	6	<1	<1	2	2	2	2	7
20-34	421	2.0	1	<1	1	2	2	2	3	7
35-49	181	2.1	3	1	1	2	2	3	4	17
50-64	133	2.1	1	1	1	2	2	3	4	7
65+	105	2.3	7	1	1	2	2	3	4	19
GRAND TOTAL	2982	1.8	5	<1	1	2	2	2	3	7

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	2.4	6	<1	<1	2	2	5	9	10
20-34	10	2.4	2	<1	<1	2	3	4	5	5
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	3	4.7	21	2	2	2	8	10	10	10
20-34	4	6.8	91	1	1	2	12	21	21	21
35-49	2	11.5	1	11	11	11	12	12	12	12
50-64	1	19.0		19	19	19	19	19	19	19
65+	4	23.3	380	<1	<1	23	38	46	46	46
TOT. SINGLE DX	29	2.5	4	<1	<1	2	3	5	7	10
" MULTIPLE DX	14	12.6	175	<1	1	10	19	32	43	46
TOTAL 0-19 YRS	16	2.8	8	<1	<1	2	2	9	10	10
20-34	14	3.6	26	<1	1	2	3	7	18	21
35-49	4	6.3	37	1	1	6	11	12	12	12
50-64	3	9.3	76	2	2	7	16	19	19	19
65+	6	16.5	338	<1	<1	9	31	44	46	46
GRAND TOTAL	43	5.8	80	<1	1	2	5	16	24	46

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	108	2.8	4	1	1	2	3	5	8	11
20-34	111	3.2	7	1	1	2	4	6	7	15
35-49	74	3.1	10	<1	1	2	3	6	8	21
50-64	71	3.0	6	1	1	2	3	6	9	14
65+	103	3.3	6	1	1	3	4	5	7	15
2. MULTIPLE DX										
0-19 YRS	70	4.0	9	1	1	3	5	7	9	17
20-34	109	4.8	15	1	1	4	6	10	13	19
35-49	78	4.8	26	1	1	3	5	10	14	32
50-64	99	5.2	50	1	1	3	6	10	15	44
65+	166	5.2	26	1	2	4	6	10	15	25
TOT. SINGLE DX	467	3.1	6	1	1	2	4	6	7	12
" MULTIPLE DX	522	4.9	26	1	1	3	6	9	13	25
TOTAL 0-19 YRS	178	3.2	6	1	1	2	4	6	9	13
20-34	220	4.0	11	1	1	3	5	8	11	18
35-49	152	4.0	19	1	1	3	4	8	11	25
50-64	170	4.3	33	1	1	3	4	8	12	30
65+	269	4.4	19	1	2	3	5	9	12	22
GRAND TOTAL	989	4.0	18	1	1	3	4	8	11	22

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of a procedure which is coded for indexing, quality review, and purposes other than its effect on length of stay. For the purpose of operation length of stay tables, patients with only this procedure are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	285	2.0	4	<1	<1	2	2	3	4	10
20-34	149	2.2	13	<1	<1	1	2	3	5	23
35-49	62	2.3	4	<1	<1	2	2	4	6	11
50-64	72	1.9	1	<1	<1	2	2	3	4	6
65+	92	2.5	3	<1	<1	2	3	5	7	9
2. MULTIPLE DX										
0-19 YRS	234	3.3	14	<1	1	2	3	6	9	27
20-34	112	3.9	33	1	1	2	4	9	12	36
35-49	77	4.8	44	<1	1	2	6	13	16	37
50-64	79	6.1	67	<1	1	3	6	14	23	42
65+	130	6.3	76	1	1	3	7	15	21	45
TOT. SINGLE DX	660	2.1	6	<1	<1	2	2	4	5	11
" MULTIPLE DX	632	4.6	42	<1	1	2	4	10	16	38
TOTAL 0-19 YRS	519	2.6	9	<1	<1	2	3	4	7	20
20-34	261	3.0	22	<1	<1	2	3	6	9	28
35-49	139	3.7	27	<1	1	2	3	9	13	29
50-64	151	4.1	40	<1	<1	2	4	9	14	38
65+	222	4.7	49	<1	1	3	5	10	16	35
GRAND TOTAL	1292	3.3	25	<1	<1	2	3	6	11	29

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	2.1	1	1	1	2	3	3	3	6
20-34	223	1.9	1	1	1	2	2	3	3	5
35-49	366	2.0	2	1	1	2	2	3	4	5
50-64	383	2.4	33	1	1	2	2	3	4	9
65+	153	2.0	1	1	1	2	3	3	3	6
2. MULTIPLE DX										
0-19 YRS	29	2.3	1	1	1	2	3	3	4	6
20-34	90	2.3	1	1	1	2	3	4	4	7
35-49	105	2.3	1	1	1	2	3	3	4	6
50-64	143	2.4	1	1	1	2	3	3	4	5
65+	56	2.8	9	1	1	2	3	4	4	22
TOT. SINGLE DX	1178	2.1	12	1	1	2	2	3	3	6
" MULTIPLE DX	423	2.4	2	1	1	2	3	3	4	6
TOTAL 0-19 YRS	82	2.2	1	1	1	2	3	3	4	6
20-34	313	2.0	1	1	1	2	2	3	4	6
35-49	471	2.1	2	1	1	2	3	3	4	6
50-64	526	2.4	24	1	1	2	3	3	4	6
65+	209	2.3	3	1	1	2	3	3	4	7
GRAND TOTAL	1601	2.2	9	1	1	2	3	3	4	6

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	641	1.9	1	<1	1	2	2	3	3	4
20-34	501	2.0	1	1	1	2	2	3	3	4
35-49	397	2.0	1	1	1	2	2	3	3	4
50-64	374	2.1	2	1	1	2	2	3	3	6
65+	116	2.3	2	1	1	2	2	3	5	9
2. MULTIPLE DX										
0-19 YRS	463	2.2	2	1	1	2	3	3	4	6
20-34	350	2.3	11	1	1	2	2	3	4	7
35-49	297	2.6	6	1	1	2	3	4	5	15
50-64	283	2.5	3	1	1	2	3	4	5	11
65+	121	2.6	6	1	1	2	3	4	5	15
TOT. SINGLE DX	2029	2.0	1	1	1	2	2	3	3	5
" MULTIPLE DX	1514	2.4	5	1	1	2	3	3	4	10
TOTAL 0-19 YRS	1104	2.0	1	<1	1	2	2	3	3	5
20-34	851	2.1	5	1	1	2	2	3	4	5
35-49	694	2.3	3	1	1	2	3	3	4	9
50-64	657	2.2	2	1	1	2	3	3	4	7
65+	237	2.4	4	1	1	2	3	4	5	10
GRAND TOTAL	3543	2.2	3	1	1	2	2	3	4	7

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2813	1.1	4	<1	<1	<1	1	1	2	3
20-34	75	1.5	1	<1	<1	1	2	3	3	75
35-49	58	1.8	1	<1	<1	2	2	3	3	6
50-64	54	1.7	1	<1	<1	2	2	3	3	3
65+	31	2.1	4	<1	<1	2	2	4	4	12
2. MULTIPLE DX										
0-19 YRS	2164	1.9	10	<1	<1	1	2	2	5	16
20-34	65	2.8	20	<1	<1	1	3	5	9	30
35-49	54	3.8	32	<1	1	2	3	11	13	34
50-64	65	4.5	82	<1	<1	2	3	5	21	48
65+	59	5.6	132	<1	<1	2	4	14	20	76
TOT. SINGLE DX	3031	1.2	4	<1	<1	<1	1	1	2	4
" MULTIPLE DX	2407	2.1	16	<1	<1	1	2	3	6	18
TOTAL 0-19 YRS	4977	1.5	7	<1	<1	<1	1	2	2	10
20-34	140	2.1	10	<1	<1	1	2	3	6	39
35-49	112	2.8	17	<1	<1	2	2	5	11	23
50-64	119	3.2	47	<1	<1	2	3	4	10	46
65+	90	4.4	90	<1	<1	2	3	10	16	61
GRAND TOTAL	5438	1.6	9	<1	<1	1	1	2	3	12

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	124	2.5	4	1	1	2	3	4	6	13
20-34	120	2.4	2	1	1	2	3	4	5	7
35-49	101	2.5	1	1	1	2	3	4	5	7
50-64	74	3.0	5	1	1	3	3	5	7	14
65+	43	3.3	5	1	2	3	4	5	7	15
2. MULTIPLE DX										
0-19 YRS	210	3.1	12	1	1	2	3	5	9	15
20-34	207	2.9	4	1	1	3	3	4	6	13
35-49	166	3.0	10	1	1	2	3	4	6	16
50-64	155	4.3	27	1	2	3	4	9	12	22
65+	74	5.2	57	1	2	3	4	9	20	43
TOT. SINGLE DX	462	2.6	3	1	1	2	3	4	5	10
" MULTIPLE DX	812	3.5	17	1	1	3	3	5	9	21
TOTAL 0-19 YRS	334	2.9	9	1	1	2	3	5	7	13
20-34	327	2.7	3	1	1	2	3	4	5	12
35-49	267	2.8	7	1	1	2	3	4	5	13
50-64	229	3.9	20	1	2	3	4	7	9	20
65+	117	4.5	39	1	2	3	4	6	12	38
GRAND TOTAL	1274	3.1	12	1	1	2	3	5	7	17

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	193	1.7	1	<1	<1	2	2	3	3	5
20-34	183	2.4	3	1	1	2	3	4	5	10
35-49	224	2.5	3	1	1	2	3	4	6	11
50-64	248	2.8	4	1	1	2	4	5	7	11
65+	61	3.0	5	1	1	2	4	6	8	9
2. MULTIPLE DX										
0-19 YRS	128	2.3	7	<1	<1	2	2	4	5	19
20-34	100	2.9	13	1	1	2	3	5	6	21
35-49	89	2.9	3	1	1	2	4	5	6	11
50-64	115	3.3	5	1	1	3	4	6	8	12
65+	46	4.9	25	1	1	3	7	10	12	30
TOT. SINGLE DX	909	2.5	3	<1	1	2	3	4	5	10
" MULTIPLE DX	478	3.0	9	1	1	2	3	6	8	13
TOTAL 0-19 YRS	321	2.0	3	<1	<1	2	2	3	4	9
20-34	283	2.6	6	1	1	2	3	4	6	10
35-49	313	2.6	3	1	1	2	3	4	6	11
50-64	363	3.0	4	1	1	2	4	5	7	12
65+	107	3.8	14	1	1	3	5	9	10	20
GRAND TOTAL	1387	2.7	5	<1	1	2	3	5	6	11

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	125	1.7	1	<1	1	2	2	3	3	4
20-34	324	2.2	28	<1	1	2	2	3	4	8
35-49	147	2.0	1	<1	<1	2	3	3	4	5
50-64	75	2.1	1	<1	1	2	2	3	5	7
65+	25	2.6	2	<1	1	2	3	4	6	7
2. MULTIPLE DX										
0-19 YRS	213	2.3	4	1	1	2	3	3	4	12
20-34	552	2.3	2	1	1	2	3	4	4	11
35-49	325	2.3	2	1	1	2	3	4	4	6
50-64	188	2.7	8	1	1	2	3	4	5	13
65+	50	2.9	3	1	1	2	4	5	5	11
TOT. SINGLE DX	696	2.1	14	<1	1	2	2	3	4	7
" MULTIPLE DX	1328	2.4	3	1	1	2	3	4	4	10
TOTAL 0-19 YRS	338	2.1	3	1	1	2	2	3	4	5
20-34	876	2.3	12	1	1	2	3	3	4	10
35-49	472	2.2	2	1	1	2	3	4	4	6
50-64	263	2.5	6	1	1	2	3	4	5	9
65+	75	2.8	3	1	1	2	3	4	6	10
GRAND TOTAL	**2024**	**2.3**	**7**	**1**	**1**	**2**	**3**	**4**	**4**	**8**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	634	2.0	1	1	1	2	3	3	4	5
20-34	1344	2.1	14	<1	1	2	2	3	4	6
35-49	581	2.0	1	<1	1	2	2	3	4	6
50-64	308	2.1	1	1	1	2	3	3	4	6
65+	76	2.5	2	1	1	2	3	4	6	75
2. MULTIPLE DX										
0-19 YRS	890	2.3	4	1	1	2	3	3	4	9
20-34	2073	2.3	5	1	1	2	3	4	4	8
35-49	1190	2.5	5	1	1	2	3	4	5	10
50-64	645	2.8	5	1	1	2	3	4	7	13
65+	170	3.3	16	1	1	2	3	6	10	20
TOT. SINGLE DX	2943	2.1	7	<1	1	2	2	3	4	6
" MULTIPLE DX	4968	2.5	5	1	1	2	3	4	5	10
TOTAL 0-19 YRS	1524	2.2	3	1	1	2	3	3	4	8
20-34	3417	2.2	8	1	1	2	3	3	4	7
35-49	1771	2.3	4	1	1	2	3	4	4	9
50-64	953	2.6	4	1	1	2	3	4	5	12
65+	246	3.1	12	1	1	2	3	5	9	22
GRAND TOTAL	**7911**	**2.3**	**6**	**1**	**1**	**2**	**3**	**4**	**4**	**9**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	1.8	1	<1	<1	1	2	3	4	58
20-34	137	2.4	6	<1	<1	2	3	4	5	13
35-49	141	2.0	2	<1	<1	2	2	3	4	8
50-64	199	2.2	4	<1	<1	2	2	4	6	9
65+	200	2.4	5	<1	1	2	3	4	6	13
2. MULTIPLE DX										
0-19 YRS	103	2.1	1	<1	1	2	3	3	4	6
20-34	204	3.3	55	1	1	2	3	4	5	53
35-49	237	3.1	26	<1	1	2	3	4	8	26
50-64	278	3.5	18	<1	1	2	4	6	10	28
65+	271	4.6	25	1	1	3	5	10	15	28
TOT. SINGLE DX	771	2.2	4	<1	<1	2	3	4	5	12
" MULTIPLE DX	1093	3.5	27	1	1	2	3	6	10	28
TOTAL 0-19 YRS	197	2.0	1	<1	<1	2	3	3	4	7
20-34	341	2.9	35	<1	1	2	3	4	5	29
35-49	378	2.7	17	<1	1	2	3	4	6	19
50-64	477	2.9	13	<1	1	2	3	5	8	20
65+	471	3.6	18	<1	1	2	4	8	12	24
GRAND TOTAL	**1864**	**2.9**	**18**	**<1**	**1**	**2**	**3**	**5**	**8**	**22**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	548	1.6	3	<1	<1	1	2	2	3	9
20-34	414	1.8	2	<1	<1	1	2	3	5	8
35-49	137	3.0	5	<1	1	2	4	6	8	12
50-64	127	3.6	8	<1	1	3	5	7	10	14
65+	114	4.1	7	1	1	4	5	8	9	13
2. MULTIPLE DX										
0-19 YRS	273	2.6	8	<1	1	2	3	4	8	21
20-34	385	3.1	12	<1	1	2	4	7	9	13
35-49	200	4.2	47	<1	1	3	5	8	11	22
50-64	243	4.8	25	1	1	4	6	8	11	23
65+	218	6.2	26	1	2	5	7	12	17	27
TOT. SINGLE DX	1340	2.2	4	<1	<1	2	3	4	6	11
" MULTIPLE DX	1319	4.0	23	<1	1	3	5	8	11	22
TOTAL 0-19 YRS	821	1.9	5	<1	<1	1	2	3	4	14
20-34	799	2.5	7	<1	<1	2	3	5	7	11
35-49	337	3.7	30	<1	1	3	4	7	9	20
50-64	370	4.4	19	1	1	3	5	8	11	21
65+	332	5.5	20	1	1	5	7	10	14	26
GRAND TOTAL	**2659**	**3.1**	**14**	**<1**	**<1**	**2**	**4**	**6**	**9**	**18**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	2.3	2	<1	1	2	3	4	5	8
20-34	142	2.8	8	1	1	2	3	5	7	22
35-49	142	2.6	1	1	1	3	3	4	5	5
50-64	121	2.7	2	1	1	2	3	4	5	9
65+	48	3.0	3	1	1	3	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	28	3.6	8	1	1	3	5	9	10	10
20-34	147	3.7	20	1	1	3	4	6	8	30
35-49	143	3.1	5	1	1	3	4	5	6	12
50-64	171	3.8	16	1	1	3	4	6	9	37
65+	81	4.0	11	1	2	3	4	7	10	21
TOT. SINGLE DX	489	2.7	4	1	1	2	3	4	5	10
" MULTIPLE DX	570	3.6	13	1	1	3	4	6	9	21
TOTAL 0-19 YRS	64	2.9	5	<1	1	2	3	5	9	10
20-34	289	3.3	15	1	1	2	3	5	8	22
35-49	285	2.8	3	1	1	3	4	4	5	12
50-64	292	3.3	11	1	1	3	4	5	7	21
65+	129	3.6	8	1	2	3	4	6	9	19
GRAND TOTAL	**1059**	**3.2**	**9**	**1**	**1**	**3**	**4**	**5**	**7**	**18**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	2.2	3	<1	<1	2	3	4	6	9
20-34	119	2.9	6	<1	<1	2	4	6	8	14
35-49	99	2.6	6	<1	<1	2	3	5	9	13
50-64	91	3.2	8	<1	1	2	4	6	9	16
65+	53	3.8	8	<1	1	3	5	7	10	14
2. MULTIPLE DX										
0-19 YRS	92	3.3	11	<1	<1	2	4	8	9	19
20-34	164	4.5	46	1	1	3	5	8	15	39
35-49	156	3.8	13	1	1	3	4	8	11	21
50-64	182	5.3	60	1	1	3	6	11	19	37
65+	82	5.7	55	1	1	3	7	10	19	46
TOT. SINGLE DX	426	2.9	7	<1	<1	2	3	6	8	13
" MULTIPLE DX	676	4.5	39	1	1	3	5	9	13	32
TOTAL 0-19 YRS	156	2.8	8	<1	<1	2	3	6	9	11
20-34	283	3.8	30	<1	1	2	4	7	10	32
35-49	255	3.3	11	<1	1	2	4	8	11	16
50-64	273	4.6	44	1	1	2	5	11	13	32
65+	135	4.9	37	1	1	3	6	10	14	29
GRAND TOTAL	**1102**	**3.9**	**27**	**<1**	**1**	**2**	**4**	**8**	**11**	**24**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	584	1.6	2	<1	<1	1	2	2	2	5
20-34	352	1.9	4	<1	1	2	2	2	3	10
35-49	143	1.8	1	<1	1	2	2	3	4	5
50-64	104	2.3	6	1	1	2	2	3	4	15
65+	63	2.5	9	1	1	2	2	3	8	20
2. MULTIPLE DX										
0-19 YRS	273	2.7	15	<1	1	2	2	5	8	40
20-34	351	3.4	22	1	1	2	3	7	14	47
35-49	295	3.0	22	1	1	2	3	6	9	45
50-64	333	4.0	49	1	1	2	4	7	11	38
65+	301	5.8	59	1	2	3	6	16	22	99+
TOT. SINGLE DX	1246	1.8	3	<1	1	2	2	2	3	9
" MULTIPLE DX	1553	3.8	35	1	1	2	3	8	14	48
TOTAL 0-19 YRS	857	2.0	6	<1	<1	2	2	3	4	13
20-34	703	2.7	14	1	1	2	2	4	8	25
35-49	438	2.6	15	1	1	2	2	4	7	38
50-64	437	3.6	39	1	1	2	3	6	10	29
65+	364	5.2	52	1	2	2	5	15	22	93
GRAND TOTAL	**2799**	**2.9**	**22**	**<1**	**1**	**2**	**2**	**5**	**10**	**32**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	362	1.2	1	<1	<1	1	1	2	2	2
20-34	57	2.0	5	<1	<1	2	2	3	3	16
35-49	14	1.9	1	<1	<1	2	3	3	4	4
50-64	6	2.5	6	1	1	2	3	7	7	7
65+	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	107	1.5	1	<1	<1	1	2	2	4	6
20-34	61	2.1	8	<1	<1	1	2	4	5	91
35-49	23	4.7	88	1	1	2	3	32	56	99+
50-64	8	1.9	1	<1	<1	2	3	4	4	4
65+	4	4.0	12	1	1	3	6	9	9	9
TOT. SINGLE DX	441	1.3	1	<1	<1	1	1	2	2	4
" MULTIPLE DX	203	2.1	14	<1	<1	1	2	4	5	65
TOTAL 0-19 YRS	469	1.2	1	<1	<1	1	1	2	2	5
20-34	118	2.1	6	<1	<1	2	2	3	5	46
35-49	37	3.6	56	<1	1	2	3	6	35	99+
50-64	14	2.1	3	<1	1	2	3	4	6	7
65+	6	3.0	10	<1	<1	2	3	8	9	9
GRAND TOTAL	**644**	**1.5**	**5**	**<1**	**<1**	**1**	**2**	**2**	**3**	**13**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	2.8	53	<1	1	1	2	3	5	50
20-34	101	2.3	2	1	1	2	2	4	5	7
35-49	223	2.6	22	1	1	2	3	4	5	8
50-64	148	2.6	2	1	1	2	3	4	5	7
65+	36	2.8	2	1	2	2	4	4	6	8
2. MULTIPLE DX										
0-19 YRS	65	2.8	17	<1	1	2	3	5	7	29
20-34	122	2.6	11	1	1	2	3	5	7	50
35-49	96	2.8	3	1	1	2	4	6	7	9
50-64	115	3.9	17	1	2	3	5	7	10	54
65+	39	5.4	27	<1	1	4	7	12	14	29
TOT. SINGLE DX	586	2.6	16	1	1	2	3	4	5	10
" MULTIPLE DX	437	3.3	14	1	1	2	4	6	9	31
TOTAL 0-19 YRS	143	2.8	36	<1	1	2	2	4	6	34
20-34	223	2.5	7	1	1	2	3	4	6	21
35-49	319	2.7	17	1	1	2	3	4	6	9
50-64	263	3.2	9	1	2	2	4	5	7	27
65+	75	4.2	16	1	2	3	5	8	12	25
GRAND TOTAL	1023	2.9	15	1	1	2	3	5	6	20

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	103	2.6	2	1	1	2	3	4	5	7
20-34	262	3.0	3	1	1	3	4	5	6	10
35-49	268	3.1	3	1	1	3	4	5	6	12
50-64	282	3.7	6	1	2	3	4	6	7	14
65+	217	3.9	5	1	2	3	5	6	8	12
2. MULTIPLE DX										
0-19 YRS	24	3.4	5	1	1	3	4	5	10	11
20-34	102	3.1	2	1	1	3	4	5	6	8
35-49	130	3.7	6	1	2	3	4	6	9	14
50-64	207	4.7	22	1	2	4	5	8	12	23
65+	217	6.4	53	2	2	5	7	12	16	56
TOT. SINGLE DX	1132	3.3	4	1	1	3	4	5	7	12
" MULTIPLE DX	680	4.8	27	1	2	4	5	9	12	29
TOTAL 0-19 YRS	127	2.8	3	1	1	2	4	4	6	9
20-34	364	3.0	3	1	1	3	4	5	6	9
35-49	398	3.3	4	1	1	3	4	5	7	13
50-64	489	4.1	13	1	2	3	4	6	9	22
65+	434	5.2	30	2	2	4	6	9	12	35
GRAND TOTAL	1812	3.9	13	1	1	3	4	6	9	17

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	200	4.0	15	1	1	4	5	6	7	12
20-34	16	2.9	2	1	2	3	3	5	6	6
35-49	4	3.0	2	<1	<1	3	4	4	4	4
50-64	3	2.3		2	2	2	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	143	4.6	4	2	2	4	6	7	9	11
20-34	10	3.8	1	2	2	4	4	5	5	5
35-49	3	4.0	3	3	3	3	5	6	6	6
50-64	4	10.5	268	1	1	3	19	35	35	35
65+	5	5.2	16	2	2	4	7	12	12	12
TOT. SINGLE DX	224	3.8	14	1	1	3	5	6	7	12
" MULTIPLE DX	165	4.7	10	2	2	4	5	7	9	13
TOTAL 0-19 YRS	343	4.2	11	1	2	4	5	7	8	11
20-34	26	3.2	1	1	2	3	4	5	5	6
35-49	7	3.4	2	<1	1	3	4	6	6	6
50-64	7	7.0	153	1	1	3	3	29	35	35
65+	6	4.7	14	2	2	3	5	11	12	12
GRAND TOTAL	389	4.2	12	1	2	4	5	6	8	13

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	407	2.8	6	<1	<1	2	4	6	7	12
20-34	140	3.3	7	<1	<1	2	5	7	9	12
35-49	125	3.1	11	<1	<1	2	4	6	8	20
50-64	263	3.3	13	<1	<1	2	4	8	10	18
65+	236	3.8	25	<1	1	2	5	8	10	22
2. MULTIPLE DX										
0-19 YRS	322	3.2	16	<1	1	2	4	7	8	23
20-34	236	4.3	20	<1	1	3	5	8	11	27
35-49	159	5.3	46	<1	1	3	6	11	20	39
50-64	315	7.2	117	1	1	4	7	16	23	61
65+	394	6.8	90	1	1	4	8	14	21	66
TOT. SINGLE DX	1171	3.2	12	<1	<1	2	4	6	9	15
" MULTIPLE DX	1426	5.5	65	1	1	3	6	12	18	43
TOTAL 0-19 YRS	729	3.0	10	<1	1	2	4	6	8	14
20-34	376	3.9	15	<1	1	3	5	8	11	23
35-49	284	4.3	32	<1	1	3	4	9	14	29
50-64	578	5.4	73	<1	1	3	6	11	18	41
65+	630	5.7	68	<1	1	3	6	13	17	57
GRAND TOTAL	2597	4.5	43	<1	1	3	5	9	13	34

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5809	1.8	1	1	1	2	2	2	3	4
20-34	3730	2.0	6	1	1	2	2	3	3	5
35-49	327	2.5	26	1	1	2	2	3	4	8
50-64	66	2.6	4	1	1	2	3	4	6	11
65+	24	3.1	29	<1	1	2	3	3	11	28
2. MULTIPLE DX										
0-19 YRS	1092	1.9	9	1	1	2	2	3	3	5
20-34	749	2.3	7	1	1	2	3	3	4	9
35-49	103	2.6	2	1	1	2	3	4	6	9
50-64	27	2.9	2	1	1	3	3	5	6	8
65+	11	3.5	7	1	1	2	4	8	9	9
TOT. SINGLE DX	9956	1.9	4	1	1	2	2	3	3	5
" MULTIPLE DX	1982	2.1	8	1	1	2	2	3	4	7
TOTAL 0-19 YRS	6901	1.8	3	1	1	2	2	2	3	5
20-34	4479	2.1	6	1	1	2	2	3	4	6
35-49	430	2.5	20	1	1	2	3	4	5	8
50-64	93	2.6	3	1	1	2	3	5	5	11
65+	35	3.2	22	1	1	2	3	4	9	28
GRAND TOTAL	**11938**	**1.9**	**5**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9673	1.7	5	<1	1	2	2	2	2	4
20-34	245	2.2	3	1	1	2	2	3	4	9
35-49	14	2.6	1	2	2	2	3	4	5	5
50-64	9	2.2	1	<1	<1	2	3	4	4	4
65+	15	1.8	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	5954	1.7	5	<1	1	2	2	2	2	4
20-34	88	2.2	2	1	1	2	3	3	4	9
35-49	6	2.3	1	1	1	2	3	3	3	3
50-64	7	1.4		1	1	1	2	2	2	2
65+	11	1.5		<1	<1	2	2	2	2	2
TOT. SINGLE DX	9956	1.7	5	<1	1	2	2	2	2	4
" MULTIPLE DX	6066	1.7	5	<1	1	2	2	2	2	4
TOTAL 0-19 YRS	15627	1.7	5	<1	1	2	2	2	2	4
20-34	333	2.2	2	1	1	2	2	3	4	9
35-49	20	2.5	1	1	2	2	3	4	5	5
50-64	16	1.9	1	<1	1	2	2	4	4	4
65+	26	1.7	1	<1	1	2	2	2	3	5
GRAND TOTAL	**16022**	**1.7**	**5**	**<1**	**1**	**2**	**2**	**2**	**2**	**4**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	721	1.5	14	<1	<1	1	1	2	2	3
20-34	10	1.5		1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
2. MULTIPLE DX										
0-19 YRS	1852	1.4	3	<1	<1	1	1	2	2	5
20-34	13	1.5		<1	<1	1	2	2	2	2
35-49	7	1.6		<1	<1	2	2	2	2	2
50-64	6	2.7	13	<1	<1	1	2	9	10	10
65+	3	1.3		<1	<1	<1	2	2	2	2
TOT. SINGLE DX	733	1.5	14	<1	<1	1	2	2	2	3
" MULTIPLE DX	1881	1.4	3	<1	<1	1	1	2	2	5
TOTAL 0-19 YRS	2573	1.4	6	<1	<1	1	1	2	2	4
20-34	23	1.5		<1	1	1	2	2	2	2
35-49	8	1.5		<1	<1	1	2	2	2	2
50-64	7	2.4	11	<1	<1	<1	2	8	10	10
65+	3	1.3		<1	<1	<1	2	2	2	2
GRAND TOTAL	**2614**	**1.4**	**6**	**<1**	**<1**	**1**	**1**	**2**	**2**	**4**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	412	1.9	2	<1	<1	2	2	3	4	7
20-34	299	2.2	2	<1	1	2	3	4	5	7
35-49	86	2.5	2	<1	1	2	3	4	5	9
50-64	116	3.9	60	<1	1	2	3	6	11	55
65+	85	3.7	16	1	1	2	4	7	11	23
2. MULTIPLE DX										
0-19 YRS	104	3.3	9	1	1	2	4	7	11	14
20-34	82	3.4	9	1	1	3	4	6	9	19
35-49	63	4.2	26	<1	1	3	4	10	15	31
50-64	131	6.9	99	1	1	3	7	16	30	66
65+	106	9.3	115	1	2	5	11	22	31	55
TOT. SINGLE DX	998	2.4	10	<1	1	2	3	4	6	13
" MULTIPLE DX	486	5.7	64	1	1	3	6	13	21	51
TOTAL 0-19 YRS	516	2.2	4	<1	1	2	3	4	5	12
20-34	381	2.5	4	<1	1	2	3	4	6	10
35-49	149	3.2	13	<1	1	2	3	5	10	17
50-64	247	5.5	83	<1	1	2	5	12	24	58
65+	191	6.8	79	1	1	3	8	16	25	48
GRAND TOTAL	**1484**	**3.5**	**30**	**<1**	**1**	**2**	**3**	**6**	**11**	**31**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	5	6.6	118	1	1	2	9	26	26	26
35-49	7	2.7	2	<1	<1	3	4	4	4	4
50-64	6	3.0	2	2	2	3	4	5	5	5
65+	5	6.0	10	2	2	6	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	5	2.6	6	1	1	2	3	7	7	7
20-34	6	4.2	9	1	1	4	6	9	9	9
35-49	4	12.0	77	3	3	10	17	24	24	24
50-64	18	5.2	19	1	1	4	6	13	16	17
65+	19	6.7	18	1	1	6	9	11	15	18
TOT. SINGLE DX	27	3.9	24	<1	<1	3	4	8	12	26
" MULTIPLE DX	52	5.9	23	1	1	5	8	11	17	24
TOTAL 0-19 YRS	9	2.1	4	<1	<1	2	2	5	7	7
20-34	11	5.3	54	1	1	2	6	16	25	26
35-49	11	6.1	46	<1	1	3	9	16	23	24
50-64	24	4.7	15	1	2	4	5	9	16	17
65+	24	6.6	16	1	2	6	9	10	14	18
GRAND TOTAL	**79**	**5.2**	**24**	**1**	**1**	**4**	**7**	**10**	**16**	**25**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	1.8	11	<1	<1	1	2	2	2	20
20-34	191	1.6	2	<1	<1	1	2	2	3	5
35-49	271	1.8	5	<1	<1	1	2	2	3	20
50-64	490	1.8	2	<1	<1	2	2	2	3	9
65+	308	1.9	3	<1	<1	2	2	2	3	12
2. MULTIPLE DX										
0-19 YRS	55	1.8	2	1	1	2	2	3	4	9
20-34	51	1.9	1	<1	<1	2	2	3	3	7
35-49	157	2.2	6	<1	<1	2	2	3	6	16
50-64	306	3.1	28	<1	1	2	2	5	11	36
65+	235	4.0	46	<1	1	2	3	10	14	30
TOT. SINGLE DX	1354	1.8	4	<1	<1	2	2	2	3	11
" MULTIPLE DX	804	3.0	26	<1	1	2	2	6	10	26
TOTAL 0-19 YRS	149	1.8	7	<1	<1	1	2	2	3	9
20-34	242	1.7	2	<1	<1	1	2	2	3	7
35-49	428	1.9	5	<1	<1	1	2	3	4	17
50-64	796	2.3	13	<1	<1	2	2	3	6	19
65+	543	2.8	23	<1	1	2	2	4	9	22
GRAND TOTAL	**2158**	**2.2**	**12**	**<1**	**<1**	**2**	**2**	**3**	**5**	**18**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.3	5	<1	<1	1	4	5	5	5
20-34	8	3.0	14	<1	<1	2	3	9	12	12
35-49	23	3.9	17	<1	<1	2	4	11	14	16
50-64	33	3.9	24	<1	1	2	4	11	14	22
65+	27	7.2	37	<1	1	6	10	14	19	27
2. MULTIPLE DX										
0-19 YRS	9	1.7	1	<1	<1	2	2	3	3	3
20-34	5	7.0	36	2	2	5	11	16	16	16
35-49	10	6.4	52	<1	<1	3	15	17	18	18
50-64	30	11.6	224	1	1	7	15	25	31	78
65+	30	12.9	327	2	2	6	14	30	56	86
TOT. SINGLE DX	94	4.7	26	<1	<1	2	7	12	15	25
" MULTIPLE DX	84	10.1	213	1	1	5	13	23	32	83
TOTAL 0-19 YRS	12	1.8	1	<1	<1	1	2	4	5	5
20-34	13	4.5	24	<1	1	2	6	13	15	16
35-49	33	4.6	28	<1	<1	2	5	15	17	18
50-64	63	7.6	132	<1	1	3	10	19	25	72
65+	57	10.2	194	1	1	6	12	21	32	84
GRAND TOTAL	**178**	**7.3**	**121**	**<1**	**1**	**3**	**10**	**16**	**24**	**72**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	2	17.5	41	13	13	17	22	22	22	22
50-64	31	15.9	47	9	9	14	19	26	32	37
65+	20	15.4	68	9	9	13	16	28	35	41
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	17	18.4	83	10	10	15	23	40	76	99+
50-64	55	20.8	131	9	10	17	26	35	57	98
65+	44	23.3	237	11	12	17	27	44	51	90
TOT. SINGLE DX	53	15.8	53	9	9	13	18	28	32	41
" MULTIPLE DX	117	21.2	166	10	11	17	26	40	54	99+
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	19	18.3	76	10	11	15	22	39	70	99+
50-64	86	19.0	105	9	10	16	23	32	39	86
65+	64	20.8	196	10	10	15	25	41	47	85
GRAND TOTAL	**170**	**19.5**	**136**	**9**	**10**	**15**	**23**	**35**	**46**	**98**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	48.0		48	48	48	48	48	48	48
20-34	1	7.0		7	7	7	7	7	7	7
35-49	4	11.8	221	1	1	6	22	33	33	33
50-64	3	7.0	21	3	3	6	10	12	12	12
65+	2	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	3	21.3	137	8	8	26	29	30	30	30
20-34	6	37.2	653	7	7	44	65	93	99+	99+
35-49	4	27.0	533	2	2	26	45	54	54	54
50-64	20	36.3	945	3	7	27	77	99	99+	99+
65+	23	30.5	354	5	8	31	49	73	99+	99+
TOT. SINGLE DX	11	12.6	213	1	2	8	12	39	47	48
" MULTIPLE DX	56	32.5	580	4	7	30	53	91	99+	99+
TOTAL 0-19 YRS	4	28.0	269	8	8	28	39	48	48	48
20-34	7	32.9	674	7	7	40	64	90	99+	99+
35-49	8	19.4	389	1	1	13	35	49	54	54
50-64	23	32.4	919	3	3	24	72	98	99+	99+
65+	25	28.7	363	5	8	29	49	69	99+	99+
GRAND TOTAL	67	29.3	570	2	5	29	49	84	99+	99+

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	7.0	199	<1	1	4	7	9	18	86
20-34	32	6.1	51	1	1	3	7	17	24	29
35-49	13	8.3	57	<1	<1	6	16	20	22	22
50-64	41	7.1	184	<1	1	3	7	12	28	81
65+	32	7.8	181	<1	<1	3	8	20	37	64
2. MULTIPLE DX										
0-19 YRS	86	16.9	522	1	2	9	22	73	99	99+
20-34	84	23.9	529	1	3	18	46	81	99+	99+
35-49	56	25.8	604	2	4	20	35	89	98	99+
50-64	162	23.9	481	2	2	21	44	77	99+	99+
65+	157	32.2	550	2	2	32	57	78	99+	99+
TOT. SINGLE DX	154	7.1	146	<1	1	3	7	16	24	80
" MULTIPLE DX	545	25.4	549	1	2	21	45	78	99+	99+
TOTAL 0-19 YRS	122	14.0	445	1	1	6	16	56	88	99+
20-34	116	19.0	460	1	2	13	31	72	99+	99+
35-49	69	22.5	546	2	2	18	29	79	97	99+
50-64	203	20.5	465	1	2	16	39	72	99+	99+
65+	189	28.0	570	1	2	26	51	75	99+	99+
GRAND TOTAL	699	21.4	517	1	2	14	38	72	99+	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	4.4	14	<1	1	2	7	9	13	14
20-34	64	5.1	20	<1	1	3	8	10	13	24
35-49	151	4.8	23	<1	1	3	7	11	14	23
50-64	354	5.8	75	1	1	3	7	13	17	31
65+	398	5.6	45	1	1	3	7	14	17	34
2. MULTIPLE DX										
0-19 YRS	17	14.2	409	2	2	6	17	24	65	87
20-34	67	9.0	72	1	2	5	13	19	26	39
35-49	252	8.1	60	1	2	6	11	18	22	40
50-64	882	8.9	70	1	2	7	12	19	25	41
65+	1417	11.3	113	1	2	8	15	24	33	51
TOT. SINGLE DX	981	5.5	50	1	1	3	7	13	17	30
" MULTIPLE DX	2635	10.2	96	1	2	7	13	22	30	48
TOTAL 0-19 YRS	31	9.8	249	1	2	5	11	21	25	87
20-34	131	7.1	50	1	1	5	10	16	20	36
35-49	403	6.9	49	1	1	4	9	16	20	37
50-64	1236	8.0	73	1	1	5	11	18	24	40
65+	1815	10.1	104	1	2	7	13	22	31	49
GRAND TOTAL	3616	8.9	88	1	2	6	12	20	27	45

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	16.0		16	16	16	16	16	16	16
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+	2	5.0	18	2	2	5	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	3	9.7	25	5	5	9	13	15	15	15
35-49										
50-64	4	12.3	64	2	2	15	41	99+	99+	99+
65+	2	11.0	162	2	2	11	20	20	20	20
TOT. SINGLE DX	4	8.5	33	2	2	8	12	16	16	16
" MULTIPLE DX	10	11.3	46	2	2	13	19	53	96	99+
TOTAL 0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	4	11.3	27	5	5	12	15	16	16	16
35-49	1	8.0		8	8	8	8	8	8	8
50-64	4	12.3	64	2	2	15	41	99+	99+	99+
65+	4	8.0	72	2	2	5	14	20	20	20
GRAND TOTAL	14	10.5	42	2	2	11	16	21	80	99+

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	8.7	31	3	3	7	10	17	20	26
20-34	86	9.2	31	1	3	8	12	17	19	28
35-49	127	8.7	32	2	3	8	11	16	19	29
50-64	259	8.3	31	1	2	8	11	15	18	29
65+	231	8.9	47	1	2	8	12	18	23	32
2. MULTIPLE DX										
0-19 YRS	38	15.7	236	5	6	10	14	32	55	74
20-34	103	11.8	58	4	5	10	16	22	27	38
35-49	214	11.2	74	2	4	9	14	19	27	52
50-64	608	12.6	105	2	3	10	16	23	33	58
65+	729	14.1	119	2	3	12	19	28	35	53
TOT. SINGLE DX	729	8.7	36	1	2	8	11	17	19	29
" MULTIPLE DX	1692	13.1	108	2	3	10	16	25	33	56
TOTAL 0-19 YRS	64	12.8	163	4	5	9	14	26	34	73
20-34	189	10.6	47	2	4	9	14	20	25	30
35-49	341	10.3	60	2	3	8	13	17	24	47
50-64	867	11.3	87	1	2	9	14	22	28	49
65+	960	12.8	107	2	2	10	17	25	32	50
GRAND TOTAL	**2421**	**11.8**	**90**	**2**	**3**	**9**	**15**	**23**	**30**	**49**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	12.6	52	2	4	10	19	23	24	24
20-34	8	10.1	36	5	5	7	14	20	22	22
35-49	39	12.0	48	6	7	10	14	17	20	48
50-64	183	11.7	29	6	7	10	13	19	22	34
65+	123	12.4	27	7	8	11	14	19	23	35
2. MULTIPLE DX										
0-19 YRS	7	20.0	262	5	6	14	23	48	54	54
20-34	24	13.1	66	6	7	10	16	22	30	42
35-49	99	16.0	118	7	7	13	19	27	37	65
50-64	363	15.1	86	7	8	12	18	27	36	96
65+	333	16.6	88	8	9	14	20	27	32	65
TOT. SINGLE DX	362	12.0	31	6	7	10	14	19	22	36
" MULTIPLE DX	826	15.8	92	7	8	13	19	27	35	73
TOTAL 0-19 YRS	16	15.8	147	3	5	12	20	25	45	54
20-34	32	12.4	59	6	6	9	15	22	25	42
35-49	138	14.9	101	7	7	12	17	23	36	60
50-64	546	13.9	70	7	7	11	17	24	32	54
65+	456	15.5	75	8	8	13	19	25	30	58
GRAND TOTAL	**1188**	**14.6**	**76**	**7**	**8**	**12**	**18**	**24**	**32**	**56**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	165	3.0	13	<1	1	2	3	7	10	16
20-34	112	4.1	15	<1	<1	2	6	11	12	17
35-49	167	4.4	20	<1	1	3	6	9	14	24
50-64	344	4.6	43	<1	1	2	5	11	15	22
65+	332	6.1	43	<1	1	3	8	15	21	31
2. MULTIPLE DX										
0-19 YRS	103	8.7	118	1	1	6	11	20	34	99+
20-34	202	10.3	161	1	2	6	12	22	34	74
35-49	325	10.3	163	1	2	7	12	21	31	92
50-64	940	9.6	113	1	2	7	12	20	29	63
65+	1312	12.1	122	2	2	9	16	24	32	59
TOT. SINGLE DX	1120	4.7	33	<1	1	2	6	11	15	26
" MULTIPLE DX	2882	10.8	128	1	2	8	14	23	31	69
TOTAL 0-19 YRS	268	5.2	60	<1	1	2	7	12	19	70
20-34	314	8.1	117	1	1	5	10	17	26	53
35-49	492	8.3	122	1	1	5	10	17	26	79
50-64	1284	8.2	99	1	1	5	11	18	24	62
65+	1644	10.9	112	1	2	8	14	23	30	57
GRAND TOTAL	**4002**	**9.1**	**109**	**1**	**1**	**6**	**12**	**20**	**27**	**60**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	4.7	19	1	1	3	6	9	14	21
20-34	71	4.9	9	1	2	4	6	9	11	13
35-49	27	5.0	11	1	2	5	7	8	10	17
50-64	27	4.8	13	1	2	3	7	10	13	15
65+	21	6.9	30	<1	1	5	10	15	18	19
2. MULTIPLE DX										
0-19 YRS	42	10.3	143	2	2	6	10	25	45	51
20-34	55	11.1	113	3	3	8	13	24	33	58
35-49	31	10.9	77	3	3	9	14	20	27	44
50-64	66	11.8	116	2	2	9	14	30	36	51
65+	84	12.5	159	2	2	9	17	25	35	74
TOT. SINGLE DX	169	5.1	14	1	1	4	7	10	13	19
" MULTIPLE DX	278	11.5	127	2	3	8	14	25	35	52
TOTAL 0-19 YRS	65	8.3	105	1	2	5	9	18	34	50
20-34	126	7.6	63	1	2	5	9	14	22	48
35-49	58	8.2	54	2	2	6	9	17	22	43
50-64	93	9.8	96	1	2	7	13	18	34	49
65+	105	11.4	138	1	2	8	15	24	30	63
GRAND TOTAL	**447**	**9.1**	**94**	**1**	**2**	**6**	**11**	**18**	**27**	**46**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	97	5.8	18	1	2	4	7	10	14	23
20-34	403	5.4	36	2	2	4	6	9	11	24
35-49	157	6.0	23	2	2	5	7	11	14	30
50-64	115	7.5	33	2	3	7	9	14	18	32
65+	84	9.7	62	2	3	7	13	19	21	44
2. MULTIPLE DX										
0-19 YRS	269	11.1	137	2	3	7	12	20	44	65
20-34	445	9.7	103	2	3	7	11	19	31	99+
35-49	350	11.2	117	3	3	8	13	22	32	64
50-64	580	12.2	121	3	4	9	15	26	35	56
65+	658	14.6	138	3	4	11	19	30	37	77
TOT. SINGLE DX	856	6.3	35	2	2	5	7	11	16	30
" MULTIPLE DX	2302	12.1	127	3	3	9	15	26	35	68
TOTAL 0-19 YRS	366	9.7	111	2	3	6	11	18	30	59
20-34	848	7.6	76	2	2	5	9	15	23	70
35-49	507	9.6	94	2	3	7	12	19	29	47
50-64	695	11.4	110	3	3	8	14	25	32	56
65+	742	14.0	132	3	4	11	18	29	37	66
GRAND TOTAL	3158	10.5	109	2	3	7	13	22	31	59

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	114	6.2	21	1	1	6	7	10	13	28
20-34	139	5.4	19	<1	1	4	8	11	15	19
35-49	112	6.1	23	1	1	5	9	13	14	22
50-64	150	6.5	33	1	1	4	9	15	19	28
65+	136	7.4	34	2	2	6	10	14	18	29
2. MULTIPLE DX										
0-19 YRS	73	13.3	278	1	2	8	14	30	67	97
20-34	157	9.7	125	1	2	7	12	18	24	94
35-49	152	11.2	126	1	2	8	15	24	27	56
50-64	377	11.8	138	2	2	9	15	22	30	73
65+	522	11.8	101	2	3	10	15	24	30	46
TOT. SINGLE DX	651	6.3	27	1	1	5	9	13	15	25
" MULTIPLE DX	1281	11.6	128	1	2	9	14	23	30	72
TOTAL 0-19 YRS	187	9.0	132	1	2	6	9	16	29	87
20-34	296	7.7	80	1	1	6	10	15	19	59
35-49	264	9.0	88	1	2	6	12	19	26	51
50-64	527	10.3	114	1	2	8	13	21	28	62
65+	658	10.9	91	2	2	9	14	22	28	44
GRAND TOTAL	1932	9.8	100	1	2	7	13	20	27	53

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	141	9.0	22	6	6	8	10	13	15	29
20-34	59	10.0	15	7	7	9	11	13	18	25
35-49	77	11.9	9	8	9	11	14	16	17	25
50-64	113	14.0	19	9	10	13	16	20	22	30
65+	60	15.3	48	7	9	15	18	22	27	47
2. MULTIPLE DX										
0-19 YRS	185	13.3	142	7	7	10	14	23	34	94
20-34	92	15.6	145	7	8	12	18	36	64	99+
35-49	188	15.6	64	8	9	13	18	27	35	79
50-64	477	18.2	130	9	10	15	20	32	44	62
65+	406	20.8	118	10	11	18	24	35	44	63
TOT. SINGLE DX	450	11.7	27	6	7	11	14	18	21	29
" MULTIPLE DX	1348	17.8	126	8	9	15	21	32	42	70
TOTAL 0-19 YRS	326	11.4	95	6	6	9	11	17	27	73
20-34	151	13.4	101	7	7	11	15	23	41	99+
35-49	265	14.5	51	8	9	12	16	24	30	47
50-64	590	17.4	111	9	10	14	19	28	38	61
65+	466	20.1	113	9	10	17	24	34	42	60
GRAND TOTAL	1798	16.3	108	7	8	13	19	28	38	64

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	9	9.6	2	8	8	9	10	12	12	12
35-49	222	10.7	10	7	8	10	12	15	17	21
50-64	604	11.4	16	8	8	10	12	15	18	26
65+	208	13.4	24	9	9	12	15	18	21	36
2. MULTIPLE DX										
0-19 YRS	5	12.2	40	3	3	12	17	19	19	19
20-34	46	11.1	12	7	7	10	13	16	17	20
35-49	954	12.3	34	7	8	11	13	18	22	34
50-64	3439	13.4	38	8	9	12	15	20	24	38
65+	1610	16.4	75	9	9	14	19	26	33	55
TOT. SINGLE DX	1043	11.6	17	8	8	11	13	16	18	28
" MULTIPLE DX	6054	14.0	49	8	9	12	16	22	27	44
TOTAL 0-19 YRS	5	12.2	40	3	3	12	17	19	19	19
20-34	55	10.9	11	7	7	10	12	16	17	20
35-49	1176	12.0	30	7	8	11	13	17	21	31
50-64	4043	13.1	36	8	8	11	15	19	23	37
65+	1818	16.1	70	9	9	14	18	26	32	53
GRAND TOTAL	7097	13.7	45	8	9	12	15	21	26	41

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	435	1.9	4	1	1	2	2	2	3	10
20-34	220	2.8	13	1	1	2	2	4	7	26
35-49	1085	2.6	5	1	1	2	2	4	7	14
50-64	1873	2.9	15	1	1	2	2	5	8	17
65+	568	3.1	25	1	1	2	3	5	8	21
2. MULTIPLE DX										
0-19 YRS	500	3.3	52	1	1	2	2	6	10	59
20-34	324	4.2	29	1	2	2	5	9	12	34
35-49	2253	3.8	15	1	2	2	4	9	12	20
50-64	5960	4.1	23	1	2	2	4	9	13	24
65+	2685	5.7	41	1	2	3	8	13	18	31
TOT. SINGLE DX	4181	2.7	13	1	1	2	2	5	8	16
" MULTIPLE DX	11722	4.4	27	1	2	2	5	10	14	26
TOTAL 0-19 YRS	935	2.6	30	1	1	2	2	3	7	34
20-34	544	3.6	23	1	1	2	3	7	9	28
35-49	3338	3.4	12	1	1	2	3	7	11	18
50-64	7833	3.8	21	1	2	2	4	8	12	23
65+	3253	5.3	39	1	2	2	7	12	17	31
GRAND TOTAL	**15903**	**4.0**	**24**	**1**	**1**	**2**	**4**	**9**	**13**	**24**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	4.1	6	1	2	4	5	8	9	10
20-34	22	4.4	14	1	1	3	5	9	13	17
35-49	51	5.5	19	1	1	4	6	12	17	18
50-64	251	5.2	16	1	1	4	7	11	13	20
65+	1029	4.5	13	1	2	3	5	9	12	19
2. MULTIPLE DX										
0-19 YRS	19	10.1	70	2	3	8	10	23	30	35
20-34	40	7.2	66	1	2	5	8	17	36	99+
35-49	170	10.4	83	2	3	8	14	19	23	33
50-64	898	10.5	73	2	2	9	14	20	25	45
65+	4517	10.3	78	2	2	8	14	20	27	46
TOT. SINGLE DX	1372	4.6	14	1	1	3	6	9	12	19
" MULTIPLE DX	5644	10.3	77	2	2	8	14	20	26	46
TOTAL 0-19 YRS	38	7.1	46	2	2	5	8	14	23	35
20-34	62	6.2	49	1	2	4	7	14	24	92
35-49	221	9.2	72	1	2	7	13	18	22	31
50-64	1149	9.4	66	1	2	7	13	19	23	37
65+	5546	9.2	71	2	2	7	12	19	25	43
GRAND TOTAL	**7016**	**9.2**	**70**	**2**	**2**	**7**	**12**	**19**	**24**	**42**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	6.4	13	1	1	7	8	10	12	17
20-34	15	7.8	10	1	2	9	10	11	12	12
35-49	18	6.2	14	1	1	6	8	12	13	14
50-64	32	10.2	71	2	2	8	13	19	25	41
65+	11	9.0	33	2	2	9	13	17	19	19
2. MULTIPLE DX										
0-19 YRS	16	10.8	218	2	4	7	10	13	49	65
20-34	39	13.3	94	3	4	10	18	27	36	43
35-49	76	12.0	73	2	3	10	14	21	33	86
50-64	140	15.6	145	2	3	13	19	32	37	64
65+	114	15.9	140	2	4	13	22	30	41	60
TOT. SINGLE DX	101	8.0	35	1	2	7	10	15	18	33
" MULTIPLE DX	385	14.5	129	2	4	12	18	29	37	64
TOTAL 0-19 YRS	41	6.1	94	1	2	7	9	11	15	65
20-34	54	11.8	76	2	4	9	14	23	34	43
35-49	94	10.9	66	1	2	9	13	21	31	77
50-64	172	14.6	135	2	3	12	18	29	36	59
65+	125	15.3	134	2	3	13	20	29	39	57
GRAND TOTAL	**486**	**13.2**	**116**	**2**	**3**	**10**	**16**	**25**	**36**	**58**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	3.8	27	<1	<1	1	4	9	14	28
20-34	49	3.4	18	<1	<1	2	4	10	15	19
35-49	82	2.8	7	<1	<1	2	3	6	9	13
50-64	148	3.0	21	<1	<1	2	2	5	14	29
65+	106	4.0	26	1	1	2	4	10	15	28
2. MULTIPLE DX										
0-19 YRS	78	7.7	111	<1	1	5	9	19	30	90
20-34	64	9.4	151	<1	1	6	11	20	26	80
35-49	99	10.4	151	1	1	6	14	27	44	80
50-64	223	9.3	92	1	1	6	14	22	27	55
65+	295	13.7	146	2	2	10	19	29	35	61
TOT. SINGLE DX	439	3.3	20	<1	<1	2	3	8	13	27
" MULTIPLE DX	759	11.0	132	1	1	7	15	26	32	64
TOTAL 0-19 YRS	132	6.1	80	<1	1	3	8	14	21	70
20-34	113	6.8	101	<1	<1	3	9	16	21	55
35-49	181	6.9	100	<1	1	2	9	18	27	59
50-64	371	6.8	73	<1	1	3	9	19	24	47
65+	401	11.1	133	1	1	8	16	27	31	55
GRAND TOTAL	**1198**	**8.2**	**105**	**<1**	**1**	**4**	**11**	**21**	**28**	**55**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	3.3	2	1	2	3	4	5	6	8
20-34	541	3.6	3	1	2	3	4	5	6	9
35-49	734	3.8	4	2	2	3	4	6	7	12
50-64	590	4.1	7	2	2	4	5	6	7	12
65+	174	5.5	15	2	3	4	6	9	13	21
2. MULTIPLE DX										
0-19 YRS	2	18.0	392	4	4	18	32	32	32	32
20-34	153	4.3	6	2	2	4	5	7	9	19
35-49	259	5.3	41	2	2	4	6	8	11	20
50-64	347	5.8	30	2	2	4	6	10	13	22
65+	154	9.2	128	3	3	5	10	18	23	70
TOT. SINGLE DX	2068	4.0	6	2	2	4	5	6	7	13
" MULTIPLE DX	915	6.0	49	2	2	4	6	10	15	38
TOTAL 0-19 YRS	31	4.2	29	1	2	3	4	6	8	32
20-34	694	3.7	3	1	2	3	4	5	7	11
35-49	993	4.2	14	2	2	4	5	6	8	15
50-64	937	4.7	16	2	2	4	5	8	11	18
65+	328	7.2	71	2	3	5	8	13	19	50
GRAND TOTAL	2983	4.6	20	2	2	4	5	7	10	19

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	11.4	190	1	2	8	9	25	49	60
20-34	23	8.4	60	1	1	7	11	18	24	34
35-49	99	8.1	17	2	2	8	10	12	16	22
50-64	382	9.3	23	3	4	9	11	15	18	28
65+	299	10.4	36	2	5	9	13	18	21	32
2. MULTIPLE DX										
0-19 YRS	57	13.9	71	5	6	11	18	29	31	37
20-34	110	11.2	102	1	2	9	16	25	36	73
35-49	328	13.1	125	2	3	10	15	25	37	59
50-64	1088	14.3	133	4	5	11	16	27	35	68
65+	1443	17.0	150	4	7	13	20	34	43	69
TOT. SINGLE DX	820	9.6	32	2	4	9	11	15	19	30
" MULTIPLE DX	3026	15.3	141	3	5	12	18	30	40	65
TOTAL 0-19 YRS	74	13.4	98	4	6	9	18	29	31	54
20-34	133	10.7	95	1	2	8	15	23	34	63
35-49	427	11.9	105	2	3	9	14	21	32	57
50-64	1470	13.0	109	3	5	10	15	24	32	61
65+	1742	15.8	137	4	6	13	19	31	41	64
GRAND TOTAL	3846	14.1	123	3	5	11	17	27	36	61

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	5	12.2	4	10	10	13	14	14	14	14
65+										
2. MULTIPLE DX										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34										
35-49	6	12.8	16	8	8	12	13	19	20	20
50-64	18	17.7	67	7	8	17	23	31	32	33
65+	9	21.9	160	9	11	15	33	41	46	46
TOT. SINGLE DX	6	11.7	5	9	9	12	14	14	14	14
" MULTIPLE DX	34	18.1	85	8	8	15	22	33	34	46
TOTAL 0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34										
35-49	7	12.3	15	8	8	12	13	19	20	20
50-64	23	16.5	58	7	8	15	18	30	32	33
65+	9	21.9	160	9	11	15	33	41	46	46
GRAND TOTAL	40	17.1	78	8	8	14	19	32	34	46

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	16	4.6	12	1	1	3	6	11	11	11
35-49	17	3.2	7	<1	<1	3	4	6	9	11
50-64	39	3.5	12	<1	1	2	4	8	12	14
65+	19	4.2	7	<1	1	4	5	7	10	11
2. MULTIPLE DX										
0-19 YRS	53	6.4	41	1	1	4	8	20	21	29
20-34	357	6.1	59	1	1	4	7	13	17	32
35-49	384	6.5	50	1	1	4	8	14	20	43
50-64	775	6.5	45	1	1	4	8	15	21	31
65+	661	7.1	59	1	1	5	9	16	22	36
TOT. SINGLE DX	93	3.8	10	<1	1	3	5	9	11	14
" MULTIPLE DX	2230	6.6	52	1	1	4	8	15	21	35
TOTAL 0-19 YRS	55	6.4	40	1	1	4	8	20	21	29
20-34	373	6.1	57	1	1	4	7	12	17	32
35-49	401	6.3	49	1	1	4	8	13	20	43
50-64	814	6.4	44	1	1	4	8	15	20	31
65+	680	7.1	58	1	1	5	8	15	22	36
GRAND TOTAL	2323	6.5	51	1	1	4	8	14	20	35

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	273	6.2	29	1	2	5	8	11	13	26
20-34	247	5.8	51	1	1	3	7	14	19	40
35-49	292	7.3	38	1	1	6	10	14	18	31
50-64	787	8.1	45	2	3	7	10	14	20	37
65+	1216	8.6	33	2	3	7	11	15	19	32
2. MULTIPLE DX										
0-19 YRS	1882	13.8	217	1	2	9	18	37	49	99+
20-34	521	10.4	147	1	1	6	13	24	36	67
35-49	727	11.9	172	1	2	8	15	27	45	99+
50-64	2616	12.2	130	2	3	9	15	25	35	67
65+	4313	13.9	131	3	4	11	17	28	37	63
TOT. SINGLE DX	2815	7.9	39	1	2	6	10	14	19	33
" MULTIPLE DX	10059	13.1	151	2	3	10	16	29	40	73
TOTAL 0-19 YRS	2155	12.8	199	1	2	8	16	34	48	99+
20-34	768	8.9	121	1	1	5	11	20	31	62
35-49	1019	10.6	138	1	2	7	13	23	36	81
50-64	3403	11.3	113	2	3	9	13	23	32	61
65+	5529	12.7	114	3	4	10	16	26	34	60
GRAND TOTAL	**12874**	**12.0**	**132**	**2**	**3**	**9**	**15**	**25**	**36**	**69**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	359	2.4	5	<1	<1	2	3	5	7	12
20-34	403	3.1	13	<1	<1	2	3	6	9	17
35-49	221	4.1	34	<1	1	2	4	9	15	27
50-64	289	4.3	17	<1	1	3	6	9	12	22
65+	238	5.8	29	1	1	4	8	12	16	29
2. MULTIPLE DX										
0-19 YRS	123	4.9	30	<1	1	3	6	10	18	56
20-34	242	6.9	71	<1	1	4	9	15	21	37
35-49	271	6.6	67	1	1	4	8	14	18	42
50-64	517	8.4	94	1	2	5	10	18	23	53
65+	685	9.4	77	2	2	7	12	20	27	55
TOT. SINGLE DX	1510	3.7	19	<1	<1	2	4	8	11	21
" MULTIPLE DX	1838	8.1	78	1	2	5	10	17	23	47
TOTAL 0-19 YRS	482	3.0	12	<1	<1	2	3	7	9	20
20-34	645	4.5	38	<1	<1	2	5	10	14	30
35-49	492	5.5	53	<1	1	3	7	13	17	38
50-64	806	6.9	70	1	1	4	8	16	20	39
65+	923	8.4	67	1	2	6	11	18	25	43
GRAND TOTAL	**3348**	**6.1**	**56**	**<1**	**1**	**3**	**8**	**14**	**19**	**37**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	3.0	5	1	1	2	3	8	8	8
20-34	45	6.2	13	<1	2	6	8	10	12	17
35-49	41	7.0	31	1	2	6	8	13	19	30
50-64	72	6.5	15	2	3	6	8	13	15	22
65+	71	7.4	28	2	2	6	8	11	16	37
2. MULTIPLE DX										
0-19 YRS	15	8.9	44	2	2	9	12	17	24	26
20-34	57	7.6	20	2	2	7	10	13	15	27
35-49	66	9.0	61	2	3	7	11	15	31	42
50-64	178	11.2	105	3	4	8	15	20	28	64
65+	200	11.5	118	3	4	8	14	24	37	98
TOT. SINGLE DX	250	6.5	24	2	2	6	8	11	14	30
" MULTIPLE DX	516	10.6	95	2	3	8	13	20	31	58
TOTAL 0-19 YRS	36	5.5	29	1	2	2	9	12	16	26
20-34	102	7.0	17	1	2	7	9	12	14	22
35-49	107	8.2	50	2	2	6	9	15	22	38
50-64	250	9.9	84	3	3	7	12	18	22	50
65+	271	10.4	100	2	3	8	11	23	33	87
GRAND TOTAL	**766**	**9.2**	**75**	**2**	**3**	**7**	**11**	**18**	**25**	**43**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34										
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	1	62.0		62	62	62	62	62	62	62
65+	1	20.0		20	20	20	20	20	20	20
TOT. SINGLE DX	3	6.3	17	3	3	5	9	11	11	11
" MULTIPLE DX	3	29.0	873	5	5	20	51	62	62	62
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	2	33.5	1625	5	5	33	62	62	62	62
65+	2	11.5	145	3	3	11	20	20	20	20
GRAND TOTAL	**6**	**17.7**	**510**	**3**	**3**	**8**	**20**	**58**	**62**	**62**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+										
TOT. SINGLE DX	5	2.6	1	1	1	3	3	4	4	4
" MULTIPLE DX	2	12.0		12	12	12	12	12	12	12
TOTAL 0-19 YRS	2	8.0	32	4	4	8	12	12	12	12
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	7.5	41	3	3	7	12	12	12	12
50-64	1	3.0		3	3	3	3	3	3	3
65+										
GRAND TOTAL	7	5.3	22	1	1	3	10	12	12	12

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	401	5.9	48	<1	<1	5	7	11	15	45
20-34	245	7.2	46	2	3	6	7	12	18	48
35-49	148	8.1	47	2	2	7	9	14	22	30
50-64	206	9.1	75	2	2	7	11	18	27	48
65+	279	8.8	54	2	2	7	11	19	26	35
2. MULTIPLE DX										
0-19 YRS	430	10.8	164	1	2	7	11	22	40	74
20-34	540	12.4	145	3	4	9	14	26	41	81
35-49	525	12.4	157	2	3	9	14	25	36	67
50-64	1006	12.0	147	2	3	8	14	25	35	71
65+	2299	12.5	110	3	4	10	16	25	31	59
TOT. SINGLE DX	1279	7.6	55	1	2	6	9	15	22	44
" MULTIPLE DX	4800	12.2	132	2	3	9	15	25	34	67
TOTAL 0-19 YRS	831	8.4	114	<1	1	6	9	17	29	69
20-34	785	10.8	120	2	4	7	12	22	35	72
35-49	673	11.4	136	2	3	8	13	23	34	63
50-64	1212	11.5	136	2	3	8	14	24	33	65
65+	2578	12.1	105	2	3	9	15	24	31	58
GRAND TOTAL	6079	11.3	119	2	3	8	14	23	31	61

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	9.0	66	1	1	6	12	18	28	36
20-34	10	7.6	29	1	2	7	9	16	20	20
35-49	7	7.6	33	2	2	7	9	17	19	19
50-64	19	7.8	46	2	2	5	14	19	22	22
65+	6	6.3	26	1	1	6	9	14	14	14
2. MULTIPLE DX										
0-19 YRS	120	11.4	223	2	2	6	12	29	42	96
20-34	42	16.7	261	2	3	12	23	38	72	99+
35-49	46	14.5	135	2	3	11	20	28	39	51
50-64	80	15.5	194	1	3	11	20	39	45	57
65+	144	19.8	253	4	5	15	26	39	54	95
TOT. SINGLE DX	76	8.2	49	1	2	6	12	17	22	34
" MULTIPLE DX	432	15.8	231	2	3	11	22	36	50	94
TOTAL 0-19 YRS	154	10.9	188	1	2	6	12	24	39	93
20-34	52	15.0	228	2	3	11	20	32	66	99
35-49	53	13.6	126	2	3	9	18	27	36	51
50-64	99	14.0	174	2	2	10	18	34	44	57
65+	150	19.2	251	3	5	15	26	38	54	95
GRAND TOTAL	508	14.7	211	2	3	10	19	33	47	89

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	3.7	11	1	1	2	6	8	9	16
20-34	38	5.7	41	1	1	3	8	14	21	29
35-49	76	5.3	29	<1	1	3	8	10	17	26
50-64	154	6.0	33	<1	1	4	9	14	19	26
65+	194	6.2	38	<1	1	4	8	14	19	29
2. MULTIPLE DX										
0-19 YRS	33	8.1	59	<1	1	6	12	18	26	29
20-34	87	7.6	74	1	2	6	10	15	27	99+
35-49	178	9.2	108	1	2	6	11	21	34	58
50-64	462	9.6	126	1	2	6	11	20	31	54
65+	739	10.4	124	1	2	7	13	22	31	55
TOT. SINGLE DX	503	5.8	33	<1	1	4	8	13	17	27
" MULTIPLE DX	1499	9.8	119	1	2	7	12	21	31	60
TOTAL 0-19 YRS	74	5.6	37	1	1	4	8	13	17	28
20-34	125	7.1	64	1	1	6	9	15	25	99+
35-49	254	8.0	87	1	1	6	9	16	25	56
50-64	616	8.7	105	1	1	5	11	19	27	48
65+	933	9.5	109	1	2	7	12	20	29	53
GRAND TOTAL	2002	8.8	100	1	1	6	11	19	27	55

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	315	3.4	2	1	2	3	4	5	6	9
20-34	2	16.0	2	15	15	16	17	17	17	17
35-49	1	8.0		8	8	8	8	8	8	8
50-64	4	9.8	7	6	6	10	11	12	12	12
65+	6	10.3	28	4	4	9	11	19	20	20
2. MULTIPLE DX										
0-19 YRS	92	6.0	23	2	2	5	7	12	17	70
20-34	10	13.4	105	1	4	10	16	30	37	37
35-49	11	12.9	176	2	4	8	13	33	49	50
50-64	18	15.9	101	6	7	14	21	39	75	99+
65+	27	18.4	150	6	7	15	25	39	57	99+
TOT. SINGLE DX	328	3.7	5	1	2	3	4	6	8	13
" MULTIPLE DX	158	10.2	93	2	3	7	13	24	38	99+
TOTAL 0-19 YRS	407	4.0	8	2	2	3	4	7	9	19
20-34	12	13.8	87	2	5	13	16	27	36	37
35-49	12	12.5	162	2	4	8	12	30	47	50
50-64	22	14.8	89	6	7	12	19	34	64	99+
65+	33	16.9	136	5	7	12	24	39	49	99+
GRAND TOTAL	**486**	**5.8**	**43**	**2**	**2**	**4**	**6**	**12**	**20**	**48**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	12.3	37	7	7	15	59	99+	99+	99+
20-34	7	22.7	764	2	3	7	48	64	65	65
35-49	6	18.7	175	3	4	17	28	37	38	38
50-64	9	8.0	21	1	3	7	9	15	18	18
65+	21	15.1	103	5	6	13	18	30	38	46
2. MULTIPLE DX										
0-19 YRS	31	24.5	555	5	6	15	41	87	99+	99+
20-34	12	32.2	1342	4	5	15	87	99+	99+	99+
35-49	26	22.2	291	2	5	13	34	51	68	99+
50-64	59	22.3	354	6	8	16	23	46	67	94
65+	142	24.3	339	6	8	18	31	55	61	93
TOT. SINGLE DX	46	15.2	194	3	6	10	19	37	62	99+
" MULTIPLE DX	270	24.1	402	6	7	18	34	59	83	99+
TOTAL 0-19 YRS	34	23.5	519	5	6	15	41	96	99+	99+
20-34	19	28.7	1097	3	5	10	69	99	99+	99+
35-49	32	21.6	265	2	5	13	34	50	60	99+
50-64	68	20.4	333	5	7	14	23	45	66	91
65+	163	23.2	317	6	7	17	29	52	59	92
GRAND TOTAL	**316**	**22.8**	**381**	**5**	**6**	**16**	**31**	**58**	**82**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	4.2	6	2	2	3	6	8	9	9
20-34	65	5.6	13	1	2	5	8	10	11	19
35-49	108	5.7	12	1	2	5	8	12	12	15
50-64	139	7.2	110	<1	1	5	8	12	16	92
65+	178	7.2	21	1	2	6	10	14	15	21
2. MULTIPLE DX										
0-19 YRS	18	6.8	15	2	3	6	8	11	16	18
20-34	183	7.1	25	2	2	6	8	13	18	27
35-49	367	7.8	42	2	3	6	9	15	21	32
50-64	712	8.6	51	2	3	7	10	16	21	42
65+	1358	10.7	76	3	4	8	13	20	27	50
TOT. SINGLE DX	503	6.6	43	1	2	5	8	12	15	33
" MULTIPLE DX	2638	9.5	62	2	3	7	11	18	24	42
TOTAL 0-19 YRS	31	5.7	12	2	2	5	8	10	12	18
20-34	248	6.7	22	2	2	6	8	12	17	26
35-49	475	7.3	36	2	2	6	9	14	18	30
50-64	851	8.4	61	2	2	7	10	15	21	42
65+	1536	10.3	71	2	3	8	13	19	26	47
GRAND TOTAL	**3141**	**9.0**	**60**	**2**	**3**	**7**	**11**	**17**	**22**	**42**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	7.0	26	2	2	8	10	14	14	14
20-34	63	10.4	37	2	3	10	13	16	22	36
35-49	143	11.0	29	6	7	10	13	17	20	29
50-64	164	11.4	22	7	7	10	13	18	21	29
65+	132	13.7	52	8	8	12	16	21	26	44
2. MULTIPLE DX										
0-19 YRS	14	14.5	78	4	6	11	20	27	34	36
20-34	58	16.2	207	7	8	12	15	28	54	85
35-49	229	16.8	166	7	8	12	18	32	44	77
50-64	420	16.7	149	8	8	13	19	31	42	81
65+	525	20.0	159	8	9	16	23	37	50	78
TOT. SINGLE DX	507	11.7	35	6	7	10	14	18	22	35
" MULTIPLE DX	1246	18.1	161	8	8	14	20	33	46	78
TOTAL 0-19 YRS	19	12.5	73	2	3	10	17	24	31	36
20-34	121	13.2	126	3	7	10	14	22	29	65
35-49	372	14.5	121	7	7	11	16	25	40	75
50-64	584	15.2	119	7	8	12	17	26	36	74
65+	657	18.7	144	8	9	15	22	34	45	75
GRAND TOTAL	**1753**	**16.2**	**133**	**7**	**8**	**13**	**18**	**30**	**40**	**75**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	15.5	1	15	15	15	16	16	16	16
35-49	5	14.4	5	12	12	14	16	18	18	18
50-64	15	17.0	38	9	10	16	21	22	29	31
65+	9	25.8	386	12	12	21	28	58	75	75
2. MULTIPLE DX										
0-19 YRS										
20-34	3	19.3	86	9	9	22	26	27	27	27
35-49	16	18.1	105	10	11	15	18	35	44	48
50-64	39	23.2	305	9	11	17	28	37	59	99
65+	67	25.6	229	10	12	19	31	49	57	78
TOT. SINGLE DX	31	19.0	141	10	11	16	21	28	33	75
" MULTIPLE DX	125	23.8	236	10	11	19	29	42	55	85
TOTAL 0-19 YRS										
20-34	5	17.8	48	9	9	16	23	27	27	27
35-49	21	17.2	82	10	11	15	18	29	41	48
50-64	54	21.5	236	9	10	17	25	33	40	98
65+	76	25.6	242	10	12	20	31	49	58	79
GRAND TOTAL	**156**	**22.8**	**220**	**10**	**11**	**18**	**27**	**40**	**54**	**80**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	7.3	24	1	1	7	8	15	16	16
20-34	75	9.6	12	6	6	9	11	14	17	21
35-49	113	9.5	24	6	6	8	10	14	19	34
50-64	115	10.6	20	6	7	10	12	16	17	28
65+	52	12.7	23	7	8	12	15	18	19	31
2. MULTIPLE DX										
0-19 YRS	4	8.8	3	7	7	8	10	11	11	11
20-34	65	10.4	20	5	7	9	12	16	20	27
35-49	147	12.5	69	6	7	10	15	20	28	47
50-64	209	15.1	124	7	7	12	17	24	37	68
65+	204	18.8	135	8	9	15	24	32	46	57
TOT. SINGLE DX	361	10.3	21	6	6	9	12	16	18	30
" MULTIPLE DX	629	15.2	111	7	7	12	17	26	37	60
TOTAL 0-19 YRS	10	7.9	15	1	3	7	9	13	16	16
20-34	140	10.0	16	6	6	9	11	15	18	23
35-49	260	11.2	51	6	6	9	12	19	22	43
50-64	324	13.5	92	6	7	11	15	21	27	61
65+	256	17.6	118	8	8	14	21	31	45	54
GRAND TOTAL	**990**	**13.4**	**84**	**6**	**7**	**10**	**15**	**22**	**30**	**52**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	7.3	12	2	3	8	8	11	13	19
20-34	269	8.1	13	5	6	7	9	11	13	28
35-49	242	8.7	16	5	6	8	9	13	17	27
50-64	155	9.7	18	4	6	9	12	14	18	28
65+	88	12.9	61	6	6	11	16	22	27	48
2. MULTIPLE DX										
0-19 YRS	63	11.3	106	2	3	8	13	23	34	61
20-34	355	10.7	66	6	6	8	11	17	25	55
35-49	552	12.2	77	6	6	9	13	23	30	53
50-64	507	14.8	135	6	7	11	17	27	37	82
65+	474	19.6	186	7	8	15	25	37	46	78
TOT. SINGLE DX	785	9.1	23	5	6	8	10	14	18	30
" MULTIPLE DX	1951	14.3	128	6	6	10	17	27	37	64
TOTAL 0-19 YRS	94	10.0	78	2	3	8	11	17	26	53
20-34	624	9.6	45	5	6	8	10	14	20	39
35-49	794	11.1	61	6	6	9	12	20	26	51
50-64	662	13.6	112	5	6	10	15	25	33	62
65+	562	18.5	172	7	8	14	23	34	45	71
GRAND TOTAL	**2736**	**12.8**	**103**	**5**	**6**	**9**	**14**	**24**	**32**	**58**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	4.2	12	<1	<1	4	5	8	10	18
20-34	166	5.5	16	1	1	5	7	10	12	23
35-49	162	4.8	18	<1	1	4	7	9	12	24
50-64	337	4.1	23	1	1	2	5	9	11	21
65+	313	5.3	34	1	1	3	7	13	16	29
2. MULTIPLE DX										
0-19 YRS	96	7.7	89	1	2	6	8	13	26	60
20-34	219	7.3	35	1	2	6	9	14	17	24
35-49	282	7.8	43	1	2	6	9	16	25	32
50-64	661	7.9	50	1	2	6	10	16	22	38
65+	1218	9.6	79	1	2	8	12	19	25	49
TOT. SINGLE DX	1035	4.8	24	1	1	3	7	10	13	24
" MULTIPLE DX	2476	8.7	65	1	2	7	11	17	23	42
TOTAL 0-19 YRS	153	6.4	63	1	1	5	7	10	17	50
20-34	385	6.5	27	1	2	5	8	13	16	24
35-49	444	6.7	36	1	1	5	8	14	20	31
50-64	998	6.6	44	1	1	5	9	14	19	37
65+	1531	8.8	73	1	1	7	12	18	24	45
GRAND TOTAL	**3511**	**7.5**	**56**	**1**	**1**	**6**	**10**	**16**	**21**	**39**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	8.6	17	5	5	7	9	14	19	21
20-34	39	10.6	29	5	5	10	13	19	23	26
35-49	35	10.8	27	4	6	9	15	18	22	24
50-64	54	11.1	21	6	6	10	13	17	22	24
65+	73	15.8	101	7	7	13	19	26	35	61
2. MULTIPLE DX										
0-19 YRS	69	12.0	99	4	5	9	14	28	61	99+
20-34	127	15.1	188	5	6	11	18	32	55	99+
35-49	117	17.4	213	7	7	12	20	38	50	74
50-64	238	17.5	163	7	8	14	20	34	50	84
65+	433	21.2	200	8	9	17	26	40	51	82
TOT. SINGLE DX	224	12.2	55	5	6	10	15	21	24	44
" MULTIPLE DX	984	18.4	191	6	8	14	22	37	51	99
TOTAL 0-19 YRS	92	11.2	80	5	5	9	13	27	41	99+
20-34	166	14.0	154	5	6	10	16	28	41	99+
35-49	152	15.9	177	6	7	11	18	33	44	62
50-64	292	16.3	143	6	7	13	18	31	39	79
65+	506	20.4	189	8	9	16	25	38	48	80
GRAND TOTAL	**1208**	**17.3**	**172**	**6**	**7**	**13**	**21**	**34**	**47**	**94**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	12.5	97	4	5	9	14	26	32	52
20-34	93	12.0	40	6	7	10	13	20	27	34
35-49	204	11.2	24	6	7	10	12	18	21	26
50-64	519	11.2	23	7	7	10	13	16	20	28
65+	765	13.0	27	8	8	12	15	19	23	34
2. MULTIPLE DX										
0-19 YRS	53	17.6	216	7	7	12	20	50	57	99
20-34	176	14.9	101	6	7	11	18	29	36	58
35-49	468	14.5	79	7	8	12	17	24	30	78
50-64	1363	15.3	93	8	8	13	17	25	34	65
65+	3015	18.2	114	8	9	15	21	32	41	69
TOT. SINGLE DX	1620	12.2	28	7	8	11	14	18	22	34
" MULTIPLE DX	5075	17.0	108	8	9	14	20	29	38	67
TOTAL 0-19 YRS	92	15.5	170	6	6	10	18	37	52	85
20-34	269	13.9	82	6	7	11	16	25	33	57
35-49	672	13.5	65	7	7	11	16	21	27	60
50-64	1882	14.2	77	7	8	12	16	23	30	58
65+	3780	17.2	101	8	9	14	20	29	38	64
GRAND TOTAL	**6695**	**15.8**	**93**	**7**	**8**	**13**	**18**	**27**	**35**	**61**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	8.3	16	4	4	7	11	14	15	15
20-34	21	9.0	68	1	2	7	9	23	31	32
35-49	13	10.7	32	6	6	9	14	19	24	25
50-64	30	9.3	14	5	5	9	10	14	18	21
65+	38	14.5	76	7	8	12	16	20	36	49
2. MULTIPLE DX										
0-19 YRS	12	16.1	347	4	5	8	15	46	65	68
20-34	48	15.1	215	5	6	10	17	29	38	84
35-49	54	15.2	160	6	7	11	17	28	35	82
50-64	117	16.7	144	6	7	13	20	30	45	86
65+	175	20.4	113	8	9	18	27	35	39	54
TOT. SINGLE DX	109	11.2	53	4	5	9	14	19	25	41
" MULTIPLE DX	406	17.9	151	6	7	14	23	33	40	73
TOTAL 0-19 YRS	19	13.2	233	4	4	8	12	29	54	68
20-34	69	13.3	177	3	5	9	14	29	33	80
35-49	67	14.3	138	6	7	10	16	27	33	77
50-64	147	15.2	127	6	6	12	19	28	39	80
65+	213	19.4	111	7	9	17	25	35	39	52
GRAND TOTAL	**515**	**16.5**	**137**	**5**	**7**	**13**	**21**	**31**	**38**	**66**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	147	6.7	13	3	3	6	8	10	13	22
20-34	175	7.7	8	4	5	7	9	11	14	17
35-49	175	8.5	19	4	5	8	10	12	17	27
50-64	210	9.0	26	4	5	9	11	13	15	31
65+	237	10.1	24	4	5	10	12	15	17	27
2. MULTIPLE DX										
0-19 YRS	147	11.8	134	3	4	8	13	29	35	99+
20-34	305	11.7	68	5	6	10	13	21	26	52
35-49	327	12.9	97	5	6	10	14	24	34	87
50-64	405	14.6	142	5	6	11	16	29	42	86
65+	623	15.2	109	6	7	12	19	28	36	82
TOT. SINGLE DX	944	8.6	20	3	4	8	10	13	15	25
" MULTIPLE DX	1807	13.8	111	5	6	11	16	27	35	84
TOTAL 0-19 YRS	294	9.2	80	3	3	7	10	17	29	97
20-34	480	10.3	50	4	5	9	11	16	23	44
35-49	502	11.4	75	5	5	9	12	20	30	63
50-64	615	12.7	109	4	5	10	14	23	34	71
65+	860	13.8	91	5	6	11	16	25	33	65
GRAND TOTAL	**2751**	**12.0**	**86**	**4**	**5**	**10**	**14**	**22**	**30**	**62**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	11.3	39	3	5	10	13	23	23	23
20-34	18	11.0	27	3	5	11	15	19	19	19
35-49	17	10.0	22	3	4	9	14	17	17	17
50-64	49	13.9	88	6	7	11	15	25	33	57
65+	50	15.1	50	7	8	14	18	25	28	39
2. MULTIPLE DX										
0-19 YRS	22	28.9	644	2	4	23	40	79	90	99+
20-34	31	16.6	252	4	6	12	18	63	96	99+
35-49	71	18.3	150	8	9	15	20	37	53	91
50-64	180	21.1	225	8	9	17	26	44	58	85
65+	376	22.4	200	8	10	19	27	41	58	98
TOT. SINGLE DX	146	13.3	58	4	7	12	16	23	27	40
" MULTIPLE DX	680	21.6	221	8	9	17	26	42	60	99+
TOTAL 0-19 YRS	34	22.7	495	3	4	14	32	73	82	99+
20-34	49	14.6	174	4	5	12	17	39	71	99+
35-49	88	16.7	136	6	7	13	19	35	46	85
50-64	229	19.6	204	7	8	15	22	41	52	84
65+	426	21.6	188	8	9	18	26	39	55	96
GRAND TOTAL	**826**	**20.1**	**202**	**7**	**8**	**16**	**24**	**40**	**58**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6272	3.9	7	2	2	3	4	6	8	13
20-34	4376	4.1	9	2	2	4	5	6	8	12
35-49	1239	4.9	7	2	2	4	6	8	10	15
50-64	623	5.9	12	2	3	5	7	10	13	18
65+	280	7.3	17	3	3	6	9	13	15	23
2. MULTIPLE DX										
0-19 YRS	1534	6.2	26	2	3	5	7	12	16	26
20-34	1376	6.1	23	2	3	5	7	11	15	28
35-49	517	8.0	51	3	3	6	9	13	18	38
50-64	433	9.9	42	3	4	8	12	18	22	33
65+	354	12.6	83	4	5	10	16	21	28	51
TOT. SINGLE DX	12790	4.2	8	2	2	4	5	7	9	14
" MULTIPLE DX	4214	7.3	39	2	3	5	9	14	18	31
TOTAL 0-19 YRS	7806	4.4	12	2	2	4	5	7	10	19
20-34	5752	4.6	13	2	2	4	5	7	10	18
35-49	1756	5.8	22	2	3	4	7	10	13	22
50-64	1056	7.5	28	2	3	6	9	14	18	28
65+	634	10.2	61	3	4	8	13	18	23	49
GRAND TOTAL	**17004**	**5.0**	**18**	**2**	**2**	**4**	**6**	**9**	**12**	**21**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	3.9	7	2	2	3	4	6	8	18
20-34	70	4.6	15	2	2	4	5	6	7	28
35-49	14	5.6	11	3	3	5	6	12	14	14
50-64	3	4.0	3	3	3	3	5	6	6	6
65+	4	7.0	1	6	6	7	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	38	5.0	4	2	3	5	6	8	8	9
20-34	65	5.0	9	2	3	4	5	8	11	18
35-49	21	6.3	14	2	3	6	7	11	16	18
50-64	10	7.3	7	5	5	6	9	11	12	12
65+	6	13.8	37	6	6	13	19	22	22	22
TOT. SINGLE DX	187	4.4	10	2	2	4	5	6	8	20
" MULTIPLE DX	140	5.8	12	2	3	5	6	9	14	19
TOTAL 0-19 YRS	134	4.2	6	2	2	4	5	6	8	15
20-34	135	4.8	12	2	2	4	5	7	11	20
35-49	35	6.1	13	3	3	5	7	12	15	18
50-64	13	6.5	8	3	3	6	8	11	12	12
65+	10	11.1	33	6	6	8	15	20	22	22
GRAND TOTAL	**327**	**5.0**	**12**	**2**	**2**	**4**	**6**	**8**	**12**	**20**

605: Operations on Appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	7.7	14	3	3	7	11	12	15	16
20-34	24	7.9	16	2	3	7	10	14	15	16
35-49	15	8.9	13	4	5	9	10	12	17	19
50-64	9	11.8	15	5	7	11	13	17	19	19
65+	5	11.8	88	4	4	8	15	28	28	28
2. MULTIPLE DX										
0-19 YRS	16	10.6	22	4	7	9	12	18	21	22
20-34	13	8.7	45	3	4	7	9	14	27	30
35-49	8	7.9	8	3	4	8	10	11	11	11
50-64	10	14.3	121	5	5	10	15	33	40	40
65+	14	24.4	505	6	9	19	29	40	84	97
TOT. SINGLE DX	92	8.6	19	3	3	8	11	14	16	24
" MULTIPLE DX	61	13.6	182	4	5	9	15	28	32	91
TOTAL 0-19 YRS	55	8.5	18	3	3	8	11	14	16	22
20-34	37	8.2	25	2	3	7	9	14	16	30
35-49	23	8.6	11	4	5	8	10	11	14	19
50-64	19	13.1	69	5	6	11	14	24	34	40
65+	19	21.1	416	4	6	16	27	32	69	97
GRAND TOTAL	153	10.6	90	3	4	9	12	19	26	40

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	102	3.1	8	<1	1	2	4	6	9	16
20-34	163	3.7	12	<1	1	3	5	7	9	21
35-49	72	4.5	66	<1	1	3	5	7	11	56
50-64	135	3.7	14	1	1	3	4	7	9	21
65+	226	4.6	13	1	1	3	6	10	12	17
2. MULTIPLE DX										
0-19 YRS	36	11.1	270	1	1	5	14	42	70	99+
20-34	104	5.5	31	1	2	4	7	10	12	34
35-49	127	6.1	28	1	1	5	8	12	17	26
50-64	235	7.1	44	1	2	5	8	16	22	33
65+	552	8.7	67	2	2	6	11	19	25	35
TOT. SINGLE DX	698	4.0	18	1	1	3	5	8	11	19
" MULTIPLE DX	1054	7.8	62	1	2	5	10	16	23	38
TOTAL 0-19 YRS	138	5.2	88	1	1	3	5	11	18	83
20-34	267	4.4	20	1	1	3	5	9	11	22
35-49	199	5.5	42	1	1	4	6	11	17	29
50-64	370	5.8	36	1	1	4	7	12	18	31
65+	778	7.5	55	1	2	5	10	16	22	35
GRAND TOTAL	1752	6.3	48	1	1	4	8	13	19	34

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	2.7	2	1	1	2	3	5	6	7
20-34	139	2.9	4	1	1	2	4	5	6	12
35-49	104	3.5	8	1	1	3	5	6	8	16
50-64	72	3.7	12	1	1	2	5	7	11	17
65+	28	4.4	6	2	2	3	6	8	9	12
2. MULTIPLE DX										
0-19 YRS	9	4.1	4	1	1	4	5	7	7	7
20-34	80	4.6	21	1	2	3	5	8	12	29
35-49	83	5.1	39	1	1	4	5	9	12	42
50-64	67	8.1	103	2	2	4	8	18	30	55
65+	59	8.0	72	2	2	5	9	15	28	50
TOT. SINGLE DX	371	3.3	7	1	1	3	4	6	8	15
" MULTIPLE DX	298	6.2	56	1	2	4	7	11	18	45
TOTAL 0-19 YRS	37	3.0	3	1	1	2	4	6	7	7
20-34	219	3.5	11	1	1	3	4	6	8	16
35-49	187	4.2	22	1	1	3	5	8	9	27
50-64	139	5.8	60	1	1	3	7	11	18	44
65+	87	6.8	54	2	2	5	8	11	18	45
GRAND TOTAL	669	4.6	31	1	1	3	5	8	11	33

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	8.7	25	1	1	10	12	14	17	17
20-34	14	14.0	69	1	3	12	21	22	31	33
35-49	41	11.9	55	2	3	11	14	17	21	48
50-64	122	13.3	45	4	7	12	17	23	27	34
65+	172	15.0	40	7	9	14	18	23	28	36
2. MULTIPLE DX										
0-19 YRS	20	12.4	130	2	4	10	13	22	39	55
20-34	30	17.6	107	2	4	17	22	31	42	42
35-49	81	15.2	139	3	5	12	18	25	41	67
50-64	310	17.1	117	7	9	15	19	29	36	92
65+	551	20.0	110	8	10	18	25	34	42	62
TOT. SINGLE DX	361	13.8	45	3	7	13	17	22	27	36
" MULTIPLE DX	992	18.4	118	6	9	16	22	32	41	69
TOTAL 0-19 YRS	32	11.0	92	1	2	10	12	18	24	55
20-34	44	16.4	96	2	4	15	22	30	36	42
35-49	122	14.1	113	3	4	12	16	21	32	65
50-64	432	16.0	99	6	8	14	19	27	32	71
65+	723	18.8	98	7	9	17	23	33	38	61
GRAND TOTAL	1353	17.2	103	5	8	15	21	30	36	62

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	4.0	15	<1	1	2	6	9	10	19
20-34	77	6.0	120	1	1	4	7	11	15	75
35-49	86	4.3	11	<1	1	3	7	10	11	14
50-64	90	5.1	17	<1	1	4	7	10	12	23
65+	91	7.4	37	1	1	6	10	15	20	28
2. MULTIPLE DX										
0-19 YRS	34	7.7	30	1	2	6	11	16	18	23
20-34	144	7.1	38	1	2	5	9	14	17	39
35-49	239	7.4	34	2	3	5	10	14	21	30
50-64	399	8.9	51	1	3	7	11	17	24	39
65+	560	11.2	85	2	3	9	14	21	31	51
TOT. SINGLE DX	373	5.6	42	<1	1	4	7	11	14	26
" MULTIPLE DX	1376	9.4	63	2	3	7	12	18	24	39
TOTAL 0-19 YRS	63	6.0	26	<1	1	4	9	13	17	22
20-34	221	6.7	66	1	1	5	8	13	17	39
35-49	325	6.6	30	1	2	5	9	12	18	27
50-64	489	8.2	47	1	2	7	10	16	21	38
65+	651	10.7	80	2	3	8	13	21	29	49
GRAND TOTAL	**1749**	**8.6**	**61**	**1**	**2**	**7**	**11**	**17**	**23**	**39**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	2.6	3	<1	1	2	4	4	5	9
20-34	303	3.1	2	1	1	3	4	5	6	8
35-49	321	3.3	4	1	2	3	4	5	6	9
50-64	202	3.6	6	1	2	3	4	5	6	9
65+	85	3.6	5	1	2	3	4	5	7	15
2. MULTIPLE DX										
0-19 YRS	16	4.9	35	1	1	4	5	8	21	26
20-34	227	4.1	20	1	2	4	4	5	7	19
35-49	321	4.5	24	2	2	4	5	6	9	20
50-64	256	4.5	12	2	2	4	5	7	11	19
65+	129	5.1	10	2	2	4	6	9	11	16
TOT. SINGLE DX	964	3.3	4	1	1	3	4	5	6	9
" MULTIPLE DX	949	4.5	18	2	2	4	5	7	9	19
TOTAL 0-19 YRS	69	3.1	11	<1	1	3	4	5	6	23
20-34	530	3.5	10	1	2	3	4	5	6	12
35-49	642	3.9	14	1	2	3	4	6	7	13
50-64	458	4.1	10	2	2	4	5	6	8	18
65+	214	4.5	8	2	2	4	5	7	10	16
GRAND TOTAL	**1913**	**3.9**	**11**	**1**	**2**	**3**	**4**	**6**	**7**	**14**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	2.6	4	1	1	2	3	4	5	13
20-34	334	2.6	5	<1	1	2	3	4	5	7
35-49	151	3.0	2	1	1	3	4	5	6	8
50-64	83	3.4	5	<1	1	3	5	6	9	11
65+	41	4.5	15	2	2	3	4	10	15	17
2. MULTIPLE DX										
0-19 YRS	28	4.5	25	2	2	3	4	7	15	27
20-34	255	3.7	4	1	2	4	4	6	7	13
35-49	236	4.5	9	2	2	4	5	6	9	17
50-64	188	5.0	18	2	2	4	6	9	11	19
65+	118	6.8	63	2	2	5	7	11	17	57
TOT. SINGLE DX	662	2.9	5	<1	1	3	4	5	6	11
" MULTIPLE DX	825	4.7	19	1	2	4	5	7	10	20
TOTAL 0-19 YRS	81	3.3	12	1	1	3	3	5	7	23
20-34	589	3.1	5	1	1	3	4	5	6	10
35-49	387	3.9	7	1	2	4	4	6	7	13
50-64	271	4.5	15	1	2	4	5	8	11	17
65+	159	6.2	51	2	2	4	6	11	16	50
GRAND TOTAL	**1487**	**3.9**	**13**	**1**	**1**	**3**	**4**	**6**	**9**	**17**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	3.8	2	2	2	4	5	5	6	6
20-34	333	4.3	3	2	2	4	5	6	7	11
35-49	460	4.5	3	2	3	4	5	7	8	10
50-64	327	4.6	3	2	3	4	5	7	8	10
65+	98	5.0	4	2	3	5	6	8	9	12
2. MULTIPLE DX										
0-19 YRS	39	4.7	2	2	3	5	5	7	8	9
20-34	1169	4.8	6	2	3	4	6	7	8	16
35-49	1822	5.1	7	2	3	5	6	8	9	15
50-64	1471	5.5	11	3	3	5	6	8	11	19
65+	699	6.8	27	3	3	5	8	12	16	33
TOT. SINGLE DX	1231	4.5	3	2	3	4	5	7	8	10
" MULTIPLE DX	5200	5.4	11	2	3	5	6	8	10	19
TOTAL 0-19 YRS	52	4.5	2	2	2	5	5	6	7	9
20-34	1502	4.7	6	2	3	4	5	7	8	14
35-49	2282	5.0	6	2	3	5	6	7	9	14
50-64	1798	5.4	10	2	3	5	6	8	10	19
65+	797	6.6	25	3	3	5	7	11	16	28
GRAND TOTAL	**6431**	**5.2**	**10**	**2**	**3**	**5**	**6**	**8**	**10**	**18**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	4.0	31	1	1	3	4	6	11	33
20-34	240	3.0	8	1	1	2	4	5	7	12
35-49	215	3.5	6	1	1	3	4	6	8	11
50-64	138	3.6	8	1	1	3	5	7	8	15
65+	91	5.3	29	1	2	4	6	10	13	35
2. MULTIPLE DX										
0-19 YRS	64	4.1	13	1	2	3	5	9	13	20
20-34	232	4.3	15	1	2	4	5	8	10	28
35-49	217	4.7	23	1	2	4	5	8	12	37
50-64	248	6.0	34	2	2	4	6	11	15	35
65+	181	7.5	61	2	2	5	9	15	19	47
TOT. SINGLE DX	728	3.6	12	1	1	3	4	6	8	19
" MULTIPLE DX	942	5.4	32	1	2	4	6	10	14	36
TOTAL 0-19 YRS	108	4.1	20	1	1	3	4	7	13	27
20-34	472	3.6	12	1	1	3	4	6	9	25
35-49	432	4.1	15	1	1	3	5	8	10	23
50-64	386	5.2	26	1	2	4	6	9	14	30
65+	272	6.8	51	2	2	4	8	13	18	41
GRAND TOTAL	1670	4.6	24	1	1	4	5	9	12	30

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	5.3	11	1	1	5	7	9	9	9
20-34	22	7.5	60	<1	1	3	12	20	24	25
35-49	19	6.9	44	<1	1	5	11	14	22	27
50-64	9	5.3	41	1	1	2	9	16	20	20
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	11	8.3	15	1	3	10	11	13	14	14
20-34	17	18.9	139	3	8	16	20	36	47	52
35-49	21	11.5	191	<1	1	8	15	28	43	60
50-64	43	14.2	176	1	2	12	20	32	44	61
65+	49	18.0	185	4	5	13	26	39	48	54
TOT. SINGLE DX	56	6.6	45	1	1	3	10	17	22	27
" MULTIPLE DX	141	15.2	171	1	2	11	20	34	45	60
TOTAL 0-19 YRS	15	7.5	15	1	1	7	10	12	13	14
20-34	39	12.5	125	1	1	12	18	24	34	52
35-49	40	9.3	123	<1	1	6	12	22	29	60
50-64	52	12.7	162	1	1	9	17	30	42	61
65+	51	17.4	188	3	4	13	25	38	48	54
GRAND TOTAL	197	12.8	150	1	1	10	17	28	39	57

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	6.6	28	<1	1	5	10	15	16	20
20-34	289	3.2	12	<1	1	2	4	8	12	16
35-49	250	4.6	36	<1	1	2	6	10	19	28
50-64	309	5.4	47	1	1	2	7	15	23	32
65+	173	6.8	53	<1	1	4	10	16	19	37
2. MULTIPLE DX										
0-19 YRS	105	12.0	169	1	1	8	15	27	44	58
20-34	374	10.5	152	1	1	7	13	23	33	73
35-49	515	9.0	91	1	1	7	11	21	26	49
50-64	835	9.4	77	1	1	8	13	20	26	45
65+	851	11.3	104	1	2	9	15	23	32	52
TOT. SINGLE DX	1075	4.9	36	<1	1	2	7	12	17	28
" MULTIPLE DX	2680	10.2	103	1	1	8	13	22	29	53
TOTAL 0-19 YRS	159	10.2	127	1	1	7	13	24	34	55
20-34	663	7.3	104	1	1	4	9	17	25	62
35-49	765	7.6	77	1	1	5	10	19	24	46
50-64	1144	8.3	72	1	1	6	11	19	25	43
65+	1024	10.5	98	1	1	8	14	22	30	51
GRAND TOTAL	3755	8.7	90	1	1	6	11	20	26	49

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	245	6.6	4	4	5	6	7	8	10	14
20-34	2587	6.6	6	4	5	6	7	9	11	16
35-49	2323	6.9	10	4	5	6	8	9	11	16
50-64	2430	7.5	9	5	5	7	8	10	13	19
65+	1452	9.0	13	5	6	8	10	13	16	23
2. MULTIPLE DX										
0-19 YRS	139	8.2	11	4	5	7	10	12	15	19
20-34	1994	8.2	21	5	5	7	9	12	15	25
35-49	2527	8.8	23	5	5	7	10	14	17	30
50-64	3784	10.4	49	5	6	8	11	17	22	43
65+	4216	13.4	67	6	7	11	16	23	29	45
TOT. SINGLE DX	9037	7.3	10	4	5	7	8	10	13	19
" MULTIPLE DX	12660	10.7	49	5	6	9	12	18	23	40
TOTAL 0-19 YRS	384	7.2	7	4	5	7	8	10	12	16
20-34	4581	7.3	13	4	5	6	8	11	13	22
35-49	4850	7.9	18	4	5	7	9	12	15	24
50-64	6214	9.2	35	5	5	8	10	15	19	35
65+	5668	12.3	57	6	6	10	14	21	26	42
GRAND TOTAL	21697	9.3	36	5	5	8	10	15	20	34

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	10.3	105	2	2	7	17	25	25	25
20-34	31	8.5	32	1	2	8	11	15	16	30
35-49	57	10.0	48	1	2	9	14	19	22	35
50-64	83	11.6	64	2	4	10	14	20	25	49
65+	106	12.1	38	2	4	11	16	20	22	31
2. MULTIPLE DX										
0-19 YRS	11	13.9	79	4	5	12	19	27	33	34
20-34	47	11.5	41	4	5	10	14	20	23	34
35-49	93	13.7	91	2	3	11	19	25	29	52
50-64	219	15.1	97	5	7	13	19	27	34	65
65+	533	19.0	121	7	9	17	23	32	38	67
TOT. SINGLE DX	281	11.1	49	2	3	10	15	19	23	32
" MULTIPLE DX	903	17.0	113	5	7	15	22	29	35	62
TOTAL 0-19 YRS	15	12.9	81	2	4	9	19	25	32	34
20-34	78	10.3	40	2	4	9	13	18	22	33
35-49	150	12.3	78	1	2	11	17	23	28	36
50-64	302	14.1	90	4	6	12	18	25	31	56
65+	639	17.8	114	6	8	16	22	30	35	60
GRAND TOTAL	1184	15.6	104	3	6	14	20	28	33	58

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	8.4	103	1	1	7	9	26	30	30
20-34	24	10.7	149	1	1	7	16	23	36	54
35-49	34	8.6	40	1	1	8	15	18	19	21
50-64	57	9.0	64	1	1	8	12	18	24	43
65+	59	11.1	71	1	2	9	17	25	27	29
2. MULTIPLE DX										
0-19 YRS	12	20.8	288	4	7	15	27	51	58	59
20-34	51	13.4	184	2	3	10	16	32	58	99+
35-49	111	19.9	311	2	3	15	29	44	53	94
50-64	167	16.9	193	2	3	14	23	38	44	96
65+	158	20.6	293	2	5	17	26	48	67	99+
TOT. SINGLE DX	181	9.8	74	1	1	8	15	22	26	40
" MULTIPLE DX	499	18.5	256	2	3	15	24	41	59	99+
TOTAL 0-19 YRS	19	16.2	248	1	2	9	21	41	54	59
20-34	75	12.5	172	1	2	9	16	28	50	93
35-49	145	17.3	270	1	2	12	23	40	48	91
50-64	224	14.9	172	1	2	12	21	34	41	86
65+	217	18.0	250	2	3	15	23	36	63	99+
GRAND TOTAL	680	16.2	222	1	2	12	22	36	48	98

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	5.7	51	1	1	4	6	12	25	30
20-34	60	4.6	8	2	2	4	5	8	11	15
35-49	58	6.3	62	1	2	4	7	12	19	51
50-64	72	5.1	34	<1	1	3	7	11	14	34
65+	90	7.2	77	1	1	5	9	15	17	55
2. MULTIPLE DX										
0-19 YRS	22	4.9	10	<1	1	5	7	10	11	11
20-34	133	8.0	62	2	3	5	10	16	26	41
35-49	192	7.5	56	1	2	5	9	14	18	37
50-64	293	8.1	59	2	2	6	10	14	20	50
65+	460	11.2	88	2	3	8	14	24	30	51
TOT. SINGLE DX	296	5.9	48	1	1	4	7	12	16	37
" MULTIPLE DX	1100	9.2	73	2	3	7	11	18	27	49
TOTAL 0-19 YRS	38	5.2	26	1	1	5	6	11	12	30
20-34	193	7.0	48	2	2	4	8	13	20	37
35-49	250	7.2	58	1	2	5	9	14	19	38
50-64	365	7.5	56	1	2	6	9	14	20	47
65+	550	10.5	88	2	2	8	13	22	29	51
GRAND TOTAL	1396	8.5	70	1	2	6	11	17	26	46

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2570	2.1	5	<1	<1	2	3	3	4	6
20-34	2917	3.1	2	1	2	3	4	5	5	8
35-49	2219	3.5	4	1	2	3	4	5	6	8
50-64	3460	3.8	7	2	2	4	4	5	6	9
65+	2896	4.2	5	2	2	4	5	6	8	13
2. MULTIPLE DX										
0-19 YRS	1289	2.3	10	<1	<1	2	3	4	5	10
20-34	836	3.8	9	1	2	3	4	6	8	13
35-49	1058	4.1	7	2	2	4	5	6	8	17
50-64	2136	4.6	11	2	2	4	5	7	10	17
65+	3056	6.4	26	2	3	5	7	12	15	27
TOT. SINGLE DX	14062	3.4	5	1	1	3	4	5	6	9
" MULTIPLE DX	8375	4.8	18	1	2	4	5	8	12	22
TOTAL 0-19 YRS	3859	2.2	7	<1	<1	2	3	4	4	8
20-34	3753	3.3	4	1	2	3	4	5	6	10
35-49	3277	3.7	5	2	2	3	4	5	6	12
50-64	5596	4.1	8	2	2	4	5	6	7	14
65+	5952	5.4	17	2	3	4	6	9	13	23
GRAND TOTAL	22437	3.9	10	1	1	3	4	6	8	17

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	413	1.7	1	<1	<1	1	2	3	4	5
20-34	267	3.8	4	2	2	4	4	5	6	10
35-49	398	3.9	2	2	2	4	5	5	6	8
50-64	644	4.3	3	2	3	4	5	6	7	10
65+	436	4.9	4	2	3	5	6	7	9	12
2. MULTIPLE DX										
0-19 YRS	273	3.8	99	<1	<1	2	3	4	11	73
20-34	101	4.1	7	1	2	4	5	6	8	17
35-49	208	4.7	8	2	3	4	5	7	9	17
50-64	465	5.3	39	2	3	4	6	7	10	25
65+	544	6.7	24	3	3	5	8	11	15	28
TOT. SINGLE DX	2158	3.8	4	1	1	4	5	6	7	10
" MULTIPLE DX	1591	5.4	39	1	2	4	6	9	12	30
TOTAL 0-19 YRS	686	2.5	41	<1	<1	1	2	4	5	44
20-34	368	3.9	4	2	2	4	5	6	6	11
35-49	606	4.2	4	2	2	4	5	6	7	11
50-64	1109	4.7	18	2	3	4	5	7	8	15
65+	980	5.9	16	3	3	5	7	9	12	23
GRAND TOTAL	3749	4.5	19	1	1	4	5	7	9	18

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	2.4	1	1	1	2	3	3	4	4
20-34	76	3.5	2	2	2	3	4	5	5	10
35-49	92	3.6	2	1	2	4	4	5	7	8
50-64	138	4.1	10	1	2	4	5	6	7	16
65+	201	5.9	19	2	2	5	7	10	13	29
2. MULTIPLE DX										
0-19 YRS	5	3.4	4	1	1	4	5	6	6	6
20-34	42	4.2	4	1	2	4	5	7	9	10
35-49	59	4.5	8	1	2	4	5	8	11	14
50-64	103	5.6	14	2	3	4	6	9	13	23
65+	237	8.6	41	3	3	7	10	18	22	30
TOT. SINGLE DX	528	4.6	12	2	2	4	5	8	9	18
" MULTIPLE DX	446	6.9	30	2	3	5	8	13	19	29
TOTAL 0-19 YRS	26	2.6	1	1	1	2	3	4	5	6
20-34	118	3.8	3	2	2	4	4	5	7	10
35-49	151	4.0	4	1	2	4	5	6	8	14
50-64	241	4.7	12	2	2	4	5	8	10	22
65+	438	7.4	33	2	3	6	8	14	19	30
GRAND TOTAL	974	5.6	21	2	2	4	6	10	14	26

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	355	1.7	1	<1	<1	1	2	3	4	7
20-34	201	2.6	2	1	1	2	3	4	5	8
35-49	269	3.1	3	1	1	3	4	5	6	8
50-64	219	3.6	6	1	2	3	4	6	7	9
65+	100	4.1	6	1	2	4	5	7	10	13
2. MULTIPLE DX										
0-19 YRS	75	3.4	21	<1	1	2	4	7	8	32
20-34	134	4.0	13	1	2	3	5	6	8	15
35-49	224	5.0	13	1	2	4	6	9	12	21
50-64	244	5.5	16	2	2	4	6	10	13	23
65+	171	7.5	32	2	2	6	10	15	17	27
TOT. SINGLE DX	1144	2.8	4	<1	1	2	4	5	6	9
" MULTIPLE DX	848	5.3	20	1	2	4	6	10	14	25
TOTAL 0-19 YRS	430	2.0	5	<1	<1	2	2	3	5	8
20-34	335	3.2	7	1	1	3	4	5	6	9
35-49	493	3.9	8	1	2	3	5	6	9	17
50-64	463	4.6	12	2	2	4	5	8	10	22
65+	271	6.2	25	2	2	4	8	13	15	27
GRAND TOTAL	1992	3.9	12	1	1	3	4	7	10	20

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104	2.3	3	<1	<1	2	3	4	4	11
20-34	324	3.5	6	1	2	3	4	5	7	12
35-49	455	4.5	6	2	2	4	6	7	9	11
50-64	605	5.2	7	2	2	5	6	9	10	14
65+	431	6.3	10	3	3	6	8	10	12	17
2. MULTIPLE DX										
0-19 YRS	38	4.1	14	<1	1	2	6	9	13	17
20-34	187	5.5	12	2	2	5	7	9	12	18
35-49	426	6.4	16	2	3	5	8	10	14	22
50-64	683	7.5	44	2	3	6	9	12	16	31
65+	713	9.0	46	3	4	7	10	16	21	33
TOT. SINGLE DX	1919	4.8	8	1	2	4	6	8	10	14
" MULTIPLE DX	2047	7.5	37	2	3	6	9	13	18	29
TOTAL 0-19 YRS	142	2.8	6	<1	<1	2	3	5	8	15
20-34	511	4.2	9	1	2	4	5	7	9	17
35-49	881	5.4	12	2	2	5	6	9	11	20
50-64	1288	6.4	28	2	3	5	8	10	13	26
65+	1144	8.0	34	3	3	7	9	13	18	28
GRAND TOTAL	3966	6.2	25	2	2	5	7	11	14	24

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	4.7	35	<1	<1	3	6	9	10	32
20-34	29	7.0	24	2	2	6	9	13	19	22
35-49	57	6.6	9	2	3	7	8	10	12	17
50-64	88	7.3	11	3	3	7	9	11	13	19
65+	60	8.7	11	4	5	8	10	13	14	21
2. MULTIPLE DX										
0-19 YRS	16	8.1	39	1	1	7	12	18	19	20
20-34	57	8.2	12	3	3	8	11	14	14	15
35-49	167	9.5	38	4	5	8	10	15	17	33
50-64	281	10.5	60	5	6	9	12	16	20	52
65+	235	12.4	39	5	7	11	15	20	25	35
TOT. SINGLE DX	263	7.2	15	2	3	7	9	12	13	22
" MULTIPLE DX	756	10.6	46	4	5	9	12	17	21	34
TOTAL 0-19 YRS	45	5.9	38	<1	1	4	8	14	18	32
20-34	86	7.8	16	2	3	7	10	13	14	21
35-49	224	8.7	32	3	4	8	10	13	16	30
50-64	369	9.8	50	4	5	8	11	15	19	39
65+	295	11.7	35	5	6	10	14	19	23	33
GRAND TOTAL	**1019**	**9.7**	**41**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	148	3.7	10	<1	1	3	5	8	9	17
20-34	252	4.5	14	1	1	3	6	8	10	20
35-49	221	5.6	26	1	1	4	7	11	14	30
50-64	195	7.0	49	1	2	5	9	14	20	33
65+	138	10.4	92	2	3	8	13	20	28	50
2. MULTIPLE DX										
0-19 YRS	87	5.4	29	1	1	4	8	11	16	74
20-34	263	9.2	116	1	2	6	10	20	28	81
35-49	266	10.8	93	2	3	8	15	24	35	99+
50-64	439	12.8	149	2	3	9	15	26	38	68
65+	559	14.9	131	3	4	12	19	29	38	59
TOT. SINGLE DX	954	6.0	39	1	1	4	7	12	17	32
" MULTIPLE DX	1614	12.2	129	2	3	9	16	26	36	68
TOTAL 0-19 YRS	235	4.3	17	1	1	3	6	9	12	24
20-34	515	6.9	72	1	1	5	8	14	20	59
35-49	487	8.4	69	1	2	6	10	18	28	56
50-64	634	11.0	125	2	2	8	13	22	34	67
65+	697	14.0	127	2	4	11	18	28	37	56
GRAND TOTAL	**2568**	**9.9**	**104**	**1**	**2**	**7**	**13**	**22**	**31**	**59**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	295	5.8	19	2	3	5	6	10	13	27
20-34	586	6.1	22	2	3	5	7	11	14	28
35-49	219	8.6	46	3	4	7	10	14	20	40
50-64	194	10.2	48	3	4	9	12	18	24	42
65+	176	12.5	49	5	6	11	15	22	25	41
2. MULTIPLE DX										
0-19 YRS	305	9.4	94	3	3	6	10	19	32	87
20-34	839	9.1	105	2	3	6	9	16	25	59
35-49	434	12.7	117	4	5	9	15	27	36	67
50-64	465	15.6	159	4	5	12	18	33	42	87
65+	577	18.7	190	6	7	15	22	36	48	79
TOT. SINGLE DX	1470	7.7	37	2	3	6	9	14	19	33
" MULTIPLE DX	2620	13.0	149	3	4	9	15	28	39	73
TOTAL 0-19 YRS	600	7.6	60	2	3	5	8	14	22	48
20-34	1425	7.8	73	2	3	6	8	13	20	53
35-49	653	11.3	96	3	4	8	13	22	32	59
50-64	659	14.0	132	4	5	11	16	29	38	66
65+	753	17.3	164	6	7	13	21	33	44	76
GRAND TOTAL	**4090**	**11.1**	**115**	**3**	**4**	**8**	**13**	**22**	**33**	**64**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	318	2.6	5	<1	1	2	3	6	7	11
20-34	1500	2.1	4	<1	<1	1	2	4	6	10
35-49	179	1.8	2	<1	<1	1	2	3	5	8
50-64	49	4.6	53	<1	<1	2	4	10	22	38
65+	21	3.4	20	<1	<1	2	3	9	16	18
2. MULTIPLE DX										
0-19 YRS	229	3.5	8	<1	<1	2	5	8	9	14
20-34	1382	2.7	10	<1	<1	2	3	6	9	15
35-49	240	3.8	46	<1	<1	2	4	7	10	46
50-64	55	6.8	44	1	1	4	11	16	22	96
65+	43	13.4	157	2	2	11	18	29	43	58
TOT. SINGLE DX	2067	2.2	6	<1	<1	1	2	5	6	11
" MULTIPLE DX	1949	3.3	21	<1	<1	2	4	7	10	22
TOTAL 0-19 YRS	547	3.0	7	<1	1	2	4	7	8	13
20-34	2882	2.4	7	<1	<1	1	2	5	7	13
35-49	419	3.0	28	<1	<1	2	3	6	8	23
50-64	104	5.8	49	<1	1	3	8	15	22	66
65+	64	10.1	133	1	1	5	14	24	34	56
GRAND TOTAL	**4016**	**2.7**	**13**	**<1**	**<1**	**2**	**3**	**6**	**8**	**18**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	81	7.6	39	2	3	6	9	13	16	41
20-34	326	7.0	46	1	2	6	8	12	16	26
35-49	233	8.7	25	2	4	8	11	15	20	25
50-64	249	9.4	35	3	4	8	11	16	19	24
65+	248	11.3	45	5	6	10	13	17	22	32
2. MULTIPLE DX										
0-19 YRS	131	10.1	181	1	2	6	11	18	45	99+
20-34	723	7.3	40	1	2	6	8	13	17	40
35-49	390	11.3	89	3	4	9	14	21	28	63
50-64	512	14.7	129	5	6	12	18	27	36	67
65+	675	17.5	159	6	7	14	20	34	43	68
TOT. SINGLE DX	1137	8.8	41	2	3	8	11	15	19	29
" MULTIPLE DX	2431	12.5	124	2	4	9	15	24	35	66
TOTAL 0-19 YRS	212	9.2	128	2	3	6	10	16	33	92
20-34	1049	7.2	42	1	2	6	8	13	17	37
35-49	623	10.3	67	2	4	8	12	19	25	55
50-64	761	13.0	104	4	5	10	16	23	31	65
65+	923	15.8	136	6	7	12	18	30	39	64
GRAND TOTAL	3568	11.3	100	2	4	9	14	21	30	60

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	8.9	30	4	4	8	10	14	21	29
20-34	52	8.3	9	5	5	8	10	11	13	21
35-49	59	9.4	11	5	6	9	10	13	15	23
50-64	86	10.3	19	6	7	9	11	14	20	31
65+	86	11.4	19	6	8	10	13	17	20	27
2. MULTIPLE DX										
0-19 YRS	80	9.1	22	4	5	8	11	14	16	30
20-34	139	13.2	138	5	6	10	13	23	38	66
35-49	160	13.3	110	5	6	10	15	25	36	85
50-64	292	13.7	93	6	7	11	15	22	33	62
65+	398	16.7	122	8	8	13	20	28	35	75
TOT. SINGLE DX	304	10.0	18	5	6	9	11	14	18	27
" MULTIPLE DX	1069	14.3	111	6	7	11	16	25	34	66
TOTAL 0-19 YRS	101	9.1	24	4	5	8	11	14	16	30
20-34	191	11.9	107	5	6	9	12	20	30	57
35-49	219	12.2	86	5	6	10	14	21	28	66
50-64	378	12.9	78	6	7	10	14	21	28	57
65+	484	15.7	108	7	8	13	19	27	34	70
GRAND TOTAL	1373	13.4	94	6	7	11	15	23	31	59

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	114	6.2	28	1	2	5	8	14	17	25
20-34	248	8.3	42	1	2	7	10	14	20	33
35-49	224	7.8	22	2	2	7	9	13	16	26
50-64	217	8.4	26	1	2	8	10	14	16	32
65+	116	8.6	34	1	2	8	11	15	19	33
2. MULTIPLE DX										
0-19 YRS	160	10.3	81	2	2	8	12	23	28	49
20-34	406	13.7	137	2	3	10	17	27	39	58
35-49	360	13.6	125	2	3	10	18	30	37	50
50-64	467	11.8	78	2	3	10	14	23	27	49
65+	336	13.2	86	2	4	11	17	24	32	47
TOT. SINGLE DX	919	8.0	31	1	2	8	10	14	17	30
" MULTIPLE DX	1729	12.8	104	2	3	10	16	24	33	51
TOTAL 0-19 YRS	274	8.6	63	1	2	7	10	18	25	41
20-34	654	11.6	108	2	2	9	14	23	32	55
35-49	584	11.4	93	2	2	9	14	23	32	49
50-64	684	10.7	64	2	3	9	13	19	25	44
65+	452	12.0	76	2	4	10	15	22	28	44
GRAND TOTAL	2648	11.1	84	2	2	9	13	22	29	50

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	8.7	19	3	4	8	11	17	55	99+
20-34	221	7.6	9	3	4	7	9	12	14	17
35-49	260	7.8	14	3	4	8	9	12	13	16
50-64	219	8.3	13	4	4	8	10	12	15	22
65+	119	9.2	15	3	5	9	11	15	16	22
2. MULTIPLE DX										
0-19 YRS	16	7.7	50	1	2	6	9	11	26	32
20-34	131	9.2	19	4	5	8	11	13	17	27
35-49	185	10.0	71	4	5	9	11	14	20	49
50-64	276	11.4	44	5	6	10	13	19	22	39
65+	217	14.0	126	4	5	11	15	25	35	62
TOT. SINGLE DX	839	8.1	13	3	4	8	10	12	15	19
" MULTIPLE DX	825	11.4	71	4	5	9	13	19	25	44
TOTAL 0-19 YRS	36	8.3	32	2	3	7	10	16	27	99+
20-34	352	8.2	14	4	4	8	10	13	14	23
35-49	445	8.7	39	3	4	8	10	13	15	29
50-64	495	10.1	33	4	5	9	12	17	20	36
65+	336	12.3	92	4	5	10	14	22	28	57
GRAND TOTAL	1664	9.7	44	4	5	8	11	15	19	39

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	145	8.0	12	4	4	8	9	10	12	27
20-34	22	8.4	12	1	4	8	9	13	15	16
35-49	15	10.7	17	5	6	10	13	17	18	19
50-64	14	12.5	22	7	8	11	13	20	24	25
65+	20	12.8	13	6	8	13	15	18	18	19
2. MULTIPLE DX										
0-19 YRS	204	9.3	17	5	6	9	10	13	16	29
20-34	64	12.2	130	5	6	10	13	16	24	83
35-49	40	14.1	37	5	6	13	18	23	24	27
50-64	56	17.7	170	5	6	12	24	35	50	56
65+	85	19.0	114	5	8	17	26	34	39	47
TOT. SINGLE DX	216	9.0	16	4	5	8	10	14	17	26
" MULTIPLE DX	449	13.0	87	5	6	10	14	25	33	49
TOTAL 0-19 YRS	349	8.8	15	4	5	8	10	12	15	27
20-34	86	11.2	102	5	6	9	12	16	19	71
35-49	55	13.1	33	5	6	12	17	22	24	27
50-64	70	16.7	144	5	6	12	22	31	49	55
65+	105	17.8	100	5	8	15	24	33	37	46
GRAND TOTAL	665	11.7	67	5	6	9	13	21	28	44

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	6.6	20	1	1	6	9	14	16	17
20-34	276	4.4	6	1	2	4	6	7	9	13
35-49	269	4.2	16	1	1	3	5	7	9	14
50-64	266	4.1	11	1	2	3	5	7	8	18
65+	101	5.3	22	2	2	4	7	10	13	26
2. MULTIPLE DX										
0-19 YRS	48	10.1	128	<1	1	8	10	18	33	71
20-34	118	6.5	70	1	2	4	7	11	15	56
35-49	155	6.2	46	1	2	4	8	10	14	38
50-64	207	6.6	33	2	2	5	8	12	18	30
65+	161	8.8	48	2	3	7	11	18	23	34
TOT. SINGLE DX	951	4.5	13	1	2	4	6	8	10	16
" MULTIPLE DX	689	7.2	53	1	2	5	9	14	19	38
TOTAL 0-19 YRS	87	8.5	82	1	1	7	10	16	18	57
20-34	394	5.0	26	1	2	4	6	9	10	18
35-49	424	4.9	28	1	2	4	6	9	12	24
50-64	473	5.2	22	1	2	4	6	9	13	28
65+	262	7.4	40	2	2	5	9	15	20	34
GRAND TOTAL	1640	5.6	32	1	2	4	7	10	14	29

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	576	1.8	5	<1	<1	1	2	3	6	11
20-34	599	3.0	12	<1	<1	2	3	7	10	16
35-49	585	3.1	10	<1	<1	2	4	6	9	18
50-64	817	3.2	12	<1	1	2	4	7	9	15
65+	926	3.8	17	<1	1	2	5	8	11	21
2. MULTIPLE DX										
0-19 YRS	738	2.6	30	<1	<1	1	2	5	8	22
20-34	968	5.1	41	<1	1	3	6	10	15	34
35-49	1022	5.7	41	<1	1	4	7	12	16	31
50-64	1954	6.5	47	1	1	4	8	14	20	36
65+	3427	8.8	72	1	2	6	12	18	25	43
TOT. SINGLE DX	3503	3.1	12	<1	<1	2	4	7	9	17
" MULTIPLE DX	8109	6.8	58	1	1	4	9	15	21	38
TOTAL 0-19 YRS	1314	2.3	19	<1	<1	1	2	4	7	14
20-34	1567	4.3	31	<1	<1	2	5	9	13	26
35-49	1607	4.8	31	<1	1	3	6	10	14	29
50-64	2771	5.5	39	1	1	3	7	12	17	32
65+	4353	7.7	64	1	1	5	10	17	23	41
GRAND TOTAL	11612	5.7	47	<1	1	3	7	13	18	34

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	2.6	1	<1	<1	3	3	4	4	4
20-34	67	2.6	4	<1	1	2	4	5	7	11
35-49	174	2.9	6	1	1	2	3	6	7	14
50-64	660	3.3	6	1	1	3	4	6	8	14
65+	1361	3.7	7	1	1	3	5	6	8	14
2. MULTIPLE DX										
0-19 YRS	23	4.9	24	<1	<1	3	6	10	15	22
20-34	86	3.9	16	1	1	2	5	9	15	70
35-49	207	4.5	24	1	1	3	5	10	12	33
50-64	746	5.0	26	1	1	3	6	10	15	28
65+	2156	6.6	41	2	2	5	8	14	18	34
TOT. SINGLE DX	2270	3.5	7	1	1	3	4	6	8	14
" MULTIPLE DX	3218	6.0	36	1	2	4	7	12	17	31
TOTAL 0-19 YRS	31	4.3	19	<1	<1	3	5	10	11	22
20-34	153	3.4	11	1	1	2	4	7	11	19
35-49	381	3.8	16	1	1	3	4	8	11	21
50-64	1406	4.2	17	1	1	3	5	8	12	22
65+	3517	5.5	30	1	2	4	6	11	15	27
GRAND TOTAL	**5488**	**5.0**	**26**	**1**	**2**	**4**	**6**	**10**	**14**	**26**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	66	4.5	16	<1	1	3	6	10	13	21
20-34	94	4.9	22	<1	1	4	6	10	13	24
35-49	121	5.6	19	1	1	4	9	11	14	19
50-64	217	6.4	35	1	1	4	9	14	18	28
65+	321	6.2	35	1	1	4	9	14	17	28
2. MULTIPLE DX										
0-19 YRS	223	8.5	75	1	2	6	10	16	29	51
20-34	175	11.8	254	1	2	6	13	30	51	86
35-49	226	8.1	93	1	1	6	10	16	27	84
50-64	472	8.9	87	1	2	6	12	19	24	52
65+	986	11.5	126	2	2	9	15	24	31	58
TOT. SINGLE DX	819	5.9	30	1	1	4	9	13	16	27
" MULTIPLE DX	2082	10.2	121	1	2	7	13	22	30	64
TOTAL 0-19 YRS	289	7.6	64	1	2	5	9	14	24	47
20-34	269	9.4	183	1	1	5	10	20	43	77
35-49	347	7.2	69	1	1	5	9	14	19	71
50-64	689	8.1	72	1	2	5	11	18	22	45
65+	1307	10.2	109	1	2	7	13	22	28	54
GRAND TOTAL	**2901**	**9.0**	**99**	**1**	**2**	**6**	**11**	**19**	**26**	**55**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	185	1.3		<1	<1	1	1	2	2	6
20-34	11	1.5	1	<1	<1	1	2	3	3	3
35-49	7	1.9	1	<1	<1	2	3	3	3	3
50-64	6	1.8	1	1	1	2	2	3	3	3
65+	11	1.6		<1	<1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	195	1.8	2	<1	<1	1	2	3	6	8
20-34	19	1.9	1	<1	<1	2	2	3	4	4
35-49	21	2.6	8	<1	<1	1	3	6	10	13
50-64	26	3.0	8	<1	<1	2	3	5	11	13
65+	30	6.4	18	1	1	5	10	13	13	14
TOT. SINGLE DX	220	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	291	2.4	6	<1	<1	2	2	5	9	13
TOTAL 0-19 YRS	380	1.5	1	<1	<1	1	2	2	4	7
20-34	30	1.7	1	<1	<1	1	2	3	4	4
35-49	28	2.4	7	<1	<1	1	3	4	8	13
50-64	32	2.8	7	<1	<1	2	3	5	10	13
65+	41	5.1	18	1	1	4	9	12	13	14
GRAND TOTAL	**511**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	241	5.2	17	<1	1	4	8	10	12	19
20-34	182	3.7	11	<1	1	3	4	7	10	18
35-49	94	4.0	11	<1	1	3	6	9	10	17
50-64	121	4.5	13	<1	1	3	6	9	11	19
65+	89	3.9	9	1	1	3	5	8	10	15
2. MULTIPLE DX										
0-19 YRS	131	5.5	49	1	1	4	8	11	14	28
20-34	113	4.5	39	<1	1	3	5	9	15	35
35-49	99	5.5	32	1	1	4	7	12	17	33
50-64	133	4.9	21	<1	1	3	7	11	13	23
65+	214	6.5	37	2	2	4	8	14	19	31
TOT. SINGLE DX	727	4.4	13	<1	1	3	6	9	11	18
" MULTIPLE DX	690	5.5	36	1	1	4	7	12	16	33
TOTAL 0-19 YRS	372	5.3	28	<1	1	4	8	10	12	18
20-34	295	4.0	22	<1	1	3	5	8	11	29
35-49	193	4.8	22	1	1	3	6	10	13	26
50-64	254	4.7	17	<1	1	3	6	10	13	21
65+	303	5.7	30	1	2	4	7	12	17	27
GRAND TOTAL	**1417**	**4.9**	**25**	**<1**	**1**	**3**	**7**	**10**	**13**	**26**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	183	1.5	1	<1	<1	1	1	2	4	7
20-34	128	2.0	4	<1	<1	1	2	4	5	11
35-49	71	1.9	4	<1	<1	1	2	3	5	12
50-64	94	3.0	10	<1	<1	2	3	5	10	17
65+	148	3.2	13	<1	1	2	3	5	8	16
2. MULTIPLE DX										
0-19 YRS	278	1.8	3	<1	<1	1	2	3	5	10
20-34	215	4.3	27	<1	<1	2	5	9	13	22
35-49	245	5.5	50	<1	1	3	7	14	16	36
50-64	358	5.5	36	<1	1	3	7	13	19	31
65+	744	8.0	57	1	2	6	10	17	23	38
TOT. SINGLE DX	624	2.3	7	<1	<1	1	2	4	6	14
" MULTIPLE DX	1840	5.8	45	<1	1	3	8	14	19	34
TOTAL 0-19 YRS	461	1.7	2	<1	<1	1	2	3	5	9
20-34	343	3.4	19	<1	<1	2	4	8	10	20
35-49	316	4.7	42	<1	<1	2	5	13	15	35
50-64	452	5.0	32	<1	1	3	6	12	16	29
65+	892	7.2	53	1	2	5	9	16	22	36
GRAND TOTAL	2464	4.9	38	<1	<1	2	6	12	16	29

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	127	2.1	4	<1	<1	2	2	4	6	11
20-34	146	2.5	5	<1	1	2	3	4	7	10
35-49	113	3.7	10	1	1	2	5	8	11	15
50-64	95	3.7	11	1	1	2	5	8	11	16
65+	109	4.3	16	1	2	3	5	9	13	20
2. MULTIPLE DX										
0-19 YRS	175	2.5	11	<1	1	2	2	5	8	13
20-34	234	3.3	18	1	1	2	3	8	12	31
35-49	171	3.8	18	1	1	2	4	8	10	29
50-64	195	4.9	23	1	1	3	6	11	14	27
65+	274	6.6	68	2	2	4	7	14	21	41
TOT. SINGLE DX	590	3.2	9	<1	1	2	3	7	9	16
" MULTIPLE DX	1049	4.4	33	1	1	2	5	10	13	30
TOTAL 0-19 YRS	302	2.3	8	<1	1	2	2	5	7	12
20-34	380	3.0	13	1	1	2	3	6	9	21
35-49	284	3.8	15	1	1	2	5	8	10	19
50-64	290	4.5	19	1	1	3	6	10	12	23
65+	383	6.0	54	2	2	4	6	13	18	30
GRAND TOTAL	1639	4.0	25	1	1	2	4	9	12	23

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	5.3	20	1	1	5	9	10	10	10
20-34	49	6.5	6	3	3	6	8	9	9	16
35-49	212	7.4	5	4	5	7	8	10	11	15
50-64	252	7.8	5	5	5	8	9	11	12	14
65+	105	8.6	7	5	6	8	10	12	14	19
2. MULTIPLE DX										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	84	7.6	32	2	4	7	9	10	12	41
35-49	317	8.0	10	5	5	7	9	11	14	22
50-64	413	8.6	11	5	6	8	10	12	14	23
65+	254	10.5	38	5	6	9	12	16	21	39
TOT. SINGLE DX	621	7.7	6	4	5	8	9	10	12	15
" MULTIPLE DX	1070	8.8	20	5	5	8	10	12	16	30
TOTAL 0-19 YRS	5	6.0	11	1	1	7	8	10	10	10
20-34	133	7.2	22	2	4	7	8	10	10	25
35-49	529	7.7	8	4	5	7	9	10	12	21
50-64	665	8.3	8	5	6	8	9	12	13	21
65+	359	10.0	30	5	6	9	11	14	18	36
GRAND TOTAL	1691	8.4	15	5	5	8	9	12	14	23

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	5.0	16	<1	<1	5	8	9	9	9
20-34	12	5.8	6	3	3	6	8	9	9	9
35-49	46	7.2	8	4	4	7	8	11	12	17
50-64	56	7.4	6	3	5	7	9	11	12	14
65+	40	7.5	6	4	5	7	9	11	12	15
2. MULTIPLE DX										
0-19 YRS	2	11.0		11	11	11	11	11	11	11
20-34	8	7.4	11	3	4	7	9	12	13	13
35-49	55	7.7	7	4	4	7	9	11	13	16
50-64	105	7.6	9	4	5	7	9	11	12	21
65+	71	8.6	17	4	4	8	11	14	16	25
TOT. SINGLE DX	157	7.2	7	3	4	7	8	11	12	15
" MULTIPLE DX	241	7.9	11	4	4	7	9	12	14	21
TOTAL 0-19 YRS	5	7.4	19	<1	<1	9	11	11	11	11
20-34	20	6.5	8	3	3	6	8	10	12	13
35-49	101	7.4	7	4	4	7	9	11	12	17
50-64	161	7.5	8	4	5	7	9	11	12	20
65+	111	8.2	14	4	4	7	10	13	15	24
GRAND TOTAL	398	7.6	10	4	4	7	9	11	13	19

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	12	3.2	8	<1	<1	2	5	8	9	9
35-49	12	4.8	13	<1	1	3	8	10	10	10
50-64	18	4.6	28	<1	<1	2	5	13	17	19
65+	8	2.8	6	1	1	2	4	7	7	7
2. MULTIPLE DX										
0-19 YRS	18	4.6	25	<1	1	3	6	9	17	22
20-34	18	4.3	4	2	2	4	5	7	8	9
35-49	29	5.3	20	1	1	5	6	10	14	22
50-64	33	9.6	136	1	2	6	12	19	22	66
65+	55	10.6	182	1	2	7	12	20	28	90
TOT. SINGLE DX	52	3.9	15	<1	<1	2	6	9	10	19
" MULTIPLE DX	153	7.9	108	1	1	5	9	17	22	65
TOTAL 0-19 YRS	20	4.3	23	<1	1	3	6	8	15	22
20-34	30	3.8	6	<1	1	3	5	7	9	9
35-49	41	5.1	18	<1	1	4	7	10	12	22
50-64	51	7.8	102	<1	1	5	10	17	20	66
65+	63	9.6	166	1	1	7	11	19	26	86
GRAND TOTAL	**205**	**6.9**	**87**	**<1**	**1**	**5**	**8**	**15**	**20**	**49**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.0	5	<1	<1	2	5	5	5	5
20-34	9	7.2	30	1	1	6	8	16	20	20
35-49	5	5.2	6	2	2	5	7	8	8	8
50-64	3	2.0	3	1	1	1	3	4	4	4
65+	3	12.0	175	2	2	7	22	27	27	27
2. MULTIPLE DX										
0-19 YRS	8	7.1	24	<1	1	6	11	14	15	15
20-34	14	12.6	52	3	5	10	16	24	27	28
35-49	9	9.6	16	5	5	8	12	16	17	17
50-64	22	12.1	28	5	6	11	17	18	21	25
65+	21	12.9	65	2	4	12	16	24	31	35
TOT. SINGLE DX	24	6.0	37	<1	1	5	7	10	22	27
" MULTIPLE DX	74	11.6	43	2	5	10	15	19	25	33
TOTAL 0-19 YRS	12	5.8	21	<1	<1	5	8	13	15	15
20-34	23	10.5	49	1	2	9	14	21	25	28
35-49	14	8.0	16	2	4	7	10	14	16	17
50-64	25	10.9	36	1	4	10	15	18	20	25
65+	24	12.8	71	2	2	11	17	27	30	35
GRAND TOTAL	**98**	**10.2**	**47**	**1**	**2**	**9**	**14**	**19**	**25**	**32**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	65	5.2	3	3	4	5	6	7	9	11
50-64	1324	5.4	5	3	4	5	6	8	9	12
65+	2925	6.1	8	3	4	6	7	9	11	17
2. MULTIPLE DX										
0-19 YRS	9	9.1	33	5	5	7	10	19	23	23
20-34	13	7.0	21	3	3	6	8	14	18	19
35-49	141	6.4	19	3	3	5	7	10	13	27
50-64	2404	7.0	25	3	4	6	8	12	15	28
65+	8073	8.9	49	4	4	7	10	16	21	39
TOT. SINGLE DX	4319	5.9	7	3	4	5	7	9	10	16
" MULTIPLE DX	10640	8.5	44	4	4	6	9	15	20	37
TOTAL 0-19 YRS	12	7.6	32	2	2	6	8	16	22	23
20-34	15	6.6	20	2	3	6	8	13	17	19
35-49	206	6.0	14	3	4	5	7	9	12	21
50-64	3728	6.5	18	3	4	5	7	10	13	25
65+	10998	8.2	40	4	4	6	9	14	19	35
GRAND TOTAL	**14959**	**7.7**	**35**	**4**	**4**	**6**	**8**	**13**	**18**	**33**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	5.0	48	<1	<1	1	10	13	13	13
20-34	2	1.0		1	1	1	1	1	1	1
35-49	9	8.4	31	1	2	9	10	17	20	20
50-64	178	9.2	13	2	4	9	11	14	16	20
65+	332	10.4	17	6	7	10	12	15	18	24
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	8.3	41	1	1	11	12	13	13	13
35-49	10	17.7	386	5	6	13	16	46	72	72
50-64	293	11.4	31	5	6	10	14	19	22	30
65+	932	13.8	67	5	7	12	16	24	30	46
TOT. SINGLE DX	524	9.9	16	3	6	10	12	15	17	22
" MULTIPLE DX	1239	13.2	62	5	7	11	16	22	29	44
TOTAL 0-19 YRS	4	5.0	32	<1	<1	3	9	13	13	13
20-34	5	5.4	37	1	1	1	11	13	13	13
35-49	19	13.3	229	2	4	9	14	20	49	72
50-64	471	10.5	25	3	6	10	12	17	21	28
65+	1264	12.9	56	5	7	11	15	21	28	43
GRAND TOTAL	1763	12.2	51	5	7	10	14	20	26	38

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	3.0	6	1	1	2	4	7	7	7
20-34	14	2.5	7	<1	1	2	2	5	10	11
35-49	67	1.8	3	<1	<1	1	2	3	3	13
50-64	403	2.3	11	<1	<1	2	2	4	6	11
65+	635	2.9	13	<1	1	2	3	5	8	16
2. MULTIPLE DX										
0-19 YRS	2	27.5	1201	3	3	27	52	52	52	52
20-34	8	6.8	77	<1	<1	3	10	22	24	24
35-49	42	3.5	14	<1	<1	2	5	7	11	19
50-64	392	4.4	41	1	1	2	5	10	15	36
65+	837	5.8	37	1	1	3	7	14	19	29
TOT. SINGLE DX	1124	2.6	12	<1	1	2	3	5	7	14
" MULTIPLE DX	1281	5.4	40	1	1	3	7	13	18	31
TOTAL 0-19 YRS	7	10.0	347	1	1	3	6	43	52	52
20-34	22	4.0	34	<1	<1	2	3	13	20	24
35-49	109	2.4	8	<1	<1	2	3	5	7	17
50-64	795	3.3	27	<1	1	2	3	7	10	25
65+	1472	4.6	29	1	1	2	5	11	15	26
GRAND TOTAL	2405	4.1	29	<1	1	2	4	9	14	25

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	109	2.2	2	<1	1	2	3	4	5	8
20-34	117	2.7	4	1	1	2	3	4	6	12
35-49	64	3.3	9	<1	1	3	4	5	11	17
50-64	85	3.0	4	1	1	2	3	5	6	12
65+	51	3.6	7	1	1	3	4	6	9	16
2. MULTIPLE DX										
0-19 YRS	75	2.7	3	<1	1	2	4	5	6	10
20-34	64	3.8	15	1	1	3	4	7	12	24
35-49	61	5.4	35	1	2	3	6	11	17	35
50-64	71	6.4	44	1	2	4	7	15	24	29
65+	75	7.7	57	2	2	5	9	19	26	37
TOT. SINGLE DX	426	2.8	5	1	1	2	3	5	7	13
" MULTIPLE DX	346	5.2	34	1	1	3	5	11	19	28
TOTAL 0-19 YRS	184	2.4	3	<1	1	2	3	4	6	9
20-34	181	3.1	8	1	1	2	4	5	8	13
35-49	125	4.4	22	1	1	3	4	10	13	26
50-64	156	4.5	25	1	2	3	5	9	14	28
65+	126	6.0	41	1	2	4	6	13	21	31
GRAND TOTAL	772	3.9	19	1	1	3	4	7	12	26

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	130	2.5	2	1	1	2	3	4	5	9
20-34	240	3.1	3	1	2	3	4	5	6	10
35-49	78	3.3	4	1	1	3	4	6	8	10
50-64	70	4.2	17	1	1	3	4	8	10	24
65+	163	4.1	9	1	2	3	5	7	9	14
2. MULTIPLE DX										
0-19 YRS	114	2.9	4	1	1	2	4	5	7	11
20-34	132	4.7	18	1	1	3	5	10	13	22
35-49	66	5.9	29	1	1	3	9	15	17	88
50-64	141	6.3	51	1	2	4	7	12	23	33
65+	470	8.3	83	2	2	5	11	18	25	48
TOT. SINGLE DX	681	3.4	6	1	1	3	4	6	8	14
" MULTIPLE DX	923	6.7	59	1	2	4	8	15	21	44
TOTAL 0-19 YRS	244	2.7	3	1	1	2	3	5	6	10
20-34	372	3.7	9	1	2	3	4	6	9	18
35-49	144	4.5	17	1	1	3	5	11	15	31
50-64	211	5.6	40	1	2	3	7	11	19	32
65+	633	7.2	68	2	2	4	9	15	22	45
GRAND TOTAL	1604	5.3	39	1	2	3	6	11	16	33

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	712	2.4	4	1	1	2	3	4	5	9
20-34	72	1.8	1	<1	1	2	2	3	3	4
35-49	7	1.9	1	1	1	1	3	4	4	4
50-64	3	3.7	2	2	2	4	5	5	5	5
65+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	425	2.6	6	1	1	2	3	4	5	11
20-34	37	3.4	6	1	1	3	4	6	7	14
35-49	5	3.0	1	2	2	3	3	4	4	4
50-64	5	8.2	51	<1	<1	7	13	19	19	19
65+	4	3.8	7	1	1	4	6	6	6	6
TOT. SINGLE DX	796	2.3	3	1	1	2	3	4	5	9
" MULTIPLE DX	476	2.8	6	1	1	2	3	4	6	12
TOTAL 0-19 YRS	1137	2.5	4	1	1	2	3	4	5	10
20-34	109	2.3	3	<1	1	2	3	4	5	10
35-49	12	2.3	1	1	1	2	3	4	4	4
50-64	8	6.5	35	<1	1	4	9	17	19	19
65+	6	3.5	5	1	1	3	6	6	6	6
GRAND TOTAL	1272	2.5	5	1	1	2	3	4	5	11

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	1.9	1	1	1	2	2	4	4	6
20-34	100	3.2	94	<1	<1	2	2	4	6	62
35-49	38	4.1	91	<1	1	2	3	5	10	60
50-64	17	2.1	1	<1	<1	2	3	4	5	5
65+	6	3.0	7	<1	<1	2	3	8	8	8
2. MULTIPLE DX										
0-19 YRS	51	2.3	2	1	1	2	3	4	6	8
20-34	48	3.3	25	1	1	2	3	5	6	36
35-49	21	3.1	5	<1	1	2	4	7	8	9
50-64	22	3.7	4	1	1	3	5	7	8	8
65+	11	8.2	212	2	2	4	5	24	50	52
TOT. SINGLE DX	272	2.7	48	<1	1	2	2	4	5	28
" MULTIPLE DX	153	3.4	26	1	1	2	4	5	7	35
TOTAL 0-19 YRS	162	2.0	2	1	1	2	2	4	4	7
20-34	148	3.2	72	<1	<1	2	3	4	6	37
35-49	59	3.7	60	<1	1	2	3	6	8	56
50-64	39	3.0	4	<1	1	2	4	6	7	8
65+	17	6.4	141	<1	1	4	5	7	37	52
GRAND TOTAL	425	2.9	40	<1	1	2	3	4	6	32

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	79	1.4	1	<1	<1	<1	1	2	3	6
35-49	49	1.4	1	<1	<1	1	2	3	3	5
50-64	3	3.7	8	2	2	2	6	7	7	7
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	39	3.3	22	<1	<1	2	3	7	15	21
35-49	39	2.8	5	<1	<1	2	4	6	7	10
50-64	17	4.8	8	1	1	5	6	9	10	10
65+	14	9.3	18	5	5	8	12	13	19	21
TOT. SINGLE DX	134	1.5	2	<1	<1	1	2	2	4	8
" MULTIPLE DX	113	4.0	17	<1	<1	2	6	9	12	21
TOTAL 0-19 YRS	6	1.5		<1	<1	1	2	2	2	2
20-34	118	2.0	8	<1	<1	1	2	3	6	21
35-49	88	2.0	3	<1	<1	1	2	5	5	9
50-64	20	4.6	8	1	1	4	7	9	10	10
65+	15	9.4	17	5	5	9	12	12	19	21
GRAND TOTAL	247	2.7	10	<1	<1	1	3	6	9	21

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferen (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	358	1.9	2	<1	1	2	2	3	4	7
20-34	550	2.3	9	<1	1	2	3	4	5	9
35-49	381	2.1	2	<1	1	2	3	3	4	7
50-64	286	2.9	3	1	1	3	3	5	6	10
65+	156	3.1	4	1	2	3	4	5	6	10
2. MULTIPLE DX										
0-19 YRS	259	2.1	2	<1	<1	2	3	4	4	6
20-34	320	2.2	2	<1	1	2	3	4	4	7
35-49	198	3.0	5	1	1	2	4	5	6	13
50-64	243	4.0	12	1	2	3	4	7	10	21
65+	193	5.2	33	1	2	4	5	9	13	34
TOT. SINGLE DX	1731	2.4	5	<1	1	2	3	4	5	9
" MULTIPLE DX	1213	3.2	10	1	1	2	4	5	8	18
TOTAL 0-19 YRS	617	2.0	2	<1	<1	2	2	3	4	6
20-34	870	2.3	6	<1	1	2	3	4	4	8
35-49	579	2.4	3	<1	1	2	3	4	5	12
50-64	529	3.4	7	1	1	3	4	6	8	15
65+	349	4.3	21	1	2	3	4	8	10	28
GRAND TOTAL	2944	2.7	7	<1	1	2	3	4	6	12

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	2.9	20	<1	<1	2	4	5	6	32
20-34	65	3.0	15	<1	<1	2	3	5	9	25
35-49	33	4.8	17	1	2	4	5	8	13	23
50-64	59	4.2	9	1	2	4	5	7	10	18
65+	41	4.3	10	1	1	4	6	8	11	16
2. MULTIPLE DX										
0-19 YRS	48	3.6	10	<1	<1	3	4	7	12	15
20-34	54	7.1	75	<1	<1	4	9	18	28	44
35-49	65	5.4	23	1	1	4	6	12	17	23
50-64	139	4.7	18	1	2	4	5	8	11	24
65+	85	7.1	69	2	2	5	7	13	22	49
TOT. SINGLE DX	260	3.7	15	<1	1	3	4	7	9	22
" MULTIPLE DX	391	5.5	38	1	1	4	6	10	18	36
TOTAL 0-19 YRS	110	3.2	16	<1	<1	2	4	6	7	23
20-34	119	4.9	46	<1	<1	2	6	11	18	38
35-49	98	5.2	21	1	1	4	6	10	16	24
50-64	198	4.5	15	1	2	4	5	8	11	21
65+	126	6.2	51	2	2	5	6	10	17	47
GRAND TOTAL	651	4.8	29	<1	1	3	5	9	14	34

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	216	4.7	2	2	3	5	5	6	7	11
20-34	738	4.9	3	2	3	5	6	7	7	10
35-49	103	5.6	4	3	4	5	6	7	9	14
50-64	28	6.3	5	2	3	6	8	9	10	11
65+	15	8.6	9	4	6	8	10	14	15	15
2. MULTIPLE DX										
0-19 YRS	203	5.3	6	3	3	5	6	7	8	13
20-34	1247	5.5	8	3	3	5	6	8	9	16
35-49	149	6.2	6	3	3	6	7	9	10	15
50-64	48	10.5	43	4	4	9	13	19	26	36
65+	47	16.0	83	7	7	13	20	27	34	47
TOT. SINGLE DX	1100	5.0	4	2	3	5	6	7	8	11
" MULTIPLE DX	1694	6.0	14	3	3	5	6	9	11	25
TOTAL 0-19 YRS	419	5.0	4	3	3	5	6	7	7	12
20-34	1985	5.3	6	3	3	5	6	7	9	14
35-49	252	6.0	5	3	4	6	7	9	10	15
50-64	76	8.9	33	3	4	7	11	15	20	33
65+	62	14.2	75	6	7	11	17	26	31	47
GRAND TOTAL	2794	5.6	10	3	3	5	6	8	10	19

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	144	5.2	4	3	4	5	6	7	8	13
20-34	795	5.4	5	3	4	5	6	7	9	15
35-49	215	5.6	3	3	4	5	6	8	8	12
50-64	57	7.2	16	4	4	6	8	9	14	29
65+	24	8.6	24	4	4	7	9	14	20	26
2. MULTIPLE DX										
0-19 YRS	161	6.0	9	3	3	5	7	9	11	21
20-34	1581	6.2	15	4	4	6	7	8	11	19
35-49	547	6.7	12	3	4	6	7	9	14	23
50-64	120	9.1	25	4	5	8	11	16	21	29
65+	101	14.6	65	7	7	12	18	27	30	42
TOT. SINGLE DX	1235	5.5	5	3	4	5	6	8	9	15
" MULTIPLE DX	2510	6.7	20	4	4	6	7	10	14	27
TOTAL 0-19 YRS	305	5.6	7	3	4	5	6	9	10	16
20-34	2376	5.9	12	3	4	5	6	8	10	16
35-49	762	6.4	10	3	4	6	7	9	11	20
50-64	177	8.5	22	4	5	7	9	14	19	30
65+	125	13.5	63	6	6	11	17	26	29	42
GRAND TOTAL	3745	6.3	15	3	4	5	7	9	12	23

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	5.0	1	4	4	5	6	6	6	6
20-34	113	5.5	6	2	3	5	6	7	9	18
35-49	149	6.0	4	4	4	6	7	8	9	13
50-64	71	6.9	10	4	4	6	7	9	11	24
65+	38	9.4	30	5	6	8	10	13	16	38
2. MULTIPLE DX										
0-19 YRS	6	6.3	3	4	4	6	8	8	8	8
20-34	428	6.8	17	4	4	6	7	10	14	22
35-49	565	7.6	22	4	5	6	8	11	14	29
50-64	263	9.2	42	5	5	7	10	14	20	36
65+	139	12.3	78	5	6	10	14	21	27	71
TOT. SINGLE DX	375	6.4	9	4	4	6	7	9	11	18
" MULTIPLE DX	1401	8.1	32	4	5	7	9	13	17	32
TOTAL 0-19 YRS	10	5.8	2	4	4	6	7	8	8	8
20-34	541	6.6	15	3	4	6	7	9	13	20
35-49	714	7.2	19	4	4	6	8	10	13	29
50-64	334	8.7	36	4	5	7	9	13	18	34
65+	177	11.7	69	5	6	10	13	20	27	68
GRAND TOTAL	1776	7.7	28	4	4	6	8	12	16	29

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	3.1	4	<1	<1	2	5	6	7	8
20-34	152	3.9	5	<1	1	4	5	7	8	11
35-49	10	4.5	11	<1	1	4	5	9	13	13
50-64	2	9.0		9	9	9	9	9	9	9
65+	2	10.0	50	5	5	10	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	52	4.9	14	1	1	4	6	8	15	19
20-34	311	4.5	18	<1	1	5	6	7	8	11
35-49	50	6.2	20	1	2	5	7	11	13	27
50-64	3	8.3	6	6	6	8	10	11	11	11
65+	4	13.3	129	2	2	11	20	29	29	29
TOT. SINGLE DX	205	3.9	6	<1	1	4	5	7	8	14
" MULTIPLE DX	420	4.9	19	<1	1	5	6	7	10	18
TOTAL 0-19 YRS	91	4.1	10	<1	1	4	5	7	8	18
20-34	463	4.3	14	<1	1	5	6	7	8	11
35-49	60	5.9	18	1	2	5	7	11	13	26
50-64	5	8.6	3	6	6	9	10	11	11	11
65+	6	12.2	90	2	2	11	15	28	29	29
GRAND TOTAL	625	4.6	15	<1	1	5	6	7	9	17

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	1.7	4	<1	<1	1	1	3	7	10
20-34	2727	1.2	1	<1	<1	<1	1	2	2	4
35-49	1106	1.2	1	<1	<1	<1	1	2	2	4
50-64	7	1.0		<1	<1	<1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	10	2.4	9	<1	<1	1	2	7	11	11
20-34	1208	1.6	4	<1	<1	1	2	3	4	8
35-49	583	1.6	6	<1	<1	1	2	2	3	10
50-64	6	1.7	1	1	1	2	2	3	3	3
65+										
TOT. SINGLE DX	3861	1.2	1	<1	<1	<1	1	2	2	4
" MULTIPLE DX	1807	1.6	5	<1	<1	1	2	2	4	9
TOTAL 0-19 YRS	31	1.9	6	<1	<1	1	2	3	10	11
20-34	3935	1.3	2	<1	<1	1	1	2	2	6
35-49	1689	1.3	3	<1	<1	1	1	2	2	6
50-64	13	1.3		<1	<1	1	1	2	3	3
65+										
GRAND TOTAL	5668	1.3	2	<1	<1	1	1	2	2	6

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	2.3	1	1	1	2	3	4	5	5
20-34	2187	2.1	4	<1	<1	2	3	4	4	7
35-49	750	1.9	1	<1	<1	2	2	3	4	6
50-64	5	13.8	378	2	2	5	20	48	48	48
65+										
2. MULTIPLE DX										
0-19 YRS	49	3.9	30	<1	1	3	3	5	9	34
20-34	2586	3.0	3	1	1	3	4	5	5	9
35-49	773	3.1	5	<1	1	3	4	5	6	10
50-64	7	4.9	7	1	2	4	6	9	10	10
65+										
TOT. SINGLE DX	2967	2.1	4	<1	<1	2	3	4	4	6
" MULTIPLE DX	3415	3.0	4	1	1	3	4	5	6	10
TOTAL 0-19 YRS	74	3.3	21	1	1	2	3	5	7	32
20-34	4773	2.6	4	<1	1	2	3	4	5	8
35-49	1523	2.5	4	<1	1	2	3	4	5	9
50-64	12	8.6	163	1	2	5	8	22	44	48
65+										
GRAND TOTAL	**6382**	**2.6**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	114	4.2	2	1	3	4	5	6	7	9
20-34	1480	4.1	4	1	1	4	5	6	6	9
35-49	149	3.5	5	<1	<1	4	5	6	7	9
50-64	4	4.0	5	<1	<1	4	5	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	147	5.0	5	2	3	5	6	7	9	17
20-34	1528	4.5	4	1	2	4	5	7	7	11
35-49	230	4.3	7	1	1	4	6	7	9	14
50-64	10	6.8	11	1	2	7	8	11	13	13
65+	2	15.5	41	11	11	15	20	20	20	20
TOT. SINGLE DX	1747	4.1	4	1	1	4	5	6	7	9
" MULTIPLE DX	1917	4.6	5	1	2	4	5	7	8	12
TOTAL 0-19 YRS	261	4.7	4	2	3	4	5	6	7	12
20-34	3008	4.3	4	1	2	4	5	6	7	11
35-49	379	4.0	7	<1	1	4	5	7	8	12
50-64	14	6.0	10	<1	1	6	8	10	12	13
65+	2	15.5	41	11	11	15	20	20	20	20
GRAND TOTAL	**3664**	**4.3**	**4**	**1**	**2**	**4**	**5**	**6**	**7**	**11**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	1.6	1	<1	1	1	2	2	3	4
20-34	612	1.7	2	<1	<1	1	2	3	3	7
35-49	183	1.8	3	<1	<1	1	2	3	4	10
50-64	67	2.0	2	<1	1	2	2	3	4	10
65+	40	1.9	1	<1	<1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	26	2.0	3	<1	<1	2	2	3	5	9
20-34	436	2.2	5	<1	<1	2	2	4	6	10
35-49	221	2.2	4	<1	<1	2	2	5	7	11
50-64	121	2.6	5	<1	<1	2	3	6	8	11
65+	47	3.8	17	1	1	2	4	9	15	20
TOT. SINGLE DX	933	1.7	2	<1	<1	1	2	3	3	7
" MULTIPLE DX	851	2.3	6	<1	<1	2	2	5	7	13
TOTAL 0-19 YRS	57	1.8	1	<1	<1	2	2	2	4	9
20-34	1048	1.9	3	<1	<1	1	2	3	4	9
35-49	404	2.1	3	<1	<1	2	2	3	5	11
50-64	188	2.4	4	<1	<1	2	2	6	8	10
65+	87	2.9	10	<1	1	2	3	5	9	19
GRAND TOTAL	**1784**	**2.0**	**4**	**<1**	**<1**	**2**	**2**	**3**	**5**	**10**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	1.9	1	<1	<1	2	2	3	4	5
20-34	143	1.9	2	<1	<1	1	2	3	5	8
35-49	114	1.9	2	<1	<1	1	2	3	5	8
50-64	90	2.7	12	<1	<1	2	3	5	7	22
65+	74	4.5	24	1	1	3	6	9	10	29
2. MULTIPLE DX										
0-19 YRS	15	2.7	4	1	1	2	3	6	7	8
20-34	194	2.5	11	<1	<1	2	2	6	7	16
35-49	260	2.6	12	<1	<1	2	2	5	8	25
50-64	218	3.9	22	<1	1	2	4	9	13	23
65+	201	7.1	44	1	1	6	9	14	20	45
TOT. SINGLE DX	436	2.5	9	<1	<1	2	3	5	7	12
" MULTIPLE DX	888	3.9	25	<1	<1	2	5	9	13	27
TOTAL 0-19 YRS	30	2.3	3	<1	1	2	2	5	6	8
20-34	337	2.2	7	<1	<1	2	2	4	6	10
35-49	374	2.4	9	<1	<1	2	2	5	7	16
50-64	308	3.6	19	<1	<1	2	4	8	11	23
65+	275	6.4	40	1	1	5	8	12	18	33
GRAND TOTAL	**1324**	**3.4**	**20**	**<1**	**<1**	**2**	**4**	**8**	**10**	**26**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	2.7	2	1	1	3	4	5	5	5
20-34	405	2.2	2	<1	1	2	3	4	4	7
35-49	33	2.5	4	1	1	2	3	4	5	12
50-64	4	1.8		1	1	2	2	2	2	2
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	8	4.6	23	1	1	3	5	13	16	16
20-34	143	2.8	5	<1	1	2	3	5	7	12
35-49	9	3.6	5	1	1	3	6	7	7	7
50-64	3	4.0	12	2	2	2	7	8	8	8
65+	1	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	467	2.3	2	<1	1	2	3	4	5	8
" MULTIPLE DX	164	3.0	6	<1	1	2	4	6	8	13
TOTAL 0-19 YRS	32	3.2	7	1	1	3	4	5	5	16
20-34	548	2.4	3	<1	1	2	3	4	6	10
35-49	42	2.8	4	1	1	2	3	5	7	12
50-64	7	2.7	6	1	1	2	2	7	8	8
65+	2	4.5	25	1	1	4	8	8	8	8
GRAND TOTAL	631	2.5	3	<1	1	2	3	4	6	10

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	2.9	3	1	1	2	4	6	6	6
20-34	170	4.5	4	<1	1	5	6	7	7	9
35-49	35	4.8	5	<1	1	6	7	7	7	8
50-64	18	2.3	2	<1	<1	2	3	5	5	5
65+	11	3.1	6	1	1	2	3	8	9	9
2. MULTIPLE DX										
0-19 YRS	18	5.1	10	<1	<1	5	7	9	11	12
20-34	252	5.3	8	1	1	5	6	8	9	14
35-49	95	4.9	12	<1	1	5	6	8	11	20
50-64	40	6.1	82	<1	<1	2	8	18	28	41
65+	36	6.6	22	1	2	6	9	15	16	16
TOT. SINGLE DX	241	4.2	5	<1	1	5	6	7	7	9
" MULTIPLE DX	441	5.4	17	<1	1	5	6	9	12	24
TOTAL 0-19 YRS	25	4.4	9	<1	1	4	6	9	10	12
20-34	422	5.0	7	1	1	5	6	7	8	13
35-49	130	4.8	10	<1	1	5	6	7	9	17
50-64	58	4.9	60	<1	<1	2	5	11	26	40
65+	47	5.8	21	1	2	4	9	14	15	16
GRAND TOTAL	682	5.0	13	<1	1	5	6	8	9	20

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	6.4	6	1	4	6	7	9	11	12
20-34	1107	6.3	4	4	5	6	7	8	9	14
35-49	1519	6.4	6	5	5	6	7	8	9	14
50-64	627	7.0	5	5	5	7	8	9	11	14
65+	298	7.9	6	5	6	7	9	11	12	16
2. MULTIPLE DX										
0-19 YRS	78	7.6	12	4	5	7	9	11	12	26
20-34	5722	6.8	9	4	5	6	7	9	11	17
35-49	10288	7.0	8	5	5	6	8	9	11	18
50-64	3471	7.6	14	5	5	7	8	10	12	22
65+	1123	9.6	37	5	6	8	10	15	20	31
TOT. SINGLE DX	3572	6.6	5	5	5	6	7	8	10	15
" MULTIPLE DX	20682	7.2	11	5	5	6	8	10	12	21
TOTAL 0-19 YRS	99	7.3	11	4	5	7	8	11	12	24
20-34	6829	6.7	8	4	5	6	7	9	11	16
35-49	11807	7.0	8	5	5	6	7	9	11	17
50-64	4098	7.5	12	5	5	7	8	10	12	21
65+	1421	9.3	31	5	6	8	10	14	18	30
GRAND TOTAL	24254	7.1	10	5	5	6	8	9	12	19

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.5	2	3	3	4	5	6	6	6
20-34	884	5.4	2	4	4	5	6	7	8	10
35-49	707	5.6	3	4	4	5	6	7	8	11
50-64	221	6.6	5	4	5	6	7	9	10	13
65+	167	7.5	7	5	5	7	8	11	12	18
2. MULTIPLE DX										
0-19 YRS	10	5.5	5	1	2	5	7	8	9	9
20-34	2940	5.8	5	4	4	5	6	8	9	15
35-49	4224	6.3	5	4	4	6	7	9	10	15
50-64	1256	7.1	6	4	5	7	8	10	11	15
65+	647	8.7	28	5	6	7	9	12	16	30
TOT. SINGLE DX	1983	5.8	4	4	4	5	6	8	9	13
" MULTIPLE DX	9077	6.4	8	4	4	6	7	9	10	16
TOTAL 0-19 YRS	14	5.2	4	1	3	5	7	8	9	9
20-34	3824	5.7	5	4	4	5	6	8	9	14
35-49	4931	6.2	5	4	4	6	7	8	10	15
50-64	1477	7.0	6	4	5	7	8	10	11	15
65+	814	8.4	24	5	6	7	9	12	15	26
GRAND TOTAL	11060	6.3	7	4	4	6	7	9	10	16

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	18	8.4	14	2	4	8	11	14	15	15
35-49	6	7.8	7	5	5	8	9	12	12	12
50-64	10	15.4	25	6	7	17	19	20	21	21
65+	2	14.5	13	12	12	14	17	17	17	17
2. MULTIPLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	15	12.1	77	4	4	8	13	26	31	33
35-49	24	9.5	23	5	6	8	11	14	19	27
50-64	16	17.7	107	6	7	14	24	31	39	43
65+	16	23.7	216	9	9	20	32	45	54	58
TOT. SINGLE DX	36	10.6	26	4	5	10	15	18	19	21
" MULTIPLE DX	72	15.1	121	5	6	11	20	31	37	55
TOTAL 0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	33	10.1	45	4	4	8	12	17	26	33
35-49	30	9.2	20	5	5	8	11	13	15	27
50-64	26	16.8	74	6	7	16	21	29	33	43
65+	18	22.7	201	9	10	18	31	44	53	58
GRAND TOTAL	108	13.6	93	5	6	11	16	27	32	51

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	251	1.2		<1	<1	<1	1	2	2	3
20-34	823	1.3	1	<1	<1	1	1	2	3	8
35-49	88	1.5	2	<1	<1	1	2	2	3	11
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
2. MULTIPLE DX										
0-19 YRS	109	2.5	36	<1	<1	1	2	5	6	31
20-34	658	2.5	27	<1	<1	1	2	5	6	23
35-49	182	1.9	3	<1	<1	1	2	3	5	12
50-64	1	2.0		2	2	2	2	2	2	2
65+										
TOT. SINGLE DX	1163	1.3	1	<1	<1	1	1	2	2	7
" MULTIPLE DX	950	2.4	23	<1	<1	1	2	4	6	20
TOTAL 0-19 YRS	360	1.6	11	<1	<1	1	1	2	4	6
20-34	1481	1.8	13	<1	<1	1	2	3	5	17
35-49	270	1.8	3	<1	<1	1	2	3	4	12
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+										
GRAND TOTAL	2113	1.8	11	<1	<1	1	2	3	5	13

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1629	1.5	1	<1	<1	1	2	3	3	6
20-34	10152	1.4	3	<1	<1	1	1	2	3	6
35-49	3636	1.4	4	<1	<1	1	2	2	3	6
50-64	1756	1.6	6	<1	<1	1	2	2	3	7
65+	594	2.2	5	<1	<1	2	2	3	6	13
2. MULTIPLE DX										
0-19 YRS	710	2.7	10	<1	1	2	3	5	7	18
20-34	5601	2.1	6	<1	<1	1	2	4	6	11
35-49	4443	2.1	10	<1	<1	1	2	4	6	12
50-64	2161	2.2	8	<1	<1	1	2	4	7	15
65+	895	3.4	20	<1	1	2	3	7	12	24
TOT. SINGLE DX	17767	1.5	3	<1	<1	1	2	2	3	6
" MULTIPLE DX	13810	2.2	9	<1	<1	1	2	4	7	14
TOTAL 0-19 YRS	2339	1.9	4	<1	<1	1	2	3	5	9
20-34	15753	1.7	4	<1	<1	1	2	3	4	8
35-49	8079	1.8	7	<1	<1	1	2	3	5	10
50-64	3917	1.9	7	<1	<1	1	2	3	5	12
65+	1489	2.9	14	<1	<1	2	3	6	9	20
GRAND TOTAL	31577	1.8	6	<1	<1	1	2	3	5	10

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	593	1.1	2	<1	<1	<1	1	1	2	4
20-34	1259	1.1	1	<1	<1	<1	1	1	2	4
35-49	99	1.1		<1	<1	<1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	87	3.0	54	<1	<1	1	3	5	7	48
20-34	560	2.1	13	<1	<1	1	2	4	5	16
35-49	189	1.9	10	<1	<1	1	2	3	4	19
50-64										
65+										
TOT. SINGLE DX	1951	1.1	1	<1	<1	<1	1	1	2	4
" MULTIPLE DX	836	2.1	17	<1	<1	1	2	4	5	17
TOTAL 0-19 YRS	680	1.4	9	<1	<1	<1	1	1	2	7
20-34	1819	1.4	5	<1	<1	<1	1	2	3	7
35-49	288	1.6	7	<1	<1	1	1	2	4	10
50-64										
65+										
GRAND TOTAL	2787	1.4	6	<1	<1	<1	1	2	3	7

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	175	1.4	2	<1	<1	1	1	2	3	7
20-34	886	1.4	1	<1	<1	1	1	2	3	6
35-49	108	1.6	9	<1	<1	1	1	2	4	16
50-64	4	1.5		<1	<1	1	2	2	2	2
65+	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	91	1.7	5	<1	<1	1	2	3	5	15
20-34	438	1.8	10	<1	<1	1	2	3	4	9
35-49	90	1.8	2	<1	<1	1	2	3	5	8
50-64	4	3.3	4	2	2	3	4	6	6	6
65+	5	10.0	101	1	1	7	17	25	25	25
TOT. SINGLE DX	1175	1.4	2	<1	<1	1	1	2	3	6
" MULTIPLE DX	628	1.9	9	<1	<1	1	2	3	5	10
TOTAL 0-19 YRS	266	1.5	3	<1	<1	1	2	2	4	7
20-34	1324	1.5	4	<1	<1	1	1	2	3	7
35-49	198	1.7	6	<1	<1	1	2	3	4	8
50-64	8	2.4	3	<1	<1	2	3	5	6	6
65+	7	8.9	79	1	1	7	14	23	25	25
GRAND TOTAL	1803	1.6	5	<1	<1	1	1	2	4	8

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.5	6	1	1	5	6	6	6	6
20-34	25	4.8	5	1	2	5	6	7	8	11
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	8.3	14	4	4	10	11	11	11	11
65+	4	5.8	1	5	5	6	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	10	5.9	5	3	3	5	8	9	10	10
20-34	108	5.4	9	1	3	5	6	8	9	21
35-49	9	5.1	13	1	1	3	7	11	12	12
50-64	4	6.8	4	5	5	7	8	9	9	9
65+	10	7.4	1	5	6	7	8	9	9	9
TOT. SINGLE DX	37	5.1	5	1	2	5	6	7	10	11
" MULTIPLE DX	141	5.6	8	1	3	5	6	8	10	19
TOTAL 0-19 YRS	14	5.5	5	1	3	5	6	8	10	10
20-34	133	5.3	8	1	3	5	6	7	9	19
35-49	10	5.0	12	1	1	4	7	10	12	12
50-64	7	7.4	8	4	4	8	10	11	11	11
65+	14	6.9	2	5	5	7	8	9	9	9
GRAND TOTAL	178	5.5	8	1	3	5	6	8	10	16

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	2.3	3	<1	<1	1	4	5	6	6
20-34	147	2.7	5	<1	<1	2	4	6	7	13
35-49	35	3.0	7	<1	<1	2	5	5	6	15
50-64	32	3.4	3	<1	1	3	4	5	5	8
65+	28	4.0	4	1	2	4	5	7	14	99+
2. MULTIPLE DX										
0-19 YRS	18	3.4	5	1	1	3	4	7	8	8
20-34	199	3.6	7	<1	<1	3	5	7	8	12
35-49	36	3.6	4	<1	<1	3	5	6	7	8
50-64	30	4.7	19	<1	1	4	5	8	16	22
65+	24	7.3	92	2	3	4	6	13	31	47
TOT. SINGLE DX	276	2.9	5	<1	<1	2	4	6	7	14
" MULTIPLE DX	307	4.0	15	<1	1	4	5	7	8	21
TOTAL 0-19 YRS	52	2.7	4	<1	1	2	4	6	6	8
20-34	346	3.2	7	<1	<1	2	5	7	8	11
35-49	71	3.3	6	<1	<1	3	5	6	7	14
50-64	62	4.0	11	<1	1	4	5	6	8	21
65+	52	5.5	46	2	2	4	5	10	22	98
GRAND TOTAL	583	3.5	11	<1	<1	3	5	7	8	19

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.5	4	2	2	3	5	6	6	6
20-34	65	5.0	4	2	3	5	6	7	8	10
35-49	244	6.0	9	2	3	6	7	9	10	21
50-64	375	6.4	32	3	4	6	7	8	10	16
65+	237	6.9	7	4	4	7	8	10	12	17
2. MULTIPLE DX										
0-19 YRS	7	7.9	18	4	4	6	12	13	13	13
20-34	142	6.0	8	2	3	6	7	10	11	14
35-49	454	6.7	8	3	4	6	8	10	12	17
50-64	668	7.2	9	3	4	7	8	11	13	17
65+	446	7.7	13	4	4	7	9	11	14	20
TOT. SINGLE DX	925	6.3	18	3	4	6	7	9	10	16
" MULTIPLE DX	1717	7.1	10	3	4	7	8	11	13	18
TOTAL 0-19 YRS	11	6.3	17	2	2	4	10	13	13	13
20-34	207	5.7	7	2	3	5	7	9	10	13
35-49	698	6.5	9	3	4	6	8	10	11	18
50-64	1043	6.9	18	3	4	6	8	10	12	17
65+	683	7.4	11	4	4	7	9	10	13	19
GRAND TOTAL	2642	6.8	13	3	4	6	8	10	12	17

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	2.7	7	<1	<1	2	4	6	9	12
20-34	190	3.2	10	<1	1	2	4	6	7	18
35-49	85	3.6	9	<1	1	3	5	7	9	16
50-64	54	5.0	22	1	1	4	7	9	11	30
65+	24	7.5	26	2	2	7	9	13	19	25
2. MULTIPLE DX										
0-19 YRS	20	3.2	8	<1	1	2	4	8	9	10
20-34	103	4.9	17	1	1	4	7	10	13	21
35-49	67	6.9	31	2	2	6	9	12	15	35
50-64	65	7.8	63	1	2	6	8	14	19	53
65+	48	7.9	21	2	3	7	9	13	18	24
TOT. SINGLE DX	384	3.8	13	<1	1	3	5	7	10	21
" MULTIPLE DX	303	6.3	32	1	1	5	8	12	16	24
TOTAL 0-19 YRS	51	2.9	7	<1	<1	2	4	7	9	12
20-34	293	3.8	13	1	1	3	5	7	10	21
35-49	152	5.0	22	1	1	4	7	10	12	24
50-64	119	6.5	46	1	1	6	8	12	16	40
65+	72	7.8	23	2	2	7	9	13	18	25
GRAND TOTAL	687	4.9	23	1	1	4	7	10	13	23

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	102	2.4	9	<1	<1	1	2	5	11	15
20-34	245	3.6	41	<1	<1	2	5	7	10	13
35-49	136	4.3	30	<1	<1	2	6	10	13	27
50-64	99	4.3	26	<1	1	3	5	8	11	30
65+	90	4.6	9	<1	1	4	6	9	10	15
2. MULTIPLE DX										
0-19 YRS	64	4.1	20	<1	1	3	5	8	13	23
20-34	235	5.1	36	<1	1	4	7	10	14	32
35-49	124	7.1	57	<1	1	6	9	15	17	38
50-64	163	6.7	65	1	2	5	8	12	16	36
65+	206	8.1	48	1	2	6	10	16	22	35
TOT. SINGLE DX	672	3.8	28	<1	<1	2	5	8	11	16
" MULTIPLE DX	792	6.4	49	1	1	5	8	13	17	32
TOTAL 0-19 YRS	166	3.1	14	<1	<1	2	3	7	11	21
20-34	480	4.3	39	<1	<1	3	6	9	12	26
35-49	260	5.7	44	<1	<1	4	7	12	16	28
50-64	262	5.8	52	1	1	4	7	11	15	36
65+	296	7.0	39	1	2	6	8	13	19	33
GRAND TOTAL	1464	5.2	41	<1	<1	4	7	11	14	28

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	2.1	6	<1	<1	2	2	4	5	15
20-34	538	1.8	4	<1	<1	1	2	3	4	7
35-49	264	2.0	3	<1	<1	1	2	4	5	9
50-64	113	2.2	3	<1	<1	2	3	4	6	10
65+	60	3.2	14	<1	1	2	3	6	9	25
2. MULTIPLE DX										
0-19 YRS	47	3.5	12	<1	1	2	5	7	8	22
20-34	206	3.1	19	<1	1	2	3	5	7	22
35-49	116	3.1	10	<1	1	2	4	6	10	17
50-64	111	3.9	21	<1	1	2	5	8	10	27
65+	78	6.6	48	1	2	5	9	13	20	40
TOT. SINGLE DX	1113	2.0	4	<1	<1	1	2	3	5	11
" MULTIPLE DX	558	3.8	23	<1	1	2	4	7	12	24
TOTAL 0-19 YRS	185	2.5	8	<1	<1	2	3	5	7	19
20-34	744	2.2	8	<1	<1	1	2	4	5	20
35-49	380	2.3	5	<1	<1	2	3	4	6	15
50-64	224	3.0	13	<1	<1	2	3	6	8	23
65+	138	5.1	36	1	1	3	6	11	15	31
GRAND TOTAL	1671	2.6	11	<1	<1	2	3	5	7	22

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.0	2	1	1	2	3	4	4	4
20-34	8	2.3	2	1	1	2	3	4	5	5
35-49	15	7.7	34	1	2	6	10	20	21	21
50-64	11	4.6	6	2	2	4	6	8	11	11
65+	19	10.6	120	1	2	6	14	27	38	43
2. MULTIPLE DX										
0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	10	6.4	37	1	1	3	12	15	16	16
35-49	16	13.3	238	2	3	9	[illegible]	23	54	67
50-64	27	11.7	76	3	4	8	17	23	27	40
65+	32	12.9	120	2	4	10	16	27	37	51
TOT. SINGLE DX	58	6.8	59	1	1	4	8	15	21	42
" MULTIPLE DX	89	11.3	118	1	2	8	14	23	33	61
TOTAL 0-19 YRS	9	1.8	1	<1	<1	2	2	3	4	4
20-34	18	4.6	25	1	1	2	5	13	15	16
35-49	31	10.6	143	2	2	7	13	20	24	67
50-64	38	9.6	65	2	3	6	12	22	24	40
65+	51	12.0	119	2	3	8	15	28	38	51
GRAND TOTAL	147	9.6	99	1	2	6	13	21	26	51

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	1.9	3	<1	<1	1	2	4	6	8
20-34	86	2.2	2	<1	<1	2	3	4	5	7
35-49	23	3.5	9	<1	<1	3	5	6	9	15
50-64	10	3.2	5	<1	<1	3	4	6	7	7
65+	7	4.3	12	1	1	3	6	10	11	11
2. MULTIPLE DX										
0-19 YRS	15	5.9	44	1	1	3	8	17	21	22
20-34	55	4.0	20	<1	1	3	4	6	10	26
35-49	19	5.7	21	<1	1	4	8	11	16	19
50-64	19	5.5	12	<1	1	5	8	10	12	13
65+	2	3.5	13	1	1	3	6	6	6	6
TOT. SINGLE DX	166	2.4	4	<1	<1	2	3	5	6	11
" MULTIPLE DX	110	4.8	22	1	1	3	6	10	14	24
TOTAL 0-19 YRS	55	3.0	16	<1	<1	1	3	6	13	22
20-34	141	2.9	10	<1	<1	2	4	5	6	23
35-49	42	4.5	16	<1	1	3	6	9	13	19
50-64	29	4.7	11	<1	1	4	7	9	11	13
65+	9	4.1	11	1	1	3	6	9	11	11
GRAND TOTAL	276	3.4	13	<1	<1	2	4	7	9	21

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	2.8	2	1	1	3	4	4	4	4
20-34	17	1.6	2	<1	<1	1	2	3	5	6
35-49	3	3.3	10	<1	<1	2	6	7	7	7
50-64	4	3.8	6	2	2	3	5	7	7	7
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	14	4.7	13	<1	1	4	7	10	11	11
35-49	11	2.9	7	1	1	2	4	7	9	9
50-64	4	3.0	11	1	1	2	5	8	8	8
65+	2	4.5	1	4	4	4	5	5	5	5
TOT. SINGLE DX	29	2.3	3	<1	<1	2	3	5	7	7
" MULTIPLE DX	33	3.8	9	1	1	2	6	8	10	11
TOTAL 0-19 YRS	6	3.0	4	1	1	3	4	6	6	6
20-34	31	3.0	9	<1	<1	2	5	8	10	11
35-49	14	3.0	7	<1	1	2	4	7	9	9
50-64	8	3.4	7	1	1	2	5	8	8	8
65+	3	4.3		4	4	4	5	5	5	5
GRAND TOTAL	62	3.1	7	<1	<1	2	4	7	9	11

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3035	2.5	1	1	2	2	3	3	4	5
20-34	12605	2.6	2	1	2	2	3	4	4	6
35-49	529	2.7	2	1	2	3	3	4	4	6
50-64	6	2.5	1	1	1	3	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	1828	2.9	2	1	2	3	3	4	5	8
20-34	7886	3.0	3	1	2	3	3	4	5	9
35-49	445	3.3	5	2	2	3	4	5	6	10
50-64	1	3.0		3	3	3	3	3	3	3
65+										
TOT. SINGLE DX	16175	2.6	2	1	2	2	3	4	4	5
" MULTIPLE DX	10160	3.0	3	1	2	3	3	4	5	9
TOTAL 0-19 YRS	4863	2.6	2	1	2	2	3	4	4	7
20-34	20491	2.7	3	1	2	3	3	4	4	7
35-49	974	3.0	3	1	2	3	3	4	5	8
50-64	7	2.6	1	1	1	3	3	3	3	3
65+										
GRAND TOTAL	26335	2.7	2	1	2	3	3	4	4	7

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	2.2	1	<1	1	2	3	3	4	4
20-34	330	2.3	1	1	1	2	3	3	4	4
35-49	18	2.3	1	<1	1	2	3	3	4	5
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	67	2.6	4	1	1	2	3	4	6	12
20-34	464	2.7	3	1	1	2	3	4	5	8
35-49	43	3.3	5	1	1	3	4	5	8	13
50-64										
65+										
TOT. SINGLE DX	387	2.3	1	1	1	2	3	3	4	4
" MULTIPLE DX	574	2.8	4	1	1	2	3	4	5	10
TOTAL 0-19 YRS	105	2.4	3	<1	1	2	3	4	4	11
20-34	794	2.5	2	1	1	2	3	4	4	7
35-49	61	3.0	4	1	1	2	4	4	7	12
50-64	1	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	961	2.6	2	1	1	2	3	4	4	8

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	398	2.9	7	1	2	3	3	4	4	12
20-34	1810	2.6	1	1	2	3	3	4	4	5
35-49	106	2.7	1	1	2	3	3	4	4	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	472	3.0	3	2	2	3	3	4	5	10
20-34	2450	3.1	4	1	2	3	3	4	5	8
35-49	142	3.3	4	1	2	3	4	5	5	13
50-64	1	3.0		3	3	3	3	3	3	3
65+										
TOT. SINGLE DX	2314	2.6	2	1	2	3	3	4	4	6
" MULTIPLE DX	3065	3.1	4	1	2	3	3	4	5	9
TOTAL 0-19 YRS	870	3.0	5	1	2	3	3	4	5	11
20-34	4260	2.9	3	1	2	3	3	4	5	7
35-49	248	3.1	3	1	2	3	4	4	5	10
50-64	1	3.0		3	3	3	3	3	3	3
65+										
GRAND TOTAL	5379	2.9	3	1	2	3	3	4	5	8

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2927	2.4	1	1	1	2	3	3	4	6
20-34	15143	2.4	4	1	1	2	3	3	4	6
35-49	701	2.6	2	1	1	2	3	4	4	7
50-64	5	1.6		1	1	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	1255	3.0	6	1	2	3	3	4	6	12
20-34	9761	3.0	6	1	2	3	3	4	5	10
35-49	874	3.3	3	1	2	3	4	5	5	9
50-64	5	3.4	1	2	2	3	4	5	5	5
65+										
TOT. SINGLE DX	18776	2.4	3	1	1	2	3	3	4	6
" MULTIPLE DX	11895	3.0	6	1	2	3	3	4	5	10
TOTAL 0-19 YRS	4182	2.6	3	1	1	2	3	4	4	9
20-34	24904	2.7	5	1	1	2	3	4	4	7
35-49	1575	3.0	3	1	2	3	3	4	5	9
50-64	10	2.5	2	1	1	2	3	4	5	5
65+										
GRAND TOTAL	30671	2.7	4	1	1	2	3	4	4	8

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1274	4.7	3	3	3	5	5	6	7	10
20-34	8897	4.8	5	3	3	5	5	6	7	9
35-49	448	5.0	3	3	4	5	6	6	7	10
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	2209	5.5	5	3	4	5	6	8	10	14
20-34	14639	5.4	8	3	4	5	6	7	8	15
35-49	1295	5.9	10	3	4	5	6	8	11	17
50-64	8	6.0	8	4	4	5	7	11	12	12
65+										
TOT. SINGLE DX	10620	4.8	5	3	3	5	5	6	7	10
" MULTIPLE DX	18151	5.4	8	3	4	5	6	7	9	15
TOTAL 0-19 YRS	3483	5.2	5	3	4	5	6	7	9	14
20-34	23536	5.2	7	3	4	5	6	7	8	14
35-49	1743	5.7	9	3	4	5	6	7	9	16
50-64	9	5.9	7	4	4	5	6	10	12	12
65+										
GRAND TOTAL	28771	5.2	7	3	4	5	6	7	8	14

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	133	4.8	2	3	3	4	5	6	7	10
20-34	919	4.7	2	3	3	5	5	6	7	8
35-49	36	5.0	3	3	3	5	5	6	8	12
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	151	6.0	7	4	4	5	7	9	11	17
20-34	1159	5.7	10	3	4	5	6	8	10	21
35-49	104	6.5	27	3	4	5	7	10	13	33
50-64	1	7.0		7	7	7	7	7	7	7
65+										
TOT. SINGLE DX	1088	4.7	2	3	3	5	5	6	7	8
" MULTIPLE DX	1415	5.8	11	3	4	5	6	8	10	22
TOTAL 0-19 YRS	284	5.4	5	3	4	5	6	8	9	14
20-34	2078	5.3	7	3	4	5	6	7	8	17
35-49	140	6.1	21	3	3	5	6	9	12	28
50-64	1	7.0		7	7	7	7	7	7	7
65+										
GRAND TOTAL	2503	5.3	7	3	4	5	6	7	9	17

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	31	4.3	1	2	3	4	5	6	6	7
35-49	3	5.0	1	4	4	5	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	5	5.6	6	3	3	5	7	9	9	9
20-34	36	6.9	38	2	3	6	8	10	14	39
35-49	6	5.3		5	5	5	6	6	6	6
50-64										
65+										
TOT. SINGLE DX	35	4.3	1	2	3	4	5	6	6	7
" MULTIPLE DX	47	6.6	30	2	3	6	7	9	13	39
TOTAL 0-19 YRS	6	5.3	5	3	3	5	7	9	9	9
20-34	67	5.7	23	2	3	5	6	8	10	35
35-49	9	5.2		4	4	5	6	6	6	6
50-64										
65+										
GRAND TOTAL	82	5.6	19	2	3	5	6	8	10	31

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	449	1.3	1	<1	1	1	1	2	2	3
20-34	464	1.3	3	<1	1	1	1	2	2	6
35-49	32	1.4	1	1	1	1	2	2	3	4
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	196	1.3	5	<1	1	1	1	2	2	19
20-34	240	1.5	1	<1	1	1	2	3	4	6
35-49	30	2.0	2	<1	<1	1	2	4	6	6
50-64										
65+										
TOT. SINGLE DX	946	1.3	2	<1	1	1	1	2	2	4
" MULTIPLE DX	466	1.5	3	<1	1	1	1	2	3	6
TOTAL 0-19 YRS	645	1.3	2	<1	1	1	1	2	2	4
20-34	704	1.4	2	<1	1	1	1	2	3	6
35-49	62	1.7	1	<1	1	1	2	3	5	6
50-64	1	1.0		1	1	1	1	1	1	1
65+										
GRAND TOTAL	1412	1.4	2	<1	1	1	1	2	3	6

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	2.4	2	<1	<1	2	3	4	5	8
20-34	185	2.6	10	<1	<1	1	3	5	6	20
35-49	13	2.1	4	<1	<1	1	2	5	7	8
50-54										
65+										
2. MULTIPLE DX										
0-19 YRS	17	2.6	3	<1	1	2	3	4	7	8
20-34	133	4.1	23	<1	<1	2	5	8	10	28
35-49	13	8.4	72	1	2	8	10	18	30	33
50-64										
65+										
TOT. SINGLE DX	225	2.6	9	<1	<1	1	3	5	6	19
" MULTIPLE DX	163	4.3	26	<1	<1	2	5	8	12	32
TOTAL 0-19 YRS	44	2.5	3	<1	1	2	3	4	6	8
20-34	318	3.2	16	<1	<1	2	4	6	9	21
35-49	26	5.2	47	<1	<1	2	8	11	18	33
50-64										
65+										
GRAND TOTAL	388	3.3	17	<1	<1	2	4	6	9	21

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	491	1.9	1	<1	<1	2	2	3	3	6
20-34	2504	2.1	3	<1	<1	2	3	3	4	6
35-49	145	2.1	2	<1	<1	2	3	3	4	6
50-64	2	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	198	2.9	5	1	1	3	3	4	5	14
20-34	1312	3.0	4	1	1	3	3	4	6	10
35-49	115	4.0	78	<1	1	3	4	5	6	42
50-64										
65+										
TOT. SINGLE DX	3142	2.0	3	<1	<1	2	3	3	4	6
" MULTIPLE DX	1625	3.1	9	1	1	3	3	4	6	11
TOTAL 0-19 YRS	689	2.2	2	<1	<1	2	3	3	4	7
20-34	3816	2.4	4	<1	<1	2	3	4	4	9
35-49	260	2.9	36	<1	<1	2	3	4	5	12
50-64	2	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	4767	2.4	5	<1	<1	2	3	4	4	9

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1409	2.2	7	1	1	2	3	3	3	4
20-34	7799	2.2	3	1	1	2	3	3	4	5
35-49	415	2.1	1	1	1	2	3	3	3	4
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	898	2.7	6	1	1	2	3	4	5	9
20-34	5352	2.7	9	1	1	2	3	4	5	7
35-49	441	2.9	3	1	1	3	3	4	5	12
50-64	6	4.2	7	1	1	4	6	8	8	8
65+										
TOT. SINGLE DX	9625	2.2	4	1	1	2	3	3	4	5
" MULTIPLE DX	6697	2.7	8	1	1	2	3	4	5	8
TOTAL 0-19 YRS	2307	2.4	7	1	1	2	3	3	4	6
20-34	13151	2.4	6	1	1	2	3	3	4	6
35-49	856	2.5	2	1	1	2	3	4	4	7
50-64	8	3.8	6	1	1	3	5	7	8	8
65+										
GRAND TOTAL	**16322**	**2.4**	**6**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	3.1	3	<1	<1	3	4	5	6	10
20-34	53	3.5	[illegible]	1	1	2	4	7	9	26
35-49	25	4.2	9	1	2	3	5	9	10	12
50-64	17	4.7	15	1	2	3	6	11	13	14
65+	19	4.6	39	<1	<1	2	4	11	20	27
2. MULTIPLE DX										
0-19 YRS	8	4.6	9	1	1	4	7	9	10	10
20-34	21	6.1	49	1	1	4	6	16	24	30
35-49	20	8.0	145	1	2	3	5	35	36	36
50-64	33	9.4	180	1	2	7	11	15	19	79
65+	47	15.4	209	2	2	10	23	42	54	99+
TOT. SINGLE DX	143	3.8	15	<1	1	3	4	8	11	26
" MULTIPLE DX	129	10.5	165	1	2	6	12	29	36	83
TOTAL 0-19 YRS	37	3.4	5	<1	1	3	4	6	9	10
20-34	74	4.2	26	1	1	3	5	8	14	29
35-49	45	5.9	71	1	2	3	5	10	35	36
50-64	50	7.8	127	1	2	5	10	14	17	79
65+	66	12.3	183	1	2	8	18	34	46	93
GRAND TOTAL	**272**	**7.0**	**97**	**1**	**1**	**4**	**8**	**16**	**29**	**58**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	202	3.7	5	2	2	3	4	5	5	16
20-34	311	3.7	14	2	2	3	4	5	6	9
35-49	97	3.5	2	2	2	3	4	5	6	9
50-64	33	4.9	17	1	2	4	5	12	12	20
65+	7	7.1	26	3	3	6	8	16	18	16
2. MULTIPLE DX										
0-19 YRS	147	4.0	4	2	3	4	5	6	7	10
20-34	163	4.6	32	1	2	4	5	6	9	31
35-49	63	5.1	30	2	2	4	5	8	17	92
50-64	32	7.6	41	2	3	4	11	18	23	24
65+	10	15.7	688	3	3	6	15	53	89	89
TOT. SINGLE DX	650	3.7	10	2	2	3	4	5	7	12
" MULTIPLE DX	415	5.0	40	2	2	4	5	7	12	35
TOTAL 0-19 YRS	349	3.8	5	2	2	4	4	5	6	9
20-34	474	4.0	20	2	2	3	4	6	7	14
35-49	160	4.1	13	2	2	3	4	6	8	38
50-64	65	6.2	30	1	2	4	7	14	20	24
65+	17	12.2	416	3	3	6	10	18	64	89
GRAND TOTAL	**1065**	**4.2**	**22**	**2**	**2**	**3**	**4**	**6**	**8**	**22**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	176	2.4	2	1	1	2	3	4	6	8
20-34	251	2.3	3	1	1	2	3	4	5	9
35-49	47	2.5	3	1	1	2	3	4	6	10
50-64	29	3.3	7	1	1	2	4	7	10	11
65+	8	3.9	5	1	1	3	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	175	3.8	10	1	1	3	5	7	10	18
20-34	269	4.8	30	1	1	3	6	8	14	27
35-49	89	6.2	69	1	1	3	7	14	22	50
50-64	27	5.0	12	1	2	4	7	9	13	16
65+	23	8.3	62	1	1	5	12	21	25	30
TOT. SINGLE DX	511	2.4	3	1	1	2	3	4	5	10
" MULTIPLE DX	583	4.8	31	1	1	3	6	9	14	28
TOTAL 0-19 YRS	351	3.1	6	1	1	2	4	6	8	13
20-34	520	3.6	19	1	1	2	4	7	9	18
35-49	136	4.9	49	1	1	3	5	10	17	43
50-64	56	4.1	10	1	1	3	5	8	11	16
65+	31	7.1	51	1	1	4	8	19	23	30
GRAND TOTAL	**1094**	**3.7**	**20**	**1**	**1**	**2**	**4**	**7**	**10**	**22**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	178	3.1	3	1	1	3	4	6	7	9
20-34	456	2.9	5	1	1	2	4	5	6	13
35-49	140	3.3	7	1	1	2	4	6	7	14
50-64	49	3.1	5	1	1	2	4	6	7	13
65+	18	4.9	22	<1	1	4	6	9	16	21
2. MULTIPLE DX										
0-19 YRS	234	6.6	50	1	2	5	7	15	20	62
20-34	585	7.0	70	1	2	4	8	14	20	50
35-49	204	6.7	50	1	2	4	8	14	19	33
50-64	98	8.1	86	2	2	5	9	18	29	81
65+	45	10.4	85	1	2	8	13	30	32	38
TOT. SINGLE DX	841	3.1	6	1	1	2	4	6	7	13
" MULTIPLE DX	1166	7.1	65	1	2	5	8	15	21	51
TOTAL 0-19 YRS	412	5.1	33	1	2	3	6	10	16	41
20-34	1041	5.2	46	1	1	3	6	11	15	39
35-49	344	5.3	36	1	2	4	6	10	15	28
50-64	147	6.5	65	1	2	4	7	13	20	62
65+	63	8.8	73	1	1	6	12	18	31	37
GRAND TOTAL	**2007**	**5.4**	**44**	**1**	**1**	**3**	**6**	**11**	**16**	**38**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	2.4	1	1	1	3	3	3	3	3
20-34	27	4.0	6	<1	1	3	6	8	9	10
35-49	22	4.0	8	<1	<1	4	5	7	11	13
50-64	12	5.2	11	<1	1	4	7	10	12	12
65+	4	7.0	51	1	1	6	13	15	15	15
2. MULTIPLE DX										
0-19 YRS	9	4.2	4	1	1	4	6	7	7	7
20-34	20	5.4	31	<1	1	4	7	9	17	26
35-49	18	6.7	37	1	2	6	7	13	22	27
50-64	14	8.7	97	2	2	5	12	18	34	39
65+	6	11.7	126	3	3	8	10	32	34	34
TOT. SINGLE DX	74	4.2	10	<1	1	3	5	8	11	15
" MULTIPLE DX	67	6.8	52	1	2	5	8	14	26	38
TOTAL 0-19 YRS	18	3.3	3	1	1	3	4	6	7	7
20-34	47	4.6	17	<1	1	3	7	8	9	26
35-49	40	5.2	22	<1	1	4	6	9	14	27
50-64	26	7.1	59	1	2	5	8	14	21	39
65+	10	9.8	93	1	1	8	11	24	34	34
GRAND TOTAL	**141**	**5.4**	**31**	**<1**	**1**	**4**	**7**	**10**	**14**	**34**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	337	5.4	34	1	1	4	6	10	16	32
20-34	365	4.4	22	1	1	3	5	8	13	23
35-49	227	4.9	21	1	2	3	6	9	12	26
50-64	229	5.8	20	1	2	4	8	11	17	21
65+	97	9.5	84	1	2	7	11	20	26	50
2. MULTIPLE DX										
0-19 YRS	219	7.0	60	2	2	4	8	14	21	46
20-34	318	5.6	51	1	2	4	6	11	19	59
35-49	291	5.7	47	1	2	3	6	12	17	41
50-64	318	6.3	36	2	2	4	7	14	17	32
65+	202	10.2	109	2	2	7	12	22	29	73
TOT. SINGLE DX	1255	5.4	31	1	2	4	6	11	17	30
" MULTIPLE DX	1348	6.7	59	2	2	4	8	14	20	46
TOTAL 0-19 YRS	556	6.0	45	1	2	4	6	12	19	41
20-34	683	4.9	36	1	2	3	5	9	14	37
35-49	518	5.4	35	1	2	3	6	11	16	31
50-64	547	6.1	29	1	2	4	8	13	17	29
65+	299	10.0	100	2	2	7	12	21	28	57
GRAND TOTAL	**2603**	**6.1**	**46**	**1**	**2**	**4**	**7**	**13**	**18**	**37**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	193	3.6	23	1	2	3	4	5	5	9
20-34	340	3.4	2	1	2	3	4	6	6	8
35-49	328	4.0	7	1	2	4	5	6	7	12
50-64	445	4.1	4	2	2	4	5	6	7	12
65+	184	4.5	5	2	2	4	5	7	9	12
2. MULTIPLE DX										
0-19 YRS	248	3.8	2	2	2	4	5	6	6	7
20-34	572	3.9	5	1	2	4	5	6	7	15
35-49	708	4.2	5	2	2	4	5	6	8	13
50-64	1404	4.6	8	2	2	4	5	7	9	15
65+	885	5.0	9	2	2	4	6	8	10	17
TOT. SINGLE DX	1490	3.9	7	1	2	4	5	6	7	11
" MULTIPLE DX	3817	4.4	7	2	2	4	5	7	8	15
TOTAL 0-19 YRS	441	3.7	11	2	2	3	4	5	6	7
20-34	912	3.7	4	1	2	3	4	6	7	12
35-49	1036	4.1	6	2	2	4	5	6	8	13
50-64	1849	4.4	7	2	2	4	5	7	8	14
65+	1069	4.9	8	2	2	4	6	8	10	16
GRAND TOTAL	**5307**	**4.3**	**7**	**2**	**2**	**4**	**5**	**7**	**8**	**14**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1290	3.8	23	1	1	3	4	6	9	28
20-34	1730	4.2	19	1	1	3	5	7	10	26
35-49	1105	4.5	30	1	1	3	5	8	11	30
50-64	913	4.5	20	1	1	3	5	8	12	23
65+	403	6.1	57	1	2	4	7	13	16	41
2. MULTIPLE DX										
0-19 YRS	602	7.5	112	1	2	4	7	19	32	65
20-34	1300	7.9	138	1	2	4	8	18	35	77
35-49	984	7.5	118	1	2	4	7	17	29	63
50-64	1073	7.7	93	1	2	4	9	17	26	55
65+	854	11.6	156	2	2	7	15	26	37	71
TOT. SINGLE DX	5441	4.4	26	1	1	3	5	8	11	28
" MULTIPLE DX	4813	8.4	126	1	2	4	9	20	32	67
TOTAL 0-19 YRS	1892	5.0	55	1	1	3	5	8	17	44
20-34	3030	5.8	74	1	1	3	6	11	19	59
35-49	2089	5.9	74	1	2	4	6	11	19	50
50-64	1986	6.2	62	1	2	4	7	13	19	48
65+	1257	9.8	131	1	2	6	12	23	30	67
GRAND TOTAL	**10254**	**6.3**	**77**	**1**	**1**	**4**	**6**	**13**	**22**	**53**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	370	5.5	33	1	2	4	6	10	15	32
20-34	478	4.9	18	1	2	4	6	9	11	19
35-49	184	6.5	38	1	2	5	8	13	18	37
50-64	122	7.7	34	1	2	6	10	14	18	33
65+	183	12.8	66	3	4	12	16	22	27	45
2. MULTIPLE DX										
0-19 YRS	152	11.3	269	2	2	5	10	35	55	88
20-34	265	8.4	104	1	2	5	8	17	29	56
35-49	118	9.5	131	2	2	7	10	18	35	87
50-64	160	12.6	201	2	3	9	14	25	39	94
65+	351	17.2	135	4	6	14	20	32	40	66
TOT. SINGLE DX	1337	6.6	40	1	2	5	8	14	18	31
" MULTIPLE DX	1046	12.5	169	2	3	8	16	28	40	72
TOTAL 0-19 YRS	522	7.2	108	1	2	4	7	14	29	65
20-34	743	6.2	51	1	2	4	7	12	15	46
35-49	302	7.6	76	1	2	5	9	16	20	56
50-64	282	10.5	134	2	3	7	12	18	31	80
65+	534	15.7	116	4	5	13	18	29	36	63
GRAND TOTAL	**2383**	**9.2**	**105**	**1**	**2**	**6**	**12**	**19**	**29**	**60**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	874	2.4	9	<1	<1	2	3	4	6	17
20-34	1406	2.5	6	<1	<1	2	3	4	5	13
35-49	565	3.1	20	<1	<1	2	3	6	7	25
50-64	521	3.3	15	<1	1	2	4	6	9	20
65+	407	5.6	34	1	1	4	7	12	20	29
2. MULTIPLE DX										
0-19 YRS	190	4.3	39	<1	1	3	4	8	17	36
20-34	367	5.3	73	1	1	3	5	9	18	42
35-49	200	5.9	51	1	1	3	6	14	21	48
50-64	252	6.8	82	1	1	4	8	14	23	59
65+	387	14.0	207	2	2	9	19	31	46	76
TOT. SINGLE DX	3773	3.0	14	<1	<1	2	3	5	8	21
" MULTIPLE DX	1396	7.9	118	1	1	4	9	19	29	60
TOTAL 0-19 YRS	1064	2.8	15	<1	<1	2	3	5	6	20
20-34	1773	3.1	21	<1	1	2	3	5	8	23
35-49	765	3.8	29	<1	<1	2	4	7	13	33
50-64	773	4.5	39	<1	1	3	5	9	13	37
65+	794	9.7	136	1	2	5	12	23	32	60
GRAND TOTAL	**5169**	**4.4**	**47**	**<1**	**1**	**2**	**4**	**9**	**16**	**37**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	22.5	310	2	4	19	31	47	53	85
20-34	21	15.4	290	5	5	9	18	57	86	99+
35-49	26	11.3	98	5	5	8	14	24	60	99+
50-64	83	12.2	43	4	6	11	15	18	29	80
65+	281	14.8	66	6	7	13	17	24	30	51
2. MULTIPLE DX										
0-19 YRS	70	23.6	226	4	9	19	33	45	56	96
20-34	78	27.3	419	7	8	19	40	54	67	93
35-49	34	20.7	303	6	7	16	25	44	48	93
50-64	95	15.7	145	6	7	13	17	26	41	93
65+	617	18.6	124	7	8	16	22	32	43	87
TOT. SINGLE DX	482	15.3	118	5	6	13	18	28	41	84
" MULTIPLE DX	894	19.5	174	7	8	16	23	36	49	93
TOTAL 0-19 YRS	141	23.0	267	3	6	19	32	46	54	88
20-34	99	24.8	412	6	7	17	36	54	73	96
35-49	60	16.7	233	5	5	13	19	39	50	99
50-64	178	14.1	100	5	6	12	16	23	31	95
65+	898	17.4	109	7	8	15	21	30	39	70
GRAND TOTAL	**1376**	**18.1**	**159**	**6**	**7**	**15**	**21**	**33**	**47**	**92**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	148	10.2	44	3	4	8	14	21	23	30
20-34	159	11.6	66	4	5	10	14	21	23	55
35-49	110	11.0	26	4	5	10	15	18	21	25
50-64	319	12.6	51	5	6	11	15	20	26	46
65+	1414	15.9	60	7	9	14	18	25	29	51
2. MULTIPLE DX										
0-19 YRS	231	21.1	269	5	6	16	26	42	58	82
20-34	325	21.1	260	6	8	16	26	47	67	99+
35-49	181	19.3	142	6	8	16	25	37	52	99+
50-64	500	19.1	164	7	7	15	24	36	45	78
65+	3277	19.8	141	8	10	17	23	34	44	82
TOT. SINGLE DX	2150	14.4	60	5	7	13	17	23	28	47
" MULTIPLE DX	4514	19.9	159	7	9	17	24	36	47	85
TOTAL 0-19 YRS	379	16.8	209	3	5	13	21	35	46	79
20-34	484	18.0	215	5	6	14	22	36	58	99+
35-49	291	16.1	114	5	6	13	20	33	41	83
50-64	819	16.5	130	6	7	13	19	31	40	69
65+	4691	18.6	120	8	9	16	22	31	41	77
GRAND TOTAL	**6664**	**18.1**	**133**	**7**	**8**	**15**	**21**	**31**	**42**	**79**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	196	12.0	114	1	2	8	20	27	31	40
20-34	28	15.8	281	2	2	8	26	44	48	63
35-49	9	13.2	117	3	4	11	17	31	38	38
50-64	26	9.6	42	1	3	8	13	19	22	28
65+	62	17.8	252	4	6	13	19	43	61	71
2. MULTIPLE DX										
0-19 YRS	110	19.8	278	2	2	18	29	41	56	93
20-34	61	28.8	563	3	4	21	48	71	98	99+
35-49	28	27.0	465	1	4	21	39	56	77	78
50-64	24	24.2	539	2	6	14	36	64	75	77
65+	114	22.6	256	5	7	18	28	49	58	74
TOT. SINGLE DX	321	13.3	154	1	2	9	20	29	36	63
" MULTIPLE DX	337	23.3	362	2	4	19	33	53	63	99+
TOTAL 0-19 YRS	306	14.8	186	1	2	12	23	32	39	69
20-34	89	24.7	507	3	4	18	44	60	88	99+
35-49	37	23.7	411	2	4	19	37	52	70	78
50-64	50	16.6	328	2	3	10	18	44	63	77
65+	176	20.9	258	5	7	15	26	48	59	72
GRAND TOTAL	**658**	**18.4**	**285**	**2**	**3**	**14**	**25**	**43**	**58**	**88**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	324	4.3	27	<1	1	2	4	11	16	24
20-34	380	3.1	7	<1	1	2	4	6	7	12
35-49	218	4.1	26	<1	1	3	4	8	11	35
50-64	211	3.8	49	1	1	3	4	7	9	16
65+	157	5.7	39	1	1	4	7	13	19	31
2. MULTIPLE DX										
0-19 YRS	140	11.7	174	1	1	7	16	25	43	59
20-34	238	8.3	117	1	1	4	9	21	30	63
35-49	129	8.1	169	1	1	4	7	18	27	83
50-64	158	9.0	131	1	2	5	9	21	36	79
65+	176	15.0	273	2	2	9	20	36	54	79
TOT. SINGLE DX	1290	4.0	27	<1	1	3	4	8	12	25
" MULTIPLE DX	841	10.4	176	1	1	5	13	25	41	71
TOTAL 0-19 YRS	464	6.5	83	1	1	3	8	17	24	50
20-34	613	5.1	56	<1	1	3	5	10	17	47
35-49	347	5.6	83	1	1	3	5	11	18	48
50-64	369	6.0	91	1	1	3	6	11	20	53
65+	333	10.6	163	1	1	5	13	26	37	68
GRAND TOTAL	**2131**	**6.5**	**95**	**1**	**1**	**3**	**7**	**15**	**24**	**54**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1685	3.2	11	1	1	3	4	6	7	13
20-34	2357	3.9	12	1	1	3	5	7	9	16
35-49	1103	4.5	12	1	2	4	6	8	10	17
50-64	929	5.5	19	1	2	5	7	10	13	21
65+	546	8.3	41	2	2	7	11	16	19	28
2. MULTIPLE DX										
0-19 YRS	817	6.9	80	1	1	4	7	15	24	58
20-34	1712	7.6	98	1	2	5	8	16	26	59
35-49	910	8.5	106	1	2	5	9	17	26	65
50-64	858	9.6	102	2	2	6	12	20	28	56
65+	743	13.8	174	3	4	10	17	27	41	70
TOT. SINGLE DX	6620	4.4	17	1	1	3	5	8	11	19
" MULTIPLE DX	5040	8.9	113	1	2	5	10	19	29	62
TOTAL 0-19 YRS	2502	4.4	37	1	1	3	5	8	12	36
20-34	4069	5.5	52	1	1	4	6	10	15	44
35-49	2013	6.3	58	1	2	4	7	12	17	47
50-64	1787	7.5	53	1	2	5	9	15	21	46
65+	1289	11.5	125	2	3	8	14	22	31	68
GRAND TOTAL	**11660**	**6.4**	**63**	**1**	**1**	**4**	**7**	**13**	**19**	**47**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2971	2.4	15	<1	1	1	2	4	7	18
20-34	964	3.6	20	<1	1	3	4	7	9	21
35-49	533	3.8	20	1	1	3	4	7	10	24
50-64	572	4.0	22	1	1	3	5	8	11	21
65+	552	4.8	33	1	1	3	6	10	15	30
2. MULTIPLE DX										
0-19 YRS	946	5.7	81	1	1	3	6	13	21	55
20-34	790	7.3	95	1	1	4	8	16	25	58
35-49	420	7.0	84	1	1	4	8	13	25	52
50-64	522	7.5	98	1	1	4	9	16	27	51
65+	780	9.5	104	1	2	6	12	21	28	54
TOT. SINGLE DX	5592	3.1	20	<1	1	2	4	6	9	21
" MULTIPLE DX	3458	7.4	94	1	1	4	9	16	25	55
TOTAL 0-19 YRS	3917	3.2	33	<1	1	2	3	6	11	26
20-34	1754	5.3	57	1	1	3	6	11	17	47
35-49	953	5.2	51	1	1	3	6	10	15	43
50-64	1094	5.7	61	1	1	3	6	12	18	44
65+	1332	7.6	80	1	1	5	9	17	23	46
GRAND TOTAL	**9050**	**4.7**	**52**	**1**	**1**	**2**	**5**	**10**	**16**	**39**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	316	3.7	25	<1	1	1	4	11	15	22
20-34	263	2.7	10	<1	<1	1	3	5	10	20
35-49	125	3.0	10	<1	<1	2	4	7	9	39
50-64	127	3.2	21	<1	<1	2	3	7	10	26
65+	211	4.9	34	1	1	2	6	13	17	27
2. MULTIPLE DX										
0-19 YRS	132	7.2	86	1	1	4	8	15	25	47
20-34	207	8.1	106	1	1	4	9	25	39	70
35-49	87	5.8	53	<1	1	3	7	13	17	43
50-64	144	9.5	196	1	1	4	10	24	41	71
65+	227	8.8	109	1	1	5	10	24	29	49
TOT. SINGLE DX	1042	3.5	22	<1	1	2	4	9	14	24
" MULTIPLE DX	797	8.2	115	1	1	4	9	20	32	58
TOTAL 0-19 YRS	448	4.7	46	<1	1	2	6	13	16	38
20-34	470	5.1	60	<1	1	2	5	12	22	46
35-49	212	4.1	30	<1	<1	2	5	9	15	40
50-64	271	6.6	124	<1	1	3	7	14	26	61
65+	438	6.9	76	1	1	4	8	17	25	41
GRAND TOTAL	**1839**	**5.5**	**67**	**<1**	**1**	**3**	**6**	**13**	**22**	**46**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	184	3.6	16	1	1	3	4	6	11	23
20-34	336	3.2	3	1	1	3	4	5	6	10
35-49	112	3.8	5	1	1	3	5	6	7	14
50-64	71	5.8	23	2	2	5	6	11	14	28
65+	66	12.1	116	1	2	10	15	22	41	54
2. MULTIPLE DX										
0-19 YRS	81	8.2	61	1	2	5	9	24	28	78
20-34	147	6.8	57	1	2	4	7	15	22	41
35-49	84	8.1	106	1	2	4	10	20	23	60
50-64	66	8.9	93	1	2	6	11	20	29	48
65+	75	15.8	175	3	4	14	20	31	40	74
TOT. SINGLE DX	769	4.4	24	1	1	3	5	8	13	25
" MULTIPLE DX	453	9.1	100	1	2	5	12	21	29	49
TOTAL 0-19 YRS	265	5.0	34	1	1	3	5	11	21	31
20-34	483	4.3	23	1	2	3	4	7	11	29
35-49	196	5.6	53	1	1	4	6	12	20	30
50-64	137	7.3	59	1	2	5	8	17	27	43
65+	141	14.1	150	2	3	12	17	27	41	60
GRAND TOTAL	**1222**	**6.1**	**57**	**1**	**1**	**4**	**6**	**14**	**21**	**41**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	908	3.7	11	1	1	3	4	6	9	19
20-34	1039	3.7	8	1	1	3	4	6	8	19
35-49	438	4.4	19	1	1	3	5	8	12	27
50-64	302	6.0	41	1	1	4	7	14	17	34
65+	158	11.0	139	2	2	6	14	27	38	43
2. MULTIPLE DX										
0-19 YRS	477	5.3	34	1	2	4	5	11	19	37
20-34	706	5.2	36	1	2	4	6	9	14	31
35-49	377	6.7	67	1	2	4	7	12	22	44
50-64	335	9.2	135	2	2	5	10	23	32	72
65+	276	17.6	254	3	3	13	24	41	50	78
TOT. SINGLE DX	2845	4.5	24	1	1	3	5	8	13	27
" MULTIPLE DX	2171	7.7	100	1	2	4	7	17	27	54
TOTAL 0-19 YRS	1385	4.2	19	1	2	3	4	7	12	25
20-34	1745	4.3	20	1	1	3	5	7	10	22
35-49	815	5.5	42	1	2	4	6	10	16	37
50-64	637	7.7	92	1	2	5	8	17	25	53
65+	434	15.2	222	2	3	10	21	35	43	75
GRAND TOTAL	**5016**	**5.9**	**59**	**1**	**2**	**4**	**6**	**12**	**20**	**42**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	9.5	24	4	5	8	12	16	20	25
20-34	1986	9.5	24	4	5	8	11	16	19	26
35-49	3164	9.9	28	4	5	9	12	17	20	29
50-64	1712	10.8	34	4	5	9	13	18	22	33
65+	386	12.6	44	5	6	11	16	21	23	32
2. MULTIPLE DX										
0-19 YRS	20	14.0	97	4	5	12	17	36	69	99+
20-34	606	12.0	65	4	5	10	15	22	28	47
35-49	1220	12.4	58	5	5	11	15	21	26	41
50-64	1252	13.4	82	5	6	11	16	23	27	53
65+	511	18.1	120	7	8	15	22	32	38	58
TOT. SINGLE DX	7355	10.1	30	4	5	9	12	17	20	29
" MULTIPLE DX	3609	13.5	80	5	6	11	16	23	30	50
TOTAL 0-19 YRS	127	10.2	37	4	5	9	13	18	24	55
20-34	2592	10.1	35	4	5	9	12	17	21	30
35-49	4384	10.6	37	4	5	9	13	18	22	33
50-64	2964	11.9	56	5	5	10	14	20	25	42
65+	897	15.7	95	6	7	13	20	27	34	52
GRAND TOTAL	**10964**	**11.2**	**49**	**4**	**5**	**9**	**14**	**19**	**24**	**36**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1360	4.0	15	2	2	4	5	6	6	11
20-34	3370	3.9	5	2	2	4	5	6	7	11
35-49	1669	4.3	5	2	2	4	5	6	8	12
50-64	932	4.7	7	2	2	4	5	7	9	14
65+	180	5.8	17	2	3	5	7	9	13	28
2. MULTIPLE DX										
0-19 YRS	684	4.6	11	2	2	4	5	7	8	17
20-34	1959	4.6	11	2	2	4	5	7	9	15
35-49	1101	5.0	11	2	2	4	6	8	11	18
50-64	1083	5.4	17	2	2	5	6	9	11	21
65+	298	7.1	28	2	3	6	8	13	16	32
TOT. SINGLE DX	7511	4.1	7	2	2	4	5	6	7	12
" MULTIPLE DX	5125	5.0	14	2	2	4	6	8	10	19
TOTAL 0-19 YRS	2044	4.2	14	2	2	4	5	6	7	12
20-34	5329	4.2	7	2	2	4	5	6	8	13
35-49	2770	4.6	7	2	2	4	5	7	9	15
50-64	2015	5.1	13	2	2	4	6	8	10	18
65+	478	6.6	24	2	3	5	8	12	15	31
GRAND TOTAL	**12636**	**4.5**	**10**	**2**	**2**	**4**	**5**	**7**	**9**	**15**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1054	2.8	15	<1	1	2	3	5	6	11
20-34	1691	2.8	9	<1	1	2	3	5	6	12
35-49	717	3.0	6	<1	1	2	4	5	7	12
50-64	473	3.6	13	<1	1	2	4	6	11	23
65+	180	4.0	33	<1	1	3	4	7	11	26
2. MULTIPLE DX										
0-19 YRS	492	3.7	35	1	1	3	4	6	8	23
20-34	1089	3.5	12	<1	1	3	4	6	9	17
35-49	674	4.1	26	1	1	3	4	7	12	33
50-64	572	5.4	49	1	1	3	6	11	18	41
65+	298	7.2	66	1	2	4	9	15	24	45
TOT. SINGLE DX	4115	3.0	11	<1	1	2	4	5	6	15
" MULTIPLE DX	3125	4.3	32	1	1	3	5	8	12	31
TOTAL 0-19 YRS	1546	3.1	21	<1	1	2	4	5	6	16
20-34	2780	3.1	10	<1	1	2	4	5	7	15
35-49	1391	3.5	16	<1	1	2	4	6	8	21
50-64	1045	4.6	33	<1	1	3	5	9	14	32
65+	478	6.0	56	1	1	3	7	12	20	43
GRAND TOTAL	**7240**	**3.6**	**21**	**<1**	**1**	**2**	**4**	**6**	**9**	**23**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	194	11.8	40	5	6	10	13	20	26	32
20-34	338	11.2	47	5	6	10	12	18	24	39
35-49	483	10.0	33	4	5	9	12	16	20	35
50-64	253	10.1	49	4	5	9	12	17	22	35
65+	38	13.0	68	4	4	10	19	25	29	34
2. MULTIPLE DX										
0-19 YRS	127	19.2	250	5	7	14	23	38	50	94
20-34	280	16.8	168	6	7	13	20	34	47	97
35-49	339	13.8	95	5	6	11	16	27	35	99+
50-64	230	15.5	115	5	6	13	20	32	43	99+
65+	70	17.9	176	5	6	13	23	43	55	99+
TOT. SINGLE DX	1306	10.7	42	4	5	9	12	18	23	35
" MULTIPLE DX	1046	15.9	146	5	6	12	19	32	45	99+
TOTAL 0-19 YRS	321	14.7	135	5	6	11	17	26	37	81
20-34	618	13.7	110	5	6	11	16	25	35	70
35-49	822	11.6	62	4	5	10	14	19	27	63
50-64	483	12.7	88	4	5	10	16	25	33	93
65+	108	16.2	143	5	5	12	22	33	47	99+
GRAND TOTAL	**2352**	**13.0**	**95**	**5**	**5**	**10**	**15**	**24**	**33**	**78**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	108	3.7	6	1	1	3	5	7	7	12
20-34	299	4.6	15	1	2	4	6	8	10	16
35-49	254	4.8	15	1	2	4	6	9	11	18
50-64	275	4.9	27	1	2	4	6	9	14	27
65+	150	5.9	35	1	2	3	8	13	18	29
2. MULTIPLE DX										
0-19 YRS	114	4.8	11	1	2	4	5	8	11	21
20-34	234	6.1	27	1	2	5	7	11	14	29
35-49	212	6.4	38	1	2	5	7	12	17	35
50-64	266	6.4	36	2	2	5	7	12	20	30
65+	195	7.9	64	1	2	5	11	20	24	40
TOT. SINGLE DX	1086	4.8	20	1	2	4	6	9	12	24
" MULTIPLE DX	1021	6.4	37	1	2	5	8	13	20	30
TOTAL 0-19 YRS	222	4.3	9	1	1	4	5	7	9	16
20-34	533	5.3	21	1	2	4	6	9	12	28
35-49	466	5.5	26	1	2	4	6	10	14	30
50-64	541	5.6	32	1	2	4	6	10	16	28
65+	345	7.0	52	1	2	4	9	16	22	29
GRAND TOTAL	2107	5.6	29	1	2	4	6	11	15	28

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	12.0	4	10	10	11	13	15	16	16
20-34	65	13.5	117	7	7	11	15	19	22	82
35-49	159	13.1	46	6	7	12	14	21	26	45
50-64	666	13.6	30	7	8	12	16	20	23	33
65+	1239	15.1	35	8	10	14	17	21	25	36
2. MULTIPLE DX										
0-19 YRS	17	18.1	144	7	9	13	21	40	42	43
20-34	61	15.4	117	7	8	12	16	29	47	53
35-49	148	15.4	58	7	8	14	19	26	30	56
50-64	633	16.8	81	8	9	14	19	28	38	60
65+	1563	19.6	104	9	11	17	23	32	39	65
TOT. SINGLE DX	2136	14.4	37	8	9	13	17	21	24	36
" MULTIPLE DX	2422	18.5	98	9	10	16	22	31	39	63
TOTAL 0-19 YRS	24	16.3	109	8	9	12	16	37	42	43
20-34	126	14.4	117	7	8	12	15	21	35	63
35-49	307	14.2	53	6	8	12	16	23	29	46
50-64	1299	15.1	57	8	9	13	17	24	30	48
65+	2802	17.6	78	9	10	16	20	28	34	55
GRAND TOTAL	4558	16.6	74	8	9	15	19	26	33	52

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	7.3	20	2	3	6	10	14	16	16
20-34	17	15.1	100	7	9	14	15	18	40	52
35-49	30	10.2	16	3	5	10	13	15	17	19
50-64	174	13.1	31	6	7	12	15	21	26	35
65+	929	15.6	44	8	9	14	18	23	29	44
2. MULTIPLE DX										
0-19 YRS	10	10.6	50	2	2	10	14	21	25	25
20-34	23	15.1	78	3	5	14	20	33	57	99+
35-49	51	18.5	261	5	7	14	21	37	62	99+
50-64	260	18.6	142	7	9	15	23	31	44	68
65+	1965	19.6	116	9	10	17	23	33	41	65
TOT. SINGLE DX	1162	15.0	44	7	9	14	17	23	28	44
" MULTIPLE DX	2309	19.4	122	8	10	16	23	33	41	68
TOTAL 0-19 YRS	22	8.8	35	2	3	7	13	16	20	25
20-34	40	15.1	85	4	6	14	18	28	44	99+
35-49	81	15.5	186	4	7	12	17	29	47	98
50-64	434	16.4	105	7	8	14	19	28	35	66
65+	2894	18.4	96	9	10	16	21	31	38	60
GRAND TOTAL	3471	17.9	100	8	9	15	21	30	37	62

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	704	4.5	6	2	2	4	5	7	8	15
20-34	977	5.0	8	2	2	5	6	8	9	19
35-49	297	7.5	49	3	3	5	9	13	17	30
50-64	433	12.4	38	4	6	12	15	20	24	32
65+	855	15.9	51	7	9	15	19	24	29	40
2. MULTIPLE DX										
0-19 YRS	524	5.2	9	2	3	5	6	8	10	19
20-34	982	6.2	27	3	3	5	7	9	13	24
35-49	334	7.8	41	2	3	6	9	15	20	32
50-64	445	13.9	80	4	5	12	17	24	29	52
65+	889	18.6	97	8	10	16	22	30	35	61
TOT. SINGLE DX	3266	9.0	50	2	3	6	13	18	22	34
" MULTIPLE DX	3174	10.8	84	3	3	7	15	22	27	47
TOTAL 0-19 YRS	1228	4.8	7	2	2	4	6	7	10	16
20-34	1959	5.6	18	2	3	5	6	9	11	21
35-49	631	7.6	45	3	3	6	9	14	19	31
50-64	878	13.2	59	4	5	12	16	22	27	44
65+	1744	17.3	76	8	9	15	20	27	34	51
GRAND TOTAL	6440	9.8	67	2	3	7	14	20	25	39

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	817	3.4	3	1	2	3	4	5	6	9
20-34	1581	3.5	4	1	2	3	4	6	7	9
35-49	568	3.6	5	1	1	3	4	6	7	13
50-64	530	4.5	17	1	2	3	5	8	11	21
65+	186	5.6	19	1	2	4	7	11	14	24
2. MULTIPLE DX										
0-19 YRS	198	3.9	13	1	1	3	4	6	8	22
20-34	505	4.5	17	1	2	4	5	7	10	25
35-49	324	4.8	22	1	2	4	5	7	11	24
50-64	444	5.8	46	2	2	4	6	10	14	34
65+	281	8.0	70	2	2	5	9	15	24	49
TOT. SINGLE DX	3682	3.7	7	1	2	3	4	6	8	14
" MULTIPLE DX	1752	5.4	35	1	2	4	6	9	14	31
TOTAL 0-19 YRS	1015	3.5	5	1	1	3	4	5	6	10
20-34	2086	3.8	8	1	2	3	4	6	7	16
35-49	892	4.0	12	1	2	3	5	7	9	18
50-64	974	5.1	30	1	2	4	6	9	12	29
65+	467	7.0	51	2	2	5	8	13	17	36
GRAND TOTAL	**5434**	**4.3**	**17**	**1**	**2**	**3**	**5**	**7**	**9**	**22**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	339	3.3	14	<1	1	2	4	6	9	18
20-34	445	3.5	18	<1	<1	2	4	7	8	17
35-49	357	3.0	9	<1	<1	2	4	6	7	13
50-64	374	2.5	11	<1	<1	2	2	4	7	17
65+	138	3.5	27	<1	<1	2	3	8	13	24
2. MULTIPLE DX										
0-19 YRS	220	4.9	36	1	1	4	5	8	12	31
20-34	295	6.9	88	1	1	4	7	14	22	50
35-49	177	5.6	32	<1	1	4	7	13	20	31
50-64	229	6.9	101	1	1	3	8	15	21	63
65+	116	11.4	169	1	2	7	15	26	46	99+
TOT. SINGLE DX	1653	3.1	15	<1	<1	2	4	6	8	17
" MULTIPLE DX	1037	6.8	82	1	1	4	7	15	23	60
TOTAL 0-19 YRS	559	3.9	23	<1	1	3	5	7	10	25
20-34	740	4.9	49	<1	1	3	5	9	14	30
35-49	534	3.9	18	<1	<1	3	5	8	11	24
50-64	603	4.1	50	<1	<1	2	4	9	14	40
65+	254	7.1	107	<1	<1	3	9	19	26	75
GRAND TOTAL	**2690**	**4.5**	**44**	**<1**	**<1**	**3**	**5**	**9**	**14**	**35**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	614	1.9	3	<1	<1	2	2	3	3	7
20-34	1021	2.0	4	<1	<1	2	2	3	4	9
35-49	690	2.2	6	<1	<1	2	3	4	5	12
50-64	491	2.6	4	<1	<1	2	3	5	6	11
65+	221	3.6	16	<1	<1	3	4	7	10	23
2. MULTIPLE DX										
0-19 YRS	106	3.8	35	<1	<1	2	3	8	10	40
20-34	256	4.3	26	<1	1	2	4	10	16	22
35-49	281	4.9	29	<1	1	3	5	11	16	26
50-64	349	5.4	39	1	1	3	6	11	17	33
65+	241	9.2	105	1	2	5	12	21	31	56
TOT. SINGLE DX	3037	2.2	5	<1	<1	2	2	4	5	11
" MULTIPLE DX	1233	5.6	50	<1	1	3	6	14	19	36
TOTAL 0-19 YRS	720	2.1	8	<1	<1	2	2	3	4	11
20-34	1277	2.5	9	<1	<1	2	2	4	7	17
35-49	971	3.0	14	<1	<1	2	3	6	9	21
50-64	840	3.7	20	<1	1	2	4	7	11	24
65+	462	6.5	70	<1	1	3	7	16	23	46
GRAND TOTAL	**4270**	**3.2**	**20**	**<1**	**<1**	**2**	**3**	**6**	**10**	**24**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	2.4	4	<1	<1	2	3	4	7	11
20-34	83	2.7	18	<1	<1	2	2	5	9	77
35-49	122	2.2	2	<1	<1	2	3	4	5	10
50-64	393	2.2	3	<1	1	2	3	3	4	8
65+	270	2.3	3	1	1	2	3	3	4	8
2. MULTIPLE DX										
0-19 YRS	28	3.7	10	<1	1	3	5	8	9	15
20-34	52	3.8	17	<1	<1	2	4	8	15	19
35-49	62	4.3	126	<1	1	2	4	6	9	80
50-64	165	2.8	5	1	1	2	3	4	9	11
65+	155	3.7	25	1	1	2	4	7	11	20
TOT. SINGLE DX	905	2.3	4	<1	1	2	3	3	4	11
" MULTIPLE DX	462	3.5	30	1	1	2	3	7	10	17
TOTAL 0-19 YRS	65	3.0	7	<1	<1	2	3	7	8	14
20-34	135	3.1	18	<1	<1	2	3	7	13	42
35-49	184	2.9	44	<1	<1	2	3	4	6	14
50-64	558	2.4	3	<1	1	2	3	4	5	11
65+	425	2.8	11	1	1	2	3	4	7	13
GRAND TOTAL	**1367**	**2.7**	**13**	**<1**	**1**	**2**	**3**	**4**	**7**	**14**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	445	2.1	10	<1	<1	2	2	3	4	8
20-34	799	2.1	4	<1	<1	2	2	4	5	10
35-49	265	2.3	5	<1	1	2	3	4	5	13
50-64	180	2.0	2	<1	<1	2	3	3	4	8
65+	74	2.4	3	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
0-19 YRS	324	2.3	3	<1	1	2	3	4	5	11
20-34	545	2.9	22	<1	1	2	3	5	7	15
35-49	203	3.0	25	<1	1	2	3	5	8	21
50-64	145	3.6	27	<1	1	2	4	6	9	30
65+	66	3.8	12	1	1	3	4	8	11	18
TOT. SINGLE DX	1763	2.1	5	<1	<1	2	2	4	5	9
" MULTIPLE DX	1283	2.9	18	<1	1	2	3	5	7	19
TOTAL 0-19 YRS	769	2.2	7	<1	1	2	2	4	5	10
20-34	1344	2.4	11	<1	1	2	3	4	6	14
35-49	468	2.6	14	<1	1	2	3	4	6	19
50-64	325	2.7	13	<1	<1	2	3	4	7	26
65+	140	3.1	8	<1	1	2	3	6	8	16
GRAND TOTAL	**3046**	**2.5**	**11**	**<1**	**1**	**2**	**3**	**4**	**6**	**14**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	229	2.6	6	<1	1	2	3	5	7	13
20-34	458	3.1	8	1	1	3	4	6	7	19
35-49	428	3.3	5	<1	1	3	4	6	7	13
50-64	454	3.7	7	1	1	3	5	6	8	13
65+	151	4.9	11	1	1	4	7	9	11	17
2. MULTIPLE DX										
0-19 YRS	132	3.3	10	1	1	2	4	7	9	19
20-34	290	4.9	33	1	1	3	5	9	15	30
35-49	220	5.6	58	1	2	4	6	9	15	53
50-64	283	4.9	16	1	2	4	6	9	13	28
65+	155	7.9	102	1	2	5	8	18	25	57
TOT. SINGLE DX	1720	3.4	7	1	1	3	4	6	8	14
" MULTIPLE DX	1080	5.3	42	1	1	4	6	10	16	36
TOTAL 0-19 YRS	361	2.9	7	<1	1	2	3	6	8	15
20-34	748	3.8	18	1	1	3	4	7	10	24
35-49	648	4.1	24	1	1	3	5	7	9	22
50-64	737	4.1	11	1	1	3	5	8	10	21
65+	306	6.4	59	1	2	4	7	12	19	35
GRAND TOTAL	**2800**	**4.1**	**22**	**1**	**1**	**3**	**5**	**7**	**10**	**24**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	520	3.5	6	1	1	3	4	6	7	11
20-34	575	3.4	8	1	1	3	4	5	7	12
35-49	308	3.6	5	1	1	3	4	6	8	13
50-64	180	4.3	7	1	2	4	5	7	9	15
65+	62	5.5	17	1	2	4	7	11	12	23
2. MULTIPLE DX										
0-19 YRS	318	4.1	15	1	2	3	5	7	9	25
20-34	317	4.8	31	1	2	4	6	8	11	75
35-49	147	5.2	24	1	2	4	6	10	14	29
50-64	130	5.8	63	1	2	4	6	11	21	99+
65+	61	9.9	101	2	3	6	11	25	37	44
TOT. SINGLE DX	1645	3.7	7	1	1	3	4	6	8	13
" MULTIPLE DX	973	5.1	35	1	2	4	5	9	14	41
TOTAL 0-19 YRS	838	3.7	9	1	1	3	4	6	8	15
20-34	892	3.9	17	1	1	3	5	6	8	26
35-49	455	4.1	12	1	2	4	5	7	9	17
50-64	310	4.9	31	1	2	4	6	8	13	51
65+	123	7.7	63	2	2	5	10	13	25	41
GRAND TOTAL	**2618**	**4.2**	**18**	**1**	**1**	**3**	**5**	**7**	**9**	**25**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	100	2.1	6	<1	<1	1	2	4	5	15
20-34	207	2.4	7	<1	1	2	3	4	7	13
35-49	95	3.1	17	<1	<1	2	3	6	9	24
50-64	97	2.2	3	<1	1	2	2	4	6	10
65+	38	2.4	14	<1	<1	1	2	5	6	23
2. MULTIPLE DX										
0-19 YRS	52	3.6	37	1	1	2	4	7	10	42
20-34	137	4.8	110	1	1	2	4	8	12	65
35-49	85	6.3	128	<1	1	2	6	16	26	67
50-64	91	6.7	99	1	1	3	6	21	28	49
65+	59	10.2	279	1	1	3	8	38	52	70
TOT. SINGLE DX	537	2.4	8	<1	1	2	3	4	7	17
" MULTIPLE DX	424	6.1	128	1	1	2	5	12	27	63
TOTAL 0-19 YRS	152	2.6	17	<1	1	1	3	4	7	17
20-34	344	3.4	49	1	1	2	3	6	8	31
35-49	180	4.6	71	<1	1	2	4	9	18	38
50-64	188	4.4	54	1	1	2	4	9	20	45
65+	97	7.1	188	<1	1	2	5	20	46	69
GRAND TOTAL	**961**	**4.1**	**64**	**<1**	**1**	**2**	**3**	**7**	**13**	**48**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	2.7	4	1	1	2	3	5	8	8
20-34	18	4.5	9	1	1	4	5	10	11	11
35-49	7	2.4	3	1	1	2	4	5	5	5
50-64	8	6.3	26	<1	<1	6	7	14	17	17
65+	4	5.0	8	1	1	6	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	5	7.6	78	<1	<1	2	15	20	20	20
20-34	16	10.7	211	1	1	6	10	41	47	49
35-49	8	21.6	585	1	2	7	44	58	61	61
50-64	8	8.5	33	1	2	10	11	17	19	19
65+	13	19.1	189	<1	2	16	25	40	46	47
TOT. SINGLE DX	49	4.1	10	1	1	3	5	8	10	17
" MULTIPLE DX	50	14.0	235	1	1	8	19	41	49	61
TOTAL 0-19 YRS	17	4.1	28	<1	1	2	4	13	18	20
20-34	34	7.4	110	1	1	5	8	12	38	49
35-49	15	12.7	392	1	1	4	8	51	58	61
50-64	16	7.4	29	<1	1	7	10	16	18	19
65+	17	15.8	181	<1	1	13	24	36	44	47
GRAND TOTAL	**99**	**9.1**	**147**	**1**	**1**	**5**	**10**	**24**	**41**	**56**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	4.9	52	1	1	3	4	10	19	37
20-34	40	4.9	24	<1	1	3	7	13	16	21
35-49	22	2.8	3	<1	1	2	4	5	6	7
50-64	48	6.4	64	1	1	4	7	18	24	43
65+	67	7.9	81	<1	1	4	10	18	30	44
2. MULTIPLE DX										
0-19 YRS	29	8.2	108	1	1	4	11	20	29	50
20-34	59	14.0	233	2	3	10	17	33	52	72
35-49	93	15.2	166	2	2	11	22	33	40	59
50-64	189	16.2	229	2	3	12	23	35	50	78
65+	316	17.5	268	2	3	13	23	40	56	99
TOT. SINGLE DX	208	6.0	55	1	1	3	7	15	21	40
" MULTIPLE DX	686	16.2	237	2	3	12	22	37	50	85
TOTAL 0-19 YRS	60	6.5	81	1	1	4	6	17	25	49
20-34	99	10.4	167	1	1	5	13	22	36	68
35-49	115	12.8	159	1	2	9	18	32	39	55
50-64	237	14.2	210	2	2	9	20	32	47	75
65+	383	15.8	249	2	3	11	21	38	53	95
GRAND TOTAL	**894**	**13.8**	**213**	**1**	**2**	**9**	**18**	**33**	**44**	**81**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	17.0	154	3	3	16	25	33	33	33
20-34	9	9.4	23	2	3	9	12	16	16	16
35-49	8	11.1	43	4	4	10	14	22	24	24
50-64	11	16.1	41	8	9	15	21	25	28	28
65+	21	18.2	167	4	6	12	24	39	43	45
2. MULTIPLE DX										
0-19 YRS	7	16.0	39	4	6	17	21	22	22	22
20-34	31	26.4	348	5	6	21	37	53	65	72
35-49	48	23.0	294	6	7	18	36	51	89	99+
50-64	149	27.7	270	7	9	24	39	59	78	99+
65+	456	29.4	336	9	11	25	41	57	78	99+
TOT. SINGLE DX	53	15.1	103	3	4	12	19	33	37	45
" MULTIPLE DX	691	28.3	320	7	10	24	40	55	78	99+
TOTAL 0-19 YRS	11	16.4	70	3	4	17	21	26	32	33
20-34	40	22.6	323	4	6	17	30	51	60	72
35-49	56	21.3	274	5	6	16	32	46	76	99+
50-64	160	26.9	263	7	9	23	38	53	77	99+
65+	477	28.9	334	8	10	24	40	55	78	99+
GRAND TOTAL	**744**	**27.4**	**316**	**7**	**9**	**23**	**38**	**54**	**76**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	7.7	5	5	5	9	9	9	9	9
20-34	6	17.7	136	6	6	15	23	36	38	38
35-49	4	8.0	11	4	4	8	10	12	12	12
50-64	7	14.1	46	6	6	15	20	23	23	23
65+	24	18.1	129	4	6	15	24	35	39	49
2. MULTIPLE DX										
0-19 YRS	7	21.3	113	6	7	24	27	34	36	36
20-34	14	26.8	564	4	5	31	59	99+	99+	99+
35-49	15	20.6	278	6	6	16	25	39	61	68
50-64	80	26.8	395	6	9	20	41	72	94	99+
65+	389	23.4	275	7	9	18	30	47	64	99+
TOT. SINGLE DX	44	15.8	107	5	6	14	22	34	36	49
" MULTIPLE DX	505	24.0	299	6	9	19	31	52	73	99+
TOTAL 0-19 YRS	10	17.2	120	5	5	15	26	32	36	36
20-34	20	24.1	440	4	6	23	38	99+	99+	99+
35-49	19	17.9	246	5	6	12	22	38	55	68
50-64	87	25.8	378	6	8	20	39	71	90	99+
65+	413	23.1	268	7	9	18	30	47	62	99+
GRAND TOTAL	**549**	**23.3**	**289**	**6**	**8**	**18**	**31**	**49**	**71**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	8	9.1	51	2	2	7	13	21	23	23
35-49	6	14.5	160	1	1	15	15	35	37	37
50-64	2	10.0	98	3	3	10	17	17	17	17
65+	9	18.0	56	8	8	18	23	28	30	30
2. MULTIPLE DX										
0-19 YRS	6	17.0	330	4	4	11	16	49	53	53
20-34	18	23.4	614	3	3	11	45	55	78	92
35-49	26	21.9	372	6	8	16	29	49	97	99+
50-64	51	22.3	325	3	6	17	33	51	88	99+
65+	118	30.5	439	4	8	25	38	70	79	99+
TOT. SINGLE DX	28	12.5	89	2	2	12	17	24	31	37
" MULTIPLE DX	219	26.6	427	4	6	21	36	65	82	99+
TOTAL 0-19 YRS	9	12.2	258	2	2	6	13	38	53	53
20-34	26	19.0	477	3	3	9	24	48	65	92
35-49	32	20.5	334	4	6	15	28	48	89	99+
50-64	53	21.8	320	3	4	17	32	48	87	99+
65+	127	29.6	422	4	8	24	37	69	79	99+
GRAND TOTAL	**247**	**25.0**	**408**	**3**	**5**	**20**	**34**	**58**	**79**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	5.7	25	<1	1	4	9	12	18	19
20-34	26	7.2	26	1	1	7	10	14	16	21
35-49	24	4.8	16	<1	1	4	7	10	13	17
50-64	14	5.8	24	1	1	5	8	14	15	15
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	15	7.2	17	1	2	6	10	12	15	16
20-34	18	9.3	41	1	2	8	12	20	22	23
35-49	13	5.8	14	1	2	5	9	11	13	13
50-64	4	6.8	10	2	2	8	9	9	9	9
65+	4	8.5	52	2	2	7	14	18	18	18
TOT. SINGLE DX	97	5.8	23	1	1	5	9	13	15	20
" MULTIPLE DX	54	7.6	26	1	2	7	10	14	18	23
TOTAL 0-19 YRS	47	6.2	23	1	1	6	9	12	16	19
20-34	44	8.0	32	1	1	7	11	15	21	23
35-49	37	5.2	15	1	1	4	7	11	12	17
50-64	18	6.0	21	1	1	5	8	14	15	15
65+	5	7.0	50	1	1	4	12	18	18	18
GRAND TOTAL	**151**	**6.5**	**25**	**1**	**1**	**6**	**9**	**13**	**17**	**21**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	2.0	4	<1	<1	1	2	3	5	13
20-34	101	2.9	14	<1	1	2	3	5	7	22
35-49	44	2.6	4	<1	<1	2	4	6	7	9
50-64	44	6.7	121	1	1	3	6	18	29	61
65+	25	7.4	61	<1	1	6	10	14	26	34
2. MULTIPLE DX										
0-19 YRS	22	4.3	27	<1	<1	2	5	10	17	23
20-34	52	8.3	165	1	1	4	8	34	64	99+
35-49	31	6.4	44	<1	1	4	9	19	23	23
50-64	42	11.0	186	1	2	5	12	36	49	99+
65+	70	16.1	205	2	3	11	20	39	47	64
TOT. SINGLE DX	253	3.8	37	<1	1	2	4	7	11	34
" MULTIPLE DX	217	10.7	166	1	1	5	13	32	44	99+
TOTAL 0-19 YRS	61	2.8	13	<1	<1	2	3	6	10	22
20-34	153	4.7	71	<1	1	3	4	8	28	98
35-49	75	4.1	23	<1	<1	2	4	9	16	23
50-64	86	8.8	155	1	1	4	8	31	40	86
65+	95	13.8	181	1	2	10	18	33	45	63
GRAND TOTAL	**470**	**7.0**	**108**	**<1**	**1**	**3**	**7**	**18**	**33**	**64**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	2.8	3	1	1	2	4	5	5	5
20-34	7	14.1	748	2	2	4	7	62	76	76
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	12	5.6	13	1	2	5	6	11	14	15
65+	7	11.0	37	3	3	15	16	17	17	17
2. MULTIPLE DX										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	4	4.5	49	1	1	1	8	15	15	15
35-49	8	10.5	189	2	2	4	13	34	42	42
50-64	6	10.2	53	3	3	8	11	23	24	24
65+	7	18.1	290	4	5	14	19	48	55	55
TOT. SINGLE DX	32	8.0	176	1	1	4	7	16	17	76
" MULTIPLE DX	26	11.8	161	1	1	9	15	24	45	55
TOTAL 0-19 YRS	5	5.6	43	1	1	3	8	17	17	17
20-34	11	10.6	487	1	1	2	7	39	73	76
35-49	10	8.7	161	<1	1	3	10	29	42	42
50-64	18	7.1	29	2	3	5	9	14	20	24
65+	14	14.6	165	3	4	14	16	23	48	55
GRAND TOTAL	**58**	**9.7**	**170**	**1**	**1**	**5**	**14**	**17**	**35**	**74**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	381	1.6	1	<1	<1	2	2	2	3	4
20-34	1618	1.7	3	<1	<1	2	2	2	3	5
35-49	2489	2.0	3	<1	<1	2	2	3	3	8
50-64	1461	2.2	4	<1	1	2	2	3	5	11
65+	745	2.7	7	<1	1	2	3	5	8	13
2. MULTIPLE DX										
0-19 YRS	68	2.0	2	<1	<1	2	2	4	5	7
20-34	557	2.7	9	<1	<1	2	3	5	9	21
35-49	1172	2.9	15	<1	1	2	3	5	8	18
50-64	1030	4.0	33	1	1	2	4	8	12	32
65+	861	5.7	46	1	2	3	7	13	19	40
TOT. SINGLE DX	6694	2.0	4	<1	<1	2	2	3	4	9
" MULTIPLE DX	3688	3.8	28	<1	1	2	4	8	12	29
TOTAL 0-19 YRS	449	1.7	1	<1	<1	2	2	2	3	5
20-34	2175	2.0	5	<1	<1	2	2	3	4	11
35-49	3661	2.3	7	<1	<1	2	2	3	5	12
50-64	2491	3.0	17	<1	1	2	3	5	8	21
65+	1606	4.3	31	1	1	2	4	10	14	32
GRAND TOTAL	**10382**	**2.7**	**13**	**<1**	**<1**	**2**	**2**	**4**	**7**	**19**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	2.0	1	<1	<1	2	3	3	4	5
20-34	62	2.5	2	1	1	2	3	5	6	9
35-49	79	3.6	5	1	1	3	5	6	8	11
50-64	88	4.1	8	1	1	4	5	7	9	17
65+	146	5.7	12	2	2	5	7	10	11	17
2. MULTIPLE DX										
0-19 YRS	9	2.4	3	1	1	2	4	5	5	5
20-34	19	4.0	7	<1	1	3	6	7	9	10
35-49	90	5.3	12	1	2	5	7	9	13	69
50-64	104	7.4	41	2	2	5	8	16	22	32
65+	225	8.4	57	2	3	6	9	17	22	33
TOT. SINGLE DX	418	4.1	9	1	1	3	5	8	9	15
" MULTIPLE DX	447	7.2	43	2	2	5	8	14	21	32
TOTAL 0-19 YRS	52	2.1	1	<1	<1	2	3	4	4	5
20-34	81	2.8	4	1	1	2	3	6	7	10
35-49	169	4.5	9	1	2	4	6	8	9	23
50-64	192	5.9	28	1	2	4	7	10	18	29
65+	371	7.4	41	2	2	6	9	13	19	30
GRAND TOTAL	**865**	**5.7**	**29**	**1**	**2**	**5**	**7**	**10**	**16**	**28**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.0	3	1	1	3	4	5	5	5
20-34	75	6.1	16	3	3	6	7	9	10	29
35-49	385	6.4	5	3	4	6	8	9	10	14
50-64	741	7.1	9	4	4	7	8	10	12	17
65+	707	7.5	9	4	5	7	9	11	13	17
2. MULTIPLE DX										
0-19 YRS	4	6.8	7	3	3	7	8	9	9	9
20-34	71	6.7	12	3	4	6	8	10	12	24
35-49	459	7.1	27	4	4	6	8	10	12	18
50-64	939	7.8	19	4	4	7	9	11	14	26
65+	1098	9.5	40	4	5	8	10	15	20	38
TOT. SINGLE DX	1912	7.0	9	4	4	7	8	10	12	17
" MULTIPLE DX	2571	8.4	30	4	5	7	9	13	17	32
TOTAL 0-19 YRS	8	4.9	8	1	1	4	7	9	9	9
20-34	146	6.4	14	3	3	6	7	9	10	26
35-49	844	6.8	17	4	4	6	8	10	11	17
50-64	1680	7.5	14	4	4	7	9	11	13	22
65+	1805	8.7	29	4	5	7	10	14	17	32
GRAND TOTAL	**4483**	**7.8**	**21**	**4**	**4**	**7**	**9**	**11**	**14**	**27**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	247	2.8	2	<1	1	3	3	5	5	8
20-34	918	2.5	4	<1	<1	2	3	5	6	10
35-49	695	3.2	5	<1	<1	3	4	6	7	10
50-64	310	3.6	10	1	1	3	4	6	7	12
65+	76	4.6	13	1	2	4	6	9	12	21
2. MULTIPLE DX										
0-19 YRS	63	3.5	4	1	1	3	5	6	7	12
20-34	440	3.6	23	<1	1	3	4	6	7	12
35-49	646	4.0	7	1	1	4	5	7	8	14
50-64	363	4.4	10	1	2	4	5	7	10	19
65+	84	5.5	43	1	2	4	6	9	12	43
TOT. SINGLE DX	2246	3.0	5	<1	<1	3	4	5	6	11
" MULTIPLE DX	1596	4.0	14	1	1	3	5	7	8	14
TOTAL 0-19 YRS	310	2.9	3	<1	1	3	4	5	5	9
20-34	1358	2.8	10	<1	<1	2	4	5	6	10
35-49	1341	3.6	6	<1	1	3	5	6	8	12
50-64	673	4.0	10	1	2	3	5	7	8	15
65+	160	5.1	28	1	2	4	6	9	12	29
GRAND TOTAL	**3842**	**3.4**	**9**	**<1**	**<1**	**3**	**4**	**6**	**7**	**12**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	563	3.2	5	1	1	3	4	5	6	11
20-34	1029	3.2	6	1	1	3	4	5	6	9
35-49	149	3.4	4	1	1	3	4	6	7	12
50-64	42	3.4	3	1	1	3	4	6	7	8
65+	13	5.7	31	1	1	4	7	14	19	20
2. MULTIPLE DX										
0-19 YRS	77	3.9	10	1	1	4	4	7	8	21
20-34	165	4.3	14	1	2	3	5	8	12	21
35-49	44	5.0	41	<1	1	3	5	9	12	42
50-64	20	7.0	50	<1	1	4	10	19	22	23
65+	13	6.8	50	1	2	4	11	34	85	99+
TOT. SINGLE DX	1796	3.2	6	1	1	3	4	5	6	12
" MULTIPLE DX	319	4.6	20	1	2	3	5	9	13	26
TOTAL 0-19 YRS	640	3.3	6	1	1	3	4	5	7	12
20-34	1194	3.3	7	1	1	3	4	5	6	16
35-49	193	3.8	13	1	1	3	4	6	9	13
50-64	62	4.5	21	1	1	3	5	8	17	23
65+	26	6.2	39	1	1	4	9	19	38	99+
GRAND TOTAL	**2115**	**3.4**	**8**	**1**	**1**	**3**	**4**	**5**	**7**	**17**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	828	2.1	7	<1	<1	1	2	3	6	11
20-34	855	2.7	17	<1	<1	2	3	5	7	18
35-49	666	3.1	17	<1	<1	2	3	6	9	25
50-64	739	3.0	19	<1	<1	2	3	5	8	23
65+	480	3.9	27	<1	<1	2	4	8	13	28
2. MULTIPLE DX										
0-19 YRS	330	3.8	45	<1	<1	2	4	8	12	39
20-34	509	6.7	90	<1	1	4	7	17	24	49
35-49	640	6.7	57	<1	1	4	8	17	23	39
50-64	868	7.7	81	1	1	4	10	18	24	48
65+	1041	10.1	129	1	2	7	12	22	33	67
TOT. SINGLE DX	3568	2.8	17	<1	<1	2	3	5	8	22
" MULTIPLE DX	3388	7.7	92	1	1	4	9	18	26	54
TOTAL 0-19 YRS	1158	2.6	18	<1	<1	2	2	5	8	16
20-34	1364	4.2	48	<1	<1	2	4	8	14	34
35-49	1306	4.9	40	<1	<1	3	5	12	19	31
50-64	1607	5.5	58	<1	<1	3	6	13	20	37
65+	1521	8.2	105	1	1	5	10	19	28	61
GRAND TOTAL	**6956**	**5.2**	**60**	**<1**	**<1**	**2**	**6**	**12**	**19**	**40**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1284	4.0	35	<1	1	2	4	8	12	29
20-34	1474	4.4	23	<1	1	3	5	9	13	25
35-49	730	5.1	39	<1	1	3	6	11	16	33
50-64	635	5.8	48	<1	1	4	7	13	19	34
65+	512	7.7	91	1	1	4	10	17	26	43
2. MULTIPLE DX										
0-19 YRS	2161	5.7	84	<1	1	3	6	13	22	58
20-34	3239	6.5	92	<1	1	3	7	15	24	60
35-49	1589	8.9	149	1	1	5	10	21	35	67
50-64	1487	10.1	161	1	1	6	13	24	36	94
65+	1960	13.6	238	1	2	8	17	32	50	94
TOT. SINGLE DX	4635	4.9	41	<1	1	3	6	11	16	33
" MULTIPLE DX	10436	8.6	144	1	1	4	10	21	33	76
TOTAL 0-19 YRS	3445	5.1	66	<1	1	3	5	11	18	50
20-34	4713	5.9	72	<1	1	3	7	13	21	54
35-49	2319	7.7	117	1	1	4	9	18	28	59
50-64	2122	8.8	131	1	1	5	11	21	30	83
65+	2472	12.4	213	1	2	7	16	30	44	89
GRAND TOTAL	**15071**	**7.4**	**115**	**1**	**1**	**4**	**8**	**18**	**28**	**65**

Distribution Tables

Table 1 displays total U.S. patients and days of care (after exclusions*) in each of the operation groups except those consisting solely of UHDDS Class 2-4 procedures** (512, 516, 533, 540, 589, 629, 647, 657, 659, 741, 752, 759, 761, 762, and 763). Also shown is the corresponding rate per 10,000 operated discharges and the rate per 10,000 days of care.

Table 1

Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups 1979

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
501 Incision, excision of skull, brain, and cerebral meninges	7,614	14.0	161	42.1
502 Craniotomy and craniectomy	5,941	10.9	133	34.9
503 Cranioplasty	2,695	4.9	27	7.1
504 Ventricular shunt, extracranial	2,030	3.7	43	11.3
505 Miscellaneous operations on brain and cerebral meninges	3,081	5.7	48	12.5
506 Exploration and decompression of spinal canal structures	13,306	24.4	220	57.7
507 Operations on spinal cord structures, except exploration	4,386	8.0	64	16.9
508 Excision or destruction of lesion of cranial or peripheral nerve	12,071	22.1	54	14.3
509 Miscellaneous operations on cranial and other peripheral nerves	39,244	72.0	142	37.2
510 Sympathectomy	3,333	6.1	53	13.8
511 Miscellaneous operations on sympathetic nerves and ganglia	1,457	2.7	14	3.6
513 Thyroidectomy	22,470	41.2	133	34.9

---

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

**Additional information regarding UHDDS classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
514	Operations on parathyroid and thyroid, except thyroidectomy	5,306	9.7	35	9.3
515	Operations on endocrine glands, except parathyroid and thyroid	1,656	3.0	25	6.5
517	Excision or destruction of lesion or tissue of eyelid	5,564	10.2	19	5.1
518	Miscellaneous operations on eyelid	17,407	31.9	57	15.0
519	Operations on lacrimal system	2,547	4.7	8	2.1
520	Operations on conjunctiva	995	1.8	3	0.8
521	Corneal transplant	3,007	5.5	17	4.4
522	Miscellaneous operations on cornea	4,992	9.2	17	4.5
523	Operations for regulation of intraocular pressure	5,303	9.7	25	6.5
524	Other operations on iris, ciliary body, sclera and anterior chamber	6,374	11.7	28	7.5
525	Intracapsular extraction of lens	113,615	208.5	466	122.1
526	Other lens extraction	25,066	46.0	76	20.0
527	Miscellaneous operations on lens	5,911	10.8	19	5.0
528	Repair of retina	12,277	22.5	70	18.5
529	Miscellaneous operations on retina, choroid, and vitreous	3,279	6.0	17	4.5
530	Resection and recession of ocular muscle	18,068	33.2	36	9.3
531	Miscellaneous operations on ocular muscle	197	0.4	1	0.3
532	Operations on orbit and eyeball	5,635	10.3	28	7.4
534	Operations on external ear	8,412	15.4	34	8.8
535	Stapes mobilization and stapedectomy	8,458	15.5	24	6.2
536	Tympanoplasty	17,728	32.5	44	11.5
537	Myringotomy	35,008	64.2	59	15.3

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
538 Mastoidectomy	7,841	14.4	29	7.5
539 Miscellaneous operations on middle ear and inner ear	5,923	10.9	18	4.8
541 Submucous resection of nasal septum	17,319	31.8	55	14.3
542 Rhinoplasty	40,900	75.0	122	31.9
543 Other incision, excision of nose	12,486	22.9	47	12.4
544 Miscellaneous operations on nose	15,441	28.3	58	15.1
545 Radical maxillary antrotomy	5,722	10.5	25	6.5
546 Miscellaneous operations on accessory sinus	6,409	11.8	32	8.3
547 Tooth extraction	59,096	108.4	173	45.3
548 Tooth restoration and orthodontia	3,526	6.5	7	1.7
549 Operations on teeth and gums except extraction and restoration	6,264	11.5	21	5.4
550 Operations on salivary glands and ducts	10,198	18.7	49	12.9
551 Palatoplasty	1,831	3.4	9	2.2
552 Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	16,326	30.0	88	23.2
553 Tonsillectomy without adenoidectomy	69,380	127.3	152	39.9
554 Tonsillectomy with adenoidectomy	108,131	198.4	202	53.0
555 Adenoidectomy without tonsillectomy	24,021	44.1	38	9.9
556 Operations on pharynx except tonsillectomy and adenoidectomy	8,165	15.0	37	9.7
557 Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	539	1.0	3	0.8

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	305	5.0	28	<1	1	3	7	10	14	28
20-34	311	6.0	44	<1	1	4	8	15	19	37
35-49	154	6.7	48	<1	1	4	9	16	21	32
50-64	146	8.6	118	<1	1	4	11	24	33	48
65+	151	15.1	166	1	2	11	23	33	38	55
2. MULTIPLE DX										
0-19 YRS	237	13.4	178	1	2	9	19	32	44	80
20-34	297	12.8	158	1	2	9	18	31	40	87
35-49	188	15.6	196	2	2	12	24	33	43	79
50-64	264	21.0	356	2	3	16	29	51	67	99+
65+	406	23.4	291	3	5	20	32	48	59	96
TOT. SINGLE DX	1067	7.5	78	<1	1	4	9	19	26	40
" MULTIPLE DX	1392	17.9	263	2	2	14	25	40	54	98
TOTAL 0-19 YRS	542	8.6	111	1	1	5	10	24	31	57
20-34	608	9.3	111	1	1	6	12	23	33	66
35-49	342	11.6	149	1	1	8	17	29	36	61
50-64	410	16.6	306	1	1	10	24	40	57	99
65+	557	21.1	271	2	4	18	30	43	57	95
GRAND TOTAL	**2459**	**13.4**	**209**	**1**	**1**	**8**	**19**	**33**	**44**	**79**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	136	4.4	35	<1	1	2	4	11	17	32
20-34	168	4.9	58	<1	1	2	4	12	26	34
35-49	67	7.0	112	<1	1	3	9	20	29	56
50-64	54	6.1	63	<1	1	3	8	18	22	37
65+	29	11.0	214	1	1	4	11	37	45	57
2. MULTIPLE DX										
0-19 YRS	74	8.3	139	1	2	4	10	20	34	62
20-34	108	15.0	375	1	1	6	26	57	79	99+
35-49	59	15.4	332	1	2	6	26	53	59	96
50-64	72	14.6	255	2	2	9	25	50	93	99+
65+	74	28.5	813	1	2	23	62	91	99+	99+
TOT. SINGLE DX	454	5.6	72	<1	1	2	5	15	26	42
" MULTIPLE DX	387	16.3	423	1	2	7	27	59	89	99+
TOTAL 0-19 YRS	210	5.7	75	1	1	2	6	14	23	48
20-34	276	8.9	205	<1	1	3	8	31	42	99+
35-49	126	10.9	231	1	1	4	14	33	54	70
50-64	126	11.0	190	1	1	5	17	35	51	99+
65+	103	23.6	703	1	1	15	47	86	99+	99+
GRAND TOTAL	**841**	**10.5**	**261**	**1**	**1**	**3**	**12**	**35**	**58**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	361	2.4	7	<1	<1	2	2	4	7	14
20-34	313	2.7	5	<1	<1	2	3	5	7	9
35-49	318	2.7	5	<1	1	2	3	5	6	9
50-64	441	2.1	3	<1	1	2	3	4	5	13
65+	160	2.7	12	<1	<1	2	3	4	7	16
2. MULTIPLE DX										
0-19 YRS	192	3.5	38	1	1	2	3	5	10	46
20-34	248	4.2	22	1	1	3	5	7	10	28
35-49	320	4.2	22	1	1	3	5	8	11	25
50-64	476	3.6	24	1	1	2	4	7	10	26
65+	267	6.4	67	1	1	4	8	14	19	41
TOT. SINGLE DX	1593	2.4	6	<1	<1	2	3	5	6	12
" MULTIPLE DX	1503	4.3	34	1	1	3	5	9	13	32
TOTAL 0-19 YRS	553	2.8	18	<1	<1	2	3	5	7	29
20-34	561	3.3	13	<1	<1	2	4	6	8	18
35-49	638	3.4	14	<1	1	2	4	6	8	21
50-64	917	2.9	14	<1	1	2	3	5	8	18
65+	427	5.0	50	1	1	3	6	11	16	38
GRAND TOTAL	**3096**	**3.3**	**20**	**<1**	**1**	**2**	**4**	**6**	**10**	**23**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	3.8	33	1	1	3	4	5	14	32
20-34	76	6.2	195	1	1	3	5	11	18	90
35-49	67	2.9	7	1	1	2	4	7	9	13
50-64	79	5.1	127	1	1	2	4	9	18	75
65+	48	7.6	135	1	1	3	7	16	39	58
2. MULTIPLE DX										
0-19 YRS	38	4.0	20	1	1	3	4	8	12	26
20-34	60	5.4	29	<1	1	4	6	10	13	31
35-49	68	6.2	28	1	1	4	8	13	17	26
50-64	112	7.4	82	1	1	5	9	15	22	50
65+	173	9.7	61	2	3	7	13	20	26	35
TOT. SINGLE DX	302	5.2	110	1	1	3	4	9	15	68
" MULTIPLE DX	451	7.5	57	1	2	5	9	16	23	35
TOTAL 0-19 YRS	70	3.9	26	1	1	3	4	8	12	31
20-34	136	5.9	121	1	1	3	6	10	14	81
35-49	135	4.6	20	1	1	3	6	10	13	25
50-64	191	6.5	102	1	1	3	7	14	21	56
65+	221	9.2	77	2	2	5	12	20	27	46
GRAND TOTAL	**753**	**6.6**	**79**	**1**	**1**	**4**	**7**	**14**	**22**	**40**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	249	4.1	15	1	1	2	6	10	13	17
20-34	3151	4.3	23	1	1	2	6	10	13	21
35-49	3813	4.2	21	1	1	2	6	10	13	20
50-64	2250	4.1	23	1	1	2	5	10	13	23
65+	608	4.7	25	1	1	3	6	11	14	33
2. MULTIPLE DX										
0-19 YRS	119	5.5	32	1	1	3	7	13	17	29
20-34	1521	6.3	42	1	1	4	9	14	18	29
35-49	2261	6.3	46	1	1	4	9	14	18	34
50-64	1997	6.2	46	1	1	4	8	14	19	31
65+	1008	8.7	73	1	2	6	12	19	25	42
TOT. SINGLE DX	10071	4.3	22	1	1	2	6	10	13	21
" MULTIPLE DX	6906	6.6	50	1	1	4	9	15	19	34
TOTAL 0-19 YRS	368	4.6	21	1	1	2	6	11	14	22
20-34	4672	5.0	30	1	1	3	7	12	15	24
35-49	6074	5.0	32	1	1	3	7	11	15	26
50-64	4247	5.1	35	1	1	3	7	12	16	27
65+	1616	7.2	59	1	1	4	10	17	22	39
GRAND TOTAL	**16977**	**5.2**	**35**	**1**	**1**	**3**	**7**	**12**	**16**	**28**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	90	3.6	9	1	1	2	5	8	10	15
20-34	289	3.7	18	1	1	2	4	7	9	27
35-49	391	3.8	20	1	1	2	4	9	12	20
50-64	733	3.8	30	1	1	2	4	8	11	26
65+	709	3.9	31	1	1	2	4	8	11	22
2. MULTIPLE DX										
0-19 YRS	61	8.9	165	1	1	4	10	21	37	65
20-34	207	7.7	92	1	2	4	8	17	31	56
35-49	397	7.5	95	1	1	4	8	16	27	53
50-64	1241	6.2	60	1	1	4	7	14	21	41
65+	1547	6.8	67	1	2	4	8	15	22	43
TOT. SINGLE DX	2212	3.8	26	1	1	2	4	8	11	22
" MULTIPLE DX	3453	6.8	71	1	2	4	8	15	22	46
TOTAL 0-19 YRS	151	5.8	78	1	1	3	6	11	18	58
20-34	496	5.4	53	1	1	3	6	10	19	44
35-49	788	5.7	61	1	1	3	7	12	18	45
50-64	1974	5.3	50	1	1	3	6	11	17	38
65+	2256	5.9	58	1	1	3	7	13	19	40
GRAND TOTAL	**5665**	**5.6**	**56**	**1**	**1**	**3**	**6**	**12**	**18**	**41**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	12	1.8		1	1	2	2	3	3	3
35-49	82	2.8	6	1	1	2	2	7	8	13
50-64	126	2.9	8	1	1	2	2	6	9	16
65+	34	2.8	6	<1	1	2	3	7	8	12
2. MULTIPLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	27	4.1	21	1	1	2	5	12	14	19
35-49	191	3.4	9	1	1	2	4	8	10	15
50-64	537	3.9	17	1	1	2	5	9	12	21
65+	245	4.8	42	1	1	2	6	11	14	35
TOT. SINGLE DX	254	2.8	7	1	1	2	2	6	8	14
" MULTIPLE DX	1002	4.0	22	1	1	2	5	9	12	24
TOTAL 0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	39	3.4	15	1	1	2	3	9	13	19
35-49	273	3.2	8	1	1	2	3	8	10	14
50-64	663	3.8	15	1	1	2	4	9	12	21
65+	279	4.5	38	1	1	2	5	10	13	34
GRAND TOTAL	**1256**	**3.8**	**19**	**1**	**1**	**2**	**4**	**9**	**11**	**23**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	126	3.0	10	1	1	2	3	6	8	16
20-34	620	4.7	22	1	1	3	7	10	14	21
35-49	709	4.6	24	1	1	3	6	11	14	22
50-64	1032	3.9	16	1	1	2	5	9	12	23
65+	860	4.1	20	1	1	2	5	10	13	18
2. MULTIPLE DX										
0-19 YRS	133	7.4	113	1	1	4	9	16	23	60
20-34	543	6.8	48	1	1	5	9	14	18	34
35-49	1029	6.5	47	1	1	5	9	13	17	36
50-64	2346	6.2	45	1	1	4	8	14	18	32
65+	2977	7.5	61	1	1	5	10	16	22	38
TOT. SINGLE DX	3347	4.2	20	1	1	2	6	10	13	21
" MULTIPLE DX	7028	6.8	54	1	1	4	9	15	20	36
TOTAL 0-19 YRS	259	5.3	68	1	1	2	6	12	17	31
20-34	1163	5.7	35	1	1	4	8	12	16	26
35-49	1738	5.7	38	1	1	4	8	12	15	31
50-64	3378	5.5	38	1	1	3	7	12	16	31
65+	3837	6.7	54	1	1	4	9	15	20	35
GRAND TOTAL	**10375**	**6.0**	**44**	**1**	**1**	**4**	**8**	**13**	**18**	**32**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	230	3.3	10	<1	<1	2	4	8	9	16
20-34	398	4.4	19	<1	1	3	6	9	13	20
35-49	333	5.0	37	<1	1	3	6	11	15	26
50-64	385	5.6	38	1	1	3	7	12	17	35
65+	314	6.6	89	1	1	3	8	15	19	64
2. MULTIPLE DX										
0-19 YRS	290	5.6	102	1	1	3	6	11	18	88
20-34	562	7.0	51	1	1	5	9	15	20	33
35-49	676	7.8	60	1	2	6	10	16	24	43
50-64	1094	8.2	67	1	2	6	10	16	23	41
65+	1625	10.3	79	2	2	8	13	20	27	47
TOT. SINGLE DX	1660	5.1	40	<1	1	3	7	11	15	32
" MULTIPLE DX	4247	8.6	73	1	2	6	11	18	24	45
TOTAL 0-19 YRS	520	4.6	63	<1	1	2	5	9	13	53
20-34	960	6.0	39	1	1	4	8	12	17	30
35-49	1009	6.9	54	1	1	5	9	14	20	41
50-64	1479	7.6	61	1	2	5	10	16	22	39
65+	1939	9.7	82	1	2	7	12	20	26	47
GRAND TOTAL	**5907**	**7.6**	**66**	**1**	**1**	**5**	**10**	**16**	**23**	**42**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	91	8.7	132	<1	1	3	10	26	36	50
20-34	179	5.5	55	1	1	3	6	12	15	48
35-49	183	4.8	53	<1	1	3	5	11	15	45
50-64	242	4.2	47	<1	1	3	4	8	10	26
65+	78	6.4	68	<1	1	3	6	17	23	43
2. MULTIPLE DX										
0-19 YRS	128	16.1	277	1	2	10	25	45	61	99+
20-34	204	11.8	232	1	2	6	14	30	41	81
35-49	168	9.2	123	1	2	6	11	21	31	72
50-64	208	10.6	159	1	2	7	12	20	42	64
65+	173	13.8	148	2	3	11	18	27	41	52
TOT. SINGLE DX	773	5.4	64	<1	1	3	5	12	19	39
" MULTIPLE DX	881	12.0	188	1	2	7	15	29	43	78
TOTAL 0-19 YRS	219	13.0	229	1	1	6	21	35	48	99+
20-34	383	8.9	159	1	1	5	10	21	34	71
35-49	351	6.9	91	1	1	4	8	14	24	64
50-64	450	7.2	108	1	1	4	8	14	21	63
65+	251	11.5	134	1	2	8	15	25	39	50
GRAND TOTAL	**1654**	**8.9**	**141**	**1**	**1**	**5**	**10**	**22**	**33**	**65**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	101	3.3	16	<1	<1	2	4	7	11	23
20-34	140	2.9	11	<1	<1	1	3	8	10	16
35-49	59	4.0	21	1	1	3	4	9	16	23
50-64	62	5.8	40	<1	1	4	6	15	22	28
65+	45	7.6	51	1	2	4	10	21	22	29
2. MULTIPLE DX										
0-19 YRS	187	8.2	160	<1	1	4	9	25	47	99+
20-34	231	6.0	64	<1	1	3	7	15	25	60
35-49	222	8.5	134	1	1	4	11	20	29	62
50-64	295	11.2	162	1	2	7	14	28	44	65
65+	405	13.8	171	2	3	10	18	32	44	78
TOT. SINGLE DX	407	4.1	25	<1	<1	2	5	10	16	25
" MULTIPLE DX	1340	10.2	151	1	1	6	13	25	39	79
TOTAL 0-19 YRS	288	6.5	115	<1	1	3	7	18	28	96
20-34	371	4.8	46	<1	<1	2	6	11	17	46
35-49	281	7.6	114	1	1	4	9	18	25	54
50-64	357	10.2	145	1	2	6	13	25	36	60
65+	450	13.2	162	2	2	9	17	30	42	77
GRAND TOTAL	**1747**	**8.8**	**128**	**<1**	**1**	**5**	**11**	**22**	**33**	**67**

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
558	Excision of lesion of larynx	14,765	27.1	47	12.3
559	Partial laryngectomy and local excision of lesion of trachea	1,265	2.3	15	3.9
560	Complete laryngectomy	1,416	2.6	33	8.5
561	Permanent tracheostomy	419	0.8	12	3.1
562	Operations on larynx and trachea except excision and permanent tracheostomy	3,956	7.3	98	25.8
563	Incision and local excision or destruction of lesion of bronchus	22,645	41.5	269	70.5
564	Bronchial resection and miscellaneous operations on bronchus	86	0.2	1	0.2
565	Local excision or destruction of lesion or tissue of lung	12,835	23.5	200	52.5
566	Lobectomy and complete pneumonectomy	6,207	11.4	118	31.0
567	Bronchoscopy (using natural orifice)	30,893	56.7	338	88.7
568	Miscellaneous operations on lung	2,194	4.0	26	6.7
569	Thoracotomy	17,013	31.2	213	55.7
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	12,012	22.0	148	38.7
571	Open heart operations	7,425	13.6	136	35.6
572	Direct heart revascularization	29,906	54.9	456	119.7
573	Cardiac catheterization	78,519	144.1	397	104.2
574	Pacemaker insertion, replacement, removal, and repair	39,291	72.1	473	124.2
575	Miscellaneous operations on heart	2,517	4.6	39	10.2
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart	9,081	16.7	79	20.6

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
577 Ligation and stripping of varicose veins	20,415	37.5	126	33.1
578 Systemic shunt or graft bypass	21,233	39.0	362	95.0
579 Extracorporeal circulation	227	0.4	4	1.0
580 Hemodialysis	9,382	17.2	70	18.3
581 Other operations on blood vessels	60,735	111.4	886	232.2
582 Incision, excision of lymphatic structures	22,787	41.8	191	50.0
583 Radical excision of lymph nodes	3,891	7.1	45	11.8
584 Miscellaneous operations on lymphatic system	39	0.1	1	0.1
585 Bone marrow transplant	50	0.1	<1	0.1
586 Miscellaneous operations on spleen and bone marrow	42,542	78.1	570	149.4
587 Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen	2,122	3.9	35	9.3
588 Operations on esophagus	13,465	24.7	138	36.1
590 Gastrotomy, pyloromyotomy	2,815	5.2	20	5.4
591 Gastrostomy	2,411	4.4	63	16.6
592 Local excision or destruction of lesion or tissue of stomach	21,760	39.9	228	59.9
593 Partial gastrectomy	9,563	17.5	182	47.7
594 Total gastrectomy	945	1.7	25	6.5
595 Vagotomy	4,696	8.6	74	19.5
596 Miscellaneous operations on stomach	14,098	25.9	201	52.8
597 Local excision or destruction of intestinal lesion or tissue	27,341	50.2	239	62.7
598 Resection of small intestine	6,179	11.3	124	32.4
599 Colectomy	37,973	69.7	730	191.4
600 Other incision, resection of intestine	3,067	5.6	62	16.3

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
601	Intestinal anastomosis or repair	14,012	25.7	198	52.0
602	Ileostomy, colostomy, and other enterostomy	5,388	9.9	128	33.5
603	Appendectomy	87,962	161.4	512	134.3
604	Incidental appendectomy	1,590	2.9	11	2.8
605	Operations on appendix except appendectomy	688	1.3	8	2.1
606	Local excision or destruction of lesion or tissue of rectum	14,487	26.6	118	31.0
607	Other incision of rectum and incision or excision of perirectal tissue	5,181	9.5	29	7.5
608	Proctectomy	8,363	15.3	175	45.8
609	Miscellaneous operations on intestine	13,831	25.4	142	37.2
610	Incision or excision of anal fistula	10,033	18.4	49	12.8
611	Local excision or destruction of lesion or tissue of anus	10,031	18.4	50	13.0
612	Hemorrhoidectomy	47,961	88.0	306	80.1
613	Miscellaneous operations on anus	9,626	17.7	55	14.4
614	Incision of liver	863	1.6	12	3.2
615	Miscellaneous operations on liver	22,326	41.0	262	68.8
616	Cholecystectomy	140,005	256.9	1,561	409.4
617	Operations on biliary tract and gallbladder except cholecystectomy	7,257	13.3	135	35.5
618	Operations on pancreas	4,608	8.5	81	21.3
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	15,384	28.2	158	41.5
620	Unilateral repair of inguinal hernia	137,871	253.0	684	179.4
621	Bilateral repair of inguinal hernia	22,664	41.6	120	31.5

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
622 Unilateral or bilateral repair of femoral hernia	5,585	10.2	40	10.5
623 Repair of umbilical hernia	14,806	27.2	74	19.4
624 Repair of other hernia of anterior abdominal wall	24,376	44.7	198	51.8
625 Repair of diaphragmatic and other hernia	5,044	9.3	62	16.3
626 Incision, excision of abdominal wall and peritoneum except laparotomy	15,601	28.6	182	47.7
627 Laparotomy	25,030	45.9	337	88.3
628 Laparoscopy (excluding that for destruction of fallopian tubes)	26,869	49.3	97	25.5
630 Miscellaneous operations on abdominal wall and peritoneum	20,241	37.1	255	66.9
631 Complete nephrectomy	8,006	14.7	132	34.7
632 Miscellaneous operations on kidney	16,221	29.8	210	55.1
633 Ureterotomy	10,683	19.6	122	32.0
634 Ureteral diversion	3,166	5.8	47	12.3
635 Miscellaneous operations on ureter	12,769	23.4	81	21.3
636 Cystoscopy and urethroscopy	141,843	260.3	934	244.8
637 Transurethral excision or destruction of bladder lesion	32,751	60.1	217	57.0
638 Miscellaneous operations on bladder	18,098	33.2	204	53.6
639 Urethral meatotomy	5,110	9.4	15	3.8
640 Excision of urethral lesion, repair of urethra	10,151	18.6	62	16.2
641 Urethral dilation	30,079	55.2	170	44.7
642 Miscellaneous operations on urethra	9,781	17.9	51	13.4
643 Urethral suspension	8,306	15.2	86	22.4
644 Other repair of stress incontinence	1,614	3.0	16	4.3
645 Ureteral catheterization	1,396	2.6	10	2.7

Table 1 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
646	Miscellaneous operations on urinary tract	705	1.3	9	2.4
648	Transurethral prostatectomy	82,823	152.0	876	229.8
649	Other prostatectomy	10,238	18.8	155	40.5
650	Miscellaneous operations on prostate and seminal vesicles	12,943	23.7	82	21.5
651	Operations on scrotum and tunica vaginalis	5,065	9.3	27	7.1
652	Orchiectomy	9,069	16.6	69	18.1
653	Orchiopexy	7,181	13.2	24	6.2
654	Miscellaneous operations on testis	2,776	5.1	10	2.6
655	Interruption of vas deferens	3,735	6.9	11	2.8
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	18,082	33.2	68	17.7
658	Miscellaneous operations on penis	4,208	7.7	24	6.3
660	Local excision or destruction of ovarian lesion or tissue	17,425	32.0	121	31.8
661	Unilateral oophorectomy or salpingo-oophorectomy	20,844	38.2	159	41.6
662	Bilateral oophorectomy or salpingo-oophorectomy	8,553	15.7	81	21.3
663	Miscellaneous operations on ovary	3,642	6.7	19	5.1
664	Bilateral endoscopic destruction or occlusion of fallopian tubes	51,867	95.2	93	24.3
665	Other bilateral tubal interruption or salpingectomy	51,366	94.2	173	45.3
666	Miscellaneous operations on fallopian tube	18,027	33.1	96	25.2
667	Conization of cervix	13,499	24.8	40	10.5
668	Other excision or destruction of lesion or tissue of cervix	19,493	35.8	71	18.6
669	Repair and plastic operations on cervix	4,705	8.6	16	4.3

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
670 Hysterotomy and excision of lesion of uterus	5,403	9.9	31	8.0
671 Abdominal hysterectomy	144,448	265.0	1,231	322.7
672 Vaginal hysterectomy	57,045	104.7	438	114.9
673 Radical hysterectomy and pelvic evisceration	912	1.7	15	3.8
674 Dilation and curettage of uterus for termination of pregnancy	11,850	21.7	23	6.0
675 Other dilation and curettage	286,436	525.5	733	192.3
676 Aspiration curettage for termination of pregnancy	28,280	51.9	43	11.3
677 Other aspiration curettage	9,517	17.5	18	4.7
678 Repair and plastic operations on supporting structures of uterus	1,215	2.2	8	2.1
679 Miscellaneous operations on uterus, cervix, and supporting structures	3,774	6.9	15	3.9
680 Plastic repair of cystocele and rectocele	17,230	31.6	149	39.0
681 Other colporrhaphy	3,619	6.6	22	5.7
682 Miscellaneous operations on vagina	10,230	18.8	59	15.5
683 Incision and excision of lesion of vulva and perineum	15,252	28.0	52	13.7
684 Vulvectomy	1,015	1.9	13	3.4
685 Miscellaneous operations on vulva and perineum	1,644	3.0	7	1.8
686 Miscellaneous diagnostic and therapeutic procedures on female genital system	358	0.7	2	0.4
687 Low forceps with and without episiotomy	190,746	350.0	682	178.9
688 Breech extraction	7,345	13.5	26	6.8
689 Other extraction procedures to assist delivery	28,341	52.0	106	27.7
690 Other procedures to assist delivery	154,551	283.6	547	143.4
691 Low cervical cesarean section	156,857	287.8	1,015	266.3

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
692 Other cesarean section	14,796	27.1	96	25.2
693 Other abdominal operation to remove embryo or fetus	394	0.7	3	0.7
694 Intra-amniotic injection for abortion	7,926	14.5	15	4.0
695 Diagnostic amniocentesis	2,860	5.2	10	2.6
696 Intrauterine procedures on fetus and amnion	25,683	47.1	73	19.1
697 Miscellaneous obstetric procedures	80,867	148.4	260	68.2
698 Excision of facial bone	2,197	4.0	15	4.0
699 Repair and plastic operations on facial bones	5,344	9.8	25	6.6
700 Closed reduction of maxillofacial fractures	6,602	12.1	33	8.7
701 Open reduction of maxillofacial fractures	9,445	17.3	62	16.2
702 Miscellaneous maxillofacial surgery	701	1.3	4	1.1
703 Incision and division of bones except facial	15,752	28.9	110	29.0
704 Bunionectomy	28,865	53.0	152	39.9
705 Excision of bone except facial	49,716	91.2	381	99.9
706 Repair and plastic operation on bone except facial	11,962	21.9	137	36.0
707 Removal of internal fixation device	25,368	46.5	141	36.8
708 Closed reduction of fracture of femur with internal fixation	8,009	14.7	170	44.7
709 Open reduction of fracture of femur with internal fixation	35,967	66.0	762	199.7
710 Reduction of fracture of femur without internal fixation	4,118	7.6	84	22.2

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
711	Closed reduction of fracture with internal fixation, except maxillofacial and femur	11,164	20.5	89	23.4
712	Open reduction of fracture with internal fixation, except maxillofacial and femur	50,669	93.0	412	108.0
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	57,596	105.7	329	86.2
714	Closed reduction of dislocation	10,233	18.8	68	17.8
715	Open reduction of dislocation	6,165	11.3	47	12.3
716	Arthrotomy and division of joint capsule	22,126	40.6	155	40.7
717	Excision of intervertebral disc	56,462	103.6	745	195.4
718	Excision of semilunar cartilage of knee joint	53,197	97.6	282	73.8
719	Miscellaneous excisions of joint structures	33,240	61.0	149	39.1
720	Spinal fusion	8,067	14.8	124	32.6
721	Arthrodesis and stabilization of joint	9,956	18.3	67	17.5
722	Total hip replacement	18,543	34.0	358	93.8
723	Other arthroplasty of hip	19,118	35.1	401	105.2
724	Arthroplasty of knee	24,536	45.0	306	80.3
725	Repair of other joint	22,732	41.7	114	29.9
726	Incision and division of muscle, tendon, fascia and bursa	13,540	24.8	68	17.9
727	Excision of lesion of muscle, tendon, fascia, and bursa	30,754	56.4	122	32.0
728	Division and resection of muscle, tendon, and fascia of hand	6,838	12.5	24	6.2

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
729	Repair and plastic operations on hand	15,127	27.8	44	11.4
730	Resection and suture of muscle, tendon, and fascia, except hand	13,682	25.1	65	17.1
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	12,718	23.3	66	17.3
732	Amputation of fingers and thumb	5,389	9.9	25	6.6
733	Amputation of hand, forearm, and upper arm	530	1.0	7	1.9
734	Amputation of toes	6,297	11.6	114	29.9
735	Below-knee amputation	5,458	10.0	169	44.3
736	Above-knee amputation	5,104	9.4	139	36.5
737	Other amputation of lower extremity	1,561	2.9	46	12.1
738	Reattachment of extremity	562	1.0	4	1.1
739	Revision of amputation stump	2,803	5.1	24	6.4
740	Miscellaneous operations on musculoskeletal system	247	0.5	3	0.8
742	Local excision or destruction of lesion of breast	84,844	155.7	299	78.4
743	Simple mastectomy	6,209	11.4	46	12.0
744	Extended simple mastectomy and radical mastectomy	25,311	46.4	257	67.4
745	Miscellaneous operations on breast	17,263	31.7	70	18.4
746	Incision and excision of pilonidal cyst or sinus	18,219	33.4	82	21.5
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	66,969	122.9	410	107.5
748	Other incision, excision, and suture of skin	88,934	163.2	776	203.4
749	Free skin grafts	13,963	25.6	226	59.4
750	Pedicle graft of skin	4,249	7.8	46	12.2
751	Miscellaneous operations on skin and subcutaneous tissue	20,805	38.2	95	24.8

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
753 Encephalography and ventriculography	3,750	6.9	32	8.5
754 Myelography	77,762	142.7	596	156.2
755 Cerebral arteriography	27,834	51.1	233	61.2
756 Coronary arteriography	10,145	18.6	51	13.3
757 Other arteriography and phlebography	57,821	106.1	466	122.2
758 Other radiography and special diagnostic procedures	48,009	88.1	427	111.9
760 Special therapies and rehabilitation	10,114	18.6	109	28.7
764 Miscellaneous diagnostic and therapeutic procedures	12,932	23.7	121	31.7
All patients in operation groups	5,450,222	10,000.0	38,133	10,000.0

For each of the four regions and for the United States as a whole, Tables 2 and 3 display frequency rankings of patients and total stay according to operation group. The operation groups are listed in their rank order for the U.S. as a whole. Groups consisting solely of UHDDS Class 2-4 procedures are excluded (see explanation for Table 1), as are patients who died, patients admitted from other short-term hospitals, patients tranferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 2

Ranking of *ICD-9-CM* List B Operation Groups by Live Discharges U.S. PAS Hospitals, 1979

Operation Group Number and Title (1)		All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
675	Other dilation and curettage	286,436	1	1	1	1	1
687	Low forceps with and without episiotomy	190,746	2	4	2	2	4
691	Low cervical cesarean section	156,857	3	3	5	5	3
690	Other procedures to assist delivery	154,551	4	6	3	8	2
671	Abdominal hysterectomy	144,448	5	9	7	3	5
636	Cystoscopy and urethroscopy	141,843	6	8	4	4	20
616	Cholecystectomy	140,005	7	7	6	6	7
620	Unilateral repair of inguinal hernia	137,871	8	2	8	7	6
525	Intracapsular extraction of lens	113,615	9	5	10	10	8
554	Tonsillectomy with adenoidectomy	108,131	10	13	9	9	12
748	Other incision, excision, and suture of skin	88,934	11	11	13	12	14
603	Appendectomy	87,962	12	15	12	13	9
742	Local excision or destruction of lesion of breast	84,844	13	12	15	11	23

Table 2 (Continued)

Operation Group Number and Title (1)		All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
648	Transurethral prostatectomy	82,823	14	14	16	14	15
697	Miscellaneous obstetric procedures	80,867	15	18	11	23	11
573	Cardiac catheterization	78,519	16	21	14	17	13
754	Myelography	77,762	17	24	18	15	10
553	Tonsillectomy without adenoidectomy	69,380	18	19	17	19	18
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	66,969	19	16	19	18	32
581	Other operations on blood vessels	60,735	20	22	24	24	16
547	Tooth extraction	59,096	21	10	22	26	82
757	Other arteriography	57,821	22	23	21	27	24
713	Other reduction of fracture without internal fixation, except maxillofacial	57,596	23	20	20	29	26
672	Vaginal hysterectomy	57,045	24	48	28	16	21
717	Excision of intervertebral disc	56,462	25	34	27	20	22
718	Excision of semilunar cartilage of knee joint	53,197	26	33	26	31	17
664	Bilateral endoscopic destruction or occlusion of fallopian tubes	51,867	27	28	25	21	41
665	Other bilateral tubal interruption or salpingectomy	51,366	28	29	29	22	37

Table 2 (Continued)

Operation Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
712	Open reduction of fracture with internal fixation, except maxillofacial	50,669	29	38	30	30	19
705	Excision of bone except facial	49,716	30	32	31	32	25
758	Other radiography and special diagnostic procedures	48,009	31	35	23	28	39
612	Hemorrhoidectomy	47,961	32	30	32	25	36
586	Miscellaneous operations on spleen and bone marrow	42,542	33	26	34	34	38
542	Rhinoplasty	40,900	34	31	35	33	27
574	Pacemaker insertion, replacement, removal, and repair	39,291	35	25	41	37	31
509	Miscellaneous operations on cranial and other peripheral nerves	39,244	36	43	33	45	28
599	Colectomy	37,973	37	27	38	42	33
709	Open reduction of fracture of femur with internal fixation	35,967	38	39	40	39	34
573	Myringotomy	35,008	39	37	45	36	44
719	Miscellaneous excisions of joint structures	33,240	40	46	42	49	29
637	Transurethral excision or destruction of bladder lesion	32,751	41	36	43	50	43
567	Bronchoscopy (using natural orifice)	30,893	42	44	47	35	56
727	Excision of lesion of muscle, tendon, fascia, and bursa	30,754	43	47	44	40	53

Table 2 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
641	Urethral dilation	30,079	44	65	36	38	99
572	Direct heart revascularization	29,906	45	97	48	41	30
704	Bunionectomy	28,865	46	60	37	67	47
689	Other extraction procedures to assist delivery	28,341	47	58	51	46	46
676	Aspiration curettage for termination of pregnancy	28,280	48	17	66	100	84
755	Cerebral arteriography	27,834	49	80	49	47	42
597	Local excision or destruction of intestinal lesion or tissue	27,341	50	42	50	52	68
628	Laparoscopy (excluding that for destruction of fallopian tubes)	26,869	51	59	46	53	55
696	Intrauterine procedures on fetus and amnion	25,683	52	70	39	96	50
707	Removal of internal fixation device	25,368	53	55	52	63	48
744	Extended simple mastectomy and radical mastectomy	25,311	54	45	58	56	52
526	Other lens extraction	25,066	55	74	72	44	40
627	Laparotomy	25,030	56	67	55	48	54
724	Arthroplasty of knee	24,536	57	91	53	65	35
624	Repair of other hernia of anterior abdominal wall	24,376	58	51	56	54	57
555	Adenoidectomy without tonsillectomy	24,021	59	64	60	43	93
582	Incision, excision of lymphatic structures	22,787	60	54	62	55	70
725	Repair of other joint	22,732	61	81	54	82	45

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
621 Bilateral repair of inguinal hernia	22,664	62	62	59	59	61
563 Incision and local excision or destruction of lesion of bronchus	22,645	63	52	63	60	65
513 Thyroidectomy	22,470	64	68	68	51	63
615 Miscellaneous operations on liver	22,326	65	49	65	34	60
716 Arthrotomy and division of joint capsule	22,126	66	85	61	66	49
592 Local excision or destruction of lesion or tissue of stomach	21,760	67	61	57	68	72
578 Systemic shunt or graft bypass	21,233	68	50	79	62	58
661 Unilateral oophorectomy or salpingo-oophorectomy	20,844	69	82	69	57	62
751 Miscellaneous operations on skin and subcutaneous tissue	20,805	70	69	67	58	73
577 Ligation and stripping of varicose veins	20,415	71	56	64	78	76
630 Miscellaneous operations on abdominal wall and peritoneum	20,241	72	86	71	61	66
668 Other excision or destruction of lesion or tissue of cervix	19,493	73	40	74	85	151

Table 2 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
723	Other arthroplasty of hip	19,118	74	75	76	69	69
722	Total hip replacement	18,543	75	96	73	97	51
746	Incision and excision of pilonidal cyst or sinus	18,219	76	57	81	80	108
638	Miscellaneous operations on bladder	18,098	77	73	77	79	79
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	18,082	78	72	75	86	78
530	Resection and recession of ocular muscle	18,068	79	78	80	75	77
666	Miscellaneous operations on fallopian tube	18,027	80	83	84	77	64
536	Tympanoplasty	17,728	81	106	78	74	67
660	Local excision or destruction of ovarian lesion or tissue	17,425	82	71	83	87	83
518	Miscellaneous operations on eyelid	17,407	83	53	100	89	85
541	Submucous resection of nasal septum	17,319	84	41	85	132	111
745	Miscellaneous operations on breast	17,263	85	94	96	70	59
680	Plastic repair of cystocele and rectocele	17,230	86	89	82	76	91
569	Thoracotomy	17,013	87	92	89	71	71

Table 2 (Continued)

Operation Group Number and Title (1)		All Hospitals Number of Patients (2)	All Hospitals Rank (3)	Rank by Region North-east (4)	Rank by Region North Central (5)	Rank by Region South (6)	Rank by Region West (7)
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	16,326	88	84	91	83	95
632	Miscellaneous operations on kidney	16,221	89	90	97	73	90
703	Incision and division of bones except facial	15,752	90	111	70	117	94
626	Incision, excision of abdominal wall and peritoneum except laparotomy	15,601	91	88	94	92	96
544	Miscellaneous operations on nose	15,441	92	76	99	106	89
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	15,384	93	77	92	81	145
683	Incision and excision of lesion of vulva and perineum	15,252	94	79	93	88	131
729	Repair and plastic operations on hand	15,127	95	109	87	109	74
623	Repair of umbilical hernia	14,806	96	101	95	84	114
692	Other cesarean section	14,796	97	120	88	93	98
558	Excision of lesion of larynx	14,765	98	66	104	101	106

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
606 Local excision or destruction of lesion or tissue of rectum	14,487	99	87	90	108	127
596 Miscellaneous operations on stomach	14,098	100	135	86	110	87
601 Intestinal anastomosis or repair	14,012	101	95	106	113	86
749 Free skin grafts	13,963	102	116	103	91	100
609 Miscellaneous operations on intestine	13,831	103	117	98	90	128
730 Resection and suture of muscle, tendon, and fascia, except hand	13,682	104	110	102	115	81
726 Incision and division of muscle, tendon, fascia and bursa	13,540	105	103	111	107	88
667 Conization of cervix	13,499	106	108	101	94	123
588 Operations on esophagus	13,465	107	102	105	99	113
506 Exploration and decompression of spinal canal structures	13,306	108	123	113	103	80
650 Miscellaneous operations on prostate and seminal vesicles	12,943	109	105	118	102	102
764 Miscellaneous diagnostic and therapeutic procedures	12,932	110	104	108	98	129

Table 2 (Continued)

	Operation Group Number and Title (1)	All Hospitals Number of Patients (2)	All Hospitals Rank (3)	Rank by Region Northeast (4)	Rank by Region North Central (5)	Rank by Region South (6)	Rank by Region West (7)
565	Local excision or destruction of lesion or tissue of lung	12,835	111	107	115	114	101
635	Miscellaneous operations on ureter	12,769	112	130	116	72	135
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	12,718	113	113	107	119	92
543	Other incision, excision of nose	12,486	114	98	112	118	118
528	Repair of retina	12,277	115	93	135	116	75
508	Excision or destruction of lesion of cranial or peripheral nerve	12,071	116	150	114	112	97
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	12,012	117	100	123	111	115
706	Repair and plastic operation on bone except facial	11,962	118	128	109	121	103
674	Dilation and curettage of uterus for termination of pregnancy	11,850	119	63	150	122	109
711	Closed reduction of fracture with internal fixation, except maxillofacial and femur	11,164	120	112	121	128	107
633	Ureterotomy	10,683	121	134	128	95	133
649	Other prostatectomy	10,238	122	99	138	133	125

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals Number of Patients (2)	All Hospitals Rank (3)	Rank by Region Northeast (4)	Rank by Region North Central (5)	Rank by Region South (6)	Rank by Region West (7)
714 Closed reduction of dislocation	10,233	123	126		142	119
682 Miscellaneous operations on vagina	10,230	124	127	120	130	142
550 Operations on salivary glands and ducts	10,198	125	121	126	131	120
640 Excision of urethral lesion, repair of urethra	10,151	126	132	122	120	143
756 Coronary arteriography	10,145	127	215	110	105	156
760 Special therapies and rehabilitation	10,114	128	144	117	136	134
610 Incision or excision of anal fistula	10,033	129	122	132	127	116
611 Local excision or destruction of lesion or tissue of anus	10,031	130	125	125	123	140
721 Arthrodesis and stabilization of joint	9,956	131	138	124	139	110
642 Miscellaneous operations on urethra	9,781	132	166	130	104	136
613 Miscellaneous operations on anus	9,626	133	118	133	137	132
593 Partial gastrectomy	9,563	134	124	136	125	126
677 Other aspiration curettage	9,517	135	115	143	135	121
701 Open reduction of maxillofacial fractures	9,445	136	152	127	134	112
580 Hemodialysis	9,382	137	129	141	144	105
576 Other diagnostic and therapeutic procedures on larynx, trachea	9,081	138	119	145	124	160

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
652 Orchiectomy	9,069	139	133	131	138	137
662 Bilateral oophorectomy or salpingo-oophorectomy	8,553	140	176	140	129	124
535 Stapes mobilization and stapedectomy	8,458	141	139	137	145	138
534 Operations on external ear	8,412	142	131	142	140	153
608 Proctectomy	8,363	143	114	144	155	150
643 Urethral suspension	8,306	144	169	129	147	130
556 Operations on pharynx except tonsillectomy and adenoidectomy	8,165	145	147	139	146	141
720 Spinal fusion	8,067	146	178	148	150	104
708 Closed reduction of fracture of femur with internal fixation	8,009	147	148	134	148	147
631 Complete nephrectomy	8,006	148	143	146	143	148
694 Intra-amniotic injection for abortion	7,926	149	145	162	126	144
538 Mastoidectomy	7,841	150	140	151	141	154
501 Incision, excision of skull, brain, and cerebral meninges	7,614	151	161	153	151	117
571 Open heart operations	7,425	152	160	155	154	122
688 Breech extraction	7,345	153	136	147	149	174
617 Operations on biliary tract and gallbladder except cholecystectomy	7,257	154	141	149	162	162
653 Orchiopexy	7,181	155	142	152	167	155
728 Division and resection of muscle, tendon, and fascia of hand	6,838	156	154	154	177	149

Table 2 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
700	Closed reduction of maxillofacial fractures	6,602	157	151	156	170	164
546	Miscellaneous operations on accessory sinus	6,409	158	162	159	159	163
524	Other operations on iris, ciliary body, sclera and anterior chamber	6,374	159	146	176	164	158
734	Amputation of toes	6,297	160	153	161	157	177
549	Operations on teeth and gums except extraction and restoration	6,264	161	156	164	158	167
743	Simple mastectomy	6,209	162	159	158	160	178
566	Lobectomy and complete pneumonectomy	6,207	163	173	165	156	161
598	Resection of small intestine	6,179	164	163	160	178	159
715	Open reduction of dislocation	6,165	165	175	157	176	157
502	Craniotomy and craniectomy	5,941	166	180	173	166	152
539	Miscellaneous operations on middle ear and inner ear	5,923	167	172	175	175	146
527	Miscellaneous operations on lens	5,911	168	191	185	152	139
545	Radical maxillary antrotomy	5,722	169	170	180	163	166
532	Operations on orbit and eyeball	5,635	170	174	177	165	170
622	Unilateral or bilateral repair of femoral hernia	5,585	171	157	168	184	171

Table 2 (Continued)

Operation Group Number and Title (1)		All Hospitals Number of Patients (2)	Rank (3)	Rank by Region North-east (4)	North Central (5)	South (6)	West (7)
517	Excision or destruction of lesion or tissue of eyelid	5,564	172	137	183	174	201
735	Below-knee amputation	5,458	173	164	174	173	186
670	Hysterotomy and excision of lesion of uterus	5,403	174	155	167	182	190
732	Amputation of fingers and thumb	5,389	175	184	163	183	175
602	Ileostomy, colostomy, and other enterostomy	5,388	176	149	171	190	180
699	Repair and plastic operations on facial bones	5,344	177	198	172	169	165
514	Operations on parathyroid and thyroid, except thyroidectomy	5,306	178	171	182	180	176
523	Operations for regulation of intraocular pressure	5,303	179	158	189	179	173
607	Other incision of rectum and incision or excision of perirectal tissue	5,181	180	186	178	153	192
639	Urethral meatotomy	5,110	181	183	170	168	206
736	Above-knee amputation	5,104	182	179	179	161	203
651	Operations on scrotum and tunica vaginalis	5,065	183	177	166	187	182
625	Repair of diaphragmatic and other hernia	5,044	184	195	187	171	168

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
522 Miscellaneous operations on cornea	4,992	185	168	195	172	183
669 Repair and plastic operations on cervix	4,705	186	181	169	192	198
595 Vagotomy	4,696	187	208	184	181	169
618 Operations on pancreas	4,608	188	167	186	189	191
507 Operations on spinal cord structures, except exploration	4,386	189	202	181	196	172
750 Pedicle graft of skin	4,249	190	194	193	188	179
658 Miscellaneous operations on penis	4,208	191	189	192	186	195
710 Reduction of fracture of femur without internal fixation	4,118	192	188	191	191	194
562 Operations on larynx and trachea except excision and permanent tracheostomy	3,956	193	187	197	193	187
583 Radical excision of lymph nodes	3,891	194	182	198	198	184
679 Miscellaneous operations on uterus, cervix, and supporting structures	3,774	195	193	190	201	202
753 Encephalography and ventriculography	3,750	196	203	188	206	185
655 Interruption of vas deferens	3,735	197	192	194	185	223
663 Miscellaneous operations on ovary	3,642	198	200	196	199	200

Table 2 (Continued)

Operation Group Number and Title (1)		All Hospitals Number of Patients (2)	Rank (3)	Rank by Region North-east (4)	North Central (5)	South (6)	West (7)
681	Other colporrhaphy	3,619	199	199	299	194	189
548	Tooth restoration and orthodontia	3,526	200	201	199	195	196
510	Sympathectomy	3,333	201	185	207	197	208
529	Miscellaneous operations on retina, choroid, and vitreous	3,279	202	197	209	203	181
634	Ureteral diversion	3,166	203	207	203	202	193
505	Miscellaneous operations on brain and cerebral meninges	3,081	204	209	206	200	197
600	Other incision, resection of intestine	3,067	205	196	201	208	205
521	Corneal transplant	3,007	206	190	214	205	199
695	Diagnostic amniocentesis	2,860	207	165	213	218	217
590	Gastrotomy, pyloromyotomy	2,815	208	211	202	210	210
739	Revision of amputation stump	2,803	209	210	204	204	212
654	Miscellaneous operations on testis	2,776	210	205	205	209	214
503	Cranioplasty	2,695	211	216	212	211	188
519	Operations on lacrimal system	2,547	212	204	215	213	204
575	Miscellaneous operations on heart	2,517	213	219	211	212	209
591	Gastrostomy	2,411	214	206	210	215	220
698	Excision of facial bone	2,197	215	212	218	207	222
568	Miscellaneous operations on lung	2,194	216	214	219	214	213

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
587 Other diagnostic and therapeutic procedures on vessels, lymphatic	2,122	217	222	208	229	207
504 Ventricular shunt, extracranial	2,030	218	217	217	220	211
551 Palatoplasty	1,831	219	223	221	216	216
515 Operations on endocrine glands, except parathyroid and thyroid	1,656	220	224	224	221	218
685 Miscellaneous operations on vulva and perineum	1,644	221	225	222	217	221
644 Other repair of stress incontinence	1,614	222	235	216	227	215
604 Incidental appendectomy	1,590	223	228	223	219	219
737 Other amputation of lower extremity	1,561	224	213	227	223	224
511 Miscellaneous operations on sympathetic nerves and ganglia	1,457	225	230	220	224	225
560 Complete laryngectomy	1,416	226	218	228	222	230
645 Ureteral catheterization	1,396	227	221	226	225	226
559 Partial laryngectomy and local excision of lesion of trachea	1,265	228	220	229	228	228
678 Repair and plastic operations on supporting structures of uterus	1,215	229	232	225	226	229
684 Vulvectomy	1,015	230	229	231	230	235
520 Operations on conjunctiva	995	231	226	233	231	231
594 Total gastrectomy	945	232	227	232	233	232

Table 2 (Continued)

Operation Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
673	Radical hysterectomy and pelvic evisceration	912	233	231	230	232	237
614	Incision of liver	863	234	233	234	235	227
646	Miscellaneous operations on urinary tract	705	235	234	235	237	239
702	Miscellaneous maxillofacial surgery	701	236	241	236	234	236
605	Operations on appendix except appendectomy	688	237	237	237	236	233
738	Reattachment of extremity	562	238	240	240	241	234
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	539	239	236	239	239	241
733	Amputation of hand, forearm, and upper arm	530	240	243	238	238	238
561	Permanent tracheostomy	419	241	242	241	240	242
693	Other abdominal operation to remove embryo or fetus	394	242	239	242	242	240
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	358	243	238	243	243	243
740	Miscellaneous operations on musculoskeletal system	247	244	246	245	244	244
579	Extracorporeal circulation	227	245	244	244	246	246

Table 2 (Continued)

Operation Group Number and Title (1)		All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
531	Miscellaneous operations on ocular muscle	197	246	245	246	245	245
564	Bronchial resection and miscellaneous operations on bronchus	86	247	247	247	247	247
585	Bone marrow transplant	50	248	249	248	248	248
584	Miscellaneous operations on lymphatic system	39	249	248	249	249	249
	All patients in operation groups	5,450,222					

Table 3

Ranking of *ICD-9-CM* Operation Groups by Days of Care
U.S. PAS Hospitals, 1979

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
616 Cholecystectomy	1,561	1	1	1	1	1
671 Abdominal hysterectomy	1,231	2	3	2	2	2
691 Low cervical cesarean section	1,015	3	2	4	4	4
636 Cystoscopy and urethroscopy	934	4	5	3	3	20
581 Other operations on blood vessels	886	5	8	7	5	3
648 Transurethral prostatectomy	876	6	4	5	6	7
748 Other incision, excision, and suture of skin	776	7	9	8	9	8
709 Open reduction of fracture of femur with internal fixation	762	8	7	10	11	6
717 Excision of intervertebral disc	745	9	15	9	8	5
675 Other dilation and curettage	733	10	10	6	10	28
599 Colectomy	730	11	6	13	14	9
620 Unilateral repair of inguinal hernia	684	12	11	11	13	12
687 Low forceps with and without episiotomy	682	13	16	12	7	17
754 Myelography	596	14	21	15	12	11
586 Miscellaneous operations on spleen and bone marrow	570	15	12	16	17	19
690 Other procedures to assist delivery	547	16	17	14	19	14
603 Appendectomy	512	17	19	17	18	13

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
574 Pacemaker insertion, replacement, removal, and repair	473	18	13	24	21	21
757 Other arteriography and phlebography	466	19	18	18	22	27
525 Intracapsular extraction of lens	466	20	14	22	24	23
572 Direct heart revascularization	456	21	41	20	16	10
672 Vaginal hysterectomy	438	22	47	25	15	18
758 Other radiography and special diagnostic procedures	427	23	22	19	23	32
712 Open reduction of fracture with internal fixation, except maxillofacial	412	24	25	26	26	16
747 Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	410	25	24	23	20	38
723 Other arthroplasty of hip	401	26	23	27	27	26
573 Cardiac catheterization	397	27	37	21	28	25
705 Excision of bone except facial	381	28	26	28	31	22
578 Systemic shunt or graft bypass	362	29	20	36	33	30
722 Total hip replacement	358	30	31	29	35	15
567 Bronchoscopy (using natural orifice)	338	31	28	34	25	37
627 Laparotomy	337	32	33	31	30	31
713 Other reduction of fracture without internal fixation, except maxillofacial	329	33	27	30	34	33

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
724 Arthroplasty of knee	306	34	55	32	37	24
612 Hemorrhoidectomy	306	35	42	35	29	41
742 Local excision or destruction of lesion of breast	299	36	32	37	32	56
718 Excision of semilunar cartilage of knee joint	282	37	43	38	40	29
563 Incision and local excision or destruction of lesion of bronchus	269	38	29	39	38	46
615 Miscellaneous operations on liver	262	39	30	41	41	45
697 Miscellaneous obstetric procedures	260	40	53	33	51	36
744 Extended simple mastectomy and radical mastectomy	257	41	34	42	43	40
630 Miscellaneous operations on abdominal wall and peritoneum	255	42	45	44	36	34
597 Local excision or destruction of intestinal lesion or tissue	239	43	35	43	49	59
755 Cerebral arteriography	233	44	65	40	42	48
592 Local excision or destruction of lesion or tissue of stomach	228	45	38	45	55	55
749 Free skin grafts	226	46	58	47	39	44
506 Exploration and decompression of spinal canal structures	220	47	61	50	47	35

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
637 Transurethral excision or destruction of bladder lesion	217	48	36	49	59	57
569 Thoracotomy	213	49	57	52	46	42
632 Miscellaneous operations on kidney	210	50	51	55	45	50
638 Miscellaneous operations on bladder	204	51	44	51	57	60
554 Tonsillectomy with adenoidectomy	202	52	83	46	44	58
596 Miscellaneous operations on stomach	201	53	71	48	56	39
565 Local excision or destruction of lesion or tissue of lung	200	54	50	57	52	53
601 Intestinal anastomosis or repair	198	55	49	59	60	43
624 Repair of other hernia of anterior abdominal wall	198	56	56	54	53	65
582 Incision, excision of lymphatic structures	191	57	48	56	58	76
593 Partial gastrectomy	182	58	59	72	54	54
626 Incision, excision of abdominal wall and peritoneum except laparotomy	182	59	54	63	62	62
608 Proctectomy	175	60	39	66	79	67
665 Other bilateral tubal interruption or salpingectomy	173	61	74	61	48	87
547 Tooth extraction	173	62	40	60	64	139
641 Urethral dilation	170	63	82	53	50	113

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
708 Closed reduction of fracture of femur with internal fixation	170	64	64	62	72	64
735 Below-knee amputation	169	65	52	69	63	77
501 Incision, excision of skull, brain, and cerebral meninges	161	66	75	75	73	47
661 Unilateral oophorectomy or salpingo-oophorectomy	159	67	78	70	61	66
619 Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	158	68	60	67	68	115
716 Arthrotomy and division of joint capsule	155	69	79	73	76	51
649 Other prostatectomy	155	70	46	90	75	74
553 Tonsillectomy without adenoidectomy	152	71	91	65	74	69
704 Bunionectomy	152	72	87	58	95	70
719 Miscellaneous excisions of joint structures	149	73	81	71	80	61
680 Plastic repair of cystocele and rectocele	149	74	80	68	67	82
570 Operations on chest wall, pleura, and mediastinum except thoracotomy	148	75	63	83	71	78

Table 3 (Continued)

Operation Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
609	Miscellaneous operations on intestine	142	76	86	74	70	98
509	Miscellaneous operations on cranial and other peripheral nerves	142	77	103	64	89	71
707	Removal of internal fixation device	141	78	70	77	86	72
736	Above-knee amputation	139	79	67	79	65	109
588	Operations on esophagus	138	80	73	78	78	83
706	Repair and plastic operation on bone except facial	137	81	85	76	87	73
571	Open heart operations	136	82	89	88	88	52
617	Operations on biliary tract and gallbladder except cholecystectomy	135	83	66	81	90	79
513	Thyroidectomy	133	84	93	87	69	84
502	Craniotomy and craniectomy	133	85	88	99	77	63
631	Complete hephrectomy	132	86	76	86	81	81
602	Ileostomy, colostomy, and other enterostomy	128	87	62	96	106	88
577	Ligation and stripping of varicose veins	126	88	68	84	92	105
720	Spinal fusion	124	89	112	100	96	49
598	Resection of small intestine	124	90	84	93	98	75
727	Excision of lesion of muscle, tendon, fascia, and bursa	122	91	97	80	82	104
633	Ureterotomy	122	92	98	103	66	89
542	Rhinoplasty	122	93	90	98	85	80

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
660 Local excision or destruction of ovarian lesion or tissue	121	94	77	94	94	93
764 Miscellaneous diagnostic and therapeutic procedures	121	95	92	95	84	95
621 Bilateral repair of inguinal hernia	120	96	95	82	97	86
566 Lobectomy and complete pneumonectomy	118	97	94	101	83	85
606 Local excision or destruction of lesion or tissue of rectum	118	98	72	89	104	120
734 Amputation of toes	114	99	69	107	93	110
725 Repair of other joint	114	100	114	91	111	68
703 Incision and division of bones except facial	110	101	107	85	108	91
760 Special therapies and rehabilitation	109	102	109	92	103	100
689 Other extraction procedures to assist delivery	106	103	110	102	99	94
562 Operations on larynx and trachea except excision and permanent tracheostomy	98	104	96	113	100	99
628 Laparoscopy (excluding that for destruction of fallopian tubes)	97	105	119	97	112	121
666 Miscellaneous operations on fallopian tube	96	106	113	109	109	92

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
692 Other cesarean section	96	107	127	104	105	106
751 Miscellaneous operations on skin and subcutaneous tissue	95	108	118	106	102	126
664 Bilateral endoscopic destruction or occlusion of fallopian tubes	93	109	126	108	91	147
711 Closed reduction of fracture with internal fixation, except maxillofacial and femur	89	110	106	114	113	102
552 Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	88	111	104	111	114	117
643 Urethral suspension	86	112	138	110	116	101
710 Reduction of fracture of femur without internal fixation	84	113	108	116	118	114
650 Miscellaneous operations on prostate and seminal vesicles	82	114	105	120	115	130
746 Incision and excision of pilonidal cyst or sinus	82	115	99	112	123	152
662 Bilateral oophorectomy or salpingo-oophorectomy	81	116	148	115	107	103
618 Operations on pancreas	81	117	111	118	120	122

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
635 Miscellaneous operations on ureter	81	118	133	117	101	131
576 Other diagnostic and therapeutic procedures on larynx, trachea	79	119	102	124	122	129
526 Other lens extraction	76	120	137	135	110	96
595 Vagotomy	74	121	155	121	117	107
623 Repair of umbilical hernia	74	122	124	119	121	144
696 Intrauterine procedures on fetus and amnion	73	123	164	105	162	119
668 Other excision or destruction of lesion or tissue of cervix	71	124	100	122	131	173
528 Repair of retina	70	125	115	156	129	90
745 Miscellaneous operations on breast	70	126	144	134	124	108
580 Hemodialysis	70	127	117	140	138	97
652 Orchiectomy	69	128	125	127	126	137
726 Incision and division of muscle, tendon, fascia and bursa	68	129	136	132	130	112
714 Closed reduction of dislocation	68	130	128	125	140	127
656 Miscellaneous operations on spermatic cord, epididymis, and vas deferens	68	131	129	123	132	140
721 Arthrodesis and stabilization of joint	67	132	139	129	133	116

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
731 Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	66	133	130	128	139	123
730 Resection and suture of muscle, tendon, and fascia, except hand	65	134	140	130	136	118
507 Operations on spinal cord structures, except exploration	64	135	141	131	146	111
591 Gastrostomy	63	136	121	133	145	153
625 Repair of diaphragmatic and other hernia	62	137	161	144	119	128
600 Other incision, resection of intestine	62	138	122	143	137	136
701 Open reduction of maxillofacial fractures	62	139	156	138	128	125
640 Excision of urethral lesion, repair of urethra	62	140	143	136	125	156
662 Miscellaneous operations on vagina	59	141	142	137	141	146
537 Myringotomy	59	142	149	141	134	134
544 Miscellaneous operations on nose	58	143	134	139	153	138
518 Miscellaneous operations on eyelid	57	144	123	149	148	142
613 Miscellaneous operations on anus	55	145	132	147	150	143

Table 3 (Continued)

Operation Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
541	Submucous resection of nasal septum	55	146	101	146	178	172
508	Excision or destruction of lesion of cranial or peripheral nerve	54	147	172	145	142	124
510	Sympathectomy	53	148	120	165	147	160
683	Incision and excision of lesion of vulva and perineum	52	149	147	142	143	178
642	Miscellaneous operations on urethra	51	150	176	150	127	157
756	Coronary arteriography	51	151	220	126	135	171
611	Local excision or destruction of lesion or tissue of anus	50	152	159	148	144	162
550	Operations on salivary glands and ducts	49	153	146	155	154	155
610	Incision or excision of anal fistula	49	154	153	159	151	151
505	Miscellaneous operations on brain and cerebral meninges	48	155	162	164	152	133
543	Other incision, excision of nose	47	156	150	151	156	163
715	Open reduction of dislocation	47	157	152	153	164	148
634	Ureteral diversion	47	158	158	158	159	141
558	Excision of lesion of larynx	47	159	135	157	163	170
750	Pedicle graft of skin	46	160	163	163	155	132
737	Other amputation of lower extremity	46	161	131	171	157	159
743	Simple mastectomy	46	162	154	152	161	169

Table 3 (Continued)

	Operation Group Number and Title (1)	All Hospitals		Rank by Region			
		Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
583	Radical excision of lymph nodes	45	163	145	166	165	154
536	Tympanoplasty	44	164	182	160	158	145
729	Repair and plastic operations on hand	44	165	173	154	166	149
504	Ventricular shunt, extracranial	43	166	157	167	174	135
676	Aspiration curettage for termination of pregnancy	43	167	116	175	188	184
667	Conization of cervix	40	168	169	162	160	191
622	Unilateral or bilateral repair of femoral hernia	40	169	151	168	176	164
575	Miscellaneous operations on heart	39	170	178	169	167	158
555	Adenoidectomy without tonsillectomy	38	171	184	172	149	190
556	Operations on pharynx except tonsillectomy and adenoidectomy	37	172	165	173	170	166
530	Resection and recession of ocular muscle	36	173	175	174	172	165
514	Operations on parathyroid and thyroid, except thyroidectomy	35	174	166	178	168	167
587	Other diagnostic and therapeutic procedures on vessels, lymphatic	35	175	188	161	212	150
534	Operations on external ear	34	176	180	176	171	180

Table 3 (Continued)

	Operation Group Number and Title (1)	All Hospitals		Rank by Region			
		Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
700	Closed reduction of maxillofacial fractures	33	177	168	177	177	182
560	Complete laryngectomy	33	178	160	183	173	199
753	Encephalography and ventriculography	32	179	183	170	201	168
546	Miscellaneous operations on accessory sinus	32	180	181	179	175	179
670	Hysterotomy and excision of lesion of uterus	31	181	167	180	181	196
607	Other incision of rectum and incision or excision of perirectal tissue	29	182	189	185	169	203
538	Mastoidectomy	29	183	179	188	180	183
524	Other operations on iris, ciliary body, sclera and anterior chamber	28	184	170	195	184	175
532	Operations on orbit and eyeball	28	185	187	186	179	185
651	Operations on scrotum and tunica vaginalis	27	186	185	181	190	206
503	Cranioplasty	27	187	202	191	186	161
688	Breech extraction	26	188	186	182	193	212
568	Miscellaneous operations on lung	26	189	190	196	185	181
732	Amputation of fingers and thumb	25	190	203	184	189	186
699	Repair and plastic operations on facial bones	25	191	209	193	183	174
523	Operations for regulation of intraocular pressure	25	192	174	202	191	195

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
594 Total gastrectomy	25	193	171	203	198	192
545 Radical maxillary antrotomy	25	194	195	199	182	197
515 Operations on endocrine glands, except parathyroid and thyroid	25	195	197	194	192	177
739 Revision of amputation stump	24	196	194	189	196	200
658 Miscellaneous operations on penis	24	197	198	192	187	202
728 Division and resection of muscle, tendon, and fascia of hand	24	198	200	187	207	188
535 Stapes mobilzation and stapedectomy	24	199	193	197	195	194
653 Orchiopexy	24	200	191	190	200	201
674 Dilation and curettage of uterus for termination of pregnancy	23	201	177	215	197	187
681 Other colporrhaphy	22	202	205	201	194	198
549 Operations on teeth and gums except extraction and restoration	21	203	199	205	206	207
590 Gastrotomy, pyloromyotomy	20	204	207	198	205	209
663 Miscellaneous operations on ovary	19	205	211	204	209	208
517 Excision or destruction of lesion or tissue of eyelid	19	206	192	207	204	219
527 Miscellaneous operations on lens	19	207	222	209	203	176

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals Days of Care (in 1,000s) (2)	All Hospitals Rank (3)	Rank by Region North-east (4)	Rank by Region North Central (5)	Rank by Region South (6)	Rank by Region West (7)
539 Miscellaneous operations on middle ear and inner ear	18	208	212	212	210	189
677 Other aspiration curettage	18	209	204	214	211	210
529 Miscellaneous operations on retina, choroid, and vitreous	17	210	206	217	214	193
522 Miscellaneous operations on cornea	17	211	208	216	202	213
521 Corneal transplant	17	212	196	221	215	205
644 Other repair of stress incontinence	16	213	232	200	219	204
669 Repair and plastic operations on cervix	16	214	210	206	216	223
694 Intra-amniotic injection for abortion	15	215	214	223	199	216
698 Excision of facial bone	15	216	216	220	208	217
679 Miscellaneous operations on uterus, cervix, and supporting structures	15	217	217	211	222	214
559 Partial laryngectomy and local excision of lesion of trachea	15	218	201	218	217	228
673 Radical hysterectomy and pelvic evisceration	15	219	213	213	218	224
639 Urethral meatotomy	15	220	224	210	213	233

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
511 Miscellaneous operations on sympathetic nerves and ganglia	14	221	226	208	225	218
684 Vulvectomy	13	222	215	219	220	227
614 Incision of liver	12	223	218	224	226	211
561 Permanent tracheostomy	12	224	223	226	223	215
604 Incidental appendectomy	11	225	230	225	224	221
655 Interruption of vas deferens	11	226	228	222	221	240
645 Ureteral catheterization	10	227	219	229	229	226
695 Diagnostic amniocentesis	10	228	221	228	232	229
654 Miscellaneous operations on testis	10	229	227	227	227	230
646 Miscellaneous operations on urinary tract	9	230	225	230	230	231
551 Palatoplasty	9	231	231	234	231	220
519 Operations on lacrimal system	8	232	229	236	234	225
678 Repair and plastic operations on supporting structures of uterus	8	233	235	231	228	234
605 Operations on appendix except appendectomy	8	234	233	233	236	222
733 Amputation of hand, forearm, and upper arm	7	235	238	232	233	237
685 Miscellaneous operations on vulva and perineum	7	236	236	235	235	236

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals Days of Care (in 1,000s) (2)	Rank (3)	Rank by Region North-east (4)	North Central (5)	South (6)	West (7)
548 Tooth restoration and orthodontia	7	237	234	237	237	232
738 Reattachment of extremity	4	238	239	239	241	235
702 Miscellaneous maxillofacial surgery	4	239	243	240	238	238
579 Extracorporeal circulation	4	240	237	238	244	239
557 Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	3	241	241	242	239	244
520 Operations on conjunctiva	3	242	240	243	240	242
740 Miscellaneous operations on musculoskeletal system	3	243	245	241	242	241
693 Other abdominal operation to remove embryo or fetus	3	244	242	244	243	243
686 Miscellaneous diagnostic and therapeutic procedures on female genital system	2	245	244	245	245	246
531 Miscellaneous operations on ocular muscle	1	246	246	246	247	245
564 Bronchial resection and miscellaneous operations on bronchus	1	247	248	247	246	247

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
584 Miscellaneous operations on lymphatic system	1	248	247	249	248	248
585 Bone marrow transplant	0	249	249	248	249	249
All operation groups	38,133					

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 3 Procedures: Tabular List and Alphabetic Index. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the ICD-9-CM List B operation group to which each operation belongs

Group Number	Title
	Abdominal wall, *see also Hernia*
627	Exploratory laparotomy
626	Excision
626	Incision
	Adenoid
554	Adenoidectomy with tonsillectomy
555	Adenoidectomy without tonsillectomy
556	Other
	Amputation, *see Extremity*
	Angiography
756	Cardiac
	Anus
611	Excision of lesion or tissue
612	Hemorrhoidectomy
613	Other
	Appendix
603	Appendectomy
605	Other
	Arteriography
757	Aorta
755	Head
756	Heart
755	Neck
757	Other
	Artery, *see Blood vessels*
617	Biliary tract, except cholecystectomy
	Bladder
637	Excision of lesion or tissue, transurethral
	Blood vessels
578	Bypass graft
572	Heart
577	Ligation and stripping, veins
578	Systemic shunt
	Bone, except facial, *see also Extremity*
705	Biopsy
703	Division

OPERATION INDEX (continued)

Group Number	Title
	Bone, except facial (continued)
705	Excision
703	Incision
707	Removal of internal fixation device
706	Repair
713	Reduction, closed
713	Reduction, open
	Bone, facial
698	Biopsy
703	Division
698	Excision
702	Incision
699	Repair
700	Reduction, closed
701	Reduction, open
	Bone marrow
585	Transplant
586	Other
	Brain
501	Excision
501	Incision
504	Ventricular shunt
	Breast
742	Biopsy
741	Complete mastectomy
742	Excision, lesion
745	Mastotomy
742	Partial mastectomy
744	Radical mastectomy
567	Bronchoscopy
	Bronchus
563	Excision of lesion or tissue
762	Removal of foreign body with incision
564	Resection
704	Bunionectomy
	Bursa, *see Muscle*
	Cartilage
716	Division

OPERATION INDEX (continued)

Group Number	Title
	Cartilage (continued)
717	Excision of intervertebral cartilage
718	Excision of semilunar cartilage of knee
	Cataract extraction
525	Intracapsular
526	Other
579	Circulation, extracorporeal
619	Colonoscopy, transabdominal
420	Conjunctiva
521	Corneal transplant
682	Culdoscopy
664	For ligation of fallopian tubes
636	Cystoscopy
629	Dialysis, peritoneal
	Ear
534	External
537	Myringotomy
536	Stapedectomy
535	Stapes mobilization
539	Tympanotomy
536	Tympanoplasty
753	Encephalography
515	Endocrine, except parathyroid, thyroid, and gonads
656	Epididymis
589	Esophagoscopy
	Extremity
	Amputation
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
732	Thumb
734	Toe
733	Upper arm

OPERATION INDEX (continued)

Group Number	Title
	Extremity (continued)
738	Reattachment
739	Revision of amputation
532	Eyelid, excision of lesion or tissue
	Fallopian tube
665	Excision, bilateral
665	Endoscopic approach
665	Ligation, bilateral
665	Endoscopic approach
662	Salpingo-oophorectomy, bilateral
661	Salpingo-oophorectomy, unilateral
666	Other
	Fascia, *see Muscle*
	Gallbladder
616	Cholecystectomy
589	Gastroscopy
596	Gastroscopy, surgical
	Graft, *see site*
	Gums
549	Alveoloplasty
549	Excision of lesion or tissue
549	Gingivectomy
549	Incision
	Hand, *see also Extremity*
728	Division of muscle, tendon, and fascia
	Heart
573	Catheterization
575	Massage, open
574	Pacemaker insertion or replacement
	Hernia repair
625	Diaphragmatic
624	Epigastric
622	Femoral, bilateral
624	Incisional
621	Inguinal, bilateral
620	Inguinal, unilateral

OPERATION INDEX (continued)

Group Number	Title
	Hernia repair (continued)
623	Umbilical
624	Ventral
	Hysterectomy, *see Uterus*
	Intestine, *see also Hernia*
601	Anastomosis
599	Colectomy
602	Colostomy
602	Enterostomy
597	Excision of lesion or tissue
600	Exteriorization
602	Ileostomy
600	Incision
601	Repair
599	Resection of large intestine
598	Resection of small intestine
	Joint, *see also Extremity*
741	Arthrocentesis
721	Arthrodesis, except spine
720	Spinal fusion
723	Arthroplasty of hip, except total replacement
722	Total hip replacement
716	Arthrotomy
716	Division of capsule
719	Excision, except intervertebral cartilage and cartilage of knee
741	Injection
717	Laminectomy with disc excision
718	Meniscectomy, knee
714	Reduction, dislocation, closed
715	Reduction, dislocation, open
725	Repair, except hip arthroplasty
724	Stabilization
	Kidney
631	Complete nephrectomy
	Larynx
558	Excision of lesion or tissue

OPERATION INDEX (continued)

Group Number	Title
	Larynx (continued)
562	Laryngotomy, permanent
559	Partial laryngectomy
560	Total laryngectomy
	Lens
526	Extraction, except intracapsular
525	Intracapsular extraction
716	Ligament, division
	Liver
614	Incision, including percutaneous
	Lung
566	Lobectomy
566	Pneumonectomy
	Lymph nodes
582	Excision, except radical
583	Excision, radical
582	Incision
584	Other
538	Mastoidectomy
	Meninges, cerebral
501	Excision
501	Incision
	Muscle, *see also Extremity*
726	Division, except hand
728	Division, hand
727	Excision of lesion or tissue
726	Incision
730	Resection, except hand
728	Resection, hand
730	Suture, except hand
729	Suture, hand
	Muscle, ocular
530	Recession
530	Resection
754	Myelography
	Nerve, peripheral
508	Excision of lesion or tissue

OPERATION INDEX (continued)

Group Number	Title
	Nerve, peripheral (continued)
595	Vagotomy
	Nerve, sympathetic
510	Sympathectomy
	Nose
543	Excision, except submucous resection
541	Submucous resection, nasal septum
543	Incision
542	Rhinoplasty
	Obstetrical procedures
677	Curettage, aspiration
675	D & C
	Delivery, assisted
688	Breech extraction
692	Cesarean section, except low cervical
691	Cesarean section, low cervical
690	Episiotomy
689	Low forceps
	Intrauterine procedures
695	Amniocentesis
690	Intra-amniotic injection
696	Intrauterine transfusion
697	Removal of retained placenta, manual
697	Repair of laceration
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage
691	Hysterotomy
694	Intra-amniotic injection
697	Other
	Oral cavity, except salivary glands
557	Frenotomy
551	Palatoplasty
	Ovary
660	Excision of lesion or tissue
662	Oophorectomy, bilateral
661	Oophorectomy, unilateral
663	Other

OPERATION INDEX (continued)

Group Number	Title
	Palate
551	Cleft palate repair
551	Palatoplasty
514	Parathyroid
	Penis
657	Circumcision
	Perineum, female
683	Excision of lesion or tissue
683	Incision
	Perirectal
607	Excision
607	Incision
609	Other
	Peritoneum
630	Division of adhesions
627	Drainage, except via cul de sac
682	Via cul de sac
626	Excision
630	Incision, except via cul de sac
682	Via cul de sac
628	Peritoneoscopy
	Pleura
576	Pleurocentesis
	Prostate
648	Prostatectomy, transurethral
649	Prostatectomy, except transurethral
650	Other
	Rectum
606	Excision, except proctectomy
609	Incision
608	Proctectomy
608	Other
	Reduction
	Dislocation, *see Joint*
	Fracture, *see Bone*
758	Retrograde pyelogram
	Sinuses, nasal
546	Radical maxillary sinusotomy

OPERATION INDEX (continued)

Group Number	Title
	Skin
747	Excision, except pilonidal sinus
746	Excision of pilonidal sinus
	Graft
749	Free
750	Pedicle
748	Incision, except pilonidal sinus
746	Incision of pilonidal sinus
751	Plastic, except lip
552	Plastic, lip
748	Suture
	Skull
503	Cranioplasty
502	Craniotomy
501	Excision
501	Puncture
	Spinal cord
506	Exploration
	Stomach
593	Complete gastrectomy
592	Excision of lesion or tissue
591	Gastrostomy
590	Gastrotomy
593	Partial gastrectomy
590	Pyloromyotomy
596	Pyloroplasty
595	Vagotomy
	Tendon
726	Division, except hand
728	Division, hand
727	Excision of lesion or tissue
726	Incision
730	Resection, except hand
727	Resection, hand
730	Suture, except hand
729	Suture, hand
	Testes
652	Orchiectomy
654	Other

OPERATION INDEX (continued)

Group Number	Title
570	Thoracoscopy, transpleural
	Thorax
576	Thoracentesis
	Thyroid
513	Thyroidectomy
514	Other
	Tongue
557	Frenotomy
557	Tongue-tie operation
	Tonsils
554	Tonsillectomy with adenoidectomy
555	Tonsillectomy without adenoidectomy
556	Other
	Tooth
548	Extraction
547	Restoration
549	Root resection
	Trachea
559	Excision of lesion or tissue
562	Permanent tracheostomy
563	Tracheotomy
	Ureter
645	Catheterization
634	Diversion
633	Ureterotomy
635	Other
	Urethra
641	Dilation
640	Excision of lesion or tissue
639	Meatotomy
640	Repair
642	Other
636	Urethroscopy
	Uterus, *see also Obstetrical procedures*
677	Aspiration curettage
670	Biopsy
667	Conization of cervix
675	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Uterus (continued)
668	Excision of cervix, except conization
668	Excision of lesion or tissue
673	Exenteration, pelvic
678	Hysteropexy
670	Hysterotomy, except to terminate pregnancy
671	Hysterectomy, abdominal, except radical
673	Hysterectomy, radical
672	Hysterectomy, vaginal, except radical
670	Myomectomy
679	Repair
678	Repair of supporting structures
	Vagina, except obstetrical
681	Colporrhaphy, except for cystocele and rectocele
680	Cystocele repair
680	Rectocele repair
682	Other
	Vas deferens
655	Interruption
656	Other
	Vein, *see Blood vessels*
757	Venography
	Ventricles, cerebral
505	Shunt
753	Ventriculography
	Vertebra
717	Excision, intervertebral disc
720	Fusion
506	Laminectomy, exploratory
	Other (grouped with other bone operations)
	Vulva, except obstetrical
683	Excision of lesion or tissue
683	Incision
684	Vulvectomy
685	Other

R 3850-1.9

Length of Stay in PAS Hospitals,

by Diagnosis,

United States, Northeastern Region,

1979

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
OCTOBER 1980

LENGTH OF STAY IN PAS HOSPITALS

Copyright © 1980 by Commission on Professional and Hospital Activities, Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the series entitled
"Length of Stay in PAS Hospitals". . .

Volumes include:

. . . by Diagnosis, United States, 1979
. . . by Diagnosis, United States, North Central Region, 1979
. . . by Diagnosis, United States, Northeastern Region, 1979
. . . by Diagnosis, United States, Southern Region, 1979
. . . by Diagnosis, United States, Western Region, 1979
. . . by Diagnosis, Canada, 1979

. . . by Operation, United States, 1979
. . . by Operation, United States, North Central Region, 1979
. . . by Operation, United States, Northeastern Region, 1979
. . . by Operation, United States, Southern Region, 1979
. . . by Operation, United States, Western Region, 1979
. . . by Operation, Canada, 1979

Also included are:

Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979
Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities. Also for selected years there are length of stay books for particular regional groups of hospitals, for pediatric patients, and for geriatric patients.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1979 in North America. Twelve volumes describe stays for either diagnoses or operations in the United States, in each of the four U.S. census regions, or in Canada. The thirteenth and fourteenth volumes display data on both diagnoses and operations for pediatric and for geriatric patients in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities.

These statistics, which are also available on computer readable magnetic tape, can provide a valuable perspective for physicians, administrators, PSROs, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" (PSRO) and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1979 LENGTH OF STAY BOOKS

Walt Wood, Manager, Research and Statistics
Ed Kobrinski, Assistant Manager
Ann Matteson, Project Coordinator

CONTENTS

Preface iii
Discussion of the Data 1
- Source of the Data 1
- Data Quality 3
- Coverage 4
- Organization of Length of Stay Tables 7
  - *ICD-9-CM* List A: Hospital Diagnosis Groups 7
  - Definition of Multiple Dx Patients 7
  - Definition of Operated Patients 8
- Explanation of Statistics 8
- Exclusions 9
- Defining the Extended Stay Case 10

Length of Stay Tables 21
- Summary of All Patients 22
- Summary of All Patients Except Newborn 23
- Diagnosis Groups 1-398 24

Distribution Tables 223
- Table 1: Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List A Hospital Diagnosis Groups 225
- Table 2: Ranking of *ICD-9-CM* List A Diagnosis Groups by Live Discharges 244
- Table 3: Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care 268

Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 293
Index to Length of Stay Tables 297

DISCUSSION OF THE DATA

Source of the Data

Data in this book were compiled from individual patient discharge abstracts submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain, and Figure 1 diagrams, the PAS method of storing and retrieving medical data.


PAS
HOSPITAL
CLINICAL RECORD
CASE ABSTRACT
DATA TAPE
CPHA DATA CENTER
COMPUTER
DATA FILE
HOSPITAL
ITS OWN OVERALL STATISTICS
+
MORE DETAILED STATISTICS
+
LISTINGS
MULTIHOSPITAL STUDIES
INTERHOSPITAL COMPARISONS
REGIONAL DATA

FIG. 1. Schematic diagram of the PAS medical record information system.

BEST AVAILABLE COPY

1. In each participating hospital, medical record personnel transfer information from the record of each discharged patient onto a PAS Case Abstract (Figure 2). The data may also be put onto a data tape at the hospital.
2. The abstract or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it serves as input to the computer system.
3. Data then undergo a comprehensive "cleaning" process and detected errors are corrected by contributing hospitals.
4. The computer system produces sets of reports which give comprehensive statistics on discharged patients plus listings of individual case abstracts in various sequences.
5. The computer system continually adds to a permanent history data file.
6. Length of stay statistics from this file are annually published in this series of length of stay books. The stored data are also available to researchers on a contractual basis.



PAS

1979 CASE ABSTRACT

1234567890EV

SAMPLE

79

PAS

79

FIG. 2 PAS Case Abstract

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its role as an extension of the hospital's medical record department.

Quality control of PAS data begins before a new hospital submits its first case abstract and continues as an ongoing system involving personal monitoring, computer checks, and education programs. In spite of these efforts, errors do occur. There are three ways errors can be introduced into PAS data: 1) the basic patient medical record can be incomplete or in error, 2) errors can be made in abstracting information from the medical record to the PAS Case Abstract, and 3) errors can be introduced during processing.

Although CPHA has indirect influence over the quality of the medical record through education and through feedback from use of PAS reports within the hospital, basic responsibility for the accuracy of the medical record rests with the physician and others in the hospital contributing to it. Clearly, the abstractor cannot add to the medical record. Errors or omissions made in it will be carried forward to the PAS Case Abstract.

CPHA goes to considerable lengths to prevent and correct errors in abstracting by training PAS hospital medical record personnel in coding and abstracting methods, by monitoring their work, and by judiciously checking and editing patient data for errors. During processing, over 350 computer checks* are performed on each abstract to check the reasonableness of the data received. When illogical, invalid, or missing data are detected, an error message is printed and the hospital is notified, often by phone. About 40% of the errors detected in the computer audit can be and are corrected at CPHA; the remainder must be handled by the hospitals because only they have the information necessary to make the corrections. Hospitals make such corrections on a voluntary basis.

---

*The following are examples of discrepancies and inconsistencies in the data that are detected by the computer audit: hospital day of operative episode exceeding total stay, cesarean sections with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded. Examples of invalid data detected by the computer are diagnosis and operation codes that do not exist in the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Coverage

The length of stay tables in this book display stay distributions for 2,078,742 patients discharged during 1979 from 249 nonfederal, short-term* hospitals participating in PAS in the Northeastern Region of the U.S. PAS hospitals in United States territories and Puerto Rico were excluded from this publication as were short-term psychiatric hospitals participating in PAS. Patients studied were selected from a total of 2,233,201 discharges.

Characteristics of all hospitals in the Northeastern Region that participated in PAS during 1979 are shown in Tables A and B. Some of these hospitals did not participate for the entire 12-month period. In addition, because of the unavailability of data at the time of processing, data for some of these PAS hospitals are not included in the length of stay tables.

States included in the various census regions and divisions are shown in Figure 3.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

FIG. 3. Census Divisions and Regions in the United States

---

*Short-term hospitals are defined as those in which the median stay is shorter than 30 days.

Table A

Bed Size, Region, and Census Division: PAS Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

Hospital Class (1)	Short-Term Nonfederal Hospitals Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Beds Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
ALL U.S.						
Bed Size						
1. Less than 25 beds	305	27	8.9%	5,761	528	9.2%
2. 25-49	1,154	158	13.7	41,776	6,129	14.7
3. 50-99	1,459	345	23.6	105,411	25.666	24.3
4. 100-199	1,412	470	33.3	198,519	67,395	33.9
5. 200-299	716	301	42.0	174,636	73,904	42.3
6. 300-399	382	179	46.9	131,296	61,207	46.6
7. 400-499	244	102	41.8	107,790	45,171	41.9
8. 500 or more	311	115	37.0	212,247	77,156	36.4
Total	5,983	1,697	28.4%	977,436	357,156	36.5%
Region and Census Division						
Northeast	941	260	27.6%	221,260	73,590	33.3%
New England	276	88	31.9	51,658	20,198	39.1
Middle Atlantic	665	172	25.9	169,602	53,392	31.5
North Central	1,744	652	37.4	292,394	141,077	48.2
East North Central	935	499	53.4	193,639	110,157	56.9
West North Central	809	153	18.9	98,755	30,920	31.3
South	2,171	451	20.8	316,264	91,344	28.9
South Atlantic	823	292	35.5	149,347	57,261	38.3
East South Central	488	50	10.2	67,691	12,984	19.2
West South Central	860	109	12.7	99,226	21,099	21.3
West	1,127	334	29.6	147,518	51,175	34.7
Mountain	365	107	29.3	38,709	17,459	45.1
Pacific	762	227	29.8	108,809	33,716	31.0
Grand Total	5,983	1,697	28.4%	977,436	357,186	36.5%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Table B

Teaching Type, Region, and Census Division: PAS Hospitals Compared with all Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

Region and Census Division (1)	Hospitals with Residencies Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Hospitals with Medical School Affiliation Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
Northeast	306	114	37.3%	228	87	38.2%
New England	69	31	44.9	58	29	50.0
Middle Atlantic	237	83	35.0	170	58	34.1
North Central	298	152	51.0	218	109	50.0
East North Central	205	116	56.6	140	75	53.6
West North Central	93	36	38.7	78	34	43.6
South	265	76	28.7	211	62	29.4
South Atlantic	127	44	34.6	104	38	36.5
East South Central	57	14	24.6	47	12	25.5
West South Central	81	18	22.2	60	12	20.0
West	140	47	33.6	116	38	32.8
Mountain	38	16	42.1	30	11	36.7
Pacific	102	31	30.4	86	27	31.4
Grand Total	1,009	389	38.6%	773	296	38.3%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Organization of Length of Stay Tables

The length of stay tables in the body of this book are organized according to the diagnosis groupings in *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, age, and operation status. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight as a means of stratifying patients.

ICD-9-CM List A: Hospital Diagnosis Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List A: Hospital Diagnosis Groups* has been replaced by *ICD-9-CM List A: Hospital Diagnosis Groups,* which reflects the diagnoses contained in the new classification.

Patients were assigned to *ICD-9-CM* List A groups on the basis of their final diagnosis explaining admission (UHDDS "principal diagnosis"). This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patients discharged from PAS hospitals during 1979 was coded using *ICD-9-CM.*

Definition of Multiple Dx Patients

A patient is classified in the multiple dx category if he had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] ***ICD-9-CM List A: Hospital Diagnosis Groups*** **is based on the** ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),*** **Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.**

Definition of Operated Patients

In 1979 PAS hospitals used *ICD-9-CM* to code procedures. An operated patient is a patient who had at least one UHDDS[2] Class 1 procedure. A patient with only Class 2-4 procedures is considered nonoperated.

Explanation of Statistics

The diagnosis group titles heading the tables are followed in parentheses by the diagnosis codes they include. These codes refer to *ICD-9-CM.*

Length of stay is calculated from admission and discharge dates entered on the PAS Case Abstract, counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance, but as staying less than one day in the calculation of the percentiles. Thus, if more than 5% of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in column 2, "Number of Patients"; column 3, "Average Stay"; or column 4, "Variance." The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

---

[2] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are shown. If, for example, the 10th percentile for a group of patients is four days, it means that ten percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

The value of a percentile for a group of patients is determined by arranging the individual patients' stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The tables displaying data for newborns (groups 393-395) use weight rather than age to stratify the patients. The weight is given in grams (G).

Exclusions

The length of stay tables exclude :

(1) patients who died
(2) patients admitted from other short-term hospitals
(3) patients discharged to other short-term hospitals
(4) patients discharged against medical advice
(5) patients with length of stay greater than 99 days (these patients are included only in the percentile calculations).

These patients are excluded because they are not typical short-term patients (i.e., their stays are not "manageable" by the physician).

Other exclusions include stillborn, patients with incalculable age or stay, illegal or unrecorded principal diagnosis, unrecorded discharge status, and patients with diagnosis-age or diagnosis-sex inconsistencies. Also excluded are newborn with illegal or unrecorded birthweights.

Defining the Extended Stay[1] Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the PSRO is called extended stay review. This review, whether applied universally to all patients within the facility or "focused" on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in reasonably current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, the age of a patient, whether the patient had single or multiple diagnoses, and whether that patient had an operation. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based upon the diagnosis.

---

[1] Medicare regulations formerly referred to "extended duration," PSRO guidelines refer to "continued stay."

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the regional length of stay books published by the Commission on Professional and Hospital Activities.[2] With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[3]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[4] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group (in the CPHA length of stay books) for each diagnosis is given in column 4.

b. Diagnoses not in *Concurrent Review Screening* can usually be found in the alphabetic index at the back of the length of stay books.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[5] That code can then be located in List A or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

---

[2] *Length of Stay in PAS Hospitals, by Diagnosis,* Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979	*U.S., Western Region, 1979*
U.S., North Central Region, 1979	*Canada, 1979*
U.S., Southern Region, 1979	*United States Geriatric, 1979*
U.S., Northeastern Region, 1979	*United States Pediatric, 1979*

Length of Stay in PAS Hospitals, by Operation, Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979	*U.S., Western Region, 1979*
U.S., North Central Region, 1979	*Canada, 1979*
U.S., Southern Region, 1979	*United States Geriatric, 1979*
U.S., Northeastern Region, 1979	*United States Pediatric, 1979*

[3] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[4] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[5] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Volume 2, Diseases: Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table. There are two tables per page for diagnosis groups in the length of stay books.

Step 3. Find the appropriate part of the table for number of diagnoses (single or multiple).

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses, two or more operations with widely different lengths of stay are commonly performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate *operation* length of stay table.

Step 5. Find the correct age group. The five age groupings presented are 0-19 years, 20-34 years, 35-49 years, 50-64 years, and 65 years and over.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line which includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November, a 47-year-old patient is admitted to a hospital in the Northeastern Region for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g. *a. acute myocardial infarction* *b. dissecting aortic aneurysm* *c. acute pericarditis*			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The alphabetic index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis INDEX TO DISEASES

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) (*see also* Cholecystitis, acute) 575.0
  - gangrenous (*see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current (*see also* Fever, paratyphoid) 002.9
  - suppurative (*see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis (impacted) (multiple) 574.2**

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** (*see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** (*see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** (*see also* Cholera) 001.9
- **Cholestasis** (*see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) (*see also* Cholesteatoma) 385.30
  - diffuse 385.35

124

Step 2. Find the table for group 215 of *Length of Stay in PAS Hospitals, by Diagnosis, United States, Northeastern Region, 1979.*

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	4.3	7	1	1	4	5	8	10	12
20-34	231	3.8	7	1	1	3	5	7	9	13
35-49	208	4.1	7	1	1	4	5	8	9	13
50-64	287	4.5	8	1	1	4	6	8	9	13
65+	246	6.7	17	1	2	6	9	11	15	20
B. *Operated*										
0-19 YRS	209	8.4	14	5	5	8	10	13	15	25
20-34	2472	8.2	10	5	6	7	9	12	14	20
35-49	2575	8.6	13	5	6	8	9	12	15	20
50-64	2854	9.3	13	6	6	8	10	14	16	24
65+	1320	11.4	26	6	7	10	14	18	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.0	11	<1	1	5	7	9	12	14
20-34	207	5.1	16	1	2	4	7	9	13	20
35-49	288	6.3	28	1	2	5	8	11	14	30
50-64	661	6.6	22	2	2	6	8	12	15	22
65+	1355	9.2	42	3	4	8	11	16	20	35
B. *Operated*										
0-19 YRS	94	10.9	27	5	6	10	13	16	22	30
20-34	1335	10.3	33	5	6	9	12	16	19	30
35-49	1905	10.8	35	6	6	9	13	17	20	32
50-64	3507	12.3	44	6	7	10	15	20	24	37
65+	3710	16.7	95	7	8	14	20	28	35	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1003	4.8	11	1	1	4	6	9	11	16
B. *Operated*	9430	9.1	15	5	6	8	10	14	16	24
2. MULTIPLE DX										
A. *Not Operated*	2534	7.8	35	2	3	7	10	14	17	30
B. *Operated*	10551	13.3	66	6	7	11	16	23	28	45
1. SINGLE DX	10433	8.7	16	4	5	8	10	13	16	23
2. MULTIPLE DX	13085	12.3	64	4	6	10	15	21	27	44
A. NOT OPERATED	3537	7.0	30	1	2	6	9	13	16	28
B. OPERATED	19981	11.3	46	6	6	9	13	19	24	38
TOTAL 0-19 YRS	357	8.5	20	2	4	8	11	14	16	26
20-34	4245	8.5	20	3	5	8	10	13	16	25
33-49	4976	9.1	25	4	5	8	10	14	17	27
50-64	7309	10.3	33	4	6	9	12	17	21	32
65+	6631	13.8	80	5	6	11	17	24	30	48
GRAND TOTAL	23518	10.7	46	4	5	9	13	18	23	37

Step 3. There are no secondary diagnoses recorded, so one needs to be concerned only with the top ten lines of the table (Section 1).



249 PAS Hospitals, Northeastern Region, January-December 1979

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTIL				
				5th (5)	10th (6)	50th (7)	75th (8)	90 (9)
1. SINGLE DX								
A. Not Operated								
0-19 YRS	31	4.3	7	1	1	4	5	8
20-34	231	3.8	7	1	1	3	5	7
35-49	208	4.1	7	1	1	4	5	8
50-64	287	4.5	8	1	1	4	6	
65+	246	6.7	17	1	2	6	9	
B. Operated								
0-19 YRS	209	8.4	14	5	5	8	10	
20-34	2472	8.2	10	5	6	7		
35-49	2575	8.6	13	5	6	8		
50-64	2854	9.3	13	5	6	8		
65+	1320	11.4	26	6	7			
LE DX								
	23	5.0						

131

Step 4. Since surgery is scheduled, one is restricted to the second five lines of the table (Section 1.B.).



249 PAS Hospitals, Northeastern Region, January-December 1979

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTIL				
				5th (5)	10th (6)	50th (7)	75th (8)	90 (9)
1. SINGLE DX								
A. Not Operated								
0-19 YRS	31	4.3	7	1	1	4	5	8
20-34	231	3.8	7	1	1	3	5	7
35-49	208	4.1	7	1	1	4	5	8
50-64	287	4.5	8	1	1	4	6	
65+	246	6.7	17	1	2	6	9	
B. Operated								
0-19 YRS	209	8.4	14	5	5	8	10	
20-34	2472	8.2	10	5	6	7		
35-49	2575	8.6	13	5	6	8		
50-64	2854	9.3	13	5	6	8		
65+	1320	11.4	26	6	7			
LE DX								
	23	5.0						

131

Step 5. The patient is 47 years old and therefore falls in the age group 35-49.



249 PAS Hospitals, Northeastern Region, January–December 1979

216: Gallbladder disease without mention of calculus (575)

131

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)
1. SINGLE DX							
A. *Not Operated*							
0-19 YRS	31	4.3	7	1	1	4	5
20-34	231	3.8	7	1	1	3	5
35-49	208	4.1	7	1	1	4	5
50-64	287	4.5	8	1	1	4	6
65+	246	6.7	17	1	2	6	9
B. *Operated*							
0-19 YRS	209	8.4	14	5	5	8	10
20-34	2472	8.2	10	5	6	7	
35-49	2575	8.6	13	5	6	8	
50-64	2854	9.3	13	6	6	8	
65+	1320	11.4	26	6	7		
	23	5.0					

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the eighth day after admission to be the day that this patient comes up for extended stay review.



249 PAS Hospitals, Northeastern Region, January–December 1979

216: Gallbladder disease without mention of calculus (575)

131

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)
1. SINGLE DX							
A. *Not Operated*							
0-19 YRS	31	4.3	7	1	1	4	5
20-34	231	3.8	7	1	1	3	5
35-49	208	4.1	7	1	1	4	5
50-64	287	4.5	8	1	1	4	6
65+	246	6.7	17	1	2	6	9
B. *Operated*							
0-19 YRS	209	8.4	14	5	5	8	10
20-34	2472	8.2	10	5	6	7	
35-49	2575	8.6	13	5	6	8	
50-64	2854	9.3	13	6	6		
65+	1320	11.4	26	6	7		
	23	5.0					

The patient was admitted on 3 November; therefore the eighth day will fall on 11 November. Prior to or on 11 November, the committee or groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile (as suggested in the *PSRO Program Manual*, paragraph 705.26).

Subsequent extended stay review dates should be set by the physician advisor or the peer review (utilization review) committee as necessary, based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay
Tables

A: Summary of all patients in diagnosis groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	205678	3.9	13	1	2	3	4	6	8	16
20-34	122264	4.6	28	1	1	3	5	8	12	29
35-49	45196	6.6	46	1	1	5	8	14	18	34
50-64	40034	7.6	54	1	2	6	10	16	20	38
65+	33648	9.2	84	1	2	7	12	19	25	52
B. *Operated*										
0-19 YRS	96146	3.2	16	<1	<1	2	4	6	8	20
20-34	169145	3.9	15	<1	1	3	5	7	9	19
35-49	79329	5.1	30	<1	1	3	7	11	15	27
50-64	76458	6.4	45	1	2	4	8	14	19	33
65+	60977	8.5	79	1	2	5	11	19	25	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120593	5.5	37	1	2	4	6	9	14	34
20-34	68898	6.8	54	1	1	5	8	14	20	40
35-49	71320	8.3	58	1	2	6	10	16	22	40
50-64	130683	9.6	69	2	3	7	12	19	24	44
65+	234009	12.1	111	2	3	9	15	23	32	67
B. *Operated*										
0-19 YRS	50978	5.4	69	<1	1	3	6	12	19	51
20-34	119911	6.0	51	1	1	4	7	11	17	41
35-49	88553	7.9	78	1	2	6	10	17	24	50
50-64	113542	11.3	136	2	2	8	15	25	34	69
65+	151380	15.3	196	2	3	12	20	33	46	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	446820	5.1	32	1	1	4	5	10	14	30
B. *Operated*	482055	4.9	34	<1	1	3	6	10	15	29
2. MULTIPLE DX										
A. *Not Operated*	625503	9.3	82	2	2	7	12	19	26	52
B. *Operated*	524364	10.1	133	1	2	6	13	23	33	68
1. SINGLE DX	928875	5.0	33	<1	1	3	6	10	15	29
2. MULTIPLE DX	1149867	9.7	105	1	2	7	12	21	29	60
A. NOT OPERATED	1072323	7.5	65	1	2	5	9	16	22	44
B. OPERATED	1006419	7.6	92	<1	1	4	9	18	26	54
TOTAL 0-19 YRS	473395	4.4	27	1	1	3	5	7	11	28
20-34	480218	5.0	34	<1	1	4	6	9	14	31
35-49	284398	7.0	56	1	1	5	9	15	20	39
50-64	360717	9.2	87	1	2	7	12	19	26	51
65+	480014	12.4	137	2	3	9	16	26	36	72
GRAND TOTAL	**2078742**	**7.6**	**78**	**1**	**2**	**5**	**9**	**17**	**24**	**49**

B: Summary of all patients in diagnosis groups except newborn

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84748	4.2	28	1	1	3	5	8	11	28
20-34	122264	4.6	28	1	1	3	5	8	12	29
35-49	45196	6.6	46	1	1	5	8	14	18	34
50-64	40034	7.6	54	1	2	6	10	16	20	38
65+	33648	9.2	84	1	2	7	12	19	25	52
B. *Operated*										
0-19 YRS	96071	3.2	16	<1	<1	2	4	6	8	20
20-34	169145	3.9	15	<1	1	3	5	7	9	19
35-49	79329	5.1	30	<1	1	3	7	11	15	27
50-64	76458	6.4	45	1	2	4	8	14	19	33
65+	60977	8.5	79	1	2	5	11	19	25	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63191	5.4	39	1	1	4	6	10	14	35
20-34	68898	6.8	54	1	1	5	8	14	20	40
35-49	71320	8.3	58	1	2	6	10	16	22	40
50-64	130683	9.6	69	2	3	7	12	19	24	44
65+	234009	12.1	111	2	3	9	15	23	32	67
B. *Operated*										
0-19 YRS	49658	5.1	59	<1	1	3	6	11	18	46
20-34	119911	6.0	51	1	1	4	7	11	17	41
35-49	88553	7.9	78	1	2	6	10	17	24	50
50-64	113542	11.3	136	2	2	8	15	25	34	69
65+	151380	15.3	196	2	3	12	20	33	46	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	325890	5.6	43	1	1	4	6	12	17	34
B. *Operated*	481980	4.9	34	<1	1	3	6	10	15	29
2. MULTIPLE DX										
A. *Not Operated*	568101	9.7	85	1	2	7	12	19	26	53
B. *Operated*	523044	10.1	132	1	2	6	13	23	33	67
1. SINGLE DX	807870	5.2	37	<1	1	3	6	11	16	31
2. MULTIPLE DX	1091145	9.9	108	1	2	7	12	21	30	61
A. NOT OPERATED	893991	8.2	74	1	2	6	10	17	23	47
B. OPERATED	1005024	7.6	92	<1	1	4	9	18	26	54
TOTAL 0-19 YRS	293668	4.3	33	<1	1	3	5	8	12	31
20-34	480218	5.0	34	<1	1	4	6	9	14	31
35-49	284398	7.0	56	1	1	5	9	15	20	39
50-64	360717	9.2	87	1	2	7	12	19	26	51
65+	480014	12.4	137	2	3	9	16	26	36	72
GRAND TOTAL	**1899015**	**7.9**	**83**	**1**	**1**	**5**	**10**	**17**	**25**	**51**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1927	3.7	9	1	1	3	5	7	9	15
20-34	601	3.8	10	1	1	3	5	7	10	15
35-49	231	4.7	47	1	1	3	6	9	12	17
50-64	160	4.2	7	1	1	4	6	8	9	14
65+	134	5.6	20	1	2	4	7	11	14	25
B. *Operated*										
0-19 YRS	42	6.0	13	2	3	5	8	10	14	17
20-34	43	7.7	22	3	4	6	9	16	20	22
35-49	13	9.1	30	3	4	8	11	18	21	22
50-64	7	11.9	38	3	4	12	15	21	22	22
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1627	4.6	11	1	2	4	5	9	11	18
20-34	512	4.5	16	1	1	3	5	8	10	23
35-49	293	5.3	16	1	2	4	6	10	13	18
50-64	428	6.7	27	2	2	5	8	12	16	32
65+	580	8.1	49	2	3	6	10	15	20	51
B. *Operated*										
0-19 YRS	57	8.1	31	2	3	6	10	16	19	29
20-34	46	8.0	49	2	3	6	10	16	23	38
35-49	30	10.6	45	4	4	8	16	19	20	30
50-64	36	12.9	161	2	3	8	14	38	42	55
65+	68	14.9	141	3	5	11	23	37	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3053	3.9	13	1	1	3	5	7	9	15
B. *Operated*	106	7.5	22	3	3	6	9	15	18	22
2. MULTIPLE DX										
A. *Not Operated*	3440	5.5	23	1	2	4	7	10	14	25
B. *Operated*	237	11.1	95	3	3	8	15	24	37	60
1. SINGLE DX	3159	4.0	13	1	1	3	5	7	10	16
2. MULTIPLE DX	3677	5.9	29	1	2	4	7	11	15	29
A. NOT OPERATED	6493	4.8	18	1	2	4	6	9	12	21
B. OPERATED	343	10.0	75	3	3	7	12	21	30	52
TOTAL 0-19 YRS	3653	4.2	11	1	2	3	5	8	10	17
20-34	1202	4.4	15	1	1	3	5	8	11	21
35-49	567	5.4	32	1	2	4	7	10	14	20
50-64	631	6.5	34	1	2	5	8	12	16	36
65+	783	8.2	57	2	2	6	10	15	23	52
GRAND TOTAL	**6836**	**5.0**	**23**	**1**	**2**	**4**	**6**	**9**	**13**	**24**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	8.2	35	2	2	6	11	19	20	21
20-34	60	15.8	196	3	5	12	16	34	63	97
35-49	56	18.5	249	2	4	15	21	37	49	90
50-64	36	20.9	331	3	4	18	32	43	47	91
65+	27	15.7	128	3	4	12	21	28	42	51
B. *Operated*										
0-19 YRS										
20-34	23	10.7	40	2	3	10	13	22	24	25
35-49	29	14.6	127	4	5	12	23	44	97	99+
50-64	27	15.4	170	3	4	10	23	31	48	54
65+	16	14.7	115	3	4	13	19	27	40	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	13.9	165	1	2	10	18	34	45	45
20-34	51	24.5	487	4	5	17	35	70	90	99+
35-49	76	22.5	288	4	5	21	30	49	89	99+
50-64	105	18.6	227	4	6	14	26	43	52	99+
65+	94	22.1	289	4	6	18	28	51	60	94
B. *Operated*										
0-19 YRS	3	15.3	9	12	12	16	17	18	18	18
20-34	23	15.9	257	2	7	13	17	22	46	85
35-49	41	20.2	278	2	3	16	26	57	64	99+
50-64	66	22.3	291	4	5	16	34	46	69	99+
65+	76	23.8	265	6	8	19	36	51	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	15.8	220	3	4	13	20	35	48	92
B. *Operated*	95	13.9	116	3	4	10	20	30	45	99+
2. MULTIPLE DX										
A. *Not Operated*	336	21.3	298	4	6	17	29	51	67	99+
B. *Operated*	209	21.6	274	3	7	16	29	48	65	99+
1. SINGLE DX	291	15.9	187	3	4	12	20	33	46	97
2. MULTIPLE DX	545	21.4	288	4	6	17	29	50	66	99+
A. NOT OPERATED	532	19.6	274	3	5	15	26	44	61	99+
B. OPERATED	304	19.2	237	3	5	15	25	45	60	99+
TOTAL 0-19 YRS	30	10.8	80	2	2	9	16	20	24	45
20-34	157	17.9	296	3	5	13	19	45	68	99+
35-49	202	19.8	256	3	5	16	27	45	63	99+
50-64	234	19.6	256	4	5	15	29	44	53	99+
65+	213	21.3	255	4	6	17	28	48	60	99+
GRAND TOTAL	**836**	**19.5**	**260**	**3**	**5**	**15**	**26**	**44**	**60**	**99+**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	13	2	2	4	8	9	9	9
20-34	3	15.7	82	6	6	17	22	24	24	24
35-49	7	8.6	21	3	4	7	11	16	17	17
50-64	5	6.6	15	2	2	6	10	11	11	11
65+										
B. *Operated*										
0-19 YRS	10	4.1	12	<1	<1	3	7	9	10	10
20-34	10	8.8	145	<1	1	6	7	26	42	42
35-49	8	3.4	7	<1	<1	2	4	8	9	9
50-64	8	15.6	571	2	2	6	15	57	73	73
65+	6	19.3	411	2	2	12	35	49	51	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	25.0		25	25	25	25	25	25	25
20-34	5	16.6	135	3	4	18	33	93	99+	99+
35-49	8	12.8	101	1	2	10	18	29	32	32
50-64	7	28.3	356	5	6	27	36	57	62	62
65+	18	18.8	149	6	7	14	25	46	76	99+
B. *Operated*										
0-19 YRS	4	10.3	75	2	2	9	17	20	20	20
20-34	24	13.9	195	1	2	9	20	51	64	99+
35-49	16	25.6	179	8	12	25	36	52	83	99+
50-64	28	21.1	493	2	3	16	33	97	99+	99+
65+	29	23.8	353	3	4	20	39	56	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	8.6	34	2	2	7	11	17	21	24
B. *Operated*	42	9.5	219	<1	<1	4	8	25	46	73
2. MULTIPLE DX										
A. *Not Operated*	39	19.2	182	4	6	14	27	45	79	99+
B. *Operated*	101	20.4	328	2	3	17	30	60	99+	99+
1. SINGLE DX	60	9.2	162	<1	1	5	9	20	38	71
2. MULTIPLE DX	140	20.1	286	2	3	17	29	52	99+	99+
A. NOT OPERATED	57	15.8	158	2	4	12	24	38	55	99+
B. OPERATED	143	17.2	319	2	2	11	26	51	74	99+
TOTAL 0-19 YRS	18	6.8	48	<1	<1	4	9	18	23	25
20-34	42	13.1	165	1	2	9	20	43	66	99+
35-49	39	15.3	178	1	2	12	24	36	52	99+
50-64	48	19.7	448	2	3	15	29	70	99+	99+
65+	53	21.6	284	3	4	18	36	47	70	99+
GRAND TOTAL	**200**	**16.8**	**273**	**2**	**2**	**12**	**25**	**47**	**72**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	199	3.2	4	1	1	3	4	5	7	13
20-34	63	3.5	5	1	2	3	4	5	7	15
35-49	17	3.9	2	2	2	4	5	7	7	7
50-64	7	4.9	5	1	1	5	7	8	8	8
65+	3	6.7	9	4	4	6	9	10	10	10
B. *Operated*										
0-19 YRS	15	2.2		1	2	2	2	3	4	4
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	326	3.8	5	1	2	3	5	7	7	11
20-34	58	5.1	13	2	2	4	6	9	11	24
35-49	23	4.9	9	2	2	4	6	10	11	13
50-64	16	8.1	57	2	4	6	8	14	28	34
65+	9	3.9	5	1	1	4	5	7	9	9
B. *Operated*										
0-19 YRS	16	2.8	4	1	1	2	3	5	8	9
20-34	4	13.0	73	5	5	11	18	25	25	25
35-49	2	7.5	13	5	5	7	10	10	10	10
50-64	6	9.0	30	2	2	9	14	16	16	16
65+	3	17.3	60	11	11	15	23	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	3.4	4	1	2	3	4	6	7	13
B. *Operated*	15	2.2		1	2	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	432	4.2	9	1	2	4	5	7	9	14
B. *Operated*	31	7.0	45	1	1	4	10	15	25	26
1. SINGLE DX	304	3.4	4	1	2	3	4	6	7	12
2. MULTIPLE DX	463	4.4	12	1	2	4	5	7	10	22
A. NOT OPERATED	721	3.9	7	1	2	3	5	7	8	13
B. OPERATED	46	5.4	35	1	1	3	9	14	18	26
TOTAL 0-19 YRS	556	3.5	5	1	2	3	4	6	7	12
20-34	125	4.5	13	1	2	4	5	8	10	25
35-49	42	4.6	7	2	2	4	6	9	10	13
50-64	29	7.5	39	1	2	6	8	15	17	34
65+	15	7.1	42	1	2	4	10	15	23	26
GRAND TOTAL	**767**	**4.0**	**9**	**1**	**2**	**3**	**5**	**7**	**9**	**15**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	7.3	28	2	2	6	9	13	18	29
20-34	22	7.5	25	2	2	7	11	14	17	20
35-49	7	15.7	198	2	2	13	28	37	38	38
50-64	19	10.5	63	4	5	9	11	17	30	40
65+	45	10.0	40	3	4	8	13	19	23	29
B. *Operated*										
0-19 YRS	12	17.3	344	4	6	10	14	48	66	69
20-34	2	8.0	32	4	4	8	12	12	12	12
35-49	2	23.0	288	11	11	23	35	35	35	35
50-64	2	12.0	2	11	11	12	13	13	13	13
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	196	8.7	36	2	3	7	12	16	19	32
20-34	56	14.7	151	2	3	10	19	32	40	59
35-49	83	12.1	61	3	4	11	16	25	29	35
50-64	263	14.3	74	5	6	12	18	27	31	55
65+	873	16.5	122	6	7	14	20	29	38	85
B. *Operated*										
0-19 YRS	37	17.9	265	5	6	12	19	45	60	66
20-34	32	22.3	349	4	7	16	31	47	72	75
35-49	28	23.6	276	8	8	20	32	65	99+	99+
50-64	102	23.2	352	6	9	16	31	59	75	99+
65+	259	27.9	341	9	10	23	39	58	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	268	8.2	39	2	2	7	10	15	20	32
B. *Operated*	19	16.0	245	4	5	11	14	37	55	69
2. MULTIPLE DX										
A. *Not Operated*	1471	14.7	106	4	5	12	18	27	35	68
B. *Operated*	458	25.4	341	7	9	19	34	58	78	99+
1. SINGLE DX	287	8.7	55	2	2	7	11	16	21	39
2. MULTIPLE DX	1929	17.3	183	4	6	14	21	34	48	99+
A. NOT OPERATED	1739	13.7	102	3	4	12	17	26	33	63
B. OPERATED	477	25.0	340	7	9	19	34	58	75	99+
TOTAL 0-19 YRS	420	9.1	70	2	3	7	11	16	23	49
20-34	112	15.3	205	2	3	11	18	36	46	75
35-49	120	15.2	141	3	4	13	19	32	40	99+
50-64	386	16.4	163	5	6	13	19	32	45	99+
65+	1178	18.7	192	6	7	15	23	37	52	99+
GRAND TOTAL	**2216**	**16.1**	**174**	**4**	**5**	**13**	**19**	**33**	**45**	**98**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	172	8.7	30	2	2	8	12	16	18	29
20-34	30	6.1	13	2	2	5	8	11	13	16
35-49	19	9.6	60	2	4	7	12	16	27	36
50-64	40	8.1	22	3	3	7	11	14	18	22
65+	21	8.3	33	3	4	7	10	18	23	23
B. *Operated*										
0-19 YRS	15	11.7	59	1	3	12	15	20	27	30
20-34	6	12.0	405	2	2	4	41	91	99+	99+
35-49	11	14.7	286	2	2	9	22	40	56	58
50-64	10	10.2	102	<1	<1	8	13	26	34	34
65+	2	18.0	288	6	6	18	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	9.9	51	2	3	8	14	19	23	36
20-34	35	11.7	60	3	3	10	15	24	26	30
35-49	37	8.1	30	2	4	6	11	16	20	25
50-64	57	11.4	105	3	4	9	13	20	38	97
65+	88	12.8	74	4	5	10	15	25	31	43
B. *Operated*										
0-19 YRS	8	18.5	204	2	3	14	28	41	44	44
20-34	10	12.6	169	1	1	8	13	35	43	43
35-49	10	19.4	261	3	4	20	28	74	98	99+
50-64	22	19.0	152	2	3	16	30	35	39	43
65+	32	26.5	316	5	7	20	38	56	61	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	8.3	29	2	3	7	12	15	18	28
B. *Operated*	44	12.5	165	1	2	9	17	30	54	99+
2. MULTIPLE DX										
A. *Not Operated*	327	10.9	67	3	4	9	14	21	26	45
B. *Operated*	82	21.1	248	2	4	18	31	43	58	90
1. SINGLE DX	326	8.9	49	2	3	7	12	16	22	54
2. MULTIPLE DX	409	13.0	119	3	4	10	17	27	37	63
A. NOT OPERATED	609	9.7	51	2	3	8	13	18	23	42
B. OPERATED	126	18.1	235	2	3	14	28	42	57	99+
TOTAL 0-19 YRS	305	9.5	45	2	3	9	13	17	22	38
20-34	81	9.7	83	2	3	7	13	24	28	85
35-49	77	10.9	113	2	3	7	14	25	33	88
50-64	129	11.6	98	3	3	9	14	23	34	72
65+	143	15.3	160	4	5	11	19	32	40	62
GRAND TOTAL	**735**	**11.2**	**92**	**2**	**3**	**9**	**14**	**23**	**30**	**60**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	613	4.5	10	1	2	4	5	8	10	17
20-34	327	5.1	11	2	2	4	7	10	11	19
35-49	69	5.0	7	2	2	5	7	9	11	83
50-64	10	8.8	26	2	2	9	13	15	15	15
65+	4	13.5	62	8	8	10	18	25	25	25
B. *Operated*										
0-19 YRS	8	7.1	26	2	2	6	9	15	18	18
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	159	6.1	17	2	2	5	8	12	14	20
20-34	111	6.0	10	2	3	5	8	10	14	16
35-49	21	8.7	59	2	2	8	10	14	25	38
50-64	19	9.8	49	2	2	7	13	21	26	28
65+	14	16.1	390	1	2	11	19	30	69	80
B. *Operated*										
0-19 YRS	7	6.3	8	4	4	6	7	11	12	12
20-34	8	21.9	837	7	7	12	16	70	93	93
35-49	2	9.0	50	4	4	9	14	14	14	14
50-64	2	8.5	25	5	5	8	12	12	12	12
65+	4	32.5	116	21	21	31	39	47	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1023	4.8	11	1	2	4	6	9	11	18
B. *Operated*	12	6.3	20	1	2	6	8	12	17	18
2. MULTIPLE DX										
A. *Not Operated*	324	6.9	39	2	2	5	9	12	16	26
B. *Operated*	23	16.7	389	4	4	12	16	35	63	93
1. SINGLE DX	1035	4.8	11	1	2	4	6	9	11	18
2. MULTIPLE DX	347	7.6	67	2	2	6	9	14	17	38
A. NOT OPERATED	1347	5.3	18	1	2	4	7	10	13	19
B. OPERATED	35	13.1	283	2	4	7	14	30	43	93
TOTAL 0-19 YRS	787	4.8	12	1	2	4	6	9	12	18
20-34	448	5.6	28	2	2	5	7	10	12	19
35-49	94	5.9	21	2	2	5	8	11	13	72
50-64	31	9.4	38	2	3	7	13	16	24	28
65+	22	18.6	313	2	3	14	24	36	60	80
GRAND TOTAL	**1382**	**5.5**	**26**	**1**	**2**	**4**	**7**	**10**	**13**	**21**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	338	4.3	24	1	2	3	5	7	9	24
20-34	68	5.6	16	2	2	4	7	9	16	21
35-49	35	5.3	10	1	2	5	7	10	13	14
50-64	64	7.0	24	2	3	6	9	16	20	88
65+	103	8.1	35	2	3	7	10	14	20	34
B. *Operated*										
0-19 YRS	6	3.7	11	<1	<1	3	4	9	10	10
20-34	6	4.3	3	2	2	4	6	6	6	6
35-49	5	4.2	8	2	2	3	5	9	9	9
50-64	7	6.7	37	1	2	5	6	17	20	20
65+	7	8.7	27	3	3	7	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	377	4.5	28	1	2	4	5	8	10	18
20-34	96	6.4	14	2	2	5	8	11	14	19
35-49	43	6.6	15	2	3	5	8	11	13	23
50-64	159	9.3	56	2	4	8	10	15	27	48
65+	477	12.1	129	2	3	9	15	23	33	81
B. *Operated*										
0-19 YRS	7	3.7	5	1	1	4	4	7	8	8
20-34	15	9.7	58	3	4	7	15	27	78	99+
35-49	7	13.1	289	3	3	9	31	85	99+	99+
50-64	28	14.3	130	3	6	9	18	30	38	51
65+	59	20.2	306	4	4	15	27	48	70	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	608	5.5	26	1	2	4	6	10	14	25
B. *Operated*	31	5.7	20	1	2	5	6	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	1152	8.5	83	2	2	6	10	16	23	51
B. *Operated*	116	16.0	232	3	4	10	23	42	61	99+
1. SINGLE DX	639	5.5	26	1	2	4	6	10	14	25
2. MULTIPLE DX	1268	9.2	101	2	2	6	11	18	28	68
A. NOT OPERATED	1760	7.5	66	2	2	5	9	15	21	46
B. OPERATED	147	13.8	204	2	3	9	18	33	51	99+
TOTAL 0-19 YRS	728	4.4	26	1	2	4	5	7	10	20
20-34	185	6.3	19	2	2	5	8	12	16	26
35-49	90	6.5	35	2	2	5	8	11	14	80
50-64	258	9.2	59	2	3	7	10	18	27	51
65+	646	12.2	137	3	3	9	15	25	33	76
GRAND TOTAL	**1907**	**8.0**	**79**	**2**	**2**	**5**	**9**	**16**	**23**	**54**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	7.6	27	2	3	7	9	14	20	25
20-34	450	8.9	29	2	3	8	11	16	20	29
35-49	136	9.7	35	3	4	8	12	16	22	35
50-64	79	12.1	53	3	5	10	16	23	27	32
65+	25	15.2	77	5	6	11	22	29	30	32
B. *Operated*										
0-19 YRS	3	18.3	65	11	11	17	24	27	27	27
20-34	23	7.7	23	1	2	7	12	14	16	17
35-49	17	15.5	104	2	3	15	20	33	36	36
50-64	16	8.1	51	1	2	7	10	19	25	27
65+	7	12.9	16	7	8	12	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	8.3	45	1	2	8	10	16	22	38
20-34	165	9.1	40	2	3	8	11	19	21	32
35-49	99	11.9	55	4	5	10	15	21	24	43
50-64	89	11.5	60	3	4	9	14	23	29	37
65+	60	14.0	90	4	5	12	17	23	31	56
B. *Operated*										
0-19 YRS	7	11.7	44	2	3	11	17	21	21	21
20-34	24	16.2	182	2	2	11	18	43	48	52
35-49	15	20.7	493	3	5	15	21	36	80	95
50-64	24	16.0	122	1	3	15	18	36	39	43
65+	28	19.3	103	7	7	17	26	32	39	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	844	9.3	36	2	3	8	11	17	22	29
B. *Operated*	66	10.8	63	1	2	10	15	20	27	36
2. MULTIPLE DX										
A. *Not Operated*	466	10.7	57	3	4	9	14	21	24	38
B. *Operated*	98	17.4	181	2	5	15	21	35	43	74
1. SINGLE DX	910	9.4	38	2	3	8	12	18	22	30
2. MULTIPLE DX	564	11.9	84	3	4	9	15	22	29	45
A. NOT OPERATED	1310	9.8	44	3	3	8	12	19	23	32
B. OPERATED	164	14.8	143	2	3	12	18	29	37	51
TOTAL 0-19 YRS	217	8.1	33	2	3	7	9	16	21	28
20-34	662	9.2	39	2	3	8	11	17	21	30
35-49	267	11.5	78	3	4	9	15	21	24	38
50-64	208	12.0	66	3	4	10	16	24	29	38
65+	120	15.4	89	4	6	14	20	29	32	49
GRAND TOTAL	**1474**	**10.3**	**57**	**2**	**3**	**8**	**13**	**20**	**24**	**36**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	626	5.0	10	2	2	4	6	9	10	15
20-34	244	5.5	10	2	2	5	7	10	11	14
35-49	39	6.8	19	1	2	7	10	12	15	21
50-64	7	6.4	4	4	4	6	8	10	10	10
65+										
B. *Operated*										
0-19 YRS	4	7.0	38	2	2	5	11	16	16	16
20-34	8	7.4	6	4	4	7	9	11	11	11
35-49	2	10.5	41	6	6	10	15	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	489	5.6	13	2	2	5	7	9	12	18
20-34	169	6.0	14	2	2	5	8	11	13	17
35-49	42	7.7	21	2	3	7	10	14	17	19
50-64	13	8.0	33	3	3	6	10	18	20	20
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	17	8.4	13	3	4	8	10	15	16	16
20-34	15	12.4	64	3	6	11	14	27	31	32
35-49	2	14.0	98	7	7	14	21	21	21	21
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	916	5.2	10	2	2	4	7	9	11	15
B. *Operated*	14	7.7	16	2	4	7	10	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	714	5.9	14	2	2	5	7	10	13	19
B. *Operated*	36	10.3	39	3	6	9	12	17	25	32
1. SINGLE DX	930	5.3	11	2	2	4	7	10	11	16
2. MULTIPLE DX	750	6.1	16	2	2	5	7	11	13	20
A. NOT OPERATED	1630	5.5	12	2	2	5	7	10	12	17
B. OPERATED	50	9.6	34	3	4	8	11	16	21	32
TOTAL 0-19 YRS	1136	5.3	12	2	2	5	7	9	11	16
20-34	436	6.0	15	2	2	5	8	11	13	17
35-49	85	7.5	22	2	2	7	10	13	17	21
50-64	21	7.4	21	3	3	6	8	16	19	20
65+	2	5.0	8	3	3	5	7	7	7	7
GRAND TOTAL	**1680**	**5.6**	**13**	**2**	**2**	**5**	**7**	**10**	**12**	**18**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.8	1	<1	<1	2	2	3	4	4
20-34	17	2.4	3	<1	<1	2	4	4	6	7
35-49	8	2.3	6	1	1	1	2	6	8	8
50-64	2	1.0		1	1	1	1	1	1	1
65+	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	323	2.0	3	<1	<1	2	2	3	4	7
20-34	751	2.3	3	<1	<1	2	3	4	5	9
35-49	189	2.8	5	<1	<1	2	3	5	7	13
50-64	51	2.4	1	<1	<1	2	3	4	5	5
65+	19	2.5	5	<1	<1	2	3	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.2	14	<1	<1	4	6	11	12	12
20-34	7	5.9	54	<1	<1	4	6	19	22	22
35-49	3	11.3	90	2	2	11	18	21	21	21
50-64	2	5.0	8	3	3	5	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	55	3.3	7	<1	1	2	4	6	9	13
20-34	180	3.2	6	<1	1	2	4	6	8	16
35-49	82	3.1	3	<1	1	3	4	5	7	10
50-64	42	4.0	12	<1	1	3	5	9	15	99+
65+	20	6.0	25	1	2	4	8	14	17	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	2.1	3	<1	<1	1	3	4	6	8
B. *Operated*	1333	2.3	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	18	6.4	40	<1	<1	4	7	18	22	22
B. *Operated*	379	3.4	7	<1	1	3	4	6	10	17
1. SINGLE DX	1373	2.3	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	397	3.6	9	<1	1	3	4	6	10	20
A. NOT OPERATED	58	3.4	18	<1	<1	2	4	7	12	22
B. OPERATED	1712	2.6	4	<1	<1	2	3	5	6	12
TOTAL 0-19 YRS	395	2.2	4	<1	<1	2	3	4	5	11
20-34	955	2.5	4	<1	<1	2	3	4	6	11
35-49	282	3.0	6	<1	<1	2	3	5	7	14
50-64	97	3.1	6	<1	<1	3	4	6	8	60
65+	41	4.1	17	<1	<1	3	6	10	14	18
GRAND TOTAL	**1770**	**2.6**	**5**	**<1**	**<1**	**2**	**3**	**5**	**6**	**13**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1497	3.4	10	1	1	3	4	6	7	10
20-34	326	4.1	32	1	1	3	5	7	10	15
35-49	129	4.4	10	1	2	4	6	8	11	16
50-64	83	5.1	11	2	2	4	7	10	11	18
65+	55	6.1	94	1	2	4	6	8	13	67
B. *Operated*										
0-19 YRS	39	3.6	12	<1	<1	2	4	9	12	15
20-34	15	6.1	31	<1	<1	5	9	14	18	19
35-49	8	5.3	11	2	2	5	8	9	9	9
50-64	8	10.1	42	2	3	8	16	19	19	19
65+	5	6.8	6	4	4	7	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1284	4.1	15	1	2	3	5	7	9	18
20-34	414	4.8	13	1	2	4	6	9	12	17
35-49	228	5.2	9	2	2	5	7	9	11	15
50-64	271	6.0	13	2	2	5	8	11	14	19
65+	427	7.7	86	2	3	5	8	14	18	52
B. *Operated*										
0-19 YRS	26	5.8	29	1	1	5	7	10	15	28
20-34	26	7.7	66	1	2	5	9	13	31	36
35-49	25	10.2	107	2	3	8	12	18	27	54
50-64	32	14.3	143	2	3	11	18	32	41	47
65+	32	18.2	306	4	4	9	26	47	55	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2090	3.7	16	1	1	3	4	6	8	13
B. *Operated*	75	5.2	21	<1	<1	4	7	12	15	19
2. MULTIPLE DX										
A. *Not Operated*	2624	5.1	27	1	2	4	6	9	12	21
B. *Operated*	141	11.7	156	2	2	7	14	30	44	57
1. SINGLE DX	2165	3.8	16	1	1	3	4	6	8	14
2. MULTIPLE DX	2765	5.4	36	1	2	4	6	10	13	30
A. NOT OPERATED	4714	4.5	23	1	2	3	5	8	10	18
B. OPERATED	216	9.4	118	1	2	6	11	19	35	55
TOTAL 0-19 YRS	2846	3.7	13	1	1	3	4	6	8	14
20-34	781	4.7	24	1	2	4	6	9	11	17
35-49	390	5.3	17	2	2	4	7	9	12	18
50-64	394	6.6	29	2	2	5	8	12	16	30
65+	519	8.2	106	2	3	5	8	14	22	58
GRAND TOTAL	**4930**	**4.7**	**28**	**1**	**2**	**4**	**5**	**8**	**11**	**22**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	6.0	12	2	3	5	8	10	15	17
20-34	36	5.1	10	2	2	4	6	10	12	14
35-49	17	6.2	13	3	3	5	7	13	14	14
50-64	4	6.0	3	4	4	6	7	8	8	8
65+	4	6.5	12	3	3	6	9	11	11	11
B. *Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	6.6	10	3	4	6	8	10	14	16
20-34	22	6.8	11	2	3	7	9	12	13	13
35-49	17	6.6	19	2	2	5	10	13	15	16
50-64	7	5.3	5	2	2	5	7	8	8	8
65+	6	8.5	24	4	4	7	13	15	15	15
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49	1	16.0		16	16	16	16	16	16	16
50-64	3	23.3	297	8	8	20	36	42	42	42
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	5.7	11	2	3	5	7	10	13	17
B. *Operated*	3	4.0	3	3	3	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	68	6.7	13	2	3	6	9	12	14	16
B. *Operated*	5	19.6	177	8	8	16	25	42	42	42
1. SINGLE DX	99	5.6	11	2	3	5	7	10	13	17
2. MULTIPLE DX	73	7.6	33	2	3	6	9	13	16	37
A. NOT OPERATED	164	6.1	12	2	3	5	8	11	13	16
B. OPERATED	8	13.8	167	3	3	10	18	35	42	42
TOTAL 0-19 YRS	54	6.2	12	2	3	5	8	10	15	17
20-34	58	5.7	11	2	2	5	8	10	13	14
35-49	35	6.7	18	2	3	5	10	13	15	16
50-64	15	9.1	99	2	4	6	8	20	36	42
65+	10	7.7	18	3	3	6	11	14	15	15
GRAND TOTAL	**172**	**6.5**	**21**	**2**	**3**	**5**	**8**	**12**	**14**	**19**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	6.2	15	2	3	5	7	13	15	75
20-34	109	5.9	17	2	2	5	7	11	12	26
35-49	42	5.6	32	<1	1	4	7	12	22	22
50-64	16	6.9	31	1	1	6	11	15	18	19
65+	10	7.7	49	1	1	5	14	18	19	19
B. *Operated*										
0-19 YRS	25	3.8	8	1	2	2	4	9	10	11
20-34	78	2.9	7	<1	<1	2	3	5	7	15
35-49	27	4.5	47	<1	<1	2	4	10	16	35
50-64	9	3.6	7	<1	1	3	4	8	10	10
65+	7	4.0	4	2	2	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	6.4	15	2	3	5	7	11	14	21
20-34	97	5.9	12	1	2	5	8	11	13	17
35-49	34	8.1	42	1	2	6	10	18	21	28
50-64	19	12.9	129	2	3	12	16	24	39	50
65+	32	8.7	30	1	2	8	12	16	18	23
B. *Operated*										
0-19 YRS	9	7.1	104	2	2	4	5	23	34	34
20-34	42	6.9	63	1	1	4	9	16	24	38
35-49	17	7.5	76	<1	1	3	10	20	28	32
50-64	8	8.6	63	2	2	4	16	20	21	21
65+	16	15.5	548	1	2	10	26	82	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	257	6.1	21	1	2	5	7	12	16	22
B. *Operated*	146	3.4	15	<1	<1	2	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	229	7.3	32	1	2	6	9	14	17	26
B. *Operated*	92	8.7	156	1	2	4	11	22	34	97
1. SINGLE DX	403	5.1	20	1	1	4	6	11	14	22
2. MULTIPLE DX	321	7.7	68	1	2	5	10	16	21	41
A. NOT OPERATED	486	6.7	27	1	2	5	8	13	17	24
B. OPERATED	238	5.5	76	<1	1	3	5	12	20	44
TOTAL 0-19 YRS	161	6.0	19	2	2	5	7	11	14	32
20-34	326	5.3	21	1	1	4	7	11	13	24
35-49	120	6.3	45	<1	1	4	8	17	21	33
50-64	52	8.8	77	1	2	5	13	19	23	49
65+	65	9.7	163	1	2	7	12	19	30	99
GRAND TOTAL	**724**	**6.3**	**43**	**1**	**1**	**5**	**7**	**13**	**17**	**34**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.6	8	1	1	3	6	8	9	9
20-34	14	3.6	6	<1	<1	3	5	6	9	10
35-49	4	4.8	6	3	3	4	6	8	8	8
50-64	6	4.8	35	<1	<1	2	13	83	99+	99+
65+	6	11.3	107	1	1	10	15	28	29	29
B. *Operated*										
0-19 YRS	4	6.3	43	2	2	3	10	16	16	16
20-34	13	6.6	35	1	2	5	10	14	20	22
35-49	17	14.5	526	<1	<1	7	14	39	76	94
50-64	20	9.8	217	<1	<1	4	11	28	46	62
65+	7	19.6	458	2	3	12	20	57	66	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	5.7	31	1	2	5	6	10	17	35
20-34	21	5.1	14	<1	<1	4	8	11	12	12
35-49	17	12.5	242	2	3	8	10	43	54	55
50-64	40	10.4	157	1	2	8	11	14	35	68
65+	42	11.1	44	4	4	9	15	22	25	29
B. *Operated*										
0-19 YRS	11	15.5	338	1	2	9	15	51	55	55
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	15	9.9	78	<1	1	10	14	25	26	26
50-64	23	17.0	409	2	3	7	34	52	85	99+
65+	24	18.7	405	2	2	12	29	49	63	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	4.7	25	<1	1	3	7	11	15	98
B. *Operated*	61	11.3	282	<1	1	5	12	24	52	91
2. MULTIPLE DX										
A. *Not Operated*	174	8.7	87	1	2	7	10	15	23	55
B. *Operated*	75	15.6	322	1	2	8	23	48	56	95
1. SINGLE DX	113	8.3	173	<1	1	4	10	17	30	96
2. MULTIPLE DX	249	10.8	167	1	2	7	12	25	47	78
A. NOT OPERATED	226	7.8	76	1	1	6	9	15	21	58
B. OPERATED	136	13.7	306	1	1	7	17	37	56	95
TOTAL 0-19 YRS	91	6.4	72	1	1	4	7	11	18	52
20-34	50	5.1	17	<1	1	4	8	11	12	22
35-49	53	11.8	265	<1	1	8	12	25	50	93
50-64	89	11.6	233	<1	1	7	12	36	62	99+
65+	79	14.2	199	2	3	10	17	29	42	76
GRAND TOTAL	**362**	**10.0**	**170**	**1**	**1**	**6**	**11**	**22**	**39**	**80**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.8	6	1	1	3	4	8	9	9
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	7.4	19	2	2	8	11	12	12	12
50-64										
65+	2	10.0	72	4	4	10	16	16	16	16
B. *Operated*										
0-19 YRS	5	5.4	10	3	3	4	6	11	11	11
20-34	14	7.7	38	2	3	5	10	17	21	22
35-49	7	9.6	100	2	2	4	17	25	27	27
50-64	4	3.8	24	<1	<1	1	6	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	6.3	27	1	1	4	10	15	16	16
20-34	7	5.0	3	3	3	5	6	8	8	8
35-49	5	8.2	22	4	4	6	12	15	15	15
50-64	8	8.6	19	2	2	9	12	13	14	14
65+	3	12.7	100	5	5	9	20	24	24	24
B. *Operated*										
0-19 YRS	9	5.8	7	2	2	5	7	10	11	11
20-34	9	6.6	37	<1	1	4	10	16	19	19
35-49	12	14.5	320	<1	2	8	22	70	94	99+
50-64	4	9.0	146	2	2	4	16	27	27	27
65+	2	4.0	2	3	3	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	5.6	18	1	2	4	8	12	15	16
B. *Operated*	30	7.2	45	1	2	4	11	18	22	27
2. MULTIPLE DX										
A. *Not Operated*	39	7.3	27	1	2	5	11	15	16	24
B. *Operated*	36	9.1	139	1	2	5	11	25	54	99+
1. SINGLE DX	47	6.6	35	1	2	4	10	16	19	27
2. MULTIPLE DX	75	8.2	80	1	2	5	11	16	26	90
A. NOT OPERATED	56	6.8	24	1	2	5	10	14	16	24
B. OPERATED	66	8.3	96	1	2	5	11	19	29	94
TOTAL 0-19 YRS	39	5.5	16	1	2	4	8	11	15	16
20-34	31	6.6	28	2	2	5	9	16	19	22
35-49	29	11.0	162	2	2	7	13	31	63	99+
50-64	16	7.5	48	<1	1	6	11	14	23	27
65+	7	9.4	61	3	3	5	14	22	24	24
GRAND TOTAL	**122**	**7.6**	**63**	**1**	**2**	**5**	**11**	**16**	**23**	**73**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	5.5	10	1	2	4	8	10	12	13
20-34	66	5.8	18	1	1	5	7	12	14	21
35-49	35	6.1	13	1	2	6	9	11	13	15
50-64	17	10.1	263	<1	1	2	10	38	50	55
65+	6	9.0	64	4	4	4	16	21	22	22
B. *Operated*										
0-19 YRS	7	5.1	14	<1	<1	3	9	10	10	10
20-34	190	6.2	27	1	2	5	8	12	18	33
35-49	86	7.6	40	1	2	6	11	16	20	29
50-64	31	5.4	23	1	1	3	7	14	17	17
65+	8	4.1	6	1	1	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	6.2	17	2	3	5	8	12	19	99+
20-34	64	7.4	79	1	2	5	8	12	22	59
35-49	82	9.4	80	2	3	7	11	16	34	48
50-64	61	9.3	35	3	3	8	12	17	18	34
65+	39	16.1	266	2	3	12	23	34	68	99+
B. *Operated*										
0-19 YRS	7	15.4	214	2	3	12	15	41	47	47
20-34	110	10.1	49	2	2	9	13	20	23	33
35-49	84	11.7	92	2	3	9	16	25	27	50
50-64	58	12.7	154	2	3	9	17	24	41	66
65+	26	14.3	166	2	3	12	17	26	46	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	6.4	46	1	1	5	8	12	16	42
B. *Operated*	322	6.4	30	1	2	5	8	13	17	29
2. MULTIPLE DX										
A. *Not Operated*	283	9.4	95	2	3	7	11	18	31	80
B. *Operated*	285	11.6	98	2	3	9	15	23	27	54
1. SINGLE DX	469	6.4	35	1	2	5	8	13	17	30
2. MULTIPLE DX	568	10.5	97	2	3	8	14	22	29	58
A. NOT OPERATED	430	8.4	80	1	2	6	10	16	24	57
B. OPERATED	607	8.9	68	2	2	7	12	19	24	45
TOTAL 0-19 YRS	74	6.7	39	2	2	5	9	12	15	87
20-34	430	7.3	42	1	2	6	9	15	20	31
35-49	287	9.1	67	2	2	7	12	18	25	40
50-64	167	9.8	102	1	2	7	13	20	24	54
65+	79	13.7	202	1	2	10	18	31	45	97
GRAND TOTAL	**1037**	**8.7**	**73**	**1**	**2**	**6**	**11**	**18**	**24**	**51**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34										
35-49	3	5.0	37	1	1	2	9	12	12	12
50-64	2	10.5	85	4	4	10	17	17	17	17
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS										
20-34	3	22.3	850	5	5	6	43	56	56	56
35-49										
50-64	4	1.8	1	1	1	2	2	3	3	3
65+	3	5.7	2	4	4	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	5	10.2	128	3	3	5	14	30	30	30
35-49	3	7.0	27	4	4	4	11	13	13	13
50-64	9	9.1	33	3	3	7	13	18	21	21
65+	17	13.4	116	2	4	12	15	23	39	48
B. *Operated*										
0-19 YRS	4	2.3	4	1	1	2	3	5	5	5
20-34	4	5.5	10	2	2	5	8	9	9	9
35-49	7	17.0	355	2	2	10	34	45	46	46
50-64	5	10.8	410	1	1	2	13	47	47	47
65+	5	22.2	489	7	7	15	29	61	61	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.4	35	<1	<1	3	8	15	17	17
B. *Operated*	10	9.1	276	1	1	4	6	31	56	56
2. MULTIPLE DX										
A. *Not Operated*	35	11.5	87	3	3	9	14	22	28	48
B. *Operated*	25	12.6	292	1	1	5	13	46	50	61
1. SINGLE DX	18	7.4	164	<1	1	4	6	15	40	56
2. MULTIPLE DX	60	12.0	169	1	2	8	14	26	46	60
A. NOT OPERATED	43	10.3	82	1	2	8	13	21	25	48
B. OPERATED	35	11.6	282	1	1	5	10	46	54	61
TOTAL 0-19 YRS	7	5.1	51	1	1	2	5	18	21	21
20-34	12	11.7	250	2	3	6	9	38	53	56
35-49	13	11.9	221	1	2	4	12	43	45	46
50-64	20	8.2	116	1	1	4	10	19	34	47
65+	26	13.7	181	1	4	11	15	23	51	61
GRAND TOTAL	**78**	**10.9**	**169**	**1**	**1**	**7**	**13**	**23**	**47**	**60**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	6	5.3	22	1	1	4	7	13	14	14
35-49	22	7.0	37	1	1	5	10	15	22	23
50-64	91	7.3	117	1	2	4	7	13	27	68
65+	58	7.3	60	1	2	5	8	15	19	49
B. *Operated*										
0-19 YRS	9	3.8	6	1	1	3	6	7	8	8
20-34	22	11.2	425	1	2	5	9	26	63	95
35-49	91	7.5	114	1	2	4	7	16	29	89
50-64	321	9.2	130	1	2	5	11	21	29	66
65+	289	8.1	93	1	2	4	9	20	27	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	4	4.0	2	2	2	4	5	5	5	5
35-49	40	11.1	151	1	2	7	12	27	41	58
50-64	210	8.7	65	1	2	6	11	18	28	69
65+	164	13.0	179	1	2	9	18	31	45	78
B. *Operated*										
0-19 YRS	3	6.3	16	2	2	7	9	10	10	10
20-34	15	8.2	35	<1	2	8	12	15	21	23
35-49	99	18.4	354	2	3	12	27	57	83	99+
50-64	461	16.0	248	2	2	11	23	42	58	99+
65+	456	16.7	302	2	2	11	21	39	62	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	7.0	83	1	1	4	8	14	21	52
B. *Operated*	732	8.5	120	1	2	5	10	20	29	71
2. MULTIPLE DX										
A. *Not Operated*	420	10.6	121	1	2	7	14	23	36	76
B. *Operated*	1034	16.4	280	2	2	11	22	42	61	99+
1. SINGLE DX	913	8.2	113	1	2	5	9	19	27	66
2. MULTIPLE DX	1454	14.7	241	2	2	10	20	37	52	99+
A. NOT OPERATED	601	9.5	112	1	2	6	12	21	33	66
B. OPERATED	1766	13.2	229	2	2	8	18	33	48	95
TOTAL 0-19 YRS	18	3.4	8	<1	<1	2	6	8	9	10
20-34	47	8.9	214	1	2	5	9	15	26	95
35-49	252	12.3	232	2	2	7	15	37	57	99+
50-64	1083	11.9	180	2	2	7	16	28	44	79
65+	967	13.0	219	2	2	8	17	32	46	91
GRAND TOTAL	**2367**	**12.2**	**202**	**2**	**2**	**7**	**16**	**30**	**46**	**93**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	4.0	4	<1	<1	5	5	5	5	5
50-64	29	10.8	156	2	3	7	13	24	28	64
65+	32	13.8	154	2	2	8	24	32	39	42
B. *Operated*										
0-19 YRS										
20-34										
35-49	13	10.5	79	2	2	7	16	25	30	31
50-64	84	20.1	302	2	2	17	29	43	63	93
65+	87	16.9	183	2	2	13	24	35	41	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	9	13.7	126	4	4	11	19	33	36	36
50-64	64	12.4	130	2	3	9	13	30	41	51
65+	105	13.5	169	2	3	10	17	38	51	99+
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	29	24.9	617	2	2	18	31	66	72	91
50-64	154	21.2	259	3	5	17	29	48	57	99
65+	197	22.7	369	3	5	18	28	52	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	11.9	149	2	2	6	15	29	37	61
B. *Operated*	184	17.9	235	2	2	15	26	37	49	77
2. MULTIPLE DX										
A. *Not Operated*	178	13.1	152	2	3	9	16	33	44	89
B. *Operated*	381	22.2	341	3	4	17	28	50	70	99+
1. SINGLE DX	249	16.3	219	2	2	12	24	36	43	72
2. MULTIPLE DX	559	19.3	299	3	4	15	26	45	64	99+
A. NOT OPERATED	243	12.8	151	2	3	8	15	31	42	66
B. OPERATED	565	20.8	310	2	3	17	28	46	65	99
TOTAL 0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	55	18.1	413	2	2	11	25	52	66	90
50-64	331	18.3	250	2	3	13	26	42	52	83
65+	421	18.6	280	2	3	15	24	41	62	99+
GRAND TOTAL	**808**	**18.4**	**276**	**2**	**3**	**14**	**25**	**41**	**59**	**99**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.0	2	<1	<1	3	4	4	4	4
35-49	3	17.7	417	3	3	9	33	41	41	41
50-64	38	7.7	64	<1	1	5	10	17	25	40
65+	58	9.4	131	1	2	6	9	17	38	58
B. *Operated*										
0-19 YRS										
20-34	3	21.7	184	9	9	20	32	36	36	36
35-49	19	17.3	164	<1	3	16	19	35	50	55
50-64	102	16.4	68	3	6	15	21	26	33	41
65+	151	18.5	121	2	7	18	23	35	40	99
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	9	16.8	532	2	2	9	21	58	67	67
35-49	30	11.3	81	3	3	8	17	20	30	41
50-64	101	10.1	53	2	3	8	12	22	25	35
65+	289	12.2	110	2	3	9	15	27	34	49
B. *Operated*										
0-19 YRS										
20-34	10	25.3	146	10	13	21	33	44	49	49
35-49	59	20.7	213	7	9	18	25	34	44	92
50-64	277	23.0	241	7	9	18	29	44	56	84
65+	661	24.9	233	8	10	21	31	47	60	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	8.7	108	<1	2	6	9	18	35	55
B. *Operated*	275	17.7	105	2	6	17	22	32	39	64
2. MULTIPLE DX										
A. *Not Operated*	430	11.8	103	2	3	9	15	25	32	49
B. *Operated*	1007	24.1	234	7	10	20	30	45	60	93
1. SINGLE DX	379	15.2	122	1	3	14	21	29	38	58
2. MULTIPLE DX	1437	20.4	227	3	5	17	26	41	51	82
A. NOT OPERATED	534	11.2	106	2	3	8	14	24	33	49
B. OPERATED	1282	22.7	213	6	9	19	28	42	55	91
TOTAL 0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	27	17.9	295	1	2	13	26	43	52	67
35-49	111	17.5	184	3	4	15	21	32	41	78
50-64	518	18.0	190	3	4	15	24	35	44	75
65+	1159	20.1	217	3	5	17	26	40	51	83
GRAND TOTAL	**1816**	**19.3**	**209**	**3**	**4**	**16**	**25**	**39**	**49**	**78**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	14.0		14	14	14	14	14	14	14
35-49										
50-64	3	4.0	1	3	3	4	5	5	5	5
65+	4	3.5		3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	14.0		14	14	14	14	14	14	14
35-49	2	16.5	1	16	16	16	17	17	17	17
50-64	10	23.1	207	10	10	16	38	45	49	49
65+	8	14.5	41	2	4	16	18	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	26.0	1250	1	1	26	51	51	51	51
35-49	9	2.9	4	1	1	2	4	6	7	7
50-64	9	15.0	213	3	3	6	34	35	35	35
65+	20	14.8	180	3	4	9	21	37	43	48
B. *Operated*										
0-19 YRS										
20-34	5	25.8	139	13	13	26	37	38	38	38
35-49	8	21.1	22	15	15	22	24	27	28	28
50-64	45	26.0	370	6	9	19	40	72	78	99+
65+	49	24.5	246	8	11	20	28	46	58	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.0	14	3	3	4	5	11	14	14
B. *Operated*	22	18.0	134	1	7	16	18	39	45	49
2. MULTIPLE DX										
A. *Not Operated*	40	12.7	199	1	2	6	18	35	43	51
B. *Operated*	107	24.9	273	8	11	20	29	51	72	99+
1. SINGLE DX	30	14.5	134	2	3	14	17	30	42	49
2. MULTIPLE DX	147	21.6	281	2	4	18	28	47	68	99+
A. NOT OPERATED	48	11.4	175	1	2	5	13	35	39	51
B. OPERATED	129	23.7	255	6	10	19	28	47	71	99+
TOTAL 0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	9	23.2	253	1	6	15	37	46	51	51
35-49	19	12.0	91	1	1	15	21	25	27	28
50-64	67	23.1	332	4	5	17	34	57	73	99+
65+	81	20.1	229	3	4	18	23	40	48	79
GRAND TOTAL	**177**	**20.4**	**263**	**2**	**4**	**16**	**26**	**44**	**59**	**95**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.8	2	2	2	4	5	5	5	5
35-49	12	12.6	126	2	2	7	20	33	34	34
50-64	37	10.1	138	1	1	6	11	24	41	49
65+	94	7.9	66	1	1	5	10	21	26	35
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	12	13.8	57	1	4	13	16	21	31	33
35-49	94	12.7	28	4	8	12	16	19	21	33
50-64	411	14.4	48	2	8	13	17	22	28	38
65+	818	17.5	107	2	9	15	21	29	38	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	4	9.5	35	5	5	7	13	18	18	18
35-49	50	8.9	133	1	1	5	10	18	27	59
50-64	282	9.9	80	1	2	7	13	22	28	46
65+	767	13.2	145	3	4	9	17	28	35	60
B. *Operated*										
0-19 YRS	15	21.5	106	10	10	19	30	39	40	41
20-34	23	13.0	41	4	6	11	19	23	49	99+
35-49	207	18.3	106	3	8	16	24	32	40	50
50-64	1147	19.6	153	7	10	16	23	34	45	71
65+	3244	23.4	170	9	11	20	28	41	51	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	8.7	88	1	1	5	10	23	29	45
B. *Operated*	1336	16.2	86	2	8	14	19	26	33	48
2. MULTIPLE DX										
A. *Not Operated*	1104	12.1	130	2	3	9	15	26	34	55
B. *Operated*	4636	22.2	166	8	11	19	27	39	49	75
1. SINGLE DX	1483	15.4	91	2	4	14	19	26	33	48
2. MULTIPLE DX	5740	20.2	175	4	7	17	25	37	47	72
A. NOT OPERATED	1251	11.7	126	2	3	8	15	26	33	53
B. OPERATED	5972	20.8	154	8	10	18	25	37	46	72
TOTAL 0-19 YRS	17	19.8	117	5	10	15	29	37	40	41
20-34	43	12.0	47	3	4	11	16	22	29	99+
35-49	363	15.4	102	2	4	13	19	28	33	51
50-64	1877	16.8	133	3	5	14	21	30	39	67
65+	4923	20.5	172	4	7	18	26	37	47	72
GRAND TOTAL	**7223**	**19.2**	**161**	**4**	**6**	**16**	**24**	**35**	**45**	**71**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	15	8.5	91	<1	1	5	12	19	32	37
50-64	57	8.5	77	1	1	5	12	19	31	38
65+	76	11.7	223	2	2	7	10	31	44	84
B. *Operated*										
0-19 YRS	2	23.5	61	18	18	23	29	29	29	29
20-34	8	11.1	88	2	3	8	17	26	29	29
35-49	63	14.2	87	2	5	14	17	22	30	54
50-64	372	15.9	90	3	3	15	20	27	31	54
65+	573	16.9	126	3	4	16	22	29	37	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	18.0		18	18	18	18	18	18	18
35-49	25	11.3	91	1	1	9	17	22	32	38
50-64	167	9.7	97	1	1	7	13	20	27	55
65+	397	13.2	161	2	3	9	17	32	42	92
B. *Operated*										
0-19 YRS	5	11.6	94	4	4	9	16	28	28	28
20-34	14	19.4	68	4	11	20	26	30	32	32
35-49	105	18.3	82	4	8	18	23	30	33	48
50-64	736	20.5	147	5	8	18	25	37	42	80
65+	1598	23.7	216	5	8	21	30	43	55	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	10.1	154	1	2	6	11	24	37	61
B. *Operated*	1018	16.4	110	3	4	15	21	28	34	59
2. MULTIPLE DX										
A. *Not Operated*	590	12.1	142	2	3	9	16	27	39	79
B. *Operated*	2458	22.5	191	5	8	20	29	40	50	83
1. SINGLE DX	1166	15.6	120	2	3	15	20	28	35	59
2. MULTIPLE DX	3048	20.5	198	4	5	18	27	38	49	83
A. NOT OPERATED	738	11.7	145	1	2	8	15	27	38	76
B. OPERATED	3476	20.7	175	4	6	18	26	37	47	76
TOTAL 0-19 YRS	7	15.0	107	4	4	12	25	29	29	29
20-34	23	16.5	85	2	3	18	22	29	31	32
35-49	208	15.5	94	2	3	15	20	27	32	50
50-64	1332	17.3	139	2	4	16	22	31	39	60
65+	2644	20.3	207	3	5	18	27	39	50	82
GRAND TOTAL	**4214**	**19.1**	**182**	**3**	**4**	**17**	**25**	**36**	**45**	**76**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	10.3	54	2	2	13	15	16	16	16
35-49	7	9.6	46	2	2	7	15	19	20	20
50-64	26	8.2	68	1	1	6	11	18	23	39
65+	29	9.3	37	1	2	8	13	19	21	22
B. *Operated*										
0-19 YRS										
20-34	6	17.2	277	5	5	12	16	47	50	50
35-49	19	18.2	85	4	8	16	24	32	35	35
50-64	46	19.2	155	2	8	17	25	32	39	64
65+	60	18.4	123	5	8	17	23	38	42	96
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	7.3	13	3	3	9	10	12	12	12
35-49	27	8.7	51	1	2	6	13	21	23	27
50-64	86	9.4	98	1	2	6	12	21	37	81
65+	159	14.7	241	2	3	10	18	28	42	96
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	15	18.5	299	1	3	13	25	47	59	63
35-49	48	22.5	293	1	4	18	30	49	55	64
50-64	148	21.8	155	6	8	20	28	39	45	64
65+	342	24.8	211	7	10	21	31	47	57	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	9.0	49	1	2	7	13	18	20	36
B. *Operated*	131	18.6	132	4	8	17	24	34	41	70
2. MULTIPLE DX										
A. *Not Operated*	280	12.2	179	2	2	8	16	25	37	95
B. *Operated*	554	23.6	207	6	9	21	30	45	54	76
1. SINGLE DX	196	15.4	125	2	3	14	20	29	38	63
2. MULTIPLE DX	834	19.8	226	3	4	17	26	40	50	77
A. NOT OPERATED	345	11.6	156	2	2	8	15	22	33	92
B. OPERATED	685	22.7	196	6	8	20	29	43	52	74
TOTAL 0-19 YRS	2	7.5	61	2	2	7	13	13	13	13
20-34	31	14.9	215	2	3	10	16	37	50	63
35-49	101	17.1	206	2	3	13	24	39	49	61
50-64	306	16.8	165	2	3	15	23	35	42	64
65+	590	20.7	228	4	5	18	27	41	52	94
GRAND TOTAL	**1030**	**19.0**	**210**	**3**	**4**	**16**	**25**	**39**	**49**	**76**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	6	4.3	4	1	1	4	6	7	7	7
50-64	40	7.9	46	1	2	5	10	19	22	28
65+	46	10.4	78	1	2	8	13	24	33	36
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49	9	13.0	103	1	1	14	18	28	32	32
50-64	53	17.8	109	2	5	17	24	31	37	51
65+	79	26.1	237	5	11	24	29	51	60	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	5	5.8	19	1	1	5	7	13	13	13
35-49	32	11.5	209	2	3	6	11	30	55	61
50-64	162	13.5	190	2	3	9	16	29	40	75
65+	243	13.7	134	2	3	10	19	27	38	69
B. *Operated*										
0-19 YRS	3	14.0	73	6	6	13	20	23	23	23
20-34	5	13.6	13	10	10	13	16	19	19	19
35-49	48	22.8	179	9	10	21	27	36	40	90
50-64	276	22.7	145	7	10	20	28	40	47	69
65+	474	25.6	164	9	12	23	33	43	50	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	8.7	62	1	2	6	11	20	26	35
B. *Operated*	142	22.0	199	2	6	20	27	40	52	71
2. MULTIPLE DX										
A. *Not Operated*	443	13.4	159	2	3	9	17	28	39	69
B. *Operated*	806	24.3	160	8	11	22	31	41	48	74
1. SINGLE DX	236	16.8	186	1	2	14	24	33	43	63
2. MULTIPLE DX	1249	20.4	187	3	5	18	27	39	47	69
A. NOT OPERATED	537	12.5	144	2	3	9	16	27	38	69
B. OPERATED	948	24.0	166	7	11	22	30	41	49	73
TOTAL 0-19 YRS	5	12.4	43	6	6	12	15	23	23	23
20-34	12	8.3	37	<1	1	8	13	16	19	19
35-49	95	16.9	206	2	4	14	23	34	39	77
50-64	531	18.3	172	2	4	16	25	36	45	70
65+	842	21.4	193	3	6	19	28	40	49	69
GRAND TOTAL	**1485**	**19.8**	**188**	**3**	**5**	**16**	**26**	**38**	**46**	**69**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.5	12	<1	<1	5	7	11	11	11
35-49	100	6.6	76	1	1	3	8	16	21	49
50-64	293	7.7	74	1	1	4	10	19	25	44
65+	254	9.5	127	1	2	5	12	21	35	51
B. *Operated*										
0-19 YRS	2	9.0	2	8	8	9	10	10	10	10
20-34	8	8.9	37	1	2	8	14	17	17	17
35-49	171	12.3	67	2	3	12	17	22	26	42
50-64	729	14.3	92	2	3	13	19	26	32	43
65+	712	14.3	134	2	3	12	19	29	38	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.3	20	5	5	9	13	14	14	14
20-34	18	10.7	118	<1	1	7	15	21	35	45
35-49	252	9.4	94	1	1	7	12	20	31	45
50-64	1321	10.7	117	1	1	8	14	24	32	60
65+	1614	12.7	137	2	3	9	17	27	35	58
B. *Operated*										
0-19 YRS	4	28.8	869	7	7	18	47	72	72	72
20-34	25	14.8	204	2	2	13	18	20	43	74
35-49	373	17.2	140	3	5	15	23	31	44	62
50-64	1958	17.7	158	3	5	15	23	33	42	68
65+	2403	19.1	189	4	5	16	25	37	47	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	653	8.2	96	1	1	5	10	19	28	47
B. *Operated*	1622	14.0	108	2	3	12	18	27	34	49
2. MULTIPLE DX										
A. *Not Operated*	3208	11.6	127	1	2	9	15	25	33	59
B. *Operated*	4763	18.4	174	3	5	15	24	35	45	70
1. SINGLE DX	2275	12.4	111	1	2	10	17	26	33	49
2. MULTIPLE DX	7971	15.7	166	2	3	13	21	31	41	66
A. NOT OPERATED	3861	11.0	123	1	2	8	15	24	33	58
B. OPERATED	6385	17.3	161	3	4	15	22	33	43	66
TOTAL 0-19 YRS	9	17.9	437	5	6	10	16	52	72	72
20-34	57	11.7	139	1	2	9	16	20	29	72
35-49	896	12.9	121	1	2	10	18	26	34	57
50-64	4301	14.3	141	1	2	12	19	28	37	62
65+	4983	15.9	172	2	3	13	21	32	42	65
GRAND TOTAL	**10246**	**14.9**	**155**	**2**	**3**	**12**	**20**	**30**	**39**	**64**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	8.9	42	2	2	9	11	19	21	21
35-49	17	6.9	43	1	2	5	9	18	22	24
50-64	66	5.3	31	1	2	4	6	9	18	30
65+	40	6.0	57	1	1	4	6	12	24	39
B. *Operated*										
0-19 YRS	4	4.0	16	2	2	2	6	10	10	10
20-34	13	11.5	121	2	3	7	15	27	38	41
35-49	89	8.5	104	1	1	2	12	22	32	43
50-64	359	9.5	116	1	1	4	14	22	30	54
65+	290	8.7	113	1	2	3	13	25	33	87
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	3	5	5	5	7	8	8	8
20-34	6	9.7	184	1	1	4	8	34	37	37
35-49	21	6.6	15	2	2	6	10	13	14	14
50-64	99	9.6	130	1	2	6	11	22	40	54
65+	99	10.4	86	2	2	7	13	26	31	43
B. *Operated*										
0-19 YRS										
20-34	9	14.7	100	<1	4	12	17	30	38	38
35-49	82	15.7	201	2	2	12	23	33	48	90
50-64	333	19.0	341	2	2	15	25	50	68	99+
65+	297	17.5	254	2	2	14	25	41	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	5.9	41	1	1	4	6	12	21	32
B. *Operated*	755	9.1	113	1	2	3	14	24	32	54
2. MULTIPLE DX										
A. *Not Operated*	228	9.6	100	1	2	6	11	21	35	49
B. *Operated*	721	18.0	287	2	2	14	25	42	61	99+
1. SINGLE DX	886	8.6	104	1	2	3	13	22	31	52
2. MULTIPLE DX	949	16.0	255	2	2	12	22	39	55	99+
A. NOT OPERATED	359	8.2	82	1	2	5	10	18	29	43
B. OPERATED	1476	13.4	217	1	2	9	20	32	48	99
TOTAL 0-19 YRS	8	4.4	11	1	1	4	7	9	10	10
20-34	35	11.5	105	1	2	9	14	24	38	41
35-49	209	11.0	142	1	2	6	17	30	35	61
50-64	857	12.9	223	1	2	7	19	32	49	80
65+	726	12.4	183	2	2	8	18	31	43	99+
GRAND TOTAL	**1835**	**12.4**	**195**	**1**	**2**	**7**	**18**	**31**	**43**	**86**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.7	3	<1	1	4	5	6	7	7
20-34	7	3.7	6	1	1	3	6	7	7	7
35-49	14	5.7	14	<1	2	5	7	10	15	16
50-64	28	7.3	46	<1	<1	6	9	15	24	30
65+	13	4.3	32	<1	<1	1	5	16	17	17
B. *Operated*										
0-19 YRS	53	9.3	56	<1	2	8	13	19	26	34
20-34	58	9.8	74	1	3	8	12	19	25	45
35-49	69	9.0	48	2	2	7	12	19	23	36
50-64	99	10.2	97	1	2	9	13	21	25	58
65+	94	10.0	98	1	2	5	15	24	30	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	6.1	34	2	2	4	7	10	17	32
20-34	22	10.3	264	2	2	5	8	21	47	78
35-49	32	6.6	22	2	2	5	8	14	15	21
50-64	51	11.4	173	1	2	7	13	26	37	75
65+	73	12.7	98	3	3	9	17	31	36	86
B. *Operated*										
0-19 YRS	20	13.3	254	1	2	10	14	29	54	71
20-34	23	17.0	253	1	2	14	25	32	54	70
35-49	44	14.1	123	2	3	13	19	32	42	99+
50-64	97	17.5	271	2	2	13	25	41	55	96
65+	176	19.5	288	2	3	15	28	41	61	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	5.3	25	<1	1	4	7	12	16	28
B. *Operated*	373	9.8	78	1	2	8	13	20	25	43
2. MULTIPLE DX										
A. *Not Operated*	213	10.1	116	2	2	6	13	23	32	76
B. *Operated*	360	17.8	261	2	3	13	25	39	57	88
1. SINGLE DX	457	8.9	71	1	2	6	12	19	24	40
2. MULTIPLE DX	573	14.9	220	2	2	10	20	33	45	77
A. NOT OPERATED	297	8.8	95	1	2	6	11	19	30	61
B. OPERATED	733	13.7	184	2	2	10	18	30	41	70
TOTAL 0-19 YRS	130	8.1	79	1	2	5	10	17	24	45
20-34	110	11.0	152	1	2	8	13	25	29	73
35-49	159	9.6	69	2	2	7	13	21	25	52
50-64	275	12.7	179	1	2	9	16	29	41	74
65+	356	15.0	210	1	2	11	21	32	44	68
GRAND TOTAL	**1030**	**12.3**	**163**	**1**	**2**	**8**	**16**	**29**	**37**	**70**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	2	8.5	25	5	5	8	12	12	12	12
35-49	7	5.3	9	1	1	5	8	9	9	9
50-64	14	10.3	93	1	1	6	18	26	31	32
65+	14	10.4	89	<1	1	10	16	20	32	35
B. *Operated*										
0-19 YRS	9	7.9	70	<1	<1	6	11	21	27	27
20-34	74	5.1	18	1	2	4	7	10	14	22
35-49	126	6.5	24	1	2	5	9	12	17	23
50-64	178	6.5	25	1	2	5	9	13	16	24
65+	129	8.3	53	1	1	6	11	18	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	7.4	17	3	4	6	10	14	15	15
35-49	16	8.9	116	1	2	5	11	18	36	44
50-64	58	10.5	166	2	2	7	13	18	33	76
65+	38	10.6	121	3	3	7	12	19	30	64
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	31	9.9	43	3	4	8	13	18	27	28
35-49	66	8.9	71	1	2	6	11	18	21	49
50-64	142	12.6	125	2	3	9	15	25	36	59
65+	149	11.8	97	2	2	8	17	27	30	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	8.9	71	1	1	6	13	20	29	35
B. *Operated*	516	6.8	32	1	2	5	9	14	18	26
2. MULTIPLE DX										
A. *Not Operated*	123	10.0	131	2	3	7	12	17	30	67
B. *Operated*	389	11.4	99	2	2	8	15	25	30	48
1. SINGLE DX	555	7.0	35	1	2	5	9	14	19	27
2. MULTIPLE DX	512	11.1	107	2	3	8	14	23	30	54
A. NOT OPERATED	162	9.7	116	1	2	6	12	18	30	63
B. OPERATED	905	8.8	66	1	2	6	11	19	25	40
TOTAL 0-19 YRS	12	6.8	56	<1	<1	5	9	17	26	27
20-34	118	6.7	28	1	2	5	9	14	16	27
35-49	215	7.4	45	1	2	5	10	14	18	40
50-64	392	9.4	91	1	2	7	11	20	25	51
65+	330	10.3	84	1	2	7	14	23	29	41
GRAND TOTAL	**1067**	**8.9**	**74**	**1**	**2**	**6**	**11**	**19**	**25**	**42**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	9	4.4	6	2	2	4	6	8	9	9
65+	19	7.8	43	1	2	7	12	19	20	21
B. *Operated*										
0-19 YRS	9	1.6		<1	<1	2	2	2	2	2
20-34	49	2.6	5	<1	<1	2	3	6	7	12
35-49	161	2.8	8	<1	<1	2	3	5	9	11
50-64	465	3.1	9	<1	<1	2	3	7	9	16
65+	685	3.5	14	<1	<1	2	4	8	11	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	4	27.8	1458	7	7	9	47	85	85	85
50-64	31	6.5	34	1	1	4	9	16	19	22
65+	47	12.5	275	1	1	7	14	34	63	99+
B. *Operated*										
0-19 YRS	4	8.3	98	1	1	5	15	22	22	22
20-34	10	8.3	93	1	1	3	19	23	26	26
35-49	78	5.1	49	<1	<1	2	5	10	19	41
50-64	322	5.0	47	<1	1	3	5	11	19	38
65+	842	7.3	91	1	2	3	9	17	26	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	6.5	32	2	2	4	8	16	19	21
B. *Operated*	1369	3.3	11	<1	<1	2	3	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	84	10.8	242	1	1	6	12	26	52	95
B. *Operated*	1256	6.6	78	<1	1	3	8	15	24	57
1. SINGLE DX	1399	3.3	12	<1	<1	2	3	7	10	20
2. MULTIPLE DX	1340	6.8	89	1	1	3	8	16	25	58
A. NOT OPERATED	114	9.7	189	1	2	6	12	20	34	90
B. OPERATED	2625	4.8	46	<1	1	2	5	11	17	41
TOTAL 0-19 YRS	14	3.5	33	<1	<1	2	2	10	19	22
20-34	61	3.5	22	<1	<1	2	3	7	15	25
35-49	244	3.9	50	<1	<1	2	3	8	11	29
50-64	827	4.0	26	<1	<1	2	4	9	13	25
65+	1593	5.8	67	<1	1	3	6	13	21	57
GRAND TOTAL	**2739**	**5.0**	**53**	**<1**	**1**	**3**	**5**	**12**	**18**	**46**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	6.3	80	<1	<1	2	7	22	27	27
35-49	52	7.2	75	<1	1	5	8	17	21	49
50-64	109	6.8	62	<1	1	5	7	14	18	46
65+	76	10.7	124	1	3	8	12	25	34	58
B. *Operated*										
0-19 YRS	5	2.2	5	<1	<1	1	3	6	6	6
20-34	131	7.5	14	1	2	8	10	12	14	33
35-49	842	7.8	18	2	2	8	10	12	14	25
50-64	1331	8.6	18	2	4	8	10	13	15	23
65+	1240	9.4	23	3	4	9	11	14	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	12.5	13	10	10	12	15	15	15	15
20-34	19	9.6	194	<1	<1	4	13	46	77	99+
35-49	205	11.9	152	1	2	9	15	26	31	64
50-64	586	11.9	122	1	2	9	15	27	36	64
65+	673	14.3	191	2	2	10	18	32	43	85
B. *Operated*										
0-19 YRS	5	16.0	88	5	5	17	24	26	26	26
20-34	102	9.4	32	2	4	8	12	15	17	35
35-49	767	10.3	42	3	5	9	12	17	22	45
50-64	1687	11.7	71	3	5	10	13	19	26	51
65+	2239	13.6	104	4	6	11	16	25	34	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	245	8.1	86	<1	1	5	9	17	27	50
B. *Operated*	3549	8.6	20	2	3	8	10	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	1485	13.0	159	1	2	9	17	29	39	79
B. *Operated*	4800	12.3	83	4	5	10	14	22	29	58
1. SINGLE DX	3794	8.6	24	2	3	8	10	13	16	27
2. MULTIPLE DX	6285	12.5	101	3	4	10	14	24	32	63
A. NOT OPERATED	1730	12.3	152	1	2	9	16	28	38	74
B. OPERATED	8349	10.7	59	3	4	9	12	17	24	49
TOTAL 0-19 YRS	12	9.7	80	<1	<1	7	16	25	26	26
20-34	260	8.3	36	1	2	8	11	14	16	52
35-49	1866	9.2	46	2	3	8	11	15	20	40
50-64	3713	10.4	62	2	4	9	12	18	25	47
65+	4228	12.4	99	3	4	10	14	23	32	64
GRAND TOTAL	**10079**	**11.0**	**76**	**2**	**4**	**9**	**13**	**19**	**27**	**55**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	4.8	2	3	3	4	6	7	8	8
35-49	78	6.2	38	1	2	4	5	16	24	27
50-64	99	5.6	27	2	2	4	5	11	18	29
65+	70	6.7	137	1	1	4	5	14	24	76
B. *Operated*										
0-19 YRS	6	5.2	7	3	3	4	6	10	10	10
20-34	172	5.8	33	1	1	4	8	11	17	25
35-49	183	7.0	35	2	2	5	9	15	21	27
50-64	215	6.4	48	2	2	4	7	13	18	42
65+	108	7.8	101	2	2	5	8	13	22	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	51	99+	99+	99+	99+
20-34	13	5.4	18	1	1	4	8	12	14	15
35-49	74	12.0	164	1	3	6	14	34	41	55
50-64	115	10.3	133	1	2	7	12	26	34	62
65+	103	13.8	167	2	3	9	18	36	42	56
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	89	9.0	98	1	2	7	10	19	26	59
35-49	147	11.6	90	2	2	9	16	24	31	44
50-64	223	14.3	237	2	2	9	18	32	54	74
65+	191	13.9	205	2	3	9	18	34	47	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	6.1	59	1	2	4	5	13	21	35
B. *Operated*	684	6.6	49	2	2	4	8	13	19	43
2. MULTIPLE DX										
A. *Not Operated*	306	11.7	150	1	2	7	15	29	39	59
B. *Operated*	651	12.8	178	2	2	8	16	29	44	72
1. SINGLE DX	942	6.5	52	1	2	4	7	13	20	41
2. MULTIPLE DX	957	12.4	169	2	2	8	16	29	42	71
A. NOT OPERATED	564	9.1	116	1	2	5	10	22	34	54
B. OPERATED	1335	9.6	121	2	2	6	11	22	31	63
TOTAL 0-19 YRS	8	4.8	6	3	3	4	7	64	99+	99+
20-34	285	6.8	53	1	2	5	8	13	20	41
35-49	482	9.0	78	2	2	6	11	20	28	42
50-64	652	9.7	137	2	2	5	11	22	34	69
65+	472	11.4	172	2	2	6	14	28	42	72
GRAND TOTAL	**1899**	**9.5**	**120**	**2**	**2**	**6**	**11**	**22**	**32**	**60**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	4.0	1	3	3	4	5	5	5	5
35-49	17	4.3	9	1	2	3	5	10	12	12
50-64	88	5.6	58	2	2	4	5	10	19	49
65+	97	5.9	36	1	2	4	6	11	19	36
B. *Operated*										
0-19 YRS	4	18.0	719	<1	<1	6	33	58	58	58
20-34	18	7.7	23	1	2	7	9	12	19	23
35-49	99	6.1	26	<1	1	6	8	10	15	28
50-64	537	6.7	22	1	2	7	9	12	14	24
65+	414	8.1	52	2	2	7	11	14	18	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	17	1	1	7	8	9	9	9
20-34	3	5.3	14	1	1	7	8	8	8	8
35-49	22	4.5	19	<1	1	4	5	10	16	17
50-64	139	7.7	71	1	2	5	9	16	22	47
65+	184	11.3	140	1	2	6	16	28	35	65
B. *Operated*										
0-19 YRS	3	6.0	1	5	5	6	7	7	7	7
20-34	24	5.9	21	<1	1	4	9	11	14	20
35-49	136	9.1	66	1	2	8	11	19	22	41
50-64	774	10.0	79	2	2	8	12	18	25	46
65+	754	13.0	131	2	3	10	16	26	37	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	5.6	42	2	2	4	5	10	19	44
B. *Operated*	1072	7.2	37	1	2	7	9	13	16	29
2. MULTIPLE DX										
A. *Not Operated*	351	9.3	107	1	2	5	11	22	31	57
B. *Operated*	1691	11.2	103	2	2	9	13	21	30	58
1. SINGLE DX	1279	7.0	38	1	2	6	9	13	16	30
2. MULTIPLE DX	2042	10.9	104	2	2	8	13	21	31	57
A. NOT OPERATED	558	8.0	86	1	2	5	8	19	27	52
B. OPERATED	2763	9.6	81	2	2	8	12	18	25	48
TOTAL 0-19 YRS	11	10.2	258	<1	1	6	8	29	56	58
20-34	49	6.4	20	1	1	7	8	11	12	23
35-49	274	7.4	47	1	1	7	9	15	20	33
50-64	1538	8.4	60	1	2	7	10	15	21	44
65+	1449	10.9	109	2	2	8	13	22	31	61
GRAND TOTAL	**3321**	**9.4**	**82**	**2**	**2**	**8**	**11**	**18**	**26**	**48**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	6	3.8	7	1	1	3	7	7	7	7
35-49	50	3.8	12	<1	1	3	5	9	11	17
50-64	195	3.2	12	<1	1	2	4	7	10	19
65+	96	5.6	64	1	1	3	6	12	20	48
B. *Operated*										
0-19 YRS	8	9.3	13	5	5	9	12	14	14	14
20-34	29	8.8	10	5	6	8	10	12	16	19
35-49	56	11.8	44	6	7	9	13	24	26	32
50-64	121	13.1	66	4	6	11	16	23	33	43
65+	60	15.5	68	6	8	14	20	24	29	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	9.8	91	4	4	5	15	24	24	24
20-34	13	3.3	21	1	1	2	3	8	16	18
35-49	111	5.3	46	1	1	3	6	15	24	58
50-64	321	6.7	79	1	1	4	7	17	23	50
65+	288	9.1	115	1	2	5	11	21	30	61
B. *Operated*										
0-19 YRS	5	14.6	120	7	7	11	17	34	34	34
20-34	48	13.1	161	4	6	10	14	22	29	80
35-49	147	16.8	165	7	7	13	20	31	48	85
50-64	364	17.8	138	6	8	14	22	34	44	61
65+	327	21.8	184	7	9	19	27	40	51	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	4.0	27	<1	1	2	5	8	12	24
B. *Operated*	274	12.8	58	5	6	10	16	23	27	41
2. MULTIPLE DX										
A. *Not Operated*	737	7.4	89	1	1	4	8	18	25	53
B. *Operated*	891	18.8	166	7	8	16	23	35	47	76
1. SINGLE DX	623	7.8	60	1	1	6	11	17	23	37
2. MULTIPLE DX	1628	13.7	164	1	2	10	19	29	41	70
A. NOT OPERATED	1086	6.3	72	1	1	3	7	16	22	49
B. OPERATED	1165	17.4	147	6	7	14	21	32	43	71
TOTAL 0-19 YRS	19	10.3	57	3	4	8	11	20	29	34
20-34	96	9.9	99	1	2	8	11	17	22	67
35-49	364	10.7	119	1	1	8	14	24	31	67
50-64	1001	10.8	121	1	1	8	15	24	33	54
65+	771	14.5	178	1	2	11	21	32	42	72
GRAND TOTAL	**2251**	**12.0**	**142**	**1**	**2**	**9**	**17**	**26**	**35**	**63**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.0	2	2	2	4	5	5	5	5
35-49	2	6.0	50	1	1	11	78	99+	99+	99+
50-64	13	3.2	8	1	1	2	3	8	10	11
65+	18	5.4	53	1	1	3	5	15	25	30
B. *Operated*										
0-19 YRS										
20-34	11	2.7	2	<1	<1	3	4	5	5	5
35-49	17	13.8	258	<1	<1	5	20	44	50	52
50-64	34	7.4	58	1	2	5	11	16	21	37
65+	85	10.2	110	2	2	7	14	23	27	86
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	14.5	313	2	2	14	27	27	27	27
20-34	4	12.5	108	6	6	8	18	28	28	28
35-49	4	1.3		1	1	1	2	2	2	2
50-64	20	9.1	65	1	2	7	15	26	62	99+
65+	31	14.7	273	1	3	8	20	45	70	99+
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	10.4	56	3	3	8	16	21	21	21
35-49	15	12.7	113	2	2	8	20	27	33	35
50-64	57	16.6	276	3	3	12	20	40	57	99+
65+	147	20.6	278	2	4	17	27	48	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	4.5	30	1	1	3	5	11	25	99+
B. *Operated*	147	9.4	112	1	2	5	13	22	28	61
2. MULTIPLE DX										
A. *Not Operated*	61	11.8	182	1	2	7	16	33	57	99+
B. *Operated*	225	18.8	267	2	3	15	25	42	56	99+
1. SINGLE DX	184	8.4	99	1	2	5	11	22	28	85
2. MULTIPLE DX	286	17.3	256	2	3	13	24	42	56	99+
A. NOT OPERATED	98	9.1	137	1	1	5	12	29	46	99+
B. OPERATED	372	15.1	226	2	2	11	20	36	52	98
TOTAL 0-19 YRS	3	11.0	193	2	2	4	21	27	27	27
20-34	24	6.2	42	<1	<1	4	7	16	23	28
35-49	38	11.6	172	<1	1	6	20	34	50	99+
50-64	124	11.5	177	2	2	8	15	26	44	99+
65+	281	15.9	239	2	2	11	22	41	55	99+
GRAND TOTAL	**470**	**13.8**	**213**	**2**	**2**	**9**	**19**	**35**	**51**	**99+**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49	4	4.0	16	2	2	2	6	10	10	10
50-64	30	7.0	171	1	1	3	7	14	19	72
65+	122	7.3	38	1	2	6	10	15	18	36
B. *Operated*										
0-19 YRS										
20-34	1	25.0		25	25	25	25	25	25	25
35-49	11	9.3	57	1	1	10	12	20	25	26
50-64	350	8.5	38	2	2	7	11	16	22	32
65+	1182	9.8	51	2	3	9	12	18	21	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.7	17	4	4	10	11	12	12	12
20-34	1	2.0		2	2	2	2	2	2	2
35-49	9	5.2	16	1	1	5	6	12	14	14
50-64	168	9.4	77	1	1	8	13	19	27	49
65+	889	12.4	149	2	3	9	16	28	38	83
B. *Operated*										
0-19 YRS	4	25.5	134	12	12	25	33	40	40	40
20-34	1	11.0		11	11	11	11	11	11	11
35-49	15	15.9	158	3	3	14	18	28	46	52
50-64	535	13.1	99	2	4	11	17	25	34	73
65+	2836	14.3	110	3	5	12	18	27	35	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	7.2	62	1	1	5	10	15	18	40
B. *Operated*	1544	9.5	48	2	3	8	12	17	21	34
2. MULTIPLE DX										
A. *Not Operated*	1070	11.9	138	1	2	9	15	27	37	80
B. *Operated*	3391	14.1	109	3	5	12	18	27	34	59
1. SINGLE DX	1701	9.3	50	2	2	8	12	17	21	35
2. MULTIPLE DX	4461	13.6	117	2	4	11	17	27	35	61
A. NOT OPERATED	1227	11.3	130	1	2	8	14	25	35	73
B. OPERATED	4935	12.7	94	2	4	10	16	24	31	54
TOTAL 0-19 YRS	8	17.5	137	4	6	12	25	36	40	40
20-34	3	12.7	134	2	2	11	21	25	25	25
35-49	39	10.3	101	1	1	8	14	23	28	52
50-64	1083	10.9	82	2	2	9	14	22	29	53
65+	5029	12.7	105	2	4	10	16	25	33	56
GRAND TOTAL	**6162**	**12.4**	**102**	**2**	**3**	**10**	**16**	**24**	**32**	**55**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	5	4	4	6	8	9	9	9
20-34	41	5.1	9	1	1	5	6	9	10	16
35-49	3	3.3	4	1	1	4	5	5	5	5
50-64	4	3.5	3	2	2	3	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	19	6.3	32	1	2	4	7	17	20	21
20-34	123	8.4	40	2	3	7	10	17	24	29
35-49	45	8.0	21	3	3	8	10	13	15	28
50-64	27	7.3	25	2	3	5	10	16	18	20
65+	17	16.9	406	3	4	11	20	30	69	89
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.8	27	3	3	5	8	16	16	16
20-34	43	7.3	28	1	2	7	10	15	17	24
35-49	4	7.5	9	5	5	7	10	11	11	11
50-64	7	7.9	14	4	4	7	11	13	13	13
65+										
B. *Operated*										
0-19 YRS	5	11.0	142	1	1	3	23	25	25	25
20-34	48	15.2	207	4	5	12	17	23	48	82
35-49	24	12.0	55	3	3	10	16	25	26	27
50-64	25	14.5	92	3	5	13	19	30	34	38
65+	39	15.3	245	2	3	10	20	24	53	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	4.9	8	1	1	5	6	9	10	16
B. *Operated*	231	8.7	65	2	3	7	10	17	23	33
2. MULTIPLE DX										
A. *Not Operated*	59	7.4	24	2	2	6	10	15	17	23
B. *Operated*	141	14.4	167	3	4	11	17	24	35	81
1. SINGLE DX	283	8.0	57	2	3	6	9	16	21	31
2. MULTIPLE DX	200	12.3	135	2	3	9	16	23	28	72
A. NOT OPERATED	111	6.2	18	1	2	5	8	12	16	20
B. OPERATED	372	10.8	111	2	3	8	14	21	25	62
TOTAL 0-19 YRS	33	7.1	43	1	2	5	8	19	23	25
20-34	255	9.0	74	2	3	7	10	17	24	45
35-49	76	9.0	35	3	3	8	11	16	24	28
50-64	63	10.0	62	2	3	7	14	19	30	37
65+	56	15.8	288	3	4	11	20	24	53	89
GRAND TOTAL	**483**	**9.8**	**93**	**2**	**3**	**7**	**12**	**19**	**24**	**53**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	30	4.7	25	1	1	3	6	11	17	22
65+	103	7.5	94	1	1	4	8	24	30	47
B. *Operated*										
0-19 YRS	5	6.0	6	2	2	6	8	8	8	8
20-34	27	4.4	24	1	2	3	5	7	12	27
35-49	169	6.0	42	1	2	4	6	15	24	29
50-64	1020	5.9	40	1	2	4	7	12	19	32
65+	1804	7.1	52	2	2	5	8	14	20	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	4.0	7	<1	<1	5	6	6	6	6
35-49	4	6.3	44	2	2	4	10	16	16	16
50-64	88	7.5	61	1	1	5	9	18	24	39
65+	290	12.7	188	1	2	8	17	28	43	82
B. *Operated*										
0-19 YRS	3	4.3	6	2	2	4	6	7	7	7
20-34	12	12.7	113	1	2	11	22	28	29	29
35-49	73	8.8	79	2	2	6	11	20	28	43
50-64	819	10.4	118	2	2	6	14	23	31	58
65+	2631	11.8	134	2	2	8	15	26	35	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	6.8	78	1	1	3	7	18	27	44
B. *Operated*	3025	6.6	47	1	2	5	8	14	20	36
2. MULTIPLE DX										
A. *Not Operated*	386	11.4	161	1	2	7	15	26	38	73
B. *Operated*	3538	11.4	130	2	2	8	15	25	34	62
1. SINGLE DX	3161	6.6	48	1	2	4	8	14	21	36
2. MULTIPLE DX	3924	11.4	133	2	2	8	15	25	35	63
A. NOT OPERATED	522	10.2	143	1	2	6	13	24	35	67
B. OPERATED	6563	9.2	97	2	2	6	11	21	29	53
TOTAL 0-19 YRS	9	4.9	7	<1	1	6	7	8	8	8
20-34	43	6.7	59	1	1	3	6	21	27	29
35-49	248	6.8	54	1	2	4	7	16	24	38
50-64	1957	7.8	78	1	2	5	9	19	25	47
65+	4828	10.0	111	2	2	7	12	22	31	58
GRAND TOTAL	**7085**	**9.3**	**101**	**2**	**2**	**6**	**11**	**21**	**29**	**54**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.6	4	<1	<1	4	5	6	7	7
20-34										
35-49	16	2.1	4	1	1	1	2	5	7	8
50-64	13	5.6	18	2	2	4	7	11	16	17
65+	14	9.3	37	2	3	9	12	18	22	23
B. *Operated*										
0-19 YRS	6	16.0	96	8	8	12	20	33	34	34
20-34	6	13.8	58	4	4	13	21	24	24	24
35-49	58	11.6	24	2	5	11	14	19	20	25
50-64	154	14.1	60	2	5	13	17	24	29	40
65+	138	15.5	64	3	5	14	20	26	32	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.4	10	<1	<1	4	6	9	10	10
20-34	2	7.0	18	4	4	7	10	10	10	10
35-49	22	14.4	275	1	1	10	20	34	53	70
50-64	122	9.2	77	1	2	7	13	18	24	49
65+	108	16.8	192	3	4	14	23	36	43	99+
B. *Operated*										
0-19 YRS	8	13.3	99	2	2	12	17	29	33	33
20-34	7	17.3	33	10	10	16	20	26	27	27
35-49	65	17.9	193	4	9	14	20	34	43	81
50-64	272	19.5	172	4	7	17	24	34	45	91
65+	397	22.4	237	5	9	18	28	40	57	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	5.2	24	1	1	4	7	12	17	23
B. *Operated*	362	14.3	57	3	5	13	18	24	29	38
2. MULTIPLE DX										
A. *Not Operated*	265	12.5	151	1	2	9	18	29	37	80
B. *Operated*	749	20.8	209	5	8	17	25	37	52	91
1. SINGLE DX	413	13.2	62	2	3	12	17	23	28	37
2. MULTIPLE DX	1014	18.6	207	2	4	16	24	36	47	89
A. NOT OPERATED	316	11.3	138	1	2	8	15	24	36	79
B. OPERATED	1111	18.7	169	4	7	16	23	34	42	81
TOTAL 0-19 YRS	33	8.5	69	<1	1	5	11	20	31	34
20-34	15	14.5	48	4	4	14	20	24	26	27
35-49	161	13.6	144	1	1	11	17	25	34	70
50-64	561	15.5	136	2	3	14	20	29	37	73
65+	657	19.7	200	4	6	17	24	36	47	91
GRAND TOTAL	**1427**	**17.0**	**171**	**2**	**4**	**14**	**22**	**33**	**41**	**79**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	7	5.9	8	2	2	6	7	10	11	11
65+	2	5.0	32	1	1	5	9	9	9	9
B. *Operated*										
0-19 YRS	5	5.8	10	2	2	7	8	9	9	9
20-34	7	4.9	5	1	2	5	7	8	8	8
35-49	10	3.7	6	1	1	3	5	7	9	9
50-64	26	4.4	14	1	2	4	4	7	11	21
65+	24	5.2	12	1	2	4	6	9	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	13.0	13	9	9	14	15	16	16	16
50-64	8	4.8	11	2	2	4	7	10	11	11
65+	13	9.4	46	2	3	6	15	20	22	23
B. *Operated*										
0-19 YRS										
20-34	2	12.0	200	2	2	12	22	22	22	22
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	13	4.6	6	1	2	4	6	8	9	9
65+	22	13.5	211	3	3	7	17	34	47	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.7	11	1	1	4	7	10	11	11
B. *Operated*	72	4.7	11	1	2	4	6	8	9	20
2. MULTIPLE DX										
A. *Not Operated*	27	7.7	36	2	2	5	12	16	20	23
B. *Operated*	39	10.1	143	2	2	6	10	21	35	64
1. SINGLE DX	84	4.7	11	1	2	4	6	8	10	19
2. MULTIPLE DX	66	9.1	99	2	2	6	11	19	25	59
A. NOT OPERATED	39	6.7	29	1	2	5	9	15	18	23
B. OPERATED	111	6.6	63	1	2	4	7	14	20	47
TOTAL 0-19 YRS	8	4.4	9	2	2	3	7	9	9	9
20-34	11	5.7	34	1	1	4	7	14	21	22
35-49	16	5.5	20	1	1	4	7	14	15	16
50-64	54	4.7	11	2	2	4	6	8	10	21
65+	61	9.1	102	2	3	6	11	19	27	61
GRAND TOTAL	**150**	**6.6**	**54**	**1**	**2**	**4**	**7**	**14**	**19**	**36**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	4.4	12	<1	<1	3	7	9	11	11
20-34	19	6.5	17	1	1	6	10	12	13	13
35-49	29	14.3	346	2	2	7	14	45	63	75
50-64	78	11.0	238	1	2	5	13	31	52	99
65+	36	17.6	200	2	2	15	26	34	48	57
B. *Operated*										
0-19 YRS	28	15.4	46	5	8	14	19	26	28	30
20-34	40	18.1	86	7	8	16	22	32	36	44
35-49	47	18.8	190	3	7	16	22	27	53	76
50-64	90	22.2	220	6	8	20	27	42	57	73
65+	57	26.6	416	4	7	22	32	62	82	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	8.0	119	<1	1	4	18	50	99+	99+
20-34	24	8.1	146	1	1	4	8	19	37	55
35-49	49	10.4	143	2	2	6	14	21	29	72
50-64	88	17.5	342	1	2	11	19	45	58	86
65+	85	23.3	436	4	5	17	35	66	84	99+
B. *Operated*										
0-19 YRS	27	22.1	305	5	7	17	29	45	64	79
20-34	28	22.5	312	2	4	18	31	53	62	62
35-49	35	30.5	551	8	11	23	55	88	99+	99+
50-64	87	30.8	449	7	9	26	41	61	75	92
65+	70	33.0	282	11	15	31	43	64	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	11.6	212	1	2	7	14	29	50	89
B. *Operated*	262	21.2	228	6	8	18	25	39	57	89
2. MULTIPLE DX										
A. *Not Operated*	267	16.4	331	1	2	10	21	46	71	99+
B. *Operated*	247	29.5	395	6	9	24	41	63	78	99+
1. SINGLE DX	445	17.3	244	2	2	13	23	34	54	91
2. MULTIPLE DX	514	22.7	403	2	3	17	33	56	73	99+
A. NOT OPERATED	450	14.5	288	1	2	9	18	40	56	99+
B. OPERATED	509	25.2	326	6	8	21	32	55	69	99+
TOTAL 0-19 YRS	97	13.3	169	1	1	10	20	30	43	99+
20-34	111	15.1	181	1	2	12	19	33	44	62
35-49	160	18.0	332	2	3	13	22	54	71	99+
50-64	343	20.6	361	2	3	15	27	48	62	91
65+	248	26.0	376	4	6	22	35	56	77	99+
GRAND TOTAL	**959**	**20.2**	**336**	**2**	**3**	**15**	**27**	**49**	**66**	**99+**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	12.7	383	<1	<1	2	19	47	50	50
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	26.0	512	10	10	26	42	42	42	42
65+	3	11.3	32	5	5	13	15	16	16	16
B. *Operated*										
0-19 YRS	2	46.0	3872	2	2	46	90	90	90	90
20-34	1	48.0		48	48	48	48	48	48	48
35-49	5	18.6	49	10	10	17	24	28	28	28
50-64	10	22.3	418	4	6	16	23	54	75	75
65+	4	10.8	124	2	2	7	17	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3		4	4	4	5	5	5	5
20-34	4	27.8	675	8	8	18	42	66	66	66
35-49	3	25.3	804	7	7	11	46	58	58	58
50-64	3	13.0	31	8	8	12	17	19	19	19
65+	12	21.0	479	2	5	11	24	63	70	71
B. *Operated*										
0-19 YRS	5	10.8	109	2	2	10	15	28	28	28
20-34	3	18.3	129	9	9	15	27	31	31	31
35-49	6	27.5	230	9	9	30	42	43	43	43
50-64	10	24.6	115	4	10	31	51	99+	99+	99+
65+	13	22.5	234	2	2	31	35	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	13.6	271	<1	<1	7	17	44	49	50
B. *Operated*	22	22.7	504	2	3	16	27	56	81	90
2. MULTIPLE DX										
A. *Not Operated*	25	19.6	424	3	4	11	19	59	67	71
B. *Operated*	37	21.9	184	2	3	27	35	99+	99+	99+
1. SINGLE DX	34	19.5	431	<1	1	14	23	48	70	90
2. MULTIPLE DX	62	21.0	277	2	3	19	34	65	99+	99+
A. NOT OPERATED	37	17.7	374	<1	1	11	19	56	64	71
B. OPERATED	59	22.2	297	2	3	23	34	76	99+	99+
TOTAL 0-19 YRS	16	14.7	574	<1	<1	4	15	48	78	90
20-34	8	26.8	422	8	8	18	39	61	66	66
35-49	15	22.3	262	2	7	17	34	43	54	58
50-64	25	22.4	238	4	8	22	34	92	99+	99+
65+	32	19.4	295	2	2	15	31	60	94	99+
GRAND TOTAL	**96**	**20.5**	**328**	**1**	**3**	**17**	**32**	**58**	**94**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	1.8	4	<1	<1	<1	1	4	6	9
20-34	9	3.2	2	1	1	3	4	6	6	6
35-49	12	5.2	41	2	2	3	5	14	23	24
50-64	12	4.0	13	1	1	3	4	8	14	15
65+	5	5.4	16	1	1	6	8	11	11	11
B. *Operated*										
0-19 YRS	20	7.0	24	1	2	5	9	12	18	22
20-34	67	5.3	5	3	3	5	6	8	9	14
35-49	68	6.8	29	3	3	5	7	14	18	32
50-64	63	8.7	48	3	4	6	11	15	24	40
65+	37	7.8	19	2	3	7	10	13	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.9	5	<1	<1	3	5	6	7	8
20-34	11	9.5	77	3	3	6	12	24	31	32
35-49	14	7.4	112	1	2	4	8	13	36	43
50-64	32	8.5	27	2	3	7	13	16	18	20
65+	31	10.8	208	2	2	6	15	57	95	99+
B. *Operated*										
0-19 YRS	14	15.1	123	1	2	11	25	34	36	36
20-34	65	8.1	44	2	3	6	10	15	19	38
35-49	77	8.1	43	2	3	7	9	14	20	38
50-64	78	9.7	75	2	3	6	10	23	29	41
65+	98	15.9	171	3	4	12	23	30	40	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	3.4	15	<1	<1	2	4	7	10	23
B. *Operated*	255	7.0	27	3	3	5	8	13	16	29
2. MULTIPLE DX										
A. *Not Operated*	103	8.3	99	1	2	5	11	18	35	99+
B. *Operated*	332	11.1	102	2	3	8	13	25	32	44
1. SINGLE DX	316	6.3	26	1	2	5	8	12	15	28
2. MULTIPLE DX	435	10.4	103	2	3	7	13	24	32	68
A. NOT OPERATED	164	6.5	73	<1	<1	4	8	15	20	94
B. OPERATED	587	9.3	73	3	3	6	11	19	27	42
TOTAL 0-19 YRS	72	6.0	55	<1	<1	3	8	13	25	36
20-34	152	6.7	29	3	3	5	7	12	16	32
35-49	171	7.4	43	2	3	5	8	14	19	39
50-64	185	8.8	55	2	3	6	10	17	26	40
65+	171	12.9	152	2	3	9	17	27	42	94
GRAND TOTAL	**751**	**8.7**	**75**	**2**	**3**	**6**	**10**	**18**	**26**	**44**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.7	5	<1	<1	2	5	6	7	7
20-34	30	4.1	16	<1	1	3	4	11	14	16
35-49	76	8.1	105	1	1	5	9	19	31	53
50-64	240	8.8	74	1	1	6	11	20	29	40
65+	286	11.0	127	1	2	8	13	22	33	66
B. *Operated*										
0-19 YRS	14	7.1	89	<1	1	2	13	23	26	27
20-34	35	5.4	37	<1	1	4	9	13	16	32
35-49	116	9.7	104	1	1	8	13	20	25	56
50-64	354	11.8	142	1	2	9	16	24	33	69
65+	409	11.9	152	1	2	9	16	24	32	74
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	7.3	56	1	1	6	9	13	20	41
20-34	114	11.5	176	1	2	7	13	25	31	65
35-49	631	11.7	117	1	2	8	16	26	34	53
50-64	2290	11.8	137	2	2	8	15	26	35	62
65+	3341	14.0	154	2	3	10	18	29	39	68
B. *Operated*										
0-19 YRS	15	11.3	160	1	2	6	23	38	81	99+
20-34	124	11.7	109	1	2	10	15	26	28	55
35-49	616	15.3	183	2	3	12	20	33	44	77
50-64	2043	16.2	201	2	3	12	22	34	46	77
65+	2634	17.9	196	2	4	15	24	37	46	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	642	9.4	101	1	1	7	12	21	30	57
B. *Operated*	928	11.3	138	1	2	9	15	24	32	70
2. MULTIPLE DX										
A. *Not Operated*	6411	12.9	145	2	3	9	17	28	37	63
B. *Operated*	5432	16.8	196	2	3	13	23	35	46	76
1. SINGLE DX	1570	10.5	124	1	2	8	14	23	31	62
2. MULTIPLE DX	11843	14.7	172	2	3	11	19	31	42	71
A. NOT OPERATED	7053	12.6	142	2	2	9	16	27	37	63
B. OPERATED	6360	16.0	191	2	3	12	22	34	44	75
TOTAL 0-19 YRS	4	7.5	80	<1	1	5	9	21	34	85
20-34	303	10.2	123	1	2	7	12	23	31	51
35-49	1439	12.9	148	1	2	9	17	28	39	64
50-64	4927	13.5	166	2	2	10	18	29	39	69
65+	6670	15.3	174	2	3	12	20	32	42	73
GRAND TOTAL	**13413**	**14.2**	**168**	**2**	**3**	**11**	**19**	**31**	**41**	**70**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.5	16	<1	1	2	4	8	11	19
20-34	92	3.8	41	<1	<1	2	4	7	12	40
35-49	42	6.2	58	<1	1	3	9	15	31	99+
50-64	27	6.4	74	<1	<1	4	7	17	21	42
65+	21	4.7	17	<1	1	3	6	9	14	19
B. *Operated*										
0-19 YRS	88	8.9	69	1	2	7	13	17	22	48
20-34	226	9.7	74	1	2	7	13	22	26	41
35-49	92	9.2	70	2	2	8	11	18	22	52
50-64	68	12.3	111	2	2	10	18	24	38	45
65+	41	14.7	134	2	3	13	19	26	38	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	8.7	32	1	1	8	14	16	18	18
20-34	54	6.7	40	1	1	4	10	15	20	24
35-49	42	9.6	106	<1	1	7	13	19	28	57
50-64	48	9.9	131	1	2	8	12	16	28	99+
65+	52	10.4	102	1	1	7	13	22	32	47
B. *Operated*										
0-19 YRS	24	8.7	31	1	2	9	13	17	18	19
20-34	84	13.7	142	3	4	10	16	30	38	64
35-49	52	14.8	142	3	4	9	21	29	39	56
50-64	93	15.4	107	2	4	13	21	28	37	49
65+	56	22.5	253	3	6	18	31	47	56	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	206	4.7	44	<1	<1	2	5	10	18	46
B. *Operated*	515	10.2	84	1	2	8	14	21	26	47
2. MULTIPLE DX										
A. *Not Operated*	207	9.1	90	1	1	7	12	19	24	66
B. *Operated*	311	15.6	156	2	4	13	20	32	42	59
1. SINGLE DX	721	8.6	79	1	1	6	12	19	25	47
2. MULTIPLE DX	518	13.0	140	1	2	10	17	28	38	59
A. NOT OPERATED	413	6.9	72	<1	1	4	9	16	22	53
B. OPERATED	826	12.3	118	2	2	9	16	26	35	56
TOTAL 0-19 YRS	147	8.0	55	1	1	6	11	17	19	34
20-34	456	8.9	86	1	1	6	12	20	26	49
35-49	228	10.0	98	1	1	8	13	22	29	57
50-64	236	12.3	117	1	2	10	17	26	37	57
65+	172	14.8	186	1	2	10	20	33	44	62
GRAND TOTAL	**1239**	**10.5**	**109**	**1**	**1**	**8**	**14**	**22**	**31**	**56**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	4.3	34	<1	<1	1	6	11	17	31
20-34	16	7.9	88	<1	<1	2	14	23	27	29
35-49	11	9.4	59	<1	1	6	17	20	24	24
50-64	29	6.2	56	<1	1	3	8	14	22	35
65+	48	9.3	73	1	1	7	13	21	31	32
B. *Operated*										
0-19 YRS	49	10.1	154	<1	1	4	15	29	40	52
20-34	17	13.6	89	1	2	12	18	28	32	34
35-49	9	8.2	47	1	2	5	12	20	21	21
50-64	24	11.8	282	2	3	7	12	23	48	83
65+	34	9.9	114	1	2	8	12	17	37	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	6.8	140	<1	<1	2	8	15	28	69
20-34	9	14.3	225	1	1	8	24	38	44	44
35-49	15	5.8	13	<1	2	5	7	12	13	13
50-64	104	11.5	121	1	2	8	15	28	42	72
65+	240	11.8	107	2	3	9	15	23	28	58
B. *Operated*										
0-19 YRS	36	17.2	188	1	3	12	28	35	43	53
20-34	11	24.5	549	2	3	22	31	65	73	74
35-49	8	19.9	131	6	7	18	28	37	39	39
50-64	61	15.2	177	3	4	12	18	33	44	97
65+	153	17.2	219	4	5	13	20	36	45	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	5.9	51	<1	<1	3	8	16	21	32
B. *Operated*	133	10.7	149	1	1	7	12	27	34	57
2. MULTIPLE DX										
A. *Not Operated*	430	10.9	117	1	1	8	14	23	32	59
B. *Operated*	269	17.1	215	3	4	13	23	36	47	79
1. SINGLE DX	398	7.5	89	<1	<1	4	10	19	28	41
2. MULTIPLE DX	699	13.3	164	1	2	10	17	28	40	73
A. NOT OPERATED	695	9.0	98	<1	1	6	12	21	29	46
B. OPERATED	402	15.0	202	2	3	11	19	33	42	78
TOTAL 0-19 YRS	308	7.3	108	<1	<1	3	9	21	30	49
20-34	53	14.3	228	<1	1	10	22	30	42	74
35-49	43	9.8	75	1	2	6	14	22	27	39
50-64	218	11.8	151	1	2	8	15	28	41	88
65+	475	13.2	148	2	3	10	16	27	36	71
GRAND TOTAL	**1097**	**11.2**	**144**	**<1**	**1**	**8**	**14**	**27**	**35**	**70**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	5.5	83	<1	<1	1	6	13	22	56
20-34	28	10.6	182	1	1	6	9	35	40	56
35-49	56	7.7	71	<1	1	5	9	20	29	35
50-64	59	12.0	221	<1	<1	6	12	37	46	60
65+	105	6.2	119	<1	<1	3	8	13	18	63
B. *Operated*										
0-19 YRS	15	14.9	306	1	1	5	25	43	53	57
20-34	22	18.1	310	<1	1	10	30	40	53	61
35-49	46	16.8	341	2	3	9	23	45	57	91
50-64	51	14.8	278	1	1	7	20	44	56	64
65+	56	16.1	305	3	4	10	20	38	55	95
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	6.3	50	<1	<1	5	7	10	22	36
20-34	33	11.3	152	2	2	8	12	32	38	53
35-49	53	9.2	109	1	2	6	10	26	39	42
50-64	105	10.6	139	1	1	7	15	28	38	30
65+	327	9.5	95	1	1	7	13	21	26	57
B. *Operated*										
0-19 YRS	19	20.0	227	1	3	18	28	44	52	53
20-34	33	29.7	370	5	6	32	40	60	75	99+
35-49	44	24.6	308	5	6	24	33	46	56	35
50-64	115	24.9	389	3	5	21	36	52	60	99
65+	198	20.9	346	3	5	14	31	49	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	302	7.9	134	<1	<1	4	9	20	32	57
B. *Operated*	190	16.1	302	1	2	9	23	40	56	80
2. MULTIPLE DX										
A. *Not Operated*	553	9.6	106	1	1	6	12	22	33	56
B. *Operated*	409	23.1	355	4	5	18	34	51	66	99+
1. SINGLE DX	492	11.1	214	<1	1	6	12	30	45	51
2. MULTIPLE DX	962	15.3	256	1	2	9	21	39	52	91
A. NOT OPERATED	855	9.0	116	<1	1	6	11	21	33	57
B. OPERATED	599	20.9	348	2	4	14	31	48	60	97
TOTAL 0-19 YRS	123	9.1	149	<1	<1	5	10	25	35	57
20-34	116	17.7	310	1	2	10	31	40	55	83
35-49	199	14.0	237	1	2	8	20	34	45	73
50-64	330	16.5	300	1	2	10	25	43	56	95
65+	686	12.8	219	1	1	8	16	32	45	89
GRAND TOTAL	**1454**	**13.9**	**246**	**1**	**1**	**8**	**18**	**36**	**46**	**88**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	5.5	57	<1	<1	2	7	14	22	39
20-34	48	4.0	26	<1	<1	2	4	10	11	29
35-49	73	6.8	122	<1	1	4	8	13	19	75
50-64	190	7.1	82	<1	<1	3	9	19	24	40
65+	228	8.7	88	<1	1	6	12	18	25	45
B. *Operated*										
0-19 YRS	20	5.6	18	<1	1	5	8	11	14	17
20-34	65	10.5	85	1	1	9	14	22	34	40
35-49	134	9.2	82	2	2	7	12	19	25	55
50-64	294	10.1	79	1	2	7	14	23	30	43
65+	338	13.2	121	2	2	11	17	28	37	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	8.5	80	<1	<1	6	11	20	34	35
20-34	46	7.7	48	1	1	6	12	19	22	28
35-49	117	9.8	161	<1	1	6	12	22	33	70
50-64	459	10.4	107	1	1	7	15	24	32	60
65+	813	12.[illegible]	167	1	2	9	16	28	38	68
B. *Operated*										
0-19 YRS	24	19.3	377	2	4	14	29	61	88	99+
20-34	52	17.1	219	3	4	13	22	37	50	78
35-49	123	16.4	248	3	3	11	20	43	63	99+
50-64	464	17.8	221	3	3	14	24	39	49	91
65+	755	21.1	276	3	5	17	29	45	57	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	583	7.3	85	<1	1	4	10	16	23	44
B. *Operated*	851	11.1	98	1	2	9	15	24	33	47
2. MULTIPLE DX										
A. *Not Operated*	1466	11.6	144	1	2	8	15	26	35	65
B. *Operated*	1418	19.5	258	3	4	15	26	43	56	92
1. SINGLE DX	1434	9.6	96	1	1	7	13	22	30	46
2. MULTIPLE DX	2884	15.5	215	1	2	11	21	35	47	84
A. NOT OPERATED	2049	10.4	131	1	1	7	14	24	32	61
B. OPERATED	2269	16.3	214	2	3	12	22	36	48	83
TOTAL 0-19 YRS	119	9.1	146	<1	<1	5	11	24	34	89
20-34	211	10.0	117	<1	1	7	13	23	33	52
35-49	447	11.0	166	1	2	7	13	24	39	76
50-64	1407	12.4	151	1	2	9	17	28	39	69
65+	2134	15.4	209	2	3	11	20	34	46	78
GRAND TOTAL	**4318**	**13.5**	**183**	**1**	**2**	**10**	**18**	**31**	**42**	**77**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	62	3.3	10	<1	<1	2	4	7	10	16
20-34	152	3.9	7	<1	2	3	5	6	7	20
35-49	183	3.8	5	1	2	4	5	6	7	11
50-64	236	4.1	13	1	2	4	5	6	8	14
65+	136	4.2	4	2	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	16.0		16	16	16	16	16	16	16
65+	3	7.3	32	<1	<1	9	11	12	12	12
B. *Operated*										
0-19 YRS	14	3.3	5	2	2	2	4	6	9	10
20-34	28	3.3	4	<1	2	3	4	6	8	10
35-49	47	5.4	16	1	1	4	7	12	14	17
50-64	120	6.5	88	2	2	4	7	11	16	48
65+	94	6.4	15	2	2	5	8	12	15	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.4	4	<1	1	3	4	6	7	7
B. *Operated*	769	3.9	8	1	2	4	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	5	8.0	42	<1	<1	9	13	16	16	16
B. *Operated*	303	5.8	43	2	2	4	7	11	14	24
1. SINGLE DX	777	3.9	8	1	2	4	5	6	8	13
2. MULTIPLE DX	308	5.9	43	2	2	4	7	11	14	24
A. NOT OPERATED	13	5.2	21	<1	<1	3	7	13	15	16
B. OPERATED	1072	4.5	19	1	2	4	5	8	10	18
TOTAL 0-19 YRS	78	3.4	9	<1	<1	2	4	7	10	15
20-34	181	3.8	7	<1	2	3	5	6	7	18
35-49	233	4.1	8	1	2	4	5	7	9	15
50-64	359	4.9	39	1	2	4	5	8	11	26
65+	234	5.1	10	2	2	4	6	9	12	16
GRAND TOTAL	**1085**	**4.5**	**19**	**1**	**2**	**4**	**5**	**8**	**10**	**18**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.1	7	1	1	2	4	7	9	9
20-34	7	5.7	54	1	1	2	8	19	21	21
35-49	51	2.4	4	<1	<1	2	3	4	5	12
50-64	105	3.1	16	<1	<1	2	3	5	8	28
65+	118	3.7	9	<1	1	2	5	8	10	14
B. *Operated*										
0-19 YRS	42	5.1	28	<1	1	3	7	12	18	23
20-34	73	5.7	37	<1	1	3	9	13	15	33
35-49	212	4.2	21	<1	1	2	5	10	13	23
50-64	742	3.7	18	<1	1	2	3	10	13	21
65+	836	4.1	25	1	1	2	4	11	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.0	7	1	1	4	5	8	9	9
20-34	13	7.7	50	1	2	6	9	22	22	22
35-49	27	5.2	30	<1	1	3	6	14	18	22
50-64	114	4.4	39	1	1	3	6	8	11	34
65+	220	6.9	51	1	1	5	9	14	21	33
B. *Operated*										
0-19 YRS	15	10.3	133	<1	2	9	13	21	39	45
20-34	62	8.3	53	1	2	7	10	18	23	39
35-49	141	9.1	81	1	2	6	12	22	29	52
50-64	711	7.6	65	1	1	4	11	17	23	36
65+	1131	9.1	93	1	2	6	13	20	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	291	3.3	12	<1	1	2	4	7	9	18
B. *Operated*	1905	4.0	22	<1	1	2	4	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	382	6.0	46	1	1	4	7	12	18	32
B. *Operated*	2060	8.6	82	1	2	5	12	19	25	43
1. SINGLE DX	2196	3.9	21	<1	1	2	4	10	14	22
2. MULTIPLE DX	2442	8.2	77	1	2	5	12	18	24	42
A. NOT OPERATED	673	4.8	33	<1	1	3	6	10	14	28
B. OPERATED	3965	6.4	58	1	1	3	9	16	21	36
TOTAL 0-19 YRS	75	5.7	48	<1	1	3	8	14	19	39
20-34	155	6.9	46	1	1	5	9	15	22	34
35-49	431	5.6	45	<1	1	3	7	14	20	36
50-64	1672	5.4	43	<1	1	2	7	13	18	30
65+	2305	6.8	66	1	1	3	10	16	21	37
GRAND TOTAL	**4638**	**6.2**	**55**	**1**	**1**	**3**	**8**	**15**	**20**	**35**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.1	1	<1	<1	2	3	4	4	4
20-34	4	3.5	9	2	2	2	5	8	8	8
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	2.8	6	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	82	3.0	16	<1	<1	2	3	7	12	22
20-34	65	3.5	12	<1	1	2	3	9	12	15
35-49	74	3.6	16	1	1	2	4	7	10	22
50-64	126	4.5	20	1	1	2	5	12	15	18
65+	68	4.7	31	1	2	2	5	12	16	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	4.2	10	<1	<1	3	7	8	8	8
50-64	4	2.0	4	1	1	1	3	5	5	5
65+	6	7.5	33	<1	<1	8	13	14	14	14
B. *Operated*										
0-19 YRS	16	5.5	27	<1	<1	3	9	14	15	15
20-34	22	7.1	17	2	2	6	10	13	14	15
35-49	38	5.3	54	1	1	2	6	13	25	32
50-64	73	8.5	91	2	2	5	13	19	22	56
65+	62	11.0	99	1	2	8	16	28	32	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.6	3	<1	1	2	3	5	7	8
B. *Operated*	415	3.9	19	<1	1	2	4	10	14	21
2. MULTIPLE DX										
A. *Not Operated*	19	4.5	17	<1	<1	3	7	12	14	14
B. *Operated*	211	8.3	78	1	2	5	12	19	25	36
1. SINGLE DX	436	3.9	19	<1	1	2	4	10	13	21
2. MULTIPLE DX	230	7.9	74	1	2	5	12	19	25	36
A. NOT OPERATED	40	3.5	11	<1	1	2	4	8	11	14
B. OPERATED	626	5.4	43	1	1	2	7	14	18	31
TOTAL 0-19 YRS	111	3.3	17	<1	<1	2	3	9	12	21
20-34	92	4.4	15	<1	1	2	6	11	13	15
35-49	119	4.1	28	1	1	2	4	9	15	32
50-64	204	5.9	48	1	1	3	8	15	19	25
65+	140	7.5	69	1	2	3	11	18	28	36
GRAND TOTAL	**666**	**5.3**	**41**	**<1**	**1**	**2**	**7**	**13**	**18**	**30**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.1	15	<1	1	2	6	11	12	12
20-34	19	3.3	12	<1	<1	2	4	9	12	13
35-49	21	3.2	13	<1	1	2	3	8	14	14
50-64	20	2.6	5	<1	<1	2	3	5	8	10
65+	9	2.2	1	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	695	3.4	5	<1	1	3	4	6	8	13
20-34	854	2.9	7	<1	<1	2	3	5	7	14
35-49	954	2.8	9	<1	<1	2	3	5	6	16
50-64	1010	3.0	6	<1	<1	2	3	5	7	13
65+	359	3.3	9	<1	<1	2	4	6	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	10	7.6	161	1	1	3	7	25	43	43
35-49	13	3.2	14	1	1	2	4	8	13	14
50-64	18	7.5	49	<1	1	5	11	20	21	21
65+	20	9.4	97	1	2	5	11	26	33	36
B. *Operated*										
0-19 YRS	100	4.6	25	1	1	3	5	9	14	30
20-34	226	4.8	66	<1	1	3	5	9	12	37
35-49	346	4.6	27	<1	1	3	5	9	13	23
50-64	528	4.8	23	<1	1	3	5	10	14	25
65+	319	7.0	69	2	2	4	8	16	22	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	3.1	10	<1	<1	2	3	7	11	14
B. *Operated*	3872	3.0	7	<1	<1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	66	6.8	73	<1	1	4	7	19	23	42
B. *Operated*	1519	5.2	41	1	2	3	6	11	16	35
1. SINGLE DX	3953	3.0	7	<1	<1	2	4	5	7	14
2. MULTIPLE DX	1585	5.3	42	1	1	3	6	11	16	35
A. NOT OPERATED	147	4.7	41	<1	<1	2	5	12	19	36
B. OPERATED	5391	3.7	18	<1	1	3	4	7	10	21
TOTAL 0-19 YRS	812	3.6	8	<1	1	3	4	7	9	14
20-34	1109	3.4	21	<1	<1	2	4	6	8	20
35-49	1334	3.3	14	<1	<1	2	3	6	9	19
50-64	1576	3.6	13	<1	1	2	4	7	10	20
65+	707	5.1	42	<1	1	3	5	11	16	35
GRAND TOTAL	**5538**	**3.7**	**18**	**<1**	**1**	**3**	**4**	**7**	**10**	**21**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.7	13	<1	<1	1	2	6	9	18
20-34	5	1.8	2	<1	<1	1	2	4	4	4
35-49	8	2.6	7	<1	<1	2	3	7	9	9
50-64	11	4.9	38	<1	<1	3	6	15	20	21
65+	7	7.9	70	1	1	4	12	22	24	24
B. *Operated*										
0-19 YRS	773	2.4	17	<1	<1	2	2	4	5	14
20-34	420	2.9	18	<1	<1	2	3	5	9	21
35-49	328	3.1	34	<1	<1	2	3	6	7	25
50-64	326	2.8	9	<1	<1	2	3	5	8	18
65+	167	4.2	43	<1	<1	2	3	9	14	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	5.7	191	1	1	2	4	8	42	57
20-34	8	14.4	243	<1	1	7	27	39	41	41
35-49	11	3.2	5	<1	<1	3	5	6	7	7
50-64	8	5.9	56	<1	<1	3	8	19	22	22
65+	20	8.7	33	<1	1	7	13	17	19	21
B. *Operated*										
0-19 YRS	109	3.2	13	<1	<1	2	4	7	9	21
20-34	178	3.1	16	<1	<1	2	3	5	15	21
35-49	187	3.6	14	<1	<1	2	4	8	10	22
50-64	277	4.9	57	<1	1	3	5	10	16	32
65+	159	8.3	165	1	2	4	8	21	27	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	3.6	24	<1	<1	2	3	9	16	24
B. *Operated*	2014	2.8	21	<1	<1	2	3	5	8	21
2. MULTIPLE DX										
A. *Not Operated*	63	7.3	102	<1	1	4	8	18	26	55
B. *Operated*	910	4.7	57	<1	<1	3	5	10	17	30
1. SINGLE DX	2071	2.8	21	<1	<1	2	3	5	8	21
2. MULTIPLE DX	973	4.9	60	<1	<1	3	5	10	18	33
A. NOT OPERATED	120	5.6	68	<1	<1	2	6	14	21	46
B. OPERATED	2924	3.4	33	<1	<1	2	3	6	10	27
TOTAL 0-19 YRS	924	2.5	19	<1	<1	2	2	4	7	18
20-34	611	3.1	22	<1	<1	2	3	5	10	22
35-49	534	3.3	26	<1	<1	2	4	6	9	22
50-64	622	3.8	32	<1	<1	2	4	8	12	27
65+	353	6.4	102	<1	1	3	7	15	24	49
GRAND TOTAL	**3044**	**3.5**	**34**	**<1**	**<1**	**2**	**3**	**7**	**11**	**27**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.6	4	<1	1	2	2	5	8	8
20-34	24	2.0	1	<1	<1	2	3	3	4	5
35-49	15	2.9	3	2	2	2	3	5	7	8
50-64	3	1.7		1	1	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	445	2.3	18	<1	<1	2	2	3	4	5
20-34	1127	2.1	3	<1	<1	2	2	3	3	6
35-49	606	2.4	3	<1	1	2	3	3	4	7
50-64	264	2.7	2	1	2	2	3	4	4	8
65+	122	2.9	2	2	2	3	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	5.0	35	1	1	2	7	15	17	17
35-49	5	2.6	2	<1	<1	2	4	4	4	4
50-64	4	2.0	2	<1	<1	1	3	4	4	4
65+	6	6.2	16	2	2	6	10	11	11	11
B. *Operated*										
0-19 YRS	54	2.3	1	1	1	2	3	4	4	5
20-34	227	2.8	5	<1	1	2	3	4	6	14
35-49	293	3.2	6	1	2	2	3	6	8	15
50-64	169	3.5	6	2	2	3	4	6	8	14
65+	107	5.9	41	2	2	4	7	12	17	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	2.4	2	<1	1	2	3	4	5	8
B. *Operated*	2564	2.3	5	<1	1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	23	4.1	17	<1	1	2	4	10	13	17
B. *Operated*	850	3.4	11	1	2	3	4	6	9	17
1. SINGLE DX	2617	2.3	5	<1	1	2	3	3	4	7
2. MULTIPLE DX	873	3.4	11	1	2	3	4	6	9	17
A. NOT OPERATED	76	2.9	7	<1	1	2	3	5	9	15
B. OPERATED	3414	2.6	7	<1	1	2	3	4	5	11
TOTAL 0-19 YRS	510	2.3	16	<1	1	2	2	3	4	6
20-34	1385	2.3	3	<1	1	2	2	3	4	9
35-49	919	2.6	4	1	1	2	3	4	5	11
50-64	440	3.0	4	1	2	2	3	5	6	14
65+	236	4.4	22	2	2	3	4	8	11	27
GRAND TOTAL	**3490**	**2.6**	**7**	**<1**	**1**	**2**	**3**	**4**	**5**	**12**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	28	3.9	7	1	1	3	6	8	9	9
35-49	82	3.5	8	<1	1	2	5	8	9	11
50-64	22	3.3	10	<1	<1	2	4	8	10	13
65+	3	4.3	10	2	2	3	7	8	8	8
B. *Operated*										
0-19 YRS	4	4.8	7	2	2	5	7	7	7	7
20-34	542	5.7	11	1	1	6	8	9	10	15
35-49	2042	6.3	14	1	2	7	8	10	11	16
50-64	452	6.1	15	<1	1	7	8	10	12	17
65+	37	7.9	34	2	2	8	11	15	26	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	52	3.7	5	1	1	3	5	7	7	9
35-49	194	5.4	35	<1	1	4	8	10	13	35
50-64	44	5.7	48	<1	1	3	7	11	18	38
65+	15	15.9	195	6	6	12	16	39	52	56
B. *Operated*										
0-19 YRS	12	5.9	13	1	2	6	9	11	12	12
20-34	1177	6.6	18	1	2	7	9	11	13	21
35-49	6329	7.6	22	1	2	8	9	12	14	23
50-64	1723	8.0	28	1	2	8	10	13	16	26
65+	171	10.7	53	2	3	9	12	20	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	3.6	8	<1	1	2	5	8	9	11
B. *Operated*	3077	6.2	14	1	2	7	8	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	307	5.7	44	<1	1	4	8	10	14	41
B. *Operated*	9412	7.6	23	1	2	8	9	12	15	24
1. SINGLE DX	3212	6.1	14	1	1	7	8	10	11	16
2. MULTIPLE DX	9719	7.5	24	1	2	8	9	12	15	24
A. NOT OPERATED	442	5.0	34	<1	1	3	7	10	12	38
B. OPERATED	12489	7.3	21	1	2	7	9	11	14	23
TOTAL 0-19 YRS	18	5.7	10	1	2	6	8	10	11	12
20-34	1799	6.2	16	1	2	7	8	10	12	19
35-49	8647	7.2	21	1	2	7	9	11	13	22
50-64	2241	7.5	26	1	2	8	9	12	15	26
65+	226	10.5	62	2	3	9	12	21	26	48
GRAND TOTAL	**12931**	**7.2**	**22**	**1**	**2**	**7**	**9**	**11**	**14**	**23**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.3		<1	<1	1	1	2	2	2
20-34	41	3.2	7	<1	<1	2	5	7	8	11
35-49	70	3.8	10	<1	<1	2	7	9	10	13
50-64	45	2.4	4	<1	<1	2	2	3	8	11
65+	12	3.9	23	<1	<1	2	4	10	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	5	6.8	16	<1	<1	7	9	12	12	12
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	13.5	145	5	5	13	22	22	22	22
B. *Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	49	4.1	11	<1	<1	2	7	9	10	14
35-49	167	6.2	19	<1	1	7	9	12	14	20
50-64	64	5.0	37	<1	1	2	8	10	13	39
65+	20	7.7	41	2	2	5	13	18	20	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3		2	2	2	3	3	3	3
B. *Operated*	172	3.3	9	<1	<1	2	4	7	10	13
2. MULTIPLE DX										
A. *Not Operated*	9	7.0	46	<1	<1	6	9	18	22	22
B. *Operated*	302	5.7	23	<1	1	4	8	12	14	20
1. SINGLE DX	176	3.2	8	<1	<1	2	4	7	10	13
2. MULTIPLE DX	311	5.7	24	<1	1	4	8	12	14	21
A. NOT OPERATED	13	5.5	36	<1	1	3	7	14	20	22
B. OPERATED	474	4.8	19	<1	<1	2	8	10	13	19
TOTAL 0-19 YRS	8	1.8	1	<1	<1	1	2	3	3	3
20-34	92	3.7	9	<1	<1	2	6	8	10	13
35-49	243	5.5	17	<1	1	6	8	11	13	17
50-64	110	3.9	25	<1	1	2	4	9	11	27
65+	34	6.7	42	<1	1	4	9	18	21	22
GRAND TOTAL	**487**	**4.8**	**20**	**<1**	**<1**	**2**	**8**	**10**	**13**	**20**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	4	5.0	10	<1	<1	5	7	8	8	8
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	1	13.0		13	13	13	13	13	13	13
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	94	6.5	2	4	5	6	7	8	9	12
20-34	425	6.3	5	4	5	6	7	8	9	11
35-49	130	7.2	6	4	5	7	8	9	10	16
50-64	111	8.1	9	5	6	7	9	11	15	21
65+	42	10.6	20	6	6	9	12	16	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	8	<1	<1	2	6	8	8	8
20-34	9	4.1	14	<1	<1	2	6	10	12	12
35-49	7	6.3	10	1	2	7	7	10	11	11
50-64	3	10.0	1	9	9	10	11	11	11	11
65+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
0-19 YRS	86	7.0	5	4	5	7	7	10	12	14
20-34	364	7.3	16	4	5	7	8	10	12	17
35-49	229	8.4	12	4	5	8	9	13	15	21
50-64	211	10.5	57	6	7	9	11	15	21	35
65+	142	14.1	71	7	8	11	16	23	33	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.9	15	<1	<1	5	7	10	13	13
B. *Operated*	802	7.0	7	4	5	7	8	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	25	5.7	16	<1	<1	6	8	11	12	14
B. *Operated*	1032	9.1	35	5	5	8	10	14	18	34
1. SINGLE DX	812	6.9	8	4	5	7	8	9	11	17
2. MULTIPLE DX	1057	9.0	35	4	5	8	10	14	18	34
A. NOT OPERATED	35	5.5	15	<1	<1	6	8	11	13	14
B. OPERATED	1834	8.2	24	4	5	7	9	12	15	26
TOTAL 0-19 YRS	187	6.6	4	4	5	6	7	8	11	14
20-34	802	6.7	10	4	5	6	7	9	10	15
35-49	368	7.9	10	4	5	7	9	11	14	21
50-64	326	9.7	41	6	6	8	10	14	17	30
65+	186	13.2	62	6	8	11	16	22	27	61
GRAND TOTAL	**1869**	**8.1**	**24**	**4**	**5**	**7**	**9**	**12**	**15**	**26**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	9	3.2	4	1	1	3	4	7	7	7
20-34	32	4.7	37	<1	<1	3	6	8	12	34
35-49	23	2.6	4	<1	<1	2	3	5	7	10
50-64	26	3.2	5	<1	1	2	4	8	8	9
65+	10	6.2	41	1	1	4	7	17	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	2	7.5	1	7	7	7	8	8	8	8
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS	4	4.8	24	2	2	3	7	12	12	12
20-34	23	5.0	8	<1	<1	5	7	8	10	11
35-49	32	4.7	13	1	1	2	8	9	12	13
50-64	22	5.4	24	<1	<1	3	7	13	16	19
65+	9	8.1	53	2	2	4	11	20	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	100	3.8	19	<1	<1	3	4	8	10	28
2. MULTIPLE DX										
A. *Not Operated*	4	7.8	33	1	1	7	11	15	15	15
B. *Operated*	90	5.3	19	<1	1	4	8	11	13	22
1. SINGLE DX	102	3.8	19	<1	<1	2	4	7	10	28
2. MULTIPLE DX	94	5.4	19	<1	1	4	8	11	13	22
A. NOT OPERATED	6	5.5	32	<1	<1	4	8	14	15	15
B. OPERATED	190	4.5	19	<1	1	3	7	9	12	23
TOTAL 0-19 YRS	13	3.7	9	1	1	3	4	8	11	12
20-34	58	4.6	24	<1	<1	3	7	8	10	32
35-49	55	3.8	10	<1	1	2	6	9	10	13
50-64	50	4.3	14	<1	1	3	7	9	12	19
65+	20	7.5	46	1	2	4	11	18	23	24
GRAND TOTAL	**196**	**4.5**	**20**	**<1**	**1**	**3**	**7**	**9**	**12**	**23**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	11	3.3	7	<1	<1	2	4	8	8	8
20-34	26	2.8	3	<1	<1	3	4	6	6	6
35-49	26	3.1	3	1	1	3	4	6	6	6
50-64	13	2.5	2	<1	1	2	3	4	6	6
65+	6	6.3	13	2	2	7	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	15.0	18	12	12	15	18	18	18	18
B. *Operated*										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	8	4.6	13	2	2	3	5	11	13	13
35-49	7	6.6	11	2	2	7	9	10	10	10
50-64	9	3.9	8	1	1	2	6	8	9	9
65+	13	13.9	170	1	2	8	22	34	40	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	82	3.2	4	<1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	2	15.0	18	12	12	15	18	18	18	18
B. *Operated*	39	7.9	80	1	2	5	9	18	30	42
1. SINGLE DX	83	3.2	4	<1	1	3	4	6	7	10
2. MULTIPLE DX	41	8.3	78	1	2	6	10	19	30	42
A. NOT OPERATED	3	10.3	74	1	1	12	16	18	18	18
B. OPERATED	121	4.7	33	<1	1	3	6	9	13	35
TOTAL 0-19 YRS	13	3.5	9	<1	<1	2	5	8	9	9
20-34	34	3.3	5	<1	<1	3	4	6	6	13
35-49	34	3.8	6	1	1	3	5	7	9	10
50-64	22	3.0	4	<1	1	2	3	6	8	9
65+	21	11.9	119	1	2	8	16	30	36	42
GRAND TOTAL	**124**	**4.8**	**34**	**<1**	**1**	**3**	**6**	**9**	**14**	**35**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	8.3	50	2	2	7	14	16	16	16
65+	5	2.6	1	<1	<1	3	3	4	4	4
B. *Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	19	3.6	14	<1	1	3	4	5	12	18
35-49	28	4.1	16	<1	<1	3	5	10	14	16
50-64	95	3.7	12	1	1	2	4	9	13	64
65+	93	3.8	8	1	1	3	5	7	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	3.0	4	1	1	3	4	5	5	5
65+	6	4.7	9	<1	<1	5	7	8	8	8
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	3.4	1	2	2	3	4	5	6	6
35-49	21	4.9	20	1	2	2	8	12	14	15
50-64	58	6.3	40	2	2	4	7	12	21	34
65+	104	6.2	27	2	2	4	8	12	18	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.8	24	<1	1	3	5	13	16	16
B. *Operated*	238	3.8	11	1	1	3	5	7	11	20
2. MULTIPLE DX										
A. *Not Operated*	11	3.7	7	<1	1	3	6	8	8	8
B. *Operated*	193	5.9	29	2	2	4	8	12	17	30
1. SINGLE DX	246	3.8	11	1	1	3	5	7	12	20
2. MULTIPLE DX	204	5.8	28	1	2	4	8	12	16	30
A. NOT OPERATED	19	4.2	13	<1	1	3	6	8	12	16
B. OPERATED	431	4.7	20	1	2	3	5	10	14	25
TOTAL 0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	29	3.5	9	1	2	3	4	5	7	18
35-49	50	4.4	17	<1	1	2	6	12	14	16
50-64	159	4.7	24	1	2	3	5	11	15	33
65+	208	5.0	19	1	2	4	6	10	14	21
GRAND TOTAL	**450**	**4.7**	**20**	**1**	**2**	**3**	**5**	**10**	**14**	**24**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	40	1.6	1	<1	<1	1	2	3	3	4
20-34	15	2.8	4	<1	<1	2	3	7	8	8
35-49	8	2.3	2	<1	<1	2	3	4	4	4
50-64	10	3.0	2	2	2	3	3	5	6	6
65+	12	2.1		1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	3	2.0		2	2	2	2	2	2	2
35-49	2	2.0		2	2	2	2	2	2	2
50-64	3	3.7	5	<1	<1	5	5	5	5	5
65+	7	3.0	8	<1	<1	2	6	73	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	85	2.1	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	2	4.5	25	1	1	4	8	8	8	8
B. *Operated*	19	2.6	4	<1	<1	2	3	7	54	99+
1. SINGLE DX	85	2.1	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	21	2.8	5	<1	<1	2	3	8	45	99+
A. NOT OPERATED	2	4.5	25	1	1	4	8	8	8	8
B. OPERATED	104	2.2	2	<1	<1	2	3	4	5	50
TOTAL 0-19 YRS	45	1.6	1	<1	<1	1	2	3	3	4
20-34	18	2.7	4	<1	<1	2	3	6	8	8
35-49	11	2.7	4	<1	<1	2	4	6	8	8
50-64	13	3.2	2	<1	1	3	4	5	6	6
65+	19	2.4	3	<1	1	2	3	6	54	99+
GRAND TOTAL	**106**	**2.2**	**2**	**<1**	**<1**	**2**	**3**	**4**	**6**	**48**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	2	12.0	242	<1	<1	11	23	23	23	23
20-34	1	7.0		7	7	7	7	7	7	7
35-49	4	6.5	9	3	3	7	9	9	9	9
50-64	6	7.7	49	3	3	6	8	20	21	21
65+	12	9.5	59	1	2	8	18	41	89	99+
B. ***Operated***										
0-19 YRS	8	12.3	84	<1	1	10	17	27	29	29
20-34	33	11.4	43	2	2	12	14	21	24	26
35-49	56	18.3	237	2	3	14	24	36	50	76
50-64	87	17.8	108	3	5	17	23	32	39	49
65+	61	19.7	254	3	5	17	24	34	51	89
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	3	11.0	175	<1	<1	6	21	26	26	26
20-34	4	7.8	10	5	5	8	10	11	11	11
35-49	6	21.0	874	1	1	6	34	72	76	76
50-64	19	11.6	184	2	2	6	17	25	44	58
65+	47	15.3	213	3	4	11	18	40	54	99+
B. ***Operated***										
0-19 YRS	6	25.7	45	16	17	26	28	35	36	36
20-34	12	18.6	190	4	5	16	25	36	51	54
35-49	30	22.1	250	3	7	18	28	44	52	77
50-64	78	27.3	533	2	4	21	40	74	99	99+
65+	93	32.9	511	4	5	29	47	67	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	25	8.7	51	1	2	7	10	23	41	99+
B. ***Operated***	245	17.3	169	2	4	15	22	32	40	74
2. MULTIPLE DX										
A. ***Not Operated***	79	14.3	237	2	3	10	18	35	54	94
B. ***Operated***	219	28.4	468	4	5	23	42	67	83	99+
1. SINGLE DX	270	16.5	164	2	3	14	22	31	40	76
2. MULTIPLE DX	298	24.7	445	3	4	19	37	63	79	99+
A. NOT OPERATED	104	12.9	197	2	3	9	17	26	52	99+
B. OPERATED	464	22.6	340	3	4	17	30	50	69	99+
TOTAL 0-19 YRS	19	16.3	121	<1	<1	16	25	29	33	36
20-34	50	12.7	83	2	3	11	16	24	26	54
35-49	96	19.2	270	2	3	15	25	40	52	77
50-64	190	20.7	321	2	3	17	27	46	71	99+
65+	213	23.9	412	3	5	18	34	60	78	99+
GRAND TOTAL	**568**	**20.8**	**328**	**3**	**4**	**16**	**27**	**47**	**67**	**99+**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS										
20-34	9	4.6	2	3	3	4	5	7	8	8
35-49	5	4.0	7	1	1	4	6	7	7	7
50-64	6	6.3	31	<1	<1	5	6	16	17	17
65+										
B. ***Operated***										
0-19 YRS	43	4.3	2	2	3	4	5	6	7	7
20-34	292	4.5	3	3	3	4	5	6	7	13
35-49	336	4.6	2	3	3	4	5	6	6	11
50-64	312	5.0	6	3	3	4	6	7	9	15
65+	94	6.3	20	3	4	5	6	10	14	29
2. MULTIPLE DX										
A ***Not Operated***										
0-19 YRS										
20-34	6	4.5	20	1	1	3	5	12	13	13
35-49	4	1.3		<1	<1	1	1	2	2	2
50-64	5	10.4	56	1	1	13	16	18	18	18
65+	8	12.5	152	3	3	10	24	76	99+	99+
B. ***Operated***										
0-19 YRS	5	6.2	9	2	2	6	8	10	10	10
20-34	70	5.4	11	3	3	5	6	8	10	24
35-49	126	5.9	10	3	3	5	7	9	11	20
50-64	143	7.5	50	3	4	5	7	14	18	40
65+	86	9.9	109	3	4	7	11	18	26	96
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	20	5.0	11	<1	1	4	6	7	12	17
B. ***Operated***	1077	4.8	5	3	3	4	5	6	7	14
2. MULTIPLE DX										
A. ***Not Operated***	23	8.0	84	<1	1	5	13	21	58	99+
B. ***Operated***	430	7.1	46	3	3	5	8	12	17	39
1. SINGLE DX	1097	4.8	5	3	3	4	5	6	7	15
2. MULTIPLE DX	453	7.2	47	3	3	5	8	13	18	40
A. NOT OPERATED	43	6.6	51	<1	1	4	7	17	25	99+
B. OPERATED	1507	5.5	18	3	3	5	6	8	11	25
TOTAL 0-19 YRS	48	4.5	3	2	3	4	5	7	7	10
20-34	377	4.6	5	3	3	4	5	6	7	14
35-49	471	4.9	5	3	3	4	5	7	8	16
50-64	466	5.9	22	3	3	5	6	8	13	30
65+	188	8.2	69	3	4	6	9	15	20	95
GRAND TOTAL	**1550**	**5.5**	**19**	**3**	**3**	**5**	**6**	**8**	**11**	**25**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	2.7	7	<1	<1	2	3	7	8	8
35-49	4	14.8	272	3	3	9	26	38	38	38
50-64	6	8.0	8	4	4	8	9	12	12	12
65+	7	5.9	37	<1	<1	5	6	16	19	19
B. *Operated*										
0-19 YRS	5	14.4	170	4	4	10	19	37	37	37
20-34	40	11.4	33	4	5	11	13	17	25	29
35-49	27	11.5	73	3	4	9	14	24	33	37
50-64	45	8.9	24	3	4	8	12	16	18	22
65+	19	13.3	149	4	5	7	18	26	44	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	9.4	34	2	4	8	11	19	23	23
35-49	11	6.5	34	<1	1	5	8	15	21	22
50-64	11	6.5	20	4	4	5	6	14	19	19
65+	14	12.9	113	3	4	8	16	31	36	38
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	19	10.4	37	2	4	10	13	18	24	28
35-49	24	16.1	146	4	6	12	22	31	42	56
50-64	77	13.3	156	4	4	10	17	26	33	79
65+	48	17.8	231	5	5	14	20	42	52	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	7.1	67	<1	1	5	9	16	26	38
B. *Operated*	136	10.9	59	4	4	9	13	18	26	40
2. MULTIPLE DX										
A. *Not Operated*	46	8.9	60	2	3	6	10	22	25	38
B. *Operated*	169	14.6	166	4	5	11	18	28	36	71
1. SINGLE DX	159	10.4	61	2	4	9	13	18	26	38
2. MULTIPLE DX	215	13.4	148	3	4	10	17	26	35	65
A. NOT OPERATED	69	8.3	62	1	1	6	9	19	24	38
B. OPERATED	305	13.0	121	4	4	10	17	24	31	58
TOTAL 0-19 YRS	7	11.7	138	2	2	8	12	32	37	37
20-34	74	10.2	36	1	3	10	12	17	24	29
35-49	66	12.5	110	3	4	9	18	25	36	53
50-64	139	11.1	102	4	4	8	15	20	27	43
65+	88	15.1	188	4	4	12	18	30	49	69
GRAND TOTAL	**374**	**12.1**	**113**	**3**	**4**	**9**	**15**	**23**	**30**	**56**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	16	3.3	6	<1	<1	3	4	7	9	10
35-49	4	9.8	22	5	5	9	13	16	16	16
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	7	2.3	1	1	1	2	3	4	4	4
20-34	745	4.2	9	1	1	3	6	8	10	13
35-49	376	5.3	12	1	2	5	8	10	11	17
50-64	111	5.1	10	1	2	4	8	9	11	13
65+	32	7.4	49	2	2	6	9	15	23	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	15	3.9	15	<1	<1	2	5	10	13	14
35-49	15	5.2	12	1	1	6	7	11	12	12
50-64	1	35.0		35	35	35	35	35	35	35
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	8	3.0	9	1	1	2	3	8	10	10
20-34	435	5.7	24	1	2	5	8	10	12	19
35-49	340	7.7	41	2	2	7	9	13	16	27
50-64	85	7.5	29	2	2	7	9	15	21	74
65+	49	8.8	33	2	3	8	10	18	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.6	14	<1	1	3	7	10	13	16
B. *Operated*	1271	4.7	11	1	2	3	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	34	5.3	40	<1	1	3	6	11	14	35
B. *Operated*	917	6.8	33	2	2	6	9	12	15	26
1. SINGLE DX	1293	4.7	11	1	2	3	7	9	10	16
2. MULTIPLE DX	951	6.7	33	2	2	6	9	12	15	27
A. NOT OPERATED	56	5.0	29	<1	1	3	7	10	13	34
B. OPERATED	2188	5.5	21	1	2	4	8	10	12	21
TOTAL 0-19 YRS	17	2.9	5	1	1	2	3	6	9	10
20-34	1211	4.7	15	1	2	3	7	9	10	16
35-49	735	6.4	27	1	2	6	8	11	14	22
50-64	198	6.3	23	1	2	6	8	11	15	31
65+	83	8.1	39	2	2	7	9	16	21	34
GRAND TOTAL	**2244**	**5.5**	**21**	**1**	**2**	**4**	**8**	**10**	**12**	**21**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	6	4.0	12	<1	<1	3	6	9	9	9
65+	6	1.7		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	6	2.3	2	<1	<1	2	3	5	5	5
20-34	19	5.0	14	<1	1	3	8	10	12	13
35-49	64	5.6	19	<1	2	4	8	11	13	25
50-64	156	5.8	71	<1	<1	3	6	12	18	37
65+	146	6.0	87	1	2	3	7	11	17	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	8.7	54	3	3	6	14	17	17	17
35-49	2	7.0	32	3	3	7	11	11	11	11
50-64	7	5.1	18	<1	<1	4	8	12	13	13
65+	20	9.0	54	2	3	6	12	27	61	99+
B. *Operated*										
0-19 YRS										
20-34	21	7.2	29	2	2	7	9	12	18	26
35-49	71	8.9	119	2	2	6	10	17	31	62
50-64	164	8.3	63	1	2	7	10	18	24	52
65+	207	10.8	107	2	2	8	14	27	35	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	3.0	7	<1	1	2	5	7	8	9
B. *Operated*	391	5.8	65	<1	1	3	7	11	17	36
2. MULTIPLE DX										
A. *Not Operated*	32	8.0	44	2	2	6	11	19	29	99+
B. *Operated*	463	9.5	91	2	2	7	12	21	31	53
1. SINGLE DX	407	5.7	63	<1	1	3	7	11	16	36
2. MULTIPLE DX	495	9.4	88	2	2	7	12	21	31	56
A. NOT OPERATED	48	6.3	36	1	1	5	9	15	26	99+
B. OPERATED	854	7.8	82	1	2	5	9	17	26	49
TOTAL 0-19 YRS	7	2.3	2	<1	<1	2	3	5	5	5
20-34	45	6.3	23	1	2	6	8	11	14	26
35-49	138	7.3	73	1	2	5	9	13	18	54
50-64	333	7.0	66	<1	1	4	9	15	23	49
65+	379	8.7	100	1	2	5	11	21	30	55
GRAND TOTAL	**902**	**7.7**	**80**	**1**	**2**	**5**	**9**	**17**	**26**	**51**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	3.3	8	<1	<1	3	4	7	9	14
20-34	53	3.5	7	<1	1	3	4	8	10	12
35-49	56	4.5	21	<1	<1	3	5	9	15	23
50-64	125	6.1	53	<1	1	4	7	14	19	42
65+	137	7.6	89	<1	1	4	9	17	24	56
B. *Operated*										
0-19 YRS	179	4.6	29	<1	1	3	5	10	14	31
20-34	325	4.5	15	<1	1	3	6	10	13	20
35-49	336	5.3	41	<1	1	3	6	13	19	32
50-64	521	5.4	41	<1	1	3	6	12	17	31
65+	545	5.5	36	1	1	3	8	11	16	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.3	8	<1	1	2	4	8	9	12
20-34	57	6.8	39	<1	1	5	9	15	22	26
35-49	88	6.5	36	<1	1	5	9	13	26	99+
50-64	211	7.2	42	1	1	5	10	15	21	34
65+	464	11.3	113	2	2	9	14	23	32	70
B. *Operated*										
0-19 YRS	45	8.4	65	2	2	4	11	22	27	30
20-34	136	7.7	59	1	2	7	9	15	23	69
35-49	235	8.5	78	1	2	7	10	15	21	41
50-64	489	11.5	130	2	2	8	15	26	33	59
65+	811	12.9	143	2	2	10	18	27	38	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	421	5.7	52	<1	1	4	7	13	18	42
B. *Operated*	1906	5.2	34	<1	1	3	6	11	16	30
2. MULTIPLE DX										
A. *Not Operated*	849	9.2	84	1	1	7	12	20	28	63
B. *Operated*	1716	11.4	125	2	2	8	15	25	34	57
1. SINGLE DX	2327	5.3	37	<1	1	3	6	11	16	31
2. MULTIPLE DX	2565	10.7	113	1	2	8	14	24	31	59
A. NOT OPERATED	1270	8.1	76	1	1	5	11	18	25	52
B. OPERATED	3622	8.1	87	1	2	5	10	19	26	49
TOTAL 0-19 YRS	303	4.8	31	<1	1	3	5	11	15	30
20-34	571	5.4	29	<1	1	4	7	11	15	26
35-49	715	6.4	53	<1	1	4	8	14	19	39
50-64	1346	8.0	82	1	2	5	10	18	26	43
65+	1957	10.1	112	1	2	7	13	23	31	56
GRAND TOTAL	**4892**	**8.1**	**84**	**1**	**1**	**5**	**10**	**19**	**26**	**49**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	14	9.7	234	<1	1	6	9	15	52	62
35-49	8	6.3	16	1	1	7	9	11	12	12
50-64	15	6.9	82	<1	2	4	7	11	31	38
65+	14	5.6	17	1	1	5	9	11	15	16
B. *Operated*										
0-19 YRS	20	4.3	1	3	3	4	5	6	6	6
20-34	132	4.4	2	3	3	4	5	6	7	10
35-49	219	4.9	4	3	3	5	5	7	9	13
50-64	227	5.3	6	3	3	5	6	8	10	15
65+	102	6.6	46	3	3	5	7	9	11	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.6	10	1	1	3	6	9	11	11
20-34	12	4.8	16	<1	<1	4	7	10	13	14
35-49	25	5.6	13	1	1	5	8	12	12	13
50-64	31	7.2	36	<1	1	6	9	13	19	30
65+	47	8.3	61	2	3	7	10	12	19	46
B. *Operated*										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	57	5.8	14	3	3	5	6	9	16	21
35-49	90	6.7	19	3	4	5	8	12	17	25
50-64	143	7.4	27	3	4	6	8	14	20	26
65+	91	10.1	80	4	4	7	13	20	26	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	7.2	92	1	1	5	9	11	16	61
B. *Operated*	700	5.2	11	3	3	5	6	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	124	6.9	38	1	1	6	9	12	15	39
B. *Operated*	383	7.6	38	3	4	5	8	15	20	30
1. SINGLE DX	752	5.3	16	3	3	5	6	8	10	16
2. MULTIPLE DX	507	7.4	38	2	3	5	8	14	18	31
A. NOT OPERATED	176	6.9	54	1	1	5	9	12	15	44
B. OPERATED	1083	6.0	22	3	3	5	6	9	14	25
TOTAL 0-19 YRS	32	4.4	3	2	3	4	5	6	7	11
20-34	215	5.2	22	2	3	4	5	7	9	19
35-49	342	5.5	9	2	3	5	6	9	12	18
50-64	416	6.2	19	3	3	5	7	10	14	25
65+	254	8.1	61	3	3	6	9	14	21	46
GRAND TOTAL	**1259**	**6.2**	**26**	**3**	**3**	**5**	**7**	**10**	**14**	**28**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	5.2	21	1	1	4	7	11	13	25
20-34	101	5.8	12	1	2	5	8	11	13	16
35-49	85	6.6	17	2	2	6	8	11	12	26
50-64	59	8.2	28	1	3	7	11	14	16	29
65+	49	8.6	29	2	3	8	12	16	20	26
B. *Operated*										
0-19 YRS	56	6.0	28	2	3	5	6	8	13	37
20-34	195	5.8	8	3	4	5	6	9	12	18
35-49	154	5.9	14	3	3	5	6	8	13	29
50-64	105	5.9	10	3	3	5	7	8	10	21
65+	29	7.9	15	4	4	7	10	14	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	8.2	50	1	2	6	9	19	22	34
20-34	137	7.7	49	1	2	6	10	14	18	40
35-49	203	8.3	27	2	3	7	10	15	20	27
50-64	307	10.6	71	3	4	8	12	21	27	53
65+	447	14.1	139	3	5	11	17	26	37	68
B. *Operated*										
0-19 YRS	19	10.4	128	4	4	6	10	24	41	50
20-34	76	8.7	48	4	4	6	10	18	25	36
35-49	107	8.7	57	3	4	6	10	17	19	43
50-64	115	10.3	112	3	4	6	13	20	29	80
65+	106	15.6	105	4	5	14	20	31	36	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	339	6.7	21	1	2	6	9	12	15	26
B. *Operated*	539	6.0	13	3	3	5	7	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	1132	11.1	93	3	3	9	14	20	28	55
B. *Operated*	423	10.9	93	3	4	7	14	21	30	57
1. SINGLE DX	878	6.3	16	2	3	5	7	11	14	25
2. MULTIPLE DX	1555	11.1	93	3	4	8	14	21	29	56
A. NOT OPERATED	1471	10.1	80	2	3	8	12	19	25	52
B. OPERATED	962	8.2	54	3	4	6	9	17	21	44
TOTAL 0-19 YRS	158	6.8	45	1	2	5	7	13	20	38
20-34	509	6.7	27	2	3	5	8	12	15	33
35-49	549	7.4	29	2	3	6	9	14	18	29
50-64	586	9.4	67	3	4	7	11	18	25	56
65+	631	13.6	123	3	4	11	17	25	36	56
GRAND TOTAL	**2433**	**9.3**	**70**	**2**	**3**	**7**	**11**	**18**	**24**	**50**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	448	7.0	15	2	3	7	9	11	13	23
20-34	341	7.0	18	2	3	6	8	11	14	21
35-49	479	8.3	28	2	3	7	10	14	18	30
50-64	656	7.9	20	3	3	7	10	14	16	22
65+	451	9.2	43	3	4	8	11	15	19	31
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	14.3	329	1	1	7	28	35	35	35
35-49	4	12.8	111	<1	<1	12	20	26	26	26
50-64	16	12.3	45	4	5	11	15	20	28	31
65+	10	12.7	92	<1	<1	14	19	26	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	291	6.8	22	1	2	6	9	13	15	24
20-34	574	8.1	37	2	3	7	10	14	19	30
35-49	1375	8.9	37	3	3	8	11	15	20	33
50-64	3148	9.9	48	3	4	8	12	17	21	38
65+	4181	11.8	73	3	4	10	14	21	28	53
B. *Operated*										
0-19 YRS	12	13.2	85	4	4	11	21	26	29	30
20-34	74	16.9	321	2	4	11	18	44	59	88
35-49	215	13.9	94	3	4	12	18	27	34	52
50-64	547	16.6	166	4	5	13	21	34	45	80
65+	694	19.4	201	5	6	16	25	41	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2375	7.9	25	2	3	7	10	13	16	25
B. *Operated*	34	12.3	80	<1	1	11	16	26	30	35
2. MULTIPLE DX										
A. *Not Operated*	9569	10.4	58	3	4	9	13	18	24	42
B. *Operated*	1542	17.5	182	4	5	14	22	35	51	99+
1. SINGLE DX	2409	8.0	26	2	3	7	10	14	17	26
2. MULTIPLE DX	11111	11.4	81	3	4	9	14	21	29	57
A. NOT OPERATED	11944	9.9	52	3	4	8	12	17	22	39
B. OPERATED	1576	17.4	180	4	5	14	22	35	50	99+
TOTAL 0-19 YRS	752	7.0	19	2	2	6	9	12	14	24
20-34	992	8.4	58	2	3	7	10	14	20	43
35-49	2073	9.3	43	3	3	8	11	16	22	35
50-64	4367	10.4	65	3	4	9	12	18	25	45
65+	5336	12.6	95	3	5	10	15	24	31	70
GRAND TOTAL	**13520**	**10.8**	**73**	**3**	**4**	**9**	**13**	**20**	**27**	**52**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	445	6.0	21	1	2	5	8	11	15	26
20-34	274	5.9	23	1	2	5	7	11	13	25
35-49	112	8.1	29	2	2	7	11	16	19	26
50-64	131	8.3	26	3	4	7	10	14	18	54
65+	100	11.8	82	2	3	10	15	21	23	54
B. *Operated*										
0-19 YRS	3	12.7	24	7	7	15	16	16	16	16
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	31.0		31	31	31	31	31	31	31
65+	3	11.3	36	5	5	12	16	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	284	7.1	34	2	2	6	9	14	19	33
20-34	337	7.5	26	2	3	6	10	13	16	27
35-49	292	10.2	63	3	4	9	13	18	22	44
50-64	380	11.6	69	4	5	10	14	19	27	48
65+	461	14.5	129	4	5	12	17	27	35	62
B. *Operated*										
0-19 YRS	12	12.6	91	4	4	11	14	28	35	36
20-34	35	12.8	117	2	4	11	17	22	24	64
35-49	39	17.2	161	6	7	14	23	27	46	64
50-64	63	24.4	415	6	9	19	29	70	89	99+
65+	73	25.5	201	7	10	23	30	56	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1062	7.0	32	2	2	6	9	13	17	27
B. *Operated*	9	12.8	69	5	5	12	16	25	31	31
2. MULTIPLE DX										
A. *Not Operated*	1754	10.6	78	2	3	9	13	19	26	47
B. *Operated*	222	21.1	259	5	7	17	27	45	63	99+
1. SINGLE DX	1071	7.1	32	2	2	6	9	13	17	27
2. MULTIPLE DX	1976	11.8	109	3	3	9	14	23	30	62
A. NOT OPERATED	2816	9.3	64	2	3	7	12	17	22	42
B. OPERATED	231	20.7	254	5	6	17	27	44	63	99+
TOTAL 0-19 YRS	744	6.6	28	2	2	5	8	13	17	28
20-34	647	7.1	32	2	2	6	9	13	17	26
35-49	444	10.3	68	2	3	8	13	18	24	47
50-64	575	12.3	117	4	4	9	14	22	32	80
65+	637	15.4	143	4	5	12	19	29	39	66
GRAND TOTAL	**3047**	**10.1**	**87**	**2**	**3**	**8**	**12**	**19**	**27**	**57**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	6.5	11	2	2	6	9	11	13	15
20-34	131	7.0	16	2	3	6	9	12	13	23
35-49	179	8.1	15	3	4	8	10	13	15	21
50-64	321	8.4	33	3	3	7	10	15	18	27
65+	278	9.7	34	3	4	8	12	17	21	37
B. *Operated*										
0-19 YRS	6	4.3	12	2	2	3	5	10	11	11
20-34	26	2.7	8	<1	<1	2	4	5	10	12
35-49	44	5.6	48	1	1	3	7	13	17	39
50-64	113	7.0	81	1	1	3	7	24	27	35
65+	75	9.2	111	2	2	5	13	23	28	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	6.7	30	1	2	5	8	13	16	30
20-34	326	9.1	67	2	3	7	11	17	24	55
35-49	764	10.0	53	3	4	8	12	18	23	35
50-64	1794	10.7	59	3	4	9	13	19	24	40
65+	2149	12.3	92	3	5	10	15	22	28	72
B. *Operated*										
0-19 YRS	8	10.8	97	5	5	7	11	27	34	34
20-34	112	14.6	124	3	4	12	19	29	37	83
35-49	249	18.9	276	3	4	14	26	41	57	99+
50-64	874	22.2	339	3	5	17	32	51	70	99+
65+	1168	25.1	360	4	7	20	35	58	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	992	8.4	27	3	3	7	10	14	18	26
B. *Operated*	264	6.9	78	1	1	3	8	18	26	39
2. MULTIPLE DX										
A. *Not Operated*	5141	11.1	74	3	4	9	14	20	25	56
B. *Operated*	2411	22.9	339	3	5	18	32	53	71	99+
1. SINGLE DX	1256	8.1	38	2	2	7	10	15	19	33
2. MULTIPLE DX	7552	14.8	189	3	4	11	18	32	47	90
A. NOT OPERATED	6133	10.6	67	3	4	9	13	19	24	50
B. OPERATED	2675	21.3	336	2	3	16	30	51	68	99+
TOTAL 0-19 YRS	205	6.7	25	2	2	6	8	12	14	30
20-34	595	9.4	72	2	3	7	11	19	25	49
35-49	1236	11.4	108	3	4	8	13	22	31	60
50-64	3102	13.6	166	3	4	10	16	29	41	83
65+	3670	16.1	212	3	5	12	20	35	53	99+
GRAND TOTAL	**8808**	**13.9**	**173**	**3**	**4**	**10**	**17**	**29**	**43**	**86**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.0	11	2	2	4	7	10	11	11
20-34	19	4.4	17	<1	1	3	7	11	14	15
35-49	1	9.0		9	9	9	9	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	49	3.9	9	<1	1	3	5	8	10	99+
20-34	186	4.4	26	<1	1	3	6	7	8	14
35-49	9	3.3	6	<1	<1	3	5	7	8	8
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.0	55	3	3	5	12	19	19	19
20-34	30	7.3	299	<1	1	4	6	9	9	98
35-49	6	6.5	14	<1	<1	7	8	12	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	36	6.9	20	2	2	7	8	15	18	20
20-34	236	4.8	11	<1	1	5	7	8	11	15
35-49	34	4.1	7	<1	1	4	7	8	8	11
50-64	2	2.0		2	2	2	2	2	2	2
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	4.7	15	1	1	3	8	11	12	15
B. *Operated*	248	4.3	21	<1	1	3	6	7	8	18
2. MULTIPLE DX										
A. *Not Operated*	40	7.3	229	<1	1	4	6	9	15	98
B. *Operated*	308	5.0	12	<1	1	5	7	8	11	18
1. SINGLE DX	275	4.3	21	<1	1	3	6	8	9	17
2. MULTIPLE DX	348	5.2	37	<1	1	5	7	9	11	19
A. NOT OPERATED	67	6.2	143	<1	1	4	7	9	13	84
B. OPERATED	556	4.7	16	<1	1	4	6	8	11	18
TOTAL 0-19 YRS	96	5.3	17	1	2	4	7	10	17	62
20-34	471	4.8	35	<1	1	4	6	8	11	15
35-49	50	4.4	9	<1	<1	4	7	8	9	12
50-64	4	3.3	6	2	2	2	5	7	7	7
65+	2	3.5	5	2	2	3	5	5	5	5
GRAND TOTAL	**623**	**4.8**	**30**	**<1**	**1**	**4**	**6**	**8**	**11**	**18**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	4.6	30	<1	1	3	6	11	12	31
20-34	153	4.8	10	1	2	4	6	9	11	16
35-49	85	6.0	20	1	2	4	8	12	15	23
50-64	85	6.4	32	1	2	5	8	13	21	26
65+	73	6.1	19	<1	1	6	8	13	15	20
B. *Operated*										
0-19 YRS	15	5.1	9	<1	1	4	8	9	9	9
20-34	32	6.5	16	2	2	5	9	13	14	17
35-49	23	10.8	129	2	3	6	12	24	43	45
50-64	26	8.0	52	2	3	6	9	10	30	33
65+	11	11.8	88	3	5	9	14	25	36	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	4.8	29	1	1	3	5	9	12	23
20-34	270	6.2	28	1	2	5	8	12	14	33
35-49	325	7.5	42	1	2	6	9	15	17	24
50-64	465	8.5	46	2	2	7	11	17	21	41
65+	759	10.1	67	2	3	8	13	19	26	49
B. *Operated*										
0-19 YRS	13	9.8	231	1	2	4	8	29	52	57
20-34	49	8.7	56	2	2	7	12	19	22	36
35-49	74	13.2	149	2	3	11	16	26	30	70
50-64	106	15.0	231	3	4	11	18	32	52	95
65+	116	20.8	254	5	5	16	27	40	51	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	529	5.4	22	1	1	4	7	11	14	22
B. *Operated*	107	8.1	58	2	2	6	9	14	20	43
2. MULTIPLE DX										
A. *Not Operated*	1980	8.3	53	1	2	7	11	16	21	37
B. *Operated*	358	15.4	213	2	4	12	21	32	46	79
1. SINGLE DX	636	5.8	29	1	1	4	7	12	15	28
2. MULTIPLE DX	2338	9.4	84	1	2	7	12	19	26	52
A. NOT OPERATED	2509	7.7	47	1	2	6	10	16	20	34
B. OPERATED	465	13.8	187	2	3	9	17	30	42	77
TOTAL 0-19 YRS	322	4.9	37	1	1	3	6	9	12	33
20-34	504	6.0	26	1	2	5	8	12	14	31
35-49	507	8.2	63	1	2	6	11	16	20	43
50-64	682	9.3	80	2	2	7	12	18	25	52
65+	959	11.1	99	2	3	8	14	22	31	60
GRAND TOTAL	**2974**	**8.7**	**74**	**1**	**2**	**6**	**11**	**17**	**23**	**47**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	6.8	28	2	2	6	8	15	20	20
20-34	4	4.3	7	2	2	3	6	8	8	8
35-49	6	6.3	14	3	3	5	8	12	13	13
50-64	4	18.5	154	7	7	15	26	36	36	36
65+	10	16.7	238	4	5	9	26	43	47	47
B. *Operated*										
0-19 YRS	2	8.5	25	5	5	8	12	12	12	12
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	12.3	261	3	3	3	24	31	31	31
50-64										
65+	5	6.8	13	3	3	8	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	11.2	115	2	3	6	18	27	30	49
20-34	22	10.1	41	3	4	9	13	20	25	26
35-49	26	13.5	172	2	3	9	18	28	42	60
50-64	84	15.3	234	4	5	10	18	33	38	94
65+	263	17.7	218	3	4	15	22	38	63	99+
B. *Operated*										
0-19 YRS	6	21.5	283	8	8	13	42	44	44	44
20-34	7	19.4	502	2	2	7	36	56	59	59
35-49	7	15.3	213	<1	1	12	35	82	99+	99+
50-64	20	20.2	164	5	6	19	29	47	72	99+
65+	72	25.3	511	4	6	17	33	62	88	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	10.6	118	2	3	7	12	26	39	47
B. *Operated*	11	8.5	66	3	3	6	10	20	30	31
2. MULTIPLE DX										
A. *Not Operated*	435	16.0	204	3	4	12	21	32	49	99+
B. *Operated*	112	23.2	416	4	5	15	33	53	88	99+
1. SINGLE DX	46	10.1	105	2	3	7	11	25	37	47
2. MULTIPLE DX	547	17.5	256	3	4	13	22	39	59	99+
A. NOT OPERATED	470	15.6	200	3	4	11	21	32	48	99
B. OPERATED	123	21.9	402	3	4	15	31	50	87	99+
TOTAL 0-19 YRS	59	11.3	122	2	3	8	15	27	37	49
20-34	34	11.2	140	2	3	8	13	25	39	59
35-49	42	12.7	158	2	3	8	17	33	46	99+
50-64	108	16.3	219	4	5	12	21	35	43	98
65+	350	19.1	286	4	4	15	24	43	66	99+
GRAND TOTAL	**593**	**16.9**	**248**	**3**	**4**	**12**	**22**	**37**	**54**	**99+**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	12.3	37	1	5	13	15	21	23	31
20-34	26	13.5	35	6	7	14	18	21	23	28
35-49	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	3	8.7	22	5	5	7	12	14	14	14
20-34	2	12.0	18	9	9	12	15	15	15	15
35-49	5	4.2	19	2	2	2	5	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	11.7	65	2	3	10	14	19	26	45
20-34	53	13.2	114	3	4	11	15	25	29	66
35-49	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS	15	18.7	105	5	8	15	27	36	36	36
20-34	5	7.2	61	1	1	4	12	20	20	20
35-49	4	2.3		2	2	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	12.5	37	1	6	13	15	21	22	30
B. *Operated*	10	7.1	26	2	2	6	12	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	155	12.2	81	2	3	11	14	20	28	51
B. *Operated*	24	13.6	123	1	2	11	20	32	36	36
1. SINGLE DX	120	12.1	38	2	4	12	15	21	22	29
2. MULTIPLE DX	179	12.4	86	2	3	11	15	21	30	48
A. NOT OPERATED	265	12.3	62	2	4	12	15	21	25	42
B. OPERATED	34	11.7	102	2	2	10	15	29	35	36
TOTAL 0-19 YRS	202	12.4	58	2	4	12	15	21	28	39
20-34	86	12.9	85	2	4	11	16	21	28	58
35-49	11	4.2	17	2	2	2	3	12	13	13
GRAND TOTAL	**299**	**12.3**	**67**	**2**	**3**	**11**	**15**	**21**	**28**	**41**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	19.3	765	1	1	8	24	56	97	98
20-34	13	7.2	15	2	2	7	10	13	13	13
35-49	8	11.6	179	1	1	5	20	33	38	38
50-64	5	5.2	3	2	2	6	6	91	99+	99+
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	6	19.8	379	2	3	10	37	50	51	51
20-34	68	12.5	75	7	8	10	14	20	28	94
35-49	37	10.4	14	5	7	10	11	17	18	21
50-64	8	14.9	60	6	6	13	21	26	27	27
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	16.3	565	2	3	7	12	62	76	88
20-34	35	6.4	76	1	1	4	8	10	19	50
35-49	52	6.7	34	<1	1	5	9	13	17	28
50-64	67	11.1	120	2	3	7	15	19	34	63
65+	30	10.2	58	2	3	8	13	23	29	30
B. *Operated*										
0-19 YRS	3	9.7	25	5	5	9	13	15	15	15
20-34	54	14.7	107	7	8	11	17	24	30	59
35-49	74	16.6	168	5	7	12	21	36	45	96
50-64	26	15.7	102	3	4	13	23	29	33	46
65+	4	15.3	132	2	2	14	22	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	13.3	408	1	1	6	14	37	93	99+
B. *Operated*	119	12.4	71	6	7	10	13	20	27	80
2. MULTIPLE DX										
A. *Not Operated*	205	9.6	133	1	2	7	11	18	28	66
B. *Operated*	161	15.6	132	5	7	12	19	30	38	81
1. SINGLE DX	169	12.7	169	2	4	10	14	23	37	99
2. MULTIPLE DX	366	12.3	141	2	3	10	15	25	34	67
A. NOT OPERATED	255	10.3	188	1	2	7	11	20	36	96
B. OPERATED	280	14.3	108	5	7	11	16	26	36	80
TOTAL 0-19 YRS	53	17.7	584	1	2	8	17	53	85	98
20-34	170	11.5	90	2	3	10	13	20	29	68
35-49	171	12.0	110	2	3	10	14	25	36	77
50-64	106	12.3	111	2	4	8	16	25	34	81
65+	35	10.7	64	2	2	9	14	28	30	30
GRAND TOTAL	**535**	**12.4**	**150**	**2**	**3**	**10**	**14**	**25**	**36**	**89**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	164	3.1	25	<1	<1	1	3	6	12	28
20-34	50	3.7	6	1	1	3	5	7	7	14
35-49	42	8.3	157	1	2	5	9	15	24	79
50-64	37	5.7	25	1	1	5	8	13	67	99+
65+	27	7.3	30	2	3	6	9	16	18	26
B. *Operated*										
0-19 YRS	25	5.1	15	1	1	4	7	12	13	14
20-34	52	5.0	22	<1	2	4	6	10	16	25
35-49	99	4.0	19	<1	<1	2	5	10	13	21
50-64	105	3.1	18	<1	<1	1	3	8	11	23
65+	31	6.9	41	<1	1	5	9	16	22	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	5.6	47	<1	<1	3	6	12	19	32
20-34	101	7.0	37	<1	1	5	9	14	21	31
35-49	149	7.7	26	2	3	6	10	14	18	27
50-64	159	9.9	83	3	3	8	11	21	26	51
65+	208	10.4	68	2	3	8	14	21	30	72
B. *Operated*										
0-19 YRS	32	9.6	92	<1	1	7	13	19	35	43
20-34	61	10.3	97	2	3	6	13	25	33	45
35-49	93	10.6	153	1	2	6	12	22	36	85
50-64	121	10.9	154	1	2	6	15	27	36	60
65+	119	16.2	272	2	2	11	22	31	61	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	320	4.6	43	<1	<1	3	5	10	16	44
B. *Operated*	312	4.2	22	<1	<1	2	5	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	751	8.4	58	1	2	6	10	17	23	47
B. *Operated*	426	12.1	179	1	2	8	15	28	39	70
1. SINGLE DX	632	4.4	33	<1	<1	3	5	10	15	28
2. MULTIPLE DX	1177	9.8	105	1	2	7	12	22	29	63
A. NOT OPERATED	1071	7.3	57	<1	1	5	9	16	22	46
B. OPERATED	738	8.8	128	<1	<1	5	11	22	30	65
TOTAL 0-19 YRS	355	4.8	42	<1	<1	3	5	12	17	30
20-34	264	6.7	47	1	2	5	8	15	22	36
35-49	383	7.5	74	<1	1	5	10	14	22	63
50-64	422	8.1	92	<1	<1	5	10	20	27	58
65+	385	11.7	136	2	2	9	15	25	31	71
GRAND TOTAL	**1809**	**7.9**	**86**	**<1**	**<1**	**5**	**10**	**17**	**26**	**57**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	20	5.1	7	1	2	5	7	9	10	10
35-49	37	4.9	4	2	2	5	6	8	9	9
50-64	43	6.0	18	2	3	5	7	11	13	25
65+	45	6.1	11	1	2	6	8	9	11	17
B. *Operated*										
0-19 YRS	2	7.5	61	2	2	7	13	13	13	13
20-34	3	4.3	6	2	2	4	6	7	7	7
35-49	3	3.3	5	2	2	2	5	6	6	6
50-64	11	3.2	9	1	1	2	3	7	12	12
65+	10	11.6	126	2	2	9	9	30	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	3.8	1	2	2	4	5	5	5	5
35-49	67	6.5	48	2	3	5	7	9	15	49
50-64	163	8.1	30	2	3	7	10	15	19	30
65+	260	8.9	50	3	3	7	11	16	22	31
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	10.0		10	10	10	10	10	10	10
35-49	11	12.6	71	2	4	11	17	25	32	33
50-64	33	10.4	37	2	3	9	17	18	22	23
65+	40	14.3	117	3	4	11	17	32	38	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	5.6	11	1	2	5	7	9	11	17
B. *Operated*	29	6.5	62	2	2	3	9	13	22	40
2. MULTIPLE DX										
A. *Not Operated*	501	8.2	43	2	3	7	10	15	19	31
B. *Operated*	86	12.4	81	2	3	10	17	23	33	42
1. SINGLE DX	174	5.8	19	1	2	5	7	10	11	24
2. MULTIPLE DX	587	8.8	51	2	3	7	11	17	22	36
A. NOT OPERATED	646	7.7	37	2	3	6	9	13	18	30
B. OPERATED	115	10.9	82	2	2	8	15	21	32	41
TOTAL 0-19 YRS	3	5.7	40	2	2	2	10	13	13	13
20-34	35	4.7	6	1	2	4	6	9	10	10
35-49	118	6.5	39	2	2	5	7	10	16	40
50-64	250	7.8	30	2	3	6	10	16	19	28
65+	355	9.3	58	2	3	7	11	17	24	40
GRAND TOTAL	**761**	**8.1**	**45**	**2**	**3**	**6**	**10**	**15**	**20**	**33**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	4.0	11	1	2	3	4	8	11	20
20-34	20	3.6	5	<1	<1	3	5	6	8	10
35-49	32	6.1	34	1	2	4	8	12	16	30
50-64	36	6.1	19	1	2	5	8	14	16	19
65+	84	9.6	82	2	3	7	12	20	27	48
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	12.3		12	12	12	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	388	4.8	18	1	1	4	6	9	14	22
20-34	214	6.2	37	1	2	4	7	12	19	33
35-49	281	6.7	31	2	2	5	8	12	16	30
50-64	599	9.1	68	2	3	7	11	18	23	46
65+	2509	13.4	153	3	4	10	16	27	38	86
B. *Operated*										
0-19 YRS	26	13.1	164	2	3	9	14	38	42	52
20-34	22	8.8	33	1	2	8	13	16	20	21
35-49	48	11.8	161	1	2	9	15	21	25	77
50-64	85	19.4	340	2	3	14	26	52	78	99+
65+	265	24.1	291	6	8	20	32	54	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	6.7	47	1	2	4	8	14	19	40
B. *Operated*	5	8.6	28	1	1	12	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	3991	11.0	122	2	3	8	13	22	32	72
B. *Operated*	446	20.5	291	3	5	16	28	48	65	99+
1. SINGLE DX	232	6.7	46	1	2	4	8	14	19	39
2. MULTIPLE DX	4437	12.0	147	2	3	8	14	25	37	79
A. NOT OPERATED	4218	10.8	119	2	3	8	13	22	31	71
B. OPERATED	451	20.4	289	3	5	15	28	48	65	99+
TOTAL 0-19 YRS	470	5.1	29	1	1	4	6	10	15	33
20-34	256	6.2	35	1	2	4	7	12	19	33
35-49	361	7.3	51	2	2	5	9	14	19	33
50-64	721	10.2	109	2	3	7	12	21	27	60
65+	2861	14.2	174	3	4	10	17	30	43	89
GRAND TOTAL	**4669**	**11.7**	**144**	**2**	**3**	**8**	**14**	**25**	**36**	**78**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	5.0	16	<1	1	4	7	10	13	20
20-34	18	5.6	11	1	2	5	7	9	13	16
35-49	35	5.8	9	1	2	5	8	9	11	15
50-64	34	5.0	9	1	1	5	7	8	10	15
65+	79	6.9	74	<1	1	5	9	12	20	55
B. *Operated*										
0-19 YRS	12	4.6	13	1	1	4	6	11	12	12
20-34	6	5.5	3	3	3	5	6	8	8	8
35-49	21	6.6	18	1	2	6	8	12	16	19
50-64	18	8.1	13	2	3	8	10	13	15	16
65+	43	10.1	31	2	3	10	13	19	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	6.2	21	1	2	5	8	12	18	21
20-34	54	7.4	25	2	2	6	9	15	18	23
35-49	133	6.9	15	2	3	6	9	12	15	19
50-64	262	8.6	40	2	2	7	11	15	20	31
65+	1049	9.9	54	2	3	8	13	18	23	40
B. *Operated*										
0-19 YRS	17	7.9	12	3	4	8	10	13	15	15
20-34	33	8.8	28	2	3	8	11	16	21	25
35-49	127	10.7	46	3	4	10	13	17	19	40
50-64	163	13.5	119	4	5	11	15	23	34	61
65+	573	14.0	81	5	6	12	17	24	32	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	5.9	35	1	1	5	7	10	14	25
B. *Operated*	100	8.1	25	1	2	7	10	14	18	23
2. MULTIPLE DX										
A. *Not Operated*	1566	9.2	47	2	3	8	12	17	21	36
B. *Operated*	913	13.1	82	4	5	11	15	22	31	51
1. SINGLE DX	318	6.6	32	1	1	5	8	12	15	24
2. MULTIPLE DX	2479	10.6	63	2	3	9	13	19	24	45
A. NOT OPERATED	1784	8.8	47	2	3	7	11	16	20	36
B. OPERATED	1013	12.6	78	3	5	11	15	22	29	50
TOTAL 0-19 YRS	149	5.8	18	1	1	5	8	11	15	20
20-34	111	7.4	23	2	2	6	9	15	18	24
35-49	316	8.3	31	2	3	7	11	14	17	29
50-64	477	10.0	71	2	3	8	12	19	23	46
65+	1744	11.1	67	2	4	9	14	20	26	48
GRAND TOTAL	**2797**	**10.2**	**62**	**2**	**3**	**8**	**13**	**19**	**24**	**44**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	212	4.7	13	<1	1	4	6	9	11	18
20-34	289	6.2	23	<1	1	6	8	12	15	27
35-49	113	6.5	36	<1	<1	5	9	13	20	31
50-64	10	8.8	33	2	2	7	15	18	19	19
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	2	11.0	50	6	6	11	16	16	16	16
20-34	3	15.0	43	9	9	14	20	22	22	22
35-49	2	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	164	7.3	54	1	2	6	10	13	17	31
20-34	262	8.3	33	2	3	7	11	15	21	32
35-49	83	10.9	79	2	3	8	14	21	29	47
50-64	22	10.6	99	2	3	7	14	22	33	45
65+	5	7.4	22	2	2	8	14	91	99+	99+
B. *Operated*										
0-19 YRS	10	15.3	63	4	6	14	19	27	34	34
20-34	29	20.1	431	3	3	14	22	48	76	89
35-49	10	20.9	317	3	4	17	30	48	62	62
50-64	3	13.3	20	9	9	13	17	18	18	18
65+	2	26.5	545	10	10	26	43	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	625	5.8	23	<1	1	5	8	11	15	25
B. *Operated*	7	10.7	47	4	4	9	15	21	22	22
2. MULTIPLE DX										
A. *Not Operated*	536	8.5	50	2	2	7	11	16	22	43
B. *Operated*	54	19.2	311	3	4	14	20	41	60	88
1. SINGLE DX	632	5.9	23	<1	1	5	8	11	15	25
2. MULTIPLE DX	590	9.5	83	2	2	7	12	18	26	58
A. NOT OPERATED	1161	7.0	37	<1	1	6	9	14	18	33
B. OPERATED	61	18.2	287	3	4	14	20	37	56	87
TOTAL 0-19 YRS	388	6.1	36	1	1	5	8	12	16	28
20-34	583	7.9	56	1	2	6	10	15	20	41
35-49	208	9.0	76	<1	1	7	11	19	25	46
50-64	35	10.3	74	2	3	7	14	20	24	45
65+	8	11.8	175	2	3	9	21	77	99+	99+
GRAND TOTAL	**1222**	**7.6**	**55**	**<1**	**1**	**6**	**10**	**15**	**20**	**41**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	452	1.7	9	<1	<1	<1	1	3	5	10
20-34	81	3.0	20	<1	<1	1	3	7	10	28
35-49	63	5.3	19	1	1	4	8	11	14	21
50-64	111	5.2	27	<1	<1	3	8	14	16	20
65+	334	4.9	32	<1	<1	3	6	12	16	26
B. *Operated*										
0-19 YRS	31	7.0	24	2	3	6	8	9	18	28
20-34	22	8.8	28	2	3	8	11	16	19	23
35-49	30	6.8	15	2	2	6	10	12	13	16
50-64	42	11.5	68	3	4	10	12	23	34	36
65+	103	9.9	39	2	3	10	13	19	23	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	4.1	33	<1	<1	2	5	9	12	27
20-34	133	6.2	35	<1	<1	5	9	13	18	26
35-49	202	8.5	108	<1	1	6	10	16	22	60
50-64	501	7.8	65	1	1	6	10	16	23	37
65+	1937	9.4	83	1	2	7	12	19	26	53
B. *Operated*										
0-19 YRS	46	8.6	80	2	2	6	11	15	27	49
20-34	63	11.3	76	1	2	10	15	25	29	36
35-49	134	13.9	120	3	4	11	18	24	32	65
50-64	271	13.4	100	2	4	11	18	26	34	58
65+	939	16.8	172	3	5	13	21	32	44	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1041	3.4	22	<1	<1	1	4	9	12	23
B. *Operated*	228	9.3	40	2	3	8	12	17	22	34
2. MULTIPLE DX										
A. *Not Operated*	2922	8.7	79	1	1	6	11	18	24	50
B. *Operated*	1453	15.4	151	3	4	12	20	30	38	73
1. SINGLE DX	1269	4.5	30	<1	<1	2	6	11	16	26
2. MULTIPLE DX	4375	10.9	113	1	2	8	14	23	30	62
A. NOT OPERATED	3963	7.3	69	<1	<1	5	10	16	22	43
B. OPERATED	1681	14.6	140	3	4	11	19	29	37	70
TOTAL 0-19 YRS	678	2.9	24	<1	<1	1	3	7	10	27
20-34	299	6.6	47	<1	<1	4	9	15	22	32
35-49	429	9.6	101	1	2	7	12	20	24	54
50-64	925	9.3	79	1	1	7	12	20	25	43
65+	3313	11.1	117	1	2	8	14	23	31	64
GRAND TOTAL	**5644**	**9.5**	**101**	**<1**	**1**	**7**	**13**	**21**	**28**	**55**

85: Hemophilia (congenital factor viii disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.7	4	<1	1	2	4	5	8	8
20-34	5	2.6	2	1	1	3	4	4	4	4
35-49	3	4.0	4	2	2	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	15.0	50	10	10	15	20	20	20	20
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	5.8	51	1	1	4	8	9	11	48
20-34	25	7.0	30	<1	1	6	9	14	17	25
35-49	8	9.9	92	2	2	5	16	25	26	26
50-64	13	7.1	17	1	3	6	9	13	16	17
65+	12	15.1	145	4	5	11	16	39	41	41
B. *Operated*										
0-19 YRS	6	8.2	49	3	3	6	8	21	22	22
20-34	5	8.0	46	3	3	5	12	19	19	19
35-49	5	11.2	54	3	3	10	17	21	21	21
50-64	3	12.0	49	4	4	15	16	17	17	17
65+	1	48.0		48	48	48	48	48	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.8	4	1	1	2	4	5	8	8
B. *Operated*	2	15.0	50	10	10	15	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	103	7.6	62	1	1	6	9	14	24	44
B. *Operated*	20	11.5	116	3	3	7	16	21	35	48
1. SINGLE DX	34	3.5	14	1	1	3	4	8	10	20
2. MULTIPLE DX	123	8.2	72	1	1	6	9	16	24	48
A. NOT OPERATED	135	6.5	52	1	1	4	8	13	17	42
B. OPERATED	22	11.8	108	3	3	9	17	21	32	48
TOTAL 0-19 YRS	75	5.0	38	1	1	4	7	9	11	41
20-34	37	6.9	33	<1	1	5	10	14	20	25
35-49	16	9.2	65	2	2	6	13	24	25	26
50-64	16	8.0	24	2	4	6	11	17	17	17
65+	13	17.6	217	4	6	13	22	42	47	48
GRAND TOTAL	**157**	**7.2**	**63**	**1**	**1**	**5**	**9**	**16**	**22**	**47**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	218	5.5	23	1	2	4	7	11	14	31
20-34	41	5.6	27	<1	1	4	7	12	17	24
35-49	62	3.9	34	1	1	1	4	10	14	35
50-64	54	6.7	68	<1	<1	3	9	15	20	49
65+	56	6.5	83	1	1	5	8	12	16	62
B. *Operated*										
0-19 YRS	100	7.4	31	1	2	7	9	13	17	32
20-34	78	8.7	21	2	3	8	11	14	18	25
35-49	37	9.9	42	1	2	9	13	16	22	33
50-64	67	11.0	131	<1	1	8	12	25	35	61
65+	63	13.9	99	3	5	11	17	31	36	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	5.8	41	1	1	4	7	12	16	27
20-34	90	6.6	29	1	2	5	8	14	16	27
35-49	115	6.6	21	1	2	6	9	12	15	23
50-64	231	8.2	51	1	2	6	11	16	20	35
65+	482	9.6	91	1	2	7	12	19	27	51
B. *Operated*										
0-19 YRS	68	12.1	222	2	2	8	13	26	36	84
20-34	80	11.5	86	2	3	8	14	24	28	48
35-49	94	12.5	105	3	4	9	17	26	34	54
50-64	167	16.6	171	4	5	13	21	33	35	90
65+	314	16.8	202	4	5	13	20	32	47	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	431	5.5	39	1	1	4	7	12	16	32
B. *Operated*	345	9.8	66	1	2	8	12	18	27	41
2. MULTIPLE DX										
A. *Not Operated*	1055	8.2	65	1	2	6	10	16	22	42
B. *Operated*	723	15.2	175	3	4	11	19	31	39	89
1. SINGLE DX	776	7.5	55	1	1	6	9	15	20	39
2. MULTIPLE DX	1778	11.1	121	2	2	8	14	23	32	63
A. NOT OPERATED	1486	7.4	59	1	1	5	9	16	21	40
B. OPERATED	1068	13.5	146	2	4	10	17	28	35	80
TOTAL 0-19 YRS	523	6.8	59	1	2	5	8	13	17	35
20-34	289	8.4	46	1	2	7	11	16	22	33
35-49	308	8.3	62	1	1	7	10	17	23	38
50-64	519	11.1	116	1	2	8	14	24	33	61
65+	915	12.2	142	2	2	9	16	26	35	68
GRAND TOTAL	**2554**	**10.0**	**104**	**1**	**2**	**7**	**12**	**21**	**30**	**58**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1027	2.6	14	1	1	2	3	4	6	8
20-34	172	2.8	3	1	1	2	3	5	6	10
35-49	22	3.0	4	1	1	3	3	6	7	9
50-64	11	2.9	3	1	1	2	4	6	6	6
65+	4	3.3	4	2	2	3	4	6	6	6
B. *Operated*										
0-19 YRS	291	5.0	32	2	3	4	5	7	9	17
20-34	82	6.1	18	3	3	5	6	10	12	28
35-49	12	5.7	4	3	3	5	7	9	10	10
50-64	3	7.3	10	5	5	6	10	11	11	11
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	360	3.2	4	1	1	3	4	6	7	10
20-34	61	3.5	15	1	1	3	4	6	8	28
35-49	13	4.4	6	2	2	3	6	8	9	9
50-64	5	5.4	7	3	3	5	6	10	10	10
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	120	6.0	8	3	3	6	7	9	12	17
20-34	36	5.8	5	3	3	5	7	9	10	12
35-49	9	7.3	11	4	4	7	10	12	12	12
50-64	4	11.0	97	2	2	9	19	23	23	23
65+	5	7.8	6	5	5	8	9	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1236	2.6	12	1	1	2	3	4	6	9
B. *Operated*	389	5.3	28	3	3	4	5	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	440	3.3	6	1	1	3	4	6	7	10
B. *Operated*	174	6.2	10	3	3	6	7	9	12	19
1. SINGLE DX	1625	3.3	17	1	1	3	4	6	7	12
2. MULTIPLE DX	614	4.1	9	1	1	3	5	7	9	15
A. NOT OPERATED	1676	2.8	11	1	1	2	3	5	6	10
B. OPERATED	563	5.5	23	3	3	5	6	9	11	21
TOTAL 0-19 YRS	1798	3.3	16	1	1	3	4	6	7	12
20-34	351	4.0	11	1	1	3	5	7	9	21
35-49	56	4.6	8	1	2	4	6	9	10	12
50-64	23	5.4	26	1	2	4	6	12	18	23
65+	11	5.8	10	2	2	6	9	10	11	11
GRAND TOTAL	**2239**	**3.5**	**15**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	4.7	8	1	2	4	6	8	10	14
20-34	18	3.9	22	<1	1	3	4	6	16	22
35-49	8	3.8	3	1	1	4	5	6	7	7
50-64	7	9.1	91	<1	<1	3	19	22	22	22
65+	3	6.7	21	4	4	4	10	12	12	12
B. *Operated*										
0-19 YRS	139	3.3	10	<1	<1	2	3	8	10	14
20-34	112	3.5	11	<1	<1	2	4	7	12	18
35-49	44	3.3	9	<1	1	2	4	7	8	17
50-64	42	3.7	11	1	1	3	5	8	12	15
65+	21	3.6	9	<1	<1	3	5	9	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	4.8	7	2	2	4	6	9	10	13
20-34	20	5.5	9	1	2	5	8	10	11	11
35-49	8	5.3	7	1	2	5	7	8	8	8
50-64	7	7.4	25	3	3	7	8	16	18	18
65+	4	13.0	146	5	5	8	20	31	31	31
B. *Operated*										
0-19 YRS	46	5.0	17	<1	1	4	7	10	15	17
20-34	42	7.2	110	1	2	4	8	14	19	66
35-49	32	6.8	26	2	2	6	9	12	19	24
50-64	38	6.4	22	1	2	5	9	12	17	20
65+	27	9.5	85	2	3	6	12	21	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	4.8	14	1	2	4	6	9	11	22
B. *Operated*	358	3.4	10	<1	1	2	4	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	122	5.4	14	2	2	5	7	9	11	22
B. *Operated*	185	6.8	52	1	2	5	9	13	19	37
1. SINGLE DX	516	3.8	12	<1	1	3	5	8	10	19
2. MULTIPLE DX	307	6.2	37	1	2	5	8	11	16	28
A. NOT OPERATED	280	5.1	14	1	2	4	7	9	11	22
B. OPERATED	543	4.6	27	<1	1	3	6	10	13	21
TOTAL 0-19 YRS	390	4.3	10	<1	1	3	6	9	10	15
20-34	192	4.5	35	<1	1	3	5	10	13	23
35-49	92	4.7	17	1	1	3	7	9	11	22
50-64	94	5.5	24	1	1	4	7	12	17	22
65+	55	7.3	63	1	1	4	8	16	24	43
GRAND TOTAL	**823**	**4.7**	**22**	**<1**	**1**	**3**	**6**	**10**	**12**	**22**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	9.6	166	1	1	4	14	29	42	44
20-34	39	13.3	139	1	2	10	18	25	41	55
35-49	10	14.0	149	2	2	10	20	34	35	35
50-64	7	11.4	27	5	6	11	17	77	99+	99+
65+	13	19.0	489	<1	2	14	27	83	96	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	22.0		22	22	22	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	13.6	157	<1	1	12	21	34	50	99+
20-34	47	13.1	117	2	3	8	16	32	36	39
35-49	21	12.0	158	2	2	7	16	27	43	53
50-64	30	16.9	91	4	5	15	26	35	94	99+
65+	84	16.0	179	2	4	12	21	34	47	89
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	2	46.0	162	37	37	46	55	55	55	55
35-49										
50-64	3	39.0	364	27	27	29	53	61	61	61
65+	17	34.0	343	11	13	31	54	66	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	13.6	188	1	1	10	18	33	52	99+
B. *Operated*	2	12.0	200	2	2	12	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	212	14.8	148	2	3	12	21	34	42	99+
B. *Operated*	23	35.0	316	12	13	31	54	65	77	99+
1. SINGLE DX	83	13.6	186	1	1	10	18	33	51	99+
2. MULTIPLE DX	235	16.7	199	2	4	13	25	38	55	99+
A. NOT OPERATED	293	14.4	159	1	2	12	20	34	44	99+
B. OPERATED	25	33.2	338	8	13	28	54	65	74	99+
TOTAL 0-19 YRS	43	12.6	156	<1	1	10	19	31	46	99+
20-34	88	14.0	148	1	3	10	18	32	38	55
35-49	32	12.3	150	2	2	7	18	34	35	53
50-64	40	17.6	133	4	5	15	27	43	99+	99+
65+	115	19.0	270	2	4	14	26	44	66	99+
GRAND TOTAL	**318**	**15.9**	**197**	**1**	**2**	**12**	**22**	**37**	**55**	**99+**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	135	3.9	52	1	1	2	4	6	10	44
20-34	150	5.6	39	1	1	4	8	11	14	57
35-49	86	7.8	81	1	1	5	8	19	27	44
50-64	100	16.6	323	1	3	11	21	50	67	99+
65+	520	19.7	387	2	3	13	28	52	75	99+
B. *Operated*										
0-19 YRS	5	17.4	57	10	10	17	24	26	26	26
20-34	5	7.4	5	5	5	8	9	10	10	10
35-49	4	22.0	941	6	6	7	38	68	68	68
50-64	3	8.3	1	7	7	9	9	9	9	9
65+	14	14.1	106	2	3	12	18	29	36	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	6.8	79	1	1	4	7	17	30	96
20-34	308	8.1	88	2	2	6	8	16	27	78
35-49	233	9.2	121	2	3	7	10	17	26	58
50-64	310	15.0	188	3	4	11	21	33	48	99+
65+	2131	21.3	394	4	5	15	29	62	93	99+
B. *Operated*										
0-19 YRS	6	31.3	1608	3	3	13	89	99+	99+	99+
20-34	17	18.9	374	1	2	18	44	99+	99+	99+
35-49	15	8.9	16	2	4	9	12	16	75	99+
50-64	38	21.2	400	3	4	15	25	50	86	99+
65+	206	28.5	496	6	8	24	53	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	991	14.0	301	1	1	8	18	41	61	99+
B. *Operated*	31	14.0	169	3	4	10	17	27	37	68
2. MULTIPLE DX										
A. *Not Operated*	3139	17.7	337	2	4	12	24	50	83	99+
B. *Operated*	282	26.0	492	4	7	21	49	98	99+	99+
1. SINGLE DX	1022	14.0	297	1	1	8	17	40	61	99+
2. MULTIPLE DX	3421	18.4	355	2	4	12	25	54	89	99+
A. NOT OPERATED	4130	16.9	331	2	3	11	22	48	77	99+
B. OPERATED	313	24.8	472	3	6	19	44	92	99+	99+
TOTAL 0-19 YRS	303	6.2	108	1	1	3	6	16	28	99
20-34	480	7.7	87	1	2	5	8	16	28	99+
35-49	338	9.0	115	1	2	6	10	17	28	71
50-64	451	15.8	236	3	4	11	21	37	57	99+
65+	2871	21.5	403	3	5	15	31	63	93	99+
GRAND TOTAL	**4443**	**17.4**	**345**	**2**	**3**	**11**	**24**	**51**	**83**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
YRS										
20-34										
35-49										
50-64	4	9.0	17	3	3	10	11	12	12	12
65+	37	16.1	231	2	3	11	19	31	56	70
B. *Operated*										
YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
YRS										
20-34										
35-49										
50-64	15	16.9	222	3	4	13	26	59	89	99+
65+	266	18.0	297	4	5	13	23	50	73	99+
B. *Operated*										
YRS										
20-34										
35-49	1	56.0		56	56	56	56	56	56	56
50-64										
65+	21	25.0	238	7	9	25	40	70	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	15.4	213	2	3	11	18	30	54	70
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	281	17.9	292	4	5	13	23	50	73	99+
B. *Operated*	22	26.5	270	7	9	25	44	67	99+	99+
1. SINGLE DX	41	15.4	213	2	3	11	18	30	54	70
2. MULTIPLE DX	303	18.5	295	4	5	13	25	53	74	99+
A. NOT OPERATED	322	17.6	282	4	4	13	22	50	70	99+
B. OPERATED	22	26.5	270	7	9	25	44	67	99+	99+
TOTAL YRS										
20-34										
35-49	1	56.0		56	56	56	56	56	56	56
50-64	19	15.2	186	3	4	12	20	46	81	99+
65+	324	18.2	288	4	5	13	23	51	71	99+
GRAND TOTAL	**344**	**18.2**	**285**	**4**	**5**	**13**	**23**	**51**	**71**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	4	<1	<1	2	5	5	5	5
20-34	173	5.5	26	1	2	5	6	7	9	23
35-49	309	6.0	36	2	3	5	6	8	11	35
50-64	201	7.1	55	2	3	5	7	12	20	46
65+	57	6.9	31	2	2	7	8	14	22	95
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	10.0	22	5	5	10	14	16	16	16
50-64	3	11.3	26	7	7	10	15	17	17	17
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	7.7	38	<1	1	8	12	20	80	99+
20-34	361	7.6	55	1	2	6	8	13	17	36
35-49	750	8.3	43	2	3	7	9	14	21	37
50-64	557	9.6	96	2	3	7	11	19	24	84
65+	194	12.0	104	3	4	9	15	24	31	92
B. *Operated*										
0-19 YRS										
20-34	19	12.5	83	2	3	8	22	26	29	29
35-49	47	11.3	57	2	5	10	13	20	26	42
50-64	43	17.0	258	3	5	13	20	31	77	99+
65+	17	28.6	358	7	10	27	41	70	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	746	6.2	38	2	2	5	7	9	14	39
B. *Operated*	8	10.5	20	5	5	10	14	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	1876	8.9	69	2	3	7	10	16	23	52
B. *Operated*	126	15.8	198	3	5	11	20	33	44	99+
1. SINGLE DX	754	6.3	38	2	2	5	7	9	14	39
2. MULTIPLE DX	2002	9.4	80	2	3	8	10	18	25	59
A. NOT OPERATED	2622	8.2	62	2	3	6	9	15	21	48
B. OPERATED	134	15.5	188	3	5	11	19	32	42	99+
TOTAL 0-19 YRS	20	6.2	32	<1	<1	5	10	19	56	99+
20-34	553	7.1	49	1	2	5	8	12	17	36
35-49	1111	7.8	43	2	3	6	8	13	19	37
50-64	804	9.4	99	2	3	7	10	19	24	79
65+	268	12.0	127	2	4	8	15	26	39	99+
GRAND TOTAL	**2756**	**8.5**	**70**	**2**	**3**	**6**	**9**	**16**	**23**	**52**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	9.1	116	<1	<1	3	15	25	28	45
20-34	41	8.8	126	1	2	5	11	16	28	67
35-49	10	12.2	91	1	1	9	20	27	27	27
50-64	7	8.6	36	1	1	7	14	16	16	16
65+	2	5.5	1	5	5	5	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	9.4	62	1	2	8	15	25	35	99+
20-34	133	10.0	117	1	2	7	11	22	37	53
35-49	33	7.6	25	2	2	7	10	15	17	19
50-64	28	13.0	58	1	3	12	19	25	25	27
65+	44	12.7	157	2	3	8	15	26	37	70
B. *Operated*										
0-19 YRS										
20-34	2	7.5	25	4	4	7	11	11	11	11
35-49	1	23.0		23	23	23	23	23	23	23
50-64	2	9.5	1	9	9	9	10	10	10	10
65+	2	10.5	41	6	6	10	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	9.2	107	<1	1	6	13	23	27	59
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	288	10.3	99	1	2	8	13	23	31	63
B. *Operated*	7	11.1	40	4	4	10	14	21	23	23
1. SINGLE DX	87	9.2	107	<1	1	6	13	23	27	59
2. MULTIPLE DX	295	10.4	97	1	2	8	13	23	30	62
A. NOT OPERATED	375	10.1	101	1	2	7	13	24	29	63
B. OPERATED	7	11.1	40	4	4	10	14	21	23	23
TOTAL 0-19 YRS	77	9.3	80	<1	1	6	15	25	33	99+
20-34	176	9.7	117	1	2	6	11	22	33	53
35-49	44	9.0	46	2	2	7	14	19	24	27
50-64	37	12.0	53	1	3	12	16	24	25	27
65+	48	12.3	146	2	3	8	15	25	36	70
GRAND TOTAL	**382**	**10.1**	**99**	**1**	**2**	**7**	**13**	**23**	**29**	**62**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	187	23.9	403	2	3	19	35	59	69	99+
20-34	1281	17.3	187	2	4	14	24	35	44	71
35-49	586	17.9	205	1	4	15	23	39	49	69
50-64	221	18.3	185	3	4	16	23	34	42	73
65+	65	31.6	479	4	7	28	42	61	85	98
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	5	19.2	73	10	10	20	24	32	32	32
35-49	2	23.5	5	22	22	23	25	25	25	25
50-64										
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	27.6	503	2	5	22	35	63	84	99+
20-34	392	19.0	231	3	5	16	26	38	45	96
35-49	256	18.0	222	2	3	14	24	35	45	74
50-64	160	20.6	215	3	6	19	29	42	52	99+
65+	51	31.2	486	8	13	25	45	91	99+	99+
B. *Operated*										
0-19 YRS	3	38.0	1327	15	15	19	65	80	80	80
20-34	28	32.6	388	13	14	27	40	52	88	90
35-49	13	37.2	496	9	17	35	44	61	92	99
50-64	12	27.8	550	4	7	21	35	61	85	89
65+	3	44.3	816	17	17	42	66	74	74	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2340	18.5	224	2	4	15	25	38	50	84
B. *Operated*	9	18.2	59	10	10	20	23	29	32	32
2. MULTIPLE DX										
A. *Not Operated*	912	20.2	266	3	5	16	27	42	60	99+
B. *Operated*	59	33.5	478	9	13	27	43	66	89	98
1. SINGLE DX	2349	18.5	223	2	4	15	25	38	50	84
2. MULTIPLE DX	971	21.0	289	3	5	17	28	43	61	99+
A. NOT OPERATED	3252	19.0	236	2	4	15	26	39	52	93
B. OPERATED	68	31.5	449	10	11	26	39	53	88	97
TOTAL 0-19 YRS	244	24.8	432	2	4	20	35	61	75	99+
20-34	1706	17.9	204	2	4	15	25	36	45	87
35-49	857	18.3	219	2	4	15	24	39	49	70
50-64	393	19.5	210	3	5	17	27	36	48	87
65+	120	31.6	483	7	11	26	43	74	93	99+
GRAND TOTAL	**3320**	**19.2**	**244**	**2**	**4**	**15**	**26**	**39**	**53**	**93**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	24.1	427	3	6	17	35	63	98	99+
20-34	131	14.8	196	1	2	11	22	32	46	84
35-49	42	12.3	43	2	4	12	15	19	24	37
50-64	9	14.4	76	6	7	12	17	29	34	34
65+	1	12.0		12	12	56	99+	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	27.9	464	3	4	24	35	55	76	90
20-34	60	17.6	119	4	6	16	24	34	39	47
35-49	27	20.6	238	2	7	18	26	38	50	75
50-64	7	25.9	332	7	8	24	50	86	99+	99+
65+	3	19.3	224	7	7	15	31	36	36	36
B. *Operated*										
0-19 YRS	2	37.0	578	20	20	54	88	99+	99+	99+
20-34	3	38.0	229	21	21	43	48	50	50	50
35-49										
50-64										
65+	1	34.0		34	34	34	34	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	16.1	220	1	2	12	22	36	52	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	117	20.6	226	4	6	17	28	40	49	93
B. *Operated*	6	37.0	210	20	20	43	53	91	99+	99+
1. SINGLE DX	226	16.1	220	1	2	12	22	36	52	99+
2. MULTIPLE DX	123	21.4	236	4	7	18	29	46	52	99+
A. NOT OPERATED	343	17.6	226	2	3	14	24	38	52	99+
B. OPERATED	6	37.0	210	20	20	43	53	91	99+	99+
TOTAL 0-19 YRS	65	25.6	435	3	5	21	36	63	98	99+
20-34	194	16.0	180	1	2	12	23	34	43	73
35-49	69	15.6	133	2	5	14	18	28	37	69
50-64	16	19.4	207	6	7	15	30	51	83	99+
65+	5	20.8	177	7	7	24	36	94	99+	99+
GRAND TOTAL	**349**	**17.9**	**231**	**2**	**3**	**14**	**25**	**40**	**52**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	369	21.9	378	2	5	17	29	50	75	99+
20-34	2263	17.4	230	1	3	14	24	37	51	96
35-49	1137	16.4	153	2	3	14	22	31	39	70
50-64	487	18.7	205	2	4	16	26	36	45	90
65+	112	22.3	256	2	5	19	30	47	54	92
B. *Operated*										
0-19 YRS	3	21.7	10	18	18	23	24	24	24	24
20-34	6	23.2	45	14	15	22	27	33	34	34
35-49	2	24.5	41	20	20	24	29	29	29	29
50-64	2	23.5	85	17	17	23	30	30	30	30
65+	1	45.0		45	45	45	45	45	45	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	22.1	359	2	4	17	35	60	97	99+
20-34	938	19.2	251	2	4	15	26	42	59	99+
35-49	637	17.6	205	3	4	14	23	36	49	81
50-64	430	20.6	208	4	6	17	27	41	53	86
65+	151	26.3	353	5	7	23	38	53	87	99+
B. *Operated*										
0-19 YRS	12	31.2	407	9	12	28	44	60	75	77
20-34	69	27.7	422	6	7	23	40	68	80	99+
35-49	38	28.0	266	7	12	24	35	56	60	63
50-64	27	28.5	295	8	11	26	33	51	63	86
65+	14	37.4	527	12	14	29	62	76	77	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4368	17.8	223	2	3	14	24	37	49	94
B. *Operated*	14	24.6	64	15	17	22	29	35	43	45
2. MULTIPLE DX										
A. *Not Operated*	2288	19.7	247	3	5	16	27	43	57	99+
B. *Operated*	160	29.0	369	7	9	24	39	62	75	98
1. SINGLE DX	4382	17.8	222	2	3	14	24	37	49	94
2. MULTIPLE DX	2448	20.3	260	3	5	16	28	44	59	99+
A. NOT OPERATED	6656	18.4	232	2	4	15	25	39	52	99
B. OPERATED	174	28.7	346	7	9	24	37	61	75	96
TOTAL 0-19 YRS	516	22.2	372	2	5	17	31	52	80	99+
20-34	3276	18.1	242	2	3	14	25	39	53	99+
35-49	1814	17.1	176	2	4	15	23	34	44	76
50-64	946	19.9	211	3	5	16	27	39	49	90
65+	278	25.3	331	3	7	21	35	51	75	99+
GRAND TOTAL	**6830**	**18.7**	**237**	**2**	**4**	**15**	**25**	**40**	**53**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	27.3	622	<1	1	39	93	99+	99+	99+
B. *Operated*										
0-19 YRS	1	64.0		64	64	64	64	64	64	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	27.2	463	2	4	38	99+	99+	99+	99+
B. *Operated*										
0-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	27.3	622	<1	1	39	93	99+	99+	99+
B. *Operated*	1	64.0		64	64	64	64	64	64	64
2. MULTIPLE DX										
A. *Not Operated*	9	27.2	463	2	4	38	99+	99+	99+	99+
B. *Operated*										
1. SINGLE DX	27	28.6	648	<1	1	39	89	99+	99+	99+
2. MULTIPLE DX	9	27.2	463	2	4	38	99+	99+	99+	99+
A. NOT OPERATED	35	27.3	567	1	2	39	98	99+	99+	99+
B. OPERATED	1	64.0		64	64	64	64	64	64	64
TOTAL 0-19 YRS	36	28.3	588	1	2	39	96	99+	99+	99+
GRAND TOTAL	**36**	**28.3**	**588**	**1**	**2**	**39**	**96**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	21.2	354	1	3	17	27	47	65	80
20-34	307	13.4	120	1	2	11	18	26	39	65
35-49	431	15.9	147	2	4	13	22	30	39	59
50-64	577	19.4	172	3	5	17	25	37	48	68
65+	545	23.8	230	4	7	21	31	45	53	75
B. *Operated*										
0-19 YRS										
20-34	6	28.3	291	2	4	28	35	52	54	54
35-49	7	23.1	146	11	12	16	36	40	40	40
50-64	3	36.3	584	14	14	33	55	62	62	62
65+	4	26.5	200	15	15	24	38	44	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	15.2	226	2	3	13	21	27	50	83
20-34	295	13.2	117	1	3	11	19	27	36	88
35-49	342	15.7	204	3	4	12	19	33	51	75
50-64	497	19.2	203	4	5	16	25	38	50	72
65+	762	26.9	364	4	7	23	38	57	76	99+
B. *Operated*										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	21	17.6	161	3	7	14	24	29	45	60
35-49	24	24.8	315	8	9	18	29	60	64	70
50-64	49	27.2	283	9	12	21	35	58	60	69
65+	68	30.8	317	7	12	29	44	65	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1898	18.9	192	2	4	16	25	38	47	69
B. *Operated*	20	27.4	236	6	12	25	37	49	58	62
2. MULTIPLE DX										
A. *Not Operated*	1953	20.6	282	3	4	16	28	45	60	99+
B. *Operated*	163	27.1	298	8	10	22	37	60	66	99+
1. SINGLE DX	1918	19.0	193	2	4	16	25	38	47	69
2. MULTIPLE DX	2116	21.1	287	3	5	17	29	46	62	99+
A. NOT OPERATED	3851	19.8	238	3	4	16	26	41	53	86
B. OPERATED	183	27.1	290	8	10	23	37	59	65	99+
TOTAL 0-19 YRS	96	17.7	280	2	3	13	23	39	53	83
20-34	629	13.6	123	1	3	11	19	27	39	71
35-49	804	16.2	179	2	4	13	21	32	43	67
50-64	1126	19.7	194	4	5	17	25	38	51	69
65+	1379	25.8	311	4	7	22	36	52	67	99+
GRAND TOTAL	**4034**	**20.1**	**243**	**3**	**4**	**17**	**27**	**42**	**55**	**88**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	15.6	271	1	1	11	20	42	64	99
20-34	503	16.1	155	2	3	14	21	31	39	71
35-49	420	16.2	136	2	4	14	22	31	42	55
50-64	277	17.4	150	3	5	15	23	32	41	65
65+	123	22.3	287	3	6	19	28	51	59	88
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	21.0		21	21	21	21	21	21	21
65+	1	50.0		50	50	50	50	50	50	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	20.5	322	5	5	19	21	69	92	99+
20-34	225	17.7	186	2	4	15	24	33	43	70
35-49	210	18.2	202	3	5	14	24	39	43	81
50-64	238	17.5	179	3	5	15	23	37	47	71
65+	176	25.3	285	5	7	22	34	53	72	99+
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	14	38.6	372	7	18	34	53	65	67	67
35-49	14	15.9	136	5	7	12	19	32	44	47
50-64	24	22.7	239	6	8	19	29	51	58	58
65+	17	39.4	499	13	15	34	52	87	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1376	16.9	167	2	4	14	22	33	43	73
B. *Operated*	3	30.7	280	21	21	21	43	50	50	50
2. MULTIPLE DX										
A. *Not Operated*	866	19.4	219	3	5	16	25	40	53	90
B. *Operated*	70	28.3	392	7	8	24	45	59	67	99
1. SINGLE DX	1379	16.9	167	2	4	14	22	33	43	73
2. MULTIPLE DX	936	20.0	237	3	5	17	26	42	54	93
A. NOT OPERATED	2242	17.9	188	2	4	15	23	36	48	76
B. OPERATED	73	28.4	383	7	8	24	47	59	67	98
TOTAL 0-19 YRS	71	16.7	281	1	2	12	21	42	74	99+
20-34	742	17.0	178	2	3	15	22	32	43	70
35-49	644	16.8	158	3	4	14	22	33	42	67
50-64	541	17.7	166	3	5	15	23	35	46	67
65+	317	24.9	310	4	7	21	34	53	73	99+
GRAND TOTAL	**2315**	**18.2**	**198**	**2**	**4**	**15**	**24**	**37**	**50**	**77**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	14.7	234	1	1	11	20	33	45	83
20-34	416	12.9	131	1	2	10	18	27	35	77
35-49	237	14.1	138	2	3	11	19	29	41	75
50-64	222	17.0	153	2	4	15	22	33	38	73
65+	207	19.0	193	2	4	16	26	37	47	74
B. *Operated*										
0-19 YRS	2	17.5	365	4	4	17	31	31	31	31
20-34	3	7.3	36	1	1	8	12	13	13	13
35-49	4	10.3	85	3	3	7	17	23	23	23
50-64	2	22.5	41	18	18	22	27	27	27	27
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	15.8	280	1	1	11	22	39	51	79
20-34	298	15.3	178	1	3	12	20	34	45	89
35-49	231	15.8	124	2	4	14	21	31	39	76
50-64	245	18.0	205	3	4	14	23	36	47	71
65+	421	18.5	240	3	4	14	26	40	55	95
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	11	19.5	245	1	2	19	28	41	55	56
35-49	8	23.6	172	8	9	22	33	42	45	45
50-64	21	22.6	200	3	5	20	34	42	49	51
65+	39	31.6	606	6	8	22	52	71	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1194	15.2	162	1	2	12	21	31	40	75
B. *Operated*	12	12.3	105	1	2	9	20	28	31	31
2. MULTIPLE DX										
A. *Not Operated*	1264	17.0	201	2	4	13	23	37	47	79
B. *Operated*	80	26.4	421	3	6	21	35	62	71	99+
1. SINGLE DX	1206	15.1	161	1	2	12	21	31	39	75
2. MULTIPLE DX	1344	17.6	219	2	4	14	23	38	50	80
A. NOT OPERATED	2458	16.1	183	2	3	13	22	34	44	77
B. OPERATED	92	24.6	402	3	4	19	33	58	69	99+
TOTAL 0-19 YRS	184	15.1	250	1	1	11	20	36	45	78
20-34	728	14.0	153	1	2	11	19	30	39	78
35-49	480	15.1	133	2	3	13	21	31	40	72
50-64	490	17.8	181	3	4	15	23	36	45	72
65+	668	19.4	255	3	4	15	26	41	56	98
GRAND TOTAL	**2550**	**16.4**	**193**	**2**	**3**	**13**	**22**	**35**	**45**	**78**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	3.7	5	1	1	3	5	6	8	10
20-34	246	6.4	31	1	1	4	8	14	18	25
35-49	206	6.4	44	1	2	4	7	14	19	39
50-64	123	6.1	32	1	2	4	7	13	16	32
65+	40	6.4	44	<1	1	4	10	15	20	30
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	5.5	4	3	3	5	7	8	8	8
35-49	5	7.0	24	2	2	7	10	14	14	14
50-64	3	6.0	39	1	1	4	11	13	13	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	5.0	50	<1	1	3	5	9	15	46
20-34	370	7.4	55	1	1	5	9	17	25	35
35-49	397	6.8	40	1	2	5	8	14	19	27
50-64	392	6.7	40	1	2	5	8	13	18	33
65+	265	8.0	81	1	2	6	9	16	21	70
B. *Operated*										
0-19 YRS	3	3.3	10	1	1	4	53	99+	99+	99+
20-34	113	2.8	22	<1	1	2	2	4	9	27
35-49	81	5.7	50	1	1	2	7	15	22	33
50-64	28	13.8	145	2	2	9	22	37	38	41
65+	15	19.9	456	3	4	10	40	52	59	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	682	6.1	34	1	1	4	8	13	18	30
B. *Operated*	13	5.9	17	1	2	5	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	1512	7.0	52	1	2	5	8	14	20	35
B. *Operated*	240	6.2	94	1	1	2	6	15	28	53
1. SINGLE DX	695	6.1	34	1	1	4	8	13	18	30
2. MULTIPLE DX	1752	6.9	57	1	2	5	8	15	21	38
A. NOT OPERATED	2194	6.7	46	1	2	5	8	14	19	34
B. OPERATED	253	6.1	90	1	1	2	7	15	26	52
TOTAL 0-19 YRS	159	4.4	30	1	1	3	5	8	10	56
20-34	733	6.4	44	1	1	4	8	15	19	31
35-49	689	6.6	42	1	2	5	8	14	19	32
50-64	546	6.9	45	1	2	5	8	13	21	37
65+	320	8.4	99	1	2	6	10	17	23	66
GRAND TOTAL	**2447**	**6.7**	**51**	**1**	**1**	**5**	**8**	**14**	**20**	**36**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	226	13.7	263	1	1	8	16	34	54	98
20-34	1141	11.0	105	1	2	8	15	23	29	52
35-49	800	11.2	93	1	2	9	15	22	29	49
50-64	480	13.1	131	2	3	11	17	25	33	61
65+	258	16.7	129	2	4	15	23	31	39	83
B. *Operated*										
0-19 YRS										
20-34	9	21.3	202	2	4	20	35	41	41	41
35-49	3	23.0	604	5	5	13	41	51	51	51
50-64	1	11.0		11	11	11	11	11	11	11
65+	2	42.0	2312	8	8	42	76	76	76	76
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	219	15.6	308	1	2	10	21	46	68	99+
20-34	1098	12.2	122	1	3	9	15	26	33	59
35-49	973	12.3	111	2	3	10	16	24	33	57
50-64	785	13.6	106	3	4	11	19	26	33	59
65+	570	15.9	174	4	4	12	21	33	45	85
B. *Operated*										
0-19 YRS	7	13.6	90	1	2	19	22	77	99+	99+
20-34	86	17.3	186	2	3	14	24	34	43	72
35-49	64	17.5	114	5	7	14	21	33	42	52
50-64	61	21.4	166	7	8	20	29	42	60	99+
65+	39	22.3	179	6	7	22	28	42	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2905	12.1	123	1	2	9	16	25	33	60
B. *Operated*	15	23.7	430	3	5	18	38	51	70	76
2. MULTIPLE DX										
A. *Not Operated*	3645	13.3	137	2	3	10	18	27	37	71
B. *Operated*	257	19.0	162	4	6	16	26	38	49	99+
1. SINGLE DX	2920	12.2	125	1	2	9	16	25	33	60
2. MULTIPLE DX	3902	13.7	140	2	3	10	18	28	38	72
A. NOT OPERATED	6550	12.8	131	2	3	10	17	26	35	65
B. OPERATED	272	19.3	177	4	6	16	26	40	50	99+
TOTAL 0-19 YRS	452	14.6	282	1	2	9	18	41	61	99+
20-34	2334	11.8	118	1	2	9	15	25	33	57
35-49	1840	12.0	105	2	3	10	16	24	32	54
50-64	1327	13.8	120	2	3	11	19	27	34	61
65+	869	16.4	166	3	4	13	22	33	44	87
GRAND TOTAL	**6822**	**13.0**	**134**	**2**	**3**	**10**	**17**	**27**	**36**	**67**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	232	13.6	342	1	1	7	17	43	83	99+
20-34	478	10.3	152	1	1	6	13	27	35	77
35-49	191	10.4	107	1	2	8	14	21	28	74
50-64	92	10.2	104	1	2	6	14	24	32	51
65+	39	9.1	159	1	1	7	9	17	30	73
B. *Operated*										
0-19 YRS	4	4.8	18	2	2	3	7	11	11	11
20-34	21	7.0	68	<1	1	6	9	13	26	38
35-49	14	6.2	13	2	2	5	8	11	13	14
50-64	6	12.2	162	3	3	8	13	35	37	37
65+	10	4.8	10	1	1	4	8	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	262	15.2	356	1	2	9	20	43	85	99+
20-34	815	11.9	147	1	2	8	15	27	37	63
35-49	350	11.3	117	1	2	8	15	24	32	50
50-64	180	11.8	123	1	2	8	16	25	40	51
65+	122	11.2	120	2	3	8	15	22	30	61
B. *Operated*										
0-19 YRS	9	27.4	556	1	2	26	46	88	99+	99+
20-34	41	18.4	316	1	2	13	27	49	60	70
35-49	29	18.2	371	2	3	13	25	44	98	99+
50-64	29	14.6	224	4	4	9	16	36	60	60
65+	15	15.3	274	2	4	11	18	23	58	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1032	11.0	184	1	1	7	14	27	39	96
B. *Operated*	55	6.8	50	1	2	5	9	11	15	38
2. MULTIPLE DX										
A. *Not Operated*	1729	12.2	169	1	2	8	16	28	40	85
B. *Operated*	123	17.7	318	2	3	12	24	47	68	99+
1. SINGLE DX	1087	10.8	178	1	1	7	14	27	38	95
2. MULTIPLE DX	1852	12.6	181	1	2	8	16	29	42	86
A. NOT OPERATED	2761	11.8	175	1	2	7	15	28	40	87
B. OPERATED	178	14.4	260	1	2	9	18	36	56	99
TOTAL 0-19 YRS	507	14.6	353	1	2	8	19	45	85	99+
20-34	1355	11.4	155	1	1	7	14	27	37	65
35-49	584	11.3	126	1	2	8	15	24	32	69
50-64	307	11.6	127	1	2	8	16	25	37	57
65+	186	10.8	137	1	2	7	14	21	29	67
GRAND TOTAL	**2939**	**11.9**	**180**	**1**	**2**	**8**	**15**	**28**	**41**	**88**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153	2.9	12	<1	<1	1	3	7	11	19
20-34	1425	6.2	16	1	2	6	7	10	14	22
35-49	2049	6.5	25	1	2	6	7	10	14	24
50-64	1001	6.5	23	1	2	6	7	12	14	25
65+	217	7.2	31	1	2	6	8	13	16	30
B. *Operated*										
0-19 YRS										
20-34	9	12.4	302	4	4	7	10	40	58	58
35-49	17	8.7	15	4	5	8	11	15	15	15
50-64	6	19.3	589	1	1	10	21	62	67	67
65+	2	10.5	5	9	9	10	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	195	7.9	83	<1	1	5	11	21	23	48
20-34	2796	8.6	48	2	3	7	10	17	22	35
35-49	4580	8.9	51	2	3	7	10	18	22	34
50-64	3252	9.5	55	2	3	7	12	21	23	38
65+	920	11.0	88	2	4	8	14	21	27	55
B. *Operated*										
0-19 YRS	5	12.2	70	<1	<1	10	20	21	21	21
20-34	144	13.3	73	2	5	11	18	24	26	43
35-49	231	15.4	166	4	5	12	19	29	42	79
50-64	227	16.3	128	5	6	13	21	28	42	57
65+	91	19.1	143	6	8	17	25	33	42	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4845	6.3	22	1	2	6	7	10	14	24
B. *Operated*	34	11.7	185	4	4	8	12	16	51	67
2. MULTIPLE DX										
A. *Not Operated*	11743	9.1	55	2	3	7	11	20	23	37
B. *Operated*	698	15.7	133	4	6	13	20	28	39	65
1. SINGLE DX	4879	6.3	23	1	2	6	7	10	14	25
2. MULTIPLE DX	12441	9.5	62	2	3	7	11	20	24	42
A. NOT OPERATED	16588	8.3	47	2	3	7	10	16	21	34
B. OPERATED	732	15.5	136	4	5	13	20	28	39	67
TOTAL 0-19 YRS	353	5.8	58	<1	<1	2	7	16	21	34
20-34	4374	8.0	41	1	2	7	9	15	21	33
35-49	6877	8.4	50	2	3	7	9	16	21	34
50-64	4486	9.2	56	2	3	7	11	20	23	41
65+	1230	11.0	89	2	3	8	14	21	28	55
GRAND TOTAL	**17320**	**8.6**	**53**	**2**	**3**	**7**	**10**	**18**	**22**	**37**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	12.8	20	5	6	13	15	18	20	20
20-34	184	11.1	32	2	4	11	15	19	20	26
35-49	32	13.5	27	7	7	12	18	20	21	25
50-64	6	13.8	20	9	9	13	14	21	22	22
65+	1	24.0		24	24	24	24	24	24	24
B. *Operated*										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	1	13.0		13	13	13	13	13	13	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	15.7	508	3	3	6	18	44	78	81
20-34	1279	12.4	22	4	7	13	15	17	20	23
35-49	592	13.1	18	7	8	13	16	18	20	23
50-64	81	14.0	46	8	9	13	17	20	20	52
65+	9	11.3	46	1	2	13	17	19	20	20
B. *Operated*										
0-19 YRS	2	12.5	41	8	8	12	17	17	17	17
20-34	134	14.1	15	7	9	14	17	19	20	23
35-49	40	14.8	48	8	9	14	17	19	28	45
50-64	2	17.0	72	11	11	17	23	23	23	23
65+	1	20.0		20	20	20	20	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	11.6	31	2	4	12	15	20	21	25
B. *Operated*	2	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	1972	12.7	25	5	7	13	15	18	20	23
B. *Operated*	179	14.3	23	7	9	14	17	19	20	33
1. SINGLE DX	235	11.7	31	2	4	12	15	20	21	25
2. MULTIPLE DX	2151	12.8	25	5	7	13	16	18	20	24
A. NOT OPERATED	2205	12.6	25	4	7	13	15	18	20	24
B. OPERATED	181	14.3	23	8	9	14	17	19	20	33
TOTAL 0-19 YRS	23	14.2	243	3	4	12	17	20	41	81
20-34	1598	12.4	23	4	6	13	15	18	20	24
35-49	665	13.3	20	7	8	13	16	18	20	25
50-64	89	14.0	44	8	9	13	17	20	22	49
65+	11	13.3	56	1	2	14	19	22	24	24
GRAND TOTAL	**2386**	**12.7**	**25**	**5**	**7**	**13**	**15**	**18**	**20**	**25**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	8.3	42	3	3	7	9	20	22	22
20-34	96	9.4	78	<1	1	8	13	17	18	55
35-49	21	10.5	62	2	3	8	14	23	28	31
50-64	9	11.4	58	1	1	14	16	21	23	23
65+	3	11.0	19	8	8	9	14	16	16	16
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	10.4	85	1	2	7	16	22	29	37
20-34	342	13.3	53	2	3	14	19	23	24	36
35-49	136	14.3	75	1	4	14	19	23	27	51
50-64	19	16.2	96	3	5	15	18	31	40	42
65+	10	13.3	125	1	2	8	21	31	33	33
B. *Operated*										
0-19 YRS	1	35.0		35	35	35	35	35	35	35
20-34	24	16.3	66	6	8	15	19	26	32	44
35-49	5	14.0	33	10	10	12	16	24	24	24
50-64	3	30.3	422	17	17	20	45	54	54	54
65+	1	24.0		24	24	24	24	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	9.7	69	1	1	8	14	18	21	44
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	537	13.5	64	2	3	13	19	23	25	40
B. *Operated*	34	18.0	104	7	9	15	20	28	42	54
1. SINGLE DX	140	9.7	69	1	1	8	14	18	21	44
2. MULTIPLE DX	571	13.7	67	2	3	14	19	23	26	42
A. NOT OPERATED	677	12.7	67	1	3	13	18	22	25	41
B. OPERATED	34	18.0	104	7	9	15	20	28	42	54
TOTAL 0-19 YRS	42	10.4	86	1	2	7	16	22	31	37
20-34	462	12.6	62	2	3	13	18	22	24	41
35-49	162	13.8	73	1	4	13	19	23	27	48
50-64	31	16.2	128	1	3	15	19	29	42	54
65+	14	13.6	99	1	3	9	21	30	32	33
GRAND TOTAL	**711**	**12.9**	**70**	**1**	**3**	**13**	**18**	**23**	**25**	**42**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	265	1.5	1	<1	<1	1	2	3	3	6
20-34	89	2.2	5	<1	<1	1	2	5	7	12
35-49	31	3.4	11	<1	<1	2	6	8	11	14
50-64	27	2.3	3	<1	<1	2	3	5	6	6
65+	12	3.9	9	<1	<1	3	6	8	11	11
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	3.3	29	<1	<1	2	3	7	12	28
20-34	175	4.5	25	<1	<1	3	7	9	12	30
35-49	139	5.4	22	<1	1	4	8	9	11	28
50-64	101	6.1	43	1	1	4	8	14	18	37
65+	54	7.6	84	1	1	5	9	14	29	51
B. *Operated*										
0-19 YRS	11	2.0	3	<1	<1	1	3	5	5	5
20-34	7	3.0	9	<1	<1	2	4	8	9	9
35-49	6	6.7	31	1	1	6	9	15	16	16
50-64	6	11.7	19	5	5	13	15	16	16	16
65+	2	13.5	145	5	5	13	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	424	1.9	3	<1	<1	1	2	4	6	11
B. *Operated*	2	2.0	2	<1	<1	1	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	611	5.0	35	<1	1	3	7	10	14	32
B. *Operated*	32	5.6	33	<1	1	3	8	15	16	22
1. SINGLE DX	426	1.9	3	<1	<1	1	2	4	6	11
2. MULTIPLE DX	643	5.0	35	<1	1	3	7	10	15	31
A. NOT OPERATED	1035	3.7	24	<1	<1	2	5	8	11	27
B. OPERATED	34	5.4	32	<1	1	3	8	15	16	22
TOTAL 0-19 YRS	419	2.1	11	<1	<1	1	2	4	6	18
20-34	272	3.7	19	<1	<1	2	5	8	10	19
35-49	176	5.1	21	<1	1	4	8	9	11	27
50-64	134	5.6	38	1	1	4	8	14	17	27
65+	68	7.1	73	1	1	5	8	14	27	49
GRAND TOTAL	**1069**	**3.8**	**25**	**<1**	**<1**	**2**	**5**	**8**	**11**	**27**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	6.1	48	1	1	2	10	14	22	29
20-34	31	6.2	26	1	1	5	10	13	13	22
35-49	8	7.1	32	<1	1	5	10	16	18	18
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	6.5	48	<1	1	3	11	18	20	27
20-34	174	9.0	49	2	3	7	10	21	26	39
35-49	48	11.3	80	2	2	9	16	23	26	40
50-64	15	8.9	50	1	1	10	11	14	25	29
65+	14	9.3	100	2	3	6	10	17	36	42
B. *Operated*										
0-19 YRS										
20-34	3	15.3	121	4	4	16	23	26	26	26
35-49	2	11.5	5	10	10	11	13	13	13	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	6.3	35	1	1	4	10	13	19	28
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	301	8.9	57	1	2	7	11	21	25	40
B. *Operated*	5	13.8	66	4	4	13	18	26	26	26
1. SINGLE DX	67	6.3	34	1	1	4	10	13	18	28
2. MULTIPLE DX	306	9.0	57	1	2	7	12	21	25	40
A. NOT OPERATED	367	8.5	54	1	2	6	11	19	24	39
B. OPERATED	6	12.8	59	4	4	11	16	25	26	26
TOTAL 0-19 YRS	77	6.4	47	<1	1	3	10	17	20	28
20-34	208	8.7	47	2	2	7	11	19	25	36
35-49	58	10.7	72	1	2	9	14	23	25	40
50-64	15	8.9	50	1	1	10	11	14	25	29
65+	15	9.2	93	2	3	6	10	14	35	42
GRAND TOTAL	**373**	**8.5**	**54**	**1**	**2**	**6**	**11**	**19**	**24**	**39**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	4.6	9	1	1	4	5	9	11	14
20-34	78	5.4	21	1	1	4	7	11	15	23
35-49	76	5.3	26	<1	1	4	6	12	17	25
50-64	51	4.7	14	1	1	3	6	10	13	17
65+	24	6.1	22	1	2	5	8	12	16	20
B. *Operated*										
0-19 YRS	6	8.7	76	2	2	5	14	23	24	24
20-34	9	7.8	31	1	1	7	11	16	16	16
35-49	3	8.7	34	2	2	11	12	13	13	13
50-64	8	3.3	4	1	1	3	4	6	7	7
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	5.6	33	1	1	4	7	12	14	37
20-34	153	5.4	28	1	1	4	7	11	13	33
35-49	145	6.1	34	1	2	4	7	12	15	32
50-64	158	6.5	21	2	2	5	8	12	14	26
65+	182	7.4	29	2	3	6	10	13	17	30
B. *Operated*										
0-19 YRS	8	11.9	66	5	6	8	15	26	28	28
20-34	13	6.7	22	1	2	6	9	14	16	17
35-49	13	8.2	13	2	2	9	10	13	15	15
50-64	27	10.7	67	3	3	7	14	22	29	34
65+	20	12.5	61	1	3	10	18	23	28	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	5.1	18	1	1	4	6	10	14	21
B. *Operated*	28	6.4	33	1	2	4	9	15	17	24
2. MULTIPLE DX										
A. *Not Operated*	708	6.3	29	1	2	5	8	12	14	31
B. *Operated*	81	10.2	52	2	3	9	13	20	27	33
1. SINGLE DX	339	5.2	19	1	1	4	6	11	15	22
2. MULTIPLE DX	789	6.7	32	1	2	5	9	13	17	32
A. NOT OPERATED	1019	6.0	26	1	2	5	7	12	14	26
B. OPERATED	109	9.2	49	2	2	7	12	19	24	32
TOTAL 0-19 YRS	166	5.5	26	1	2	4	7	11	14	27
20-34	253	5.6	25	1	1	4	7	11	15	24
35-49	237	6.0	30	1	2	4	7	12	16	28
50-64	244	6.5	26	1	2	5	8	13	16	28
65+	228	7.7	33	2	2	6	10	14	19	30
GRAND TOTAL	**1128**	**6.3**	**29**	**1**	**2**	**5**	**8**	**12**	**16**	**28**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	520	13.7	233	1	1	8	19	36	56	99+
20-34	352	6.8	62	<1	1	4	9	15	20	38
35-49	202	7.5	63	<1	1	5	9	17	23	37
50-64	72	8.7	146	<1	1	6	11	17	21	79
65+	39	10.2	55	1	1	10	15	18	26	33
B. *Operated*										
0-19 YRS	4	28.5	1820	1	1	10	53	92	92	92
20-34	18	1.9	7	1	1	1	2	2	8	12
35-49	8	1.4	1	1	1	1	2	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	302	15.1	300	1	2	9	20	45	71	99+
20-34	397	8.7	64	1	2	6	12	19	25	36
35-49	243	8.6	60	1	2	6	12	19	24	38
50-64	133	9.7	79	1	1	6	13	24	28	36
65+	105	10.0	65	1	2	8	13	21	28	99+
B. *Operated*										
0-19 YRS	13	24.5	505	1	1	25	40	61	63	63
20-34	42	7.4	98	<1	1	2	10	24	31	39
35-49	20	5.1	48	1	1	2	6	16	23	26
50-64	6	18.8	48	12	12	18	23	28	29	29
65+	4	28.3	213	9	9	31	39	41	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1185	10.2	152	1	1	6	13	25	36	83
B. *Operated*	32	5.8	270	1	1	1	2	13	22	92
2. MULTIPLE DX										
A. *Not Operated*	1180	10.6	132	1	2	7	14	24	34	96
B. *Operated*	85	11.2	203	1	1	3	16	32	40	62
1. SINGLE DX	1217	10.1	155	1	1	6	13	25	36	86
2. MULTIPLE DX	1265	10.6	137	1	1	7	14	25	36	91
A. NOT OPERATED	2365	10.4	142	1	1	7	14	25	35	89
B. OPERATED	117	9.8	225	1	1	2	12	29	39	73
TOTAL 0-19 YRS	839	14.4	269	1	2	8	20	41	60	99+
20-34	809	7.7	65	1	1	5	10	17	23	37
35-49	473	7.9	61	1	1	5	11	17	24	37
50-64	212	9.6	102	1	1	6	13	22	28	38
65+	149	10.6	74	1	2	9	14	22	29	99
GRAND TOTAL	**2482**	**10.3**	**146**	**1**	**1**	**6**	**14**	**25**	**36**	**89**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	333	16.6	398	1	2	8	25	50	79	99+
20-34	379	9.5	109	1	2	6	13	22	31	59
35-49	247	8.8	87	1	1	6	11	19	25	38
50-64	171	12.6	176	2	3	8	16	27	34	80
65+	124	15.6	133	1	3	14	22	32	40	45
B. *Operated*										
0-19 YRS	11	12.6	641	<1	<1	3	6	51	82	85
20-34	4	9.3	46	2	2	9	15	16	16	16
35-49	4	7.5	42	2	2	6	12	16	16	16
50-64	4	11.8	166	4	4	6	19	31	31	31
65+	1	22.0		22	22	22	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	343	16.0	363	1	2	9	24	48	81	99+
20-34	566	10.3	92	1	2	7	14	23	32	82
35-49	414	10.2	82	2	2	7	13	23	29	44
50-64	382	11.9	144	2	3	8	15	25	32	66
65+	422	14.4	158	3	3	11	19	31	44	99+
B. *Operated*										
0-19 YRS	17	33.2	870	4	5	18	53	83	91	93
20-34	33	18.9	407	1	3	13	22	53	65	90
35-49	41	16.9	325	2	3	11	19	37	53	91
50-64	38	20.2	334	4	5	14	25	53	76	99+
65+	42	24.4	304	7	9	19	34	63	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1254	12.3	203	1	2	7	16	30	41	89
B. *Operated*	24	11.5	321	1	1	5	15	29	47	85
2. MULTIPLE DX										
A. *Not Operated*	2127	12.3	161	2	3	8	16	28	38	98
B. *Operated*	171	21.5	404	3	5	15	27	57	72	99+
1. SINGLE DX	1278	12.3	205	1	2	7	16	30	41	89
2. MULTIPLE DX	2298	13.0	185	2	3	8	17	29	42	99+
A. NOT OPERATED	3381	12.3	176	1	2	8	16	29	40	94
B. OPERATED	195	20.3	403	2	4	14	26	55	71	99+
TOTAL 0-19 YRS	704	16.7	400	1	2	8	24	50	82	99+
20-34	982	10.3	111	1	2	7	14	23	33	67
35-49	706	10.1	100	1	2	7	13	22	29	47
50-64	595	12.6	168	2	3	8	16	27	34	79
65+	589	15.3	169	3	3	12	21	34	44	99+
GRAND TOTAL	**3576**	**12.7**	**192**	**1**	**2**	**8**	**17**	**29**	**41**	**95**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	11.6	248	<1	<1	4	21	37	41	42
20-34	17	9.1	106	<1	1	3	12	28	34	36
35-49	6	5.3	15	<1	<1	4	9	11	11	11
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	17.1	398	1	2	9	23	60	69	98
20-34	79	17.4	288	2	3	10	25	49	71	99+
35-49	21	15.4	208	5	6	11	19	28	47	70
50-64	11	8.5	43	1	2	8	11	17	24	25
65+	1	24.0		24	24	24	24	24	24	24
B. *Operated*										
0-19 YRS	6	11.0	238	2	2	4	14	38	41	41
20-34	4	34.0	1355	2	2	23	56	87	87	87
35-49	1	20.0		20	20	20	20	20	20	20
50-64	1	61.0		61	61	61	61	61	61	61
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	9.1	131	<1	<1	4	10	34	36	42
B. *Operated*	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	177	16.5	303	2	3	10	23	46	69	99+
B. *Operated*	12	23.6	732	2	2	17	33	69	84	87
1. SINGLE DX	39	8.7	126	<1	<1	3	10	33	36	42
2. MULTIPLE DX	189	17.0	330	2	2	10	23	49	70	99+
A. NOT OPERATED	214	15.2	281	1	2	9	22	36	65	99+
B. OPERATED	14	20.6	678	2	2	9	26	64	82	87
TOTAL 0-19 YRS	83	15.9	364	<1	1	8	23	43	67	96
20-34	101	16.5	307	2	2	10	24	45	71	99+
35-49	29	13.0	173	2	3	9	16	25	31	70
50-64	13	12.6	247	1	2	9	11	32	56	61
65+	2	13.0	242	2	2	13	24	24	24	24
GRAND TOTAL	**228**	**15.6**	**304**	**1**	**2**	**9**	**22**	**40**	**66**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	273	11.8	47	2	3	12	15	18	23	42
20-34	57	7.2	38	2	2	6	9	14	18	39
35-49	52	9.8	74	1	2	8	14	18	26	46
50-64	33	11.5	164	2	2	7	11	30	46	53
65+	14	16.4	111	6	6	16	18	24	43	49
B. *Operated*										
0-19 YRS	34	16.2	112	3	8	14	18	24	54	99+
20-34	29	8.1	45	2	2	6	12	18	20	28
35-49	38	12.1	168	2	2	7	16	28	43	57
50-64	31	16.7	400	2	3	11	19	29	79	90
65+	8	18.9	105	4	6	17	27	33	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	172	13.0	48	2	5	13	16	21	29	86
20-34	57	12.0	106	2	3	11	15	21	30	53
35-49	54	12.5	85	2	3	11	16	24	34	42
50-64	57	15.3	159	2	3	14	17	30	46	60
65+	43	21.4	167	3	8	20	31	38	46	60
B. *Operated*										
0-19 YRS	48	17.5	151	2	5	14	21	36	42	57
20-34	34	17.2	250	2	2	13	23	33	49	78
35-49	41	21.1	303	3	6	16	32	60	86	99+
50-64	43	28.8	480	3	4	25	41	67	83	99+
65+	39	30.0	445	3	6	26	40	61	75	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	11.1	63	2	2	11	14	18	24	48
B. *Operated*	140	13.7	184	2	2	11	18	25	42	91
2. MULTIPLE DX										
A. *Not Operated*	383	14.1	98	2	4	13	17	27	35	59
B. *Operated*	205	22.9	346	2	4	18	32	51	73	99+
1. SINGLE DX	569	11.7	94	2	2	11	15	20	28	55
2. MULTIPLE DX	588	17.2	202	2	4	13	21	36	50	88
A. NOT OPERATED	812	12.5	82	2	3	12	16	22	31	51
B. OPERATED	345	19.2	300	2	3	14	24	43	58	99+
TOTAL 0-19 YRS	527	13.0	64	2	3	12	16	21	29	56
20-34	177	10.8	114	2	2	7	14	21	31	53
35-49	185	13.6	162	2	2	10	18	32	42	92
50-64	164	18.3	326	2	3	13	24	45	58	90
65+	104	23.8	280	4	6	20	32	47	58	83
GRAND TOTAL	**1157**	**14.5**	**156**	**2**	**3**	**12**	**17**	**30**	**41**	**81**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	15.8	115	2	2	21	23	27	27	27
35-49	6	12.3	28	5	5	13	15	19	20	20
50-64	79	11.8	81	3	4	10	14	22	30	52
65+	162	12.6	91	3	4	10	16	22	28	50
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	14.3	10	10	10	15	16	17	17	17
50-64	12	18.1	102	6	9	15	23	34	41	42
65+	8	14.9	48	7	7	15	20	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.3	50	2	2	7	14	16	16	16
20-34	11	8.9	57	1	2	7	12	20	26	27
35-49	20	11.1	63	3	3	10	16	23	27	29
50-64	155	14.5	123	4	5	11	19	28	36	58
65+	849	16.5	200	4	5	13	20	35	52	99+
B. *Operated*										
0-19 YRS	2	44.5	3785	1	1	44	88	88	88	88
20-34	2	15.0	98	8	8	15	22	22	22	22
35-49	2	31.5	925	10	10	31	53	53	53	53
50-64	34	19.2	134	5	6	18	27	48	99+	99+
65+	149	23.1	298	6	8	18	29	49	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	252	12.4	86	3	4	10	15	22	28	52
B. *Operated*	25	15.8	74	5	7	14	19	25	33	42
2. MULTIPLE DX										
A. *Not Operated*	1038	16.0	185	4	5	12	20	34	46	99+
B. *Operated*	189	22.6	293	5	8	18	29	49	85	99+
1. SINGLE DX	277	12.7	86	3	4	11	16	23	29	52
2. MULTIPLE DX	1227	17.0	207	4	5	13	21	36	52	99+
A. NOT OPERATED	1290	15.3	168	4	5	12	19	31	42	97
B. OPERATED	214	21.8	272	6	7	17	28	48	80	99+
TOTAL 0-19 YRS	5	22.8	1364	1	1	7	34	88	88	88
20-34	19	10.9	79	1	1	8	20	25	27	27
35-49	32	13.0	99	3	4	11	16	22	29	53
50-64	280	14.5	116	4	5	12	18	30	40	93
65+	1168	16.8	203	4	5	13	21	35	52	99+
GRAND TOTAL	**1504**	**16.2**	**187**	**4**	**5**	**13**	**20**	**34**	**48**	**99+**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	9.0	77	1	1	6	17	22	22	22
20-34	178	9.6	75	1	2	8	12	18	24	49
35-49	170	11.6	129	1	2	9	15	23	31	69
50-64	67	12.5	155	1	3	11	14	20	29	78
65+	9	10.2	67	1	1	8	17	20	22	22
B. *Operated*										
0-19 YRS	2	16.0	128	8	8	16	24	24	24	24
20-34	39	9.2	101	2	2	7	11	20	27	56
35-49	36	9.7	94	1	2	6	14	22	27	46
50-64	17	12.6	74	1	2	10	17	24	31	35
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	10.7	45	4	4	9	16	20	21	21
20-34	120	11.8	107	2	3	9	15	25	32	80
35-49	203	12.9	116	3	4	10	17	24	32	99+
50-64	179	15.2	155	3	4	14	19	31	56	99+
65+	41	10.1	36	1	3	10	12	18	22	26
B. *Operated*										
0-19 YRS										
20-34	37	20.2	408	2	3	16	29	86	99+	99+
35-49	72	17.8	229	3	4	14	27	75	99+	99+
50-64	90	20.2	327	2	3	15	27	46	76	99+
65+	13	26.7	380	4	8	22	41	74	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	432	10.8	109	1	2	9	14	21	27	63
B. *Operated*	94	10.1	93	2	2	7	14	22	27	52
2. MULTIPLE DX										
A. *Not Operated*	549	13.2	122	2	4	11	17	25	36	99+
B. *Operated*	212	19.8	311	3	3	16	27	57	99+	99+
1. SINGLE DX	526	10.7	106	1	2	8	14	21	27	59
2. MULTIPLE DX	761	15.0	183	2	4	12	20	34	59	99+
A. NOT OPERATED	981	12.1	118	2	3	10	16	23	32	99
B. OPERATED	306	16.8	263	2	3	13	24	47	84	99+
TOTAL 0-19 YRS	16	10.5	65	1	2	8	18	22	23	24
20-34	374	11.3	129	2	2	8	14	24	36	97
35-49	481	12.9	140	2	3	10	17	27	47	99+
50-64	353	15.8	202	2	4	13	20	34	56	99+
65+	63	13.5	151	2	3	10	18	26	45	96
GRAND TOTAL	**1287**	**13.2**	**156**	**2**	**3**	**10**	**17**	**27**	**45**	**99+**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	381	4.1	11	1	1	3	5	8	10	18
20-34	296	5.2	68	1	1	4	6	9	13	91
35-49	141	5.0	19	1	1	4	6	10	12	22
50-64	116	5.1	13	1	1	4	7	11	13	45
65+	71	6.6	31	1	1	6	9	13	17	32
B. *Operated*										
0-19 YRS	4	3.8	8	2	2	3	5	8	8	8
20-34	9	7.4	92	1	1	4	8	22	32	32
35-49	9	6.3	62	1	1	3	6	20	25	25
50-64	7	6.6	39	2	2	3	13	16	16	16
65+	2	7.5	1	7	7	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	373	5.8	68	1	1	4	6	10	19	56
20-34	398	6.5	36	1	2	5	9	14	17	40
35-49	333	7.7	73	1	2	5	9	15	21	40
50-64	401	8.5	55	2	2	7	10	18	24	39
65+	445	10.6	97	2	3	8	13	21	29	67
B. *Operated*										
0-19 YRS	28	11.0	269	2	2	6	11	22	43	84
20-34	45	13.7	304	2	2	7	17	48	92	99+
35-49	48	11.0	67	2	3	9	14	24	36	99+
50-64	50	20.1	353	2	4	13	28	61	85	99+
65+	41	14.9	90	3	5	14	19	31	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1005	4.8	31	1	1	4	6	9	12	30
B. *Operated*	31	6.5	51	1	2	3	8	15	25	32
2. MULTIPLE DX										
A. *Not Operated*	1950	7.9	69	1	2	6	10	16	22	51
B. *Operated*	212	14.4	224	2	3	10	18	39	61	99+
1. SINGLE DX	1036	4.9	32	1	1	4	6	9	13	32
2. MULTIPLE DX	2162	8.6	88	1	2	6	10	18	25	67
A. NOT OPERATED	2955	6.9	58	1	1	5	8	14	19	49
B. OPERATED	243	13.4	209	2	2	9	17	36	54	99+
TOTAL 0-19 YRS	786	5.1	49	1	1	3	6	9	14	44
20-34	748	6.5	69	1	1	4	8	13	18	91
35-49	531	7.2	61	1	1	5	9	14	20	37
50-64	574	8.8	86	1	2	6	11	18	27	65
65+	559	10.4	91	2	3	8	13	21	29	65
GRAND TOTAL	**3198**	**7.4**	**73**	**1**	**2**	**5**	**9**	**15**	**21**	**62**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	234	5.1	27	<1	<1	4	7	10	15	27
20-34	263	6.8	57	1	1	4	8	15	20	46
35-49	192	7.5	60	2	2	5	9	15	20	58
50-64	208	9.3	106	1	2	6	11	18	27	70
65+	243	11.5	118	2	3	8	15	28	35	71
B. *Operated*										
0-19 YRS	189	8.7	101	1	1	5	9	24	30	48
20-34	185	9.5	85	1	2	7	12	23	30	39
35-49	186	8.9	78	1	2	6	11	20	29	54
50-64	202	9.1	87	2	2	6	11	20	29	48
65+	172	14.7	254	2	3	10	18	31	46	90
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	293	7.0	67	1	1	4	8	17	27	81
20-34	281	8.4	71	1	2	6	10	17	25	55
35-49	259	11.6	138	2	3	8	15	23	35	90
50-64	648	13.9	164	3	4	10	17	31	43	99+
65+	1515	15.0	166	3	4	12	19	31	44	99+
B. *Operated*										
0-19 YRS	228	11.0	168	2	2	6	14	27	49	99+
20-34	224	16.6	258	2	2	12	21	46	61	99+
35-49	286	14.8	215	2	3	10	21	38	56	99+
50-64	463	17.0	266	2	3	12	25	44	65	99+
65+	664	21.3	273	3	5	17	30	45	56	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1140	8.0	78	1	1	5	10	17	25	55
B. *Operated*	934	10.1	123	1	2	6	13	24	32	60
2. MULTIPLE DX										
A. *Not Operated*	2996	13.1	152	2	3	10	16	28	40	99
B. *Operated*	1865	17.4	259	2	3	12	24	43	58	99+
1. SINGLE DX	2074	9.0	99	1	2	6	11	20	29	58
2. MULTIPLE DX	4861	14.7	197	2	3	11	19	34	48	99+
A. NOT OPERATED	4136	11.7	137	2	2	8	15	25	36	89
B. OPERATED	2799	15.0	225	2	2	10	20	37	50	99+
TOTAL 0-19 YRS	944	7.8	93	1	1	5	9	18	28	65
20-34	953	10.1	127	1	2	6	12	23	33	80
35-49	923	11.2	141	2	2	7	14	26	39	99+
50-64	1521	13.6	185	2	3	9	17	32	46	99+
65+	2594	16.3	204	3	4	12	21	36	48	99
GRAND TOTAL	**6935**	**13.0**	**175**	**2**	**2**	**9**	**17**	**30**	**44**	**99**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	3.4	6	1	1	3	4	6	7	14
20-34	332	4.2	8	1	1	3	5	8	10	13
35-49	193	5.1	20	1	2	4	6	10	13	27
50-64	70	4.1	7	<1	1	3	6	9	10	81
65+	11	4.5	7	2	2	4	6	9	11	11
B. *Operated*										
0-19 YRS	5	5.4	25	2	2	4	7	14	14	14
20-34	20	6.8	20	2	2	5	10	13	15	17
35-49	20	5.9	16	1	2	5	8	11	14	17
50-64	8	3.1	3	2	2	2	4	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	4.1	5	2	2	3	5	7	8	12
20-34	262	5.6	25	1	2	5	7	9	13	22
35-49	203	6.3	17	2	2	5	8	12	14	22
50-64	156	5.7	12	1	3	5	7	10	12	20
65+	48	6.5	13	1	2	6	10	12	13	15
B. *Operated*										
0-19 YRS	3	11.3	86	5	5	7	18	22	22	22
20-34	28	8.0	36	2	2	7	11	18	20	22
35-49	30	10.5	180	3	4	7	11	16	19	78
50-64	16	7.8	14	2	3	8	10	13	14	15
65+	4	8.0	45	2	2	7	13	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	781	4.2	11	1	1	3	5	8	10	17
B. *Operated*	53	5.8	17	2	2	4	7	12	14	17
2. MULTIPLE DX										
A. *Not Operated*	756	5.7	18	1	2	5	7	10	13	21
B. *Operated*	81	9.0	86	2	3	7	11	16	19	61
1. SINGLE DX	834	4.3	11	1	1	3	5	8	11	17
2. MULTIPLE DX	837	6.0	25	1	2	5	7	11	14	22
A. NOT OPERATED	1537	4.9	15	1	2	4	6	9	11	20
B. OPERATED	134	7.7	61	2	2	6	10	14	18	31
TOTAL 0-19 YRS	270	3.7	7	1	1	3	5	7	8	15
20-34	642	5.0	17	1	2	4	6	9	11	19
35-49	446	6.0	31	1	2	5	8	11	14	25
50-64	250	5.3	12	1	2	5	7	10	11	20
65+	63	6.3	14	1	2	5	10	12	13	16
GRAND TOTAL	**1671**	**5.2**	**19**	**1**	**2**	**4**	**6**	**10**	**12**	**20**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.0	6	3	3	4	6	9	9	9
35-49	22	3.5	7	<1	1	3	4	6	10	12
50-64	14	2.6	5	1	1	2	4	5	8	9
65+	10	3.3	4	1	1	3	4	6	8	8
B. *Operated*										
0-19 YRS	20	4.0	28	<1	1	3	4	5	16	26
20-34	489	2.4	2	<1	<1	2	3	4	5	9
35-49	847	2.4	3	<1	<1	2	3	4	4	9
50-64	1118	2.5	2	<1	1	2	3	4	5	9
65+	562	3.0	19	<1	1	2	3	4	5	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	7	4.4	2	3	3	4	6	6	6	6
35-49	15	4.3	16	<1	<1	2	6	10	14	15
50-64	27	5.3	18	1	1	4	7	11	16	18
65+	24	7.8	42	1	1	6	10	17	24	25
B. *Operated*										
0-19 YRS	16	3.1	5	1	1	3	4	6	9	10
20-34	121	3.0	13	<1	<1	2	3	5	6	20
35-49	302	3.9	16	<1	1	3	4	7	12	24
50-64	519	3.7	8	1	2	3	4	7	10	16
65+	372	4.4	26	1	2	3	4	8	13	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.4	6	1	1	3	4	6	9	12
B. *Operated*	3036	2.6	6	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	74	5.8	25	1	1	5	7	13	16	25
B. *Operated*	1330	3.9	16	1	2	3	4	7	11	21
1. SINGLE DX	3087	2.6	6	<1	1	2	3	4	5	10
2. MULTIPLE DX	1404	4.0	16	1	2	3	4	7	11	22
A. NOT OPERATED	125	4.8	18	1	1	4	6	9	14	23
B. OPERATED	4366	3.0	9	<1	1	2	3	5	6	14
TOTAL 0-19 YRS	37	3.6	17	1	1	3	4	5	9	26
20-34	622	2.5	5	<1	<1	2	3	4	5	10
35-49	1186	2.8	7	<1	1	2	3	4	6	15
50-64	1678	2.9	5	<1	1	2	3	5	7	13
65+	968	3.6	23	1	1	3	4	6	9	23
GRAND TOTAL	**4491**	**3.0**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	8.4	61	1	2	6	12	17	21	43
20-34	176	7.6	92	1	2	5	8	16	24	53
35-49	201	6.5	33	1	2	5	8	13	19	30
50-64	192	8.1	56	1	2	6	11	16	21	40
65+	135	8.0	55	2	2	6	10	17	24	60
B. *Operated*										
0-19 YRS	102	3.8	11	1	2	3	4	6	9	22
20-34	491	4.4	21	1	2	3	5	8	10	24
35-49	527	5.0	28	1	2	3	6	10	14	32
50-64	553	4.8	24	1	2	3	5	10	14	25
65+	205	6.2	44	2	2	4	8	13	18	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	6.1	29	<1	2	5	7	9	17	30
20-34	158	9.4	161	1	2	6	10	17	31	95
35-49	272	9.0	69	2	2	7	10	18	24	49
50-64	498	9.8	81	2	3	7	12	19	26	53
65+	582	11.8	111	3	3	9	14	25	31	70
B. *Operated*										
0-19 YRS	57	7.1	212	1	2	3	5	15	21	88
20-34	205	7.4	106	1	2	4	8	15	22	62
35-49	275	8.0	88	2	2	5	9	19	28	69
50-64	445	9.8	159	2	2	5	11	23	39	75
65+	303	12.0	154	2	3	8	15	28	36	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	767	7.6	58	1	2	5	9	16	21	43
B. *Operated*	1878	4.9	26	1	2	3	5	10	14	28
2. MULTIPLE DX										
A. *Not Operated*	1546	10.3	99	2	3	8	13	22	28	66
B. *Operated*	1285	9.5	139	2	2	5	11	22	32	73
1. SINGLE DX	2645	5.6	37	1	2	4	7	12	17	32
2. MULTIPLE DX	2831	9.9	117	2	2	7	12	22	30	68
A. NOT OPERATED	2313	9.4	87	2	2	7	12	20	27	54
B. OPERATED	3163	6.7	77	2	2	4	7	14	22	55
TOTAL 0-19 YRS	258	6.0	73	1	2	4	6	12	18	43
20-34	1030	6.3	75	1	2	4	7	12	18	55
35-49	1275	6.8	53	2	2	4	8	14	20	38
50-64	1688	8.0	85	2	2	5	10	17	24	56
65+	1225	10.5	109	2	2	8	13	23	31	65
GRAND TOTAL	**5476**	**7.9**	**83**	**2**	**2**	**5**	**9**	**17**	**25**	**54**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.0		<1	<1	<1	1	1	1	1
20-34	5	2.6	4	1	1	2	4	6	6	6
35-49	4	3.8	2	2	2	4	5	5	5	5
50-64	4	1.8	1	<1	<1	1	2	3	3	3
65+	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	91	6.3	15	1	2	6	9	11	13	21
20-34	135	6.0	16	1	2	5	7	10	14	20
35-49	153	5.9	10	2	2	5	8	10	12	16
50-64	559	6.2	13	1	2	6	8	10	12	19
65+	399	6.4	11	1	2	6	8	11	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	3.7	5	1	1	5	5	5	5	5
50-64	9	3.0	2	1	1	3	4	5	6	6
65+	17	5.5	16	1	1	4	9	12	13	13
B. *Operated*										
0-19 YRS	41	7.7	25	3	3	6	9	13	19	25
20-34	83	6.8	13	2	3	6	9	12	14	73
35-49	99	7.7	19	2	3	6	10	12	17	25
50-64	464	6.5	14	2	3	6	8	12	14	20
65+	552	7.9	26	2	3	7	9	14	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.2	2	<1	<1	2	3	5	6	6
B. *Operated*	1337	6.2	12	1	2	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	32	4.4	11	1	1	3	6	9	12	13
B. *Operated*	1239	7.3	20	2	3	6	9	13	15	24
1. SINGLE DX	1358	6.2	12	1	2	6	8	10	12	17
2. MULTIPLE DX	1271	7.2	20	2	3	6	9	12	15	24
A. NOT OPERATED	53	3.5	9	<1	1	3	5	8	10	13
B. OPERATED	2576	6.7	16	2	2	6	8	11	14	21
TOTAL 0-19 YRS	139	6.4	19	1	2	6	9	12	13	25
20-34	224	6.2	14	1	2	6	8	11	14	22
35-49	259	6.5	14	2	2	6	8	11	13	20
50-64	1036	6.3	13	2	2	6	8	11	13	19
65+	971	7.2	20	2	3	6	9	12	15	25
GRAND TOTAL	**2629**	**6.7**	**16**	**2**	**2**	**6**	**8**	**11**	**14**	**21**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	5.7	14	3	3	4	8	10	10	10
50-64	14	2.4	1	1	1	2	3	4	4	4
65+	31	3.2	9	1	1	2	4	8	11	12
B. *Operated*										
0-19 YRS	3	6.7	14	4	4	5	9	11	11	11
20-34	20	3.4	5	<1	1	3	4	5	8	11
35-49	60	4.1	7	2	2	3	5	7	10	13
50-64	255	4.0	16	1	2	3	4	8	9	17
65+	444	3.9	8	1	2	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	6	3.7	9	1	1	2	7	8	8	8
50-64	18	5.1	17	<1	1	4	7	13	14	14
65+	51	5.7	38	1	2	3	7	12	19	31
B. *Operated*										
0-19 YRS	5	4.4	5	2	2	4	6	8	8	8
20-34	10	6.8	74	2	2	3	5	21	29	29
35-49	35	6.1	61	2	2	3	7	10	27	38
50-64	201	5.6	21	2	2	4	7	11	14	26
65+	555	5.2	33	2	2	4	7	12	15	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	3.1	7	1	1	2	4	7	10	12
B. *Operated*	782	4.0	10	1	2	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	77	5.4	30	1	1	3	7	12	15	29
B. *Operated*	806	6.0	31	2	2	4	7	12	15	30
1. SINGLE DX	831	3.9	10	1	2	3	5	7	9	14
2. MULTIPLE DX	883	6.0	31	2	2	4	7	12	15	30
A. NOT OPERATED	126	4.5	22	1	1	3	5	11	13	26
B. OPERATED	1588	5.0	22	2	2	4	6	10	13	26
TOTAL 0-19 YRS	9	5.1	8	2	2	4	6	10	11	11
20-34	32	4.4	27	<1	2	3	4	7	14	29
35-49	104	4.8	26	2	2	3	5	9	11	34
50-64	488	4.7	18	2	2	3	5	9	11	23
65+	1081	5.1	24	2	2	4	6	10	13	26
GRAND TOTAL	**1714**	**5.0**	**22**	**2**	**2**	**4**	**6**	**10**	**13**	**26**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	1.7		<1	<1	2	2	2	2	2
35-49	3	1.0		1	1	1	1	1	1	1
50-64	8	3.1	7	<1	<1	2	5	7	8	8
65+	8	5.1	14	1	1	4	7	11	12	12
B. *Operated*										
0-19 YRS	10	3.1	3	1	1	3	4	6	7	7
20-34	17	4.0	10	1	1	3	5	7	12	14
35-49	34	4.2	9	2	2	3	5	8	12	14
50-64	90	4.3	17	1	2	3	5	8	11	25
65+	137	3.7	4	1	2	3	4	6	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	1	1	1	3	3	3	3	3
20-34	3	2.7	4	<1	<1	2	4	5	5	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	14	7.5	53	<1	2	6	9	17	26	29
65+	35	10.5	230	1	2	5	12	21	33	84
B. *Operated*										
0-19 YRS	12	4.9	7	2	2	4	6	9	10	10
20-34	22	8.2	45	2	3	6	9	16	24	31
35-49	29	6.3	45	2	2	4	6	13	23	32
50-64	117	5.7	20	2	2	4	6	12	15	23
65+	265	6.6	70	2	2	4	7	12	16	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	3.4	9	<1	1	2	5	8	10	12
B. *Operated*	288	3.9	9	1	2	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	58	8.5	158	1	1	4	9	20	27	80
B. *Operated*	445	6.4	52	2	2	4	7	12	16	31
1. SINGLE DX	311	3.9	9	1	2	3	4	7	9	14
2. MULTIPLE DX	503	6.6	65	2	2	4	7	13	19	33
A. NOT OPERATED	81	7.0	120	<1	1	4	7	17	23	69
B. OPERATED	733	5.4	37	2	2	4	6	11	14	26
TOTAL 0-19 YRS	27	3.9	5	1	2	3	5	7	9	10
20-34	45	5.8	31	1	1	4	6	14	15	31
35-49	68	4.9	25	1	2	4	5	11	14	30
50-64	229	5.1	21	1	2	4	6	10	14	25
65+	445	6.0	64	2	2	4	6	11	16	34
GRAND TOTAL	**814**	**5.6**	**45**	**1**	**2**	**4**	**6**	**11**	**15**	**29**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated* YRS										
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64	27	2.4	2	<1	1	2	4	4	5	6
65+	80	2.8	5	<1	<1	2	4	5	6	14
B. *Operated* YRS										
35-49	507	3.2	3	2	2	3	4	5	6	9
50-64	3134	3.3	5	2	2	3	4	5	6	11
65+	9237	3.6	6	2	2	3	4	5	7	13
2. MULTIPLE DX										
A. *Not Operated* YRS										
35-49	14	2.0	3	<1	<1	1	3	4	6	7
50-64	108	2.7	8	<1	<1	1	3	6	10	14
65+	370	3.7	30	<1	<1	2	4	9	13	34
B. *Operated* YRS										
35-49	294	3.8	5	2	2	3	4	6	8	13
50-64	2774	4.3	14	2	2	4	5	7	10	16
65+	12139	4.7	16	2	2	4	5	8	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	2.6	4	<1	<1	2	4	5	6	13
B. *Operated*	12878	3.5	5	2	2	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	492	3.4	25	<1	<1	2	3	8	12	26
B. *Operated*	15207	4.6	15	2	2	4	5	8	11	18
1. SINGLE DX	12989	3.5	5	2	2	3	4	5	7	12
2. MULTIPLE DX	15699	4.5	16	2	2	4	5	8	11	19
A. NOT OPERATED	603	3.3	21	<1	<1	2	4	7	11	22
B. OPERATED	28085	4.1	11	2	2	3	4	6	10	16
TOTAL YRS										
35-49	819	3.4	4	2	2	3	4	5	6	11
50-64	6043	3.8	9	2	2	3	4	6	8	13
65+	21826	4.2	12	2	2	3	5	7	10	17
GRAND TOTAL	**28688**	**4.1**	**11**	**2**	**2**	**3**	**4**	**6**	**10**	**16**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	12	<1	<1	3	6	9	9	9
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*										
0-19 YRS	73	3.0	3	1	1	3	3	5	6	11
20-34	51	2.9	2	<1	1	2	4	5	5	8
35-49	57	2.7	1	1	2	2	3	4	5	6
50-64	134	2.8	2	1	2	3	3	4	5	7
65+	130	2.7	3	<1	1	2	3	5	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	9	<1	<1	1	2	8	9	9
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64	5	9.6	289	1	1	2	12	40	40	40
65+	12	2.2	2	1	1	2	3	4	5	5
B. *Operated*										
0-19 YRS	55	3.5	3	2	2	3	5	6	7	11
20-34	54	4.1	14	1	2	3	5	7	8	22
35-49	53	4.3	5	2	2	4	5	7	9	12
50-64	171	4.1	10	1	2	3	4	8	11	18
65+	293	4.8	35	2	2	3	5	9	12	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.9	7	<1	<1	3	5	8	9	9
B. *Operated*	445	2.8	2	<1	1	3	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	25	3.9	60	<1	1	2	3	6	17	40
B. *Operated*	626	4.4	21	2	2	3	5	8	11	20
1. SINGLE DX	453	2.8	2	<1	1	3	3	5	5	9
2. MULTIPLE DX	651	4.4	23	1	2	3	5	8	11	21
A. NOT OPERATED	33	3.9	47	<1	1	2	4	7	9	40
B. OPERATED	1071	3.7	14	1	2	3	4	6	9	17
TOTAL 0-19 YRS	139	3.2	4	1	1	3	4	5	7	11
20-34	107	3.6	8	1	2	3	4	6	7	21
35-49	110	3.5	3	2	2	3	4	6	7	10
50-64	311	3.6	11	1	2	3	4	6	8	17
65+	437	4.1	25	1	1	3	4	8	10	20
GRAND TOTAL	**1104**	**3.7**	**15**	**1**	**2**	**3**	**4**	**6**	**9**	**18**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	1.4	1	<1	<1	1	1	3	3	5
20-34	14	3.1	2	<1	1	3	4	5	6	6
35-49	10	2.6	4	<1	<1	2	3	6	8	8
50-64	5	4.0	3	2	2	4	5	6	6	6
65+	7	4.3	14	1	1	2	8	10	10	10
B. *Operated*										
0-19 YRS	2201	1.8	1	<1	1	2	2	2	2	3
20-34	306	2.2	2	1	1	2	2	3	3	7
35-49	134	2.3	1	1	2	2	2	3	4	8
50-64	90	2.4	1	1	1	2	3	3	4	8
65+	29	2.3	1	1	2	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	1.5	1	<1	<1	1	1	2	4	7
20-34	17	5.1	34	<1	1	3	4	17	19	19
35-49	16	8.5	49	<1	1	6	12	20	21	22
50-64	27	6.6	21	<1	1	7	9	13	15	18
65+	38	9.6	66	2	3	8	10	18	24	48
B. *Operated*										
0-19 YRS	411	1.9	1	1	1	2	2	2	3	4
20-34	108	2.4	2	1	2	2	3	3	4	11
35-49	73	2.6	1	1	2	2	3	4	5	7
50-64	75	5.7	134	2	2	2	4	12	21	77
65+	39	4.4	18	2	2	3	4	12	15	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	2.2	3	<1	<1	1	3	4	6	10
B. *Operated*	2760	1.9	1	<1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	212	4.4	33	<1	<1	2	6	12	15	23
B. *Operated*	706	2.6	17	1	1	2	2	3	5	17
1. SINGLE DX	2845	1.9	1	<1	1	2	2	2	3	4
2. MULTIPLE DX	918	3.0	21	<1	1	2	3	5	10	20
A. NOT OPERATED	297	3.8	25	<1	<1	2	5	9	13	22
B. OPERATED	3466	2.0	4	<1	1	2	2	3	3	7
TOTAL 0-19 YRS	2775	1.8	1	<1	1	2	2	2	2	4
20-34	445	2.4	4	1	1	2	2	3	4	12
35-49	233	2.8	7	1	2	2	3	4	7	20
50-64	197	4.2	57	1	2	2	3	8	13	25
65+	113	5.6	38	2	2	3	7	12	16	33
GRAND TOTAL	**3763**	**2.2**	**6**	**<1**	**1**	**2**	**2**	**3**	**4**	**12**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	214	2.5	7	<1	<1	1	3	6	9	14
20-34	36	4.6	17	1	1	3	7	11	14	17
35-49	30	6.9	291	<1	1	3	5	12	16	95
50-64	49	3.1	7	<1	<1	2	4	7	8	13
65+	52	4.2	18	<1	1	2	6	11	18	98
B. *Operated*										
0-19 YRS	370	1.9	1	<1	<1	2	2	3	4	7
20-34	434	2.7	3	<1	1	2	3	5	6	11
35-49	769	2.2	2	<1	1	2	3	3	4	8
50-64	845	2.5	4	<1	1	2	3	4	5	10
65+	856	2.7	4	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	3.9	9	<1	<1	3	5	8	10	14
20-34	34	5.2	34	1	1	4	6	12	28	99+
35-49	26	3.7	8	<1	<1	3	6	7	9	12
50-64	82	6.5	44	<1	1	4	8	16	20	33
65+	128	6.0	26	1	1	4	9	14	18	20
B. *Operated*										
0-19 YRS	110	3.1	7	<1	1	2	3	5	8	15
20-34	168	3.6	12	1	2	3	4	6	8	16
35-49	474	3.0	6	1	1	3	3	5	6	12
50-64	975	3.5	13	1	2	3	4	6	7	14
65+	1234	4.1	25	1	2	3	5	7	10	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	381	3.4	33	<1	<1	2	4	7	11	18
B. *Operated*	3274	2.4	3	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	391	5.2	25	<1	1	4	7	11	16	25
B. *Operated*	2961	3.7	17	1	2	3	4	6	9	18
1. SINGLE DX	3655	2.5	6	<1	<1	2	3	4	6	11
2. MULTIPLE DX	3352	3.8	18	1	1	3	4	7	10	20
A. NOT OPERATED	772	4.3	30	<1	<1	3	6	10	14	21
B. OPERATED	6235	3.0	10	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	815	2.5	5	<1	<1	2	3	5	7	14
20-34	672	3.1	8	<1	1	2	4	6	8	15
35-49	1299	2.7	10	<1	1	2	3	4	5	11
50-64	1951	3.1	11	<1	1	2	3	5	7	16
65+	2270	3.7	18	<1	1	3	4	7	10	19
GRAND TOTAL	**7007**	**3.2**	**12**	**<1**	**1**	**2**	**3**	**6**	**8**	**16**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	237	4.7	9	1	1	4	6	8	10	15
20-34	78	4.3	12	1	1	3	5	7	11	22
35-49	56	4.9	9	2	2	4	6	10	12	15
50-64	54	6.0	26	1	2	5	7	11	17	28
65+	61	5.9	16	1	1	5	8	11	12	21
B. *Operated*										
0-19 YRS	69	3.4	8	<1	<1	2	4	7	10	15
20-34	84	3.5	8	<1	1	3	4	6	10	16
35-49	69	4.3	17	1	2	3	5	8	11	27
50-64	127	3.6	7	<1	1	3	4	7	9	13
65+	321	3.7	10	<1	1	3	4	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	163	5.3	15	1	2	5	7	9	12	31
20-34	110	6.5	23	1	2	5	8	13	14	26
35-49	65	6.6	42	2	2	5	7	10	22	36
50-64	137	6.2	16	2	2	5	9	11	13	21
65+	219	7.7	45	1	2	6	10	15	20	32
B. *Operated*										
0-19 YRS	65	6.8	58	1	2	4	7	14	23	39
20-34	103	5.2	17	1	1	4	7	10	14	20
35-49	117	5.9	47	1	2	4	6	10	17	44
50-64	326	5.6	23	2	2	4	7	12	15	21
65+	518	6.0	39	1	2	4	7	12	16	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	486	4.9	12	1	2	4	6	9	11	19
B. *Operated*	670	3.7	10	<1	1	3	4	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	694	6.6	29	1	2	5	8	12	16	31
B. *Operated*	1129	5.8	34	1	2	4	7	12	16	31
1. SINGLE DX	1156	4.2	11	1	1	3	5	8	11	17
2. MULTIPLE DX	1823	6.1	32	1	2	4	8	12	16	31
A. NOT OPERATED	1180	5.9	23	1	2	5	7	11	14	25
B. OPERATED	1799	5.0	26	1	2	4	6	10	14	24
TOTAL 0-19 YRS	534	5.0	17	1	1	4	6	9	12	22
20-34	375	5.0	17	1	1	4	6	10	13	21
35-49	307	5.5	33	1	2	4	6	10	14	34
50-64	644	5.4	20	2	2	4	7	11	14	21
65+	1119	5.6	32	1	2	4	7	11	15	27
GRAND TOTAL	**2979**	**5.4**	**25**	**1**	**2**	**4**	**7**	**10**	**14**	**24**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.8	2	<1	<1	1	2	4	5	5
20-34	18	4.2	6	1	2	4	6	8	9	10
35-49	9	4.8	24	1	1	3	7	13	16	16
50-64	12	5.3	6	3	3	5	6	8	11	12
65+	5	3.2	2	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	20	1.9		<1	1	2	2	3	3	3
20-34	5	5.8	4	3	3	6	7	8	8	8
35-49	20	4.1	12	<1	1	3	5	10	13	14
50-64	13	4.2	21	<1	1	3	4	10	16	18
65+	13	5.8	56	1	2	4	5	12	27	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.6	8	1	1	2	4	9	10	11
20-34	23	4.6	10	<1	1	4	6	9	12	12
35-49	21	6.4	39	1	1	4	8	12	20	29
50-64	38	8.2	60	3	3	7	9	13	39	99+
65+	49	9.2	95	1	2	7	11	17	23	60
B. *Operated*										
0-19 YRS	15	3.9	26	1	2	2	4	5	18	22
20-34	19	7.2	61	1	2	6	8	12	26	37
35-49	10	4.4	4	<1	1	4	5	7	7	7
50-64	24	5.2	19	2	2	4	6	10	14	22
65+	47	5.2	12	1	2	4	7	11	12	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	3.8	8	<1	1	3	5	7	9	16
B. *Operated*	71	3.9	19	<1	1	3	4	8	12	27
2. MULTIPLE DX										
A. *Not Operated*	147	7.2	58	1	2	5	9	12	18	61
B. *Operated*	115	5.3	23	1	2	4	7	11	12	27
1. SINGLE DX	132	3.9	14	<1	1	3	5	7	10	20
2. MULTIPLE DX	262	6.4	44	1	2	4	8	12	15	40
A. NOT OPERATED	208	6.2	46	1	1	4	7	12	16	48
B. OPERATED	186	4.8	22	1	2	3	6	9	12	27
TOTAL 0-19 YRS	68	2.7	9	<1	1	2	3	5	6	20
20-34	65	5.3	24	1	2	4	7	8	12	33
35-49	60	5.1	22	<1	1	4	6	11	13	28
50-64	87	6.4	38	2	2	4	7	12	18	77
65+	114	6.9	55	1	2	5	9	12	17	45
GRAND TOTAL	**394**	**5.5**	**39**	**1**	**1**	**4**	**7**	**11**	**13**	**37**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	595	3.4	5	<1	1	3	4	6	7	12
20-34	11	3.3	9	<1	<1	2	5	8	10	10
35-49	9	3.8	8	<1	<1	3	5	8	10	10
50-64	8	3.1	8	<1	<1	2	4	8	9	9
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	4114	1.2	2	<1	<1	<1	1	2	2	4
20-34	216	2.3	3	<1	<1	2	3	4	4	8
35-49	209	2.4	3	<1	<1	2	3	4	5	15
50-64	251	2.2	1	<1	<1	2	3	3	4	5
65+	105	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1570	4.3	12	1	1	4	5	7	10	16
20-34	38	6.1	27	1	2	4	8	12	17	26
35-49	20	8.3	211	<1	1	4	7	15	44	67
50-64	35	7.2	120	<1	1	5	7	12	19	65
65+	36	7.6	43	1	2	6	10	16	29	99+
B. *Operated*										
0-19 YRS	2431	1.7	4	<1	<1	1	2	3	4	8
20-34	300	3.1	5	<1	1	3	3	5	6	14
35-49	238	3.3	11	1	1	3	3	5	8	19
50-64	309	3.6	8	1	2	3	4	6	9	14
65+	144	4.0	19	<1	1	3	4	8	12	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	626	3.3	5	<1	1	3	4	6	7	11
B. *Operated*	4895	1.4	2	<1	<1	<1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	1699	4.5	18	1	1	4	5	8	10	19
B. *Operated*	3422	2.2	6	<1	<1	2	2	4	5	12
1. SINGLE DX	5521	1.6	3	<1	<1	1	2	3	4	7
2. MULTIPLE DX	5121	3.0	11	<1	<1	2	4	6	8	15
A. NOT OPERATED	2325	4.2	15	1	1	3	5	7	10	17
B. OPERATED	8317	1.7	4	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	8710	2.1	6	<1	<1	1	2	4	6	11
20-34	565	3.0	6	<1	1	2	3	4	6	15
35-49	476	3.1	17	<1	1	2	3	5	7	20
50-64	603	3.2	13	<1	1	3	3	5	8	14
65+	288	3.8	18	<1	1	3	4	8	13	28
GRAND TOTAL	**10642**	**2.3**	**7**	**<1**	**<1**	**1**	**3**	**4**	**6**	**12**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	3.8	6	<1	<1	3	5	7	8	12
20-34	34	3.9	3	1	2	4	4	6	8	9
35-49	28	8.4	295	2	2	5	7	10	20	95
50-64	15	6.0	13	1	2	5	8	11	13	14
65+	4	6.0	1	5	5	6	7	7	7	7
B. *Operated*										
0-19 YRS	976	1.4	2	<1	<1	<1	1	2	3	8
20-34	82	2.9	5	<1	<1	3	4	5	6	14
35-49	57	3.2	4	<1	<1	3	4	5	7	11
50-64	57	2.6	3	<1	<1	2	3	4	5	12
65+	29	3.2	13	<1	<1	2	3	7	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	194	4.2	14	<1	<1	3	5	8	12	20
20-34	46	5.1	7	2	2	5	6	9	11	12
35-49	23	6.5	15	1	2	6	9	12	15	16
50-64	28	8.0	48	2	2	5	9	20	24	28
65+	33	9.3	55	2	3	7	10	22	29	30
B. *Operated*										
0-19 YRS	621	2.4	16	<1	<1	2	2	4	6	16
20-34	113	4.3	9	1	1	3	6	9	10	15
35-49	98	5.4	43	1	2	4	6	9	15	45
50-64	130	4.3	11	1	2	4	5	8	11	42
65+	71	7.5	83	1	2	4	7	18	32	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	4.6	47	<1	1	4	5	7	9	16
B. *Operated*	1201	1.7	3	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	324	5.3	23	<1	1	4	7	10	14	27
B. *Operated*	1033	3.5	24	<1	1	2	4	7	10	29
1. SINGLE DX	1406	2.1	11	<1	<1	1	2	4	6	11
2. MULTIPLE DX	1357	3.9	24	<1	1	3	5	8	11	28
A. NOT OPERATED	529	5.0	32	<1	1	4	6	9	12	25
B. OPERATED	2234	2.5	14	<1	<1	1	3	5	7	17
TOTAL 0-19 YRS	1915	2.2	9	<1	<1	1	2	4	6	13
20-34	275	4.0	7	<1	1	3	5	8	9	14
35-49	206	5.3	65	1	1	4	6	9	11	44
50-64	230	4.4	16	1	1	3	5	9	12	28
65+	137	7.0	63	<1	1	4	7	16	25	43
GRAND TOTAL	**2763**	**3.0**	**18**	**<1**	**<1**	**2**	**4**	**6**	**9**	**19**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	4.5	8	1	2	4	5	7	8	16
20-34	93	4.6	12	1	2	4	5	8	11	21
35-49	159	4.6	10	1	1	4	6	8	11	17
50-64	247	4.2	6	1	2	4	5	7	9	11
65+	181	4.8	19	1	1	4	6	9	12	20
B. *Operated*										
0-19 YRS	7	3.7	1	2	2	4	5	5	5	5
20-34	28	4.4	4	1	1	5	5	7	8	10
35-49	48	4.7	5	2	2	5	6	8	9	12
50-64	52	4.8	10	1	2	4	6	9	11	17
65+	27	5.9	37	2	2	5	7	9	13	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.9	10	1	1	4	7	9	12	14
20-34	104	5.2	13	2	2	4	6	9	14	18
35-49	216	5.6	18	1	2	4	7	10	13	20
50-64	584	6.2	16	2	2	5	8	11	13	20
65+	779	7.3	27	2	3	6	9	14	16	26
B. *Operated*										
0-19 YRS	4	4.0	9	1	1	4	6	7	7	7
20-34	16	5.4	7	1	2	5	7	9	11	12
35-49	31	7.9	54	2	2	6	9	18	29	31
50-64	53	9.1	55	2	3	7	12	18	20	44
65+	43	10.5	39	2	4	9	15	19	22	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	712	4.5	11	1	2	4	5	8	10	16
B. *Operated*	162	4.8	12	1	2	5	6	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	1709	6.6	21	2	2	5	8	12	15	22
B. *Operated*	147	8.7	46	2	3	7	11	17	21	31
1. SINGLE DX	874	4.5	11	1	2	4	5	8	10	16
2. MULTIPLE DX	1856	6.7	24	2	2	6	8	12	16	24
A. NOT OPERATED	2421	5.9	19	1	2	5	8	11	14	21
B. OPERATED	309	6.7	31	2	2	5	8	14	17	30
TOTAL 0-19 YRS	69	4.5	8	1	2	4	6	8	9	16
20-34	241	4.9	11	1	2	4	6	8	12	17
35-49	454	5.3	17	1	2	4	6	9	13	21
50-64	936	5.7	17	1	2	5	7	10	13	20
65+	1030	7.0	27	2	2	6	9	13	16	26
GRAND TOTAL	**2730**	**6.0**	**21**	**2**	**2**	**5**	**8**	**11**	**15**	**21**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	6	2.0	2	<1	<1	2	3	4	4	4
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	21	5.5	174	2	2	2	3	5	31	63
20-34	198	2.9	1	2	2	3	3	4	4	7
35-49	357	3.1	3	2	2	3	3	4	5	12
50-64	413	3.0	4	2	2	3	3	4	5	7
65+	151	3.0	1	2	2	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	1.7	1	<1	<1	1	2	3	3	3
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64	5	2.2	3	<1	<1	1	4	4	4	4
65+	5	2.0	2	1	1	1	3	4	4	4
B. *Operated*										
0-19 YRS	6	2.8	1	2	2	3	3	4	4	4
20-34	37	3.3	2	2	2	3	4	6	7	8
35-49	60	3.4	4	2	2	3	4	6	7	13
50-64	99	3.3	3	2	2	3	4	5	7	10
65+	63	3.5	5	2	2	3	4	5	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.0	1	<1	1	2	3	3	4	4
B. *Operated*	1140	3.0	6	2	2	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	18	1.8	1	<1	<1	1	3	4	4	4
B. *Operated*	265	3.4	3	2	2	3	4	5	7	11
1. SINGLE DX	1154	3.0	6	2	2	3	3	4	5	8
2. MULTIPLE DX	283	3.3	3	1	2	3	4	5	7	11
A. NOT OPERATED	32	1.9	1	<1	<1	1	3	4	4	4
B. OPERATED	1405	3.1	5	2	2	3	3	4	5	9
TOTAL 0-19 YRS	28	4.8	131	1	2	3	3	4	11	63
20-34	241	2.9	1	2	2	3	3	4	5	8
35-49	427	3.1	3	2	2	3	3	4	5	12
50-64	521	3.0	3	2	2	3	3	4	5	8
65+	220	3.1	2	2	2	3	3	5	5	10
GRAND TOTAL	**1437**	**3.1**	**5**	**2**	**2**	**3**	**3**	**4**	**5**	**9**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	2.3	4	<1	<1	1	3	5	6	8
20-34	28	4.4	13	<1	<1	4	5	8	12	17
35-49	28	4.7	18	<1	1	4	5	10	12	22
50-64	35	4.3	3	1	2	4	6	6	8	8
65+	16	5.2	18	<1	<1	5	7	8	15	18
B. *Operated*										
0-19 YRS	488	2.3	4	<1	<1	2	3	3	4	9
20-34	325	2.6	5	1	1	2	3	4	4	10
35-49	273	2.7	4	1	1	2	3	4	6	13
50-64	265	2.9	19	1	1	2	3	4	5	11
65+	101	2.7	5	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	5.1	35	<1	1	3	6	13	21	24
20-34	20	3.8	13	<1	<1	3	5	8	13	15
35-49	17	4.9	12	<1	1	4	7	11	12	12
50-64	49	5.8	17	1	1	4	8	12	15	17
65+	34	8.5	26	3	3	7	12	17	19	21
B. *Operated*										
0-19 YRS	361	2.5	3	<1	1	2	3	4	5	10
20-34	248	3.2	8	1	2	3	3	5	7	13
35-49	238	3.1	6	<1	1	2	3	5	7	11
50-64	275	2.9	5	<1	1	2	3	5	7	11
65+	121	4.2	21	<1	1	3	4	9	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	4.1	11	<1	<1	4	5	8	8	19
B. *Operated*	1452	2.6	7	<1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	140	6.0	22	<1	1	4	8	13	17	21
B. *Operated*	1243	3.0	7	<1	1	2	3	5	7	14
1. SINGLE DX	1588	2.7	8	<1	1	2	3	4	6	12
2. MULTIPLE DX	1383	3.3	9	<1	1	2	4	6	9	18
A. NOT OPERATED	276	5.0	17	<1	1	4	6	11	14	20
B. OPERATED	2695	2.8	7	<1	1	2	3	4	6	13
TOTAL 0-19 YRS	898	2.5	5	<1	1	2	3	4	5	10
20-34	621	3.0	7	1	1	2	3	5	6	14
35-49	556	3.0	6	1	1	2	3	5	7	13
50-64	624	3.2	12	1	1	3	4	5	7	15
65+	272	4.2	19	<1	1	3	5	9	14	20
GRAND TOTAL	**2971**	**3.0**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**16**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	10.9	94	2	3	8	14	20	28	60
20-34	19	10.5	36	2	3	9	16	19	20	20
35-49	5	10.4	52	1	1	12	15	20	20	20
50-64	7	9.6	34	4	4	7	12	19	21	21
65+	6	7.0	26	3	3	5	7	16	17	17
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	5	11.8	118	2	2	8	21	27	27	27
50-64	4	5.5	40	2	2	3	9	15	15	15
65+	2	27.5	61	22	22	27	33	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	12.5	111	2	4	9	15	25	36	51
20-34	37	8.8	58	1	2	7	10	21	27	36
35-49	29	11.7	85	3	3	9	15	30	31	35
50-64	78	10.8	109	2	4	9	13	17	21	72
65+	62	10.8	108	2	3	7	14	23	27	60
B. *Operated*										
0-19 YRS	2	30.0	450	15	15	30	45	45	45	45
20-34	2	13.0	32	9	9	13	17	17	17	17
35-49	8	10.8	153	2	2	6	13	31	39	39
50-64	30	13.9	198	2	2	12	21	42	55	99+
65+	22	20.0	292	4	7	15	27	57	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	10.4	71	2	3	8	14	20	21	48
B. *Operated*	13	10.7	125	1	1	3	20	28	32	33
2. MULTIPLE DX										
A. *Not Operated*	238	10.8	98	2	3	8	13	22	29	52
B. *Operated*	64	16.1	231	2	2	13	22	47	57	99+
1. SINGLE DX	112	10.5	77	2	2	8	15	20	26	45
2. MULTIPLE DX	302	12.0	130	2	3	9	15	26	37	76
A. NOT OPERATED	337	10.7	90	2	3	8	14	20	28	53
B. OPERATED	77	15.2	215	2	2	12	22	43	55	99+
TOTAL 0-19 YRS	96	11.8	109	2	3	9	15	22	30	58
20-34	60	9.2	50	1	2	7	13	19	24	35
35-49	47	11.4	90	2	3	9	15	29	32	39
50-64	119	11.4	126	2	2	9	14	21	33	91
65+	92	13.1	164	3	3	9	17	28	46	86
GRAND TOTAL	**414**	**11.5**	**116**	**2**	**3**	**8**	**15**	**23**	**33**	**65**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	11	2	2	3	6	9	9	9
20-34	17	4.0	8	1	2	3	5	9	10	11
35-49	26	6.3	22	1	1	5	9	14	16	16
50-64	38	7.5	45	1	2	6	8	16	24	32
65+	14	8.4	26	1	2	8	11	15	19	20
B. *Operated*										
0-19 YRS	7	5.4	27	2	2	3	10	14	14	14
20-34	44	6.5	34	1	2	3	12	16	17	22
35-49	86	7.8	50	2	2	4	13	16	21	32
50-64	149	9.9	106	2	2	5	15	22	28	56
65+	42	9.3	74	2	2	4	15	21	28	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	6.5	16	2	2	6	8	12	15	16
20-34	77	6.8	22	1	2	6	8	14	18	22
35-49	223	8.4	42	2	3	7	11	16	21	34
50-64	510	9.1	49	2	3	7	11	17	22	43
65+	575	12.6	106	3	4	10	15	23	31	57
B. *Operated*										
0-19 YRS	10	11.8	89	2	2	13	21	57	96	99+
20-34	62	9.4	185	1	2	3	16	21	24	88
35-49	164	11.4	123	2	2	9	16	27	31	59
50-64	423	13.3	172	2	2	11	20	27	40	62
65+	215	16.8	252	2	2	13	25	37	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	6.6	30	1	2	5	9	13	16	31
B. *Operated*	328	8.7	77	2	2	4	14	20	25	35
2. MULTIPLE DX										
A. *Not Operated*	1397	10.3	73	2	3	8	13	19	25	49
B. *Operated*	874	13.5	187	2	2	11	20	30	40	83
1. SINGLE DX	427	8.2	67	2	2	5	12	18	23	34
2. MULTIPLE DX	2271	11.5	120	2	2	9	15	24	32	61
A. NOT OPERATED	1496	10.0	71	2	3	8	13	19	25	49
B. OPERATED	1202	12.2	161	2	2	9	17	27	35	74
TOTAL 0-19 YRS	33	7.6	45	2	2	5	12	20	27	99+
20-34	200	7.3	76	1	2	5	10	17	20	24
35-49	499	9.2	71	2	2	7	13	19	26	37
50-64	1120	10.8	107	2	2	8	14	22	30	52
65+	846	13.4	144	2	3	10	17	28	37	78
GRAND TOTAL	**2698**	**11.0**	**113**	**2**	**2**	**8**	**14**	**23**	**31**	**58**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	4.8	6	2	2	4	7	8	10	12
20-34	147	5.3	11	2	2	4	7	9	11	21
35-49	360	5.8	17	1	2	5	7	10	14	21
50-64	365	6.3	25	1	2	5	8	11	15	28
65+	217	6.5	24	1	2	5	8	12	15	28
B. *Operated*										
0-19 YRS	12	6.0	23	1	1	4	10	12	15	16
20-34	34	4.9	22	1	2	3	7	9	13	25
35-49	31	4.2	26	1	1	2	4	12	13	26
50-64	34	7.0	37	1	2	5	10	15	20	25
65+	11	7.9	50	2	3	6	7	20	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	6.0	14	1	2	5	7	11	13	20
20-34	347	6.4	27	2	2	5	8	11	14	36
35-49	1222	7.4	32	2	3	6	9	13	16	29
50-64	2291	8.0	42	2	3	7	10	14	18	36
65+	2223	9.7	71	3	3	8	12	18	24	42
B. *Operated*										
0-19 YRS	14	5.8	9	2	2	5	8	10	12	12
20-34	69	10.4	114	1	2	6	15	29	35	43
35-49	207	11.4	99	2	2	9	15	24	30	50
50-64	365	12.0	95	2	3	9	15	22	32	51
65+	338	15.5	154	2	4	12	20	33	43	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1143	6.0	20	1	2	5	7	11	14	25
B. *Operated*	122	5.7	31	1	2	3	8	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	6136	8.4	50	2	3	7	10	15	20	37
B. *Operated*	993	12.9	120	2	3	10	17	26	35	54
1. SINGLE DX	1265	5.9	21	1	2	5	7	11	14	25
2. MULTIPLE DX	7129	9.0	62	2	3	7	11	17	23	43
A. NOT OPERATED	7279	8.0	46	2	3	6	10	15	19	35
B. OPERATED	1115	12.1	115	2	2	9	16	25	35	53
TOTAL 0-19 YRS	133	5.5	11	1	2	5	7	10	12	17
20-34	597	6.5	35	2	2	5	8	12	16	37
35-49	1820	7.5	39	2	2	6	9	14	18	32
50-64	3055	8.2	48	2	3	7	10	15	20	40
65+	2789	10.2	82	2	3	8	12	20	26	49
GRAND TOTAL	**8394**	**8.5**	**57**	**2**	**3**	**7**	**10**	**16**	**22**	**41**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	6.8	18	2	2	7	8	13	15	15
35-49	55	7.3	30	2	3	6	8	13	21	25
50-64	124	8.3	31	2	3	7	10	14	19	30
65+	187	9.0	31	3	3	8	11	16	20	28
B. *Operated*										
0-19 YRS										
20-34										
35-49	13	5.8	36	2	2	5	7	11	22	24
50-64	13	5.5	22	2	2	3	7	14	16	17
65+	10	7.7	64	1	1	5	9	20	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	14.4	30	8	9	14	18	23	24	24
20-34	23	8.4	45	3	3	7	10	16	22	34
35-49	298	8.3	27	3	3	7	10	15	19	32
50-64	1180	9.6	43	3	4	8	12	17	21	39
65+	2881	11.6	76	3	4	9	14	21	27	49
B. *Operated*										
0-19 YRS	1	31.0		31	31	31	31	31	31	31
20-34	9	7.8	40	2	2	5	12	18	21	21
35-49	46	11.2	119	2	2	8	14	26	40	99+
50-64	142	13.3	142	2	2	11	17	30	38	54
65+	369	18.1	173	2	5	15	24	36	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	374	8.4	31	2	3	7	10	15	20	27
B. *Operated*	36	6.3	37	2	2	5	7	13	22	28
2. MULTIPLE DX										
A. *Not Operated*	4389	10.8	64	3	4	9	13	20	25	45
B. *Operated*	567	16.2	166	2	3	13	23	34	44	99+
1. SINGLE DX	410	8.2	32	2	3	7	10	15	20	27
2. MULTIPLE DX	4956	11.4	79	3	4	9	14	22	28	51
A. NOT OPERATED	4763	10.6	62	3	4	9	13	20	25	43
B. OPERATED	603	15.6	164	2	2	13	22	34	43	99+
TOTAL 0-19 YRS	8	16.5	60	8	9	14	21	29	31	31
20-34	40	8.0	37	2	2	7	9	15	19	34
35-49	412	8.4	38	2	3	7	10	15	22	37
50-64	1459	9.8	53	2	3	8	12	18	23	42
65+	3447	12.1	88	3	4	10	15	23	30	55
GRAND TOTAL	**5366**	**11.2**	**76**	**3**	**4**	**9**	**14**	**21**	**27**	**50**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	6.3	13	3	3	5	10	11	11	11
20-34	16	5.6	13	1	2	5	8	11	13	14
35-49	20	6.9	29	1	1	6	10	14	17	20
50-64	29	7.5	35	2	2	6	9	15	20	27
65+	19	9.9	62	2	2	8	15	21	25	28
B. *Operated*										
0-19 YRS	10	9.4	82	1	1	6	15	23	29	29
20-34	21	8.8	50	2	2	7	13	17	23	29
35-49	34	10.6	190	2	2	7	11	21	24	80
50-64	24	9.1	64	1	2	8	11	24	29	29
65+	16	13.2	95	1	2	10	20	29	31	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	9.0	21	4	4	9	11	16	16	16
20-34	26	9.5	157	1	2	5	13	19	33	63
35-49	72	9.6	66	2	2	7	11	23	30	37
50-64	148	10.2	47	2	3	9	14	20	24	31
65+	286	13.3	113	3	4	11	17	24	34	60
B. *Operated*										
0-19 YRS	12	8.8	46	1	2	6	12	19	24	25
20-34	31	9.4	67	2	2	7	15	22	33	99+
35-49	53	11.1	122	2	3	8	13	26	40	99
50-64	143	15.0	202	2	2	11	21	31	41	98
65+	128	17.6	226	3	4	15	22	38	51	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	7.5	35	1	2	6	10	15	20	28
B. *Operated*	105	10.2	107	1	2	7	13	22	29	54
2. MULTIPLE DX										
A. *Not Operated*	537	11.7	92	2	3	9	15	22	28	58
B. *Operated*	367	14.7	189	2	3	11	19	32	44	99
1. SINGLE DX	195	8.9	75	1	2	7	12	20	26	31
2. MULTIPLE DX	904	12.9	134	2	3	10	17	26	36	66
A. NOT OPERATED	627	11.1	86	2	3	9	14	21	28	58
B. OPERATED	472	13.7	174	2	2	10	18	29	40	96
TOTAL 0-19 YRS	33	8.6	45	1	2	6	12	17	24	29
20-34	94	8.7	79	2	2	6	12	20	26	83
35-49	179	9.9	102	2	2	8	12	22	27	75
50-64	344	11.9	118	2	2	9	16	25	31	55
65+	449	14.4	147	2	4	11	19	28	42	65
GRAND TOTAL	**1099**	**12.2**	**125**	**2**	**3**	**9**	**16**	**25**	**32**	**65**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENT3 (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	11.6	41	4	5	9	16	22	23	23
20-34	64	14.3	132	5	7	13	16	19	21	87
35-49	831	13.9	28	7	9	14	16	20	22	28
50-64	2126	14.5	28	7	9	14	17	21	22	30
65+	1450	15.3	41	7	9	14	18	22	25	37
B. *Operated*										
0-19 YRS	2	10.0	50	5	5	10	15	15	15	15
20-34	11	14.5	27	2	7	16	18	20	21	21
35-49	53	15.8	63	2	5	15	20	25	28	40
50-64	92	16.1	56	2	5	16	20	23	26	44
65+	51	20.6	53	12	12	19	23	30	34	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	14.1	44	4	6	14	18	21	29	30
20-34	130	14.0	33	4	8	13	17	21	23	31
35-49	1974	14.6	35	6	8	14	17	21	24	34
50-64	7376	15.7	42	7	9	15	19	23	27	38
65+	10411	17.2	65	7	9	16	20	26	31	49
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	25	15.2	80	2	3	15	20	28	52	99+
35-49	278	15.7	90	2	3	14	20	27	34	52
50-64	1061	18.3	109	2	9	16	22	30	38	61
65+	1133	24.3	162	10	12	21	29	42	51	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4479	14.6	34	7	9	14	17	21	23	32
B. *Operated*	209	17.0	59	2	8	16	21	25	30	44
2. MULTIPLE DX										
A. *Not Operated*	19919	16.4	54	7	9	15	19	24	29	44
B. *Operated*	2498	20.7	142	4	10	18	25	35	45	74
1. SINGLE DX	4688	14.7	36	7	9	14	17	21	23	33
2. MULTIPLE DX	22417	16.9	66	7	9	15	20	25	31	49
A. NOT OPERATED	24398	16.0	51	7	9	15	19	24	28	43
B. OPERATED	2707	20.4	136	4	10	18	25	35	43	71
TOTAL 0-19 YRS	39	13.5	42	4	5	14	18	21	26	30
20-34	230	14.2	64	4	7	13	17	21	25	52
35-49	3136	14.5	39	6	8	14	17	21	25	36
50-64	10655	15.7	47	7	9	15	19	23	27	39
65+	13045	17.6	76	8	10	16	21	27	33	54
GRAND TOTAL	**27105**	**16.5**	**61**	**7**	**9**	**15**	**19**	**25**	**30**	**47**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	35	4.9	9	1	2	4	6	9	12	12
35-49	286	5.1	11	1	2	4	7	9	12	17
50-64	617	5.6	19	1	2	5	7	10	12	19
65+	390	6.4	44	2	2	5	8	11	14	24
B. *Operated*										
0-19 YRS										
20-34	4	3.8	2	2	2	4	5	5	5	5
35-49	71	4.7	19	2	2	2	7	11	15	18
50-64	111	6.4	46	2	2	3	9	15	21	32
65+	15	5.0	20	2	2	4	5	12	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	8.7	28	2	2	8	11	16	20	21
20-34	94	4.8	6	1	2	4	6	9	10	12
35-49	1193	6.2	17	2	2	5	8	11	14	22
50-64	3612	6.9	22	2	3	6	9	12	15	23
65+	4504	8.1	38	2	3	7	10	15	18	32
B. *Operated*										
0-19 YRS	2	9.5	61	4	4	9	15	15	15	15
20-34	14	6.1	30	2	2	4	10	14	19	20
35-49	395	7.3	48	2	2	4	11	16	19	33
50-64	989	8.5	65	2	2	6	12	18	23	36
65+	439	13.7	133	2	2	11	19	29	37	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1329	5.7	25	2	2	5	7	10	13	21
B. *Operated*	201	5.7	34	2	2	3	8	14	17	30
2. MULTIPLE DX										
A. *Not Operated*	9415	7.4	29	2	3	6	9	13	17	28
B. *Operated*	1839	9.5	83	2	2	7	13	20	27	44
1. SINGLE DX	1530	5.7	26	2	2	4	7	11	13	23
2. MULTIPLE DX	11254	7.7	39	2	2	6	10	14	19	32
A. NOT OPERATED	10744	7.2	29	2	3	6	9	13	16	27
B. OPERATED	2040	9.1	79	2	2	7	12	19	27	43
TOTAL 0-19 YRS	15	8.9	27	2	2	9	11	15	19	21
20-34	147	4.9	9	1	2	4	6	9	10	13
35-49	1945	6.2	23	2	2	5	8	12	15	24
50-64	5329	7.0	31	2	2	6	9	13	17	28
65+	5348	8.5	48	2	3	7	10	15	20	37
GRAND TOTAL	**12784**	**7.5**	**38**	**2**	**2**	**6**	**9**	**14**	**18**	**31**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	9.3	4	7	7	10	11	11	11	11
20-34	30	7.0	11	3	3	7	9	12	13	13
35-49	307	5.8	12	2	2	5	8	10	12	17
50-64	769	6.6	17	2	2	6	8	12	14	22
65+	561	7.7	28	2	3	7	10	14	17	26
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	4	6.3	32	2	2	5	10	14	14	14
35-49	36	8.7	63	2	2	5	13	21	28	31
50-64	94	9.2	64	2	2	8	12	20	24	42
65+	22	13.0	76	2	4	11	17	23	31	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	7.6	16	2	4	7	9	15	16	17
20-34	70	7.6	21	3	3	6	10	13	19	22
35-49	1217	7.8	36	2	3	7	9	14	17	24
50-64	4728	8.4	27	3	3	7	10	14	17	26
65+	6500	10.0	47	3	4	8	12	17	22	36
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	16	8.0	14	2	3	9	11	13	13	13
35-49	199	11.6	95	2	3	10	15	23	29	39
50-64	570	13.8	84	2	3	12	19	25	31	46
65+	491	18.2	160	4	6	15	23	33	39	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1670	6.8	20	2	3	6	9	12	15	23
B. *Operated*	157	9.5	66	2	2	8	13	20	24	41
2. MULTIPLE DX										
A. *Not Operated*	12530	9.2	39	3	4	8	11	16	20	32
B. *Operated*	1277	15.1	121	2	3	13	20	28	34	64
1. SINGLE DX	1827	7.0	24	2	3	6	9	12	16	25
2. MULTIPLE DX	13807	9.7	49	3	4	8	12	17	22	36
A. NOT OPERATED	14200	8.9	37	3	3	8	11	15	19	30
B. OPERATED	1434	14.5	118	2	3	12	19	27	34	60
TOTAL 0-19 YRS	20	9.0	25	3	4	8	10	16	20	23
20-34	120	7.4	17	2	3	7	10	13	15	21
35-49	1759	7.9	41	2	3	7	10	14	18	30
50-64	6161	8.7	35	3	3	7	11	16	19	30
65+	7574	10.4	57	3	4	9	13	18	24	40
GRAND TOTAL	**15634**	**9.4**	**47**	**3**	**3**	**8**	**12**	**17**	**21**	**35**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	14	5.6	26	<1	1	4	7	11	19	21
35-49	158	5.9	19	1	2	5	8	12	14	20
50-64	332	6.2	15	2	2	5	8	11	13	21
65+	366	7.2	31	2	2	6	9	13	17	27
B. *Operated*										
0-19 YRS	14	1.6		<1	1	1	2	2	3	3
20-34	38	5.3	30	1	2	3	6	12	18	23
35-49	585	6.0	37	2	2	2	11	15	18	24
50-64	1215	7.1	53	2	2	3	12	17	20	29
65+	226	8.1	72	2	2	3	13	21	24	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	9.5	19	4	4	9	13	16	17	18
20-34	50	7.8	20	2	3	7	10	13	18	21
35-49	840	7.7	32	2	3	6	10	15	18	28
50-64	3761	8.7	41	2	3	7	11	16	20	31
65+	7937	11.2	80	3	4	9	14	21	27	53
B. *Operated*										
0-19 YRS	6	17.0	257	<1	<1	13	35	38	38	38
20-34	56	5.9	49	2	2	2	8	14	18	37
35-49	822	7.4	80	2	2	3	10	16	23	43
50-64	2384	9.2	99	2	2	4	14	22	28	45
65+	1454	15.6	180	2	2	13	21	31	42	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	871	6.6	23	2	2	5	8	12	15	25
B. *Operated*	2078	6.8	50	2	2	3	12	17	20	29
2. MULTIPLE DX										
A. *Not Operated*	12612	10.2	67	3	3	8	13	19	24	45
B. *Operated*	4722	10.8	131	2	2	[illegible]	15	25	33	62
1. SINGLE DX	2949	6.8	42	2	2	4	10	16	19	28
2. MULTIPLE DX	17334	10.3	84	2	2	8	13	20	27	50
A. NOT OPERATED	13483	9.9	65	2	3	8	12	18	24	44
B. OPERATED	6800	9.6	109	2	2	5	14	22	29	53
TOTAL 0-19 YRS	45	7.9	66	<1	1	6	11	16	22	38
20-34	158	6.3	34	2	2	4	8	13	18	29
35-49	2405	7.0	49	2	2	4	10	15	19	32
50-64	7692	8.5	60	2	2	6	12	17	22	38
65+	9983	11.6	96	2	3	9	14	22	30	59
GRAND TOTAL	**20283**	**9.8**	**80**	**2**	**2**	**8**	**13**	**20**	**26**	**47**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	9.3	21	2	5	8	11	16	19	20
20-34	109	10.1	21	3	4	10	13	15	17	25
35-49	174	11.7	25	3	6	11	14	18	21	26
50-64	185	12.2	34	5	6	12	14	19	22	27
65+	149	13.4	37	5	7	13	17	20	24	31
B. *Operated*										
0-19 YRS	2	11.0	2	10	10	11	12	12	12	12
20-34	27	12.1	31	7	7	11	14	21	24	31
35-49	30	12.4	42	4	5	11	14	22	24	32
50-64	36	13.9	36	7	8	12	16	22	28	29
65+	22	15.0	70	2	7	13	18	24	33	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	15.5	341	4	5	11	14	25	66	78
20-34	159	11.8	32	4	5	11	14	19	23	32
35-49	337	13.3	39	5	7	13	16	21	24	34
50-64	670	14.4	47	6	8	13	17	22	28	39
65+	1143	17.3	97	7	8	15	21	28	34	59
B. *Operated*										
0-19 YRS	3	16.7	42	10	10	17	21	23	23	23
20-34	37	17.2	103	4	6	15	24	34	44	99+
35-49	84	19.6	119	7	8	18	25	38	42	85
50-64	190	21.2	175	8	10	18	25	37	43	80
65+	225	22.8	185	8	9	20	27	43	50	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	629	11.9	31	4	6	11	14	18	21	28
B. *Operated*	117	13.3	42	5	7	12	15	22	27	35
2. MULTIPLE DX										
A. *Not Operated*	2323	15.5	74	6	7	14	18	25	31	53
B. *Operated*	539	21.3	167	7	9	19	26	39	46	85
1. SINGLE DX	746	12.1	33	4	6	12	15	19	22	29
2. MULTIPLE DX	2862	16.6	97	6	8	14	20	28	35	57
A. NOT OPERATED	2952	14.7	67	5	7	13	18	24	29	49
B. OPERATED	656	19.9	154	7	9	17	24	36	44	77
TOTAL 0-19 YRS	31	12.9	168	4	6	10	14	19	23	78
20-34	332	11.9	40	3	5	11	14	19	25	43
35-49	625	13.6	52	5	7	12	16	23	27	41
50-64	1081	15.2	75	6	8	13	18	24	29	47
65+	1539	17.7	109	7	8	15	21	29	37	65
GRAND TOTAL	**3608**	**15.7**	**87**	**5**	**7**	**14**	**19**	**26**	**32**	**56**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	24.8	209	1	1	28	32	40	40	40
20-34	6	24.5	76	16	16	24	29	37	38	38
35-49	3	26.7	54	21	21	24	32	35	35	35
50-64	12	26.5	168	3	6	28	35	42	44	44
65+	15	36.3	244	11	22	36	41	65	67	68
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	20.3	261	6	6	17	33	41	41	41
50-64										
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	[illegible]	465	7	7	28	30	58	85	85
20-34	50	31.5	277	4	6	33	41	52	62	75
35-49	42	30.9	[illegible]	7	12	31	40	46	56	67
50-64	69	31.8	[illegible]	7	13	31	41	48	54	62
65+	99	32.7	[illegible]	11	14	32	39	51	60	72
B. *Operated*										
0-19 YRS	3	24.7	233	8	8	28	35	38	38	38
20-34	18	41.4	273	20	27	35	46	64	77	85
35-49	22	30.9	182	7	12	30	40	46	52	60
50-64	36	42.3	393	11	19	37	53	67	79	95
65+	52	40.5	334	20	22	36	49	63	80	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	29.6	192	5	11	29	37	42	56	68
B. *Operated*	5	18.4	213	6	6	11	29	41	41	41
2. MULTIPLE DX										
A. *Not Operated*	270	31.8	208	7	12	31	40	49	60	74
B. *Operated*	131	39.1	326	11	21	36	47	64	78	95
1. SINGLE DX	46	28.4	202	5	8	28	37	41	51	68
2. MULTIPLE DX	401	34.2	258	8	13	33	43	54	63	85
A. NOT OPERATED	311	31.5	206	7	12	31	39	48	60	71
B. OPERATED	136	38.4	336	11	17	35	46	64	76	95
TOTAL 0-19 YRS	18	27.0	327	3	7	28	30	39	67	85
20-34	74	33.4	279	5	11	34	41	54	63	83
35-49	71	30.1	192	6	11	30	40	45	52	66
50-64	117	34.5	266	8	13	33	43	54	65	87
65+	167	35.3	248	12	19	33	43	57	65	90
GRAND TOTAL	**447**	**33.6**	**255**	**7**	**13**	**32**	**42**	**53**	**63**	**85**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.9	5	<1	<1	2	4	5	9	11
20-34	53	2.8	5	<1	1	2	4	6	8	10
35-49	111	3.0	5	1	1	2	4	6	8	11
50-64	171	3.6	14	1	1	2	5	7	10	23
65+	96	5.3	62	1	1	3	6	10	12	52
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	[illegible]	2.0		2	2	2	2	2	2	2
50-64	3	2.0		2	2	2	2	2	2	2
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	6.5	79	1	2	5	7	10	18	49
20-34	53	4.2	8	<1	1	3	5	8	10	12
35-49	160	5.4	30	<1	1	4	7	12	15	27
50-64	415	6.0	23	1	2	5	8	12	14	25
65+	587	7.7	32	2	3	6	10	14	19	31
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	11.3	66	2	2	15	16	17	17	17
35-49	6	13.0	55	3	3	15	19	21	21	21
50-64	24	13.1	108	2	2	10	17	30	35	39
65+	43	13.5	48	5	6	13	16	21	31	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	467	3.7	21	1	1	2	4	7	10	22
B. *Operated*	9	4.2	16	2	2	2	5	11	14	14
2. MULTIPLE DX										
A. *Not Operated*	1243	6.6	30	1	2	5	8	13	17	27
B. *Operated*	77	13.1	67	2	4	12	16	25	32	38
1. SINGLE DX	476	3.7	21	1	1	2	4	7	10	21
2. MULTIPLE DX	1320	7.0	34	1	2	6	9	14	18	31
A. NOT OPERATED	1710	5.8	29	1	1	4	7	12	15	26
B. OPERATED	86	12.2	69	2	2	11	16	23	31	37
TOTAL 0-19 YRS	66	4.5	39	<1	1	3	5	7	11	44
20-34	111	3.7	10	<1	1	3	5	8	10	16
35-49	279	4.6	23	1	1	3	6	10	14	23
50-64	613	5.6	27	1	1	4	7	11	14	28
65+	727	7.7	40	1	2	6	10	14	19	33
GRAND TOTAL	**1796**	**6.1**	**33**	**1**	**1**	**5**	**8**	**12**	**16**	**30**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.5	22	<1	<1	2	7	12	13	13
20-34	97	2.3	3	<1	<1	2	3	5	6	9
35-49	156	3.7	11	<1	1	3	5	7	10	17
50-64	326	3.9	8	1	1	3	5	7	10	18
65+	279	5.7	26	1	1	4	7	10	17	28
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	5	21.0	1758	2	2	2	26	96	96	96
50-64	6	3.5	4	1	1	3	5	6	6	6
65+	14	14.4	278	2	2	10	17	29	59	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	5.6	6	2	2	6	7	9	10	10
20-34	69	4.2	25	1	1	3	5	7	10	32
35-49	285	5.5	20	<1	1	4	7	12	16	20
50-64	1444	7.1	35	1	2	6	9	14	18	30
65+	3458	9.5	77	2	3	7	12	18	24	59
B. *Operated*										
0-19 YRS										
20-34	6	5.7	12	1	1	6	8	10	10	10
35-49	30	10.0	45	1	2	9	14	19	19	28
50-64	106	15.7	248	2	2	12	20	34	43	93
65+	431	18.5	177	5	7	15	23	36	44	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	864	4.3	15	1	1	3	6	8	11	22
B. *Operated*	26	12.7	468	1	2	5	12	24	74	96
2. MULTIPLE DX										
A. *Not Operated*	5272	8.6	64	2	2	7	11	16	21	45
B. *Operated*	573	17.4	187	3	5	14	22	35	43	90
1. SINGLE DX	890	4.5	30	1	1	3	6	9	12	25
2. MULTIPLE DX	5845	9.4	83	2	2	7	12	18	25	54
A. NOT OPERATED	6136	8.0	59	1	2	6	10	15	20	42
B. OPERATED	599	17.2	199	3	5	14	21	34	43	93
TOTAL 0-19 YRS	22	5.3	10	1	2	5	7	9	11	13
20-34	173	3.2	13	<1	1	2	4	7	9	19
35-49	476	5.3	38	<1	1	4	7	12	16	21
50-64	1882	7.0	48	1	2	5	9	14	19	35
65+	4182	10.2	94	2	3	8	13	20	27	65
GRAND TOTAL	**6735**	**8.8**	**79**	**1**	**2**	**7**	**11**	**17**	**24**	**52**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	4.0	13	1	1	3	5	8	10	19
20-34	118	3.8	7	1	1	3	5	7	9	14
35-49	226	5.1	21	1	1	4	6	10	13	27
50-64	344	5.2	25	1	1	4	6	9	12	21
65+	309	6.9	42	1	1	5	8	14	17	32
B. *Operated*										
0-19 YRS	8	4.8	17	1	1	4	7	11	13	13
20-34	15	5.5	12	<1	2	5	8	11	12	13
35-49	40	8.0	30	2	2	7	12	16	19	22
50-64	103	9.4	65	2	3	7	13	19	23	46
65+	433	9.6	52	3	4	8	11	18	23	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	6.2	40	1	2	4	7	12	17	37
20-34	262	5.0	11	1	2	4	7	10	11	17
35-49	712	6.7	34	1	2	5	8	12	18	28
50-64	2021	7.9	35	2	3	6	10	15	19	31
65+	3815	10.0	65	2	3	8	12	19	24	41
B. *Operated*										
0-19 YRS	15	8.0	29	1	1	9	12	16	17	18
20-34	34	11.1	248	1	2	7	11	27	71	99+
35-49	110	10.4	76	2	2	8	14	23	32	63
50-64	600	13.2	109	3	5	10	16	25	33	61
65+	2751	14.7	113	4	5	12	18	27	36	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1055	5.4	27	1	1	4	7	11	14	24
B. *Operated*	599	9.3	52	2	3	8	11	17	22	41
2. MULTIPLE DX										
A. *Not Operated*	6884	8.8	53	2	3	7	11	17	22	36
B. *Operated*	3510	14.2	113	4	5	11	18	27	35	60
1. SINGLE DX	1654	6.8	40	1	2	5	8	13	18	29
2. MULTIPLE DX	10394	10.6	80	2	3	8	13	21	27	48
A. NOT OPERATED	7939	8.4	51	2	2	7	10	16	21	36
B. OPERATED	4109	13.5	107	3	5	11	17	25	34	59
TOTAL 0-19 YRS	155	5.5	29	1	1	4	7	11	16	33
20-34	429	5.2	31	1	1	4	7	10	12	35
35-49	1088	6.8	37	1	2	5	8	13	18	32
50-64	3068	8.7	55	2	2	7	11	16	22	39
65+	7308	11.6	87	3	4	9	15	22	29	50
GRAND TOTAL	**12048**	**10.1**	**76**	**2**	**3**	**8**	**13**	**20**	**26**	**47**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	13.5	259	2	2	4	21	42	45	46
20-34	3	8.3	5	7	7	7	10	11	11	11
35-49	32	8.0	23	1	3	7	12	15	16	18
50-64	231	8.1	32	2	2	7	11	17	21	27
65+	957	9.8	57	2	3	8	13	18	23	54
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	14	10.9	218	2	2	7	12	19	51	60
65+	19	15.1	61	3	4	15	19	25	30	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	9.8	77	1	2	6	13	19	23	73
20-34	65	10.5	34	4	5	10	12	20	23	30
35-49	605	10.2	60	3	4	8	12	20	25	42
50-64	4438	11.1	62	3	4	9	14	20	26	44
65+	20600	12.7	98	3	5	10	15	24	31	60
B. *Operated*										
0-19 YRS	21	8.4	63	2	2	8	9	13	25	40
20-34	21	11.7	304	1	2	8	11	21	49	83
35-49	80	18.1	231	2	3	14	22	43	52	95
50-64	513	18.3	175	3	5	15	24	36	46	72
65+	2110	22.0	209	6	8	19	28	42	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1237	9.5	54	2	3	8	12	18	22	44
B. *Operated*	34	13.0	127	2	2	12	17	23	32	60
2. MULTIPLE DX										
A. *Not Operated*	25830	12.4	91	3	4	10	15	23	30	57
B. *Operated*	2745	21.0	207	5	7	18	27	40	52	99
1. SINGLE DX	1271	9.6	57	2	3	8	12	18	23	45
2. MULTIPLE DX	28575	13.2	109	3	5	10	16	25	33	64
A. NOT OPERATED	27067	12.3	90	3	4	10	15	23	30	57
B. OPERATED	2779	20.9	207	5	7	18	27	40	52	99
TOTAL 0-19 YRS	157	9.9	91	2	2	8	12	20	31	62
20-34	89	10.7	94	2	3	9	12	20	23	63
35-49	718	11.0	84	3	4	8	13	21	29	51
50-64	5196	11.7	77	3	4	9	15	22	29	49
65+	23686	13.5	114	4	5	11	16	26	34	67
GRAND TOTAL	**29846**	**13.1**	**107**	**3**	**4**	**10**	**16**	**25**	**33**	**63**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	6.2	18	1	2	6	8	10	12	25
20-34	228	5.3	12	1	2	4	7	9	12	17
35-49	213	6.2	28	1	2	5	8	12	16	25
50-64	210	7.1	32	2	2	6	9	13	16	31
65+	137	7.5	32	2	2	6	9	13	18	28
B. *Operated*										
0-19 YRS	50	3.6	23	1	2	2	2	10	17	22
20-34	59	6.6	70	2	2	3	10	16	19	49
35-49	105	7.8	64	2	2	4	12	17	21	38
50-64	221	7.0	62	2	2	3	11	16	21	38
65+	116	10.1	119	2	2	5	15	26	39	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	7.9	56	1	1	5	10	16	25	38
20-34	257	8.0	67	1	2	6	10	16	24	42
35-49	557	8.5	47	2	3	7	11	16	22	38
50-64	1242	10.0	61	2	3	8	13	18	23	42
65+	1779	11.3	78	3	4	9	14	21	26	51
B. *Operated*										
0-19 YRS	43	6.3	125	1	1	2	5	16	33	55
20-34	83	11.6	149	2	2	9	15	24	35	68
35-49	231	11.6	131	2	2	9	16	24	33	55
50-64	603	12.8	144	2	2	10	18	28	36	61
65+	606	16.8	196	2	2	14	23	36	45	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	843	6.4	25	1	2	5	8	12	15	25
B. *Operated*	551	7.4	74	2	2	3	11	17	24	50
2. MULTIPLE DX										
A. *Not Operated*	3912	10.2	68	2	3	8	13	19	25	43
B. *Operated*	1566	13.9	168	2	2	11	19	30	41	66
1. SINGLE DX	1394	6.8	45	2	2	5	9	14	18	39
2. MULTIPLE DX	5478	11.3	100	2	3	9	14	22	30	54
A. NOT OPERATED	4755	9.5	63	2	3	8	12	18	23	41
B. OPERATED	2117	12.2	152	2	2	9	17	28	37	62
TOTAL 0-19 YRS	225	6.2	54	1	2	3	8	14	22	42
20-34	627	7.4	62	1	2	5	9	15	20	41
35-49	1106	8.6	66	2	2	6	11	18	23	45
50-64	2276	10.2	84	2	2	8	13	21	27	49
65+	2638	12.3	111	2	3	10	15	24	33	60
GRAND TOTAL	**6872**	**10.4**	**92**	**2**	**2**	**8**	**13**	**21**	**28**	**51**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	1.8	1	<1	<1	1	2	3	3	3
50-64	20	6.8	14	3	3	5	10	12	14	15
65+	47	9.6	50	3	3	8	13	21	27	28
B. *Operated*										
0-19 YRS										
20-34										
35-49	9	6.7	64	2	2	3	9	20	26	26
50-64	24	5.3	29	2	2	3	6	16	18	19
65+	8	14.5	393	2	2	[illegible]	21	49	56	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	14.0	50	9	9	14	19	19	19	19
20-34	6	6.3	9	3	3	5	9	11	11	11
35-49	91	8.4	44	2	2	7	11	16	21	34
50-64	426	8.7	72	2	3	7	10	15	19	42
65+	1421	11.5	101	3	4	9	14	22	31	88
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	1	10.0		10	10	10	10	10	10	10
35-49	47	7.5	98	2	2	3	11	14	18	63
50-64	123	11.8	207	2	2	8	15	27	44	85
65+	299	18.7	226	2	4	15	25	39	49	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	8.4	41	2	3	6	11	16	24	28
B. *Operated*	41	7.4	111	2	2	3	8	18	30	56
2. MULTIPLE DX										
A. *Not Operated*	1946	10.7	94	3	3	8	13	20	28	68
B. *Operated*	471	15.8	223	2	2	12	21	35	47	88
1. SINGLE DX	112	8.0	66	2	2	5	11	16	26	42
2. MULTIPLE DX	2417	11.7	123	2	3	9	14	23	32	80
A. NOT OPERATED	2017	10.7	92	3	3	8	13	19	27	65
B. OPERATED	512	15.1	219	2	2	11	21	34	46	87
TOTAL 0-19 YRS	3	13.0	28	9	9	11	17	19	19	19
20-34	7	6.9	10	3	3	6	10	11	11	11
35-49	151	7.9	61	2	2	6	11	15	21	36
50-64	593	9.2	98	2	2	7	11	17	22	48
65+	1775	12.7	130	3	4	10	15	25	35	90
GRAND TOTAL	**2529**	**11.6**	**121**	**2**	**3**	**9**	**14**	**23**	**32**	**78**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	28	2	2	4	10	12	12	12
20-34	6	5.7	25	2	2	4	7	14	15	15
35-49	11	9.2	76	<1	<1	7	17	22	26	26
50-64	13	4.8	11	<1	1	5	6	9	12	13
65+	10	20.8	83	6	8	22	25	32	39	39
B. *Operated*										
0-19 YRS										
20-34	19	20.2	68	4	8	19	26	31	34	35
35-49	32	21.9	276	3	4	19	29	37	61	80
50-64	33	24.8	192	2	5	23	35	41	44	61
65+	5	19.8	213	2	2	28	31	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	9.5	41	5	5	9	14	14	14	14
20-34	6	5.0	22	<1	<1	3	8	12	13	13
35-49	12	6.5	21	1	2	6	8	13	16	17
50-64	21	15.0	123	1	2	12	24	31	36	38
65+	48	22.6	236	3	7	19	28	49	54	64
B. *Operated*										
0-19 YRS	5	25.4	290	7	7	18	39	50	50	50
20-34	21	34.0	468	4	7	34	43	64	80	90
35-49	37	28.6	193	5	10	31	41	75	99+	99+
50-64	70	31.4	423	8	11	29	46	99	99+	99+
65+	26	38.8	558	13	18	32	56	93	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	9.9	83	<1	1	6	15	24	26	39
B. *Operated*	89	22.5	194	3	5	21	31	38	42	73
2. MULTIPLE DX										
A. *Not Operated*	89	17.1	203	1	2	14	24	34	50	63
B. *Operated*	159	32.1	396	7	12	30	46	82	99+	99+
1. SINGLE DX	132	18.4	193	2	2	18	26	35	41	66
2. MULTIPLE DX	248	26.7	377	3	6	25	38	66	99+	99+
A. NOT OPERATED	132	14.8	175	1	2	11	22	29	45	62
B. OPERATED	248	28.7	344	5	8	26	38	70	99+	99+
TOTAL 0-19 YRS	10	16.4	231	2	3	13	18	42	50	50
20-34	52	22.3	328	2	2	19	31	43	58	90
35-49	92	21.1	250	2	3	20	33	48	75	99+
50-64	137	24.8	354	2	5	23	35	64	99+	99+
65+	89	27.0	362	6	8	24	34	56	84	99+
GRAND TOTAL	**380**	**23.8**	**328**	**2**	**4**	**22**	**34**	**54**	**86**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	6.0	50	1	1	11	78	99+	99+	99+
65+	9	30.3	132	18	18	31	39	47	51	51
B. *Operated*										
0-19 YRS	1	51.0		51	51	51	51	51	51	51
20-34	2	43.5	221	33	33	54	88	99+	99+	99+
35-49	4	50.0	150	33	33	54	71	99+	99+	99+
50-64	7	63.9	480	31	35	82	99+	99+	99+	99+
65+	5	49.6	436	24	26	51	81	98	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	11	25.9	207	2	8	27	39	66	95	99+
B. *Operated*	19	54.4	353	29	33	64	99+	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	30	43.9	485	14	19	51	85	99+	99+	99+
A. NOT OPERATED	11	25.9	207	2	8	27	39	66	95	99+
B. OPERATED	19	54.4	353	29	33	64	99+	99+	99+	99+
TOTAL 0-19 YRS	1	51.0		51	51	51	51	51	51	51
20-34	2	43.5	221	33	33	54	88	99+	99+	99+
35-49	4	50.0	150	33	33	54	71	99+	99+	99+
50-64	9	51.0	1017	3	11	78	99+	99+	99+	99+
65+	14	37.2	307	18	18	38	51	81	95	99+
GRAND TOTAL	**30**	**43.9**	**485**	**14**	**19**	**51**	**85**	**99+**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	33	<1	<1	1	8	11	11	11
20-34	2	24.5	841	4	4	24	45	45	45	45
35-49	4	13.5	91	3	3	12	20	26	26	26
50-64	9	10.8	63	1	2	10	14	23	27	27
65+	28	16.1	181	<1	3	12	20	32	47	61
B. *Operated*										
0-19 YRS	5	23.4	845	3	3	16	74	97	99+	99+
20-34	14	17.3	221	2	3	15	23	31	54	60
35-49	16	14.2	89	2	3	12	19	29	33	35
50-64	29	17.2	260	8	8	12	18	29	37	93
65+	41	17.8	167	5	7	13	23	36	50	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	8	10.9	104	<1	2	7	12	29	34	34
35-49	22	17.7	207	<1	<1	17	25	37	46	57
50-64	65	18.9	214	2	5	15	27	35	55	59
65+	152	21.3	222	5	8	18	27	47	65	99+
B. *Operated*										
0-19 YRS	6	22.7	568	6	6	12	27	65	69	69
20-34	4	31.3	991	10	10	52	99+	99+	99+	99+
35-49	20	26.0	250	10	14	22	41	73	99+	99+
50-64	59	29.7	477	8	11	25	45	99	99+	99+
65+	129	28.3	258	9	11	26	38	48	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	14.4	162	<1	1	11	17	30	45	61
B. *Operated*	105	17.3	210	3	6	13	22	32	53	96
2. MULTIPLE DX										
A. *Not Operated*	248	20.0	217	2	6	17	26	42	57	99+
B. *Operated*	218	28.4	330	9	11	26	39	69	99+	99+
1. SINGLE DX	151	16.4	196	2	4	12	21	31	48	93
2. MULTIPLE DX	466	23.9	287	5	8	20	33	55	77	99+
A. NOT OPERATED	294	19.1	212	2	5	16	26	40	56	99+
B. OPERATED	323	24.8	317	6	8	21	35	60	93	99+
TOTAL 0-19 YRS	15	18.0	523	<1	1	11	24	73	92	99+
20-34	28	18.0	319	2	3	13	27	68	99+	99+
35-49	62	19.2	200	1	3	17	26	42	61	99+
50-64	162	22.1	342	5	6	17	32	57	93	99+
65+	350	23.1	242	6	8	20	30	46	62	99+
GRAND TOTAL	**617**	**22.1**	**275**	**4**	**7**	**18**	**30**	**48**	**70**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	1	9.0		9	9	9	9	9	9	9
50-64	21	27.7	232	7	12	25	36	51	60	68
65+	69	33.0	544	7	10	29	46	90	99	99+
B. *Operated*										
0-19 YRS										
20-34	1	18.0		18	18	18	18	18	18	18
35-49	4	57.5	1035	28	28	85	99+	99+	99+	99+
50-64	18	40.9	733	12	17	36	69	97	99+	99+
65+	20	32.7	292	12	19	29	39	66	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	92	31.3	471	7	10	26	41	63	98	99+
B. *Operated*	43	38.1	565	14	18	30	65	98	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	135	33.5	507	8	11	28	48	92	99+	99+
A. NOT OPERATED	92	31.3	471	7	10	26	41	63	98	99+
B. OPERATED	43	38.1	565	14	18	30	65	98	99+	99+
TOTAL 0-19 YRS										
20-34	2	16.5	5	15	15	16	18	18	18	18
35-49	5	47.8	1247	9	13	79	98	99+	99+	99+
50-64	39	33.8	494	10	14	25	50	81	97	99+
65+	89	32.9	483	7	11	29	44	89	99	99+
GRAND TOTAL	**135**	**33.5**	**507**	**8**	**11**	**28**	**48**	**92**	**99+**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	10.5	39	4	4	10	15	18	18	18
50-64	16	7.9	14	2	2	8	11	12	14	15
65+	25	10.8	369	1	1	5	9	15	69	81
B. *Operated*										
0-19 YRS										
20-34	3	7.0	7	5	5	6	9	10	10	10
35-49	34	8.4	39	1	2	7	12	19	21	25
50-64	280	9.0	37	2	2	7	12	17	20	29
65+	261	9.4	43	2	2	8	13	19	24	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	9.5	61	4	4	9	15	15	15	15
20-34	2	9.0		9	9	9	9	9	9	9
35-49	10	8.4	56	1	2	6	8	22	23	23
50-64	74	10.3	91	1	2	8	12	23	35	41
65+	161	11.7	120	2	3	9	13	24	35	67
B. *Operated*										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	5	12.4	8	10	10	11	14	17	17	17
35-49	65	11.5	123	2	3	8	14	20	27	71
50-64	620	11.7	92	2	3	9	15	22	29	53
65+	729	12.4	101	2	3	10	16	24	32	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	9.8	211	1	2	7	11	15	30	81
B. *Operated*	578	9.1	40	2	2	8	12	18	22	28
2. MULTIPLE DX										
A. *Not Operated*	249	11.1	107	2	3	8	13	23	34	64
B. *Operated*	1421	12.0	98	2	3	10	15	23	30	56
1. SINGLE DX	623	9.1	52	2	2	7	12	17	22	30
2. MULTIPLE DX	1670	11.9	99	2	3	9	15	23	30	61
A. NOT OPERATED	294	10.9	122	2	3	8	13	22	34	66
B. OPERATED	1999	11.2	83	2	3	9	14	21	27	47
TOTAL 0-19 YRS	4	8.5	22	4	4	7	11	15	15	15
20-34	10	10.1	11	5	5	10	11	15	17	17
35-49	113	10.2	89	2	2	8	13	19	23	56
50-64	990	10.7	77	2	3	8	14	21	27	42
65+	1176	11.6	98	2	3	9	15	23	30	61
GRAND TOTAL	**2293**	**11.1**	**88**	**2**	**3**	**9**	**14**	**21**	**28**	**50**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	8.7	14	6	6	7	11	13	13	13
50-64	12	15.7	159	5	6	12	17	30	50	53
65+	28	20.1	215	6	7	16	24	50	60	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	18.8	523	2	2	11	35	51	51	51
50-64	37	17.1	190	3	4	13	20	38	49	56
65+	47	19.6	216	4	5	16	25	39	50	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	43	18.1	192	6	7	14	20	48	54	99+
B. *Operated*	88	18.5	212	3	4	14	25	39	51	60
1. SINGLE DX										
2. MULTIPLE DX	131	18.4	204	3	5	14	24	42	53	67
A. NOT OPERATED	43	18.1	192	6	7	14	20	48	54	99+
B. OPERATED	88	18.5	212	3	4	14	25	39	51	60
TOTAL 0-19 YRS										
20-34										
35-49	7	14.4	295	2	2	7	17	45	51	51
50-64	49	16.7	180	3	5	13	18	37	53	56
65+	75	19.8	213	4	6	16	25	45	56	90
GRAND TOTAL	**131**	**18.4**	**204**	**3**	**5**	**14**	**24**	**42**	**53**	**67**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	<1	<1	3	7	7	7	7
20-34	3	9.7	16	6	6	9	13	14	14	14
35-49	20	12.2	87	3	4	9	15	24	34	41
50-64	64	10.6	82	3	3	8	13	21	26	48
65+	195	13.7	104	3	4	10	18	28	35	50
B. *Operated*										
0-19 YRS										
20-34	2	9.0	50	4	4	9	14	14	14	14
35-49	9	13.6	181	1	2	6	25	35	36	36
50-64	22	12.2	178	2	3	9	16	19	38	66
65+	28	12.9	184	2	2	9	14	36	50	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	8.0	50	1	2	6	11	19	26	26
20-34	12	9.1	18	3	4	8	13	15	16	16
35-49	81	12.3	78	3	4	10	16	23	31	47
50-64	538	14.7	143	4	5	11	18	30	40	99+
65+	2012	18.1	216	4	6	14	22	37	52	99+
B. *Operated*										
0-19 YRS										
20-34	11	13.8	134	2	3	10	23	33	34	34
35-49	41	13.0	86	3	3	12	17	27	32	42
50-64	137	17.8	201	3	5	13	23	42	51	99+
65+	293	25.3	355	5	7	20	34	60	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	12.8	98	3	4	10	16	27	33	48
B. *Operated*	61	12.6	171	2	2	9	15	26	46	64
2. MULTIPLE DX										
A. *Not Operated*	2653	17.2	199	4	6	13	21	35	50	99+
B. *Operated*	482	21.9	302	4	6	18	30	53	68	99+
1. SINGLE DX	345	12.8	110	3	4	9	16	27	36	52
2. MULTIPLE DX	3135	17.9	218	4	6	14	22	38	54	99+
A. NOT OPERATED	2937	16.7	191	4	5	13	21	34	48	99
B. OPERATED	543	20.8	296	3	5	16	29	50	66	99+
TOTAL 0-19 YRS	12	7.3	45	<1	1	6	9	16	25	26
20-34	28	11.0	65	3	3	9	14	23	32	34
35-49	151	12.6	86	3	3	10	17	25	33	42
50-64	761	14.8	152	3	5	11	18	32	45	99+
65+	2528	18.6	231	4	6	14	23	40	55	99+
GRAND TOTAL	**3480**	**17.4**	**209**	**4**	**5**	**13**	**22**	**36**	**52**	**99+**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	17.0	98	10	10	17	24	24	24	24
35-49	32	20.8	251	3	4	15	32	40	52	69
50-64	230	22.6	303	6	6	17	30	49	65	89
65+	974	23.7	300	6	8	19	32	49	65	99+
B. *Operated*										
0-19 YRS										
20-34	3	17.3	534	3	3	5	34	44	44	44
35-49	11	26.9	353	11	12	18	34	54	71	73
50-64	40	24.3	527	5	6	21	36	99+	99+	99+
65+	123	32.0	384	11	13	28	47	70	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1239	23.4	299	6	7	18	32	49	65	99+
B. *Operated*	177	29.7	423	7	10	25	44	77	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	1416	24.2	318	6	7	19	33	52	70	99+
A. NOT OPERATED	1239	23.4	299	6	7	18	32	49	65	99+
B. OPERATED	177	29.7	423	7	10	25	44	77	99+	99+
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	17.2	292	3	3	10	29	44	44	44
35-49	43	22.4	277	3	6	15	33	42	59	73
50-64	270	22.8	334	5	6	17	32	55	83	99+
65+	1097	24.6	316	6	8	19	33	52	68	99+
GRAND TOTAL	**1416**	**24.2**	**318**	**6**	**7**	**19**	**33**	**52**	**70**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	16	3.8	6	<1	1	3	6	7	8	8
35-49	60	5.5	12	1	2	5	7	10	13	17
50-64	283	5.5	14	1	2	5	7	10	12	21
65+	736	6.4	26	2	2	5	8	11	15	24
B. *Operated*										
0-19 YRS										
20-34	8	4.0	8	1	1	3	6	8	9	9
35-49	43	6.1	21	2	2	5	8	11	16	21
50-64	153	6.6	32	2	2	5	9	13	14	32
65+	81	6.5	21	2	2	6	9	12	13	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	10.5	344	1	2	5	10	17	61	74
20-34	30	6.9	63	2	2	4	7	13	22	42
35-49	182	6.7	21	2	3	6	8	11	14	29
50-64	1355	7.3	24	2	3	6	9	13	16	23
65+	5981	9.9	80	3	3	8	12	19	26	61
B. *Operated*										
0-19 YRS										
20-34	5	8.6	55	3	3	5	13	21	21	21
35-49	73	8.5	38	2	2	7	11	19	23	83
50-64	443	11.0	90	2	3	9	14	21	29	51
65+	783	15.3	150	3	4	12	20	31	42	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1097	6.1	22	1	2	5	8	11	14	23
B. *Operated*	285	6.4	26	2	2	5	9	12	14	29
2. MULTIPLE DX										
A. *Not Operated*	7562	9.4	70	2	3	7	11	17	24	56
B. *Operated*	1304	13.5	129	3	3	11	17	27	37	77
1. SINGLE DX	1382	6.1	23	1	2	5	8	11	14	24
2. MULTIPLE DX	8866	10.0	81	2	3	8	12	19	26	59
A. NOT OPERATED	8659	9.0	65	2	3	7	11	16	22	51
B. OPERATED	1589	12.2	117	2	3	9	15	26	34	72
TOTAL 0-19 YRS	16	10.0	301	1	2	5	10	10	55	74
20-34	59	5.8	41	1	2	4	7	9	19	40
35-49	358	6.8	24	2	2	6	9	12	17	31
50-64	2234	7.8	39	2	2	6	10	14	19	32
65+	7581	10.1	85	2	3	8	12	19	27	62
GRAND TOTAL	**10248**	**9.5**	**75**	**2**	**3**	**7**	**11**	**18**	**25**	**55**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	5	2	2	3	5	7	7	7
20-34	7	8.3	19	3	4	8	9	15	17	17
35-49	25	12.4	211	1	2	6	15	36	52	54
50-64	179	12.7	104	2	3	10	17	27	35	87
65+	650	15.0	167	3	4	11	19	30	43	81
B. *Operated*										
0-19 YRS										
20-34	3	7.3	26	3	3	6	11	13	13	13
35-49	15	9.5	34	1	3	8	13	16	22	24
50-64	46	12.0	156	2	2	8	14	24	37	70
65+	60	16.4	254	2	3	11	19	43	60	97
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	11.4	46	2	4	9	18	21	23	23
20-34	17	10.2	71	<1	1	8	14	19	30	35
35-49	103	14.5	174	3	4	12	17	32	48	99+
50-64	936	16.7	199	4	5	12	21	35	49	96
65+	4209	19.1	239	4	6	15	25	42	59	99+
B. *Operated*										
0-19 YRS	4	18.3	105	7	7	17	26	31	31	31
20-34	9	20.6	180	2	5	18	28	41	46	46
35-49	42	19.2	269	4	5	15	24	60	80	99+
50-64	238	21.4	410	3	5	15	28	53	91	99+
65+	509	28.9	445	6	8	25	47	81	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	865	14.4	155	3	4	11	19	29	41	80
B. *Operated*	124	13.7	191	2	2	10	17	33	49	78
2. MULTIPLE DX										
A. *Not Operated*	5276	18.6	232	4	5	14	24	41	57	99+
B. *Operated*	802	26.0	434	4	6	20	40	70	99+	99+
1. SINGLE DX	989	14.3	159	2	4	11	18	30	42	78
2. MULTIPLE DX	6078	19.6	265	4	5	15	26	45	64	99+
A. NOT OPERATED	6141	18.0	223	4	5	14	23	39	54	99+
B. OPERATED	926	24.4	419	3	5	18	37	68	99	99+
TOTAL 0-19 YRS	19	11.3	66	2	3	8	18	22	27	31
20-34	36	12.2	103	1	3	9	16	26	34	46
35-49	185	14.9	194	3	4	12	18	36	57	99+
50-64	1399	16.8	228	3	4	12	21	37	52	99+
65+	5428	19.5	261	4	5	15	26	45	63	99+
GRAND TOTAL	**7067**	**18.8**	**253**	**4**	**5**	**14**	**25**	**43**	**61**	**99+**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	20.3	342	7	7	12	27	52	60	60
20-34	6	15.3	254	4	4	10	17	43	46	46
35-49	53	21.9	316	5	6	16	27	59	76	99+
50-64	422	21.0	250	5	7	16	28	44	60	99+
65+	2001	22.9	268	5	7	19	30	49	67	99+
B. *Operated*										
0-19 YRS	3	20.3	69	11	11	23	26	27	27	27
20-34	5	38.6	1004	10	10	40	89	99	99+	99+
35-49	19	20.4	338	3	7	12	23	51	61	67
50-64	71	28.0	465	6	8	27	42	96	99+	99+
65+	261	28.2	280	8	10	27	42	78	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2490	22.5	267	5	7	18	30	48	66	99+
B. *Operated*	359	27.8	328	8	10	27	42	83	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	2849	23.2	277	6	7	19	31	52	73	99+
A. NOT OPERATED	2490	22.5	267	5	7	18	30	48	66	99+
B. OPERATED	359	27.8	328	8	10	27	42	83	99+	99+
TOTAL 0-19 YRS	11	20.3	253	7	7	14	26	44	59	60
20-34	11	25.9	676	4	4	16	45	92	99	99+
35-49	72	21.5	317	5	6	16	26	56	67	99+
50-64	493	22.0	286	5	7	17	29	48	76	99+
65+	2262	23.5	272	6	7	19	32	52	71	99+
GRAND TOTAL	**2849**	**23.2**	**277**	**6**	**7**	**19**	**31**	**52**	**73**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	17	6.5	16	1	2	7	8	11	15	17
35-49	50	5.8	15	1	2	5	8	10	13	20
50-64	95	7.9	41	2	2	7	10	15	18	39
65+	256	9.4	75	2	3	7	11	20	24	59
B. *Operated*										
0-19 YRS										
20-34	13	25.3	630	1	2	21	32	57	87	94
35-49	27	13.9	141	2	2	10	24	33	35	38
50-64	74	10.0	120	2	2	7	14	20	24	66
65+	55	10.0	211	1	2	4	12	21	35	87
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	7.1	42	1	2	5	9	16	23	25
20-34	33	7.6	63	1	2	5	8	19	30	32
35-49	118	8.9	59	2	3	7	11	19	32	99+
50-64	666	11.5	128	3	3	8	13	23	33	64
65+	3530	13.7	165	3	4	10	17	29	45	99+
B. *Operated*										
0-19 YRS	9	16.3	437	2	2	9	17	53	65	65
20-34	12	9.9	35	2	3	13	13	16	20	21
35-49	45	17.2	216	3	4	11	25	42	51	61
50-64	209	17.0	325	2	3	10	19	47	60	99+
65+	469	19.3	269	4	5	15	25	47	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	419	8.5	59	2	3	7	10	17	21	57
B. *Operated*	169	11.8	204	2	2	7	16	26	38	86
2. MULTIPLE DX										
A. *Not Operated*	4361	13.2	157	3	4	10	16	28	42	99+
B. *Operated*	744	18.4	281	3	4	13	24	46	65	99+
1. SINGLE DX	588	9.4	103	2	2	7	11	20	26	59
2. MULTIPLE DX	5105	13.9	178	3	4	10	17	31	47	99+
A. NOT OPERATED	4780	12.8	150	3	4	9	15	27	40	99+
B. OPERATED	913	17.1	273	2	3	12	22	43	62	99+
TOTAL 0-19 YRS	24	10.5	197	1	2	6	10	26	45	65
20-34	75	10.8	184	1	2	7	13	25	32	82
35-49	24[illegible]	10.4	103	2	3	7	12	26	35	64
50-64	1044	12.2	165	2	3	8	14	25	41	75
65+	4310	14.0	176	3	4	10	17	30	48	99+
GRAND TOTAL	**5693**	**13.5**	**172**	**3**	**4**	**10**	**17**	**29**	**46**	**99+**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	3.3	4	1	1	3	4	7	7	7
50-64	15	4.1	16	1	1	2	7	10	12	13
65+	30	5.3	29	1	2	3	7	12	13	27
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	32	10.3	172	1	2	9	13	15	17	77
50-64	126	9.7	88	1	2	8	14	17	25	45
65+	132	12.2	114	2	2	10	17	26	33	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	1	2.0		2	2	2	2	2	2	2
35-49	13	9.0	38	2	3	8	12	19	21	22
50-64	112	10.4	101	1	3	7	12	24	27	54
65+	705	11.9	112	2	4	9	14	24	37	93
B. *Operated*										
0-19 YRS	5	15.4	157	2	2	12	23	35	35	35
20-34	5	10.2	119	2	2	5	15	29	29	29
35-49	88	14.5	279	2	2	11	16	25	50	95
50-64	541	17.8	264	2	3	13	22	40	56	90
65+	960	21.8	323	2	4	18	29	49	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	4.7	22	1	1	3	7	11	13	27
B. *Operated*	291	10.9	109	2	2	10	15	20	29	63
2. MULTIPLE DX										
A. *Not Operated*	832	11.6	109	2	3	9	14	24	35	74
B. *Operated*	1599	20.0	304	2	3	16	26	45	64	99+
1. SINGLE DX	342	10.0	101	1	2	8	14	19	28	54
2. MULTIPLE DX	2431	17.1	253	2	3	13	22	38	56	99+
A. NOT OPERATED	883	11.2	107	2	3	8	14	24	32	71
B. OPERATED	1890	18.6	285	2	2	14	24	41	61	99+
TOTAL 0-19 YRS	6	15.7	126	2	3	14	19	33	35	35
20-34	7	8.4	90	2	2	5	9	25	29	29
35-49	139	12.6	227	2	2	10	14	22	36	94
50-64	794	15.2	223	2	2	12	19	33	48	88
65+	1827	17.0	247	2	3	13	22	38	55	99+
GRAND TOTAL	**2773**	**16.2**	**240**	**2**	**3**	**12**	**21**	**36**	**53**	**99+**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.3	7	<1	<1	2	5	7	7	7
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	10	6.4	37	<1	<1	5	10	16	20	20
65+	27	6.1	56	1	1	3	8	15	20	36
B. *Operated*										
0-19 YRS	2	16.0	32	12	12	16	20	20	20	20
20-34	2	12.5	61	7	7	12	18	18	18	18
35-49	10	14.6	408	2	2	11	14	42	70	70
50-64	134	13.7	43	2	7	13	16	22	26	41
65+	256	14.7	56	2	6	14	17	24	29	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	51	6.9	42	1	1	5	9	15	23	29
65+	259	9.5	90	2	2	7	11	19	27	47
B. *Operated*										
0-19 YRS	2	27.0	2	26	26	27	28	28	28	28
20-34	6	23.2	779	2	2	17	25	71	76	76
35-49	29	15.8	169	2	3	12	20	33	47	57
50-64	318	18.1	145	5	8	15	21	34	44	57
65+	845	19.9	194	4	8	16	24	37	49	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	5.7	45	<1	1	3	7	13	18	36
B. *Operated*	404	14.3	60	2	6	13	17	23	29	42
2. MULTIPLE DX										
A. *Not Operated*	310	9.1	82	1	2	7	11	18	26	42
B. *Operated*	1200	19.3	183	4	8	16	23	37	46	80
1. SINGLE DX	447	13.5	64	2	2	13	16	22	28	42
2. MULTIPLE DX	1510	17.2	180	3	4	14	21	34	44	77
A. NOT OPERATED	353	8.7	79	1	2	6	11	17	25	38
B. OPERATED	1604	18.1	157	3	7	15	21	33	44	75
TOTAL 0-19 YRS	4	21.5	52	12	12	23	27	28	28	28
20-34	12	14.8	449	<1	1	7	21	40	71	76
35-49	41	14.9	218	1	2	11	18	33	51	70
50-64	513	15.6	120	2	4	13	18	28	40	51
65+	1387	16.7	165	2	4	14	20	32	42	76
GRAND TOTAL	**1957**	**16.4**	**156**	**2**	**4**	**14**	**20**	**31**	**41**	**74**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	4.0	17	1	1	2	6	10	10	10
50-64	3	9.7	82	3	3	6	16	20	20	20
65+	3	9.3	56	5	5	5	15	18	18	18
B. *Operated*										
0-19 YRS	9	4.9	9	1	1	5	7	9	10	10
20-34	13	3.5	7	1	1	3	4	6	10	11
35-49	25	12.7	113	1	2	12	15	30	39	39
50-64	60	13.5	141	2	3	11	14	30	43	56
65+	69	12.5	52	2	2	12	17	22	26	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	1	11.0		11	11	11	11	11	11	11
50-64	5	15.2	214	3	3	10	25	38	38	38
65+	22	8.6	96	2	2	5	12	14	30	48
B. *Operated*										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	14	11.7	154	1	2	5	22	30	37	39
35-49	29	18.2	391	1	2	10	24	37	52	98
50-64	111	17.1	205	2	4	13	21	34	43	99+
65+	143	20.7	254	3	4	17	26	44	52	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	6.5	40	1	2	4	8	19	20	20
B. *Operated*	176	11.8	93	2	2	11	15	23	31	49
2. MULTIPLE DX										
A. *Not Operated*	29	9.9	109	2	3	6	12	20	38	48
B. *Operated*	298	18.7	246	2	3	15	24	40	50	99
1. SINGLE DX	188	11.5	91	2	2	10	15	22	30	49
2. MULTIPLE DX	327	17.9	240	2	3	14	23	39	48	99
A. NOT OPERATED	41	8.9	90	1	2	5	11	19	29	48
B. OPERATED	474	16.1	200	2	3	13	20	36	45	96
TOTAL 0-19 YRS	11	6.6	48	1	2	5	8	16	25	26
20-34	29	7.7	92	1	2	4	9	23	29	39
35-49	59	14.8	252	1	2	11	20	34	39	94
50-64	179	15.7	183	2	3	12	20	33	42	97
65+	237	17.0	198	2	3	13	21	38	46	86
GRAND TOTAL	**515**	**15.6**	**195**	**2**	**2**	**12**	**20**	**35**	**44**	**93**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	11.0		11	11	11	11	11	11	11
20-34	11	7.8	16	1	2	10	11	12	13	13
35-49	10	4.8	[illegible]	1	1	4	9	10	10	10
50-64	37	7.4	[illegible]	1	2	5	10	14	24	38
65+	26	9.0	172	1	1	5	10	12	39	65
B. *Operated*										
0-19 YRS	5	12.8	397	<1	<1	1	22	47	47	47
20-34	27	8.8	41	1	2	7	14	17	21	23
35-49	106	9.4	48	1	2	9	13	16	22	34
50-64	417	11.6	72	2	2	11	15	19	24	37
65+	345	12.3	67	2	3	12	16	21	27	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	4	5.3	14	1	1	5	8	10	10	10
35-49	24	11.8	86	1	2	11	16	25	30	36
50-64	94	10.8	160	1	2	8	13	21	26	84
65+	163	11.8	99	2	3	9	16	23	31	47
B. *Operated*										
0-19 YRS	5	24.2	454	3	3	19	38	57	57	57
20-34	18	13.7	149	1	2	10	19	33	42	44
35-49	205	14.8	139	2	3	12	19	29	45	99+
50-64	1032	15.7	144	2	4	13	19	30	40	80
65+	1481	19.1	213	3	6	16	24	36	52	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	7.7	80	1	1	5	10	12	23	55
B. *Operated*	900	11.5	69	2	2	11	15	20	25	39
2. MULTIPLE DX										
A. *Not Operated*	287	11.3	116	2	2	9	14	21	30	61
B. *Operated*	2741	17.5	185	3	4	14	22	34	48	97
1. SINGLE DX	986	11.2	71	1	2	11	15	19	25	39
2. MULTIPLE DX	3028	16.9	181	2	4	14	21	33	46	91
A. NOT OPERATED	373	10.5	110	1	2	8	13	21	28	61
B. OPERATED	3641	16.0	163	2	3	13	19	31	42	85
TOTAL 0-19 YRS	14	15.7	312	<1	1	11	19	48	55	57
20-34	60	9.9	71	1	2	8	14	20	23	43
35-49	345	12.6	111	2	2	11	15	24	31	99+
50-64	1580	14.1	129	2	3	12	17	27	35	75
65+	2015	17.2	188	2	4	14	21	33	47	90
GRAND TOTAL	**4014**	**15.5**	**160**	**2**	**3**	**13**	**19**	**31**	**40**	**84**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	6.5	19	1	2	6	8	13	15	20
20-34	18	4.8	10	1	2	4	6	10	12	13
35-49	43	6.7	32	1	2	5	10	13	16	31
50-64	57	5.9	19	1	1	5	8	12	15	18
65+	70	7.2	42	<1	1	5	10	15	17	36
B. *Operated*										
0-19 YRS	23	3.6	10	<1	<1	2	6	9	10	11
20-34	39	10.1	123	2	2	7	11	25	39	50
35-49	114	7.9	42	2	2	6	11	17	19	30
50-64	332	9.8	75	1	2	8	14	20	26	43
65+	338	12.0	105	2	2	10	16	25	34	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	8.8	153	1	1	6	10	14	30	64
20-34	41	8.6	138	1	2	4	9	20	28	68
35-49	85	8.9	55	2	2	6	12	19	26	33
50-64	224	8.9	77	2	2	7	11	22	25	81
65+	571	12.8	169	2	3	9	15	28	41	81
B. *Operated*										
0-19 YRS	15	14.2	324	1	2	7	21	30	60	70
20-34	51	14.5	203	2	3	10	18	35	46	63
35-49	197	14.8	204	2	2	11	17	32	39	85
50-64	810	16.0	228	2	2	13	20	36	52	99+
65+	1340	19.9	277	2	4	16	27	43	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	6.4	28	1	1	5	8	13	16	25
B. *Operated*	846	10.3	86	1	2	8	14	22	29	46
2. MULTIPLE DX										
A. *Not Operated*	945	11.2	138	2	2	8	14	24	35	79
B. *Operated*	2413	18.1	258	2	3	14	24	40	56	99+
1. SINGLE DX	1076	9.5	76	1	2	7	13	20	26	45
2. MULTIPLE DX	3358	16.1	233	2	3	12	21	37	52	99+
A. NOT OPERATED	1175	10.3	120	2	2	7	13	21	31	69
B. OPERATED	3259	16.0	225	2	2	12	21	36	50	99
TOTAL 0-19 YRS	104	7.5	99	<1	1	5	8	14	21	67
20-34	149	10.6	149	2	2	7	13	24	43	63
35-49	439	11.1	127	2	2	9	14	23	32	56
50-64	1423	13.1	173	2	2	10	17	27	41	97
65+	2319	16.6	234	2	3	13	22	38	51	99+
GRAND TOTAL	**4434**	**14.5**	**203**	**2**	**2**	**11**	**19**	**32**	**45**	**95**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	7.2	10	3	3	7	9	10	12	18
20-34	554	9.2	23	3	4	9	11	14	18	28
35-49	570	9.9	31	3	4	9	12	17	21	26
50-64	663	10.1	34	4	5	9	13	17	20	34
65+	498	10.7	32	4	5	10	13	16	20	29
B. *Operated*										
0-19 YRS	25	11.0	45	3	3	9	16	21	24	27
20-34	189	9.4	33	2	3	8	12	17	21	29
35-49	206	10.1	41	2	3	9	13	18	22	33
50-64	210	10.5	37	3	4	10	13	17	20	29
65+	140	11.9	35	4	5	11	15	20	23	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	10.7	45	4	4	10	13	19	27	99+
20-34	438	10.4	33	3	4	9	13	18	20	33
35-49	801	11.4	42	4	5	10	14	19	23	31
50-64	1463	11.9	40	5	6	11	15	20	24	34
65+	2040	13.0	53	5	6	11	16	22	26	42
B. *Operated*										
0-19 YRS	10	13.1	185	2	3	8	15	33	49	49
20-34	213	13.6	127	2	4	11	17	26	35	66
35-49	303	13.6	98	3	5	12	16	25	35	47
50-64	545	15.4	112	5	6	13	18	28	33	53
65+	631	17.6	133	5	7	15	22	30	41	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2353	9.9	30	3	4	9	12	16	19	28
B. *Operated*	770	10.4	38	3	4	10	13	18	22	30
2. MULTIPLE DX										
A. *Not Operated*	4790	12.1	46	4	5	11	15	20	25	36
B. *Operated*	1702	15.7	122	4	6	13	19	28	36	64
1. SINGLE DX	3123	10.0	32	3	4	9	12	17	20	28
2. MULTIPLE DX	6492	13.1	68	4	6	11	16	22	28	47
A. NOT OPERATED	7143	11.4	42	4	5	10	14	19	23	35
B. OPERATED	2472	14.0	101	3	5	12	17	26	32	57
TOTAL 0-19 YRS	151	9.3	41	3	4	8	11	17	21	49
20-34	1394	10.2	46	3	4	9	12	18	22	35
35-49	1880	11.1	49	3	4	10	14	19	23	36
50-64	2881	12.1	55	4	5	11	15	20	26	42
65+	3309	13.5	69	5	6	12	16	23	28	49
GRAND TOTAL	**9615**	**12.1**	**59**	**4**	**5**	**10**	**15**	**21**	**26**	**43**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	20	9.7	135	2	2	6	11	22	40	50
35-49	34	8.7	38	1	2	8	12	18	21	25
50-64	54	11.7	167	1	3	9	12	26	36	68
65+	84	13.8	116	2	4	11	16	29	36	86
B. *Operated*										
0-19 YRS	47	3.7	3	1	2	4	4	6	7	8
20-34	821	4.8	9	2	3	4	5	7	9	18
35-49	1246	5.3	16	2	3	4	6	8	11	22
50-64	1071	6.5	36	2	3	5	7	11	18	33
65+	294	11.3	134	3	3	7	14	27	37	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	22	10.5	144	<1	1	5	20	26	36	46
35-49	84	8.9	64	<1	1	7	12	17	25	41
50-64	164	13.2	161	2	3	11	16	23	32	88
65+	451	16.4	155	4	5	13	21	34	41	64
B. *Operated*										
0-19 YRS	7	6.6	23	1	1	6	11	13	13	13
20-34	158	5.9	14	2	3	5	7	10	15	21
35-49	381	8.1	74	2	3	6	9	15	20	45
50-64	599	10.4	88	3	3	7	12	23	29	51
65+	469	21.1	317	4	5	15	28	44	61	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	192	11.9	121	1	3	9	15	26	31	65
B. *Operated*	3479	6.0	33	2	3	5	6	10	15	34
2. MULTIPLE DX										
A. *Not Operated*	723	14.6	151	2	4	11	18	29	39	66
B. *Operated*	1614	12.5	176	3	3	7	15	28	40	68
1. SINGLE DX	3671	6.3	39	2	3	5	7	11	17	36
2. MULTIPLE DX	2337	13.1	169	3	3	9	16	29	39	68
A. NOT OPERATED	915	14.0	146	2	3	11	17	29	38	65
B. OPERATED	5093	8.1	87	2	3	5	8	17	26	53
TOTAL 0-19 YRS	56	4.2	6	1	2	4	5	7	8	13
20-34	1021	5.2	16	2	3	4	6	8	10	25
35-49	1745	6.2	33	2	3	5	7	11	15	30
50-64	1888	8.4	72	2	3	6	9	18	25	46
65+	1298	16.8	220	3	4	12	22	37	48	77
GRAND TOTAL	**6008**	**9.0**	**101**	**2**	**3**	**5**	**10**	**20**	**28**	**56**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.6	2	1	1	4	4	5	6	6
20-34	67	3.9	11	1	1	3	5	7	10	20
35-49	81	3.6	8	<1	1	3	5	7	8	16
50-64	57	3.1	5	<1	1	2	4	5	9	10
65+	49	4.6	8	1	2	4	6	8	12	13
B. *Operated*										
0-19 YRS	25	3.8	3	1	2	4	5	6	7	7
20-34	491	5.1	7	2	3	5	6	8	9	16
35-49	555	5.3	8	2	3	5	6	8	10	19
50-64	455	5.5	9	2	3	5	6	8	10	18
65+	161	5.5	7	2	3	5	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.1	6	<1	<1	4	7	7	7	7
20-34	88	4.5	11	1	1	4	6	8	11	18
35-49	172	5.4	14	1	2	5	7	10	12	20
50-64	194	6.5	42	1	2	5	7	13	16	29
65+	253	6.9	28	1	2	6	9	13	16	23
B. *Operated*										
0-19 YRS	81	4.2	4	2	2	4	5	6	7	12
20-34	1556	5.0	7	2	3	5	6	8	10	15
35-49	2170	5.5	10	2	3	5	6	9	11	17
50-64	1901	5.9	14	3	3	5	7	10	13	21
65+	850	7.7	38	2	3	6	9	14	17	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	264	3.7	8	1	1	3	5	7	8	13
B. *Operated*	1687	5.3	8	2	3	5	6	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	717	6.1	27	1	2	5	8	11	15	22
B. *Operated*	6558	5.8	15	2	3	5	7	9	12	20
1. SINGLE DX	1951	5.1	8	2	2	5	6	8	10	18
2. MULTIPLE DX	7275	5.8	16	2	3	5	7	10	12	20
A. NOT OPERATED	981	5.4	23	1	1	4	7	10	14	20
B. OPERATED	8245	5.7	13	2	3	5	6	9	12	20
TOTAL 0-19 YRS	126	4.0	4	1	2	4	5	6	7	10
20-34	2202	4.9	7	2	2	5	6	8	10	16
35-49	2978	5.4	10	2	3	5	6	9	11	18
50-64	2607	5.8	15	2	3	5	7	10	13	20
65+	1313	7.1	32	2	3	6	9	13	16	26
GRAND TOTAL	**9226**	**5.6**	**14**	**2**	**3**	**5**	**6**	**9**	**12**	**20**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	4.1	8	1	1	3	5	8	10	12
20-34	89	6.6	16	1	2	6	9	13	15	15
35-49	74	7.7	37	1	1	6	10	16	21	30
50-64	103	7.2	33	1	2	6	9	12	15	35
65+	115	8.3	36	1	2	7	13	15	18	29
B. *Operated*										
0-19 YRS	124	3.7	6	1	2	3	4	6	8	15
20-34	680	3.3	12	2	2	3	3	5	7	17
35-49	245	5.0	35	2	2	3	4	12	17	28
50-64	88	9.6	63	1	2	8	13	20	24	40
65+	92	12.4	126	1	2	10	16	26	33	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	5.0	15	1	2	4	7	11	12	16
20-34	117	8.8	118	1	2	6	11	17	20	67
35-49	238	9.6	63	2	3	8	12	18	22	49
50-64	514	9.6	56	2	3	8	12	18	22	39
65+	876	11.6	105	3	3	9	14	22	30	63
B. *Operated*										
0-19 YRS	57	5.0	22	1	2	4	5	11	14	30
20-34	271	5.9	67	2	2	3	5	14	22	60
35-49	221	11.3	128	2	2	8	15	23	37	71
50-64	353	15.4	186	2	3	12	20	35	46	98
65+	451	18.0	201	3	4	15	23	36	50	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	409	7.3	30	1	2	6	10	14	16	29
B. *Operated*	1229	4.8	35	2	2	3	4	11	16	33
2. MULTIPLE DX										
A. *Not Operated*	1795	10.4	85	2	3	8	13	19	25	52
B. *Operated*	1353	13.3	174	2	2	9	18	30	42	74
1. SINGLE DX	1638	5.4	35	1	2	3	6	12	16	31
2. MULTIPLE DX	3148	11.6	125	2	3	9	15	24	34	70
A. NOT OPERATED	2204	9.8	77	2	3	8	12	18	24	50
B. OPERATED	2582	9.2	126	2	2	4	12	23	33	68
TOTAL 0-19 YRS	259	4.3	12	1	2	3	5	8	12	16
20-34	1157	4.7	39	2	2	3	4	10	15	44
35-49	778	8.4	76	2	2	5	11	18	23	46
50-64	1058	11.3	107	2	3	9	14	23	34	66
65+	1534	13.3	139	2	3	10	17	27	35	71
GRAND TOTAL	**4786**	**9.5**	**103**	**2**	**2**	**6**	**12**	**20**	**28**	**60**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	3975	3.1	6	1	1	3	4	5	6	10
20-34	298	3.7	23	1	1	3	4	6	8	13
35-49	118	4.0	7	1	1	4	5	7	9	14
50-64	77	4.1	6	<1	2	4	5	7	9	12
65+	69	5.6	20	1	2	4	7	11	15	26
B. *Operated*										
0-19 YRS	503	2.3	5	1	1	2	2	4	6	12
20-34	226	2.4	3	1	1	2	3	4	4	8
35-49	48	4.1	23	1	2	3	4	9	12	31
50-64	40	3.3	5	<1	1	3	4	7	8	9
65+	8	5.3	19	2	2	3	9	12	12	12
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	4451	4.2	10	1	2	4	5	7	9	15
20-34	515	4.3	7	1	2	4	5	7	9	14
35-49	273	5.1	14	1	2	4	6	10	12	21
50-64	334	6.4	31	2	2	5	8	11	13	28
65+	496	8.1	43	2	3	7	10	14	18	34
B. *Operated*										
0-19 YRS	345	3.7	29	1	1	2	3	8	12	26
20-34	81	5.1	24	2	2	3	6	10	16	27
35-49	57	7.0	46	1	2	4	10	16	17	33
50-64	80	7.7	39	1	2	6	12	14	18	82
65+	63	12.5	99	3	3	10	17	27	29	95
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	4537	3.2	7	1	1	3	4	6	7	11
B. ***Operated***	825	2.5	6	1	1	2	2	4	7	12
2. MULTIPLE DX										
A. ***Not Operated***	6069	4.7	15	1	2	4	6	8	11	18
B. ***Operated***	626	5.6	46	1	1	3	7	14	18	33
1. SINGLE DX	5362	3.1	7	1	1	2	4	5	7	11
2. MULTIPLE DX	6695	4.8	18	1	2	4	6	9	11	20
A. NOT OPERATED	10606	4.1	12	1	1	3	5	7	9	16
B. OPERATED	1451	3.8	25	1	1	2	4	9	13	27
TOTAL 0-19 YRS	9274	3.6	9	1	1	3	4	6	8	14
20-34	1120	3.8	12	1	1	3	5	7	9	15
35-49	496	4.9	18	1	2	4	6	10	13	22
50-64	531	6.0	28	1	2	5	8	11	14	28
65+	636	8.2	48	2	3	7	10	15	20	34
GRAND TOTAL	**12057**	**4.0**	**14**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3693	4.4	10	1	2	4	6	7	9	13
20-34	138	4.4	6	2	2	4	5	7	8	13
35-49	115	5.7	45	1	2	4	6	9	15	79
50-64	137	5.9	14	2	2	5	7	10	12	24
65+	152	6.3	18	2	3	5	7	10	15	19
B. *Operated*										
0-19 YRS	12	5.7	7	2	2	6	7	9	11	11
20-34	9	5.3	23	1	1	4	7	13	16	16
35-49	12	8.2	48	1	2	6	11	19	24	25
50-64	15	5.3	20	<1	<1	4	7	14	15	16
65+	11	8.2	33	2	2	9	13	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2912	5.6	13	2	2	5	7	10	12	20
20-34	296	5.9	13	2	2	5	7	10	14	19
35-49	448	6.5	17	2	3	5	8	11	14	19
50-64	1233	8.1	35	3	3	7	10	14	18	29
65+	2280	9.5	43	3	4	8	12	17	21	36
B. *Operated*										
0-19 YRS	43	9.3	39	1	3	9	12	15	20	32
20-34	34	8.0	25	1	3	7	10	14	18	24
35-49	65	9.4	61	2	2	8	12	18	22	44
50-64	133	11.7	60	2	3	10	16	21	25	38
65+	192	14.1	127	3	5	11	18	26	32	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4235	4.6	11	1	2	4	6	8	9	15
B. *Operated*	59	6.5	26	1	2	6	9	15	16	24
2. MULTIPLE DX										
A. *Not Operated*	7169	7.4	30	2	3	6	9	13	17	27
B. *Operated*	467	11.9	87	2	3	10	15	22	28	50
1. SINGLE DX	4294	4.6	12	1	2	4	6	8	10	15
2. MULTIPLE DX	7636	7.6	34	2	3	6	9	14	18	29
A. NOT OPERATED	11404	6.3	25	2	2	5	8	11	15	24
B. OPERATED	526	11.3	83	2	3	9	15	22	26	48
TOTAL 0-19 YRS	6660	5.0	12	2	2	4	6	9	11	17
20-34	477	5.6	13	2	2	5	7	10	13	19
35-49	640	6.7	28	2	2	5	8	12	16	25
50-64	1518	8.2	37	2	3	7	10	15	19	29
65+	2635	9.7	50	3	4	8	12	17	21	38
GRAND TOTAL	**11930**	**6.5**	**28**	**2**	**2**	**5**	**8**	**12**	**16**	**26**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.3		<1	<1	1	2	2	3	3
20-34	13	2.0	1	<1	<1	2	3	3	4	4
35-49	12	2.8	9	<1	<1	2	3	7	10	11
50-64	3	2.0	1	<1	<1	2	3	3	3	3
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	1319	2.9	9	1	1	3	3	5	5	6
20-34	2337	2.8	9	1	1	3	3	4	5	6
35-49	918	2.7	6	1	1	3	3	4	5	6
50-64	491	2.7	2	1	1	2	3	4	5	8
65+	79	2.7	1	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.2		<1	<1	1	1	2	3	4
20-34	44	1.5	1	<1	<1	1	2	3	4	6
35-49	28	1.7	2	<1	<1	1	2	3	4	7
50-64	16	2.2	4	<1	<1	1	3	6	7	7
65+	7	3.9	25	<1	<1	2	4	13	15	15
B. *Operated*										
0-19 YRS	1228	3.1	9	1	2	3	4	5	5	7
20-34	2352	2.9	2	1	2	3	3	4	5	7
35-49	1162	3.1	9	1	2	3	4	4	5	9
50-64	723	3.5	22	2	2	3	4	5	6	12
65+	130	3.3	4	2	2	3	4	5	6	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.0	3	<1	<1	1	3	4	5	11
B. *Operated*	5144	2.8	8	1	1	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	117	1.7	3	<1	<1	1	2	3	4	10
B. *Operated*	5595	3.1	7	1	2	3	4	4	5	8
1. SINGLE DX	5185	2.8	8	1	1	3	3	4	5	6
2. MULTIPLE DX	5712	3.1	7	1	2	3	4	4	5	8
A. NOT OPERATED	158	1.8	3	<1	<1	1	2	3	4	11
B. OPERATED	10739	3.0	8	1	2	3	3	4	5	7
TOTAL 0-19 YRS	2581	3.0	9	1	1	3	3	5	5	6
20-34	4746	2.8	6	1	1	3	3	4	5	6
35-49	2120	2.9	7	1	1	3	3	4	5	9
50-64	1233	3.1	14	1	2	3	3	5	5	10
65+	217	3.1	4	1	2	3	4	5	5	14
GRAND TOTAL	**10897**	**2.9**	**8**	**1**	**1**	**3**	**3**	**4**	**5**	**7**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	1	2	2	4	4	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.3		2	2	2	3	3	3	3
50-64	2	3.0		3	3	3	3	3	3	3
65+	3	1.7		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	47	2.4	4	<1	<1	2	3	4	6	12
20-34	83	2.5	3	<1	1	2	3	4	6	10
35-49	107	2.6	5	<1	1	2	3	4	5	13
50-64	192	2.3	4	<1	1	2	2	4	5	11
65+	112	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	4	3.3	5	<1	<1	3	5	6	6	6
35-49	9	3.4	15	<1	<1	2	4	10	13	13
50-64	14	4.0	12	<1	<1	3	5	9	12	13
65+	8	1.8	1	<1	<1	2	2	3	3	3
B. *Operated*										
0-19 YRS	75	2.8	4	1	1	2	3	5	7	11
20-34	163	3.2	5	1	1	3	4	5	7	14
35-49	242	3.3	20	1	1	3	4	5	5	11
50-64	354	3.1	4	1	2	3	4	5	6	10
65+	204	3.4	7	1	2	3	4	6	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.4	1	1	1	2	3	4	4	4
B. *Operated*	541	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	37	3.1	9	<1	<1	2	4	6	11	13
B. *Operated*	1038	3.2	8	1	1	3	4	5	6	13
1. SINGLE DX	553	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	1075	3.2	8	1	1	3	4	5	6	13
A. NOT OPERATED	49	3.0	7	<1	<1	2	3	6	9	13
B. OPERATED	1579	2.9	7	1	1	2	3	5	6	12
TOTAL 0-19 YRS	127	2.7	4	<1	1	2	3	5	6	11
20-34	251	2.9	4	1	1	2	3	5	6	14
35-49	361	3.1	15	1	1	3	3	5	5	13
50-64	562	2.9	4	1	1	2	3	5	6	12
65+	327	3.0	5	1	1	2	3	5	7	12
GRAND TOTAL	**1628**	**2.9**	**7**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	1.7	6	<1	<1	1	2	3	4	8
20-34	39	2.2	2	<1	<1	2	3	4	5	8
35-49	9	2.6	2	<1	<1	2	3	5	5	5
50-64	3	5.0	37	<1	<1	2	9	12	12	12
65+	2	4.5	25	<1	<1	4	8	8	8	8
B. *Operated*										
0-19 YRS	15713	1.7	3	<1	1	2	2	2	3	4
20-34	4056	2.1	3	1	1	2	2	3	3	5
35-49	349	2.2	2	1	1	2	2	3	3	6
50-64	64	2.2	1	<1	1	2	2	3	4	8
65+	39	2.1	3	<1	1	2	3	4	8	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	422	1.8	6	<1	<1	1	1	3	5	11
20-34	49	2.2	3	<1	<1	1	3	5	6	7
35-49	4	2.5	9	1	1	1	4	7	7	7
50-64	4	7.0	13	4	4	6	9	12	12	12
65+	3	8.0	19	3	3	10	11	11	11	11
B. *Operated*										
0-19 YRS	8543	1.6	2	<1	<1	1	2	2	2	5
20-34	435	2.6	3	1	1	2	3	4	5	10
35-49	61	2.8	3	1	2	2	3	4	6	13
50-64	38	3.7	9	<1	1	3	5	8	12	12
65+	21	2.2	5	<1	<1	2	2	4	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	248	1.9	6	<1	<1	1	2	3	4	10
B. *Operated*	20221	1.8	3	<1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	482	1.9	7	<1	<1	1	2	4	6	11
B. *Operated*	9098	1.7	2	<1	<1	2	2	2	3	6
1. SINGLE DX	20469	1.8	3	<1	1	2	2	2	3	4
2. MULTIPLE DX	9580	1.7	2	<1	<1	2	2	2	3	7
A. NOT OPERATED	730	1.9	6	<1	<1	1	2	4	5	11
B. OPERATED	29319	1.8	3	<1	1	2	2	2	3	5
TOTAL 0-19 YRS	24873	1.7	3	<1	1	2	2	2	3	4
20-34	4579	2.2	3	1	1	2	2	3	3	6
35-49	423	2.3	2	1	1	2	3	3	4	8
50-64	109	3.0	6	<1	1	2	3	6	8	12
65+	65	2.5	6	<1	1	2	3	6	10	86
GRAND TOTAL	**30049**	**1.8**	**3**	**<1**	**1**	**2**	**2**	**2**	**3**	**5**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	458	3.1	4	<1	1	3	4	5	7	11
20-34	263	3.3	5	1	1	3	4	5	7	10
35-49	126	2.9	4	1	1	2	4	5	6	10
50-64	111	2.7	3	<1	1	2	3	5	6	8
65+	54	2.8	4	1	1	2	3	5	8	10
B. *Operated*										
0-19 YRS	522	2.8	7	<1	<1	2	3	5	7	15
20-34	981	2.5	4	<1	1	2	3	4	5	11
35-49	1013	2.6	6	<1	1	2	3	4	6	11
50-64	1120	2.4	6	1	1	2	2	4	5	12
65+	470	2.8	8	1	1	2	3	5	7	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	297	4.4	10	1	1	4	6	8	10	18
20-34	142	4.5	12	<1	1	4	6	8	9	18
35-49	145	4.9	15	1	1	4	6	8	10	22
50-64	155	4.7	15	1	1	4	6	9	15	18
65+	124	7.2	39	1	1	6	10	15	19	31
B. *Operated*										
0-19 YRS	305	3.6	34	1	1	2	4	6	8	21
20-34	659	3.3	6	1	1	3	4	5	7	13
35-49	584	3.6	10	1	2	3	4	6	10	22
50-64	774	4.6	61	1	2	3	4	8	13	35
65+	445	6.8	126	1	2	3	6	17	27	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1012	3.1	4	<1	1	3	4	5	7	10
B. *Operated*	4106	2.6	6	<1	1	2	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	863	5.0	17	1	1	4	6	9	13	21
B. *Operated*	2767	4.3	46	1	2	3	4	7	12	35
1. SINGLE DX	5118	2.7	6	<1	1	2	3	5	6	12
2. MULTIPLE DX	3630	4.5	39	1	1	3	5	8	12	31
A. NOT OPERATED	1875	3.9	11	1	1	3	5	7	9	18
B. OPERATED	6873	3.3	23	1	1	2	3	5	8	23
TOTAL 0-19 YRS	1582	3.3	12	<1	1	3	4	6	8	15
20-34	2045	3.0	6	1	1	2	4	5	7	12
35-49	1868	3.1	9	<1	1	2	4	6	8	17
50-64	2160	3.4	27	1	1	2	3	6	9	22
65+	1093	4.9	63	1	2	2	4	11	17	42
GRAND TOTAL	**8748**	**3.4**	**20**	**1**	**1**	**2**	**4**	**6**	**9**	**21**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6852	5.5	12	2	2	5	7	9	11	17
20-34	1476	6.3	10	2	3	6	8	10	12	17
35-49	1063	7.0	15	3	3	6	9	12	13	20
50-64	905	7.9	20	3	3	7	10	13	16	24
65+	1040	9.1	37	3	4	8	11	15	19	31
B. *Operated*										
0-19 YRS	52	8.6	87	1	2	6	10	14	23	59
20-34	44	10.5	56	2	3	9	14	22	27	34
35-49	86	11.7	59	2	3	11	15	23	25	39
50-64	130	9.8	51	1	1	8	14	19	24	35
65+	86	13.0	99	1	2	11	18	25	32	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4811	6.3	19	2	3	5	8	11	13	21
20-34	1204	7.7	36	2	3	6	9	13	17	32
35-49	1380	9.1	42	3	4	8	11	15	19	36
50-64	2974	9.8	43	3	4	8	12	16	20	34
65+	8107	13.3	95	4	5	11	16	23	31	62
B. *Operated*										
0-19 YRS	136	14.5	150	3	4	11	18	30	39	59
20-34	141	15.7	140	4	5	12	20	33	44	99+
35-49	273	17.8	161	4	6	14	23	36	45	69
50-64	596	17.7	140	4	6	15	23	34	42	62
65+	1255	22.2	239	6	8	18	28	44	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11336	6.3	16	2	3	5	8	11	13	20
B. *Operated*	398	10.8	70	1	2	9	14	21	26	39
2. MULTIPLE DX										
A. *Not Operated*	18476	10.3	68	3	4	8	13	18	24	45
B. *Operated*	2401	19.8	202	5	7	16	25	40	52	95
1. SINGLE DX	11734	6.4	19	2	3	6	8	11	14	22
2. MULTIPLE DX	20877	11.4	92	3	4	9	14	21	29	57
A. NOT OPERATED	29812	8.7	52	2	3	7	11	16	21	38
B. OPERATED	2799	18.5	193	4	6	15	24	37	49	88
TOTAL 0-19 YRS	11851	5.9	18	2	2	5	7	10	12	20
20-34	2865	7.4	32	2	3	6	9	13	17	32
35-49	2802	9.2	53	3	4	7	11	16	22	42
50-64	4605	10.5	59	3	4	9	13	18	24	42
65+	10488	14.0	117	4	5	11	17	26	34	70
GRAND TOTAL	**32611**	**9.6**	**71**	**2**	**3**	**7**	**12**	**18**	**24**	**48**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	3.7	5	1	1	3	5	7	8	11
20-34	46	4.1	5	1	2	4	5	7	8	14
35-49	24	3.3	3	1	2	3	4	6	7	9
50-64	35	6.0	16	2	2	5	8	10	13	22
65+	22	4.1	4	1	2	4	6	7	8	8
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	2	19.0	50	14	14	19	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	4.1	6	1	2	3	5	8	9	13
20-34	65	5.6	135	1	2	4	6	7	9	84
35-49	48	7.5	56	3	3	5	9	11	18	41
50-64	88	6.4	13	2	2	6	8	11	14	18
65+	155	9.4	54	3	3	8	11	17	23	97
B. *Operated*										
0-19 YRS	2	33.5	313	21	21	33	46	46	46	46
20-34	4	10.0	37	4	4	9	15	17	17	17
35-49	4	12.5	62	2	2	14	18	19	19	19
50-64	5	12.2	30	8	8	9	17	20	20	20
65+	7	20.9	83	10	10	21	28	33	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	4.2	7	1	2	3	5	8	8	14
B. *Operated*	4	10.5	113	2	2	8	19	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	467	6.9	50	2	2	5	8	12	16	41
B. *Operated*	22	16.5	108	3	5	16	21	31	39	46
1. SINGLE DX	212	4.3	9	1	2	3	5	8	9	17
2. MULTIPLE DX	489	7.3	57	2	2	5	9	14	18	44
A. NOT OPERATED	675	6.0	38	2	2	4	7	11	14	38
B. OPERATED	26	15.6	109	2	2	15	21	29	36	46
TOTAL 0-19 YRS	195	4.2	16	1	2	3	5	8	9	18
20-34	115	5.2	80	1	2	4	6	7	10	45
35-49	77	6.4	44	2	2	4	7	11	17	40
50-64	128	6.5	15	2	2	6	8	11	14	20
65+	186	9.3	57	2	3	8	11	18	24	85
GRAND TOTAL	**701**	**6.4**	**44**	**2**	**2**	**5**	**8**	**11**	**16**	**39**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1063	3.9	6	1	2	3	5	7	8	12
20-34	69	5.8	56	2	2	5	6	8	11	54
35-49	90	5.6	15	2	2	4	7	10	15	19
50-64	187	6.4	17	2	3	6	8	11	13	22
65+	207	7.8	37	2	3	6	10	14	19	30
B. *Operated*										
0-19 YRS	14	3.0	7	<1	1	2	3	8	10	10
20-34	24	3.2	6	<1	1	2	4	8	9	9
35-49	45	4.3	23	<1	1	3	5	10	16	23
50-64	78	3.3	9	<1	1	2	3	7	10	15
65+	50	8.3	95	1	1	4	11	24	31	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	857	5.0	11	2	2	4	6	9	11	19
20-34	157	5.7	12	2	2	5	7	11	12	21
35-49	282	6.7	19	2	3	5	8	13	15	24
50-64	923	8.5	45	3	3	7	10	16	20	33
65+	1742	10.2	57	3	4	8	13	19	24	46
B. *Operated*										
0-19 YRS	20	10.5	97	2	3	7	12	22	34	45
20-34	37	6.1	21	1	1	5	9	11	15	22
35-49	92	8.3	68	1	1	5	12	23	27	34
50-64	268	9.9	93	2	2	8	13	20	26	64
65+	290	13.4	127	2	3	10	17	30	39	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1616	4.9	16	1	2	4	6	9	11	19
B. *Operated*	211	4.7	36	<1	1	2	5	11	17	33
2. MULTIPLE DX										
A. *Not Operated*	3961	8.2	44	2	3	6	10	16	21	38
B. *Operated*	707	10.9	104	2	2	8	14	23	32	66
1. SINGLE DX	1827	4.9	18	1	2	4	6	9	11	23
2. MULTIPLE DX	4668	8.7	54	2	3	7	11	17	22	43
A. NOT OPERATED	5577	7.3	38	2	2	6	9	14	19	32
B. OPERATED	918	9.5	95	1	2	7	13	22	30	57
TOTAL 0-19 YRS	1954	4.5	10	1	2	4	6	8	9	16
20-34	287	5.6	23	1	2	5	7	10	11	22
35-49	509	6.6	28	1	2	5	8	14	18	28
50-64	1456	8.2	50	2	2	7	10	16	20	37
65+	2289	10.3	67	2	3	8	13	20	27	48
GRAND TOTAL	**6495**	**7.6**	**47**	**2**	**2**	**6**	**9**	**15**	**20**	**38**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	3	5.0	3	4	4	4	6	7	7	7
35-49	15	6.6	45	<1	2	4	7	17	23	25
50-64	92	8.8	35	3	3	7	12	17	22	29
65+	143	9.5	40	2	3	8	12	18	21	32
B. *Operated*										
0-19 YRS	2	14.0	2	13	13	14	15	15	15	15
20-34	6	12.5	7	8	8	13	14	16	16	16
35-49	8	20.4	204	10	11	16	18	44	55	55
50-64	13	12.3	131	<1	2	9	18	27	39	42
65+	5	10.0	64	4	4	7	12	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	9.8	154	2	2	5	17	28	28	28
20-34	13	7.5	62	1	2	5	7	23	26	27
35-49	90	9.0	48	3	3	7	11	19	23	37
50-64	499	10.9	83	3	4	8	13	21	28	42
65+	1044	12.7	96	3	4	10	16	24	33	58
B. *Operated*										
0-19 YRS	2	17.0	288	5	5	17	29	29	29	29
20-34	20	12.4	86	2	3	9	15	29	34	36
35-49	33	15.4	97	5	7	11	22	33	38	40
50-64	102	19.5	310	4	6	14	23	37	54	94
65+	182	19.3	232	3	6	15	26	36	55	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256	8.9	38	2	3	7	12	18	21	32
B. *Operated*	34	14.0	114	2	4	13	16	23	38	55
2. MULTIPLE DX										
A. *Not Operated*	1650	11.9	91	3	4	9	15	23	30	57
B. *Operated*	339	18.6	235	4	6	14	24	36	51	94
1. SINGLE DX	290	9.5	50	2	3	8	13	18	22	34
2. MULTIPLE DX	1989	13.1	122	3	4	10	16	26	34	65
A. NOT OPERATED	1906	11.5	85	3	4	9	14	22	28	54
B. OPERATED	373	18.2	226	4	5	14	23	35	48	93
TOTAL 0-19 YRS	11	9.8	106	2	2	5	14	28	29	29
20-34	42	10.3	66	2	3	8	13	23	29	36
35-49	146	10.8	79	3	3	8	14	22	26	43
50-64	706	11.9	120	3	4	9	14	23	31	62
65+	1374	13.3	115	3	4	10	16	26	35	65
GRAND TOTAL	**2279**	**12.6**	**114**	**3**	**4**	**10**	**15**	**25**	**32**	**62**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4934	4.0	6	1	2	4	5	7	8	12
20-34	1474	4.8	8	1	2	4	6	8	10	14
35-49	1289	5.7	13	1	2	5	8	10	12	17
50-64	1166	6.5	15	1	2	6	8	11	14	19
65+	630	7.4	22	1	3	7	10	13	16	22
B. *Operated*										
0-19 YRS	11	4.2	5	2	2	3	5	8	9	9
20-34	17	6.0	13	2	2	5	8	11	14	15
35-49	25	6.8	32	<1	1	5	10	13	18	26
50-64	24	7.7	32	<1	1	7	10	15	18	23
65+	10	8.6	30	<1	1	9	11	16	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2365	5.1	10	2	2	4	6	9	11	17
20-34	988	6.0	14	2	2	5	7	10	13	21
35-49	1408	7.6	25	2	3	6	10	13	17	27
50-64	2157	8.7	38	3	3	7	11	15	19	33
65+	2225	10.0	46	3	4	9	12	17	22	36
B. *Operated*										
0-19 YRS	40	14.0	241	3	3	9	16	41	65	99+
20-34	65	10.9	57	3	4	8	14	23	28	32
35-49	116	13.1	89	3	4	11	17	24	32	47
50-64	154	14.2	135	2	4	12	19	25	35	76
65+	134	19.2	220	4	6	14	25	41	54	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9493	4.9	10	1	2	4	6	9	11	16
B. *Operated*	87	6.8	25	1	1	5	9	13	15	25
2. MULTIPLE DX										
A. *Not Operated*	9143	7.6	32	2	3	6	10	14	18	29
B. *Operated*	509	14.8	152	3	4	12	19	30	40	71
1. SINGLE DX	9580	4.9	11	1	2	4	6	9	11	17
2. MULTIPLE DX	9652	8.0	40	2	3	6	10	15	19	33
A. NOT OPERATED	18636	6.2	23	2	2	5	8	11	15	24
B. OPERATED	596	13.7	142	2	3	10	17	28	37	68
TOTAL 0-19 YRS	7350	4.4	9	1	2	4	5	7	9	15
20-34	2544	5.4	13	1	2	5	7	10	11	19
35-49	2838	6.9	24	2	2	6	9	12	16	26
50-64	3501	8.2	37	2	3	7	10	14	18	31
65+	2999	9.9	53	3	3	8	12	17	22	42
GRAND TOTAL	**19232**	**6.4**	**28**	**2**	**2**	**5**	**8**	**12**	**15**	**27**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	5.7	36	1	2	4	6	13	21	26
20-34	25	5.8	30	1	2	5	7	10	16	28
35-49	86	6.7	21	2	2	6	9	12	14	27
50-64	498	8.4	46	2	3	7	11	15	19	35
65+	755	9.5	60	2	3	8	12	17	22	41
B. *Operated*										
0-19 YRS	7	4.3	23	1	1	2	7	12	13	13
20-34	15	7.1	75	<1	1	4	9	24	28	29
35-49	21	6.0	68	<1	<1	3	8	12	24	38
50-64	65	12.5	151	1	2	9	17	28	37	59
65+	55	11.7	144	1	2	8	16	26	33	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	6.7	21	1	2	6	9	12	19	99+
20-34	50	7.6	29	3	3	6	10	15	17	32
35-49	346	8.6	37	2	3	7	11	16	20	37
50-64	2562	10.7	75	3	4	9	13	19	26	51
65+	5538	12.0	91	3	4	10	15	22	30	54
B. *Operated*										
0-19 YRS	9	12.1	90	1	1	11	22	25	26	26
20-34	16	11.9	73	2	3	10	18	28	29	29
35-49	98	11.9	84	2	3	9	16	28	34	70
50-64	392	17.1	222	3	4	12	22	40	54	99+
65+	749	19.0	252	4	5	15	23	38	56	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1382	8.8	53	2	3	7	11	16	21	35
B. *Operated*	163	10.5	131	1	1	7	14	26	32	59
2. MULTIPLE DX										
A. *Not Operated*	8536	11.4	84	3	4	9	14	21	28	52
B. *Operated*	1264	17.7	231	3	5	13	22	38	53	99+
1. SINGLE DX	1545	9.0	61	2	3	7	11	17	22	41
2. MULTIPLE DX	9800	12.2	108	3	4	9	15	23	32	63
A. NOT OPERATED	9918	11.1	81	3	4	9	13	20	27	51
B. OPERATED	1427	16.9	224	2	4	13	21	38	51	99+
TOTAL 0-19 YRS	74	6.9	36	1	2	5	9	13	25	82
20-34	106	7.7	45	1	2	6	10	17	25	31
35-49	551	8.8	47	2	3	7	11	17	23	38
50-64	3517	11.1	94	3	4	9	13	21	30	59
65+	7097	12.5	111	3	4	10	15	24	32	64
GRAND TOTAL	**11345**	**11.8**	**102**	**3**	**4**	**9**	**14**	**22**	**31**	**61**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	4.7	22	1	2	4	6	8	9	33
20-34	196	4.5	9	1	2	4	6	8	11	17
35-49	34	5.1	6	2	2	5	6	9	10	11
50-64	19	7.8	85	2	3	6	7	10	29	45
65+	6	4.8	3	2	2	5	6	7	7	7
B. *Operated*										
0-19 YRS	141	7.0	16	3	3	6	9	13	16	20
20-34	440	7.1	17	2	3	6	9	12	14	22
35-49	129	7.8	19	3	3	6	11	15	16	19
50-64	58	8.6	27	3	4	7	12	16	21	22
65+	45	10.9	86	4	4	8	13	18	38	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.9	8	<1	1	4	7	9	11	11
20-34	53	6.0	20	1	2	5	7	13	14	26
35-49	25	7.6	19	2	2	8	10	14	15	17
50-64	37	9.6	85	2	3	8	11	17	22	56
65+	64	11.4	79	4	5	9	13	21	24	58
B. *Operated*										
0-19 YRS	40	12.0	69	3	4	10	16	21	31	40
20-34	153	11.9	78	4	5	10	15	20	25	66
35-49	100	14.0	113	3	5	11	18	28	36	53
50-64	125	13.9	102	5	5	12	17	26	29	62
65+	200	16.7	144	4	5	14	23	32	39	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	314	4.8	16	1	2	4	6	8	11	17
B. *Operated*	813	7.5	22	3	3	6	9	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	191	8.6	56	2	3	7	10	15	21	48
B. *Operated*	618	14.2	112	4	5	11	18	27	36	63
1. SINGLE DX	1127	6.7	22	2	3	6	8	13	15	22
2. MULTIPLE DX	809	12.9	105	3	4	10	16	26	33	61
A. NOT OPERATED	505	6.2	35	1	2	5	8	11	15	31
B. OPERATED	1431	10.4	72	3	4	8	13	20	27	46
TOTAL 0-19 YRS	252	7.2	31	2	2	6	9	14	17	35
20-34	842	7.3	32	2	3	6	9	13	17	29
35-49	288	9.6	61	3	3	7	12	17	24	44
50-64	239	11.5	85	3	4	9	14	22	27	57
65+	315	14.6	128	4	5	10	19	29	38	62
GRAND TOTAL	**1936**	**9.3**	**66**	**2**	**3**	**7**	**1[illegible]**	**18**	**24**	**44**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	214	4.7	12	1	1	4	6	9	10	18
20-34	150	4.7	17	1	1	4	6	10	13	23
35-49	170	5.8	43	1	1	4	7	11	13	28
50-64	219	6.5	40	1	1	5	9	13	17	26
65+	246	8.2	50	1	2	6	11	16	24	36
B. *Operated*										
0-19 YRS	49	6.7	41	1	1	5	9	16	22	99+
20-34	108	9.0	66	1	2	7	12	20	24	41
35-49	166	8.5	66	1	1	6	10	20	24	41
50-64	284	9.1	69	1	1	7	12	19	24	38
65+	238	10.3	126	1	1	6	14	23	29	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	329	6.4	50	1	2	4	7	13	17	52
20-34	263	7.3	42	1	2	5	9	14	21	34
35-49	435	7.9	33	2	2	7	10	15	19	32
50-64	1297	9.7	62	2	3	8	12	18	24	45
65+	3227	12.1	97	3	4	10	15	22	28	60
B. *Operated*										
0-19 YRS	88	11.5	101	1	1	9	17	26	28	47
20-34	155	12.3	126	2	2	9	17	27	37	69
35-49	351	15.0	198	2	3	11	19	30	44	76
50-64	774	15.0	192	2	3	11	19	32	44	94
65+	1095	18.6	222	3	5	15	25	37	48	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	999	6.1	35	1	1	4	8	12	16	29
B. *Operated*	845	9.2	83	1	1	7	12	21	25	42
2. MULTIPLE DX										
A. *Not Operated*	5551	10.6	82	2	3	8	13	20	26	53
B. *Operated*	2463	16.3	204	2	3	13	21	34	45	87
1. SINGLE DX	1844	7.5	59	1	1	5	10	16	22	37
2. MULTIPLE DX	8014	12.4	126	2	3	9	16	25	34	66
A. NOT OPERATED	6550	9.9	77	2	3	8	13	19	25	51
B. OPERATED	3308	14.5	182	2	2	11	19	31	40	79
TOTAL 0-19 YRS	680	6.5	48	1	1	5	8	14	20	39
20-34	676	8.2	66	1	2	6	10	18	24	42
35-49	1122	9.9	103	1	2	7	12	21	28	52
50-64	2574	10.9	108	2	2	8	14	22	31	62
65+	4806	13.3	133	3	4	10	17	26	35	66
GRAND TOTAL	**9858**	**11.5**	**117**	**2**	**3**	**8**	**15**	**23**	**32**	**62**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.5	5	<1	<1	2	3	5	6	12
20-34	64	2.7	10	<1	<1	2	3	4	6	22
35-49	19	1.9	4	<1	<1	1	2	5	7	8
50-64	20	3.6	12	<1	<1	2	5	8	11	14
65+	12	8.1	96	1	1	4	10	23	32	34
B. *Operated*										
0-19 YRS	6658	1.8	2	<1	<1	2	2	2	2	6
20-34	5134	1.8	3	<1	<1	2	2	2	3	6
35-49	808	2.1	2	<1	1	2	2	3	4	7
50-64	627	2.3	4	<1	1	2	2	4	5	9
65+	232	2.8	14	1	1	2	3	4	5	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	136	3.4	38	<1	<1	2	4	7	9	32
20-34	87	2.7	8	<1	<1	2	4	6	8	15
35-49	48	3.7	11	<1	<1	3	5	7	11	15
50-64	55	5.2	49	<1	<1	3	7	11	15	45
65+	37	6.1	44	1	2	4	8	11	15	38
B. *Operated*										
0-19 YRS	1603	2.1	8	<1	1	2	2	3	5	10
20-34	2073	2.2	4	1	1	2	2	3	5	9
35-49	1025	2.5	8	1	1	2	2	4	6	12
50-64	1215	2.8	15	1	1	2	3	4	6	14
65+	649	3.5	14	1	2	2	3	7	10	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	177	3.0	15	<1	<1	2	3	6	8	23
B. *Operated*	13459	1.9	3	<1	<1	2	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	363	3.8	30	<1	<1	2	5	8	11	26
B. *Operated*	6565	2.5	9	1	1	2	2	4	6	13
1. SINGLE DX	13636	1.9	3	<1	<1	2	2	2	3	7
2. MULTIPLE DX	6928	2.6	10	1	1	2	2	4	6	14
A. NOT OPERATED	540	3.6	25	<1	<1	2	4	7	10	24
B. OPERATED	20024	2.1	5	<1	1	2	2	3	4	9
TOTAL 0-19 YRS	8459	1.9	4	<1	1	2	2	2	3	8
20-34	7358	2.0	3	<1	1	2	2	2	4	7
35-49	1900	2.4	5	<1	1	2	2	3	5	12
50-64	1917	2.7	13	1	1	2	3	4	6	14
65+	930	3.5	17	1	2	2	3	7	10	22
GRAND TOTAL	**20564**	**2.1**	**5**	**<1**	**1**	**2**	**2**	**3**	**4**	**10**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	4.3	8	<1	1	4	5	7	9	16
20-34	40	4.6	7	<1	1	4	7	8	9	11
35-49	25	4.7	8	1	2	4	6	8	10	12
50-64	24	4.1	8	1	2	3	5	8	11	12
65+	27	7.4	37	1	1	7	9	17	20	27
B. *Operated*										
0-19 YRS	179	2.6	5	<1	<1	2	3	5	7	14
20-34	170	3.3	8	<1	1	3	4	6	7	15
35-49	164	3.2	6	<1	1	3	4	5	7	17
50-64	208	3.6	7	1	1	3	4	6	8	16
65+	118	3.9	14	<1	1	3	5	6	8	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	4.7	8	1	1	4	6	8	9	17
20-34	31	4.5	7	1	2	4	6	8	11	11
35-49	29	7.4	51	1	2	5	12	18	35	99+
50-64	64	7.7	39	1	2	6	10	16	24	27
65+	110	9.0	37	2	3	8	11	16	19	34
B. *Operated*										
0-19 YRS	75	4.2	12	<1	1	3	5	9	10	19
20-34	98	4.2	23	<1	1	3	5	8	10	30
35-49	113	4.4	10	1	2	4	6	8	11	17
50-64	178	4.9	10	2	2	4	6	9	11	17
65+	160	6.9	51	2	2	5	9	13	19	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	4.8	13	1	1	4	6	9	11	18
B. *Operated*	839	3.3	8	<1	1	3	4	6	7	15
2. MULTIPLE DX										
A. *Not Operated*	324	7.0	31	1	2	5	9	14	18	33
B. *Operated*	624	5.1	24	1	2	4	6	10	12	22
1. SINGLE DX	1023	3.6	9	<1	1	3	4	7	8	16
2. MULTIPLE DX	948	5.8	27	1	2	4	7	11	15	27
A. NOT OPERATED	508	6.2	25	1	2	5	8	12	16	27
B. OPERATED	1463	4.1	15	<1	1	3	5	8	10	19
TOTAL 0-19 YRS	412	3.6	8	<1	1	3	5	7	9	16
20-34	339	3.8	12	<1	1	3	5	7	9	14
35-49	331	4.1	13	<1	1	3	5	7	11	20
50-64	474	4.7	14	1	2	4	6	9	11	23
65+	415	6.6	39	1	2	5	8	13	17	34
GRAND TOTAL	**1971**	**4.6**	**19**	**<1**	**1**	**3**	**6**	**9**	**12**	**22**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	4.0	20	<1	1	3	4	8	11	27
20-34	132	4.2	15	<1	1	3	6	8	11	21
35-49	148	4.0	10	<1	1	3	5	8	10	14
50-64	181	3.9	8	<1	1	3	5	8	9	13
65+	114	4.6	13	<1	<1	3	7	10	12	16
B. *Operated*										
0-19 YRS	54	3.7	11	<1	<1	2	5	10	13	96
20-34	69	7.4	86	1	1	4	10	13	24	[illegible]
35-49	102	7.1	54	<1	1	5	9	14	18	43
50-64	186	6.5	41	<1	1	4	9	14	17	41
65+	174	7.7	50	<1	2	6	11	16	20	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	6.5	103	1	1	4	8	13	15	61
20-34	251	5.4	18	1	1	4	7	10	13	24
35-49	402	5.9	15	1	2	5	8	11	13	20
50-64	676	6.2	19	1	2	5	8	12	14	22
65+	904	8.4	45	2	3	7	10	16	21	39
B. *Operated*										
0-19 YRS	60	11.4	205	1	2	6	14	37	55	96
20-34	138	9.0	89	<1	1	7	12	18	25	75
35-49	287	9.5	65	2	2	8	13	17	22	44
50-64	538	10.7	124	1	2	8	13	23	31	56
65+	852	12.3	147	2	2	9	15	27	37	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	686	4.1	12	<1	1	3	5	9	11	16
B. *Operated*	585	6.8	49	<1	1	5	10	14	19	46
2. MULTIPLE DX										
A. *Not Operated*	2330	6.9	33	1	2	6	9	13	17	28
B. *Operated*	1875	11.2	127	2	2	8	14	23	32	68
1. SINGLE DX	1271	5.4	31	<1	1	4	7	11	15	29
2. MULTIPLE DX	4205	8.8	79	1	2	7	11	18	24	53
A. NOT OPERATED	3016	6.3	30	1	2	5	8	12	15	27
B. OPERATED	2460	10.1	112	1	2	8	13	21	30	64
TOTAL 0-19 YRS	322	6.1	85	<1	1	3	7	13	18	69
20-34	590	6.2	45	<1	1	4	8	12	17	30
35-49	939	6.9	37	1	2	5	9	14	17	30
50-64	1581	7.5	62	1	2	6	9	15	20	38
65+	2044	9.8	91	1	2	7	12	20	27	60
GRAND TOTAL	**5476**	**8.0**	**70**	**1**	**2**	**6**	**10**	**16**	**23**	**48**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	4.9	8	2	2	4	7	9	11	12
20-34	49	4.7	9	<1	1	4	7	8	11	13
35-49	112	5.7	12	<1	1	5	7	10	13	18
50-64	108	5.9	10	1	2	5	8	10	10	17
65+	117	7.4	37	<1	1	6	9	13	22	29
B. *Operated*										
0-19 YRS	3	6.0	21	<1	<1	7	9	10	10	10
20-34	34	8.4	26	<1	1	8	12	14	19	20
35-49	90	9.6	35	<1	2	9	12	19	19	29
50-64	139	8.7	44	<1	1	8	13	18	22	39
65+	101	9.6	48	<1	1	10	13	20	23	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.9	5	2	2	4	6	8	9	9
20-34	74	7.4	18	2	2	7	10	12	14	24
35-49	154	7.3	24	1	2	6	9	14	17	25
50-64	276	8.5	28	2	3	7	10	14	19	26
65+	482	9.7	55	2	3	8	12	18	28	59
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	45	12.6	139	2	3	11	14	21	32	71
35-49	140	11.5	65	3	4	10	14	19	27	39
50-64	327	12.0	94	2	3	10	15	23	32	48
65+	446	13.4	81	3	4	12	17	25	33	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	403	6.1	19	<1	1	5	8	10	13	23
B. *Operated*	367	9.1	41	<1	1	9	13	18	21	31
2. MULTIPLE DX										
A. *Not Operated*	996	8.8	41	2	3	7	11	16	21	37
B. *Operated*	959	12.6	86	2	4	10	16	23	31	48
1. SINGLE DX	770	7.5	32	<1	1	6	10	15	19	27
2. MULTIPLE DX	1955	10.7	66	2	3	9	13	20	27	42
A. NOT OPERATED	1399	8.0	36	1	2	7	10	15	19	34
B. OPERATED	1326	11.6	76	2	3	10	15	22	29	46
TOTAL 0-19 YRS	31	5.2	7	2	2	4	7	9	10	12
20-34	202	8.1	51	<1	2	7	11	14	18	35
35-49	496	8.5	40	1	2	7	11	16	19	32
50-64	850	9.5	58	1	3	8	12	18	23	40
65+	1146	10.9	67	2	3	9	14	21	29	42
GRAND TOTAL	**2725**	**9.8**	**59**	**1**	**3**	**8**	**12**	**19**	**24**	**39**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	6.5	13	4	4	5	7	12	16	16
20-34	39	6.3	22	2	3	5	8	13	15	26
35-49	60	6.4	8	3	3	6	8	11	11	15
50-64	90	7.4	14	2	3	7	9	12	13	22
65+	99	7.9	20	3	4	7	10	13	15	25
B. *Operated*										
0-19 YRS	5	8.0	18	4	4	8	11	14	14	14
20-34	18	9.1	12	5	5	8	11	15	16	16
35-49	48	10.4	22	5	6	10	12	15	17	34
50-64	90	11.7	47	5	6	10	14	20	23	44
65+	95	14.3	83	5	7	12	18	22	28	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.0	7	2	2	3	5	9	9	9
20-34	33	8.0	29	3	3	6	9	18	21	25
35-49	86	7.8	23	3	4	7	9	12	14	32
50-64	216	9.4	53	4	5	7	11	15	19	41
65+	473	12.0	92	4	5	10	14	21	27	68
B. *Operated*										
0-19 YRS	4	12.0	34	7	7	12	17	18	18	18
20-34	26	11.7	62	3	4	9	14	24	31	32
35-49	83	14.4	132	5	6	11	17	28	32	73
50-64	232	14.6	128	5	6	11	18	28	34	65
65+	426	17.8	158	6	7	15	21	34	43	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	298	7.2	16	3	3	6	9	12	14	25
B. *Operated*	256	12.1	56	5	6	10	15	20	23	51
2. MULTIPLE DX										
A. *Not Operated*	814	10.6	74	4	4	8	12	19	25	53
B. *Operated*	771	16.3	145	5	6	13	20	30	39	74
1. SINGLE DX	554	9.5	40	3	4	8	12	16	21	29
2. MULTIPLE DX	1585	13.4	116	4	5	10	16	25	33	69
A. NOT OPERATED	1112	9.7	61	3	4	8	11	17	23	42
B. OPERATED	1027	15.2	126	5	6	12	18	28	36	68
TOTAL 0-19 YRS	25	7.1	20	2	3	5	8	16	17	18
20-34	116	8.4	35	3	3	7	10	16	21	31
35-49	277	9.9	62	3	4	8	11	17	22	36
50-64	628	11.4	82	4	5	9	13	21	28	61
65+	1093	14.1	121	4	5	11	17	26	36	72
GRAND TOTAL	**2139**	**12.4**	**100**	**4**	**5**	**10**	**15**	**22**	**30**	**63**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	4.8	7	1	2	4	6	8	11	13
20-34	318	5.3	11	1	2	5	7	9	12	16
35-49	352	6.1	15	2	2	5	7	10	14	19
50-64	328	6.3	35	1	2	5	8	10	13	19
65+	174	7.2	18	1	3	6	9	13	15	20
B. *Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	64	11.6	44	4	5	10	14	21	28	33
35-49	121	12.1	43	3	6	10	15	20	24	36
50-64	97	10.4	40	1	3	10	13	17	22	34
65+	54	12.9	86	2	3	11	16	21	30	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	6.7	21	1	2	6	8	14	17	20
20-34	342	6.0	17	2	2	5	7	10	14	17
35-49	550	6.9	16	2	3	6	9	11	16	21
50-64	744	7.5	24	2	3	7	9	12	15	27
65+	915	9.7	44	3	4	8	12	16	21	39
B. *Operated*										
0-19 YRS	7	15.3	185	4	4	12	17	39	44	44
20-34	61	13.8	235	<1	3	11	15	22	27	92
35-49	153	12.8	130	3	4	11	15	22	44	99
50-64	259	12.8	77	3	4	11	17	23	30	47
65+	271	16.3	141	4	6	13	20	31	40	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1274	6.0	19	1	2	5	7	10	13	19
B. *Operated*	338	11.6	50	2	4	10	14	20	25	35
2. MULTIPLE DX										
A. *Not Operated*	2608	7.9	30	2	3	7	10	14	17	30
B. *Operated*	751	14.2	127	3	5	11	18	27	36	81
1. SINGLE DX	1612	7.2	31	1	2	6	9	13	16	27
2. MULTIPLE DX	3359	9.3	58	2	3	7	11	17	23	42
A. NOT OPERATED	3882	7.3	27	2	3	6	9	13	16	27
B. OPERATED	1089	13.4	104	3	4	11	16	24	32	67
TOTAL 0-19 YRS	168	5.9	23	1	2	5	7	11	14	20
20-34	785	6.8	40	1	2	5	8	12	15	27
35-49	1176	7.9	40	2	3	7	10	15	19	33
50-64	1428	8.4	43	2	3	7	10	15	20	34
65+	1414	10.8	69	3	4	9	13	20	27	46
GRAND TOTAL	**4971**	**8.6**	**51**	**2**	**3**	**7**	**11**	**16**	**21**	**38**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	5.9	6	3	3	6	7	11	11	11
20-34	171	5.6	11	2	2	5	7	10	12	17
35-49	294	6.6	9	2	3	6	8	10	12	16
50-64	376	6.8	11	3	3	6	8	11	13	18
65+	274	7.8	15	3	4	7	9	12	15	23
B. *Operated*										
0-19 YRS	8	7.0	12	2	2	8	9	11	12	12
20-34	60	10.2	19	5	6	9	12	17	19	24
35-49	141	11.1	37	5	6	10	12	19	23	34
50-64	149	12.5	79	5	6	10	15	22	28	43
65+	124	14.6	101	6	7	12	17	23	28	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	8.8	97	2	2	6	10	14	34	43
20-34	148	7.7	33	2	3	7	9	12	16	29
35-49	269	8.0	22	3	4	7	10	13	16	28
50-64	668	8.3	24	3	4	7	10	13	16	32
65+	959	10.6	52	4	5	9	13	18	23	38
B. *Operated*										
0-19 YRS	9	22.1	707	2	3	15	26	69	81	81
20-34	52	14.8	125	5	7	12	19	23	29	77
35-49	104	15.0	122	5	6	12	18	24	35	69
50-64	279	17.1	148	6	7	13	20	32	43	63
65+	502	20.8	212	6	7	17	26	39	53	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1150	6.8	12	2	3	6	8	11	13	18
B. *Operated*	482	12.2	66	5	6	10	14	21	25	41
2. MULTIPLE DX										
A. *Not Operated*	2060	9.3	40	3	4	8	11	15	20	37
B. *Operated*	946	18.8	188	6	7	15	23	37	47	76
1. SINGLE DX	1632	8.4	34	3	4	7	10	14	18	29
2. MULTIPLE DX	3006	12.3	106	4	4	9	14	23	32	61
A. NOT OPERATED	3210	8.4	31	3	4	7	10	14	18	31
B. OPERATED	1428	16.6	156	5	6	13	20	31	42	71
TOTAL 0-19 YRS	68	8.9	139	2	2	6	9	14	20	76
20-34	431	8.0	42	2	3	7	10	14	19	29
35-49	808	8.9	41	3	4	7	10	15	20	34
50-64	1472	10.0	64	3	4	8	11	17	24	45
65+	1859	13.2	117	4	5	10	15	25	34	66
GRAND TOTAL	**4638**	**10.9**	**84**	**3**	**4**	**8**	**13**	**20**	**28**	**53**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	2	3	3	5	6	6	6	6
20-34	11	6.5	9	2	3	6	9	11	11	11
35-49	14	5.6	6	2	3	5	8	9	9	9
50-64	24	7.5	9	3	4	7	9	11	14	16
65+	14	11.9	69	2	4	9	15	23	29	31
B. *Operated*										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	13	14.6	95	2	4	12	20	31	34	35
35-49	40	16.5	53	6	8	16	20	26	31	38
50-64	41	15.3	38	5	8	14	21	24	25	27
65+	36	20.0	96	9	11	18	23	35	49	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	9.5	38	1	1	11	14	15	15	15
20-34	11	6.3	8	<1	2	7	9	10	10	10
35-49	21	12.1	186	3	3	8	13	22	43	66
50-64	41	10.0	46	2	4	8	11	19	23	38
65+	88	12.4	70	3	4	10	15	28	33	77
B. *Operated*										
0-19 YRS	3	10.3	2	9	9	10	11	12	12	12
20-34	22	18.7	116	6	6	16	22	34	42	47
35-49	52	19.1	179	6	8	14	25	35	40	69
50-64	88	20.0	193	7	8	16	24	41	54	86
65+	120	25.3	268	9	10	21	31	46	66	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	7.7	25	2	3	6	9	13	17	30
B. *Operated*	131	17.0	67	6	8	16	22	27	35	61
2. MULTIPLE DX										
A. *Not Operated*	165	11.3	75	3	4	9	13	23	29	62
B. *Operated*	285	21.9	222	7	9	17	28	39	52	79
1. SINGLE DX	198	13.8	72	4	5	12	19	24	31	48
2. MULTIPLE DX	450	18.0	194	4	6	14	23	35	47	76
A. NOT OPERATED	232	10.3	63	3	4	8	12	21	28	44
B. OPERATED	416	20.3	178	7	9	17	24	36	49	78
TOTAL 0-19 YRS	12	9.5	44	1	2	9	12	18	25	26
20-34	57	13.0	98	2	4	10	17	30	34	46
35-49	127	15.7	137	3	5	13	19	29	38	67
50-64	194	15.4	129	4	6	12	19	28	39	65
65+	258	19.5	201	5	7	16	25	36	48	93
GRAND TOTAL	**648**	**16.7**	**160**	**4**	**6**	**13**	**21**	**32**	**40**	**75**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	599	3.1	4	1	1	3	4	6	7	10
20-34	737	3.9	7	1	1	3	5	7	9	13
35-49	628	4.5	12	1	1	4	6	8	10	17
50-64	425	4.6	9	1	1	4	6	8	10	16
65+	217	5.6	16	1	1	5	8	11	13	18
B. *Operated*										
0-19 YRS	5	5.8	9	2	2	6	8	10	10	10
20-34	59	6.6	25	<1	<1	6	9	13	17	24
35-49	72	7.0	36	<1	1	6	9	14	18	33
50-64	74	6.5	36	<1	1	5	8	12	16	33
65+	62	8.2	46	<1	1	7	12	16	20	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	716	4.2	18	1	2	3	5	8	9	17
20-34	1230	5.5	20	1	2	5	7	10	12	17
35-49	1401	6.3	15	2	3	5	8	11	13	19
50-64	1713	7.0	23	2	3	6	9	12	15	24
65+	1819	8.7	46	2	3	7	11	15	20	32
B. *Operated*										
0-19 YRS	20	8.6	50	2	3	7	9	17	25	33
20-34	185	9.8	60	2	4	8	12	18	22	31
35-49	359	10.9	81	2	4	9	13	20	30	52
50-64	508	11.2	83	2	3	9	14	22	26	51
65+	591	13.1	101	3	4	11	16	26	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2606	4.1	9	1	1	3	5	8	9	15
B. *Operated*	272	7.0	36	<1	1	6	9	14	18	33
2. MULTIPLE DX										
A. *Not Operated*	6879	6.7	28	2	2	6	8	12	15	26
B. *Operated*	1663	11.6	87	2	4	9	14	22	30	51
1. SINGLE DX	2878	4.4	13	1	1	4	6	8	10	18
2. MULTIPLE DX	8542	7.7	44	2	2	6	9	14	18	34
A. NOT OPERATED	9485	6.0	25	1	2	5	8	11	14	24
B. OPERATED	1935	11.0	83	2	3	9	14	21	29	50
TOTAL 0-19 YRS	1340	3.8	13	1	1	3	5	7	9	15
20-34	2211	5.3	22	1	2	4	7	10	12	21
35-49	2460	6.5	28	1	2	5	8	12	15	29
50-64	2720	7.4	37	2	2	6	9	13	18	33
65+	2689	9.4	60	2	3	7	11	17	23	39
GRAND TOTAL	**11420**	**6.9**	**38**	**1**	**2**	**5**	**8**	**13**	**17**	**31**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	3.9	7	1	1	3	5	7	8	15
20-34	88	4.5	11	<1	1	4	6	7	10	20
35-49	80	3.9	6	<1	1	3	5	7	9	12
50-64	89	5.4	17	1	1	5	7	11	12	24
65+	57	7.6	83	<1	1	4	11	15	23	57
B. *Operated*										
0-19 YRS	51	4.7	5	1	2	4	6	8	10	12
20-34	13	9.8	46	<1	1	9	15	20	22	22
35-49	22	11.4	74	1	2	11	14	22	30	39
50-64	26	12.2	127	<1	2	9	15	31	35	45
65+	19	14.5	144	1	2	12	19	36	39	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	4.9	15	1	2	4	6	10	14	51
20-34	131	5.7	21	1	2	5	7	10	12	28
35-49	192	6.4	66	1	2	5	8	12	14	36
50-64	227	6.4	18	2	2	5	8	13	14	21
65+	327	10.5	86	2	3	8	12	21	29	46
B. *Operated*										
0-19 YRS	21	10.0	145	1	2	7	9	25	45	45
20-34	35	18.3	250	3	6	12	23	49	57	63
35-49	58	17.6	223	3	4	15	25	30	36	94
50-64	146	18.8	221	4	5	15	24	36	43	80
65+	193	21.6	200	5	7	18	29	41	52	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	420	4.9	21	1	1	4	6	9	12	24
B. *Operated*	131	9.3	77	1	2	6	12	21	32	42
2. MULTIPLE DX										
A. *Not Operated*	991	7.5	54	1	2	6	9	14	20	40
B. *Operated*	453	19.4	216	3	5	16	26	38	48	84
1. SINGLE DX	551	5.9	38	1	1	4	7	12	16	36
2. MULTIPLE DX	1444	11.2	136	2	2	7	14	26	33	59
A. NOT OPERATED	1411	6.7	46	1	2	5	8	13	17	33
B. OPERATED	584	17.1	203	2	4	14	23	36	45	81
TOTAL 0-19 YRS	292	4.8	22	1	2	4	6	9	12	36
20-34	267	7.2	68	1	2	5	8	13	22	52
35-49	352	8.0	99	1	2	5	9	16	25	43
50-64	488	10.3	117	2	2	7	13	23	30	58
65+	596	13.9	154	2	3	10	18	30	41	61
GRAND TOTAL	**1995**	**9.8**	**114**	**1**	**2**	**6**	**12**	**23**	**30**	**57**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	3.9	6	1	1	4	5	7	10	11
20-34	46	3.7	4	1	1	4	5	7	7	99+
35-49	8	5.0	4	2	2	5	6	7	8	8
50-64	7	5.0	5	2	2	5	7	8	8	8
65+	2	5.5	25	2	2	5	9	9	9	9
B. *Operated*										
0-19 YRS	4319	4.4	4	2	3	4	5	6	7	11
20-34	2239	4.7	4	3	3	4	5	7	8	13
35-49	603	5.5	7	3	3	5	6	8	10	17
50-64	259	6.1	7	3	3	6	7	9	11	17
65+	93	8.6	43	3	4	6	10	16	22	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	4.1	6	1	1	4	5	8	9	9
20-34	21	3.2	7	<1	1	2	4	7	9	11
35-49	5	4.6	4	2	2	4	6	7	7	7
50-64	3	6.0	25	<1	<1	6	10	11	11	11
65+	7	7.4	31	<1	1	5	11	16	17	17
B. *Operated*										
0-19 YRS	598	6.7	24	3	3	5	8	12	15	25
20-34	434	7.2	20	3	3	6	8	13	16	23
35-49	162	8.8	38	3	4	7	11	14	20	33
50-64	148	10.3	53	4	4	8	12	18	24	32
65+	108	12.5	58	5	6	9	15	26	27	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	4.0	5	1	1	4	6	7	9	41
B. *Operated*	7513	4.7	6	2	3	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	57	4.3	11	<1	1	4	6	9	11	17
B. *Operated*	1450	7.9	33	3	3	6	9	14	18	28
1. SINGLE DX	7628	4.7	6	2	3	4	5	7	8	13
2. MULTIPLE DX	1507	7.7	32	3	3	6	9	14	18	28
A. NOT OPERATED	172	4.1	7	1	1	4	6	7	9	16
B. OPERATED	8963	5.2	11	2	3	4	6	8	11	20
TOTAL 0-19 YRS	4990	4.6	7	2	3	4	5	7	9	15
20-34	2740	5.1	8	2	3	4	6	8	10	16
35-49	778	6.2	15	3	3	5	7	10	13	23
50-64	417	7.6	28	3	4	6	9	13	17	26
65+	210	10.5	54	4	4	8	13	22	26	39
GRAND TOTAL	**9135**	**5.2**	**11**	**2**	**3**	**4**	**6**	**8**	**11**	**20**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	6.0	13	1	2	5	8	11	14	15
20-34	19	8.7	23	3	3	8	10	17	20	20
35-49	13	7.2	53	1	2	4	8	18	26	28
50-64	9	8.3	12	3	3	10	11	12	12	12
65+	3	9.0	21	5	5	8	12	14	14	14
B. *Operated*										
0-19 YRS	991	7.9	18	3	4	7	10	13	16	22
20-34	491	8.0	16	3	4	7	10	13	15	21
35-49	284	9.5	25	4	4	9	11	15	18	24
50-64	254	10.4	22	5	6	9	12	16	20	25
65+	131	12.6	46	5	6	11	15	19	26	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.5	22	3	3	8	12	14	14	14
20-34	8	6.8	15	3	3	6	10	12	13	13
35-49	3	8.7	6	6	6	9	10	11	11	11
50-64	9	12.1	19	6	7	11	15	18	20	20
65+	13	21.8	505	6	6	16	22	69	72	73
B. *Operated*										
0-19 YRS	356	14.0	70	5	6	12	18	24	31	46
20-34	221	12.1	65	4	5	10	15	20	27	46
35-49	160	15.0	147	5	6	12	17	26	33	94
50-64	250	16.4	100	7	8	13	19	27	37	72
65+	265	18.8	170	7	9	15	22	34	46	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	7.4	24	2	2	7	9	14	16	27
B. *Operated*	2151	8.7	22	3	4	8	11	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	37	13.7	218	3	4	10	15	21	53	73
B. *Operated*	1252	15.3	111	5	7	12	18	27	35	71
1. SINGLE DX	2218	8.7	22	3	4	8	11	14	17	24
2. MULTIPLE DX	1289	15.2	114	5	6	12	18	27	35	72
A. NOT OPERATED	104	9.7	101	2	3	8	11	16	20	70
B. OPERATED	3403	11.1	65	4	4	9	13	19	25	46
TOTAL 0-19 YRS	1374	9.4	38	3	4	8	11	17	21	32
20-34	739	9.2	34	3	4	8	11	16	19	29
35-49	460	11.3	75	4	5	9	13	18	24	53
50-64	522	13.2	68	5	7	11	15	22	28	51
65+	412	16.8	148	6	7	14	19	29	42	87
GRAND TOTAL	**3507**	**11.1**	**66**	**4**	**4**	**9**	**13**	**19**	**25**	**46**

199: Disease of Appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	3.2	6	<1	1	2	4	6	8	13
20-34	60	3.0	3	1	1	3	4	6	6	7
35-49	24	4.3	5	1	1	4	6	7	8	8
50-64	9	5.0	5	2	2	5	6	9	9	9
65+	3	3.0	7	1	1	2	5	6	6	6
B. *Operated*										
0-19 YRS	417	4.8	6	2	3	4	5	7	9	15
20-34	226	5.4	6	3	3	5	6	8	9	15
35-49	68	6.7	17	2	3	6	8	12	15	24
50-64	36	8.9	22	3	5	8	11	15	20	22
65+	10	5.6	2	2	3	6	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	3.8	9	1	1	3	5	8	11	13
20-34	24	3.6	6	<1	1	3	5	7	9	10
35-49	11	4.6	9	1	1	4	7	9	10	10
50-64	10	5.3	5	3	3	5	7	9	10	10
65+	9	9.3	53	3	3	6	13	22	24	24
B. *Operated*										
0-19 YRS	175	6.9	28	3	3	6	8	11	14	36
20-34	171	7.2	13	3	4	6	8	12	15	20
35-49	54	8.7	27	3	4	7	10	16	22	23
50-64	41	10.8	26	5	6	8	14	19	20	22
65+	32	13.0	44	6	7	11	16	22	29	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	3.3	5	1	1	3	4	6	7	11
B. *Operated*	757	5.4	8	3	3	5	6	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	97	4.5	14	1	1	4	6	9	11	21
B. *Operated*	473	7.9	26	3	4	7	9	14	19	29
1. SINGLE DX	938	5.0	8	2	2	4	6	8	10	17
2. MULTIPLE DX	570	7.4	26	2	3	6	9	13	18	27
A. NOT OPERATED	278	3.7	8	1	1	3	5	7	9	13
B. OPERATED	1230	6.4	17	3	3	5	7	11	14	22
TOTAL 0-19 YRS	720	5.1	13	2	2	4	6	8	11	18
20-34	481	5.7	10	2	2	5	7	9	12	19
35-49	157	6.9	21	2	3	6	8	12	17	23
50-64	96	9.0	25	3	4	8	12	18	20	22
65+	54	10.5	46	2	4	9	13	19	26	30
GRAND TOTAL	**1508**	**5.9**	**16**	**2**	**2**	**5**	**7**	**10**	**13**	**22**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	1.7	2	<1	<1	1	2	4	5	7
20-34	26	2.4	2	<1	<1	2	4	4	5	6
35-49	16	2.9	4	<1	1	3	4	5	6	7
50-64	32	2.9	5	<1	<1	2	4	6	7	9
65+	34	7.2	188	<1	1	4	7	11	18	81
B. *Operated*										
0-19 YRS	4285	2.3	4	<1	<1	2	3	4	5	7
20-34	3320	4.0	3	2	2	4	5	6	7	10
35-49	3039	4.5	6	2	3	4	5	7	8	12
50-64	5432	4.9	8	2	3	4	6	7	8	12
65+	3196	5.5	8	3	3	5	7	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	210	1.5	2	<1	<1	1	1	3	5	8
20-34	33	1.7	2	<1	<1	1	2	3	5	6
35-49	35	3.4	9	<1	<1	2	4	8	9	12
50-64	68	4.2	15	<1	<1	3	6	9	11	21
65+	140	6.2	48	1	1	5	7	12	17	39
B. *Operated*										
0-19 YRS	2080	2.5	9	<1	<1	2	3	5	6	11
20-34	1059	4.9	7	2	3	4	6	7	9	16
35-49	1450	5.4	10	2	3	5	6	8	10	16
50-64	3489	6.3	19	3	3	5	7	10	13	22
65+	3854	8.3	37	3	4	7	10	15	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	3.4	47	<1	<1	2	4	6	9	19
B. *Operated*	19272	4.2	7	1	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	486	3.4	22	<1	<1	1	4	8	11	22
B. *Operated*	11932	6.0	25	1	2	5	7	11	14	26
1. SINGLE DX	19428	4.2	7	1	2	4	5	7	8	13
2. MULTIPLE DX	12418	5.9	25	1	2	5	7	11	14	26
A. NOT OPERATED	642	3.4	28	<1	<1	1	4	7	10	21
B. OPERATED	31204	4.9	15	1	2	4	6	8	11	20
TOTAL 0-19 YRS	6623	2.4	5	<1	<1	2	3	4	5	9
20-34	4438	4.2	4	2	2	4	5	6	7	12
35-49	4540	4.8	8	2	3	4	6	7	9	14
50-64	9021	5.4	13	2	3	5	6	8	10	18
65+	7224	7.0	27	3	3	6	8	12	16	28
GRAND TOTAL	**31846**	**4.9**	**15**	**1**	**2**	**4**	**6**	**8**	**10**	**20**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	19	4.8	23	<1	1	2	7	10	16	20
B. *Operated*										
0-19 YRS	237	2.4	3	<1	1	2	3	5	6	9
20-34	132	4.3	3	2	3	4	5	6	7	10
35-49	146	5.1	5	2	3	5	6	7	8	11
50-64	252	5.8	13	3	3	5	7	8	10	25
65+	287	7.3	28	3	4	6	8	11	13	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.0	3	<1	<1	1	2	5	6	7
20-34	2	8.0	8	6	6	8	10	10	10	10
35-49	4	11.3	45	4	4	10	16	20	20	20
50-64	8	8.6	55	<1	1	5	15	20	20	20
65+	56	8.9	166	1	1	5	11	19	32	78
B. *Operated*										
0-19 YRS	159	3.3	7	1	1	2	4	7	10	12
20-34	51	6.8	86	3	3	5	7	9	11	68
35-49	70	7.3	29	2	3	6	8	14	19	28
50-64	228	9.2	57	3	4	7	10	17	22	41
65+	652	12.4	105	4	5	10	14	23	31	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	4.1	17	<1	1	2	7	8	11	20
B. *Operated*	1054	5.2	16	1	2	5	6	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	86	7.7	122	<1	1	4	9	19	24	65
B. *Operated*	1160	10.0	87	2	3	8	12	19	26	56
1. SINGLE DX	1084	5.1	16	1	1	5	6	8	11	18
2. MULTIPLE DX	1246	9.8	90	1	2	7	12	19	26	56
A. NOT OPERATED	116	6.8	97	<1	1	4	8	17	20	53
B. OPERATED	2214	7.7	59	1	2	6	9	14	21	43
TOTAL 0-19 YRS	417	2.7	5	<1	1	2	3	6	7	11
20-34	187	5.1	26	2	3	4	6	7	9	14
35-49	222	5.9	14	2	3	5	7	9	12	25
50-64	490	7.4	37	3	3	6	8	12	18	36
65+	1014	10.6	91	3	4	8	12	20	27	72
GRAND TOTAL	**2330**	**7.6**	**61**	**1**	**2**	**6**	**9**	**15**	**21**	**43**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.7	1	<1	<1	1	2	3	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	3.5	14	1	1	2	6	9	9	9
50-64	3	3.7	4	2	2	3	5	6	6	6
65+	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-19 YRS	577	2.4	9	<1	1	2	3	4	4	8
20-34	220	3.8	4	1	2	3	4	6	7	11
35-49	247	4.6	6	2	2	4	6	6	9	12
50-64	169	4.7	6	2	2	4	6	8	9	14
65+	74	6.1	10	3	3	5	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	2.5	10	<1	<1	1	3	5	6	17
20-34	6	2.7	5	<1	<1	2	3	7	7	7
35-49	9	6.7	24	1	1	6	11	13	13	13
50-64	6	9.0	98	2	2	4	16	25	26	26
65+	16	5.4	12	<1	1	5	7	11	12	13
B. *Operated*										
0-19 YRS	118	3.2	5	<1	1	3	4	6	8	39
20-34	95	4.9	6	2	2	4	6	8	9	13
35-49	187	7.4	45	2	3	6	8	13	18	45
50-64	206	7.7	29	3	3	6	9	14	18	28
65+	93	10.4	72	3	4	8	13	19	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.1	4	<1	<1	1	3	4	7	9
B. *Operated*	1287	3.6	8	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	69	4.3	22	<1	<1	2	6	11	13	24
B. *Operated*	699	6.8	36	2	2	5	8	13	17	43
1. SINGLE DX	1310	3.6	8	<1	1	3	4	6	8	13
2. MULTIPLE DX	768	6.6	36	1	2	5	8	13	17	42
A. NOT OPERATED	92	3.8	18	<1	<1	2	5	9	13	22
B. OPERATED	1986	4.7	21	1	2	4	6	9	12	25
TOTAL 0-19 YRS	739	2.5	8	<1	<1	2	3	4	5	12
20-34	322	4.1	5	2	2	4	5	7	8	12
35-49	447	5.8	25	2	3	5	6	10	13	28
50-64	384	6.4	22	2	3	5	8	11	15	25
65+	186	8.1	47	2	3	6	10	14	20	78
GRAND TOTAL	**2078**	**4.7**	**21**	**1**	**2**	**4**	**6**	**9**	**12**	**25**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	3.6	4	<1	<1	4	5	6	6	6
35-49	15	2.2	1	<1	<1	2	3	4	4	4
50-64	16	3.0	6	<1	<1	2	4	5	9	11
65+	8	4.6	9	2	2	3	6	10	11	11
B. *Operated*										
0-19 YRS	136	3.3	28	<1	1	2	3	5	6	21
20-34	338	4.7	5	2	2	4	6	7	9	11
35-49	520	6.2	15	2	3	5	8	10	12	20
50-64	709	7.0	18	3	3	6	8	10	13	21
65+	388	8.1	19	3	4	7	10	13	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	6	1.5	1	<1	<1	1	2	3	3	3
35-49	37	3.4	7	<1	<1	2	4	8	9	10
50-64	53	5.3	30	1	1	3	7	12	16	32
65+	98	8.9	83	1	2	7	11	14	23	58
B. *Operated*										
0-19 YRS	37	3.5	10	<1	1	2	4	8	11	16
20-34	186	7.3	31	2	3	6	8	12	17	37
35-49	425	8.8	34	3	4	7	10	15	19	30
50-64	683	9.7	47	4	4	8	11	16	21	40
65+	638	12.0	55	5	5	10	15	22	28	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	3.1	5	<1	<1	3	4	5	8	11
B. *Operated*	2091	6.4	18	2	3	6	8	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	196	6.6	56	1	1	5	8	13	17	42
B. *Operated*	1969	9.9	48	3	4	8	11	17	23	39
1. SINGLE DX	2136	6.3	18	2	3	6	8	10	12	21
2. MULTIPLE DX	2165	9.6	49	3	4	8	11	17	23	39
A. NOT OPERATED	241	6.0	49	<1	1	4	7	12	14	34
B. OPERATED	4060	8.1	35	2	3	7	10	14	18	34
TOTAL 0-19 YRS	176	3.3	24	<1	1	2	4	5	7	15
20-34	535	5.5	16	2	2	5	7	9	11	25
35-49	997	7.2	25	2	3	6	9	12	15	29
50-64	1461	8.1	34	3	3	7	9	13	17	34
65+	1132	10.3	48	4	4	9	12	18	23	39
GRAND TOTAL	**4301**	**8.0**	**36**	**2**	**3**	**7**	**9**	**14**	**18**	**34**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	6	<1	<1	2	5	6	6	6
20-34	25	5.1	6	1	2	5	7	9	9	10
35-49	89	5.5	48	1	1	5	6	8	10	45
50-64	167	5.3	11	1	2	4	7	10	12	15
65+	125	5.4	12	1	2	5	7	9	12	19
B. *Operated*										
0-19 YRS	4	4.3	14	<1	<1	4	7	8	8	8
20-34	25	7.0	13	2	2	7	8	12	14	17
35-49	34	7.8	16	3	3	8	9	11	12	24
50-64	75	9.7	29	1	2	9	12	15	20	28
65+	43	11.7	33	3	5	10	15	21	22	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.7	14	<1	<1	3	8	10	12	12
20-34	130	5.3	15	<1	2	4	7	10	12	21
35-49	408	5.9	17	1	2	5	7	10	12	19
50-64	918	6.6	19	2	3	6	8	12	15	22
65+	1359	7.6	32	2	3	6	9	13	16	27
B. *Operated*										
0-19 YRS	7	13.0	97	2	2	12	18	29	31	31
20-34	86	9.0	42	1	2	8	11	17	21	36
35-49	185	10.0	46	2	3	9	13	18	22	48
50-64	358	11.4	45	2	4	10	15	20	25	32
65+	357	13.7	108	2	4	12	17	25	37	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	410	5.3	19	1	2	5	7	9	12	17
B. *Operated*	181	9.3	27	1	3	9	11	15	21	26
2. MULTIPLE DX										
A. *Not Operated*	2828	6.9	25	2	3	6	9	12	15	24
B. *Operated*	993	11.8	71	2	3	10	15	21	27	48
1. SINGLE DX	591	6.6	25	1	2	5	9	12	15	23
2. MULTIPLE DX	3821	8.2	42	2	3	7	10	15	19	32
A. NOT OPERATED	3238	6.7	25	2	3	6	8	12	15	23
B. OPERATED	1174	11.4	65	2	3	10	14	21	27	43
TOTAL 0-19 YRS	28	6.5	45	<1	<1	5	9	13	20	31
20-34	266	6.6	25	1	2	6	9	12	16	26
35-49	716	7.0	32	1	2	6	9	13	16	27
50-64	1518	7.8	30	2	3	6	10	14	18	28
65+	1884	8.7	52	2	3	7	10	16	21	39
GRAND TOTAL	**4412**	**8.0**	**40**	**2**	**3**	**7**	**10**	**15**	**19**	**31**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	7	4.7	16	<1	<1	4	8	11	11	11
35-49	4	11.3	23	7	7	10	14	18	18	18
50-64	3	7.3	46	2	2	5	12	15	15	15
65+	6	7.2	69	1	1	3	14	20	21	21
B. *Operated*										
0-19 YRS	25	3.2	2	1	1	3	4	5	6	6
20-34	71	4.2	3	2	2	4	5	7	7	9
35-49	120	5.0	12	2	2	4	5	7	10	22
50-64	138	5.5	11	2	3	5	7	9	10	17
65+	110	6.2	10	3	3	5	8	10	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	6	8.3	98	1	1	4	12	25	27	27
35-49	10	8.9	64	1	2	5	13	22	26	26
50-64	18	6.9	16	2	3	6	8	[illegible]	16	19
65+	28	7.8	36	1	1	7	9	14	20	30
B. *Operated*										
0-19 YRS	22	3.7	3	1	2	3	5	6	7	7
20-34	37	7.1	30	3	3	5	7	16	19	28
35-49	57	7.3	26	2	3	6	8	16	17	27
50-64	112	9.3	44	3	4	7	11	17	23	39
65+	166	9.4	56	3	4	7	11	16	26	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	6.6	37	<1	1	4	11	16	19	21
B. *Operated*	464	5.2	10	2	3	5	6	9	10	18
2. MULTIPLE DX										
A. *Not Operated*	64	7.6	38	1	1	6	9	15	21	30
B. *Operated*	394	8.5	45	3	3	7	10	16	20	36
1. SINGLE DX	486	5.3	11	2	2	5	6	9	11	19
2. MULTIPLE DX	458	8.4	44	2	3	6	10	16	20	36
A. NOT OPERATED	86	7.4	38	1	1	6	9	15	20	29
B. OPERATED	858	6.7	28	2	3	5	8	12	17	28
TOTAL 0-19 YRS	51	3.3	3	1	1	3	5	6	6	7
20-34	121	5.3	18	2	2	4	6	8	12	27
35-49	191	6.0	21	2	3	5	6	11	17	27
50-64	271	7.2	28	2	3	6	8	13	17	30
65+	310	8.1	40	3	3	7	10	14	19	35
GRAND TOTAL	**944**	**6.8**	**29**	**2**	**3**	**5**	**8**	**12**	**17**	**28**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	4	2.0	2	<1	<1	1	3	4	4	4
35-49	11	3.5	10	1	1	3	4	8	12	12
50-64	9	5.7	22	<1	<1	5	9	13	14	14
65+	28	7.4	28	1	2	6	10	16	18	23
B. *Operated*										
0-19 YRS	41	3.1	5	<1	1	2	4	6	7	11
20-34	112	5.2	38	2	2	4	6	9	11	33
35-49	188	5.6	13	2	2	5	7	10	12	19
50-64	235	7.2	22	3	3	6	8	12	17	30
65+	309	9.8	45	4	4	8	12	16	20	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.2	16	2	2	7	10	10	10	10
20-34	2	7.5	25	4	4	7	11	11	11	11
35-49	18	9.4	225	<1	1	5	11	13	45	67
50-64	60	6.9	18	1	1	7	9	12	16	20
65+	122	9.4	49	2	3	8	12	19	25	59
B. *Operated*										
0-19 YRS	16	5.1	35	<1	<1	4	6	10	20	25
20-34	60	8.6	43	2	3	6	9	17	24	32
35-49	169	9.2	43	3	4	8	11	16	23	38
50-64	376	12.4	126	4	5	9	14	24	34	63
65+	705	15.0	107	5	6	12	19	29	36	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	5.6	24	<1	1	4	8	12	16	23
B. *Operated*	885	7.3	33	2	3	6	9	13	17	29
2. MULTIPLE DX										
A. *Not Operated*	207	8.6	55	1	2	7	10	17	21	54
B. *Operated*	1326	13.1	106	4	5	10	16	26	33	64
1. SINGLE DX	940	7.2	33	2	2	6	9	13	17	29
2. MULTIPLE DX	1533	12.5	101	3	4	10	15	25	32	64
A. NOT OPERATED	262	8.0	50	1	2	6	10	15	20	42
B. OPERATED	2211	10.8	85	3	3	8	13	21	29	51
TOTAL 0-19 YRS	65	3.7	14	<1	1	2	5	7	10	23
20-34	178	6.3	41	2	2	5	8	11	16	31
35-49	386	7.3	39	2	2	6	9	13	16	34
50-64	680	10.0	86	3	4	7	11	18	27	52
65+	1164	12.9	90	4	5	10	16	25	32	63
GRAND TOTAL	**2473**	**10.5**	**82**	**2**	**3**	**8**	**13**	**21**	**28**	**51**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	3.9	20	1	1	3	5	8	9	25
20-34	181	5.4	11	1	2	5	7	10	11	19
35-49	275	5.8	17	1	2	5	7	10	12	22
50-64	378	6.4	18	1	2	5	8	11	14	23
65+	460	7.8	27	2	3	7	10	14	18	30
B. *Operated*										
0-19 YRS	106	7.1	20	2	2	6	9	12	15	26
20-34	109	10.9	35	5	6	9	13	18	25	33
35-49	143	11.7	33	5	6	10	15	19	22	31
50-64	222	14.5	104	6	7	11	17	25	35	65
65+	249	16.0	60	7	9	14	19	26	32	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	5.4	13	1	2	5	7	10	13	17
20-34	174	7.3	26	2	3	6	8	13	18	33
35-49	276	7.1	23	2	3	6	9	14	16	25
50-64	598	8.7	43	2	3	7	10	16	21	44
65+	1453	11.0	72	3	4	9	14	20	26	53
B. *Operated*										
0-19 YRS	121	11.8	56	5	5	10	14	22	28	66
20-34	181	13.7	81	5	6	12	17	22	28	56
35-49	303	17.5	153	6	7	14	21	31	38	77
50-64	602	20.0	185	6	8	16	25	37	50	99+
65+	1217	22.2	182	8	10	19	28	40	50	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1410	6.4	21	1	2	5	8	1.	15	24
B. *Operated*	829	13.0	67	5	6	11	16	22	30	43
2. MULTIPLE DX										
A. *Not Operated*	2575	9.6	58	2	3	8	12	19	24	47
B. *Operated*	2424	19.9	175	6	8	17	25	36	47	78
1. SINGLE DX	2239	8.9	49	2	2	7	11	17	21	36
2. MULTIPLE DX	4999	14.6	141	3	4	11	19	29	39	71
A. NOT OPERATED	3985	8.5	47	2	3	7	10	16	21	40
B. OPERATED	3253	18.2	156	6	7	15	22	34	44	76
TOTAL 0-19 YRS	417	7.3	39	1	2	6	9	14	19	33
20-34	645	9.2	50	2	3	7	12	17	22	38
35-49	997	10.6	87	2	3	8	13	20	27	44
50-64	1800	12.7	125	3	4	10	16	26	35	70
65+	3379	14.9	137	3	4	12	19	30	39	66
GRAND TOTAL	**7238**	**12.8**	**119**	**2**	**3**	**10**	**16**	**26**	**35**	**64**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4559	3.3	7	1	1	3	4	6	7	12
20-34	1697	3.3	6	1	1	3	4	6	8	12
35-49	712	4.1	9	1	1	3	5	7	9	15
50-64	547	4.0	8	1	1	3	5	8	9	14
65+	452	4.6	12	1	1	4	6	9	11	16
B. *Operated*										
0-19 YRS	129	5.6	21	2	2	4	7	9	12	27
20-34	119	6.6	18	1	2	6	9	12	14	21
35-49	65	6.4	16	1	2	6	8	11	15	18
50-64	41	9.7	57	1	2	9	13	19	26	33
65+	36	8.3	36	1	2	8	11	14	22	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4412	4.6	13	2	2	4	5	8	10	19
20-34	1374	4.6	12	1	2	4	6	8	10	19
35-49	958	5.8	22	1	2	5	7	11	13	25
50-64	1307	6.5	37	2	2	5	8	11	14	26
65+	2401	8.3	45	2	3	7	10	16	20	40
B. *Operated*										
0-19 YRS	152	7.8	61	3	3	6	8	14	23	53
20-34	155	9.2	67	1	2	7	11	16	22	46
35-49	150	11.9	97	2	4	9	14	23	31	54
50-64	215	14.3	138	3	5	11	17	30	39	80
65+	327	16.0	141	4	5	13	19	31	41	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7967	3.5	7	1	1	3	4	6	8	13
B. *Operated*	390	6.7	26	1	2	5	9	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	10452	5.8	27	1	2	4	7	11	14	26
B. *Operated*	999	12.7	119	3	4	10	15	26	36	56
1. SINGLE DX	8357	3.7	9	1	1	3	5	7	8	14
2. MULTIPLE DX	11451	6.4	38	2	2	5	8	12	17	33
A. NOT OPERATED	18419	4.8	19	1	2	4	6	9	12	22
B. OPERATED	1389	11.0	100	2	3	8	14	21	31	53
TOTAL 0-19 YRS	9252	4.0	12	1	1	3	5	7	9	16
20-34	3345	4.2	13	1	1	3	5	8	10	19
35-49	1885	5.6	27	1	2	4	7	11	14	27
50-64	2110	6.7	48	1	2	5	8	13	17	35
65+	3216	8.6	58	2	2	7	11	17	22	43
GRAND TOTAL	**19808**	**5.2**	**28**	**1**	**2**	**4**	**6**	**10**	**14**	**27**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	5.6	12	2	2	5	8	11	11	11
20-34	75	5.5	8	1	2	5	8	10	10	13
35-49	360	6.2	14	2	3	6	8	10	12	19
50-64	756	6.1	23	2	2	5	8	10	12	20
65+	985	6.3	19	1	2	5	8	12	14	23
B. Operated										
0-19 YRS	5	11.2	39	6	6	8	18	18	18	18
20-34	37	12.0	92	5	6	10	13	16	19	65
35-49	126	12.6	43	5	6	11	15	21	26	36
50-64	327	14.0	57	4	7	13	17	23	27	45
65+	267	15.1	88	2	5	14	19	26	29	52
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	11.9	94	2	3	10	14	28	34	34
20-34	35	7.0	15	3	3	6	9	13	15	20
35-49	321	7.0	18	2	3	6	9	12	14	23
50-64	1415	7.5	27	2	3	7	9	12	15	24
65+	4182	8.9	48	2	3	7	11	16	20	40
B. Operated										
0-19 YRS	8	14.9	59	6	7	12	20	27	29	29
20-34	47	14.0	85	5	6	12	17	23	35	52
35-49	281	15.6	85	5	7	14	19	28	33	55
50-64	897	17.3	130	5	7	14	21	31	41	66
65+	1557	19.9	204	5	7	16	25	38	51	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2184	6.2	19	2	2	5	8	11	13	20
B. Operated	762	14.0	68	4	6	12	17	23	27	48
2. MULTIPLE DX										
A. Not Operated	5962	8.5	42	2	3	7	10	15	19	37
B. Operated	2790	18.5	169	5	7	15	23	35	46	82
1. SINGLE DX	2946	8.2	43	2	2	7	10	16	20	30
2. MULTIPLE DX	8752	11.7	104	3	4	9	14	23	32	61
A. NOT OPERATED	8146	7.9	37	2	3	7	10	14	17	33
B. OPERATED	3552	17.6	150	5	7	15	21	32	42	78
TOTAL 0-19 YRS	30	10.9	61	2	3	9	13	20	29	34
20-34	194	9.1	57	2	3	7	11	16	20	45
35-49	1088	9.6	53	2	3	8	12	18	23	35
50-64	3395	10.4	78	2	3	8	13	20	26	47
65+	6991	11.2	104	2	3	8	14	22	31	62
GRAND TOTAL	**11698**	**10.8**	**91**	**2**	**3**	**8**	**13**	**21**	**28**	**53**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	3.1	3	1	1	3	4	6	6	7
20-34	45	3.8	9	1	1	3	4	7	9	19
35-49	37	3.4	5	<1	1	3	5	6	7	12
50-64	25	4.3	12	1	1	3	5	7	12	17
65+	13	4.5	11	1	1	3	6	10	12	12
B. Operated										
0-19 YRS	210	3.8	7	1	1	3	5	7	9	16
20-34	1048	3.9	11	1	2	3	5	6	7	11
35-49	858	4.1	6	1	2	4	5	7	8	15
50-64	559	4.5	7	2	2	4	5	7	9	19
65+	194	5.4	17	2	2	4	6	11	17	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	3.1	4	<1	1	3	4	5	7	10
20-34	45	5.5	22	1	1	5	6	11	13	29
35-49	56	6.3	27	1	1	4	8	15	16	23
50-64	69	5.8	16	1	2	5	8	10	14	21
65+	60	9.9	85	2	3	7	13	22	35	95
B. Operated										
0-19 YRS	79	5.7	91	1	2	4	6	10	13	65
20-34	816	5.0	16	2	2	4	6	8	11	23
35-49	923	5.1	24	2	2	4	6	8	10	24
50-64	895	6.1	29	2	3	5	7	11	16	27
65+	420	9.1	76	3	3	6	11	18	25	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	155	3.7	7	1	1	3	5	6	8	17
B. Operated	2869	4.2	9	1	2	4	5	7	8	17
2. MULTIPLE DX										
A. Not Operated	259	6.5	38	1	2	5	8	14	17	41
B. Operated	3133	5.9	34	2	3	4	6	10	16	29
1. SINGLE DX	3024	4.2	9	1	2	4	5	7	8	17
2. MULTIPLE DX	3392	6.0	34	2	2	4	6	11	16	30
A. NOT OPERATED	414	5.4	28	1	1	4	7	11	16	29
B. OPERATED	6002	5.1	23	2	2	4	6	8	12	25
TOTAL 0-19 YRS	353	4.1	26	1	1	3	5	7	10	15
20-34	1954	4.4	14	2	2	4	5	7	9	20
35-49	1874	4.7	16	2	2	4	5	7	9	21
50-64	1548	5.5	21	2	2	4	6	9	13	25
65+	687	8.0	62	2	3	5	9	17	23	43
GRAND TOTAL	**6416**	**5.1**	**23**	**2**	**2**	**4**	**6**	**8**	**12**	**25**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	708	4.8	20	1	1	4	6	10	13	23
20-34	884	6.4	26	1	2	5	8	13	16	26
35-49	578	6.2	28	1	2	5	8	12	16	27
50-64	525	6.3	42	1	1	4	8	13	17	35
65+	499	6.6	49	1	1	5	8	12	18	28
B. *Operated*										
0-19 YRS	248	7.2	39	1	1	6	9	15	21	32
20-34	624	10.6	98	1	2	8	14	24	30	49
35-49	418	9.3	72	1	2	7	13	20	25	45
50-64	482	9.1	81	1	2	7	13	20	25	51
65+	442	11.0	130	1	2	9	14	23	31	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	529	5.9	36	1	1	4	7	12	16	33
20-34	1058	7.4	48	2	2	5	9	14	19	38
35-49	914	7.0	33	2	2	6	9	13	17	32
50-64	1365	8.0	55	2	2	6	10	15	20	38
65+	2870	9.0	62	2	3	7	11	17	23	48
B. *Operated*										
0-19 YRS	222	12.4	144	2	3	10	15	28	42	99+
20-34	947	13.1	154	2	3	9	16	30	37	65
35-49	852	13.0	144	2	3	9	17	27	38	68
50-64	1219	15.0	199	2	3	11	19	34	48	97
65+	1785	17.5	232	3	4	14	22	39	51	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3194	6.0	32	1	1	4	8	12	16	27
B. *Operated*	2214	9.8	90	1	2	7	13	21	27	49
2. MULTIPLE DX										
A. *Not Operated*	6736	8.1	53	2	2	6	10	15	20	41
B. *Operated*	5025	15.1	194	2	3	11	19	33	45	84
1. SINGLE DX	5408	7.6	59	1	2	5	10	16	22	38
2. MULTIPLE DX	11761	11.1	126	2	3	8	13	23	34	65
A. NOT OPERATED	9930	7.4	47	1	2	6	9	14	19	37
B. OPERATED	7239	13.5	168	2	2	10	17	29	41	72
TOTAL 0-19 YRS	1707	6.5	49	1	1	4	8	13	18	41
20-34	3513	9.3	87	2	2	6	11	20	28	48
35-49	2762	9.1	80	1	2	6	11	19	26	47
50-64	3591	10.3	117	1	2	7	13	22	32	64
65+	5596	11.7	137	2	3	8	14	24	35	70
GRAND TOTAL	**17169**	**10.0**	**107**	**1**	**2**	**7**	**12**	**21**	**30**	**59**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	31	12.0	143	2	3	8	13	23	50	52
35-49	97	9.8	51	2	3	8	14	19	24	33
50-64	108	10.2	40	3	4	9	13	19	25	30
65+	38	12.2	125	4	4	9	13	22	35	63
B. *Operated*										
0-19 YRS										
20-34	20	7.8	39	1	2	6	13	16	19	20
35-49	48	11.4	139	1	1	9	16	27	36	59
50-64	50	10.0	69	1	1	9	14	22	27	34
65+	9	12.8	59	2	4	12	16	24	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	10.3	17	7	7	9	13	15	15	15
20-34	227	11.7	113	2	3	8	14	24	37	80
35-49	635	13.9	130	3	4	10	17	29	38	57
50-64	867	14.5	119	3	4	12	18	28	36	61
65+	386	15.8	164	3	4	12	19	31	38	70
B. *Operated*										
0-19 YRS										
20-34	69	18.4	248	2	4	15	25	35	66	96
35-49	255	17.8	158	3	5	14	23	33	43	70
50-64	333	18.4	178	4	5	15	25	36	44	71
65+	153	20.3	226	3	6	16	26	43	48	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	274	10.6	67	3	4	8	13	20	26	48
B. *Operated*	127	10.4	90	1	1	9	15	22	28	41
2. MULTIPLE DX										
A. *Not Operated*	2118	14.3	131	3	4	11	18	29	37	61
B. *Operated*	810	18.6	187	4	5	15	24	36	45	72
1. SINGLE DX	401	10.5	74	2	2	9	14	21	27	44
2. MULTIPLE DX	2928	15.5	150	3	4	12	20	31	40	67
A. NOT OPERATED	2392	13.8	125	3	4	11	18	28	36	60
B. OPERATED	937	17.5	181	2	4	14	23	34	44	70
TOTAL 0-19 YRS	3	10.3	17	7	7	9	13	15	15	15
20-34	347	12.9	145	2	3	9	17	26	40	79
35-49	1035	14.4	135	3	4	11	19	29	38	62
50-64	1358	15.0	131	3	4	12	19	29	38	62
65+	586	16.7	181	3	5	13	22	34	43	66
GRAND TOTAL	**3329**	**14.9**	**143**	**3**	**4**	**12**	**19**	**30**	**39**	**65**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	6.5	29	<1	1	5	9	15	20	20
20-34	35	5.3	17	1	1	4	7	13	15	17
35-49	48	9.6	60	1	2	7	13	20	27	33
50-64	74	10.6	149	2	2	7	13	20	24	82
65+	37	9.8	88	1	1	8	12	18	22	54
B. *Operated*										
0-19 YRS	23	5.0	48	1	1	2	5	11	22	32
20-34	182	3.2	15	1	1	2	3	8	11	18
35-49	135	4.4	27	1	1	2	6	12	16	23
50-64	168	6.0	100	1	1	2	7	16	22	40
65+	64	8.8	74	1	1	6	13	20	25	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	6.5	13	<1	2	6	8	11	13	14
20-34	69	9.0	70	2	2	7	11	20	24	48
35-49	219	12.1	97	3	4	9	15	24	31	46
50-64	494	13.5	120	3	4	11	16	26	33	59
65+	467	15.2	149	3	4	12	19	31	41	97
B. *Operated*										
0-19 YRS	24	8.8	178	1	1	3	12	23	40	60
20-34	128	9.7	113	1	1	5	14	24	32	50
35-49	180	12.6	142	1	2	10	18	26	36	61
50-64	409	15.3	182	2	2	12	20	32	41	69
65+	367	18.6	256	2	2	14	25	38	51	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	9.1	91	1	2	7	11	19	23	50
B. *Operated*	572	5.0	53	1	1	2	6	14	18	32
2. MULTIPLE DX										
A. *Not Operated*	1263	13.5	125	3	4	11	17	27	37	66
B. *Operated*	1108	15.1	200	1	2	12	21	31	42	69
1. SINGLE DX	777	6.1	66	1	1	3	8	15	20	33
2. MULTIPLE DX	2371	14.3	161	2	3	11	19	29	39	68
A. NOT OPERATED	1468	12.9	123	3	4	10	16	25	35	64
B. OPERATED	1680	11.7	173	1	1	8	17	28	35	64
TOTAL 0-19 YRS	72	6.8	82	1	1	4	8	15	22	54
20-34	414	6.4	63	1	1	3	8	17	22	39
35-49	582	10.3	102	1	1	8	14	23	28	45
50-64	1145	12.8	150	1	2	10	17	27	34	64
65+	935	15.8	191	2	3	12	21	32	44	81
GRAND TOTAL	**3148**	**12.3**	**150**	**1**	**2**	**9**	**16**	**27**	**35**	**64**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	7.3	43	2	2	5	10	14	20	40
20-34	155	8.3	48	2	3	7	11	15	17	27
35-49	71	8.3	42	2	2	6	11	17	21	34
50-64	87	8.4	34	2	2	7	11	16	18	31
65+	42	9.8	42	2	3	9	12	15	24	35
B. *Operated*										
0-19 YRS	13	8.9	111	<1	1	6	9	30	33	34
20-34	53	7.3	74	1	1	4	11	18	30	34
35-49	37	8.5	76	1	1	5	15	22	26	34
50-64	52	11.3	154	1	1	7	18	27	30	64
65+	30	12.8	171	2	2	10	15	26	32	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	8.9	49	3	3	7	9	17	28	36
20-34	149	8.7	36	2	3	7	12	15	19	38
35-49	187	12.0	109	3	4	9	14	23	32	67
50-64	413	12.5	90	3	4	10	17	26	32	50
65+	343	13.2	98	3	4	11	17	25	31	64
B. *Operated*										
0-19 YRS	11	19.3	473	2	3	9	24	50	76	78
20-34	54	13.4	136	2	2	10	17	28	43	52
35-49	85	16.2	135	2	2	13	24	34	40	44
50-64	166	17.9	178	2	4	15	22	35	44	70
65+	156	21.9	279	2	5	18	29	41	57	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	403	8.3	43	2	2	7	11	15	20	35
B. *Operated*	185	9.7	117	1	1	6	14	25	30	57
2. MULTIPLE DX										
A. *Not Operated*	1139	12.0	89	3	4	9	15	24	31	52
B. *Operated*	472	18.4	212	2	3	15	24	37	45	72
1. SINGLE DX	588	8.7	66	1	2	7	11	18	25	36
2. MULTIPLE DX	1611	13.9	133	3	4	11	18	28	37	64
A. NOT OPERATED	1542	11.0	79	2	3	9	14	21	28	51
B. OPERATED	657	16.0	200	1	2	13	22	33	43	70
TOTAL 0-19 YRS	119	9.2	99	1	2	7	10	19	29	52
20-34	411	9.0	61	1	2	7	12	17	22	42
35-49	380	11.9	106	2	3	8	15	25	33	53
50-64	718	13.2	116	2	3	10	17	27	33	57
65+	571	15.3	164	3	4	12	20	30	40	72
GRAND TOTAL	**2199**	**12.5**	**120**	**2**	**3**	**9**	**16**	**26**	**33**	**59**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	4.3	7	1	1	4	5	8	10	12
20-34	231	3.8	7	1	1	3	5	7	9	13
35-49	208	4.1	7	1	1	4	5	8	9	13
50-64	287	4.5	8	1	1	4	6	8	9	13
65+	246	6.7	17	1	2	6	9	11	15	20
B. *Operated*										
0-19 YRS	209	8.4	14	5	5	8	10	13	15	25
20-34	2472	8.2	10	5	6	7	9	12	14	20
35-49	2575	8.6	13	5	6	8	9	12	15	20
50-64	2854	9.3	13	6	6	8	10	14	16	24
65+	1320	11.4	26	6	7	10	14	18	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.0	11	<1	1	5	7	9	12	14
20-34	207	5.1	16	1	2	4	7	9	13	20
35-49	288	6.3	28	1	2	5	8	11	14	30
50-64	661	6.6	22	2	2	6	8	12	15	22
65+	1355	9.2	42	3	4	8	11	16	20	35
B. *Operated*										
0-19 YRS	94	10.9	27	5	6	10	13	16	22	30
20-34	1335	10.3	33	5	6	9	12	16	19	30
35-49	1905	10.8	35	6	6	9	13	17	20	32
50-64	3507	12.3	44	6	7	10	15	20	24	37
65+	3710	16.7	95	7	8	14	20	28	35	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1003	4.8	11	1	1	4	6	9	11	16
B. *Operated*	9430	9.1	15	5	6	8	10	14	16	24
2. MULTIPLE DX										
A. *Not Operated*	2534	7.8	35	2	3	7	10	14	17	30
B. *Operated*	10551	13.3	66	6	7	11	16	23	28	45
1. SINGLE DX	10433	8.7	16	4	5	8	10	13	16	23
2. MULTIPLE DX	13085	12.3	64	4	6	10	15	21	27	44
A. NOT OPERATED	3537	7.0	30	1	2	6	9	13	16	28
B. OPERATED	19981	11.3	46	6	6	9	13	19	24	38
TOTAL 0-19 YRS	357	8.5	20	2	4	8	11	14	16	26
20-34	4245	8.5	20	3	5	8	10	13	16	25
35-49	4976	9.1	25	4	5	8	10	14	17	27
50-64	7309	10.3	33	4	6	9	12	17	21	32
65+	6631	13.8	80	5	6	11	17	24	30	48
GRAND TOTAL	**23518**	**10.7**	**46**	**4**	**5**	**9**	**13**	**18**	**23**	**37**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.9	4	<1	1	4	5	7	8	8
20-34	315	4.6	8	1	2	4	6	9	10	14
35-49	279	4.7	8	1	1	4	6	8	9	12
50-64	270	5.6	16	1	2	5	7	9	13	20
65+	191	7.6	52	2	3	6	9	13	15	33
B. *Operated*										
0-19 YRS	21	9.3	40	2	4	7	12	20	24	26
20-34	268	9.3	22	5	6	8	11	15	17	30
35-49	264	10.1	22	5	6	9	12	16	19	25
50-64	303	10.3	17	5	6	9	12	15	18	24
65+	188	12.6	37	6	7	12	15	19	22	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	5.5	15	1	2	5	7	9	10	24
20-34	264	5.3	10	1	2	4	7	10	11	16
35-49	295	6.5	15	2	3	6	8	11	14	24
50-64	494	7.7	55	2	3	6	9	13	16	41
65+	823	9.9	56	3	4	8	12	18	23	42
B. *Operated*										
0-19 YRS	33	10.6	26	5	6	8	13	19	21	22
20-34	405	10.2	32	5	6	9	12	17	20	40
35-49	545	11.3	38	6	6	9	13	19	24	34
50-64	695	14.0	84	6	7	11	17	24	30	52
65+	846	18.0	115	7	8	15	22	31	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1099	5.4	19	1	2	5	7	9	12	17
B. *Operated*	1044	10.4	24	5	6	9	12	16	19	29
2. MULTIPLE DX										
A. *Not Operated*	1915	8.1	45	2	3	7	10	14	19	34
B. *Operated*	2524	14.1	84	6	7	11	17	25	31	53
1. SINGLE DX	2143	7.8	28	2	3	7	10	14	17	25
2. MULTIPLE DX	4439	11.5	77	3	4	9	14	21	28	50
A. NOT OPERATED	3014	7.1	37	2	2	6	9	13	16	30
B. OPERATED	3568	13.0	70	6	6	10	15	22	29	48
TOTAL 0-19 YRS	137	6.8	25	1	2	6	8	13	19	24
20-34	1252	7.6	25	2	3	7	9	13	16	23
35-49	1383	8.7	31	2	3	8	11	15	19	30
50-64	1762	10.3	64	3	3	8	13	18	23	45
65+	2048	13.3	95	3	5	11	16	24	32	55
GRAND TOTAL	**6582**	**10.3**	**64**	**2**	**3**	**8**	**13**	**19**	**24**	**45**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	1	5	5	6	7	7	7	7
20-34	21	3.2	5	<1	1	3	5	6	8	9
35-49	21	4.4	11	<1	1	3	6	9	12	14
50-64	35	6.2	26	1	2	5	8	10	18	25
65+	56	6.9	23	2	2	6	10	13	15	26
B. *Operated*										
0-19 YRS	6	10.7	37	5	5	10	11	21	22	22
20-34	99	9.6	24	3	4	9	12	16	20	25
35-49	112	10.5	24	3	6	9	13	18	20	24
50-64	161	11.8	56	2	4	10	15	21	24	48
65+	195	14.1	76	2	3	13	19	24	29	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	4.2	10	1	1	3	6	9	10	10
35-49	18	7.3	8	3	4	7	8	12	13	13
50-64	59	8.2	20	2	3	7	12	15	16	18
65+	183	9.7	57	2	3	8	12	17	20	27
B. *Operated*										
0-19 YRS	7	16.6	40	9	9	15	21	26	27	27
20-34	96	13.3	55	5	6	11	16	24	26	41
35-49	118	12.4	45	5	6	11	14	20	28	36
50-64	233	16.2	85	7	7	15	19	27	35	56
65+	548	21.1	127	7	10	19	26	36	42	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	5.8	20	1	2	5	8	11	14	25
B. *Operated*	573	11.9	54	2	4	10	15	21	24	34
2. MULTIPLE DX										
A. *Not Operated*	270	9.0	46	2	3	8	12	15	18	26
B. *Operated*	1002	18.1	112	6	8	16	23	32	39	66
1. SINGLE DX	709	10.7	53	2	3	9	14	20	24	33
2. MULTIPLE DX	1272	16.2	111	4	6	14	21	30	37	61
A. NOT OPERATED	406	7.9	39	2	2	7	10	14	18	25
B. OPERATED	1575	15.9	99	4	6	14	20	29	35	57
TOTAL 0-19 YRS	16	12.4	46	5	5	10	16	22	26	27
20-34	226	10.3	45	2	3	9	14	19	24	35
35-49	269	10.6	36	2	4	9	13	18	21	34
50-64	488	13.1	75	3	4	11	17	23	29	51
65+	982	15.8	124	3	5	15	22	31	38	65
GRAND TOTAL	**1981**	**14.2**	**97**	**2**	**4**	**12**	**19**	**26**	**33**	**51**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.8	11	1	1	6	8	10	10	10
20-34	19	5.8	20	1	1	5	8	10	16	20
35-49	42	6.0	8	1	2	6	8	10	11	12
50-64	31	7.5	24	2	2	7	9	13	16	25
65+	72	9.1	30	1	3	8	13	17	19	23
B. *Operated*										
0-19 YRS										
20-34	10	7.8	35	1	2	6	11	17	19	19
35-49	26	11.3	81	1	1	10	15	26	28	30
50-64	20	14.6	111	1	2	14	19	30	38	40
65+	38	12.8	78	1	2	12	18	23	26	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	41	1	1	5	10	10	10	10
20-34	33	9.2	155	2	2	6	10	21	28	69
35-49	42	10.0	58	2	3	8	12	24	28	34
50-64	123	10.7	69	3	3	8	14	23	28	42
65+	340	12.4	58	4	5	11	16	22	27	42
B. *Operated*										
0-19 YRS	5	20.0	52	10	10	18	26	28	28	28
20-34	21	20.1	275	2	3	14	32	38	54	72
35-49	64	16.7	230	2	3	13	23	31	48	99+
50-64	130	20.6	207	2	5	18	27	40	50	76
65+	299	23.7	202	7	10	21	28	42	51	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	7.5	23	1	2	6	10	14	17	23
B. *Operated*	94	12.2	83	1	1	11	18	24	27	41
2. MULTIPLE DX										
A. *Not Operated*	540	11.6	67	2	4	10	15	22	27	42
B. *Operated*	519	21.9	213	4	7	19	27	40	50	85
1. SINGLE DX	266	9.2	49	1	2	8	13	19	23	35
2. MULTIPLE DX	1059	16.7	165	3	5	14	22	32	42	73
A. NOT OPERATED	712	10.6	59	2	3	9	14	20	25	38
B. OPERATED	613	20.4	205	2	5	18	26	37	48	83
TOTAL 0-19 YRS	15	10.5	72	1	1	9	16	26	27	28
20-34	83	11.0	166	1	2	8	12	25	34	71
35-49	174	11.7	129	1	2	8	15	27	30	86
50-64	304	14.9	152	2	4	11	19	29	40	54
65+	749	16.6	148	3	5	14	21	31	41	73
GRAND TOTAL	**1325**	**15.2**	**150**	**2**	**4**	**12**	**20**	**29**	**38**	**70**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	6.3	19	2	2	5	8	12	14	25
20-34	500	7.0	23	2	3	6	9	12	16	21
35-49	536	8.1	47	2	3	6	10	15	19	38
50-64	333	8.3	30	2	3	7	10	14	20	29
65+	178	8.8	23	3	4	8	11	15	19	25
B. *Operated*										
0-19 YRS	6	8.8	18	3	3	8	12	15	15	15
20-34	42	11.3	176	1	1	9	15	21	33	76
35-49	72	14.7	160	1	1	14	20	32	39	94
50-64	72	16.1	260	1	1	12	20	37	46	84
65+	43	15.5	167	<1	1	14	19	30	43	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	7.1	24	3	3	6	8	11	13	32
20-34	770	9.1	38	3	4	8	11	16	21	36
35-49	1144	9.9	58	3	4	8	12	18	25	41
50-64	897	10.3	48	3	4	9	13	17	21	38
65+	803	11.1	62	4	4	10	13	18	24	47
B. *Operated*										
0-19 YRS	11	16.5	114	5	5	13	21	33	39	40
20-34	133	23.4	311	5	7	19	32	58	69	99+
35-49	286	20.4	230	4	7	17	25	43	59	99+
50-64	297	21.7	298	3	6	18	28	45	63	99+
65+	278	21.5	179	6	9	19	26	37	52	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1616	7.8	33	2	3	6	9	14	18	27
B. *Operated*	235	14.5	192	1	1	12	19	33	41	78
2. MULTIPLE DX										
A. *Not Operated*	3652	10.1	52	3	4	8	12	18	22	39
B. *Operated*	1005	21.5	246	4	7	18	27	43	62	99+
1. SINGLE DX	1851	8.6	58	2	3	7	10	16	21	40
2. MULTIPLE DX	4657	12.5	116	3	4	9	15	24	33	67
A. NOT OPERATED	5268	9.4	47	3	4	8	11	17	21	37
B. OPERATED	1240	20.1	243	2	5	17	26	40	59	99+
TOTAL 0-19 YRS	124	7.6	36	2	3	6	9	13	19	34
20-34	1445	9.7	82	2	3	7	11	18	25	58
35-49	2038	11.1	98	3	4	8	13	22	30	59
50-64	1599	12.3	123	3	4	9	14	24	33	66
65+	1302	13.2	105	3	4	10	16	25	32	63
GRAND TOTAL	**6508**	**11.4**	**102**	**3**	**4**	**9**	**14**	**22**	**30**	**61**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	3.8	6	1	1	3	4	7	10	13
20-34	123	4.6	10	1	1	4	6	9	11	15
35-49	148	5.5	19	1	2	5	7	9	12	27
50-64	181	6.5	38	1	2	5	8	12	15	20
65+	300	7.6	28	1	2	7	10	14	16	27
B. *Operated*										
0-19 YRS	6	3.3	10	1	1	2	5	9	9	9
20-34	18	6.8	24	2	3	6	7	11	19	23
35-49	25	10.0	61	1	3	8	11	23	28	33
50-64	32	9.5	29	2	3	9	12	16	22	24
65+	39	11.8	122	1	2	9	14	20	40	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	6.0	25	2	2	5	7	11	14	28
20-34	329	6.1	29	2	2	5	7	11	14	34
35-49	516	7.3	42	2	3	6	9	13	16	33
50-64	1116	8.8	55	2	3	7	10	15	21	34
65+	2793	10.3	56	3	4	8	12	18	23	42
B. *Operated*										
0-19 YRS	18	8.5	67	<1	1	6	15	23	25	25
20-34	59	10.4	108	2	3	8	12	17	36	54
35-49	145	10.9	113	2	5	12	17	26	34	60
50-64	391	13.1	100	3	4	10	16	24	32	51
65+	775	17.1	158	5	6	14	21	34	45	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	844	6.1	26	1	2	5	8	11	14	23
B. *Operated*	120	9.7	67	1	2	8	12	19	24	48
2. MULTIPLE DX										
A. *Not Operated*	4883	9.2	54	2	3	8	11	16	22	37
B. *Operated*	1388	15.2	138	3	5	12	19	30	40	72
1. SINGLE DX	964	6.6	32	1	2	5	9	12	16	27
2. MULTIPLE DX	6271	10.6	79	2	4	8	13	20	27	52
A. NOT OPERATED	5727	8.8	51	2	3	7	11	16	21	36
B. OPERATED	1508	14.8	135	3	5	12	18	29	40	70
TOTAL 0-19 YRS	245	5.3	22	1	2	4	6	10	14	25
20-34	529	6.3	36	1	2	5	7	11	14	36
35-49	834	8.2	58	2	2	6	10	16	22	37
50-64	1720	9.5	67	2	3	8	11	17	23	43
65+	3907	11.4	83	3	4	9	14	21	29	56
GRAND TOTAL	**7235**	**10.0**	**74**	**2**	**3**	**8**	**12**	**19**	**26**	**49**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	3.7	8	1	1	3	4	7	9	15
20-34	8	5.0	5	3	3	4	7	8	8	8
35-49	14	7.1	30	1	2	6	10	15	19	20
50-64	9	10.4	39	2	4	8	17	19	19	19
65+	3	5.7	10	2	2	7	8	8	8	8
B. *Operated*										
0-19 YRS	2	6.5	61	1	1	6	12	12	12	12
20-34	13	9.4	52	1	3	8	11	19	26	28
35-49	13	9.9	30	4	5	7	13	19	21	21
50-64	14	7.9	61	<1	1	6	11	19	27	29
65+	12	15.8	96	4	5	14	22	30	33	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	7.2	47	2	3	5	8	14	16	43
20-34	25	11.5	153	2	4	7	10	33	47	48
35-49	44	9.9	102	1	2	7	11	18	31	53
50-64	46	12.1	85	3	3	9	17	25	29	43
65+	61	15.1	170	4	5	12	18	26	33	89
B. *Operated*										
0-19 YRS	7	16.0	202	2	2	18	32	83	99+	99+
20-34	15	11.5	36	<1	1	11	16	19	20	21
35-49	26	16.9	141	5	5	13	20	37	43	45
50-64	37	16.3	160	3	4	12	19	37	44	53
65+	39	24.1	552	2	4	15	36	70	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	4.9	17	1	1	4	7	9	14	20
B. *Operated*	54	10.4	64	1	2	8	15	21	29	34
2. MULTIPLE DX										
A. *Not Operated*	243	11.0	113	2	3	8	13	23	30	48
B. *Operated*	124	18.3	278	2	4	14	21	43	57	99+
1. SINGLE DX	157	6.8	40	1	1	5	9	16	20	29
2. MULTIPLE DX	367	13.5	180	2	3	10	16	29	43	92
A. NOT OPERATED	346	9.2	92	1	2	6	12	20	26	47
B. OPERATED	178	15.9	225	2	3	12	19	37	51	99
TOTAL 0-19 YRS	145	6.0	42	1	1	4	6	13	16	48
20-34	61	10.2	85	1	3	8	11	18	30	48
35-49	97	11.4	102	2	3	9	13	24	37	49
50-64	106	12.8	110	2	3	10	17	28	37	48
65+	115	18.0	304	3	5	13	21	38	61	97
GRAND TOTAL	**524**	**11.5**	**147**	**1**	**2**	**8**	**14**	**24**	**37**	**78**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	7.7	28	2	2	6	11	17	18	23
20-34	28	6.6	31	<1	1	5	9	16	18	21
35-49	14	5.3	6	2	2	5	6	9	10	10
50-64	17	7.5	32	2	2	5	13	16	17	18
65+	6	9.8	33	4	4	8	14	18	19	19
B. *Operated*										
0-19 YRS	46	6.6	113	<1	1	4	7	12	17	70
20-34	54	4.3	11	1	2	3	5	9	12	15
35-49	35	5.2	15	1	2	4	8	11	13	15
50-64	25	8.9	77	1	2	6	11	21	27	41
65+	15	14.2	150	2	4	11	18	29	43	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	9.1	63	2	3	7	12	16	29	37
20-34	49	8.0	59	1	2	5	10	18	22	41
35-49	27	12.6	231	3	3	8	14	19	38	82
50-64	50	10.7	69	1	3	8	13	24	29	40
65+	111	13.7	126	3	4	11	17	26	38	91
B. *Operated*										
0-19 YRS	43	13.7	239	2	2	8	17	38	51	66
20-34	57	11.9	133	2	2	8	14	28	36	55
35-49	68	10.0	91	2	2	7	14	20	24	53
50-64	92	14.9	194	2	3	12	20	29	35	80
65+	81	19.0	151	3	5	17	27	35	44	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	7.4	28	2	2	6	10	16	18	23
B. *Operated*	175	6.6	66	1	2	4	8	13	18	45
2. MULTIPLE DX										
A. *Not Operated*	303	11.2	105	2	3	9	14	24	30	61
B. *Operated*	341	14.3	167	2	3	11	19	31	40	66
1. SINGLE DX	355	7.0	47	1	2	5	9	15	18	29
2. MULTIPLE DX	644	12.8	140	2	3	10	16	28	37	66
A. NOT OPERATED	483	9.8	79	2	2	8	13	20	24	41
B. OPERATED	516	11.7	146	2	2	7	16	27	36	63
TOTAL 0-19 YRS	270	8.8	89	2	2	6	11	17	24	55
20-34	188	7.9	71	1	2	5	10	16	23	48
35-49	144	8.9	97	2	2	7	11	17	21	58
50-64	184	12.3	136	2	3	9	16	25	32	61
65+	213	15.6	140	3	4	13	21	32	40	90
GRAND TOTAL	**999**	**10.7**	**114**	**2**	**2**	**7**	**14**	**23**	**32**	**56**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	6.9	17	2	2	6	9	12	16	18
20-34	6	7.0	20	4	4	5	6	15	16	16
35-49	6	6.8	34	<1	<1	5	10	16	17	17
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	3	10.7	25	6	6	10	14	16	16	16
20-34	7	8.3	17	4	4	6	11	14	15	15
35-49	2	8.5	41	4	4	8	13	13	13	13
50-64										
65+	3	12.3	80	2	2	17	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	7.0	16	2	2	6	9	13	16	17
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	5	5.8	19	1	1	5	9	12	12	12
50-64	11	12.9	46	7	7	11	14	25	29	29
65+	9	9.6	16	4	5	9	13	16	16	16
B. *Operated*										
0-19 YRS	5	13.4	101	2	2	11	22	27	27	27
20-34	14	18.1	610	1	2	8	14	54	79	86
35-49	9	7.3	29	3	3	5	11	16	18	18
50-64	12	10.2	37	2	3	10	15	18	20	20
65+	14	12.9	25	3	7	13	16	20	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	6.8	18	1	2	6	9	13	17	18
B. *Operated*	15	9.6	28	2	4	10	14	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	80	7.9	24	2	2	7	10	14	16	27
B. *Operated*	54	12.8	189	2	2	10	15	20	40	85
1. SINGLE DX	78	7.4	21	2	2	6	10	15	17	18
2. MULTIPLE DX	134	9.9	96	2	2	8	12	17	21	57
A. NOT OPERATED	143	7.4	22	2	2	7	10	14	16	22
B. OPERATED	69	12.1	155	2	2	10	15	20	28	79
TOTAL 0-19 YRS	109	7.3	21	2	2	7	9	14	16	23
20-34	30	12.0	316	1	2	6	11	29	51	86
35-49	22	7.0	25	1	2	5	11	14	17	18
50-64	24	11.3	40	3	5	10	14	20	24	29
65+	27	11.4	28	2	4	12	16	18	20	21
GRAND TOTAL	**212**	**8.9**	**69**	**2**	**2**	**7**	**12**	**16**	**18**	**46**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.5	7	<1	1	1	3	8	9	9
20-34	58	1.6	1	1	1	1	2	3	4	8
35-49	38	2.3	6	<1	<1	1	3	5	9	11
50-64	53	4.8	38	1	1	2	5	12	20	31
65+	51	4.2	19	1	1	2	7	9	14	20
B. *Operated*										
0-19 YRS	13	8.8	50	<1	2	6	14	18	25	26
20-34	42	7.9	85	1	2	4	9	24	36	99+
35-49	65	7.6	60	1	1	4	9	19	26	33
50-64	110	8.7	123	1	2	5	11	17	29	62
65+	75	9.4	84	2	2	6	12	21	24	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	2.9	22	<1	<1	1	3	5	6	32
20-34	102	5.0	30	1	1	3	7	12	16	27
35-49	133	6.3	76	1	1	4	7	13	17	51
50-64	300	8.3	81	1	1	5	11	19	27	45
65+	538	9.3	125	1	1	6	13	22	30	63
B. *Operated*										
0-19 YRS	57	12.5	191	1	2	7	17	31	43	63
20-34	155	14.6	280	1	2	9	21	37	59	99
35-49	274	13.5	222	2	2	8	18	36	45	95
50-64	491	15.3	239	1	2	10	22	37	50	87
65+	401	19.0	315	2	3	14	26	43	63	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	3.2	17	<1	1	1	3	8	11	22
B. *Operated*	305	8.6	91	1	2	5	11	21	27	56
2. MULTIPLE DX										
A. *Not Operated*	1123	8.0	98	1	1	5	11	19	27	53
B. *Operated*	1378	15.8	264	2	2	10	22	38	55	93
1. SINGLE DX	520	6.3	67	1	1	3	8	15	23	44
2. MULTIPLE DX	2501	12.3	205	1	1	7	16	30	44	81
A. NOT OPERATED	1338	7.2	88	1	1	4	9	18	25	49
B. OPERATED	1683	14.5	241	2	2	9	20	36	49	90
TOTAL 0-19 YRS	135	7.5	115	<1	1	3	8	19	31	59
20-34	357	8.9	167	1	1	4	11	25	36	84
35-49	510	10.0	162	1	1	6	12	25	38	71
50-64	954	11.8	178	1	2	7	16	29	41	70
65+	1065	12.7	214	1	1	8	17	30	43	85
GRAND TOTAL	**3021**	**11.3**	**186**	**1**	**1**	**6**	**15**	**28**	**41**	**74**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.3	8	1	1	5	7	7	7	7
20-34	7	5.3	22	2	2	4	6	13	15	15
35-49	5	7.0	50	1	1	6	11	18	18	18
50-64	22	8.2	49	<1	1	7	13	24	52	99+
65+	24	12.1	110	3	4	9	16	23	33	50
B. *Operated*										
0-19 YRS	3	36.3	785	9	9	35	57	65	65	65
20-34	20	12.9	163	2	2	7	22	34	37	38
35-49	16	15.3	310	1	2	6	29	46	50	52
50-64	23	10.8	187	1	1	6	14	24	40	63
65+	24	12.8	214	1	2	8	16	41	47	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	10.8	75	3	3	7	14	26	30	32
20-34	26	8.3	48	1	1	7	9	21	26	28
35-49	37	9.1	64	2	3	6	12	23	28	32
50-64	102	12.7	184	1	1	9	16	28	52	85
65+	356	14.1	129	2	4	12	17	27	37	73
B. *Operated*										
0-19 YRS	11	8.4	45	2	3	7	11	17	25	26
20-34	34	19.5	420	3	5	10	29	39	68	92
35-49	49	14.1	216	2	2	11	17	26	41	85
50-64	139	18.5	321	2	3	14	28	39	68	99+
65+	205	23.8	268	3	5	21	32	48	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	8.8	69	1	1	7	13	21	26	92
B. *Operated*	86	13.6	237	1	2	7	19	38	48	64
2. MULTIPLE DX										
A. *Not Operated*	537	13.1	132	2	3	11	16	26	37	72
B. *Operated*	438	20.3	298	2	3	16	29	42	61	99+
1. SINGLE DX	151	11.5	170	1	2	7	15	30	44	65
2. MULTIPLE DX	975	16.3	219	2	3	12	22	36	48	97
A. NOT OPERATED	602	12.7	127	1	3	10	16	26	35	73
B. OPERATED	524	19.2	293	2	3	15	28	42	59	99+
TOTAL 0-19 YRS	37	10.9	153	1	2	7	11	27	34	65
20-34	87	13.5	241	2	2	8	18	32	37	84
35-49	107	12.2	173	2	2	8	16	27	39	66
50-64	286	15.0	252	1	2	10	21	37	60	99+
65+	609	17.2	199	2	4	14	23	37	48	99
GRAND TOTAL	**1126**	**15.7**	**215**	**2**	**3**	**12**	**21**	**35**	**48**	**95**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	5.1	5	2	3	5	6	8	9	12
20-34	252	4.9	6	2	2	5	6	8	8	11
35-49	55	6.5	9	2	3	6	9	10	12	14
50-64	48	6.4	8	2	3	6	8	11	11	13
65+	43	7.3	11	3	4	7	9	12	13	19
B. *Operated*										
0-19 YRS	19	5.6	5	1	2	6	8	8	9	9
20-34	29	7.1	23	2	2	6	8	10	17	26
35-49	10	6.6	6	3	3	7	9	9	9	9
50-64	6	6.0	14	3	3	5	7	12	13	13
65+	3	9.3	10	7	7	8	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	152	5.1	6	2	3	5	6	8	10	13
20-34	294	6.9	45	2	3	6	8	11	15	65
35-49	126	7.0	11	3	3	6	9	12	13	18
50-64	156	9.1	42	3	4	7	11	15	19	41
65+	281	10.1	30	4	5	9	13	17	21	28
B. *Operated*										
0-19 YRS	32	7.2	11	3	4	6	8	11	14	19
20-34	60	10.3	67	4	4	9	12	15	20	58
35-49	45	11.1	89	3	4	8	14	23	40	99+
50-64	70	16.5	157	5	7	13	20	28	41	72
65+	65	20.5	120	8	8	18	25	35	44	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	560	5.4	7	2	3	5	7	9	10	14
B. *Operated*	67	6.6	14	2	3	6	8	10	13	24
2. MULTIPLE DX										
A. *Not Operated*	1009	7.9	33	3	3	7	10	14	17	28
B. *Operated*	272	14.1	121	4	5	11	17	27	35	65
1. SINGLE DX	627	5.5	8	2	3	5	7	9	10	14
2. MULTIPLE DX	1281	9.2	58	3	3	7	11	17	23	47
A. NOT OPERATED	1569	7.0	25	2	3	6	8	12	15	26
B. OPERATED	339	12.6	108	3	4	9	15	25	32	62
TOTAL 0-19 YRS	365	5.3	6	2	3	5	6	8	10	13
20-34	635	6.4	33	2	3	5	8	10	14	27
35-49	236	7.6	28	3	3	7	9	12	16	39
50-64	280	10.4	77	3	4	8	12	19	25	51
65+	392	11.5	60	4	5	9	14	22	26	45
GRAND TOTAL	**1908**	**8.0**	**45**	**3**	**3**	**6**	**9**	**14**	**20**	**38**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	4.7	7	1	2	4	6	8	10	14
20-34	270	5.0	11	2	2	4	6	8	9	23
35-49	95	5.7	11	2	2	5	7	11	14	16
50-64	53	6.7	26	1	2	5	8	13	16	30
65+	41	8.3	32	2	3	7	11	17	22	24
B. *Operated*										
0-19 YRS	43	5.9	22	<1	1	5	8	11	17	20
20-34	61	6.3	18	1	2	6	9	12	15	90
35-49	42	7.3	65	<1	1	5	10	14	26	39
50-64	39	9.5	70	2	2	6	15	25	26	27
65+	33	12.4	98	2	4	8	17	29	34	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	5.3	6	2	3	5	7	8	10	14
20-34	272	5.8	10	2	3	5	7	9	11	16
35-49	157	7.3	23	2	3	6	9	13	17	24
50-64	195	9.1	44	3	3	8	11	16	21	39
65+	321	10.9	63	3	4	9	13	19	23	60
B. *Operated*										
0-19 YRS	78	6.9	27	1	2	7	9	12	16	30
20-34	152	9.6	100	2	2	7	11	17	26	65
35-49	133	12.0	115	2	3	9	17	24	30	60
50-64	174	14.4	162	3	3	11	18	32	42	69
65+	195	17.0	159	3	4	14	22	35	50	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	682	5.3	13	2	2	4	6	9	12	21
B. *Operated*	218	7.9	53	1	2	6	10	19	25	38
2. MULTIPLE DX										
A. *Not Operated*	1101	8.0	38	2	3	7	10	14	18	33
B. *Operated*	732	12.8	136	2	3	9	16	26	37	67
1. SINGLE DX	900	6.0	24	1	2	5	7	10	15	29
2. MULTIPLE DX	1833	9.9	83	2	3	7	12	19	26	56
A. NOT OPERATED	1783	7.0	30	2	3	6	9	13	16	29
B. OPERATED	950	11.7	121	2	2	9	15	25	34	66
TOTAL 0-19 YRS	500	5.3	12	1	2	5	7	9	11	17
20-34	755	6.3	32	2	2	5	8	11	15	34
35-49	427	8.4	59	2	2	6	10	17	22	39
50-64	461	10.9	96	2	3	8	13	22	31	61
65+	590	12.8	104	3	4	10	16	25	33	64
GRAND TOTAL	**2733**	**8.6**	**67**	**2**	**2**	**6**	**10**	**17**	**24**	**50**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.5	3	1	1	2	3	5	6	8
20-34	317	2.7	3	1	1	2	3	5	6	9
35-49	383	3.1	8	1	1	2	4	6	8	12
50-64	296	3.3	5	1	1	3	4	7	8	11
65+	87	3.8	6	1	1	3	5	8	9	12
B. *Operated*										
0-19 YRS	18	9.4	17	3	4	9	12	13	18	21
20-34	201	10.0	39	3	3	9	12	15	22	37
35-49	255	8.9	24	2	2	9	11	14	17	26
50-64	303	10.6	44	2	3	10	13	18	21	36
65+	128	10.9	34	3	4	10	14	18	21	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.4	3	1	1	3	5	6	6	6
20-34	214	4.1	10	1	1	3	5	8	11	17
35-49	275	4.5	16	1	1	4	6	8	12	18
50-64	320	4.8	11	1	2	4	6	9	11	16
65+	266	7.1	49	2	2	5	9	13	17	38
B. *Operated*										
0-19 YRS	28	10.6	93	1	2	8	13	24	32	43
20-34	183	10.8	54	3	3	9	13	19	28	46
35-49	283	11.2	61	2	3	10	15	20	25	44
50-64	515	11.9	66	2	3	10	15	22	27	41
65+	405	14.5	107	3	4	12	19	30	35	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1115	3.1	6	1	1	2	4	6	8	11
B. *Operated*	905	10.0	35	2	3	9	12	16	20	32
2. MULTIPLE DX										
A. *Not Operated*	1091	5.1	22	1	2	4	6	10	13	21
B. *Operated*	1414	12.3	78	2	3	10	16	24	30	45
1. SINGLE DX	2020	6.2	31	1	1	4	9	13	16	27
2. MULTIPLE DX	2505	9.2	66	2	2	7	12	19	25	41
A. NOT OPERATED	2206	4.1	15	1	1	3	5	8	10	17
B. OPERATED	2319	11.4	62	2	3	10	14	21	27	42
TOTAL 0-19 YRS	94	6.4	45	1	1	4	8	13	20	38
20-34	915	6.3	35	1	1	4	9	13	16	32
35-49	1196	6.6	37	1	1	5	9	14	17	29
50-64	1434	8.3	50	1	2	7	11	17	21	33
65+	886	10.7	84	2	2	8	14	22	31	46
GRAND TOTAL	**4525**	**7.8**	**53**	**1**	**2**	**6**	**11**	**16**	**21**	**36**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	2.8	3	1	1	2	3	6	6	8
20-34	1179	2.5	3	1	1	2	3	4	5	8
35-49	1370	2.6	6	1	1	2	3	5	6	10
50-64	1033	2.8	5	1	1	2	4	5	7	10
65+	263	3.2	4	1	1	3	4	6	7	9
B. *Operated*										
0-19 YRS	46	6.8	30	2	2	5	9	11	14	34
20-34	751	6.4	16	2	2	5	9	12	14	19
35-49	966	7.2	29	2	2	6	9	13	16	26
50-64	892	7.6	24	2	3	7	10	14	17	23
65+	249	8.8	31	2	3	8	12	15	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	3.8	5	1	2	4	5	7	9	10
20-34	362	3.2	7	1	1	3	4	6	8	12
35-49	443	3.2	4	1	1	3	4	6	7	10
50-64	520	3.9	14	1	1	3	5	7	9	16
65+	270	5.4	56	1	2	4	6	10	12	23
B. *Operated*										
0-19 YRS	34	7.1	13	2	3	6	11	12	13	14
20-34	316	7.8	30	2	3	6	10	15	18	27
35-49	484	8.7	34	2	3	7	11	16	19	31
50-64	739	10.2	45	3	3	9	13	19	23	32
65+	452	13.2	90	3	4	11	17	25	32	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3964	2.7	5	1	1	2	3	5	6	9
B. *Operated*	2904	7.3	25	2	2	6	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	1633	3.8	17	1	1	3	5	7	9	15
B. *Operated*	2025	10.1	53	2	3	8	13	19	24	37
1. SINGLE DX	6868	4.6	18	1	1	3	6	10	13	19
2. MULTIPLE DX	3658	7.3	47	1	2	5	10	15	20	33
A. NOT OPERATED	5597	3.0	9	1	1	2	4	5	7	11
B. OPERATED	4929	8.4	38	2	3	7	11	16	19	32
TOTAL 0-19 YRS	237	4.4	13	1	1	3	5	9	11	15
20-34	2608	4.3	15	1	1	3	5	9	12	18
35-49	3263	4.9	23	1	1	3	6	10	14	22
50-64	3184	6.1	30	1	1	4	8	13	17	25
65+	1234	8.5	68	1	2	6	11	18	24	38
GRAND TOTAL	**10526**	**5.5**	**30**	**1**	**1**	**4**	**7**	**12**	**16**	**26**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	4.8	20	<1	<1	4	7	11	16	18
20-34	37	3.7	7	1	1	3	6	7	9	11
35-49	43	3.8	10	1	1	3	5	7	12	15
50-64	50	5.0	16	1	1	4	7	9	14	22
65+	51	5.3	28	1	1	3	7	11	17	27
B. *Operated*										
0-19 YRS	275	6.6	43	<1	<1	5	10	15	18	32
20-34	133	7.9	27	1	2	8	11	15	18	22
35-49	156	6.9	35	1	1	6	10	15	19	29
50-64	210	7.4	57	1	1	4	10	18	23	38
65+	159	7.7	47	1	2	6	11	16	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	5.5	29	1	1	4	7	11	14	34
20-34	91	5.4	29	1	2	4	6	10	13	35
35-49	70	8.9	130	2	2	5	9	19	34	60
50-64	152	7.5	41	1	2	6	10	15	22	32
65+	295	11.6	105	2	3	9	15	24	31	61
B. *Operated*										
0-19 YRS	303	8.5	61	<1	1	7	13	20	25	35
20-34	252	10.1	61	2	2	9	14	19	23	43
35-49	288	11.7	96	2	2	10	16	24	30	50
50-64	473	12.2	120	2	2	10	16	25	33	51
65+	609	14.7	133	2	3	12	20	29	38	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	4.6	17	1	1	3	6	9	13	20
B. *Operated*	933	7.2	43	<1	1	6	10	16	19	29
2. MULTIPLE DX										
A. *Not Operated*	674	9.0	82	1	2	6	11	18	27	48
B. *Operated*	1925	12.1	108	1	2	10	16	25	32	51
1. SINGLE DX	1162	6.7	39	<1	1	5	10	15	19	29
2. MULTIPLE DX	2599	11.3	103	1	2	9	15	23	31	51
A. NOT OPERATED	903	7.9	69	1	2	6	10	16	23	44
B. OPERATED	2858	10.5	92	1	2	9	15	22	28	47
TOTAL 0-19 YRS	692	7.2	49	<1	1	5	10	16	20	34
20-34	513	8.2	47	1	2	7	11	17	20	40
35-49	557	9.4	83	1	2	7	13	20	25	48
50-64	885	9.9	92	1	2	7	13	21	27	46
65+	1114	12.4	117	2	2	10	17	25	34	57
GRAND TOTAL	**3761**	**9.9**	**88**	**1**	**2**	**8**	**14**	**21**	**27**	**47**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.3	5	<1	1	3	4	5	9	10
20-34	116	2.9	6	1	1	2	4	5	6	15
35-49	123	2.8	3	<1	1	2	4	5	6	10
50-64	92	3.8	13	1	1	3	5	6	9	23
65+	27	3.6	10	1	1	3	4	7	9	17
B. *Operated*										
0-19 YRS	13	4.8	16	<1	1	3	7	11	13	13
20-34	56	6.3	11	1	2	6	9	10	11	16
35-49	81	7.0	39	2	3	5	9	13	15	41
50-64	118	7.2	27	1	2	6	11	14	19	47
65+	80	7.1	29	2	2	5	10	14	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.9	5	1	2	5	7	7	7	7
20-34	53	3.7	10	1	1	3	4	7	11	16
35-49	69	5.1	25	1	2	4	6	9	14	32
50-64	71	5.3	24	1	2	4	6	9	17	29
65+	41	8.1	98	1	1	4	9	21	32	46
B. *Operated*										
0-19 YRS	5	10.6	119	2	2	5	16	29	29	29
20-34	41	10.8	99	2	2	8	13	21	23	59
35-49	83	10.4	105	2	3	8	14	19	22	67
50-64	171	9.5	42	2	3	9	12	17	21	35
65+	343	13.3	136	2	3	10	17	27	32	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	374	3.1	7	1	1	2	4	5	7	16
B. *Operated*	348	6.9	27	1	2	5	9	13	17	24
2. MULTIPLE DX										
A. *Not Operated*	242	5.4	34	1	2	4	6	10	16	33
B. *Operated*	643	11.7	107	2	3	9	15	23	29	56
1. SINGLE DX	722	4.9	20	1	1	4	6	11	13	23
2. MULTIPLE DX	885	10.0	95	2	2	7	13	21	27	51
A. NOT OPERATED	616	4.0	19	1	1	3	5	7	10	26
B. OPERATED	991	10.0	84	2	2	8	13	20	26	50
TOTAL 0-19 YRS	42	5.0	24	<1	1	4	6	10	12	29
20-34	266	5.0	30	1	1	3	6	11	14	22
35-49	356	6.0	48	1	1	4	7	13	17	30
50-64	452	7.1	34	1	2	5	10	15	19	28
65+	491	11.3	118	2	2	8	15	23	30	56
GRAND TOTAL	**1607**	**7.7**	**68**	**1**	**2**	**5**	**10**	**17**	**23**	**39**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	3.3	3	1	1	3	4	5	6	10
20-34	102	3.3	4	1	1	3	4	6	8	10
35-49	42	4.0	7	1	2	3	5	8	10	12
50-64	48	5.1	7	1	2	5	6	8	9	15
65+	45	5.3	15	1	1	4	7	10	13	16
B. *Operated*										
0-19 YRS	232	2.6	3	<1	<1	2	4	5	7	10
20-34	313	3.3	8	<1	1	2	4	7	8	11
35-49	223	3.1	5	<1	1	2	4	6	8	12
50-64	330	3.3	8	<1	1	2	4	7	9	15
65+	336	4.4	12	1	1	3	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	3.9	7	1	1	3	5	7	9	14
20-34	126	4.8	11	1	2	4	6	9	12	36
35-49	81	5.4	10	1	2	5	7	10	12	14
50-64	152	6.8	21	2	2	6	8	13	16	25
65+	383	9.9	73	2	3	8	12	17	25	53
B. *Operated*										
0-19 YRS	319	3.2	9	<1	<1	2	4	7	9	17
20-34	477	4.5	16	1	1	3	6	8	11	26
35-49	454	5.1	23	1	1	4	7	10	14	25
50-64	712	6.5	47	1	2	4	8	14	18	31
65+	1171	9.0	76	2	2	7	11	19	26	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	375	3.8	6	1	1	3	5	7	9	13
B. *Operated*	1434	3.4	8	<1	1	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	854	7.4	46	2	2	6	9	14	18	37
B. *Operated*	3133	6.6	50	1	2	4	8	14	20	36
1. SINGLE DX	1809	3.5	8	<1	1	3	5	7	9	14
2. MULTIPLE DX	3987	6.8	49	1	2	5	8	14	20	37
A. NOT OPERATED	1229	6.3	36	1	2	5	8	13	16	30
B. OPERATED	4567	5.6	39	1	1	4	7	12	16	33
TOTAL 0-19 YRS	801	3.2	6	<1	<1	3	4	6	8	14
20-34	1018	4.0	12	<1	1	3	5	8	10	21
35-49	800	4.5	16	1	1	3	6	9	12	21
50-64	1242	5.7	34	1	2	4	7	12	15	27
65+	1935	8.3	67	2	2	6	10	16	24	45
GRAND TOTAL	**5796**	**5.7**	**39**	**1**	**1**	**4**	**7**	**12**	**16**	**33**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	1.4	1	<1	<1	<1	1	2	4	6
20-34	13	3.7	13	<1	<1	2	5	9	12	13
35-49	9	2.6	2	1	1	2	4	5	5	5
50-64	7	2.1	1	1	1	2	3	4	4	4
65+	19	3.6	10	1	1	2	6	8	10	12
B. *Operated*										
0-19 YRS	869	1.8	3	<1	<1	1	2	3	5	10
20-34	299	3.1	9	<1	<1	2	4	6	9	14
35-49	202	3.7	13	<1	<1	3	4	7	10	19
50-64	278	4.1	11	<1	1	3	5	9	10	18
65+	286	5.3	28	<1	1	4	6	10	14	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	1.7	2	<1	<1	1	2	3	5	7
20-34	9	4.9	25	2	2	3	5	13	18	18
35-49	7	4.3	18	1	1	3	5	11	13	13
50-64	12	4.9	15	1	1	4	7	11	13	13
65+	64	9.4	70	2	3	7	12	21	30	92
B. *Operated*										
0-19 YRS	515	2.5	12	<1	<1	2	3	4	6	14
20-34	403	4.2	21	<1	1	3	5	8	13	26
35-49	351	4.6	46	<1	1	3	6	9	12	19
50-64	502	5.9	43	1	1	4	7	12	17	40
65+	847	8.5	67	2	2	6	11	16	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	2.7	7	<1	<1	2	3	6	8	13
B. *Operated*	1934	3.0	11	<1	<1	2	3	6	9	18
2. MULTIPLE DX										
A. *Not Operated*	113	6.8	54	<1	1	5	9	13	23	65
B. *Operated*	2618	5.6	47	<1	1	3	7	12	16	34
1. SINGLE DX	2003	3.0	11	<1	<1	2	3	6	9	17
2. MULTIPLE DX	2731	5.7	47	<1	1	3	7	12	17	35
A. NOT OPERATED	182	5.2	40	<1	<1	3	7	13	18	44
B. OPERATED	4552	4.5	33	<1	<1	2	5	10	14	29
TOTAL 0-19 YRS	1426	2.0	6	<1	<1	1	2	3	5	12
20-34	724	3.7	16	<1	<1	2	4	8	11	22
35-49	569	4.2	33	<1	1	3	5	9	12	19
50-64	799	5.2	32	<1	1	3	6	11	15	30
65+	1216	7.7	59	1	2	5	10	15	22	40
GRAND TOTAL	**4734**	**4.5**	**34**	**<1**	**<1**	**3**	**5**	**10**	**14**	**29**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	564	4.1	7	1	1	3	5	7	9	13
20-34	319	4.0	7	1	1	4	5	7	9	12
35-49	143	4.8	11	1	1	4	6	8	11	20
50-64	186	5.4	18	1	2	4	7	9	14	26
65+	279	6.3	29	1	2	5	8	10	14	32
B. *Operated*										
0-19 YRS	525	3.0	10	<1	<1	2	3	7	10	14
20-34	481	3.4	19	<1	<1	2	4	7	10	21
35-49	417	3.4	11	<1	1	2	4	7	11	17
50-64	510	4.0	18	<1	1	3	5	8	11	25
65+	542	5.2	41	1	1	4	6	10	14	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	745	4.9	11	1	2	4	6	9	11	16
20-34	621	5.3	21	1	1	4	7	10	12	23
35-49	410	6.8	27	2	2	6	8	13	17	27
50-64	745	8.5	55	2	3	6	10	16	21	38
65+	2843	11.1	90	3	4	9	13	21	29	61
B. *Operated*										
0-19 YRS	674	4.1	26	<1	<1	2	5	10	13	26
20-34	669	5.4	32	1	1	3	7	12	16	27
35-49	733	6.0	36	1	1	4	8	14	18	32
50-64	1319	7.8	60	1	2	5	10	17	23	36
65+	2389	11.7	122	2	2	9	15	24	34	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1491	4.7	14	1	2	4	6	8	10	20
B. *Operated*	2475	3.8	21	<1	1	2	5	8	11	23
2. MULTIPLE DX										
A. *Not Operated*	5364	8.9	68	2	2	7	11	17	24	49
B. *Operated*	5784	8.5	84	1	2	6	11	19	25	49
1. SINGLE DX	3966	4.2	18	<1	1	3	5	8	11	22
2. MULTIPLE DX	11148	8.7	76	1	2	6	11	18	25	49
A. NOT OPERATED	6855	8.0	59	2	2	6	10	15	21	43
B. OPERATED	8259	7.1	69	<1	1	4	9	16	23	44
TOTAL 0-19 YRS	2508	4.1	15	<1	1	3	5	8	11	19
20-34	2090	4.7	23	<1	1	3	6	9	13	23
35-49	1703	5.4	27	1	1	4	7	12	15	27
50-64	2760	7.1	51	1	2	5	9	16	21	36
65+	6053	10.6	100	2	2	8	13	21	29	60
GRAND TOTAL	**15114**	**7.5**	**65**	**1**	**2**	**5**	**9**	**16**	**22**	**43**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	48	1	1	7	56	99+	99+	99+
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	6	4.2	8	1	1	3	7	8	8	8
50-64	50	4.1	13	1	1	3	6	9	10	18
65+	76	5.5	18	<1	1	4	8	11	13	22
B. *Operated*										
0-19 YRS	7	6.3	19	<1	<1	7	10	12	12	12
20-34	18	7.3	240	<1	<1	3	7	11	45	68
35-49	138	4.7	11	<1	1	4	7	9	10	15
50-64	2172	7.2	23	1	2	7	9	12	15	22
65+	3686	8.6	27	2	3	8	11	15	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.0		3	3	3	3	3	3	3
35-49	12	6.4	20	1	2	6	8	13	16	17
50-64	154	5.7	21	1	1	5	7	12	14	27
65+	466	8.3	68	1	2	6	10	19	26	42
B. *Operated*										
0-19 YRS	18	10.3	114	1	2	9	11	19	38	48
20-34	17	6.8	51	<1	1	7	9	12	24	30
35-49	178	6.4	22	<1	2	5	9	13	15	21
50-64	3053	9.6	40	2	2	8	12	17	21	34
65+	7633	12.8	82	3	5	11	16	22	29	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	4.9	16	<1	1	4	7	11	13	32
B. *Operated*	6021	8.0	26	2	2	7	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	635	7.6	57	1	2	5	9	16	24	40
B. *Operated*	10899	11.7	72	2	4	10	14	21	27	47
1. SINGLE DX	6158	8.0	26	1	2	7	10	14	17	25
2. MULTIPLE DX	11534	11.5	72	2	4	10	14	21	27	47
A. NOT OPERATED	772	7.1	51	1	1	5	9	14	23	39
B. OPERATED	16920	10.4	59	2	3	9	13	18	24	42
TOTAL 0-19 YRS	28	8.7	84	<1	1	9	11	18	51	99+
20-34	40	6.6	127	<1	<1	3	8	11	21	68
35-49	334	5.7	18	<1	1	5	8	11	14	19
50-64	5429	8.5	34	2	2	8	11	15	19	28
65+	11861	11.3	68	2	4	9	14	20	26	46
GRAND TOTAL	**17692**	**10.3**	**59**	**2**	**3**	**9**	**13**	**18**	**24**	**41**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.8	3	1	1	4	5	6	6	6
20-34	38	4.1	9	<1	1	3	6	8	11	13
35-49	37	3.9	4	1	2	4	6	6	7	8
50-64	37	4.9	5	1	2	5	6	8	9	9
65+	20	4.5	5	1	1	5	6	7	8	9
B. *Operated*										
0-19 YRS	28	2.3	2	<1	<1	2	2	5	5	7
20-34	173	2.5	7	<1	<1	2	3	5	5	11
35-49	186	2.5	5	<1	<1	2	3	5	7	11
50-64	152	3.0	6	<1	1	2	3	5	8	12
65+	69	4.7	22	<1	1	3	7	10	20	85
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.4	6	3	3	5	7	9	10	10
20-34	42	4.7	7	1	2	5	6	8	10	12
35-49	58	6.3	22	1	2	6	7	11	14	29
50-64	112	5.9	10	2	3	5	7	10	13	17
65+	91	7.1	33	2	3	6	8	12	15	37
B. *Operated*										
0-19 YRS	26	4.2	13	1	2	3	6	7	13	16
20-34	165	3.5	8	<1	1	2	5	7	10	14
35-49	205	4.2	22	<1	1	3	5	8	11	24
50-64	284	5.7	24	1	2	4	7	12	15	25
65+	232	8.8	63	2	2	7	11	19	25	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	4.3	6	1	1	4	6	7	8	12
B. *Operated*	608	2.9	8	<1	<1	2	3	5	8	20
2. MULTIPLE DX										
A. *Not Operated*	310	6.2	19	2	2	5	7	10	13	19
B. *Operated*	912	5.7	34	1	1	4	7	12	18	31
1. SINGLE DX	749	3.1	8	<1	<1	2	4	6	8	13
2. MULTIPLE DX	1222	5.8	30	1	2	4	7	12	16	29
A. NOT OPERATED	451	5.6	15	1	2	5	7	9	12	18
B. OPERATED	1520	4.6	26	<1	1	3	5	10	14	27
TOTAL 0-19 YRS	70	3.5	8	<1	1	2	5	7	7	15
20-34	418	3.2	8	<1	<1	2	4	6	9	13
35-49	486	3.8	16	<1	<1	3	5	7	10	21
50-64	585	5.0	17	1	2	4	6	10	13	20
65+	412	7.5	49	1	2	6	9	16	21	40
GRAND TOTAL	**1971**	**4.8**	**24**	**<1**	**1**	**3**	**6**	**10**	**13**	**25**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.7	1	<1	<1	1	3	3	3	3
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	274	2.8	2	<1	1	3	4	5	6	9
20-34	130	3.8	2	2	2	4	5	6	6	7
35-49	139	4.2	3	2	2	4	5	6	8	19
50-64	309	4.4	8	2	2	4	5	6	8	13
65+	144	4.8	7	2	2	4	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.8	14	<1	<1	1	3	7	13	16
20-34	3	2.0	1	<1	<1	2	3	3	3	3
35-49	5	4.2	12	1	1	4	7	9	9	9
50-64	6	4.2	5	1	1	4	6	7	7	7
65+	9	10.1	52	1	2	9	18	20	20	20
B. *Operated*										
0-19 YRS	256	3.0	3	<1	1	3	4	5	6	9
20-34	72	5.2	9	2	2	4	6	9	11	18
35-49	96	4.5	7	2	2	4	5	7	9	16
50-64	230	5.7	22	2	3	5	6	10	12	22
65+	217	7.8	40	2	3	6	10	16	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	1.8	1	<1	<1	1	2	3	4	4
B. *Operated*	996	3.9	5	1	2	4	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	47	4.5	26	<1	<1	2	6	11	18	20
B. *Operated*	871	5.3	21	1	2	4	6	10	13	27
1. SINGLE DX	1017	3.9	5	1	2	4	5	6	8	12
2. MULTIPLE DX	918	5.2	22	1	2	4	6	10	13	26
A. NOT OPERATED	68	3.6	20	<1	<1	2	4	9	16	20
B. OPERATED	1867	4.6	13	1	2	4	5	8	10	19
TOTAL 0-19 YRS	565	2.9	3	<1	1	2	4	5	6	9
20-34	208	4.2	5	2	2	4	5	7	7	14
35-49	243	4.3	4	2	2	4	5	7	8	13
50-64	548	4.9	14	2	2	4	6	8	10	16
65+	371	6.7	30	2	3	5	8	13	17	31
GRAND TOTAL	**1935**	**4.5**	**14**	**1**	**2**	**4**	**5**	**8**	**10**	**19**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	4.5	7	1	2	4	5	8	10	12
20-34	194	4.7	5	2	2	4	6	8	9	12
35-49	102	5.8	8	2	3	5	7	10	11	14
50-64	97	6.2	7	2	3	6	8	9	11	16
65+	64	6.7	19	2	3	6	8	11	12	26
B. *Operated*										
0-19 YRS	53	4.3	7	1	1	4	6	8	10	13
20-34	56	4.6	13	2	2	3	5	10	15	16
35-49	40	5.5	13	2	3	4	6	10	15	18
50-64	54	5.5	14	1	2	4	8	12	14	15
65+	28	7.5	17	3	3	6	9	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	5.8	10	2	2	5	7	9	12	17
20-34	62	6.1	12	2	2	5	8	11	12	18
35-49	69	6.4	15	1	2	5	9	12	15	17
50-64	115	7.3	13	3	3	7	9	11	14	19
65+	124	8.5	31	3	4	7	10	15	20	33
B. *Operated*										
0-19 YRS	31	5.3	11	2	2	4	7	10	11	15
20-34	43	5.4	11	1	2	5	7	10	13	16
35-49	51	8.2	54	2	2	6	10	19	25	39
50-64	72	9.8	39	2	3	9	13	18	21	30
65+	91	10.1	42	3	4	9	13	21	27	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	603	5.3	9	2	2	5	7	9	10	14
B. *Operated*	231	5.3	13	2	2	4	6	10	14	16
2. MULTIPLE DX										
A. *Not Operated*	408	7.2	19	2	3	6	9	12	15	22
B. *Operated*	288	8.5	39	2	2	7	11	18	22	36
1. SINGLE DX	834	5.3	10	2	2	5	7	9	11	16
2. MULTIPLE DX	696	7.7	28	2	3	7	10	14	19	29
A. NOT OPERATED	1011	6.1	14	2	2	5	8	10	12	19
B. OPERATED	519	7.0	30	2	2	5	9	14	19	29
TOTAL 0-19 YRS	268	4.7	8	1	2	4	6	8	10	15
20-34	355	5.0	9	2	2	4	6	9	11	15
35-49	262	6.4	20	2	2	5	8	11	15	24
50-64	338	7.3	19	2	3	6	9	13	16	21
65+	307	8.5	31	3	3	7	11	15	21	33
GRAND TOTAL	**1530**	**6.4**	**19**	**2**	**2**	**5**	**8**	**11**	**15**	**25**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	689	1.9	1	<1	<1	2	2	3	3	6
20-34	223	2.1	1	<1	1	2	2	3	4	5
35-49	112	2.1	1	<1	1	2	2	3	4	5
50-64	78	2.3	1	<1	1	2	3	4	5	7
65+	44	2.8	3	1	2	2	3	5	6	12
B. *Operated*										
0-19 YRS	779	1.8	1	<1	<1	2	2	2	3	5
20-34	253	2.1	3	<1	1	2	2	3	3	7
35-49	158	2.1	1	<1	1	2	2	3	3	7
50-64	107	3.1	80	1	1	2	3	3	4	44
65+	68	3.1	55	1	1	2	3	4	4	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	2.1	2	<1	<1	2	2	4	5	8
20-34	46	2.4	5	<1	1	2	2	3	6	15
35-49	75	3.0	6	1	1	2	3	6	9	78
50-64	89	3.4	8	1	2	3	3	7	9	18
65+	71	3.9	8	1	1	3	5	8	10	14
B. *Operated*										
0-19 YRS	170	2.3	4	<1	<1	2	2	3	5	13
20-34	127	2.9	10	1	1	2	3	5	6	15
35-49	152	3.2	11	1	1	2	3	7	9	21
50-64	160	3.7	11	1	2	3	4	7	10	17
65+	154	6.1	68	1	2	4	6	13	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1146	2.0	1	<1	<1	2	2	3	4	6
B. *Operated*	1365	2.0	10	<1	<1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	424	2.9	6	<1	1	2	3	6	8	15
B. *Operated*	763	3.6	22	1	1	2	4	7	11	23
1. SINGLE DX	2511	2.0	6	<1	<1	2	2	3	3	6
2. MULTIPLE DX	1187	3.4	17	<1	1	2	3	6	9	21
A. NOT OPERATED	1570	2.2	3	<1	1	2	2	3	5	10
B. OPERATED	2128	2.6	15	<1	<1	2	2	4	6	16
TOTAL 0-19 YRS	1781	1.9	2	<1	<1	2	2	3	3	7
20-34	649	2.3	4	1	1	2	2	3	4	9
35-49	497	2.6	5	<1	1	2	3	4	7	14
50-64	434	3.2	26	1	1	2	3	5	8	14
65+	337	4.6	46	1	2	3	5	9	13	34
GRAND TOTAL	**3698**	**2.5**	**10**	**<1**	**<1**	**2**	**2**	**4**	**6**	**13**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	2.4	4	1	1	2	3	5	7	11
20-34	65	3.0	7	<1	1	2	4	5	7	16
35-49	41	3.3	11	1	1	3	4	5	6	22
50-64	24	3.5	8	1	1	3	4	6	12	13
65+	14	4.1	14	1	2	2	5	11	12	12
B. *Operated*										
0-19 YRS	515	2.9	5	<1	1	2	4	5	7	12
20-34	451	3.1	6	<1	1	3	3	5	8	15
35-49	273	3.6	6	1	1	3	4	7	9	13
50-64	222	4.3	13	1	2	3	5	8	10	18
65+	76	5.6	28	2	2	4	6	10	16	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	2.8	3	<1	1	2	4	5	6	7
20-34	41	4.5	16	1	1	3	5	9	13	20
35-49	54	5.9	66	1	1	4	6	10	15	56
50-64	38	4.3	10	1	1	3	5	10	10	14
65+	45	8.7	51	2	3	7	11	15	22	39
B. *Operated*										
0-19 YRS	166	3.4	7	1	1	3	4	6	8	14
20-34	240	4.1	12	1	2	3	5	7	10	20
35-49	186	5.1	51	1	2	4	6	9	13	22
50-64	260	6.8	56	2	2	5	8	14	20	45
65+	147	8.4	77	2	2	5	10	18	27	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	3.0	8	1	1	2	4	5	8	15
B. *Operated*	1537	3.4	8	1	1	3	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	218	5.4	36	1	1	4	6	11	14	33
B. *Operated*	999	5.5	42	1	2	4	6	10	16	38
1. SINGLE DX	1752	3.4	8	1	1	3	4	6	9	15
2. MULTIPLE DX	1217	5.5	41	1	2	4	6	10	16	38
A. NOT OPERATED	433	4.2	23	1	1	3	5	9	12	21
B. OPERATED	2536	4.2	23	1	1	3	5	8	11	22
TOTAL 0-19 YRS	792	3.0	5	1	1	2	4	6	7	12
20-34	797	3.5	9	1	1	3	4	6	9	17
35-49	554	4.3	28	1	1	3	5	8	10	21
50-64	544	5.5	35	1	2	4	6	10	16	38
65+	282	7.5	58	2	2	5	9	15	21	41
GRAND TOTAL	**2969**	**4.2**	**23**	**1**	**1**	**3**	**5**	**8**	**12**	**22**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	7	<1	<1	2	2	7	8	8
20-34	34	2.3	1	<1	<1	2	3	4	5	5
35-49	52	2.4	3	<1	<1	2	3	4	5	11
50-64	24	2.6	2	<1	<1	2	3	5	5	6
65+	9	2.8	2	<1	<1	3	4	5	5	5
B. *Operated*										
0-19 YRS	190	2.1	2	<1	<1	2	2	3	4	7
20-34	1378	2.3	2	<1	<1	2	3	3	4	7
35-49	2819	2.5	4	<1	1	2	3	4	4	7
50-64	1314	2.6	2	1	2	2	3	4	5	9
65+	376	3.1	5	2	2	3	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	9	3.2	3	<1	1	3	4	6	6	6
35-49	28	2.8	4	<1	<1	2	4	6	7	8
50-64	21	3.7	8	<1	<1	3	5	7	10	12
65+	13	7.3	27	1	2	7	10	14	18	19
B. *Operated*										
0-19 YRS	37	3.1	2	<1	1	3	4	6	6	6
20-34	483	3.1	4	1	1	2	3	5	7	11
35-49	1102	3.5	8	1	2	3	4	6	9	17
50-64	728	3.8	10	2	2	3	4	6	9	16
65+	363	4.8	22	2	2	3	5	9	13	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	2.4	2	<1	<1	2	3	4	5	9
B. *Operated*	6077	2.5	3	<1	1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	74	3.9	11	<1	<1	3	5	8	11	18
B. *Operated*	2713	3.7	10	1	2	3	4	6	9	17
1. SINGLE DX	6202	2.5	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	2787	3.7	10	1	2	3	4	6	9	17
A. NOT OPERATED	199	3.0	6	<1	<1	2	3	6	8	13
B. OPERATED	8790	2.9	6	<1	2	2	3	4	6	12
TOTAL 0-19 YRS	236	2.3	2	<1	<1	2	3	4	5	8
20-34	1904	2.5	3	<1	1	2	3	4	5	9
35-49	4001	2.8	5	<1	2	2	3	4	5	12
50-64	2087	3.0	5	1	2	3	3	5	6	13
65+	761	4.0	14	2	2	3	4	7	10	20
GRAND TOTAL	**8989**	**2.9**	**6**	**<1**	**1**	**2**	**3**	**4**	**6**	**12**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	3.3	3	1	1	3	4	6	7	8
20-34	80	2.7	3	<1	<1	2	3	5	6	10
35-49	36	3.3	8	<1	<1	2	5	7	9	12
50-64	26	3.5	8	<1	1	3	4	9	10	10
65+	12	3.3	6	<1	<1	3	4	8	8	8
B. *Operated*										
0-19 YRS	379	3.1	4	<1	1	3	4	5	6	8
20-34	795	3.3	9	1	1	3	4	5	7	12
35-49	530	2.9	3	1	1	2	3	5	6	10
50-64	395	3.2	4	1	2	3	4	5	7	12
65+	180	3.2	4	1	2	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.3	6	<1	<1	3	4	7	9	10
20-34	54	4.2	17	<1	1	3	6	10	11	23
35-49	41	4.7	15	<1	1	3	7	11	13	14
50-64	28	6.6	44	1	1	4	7	18	21	28
65+	35	7.7	28	<1	1	6	12	16	17	18
B. *Operated*										
0-19 YRS	67	4.1	4	2	2	4	5	7	8	11
20-34	289	4.0	10	1	2	3	5	7	9	14
35-49	299	4.7	29	1	2	3	5	9	13	23
50-64	307	4.8	17	2	2	3	6	9	12	23
65+	193	6.1	59	2	2	4	6	12	18	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	3.0	5	<1	<1	3	4	6	8	11
B. *Operated*	2279	3.1	6	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	180	5.3	24	<1	1	4	7	12	16	22
B. *Operated*	1155	4.7	25	1	2	3	5	9	13	22
1. SINGLE DX	2463	3.1	6	<1	1	3	4	5	7	11
2. MULTIPLE DX	1335	4.8	25	1	2	3	6	9	13	22
A. NOT OPERATED	364	4.1	15	<1	<1	3	5	9	12	19
B. OPERATED	3434	3.7	13	1	2	3	4	6	8	16
TOTAL 0-19 YRS	498	3.3	4	1	1	3	4	5	7	9
20-34	1218	3.4	9	<1	1	3	4	6	8	14
35-49	906	3.6	13	1	1	3	4	7	9	17
50-64	756	4.0	12	1	2	3	5	7	10	18
65+	420	4.9	34	1	2	3	5	10	14	25
GRAND TOTAL	**3798**	**3.7**	**13**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	252	2.7	3	1	1	2	4	5	6	8
20-34	471	2.9	21	1	1	2	3	5	6	9
35-49	81	3.1	5	1	1	3	4	6	8	11
50-64	7	5.0	6	2	2	5	7	8	8	8
65+	3	5.0	3	3	3	6	6	6	6	6
B. *Operated*										
0-19 YRS	389	5.2	12	1	2	5	6	8	10	18
20-34	1458	5.1	9	1	2	5	7	8	10	15
35-49	351	6.6	20	2	2	7	8	9	11	19
50-64	83	7.9	10	2	4	8	9	12	14	19
65+	31	9.7	11	6	7	9	10	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	3.8	10	1	1	3	4	6	9	19
20-34	260	4.2	38	1	1	3	6	8	9	12
35-49	67	5.4	18	1	1	5	7	10	14	22
50-64	8	5.3	6	2	2	5	7	8	9	9
65+	7	7.0	31	1	1	6	11	15	16	16
B. *Operated*										
0-19 YRS	326	5.9	9	2	2	6	7	10	11	16
20-34	1883	6.2	17	2	2	6	8	10	12	18
35-49	769	7.6	22	2	2	7	9	12	15	26
50-64	162	9.8	21	5	6	9	11	15	19	27
65+	80	14.2	141	6	7	10	14	28	35	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	814	2.9	14	1	1	2	4	5	6	9
B. *Operated*	2312	5.5	12	1	2	6	7	9	10	17
2. MULTIPLE DX										
A. *Not Operated*	441	4.4	28	1	1	3	6	9	10	17
B. *Operated*	3220	6.9	23	2	2	6	8	11	14	23
1. SINGLE DX	3126	4.8	14	1	1	5	7	8	10	15
2. MULTIPLE DX	3661	6.6	24	1	2	6	8	11	13	23
A. NOT OPERATED	1255	3.4	19	1	1	3	4	6	8	12
B. OPERATED	5532	6.3	19	1	2	6	8	10	13	20
TOTAL 0-19 YRS	1066	4.7	10	1	1	4	6	8	10	16
20-34	4072	5.3	17	1	2	5	7	9	10	16
35-49	1268	6.9	22	1	2	7	8	11	14	23
50-64	260	8.9	18	3	5	8	10	14	17	26
65+	121	12.4	105	5	6	9	13	21	30	63
GRAND TOTAL	**6787**	**5.8**	**20**	**1**	**2**	**6**	**7**	**10**	**12**	**19**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	753	4.9	18	2	2	4	6	8	10	15
20-34	1789	5.0	9	2	2	4	6	8	10	16
35-49	279	5.9	13	2	2	5	8	10	14	18
50-64	15	5.9	13	2	2	4	8	11	13	13
65+	3	12.0	4	10	10	12	13	14	14	14
B. *Operated*										
0-19 YRS	185	5.6	16	<1	1	5	8	10	13	20
20-34	1271	4.8	14	<1	1	4	7	9	12	19
35-49	285	5.9	21	1	1	6	8	11	15	21
50-64	45	8.5	65	1	2	7	10	14	34	35
65+	17	12.6	129	2	3	7	17	33	39	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	262	5.5	13	2	2	5	6	9	12	18
20-34	908	5.6	11	2	2	5	7	10	11	17
35-49	188	7.7	24	2	3	7	10	14	17	32
50-64	28	10.4	24	4	5	11	13	17	20	23
65+	17	8.2	18	3	4	8	10	13	18	20
B. *Operated*										
0-19 YRS	297	6.5	22	1	2	6	8	12	15	25
20-34	2461	5.9	22	1	2	6	8	11	14	22
35-49	796	8.2	43	2	2	7	10	15	19	28
50-64	129	11.1	102	2	2	8	13	23	34	54
65+	52	16.0	242	2	3	11	22	31	42	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2839	5.0	12	2	2	4	6	8	10	16
B. *Operated*	1803	5.2	19	1	1	4	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	1403	6.0	14	2	2	5	8	10	13	20
B. *Operated*	3735	6.8	35	1	2	6	8	12	16	26
1. SINGLE DX	4642	5.1	15	1	1	4	7	9	12	18
2. MULTIPLE DX	5138	6.6	30	1	2	6	8	12	15	25
A. NOT OPERATED	4242	5.4	13	2	2	5	7	9	11	17
B. OPERATED	5538	6.3	30	1	2	6	8	12	15	25
TOTAL 0-19 YRS	1497	5.4	18	2	2	5	7	9	12	20
20-34	6429	5.4	16	1	2	5	7	9	12	20
35-49	1548	7.3	32	2	2	7	9	14	17	26
50-64	217	10.1	80	2	2	8	12	20	31	44
65+	89	13.7	176	3	3	10	17	28	37	78
GRAND TOTAL	**9780**	**5.9**	**23**	**1**	**2**	**5**	**7**	**10**	**14**	**23**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	3	2	2	3	4	6	6	6
20-34	62	3.5	6	<1	1	3	4	7	8	89
35-49	15	3.9	4	1	2	3	6	7	8	8
50-64	2	3.5	13	1	1	3	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	46	3.6	5	1	1	3	5	7	8	9
20-34	957	4.5	10	<1	1	4	7	8	9	14
35-49	528	6.1	10	1	1	7	8	9	10	15
50-64	44	5.5	11	1	2	7	8	9	10	15
65+	4	3.3	15	1	1	2	5	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.2	6	3	3	5	7	9	9	9
20-34	52	4.4	12	<1	1	4	7	9	12	97
35-49	35	5.4	12	1	1	5	8	10	12	13
50-64	3	9.7	4	8	8	9	11	12	12	12
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	42	4.7	15	<1	<1	4	6	9	13	18
20-34	1738	5.9	15	1	2	6	8	9	11	18
35-49	2002	7.8	15	2	4	8	9	11	14	20
50-64	308	8.7	14	5	6	8	10	12	16	23
65+	22	11.0	29	4	5	10	15	19	21	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	3.6	6	1	1	3	5	7	8	71
B. *Operated*	1579	5.1	11	<1	1	6	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	96	5.0	12	1	1	4	8	10	12	61
B. *Operated*	4112	7.1	16	1	2	7	8	10	13	20
1. SINGLE DX	1663	5.0	10	<1	1	5	7	9	10	14
2. MULTIPLE DX	4208	7.0	16	1	2	7	8	10	13	20
A. NOT OPERATED	180	4.4	10	1	1	4	6	9	11	73
B. OPERATED	5691	6.5	15	1	2	7	8	10	12	19
TOTAL 0-19 YRS	98	4.2	10	<1	1	3	6	8	9	18
20-34	2809	5.4	14	<1	1	6	7	9	11	17
35-49	2580	7.4	14	2	2	7	9	10	13	20
50-64	357	8.3	14	2	5	8	9	12	15	23
65+	27	9.8	33	1	2	9	13	18	20	23
GRAND TOTAL	**5871**	**6.4**	**15**	**1**	**2**	**7**	**8**	**10**	**12**	**19**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	11	3.4	6	<1	<1	3	5	7	8	8
35-49	3	2.3		2	2	2	3	3	3	3
50-64	2	4.0	2	3	3	4	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	26	2.0	1	<1	<1	2	2	3	4	6
20-34	366	2.2	5	<1	<1	2	2	3	4	11
35-49	277	2.4	4	<1	<1	2	3	4	6	9
50-64	139	2.4	3	<1	1	2	3	3	4	12
65+	38	2.8	8	1	1	2	3	4	6	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	75	1	1	1	12	16	16	16
20-34	22	4.7	12	1	1	4	7	9	12	15
35-49	13	4.2	7	1	1	3	7	8	8	8
50-64	4	3.8	5	2	2	3	5	7	7	7
65+	9	8.7	36	3	4	6	12	18	22	22
B. *Operated*										
0-19 YRS	29	2.3	2	1	1	2	2	4	5	7
20-34	595	3.5	10	1	1	2	4	8	9	14
35-49	775	4.2	14	1	1	2	6	9	11	19
50-64	299	3.7	10	<1	1	2	5	8	10	15
65+	75	6.1	138	1	2	3	7	11	22	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.9	4	<1	<1	2	4	6	8	8
B. *Operated*	846	2.3	4	<1	<1	2	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	51	5.3	19	1	1	4	7	10	15	22
B. *Operated*	1773	3.9	17	1	1	2	5	8	10	18
1. SINGLE DX	865	2.3	4	<1	<1	2	2	4	5	10
2. MULTIPLE DX	1824	4.0	17	1	1	2	5	8	10	19
A. NOT OPERATED	70	4.6	16	<1	1	3	7	9	13	21
B. OPERATED	2619	3.4	14	<1	1	2	3	8	9	17
TOTAL 0-19 YRS	61	2.3	4	<1	<1	2	2	3	5	15
20-34	994	3.1	8	<1	1	2	3	7	8	13
35-49	1068	3.7	12	<1	1	2	4	8	10	18
50-64	444	3.3	8	<1	1	2	3	8	9	14
65+	122	5.3	92	1	2	3	5	10	19	96
GRAND TOTAL	**2689**	**3.4**	**14**	**<1**	**1**	**2**	**3**	**8**	**9**	**17**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	3.5	5	<1	1	3	5	6	8	12
20-34	147	3.1	3	<1	1	3	4	5	6	8
35-49	43	3.4	5	<1	1	3	5	7	8	9
50-64	6	4.7	6	1	1	4	7	8	8	8
65+	6	3.8	22	1	1	1	7	11	12	12
B. *Operated*										
0-19 YRS	157	2.3	3	<1	1	2	3	4	6	11
20-34	1161	2.3	9	<1	1	2	3	4	5	8
35-49	510	2.4	4	<1	1	2	3	4	5	12
50-64	181	2.6	3	<1	1	2	3	5	6	9
65+	35	3.0	3	1	1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	4.3	6	1	1	4	6	7	9	12
20-34	136	4.3	8	1	2	4	5	8	9	15
35-49	37	5.9	21	1	1	5	8	12	14	23
50-64	26	7.0	27	2	2	6	7	14	21	23
65+	37	8.2	31	2	2	8	10	18	21	22
B. *Operated*										
0-19 YRS	58	4.6	24	1	1	3	5	12	16	24
20-34	451	3.6	12	<1	1	2	4	8	10	18
35-49	262	3.4	9	<1	1	2	4	7	13	16
50-64	131	4.4	24	1	1	3	4	9	13	26
65+	49	9.4	123	2	2	6	11	21	36	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	3.3	4	<1	1	3	4	6	7	11
B. *Operated*	2044	2.3	7	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	293	5.2	16	1	2	4	7	9	13	22
B. *Operated*	951	4.0	21	1	1	3	4	8	12	22
1. SINGLE DX	2302	2.4	6	<1	1	2	3	4	5	9
2. MULTIPLE DX	1244	4.3	20	1	1	3	5	9	12	22
A. NOT OPERATED	551	4.3	11	1	1	3	5	8	10	20
B. OPERATED	2995	2.9	12	<1	1	2	3	5	7	16
TOTAL 0-19 YRS	328	3.3	9	1	1	2	4	6	9	15
20-34	1895	2.8	10	<1	1	2	3	5	7	12
35-49	852	2.9	7	<1	1	2	3	6	8	15
50-64	344	3.6	14	1	1	2	4	7	10	20
65+	127	7.0	65	1	2	4	9	14	21	46
GRAND TOTAL	**3546**	**3.1**	**12**	**<1**	**1**	**2**	**3**	**6**	**8**	**17**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	3.7	20	1	1	1	6	11	12	12
35-49	9	5.2	10	1	1	6	8	9	9	9
50-64	16	3.8	12	<1	<1	2	7	9	10	10
65+	16	5.7	12	1	1	6	8	10	11	12
B. *Operated*										
0-19 YRS	5	4.6	12	2	2	3	7	10	10	10
20-34	226	6.4	6	2	4	6	8	9	10	16
35-49	548	7.5	8	4	5	7	8	11	12	17
50-64	903	8.1	11	4	5	7	9	12	14	18
65+	680	8.4	8	5	6	8	10	12	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	14	5.9	34	<1	1	3	9	16	18	18
35-49	33	5.2	22	<1	<1	5	7	11	16	20
50-64	58	5.1	23	<1	<1	4	7	11	15	23
65+	93	6.1	41	1	1	4	8	12	22	74
B. *Operated*										
0-19 YRS	7	6.3	11	<1	1	7	9	10	10	10
20-34	589	7.5	10	4	5	7	9	11	14	20
35-49	1645	8.6	13	4	5	8	10	13	15	22
50-64	1930	9.2	16	5	6	8	10	13	16	23
65+	1506	10.4	25	5	6	9	12	16	20	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	4.7	13	<1	1	4	8	9	10	12
B. *Operated*	2362	7.9	9	4	5	7	9	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	199	5.6	32	<1	1	4	7	12	17	35
B. *Operated*	5677	9.1	18	4	5	8	11	14	17	24
1. SINGLE DX	2411	7.8	10	4	5	7	9	11	13	17
2. MULTIPLE DX	5876	9.0	19	4	5	8	10	14	17	24
A. NOT OPERATED	248	5.5	28	<1	1	4	8	12	16	29
B. OPERATED	8039	8.8	16	4	5	8	10	13	16	23
TOTAL 0-19 YRS	14	5.3	10	<1	2	5	8	10	10	10
20-34	836	7.2	10	3	4	7	8	11	13	19
35-49	2235	8.2	12	4	5	8	9	12	15	21
50-64	2907	8.7	15	4	5	8	10	13	15	21
65+	2295	9.6	22	4	5	9	11	15	18	27
GRAND TOTAL	**8287**	**8.7**	**16**	**4**	**5**	**8**	**10**	**13**	**16**	**23**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	25	1.8	1	<1	1	2	2	3	3	3
35-49	8	1.6	1	1	1	2	2	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	16	1.8	1	<1	1	2	2	3	4	4
20-34	296	1.8	1	<1	<1	2	2	3	3	5
35-49	366	2.0	2	<1	<1	2	2	3	3	8
50-64	55	1.7		<1	<1	2	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	1	2	2	2	3	4	4	4
20-34	20	3.1	10	<1	<1	2	4	8	11	12
35-49	11	4.4	7	1	1	4	7	8	8	8
50-64	3	5.7	41	<1	<1	3	10	13	13	13
B. *Operated*										
0-19 YRS	9	2.0	1	<1	<1	2	3	4	4	4
20-34	282	2.7	5	<1	1	2	3	7	8	10
35-49	494	2.9	13	<1	<1	2	3	7	8	14
50-64	90	2.4	3	<1	<1	2	2	4	8	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	1.8	1	1	1	2	2	3	3	3
B. *Operated*	733	1.9	1	<1	<1	2	2	3	3	8
2. MULTIPLE DX										
A. *Not Operated*	38	3.6	10	<1	<1	2	6	8	11	13
B. *Operated*	875	2.8	9	<1	1	2	3	7	8	11
1. SINGLE DX	768	1.9	1	<1	<1	2	2	3	3	8
2. MULTIPLE DX	913	2.8	9	<1	1	2	3	7	8	12
A. NOT OPERATED	73	2.7	6	<1	1	2	3	6	8	13
B. OPERATED	1608	2.4	6	<1	<1	2	2	4	7	11
TOTAL 0-19 YRS	30	1.9	1	<1	1	2	2	3	4	4
20-34	623	2.3	3	<1	<1	2	2	4	7	9
35-49	879	2.5	8	<1	<1	2	2	5	8	11
50-64	149	2.2	3	<1	<1	2	2	3	5	10
GRAND TOTAL	**1681**	**2.4**	**6**	**<1**	**<1**	**2**	**2**	**4**	**7**	**11**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	2.4	3	<1	1	2	3	4	5	11
20-34	343	1.9	4	<1	<1	2	2	3	4	6
35-49	172	1.9	2	<1	1	2	2	3	3	10
50-64	27	1.7	1	<1	<1	2	2	2	3	6
B. *Operated*										
0-19 YRS	362	2.1	24	<1	<1	2	2	3	3	5
20-34	4683	1.9	2	<1	<1	2	2	3	4	8
35-49	5255	2.0	4	<1	<1	2	2	3	4	9
50-64	821	2.0	6	<1	<1	2	2	2	3	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	2.9	3	1	1	2	4	6	7	8
20-34	293	2.8	7	<1	1	2	3	5	8	12
35-49	266	3.8	31	<1	1	2	4	7	10	28
50-64	37	2.9	6	<1	1	2	4	5	6	15
B. *Operated*										
0-19 YRS	306	3.0	18	<1	1	2	3	5	7	14
20-34	4890	3.0	11	<1	1	2	3	7	8	14
35-49	6941	3.6	13	<1	1	2	4	8	10	16
50-64	1078	3.5	14	<1	1	2	3	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	627	2.0	3	<1	1	2	2	3	4	7
B. *Operated*	11121	1.9	4	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	675	3.2	16	<1	1	2	4	6	9	21
B. *Operated*	13215	3.3	13	<1	1	2	3	8	9	16
1. SINGLE DX	11748	1.9	4	<1	<1	2	2	3	4	8
2. MULTIPLE DX	13890	3.3	13	<1	1	2	3	8	9	16
A. NOT OPERATED	1302	2.6	10	<1	1	2	3	5	7	14
B. OPERATED	24336	2.7	9	<1	<1	2	2	6	8	13
TOTAL 0-19 YRS	832	2.5	18	<1	<1	2	3	4	6	13
20-34	10209	2.5	7	<1	<1	2	2	5	7	11
35-49	12634	2.9	10	<1	<1	2	2	7	9	14
50-64	1963	2.8	11	<1	<1	2	2	7	8	14
GRAND TOTAL	**25638**	**2.7**	**9**	**<1**	**<1**	**2**	**2**	**5**	**8**	**13**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	27	3.4	15	<1	<1	2	3	7	10	20
50-64	44	2.1	2	<1	1	2	2	3	4	11
65+	9	4.6	27	1	1	3	4	13	18	18
B. *Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	14	1.7		1	1	2	2	2	2	2
35-49	552	2.0	10	<1	<1	2	2	2	3	10
50-64	1982	1.9	5	<1	<1	2	2	2	3	7
65+	310	2.4	4	1	1	2	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	35	3.7	6	<1	1	3	6	7	8	10
50-64	70	3.7	16	<1	1	2	5	9	11	22
65+	54	5.9	41	1	1	4	7	12	19	37
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	13	3.5	9	2	2	2	4	8	11	12
35-49	508	2.9	11	<1	1	2	2	6	9	19
50-64	2137	3.0	12	<1	1	2	3	6	9	17
65+	687	4.3	31	1	2	3	4	9	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	2.8	10	<1	1	2	3	5	8	19
B. *Operated*	2861	2.0	6	<1	<1	2	2	2	3	8
2. MULTIPLE DX										
A. *Not Operated*	160	4.4	23	<1	1	3	6	10	12	23
B. *Operated*	3346	3.2	16	<1	1	2	3	7	10	18
1. SINGLE DX	2941	2.0	6	<1	<1	2	2	2	3	8
2. MULTIPLE DX	3506	3.3	16	<1	1	2	3	7	10	19
A. NOT OPERATED	240	3.9	19	<1	1	2	5	8	11	21
B. OPERATED	6207	2.7	12	<1	1	2	2	4	8	16
TOTAL 0-19 YRS	4	2.8	1	2	2	3	3	4	4	4
20-34	28	2.5	5	1	1	2	2	4	7	12
35-49	1122	2.5	11	<1	<1	2	2	4	7	15
50-64	4233	2.5	9	<1	<1	2	2	4	7	13
65+	1060	3.8	25	1	2	2	4	8	12	21
GRAND TOTAL	**6447**	**2.7**	**12**	**<1**	**1**	**2**	**2**	**4**	**8**	**16**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.5	2	<1	1	2	3	5	7	98
20-34	130	3.4	16	<1	<1	2	4	7	10	23
35-49	64	3.1	7	<1	1	2	4	7	9	12
50-64	30	2.8	4	1	1	2	3	6	7	9
65+	6	3.5	3	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS	195	3.0	6	<1	<1	2	4	5	7	15
20-34	1851	2.8	7	<1	<1	2	3	6	7	12
35-49	1633	2.7	7	<1	<1	2	3	6	8	12
50-64	1187	2.5	5	<1	<1	2	2	5	7	13
65+	284	3.3	14	1	1	2	3	6	8	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	3.6	21	<1	<1	3	4	7	9	29
20-34	120	3.5	11	<1	<1	2	4	8	10	16
35-49	78	5.1	49	<1	1	3	6	9	17	42
50-64	60	6.0	122	<1	1	4	7	11	14	78
65+	60	8.3	46	1	2	6	12	19	25	93
B. *Operated*										
0-19 YRS	156	4.2	12	1	1	3	6	8	9	17
20-34	1921	3.9	15	<1	1	2	6	8	9	16
35-49	2925	4.4	17	<1	1	2	7	9	11	20
50-64	1814	4.7	28	<1	1	2	7	10	13	26
65+	582	7.2	69	1	2	4	9	17	22	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	3.1	10	<1	1	2	4	6	8	18
B. *Operated*	5150	2.7	7	<1	<1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	361	5.1	47	<1	1	3	6	10	16	37
B. *Operated*	7398	4.6	24	<1	1	3	7	9	12	25
1. SINGLE DX	5431	2.8	7	<1	<1	2	3	6	8	13
2. MULTIPLE DX	7759	4.6	25	<1	1	3	7	9	12	25
A. NOT OPERATED	642	4.2	32	<1	1	3	5	8	12	33
B. OPERATED	12548	3.8	18	<1	1	2	5	8	10	20
TOTAL 0-19 YRS	445	3.4	10	<1	1	2	4	7	9	18
20-34	4022	3.3	12	<1	1	2	4	7	9	15
35-49	4700	3.8	15	<1	1	2	6	8	10	19
50-64	3091	3.9	22	<1	1	2	4	8	11	21
65+	932	6.0	54	1	2	3	8	13	20	35
GRAND TOTAL	**13190**	**3.8**	**19**	**<1**	**1**	**2**	**5**	**8**	**11**	**21**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	274	2.2	3	1	1	2	3	4	5	11
20-34	275	2.4	4	<1	1	2	3	5	6	11
35-49	49	2.8	5	<1	1	2	3	5	6	12
50-64	12	4.2	28	<1	1	3	4	11	19	20
65+	11	4.9	21	<1	<1	3	7	13	15	15
B. *Operated*										
0-19 YRS	138	2.7	4	<1	1	2	3	6	8	10
20-34	1653	2.9	6	<1	<1	2	3	7	8	12
35-49	503	5.9	16	1	1	6	8	11	13	18
50-64	211	8.5	17	2	2	9	11	13	16	20
65+	86	10.4	62	1	2	9	13	20	25	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	2.7	4	<1	<1	2	3	6	7	9
20-34	227	3.3	14	<1	<1	2	4	6	9	21
35-49	60	5.0	16	1	1	4	7	10	14	19
50-64	23	6.6	34	1	1	4	10	14	18	25
65+	22	9.5	68	3	3	8	11	20	29	38
B. *Operated*										
0-19 YRS	106	3.2	5	1	1	2	4	6	8	12
20-34	2264	4.1	14	<1	1	2	6	8	9	15
35-49	925	7.1	20	1	2	7	9	12	15	22
50-64	403	9.5	26	2	3	9	12	16	18	27
65+	183	11.4	39	3	5	10	14	18	23	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	621	2.4	4	<1	1	2	3	4	6	11
B. *Operated*	2591	4.2	15	<1	1	2	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	428	3.9	18	<1	1	3	5	8	11	22
B. *Operated*	3881	5.7	23	<1	1	5	8	11	14	22
1. SINGLE DX	3212	3.8	14	<1	1	2	6	9	11	17
2. MULTIPLE DX	4309	5.5	22	<1	1	5	8	11	14	21
A. NOT OPERATED	1049	3.0	11	<1	1	2	3	6	9	16
B. OPERATED	6472	5.1	20	<1	1	3	7	10	13	20
TOTAL 0-19 YRS	614	2.6	4	<1	1	2	3	5	7	10
20-34	4419	3.5	11	<1	<1	2	5	7	9	13
35-49	1537	6.5	19	1	1	7	9	11	14	20
50-64	649	9.0	24	2	2	9	11	15	18	24
65+	302	10.7	48	2	3	10	14	18	23	37
GRAND TOTAL	**7521**	**4.8**	**19**	**<1**	**1**	**3**	**7**	**10**	**12**	**20**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.7	4	1	1	4	5	6	6	6
20-34	37	4.7	7	1	1	5	6	8	10	11
35-49	4	4.5	6	1	1	5	6	6	6	6
50-64										
B. *Operated*										
0-19 YRS	92	6.0	4	3	4	6	7	8	9	13
20-34	1185	6.1	5	4	4	6	7	8	9	13
35-49	144	6.7	4	4	5	7	8	9	10	14
50-64	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	19	4.2	12	<1	<1	3	7	9	10	11
35-49	3	7.3	8	4	4	9	9	9	9	9
50-64										
B. *Operated*										
0-19 YRS	56	6.9	20	4	4	6	8	9	11	32
20-34	825	6.7	11	4	4	6	7	9	10	20
35-49	137	7.1	9	3	4	7	8	10	14	18
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	4.5	6	1	1	5	6	7	9	11
B. *Operated*	1423	6.2	5	4	4	6	7	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	25	4.4	11	<1	<1	4	7	9	10	11
B. *Operated*	1018	6.8	11	4	4	6	7	9	11	20
1. SINGLE DX	1470	6.1	5	3	4	6	7	8	9	13
2. MULTIPLE DX	1043	6.7	11	4	4	6	7	9	11	20
A. NOT OPERATED	72	4.5	8	<1	1	5	6	8	9	11
B. OPERATED	2441	6.4	8	4	4	6	7	9	10	17
TOTAL 0-19 YRS	157	6.2	10	3	4	6	7	8	10	20
20-34	2066	6.3	8	3	4	6	7	8	10	17
35-49	288	6.9	7	3	4	7	8	10	11	17
50-64	2	6.0	2	5	5	6	7	7	7	7
GRAND TOTAL	**2513**	**6.4**	**8**	**3**	**4**	**6**	**7**	**9**	**10**	**17**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	182	1.2		<1	<1	1	1	2	3	5
20-34	453	1.3	1	<1	<1	<1	1	2	3	4
35-49	78	1.1		<1	<1	<1	1	1	2	2
50-64										
B. *Operated*										
0-19 YRS	2686	1.3	1	<1	<1	<1	1	2	2	5
20-34	9086	1.2	2	<1	<1	<1	1	2	2	4
35-49	1291	1.3	4	<1	<1	<1	1	2	2	7
50-64	11	1.1		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	1.3	1	<1	<1	1	1	2	6	99+
20-34	83	1.5	2	<1	<1	1	1	3	4	10
35-49	28	1.9	2	<1	<1	1	2	5	5	6
50-64										
B. *Operated*										
0-19 YRS	1195	1.3	1	<1	<1	<1	1	2	3	7
20-34	4125	1.6	3	<1	<1	<1	2	3	5	9
35-49	1072	2.3	8	<1	<1	2	3	4	6	9
50-64	4	1.8	1	<1	<1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	713	1.2	1	<1	<1	<1	1	2	2	4
B. *Operated*	13074	1.2	2	<1	<1	<1	1	2	2	5
2. MULTIPLE DX										
A. *Not Operated*	147	1.5	2	<1	<1	1	1	3	4	14
B. *Operated*	6396	1.7	3	<1	<1	<1	2	3	5	9
1. SINGLE DX	13787	1.2	2	<1	<1	<1	1	2	2	5
2. MULTIPLE DX	6543	1.7	3	<1	<1	<1	2	3	5	9
A. NOT OPERATED	860	1.3	1	<1	<1	1	1	2	3	5
B. OPERATED	19470	1.4	2	<1	<1	<1	1	2	3	7
TOTAL 0-19 YRS	4099	1.3	1	<1	<1	<1	1	2	2	5
20-34	13747	1.3	2	<1	<1	<1	1	2	3	7
35-49	2469	1.7	6	<1	<1	1	2	3	4	9
50-64	15	1.3		<1	<1	<1	1	2	3	3
GRAND TOTAL	**20330**	**1.4**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**7**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
B. *Operated*										
0-19 YRS	6	2.2	4	<1	<1	1	2	6	6	6
20-34	7	1.7	2	<1	<1	<1	2	4	4	4
35-49										
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64										
B. *Operated*										
0-19 YRS										
20-34	4	4.3	9	<1	<1	4	6	8	8	8
35-49	2	9.5	5	8	8	9	11	11	11	11
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	13	1.9	2	<1	<1	1	2	4	6	6
2. MULTIPLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*	6	6.0	14	<1	<1	6	8	11	11	11
1. SINGLE DX	14	1.9	2	<1	<1	1	2	4	6	6
2. MULTIPLE DX	7	6.1	11	<1	1	7	8	10	11	11
A. NOT OPERATED	2	4.0	18	1	1	4	7	7	7	7
B. OPERATED	19	3.2	9	<1	<1	2	5	8	10	11
TOTAL 0-19 YRS	6	2.2	4	<1	<1	1	2	6	6	6
20-34	13	2.8	6	<1	<1	1	4	7	8	8
35-49	2	9.5	5	8	8	9	11	11	11	11
50-64										
GRAND TOTAL	**21**	**3.3**	**9**	**<1**	**<1**	**2**	**5**	**8**	**9**	**11**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	182	1.9	1	<1	1	2	2	3	4	7
20-34	767	1.7	1	<1	1	1	2	3	4	6
35-49	96	1.7	1	<1	<1	1	2	3	4	5
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	1661	1.6	2	<1	1	1	2	3	4	6
20-34	10522	1.6	4	<1	<1	1	2	2	3	6
35-49	1514	1.5	2	<1	<1	1	2	2	3	6
50-64	6	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.5	3	<1	1	2	3	6	6	7
20-34	121	2.4	6	1	1	2	3	5	5	12
35-49	18	3.3	5	1	1	3	4	7	8	9
50-64										
B. *Operated*										
0-19 YRS	180	2.5	5	1	1	2	3	5	7	12
20-34	1310	2.4	9	<1	1	2	3	5	6	13
35-49	312	2.4	4	1	1	2	3	5	6	12
50-64	3	2.3	2	1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1046	1.7	1	<1	1	1	2	3	4	6
B. *Operated*	13703	1.6	4	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	165	2.6	5	1	1	2	3	5	6	9
B. *Operated*	1805	2.5	8	<1	1	2	3	5	6	12
1. SINGLE DX	14749	1.6	3	<1	<1	1	2	2	3	6
2. MULTIPLE DX	1970	2.5	7	1	1	2	3	5	6	12
A. NOT OPERATED	1211	1.8	2	<1	1	1	2	3	4	7
B. OPERATED	15508	1.7	4	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	2049	1.8	2	<1	1	1	2	3	4	8
20-34	12720	1.7	5	<1	<1	1	2	3	4	7
35-49	1940	1.7	3	<1	<1	1	2	3	4	9
50-64	10	1.6	1	<1	<1	1	2	3	4	4
GRAND TOTAL	**16719**	**1.7**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	3.3	6	<1	1	3	4	6	8	13
20-34	181	2.8	6	<1	1	2	4	5	7	10
35-49	27	3.1	6	<1	<1	2	4	6	9	10
50-64										
B. *Operated*										
0-19 YRS	133	2.6	11	<1	1	2	3	5	7	20
20-34	1274	1.9	9	<1	<1	1	2	3	4	7
35-49	148	2.0	6	<1	<1	2	2	3	4	20
50-64	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.2	8	1	1	3	6	9	11	11
20-34	53	3.2	5	1	1	3	4	6	7	13
35-49	9	1.2		<1	<1	1	1	2	3	3
50-64										
B. *Operated*										
0-19 YRS	37	4.8	24	1	2	3	5	10	13	28
20-34	253	3.2	8	1	1	2	4	7	9	14
35-49	37	3.8	24	1	1	3	4	8	9	30
50-64	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	270	2.9	6	<1	1	2	4	6	7	12
B. *Operated*	1557	2.0	9	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	89	3.3	6	<1	1	3	4	7	8	12
B. *Operated*	328	3.5	12	1	1	2	4	7	9	17
1. SINGLE DX	1827	2.1	9	<1	<1	2	2	4	5	9
2. MULTIPLE DX	417	3.4	11	1	1	2	4	7	9	15
A. NOT OPERATED	359	3.0	6	<1	1	2	4	6	7	12
B. OPERATED	1885	2.2	10	<1	<1	2	2	4	6	11
TOTAL 0-19 YRS	259	3.3	12	<1	1	2	4	6	8	17
20-34	1761	2.2	9	<1	<1	2	2	4	6	9
35-49	221	2.4	9	<1	<1	2	3	4	6	21
50-64	3	5.0	28	1	1	3	9	11	11	11
GRAND TOTAL	**2244**	**2.4**	**9**	**<1**	**<1**	**2**	**2**	**4**	**6**	**11**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	222	2.4	2	<1	1	2	3	5	5	7
20-34	1279	2.5	4	1	1	2	3	4	5	9
35-49	99	2.6	3	1	1	2	3	5	6	8
50-64										
B. *Operated*										
0-19 YRS	7	1.7	1	1	1	1	2	4	4	4
20-34	54	2.4	2	1	1	2	3	4	6	7
35-49	5	2.0	2	1	1	2	3	4	4	4
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.5	7	<1	1	3	4	6	10	11
20-34	163	3.7	9	1	1	3	4	6	9	19
35-49	15	3.7	2	1	2	4	4	5	7	7
50-64										
B. *Operated*										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	29	3.1	3	1	1	3	4	6	6	7
35-49	6	3.0	2	<1	<1	3	3	5	5	5
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1600	2.5	3	1	1	2	3	4	5	8
B. *Operated*	66	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	204	3.6	8	1	1	3	4	6	9	17
B. *Operated*	37	3.3	3	<1	1	3	4	6	7	8
1. SINGLE DX	1666	2.5	3	1	1	2	3	4	5	8
2. MULTIPLE DX	241	3.6	8	1	1	3	4	6	8	16
A. NOT OPERATED	1804	2.6	4	1	1	2	3	5	6	10
B. OPERATED	103	2.6	3	1	1	2	3	5	6	8
TOTAL 0-19 YRS	257	2.5	[illegible]	1	1	2	3	5	6	8
20-34	1525	2.6	4	1	1	2	3	5	6	10
35-49	125	2.7	3	1	1	2	4	5	6	8
50-64										
GRAND TOTAL	**1907**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.2	6	1	1	3	4	7	9	9
20-34	91	2.5	4	<1	1	2	3	5	7	10
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64										
B. *Operated*										
0-19 YRS										
20-34	4	2.0		2	2	2	2	2	2	2
35-49										
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	22	2.4	6	<1	1	1	3	7	9	10
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64										
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	3	6.0	25	1	1	6	10	11	11	11
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	2.6	4	<1	1	2	3	6	7	10
B. *Operated*	4	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	27	2.4	6	<1	1	1	3	6	8	10
B. *Operated*	4	7.0	21	1	1	8	10	11	11	11
1. SINGLE DX	109	2.6	4	<1	1	2	3	6	7	10
2. MULTIPLE DX	31	3.0	9	1	1	1	4	9	10	11
A. NOT OPERATED	132	2.6	4	<1	1	2	3	6	7	10
B. OPERATED	8	4.5	16	1	1	2	8	11	11	11
TOTAL 0-19 YRS	15	3.4	9	1	1	3	4	9	10	10
20-34	120	2.6	5	<1	1	2	3	6	8	10
35-49	5	3.0	4	1	1	2	5	5	5	5
50-64										
GRAND TOTAL	**140**	**2.7**	**5**	**<1**	**1**	**2**	**3**	**6**	**8**	**10**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	3.9	32	1	2	3	4	6	8	10
20-34	701	3.9	8	1	2	3	5	7	8	15
35-49	72	4.6	12	1	1	4	6	8	13	19
50-64										
B. *Operated*										
0-19 YRS	34	4.1	12	<1	<1	3	5	9	12	15
20-34	117	3.5	11	<1	<1	3	4	7	9	20
35-49	12	4.5	8	<1	<1	4	6	8	10	10
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	5.2	17	2	2	4	6	12	17	99+
20-34	218	5.1	20	1	2	4	6	10	13	28
35-49	34	5.9	12	1	2	5	7	10	14	16
50-64										
B. *Operated*										
0-19 YRS	8	5.9	13	2	2	5	9	11	11	11
20-34	50	4.9	18	<1	1	3	6	10	12	23
35-49	13	5.0	8	<1	1	4	7	10	10	10
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	934	3.9	12	1	2	3	5	7	8	16
B. *Operated*	163	3.7	11	<1	<1	3	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	297	5.2	19	1	2	4	6	10	14	29
B. *Operated*	71	5.0	15	<1	1	4	7	10	12	22
1. SINGLE DX	1097	3.9	12	1	1	3	5	7	9	16
2. MULTIPLE DX	368	5.2	18	1	2	4	6	10	13	27
A. NOT OPERATED	1231	4.2	14	1	2	3	5	8	10	17
B. OPERATED	234	4.1	13	<1	<1	3	5	8	11	19
TOTAL 0-19 YRS	248	4.2	26	1	2	3	5	8	10	20
20-34	1086	4.1	11	1	1	3	5	8	10	18
35-49	131	5.0	11	1	1	4	6	9	12	17
50-64										
GRAND TOTAL	**1465**	**4.2**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	3.4	4	1	2	3	4	6	7	11
20-34	785	4.2	7	1	2	4	5	7	8	14
35-49	18	5.4	11	2	2	4	6	11	12	12
50-64										
B. *Operated*										
0-19 YRS	7	3.4	16	<1	<1	2	4	11	12	12
20-34	26	2.5	5	<1	<1	2	4	6	8	10
35-49	5	1.6		1	1	2	2	2	2	2
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	4.4	21	1	2	3	5	8	9	32
20-34	218	4.8	11	1	2	4	6	8	11	18
35-49	15	8.7	45	2	2	7	11	15	25	29
50-64										
B. *Operated*										
0-19 YRS	5	13.2	211	2	2	6	20	38	38	38
20-34	21	6.8	21	1	2	6	8	13	17	20
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	949	4.1	7	1	2	4	5	7	8	13
B. *Operated*	38	2.6	7	<1	<1	2	2	6	9	12
2. MULTIPLE DX										
A. *Not Operated*	282	4.9	15	1	2	4	6	9	12	22
B. *Operated*	27	7.7	57	1	1	6	9	14	23	38
1. SINGLE DX	987	4.0	7	1	2	3	5	7	8	13
2. MULTIPLE DX	309	5.2	19	1	2	4	6	9	13	26
A. NOT OPERATED	1231	4.3	9	1	2	4	5	7	9	16
B. OPERATED	65	4.7	34	<1	1	2	6	10	14	35
TOTAL 0-19 YRS	207	3.9	15	1	2	3	4	6	8	22
20-34	1050	4.3	9	1	2	4	5	7	9	17
35-49	39	6.1	28	1	2	5	9	12	14	29
50-64										
GRAND TOTAL	**1296**	**4.3**	**10**	**1**	**2**	**4**	**5**	**7**	**9**	**17**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1335	1.2	1	<1	<1	<1	1	1	2	5
20-34	5200	1.2	2	<1	<1	<1	1	1	2	6
35-49	299	1.1		<1	<1	1	1	1	2	5
50-64	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	156	1.4	1	<1	<1	<1	1	2	3	9
20-34	664	1.3	4	<1	<1	<1	1	2	3	8
35-49	33	1.2		<1	<1	<1	1	2	2	4
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	1.9	5	<1	<1	1	2	4	4	13
20-34	351	1.8	5	<1	<1	1	2	3	4	16
35-49	32	1.7	2	<1	<1	1	2	4	7	99+
50-64										
B. *Operated*										
0-19 YRS	20	1.8	3	<1	<1	<1	1	4	6	8
20-34	89	1.8	3	<1	<1	1	2	3	5	10
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6836	1.2	1	<1	<1	<1	1	1	2	5
B. *Operated*	853	1.3	3	<1	<1	<1	1	2	3	8
2. MULTIPLE DX										
A. *Not Operated*	483	1.8	5	<1	<1	1	2	3	4	17
B. *Operated*	111	1.7	3	<1	<1	1	2	4	5	10
1. SINGLE DX	7689	1.2	2	<1	<1	<1	1	1	2	5
2. MULTIPLE DX	594	1.8	4	<1	<1	1	2	3	5	16
A. NOT OPERATED	7319	1.2	2	<1	<1	<1	1	2	2	6
B. OPERATED	964	1.4	3	<1	<1	<1	1	2	3	9
TOTAL 0-19 YRS	1611	1.3	1	<1	<1	1	1	2	3	5
20-34	6304	1.3	2	<1	<1	<1	1	2	2	6
35-49	366	1.2	1	<1	<1	1	1	2	2	7
50-64	2	2.0	2	1	1	2	3	3	3	3
GRAND TOTAL	**8283**	**1.3**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**6**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	4.2	49	<1	1	2	4	8	15	41
20-34	372	3.7	14	1	1	3	4	6	9	23
35-49	35	4.6	24	<1	1	3	5	12	17	23
50-64	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	4	9.3	116	1	1	5	16	25	25	25
20-34	34	5.4	40	1	2	3	5	15	21	28
35-49	5	4.6	11	1	1	4	6	10	10	10
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.2	33	2	2	4	10	15	16	16
20-34	66	6.2	177	1	1	3	5	9	15	85
35-49	8	7.9	47	2	2	6	11	19	22	22
50-64										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	9	5.9	29	1	1	5	6	14	19	19
35-49	3	4.3	12	1	1	4	7	8	8	8
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	445	3.8	17	1	1	3	4	7	10	24
B. *Operated*	43	5.6	42	1	1	3	6	15	23	28
2. MULTIPLE DX										
A. *Not Operated*	80	6.4	152	1	1	3	6	11	16	82
B. *Operated*	14	4.9	22	1	1	4	6	9	17	19
1. SINGLE DX	488	4.0	20	1	1	3	4	7	11	25
2. MULTIPLE DX	94	6.2	132	1	1	3	6	10	17	79
A. NOT OPERATED	525	4.2	39	1	1	3	4	7	11	26
B. OPERATED	57	5.5	37	1	1	4	6	13	21	28
TOTAL 0-19 YRS	49	4.8	50	<1	1	2	4	12	16	41
20-34	481	4.2	39	1	1	3	4	7	10	27
35-49	51	5.1	26	1	1	4	5	12	18	23
50-64	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**582**	**4.3**	**38**	**1**	**1**	**3**	**4**	**7**	**13**	**27**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	2.3	4	<1	1	2	3	4	4	14
20-34	480	3.0	30	<1	1	2	3	5	7	21
35-49	27	2.9	7	<1	1	2	3	7	9	12
50-64	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	19	4.3	32	<1	1	2	5	12	18	22
20-34	72	3.4	6	<1	<1	3	4	7	8	13
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.2	2	<1	<1	2	4	5	57	99+
20-34	74	3.6	18	<1	<1	2	4	10	14	81
35-49	9	3.1	7	<1	<1	1	5	7	8	8
50-64										
B. *Operated*										
0-19 YRS	4	4.3	2	3	3	4	5	6	6	6
20-34	36	4.4	20	<1	<1	3	6	10	14	22
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	615	2.8	24	<1	1	2	3	5	7	18
B. *Operated*	94	3.6	11	<1	1	3	4	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	101	3.3	14	<1	<1	2	4	10	13	99+
B. *Operated*	41	4.4	18	<1	<1	3	6	9	13	22
1. SINGLE DX	709	2.9	23	<1	1	2	3	5	7	18
2. MULTIPLE DX	142	3.7	15	<1	<1	2	4	10	13	99+
A. NOT OPERATED	716	2.9	23	<1	1	2	3	5	7	22
B. OPERATED	135	3.8	13	<1	<1	3	5	7	11	22
TOTAL 0-19 YRS	148	2.6	8	<1	1	2	3	4	8	23
20-34	662	3.2	25	<1	<1	2	4	6	8	22
35-49	39	3.1	7	<1	1	2	5	7	8	12
50-64	2	2.0	2	1	1	2	3	3	3	3
GRAND TOTAL	**851**	**3.1**	**21**	**<1**	**1**	**2**	**3**	**6**	**8**	**22**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	179	3.5	4	<1	1	3	4	6	8	10
20-34	410	3.5	5	<1	1	3	5	6	7	10
35-49	18	4.9	8	2	2	4	5	9	11	13
50-64	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	72	1.9	3	<1	<1	1	2	4	6	7
20-34	101	3.1	10	<1	<1	1	4	7	9	17
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	4.3	11	<1	1	3	5	9	12	16
20-34	257	4.2	8	1	1	4	5	8	9	13
35-49	10	8.1	48	1	2	5	15	19	21	21
50-64										
B. *Operated*										
0-19 YRS	23	4.8	15	<1	<1	4	7	10	13	16
20-34	82	5.1	11	<1	1	5	7	8	12	17
35-49	6	5.7	11	3	3	5	6	11	12	12
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	608	3.5	5	<1	1	3	5	6	7	10
B. *Operated*	174	2.6	7	<1	<1	1	4	5	8	14
2. MULTIPLE DX										
A. *Not Operated*	379	4.3	10	1	1	4	5	8	10	16
B. *Operated*	111	5.1	11	<1	1	5	7	8	12	17
1. SINGLE DX	782	3.3	5	<1	<1	3	4	6	7	11
2. MULTIPLE DX	490	4.5	10	<1	1	4	6	8	11	17
A. NOT OPERATED	987	3.9	7	<1	1	3	5	7	8	13
B. OPERATED	285	3.6	10	<1	<1	3	5	8	9	15
TOTAL 0-19 YRS	386	3.5	7	<1	<1	3	5	7	8	14
20-34	850	3.8	7	<1	1	3	5	7	8	13
35-49	35	5.8	21	1	2	4	6	13	16	21
50-64	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**1272**	**3.8**	**8**	**<1**	**<1**	**3**	**5**	**7**	**8**	**14**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	4.2	19	<1	1	3	5	7	11	23
20-34	364	4.6	17	1	1	4	5	9	11	22
35-49	54	4.3	10	1	1	3	5	9	10	15
50-64										
B. *Operated*										
0-19 YRS	15	3.2	4	<1	<1	3	5	5	6	6
20-34	88	2.6	10	<1	<1	<1	3	6	8	17
35-49	9	1.8	2	<1	<1	<1	2	5	5	5
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	4.6	31	1	1	4	5	7	9	85
20-34	424	5.1	26	1	1	4	6	10	13	28
35-49	64	5.8	16	1	2	5	8	12	15	17
50-64										
B. *Operated*										
0-19 YRS	20	4.3	10	<1	<1	4	6	8	11	13
20-34	92	6.0	37	<1	1	4	8	12	14	35
35-49	14	4.3	12	<1	<1	3	5	10	10	10
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	475	4.5	16	1	1	3	5	9	11	23
B. *Operated*	112	2.6	8	<1	<1	<1	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	564	5.1	26	1	1	4	6	10	13	37
B. *Operated*	126	5.5	30	<1	<1	4	8	11	14	26
1. SINGLE DX	587	4.2	15	<1	<1	3	5	8	10	22
2. MULTIPLE DX	690	5.2	26	1	1	4	6	10	13	33
A. NOT OPERATED	1039	4.9	21	1	1	4	6	10	13	23
B. OPERATED	238	4.1	22	<1	<1	3	5	10	12	20
TOTAL 0-19 YRS	168	4.3	22	<1	1	3	5	7	9	41
20-34	968	4.8	23	<1	1	4	6	10	13	23
35-49	141	4.8	14	<1	1	4	6	10	13	16
50-64										
GRAND TOTAL	**1277**	**4.7**	**22**	**<1**	**1**	**4**	**6**	**10**	**13**	**23**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	263	2.6	9	<1	<1	2	3	5	7	17
20-34	1028	3.2	19	<1	<1	2	4	7	10	22
35-49	71	3.4	14	<1	<1	2	4	7	9	23
50-64										
B. *Operated*										
0-19 YRS	124	2.5	11	<1	<1	1	3	5	7	19
20-34	851	2.8	7	<1	<1	2	4	6	7	10
35-49	69	2.9	6	<1	<1	2	4	6	8	15
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	3.7	15	<1	1	2	5	7	10	23
20-34	450	4.1	16	<1	1	3	5	9	13	22
35-49	52	5.3	62	<1	<1	4	7	9	12	56
50-64										
B. *Operated*										
0-19 YRS	35	4.1	8	<1	<1	3	6	9	10	12
20-34	303	4.6	24	<1	<1	4	6	8	11	26
35-49	41	6.2	53	<1	<1	4	7	15	26	32
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1362	3.1	17	<1	<1	2	3	6	9	22
B. *Operated*	1044	2.8	7	<1	<1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	607	4.2	20	<1	1	3	5	9	12	22
B. *Operated*	379	4.7	26	<1	<1	4	6	9	12	30
1. SINGLE DX	2406	3.0	12	<1	<1	2	4	6	8	18
2. MULTIPLE DX	986	4.4	22	<1	1	3	6	9	12	24
A. NOT OPERATED	1969	3.4	18	<1	<1	2	4	7	10	22
B. OPERATED	1423	3.3	13	<1	<1	2	4	7	8	18
TOTAL 0-19 YRS	527	2.9	11	<1	<1	2	3	6	8	18
20-34	2632	3.4	15	<1	<1	2	4	7	9	20
35-49	233	4.2	31	<1	<1	3	5	8	10	28
50-64										
GRAND TOTAL	**3392**	**3.4**	**16**	**<1**	**<1**	**2**	**4**	**7**	**9**	**20**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	3.7	4	3	3	3	4	5	7	13
20-34	272	3.9	5	2	3	4	4	5	6	13
35-49	24	4.1	2	2	3	4	5	7	7	3
50-64										
B. *Operated*										
0-19 YRS	22	7.1	86	3	3	4	5	13	31	45
20-34	135	5.5	21	2	3	4	7	10	15	26
35-49	8	4.0	2	2	2	4	5	6	7	7
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	5.5	35	3	3	4	5	12	16	35
20-34	219	4.9	19	2	3	4	5	9	14	28
35-49	19	6.5	25	2	2	4	10	14	17	18
50-64										
B. *Operated*										
0-19 YRS	39	11.5	278	2	3	6	11	28	52	82
20-34	432	9.1	83	3	3	6	10	20	30	49
35-49	78	9.9	87	3	3	7	12	22	36	40
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	329	3.9	5	2	3	4	4	5	6	13
B. *Operated*	165	5.6	29	2	3	4	6	10	15	29
2. MULTIPLE DX										
A. *Not Operated*	275	5.1	22	2	3	4	5	9	15	29
B. *Operated*	549	9.4	97	3	3	6	10	20	31	50
1. SINGLE DX	494	4.5	14	2	3	4	4	7	9	23
2. MULTIPLE DX	824	7.9	76	3	3	4	8	17	27	43
A. NOT OPERATED	604	4.5	13	2	3	4	4	6	10	23
B. OPERATED	714	8.5	84	3	3	5	9	18	28	47
TOTAL 0-19 YRS	131	7.1	115	3	3	4	6	13	26	71
20-34	1058	6.4	47	2	3	4	7	13	20	38
35-49	129	7.9	63	3	3	5	8	17	28	39
50-64										
GRAND TOTAL	**1318**	**6.6**	**55**	**3**	**3**	**4**	**7**	**13**	**21**	**39**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6812	3.5	6	2	2	3	4	4	5	6
20-34	44991	3.4	3	2	2	3	4	4	5	6
35-49	2392	3.5	4	2	2	3	4	4	5	6
50-64	21	2.9	1	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	1255	3.4	2	2	2	3	4	4	5	6
20-34	8206	3.6	4	2	3	3	4	5	5	7
35-49	417	3.7	2	2	3	4	4	5	5	8
50-64	3	3.7		3	3	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	388	3.9	4	2	3	4	4	5	6	11
20-34	2321	3.9	5	2	3	4	4	5	6	12
35-49	170	4.2	5	3	3	4	4	6	7	14
50-64	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	155	4.4	5	2	3	4	5	6	8	15
20-34	4752	4.3	5	3	3	4	5	6	6	10
35-49	699	4.5	3	3	3	4	5	6	7	13
50-64	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54216	3.4	4	2	2	3	4	4	5	6
B. *Operated*	9881	3.5	4	2	3	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	2881	4.0	5	2	3	4	4	5	6	12
B. *Operated*	5607	4.3	5	3	3	4	5	6	6	10
1. SINGLE DX	64097	3.5	4	2	2	3	4	4	5	6
2. MULTIPLE DX	8488	4.2	5	3	3	4	5	6	6	11
A. NOT OPERATED	57097	3.5	4	2	2	3	4	4	5	7
B. OPERATED	15488	3.8	4	2	3	4	4	5	6	8
TOTAL 0-19 YRS	8610	3.5	5	2	2	3	4	4	5	7
20-34	60270	3.5	4	2	2	3	4	5	5	7
35-49	3678	3.8	4	2	3	4	4	5	6	9
50-64	27	3.1	1	1	2	3	4	4	5	5
GRAND TOTAL	**72585**	**3.5**	**4**	**2**	**2**	**3**	**4**	**5**	**5**	**7**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	46	4.0	24	1	2	3	4	6	7	35
35-49	8	3.9	3	1	2	4	4	6	7	7
50-64										
B. *Operated*										
0-19 YRS	12	6.1	5	2	3	7	8	8	9	9
20-34	183	8.8	70	4	4	6	8	16	28	50
35-49	28	6.9	18	3	4	6	7	8	13	27
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	4	2	2	4	6	7	7	7
20-34	35	5.5	21	1	2	4	7	13	22	99+
35-49										
50-64										
B. *Operated*										
0-19 YRS	16	8.3	33	3	3	7	9	17	22	24
20-34	296	9.1	61	3	4	7	9	18	29	41
35-49	64	11.2	141	4	5	7	9	25	41	62
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	3.9	20	1	2	3	4	6	7	33
B. *Operated*	223	8.4	61	4	4	6	8	14	23	48
2. MULTIPLE DX										
A. *Not Operated*	39	5.4	19	1	2	4	7	11	20	99+
B. *Operated*	376	9.4	74	3	4	7	9	20	30	50
1. SINGLE DX	280	7.5	55	2	3	6	7	11	20	45
2. MULTIPLE DX	415	9.1	70	3	4	6	9	18	29	52
A. NOT OPERATED	96	4.5	20	1	2	4	5	7	12	69
B. OPERATED	599	9.1	69	3	4	6	8	17	28	49
TOTAL 0-19 YRS	35	6.6	20	2	2	6	8	10	16	24
20-34	560	8.4	61	3	3	6	8	16	27	47
35-49	100	9.4	101	4	4	7	8	15	32	59
50-64										
GRAND TOTAL	**695**	**8.4**	**65**	**3**	**3**	**6**	**8**	**16**	**27**	**49**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.3	2	<1	1	3	4	5	6	7
20-34	192	3.5	5	1	2	3	4	5	6	13
35-49	10	3.8	3	1	1	4	5	6	7	7
50-64										
B. *Operated*										
0-19 YRS	32	5.7	9	3	3	5	7	9	12	16
20-34	231	5.6	16	2	3	5	7	8	9	25
35-49	9	5.7	11	1	2	4	9	10	11	11
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.6	5	1	1	3	4	6	7	14
20-34	106	3.8	7	1	2	3	4	5	7	17
35-49	10	3.6	2	2	2	3	4	6	6	6
50-64										
B. *Operated*										
0-19 YRS	68	6.1	19	2	3	5	7	9	11	26
20-34	443	6.2	25	2	3	6	7	9	12	25
35-49	43	6.9	39	3	4	6	7	9	10	45
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	3.5	4	1	1	3	4	5	6	12
B. *Operated*	272	5.6	15	2	3	5	7	8	9	21
2. MULTIPLE DX										
A. *Not Operated*	153	3.7	6	1	2	3	4	5	7	14
B. *Operated*	554	6.2	25	2	3	6	7	9	11	27
1. SINGLE DX	508	4.6	11	1	2	4	6	7	9	15
2. MULTIPLE DX	707	5.7	22	2	2	5	7	8	11	23
A. NOT OPERATED	389	3.6	5	1	2	3	4	5	6	14
B. OPERATED	826	6.0	22	2	3	5	7	9	11	24
TOTAL 0-19 YRS	171	4.9	12	1	2	4	6	8	10	22
20-34	972	5.2	18	2	2	5	6	8	10	22
35-49	72	5.9	27	2	3	5	7	9	10	37
50-64										
GRAND TOTAL	**1215**	**5.2**	**18**	**2**	**2**	**4**	**6**	**8**	**10**	**22**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	29	4.0	6	1	2	4	4	6	7	15
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	48	3.1	1	1	1	3	4	4	5	5
20-34	379	3.4	2	1	2	3	4	5	5	8
35-49	37	3.3	1	1	2	3	4	4	5	7
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	10	4.0	6	1	1	3	4	8	10	10
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	23	3.9	2	2	2	4	5	5	7	8
20-34	177	4.3	6	2	3	4	5	6	7	18
35-49	20	5.1	19	1	2	4	5	8	16	22
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	3.9	5	1	2	4	4	5	7	15
B. *Operated*	464	3.3	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	13	4.0	5	1	2	4	5	7	9	10
B. *Operated*	220	4.3	7	2	3	4	5	6	8	20
1. SINGLE DX	497	3.4	2	1	2	3	4	5	5	8
2. MULTIPLE DX	233	4.3	7	2	3	4	5	6	8	20
A. NOT OPERATED	46	4.0	5	1	2	4	4	6	8	15
B. OPERATED	684	3.7	4	1	2	3	4	5	6	10
TOTAL 0-19 YRS	76	3.4	1	1	2	3	4	5	5	7
20-34	595	3.7	3	1	2	3	4	5	6	11
35-49	59	3.9	8	1	2	3	4	5	7	21
50-64										
GRAND TOTAL	**730**	**3.7**	**4**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.4	2	1	2	3	4	4	7	9
20-34	104	3.6	1	2	3	4	4	5	5	6
35-49	3	3.3	4	1	1	4	5	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	10	3.3	1	2	2	3	4	5	5	5
20-34	69	3.8	4	2	2	3	4	6	7	14
35-49	4	3.5	3	<1	<1	4	5	5	5	5
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6		3	3	4	4	4	4	4
20-34	36	4.0	4	2	2	4	5	5	8	12
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64										
B. *Operated*										
0-19 YRS	8	5.9	22	2	2	5	6	14	17	17
20-34	85	4.3	2	3	3	4	5	6	7	11
35-49	9	5.4	24	2	2	4	5	13	18	18
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	3.5	1	2	2	3	4	5	5	7
B. *Operated*	83	3.7	4	1	2	3	4	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	43	4.0	3	2	2	4	4	5	7	12
B. *Operated*	102	4.5	6	2	3	4	5	6	8	17
1. SINGLE DX	211	3.6	2	2	2	3	4	5	5	9
2. MULTIPLE DX	145	4.4	5	2	3	4	5	6	8	17
A. NOT OPERATED	171	3.6	2	2	2	4	4	5	5	9
B. OPERATED	185	4.2	5	2	3	4	5	6	7	16
TOTAL 0-19 YRS	43	3.8	6	2	2	3	4	5	7	17
20-34	294	3.9	2	2	3	4	4	5	6	11
35-49	18	4.5	13	<1	1	4	5	5	13	18
50-64	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**356**	**3.9**	**3**	**2**	**2**	**4**	**4**	**5**	**6**	**12**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	5.2	22	1	2	4	5	13	17	17
20-34	140	3.9	2	2	3	4	4	5	6	11
35-49	9	4.1	2	2	2	4	5	6	6	6
50-64										
B. *Operated*										
0-19 YRS	7	4.1	3	3	3	4	4	7	8	8
20-34	88	5.4	23	2	3	5	6	8	9	35
35-49	13	6.3	52	3	3	4	5	12	27	30
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.4	8	2	3	4	4	8	12	14
20-34	108	4.2	6	1	2	4	5	6	10	15
35-49	4	4.0	1	3	3	4	5	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	39	6.8	52	2	3	4	7	11	27	36
20-34	537	5.8	14	3	3	5	7	9	10	24
35-49	57	5.5	8	3	3	5	6	8	12	16
50-64	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	4.0	3	2	2	4	4	5	7	13
B. *Operated*	108	5.4	25	2	3	4	6	8	9	35
2. MULTIPLE DX										
A. *Not Operated*	129	4.2	6	1	2	4	5	6	10	15
B. *Operated*	634	5.8	16	3	3	5	7	9	10	28
1. SINGLE DX	266	4.6	13	2	3	4	5	7	8	22
2. MULTIPLE DX	763	5.5	14	3	3	5	6	9	10	26
A. NOT OPERATED	287	4.1	5	2	2	4	5	5	7	14
B. OPERATED	742	5.8	17	3	3	5	7	9	10	29
TOTAL 0-19 YRS	71	5.8	34	2	3	4	6	9	17	34
20-34	873	5.2	13	2	3	4	6	8	10	22
35-49	83	5.4	14	3	3	4	6	8	11	25
50-64	2	4.0	2	3	3	4	5	5	5	5
GRAND TOTAL	**1029**	**5.3**	**14**	**2**	**3**	**4**	**6**	**8**	**10**	**24**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.9	3	1	2	4	5	7	7	7
20-34	209	3.8	11	2	2	3	4	5	6	20
35-49	10	3.6	3	1	1	4	5	6	6	6
50-64										
B. *Operated*										
0-19 YRS	175	5.1	4	2	3	5	6	7	8	11
20-34	1577	5.1	5	2	3	5	6	7	8	9
35-49	87	5.0	4	2	3	5	7	8	8	11
50-64	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.8	2	1	1	3	4	5	5	5
20-34	82	3.9	6	1	1	3	5	7	9	14
35-49	7	3.6	1	3	3	3	4	6	6	6
50-64										
B. *Operated*										
0-19 YRS	201	6.6	41	3	3	6	7	9	11	18
20-34	1683	5.9	12	2	3	6	7	8	10	18
35-49	156	6.4	12	3	3	6	7	9	11	22
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	245	3.8	9	1	2	3	4	5	7	12
B. *Operated*	1840	5.1	5	2	3	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	106	3.7	5	1	1	3	5	6	8	13
B. *Operated*	2040	6.0	15	2	3	6	7	8	10	18
1. SINGLE DX	2085	4.9	6	2	3	5	6	7	8	9
2. MULTIPLE DX	2146	5.9	15	2	3	6	7	8	10	18
A. NOT OPERATED	351	3.8	8	1	2	3	4	6	7	13
B. OPERATED	3880	5.6	11	2	3	5	7	8	9	16
TOTAL 0-19 YRS	419	5.6	23	2	3	5	7	8	10	17
20-34	3551	5.4	9	2	3	5	7	8	8	15
35-49	260	5.8	9	2	3	5	7	8	10	19
50-64	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**4231**	**5.4**	**11**	**2**	**3**	**5**	**7**	**8**	**9**	**16**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	4.2	32	2	2	3	4	4	4	35
20-34	310	3.5	1	2	3	3	4	4	5	7
35-49	24	3.8	2	1	2	4	4	6	7	8
50-64										
B. *Operated*										
0-19 YRS	158	4.3	3	2	3	4	5	7	7	12
20-34	1072	4.6	9	3	3	4	6	7	8	11
35-49	63	4.7	3	3	3	4	6	8	8	9
50-64	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.8	2	2	2	4	5	6	7	7
20-34	151	4.0	2	3	3	4	5	6	7	9
35-49	7	3.9	2	2	2	4	4	6	7	7
50-64										
B. *Operated*										
0-19 YRS	279	5.3	10	3	3	5	6	7	9	22
20-34	2247	5.4	9	3	3	5	7	8	9	15
35-49	204	5.8	8	3	3	5	7	8	9	21
50-64	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	366	3.6	4	2	3	3	4	4	5	8
B. *Operated*	1294	4.6	8	3	3	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	177	4.0	2	2	3	4	4	6	7	9
B. *Operated*	2731	5.4	9	3	3	5	7	8	9	15
1. SINGLE DX	1660	4.4	7	2	3	4	5	7	7	10
2. MULTIPLE DX	2908	5.3	9	3	3	5	6	8	9	15
A. NOT OPERATED	543	3.7	3	2	3	3	4	5	6	8
B. OPERATED	4025	5.1	9	3	3	5	6	7	8	14
TOTAL 0-19 YRS	488	4.9	9	3	3	4	6	7	8	15
20-34	3780	5.0	8	3	3	4	6	7	8	13
35-49	298	5.4	7	3	3	5	7	8	9	14
50-64	2	6.5	5	5	5	6	8	8	8	8
GRAND TOTAL	**4568**	**5.0**	**8**	**3**	**3**	**4**	**6**	**7**	**8**	**13**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	5.1	3	3	3	5	6	8	8	8
20-34	120	4.7	4	2	3	4	6	8	8	11
35-49	12	4.8	4	3	3	4	7	8	8	8
50-64										
B. *Operated*										
0-19 YRS	540	6.3	3	4	5	6	7	8	9	13
20-34	3005	6.3	6	4	5	6	7	8	8	11
35-49	142	6.6	2	4	5	7	7	8	9	10
50-64	2	11.0	32	7	7	11	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	64	5.5	8	2	3	5	7	8	10	15
35-49	6	5.5	3	4	4	5	7	8	8	8
50-64										
B. *Operated*										
0-19 YRS	684	7.2	9	5	5	7	8	10	12	21
20-34	3957	6.7	5	4	5	6	7	8	10	15
35-49	301	7.1	11	4	5	7	8	9	12	22
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	4.8	4	2	3	4	6	8	8	11
B. *Operated*	3689	6.3	6	4	5	6	7	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	71	5.5	7	3	3	5	7	8	9	15
B. *Operated*	4942	6.8	6	4	5	6	7	9	10	16
1. SINGLE DX	3830	6.3	6	4	4	6	7	8	8	11
2. MULTIPLE DX	5013	6.8	6	4	5	6	7	9	10	16
A. NOT OPERATED	212	5.0	5	2	3	4	7	8	8	13
B. OPERATED	8631	6.6	6	4	5	6	7	8	9	15
TOTAL 0-19 YRS	1234	6.8	6	4	5	6	7	9	10	17
20-34	7146	6.5	6	4	5	6	7	8	9	14
35-49	461	6.9	8	4	5	7	7	9	10	16
50-64	2	11.0	32	7	7	11	15	15	15	15
GRAND TOTAL	**8843**	**6.6**	**6**	**4**	**5**	**6**	**7**	**8**	**9**	**15**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	3.7	2	2	2	4	4	5	5	11
20-34	456	3.6	1	2	2	4	4	5	5	7
35-49	27	3.7	2	1	2	4	4	5	6	7
50-64										
B. *Operated*										
0-19 YRS	142	4.2	2	2	3	4	5	7	7	8
20-34	945	4.5	4	3	3	4	5	7	8	9
35-49	50	4.9	3	3	3	4	6	8	8	9
50-64	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.8	1	2	3	4	4	4	5	6
20-34	215	4.3	4	2	3	4	5	6	7	14
35-49	15	4.1	3	2	2	4	5	7	8	8
50-64										
B. *Operated*										
0-19 YRS	233	5.2	6	3	3	4	6	8	10	16
20-34	1713	5.2	11	3	3	5	6	7	8	13
35-49	139	6.0	7	3	3	6	7	9	11	15
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	560	3.7	1	2	2	4	4	5	5	7
B. *Operated*	1138	4.5	3	3	3	4	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	274	4.2	4	2	3	4	4	6	6	13
B. *Operated*	2085	5.2	11	3	3	5	6	8	9	14
1. SINGLE DX	1698	4.2	3	2	3	4	5	7	7	9
2. MULTIPLE DX	2359	5.1	10	3	3	4	6	7	9	14
A. NOT OPERATED	834	3.8	2	2	3	4	4	5	6	9
B. OPERATED	3223	5.0	8	3	3	4	6	7	8	13
TOTAL 0-19 YRS	496	4.5	4	2	3	4	5	7	8	12
20-34	3329	4.7	8	3	3	4	6	7	8	13
35-49	231	5.4	6	3	3	5	7	8	9	13
50-64	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**4057**	**4.7**	**7**	**3**	**3**	**4**	**6**	**7**	**8**	**13**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.5	6	2	2	5	5	8	9	9
20-34	70	3.8	8	2	2	3	4	5	6	21
35-49	13	3.5	2	2	2	3	4	6	6	6
50-64										
B. *Operated*										
0-19 YRS	23	4.5	5	1	2	4	6	7	9	10
20-34	282	5.2	5	2	3	5	7	8	9	11
35-49	33	4.9	4	1	2	5	6	8	8	10
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.0	9	4	4	5	7	11	11	11
20-34	52	3.3	1	2	2	3	4	5	5	6
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	43	6.0	5	2	3	6	7	9	10	12
20-34	510	6.3	28	3	3	6	7	8	10	20
35-49	63	6.4	6	3	3	6	8	9	11	15
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	3.9	7	2	2	3	4	5	8	19
B. *Operated*	338	5.1	5	2	3	5	7	8	9	10
2. MULTIPLE DX										
A. *Not Operated*	59	3.5	2	1	2	3	4	5	6	11
B. *Operated*	616	6.3	24	3	3	6	7	8	10	18
1. SINGLE DX	432	4.8	6	2	2	4	6	8	9	11
2. MULTIPLE DX	675	6.0	23	3	3	6	7	8	10	17
A. NOT OPERATED	153	3.7	5	2	2	3	4	5	6	13
B. OPERATED	954	5.9	17	2	3	6	7	8	9	15
TOTAL 0-19 YRS	82	5.4	5	2	3	5	7	8	10	12
20-34	914	5.6	18	2	3	5	7	8	9	17
35-49	111	5.5	6	2	3	6	7	8	9	14
50-64										
GRAND TOTAL	**1107**	**5.6**	**16**	**2**	**3**	**5**	**7**	**8**	**9**	**15**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.0	1	6	6	7	8	8	8	8
20-34	92	6.2	4	3	3	7	8	8	9	11
35-49	9	6.8	4	3	4	8	8	9	9	9
50-64										
B. *Operated*										
0-19 YRS	320	6.6	3	4	5	6	7	8	9	13
20-34	4933	6.7	6	5	5	7	7	8	8	11
35-49	312	6.9	2	5	5	7	8	8	9	10
50-64	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	33	6.7	7	2	3	7	8	10	11	13
35-49	5	7.4	1	6	6	7	8	9	9	9
50-64										
B. *Operated*										
0-19 YRS	172	6.9	4	5	5	7	8	9	11	15
20-34	4627	7.1	10	5	5	7	8	9	10	19
35-49	536	7.6	16	5	5	7	8	9	10	21
50-64	5	6.4	1	5	5	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	6.2	4	3	3	7	8	8	9	11
B. *Operated*	5566	6.7	5	5	5	7	7	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	39	6.8	6	2	3	7	8	10	11	13
B. *Operated*	5340	7.2	10	5	5	7	8	9	10	19
1. SINGLE DX	5672	6.7	5	5	5	7	7	8	8	11
2. MULTIPLE DX	5379	7.2	10	5	5	7	8	9	10	19
A. NOT OPERATED	145	6.4	5	3	3	7	8	8	9	12
B. OPERATED	10906	6.9	8	5	5	7	8	8	9	16
TOTAL 0-19 YRS	498	6.7	3	5	5	6	7	8	10	14
20-34	9685	6.9	8	5	5	7	7	8	9	16
35-49	862	7.3	11	5	5	7	8	9	10	18
50-64	6	6.2	1	5	5	6	7	7	7	7
GRAND TOTAL	**11051**	**6.9**	**8**	**5**	**5**	**7**	**8**	**8**	**9**	**16**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	260	4.0	7	1	2	4	4	6	7	14
20-34	1698	3.7	8	1	2	4	4	5	6	10
35-49	111	3.9	9	1	2	4	4	6	6	57
50-64										
B. *Operated*										
0-19 YRS	166	4.4	7	2	3	4	5	6	7	22
20-34	1098	4.1	3	2	3	4	5	6	7	9
35-49	98	4.4	2	2	3	4	5	7	7	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	3.9	5	1	2	3	4	6	7	14
20-34	608	4.1	7	2	2	4	4	6	8	16
35-49	49	4.2	7	1	2	3	5	7	8	16
50-64										
B. *Operated*										
0-19 YRS	334	5.3	15	2	3	4	6	8	11	18
20-34	2233	5.1	11	3	3	4	6	8	9	16
35-49	207	5.7	12	3	3	5	7	8	10	20
50-64	2	6.0	2	5	5	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2069	3.8	8	1	2	4	4	5	6	11
B. *Operated*	1362	4.2	3	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	761	4.1	7	1	2	4	4	6	8	16
B. *Operated*	2776	5.2	12	3	3	4	6	8	9	16
1. SINGLE DX	3431	3.9	6	2	2	4	4	6	7	10
2. MULTIPLE DX	3537	5.0	11	2	3	4	6	7	9	16
A. NOT OPERATED	2830	3.8	8	1	2	4	4	5	6	13
B. OPERATED	4138	4.9	9	2	3	4	6	7	8	15
TOTAL 0-19 YRS	864	4.6	10	2	2	4	5	7	9	18
20-34	5637	4.4	9	2	3	4	5	7	8	14
35-49	465	4.9	9	2	3	4	6	7	8	19
50-64	2	6.0	2	5	5	6	7	7	7	7
GRAND TOTAL	**6968**	**4.5**	**9**	**2**	**3**	**4**	**5**	**7**	**8**	**15**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	426	3.4	2	2	2	3	4	4	5	8
20-34	3567	3.4	3	2	2	3	4	4	5	6
35-49	220	3.4	1	2	2	3	4	4	5	6
50-64	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	263	3.5	1	2	3	3	4	4	5	6
20-34	1934	3.7	5	2	3	3	4	5	5	7
35-49	110	3.7	1	2	2	4	4	5	5	7
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	3.7	3	2	2	3	4	5	7	12
20-34	604	3.7	5	2	2	3	4	5	6	11
35-49	52	3.8	2	1	2	4	4	5	6	9
50-64										
B. *Operated*										
0-19 YRS	272	3.8	2	2	3	3	4	5	6	10
20-34	2095	4.1	7	2	3	4	4	6	7	10
35-49	151	4.6	7	2	3	4	5	6	8	16
50-64	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4214	3.4	3	2	2	3	4	4	5	6
B. *Operated*	2307	3.6	4	2	3	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	740	3.7	4	2	2	3	4	5	6	10
B. *Operated*	2519	4.1	6	2	3	4	4	6	7	10
1. SINGLE DX	6521	3.5	3	2	2	3	4	4	5	7
2. MULTIPLE DX	3259	4.0	6	2	3	4	4	6	7	10
A. NOT OPERATED	4954	3.5	3	2	2	3	4	4	5	7
B. OPERATED	4826	3.9	5	2	3	4	4	5	6	9
TOTAL 0-19 YRS	1045	3.6	2	2	3	3	4	5	5	9
20-34	8200	3.7	5	2	3	3	4	5	5	8
35-49	533	3.8	3	2	2	4	4	5	6	11
50-64	2	2.5	1	2	2	2	3	3	3	3
GRAND TOTAL	**9780**	**3.7**	**4**	**2**	**3**	**3**	**4**	**5**	**6**	**8**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	3.3	1	1	2	3	4	5	5	6
20-34	512	3.3	4	1	2	3	4	4	5	11
35-49	37	3.4	3	1	1	3	4	5	8	10
50-64	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	754	3.4	6	2	2	3	4	4	5	7
20-34	5230	3.3	4	2	2	3	4	4	5	6
35-49	392	3.4	1	2	2	3	4	4	5	6
50-64	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.3	7	1	3	4	5	9	11	12
20-34	125	4.2	51	1	2	3	4	5	7	86
35-49	10	3.5	3	2	2	3	4	6	8	8
50-64										
B. *Operated*										
0-19 YRS	223	3.6	3	2	2	3	4	5	6	13
20-34	2091	3.9	8	2	2	4	4	5	6	10
35-49	244	4.1	3	2	3	4	5	6	7	11
50-64	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	651	3.3	3	1	2	3	4	4	5	10
B. *Operated*	6378	3.3	4	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	161	4.1	41	1	2	3	4	5	8	74
B. *Operated*	2559	3.9	7	2	3	4	4	5	6	10
1. SINGLE DX	7029	3.3	4	2	2	3	4	4	5	7
2. MULTIPLE DX	2720	3.9	9	2	2	4	4	5	6	11
A. NOT OPERATED	812	3.4	11	1	2	3	4	5	5	11
B. OPERATED	8937	3.5	5	2	2	3	4	5	5	8
TOTAL 0-19 YRS	1103	3.5	5	2	2	3	4	4	5	7
20-34	7958	3.5	6	2	2	3	4	5	5	8
35-49	683	3.7	2	2	2	3	4	5	6	9
50-64	5	3.8	1	3	3	4	4	5	5	5
GRAND TOTAL	**9749**	**3.5**	**6**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	3.5	1	2	2	4	4	5	5	6
20-34	398	3.5	3	2	2	3	4	4	5	7
35-49	9	4.6	11	2	2	3	5	10	13	13
50-64										
B. *Operated*										
0-19 YRS	684	3.5	1	2	3	3	4	5	5	6
20-34	2835	3.6	4	2	3	3	4	5	5	7
35-49	81	3.6	1	3	3	3	4	5	5	70
50-64	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.0	1	2	3	4	4	6	7	8
20-34	98	3.7	2	2	2	4	4	6	7	8
35-49	4	5.3	7	3	3	4	7	9	9	9
50-64										
B. *Operated*										
0-19 YRS	295	3.8	2	2	3	4	4	5	6	9
20-34	1281	4.1	7	2	3	4	4	5	6	10
35-49	49	4.2	2	3	3	4	5	6	7	8
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	507	3.5	3	2	2	3	4	4	5	7
B. *Operated*	3601	3.6	3	2	3	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	127	3.8	2	2	2	4	4	6	7	8
B. *Operated*	1625	4.0	6	2	3	4	4	5	6	9
1. SINGLE DX	4108	3.6	3	2	3	3	4	5	5	7
2. MULTIPLE DX	1752	4.0	5	2	3	4	4	5	6	9
A. NOT OPERATED	634	3.6	3	2	2	4	4	5	5	7
B. OPERATED	5226	3.7	4	2	3	4	4	5	5	8
TOTAL 0-19 YRS	1104	3.6	1	2	3	4	4	5	5	8
20-34	4612	3.7	5	2	3	4	4	5	5	8
35-49	143	3.9	2	3	3	4	5	5	6	18
50-64	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**5860**	**3.7**	**4**	**2**	**3**	**4**	**4**	**5**	**5**	**8**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.3	2	1	1	4	4	4	5	8
20-34	198	3.2	1	1	2	3	4	4	5	7
35-49	10	3.7	3	2	2	3	4	6	8	8
50-64										
B. *Operated*										
0-19 YRS	242	3.5	2	2	2	3	4	4	5	6
20-34	1145	3.7	4	2	3	4	4	5	5	9
35-49	42	3.9	2	3	3	4	4	6	7	9
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.9	1	2	3	4	5	5	5	5
20-34	50	4.0	13	2	2	3	4	6	8	99
35-49	7	4.4	6	<1	1	4	5	8	9	9
50-64										
B. *Operated*										
0-19 YRS	169	4.2	8	2	3	4	5	6	7	11
20-34	779	4.2	7	2	3	4	5	6	7	14
35-49	35	4.7	11	2	3	4	5	6	11	20
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	247	3.3	2	1	2	3	4	4	5	8
B. *Operated*	1429	3.7	3	2	3	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	71	4.0	10	2	2	4	4	6	8	84
B. *Operated*	983	4.2	7	2	3	4	5	6	7	14
1. SINGLE DX	1676	3.6	3	2	2	3	4	5	5	8
2. MULTIPLE DX	1054	4.2	7	2	3	4	5	6	7	14
A. NOT OPERATED	318	3.4	3	1	2	3	4	5	5	9
B. OPERATED	2412	3.9	5	2	3	4	4	5	6	11
TOTAL 0-19 YRS	464	3.7	4	2	2	4	4	5	6	9
20-34	2172	3.9	5	2	3	4	4	5	6	11
35-49	94	4.2	6	2	3	4	5	6	8	17
50-64										
GRAND TOTAL	**2730**	**3.8**	**5**	**2**	**3**	**4**	**4**	**5**	**6**	**11**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	695	3.6	9	1	2	3	4	5	6	13
20-34	3385	3.5	4	1	2	3	4	5	6	10
35-49	235	3.7	5	1	1	3	4	7	8	12
50-64	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	2518	4.0	8	2	3	4	4	5	7	13
20-34	13712	3.9	3	2	3	4	4	5	6	10
35-49	776	4.1	4	2	3	4	4	6	7	11
50-64	7	4.1	1	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	281	4.1	12	2	2	3	4	6	9	14
20-34	1577	4.1	19	1	2	3	4	6	8	22
35-49	142	4.5	10	1	1	4	5	8	12	16
50-64	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	1586	5.0	9	2	3	4	6	8	10	16
20-34	9863	5.1	13	2	3	4	6	8	10	19
35-49	1007	6.0	23	3	3	5	7	9	12	24
50-64	7	4.7	13	1	1	4	7	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4316	3.5	5	1	2	3	4	5	6	10
B. *Operated*	17013	3.9	4	2	3	4	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	2001	4.1	17	1	2	3	4	6	8	20
B. *Operated*	12463	5.1	13	2	3	4	6	8	10	19
1. SINGLE DX	21329	3.9	4	2	3	4	4	5	6	10
2. MULTIPLE DX	14464	5.0	14	2	3	4	6	8	10	19
A. NOT OPERATED	6317	3.7	9	1	2	3	4	5	7	14
B. OPERATED	29476	4.4	8	2	3	4	5	7	8	15
TOTAL 0-19 YRS	5080	4.2	9	2	2	4	5	6	8	14
20-34	28537	4.3	8	2	3	4	5	6	8	14
35-49	2160	5.0	14	2	3	4	6	8	10	19
50-64	16	4.3	6	1	2	4	5	8	10	11
GRAND TOTAL	**35793**	**4.3**	**8**	**2**	**3**	**4**	**5**	**7**	**8**	**15**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	4.4	3	2	3	4	5	7	9	99+
20-34	103	4.5	7	2	2	4	5	8	10	14
35-49	6	4.2	2	3	3	4	5	6	6	6
50-64										
B. *Operated*										
0-19 YRS	9	7.2	39	1	1	4	12	17	17	17
20-34	23	4.3	12	1	1	4	6	7	11	17
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	7.0	11	4	4	5	10	11	11	11
20-34	34	5.9	26	2	2	4	8	11	14	28
35-49	3	7.7	20	3	3	8	11	12	12	12
50-64										
B. *Operated*										
0-19 YRS	4	9.8	41	5	5	7	14	19	19	19
20-34	23	8.5	33	1	2	7	11	19	20	21
35-49	2	12.5	61	7	7	12	18	18	18	18
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	4.5	6	2	2	4	5	7	10	17
B. *Operated*	33	5.0	20	1	1	4	7	11	17	17
2. MULTIPLE DX										
A. *Not Operated*	42	6.2	23	2	2	5	8	11	14	28
B. *Operated*	29	9.0	34	1	3	7	12	19	20	21
1. SINGLE DX	178	4.6	8	1	2	4	6	8	11	17
2. MULTIPLE DX	71	7.3	29	2	2	6	9	15	19	27
A. NOT OPERATED	187	4.9	10	2	2	4	6	9	11	23
B. OPERATED	62	6.9	30	1	1	6	9	17	19	21
TOTAL 0-19 YRS	54	5.5	14	2	2	5	7	10	17	96
20-34	183	5.3	16	1	2	4	6	10	14	21
35-49	12	6.2	23	1	2	5	7	14	17	18
50-64										
GRAND TOTAL	**249**	**5.4**	**16**	**2**	**2**	**4**	**6**	**10**	**14**	**21**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.3		<1	<1	1	2	2	2	2
20-34	101	2.1	10	<1	<1	1	2	3	4	21
35-49	6	2.2	1	1	1	2	3	3	3	3
50-64										
B. *Operated*										
0-19 YRS	50	2.2	2	1	1	2	3	4	5	8
20-34	343	1.8	2	<1	<1	1	2	3	4	7
35-49	21	2.6	3	1	1	2	4	5	6	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2		2	2	2	3	3	3	3
20-34	30	2.4	2	<1	1	2	3	4	5	6
35-49	4	3.5	4	1	1	4	5	5	5	5
50-64										
B. *Operated*										
0-19 YRS	15	3.1	4	<1	1	3	5	6	7	7
20-34	170	3.3	20	<1	1	2	4	6	9	17
35-49	13	6.4	77	1	1	3	8	16	30	33
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	2.0	9	<1	<1	1	2	3	4	16
B. *Operated*	414	1.9	2	<1	<1	1	2	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	39	2.5	2	<1	1	2	3	5	5	6
B. *Operated*	198	3.5	23	<1	1	2	4	6	10	25
1. SINGLE DX	537	1.9	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	237	3.3	19	<1	1	2	4	6	9	19
A. NOT OPERATED	162	2.1	7	<1	1	2	2	4	5	10
B. OPERATED	612	2.4	9	<1	1	2	3	4	6	12
TOTAL 0-19 YRS	86	2.2	2	<1	1	2	3	4	5	8
20-34	644	2.3	8	<1	<1	2	3	4	5	12
35-49	44	3.7	26	1	1	2	4	7	11	33
50-64										
GRAND TOTAL	**774**	**2.4**	**9**	**<1**	**1**	**2**	**3**	**4**	**5**	**12**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	4.1	12	1	1	4	4	5	11	20
20-34	148	4.4	9	1	1	4	4	8	11	15
35-49	6	5.5	16	2	2	4	10	11	11	11
50-64										
B. *Operated*										
0-19 YRS	26	3.2	3	1	2	3	3	4	6	11
20-34	121	3.5	10	1	1	3	4	6	7	23
35-49	12	2.4	1	1	1	2	3	4	5	5
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.8	3	3	3	5	6	7	7	7
20-34	43	5.9	35	1	1	4	7	13	20	28
35-49	6	6.8	50	2	2	4	6	19	21	21
50-64										
B. *Operated*										
0-19 YRS	10	3.8	6	1	1	3	5	7	9	9
20-34	89	4.8	23	1	1	4	5	10	12	29
35-49	5	4.6	18	1	1	3	6	12	12	12
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	192	4.4	10	1	1	4	4	8	11	18
B. *Operated*	159	3.4	8	1	1	3	4	5	7	21
2. MULTIPLE DX										
A. *Not Operated*	55	5.9	32	1	2	4	6	12	20	28
B. *Operated*	104	4.7	21	1	1	3	5	9	12	28
1. SINGLE DX	351	3.9	9	1	1	3	4	7	9	20
2. MULTIPLE DX	159	5.1	25	1	1	4	6	11	15	28
A. NOT OPERATED	247	4.7	15	1	1	4	5	9	12	21
B. OPERATED	263	3.9	14	1	1	3	4	7	11	24
TOTAL 0-19 YRS	80	3.8	8	1	1	3	4	6	9	18
20-34	401	4.4	16	1	1	4	4	8	12	23
35-49	29	4.3	18	1	1	3	4	11	12	21
50-64										
GRAND TOTAL	**510**	**4.3**	**14**	**1**	**1**	**4**	**4**	**8**	**11**	**22**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	650	4.9	9	2	2	4	6	8	10	14
20-34	546	5.3	19	2	2	4	6	10	12	19
35-49	398	6.0	16	2	2	5	8	11	14	22
50-64	358	6.9	20	2	3	6	8	13	16	21
65+	287	8.6	30	3	3	7	11	16	19	27
B. *Operated*										
0-19 YRS	380	5.1	18	1	1	4	7	9	11	18
20-34	391	5.7	31	1	2	4	7	11	15	31
35-49	243	6.2	22	1	2	5	8	12	16	21
50-64	183	9.1	77	2	2	6	11	17	26	47
65+	118	9.4	[illegible]7	2	2	7	13	21	24	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	462	5.7	22	2	2	4	7	10	13	20
20-34	539	6.7	26	2	2	5	8	13	16	28
35-49	688	8.2	33	3	3	7	10	15	18	29
50-64	1063	9.9	51	3	4	8	12	18	22	42
65+	1716	12.6	90	4	5	10	15	23	31	59
B. *Operated*										
0-19 YRS	193	7.4	46	1	2	5	8	14	21	36
20-34	354	10.9	114	2	3	7	13	22	35	53
35-49	427	12.5	139	2	3	9	15	26	37	59
50-64	613	16.3	205	3	4	12	21	36	49	78
65+	613	19.3	256	4	6	14	27	43	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2239	6.0	19	2	2	5	7	11	14	22
B. *Operated*	1315	6.4	37	1	2	5	8	13	17	30
2. MULTIPLE DX										
A. *Not Operated*	4468	9.8	63	3	3	8	12	19	24	41
B. *Operated*	2200	14.8	192	2	4	10	18	34	46	86
1. SINGLE DX	3554	6.1	25	2	2	5	7	12	15	26
2. MULTIPLE DX	6668	11.5	111	3	3	8	14	23	33	65
A. NOT OPERATED	6707	8.5	52	2	3	7	11	16	21	38
B. OPERATED	3515	11.6	150	2	2	8	14	26	38	72
TOTAL 0-19 YRS	1685	5.4	20	2	2	4	7	10	12	23
20-34	1830	6.9	46	2	2	5	8	13	18	40
35-49	1756	8.5	59	2	3	6	10	16	21	43
50-64	2217	11.1	102	3	3	8	13	21	29	64
65+	2734	13.5	131	3	4	10	16	27	38	87
GRAND TOTAL	**10222**	**9.6**	**88**	**2**	**3**	**7**	**12**	**19**	**27**	**56**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	255	4.9	7	2	2	4	6	8	10	13
20-34	111	5.0	10	2	2	4	6	8	11	18
35-49	93	5.1	11	2	2	4	6	8	12	20
50-64	63	6.0	22	1	2	5	7	12	15	24
65+	38	6.8	18	3	3	6	8	13	17	20
B. *Operated*										
0-19 YRS	218	3.9	16	<1	<1	3	5	8	11	23
20-34	215	4.8	40	<1	<1	3	6	10	11	33
35-49	141	5.2	45	<1	1	3	5	12	18	39
50-64	123	5.9	62	<1	<1	3	7	12	19	40
65+	66	7.6	89	<1	<1	4	9	17	30	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	241	5.8	19	2	2	5	7	10	13	27
20-34	101	6.6	61	1	2	4	8	13	17	46
35-49	113	8.8	105	1	2	7	10	15	20	65
50-64	160	9.6	43	3	4	8	12	18	21	33
65+	257	13.4	115	4	5	11	16	28	38	97
B. *Operated*										
0-19 YRS	105	5.6	21	<1	1	5	8	11	12	26
20-34	135	7.4	36	1	2	6	10	15	21	45
35-49	154	11.8	157	2	2	8	15	25	34	74
50-64	217	13.1	174	2	3	9	16	28	41	99+
65+	237	17.5	249	3	3	13	23	39	51	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	560	5.2	11	2	2	4	6	9	12	20
B. *Operated*	763	5.1	43	<1	<1	3	6	10	14	35
2. MULTIPLE DX										
A. *Not Operated*	872	9.2	77	2	3	7	11	18	25	56
B. *Operated*	848	12.3	168	2	2	8	15	28	39	80
1. SINGLE DX	1323	5.1	29	<1	1	4	6	10	13	29
2. MULTIPLE DX	1720	10.7	124	2	2	7	13	23	33	73
A. NOT OPERATED	1432	7.6	55	2	2	6	9	15	20	45
B. OPERATED	1611	8.8	121	<1	1	5	11	21	31	67
TOTAL 0-19 YRS	819	5.0	15	1	1	4	6	9	11	21
20-34	562	5.8	38	<1	1	4	7	11	15	29
35-49	501	8.0	95	1	2	5	9	18	25	48
50-64	563	9.7	104	1	2	7	12	21	28	72
65+	598	14.0	171	2	3	10	17	31	43	83
GRAND TOTAL	**3043**	**8.3**	**90**	**1**	**2**	**5**	**10**	**18**	**26**	**58**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	3.8	2	2	2	4	5	6	6	6
20-34	55	3.9	4	<1	1	4	5	6	7	9
35-49	11	4.6	13	<1	1	4	6	10	14	14
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	1475	4.2	3	2	2	4	5	6	7	11
20-34	2292	4.3	8	2	2	4	5	6	8	12
35-49	307	4.3	3	2	2	4	5	6	7	11
50-64	79	4.8	5	2	2	4	5	7	10	13
65+	6	4.5	10	1	1	4	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.0	6	<1	<1	2	5	7	8	8
20-34	20	2.5	5	<1	<1	1	3	5	8	10
35-49	5	2.2	3	<1	<1	1	3	5	5	5
50-64	5	8.2	27	4	4	5	12	16	16	16
65+	3	2.7		2	2	3	3	3	3	3
B. *Operated*										
0-19 YRS	125	5.2	10	2	3	4	6	8	12	40
20-34	322	5.8	35	2	3	5	6	9	11	31
35-49	99	6.0	18	2	3	5	7	11	13	28
50-64	28	9.1	105	3	4	6	9	17	24	56
65+	7	7.0	28	3	3	7	8	16	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	3.9	4	1	1	4	5	6	7	12
B. *Operated*	4159	4.3	6	2	2	4	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	45	3.2	10	<1	<1	2	4	6	10	16
B. *Operated*	581	5.9	30	2	3	5	6	9	13	28
1. SINGLE DX	4257	4.3	6	2	2	4	5	6	8	12
2. MULTIPLE DX	626	5.7	29	2	2	5	6	9	12	28
A. NOT OPERATED	143	3.7	6	<1	1	3	5	6	8	14
B. OPERATED	4740	4.5	9	2	2	4	5	7	8	13
TOTAL 0-19 YRS	1643	4.2	4	2	2	4	5	7	8	12
20-34	2689	4.5	11	2	2	4	5	7	8	14
35-49	422	4.6	8	2	2	4	5	7	9	14
50-64	113	6.0	34	2	3	5	6	10	14	34
65+	16	5.3	18	1	2	3	7	8	15	18
GRAND TOTAL	**4883**	**4.4**	**9**	**2**	**2**	**4**	**5**	**7**	**8**	**14**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	17	2.3	3	<1	<1	1	4	5	5	5
35-49	14	1.6	1	<1	<1	1	2	3	4	5
50-64	11	4.5	53	<1	<1	2	4	14	25	26
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	320	1.6	1	<1	<1	1	2	3	3	6
20-34	488	1.8	3	<1	<1	1	2	3	4	7
35-49	405	1.8	2	<1	<1	1	2	3	4	8
50-64	412	1.6	1	<1	<1	1	2	3	4	7
65+	174	2.4	7	<1	<1	1	2	4	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34										
35-49	7	3.9	13	<1	<1	2	6	9	10	10
50-64	7	3.1	11	<1	<1	1	6	9	9	9
65+	3	3.0	4	<1	<1	3	4	5	5	5
B. *Operated*										
0-19 YRS	34	2.8	6	<1	1	2	3	6	9	12
20-34	106	2.8	7	<1	<1	2	3	6	9	14
35-49	117	3.1	15	<1	<1	2	3	6	9	23
50-64	157	3.1	8	<1	<1	2	3	7	9	15
65+	100	4.4	18	1	1	3	5	10	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	2.5	15	<1	<1	1	2	5	5	26
B. *Operated*	1799	1.8	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	21	3.0	9	<1	<1	1	5	8	9	10
B. *Operated*	514	3.3	11	<1	<1	2	3	7	10	18
1. SINGLE DX	1845	1.8	3	<1	<1	1	2	3	4	9
2. MULTIPLE DX	535	3.2	11	<1	<1	2	3	7	10	18
A. NOT OPERATED	67	2.6	13	<1	<1	1	3	5	8	23
B. OPERATED	2313	2.1	5	<1	<1	1	2	4	6	13
TOTAL 0-19 YRS	361	1.7	2	<1	<1	1	2	3	4	7
20-34	611	1.9	3	<1	<1	1	2	3	5	10
35-49	543	2.1	6	<1	<1	1	2	3	5	14
50-64	587	2.1	5	<1	<1	1	2	4	6	11
65+	278	3.1	12	<1	<1	2	3	7	11	18
GRAND TOTAL	**2380**	**2.1**	**5**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	457	4.5	15	1	1	3	6	9	13	21
20-34	245	5.9	45	1	1	4	7	12	18	30
35-49	171	7.1	51	1	1	5	9	15	22	37
50-64	157	8.6	52	1	2	6	12	18	21	38
65+	186	13.4	193	3	4	10	16	28	36	98
B. *Operated*										
0-19 YRS	1032	2.6	10	<1	<1	2	3	4	8	17
20-34	1066	4.3	41	<1	<1	2	4	9	15	34
35-49	743	4.7	59	<1	<1	3	4	9	16	42
50-64	835	4.8	53	<1	1	3	4	10	18	43
65+	518	10.0	174	<1	1	4	14	26	35	79
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	347	5.7	24	1	1	4	7	11	16	26
20-34	280	9.9	154	1	1	6	12	19	35	78
35-49	342	10.7	118	2	2	7	13	24	32	73
50-64	645	11.5	85	2	3	9	15	23	30	50
65+	1218	16.0	187	3	5	12	20	33	46	91
B. *Operated*										
0-19 YRS	347	5.9	85	<1	<1	2	5	15	26	49
20-34	625	9.9	225	<1	1	4	11	29	52	99+
35-49	724	9.6	171	1	2	4	11	28	43	99+
50-64	1283	11.2	212	1	2	4	14	32	46	83
65+	1341	19.4	334	2	2	15	30	51	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1216	7.0	67	1	1	5	9	15	21	39
B. *Operated*	4194	4.7	60	<1	<1	2	4	10	19	39
2. MULTIPLE DX										
A. *Not Operated*	2832	12.5	144	2	2	9	16	27	37	72
B. *Operated*	4320	12.8	256	1	2	5	18	38	53	99+
1. SINGLE DX	5410	5.3	63	<1	<1	3	5	12	20	39
2. MULTIPLE DX	7152	12.7	212	1	2	7	17	33	47	99+
A. NOT OPERATED	4048	10.8	127	1	2	7	14	24	33	69
B. OPERATED	8514	8.9	176	<1	1	3	10	26	41	87
TOTAL 0-19 YRS	2183	4.0	27	<1	<1	2	4	8	13	27
20-34	2216	6.8	115	<1	1	3	7	17	26	68
35-49	1980	7.7	115	<1	1	4	9	20	31	73
50-64	2920	9.3	139	1	2	4	11	24	35	71
65+	3263	16.3	256	2	2	12	23	40	56	99+
GRAND TOTAL	**12562**	**9.5**	**161**	**<1**	**1**	**4**	**12**	**25**	**38**	**79**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	5.0	22	<1	<1	4	5	12	15	19
20-34	55	9.0	66	1	2	7	10	19	25	43
35-49	28	7.5	19	1	1	7	10	12	15	20
50-64	32	9.2	37	2	3	8	12	19	22	25
65+	23	13.7	356	2	4	9	12	20	48	97
B. *Operated*										
0-19 YRS	15	8.5	77	1	2	5	12	19	29	32
20-34	37	12.5	157	1	2	9	19	24	30	67
35-49	24	8.9	56	2	3	6	12	18	24	34
50-64	33	10.9	196	1	2	7	12	24	52	56
65+	15	11.5	28	4	5	10	14	20	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	10.0	55	2	4	9	14	21	48	99+
20-34	143	13.3	227	2	3	9	15	30	41	94
35-49	114	13.3	194	3	4	8	14	28	46	71
50-64	156	13.5	136	4	4	10	15	23	39	59
65+	87	14.2	79	4	5	12	18	27	34	43
B. *Operated*										
0-19 YRS	22	15.5	558	<1	1	7	16	44	80	96
20-34	71	16.2	206	2	3	13	23	39	43	70
35-49	72	17.3	202	3	4	14	22	35	54	67
50-64	109	19.1	214	3	5	15	25	37	50	75
65+	82	19.5	242	4	5	15	28	38	60	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	8.8	91	1	2	7	11	18	21	42
B. *Operated*	124	10.8	122	1	2	8	14	21	31	59
2. MULTIPLE DX										
A. *Not Operated*	547	13.2	156	3	4	10	15	27	38	80
B. *Operated*	356	18.0	236	3	4	14	23	37	50	77
1. SINGLE DX	285	9.7	105	1	2	7	12	19	24	55
2. MULTIPLE DX	903	15.1	193	3	4	11	19	32	45	78
A. NOT OPERATED	708	12.2	144	2	3	9	14	24	34	79
B. OPERATED	480	16.1	216	2	3	12	21	34	48	75
TOTAL 0-19 YRS	107	9.8	161	<1	2	6	13	20	34	99+
20-34	306	13.1	188	2	3	8	17	29	40	85
35-49	238	13.4	172	2	3	9	16	29	38	67
50-64	330	14.7	168	3	4	11	17	31	46	68
65+	207	16.0	176	4	5	12	20	34	39	85
GRAND TOTAL	**1188**	**13.8**	**177**	**2**	**3**	**10**	**17**	**30**	**40**	**77**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	6.6	22	2	2	6	8	11	13	28
20-34	60	8.2	23	2	3	7	10	15	19	24
35-49	66	8.9	30	3	3	7	11	16	18	31
50-64	146	9.9	42	3	4	8	13	18	22	45
65+	112	12.0	83	3	5	10	14	22	39	70
B. *Operated*										
0-19 YRS	33	10.0	145	2	2	6	12	25	42	54
20-34	43	10.7	48	1	2	10	16	21	22	24
35-49	78	9.8	81	1	2	6	13	20	29	44
50-64	216	13.1	115	2	3	11	19	26	31	60
65+	115	17.3	121	3	5	16	23	32	41	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	9.5	108	2	3	6	10	17	30	56
20-34	55	8.4	33	2	3	7	12	16	17	31
35-49	123	10.9	85	3	4	8	14	21	26	46
50-64	428	11.8	91	3	4	10	14	22	32	60
65+	618	13.8	112	4	5	11	17	25	33	82
B. *Operated*										
0-19 YRS	22	13.0	119	3	4	11	15	29	37	48
20-34	49	10.9	84	3	3	8	16	27	34	99+
35-49	119	12.4	173	3	3	9	15	22	29	74
50-64	353	15.3	161	2	3	13	20	31	44	86
65+	313	20.3	281	3	5	17	26	48	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	530	9.1	45	2	3	8	11	16	22	42
B. *Operated*	485	13.1	113	2	3	11	18	26	33	52
2. MULTIPLE DX										
A. *Not Operated*	1282	12.4	161	3	4	10	15	23	32	62
B. *Operated*	856	16.4	211	3	3	13	22	35	54	99+
1. SINGLE DX	1015	11.0	81	2	3	8	15	22	29	47
2. MULTIPLE DX	2138	14.0	149	3	4	11	18	28	40	90
A. NOT OPERATED	1812	11.4	87	3	4	9	14	21	30	58
B. OPERATED	1341	15.2	178	2	3	12	20	31	46	96
TOTAL 0-19 YRS	259	8.3	68	2	2	6	9	14	26	49
20-34	207	9.4	46	2	3	8	14	20	25	61
35-49	386	10.8	103	2	3	8	14	20	27	62
50-64	1143	12.9	114	2	3	10	17	26	35	63
65+	1158	15.7	165	4	5	12	20	31	46	99
GRAND TOTAL	**3153**	**13.1**	**129**	**3**	**3**	**10**	**17**	**26**	**36**	**76**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	6	5.5	11	2	2	5	8	10	10	10
35-49	23	6.5	22	1	2	5	9	14	18	19
50-64	98	7.9	43	2	2	6	10	15	19	37
65+	211	9.1	46	1	2	8	12	18	22	42
B. *Operated*										
0-19 YRS	19	5.3	91	<1	<1	3	5	6	27	44
20-34	123	6.4	30	2	2	4	9	14	18	25
35-49	248	9.1	55	1	2	7	13	20	24	34
50-64	838	13.5	90	2	3	13	18	25	29	45
65+	970	18.8	81	5	10	18	23	29	35	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.1	10	<1	1	5	7	10	10	10
20-34	15	6.1	22	1	1	5	8	14	17	18
35-49	97	7.8	26	1	2	7	10	13	19	26
50-64	372	8.5	37	2	2	7	11	16	21	31
65+	1336	11.7	98	3	4	9	14	22	30	61
B. *Operated*										
0-19 YRS	5	4.8	3	3	3	5	6	7	7	7
20-34	78	8.7	103	1	2	6	10	17	40	87
35-49	177	9.9	75	2	2	7	14	20	26	45
50-64	825	16.0	133	3	4	14	21	29	37	67
65+	1304	22.9	182	6	10	20	28	40	52	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	8.5	43	1	2	7	11	16	20	41
B. *Operated*	2198	14.9	95	2	3	15	20	26	31	47
2. MULTIPLE DX										
A. *Not Operated*	1828	10.8	83	2	3	9	13	20	26	51
B. *Operated*	2389	19.1	175	3	4	17	24	35	46	77
1. SINGLE DX	2538	14.0	93	2	3	14	19	25	31	46
2. MULTIPLE DX	4217	15.5	152	3	4	13	20	30	39	72
A. NOT OPERATED	2168	10.4	78	2	3	8	13	20	26	50
B. OPERATED	4587	17.1	141	2	4	16	22	31	39	65
TOTAL 0-19 YRS	34	5.1	52	<1	1	4	5	7	10	44
20-34	222	7.2	56	1	2	5	9	14	19	51
35-49	545	9.0	56	1	2	7	13	19	23	35
50-64	2133	13.4	103	2	3	12	18	25	31	53
65+	3821	17.2	146	3	5	16	22	31	40	71
GRAND TOTAL	**6755**	**14.9**	**130**	**2**	**3**	**13**	**20**	**28**	**36**	**62**

299: Other arthropathies (711-713; 716)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	8.4	46	2	2	7	10	19	25	29
20-34	78	6.7	18	2	2	6	9	13	16	18
35-49	61	6.9	17	1	2	6	9	13	16	18
50-64	67	7.6	33	2	3	6	10	14	20	32
65+	65	10.3	119	3	3	7	11	20	32	67
B. *Operated*										
0-19 YRS	38	13.7	144	1	2	10	21	30	42	45
20-34	132	6.5	36	2	2	5	8	13	17	35
35-49	148	7.6	50	2	2	5	9	15	20	35
50-64	162	9.5	70	2	2	6	13	21	26	44
65+	84	15.2	91	3	3	15	20	26	36	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	10.6	86	2	3	8	13	22	30	49
20-34	80	7.8	34	2	3	6	10	15	19	32
35-49	112	8.7	62	2	3	7	10	15	19	53
50-64	150	9.9	48	3	3	8	13	19	23	33
65+	326	12.3	101	3	4	9	16	24	32	57
B. *Operated*										
0-19 YRS	41	16.6	155	2	3	13	25	38	40	41
20-34	71	13.2	243	1	2	7	13	39	52	65
35-49	89	12.5	151	2	3	8	16	31	40	52
50-64	170	15.7	199	2	3	12	22	33	43	71
65+	141	24.0	323	4	5	19	37	58	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	365	8.0	47	2	2	6	10	15	20	33
B. *Operated*	564	9.4	73	2	2	6	13	21	27	45
2. MULTIPLE DX										
A. *Not Operated*	738	10.6	78	2	3	8	13	20	28	50
B. *Operated*	512	17.2	245	2	3	12	24	41	55	99+
1. SINGLE DX	929	8.9	63	2	2	6	12	19	24	43
2. MULTIPLE DX	1250	13.3	157	2	3	9	17	29	41	66
A. NOT OPERATED	1103	9.8	69	2	3	7	12	19	26	44
B. OPERATED	1076	13.1	170	2	3	8	18	30	43	70
TOTAL 0-19 YRS	243	11.3	99	2	2	8	15	26	32	44
20-34	361	8.2	78	2	2	6	9	15	23	51
35-49	410	8.9	74	2	3	6	11	18	26	51
50-64	549	11.3	108	2	3	8	14	23	31	54
65+	616	15.2	176	3	4	12	19	33	51	99+
GRAND TOTAL	**2179**	**11.4**	**122**	**2**	**3**	**8**	**14**	**24**	**34**	**62**

300: Internal derangement of knee joint (717)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	3.4	8	1	1	3	4	8	11	13
20-34	43	3.3	13	<1	<1	2	4	6	10	22
35-49	20	3.2	7	<1	<1	2	5	7	8	9
50-64	17	4.2	12	<1	1	4	5	8	12	14
65+	12	5.9	20	1	1	6	8	11	16	17
B. *Operated*										
0-19 YRS	1039	4.4	6	1	2	4	6	7	8	13
20-34	1909	4.7	9	1	2	4	6	8	9	17
35-49	859	5.1	18	1	2	5	6	8	10	16
50-64	456	5.5	8	2	2	5	7	9	10	17
65+	73	5.9	7	2	2	6	7	10	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.0	12	<1	<1	1	3	8	10	16
20-34	43	3.5	15	<1	<1	1	5	9	12	16
35-49	25	4.7	34	<1	1	2	5	17	19	20
50-64	22	6.9	23	1	2	5	9	14	17	18
65+	18	10.4	25	4	4	11	14	16	18	20
B. *Operated*										
0-19 YRS	465	5.4	11	2	2	5	6	9	10	15
20-34	968	5.5	11	1	2	5	7	9	12	18
35-49	570	6.0	18	2	2	5	7	10	13	25
50-64	518	7.3	43	2	3	6	8	12	17	31
65+	123	8.9	40	3	4	7	10	16	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	3.7	11	<1	1	3	5	8	10	17
B. *Operated*	4336	4.8	10	1	2	4	6	8	9	15
2. MULTIPLE DX										
A. *Not Operated*	142	5.0	25	<1	<1	3	7	14	16	20
B. *Operated*	2644	6.1	21	2	2	5	7	10	13	24
1. SINGLE DX	4482	4.8	10	1	2	4	6	8	9	15
2. MULTIPLE DX	2786	6.0	21	1	2	5	7	10	13	24
A. NOT OPERATED	288	4.3	19	<1	1	3	5	10	14	19
B. OPERATED	6980	5.3	15	1	2	5	6	9	11	20
TOTAL 0-19 YRS	1592	4.6	8	1	2	4	6	8	9	14
20-34	2963	4.9	10	1	2	4	6	8	10	17
35-49	1474	5.4	19	1	2	5	6	9	11	23
50-64	1013	6.4	27	2	2	5	8	10	14	25
65+	226	7.9	29	2	3	6	10	14	17	31
GRAND TOTAL	**7268**	**5.3**	**15**	**1**	**2**	**5**	**6**	**9**	**11**	**20**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	233	4.8	11	1	2	4	6	9	12	20
20-34	93	5.7	25	1	1	4	8	10	17	26
35-49	49	6.3	49	<1	1	5	7	12	14	44
50-64	59	7.2	64	1	2	5	9	14	24	95
65+	60	7.2	22	1	2	6	9	14	16	24
B. *Operated*										
0-19 YRS	839	4.9	12	2	2	4	6	8	10	17
20-34	1249	4.7	9	1	2	4	6	8	10	17
35-49	347	4.8	17	1	2	4	6	9	12	21
50-64	227	6.0	47	1	2	4	7	13	20	28
65+	104	8.7	112	1	2	5	10	20	33	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	5.3	37	1	1	4	6	9	12	28
20-34	94	6.2	51	1	1	4	8	12	15	43
35-49	87	6.0	17	1	1	5	8	12	13	19
50-64	111	9.0	122	2	2	6	10	16	27	61
65+	230	10.9	100	2	3	8	14	20	27	64
B. *Operated*										
0-19 YRS	266	6.4	29	2	2	5	7	12	15	36
20-34	445	6.7	53	2	2	5	8	12	16	64
35-49	225	7.2	71	1	2	5	8	15	21	51
50-64	256	9.5	104	2	2	6	10	23	32	73
65+	165	16.7	239	2	3	13	25	36	51	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	494	5.7	26	1	2	5	7	11	15	29
B. *Operated*	2766	5.0	18	1	2	4	6	8	11	23
2. MULTIPLE DX										
A. *Not Operated*	657	8.1	78	1	2	6	10	16	20	38
B. *Operated*	1357	8.5	94	2	2	5	9	19	28	67
1. SINGLE DX	3260	5.1	20	1	2	4	6	9	12	24
2. MULTIPLE DX	2014	8.4	89	2	2	6	10	17	26	61
A. NOT OPERATED	1151	7.1	57	1	2	5	9	14	18	37
B. OPERATED	4123	6.2	46	1	2	4	7	11	17	41
TOTAL 0-19 YRS	1473	5.2	17	1	2	4	6	8	12	21
20-34	1881	5.3	23	1	2	4	6	9	13	25
35-49	708	5.8	37	1	2	4	7	11	16	36
50-64	653	8.0	86	1	2	5	9	17	26	66
65+	559	11.8	146	2	2	8	16	26	34	81
GRAND TOTAL	**5274**	**6.4**	**48**	**1**	**2**	**5**	**7**	**12**	**17**	**41**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	10.3	126	3	3	5	16	27	27	27
35-49	6	7.2	11	4	4	6	8	13	13	13
50-64	4	10.3	87	4	4	6	16	24	24	24
65+	3	7.0	19	4	4	5	10	12	12	12
B. *Operated*										
0-19 YRS										
20-34	2	36.5	1625	8	8	36	65	65	65	65
35-49	3	24.3	569	5	5	17	42	51	51	51
50-64	4	9.3	31	4	4	8	13	17	17	17
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	11	6.9	11	2	3	7	10	11	12	12
35-49	10	7.5	22	3	3	6	11	15	18	18
50-64	13	7.5	20	<1	2	6	10	13	18	19
65+	11	9.5	41	1	3	9	10	21	23	23
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	5	9.2	30	2	2	9	14	15	15	15
50-64	6	14.5	134	3	3	12	16	34	36	36
65+	2	42.5	1405	16	16	69	92	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	8.6	48	3	4	5	9	22	26	27
B. *Operated*	10	19.1	451	4	4	9	17	58	65	65
2. MULTIPLE DX										
A. *Not Operated*	46	7.8	22	2	3	7	10	12	19	23
B. *Operated*	14	16.0	303	2	3	14	16	69	92	99+
1. SINGLE DX	27	12.5	212	4	4	8	13	26	53	65
2. MULTIPLE DX	60	9.8	96	2	3	8	11	18	29	97
A. NOT OPERATED	63	8.0	29	2	3	7	10	14	21	27
B. OPERATED	24	17.3	350	3	4	9	17	65	77	99+
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	18	10.9	213	2	3	7	10	22	50	65
35-49	24	9.9	97	3	3	7	12	17	28	51
50-64	27	9.7	57	2	3	8	11	19	26	36
65+	17	12.9	241	2	4	9	16	55	88	99+
GRAND TOTAL	**87**	**10.6**	**132**	**3**	**3**	**8**	**11**	**19**	**37**	**88**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	11.3	9	8	8	12	13	14	14	14
20-34	29	6.0	20	2	2	4	8	14	16	17
35-49	94	7.4	17	2	2	7	10	13	15	20
50-64	187	8.0	33	2	3	7	10	14	17	24
65+	164	8.4	35	2	3	7	10	16	19	27
B. *Operated*										
0-19 YRS	5	6.6	21	3	3	4	11	13	13	13
20-34	43	7.4	41	2	2	5	10	17	23	24
35-49	158	8.4	53	2	2	7	11	17	23	31
50-64	225	9.7	48	2	2	8	14	19	22	29
65+	78	11.4	155	2	2	9	15	19	33	79
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	35	7.8	39	1	2	7	11	16	20	27
35-49	204	8.0	23	2	3	7	11	14	17	24
50-64	676	9.2	31	3	3	8	12	16	19	29
65+	1210	11.2	66	3	4	9	14	19	25	52
B. *Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	42	12.1	65	2	2	11	19	22	26	30
35-49	189	12.0	108	2	2	10	15	24	33	48
50-64	362	14.1	132	2	3	11	18	30	41	98
65+	328	19.2	236	3	5	15	23	41	49	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	477	7.9	30	2	3	7	10	14	18	25
B. *Operated*	509	9.3	66	2	2	7	13	19	23	34
2. MULTIPLE DX										
A. *Not Operated*	2127	10.2	52	3	4	9	13	18	22	42
B. *Operated*	922	15.4	169	2	3	12	20	33	42	88
1. SINGLE DX	986	8.6	49	2	2	7	11	17	20	31
2. MULTIPLE DX	3049	11.7	93	3	3	9	15	22	30	54
A. NOT OPERATED	2604	9.8	48	3	3	8	12	18	21	41
B. OPERATED	1431	13.2	141	2	3	10	18	27	38	76
TOTAL 0-19 YRS	11	8.5	28	2	2	8	13	16	18	18
20-34	149	8.5	48	2	2	7	12	20	22	29
35-49	645	9.2	58	2	2	8	12	18	23	38
50-64	1450	10.3	64	2	3	9	13	19	24	44
65+	1780	12.4	109	3	4	10	15	23	33	60
GRAND TOTAL	**4035**	**11.0**	**84**	**2**	**3**	**9**	**14**	**20**	**27**	**52**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	9.1	37	1	2	9	11	17	21	29
20-34	779	8.9	35	2	2	8	12	15	19	29
35-49	1150	9.5	34	2	3	9	12	16	20	30
50-64	764	10.2	36	2	4	9	13	18	21	28
65+	200	10.8	35	2	4	10	15	19	22	29
B. *Operated*										
0-19 YRS	120	11.3	64	2	3	10	14	21	26	42
20-34	2043	10.3	50	2	2	9	13	19	24	34
35-49	2847	11.3	57	2	3	10	15	21	25	35
50-64	1555	12.1	60	2	3	11	16	22	26	37
65+	243	15.8	113	3	5	13	21	28	33	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	11.3	49	3	5	9	13	20	27	31
20-34	283	10.8	53	3	4	9	14	18	23	40
35-49	531	10.7	53	2	4	9	13	19	23	41
50-64	762	11.5	43	3	4	10	15	20	24	35
65+	501	12.5	71	4	5	11	15	21	26	46
B. *Operated*										
0-19 YRS	25	13.0	72	2	2	12	18	25	31	33
20-34	551	13.8	84	2	4	12	18	25	32	47
35-49	1020	14.5	91	3	4	12	19	26	33	48
50-64	953	15.5	96	3	5	14	19	29	34	50
65+	330	20.7	193	6	8	17	25	37	51	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2935	9.6	35	2	3	9	12	17	20	30
B. *Operated*	6808	11.4	59	2	3	10	15	21	25	36
2. MULTIPLE DX										
A. *Not Operated*	2095	11.4	54	3	4	10	14	20	24	38
B. *Operated*	2879	15.4	107	3	5	13	20	28	35	56
1. SINGLE DX	9743	10.8	52	2	3	10	14	20	24	34
2. MULTIPLE DX	4974	13.7	88	3	5	12	17	25	32	50
A. NOT OPERATED	5030	10.4	44	2	4	9	13	18	22	33
B. OPERATED	9687	12.6	77	2	3	11	16	23	28	44
TOTAL 0-19 YRS	205	11.0	59	2	3	10	14	21	26	38
20-34	3656	10.6	54	2	3	9	14	20	24	36
35-49	5548	11.5	61	2	3	10	15	21	26	38
50-64	4034	12.4	64	2	4	11	16	22	27	40
65+	1274	15.0	119	3	5	12	19	27	34	65
GRAND TOTAL	**14717**	**11.8**	**66**	**2**	**3**	**10**	**15**	**22**	**26**	**41**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	6.8	30	2	2	5	7	18	19	19
20-34	278	8.6	25	2	3	8	11	15	19	25
35-49	416	9.0	29	2	3	8	12	16	20	28
50-64	279	9.7	35	2	3	9	12	16	19	34
65+	69	11.3	51	3	4	10	14	20	22	42
B. *Operated*										
0-19 YRS	23	9.6	56	<1	1	10	16	18	22	27
20-34	324	10.3	52	2	3	9	13	19	23	35
35-49	676	10.8	51	2	3	10	15	20	23	34
50-64	349	11.9	81	2	3	9	16	24	28	49
65+	55	13.1	79	3	4	11	18	24	30	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	8.0	19	4	4	8	10	15	15	15
20-34	114	11.5	107	2	4	9	14	20	24	55
35-49	252	10.4	60	3	4	9	13	17	21	30
50-64	367	11.2	40	4	5	10	14	20	22	31
65+	230	11.8	50	4	4	10	15	21	24	36
B. *Operated*										
0-19 YRS	6	6.2	20	1	1	5	..	12	12	12
20-34	118	13.1	131	2	3	11	17	25	32	58
35-49	338	13.1	101	2	3	10	17	26	33	49
50-64	309	13.6	103	2	4	11	17	26	32	61
65+	110	19.8	229	3	5	16	26	38	52	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1058	9.2	32	2	3	8	12	16	20	28
B. *Operated*	1427	11.0	60	2	3	9	15	21	25	36
2. MULTIPLE DX										
A. *Not Operated*	968	11.2	56	3	4	10	14	20	23	32
B. *Operated*	881	14.1	126	2	4	11	18	27	35	60
1. SINGLE DX	2485	10.3	49	2	3	9	13	19	23	34
2. MULTIPLE DX	1849	12.5	91	3	4	10	16	23	29	51
A. NOT OPERATED	2026	10.1	44	3	4	9	13	18	21	31
B. OPERATED	2308	12.2	88	2	3	10	16	23	29	49
TOTAL 0-19 YRS	50	8.1	40	1	2	6	12	17	19	27
20-34	834	10.3	64	2	3	9	13	19	24	35
35-49	1682	10.8	59	2	3	9	14	20	24	37
50-64	1304	11.6	67	2	4	10	15	22	26	45
65+	464	13.8	107	3	4	11	17	25	31	56
GRAND TOTAL	**4334**	**11.2**	**68**	**2**	**3**	**9**	**14**	**21**	**26**	**41**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	7.9	57	2	2	6	7	22	26	27
20-34	188	8.6	47	3	3	7	10	14	19	25
35-49	198	8.8	29	2	4	7	11	16	18	30
50-64	106	9.6	23	4	4	8	13	17	19	23
65+	28	8.3	28	1	2	7	13	17	17	18
B. *Operated*										
0-19 YRS	6	8.8	57	2	2	6	15	20	21	21
20-34	119	8.6	78	2	2	6	13	17	22	46
35-49	108	10.6	140	2	2	7	14	22	28	69
50-64	44	8.2	48	1	2	5	13	20	22	23
65+	3	9.7	60	1	1	12	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	8.8	34	1	2	10	13	14	21	23
20-34	148	10.4	33	3	4	9	13	17	22	28
35-49	204	10.3	35	3	4	9	13	18	22	30
50-64	206	10.3	38	3	4	9	13	17	26	33
65+	102	11.8	73	3	4	9	15	21	26	51
B. *Operated*										
0-19 YRS	4	7.5	35	3	3	5	11	16	16	16
20-34	74	11.6	64	2	3	10	16	23	28	35
35-49	115	11.5	63	2	3	10	16	21	24	39
50-64	63	13.8	101	2	2	12	19	29	37	43
65+	8	23.1	200	6	8	21	33	44	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	533	8.8	35	3	3	8	11	16	18	26
B. *Operated*	280	9.3	97	2	2	6	13	19	24	53
2. MULTIPLE DX										
A. *Not Operated*	675	10.5	41	3	4	9	13	18	24	32
B. *Operated*	264	12.4	79	2	3	11	17	23	29	44
1. SINGLE DX	813	9.0	56	2	3	7	12	17	20	34
2. MULTIPLE DX	939	11.0	53	3	4	10	14	20	25	37
A. NOT OPERATED	1208	9.8	39	3	4	8	12	17	21	31
B. OPERATED	544	10.8	90	2	2	9	15	22	26	44
TOTAL 0-19 YRS	38	8.4	42	2	2	6	12	19	22	27
20-34	529	9.5	54	2	3	8	12	17	23	32
35-49	625	10.1	57	2	3	8	13	18	23	36
50-64	419	10.4	47	2	3	9	13	19	24	37
65+	141	11.7	79	2	3	9	15	21	27	50
GRAND TOTAL	**1752**	**10.1**	**55**	**2**	**3**	**8**	**13**	**18**	**23**	**36**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	8.1	5	5	5	9	10	11	11	11
20-34	115	9.2	39	1	3	8	11	18	20	35
35-49	169	9.0	27	2	2	8	12	16	18	25
50-64	135	9.9	34	2	3	9	13	17	20	30
65+	69	10.5	52	<1	1	9	15	19	24	34
B. *Operated*										
0-19 YRS	3	6.3	44	2	2	3	11	14	14	14
20-34	62	8.2	36	2	2	7	12	17	20	25
35-49	80	8.6	63	1	2	6	12	20	24	38
50-64	32	11.1	54	2	3	10	16	23	25	25
65+	9	5.6	17	2	2	4	6	12	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	10.6	87	1	1	8	15	26	26	26
20-34	84	8.6	21	3	4	8	10	14	18	25
35-49	176	10.6	54	3	4	9	13	18	24	40
50-64	213	10.4	32	3	4	9	14	18	21	30
65+	269	12.9	71	4	5	10	16	23	28	42
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	37	10.6	62	2	3	9	15	20	27	35
35-49	62	10.9	38	2	3	10	15	19	22	27
50-64	83	16.3	144	3	5	14	21	33	39	61
65+	42	19.1	170	5	8	16	23	41	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	495	9.5	35	1	2	9	12	17	20	29
B. *Operated*	186	8.7	50	2	2	7	13	20	22	28
2. MULTIPLE DX										
A. *Not Operated*	747	11.1	52	3	4	9	14	20	25	40
B. *Operated*	225	14.4	116	3	4	12	18	27	35	65
1. SINGLE DX	681	9.3	39	2	2	8	12	18	21	29
2. MULTIPLE DX	972	11.9	69	3	4	10	15	22	27	45
A. NOT OPERATED	1242	10.5	46	2	4	9	13	19	23	37
B. OPERATED	411	11.8	94	2	2	10	16	23	29	52
TOTAL 0-19 YRS	16	8.5	34	1	2	8	10	14	22	26
20-34	298	9.0	36	2	3	8	11	17	20	32
35-49	487	9.8	45	2	3	9	13	18	22	35
50-64	463	11.3	59	2	3	10	15	20	25	43
65+	389	13.0	83	3	5	11	16	23	30	48
GRAND TOTAL	**1653**	**10.8**	**58**	**2**	**3**	**9**	**14**	**20**	**24**	**40**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	5.3	16	1	1	4	7	11	14	25
20-34	955	7.9	36	2	2	7	10	14	17	28
35-49	1157	8.3	26	2	2	7	11	15	18	23
50-64	720	8.7	31	2	3	8	11	16	19	29
65+	246	8.7	28	2	3	8	11	15	18	26
B. *Operated*										
0-19 YRS	53	7.3	38	2	2	5	10	17	22	25
20-34	603	7.6	45	1	2	5	11	17	21	31
35-49	690	8.5	59	1	2	6	11	18	22	35
50-64	453	10.2	73	2	2	8	14	20	27	40
65+	153	14.7	135	2	3	12	19	30	39	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	6.0	25	<1	1	5	8	11	18	23
20-34	731	9.1	41	2	3	8	12	16	20	25
35-49	1162	9.9	52	2	3	8	13	18	23	31
50-64	1127	10.4	49	2	3	9	13	19	24	38
65+	912	11.5	57	3	4	10	15	22	27	38
B. *Operated*										
0-19 YRS	29	10.8	127	2	2	6	15	27	39	46
20-34	398	11.1	91	2	2	9	15	23	30	50
35-49	626	12.0	85	2	3	10	16	24	31	44
50-64	620	13.6	117	2	3	11	18	27	35	59
65+	353	18.5	213	3	4	14	24	38	51	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3239	8.2	30	2	2	7	11	15	18	26
B. *Operated*	1952	9.1	66	1	2	7	13	19	24	40
2. MULTIPLE DX										
A. *Not Operated*	4035	10.2	51	2	3	9	13	19	23	34
B. *Operated*	2026	13.4	125	2	3	10	18	28	35	60
1. SINGLE DX	5191	8.5	44	2	2	7	11	17	20	32
2. MULTIPLE DX	6061	11.2	78	2	3	9	14	22	28	46
A. NOT OPERATED	7274	9.3	42	2	3	8	12	17	21	31
B. OPERATED	3978	11.3	101	2	2	9	15	23	31	52
TOTAL 0-19 YRS	346	6.2	33	1	2	4	8	13	18	28
20-34	2687	8.6	48	2	2	7	11	17	21	32
35-49	3635	9.5	53	2	2	8	12	18	22	35
50-64	2920	10.6	65	2	3	9	14	20	25	42
65+	1664	12.9	103	3	3	10	16	25	32	53
GRAND TOTAL	**11252**	**10.0**	**64**	**2**	**2**	**8**	**13**	**19**	**24**	**41**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	227	5.2	30	1	2	4	6	9	11	25
20-34	102	4.7	8	1	1	4	6	9	10	14
35-49	109	5.1	21	1	1	4	7	9	14	27
50-64	162	5.1	15	1	1	4	7	9	15	19
65+	66	5.5	11	1	2	4	8	11	12	14
B. *Operated*										
0-19 YRS	341	3.0	9	<1	1	2	4	5	6	21
20-34	744	3.1	6	<1	<1	2	4	6	7	13
35-49	1025	3.2	4	<1	1	3	4	5	7	12
50-64	1327	3.1	9	<1	<1	2	4	5	7	14
65+	314	3.8	19	<1	1	3	4	8	11	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	5.1	9	1	2	4	7	9	10	15
20-34	95	6.4	43	1	2	5	7	12	17	42
35-49	161	7.1	51	1	2	6	8	14	18	36
50-64	245	7.3	29	1	2	6	10	15	18	26
65+	276	9.6	40	2	3	8	12	18	23	35
B. *Operated*										
0-19 YRS	81	4.8	18	1	2	4	6	9	12	26
20-34	298	4.4	30	1	2	3	5	7	10	22
35-49	480	5.3	38	1	2	4	6	10	15	25
50-64	718	5.2	29	1	2	4	6	10	14	28
65+	289	7.3	68	1	2	4	9	18	23	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	666	5.1	20	1	1	4	6	9	12	19
B. *Operated*	3751	3.2	8	<1	<1	3	4	6	7	15
2. MULTIPLE DX										
A. *Not Operated*	844	7.7	39	1	2	6	10	15	19	31
B. *Operated*	1866	5.4	38	1	2	4	6	11	15	29
1. SINGLE DX	4417	3.5	10	<1	1	3	4	6	9	16
2. MULTIPLE DX	2710	6.1	39	1	2	4	7	12	17	29
A. NOT OPERATED	1510	6.6	32	1	2	5	8	13	17	28
B. OPERATED	5617	3.9	19	<1	1	3	4	7	11	22
TOTAL 0-19 YRS	716	4.1	18	<1	1	3	5	7	10	21
20-34	1239	3.8	16	<1	1	3	5	7	9	20
35-49	1775	4.2	20	<1	1	3	5	8	11	21
50-64	2452	4.3	19	<1	1	3	5	9	12	21
65+	945	6.7	45	1	2	4	9	14	20	31
GRAND TOTAL	**7127**	**4.5**	**23**	**<1**	**1**	**3**	**5**	**9**	**12**	**23**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	1	1	1	3	3	4	4	4
20-34	16	2.9	5	<1	<1	2	3	6	8	9
35-49	11	3.5	5	1	1	3	5	7	8	8
50-64	11	2.5	2	<1	<1	3	3	4	5	5
65+	8	4.9	6	1	2	5	7	8	8	8
B. *Operated*										
0-19 YRS	257	4.1	5	2	2	4	5	7	8	13
20-34	517	4.2	4	2	2	4	5	6	8	11
35-49	518	4.5	7	2	2	4	5	7	9	14
50-64	810	4.7	8	2	2	4	6	8	9	13
65+	328	4.8	16	2	2	4	6	8	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.3	15	<1	<1	2	4	9	14	14
20-34	9	1.7	2	<1	<1	<1	2	4	5	5
35-49	23	3.4	9	<1	<1	3	5	7	10	13
50-64	37	4.8	25	<1	<1	3	7	11	12	26
65+	24	8.3	65	<1	1	6	10	23	26	27
B. *Operated*										
0-19 YRS	172	4.4	4	2	3	4	5	6	8	11
20-34	576	4.5	8	2	2	4	5	7	8	14
35-49	663	5.0	7	2	3	4	6	8	9	14
50-64	1372	5.6	14	2	3	5	7	9	10	18
65+	714	6.5	26	3	3	5	7	11	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.2	4	<1	1	3	4	6	8	9
B. *Operated*	2430	4.5	8	2	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	104	4.9	31	<1	<1	3	6	12	17	26
B. *Operated*	3497	5.4	14	2	3	5	6	9	11	18
1. SINGLE DX	2481	4.5	8	2	2	4	5	7	8	13
2. MULTIPLE DX	3601	5.4	15	2	3	5	6	9	11	19
A. NOT OPERATED	155	4.3	23	<1	<1	3	5	9	13	26
B. OPERATED	5927	5.1	12	2	2	4	6	8	10	16
TOTAL 0-19 YRS	445	4.2	5	2	2	4	5	6	8	13
20-34	1118	4.3	6	2	2	4	5	7	8	13
35-49	1215	4.7	7	2	2	4	6	8	9	14
50-64	2230	5.3	12	2	3	5	6	8	10	16
65+	1074	6.0	24	2	3	5	7	10	13	25
GRAND TOTAL	**6082**	**5.0**	**12**	**2**	**2**	**4**	**6**	**8**	**10**	**16**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.1	2	<1	<1	1	3	4	5	6
20-34	37	2.5	24	<1	<1	1	2	3	6	31
35-49	18	2.1	2	<1	<1	2	3	6	58	99+
50-64	13	3.2	11	<1	<1	2	3	9	11	12
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	734	2.1	2	<1	<1	2	2	3	4	7
20-34	1136	2.1	4	<1	<1	2	2	3	4	5
35-49	610	2.6	23	<1	<1	2	3	4	5	10
50-64	476	3.1	17	<1	<1	2	3	5	7	17
65+	151	3.2	4	<1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.4	3	<1	<1	1	1	1	6	8
20-34	9	2.3	5	<1	<1	2	2	6	8	8
35-49	12	1.8	2	<1	<1	1	2	4	5	5
50-64	13	6.2	40	<1	1	2	9	16	20	21
65+	12	8.5	114	3	3	6	7	19	39	42
B. *Operated*										
0-19 YRS	73	3.1	8	<1	1	2	3	5	7	19
20-34	193	3.0	6	<1	<1	2	4	5	8	14
35-49	187	3.5	10	<1	1	3	4	7	9	16
50-64	208	4.6	21	1	2	3	5	9	12	25
65+	92	5.5	44	2	2	4	6	10	15	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	2.4	12	<1	<1	2	3	5	6	72
B. *Operated*	3107	2.4	10	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	62	4.0	38	<1	<1	2	5	8	12	39
B. *Operated*	753	3.9	17	<1	1	3	4	7	11	23
1. SINGLE DX	3197	2.4	10	<1	<1	2	3	4	5	10
2. MULTIPLE DX	815	3.9	18	<1	1	3	4	7	11	24
A. NOT OPERATED	152	3.1	23	<1	<1	2	3	7	9	42
B. OPERATED	3860	2.7	11	<1	<1	2	3	4	6	14
TOTAL 0-19 YRS	843	2.2	3	<1	<1	2	2	3	4	7
20-34	1375	2.2	5	<1	<1	2	3	3	5	8
35-49	827	2.8	19	<1	<1	2	3	4	6	15
50-64	710	3.6	19	<1	<1	2	4	7	10	23
65+	257	4.3	25	<1	1	3	5	7	10	30
GRAND TOTAL	**4012**	**2.7**	**12**	**<1**	**<1**	**2**	**3**	**5**	**6**	**14**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	17.1	102	3	5	15	25	29	29	45
20-34	25	12.4	123	1	2	8	18	29	33	43
35-49	32	11.7	98	4	4	8	15	24	30	49
50-64	47	14.0	165	2	2	10	18	34	41	60
65+	26	17.8	172	5	6	15	24	31	42	67
B. *Operated*										
0-19 YRS	103	16.7	153	2	3	14	26	31	39	55
20-34	93	15.4	209	2	3	10	22	40	48	57
35-49	73	18.4	258	2	3	13	28	41	45	73
50-64	113	14.2	184	2	2	9	20	32	43	60
65+	58	18.5	232	3	4	14	26	41	48	76
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	18.8	78	4	8	20	26	28	30	41
20-34	48	14.4	169	<1	2	10	21	38	48	99+
35-49	51	17.5	254	2	3	14	25	39	44	99+
50-64	90	19.2	246	4	5	15	23	42	48	79
65+	118	18.1	193	3	4	14	24	37	45	65
B. *Operated*										
0-19 YRS	52	24.2	218	2	6	25	30	42	51	75
20-34	85	20.5	314	3	4	14	31	52	63	99+
35-49	112	22.5	365	3	4	18	33	50	65	94
50-64	251	23.7	308	5	7	18	33	50	66	99+
65+	204	25.9	315	3	6	24	38	54	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	15.2	128	2	4	12	22	29	36	52
B. *Operated*	440	16.3	201	2	3	11	25	37	44	59
2. MULTIPLE DX										
A. *Not Operated*	352	17.9	198	3	4	14	25	38	45	93
B. *Operated*	704	23.8	314	4	5	19	33	50	67	99+
1. SINGLE DX	663	15.9	177	2	3	12	23	34	43	58
2. MULTIPLE DX	1056	21.8	283	3	5	17	31	46	59	99+
A. NOT OPERATED	575	16.8	172	2	4	14	23	33	42	65
B. OPERATED	1144	20.9	284	2	4	16	30	45	57	99+
TOTAL 0-19 YRS	293	18.5	143	2	4	17	27	30	39	56
20-34	251	16.6	235	2	3	11	25	43	53	99
35-49	268	19.1	292	2	4	14	27	43	51	95
50-64	501	19.9	272	2	4	15	29	44	54	92
65+	406	22.0	271	3	5	17	31	44	59	99+
GRAND TOTAL	**1719**	**19.6**	**250**	**2**	**4**	**15**	**28**	**43**	**52**	**92**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	6.7	84	1	1	4	8	13	19	85
20-34	105	5.3	55	1	1	4	6	9	13	53
35-49	126	4.8	14	1	1	4	6	10	12	19
50-64	115	6.6	47	1	2	4	8	14	19	39
65+	206	10.7	66	2	3	9	13	21	24	40
B. *Operated*										
0-19 YRS	840	6.2	31	1	2	5	7	12	16	26
20-34	688	5.7	20	2	2	4	7	11	14	26
35-49	343	8.2	94	1	2	5	10	16	21	55
50-64	282	8.6	67	2	2	6	11	18	22	42
65+	186	13.3	107	2	3	11	19	26	32	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	8.8	179	<1	<1	4	10	20	30	77
20-34	120	6.4	38	1	2	4	8	13	16	35
35-49	244	6.9	30	2	3	5	8	13	16	29
50-64	485	10.0	93	2	3	7	13	21	27	39
65+	1700	13.8	112	3	4	11	17	26	35	62
B. *Operated*										
0-19 YRS	278	7.0	57	1	2	5	8	16	22	48
20-34	353	8.4	121	2	2	5	9	19	27	80
35-49	290	10.6	137	2	2	6	13	23	30	57
50-64	442	15.4	154	3	3	12	20	32	38	64
65+	702	21.9	240	4	6	18	28	43	58	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	667	7.3	59	1	2	5	10	15	21	46
B. *Operated*	2339	7.2	51	2	2	5	9	15	20	35
2. MULTIPLE DX										
A. *Not Operated*	2622	12.0	106	2	3	9	15	24	31	55
B. *Operated*	2065	14.6	197	2	3	10	20	33	43	81
1. SINGLE DX	3006	7.2	53	1	2	5	9	15	20	36
2. MULTIPLE DX	4687	13.1	148	2	3	10	17	28	37	69
A. NOT OPERATED	3289	11.0	100	2	3	8	14	23	30	54
B. OPERATED	4404	10.7	133	2	2	6	14	24	34	65
TOTAL 0-19 YRS	1306	6.6	49	1	2	5	8	14	18	39
20-34	1266	6.5	54	1	2	4	8	13	17	40
35-49	1003	8.1	84	1	2	5	10	17	23	50
50-64	1324	11.2	113	2	3	8	15	23	31	55
65+	2794	15.6	154	3	4	12	20	31	41	71
GRAND TOTAL	**7693**	**10.8**	**119**	**2**	**2**	**7**	**14**	**24**	**32**	**60**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.1	6	1	1	2	4	7	9	9
20-34	8	2.8	6	<1	<1	2	4	7	7	7
35-49	6	2.0	2	<1	<1	1	3	4	4	4
50-64	4	8.5	27	3	3	8	12	15	15	15
65+	3	4.3	9	<1	<1	5	6	7	7	7
B. *Operated*										
0-19 YRS	182	5.0	23	1	2	4	6	9	10	28
20-34	182	3.8	8	1	1	3	4	8	10	15
35-49	115	3.8	8	1	2	3	4	8	10	47
50-64	91	4.8	19	<1	2	3	6	10	16	22
65+	22	7.5	31	3	3	5	9	16	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.7	21	<1	<1	1	6	11	12	12
20-34	14	5.8	105	<1	<1	1	5	15	34	39
35-49	11	12.3	150	1	2	5	23	32	34	34
50-64	17	17.4	343	1	2	11	29	62	86	99+
65+	21	21.1	264	2	4	18	29	49	55	57
B. *Operated*										
0-19 YRS	135	5.1	21	2	2	4	6	8	11	32
20-34	162	4.9	47	1	2	3	5	8	11	45
35-49	131	5.1	32	2	2	4	6	9	10	25
50-64	162	6.3	39	2	2	4	8	12	19	55
65+	67	15.1	196	3	3	11	20	38	53	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.5	10	<1	<1	3	5	7	10	15
B. *Operated*	592	4.5	16	1	2	3	5	9	11	21
2. MULTIPLE DX										
A. *Not Operated*	69	14.2	244	1	1	8	25	37	53	93
B. *Operated*	657	6.4	61	2	2	4	7	12	19	54
1. SINGLE DX	627	4.4	15	1	2	3	5	9	11	20
2. MULTIPLE DX	726	7.1	83	1	2	4	7	15	25	60
A. NOT OPERATED	104	10.6	190	<1	1	5	14	30	48	81
B. OPERATED	1249	5.5	40	1	2	4	6	10	15	43
TOTAL 0-19 YRS	337	4.9	21	1	2	4	6	9	11	31
20-34	366	4.3	29	1	1	3	5	8	10	19
35-49	263	4.7	28	1	2	3	5	9	12	33
50-64	274	6.5	58	1	2	4	7	14	20	64
65+	113	14.4	190	3	3	9	19	35	51	76
GRAND TOTAL	**1353**	**5.8**	**53**	**1**	**2**	**4**	**6**	**11**	**18**	**52**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	40	6.5	19	1	1	6	9	13	15	18
35-49	54	9.0	30	3	4	8	12	16	19	26
50-64	37	9.1	41	3	3	7	13	19	21	27
65+	16	8.0	23	2	3	7	11	14	18	20
B. *Operated*										
0-19 YRS	5	4.8	40	1	1	3	6	16	16	16
20-34	26	7.2	39	1	2	5	9	19	21	23
35-49	40	9.1	131	2	2	5	10	19	34	61
50-64	19	7.5	35	1	2	5	13	17	18	18
65+	7	15.7	103	<1	1	19	24	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	31	6.2	17	2	2	5	9	13	13	17
35-49	51	11.4	75	2	3	9	15	22	27	46
50-64	81	8.3	30	2	3	7	10	15	20	31
65+	89	10.8	69	3	3	9	13	21	26	48
B. *Operated*										
0-19 YRS	3	9.0	127	2	2	3	17	22	22	22
20-34	17	11.4	70	1	2	9	14	22	31	35
35-49	30	13.8	63	3	4	13	19	22	31	38
50-64	35	13.6	104	2	4	10	18	32	39	41
65+	25	17.3	107	3	4	15	28	33	35	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	8.2	29	2	3	7	12	16	19	26
B. *Operated*	97	8.5	83	1	2	5	12	20	24	50
2. MULTIPLE DX										
A. *Not Operated*	253	9.6	54	2	3	8	12	18	24	34
B. *Operated*	110	14.0	90	2	3	12	18	30	35	40
1. SINGLE DX	245	8.3	50	2	2	6	12	16	21	31
2. MULTIPLE DX	363	10.9	69	2	3	9	14	21	29	40
A. NOT OPERATED	401	9.1	45	2	3	7	12	17	22	32
B. OPERATED	207	11.4	94	2	2	9	16	23	32	40
TOTAL 0-19 YRS	10	6.7	56	1	1	3	13	19	22	22
20-34	114	7.3	33	1	2	6	10	14	18	27
35-49	175	10.5	74	2	3	8	14	20	26	44
50-64	172	9.4	51	2	3	7	12	18	23	39
65+	137	11.9	79	3	3	10	15	25	30	40
GRAND TOTAL	**608**	**9.9**	**63**	**2**	**3**	**8**	**13**	**19**	**25**	**38**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	4.2	20	1	1	3	6	8	12	29
20-34	237	5.0	12	1	2	4	7	10	12	17
35-49	249	5.6	35	1	1	4	7	10	13	26
50-64	170	5.4	19	1	2	4	7	11	15	23
65+	85	6.6	21	1	2	6	9	13	16	19
B. *Operated*										
0-19 YRS	540	6.7	66	<1	1	3	6	19	25	35
20-34	705	4.5	30	1	1	3	4	9	16	30
35-49	477	4.4	38	1	1	3	5	8	12	24
50-64	620	3.8	12	1	2	3	4	7	10	21
65+	294	4.6	45	1	2	3	5	9	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	155	4.7	16	1	1	4	6	10	13	19
20-34	305	6.0	20	1	2	5	8	12	16	22
35-49	381	6.9	30	1	2	6	9	13	15	33
50-64	420	7.4	34	2	2	6	9	14	18	29
65+	437	10.3	98	2	3	8	13	20	25	48
B. *Operated*										
0-19 YRS	442	6.2	61	1	2	3	5	17	25	36
20-34	686	5.1	43	1	2	3	5	10	16	26
35-49	472	7.0	51	2	2	4	8	16	23	36
50-64	510	7.5	72	2	2	4	9	17	24	42
65+	371	10.3	137	2	2	6	14	24	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	906	5.3	22	1	1	4	7	10	13	20
B. *Operated*	2636	4.8	37	1	1	3	5	10	18	29
2. MULTIPLE DX										
A. *Not Operated*	1698	7.5	48	1	2	6	9	14	19	34
B. *Operated*	2481	7.0	71	1	2	4	8	16	23	42
1. SINGLE DX	3542	4.9	33	1	1	3	5	10	16	27
2. MULTIPLE DX	4179	7.2	62	1	2	5	9	15	21	39
A. NOT OPERATED	2604	6.7	40	1	2	5	8	13	17	30
B. OPERATED	5117	5.8	55	1	2	3	6	14	20	36
TOTAL 0-19 YRS	1302	6.0	53	1	1	3	6	17	23	35
20-34	1933	5.0	31	1	1	3	6	10	15	24
35-49	1579	6.0	41	1	2	4	7	12	17	33
50-64	1720	5.9	39	1	2	4	7	12	18	30
65+	1187	8.6	98	2	2	5	11	19	25	46
GRAND TOTAL	**7721**	**6.1**	**50**	**1**	**2**	**4**	**7**	**13**	**19**	**35**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	5.2	9	<1	<1	6	7	9	10	10
35-49	9	6.7	20	2	2	6	8	14	17	17
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	6.5	13	4	4	6	9	9	9	9
35-49	4	10.3	41	5	5	8	15	19	19	19
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	21	<1	<1	1	7	9	9	9
20-34	25	9.5	45	3	4	7	11	23	25	29
35-49	26	7.8	42	2	2	6	10	17	20	30
50-64	12	9.1	12	3	4	10	11	13	15	15
65+	8	6.9	29	2	2	5	10	16	16	16
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	4	15.8	202	5	5	12	26	35	35	35
35-49	10	11.7	106	3	4	8	16	27	38	38
50-64	6	9.8	10	7	7	9	10	15	16	16
65+	2	9.5	5	8	8	9	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	5.9	15	<1	1	6	8	10	14	17
B. *Operated*	9	6.9	30	<1	1	5	9	16	19	19
2. MULTIPLE DX										
A. *Not Operated*	74	8.3	36	2	3	7	11	15	22	30
B. *Operated*	24	11.1	79	4	5	8	13	20	36	38
1. SINGLE DX	27	6.3	19	<1	1	6	8	11	17	19
2. MULTIPLE DX	98	9.0	47	2	3	7	11	16	24	37
A. NOT OPERATED	92	7.8	33	1	2	7	10	15	18	30
B. OPERATED	33	10.0	68	2	4	8	11	18	33	38
TOTAL 0-19 YRS	6	4.2	9	<1	<1	4	5	9	9	9
20-34	40	9.0	54	2	3	7	10	20	26	35
35-49	49	8.6	51	2	2	7	11	17	20	38
50-64	19	8.9	14	1	3	9	11	14	16	16
65+	11	6.9	25	2	2	5	10	15	16	16
GRAND TOTAL	**125**	**8.4**	**42**	**2**	**3**	**7**	**10**	**16**	**20**	**36**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.7	25	<1	<1	1	2	4	12	29
20-34	4	5.8	8	3	3	5	8	9	9	9
35-49	2	8.0	2	7	7	8	9	9	9	9
50-64	3	1.7	1	1	1	1	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	38	9.7	59	1	2	8	11	17	26	40
20-34	12	11.9	91	1	2	9	15	28	31	32
35-49	8	16.6	68	4	7	15	21	29	30	30
50-64	5	11.0	29	5	5	10	14	19	19	19
65+	2	17.5	365	4	4	17	31	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	7.8	148	<1	1	4	8	15	37	90
20-34	5	6.0	17	1	1	6	9	11	11	11
35-49	7	6.3	7	3	3	6	8	10	11	11
50-64	2	12.5	5	11	11	12	14	14	14	14
65+	8	10.8	68	3	3	8	15	24	27	27
B. *Operated*										
0-19 YRS	77	17.2	299	2	3	13	21	36	83	99+
20-34	8	14.4	194	2	2	10	22	37	41	41
35-49	8	16.1	127	4	5	14	21	34	39	39
50-64	7	19.4	117	8	9	17	30	35	35	35
65+	4	28.0	663	7	7	20	45	65	65	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	3.1	23	<1	<1	1	3	7	10	28
B. *Operated*	65	11.3	71	1	3	9	15	27	30	39
2. MULTIPLE DX										
A. *Not Operated*	113	7.9	126	<1	1	5	9	15	27	85
B. *Operated*	104	17.5	274	3	3	14	24	36	68	99+
1. SINGLE DX	122	7.4	65	<1	<1	4	10	18	28	34
2. MULTIPLE DX	217	12.5	219	1	2	8	15	32	45	99+
A. NOT OPERATED	170	6.3	96	<1	<1	3	7	13	20	76
B. OPERATED	169	15.1	204	2	3	11	18	33	41	96
TOTAL 0-19 YRS	254	10.0	184	<1	<1	6	13	26	37	99
20-34	29	10.7	99	1	2	8	12	28	32	41
35-49	25	12.9	82	3	4	11	16	27	32	39
50-64	17	13.0	95	1	2	12	17	31	35	35
65+	14	16.6	279	3	3	11	25	34	58	65
GRAND TOTAL	**339**	**10.7**	**169**	**<1**	**1**	**7**	**14**	**27**	**36**	**85**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	1.3	1	<1	<1	1	1	2	2	9
20-34	7	1.7		<1	<1	2	2	2	2	2
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	610	2.5	4	<1	1	2	3	4	5	10
20-34	167	2.7	2	<1	<1	2	3	5	6	11
35-49	101	2.8	3	<1	1	2	3	5	6	11
50-64	94	3.2	8	1	2	3	4	4	6	18
65+	93	4.1	18	2	2	3	4	6	11	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	3.2	82	<1	<1	1	2	4	8	61
20-34	8	1.5	1	<1	<1	<1	2	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	4	2.8	12	1	1	1	5	8	8	8
65+	4	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	145	3.4	11	1	1	3	4	6	10	22
20-34	61	3.5	4	1	1	3	4	6	7	13
35-49	44	3.2	4	1	2	3	4	5	7	10
50-64	79	3.4	5	1	2	3	4	6	8	12
65+	119	4.0	8	2	2	3	4	6	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	1.3	1	<1	<1	1	1	2	2	9
B. *Operated*	1065	2.7	5	<1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	69	2.9	63	<1	<1	1	2	4	8	55
B. *Operated*	448	3.6	8	1	1	3	4	6	9	14
1. SINGLE DX	1250	2.5	5	<1	<1	2	3	4	6	11
2. MULTIPLE DX	517	3.5	15	<1	1	3	4	6	9	17
A. NOT OPERATED	254	1.7	18	<1	<1	1	1	2	3	11
B. OPERATED	1513	3.0	6	<1	1	2	4	5	6	13
TOTAL 0-19 YRS	982	2.4	9	<1	<1	2	3	4	6	12
20-34	243	2.8	3	<1	<1	2	4	5	6	11
35-49	148	3.0	3	<1	1	2	4	5	6	11
50-64	178	3.3	6	1	2	3	4	5	7	12
65+	216	4.0	12	2	2	3	4	6	10	17
GRAND TOTAL	**1767**	**2.8**	**8**	**<1**	**<1**	**2**	**3**	**5**	**6**	**13**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	3.8	11	<1	<1	3	5	8	11	15
20-34	18	4.2	15	1	1	3	7	9	13	15
35-49	8	5.8	12	<1	1	5	8	10	11	11
50-64	11	6.1	32	1	1	2	12	14	15	15
65+	4	2.5	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	411	4.5	20	1	2	2	7	11	13	23
20-34	94	7.7	86	1	2	3	11	19	30	46
35-49	56	6.6	100	2	2	3	9	13	15	69
50-64	41	6.7	69	2	2	2	8	19	24	40
65+	17	10.6	98	2	2	5	19	25	31	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	5.6	70	<1	1	3	6	11	14	47
20-34	51	6.3	35	2	2	4	8	13	22	30
35-49	27	7.7	76	<1	1	6	9	13	35	36
50-64	40	8.4	58	2	3	6	9	18	30	32
65+	48	11.3	78	3	3	8	15	22	33	38
B. *Operated*										
0-19 YRS	438	6.4	93	1	2	2	8	14	24	55
20-34	95	9.6	96	2	2	5	14	25	37	99+
35-49	68	8.0	54	2	2	4	12	20	28	86
50-64	111	11.8	136	2	2	8	18	26	30	56
65+	55	13.5	91	2	3	13	17	24	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	4.3	15	<1	1	3	6	10	14	15
B. *Operated*	619	5.5	44	1	2	2	7	12	17	33
2. MULTIPLE DX										
A. *Not Operated*	311	7.1	68	1	1	5	8	15	23	37
B. *Operated*	767	8.2	101	2	2	3	11	20	28	57
1. SINGLE DX	701	5.4	41	1	2	2	7	12	16	32
2. MULTIPLE DX	1078	7.9	92	1	2	4	10	19	27	53
A. NOT OPERATED	393	6.5	58	1	1	4	8	13	21	37
B. OPERATED	1386	7.0	78	1	2	3	9	17	25	50
TOTAL 0-19 YRS	1035	5.4	58	1	2	2	7	12	16	45
20-34	258	7.9	77	1	2	4	11	20	30	50
35-49	159	7.3	71	2	2	4	10	16	22	68
50-64	203	9.8	106	2	2	6	14	25	29	52
65+	124	11.9	87	2	3	10	16	23	31	46
GRAND TOTAL	**1779**	**6.9**	**73**	**1**	**2**	**3**	**9**	**16**	**24**	**47**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.2	21	<1	<1	2	5	12	13	13
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	233	5.4	39	2	2	5	7	8	9	12
20-34	15	4.3	9	2	2	3	6	9	11	12
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	1.8	3	<1	<1	1	2	4	6	8
20-34										
35-49										
50-64	1	21.0		21	21	21	21	21	21	21
65+										
B. *Operated*										
0-19 YRS	173	5.1	7	2	2	5	6	8	9	14
20-34	18	3.9	11	1	1	3	4	7	12	15
35-49	4	4.3	5	2	2	4	6	7	7	7
50-64	3	8.3	50	2	2	7	14	16	16	16
65+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.2	21	<1	<1	2	5	12	13	13
B. *Operated*	251	5.4	37	2	2	5	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	36	2.3	13	<1	<1	1	2	5	8	21
B. *Operated*	199	5.1	9	2	2	5	6	8	10	16
1. SINGLE DX	257	5.3	36	2	2	5	7	8	9	13
2. MULTIPLE DX	235	4.6	10	1	1	4	6	8	9	17
A. NOT OPERATED	42	2.6	14	<1	<1	1	3	6	10	21
B. OPERATED	450	5.2	24	2	2	5	6	8	9	15
TOTAL 0-19 YRS	447	5.0	24	1	2	5	6	8	9	13
20-34	33	4.1	10	1	2	3	5	8	12	15
35-49	6	3.8	4	2	2	3	5	7	7	7
50-64	4	11.5	74	2	2	11	18	21	21	21
65+	2	11.5	25	8	8	11	15	15	15	15
GRAND TOTAL	**492**	**5.0**	**24**	**1**	**2**	**5**	**6**	**8**	**9**	**15**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	4.5	21	1	2	3	4	9	12	28
B. *Operated*										
0-19 YRS	264	4.8	5	2	2	4	6	8	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	5.1	13	<1	1	5	6	11	13	15
B. *Operated*										
0-19 YRS	51	7.0	11	3	3	6	9	11	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	4.5	21	1	2	3	4	9	12	28
B. *Operated*	264	4.8	5	2	2	4	6	8	8	13
2. MULTIPLE DX										
A. *Not Operated*	21	5.1	13	<1	1	5	6	11	13	15
B. *Operated*	51	7.0	11	3	3	6	9	11	13	20
1. SINGLE DX	309	4.7	7	2	2	4	6	8	9	13
2. MULTIPLE DX	72	6.4	12	2	2	6	8	11	13	19
A. NOT OPERATED	66	4.7	18	1	2	4	5	10	13	26
B. OPERATED	315	5.1	6	2	2	5	6	8	10	13
TOTAL 0-19 YRS	381	5.0	8	2	2	4	6	8	10	15
GRAND TOTAL	**381**	**5.0**	**8**	**2**	**2**	**4**	**6**	**8**	**10**	**15**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	3.9	31	<1	<1	2	4	9	13	31
20-34	12	3.2	3	1	1	3	4	6	7	7
35-49	5	2.6	3	<1	<1	2	4	5	5	5
50-64	16	4.0	6	<1	<1	3	6	7	8	9
65+	4	3.0	11	<1	<1	1	5	8	8	8
B. *Operated*										
0-19 YRS	300	5.5	65	<1	1	3	5	13	18	48
20-34	102	4.0	8	1	1	3	5	8	9	16
35-49	47	4.7	23	<1	1	3	5	11	14	24
50-64	27	7.3	178	1	1	3	8	12	24	71
65+	22	9.4	87	1	2	6	13	24	31	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	6.8	63	1	1	4	7	15	24	45
20-34	11	5.9	28	<1	1	5	7	14	19	20
35-49	12	4.8	7	1	2	4	6	9	10	10
50-64	21	5.2	13	1	1	4	7	10	12	14
65+	44	8.7	40	2	3	7	11	16	21	34
B. *Operated*										
0-19 YRS	229	9.1	139	1	2	4	12	20	38	99+
20-34	79	6.7	40	2	2	4	8	14	20	30
35-49	56	9.2	74	1	1	7	13	17	24	48
50-64	62	7.8	40	1	2	6	10	18	19	28
65+	60	13.7	141	1	2	12	18	31	49	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	3.7	24	<1	<1	2	4	8	12	21
B. *Operated*	498	5.4	57	<1	1	3	5	12	17	46
2. MULTIPLE DX										
A. *Not Operated*	167	6.9	45	1	1	5	8	14	20	40
B. *Operated*	486	9.1	106	1	2	6	13	19	29	77
1. SINGLE DX	632	5.0	51	<1	1	3	5	11	16	44
2. MULTIPLE DX	653	8.6	92	1	2	5	11	19	28	66
A. NOT OPERATED	301	5.5	38	<1	1	4	7	11	15	37
B. OPERATED	984	7.2	85	1	1	4	9	16	24	60
TOTAL 0-19 YRS	705	6.6	88	<1	1	4	7	15	23	63
20-34	204	5.1	23	1	1	3	6	10	14	29
35-49	120	6.7	49	1	1	4	9	15	21	35
50-64	126	6.8	62	1	1	4	9	15	18	38
65+	130	10.9	100	1	2	8	15	23	35	61
GRAND TOTAL	**1285**	**6.8**	**74**	**<1**	**1**	**4**	**8**	**16**	**22**	**50**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.0	2	<1	<1	1	3	4	5	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	701	3.3	3	<1	1	3	4	6	7	9
20-34	46	4.2	4	2	2	4	5	7	8	11
35-49	11	4.1	5	1	1	4	6	7	8	8
50-64	4	3.8	2	3	3	3	5	6	6	6
65+	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	1.6	2	<1	<1	1	2	4	5	8
20-34	3	2.3		2	2	2	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	605	3.4	5	<1	1	3	4	6	8	10
20-34	55	5.1	17	2	2	4	6	8	12	26
35-49	15	7.0	14	2	3	6	10	11	14	15
50-64	5	3.8	3	2	2	4	5	6	6	6
65+	6	5.2	11	1	1	6	6	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.0	2	<1	<1	1	3	4	5	5
B. *Operated*	765	3.3	3	<1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	56	1.6	2	<1	<1	1	2	4	5	8
B. *Operated*	686	3.6	6	<1	1	3	5	6	8	12
1. SINGLE DX	785	3.3	3	<1	1	3	4	6	7	9
2. MULTIPLE DX	742	3.5	6	<1	1	3	4	6	8	11
A. NOT OPERATED	76	1.7	2	<1	<1	1	2	4	5	7
B. OPERATED	1451	3.5	5	<1	1	3	4	6	7	10
TOTAL 0-19 YRS	1378	3.2	4	<1	1	3	4	6	7	9
20-34	105	4.6	11	2	2	4	5	7	9	21
35-49	26	5.8	12	1	2	5	8	11	12	15
50-64	9	3.8	2	2	2	3	5	6	6	6
65+	9	4.2	9	1	1	4	6	9	10	10
GRAND TOTAL	**1527**	**3.4**	**5**	**<1**	**1**	**3**	**4**	**6**	**7**	**10**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	2.4	5	<1	<1	2	3	5	7	12
20-34	21	3.7	20	<1	<1	2	4	8	16	20
35-49	14	3.9	4	1	2	4	5	7	8	8
50-64	9	4.7	17	<1	<1	3	6	12	13	13
65+	9	2.6	5	1	1	2	3	6	8	8
B. *Operated*										
0-19 YRS	592	5.4	26	<1	<1	3	8	13	15	25
20-34	257	4.2	13	<1	<1	3	6	8	12	19
35-49	54	5.8	22	1	1	4	8	13	16	21
50-64	46	4.4	17	1	2	3	5	9	14	22
65+	24	6.9	22	1	2	6	10	14	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	2.6	6	<1	<1	2	3	7	8	10
20-34	37	6.1	28	1	1	5	8	13	19	24
35-49	32	8.3	106	2	2	6	10	13	19	60
50-64	60	9.5	76	2	2	7	12	20	30	95
65+	42	9.4	27	3	4	8	13	16	19	24
B. *Operated*										
0-19 YRS	393	6.2	38	<1	1	4	9	15	18	31
20-34	251	5.9	24	1	2	5	8	11	15	26
35-49	124	8.2	62	1	2	6	10	16	25	41
50-64	126	8.8	70	1	2	7	12	19	26	41
65+	94	10.8	146	2	2	8	14	22	27	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	3.2	10	<1	<1	2	4	7	10	17
B. *Operated*	973	5.1	22	<1	<1	3	7	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	221	7.2	54	<1	1	5	10	15	20	54
B. *Operated*	988	7.2	54	1	1	5	9	16	21	35
1. SINGLE DX	1064	4.9	21	<1	<1	3	7	12	14	21
2. MULTIPLE DX	1209	7.2	54	1	1	5	9	15	21	36
A. NOT OPERATED	312	6.0	44	<1	1	4	8	13	18	44
B. OPERATED	1961	6.1	39	<1	1	4	8	14	17	30
TOTAL 0-19 YRS	1073	5.5	30	<1	<1	3	8	13	16	26
20-34	566	5.1	20	<1	1	4	7	11	13	22
35-49	224	7.4	56	1	2	5	9	15	21	41
50-64	241	8.0	63	1	2	6	10	17	23	49
65+	169	9.5	95	2	2	7	13	19	24	60
GRAND TOTAL	**2273**	**6.1**	**40**	**<1**	**1**	**4**	**8**	**14**	**17**	**30**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.5	1	<1	<1	1	2	3	3	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	250	4.9	45	1	2	4	6	8	10	25
20-34	30	7.2	26	2	3	6	8	13	18	26
35-49	5	8.8	21	4	4	9	11	16	16	16
50-64	7	8.4	29	3	3	6	14	16	16	16
65+	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	1.4	1	<1	<1	1	1	3	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	144	5.8	24	2	3	5	6	9	13	31
20-34	55	5.5	4	3	3	5	7	8	10	11
35-49	40	5.4	4	2	3	5	7	8	9	10
50-64	39	5.8	5	3	3	6	6	9	11	13
65+	10	7.6	14	3	3	7	11	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	1.5	1	<1	<1	1	2	3	3	4
B. *Operated*	294	5.3	42	2	2	4	6	9	13	26
2. MULTIPLE DX										
A. *Not Operated*	37	1.4	1	<1	<1	1	1	3	4	4
B. *Operated*	288	5.8	14	3	3	5	6	9	11	25
1. SINGLE DX	315	5.0	40	1	2	4	6	9	12	25
2. MULTIPLE DX	325	5.3	15	1	2	5	6	9	10	23
A. NOT OPERATED	58	1.4	1	<1	<1	1	2	3	4	4
B. OPERATED	582	5.5	29	2	2	5	6	9	11	26
TOTAL 0-19 YRS	447	4.8	34	1	1	4	6	8	10	27
20-34	88	6.0	13	2	3	5	7	10	12	23
35-49	46	5.7	7	2	3	5	7	9	10	16
50-64	47	6.1	9	3	3	6	7	10	13	16
65+	12	7.1	14	2	3	6	10	12	13	13
GRAND TOTAL	**640**	**5.2**	**27**	**1**	**2**	**4**	**6**	**9**	**11**	**25**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	3.8	24	<1	<1	2	4	9	11	27
20-34	50	5.1	13	<1	1	4	7	10	13	14
35-49	45	8.4	89	1	2	6	11	15	17	62
50-64	39	8.8	37	1	2	8	10	19	24	26
65+	15	12.4	43	4	4	10	15	25	26	27
B. *Operated*										
0-19 YRS	1128	5.0	33	1	1	3	6	10	14	28
20-34	580	4.1	21	<1	1	3	4	9	14	24
35-49	275	5.4	59	<1	1	3	5	13	17	29
50-64	158	7.1	40	2	2	5	10	15	19	34
65+	31	9.2	56	2	2	7	13	22	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	222	5.4	54	<1	1	3	6	13	18	47
20-34	84	9.8	100	1	2	7	12	19	34	52
35-49	87	9.4	66	1	2	7	11	19	28	80
50-64	104	9.7	33	3	3	9	12	18	21	28
65+	98	13.7	109	3	5	11	17	27	43	99+
B. *Operated*										
0-19 YRS	422	7.7	90	2	2	4	8	20	27	61
20-34	339	5.4	64	1	1	3	5	11	17	38
35-49	217	8.4	81	1	2	4	12	19	27	46
50-64	199	11.0	132	1	2	7	14	25	33	65
65+	80	15.7	190	2	3	12	24	37	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	344	5.5	39	<1	1	3	8	12	15	27
B. *Operated*	2172	5.0	35	<1	1	3	5	11	15	28
2. MULTIPLE DX										
A. *Not Operated*	595	8.7	76	1	1	7	11	19	26	58
B. *Operated*	1257	8.2	101	1	2	4	10	20	29	57
1. SINGLE DX	2516	5.1	35	<1	1	3	6	11	15	28
2. MULTIPLE DX	1852	8.4	93	1	2	5	11	20	28	57
A. NOT OPERATED	939	7.6	64	<1	1	5	10	17	23	51
B. OPERATED	3429	6.2	61	1	1	3	7	14	21	42
TOTAL 0-19 YRS	1967	5.5	48	<1	1	3	6	11	18	40
20-34	1053	5.0	43	<1	1	3	5	11	16	36
35-49	624	7.2	72	1	1	4	10	16	21	44
50-64	500	9.3	78	2	2	7	12	19	25	39
65+	224	13.7	129	2	3	11	19	27	42	99+
GRAND TOTAL	**4368**	**6.5**	**62**	**1**	**1**	**4**	**8**	**15**	**22**	**42**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	778	4.6	30	1	1	3	5	10	15	29
B. *Operated*										
0-19 YRS	37	7.8	52	<1	1	5	14	21	25	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	508	10.7	147	2	2	7	14	28	51	99+
B. *Operated*										
0-19 YRS	56	15.8	319	2	2	15	73	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	778	4.6	30	1	1	3	5	10	15	29
B. *Operated*	37	7.8	52	<1	1	5	14	21	25	99+
2. MULTIPLE DX										
A. *Not Operated*	508	10.7	147	2	2	7	14	28	51	99+
B. *Operated*	56	15.8	319	2	2	15	73	99+	99+	99+
1. SINGLE DX	815	4.8	32	1	1	3	5	10	16	29
2. MULTIPLE DX	564	11.2	166	2	2	7	16	36	99+	99+
A. NOT OPERATED	1286	7.0	85	1	2	4	8	17	27	99+
B. OPERATED	93	12.6	227	1	2	10	25	99+	99+	99+
TOTAL 0-19 YRS	1379	7.4	97	1	2	4	9	20	32	99+
GRAND TOTAL	**1379**	**7.4**	**97**	**1**	**2**	**4**	**9**	**20**	**32**	**99+**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1639	3.7	9	1	1	3	5	7	9	16
20-34	648	4.7	21	1	1	4	6	8	12	22
35-49	305	5.2	36	1	1	4	6	9	11	20
50-64	303	5.5	21	1	2	4	7	10	13	21
65+	184	6.2	25	1	2	5	8	13	17	34
B. *Operated*										
0-19 YRS	34	5.4	15	1	2	4	9	11	13	16
20-34	23	4.3	4	2	2	4	5	7	8	9
35-49	18	5.7	12	1	2	5	7	10	13	15
50-64	7	7.9	17	3	3	6	12	13	13	13
65+	7	7.7	20	2	3	7	9	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1836	4.5	19	1	1	3	5	8	11	25
20-34	817	6.5	38	1	2	5	8	13	18	37
35-49	848	7.3	40	1	2	6	9	14	18	28
50-64	916	9.0	77	2	3	7	11	17	23	50
65+	992	10.7	100	2	3	8	13	20	28	57
B. *Operated*										
0-19 YRS	63	9.4	174	1	2	6	10	17	27	81
20-34	67	9.1	54	2	2	8	12	17	24	89
35-49	94	11.4	130	2	2	8	14	27	35	54
50-64	97	17.2	200	3	4	14	22	31	55	89
65+	114	18.2	213	3	5	15	24	36	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3079	4.4	17	1	1	3	5	8	11	19
B. *Operated*	89	5.6	13	2	2	5	7	10	13	16
2. MULTIPLE DX										
A. *Not Operated*	5409	7.1	55	1	2	5	9	14	19	38
B. *Operated*	435	13.8	176	2	2	10	18	29	42	90
1. SINGLE DX	3168	4.4	17	1	1	3	5	8	11	19
2. MULTIPLE DX	5844	7.6	67	1	2	5	9	15	22	45
A. NOT OPERATED	8488	6.1	43	1	2	4	7	12	17	34
B. OPERATED	524	12.4	158	2	2	9	16	27	38	86
TOTAL 0-19 YRS	3572	4.2	18	1	1	3	5	7	10	21
20-34	1555	5.8	32	1	1	4	7	12	16	35
35-49	1265	7.0	47	1	2	5	9	14	18	35
50-64	1323	8.8	80	2	2	7	11	17	24	55
65+	1297	10.7	106	2	3	8	13	21	29	71
GRAND TOTAL	**9012**	**6.5**	**52**	**1**	**2**	**4**	**8**	**13**	**18**	**37**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	455	3.8	14	1	1	3	5	7	8	13
20-34	118	5.3	12	1	2	4	7	10	13	17
35-49	53	6.7	23	1	2	6	8	11	13	31
50-64	85	7.0	30	1	3	5	9	14	16	31
65+	72	8.0	17	3	3	7	11	13	15	21
B. *Operated*										
0-19 YRS	14	12.2	247	3	3	7	15	27	55	63
20-34	17	11.2	39	4	5	11	15	21	24	25
35-49	14	14.1	166	1	1	10	19	39	40	40
50-64	16	13.7	81	2	3	11	20	28	29	30
65+	15	15.3	102	3	3	14	21	29	37	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	615	4.3	16	1	2	3	5	8	10	17
20-34	204	6.5	25	2	2	5	8	12	16	22
35-49	144	7.2	21	2	3	6	9	14	17	28
50-64	291	8.6	65	2	3	6	10	15	23	53
65+	524	10.5	69	3	4	8	13	20	27	52
B. *Operated*										
0-19 YRS	36	9.6	143	2	2	8	11	17	21	73
20-34	39	20.3	333	3	4	13	27	50	62	75
35-49	52	15.8	147	3	4	13	18	35	47	49
50-64	100	17.5	148	5	6	14	21	30	37	70
65+	110	18.4	117	5	7	16	23	35	40	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	783	5.0	19	1	2	4	6	10	12	19
B. *Operated*	76	13.3	117	2	3	10	17	27	36	57
2. MULTIPLE DX										
A. *Not Operated*	1778	7.3	47	2	2	5	9	14	20	38
B. *Operated*	337	17.0	165	3	5	14	21	34	42	73
1. SINGLE DX	859	5.7	33	1	2	4	7	11	15	29
2. MULTIPLE DX	2115	8.9	79	2	2	6	11	18	27	50
A. NOT OPERATED	2561	6.6	40	1	2	5	8	13	17	32
B. OPERATED	413	16.3	158	3	5	13	21	33	41	69
TOTAL 0-19 YRS	1120	4.4	24	1	2	3	5	8	10	21
20-34	378	7.8	72	2	2	5	9	15	20	51
35-49	263	9.1	66	2	3	7	11	17	27	48
50-64	492	10.3	90	3	3	7	12	21	29	52
65+	721	11.6	81	3	4	9	15	23	30	56
GRAND TOTAL	**2974**	**8.0**	**67**	**2**	**2**	**5**	**10**	**16**	**23**	**45**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	3.6	5	1	1	3	4	6	7	11
20-34	247	4.7	16	1	1	4	6	10	11	23
35-49	164	5.0	15	1	1	4	6	10	13	19
50-64	67	5.1	11	1	2	4	6	9	13	17
65+	34	6.2	22	1	2	5	8	12	15	21
B. *Operated*										
0-19 YRS	5	3.6	3	2	2	3	5	6	6	6
20-34	26	6.4	28	1	2	5	8	17	19	20
35-49	33	6.2	58	1	2	4	7	14	16	42
50-64	16	3.9	7	2	2	3	4	6	11	13
65+	9	5.8	30	1	1	2	10	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133	4.5	10	1	1	4	6	8	10	18
20-34	299	5.8	17	1	2	5	8	11	14	23
35-49	239	6.4	22	2	2	5	8	12	15	26
50-64	181	6.8	19	2	2	6	9	13	14	21
65+	166	7.4	27	2	2	6	9	15	18	88
B. *Operated*										
0-19 YRS	10	6.6	13	2	2	6	10	11	11	11
20-34	35	8.6	53	2	3	7	10	16	25	37
35-49	33	8.4	20	3	4	7	10	13	19	20
50-64	41	9.2	48	1	2	8	13	18	19	35
65+	30	9.1	29	2	3	8	13	17	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	677	4.6	13	1	1	4	6	9	12	19
B. *Operated*	89	5.6	34	1	2	4	7	13	16	33
2. MULTIPLE DX										
A. *Not Operated*	1018	6.2	20	1	2	5	8	12	15	25
B. *Operated*	149	8.7	36	2	3	7	11	17	19	35
1. SINGLE DX	766	4.8	16	1	1	4	6	9	12	19
2. MULTIPLE DX	1167	6.5	23	1	2	5	8	12	16	25
A. NOT OPERATED	1695	5.6	18	1	2	5	7	11	14	22
B. OPERATED	238	7.6	38	2	2	6	10	16	19	35
TOTAL 0-19 YRS	313	4.1	8	1	1	3	5	7	10	16
20-34	607	5.6	20	1	2	4	7	11	14	25
35-49	469	6.1	23	1	2	5	8	12	15	24
50-64	305	6.6	22	2	2	5	9	13	15	21
65+	239	7.4	27	2	2	6	9	15	18	43
GRAND TOTAL	**1933**	**5.8**	**21**	**1**	**2**	**5**	**8**	**11**	**15**	**23**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.5	3	1	1	2	4	5	6	7
20-34	78	3.7	5	1	1	3	5	7	8	10
35-49	95	4.1	5	1	2	4	6	7	8	11
50-64	161	4.2	5	1	2	4	5	7	8	11
65+	163	4.5	10	1	1	4	5	8	10	20
B. *Operated*										
0-19 YRS	65	2.4	5	<1	<1	1	2	6	8	10
20-34	47	5.1	9	1	2	5	7	8	10	18
35-49	57	4.7	4	1	2	5	6	7	8	12
50-64	113	5.2	6	2	3	5	6	8	9	16
65+	97	6.2	92	1	2	5	7	8	11	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.5	7	<1	1	3	5	7	10	10
20-34	37	4.6	10	1	1	4	6	8	12	14
35-49	93	5.2	11	1	2	5	7	8	11	21
50-64	257	5.7	19	1	2	5	7	9	14	26
65+	461	5.9	32	1	2	5	7	12	14	20
B. *Operated*										
0-19 YRS	15	3.1	12	<1	1	2	3	5	12	15
20-34	36	5.8	15	1	2	5	8	10	12	18
35-49	63	6.7	19	2	3	6	8	10	16	25
50-64	183	7.4	29	2	3	6	9	13	17	29
65+	189	7.8	40	2	3	6	10	15	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	533	4.1	6	1	1	4	5	7	8	12
B. *Operated*	379	4.9	29	1	1	5	6	8	9	15
2. MULTIPLE DX										
A. *Not Operated*	889	5.6	24	1	2	5	7	10	13	21
B. *Operated*	486	7.2	31	2	2	6	9	13	18	27
1. SINGLE DX	912	4.4	16	1	1	4	6	8	9	13
2. MULTIPLE DX	1375	6.2	27	1	2	5	8	11	15	25
A. NOT OPERATED	1422	5.0	18	1	2	4	6	9	12	19
B. OPERATED	865	6.2	32	1	2	5	7	11	15	25
TOTAL 0-19 YRS	157	2.8	6	<1	1	2	4	6	8	10
20-34	198	4.6	9	1	1	4	6	8	10	15
35-49	308	5.1	10	1	2	5	6	8	10	20
50-64	714	5.7	18	2	2	5	7	9	13	24
65+	910	6.1	37	1	2	5	7	11	14	23
GRAND TOTAL	**2287**	**5.5**	**24**	**1**	**2**	**5**	**7**	**10**	**13**	**22**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.2	6	<1	<1	2	4	7	9	11
20-34	36	4.1	8	1	1	3	6	8	10	12
35-49	25	4.8	40	<1	1	2	5	15	20	28
50-64	28	3.9	9	<1	1	3	5	8	10	12
65+	18	9.4	176	1	1	5	8	27	45	54
B. *Operated*										
0-19 YRS	208	2.3	3	<1	1	2	2	4	5	11
20-34	247	3.1	10	<1	<1	2	3	7	8	15
35-49	113	3.5	21	<1	1	2	4	5	9	27
50-64	93	4.3	21	<1	1	2	5	9	15	25
65+	43	5.4	38	<1	2	3	6	12	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	5.0	14	1	2	4	6	11	14	15
20-34	62	4.9	29	1	1	4	6	9	12	37
35-49	49	7.5	137	1	2	4	8	15	24	78
50-64	93	9.4	65	1	2	8	14	22	28	73
65+	132	12.0	103	2	3	10	16	21	27	53
B. *Operated*										
0-19 YRS	47	4.5	28	1	1	3	5	9	18	29
20-34	87	7.2	50	1	2	5	9	16	19	41
35-49	81	5.8	42	<1	1	4	7	11	16	37
50-64	90	7.8	61	2	2	5	9	19	27	32
65+	83	15.9	225	2	2	11	25	33	43	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	4.6	36	1	1	3	6	9	12	33
B. *Operated*	704	3.2	14	<1	1	2	3	6	9	19
2. MULTIPLE DX										
A. *Not Operated*	380	8.8	83	1	2	6	12	19	25	43
B. *Operated*	388	8.6	100	1	2	5	11	22	29	49
1. SINGLE DX	850	3.5	18	<1	1	2	4	7	10	21
2. MULTIPLE DX	768	8.7	92	1	2	5	11	20	27	47
A. NOT OPERATED	526	7.6	74	1	1	5	9	16	23	41
B. OPERATED	1092	5.1	51	<1	1	3	5	12	19	35
TOTAL 0-19 YRS	338	3.1	9	<1	1	2	3	6	8	16
20-34	432	4.3	23	<1	1	3	5	8	13	22
35-49	268	5.0	52	1	1	3	5	11	16	37
50-64	304	6.9	50	1	2	4	9	16	24	32
65+	276	12.0	145	2	2	8	16	27	32	63
GRAND TOTAL	**1618**	**5.9**	**60**	**<1**	**1**	**3**	**7**	**14**	**21**	**37**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	7.5	13	5	5	7	10	10	10	10
35-49	2	6.5	1	6	6	6	7	7	7	7
50-64	6	13.2	29	7	7	13	18	20	20	20
65+	25	16.0	218	4	5	10	19	34	53	59
B. *Operated*										
0-19 YRS	19	5.0	50	<1	1	2	6	13	24	30
20-34	21	4.9	13	<1	1	3	8	10	11	12
35-49	29	11.7	174	2	2	7	14	29	34	63
50-64	59	15.9	223	2	3	12	22	40	67	99+
65+	150	21.5	177	5	6	19	29	44	49	99
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	2	4	4	5	6	7	7	7
20-34	5	17.0	222	2	2	14	26	40	40	40
35-49	11	14.6	105	3	4	14	24	30	31	31
50-64	62	16.3	150	4	5	12	24	29	44	63
65+	182	15.5	200	3	4	13	19	35	57	99+
B. *Operated*										
0-19 YRS	16	9.7	120	<1	<1	8	21	82	99+	99+
20-34	33	17.3	385	2	2	13	25	80	99+	99+
35-49	90	20.0	340	2	3	16	30	45	89	99+
50-64	350	30.1	378	7	10	20	46	75	99+	99+
65+	1085	31.8	426	8	11	28	45	72	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	14.2	166	4	5	10	15	32	46	59
B. *Operated*	278	16.9	199	2	2	14	25	36	47	99+
2. MULTIPLE DX										
A. *Not Operated*	263	15.5	182	3	4	12	19	31	49	99+
B. *Operated*	1574	30.2	421	5	9	27	43	72	99	99+
1. SINGLE DX	314	16.6	195	2	2	13	25	36	47	99+
2. MULTIPLE DX	1837	28.1	414	4	7	24	41	69	95	99+
A. NOT OPERATED	299	15.4	180	3	4	12	19	31	50	99+
B. OPERATED	1852	28.2	410	3	7	25	41	69	94	99+
TOTAL 0-19 YRS	39	6.9	77	<1	1	4	9	28	67	99+
20-34	61	12.7	260	1	2	8	18	45	87	99+
35-49	132	17.5	290	2	3	13	26	40	60	99+
50-64	477	26.4	363	4	7	22	40	65	99+	99+
65+	1442	28.4	405	5	8	24	40	67	91	99+
GRAND TOTAL	**2151**	**26.5**	**398**	**3**	**6**	**22**	**38**	**66**	**91**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	3.1	5	1	1	3	4	5	6	14
20-34	407	3.8	12	1	1	3	5	7	8	16
35-49	1217	4.0	8	1	2	3	5	7	9	15
50-64	947	4.3	10	1	2	4	5	8	9	17
65+	294	4.5	34	1	1	4	5	8	10	16
B. *Operated*										
0-19 YRS	7	4.1	16	2	2	3	4	11	13	13
20-34	36	5.2	28	2	2	3	6	12	16	27
35-49	206	3.8	14	2	2	2	4	8	10	16
50-64	201	3.6	10	2	2	2	4	8	11	13
65+	20	5.0	17	2	2	3	8	12	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	3.9	5	1	1	3	5	7	9	10
20-34	537	4.5	8	1	2	4	6	8	10	14
35-49	1949	5.2	12	2	2	4	7	9	11	18
50-64	2665	5.6	18	2	2	5	7	10	13	21
65+	1537	6.2	19	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	4	11.3	251	3	3	4	19	35	35	35
20-34	65	6.6	31	2	2	5	8	12	17	30
35-49	274	5.9	26	2	2	4	8	12	16	25
50-64	372	6.7	41	2	2	4	9	14	17	31
65+	134	10.5	67	2	2	8	14	22	28	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2935	4.1	12	1	1	3	5	7	9	16
B. *Operated*	470	3.9	14	2	2	2	4	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	6757	5.5	16	2	2	5	7	10	13	21
B. *Operated*	849	7.0	43	2	2	5	10	15	18	31
1. SINGLE DX	3405	4.1	12	1	2	3	5	8	9	16
2. MULTIPLE DX	7606	5.7	19	2	2	5	7	10	13	23
A. NOT OPERATED	9692	5.1	15	1	2	4	6	9	12	20
B. OPERATED	1319	5.9	35	2	2	3	8	13	16	30
TOTAL 0-19 YRS	150	3.7	12	1	1	3	5	6	9	15
20-34	1045	4.4	12	1	1	4	5	8	10	16
35-49	3646	4.8	12	1	2	4	6	9	11	17
50-64	4185	5.3	18	2	2	4	7	10	13	22
65+	1985	6.2	26	2	2	5	8	11	15	26
GRAND TOTAL	**11011**	**5.2**	**17**	**1**	**2**	**4**	**7**	**10**	**12**	**22**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	3.4	7	1	1	3	4	6	9	11
20-34	42	3.2	7	<1	<1	2	4	7	8	14
35-49	41	4.0	14	<1	1	3	5	9	12	18
50-64	47	5.9	53	<1	1	4	7	10	20	37
65+	49	5.7	41	<1	1	3	7	13	16	38
B. *Operated*										
0-19 YRS	25	5.4	72	<1	<1	2	5	12	28	38
20-34	47	4.0	17	<1	1	3	5	8	11	25
35-49	85	4.0	22	<1	<1	2	5	9	11	27
50-64	135	5.1	21	1	1	4	7	10	13	23
65+	74	5.3	19	<1	2	4	6	10	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	170	4.5	18	1	1	3	6	8	13	22
20-34	71	5.2	32	1	1	3	6	10	14	34
35-49	120	6.8	42	1	1	5	9	17	23	29
50-64	298	8.5	61	1	2	7	11	16	21	39
65+	545	10.5	85	2	3	8	13	21	27	64
B. *Operated*										
0-19 YRS	29	9.0	48	1	2	7	12	18	21	30
20-34	45	6.0	33	2	2	5	8	12	21	99+
35-49	121	7.5	51	1	2	6	9	14	21	42
50-64	289	9.2	74	2	2	7	11	18	23	43
65+	306	12.4	162	2	3	9	15	23	41	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	328	4.2	20	<1	1	3	5	9	10	23
B. *Operated*	366	4.8	24	<1	1	3	6	10	13	25
2. MULTIPLE DX										
A. *Not Operated*	1204	8.5	67	1	2	6	11	17	24	42
B. *Operated*	790	10.0	105	2	2	7	12	18	28	62
1. SINGLE DX	694	4.5	22	<1	1	3	6	9	12	25
2. MULTIPLE DX	1994	9.1	83	1	2	7	11	18	26	50
A. NOT OPERATED	1532	7.5	60	1	1	5	10	16	22	40
B. OPERATED	1156	8.3	85	1	2	6	10	17	23	50
TOTAL 0-19 YRS	373	4.5	21	1	1	3	6	9	13	24
20-34	205	4.7	25	<1	1	3	6	10	14	35
35-49	367	6.1	39	1	1	4	8	13	18	30
50-64	769	8.0	61	1	2	6	10	16	21	40
65+	974	10.4	106	2	2	8	12	20	28	64
GRAND TOTAL	**2688**	**7.9**	**71**	**1**	**2**	**6**	**10**	**16**	**23**	**45**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	4.0	94	1	1	2	4	5	5	64
20-34	393	2.6	5	1	1	2	3	5	7	10
35-49	439	2.8	5	1	1	2	3	5	6	10
50-64	317	3.1	4	1	1	3	4	6	7	10
65+	151	4.0	13	1	1	3	5	7	10	22
B. *Operated*										
0-19 YRS	174	2.3	8	<1	<1	1	2	4	7	20
20-34	87	4.7	10	<1	1	4	6	9	12	15
35-49	105	5.5	22	<1	1	5	7	11	12	28
50-64	101	6.3	33	<1	2	5	8	12	14	33
65+	104	8.1	51	2	2	6	10	17	22	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.8	12	<1	1	3	5	8	10	19
20-34	272	4.0	41	1	1	3	4	6	9	21
35-49	330	4.4	25	1	1	3	5	8	12	32
50-64	422	4.6	19	1	1	4	6	9	11	26
65+	514	8.0	51	1	2	6	10	17	21	39
B. *Operated*										
0-19 YRS	118	3.0	13	<1	<1	2	3	6	9	20
20-34	130	7.1	25	1	2	6	10	13	17	23
35-49	171	8.2	39	2	3	7	10	15	17	27
50-64	355	10.2	41	2	3	9	13	17	22	35
65+	742	13.9	107	3	4	11	18	25	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1390	3.0	11	1	1	2	4	5	7	12
B. *Operated*	571	5.0	27	<1	1	4	7	11	14	29
2. MULTIPLE DX										
A. *Not Operated*	1600	5.5	37	1	1	4	7	11	17	31
B. *Operated*	1516	10.9	81	2	2	9	14	21	27	46
1. SINGLE DX	1961	3.6	17	1	1	2	4	7	10	21
2. MULTIPLE DX	3116	8.2	66	1	2	6	11	18	23	40
A. NOT OPERATED	2990	4.4	27	1	1	3	5	9	12	26
B. OPERATED	2087	9.3	73	1	2	7	12	19	25	43
TOTAL 0-19 YRS	444	3.0	28	<1	<1	2	3	5	8	21
20-34	882	3.9	22	1	1	3	5	8	11	20
35-49	1045	4.4	22	1	1	3	5	9	12	25
50-64	1195	6.0	31	1	1	4	8	13	16	29
65+	1511	10.5	87	2	2	8	14	22	28	51
GRAND TOTAL	**5077**	**6.4**	**52**	**1**	**1**	**4**	**8**	**14**	**20**	**34**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1942	3.0	7	1	1	2	4	5	7	13
20-34	1507	3.6	11	1	1	3	5	7	8	14
35-49	751	4.0	8	1	1	3	5	7	9	13
50-64	505	4.9	14	1	1	4	7	9	11	16
65+	383	5.3	26	1	1	4	7	10	12	17
B. *Operated*										
0-19 YRS	173	5.0	11	1	2	4	6	9	11	24
20-34	242	4.6	12	1	1	4	6	9	12	19
35-49	117	6.8	104	1	1	4	8	14	20	52
50-64	72	6.3	37	1	1	5	9	11	18	35
65+	37	8.0	34	1	1	8	11	18	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1001	3.6	15	1	1	3	5	7	8	14
20-34	1239	4.3	14	1	1	3	5	8	11	20
35-49	833	5.6	21	1	2	5	7	10	13	20
50-64	959	6.6	30	2	2	5	8	12	15	30
65+	1280	7.6	33	2	2	6	9	14	19	31
B. *Operated*										
0-19 YRS	132	6.5	36	1	2	5	8	12	17	32
20-34	285	6.7	27	1	2	6	8	12	15	29
35-49	215	8.8	42	2	2	7	11	17	23	30
50-64	206	11.5	112	3	3	9	14	20	26	70
65+	198	12.8	85	2	4	11	16	25	29	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5088	3.7	11	1	1	3	5	7	9	14
B. *Operated*	641	5.5	33	1	1	4	7	11	14	26
2. MULTIPLE DX										
A. *Not Operated*	5312	5.6	25	1	2	4	7	11	14	24
B. *Operated*	1036	9.2	65	2	2	7	11	18	24	37
1. SINGLE DX	5729	3.9	14	1	1	3	5	7	10	17
2. MULTIPLE DX	6348	6.2	33	1	2	5	8	12	16	29
A. NOT OPERATED	10400	4.6	19	1	1	4	6	9	12	21
B. OPERATED	1677	7.8	56	1	2	6	10	16	21	36
TOTAL 0-19 YRS	3248	3.4	12	1	1	3	4	6	8	15
20-34	3273	4.2	14	1	1	3	5	8	10	20
35-49	1916	5.4	25	1	1	4	7	10	13	24
50-64	1742	6.7	39	1	2	5	8	12	16	32
65+	1898	7.7	41	1	2	6	10	15	19	34
GRAND TOTAL	**12077**	**5.1**	**25**	**1**	**1**	**4**	**6**	**10**	**13**	**25**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	4.0	17	1	1	3	5	8	10	25
20-34	84	3.8	17	<1	1	3	5	8	11	25
35-49	74	4.8	21	1	1	3	7	13	15	18
50-64	77	5.1	39	<1	1	3	5	14	17	34
65+	78	6.3	55	1	1	4	8	9	22	46
B. *Operated*										
0-19 YRS	20	6.6	19	<1	1	6	9	12	15	17
20-34	43	5.7	20	1	1	6	9	11	13	20
35-49	36	6.3	42	1	1	4	8	14	18	33
50-64	56	7.8	88	<1	<1	4	10	20	29	42
65+	47	8.9	64	2	2	6	12	21	26	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	253	4.4	23	1	1	3	5	9	11	33
20-34	143	4.8	20	<1	1	4	6	9	15	20
35-49	178	6.6	37	1	2	5	8	13	17	33
50-64	296	8.4	52	1	2	7	11	18	22	32
65+	609	9.4	62	2	3	7	12	19	27	45
B. *Operated*										
0-19 YRS	29	6.8	49	1	2	5	8	10	15	40
20-34	74	7.3	30	1	2	6	9	16	21	23
35-49	103	9.3	62	1	2	7	11	18	24	41
50-64	159	16.1	222	2	3	11	20	38	47	83
65+	184	16.0	174	2	3	12	20	34	47	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	459	4.7	28	1	1	3	6	9	15	26
B. *Operated*	202	7.2	54	1	1	5	9	17	22	38
2. MULTIPLE DX										
A. *Not Operated*	1479	7.6	50	1	2	5	10	16	21	34
B. *Operated*	549	13.1	155	2	2	9	17	29	41	61
1. SINGLE DX	661	5.4	37	1	1	3	7	12	17	33
2. MULTIPLE DX	2028	9.1	85	1	2	6	11	19	28	49
A. NOT OPERATED	1938	6.9	47	1	1	5	9	15	20	33
B. OPERATED	751	11.5	134	1	2	8	15	25	39	54
TOTAL 0-19 YRS	448	4.5	23	1	1	3	5	9	11	26
20-34	344	5.2	23	1	1	4	7	11	15	22
35-49	391	6.9	43	1	1	5	9	15	18	34
50-64	588	10.0	114	1	2	7	13	22	33	54
65+	918	10.4	92	2	2	8	13	21	30	51
GRAND TOTAL	**2689**	**8.2**	**75**	**1**	**2**	**6**	**10**	**18**	**25**	**46**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1078	4.1	18	1	1	3	5	8	11	21
20-34	546	4.5	30	1	1	3	5	8	11	26
35-49	440	5.5	58	1	1	4	6	9	13	52
50-64	599	5.8	44	1	1	4	6	11	17	36
65+	693	8.6	120	1	2	5	9	18	26	64
B. *Operated*										
0-19 YRS	108	4.0	21	<1	1	2	5	9	11	25
20-34	245	3.2	17	<1	1	2	3	6	9	24
35-49	215	3.8	23	1	1	2	4	7	10	24
50-64	232	4.1	19	<1	1	2	5	10	12	25
65+	123	5.7	39	1	1	3	7	14	18	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1030	5.9	36	1	1	4	7	12	17	31
20-34	714	5.1	16	1	1	4	7	10	12	20
35-49	904	6.6	33	1	2	5	8	12	16	35
50-64	2203	7.4	37	2	2	6	9	14	19	34
65+	4467	9.5	68	2	3	7	12	19	[illegible]	46
B. *Operated*										
0-19 YRS	106	8.8	119	1	1	5	12	22	38	99+
20-34	270	6.1	91	1	2	3	6	14	22	71
35-49	287	7.5	82	1	2	4	9	18	29	63
50-64	526	11.0	150	1	2	7	14	25	34	67
65+	784	15.9	198	2	3	12	21	37	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3356	5.6	54	1	1	4	6	10	16	44
B. *Operated*	923	4.0	23	<1	1	2	4	8	12	26
2. MULTIPLE DX										
A. *Not Operated*	9318	8.0	[illegible]	1	2	6	10	16	21	40
B. *Operated*	1973	11.6	163	2	2	8	15	29	40	89
1. SINGLE DX	4279	5.2	48	1	1	3	6	10	15	39
2. MULTIPLE DX	11291	8.6	74	1	2	6	11	18	24	51
A. NOT OPERATED	12674	7.4	54	1	2	5	9	15	20	40
B. OPERATED	2896	9.2	131	1	2	5	12	22	34	73
TOTAL 0-19 YRS	2322	5.1	32	1	1	3	6	10	15	31
20-34	1775	4.8	33	1	1	3	6	9	12	30
35-49	1846	6.1	47	1	2	4	7	12	16	43
50-64	3560	7.4	57	1	2	5	9	15	21	40
65+	6067	10.2	96	2	3	7	12	20	29	58
GRAND TOTAL	**15570**	**7.7**	**69**	**1**	**2**	**5**	**9**	**16**	**22**	**48**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	346	2.8	5	1	1	2	4	5	7	11
20-34	48	4.3	19	<1	1	3	5	9	11	26
35-49	23	5.1	24	1	2	3	6	12	16	23
50-64	13	7.6	46	1	1	5	10	18	23	24
65+	7	7.6	25	2	2	8	9	15	17	17
B. *Operated*										
0-19 YRS	60	8.4	116	2	2	7	9	13	15	77
20-34	23	8.3	56	1	2	7	10	17	26	34
35-49	12	11.0	84	5	6	8	10	22	37	39
50-64	3	19.7	520	6	6	7	36	46	46	46
65+	4	31.8	1748	6	6	13	56	94	94	94
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	298	4.9	28	1	1	4	6	9	13	30
20-34	87	7.6	37	1	2	6	10	16	23	27
35-49	34	10.8	103	2	3	8	14	24	35	47
50-64	55	10.9	115	2	3	7	14	22	30	66
65+	42	12.6	128	1	3	8	20	26	38	50
B. *Operated*										
0-19 YRS	107	12.9	222	2	2	8	15	37	55	99+
20-34	86	15.9	322	3	3	12	20	61	99	99+
35-49	31	[illegible]	337	2	3	12	22	57	98	99+
50-64	35	19.9	261	3	3	16	31	53	56	99+
65+	22	37.2	665	4	5	29	56	78	84	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	437	3.3	10	1	1	2	4	7	9	17
B. *Operated*	102	9.9	175	2	3	7	10	15	30	88
2. MULTIPLE DX										
A. *Not Operated*	516	7.0	59	1	2	5	8	15	23	40
B. *Operated*	281	17.0	340	2	3	11	23	50	88	99+
1. SINGLE DX	539	4.5	48	1	1	3	5	9	12	29
2. MULTIPLE DX	797	10.5	180	1	2	6	12	27	41	99+
A. NOT OPERATED	953	5.3	40	1	1	3	6	11	16	32
B. OPERATED	383	15.1	305	2	3	9	17	41	82	99+
TOTAL 0-19 YRS	811	5.3	61	1	1	3	6	11	15	44
20-34	244	10.0	156	1	2	7	12	24	36	99+
35-49	100	11.2	168	2	2	8	12	30	44	99+
50-64	106	13.7	181	2	3	10	17	32	48	82
65+	75	20.4	474	2	3	11	25	50	75	92
GRAND TOTAL	**1336**	**8.1**	**135**	**1**	**1**	**4**	**9**	**18**	**32**	**91**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151	3.4	10	1	1	2	4	7	10	97
20-34	30	4.8	20	1	1	3	6	9	18	20
35-49	18	5.8	19	1	2	4	7	14	15	15
50-64	16	8.3	23	2	2	8	12	14	15	16
65+	5	10.0	65	2	2	10	17	19	19	19
B. *Operated*										
0-19 YRS	15	10.2	70	1	2	10	13	15	30	35
20-34	9	5.4	11	2	2	6	7	10	12	12
35-49	9	6.2	8	3	3	5	9	10	10	10
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	5.4	20	1	2	4	6	12	14	22
20-34	71	7.7	55	1	2	6	10	16	19	43
35-49	38	9.3	82	2	3	6	11	19	30	46
50-64	33	7.8	43	2	3	6	10	13	16	38
65+	35	17.9	272	4	6	12	19	43	50	80
B. *Operated*										
0-19 YRS	59	14.3	262	1	2	8	24	64	99+	99+
20-34	65	18.7	421	3	4	10	31	58	95	99+
35-49	40	13.6	99	2	3	13	22	33	64	99+
50-64	18	17.3	217	<1	1	14	24	40	47	51
65+	18	23.7	525	4	5	15	28	52	76	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	4.3	16	1	1	3	5	10	15	45
B. *Operated*	35	7.8	38	2	2	6	10	13	15	35
2. MULTIPLE DX										
A. *Not Operated*	342	7.9	74	1	2	5	10	16	20	47
B. *Operated*	200	16.7	304	2	3	11	24	51	94	99+
1. SINGLE DX	255	4.8	21	1	1	3	6	11	15	34
2. MULTIPLE DX	542	11.1	177	2	2	7	13	28	47	99+
A. NOT OPERATED	562	6.5	55	1	1	4	8	14	19	47
B. OPERATED	235	15.4	274	2	3	10	21	45	86	99+
TOTAL 0-19 YRS	390	6.2	68	1	1	4	7	14	24	99+
20-34	175	11.2	215	1	2	7	12	32	49	99+
35-49	105	10.1	79	2	2	7	14	23	35	99+
50-64	68	10.4	98	2	2	7	13	20	36	49
65+	59	18.8	335	3	5	12	20	47	52	91
GRAND TOTAL	**797**	**9.1**	**136**	**1**	**2**	**5**	**11**	**21**	**41**	**99+**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	2.8	11	<1	<1	2	3	6	8	20
20-34	66	3.0	6	<1	<1	2	4	7	9	10
35-49	30	3.7	22	<1	<1	2	4	10	17	19
50-64	12	3.6	13	<1	<1	2	6	10	11	11
65+	26	3.0	5	1	1	3	3	7	8	10
B. *Operated*										
0-19 YRS	1229	2.3	4	<1	<1	2	3	4	6	12
20-34	1074	3.1	7	<1	1	2	4	6	8	13
35-49	298	3.6	11	<1	1	3	4	7	9	27
50-64	125	3.7	16	<1	1	3	4	9	10	19
65+	50	5.3	34	1	1	3	6	12	18	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	3.2	9	<1	1	2	4	6	8	18
20-34	138	3.1	9	<1	1	2	4	6	8	18
35-49	74	4.8	56	1	1	3	6	9	13	51
50-64	63	5.3	67	1	2	3	5	9	19	52
65+	130	9.6	118	2	2	7	12	17	22	71
B. *Operated*										
0-19 YRS	785	4.5	26	1	1	3	5	8	12	28
20-34	1107	5.7	42	1	2	4	7	10	14	40
35-49	371	5.9	31	1	2	4	7	13	17	32
50-64	236	6.5	52	1	2	4	7	15	19	49
65+	141	10.2	107	1	2	7	13	24	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	3.1	10	<1	<1	2	4	7	9	18
B. *Operated*	2776	2.9	8	<1	1	2	3	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	508	5.3	57	1	1	3	6	11	15	35
B. *Operated*	2640	5.7	41	1	2	4	7	11	16	38
1. SINGLE DX	2984	2.9	8	<1	<1	2	3	6	8	13
2. MULTIPLE DX	3148	5.6	44	1	1	4	6	11	16	38
A. NOT OPERATED	716	4.7	45	<1	1	3	5	10	14	30
B. OPERATED	5416	4.2	26	<1	1	3	5	8	12	28
TOTAL 0-19 YRS	2191	3.2	14	<1	<1	2	4	6	8	18
20-34	2385	4.3	25	1	1	3	5	8	11	25
35-49	773	4.8	26	1	1	3	6	10	14	28
50-64	436	5.4	44	1	1	3	6	11	16	36
65+	347	8.7	98	1	2	6	11	18	31	66
GRAND TOTAL	**6132**	**4.3**	**26**	**<1**	**1**	**3**	**5**	**9**	**12**	**28**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	215	7.1	51	1	2	5	9	12	19	44
20-34	321	6.9	28	1	2	6	9	12	18	28
35-49	189	7.8	35	2	2	7	10	14	19	37
50-64	327	9.5	38	2	3	9	12	17	22	31
65+	413	11.3	45	3	5	10	15	20	23	38
B. *Operated*										
0-19 YRS	22	20.1	292	5	7	13	29	48	56	66
20-34	41	17.3	202	3	5	12	25	36	51	62
35-49	14	23.1	326	4	7	16	44	51	53	53
50-64	16	21.9	124	9	10	19	27	37	47	51
65+	18	16.1	71	3	6	14	20	26	34	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	8.7	74	2	2	6	10	17	22	51
20-34	279	9.1	81	2	2	7	11	16	24	59
35-49	192	11.4	114	2	3	8	14	23	30	55
50-64	441	12.3	69	3	4	11	16	22	29	41
65+	1612	14.8	91	4	6	13	19	26	33	51
B. *Operated*										
0-19 YRS	65	20.0	221	2	5	16	30	45	49	94
20-34	99	18.8	268	3	3	13	27	44	56	88
35-49	59	20.6	337	4	6	15	24	46	63	90
50-64	84	22.8	268	5	9	20	28	45	83	99+
65+	200	22.7	221	6	8	20	32	47	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1465	8.9	42	2	3	7	11	17	21	34
B. *Operated*	111	19.1	202	3	6	14	25	42	51	64
2. MULTIPLE DX										
A. *Not Operated*	2693	13.2	92	3	4	11	17	25	31	51
B. *Operated*	507	21.4	252	4	6	17	29	46	59	99+
1. SINGLE DX	1576	9.6	60	2	3	8	12	18	24	43
2. MULTIPLE DX	3200	14.5	126	3	4	12	18	28	37	67
A. NOT OPERATED	4158	11.7	79	2	3	9	15	22	28	47
B. OPERATED	618	20.9	244	4	6	17	28	45	56	99+
TOTAL 0-19 YRS	471	10.1	116	2	2	6	11	22	37	57
20-34	740	9.9	107	2	2	7	11	22	30	61
35-49	454	11.4	136	2	3	8	13	24	36	73
50-64	868	12.5	92	3	4	10	16	24	31	51
65+	2243	14.9	102	4	6	13	19	27	35	60
GRAND TOTAL	**4776**	**12.9**	**110**	**2**	**4**	**10**	**16**	**25**	**33**	**59**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	8.8	73	<1	1	7	11	17	30	36
20-34	9	14.6	264	4	5	8	14	42	56	56
35-49	7	11.3	181	2	2	5	16	35	39	39
50-64	11	8.6	22	2	4	7	11	15	20	20
65+	18	9.1	38	2	3	8	12	19	23	24
B. Operated										
0-19 YRS	7	18.6	222	4	5	15	38	84	99+	99+
20-34	7	32.4	581	9	10	20	54	68	70	70
35-49	1	17.0		17	17	17	17	17	17	17
50-64	1	12.0		12	12	12	12	12	12	12
65+	6	12.0	41	5	5	10	19	20	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	15.5	233	3	3	10	24	39	52	53
20-34	15	8.2	18	4	4	6	9	15	17	18
35-49	14	15.9	223	1	1	9	26	43	45	45
50-64	15	12.3	28	7	7	9	17	20	21	22
65+	65	15.2	93	4	5	14	18	26	32	54
B. Operated										
0-19 YRS	13	47.2	279	19	22	54	67	99+	99+	99+
20-34	35	36.7	741	3	9	35	74	99+	99+	99+
35-49	10	39.5	953	5	7	42	96	99+	99+	99+
50-64	5	33.6	1058	9	10	27	89	99	99+	99+
65+	10	30.3	231	14	15	27	42	78	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	10.0	90	1	2	7	11	20	29	54
B. Operated	22	20.8	312	5	7	17	27	63	80	99+
2. MULTIPLE DX										
A. Not Operated	120	14.1	106	4	5	12	17	26	35	54
B. Operated	73	37.9	629	7	11	40	70	99+	99+	99+
1. SINGLE DX	84	12.8	168	2	3	9	16	29	49	89
2. MULTIPLE DX	193	23.1	435	4	5	17	36	80	99+	99+
A. NOT OPERATED	182	12.7	104	2	4	10	15	25	35	54
B. OPERATED	95	33.9	604	5	8	34	64	99+	99+	99+
TOTAL 0-19 YRS	48	22.1	424	1	3	14	46	66	99+	99+
20-34	66	26.8	635	4	5	18	45	89	99+	99+
35-49	32	22.3	547	1	4	17	41	95	99+	99+
50-64	32	14.3	230	5	6	10	17	25	81	99+
65+	99	15.4	121	4	5	13	20	27	41	81
GRAND TOTAL	**277**	**20.0**	**376**	**3**	**5**	**14**	**27**	**62**	**95**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	2.6	3	1	1	2	3	5	6	8
20-34	69	3.6	5	1	1	3	5	7	8	12
35-49	96	3.6	6	1	1	3	4	6	9	13
50-64	121	4.5	8	1	1	4	6	9	10	12
65+	129	6.5	21	1	2	5	9	13	14	26
B. Operated										
0-19 YRS										
20-34	4	4.0	5	2	2	4	6	6	6	6
35-49	5	11.6	33	3	3	13	16	17	17	17
50-64	8	9.0	20	4	4	8	13	15	16	16
65+	2	7.5	13	5	5	7	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	70	4.4	11	1	1	4	6	8	10	20
20-34	216	5.3	17	1	1	5	7	10	14	25
35-49	326	6.8	33	1	2	6	9	13	17	26
50-64	547	7.9	41	1	2	6	10	15	20	29
65+	969	10.7	80	2	3	8	13	21	27	48
B. Operated										
0-19 YRS	37	9.1	28	2	3	8	11	16	19	28
20-34	124	12.1	102	2	3	9	15	25	37	49
35-49	106	13.1	145	3	3	8	17	32	38	86
50-64	110	16.5	294	2	4	11	20	35	68	93
65+	165	18.6	191	[illegible]	6	15	25	35	42	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	452	4.6	12	1	1	4	6	9	11	15
B. Operated	19	8.5	24	2	3	6	13	16	17	17
2. MULTIPLE DX										
A. Not Operated	2128	8.6	58	2	2	7	11	17	22	39
B. Operated	542	15.0	180	3	4	11	19	31	40	84
1. SINGLE DX	471	4.7	13	1	1	4	6	9	12	16
2. MULTIPLE DX	2670	9.9	89	2	2	7	12	20	27	53
A. NOT OPERATED	2580	7.9	52	1	2	6	10	16	21	36
B. OPERATED	561	14.8	176	2	4	11	19	31	39	84
TOTAL 0-19 YRS	144	5.2	19	1	1	4	7	10	13	22
20-34	413	7.0	52	1	2	5	9	15	19	44
35-49	533	7.5	59	1	2	5	9	15	22	41
50-64	786	8.6	82	1	2	6	11	17	22	49
65+	1265	11.3	98	2	3	9	14	22	30	59
GRAND TOTAL	**3141**	**9.1**	**81**	**1**	**2**	**7**	**11**	**19**	**26**	**47**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	120	8.0	91	2	2	5	9	15	18	67
20-34	73	11.7	97	1	3	9	14	23	35	52
35-49	38	12.9	135	4	6	9	12	24	46	55
50-64	103	13.5	98	3	5	11	17	24	34	53
65+	351	14.2	75	4	6	13	17	25	30	46
B. *Operated*										
0-19 YRS	4	23.0	415	3	3	21	40	46	46	46
20-34	7	17.4	156	3	4	14	28	36	37	37
35-49	2	33.0	32	29	29	33	37	37	37	37
50-64	6	27.7	421	8	8	21	50	54	55	55
65+	5	27.8	1503	7	7	13	34	97	97	97
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	11.0	94	2	3	9	13	20	28	53
20-34	128	13.0	77	4	4	11	16	26	33	56
35-49	79	16.4	137	4	5	13	21	37	44	51
50-64	179	19.5	176	5	6	17	24	38	47	78
65+	1018	19.2	159	5	7	17	24	35	44	84
B. *Operated*										
0-19 YRS	64	23.8	310	7	8	17	39	49	63	96
20-34	84	25.8	269	5	8	23	39	48	67	99+
35-49	52	35.9	534	3	7	31	54	71	75	79
50-64	58	34.6	421	7	11	32	51	73	94	99+
65+	136	33.5	413	8	13	28	47	70	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	685	12.7	92	3	4	11	16	24	31	52
B. *Operated*	24	24.4	476	3	6	14	35	50	68	97
2. MULTIPLE DX										
A. *Not Operated*	1532	17.9	[illegible]	4	6	15	22	34	44	77
B. *Operated*	394	30.8	400	6	8	27	44	65	79	99+
1. SINGLE DX	709	13.1	109	3	4	11	16	24	33	55
2. MULTIPLE DX	1926	20.5	232	4	6	17	26	42	55	98
A. NOT OPERATED	2217	16.3	141	4	5	14	21	31	40	68
B. OPERATED	418	30.4	406	6	8	26	44	65	79	99+
TOTAL 0-19 YRS	316	12.6	175	2	3	8	14	30	45	70
20-34	292	16.5	174	3	4	13	22	37	45	88
35-49	171	21.7	347	4	6	14	29	52	62	75
50-64	346	20.4	245	5	6	16	27	45	58	99+
65+	1510	19.4	190	5	7	16	24	37	47	91
GRAND TOTAL	**2635**	**18.5**	**210**	**4**	**5**	**15**	**23**	**39**	**50**	**88**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	163	4.2	36	1	1	2	4	12	18	29
20-34	33	3.3	5	1	1	3	5	7	7	8
35-49	35	6.0	50	1	1	4	6	13	23	36
50-64	93	5.7	36	1	1	4	7	12	21	30
65+	270	7.8	106	1	1	4	8	22	29	65
B. *Operated*										
0-19 YRS	637	5.9	46	1	1	3	7	17	21	30
20-34	119	6.3	52	1	1	4	7	14	25	37
35-49	102	8.0	86	1	1	5	10	19	29	48
50-64	194	7.0	53	1	2	5	8	16	23	39
65+	275	9.5	98	2	2	7	12	18	23	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	8.4	134	1	1	3	9	25	37	52
20-34	36	9.9	114	2	3	7	10	27	37	49
35-49	48	9.6	155	2	3	6	10	20	32	70
50-64	156	10.1	100	1	2	6	13	21	33	49
65+	741	13.6	149	2	3	10	18	28	38	87
B. *Operated*										
0-19 YRS	279	9.7	110	1	2	5	14	24	29	55
20-34	140	11.2	184	1	2	6	14	26	45	56
35-49	102	16.3	376	2	2	8	23	41	59	91
50-64	273	11.0	124	2	2	8	14	27	36	65
65+	601	15.8	178	2	3	12	21	34	43	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	594	6.1	69	1	1	3	6	15	24	42
B. *Operated*	1327	7.0	63	1	1	4	8	17	22	34
2. MULTIPLE DX										
A. *Not Operated*	1053	12.4	143	2	3	9	16	27	37	74
B. *Operated*	1395	13.2	176	2	2	9	17	30	41	76
1. SINGLE DX	1921	6.7	65	1	1	4	8	16	23	38
2. MULTIPLE DX	2448	12.9	162	2	2	9	17	29	39	75
A. NOT OPERATED	1647	10.2	126	1	1	6	13	24	33	65
B. OPERATED	2722	10.2	130	1	2	6	14	24	33	58
TOTAL 0-19 YRS	1151	6.7	69	1	1	3	8	18	24	38
20-34	328	8.5	117	1	1	5	9	21	29	49
35-49	287	11.0	211	1	2	6	11	28	40	77
50-64	716	9.0	92	1	2	6	11	21	30	49
65+	1887	12.9	153	2	3	9	17	28	39	79
GRAND TOTAL	**4369**	**10.2**	**129**	**1**	**2**	**6**	**13**	**24**	**33**	**61**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	2.5	28	<1	<1	1	2	4	5	29
20-34	33	2.6	4	<1	1	2	3	5	8	9
35-49	24	4.9	40	<1	<1	3	6	9	16	31
50-64	42	3.6	5	1	1	3	4	7	8	10
65+	56	3.9	12	1	1	3	5	8	11	19
B. *Operated*										
0-19 YRS	1719	2.2	4	1	1	2	2	4	5	12
20-34	478	3.9	11	1	1	3	5	7	9	16
35-49	432	3.7	10	1	1	3	5	7	9	21
50-64	711	3.4	16	1	1	3	4	6	9	15
65+	593	3.9	13	1	1	3	5	8	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	3.1	7	1	1	2	4	6	6	82
20-34	60	6.0	40	1	1	4	7	12	15	35
35-49	48	7.1	117	1	1	4	8	13	23	57
50-64	63	6.7	34	1	2	5	9	13	19	28
65+	158	9.9	69	2	3	7	13	20	26	47
B. *Operated*										
0-19 YRS	406	5.0	69	1	1	3	5	10	14	52
20-34	336	8.8	146	1	2	5	9	18	26	70
35-49	235	7.8	95	1	2	5	9	14	23	56
50-64	458	8.7	117	1	2	5	10	19	32	62
65+	665	10.0	112	1	2	6	12	22	30	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	3.2	19	<1	1	2	4	6	8	18
B. *Operated*	3933	3.1	10	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	401	7.3	60	1	1	5	9	17	23	49
B. *Operated*	2100	8.3	111	1	1	5	9	18	27	59
1. SINGLE DX	4199	3.1	10	1	1	2	4	6	8	15
2. MULTIPLE DX	2501	8.1	103	1	1	5	9	18	26	58
A. NOT OPERATED	667	5.6	47	1	1	4	7	13	19	46
B. OPERATED	6033	4.9	51	1	1	3	5	10	15	40
TOTAL 0-19 YRS	2308	2.7	18	1	1	2	3	5	7	18
20-34	907	5.8	68	1	1	4	6	11	16	46
35-49	739	5.3	48	1	1	3	6	10	15	43
50-64	1274	5.5	59	1	1	3	6	11	17	47
65+	1472	7.3	73	1	1	4	9	17	23	45
GRAND TOTAL	**6700**	**5.0**	**51**	**1**	**1**	**3**	**5**	**10**	**16**	**40**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.8	4	1	1	2	4	5	8	9
20-34	35	3.8	6	<1	1	3	5	7	9	11
35-49	26	3.0	2	1	1	3	4	5	6	6
50-64	20	3.5	8	<1	1	3	4	7	10	12
65+	10	7.0	40	1	1	6	14	16	17	17
B. *Operated*										
0-19 YRS	551	2.3	4	<1	1	2	3	4	6	11
20-34	495	2.7	13	<1	1	2	3	5	6	11
35-49	218	3.1	10	1	1	2	3	5	8	21
50-64	138	3.2	13	1	1	2	4	6	8	15
65+	86	4.3	27	1	1	3	5	8	11	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	3.5	10	<1	1	2	5	8	9	15
20-34	44	7.3	97	1	1	4	8	16	32	47
35-49	32	4.7	16	1	1	3	7	10	11	19
50-64	28	6.5	28	1	1	5	9	12	20	22
65+	85	10.8	104	2	2	8	13	22	28	56
B. *Operated*										
0-19 YRS	234	4.1	18	1	1	3	4	8	13	23
20-34	318	4.6	34	1	1	3	5	10	15	34
35-49	186	4.8	41	1	1	3	5	9	13	42
50-64	164	6.2	123	1	1	3	6	11	27	76
65+	130	8.9	109	1	2	5	13	19	27	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	3.5	8	1	1	3	5	7	9	15
B. *Operated*	1488	2.8	10	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	228	7.5	72	1	1	5	9	17	22	45
B. *Operated*	1032	5.3	57	1	1	3	5	11	17	41
1. SINGLE DX	1620	2.8	10	<1	1	2	3	5	7	14
2. MULTIPLE DX	1260	5.7	61	1	1	3	6	12	19	43
A. NOT OPERATED	360	6.0	52	1	1	4	8	13	19	43
B. OPERATED	2520	3.8	31	1	1	2	4	7	11	28
TOTAL 0-19 YRS	865	2.9	9	<1	1	2	3	5	8	18
20-34	892	3.6	26	1	1	2	4	7	10	27
35-49	462	3.9	23	1	1	3	4	7	11	23
50-64	350	4.9	67	1	1	3	5	8	12	37
65+	311	8.1	88	1	1	5	10	18	25	52
GRAND TOTAL	**2880**	**4.1**	**34**	**1**	**1**	**2**	**4**	**8**	**12**	**29**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	16.7	226	1	2	11	26	37	46	60
20-34	7	16.7	299	1	1	9	29	42	45	45
35-49	21	14.9	476	1	2	7	13	51	70	85
50-64	33	18.3	240	1	1	16	22	40	49	70
65+	211	17.0	203	1	3	14	23	42	58	99+
B. *Operated*										
0-19 YRS	106	13.6	152	4	4	10	15	30	45	84
20-34	54	16.6	242	3	5	11	20	30	51	90
35-49	92	14.7	70	5	7	13	18	24	31	50
50-64	603	16.8	84	7	8	15	20	27	34	54
65+	2849	21.5	142	9	11	19	25	36	47	88
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	23.5	383	2	4	21	31	61	64	67
20-34	9	9.7	94	2	2	7	19	65	99+	99+
35-49	17	15.4	340	1	1	7	21	48	55	59
50-64	79	22.7	447	1	4	16	32	64	73	99
65+	583	22.3	394	3	5	16	29	54	80	99+
B. *Operated*										
0-19 YRS	64	25.5	196	6	9	22	34	47	54	95
20-34	115	33.3	455	9	11	28	52	70	86	99+
35-49	130	24.0	246	9	11	21	30	50	80	99+
50-64	775	24.4	237	9	11	20	30	49	65	99+
65+	6487	26.6	246	11	13	22	33	50	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	312	16.9	227	1	2	14	23	42	54	99+
B. *Operated*	3704	20.2	137	8	10	18	24	34	44	80
2. MULTIPLE DX										
A. *Not Operated*	715	22.1	396	3	4	16	29	55	78	99+
B. *Operated*	7571	26.4	249	10	12	22	33	51	70	99+
1. SINGLE DX	4016	20.0	145	7	9	18	24	35	45	82
2. MULTIPLE DX	8286	26.0	263	9	11	22	33	51	70	99+
A. NOT OPERATED	1027	20.5	350	2	4	16	27	49	70	99+
B. OPERATED	11275	24.4	221	9	11	20	30	46	62	99+
TOTAL 0-19 YRS	237	18.5	227	3	4	13	27	42	54	75
20-34	185	26.7	441	3	5	21	42	62	80	99+
35-49	260	19.4	226	4	7	16	24	43	58	99+
50-64	1490	21.1	199	7	9	17	25	41	54	86
65+	10130	24.7	231	9	11	21	30	47	64	99+
GRAND TOTAL	**12302**	**24.0**	**233**	**8**	**10**	**20**	**30**	**46**	**63**	**99+**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	326	23.7	282	1	2	23	32	46	53	72
20-34	28	32.5	655	1	3	31	48	69	75	80
35-49	12	15.4	220	2	3	10	25	40	43	44
50-64	32	31.3	584	2	4	36	50	73	78	99+
65+	91	26.3	460	3	5	19	44	60	84	99+
B. *Operated*										
0-19 YRS	373	20.1	247	2	3	18	29	39	49	75
20-34	103	24.6	318	6	8	18	33	53	62	83
35-49	41	28.3	434	6	8	24	41	89	99+	99+
50-64	45	22.6	342	5	7	18	27	47	79	99+
65+	166	28.8	434	9	11	21	38	64	79	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	168	26.2	265	2	3	25	37	51	57	69
20-34	37	39.3	701	2	5	41	57	82	91	99+
35-49	28	22.8	475	3	3	12	33	56	71	76
50-64	52	27.6	511	3	4	25	48	69	98	99+
65+	206	31.4	632	3	5	26	54	79	93	99+
B. *Operated*										
0-19 YRS	386	28.3	393	3	6	25	42	58	70	99+
20-34	262	33.8	450	9	12	27	49	73	87	99+
35-49	78	34.0	482	8	12	29	58	98	99+	99+
50-64	141	35.0	467	12	14	31	56	92	99+	99+
65+	412	33.3	440	8	11	29	49	78	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	489	25.0	360	2	3	22	36	52	64	96
B. *Operated*	728	23.3	328	3	4	19	32	49	65	97
2. MULTIPLE DX										
A. *Not Operated*	491	29.3	501	3	4	25	47	65	86	99+
B. *Operated*	1279	32.1	438	6	10	27	47	72	96	99+
1. SINGLE DX	1217	24.0	341	2	4	20	33	50	65	97
2. MULTIPLE DX	1770	31.3	457	4	8	27	47	72	92	99+
A. NOT OPERATED	980	27.2	435	2	3	24	42	61	75	99+
B. OPERATED	2007	28.9	416	4	7	25	42	66	83	99+
TOTAL 0-19 YRS	1253	24.4	313	2	3	23	34	49	59	89
20-34	430	32.0	469	6	9	26	47	70	82	99+
35-49	159	29.2	474	4	6	25	44	78	99+	99+
50-64	270	31.1	486	5	7	27	50	74	99+	99+
65+	875	31.3	490	5	8	26	48	75	93	99+
GRAND TOTAL	**2987**	**28.4**	**423**	**3**	**6**	**24**	**42**	**64**	**80**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	310	3.7	14	1	1	3	4	7	10	21
20-34	138	5.2	26	1	1	4	6	10	14	28
35-49	86	6.3	86	1	1	4	7	11	17	61
50-64	114	11.6	166	2	2	7	13	25	47	64
65+	125	10.3	52	2	3	8	13	20	25	34
B. *Operated*										
0-19 YRS	775	5.2	28	1	1	4	6	10	13	24
20-34	556	7.7	65	1	2	5	9	14	23	42
35-49	315	8.9	57	2	3	7	11	17	24	40
50-64	301	11.2	98	2	3	8	14	22	31	56
65+	167	13.7	132	3	4	10	18	28	34	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	7.0	98	1	1	4	8	14	19	63
20-34	90	7.2	31	1	2	6	9	15	19	28
35-49	83	11.5	189	1	2	7	14	22	35	85
50-64	115	13.0	144	2	4	10	15	27	42	80
65+	254	16.1	172	3	4	12	21	33	50	99
B. *Operated*										
0-19 YRS	366	11.1	155	2	2	8	13	21	39	76
20-34	420	16.6	264	3	4	11	22	40	61	99+
35-49	230	15.4	216	2	4	11	19	33	49	93
50-64	274	17.7	276	3	5	12	22	47	66	99+
65+	280	20.6	254	4	6	17	26	45	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	773	6.5	62	1	1	4	8	14	19	43
B. *Operated*	2114	7.9	67	1	2	5	10	16	23	43
2. MULTIPLE DX										
A. *Not Operated*	638	12.3	151	2	2	9	16	26	40	72
B. *Operated*	1570	16.0	241	2	4	11	21	38	56	99+
1. SINGLE DX	2887	7.5	66	1	2	5	9	15	22	43
2. MULTIPLE DX	2208	15.0	218	2	3	10	19	35	52	99+
A. NOT OPERATED	1411	9.1	111	1	1	6	12	20	29	62
B. OPERATED	3684	11.4	157	1	2	7	14	26	39	79
TOTAL 0-19 YRS	1547	6.4	67	1	1	4	8	13	19	52
20-34	1204	10.5	148	1	2	6	12	25	38	74
35-49	714	11.0	137	2	2	7	13	23	34	79
50-64	804	13.7	183	2	3	10	16	30	48	94
65+	826	16.2	186	3	4	12	21	34	49	96
GRAND TOTAL	**5095**	**10.8**	**146**	**1**	**2**	**7**	**13**	**24**	**36**	**74**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	169	3.6	19	1	1	3	4	7	9	11
20-34	171	4.3	24	<1	1	3	5	9	10	21
35-49	130	5.7	27	1	1	4	7	12	14	31
50-64	166	6.2	30	1	2	5	7	14	16	30
65+	182	8.7	81	1	2	6	10	16	27	51
B. *Operated*										
0-19 YRS	758	4.7	15	1	1	4	6	8	11	18
20-34	897	6.0	29	1	2	5	7	11	13	25
35-49	668	6.6	32	2	2	5	8	11	15	28
50-64	720	7.9	39	2	3	6	10	13	17	32
65+	474	10.1	47	3	4	9	13	17	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	6.1	27	1	1	4	9	13	17	25
20-34	168	6.7	40	1	2	5	7	14	23	28
35-49	100	8.3	108	2	2	6	9	15	21	64
50-64	209	8.3	48	2	2	6	11	15	18	40
65+	345	12.2	99	2	3	9	15	25	37	55
B. *Operated*										
0-19 YRS	452	8.4	97	2	2	5	9	16	26	59
20-34	740	9.4	100	2	3	6	10	18	30	78
35-49	528	9.4	83	2	3	7	11	17	24	56
50-64	711	11.8	135	3	4	9	13	22	32	75
65+	612	16.8	220	3	5	13	21	33	49	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	818	5.7	41	1	1	4	7	11	15	35
B. *Operated*	3517	6.8	34	1	2	5	8	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	921	9.2	76	1	2	7	12	18	26	46
B. *Operated*	3043	11.3	138	2	3	8	13	22	33	75
1. SINGLE DX	4335	6.6	35	1	2	5	8	12	16	29
2. MULTIPLE DX	3964	10.8	124	2	3	7	13	22	31	69
A. NOT OPERATED	1739	7.6	62	1	2	5	9	15	23	44
B. OPERATED	6560	8.9	87	2	2	6	10	17	24	55
TOTAL 0-19 YRS	1478	5.8	45	1	1	4	7	11	15	33
20-34	1976	7.2	59	1	2	5	8	13	19	46
35-49	1426	7.7	58	2	2	6	9	14	19	39
50-64	1806	9.3	81	2	3	7	11	17	23	51
65+	1613	12.9	138	3	4	10	15	25	36	68
GRAND TOTAL	**8299**	**8.6**	**82**	**1**	**2**	**6**	**10**	**16**	**24**	**51**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.0	1	1	1	2	3	3	4	4
20-34	27	2.5	4	<1	1	2	3	5	7	9
35-49	11	4.0	15	<1	1	3	4	9	14	15
50-64	15	3.8	18	1	1	[illegible]	5	10	14	16
65+	14	7.0	41	1	1	5	10	13	22	25
B. *Operated*										
0-19 YRS	46	3.5	4	1	1	3	4	7	8	10
20-34	31	3.7	4	2	2	3	5	6	7	11
35-49	12	4.3	8	1	2	4	5	10	10	10
50-64	9	3.9	4	2	2	4	5	7	8	8
65+	5	4.4	20	1	1	2	7	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	4.0	20	1	1	3	5	8	14	22
20-34	103	5.3	27	1	1	4	7	11	16	27
35-49	56	8.3	79	1	2	6	9	18	25	52
50-64	72	8.2	40	1	2	6	11	18	22	30
65+	151	11.2	131	2	3	9	13	22	27	74
B. *Operated*										
0-19 YRS	47	8.5	154	1	2	4	8	29	41	99+
20-34	57	9.0	146	1	1	5	11	20	49	97
35-49	24	16.8	439	2	2	9	18	50	97	99+
50-64	23	10.0	65	3	3	8	12	21	31	34
65+	35	16.9	320	2	3	12	22	28	68	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	3.2	13	1	1	2	4	7	10	20
B. *Operated*	103	3.7	5	1	2	3	5	7	9	11
2. MULTIPLE DX										
A. *Not Operated*	473	7.7	75	1	1	5	10	18	23	40
B. *Operated*	186	11.5	217	1	2	6	14	29	51	99+
1. SINGLE DX	214	3.5	9	1	1	3	4	7	10	15
2. MULTIPLE DX	659	8.8	117	1	1	6	11	20	26	76
A. NOT OPERATFD	584	6.9	66	1	1	4	9	15	22	31
B. OPERATED	289	8.7	155	1	2	5	10	20	32	98
TOTAL 0-19 YRS	228	4.4	45	1	1	3	4	8	16	44
20-34	218	5.7	57	1	1	4	7	12	19	62
35-49	103	9.4	164	1	2	5	10	19	36	98
50-64	119	7.6	43	1	2	5	10	16	22	32
65+	205	11.7	160	2	2	9	14	23	28	77
GRAND TOTAL	**873**	**7.5**	**96**	**1**	**1**	**4**	**9**	**17**	**24**	**71**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.9	39	1	1	2	2	12	21	23
20-34	2	9.0	72	3	3	9	15	15	15	15
35-49	5	8.8	37	3	3	8	11	19	19	19
50-64										
65+										
B. *Operated*										
0-19 YRS	7	3.7	6	1	1	3	6	7	7	7
20-34	2	9.0	8	7	7	9	11	11	11	11
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+	2	13.5	313	1	1	13	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	7.2	67	2	2	3	7	24	26	27
20-34	6	4.5	16	1	1	3	5	11	12	12
35-49	2	7.5	5	6	6	7	9	9	9	9
50-64	11	18.7	488	2	2	11	23	54	74	76
65+	9	12.4	38	5	5	15	16	21	23	23
B. *Operated*										
0-19 YRS	11	22.0	541	2	3	15	38	85	98	99+
20-34	12	18.8	152	2	3	18	26	37	39	39
35-49	4	10.5	14	8	8	9	13	16	16	16
50-64	2	6.0	8	4	4	6	8	8	8	8
65+	6	37.2	842	13	15	37	95	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	5.7	42	1	1	2	8	17	21	23
B. *Operated*	12	6.5	48	1	1	5	7	15	24	26
2. MULTIPLE DX										
A. *Not Operated*	41	11.0	180	2	2	6	15	24	33	76
B. *Operated*	35	21.3	408	2	3	16	27	87	99+	99+
1. SINGLE DX	31	6.0	43	1	1	3	7	17	23	26
2. MULTIPLE DX	76	15.8	307	2	2	11	23	45	85	99+
A. NOT OPERATED	60	9.4	141	1	2	6	13	23	26	72
B. OPERATED	47	17.5	355	1	2	12	26	65	99+	99+
TOTAL 0-19 YRS	43	9.5	216	1	1	3	10	24	60	99+
20-34	22	13.1	130	1	2	11	24	30	37	39
35-49	12	9.0	19	3	5	8	9	17	19	19
50-64	13	16.8	430	2	2	9	18	47	71	76
65+	17	21.3	448	3	5	17	26	96	99+	99+
GRAND TOTAL	**107**	**12.9**	**249**	**1**	**2**	**8**	**17**	**32**	**76**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	PERCENTILES 10th (6)	PERCENTILES 50th (7)	PERCENTILES 75th (8)	PERCENTILES 90th (9)	PERCENTILES 95th (10)	PERCENTILES 99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.1	4	<1	<1	1	2	6	7	7
20-34	15	4.5	15	1	1	3	7	8	13	15
35-49	4	3.0	16	1	1	1	5	9	9	9
50-64	7	2.7	4	1	1	2	4	6	6	6
65+	11	3.5	18	1	1	2	4	11	14	14
B. *Operated*										
0-19 YRS	123	3.3	4	<1	1	3	4	6	7	9
20-34	287	3.5	4	1	1	3	5	6	7	11
35-49	102	4.2	18	<1	1	4	5	7	10	29
50-64	59	3.3	7	1	1	2	4	7	8	15
65+	77	2.[illegible]	5	1	1	2	4	5	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.7	5	<1	<1	4	6	7	7	7
20-34	18	4.2	9	<1	1	4	5	8	11	12
35-49	13	3.2	3	1	1	3	4	6	6	6
50-64	17	7.4	46	1	1	6	9	20	21	21
65+	30	7.6	54	1	2	5	10	16	24	34
B. *Operated*										
0-19 YRS	22	6.5	57	1	1	5	7	14	23	36
20-34	66	5.9	21	1	2	5	8	12	14	25
35-49	38	7.4	111	1	1	4	7	14	27	59
50-64	33	7.4	184	1	1	2	7	19	28	73
65+	95	7.2	89	1	1	5	9	18	25	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	3.4	12	<1	1	2	5	8	10	15
B. *Operated*	648	3.5	7	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	85	5.8	34	1	1	4	7	12	20	30
B. *Operated*	254	6.9	83	1	1	5	8	15	25	78
1. SINGLE DX	693	3.5	7	1	1	3	4	6	7	14
2. MULTIPLE DX	339	6.6	71	1	1	4	8	14	22	73
A. NOT OPERATED	130	5.0	27	1	1	3	6	11	15	26
B. OPERATED	902	4.4	30	1	1	3	5	8	12	28
TOTAL 0-19 YRS	160	3.7	12	<1	1	3	5	7	8	15
20-34	386	4.0	8	1	1	4	5	7	8	16
35-49	157	4.9	41	1	1	4	5	9	12	34
50-64	116	5.0	66	1	1	3	5	10	19	44
65+	213	5.5	54	1	1	3	7	12	19	86
GRAND TOTAL	**1032**	**4.5**	**30**	**1**	**1**	**3**	**5**	**8**	**12**	**28**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	PERCENTILES 10th (6)	PERCENTILES 50th (7)	PERCENTILES 75th (8)	PERCENTILES 90th (9)	PERCENTILES 95th (10)	PERCENTILES 99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	3.2	3	1	1	3	5	6	6	7
20-34	38	3.7	9	<1	1	3	5	7	11	14
35-49	16	4.5	18	<1	1	3	6	12	14	15
50-64	13	5.2	13	1	1	5	8	10	11	11
65+	3	4.0	3	2	2	5	5	5	5	5
B. *Operated*										
0-19 YRS	843	4.9	5	2	3	5	6	7	9	12
20-34	1529	5.2	5	2	3	5	6	8	9	12
35-49	642	5.5	10	2	3	5	6	9	10	19
50-64	368	6.1	11	3	3	5	7	10	12	17
65+	43	8.3	31	2	4	7	11	15	20	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.9	7	<1	<1	2	4	8	9	9
20-34	33	3.4	8	<1	<1	2	5	8	9	10
35-49	17	3.4	23	<1	1	2	4	5	16	21
50-64	7	5.1	13	<1	<1	6	8	10	10	10
65+	10	7.7	38	1	1	6	11	17	21	21
B. *Operated*										
0-19 YRS	324	6.1	30	2	3	5	7	9	11	30
20-34	579	6.4	21	2	3	5	7	10	14	25
35-49	329	7.7	35	3	3	6	8	14	19	34
50-64	287	8.3	62	3	4	6	[illegible]	14	18	44
65+	68	12.6	188	5	5	9	12	25	46	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	3.8	8	1	1	3	5	7	10	14
B. *Operated*	3425	5.3	7	2	3	5	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	87	3.9	16	<1	<1	2	6	9	10	21
B. *Operated*	1587	7.2	42	3	3	6	8	12	16	36
1. SINGLE DX	3537	5.3	7	2	3	5	6	8	10	15
2. MULTIPLE DX	1674	7.0	41	2	3	5	8	12	16	35
A. NOT OPERATED	199	3.9	12	<1	1	3	5	8	10	18
B. OPERATED	5012	5.9	19	2	3	5	7	9	11	23
TOTAL 0-19 YRS	1229	5.1	12	2	3	5	6	8	9	15
20-34	2179	5.5	10	2	3	5	6	8	10	16
35-49	1004	6.2	19	2	3	5	7	10	13	25
50-64	675	7.0	34	3	3	6	8	11	15	34
65+	124	10.5	121	3	4	7	11	18	26	69
GRAND TOTAL	**5211**	**5.8**	**19**	**2**	**3**	**5**	**7**	**9**	**11**	**23**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	4.9	23	<1	1	3	7	12	14	21
20-34	52	6.9	31	1	2	6	9	12	19	31
35-49	33	6.7	22	1	1	6	9	13	16	19
50-64	17	10.9	81	1	2	9	16	25	30	32
65+	10	4.7	9	2	2	4	5	9	13	13
B. *Operated*										
0-19 YRS	232	4.0	33	<1	1	3	4	9	13	29
20-34	198	5.3	44	1	1	3	5	14	20	35
35-49	106	5.4	38	1	1	3	6	14	16	33
50-64	103	5.7	40	1	1	3	7	16	20	30
65+	53	9.2	119	1	1	4	12	26	30	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	6.6	28	1	1	5	10	12	17	25
20-34	96	10.0	40	1	2	9	13	18	21	34
35-49	56	9.3	42	4	4	8	11	17	20	41
50-64	46	9.2	55	1	2	8	12	16	21	42
65+	35	15.7	269	1	3	10	17	43	52	74
B. *Operated*										
0-19 YRS	101	10.8	143	1	2	7	13	25	32	64
20-34	181	10.1	103	1	1	6	15	25	31	59
35-49	99	11.7	234	1	1	7	13	26	57	90
50-64	116	12.1	223	1	2	7	16	30	38	99
65+	64	13.9	204	1	2	8	17	35	44	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	6.6	33	1	1	5	9	13	18	31
B. *Operated*	692	5.3	46	1	1	3	6	13	20	32
2. MULTIPLE DX										
A. *Not Operated*	263	10.1	77	1	3	8	12	18	25	51
B. *Operated*	561	11.4	170	1	2	7	15	27	37	80
1. SINGLE DX	849	5.5	44	1	1	3	6	13	20	32
2. MULTIPLE DX	824	10.9	140	1	2	8	14	25	34	74
A. NOT OPERATED	420	8.8	63	1	2	7	11	17	21	42
B. OPERATED	1253	8.0	111	1	1	4	10	20	29	59
TOTAL 0-19 YRS	408	6.0	66	1	1	3	7	14	21	42
20-34	527	8.0	67	1	1	5	11	18	26	39
35-49	294	8.4	109	1	1	6	10	18	25	69
50-64	282	9.2	127	1	1	5	12	21	30	72
65+	162	12.2	186	1	2	7	16	29	43	71
GRAND TOTAL	**1673**	**8.2**	**99**	**1**	**1**	**5**	**11**	**19**	**27**	**53**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	3.8	13	1	1	3	5	7	12	20
20-34	72	3.1	7	<1	1	2	4	6	9	13
35-49	39	4.9	13	1	1	4	7	10	12	18
50-64	23	4.9	13	1	1	4	7	10	13	15
65+	19	7.8	24	2	2	7	11	15	18	18
B. *Operated*										
0-19 YRS	171	4.8	6	1	2	4	6	8	9	12
20-34	241	5.2	12	1	2	5	6	8	10	14
35-49	67	6.0	26	1	2	5	8	10	17	27
50-64	37	6.8	15	1	2	6	9	13	15	16
65+	13	11.5	42	2	4	11	14	23	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	5.3	18	1	1	4	7	13	16	99+
20-34	55	4.9	24	1	1	3	6	10	13	30
35-49	31	6.2	16	1	2	5	8	13	15	17
50-64	36	6.8	18	1	2	6	9	13	16	17
65+	78	9.1	50	2	3	7	11	17	25	36
B. *Operated*										
0-19 YRS	134	6.5	12	2	3	6	8	10	13	20
20-34	240	6.9	14	2	3	6	9	12	13	20
35-49	84	7.3	34	2	3	6	8	12	18	35
50-64	38	10.2	97	3	3	7	10	22	34	49
65+	35	14.4	178	4	6	11	17	38	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	4.2	13	1	1	3	5	10	12	18
B. *Operated*	529	5.4	14	1	2	5	7	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	238	6.8	32	1	2	5	9	14	17	32
B. *Operated*	531	7.6	37	2	3	6	9	13	17	38
1. SINGLE DX	747	5.1	14	1	1	4	6	9	12	18
2. MULTIPLE DX	769	7.3	36	2	2	6	9	13	17	37
A. NOT OPERATED	456	5.6	25	1	1	4	7	12	15	27
B. OPERATED	1060	6.5	27	2	2	5	8	11	14	27
TOTAL 0-19 YRS	408	5.2	11	1	2	5	7	9	11	18
20-34	608	5.6	15	1	2	5	7	10	12	18
35-49	221	6.3	26	1	2	5	8	11	16	28
50-64	134	7.4	42	1	2	6	9	14	16	37
65+	145	10.4	81	2	3	8	13	21	26	99+
GRAND TOTAL	**1516**	**6.2**	**26**	**1**	**2**	**5**	**8**	**11**	**15**	**27**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	5.6	16	1	2	5	8	10	12	18
20-34	1005	7.2	18	2	3	7	9	13	15	22
35-49	949	7.9	29	2	3	7	10	13	17	26
50-64	451	7.7	18	3	3	7	10	13	15	23
65+	114	8.9	29	3	3	8	11	16	18	29
B. *Operated*										
0-19 YRS	9	7.8	44	3	3	6	9	18	24	24
20-34	176	8.5	50	2	2	7	12	17	21	34
35-49	135	9.9	51	2	3	9	14	19	24	34
50-64	37	9.5	60	2	2	8	12	17	20	45
65+	3	5.3	10	3	3	4	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	7.2	17	2	2	6	9	13	15	18
20-34	867	8.4	24	3	4	7	10	15	18	24
35-49	942	9.5	29	3	4	8	12	16	20	31
50-64	810	9.9	41	3	4	8	12	17	21	32
65+	524	11.3	76	3	4	9	14	20	26	45
B. *Operated*										
0-19 YRS	6	8.7	49	2	2	6	17	18	18	18
20-34	126	12.4	78	3	4	11	16	22	24	45
35-49	151	14.5	121	2	3	12	20	29	34	71
50-64	85	14.0	86	4	5	12	18	24	33	51
65+	52	20.2	212	6	7	17	25	37	50	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2661	7.5	23	2	3	7	10	13	16	23
B. *Operated*	360	9.1	51	2	2	8	13	18	22	36
2. MULTIPLE DX										
A. *Not Operated*	3263	9.5	39	3	4	8	12	17	21	32
B. *Operated*	420	14.4	116	3	4	12	18	26	33	63
1. SINGLE DX	3021	7.7	26	2	3	7	10	14	17	26
2. MULTIPLE DX	3683	10.1	50	3	4	8	13	18	23	36
A. NOT OPERATED	5924	8.6	33	2	3	8	11	15	19	29
B. OPERATED	780	11.9	93	2	3	10	16	23	28	50
TOTAL 0-19 YRS	277	6.4	18	1	2	5	8	12	15	19
20-34	2174	8.1	28	2	3	7	10	14	18	25
35-49	2177	9.2	40	3	3	8	11	16	21	33
50-64	1383	9.4	39	3	4	8	12	16	21	32
65+	693	11.6	85	3	4	9	14	21	27	47
GRAND TOTAL	**6704**	**9.0**	**41**	**2**	**3**	**8**	**11**	**16**	**20**	**32**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	257	3.8	9	1	1	3	5	8	11	15
20-34	681	6.5	17	1	2	6	8	12	15	20
35-49	444	7.3	22	2	2	7	9	13	15	21
50-64	213	7.1	17	2	2	6	9	12	15	22
65+	51	7.8	33	2	2	7	9	14	22	26
B. *Operated*										
0-19 YRS	17	7.0	20	1	2	7	10	12	15	17
20-34	118	6.7	30	1	2	5	9	14	18	26
35-49	79	6.8	25	2	2	5	10	14	16	23
50-64	31	6.3	25	2	2	5	8	11	16	26
65+	2	27.5	545	11	11	27	44	44	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	344	5.6	13	1	2	5	7	11	13	18
20-34	1573	7.4	20	2	3	7	9	13	16	25
35-49	1120	8.0	21	3	4	7	10	13	16	25
50-64	727	8.9	42	2	3	7	11	15	21	34
65+	325	8.8	33	2	3	8	11	16	20	28
B. *Operated*										
0-19 YRS	24	8.3	66	1	2	5	12	18	27	36
20-34	140	9.8	44	2	3	8	13	18	24	43
35-49	148	11.1	57	3	3	10	15	21	24	37
50-64	61	11.3	52	3	3	9	16	22	25	27
65+	31	12.6	72	2	3	11	17	25	28	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1646	6.4	19	1	2	6	8	12	15	22
B. *Operated*	247	6.9	32	1	2	5	10	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	4089	7.8	25	2	3	7	10	14	17	27
B. *Operated*	404	10.6	54	2	3	9	14	20	25	37
1. SINGLE DX	1893	6.5	21	1	2	6	9	12	15	22
2. MULTIPLE DX	4493	8.1	29	2	3	7	10	14	18	28
A. NOT OPERATED	5735	7.4	24	2	3	7	9	13	16	25
B. OPERATED	651	9.2	49	2	2	8	12	18	23	36
TOTAL 0-19 YRS	642	5.0	15	1	1	4	7	10	13	18
20-34	2512	7.3	21	2	3	6	9	13	16	25
35-49	1791	8.0	25	2	3	7	10	14	17	25
50-64	1032	8.6	38	2	3	7	11	15	20	31
65+	409	9.0	40	2	3	8	11	17	22	29
GRAND TOTAL	**6386**	**7.6**	**27**	**2**	**3**	**7**	**9**	**14**	**17**	**26**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	3.9	15	1	1	3	5	8	11	22
20-34	82	3.7	7	1	1	3	4	7	9	14
35-49	62	3.6	8	1	1	3	4	8	10	14
50-64	44	4.4	24	1	2	3	4	8	16	27
65+	37	5.5	12	1	2	4	8	11	12	13
B. *Operated*										
0-19 YRS	166	3.4	4	1	1	3	4	6	7	9
20-34	380	3.8	7	1	2	3	5	6	8	12
35-49	281	4.1	6	1	2	4	5	7	8	11
50-64	251	5.2	10	2	2	4	7	9	12	16
65+	67	6.0	9	2	2	6	8	10	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	4.5	9	1	1	4	6	9	10	14
20-34	92	4.1	10	1	1	3	6	9	11	14
35-49	80	5.9	37	1	2	4	6	12	20	33
50-64	102	6.8	69	1	2	5	8	12	14	51
65+	181	8.7	54	2	2	7	12	16	22	99+
B. *Operated*										
0-19 YRS	59	3.7	6	1	1	3	4	8	9	11
20-34	112	4.5	10	1	2	4	6	9	10	17
35-49	77	5.4	12	1	2	5	6	9	14	17
50-64	117	8.0	52	2	3	6	9	17	19	43
65+	77	9.7	51	2	3	7	13	22	25	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	321	4.1	13	1	1	3	5	8	11	19
B. *Operated*	1145	4.3	8	1	2	4	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	511	6.6	45	1	2	5	9	14	18	47
B. *Operated*	442	6.4	33	1	2	5	8	14	18	26
1. SINGLE DX	1466	4.2	9	1	2	4	5	8	10	15
2. MULTIPLE DX	953	6.5	39	1	2	5	8	14	18	32
A. NOT OPERATED	832	5.6	34	1	1	4	7	12	15	27
B. OPERATED	1587	4.9	16	1	2	4	6	9	12	21
TOTAL 0-19 YRS	377	3.8	8	1	1	3	5	7	9	14
20-34	666	4.0	8	1	1	3	5	7	10	14
35-49	500	4.5	13	1	2	4	6	8	10	20
50-64	514	6.1	34	1	2	5	7	11	15	26
65+	362	8.1	43	2	2	6	11	15	22	61
GRAND TOTAL	**2419**	**5.1**	**22**	**1**	**2**	**4**	**6**	**10**	**14**	**23**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3210	1.9	3	1	1	1	2	3	4	8
20-34	1001	2.5	5	<1	1	2	3	5	7	11
35-49	264	2.9	6	<1	1	2	4	6	8	11
50-64	157	3.1	5	<1	1	2	4	6	8	10
65+	109	4.3	62	1	1	2	5	7	10	49
B. *Operated*										
0-19 YRS	35	4.6	230	1	1	1	2	5	10	91
20-34	22	4.2	13	<1	1	2	7	11	12	12
35-49	10	5.1	6	2	2	6	7	8	8	8
50-64	5	6.6	25	2	2	4	11	13	13	13
65+	5	5.4	18	2	2	6	11	91	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3190	3.0	13	1	1	2	3	6	8	16
20-34	2391	4.1	17	1	1	3	5	8	11	20
35-49	1012	5.5	47	1	1	4	7	10	14	31
50-64	779	6.2	35	1	1	5	8	13	17	33
65+	808	8.2	73	1	2	6	10	18	25	49
B. *Operated*										
0-19 YRS	996	5.1	58	1	1	3	5	11	17	45
20-34	1012	5.6	63	1	1	3	6	12	19	46
35-49	386	7.2	73	1	1	4	9	17	23	49
50-64	280	8.3	133	1	1	5	10	19	35	99+
65+	282	10.1	130	1	2	7	12	23	33	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4741	2.2	5	1	1	2	2	4	6	10
B. *Operated*	77	4.7	110	1	1	2	6	10	12	97
2. MULTIPLE DX										
A. *Not Operated*	8180	4.5	29	1	1	3	5	9	13	28
B. *Operated*	2956	6.3	78	1	1	3	7	14	22	54
1. SINGLE DX	4818	2.2	7	1	1	2	2	4	6	10
2. MULTIPLE DX	11136	5.0	43	1	1	3	6	10	15	37
A. NOT OPERATED	12921	3.6	21	1	1	2	4	8	10	23
B. OPERATED	3033	6.3	79	1	1	3	7	14	22	55
TOTAL 0-19 YRS	7431	2.8	17	1	1	2	3	5	8	19
20-34	4426	4.1	26	1	1	3	5	8	11	26
35-49	1672	5.5	48	1	1	4	7	11	15	39
50-64	1221	6.3	56	1	1	4	8	13	19	53
65+	1204	8.3	87	1	2	6	10	18	26	59
GRAND TOTAL	**15954**	**4.1**	**33**	**1**	**1**	**2**	**5**	**9**	**13**	**30**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	634	2.2	12	<1	1	1	2	4	6	20
20-34	158	3.2	30	<1	1	2	4	6	8	24
35-49	47	3.1	6	<1	1	2	4	6	9	12
50-64	54	4.0	16	<1	1	3	5	8	11	24
65+	41	9.0	213	1	1	4	7	29	38	76
B. *Operated*										
0-19 YRS	41	13.6	256	1	1	9	16	32	55	74
20-34	18	14.9	115	3	4	12	22	38	72	99+
35-49	18	14.8	168	1	1	12	20	33	40	45
50-64	27	15.8	219	3	4	11	17	37	58	61
65+	44	15.3	84	3	6	13	21	26	32	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	630	3.8	39	1	1	2	4	8	13	28
20-34	378	6.5	69	1	1	4	7	15	25	46
35-49	169	6.9	72	1	1	4	8	15	22	42
50-64	154	8.6	76	1	1	6	11	21	28	49
65+	277	10.7	125	1	2	8	14	24	37	99+
B. *Operated*										
0-19 YRS	183	13.5	348	1	1	7	21	70	99+	99+
20-34	187	22.4	604	1	2	15	40	85	99+	99+
35-49	89	18.4	288	1	2	17	35	96	99+	99+
50-64	111	22.1	446	1	3	17	38	67	99	99+
65+	135	24.9	344	2	5	22	35	56	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	934	2.8	25	<1	1	1	3	5	8	29
B. *Operated*	148	14.8	166	1	2	12	19	32	45	74
2. MULTIPLE DX										
A. *Not Operated*	1608	6.4	74	1	1	3	8	15	23	49
B. *Operated*	705	20.0	439	1	2	14	34	74	99+	99+
1. SINGLE DX	1082	4.5	62	<1	1	2	4	11	19	43
2. MULTIPLE DX	2313	10.6	224	1	1	5	13	33	56	99+
A. NOT OPERATED	2542	5.1	59	1	1	2	6	12	20	44
B. OPERATED	853	19.1	395	1	2	13	31	69	99+	99+
TOTAL 0-19 YRS	1488	4.6	86	1	1	2	4	11	21	99
20-34	741	10.0	252	1	1	4	11	32	61	99+
35-49	323	10.0	159	1	1	5	13	33	47	99+
50-64	346	12.8	244	1	1	7	17	38	54	99+
65+	497	14.8	227	1	2	10	21	36	53	99+
GRAND TOTAL	**3395**	**8.6**	**181**	**1**	**1**	**3**	**10**	**26**	**44**	**99+**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.7	1	1	1	2	2	3	3	3
20-34	43	3.8	15	1	1	3	4	7	10	23
35-49	17	3.6	3	1	1	4	5	5	6	7
50-64	12	3.7	5	1	1	3	6	7	7	7
65+	2	10.0	128	2	2	10	18	18	18	18
B. *Operated*										
0-19 YRS	24	6.4	11	2	2	6	8	12	12	13
20-34	59	6.7	12	2	3	6	8	11	13	21
35-49	21	11.2	143	3	4	7	15	18	37	58
50-64	7	9.7	33	5	5	8	12	19	21	21
65+	5	10.2	56	5	5	8	13	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.0	5	1	1	4	5	7	9	10
20-34	69	5.5	22	1	1	5	6	10	12	30
35-49	40	6.8	15	2	3	6	9	13	14	17
50-64	46	8.3	35	2	3	7	10	15	22	31
65+	50	11.2	76	2	3	10	13	21	30	45
B. *Operated*										
0-19 YRS	86	12.0	102	4	5	9	14	24	30	57
20-34	156	11.9	137	3	4	9	13	21	31	62
35-49	55	15.5	273	3	5	10	20	35	63	99+
50-64	49	15.9	194	4	4	11	21	33	54	61
65+	48	20.8	281	4	5	15	29	49	56	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	3.6	11	1	1	3	5	7	8	21
B. *Operated*	116	7.8	40	2	3	6	9	13	18	35
2. MULTIPLE DX										
A. *Not Operated*	235	7.3	38	1	2	6	9	14	18	33
B. *Operated*	394	14.0	180	4	4	9	16	30	45	70
1. SINGLE DX	204	6.0	32	1	1	5	7	11	16	23
2. MULTIPLE DX	629	11.5	138	2	3	8	13	24	33	61
A. NOT OPERATED	323	6.3	33	1	1	5	8	12	16	32
B. OPERATED	510	12.6	155	3	4	9	14	26	36	64
TOTAL 0-19 YRS	154	8.6	75	1	2	6	10	17	27	54
20-34	327	8.5	85	1	2	6	10	15	22	55
35-49	133	10.7	159	2	3	6	13	23	35	95
50-64	114	11.1	118	3	3	8	12	24	32	58
65+	105	15.5	190	2	3	11	21	34	49	64
GRAND TOTAL	**833**	**10.1**	**117**	**1**	**2**	**7**	**12**	**21**	**31**	**59**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	298	4.0	11	1	1	3	5	8	10	18
20-34	133	3.7	11	1	1	3	4	9	13	15
35-49	37	3.5	8	1	1	3	5	7	10	13
50-64	21	4.5	4	1	2	4	6	7	8	8
65+	10	4.2	11	1	1	3	6	9	12	12
B. *Operated*										
0-19 YRS	136	8.3	21	3	4	8	9	13	17	27
20-34	146	9.0	29	3	5	8	10	14	18	31
35-49	32	13.2	74	6	7	11	15	24	33	44
50-64	20	12.4	147	3	4	9	12	19	40	60
65+	8	5.5	16	1	1	5	8	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	254	4.6	12	1	1	4	6	9	10	20
20-34	234	5.3	27	1	2	4	6	10	12	29
35-49	84	6.3	69	1	2	4	6	11	15	56
50-64	62	6.3	20	1	2	5	8	14	16	21
65+	62	9.5	74	2	2	7	13	19	27	45
B. *Operated*										
0-19 YRS	276	13.8	151	4	5	10	15	27	43	75
20-34	381	15.3	187	4	5	11	17	32	45	79
35-49	134	18.9	309	4	7	12	23	44	62	99
50-64	74	20.4	319	5	6	16	25	54	90	99+
65+	63	23.9	311	5	8	20	33	55	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	499	3.9	10	1	1	3	5	8	11	15
B. *Operated*	342	9.2	39	3	4	8	11	14	20	34
2. MULTIPLE DX										
A. *Not Operated*	696	5.6	32	1	1	4	7	11	14	30
B. *Operated*	928	16.4	220	4	6	11	19	36	52	99
1. SINGLE DX	841	6.1	29	1	1	5	8	12	14	27
2. MULTIPLE DX	1624	11.8	168	2	2	8	14	26	40	82
A. NOT OPERATED	1195	4.9	23	1	1	4	6	9	13	22
B. OPERATED	1270	14.4	181	3	5	10	16	31	44	90
TOTAL 0-19 YRS	964	7.5	70	1	1	6	9	14	21	50
20-34	894	9.9	117	1	2	7	12	19	31	59
35-49	287	12.6	214	1	2	9	14	30	44	85
50-64	177	12.6	203	2	3	8	16	28	52	99+
65+	143	15.2	231	2	2	11	20	35	52	99+
GRAND TOTAL	**2465**	**9.8**	**127**	**1**	**2**	**7**	**11**	**20**	**32**	**69**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	4.4	27	<1	<1	2	6	11	19	21
20-34	11	3.8	10	<1	<1	3	5	8	12	12
35-49	6	4.0	2	2	2	4	5	5	5	5
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	2	5.5	1	5	5	5	6	6	6	6
B. *Operated*										
0-19 YRS	201	3.1	7	1	1	2	4	7	9	13
20-34	91	3.6	9	1	1	3	4	8	10	16
35-49	48	4.4	12	1	1	3	6	10	13	14
50-64	22	3.9	7	<1	1	3	6	10	42	99+
65+	23	3.6	8	1	1	3	5	6	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	4.0	10	<1	1	3	6	7	8	18
20-34	15	4.1	12	<1	<1	4	6	7	12	14
35-49	13	5.8	36	<1	1	4	8	13	21	23
50-64	13	4.7	6	2	2	4	6	9	9	9
65+	9	15.3	146	6	6	11	20	36	38	38
B. *Operated*										
0-19 YRS	198	4.6	17	1	1	3	6	10	12	19
20-34	152	5.1	35	1	1	4	6	10	13	47
35-49	80	6.0	19	1	2	5	7	12	16	22
50-64	45	8.0	62	1	2	5	10	19	22	43
65+	54	7.1	45	1	2	5	9	16	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	4.2	18	<1	1	3	5	7	13	21
B. *Operated*	385	3.5	9	1	1	3	4	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	87	5.6	37	<1	1	4	7	10	15	37
B. *Operated*	529	5.5	30	1	1	4	7	11	16	34
1. SINGLE DX	433	3.5	10	1	1	3	5	7	10	15
2. MULTIPLE DX	616	5.5	31	1	1	4	7	11	16	34
A. NOT OPERATED	135	5.1	31	<1	1	4	6	9	15	35
B. OPERATED	914	4.6	22	1	1	3	6	10	13	23
TOTAL 0-19 YRS	463	3.9	13	1	1	3	5	8	11	18
20-34	269	4.5	24	1	1	3	6	9	12	40
35-49	147	5.4	18	1	1	4	7	11	14	23
50-64	82	6.2	41	1	1	4	8	14	21	81
65+	88	7.0	53	1	2	5	8	15	21	37
GRAND TOTAL	**1049**	**4.7**	**23**	**1**	**1**	**3**	**6**	**10**	**13**	**23**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	2.7	5	<1	1	2	3	5	6	12
20-34	77	2.7	12	<1	<1	2	3	5	7	23
35-49	36	3.5	5	<1	1	3	4	6	8	10
50-64	19	3.7	10	<1	1	3	4	10	11	11
65+	16	6.4	49	1	1	2	9	17	21	23
B. *Operated*										
0-19 YRS	344	2.1	4	<1	1	1	2	4	5	12
20-34	189	2.9	6	<1	<1	2	4	6	7	13
35-49	79	2.9	4	<1	1	2	4	6	7	10
50-64	45	2.8	5	<1	<1	2	3	4	7	14
65+	39	3.2	3	<1	1	3	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	200	3.0	8	<1	1	2	4	6	8	14
20-34	238	4.1	31	<1	1	3	5	7	10	30
35-49	121	5.1	36	1	1	3	6	10	19	56
50-64	94	5.2	88	1	1	3	6	9	13	59
65+	176	7.5	58	1	2	5	9	15	20	45
B. *Operated*										
0-19 YRS	631	4.0	36	<1	1	2	5	8	10	26
20-34	683	4.9	52	1	1	3	5	10	16	36
35-49	315	6.3	66	1	1	4	7	13	21	56
50-64	212	7.7	97	1	1	5	9	16	27	52
65+	305	8.8	91	1	2	6	11	19	25	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	3.1	11	<1	<1	2	4	6	9	18
B. *Operated*	696	2.5	5	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	829	4.8	41	1	1	3	6	10	14	37
B. *Operated*	2146	5.7	62	1	1	3	6	12	18	40
1. SINGLE DX	940	2.7	6	<1	1	2	3	5	7	13
2. MULTIPLE DX	2975	5.4	56	1	1	3	6	11	17	40
A. NOT OPERATED	1073	4.4	34	<1	1	3	5	9	13	29
B. OPERATED	2842	4.9	50	1	1	3	6	10	15	35
TOTAL 0-19 YRS	1271	3.2	21	<1	1	2	4	6	9	18
20-34	1187	4.3	38	<1	1	3	5	8	12	30
35-49	551	5.4	48	1	1	3	6	11	17	43
50-64	370	6.2	82	1	1	4	7	12	20	50
65+	536	7.9	74	1	2	5	10	17	23	46
GRAND TOTAL	**3915**	**4.8**	**46**	**<1**	**1**	**3**	**5**	**10**	**15**	**33**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	172	2.5	5	1	1	2	3	4	6	10
20-34	277	2.6	4	1	1	2	3	5	6	9
35-49	98	3.3	6	<1	1	3	4	7	9	12
50-64	30	3.0	6	<1	<1	2	4	6	7	13
65+	9	5.4	16	1	1	4	7	12	14	14
B. *Operated*										
0-19 YRS	186	3.6	20	<1	1	2	5	7	9	29
20-34	203	5.2	22	<1	1	4	7	10	14	23
35-49	79	6.4	60	1	1	5	7	11	20	48
50-64	31	5.6	22	<1	1	5	7	11	15	22
65+	9	8.3	146	<1	1	4	8	29	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	3.8	30	1	1	3	4	6	7	34
20-34	167	4.5	37	1	1	3	5	8	11	39
35-49	97	6.0	88	1	1	3	6	11	18	64
50-64	42	5.4	23	1	2	4	6	11	17	24
65+	31	8.1	20	2	3	9	11	14	16	19
B. *Operated*										
0-19 YRS	164	8.8	135	1	2	6	10	15	25	72
20-34	390	10.0	86	1	2	8	12	20	28	54
35-49	123	11.7	148	2	3	8	14	24	34	62
50-64	58	12.0	213	1	2	8	14	36	68	99+
65+	36	12.0	153	2	2	10	17	27	88	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	586	2.8	5	1	1	2	3	5	7	12
B. *Operated*	508	4.8	30	<1	1	3	6	9	13	29
2. MULTIPLE DX										
A. *Not Operated*	432	5.0	45	1	1	3	6	10	14	44
B. *Operated*	771	10.3	120	1	2	8	12	22	32	74
1. SINGLE DX	1094	3.7	18	<1	1	2	5	8	10	22
2. MULTIPLE DX	1203	8.4	99	1	2	6	10	18	25	60
A. NOT OPERATED	1018	3.7	23	1	1	3	4	7	10	20
B. OPERATED	1279	8.1	91	1	1	6	10	17	25	57
TOTAL 0-19 YRS	617	4.7	54	1	1	3	5	9	13	40
20-34	1037	6.2	53	1	1	4	8	13	19	38
35-49	397	7.2	91	1	1	4	8	16	23	53
50-64	161	7.3	100	1	1	4	9	16	24	97
65+	85	9.5	92	2	2	8	13	20	29	99+
GRAND TOTAL	**2297**	**6.2**	**66**	**1**	**1**	**4**	**7**	**13**	**20**	**47**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	2.8	4	<1	1	2	4	5	7	11
20-34	179	2.9	5	<1	1	2	4	6	8	11
35-49	87	3.1	6	<1	1	3	4	7	8	11
50-64	31	4.9	70	<1	<1	3	5	8	11	48
65+	8	4.1	20	<1	1	3	7	66	99+	99+
B. *Operated*										
0-19 YRS	948	2.6	11	<1	1	2	3	5	7	12
20-34	1125	2.8	12	<1	1	2	3	5	7	16
35-49	497	3.2	31	<1	1	2	3	6	8	38
50-64	343	3.0	11	1	1	2	3	5	8	18
65+	100	3.7	14	1	1	3	5	7	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	3.9	9	1	1	3	5	7	9	17
20-34	180	5.3	32	1	1	4	7	11	14	42
35-49	64	4.8	22	1	1	3	6	10	14	23
50-64	51	5.9	31	1	1	5	7	11	19	29
65+	31	10.6	130	2	2	7	13	23	40	51
B. *Operated*										
0-19 YRS	610	3.9	24	1	1	3	4	8	11	34
20-34	827	4.5	36	1	1	3	5	9	14	32
35-49	345	5.1	56	1	1	3	5	10	19	42
50-64	280	4.6	36	1	1	3	5	10	15	31
65+	123	6.9	92	1	1	4	8	14	24	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	424	3.1	10	<1	1	2	4	6	8	12
B. *Operated*	3013	2.9	15	<1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	430	5.3	34	1	1	4	6	11	16	35
B. *Operated*	2185	4.6	40	1	1	3	5	9	14	36
1. SINGLE DX	3437	2.9	14	<1	1	2	3	5	8	15
2. MULTIPLE DX	2615	4.7	39	1	1	3	5	10	14	36
A. NOT OPERATED	854	4.2	23	<1	1	3	5	9	11	28
B. OPERATED	5198	3.6	26	1	1	2	4	7	10	28
TOTAL 0-19 YRS	1781	3.1	15	1	1	2	4	6	9	16
20-34	2311	3.6	22	<1	1	2	4	7	11	27
35-49	993	3.9	37	1	1	2	4	7	11	40
50-64	705	3.9	26	1	1	3	4	8	12	28
65+	262	6.0	69	1	1	3	7	12	22	55
GRAND TOTAL	**6052**	**3.7**	**25**	**1**	**1**	**2**	**4**	**7**	**11**	**28**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	187	3.5	11	<1	1	2	4	7	9	17
20-34	143	3.8	15	<1	1	3	5	7	9	20
35-49	52	4.1	12	<1	1	3	5	8	9	19
50-64	20	5.3	21	<1	1	3	7	13	14	16
65+	11	7.3	53	2	2	6	7	17	27	28
B. *Operated*										
0-19 YRS	499	4.8	48	<1	1	3	5	11	15	31
20-34	328	5.7	48	1	1	4	6	11	16	45
35-49	117	6.1	82	1	1	3	6	11	20	49
50-64	77	8.9	136	1	1	5	10	19	31	68
65+	35	9.7	119	1	2	6	12	21	39	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	4.7	14	1	1	4	6	9	11	76
20-34	77	5.1	22	1	1	4	6	9	14	28
35-49	36	6.6	20	1	2	6	9	13	15	21
50-64	43	8.1	73	1	2	5	11	19	33	99+
65+	36	11.6	113	1	3	8	16	28	45	99+
B. *Operated*										
0-19 YRS	220	8.8	146	1	1	5	9	19	31	67
20-34	234	11.6	182	1	2	7	13	28	44	99+
35-49	92	12.3	309	1	2	7	12	29	62	98
50-64	77	13.1	177	1	2	11	18	32	55	99+
65+	75	19.5	331	2	4	12	28	54	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	413	3.9	14	<1	1	3	5	8	10	19
B. *Operated*	1056	5.7	62	1	1	3	6	12	19	43
2. MULTIPLE DX										
A. *Not Operated*	273	6.5	44	1	2	5	8	14	20	86
B. *Operated*	698	11.8	211	1	2	7	13	29	52	99+
1. SINGLE DX	1469	5.2	49	1	1	3	6	11	16	38
2. MULTIPLE DX	971	10.3	170	1	2	6	12	24	44	99+
A. NOT OPERATED	686	4.9	28	1	1	4	6	10	15	34
B. OPERATED	1754	8.1	130	1	1	5	9	19	30	77
TOTAL 0-19 YRS	987	5.4	63	1	1	3	6	11	18	48
20-34	782	7.1	89	1	1	4	7	15	27	63
35-49	297	7.7	142	1	1	5	8	15	25	88
50-64	217	9.9	133	1	1	6	13	22	41	99+
65+	157	14.7	235	2	2	9	19	42	54	99+
GRAND TOTAL	**2440**	**7.2**	**103**	**1**	**1**	**4**	**8**	**16**	**27**	**70**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.9	2	1	1	1	2	4	6	6
20-34	5	4.4	10	2	2	3	5	10	10	10
35-49	5	4.4	9	1	1	4	6	9	9	9
50-64	2	5.0		5	5	5	5	5	5	5
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	10	4.1	8	1	1	3	7	8	9	9
20-34	23	7.0	29	1	1	6	11	14	17	21
35-49	13	7.3	49	2	2	4	9	18	24	26
50-64	6	5.3	10	2	2	5	7	10	10	10
65+	2	24.5	181	15	15	24	34	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.4	2	1	1	2	3	4	5	5
20-34	5	5.4	7	2	2	5	8	8	8	8
35-49	5	6.6	23	3	3	5	8	15	15	15
50-64	6	7.2	34	2	2	5	9	17	18	18
65+	12	8.1	32	1	2	6	12	16	19	20
B. *Operated*										
0-19 YRS	43	9.0	130	1	1	5	12	16	29	64
20-34	46	13.9	232	1	1	9	20	42	59	99+
35-49	20	10.7	269	1	1	4	12	29	50	70
50-64	11	16.9	318	<1	<1	14	24	48	49	49
65+	5	14.2	134	3	3	14	32	93	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.1	6	1	1	2	4	6	9	10
B. *Operated*	54	7.0	42	1	1	6	9	14	20	34
2. MULTIPLE DX										
A. *Not Operated*	40	5.7	23	1	1	4	7	13	16	20
B. *Operated*	125	12.0	207	1	1	6	16	32	50	99+
1. SINGLE DX	81	5.7	33	1	1	4	7	13	15	32
2. MULTIPLE DX	165	10.5	169	1	1	5	14	25	48	95
A. NOT OPERATED	67	4.7	17	1	1	4	6	10	14	20
B. OPERATED	179	10.5	162	1	1	6	14	25	46	90
TOTAL 0-19 YRS	79	6.1	82	1	1	3	7	14	17	58
20-34	79	10.8	157	1	1	6	14	24	46	89
35-49	43	8.4	144	1	2	4	9	18	29	70
50-64	25	10.8	173	<1	2	5	15	25	48	49
65+	20	11.1	86	2	2	9	16	33	64	99+
GRAND TOTAL	**246**	**8.9**	**129**	**1**	**1**	**5**	**11**	**21**	**34**	**71**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	4.7	16	1	1	4	6	12	16	99+
20-34	48	7.2	41	1	2	6	9	14	21	35
35-49	18	5.9	14	1	2	5	8	12	14	14
50-64	22	9.3	58	1	1	8	12	21	25	29
65+	18	11.6	95	2	3	8	17	24	33	38
B. *Operated*										
0-19 YRS	229	3.8	15	<1	1	3	4	8	11	21
20-34	344	4.5	29	<1	1	3	5	9	13	35
35-49	151	4.6	26	<1	1	3	5	11	13	25
50-64	120	5.7	25	1	2	4	8	13	16	23
65+	38	11.6	224	1	2	6	12	25	33	84
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	5.6	50	<1	1	4	7	14	37	99+
20-34	79	8.4	85	1	1	6	10	17	29	52
35-49	43	10.9	176	1	2	7	13	22	30	80
50-64	57	8.4	66	1	2	6	12	17	31	95
65+	69	15.4	247	2	3	11	21	47	84	99+
B. *Operated*										
0-19 YRS	127	5.1	42	1	1	3	5	13	19	58
20-34	243	7.3	87	1	2	4	8	17	26	46
35-49	129	9.6	108	2	2	6	12	23	43	99+
50-64	131	9.3	140	2	2	5	11	18	30	69
65+	104	16.7	201	2	3	14	23	34	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	7.4	45	1	1	5	10	16	22	44
B. *Operated*	882	4.8	35	<1	1	3	5	10	14	29
2. MULTIPLE DX										
A. *Not Operated*	304	9.8	135	1	2	6	12	23	40	99+
B. *Operated*	734	9.0	120	1	2	5	12	22	33	72
1. SINGLE DX	1021	5.1	37	1	1	3	6	12	16	33
2. MULTIPLE DX	1038	9.3	124	1	2	5	12	22	34	99+
A. NOT OPERATED	443	9.1	108	1	2	6	11	21	34	99+
B. OPERATED	1616	6.7	78	1	2	4	7	16	24	53
TOTAL 0-19 YRS	445	4.5	27	1	1	3	5	10	15	47
20-34	714	6.0	58	1	1	3	7	13	19	40
35-49	341	7.4	82	1	2	4	9	16	24	59
50-64	330	7.9	82	1	2	5	10	16	22	60
65+	229	15.0	212	2	3	11	21	34	57	99+
GRAND TOTAL	**2059**	**7.2**	**85**	**1**	**2**	**4**	**8**	**17**	**25**	**60**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	381	4.7	6	2	2	5	6	7	9	14
20-34	125	3.8	4	1	1	4	5	6	7	32
35-49	48	4.6	10	1	2	4	5	8	10	18
50-64	19	4.2	4	1	1	4	5	7	8	8
65+	3	7.3	44	3	3	4	12	15	15	15
B. *Operated*										
0-19 YRS	13	9.6	31	2	2	9	12	17	20	21
20-34	9	4.2	19	<1	<1	2	6	12	14	14
35-49	3	3.0	3	1	1	4	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	155	4.6	6	1	2	4	6	8	8	15
20-34	119	4.4	10	1	1	4	6	8	10	16
35-49	41	5.8	41	<1	2	4	6	10	19	35
50-64	22	6.9	52	1	1	5	9	15	27	29
65+	38	7.4	29	1	2	6	10	14	19	24
B. *Operated*										
0-19 YRS	27	6.9	22	1	2	6	9	15	16	18
20-34	23	4.7	12	<1	1	4	6	10	13	14
35-49	13	6.3	28	<1	1	5	11	13	17	18
50-64	6	7.3	106	1	1	4	6	26	28	28
65+	12	13.0	642	1	1	4	13	37	84	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	576	4.5	6	1	2	4	5	7	9	15
B. *Operated*	27	6.6	29	1	1	4	10	14	17	21
2. MULTIPLE DX										
A. *Not Operated*	375	5.1	17	1	2	4	6	9	11	25
B. *Operated*	81	7.1	117	1	1	5	8	14	17	72
1. SINGLE DX	603	4.6	7	1	2	4	5	7	10	16
2. MULTIPLE DX	456	5.5	35	1	1	4	6	10	13	28
A. NOT OPERATED	951	4.7	10	1	2	4	6	8	10	18
B. OPERATED	108	7.0	94	1	1	5	9	14	16	55
TOTAL 0-19 YRS	576	4.9	8	1	2	5	6	8	10	16
20-34	276	4.2	8	1	1	4	5	7	9	14
35-49	105	5.3	24	1	2	4	5	10	13	31
50-64	48	5.8	38	1	1	4	6	10	25	29
65+	54	8.6	161	1	2	5	11	14	20	89
GRAND TOTAL	**1059**	**5.0**	**19**	**1**	**2**	**4**	**6**	**9**	**11**	**21**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	761	2.4	4	1	1	2	3	5	6	11
20-34	463	3.1	8	<1	1	2	4	6	8	15
35-49	218	3.7	11	1	1	3	5	8	10	16
50-64	165	4.0	12	1	1	3	5	9	11	17
65+	214	6.6	41	1	1	5	9	13	16	26
B. *Operated*										
0-19 YRS	126	3.0	7	<1	<1	2	3	6	8	13
20-34	105	4.5	16	<1	1	3	5	10	14	21
35-49	57	4.7	25	1	1	2	7	10	17	22
50-64	57	6.1	64	1	2	4	7	13	15	55
65+	40	9.9	145	<1	1	5	14	26	34	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1071	3.3	8	1	1	2	4	7	9	14
20-34	1092	4.3	16	<1	1	3	6	9	11	20
35-49	557	5.5	21	1	1	4	7	11	14	22
50-64	698	6.6	39	1	2	5	8	13	16	26
65+	1613	10.3	101	2	3	8	13	21	29	64
B. *Operated*										
0-19 YRS	195	5.0	41	1	1	3	6	10	15	36
20-34	201	6.4	79	<1	1	4	8	12	17	57
35-49	112	8.1	102	1	1	5	9	16	28	58
50-64	129	10.3	86	2	2	7	14	21	33	42
65+	264	15.9	190	2	3	11	21	35	46	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1821	3.4	13	1	1	2	4	7	10	17
B. *Operated*	385	4.8	38	<1	1	3	5	10	15	31
2. MULTIPLE DX										
A. *Not Operated*	5031	6.5	53	1	1	4	8	14	19	40
B. *Operated*	901	9.6	125	1	1	6	12	22	35	53
1. SINGLE DX	2206	3.6	18	1	1	2	4	8	11	20
2. MULTIPLE DX	5932	7.0	65	1	1	5	8	15	21	45
A. NOT OPERATED	6852	5.6	44	1	1	4	7	12	17	33
B. OPERATED	1286	8.2	104	1	1	5	10	19	31	52
TOTAL 0-19 YRS	2153	3.1	10	1	1	2	4	6	8	15
20-34	1861	4.3	21	<1	1	3	5	9	12	21
35-49	944	5.3	30	1	1	4	7	11	15	27
50-64	1049	6.6	44	1	2	5	8	14	18	33
65+	2131	10.6	112	2	2	8	13	22	31	60
GRAND TOTAL	**8138**	**6.0**	**55**	**1**	**1**	**4**	**7**	**13**	**18**	**40**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	3.9	16	1	1	2	5	10	13	18
20-34	32	4.6	32	1	1	2	6	9	20	26
35-49	19	5.1	19	1	2	4	6	9	16	21
50-64	10	4.4	3	1	2	4	5	7	7	7
65+	2	12.5	61	7	7	12	18	18	18	18
B. *Operated*										
0-19 YRS	23	7.9	146	1	1	5	8	16	42	52
20-34	60	6.0	65	<1	1	3	5	13	31	36
35-49	35	4.9	26	1	1	3	5	9	16	26
50-64	24	8.0	83	1	1	4	10	22	32	33
65+	3	3.0	3	2	2	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	4.1	12	1	1	3	6	8	13	15
20-34	45	4.7	13	1	1	4	6	9	13	15
35-49	23	3.7	8	1	1	3	5	9	10	11
50-64	13	6.8	37	<1	1	5	9	18	20	20
65+	11	10.7	61	1	2	9	16	22	26	26
B. *Operated*										
0-19 YRS	52	10.7	204	1	2	6	14	22	29	89
20-34	89	8.7	113	1	1	4	12	24	33	51
35-49	63	11.9	177	1	2	5	15	34	42	57
50-64	35	9.5	118	1	1	6	13	24	34	49
65+	14	12.6	285	1	2	5	10	39	53	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	4.5	21	1	1	3	6	9	14	23
B. *Operated*	145	6.3	70	1	1	3	6	14	30	38
2. MULTIPLE DX										
A. *Not Operated*	127	5.1	21	1	1	4	6	11	15	21
B. *Operated*	253	10.2	157	1	1	5	13	26	37	57
1. SINGLE DX	259	5.5	49	1	1	3	6	12	21	36
2. MULTIPLE DX	380	8.5	117	1	1	5	10	21	32	53
A. NOT OPERATED	241	4.8	21	1	1	3	6	10	15	22
B. OPERATED	398	8.8	128	1	1	4	10	24	34	54
TOTAL 0-19 YRS	161	6.7	102	1	1	4	7	15	21	52
20-34	226	6.6	71	1	1	4	7	14	27	40
35-49	140	7.9	102	1	2	4	9	21	32	50
50-64	82	8.0	82	1	1	5	9	20	28	45
65+	30	10.9	159	1	2	6	14	28	37	57
GRAND TOTAL	**639**	**7.3**	**92**	**1**	**1**	**4**	**8**	**17**	**27**	**49**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.5	1	<1	<1	1	2	3	3	3
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	3	1.3		1	1	1	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	14	1.6	3	1	1	1	2	3	6	7
20-34	13	1.8	1	<1	<1	1	2	4	4	4
35-49	5	1.4		1	1	1	2	2	2	2
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	3	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	16	1	1	4	8	9	9	9
20-34	3	1.3		1	1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	8	4.3	9	<1	1	3	6	9	9	9
20-34	6	5.7	13	2	2	4	9	11	11	11
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	4	2.5	3	1	1	2	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.8	1	<1	<1	1	2	3	4	4
B. *Operated*	37	1.7	2	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	6	3.0	10	1	1	2	4	8	9	9
B. *Operated*	21	4.2	9	<1	1	4	6	9	10	11
1. SINGLE DX	54	1.7	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX	27	4.0	9	<1	1	3	5	9	10	11
A. NOT OPERATED	23	2.1	3	<1	<1	1	3	4	6	9
B. OPERATED	58	2.6	6	<1	1	2	3	6	9	11
TOTAL 0-19 YRS	36	2.4	5	<1	<1	1	3	7	9	9
20-34	24	2.8	6	<1	1	2	4	5	10	11
35-49	10	2.0	5	1	1	1	2	5	8	8
50-64	7	2.4	2	1	1	3	4	4	4	4
65+	4	1.8	1	<1	<1	1	2	3	3	3
GRAND TOTAL	**81**	**2.5**	**5**	**<1**	**1**	**2**	**3**	**5**	**8**	**10**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	556	1.5	1	<1	<1	1	2	3	3	7
20-34	133	2.0	2	<1	<1	1	2	4	6	23
35-49	142	1.6	1	<1	1	1	2	3	4	6
50-64	157	1.8	2	<1	1	1	2	3	5	8
65+	126	2.2	8	1	1	1	2	4	5	16
B. *Operated*										
0-19 YRS	126	2.2	5	<1	<1	1	2	5	7	10
20-34	37	2.8	5	<1	<1	2	4	7	8	8
35-49	27	3.5	10	<1	1	2	6	8	10	13
50-64	38	3.5	13	1	1	2	4	9	12	15
65+	24	6.1	128	<1	<1	2	4	12	35	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	3.1	12	<1	<1	2	4	6	7	23
20-34	45	4.5	107	<1	1	2	5	9	9	70
35-49	55	4.6	70	1	1	3	5	8	11	59
50-64	109	3.6	19	1	1	2	4	8	10	25
65+	172	5.0	27	1	1	3	6	11	16	27
B. *Operated*										
0-19 YRS	52	5.2	139	<1	1	2	5	9	15	83
20-34	28	8.1	43	1	1	6	11	17	20	28
35-49	30	6.1	41	<1	1	3	8	15	22	25
50-64	62	8.6	92	1	1	6	9	24	28	46
65+	80	9.2	88	1	2	6	13	19	24	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1114	1.7	2	<1	<1	1	2	3	4	8
B. *Operated*	252	3.0	19	<1	<1	2	3	7	8	17
2. MULTIPLE DX										
A. *Not Operated*	472	4.2	35	1	1	2	5	9	11	28
B. *Operated*	252	7.7	90	1	1	5	9	17	25	47
1. SINGLE DX	1366	1.9	6	<1	<1	1	2	3	5	10
2. MULTIPLE DX	724	5.4	57	1	1	3	6	11	18	36
A. NOT OPERATED	1586	2.4	13	<1	<1	1	2	5	7	19
B. OPERATED	504	5.4	60	<1	1	3	7	13	18	41
TOTAL 0-19 YRS	825	2.0	13	<1	<1	1	2	4	6	11
20-34	243	3.3	30	<1	<1	2	4	7	10	30
35-49	254	3.0	24	<1	1	2	3	6	9	22
50-64	366	3.7	29	1	1	2	4	8	11	29
65+	402	5.0	45	1	1	3	6	12	18	33
GRAND TOTAL	**2090**	**3.1**	**26**	**<1**	**<1**	**2**	**3**	**7**	**10**	**25**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	7.7	61	1	2	5	10	16	27	35
20-34	19	6.8	45	1	1	5	10	14	21	27
35-49	11	8.3	47	2	2	6	13	18	23	23
50-64	10	12.9	47	6	7	11	16	23	29	29
65+	3	7.3	33	4	4	4	12	14	14	14
B. *Operated*										
0-19 YRS	80	15.8	224	1	2	10	27	39	56	87
20-34	71	10.2	117	1	2	8	12	19	35	58
35-49	36	12.8	121	1	3	10	15	28	34	53
50-64	32	19.4	259	3	4	14	31	46	54	61
65+	8	38.5	399	8	12	35	60	61	61	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	9.5	92	1	2	7	10	23	30	50
20-34	37	11.8	226	1	2	8	13	24	26	91
35-49	22	13.1	154	3	4	9	16	28	41	57
50-64	26	12.1	72	2	3	12	16	20	32	36
65+	31	19.9	451	5	5	12	22	49	72	96
B. *Operated*										
0-19 YRS	83	23.5	334	2	3	23	37	47	71	99+
20-34	99	21.4	339	3	3	16	34	52	76	99+
35-49	93	25.5	507	3	3	19	37	63	77	99+
50-64	72	28.6	537	3	4	24	47	70	84	99+
65+	60	34.8	534	6	7	30	48	76	84	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	8.2	53	1	1	6	12	16	26	33
B. *Operated*	227	14.9	212	2	2	10	21	36	53	61
2. MULTIPLE DX										
A. *Not Operated*	173	12.7	198	2	3	9	15	26	35	87
B. *Operated*	407	26.0	455	3	4	21	39	63	78	99+
1. SINGLE DX	303	13.2	180	1	2	9	17	32	42	61
2. MULTIPLE DX	580	22.0	415	2	3	15	33	54	74	99+
A. NOT OPERATED	249	11.3	158	1	2	8	14	24	31	73
B. OPERATED	634	22.0	396	2	3	16	33	54	69	99+
TOTAL 0-19 YRS	253	15.8	244	1	2	9	27	39	50	98
20-34	226	15.1	257	1	2	10	20	39	53	99+
35-49	162	19.8	384	2	3	13	27	51	64	98
50-64	140	22.3	397	3	4	16	33	54	72	99+
65+	102	29.8	540	5	5	25	44	66	82	98
GRAND TOTAL	**883**	**19.0**	**352**	**2**	**3**	**12**	**28**	**48**	**63**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	332	5.5	25	1	1	4	7	11	14	25
20-34	151	5.5	30	1	1	3	8	13	14	27
35-49	90	6.3	38	1	1	4	8	15	19	29
50-64	40	7.1	33	1	2	6	10	15	19	23
65+	21	13.1	159	3	4	7	20	33	44	48
B. *Operated*										
0-19 YRS	68	10.8	123	1	1	8	13	25	35	61
20-34	33	8.8	70	1	2	7	10	19	25	41
35-49	27	9.6	83	<1	<1	8	13	21	26	40
50-64	11	12.9	78	3	4	11	20	26	29	29
65+	10	24.0	376	6	6	17	35	53	67	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	572	6.6	35	1	1	5	8	14	19	28
20-34	314	6.7	66	1	1	4	9	15	21	32
35-49	177	8.1	75	1	1	6	11	18	26	51
50-64	138	9.7	73	1	1	8	13	22	26	60
65+	110	15.7	218	3	4	11	18	35	50	73
B. *Operated*										
0-19 YRS	138	14.4	155	2	3	10	22	32	44	67
20-34	112	13.6	205	2	3	9	18	27	40	75
35-49	77	15.4	169	2	3	11	20	38	49	86
50-64	62	23.8	388	2	4	19	33	50	58	94
65+	54	31.0	540	5	6	25	44	67	75	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	634	6.0	35	1	1	4	8	12	17	29
B. *Operated*	149	11.2	127	1	2	8	14	25	35	66
2. MULTIPLE DX										
A. *Not Operated*	1311	7.9	74	1	1	5	10	18	24	47
B. *Operated*	443	17.7	282	2	3	12	23	42	58	83
1. SINGLE DX	783	7.0	56	1	1	5	9	14	21	39
2. MULTIPLE DX	1754	10.4	144	1	2	7	13	23	34	66
A. NOT OPERATED	1945	7.3	62	1	1	5	9	16	22	42
B. OPERATED	592	16.1	251	2	3	11	22	36	50	80
TOTAL 0-19 YRS	1110	7.5	60	1	1	5	9	17	23	42
20-34	610	7.8	91	1	1	5	9	18	23	49
35-49	371	9.3	96	1	1	6	12	21	34	50
50-64	251	12.9	183	1	2	9	17	27	43	82
65+	195	20.1	354	3	5	12	27	50	64	84
GRAND TOTAL	**2537**	**9.3**	**120**	**1**	**1**	**6**	**11**	**21**	**29**	**60**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.8	29	<1	1	2	4	7	9	32
20-34	52	4.2	14	1	1	3	5	9	13	16
35-49	18	5.5	34	<1	<1	3	7	17	19	19
50-64	19	8.6	60	1	2	6	12	22	24	25
65+	7	8.7	58	<1	<1	8	16	19	19	19
B. *Operated*										
0-19 YRS	82	3.2	7	1	1	2	3	6	7	16
20-34	132	3.1	12	1	1	2	3	5	10	19
35-49	58	4.3	26	<1	1	3	4	10	12	29
50-64	32	2.8	3	1	1	2	3	5	6	10
65+	7	9.0	50	1	1	9	15	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	7.2	221	<1	1	3	6	15	22	86
20-34	55	6.4	38	1	1	5	9	13	16	36
35-49	40	7.6	26	1	2	6	10	15	17	23
50-64	41	9.3	34	2	3	8	11	19	22	24
65+	44	12.9	116	2	3	10	17	28	38	48
B. *Operated*										
0-19 YRS	86	4.2	68	1	1	2	4	7	8	55
20-34	126	7.6	209	1	1	3	6	22	52	99+
35-49	51	7.6	129	1	1	3	7	21	30	66
50-64	37	8.3	260	1	1	4	6	12	37	92
65+	14	10.7	108	1	2	7	21	26	32	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	5.2	32	<1	1	3	6	12	19	26
B. *Operated*	311	3.5	14	1	1	2	4	6	11	20
2. MULTIPLE DX										
A. *Not Operated*	214	8.7	84	1	2	6	11	18	23	44
B. *Operated*	314	6.9	160	1	1	3	6	16	31	85
1. SINGLE DX	441	4.0	20	1	1	2	4	9	13	23
2. MULTIPLE DX	528	7.6	130	1	1	4	8	18	26	81
A. NOT OPERATED	344	7.3	67	1	1	5	9	16	22	37
B. OPERATED	625	5.2	90	1	1	2	4	10	20	68
TOTAL 0-19 YRS	236	4.2	64	1	1	2	4	7	9	37
20-34	365	5.3	88	1	1	3	5	12	17	79
35-49	167	6.2	60	<1	1	3	7	15	20	33
50-64	129	7.3	100	1	1	5	8	17	23	54
65+	72	11.7	102	1	2	9	17	24	34	46
GRAND TOTAL	**969**	**6.0**	**83**	**1**	**1**	**3**	**6**	**14**	**21**	**63**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	281	2.9	6	1	1	2	3	6	7	14
20-34	214	4.3	52	1	1	3	5	7	11	32
35-49	88	5.0	21	1	1	4	7	9	11	28
50-64	64	6.1	32	1	2	5	8	12	15	34
65+	32	5.7	13	1	1	5	9	11	12	13
B. *Operated*										
0-19 YRS	84	5.1	45	<1	1	2	6	12	20	35
20-34	97	5.8	33	1	1	4	7	14	20	27
35-49	43	6.3	27	1	2	4	8	16	17	19
50-64	23	8.2	154	<1	1	4	7	25	41	53
65+	13	10.1	93	2	2	5	15	22	33	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	295	4.4	23	1	1	3	5	8	11	28
20-34	301	5.2	42	1	1	4	6	10	13	58
35-49	188	7.3	64	1	2	5	9	15	21	43
50-64	183	7.6	51	1	2	6	10	15	22	34
65+	246	12.0	140	2	3	9	15	25	44	99+
B. *Operated*										
0-19 YRS	106	10.7	164	1	2	6	16	28	48	99+
20-34	204	11.0	166	1	2	6	14	30	42	86
35-49	76	13.0	208	2	2	7	14	31	53	65
50-64	68	14.4	205	1	2	11	21	39	53	92
65+	75	18.8	377	3	4	13	24	66	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	679	4.0	26	1	1	3	5	8	11	22
B. *Operated*	260	6.1	50	<1	1	3	7	15	20	35
2. MULTIPLE DX										
A. *Not Operated*	1213	7.1	70	1	1	5	9	15	22	55
B. *Operated*	529	12.8	212	1	2	7	17	34	55	99+
1. SINGLE DX	939	4.6	34	1	1	3	5	9	13	29
2. MULTIPLE DX	1742	8.8	120	1	2	5	11	20	33	76
A. NOT OPERATED	1892	6.0	56	1	1	4	7	12	17	45
B. OPERATED	789	10.6	169	1	2	6	14	28	42	99+
TOTAL 0-19 YRS	766	4.8	45	1	1	3	5	10	17	37
20-34	816	6.5	81	1	1	4	7	14	25	62
35-49	395	7.8	85	1	2	5	9	16	24	58
50-64	338	8.7	93	1	2	6	11	19	30	55
65+	366	12.8	187	2	3	9	15	28	51	99+
GRAND TOTAL	**2681**	**7.3**	**94**	**1**	**1**	**4**	**8**	**16**	**27**	**66**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1363	2.3	11	<1	1	2	3	4	6	12
20-34	895	2.7	17	<1	1	2	3	5	6	18
35-49	312	3.0	11	<1	1	2	3	5	9	19
50-64	157	4.4	42	1	1	3	5	10	14	28
65+	80	6.4	74	1	1	4	7	12	21	53
B. *Operated*										
0-19 YRS	6	2.8	5	<1	<1	2	5	6	6	6
20-34	9	2.7	3	1	1	2	3	6	7	7
35-49	6	2.7	1	1	1	3	3	4	4	4
50-64	3	8.7	100	1	1	5	16	20	20	20
65+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1409	4.3	38	1	1	3	5	9	14	38
20-34	2423	5.0	48	<1	1	3	5	11	16	41
35-49	1334	6.1	47	1	1	4	8	14	19	34
50-64	863	7.7	72	1	1	5	9	16	23	45
65+	1166	9.8	79	2	3	8	12	19	26	58
B. *Operated*										
0-19 YRS	30	6.4	36	1	1	5	7	15	20	27
20-34	97	12.5	159	1	2	9	15	28	42	57
35-49	77	14.4	183	2	4	11	20	31	65	99+
50-64	79	14.2	108	2	2	11	21	27	33	49
65+	130	17.3	137	4	5	14	25	34	42	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2807	2.7	17	<1	1	2	3	5	7	18
B. *Operated*	26	3.4	14	<1	1	3	3	6	10	20
2. MULTIPLE DX										
A. *Not Operated*	7195	6.1	57	1	1	4	8	14	20	42
B. *Operated*	413	14.2	145	2	2	11	20	30	41	66
1. SINGLE DX	2833	2.7	17	<1	1	2	3	5	7	18
2. MULTIPLE DX	7608	6.6	65	1	1	4	8	15	22	45
A. NOT OPERATED	10002	5.2	48	1	1	3	6	12	17	38
B. OPERATED	439	13.6	144	1	2	10	19	29	41	66
TOTAL 0-19 YRS	2808	3.4	26	<1	1	2	4	7	10	27
20-34	3424	4.6	45	<1	1	2	5	10	15	39
35-49	1729	5.9	51	1	1	3	7	14	20	37
50-64	1102	7.7	75	1	1	5	9	17	24	44
65+	1378	10.3	90	2	2	8	13	21	30	58
GRAND TOTAL	**10441**	**5.5**	**55**	**1**	**1**	**3**	**6**	**13**	**19**	**41**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	694	2.8	10	<1	1	2	3	7	8	16
20-34	292	1.8	2	<1	1	1	2	4	5	9
35-49	158	2.5	55	<1	<1	1	2	4	5	8
50-64	89	2.2	2	1	1	2	3	4	5	8
65+	34	5.4	231	<1	1	2	4	8	13	90
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	8	3.6	7	1	1	3	5	8	8	8
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	40.0		40	40	40	40	40	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	372	4.4	30	1	1	2	6	11	15	36
20-34	256	4.1	41	<1	<1	2	5	9	18	46
35-49	225	4.0	20	<1	1	3	5	9	12	22
50-64	164	4.8	22	1	1	3	6	11	15	29
65+	108	9.8	165	1	1	5	10	26	44	59
B. *Operated*										
0-19 YRS	11	7.6	52	1	1	6	15	46	92	99+
20-34	15	14.7	163	2	3	12	21	30	43	47
35-49	12	13.8	179	1	1	9	18	38	41	42
50-64	15	18.5	187	2	3	19	45	99+	99+	99+
65+	16	26.6	304	12	12	19	36	59	61	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1267	2.6	20	<1	1	1	3	6	7	15
B. *Operated*	11	7.8	124	1	1	4	8	23	39	40
2. MULTIPLE DX										
A. *Not Operated*	1125	4.8	45	<1	1	3	6	11	17	44
B. *Operated*	69	17.0	215	1	2	15	24	49	94	99+
1. SINGLE DX	1278	2.6	21	<1	1	1	3	6	7	15
2. MULTIPLE DX	1194	5.5	62	<1	1	3	6	14	22	55
A. NOT OPERATED	2392	3.6	33	<1	1	2	4	8	12	33
B. OPERATED	80	15.8	211	1	2	13	23	47	73	99+
TOTAL 0-19 YRS	1078	3.4	18	1	1	2	4	7	11	27
20-34	571	3.2	28	<1	1	1	3	7	12	39
35-49	395	3.7	42	<1	1	2	4	7	11	33
50-64	269	4.7	36	1	1	3	5	12	18	99+
65+	159	10.7	226	1	1	5	12	30	47	70
GRAND TOTAL	**2472**	**4.0**	**43**	**<1**	**1**	**2**	**4**	**8**	**15**	**44**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	457	3.6	19	1	1	3	4	7	10	20
20-34	177	3.4	19	<1	1	2	4	7	9	18
35-49	113	3.2	11	1	1	2	4	7	9	20
50-64	85	4.1	16	1	1	3	5	9	11	23
65+	66	5.2	30	1	1	4	6	11	16	32
B. *Operated*										
0-19 YRS	2	7.5	85	<1	<1	7	14	14	14	14
20-34	12	11.5	39	1	2	11	15	19	22	23
35-49	5	6.2	34	2	2	4	9	16	16	16
50-64	8	16.6	200	4	4	12	24	39	44	44
65+	6	21.8	478	7	8	14	16	61	66	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	390	5.7	70	1	1	3	6	12	17	39
20-34	195	4.9	25	1	1	3	6	11	14	30
35-49	159	4.7	13	1	1	4	6	10	13	16
50-64	298	7.6	93	1	1	5	9	14	25	52
65+	465	8.9	67	2	2	7	12	18	22	53
B. *Operated*										
0-19 YRS	12	7.8	56	<1	<1	6	10	19	26	27
20-34	28	15.7	409	1	1	7	19	56	64	71
35-49	35	13.0	176	2	2	8	19	28	57	99+
50-64	56	19.0	303	2	2	12	31	56	88	99+
65+	76	19.6	367	2	3	17	27	52	84	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	898	3.7	19	1	1	2	4	7	10	20
B. *Operated*	33	13.6	166	1	2	12	16	24	42	66
2. MULTIPLE DX										
A. *Not Operated*	1507	6.9	64	1	1	5	9	14	20	42
B. *Operated*	207	17.1	312	2	2	11	24	52	73	99+
1. SINGLE DX	931	4.0	27	1	1	3	5	8	12	24
2. MULTIPLE DX	1714	8.1	105	1	1	5	10	18	27	71
A. NOT OPERATED	2405	5.7	50	1	1	4	7	12	17	37
B. OPERATED	240	16.6	292	2	2	11	23	49	67	99+
TOTAL 0-19 YRS	861	4.6	44	1	1	3	5	10	14	32
20-34	412	5.2	58	1	1	3	6	11	15	46
35-49	312	5.1	39	1	1	3	6	11	16	36
50-64	447	8.5	124	1	1	5	9	20	33	73
65+	613	10.0	119	1	2	7	12	21	32	83
GRAND TOTAL	**2645**	**6.7**	**82**	**1**	**1**	**4**	**8**	**15**	**21**	**58**

Distribution Tables

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	3.8	21	<1	1	2	5	7	9	27
20-34	62	3.6	27	<1	1	2	4	7	11	34
35-49	34	6.0	128	<1	1	3	4	8	40	52
50-64	43	5.3	35	1	1	3	6	13	19	27
65+	89	6.6	63	1	1	4	8	14	18	47
B. *Operated*										
0-19 YRS	210	5.1	36	<1	1	3	6	11	15	38
20-34	408	3.9	20	<1	<1	2	4	8	13	25
35-49	272	6.7	78	1	1	3	8	17	23	56
50-64	511	8.9	98	1	2	5	12	19	26	49
65+	1117	8.7	117	2	2	5	10	20	29	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	5.7	43	1	1	3	6	15	20	33
20-34	66	7.1	73	1	1	4	8	19	23	50
35-49	62	7.7	62	<1	1	5	10	17	24	37
50-64	88	8.4	98	1	2	5	10	15	24	60
65+	201	9.7	81	1	2	7	13	22	27	42
B. *Operated*										
0-19 YRS	208	9.2	87	1	2	6	11	20	28	52
20-34	401	7.5	123	<1	1	3	8	19	27	72
35-49	402	9.0	114	1	2	5	12	22	31	64
50-64	850	12.6	189	1	2	8	17	28	43	81
65+	2108	12.6	189	2	2	8	16	29	44	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	5.2	53	<1	1	3	6	10	16	45
B. *Operated*	2518	7.4	90	1	1	4	9	17	24	50
2. MULTIPLE DX										
A. *Not Operated*	462	8.4	78	1	2	5	11	20	25	43
B. *Operated*	3969	11.5	173	2	2	7	14	27	39	78
1. SINGLE DX	2783	7.2	87	1	1	4	8	17	24	50
2. MULTIPLE DX	4431	11.2	164	1	2	7	14	26	38	74
A. NOT OPERATED	727	7.2	71	1	1	4	9	16	23	43
B. OPERATED	6487	9.9	145	1	2	6	12	23	34	71
TOTAL 0-19 YRS	500	6.8	61	<1	1	4	8	15	21	40
20-34	937	5.6	72	<1	1	3	6	13	21	40
35-49	770	7.9	99	1	1	4	10	19	28	58
50-64	1492	10.9	152	1	2	7	14	24	34	66
65+	3515	11.0	160	2	2	7	14	25	38	75
GRAND TOTAL	**7214**	**9.7**	**138**	**1**	**2**	**5**	**12**	**22**	**33**	**69**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	1.8	2	<1	1	1	2	3	4	10
20-34	226	2.7	6	1	1	2	3	5	6	10
35-49	122	3.3	10	1	1	3	4	6	8	19
50-64	143	4.0	6	1	1	4	5	7	9	13
65+	157	5.0	14	1	2	4	6	9	12	24
B. *Operated*										
0-19 YRS	127	2.9	69	1	1	2	2	4	7	31
20-34	183	2.5	4	<1	1	2	3	5	6	12
35-49	111	4.2	18	1	1	3	4	8	11	26
50-64	69	4.9	21	1	1	4	5	9	17	24
65+	62	6.2	18	1	2	5	8	10	14	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.7	8	1	1	3	5	7	10	12
20-34	80	3.4	7	<1	1	3	5	7	9	12
35-49	43	5.3	18	1	2	4	7	10	13	23
50-64	84	6.0	42	1	2	4	7	10	16	41
65+	176	6.5	38	1	2	5	7	13	17	37
B. *Operated*										
0-19 YRS	32	5.7	41	<1	1	3	7	15	23	25
20-34	88	4.9	15	1	1	4	6	11	13	18
35-49	54	5.6	22	1	1	4	7	10	16	23
50-64	55	7.5	47	1	1	5	10	13	21	37
65+	77	11.6	142	2	3	9	14	19	34	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	797	3.3	9	1	1	2	4	6	9	14
B. *Operated*	552	3.7	27	1	1	2	4	7	10	22
2. MULTIPLE DX										
A. *Not Operated*	407	5.5	30	1	1	4	7	10	14	29
B. *Operated*	306	7.2	63	1	1	5	9	15	19	46
1. SINGLE DX	1349	3.5	16	1	1	2	4	7	9	18
2. MULTIPLE DX	713	6.3	45	1	1	4	7	13	18	38
A. NOT OPERATED	1204	4.1	17	1	1	3	5	8	10	24
B. OPERATED	858	4.9	43	1	1	3	6	10	15	27
TOTAL 0-19 YRS	332	2.7	33	<1	1	2	2	5	8	21
20-34	577	3.1	7	1	1	2	4	6	8	14
35-49	330	4.2	16	1	1	3	5	8	11	23
50-64	351	5.2	26	1	1	4	6	10	13	26
65+	472	6.8	49	1	2	5	8	13	18	39
GRAND TOTAL	**2062**	**4.4**	**28**	**1**	**1**	**3**	**5**	**9**	**12**	**26**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	6.4	18	1	2	5	8	12	15	21
20-34	140	6.6	26	2	2	6	8	12	15	22
35-49	105	7.8	58	2	3	6	9	14	17	49
50-64	94	9.1	44	2	3	8	11	16	20	37
65+	48	9.6	34	3	3	9	12	17	24	27
B. *Operated*										
0-19 YRS	59	6.9	23	1	2	6	10	14	18	20
20-34	107	8.2	47	2	2	6	11	17	22	35
35-49	99	9.2	48	1	2	7	12	18	21	37
50-64	93	11.1	87	2	3	8	14	22	30	44
65+	64	13.8	121	2	3	11	19	26	36	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	8.9	81	2	3	6	9	19	30	45
20-34	73	8.1	42	1	2	6	11	17	21	30
35-49	69	7.8	22	2	3	7	10	14	17	22
50-64	114	10.8	54	3	4	9	13	21	26	38
65+	143	14.5	146	4	6	11	18	26	40	72
B. *Operated*										
0-19 YRS	22	13.3	198	2	2	8	16	26	43	66
20-34	76	13.1	139	2	3	9	16	29	40	57
35-49	75	13.0	142	2	3	9	16	28	41	55
50-64	133	17.7	230	3	4	13	24	37	46	77
65+	137	16.8	170	4	5	13	23	36	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	457	7.7	38	2	3	6	10	14	17	33
B. *Operated*	422	9.7	68	2	2	8	13	19	25	43
2. MULTIPLE DX										
A. *Not Operated*	436	10.9	86	3	3	8	14	21	27	43
B. *Operated*	443	15.6	182	3	4	11	22	35	45	74
1. SINGLE DX	879	8.7	53	2	3	7	11	17	21	41
2. MULTIPLE DX	879	13.3	140	3	4	10	16	28	38	67
A. NOT OPERATED	893	9.3	64	2	3	7	11	17	24	41
B. OPERATED	865	12.8	135	2	3	9	16	27	38	63
TOTAL 0-19 YRS	188	7.9	57	2	2	6	9	16	20	41
20-34	396	8.6	61	2	2	6	11	17	23	46
35-49	348	9.3	70	2	3	7	11	18	24	45
50-64	434	12.6	124	3	3	9	15	26	36	50
65+	392	14.6	141	3	5	11	19	29	40	78
GRAND TOTAL	**1758**	**11.0**	**102**	**2**	**3**	**8**	**14**	**23**	**32**	**57**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.6	17	<1	<1	2	5	8	15	16
20-34	56	4.4	18	<1	1	3	6	10	13	22
35-49	44	5.9	18	1	1	5	9	13	14	15
50-64	59	8.6	51	2	3	7	11	16	24	42
65+	41	9.2	202	1	2	6	10	16	24	90
B. *Operated*										
0-19 YRS	51	5.1	54	<1	<1	3	6	10	22	36
20-34	150	6.3	71	1	1	3	7	14	19	50
35-49	122	6.4	61	1	1	4	8	14	20	76
50-64	129	7.2	81	<1	1	4	9	17	26	40
65+	143	8.1	85	1	1	5	11	18	25	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	5.1	22	1	1	3	8	12	16	21
20-34	71	6.5	55	1	1	4	8	13	21	42
35-49	92	7.3	28	1	1	6	10	14	18	23
50-64	131	10.2	131	1	2	7	12	21	34	97
65+	172	12.0	108	2	3	9	15	24	32	52
B. *Operated*										
0-19 YRS	66	7.9	67	1	1	5	10	19	22	44
20-34	130	9.7	127	1	2	7	13	22	29	56
35-49	153	12.3	146	2	3	8	16	28	44	98
50-64	270	15.9	223	1	2	12	22	39	54	95
65+	380	14.6	232	2	3	10	19	33	48	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	222	6.6	64	1	1	5	8	13	16	36
B. *Operated*	595	6.9	73	<1	1	4	8	15	22	48
2. MULTIPLE DX										
A. *Not Operated*	515	9.3	90	1	2	7	12	19	26	51
B. *Operated*	999	13.5	198	1	2	9	18	31	46	93
1. SINGLE DX	817	6.8	71	1	1	4	8	15	20	44
2. MULTIPLE DX	1514	12.1	165	1	2	8	16	28	39	85
A. NOT OPERATED	737	8.5	83	1	1	6	11	17	24	47
B. OPERATED	1594	11.0	162	1	2	7	14	27	37	82
TOTAL 0-19 YRS	188	5.9	47	<1	1	4	7	13	20	36
20-34	407	7.2	82	1	1	4	9	15	22	46
35-49	411	8.7	88	1	2	6	11	19	27	68
50-64	589	12.0	168	1	2	8	16	29	41	79
65+	736	12.5	179	1	2	8	16	27	37	89
GRAND TOTAL	**2331**	**10.2**	**138**	**1**	**2**	**6**	**13**	**24**	**34**	**75**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.7	3	2	2	3	5	6	6	9
20-34	15	4.3	14	1	1	3	5	11	12	13
35-49	10	4.9	10	1	1	4	6	10	11	11
50-64	9	5.3	11	1	1	5	9	9	9	9
65+	6	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	3	31.3	836	9	9	21	53	64	64	64
35-49	2	8.0	72	2	2	8	14	14	14	14
50-64	2	5.5	25	2	2	5	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.8	7	2	2	3	4	7	9	13
20-34	14	4.8	9	<1	1	5	7	8	10	11
35-49	11	7.4	158	1	1	3	6	25	42	44
50-64	19	10.6	211	1	1	7	10	24	46	64
65+	24	5.9	59	1	1	4	7	12	22	37
B. *Operated*										
0-19 YRS	2	9.0	18	6	6	9	12	12	12	12
20-34	1	13.0		13	13	13	13	13	13	13
35-49	4	17.8	138	6	6	15	25	34	34	34
50-64	10	7.6	37	1	1	5	14	17	19	19
65+	8	16.5	335	3	4	12	16	47	60	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	3.9	7	1	1	3	5	9	10	13
B. *Operated*	9	13.8	400	1	1	9	16	47	64	64
2. MULTIPLE DX										
A. *Not Operated*	92	6.3	83	1	1	3	7	12	22	56
B. *Operated*	25	12.4	151	2	3	10	15	19	40	60
1. SINGLE DX	85	5.0	54	1	1	3	5	9	12	49
2. MULTIPLE DX	117	7.6	102	1	1	5	8	15	24	61
A. NOT OPERATED	168	5.3	50	1	1	3	6	10	13	43
B. OPERATED	34	12.8	207	1	2	9	15	22	55	64
TOTAL 0-19 YRS	64	3.8	5	2	2	3	5	6	8	13
20-34	33	7.2	124	1	1	4	8	13	20	64
35-49	27	8.0	101	1	1	5	10	16	35	44
50-64	40	8.4	114	1	1	6	9	17	23	64
65+	38	7.3	126	1	1	4	8	15	29	60
GRAND TOTAL	**202**	**6.5**	**83**	**1**	**1**	**4**	**7**	**13**	**18**	**62**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	44	1.4	2	<1	<1	<1	1	2	4	7
35-49	16	1.6	1	<1	<1	1	2	4	5	5
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	33	1.9	1	<1	<1	2	2	3	4	5
20-34	5589	2.1	4	<1	<1	2	3	4	5	7
35-49	2722	2.1	5	<1	<1	2	2	4	4	6
50-64	42	1.8	9	<1	<1	1	2	3	10	99+
65+	7	2.3	3	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	72	2.5	53	<1	<1	1	2	4	6	50
35-49	31	1.5	2	<1	<1	1	1	4	7	99+
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	23	3.0	17	<1	<1	2	3	5	11	21
20-34	3598	2.5	6	<1	<1	2	3	5	6	8
35-49	2319	2.5	5	<1	<1	2	3	5	6	9
50-64	19	2.6	6	<1	<1	2	3	5	8	11
65+	6	2.2	[illegible]	1	1	2	2	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	1.5	1	<1	<1	<1	1	3	4	7
B. *Operated*	8393	2.1	5	<1	<1	2	2	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	104	2.2	38	<1	<1	1	1	4	6	79
B. *Operated*	5965	2.5	5	<1	<1	2	3	5	6	8
1. SINGLE DX	8454	2.1	5	<1	<1	2	2	4	4	6
2. MULTIPLE DX	6069	2.5	6	<1	<1	2	3	5	6	9
A. NOT OPERATED	165	1.9	24	<1	<1	1	1	3	6	54
B. OPERATED	14358	2.3	5	<1	<1	2	3	4	5	8
TOTAL 0-19 YRS	56	2.3	7	<1	<1	2	2	4	5	20
20-34	9303	2.3	5	<1	<1	2	3	4	5	8
35-49	5088	2.3	5	<1	<1	2	3	4	5	8
50-64	63	2.0	8	<1	<1	1	2	4	7	89
65+	13	2.2	2	<1	<1	2	3	5	5	5
GRAND TOTAL	**14523**	**2.3**	**5**	**<1**	**<1**	**2**	**3**	**4**	**5**	**8**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	82	3.8	3	1	2	3	4	6	7	8
1000-1499	16	7.7	127	<1	<1	3	5	30	35	37
1500-1749	16	11.1	354	<1	<1	5	7	27	62	76
1750-2499	1834	4.3	8	2	2	4	5	7	9	17
2500+	117302	3.7	2	2	2	3	4	6	7	8
B. *Operated*										
1-999 G										
1000-1499	2	53.5	221	43	43	53	64	64	64	64
1500-1749										
1750-2499	1	6.0		6	6	6	6	6	6	6
2500+	68	4.7	4	2	3	4	6	8	8	11
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	88	26.2	1126	<1	<1	6	73	99+	99+	99+
1000-1499	339	36.8	472	<1	<1	40	52	65	71	99+
1500-1749	424	26.1	174	<1	9	26	33	40	46	68
1750-2499	5633	9.2	53	3	3	7	13	19	23	35
2500+	49078	4.7	7	2	3	4	6	7	8	13
B. *Operated*										
1-999 G	23	45.3	1457	<1	1	81	99+	99+	99+	99+
1000-1499	104	44.1	541	<1	<1	49	62	76	81	99+
1500-1749	63	33.0	266	1	10	33	42	61	82	99+
1750-2499	252	17.8	161	1	5	16	23	33	41	69
2500+	790	8.6	81	3	3	6	9	16	24	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119250	3.7	2	2	2	3	4	6	7	8
B. *Operated*	71	6.1	73	2	3	4	6	8	10	60
2. MULTIPLE DX										
A. *Not Operated*	55562	5.5	29	2	3	4	6	8	12	31
B. *Operated*	1232	15.4	302	2	3	8	20	45	64	99+
1. SINGLE DX	119321	3.7	3	2	2	3	4	6	7	8
2. MULTIPLE DX	56794	5.8	37	2	3	4	6	8	14	36
A. NOT OPERATED	174812	4.3	12	2	3	4	5	6	7	17
B. OPERATED	1303	14.9	294	2	3	8	19	43	63	99+
TOTAL 1-999 G	193	19.0	884	<1	<1	5	65	99+	99+	99+
1000-1499	461	37.5	515	<1	<1	41	54	67	75	99+
1500-1749	503	26.5	203	<1	5	27	34	42	50	86
1750-2499	7720	8.3	53	2	3	6	11	18	23	35
2500+	167238	4.0	4	2	3	4	5	6	7	10
GRAND TOTAL	**176115**	**4.4**	**15**	**2**	**3**	**4**	**5**	**7**	**8**	**19**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	3	8.3	6	6	6	8	10	11	11	11
1000-1499										
1500-1749	2	20.0	72	14	14	20	26	26	26	26
1750-2499	242	6.1	16	3	3	5	7	10	14	27
2500+	1115	5.0	5	3	3	5	6	7	8	11
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	13	42.2	1647	<1	<1	60	80	98	99+	99+
1000-1499	74	39.4	332	<1	20	42	50	65	77	99+
1500-1749	120	24.6	138	4	6	24	32	38	44	57
1750-2499	866	10.4	51	3	4	8	14	21	24	34
2500+	582	5.8	5	3	3	6	7	8	10	15
B. *Operated*										
1-999 G	4	28.3	1064	<1	<1	23	55	66	66	66
1000-1499	22	44.6	393	1	20	44	51	80	90	99+
1500-1749	14	29.9	279	3	10	28	35	47	67	73
1750-2499	22	24.7	430	5	6	20	28	46	82	88
2500+	8	7.0	17	3	3	6	9	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1362	5.2	8	3	3	5	6	8	9	16
B. *Operated*	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	1655	11.3	132	3	3	7	14	25	35	60
B. *Operated*	70	30.2	490	1	4	26	44	69	79	97
1. SINGLE DX	1364	5.2	8	3	3	5	6	8	9	16
2. MULTIPLE DX	1725	12.1	160	3	3	7	15	28	41	68
A. NOT OPERATED	3017	8.6	85	3	3	6	8	17	27	50
B. OPERATED	72	29.5	492	1	4	26	44	67	79	97
TOTAL 1-999 G	20	34.4	1366	<1	<1	11	75	94	99	99+
1000-1499	96	40.6	347	<1	20	43	51	66	83	99+
1500-1749	136	25.1	152	4	7	25	32	39	44	61
1750-2499	1130	9.8	58	3	3	7	13	19	24	33
2500+	1707	5.3	5	3	3	5	6	8	8	13
GRAND TOTAL	**3089**	**9.1**	**104**	**3**	**3**	**6**	**8**	**20**	**30**	**56**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	1	2.0		2	2	2	2	2	2	2
1000-1499	2	2.0	2	<1	<1	1	3	3	3	3
1500-1749	1	16.0		16	16	16	16	16	16	16
1750-2499	11	4.6	5	3	3	4	7	8	8	8
2500+	303	3.3	3	1	2	3	4	4	6	9
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	4	35.5	770	<1	<1	36	55	68	68	68
1500-1749	10	22.5	35	13	13	24	27	28	29	29
1750-2499	58	12.4	62	3	3	11	16	23	29	35
2500+	113	5.3	26	1	2	4	5	10	14	31
B. *Operated*										
1-999 G	1	90.0		90	90	90	90	90	90	90
1000-1499	2	36.0	338	23	23	49	87	99+	99+	99+
1500-1749	3	34.7	65	26	26	36	40	42	42	42
1750-2499	4	28.8	138	17	17	26	36	45	45	45
2500+	8	13.5	275	3	3	8	13	42	53	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	318	3.4	4	1	2	3	4	4	6	10
B. *Operated*	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	185	9.1	86	2	3	5	13	22	27	41
B. *Operated*	18	27.2	505	3	5	26	44	75	95	99+
1. SINGLE DX	320	3.4	4	1	2	3	4	4	6	10
2. MULTIPLE DX	203	10.7	147	2	3	6	13	26	35	78
A. NOT OPERATED	503	5.5	42	2	2	3	5	12	18	32
B. OPERATED	20	24.9	501	3	4	23	43	68	94	99+
TOTAL 1-999 G	2	46.0	3872	2	2	46	90	90	90	90
1000-1499	8	27.3	621	<1	<1	31	54	87	99+	99+
1500-1749	14	24.6	67	13	13	26	28	37	41	42
1750-2499	73	12.1	79	3	3	10	16	26	30	43
2500+	426	4.0	16	1	2	3	4	6	8	23
GRAND TOTAL	**523**	**6.2**	**72**	**2**	**2**	**3**	**5**	**14**	**24**	**46**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.6	11	<1	1	2	5	9	12	12
20-34	23	2.3	1	<1	<1	2	3	4	5	5
35-49	13	4.2	23	<1	<1	3	4	13	16	17
50-64	15	3.1	5	<1	1	2	4	6	9	10
65+	6	14.2	860	<1	<1	2	4	67	74	74
B. *Operated*										
0-19 YRS	677	3.2	14	<1	1	2	4	6	7	14
20-34	960	2.9	5	<1	1	2	3	5	6	11
35-49	407	3.5	26	<1	1	3	4	6	9	18
50-64	457	3.9	14	<1	1	3	4	7	11	21
65+	268	7.1	85	1	2	4	8	15	22	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.1	15	<1	1	2	4	7	13	16
20-34	6	2.0	4	<1	<1	1	2	6	6	6
35-49	9	2.3	3	<1	<1	2	3	5	5	5
50-64	8	6.3	65	<1	<1	2	11	20	21	21
65+	7	6.4	77	<1	<1	2	8	22	25	25
B. *Operated*										
0-19 YRS	121	4.8	16	1	2	4	5	10	14	20
20-34	150	4.9	21	2	2	3	6	9	15	23
35-49	113	5.5	32	1	2	4	6	10	15	36
50-64	140	6.4	38	2	2	4	8	13	20	31
65+	178	12.3	169	2	3	9	15	24	39	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	4.0	64	<1	<1	2	4	7	12	51
B. *Operated*	2769	3.6	21	<1	1	3	4	6	9	21
2. MULTIPLE DX										
A. *Not Operated*	46	3.8	29	<1	<1	2	4	10	18	25
B. *Operated*	702	7.1	72	2	2	4	8	16	22	45
1. SINGLE DX	2860	3.6	22	<1	1	3	4	6	9	21
2. MULTIPLE DX	748	6.9	70	1	2	4	8	16	21	41
A. NOT OPERATED	137	3.9	52	<1	<1	2	4	8	12	31
B. OPERATED	3471	4.3	33	<1	1	3	5	8	13	29
TOTAL 0-19 YRS	848	3.4	15	<1	1	2	4	6	9	18
20-34	1139	3.1	7	<1	1	2	3	5	7	16
35-49	542	3.9	27	<1	1	3	4	7	10	20
50-64	620	4.5	21	1	2	3	5	9	14	29
65+	459	9.2	132	2	2	5	11	21	26	65
GRAND TOTAL	**3608**	**4.3**	**34**	**<1**	**1**	**3**	**4**	**8**	**13**	**29**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	1.2		1	1	1	1	2	2	3
20-34	296	1.2	1	1	1	1	1	2	2	4
35-49	94	2.3	5	1	1	2	2	3	6	14
50-64	215	1.8	3	1	1	1	2	2	4	10
65+	304	1.6	1	1	1	1	2	2	2	6
B. *Operated*										
0-19 YRS	16	1.7	2	<1	<1	<1	2	4	5	5
20-34	31	2.1	6	<1	<1	<1	2	7	9	9
35-49	39	2.1	9	<1	<1	<1	2	4	7	18
50-64	63	2.8	24	<1	<1	<1	2	6	13	29
65+	25	4.3	22	<1	1	2	4	14	16	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.1		<1	<1	1	1	2	2	2
B. *Operated*	4	3.5	14	<1	<1	2	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	961	1.6	2	1	1	1	2	2	3	9
B. *Operated*	174	2.6	16	<1	<1	<1	2	6	10	18
1. SINGLE DX	14	1.8	4	<1	<1	1	2	3	8	9
2. MULTIPLE DX	1135	1.7	4	<1	1	1	2	2	4	11
A. NOT OPERATED	971	1.6	2	1	1	1	2	2	3	9
B. OPERATED	178	2.7	15	<1	<1	<1	2	6	10	18
TOTAL 0-19 YRS	74	1.3	1	<1	<1	1	1	2	3	5
20-34	330	1.3	2	<1	1	1	1	2	2	8
35-49	136	2.2	6	<1	<1	2	2	4	6	16
50-64	278	2.0	8	<1	<1	1	2	3	6	15
65+	331	1.8	3	1	1	1	2	2	3	11
GRAND TOTAL	**1149**	**1.7**	**4**	**<1**	**1**	**1**	**2**	**2**	**4**	**11**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1401	3.3	19	<1	<1	2	4	6	10	22
20-34	1319	2.9	22	<1	<1	1	3	6	9	21
35-49	539	3.4	37	<1	<1	2	4	7	11	30
50-64	732	3.5	36	<1	<1	2	3	8	11	30
65+	516	5.6	72	<1	<1	3	7	14	27	99+
B. *Operated*										
0-19 YRS	637	3.1	37	<1	<1	2	3	6	9	32
20-34	2083	2.7	12	<1	<1	1	3	6	8	14
35-49	1156	3.5	16	<1	<1	2	4	9	11	17
50-64	989	4.7	26	<1	1	2	7	11	14	24
65+	1058	5.2	34	<1	1	3	7	12	15	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1129	3.7	35	<1	<1	2	4	8	12	34
20-34	1458	4.7	50	<1	<1	3	5	10	16	40
35-49	1513	4.7	45	<1	<1	2	5	11	17	36
50-64	3307	5.2	56	<1	1	3	6	11	19	37
65+	2971	7.5	111	<1	1	4	9	19	30	66
B. *Operated*										
0-19 YRS	316	5.9	75	<1	<1	3	6	14	20	53
20-34	1838	4.1	38	<1	<1	2	4	8	11	33
35-49	1783	4.2	42	<1	<1	2	4	10	14	30
50-64	1846	7.4	107	1	1	3	9	17	28	58
65+	2324	8.0	97	1	1	4	11	19	27	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4507	3.5	32	<1	<1	2	4	7	11	30
B. *Operated*	5923	3.7	23	<1	<1	2	4	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	10378	5.6	69	<1	<1	3	6	13	21	49
B. *Operated*	8107	6.0	76	<1	<1	3	7	14	21	50
1. SINGLE DX	10430	3.6	27	<1	<1	2	4	8	12	26
2. MULTIPLE DX	18485	5.8	72	<1	<1	3	6	14	21	49
A. NOT OPERATED	14885	4.9	58	<1	<1	2	5	11	18	44
B. OPERATED	14030	5.0	55	<1	<1	2	6	12	17	40
TOTAL 0-19 YRS	3483	3.6	33	<1	<1	2	4	8	12	33
20-34	6698	3.5	30	<1	<1	2	4	7	11	27
35-49	4991	4.1	36	<1	<1	2	5	10	14	31
50-64	6874	5.5	65	<1	1	2	6	13	19	43
65+	6869	7.2	93	<1	1	3	9	17	26	61
GRAND TOTAL	**28915**	**5.0**	**57**	**<1**	**<1**	**2**	**5**	**12**	**18**	**43**

Table 1 displays total U.S. patients and days of care (after exclusions*) in each of the diagnosis groups except those for deliveries (groups 270-287) and newborn (groups 393-395). Also shown is the corresponding rate per 10,000 discharges and the rate per 10,000 days of care (excluding deliveries and newborn).

Table 1

Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List A: Hospital Diagnosis Groups 1979

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
1 Intestinal infectious disease	44,002	45.5	203	28.6
2 Respiratory tuberculosis	4,408	4.6	73	10.2
3 Nonrespiratory tuberculosis	917	0.9	13	1.9
4. Streptococcal sore throat and scarlet fever	5,925	6.1	22	3.1
5 Septicemia	9,877	10.2	137	19.3
6 Miscellaneous bacterial diseases	4,379	4.5	42	6.0
7 Poliomyelitis and other enteroviral diseases of central nervous system	8,048	8.3	41	5.7
8 Viral diseases with exanthem	12,459	12.9	89	12.5
9 Viral hepatitis	9,561	9.9	84	11.8
10 Infectious mononucleosis	8,802	9.1	47	6.6
11 Viral warts	9,242	9.6	26	3.6
12 Miscellaneous viral diseases	24,590	25.5	111	15.6
13 Rickettsioses and other arthropod-borne diseases	1,347	1.4	8	1.2
14 Syphilis and other venereal diseases	4,524	4.7	27	3.8
15 Mycoses	3,473	3.6	35	4.9
16 Helminthiases	823	0.9	5	0.7
17 Miscellaneous infective and parasitic diseases	5,285	5.5	42	5.8
18 Late effects of infectious and parasitic diseases	375	0.4	4	0.5

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
19 Malignant neoplasm of lip, oral cavity, and pharynx	10,888	11.3	112	15.8
20 Malignant neoplasm of esophagus	3,762	3.9	58	8.2
21 Malignant neoplasm of stomach	7,393	7.7	126	17.8
22 Malignant neoplasm of small intestine	871	0.9	16	2.2
23 Malignant neoplasm of colon	31,020	32.1	525	73.8
24 Malignant neoplasm of rectum, rectosigmoid junction and anus	17,370	18.0	297	41.8
25 Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	5,194	5.4	84	11.7
26 Malignant neoplasm of pancreas	7,278	7.5	126	17.7
27 Malignant neoplasm of bronchus, lung, and trachea	53,623	55.5	700	98.4
28 Other malignant neoplasm of respiratory system and thoracic cavity	7,712	8.0	83	11.7
29 Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	5,642	5.8	58	8.2
30 Malignant melanoma of skin, excluding genital organs	5,285	5.5	43	6.0
31 Other malignant neoplasm of skin, excluding genital organs	11,635	12.0	60	8.5
32 Malignant neoplasm of breast (female) (male)	45,939	47.5	469	66.0
33 Malignant neoplasm of cervix uteri excluding carcinoma in situ	11,000	11.4	88	12.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
34	Malignant neoplasm of corpus uteri	16,148	16.7	136	19.2
35	Malignant neoplasm of ovary	10,687	11.1	115	16.1
36	Malignant neoplasm of other female genital organs	2,206	2.3	26	3.6
37	Malignant neoplasm of prostate	34,890	36.1	369	51.9
38	Malignant neoplasm of male genitalia, except prostate	2,731	2.8	22	3.1
39	Malignant neoplasm of bladder	29,683	30.7	248	34.8
40	Malignant neoplasm of kidney and other urinary organs	7,299	7.6	106	14.9
41	Malignant neoplasm of eye	751	0.8	4	0.6
42	Malignant neoplasm of brain	5,497	5.7	97	13.7
43	Malignant neoplasm of other parts of nervous system	481	0.5	9	1.2
44	Malignant neoplasm of endocrine glands	4,150	4.3	32	4.5
45	Malignant neoplasm of ill-defined and secondary sites	62,122	64.3	758	106.5
46	Hodgkin's disease	5,389	5.6	51	7.1
47	Lymphoid leukemia	5,098	5.3	52	7.3
48	Leukemia, except lymphoid	7,237	7.5	87	12.3
49	Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	21,089	21.8	249	35.0
50	Benign neoplasm of lip, oral cavity, and pharynx	5,008	5.2	21	2.9
51	Benign neoplasm of other parts of digestive system	18,202	18.8	119	16.7
52	Benign neoplasm of respiratory system and intrathoracic organs	3,159	3.3	16	2.3
53	Benign neoplasm of bone, muscle, and connective tissue	27,300	28.3	103	14.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
54	Benign neoplasm of skin, blood vessels, and miscellaneous sites	12,500	12.9	46	6.5
55	Benign neoplasm of breast	16,452	17.0	43	6.0
56	Uterine leiomyoma	60,817	62.9	443	62.3
57	Benign neoplasm of uterus, except leiomyoma	1,901	2.0	10	1.5
58	Benign neoplasm of ovary	9,110	9.4	71	9.9
59	Benign neoplasm of female genitalia, except uterus and ovary	905	0.9	4	0.6
60	Benign neoplasm of male genital organ	637	0.7	3	0.4
61	Benign neoplasm of urinary organ	1,506	1.6	7	1.0
62	Benign neoplasm of eye	466	0.5	1	0.2
63	Benign neoplasm of central nervous system	3,225	3.3	55	7.7
64	Benign neoplasm of thyroid glands	7,852	8.1	41	5.7
65	Benign neoplasm of endocrine glands, except thyroid	2,130	2.2	23	3.3
66	Carcinoma in situ of cervix	13,481	14.0	73	10.3
67	Carcinoma in situ, except cervix uteri	4,580	4.7	34	4.8
68	Neoplasms of uncertain behavior and unspecified nature	21,274	22.0	160	22.4
69	Simple and non-toxic nodular goiter	8,994	9.3	51	7.2
70	Other diseases of thyroid gland	15,530	16.1	120	16.8
71	Diabetes mellitus without complication	80,254	83.1	733	103.1
72	Diabetic acidosis or coma	18,113	18.7	153	21.5
73	Other complicated diabetes mellitus	47,044	48.7	543	76.3
74	Ovarian dysfunction	3,696	3.8	17	2.4

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
75 Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	18,047	18.7	132	18.5
76 Nutritional deficiencies	3,341	3.5	44	6.2
77 Cystic fibrosis	1,248	1.3	13	1.9
78 Obesity of nonendocrine origin	8,527	8.8	81	11.4
79 Miscellaneous metabolic disorders	10,153	10.5	76	10.7
80 Gout	4,619	4.8	35	5.0
81 Disorders of fluid, electrolyte, and acid-base balance	27,186	28.1	249	35.0
82 Iron deficiency anemia	15,239	15.8	128	18.0
83 Sickle-cell anemia and trait	6,949	7.2	50	7.0
84 Anemia except iron deficiency and sickle-cell	26,356	27.3	219	30.8
85 Hemophilia (congenital factor VIII disorder)	754	0.8	5	0.7
86 Disease of hematopoietic system, except anemia and hemophilia	13,111	13.6	112	15.8
87 Nonspecific mesenteric lymphadenitis	12,221	12.6	41	5.8
88 Lymphatic disease, except acute lyphadenitis and mesenteric adenitis	4,263	4.4	20	2.8
89 Transient organic psychotic conditions	1,564	1.6	20	2.8
90 Chronic organic brain syndrome, except arteriosclerotic dementia	24,192	25.0	302	42.5
91 Arteriosclerotic dementia	2,283	2.4	32	4.5
92 Alcoholic psychoses	10,957	11.3	89	12.6
93 Drug psychoses	2,243	2.3	21	2.9
94 Paranoid schizophrenia	17,159	17.8	275	38.6
95 Acute schizophrenic episode	1,556	1.6	24	3.4
96 Miscellaneous schizophrenia	32,228	33.4	537	75.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
97	Childhood psychosis	132	0.1	3	0.4
98	Major depressive psychoses	19,908	20.6	339	47.7
99	Other affective psychoses	13,937	14.4	235	33.0
100	Miscellaneous psychoses	15,142	15.7	229	32.2
101	Anxiety states	20,037	20.7	135	19.0
102	Neurotic depression	55,160	57.1	723	101.6
103	Miscellaneous neuroses and personality disorders	19,020	19.7	196	27.5
104	Alcoholic dependence syndrome	74,022	76.6	841	118.2
105	Opioid dependence	3,067	3.2	39	5.5
106	Drug dependence except opioid	2,943	3.0	46	6.4
107	Nondependent abuse of alcohol	6,255	6.5	24	3.4
108	Nondependent abuse of drugs, except alcohol	2,055	2.1	18	2.6
109	Psychophysiologic disorder	9,037	9.4	52	7.4
110	Adjustment reactions and acute reactions to stress	17,203	17.8	152	21.4
111	Miscellaneous mental disorders	29,450	30.5	302	42.5
112	Mental retardation	1,484	1.5	17	2.3
113	Inflammatory diseases of central nervous system	7,572	7.8	101	14.1
114	Parkinson's disease	7,479	7.7	96	13.5
115	Multiple sclerosis	6,590	6.8	79	11.1
116	Epilepsy	18,925	19.6	114	16.1
117	Miscellaneous disease of central nervous system	38,235	39.6	410	57.7
118	Migraine	14,859	15.4	74	10.4
119	Carpal tunnel syndrome and other lesions of median nerve	29,398	30.4	93	13.1
120	Peripheral nervous system disorder, except sciatica	40,295	41.7	273	38.4
121	Retinal detachment and defects	11,462	11.9	66	9.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
122 Open angle and primary closure glaucoma	7,001	7.2	31	4.3
123 Other glaucoma	3,460	3.6	17	2.3
124 Senile cataract	133,514	138.2	506	71.1
125 Cataract, except senile	5,170	5.4	18	2.5
126 Strabismus	19,678	20.4	43	6.1
127 Miscellaneous disorders of superficial structures of eye	25,495	26.4	81	11.5
128 Miscellaneous disorders of deep structures of eye	16,124	16.7	79	11.1
129 Other disorders of eye	2,850	2.9	13	1.9
130 Otitis media, chronic and unspecified	64,951	67.2	145	20.4
131 Other inflammation of ear and mastoid	12,082	12.5	38	5.4
132 Vertiginous syndromes	19,199	19.9	103	14.5
133 Otosclerosis	7,447	7.7	21	2.9
134 Miscellaneous diseases of ear	19,521	20.2	53	7.5
135 Rheumatic fever, acute	2,345	2.4	22	3.1
136 Chronic rheumatic heart disease	12,895	13.3	125	17.6
137 Essential hypertension	58,878	60.9	418	58.8
138 Hypertensive heart disease	31,356	32.5	306	43.0
139 Miscellaneous hypertensive disease	6,771	7.0	70	9.9
140 Acute myocardial infarction	119,295	123.5	1,770	248.8
141 Angina pectoris	77,141	79.8	515	72.4
142 Other acute and subacute forms of ischemic heart disease	49,591	51.3	420	59.1
143 Miscellaneous ischemic heart disease	149,929	155.2	1,303	183.2
144 Pulmonary embolism and infarction	18,875	19.5	257	36.1
145 Acute and subacute endocarditis	1,553	1.6	48	6.7

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
146 Paroxysmal supraventricular tachycardia	9,878	10.2	50	7.1
147 Atrial fibrillation and flutter	33,541	34.7	243	34.2
148 Other arrhythmia and conduction disorders	59,826	61.9	498	70.0
149 Heart failure	133,282	137.9	1,478	207.8
150 Miscellaneous diseases of heart	42,868	44.4	386	54.3
151 Cardiovascular disease, unspecified	17,597	18.2	177	24.9
152 Subarachnoid hemorrhage without paralysis	2,085	2.2	47	6.6
153 Subarachnoid hemorrhage with paralysis	129	0.1	5	0.7
154 Intracerebral hemorrhage without paralysis	3,804	3.9	71	10.0
155 Intracerebral hemorrhage with paralysis	718	0.7	21	2.9
156 Precerebral artery occlusion without paralysis	17,130	17.7	169	23.8
157 Precerebral occlusion with paralysis	830	0.9	15	2.2
158 Occlusion of cerebral arteries, thrombosis and embolism without paralysis	17,525	18.1	258	36.2
159 Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	6,471	6.7	133	18.7
160 Transient cerebral ischemia without paralysis	50,705	52.5	389	54.6
161 Acute, but ill-defined, cerebrovascular disease without paralysis	40,539	42.0	611	85.9
162 Acute, but ill-defined, cerebrovascular disease with paralysis	13,260	13.7	267	37.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
163	Other and ill-defined cerebrovascular disease	35,480	36.7	380	53.4
164	Atherosclerosis	20,362	21.1	265	37.3
165	Aortic aneurysm	10,542	10.9	152	21.3
166	Aneurysm except aortic	2,596	2.7	35	5.0
167	Arterial embolism and thrombosis	18,242	18.9	242	34.0
168	Miscellaneous diseases of arteries	20,155	20.9	241	33.9
169	Phlebitis and thrombophlebitis	48,488	50.2	512	72.0
170	Varicose veins of lower extremities	27,241	28.2	231	32.5
171	Hemorrhoids	54,894	56.8	328	46.2
172	Miscellaneous diseases of veins and circulatory system	26,155	27.1	225	31.7
173	Acute URI except streptococcal	83,925	86.9	327	46.0
174	Bronchitis and bronchiolitis, acute	79,430	82.2	482	67.7
175	Deviated nasal septum	41,665	43.1	118	16.6
176	Nasal polyp	6,660	6.9	19	2.7
177	Chronic disease of tonsils and adenoids	185,695	192.2	360	50.6
178	Miscellaneous diseases of upper respiratory system	45,146	46.7	160	22.5
179	Pneumonia	196,466	203.3	1,627	228.8
180	Influenza	12,797	13.2	66	9.2
181	Bronchitis, chronic and unspecified	49,239	51.0	339	47.7
182	Emphysema	15,061	15.6	152	21.4
183	Asthma	98,950	102.4	597	84.0
184	Miscellaneous obstructive lung diseases	67,026	69.4	669	94.1
185	Spontaneous pneumothorax	10,306	10.7	86	12.1
186	Miscellaneous lung and pleural diseases	53,800	55.7	512	72.0

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
187	Disease of teeth and jaws	73,154	75.7	181	25.4
188	Disease of mouth, except dental	10,919	11.3	50	7.0
189	Diseases of esophagus	36,229	37.5	255	35.9
190	Gastric ulcer without complication	19,941	20.6	172	24.1
191	Gastric ulcer with hemorrhage or perforation	11,800	12.2	128	18.0
192	Nongastric peptic ulcer without complication	42.538	44.0	302	42.5
193	Nongastric peptic ulcer with hemorrhage or perforation	24,704	25.6	234	32.9
194	Peptic ulcer with obstruction	4,138	4.3	61	8.6
195	Gastritis and duodenitis	83,397	86.3	495	69.7
196	Disease of stomach and duodenum, except ulcer and inflammation	22,426	23.2	156	21.9
197	Acute appendicitis without peritonitis	54,359	56.3	253	35.6
198	Acute appendicitis with peritonitis	19,100	19.8	190	26.7
199	Disease of appendix, except acute appendicitis	10,922	11.3	57	8.0
200	Inguinal hernia without complication	153,037	158.4	730	102.6
201	Inguinal hernia, complicated	9,473	9.8	63	8.8
202	Umbilical hernia without complication	12,340	12.8	53	7.4
203	Ventral hernia without complication	22,390	23.2	167	23.4
204	Diaphragmatic hernia without complication	36.418	37.7	250	35.1
205	Other hernia of abdominal cavity without complication	4,727	4.9	31	4.3
206	Complicated hernia of abdominal cavity, except inguinal	10,926	11.3	102	14.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
207	Intestinal obstruction without mention of hernia	39,533	40.9	448	63.1
208	Noninfectious gastroenteritis and colitis	143,510	148.5	695	97.7
209	Diverticula of intestine	63,333	65.5	562	79.0
210	Anal fissure, fistula, and abscess	32,891	34.0	167	23.5
211	Miscellaneous diseases of intestine and peritoneum	113,749	117.7	898	126.2
212	Alcoholic liver disease	14,279	14.8	192	27.1
213	Other cirrhosis and chronic liver disease	14,018	14.5	153	21.5
214	Miscellaneous diseases of liver	11,592	12.0	122	17.1
215	Gallbladder disease with calculus	134,463	139.2	1,302	183.1
216	Gallbladder disease without mention of calculus	40,982	42.4	370	52.0
217	Diseases of bile ducts with calculus	10,263	10.6	127	17.9
218	Diseases of bile ducts without mention of calculus	6,194	6.4	80	11.3
219	Diseases of pancreas	34,416	35.6	355	49.9
220	Gastrointestinal hemorrhage	35,900	37.2	302	42.4
221	Intestinal malabsorption	3,103	3.2	32	4.5
222	Chronic glomerulonephritis and nephrotic syndrome	5,817	6.0	54	7.6
223	Miscellaneous nephritis and functional disorders	1,384	1.4	11	1.6
224	Chronic renal failure	13,269	13.7	140	19.7
225	Other renal failure	5,375	5.6	75	10.6
226	Acute pyelonephritis	15,135	15.7	104	14.7
227	Miscellaneous kidney infections	18,290	18.9	136	19.1
228	Calculus of kidney	26,594	27.5	182	25.5
229	Calculus of ureter	69,126	71.5	345	48.5
230	Miscellaneous diseases of kidney and ureter	22,342	23.1	185	26.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
231	Urinary calculus, except kidney and ureter	8,933	9.2	55	7.8
232	Cystitis	38,879	40.2	205	28.8
233	Urethral stricture	35,333	36.6	143	20.1
234	Miscellaneous urinary diseases	105,221	108.9	667	93.7
235	Hyperplasia of prostate	88,976	92.1	791	111.2
236	Diseases of prostate, except hypertrophy	14,736	15.3	69	9.7
237	Hydrocele	10,165	10.5	41	5.8
238	Orchitis and epididymitis	9,645	10.0	58	8.1
239	Redundant prepuce and phimosis	19,255	19.9	47	6.6
240	Miscellaneous diseases of male genital organs	17,862	18.5	68	9.6
241	Benign mammary dysplasia	52,574	54.4	156	21.9
242	Miscellaneous diseases of breast	20,590	21.3	76	10.6
243	Ovarian cyst	37,240	38.5	216	30.4
244	Pelvic inflammatory disease	65,002	67.3	390	54.8
245	Endometriosis	40,030	41.4	260	36.6
246	Inflammatory disease of cervix uteri	16,220	16.8	70	9.8
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	18,771	19.4	66	9.3
248	Genital prolapse	58,313	60.4	486	68.3
249	Metrorrhagia	7,921	8.2	24	3.4
250	Other disorders of menstruation	128,423	132.9	439	61.7
251	Menopausal and postmenopausal disorders	25,363	26.3	76	10.7
252	Miscellaneous diseases of female genitalia	71,159	73.6	306	43.1
253	Signs and symptoms referable to female genital organs	48,838	50.5	265	37.3
254	Ectopic pregnancy	13,749	14.2	81	11.5
255	Legally induced abortion	48,424	50.1	78	11.0

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
256	Other induced abortion	91	0.1	<1	0.0
257	Spontaneous and unspecified abortion	83,445	86.4	153	21.5
258	Other pregnancy with abortive outcome	12,437	12.9	30	4.2
259	Threatened abortion	11,635	12.0	33	4.6
260	Other early pregnancy hemorrhage	890	0.9	2	0.3
261	Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	8,928	9.2	35	4.9
262	Excessive vomiting in pregnancy	9,025	9.3	36	5.1
263	False labor	52,644	54.5	69	9.7
264	Placenta previa without delivery	3,385	3.5	13	1.8
265	Other antepartum hemorrhage without delivery	4,733	4.9	12	1.7
266	Infections of pregnancy without delivery	8,022	8.3	29	4.1
267	Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	6,885	7.1	32	4.5
268	Miscellaneous complications of pregnancy without delivery	20,818	21.5	66	9.2
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	7,112	7.4	40	5.6
288	Major puerperal infections	1,766	1.8	8	1.2
289	Puerperal hemorrhage (after 24 hrs.)	4,678	4.8	11	1.5
290	Other puerperal complications	2,886	3.0	12	1.7

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
291 Cellulitis and abscess, except digit	49,264	51.0	416	58.5
292 Miscellaneous infections of skin and subcutaneous tissue	15,198	15.7	113	15.8
293 Pilonidal cyst	19,359	20.0	86	12.1
294 Sebaceous cyst	8,630	8.9	22	3.1
295 Miscellaneous diseases of skin and subcutaneous tissue	68,776	71.2	601	84.6
296 Diffuse diseases of connective tissue	6,707	6.9	79	11.0
297 Rheumatoid arthritis, except spine	22,277	23.1	256	36.0
298 Osteoarthrosis (osteoarthritis), except spine	48,590	50.3	611	85.9
299 Other arthropathies	15,245	15.8	147	20.7
300 Internal derangement of knee joint	46,879	48.5	227	31.9
301 Other disorders of joint	36,115	37.4	204	28.7
302 Ankylosing spondylitis	767	0.8	7	1.0
303 Spondylosis and allied disorders	31,466	32.6	294	41.3
304 Derangement and displacement of lumbar disc	98,806	102.3	1,041	146.4
305 Derangement and displacement of intervertebral disc, except lumbar	28,056	29.0	271	38.1
306 Sacroiliac joint disorder	13,734	14.2	119	16.7
307 Sciatica	7,643	7.9	73	10.3
308 Other dorsopathies	80,127	82.9	693	97.4
309 Bursitis and synovitis, except spine	41,188	42.6	188	26.5
310 Bunion and deformities of toe	38,223	39.6	184	25.9
311 Ganglion and cyst	24,035	24.9	65	9.1
312 Osteomyelitis	8,377	8.7	141	19.8
313 Localized disorders of bone and cartilage	50,025	51.8	449	63.1

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
314	Acquired deformities of limbs, except toe	8,620	8.9	45	6.3
315	Neuralgia, neuritis, and radiculitis, unspecified	3,966	4.1	34	4.8
316	Miscellaneous disorders of musculoskeletal system	53,969	55.9	323	45.4
317	Somatic dysfunction	1,650	1.7	13	1.8
318	Congenital anomaly of nervous system	2,128	2.2	20	2.8
319	Congenital anomaly of eye, ear, face, and neck	9,299	9.6	26	3.7
320	Congenital anomaly of heart and circulatory system	10,044	10.4	70	9.8
321	Cleft palate and lip	2,923	3.0	12	1.7
322	Congenital hypertrophic pyloric stenosis	2,140	2.2	10	1.4
323	Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	6,254	6.5	40	5.7
324	Undescended testicle	7,383	7.6	26	3.6
325	Miscellaneous congenital anomalies of genitourinary system	12,154	12.6	70	9.8
326	Clubfoot	3,936	4.1	19	2.6
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	24,524	25.4	151	21.2
328	Perinatal conditions causing morbidity and mortality	11,266	11.7	75	10.5
329	Convulsions	44,153	45.7	240	33.7
330	Pyrexia of unknown origin	18,430	19.1	118	16.6
331	Headache	24,243	25.1	129	18.2
332	Epistaxis	13,169	13.6	65	9.2

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
333	Signs and symptoms referable to the cardiovascular system, except gangrene	9,957	10.3	51	7.1
334	Gangrene	8,776	9.1	190	26.7
335	Chest pain	82,485	85.4	392	55.1
336	Other signs and symptoms referable to respiratory system and chest	16,204	16.8	105	14.8
337	Signs and symptoms referable to urinary system	23,556	24.4	137	19.3
338	Abdominal pain	90,476	93.6	429	60.4
339	Other signs and symptoms referable to upper GI tract and abdomen	20,241	20.9	133	18.7
340	Miscellaneous signs, symptoms, and ill-defined conditions	111,329	115.2	717	100.8
341	Fracture of vault of skull	7,686	8.0	55	7.8
342	Fracture of base of skull	5,163	5.3	41	5.7
343	Fracture of face bones	32,005	33.1	138	19.5
344	Fracture of vertebral column without mention of spinal cord injury	28,543	29.5	315	44.3
345	Fracture of vertebral column with cord injury	1,808	1.9	38	5.3
346	Fracture of ribs, sternum, larynx and trachea	18,682	19.3	155	21.8
347	Fracture of pelvis	14,592	15.1	239	33.6
348	Fracture of humerus	24,980	25.9	208	29.3
349	Fracture of radius and ulna	38,411	39.8	168	23.7
350	Miscellaneous fractures of upper extremity	18,080	18.7	64	9.0
351	Fracture of neck of femur	64,926	67.2	1,320	185.6
352	Other femoral fracture	18,072	18.7	440	61.8
353	Fracture of tibia and fibula	29,683	30.7	284	39.9
354	Miscellaneous fractures of lower extremity	50,279	52.0	366	51.4
355	Fracture of other bones	6,154	6.4	39	5.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
356	Fracture of multiple bones	551	0.6	7	0.9
357	Dislocation of shoulder	7,163	7.4	29	4.1
358	Dislocation of knee	36,668	38.0	190	26.7
359	Other dislocation	9,705	10.0	72	10.1
360	Sprains and strains of knee and leg	11,291	11.7	61	8.6
361	Sprains and strains of sacroiliac region	47,938	49.6	384	54.0
362	Sprains and strains of other and unspecified parts of back	43,271	44.8	309	43.4
363	Other sprains and strains	16,347	16.9	77	10.9
364	Concussion	65,726	68.0	242	34.1
365	Intracranial injury, except concussion	21,788	22.6	174	24.5
366	Internal injury to thoracic region	5,701	5.9	51	7.2
367	Internal injury, except chest	13,906	14.4	133	18.7
368	Laceration or enucleation of eye	6,227	6.4	27	3.8
369	Other laceration of head and neck	24,345	25.2	106	14.9
370	Other laceration of trunk and multiple and unspecified sites	13,132	13.6	81	11.4
371	Open wound of upper limb	35,490	36.7	124	17.4
372	Open wound of lower limb	16,440	17.0	108	15.2
373	Injury to blood vessels	1,622	1.7	14	1.9
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	17,224	17.8	114	16.0
375	Contusion of eye and adnexa	5,678	5.9	26	3.6
376	Other superficial injuries	55,654	57.6	281	39.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
377 Miscellaneous crushing injury	4,231	4.4	29	4.1
378 Foreign body on external eye	420	0.4	1	0.2
379 Foreign body entering through other body orifice	10,444	10.8	32	4.5
380 Third degree burns	6,105	6.3	110	15.5
381 Other burns	15,932	16.5	143	20.1
382 Injury to nerve and spinal cord	5,731	5.9	34	4.8
383 Certain traumatic complications and unspecified injuries	14,565	15.1	91	12.8
384 Poisoning by drugs, medicinal, and biological substances	57,717	59.7	276	38.8
385 Toxic effects of substances chiefly nonmedicinal as to source	15,696	16.2	52	7.3
386 Miscellaneous adverse effects	15,811	16.4	93	13.0
387 Complications peculiar to certain specified procedures	37,690	39.0	339	47.7
388 Hemorrhage or hematoma complicating a procedure	14,091	14.6	56	7.9
389 Postoperative wound infection	10,950	11.3	107	15.1
390 Other complications of surgical procedures	14,627	15.1	128	18.0
391 Other complications of medical care, except drugs	1,126	1.2	7	0.9
392 Admission for prophylactic sterilization	79,132	81.9	168	23.6
396 Aftercare for removal of internal fixation device	18,475	19.1	69	9.7
397 Aftercare involving intermittent dialysis	4,087	4.2	8	1.1

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
398 Admission for special examinations and miscellaneous reasons	142,282	147.3	677	95.2
All patients except deliveries and newborn	9,662,039	10,000.0	71,123	10,000.0

For each of the four regions and for the United States as a whole, Tables 2 and 3 display frequency rankings of patients and total stay according to diagnosis group. The diagnosis groups are listed in their rank order for the U.S. as a whole. Delivery and newborn groups are excluded, as are deaths, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 2

Ranking of *ICD-9-CM* List A Diagnosis Groups by Live Discharges U.S. PAS Hospitals, 1979 (Deliveries and Births Excluded)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
179	Pneumonia	196,466	1	1	1	1	2
177	Chronic disease of tonsils and adenoids	185,695	2	3	2	2	1
200	Inguinal hernia without complication	153,037	3	2	5	5	3
143	Miscellaneous ischemic heart disease	149,929	4	12	3	3	6
208	Noninfectious gastroenteritis and colitis	143,510	5	13	4	4	9
398	Admission for special examinations and miscellaneous reasons	142,282	6	5	7	11	4
215	Gallbladder disease with calculus	134,463	7	9	6	8	7
124	Senile cataract	133,514	8	6	11	10	5
149	Heart failure	133,282	9	4	8	14	10
250	Other disorders of menstruation	128,423	10	8	9	6	19
140	Acute myocardial infarction	119,295	11	7	13	13	11
211	Miscellaneous diseases of intestine and peritoneum	113,749	12	17	10	12	14
340	Miscellaneous signs, symptoms, and ill-defined conditions	111,329	13	21	12	9	12

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
234 Miscellaneous urinary diseases	105,221	14	22	14	7	21
183 Asthma	98,950	15	14	15	20	13
304 Derangement and displacement of lumbar disc	98,806	16	23	16	17	8
338 Abdominal pain	90,476	17	32	22	15	17
235 Hyperplasia of prostate	88,976	18	15	25	21	15
173 Acute URI except streptococcal	83,925	19	33	18	22	26
257 Spontaneous and unspecified abortion	83,445	20	18	20	28	27
195 Gastritis and duodenitis	83,397	21	37	17	19	40
335 Chest pain	82,485	22	40	27	16	18
071 Diabetes mellitus without complication	80,254	23	25	19	24	56
308 Other dorsopathies	80,127	24	39	24	26	16
174 Bronchitis and bronchiolitis, acute	79,430	25	35	21	25	30
392 Admission for prophylactic sterilization	79,132	26	24	26	23	35
141 Angina pectoris	77,141	27	29	28	27	20
104 Alcoholic dependence syndrome	74,022	28	16	23	51	34
187 Disease of teeth and jaws	73,154	29	10	30	31	92
252 Miscellaneous diseases of female genitalia	71,159	30	27	29	32	33
229 Calculus of ureter	69,126	31	43	44	18	38
295 Miscellaneous diseases of skin and subcutaneous tissue	68,776	32	30	31	33	37
184 Miscellaneous obstructive lung diseases	67,026	33	38	40	30	24
364 Concussion	65,726	34	19	34	63	28

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
244	Pelvic inflammatory disease	65,002	35	50	33	35	36
130	Otitis media, chronic and unspecified	64,951	36	42	43	29	32
351	Fracture of neck of femur	64,926	37	31	41	41	23
209	Diverticula of intestine	63,333	38	36	37	34	51
045	Malignant neoplasm of ill-defined and secondary sites	62,122	39	26	38	54	29
056	Uterine leiomyoma	60,817	40	28	52	38	44
148	Other arrhythmia and conduction disorders	59,826	41	34	45	44	39
137	Essential hypertension	58,878	42	58	32	37	91
248	Genital prolapse	58,313	43	60	47	36	43
384	Poisoning by drugs, medicinal, and biological substances	57,717	44	44	46	56	25
376	Other superficial injuries	55,654	45	62	39	49	45
102	Neurotic depression	55,160	46	79	36	42	64
171	Hemorrhoids	54,894	47	52	51	39	68
197	Acute appendicitis without peritonitis	54,359	48	53	53	55	31
316	Miscellaneous disorders of musculoskeletal system	53,969	49	63	42	53	47
186	Miscellaneous lung and pleural diseases	53,800	50	49	48	43	52
027	Malignant neoplasm of bronchus, lung, and trachea	53,623	51	46	59	45	49
263	False labor	52,644	52	61	35	78	58
241	Benign mammary dysplasia	52,574	53	55	60	40	69

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
160 Transient cerebral ischemia without paralysis	50,705	54	45	56	64	59
354 Miscellaneous fractures of lower extremity	50,279	55	59	55	67	42
313 Localized disorders of bone and cartilage	50,025	56	64	57	59	41
142 Other acute and subacute forms of ischemic heart disease	49,591	57	20	78	66	86
291 Cellulitis and abscess, except digit	49,264	58	47	62	62	60
181 Bronchitis, chronic and unspecified	49,239	59	87	54	46	81
253 Signs and symptoms referable to female genital organs	48,838	60	65	64	48	54
298 Osteoarthrosis (osteoarthritis), except spine	48,590	61	81	49	70	46
169 Phlebitis and thrombophlebitis	48,488	62	51	61	57	75
255 Legally induced abortion	48,424	63	11	96	96	79
361 Sprains and strains of sacroiliac region	47,938	64	83	50	52	80
073 Other complicated diabetes mellitus	47,044	65	56	48	83	89
300 Internal derangement of knee joint	46,879	66	66	65	90	22
032 Malignant neoplasm of breast (female) (male)	45,939	67	48	71	72	61

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
178	Miscellaneous diseases of upper respiratory system	45,146	68	57	73	61	70
329	Convulsions	44,153	69	54	70	68	83
001	Intestinal infectious disease	44,002	70	77	76	58	57
362	Sprains and strains of other and unspecified parts of back	43,271	71	90	68	60	74
150	Miscellaneous diseases of heart	42,868	72	76	69	71	63
192	Nongastric peptic ulcer without complication	42,538	73	108	67	47	107
175	Deviated nasal septum	41,665	74	41	84	93	67
309	Bursitis and synovitis, except spine	41,188	75	71	75	80	66
216	Gallbladder disease without mention of calculus	40,982	76	85	72	65	96
161	Acute, but ill-defined, cerebrovascular disease without paralysis	40,539	77	73	82	69	77
120	Peripheral nervous system disorder, except sciatica	40,295	78	101	74	77	62
245	Endometriosis	40,030	79	96	79	73	65
207	Intestinal obstruction without mention of hernia	39,533	80	67	85	84	55
232	Cystitis	38,879	81	97	66	76	131
349	Fracture of radius and ulna	38,411	82	84	77	100	72
117	Miscellaneous disease of central nervous system	38,235	83	75	80	88	76
310	Bunion and deformities of toe	38,223	84	93	63	123	71

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
387 Complications peculiar to certain specified procedures	37,690	85	70	97	95	48
243 Ovarian cyst	37,240	86	80	87	82	85
358 Dislocation of knee	36,668	87	105	90	92	53
204 Diaphragmatic hernia without complication	36,418	88	122	89	50	127
189 Diseases of esophagus	36,229	89	102	88	74	98
301 Other disorders of joint	36,115	90	104	86	104	50
220 Gastrointestinal hemorrhage	35,900	91	68	98	87	84
371 Open wound of upper limb	35,490	92	94	92	98	73
163 Other and ill-defined cerebrovascular disease	35,480	93	98	83	81	104
233 Urethral stricture	35,333	94	114	81	75	114
037 Malignant neoplasm of prostate	34,890	95	91	99	85	78
219 Diseases of pancreas	34,416	96	86	94	86	97
147 Atrial fibrillation and flutter	33,541	97	82	103	99	82
210 Anal fissure, fistula, abscess	32,891	98	89	102	89	99
096 Miscellaneous schizophrenia	32,228	99	78	100	113	87
343 Fracture of face bones	32,005	100	92	104	103	88
303 Spondylosis and allied disorders	31,466	101	129	91	97	102
138 Hypertensive heart disease	31,356	102	103	101	79	136
023 Malignant neoplasm of colon	31,020	103	69	106	106	101
039 Malignant neoplasm of bladder	29,683	104	72	107	128	100

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
353 Fracture of tibia and fibula	29,683	105	106	105	110	90
111 Miscellaneous mental disorders	29,450	106	140	95	94	118
119 Carpal tunnel syndrome and other lesions of median nerve	29,398	107	119	93	136	94
344 Fracture of vertebral column without mention of spinal cord injury	28,543	108	113	108	111	93
305 Derangement and displacement of intervertebral disc, except lumbar	28,056	109	125	111	105	95
053 Benign neoplasm of bone, muscle, and connective tissue	27,300	110	100	113	107	121
170 Varicose veins of lower extremities	27,241	111	95	109	127	120
081 Disorders of fluid, electrolyte, and acid-base balance	27,186	112	115	110	109	103
228 Calculus of kidney	26,594	113	118	112	101	147
084 Anemia except iron deficiency and sickle-cell	26,356	114	99	117	115	125
172 Miscellaneous diseases of veins and circulatory system	26,155	115	112	115	118	110
127 Miscellaneous disorders of superficial structures of eye	25,495	116	74	140	125	116

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
251	Menopausal and postmenopausal disorders	25,363	117	88	129	119	154
348	Fracture of humerus	24,980	118	123	114	133	106
193	Nongastric peptic ulcer with hemorrhage or perforation	24,704	119	117	127	124	108
012	Miscellaneous viral diseases	24,590	120	109	130	116	119
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	24,524	121	124	120	132	105
369	Other laceration of head and neck	24,345	122	133	118	130	112
331	Headache	24,243	123	227	116	91	163
090	Chronic organic brain syndrome, except arterioslerotic dementia	24,192	124	120	128	117	122
311	Ganglion and cyst	24,035	125	132	121	112	153
337	Signs and symptoms referable to urinary system	23,556	126	107	126	122	185
196	Disease of stomach and duodenum, except ulcer and inflammation	22,426	127	220	122	102	177
203	Ventral hernia without complication	22,390	128	127	132	135	126
230	Miscellaneous diseases of kidney and ureter	22,342	129	136	133	121	141

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
297	Rheumatoid arthritis, except spine	22,277	130	151	125	131	130
365	Intracranial injury, except concussion	21,788	131	145	123	143	132
068	Neoplasms of uncertain behavior and unspecified nature	21,274	132	110	139	144	157
049	Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	21,089	133	126	137	145	144
268	Miscellaneous complications of preganancy without delivery	20,818	134	146	124	168	129
242	Miscellaneous diseases of breast	20,590	135	134	153	129	143
164	Atherosclerosis	20,362	136	168	134	142	124
339	Other signs and symptoms referable to upper GI tract and abdomen	20,241	137	177	145	120	148
168	Miscellaneous diseases of arteries	20,155	138	121	150	141	161
101	Anxiety states	20,037	139	192	119	139	194
190	Gastric ulcer without complication	19,941	140	174	136	126	187
098	Major depressive psychoses	19,908	141	130	131	174	155
126	Strabismus	19,678	142	135	143	146	149
134	Miscellaneous diseases of ear	19,521	143	162	151	140	128
293	Pilonidal cyst	19,359	144	111	147	159	195
239	Redundant prepuce and phimosis	19,255	145	137	160	114	250
132	Vertiginous syndromes	19,199	146	173	135	147	156

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
198 Acute appendicitis with peritonitis	19,100	147	142	155	164	117
103 Miscellaneous neuroses and personality disorders	19,020	148	164	138	163	140
116 Epilepsy	18,925	149	150	144	150	151
144 Pulmonary embolism and infarction	18,875	150	138	158	151	150
247 Inflammatory disease of vulva, vagina, and uterus, except cervix	18,771	151	141	141	149	188
346 Fracture of ribs, sternum, larynx and trachea	18,682	152	153	149	160	134
396 Aftercare for removal of internal fixation device	18,475	153	139	159	187	115
330 Pyrexia of unknown origin	18,430	154	161	168	134	158
227 Miscellaneous kidney infections	18,290	155	172	148	137	183
167 Arterial embolism and thrombosis	18,242	156	131	175	169	137
051 Benign neoplasm of other parts of digestive system	18,202	157	116	173	155	204
072 Diabetic acidosis or coma	18,113	158	154	161	158	145
350 Miscellaneous fractures of upper extremity	18,080	159	165	146	179	123
352 Other femoral fracture	18,072	160	158	164	156	142
075 Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	18,047	161	160	142	152	179

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
240 Miscellaneous diseases of male genital organs	17,862	162	163	157	148	175
151 Cardiovascular disease, unspecified	17,597	163	186	200	108	200
158 Occlusion of cerebral arteries, thrombosis and embolism without paralysis	17,525	164	144	171	162	160
024 Malignant neoplasm of rectum, rectosigmoid junction and anus	17,370	165	128	167	191	172
374 Late effects of injury, poisoning, non-medicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	17,224	166	219	154	165	135
110 Adjustment reactions and acute reactions to stress	17,203	167	188	156	180	133
094 Paranoid schizophrenia	17,159	168	149	186	196	109
156 Precerebral artery occlusion without paralysis	17,130	169	203	178	167	113
055 Benign neoplasm of breast	16,452	170	143	195	138	221
372 Open wound of lower limb	16,440	171	193	179	154	169
363 Other sprains and strains	16,347	172	195	163	194	138
246 Inflammatory disease of cervix uteri	16,220	173	176	152	170	215
336 Other signs and symptoms referable to respiratory system and chest	16,204	174	178	183	157	181

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
034 Malignant neoplasm of corpus uteri	16,148	175	148	172	202	159
128 Miscellaneous disorders of deep structures of eye	16,124	176	159	192	171	146
381 Other burns	15,932	177	185	166	175	189
386 Miscellaneous adverse effects	15,811	178	180	170	182	178
385 Toxic effects of substances chiefly nonmedicinal as to source	15,696	179	190	181	176	173
070 Other diseases of thyroid gland	15,530	180	194	169	161	216
299 Other arthropathies	15,245	181	213	184	178	166
082 Iron deficiency anemia	15,239	182	167	177	173	220
292 Miscellaneous infections of skin and subcutaneous tissue	15,198	183	156	188	184	191
100 Miscellaneous psychoses	15,142	184	184	187	185	176
226 Acute pyelonephritis	15,135	185	228	180	166	182
182 Emphysema	15,061	186	205	174	183	192
118 Migraine	14,859	187	247	165	172	203
236 Diseases of prostate, except hypertrophy	14,736	188	223	176	153	246
390 Other complications of surgical procedures	14,627	189	199	198	197	139
347 Fracture of pelvis	14,592	190	181	190	201	168
383 Certain traumatic complications and unspecified injuries	14,565	191	179	191	181	198
212 Alcoholic liver disease	14,279	192	147	208	214	152
388 Hemorrhage or hematoma complicating a procedure	14,091	193	218	194	192	170

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals Number of Patients (2)	Rank (3)	Rank by Region North-east (4)	North Central (5)	South (6)	West (7)
213	Other cirrhosis and chronic liver disease	14,018	194	152	201	193	206
099	Other affective psychoses	13,937	195	201	185	217	174
367	Internal injury, except chest	13,906	196	191	204	195	164
254	Ectopic pregnancy	13,749	197	187	206	200	165
306	Sacroiliac joint disorder	13,734	198	241	162	220	197
066	Carcinoma in situ of cervix	13,481	199	208	202	188	199
224	Chronic renal failure	13,269	200	157	228	189	196
162	Acute, but ill-defined, cerebrovascular disease with paralysis	13,260	201	166	210	198	201
332	Epistaxis	13,169	202	204	196	205	202
370	Other laceration of trunk and multiple and unspecified sites	13,132	203	202	211	177	213
086	Disease of hematopoietic system, except anemia and hemophilia	13,111	204	183	199	210	205
136	Chronic rheumatic heart disease	12,895	205	175	205	226	180
180	Influenza	12,797	206	317	189	203	162
054	Benign neoplasm of skin, blood vessels, and miscellaneous sites	12,500	207	155	222	199	227
008	Viral diseases with exanthem	12,459	208	229	197	207	217
258	Other pregnancy with abortive outcome	12,437	209	209	203	208	209
202	Umbilical hernia without complication	12,340	210	217	207	190	232

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals Number of Patients (2)	Rank (3)	Rank by Region North-east (4)	North Central (5)	South (6)	West (7)
087	Nonspecific mesenteric lymphadenitis	12,221	211	210	193	225	228
325	Miscellaneous congenital anomalies of genitourinary system	12,154	212	206	213	206	208
131	Other inflammation of ear and mastoid	12,082	213	169	217	204	236
191	Gastric ulcer with hemorrhage or perforation	11,800	214	215	214	227	190
031	Other malignant neoplasm of skin, excluding genital organs	11,635	215	171	252	186	238
259	Threatened abortion	11,635	216	230	182	239	267
214	Miscellaneous diseases of liver	11,592	217	212	218	212	210
121	Retinal detachment and defects	11,462	218	182	260	218	167
360	Sprains and strains of knee and leg	11,291	219	255	212	250	171
328	Perinatal conditions causing morbidity and mortality	11,266	220	266	247	253	111
033	Malignant neoplasm of cervix uteri excluding carcinoma in situ	11,000	221	231	220	209	239
092	Alcoholic psychoses	10,957	222	170	270	222	184
389	Postoperative wound infection	10,950	223	240	232	228	186
206	Complicated hernia of abdominal cavity, except inguinal	10,926	224	189	224	241	219

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	Rank (3)	Rank by Region: North-east (4)	North Central (5)	South (6)	West (7)
199	Disease of appendix, except acute appendicitis	10,922	225	256	209	216	225
188	Disease of mouth, except dental	10,919	226	222	226	213	223
019	Malignant neoplasm of lip, oral cavity, and pharynx	10,888	227	198	237	224	214
035	Malignant neoplasm of ovary	10,687	228	207	225	233	222
165	Aortic aneurysm	10,542	229	224	239	223	207
379	Foreign body entering through other body orifice	10,444	230	216	240	230	211
185	Spontaneous pneumothorax	10,306	231	225	238	215	235
217	Diseases of bile ducts with calculus	10,263	232	221	233	247	212
237	Hydrocele	10,165	233	226	227	238	234
079	Miscellaneous metabolic disorders	10,153	234	235	234	231	226
320	Congenital anomaly of heart and circulatory system	10,044	235	237	243	244	193
333	Signs and symptoms referable to the cardiovascular system, except gangrene	9,957	236	250	230	219	251
146	Paroxysmal supraventricular tachycardia	9,878	237	236	235	237	233
005	Septicemia	9,877	238	211	249	234	229
359	Other dislocation	9,705	239	246	236	245	218
238	Orchitis and epididymitis	9,645	240	253	223	229	261
009	Viral hepatitis	9,561	241	259	244	221	230

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
201 Inguinal hernia, complicated	9,473	242	200	242	262	242
319 Congenital anomaly of eye, ear, face, and neck	9,299	243	239	250	249	224
011 Viral warts	9,242	244	238	229	243	288
058 Benign neoplasm of ovary	9,110	245	232	246	257	231
109 Psychophysiologic disorder	9,037	246	282	219	235	273
262 Excessive vomiting in pregnancy	9,025	247	271	231	251	247
069 Simple and non-toxic nodular goiter	8,994	248	276	251	211	271
231 Urinary calculus, except kidney and ureter	8,933	249	251	248	232	263
261 Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	8,928	250	260	241	236	258
010 Infectious mononucleosis	8,802	251	245	216	266	300
334 Gangrene	8,776	252	214	257	240	287
294 Sebaceous cyst	8,630	253	197	261	248	301
314 Acquired deformities of limbs, except toe	8,620	254	267	221	277	254
078 Obesity of nonendocrine origin	8,527	255	328	215	254	256
312 Osteomyelitis	8,377	256	242	266	256	241
007 Poliomyelitis and other enteroviral diseases of central nervous system	8,048	257	265	273	252	237

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
266	Infections of pregnancy without delivery	8,022	258	275	253	246	274
249	Metrorrhagia	7,921	259	244	258	255	291
064	Benign neoplasm of thyroid glands	7,852	260	252	272	260	245
028	Other malignant neoplasm of respiratory system and thoracic cavity	7,712	261	233	277	259	269
341	Fracture of vault of skull	7,686	262	268	265	268	240
307	Sciatica	7,643	263	248	245	290	277
113	Inflammatory diseases of central nervous system	7,572	264	280	268	258	243
114	Parkinson's disease	7,479	265	257	255	273	282
133	Otosclerosis	7,447	266	262	274	265	248
021	Malignant neoplasm of stomach	7,393	267	234	279	278	252
324	Undescended testicle	7,383	268	254	269	272	259
040	Malignant neoplasm of kidney and other urinary organs	7,299	269	263	271	264	265
026	Malignant neoplasm of pancreas	7,278	270	258	282	270	249
048	Leukemia, except lymphoid	7,237	271	261	262	282	262
357	Dislocation of shoulder	7,163	272	293	259	279	244
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	7,112	273	270	264	275	270
122	Open angle and primary closure glaucoma	7,001	274	243	290	263	264

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
083	Sickle-cell anemia and trait	6,949	275	278	267	242	336
267	Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	6,885	276	274	256	274	314
139	Miscellaneous hypertensive disease	6,771	277	285	275	261	286
296	Diffuse diseases of connective tissue	6,707	278	279	281	271	272
176	Nasal polyp	6,660	279	249	276	299	276
115	Multiple sclerosis	6,590	280	272	254	314	283
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	6,471	281	264	283	288	281
107	Nondependent abuse of alcohol	6,255	282	288	263	297	297
323	Congenital anomaly of respiratory system, except cleft palate and pyloric stenosis	6,254	283	273	287	276	278
368	Laceration or enucleation of eye	6,227	284	291	294	269	260
218	Diseases of bile ducts without mention of calculus	6,194	285	269	284	291	290
355	Fracture of other bones	6,154	286	302	280	287	266
380	Third degree burns	6,105	287	301	285	267	275
004	Streptococcal sore throat and scarlet fever	5,925	288	311	278	281	296

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals Number of Patients (2)	Rank (3)	Rank by Region Northeast (4)	North Central (5)	South (6)	West (7)
222	Chronic glomerulonephritis and nephrotic syndrome	5,817	289	296	286	284	284
382	Injury to nerve and spinal cord	5,731	290	297	298	289	257
366	Internal injury to thoracic region	5,701	291	305	299	283	255
375	Contusion of eye and adnexa	5,678	292	290	291	292	285
029	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	5,642	293	295	296	293	268
042	Malignant neoplasm of brain	5,497	294	298	293	295	280
046	Hodgkins' disease	5,389	295	277	288	309	306
225	Other renal failure	5,375	296	283	302	286	311
017	Miscellaneous infective and parasitic diseases	5,285	297	292	295	280	327
030	Malignant melanoma of skin, excluding genital organs	5,285	298	289	312	285	295
025	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	5,194	299	294	300	303	289
125	Cataract, except senile	5,170	300	284	308	301	279
342	Fracture of base of skull	5,163	301	309	304	308	253
047	Lymphoid leukemia	5,098	302	286	301	310	293
050	Benign neoplasm of lip, oral cavity, and pharynx	5,008	303	287	311	300	294

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
265 Other antepartum hemorrhage without delivery	4,733	304	303	297	312	307
205 Other hernia of abdominal cavity without complication	4,727	305	299	309	306	299
289 Puerperal hemorrhage (after 24 hrs.)	4,678	306	310	289	318	310
080 Gout	4,619	307	312	303	296	325
067 Carcinoma in situ, except cervix uteri	4,580	308	300	313	305	305
014 Syphilis and other venereal diseases	4,524	309	315	310	304	303
002 Respiratory tuberculosis	4,408	310	304	318	294	323
006 Miscellaneous bacterial diseases	4,379	311	314	316	298	313
088 Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	4,263	312	306	314	302	326
377 Miscellaneous crushing injury	4,231	313	321	305	320	304
044 Malignant neoplasm of endocrine glands	4,150	314	313	319	311	302
194 Peptic ulcer with obstruction	4,138	315	319	317	307	309
397 Aftercare involving intermittent dialysis	4,087	316	281	292	334	354
315 Neuralgia, neuritis, and radiculitis, unspecified	3,966	317	324	306	316	328
326 Clubfoot	3,936	318	320	307	325	312
154 Intracerebral hemorrhage without paralysis	3,804	319	323	325	315	298

Table 2 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
020 Malignant neoplasm of esophagus	3,762	320	308	322	317	324
074 Ovarian dysfunction	3,696	321	322	315	313	334
015 Mycoses	3,473	322	345	321	327	292
123 Other glaucoma	3,460	323	307	331	319	322
264 Placenta previa without delivery	3,385	324	326	320	326	317
076 Nutritional deficiencies	3,341	325	325	327	322	318
063 Benign neoplasm of central nervous system	3,225	326	327	330	328	308
052 Benign neoplasm of respiratory system and intrathoracic organs	3,159	327	318	332	321	321
221 Intestinal malabsorption	3,103	328	329	323	329	331
105 Opioid dependence	3,067	329	196	360	368	352
106 Drug dependence except opioid	2,943	330	316	324	338	347
321 Cleft palate and lip	2,923	331	332	335	323	316
290 Other puerperal complications	2,886	332	331	328	340	319
129 Other disorders of eye	2,850	333	339	329	324	333
038 Malignant neoplasm of male genitalia, except prostate	2,731	334	334	333	333	315
166 Aneurysm except aortic	2,596	335	330	339	332	329
135 Rhematic fever, acute	2,345	336	338	334	337	342
091 Arteriosclerotic dementia	2,283	337	347	336	331	349
093 Drug psychoses	2,243	338	340	342	343	320
036 Malignant neoplasm of other female genital organs	2,206	339	335	340	341	345

Table 2 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
322 Congenital hypertrophic pyloric stenosis	2,140	340	341	338	342	340
065 Benign neoplasm of endocrine glands, except thyroid	2,130	341	343	346	335	330
318 Congenital anomaly of nervous system	2,128	342	348	341	336	341
152 Subarachnoid hemorrhage without paralysis	2,085	343	342	343	339	338
108 Nondependent abuse of drugs, except alcohol	2,055	344	344	337	348	344
057 Benign neoplasm of uterus, except leiomyoma	1,901	345	333	345	349	343
345 Fracture of vertebral column with cord injury	1,808	346	351	348	344	335
288 Major puerperal infections	1,766	347	352	344	347	337
317 Somatic dysfunction	1,650	348	366	326	369	367
373 Injury to blood vessels	1,622	349	353	349	345	346
089 Transient organic psychotic conditions	1,564	350	349	355	350	339
095 Acute schizophrenic episode	1,556	351	346	351	359	332
145 Acute and subacute endocarditis	1,553	352	337	354	353	348
061 Benign neoplasm of urinary organ	1,506	353	336	350	352	358
112 Mental retardation	1,484	354	354	347	346	357
223 Miscellaneous nephritis and functional disorders	1,384	355	355	352	351	351

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
013	Rickettsioses and other arthropod-borne diseases	1,347	356	360	368	330	360
077	Cystic fibrosis	1,248	357	350	353	354	355
391	Other complications of medical care, except drugs	1,126	358	356	357	356	350
003	Nonrespiratory tuberculosis	917	359	357	364	357	356
059	Benign neoplasm of female genitalia, except uterus and ovary	905	360	358	358	358	365
260	Other early pregnancy hemorrhage	890	361	363	356	361	366
022	Malignant neoplasm of small intestine	871	362	359	359	363	359
157	Precerebral occlusion with paralysis	830	363	365	361	365	353
016	Helminthiases	823	364	368	365	355	362
302	Ankylosing spondylitis	767	365	372	362	360	364
085	Hemophilia (congenital factor VIII disorder)	754	366	361	363	362	371
041	Malignant neoplasm of eye	751	367	362	366	364	363
155	Intracerebral hemorrhage with paralysis	718	368	364	367	366	361
060	Benign neoplasm of male genital organ	637	369	367	369	367	368
356	Fracture of multiple bones	551	370	369	370	370	370
043	Malignant neoplasm of other parts of nervous system	481	371	371	373	371	369
062	Benign neoplasm of eye	466	372	370	371	372	373
378	Foreign body on external eye	420	373	373	374	373	374

Table 2 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
018	Late effects of infectious and parasitic diseases	375	374	374	372	374	372
097	Childhood psychosis	132	375	375	377	375	376
153	Subarachnoid hemorrhage with paralysis	129	376	376	375	376	375
256	Other induced abortion	91	377	377	376	377	377
	All patients except deliveries and newborn	9,662,039					

Table 3

Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care
U.S. PAS Hospitals, 1979
(Deliveries and Births Excluded)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
140	Acute myocardial infarction	1,770	1	1	2	2	1
179	Pneumonia	1,627	2	3	1	1	2
149	Heart failure	1,478	3	2	3	5	5
351	Fracture of neck of femur	1,320	4	4	6	6	3
143	Miscellaneous ischemic heart disease	1,303	5	6	4	3	7
215	Gallbladder disease with calculus	1,302	6	5	5	4	6
304	Derangement and displacement of lumbar disc	1,041	7	9	8	7	4
211	Miscellaneous diseases of intestine and peritoneum	898	8	10	9	8	10
104	Alcoholic dependence syndrome	841	9	13	7	33	9
235	Hyperplasia of prostate	791	10	8	14	11	14
045	Malignant neoplasm of ill-defined and secondary sites	758	11	7	12	22	12
071	Diabetes mellitus without complication	733	12	15	11	13	47
200	Inguinal hernia without complication	730	13	11	15	17	15
102	Neurotic depression	723	14	41	10	16	24
340	Miscellaneous signs, symptoms, and ill-defined conditions	717	15	25	17	9	18

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
027 Malignant neoplasm of bronchus, lung, and trachea	700	16	12	21	14	17
208 Noninfectious gastroenteritis and colitis	695	17	33	13	12	19
308 Other dorsopathies	693	18	31	16	18	8
398 Admission for special examinations and miscellaneous reasons	677	19	16	20	21	11
184 Miscellaneous obstructive lung diseases	669	20	18	24	15	16
234 Miscellaneous urinary diseases	667	21	29	19	10	31
161 Acute, but ill-defined, cerebrovascular disease without paralysis	611	22	19	28	19	20
298 Osteoarthrosis (osteoarthritis), except spine	611	23	34	18	32	13
295 Miscellaneous diseases of skin and subcutaneous tissue	601	24	26	25	20	21
183 Asthma	597	25	22	23	25	22
209 Diverticula of intestine	562	26	21	29	23	32
073 Other complicated diabetes mellitus	543	27	23	22	48	44
096 Miscellaneous schizophrenia	537	28	20	27	49	27
023 Malignant neoplasm of colon	525	29	17	35	38	33
141 Angina pectoris	515	30	37	30	28	29
169 Phlebitis and thrombophlebitis	512	31	28	32	34	38

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
186 Miscellaneous lung and pleural diseases	512	32	30	37	27	35
124 Senile cataract	506	33	27	38	37	23
148 Other arrhythmia and conduction disorders	498	34	24	36	39	36
195 Gastritis and duodenitis	495	35	46	26	31	55
248 Genital prolapse	486	36	53	34	24	34
174 Bronchitis and bronchiolitis, acute	482	37	47	31	29	40
032 Malignant neoplasm of breast (female) (male)	469	38	32	40	42	37
313 Localized disorders of bone and cartilage	449	39	43	41	44	25
207 Intestinal obstruction without mention of hernia	448	40	39	43	47	26
056 Uterine leiomyoma	443	41	38	50	35	41
352 Other femoral fracture	440	42	42	47	41	28
250 Other disorders of menstruation	439	43	58	39	30	63
338 Abdominal pain	429	44	67	46	26	43
142 Other acute and subacute forms of ischemic heart disease	420	45	14	66	58	62
137 Essential hypertension	418	46	54	33	43	107
291 Cellulitis and abscess, except digit	416	47	35	48	56	45
117 Miscellaneous disease of central nervous system	410	48	40	45	61	39
335 Chest pain	392	49	77	54	36	51
244 Pelvic inflammatory disease	390	50	76	44	46	48

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
		Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
160	Transient cerebral ischemia without paralysis	389	51	36	52	65	61
150	Miscellaneous diseases of heart	386	52	56	49	5[illegible]	46
361	Sprains and strains of sacroiliac region	384	53	69	42	51	60
163	Other and ill-defined cerebrovascular disease	380	54	49	53	50	83
216	Gallbladder disease without mention of calculus	370	55	59	59	45	74
037	Malignant neoplasm of prostate	369	56	50	62	55	49
354	Miscellaneous fractures of lower extremity	366	57	55	57	68	42
177	Chronic disease of tonsils and adenoids	360	58	84	51	59	50
219	Diseases of pancreas	355	59	51	63	60	58
229	Calculus of ureter	345	60	74	70	40	67
181	Bronchitis, chronic and unspecified	339	61	89	60	53	68
098	Major depressive psychoses	339	62	44	56	89	80
387	Complications peculiar to certain specified procedures	339	63	57	73	75	30
171	Hemorrhoids	328	64	85	64	52	91
173	Acute URI except streptococcal	327	65	93	58	63	93
316	Miscellaneous disorders of musculoskeletal system	323	66	95	55	77	59

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
344	Fracture of vertebral column without mention of spinal cord injury	315	67	66	74	71	52
362	Sprains and strains of other and unspecified parts of back	309	68	94	69	64	69
252	Miscellaneous diseases of female genitalia	306	69	87	68	67	76
138	Hypertensive heart disease	306	70	70	71	62	116
192	Nongastric peptic ulcer without complication	302	71	105	67	54	112
090	Chronic organic brain syndrome, except arteriosclerotic dementia	302	72	48	89	69	87
111	Miscellaneous mental disorders	302	73	97	61	72	99
220	Gastrointestinal hemorrhage	302	74	52	80	76	65
024	Malignant neoplasm of rectum, rectosigmoid junction and anus	297	75	45	76	93	79
303	Spondylosis and allied disorders	294	76	101	65	73	88
353	Fracture of tibia and fibula	284	77	80	79	81	56
376	Other superficial injuries	281	78	90	72	83	82
384	Poisoning by drugs, medicinal, and biological substances	276	79	75	78	92	57
094	Paranoid schizophrenia	275	80	64	81	113	54

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
120	Peripheral nervous system disorder except sciatica	273	81	104	75	84	71
305	Derangement and displacement of intervertebral disc, except lumbar	271	82	92	85	78	77
162	Acute, but ill-defined, cerebrovascular disease with paralysis	267	83	60	100	87	81
164	Atherosclerosis	265	84	99	83	82	75
253	Signs and symptoms referable to female genital organs	265	85	116	86	70	72
245	Endometriosis	260	86	114	84	80	66
158	Occlusion of cerebral arteries, thrombosis, and embolism without paralysis	258	87	68	96	88	92
144	Pulmonary embolism and infarction	257	88	79	98	86	84
297	Rheumatoid arthritis, except spine	256	89	108	82	85	86
189	Diseases of esophagus	255	90	102	87	74	109
197	Acute appendicitis without peritonitis	253	91	96	88	96	64
204	Diaphragmatic hernia without complication	250	92	119	91	66	128
081	Disorders of fluid, electrolyte, and acid-base balance	249	93	81	97	90	98
049	Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	249	94	73	93	99	101

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
039	Malignant neoplasm of bladder	248	95	62	95	108	103
147	Atrial fibrillation and flutter	243	96	71	106	98	94
364	Concussion	242	97	61	94	130	96
167	Arterial embolism and thrombosis	242	98	65	112	100	85
168	Miscellaneous diseases of arteries	241	99	63	109	91	113
329	Convulsions	240	100	72	102	94	121
347	Fracture of pelvis	239	101	91	101	106	78
099	Other affective psychoses	235	102	106	77	127	97
193	Nongastric peptic ulcer with hemorrhage or perforation	234	103	86	108	97	89
170	Varicose veins of lower extremities	231	104	82	99	105	120
100	Miscellaneous psychoses	229	105	107	92	104	108
300	Internal derangement of knee joint	227	106	113	104	123	53
172	Miscellaneous diseases of veins and circulatory system	225	107	98	107	102	100
084	Anemia except iron deficiency and sickle-cell	219	108	83	110	103	129
243	Ovarian cyst	216	109	110	111	95	110
348	Fracture of humerus	208	110	100	113	117	106
232	Cystitis	205	111	128	90	111	164
301	Other disorders of joint	204	112	127	114	124	73
001	Intestinal infectious disease	203	113	122	116	101	102
103	Miscellaneous neuroses and personality disorders	196	114	121	103	136	117

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
212	Alcoholic liver disease	192	115	88	137	140	70
358	Dislocation of knee	190	116	139	117	122	90
334	Gangrene	190	117	78	128	120	165
198	Acute appendicitis with peritonitis	190	118	111	121	129	95
309	Bursitis and synovitis, except spine	188	119	134	115	118	118
230	Miscellaneous diseases of kidney and ureter	185	120	115	123	110	125
310	Bunion and deformities of toe	184	121	138	105	157	111
228	Calculus of kidney	182	122	118	122	107	151
187	Disease of teeth and jaws	181	123	103	118	116	182
151	Cardiovascular disease, unspecified	177	124	145	156	79	159
365	Intracranial injury, except concussion	174	125	144	129	126	104
190	Gastric ulcer without complication	172	126	157	119	109	156
156	Precerebral artery occlusion without paralysis	169	127	164	130	128	105
349	Fracture of radius and ulna	168	128	129	124	142	119
392	Admission for prophylactic sterilization	168	129	130	127	115	167
210	Anal fissure, fistula, and abscess	167	130	131	133	119	138
203	Ventral hernia without complication	167	131	124	131	133	132
178	Miscellaneous diseases of upper respiratory system	160	132	141	136	125	146

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
068	Neoplasms of uncertain behavior and unspecified nature	160	133	109	138	144	153
196	Disease of stomach and duodenum, except ulcer and inflammation	156	134	192	132	112	154
241	Benign mammary dysplasia	156	135	161	141	114	162
346	Fracture of ribs, sternum, larynx and trachea	155	136	148	140	138	122
213	Other cirrhosis and chronic liver disease	153	137	112	144	147	172
072	Diabetic acidosis or coma	153	138	137	142	141	133
257	Spontaneous and unspecified abortion	153	139	150	125	148	168
182	Emphysema	152	140	147	134	143	144
110	Adjustment reactions and acute reactions to stress	152	141	163	120	165	131
165	Aortic aneurysm	152	142	133	153	139	123
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	151	143	153	139	149	126
299	Other arthropathies	147	144	167	145	146	124
130	Otitis media, chronic and unspecified	145	145	171	146	134	147
233	Urethral stricture	143	146	185	135	132	195

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
381 Other burns	143	147	173	147	135	148
312 Osteomyelitis	141	148	126	159	159	127
224 Chronic renal failure	140	149	125	176	145	135
343 Fracture of face bones	138	150	159	154	151	134
005 Septicemia	137	151	117	165	162	140
337 Signs and symptoms referable to urinary system	137	152	132	150	153	204
034 Malignant neoplasm of corpus uteri	136	153	136	149	178	142
227 Miscellaneous kidney infections	136	154	175	151	137	176
101 Anxiety states	135	155	211	126	150	207
339 Other signs and symptoms referable to upper GI tract and abdomen	133	156	183	164	131	158
159 Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	133	157	123	157	177	157
367 Internal injury, except chest	133	158	170	171	155	115
075 Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	132	159	162	152	156	173
331 Headache	129	160	244	148	121	197
390 Other complications of surgical procedures	128	161	172	167	171	114
082 Iron deficiency anemia	128	162	151	155	158	208
191 Gastric ulcer with hemorrhage or perforation	128	163	158	161	174	136
217 Diseases of bile ducts with calculus	127	164	152	162	176	141

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
021	Malignant neoplasm of stomach	126	165	120	177	183	150
026	Malignant neoplasm of pancreas	126	166	143	169	172	152
136	Chronic rheumatic heart disease	125	167	142	163	191	137
371	Open wound of upper limb	124	168	181	160	167	145
214	Miscellaneous diseases of liver	122	169	155	173	170	160
070	Other diseases of thyroid gland	120	170	180	158	160	210
306	Sacroiliac joint disorder	119	171	201	143	194	161
051	Benign neoplasm of other parts of digestive system	119	172	149	175	164	201
175	Deviated nasal septum	118	173	135	178	188	177
330	Pyrexia of unknown origin	118	174	174	188	152	166
035	Malignant neoplasm of ovary	115	175	156	179	184	169
116	Epilepsy	114	176	176	174	173	175
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	114	177	222	170	161	149
292	Miscellaneous infections of skin and subcutaneous tissue	113	178	166	180	180	180

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
086 Disease of hematopoietic system, except anemia and hemophilia	112	179	165	172	189	184
019 Malignant neoplasm of lip, oral cavity, and pharynx	112	180	146	192	181	181
012 Miscellaneous viral diseases	111	181	178	187	166	178
380 Third degree burns	110	182	207	189	154	163
372 Open wound of lower limb	108	183	203	186	163	170
389 Postoperative wound infection	107	184	194	196	185	130
040 Malignant neoplasm of kidney and other urinary organs	106	185	169	184	190	190
369 Other laceration of head and neck	106	186	195	183	175	174
336 Other signs and symptoms referable to respiratory system and chest	105	187	186	191	168	200
226 Acute pyelonephritis	104	188	216	181	169	185
053 Benign neoplasm of bone, muscle, and connective tissue	103	189	187	185	179	202
132 Vertiginous syndromes	103	190	209	168	186	198
206 Complicated hernia of abdominal cavity, except inguinal	102	191	160	195	202	187
113 Inflammatory diseases of central nervous system	101	192	208	198	182	155
042 Malignant neoplasm of brain	97	193	193	199	197	171

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	Northeast (4)	North Central (5)	South (6)	West (7)
114	Parkinson's disease	96	194	168	193	208	218
119	Carpal tunnel syndrome and other lesions of median nerve	93	195	230	166	221	194
386	Miscellaneous adverse effects	93	196	202	194	199	203
383	Certain traumatic complications and unspecified injuries	91	197	190	202	192	214
092	Alcoholic psychoses	89	198	177	248	206	139
008	Viral diseases with exanthem	89	199	218	197	200	206
033	Malignant neoplasm of cervix uteri excluding carcinoma in situ	88	200	197	203	195	224
048	Leukemia, except lymphoid	87	201	188	200	233	191
185	Spontaneous pneumothorax	86	202	196	211	196	205
293	Pilonidal cyst	86	203	184	204	209	253
009	Viral hepatitis	84	204	217	209	193	211
025	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	84	205	191	210	224	193
028	Other malignant neoplasm of respiratory system and thoracic cavity	83	206	179	219	207	235
254	Ectopic pregnancy	81	207	213	213	214	189
127	Miscellaneous disorders of superficial structures of eye	81	208	182	237	210	212

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
078 Obesity of nonendocrine origin	81	209	292	182	215	215
370 Other laceration of trunk and multiple and unspecified sites	81	210	224	216	187	228
218 Diseases of bile ducts without mention of calculus	80	211	189	212	229	227
115 Multiple sclerosis	79	212	206	190	272	229
128 Miscellaneous disorders of deep structures of eye	79	213	214	220	211	199
296 Diffuse diseases of connective tissue	79	214	210	215	218	217
255 Legally induced abortion	78	215	154	253	231	234
363 Other sprains and strains	77	216	238	207	234	188
251 Menopausal and postmenopausal disorders	76	217	205	223	203	257
079 Miscellaneous metabolic disorders	76	218	223	208	222	225
242 Miscellaneous diseases of breast	76	219	225	225	198	226
225 Other renal failure	75	220	200	228	216	239
328 Perinatal conditions causing morbidity and mortality	75	221	253	242	227	143
118 Migraine	74	222	277	201	217	244
066 Carcinoma in situ of cervix	73	223	236	222	204	233
307 Sciatica	73	224	198	206	263	252
002 Respiratory tuberculosis	73	225	212	230	213	251
359 Other dislocation	72	226	228	226	230	213

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
154	Intracerebral hemorrhage without paralysis	71	227	229	244	232	183
058	Benign neoplasm of ovary	71	228	219	227	238	219
139	Miscellaneous hypertensive disease	70	229	231	231	212	241
246	Inflammatory disease of cervix uteri	70	230	264	214	205	250
325	Miscellaneous congenital anomalies of genitourinary system	70	231	226	232	228	231
320	Congenital anomaly of heart and circulatory system	70	232	239	235	242	186
263	False labor	69	233	252	205	250	236
396	Aftercare for removal of internal fixation device	69	234	215	236	248	209
236	Diseases of prostate, except hypertrophy	69	235	261	217	201	270
240	Miscellaneous diseases of male genital organs	68	236	234	229	219	246
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	66	237	246	224	226	255
121	Retinal detachment and defects	66	238	204	276	241	179
180	Influenza	66	239	328	221	225	192
268	Miscellaneous complications of pregnancy without delivery	66	240	243	218	249	237
332	Epistaxis	65	241	235	234	237	240

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals Days of Care (in 1,000s) (2)	Rank (3)	Rank by Region North-east (4)	North Central (5)	South (6)	West (7)
311	Ganglion and cyst	65	242	249	233	220	261
350	Miscellaneous fractures of upper extremity	64	243	242	238	246	221
201	Inguinal hernia, complicated	63	244	199	246	265	247
194	Peptic ulcer with obstruction	61	245	247	247	239	223
360	Sprains and strains of knee and leg	61	246	262	239	264	196
031	Other malignant neoplasm of skin, excluding genital organs	60	247	227	266	223	265
020	Malignant neoplasm of esophagus	58	248	221	250	255	264
029	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	58	249	233	251	258	238
238	Orchitis and epididymitis	58	250	256	240	243	279
199	Disease of appendix, except acute appendicitis	57	251	273	241	252	256
388	Hemorrhage or hematoma complicating a procedure	56	252	266	254	251	230
231	Urinary calculus, except kidney and ureter	55	253	237	252	247	280
341	Fracture of vault of skull	55	254	248	267	259	220
063	Benign neoplasm of central nervous system	55	255	241	269	267	216

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
222 Chronic glomerulonephritis and nephrotic syndrome	54	256	250	260	257	258
134 Miscellaneous diseases of ear	53	257	272	262	244	245
202 Umbilical hernia without complication	53	258	257	255	245	276
109 Psychophysiologic disorder	52	259	290	243	253	282
385 Toxic effects of substances chiefly nonmedicinal as to source	52	260	255	264	260	249
047 Lymphoid leukemia	52	261	240	258	278	259
366 Internal injury to thoracic region	51	262	280	273	254	222
069 Simple and non-toxic nodular goiter	51	263	287	265	235	288
046 Hodgkin's disease	51	264	232	257	282	278
333 Signs and symptoms referable to the cardiovascular system, except gangrene	51	265	258	259	262	275
146 Paroxysmal supraventricular tachycardia	50	266	245	263	268	273
083 Sickle-cell anemia and trait	50	267	263	261	236	334
188 Disease of mouth, except dental	50	268	267	268	261	260
145 Acute and subacute endocarditis	48	269	220	298	289	243
152 Subarachnoid hemorrhage without paralysis	47	270	270	281	270	242

Table 3 (Continued)

	All Hospitals		Rank by Region			
Diagnosis Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
239 Redundant prepuce and phimosis	47	271	269	271	240	332
010 Infectious mononucleosis	47	272	260	245	294	314
054 Benign neoplasm of skin, blood vessels, and miscellaneous sites	46	273	251	278	269	277
106 Drug dependence except opioid	46	274	265	249	287	308
314 Acquired deformities of limbs, except toe	45	275	285	256	292	274
076 Nutritional deficiencies	44	276	254	283	277	263
126 Strabismus	43	277	283	280	276	266
030 Malignant melanoma of skin, excluding genital organs	43	278	259	288	271	281
055 Benign neoplasm of breast	43	279	268	285	256	310
006 Miscellaneous bacterial diseases	42	280	282	292	266	267
017 Miscellaneous infective and parasitic diseases	42	281	271	277	273	317
087 Nonspecific mesenteric lymphadenitis	41	282	286	270	290	290
237 Hydrocele	41	283	276	275	283	295
342 Fracture of base of skull	41	284	289	290	296	232
007 Poliomyelitis and other enteroviral diseases of central nervous system	41	285	288	295	275	262
064 Benign neoplasm of thyroid glands	41	286	278	291	279	272

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
323 Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	40	287	274	296	280	268
269 Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	40	288	275	274	293	296
355 Fracture of other bones	39	289	295	282	285	269
105 Opioid dpendence	39	290	140	352	360	339
131 Other inflammation of ear and mastoid	38	291	281	297	281	289
345 Fracture of vertebral column with cord injury	38	292	307	305	274	248
262 Excessive vomiting in pregnancy	36	293	306	279	295	293
080 Gout	35	294	300	287	284	311
166 Aneurysm except aortic	35	295	284	300	297	283
261 Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	35	296	301	293	286	306
015 Mycoses	35	297	337	289	298	254
382 Injury to nerve and spinal cord	34	298	305	306	288	271
067 Carcinoma in situ, except cervix uteri	34	299	291	299	300	292
315 Neuralgia, neuritis, and radiculitis, unspecified	34	300	304	284	303	312

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals Days of Care (in 1,000s) (2)	All Hospitals Rank (3)	Rank by Region North-east (4)	Rank by Region North Central (5)	Rank by Region South (6)	Rank by Region West (7)
259	Threatened abortion	33	301	313	272	312	331
044	Malignant neoplasm of endocrine glands	32	302	294	309	302	284
379	Foreign body entering through other body orifice	32	303	293	310	301	286
267	Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	32	304	302	286	304	337
221	Intestinal malabsorption	32	305	303	294	317	297
091	Arteriosclerotic dementia	32	306	299	301	291	325
122	Open angle and primary closure glaucoma	31	307	279	315	306	305
205	Other hernia of abdominal cavity without complication	31	308	297	307	307	298
258	Other pregnancy with abortive outcome	30	309	308	302	308	307
266	Infections of pregnancy without delivery	29	310	317	308	299	309
357	Dislocation of shoulder	29	311	321	304	314	291
377	Miscellaneous crushing injury	29	312	322	303	322	285
014	Syphilis and other venereal diseases	27	313	324	313	310	301
368	Laceration or enucleation of eye	27	314	315	325	305	294
319	Congenital anomaly of eye, ear, face, and neck	26	315	314	314	313	302

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
036	Malignant neoplasm of other female genital organs	26	316	296	317	323	322
375	Contusion of eye and adnexa	26	317	309	322	315	303
324	Undescended testicle	26	318	310	316	319	316
011	Viral warts	26	319	323	311	311	342
107	Nondependent abuse of alcohol	24	320	331	312	318	344
095	Acute schizophrenic episode	24	321	298	321	347	287
249	Metrorrhagia	24	322	332	318	309	328
065	Benign neoplasm of endocrine glands, except thyroid	23	323	325	333	316	299
004	Streptococcal sore throat and scarlet fever	22	324	344	319	321	324
294	Sebaceous cyst	22	325	312	326	320	348
135	Rheumatic fever, acute	22	326	318	323	327	326
038	Malignant neoplasm of male genitalia, except prostate	22	327	320	329	330	313
133	Otosclerosis	21	328	329	332	325	320
155	Intracerebral hemorrhage with paralysis	21	329	327	337	332	300
050	Benign neoplasm of lip, oral cavity, and pharynx	21	330	316	335	331	319
093	Drug psychoses	21	331	334	328	336	304
089	Transient organic psychotic conditions	20	332	311	342	326	315
318	Congenital anomaly of nervous system	20	333	336	334	329	318

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
088 Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	20	334	333	330	324	346
176 Nasal polyp	19	335	319	331	337	335
326 Clubfoot	19	336	342	327	341	323
108 Nondependent abuse of drugs, except alcohol	18	337	343	324	344	330
125 Cataract, except senile	18	338	330	340	338	321
074 Ovarian dysfunction	17	339	345	338	328	345
112 Mental retardation	17	340	339	336	340	356
123 Other glaucoma	17	341	326	346	335	340
052 Benign neoplasm of respiratory system and intrathoracic organs	16	342	340	344	334	333
022 Malignant neoplasm of small intestine	16	343	338	341	346	329
157 Precerebral occlusion with paralysis	15	344	349	339	348	327
373 Injury to blood vessels	14	345	351	351	339	338
003 Nonrespiratory tuberculosis	13	346	341	357	343	343
077 Cystic fibrosis	13	347	335	345	352	355
129 Other disorders of eye	13	348	353	343	342	357
264 Placenta previa without delivery	13	349	347	347	350	349
317 Somatic dysfunction	13	350	366	320	369	365
321 Cleft palate and lip	12	351	348	355	345	336
265 Other antepartum hemorrhage without delivery	12	352	346	348	351	353
290 Other puerperal complications	12	353	352	350	354	341

Table 3 (Continued)

Diagnosis Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
223 Miscellaneous nephritis and functional disorders	11	354	358	353	349	347
289 Puerperal hemorrhage (after 24 hrs.)	11	355	359	349	355	358
057 Benign neoplasm of uterus, except leiomyoma	10	356	350	358	353	352
322 Congenital hypertrophic pyloric stenosis	10	357	357	354	358	359
043 Malignant neoplasm of other parts of nervous system	9	358	356	360	359	354
288 Major puerperal infections	8	359	361	359	357	350
013 Rickettsioses and other arthropod-borne diseases	8	360	365	369	333	363
397 Aftercare involving intermittent dialysis	8	361	355	356	366	372
302 Ankylosing spondylitis	7	362	370	361	356	360
061 Benign neoplasm of urinary organ	7	363	354	362	362	367
391 Other complications of medical care, except drugs	7	364	363	363	364	351
356 Fracture of multiple bones	7	365	360	364	361	361
016 Helminthiases	5	366	369	366	363	364
085 Hemophilia (congenital factor VIII disorder)	5	367	364	365	365	369
153 Subarachnoid hemorrhage with paralysis	5	368	362	371	368	362
041 Malignant neoplasm of eye	4	369	368	367	370	366

Table 3 (Continued)

Diagnosis Group Number and Title (1)		All Hospitals		Rank by Region			
		Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
059	Benign neoplasm of female genitalia, except uterus and ovary	4	370	371	368	367	371
018	Late effects of infectious and parasitic diseases	4	371	372	370	372	368
060	Benign neoplasm of male genital organ	3	372	373	373	371	373
097	Childhood psychosis	3	373	367	374	374	370
260	Other early pregnancy hemorrhage	2	374	374	372	373	374
062	Benign neoplasm of eye	1	375	375	375	376	376
378	Foreign body on external eye	1	376	376	376	375	375
256	Other induced abortion	0	377	377	377	377	377
	All diagnosis groups	71,123					

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – ***see Appendicitis, acute***
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – ***see Dependence***
	Adenocarcinoma – ***see Neoplasm, malignant***
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

R3850-1.10

Length of Stay in PAS Hospitals,

by Operation,

United States, Northeastern Region, 1979

A Supplement To

Length of Stay in PAS Hospitals,
by Diagnosis,
Northeastern Region, 1979

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
OCTOBER 1980

LENGTH OF STAY IN PAS HOSPITALS

Copyright © 1980 by Commission on Professional and Hospital Activities, Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the series entitled
"Length of Stay in PAS Hospitals". . .

Volumes include:
. . . by Diagnosis, United States, 1979
. . . by Diagnosis, United States, North Central Region, 1979
. . . by Diagnosis, United States, Northeastern Region, 1979
. . . by Diagnosis, United States, Southern Region, 1979
. . . by Diagnosis, United States, Western Region, 1979
. . . by Diagnosis, Canada, 1979

. . . by Operation, United States, 1979
. . . by Operation, United States, North Central Region, 1979
. . . by Operation, United States, Northeastern Region, 1979
. . . by Operation, United States, Southern Region, 1979
. . . by Operation, United States, Western Region, 1979
. . . by Operation, Canada, 1979

Also included are:
Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979
Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities. Also for selected years there are length of stay books for particular regional groups of hospitals, for pediatric patients, and for geriatric patients.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1979 in North America. Twelve volumes describe stays for either diagnoses or operations in the United States, in each of the four U.S. census regions, or in Canada. The thirteenth and fourteenth volumes display data on both diagnoses and operations for pediatric and for geriatric patients in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities.

These statistics, which are also available on computer readable magnetic tape, can provide a valuable perspective for physicians, administrators, PSROs, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" (PSRO) and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1979 LENGTH OF STAY BOOKS

Walt Wood, Manager, Research and Statistics
Ed Kobrinski, Assistant Manager
Ann Matteson, Project Coordinator

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data 1
  Data Quality 3
  Coverage 4
  Organization of Length of Stay Tables 7
    ICD-9-CM List B: Hospital Procedure Groups 7
    Definition of Multiple Dx Patients 8
  Explanation of Statistics 8
  Defining the Extended Stay Case 10
Length of Stay Tables 19
  Summary of All Patients 21
  Operation Groups 501-764 22
Distribution Tables 89
  Table 1: Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups 91
  Table 2: Ranking of *ICD-9-CM* List B Operation Groups by Live Discharges 104
  Table 3: Ranking of *ICD-9-CM* List B Operation Groups by Days of Care 122
Appendix: *ICD-9-CM* **Codes for Selected Operation Groups** 141
Index to Length of Stay Tables 145

DISCUSSION OF THE DATA

Source of the Data

Data in this book were compiled from individual patient discharge abstracts submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain, and Figure 1 diagrams, the PAS method of storing and retrieving medical data.


PAS
HOSPITAL
CLINICAL RECORD
CASE ABSTRACT
DATA TAPE
CPHA
DATA CENTER
COMPUTER
DATA FILE
HOSPITAL
ITS OWN OVERALL STATISTICS
MORE DETAILED STATISTICS
LISTINGS
MULTIHOSPITAL STUDIES
INTERHOSPITAL COMPARISONS
REGIONAL DATA

FIG. 1. Schematic diagram of the PAS medical record information system.

BEST AVAILABLE COPY

1. In each participating hospital, medical record personnel transfer information from the record of each discharged patient onto a PAS Case Abstract (Figure 2). The data may also be put onto a data tape at the hospital.
2. The abstract or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it serves as input to the computer system.
3. Data then undergo a comprehensive "cleaning" process and detected errors are corrected by contributing hospitals.
4. The computer system produces sets of reports which give comprehensive statistics on discharged patients plus listings of individual case abstracts in various sequences.
5. The computer system continually adds to a permanent history data file.
6. Length of stay statistics from this file are annually published in this series of length of stay books. The stored data are also available to researchers on a contractual basis.



1234567890EV

PAS

1979 CASE ABSTRACT

SAMPLE

79

PAS

79

FIG. 2 PAS Case Abstract

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its role as an extension of the hospital's medical record department.

Quality control of PAS data begins before a new hospital submits its first case abstract and continues as an ongoing system involving personal monitoring, computer checks, and education programs. In spite of these efforts, errors do occur. There are three ways errors can be introduced into PAS data: 1) the basic patient medical record can be incomplete or in error, 2) errors can be made in abstracting information from the medical record to the PAS Case Abstract, and 3) errors can be introduced during processing.

Although CPHA has indirect influence over the quality of the medical record through education and through feedback from use of PAS reports within the hospital, basic responsibility for the accuracy of the medical record rests with the physician and others in the hospital contributing to it. Clearly, the abstractor cannot add to the medical record. Errors or omissions made in it will be carried forward to the PAS Case Abstract.

CPHA goes to considerable lengths to prevent and correct errors in abstracting by training PAS hospital medical record personnel in coding and abstracting methods, by monitoring their work, and by judiciously checking and editing patient data for errors. During processing, over 350 computer checks* are performed on each abstract to check the reasonableness of the data received. When illogical, invalid, or missing data are detected, an error message is printed and the hospital is notified, often by phone. About 40% of the errors detected in the computer audit can be and are corrected at CPHA; the remainder must be handled by the hospitals because only they have the information necessary to make the corrections. Hospitals make such corrections on a voluntary basis.

---

*The following are examples of discrepancies and inconsistencies in the data that are detected by the computer audit: hospital day of operative episode exceeding total stay, cesarean sections with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded. Examples of invalid data detected by the computer are diagnosis and operation codes that do not exist in the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Coverage

The length of stay tables in this book display stay distributions for 997,418 operated patients discharged during 1979 from 249 nonfederal, short-term* hospitals participating in PAS in the Northeastern Region of the U.S. PAS hospitals in United States territories and Puerto Rico were excluded from this publication as were short-term psychiatric hospitals participating in PAS. Patients studied were selected from a total of 2,233,201 discharges. Only those patients who were operated are included in this book.

Characteristics of all hospitals in the Northeastern Region that participated in PAS during 1979 are shown in Tables A and B. Some of these hospitals did not participate for the entire 12-month period. In addition, because of the unavailability of data at the time of processing, data for some of these PAS hospitals are not included in the length of stay tables.

States included in the various census regions and divisions are shown in Figure 3.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

FIG. 3 Census Divisions and Regions in the United States

---

*Short-term hospitals are defined as those in which the median stay is shorter than 30 days.

Table A

Bed Size, Region, and Census Division: PAS Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
ALL U.S.						
Bed Size						
1. Less than 25 beds	305	27	8.9%	5,761	528	9.2%
2. 25-49	1,154	158	13.7	41,776	6,129	14.7
3. 50-99	1,459	345	23.6	105,411	25.666	24.3
4. 100-199	1,412	470	33.3	198,519	67,395	33.9
5. 200-299	716	301	42.0	174,636	73,904	42.3
6. 300-399	382	179	46.9	131,296	61,207	46.6
7. 400-499	244	102	41.8	107,790	45,171	41.9
8. 500 or more	311	115	37.0	212,247	77,156	36.4
Total	5,983	1,697	28.4%	977,436	357,156	36.5%
Region and Census Division						
Northeast	941	260	27.6%	221,260	73,590	33.3%
New England	276	88	31.9	51,658	20,198	39.1
Middle Atlantic	665	172	25.9	169,602	53,392	31.5
North Central	1,744	652	37.4	292,394	141,077	48.2
East North Central	935	499	53.4	193,639	110,157	56.9
West North Central	809	153	18.9	98,755	30,920	31.3
South	2,171	451	20.8	316,264	91,344	28.9
South Atlantic	823	292	35.5	149,347	57,261	38.3
East South Central	488	50	10.2	67,691	12,984	19.2
West South Central	860	109	12.7	99,226	21,099	21.3
West	1,127	334	29.6	147,518	51,175	34.7
Mountain	365	107	29.3	38,709	17,459	45.1
Pacific	762	227	29.8	108,809	33,716	31.0
Grand Total	5,983	1,697	28.4%	977,436	357,186	36.5%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Table B

Teaching Type, Region, and Census Division: PAS Hospitals Compared with all Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

Region and Census Division (1)	Hospitals with Residencies Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Hospitals with Medical School Affiliation Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
Northeast	306	114	37.3%	228	87	38.2%
New England	69	31	44.9	58	29	50.0
Middle Atlantic	237	83	35.0	170	58	34.1
North Central	298	152	51.0	218	109	50.0
East North Central	205	116	56.6	140	75	53.6
West North Central	93	36	38.7	78	34	43.6
South	265	76	28.7	211	62	29.4
South Atlantic	127	44	34.6	104	38	36.5
East South Central	57	14	24.6	47	12	25.5
West South Central	81	18	22.2	60	12	20.0
West	140	47	33.6	116	38	32.8
Mountain	38	16	42.1	30	11	36.7
Pacific	102	31	30.4	86	27	31.4
Grand Total	1,009	389	38.6%	773	296	38.3%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Organization of Length of Stay Tables

The length of stay tables in the body of this book are organized according to the operation groupings in *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each operation group, patients are further stratified by single or multiple diagnoses and age.

ICD-9-CM List B: Hospital Procedure Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List B: Hospital Operation Groups* has been replaced by *ICD-9-CM List B: Hospital Procedure Groups,* which reflects the procedures contained in the new classification.

In List B there are 249 groups that contain at least one UHDDS Class 1[2] procedure. Fifteen of the 264 List B groups consist solely of Class 2, 3, and 4 procedures. This book displays data only for those 249 groups with Class 1 procedures.

Patients were assigned to the *ICD-9-CM* List B operation groups on the basis of their principal procedure. Operation information for all patients discharged from PAS hospitals during 1979 was coded using *ICD-9-CM.* "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS) and generally is that therapeutic procedure most related to the principal diagnosis.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Multiple Dx Patients

A patient is classified in the multiple dx category if he had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Explanation of Statistics

The operation group titles heading the tables are followed in parentheses by the operation codes they include. These codes refer to *ICD-9-CM.*

Length of stay is calculated from admission and discharge dates entered on the PAS Case Abstract, counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance, but as staying less than one day in the calculation of the percentiles. Thus, if more than 5% of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in column 2, "Number of Patients"; column 3, "Average Stay"; or column 4, "Variance." The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are shown. If, for example, the 10th percentile for a group of patients is four days, it means that ten percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

The value of a percentile for a group of patients is determined by arranging the individual patients' stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Exclusions

The length of stay tables exclude:

(1) patients who died,
(2) patients admitted from other short-term hospitals,
(3) patients discharged to other short-term hospitals,
(4) patients discharged against medical advice,
(5) patients with length of stay greater than 99 days (these patients are included only in the percentile calculations).

These patients are excluded because they are not typical short-term patients (i.e., their stays are not "manageable" by the physician).

Other exclusions include stillborn, patients with incalculable age or stay, illegal or unrecorded principal diagnosis or principal procedure, unrecorded discharge status, and patients with diagnosis-age, diagnosis-sex, operation-age, or operation-sex inconsistencies. Also excluded are newborn with illegal or unrecorded birthweights.

Defining the Extended Stay[1] Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the PSRO is called extended stay review. This review, whether applied universally to all patients within the facility or "focused" on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in reasonably current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, the age of the patient, and whether the patient had single or multiple diagnoses.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and quite different lengths of stay) are appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy), primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung) and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

---

[1] Medicare regulations formerly referred to "extended duration," PSRO guidelines refer to "continued stay."

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the regional length of stay books published by the Commission on Professional and Hospital Activities.[1] With the appropriate book, the five steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[2]) that contains the contemplated operation in one of the following ways.

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[3] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group (in the CPHA length of stay books) for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. For diagnoses not in *Concurrent Review Screening* the contemplated operation can usually be found in the index at the back of the operation length of stay book.

c. If an operation is not listed in the index to the length of stay tables, the code for the operation can be found in Volume 3 of *ICD-9-CM.*[4] That code can then be located in List B or in the heading of the length of stay table.

[1] *Length of Stay in PAS Hospitals, by Diagnosis,* Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., Northeastern Region, 1979
U.S., Southern Region, 1979
U.S., North Central Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

Length of Stay in PAS Hospitals, by Operation, Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., Northeastern Region, 1979
U.S., Southern Region, 1979
U.S., North Central Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

[2] *ICD-9-CM List B: Hospital Procedure Groups*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[4] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table. There are four tables per page for operation groups in the length of stay books.

Step 3. Find the appropriate part of the table for number of diagnoses (single or multiple).

Step 4. Find the correct age group. The five age groupings presented are 0-19 years, 20-34 years, 35-49 years, 50-64 years, and 65 years and over.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line which includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November, a 57-year-old patient is admitted to a hospital in the Northeastern Region for elective surgery, in this case, a transurethral resection, the admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening*. Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	**2**		**235**
for: Cystoscopy			636
TUR			**648**
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The alphabetic index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
	Palate
551	Cleft palate repair
551	Palatoplasty
514	Parathyroid
	Penis
657	Circumcision
	Perineum, female
683	Excision of lesion or tissue
683	Incision
	Perirectal
607	Excision
607	Incision
609	Other
	Peritoneum
630	Division of adhesions
627	Drainage, except via cul de sac
682	Via cul de sac
626	Excision
630	Incision, except via cul de sac
682	Via cul de sac
628	Peritoneoscopy
	Pleura
576	Pleurocentesis
	Prostate
648	**Prostatectomy, transurethral**
649	Prostatectomy, except transurethral
650	Other
	Rectum
606	Excision, except proctectomy
609	Incision
608	Proctectomy
608	Other
	Reduction
	Dislocation, *see Joint*
	Fracture, *see Bone*
758	Retrograde pyelogram
	Sinuses, nasal
546	Radical maxillary sinusotomy

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) *(see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** *(see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** (complete) (partial) NEC 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral 60.2**
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

408

Step 2. Find the table for group 648 of *Length of Stay in PAS Hospitals, by Operation, United States, Northeastern Region, 1979.*



648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	6.8	16	1	1	8	9	10	10	10
20-34	9	6.0	11	2	2	6	8	11	11	11
35-49	71	7.9	12	4	5	8	9	11	16	21
50-64	1467	8.1	16	4	5	7	9	12	14	22
65+	3127	9.2	21	5	5	8	11	14	18	27
2. MULTIPLE DX										
0-19 YRS	12	14.3	144	6	6	10	17	30	45	48
20-34	13	10.6	180	1	2	8	9	27	47	52
35-49	126	10.0	38	4	5	8	12	17	23	32
50-64	2494	11.4	57	5	6	9	13	20	25	44
65+	8091	14.6	109	5	5	11	17	27	35	63
TOT. SINGLE DX	4678	8.8	20	5	5	8	10	13	17	25
" MULTIPLE DX	10736	13.8	99	5	6	11	16	25	33	60
TOTAL 0-19 YRS	16	12.4	120	2	6	9	11	23	40	48
20-34	22	8.7	113	1	2	7	9	14	33	52
35-49	197	9.2	29	4	5	8	11	16	20	31
50-64	3961	10.2	45	5	5	8	12	16	22	38
65+	11218	13.1	91	5	6	10	15	24	31	56
GRAND TOTAL	**15414**	**12.3**	**80**	**5**	**6**	**10**	**14**	**22**	**29**	**53**

Step 3. There are no secondary diagnoses recorded, so one needs to be concerned only with the top five lines of the table (Section 1).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	**4**	**6.8**	**16**	**1**	**1**	**8**	**9**	**10**	**10**	**10**
20-34	**9**	**6.0**	**11**	**2**	**2**	**6**	**8**	**11**	**11**	**11**
35-49	**71**	**7.9**	**12**	**4**	**5**	**8**	**9**	**11**	**16**	**21**
50-64	**1467**	**8.1**	**16**	**4**	**5**	**7**	**9**	**12**	**14**	**22**
65+	**3127**	**9.2**	**21**	**5**	**5**	**8**	**11**	**14**	**18**	**27**
2. MULTIPLE DX										
0-19 YRS	12	14.3	144	6	6	10	17	30	45	48
20-34	13	10.6	180	1	2	8	9	27	47	52
35-49	126	10.0	38	4	5	8	12	17	23	32
50-64	2494	11.4	57	5	6	9	13	20	25	44
65+	8091	14.6	109	5	6	11	17	27	35	63
TOT. SINGLE DX	4678	8.8	20	5	5	8	10	13	17	25
" MULTIPLE DX	10736	13.8	99	5	6	11	16	25	33	60
TOTAL 0-19 YRS	16	12.4	120	2	6	9	11	23	40	48
20-34	22	8.7	113	1	2	7	9	14	33	52
35-49	197	9.2	29	4	5	8	11	16	20	31
50-64	3961	10.2	45	5	5	8	12	16	22	38
65+	11218	13.1	91	5	6	10	15	24	31	56
GRAND TOTAL	**15414**	**12.3**	**80**	**5**	**6**	**10**	**14**	**22**	**29**	**53**

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	6.8	16	1	1	8	9	10	10	10
20-34	9	6.0	11	2	2	6	8	11	11	11
35-49	71	7.9	12	4	5	8	9	11	16	21
50-64	**1467**	**8.1**	**16**	**4**	**5**	**7**	**9**	**12**	**14**	**22**
65+	3127	9.2	21	5	5	8	11	14	18	27
2. MULTIPLE DX										
0-19 YRS	12	14.3	144	6	6	10	17	30	45	48
20-34	13	10.6	180	1	2	8	9	27	47	52
35-49	126	10.0	38	4	5	8	12	17	23	32
50-64	2494	11.4	57	5	6	9	13	20	25	44
65+	8091	14.6	109	5	6	11	17	27	35	63
TOT. SINGLE DX	4678	8.8	20	5	5	8	10	13	17	25
" MULTIPLE DX	10736	13.8	99	5	6	11	16	25	33	60
TOTAL 0-19 YRS	16	12.4	120	2	6	9	11	23	40	48
20-34	22	8.7	113	1	2	7	9	14	33	52
35-49	197	9.2	29	4	5	8	11	16	20	31
50-64	3961	10.2	45	5	5	8	12	16	22	38
65+	11218	13.1	91	5	6	10	15	24	31	56
GRAND TOTAL	**15414**	**12.3**	**80**	**5**	**6**	**10**	**14**	**22**	**29**	**53**

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	6.8	16	1	1	8	9	10	10	10
20-34	9	6.0	11	2	2	6	8	11	11	11
35-49	71	7.9	12	4	5	[illegible]	9	11	16	21
50-64	1467	8.1	16	4	5	7	9	12	14	22
65+	3127	9.2	21	5	5	[illegible]	11	14	18	27
2. MULTIPLE DX										
0-19 YRS	12	14.3	144	6	6	10	17	30	45	48
20-34	13	10.6	180	1	2	8	9	27	47	52
35-49	126	10.0	38	4	5	8	12	17	23	32
50-64	2494	11.4	57	5	6	9	13	20	25	44
65+	8091	14.6	109	5	6	11	17	27	35	63
TOT. SINGLE DX	4678	8.8	20	5	5	8	10	13	17	25
" MULTIPLE DX	10736	13.8	99	5	6	11	16	25	33	60
TOTAL 0-19 YRS	16	12.4	120	2	6	9	11	23	40	48
20-34	22	8.7	113	1	2	7	9	14	33	52
35-49	197	9.2	29	4	5	8	11	16	20	31
50-64	3961	10.2	45	5	5	8	12	16	22	38
65+	11218	13.1	91	5	6	10	15	24	31	56
GRAND TOTAL	**15414**	**12.3**	**80**	**5**	**6**	**10**	**14**	**22**	**29**	**53**

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November the UR coordinator, the physician advisor, the UR committee, or other group responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., 75th percentile (as suggested in the PSRO *Program Manual*, paragraph 705.26).

Subsequent extended stay review dates would ordinarily be set by the physician advisor or the peer review (utilization review) committee as necessary, based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

249 PAS Hospitals, Northeastern Region, 1979, by Operation

Summary of all patients in operation groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95006	3.2	16	<1	<1	2	4	6	8	20
20-34	168453	3.9	15	<1	1	3	5	7	9	19
35-49	78766	5.0	30	<1	1	3	7	11	15	27
50-64	75898	6.4	45	1	2	4	8	14	19	33
65+	60572	8.5	79	1	2	5	11	19	25	45
2. MULTIPLE DX										
0-19 YRS	50126	5.3	68	<1	1	3	6	11	19	51
20-34	119220	6.0	50	1	1	4	7	11	16	41
35-49	87643	7.9	77	1	2	6	9	17	24	50
50-64	112137	11.3	135	2	2	8	15	25	34	69
65+	149597	15.3	196	2	3	12	20	33	45	88
TOT. SINGLE DX	478695	4.9	34	<1	1	3	6	10	15	29
" MULTIPLE DX	518723	10.1	132	1	2	6	13	23	33	68
TOTAL 0-19 YRS	145132	3.9	35	<1	<1	2	4	8	12	33
20-34	287673	4.8	31	<1	1	3	6	8	12	29
35-49	166409	6.6	57	<1	1	4	8	14	20	40
50-64	188035	9.3	105	1	2	6	12	21	29	57
65+	210169	13.3	172	2	2	10	18	30	41	78
GRAND TOTAL	**997418**	**7.6**	**91**	**<1**	**1**	**4**	**9**	**18**	**26**	**54**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	15.1	157	1	2	13	22	35	43	94
20-34	89	15.9	133	2	4	14	19	31	42	58
35-49	104	18.4	160	4	7	15	23	33	45	66
50-64	151	18.8	96	7	9	17	23	31	36	51
65+	97	22.7	249	7	9	20	27	49	57	96
2. MULTIPLE DX										
0-19 YRS	74	22.8	322	4	6	19	29	55	77	99+
20-34	79	24.3	276	8	10	19	35	62	99+	99+
35-49	102	27.4	360	9	10	22	36	71	92	99+
50-64	192	32.8	461	9	12	27	48	71	91	99+
65+	201	32.4	324	10	13	29	43	66	87	99+
TOT. SINGLE DX	505	18.5	157	3	6	16	24	34	46	69
" MULTIPLE DX	648	29.7	377	8	11	25	41	67	91	99+
TOTAL 0-19 YRS	138	19.3	259	2	3	17	26	43	64	99+
20-34	168	19.9	216	3	6	16	25	45	62	99+
35-49	206	22.9	278	7	9	19	28	47	77	99+
50-64	343	26.6	348	8	10	22	34	58	74	99+
65+	298	29.3	319	9	10	25	39	63	74	99+
GRAND TOTAL	**1153**	**24.8**	**311**	**5**	**9**	**20**	**33**	**55**	**73**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	65	13.0	80	3	5	11	16	29	33	92
20-34	61	15.7	92	5	6	13	19	33	38	41
35-49	80	16.5	131	5	7	14	20	27	34	72
50-64	108	22.3	313	6	8	16	27	51	62	96
65+	93	20.3	189	6	8	17	24	33	45	81
2. MULTIPLE DX										
0-19 YRS	70	21.1	284	5	7	16	35	92	99+	99+
20-34	85	31.3	545	6	10	27	44	84	99+	99+
35-49	71	28.3	294	10	12	26	41	88	99+	99+
50-64	137	33.9	414	11	13	32	56	99	99+	99+
65+	183	35.5	383	12	15	32	49	75	83	99+
TOT. SINGLE DX	407	18.3	189	5	7	14	23	33	46	90
" MULTIPLE DX	546	31.7	411	9	11	28	48	79	99+	99+
TOTAL 0-19 YRS	135	17.2	201	4	6	14	24	55	99+	99+
20-34	146	24.8	413	5	7	18	35	67	87	99+
35-49	151	22.1	241	7	8	19	29	56	88	99+
50-64	245	28.8	401	8	10	23	44	71	99+	99+
65+	276	30.4	368	8	11	26	42	62	79	99+
GRAND TOTAL	**953**	**25.9**	**360**	**6**	**8**	**21**	**37**	**64**	**91**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	92	7.5	29	2	3	6	9	12	16	32
20-34	33	6.7	8	2	2	7	8	10	11	13
35-49	32	8.3	33	3	4	7	9	13	18	33
50-64	16	11.4	165	2	2	6	13	32	44	49
65+	5	26.2	1441	6	6	11	32	94	94	94
2. MULTIPLE DX										
0-19 YRS	80	11.8	145	3	4	9	13	21	35	98
20-34	45	17.2	281	3	4	12	19	43	65	99+
35-49	38	10.7	70	4	5	8	11	21	33	41
50-64	27	15.3	156	4	5	11	17	34	45	49
65+	7	28.0	776	6	6	20	38	76	84	84
TOT. SINGLE DX	178	8.4	79	2	3	7	9	12	17	45
" MULTIPLE DX	197	13.9	193	3	5	10	15	34	43	97
TOTAL 0-19 YRS	172	9.5	87	3	3	7	11	16	28	82
20-34	78	12.7	191	2	3	9	13	33	45	97
35-49	70	9.6	53	3	4	8	10	17	23	41
50-64	43	13.8	159	3	4	10	16	34	46	49
65+	12	27.3	948	6	6	12	34	87	93	94
GRAND TOTAL	**375**	**11.3**	**146**	**3**	**3**	**8**	**12**	**21**	**36**	**92**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	10.3	101	3	4	8	10	17	20	64
20-34	12	13.7	52	5	6	13	16	25	28	29
35-49	10	21.5	357	6	7	14	26	55	59	59
50-64	28	18.2	121	6	7	17	20	31	43	57
65+	29	22.3	273	8	9	19	27	45	89	99+
2. MULTIPLE DX										
0-19 YRS	64	18.3	377	4	5	11	23	73	99+	99+
20-34	18	19.7	228	5	7	15	26	37	55	66
35-49	20	22.9	193	8	9	20	31	53	75	99+
50-64	47	32.3	376	9	10	33	52	99+	99+	99+
65+	103	38.1	463	10	13	37	53	84	99+	99+
TOT. SINGLE DX	116	16.5	184	5	6	13	20	32	50	93
" MULTIPLE DX	252	29.5	456	6	8	26	46	82	99+	99+
TOTAL 0-19 YRS	101	15.4	289	4	5	10	17	44	84	99+
20-34	30	17.3	163	5	6	15	17	33	39	66
35-49	30	22.4	238	7	8	19	29	53	59	99+
50-64	75	27.1	325	7	9	22	41	73	99+	99+
65+	132	34.6	462	9	11	31	49	83	99+	99+
GRAND TOTAL	**368**	**25.4**	**406**	**6**	**7**	**20**	**39**	**68**	**97**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	9.6	120	1	2	6	11	21	39	56
20-34	27	19.1	216	3	4	19	28	39	47	61
35-49	14	16.9	239	1	2	13	27	43	48	49
50-64	25	13.6	82	2	7	11	16	23	34	45
65+	16	18.2	172	5	6	13	24	41	44	46
2. MULTIPLE DX										
0-19 YRS	146	15.0	220	2	3	9	20	38	49	99+
20-34	50	23.9	515	3	4	16	45	63	90	99+
35-49	32	29.6	602	3	5	22	40	67	81	95
50-64	38	24.2	261	2	4	23	35	56	80	99+
65+	47	24.6	330	3	6	21	42	62	99+	99+
TOT. SINGLE DX	188	12.8	153	2	2	9	16	31	41	57
" MULTIPLE DX	313	20.5	351	3	4	14	32	50	75	99+
TOTAL 0-19 YRS	252	12.8	184	2	3	7	16	32	46	84
20-34	77	22.2	411	3	4	17	34	57	73	99+
35-49	46	25.7	518	2	3	21	38	59	78	95
50-64	63	20.0	215	2	4	16	30	46	59	99+
65+	63	22.9	295	4	6	17	39	48	82	99+
GRAND TOTAL	501	17.6	290	2	3	11	25	46	60	99+

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	14.6	42	6	6	14	20	24	25	25
20-34	164	14.8	61	5	7	13	19	26	30	40
35-49	313	15.0	129	5	7	12	18	26	31	81
50-64	284	15.3	74	5	7	13	19	26	32	40
65+	113	17.9	112	7	9	16	21	30	34	65
2. MULTIPLE DX										
0-19 YRS	19	31.2	496	5	8	22	46	66	72	75
20-34	111	19.1	229	6	7	13	25	36	52	81
35-49	260	20.7	218	7	8	17	27	43	61	99+
50-64	395	22.2	250	7	9	17	28	44	58	96
65+	289	28.2	282	9	11	24	38	56	69	99+
TOT. SINGLE DX	890	15.4	96	5	7	13	19	26	32	48
" MULTIPLE DX	1074	23.3	263	7	9	19	30	48	64	99+
TOTAL 0-19 YRS	35	23.6	352	6	6	19	30	59	67	75
20-34	275	16.5	133	6	7	13	21	30	36	61
35-49	573	17.6	178	6	7	14	22	33	44	95
50-64	679	19.3	187	6	8	16	23	36	47	89
65+	402	25.3	256	9	10	21	32	52	65	99+
GRAND TOTAL	1964	19.7	203	6	8	16	24	38	52	89

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	12.4	115	2	3	8	19	28	38	40
20-34	57	13.2	174	1	2	9	16	32	44	61
35-49	67	15.6	272	2	2	10	21	31	45	92
50-64	61	12.3	135	<1	2	10	16	23	41	58
65+	23	20.6	359	3	4	12	30	47	68	74
2. MULTIPLE DX										
0-19 YRS	43	22.8	360	4	5	18	30	51	84	99+
20-34	58	18.9	230	3	4	15	24	40	56	98
35-49	59	18.4	263	2	3	12	26	45	50	74
50-64	122	20.0	240	2	3	17	30	46	74	99+
65+	78	31.2	432	5	7	29	48	77	99+	99+
TOT. SINGLE DX	240	14.2	204	2	2	10	18	31	43	66
" MULTIPLE DX	360	22.3	318	3	4	17	32	50	80	99+
TOTAL 0-19 YRS	75	18.4	279	3	3	14	25	40	54	97
20-34	115	16.1	208	2	3	12	22	37	52	87
35-49	126	16.9	268	2	2	12	22	39	50	81
50-64	183	17.4	217	2	2	14	25	43	53	99+
65+	101	28.8	432	4	7	26	45	73	90	99+
GRAND TOTAL	600	19.1	288	2	3	14	27	46	62	99+

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	58	3.0	4	<1	1	2	4	6	7	10
20-34	212	3.1	6	<1	1	2	4	5	7	14
35-49	228	3.6	14	<1	1	3	4	6	10	22
50-64	290	3.9	16	1	2	3	4	7	10	21
65+	107	5.2	16	2	2	3	8	12	14	17
2. MULTIPLE DX										
0-19 YRS	32	7.2	112	1	1	4	6	30	44	99+
20-34	92	4.6	33	1	1	3	4	9	16	31
35-49	109	6.9	97	2	2	4	6	13	27	59
50-64	164	8.3	132	2	2	5	8	18	34	75
65+	104	9.6	101	2	2	6	12	22	31	50
TOT. SINGLE DX	895	3.7	13	1	1	3	4	7	10	18
" MULTIPLE DX	501	7.5	100	2	2	4	8	17	30	66
TOTAL 0-19 YRS	90	4.5	46	<1	1	2	4	8	21	78
20-34	304	3.6	15	<1	1	3	4	6	9	25
35-49	337	4.7	43	<1	2	3	4	9	13	35
50-64	454	5.5	62	2	2	3	5	10	16	50
65+	211	7.4	63	2	2	4	10	15	22	44
GRAND TOTAL	1396	5.1	47	1	2	3	5	10	15	39

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	147	3.3	10	1	1	3	3	5	6	24
20-34	744	2.5	3	<1	<1	2	3	4	5	9
35-49	1033	2.7	4	<1	1	2	3	4	5	11
50-64	1291	2.8	4	<1	1	2	3	4	6	11
65+	607	3.1	19	<1	1	2	3	5	6	13
2. MULTIPLE DX										
0-19 YRS	162	3.1	6	1	1	2	4	6	7	16
20-34	355	4.0	27	<1	1	3	4	7	12	26
35-49	440	4.3	22	1	2	3	4	8	13	28
50-64	691	4.5	20	1	2	3	5	9	13	24
65+	451	5.4	53	2	2	3	5	12	16	31
TOT. SINGLE DX	3822	2.8	6	<1	1	2	3	4	6	11
" MULTIPLE DX	2099	4.5	28	1	2	3	5	9	14	28
TOTAL 0-19 YRS	309	3.2	8	1	1	3	4	6	7	20
20-34	1099	3.0	11	<1	1	2	3	5	7	16
35-49	1473	3.1	10	<1	1	2	3	5	7	20
50-64	1982	3.4	10	<1	1	2	3	6	9	19
65+	1058	4.1	35	1	2	3	4	7	12	24
GRAND TOTAL	**5921**	**3.4**	**15**	**<1**	**1**	**2**	**3**	**6**	**9**	**21**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	10.2	9	6	6	11	12	14	14	14
20-34	32	7.9	31	2	3	7	9	14	18	31
35-49	30	10.5	71	2	3	8	14	17	24	46
50-64	58	11.1	61	2	4	9	13	22	29	40
65+	79	15.3	83	4	6	13	20	27	34	45
2. MULTIPLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	12	19.1	346	5	6	11	21	53	62	64
35-49	55	14.1	92	4	5	12	16	27	36	49
50-64	180	19.5	196	6	8	15	25	40	51	99+
65+	391	22.7	239	8	9	19	28	43	58	90
TOT. SINGLE DX	204	12.1	72	3	4	10	15	24	29	45
" MULTIPLE DX	639	21.0	221	6	8	16	26	41	55	91
TOTAL 0-19 YRS	6	10.0	7	6	6	10	11	14	14	14
20-34	44	10.9	136	3	3	7	11	20	36	64
35-49	85	12.8	87	3	4	11	15	24	32	48
50-64	238	17.5	176	5	6	14	22	35	48	99
65+	470	21.4	220	7	8	18	27	41	55	88
GRAND TOTAL	**843**	**18.8**	**199**	**5**	**6**	**14**	**24**	**38**	**48**	**85**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.8	12	2	2	2	6	9	9	9
20-34	19	5.6	26	<1	1	4	7	15	16	16
35-49	30	8.5	101	<1	<1	5	11	22	32	44
50-64	25	5.6	32	<1	<1	4	8	15	39	99+
65+	12	12.5	34	4	4	12	15	20	23	24
2. MULTIPLE DX										
0-19 YRS	8	2.6	3	1	1	2	3	5	6	6
20-34	19	14.6	299	1	2	9	19	34	58	73
35-49	19	11.4	83	2	3	8	18	26	32	33
50-64	30	10.7	83	<1	1	9	12	25	32	33
65+	34	17.9	122	6	7	16	24	31	34	59
TOT. SINGLE DX	90	7.4	57	<1	<1	5	11	16	24	77
" MULTIPLE DX	110	13.1	140	1	2	10	19	29	33	65
TOTAL 0-19 YRS	12	3.0	5	1	1	2	3	7	9	9
20-34	38	10.1	179	<1	1	5	15	20	34	73
35-49	49	9.6	94	<1	1	6	12	22	32	44
50-64	55	8.4	66	<1	<1	6	11	24	30	96
65+	46	16.5	103	4	6	14	20	30	32	59
GRAND TOTAL	**200**	**10.6**	**110**	**<1**	**1**	**7**	**15**	**25**	**31**	**66**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	134	5.1	13	3	3	4	5	7	9	23
20-34	674	4.9	4	3	3	4	5	7	9	14
35-49	760	5.1	6	3	3	5	5	7	8	16
50-64	680	5.3	6	3	3	5	6	8	10	15
65+	232	6.4	26	3	4	5	7	9	12	29
2. MULTIPLE DX										
0-19 YRS	30	9.0	88	3	4	6	10	15	29	50
20-34	236	6.8	24	3	4	5	7	13	18	26
35-49	352	6.8	23	3	4	5	8	11	17	25
50-64	411	8.0	44	3	4	6	8	15	23	37
65+	279	11.4	77	4	4	8	14	25	31	36
TOT. SINGLE DX	2480	5.2	8	3	3	5	6	7	9	16
" MULTIPLE DX	1308	8.2	46	3	4	6	9	16	23	35
TOTAL 0-19 YRS	164	5.8	29	3	3	5	6	8	11	37
20-34	910	5.4	10	3	3	5	6	8	11	19
35-49	1112	5.6	12	3	3	5	6	8	11	23
50-64	1091	6.3	22	3	3	5	6	10	14	29
65+	511	9.1	60	3	4	6	10	18	27	36
GRAND TOTAL	**3788**	**6.2**	**23**	**3**	**3**	**5**	**6**	**10**	**15**	**29**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	237	3.1	4	1	1	3	4	5	7	12
20-34	141	3.9	5	1	2	4	5	6	8	20
35-49	99	4.5	8	1	1	4	5	8	10	16
50-64	116	5.8	19	2	3	5	6	10	14	27
65+	48	8.3	51	2	2	6	10	17	20	38
2. MULTIPLE DX										
0-19 YRS	17	6.3	52	<1	1	4	8	11	25	32
20-34	52	8.3	58	2	3	6	9	20	27	36
35-49	83	10.6	114	2	3	7	14	23	35	88
50-64	142	10.3	135	2	4	7	11	19	27	77
65+	127	17.2	238	4	4	11	25	41	50	99+
TOT. SINGLE DX	641	4.4	13	1	2	4	5	7	11	19
" MULTIPLE DX	421	12.0	160	2	3	8	15	28	39	84
TOTAL 0-19 YRS	254	3.3	8	1	1	3	4	6	7	12
20-34	193	5.0	23	1	2	4	5	9	13	34
35-49	182	7.3	66	1	2	5	8	16	22	59
50-64	258	8.3	87	2	3	6	9	16	23	61
65+	175	14.8	202	3	4	9	19	36	48	96
GRAND TOTAL	**1062**	**7.4**	**86**	**1**	**2**	**5**	**8**	**16**	**26**	**63**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	8.7	21	2	3	9	10	16	17	18
20-34	54	10.5	27	4	5	10	12	16	23	27
35-49	45	12.5	93	4	5	10	15	25	36	42
50-64	31	12.2	64	4	4	10	15	24	32	35
65+	6	10.5	12	7	7	10	13	16	16	16
2. MULTIPLE DX										
0-19 YRS	6	15.2	61	7	7	14	22	26	26	26
20-34	24	12.5	37	5	7	11	15	21	27	28
35-49	31	17.4	146	3	4	16	21	36	40	56
50-64	59	18.5	115	5	7	17	23	30	37	58
65+	40	26.1	400	6	10	20	33	59	88	99+
TOT. SINGLE DX	151	11.2	54	4	4	10	13	18	27	37
" MULTIPLE DX	160	19.2	195	5	7	16	23	36	48	89
TOTAL 0-19 YRS	21	10.5	39	3	4	9	14	20	24	26
20-34	78	11.1	31	4	5	10	13	19	25	28
35-49	76	14.5	119	3	4	11	18	32	37	52
50-64	90	16.3	106	4	5	15	20	29	35	57
65+	46	24.1	376	6	8	18	31	49	88	99+
GRAND TOTAL	**311**	**15.3**	**142**	**4**	**5**	**12**	**18**	**29**	**37**	**79**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	309	1.4		<1	<1	1	2	2	2	4
20-34	89	1.8	2	<1	<1	1	2	3	3	10
35-49	161	2.0	8	<1	<1	2	2	3	4	10
50-64	202	2.2	3	<1	<1	2	3	4	5	10
65+	223	2.5	4	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	27	1.9	2	<1	<1	1	2	3	6	7
20-34	45	2.4	3	<1	<1	2	3	5	6	8
35-49	94	4.6	35	<1	<1	2	5	11	19	29
50-64	216	5.5	97	<1	1	3	5	11	21	57
65+	245	5.4	63	1	1	3	5	12	19	44
TOT. SINGLE DX	984	1.9	3	<1	<1	2	2	3	4	8
" MULTIPLE DX	627	5.0	64	<1	1	2	5	11	19	42
TOTAL 0-19 YRS	336	1.4	1	<1	<1	1	2	2	3	4
20-34	134	2.0	2	<1	<1	2	2	3	5	9
35-49	255	3.0	19	<1	<1	2	2	5	10	28
50-64	418	3.9	54	<1	<1	2	3	6	11	37
65+	468	4.0	37	<1	1	2	4	8	13	39
GRAND TOTAL	**1611**	**3.1**	**29**	**<1**	**<1**	**2**	**3**	**5**	**9**	**29**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	278	2.1	1	<1	1	2	2	3	4	6
20-34	145	2.2	2	<1	<1	2	3	3	4	9
35-49	455	2.2	1	<1	1	2	3	3	3	6
50-64	575	2.3	2	<1	1	2	3	3	4	8
65+	557	2.2	4	<1	<1	2	3	4	4	8
2. MULTIPLE DX										
0-19 YRS	283	3.5	35	1	1	2	3	6	9	29
20-34	305	3.9	22	1	1	3	4	7	11	27
35-49	463	3.3	7	1	1	3	4	6	8	15
50-64	842	3.7	24	1	1	3	4	5	7	26
65+	863	4.9	72	1	1	3	4	9	17	52
TOT. SINGLE DX	2010	2.2	2	<1	1	2	3	3	4	7
" MULTIPLE DX	2756	4.0	38	1	1	3	4	6	11	37
TOTAL 0-19 YRS	561	2.8	19	<1	1	2	3	5	6	16
20-34	450	3.4	16	<1	1	2	3	6	9	22
35-49	918	2.7	5	1	1	2	3	4	6	13
50-64	1417	3.1	16	1	1	2	3	5	6	19
65+	1420	3.8	47	<1	1	2	3	6	12	44
GRAND TOTAL	**4766**	**3.2**	**24**	**<1**	**1**	**2**	**3**	**5**	**8**	**25**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	58	2.0	2	<1	<1	2	3	3	3	10
20-34	49	2.7	3	<1	1	2	3	4	5	11
35-49	43	3.3	18	1	1	3	3	4	5	30
50-64	67	2.7	1	1	2	2	3	4	5	6
65+	86	3.1	2	2	2	3	4	5	7	8
2. MULTIPLE DX										
0-19 YRS	21	3.5	8	<1	1	3	4	7	10	13
20-34	30	3.2	3	1	1	3	4	5	7	8
35-49	21	4.5	36	2	2	3	4	6	17	30
50-64	57	4.3	27	2	2	3	4	6	11	37
65+	138	4.7	45	2	2	3	4	7	13	34
TOT. SINGLE DX	303	2.8	4	1	1	3	3	4	5	9
" MULTIPLE DX	267	4.3	33	2	2	3	4	6	11	30
TOTAL 0-19 YRS	79	2.4	4	<1	<1	2	3	4	6	12
20-34	79	2.9	3	<1	1	3	4	4	6	10
35-49	64	3.7	24	1	2	3	3	5	6	30
50-64	124	3.4	14	2	2	3	4	5	6	21
65+	224	4.1	29	2	2	3	4	6	9	22
GRAND TOTAL	**570**	**3.5**	**18**	**1**	**2**	**3**	**4**	**5**	**7**	**19**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	1.8	2	<1	<1	1	2	3	5	9
20-34	34	2.4	6	<1	<1	2	2	6	9	10
35-49	27	1.9	2	<1	<1	1	2	4	5	6
50-64	24	2.2	1	<1	<1	2	3	3	4	4
65+	32	2.4	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	15	2.6	3	1	1	2	4	5	6	6
20-34	13	2.8	3	<1	<1	2	4	5	7	7
35-49	15	8.7	54	1	2	7	13	23	23	23
50-64	17	3.7	24	<1	<1	3	4	5	16	22
65+	30	5.2	61	1	2	3	4	11	18	42
TOT. SINGLE DX	166	2.1	3	<1	<1	2	2	4	5	9
" MULTIPLE DX	90	4.7	38	<1	1	3	4	11	18	34
TOTAL 0-19 YRS	64	2.0	3	<1	<1	1	2	4	5	9
20-34	47	2.5	5	<1	<1	2	3	6	8	10
35-49	42	4.3	30	<1	<1	2	5	12	19	23
50-64	41	2.8	10	<1	<1	2	3	4	5	22
65+	62	3.8	32	<1	1	2	4	6	11	39
GRAND TOTAL	**256**	**3.0**	**16**	**<1**	**<1**	**2**	**3**	**5**	**9**	**23**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	4.3	3	2	2	4	6	8	72	99+
20-34	85	4.6	3	2	3	4	5	7	8	11
35-49	57	4.9	8	2	3	4	5	8	10	19
50-64	74	5.5	7	3	3	5	7	10	12	14
65+	108	5.9	8	2	3	5	7	10	11	15
2. MULTIPLE DX										
0-19 YRS	19	6.6	23	1	2	4	10	14	15	16
20-34	31	6.9	36	3	3	6	7	10	15	36
35-49	38	5.9	8	3	3	5	7	10	12	14
50-64	84	7.1	16	3	3	6	9	11	17	24
65+	258	7.1	21	3	4	6	8	11	15	26
TOT. SINGLE DX	339	5.3	7	2	3	5	6	9	11	15
" MULTIPLE DX	430	7.0	20	3	3	6	8	11	15	26
TOTAL 0-19 YRS	34	5.6	15	2	2	4	7	14	16	99+
20-34	116	5.2	13	3	3	4	6	8	10	22
35-49	95	5.3	8	3	3	5	6	9	11	17
50-64	158	6.4	12	3	3	5	8	10	13	21
65+	366	6.7	18	3	3	6	8	11	13	23
GRAND TOTAL	**769**	**6.2**	**15**	**3**	**3**	**5**	**7**	**10**	**13**	**21**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	93	3.4	7	<1	<1	3	5	7	9	13
20-34	186	2.2	2	<1	1	2	2	4	5	8
35-49	219	2.2	2	<1	1	2	2	3	4	9
50-64	135	2.2	2	<1	1	2	2	4	6	9
65+	94	2.6	4	<1	1	2	3	4	7	12
2. MULTIPLE DX										
0-19 YRS	49	6.2	27	2	2	5	6	11	13	34
20-34	43	5.3	16	1	2	4	6	10	14	20
35-49	65	3.6	7	2	2	2	4	7	9	15
50-64	82	3.7	12	1	2	2	4	7	11	21
65+	118	6.0	82	1	2	3	6	11	21	53
TOT. SINGLE DX	727	2.4	3	<1	1	2	3	4	6	10
" MULTIPLE DX	357	5.0	38	1	2	3	6	10	13	34
TOTAL 0-19 YRS	142	4.4	16	<1	1	4	6	8	11	19
20-34	229	2.8	6	1	1	2	3	6	7	13
35-49	284	2.5	4	<1	1	2	2	4	6	11
50-64	217	2.8	7	<1	1	2	3	5	8	14
65+	212	4.5	50	1	1	3	4	9	13	40
GRAND TOTAL	**1084**	**3.3**	**16**	**<1**	**1**	**2**	**4**	**6**	**9**	**17**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	3.7	6	1	1	3	5	7	9	11
20-34	32	3.9	8	<1	1	3	5	6	11	14
35-49	53	3.9	6	1	2	3	5	7	10	12
50-64	149	4.8	27	2	2	4	5	8	11	29
65+	278	4.1	9	2	2	3	5	8	10	14
2. MULTIPLE DX										
0-19 YRS	30	5.5	43	1	1	4	7	9	10	37
20-34	28	7.9	58	1	2	5	11	15	29	31
35-49	47	8.0	107	2	2	4	7	28	38	41
50-64	187	5.9	26	2	2	4	7	12	16	27
65+	437	6.2	58	2	2	4	7	12	14	45
TOT. SINGLE DX	532	4.3	13	1	2	3	5	8	10	15
" MULTIPLE DX	729	6.3	52	2	2	4	7	12	16	38
TOTAL 0-19 YRS	50	4.8	29	1	1	4	6	9	10	37
20-34	60	5.8	34	<1	1	4	6	14	15	31
35-49	100	5.8	57	2	2	4	6	10	24	40
50-64	336	5.4	27	2	2	4	6	11	14	28
65+	715	5.4	40	2	2	4	6	10	13	26
GRAND TOTAL	**1261**	**5.4**	**37**	**2**	**2**	**4**	**6**	**11**	**14**	**32**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	6.9	51	1	1	4	10	15	20	36
20-34	43	3.2	6	<1	1	3	4	6	8	14
35-49	60	3.5	5	1	2	3	4	6	9	13
50-64	226	3.5	6	1	2	3	4	7	9	16
65+	389	3.7	8	1	2	3	4	7	9	17
2. MULTIPLE DX										
0-19 YRS	43	7.4	43	2	2	6	9	14	19	39
20-34	43	5.6	14	1	2	5	7	13	13	14
35-49	45	5.8	33	1	2	3	6	14	21	25
50-64	172	5.2	16	2	2	4	6	10	13	19
65+	406	6.8	48	2	2	5	8	15	20	43
TOT. SINGLE DX	759	3.8	10	1	2	3	4	7	10	17
" MULTIPLE DX	709	6.3	37	2	2	4	8	14	18	38
TOTAL 0-19 YRS	84	7.2	47	1	2	5	9	14	20	38
20-34	86	4.4	11	1	1	3	5	10	13	14
35-49	105	4.5	18	1	2	3	5	8	13	24
50-64	398	4.3	11	1	2	3	5	9	10	19
65+	795	5.3	31	1	2	3	6	10	16	34
GRAND TOTAL	**1468**	**5.0**	**25**	**1**	**2**	**3**	**6**	**10**	**14**	**30**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	3.3	5	1	2	3	4	5	8	12
20-34	24	3.0	2	1	2	2	4	5	6	8
35-49	378	3.3	2	2	2	3	4	5	6	10
50-64	2704	3.5	4	2	2	3	4	5	6	11
65+	8334	3.7	6	2	2	3	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	14	4.0	10	2	2	3	4	6	12	14
20-34	18	4.7	6	1	3	4	6	7	10	12
35-49	275	4.3	11	2	2	4	5	7	10	15
50-64	2672	4.6	21	2	2	4	5	7	11	22
65+	11874	5.1	27	2	2	4	5	9	12	28
TOT. SINGLE DX	11462	3.7	5	2	2	3	4	5	7	12
" MULTIPLE DX	14853	5.0	26	2	2	4	5	9	12	26
TOTAL 0-19 YRS	36	3.6	7	2	2	3	4	5	10	14
20-34	42	3.7	5	1	2	3	5	6	8	12
35-49	653	3.8	6	2	2	3	4	6	7	12
50-64	5376	4.0	12	2	2	3	4	6	9	16
65+	20208	4.5	19	2	2	4	5	7	11	22
GRAND TOTAL	**26315**	**4.4**	**17**	**2**	**2**	**4**	**5**	**7**	**11**	**20**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	110	3.1	6	1	1	3	3	5	6	16
20-34	57	2.7	1	<1	1	3	3	4	5	6
35-49	212	2.8	3	2	2	2	3	4	5	9
50-64	615	2.5	8	1	1	2	3	4	5	8
65+	1023	2.7	3	1	1	2	3	4	5	11
2. MULTIPLE DX										
0-19 YRS	73	3.8	6	2	2	3	5	7	10	13
20-34	54	4.7	21	1	2	3	5	13	14	22
35-49	109	3.7	6	2	2	3	4	6	9	13
50-64	396	4.3	33	1	2	3	4	7	12	30
65+	912	4.6	34	1	2	3	5	8	11	29
TOT. SINGLE DX	2017	2.7	5	1	1	2	3	4	5	10
" MULTIPLE DX	1544	4.4	30	1	2	3	5	8	11	28
TOTAL 0-19 YRS	183	3.4	6	1	2	3	4	6	7	13
20-34	111	3.7	12	1	2	3	4	6	13	21
35-49	321	3.1	4	2	2	2	4	5	7	12
50-64	1011	3.2	18	1	2	2	3	5	7	18
65+	1935	3.6	18	1	2	3	4	6	9	19
GRAND TOTAL	**3561**	**3.4**	**16**	**1**	**2**	**2**	**4**	**5**	**8**	**18**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	2.3	1	<1	<1	2	3	4	4	4
20-34	4	2.3	1	<1	<1	2	3	3	3	3
35-49	5	2.4	3	<1	<1	2	3	5	5	5
50-64	67	2.5	1	<1	1	2	3	4	5	6
65+	293	2.7	5	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	4	4.5	10	2	2	3	6	9	9	9
20-34	2	10.0	128	2	2	10	18	18	18	18
35-49	3	4.3	6	2	2	4	6	7	7	7
50-64	64	3.3	16	<1	1	2	3	4	7	29
65+	309	3.9	11	1	2	3	4	7	11	19
TOT. SINGLE DX	376	2.7	4	1	1	2	3	4	5	9
" MULTIPLE DX	382	3.8	12	1	2	3	4	7	11	19
TOTAL 0-19 YRS	11	3.1	5	<1	1	2	4	6	9	9
20-34	6	4.8	42	<1	<1	2	3	17	18	18
35-49	8	3.1	4	<1	<1	3	4	6	7	7
50-64	131	2.9	9	<1	1	2	3	4	5	16
65+	602	3.3	8	1	2	2	4	6	8	17
GRAND TOTAL	**758**	**3.3**	**9**	**1**	**2**	**2**	**4**	**5**	**7**	**18**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	5.9	15	1	2	5	8	11	12	21
20-34	172	5.4	16	<1	1	5	7	10	14	19
35-49	177	5.5	11	1	2	5	7	10	12	15
50-64	605	5.8	12	1	2	6	8	10	12	18
65+	421	6.2	12	1	2	6	8	10	11	17
2. MULTIPLE DX										
0-19 YRS	48	7.1	23	2	3	6	8	13	17	25
20-34	108	6.2	17	1	2	6	8	12	16	53
35-49	132	7.0	21	2	2	6	9	12	17	23
50-64	538	6.2	16	2	2	5	8	12	14	20
65+	596	7.5	26	2	2	6	9	13	17	31
TOT. SINGLE DX	1470	5.9	13	1	2	6	8	10	12	17
" MULTIPLE DX	1422	6.8	21	2	2	6	9	12	15	23
TOTAL 0-19 YRS	143	6.3	18	1	2	5	8	12	13	25
20-34	280	5.7	16	1	2	5	8	11	14	20
35-49	309	6.1	16	1	2	6	8	11	13	20
50-64	1143	6.0	14	1	2	5	8	11	13	20
65+	1017	7.0	20	2	2	6	9	11	15	24
GRAND TOTAL	**2892**	**6.3**	**17**	**1**	**2**	**6**	**8**	**11**	**14**	**21**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	4.6	10	1	2	4	6	9	11	13
20-34	29	3.2	8	<1	<1	2	5	6	8	12
35-49	26	3.6	10	<1	1	3	5	7	10	15
50-64	72	3.9	11	1	1	3	5	9	10	17
65+	77	4.6	11	1	2	3	6	9	11	15
2. MULTIPLE DX										
0-19 YRS	16	11.6	448	2	3	6	8	14	67	90
20-34	57	6.4	15	1	3	5	8	11	14	20
35-49	39	9.2	164	1	2	6	7	20	45	60
50-64	115	6.3	14	1	2	5	8	12	14	18
65+	196	6.3	28	2	2	5	8	12	15	24
TOT. SINGLE DX	228	4.1	10	1	1	3	5	9	10	15
" MULTIPLE DX	423	6.8	51	2	2	5	8	12	15	37
TOTAL 0-19 YRS	40	7.4	190	1	2	5	7	11	14	90
20-34	86	5.3	15	<1	<1	5	7	10	12	19
35-49	65	7.0	109	1	1	5	7	12	26	59
50-64	187	5.4	14	1	1	4	7	11	12	17
65+	273	5.8	24	2	2	5	8	11	15	21
GRAND TOTAL	**651**	**5.8**	**39**	**1**	**2**	**5**	**7**	**11**	**14**	**24**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2198	1.8	1	<1	1	2	2	2	2	3
20-34	297	2.2	2	1	1	2	2	3	3	5
35-49	124	2.3	1	1	2	2	2	3	4	7
50-64	82	2.2		<1	1	2	3	3	3	4
65+	34	2.4	1	1	2	2	3	3	4	5
2. MULTIPLE DX										
0-19 YRS	414	2.0	2	1	1	2	2	2	3	4
20-34	110	2.6	5	1	2	2	3	3	4	16
35-49	71	2.6	3	1	2	2	3	4	5	13
50-64	61	4.3	142	2	2	2	3	4	8	86
65+	37	3.2	10	2	2	2	3	5	9	19
TOT. SINGLE DX	2735	1.9	1	<1	1	2	2	2	3	4
" MULTIPLE DX	693	2.4	16	1	1	2	2	3	4	12
TOTAL 0-19 YRS	2612	1.8	1	<1	1	2	2	2	2	4
20-34	407	2.3	3	1	1	2	2	3	3	8
35-49	195	2.4	2	1	2	2	3	3	4	10
50-64	143	3.1	61	1	2	2	3	3	4	23
65+	71	2.8	6	2	2	2	3	4	5	17
GRAND TOTAL	**3428**	**2.0**	**4**	**<1**	**1**	**2**	**2**	**2**	**3**	**4**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	5.2	85	<1	<1	1	2	22	24	24
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	9.7	82	3	3	6	16	20	20	20
50-64	2	4.5	5	3	3	4	6	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	4	3.5	6	2	2	3	5	7	7	7
20-34	3	10.3	186	1	1	4	20	26	26	26
35-49	3	13.7	14	11	11	12	16	18	18	18
50-64	3	11.3	162	3	3	5	21	26	26	26
65+	3	17.3	58	9	9	19	23	24	24	24
TOT. SINGLE DX	14	5.3	53	<1	1	2	6	20	23	24
" MULTIPLE DX	16	10.8	82	1	2	8	18	26	26	26
TOTAL 0-19 YRS	10	4.5	50	<1	<1	2	3	15	24	24
20-34	5	6.8	117	1	1	2	9	26	26	26
35-49	6	11.7	43	3	3	11	18	20	20	20
50-64	5	8.6	96	3	3	5	11	26	26	26
65+	4	13.5	98	2	2	14	21	24	24	24
GRAND TOTAL	**30**	**8.2**	**74**	**1**	**1**	**4**	**12**	**24**	**26**	**26**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	130	3.0	6	<1	1	2	3	6	8	12
20-34	90	4.2	8	1	2	3	5	8	10	15
35-49	72	4.4	20	1	1	3	5	9	13	85
50-64	87	4.5	16	1	1	4	5	8	13	24
65+	102	4.0	7	1	2	3	5	7	8	15
2. MULTIPLE DX										
0-19 YRS	83	5.3	22	1	2	3	6	12	17	21
20-34	103	7.8	104	2	2	5	8	16	24	63
35-49	71	5.6	24	2	2	4	6	11	19	28
50-64	108	5.8	22	2	2	4	7	11	14	27
65+	192	8.2	131	2	2	4	8	19	31	66
TOT. SINGLE DX	481	3.9	11	1	1	3	5	8	10	16
" MULTIPLE DX	557	6.9	76	2	2	4	7	13	22	45
TOTAL 0-19 YRS	213	3.9	13	<1	1	3	5	8	11	19
20-34	193	6.1	63	2	2	4	7	10	17	39
35-49	143	5.0	23	1	2	4	6	10	14	38
50-64	195	5.2	19	1	2	4	6	10	14	25
65+	294	6.7	92	2	2	4	7	12	23	53
GRAND TOTAL	**1038**	**5.5**	**48**	**1**	**2**	**4**	**6**	**10**	**16**	**35**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	559	2.0	2	<1	<1	2	2	3	4	8
20-34	200	2.4	5	<1	<1	2	3	4	7	13
35-49	108	2.4	3	<1	<1	2	3	4	5	12
50-64	114	2.7	8	<1	<1	2	3	4	10	16
65+	106	3.5	77	<1	<1	2	3	6	8	46
2. MULTIPLE DX										
0-19 YRS	193	3.2	6	<1	1	3	4	6	7	14
20-34	111	4.9	98	1	1	2	5	10	18	55
35-49	97	4.6	22	<1	1	3	6	11	12	26
50-64	112	6.9	79	1	2	4	9	17	33	99+
65+	158	9.7	202	1	2	5	11	21	32	98
TOT. SINGLE DX	1087	2.3	11	<1	<1	2	2	4	5	13
" MULTIPLE DX	671	5.8	87	<1	1	3	6	13	19	80
TOTAL 0-19 YRS	752	2.3	3	<1	<1	2	3	4	6	9
20-34	311	3.3	39	<1	<1	2	3	6	12	26
35-49	205	3.4	13	<1	<1	2	3	8	11	17
50-64	226	4.8	47	<1	1	2	5	12	17	63
65+	264	7.2	161	<1	1	3	8	16	24	93
GRAND TOTAL	**1758**	**3.7**	**43**	**<1**	**<1**	**2**	**3**	**7**	**12**	**30**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	4.1	88	2	2	2	3	4	6	63
20-34	206	2.9	1	2	2	3	3	4	4	7
35-49	367	3.1	3	2	2	3	3	4	5	12
50-64	442	2.9	1	2	2	3	3	4	5	7
65+	166	3.1	1	2	2	3	3	5	5	8
2. MULTIPLE DX										
0-19 YRS	18	2.3		1	2	2	3	3	4	4
20-34	55	4.7	40	2	2	3	4	7	12	45
35-49	82	3.7	9	2	2	3	4	6	8	21
50-64	127	3.5	5	2	2	3	4	6	8	14
65+	71	3.2	3	2	2	3	4	5	5	11
TOT. SINGLE DX	1223	3.0	5	2	2	3	3	4	5	8
" MULTIPLE DX	353	3.6	11	2	2	3	4	6	8	14
TOTAL 0-19 YRS	60	3.6	62	2	2	2	3	4	5	57
20-34	261	3.3	10	2	2	3	3	4	6	12
35-49	449	3.2	4	2	2	3	3	4	6	14
50-64	569	3.0	2	2	2	3	3	4	5	10
65+	237	3.1	2	2	2	3	4	5	5	9
GRAND TOTAL	**1576**	**3.2**	**6**	**2**	**2**	**3**	**3**	**4**	**5**	**10**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	386	2.4	4	1	1	2	3	3	4	8
20-34	301	2.4	2	1	1	2	3	3	4	5
35-49	235	2.5	3	1	1	2	3	4	4	10
50-64	240	2.4	1	1	1	2	3	4	4	6
65+	95	2.5	3	1	1	2	3	4	5	12
2. MULTIPLE DX										
0-19 YRS	293	2.6	1	1	2	2	3	4	5	7
20-34	242	2.7	2	1	2	2	3	4	5	7
35-49	245	2.9	4	1	2	2	3	4	5	9
50-64	274	3.1	7	<1	1	2	3	5	8	12
65+	121	3.2	7	<1	1	3	3	6	9	15
TOT. SINGLE DX	1257	2.4	3	1	1	2	3	3	4	8
" MULTIPLE DX	1175	2.8	4	1	2	2	3	4	5	11
TOTAL 0-19 YRS	679	2.5	3	1	1	2	3	3	4	7
20-34	543	2.5	2	1	2	2	3	4	4	6
35-49	480	2.7	4	1	1	2	3	4	5	9
50-64	514	2.8	5	1	1	2	3	4	5	11
65+	216	2.9	6	<1	1	2	3	5	8	13
GRAND TOTAL	**2432**	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4562	1.1	1	<1	<1	<1	1	1	2	3
20-34	131	1.6	1	<1	<1	1	2	3	3	4
35-49	111	1.7	2	<1	<1	1	2	3	4	8
50-64	114	1.4		<1	<1	1	2	2	3	3
65+	56	1.5	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	1967	1.8	6	<1	<1	1	2	2	4	13
20-34	106	3.3	19	<1	<1	2	3	7	12	25
35-49	69	3.9	57	<1	<1	2	3	6	20	46
50-64	79	4.4	55	<1	1	2	4	9	20	45
65+	79	6.5	84	<1	1	2	8	17	23	52
TOT. SINGLE DX	4974	1.2	1	<1	<1	<1	1	1	2	4
" MULTIPLE DX	2300	2.1	13	<1	<1	1	2	3	6	19
TOTAL 0-19 YRS	6529	1.3	3	<1	<1	<1	1	2	2	7
20-34	237	2.3	9	<1	<1	2	2	4	6	21
35-49	180	2.6	24	<1	<1	2	2	4	6	27
50-64	193	2.7	25	<1	<1	2	2	4	8	26
65+	135	4.4	55	<1	<1	2	3	13	18	42
GRAND TOTAL	**7274**	**1.5**	**5**	**<1**	**<1**	**1**	**1**	**2**	**3**	**11**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	169	3.4	5	1	2	3	4	5	8	10
20-34	97	3.8	13	2	2	3	4	5	8	25
35-49	100	3.6	3	2	2	3	4	6	7	56
50-64	122	3.8	6	2	2	3	4	6	9	17
65+	38	4.4	7	2	2	3	5	7	11	14
2. MULTIPLE DX										
0-19 YRS	275	4.2	30	2	2	3	4	6	9	34
20-34	212	4.1	8	2	2	3	4	7	9	17
35-49	156	4.8	22	2	2	3	5	9	11	33
50-64	270	4.3	10	2	2	3	5	7	9	18
65+	87	6.6	65	2	2	4	7	12	21	50
TOT. SINGLE DX	526	3.7	7	2	2	3	4	6	8	16
" MULTIPLE DX	1000	4.5	22	2	2	3	5	7	10	22
TOTAL 0-19 YRS	444	3.9	21	1	2	3	4	6	8	18
20-34	309	4.0	9	2	2	3	4	6	9	17
35-49	256	4.4	15	2	2	3	5	8	10	33
50-64	392	4.2	9	2	2	3	4	7	9	18
65+	125	5.9	48	2	2	4	6	10	17	37
GRAND TOTAL	**1526**	**4.2**	**17**	**2**	**2**	**3**	**4**	**7**	**9**	**20**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	257	1.8	3	<1	<1	<1	2	3	4	9
20-34	104	3.0	3	1	1	3	4	5	6	10
35-49	107	3.6	6	1	2	3	5	6	7	15
50-64	91	4.0	15	2	2	3	4	6	7	27
65+	50	4.1	23	1	2	3	5	7	8	34
2. MULTIPLE DX										
0-19 YRS	149	2.2	5	<1	<1	2	3	4	6	20
20-34	89	3.7	14	<1	1	3	4	6	9	24
35-49	84	4.9	36	<1	1	3	5	9	18	35
50-64	81	4.3	20	1	1	3	5	8	11	28
65+	49	6.4	71	<1	1	4	8	11	22	48
TOT. SINGLE DX	609	2.8	8	<1	<1	2	3	5	6	12
" MULTIPLE DX	452	3.8	24	<1	1	2	4	8	10	32
TOTAL 0-19 YRS	406	1.9	4	<1	<1	1	2	3	4	12
20-34	193	3.3	8	<1	1	3	4	5	7	16
35-49	191	4.2	20	1	1	3	5	7	10	28
50-64	172	4.1	18	1	2	3	5	7	10	29
65+	99	5.2	47	1	2	3	5	10	16	41
GRAND TOTAL	**1061**	**3.3**	**15**	**<1**	**<1**	**2**	**4**	**6**	**9**	**21**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	716	3.2	4	1	2	3	4	5	5	6
20-34	1211	2.9	9	1	1	3	3	4	5	6
35-49	490	2.9	2	1	2	3	3	5	5	7
50-64	251	2.9	2	1	2	3	3	5	5	8
65+	41	3.0	1	1	2	3	3	5	5	7
2. MULTIPLE DX										
0-19 YRS	855	3.4	12	2	2	3	4	5	5	9
20-34	1530	3.1	3	1	2	3	4	4	5	8
35-49	721	3.2	7	2	2	3	4	4	5	9
50-64	469	3.7	27	2	2	3	4	5	6	18
65+	90	4.4	21	2	2	3	4	8	14	28
TOT. SINGLE DX	2709	3.0	5	1	2	3	4	5	5	7
" MULTIPLE DX	3665	3.3	10	2	2	3	4	5	5	10
TOTAL 0-19 YRS	1571	3.3	8	1	2	3	4	5	5	7
20-34	2741	3.0	6	1	2	3	3	4	5	7
35-49	1211	3.1	5	1	2	3	4	4	5	8
50-64	720	3.4	19	1	2	3	4	5	6	13
65+	131	3.9	16	2	2	3	4	5	10	21
GRAND TOTAL	**6374**	**3.2**	**8**	**1**	**2**	**3**	**4**	**5**	**5**	**9**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1068	2.8	10	1	1	3	3	4	5	6
20-34	1781	2.7	8	1	1	2	3	4	5	8
35-49	652	2.7	10	1	1	2	3	4	5	7
50-64	350	2.7	2	1	1	2	3	4	5	8
65+	62	3.0	8	<1	1	2	3	5	8	17
2. MULTIPLE DX										
0-19 YRS	972	3.0	4	1	2	3	3	4	5	13
20-34	1803	3.0	3	1	1	3	4	4	5	10
35-49	764	3.3	14	1	2	3	4	5	6	13
50-64	475	3.8	21	1	2	3	4	6	9	23
65+	127	4.7	16	1	2	3	6	9	12	42
TOT. SINGLE DX	3913	2.8	8	1	1	2	3	4	5	7
" MULTIPLE DX	4141	3.2	8	1	2	3	4	5	6	13
TOTAL 0-19 YRS	2040	2.9	7	1	1	3	3	4	5	9
20-34	3584	2.9	6	1	1	3	3	4	5	9
35-49	1416	3.0	12	1	1	3	3	5	5	11
50-64	825	3.4	14	1	1	3	4	5	6	19
65+	189	4.2	14	1	2	3	5	8	11	25
GRAND TOTAL	**8054**	**3.0**	**8**	**1**	**1**	**3**	**3**	**4**	**5**	**11**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	2.0	2	<1	<1	1	2	4	5	7
20-34	192	2.4	2	<1	<1	2	3	4	6	9
35-49	179	2.7	14	<1	<1	2	3	4	5	23
50-64	363	2.4	4	<1	<1	2	2	4	5	13
65+	311	3.1	23	<1	1	2	3	5	7	16
2. MULTIPLE DX										
0-19 YRS	96	3.0	6	1	1	2	3	5	8	15
20-34	220	3.6	22	1	1	3	4	6	9	19
35-49	303	4.0	29	1	1	3	4	6	11	29
50-64	474	3.8	15	1	2	3	4	7	11	22
65+	465	7.0	88	1	2	3	8	18	26	82
TOT. SINGLE DX	1183	2.5	10	<1	<1	2	3	4	5	14
" MULTIPLE DX	1558	4.7	42	1	1	3	4	10	16	37
TOTAL 0-19 YRS	234	2.4	4	<1	<1	2	3	5	6	12
20-34	412	3.0	13	<1	1	2	3	5	7	17
35-49	482	3.5	24	<1	1	2	3	5	9	27
50-64	837	3.2	11	<1	1	2	3	5	9	19
65+	776	5.4	65	<1	1	3	5	13	20	58
GRAND TOTAL	**2741**	**3.8**	**29**	**<1**	**1**	**2**	**4**	**7**	**12**	**29**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	913	1.8	3	<1	<1	1	2	3	4	8
20-34	520	2.2	5	<1	<1	2	3	4	6	10
35-49	173	3.0	4	<1	1	3	4	5	6	12
50-64	160	4.2	8	1	1	4	6	7	9	17
65+	116	5.4	79	1	1	4	6	8	10	42
2. MULTIPLE DX										
0-19 YRS	390	3.2	8	1	1	3	4	6	8	13
20-34	465	4.4	21	1	1	3	5	8	10	25
35-49	227	5.1	17	1	1	4	7	10	14	23
50-64	267	6.6	39	2	2	5	8	12	15	30
65+	254	8.0	55	1	2	6	10	15	22	42
TOT. SINGLE DX	1882	2.5	10	<1	<1	2	3	5	6	10
" MULTIPLE DX	1603	5.1	28	1	1	4	6	10	14	28
TOTAL 0-19 YRS	1303	2.2	5	<1	<1	2	3	4	6	11
20-34	985	3.2	14	<1	1	2	4	7	8	17
35-49	400	4.2	13	1	1	3	5	8	11	21
50-64	427	5.7	28	1	2	5	7	10	14	24
65+	370	7.2	64	1	2	6	8	14	17	41
GRAND TOTAL	**3485**	**3.7**	**20**	**<1**	**1**	**2**	**4**	**8**	**10**	**20**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	45	3.6	6	1	1	3	5	7	7	14
20-34	129	3.2	2	1	2	3	4	5	6	8
35-49	147	3.7	6	1	2	3	4	6	8	13
50-64	120	3.6	4	2	2	3	4	6	8	12
65+	48	4.7	23	1	2	4	5	8	12	32
2. MULTIPLE DX										
0-19 YRS	50	5.0	115	1	2	3	4	7	9	78
20-34	160	4.6	14	1	2	4	5	8	13	20
35-49	154	4.7	14	2	2	4	5	8	12	18
50-64	158	4.8	14	2	2	4	5	8	13	22
65+	67	8.8	159	2	2	4	8	18	33	77
TOT. SINGLE DX	489	3.6	6	1	2	3	4	6	7	14
" MULTIPLE DX	589	5.2	40	2	2	4	5	9	14	30
TOTAL 0-19 YRS	95	4.3	63	1	2	3	5	7	8	49
20-34	289	4.0	9	1	2	3	5	6	10	18
35-49	301	4.2	10	2	2	3	5	7	11	18
50-64	278	4.3	10	2	2	3	5	7	11	20
65+	115	7.1	106	2	2	4	6	16	28	58
GRAND TOTAL	**1078**	**4.5**	**25**	**1**	**2**	**3**	**5**	**7**	**11**	**23**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	3.6	14	<1	1	3	5	7	9	23
20-34	118	4.4	15	1	2	3	5	8	13	22
35-49	121	4.3	20	<1	1	3	5	9	11	27
50-64	101	5.2	30	1	2	3	6	12	21	61
65+	38	7.5	115	1	2	4	7	20	40	44
2. MULTIPLE DX										
0-19 YRS	73	5.3	44	1	1	3	6	10	16	42
20-34	133	4.0	8	1	1	3	5	9	11	29
35-49	158	5.4	41	2	2	3	5	12	17	26
50-64	196	7.4	145	1	2	4	8	14	19	95
65+	134	8.5	91	2	2	4	12	19	25	52
TOT. SINGLE DX	447	4.7	29	1	1	3	5	9	15	31
" MULTIPLE DX	694	6.3	76	1	2	4	6	13	18	56
TOTAL 0-19 YRS	142	4.5	30	<1	1	3	5	8	13	32
20-34	251	4.2	11	1	1	3	5	8	11	21
35-49	279	4.9	32	1	2	3	5	10	15	26
50-64	297	6.7	107	1	2	4	8	13	20	95
65+	172	8.2	96	2	2	4	11	19	27	51
GRAND TOTAL	**1141**	**5.7**	**58**	**1**	**2**	**3**	**6**	**12**	**18**	**48**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6162	1.8	2	<1	1	2	2	2	2	3
20-34	4824	1.8	2	<1	<1	2	2	2	2	3
35-49	587	1.9	2	<1	1	2	2	2	3	6
50-64	447	2.2	5	<1	1	2	2	3	4	10
65+	186	2.4	6	1	1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	1345	2.4	20	<1	1	2	2	3	6	21
20-34	2043	4.0	49	1	1	2	2	10	17	34
35-49	1004	4.4	46	1	1	2	3	11	17	32
50-64	1220	4.4	48	1	1	2	3	10	16	38
65+	863	8.3	149	1	2	3	10	21	34	77
TOT. SINGLE DX	12206	1.8	2	<1	1	2	2	2	2	4
" MULTIPLE DX	6475	4.4	59	1	1	2	3	10	17	42
TOTAL 0-19 YRS	7507	1.9	6	<1	1	2	2	2	2	8
20-34	6867	2.4	17	<1	1	2	2	2	5	20
35-49	1591	3.5	31	1	1	2	2	7	13	29
50-64	1667	3.8	38	1	1	2	3	8	13	33
65+	1049	7.3	129	1	2	3	8	18	29	76
GRAND TOTAL	**18681**	**2.7**	**23**	**<1**	**1**	**2**	**2**	**3**	**8**	**25**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	307	1.3		<1	<1	1	2	2	2	3
20-34	53	2.6	2	<1	<1	2	3	4	5	6
35-49	11	1.8		<1	<1	2	2	3	3	3
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	159	2.2	7	<1	<1	1	2	3	8	17
20-34	56	7.0	69	<1	1	3	10	18	20	43
35-49	9	3.9	15	<1	<1	2	5	11	11	11
50-64	4	2.5	1	<1	<1	3	3	3	3	3
65+	4	6.8	34	2	2	6	11	14	14	14
TOT. SINGLE DX	373	1.5	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	232	3.5	27	<1	<1	2	3	10	14	22
TOTAL 0-19 YRS	466	1.6	3	<1	<1	1	2	2	3	11
20-34	109	4.9	41	<1	1	3	4	13	18	37
35-49	20	2.8	7	<1	<1	2	3	7	10	11
50-64	6	2.7	1	<1	<1	3	3	4	4	4
65+	4	6.8	34	2	2	6	11	14	14	14
GRAND TOTAL	**605**	**2.3**	**12**	**<1**	**<1**	**1**	**2**	**4**	**8**	**18**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	2.4	6	<1	1	2	2	5	6	14
20-34	125	2.5	8	<1	<1	2	3	4	5	16
35-49	142	2.5	5	<1	<1	2	3	4	5	11
50-64	143	2.6	2	<1	<1	2	3	5	5	8
65+	36	2.8	2	1	2	3	3	5	6	7
2. MULTIPLE DX										
0-19 YRS	148	4.2	135	1	1	2	2	5	9	86
20-34	190	4.0	63	1	1	2	3	7	14	30
35-49	144	3.2	10	1	1	2	3	7	11	17
50-64	157	5.1	42	2	2	3	5	12	18	44
65+	84	7.0	56	2	2	3	9	19	25	29
TOT. SINGLE DX	553	2.5	5	<1	<1	2	3	5	5	10
" MULTIPLE DX	723	4.5	63	1	1	2	4	9	16	38
TOTAL 0-19 YRS	255	3.4	81	1	1	2	2	5	8	84
20-34	315	3.4	42	<1	1	2	3	6	11	25
35-49	286	2.8	8	<1	1	2	3	5	7	16
50-64	300	3.9	25	<1	1	2	4	6	13	35
65+	120	5.7	43	2	2	3	7	15	24	29
GRAND TOTAL	**1276**	**3.6**	**39**	**<1**	**1**	**2**	**3**	**6**	**11**	**28**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	125	3.4	10	1	1	3	4	6	7	19
20-34	288	3.8	5	1	2	3	5	6	7	12
35-49	300	4.0	6	2	2	4	5	6	7	14
50-64	390	4.5	14	2	2	4	5	7	9	14
65+	230	5.3	39	2	2	4	6	8	11	27
2. MULTIPLE DX										
0-19 YRS	32	4.1	4	1	2	4	5	7	8	10
20-34	92	4.9	27	1	2	4	5	8	11	36
35-49	115	5.8	47	2	2	4	7	11	14	36
50-64	264	7.6	96	2	3	5	8	13	20	49
65+	222	9.2	89	3	3	7	11	17	25	74
TOT. SINGLE DX	1333	4.3	14	1	2	4	5	6	9	15
" MULTIPLE DX	725	7.3	76	2	2	5	8	13	19	51
TOTAL 0-19 YRS	157	3.6	9	1	1	3	4	6	8	16
20-34	380	4.1	10	1	2	3	5	6	8	13
35-49	415	4.5	18	2	2	4	5	7	10	16
50-64	654	5.7	49	2	2	4	6	10	13	35
65+	452	7.2	67	2	3	5	8	13	19	53
GRAND TOTAL	**2058**	**5.3**	**38**	**2**	**2**	**4**	**6**	**9**	**13**	**27**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	163	5.3	55	1	1	5	6	8	8	13
20-34	11	5.4	8	2	3	4	6	10	12	12
35-49	1	13.0		13	13	13	13	13	13	13
50-64	3	4.0		4	4	4	4	4	4	4
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	113	6.1	15	2	3	6	7	9	12	25
20-34	9	5.8	15	2	2	5	6	12	15	15
35-49	3	5.3	2	4	4	5	6	7	7	7
50-64	3	6.7	6	4	4	7	8	9	9	9
65+	6	12.0	52	3	3	13	17	21	21	21
TOT. SINGLE DX	179	5.3	51	1	1	5	6	8	9	13
" MULTIPLE DX	134	6.3	17	2	3	6	7	10	14	23
TOTAL 0-19 YRS	276	5.6	38	1	2	5	7	8	10	19
20-34	20	5.6	11	2	2	5	6	10	13	15
35-49	4	7.3	16	4	4	6	10	13	13	13
50-64	6	5.3	5	4	4	4	7	9	9	9
65+	7	11.4	46	3	3	12	16	20	21	21
GRAND TOTAL	**313**	**5.8**	**36**	**1**	**2**	**5**	**7**	**8**	**11**	**20**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	472	2.7	5	<1	<1	2	3	6	7	10
20-34	177	3.7	65	<1	<1	2	3	6	8	37
35-49	176	3.8	27	<1	<1	2	4	9	12	45
50-64	347	5.1	45	<1	1	3	6	11	17	32
65+	288	5.4	42	<1	1	3	6	11	18	36
2. MULTIPLE DX										
0-19 YRS	398	3.9	24	<1	1	3	5	8	10	21
20-34	271	4.1	26	<1	1	3	5	8	12	16
35-49	212	7.4	115	1	1	4	7	15	31	67
50-64	402	9.6	128	1	2	6	13	21	30	68
65+	480	11.7	190	2	2	7	15	29	39	77
TOT. SINGLE DX	1460	4.1	33	<1	<1	2	4	8	12	31
" MULTIPLE DX	1763	7.8	114	1	1	4	9	18	28	65
TOTAL 0-19 YRS	870	3.3	14	<1	<1	2	4	7	8	15
20-34	448	4.0	41	<1	1	2	5	7	10	25
35-49	388	5.8	78	<1	1	3	6	12	20	58
50-64	749	7.5	94	1	1	4	9	18	25	56
65+	768	9.3	144	1	2	5	11	23	33	67
GRAND TOTAL	**3223**	**6.1**	**81**	**<1**	**1**	**3**	**7**	**14**	**21**	**53**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5929	1.9	4	1	1	2	2	3	3	4
20-34	4000	2.1	1	1	1	2	2	3	3	5
35-49	339	2.2	2	1	1	2	2	3	4	7
50-64	56	2.6	5	2	2	2	2	3	6	16
65+	28	3.0	4	1	2	2	3	6	7	10
2. MULTIPLE DX										
0-19 YRS	803	2.0	2	<1	1	2	2	3	4	8
20-34	404	2.7	4	1	2	2	3	4	5	12
35-49	51	2.7	2	1	2	2	3	4	6	9
50-64	24	5.2	29	1	1	4	6	12	16	25
65+	8	4.0	21	1	1	3	4	12	15	15
TOT. SINGLE DX	10352	2.0	3	1	1	2	2	3	3	5
" MULTIPLE DX	1290	2.3	4	1	1	2	2	3	4	12
TOTAL 0-19 YRS	6732	1.9	4	1	1	2	2	3	3	5
20-34	4404	2.2	2	1	1	2	2	3	3	5
35-49	390	2.3	2	1	1	2	2	3	4	8
50-64	80	3.4	13	1	2	2	3	6	10	23
65+	36	3.3	7	1	1	3	3	6	9	15
GRAND TOTAL	**11642**	**2.0**	**3**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9658	1.6	3	<1	1	1	2	2	2	4
20-34	259	2.4	33	1	1	2	2	3	3	4
35-49	10	2.3	1	1	1	2	3	4	4	4
50-64	8	3.0	17	<1	<1	2	2	10	13	13
65+	15	1.1		<1	1	1	1	2	71	99+
2. MULTIPLE DX										
0-19 YRS	5716	1.7	1	<1	<1	2	2	2	2	5
20-34	47	2.5	1	1	1	2	3	3	4	8
35-49	5	2.6	1	1	1	3	3	4	4	4
50-64	5	2.0	1	<1	<1	2	3	3	3	3
65+	9	1.6		<1	<1	2	2	2	2	2
TOT. SINGLE DX	9950	1.6	4	<1	1	1	2	2	2	4
" MULTIPLE DX	5782	1.7	1	<1	<1	2	2	2	3	5
TOTAL 0-19 YRS	15374	1.6	2	<1	1	1	2	2	2	4
20-34	306	2.4	28	1	1	2	2	3	3	6
35-49	15	2.4	1	1	1	2	3	4	4	4
50-64	13	2.6	10	<1	<1	2	2	5	12	13
65+	24	1.3		<1	<1	1	2	2	27	99+
GRAND TOTAL	**15732**	**1.6**	**3**	**<1**	**1**	**1**	**2**	**2**	**2**	**4**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	874	1.5	1	<1	<1	1	2	2	2	3
20-34	9	2.2	2	<1	<1	2	2	5	6	6
35-49										
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	3108	1.5	2	<1	<1	1	2	2	2	4
20-34	13	2.3	4	<1	1	2	2	4	8	9
35-49	3	4.0	7	<1	<1	5	6	6	6	6
50-64	3	1.7		1	1	2	2	2	2	2
65+	6	1.5	1	1	1	1	2	3	3	3
TOT. SINGLE DX	887	1.5	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	3133	1.5	2	<1	<1	1	2	2	2	5
TOTAL 0-19 YRS	3982	1.5	2	<1	<1	1	2	2	2	4
20-34	22	2.3	3	<1	1	2	2	4	7	9
35-49	3	4.0	7	<1	<1	5	6	6	6	6
50-64	6	1.3		<1	<1	1	2	2	2	2
65+	7	1.6	1	1	1	1	2	3	3	3
GRAND TOTAL	**4020**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**2**	**2**	**4**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	360	3.1	30	<1	1	2	3	5	7	16
20-34	247	2.9	4	1	1	2	3	5	6	10
35-49	118	3.7	15	1	1	3	4	6	10	25
50-64	130	5.5	71	<1	1	3	6	11	21	50
65+	73	6.1	44	<1	1	3	9	14	20	33
2. MULTIPLE DX										
0-19 YRS	98	4.3	21	<1	1	2	5	9	11	26
20-34	65	3.7	5	1	1	3	5	6	8	12
35-49	69	7.3	110	1	1	4	8	17	28	61
50-64	155	9.0	159	1	2	5	11	21	29	96
65+	148	13.9	237	2	2	9	17	32	43	89
TOT. SINGLE DX	928	3.7	29	1	1	2	4	6	10	25
" MULTIPLE DX	535	8.6	144	1	2	4	10	21	30	75
TOTAL 0-19 YRS	458	3.4	28	<1	1	2	4	6	8	24
20-34	312	3.0	4	1	1	2	4	5	7	11
35-49	187	5.0	53	1	1	3	5	10	17	43
50-54	285	7.4	121	1	2	3	9	18	26	68
65+	221	11.3	186	1	2	7	15	27	37	80
GRAND TOTAL	**1463**	**5.5**	**77**	**1**	**1**	**3**	**5**	**12**	**19**	**49**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	3.9	10	1	1	2	7	9	9	9
20-34	6	3.0	2	2	2	3	3	6	6	6
35-49	11	3.8	5	1	1	3	6	7	7	7
50-64	11	5.2	12	1	1	5	8	10	12	12
65+	10	3.7	6	2	2	3	6	7	8	8
2. MULTIPLE DX										
0-19 YRS	6	3.0	9	<1	<1	2	3	8	9	9
20-34	6	2.3	1	1	1	2	3	4	4	4
35-49	6	6.3	13	3	3	5	7	12	13	13
50-64	24	12.0	156	1	2	6	17	33	40	43
65+	22	8.5	65	2	3	5	11	19	27	36
TOT. SINGLE DX	45	4.0	7	1	2	3	6	8	9	12
" MULTIPLE DX	64	8.5	92	1	2	5	10	21	33	42
TOTAL 0-19 YRS	13	3.5	9	<1	1	2	4	9	9	9
20-34	12	2.7	2	1	1	2	3	5	6	6
35-49	17	4.7	8	1	2	5	6	7	11	13
50-64	35	9.9	119	1	2	6	11	29	37	43
65+	32	7.0	51	2	2	4	8	15	21	36
GRAND TOTAL	**109**	**6.7**	**62**	**1**	**2**	**4**	**7**	**14**	**26**	**41**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	150	1.9	5	<1	<1	2	2	2	4	12
20-34	382	1.9	1	<1	<1	2	2	2	3	7
35-49	635	2.1	7	<1	1	2	2	2	3	8
50-64	929	2.5	15	<1	1	2	2	3	4	21
65+	463	2.6	11	1	1	2	2	3	5	17
2. MULTIPLE DX										
0-19 YRS	38	3.7	54	<1	<1	2	3	6	20	38
20-34	91	3.0	8	<1	1	2	3	5	10	15
35-49	242	3.8	20	1	1	2	3	9	14	28
50-64	518	5.2	71	1	2	2	4	12	18	54
65+	355	7.6	143	2	2	2	8	19	33	76
TOT. SINGLE DX	2559	2.3	10	<1	1	2	2	3	4	13
" MULTIPLE DX	1244	5.4	79	1	2	2	5	13	20	54
TOTAL 0-19 YRS	188	2.3	15	<1	<1	2	2	3	6	27
20-34	473	2.1	3	<1	1	2	2	3	4	11
35-49	877	2.6	11	<1	1	2	2	3	7	19
50-64	1447	3.5	37	1	1	2	2	6	11	29
65+	818	4.8	74	1	2	2	3	11	18	50
GRAND TOTAL	**3803**	**3.3**	**34**	**<1**	**1**	**2**	**2**	**5**	**11**	**32**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	8.1	126	<1	<1	2	10	29	33	34
20-34	23	3.4	12	<1	1	2	3	9	12	13
35-49	35	5.3	41	1	2	2	4	18	20	22
50-64	76	10.9	135	1	2	9	17	25	28	60
65+	44	12.5	116	1	2	11	16	27	32	51
2. MULTIPLE DX										
0-19 YRS	7	4.9	16	1	1	3	7	11	12	12
20-34	11	9.5	208	1	1	3	11	28	49	51
35-49	24	10.3	86	1	2	7	17	30	49	99+
50-64	58	20.5	406	2	2	15	24	55	78	99
65+	61	17.8	294	2	3	13	27	54	70	99+
TOT. SINGLE DX	192	9.1	107	1	1	3	14	22	28	53
" MULTIPLE DX	161	16.5	302	2	2	12	23	46	72	99+
TOTAL 0-19 YRS	21	7.0	89	<1	<1	2	10	23	31	34
20-34	34	5.4	79	1	1	2	7	11	13	51
35-49	59	7.4	64	1	2	3	13	20	27	93
50-64	134	15.0	273	2	2	12	19	33	58	89
65+	105	15.6	225	2	2	12	24	33	58	99+
GRAND TOTAL	**353**	**12.5**	**209**	**1**	**2**	**9**	**17**	**30**	**50**	**99**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	41.0		41	41	41	41	41	41	41
35-49	12	20.2	84	10	11	18	27	34	37	38
50-64	67	20.5	136	10	10	17	22	45	53	92
65+	40	20.1	72	10	11	18	27	36	64	99+
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	23	23.2	216	9	10	21	31	49	80	99+
50-64	128	28.0	260	12	14	23	34	56	74	99+
65+	95	27.1	223	12	12	23	34	49	60	96
TOT. SINGLE DX	120	20.5	111	10	11	17	24	40	52	99+
" MULTIPLE DX	246	27.2	241	11	12	23	34	52	69	99+
TOTAL 0-19 YRS										
20-34	1	41.0		41	41	41	41	41	41	41
35-49	35	22.2	169	10	10	20	31	38	64	99+
50-64	195	25.4	229	11	12	21	32	52	68	99+
65+	135	25.0	188	11	12	21	32	45	59	99+
GRAND TOTAL	**366**	**25.0**	**208**	**10**	**12**	**21**	**32**	**48**	**66**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	42.5	1201	18	18	42	67	67	67	67
35-49	2	19.0	578	2	2	19	36	36	36	36
50-64	3	6.7	16	2	2	9	9	9	9	9
65+	6	25.0	306	7	7	24	38	47	48	48
2. MULTIPLE DX										
0-19 YRS	5	37.2	927	1	8	69	99+	99+	99+	99+
20-34	5	38.0	232	26	26	29	53	57	57	57
35-49	3	28.3	310	14	14	35	74	99+	99+	99+
50-64	30	29.3	569	4	5	23	50	78	98	99+
65+	25	30.2	412	10	14	31	80	99+	99+	99+
TOT. SINGLE DX	14	21.4	401	2	2	12	36	50	63	67
" MULTIPLE DX	68	30.8	481	4	9	29	67	99+	99+	99+
TOTAL 0-19 YRS	6	32.0	904	1	3	69	99+	99+	99+	99+
20-34	7	39.3	359	18	20	29	56	65	67	67
35-49	5	24.6	326	2	3	29	48	95	99+	99+
50-64	33	27.3	561	4	4	22	42	75	96	99+
65+	31	29.2	385	7	10	31	61	99+	99+	99+
GRAND TOTAL	**82**	**29.2**	**475**	**4**	**7**	**28**	**59**	**99+**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	11.5	274	2	3	7	11	31	77	99+
20-34	30	5.1	16	<1	1	3	8	11	13	15
35-49	25	8.2	65	1	2	4	14	17	27	29
50-64	54	14.1	246	2	2	7	23	39	49	61
65+	46	14.0	274	2	2	9	21	49	62	99+
2. MULTIPLE DX										
0-19 YRS	73	17.2	357	1	2	10	24	60	96	99+
20-34	69	28.1	619	2	5	23	53	99	99+	99+
35-49	65	24.5	386	2	2	26	46	81	99+	99+
50-64	190	33.5	578	2	4	32	53	92	99+	99+
65+	239	35.3	592	3	5	36	58	85	99+	99+
TOT. SINGLE DX	198	11.4	208	1	2	6	14	30	49	91
" MULTIPLE DX	636	30.8	576	2	4	30	52	89	99+	99+
TOTAL 0-19 YRS	116	15.1	331	1	2	9	18	54	87	99+
20-34	99	21.1	546	2	2	13	41	89	99+	99+
35-49	90	20.0	349	2	2	16	37	64	99+	99+
50-64	244	29.2	569	2	2	28	47	84	99+	99+
65+	285	31.9	601	2	3	31	55	82	99+	99+
GRAND TOTAL	**834**	**26.2**	**556**	**2**	**2**	**23**	**46**	**79**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	4.8	11	2	2	4	7	8	12	13
20-34	100	5.8	27	1	1	4	9	13	16	22
35-49	169	7.0	49	<1	1	5	9	16	23	37
50-64	433	8.5	55	1	1	6	12	18	24	34
65+	422	10.2	107	1	2	8	14	22	28	56
2. MULTIPLE DX										
0-19 YRS	23	9.9	39	1	1	10	15	18	20	21
20-34	123	11.5	123	2	2	9	14	22	33	69
35-49	386	12.3	102	2	3	10	17	25	30	51
50-64	1296	14.5	148	2	3	11	18	29	38	65
65+	1821	16.5	170	3	4	13	21	32	43	71
TOT. SINGLE DX	1140	8.6	72	1	1	6	12	19	24	43
" MULTIPLE DX	3649	15.1	155	2	3	12	20	30	39	66
TOTAL 0-19 YRS	39	7.8	34	1	2	7	13	16	19	21
20-34	223	8.9	88	1	2	7	12	18	23	49
35-49	555	10.7	91	1	2	8	15	23	28	45
50-64	1729	13.0	131	2	2	10	17	26	35	62
65+	2243	15.3	164	2	3	12	20	30	42	66
GRAND TOTAL	**4789**	**13.6**	**143**	**2**	**2**	**10**	**18**	**28**	**37**	**62**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	3.3	6	1	1	3	5	6	6	6
20-34										
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+	2	8.0	18	5	5	8	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34										
35-49	2	16.5	5	15	15	16	18	18	18	18
50-64	2	10.5	1	10	10	10	11	11	11	11
65+	2	22.5	41	18	18	22	27	27	27	27
TOT. SINGLE DX	6	6.3	19	1	1	5	11	12	12	12
" MULTIPLE DX	8	13.6	58	2	4	13	18	24	27	27
TOTAL 0-19 YRS	5	4.0	9	1	1	3	6	8	8	8
20-34										
35-49	2	16.5	5	15	15	16	18	18	18	18
50-64	3	11.0	1	10	10	11	12	12	12	12
65+	4	15.3	90	5	5	14	22	27	27	27
GRAND TOTAL	**14**	**10.5**	**53**	**1**	**2**	**10**	**15**	**19**	**25**	**27**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	12.5	127	2	5	10	13	18	38	60
20-34	89	12.2	56	4	5	10	14	23	30	37
35-49	117	12.8	131	2	4	10	14	20	34	68
50-64	274	14.4	73	3	5	13	18	25	30	42
65+	229	15.0	118	1	2	13	20	27	34	48
2. MULTIPLE DX										
0-19 YRS	21	14.6	108	2	3	13	21	33	69	99+
20-34	114	16.0	152	3	6	12	19	33	46	83
35-49	209	18.1	162	3	6	16	23	32	36	77
50-64	623	18.6	167	3	5	16	24	33	45	73
65+	723	21.1	221	3	6	18	27	38	49	82
TOT. SINGLE DX	737	14.0	97	2	4	12	18	25	32	46
" MULTIPLE DX	1690	19.4	190	3	6	17	25	36	46	81
TOTAL 0-19 YRS	49	13.4	118	2	4	11	16	25	48	99+
20-34	203	14.4	113	3	6	11	17	29	37	65
35-49	326	16.2	157	3	5	13	19	30	37	76
50-64	897	17.3	142	3	5	15	23	31	40	69
65+	952	19.6	203	3	5	17	26	36	45	80
GRAND TOTAL	**2427**	**17.7**	**168**	**3**	**5**	**15**	**23**	**33**	**42**	**74**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	15.9	207	7	7	11	14	41	48	48
20-34	9	11.2	16	7	7	10	13	18	18	18
35-49	55	16.2	58	9	10	15	18	22	35	45
50-64	158	18.4	91	9	9	16	23	30	34	52
65+	94	21.2	100	10	11	19	27	33	37	63
2. MULTIPLE DX										
0-19 YRS	7	24.3	95	14	15	23	35	83	99+	99+
20-34	17	15.4	57	7	8	14	17	26	33	36
35-49	76	19.4	125	8	9	18	24	30	42	64
50-64	321	22.1	142	10	11	19	25	36	48	71
65+	311	26.0	193	11	13	23	31	43	58	81
TOT. SINGLE DX	323	18.6	92	9	10	16	22	31	35	49
" MULTIPLE DX	732	23.4	166	10	11	20	28	40	49	75
TOTAL 0-19 YRS	14	20.1	159	7	8	17	26	48	87	99+
20-34	26	14.0	46	7	8	12	16	23	29	36
35-49	131	18.0	99	9	9	16	21	29	38	63
50-64	479	20.9	128	9	10	18	24	34	44	69
65+	405	24.9	176	11	12	22	31	41	49	76
GRAND TOTAL	**1055**	**21.9**	**148**	**9**	**11**	**19**	**27**	**36**	**47**	**73**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	123	4.6	28	<1	1	3	6	10	15	26
20-34	175	6.4	48	1	1	4	9	15	20	33
35-49	294	6.9	52	<1	1	4	10	16	23	35
50-64	510	7.3	54	1	1	5	10	17	21	37
65+	416	10.1	105	1	2	7	13	23	28	49
2. MULTIPLE DX										
0-19 YRS	113	12.3	150	1	2	10	15	26	39	82
20-34	241	11.2	121	2	2	8	14	23	35	86
35-49	529	12.0	112	2	2	9	16	25	35	63
50-64	1358	13.3	133	2	3	10	18	28	34	63
65+	1757	16.8	194	3	4	13	22	34	48	88
TOT. SINGLE DX	1518	7.7	67	1	1	5	10	17	24	40
" MULTIPLE DX	3998	14.5	161	2	3	11	19	30	40	76
TOTAL 0-19 YRS	236	8.3	101	1	1	4	11	21	28	66
20-34	416	9.2	96	1	2	7	12	21	26	59
35-49	823	10.2	96	1	2	8	14	23	29	49
50-64	1868	11.7	119	1	2	9	16	25	32	58
65+	2173	15.5	184	2	3	12	21	32	44	85
GRAND TOTAL	**5516**	**12.6**	**145**	**1**	**2**	**10**	**17**	**27**	**36**	**69**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	8.1	128	2	3	5	7	14	23	63
20-34	58	7.3	23	2	3	6	9	11	18	26
35-49	20	6.3	23	1	1	5	9	14	15	16
50-64	11	9.9	50	2	3	6	17	20	20	20
65+	19	13.6	172	1	1	8	23	37	40	41
2. MULTIPLE DX										
0-19 YRS	42	11.3	132	1	2	8	16	29	43	99+
20-34	50	10.8	59	4	4	9	13	20	22	47
35-49	26	13.5	73	3	4	10	22	23	27	37
50-64	66	18.4	331	4	5	11	21	45	59	94
65+	79	18.2	188	3	4	16	25	36	47	65
TOT. SINGLE DX	137	8.4	71	1	2	6	9	19	24	44
" MULTIPLE DX	263	15.3	189	3	4	10	20	31	46	67
TOTAL 0-19 YRS	71	10.0	131	1	2	6	10	25	36	92
20-34	108	8.9	42	3	4	7	10	19	21	35
35-49	46	10.3	64	1	2	8	15	23	23	37
50-64	77	17.2	299	3	5	10	20	36	56	90
65+	98	17.3	187	2	3	14	24	36	43	65
GRAND TOTAL	**400**	**12.9**	**159**	**2**	**3**	**9**	**17**	**27**	**38**	**65**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	152	6.3	17	2	3	5	8	11	15	20
20-34	432	6.9	22	2	3	6	8	12	14	25
35-49	162	9.7	76	2	3	7	13	19	27	44
50-64	123	12.7	115	3	4	10	15	23	34	61
65+	95	13.4	131	3	5	10	16	26	37	65
2. MULTIPLE DX										
0-19 YRS	205	15.3	225	3	4	10	18	38	53	99+
20-34	343	11.5	91	4	4	9	14	22	35	99+
35-49	272	15.2	160	3	5	11	19	33	43	69
50-64	542	18.0	202	4	5	14	23	37	47	98
65+	619	19.7	214	5	6	16	26	38	50	82
TOT. SINGLE DX	964	8.6	59	2	3	6	10	16	21	42
" MULTIPLE DX	1981	16.7	191	4	5	13	22	36	46	93
TOTAL 0-19 YRS	357	11.4	156	2	3	7	13	27	41	92
20-34	775	8.9	58	3	3	7	11	16	22	55
35-49	434	13.2	135	3	4	9	17	28	38	61
50-64	665	17.0	190	4	5	13	22	34	45	94
65+	714	18.9	207	5	6	15	25	38	49	78
GRAND TOTAL	**2945**	**14.1**	**162**	**3**	**4**	**10**	**18**	**30**	**41**	**74**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	6.8	22	<1	1	6	9	13	16	22
20-34	158	7.3	36	1	2	6	11	16	20	31
35-49	196	8.0	55	<1	1	6	11	19	22	34
50-64	240	10.6	91	<1	1	9	15	22	30	43
65+	166	11.4	104	1	2	9	16	24	30	50
2. MULTIPLE DX										
0-19 YRS	64	13.3	118	3	4	11	16	24	34	68
20-34	151	12.5	151	2	2	10	16	23	31	96
35-49	225	13.9	151	2	2	11	17	28	37	76
50-64	602	15.8	176	2	3	13	21	32	40	72
65+	725	17.9	175	3	5	15	23	34	45	75
TOT. SINGLE DX	895	9.0	68	<1	2	7	13	19	25	39
" MULTIPLE DX	1767	16.0	171	2	4	13	21	31	41	74
TOTAL 0-19 YRS	199	8.9	61	<1	2	7	11	17	21	35
20-34	309	9.9	99	1	2	8	14	20	25	78
35-49	421	11.2	115	1	2	9	15	24	31	57
50-64	842	14.3	157	1	2	11	19	29	38	69
65+	891	16.7	168	3	4	14	22	32	42	70
GRAND TOTAL	**2662**	**13.7**	**147**	**2**	**2**	**11**	**18**	**28**	**38**	**69**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	9.6	21	2	4	9	11	13	20	24
20-34	38	13.4	27	6	8	13	16	19	22	32
35-49	66	17.2	131	7	9	15	19	27	31	72
50-64	122	17.6	72	10	11	15	20	27	33	55
65+	62	19.1	83	9	11	18	23	33	40	94
2. MULTIPLE DX										
0-19 YRS	41	15.8	132	7	8	12	18	32	43	56
20-34	45	22.3	388	6	9	17	24	60	87	99+
35-49	122	20.0	134	10	11	16	25	31	44	65
50-64	385	23.4	172	10	11	20	29	41	51	84
65+	225	25.4	251	10	11	22	32	48	68	99+
TOT. SINGLE DX	337	16.2	82	7	8	14	19	26	32	58
" MULTIPLE DX	818	23.0	202	9	11	19	29	42	55	97
TOTAL 0-19 YRS	90	12.4	80	2	7	10	13	22	31	54
20-34	83	18.3	240	7	9	15	19	32	63	99
35-49	188	19.0	134	9	10	16	23	30	41	71
50-64	507	22.0	154	10	11	19	26	38	50	76
65+	287	24.1	221	10	11	20	30	45	65	99+
GRAND TOTAL	**1155**	**21.0**	**177**	**8**	**10**	**17**	**26**	**38**	**50**	**87**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	9	12.4	30	3	5	12	15	21	23	23
35-49	166	14.4	18	9	10	14	16	19	23	30
50-64	399	16.1	35	10	10	15	18	24	27	36
65+	67	18.2	57	10	10	17	22	26	37	91
2. MULTIPLE DX										
0-19 YRS	3	21.0	223	10	10	15	32	38	38	38
20-34	23	13.5	37	8	9	13	14	20	26	37
35-49	420	15.7	72	9	10	13	17	26	33	45
50-64	1283	17.4	90	9	10	14	20	29	38	60
65+	407	21.2	130	10	10	19	26	36	46	66
TOT. SINGLE DX	642	15.8	34	10	10	14	18	23	26	37
" MULTIPLE DX	2136	17.7	97	9	10	15	21	30	38	61
TOTAL 0-19 YRS	4	18.0	185	9	9	12	26	38	38	38
20-34	32	13.2	34	8	8	12	14	20	23	37
35-49	586	15.3	57	9	10	13	17	24	29	42
50-64	1682	17.1	77	9	10	15	19	27	34	53
65+	474	20.8	121	10	10	18	25	35	45	67
GRAND TOTAL	**2778**	**17.3**	**83**	**9**	**10**	**14**	**20**	**28**	**35**	**55**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	378	2.7	12	1	2	2	2	3	6	22
20-34	186	3.5	11	2	2	2	3	7	10	20
35-49	923	3.4	13	2	2	2	3	7	10	18
50-64	1509	3.7	17	2	2	2	3	8	12	22
65+	312	4.7	34	2	2	2	5	11	15	31
2. MULTIPLE DX										
0-19 YRS	453	4.5	60	1	2	2	3	10	14	48
20-34	269	5.1	37	2	2	2	5	12	17	35
35-49	1706	5.1	41	2	2	2	5	12	16	29
50-64	3802	5.8	46	2	2	3	7	14	20	34
65+	1230	8.6	97	2	2	4	12	20	29	45
TOT. SINGLE DX	3308	3.6	17	2	2	2	3	7	11	21
" MULTIPLE DX	7460	6.0	55	2	2	3	7	14	20	37
TOTAL 0-19 YRS	831	3.7	39	1	2	2	2	7	12	39
20-34	455	4.5	27	2	2	2	4	10	15	30
35-49	2629	4.5	32	2	2	2	4	10	15	26
50-64	5311	5.2	39	2	2	2	6	13	18	31
65+	1542	7.8	87	2	2	3	11	19	27	45
GRAND TOTAL	**10768**	**5.2**	**45**	**2**	**2**	**2**	**5**	**13**	**18**	**34**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	7.4	33	3	3	5	9	17	21	21
20-34	28	7.0	21	1	2	6	9	13	16	19
35-49	61	10.6	56	2	3	8	16	20	22	36
50-64	306	7.6	48	2	2	5	10	17	21	31
65+	1335	7.0	42	2	2	5	9	14	19	34
2. MULTIPLE DX										
0-19 YRS	25	13.8	99	4	5	12	17	21	30	55
20-34	45	11.6	92	2	2	9	15	22	30	49
35-49	177	15.0	102	3	4	14	20	29	34	45
50-64	1233	15.1	111	3	4	14	20	27	33	59
65+	6023	15.2	136	3	4	13	20	30	38	60
TOT. SINGLE DX	1740	7.2	44	2	2	5	9	15	20	34
" MULTIPLE DX	7503	15.2	131	3	4	13	20	29	37	60
TOTAL 0-19 YRS	35	12.0	87	3	4	11	15	21	22	55
20-34	73	9.8	69	2	2	8	13	19	25	47
35-49	238	13.9	94	2	3	13	19	26	33	44
50-64	1539	13.6	107	2	3	11	19	26	32	56
65+	7358	13.7	129	2	3	11	18	28	36	59
GRAND TOTAL	**9243**	**13.7**	**124**	**2**	**3**	**11**	**18**	**27**	**36**	**58**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
GLE DX										
0-19 YRS	10	9.6	48	<1	<1	10	12	19	25	25
20-34	7	9.9	48	2	3	8	11	22	24	24
35-49	23	13.4	82	2	3	12	16	24	32	39
50-64	21	9.6	64	1	2	8	13	19	28	33
65+	19	12.5	150	1	2	7	16	36	41	41
2. MULTIPLE DX										
0-19 YRS	11	14.5	111	1	2	13	19	32	36	36
20-34	31	17.5	179	5	6	13	21	36	50	59
35-49	66	20.2	182	5	8	17	23	45	54	96
50-64	94	18.3	112	2	6	17	24	32	35	56
65+	82	23.0	192	5	9	21	32	42	54	90
TOT. SINGLE DX	80	11.4	85	1	2	10	14	24	31	41
" MULTIPLE DX	284	19.9	162	4	7	17	25	37	46	73
TOTAL 0-19 YRS	21	12.1	83	<1	1	12	14	27	32	36
20-34	38	16.1	162	3	5	13	20	35	45	59
35-49	89	18.5	164	3	5	16	23	37	49	90
50-64	115	16.7	114	2	3	14	23	31	33	52
65+	101	21.0	200	3	5	18	30	41	50	84
GRAND TOTAL	**364**	**18.0**	**157**	**3**	**4**	**15**	**23**	**35**	**45**	**70**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	2.4	8	<1	<1	1	2	5	9	17
20-34	124	2.8	11	<1	1	2	2	6	9	21
35-49	203	2.8	10	<1	1	2	2	4	8	19
50-64	346	3.8	39	1	1	2	3	8	17	43
65+	233	5.5	59	1	2	2	5	14	24	43
2. MULTIPLE DX										
0-19 YRS	77	8.3	138	<1	1	5	9	18	35	63
20-34	71	9.1	90	1	2	5	14	18	28	44
35-49	172	11.2	173	2	2	5	16	26	41	96
50-64	375	12.4	181	1	2	8	18	29	40	63
65+	455	18.4	272	2	2	15	26	39	56	83
TOT. SINGLE DX	1002	3.7	33	<1	1	2	3	8	15	34
" MULTIPLE DX	1150	14.1	220	1	2	10	20	32	43	79
TOTAL 0-19 YRS	173	5.1	74	<1	<1	2	5	12	18	54
20-34	195	5.1	48	<1	1	2	5	14	18	40
35-49	375	6.6	103	<1	1	2	7	20	26	72
50-64	721	8.3	131	1	2	3	11	22	32	59
65+	688	14.0	237	1	2	9	20	34	44	82
GRAND TOTAL	**2152**	**9.3**	**160**	**1**	**1**	**3**	**13**	**25**	**35**	**66**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	4.1	6	1	2	4	5	6	8	16
20-34	807	4.6	7	2	3	4	5	7	8	15
35-49	1208	5.1	9	2	3	4	6	8	10	17
50-64	1008	5.9	22	2	3	5	7	10	13	24
65+	228	7.6	44	3	3	5	8	15	21	39
2. MULTIPLE DX										
0-19 YRS	8	7.5	49	2	2	5	8	19	24	24
20-34	155	5.9	12	2	3	5	7	10	12	19
35-49	395	7.6	40	3	3	6	9	14	17	35
50-64	538	9.4	65	3	4	7	11	18	26	42
65+	272	14.1	139	3	4	10	18	28	39	64
TOT. SINGLE DX	3297	5.4	16	2	3	4	6	8	12	21
" MULTIPLE DX	1368	9.4	73	3	3	6	11	19	26	46
TOTAL 0-19 YRS	54	4.6	13	2	2	4	5	7	9	24
20-34	962	4.9	8	2	3	4	6	8	9	17
35-49	1603	5.7	18	2	3	5	6	9	13	22
50-64	1546	7.1	39	3	3	5	8	13	19	33
65+	500	11.1	106	3	3	7	14	23	30	59
GRAND TOTAL	**4665**	**6.6**	**36**	**2**	**3**	**5**	**7**	**12**	**17**	**33**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	11.4	156	3	4	7	12	29	45	47
20-34	43	7.8	43	2	2	5	13	17	18	29
35-49	138	11.8	60	2	3	11	15	20	25	41
50-64	481	14.6	78	4	7	13	16	24	32	65
65+	378	16.0	85	4	6	14	19	27	33	47
2. MULTIPLE DX										
0-19 YRS	37	15.8	264	2	3	11	19	33	59	70
20-34	91	15.0	173	2	3	12	23	31	38	93
35-49	372	16.2	160	2	3	13	21	31	42	71
50-64	1534	19.8	195	5	8	16	24	37	50	89
65+	1734	23.7	237	8	10	19	30	46	62	99+
TOT. SINGLE DX	1051	14.4	81	3	5	13	17	25	32	48
" MULTIPLE DX	3768	21.1	218	5	8	17	26	40	54	98
TOTAL 0-19 YRS	48	14.8	239	2	3	9	17	32	57	70
20-34	134	12.7	142	2	2	10	17	29	33	86
35-49	510	15.0	137	2	3	13	19	29	38	70
50-64	2015	18.6	172	5	8	15	22	34	46	84
65+	2112	22.3	218	7	9	18	28	43	58	99+
GRAND TOTAL	**4819**	**19.6**	**196**	**4**	**7**	**16**	**24**	**37**	**50**	**93**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	10.2	3	9	9	9	12	13	13	13
20-34	1	20.0		20	20	20	20	20	20	20
35-49	6	12.3	9	9	9	12	13	17	18	18
50-64	11	18.1	209	8	9	13	17	38	58	60
65+	2	17.0	32	13	13	17	21	21	21	21
2. MULTIPLE DX										
0-19 YRS	6	10.2	4	9	9	10	10	14	14	14
20-34										
35-49	6	27.0	74	19	19	25	31	40	41	41
50-64	15	16.6	32	10	11	15	20	26	29	30
65+	4	36.0	358	11	11	38	48	57	57	57
TOT. SINGLE DX	26	14.9	100	8	9	13	15	21	30	60
" MULTIPLE DX	31	19.9	133	9	10	16	25	38	41	57
TOTAL 0-19 YRS	12	10.2	3	9	9	9	11	13	14	14
20-34	1	20.0		20	20	20	20	20	20	20
35-49	12	19.7	97	9	10	18	25	34	40	41
50-64	26	17.2	103	9	10	14	19	26	36	60
65+	6	29.7	317	11	11	29	38	55	57	57
GRAND TOTAL	**57**	**17.6**	**122**	**9**	**9**	**13**	**20**	**31**	**40**	**60**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	8.0	40	1	1	6	14	16	16	16
20-34	20	5.1	20	1	1	4	7	15	56	99+
35-49	30	5.0	18	<1	1	4	6	12	14	17
50-64	28	6.2	33	1	1	4	9	14	16	26
65+	19	7.1	30	<1	1	5	9	15	18	21
2. MULTIPLE DX										
0-19 YRS	73	6.1	77	<1	<1	3	6	18	30	42
20-34	223	6.9	66	<1	<1	4	9	17	22	43
35-49	364	8.6	97	<1	1	5	11	18	26	48
50-64	637	8.7	91	<1	1	6	10	19	27	54
65+	474	10.8	119	2	2	8	13	24	31	67
TOT. SINGLE DX	102	5.9	26	1	1	4	8	14	16	61
" MULTIPLE DX	1771	8.9	98	<1	1	6	11	20	27	55
TOTAL 0-19 YRS	78	6.2	75	<1	<1	3	6	17	28	42
20-34	243	6.7	62	<1	<1	4	8	17	22	59
35-49	394	8.3	92	<1	1	5	10	18	25	46
50-64	665	8.6	88	<1	1	6	10	19	26	53
65+	493	10.7	116	2	2	8	13	23	30	66
GRAND TOTAL	**1873**	**8.8**	**94**	**<1**	**1**	**6**	**11**	**20**	**27**	**55**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	201	7.0	31	1	2	6	9	14	17	35
20-34	221	7.3	58	1	1	5	10	17	23	46
35-49	303	10.2	126	1	2	7	13	22	32	64
50-64	823	11.1	84	<1	2	10	14	20	26	46
65+	840	12.9	68	2	5	12	16	22	28	39
2. MULTIPLE DX										
0-19 YRS	809	16.2	270	1	3	10	23	43	58	99+
20-34	409	12.5	189	1	2	9	18	29	41	94
35-49	689	14.5	202	1	2	10	20	33	50	99+
50-64	2476	16.4	170	3	4	13	21	33	44	93
65+	3773	19.6	221	4	6	15	24	40	54	99
TOT. SINGLE DX	2388	10.9	81	1	2	9	14	21	26	44
" MULTIPLE DX	8156	17.5	211	2	4	14	22	37	51	99+
TOTAL 0-19 YRS	1010	14.3	236	1	2	9	18	38	52	99+
20-34	630	10.7	149	1	2	6	15	26	36	89
35-49	992	13.2	183	1	2	9	18	30	42	99
50-64	3299	15.1	154	2	4	12	19	30	41	83
65+	4613	18.3	199	4	6	14	22	37	50	92
GRAND TOTAL	**10544**	**16.0**	**189**	**2**	**3**	**13**	**20**	**33**	**46**	**91**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	467	3.8	34	<1	<1	2	4	8	12	28
20-34	589	4.9	28	<1	1	3	6	12	15	25
35-49	348	5.3	31	<1	1	3	6	12	18	25
50-64	433	7.6	60	1	2	5	11	17	22	35
65+	334	8.8	63	1	2	7	12	18	21	45
2. MULTIPLE DX										
0-19 YRS	139	6.4	51	1	1	4	8	14	18	41
20-34	317	9.0	74	1	2	6	12	19	26	46
35-49	357	10.6	136	1	2	7	14	23	31	95
50-64	837	12.2	130	2	2	9	16	25	33	61
65+	921	15.3	148	2	3	12	21	31	40	61
TOT. SINGLE DX	2171	5.9	45	<1	1	3	8	14	18	32
" MULTIPLE DX	2571	12.4	133	2	2	9	17	26	35	60
TOTAL 0-19 YRS	606	4.4	39	<1	1	2	5	10	13	32
20-34	906	6.4	48	<1	1	4	8	14	19	36
35-49	705	7.9	91	1	2	4	10	19	25	57
50-64	1270	10.7	111	2	2	8	14	23	30	54
65+	1255	13.5	133	2	3	10	18	28	37	59
GRAND TOTAL	**4742**	**9.4**	**103**	**1**	**2**	**6**	**13**	**22**	**28**	**51**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	4.5	21	<1	1	3	6	9	14	22
20-34	45	5.7	16	<1	1	5	8	10	14	16
35-49	49	9.0	76	2	2	6	11	20	28	46
50-64	98	11.0	134	2	3	8	14	20	25	78
65+	77	11.1	35	3	5	10	14	19	23	81
2. MULTIPLE DX										
0-19 YRS	15	7.5	21	2	2	7	10	15	15	15
20-34	57	10.5	28	3	4	9	13	17	22	24
35-49	74	11.8	116	3	4	9	14	25	49	99+
50-64	218	14.3	121	4	5	10	19	30	39	59
65+	238	15.3	119	4	5	12	21	32	40	61
TOT. SINGLE DX	294	9.3	76	1	2	8	12	17	23	62
" MULTIPLE DX	602	13.8	111	4	4	11	18	28	38	65
TOTAL 0-19 YRS	40	5.6	23	1	1	4	8	12	15	22
20-34	102	8.4	28	1	2	8	11	16	17	24
35-49	123	10.7	101	2	3	9	13	24	34	99+
50-64	316	13.3	127	3	4	10	17	26	35	66
65+	315	14.3	102	4	5	11	19	29	37	71
GRAND TOTAL	**896**	**12.4**	**104**	**2**	**3**	**10**	**16**	**25**	**34**	**65**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	9.3	6	7	7	9	11	12	12	12
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	39.0	648	21	21	39	57	57	57	57
50-64	2	24.5	61	19	19	24	30	30	30	30
65+										
TOT. SINGLE DX	3	9.3	6	7	7	9	11	12	12	12
" MULTIPLE DX	5	26.0	395	3	3	21	37	57	57	57
TOTAL 0-19 YRS	3	9.3	6	7	7	9	11	12	12	12
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	39.0	648	21	21	39	57	57	57	57
50-64	2	24.5	61	19	19	24	30	30	30	30
65+										
GRAND TOTAL	**8**	**19.8**	**302**	**3**	**4**	**15**	**25**	**49**	**57**	**57**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX	2	4.0	2	3	3	4	5	5	5	5
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49										
50-64										
65+										
GRAND TOTAL	**2**	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**5**	**5**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	323	8.8	69	1	3	7	9	16	25	42
20-34	321	10.2	53	2	3	8	12	21	26	36
35-49	217	10.5	85	2	3	8	12	21	28	57
50-64	364	11.7	124	1	2	9	14	27	35	60
65+	455	12.9	120	2	3	10	16	26	36	54
2. MULTIPLE DX										
0-19 YRS	404	13.4	149	2	3	10	16	29	41	80
20-34	547	14.7	137	3	5	11	18	31	38	74
35-49	684	16.4	212	3	5	12	20	35	45	84
50-64	1729	16.7	186	3	5	13	21	33	44	79
65+	3938	18.0	182	4	6	14	23	35	48	91
TOT. SINGLE DX	1680	11.0	96	2	3	8	13	22	30	53
" MULTIPLE DX	7302	17.0	182	4	5	13	22	34	45	85
TOTAL 0-19 YRS	727	11.4	118	2	3	8	13	24	33	59
20-34	868	13.0	111	3	4	10	16	27	35	58
35-49	901	15.0	188	3	4	11	18	32	41	78
50-64	2093	15.9	179	3	4	12	20	33	43	75
65+	4393	17.5	178	4	6	14	22	34	46	88
GRAND TOTAL	**8982**	**15.9**	**172**	**3**	**5**	**12**	**20**	**33**	**43**	**79**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	8.8	101	1	1	5	10	22	35	41
20-34	10	16.3	308	3	4	8	23	42	61	61
35-49	9	11.1	185	2	2	9	11	32	46	46
50-64	14	20.1	276	2	4	13	30	48	50	51
65+	13	13.6	143	2	3	10	19	34	37	38
2. MULTIPLE DX										
0-19 YRS	56	14.0	384	1	2	7	14	54	90	99+
20-34	23	20.6	340	1	2	13	35	52	55	59
35-49	31	16.8	237	2	3	11	23	45	49	56
50-64	72	18.9	283	2	4	13	22	50	56	60
65+	70	23.0	174	7	9	20	27	42	49	69
TOT. SINGLE DX	63	13.8	198	2	2	9	16	39	47	60
" MULTIPLE DX	252	18.8	281	2	3	14	25	47	56	98
TOTAL 0-19 YRS	73	12.8	321	1	2	7	14	41	71	99+
20-34	33	19.3	324	1	2	10	28	52	58	61
35-49	40	15.5	226	2	2	10	21	44	48	56
50-64	86	19.1	279	2	4	13	22	50	54	60
65+	83	21.5	179	4	7	19	27	39	46	68
GRAND TOTAL	**315**	**17.8**	**268**	**2**	**3**	**12**	**24**	**45**	**54**	**84**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	3.1	15	<1	<1	2	3	6	15	92
20-34	57	5.9	67	<1	1	2	9	13	17	51
35-49	89	6.3	40	<1	<1	4	8	13	19	32
50-64	196	8.7	141	1	1	4	10	19	35	69
65+	213	9.4	74	1	2	7	13	21	26	38
2. MULTIPLE DX										
0-19 YRS	49	10.9	250	1	2	4	15	32	59	99+
20-34	126	9.0	73	<1	1	7	12	18	28	70
35-49	226	10.3	101	2	2	8	13	21	27	56
50-64	570	12.8	192	1	2	8	15	32	45	80
65+	991	13.8	181	2	2	10	17	30	45	98
TOT. SINGLE DX	614	7.8	88	<1	1	4	10	18	26	46
" MULTIPLE DX	1962	12.7	171	2	2	9	16	29	42	84
TOTAL 0-19 YRS	108	6.7	136	<1	1	2	7	19	34	99+
20-34	183	8.1	73	<1	1	6	11	17	27	58
35-49	315	9.1	87	1	2	7	12	18	27	47
50-64	766	11.8	182	1	2	8	14	30	41	77
65+	1204	13.0	164	2	2	10	17	28	41	86
GRAND TOTAL	**2576**	**11.5**	**156**	**1**	**2**	**8**	**15**	**26**	**38**	**78**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	302	4.8	5	2	2	4	6	8	8	12
20-34	3	12.7	36	7	7	12	17	19	19	19
35-49										
50-64	5	12.2	15	7	7	11	16	16	16	16
65+	9	20.4	172	8	8	16	29	41	48	48
2. MULTIPLE DX										
0-19 YRS	66	9.1	75	3	4	7	10	13	22	60
20-34	9	17.1	118	2	4	15	23	34	38	38
35-49	13	14.8	86	2	6	14	17	41	87	99+
50-64	16	19.3	280	6	7	16	21	33	63	76
65+	29	20.0	162	7	10	18	25	55	98	99+
TOT. SINGLE DX	319	5.4	17	2	2	5	6	8	11	22
" MULTIPLE DX	133	13.8	142	3	4	11	17	30	43	99+
TOTAL 0-19 YRS	368	5.5	20	2	3	5	7	9	11	20
20-34	12	16.0	97	2	5	14	20	31	37	38
35-49	13	14.8	86	2	6	14	17	41	87	99+
50-64	21	17.6	222	6	7	16	18	27	53	76
65+	38	20.1	160	7	9	17	26	46	84	99+
GRAND TOTAL	**452**	**7.9**	**68**	**2**	**3**	**5**	**8**	**16**	**23**	**69**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	36.8	395	19	19	34	53	59	59	59
20-34	4	16.0	21	12	12	15	19	22	22	22
35-49	3	13.3	6	11	11	13	15	16	16	16
50-64	16	18.8	147	6	8	14	25	41	43	44
65+	24	26.7	374	7	8	21	35	55	71	78
2. MULTIPLE DX										
0-19 YRS	27	28.3	494	4	7	28	51	99+	99+	99+
20-34	16	40.0	1034	5	6	55	73	97	99+	99+
35-49	23	33.6	737	7	8	25	49	79	90	91
50-64	106	25.8	398	5	7	20	38	66	84	99+
65+	307	30.8	427	7	9	28	48	80	99+	99+
TOT. SINGLE DX	51	23.4	278	7	8	18	30	49	59	78
" MULTIPLE DX	479	30.0	462	6	8	26	47	80	99+	99+
TOTAL 0-19 YRS	31	29.4	476	4	8	28	52	99+	99+	99+
20-34	20	35.2	917	5	6	20	72	94	99+	99+
35-49	26	31.3	693	7	8	23	40	75	89	91
50-64	122	24.9	370	5	7	20	37	64	78	99+
65+	331	30.5	423	7	9	28	47	79	99+	99+
GRAND TOTAL	**530**	**29.4**	**448**	**6**	**8**	**25**	**47**	**76**	**99+**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	7.4	16	<1	2	7	10	13	14	14
20-34	75	7.5	38	<1	1	6	10	16	20	32
35-49	137	8.0	97	<1	1	7	9	13	21	44
50-64	269	7.2	29	<1	1	6	10	14	18	24
65+	258	10.4	85	<1	2	8	13	21	29	49
2. MULTIPLE DX										
0-19 YRS	21	9.5	63	3	4	8	10	16	28	40
20-34	186	10.4	92	2	3	9	12	18	24	62
35-49	446	10.2	63	2	3	8	12	19	24	39
50-64	1039	11.3	68	2	4	9	14	21	27	41
65+	1854	15.2	142	4	5	12	18	28	37	72
TOT. SINGLE DX	759	8.5	62	<1	1	7	11	17	22	40
" MULTIPLE DX	3546	13.1	112	3	4	10	16	25	32	61
TOTAL 0-19 YRS	41	8.5	40	1	3	8	10	14	16	40
20-34	261	9.6	78	1	2	8	12	17	22	51
35-49	583	9.7	72	1	3	8	12	18	24	38
50-64	1308	10.4	62	2	3	9	13	20	26	40
65+	2112	14.6	138	3	4	11	18	28	37	66
GRAND TOTAL	**4305**	**12.3**	**106**	**2**	**3**	**10**	**15**	**24**	**31**	**58**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	6.3	5	4	4	6	8	9	9	9
20-34	70	13.0	49	3	5	12	16	21	30	35
35-49	163	15.2	43	8	9	14	18	24	27	41
50-64	197	17.2	81	9	10	15	20	26	33	50
65+	170	19.8	95	10	11	18	23	33	41	99+
2. MULTIPLE DX										
0-19 YRS	6	12.5	28	7	7	12	16	20	20	20
20-34	61	22.2	208	9	11	19	23	39	56	77
35-49	199	19.3	141	9	10	17	21	34	41	99
50-64	440	21.4	142	9	10	18	26	39	50	71
65+	618	25.8	199	11	13	22	31	43	57	92
TOT. SINGLE DX	604	16.9	76	8	9	15	20	27	33	61
" MULTIPLE DX	1324	23.1	177	10	11	19	28	40	51	92
TOTAL 0-19 YRS	10	10.0	27	4	4	8	15	18	20	20
20-34	131	17.3	143	4	7	14	20	30	38	72
35-49	362	17.5	101	9	10	15	20	28	37	70
50-64	637	20.1	126	9	10	17	24	36	46	66
65+	788	24.5	183	11	13	21	29	42	55	94
GRAND TOTAL	**1928**	**21.2**	**154**	**9**	**10**	**18**	**25**	**37**	**47**	**82**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34										
35-49	4	34.3	522	13	13	34	54	55	55	55
50-64	35	22.5	53	13	14	20	27	36	37	39
65+	30	22.3	44	13	14	21	28	31	34	38
2. MULTIPLE DX										
0-19 YRS										
20-34	2	20.0	98	13	13	20	27	27	27	27
35-49	26	29.4	476	10	11	22	31	61	92	94
50-64	68	31.0	310	12	15	27	40	51	79	99
65+	87	31.6	266	14	16	25	41	61	72	99+
TOT. SINGLE DX	70	23.1	75	13	14	21	28	35	38	55
" MULTIPLE DX	183	30.9	308	12	14	25	40	56	80	99+
TOTAL 0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	2	20.0	98	13	13	20	27	27	27	27
35-49	30	30.1	467	10	12	22	32	58	91	94
50-64	103	28.1	237	13	14	25	36	44	61	97
65+	117	29.2	225	13	15	24	35	52	66	99+
GRAND TOTAL	**253**	**28.8**	**255**	**13**	**14**	**24**	**35**	**51**	**66**	**99**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	31	12.7	32	6	7	11	16	21	24	29
35-49	72	13.5	30	8	9	12	16	21	26	30
50-64	63	13.9	34	7	8	12	17	23	26	31
65+	33	17.4	101	10	10	15	20	23	48	53
2. MULTIPLE DX										
0-19 YRS	3	25.0	309	12	12	18	38	45	45	45
20-34	28	16.9	76	7	7	16	20	26	30	49
35-49	58	21.8	272	8	10	17	24	49	68	99
50-64	103	19.6	174	8	10	16	23	33	46	92
65+	111	25.5	170	11	12	23	34	40	48	93
TOT. SINGLE DX	200	14.2	45	7	8	12	17	22	26	41
" MULTIPLE DX	303	22.0	190	9	10	18	28	39	49	94
TOTAL 0-19 YRS	4	21.0	270	9	9	15	31	45	45	45
20-34	59	14.7	56	6	7	12	19	23	28	47
35-49	130	17.2	154	8	9	14	19	29	48	90
50-64	166	17.5	128	8	9	14	21	29	35	85
65+	144	23.7	165	10	11	21	31	39	48	90
GRAND TOTAL	**503**	**18.9**	**147**	**8**	**9**	**15**	**23**	**34**	**42**	**87**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	8.2	65	2	3	6	10	15	30	37
20-34	99	11.4	68	6	7	10	12	16	24	85
35-49	142	10.4	31	5	6	9	12	16	19	35
50-64	123	12.1	58	6	7	10	14	21	27	70
65+	105	16.3	114	7	8	13	19	26	35	73
2. MULTIPLE DX										
0-19 YRS	35	26.0	500	4	5	17	37	60	86	99+
20-34	119	17.3	210	7	8	11	19	30	56	74
35-49	194	17.2	146	7	8	13	21	33	39	92
50-64	309	20.0	194	7	8	16	25	41	49	87
65+	485	24.1	237	8	10	20	31	43	57	93
TOT. SINGLE DX	491	12.2	69	5	6	10	14	20	26	60
" MULTIPLE DX	1142	21.2	223	8	9	17	27	41	53	93
TOTAL 0-19 YRS	57	19.1	404	3	3	10	28	55	73	99
20-34	218	14.6	154	6	8	11	15	26	48	78
35-49	336	14.4	108	6	7	11	17	27	35	80
50-64	432	17.8	168	7	8	14	21	35	46	82
65+	590	22.7	224	8	10	18	28	41	55	91
GRAND TOTAL	**1633**	**18.5**	**194**	**7**	**8**	**14**	**23**	**36**	**48**	**88**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	6.8	44	1	1	6	8	11	15	43
20-34	205	6.6	30	1	1	6	9	12	17	26
35-49	280	6.0	32	<1	1	4	9	14	18	26
50-64	695	4.4	39	<1	1	2	4	12	15	26
65+	778	4.8	54	1	1	2	5	12	17	31
2. MULTIPLE DX										
0-19 YRS	96	10.8	65	3	4	9	14	23	36	99+
20-34	262	9.7	69	1	3	8	12	18	26	42
35-49	422	10.4	99	1	2	8	13	19	29	50
50-64	1186	10.0	87	1	2	8	13	21	29	46
65+	2140	12.9	132	2	2	10	17	27	35	62
TOT. SINGLE DX	2057	5.1	44	<1	1	2	7	12	16	27
" MULTIPLE DX	4106	11.6	112	1	2	9	15	24	32	53
TOTAL 0-19 YRS	195	8.8	58	1	2	7	11	18	25	99+
20-34	467	8.3	54	1	2	7	10	16	21	38
35-49	702	8.6	77	1	1	7	12	17	23	40
50-64	1881	8.0	77	1	1	5	11	18	24	43
65+	2918	10.8	125	1	2	8	15	23	31	56
GRAND TOTAL	**6163**	**9.4**	**99**	**1**	**1**	**7**	**13**	**20**	**28**	**48**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	11.2	16	6	7	10	14	20	60	99+
20-34	24	13.7	80	4	6	11	17	24	32	45
35-49	33	13.3	40	7	7	12	16	20	22	39
50-64	48	18.0	191	8	9	13	21	32	41	79
65+	71	19.6	203	9	10	16	21	28	51	90
2. MULTIPLE DX										
0-19 YRS	41	16.6	188	7	7	12	26	99+	99+	99+
20-34	108	19.9	233	7	8	14	25	38	56	81
35-49	119	22.3	260	8	9	16	30	42	65	99+
50-64	239	23.7	259	9	10	19	28	47	67	99+
65+	436	25.5	263	9	10	20	33	48	62	99+
TOT. SINGLE DX	195	16.6	147	7	8	14	19	26	39	88
" MULTIPLE DX	943	23.6	260	8	10	19	30	47	66	99+
TOTAL 0-19 YRS	60	14.9	139	7	7	11	20	95	99+	99+
20-34	132	18.8	210	7	7	13	23	38	55	81
35-49	152	20.3	225	8	9	16	24	39	58	99
50-64	287	22.7	251	8	9	18	27	44	67	95
65+	507	24.7	259	9	10	20	31	47	58	99
GRAND TOTAL	**1138**	**22.4**	**247**	**8**	**9**	**18**	**28**	**44**	**63**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	16.0	44	7	9	16	20	23	29	36
20-34	124	17.3	129	7	9	13	20	32	41	58
35-49	238	14.4	46	8	9	12	17	22	27	43
50-64	708	15.2	45	8	9	13	17	23	28	43
65+	1015	18.2	94	10	10	16	21	29	36	56
2. MULTIPLE DX										
0-19 YRS	67	19.5	199	6	7	15	24	41	53	95
20-34	222	19.1	164	8	9	16	22	35	47	98
35-49	483	18.9	111	9	10	16	22	32	42	61
50-64	1776	20.8	164	10	10	17	24	37	49	81
65+	4076	24.0	170	11	12	20	29	42	53	87
TOT. SINGLE DX	2119	16.7	76	9	10	14	19	26	33	52
" MULTIPLE DX	6624	22.5	168	10	11	19	27	40	51	85
TOTAL 0-19 YRS	101	18.3	149	6	7	15	22	36	46	86
20-34	346	18.4	152	8	9	15	21	34	46	85
35-49	721	17.4	94	9	10	14	20	29	37	58
50-64	2484	19.2	136	9	10	16	22	33	45	73
65+	5091	22.8	160	10	12	19	27	39	50	82
GRAND TOTAL	**8743**	**21.1**	**152**	**10**	**11**	**18**	**25**	**37**	**48**	**77**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	12.2	19	7	7	11	14	19	19	19
20-34	15	16.3	194	7	7	12	18	26	54	63
35-49	21	15.3	79	7	8	13	22	31	66	99+
50-64	39	15.8	88	5	7	12	21	28	36	46
65+	57	17.8	67	7	9	15	24	29	36	37
2. MULTIPLE DX										
0-19 YRS	18	15.1	92	5	6	13	18	39	76	99+
20-34	37	20.1	326	3	5	14	25	37	63	90
35-49	46	20.3	131	7	9	17	26	34	48	54
50-64	140	24.4	273	8	10	19	29	48	60	76
65+	284	27.8	300	9	11	23	36	53	69	98
TOT. SINGLE DX	137	16.5	86	7	8	14	21	28	36	67
" MULTIPLE DX	525	25.2	282	8	10	20	31	50	63	95
TOTAL 0-19 YRS	23	14.5	76	5	7	13	18	30	62	99+
20-34	52	19.0	286	4	7	14	23	33	62	90
35-49	67	18.7	119	7	8	16	26	34	47	92
50-64	179	22.5	244	7	9	18	28	46	58	75
65+	341	26.1	275	9	11	21	33	50	66	96
GRAND TOTAL	**662**	**23.4**	**254**	**7**	**9**	**19**	**29**	**46**	**61**	**94**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	80	7.6	38	1	2	7	9	13	17	37
20-34	141	11.6	32	4	6	10	14	18	24	32
35-49	140	11.4	39	6	7	10	13	16	20	42
50-64	240	11.0	28	4	6	10	13	17	21	33
65+	313	12.6	56	4	7	11	14	20	26	62
2. MULTIPLE DX										
0-19 YRS	113	14.1	138	4	6	10	15	28	42	65
20-34	169	16.6	198	6	7	12	19	34	51	99+
35-49	216	16.7	149	7	7	13	20	33	43	76
50-64	517	17.3	166	6	7	13	21	33	43	95
65+	893	18.9	155	7	8	15	23	35	45	68
TOT. SINGLE DX	914	11.4	42	4	6	10	13	18	24	41
" MULTIPLE DX	1908	17.7	161	6	7	14	22	34	44	75
TOTAL 0-19 YRS	193	11.4	106	2	3	9	13	21	33	60
20-34	310	14.3	128	5	7	11	16	27	37	95
35-49	356	14.6	112	6	7	11	16	26	36	61
50-64	757	15.3	131	6	7	12	18	29	37	90
65+	1206	17.3	137	6	8	14	21	32	42	67
GRAND TOTAL	**2822**	**15.7**	**132**	**5**	**7**	**12**	**18**	**30**	**39**	**68**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	12.1	88	2	3	9	16	25	35	36
20-34	20	13.8	36	4	5	14	17	23	24	24
35-49	31	17.2	118	5	7	14	21	28	38	58
50-64	71	18.3	126	5	9	16	22	30	42	62
65+	107	23.0	166	10	12	20	28	39	46	94
2. MULTIPLE DX										
0-19 YRS	22	22.2	210	8	9	24	54	99+	99+	99+
20-34	44	23.4	293	9	9	16	30	62	72	99+
35-49	95	22.5	165	8	10	19	31	43	56	99+
50-64	323	25.7	245	10	11	22	34	50	71	99+
65+	690	29.8	255	12	14	27	37	55	70	99+
TOT. SINGLE DX	240	19.6	144	5	9	17	23	32	42	84
" MULTIPLE DX	1174	27.7	252	10	12	24	36	53	71	99+
TOTAL 0-19 YRS	33	18.8	189	5	7	17	37	99+	99+	99+
20-34	64	20.4	231	7	9	15	24	41	65	97
35-49	126	21.2	158	7	9	18	27	41	55	99+
50-64	394	24.4	232	9	10	21	31	44	65	99+
65+	797	28.9	249	11	14	25	36	52	70	99+
GRAND TOTAL	**1414**	**26.3**	**243**	**9**	**11**	**23**	**34**	**50**	**68**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6086	5.0	8	2	3	4	6	8	10	16
20-34	3121	5.3	7	3	3	5	6	8	10	16
35-49	963	6.7	16	3	3	6	8	11	14	20
50-64	541	8.1	18	3	4	7	10	13	16	22
65+	223	10.4	61	4	4	9	13	18	21	37
2. MULTIPLE DX										
0-19 YRS	1340	8.5	45	3	3	6	10	17	21	37
20-34	958	8.2	35	3	4	7	10	15	19	32
35-49	390	11.2	100	4	4	9	13	19	25	67
50-64	465	14.3	106	5	6	12	17	24	34	68
65+	393	16.4	132	6	7	13	19	29	39	80
TOT. SINGLE DX	10934	5.5	11	3	3	5	6	9	11	18
" MULTIPLE DX	3546	10.4	75	3	4	8	13	19	26	47
TOTAL 0-19 YRS	7426	5.6	17	2	3	4	6	9	13	22
20-34	4079	6.0	15	3	3	5	7	10	13	21
35-49	1353	8.0	45	3	4	6	9	14	18	29
50-64	1006	11.0	68	4	4	9	13	20	24	48
65+	616	14.2	115	5	6	11	17	26	34	66
GRAND TOTAL	**14480**	**6.7**	**31**	**3**	**3**	**5**	**8**	**12**	**16**	**29**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	5.5	7	3	3	5	6	10	11	14
20-34	44	5.8	5	3	3	5	7	8	10	14
35-49	13	6.0	13	1	2	5	8	10	14	15
50-64	5	17.8	538	4	4	9	23	59	59	59
65+	3	14.0	21	9	9	15	17	18	18	18
2. MULTIPLE DX										
0-19 YRS	28	8.2	40	3	4	6	11	20	32	99+
20-34	38	10.5	127	3	4	8	11	18	33	65
35-49	12	12.2	93	5	5	8	16	30	31	31
50-64	13	15.6	105	6	7	11	21	35	36	36
65+	10	10.3	12	6	6	9	12	16	16	16
TOT. SINGLE DX	134	6.3	30	3	3	5	7	10	12	25
" MULTIPLE DX	101	10.7	87	3	4	8	12	24	33	82
TOTAL 0-19 YRS	97	6.3	18	3	3	5	7	11	16	66
20-34	82	8.0	66	3	3	6	8	12	16	56
35-49	25	9.0	59	2	3	7	8	23	29	31
50-64	18	16.2	201	5	6	10	20	36	50	59
65+	13	11.2	15	6	7	10	15	17	18	18
GRAND TOTAL	**235**	**8.2**	**59**	**3**	**3**	**6**	**9**	**15**	**22**	**60**

605: Operations on Appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	10.8	40	3	4	11	13	18	26	28
20-34	15	11.0	39	1	3	11	14	21	21	21
35-49	7	12.7	86	6	6	8	15	29	32	32
50-64	13	12.1	12	6	8	12	13	17	19	20
65+	6	9.5	16	6	6	8	11	16	17	17
2. MULTIPLE DX										
0-19 YRS	4	20.3	85	10	10	21	28	29	29	29
20-34	12	13.3	60	5	6	11	17	27	29	29
35-49	7	14.1	51	3	4	13	21	23	23	23
50-64	6	18.2	135	7	7	15	24	37	38	38
65+	11	21.5	88	11	12	21	25	34	44	45
TOT. SINGLE DX	66	11.2	36	3	4	11	13	19	22	31
" MULTIPLE DX	40	17.1	84	5	7	15	23	28	34	45
TOTAL 0-19 YRS	29	12.1	54	3	4	11	14	26	28	29
20-34	27	12.0	48	2	4	11	15	21	26	29
35-49	14	13.4	64	4	5	12	17	24	30	32
50-64	19	14.0	54	6	8	12	15	22	32	38
65+	17	17.2	95	6	7	17	22	27	39	45
GRAND TOTAL	**106**	**13.4**	**61**	**3**	**5**	**12**	**17**	**25**	**28**	**41**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	120	5.2	41	<1	<1	4	7	10	15	31
20-34	242	5.7	30	<1	1	4	7	13	20	27
35-49	142	5.0	19	<1	1	4	7	11	13	21
50-64	284	5.3	30	1	2	3	7	11	16	25
65+	389	6.6	40	1	2	4	9	14	18	32
2. MULTIPLE DX										
0-19 YRS	64	12.8	203	2	3	7	14	34	54	96
20-34	168	7.7	40	2	2	5	10	16	20	35
35-49	203	9.4	71	2	2	7	12	21	27	51
50-64	507	10.2	112	2	2	7	13	22	29	52
65+	1055	13.3	151	2	3	9	17	29	39	67
TOT. SINGLE DX	1177	5.8	33	1	1	4	7	12	17	28
" MULTIPLE DX	1997	11.6	129	2	3	8	15	25	35	62
TOTAL 0-19 YRS	184	7.8	110	<1	1	5	8	15	28	70
20-34	410	6.5	35	1	2	5	8	14	20	29
35-49	345	7.6	55	1	2	5	10	16	22	39
50-64	791	8.5	88	1	2	5	11	19	25	49
65+	1444	11.5	130	2	2	8	15	25	35	60
GRAND TOTAL	**3174**	**9.4**	**101**	**1**	**2**	**6**	**12**	**21**	**29**	**56**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	3.5	4	1	2	3	4	6	7	13
20-34	211	4.0	14	1	1	3	5	7	8	19
35-49	133	3.9	6	1	2	3	5	7	8	14
50-64	76	4.4	6	2	2	4	6	7	9	14
65+	36	8.4	49	2	3	6	11	14	19	40
2. MULTIPLE DX										
0-19 YRS	9	9.1	108	2	3	6	8	27	35	35
20-34	82	7.7	124	2	2	4	7	16	23	66
35-49	80	6.4	66	2	2	4	6	11	22	49
50-64	95	8.9	60	2	3	6	12	18	26	40
65+	70	14.9	199	3	4	10	20	37	40	72
TOT. SINGLE DX	499	4.3	14	1	2	4	5	7	9	19
" MULTIPLE DX	336	9.3	115	2	3	5	10	21	32	55
TOTAL 0-19 YRS	52	4.5	25	1	2	3	5	6	12	35
20-34	293	5.0	47	1	2	4	5	8	12	44
35-49	213	4.9	30	1	2	4	5	7	12	31
50-64	171	6.9	41	2	2	5	8	14	19	33
65+	106	12.7	156	3	4	8	17	30	39	64
GRAND TOTAL	**835**	**6.3**	**60**	**1**	**2**	**4**	**6**	**12**	**20**	**42**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	16.0	85	3	8	14	18	29	36	40
20-34	45	20.9	130	4	6	21	30	35	39	47
35-49	53	17.2	101	5	9	15	19	26	42	55
50-64	257	18.1	60	9	11	17	21	27	31	53
65+	289	20.3	86	11	12	18	24	30	35	62
2. MULTIPLE DX										
0-19 YRS	16	16.3	186	2	4	12	20	49	82	99+
20-34	35	23.0	167	8	12	20	29	38	50	66
35-49	95	19.3	89	6	10	19	24	31	37	52
50-64	510	21.6	120	10	12	19	26	36	41	81
65+	895	26.5	186	11	13	23	32	44	56	76
TOT. SINGLE DX	662	19.1	81	9	11	17	23	29	35	55
" MULTIPLE DX	1551	24.2	165	10	12	21	30	41	50	77
TOTAL 0-19 YRS	34	16.1	128	2	6	14	19	40	49	99+
20-34	80	21.8	145	5	7	21	29	36	43	61
35-49	148	18.5	93	6	10	16	22	28	38	55
50-64	767	20.4	103	10	11	18	24	33	40	64
65+	1184	24.9	169	11	13	22	30	41	52	75
GRAND TOTAL	**2213**	**22.7**	**145**	**10**	**12**	**20**	**27**	**38**	**47**	**73**

609: Miscellaneous operations on intestine (45.[illegible] 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	6.7	40	<1	1	4	9	15	20	26
20-34	81	6.5	36	1	2	5	7	11	19	33
35-49	110	6.0	28	1	2	5	8	11	15	30
50-64	137	6.4	53	1	1	5	8	14	16	39
65+	121	8.3	46	1	1	7	12	17	21	30
2. MULTIPLE DX										
0-19 YRS	24	9.3	47	2	2	8	16	21	45	99+
20-34	150	9.8	84	2	2	7	12	17	22	56
35-49	267	11.3	110	2	3	8	14	23	31	54
50-64	454	11.8	109	2	2	9	15	24	35	56
65+	796	15.3	132	3	4	13	19	29	40	66
TOT. SINGLE DX	472	6.8	42	1	1	5	9	15	18	33
" MULTIPLE DX	1691	13.1	121	2	3	10	17	25	36	63
TOTAL 0-19 YRS	47	8.0	44	1	2	6	12	18	26	99+
20-34	231	8.6	69	2	2	6	11	17	22	45
35-49	377	9.7	92	1	2	7	11	19	28	53
50-64	591	10.6	101	1	2	8	13	23	33	56
65+	917	14.4	127	2	3	12	18	27	37	63
GRAND TOTAL	**2163**	**11.8**	**111**	**2**	**2**	**9**	**15**	**23**	**33**	**58**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	50	3.2	2	<1	<1	3	4	5	5	8
20-34	366	4.1	6	2	2	4	5	6	7	9
35-49	336	4.4	9	2	2	4	5	6	8	12
50-64	219	4.2	4	2	2	4	5	6	8	11
65+	72	4.6	14	1	2	4	5	8	11	21
2. MULTIPLE DX										
0-19 YRS	19	4.7	10	1	2	4	5	10	13	13
20-34	251	5.0	12	2	2	4	6	9	12	22
35-49	301	4.8	9	2	2	4	5	8	10	19
50-64	289	5.7	30	2	3	4	6	9	12	31
65+	134	7.0	33	3	3	5	8	13	18	30
TOT. SINGLE DX	1043	4.2	7	2	2	4	5	6	8	11
" MULTIPLE DX	994	5.4	19	2	2	4	6	9	12	26
TOTAL 0-19 YRS	69	3.6	5	<1	1	4	4	5	7	13
20-34	617	4.5	9	2	2	4	5	7	9	17
35-49	637	4.6	9	2	2	4	5	7	9	18
50-64	508	5.1	19	2	2	4	6	8	10	21
65+	206	6.2	27	2	3	5	7	11	17	28
GRAND TOTAL	**2037**	**4.8**	**13**	**2**	**2**	**4**	**5**	**8**	**9**	**21**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	3.0	8	<1	1	3	4	4	6	20
20-34	335	3.3	4	<1	2	3	4	5	6	12
35-49	171	3.5	3	<1	1	3	4	6	7	9
50-64	108	4.4	12	1	2	4	5	7	9	24
65+	52	5.4	16	1	2	4	6	12	15	18
2. MULTIPLE DX										
0-19 YRS	32	3.7	2	2	2	3	5	6	6	7
20-34	320	4.5	12	2	2	4	5	7	8	16
35-49	351	4.9	31	2	3	4	6	7	9	23
50-64	318	6.0	39	2	3	4	6	9	14	43
65+	165	8.2	54	3	3	6	9	16	22	49
TOT. SINGLE DX	730	3.6	7	<1	2	3	4	6	7	15
" MULTIPLE DX	1186	5.5	32	2	3	4	6	8	13	34
TOTAL 0-19 YRS	96	3.2	6	<1	1	3	4	5	6	16
20-34	655	3.9	8	1	2	3	5	6	7	14
35-49	522	4.4	22	2	2	4	5	6	8	14
50-64	426	5.6	32	2	3	4	6	8	13	37
65+	217	7.5	46	2	3	5	8	15	20	45
GRAND TOTAL	**1916**	**4.8**	**23**	**2**	**2**	**4**	**5**	**7**	**10**	**23**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	4.0	3	1	2	4	5	6	7	7
20-34	457	5.1	7	2	3	5	6	8	9	15
35-49	538	5.4	14	2	3	5	6	8	11	21
50-64	427	5.4	8	2	3	5	6	8	10	18
65+	153	5.4	7	2	3	5	7	8	10	14
2. MULTIPLE DX										
0-19 YRS	78	4.2	4	2	2	4	5	6	8	13
20-34	1570	5.1	11	2	3	5	6	8	10	19
35-49	2155	5.6	13	2	3	5	6	9	12	20
50-64	1935	6.2	19	3	3	5	7	11	15	24
65+	855	7.9	39	3	3	6	9	15	19	30
TOT. SINGLE DX	1598	5.3	9	2	3	5	6	8	10	18
" MULTIPLE DX	6593	6.0	18	2	3	5	7	10	13	23
TOTAL 0-19 YRS	101	4.1	4	2	2	4	5	6	8	12
20-34	2027	5.1	10	2	3	5	6	8	10	18
35-49	2693	5.6	13	2	3	5	6	9	11	20
50-64	2362	6.1	17	3	3	5	7	10	14	24
65+	1008	7.5	35	2	3	6	9	14	17	29
GRAND TOTAL	**8191**	**5.8**	**17**	**2**	**3**	**5**	**7**	**10**	**13**	**23**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	4.3	17	1	1	3	5	9	11	24
20-34	368	3.7	18	1	2	3	4	6	8	14
35-49	286	3.8	5	1	2	3	5	7	8	13
50-64	197	4.7	10	1	2	4	6	9	11	20
65+	106	6.4	21	2	2	5	8	13	18	21
2. MULTIPLE DX										
0-19 YRS	53	8.3	102	2	2	5	8	18	36	49
20-34	244	5.6	19	2	2	4	7	11	14	28
35-49	273	6.3	39	2	2	4	7	12	17	31
50-64	285	8.8	126	2	3	5	10	18	24	80
65+	235	10.8	112	3	3	7	13	23	27	52
TOT. SINGLE DX	1064	4.3	14	1	2	3	5	7	10	18
" MULTIPLE DX	1090	7.9	79	2	2	5	9	16	23	50
TOTAL 0-19 YRS	160	5.6	48	1	1	4	6	11	16	37
20-34	612	4.5	19	1	2	4	5	8	11	24
35-49	559	5.0	23	2	2	4	6	9	13	24
50-64	482	7.2	82	2	2	5	8	15	20	69
65+	341	9.5	88	2	3	7	11	19	24	47
GRAND TOTAL	**2154**	**6.1**	**50**	**1**	**2**	**4**	**7**	**12**	**18**	**41**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	5.3	11	3	3	4	7	10	10	10
20-34	8	5.4	40	1	1	2	8	16	17	17
35-49	6	14.8	103	2	2	17	23	26	26	26
50-64	11	10.8	118	<1	<1	7	20	27	29	29
65+	4	14.8	107	2	2	16	23	25	25	25
2. MULTIPLE DX										
0-19 YRS	7	25.0	224	8	8	24	35	46	49	49
20-34	6	12.7	172	2	2	9	18	33	35	35
35-49	18	18.3	95	4	5	20	23	37	72	99+
50-64	41	18.0	276	1	1	12	21	44	58	69
65+	52	20.8	238	2	4	17	30	44	51	60
TOT. SINGLE DX	33	10.0	88	1	1	5	17	25	26	29
" MULTIPLE DX	124	19.4	225	2	3	16	29	42	51	77
TOTAL 0-19 YRS	11	17.8	237	3	3	10	30	41	48	49
20-34	14	8.5	102	1	2	3	16	20	32	35
35-49	24	17.5	95	3	3	19	23	35	54	99+
50-64	52	16.5	248	1	1	12	21	36	55	69
65+	56	20.4	229	2	4	17	30	44	50	60
GRAND TOTAL	**157**	**17.4**	**210**	**1**	**2**	**14**	**24**	**39**	**50**	**68**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	67	8.0	77	1	1	5	10	23	30	34
20-34	355	5.1	38	1	1	2	7	12	15	29
35-49	313	6.6	52	1	1	4	9	16	21	35
50-64	368	7.9	99	1	1	3	11	20	25	43
65+	176	11.3	155	1	1	8	15	24	34	67
2. MULTIPLE DX										
0-19 YRS	100	12.4	131	1	2	9	17	24	35	59
20-34	456	12.1	126	2	2	9	16	25	35	68
35-49	732	13.3	109	2	2	11	18	27	34	57
50-64	1332	14.7	130	2	3	12	20	29	37	60
65+	1142	16.5	155	2	3	14	23	32	40	75
TOT. SINGLE DX	1279	7.3	80	1	1	3	10	18	24	39
" MULTIPLE DX	3762	14.6	135	2	2	12	20	29	37	65
TOTAL 0-19 YRS	167	10.6	113	1	1	8	14	24	31	46
20-34	811	9.1	100	1	1	6	12	20	28	57
35-49	1045	11.3	101	1	2	9	16	24	31	51
50-64	1700	13.2	131	1	2	11	18	27	35	57
65+	1318	15.8	158	2	2	13	22	31	40	71
GRAND TOTAL	**5041**	**12.8**	**131**	**1**	**2**	**10**	**18**	**27**	**35**	**61**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	230	8.7	14	5	5	8	10	13	15	26
20-34	2795	8.4	11	5	6	8	9	12	15	22
35-49	2902	8.8	14	5	6	8	10	13	16	21
50-64	3213	9.5	16	6	6	8	11	14	17	25
65+	1575	11.8	32	6	7	10	14	18	22	31
2. MULTIPLE DX										
0-19 YRS	143	11.7	34	5	6	10	14	21	23	31
20-34	1850	10.8	41	5	6	9	12	17	21	40
35-49	2583	11.5	45	6	6	9	13	18	23	36
50-64	4505	13.4	64	6	7	11	16	22	28	46
65+	5010	18.2	120	7	8	15	22	31	39	66
TOT. SINGLE DX	10715	9.3	18	5	6	8	10	14	17	25
" MULTIPLE DX	14091	14.4	86	6	7	12	17	25	31	54
TOTAL 0-19 YRS	373	9.9	24	5	5	8	11	16	22	28
20-34	4645	9.3	25	5	6	8	10	15	18	29
35-49	5485	10.0	31	5	6	8	11	16	19	31
50-64	7718	11.8	48	6	6	10	14	19	24	42
65+	6585	16.6	107	7	8	14	20	28	36	62
GRAND TOTAL	**24806**	**12.2**	**63**	**6**	**6**	**10**	**14**	**21**	**27**	**46**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	26.3	1314	2	2	9	53	68	68	68
20-34	21	8.1	31	1	2	7	11	15	20	25
35-49	60	12.3	68	2	3	11	16	25	28	35
50-64	110	14.5	80	2	3	13	18	24	29	49
65+	169	18.3	121	3	4	17	24	31	42	61
2. MULTIPLE DX										
0-19 YRS	10	25.7	181	14	15	23	34	75	98	99+
20-34	45	18.3	215	5	6	12	23	36	50	72
35-49	97	19.1	197	6	9	14	22	35	50	77
50-64	267	23.3	214	7	9	20	28	44	52	84
65+	732	24.8	186	9	12	22	30	44	56	99+
TOT. SINGLE DX	363	15.6	110	2	3	14	21	28	34	60
" MULTIPLE DX	1151	23.7	198	8	10	21	29	44	54	99
TOTAL 0-19 YRS	13	25.8	355	3	8	22	36	71	94	99+
20-34	66	15.1	178	2	4	11	18	32	41	71
35-49	157	16.5	158	3	5	13	21	31	39	63
50-64	377	20.7	191	5	8	18	24	38	50	79
65+	901	23.6	180	7	11	21	29	43	53	99+
GRAND TOTAL	**1514**	**21.8**	**189**	**5**	**9**	**19**	**27**	**41**	**51**	**90**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	10.6	100	<1	<1	8	18	26	26	26
20-34	61	7.6	140	1	1	3	10	18	26	72
35-49	93	9.7	145	1	1	4	15	27	34	88
50-64	101	12.0	151	1	1	10	19	32	37	81
65+	87	11.4	154	1	1	7	16	28	35	57
2. MULTIPLE DX										
0-19 YRS	10	19.6	185	<1	5	16	27	41	49	49
20-34	76	21.2	412	1	2	14	33	57	66	70
35-49	134	19.9	291	2	3	17	26	45	61	99+
50-64	245	19.6	280	2	2	16	28	40	49	99
65+	270	21.3	262	2	4	18	30	43	52	86
TOT. SINGLE DX	351	10.4	148	1	1	6	15	27	35	72
" MULTIPLE DX	735	20.5	287	2	3	16	28	44	54	89
TOTAL 0-19 YRS	19	15.3	159	<1	1	13	24	31	42	49
20-34	137	15.2	334	1	1	9	19	45	59	71
35-49	227	15.7	255	1	1	11	23	38	50	99+
50-64	346	17.4	254	1	2	14	26	39	48	99
65+	357	18.9	254	1	2	15	27	40	51	83
GRAND TOTAL	**1086**	**17.2**	**264**	**1**	**2**	**13**	**25**	**40**	**50**	**86**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	6.6	20	1	2	6	9	11	16	24
20-34	126	6.5	29	1	1	5	8	12	16	27
35-49	127	6.2	21	<1	1	5	9	12	14	22
50-64	271	6.0	54	<1	1	3	8	14	19	43
65+	340	7.7	80	1	1	3	10	19	25	45
2. MULTIPLE DX										
0-19 YRS	43	12.2	258	1	3	6	14	24	60	73
20-34	202	8.7	88	2	3	6	10	18	23	64
35-49	333	10.5	68	3	4	8	13	21	26	41
50-64	654	12.1	117	2	2	9	16	27	35	63
65+	1326	15.4	164	2	3	12	20	31	43	70
TOT. SINGLE DX	910	6.8	54	1	1	4	9	15	22	37
" MULTIPLE DX	2558	13.3	141	2	3	10	17	28	39	66
TOTAL 0-19 YRS	89	9.3	141	1	2	6	10	18	24	70
20-34	328	7.8	66	1	2	6	9	15	22	54
35-49	460	9.3	59	2	2	7	12	19	24	40
50-64	925	10.3	106	1	2	7	14	23	32	55
65+	1666	13.8	157	2	2	11	18	29	41	67
GRAND TOTAL	**3468**	**11.6**	**126**	**1**	**2**	**9**	**15**	**25**	**35**	**64**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3600	2.4	2	<1	1	2	3	4	5	7
20-34	3211	4.0	3	2	2	4	5	6	6	10
35-49	2852	4.5	7	2	3	4	5	7	8	12
50-64	5068	4.8	8	2	3	4	6	7	8	12
65+	3174	5.6	9	3	3	5	7	9	10	16
2. MULTIPLE DX										
0-19 YRS	1785	3.1	25	<1	1	2	3	5	7	15
20-34	1022	5.0	8	2	3	4	6	8	9	15
35-49	1334	5.8	18	2	3	5	6	9	12	24
50-64	3287	6.6	24	3	3	5	7	11	15	28
65+	4130	9.3	58	3	4	7	11	17	23	45
TOT. SINGLE DX	17905	4.3	7	1	2	4	5	7	8	13
" MULTIPLE DX	11558	6.8	39	2	2	5	8	13	17	34
TOTAL 0-19 YRS	5385	2.6	10	<1	1	2	3	4	5	10
20-34	4233	4.2	4	2	2	4	5	6	7	12
35-49	4186	4.9	10	2	3	4	6	7	9	16
50-64	8355	5.5	15	2	3	5	6	8	11	20
65+	7304	7.7	40	3	3	6	9	14	19	35
GRAND TOTAL	**29463**	**5.2**	**21**	**1**	**2**	**4**	**6**	**9**	**12**	**24**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	929	1.9	8	<1	<1	1	2	3	5	10
20-34	231	4.7	3	2	3	4	6	7	8	10
35-49	336	5.2	5	3	3	5	6	8	9	14
50-64	609	5.5	5	3	3	5	6	8	9	12
65+	307	6.4	9	3	4	6	8	9	13	17
2. MULTIPLE DX										
0-19 YRS	569	2.8	27	<1	<1	1	2	5	7	37
20-34	97	5.2	4	3	3	5	6	8	9	14
35-49	219	5.9	8	3	3	5	7	9	10	20
50-64	493	7.2	18	3	4	6	8	12	15	25
65+	515	9.8	65	4	4	8	11	17	22	46
TOT. SINGLE DX	2412	4.1	10	<1	<1	4	6	7	9	14
" MULTIPLE DX	1893	6.3	39	<1	1	5	8	12	16	36
TOTAL 0-19 YRS	1498	2.2	16	<1	<1	1	2	4	6	16
20-34	328	4.8	4	2	3	5	6	7	8	11
35-49	555	5.5	7	3	3	5	6	8	9	20
50-64	1102	6.3	11	3	3	6	7	9	12	20
65+	822	8.5	47	3	4	7	9	15	19	43
GRAND TOTAL	**4305**	**5.1**	**24**	**<1**	**<1**	**4**	**6**	**9**	**12**	**24**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	3.3	3	<1	1	3	4	6	6	7
20-34	89	4.4	6	2	2	4	5	7	8	16
35-49	144	4.4	3	2	2	4	5	6	7	11
50-64	185	5.6	15	2	3	5	7	9	10	24
65+	231	7.2	17	3	3	7	9	12	13	28
2. MULTIPLE DX										
0-19 YRS	8	6.8	56	2	2	5	6	19	25	25
20-34	30	5.8	12	3	3	5	7	10	13	19
35-49	64	6.7	15	2	3	6	8	12	16	18
50-64	118	8.3	52	3	4	6	9	14	19	45
65+	374	12.1	111	4	5	9	15	22	31	64
TOT. SINGLE DX	673	5.7	13	2	3	5	7	9	11	19
" MULTIPLE DX	594	10.4	88	3	4	8	12	19	26	57
TOTAL 0-19 YRS	32	4.1	17	<1	1	3	5	6	7	25
20-34	119	4.8	7	2	3	4	5	7	9	19
35-49	208	5.1	8	2	2	5	6	8	11	17
50-64	303	6.7	31	2	3	5	8	11	13	32
65+	605	10.3	81	3	4	8	12	18	27	50
GRAND TOTAL	**1267**	**7.9**	**54**	**2**	**3**	**6**	**9**	**14**	**20**	**40**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	614	2.3	2	<1	1	2	3	4	4	7
20-34	261	3.8	4	1	2	3	5	6	7	10
35-49	306	4.6	6	2	2	4	6	7	9	13
50-64	237	5.3	12	2	3	4	6	8	10	18
65+	113	7.2	23	3	3	6	9	11	13	31
2. MULTIPLE DX										
0-19 YRS	134	4.3	74	<1	1	2	4	6	10	88
20-34	113	5.6	15	2	2	5	7	9	12	23
35-49	246	7.6	41	3	3	6	9	14	19	36
50-64	344	9.3	65	3	3	7	11	16	24	36
65+	241	13.0	90	4	5	10	16	27	35	68
TOT. SINGLE DX	1531	3.9	8	1	1	3	5	7	9	14
" MULTIPLE DX	1078	8.7	69	2	2	6	10	17	25	46
TOTAL 0-19 YRS	748	2.7	15	<1	1	2	3	4	5	12
20-34	374	4.4	8	2	2	4	5	7	8	16
35-49	552	6.0	24	2	3	5	7	10	14	26
50-64	581	7.6	47	2	3	6	9	14	19	32
65+	354	11.1	76	3	4	9	13	24	31	51
GRAND TOTAL	**2609**	**5.9**	**39**	**1**	**2**	**4**	**7**	**11**	**16**	**34**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	144	3.4	28	<1	1	2	3	5	7	17
20-34	379	4.7	6	2	2	4	6	7	9	13
35-49	568	6.2	14	2	3	6	8	10	12	20
50-64	769	6.9	15	3	3	6	8	10	13	20
65+	466	8.5	22	3	4	8	10	14	17	26
2. MULTIPLE DX										
0-19 YRS	43	3.9	12	<1	1	3	5	8	12	16
20-34	218	7.6	35	2	3	6	8	14	20	33
35-49	505	9.1	37	3	4	8	11	16	22	32
50-64	848	10.4	59	4	5	9	12	18	23	47
65+	859	13.4	86	5	6	10	16	25	33	50
TOT. SINGLE DX	2326	6.5	17	2	3	6	8	10	13	21
" MULTIPLE DX	2473	10.8	66	3	4	9	13	20	27	44
TOTAL 0-19 YRS	187	3.5	24	<1	1	2	4	6	10	15
20-34	597	5.7	19	2	2	5	7	9	12	26
35-49	1073	7.6	27	3	3	6	9	13	17	30
50-64	1617	8.7	41	3	4	7	10	15	19	39
65+	1325	11.6	69	4	5	9	14	21	29	44
GRAND TOTAL	**4799**	**8.7**	**47**	**2**	**3**	**7**	**10**	**16**	**21**	**39**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	3.8	5	<1	<1	3	5	7	8	8
20-34	34	6.6	12	2	3	6	8	10	13	19
35-49	49	7.7	14	3	4	7	10	11	12	24
50-64	68	10.2	21	3	4	9	12	17	19	24
65+	49	11.5	32	4	4	11	15	21	21	22
2. MULTIPLE DX										
0-19 YRS	15	7.4	20	2	2	7	11	14	14	14
20-34	52	11.6	88	4	6	9	13	18	23	68
35-49	88	12.3	39	6	7	10	15	21	28	78
50-64	168	14.5	85	6	7	12	17	23	31	60
65+	146	19.3	164	5	7	16	24	40	49	99+
TOT. SINGLE DX	219	8.8	24	2	3	8	11	15	20	23
" MULTIPLE DX	469	15.0	109	5	7	12	17	27	39	71
TOTAL 0-19 YRS	34	5.4	15	<1	1	4	7	11	13	14
20-34	86	9.6	64	3	4	8	11	17	20	52
35-49	137	10.6	35	4	5	9	12	18	23	50
50-64	236	13.3	70	5	7	11	16	23	28	53
65+	195	17.3	142	4	6	14	21	37	45	87
GRAND TOTAL	688	13.0	90	4	5	11	16	23	31	62

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	204	4.6	42	<1	1	3	5	9	12	32
20-34	275	5.6	33	<1	1	4	7	10	12	41
35-49	204	8.1	57	1	2	5	11	18	24	37
50-64	258	8.4	47	1	2	6	11	19	24	29
65+	162	12.6	100	2	3	10	19	26	29	49
2. MULTIPLE DX										
0-19 YRS	95	7.7	47	<1	1	5	10	18	24	70
20-34	238	10.2	107	2	2	7	12	20	29	66
35-49	317	13.9	152	2	3	10	19	30	37	70
50-64	627	16.4	154	3	4	13	22	32	40	58
65+	794	20.2	189	4	6	18	27	39	47	72
TOT. SINGLE DX	1103	7.5	59	1	2	5	10	17	23	36
" MULTIPLE DX	2071	16.4	171	2	4	13	22	33	43	67
TOTAL 0-19 YRS	299	5.6	45	<1	1	4	7	12	17	36
20-34	513	7.7	73	1	2	5	9	15	21	49
35-49	521	11.6	123	1	2	8	16	25	33	55
50-64	885	14.1	136	2	3	11	19	29	37	56
65+	956	18.9	182	3	4	16	25	37	45	69
GRAND TOTAL	3174	13.3	150	2	2	10	18	29	38	62

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	202	7.2	16	3	3	6	9	12	15	23
20-34	487	7.9	35	2	4	7	9	13	16	31
35-49	201	9.6	35	3	4	8	11	17	22	27
50-64	190	15.6	144	5	6	12	19	31	42	56
65+	180	17.8	126	6	8	15	21	33	43	60
2. MULTIPLE DX										
0-19 YRS	229	13.7	195	4	5	9	15	30	49	80
20-34	639	11.5	114	3	4	8	12	23	38	73
35-49	387	17.2	207	4	6	13	22	36	47	97
50-64	533	21.2	187	7	8	18	27	39	49	79
65+	755	26.0	248	9	11	22	32	50	62	99+
TOT. SINGLE DX	1260	10.6	78	3	4	8	13	20	27	46
" MULTIPLE DX	2543	18.9	223	5	6	14	25	40	51	93
TOTAL 0-19 YRS	431	10.6	121	3	4	7	12	18	31	67
20-34	1126	10.0	83	3	4	7	11	18	28	57
35-49	588	14.6	161	4	5	10	18	29	43	86
50-64	723	19.7	182	6	7	16	25	38	46	77
65+	935	24.4	235	8	10	20	31	47	59	99+
GRAND TOTAL	3803	16.2	190	4	5	12	21	35	46	82

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	288	3.3	7	<1	1	2	4	7	9	12
20-34	1685	2.7	6	<1	<1	2	3	6	8	13
35-49	274	2.7	8	<1	<1	2	2	5	8	13
50-64	70	5.3	37	<1	1	3	7	14	18	32
65+	17	3.9	13	<1	1	2	5	10	12	13
2. MULTIPLE DX										
0-19 YRS	224	4.4	25	1	1	3	6	8	11	16
20-34	1457	3.3	15	<1	<1	2	4	7	11	19
35-49	306	4.5	45	<1	1	2	5	10	16	29
50-64	90	11.1	199	1	2	6	17	22	39	84
65+	61	17.8	341	2	3	13	24	52	80	99+
TOT. SINGLE DX	2334	2.9	8	<1	<1	2	3	6	8	14
" MULTIPLE DX	2138	4.4	45	<1	<1	2	5	9	14	34
TOTAL 0-19 YRS	512	3.8	15	<1	1	3	5	8	10	14
20-34	3142	3.0	10	<1	<1	2	3	6	9	16
35-49	580	3.7	29	<1	1	2	3	8	13	27
50-64	160	8.6	136	<1	1	4	11	20	26	72
65+	78	14.8	301	2	2	10	20	39	65	99+
GRAND TOTAL	4472	3.6	26	<1	<1	2	4	7	11	24

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	6.7	25	<1	1	6	9	12	15	30
20-34	294	6.7	32	1	1	6	8	13	15	28
35-49	196	9.8	39	2	3	8	12	19	22	30
50-64	199	11.4	50	3	4	10	14	20	28	35
65+	166	15.1	78	5	7	13	18	24	34	52
2. MULTIPLE DX										
0-19 YRS	105	11.0	132	2	2	8	15	25	31	99+
20-34	595	8.8	76	1	2	7	10	17	23	52
35-49	407	14.1	132	3	5	11	19	28	35	75
50-64	502	19.1	227	5	7	15	24	39	50	89
65+	677	21.0	181	7	9	17	26	42	53	92
TOT. SINGLE DX	926	9.9	54	1	2	8	13	19	23	37
" MULTIPLE DX	2286	15.7	177	2	5	12	20	33	44	83
TOTAL 0-19 YRS	176	9.3	93	1	2	7	11	20	28	99+
20-34	889	8.1	62	1	2	7	9	15	21	44
35-49	603	12.7	106	3	4	9	16	25	30	66
50-64	701	16.9	189	4	6	13	21	33	45	84
65+	843	19.9	166	7	8	16	24	39	49	76
GRAND TOTAL	**3212**	**14.0**	**149**	**2**	**3**	**10**	**18**	**29**	**40**	**72**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	10.7	15	6	6	10	13	14	16	25
20-34	39	12.6	50	6	7	10	15	21	28	39
35-49	76	12.6	25	8	8	11	14	19	21	33
50-64	157	15.6	58	8	9	13	18	24	29	48
65+	123	16.8	58	9	9	15	21	28	33	45
2. MULTIPLE DX										
0-19 YRS	52	14.6	102	6	6	12	18	26	41	99
20-34	79	13.7	60	6	7	11	16	21	32	42
35-49	130	17.9	111	8	9	15	21	32	41	72
50-64	349	20.6	169	8	10	17	24	34	47	78
65+	460	23.5	165	9	11	20	29	42	52	71
TOT. SINGLE DX	422	14.9	52	8	8	13	17	24	29	42
" MULTIPLE DX	1070	20.7	158	8	9	17	25	37	47	76
TOTAL 0-19 YRS	79	13.3	75	6	6	11	15	23	30	89
20-34	118	13.3	57	6	7	11	16	21	29	41
35-49	206	15.9	86	8	8	13	19	26	34	63
50-64	506	19.0	140	8	9	16	22	31	41	75
65+	583	22.1	150	9	10	19	27	39	46	70
GRAND TOTAL	**1492**	**19.0**	**135**	**8**	**9**	**16**	**23**	**34**	**43**	**68**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	156	10.5	104	2	2	8	14	19	28	64
20-34	272	10.2	48	2	2	9	12	17	26	40
35-49	294	10.2	32	2	3	10	13	16	21	28
50-64	312	11.5	52	2	4	10	14	19	25	41
65+	141	11.5	46	2	3	11	14	19	24	33
2. MULTIPLE DX										
0-19 YRS	147	14.4	193	2	2	11	19	30	44	67
20-34	283	16.6	184	3	4	13	21	31	44	73
35-49	369	14.6	105	2	4	12	19	26	37	55
50-64	603	16.2	135	3	5	14	20	29	37	72
65+	457	18.2	149	4	6	16	24	34	43	79
TOT. SINGLE DX	1175	10.8	52	2	2	10	13	18	24	38
" MULTIPLE DX	1859	16.3	146	3	4	14	21	30	41	70
TOTAL 0-19 YRS	303	12.4	150	2	2	9	16	26	35	65
20-34	555	13.5	127	2	3	11	16	26	36	65
35-49	663	12.7	77	2	3	11	16	23	28	47
50-64	915	14.6	112	2	5	12	18	27	33	64
65+	598	16.6	133	3	5	14	21	32	41	67
GRAND TOTAL	**3034**	**14.1**	**117**	**2**	**3**	**12**	**17**	**27**	**35**	**62**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	12.5	71	2	6	10	12	26	33	34
20-34	193	10.4	19	3	6	10	12	16	18	23
35-49	271	11.1	42	3	6	10	13	17	20	31
50-64	292	11.5	22	5	6	11	14	18	19	23
65+	96	12.1	27	5	7	12	14	18	24	29
2. MULTIPLE DX										
0-19 YRS	10	9.8	8	5	5	10	12	13	14	14
20-34	109	12.3	49	3	6	11	14	20	24	40
35-49	169	13.1	79	4	6	12	16	19	24	49
50-64	289	14.7	72	6	8	13	17	24	30	54
65+	209	19.1	121	8	9	16	23	33	38	60
TOT. SINGLE DX	863	11.2	29	4	6	10	13	17	20	28
" MULTIPLE DX	786	15.2	89	5	7	13	18	26	32	56
TOTAL 0-19 YRS	21	11.2	41	4	6	10	12	17	27	34
20-34	302	11.1	30	3	6	10	13	17	20	35
35-49	440	11.9	57	4	6	10	14	18	22	40
50-64	581	13.1	49	5	7	12	15	21	24	46
65+	305	16.9	102	7	8	14	20	30	36	58
GRAND TOTAL	**1649**	**13.1**	**61**	**5**	**7**	**11**	**15**	**21**	**27**	**46**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	10.8	19	6	7	10	12	16	19	29
20-34	16	14.8	25	9	9	13	18	23	24	24
35-49	16	14.9	41	7	8	12	19	25	28	29
50-64	17	20.6	115	5	9	19	25	34	44	49
65+	28	21.0	136	7	10	17	26	38	49	55
2. MULTIPLE DX										
0-19 YRS	119	13.3	34	7	8	12	16	21	24	36
20-34	40	14.3	45	7	7	13	17	27	28	29
35-49	32	19.3	103	3	8	19	26	36	44	99+
50-64	63	27.1	281	11	13	23	33	48	63	87
65+	99	25.3	243	10	12	21	30	52	59	99+
TOT. SINGLE DX	163	14.4	68	7	8	12	17	25	29	49
" MULTIPLE DX	353	19.8	178	7	9	16	24	37	50	98
TOTAL 0-19 YRS	205	12.3	29	7	7	11	15	19	22	33
20-34	56	14.4	38	7	8	13	18	24	28	29
35-49	48	17.9	85	5	8	16	25	32	37	99+
50-64	80	25.7	251	10	12	22	32	45	57	87
65+	127	24.4	221	9	11	20	28	48	56	99+
GRAND TOTAL	**516**	**18.1**	**150**	**7**	**8**	**15**	**22**	**32**	**43**	**86**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	4.3	30	<1	<1	2	5	10	16	30
20-34	266	5.5	12	2	2	5	7	9	12	17
35-49	325	5.3	10	2	2	5	7	9	10	15
50-64	296	5.7	18	2	2	5	7	9	12	26
65+	85	7.9	27	2	2	7	10	15	20	23
2. MULTIPLE DX										
0-19 YRS	55	9.7	82	<1	1	7	14	25	29	34
20-34	131	7.4	23	2	3	6	9	14	17	25
35-49	179	7.0	31	2	3	6	8	13	17	33
50-64	241	9.3	70	2	3	7	11	18	27	51
65+	181	12.6	78	3	4	10	15	26	31	42
TOT. SINGLE DX	1025	5.6	16	2	2	5	7	10	12	22
" MULTIPLE DX	787	9.2	60	2	3	7	11	19	26	41
TOTAL 0-19 YRS	108	7.0	63	<1	<1	4	9	19	27	33
20-34	397	6.1	17	2	2	5	7	11	14	21
35-49	504	5.9	18	2	2	5	7	10	13	25
50-64	537	7.3	44	2	2	6	8	13	19	42
65+	266	11.1	67	2	3	9	13	23	28	39
GRAND TOTAL	**1812**	**7.2**	**38**	**2**	**2**	**6**	**9**	**13**	**19**	**34**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1170	2.8	20	<1	<1	2	3	6	8	16
20-34	1329	3.7	11	<1	<1	3	5	8	10	16
35-49	1385	4.2	19	<1	1	3	5	9	11	23
50-64	2228	4.4	29	<1	1	2	5	9	13	26
65+	2212	5.2	38	<1	1	3	6	11	16	33
2. MULTIPLE DX										
0-19 YRS	1062	3.8	22	<1	<1	2	4	8	11	21
20-34	1576	6.6	60	1	1	4	8	14	20	39
35-49	2054	7.1	59	1	1	5	9	15	20	44
50-64	4304	8.0	78	1	2	5	10	18	24	45
65+	7479	11.7	139	2	2	8	15	25	35	70
TOT. SINGLE DX	8324	4.2	26	<1	<1	2	5	9	12	25
" MULTIPLE DX	16475	9.2	104	1	2	6	12	20	28	59
TOTAL 0-19 YRS	2232	3.3	21	<1	<1	2	4	7	9	20
20-34	2905	5.3	40	<1	1	3	6	11	15	30
35-49	3439	6.0	45	<1	1	4	8	13	17	36
50-64	6532	6.8	65	1	1	4	9	15	22	42
65+	9691	10.2	124	1	2	7	13	23	32	65
GRAND TOTAL	**24799**	**7.5**	**84**	**<1**	**1**	**4**	**9**	**17**	**24**	**50**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	4.7	7	1	2	4	7	9	9	9
20-34	64	3.6	7	1	1	3	5	7	9	13
35-49	223	4.0	10	1	1	3	5	7	9	17
50-64	1055	4.7	19	1	2	4	6	9	12	26
65+	1828	5.9	31	2	2	5	7	11	14	28
2. MULTIPLE DX										
0-19 YRS	22	6.8	177	<1	<1	3	6	11	36	64
20-34	90	6.3	25	1	2	4	9	14	18	20
35-49	207	6.5	50	1	2	4	8	14	19	35
50-64	1061	7.2	52	2	2	5	9	15	21	40
65+	3077	9.9	95	2	2	7	12	20	29	55
TOT. SINGLE DX	3185	5.4	26	1	2	4	6	10	13	26
" MULTIPLE DX	4457	9.0	83	2	2	6	11	19	26	52
TOTAL 0-19 YRS	37	5.9	107	<1	<1	4	6	9	14	64
20-34	154	5.2	19	1	2	4	7	12	15	20
35-49	430	5.2	31	1	2	4	6	11	14	27
50-64	2116	6.0	37	1	2	4	7	12	17	35
65+	4905	8.4	75	2	2	6	10	17	24	47
GRAND TOTAL	7642	7.5	62	2	2	5	9	15	21	43

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	149	6.0	25	<1	1	5	8	12	16	24
20-34	89	6.5	30	1	1	5	9	15	16	26
35-49	119	7.4	37	1	2	6	10	17	20	28
50-64	303	8.2	60	1	2	5	12	20	24	33
65+	374	10.2	119	1	2	7	14	23	28	52
2. MULTIPLE DX										
0-19 YRS	250	11.3	130	2	3	8	13	22	34	65
20-34	123	13.1	202	1	2	9	19	36	63	99+
35-49	196	11.8	151	2	2	8	15	24	36	64
50-64	603	13.1	117	2	2	11	19	27	36	99+
65+	1368	16.6	190	2	3	13	22	35	48	99+
TOT. SINGLE DX	1034	8.4	73	1	2	5	11	18	24	40
" MULTIPLE DX	2540	14.7	169	2	3	12	20	32	43	99+
TOTAL 0-19 YRS	399	9.3	97	2	2	6	11	18	28	47
20-34	212	10.3	140	1	2	6	14	27	44	99+
35-49	315	10.1	112	1	2	7	13	21	29	49
50-64	906	11.5	103	1	2	9	16	24	31	62
65+	1742	15.2	182	2	3	12	21	33	44	83
GRAND TOTAL	3574	12.9	149	2	2	9	17	28	38	78

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	391	1.5	1	<1	<1	1	2	2	3	6
20-34	35	2.9	6	1	1	2	4	7	9	10
35-49	17	2.8	5	<1	<1	2	3	6	7	8
50-64	27	3.5	5	<1	<1	3	4	8	8	9
65+	17	4.5	17	<1	1	3	6	11	14	15
2. MULTIPLE DX										
0-19 YRS	216	2.1	3	<1	<1	2	2	4	6	10
20-34	52	3.0	5	<1	<1	2	4	6	7	13
35-49	30	3.8	9	1	1	3	6	7	9	15
50-64	39	5.4	31	1	2	3	7	10	19	27
65+	61	8.4	79	1	2	5	11	19	28	95
TOT. SINGLE DX	487	1.9	3	<1	<1	1	2	3	5	9
" MULTIPLE DX	398	3.6	23	<1	<1	2	4	8	12	27
TOTAL 0-19 YRS	607	1.7	2	<1	<1	1	2	3	4	8
20-34	87	3.0	5	<1	<1	2	4	6	7	12
35-49	47	3.4	8	<1	<1	2	5	7	8	15
50-64	66	4.6	21	<1	1	3	6	8	10	27
65+	78	7.5	68	1	2	5	10	18	24	87
GRAND TOTAL	885	2.7	13	<1	<1	2	3	6	8	18

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	343	6.6	26	<1	1	5	10	13	15	21
20-34	191	4.8	42	<1	1	3	5	11	15	23
35-49	84	5.1	16	<1	1	4	8	10	14	72
50-64	126	4.7	15	1	2	4	5	9	11	25
65+	123	4.8	19	1	2	4	5	9	12	23
2. MULTIPLE DX										
0-19 YRS	165	7.3	90	<1	1	5	11	16	18	89
20-34	137	6.4	48	1	2	4	8	14	22	39
35-49	106	8.0	117	2	2	4	8	18	29	89
50-64	176	6.5	36	2	2	4	9	12	17	41
65+	250	9.2	87	2	2	6	11	20	30	44
TOT. SINGLE DX	867	5.5	27	<1	1	4	8	12	15	23
" MULTIPLE DX	834	7.6	75	1	2	5	10	16	25	47
TOTAL 0-19 YRS	508	6.8	47	<1	1	5	10	14	16	26
20-34	328	5.5	45	<1	1	3	7	12	16	30
35-49	190	6.7	74	1	2	4	8	15	23	92
50-64	302	5.7	28	2	2	4	8	11	15	28
65+	373	7.8	69	2	2	5	9	16	25	42
GRAND TOTAL	1701	6.6	52	1	1	4	9	14	18	38

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	276	2.0	5	<1	<1	1	2	3	6	14
20-34	211	3.3	10	<1	<1	2	4	7	8	18
35-49	115	3.4	10	<1	<1	2	5	6	8	17
50-64	136	3.5	6	<1	1	2	5	7	9	11
65+	183	5.3	32	<1	1	3	7	12	16	42
2. MULTIPLE DX										
0-19 YRS	450	2.9	14	<1	<1	2	3	7	9	14
20-34	423	5.1	30	1	1	3	6	10	15	36
35-49	398	6.1	50	<1	1	4	8	13	16	33
50-64	562	7.3	58	1	1	5	10	16	21	41
65+	1091	11.6	132	2	2	8	15	25	33	61
TOT. SINGLE DX	921	3.3	14	<1	<1	2	4	7	10	21
" MULTIPLE DX	2924	7.7	84	<1	1	5	10	18	25	51
TOTAL 0-19 YRS	726	2.6	11	<1	<1	2	3	6	8	14
20-34	634	4.5	24	<1	1	3	6	9	13	32
35-49	513	5.5	42	<1	1	3	7	12	15	30
50-64	698	6.5	50	<1	1	4	9	14	19	36
65+	1274	10.7	123	1	2	8	14	24	32	60
GRAND TOTAL	3845	6.7	71	<1	1	4	8	16	23	46

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	2.4	7	<1	<1	2	2	4	7	17
20-34	95	3.5	8	<1	1	3	4	7	10	15
35-49	80	5.0	25	<1	1	3	6	10	16	27
50-64	96	6.3	25	2	2	4	9	14	17	23
65+	65	5.6	15	2	2	5	7	12	14	19
2. MULTIPLE DX										
0-19 YRS	98	3.8	32	<1	1	2	4	8	11	34
20-34	128	4.6	20	1	1	3	6	9	13	21
35-49	99	6.2	24	1	2	4	9	13	16	23
50-64	153	8.2	82	1	2	5	11	16	22	45
65+	178	10.9	119	2	3	8	13	23	28	65
TOT. SINGLE DX	447	4.4	17	<1	1	3	5	10	13	20
" MULTIPLE DX	656	7.3	70	1	2	5	9	15	22	45
TOTAL 0-19 YRS	209	3.1	19	<1	<1	2	3	6	8	21
20-34	223	4.1	15	<1	1	3	5	8	12	16
35-49	179	5.7	24	1	1	4	8	12	16	25
50-64	249	7.4	61	2	2	5	10	15	19	38
65+	243	9.5	96	2	3	7	11	18	24	54
GRAND TOTAL	1103	6.1	51	1	1	4	8	13	17	37

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	45	8.3	10	4	5	8	10	12	13	21
35-49	196	9.4	11	6	6	9	11	13	16	21
50-64	155	10.0	10	6	7	9	11	14	16	21
65+	62	13.2	69	6	7	10	15	23	36	42
2. MULTIPLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	49	10.8	26	7	7	9	12	17	20	36
35-49	217	11.3	48	6	6	9	12	17	23	38
50-64	222	11.9	27	7	8	10	13	18	21	34
65+	131	14.3	75	8	8	12	16	22	28	54
TOT. SINGLE DX	461	10.0	20	6	6	9	11	15	18	28
" MULTIPLE DX	620	12.1	46	7	7	10	14	18	23	43
TOTAL 0-19 YRS	4	2.8	2	<1	<1	3	4	4	4	4
20-34	94	9.6	20	5	6	8	11	14	19	29
35-49	413	10.4	31	6	6	9	11	15	18	32
50-64	377	11.1	21	7	7	10	12	17	20	27
65+	193	13.9	73	7	8	11	16	22	29	48
GRAND TOTAL	1081	11.2	36	6	7	10	12	17	21	36

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	9.0	98	2	2	9	16	16	16	16
20-34	7	8.3	4	6	6	8	10	12	12	12
35-49	16	8.1	15	3	4	8	9	15	16	17
50-64	12	8.6	7	4	5	9	11	12	12	12
65+	9	12.0	52	5	5	9	18	23	24	24
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	11	7.4	15	2	4	7	7	13	18	18
35-49	21	12.0	26	5	6	12	14	19	21	24
50-64	24	11.8	22	6	7	10	15	20	21	23
65+	37	13.1	53	4	5	12	16	26	30	33
TOT. SINGLE DX	46	9.1	21	4	4	8	11	16	18	24
" MULTIPLE DX	94	11.7	38	4	6	10	15	19	24	32
TOTAL 0-19 YRS	3	6.3	70	1	1	2	12	16	16	16
20-34	18	7.7	11	3	5	7	8	11	16	18
35-49	37	10.4	24	4	5	9	12	19	19	24
50-64	36	10.7	19	6	6	10	12	17	20	23
65+	46	12.9	52	4	5	11	16	24	28	33
GRAND TOTAL	140	10.9	33	4	5	10	13	18	23	31

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	1.6	2	<1	<1	<1	1	4	5	5
20-34	25	4.5	10	<1	1	4	6	9	11	13
35-49	28	5.0	8	2	2	4	6	10	10	11
50-64	20	4.2	16	<1	1	3	5	7	13	19
65+	23	7.1	54	1	2	5	9	13	25	35
2. MULTIPLE DX										
0-19 YRS	17	7.9	90	<1	<1	3	13	20	30	35
20-34	29	9.5	128	2	2	6	10	20	30	59
35-49	53	8.9	29	2	2	8	13	17	19	22
50-64	72	8.9	74	1	2	6	11	21	29	41
65+	63	8.7	44	1	2	7	12	18	24	90
TOT. SINGLE DX	105	4.9	21	<1	1	4	6	10	11	26
" MULTIPLE DX	234	8.8	62	1	2	7	11	18	25	46
TOTAL 0-19 YRS	26	5.7	68	<1	<1	2	8	17	24	35
20-34	54	7.2	78	1	2	5	9	12	22	58
35-49	81	7.5	25	2	2	6	10	16	17	21
50-64	92	7.9	65	1	2	5	10	19	27	39
65+	86	8.2	47	1	2	6	11	18	22	76
GRAND TOTAL	339	7.6	53	1	2	6	10	16	21	36

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	20	7.0	23	1	1	8	10	14	15	15
35-49	7	8.7	33	2	3	6	12	18	19	19
50-64	6	11.3	21	6	6	10	14	18	19	19
65+	11	20.2	159	2	4	18	29	40	42	42
2. MULTIPLE DX										
0-19 YRS	5	14.2	50	7	7	16	19	23	23	23
20-34	17	9.5	23	1	2	9	12	16	17	18
35-49	19	15.5	77	1	2	16	24	26	27	27
50-64	32	18.3	242	1	2	12	31	37	38	70
65+	31	17.6	144	3	6	13	24	35	46	49
TOT. SINGLE DX	45	11.2	83	1	2	10	15	19	33	42
" MULTIPLE DX	104	15.9	143	2	3	13	23	32	37	59
TOTAL 0-19 YRS	6	14.3	40	7	7	15	18	22	23	23
20-34	37	8.1	24	1	1	9	11	15	16	18
35-49	26	13.7	73	1	2	14	21	25	27	27
50-64	38	17.2	213	1	3	12	30	36	38	70
65+	42	18.3	145	3	6	15	25	37	44	49
GRAND TOTAL	149	14.5	129	1	2	11	19	31	37	49

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	6.8	16	1	1	8	9	10	10	10
20-34	9	6.0	11	2	2	6	8	11	11	11
35-49	71	7.9	12	4	5	8	9	11	16	21
50-64	1467	8.1	16	4	5	7	9	12	14	22
65+	3127	9.2	21	5	5	8	11	14	18	27
2. MULTIPLE DX										
0-19 YRS	12	14.3	144	6	6	10	17	30	45	48
20-34	13	10.6	180	1	2	8	9	27	47	52
35-49	126	10.0	38	4	5	8	12	17	23	32
50-64	2494	11.4	57	5	6	9	13	20	25	44
65+	8091	14.6	109	5	6	11	17	27	35	63
TOT. SINGLE DX	4678	8.8	20	5	5	8	10	13	17	25
" MULTIPLE DX	10736	13.8	99	5	6	11	16	25	33	60
TOTAL 0-19 YRS	16	12.4	120	2	6	9	11	23	40	48
20-34	22	8.7	113	1	2	7	9	14	33	52
35-49	197	9.2	29	4	5	8	11	16	20	31
50-64	3961	10.2	45	5	5	8	12	16	22	38
65+	11218	13.1	91	5	6	10	15	24	31	56
GRAND TOTAL	15414	12.3	80	5	6	10	14	22	29	53

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	7	7.6	85	1	1	2	11	23	26	26
50-64	235	13.4	28	8	9	12	16	20	25	46
65+	483	13.8	30	6	9	13	16	20	23	35
2. MULTIPLE DX										
0-19 YRS	6	14.8	165	2	2	11	27	33	34	34
20-34	2	20.5	181	11	11	20	30	30	30	30
35-49	8	18.9	220	7	7	14	22	45	52	52
50-64	449	15.8	50	8	10	14	18	24	29	43
65+	1506	18.3	88	9	10	16	21	29	35	54
TOT. SINGLE DX	730	13.5	31	6	9	13	16	20	24	36
" MULTIPLE DX	1971	17.7	81	9	10	16	21	28	34	53
TOTAL 0-19 YRS	10	9.8	134	1	1	4	11	30	34	34
20-34	3	14.7	192	3	3	11	25	30	30	30
35-49	15	13.6	180	1	1	12	15	28	46	52
50-64	684	15.0	44	8	9	13	17	23	27	43
65+	1989	17.2	78	9	10	15	20	27	32	51
GRAND TOTAL	**2701**	**16.6**	**71**	**8**	**10**	**15**	**19**	**26**	**32**	**50**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	14	7.6	305	<1	1	3	5	13	56	68
35-49	49	2.8	3	1	1	2	3	6	7	7
50-64	385	3.8	15	1	1	3	4	8	11	23
65+	523	5.4	39	1	2	3	6	11	15	37
2. MULTIPLE DX										
0-19 YRS	3	18.3	382	2	2	13	33	40	40	40
20-34	9	13.3	485	2	2	5	13	48	71	71
35-49	54	5.5	52	1	1	3	6	12	17	47
50-64	390	7.8	55	2	2	5	11	16	25	80
65+	1006	11.2	122	2	2	8	15	24	33	62
TOT. SINGLE DX	974	4.7	32	1	1	3	5	9	14	32
" MULTIPLE DX	1462	10.1	107	2	2	7	13	22	31	62
TOTAL 0-19 YRS	6	10.3	230	2	2	3	13	37	40	40
20-34	23	9.9	364	1	1	4	6	24	69	71
35-49	103	4.2	30	1	1	3	5	8	12	33
50-64	775	5.8	39	1	2	3	7	13	17	38
65+	1529	9.2	101	2	2	6	12	21	29	54
GRAND TOTAL	**2436**	**7.9**	**84**	**1**	**2**	**4**	**10**	**18**	**26**	**51**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	133	3.2	4	<1	1	3	4	6	7	11
20-34	127	4.2	11	1	2	3	5	8	13	17
35-49	104	4.5	16	<1	1	4	6	7	11	25
50-64	100	4.9	13	2	2	4	6	9	12	22
65+	46	6.1	18	2	3	5	8	11	15	21
2. MULTIPLE DX										
0-19 YRS	85	4.6	72	1	1	3	5	8	9	55
20-34	80	5.8	27	2	2	5	6	11	15	32
35-49	64	6.2	25	1	2	5	8	13	18	89
50-64	127	8.9	87	2	2	6	10	17	23	52
65+	115	13.1	183	2	2	9	17	31	45	62
TOT. SINGLE DX	510	4.3	12	1	1	4	5	8	10	19
" MULTIPLE DX	471	8.3	98	2	2	5	9	17	27	54
TOTAL 0-19 YRS	218	3.7	31	<1	1	3	4	6	8	12
20-34	207	4.8	18	1	2	4	5	9	14	21
35-49	168	5.2	20	<1	1	4	6	10	15	31
50-64	227	7.1	58	2	2	5	8	14	21	45
65+	161	11.1	146	2	2	6	13	27	36	54
GRAND TOTAL	**981**	**6.2**	**57**	**1**	**2**	**4**	**6**	**12**	**18**	**46**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	146	4.0	10	1	2	3	5	6	8	21
20-34	169	6.8	31	2	2	5	8	15	22	25
35-49	72	6.4	18	2	2	6	8	11	14	25
50-64	99	5.9	22	2	2	4	6	14	16	22
65+	197	7.6	36	2	3	5	10	16	18	29
2. MULTIPLE DX										
0-19 YRS	96	4.0	14	1	1	3	5	7	10	24
20-34	110	7.2	28	2	2	5	9	16	18	24
35-49	59	8.9	46	2	2	7	12	20	22	28
50-64	175	11.4	102	2	3	8	15	22	30	70
65+	555	13.1	127	3	3	10	17	27	35	67
TOT. SINGLE DX	683	6.3	27	2	2	4	8	14	17	25
" MULTIPLE DX	995	11.0	105	2	3	8	15	22	30	60
TOTAL 0-19 YRS	242	4.0	12	1	2	3	5	6	9	22
20-34	279	7.0	30	2	2	5	9	15	19	25
35-49	131	7.5	32	2	2	6	9	16	21	28
50-64	274	9.4	80	2	3	6	13	20	26	51
65+	752	11.7	109	2	3	9	16	24	31	61
GRAND TOTAL	**1678**	**9.1**	**79**	**2**	**2**	**6**	**12**	**20**	**26**	**46**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	809	3.2	3	<1	1	3	4	6	7	9
20-34	92	3.6	3	1	2	3	5	6	7	11
35-49	11	3.4	4	1	1	3	4	6	8	8
50-64	7	4.0	1	3	3	4	4	6	6	6
65+	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	551	3.4	5	<1	1	3	4	6	8	11
20-34	32	6.3	25	2	2	4	8	13	16	23
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	2	9.5	61	4	4	9	15	15	15	15
65+	4	11.5	387	1	1	2	22	41	41	41
TOT. SINGLE DX	922	3.2	3	<1	1	3	4	6	7	9
" MULTIPLE DX	591	3.6	9	<1	1	3	4	6	8	15
TOTAL 0-19 YRS	1360	3.3	4	<1	1	3	4	6	7	10
20-34	124	4.3	10	1	2	3	5	7	11	18
35-49	13	3.4	4	1	1	3	4	6	8	8
50-64	9	5.2	14	3	3	4	5	11	15	15
65+	7	7.6	218	1	1	2	4	34	41	41
GRAND TOTAL	1513	3.4	6	<1	1	3	4	6	7	11

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	154	2.9	3	1	1	2	3	5	7	9
20-34	173	2.9	7	<1	1	2	3	5	6	16
35-49	47	3.7	7	1	2	3	4	7	9	14
50-64	15	4.3	7	2	2	3	7	8	9	9
65+	9	9.0	217	1	2	5	6	32	48	48
2. MULTIPLE DX										
0-19 YRS	52	4.4	19	1	2	4	5	7	8	32
20-34	80	3.8	7	1	2	3	5	8	10	13
35-49	18	6.2	25	1	2	5	7	13	18	20
50-64	9	10.2	33	4	4	10	15	19	19	19
65+	8	10.4	20	3	4	10	14	16	16	16
TOT. SINGLE DX	398	3.2	11	1	1	2	4	6	[illegible]	13
" MULTIPLE DX	167	4.9	18	1	2	3	6	10	14	20
TOTAL 0-19 YRS	206	3.3	7	1	1	3	4	6	7	10
20-34	253	3.2	7	<1	1	2	3	6	9	13
35-49	65	4.4	13	1	2	3	5	9	13	19
50-64	24	6.5	24	2	2	5	9	14	18	19
65+	17	9.6	118	2	3	6	11	16	37	48
GRAND TOTAL	565	3.7	13	1	1	3	4	7	10	18

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	293	1.2		<1	<1	<1	1	2	2	4
35-49	220	1.2	1	<1	<1	<1	<1	2	2	4
50-64	39	4.5	40	<1	<1	1	7	13	18	29
65+	11	7.8	22	<1	3	6	9	14	19	20
2. MULTIPLE DX										
0-19 YRS										
20-34	44	3.0	20	<1	<1	2	3	7	8	29
35-49	72	3.7	16	<1	<1	2	5	7	14	20
50-64	34	7.1	22	1	2	7	10	14	16	16
65+	40	13.2	73	3	4	11	17	27	29	41
TOT. SINGLE DX	564	1.5	5	<1	<1	<1	1	2	4	14
" MULTIPLE DX	190	6.1	45	<1	<1	4	8	15	18	29
TOTAL 0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	337	1.4	3	<1	<1	<1	1	2	3	7
35-49	292	1.8	6	<1	<1	<1	1	3	6	16
50-64	73	5.7	33	<1	<1	2	9	14	16	27
65+	51	12.0	66	3	4	10	16	26	28	41
GRAND TOTAL	754	2.7	19	<1	<1	<1	2	7	12	26

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	409	3.0	2	<1	1	3	4	5	6	8
20-34	879	3.0	6	2	2	3	3	4	5	8
35-49	433	3.3	3	2	2	3	4	5	6	11
50-64	362	4.2	7	2	2	4	5	6	8	11
65+	141	4.6	9	2	2	4	5	8	10	17
2. MULTIPLE DX										
0-19 YRS	280	3.3	6	<1	1	3	4	6	8	16
20-34	344	3.7	6	2	2	3	4	6	8	17
35-49	231	4.5	9	2	2	4	5	7	10	17
50-64	310	5.8	28	2	3	4	6	10	13	30
65+	187	7.5	33	3	3	6	9	16	21	38
TOT. SINGLE DX	2224	3.3	6	2	2	3	4	5	6	11
" MULTIPLE DX	1352	4.8	17	1	2	4	5	8	11	23
TOTAL 0-19 YRS	689	3.1	4	<1	1	3	4	5	6	10
20-34	1223	3.2	6	2	2	3	4	5	6	11
35-49	664	3.7	6	2	2	3	4	6	8	14
50-64	672	4.9	17	2	2	4	5	8	10	25
65+	328	6.3	25	2	3	5	7	11	17	26
GRAND TOTAL	3576	3.9	10	1	2	3	4	6	8	19

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	117	2.9	8	<1	<1	2	4	6	9	14
20-34	131	2.8	10	<1	<1	2	3	5	8	19
35-49	70	4.6	15	<1	<1	3	7	10	13	16
50-64	71	6.3	21	1	2	4	9	13	18	20
65+	57	8.4	143	2	2	6	9	15	20	84
2. MULTIPLE DX										
0-19 YRS	44	5.0	22	<1	1	3	7	11	14	24
20-34	67	4.8	21	1	1	3	6	10	13	24
35-49	57	8.5	145	<1	2	7	10	13	18	84
50-64	93	8.2	42	1	2	6	10	16	20	38
65+	73	12.2	170	2	2	8	14	25	37	75
TOT. SINGLE DX	446	4.4	33	<1	<1	3	5	9	14	20
" MULTIPLE DX	334	8.0	87	1	2	6	10	15	22	45
TOTAL 0-19 YRS	161	3.5	13	<1	<1	2	4	8	11	15
20-34	198	3.4	15	<1	<1	2	4	8	10	23
35-49	127	6.4	76	<1	1	4	9	12	15	46
50-64	164	7.4	33	1	2	6	9	15	18	35
65+	130	10.5	161	2	2	7	12	22	27	83
GRAND TOTAL	**780**	**5.9**	**59**	**<1**	**1**	**4**	**8**	**13**	**17**	**37**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	248	6.2	5	3	4	6	7	9	11	16
20-34	1043	6.2	6	3	4	6	7	8	9	15
35-49	155	7.1	13	2	4	7	8	10	14	25
50-64	37	11.1	77	4	5	8	12	22	32	44
65+	14	12.1	31	6	7	10	16	21	23	24
2. MULTIPLE DX										
0-19 YRS	260	7.1	13	4	4	7	8	10	14	22
20-34	1473	6.8	9	3	4	6	8	10	12	18
35-49	271	9.1	85	3	4	7	9	14	22	68
50-64	74	16.9	122	7	8	13	22	32	43	55
65+	90	21.9	237	7	8	19	29	38	51	97
TOT. SINGLE DX	1497	6.4	10	3	4	6	7	9	11	19
" MULTIPLE DX	2168	8.1	44	3	4	7	8	13	18	39
TOTAL 0-19 YRS	508	6.7	10	3	4	6	7	10	12	19
20-34	2516	6.5	8	3	4	6	7	9	11	17
35-49	426	8.4	60	3	4	7	9	13	18	58
50-64	111	15.0	114	5	6	11	19	29	41	54
65+	104	20.6	220	7	8	17	27	35	50	96
GRAND TOTAL	**3665**	**7.4**	**31**	**3**	**4**	**6**	**8**	**11**	**15**	**32**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104	7.2	10	4	5	6	8	10	12	22
20-34	760	6.7	5	4	5	6	7	9	11	17
35-49	262	7.5	7	4	5	7	8	10	12	19
50-64	68	9.5	35	4	5	8	10	15	21	34
65+	30	12.0	40	6	6	10	16	20	21	36
2. MULTIPLE DX										
0-19 YRS	131	7.5	12	4	5	7	8	11	13	22
20-34	1236	7.6	17	4	5	7	8	11	14	23
35-49	515	8.6	21	5	5	7	9	13	19	28
50-64	134	13.8	150	5	6	9	17	23	36	97
65+	89	18.8	170	7	8	15	23	43	54	99+
TOT. SINGLE DX	1224	7.2	10	4	5	7	8	10	12	20
" MULTIPLE DX	2105	8.7	39	5	5	7	9	14	19	44
TOTAL 0-19 YRS	235	7.4	11	4	5	7	8	10	13	21
20-34	1996	7.3	13	4	5	7	8	10	12	20
35-49	777	8.2	16	5	5	7	9	12	16	26
50-64	202	12.4	115	5	6	9	14	22	34	75
65+	119	17.1	145	6	7	14	20	37	52	99+
GRAND TOTAL	**3329**	**8.2**	**29**	**4**	**5**	**7**	**9**	**12**	**17**	**34**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.6	38	2	3	6	7	18	21	21
20-34	42	6.9	11	1	3	6	8	11	14	18
35-49	78	8.1	15	5	5	7	9	11	14	28
50-64	65	10.0	28	6	6	8	11	18	20	35
65+	34	12.2	23	6	7	12	15	20	22	22
2. MULTIPLE DX										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	141	8.9	42	4	5	7	9	14	17	40
35-49	346	9.7	38	5	5	8	10	15	21	38
50-64	177	12.6	42	6	6	10	16	23	26	30
65+	103	17.8	127	7	8	14	21	30	41	62
TOT. SINGLE DX	226	9.0	22	4	5	8	10	15	19	26
" MULTIPLE DX	769	11.3	59	5	6	9	13	20	26	41
TOTAL 0-19 YRS	9	7.4	29	2	3	6	7	16	21	21
20-34	183	8.4	35	3	5	7	9	13	17	39
35-49	424	9.4	34	5	5	8	10	15	20	33
50-64	242	11.9	39	6	6	10	14	21	25	31
65+	137	16.4	107	7	8	13	20	28	38	58
GRAND TOTAL	**995**	**10.8**	**52**	**5**	**6**	**8**	**12**	**19**	**25**	**39**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	4.3	17	<1	1	4	6	8	9	26
20-34	150	5.0	14	1	1	5	7	8	11	22
35-49	18	3.7	5	<1	<1	3	5	7	8	9
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
0-19 YRS	27	8.8	219	1	2	6	6	12	50	70
20-34	315	5.3	12	1	2	5	7	8	11	18
35-49	57	7.7	54	1	2	7	8	18	22	41
50-64	7	11.9	68	2	3	8	17	24	26	26
65+										
TOT. SINGLE DX	218	4.7	14	<1	1	4	6	8	11	22
" MULTIPLE DX	406	6.0	33	1	2	5	7	9	14	27
TOTAL 0-19 YRS	75	5.9	92	<1	1	4	6	8	12	64
20-34	465	5.2	12	1	1	5	7	8	11	20
35-49	75	6.7	45	<1	2	6	8	12	21	38
50-64	8	10.5	73	<1	1	8	16	24	26	26
65+	1	16.0		16	16	16	16	16	16	16
GRAND TOTAL	**624**	**5.6**	**27**	**1**	**1**	**5**	**7**	**9**	**13**	**26**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	1.9	1	<1	<1	2	2	3	5	6
20-34	3045	1.6	5	<1	<1	1	2	2	3	5
35-49	1506	1.7	7	<1	<1	1	2	2	3	6
50-64	8	1.4		<1	<1	1	2	61	99+	99+
65+										
2. MULTIPLE DX										
0-19 YRS	16	3.8	29	<1	<1	2	3	11	18	21
20-34	2448	1.9	5	<1	<1	2	2	3	4	7
35-49	1550	1.9	5	<1	<1	2	2	3	3	8
50-64	9	2.4	11	<1	<1	1	2	8	11	11
65+										
TOT. SINGLE DX	4578	1.6	6	<1	<1	1	2	2	3	6
" MULTIPLE DX	4023	1.9	5	<1	<1	2	2	3	4	8
TOTAL 0-19 YRS	35	2.8	14	<1	<1	2	2	6	11	21
20-34	5493	1.7	5	<1	<1	1	2	2	3	6
35-49	3056	1.8	6	<1	<1	2	2	2	3	7
50-64	17	1.9	6	<1	<1	1	2	8	64	99+
65+										
GRAND TOTAL	**8601**	**1.8**	**5**	**<1**	**<1**	**2**	**2**	**2**	**3**	**7**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	4.1	6	1	1	4	7	7	8	8
20-34	2486	3.0	3	1	1	3	4	5	6	8
35-49	1120	2.8	3	1	1	3	4	5	5	8
50-64	7	6.1	38	1	1	4	9	17	18	18
65+										
2. MULTIPLE DX										
0-19 YRS	28	4.7	7	1	1	4	6	9	9	11
20-34	3260	4.0	5	1	2	4	5	6	7	10
35-49	1428	3.8	7	1	2	3	5	6	8	13
50-64	13	8.2	67	<1	1	4	13	22	26	27
65+										
TOT. SINGLE DX	3629	3.0	3	1	1	3	4	5	6	8
" MULTIPLE DX	4729	3.9	5	1	2	4	5	6	7	11
TOTAL 0-19 YRS	44	4.5	7	1	1	4	7	8	9	11
20-34	5746	3.5	4	1	1	3	4	6	7	10
35-49	2548	3.4	5	1	1	3	4	6	7	12
50-64	20	7.5	55	<1	1	4	12	19	24	27
65+										
GRAND TOTAL	8358	3.5	5	1	1	3	4	6	7	11

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	83	6.1	6	2	4	6	7	8	11	14
20-34	1298	5.5	6	2	2	6	7	8	8	12
35-49	205	5.4	11	1	2	6	7	8	10	17
50-64	6	5.7	6	2	2	6	7	9	9	9
65+	3	9.3	6	7	7	9	11	12	12	12
2. MULTIPLE DX										
0-19 YRS	79	6.8	15	3	4	6	8	11	12	27
20-34	1288	5.7	10	1	2	6	7	8	10	17
35-49	285	6.1	13	<1	2	6	8	9	13	19
50-64	10	13.1	57	3	3	12	19	24	24	24
65+	5	14.4	177	6	6	7	21	37	37	37
TOT. SINGLE DX	1595	5.5	6	1	2	6	7	8	9	13
" MULTIPLE DX	1667	5.9	12	1	2	6	7	9	11	18
TOTAL 0-19 YRS	162	6.4	10	2	4	6	8	10	11	15
20-34	2586	5.6	8	1	2	6	7	8	9	16
35-49	490	5.8	12	1	2	6	7	9	11	19
50-64	16	10.3	50	2	3	8	14	23	24	24
65+	8	12.5	110	6	6	8	14	31	37	37
GRAND TOTAL	3262	5.7	9	1	2	6	7	8	10	16

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	2.4	1	<1	1	2	3	4	4	5
20-34	782	2.7	8	1	1	2	3	4	5	12
35-49	329	2.7	4	<1	1	2	3	4	5	13
50-64	116	2.5	2	1	1	2	3	4	5	9
65+	32	4.8	50	1	2	3	4	9	24	35
2. MULTIPLE DX										
0-19 YRS	16	2.1		1	1	2	3	3	3	3
20-34	534	3.0	7	1	2	3	3	4	6	11
35-49	337	3.4	22	1	2	2	3	5	8	23
50-64	171	4.7	30	1	2	3	5	10	13	44
65+	72	7.2	93	2	2	4	9	15	20	63
TOT. SINGLE DX	1293	2.7	7	1	1	2	3	4	5	12
" MULTIPLE DX	1130	3.7	21	1	2	3	3	6	9	24
TOTAL 0-19 YRS	50	2.3	1	<1	1	2	3	3	4	5
20-34	1316	2.8	8	1	1	2	3	4	5	12
35-49	666	3.1	13	1	1	2	3	4	6	18
50-64	287	3.8	20	1	1	3	4	8	11	28
65+	104	6.5	80	2	2	3	8	12	21	52
GRAND TOTAL	2423	3.2	14	1	1	2	3	4	8	19

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	2.4	3	<1	<1	2	3	5	6	8
20-34	647	2.0	3	<1	<1	2	2	3	4	7
35-49	890	2.1	3	<1	<1	2	2	3	4	10
50-64	604	2.4	6	<1	<1	2	2	4	6	13
65+	202	4.8	35	1	2	2	5	11	14	34
2. MULTIPLE DX										
0-19 YRS	48	2.4	5	<1	<1	2	2	5	8	99+
20-34	985	2.8	13	<1	1	2	3	4	7	18
35-49	1680	2.8	9	<1	1	2	3	4	7	18
50-64	1019	3.9	30	<1	1	2	3	8	12	30
65+	412	7.6	89	2	2	5	9	16	21	52
TOT. SINGLE DX	2404	2.4	7	<1	<1	2	2	3	5	13
" MULTIPLE DX	4144	3.5	25	<1	1	2	3	7	11	25
TOTAL 0-19 YRS	109	2.4	4	<1	<1	2	3	5	7	48
20-34	1632	2.5	9	<1	<1	2	2	4	6	16
35-49	2570	2.5	7	<1	<1	2	2	4	6	15
50-64	1623	3.3	21	<1	1	2	3	6	10	25
65+	614	6.7	73	1	2	4	8	14	20	46
GRAND TOTAL	6548	3.1	19	<1	1	2	3	5	9	21

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	3.3	2	<1	1	3	4	5	5	7
20-34	562	3.3	6	1	2	3	4	5	6	10
35-49	74	3.4	8	1	1	3	4	5	7	20
50-64	2	5.0	18	2	2	5	8	8	8	8
65+										
2. MULTIPLE DX										
0-19 YRS	16	3.9	7	2	2	3	5	7	10	12
20-34	197	4.6	23	2	2	4	5	7	9	21
35-49	44	4.5	22	1	1	4	5	8	8	32
50-64	5	15.6	620	3	3	4	21	60	60	60
65+	1	7.0		7	7	7	7	7	7	7
TOT. SINGLE DX	674	3.4	6	1	2	3	4	5	6	10
" MULTIPLE DX	263	4.7	33	1	2	4	5	8	9	31
TOTAL 0-19 YRS	52	3.4	4	1	2	3	4	5	7	12
20-34	759	3.7	10	1	2	3	4	6	7	12
35-49	118	3.8	13	1	1	3	4	6	8	25
50-64	7	12.6	443	2	2	4	8	50	60	60
65+	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**937**	**3.7**	**14**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	3.7	5	1	1	3	5	7	7	7
20-34	257	6.0	11	<1	2	6	8	9	11	16
35-49	134	4.5	9	<1	1	3	7	9	10	26
50-64	54	3.7	27	<1	1	2	3	7	10	36
65+	29	3.6	15	1	1	2	3	9	16	16
2. MULTIPLE DX										
0-19 YRS	9	7.9	47	<1	1	7	10	19	23	23
20-34	347	6.3	11	1	2	7	8	10	11	17
35-49	261	6.3	65	<1	1	5	8	12	18	38
50-64	119	5.6	63	1	1	2	5	17	22	39
65+	68	9.6	172	2	2	4	10	27	35	72
TOT. SINGLE DX	483	5.2	13	<1	1	5	7	9	10	16
" MULTIPLE DX	804	6.5	51	1	2	6	8	11	18	36
TOTAL 0-19 YRS	18	5.8	29	<1	1	4	7	11	19	23
20-34	604	6.2	11	1	2	7	8	9	11	17
35-49	395	5.7	47	<1	1	4	8	10	14	34
50-64	173	5.0	52	1	1	2	4	13	20	37
65+	97	7.8	132	1	2	3	8	20	31	64
GRAND TOTAL	**1287**	**6.0**	**37**	**1**	**1**	**6**	**8**	**10**	**14**	**31**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	12.9	236	1	4	7	11	35	55	58
20-34	840	7.8	7	5	6	7	8	10	11	19
35-49	2339	8.1	7	6	6	8	9	10	12	16
50-64	894	8.9	12	6	6	8	9	12	15	24
65+	312	10.7	22	7	7	9	12	16	20	32
2. MULTIPLE DX										
0-19 YRS	39	9.6	15	5	6	8	11	16	18	20
20-34	2904	8.6	21	6	6	8	9	12	15	24
35-49	9800	9.0	16	6	6	8	9	12	16	25
50-64	3315	10.3	33	6	7	9	11	15	20	35
65+	985	14.1	75	7	8	11	17	24	31	51
TOT. SINGLE DX	4397	8.4	10	6	6	8	9	11	13	22
" MULTIPLE DX	17043	9.5	25	6	6	8	10	14	18	31
TOTAL 0-19 YRS	51	10.4	65	5	5	8	11	16	20	58
20-34	3744	8.4	18	6	6	8	9	11	14	22
35-49	12139	8.8	14	6	6	8	9	12	15	24
50-64	4209	10.0	29	6	7	8	11	15	19	33
65+	1297	13.3	64	7	7	11	15	23	29	49
GRAND TOTAL	**21440**	**9.2**	**22**	**6**	**6**	**8**	**10**	**13**	**17**	**29**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.3	2	3	3	4	5	6	6	6
20-34	236	6.7	4	5	5	6	7	9	10	16
35-49	347	7.5	8	5	5	7	8	10	13	20
50-64	298	8.5	14	5	6	8	10	12	14	24
65+	250	8.9	11	6	6	8	10	12	14	26
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	653	7.2	8	4	5	7	8	10	12	16
35-49	1496	8.4	12	5	5	8	9	12	15	22
50-64	1035	9.5	21	6	6	9	11	13	16	23
65+	769	11.1	29	6	7	10	13	17	21	32
TOT. SINGLE DX	1135	7.9	10	5	5	7	9	11	13	19
" MULTIPLE DX	3954	9.0	19	5	6	8	10	13	16	25
TOTAL 0-19 YRS	5	4.4	2	3	3	5	5	6	6	6
20-34	889	7.1	7	4	5	7	8	10	12	16
35-49	1843	8.2	12	5	5	7	9	12	15	22
50-64	1333	9.3	20	5	6	8	10	13	16	23
65+	1019	10.6	25	6	7	9	12	16	20	31
GRAND TOTAL	**5089**	**8.8**	**17**	**5**	**5**	**8**	**10**	**13**	**16**	**24**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	17	15.8	60	6	6	13	22	24	29	32
35-49	27	16.6	27	9	10	17	20	24	25	28
50-64	21	17.7	206	7	8	14	18	29	53	73
65+	6	15.8	53	10	10	12	23	27	27	27
2. MULTIPLE DX										
0-19 YRS										
20-34	17	14.1	56	4	7	13	17	25	30	32
35-49	30	16.4	54	7	8	15	21	28	33	34
50-64	41	20.7	116	8	10	19	25	30	32	71
65+	19	20.2	148	10	11	15	20	41	48	53
TOT. SINGLE DX	72	16.6	87	6	9	15	20	24	28	65
" MULTIPLE DX	107	18.3	99	7	8	16	23	31	33	61
TOTAL 0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	34	14.9	57	6	6	13	21	24	31	32
35-49	57	16.5	41	8	9	16	20	25	28	34
50-64	62	19.7	145	8	9	17	24	30	35	73
65+	25	19.1	126	10	10	14	21	38	45	53
GRAND TOTAL	**179**	**17.6**	**94**	**7**	**8**	**16**	**22**	**28**	**33**	**66**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	526	1.3	1	<1	<1	1	1	2	2	5
20-34	2296	1.3	2	<1	<1	<1	1	2	2	6
35-49	368	1.4	4	<1	<1	<1	1	2	2	11
50-64	11	1.8	2	<1	<1	1	2	4	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	55	2.7	11	<1	<1	2	3	6	7	22
20-34	599	2.9	17	<1	<1	2	3	5	8	24
35-49	271	2.1	3	<1	<1	2	2	4	5	10
50-64	5	3.0	3	2	2	2	4	6	6	6
65+										
TOT. SINGLE DX	3201	1.3	2	<1	<1	<1	1	2	2	6
" MULTIPLE DX	930	2.7	13	<1	<1	2	3	5	7	21
TOTAL 0-19 YRS	581	1.4	2	<1	<1	1	1	2	3	7
20-34	2895	1.6	6	<1	<1	1	1	2	4	12
35-49	639	1.7	4	<1	<1	1	2	3	4	11
50-64	16	2.2	2	<1	<1	2	3	5	6	6
65+										
GRAND TOTAL	**4131**	**1.6**	**5**	**<1**	**<1**	**1**	**2**	**2**	**4**	**10**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2300	2.0	8	<1	1	2	2	3	5	11
20-34	19033	1.8	3	<1	<1	1	2	3	4	8
35-49	9488	1.9	4	<1	<1	2	2	3	3	9
50-64	4011	2.1	6	<1	<1	2	2	3	4	11
65+	684	3.9	31	1	2	2	4	7	11	32
2. MULTIPLE DX										
0-19 YRS	819	3.3	16	1	1	2	4	7	9	17
20-34	10291	2.8	11	<1	1	2	3	6	8	15
35-49	10284	2.9	14	<1	1	2	3	6	9	19
50-64	4664	3.4	19	<1	1	2	3	8	11	22
65+	1314	6.8	82	1	2	3	8	16	23	52
TOT. SINGLE DX	35516	2.0	5	<1	<1	2	2	3	4	9
" MULTIPLE DX	27372	3.2	17	<1	1	2	3	7	9	21
TOTAL 0-19 YRS	3119	2.4	10	<1	1	2	2	4	7	12
20-34	29324	2.2	6	<1	<1	2	2	4	6	11
35-49	19772	2.5	10	<1	<1	2	2	4	7	15
50-64	8675	2.8	13	<1	<1	2	2	5	9	18
65+	1998	5.8	66	1	2	3	6	13	20	44
GRAND TOTAL	**62888**	**2.5**	**11**	**<1**	**<1**	**2**	**2**	**4**	**7**	**16**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1532	1.2	1	<1	<1	<1	1	1	2	3
20-34	6165	1.2	3	<1	<1	<1	1	1	2	4
35-49	865	1.2	5	<1	<1	<1	1	1	2	6
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	1014	1.4	6	<1	<1	<1	<1	1	3	10
20-34	3351	1.6	7	<1	<1	<1	1	2	4	12
35-49	682	2.1	9	<1	<1	1	2	4	5	9
50-64	4	1.8	1	<1	<1	1	2	3	3	3
65+										
TOT. SINGLE DX	8565	1.2	3	<1	<1	<1	1	1	2	4
" MULTIPLE DX	5051	1.6	7	<1	<1	<1	1	3	4	11
TOTAL 0-19 YRS	2546	1.2	3	<1	<1	<1	<1	1	2	7
20-34	9516	1.3	4	<1	<1	<1	1	2	2	7
35-49	1547	1.6	7	<1	<1	<1	1	3	4	8
50-64	7	1.4	1	<1	<1	<1	2	3	3	3
65+										
GRAND TOTAL	**13616**	**1.3**	**4**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**7**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	297	1.5	1	<1	<1	1	2	2	3	6
20-34	1413	1.6	11	<1	<1	1	2	2	3	6
35-49	193	1.7	5	<1	<1	1	2	3	4	13
50-64	3	2.0	1	1	1	2	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	35	5.0	90	<1	1	2	5	7	30	46
20-34	189	2.4	4	<1	1	2	3	5	8	12
35-49	55	3.0	8	<1	1	2	4	6	11	13
50-64	6	12.0	56	2	2	14	19	19	19	19
65+	9	13.2	108	2	3	13	15	30	38	38
TOT. SINGLE DX	1906	1.6	9	<1	<1	1	2	2	3	6
" MULTIPLE DX	294	3.3	24	<1	1	2	3	7	12	38
TOTAL 0-19 YRS	332	1.9	11	<1	<1	1	2	3	4	8
20-34	1602	1.7	10	<1	<1	1	2	3	4	8
35-49	248	2.0	6	<1	<1	1	2	4	5	13
50-64	9	8.7	60	1	1	4	17	19	19	19
65+	9	13.2	108	2	3	13	15	30	38	38
GRAND TOTAL	2200	1.8	11	<1	<1	1	2	3	4	12

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	31	5.6	5	2	3	6	7	8	9	12
35-49	7	3.6	4	2	2	2	6	6	6	6
50-64	5	6.4	5	3	3	6	8	9	9	9
65+	4	8.5		8	8	8	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	5	5.6	6	2	2	6	8	91	99+	99+
20-34	77	6.2	4	2	4	6	7	9	9	12
35-49	20	8.0	15	4	5	7	9	11	17	22
50-64	13	9.0	7	4	6	9	10	13	13	13
65+	10	10.0	21	5	5	8	14	17	19	19
TOT. SINGLE DX	48	5.6	5	2	2	6	7	9	9	12
" MULTIPLE DX	125	7.0	9	3	4	7	8	10	13	41
TOTAL 0-19 YRS	6	5.3	5	2	2	5	8	82	99+	99+
20-34	108	6.0	4	2	3	6	7	9	9	12
35-49	27	6.8	16	2	2	6	8	10	13	22
50-64	18	8.3	7	3	4	8	10	12	13	13
65+	14	9.6	15	5	6	8	11	15	18	19
GRAND TOTAL	173	6.6	8	2	3	6	8	10	12	21

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	3.9	6	<1	1	4	6	7	7	12
20-34	193	3.1	8	<1	<1	2	4	7	8	12
35-49	62	4.0	13	<1	1	3	5	7	12	19
50-64	43	3.7	2	1	2	4	4	5	5	10
65+	21	5.4	45	1	2	4	5	7	19	34
2. MULTIPLE DX										
0-19 YRS	23	4.3	13	<1	1	3	6	8	11	17
20-34	172	4.1	10	<1	1	3	6	8	9	18
35-49	70	4.4	24	<1	1	3	5	10	12	31
50-64	43	4.7	13	1	2	4	5	10	12	19
65+	47	6.1	21	2	2	4	8	13	15	25
TOT. SINGLE DX	368	3.5	10	<1	<1	3	5	7	8	17
" MULTIPLE DX	355	4.5	15	1	1	4	6	9	12	19
TOTAL 0-19 YRS	72	4.0	8	<1	1	4	6	7	8	16
20-34	365	3.5	9	<1	<1	2	5	7	9	14
35-49	132	4.2	19	<1	1	3	5	9	12	22
50-64	86	4.2	8	1	2	4	4	7	10	17
65+	68	5.9	28	2	2	4	6	13	14	32
GRAND TOTAL	723	4.0	13	<1	1	3	5	8	10	19

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	90	6.5	6	2	3	6	8	10	10	15
35-49	262	7.1	7	4	4	7	8	10	11	14
50-64	486	7.8	10	4	5	7	9	12	14	18
65+	285	8.2	6	5	5	8	9	11	13	16
2. MULTIPLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	172	7.9	14	3	4	7	10	13	15	22
35-49	565	8.7	16	4	5	8	10	14	17	22
50-64	749	9.1	17	4	5	8	11	14	17	22
65+	462	10.3	25	5	6	9	12	16	19	31
TOT. SINGLE DX	1124	7.6	8	4	5	7	9	11	13	17
" MULTIPLE DX	1949	9.2	19	4	5	8	11	14	17	25
TOTAL 0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	262	7.4	12	3	4	7	9	12	14	21
35-49	827	8.2	14	4	5	7	9	13	15	21
50-64	1235	8.6	14	4	5	8	10	13	16	21
65+	747	9.5	19	5	6	9	11	14	17	27
GRAND TOTAL	3073	8.6	15	4	5	8	10	13	16	22

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	2.2	4	<1	<1	2	3	4	6	11
20-34	135	3.6	9	<1	1	3	5	7	10	14
35-49	68	5.0	11	1	1	5	7	9	12	16
50-64	58	5.4	13	1	1	5	8	10	12	18
65+	36	7.3	17	<1	2	8	10	11	13	21
2. MULTIPLE DX										
0-19 YRS	28	5.3	23	1	1	3	8	13	16	17
20-34	71	5.6	28	1	1	4	7	13	17	25
35-49	63	7.3	26	2	2	6	9	14	19	24
50-64	81	8.9	22	2	3	9	10	16	19	24
65+	50	11.7	68	3	4	9	15	23	28	43
TOT. SINGLE DX	344	4.4	12	<1	1	3	6	9	11	16
" MULTIPLE DX	293	7.9	36	1	2	7	10	16	20	27
TOTAL 0-19 YRS	75	3.3	13	<1	1	2	4	8	12	17
20-34	206	4.3	16	<1	1	3	6	9	13	22
35-49	131	6.1	19	1	2	5	8	11	14	22
50-64	139	7.4	21	1	2	8	10	13	17	21
65+	86	9.8	51	2	3	8	13	21	24	38
GRAND TOTAL	637	6.0	26	1	1	5	8	12	16	24

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	118	2.4	5	<1	<1	2	3	5	7	14
20-34	387	3.1	11	<1	<1	2	3	7	10	18
35-49	128	3.4	8	<1	1	2	4	7	10	15
50-64	131	4.1	12	<1	<1	3	6	8	9	19
65+	128	7.1	48	1	2	6	8	15	21	35
2. MULTIPLE DX										
0-19 YRS	83	4.5	27	<1	1	3	5	10	17	28
20-34	263	5.3	31	<1	1	3	7	13	18	26
35-49	155	6.4	41	1	2	4	9	13	19	35
50-64	234	7.8	72	2	2	6	10	15	22	36
65+	265	12.8	241	2	2	8	14	28	51	91
TOT. SINGLE DX	892	3.8	17	<1	<1	2	5	8	10	21
" MULTIPLE DX	1000	8.0	107	1	2	5	9	17	25	60
TOTAL 0-19 YRS	201	3.3	15	<1	<1	2	3	7	10	22
20-34	650	4.0	21	<1	<1	2	5	9	13	23
35-49	283	5.1	28	<1	1	3	7	11	15	27
50-64	365	6.5	54	<1	2	4	8	13	18	32
65+	393	10.9	185	2	2	7	11	22	43	78
GRAND TOTAL	1892	6.0	69	<1	1	3	7	13	19	44

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	265	2.4	6	<1	<1	2	3	4	6	10
20-34	1350	2.3	9	<1	1	2	3	4	5	9
35-49	558	2.3	4	<1	1	2	3	4	4	11
50-64	242	2.5	3	<1	1	2	3	4	6	9
65+	108	4.1	21	<1	1	2	4	8	12	27
2. MULTIPLE DX										
0-19 YRS	70	3.6	7	1	1	3	4	7	10	13
20-34	295	3.7	16	<1	1	3	4	7	11	22
35-49	194	4.2	49	<1	1	3	4	7	10	34
50-64	165	6.1	100	1	2	3	6	13	20	53
65+	150	9.9	175	2	2	6	12	21	51	99
TOT. SINGLE DX	2523	2.4	8	<1	1	2	3	4	5	10
" MULTIPLE DX	874	5.3	70	1	1	3	5	11	18	54
TOTAL 0-19 YRS	335	2.7	6	<1	1	2	3	5	7	13
20-34	1645	2.5	11	<1	1	2	3	4	5	12
35-49	752	2.8	16	<1	1	2	3	4	6	20
50-64	407	4.0	45	<1	1	2	4	7	10	30
65+	258	7.5	118	1	2	4	8	18	26	82
GRAND TOTAL	3397	3.2	25	<1	1	2	3	5	8	23

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	3.0	1	2	2	3	4	4	4	4
20-34	15	3.0	5	1	1	2	4	6	8	9
35-49	22	10.5	194	1	1	5	14	28	49	52
50-64	26	8.8	56	1	2	5	14	22	24	26
65+	37	13.1	122	2	2	12	19	25	47	99+
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	8	5.5	43	2	2	2	6	17	21	21
35-49	13	8.8	68	1	2	5	14	21	26	27
50-64	19	14.4	243	1	1	8	19	39	51	59
65+	65	25.0	277	6	6	21	37	48	57	98
TOT. SINGLE DX	105	9.6	109	1	2	5	16	23	26	78
" MULTIPLE DX	106	19.4	276	2	2	16	28	42	54	91
TOTAL 0-19 YRS	6	3.2	1	2	2	3	4	4	4	4
20-34	23	3.9	18	1	1	2	4	7	13	21
35-49	35	9.9	145	1	2	5	14	20	42	52
50-64	45	11.2	139	1	2	6	16	24	36	59
65+	102	20.7	251	2	5	17	28	48	57	99+
GRAND TOTAL	211	14.5	216	2	2	9	21	41	48	90

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	1.9	2	<1	<1	1	3	3	4	10
20-34	75	2.7	3	<1	<1	3	3	5	6	8
35-49	26	4.2	10	<1	1	3	6	8	11	13
50-64	15	3.7	10	<1	<1	3	5	9	10	11
65+	3	6.0	1	5	5	6	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	15	5.3	23	<1	1	2	9	14	14	14
20-34	40	3.9	6	<1	1	3	5	8	9	12
35-49	27	6.8	28	1	2	6	9	13	16	26
50-64	14	5.1	32	<1	<1	2	9	14	16	17
65+	5	14.0	100	4	4	13	22	27	27	27
TOT. SINGLE DX	167	2.9	5	<1	<1	2	3	6	7	11
" MULTIPLE DX	101	5.5	26	<1	1	4	7	13	14	26
TOTAL 0-19 YRS	63	2.7	9	<1	<1	2	3	7	10	14
20-34	115	3.1	4	<1	1	3	4	6	7	10
35-49	53	5.5	20	<1	1	5	7	11	14	26
50-64	29	4.4	20	<1	<1	2	6	12	14	17
65+	8	11.0	75	4	4	6	17	25	27	27
GRAND TOTAL	**268**	**3.9**	**15**	**<1**	**1**	**3**	**5**	**9**	**11**	**20**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	2.3	2	<1	<1	2	3	4	4	4
20-34	15	2.7	4	<1	<1	2	3	6	7	7
35-49	15	2.5	5	<1	1	2	3	3	8	10
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	4	6.8	21	2	2	6	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	3	4.7	5	2	2	6	6	6	6	6
20-34	19	7.4	195	1	2	3	7	10	40	64
35-49	17	6.3	189	<1	1	2	5	8	41	59
50-64	5	13.4	251	2	2	9	18	41	41	41
65+	10	6.9	52	1	1	3	10	18	24	24
TOT. SINGLE DX	40	3.0	7	<1	<1	2	3	7	9	12
" MULTIPLE DX	54	7.4	156	1	1	3	8	11	38	[illegible]
TOTAL 0-19 YRS	7	3.3	4	<1	<1	2	5	6	6	6
20-34	34	5.4	114	<1	1	2	6	8	10	64
35-49	32	4.5	104	<1	1	2	3	7	10	59
50-64	7	10.3	196	2	2	4	10	35	41	41
65+	14	6.9	41	1	2	4	10	14	22	24
GRAND TOTAL	**94**	**5.5**	**96**	**<1**	**1**	**2**	**6**	**10**	**13**	**62**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2707	3.7	3	2	3	4	4	5	5	8
20-34	14911	3.8	2	2	3	4	4	5	5	7
35-49	725	3.8	2	2	3	4	4	5	5	8
50-64	8	4.3	1	3	3	4	5	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	1285	4.1	8	2	3	4	4	5	6	13
20-34	8105	4.2	7	3	3	4	5	6	6	12
35-49	562	4.6	16	3	3	4	5	6	7	15
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
TOT. SINGLE DX	18351	3.7	2	2	3	4	4	5	5	7
" MULTIPLE DX	9954	4.2	7	3	3	4	5	6	6	12
TOTAL 0-19 YRS	3992	3.8	5	2	3	4	4	5	5	10
20-34	23016	3.9	4	2	3	4	4	5	6	9
35-49	1287	4.1	8	3	3	4	4	5	6	12
50-64	10	3.9	1	2	2	4	5	5	5	5
65+										
GRAND TOTAL	**28305**	**3.9**	**4**	**2**	**3**	**4**	**4**	**5**	**6**	**9**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	67	3.3	1	2	2	3	4	5	5	7
20-34	587	3.6	7	2	2	3	4	4	5	7
35-49	49	3.6	1	2	2	4	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	71	3.6	6	1	1	3	4	5	10	16
20-34	758	3.8	5	1	2	4	4	6	7	12
35-49	81	4.0	4	1	2	4	5	6	6	15
50-64										
65+										
TOT. SINGLE DX	703	3.5	6	2	2	3	4	4	5	7
" MULTIPLE DX	910	3.8	5	1	2	4	4	6	7	13
TOTAL 0-19 YRS	138	3.5	4	1	2	3	4	5	6	12
20-34	1345	3.7	6	2	2	3	4	5	6	10
35-49	130	3.9	3	2	2	4	4	5	6	10
50-64										
65+										
GRAND TOTAL	**1613**	**3.7**	**6**	**2**	**2**	**3**	**4**	**5**	**6**	**11**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	332	3.9	4	2	3	4	4	5	5	10
20-34	1806	3.9	3	2	3	4	4	5	5	8
35-49	96	3.7	1	2	3	4	4	5	6	7
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	316	4.1	3	2	3	4	5	6	7	12
20-34	1935	4.3	8	3	3	4	5	6	7	14
35-49	114	4.8	14	3	3	4	5	6	9	26
50-64										
65+										
TOT. SINGLE DX	2235	3.9	3	2	3	4	4	5	5	8
" MULTIPLE DX	2365	4.3	7	3	3	4	5	6	7	14
TOTAL 0-19 YRS	648	4.0	3	2	3	4	4	5	6	11
20-34	3741	4.1	6	3	3	4	4	5	6	11
35-49	210	4.3	8	3	3	4	5	6	6	16
50-64	1	5.0		5	5	5	5	5	5	5
65+										
GRAND TOTAL	4600	4.1	6	2	3	4	4	5	6	11

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1901	3.5	2	2	2	3	4	4	5	8
20-34	12064	3.6	4	2	2	3	4	5	5	7
35-49	654	3.7	2	2	2	4	4	5	5	8
50-64	5	6.6	41	3	3	4	8	18	18	18
65+										
2. MULTIPLE DX										
0-19 YRS	848	4.0	3	2	3	4	4	6	7	12
20-34	8681	4.2	8	2	3	4	5	6	7	13
35-49	1025	4.7	10	3	3	4	5	6	8	19
50-64	1	5.0		5	5	5	5	5	5	5
65+										
TOT. SINGLE DX	14624	3.6	4	2	2	3	4	5	5	7
" MULTIPLE DX	10555	4.3	8	2	3	4	5	6	7	14
TOTAL 0-19 YRS	2749	3.6	2	2	3	3	4	5	6	10
20-34	20745	3.8	6	2	3	4	4	5	6	10
35-49	1679	4.3	7	2	3	4	5	6	7	15
50-64	6	6.3	33	3	3	4	5	17	18	18
65+										
GRAND TOTAL	25179	3.9	5	2	3	4	4	5	6	11

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1149	6.7	10	4	5	6	7	8	10	17
20-34	10035	6.6	7	5	5	6	7	8	9	14
35-49	629	6.9	4	5	5	7	8	8	9	12
50-64	3	9.0	28	5	5	7	13	15	15	15
65+										
2. MULTIPLE DX										
0-19 YRS	1672	7.6	19	5	5	7	8	10	14	26
20-34	14239	7.3	14	5	5	7	8	9	11	22
35-49	1570	7.8	20	5	5	7	8	10	13	28
50-64	7	6.1	1	5	5	6	7	8	8	8
65+										
TOT. SINGLE DX	11816	6.7	7	5	5	6	7	8	9	14
" MULTIPLE DX	17488	7.4	15	5	5	7	8	9	12	23
TOTAL 0-19 YRS	2821	7.2	16	5	5	7	8	10	12	22
20-34	24274	7.0	11	5	5	7	7	8	10	20
35-49	2199	7.6	15	5	5	7	8	9	12	26
50-64	10	7.0	9	5	5	6	7	11	15	15
65+										
GRAND TOTAL	29304	7.1	12	5	5	7	7	9	10	20

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	109	6.4	3	4	5	6	7	8	10	12
20-34	731	6.8	16	4	5	6	7	8	9	20
35-49	49	6.9	2	5	5	7	7	8	9	13
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	105	7.7	11	5	5	7	8	10	15	23
20-34	1007	7.3	12	5	5	7	8	9	13	24
35-49	104	8.3	29	5	5	7	8	11	14	41
50-64										
65+										
TOT. SINGLE DX	889	6.8	13	4	5	6	7	8	9	18
" MULTIPLE DX	1216	7.4	13	5	5	7	8	9	13	25
TOTAL 0-19 YRS	214	7.1	7	4	5	7	8	9	10	19
20-34	1738	7.1	14	4	5	7	7	9	11	23
35-49	153	7.8	21	5	5	7	8	10	13	40
50-64										
65+										
GRAND TOTAL	2105	7.1	13	4	5	7	7	9	11	24

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	31	6.9	25	3	3	6	7	11	17	29
35-49	1	18.0		18	18	18	18	18	18	18
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34	43	6.3	5	3	4	6	7	9	11	14
35-49	14	10.1	66	4	5	7	13	16	32	36
50-64										
65+										
TOT. SINGLE DX	33	7.3	27	3	3	6	7	12	18	29
" MULTIPLE DX	60	7.1	21	4	4	6	8	11	13	34
TOTAL 0-19 YRS	4	5.5	3	4	4	5	7	8	8	8
20-34	74	6.6	13	3	4	6	7	9	12	26
35-49	15	10.6	66	4	5	8	13	18	31	36
50-64										
65+										
GRAND TOTAL	**93**	**7.2**	**23**	**3**	**4**	**6**	**7**	**11**	**14**	**33**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	516	1.7	1	1	1	2	2	3	3	5
20-34	677	1.9	2	1	1	2	2	3	4	7
35-49	70	2.0	2	1	1	2	2	3	4	10
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	70	3.7	81	1	1	2	2	6	8	63
20-34	119	3.1	15	1	1	2	3	5	8	22
35-49	27	3.7	9	1	1	3	4	9	11	12
50-64										
65+										
TOT. SINGLE DX	1264	1.8	1	1	1	2	2	3	3	5
" MULTIPLE DX	216	3.4	35	1	1	2	3	6	9	29
TOTAL 0-19 YRS	586	2.0	11	1	1	2	2	3	3	7
20-34	796	2.1	4	1	1	2	2	3	4	9
35-49	97	2.5	5	1	1	2	3	4	7	12
50-64	1	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	**1480**	**2.1**	**7**	**1**	**1**	**2**	**2**	**3**	**4**	**9**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	4.7	18	<1	<1	4	7	10	14	18
20-34	255	2.8	15	<1	<1	<1	3	7	10	21
35-49	133	1.4	2	<1	<1	<1	<1	1	5	9
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	20	5.3	35	<1	<1	4	6	10	19	27
20-34	223	3.2	18	<1	<1	<1	4	9	12	20
35-49	441	1.3	7	<1	<1	<1	<1	<1	<1	10
50-64										
65+										
TOT. SINGLE DX	424	2.5	12	<1	<1	<1	2	6	8	21
" MULTIPLE DX	684	2.0	12	<1	<1	<1	<1	5	9	17
TOTAL 0-19 YRS	55	4.9	24	<1	<1	4	7	10	14	27
20-34	478	3.0	16	<1	<1	<1	3	8	11	21
35-49	574	1.3	6	<1	<1	<1	<1	<1	2	10
50-64	1	3.0		3	3	3	3	3	3	3
65+										
GRAND TOTAL	**1108**	**2.2**	**12**	**<1**	**<1**	**<1**	**1**	**6**	**8**	**18**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	547	1.9	4	<1	<1	<1	3	4	5	10
20-34	2295	1.9	5	<1	<1	1	3	4	4	8
35-49	152	1.9	2	<1	<1	<1	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	126	2.6	5	<1	<1	2	4	5	7	11
20-34	573	3.3	17	<1	<1	3	4	6	8	18
35-49	59	3.4	5	<1	<1	3	5	6	7	10
50-64										
65+										
TOT. SINGLE DX	2994	1.9	5	<1	<1	1	3	4	4	8
" MULTIPLE DX	758	3.2	14	<1	<1	3	4	6	8	14
TOTAL 0-19 YRS	673	2.0	4	<1	<1	1	3	4	5	10
20-34	2868	2.2	8	<1	<1	1	3	4	5	10
35-49	211	2.3	3	<1	<1	1	3	5	6	8
50-64										
65+										
GRAND TOTAL	**3752**	**2.2**	**7**	**<1**	**<1**	**1**	**3**	**4**	**5**	**10**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	994	3.4	5	2	2	3	4	4	5	6
20-34	6235	3.3	3	1	2	3	4	4	5	7
35-49	430	3.3	1	1	2	3	4	4	5	6
50-64	2	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	515	3.8	3	2	2	3	4	5	6	11
20-34	3516	3.9	9	2	2	4	4	5	6	13
35-49	344	4.3	8	2	3	4	5	6	8	19
50-64	3	3.7		3	3	4	4	4	4	4
65+										
TOT. SINGLE DX	7661	3.3	3	1	2	3	4	4	5	7
" MULTIPLE DX	4378	3.9	8	2	2	4	4	5	6	13
TOTAL 0-19 YRS	1509	3.5	4	2	2	3	4	5	5	9
20-34	9751	3.5	5	2	2	3	4	5	5	9
35-49	774	3.7	4	2	2	3	4	5	6	14
50-64	5	3.4		3	3	3	4	4	4	4
65+										
GRAND TOTAL	**12039**	**3.5**	**5**	**2**	**2**	**3**	**4**	**5**	**5**	**9**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	3.0	6	<1	1	2	4	6	8	11
20-34	44	4.2	21	1	2	3	4	9	16	24
35-49	34	3.7	13	<1	1	2	4	8	14	16
50-64	46	7.5	126	1	2	3	9	14	22	70
65+	16	10.1	125	1	2	3	17	31	33	33
2. MULTIPLE DX										
0-19 YRS	29	5.0	31	<1	1	4	5	7	20	28
20-34	44	4.4	47	1	2	3	4	7	11	46
35-49	46	5.2	100	1	1	2	5	12	31	99+
50-64	81	12.0	301	1	2	4	16	37	60	97
65+	46	9.5	70	2	2	7	16	20	32	99+
TOT. SINGLE DX	174	5.3	57	<1	1	3	5	13	18	33
" MULTIPLE DX	246	8.1	152	1	2	3	9	22	39	99+
TOTAL 0-19 YRS	63	3.9	18	<1	1	3	5	6	9	27
20-34	88	4.3	34	1	2	3	4	8	14	38
35-49	80	4.6	63	1	1	2	4	9	17	89
50-64	127	10.3	241	1	2	4	12	29	46	94
65+	62	9.7	82	2	2	5	16	22	32	92
GRAND TOTAL	**420**	**6.9**	**114**	**1**	**2**	**3**	**7**	**17**	**29**	**76**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	103	4.3	3	2	2	4	5	6	7	9
20-34	192	4.8	50	2	2	4	5	7	9	14
35-49	53	4.4	11	2	2	4	5	7	7	23
50-64	21	8.5	113	3	3	4	8	21	37	47
65+	5	11.4	109	3	3	7	19	27	27	27
2. MULTIPLE DX										
0-19 YRS	80	4.9	6	3	3	4	5	7	8	17
20-34	127	4.4	7	2	2	4	5	7	9	15
35-49	27	8.8	128	2	2	6	8	12	35	58
50-64	24	13.3	389	2	2	5	20	47	89	99+
65+	14	12.2	102	2	3	9	17	30	34	35
TOT. SINGLE DX	374	4.9	36	2	2	4	5	7	9	26
" MULTIPLE DX	272	6.2	64	2	2	4	6	9	17	55
TOTAL 0-19 YRS	183	4.5	4	2	3	4	5	7	8	14
20-34	319	4.6	33	2	2	4	5	7	9	14
35-49	80	5.9	54	2	2	4	6	9	13	50
50-64	45	11.0	261	2	3	5	9	38	55	99+
65+	19	12.0	98	2	3	8	17	28	32	35
GRAND TOTAL	**646**	**5.4**	**48**	**2**	**2**	**4**	**5**	**8**	**12**	**39**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	235	3.2	3	1	1	3	4	6	7	10
20-34	296	3.8	8	1	2	3	5	6	8	15
35-49	68	4.5	14	2	2	3	6	9	11	86
50-64	16	5.3	17	<1	1	3	9	11	12	13
65+	6	8.7	24	5	5	7	9	17	18	18
2. MULTIPLE DX										
0-19 YRS	240	6.2	49	1	2	4	7	12	18	39
20-34	361	6.6	43	2	2	5	8	12	17	40
35-49	97	8.2	43	2	3	6	10	18	21	32
50-64	54	8.3	64	2	2	5	11	18	23	46
65+	18	15.4	436	2	3	8	17	70	95	99+
TOT. SINGLE DX	621	3.7	8	1	2	3	4	7	8	15
" MULTIPLE DX	770	7.0	57	2	2	5	8	14	20	43
TOTAL 0-19 YRS	475	4.7	29	1	2	3	5	8	12	30
20-34	657	5.3	29	1	2	4	6	9	14	34
35-49	165	6.7	35	2	2	5	8	15	19	33
50-64	70	7.6	55	2	2	5	10	16	23	42
65+	24	13.7	336	2	4	8	16	40	92	99+
GRAND TOTAL	**1391**	**5.5**	**38**	**1**	**2**	**4**	**6**	**11**	**15**	**34**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	117	4.4	10	1	1	4	5	9	12	15
20-34	273	4.2	7	1	2	3	5	8	10	13
35-49	106	4.6	19	1	2	3	5	9	11	27
50-64	48	4.5	8	2	2	4	6	9	11	14
65+	15	8.1	68	2	2	6	9	20	29	32
2. MULTIPLE DX										
0-19 YRS	180	8.4	117	2	2	5	9	15	23	87
20-34	335	8.3	89	2	2	6	9	13	22	55
35-49	131	8.5	51	2	2	6	12	18	26	36
50-64	79	10.6	166	2	2	7	13	19	47	96
65+	42	17.0	167	4	5	12	22	37	43	60
TOT. SINGLE DX	559	4.4	12	1	2	3	5	9	11	17
" MULTIPLE DX	767	9.1	105	2	2	6	10	18	27	60
TOTAL 0-19 YRS	297	6.8	78	1	2	5	8	13	17	59
20-34	608	6.5	56	2	2	5	7	12	16	47
35-49	237	6.7	40	1	2	5	8	15	20	31
50-64	127	8.3	115	2	2	5	9	17	20	89
65+	57	14.7	155	2	4	11	20	34	42	59
GRAND TOTAL	**1326**	**7.1**	**71**	**2**	**2**	**5**	**8**	**13**	**20**	**52**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	15	2.9	4	<1	<1	3	4	6	7	7
35-49	12	6.2	22	2	2	4	8	15	16	16
50-64	6	5.5	8	2	2	6	7	9	9	9
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	12	7.3	74	<1	1	4	6	25	26	26
20-34	11	6.5	16	1	2	6	9	12	15	15
35-49	11	6.2	21	<1	1	4	11	12	14	14
50-64	7	3.6	2	1	1	4	5	5	5	5
65+	6	27.3	1277	5	5	12	25	92	99	99+
TOT. SINGLE DX	38	4.2	12	<1	1	3	6	9	12	16
" MULTIPLE DX	47	8.9	217	1	2	5	10	15	25	99
TOTAL 0-19 YRS	16	6.0	61	<1	1	3	5	23	26	26
20-34	26	4.5	12	<1	1	4	6	9	11	15
35-49	23	6.2	21	1	2	4	10	14	15	16
50-64	13	4.5	6	1	2	4	6	8	9	9
65+	7	23.7	1156	2	3	11	22	84	99	99+
GRAND TOTAL	**85**	**6.8**	**130**	**1**	**1**	**4**	**7**	**14**	**18**	**73**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	345	7.0	47	2	2	5	8	13	21	37
20-34	317	5.2	30	2	2	4	6	9	13	35
35-49	205	5.6	36	1	2	4	6	11	16	33
50-64	236	7.6	47	2	2	6	9	15	21	44
65+	111	12.2	125	2	3	8	15	24	34	61
2. MULTIPLE DX										
0-19 YRS	178	9.6	115	2	3	6	11	22	32	59
20-34	216	5.6	41	2	2	4	6	9	14	45
35-49	199	6.7	52	2	2	4	8	14	20	41
50-64	301	10.0	109	2	2	6	12	23	30	60
65+	167	20.0	338	3	4	15	27	50	78	99+
TOT. SINGLE DX	1214	6.9	51	2	2	5	8	14	21	43
" MULTIPLE DX	1061	10.0	143	2	2	5	11	24	33	78
TOTAL 0-19 YRS	523	7.9	72	2	2	5	9	16	25	45
20-34	533	5.3	35	2	2	4	6	9	13	39
35-49	404	6.2	45	2	2	4	7	13	18	38
50-64	537	8.9	83	2	2	6	11	19	28	49
65+	278	16.8	267	3	4	11	23	40	64	99+
GRAND TOTAL	**2275**	**8.3**	**96**	**2**	**2**	**5**	**9**	**19**	**28**	**61**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	193	4.6	9	2	2	4	5	7	9	15
20-34	347	4.6	5	2	3	4	5	7	8	12
35-49	339	5.0	8	2	3	4	6	8	9	14
50-64	520	5.3	12	2	3	5	6	8	10	17
65+	181	5.7	21	3	3	5	7	8	9	23
2. MULTIPLE DX										
0-19 YRS	179	5.2	25	3	3	4	5	8	9	26
20-34	464	4.9	10	2	3	4	6	7	9	16
35-49	545	5.3	12	2	3	5	6	9	10	16
50-64	1117	6.0	18	3	3	5	7	9	12	23
65+	553	7.8	65	3	3	6	8	13	18	63
TOT. SINGLE DX	1580	5.0	10	2	3	4	6	8	9	16
" MULTIPLE DX	2858	6.0	26	3	3	5	7	9	12	28
TOTAL 0-19 YRS	372	4.9	17	2	3	4	5	7	9	16
20-34	811	4.7	8	2	3	4	6	7	9	14
35-49	884	5.2	11	2	3	5	6	8	10	15
50-64	1637	5.8	16	2	3	5	7	9	11	22
65+	734	7.3	55	3	3	5	8	12	16	53
GRAND TOTAL	**4438**	**5.6**	**21**	**2**	**3**	**5**	**6**	**9**	**11**	**23**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1143	5.1	29	1	2	4	5	9	14	29
20-34	1225	5.5	46	1	2	4	6	9	13	39
35-49	781	6.5	73	2	2	4	6	12	20	53
50-64	764	6.4	51	2	2	4	7	13	20	35
65+	375	9.9	107	2	2	6	13	22	32	59
2. MULTIPLE DX										
0-19 YRS	421	10.9	175	2	2	5	13	28	40	86
20-34	781	10.5	202	2	2	5	11	29	48	79
35-49	664	9.4	145	2	2	5	10	22	34	75
50-64	945	12.9	198	2	3	7	17	31	43	69
65+	831	17.9	271	3	3	13	25	41	60	99+
TOT. SINGLE DX	4288	6.1	54	2	2	4	6	12	18	42
" MULTIPLE DX	3642	12.7	212	2	3	7	16	33	46	83
TOTAL 0-19 YRS	1564	6.7	74	2	2	4	7	14	25	54
20-34	2006	7.4	112	1	2	4	7	15	29	63
35-49	1445	7.9	108	2	2	4	8	18	28	61
50-64	1709	10.0	142	2	2	5	11	25	35	64
65+	1206	15.4	233	2	3	11	21	37	51	99+
GRAND TOTAL	7930	9.1	137	2	2	5	10	22	35	69

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	354	8.0	70	2	2	5	9	16	23	52
20-34	268	7.0	38	2	2	5	8	14	21	35
35-49	105	7.7	91	2	2	6	9	13	18	55
50-64	132	10.5	50	2	3	9	14	18	23	37
65+	183	18.5	167	4	7	16	23	34	38	90
2. MULTIPLE DX										
0-19 YRS	141	10.7	129	3	3	6	11	25	39	53
20-34	120	13.3	267	2	3	8	16	31	72	99+
35-49	81	11.9	136	2	3	8	16	25	30	63
50-64	132	18.9	256	4	5	14	24	52	68	99+
65+	362	23.9	230	6	8	21	31	47	66	99+
TOT. SINGLE DX	1042	9.9	95	2	3	7	13	20	28	50
" MULTIPLE DX	836	18.2	243	3	4	14	25	42	59	99+
TOTAL 0-19 YRS	495	8.8	88	2	3	6	9	19	27	52
20-34	388	9.0	117	2	2	6	9	20	27	85
35-49	186	9.5	114	2	2	6	11	20	27	63
50-64	264	14.7	170	3	4	12	18	31	53	99+
65+	545	22.1	215	5	8	19	28	41	57	99+
GRAND TOTAL	1878	13.6	178	2	3	9	18	30	43	90

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	789	3.4	20	<1	1	2	4	6	8	26
20-34	1092	3.3	19	<1	1	2	4	5	8	19
35-49	483	4.1	45	<1	1	3	4	7	11	24
50-64	553	4.8	47	1	1	3	5	9	14	38
65+	379	9.4	157	1	2	5	11	21	30	83
2. MULTIPLE DX										
0-19 YRS	195	6.9	83	1	2	4	7	14	24	51
20-34	262	7.5	127	2	2	4	7	15	24	74
35-49	182	6.7	50	1	2	4	8	17	22	40
50-64	269	9.9	117	2	2	6	13	23	29	53
65+	466	18.3	275	3	4	14	23	42	58	95
TOT. SINGLE DX	3296	4.4	47	<1	1	3	4	8	13	34
" MULTIPLE DX	1374	11.4	184	2	2	6	15	27	41	77
TOTAL 0-19 YRS	984	4.1	35	<1	1	3	4	7	11	35
20-34	1354	4.1	42	<1	1	3	4	7	11	29
35-49	665	4.8	47	<1	1	3	5	9	16	36
50-64	822	6.4	76	1	2	3	7	14	22	51
65+	845	14.3	241	2	2	9	19	33	49	89
GRAND TOTAL	4670	6.5	98	1	1	3	6	15	23	59

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	26.8	397	3	5	24	38	57	72	77
20-34	19	26.2	334	6	7	23	39	53	61	67
35-49	20	16.6	178	5	7	11	17	43	47	48
50-64	94	14.1	51	6	7	13	18	25	28	76
65+	324	20.8	161	7	9	18	25	38	50	72
2. MULTIPLE DX										
0-19 YRS	64	33.6	452	5	7	32	47	67	91	99+
20-34	43	33.7	344	9	13	34	48	63	74	99+
35-49	31	33.4	466	7	11	22	53	65	72	76
50-64	117	24.8	306	8	10	19	34	54	73	99+
65+	647	26.0	255	9	12	22	33	51	73	99+
TOT. SINGLE DX	526	20.4	192	6	7	17	25	40	52	75
" MULTIPLE DX	902	27.0	294	9	11	22	35	54	73	99+
TOTAL 0-19 YRS	133	30.1	432	3	6	28	44	61	75	99+
20-34	62	31.4	347	7	9	28	47	55	69	98
35-49	51	26.8	416	7	7	20	42	60	70	76
50-64	211	20.1	221	7	8	15	24	45	58	99+
65+	971	24.3	230	8	11	20	30	46	64	99+
GRAND TOTAL	1428	24.6	266	7	9	20	32	50	68	99+

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	14.9	108	5	6	12	18	30	35	76
20-34	104	19.9	205	7	8	15	25	36	48	81
35-49	92	18.7	197	5	7	15	22	35	49	96
50-64	332	17.5	114	7	8	15	20	29	35	72
65+	1436	22.1	154	9	11	19	26	37	50	99+
2. MULTIPLE DX										
0-19 YRS	153	23.1	218	7	9	20	29	48	58	99+
20-34	209	28.0	287	11	12	24	37	57	79	99+
35-49	150	26.0	269	9	11	23	34	58	93	99+
50-64	517	25.2	243	9	11	21	32	49	68	99+
65+	3636	27.6	270	11	13	23	35	55	77	99+
TOT. SINGLE DX	2102	20.7	154	7	9	18	25	35	47	94
" MULTIPLE DX	4665	27.1	267	10	13	22	34	54	76	99+
TOTAL 0-19 YRS	291	19.2	182	6	7	16	24	36	55	99+
20-34	313	25.3	274	8	10	21	31	53	73	99+
35-49	242	23.2	253	6	9	20	30	50	76	99+
50-64	849	22.2	207	8	10	18	27	41	56	99+
65+	5072	26.0	243	10	13	22	32	50	71	99+
GRAND TOTAL	**6767**	**25.1**	**241**	**9**	**11**	**21**	**31**	**49**	**68**	**99+**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	240	16.0	210	1	2	11	25	35	41	67
20-34	22	13.0	138	2	2	6	19	34	36	38
35-49	11	32.0	484	5	7	33	53	81	97	99+
50-64	25	21.4	304	2	4	16	29	53	56	61
65+	69	24.3	328	9	10	19	25	51	76	83
2. MULTIPLE DX										
0-19 YRS	133	22.7	354	3	4	18	32	47	59	82
20-34	59	33.6	456	6	9	30	48	68	72	79
35-49	19	33.8	562	4	7	41	54	99+	99+	99+
50-64	50	32.1	442	8	13	24	51	71	81	99+
65+	167	29.7	454	5	7	24	44	64	87	99+
TOT. SINGLE DX	367	18.3	257	2	3	14	26	38	52	77
" MULTIPLE DX	428	28.5	440	4	6	23	43	64	78	99+
TOTAL 0-19 YRS	373	18.4	271	2	3	14	26	40	50	74
20-34	81	28.0	452	3	5	23	44	63	71	78
35-49	30	33.2	516	4	7	39	54	99+	99+	99+
50-64	75	28.5	417	4	8	20	45	63	76	99+
65+	236	28.1	421	6	8	22	38	52	80	99+
GRAND TOTAL	**795**	**23.8**	**381**	**3**	**4**	**19**	**34**	**54**	**72**	**99+**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	256	6.3	59	1	1	3	7	17	22	32
20-34	288	5.2	42	1	1	3	6	10	15	30
35-49	211	4.8	29	1	1	3	5	10	16	34
50-64	331	5.1	61	1	1	3	5	10	16	66
65+	261	7.6	106	1	1	4	8	20	29	64
2. MULTIPLE DX										
0-19 YRS	145	13.3	199	2	2	9	18	36	48	70
20-34	149	14.1	355	1	2	7	14	34	58	96
35-49	139	11.7	233	2	2	6	14	27	50	89
50-64	223	11.9	213	2	2	7	14	29	48	67
65+	239	13.4	193	2	2	9	18	32	47	78
TOT. SINGLE DX	1347	5.8	61	1	1	3	6	14	21	51
" MULTIPLE DX	895	12.9	232	2	2	8	16	31	49	85
TOTAL 0-19 YRS	401	8.8	121	1	1	4	12	23	29	58
20-34	437	8.2	166	1	1	4	8	17	31	73
35-49	350	7.5	121	1	1	4	8	17	27	80
50-64	554	7.9	133	1	1	4	8	17	30	66
65+	500	10.3	156	1	2	5	14	25	37	72
GRAND TOTAL	**2242**	**8.6**	**141**	**1**	**1**	**4**	**10**	**21**	**31**	**68**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	954	4.6	16	1	2	4	5	8	11	22
20-34	1114	5.9	34	1	2	5	7	11	14	30
35-49	673	7.1	40	2	2	5	8	13	18	33
50-64	656	8.8	57	2	3	7	11	15	22	45
65+	492	12.5	118	4	4	10	15	23	28	66
2. MULTIPLE DX										
0-19 YRS	493	9.0	119	2	2	6	10	18	27	71
20-34	867	11.2	172	2	3	7	13	26	40	92
35-49	520	11.3	145	2	3	7	13	23	39	69
50-64	676	13.7	185	3	4	9	16	31	44	83
65+	822	19.9	236	4	6	16	26	42	53	96
TOT. SINGLE DX	3889	7.1	51	2	2	5	8	14	19	35
" MULTIPLE DX	3378	13.5	193	2	3	9	17	31	44	84
TOTAL 0-19 YRS	1447	6.1	55	1	2	4	7	11	17	44
20-34	1981	8.2	101	2	2	5	9	16	27	72
35-49	1193	8.9	90	2	3	6	10	17	26	54
50-64	1332	11.3	128	3	3	8	13	22	35	75
65+	1314	17.1	204	4	5	13	22	36	47	90
GRAND TOTAL	**7267**	**10.1**	**127**	**2**	**2**	**6**	**12**	**22**	**32**	**69**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3142	3.1	13	1	1	2	3	6	9	18
20-34	981	4.5	29	1	1	3	5	9	12	30
35-49	691	4.9	21	1	1	4	6	10	13	30
50-64	856	5.1	37	1	1	3	6	11	14	32
65+	761	6.5	54	1	1	4	8	14	19	38
2. MULTIPLE DX										
0-19 YRS	1032	6.5	89	1	1	4	7	14	23	57
20-34	797	10.3	183	1	2	6	11	26	43	81
35-49	544	9.9	154	2	2	6	11	22	32	81
50-64	774	10.7	147	1	2	7	13	24	33	79
65+	1196	13.1	180	2	2	9	17	30	45	99+
TOT. SINGLE DX	6431	4.2	25	1	1	3	5	9	12	25
" MULTIPLE DX	4343	10.2	155	1	2	6	12	24	37	81
TOTAL 0-19 YRS	4174	3.9	34	1	1	2	4	8	12	28
20-34	1778	7.1	106	1	1	4	7	15	27	69
35-49	1235	7.1	85	1	1	4	8	14	23	68
50-64	1630	7.8	97	1	1	5	9	17	25	60
65+	1957	10.5	142	1	2	7	13	24	34	84
GRAND TOTAL	**10774**	**6.6**	**86**	**1**	**1**	**4**	**7**	**15**	**23**	**60**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	346	4.1	29	<1	1	2	5	10	15	28
20-34	236	4.3	31	<1	<1	2	5	10	17	32
35-49	137	4.4	23	<1	1	3	6	10	13	25
50-64	176	5.5	55	1	1	3	6	12	18	47
65+	176	6.4	86	1	1	3	8	15	20	53
2. MULTIPLE DX										
0-19 YRS	125	11.0	202	1	1	5	13	28	37	83
20-34	191	9.5	174	1	1	5	11	24	29	85
35-49	111	12.3	204	1	1	7	16	30	46	62
50-64	165	10.2	158	1	1	6	12	26	33	65
65+	243	14.1	264	1	2	9	18	33	51	97
TOT. SINGLE DX	1071	4.8	43	<1	1	2	5	11	17	34
" MULTIPLE DX	835	11.6	208	1	1	6	15	28	43	79
TOTAL 0-19 YRS	471	5.9	84	<1	1	2	7	15	23	40
20-34	427	6.6	102	<1	1	3	7	16	26	71
35-49	248	7.9	119	<1	1	4	9	21	30	53
50-64	341	7.7	110	1	1	4	9	18	29	64
65+	419	10.9	203	1	1	5	14	26	44	82
GRAND TOTAL	**1906**	**7.8**	**126**	**1**	**1**	**4**	**9**	**19**	**28**	**64**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	151	5.2	45	1	1	4	5	9	17	42
20-34	215	4.5	10	1	2	4	5	8	10	21
35-49	103	6.8	49	2	2	5	8	13	19	76
50-64	86	8.7	90	2	2	6	10	17	25	54
65+	75	15.0	92	2	4	15	21	27	33	85
2. MULTIPLE DX										
0-19 YRS	56	11.1	212	2	3	6	10	26	45	81
20-34	82	8.8	53	2	3	6	12	17	27	80
35-49	55	12.4	233	1	3	7	13	33	56	68
50-64	68	12.0	121	2	2	9	16	25	31	52
65+	115	23.7	254	5	7	21	29	41	52	88
TOT. SINGLE DX	630	6.9	56	1	2	4	8	16	23	45
" MULTIPLE DX	376	14.8	211	2	3	10	20	34	45	82
TOTAL 0-19 YRS	207	6.8	96	1	1	4	6	12	23	51
20-34	297	5.7	25	1	2	4	6	12	16	39
35-49	158	8.8	119	2	2	6	9	16	34	67
50-64	154	10.1	106	2	2	7	13	23	29	52
65+	190	20.2	207	3	5	19	26	37	44	91
GRAND TOTAL	**1006**	**9.8**	**129**	**1**	**2**	**6**	**12**	**23**	**34**	**63**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	571	5.3	33	2	2	4	6	9	14	41
20-34	578	5.0	20	1	2	4	6	8	10	23
35-49	314	6.0	52	2	2	4	6	11	17	38
50-64	247	7.5	71	2	2	5	8	15	23	49
65+	107	15.8	274	2	2	11	23	42	66	99+
2. MULTIPLE DX										
0-19 YRS	301	8.0	68	2	2	5	9	15	26	41
20-34	394	7.4	77	2	3	5	8	13	24	81
35-49	206	9.4	125	2	2	5	9	22	36	53
50-64	265	11.9	194	2	3	7	14	25	43	82
65+	231	22.1	389	2	4	17	28	56	75	99+
TOT. SINGLE DX	1817	6.3	58	2	2	4	6	11	19	44
" MULTIPLE DX	1397	11.1	182	2	3	6	12	26	43	83
TOTAL 0-19 YRS	872	6.3	47	2	2	4	6	11	20	41
20-34	972	6.0	45	2	2	4	7	10	15	42
35-49	520	7.4	83	2	2	5	7	15	24	52
50-64	512	9.8	139	2	2	6	10	21	33	70
65+	338	20.1	361	2	3	14	26	54	71	99+
GRAND TOTAL	**3214**	**8.4**	**118**	**2**	**2**	**5**	**8**	**19**	**31**	**68**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	12.2	44	5	6	10	15	21	27	36
20-34	1473	12.3	45	5	6	10	15	21	25	36
35-49	2217	12.9	52	5	6	11	16	22	26	37
50-64	1225	14.1	61	6	7	12	17	24	28	41
65+	222	18.2	139	7	8	15	23	31	36	74
2. MULTIPLE DX										
0-19 YRS	23	13.0	56	4	5	11	18	25	28	30
20-34	419	16.0	95	6	7	13	20	28	35	55
35-49	850	15.8	91	6	8	13	20	27	35	49
50-64	857	17.7	124	7	8	15	22	31	42	71
65+	341	24.4	220	9	10	20	31	49	59	99+
TOT. SINGLE DX	5216	13.2	57	5	6	11	16	23	27	39
" MULTIPLE DX	2490	17.7	128	7	8	15	22	32	41	67
TOTAL 0-19 YRS	102	12.4	46	5	6	10	16	22	27	34
20-34	1892	13.1	58	5	6	11	16	23	27	43
35-49	3067	13.7	64	6	7	12	17	23	28	43
50-64	2082	15.6	90	6	7	13	19	27	33	59
65+	563	22.0	197	8	9	19	28	39	56	84
GRAND TOTAL	**7706**	**14.7**	**84**	**6**	**7**	**12**	**18**	**26**	**31**	**54**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1086	4.9	4	3	3	5	6	7	8	11
20-34	2253	5.2	5	3	3	5	6	8	9	13
35-49	1090	5.6	14	3	3	5	6	9	10	15
50-64	642	6.4	16	3	4	5	7	10	13	23
65+	86	7.2	14	3	4	6	8	12	14	22
2. MULTIPLE DX										
0-19 YRS	398	6.0	15	3	3	5	7	9	11	22
20-34	898	6.2	14	3	3	5	7	10	13	24
35-49	590	7.1	23	3	4	6	8	11	16	28
50-64	632	8.0	33	3	4	6	9	14	18	34
65+	165	11.5	117	4	5	8	13	20	29	64
TOT. SINGLE DX	5157	5.4	8	3	3	5	6	8	9	14
" MULTIPLE DX	2683	7.1	29	3	4	6	8	12	16	31
TOTAL 0-19 YRS	1484	5.2	7	3	3	5	6	8	9	15
20-34	3151	5.5	8	3	3	5	6	8	10	17
35-49	1680	6.1	18	3	3	5	7	9	12	23
50-64	1274	7.2	25	3	4	6	8	12	15	30
65+	251	10.0	85	4	4	8	11	17	24	56
GRAND TOTAL	**7840**	**6.0**	**16**	**3**	**3**	**5**	**7**	**9**	**12**	**23**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	854	3.5	11	<1	1	3	4	6	8	16
20-34	1289	3.4	8	<1	1	3	4	6	8	15
35-49	666	3.6	13	<1	1	3	4	7	9	20
50-64	483	4.2	22	<1	1	3	5	8	11	25
65+	157	6.9	91	<1	1	4	8	15	23	51
2. MULTIPLE DX										
0-19 YRS	290	4.9	47	1	1	4	5	8	13	54
20-34	582	4.7	31	1	1	3	6	9	12	27
35-49	402	6.2	80	1	1	4	6	13	19	46
50-64	464	7.7	73	1	2	5	9	17	26	47
65+	205	13.9	221	2	2	9	20	35	45	79
TOT. SINGLE DX	3449	3.7	16	<1	1	3	4	7	9	20
" MULTIPLE DX	1943	6.7	81	1	1	4	7	14	23	52
TOTAL 0-19 YRS	1144	3.8	21	<1	1	3	4	7	9	26
20-34	1871	3.8	15	<1	1	3	5	7	10	20
35-49	1068	4.6	39	<1	1	3	5	9	13	28
50-64	947	5.9	50	<1	1	4	7	12	20	46
65+	362	10.9	176	1	2	6	13	26	38	75
GRAND TOTAL	**5392**	**4.8**	**41**	**<1**	**1**	**3**	**5**	**9**	**14**	**36**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	147	19.8	71	8	10	19	25	30	37	54
20-34	139	17.7	140	7	8	14	20	28	41	70
35-49	152	15.5	76	6	7	14	18	26	34	54
50-64	100	14.1	48	6	7	13	17	25	29	34
65+	15	16.9	95	8	9	15	18	30	42	46
2. MULTIPLE DX										
0-19 YRS	81	25.5	219	7	10	23	31	49	62	93
20-34	89	26.4	444	9	10	20	33	62	89	99+
35-49	135	17.9	120	7	8	16	23	33	44	99+
50-64	73	21.5	179	7	9	18	27	41	49	70
65+	30	27.1	191	8	13	26	40	70	99+	99+
TOT. SINGLE DX	553	17.0	90	7	8	15	20	28	34	57
" MULTIPLE DX	408	22.6	238	7	9	18	28	46	63	99+
TOTAL 0-19 YRS	228	21.9	131	8	10	19	26	34	48	82
20-34	228	21.1	275	8	9	16	23	43	63	98
35-49	287	16.6	98	7	8	14	20	29	37	69
50-64	173	17.2	116	6	7	15	20	31	40	52
65+	45	23.7	180	8	10	21	36	50	99+	99+
GRAND TOTAL	**961**	**19,4**	**160**	**7**	**8**	**16**	**24**	**35**	**48**	**95**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	121	6.0	77	2	2	4	6	10	14	39
20-34	191	5.6	13	2	2	5	7	10	12	17
35-49	215	5.8	30	2	2	4	7	11	14	22
50-64	245	6.0	32	2	2	4	7	14	18	30
65+	104	8.4	135	2	2	4	8	17	34	65
2. MULTIPLE DX										
0-19 YRS	71	6.0	24	2	2	5	7	12	17	85
20-34	134	7.4	85	1	2	5	9	12	16	68
35-49	128	8.5	111	2	2	6	9	15	24	66
50-64	239	9.5	101	2	3	6	11	19	30	53
65+	135	10.9	137	2	2	7	14	25	36	60
TOT. SINGLE DX	876	6.1	46	2	2	4	7	12	16	32
" MULTIPLE DX	707	8.8	100	2	2	6	10	18	28	62
TOTAL 0-19 YRS	192	6.0	57	2	2	4	6	11	14	68
20-34	325	6.3	43	2	2	5	8	11	14	26
35-49	343	6.8	62	2	2	5	8	12	17	40
50-64	484	7.7	69	2	2	5	9	16	24	45
65+	239	9.8	137	2	2	5	11	23	35	62
GRAND TOTAL	**1583**	**7.3**	**72**	**2**	**2**	**5**	**9**	**14**	**19**	**48**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	15.8	49	9	9	16	19	27	27	27
20-34	37	17.0	98	9	10	15	17	25	33	65
35-49	99	17.8	68	10	11	16	20	26	35	53
50-64	437	18.5	53	10	11	17	22	26	32	45
65+	705	20.5	82	12	13	18	24	30	39	53
2. MULTIPLE DX										
0-19 YRS	2	25.5	25	22	22	25	29	29	29	29
20-34	33	20.2	106	10	11	17	28	40	49	99+
35-49	93	21.2	153	10	12	17	26	37	49	96
50-64	433	22.1	138	11	12	19	25	36	45	81
65+	959	26.8	210	13	15	23	32	49	60	99+
TOT. SINGLE DX	1283	19.5	72	11	12	17	23	29	37	52
" MULTIPLE DX	1520	25.0	189	12	13	21	29	44	57	99+
TOTAL 0-19 YRS	7	18.6	59	9	9	16	26	29	29	29
20-34	70	18.5	103	9	10	15	22	31	44	93
35-49	192	19.5	111	10	11	16	22	33	45	75
50-64	870	20.3	98	11	12	18	24	31	40	68
65+	1664	24.1	165	12	13	20	28	41	53	95
GRAND TOTAL	**2803**	**22.5**	**143**	**11**	**13**	**19**	**26**	**37**	**49**	**87**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	10.9	48	4	5	8	16	23	25	25
20-34	13	16.2	41	7	7	18	19	23	29	30
35-49	34	17.3	54	9	10	16	20	24	30	48
50-64	173	18.4	76	9	10	17	21	28	39	51
65+	895	21.2	124	10	12	18	24	34	44	78
2. MULTIPLE DX										
0-19 YRS	11	18.7	237	2	3	18	26	40	55	56
20-34	13	23.5	120	10	12	19	30	41	44	45
35-49	44	23.3	250	7	8	17	32	45	56	75
50-64	297	25.3	270	9	11	21	29	51	72	99+
65+	2016	26.6	230	12	13	22	33	49	66	99+
TOT. SINGLE DX	1131	20.5	115	9	11	18	24	33	43	73
" MULTIPLE DX	2381	26.3	235	11	13	22	32	49	66	99+
TOTAL 0-19 YRS	27	14.1	134	3	4	9	19	27	33	56
20-34	26	19.9	91	7	8	18	23	34	41	45
35-49	78	20.7	172	8	9	17	24	38	49	71
50-64	470	22.8	210	9	11	19	27	42	59	99
65+	2911	24.9	203	11	13	21	30	45	60	99+
GRAND TOTAL	**3512**	**24.4**	**204**	**10**	**12**	**20**	**29**	**44**	**59**	**99+**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	377	6.0	7	3	4	6	7	9	10	17
20-34	430	6.7	12	3	4	6	8	10	14	22
35-49	111	10.3	61	4	4	8	12	20	29	41
50-64	248	19.0	130	6	8	17	23	31	40	72
65+	353	21.1	82	10	12	19	24	32	38	54
2. MULTIPLE DX										
0-19 YRS	264	7.2	35	4	4	6	8	11	14	30
20-34	382	8.3	33	4	4	7	9	13	17	48
35-49	146	10.8	88	4	4	8	12	22	26	63
50-64	254	21.1	156	6	9	19	26	36	49	99
65+	456	25.8	166	11	13	23	31	45	57	99+
TOT. SINGLE DX	1519	12.1	94	4	4	8	17	24	31	48
" MULTIPLE DX	1502	15.8	165	4	5	12	22	32	45	74
TOTAL 0-19 YRS	641	6.5	19	3	4	6	7	9	12	21
20-34	812	7.5	23	3	4	6	9	12	16	28
35-49	257	10.6	76	4	4	8	12	21	26	48
50-64	502	20.1	144	6	8	18	25	34	45	96
65+	809	23.7	135	10	13	21	28	40	49	73
GRAND TOTAL	**3021**	**14.0**	**132**	**4**	**4**	**10**	**19**	**28**	**36**	**64**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	495	4.3	4	2	2	4	5	7	7	12
20-34	897	4.4	6	2	2	4	5	7	8	15
35-49	350	4.3	8	2	2	4	5	8	9	16
50-64	358	4.9	16	1	2	4	6	9	11	20
65+	106	9.3	89	2	2	6	12	19	28	53
2. MULTIPLE DX										
0-19 YRS	126	5.3	16	2	2	4	6	9	13	22
20-34	280	5.3	24	2	2	4	6	9	13	26
35-49	213	5.6	18	2	3	5	6	10	14	29
50-64	338	7.0	47	2	2	5	8	14	21	41
65+	198	12.4	174	3	3	7	16	30	44	79
TOT. SINGLE DX	2206	4.7	12	2	2	4	5	7	9	19
" MULTIPLE DX	1155	7.1	61	2	2	5	7	14	22	47
TOTAL 0-19 YRS	621	4.5	6	2	2	4	6	7	8	16
20-34	1177	4.6	10	2	2	4	5	7	9	18
35-49	563	4.8	12	2	2	4	6	8	11	23
50-64	696	5.9	32	2	2	4	7	11	16	31
65+	304	11.3	146	2	3	7	15	27	41	60
GRAND TOTAL	**3361**	**5.5**	**30**	**2**	**2**	**4**	**6**	**9**	**14**	**31**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	332	3.7	14	<1	1	2	5	7	11	23
20-34	328	3.6	11	<1	<1	2	4	8	10	17
35-49	290	3.1	12	<1	<1	2	3	5	7	21
50-64	548	2.8	16	<1	<1	2	3	4	7	17
65+	134	3.1	15	<1	<1	2	3	7	10	18
2. MULTIPLE DX										
0-19 YRS	153	6.9	73	1	2	4	7	15	24	72
20-34	147	7.5	133	1	2	4	7	19	36	99+
35-49	170	8.2	151	1	2	4	8	19	26	62
50-64	258	7.6	127	1	1	4	8	19	35	67
65+	125	13.9	320	1	2	8	18	39	70	99+
TOT. SINGLE DX	1632	3.2	14	<1	<1	2	3	6	9	19
" MULTIPLE DX	853	8.5	156	1	2	4	9	21	37	96
TOTAL 0-19 YRS	485	4.7	35	<1	1	3	5	9	15	34
20-34	475	4.8	52	<1	1	3	5	9	15	44
35-49	460	5.0	69	<1	<1	3	4	10	18	43
50-64	806	4.3	56	<1	<1	2	4	9	16	45
65+	259	8.3	191	<1	1	3	9	21	39	99+
GRAND TOTAL	**2485**	**5.0**	**69**	**<1**	**<1**	**3**	**5**	**10**	**18**	**52**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	834	2.2	3	<1	<1	2	2	3	5	9
20-34	1265	2.4	12	<1	<1	2	2	3	4	15
35-49	747	2.9	25	<1	<1	2	3	5	7	20
50-64	663	3.5	16	<1	<1	2	4	7	10	22
65+	226	4.9	43	<1	1	3	5	9	17	32
2. MULTIPLE DX										
0-19 YRS	111	5.3	65	1	1	3	4	11	19	50
20-34	285	6.9	115	<1	<1	3	7	17	34	69
35-49	295	6.9	75	<1	1	4	8	17	25	52
50-64	395	8.5	117	1	2	5	10	19	30	54
65+	272	12.3	184	2	2	8	16	32	43	84
TOT. SINGLE DX	3735	2.8	16	<1	<1	2	3	5	7	18
" MULTIPLE DX	1358	8.3	121	1	2	4	10	20	33	62
TOTAL 0-19 YRS	945	2.6	11	<1	<1	2	3	4	6	15
20-34	1550	3.2	34	<1	<1	2	3	5	10	36
35-49	1042	4.1	42	<1	<1	2	4	8	14	33
50-64	1058	5.4	60	<1	1	3	5	12	18	42
65+	498	8.9	133	1	2	4	11	21	36	65
GRAND TOTAL	**5093**	**4.3**	**50**	**<1**	**<1**	**2**	**4**	**9**	**15**	**40**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	3.0	16	<1	1	2	3	4	8	22
20-34	80	2.5	3	<1	<1	2	3	5	7	9
35-49	133	3.0	17	<1	1	2	3	5	6	18
50-64	407	2.6	1	<1	1	2	3	4	5	7
65+	209	2.7	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	17	4.3	8	2	2	3	5	9	11	12
20-34	24	5.3	42	1	1	3	5	20	22	22
35-49	49	4.9	36	<1	2	3	5	7	16	36
50-64	200	4.8	28	1	2	3	6	10	13	28
65+	147	5.7	44	2	2	3	5	14	20	30
TOT. SINGLE DX	855	2.7	5	<1	1	2	3	4	5	9
" MULTIPLE DX	437	5.1	34	1	2	3	5	11	17	30
TOTAL 0-19 YRS	43	3.5	13	<1	1	3	4	5	11	22
20-34	104	3.2	13	<1	<1	2	3	6	8	22
35-49	182	3.5	23	<1	1	2	3	5	8	32
50-64	607	3.3	11	1	1	2	3	5	8	17
65+	356	3.9	21	1	2	3	4	6	13	25
GRAND TOTAL	**1292**	**3.5**	**16**	**1**	**1**	**2**	**4**	**6**	**9**	**22**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	393	2.4	3	<1	1	2	3	4	5	9
20-34	584	2.5	5	<1	1	2	3	4	6	11
35-49	261	2.8	9	<1	1	2	3	5	6	20
50-64	180	2.7	9	<1	<1	2	3	4	6	20
65+	50	2.7	3	<1	1	3	3	4	7	8
2. MULTIPLE DX										
0-19 YRS	223	3.3	16	1	1	2	4	6	9	34
20-34	322	3.5	17	1	1	3	4	6	9	19
35-49	171	3.4	9	<1	1	3	4	6	10	18
50-64	127	4.1	38	1	1	3	4	7	11	31
65+	52	5.4	30	<1	1	3	7	12	20	24
TOT. SINGLE DX	1468	2.6	6	<1	1	2	3	4	6	12
" MULTIPLE DX	895	3.6	19	1	1	3	4	7	10	23
TOTAL 0-19 YRS	616	2.7	8	1	1	2	3	5	6	13
20-34	906	2.9	10	<1	1	2	3	5	7	14
35-49	432	3.0	9	<1	1	2	3	5	8	18
50-64	307	3.3	21	<1	1	2	3	5	8	21
65+	102	4.1	18	<1	1	3	4	9	12	23
GRAND TOTAL	**2363**	**3.0**	**11**	**<1**	**1**	**2**	**3**	**5**	**8**	**16**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	183	3.2	15	<1	1	2	4	5	6	28
20-34	356	3.5	9	<1	1	3	4	6	8	13
35-49	357	3.7	9	<1	1	3	5	6	8	17
50-64	393	4.3	15	1	1	3	5	8	11	22
65+	128	5.3	25	1	2	4	6	10	15	46
2. MULTIPLE DX										
0-19 YRS	113	4.5	31	1	1	3	5	9	10	32
20-34	184	5.4	38	1	1	4	6	10	14	50
35-49	195	5.7	37	2	2	4	6	11	18	38
50-64	243	7.5	100	2	2	5	7	14	26	55
65+	146	11.0	165	2	2	7	13	27	41	99+
TOT. SINGLE DX	1417	3.9	13	<1	1	3	5	7	9	21
" MULTIPLE DX	881	6.9	79	1	2	4	7	14	23	57
TOTAL 0-19 YRS	296	3.7	21	1	1	3	4	6	10	27
20-34	540	4.1	19	<1	1	3	5	7	10	26
35-49	552	4.4	20	1	2	3	5	7	11	25
50-64	636	5.5	50	1	2	4	6	10	15	39
65+	274	8.4	108	1	2	5	9	19	32	93
GRAND TOTAL	**2298**	**5.0**	**40**	**1**	**1**	**3**	**6**	**9**	**14**	**38**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	463	4.3	15	1	2	3	5	7	9	16
20-34	436	4.7	20	1	2	4	5	8	10	15
35-49	293	4.3	10	1	1	3	5	8	9	18
50-64	200	5.1	16	1	2	4	6	10	12	18
65+	59	7.2	28	1	2	6	9	15	19	25
2. MULTIPLE DX										
0-19 YRS	284	6.3	43	2	2	5	7	12	18	44
20-34	200	8.5	117	1	2	5	8	17	40	99+
35-49	96	9.8	152	2	3	6	12	20	59	99+
50-64	111	10.4	150	2	2	6	10	26	44	57
65+	83	13.0	195	2	3	8	15	32	52	65
TOT. SINGLE DX	1451	4.6	16	1	2	4	5	8	11	18
" MULTIPLE DX	774	8.6	111	2	2	5	9	17	38	95
TOTAL 0-19 YRS	747	5.1	27	1	2	4	6	8	12	42
20-34	636	5.9	53	1	2	4	6	10	15	59
35-49	389	5.6	50	1	2	4	6	11	16	81
50-64	311	7.0	70	1	2	5	8	13	19	51
65+	142	10.6	133	2	2	7	12	20	35	57
GRAND TOTAL	**2225**	**6.0**	**53**	**1**	**2**	**4**	**7**	**11**	**16**	**52**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	2.4	3	<1	1	2	3	5	6	10
20-34	148	2.8	5	1	1	2	3	6	7	13
35-49	105	2.8	5	1	1	2	3	5	7	13
50-64	94	3.5	27	1	1	2	4	6	10	33
65+	45	3.9	10	<1	1	3	6	8	9	15
2. MULTIPLE DX										
0-19 YRS	45	5.1	49	1	1	3	5	12	16	43
20-34	103	7.8	143	1	1	3	7	24	37	58
35-49	59	7.6	161	1	1	4	7	17	55	96
50-64	85	6.7	75	1	1	4	7	20	27	82
65+	65	9.8	128	1	1	5	16	32	37	99+
TOT. SINGLE DX	491	2.9	10	1	1	2	3	6	8	14
" MULTIPLE DX	357	7.6	116	1	1	3	8	22	34	96
TOTAL 0-19 YRS	144	3.2	19	1	1	2	3	6	10	22
20-34	251	4.8	67	1	1	2	4	9	18	51
35-49	164	4.5	66	1	1	3	4	8	13	61
50-64	179	5.0	52	1	1	3	5	12	21	48
65+	110	7.4	88	1	1	3	9	23	33	99+
GRAND TOTAL	**848**	**4.9**	**59**	**1**	**1**	**2**	**5**	**10**	**20**	**52**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	4.5	15	1	1	3	7	11	13	13
20-34	9	7.8	78	1	1	4	11	23	27	27
35-49	8	4.8	5	3	3	4	6	64	99+	99+
50-64	4	9.0	18	3	3	10	12	12	12	12
65+	7	16.3	203	3	4	11	16	41	47	47
2. MULTIPLE DX										
0-19 YRS	5	8.6	57	2	2	6	13	21	21	21
20-34	5	21.0	1284	3	3	7	27	85	85	85
35-49	4	19.0	419	3	3	12	31	49	49	49
50-64	6	7.8	24	3	3	6	13	15	15	15
65+	17	23.4	283	1	3	23	36	42	57	65
TOT. SINGLE DX	39	7.9	73	1	1	5	11	17	37	99+
" MULTIPLE DX	37	18.1	358	2	3	12	24	42	59	85
TOTAL 0-19 YRS	16	5.8	29	1	1	4	8	13	19	21
20-34	14	12.5	486	1	1	5	9	33	73	85
35-49	12	9.5	167	3	3	5	11	59	92	99+
50-64	10	8.3	20	3	3	7	12	14	15	15
65+	24	21.3	261	2	3	15	31	43	52	65
GRAND TOTAL	**76**	**12.8**	**235**	**1**	**2**	**8**	**15**	**38**	**48**	**96**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	3.7	12	<1	<1	3	4	9	13	14
20-34	23	7.2	87	<1	1	3	7	25	30	36
35-49	32	8.8	62	2	2	6	12	24	27	28
50-64	49	10.8	198	1	2	5	15	25	37	83
65+	64	14.9	177	3	3	11	22	34	46	95
2. MULTIPLE DX										
0-19 YRS	20	9.7	167	<1	<1	4	12	30	43	48
20-34	45	15.6	176	3	3	12	27	38	46	99+
35-49	90	21.0	247	3	4	17	28	44	51	72
50-64	383	24.8	362	4	6	19	34	54	74	99+
65+	573	28.2	392	4	7	24	40	63	85	99+
TOT. SINGLE DX	190	10.6	145	2	2	6	14	28	35	76
" MULTIPLE DX	1111	25.6	370	4	6	21	36	57	75	99+
TOTAL 0-19 YRS	42	6.6	93	<1	<1	3	7	15	28	48
20-34	68	12.8	160	2	2	7	22	33	43	91
35-49	122	17.8	227	2	3	14	26	40	46	72
50-64	432	23.2	363	3	4	18	32	53	71	99+
65+	637	26.9	386	4	6	22	38	61	83	99+
GRAND TOTAL	**1301**	**23.4**	**365**	**3**	**4**	**19**	**33**	**54**	**74**	**99+**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	37.0		37	37	37	37	37	37	37
20-34	5	18.2	245	9	9	12	22	46	46	46
35-49	9	19.2	132	7	7	17	32	33	33	33
50-64	16	27.4	149	8	14	25	35	37	52	59
65+	52	30.5	173	13	14	30	39	47	52	70
2. MULTIPLE DX										
0-19 YRS	4	23.3	180	11	11	21	34	40	40	40
20-34	21	41.5	862	8	10	38	78	95	99+	99+
35-49	59	37.4	552	10	13	35	50	91	96	99+
50-64	255	40.6	460	14	17	37	63	88	99+	99+
65+	706	38.1	434	12	16	35	56	82	99+	99+
TOT. SINGLE DX	83	28.0	179	9	10	27	36	45	51	67
" MULTIPLE DX	1045	38.7	455	12	16	35	58	85	99+	99+
TOTAL 0-19 YRS	5	26.0	173	11	11	28	38	40	40	40
20-34	26	37.0	816	8	9	31	64	94	99+	99+
35-49	68	35.0	532	9	10	32	42	90	94	99+
50-64	271	39.8	451	14	17	36	59	87	99+	99+
65+	758	37.6	419	12	15	34	54	78	99+	99+
GRAND TOTAL	**1128**	**37.9**	**442**	**11**	**15**	**35**	**55**	**83**	**99+**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	16.0	96	7	7	12	26	27	27	27
20-34	3	36.7	592	15	15	32	55	63	63	63
35-49	3	32.0	733	13	13	20	52	63	63	63
50-64	11	18.5	23	9	11	19	23	24	24	24
65+	49	22.0	145	6	11	19	28	41	55	99+
2. MULTIPLE DX										
0-19 YRS	5	45.8	911	9	9	35	76	79	79	79
20-34	6	41.5	1142	6	7	39	86	98	99+	99+
35-49	21	42.1	764	13	17	44	97	99+	99+	99+
50-64	137	38.1	485	12	15	37	68	99+	99+	99+
65+	717	32.4	471	9	11	28	49	87	99+	99+
TOT. SINGLE DX	71	22.1	164	7	10	19	26	40	59	92
" MULTIPLE DX	886	33.7	491	9	11	30	53	91	99+	99+
TOTAL 0-19 YRS	10	30.9	694	7	7	26	35	77	79	79
20-34	9	39.9	868	6	8	36	70	96	99+	99+
35-49	24	40.8	740	13	15	41	95	99+	99+	99+
50-64	148	36.6	477	11	14	36	66	99+	99+	99+
65+	766	31.8	457	9	11	27	48	85	99+	99+
GRAND TOTAL	**957**	**32.8**	**476**	**9**	**11**	**29**	**51**	**90**	**99+**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	12.3	215	2	2	6	20	34	34	34
20-34	7	12.0	71	5	5	8	20	25	25	25
35-49	2	9.0	8	7	7	9	11	11	11	11
50-64	11	18.6	102	4	6	19	26	32	37	38
65+	17	21.4	273	4	6	15	31	39	58	69
2. MULTIPLE DX										
0-19 YRS										
20-34	17	34.2	433	7	10	35	48	62	69	72
35-49	34	30.1	426	7	8	27	54	86	99+	99+
50-64	126	30.0	323	9	12	27	45	65	99	99+
65+	199	36.1	447	10	13	34	50	73	95	99+
TOT. SINGLE DX	41	17.6	180	4	5	14	25	36	38	69
" MULTIPLE DX	376	33.5	408	8	12	30	48	72	97	99+
TOTAL 0-19 YRS	4	12.3	215	2	2	6	20	34	34	34
20-34	24	27.8	427	5	6	23	43	60	66	72
35-49	36	29.0	426	7	8	23	52	81	99+	99+
50-64	137	29.1	314	7	12	26	42	64	96	99+
65+	216	35.0	448	8	12	33	49	73	94	99+
GRAND TOTAL	**417**	**31.9**	**408**	**7**	**10**	**28**	**47**	**69**	**94**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	10.3	476	<1	1	3	6	23	74	97
20-34	12	3.8	9	<1	1	3	5	8	11	11
35-49	11	10.5	474	1	1	2	8	41	71	74
50-64	8	9.3	71	4	4	6	10	24	29	29
65+	3	10.7	134	3	3	5	19	24	24	24
2. MULTIPLE DX										
0-19 YRS	7	20.6	647	2	2	8	43	60	61	61
20-34	5	19.8	338	6	6	9	32	49	49	49
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	10	13.1	351	<1	<1	5	20	42	62	62
65+										
TOT. SINGLE DX	62	8.9	309	<1	1	4	7	20	46	94
" MULTIPLE DX	24	16.0	390	1	2	7	21	55	61	62
TOTAL 0-19 YRS	35	12.3	510	<1	1	4	9	54	68	97
20-34	17	8.5	147	<1	1	4	8	24	41	49
35-49	13	9.5	400	1	1	2	6	30	66	74
50-64	18	11.4	219	<1	1	6	11	27	49	62
65+	3	10.7	134	3	3	5	19	24	24	24
GRAND TOTAL	**86**	**10.9**	**337**	**1**	**1**	**4**	**9**	**27**	**61**	**89**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	2.6	1	<1	1	2	3	4	5	6
20-34	72	3.2	9	<1	<1	2	3	8	11	14
35-49	39	5.1	36	1	1	3	5	11	21	28
50-64	57	6.5	104	1	1	3	7	15	18	66
65+	35	14.7	186	2	2	11	18	30	43	69
2. MULTIPLE DX										
C-19 YRS	22	4.0	8	<1	1	4	5	8	10	11
20-34	28	8.9	174	<1	1	3	10	24	33	63
35-49	27	16.3	297	2	3	8	27	38	59	65
50-64	57	15.1	199	2	2	11	23	37	54	97
65+	101	18.8	299	2	3	13	24	36	57	86
TOT. SINGLE DX	237	5.9	76	<1	1	3	6	13	19	49
" MULTIPLE DX	235	15.1	251	1	2	10	20	35	51	85
TOTAL 0-19 YRS	56	3.1	5	<1	1	2	4	6	7	11
20-34	100	4.8	60	<1	<1	2	4	11	15	46
35-49	66	9.7	171	1	1	4	10	30	35	64
50-64	114	10.8	169	1	2	5	15	29	40	80
65+	136	17.7	271	2	3	12	22	35	48	85
GRAND TOTAL	**472**	**10.5**	**184**	**1**	**1**	**5**	**13**	**27**	**36**	**74**

740: Miscellaneous operations on muscuioskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	3	11.7	116	4	4	7	20	24	24	24
35-49	2	9.0	8	7	7	9	11	11	11	11
50-64	6	6.8	36	2	2	5	8	17	18	18
65+	6	17.7	149	4	4	17	30	33	33	33
2. MULTIPLE DX										
0-19 YRS										
20-34	2	40.0	8	38	38	40	42	42	42	42
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	12.0	18	9	9	12	15	15	15	15
65+	6	29.5	559	6	6	34	61	93	99+	99+
TOT. SINGLE DX	19	11.1	91	1	2	7	17	28	32	33
" MULTIPLE DX	11	26.0	412	5	6	25	44	76	97	99+
TOTAL 0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	5	23.0	301	4	4	24	39	42	42	42
35-49	3	7.7	9	5	5	7	10	11	11	11
50-64	8	8.1	34	2	2	7	12	17	18	18
65+	12	23.6	360	4	5	19	37	73	95	99+
GRAND TOTAL	**30**	**16.5**	**253**	**2**	**3**	**9**	**28**	**44**	**65**	**99+**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	2.8	1	2	2	3	3	4	4	8
20-34	93	2.7	2	1	1	2	3	4	7	8
35-49	134	3.9	10	1	2	3	4	6	9	16
50-64	119	6.4	36	2	2	5	8	13	20	35
65+	183	8.4	37	2	3	8	10	14	19	38
2. MULTIPLE DX										
0-19 YRS	5	8.8	96	2	2	5	12	26	26	26
20-34	29	5.4	17	1	2	4	7	10	16	18
35-49	74	6.8	31	2	2	5	8	13	20	29
50-64	128	8.6	44	2	3	7	11	16	21	52
65+	336	13.8	133	3	4	11	18	26	39	99+
TOT. SINGLE DX	611	5.4	26	2	2	3	7	11	14	26
" MULTIPLE DX	572	11.2	103	2	3	9	14	23	31	84
TOTAL 0-19 YRS	87	3.1	8	2	2	3	3	4	6	19
20-34	122	3.4	7	1	2	2	4	7	8	17
35-49	208	4.9	19	2	2	4	6	9	13	26
50-64	247	7.6	41	2	2	6	10	15	21	38
65+	519	11.9	105	2	3	9	15	23	32	71
GRAND TOTAL	**1183**	**8.2**	**72**	**2**	**2**	**6**	**10**	**18**	**24**	**56**

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	760	2.3	12	<1	<1	2	2	3	4	6
20-34	2853	2.3	4	<1	<1	2	3	3	4	9
35-49	3967	2.7	5	<1	1	2	3	4	5	12
50-64	2219	3.2	8	1	2	2	3	5	8	14
65+	965	4.6	21	2	2	3	5	10	13	26
2. MULTIPLE DX										
0-19 YRS	120	3.8	55	<1	1	2	4	6	8	39
20-34	850	3.5	17	<1	1	2	3	6	9	19
35-49	1757	4.2	23	1	2	3	4	9	13	24
50-64	1540	6.1	56	2	2	3	7	13	18	41
65+	1252	9.4	97	2	2	6	12	21	30	57
TOT. SINGLE DX	10764	2.8	8	<1	1	2	3	4	7	13
" MULTIPLE DX	5519	5.8	53	1	2	3	6	13	19	41
TOTAL 0-19 YRS	880	2.5	18	<1	<1	2	3	4	4	8
20-34	3703	2.6	7	<1	1	2	3	4	5	12
35-49	5724	3.1	11	1	2	2	3	5	8	18
50-64	3759	4.4	30	1	2	3	4	9	13	30
65+	2217	7.3	69	2	2	4	9	16	24	47
GRAND TOTAL	**16283**	**3.8**	**25**	**<1**	**2**	**2**	**3**	**7**	**12**	**27**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	3.8	3	2	2	3	6	6	6	6
20-34	86	8.9	8	5	5	9	10	13	14	17
35-49	563	8.8	8	5	6	8	10	12	14	18
50-64	974	9.2	11	5	6	9	11	13	15	22
65+	795	9.8	13	5	6	9	11	14	16	22
2. MULTIPLE DX										
0-19 YRS	8	9.1	59	3	3	6	13	22	24	24
20-34	67	10.1	20	5	6	9	12	15	17	30
35-49	525	10.3	23	5	6	9	11	16	17	28
50-64	1151	11.0	31	6	6	10	12	17	21	34
65+	1338	13.1	69	6	7	11	15	21	28	57
TOT. SINGLE DX	2424	9.3	11	5	6	9	11	13	15	21
" MULTIPLE DX	3089	11.8	47	6	7	10	13	18	24	43
TOTAL 0-19 YRS	14	6.9	41	2	2	4	8	18	23	24
20-34	153	9.4	14	5	6	9	11	14	15	24
35-49	1088	9.5	16	5	6	9	11	14	16	25
50-64	2125	10.2	23	5	6	9	11	15	19	27
65+	2133	11.9	50	6	7	10	13	18	24	46
GRAND TOTAL	**5513**	**10.7**	**33**	**5**	**6**	**9**	**12**	**16**	**20**	**35**

Distribution Tables

Table 1 displays total U.S. patients and days of care (after exclusions*) in each of the operation groups except those consisting solely of UHDDS Class 2-4 procedures** (512, 516, 533, 540, 589, 629, 647, 657, 659, 741, 752, 759, 761, 762, and 763). Also shown is the corresponding rate per 10,000 operated discharges and the rate per 10,000 days of care.

Table 1

Distribution of U.S. Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups 1979

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
501	Incision, excision of skull, brain, and cerebral meninges	7,614	14.0	161	42.1
502	Craniotomy and craniectomy	5,941	10.9	133	34.9
503	Cranioplasty	2,695	4.9	27	7.1
504	Ventricular shunt, extracranial	2,030	3.7	43	11.3
505	Miscellaneous operations on brain and cerebral meninges	3,081	5.7	48	12.5
506	Exploration and decompression of spinal canal structures	13,306	24.4	220	57.7
507	Operations on spinal cord structures, except exploration	4,386	8.0	64	16.9
508	Excision or destruction of lesion of cranial or peripheral nerve	12,071	22.1	54	14.3
509	Miscellaneous operations on cranial and other peripheral nerves	39,244	72.0	142	37.2
510	Sympathectomy	3,333	6.1	53	13.8
511	Miscellaneous operations on sympathetic nerves and ganglia	1,457	2.7	14	3.6
513	Thyroidectomy	22,470	41.2	133	34.9

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

**Additional information regarding UHDDS classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	248	3.3	3	<1	1	3	4	5	7	9
20-34	773	3.1	5	<1	1	3	4	5	7	10
35-49	465	3.2	5	<1	1	3	4	6	7	13
50-64	238	3.8	5	1	2	3	5	6	8	14
65+	47	4.4	11	2	2	3	5	7	14	15
2. MULTIPLE DX										
0-19 YRS	60	4.1	4	1	2	4	5	7	8	11
20-34	335	3.9	9	<1	1	3	5	7	9	21
35-49	333	4.7	29	1	2	4	5	7	9	27
50-64	265	5.1	36	2	2	4	6	9	13	18
65+	74	11.6	235	2	3	6	13	32	52	72
TOT. SINGLE DX	1771	3.3	5	<1	1	3	4	5	7	13
" MULTIPLE DX	1067	5.0	40	1	2	4	5	8	13	36
TOTAL 0-19 YRS	308	3.4	3	1	1	3	4	6	7	10
20-34	1108	3.3	6	<1	1	3	4	6	8	13
35-49	798	3.8	16	1	1	3	5	6	8	21
50-64	503	4.5	22	2	2	4	5	8	11	17
65+	121	8.8	160	2	2	4	9	16	39	68
GRAND TOTAL	**2838**	**3.9**	**19**	**1**	**1**	**3**	**4**	**7**	**8**	**18**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1438	4.2	3	2	2	4	5	6	7	11
20-34	2229	4.3	9	2	2	4	5	6	8	12
35-49	301	4.2	3	2	2	4	5	6	7	11
50-64	84	5.2	31	2	2	4	6	8	12	37
65+	9	4.6	9	1	1	4	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	126	5.2	10	2	3	4	6	8	12	39
20-34	322	6.1	49	2	3	5	6	9	14	47
35-49	108	6.2	21	2	3	5	7	11	13	27
50-64	31	7.1	31	1	2	5	8	16	21	23
65+	15	8.3	30	1	3	8	11	18	19	20
TOT. SINGLE DX	4061	4.3	7	2	2	4	5	6	8	12
" MULTIPLE DX	602	6.0	34	2	3	5	7	10	14	32
TOTAL 0-19 YRS	1564	4.2	4	2	2	4	5	7	8	12
20-34	2551	4.6	15	2	2	4	5	7	8	15
35-49	409	4.7	9	2	2	4	5	7	10	16
50-64	115	5.7	31	2	2	4	6	10	14	32
65+	24	6.9	25	1	2	7	8	13	19	20
GRAND TOTAL	**4663**	**4.5**	**11**	**2**	**2**	**4**	**5**	**7**	**8**	**15**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1599	2.4	12	<1	<1	2	2	4	7	15
20-34	1926	3.1	23	<1	<1	2	3	6	9	29
35-49	1743	3.2	23	<1	<1	2	3	6	10	25
50-64	1777	3.2	16	<1	<1	2	3	6	10	19
65+	1044	4.5	37	<1	<1	2	5	11	17	31
2. MULTIPLE DX										
0-19 YRS	404	5.0	61	<1	<1	3	5	10	17	40
20-34	826	6.6	87	<1	1	3	7	16	23	52
35-49	1090	7.7	92	<1	1	4	10	18	26	56
50-64	1815	9.0	116	<1	1	5	11	21	30	67
65+	2049	12.4	163	1	2	9	16	28	40	94
TOT. SINGLE DX	8089	3.2	21	<1	<1	2	3	6	10	24
" MULTIPLE DX	6184	9.3	125	<1	1	5	12	22	32	68
TOTAL 0-19 YRS	2003	2.9	23	<1	<1	2	3	5	8	24
20-34	2752	4.2	44	<1	<1	2	4	8	14	41
35-49	2833	4.9	54	<1	<1	2	5	12	18	41
50-64	3592	6.1	75	<1	<1	3	7	15	22	50
65+	3093	9.7	134	<1	1	6	13	24	34	74
GRAND TOTAL	**14273**	**5.8**	**76**	**<1**	**<1**	**3**	**6**	**14**	**22**	**50**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1686	4.3	32	<1	1	2	5	9	14	31
20-34	1582	5.1	33	<1	1	3	6	11	15	33
35-49	989	6.0	55	<1	1	4	7	13	20	39
50-64	904	7.4	80	<1	1	4	9	17	26	45
65+	691	9.3	114	<1	1	5	12	23	33	45
2. MULTIPLE DX										
0-19 YRS	2261	6.1	81	1	1	3	7	13	23	57
20-34	2774	7.7	121	1	1	4	8	18	28	71
35-49	1707	10.4	155	1	1	6	13	26	40	75
50-64	2103	14.1	229	1	2	9	19	36	50	99+
65+	2830	17.4	284	2	3	12	25	45	65	99+
TOT. SINGLE DX	5852	5.9	56	<1	1	3	7	13	21	39
" MULTIPLE DX	11675	11.3	196	1	1	6	14	30	45	99+
TOTAL 0-19 YRS	3947	5.4	61	<1	1	3	6	11	18	47
20-34	4356	6.8	91	1	1	4	7	15	24	58
35-49	2696	8.8	123	1	1	5	11	21	34	64
50-64	3007	12.1	194	1	2	7	16	30	43	89
65+	3521	15.8	261	2	2	11	22	41	60	99+
GRAND TOTAL	**17527**	**9.5**	**156**	**1**	**1**	**5**	**11**	**25**	**38**	**84**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	230	8.4	106	<1	1	4	11	20	30	57
20-34	237	9.0	113	1	1	5	12	22	27	54
35-49	132	10.4	154	1	2	5	14	23	36	68
50-64	176	13.2	180	1	2	8	21	33	43	58
65+	162	20.4	266	2	4	17	26	41	56	92
2. MULTIPLE DX										
0-19 YRS	152	18.0	241	1	2	15	28	38	45	90
20-34	191	17.6	276	2	2	12	26	40	51	97
35-49	180	20.7	340	2	3	16	28	52	73	99+
50-64	278	24.5	373	2	3	21	35	54	70	99+
65+	457	29.5	358	6	9	27	39	59	75	99+
TOT. SINGLE DX	937	11.8	173	1	1	7	17	28	38	62
" MULTIPLE DX	1258	23.9	354	2	3	21	34	52	68	99+
TOTAL 0-19 YRS	382	12.2	181	1	1	7	18	32	38	64
20-34	428	12.9	203	1	2	8	18	32	42	84
35-49	312	16.3	286	2	2	11	23	40	56	99+
50-64	454	20.1	327	1	2	15	30	49	60	98
65+	619	27.1	350	4	7	24	37	55	68	99+
GRAND TOTAL	**2195**	**18.8**	**313**	**1**	**2**	**14**	**28**	**44**	**59**	**95**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	92	3.9	17	1	1	2	4	9	13	21
20-34	117	6.1	75	1	1	3	5	14	24	47
35-49	74	6.0	83	1	1	3	5	17	27	49
50-64	60	5.5	45	1	1	3	6	12	21	37
65+	24	10.2	147	1	1	5	13	30	40	45
2. MULTIPLE DX										
0-19 YRS	54	12.1	184	1	1	6	18	35	47	50
20-34	69	18.4	523	2	2	6	31	59	78	99+
35-49	56	19.1	426	2	3	11	32	64	93	99+
50-64	69	15.8	335	1	2	7	24	45	75	99+
65+	76	29.9	637	2	3	29	53	81	99+	99+
TOT. SINGLE DX	367	5.7	64	1	1	3	5	13	22	44
" MULTIPLE DX	324	19.6	469	1	2	11	33	63	80	99+
TOTAL 0-19 YRS	146	6.9	94	1	1	3	7	19	27	48
20-34	186	10.6	275	1	1	4	11	36	57	92
35-49	130	11.7	271	1	1	4	17	36	63	99+
50-64	129	11.0	225	1	1	4	15	35	46	99+
65+	100	25.2	589	2	3	20	45	71	95	99+
GRAND TOTAL	**691**	**12.2**	**302**	**1**	**1**	**4**	**16**	**42**	**61**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	611	2.5	7	<1	<1	2	3	4	7	12
20-34	400	3.0	10	<1	<1	2	3	6	8	17
35-49	328	3.3	18	<1	1	3	4	6	7	11
50-64	435	3.2	13	1	1	3	3	5	7	24
65+	149	3.9	54	<1	1	3	4	6	7	38
2. MULTIPLE DX										
0-19 YRS	231	4.0	25	<1	1	2	4	7	14	32
20-34	247	4.8	38	<1	1	3	5	9	12	44
35-49	349	5.2	38	1	2	3	5	10	12	39
50-64	659	5.1	50	1	2	3	5	9	14	32
65+	349	9.3	116	2	2	5	12	21	32	63
TOT. SINGLE DX	1923	3.0	14	<1	<1	2	3	5	7	15
" MULTIPLE DX	1835	5.7	59	1	2	3	6	12	18	45
TOTAL 0-19 YRS	842	2.9	12	<1	<1	2	3	5	8	20
20-34	647	3.7	21	<1	<1	2	4	7	10	22
35-49	677	4.2	30	<1	1	3	5	8	10	33
50-64	1094	4.4	36	1	1	3	4	7	11	30
65+	498	7.7	104	1	2	4	9	18	28	60
GRAND TOTAL	**3758**	**4.3**	**38**	**<1**	**1**	**3**	**4**	**8**	**13**	**35**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of a procedure which is coded for indexing, quality review, and purposes other than its effect on length of stay. For the purpose of operation length of stay tables, patients with only this procedure are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	5.0	113	1	1	2	4	8	16	64
20-34	37	5.8	39	1	1	3	8	14	21	25
35-49	28	5.6	20	1	1	4	10	12	13	13
50-64	42	5.7	34	1	1	3	7	14	20	22
65+	47	9.7	107	1	1	7	14	16	26	54
2. MULTIPLE DX										
0-19 YRS	40	6.2	141	1	1	3	5	14	26	69
20-34	60	11.2	148	1	2	7	13	28	40	60
35-49	54	9.8	100	2	2	6	14	25	29	45
50-64	75	13.6	245	2	3	10	16	27	39	99
65+	156	16.8	233	3	5	13	21	32	43	88
TOT. SINGLE DX	190	6.5	68	1	1	4	9	15	20	52
" MULTIPLE DX	385	13.2	205	1	2	9	16	28	40	89
TOTAL 0-19 YRS	76	5.6	126	1	1	2	4	10	19	68
20-34	97	9.1	112	1	1	5	12	22	35	53
35-49	82	8.4	76	1	1	5	11	19	25	44
50-64	117	10.7	183	1	1	8	14	24	28	97
65+	203	15.2	212	2	3	11	19	30	42	86
GRAND TOTAL	**575**	**11.0**	**169**	**1**	**1**	**7**	**14**	**25**	**36**	**80**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	8.7	252	1	2	3	8	15	39	88
20-34	168	6.9	96	2	2	4	7	16	24	45
35-49	230	6.3	43	2	2	4	7	14	22	36
50-64	359	6.6	67	2	2	4	7	14	18	39
65+	248	8.0	109	2	2	4	10	18	24	56
2. MULTIPLE DX										
0-19 YRS	42	12.0	96	2	4	9	16	32	37	99+
20-34	174	11.5	184	2	2	7	13	32	48	99+
35-49	310	10.9	136	2	2	7	13	25	40	71
50-64	884	11.1	135	2	2	8	13	23	36	77
65+	889	13.1	135	2	3	10	17	28	38	65
TOT. SINGLE DX	1066	7.0	87	2	2	4	8	15	22	55
" MULTIPLE DX	2299	11.9	139	2	3	8	15	26	38	73
TOTAL 0-19 YRS	103	10.0	190	1	2	6	11	23	37	95
20-34	342	9.2	145	2	2	5	11	24	35	99+
35-49	540	8.9	101	2	2	5	10	22	32	61
50-64	1243	9.8	119	2	2	7	12	21	32	70
65+	1137	12.0	134	2	2	8	16	26	35	64
GRAND TOTAL	**3365**	**10.4**	**127**	**2**	**2**	**7**	**13**	**23**	**34**	**70**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	160	7.1	56	1	2	4	10	17	23	38
20-34	1878	6.6	38	1	2	4	10	15	18	28
35-49	2191	7.0	37	1	2	5	10	16	19	28
50-64	1288	7.5	49	1	2	5	11	17	21	35
65+	285	10.1	85	2	2	7	15	21	27	46
2. MULTIPLE DX										
0-19 YRS	79	8.1	69	2	2	5	10	21	26	83
20-34	900	9.6	66	2	2	7	14	20	25	38
35-49	1406	9.9	76	2	2	7	13	20	27	44
50-64	1384	10.9	95	2	2	9	15	22	29	50
65+	660	15.2	163	2	3	12	20	31	39	69
TOT. SINGLE DX	5802	7.1	43	1	2	5	10	16	20	31
" MULTIPLE DX	4429	10.9	96	2	2	8	15	22	29	50
TOTAL 0-19 YRS	239	7.4	61	1	2	4	10	18	24	44
20-34	2778	7.6	49	1	2	5	11	17	21	33
35-49	3597	8.1	54	1	2	6	11	18	22	35
50-64	2672	9.2	76	2	2	7	13	20	25	42
65+	945	13.6	145	2	3	10	18	28	36	65
GRAND TOTAL	**10231**	**8.8**	**70**	**2**	**2**	**6**	**12**	**19**	**24**	**40**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	8	5.4	77	1	1	2	3	20	27	27
35-49	37	3.1	8	1	2	2	3	8	11	13
50-64	63	4.6	22	1	2	2	6	11	14	25
65+	9	2.4	1	2	2	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS										
20-34	8	5.0	17	2	2	3	8	12	12	12
35-49	68	6.7	52	2	2	3	9	15	18	41
50-64	147	7.4	72	2	2	4	10	16	23	36
65+	43	11.3	77	2	2	9	18	22	27	38
TOT. SINGLE DX	118	4.0	20	1	2	2	3	10	13	26
" MULTIPLE DX	266	7.8	68	2	2	5	10	18	23	38
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	16	5.2	44	1	2	3	4	12	22	27
35-49	105	5.4	39	2	2	3	8	13	16	38
50-64	210	6.6	58	2	2	3	9	15	21	33
65+	52	9.8	75	2	2	7	16	21	26	38
GRAND TOTAL	**384**	**6.6**	**56**	**2**	**2**	**3**	**9**	**15**	**21**	**35**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	5.5	28	1	1	3	8	12	17	24
20-34	543	6.7	31	1	2	5	9	13	17	28
35-49	638	6.7	50	1	2	4	9	14	18	31
50-64	1032	6.2	38	1	2	4	9	14	17	27
65+	735	7.0	49	1	2	5	10	15	19	30
2. MULTIPLE DX										
0-19 YRS	103	8.1	68	1	2	5	11	20	22	43
20-34	504	9.4	71	1	2	7	13	20	25	43
35-49	915	9.6	63	2	2	8	13	20	25	39
50-64	2434	10.1	89	2	2	8	13	20	27	48
65+	3209	11.7	106	2	2	9	15	24	30	57
TOT. SINGLE DX	3083	6.5	41	1	2	4	9	14	18	29
" MULTIPLE DX	7165	10.7	92	2	2	9	14	22	28	50
TOTAL 0-19 YRS	238	6.6	47	1	1	4	8	16	21	30
20-34	1047	8.0	52	1	2	6	11	16	21	35
35-49	1553	8.4	59	2	2	6	11	17	22	37
50-64	3466	9.0	77	2	2	7	12	19	24	43
65+	3944	10.8	98	2	2	8	14	22	29	52
GRAND TOTAL	**10248**	**9.4**	**81**	**2**	**2**	**7**	**13**	**20**	**26**	**45**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	316	5.0	44	<1	1	3	6	10	15	39
20-34	582	6.2	39	<1	1	4	8	13	18	33
35-49	477	7.4	51	1	2	5	9	16	22	33
50-64	482	7.7	47	1	2	6	10	15	20	36
65+	384	9.2	117	2	2	6	11	19	27	69
2. MULTIPLE DX										
0-19 YRS	315	7.6	86	1	1	5	9	17	22	50
20-34	640	8.7	69	1	2	6	11	18	26	43
35-49	833	10.3	89	2	2	8	13	21	29	50
50-64	1544	12.7	145	2	3	9	16	26	37	77
65+	2076	16.5	185	3	4	13	22	34	44	78
TOT. SINGLE DX	2241	7.1	59	1	1	5	9	15	21	39
" MULTIPLE DX	5408	13.0	149	2	3	10	17	28	37	72
TOTAL 0-19 YRS	631	6.3	67	<1	1	4	7	14	20	46
20-34	1222	7.5	56	1	2	5	10	16	22	42
35-49	1310	9.2	77	2	2	7	12	20	27	45
50-64	2026	11.5	126	2	2	9	14	23	33	68
65+	2460	15.4	181	2	3	12	20	32	42	78
GRAND TOTAL	**7649**	**11.3**	**130**	**1**	**2**	**8**	**14**	**25**	**34**	**64**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	13.9	262	1	2	7	19	37	46	77
20-34	159	6.7	69	1	1	4	9	15	20	48
35-49	196	7.3	52	1	2	4	10	18	23	33
50-64	183	5.6	29	1	2	4	6	13	18	25
65+	63	9.0	171	1	2	5	10	18	23	81
2. MULTIPLE DX										
0-19 YRS	118	18.8	375	1	2	12	31	51	68	99+
20-34	138	12.5	256	1	2	8	14	32	55	99+
35-49	152	13.8	263	1	2	9	17	36	51	99+
50-64	215	17.5	356	2	2	11	23	47	66	93
65+	165	21.5	294	4	6	16	30	50	63	99+
TOT. SINGLE DX	697	7.8	95	1	1	4	9	19	25	49
" MULTIPLE DX	788	16.9	319	2	2	11	23	45	63	99+
TOTAL 0-19 YRS	214	16.6	329	1	2	9	28	47	58	99+
20-34	297	9.4	163	1	1	5	11	21	34	95
35-49	348	10.2	154	1	2	5	14	23	36	85
50-64	398	12.0	240	1	2	6	14	31	48	84
65+	228	18.0	291	2	3	13	23	45	60	99+
GRAND TOTAL	**1485**	**12.6**	**235**	**1**	**2**	**7**	**16**	**33**	**49**	**92**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	185	3.0	24	<1	1	1	3	7	10	34
20-34	307	2.7	14	<1	<1	2	2	6	10	27
35-49	129	5.4	63	<1	1	3	6	11	17	38
50-64	108	6.6	27	<1	1	5	10	14	16	23
65+	53	10.5	142	1	2	8	13	20	33	70
2. MULTIPLE DX										
0-19 YRS	262	6.8	154	<1	1	2	7	16	32	74
20-34	362	6.1	104	<1	1	2	7	15	29	81
35-49	235	9.3	150	1	1	5	12	22	32	81
50-64	330	17.1	302	2	2	12	22	43	56	99
65+	487	17.5	236	2	4	13	25	37	50	96
TOT. SINGLE DX	782	4.3	40	<1	1	2	5	11	16	33
" MULTIPLE DX	1676	12.2	222	1	1	7	16	31	47	90
TOTAL 0-19 YRS	447	5.3	103	<1	1	2	5	11	24	71
20-34	669	4.5	66	<1	1	2	4	10	19	78
35-49	364	7.9	122	<1	1	4	10	20	26	67
50-64	438	14.5	255	1	2	10	18	35	52	96
65+	540	16.9	231	2	3	13	23	36	48	92
GRAND TOTAL	**2458**	**9.7**	**177**	**<1**	**1**	**4**	**12**	**25**	**39**	**81**

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
514	Operations on parathyroid and thyroid, except thyroidectomy	5,306	9.7	35	9.3
515	Operations on endocrine glands, except parathyroid and thyroid	1,656	3.0	25	6.5
517	Excision or destruction of lesion or tissue of eyelid	5,564	10.2	19	5.1
518	Miscellaneous operations on eyelid	17,407	31.9	57	15.0
519	Operations on lacrimal system	2,547	4.7	8	2.1
520	Operations on conjunctiva	995	1.8	3	0.8
521	Corneal transplant	3,007	5.5	17	4.4
522	Miscellaneous operations on cornea	4,992	9.2	17	4.5
523	Operations for regulation of intraocular pressure	5,303	9.7	25	6.5
524	Other operations on iris, ciliary body, sclera and anterior chamber	6,374	11.7	28	7.5
525	Intracapsular extraction of lens	113,615	208.5	466	122.1
526	Other lens extraction	25,066	46.0	76	20.0
527	Miscellaneous operations on lens	5,911	10.8	19	5.0
528	Repair of retina	12,277	22.5	70	18.5
529	Miscellaneous operations on retina, choroid, and vitreous	3,279	6.0	17	4.5
530	Resection and recession of ocular muscle	18,068	33.2	36	9.3
531	Miscellaneous operations on ocular muscle	197	0.4	1	0.3
532	Operations on orbit and eyeball	5,635	10.3	28	7.4
534	Operations on external ear	8,412	15.4	34	8.8
535	Stapes mobilization and stapedectomy	8,458	15.5	24	6.2
536	Tympanoplasty	17,728	32.5	44	11.5
537	Myringotomy	35,008	64.2	59	15.3

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
538 Mastoidectomy	7,841	14.4	29	7.5
539 Miscellaneous operations on middle ear and inner ear	5,923	10.9	18	4.8
541 Submucous resection of nasal septum	17,319	31.8	55	14.3
542 Rhinoplasty	40,900	75.0	122	31.9
543 Other incision, excision of nose	12,486	22.9	47	12.4
544 Miscellaneous operations on nose	15,441	28.3	58	15.1
545 Radical maxillary antrotomy	5,722	10.5	25	6.5
546 Miscellaneous operations on accessory sinus	6,409	11.8	32	8.3
547 Tooth extraction	59,096	108.4	173	45.3
548 Tooth restoration and orthodontia	3,526	6.5	7	1.7
549 Operations on teeth and gums except extraction and restoration	6,264	11.5	21	5.4
550 Operations on salivary glands and ducts	10,198	18.7	49	12.9
551 Palatoplasty	1,831	3.4	9	2.2
552 Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	16,326	30.0	88	23.2
553 Tonsillectomy without adenoidectomy	69,380	127.3	152	39.9
554 Tonsillectomy with adenoidectomy	108,131	198.4	202	53.0
555 Adenoidectomy without tonsillectomy	24,021	44.1	38	9.9
556 Operations on pharynx except tonsillectomy and adenoidectomy	8,165	15.0	37	9.7
557 Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	539	1.0	3	0.8

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
558	Excision of lesion of larynx	14,765	27.1	47	12.3
559	Partial laryngectomy and local excision of lesion of trachea	1,265	2.3	15	3.9
560	Complete laryngectomy	1,416	2.6	33	8.5
561	Permanent tracheostomy	419	0.8	12	3.1
562	Operations on larynx and trachea except excision and permanent tracheostomy	3,956	7.3	98	25.8
563	Incision and local excision or destruction of lesion of bronchus	22,645	41.5	269	70.5
564	Bronchial resection and miscellaneous operations on bronchus	86	0.2	1	0.2
565	Local excision or destruction of lesion or tissue of lung	12,835	23.5	200	52.5
566	Lobectomy and complete pneumonectomy	6,207	11.4	118	31.0
567	Bronchoscopy (using natural orifice)	30,893	56.7	338	88.7
568	Miscellaneous operations on lung	2,194	4.0	26	6.7
569	Thoracotomy	17,013	31.2	213	55.7
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	12,012	22.0	148	38.7
571	Open heart operations	7,425	13.6	136	35.6
572	Direct heart revascularization	29,906	54.9	456	119.7
573	Cardiac catheterization	78,519	144.1	397	104.2
574	Pacemaker insertion, replacement, removal, and repair	39,291	72.1	473	124.2
575	Miscellaneous operations on heart	2,517	4.6	39	10.2
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart	9,081	16.7	79	20.6

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
577	Ligation and stripping of varicose veins	20,415	37.5	126	33.1
578	Systemic shunt or graft bypass	21,233	39.0	362	95.0
579	Extracorporeal circulation	227	0.4	4	1.0
580	Hemodialysis	9,382	17.2	70	18.3
581	Other operations on blood vessels	60,735	111.4	886	232.2
582	Incision, excision of lymphatic structures	22,787	41.8	191	50.0
583	Radical excision of lymph nodes	3,891	7.1	45	11.8
584	Miscellaneous operations on lymphatic system	39	0.1	1	0.1
585	Bone marrow transplant	50	0.1	<1	0.1
586	Miscellaneous operations on spleen and bone marrow	42,542	78.1	570	149.4
587	Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen	2,122	3.9	35	9.3
588	Operations on esophagus	13,465	24.7	138	36.1
590	Gastrotomy, pyloromyotomy	2,815	5.2	20	5.4
591	Gastrostomy	2,411	4.4	63	16.6
592	Local excision or destruction of lesion or tissue of stomach	21,760	39.9	228	59.9
593	Partial gastrectomy	9,563	17.5	182	47.7
594	Total gastrectomy	945	1.7	25	6.5
595	Vagotomy	4,696	8.6	74	19.5
596	Miscellaneous operations on stomach	14,098	25.9	201	52.8
597	Local excision or destruction of intestinal lesion or tissue	27,341	50.2	239	62.7
598	Resection of small intestine	6,179	11.3	124	32.4
599	Colectomy	37,973	69.7	730	191.4
600	Other incision, resection of intestine	3,067	5.6	62	16.3

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
601	Intestinal anastomosis or repair	14,012	25.7	198	52.0
602	Ileostomy, colostomy, and other enterostomy	5,388	9.9	128	33.5
603	Appendectomy	87,962	161.4	512	134.3
604	Incidental appendectomy	1,590	2.9	11	2.8
605	Operations on appendix except appendectomy	688	1.3	8	2.1
606	Local excision or destruction of lesion or tissue of rectum	14,487	26.6	118	31.0
607	Other incision of rectum and incision or excision of perirectal tissue	5,181	9.5	29	7.5
608	Proctectomy	8,363	15.3	175	45.8
609	Miscellaneous operations on intestine	13,831	25.4	142	37.2
610	Incision or excision of anal fistula	10,033	18.4	49	12.8
611	Local excision or destruction of lesion or tissue of anus	10,031	18.4	50	13.0
612	Hemorrhoidectomy	47,961	88.0	306	80.1
613	Miscellaneous operations on anus	9,626	17.7	55	14.4
614	Incision of liver	863	1.6	12	3.2
615	Miscellaneous operations on liver	22,326	41.0	262	68.8
616	Cholecystectomy	140,005	256.9	1,561	409.4
617	Operations on biliary tract and gallbladder except cholecystectomy	7,257	13.3	135	35.5
618	Operations on pancreas	4,608	8.5	81	21.3
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	15,384	28.2	158	41.5
620	Unilateral repair of inguinal hernia	137,871	253.0	684	179.4
621	Bilateral repair of inguinal hernia	22,664	41.6	120	31.5

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
622	Unilateral or bilateral repair of femoral hernia	5,585	10.2	40	10.5
623	Repair of umbilical hernia	14,806	27.2	74	19.4
624	Repair of other hernia of anterior abdominal wall	24,376	44.7	198	51.8
625	Repair of diaphragmatic and other hernia	5,044	9.3	62	16.3
626	Incision, excision of abdominal wall and peritoneum except laparotomy	15,601	28.6	182	47.7
627	Laparotomy	25,030	45.9	337	88.3
628	Laparoscopy (excluding that for destruction of fallopian tubes)	26,869	49.3	97	25.5
630	Miscellaneous operations on abdominal wall and peritoneum	20,241	37.1	255	66.9
631	Complete nephrectomy	8,006	14.7	132	34.7
632	Miscellaneous operations on kidney	16,221	29.8	210	55.1
633	Ureterotomy	10,683	19.6	122	32.0
634	Ureteral diversion	3,166	5.8	47	12.3
635	Miscellaneous operations on ureter	12,769	23.4	81	21.3
636	Cystoscopy and urethroscopy	141,843	260.3	934	244.8
637	Transurethral excision or destruction of bladder lesion	32,751	60.1	217	57.0
638	Miscellaneous operations on bladder	18,098	33.2	204	53.6
639	Urethral meatotomy	5,110	9.4	15	3.8
640	Excision of urethral lesion, repair of urethra	10,151	18.6	62	16.2
641	Urethral dilation	30,079	55.2	170	44.7
642	Miscellaneous operations on urethra	9,781	17.9	51	13.4
643	Urethral suspension	8,306	15.2	86	22.4
644	Other repair of stress incontinence	1,614	3.0	16	4.3
645	Ureteral catheterization	1,396	2.6	10	2.7

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
646	Miscellaneous operations on urinary tract	705	1.3	9	2.4
648	Transurethral prostatectomy	82,823	152.0	876	229.8
649	Other prostatectomy	10,238	18.8	155	40.5
650	Miscellaneous operations on prostate and seminal vesicles	12,943	23.7	82	21.5
651	Operations on scrotum and tunica vaginalis	5,065	9.3	27	7.1
652	Orchiectomy	9,069	16.6	69	18.1
653	Orchiopexy	7,181	13.2	24	6.2
654	Miscellaneous operations on testis	2,776	5.1	10	2.6
655	Interruption of vas deferens	3,735	6.9	11	2.8
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	18,082	33.2	68	17.7
658	Miscellaneous operations on penis	4,208	7.7	24	6.3
660	Local excision or destruction of ovarian lesion or tissue	17,425	32.0	121	31.8
661	Unilateral oophorectomy or salpingo-oophorectomy	20,844	38.2	159	41.6
662	Bilateral oophorectomy or salpingo-oophorectomy	8,553	15.7	81	21.3
663	Miscellaneous operations on ovary	3,642	6.7	19	5.1
664	Bilateral endoscopic destruction or occlusion of fallopian tubes	51,867	95.2	93	24.3
665	Other bilateral tubal interruption or salpingectomy	51,366	94.2	173	45.3
666	Miscellaneous operations on fallopian tube	18,027	33.1	96	25.2
667	Conization of cervix	13,499	24.8	40	10.5
668	Other excision or destruction of lesion or tissue of cervix	19,493	35.8	71	18.6
669	Repair and plastic operations on cervix	4,705	8.6	16	4.3

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
670 Hysterotomy and excision of lesion of uterus	5,403	9.9	31	8.0
671 Abdominal hysterectomy	144,448	265.0	1,231	322.7
672 Vaginal hysterectomy	57,045	104.7	438	114.9
673 Radical hysterectomy and pelvic evisceration	912	1.7	15	3.8
674 Dilation and curettage of uterus for termination of pregnancy	11,850	21.7	23	6.0
675 Other dilation and curettage	286,436	525.5	733	192.3
676 Aspiration curettage for termination of pregnancy	28,280	51.9	43	11.3
677 Other aspiration curettage	9,517	17.5	18	4.7
678 Repair and plastic operations on supporting structures of uterus	1,215	2.2	8	2.1
679 Miscellaneous operations on uterus, cervix, and supporting structures	3,774	6.9	15	3.9
680 Plastic repair of cystocele and rectocele	17,230	31.6	149	39.0
681 Other colporrhaphy	3,619	6.6	22	5.7
682 Miscellaneous operations on vagina	10,230	18.8	59	15.5
683 Incision and excision of lesion of vulva and perineum	15,252	28.0	52	13.7
684 Vulvectomy	1,015	1.9	13	3.4
685 Miscellaneous operations on vulva and perineum	1,644	3.0	7	1.8
686 Miscellaneous diagnostic and therapeutic procedures on female genital system	358	0.7	2	0.4
687 Low forceps with and without episiotomy	190,746	350.0	682	178.9
688 Breech extraction	7,345	13.5	26	6.8
689 Other extraction procedures to assist delivery	28,341	52.0	106	27.7
690 Other procedures to assist delivery	154,551	283.6	547	143.4
691 Low cervical cesarean section	156,857	287.8	1,015	266.3

Table 1 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
692	Other cesarean section	14,796	27.1	96	25.2
693	Other abdominal operation to remove embryo or fetus	394	0.7	3	0.7
694	Intra-amniotic injection for abortion	7,926	14.5	15	4.0
695	Diagnostic amniocentesis	2,860	5.2	10	2.6
696	Intrauterine procedures on fetus and amnion	25,683	47.1	73	19.1
697	Miscellaneous obstetric procedures	80,867	148.4	260	68.2
698	Excision of facial bone	2,197	4.0	15	4.0
699	Repair and plastic operations on facial bones	5,344	9.8	25	6.6
700	Closed reduction of maxillofacial fractures	6,602	12.1	33	8.7
701	Open reduction of maxillofacial fractures	9,445	17.3	62	16.2
702	Miscellaneous maxillofacial surgery	701	1.3	4	1.1
703	Incision and division of bones except facial	15,752	28.9	110	29.0
704	Bunionectomy	28,865	53.0	152	39.9
705	Excision of bone except facial	49,716	91.2	381	99.9
706	Repair and plastic operation on bone except facial	11,962	21.9	137	36.0
707	Removal of internal fixation device	25,368	46.5	141	36.8
708	Closed reduction of fracture of femur with internal fixation	8,009	14.7	170	44.7
709	Open reduction of fracture of femur with internal fixation	35,967	66.0	762	199.7
710	Reduction of fracture of femur without internal fixation	4,118	7.6	84	22.2

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
711 Closed reduction of fracture with internal fixation, except maxillofacial and femur	11,164	20.5	89	23.4
712 Open reduction of fracture with internal fixation, except maxillofacial and femur	50,669	93.0	412	108.0
713 Other reduction of fracture without internal fixation, except maxillofacial and femur	57,596	105.7	329	86.2
714 Closed reduction of dislocation	10,233	18.8	68	17.8
715 Open reduction of dislocation	6,165	11.3	47	12.3
716 Arthrotomy and division of joint capsule	22,126	40.6	155	40.7
717 Excision of intervertebral disc	56,462	103.6	745	195.4
718 Excision of semilunar cartilage of knee joint	53,197	97.6	282	73.8
719 Miscellaneous excisions of joint structures	33,240	61.0	149	39.1
720 Spinal fusion	8,067	14.8	124	32.6
721 Arthrodesis and stabilization of joint	9,956	18.3	67	17.5
722 Total hip replacement	18,543	34.0	358	93.8
723 Other arthroplasty of hip	19,118	35.1	401	105.2
724 Arthroplasty of knee	24,536	45.0	306	80.3
725 Repair of other joint	22,732	41.7	114	29.9
726 Incision and division of muscle, tendon, fascia and bursa	13,540	24.8	68	17.9
727 Excision of lesion of muscle, tendon, fascia, and bursa	30,754	56.4	122	32.0
728 Division and resection of muscle, tendon, and fascia of hand	6,838	12.5	24	6.2

Table 1 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
729	Repair and plastic operations on hand	15,127	27.8	44	11.4
730	Resection and suture of muscle, tendon, and fascia, except hand	13,682	25.1	65	17.1
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	12,718	23.3	66	17.3
732	Amputation of fingers and thumb	5,389	9.9	25	6.6
733	Amputation of hand, forearm, and upper arm	530	1.0	7	1.9
734	Amputation of toes	6,297	11.6	114	29.9
735	Below-knee amputation	5,458	10.0	169	44.3
736	Above-knee amputation	5,104	9.4	139	36.5
737	Other amputation of lower extremity	1,561	2.9	46	12.1
738	Reattachment of extremity	562	1.0	4	1.1
739	Revision of amputation stump	2,803	5.1	24	6.4
740	Miscellaneous operations on musculoskeletal system	247	0.5	3	0.8
742	Local excision or destruction of lesion of breast	84,844	155.7	299	78.4
743	Simple mastectomy	6,209	11.4	46	12.0
744	Extended simple mastectomy and radical mastectomy	25,311	46.4	257	67.4
745	Miscellaneous operations on breast	17,263	31.7	70	18.4
746	Incision and excision of pilonidal cyst or sinus	18,219	33.4	82	21.5
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	66,969	122.9	410	107.5
748	Other incision, excision, and suture of skin	88,934	163.2	776	203.4
749	Free skin grafts	13,963	25.6	226	59.4
750	Pedicle graft of skin	4,249	7.8	46	12.2
751	Miscellaneous operations on skin and subcutaneous tissue	20,805	38.2	95	24.8

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
753	Encephalography and ventriculography	3,750	6.9	32	8.5
754	Myelography	77,762	142.7	596	156.2
755	Cerebral arteriography	27,834	51.1	233	61.2
756	Coronary arteriography	10,145	18.6	51	13.3
757	Other arteriography and phlebography	57,821	106.1	466	122.2
758	Other radiography and special diagnostic procedures	48,009	88.1	427	111.9
760	Special therapies and rehabilitation	10,114	18.6	109	28.7
764	Miscellaneous diagnostic and therapeutic procedures	12,932	23.7	121	31.7
	All patients in operation groups	5,450,222	10,000.0	38,133	10,000.0

For each of the four regions and for the United States as a whole, Tables 2 and 3 display frequency rankings of patients and total stay according to operation group. The operation groups are listed in their rank order for the U.S. as a whole. Groups consisting solely of UHDDS Class 2-4 procedures are excluded (see explanation for Table 1), as are patients who died, patients admitted from other short-term hospitals, patients tranferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 2

Ranking of *ICD-9-CM* List B Operation Groups by Live Discharges U.S. PAS Hospitals, 1979

		All Hospitals		Rank by Region			
	Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
675	Other dilation and curettage	286,436	1	1	1	1	1
687	Low forceps with and without episiotomy	190,746	2	4	2	2	4
691	Low cervical cesarean section	156,857	3	3	5	5	3
690	Other procedures to assist delivery	154,551	4	6	3	8	2
671	Abdominal hysterectomy	144,448	5	9	7	3	5
636	Cystoscopy and urethroscopy	141,843	6	8	4	4	20
616	Cholecystectomy	140,005	7	7	6	6	7
620	Unilateral repair of inguinal hernia	137,871	8	2	8	7	6
525	Intracapsular extraction of lens	113,615	9	5	10	10	8
554	Tonsillectomy with adenoidectomy	108,131	10	13	9	9	12
748	Other incision, excision, and suture of skin	88,934	11	11	13	12	14
603	Appendectomy	87,962	12	15	12	13	9
742	Local excision or destruction of lesion of breast	84,844	13	12	15	11	23

Table 2 (Continued)

Operation Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
648	Transurethral prostatectomy	82,823	14	14	16	14	15
697	Miscellaneous obstetric procedures	80,867	15	18	11	23	11
573	Cardiac catheterization	78,519	16	21	14	17	13
754	Myelography	77,762	17	24	18	15	10
553	Tonsillectomy without adenoidectomy	69,380	18	19	17	19	18
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	66,969	19	16	19	18	32
581	Other operations on blood vessels	60,735	20	22	24	24	16
547	Tooth extraction	59,096	21	10	22	26	82
757	Other arteriography	57,821	22	23	21	27	24
713	Other reduction of fracture without internal fixation, except maxillofacial	57,596	23	20	20	29	26
672	Vaginal hysterectomy	57,045	24	48	28	16	21
717	Excision of intervertebral disc	56,462	25	34	27	20	22
718	Excision of semilunar cartilage of knee joint	53,197	26	33	26	31	17
664	Bilateral endoscopic destruction or occlusion of fallopian tubes	51,867	27	28	25	21	41
665	Other bilateral tubal interruption or salpingectomy	51,366	28	29	29	22	37

Table 2 (Continued)

Operation Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
712	Open reduction of fracture with internal fixation, except maxillofacial	50,669	29	38	30	30	19
705	Excision of bone except facial	49,716	30	32	31	32	25
758	Other radiography and special diagnostic procedures	48,009	31	35	23	28	39
612	Hemorrhoidectomy	47,961	32	30	32	25	36
586	Miscellaneous operations on spleen and bone marrow	42,542	33	26	34	34	38
542	Rhinoplasty	40,900	34	31	35	33	27
574	Pacemaker insertion, replacement, removal, and repair	39,291	35	25	41	37	31
509	Miscellaneous operations on cranial and other peripheral nerves	39,244	36	43	33	45	28
599	Colectomy	37,973	37	27	38	42	33
709	Open reduction of fracture of femur with internal fixation	35,967	38	[illegible]	40	39	34
573	Myringotomy	35,008	39	37	45	36	44
719	Miscellaneous excisions of joint structures	33,240	40	46	42	49	29
637	Transurethral excision or destruction of bladder lesion	32,751	41	36	43	50	43
567	Bronchoscopy (using natural orifice)	30,893	42	44	47	35	56
727	Excision of lesion of muscle, tendon, fascia, and bursa	30,754	43	47	44	40	53

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
641 Urethral dilation	30,079	44	65	36	38	99
572 Direct heart revascularization	29,906	45	97	48	41	30
704 Bunionectomy	28,865	46	60	37	67	47
689 Other extraction procedures to assist delivery	28,341	47	58	51	46	46
676 Aspiration curettage for termination of pregnancy	28,280	48	17	66	100	84
755 Cerebral arteriography	27,834	49	80	49	47	42
597 Local excision or destruction of intestinal lesion or tissue	27,341	50	42	50	52	68
628 Laparoscopy (excluding that for destruction of fallopian tubes)	26,869	51	59	46	53	55
696 Intrauterine procedures on fetus and amnion	25,683	52	70	39	96	50
707 Removal of internal fixation device	25,368	53	55	52	63	48
744 Extended simple mastectomy and radical mastectomy	25,311	54	45	58	56	52
526 Other lens extraction	25,066	55	74	72	44	40
627 Laparotomy	25,030	56	67	55	48	54
724 Arthroplasty of knee	24,536	57	91	53	65	35
624 Repair of other hernia of anterior abdominal wall	24,376	58	51	56	54	57
555 Adenoidectomy without tonsillectomy	24,021	59	64	60	43	93
582 Incision, excision of lymphatic structures	22,787	60	54	62	55	70
725 Repair of other joint	22,732	61	81	54	82	45

Table 2 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
621 Bilateral repair of inguinal hernia	22,664	62	62	59	59	61
563 Incision and local excision or destruction of lesion of bronchus	22,645	63	52	63	60	65
513 Thyroidectomy	22,470	64	68	68	51	63
615 Miscellaneous operations on liver	22,326	65	49	65	64	60
716 Arthrotomy and division of joint capsule	22,126	66	85	61	66	49
592 Local excision or destruction of lesion or tissue of stomach	21,760	67	61	57	68	72
578 Systemic shunt or graft bypass	21,233	68	50	79	62	58
661 Unilateral oophorectomy or salpingo-oophorectomy	20,844	69	82	69	57	62
751 Miscellaneous operations on skin and subcutaneous tissue	20,805	70	69	67	58	73
577 Ligation and stripping of varicose veins	20,415	71	56	64	78	76
630 Miscellaneous operations on abdominal wall and peritoneum	20,241	72	86	71	61	66
668 Other excision or destruction of lesion or tissue of cervix	19,493	73	40	74	85	151

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals		Rank by Region			
	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
723 Other arthroplasty of hip	19,118	74	75	76	69	69
722 Total hip replacement	18,543	75	96	73	97	51
746 Incision and excision of pilonidal cyst or sinus	18,219	76	57	81	80	108
638 Miscellaneous operations on bladder	18,098	77	73	77	79	79
656 Miscellaneous operations on spermatic cord, epididymis, and vas deferens	18,082	78	72	75	86	78
530 Resection and recession of ocular muscle	18,068	79	78	80	75	77
666 Miscellaneous operations on fallopian tube	18,027	80	83	84	77	64
536 Tympanoplasty	17,728	81	106	78	74	67
660 Local excision or destruction of ovarian lesion or tissue	17,425	82	71	83	87	83
518 Miscellaneous operations on eyelid	17,407	83	53	100	89	85
541 Submucous resection of nasal septum	17,319	84	41	85	132	111
745 Miscellaneous operations on breast	17,263	85	94	96	70	59
680 Plastic repair of cystocele and rectocele	17,230	86	89	82	76	91
569 Thoracotomy	17,013	87	92	89	71	71

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals Number of Patients (2)	All Hospitals Rank (3)	Rank by Region North-east (4)	Rank by Region North Central (5)	Rank by Region South (6)	Rank by Region West (7)
552 Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	16,326	88	84	91	83	95
632 Miscellaneous operations on kidney	16,221	89	90	97	73	90
703 Incision and division of bones except facial	15,752	90	111	70	117	94
626 Incision, excision of abdominal wall and peritoneum except laparotomy	15,601	91	88	94	92	96
544 Miscellaneous operations on nose	15,441	92	76	99	106	89
619 Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	15,384	93	77	92	81	145
683 Incision and excision of lesion of vulva and perineum	15,252	94	79	93	88	131
729 Repair and plastic operations on hand	15,127	95	109	87	109	74
623 Repair of umbilical hernia	14,806	96	101	95	84	114
692 Other cesarean section	14,796	97	120	88	93	98
558 Excision of lesion of larynx	14,765	98	66	104	101	106

Table 2 (Continued)

Operation Group Number and Title (1)		All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
606	Local excision or destruction of lesion or tissue of rectum	14,487	99	87	90	108	127
596	Miscellaneous operations on stomach	14,098	100	135	86	110	87
601	Intestinal anastomosis or repair	14,012	101	95	106	113	86
749	Free skin grafts	13,963	102	116	103	91	100
609	Miscellaneous operations on intestine	13,831	103	117	98	90	128
730	Resection and suture of muscle, tendon, and fascia, except hand	13,682	104	110	102	115	81
726	Incision and division of muscle, tendon, fascia and bursa	13,540	105	103	111	107	88
667	Conization of cervix	13,499	106	108	101	94	123
588	Operations on esophagus	13,465	107	102	105	99	113
506	Exploration and decompression of spinal canal structures	13,306	108	123	113	103	80
650	Miscellaneous operations on prostate and seminal vesicles	12,943	109	105	118	102	102
764	Miscellaneous diagnostic and therapeutic procedures	12,932	110	104	108	98	129

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
565 Local excision or destruction of lesion or tissue of lung	12,835	111	107	115	114	101
635 Miscellaneous operations on ureter	12,769	112	130	116	72	135
731 Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	12,718	113	113	107	119	92
543 Other incision, excision of nose	12,486	114	98	112	118	118
528 Repair of retina	12,277	115	93	135	116	75
508 Excision or destruction of lesion of cranial or peripheral nerve	12,071	116	150	114	112	97
570 Operations on chest wall, pleura, and mediastinum except thoracotomy	12,012	117	100	123	111	115
706 Repair and plastic operation on bone except facial	11,962	118	128	109	121	103
674 Dilation and curettage of uterus for termination of pregnancy	11,850	119	63	150	122	109
711 Closed reduction of fracture with internal fixation, except maxillofacial and femur	11,164	120	112	121	128	107
633 Ureterotomy	10,683	121	134	128	95	133
649 Other prostatectomy	10,238	122	99	138	133	125

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals Number of Patients (2)	All Hospitals Rank (3)	Rank by Region North-east (4)	Rank by Region North Central (5)	Rank by Region South (6)	Rank by Region West (7)
714 Closed reduction of dislocation	10,233	123	126	119	142	119
682 Miscellaneous operations on vagina	10,230	124	127	120	130	142
550 Operations on salivary glands and ducts	10,198	125	121	126	131	120
640 Excision of urethral lesion, repair of urethra	10,151	126	132	122	120	143
756 Coronary arteriography	10,145	127	215	110	105	156
760 Special therapies and rehabilitation	10,114	128	144	117	136	134
610 Incision or excision of anal fistula	10,033	129	122	132	127	116
611 Local excision or destruction of lesion or tissue of anus	10,031	130	125	125	123	140
721 Arthrodesis and stabilization of joint	9,956	131	138	124	139	110
642 Miscellaneous operations on urethra	9,781	132	166	130	104	136
613 Miscellaneous operations on anus	9,626	133	118	133	137	132
593 Partial gastrectomy	9,563	134	124	136	125	126
677 Other aspiration curettage	9,517	135	115	143	135	121
701 Open reduction of maxillofacial fractures	9,445	136	152	127	134	112
580 Hemodialysis	9,382	137	129	141	144	105
576 Other diagnostic and therapeutic procedures on larynx, trachea	9,081	138	119	145	124	160

Table 2 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
652	Orchiectomy	9,069	139	133	131	138	137
662	Bilateral oophorectomy or salpingo-oophorectomy	8,553	140	176	140	129	124
535	Stapes mobilization and stapedectomy	8,458	141	139	137	145	138
534	Operations on external ear	8,412	142	131	142	140	153
608	Proctectomy	8,363	143	114	144	155	150
643	Urethral suspension	8,306	144	169	129	147	130
556	Operations on pharynx except tonsillectomy and adenoidectomy	8,165	145	147	139	146	141
720	Spinal fusion	8,067	146	178	148	150	104
708	Closed reduction of fracture of femur with internal fixation	8,009	147	148	134	148	147
631	Complete nephrectomy	8,006	148	143	146	143	148
694	Intra-amniotic injection for abortion	7,926	149	145	162	126	144
538	Mastoidectomy	7,841	150	140	151	141	154
501	Incision, excision of skull, brain, and cerebral meninges	7,614	151	161	153	151	117
571	Open heart operations	7,425	152	160	155	154	122
688	Breech extraction	7,345	153	136	147	149	174
617	Operations on biliary tract and gallbladder except cholecystectomy	7,257	154	141	149	162	162
653	Orchiopexy	7,181	155	142	152	167	155
728	Division and resection of muscle, tendon, and fascia of hand	6,838	156	154	154	177	149

Table 2 (Continued)

Operation Group Number and Title (1)		All Hospitals		Rank by Region			
		Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
700	Closed reduction of maxillofacial fractures	6,602	157	151	156	170	164
546	Miscellaneous operations on accessory sinus	6,409	158	162	159	159	163
524	Other operations on iris, ciliary body, sclera and anterior chamber	6,374	159	146	176	164	158
734	Amputation of toes	6,297	160	153	161	157	177
549	Operations on teeth and gums except extraction and restoration	6,264	161	156	164	158	167
743	Simple mastectomy	6,209	162	159	158	160	178
566	Lobectomy and complete pneumonectomy	6,207	163	173	165	156	161
598	Resection of small intestine	6,179	164	163	160	178	159
715	Open reduction of dislocation	6,165	165	175	157	176	157
502	Craniotomy and craniectomy	5,941	166	180	173	166	152
539	Miscellaneous operations on middle ear and inner ear	5,923	167	172	175	175	176
527	Miscellaneous operations on lens	5,911	168	191	185	152	139
545	Radical maxillary antrotomy	5,722	169	170	180	163	166
532	Operations on orbit and eyeball	5,635	170	174	177	165	170
622	Unilateral or bilateral repair of femoral hernia	5,585	171	157	168	184	171

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
517 Excision or destruction of lesion or tissue of eyelid	5,564	172	137	183	174	201
735 Below-knee amputation	5,458	173	164	174	173	186
670 Hysterotomy and excision of lesion of uterus	5,403	174	155	167	182	190
732 Amputation of fingers and thumb	5,389	175	184	163	183	175
602 Ileostomy, colostomy, and other enterostomy	5,388	176	149	171	190	180
699 Repair and plastic operations on facial bones	5,344	177	198	172	169	165
514 Operations on parathyroid and thyroid, except thyroidectomy	5,306	178	171	182	180	176
523 Operations for regulation of intraocular pressure	5,303	179	158	189	179	173
607 Other incision of rectum and incision or excision of perirectal tissue	5,181	180	186	178	153	192
639 Urethral meatotomy	5,110	181	183	170	168	206
736 Above-knee amputation	5,104	182	179	179	161	203
651 Operations on scrotum and tunica vaginalis	5,065	183	177	166	187	182
625 Repair of diaphragmatic and other hernia	5,044	184	195	187	171	168

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
522 Miscellaneous operations on cornea	4,992	185	168	195	172	183
669 Repair and plastic operations on cervix	4,705	186	181	169	192	198
595 Vagotomy	4,696	187	208	184	181	169
618 Operations on pancreas	4,608	188	167	186	189	191
507 Operations on spinal cord structures, except exploration	4,386	189	202	181	196	172
750 Pedicle graft of skin	4,249	190	194	193	188	179
658 Miscellaneous operations on penis	4,208	191	189	192	186	195
710 Reduction of fracture of femur without internal fixation	4,118	192	188	191	191	194
562 Operations on larynx and trachea except excision and permanent tracheostomy	3,956	193	187	197	193	187
583 Radical excision of lymph nodes	3,891	194	182	198	198	184
679 Miscellaneous operations on uterus, cervix, and supporting structures	3,774	195	193	190	201	202
753 Encephalography and ventriculography	3,750	196	203	188	206	185
655 Interruption of vas deferens	3,735	197	192	194	185	223
663 Miscellaneous operations on ovary	3,642	198	200	196	199	200

Table 2 (Continued)

		All Hospitals		Rank by Region			
	Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
681	Other colporrhaphy	3,619	199	199	299	194	189
548	Tooth restoration and orthodontia	3,526	200	201	199	195	196
510	Sympathectomy	3,333	201	185	207	197	208
529	Miscellaneous operations on retina, choroid, and vitreous	3,279	202	197	209	203	181
634	Ureteral diversion	3,166	203	207	203	202	193
505	Miscellaneous operations on brain and cerebral meninges	3,081	204	209	206	200	197
600	Other incision, resection of intestine	3,067	205	196	201	208	205
521	Corneal transplant	3,007	206	190	214	205	199
695	Diagnostic amniocentesis	2,860	207	165	213	218	217
590	Gastrotomy, pyloromyotomy	2,815	208	211	202	210	210
739	Revision of amputation stump	2,803	209	210	204	204	212
654	Miscellaneous operations on testis	2,776	210	205	205	209	214
503	Cranioplasty	2,695	211	216	212	211	188
519	Operations on lacrimal system	2,547	212	204	215	213	204
575	Miscellaneous operations on heart	2,517	213	219	211	212	209
591	Gastrostomy	2,411	214	206	210	215	220
698	Excision of facial bone	2,197	215	212	218	207	222
568	Miscellaneous operations on lung	2,194	216	214	219	214	213

Table 2 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
587	Other diagnostic and therapeutic procedures on vessels, lymphatic	2,122	217	222	208	229	207
504	Ventricular shunt, extracranial	2,030	218	217	217	220	211
551	Palatoplasty	1,831	219	223	221	216	216
515	Operations on endocrine glands, except parathyroid and thyroid	1,656	220	224	224	221	218
685	Miscellaneous operations on vulva and perineum	1,644	221	225	222	217	221
644	Other repair of stress incontinence	1,614	222	235	216	227	215
604	Incidental appendectomy	1,590	223	228	223	219	219
737	Other amputation of lower extremity	1,561	224	213	227	223	224
511	Miscellaneous operations on sympathetic nerves and ganglia	1,457	225	230	220	224	225
560	Complete laryngectomy	1,416	226	218	228	222	230
645	Ureteral catheterization	1,396	227	221	226	225	226
559	Partial laryngectomy and local excision of lesion of trachea	1,265	228	220	229	228	228
678	Repair and plastic operations on supporting structures of uterus	1,215	229	232	225	226	229
684	Vulvectomy	1,015	230	229	231	230	235
520	Operations on conjunctiva	995	231	226	233	231	231
594	Total gastrectomy	945	232	227	232	233	232

Table 2 (Continued)

Operation Group Number and Title (1)		All Hospitals Number of Patients (2)	All Hospitals Rank (3)	Rank by Region North-east (4)	Rank by Region North Central (5)	Rank by Region South (6)	Rank by Region West (7)
673	Radical hysterectomy and pelvic evisceration	912	233	231	230	232	237
614	Incision of liver	863	234	233	234	235	227
646	Miscellaneous operations on urinary tract	705	235	234	235	237	239
702	Miscellaneous maxillofacial surgery	701	236	241	236	234	236
605	Operations on appendix except appendectomy	688	237	237	237	236	233
738	Reattachment of extremity	562	238	240	240	241	234
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	539	239	236	239	239	241
733	Amputation of hand, forearm, and upper arm	530	240	243	238	238	238
561	Permanent tracheostomy	419	241	242	241	240	242
693	Other abdominal operation to remove embryo or fetus	394	242	239	242	242	240
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	358	243	238	243	243	243
740	Miscellaneous operations on musculoskeletal system	247	244	246	245	244	244
579	Extracorporeal circulation	227	245	244	244	246	246

Table 2 (Continued)

Operation Group Number and Title (1)	All Hospitals: Number of Patients (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
531 Miscellaneous operations on ocular muscle	197	246	245	246	245	245
564 Bronchial resection and miscellaneous operations on bronchus	86	247	247	247	247	247
585 Bone marrow transplant	50	248	249	248	248	248
584 Miscellaneous operations on lymphatic system	39	249	248	249	249	249
All patients in operation groups	5,450,222					

Table 3

Ranking of *ICD-9-CM* Operation Groups by Days of Care
U.S. PAS Hospitals, 1979

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
616 Cholecystectomy	1,561	1	1	1	1	1
671 Abdominal hysterectomy	1,231	2	3	2	2	2
691 Low cervical cesarean section	1,015	3	2	4	4	4
636 Cystoscopy and urethroscopy	934	4	5	3	3	20
581 Other operations on blood vessels	886	5	8	7	5	3
648 Transurethral prostatectomy	876	6	4	5	6	7
748 Other incision, excision, and suture of skin	776	7	9	8	9	8
709 Open reduction of fracture of femur with internal fixation	762	8	7	10	11	6
717 Excision of intervertebral disc	745	9	15	9	8	5
675 Other dilation and curettage	733	10	10	6	10	28
599 Colectomy	730	11	6	13	14	9
620 Unilateral repair of inguinal hernia	684	12	11	11	13	12
687 Low forceps with and without episiotomy	682	13	16	12	7	17
754 Myelography	596	14	21	15	12	11
586 Miscellaneous operations on spleen and bone marrow	570	15	12	16	17	19
690 Other procedures to assist delivery	547	16	17	14	19	14
603 Appendectomy	512	17	19	17	18	13

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
574 Pacemaker insertion, replacement, removal, and repair	473	18	13	24	21	21
757 Other arteriography and phlebography	466	19	18	18	22	27
525 Intracapsular extraction of lens	466	20	14	22	24	23
572 Direct heart revascularization	456	21	41	20	16	10
672 Vaginal hysterectomy	438	22	47	25	15	18
758 Other radiography and special diagnostic procedures	427	23	22	19	23	32
712 Open reduction of fracture with internal fixation, except maxillofacial	412	24	25	26	26	16
747 Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	410	25	24	23	20	38
723 Other arthroplasty of hip	401	26	23	27	27	26
573 Cardiac catheterization	397	27	37	21	28	25
705 Excision of bone except facial	381	28	26	28	31	22
578 Systemic shunt or graft bypass	362	29	20	36	33	30
722 Total hip replacement	358	30	31	29	35	15
567 Bronchoscopy (using natural orifice)	338	31	28	34	25	37
627 Laparotomy	337	32	33	31	30	31
713 Other reduction of fracture without internal fixation, except maxillofacial	329	33	27	30	34	33

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals Days of Care (in 1,000s) (2)	Rank (3)	Rank by Region Northeast (4)	North Central (5)	South (6)	West (7)
724 Arthroplasty of knee	306	34	55	32	37	24
612 Hemorrhoidectomy	306	35	42	35	29	41
742 Local excision or destruction of lesion of breast	299	36	32	37	32	56
718 Excision of semilunar cartilage of knee joint	282	37	43	38	40	29
563 Incision and local excision or destruction of lesion of bronchus	269	38	29	39	38	46
615 Miscellaneous operations on liver	262	39	30	41	41	45
697 Miscellaneous obstetric procedures	260	40	53	33	51	36
744 Extended simple mastectomy and radical mastectomy	257	41	34	42	43	40
630 Miscellaneous operations on abdominal wall and peritoneum	255	42	45	44	36	34
597 Local excision or destruction of intestinal lesion or tissue	239	43	35	43	49	59
755 Cerebral arteriography	233	44	65	40	42	48
592 Local excision or destruction of lesion or tissue of stomach	228	45	38	45	55	55
749 Free skin grafts	226	46	58	47	39	44
506 Exploration and decompression of spinal canal structures	220	47	61	50	47	35

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
637 Transurethral excision or destruction of bladder lesion	217	48	36	49	59	57
569 Thoracotomy	213	49	57	52	46	42
632 Miscellaneous operations on kidney	210	50	51	55	45	50
638 Miscellaneous operations on bladder	204	51	44	51	57	60
554 Tonsillectomy with adenoidectomy	202	52	83	46	44	58
596 Miscellaneous operations on stomach	201	53	71	48	56	39
565 Local excision or destruction of lesion or tissue of lung	200	54	50	57	52	53
601 Intestinal anastomosis or repair	198	55	49	59	60	43
624 Repair of other hernia of anterior abdominal wall	198	56	56	54	53	65
582 Incision, excision of lymphatic structures	191	57	48	56	58	76
593 Partial gastrectomy	182	58	59	72	54	54
626 Incision, excision of abdominal wall and peritoneum except laparotomy	182	59	54	63	62	62
608 Proctectomy	175	60	39	66	79	67
665 Other bilateral tubal interruption or salpingectomy	173	61	74	61	48	87
547 Tooth extraction	173	62	40	60	64	139
641 Urethral dilation	170	63	82	53	50	113

Table 3 (Continued)

Operation Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
708	Closed reduction of fracture of femur with internal fixation	170	64	64	62	72	64
735	Below-knee amputation	169	65	52	69	63	77
501	Incision, excision of skull, brain, and cerebral meninges	161	66	75	75	73	47
661	Unilateral oophorectomy or salpingo-oophorectomy	159	67	78	70	61	66
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	158	68	60	67	68	115
716	Arthrotomy and division of joint capsule	155	69	79	73	76	51
649	Other prostatectomy	155	70	46	90	75	74
553	Tonsillectomy without adenoidectomy	152	71	91	65	74	69
704	Bunionectomy	152	72	87	58	95	70
719	Miscellaneous excisions of joint structures	149	73	81	71	80	61
680	Plastic repair of cystocele and rectocele	149	74	80	68	67	82
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	148	75	63	83	71	78

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
609 Miscellaneous operations on intestine	142	76	86	74	70	98
509 Miscellaneous operations on cranial and other peripheral nerves	142	77	103	64	89	71
707 Removal of internal fixation device	141	78	70	77	86	72
736 Above-knee amputation	139	79	67	79	65	109
588 Operations on esophagus	138	80	73	78	78	83
706 Repair and plastic operation on bone except facial	137	81	85	76	87	73
571 Open heart operations	136	82	89	88	88	52
617 Operations on biliary tract and gallbladder except cholecystectomy	135	83	66	81	90	79
513 Thyroidectomy	133	84	93	87	69	84
502 Craniotomy and craniectomy	133	85	88	99	77	63
631 Complete hephrectomy	132	86	76	86	81	81
602 Ileostomy, colostomy, and other enterostomy	128	87	62	96	106	88
577 Ligation and stripping of varicose veins	126	88	68	84	92	105
720 Spinal fusion	124	89	112	100	96	49
598 Resection of small intestine	124	90	84	93	98	75
727 Excision of lesion of muscle, tendon, fascia, and bursa	122	91	97	80	82	104
633 Ureterotomy	122	92	98	103	66	89
542 Rhinoplasty	122	93	90	98	85	80

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals		Rank by Region			
	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
660 Local excision or destruction of ovarian lesion or tissue	121	94	77	94	94	93
764 Miscellaneous diagnostic and therapeutic procedures	121	95	92	95	84	95
621 Bilateral repair of inguinal hernia	120	96	95	82	97	86
566 Lobectomy and complete pneumonectomy	118	97	94	101	83	85
606 Local excision or destruction of lesion or tissue of rectum	118	98	72	89	104	120
734 Amputation of toes	114	99	69	107	93	110
725 Repair of other joint	114	100	114	91	111	68
703 Incision and division of bones except facial	110	101	107	85	108	91
760 Special therapies and rehabilitation	109	102	109	92	103	100
689 Other extraction procedures to assist delivery	106	103	110	102	99	94
562 Operations on larynx and trachea except excision and permanent tracheostomy	98	104	96	113	100	99
628 Laparoscopy (excluding that for destruction of fallopian tubes)	97	105	119	97	112	121
666 Miscellaneous operations on fallopian tube	96	106	113	109	109	92

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
692 Other cesarean section	96	107	127	104	105	106
751 Miscellaneous operations on skin and subcutaneous tissue	95	108	118	106	102	126
664 Bilateral endoscopic destruction or occlusion of fallopian tubes	93	109	126	108	91	147
711 Closed reduction of fracture with internal fixation, except maxillofacial and femur	89	110	106	114	113	102
552 Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	88	111	104	111	114	117
643 Urethral suspension	86	112	138	110	116	101
710 Reduction of fracture of femur without internal fixation	84	113	108	116	118	114
650 Miscellaneous operations on prostate and seminal vesicles	82	114	105	120	115	130
746 Incision and excision of pilonidal cyst or sinus	82	115	99	112	123	152
662 Bilateral oophorectomy or salpingo-oophorectomy	81	116	148	115	107	103
618 Operations on pancreas	81	117	111	118	120	122

Table 3 (Continued)

	Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
635	Miscellaneous operations on ureter	81	118	133	117	101	131
576	Other diagnostic and therapeutic procedures on larynx, trachea	79	119	102	124	122	129
526	Other lens extraction	76	120	137	135	110	96
595	Vagotomy	74	121	155	121	117	107
623	Repair of umbilical hernia	74	122	124	119	121	144
696	Intrauterine procedures on fetus and amnion	73	123	164	105	162	119
668	Other excision or destruction of lesion or tissue of cervix	71	124	100	122	131	173
528	Repair of retina	70	125	115	156	129	90
745	Miscellaneous operations on breast	70	126	144	134	124	108
580	Hemodialysis	70	127	117	140	138	97
652	Orchiectomy	69	128	125	127	126	137
726	Incision and division of muscle, tendon, fascia and bursa	68	129	136	132	130	112
714	Closed reduction of dislocation	68	130	128	125	140	127
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	68	131	129	123	132	140
721	Arthrodesis and stabilization of joint	67	132	139	129	133	116

Table 3 (Continued)

Operation Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	66	133	130	128	139	123
730	Resection and suture of muscle, tendon, and fascia, except hand	65	134	140	130	136	118
507	Operations on spinal cord structures, except exploration	64	135	141	131	146	111
591	Gastrostomy	63	136	121	133	145	153
625	Repair of diaphragmatic and other hernia	62	137	161	144	119	128
600	Other incision, resection of intestine	62	138	122	143	137	136
701	Open reduction of maxillofacial fractures	62	139	156	138	128	125
640	Excision of urethral lesion, repair of urethra	62	140	143	136	125	156
662	Miscellaneous operations on vagina	59	141	142	137	141	146
537	Myringotomy	59	142	149	141	134	134
544	Miscellaneous operations on nose	58	143	134	139	153	138
518	Miscellaneous operations on eyelid	57	144	123	149	148	142
613	Miscellaneous operations on anus	55	145	132	147	150	143

Table 3 (Continued)

		All Hospitals		Rank by Region			
	Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
541	Submucous resection of nasal septum	55	146	101	146	178	172
508	Excision or destruction of lesion of cranial or peripheral nerve	54	147	172	145	142	124
510	Sympathectomy	53	148	120	165	147	160
683	Incision and excision of lesion of vulva and perineum	52	149	147	142	143	178
642	Miscellaneous operations on urethra	51	150	176	150	127	157
756	Coronary arteriography	51	151	220	126	135	171
611	Local excision or destruction of lesion or tissue of anus	50	152	159	148	144	162
550	Operations on salivary glands and ducts	49	153	146	155	154	155
610	Incision or excision of anal fistula	49	154	153	159	151	151
505	Miscellaneous operations on brain and cerebral meninges	48	155	162	164	152	133
543	Other incision, excision of nose	47	156	150	151	156	163
715	Open reduction of dislocation	47	157	152	153	164	148
634	Ureteral diversion	47	158	158	158	159	141
558	Excision of lesion of larynx	47	159	135	157	163	170
750	Pedicle graft of skin	46	160	163	163	155	132
737	Other amputation of lower extremity	46	161	131	171	157	159
743	Simple mastectomy	46	162	154	152	161	169

Table 3 (Continued)

Operation Group Number and Title (1)		All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: Northeast (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
583	Radical excision of lymph nodes	45	163	145	166	165	154
536	Tympanoplasty	44	164	182	160	158	145
729	Repair and plastic operations on hand	44	165	173	154	166	149
504	Ventricular shunt, extracranial	43	166	157	167	174	135
676	Aspiration curettage for termination of pregnancy	43	167	116	175	188	184
667	Conization of cervix	40	168	169	162	160	191
622	Unilateral or bilateral repair of femoral hernia	40	169	151	168	176	164
575	Miscellaneous operations on heart	39	170	178	169	167	158
555	Adenoidectomy without tonsillectomy	38	171	184	172	149	190
556	Operations on pharynx except tonsillectomy and adenoidectomy	37	172	165	173	170	166
530	Resection and recession of ocular muscle	36	173	175	174	172	165
514	Operations on parathyroid and thyroid, except thyroidectomy	35	174	166	178	168	167
587	Other diagnostic and therapeutic procedures on vessels, lymphatic	35	175	188	161	212	150
534	Operations on external ear	34	176	180	176	171	180

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
700 Closed reduction of maxillofacial fractures	33	177	168	177	177	182
560 Complete laryngectomy	33	178	160	183	173	199
753 Encephalography and ventriculography	32	179	183	170	201	168
546 Miscellaneous operations on accessory sinus	32	180	181	179	175	179
670 Hysterotomy and excision of lesion of uterus	31	181	167	180	181	196
607 Other incision of rectum and incision or excision of perirectal tissue	29	182	189	185	169	203
538 Mastoidectomy	29	183	179	188	180	183
524 Other operations on iris, ciliary body, sclera and anterior chamber	28	184	170	195	184	175
532 Operations on orbit and eyeball	28	185	187	186	179	185
651 Operations on scrotum and tunica vaginalis	27	186	185	181	190	206
503 Cranioplasty	27	187	202	191	186	161
688 Breech extraction	26	188	186	182	193	212
568 Miscellaneous operations on lung	26	189	190	196	185	181
732 Amputation of fingers and thumb	25	190	203	184	189	186
699 Repair and plastic operations on facial bones	25	191	209	193	183	174
523 Operations for regulation of intraocular pressure	25	192	174	202	191	195

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
594 Total gastrectomy	25	193	171	203	198	192
545 Radical maxillary antrotomy	25	194	195	199	182	197
515 Operations on endocrine glands, except parathyroid and thyroid	25	195	197	194	192	177
739 Revision of amputation stump	24	196	194	189	196	200
658 Miscellaneous operations on penis	24	197	198	192	187	202
728 Division and resection of muscle, tendon, and fascia of hand	24	198	200	187	207	188
535 Stapes mobilzation and stapedectomy	24	199	193	197	195	194
653 Orchiopexy	24	200	191	190	200	201
674 Dilation and curettage of uterus for termination of pregnancy	23	201	177	215	197	187
681 Other colporrhaphy	22	202	205	201	194	198
549 Operations on teeth and gums except extraction and restoration	21	203	199	205	206	207
590 Gastrotomy, pyloromyotomy	20	204	207	198	205	209
663 Miscellaneous operations on ovary	19	205	211	204	209	208
517 Excision or destruction of lesion or tissue of eyelid	19	206	192	207	204	219
527 Miscellaneous operations on lens	19	207	222	209	203	176

Table 3 (Continued)

	Operation Group Number and Title (1)	All Hospitals Days of Care (in 1,000s) (2)	All Hospitals Rank (3)	Rank by Region Northeast (4)	Rank by Region North Central (5)	Rank by Region South (6)	Rank by Region West (7)
539	Miscellaneous operations on middle ear and inner ear	18	208	212	212	210	189
677	Other aspiration curettage	18	209	204	214	211	210
529	Miscellaneous operations on retina, choroid, and vitreous	17	210	206	217	214	193
522	Miscellaneous operations on cornea	17	211	208	216	202	213
521	Corneal transplant	17	212	196	221	215	205
644	Other repair of stress incontinence	16	213	232	200	219	204
669	Repair and plastic operations on cervix	16	214	210	206	216	223
694	Intra-amniotic injection for abortion	15	215	214	223	199	216
698	Excision of facial bone	15	216	216	220	208	217
679	Miscellaneous operations on uterus, cervix, and supporting structures	15	217	217	211	222	214
559	Partial laryngectomy and local excision of lesion of trachea	15	218	201	218	217	228
673	Radical hysterectomy and pelvic evisceration	15	219	213	213	218	224
639	Urethral meatotomy	15	220	224	210	213	233

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
511 Miscellaneous operations on sympathetic nerves and ganglia	14	221	226	208	225	218
684 Vulvectomy	13	222	215	219	220	227
614 Incision of liver	12	223	218	224	226	211
561 Permanent tracheostomy	12	224	223	226	223	215
604 Incidental appendectomy	11	225	230	225	224	221
655 Interruption of vas deferens	11	226	228	222	221	240
645 Ureteral catheterization	10	227	219	229	229	226
695 Diagnostic amniocentesis	10	228	221	228	232	229
654 Miscellaneous operations on testis	10	229	227	227	227	230
646 Miscellaneous operations on urinary tract	9	230	225	230	230	231
551 Palatoplasty	9	231	231	234	231	220
519 Operations on lacrimal system	8	232	229	236	234	225
678 Repair and plastic operations on supporting structures of uterus	8	233	235	231	228	234
605 Operations on appendix except appendectomy	8	234	233	233	236	222
733 Amputation of hand, forearm, and upper arm	7	235	238	232	233	237
685 Miscellaneous operations on vulva and perineum	7	236	236	235	235	236

Table 3 (Continued)

	All Hospitals		Rank by Region			
Operation Group Number and Title (1)	Days of Care (in 1,000s) (2)	Rank (3)	North-east (4)	North Central (5)	South (6)	West (7)
548 Tooth restoration and orthodontia	7	237	234	237	237	232
738 Reattachment of extremity	4	238	239	239	241	235
702 Miscellaneous maxillofacial surgery	4	239	243	240	238	238
579 Extracorporeal circulation	4	240	237	238	244	239
557 Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	3	241	241	242	239	244
520 Operations on conjunctiva	3	242	240	243	240	242
740 Miscellaneous operations on musculoskeletal system	3	243	245	241	242	241
693 Other abdominal operation to remove embryo or fetus	3	244	242	244	243	243
686 Miscellaneous diagnostic and therapeutic procedures on female genital system	2	245	244	245	245	246
531 Miscellaneous operations on ocular muscle	1	246	246	246	247	245
564 Bronchial resection and miscellaneous operations on bronchus	1	247	248	247	246	247

Table 3 (Continued)

Operation Group Number and Title (1)	All Hospitals: Days of Care (in 1,000s) (2)	All Hospitals: Rank (3)	Rank by Region: North-east (4)	Rank by Region: North Central (5)	Rank by Region: South (6)	Rank by Region: West (7)
584 Miscellaneous operations on lymphatic system	1	248	247	249	248	248
585 Bone marrow transplant	0	249	249	248	249	249
All operation groups	38,133					

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 3 Procedures: Tabular List and Alphabetic Index. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the ICD-9-CM List B operation group to which each operation belongs

Group Number	Title
	Abdominal wall, *see also Hernia*
627	Exploratory laparotomy
626	Excision
626	Incision
	Adenoid
554	Adenoidectomy with tonsillectomy
555	Adenoidectomy without tonsillectomy
556	Other
	Amputation, *see Extremity*
	Angiography
756	Cardiac
	Anus
611	Excision of lesion or tissue
612	Hemorrhoidectomy
613	Other
	Appendix
603	Appendectomy
605	Other
	Arteriography
757	Aorta
755	Head
756	Heart
755	Neck
757	Other
	Artery, *see Blood vessels*
617	Biliary tract, except cholecystectomy
	Bladder
637	Excision of lesion or tissue, transurethral
	Blood vessels
578	Bypass graft
572	Heart
577	Ligation and stripping, veins
578	Systemic shunt
	Bone, except facial, *see also Extremity*
705	Biopsy
703	Division

OPERATION INDEX (continued)

Group Number	Title
	Bone, except facial (continued)
705	Excision
703	Incision
707	Removal of internal fixation device
706	Repair
713	Reduction, closed
713	Reduction, open
	Bone, facial
698	Biopsy
703	Division
698	Excision
702	Incision
699	Repair
700	Reduction, closed
701	Reduction, open
	Bone marrow
585	Transplant
586	Other
	Brain
501	Excision
501	Incision
504	Ventricular shunt
	Breast
742	Biopsy
741	Complete mastectomy
742	Excision, lesion
745	Mastotomy
742	Partial mastectomy
744	Radical mastectomy
567	Bronchoscopy
	Bronchus
563	Excision of lesion or tissue
762	Removal of foreign body with incision
564	Resection
704	Bunionectomy
	Bursa, *see Muscle*
	Cartilage
716	Division

OPERATION INDEX (continued)

Group Number	Title
	Cartilage (continued)
717	Excision of intervertebral cartilage
718	Excision of semilunar cartilage of knee
	Cataract extraction
525	Intracapsular
526	Other
579	Circulation, extracorporeal
619	Colonoscopy, transabdominal
420	Conjunctiva
521	Corneal transplant
682	Culdoscopy
664	For ligation of fallopian tubes
636	Cystoscopy
629	Dialysis, peritoneal
	Ear
534	External
537	Myringotomy
536	Stapedectomy
535	Stapes mobilization
539	Tympanotomy
536	Tympanoplasty
753	Encephalography
515	Endocrine, except parathyroid, thyroid, and gonads
656	Epididymis
589	Esophagoscopy
	Extremity
	Amputation
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
732	Thumb
734	Toe
733	Upper arm

OPERATION INDEX (continued)

Group Number	Title
	Extremity (continued)
738	Reattachment
739	Revision of amputation
532	Eyelid, excision of lesion or tissue
	Fallopian tube
665	Excision, bilateral
665	Endoscopic approach
665	Ligation, bilateral
665	Endoscopic approach
662	Salpingo-oophorectomy, bilateral
661	Salpingo-oophorectomy, unilateral
666	Other
	Fascia, *see Muscle*
	Gallbladder
616	Cholecystectomy
589	Gastroscopy
596	Gastroscopy, surgical
	Graft, *see site*
	Gums
549	Alveoloplasty
549	Excision of lesion or tissue
549	Gingivectomy
549	Incision
	Hand, *see also Extremity*
728	Division of muscle, tendon, and fascia
	Heart
573	Catheterization
575	Massage, open
574	Pacemaker insertion or replacement
	Hernia repair
625	Diaphragmatic
624	Epigastric
622	Femoral, bilateral
624	Incisional
621	Inguinal, bilateral
620	Inguinal, unilateral

OPERATION INDEX (continued)

Group Number	Title
	Hernia repair (continued)
623	Umbilical
624	Ventral
	Hysterectomy, *see Uterus*
	Intestine, *see also Hernia*
601	Anastomosis
599	Colectomy
602	Colostomy
602	Enterostomy
597	Excision of lesion or tissue
600	Exteriorization
602	Ileostomy
600	Incision
601	Repair
599	Resection of large intestine
598	Resection of small intestine
	Joint, *see also Extremity*
741	Arthrocentesis
721	Arthrodesis, except spine
720	Spinal fusion
723	Arthroplasty of hip, except total replacement
722	Total hip replacement
716	Arthrotomy
716	Division of capsule
719	Excision, except intervertebral cartilage and cartilage of knee
741	Injection
717	Laminectomy with disc excision
718	Meniscectomy, knee
714	Reduction, dislocation, closed
715	Reduction, dislocation, open
725	Repair, except hip arthroplasty
724	Stabilization
	Kidney
631	Complete nephrectomy
	Larynx
558	Excision of lesion or tissue

OPERATION INDEX (continued)

Group Number	Title
	Larynx (continued)
562	Laryngotomy, permanent
559	Partial laryngectomy
560	Total laryngectomy
	Lens
526	Extraction, except intracapsular
525	Intracapsular extraction
716	Ligament division
	Liver
614	Incision, including percutaneous
	Lung
566	Lobectomy
566	Pneumonectomy
	Lymph nodes
582	Excision, except radical
583	Excision, radical
582	Incision
584	Other
538	Mastoidectomy
	Meninges, cerebral
501	Excision
501	Incision
	Muscle, *see also Extremity*
726	Division, except hand
728	Division, hand
727	Excision of lesion or tissue
726	Incision
730	Resection, except hand
728	Resection, hand
730	Suture, except hand
729	Suture, hand
	Muscle, ocular
530	Recession
530	Resection
754	Myelography
	Nerve, peripheral
508	Excision of lesion or tissue

OPERATION INDEX (continued)

Group Number	Title
	Nerve, peripheral (continued)
595	Vagotomy
	Nerve, sympathetic
510	Sympathectomy
	Nose
543	Excision, except submucous resection
541	Submucous resection, nasal septum
543	Incision
542	Rhinoplasty
	Obstetrical procedures
677	Curettage, aspiration
675	D & C
	Delivery, assisted
688	Breech extraction
692	Cesarean section, except low cervical
691	Cesarean section, low cervical
690	Episiotomy
689	Low forceps
	Intrauterine procedures
695	Amniocentesis
690	Intra-amniotic injection
696	Intrauterine transfusion
697	Removal of retained placenta, manual
697	Repair of laceration
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage
691	Hysterotomy
694	Intra-amniotic injection
697	Other
	Oral cavity, except salivary glands
557	Frenotomy
551	Palatoplasty
	Ovary
660	Excision of lesion or tissue
662	Oophorectomy, bilateral
661	Oophorectomy, unilateral
663	Other

OPERATION INDEX (continued)

Group Number — Title

- Palate
  - 551 Cleft palate repair
  - 551 Palatoplasty
- 514 Parathyroid
- Penis
  - 657 Circumcision
- Perineum, female
  - 683 Excision of lesion or tissue
  - 683 Incision
- Perirectal
  - 607 Excision
  - 607 Incision
  - 609 Other
- Peritoneum
  - 630 Division of adhesions
  - 627 Drainage, except via cul de sac
    - 682 Via cul de sac
  - 626 Excision
  - 630 Incision, except via cul de sac
    - 682 Via cul de sac
- 628 Peritoneoscopy
- Pleura
  - 576 Pleurocentesis
- Prostate
  - 648 Prostatectomy, transurethral
  - 649 Prostatectomy, except transurethral
  - 650 Other

- Rectum
  - 606 Excision, except proctectomy
  - 609 Incision
  - 608 Proctectomy
  - 608 Other
- Reduction
  - Dislocation, *see Joint*
  - Fracture, *see Bone*
- 758 Retrograde pyelogram

- Sinuses, nasal
  - 546 Radical maxillary sinusotomy

OPERATION INDEX (continued)

Group Number	Title
	Skin
747	Excision, except pilonidal sinus
746	Excision of pilonidal sinus
	Graft
749	Free
750	Pedicle
748	Incision, except pilonidal sinus
746	Incision of pilonidal sinus
751	Plastic, except lip
552	Plastic, lip
748	Suture
	Skull
503	Cranioplasty
502	Craniotomy
501	Excision
501	Puncture
	Spinal cord
506	Exploration
	Stomach
593	Complete gastrectomy
592	Excision of lesion or tissue
591	Gastrostomy
590	Gastrotomy
593	Partial gastrectomy
590	Pyloromyotomy
596	Pyloroplasty
595	Vagotomy
	Tendon
726	Division, except hand
728	Division, hand
727	Excision of lesion or tissue
726	Incision
730	Resection, except hand
727	Resection, hand
730	Suture, except hand
729	Suture, hand
	Testes
652	Orchiectomy
654	Other

OPERATION INDEX (continued)

Group Number	Title
570	Thoracoscopy, transpleural
	Thorax
576	Thoracentesis
	Thyroid
513	Thyroidectomy
514	Other
	Tongue
557	Frenotomy
557	Tongue-tie operation
	Tonsils
554	Tonsillectomy with adenoidectomy
555	Tonsillectomy without adenoidectomy
556	Other
	Tooth
548	Extraction
547	Restoration
549	Root resection
	Trachea
559	Excision of lesion or tissue
562	Permanent tracheostomy
563	Tracheotomy
	Ureter
645	Catheterization
634	Diversion
633	Ureterotomy
635	Other
	Urethra
641	Dilation
640	Excision of lesion or tissue
639	Meatotomy
640	Repair
642	Other
636	Urethroscopy
	Uterus, *see also Obstetrical procedures*
677	Aspiration curettage
670	Biopsy
667	Conization of cervix
675	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Uterus (continued)
668	Excision of cervix, except conization
668	Excision of lesion or tissue
673	Exenteration, pelvic
678	Hysteropexy
670	Hysterotomy, except to terminate pregnancy
671	Hysterectomy, abdominal, except radical
673	Hysterectomy, radical
672	Hysterectomy, vaginal, except radical
670	Myomectomy
679	Repair
678	Repair of supporting structures
	Vagina, except obstetrical
681	Colporrhaphy, except for cystocele and rectocele
680	Cystocele repair
680	Rectocele repair
682	Other
	Vas deferens
655	Interruption
656	Other
	Vein, *see Blood vessels*
757	Venography
	Ventricles, cerebral
505	Shunt
753	Ventriculography
	Vertebra
717	Excision, intervertebral disc
720	Fusion
506	Laminectomy, exploratory
	Other (grouped with other bone operations)
	Vulva, except obstetrical
683	Excision of lesion or tissue
683	Incision
684	Vulvectomy
685	Other

R 3850-1.11

Length of Stay in PAS Hospitals,

by Diagnosis,

Canada,

1979

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
OCTOBER 1980

LENGTH OF STAY IN PAS HOSPITALS

Copyright © 1980 by Commission on Professional and Hospital Activities, Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the series entitled
"Length of Stay in PAS Hospitals". . .

Volumes include:
. . . by Diagnosis, United States, 1979
. . . by Diagnosis, United States, North Central Region, 1979
. . . by Diagnosis, United States, Northeastern Region, 1979
. . . by Diagnosis, United States, Southern Region, 1979
. . . by Diagnosis, United States, Western Region, 1979
. . . by Diagnosis, Canada, 1979

. . . by Operation, United States, 1979
. . . by Operation, United States, North Central Region, 1979
. . . by Operation, United States, Northeastern Region, 1979
. . . by Operation, United States, Southern Region, 1979
. . . by Operation, United States, Western Region, 1979
. . . by Operation, Canada, 1979

Also included are:
Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979
Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities. Also for selected years there are length of stay books for particular regional groups of hospitals, for pediatric patients, and for geriatric patients.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1979 in North America. Twelve volumes describe stays for either diagnoses or operations in the United States, in each of the four U.S. census regions, or in Canada. The thirteenth and fourteenth volumes display data on both diagnoses and operations for pediatric and for geriatric patients in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities.

These statistics, which are also available on computer readable magnetic tape, can provide a valuable perspective for physicians, administrators, PSROs, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" (PSRO) and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1979 LENGTH OF STAY BOOKS

Walt Wood, Manager, Research and Statistics
Ed Kobrinski, Assistant Manager
Ann Matteson, Project Coordinator

CONTENTS

Preface iii

Discussion of the Data 1

Source of the Data 1

Data Quality 3

Coverage 4

Organization of Length of Stay Tables 7

ICD-9-CM List A: Hospital Diagnosis Groups 7

Definition of Multiple Dx Patients 7

Definition of Operated Patients 8

Explanation of Statistics 8

Exclusions 9

Defining the Extended Stay Case 10

Length of Stay Tables 21

Summary of All Patients 22

Summary of All Patients Except Newborn 23

Diagnosis Groups 1-398 24

Distribution Tables 223

Table 1: Distribution of Canadian Patients and Days of Care by *ICD-9-CM* List A Hospital Diagnosis Groups 225

Table 2: Ranking of *ICD-9-CM* List A Diagnosis Groups by Live Separations 244

Table 3: Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care 258

Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 273

Index to Length of Stay Tables 277

DISCUSSION OF THE DATA

Source of the Data

Data in this book were compiled from individual patient discharge abstracts submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain, and Figure 1 diagrams, the PAS method of storing and retrieving medical data.


PAS
HOSPITAL
CLINICAL RECORD
CASE ABSTRACT
DATA TAPE
CPHA DATA CENTER
COMPUTER
DATA FILE
HOSPITAL
ITS OWN OVERALL STATISTICS
+
MORE DETAILED STATISTICS
+
LISTINGS
MULTIHOSPITAL STUDIES
INTERHOSPITAL COMPARISONS
REGIONAL DATA

FIG. 1. Schematic diagram of the PAS medical record information system.

BEST AVAILABLE COPY

1. In each participating hospital, medical record personnel transfer information from the record of each discharged patient onto a PAS Case Abstract (Figure 2). The data may also be put onto a data tape at the hospital.
2. The abstract or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it serves as input to the computer system.
3. Data then undergo a comprehensive "cleaning" process and detected errors are corrected by contributing hospitals.
4. The computer system produces sets of reports which give comprehensive statistics on separations plus listings of individual case abstracts in various sequences.
5. The computer system continually adds to a permanent history data file.
6. Length of stay statistics from this file are annually published in this series of length of stay books. The stored data are also available to researchers on a contractual basis.



PAS

1234567890EV

1979 CASE ABSTRACT

SAMPLE

79

PAS

79

FIG. 2 PAS Case Abstract

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its role as an extension of the hospital's medical record department.

Quality control of PAS data begins before a new hospital submits its first case abstract and continues as an ongoing system involving personal monitoring, computer checks, and education programs. In spite of these efforts, errors do occur. There are three ways errors can be introduced into PAS data: 1) the basic patient medical record can be incomplete or in error, 2) errors can be made in abstracting information from the medical record to the PAS Case Abstract, and 3) errors can be introduced during processing.

Although CPHA has indirect influence over the quality of the medical record through education and through feedback from use of PAS reports within the hospital, basic responsibility for the accuracy of the medical record rests with the physician and others in the hospital contributing to it. Clearly, the abstractor cannot add to the medical record. Errors or omissions made in it will be carried forward to the PAS Case Abstract.

CPHA goes to considerable lengths to prevent and correct errors in abstracting by training PAS hospital medical record personnel in coding and abstracting methods, by monitoring their work, and by judiciously checking and editing patient data for errors. During processing, over 350 computer checks* are performed on each abstract to check the reasonableness of the data received. When illogical, invalid, or missing data are detected, an error message is printed and the hospital is notified, often by phone. About 40% of the errors detected in the computer audit can be and are corrected at CPHA; the remainder must be handled by the hospitals because only they have the information necessary to make the corrections. Hospitals make such corrections on a voluntary basis.

---

*The following are examples of discrepancies and inconsistencies in the data that are detected by the computer audit: hospital day of operative episode exceeding total stay, cesarean sections with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded. Examples of invalid data detected by the computer are diagnosis and operation codes that do not exist in the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Coverage

The length of stay tables in this book display stay distributions for 1,085,400 separations during 1979 from 242 nonfederal, short-term* Canadian hospitals participating in PAS. Short-term psychiatric hospitals participating in PAS were excluded. Patients studied were selected from a total of 1,186,998 separations.

Characteristics of all Canadian hospitals that participated in PAS during 1979 are shown in Table A. Some of these hospitals did not participate for the entire 12-month period. In addition, because of the unavailability of data at the time of processing, data for some of these PAS hospitals are not included in the length of stay tables.

---

*Short-term hospitals are defined as those in which the median stay is shorter than 45 days.

Table A

Bed Size and Province: PAS Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in Canada January-December 1979

	Short-Term Hospitals			Beds		
Hospital Class (1)	Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
CANADA						
Bed Size						
1. Less than 25 beds	255	28	11.0%	3,765	550	14.6%
2. 25-49	204	75	36.8	7,012	2,618	37.3
3. 50-99	155	50	32.3	10,317	3,443	33.4
4. 100-199	133	38	28.6	17,915	5,158	28.8
5. 200-299	68	24	35.3	16,420	5,715	34.8
6. 300-399	51	17	33.3	16,778	5,967	35.6
7. 400-499	34	8	23.5	14,643	3,553	24.3
8. 500 or more	53	14	26.4	39,831	10,229	25.7
Total	953	254	26.7%	126,681	37,233	29.4%
Province or Territory						
Alberta	118	115	97.5%	13,186	10,978	83.3%
British Columbia	102	71	69.6	14,878	11,578	77.8
Manitoba	83	1	1.2	6,024	234	3.9
New Brunswick	35	16	45.7	4,405	3,287	74.6
Newfoundland	50	8	16.0	3.059	1,964	64.2
Nova Scotia	45	16	35.6	4,832	3,094	64.0
Ontario	229	0	0	42,702	0	0
Prince Edward Island	8	0	0	659	0	0
Quebec	147	5	3.4	30,013	2,222	7.4
Saskatchewan	133	20	15.0	6,761	3,764	55.7
Northwest Territories	3	2	66.7	162	112	69.1
Yukon	0	0	–	0	0	–
Total	953	254	26.7%	126,681	37,233	29.4%

---

[1] Hospitals with average stay less than 45 days, excluding psychiatric hospitals

[2] Source: *Canadian Hospital Directory*, 1978

Organization of Length of Stay Tables

The length of stay tables in the body of this book are organized according to the diagnosis groupings in *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, age, and operation status. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight as a means of stratifying patients.

ICD-9-CM List A: Hospital Diagnosis Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List A: Hospital Diagnosis Groups* has been replaced by *ICD-9-CM List A: Hospital Diagnosis Groups,* which reflects the diagnoses contained in the new classification.

Patients were assigned to *ICD-9-CM* List A groups on the basis of their final diagnosis explaining admission (UHDDS "principal diagnosis"). This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all separations from PAS hospitals during 1979 was coded using *ICD-9-CM.*

Definition of Multiple Dx Patients

A patient is classified in the multiple dx category if he had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

In 1979 PAS hospitals used *ICD-9-CM* to code procedures. An operated patient is a patient who had at least one UHDDS[2] Class 1 procedure. A patient with only Class 2-4 procedures is considered nonoperated.

Explanation of Statistics

The diagnosis group titles heading the tables are followed in parentheses by the diagnosis codes they include. These codes refer to *ICD-9-CM.*

Length of stay is calculated from admission and separation dates entered on the PAS Case Abstract, counting the day of admission but not the day of separation. Patients who left the hospital on the day of admission were counted as staying one day in the calculation of average stay and variance, but as staying less than one day in the calculation of the percentiles. Thus, if more than 5% of the patients in a cell left on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in column 2, "Number of Patients"; column 3, "Average Stay"; or column 4, "Variance." The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

---

[2] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are shown. If, for example, the 10th percentile for a group of patients is four days, it means that ten percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

The value of a percentile for a group of patients is determined by arranging the individual patients' stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The tables displaying data for newborns (groups 393-395) use weight rather than age to stratify the patients. The weight is given in grams (G).

Exclusions

The length of stay tables exclude:

(1) patients who died
(2) patients admitted from other short-term hospitals
(3) patients transferred to other short-term hospitals
(4) patients who left against medical advice
(5) patients with length of stay greater than 99 days (these patients are included only in the percentile calculations).

These patients are excluded because they are not typical short-term patients (i.e., their stays are not "manageable" by the physician).

Other exclusions include stillborn, patients with incalculable age or stay, illegal or unrecorded principal diagnosis, unrecorded separation status, and patients with diagnosis-age or diagnosis-sex inconsistencies. Also excluded are newborn with illegal or unrecorded birthweights.

Defining the Extended Stay[1] Case

Although utilization review in Canadian hospitals has not had the regulatory impetus of the Medicare and PSRO programs in the United States, Canadian hospitals have equal reason to be concerned about the wise use of resources. The instructions which follow are those found in the length of stay books for the United States. The techniques employed can be used by any Canadian hospital conducting a review of those cases whose stay exceeds the norms for matching cases listed in *Length of Stay in PAS Hospitals, by Diagnosis, Canada, 1979* or *Length of Stay in PAS Hospitals, by Operation, Canada, 1979.*

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the PSRO is called extended stay review. This review, whether applied universally to all patients within the facility or "focused" on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in reasonably current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, the age of the patient, and whether the patient had single or multiple diagnoses.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the completed operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and quite different lengths of stay) are appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy), primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung) and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

---

[1] Medicare regulations formerly referred to "extended duration," PSRO guidelines refer to "continued stay."

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the regional length of stay books published by the Commission on Professional and Hospital Activities.[2] With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[3]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[4] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group (in the CPHA length of stay books) for each diagnosis is given in column 4.

b. Diagnoses not in *Concurrent Review Screening* can usually be found in the alphabetic index at the back of the length of stay books.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[5] That code can then be located in List A or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

---

[2] *Length of Stay in PAS Hospitals, by Diagnosis,* Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., North Central Region, 1979
U.S., Southern Region, 1979
U.S., Northeastern Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

Length of Stay in PAS Hospitals, by Operation, Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., North Central Region, 1979
U.S., Southern Region, 1979
U.S., Northeastern Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

[3] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[4] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[5] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Volume 2, Diseases: Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table. There are two tables per page for diagnosis groups in the length of stay books.

Step 3. Find the appropriate part of the table for number of diagnoses (single or multiple).

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses, two or more operations with widely different lengths of stay are commonly performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate *operation* length of stay table.

Step 5. Find the correct age group. The five age groupings presented are 0-19 years, 20-34 years, 35-49 years, 50-64 years, and 65 years and over.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line which includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November, a 47-year-old patient is admitted to a Canadian hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The alphabetic index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

282

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis INDEX TO DISEASES

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis (impacted) (multiple) 574.2**

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

124

Step 2. Find the table for group 215 of *Length of Stay in PAS Hospitals, by Diagnosis, Canada, 1979.*

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	3.2	7	<1	1	3	4	6	8	16
20-34	280	3.1	12	1	1	2	4	5	7	20
35-49	187	3.5	7	1	1	3	5	7	9	14
50-64	219	4.3	11	1	1	3	6	9	11	17
65+	167	7.4	41	1	2	6	10	15	20	31
B. *Operated*										
0-19 YRS	209	7.5	7	4	5	7	9	11	13	15
20-34	2045	7.7	9	5	5	7	9	11	13	17
35-49	1638	8.1	8	5	5	8	9	11	13	19
50-64	1685	9.0	14	5	6	8	10	13	16	23
65+	699	10.8	24	6	7	9	12	18	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.1	8	<1	1	2	4	7	10	11
20-34	163	3.4	9	<1	1	2	4	7	9	15
35-49	124	4.7	14	1	1	4	7	10	13	18
50-64	241	5.4	22	1	1	4	7	10	13	23
65+	389	9.4	66	2	3	8	11	17	23	41
B. *Operated*										
0-19 YRS	111	10.0	30	5	6	8	12	16	19	35
20-34	1301	9.1	19	5	6	8	10	14	17	25
35-49	1434	10.1	28	5	6	8	11	16	21	34
50-64	2147	11.6	44	6	7	10	13	19	25	37
65+	1798	16.1	98	7	8	13	20	29	36	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	907	4.3	18	1	1	3	5	9	12	23
B. *Operated*	6276	8.5	13	5	5	8	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	942	6.6	43	1	1	5	9	13	17	32
B. *Operated*	6791	12.0	57	6	6	9	14	21	27	44
1. SINGLE DX	7183	7.9	15	2	4	7	9	12	14	23
2. MULTIPLE DX	7733	11.3	58	4	5	9	13	20	26	43
A. NOT OPERATED	1849	5.4	32	1	1	4	7	11	14	28
B. OPERATED	13067	10.3	39	5	6	9	11	17	22	37
TOTAL 0-19 YRS	399	7.3	19	1	2	7	9	12	14	21
20-34	3789	7.7	16	2	4	7	9	11	14	22
35-49	3383	8.6	20	3	5	8	10	13	16	26
50-64	4292	9.9	34	3	5	9	11	16	20	32
65+	3053	13.6	84	4	6	11	16	24	31	50
GRAND TOTAL	**14916**	**9.7**	**40**	**3**	**5**	**8**	**11**	**16**	**21**	**36**

Step 3. There are no secondary diagnoses recorded, so one needs to be concerned only with the top ten lines of the table (Section 1).



242 PAS Hospitals, Canada, January-December 1979

215: Gallbladder disease with calculus (574.0-574.2)

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTIL 5th (5)	10th (6)	50th (7)	75th (8)	90 (9
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	54	3.2	7	<1	1	3	4	6
20-34	280	3.1	12	1	1	2	4	5
35-49	187	3.5	7	1	1	3	5	7
50-64	219	4.3	11	1	1	3	6	
65+	167	7.4	41	1	2	6	10	
B. *Operated*								
0-19 YRS	209	7.5	7	4	5	7	9	
20-34	2045	7.7	9	5	5	7	9	
35-49	1638	8.1	8	5	5	8		
50-64	1685	9.0	14	5	6	8		
65+	699	10.8	24	6	7			
LE DX								
	25	3.1						

131

Step 4. Since surgery is scheduled, one is restricted to the second five lines of the table (Section 1.B.).



242 PAS Hospitals, Canada, January-December 1979

215: Gallbladder disease with calculus (574.0-574.2)

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTIL 5th (5)	10th (6)	50th (7)	75th (8)	90 (9
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	54	3.2	7	<1	1	3	4	6
20-34	280	3.1	12	1	1	2	4	5
35-49	187	3.5	7	1	1	3	5	7
50-64	219	4.3	11	1	1	3	6	
65+	167	7.4	41	1	2	6	10	
B. *Operated*								
0-19 YRS	209	7.5	7	4	5	7	9	
20-34	2045	7.7	9	5	5	7	9	
35-49	1638	8.1	8	5	5	8		
50-64	1685	9.0	14	5	6	8		
65+	699	10.8	24	6	7			
LE DX								
	25	3.1						

131

Step 5. The patient is 47 years old and therefore falls in the age group 35-49.



242 PAS Hospitals, Canada, January–December 1979

215: Gallbladder disease with calculus (574.0-574.2)

216: Gallbladder disease without mention of calculus (575)

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTIL 5th (5)	10th (6)	50th (7)	75th (8)	90 (9
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	54	3.2	7	<1	1	3	4	6
20-34	280	3.1	12	1	1	2	4	5
35-49	187	3.5	7	1	1	3	5	7
50-64	219	4.3	11	1	1	3	6	
65+	167	7.4	41	1	2	6	10	
B. *Operated*								
0-19 YRS	209	7.5	7	4	5	7	9	
20-34	2045	7.7	9	5	5	7		
35-49	1638	8.1	8	5	5	8		
50-64	1685	9.0	14	5	6	8		
65+	699	10.8	24	6	7			
LE DX								
	25	3.1						

131

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the eighth day after admission to be the day that this patient comes up for extended stay review.



242 PAS Hospitals, Canada, January–December 1979

215: Gallbladder disease with calculus (574.0-574.2)

216: Gallbladder disease without mention of calculus (575)

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTIL 5th (5)	10th (6)	50th (7)	75th (8)	90 (9
1. SINGLE DX								
A. *Not Operated*								
0-19 YRS	54	3.2	7	<1	1	3	4	6
20-34	280	3.1	12	1	1	2	4	5
35-49	187	3.5	7	1	1	3	5	7
50-64	219	4.3	11	1	1	3	6	
65+	167	7.4	41	1	2	6	10	
B. *Operated*								
0-19 YRS	209	7.5	7	4	5	7	9	
20-34	2045	7.7	9	5	5	7		
35-49	1638	8.1	8	5	5	8		
50-64	1685	9.0	14	5	6	8		
65+	699	10.8	24	6	7			
LE DX								
	25	3.1						

131

The patient was admitted on 3 November; therefore, the eighth day will fall on 11 November. Prior to or on 11 November, the committee or groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile (as suggested in the *PSRO Program Manual*, paragraph 705.26).

Subsequent extended stay review dates should be set by the physician advisor or the peer review (utilization review) committee as necessary, based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

A: Summary of all patients in diagnosis groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137001	4.6	18	1	1	4	5	8	10	21
20-34	77527	4.7	30	1	1	4	5	8	11	30
35-49	24483	6.4	57	1	1	4	8	14	20	40
50-64	23895	7.8	66	1	1	5	10	16	22	42
65+	24262	9.4	97	1	2	7	12	20	28	64
B. *Operated*										
0-19 YRS	57619	3.7	20	<1	1	2	4	7	10	22
20-34	88634	4.5	16	<1	1	4	6	8	10	20
35-49	37194	5.5	30	1	1	4	7	11	15	27
50-64	31659	6.9	45	1	2	5	9	14	19	34
65+	22508	8.7	75	1	2	6	11	18	25	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106708	6.2	39	1	2	5	7	11	16	34
20-34	41069	6.3	65	1	1	4	7	13	21	47
35-49	29675	8.3	84	1	1	6	10	18	25	51
50-64	47925	10.0	100	1	2	7	13	21	29	62
65+	84455	13.1	175	2	3	9	16	29	46	99+
B. *Operated*										
0-19 YRS	31906	6.5	92	1	1	3	7	14	24	64
20-34	78180	6.7	50	1	2	5	8	12	17	43
35-49	42991	8.8	83	1	2	7	10	17	25	57
50-64	46978	11.7	139	1	2	8	15	25	36	79
65+	50731	15.7	225	2	3	11	21	37	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287168	5.5	38	1	1	4	6	10	15	33
B. *Operated*	237614	5.2	31	1	1	4	6	10	14	28
2. MULTIPLE DX										
A. *Not Operated*	309832	8.9	102	1	2	6	11	19	28	73
B. *Operated*	250786	9.8	125	1	2	7	12	22	33	81
1. SINGLE DX	524782	5.3	35	1	1	4	6	10	15	31
2. MULTIPLE DX	560618	9.3	112	1	2	6	11	20	30	76
A. NOT OPERATED	597000	7.2	74	1	1	5	8	15	23	54
B. OPERATED	488400	7.5	85	1	1	5	9	16	24	58
TOTAL 0-19 YRS	333234	5.2	33	1	1	4	6	9	13	31
20-34	285410	5.4	37	1	1	4	6	10	14	34
35-49	134343	7.3	66	1	1	5	9	15	21	45
50-64	150457	9.5	99	1	2	7	12	20	28	60
65+	181956	12.8	172	2	3	9	16	29	44	99+
GRAND TOTAL	**1085400**	**7.4**	**79**	**1**	**1**	**5**	**8**	**16**	**23**	**56**

B: Summary of all patients in diagnosis groups except newborn

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81312	4.6	28	1	1	3	5	9	12	27
20-34	77527	4.7	30	1	1	4	5	8	11	30
35-49	24483	6.4	57	1	1	4	8	14	20	40
50-64	23895	7.8	66	1	1	5	10	16	22	42
65+	24262	9.4	97	1	2	7	12	20	28	64
B. *Operated*										
0-19 YRS	57606	3.7	20	<1	1	2	4	7	10	22
20-34	88634	4.5	16	<1	1	4	6	8	10	20
35-49	37194	5.5	30	1	1	4	7	11	15	27
50-64	31659	6.9	45	1	2	5	9	14	19	34
65+	22508	8.7	75	1	2	6	11	18	25	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56900	6.2	51	1	1	4	7	13	18	39
20-34	41069	6.3	65	1	1	4	7	13	21	47
35-49	29675	8.3	84	1	1	6	10	18	25	51
50-64	47925	10.0	100	1	2	7	13	21	29	62
65+	84455	13.1	175	2	3	9	16	29	46	99+
B. *Operated*										
0-19 YRS	31137	6.1	77	1	1	3	7	13	21	54
20-34	78180	6.7	50	1	2	5	8	12	17	43
35-49	42991	8.8	83	1	2	7	10	17	25	57
50-64	46978	11.7	139	1	2	8	15	25	36	79
65+	50731	15.7	225	2	3	11	21	37	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231479	5.6	46	1	1	4	6	11	17	36
B. *Operated*	237601	5.2	31	1	1	4	6	10	14	28
2. MULTIPLE DX										
A. *Not Operated*	260024	9.4	115	1	2	6	12	21	31	81
B. *Operated*	250017	9.8	124	1	2	7	12	22	33	80
1. SINGLE DX	469080	5.4	38	1	1	4	6	11	15	32
2. MULTIPLE DX	510041	9.6	119	1	2	6	12	21	32	80
A. NOT OPERATED	491503	7.6	86	1	1	5	9	17	25	61
B. OPERATED	487618	7.5	84	1	1	5	9	16	24	58
TOTAL 0-19 YRS	226955	5.0	39	1	1	3	6	10	14	33
20-34	285410	5.4	37	1	1	4	6	10	14	34
35-49	134343	7.3	66	1	1	5	9	15	21	45
50-64	150457	9.5	99	1	2	7	12	20	28	60
65+	181956	12.8	172	2	3	9	16	29	44	99+
GRAND TOTAL	**979121**	**7.6**	**85**	**1**	**1**	**5**	**9**	**16**	**24**	**59**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2572	4.7	16	1	1	4	6	9	12	20
20-34	509	3.3	9	1	1	2	4	7	9	15
35-49	173	3.6	9	<1	1	3	5	7	12	14
50-64	144	4.2	17	1	1	3	5	9	12	22
65+	137	4.9	18	1	2	4	6	9	13	24
B. *Operated*										
0-19 YRS	33	7.2	18	2	3	6	9	13	17	19
20-34	24	8.0	71	3	3	6	8	13	23	45
35-49	7	9.3	16	5	5	10	13	14	14	14
50-64	4	3.8	4	1	1	4	5	5	5	5
65+	2	7.5	13	5	5	7	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1511	7.3	54	1	2	5	9	15	20	39
20-34	262	4.4	19	1	1	3	6	9	12	21
35-49	137	4.9	19	1	1	3	6	11	13	22
50-64	167	5.9	31	1	2	4	7	12	14	22
65+	328	9.3	127	2	2	6	10	20	28	88
B. *Operated*										
0-19 YRS	31	17.0	227	2	3	12	25	46	54	99+
20-34	22	11.6	76	2	2	11	16	21	31	38
35-49	12	12.9	73	<1	3	13	20	25	26	26
50-64	18	13.8	66	5	6	11	17	27	30	32
65+	30	15.9	322	3	4	10	20	48	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3535	4.4	15	1	1	3	6	9	12	19
B. *Operated*	70	7.5	35	2	3	6	9	13	14	40
2. MULTIPLE DX										
A. *Not Operated*	2405	7.0	58	1	2	5	6	14	20	40
B. *Operated*	113	14.7	180	2	3	11	20	32	47	99+
1. SINGLE DX	3605	4.5	16	1	1	3	6	9	12	19
2. MULTIPLE DX	2518	7.3	66	1	2	5	9	15	21	44
A. NOT OPERATED	5940	5.5	34	1	1	4	7	11	15	29
B. OPERATED	183	12.0	136	2	3	9	14	25	42	96
TOTAL 0-19 YRS	4147	5.7	34	1	2	4	7	11	16	30
20-34	817	4.0	18	1	1	3	5	8	12	19
35-49	329	4.6	19	1	1	3	5	11	14	22
50-64	333	5.6	31	1	1	4	7	12	16	26
65+	497	8.5	115	2	2	5	10	17	26	87
GRAND TOTAL	**6123**	**5.7**	**39**	**1**	**1**	**4**	**7**	**11**	**16**	**31**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	20.8	355	3	3	18	31	68	99+	99+
20-34	36	25.0	605	2	3	20	52	96	99+	99+
35-49	36	23.0	669	3	4	12	42	92	99+	99+
50-64	27	22.1	366	4	4	18	34	60	74	99+
65+	24	23.8	518	3	4	22	53	99+	99+	99+
B. *Operated*										
0-19 YRS	2	63.5	13	61	61	63	66	66	66	66
20-34	13	16.6	67	3	6	16	23	26	30	31
35-49	16	12.2	110	1	1	9	19	26	35	39
50-64	8	33.0	1377	7	8	14	56	94	96	96
65+	9	24.2	707	8	8	14	24	69	91	91
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	24.2	324	3	5	41	99+	99+	99+	99+
20-34	28	23.1	493	2	3	20	30	64	93	99+
35-49	24	22.3	683	2	4	20	80	99+	99+	99+
50-64	41	25.6	575	3	5	19	37	84	99+	99+
65+	48	23.4	439	3	4	17	35	62	89	99+
B. *Operated*										
0-19 YRS	3	57.0	1119	19	19	82	99+	99+	99+	99+
20-34	12	31.6	579	6	8	28	56	82	97	99+
35-49	11	16.5	168	3	3	15	36	99+	99+	99+
50-64	27	28.0	397	9	9	24	54	99+	99+	99+
65+	21	39.1	455	12	16	35	51	62	86	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	23.0	506	3	4	18	39	92	99+	99+
B. *Operated*	48	21.3	513	2	5	14	23	54	89	96
2. MULTIPLE DX										
A. *Not Operated*	161	23.8	494	3	4	20	45	99+	99+	99+
B. *Operated*	74	31.2	489	6	9	28	53	99+	99+	99+
1. SINGLE DX	199	22.6	506	3	4	17	33	85	99+	99+
2. MULTIPLE DX	235	26.2	502	3	4	23	51	99+	99+	99+
A. NOT OPERATED	312	23.5	498	3	4	19	43	99+	99+	99+
B. OPERATED	122	27.3	518	3	7	22	44	87	99+	99+
TOTAL 0-19 YRS	53	25.7	471	3	4	24	68	99+	99+	99+
20-34	89	24.1	490	2	4	20	34	78	99+	99+
35-49	87	20.0	512	2	3	12	36	99	99+	99+
50-64	103	25.9	523	4	7	19	44	86	99+	99+
65+	102	26.8	508	4	5	23	43	88	99+	99+
GRAND TOTAL	**434**	**24.5**	**506**	**3**	**4**	**19**	**43**	**95**	**99+**	**99+**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	12.3	40	3	3	14	16	17	17	17
20-34	6	5.5	20	1	1	4	6	13	14	14
35-49	2	13.5	1	13	13	13	14	14	14	14
50-64	3	8.0	13	4	4	9	10	11	11	11
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	11	6.1	28	2	2	4	7	16	18	18
20-34	11	5.4	48	<1	1	2	6	15	24	25
35-49	8	8.4	11	3	4	8	11	13	13	13
50-64	10	17.4	750	1	2	8	14	56	94	94
65+	4	7.5	22	2	2	7	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	9	8.0	20	1	2	8	11	14	15	15
35-49	8	5.3	13	1	1	4	7	11	12	12
50-64	9	9.8	51	3	3	10	63	99+	99+	99+
65+	10	16.1	97	6	7	16	22	64	97	99+
B. *Operated*										
0-19 YRS	5	11.4	197	3	3	7	36	94	99+	99+
20-34	12	9.7	140	<1	1	7	14	55	92	99+
35-49	15	14.0	59	3	4	17	21	86	99+	99+
50-64	17	24.5	602	2	3	17	41	98	99+	99+
65+	14	27.6	572	5	6	19	54	67	67	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	8.7	28	2	3	8	14	15	16	17
B. *Operated*	44	9.0	200	1	2	6	10	15	21	94
2. MULTIPLE DX										
A. *Not Operated*	37	10.1	59	2	3	9	15	64	99+	99+
B. *Operated*	63	18.8	379	2	3	14	36	84	99+	99+
1. SINGLE DX	60	8.9	153	1	2	6	12	15	18	87
2. MULTIPLE DX	100	15.6	277	2	3	11	24	82	99+	99+
A. NOT OPERATED	53	9.7	49	2	3	9	14	26	99+	99+
B. OPERATED	107	14.8	326	2	2	9	18	56	99	99+
TOTAL 0-19 YRS	21	8.8	68	2	2	6	14	23	62	99+
20-34	38	7.4	65	<1	1	5	9	16	35	99+
35-49	33	10.5	46	2	3	10	17	23	82	99+
50-64	39	18.0	486	2	3	11	37	99+	99+	99+
65+	29	20.1	363	5	6	13	26	63	67	99+
GRAND TOTAL	**160**	**13.1**	**240**	**2**	**2**	**9**	**17**	**49**	**99+**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	265	4.0	8	1	2	3	5	7	9	16
20-34	68	3.4	3	1	1	3	4	5	6	12
35-49	10	3.0	1	1	1	3	4	4	4	4
50-64	3	2.3		2	2	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	304	5.0	18	1	2	4	6	9	12	26
20-34	31	3.2	5	1	1	2	5	6	7	10
35-49	9	3.9	3	2	2	3	5	7	7	7
50-64	8	6.5	29	2	2	5	7	16	19	19
65+	11	10.4	59	1	2	7	15	23	23	23
B. *Operated*										
0-19 YRS	5	18.6	364	2	2	9	35	46	46	46
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49										
50-64										
65+	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	346	3.8	7	1	2	3	4	7	9	15
B. *Operated*	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	363	5.0	19	1	2	4	6	9	13	25
B. *Operated*	8	14.1	255	2	2	7	22	41	46	46
1. SINGLE DX	348	3.8	7	1	2	3	4	7	9	15
2. MULTIPLE DX	371	5.2	25	1	2	4	6	9	14	30
A. NOT OPERATED	709	4.4	14	1	2	3	5	8	11	20
B. OPERATED	10	11.8	222	2	2	4	13	38	46	46
TOTAL 0-19 YRS	576	4.6	18	1	2	3	5	8	11	24
20-34	101	3.3	4	1	1	3	4	6	7	11
35-49	19	3.4	2	1	2	3	4	6	7	7
50-64	11	5.4	24	2	2	3	6	12	18	19
65+	12	10.6	54	1	2	10	14	23	23	23
GRAND TOTAL	**719**	**4.5**	**17**	**1**	**2**	**3**	**5**	**8**	**11**	**23**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	6.4	14	2	2	6	9	11	12	16
20-34	16	6.6	38	2	2	4	9	15	22	25
35-49	5	5.8	6	3	3	6	7	9	9	9
50-64	6	7.7	40	2	2	6	10	18	19	19
65+	16	11.3	49	5	6	8	15	24	27	28
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	3	26.7	324	9	9	26	40	45	45	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	9.6	110	2	3	6	12	18	22	71
20-34	27	8.7	46	2	3	5	12	20	24	25
35-49	26	12.7	146	3	4	7	15	26	44	47
50-64	64	15.5	153	4	5	12	20	36	43	56
65+	128	17.6	237	4	5	13	23	39	67	99+
B. *Operated*										
0-19 YRS	7	18.9	246	2	3	15	28	44	47	47
20-34	11	14.0	39	3	5	15	18	22	24	24
35-49	4	17.5	50	13	13	14	21	28	28	28
50-64	30	24.4	263	4	7	22	33	54	70	99+
65+	30	35.3	604	11	13	32	48	96	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	7.6	31	2	2	6	10	15	19	27
B. *Operated*	6	15.0	295	2	2	7	26	43	45	45
2. MULTIPLE DX										
A. *Not Operated*	303	14.4	181	3	4	10	18	32	44	95
B. *Operated*	82	26.2	396	5	8	20	35	57	96	99+
1. SINGLE DX	78	8.2	52	2	2	6	10	16	25	40
2. MULTIPLE DX	385	16.9	249	3	4	12	22	41	56	99+
A. NOT OPERATED	375	13.1	159	2	3	9	16	29	42	86
B. OPERATED	88	25.4	394	3	7	20	35	54	96	99+
TOTAL 0-19 YRS	96	9.1	96	2	2	6	10	17	22	62
20-34	54	9.1	48	2	2	7	13	20	24	25
35-49	36	12.1	120	3	4	7	14	28	39	47
50-64	100	17.7	199	3	5	13	24	41	51	85
65+	177	20.2	330	5	6	14	28	48	81	99+
GRAND TOTAL	**463**	**15.4**	**226**	**2**	**4**	**11**	**19**	**35**	**51**	**99+**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	541	8.8	64	2	2	7	11	17	23	36
20-34	19	5.1	12	2	2	4	6	11	13	14
35-49	21	6.7	20	2	2	5	8	13	15	18
50-64	18	5.2	4	2	3	5	7	8	9	9
65+	10	6.7	6	3	4	6	8	10	11	11
B. *Operated*										
0-19 YRS	10	7.8	42	1	1	7	11	17	18	18
20-34	3	8.0	63	2	2	5	14	17	17	17
35-49	2	10.5	85	4	4	10	17	17	17	17
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	39.0		39	39	39	39	39	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	239	10.1	82	2	3	8	13	19	25	47
20-34	18	9.7	40	2	3	8	13	20	22	22
35-49	12	8.3	21	2	2	10	12	14	15	15
50-64	33	9.6	48	4	4	8	12	16	29	33
65+	32	11.4	89	3	4	9	14	21	28	51
B. *Operated*										
0-19 YRS	9	18.3	89	9	9	17	31	68	99+	99+
20-34	5	12.2	65	1	1	15	18	21	21	21
35-49	2	16.5	145	8	8	16	25	25	25	25
50-64	3	14.0	25	9	9	16	59	99+	99+	99+
65+	6	21.5	136	8	8	21	31	37	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	609	8.5	59	2	2	6	11	16	22	36
B. *Operated*	18	9.2	95	1	1	5	17	18	31	39
2. MULTIPLE DX										
A. *Not Operated*	334	10.1	74	3	3	8	13	18	25	42
B. *Operated*	25	17.2	89	6	8	17	24	38	99+	99+
1. SINGLE DX	627	8.5	60	2	2	6	11	16	22	37
2. MULTIPLE DX	359	10.6	78	3	3	9	14	20	28	92
A. NOT OPERATED	943	9.0	65	2	3	7	11	17	23	38
B. OPERATED	43	13.9	105	1	2	13	20	36	54	99+
TOTAL 0-19 YRS	799	9.3	70	2	3	7	12	18	24	39
20-34	45	7.9	36	2	2	6	12	17	21	22
35-49	37	7.9	29	2	2	6	12	15	18	25
50-64	56	8.1	38	3	3	7	10	15	27	95
65+	49	12.3	105	3	4	9	15	27	38	51
GRAND TOTAL	**986**	**9.2**	**67**	**2**	**3**	**7**	**12**	**18**	**25**	**40**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	322	4.5	12	1	2	3	6	9	11	16
20-34	161	4.7	9	2	2	4	6	8	10	14
35-49	23	7.3	48	2	3	6	8	10	20	37
50-64	4	4.8	4	2	2	5	6	7	7	7
65+	2	8.5	5	7	7	8	10	10	10	10
B. Operated										
0-19 YRS	4	12.0	120	4	4	8	19	28	28	28
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	61	6.0	15	1	2	5	7	13	14	17
20-34	33	5.9	10	3	3	5	7	10	14	17
35-49	11	7.4	16	2	3	7	11	13	14	14
50-64										
65+	4	12.0	18	7	7	12	15	16	16	16
B. Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	2	13.0	50	8	8	13	18	18	18	18
35-49										
50-64										
65+	1	22.0		22	22	22	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	512	4.7	13	1	2	4	6	9	11	16
B. *Operated*	6	9.7	87	3	3	6	10	26	28	28
2. MULTIPLE DX										
A. *Not Operated*	109	6.4	15	2	3	5	8	13	15	17
B. *Operated*	4	15.0	39	8	8	15	20	22	22	22
1. SINGLE DX	518	4.8	14	1	2	4	6	9	11	17
2. MULTIPLE DX	113	6.7	18	2	3	5	8	13	16	19
A. NOT OPERATED	621	5.0	14	1	2	4	6	10	12	17
B. OPERATED	10	11.8	69	3	3	9	18	25	28	28
TOTAL 0-19 YRS	388	4.9	14	1	2	4	6	10	12	17
20-34	197	4.9	10	2	2	4	6	9	10	18
35-49	35	7.3	36	2	3	6	9	11	13	37
50-64	4	4.8	4	2	2	5	6	7	7	7
65+	7	12.4	30	7	7	10	16	21	22	22
GRAND TOTAL	**631**	**5.1**	**15**	**1**	**2**	**4**	**6**	**10**	**12**	**18**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1290	4.5	12	1	1	4	6	8	11	18
20-34	104	4.3	5	2	2	4	5	7	8	12
35-49	33	8.7	231	1	2	4	8	13	28	87
50-64	56	6.6	23	1	2	5	9	14	16	21
65+	88	11.3	88	3	3	9	13	25	32	45
B. Operated										
0-19 YRS	5	8.8	31	3	3	8	14	15	15	15
20-34	5	8.0	35	3	3	6	10	18	18	18
35-49	5	4.6	13	2	2	3	6	11	11	11
50-64	5	15.2	237	4	4	12	20	42	42	42
65+	4	4.8	12	3	3	3	7	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1552	5.7	24	1	2	4	7	11	14	23
20-34	91	7.0	89	1	2	5	8	12	17	93
35-49	29	9.6	61	3	3	7	11	19	28	38
50-64	66	10.1	57	3	4	8	12	19	32	36
65+	235	14.2	201	2	4	10	18	29	51	99+
B. Operated										
0-19 YRS	22	10.9	89	2	3	7	17	31	60	99+
20-34	6	10.8	59	2	2	13	20	84	99+	99+
35-49	7	10.6	41	3	3	9	15	20	21	21
50-64	7	14.4	125	4	4	12	17	33	37	37
65+	21	20.7	222	3	6	18	34	47	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1571	5.0	24	1	2	4	6	9	12	26
B. *Operated*	24	8.4	72	2	3	5	11	15	25	42
2. MULTIPLE DX										
A. *Not Operated*	1973	7.0	57	2	2	5	8	13	19	40
B. *Operated*	63	14.5	143	2	4	11	21	37	66	99+
1. SINGLE DX	1595	5.1	24	1	2	4	6	9	12	26
2. MULTIPLE DX	2036	7.2	61	2	2	5	8	14	20	47
A. NOT OPERATED	3544	6.1	43	1	2	4	7	11	16	33
B. OPERATED	87	12.8	130	2	3	9	19	36	43	99+
TOTAL 0-19 YRS	2869	5.2	20	1	2	4	7	10	13	23
20-34	206	5.8	46	2	2	4	7	10	14	91
35-49	74	8.9	130	2	3	6	10	16	27	75
50-64	134	9.0	56	2	3	7	12	17	23	38
65+	348	13.8	176	3	3	10	18	29	43	99+
GRAND TOTAL	**3631**	**6.3**	**46**	**1**	**2**	**4**	**7**	**12**	**17**	**37**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	6.9	22	2	3	6	9	13	14	29
20-34	82	8.8	32	3	3	8	11	17	20	30
35-49	34	9.9	50	2	3	8	13	20	26	29
50-64	17	11.6	82	2	3	9	16	22	33	38
65+	14	8.9	32	2	2	9	12	18	19	19
B. *Operated*										
0-19 YRS	2	8.5	41	4	4	8	13	13	13	13
20-34	8	10.4	71	<1	1	7	17	23	24	24
35-49	7	6.4	10	2	2	7	9	10	10	10
50-64	6	11.7	27	6	6	12	16	17	17	17
65+	1	40.0		40	40	40	40	40	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	8.7	26	2	3	9	12	15	18	22
20-34	44	9.8	64	2	3	7	11	16	30	42
35-49	24	13.2	60	2	5	12	16	25	29	30
50-64	17	10.4	46	2	3	8	12	23	25	25
65+	15	16.9	241	3	5	15	17	52	53	54
B. *Operated*										
0-19 YRS	1	32.0		32	32	32	32	32	32	32
20-34	7	11.6	32	5	6	10	15	21	22	22
35-49	4	33.5	274	14	14	33	46	53	53	53
50-64	5	30.6	46	22	22	29	37	38	38	38
65+	6	21.0	109	12	12	16	26	39	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	216	8.6	37	2	3	7	11	17	20	31
B. *Operated*	24	10.6	76	1	2	8	15	21	29	40
2. MULTIPLE DX										
A. *Not Operated*	124	11.2	79	2	3	9	14	20	29	53
B. *Operated*	23	22.9	159	7	9	22	31	39	45	53
1. SINGLE DX	240	8.8	41	2	3	7	11	17	21	32
2. MULTIPLE DX	147	13.0	108	3	4	10	16	28	37	53
A. NOT OPERATED	340	9.5	53	2	3	8	12	18	24	38
B. OPERATED	47	16.6	152	2	4	14	24	38	40	53
TOTAL 0-19 YRS	96	7.7	30	2	3	6	11	13	16	32
20-34	141	9.3	44	2	3	8	11	17	23	33
35-49	69	12.0	90	2	3	9	15	26	29	50
50-64	45	13.3	93	3	4	10	18	27	37	38
65+	36	15.1	165	2	3	13	17	38	48	54
GRAND TOTAL	**387**	**10.4**	**70**	**2**	**3**	**8**	**13**	**20**	**28**	**41**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	343	5.0	8	2	2	4	6	9	11	17
20-34	106	5.1	9	1	2	5	6	9	10	16
35-49	15	7.7	21	2	3	6	12	15	16	16
50-64	3	6.3	10	4	4	5	9	10	10	10
65+	4	5.5	8	3	3	5	8	8	8	8
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	10.3	12	7	7	10	13	14	14	14
35-49	3	11.7	24	6	6	14	15	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	207	5.5	18	2	2	5	7	9	10	26
20-34	70	6.2	29	2	2	4	8	11	13	29
35-49	10	7.0	10	3	3	7	8	12	13	13
50-64	2	11.0	2	10	10	11	12	12	12	12
65+	4	11.5	35	3	3	13	15	16	16	16
B. *Operated*										
0-19 YRS	8	12.8	98	4	5	10	15	30	35	35
20-34	4	16.0	19	10	10	17	19	20	20	20
35-49										
50-64	2	38.0	1458	11	11	38	65	65	65	65
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	471	5.1	9	2	2	5	6	9	11	16
B. *Operated*	7	10.7	13	6	6	10	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	293	5.9	21	2	2	5	7	10	13	28
B. *Operated*	14	17.3	249	4	6	11	18	38	59	65
1. SINGLE DX	478	5.2	9	2	2	5	7	9	11	16
2. MULTIPLE DX	307	6.4	36	2	2	5	8	11	15	35
A. NOT OPERATED	764	5.4	14	2	2	5	7	9	11	19
B. OPERATED	21	15.1	176	5	6	11	16	26	48	65
TOTAL 0-19 YRS	559	5.3	14	2	2	5	7	9	11	19
20-34	183	5.8	19	1	2	5	7	10	14	25
35-49	28	7.9	18	3	3	7	11	15	15	16
50-64	7	16.7	463	4	4	10	12	54	65	65
65+	8	8.5	29	3	3	8	13	16	16	16
GRAND TOTAL	**785**	**5.7**	**20**	**2**	**2**	**5**	**7**	**10**	**12**	**23**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	20	<1	<1	1	5	10	10	10
20-34	5	5.2	14	<1	<1	6	8	10	10	10
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	3.0	7	<1	<1	2	5	6	6	6
65+										
B. *Operated*										
0-19 YRS	254	2.0	9	<1	<1	1	2	3	6	10
20-34	293	2.5	30	<1	<1	2	3	5	6	9
35-49	54	3.0	10	<1	<1	2	4	5	10	17
50-64	18	5.9	55	<1	<1	2	11	16	23	27
65+	6	4.8	8	2	2	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	8.8	42	<1	<1	8	14	18	18	18
20-34	6	3.2	9	<1	<1	1	7	7	7	7
35-49	1	11.0		11	11	11	11	11	11	11
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	44	3.3	14	<1	<1	2	4	7	11	19
20-34	81	2.9	7	<1	<1	2	4	6	7	16
35-49	32	3.1	4	<1	<1	2	4	6	7	9
50-64	12	5.5	76	<1	<1	3	5	16	30	32
65+	8	8.4	126	1	1	4	10	28	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.6	12	<1	<1	2	6	10	10	10
B. *Operated*	625	2.5	21	<1	<1	1	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	14	6.2	29	<1	<1	5	10	14	17	18
B. *Operated*	177	3.5	18	<1	<1	2	4	6	9	28
1. SINGLE DX	639	2.5	21	<1	<1	1	3	5	7	15
2. MULTIPLE DX	191	3.7	20	<1	<1	2	4	7	10	27
A. NOT OPERATED	28	4.9	21	<1	<1	3	7	11	14	18
B. OPERATED	802	2.7	20	<1	<1	2	3	5	7	18
TOTAL 0-19 YRS	308	2.3	11	<1	<1	1	2	4	7	18
20-34	385	2.6	25	<1	<1	2	3	5	7	10
35-49	89	3.1	8	<1	<1	2	4	6	9	16
50-64	34	5.5	55	<1	<1	2	6	14	25	32
65+	14	6.9	74	1	2	4	7	17	30	34
GRAND TOTAL	**830**	**2.8**	**21**	**<1**	**<1**	**2**	**3**	**5**	**7**	**18**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	694	3.5	7	1	1	3	4	6	8	14
20-34	171	4.2	7	1	1	4	5	8	9	15
35-49	59	4.8	10	1	2	4	5	10	13	14
50-64	30	5.6	11	2	2	5	7	10	13	16
65+	28	6.0	22	2	3	5	6	12	16	25
B. *Operated*										
0-19 YRS	21	4.2	56	<1	<1	2	4	6	20	36
20-34	9	8.4	22	<1	2	7	12	15	16	16
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	578	4.5	20	1	1	4	5	8	11	29
20-34	137	5.5	12	2	2	5	7	10	11	17
35-49	75	5.3	31	1	2	4	6	10	10	38
50-64	64	6.2	16	2	2	5	8	11	13	22
65+	83	9.6	135	2	3	6	11	19	24	74
B. *Operated*										
0-19 YRS	22	7.7	31	2	2	6	12	15	20	22
20-34	19	8.5	120	<1	1	5	9	34	74	99+
35-49	6	19.3	80	9	9	19	27	31	31	31
50-64	6	7.8	20	2	2	7	10	14	15	15
65+	5	22.0	140	12	12	19	27	42	42	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	982	3.9	8	1	1	3	5	7	9	15
B. *Operated*	34	5.4	44	<1	<1	4	7	12	16	36
2. MULTIPLE DX										
A. *Not Operated*	937	5.3	31	1	2	4	6	10	13	27
B. *Operated*	58	10.4	93	2	2	7	15	22	37	95
1. SINGLE DX	1016	3.9	10	1	1	3	5	7	9	15
2. MULTIPLE DX	995	5.6	36	1	2	4	6	10	14	34
A. NOT OPERATED	1919	4.6	20	1	1	4	5	8	11	23
B. OPERATED	92	8.6	80	<1	<1	6	12	21	30	78
TOTAL 0-19 YRS	1315	4.1	14	1	1	3	5	7	10	22
20-34	336	5.1	17	1	2	4	7	9	12	20
35-49	142	5.7	32	1	2	4	6	10	14	32
50-64	101	6.1	14	2	2	5	7	11	13	20
65+	117	9.2	115	2	3	6	11	19	24	72
GRAND TOTAL	**2011**	**4.7**	**24**	**1**	**1**	**4**	**6**	**9**	**12**	**24**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	4.0	5	1	1	4	6	7	8	8
20-34	45	3.9	7	1	2	3	5	7	10	12
35-49	16	4.2	5	1	2	4	5	7	9	10
50-64	11	4.2	4	2	2	4	5	7	9	9
65+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64										
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	6.0	5	3	3	5	8	9	9	9
20-34	18	4.5	7	2	2	4	5	7	11	13
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	1	5.0		5	5	5	5	5	5	5
65+	3	9.7	200	1	1	2	20	26	26	26
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	8.3	9	5	5	9	10	11	11	11
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	4.0	5	1	2	3	5	7	9	11
B. *Operated*	2	8.0	8	6	6	8	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	37	5.4	18	2	2	4	6	9	12	26
B. *Operated*	4	7.0	13	3	3	7	10	11	11	11
1. SINGLE DX	107	4.1	6	1	2	3	5	7	9	11
2. MULTIPLE DX	41	5.6	17	2	2	5	6	9	12	26
A. NOT OPERATED	142	4.4	9	1	2	4	6	8	9	14
B. OPERATED	6	7.3	10	3	3	7	10	11	11	11
TOTAL 0-19 YRS	44	4.5	5	1	2	4	6	8	9	9
20-34	67	4.3	7	1	2	3	6	8	11	13
35-49	19	4.2	4	1	2	4	5	7	9	10
50-64	12	4.3	4	2	2	4	5	7	9	9
65+	6	7.8	89	1	1	4	10	24	26	26
GRAND TOTAL	**148**	**4.5**	**9**	**1**	**2**	**4**	**6**	**8**	**10**	**13**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	5.6	19	2	2	5	6	9	11	26
20-34	134	6.8	42	2	3	5	7	12	17	40
35-49	24	9.9	221	2	3	6	9	19	37	76
50-64	4	5.3	22	1	1	4	9	11	11	11
65+	3	4.7	22	<1	<1	3	8	10	10	10
B. *Operated*										
0-19 YRS	18	4.3	6	2	2	4	5	8	10	10
20-34	43	5.7	41	<1	<1	3	6	14	21	31
35-49	11	9.6	288	<1	1	4	7	31	58	60
50-64	1	3.0		3	3	3	3	3	3	3
65+	4	7.0	25	2	2	6	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	6.1	15	2	2	5	7	9	13	23
20-34	76	7.3	28	3	3	6	9	13	20	28
35-49	12	15.8	240	5	5	10	18	39	56	59
50-64	12	16.9	399	1	2	12	17	40	72	77
65+	11	13.7	104	3	3	15	23	53	93	99+
B. *Operated*										
0-19 YRS	8	10.6	87	3	4	7	12	27	32	32
20-34	19	8.5	48	1	2	6	9	19	24	27
35-49	6	12.5	355	<1	<1	6	11	46	50	50
50-64	10	13.6	159	3	4	7	22	35	40	40
65+	5	11.4	41	5	5	12	15	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	6.7	52	2	2	5	7	11	18	39
B. *Operated*	77	6.0	66	<1	<1	4	6	12	19	52
2. MULTIPLE DX										
A. *Not Operated*	148	9.0	87	2	3	6	10	19	24	77
B. *Operated*	48	10.7	107	1	2	7	12	25	33	50
1. SINGLE DX	321	6.5	55	2	2	5	7	11	18	41
2. MULTIPLE DX	196	9.4	92	2	3	6	11	21	29	69
A. NOT OPERATED	392	7.5	66	2	3	5	8	14	21	54
B. OPERATED	125	7.8	86	<1	1	5	9	17	28	52
TOTAL 0-19 YRS	142	5.8	21	2	2	5	7	9	13	27
20-34	272	6.9	38	1	2	5	8	14	20	32
35-49	53	11.5	244	1	2	6	11	23	58	76
50-64	27	13.4	246	1	2	9	15	29	46	77
65+	23	10.9	72	1	3	9	18	25	53	99+
GRAND TOTAL	**517**	**7.6**	**71**	**2**	**2**	**5**	**8**	**15**	**22**	**53**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	5.7	21	2	2	4	6	10	14	26
20-34	8	5.4	17	<1	<1	5	6	12	14	14
35-49	10	8.7	63	<1	1	6	11	22	23	23
50-64	9	9.8	83	1	1	5	16	24	26	26
65+	7	14.4	58	3	4	15	22	22	22	22
B. *Operated*										
0-19 YRS	3	11.7	76	2	2	14	18	19	19	19
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	4	3.3	4	<1	<1	3	5	5	5	5
65+	4	8.5	43	<1	<1	9	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	7.1	28	1	2	6	9	15	17	44
20-34	19	7.1	27	<1	1	6	9	16	17	17
35-49	6	9.2	99	3	3	5	9	27	29	29
50-64	21	14.0	364	1	2	7	13	40	67	77
65+	26	11.7	46	5	5	10	16	25	26	28
B. *Operated*										
0-19 YRS	1	49.0		49	49	49	49	49	49	49
20-34	5	7.8	11	5	5	6	10	13	13	13
35-49	3	7.7	17	3	3	9	10	11	11	11
50-64	11	28.4	481	4	10	18	53	78	97	99+
65+	13	17.8	133	6	6	14	25	32	43	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	6.8	35	1	2	5	9	15	22	26
B. *Operated*	15	6.9	34	<1	<1	5	13	14	18	19
2. MULTIPLE DX										
A. *Not Operated*	206	8.5	70	2	2	6	10	16	22	66
B. *Operated*	33	19.8	292	4	6	14	27	50	67	99+
1. SINGLE DX	130	6.8	35	1	2	5	9	15	22	26
2. MULTIPLE DX	239	10.0	115	2	3	7	12	19	29	79
A. NOT OPERATED	321	7.9	58	1	2	6	10	16	22	41
B. OPERATED	48	15.8	246	2	2	13	19	46	62	99+
TOTAL 0-19 YRS	219	6.8	35	2	2	5	9	14	17	38
20-34	34	6.6	21	<1	1	6	7	14	17	17
35-49	21	8.5	57	1	2	6	11	22	26	29
50-64	45	15.7	353	1	2	11	18	57	70	99+
65+	50	13.4	74	4	5	11	18	25	28	46
GRAND TOTAL	**369**	**8.9**	**89**	**2**	**2**	**6**	**11**	**18**	**26**	**67**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	4.3	9	1	1	3	6	9	10	12
20-34	7	5.0	9	<1	<1	6	8	8	8	8
35-49	2	7.5	25	4	4	7	11	11	11	11
50-64	2	9.0	2	8	8	9	10	10	10	10
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	15	4.3	8	1	2	3	6	9	10	11
20-34	10	14.2	408	2	2	8	13	45	69	69
35-49	1	11.0		11	11	11	11	11	11	11
50-64	3	18.0	252	6	6	12	30	36	36	36
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	6.8	45	<1	1	3	12	19	21	21
20-34	3	11.7	36	6	6	11	16	18	18	18
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64	1	4.0		4	4	4	4	4	4	4
65+	4	8.5	15	5	5	7	11	14	14	14
B. *Operated*										
0-19 YRS	8	6.9	12	4	4	6	7	13	15	15
20-34	8	14.0	187	2	2	7	25	35	38	38
35-49										
50-64	5	18.4	262	6	6	8	31	43	43	43
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	4.9	10	1	1	4	7	9	11	12
B. *Operated*	30	9.1	178	2	2	5	11	17	36	69
2. MULTIPLE DX										
A. *Not Operated*	26	7.5	35	1	2	6	12	18	20	21
B. *Operated*	22	11.9	142	2	3	7	15	30	40	43
1. SINGLE DX	65	6.8	91	1	2	4	8	12	15	64
2. MULTIPLE DX	48	9.5	87	2	2	6	12	23	28	43
A. NOT OPERATED	61	6.0	22	1	1	5	8	12	16	21
B. OPERATED	52	10.3	162	2	2	6	11	27	38	68
TOTAL 0-19 YRS	62	5.3	19	1	2	4	7	12	14	21
20-34	28	11.6	205	1	2	7	12	26	41	69
35-49	5	8.2	9	4	4	8	11	11	11	11
50-64	11	15.3	183	4	5	8	23	39	43	43
65+	7	6.0	18	2	2	5	8	13	14	14
GRAND TOTAL	**113**	**8.0**	**90**	**1**	**2**	**5**	**9**	**16**	**26**	**53**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	7.3	64	1	2	6	8	14	17	51
20-34	29	6.8	48	2	2	5	8	13	15	37
35-49	11	7.8	36	2	3	7	8	17	23	24
50-64	14	9.8	175	1	2	7	8	18	46	54
65+	9	6.9	9	3	3	7	9	11	12	12
B. *Operated*										
0-19 YRS	6	17.8	877	2	2	7	10	71	78	78
20-34	70	6.6	20	1	2	6	9	14	15	18
35-49	31	8.9	84	1	2	5	12	23	33	35
50-64	19	7.6	25	1	2	5	12	15	17	18
65+	8	9.4	72	2	2	7	13	23	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	7.4	37	2	2	6	9	14	18	36
20-34	35	8.1	78	1	2	5	8	20	31	39
35-49	21	11.0	121	2	3	6	14	29	39	42
50-64	25	14.7	232	3	3	10	14	37	52	65
65+	26	10.1	78	2	3	9	12	23	51	99+
B. *Operated*										
0-19 YRS	6	8.8	27	3	3	7	11	17	18	18
20-34	22	10.0	84	1	2	7	13	28	31	34
35-49	22	15.6	89	5	6	13	23	30	33	36
50-64	24	19.8	348	2	4	11	30	47	58	71
65+	10	21.6	290	6	7	15	31	50	59	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	7.5	65	2	2	6	8	14	16	52
B. *Operated*	134	7.9	75	1	2	6	10	15	19	42
2. MULTIPLE DX										
A. *Not Operated*	186	9.3	90	2	2	6	11	19	34	59
B. *Operated*	84	15.6	194	2	4	11	19	34	46	67
1. SINGLE DX	294	7.7	69	1	2	6	9	14	18	47
2. MULTIPLE DX	270	11.3	130	2	2	8	13	28	38	64
A. NOT OPERATED	346	8.5	79	2	2	6	10	16	25	54
B. OPERATED	218	10.9	134	2	2	8	13	27	34	63
TOTAL 0-19 YRS	188	7.8	76	2	2	6	9	14	17	56
20-34	156	7.4	47	1	2	6	9	14	19	37
35-49	85	11.0	94	2	2	8	14	27	33	40
50-64	82	13.7	224	2	3	8	14	37	50	69
65+	53	11.6	124	2	3	9	13	27	43	98
GRAND TOTAL	**564**	**9.4**	**101**	**2**	**2**	**6**	**11**	**19**	**31**	**58**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	4.7	4	3	3	4	6	7	7	7
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65+	4	17.8	156	3	3	19	28	30	30	30
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	2	7.5	13	5	5	7	10	10	10	10
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	3	8.0	31	2	2	9	12	13	13	13
35-49	4	11.0	49	5	5	9	16	20	20	20
50-64	14	12.2	266	<1	1	7	13	34	55	61
65+	15	19.7	324	3	4	9	32	41	60	66
B. *Operated*										
0-19 YRS	2	16.0	98	9	9	16	23	23	23	23
20-34	8	9.6	24	5	5	8	13	17	18	18
35-49	9	7.2	38	3	3	5	8	18	21	21
50-64	5	9.0	34	1	1	9	12	17	17	17
65+	7	15.7	75	7	7	17	26	79	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	9.5	91	3	3	5	11	28	30	30
B. *Operated*	5	6.8	16	3	3	5	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	38	14.4	244	1	2	8	20	34	53	66
B. *Operated*	31	10.6	51	3	4	8	16	23	28	99+
1. SINGLE DX	16	8.6	67	3	3	5	11	25	29	30
2. MULTIPLE DX	69	12.7	159	1	3	8	18	30	41	93
A. NOT OPERATED	49	13.3	211	1	2	7	18	32	42	66
B. OPERATED	36	10.1	47	3	3	8	15	23	27	99+
TOTAL 0-19 YRS	6	10.3	48	3	3	9	12	22	23	23
20-34	16	8.1	20	2	3	7	10	16	17	18
35-49	15	7.9	37	3	3	5	11	20	21	21
50-64	21	10.6	187	<1	1	7	11	24	44	61
65+	27	17.8	220	3	4	13	29	39	69	99+
GRAND TOTAL	**85**	**11.9**	**143**	**2**	**3**	**8**	**16**	**29**	**36**	**88**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	9	9.6	112	2	2	3	15	27	33	33
50-64	33	10.5	118	1	1	7	12	30	36	42
65+	33	14.5	170	1	2	9	23	33	38	50
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	9	4.9	12	2	2	4	6	11	11	11
35-49	49	7.4	85	1	2	4	9	17	23	47
50-64	87	12.5	275	1	2	6	17	33	45	86
65+	89	8.1	137	2	2	4	8	17	25	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	1	12.0		12	12	12	12	12	12	12
35-49	19	10.3	164	1	2	5	11	31	44	50
50-64	35	11.9	122	2	3	7	17	31	36	46
65+	48	19.0	293	2	3	13	26	50	54	67
B. *Operated*										
0-19 YRS	3	10.7	12	7	7	11	13	14	14	14
20-34	4	6.8	5	4	4	7	8	9	9	9
35-49	29	19.0	289	2	2	13	26	48	54	68
50-64	138	19.5	433	2	2	10	28	53	66	96
65+	147	17.3	314	2	3	11	23	48	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	12.1	140	1	2	7	17	32	36	48
B. *Operated*	235	9.5	177	1	2	5	10	22	40	69
2. MULTIPLE DX										
A. *Not Operated*	104	14.9	218	2	3	9	19	37	50	64
B. *Operated*	321	18.2	358	2	2	11	25	52	68	99+
1. SINGLE DX	311	10.1	169	1	2	5	11	26	40	65
2. MULTIPLE DX	425	17.4	325	2	3	10	24	48	62	99+
A. NOT OPERATED	180	13.7	186	1	2	8	18	35	44	59
B. OPERATED	556	14.5	299	2	2	8	19	40	57	96
TOTAL 0-19 YRS	6	9.0	26	3	3	9	14	15	15	15
20-34	14	5.9	12	2	2	5	9	11	12	12
35-49	106	11.3	176	1	2	6	14	28	43	60
50-64	293	15.5	326	2	2	8	20	42	56	95
65+	317	14.7	262	2	2	8	21	38	55	99+
GRAND TOTAL	**736**	**14.3**	**271**	**2**	**2**	**8**	**19**	**38**	**53**	**93**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	6	10.8	32	5	5	9	13	20	21	21
65+	17	13.6	133	2	3	13	21	24	40	48
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	14.5	102	3	3	16	23	23	23	23
50-64	10	15.2	86	2	3	16	19	29	29	29
65+	24	17.6	160	2	3	15	27	33	45	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	16	14.9	339	1	1	12	17	34	61	72
65+	30	18.5	477	2	3	12	20	41	82	94
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	23.4	119	15	15	22	27	42	42	42
50-64	44	27.8	609	2	3	22	43	64	84	98
65+	52	25.3	294	6	8	20	33	54	64	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	12.9	105	3	4	10	19	23	33	48
B. *Operated*	38	16.6	130	2	3	16	23	31	39	46
2. MULTIPLE DX										
A. *Not Operated*	48	16.7	413	1	2	12	17	33	73	94
B. *Operated*	101	26.3	419	2	5	21	38	55	74	99
1. SINGLE DX	61	15.2	122	2	3	14	21	29	37	48
2. MULTIPLE DX	149	23.2	434	2	3	18	31	53	72	98
A. NOT OPERATED	71	15.4	314	1	2	12	18	32	50	91
B. OPERATED	139	23.6	357	2	4	19	30	50	63	98
TOTAL 0-19 YRS										
20-34										
35-49	11	16.5	140	2	3	16	23	31	41	42
50-64	76	22.1	476	1	2	17	29	51	71	96
65+	123	20.5	303	3	4	16	27	48	57	96
GRAND TOTAL	**210**	**20.9**	**356**	**2**	**3**	**16**	**28**	**48**	**63**	**96**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	2.5	4	<1	<1	2	5	5	5	5
35-49	5	4.6	11	<1	<1	4	6	10	10	10
50-64	17	12.6	192	1	2	6	21	35	42	45
65+	44	15.8	319	2	3	11	16	36	50	99
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	6	17.2	37	11	11	16	20	26	27	27
50-64	41	16.1	131	6	7	15	18	24	31	76
65+	67	17.3	134	4	6	14	22	35	43	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	13.0	83	5	5	17	43	99+	99+	99+
35-49	14	7.5	23	2	3	6	10	16	18	18
50-64	45	10.7	77	2	3	9	13	26	27	35
65+	135	15.3	244	1	3	11	19	38	53	84
B. *Operated*										
0-19 YRS										
20-34	7	23.4	98	11	12	24	26	39	42	42
35-49	45	20.6	219	6	7	16	27	43	51	71
50-64	156	23.6	300	8	9	18	28	47	61	88
65+	315	23.5	181	9	11	20	29	42	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	13.2	257	1	2	8	15	32	43	9.
B. *Operated*	115	16.8	126	6	7	14	20	29	38	68
2. MULTIPLE DX										
A. *Not Operated*	198	13.7	193	1	3	10	18	29	44	90
B. *Operated*	523	23.3	218	8	10	20	29	44	55	90
1. SINGLE DX	187	15.4	178	2	3	13	19	30	39	72
2. MULTIPLE DX	721	20.7	229	3	6	17	27	42	53	90
A. NOT OPERATED	270	13.5	209	1	2	10	17	30	44	95
B. OPERATED	638	22.1	207	7	9	18	27	42	52	88
TOTAL 0-19 YRS										
20-34	18	13.3	135	<1	1	11	24	36	74	99+
35-49	70	16.5	185	4	4	12	21	34	43	69
50-64	259	19.5	254	3	4	15	26	37	50	87
65+	561	20.2	214	3	6	17	26	40	51	98
GRAND TOTAL	**908**	**19.6**	**223**	**3**	**5**	**16**	**26**	**39**	**50**	**88**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	47.0	162	38	38	47	56	56	56	56
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	8	16.8	38	11	11	14	20	27	29	29
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	9.0	8	7	7	9	11	11	11	11
65+	2	38.0	450	23	23	38	53	53	53	53
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	21.2	270	10	10	12	32	48	50	50
50-64	10	30.4	650	2	6	25	35	67	96	96
65+	22	26.7	375	10	11	19	33	53	70	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	47.0	162	38	38	47	56	56	56	56
B. *Operated*	8	16.8	38	11	11	14	20	27	29	29
2. MULTIPLE DX										
A. *Not Operated*	5	19.0	426	1	1	11	30	53	53	53
B. *Operated*	38	26.8	416	9	10	21	33	51	76	96
1. SINGLE DX	10	22.8	210	11	11	17	29	47	56	56
2. MULTIPLE DX	43	25.9	414	5	9	21	33	51	68	96
A. NOT OPERATED	7	27.0	498	1	2	23	49	55	56	56
B. OPERATED	46	25.1	363	9	10	20	31	49	64	96
TOTAL 0-19 YRS										
20-34										
35-49	7	18.3	283	1	3	12	27	46	50	50
50-64	20	22.8	388	4	8	20	28	37	67	96
65+	26	29.2	377	10	11	24	38	56	64	88
GRAND TOTAL	**53**	**25.3**	**372**	**7**	**10**	**21**	**32**	**51**	**58**	**96**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	4	4.5	12	1	1	4	7	8	8	8
50-64	34	8.3	40	2	2	6	13	18	21	25
65+	42	13.2	152	2	3	7	16	30	41	51
B. *Operated*										
0-19 YRS	3	12.3	22	7	7	14	15	16	16	16
20-34	5	12.0	14	8	8	11	13	18	18	18
35-49	29	14.4	41	8	9	13	16	23	26	37
50-64	109	16.4	76	8	10	14	18	27	30	52
65+	172	18.8	65	8	11	18	22	29	36	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	5	19.0	233	6	6	15	29	43	43	43
35-49	23	13.8	242	2	3	9	15	31	51	71
50-64	80	11.2	122	1	2	8	15	25	40	88
65+	162	14.1	148	3	4	10	20	35	47	99+
B. *Operated*										
0-19 YRS	2	20.5	85	14	14	20	27	27	27	27
20-34	17	15.6	90	2	3	14	22	30	33	34
35-49	107	18.8	139	7	9	16	22	31	42	71
50-64	348	20.3	136	9	11	17	24	34	42	78
65+	781	24.4	209	10	11	21	30	45	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	10.7	103	2	2	7	15	24	31	50
B. *Operated*	318	17.4	68	8	10	16	21	27	33	44
2. MULTIPLE DX										
A. *Not Operated*	271	13.3	149	2	3	10	18	34	42	99+
B. *Operated*	1255	22.7	186	9	11	19	28	41	55	99+
1. SINGLE DX	399	16.1	82	3	5	15	21	27	33	48
2. MULTIPLE DX	1526	21.0	192	5	8	18	27	40	54	99+
A. NOT OPERATED	352	12.7	139	2	3	9	16	30	41	99+
B. OPERATED	1573	21.6	167	9	11	18	26	38	50	95
TOTAL 0-19 YRS	6	13.8	61	5	5	14	16	26	27	27
20-34	28	15.4	95	3	5	13	20	29	35	43
35-49	163	17.0	140	4	6	14	20	28	41	70
50-64	571	17.6	132	3	6	16	21	30	40	76
65+	1157	21.7	194	5	8	19	27	41	55	99+
GRAND TOTAL	**1925**	**20.0**	**173**	**4**	**7**	**17**	**25**	**37**	**49**	**99+**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	14.0	132	4	4	13	19	33	33	33
50-64	36	8.8	78	1	1	5	13	22	23	41
65+	40	8.4	66	1	2	5	11	26	30	99+
B. *Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	6	11.8	69	1	1	12	20	21	21	21
35-49	39	15.7	43	4	7	17	21	24	26	27
50-64	95	16.9	61	2	7	17	21	28	31	71
65+	141	16.9	126	2	3	16	24	32	39	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	11.3	75	3	3	10	18	21	21	21
35-49	7	8.4	77	1	1	5	10	24	27	27
50-64	72	14.5	174	3	3	11	19	34	47	91
65+	117	13.3	165	2	3	9	21	33	54	99+
B. *Operated*										
0-19 YRS										
20-34	4	33.5	162	18	18	33	42	49	49	49
35-49	57	22.4	189	10	11	20	26	33	43	96
50-64	304	22.8	176	5	10	20	28	39	48	77
65+	511	26.0	260	6	10	23	34	50	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	8.9	75	1	1	6	13	23	30	81
B. *Operated*	282	16.7	91	2	3	16	22	28	34	54
2. MULTIPLE DX										
A. *Not Operated*	200	13.5	163	2	3	9	20	32	52	99+
B. *Operated*	876	24.7	228	6	10	22	32	45	59	99+
1. SINGLE DX	363	14.9	98	2	2	15	21	28	33	54
2. MULTIPLE DX	1076	22.6	235	4	6	20	30	43	58	99+
A. NOT OPERATED	281	12.2	142	2	3	8	18	30	41	99+
B. OPERATED	1158	22.7	206	4	8	20	29	41	53	99+
TOTAL 0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	14	17.9	186	1	3	17	21	36	46	49
35-49	108	18.7	142	4	6	18	23	29	33	73
50-64	507	19.5	166	3	4	18	26	36	46	77
65+	809	21.7	247	3	4	19	30	43	60	99+
GRAND TOTAL	**1439**	**20.7**	**211**	**3**	**4**	**18**	**27**	**39**	**52**	**99+**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	19.0	929	1	1	6	27	73	73	73
20-34										
35-49	4	8.5	67	1	1	6	14	20	20	20
50-64	16	10.3	77	1	1	8	15	25	27	28
65+	16	9.6	80	2	3	6	11	28	29	29
B. *Operated*										
0-19 YRS	2	12.5	5	11	11	12	14	14	14	14
20-34	1	10.0		10	10	10	10	10	10	10
35-49	10	20.4	121	8	9	19	33	36	37	37
50-64	12	15.7	67	7	7	14	19	29	32	33
65+	19	17.3	178	2	5	13	27	45	75	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	17	8.3	101	1	1	5	12	18	33	41
50-64	39	9.4	135	1	1	6	12	25	49	99+
65+	30	15.6	179	2	2	11	21	35	41	57
B. *Operated*										
0-19 YRS	4	38.0	1464	8	8	25	61	94	94	94
20-34	4	27.3	66	20	20	25	33	38	38	38
35-49	22	31.0	336	8	10	27	41	56	67	82
50-64	63	25.7	313	6	9	19	36	53	64	75
65+	90	23.6	236	8	8	19	32	51	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	10.9	166	1	2	6	12	26	29	73
B. *Operated*	44	17.2	122	5	7	14	24	35	42	99+
2. MULTIPLE DX										
A. *Not Operated*	88	11.1	149	1	1	8	14	28	41	84
B. *Operated*	183	25.6	295	7	9	21	34	52	68	99+
1. SINGLE DX	85	14.1	152	1	3	11	20	32	38	90
2. MULTIPLE DX	271	20.9	293	1	3	17	30	45	61	99+
A. NOT OPERATED	129	11.0	153	1	1	7	14	27	40	78
B. OPERATED	227	24.0	272	6	8	19	33	50	68	99+
TOTAL 0-19 YRS	11	24.7	928	1	2	12	26	81	93	94
20-34	7	17.7	182	1	2	20	27	36	38	38
35-49	53	20.0	298	1	1	17	29	42	54	81
50-64	130	18.0	264	1	3	13	26	41	56	80
65+	155	19.8	222	3	5	17	28	45	64	99+
GRAND TOTAL	**356**	**19.3**	**267**	**1**	**3**	**15**	**27**	**43**	**58**	**99+**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	2.0		2	2	2	2	2	2	2
35-49	3	13.0	108	7	7	7	21	25	25	25
50-64	21	9.1	80	1	2	6	10	27	31	33
65+	23	15.3	260	3	4	11	18	29	55	73
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	26.3	738	1	1	21	47	62	62	62
50-64	29	19.2	105	2	9	18	22	35	43	45
65+	24	21.4	212	6	7	18	24	41	60	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	16	12.0	127	1	2	6	23	27	33	35
50-64	56	10.8	80	2	3	8	14	25	29	96
65+	74	16.0	272	2	3	10	19	39	63	96
B. *Operated*										
0-19 YRS										
20-34	2	36.0	338	23	23	36	49	49	49	49
35-49	18	21.9	203	6	7	19	30	39	52	60
50-64	90	24.3	204	8	10	22	30	37	54	99
65+	150	25.1	228	8	10	22	32	42	52	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	11.4	166	1	2	7	13	25	33	72
B. *Operated*	57	20.6	183	3	7	18	24	38	54	64
2. MULTIPLE DX										
A. *Not Operated*	148	13.4	186	2	2	9	17	31	47	99+
B. *Operated*	260	24.7	218	8	10	22	31	41	53	96
1. SINGLE DX	109	16.2	194	2	2	13	22	33	45	68
2. MULTIPLE DX	408	20.6	235	3	5	18	28	39	52	98
A. NOT OPERATED	200	12.9	181	1	2	9	16	29	43	91
B. OPERATED	317	23.9	213	7	9	21	30	41	53	92
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	8	10.4	299	1	1	2	13	41	49	49
35-49	41	17.8	224	2	3	13	27	35	50	62
50-64	196	18.1	181	2	4	16	25	34	44	98
65+	271	21.4	257	4	6	18	28	41	57	90
GRAND TOTAL	**517**	**19.7**	**229**	**2**	**4**	**17**	**27**	**38**	**51**	**92**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	6.5	21	3	3	5	8	14	15	15
35-49	39	3.8	26	1	1	2	3	12	15	25
50-64	173	8.0	82	1	1	4	12	20	29	58
65+	167	9.9	95	1	1	7	13	24	31	91
B. *Operated*										
0-19 YRS										
20-34	5	16.2	53	8	8	15	19	28	28	28
35-49	66	14.4	117	2	3	12	17	27	34	59
50-64	228	12.6	90	2	2	11	17	24	29	50
65+	240	14.5	114	2	2	13	20	29	35	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	16.2	365	3	3	10	20	50	50	50
20-34	5	13.6	133	1	1	12	19	32	32	32
35-49	91	10.3	123	1	1	8	14	22	28	65
50-64	385	11.3	116	1	2	8	15	26	33	54
65+	456	13.3	130	2	3	10	19	29	37	74
B. *Operated*										
0-19 YRS	2	12.0	2	11	11	12	13	13	13	13
20-34	10	25.0	234	4	7	23	33	48	54	54
35-49	102	16.5	180	2	4	13	21	32	40	77
50-64	548	19.8	213	3	5	17	26	38	48	85
65+	656	21.8	264	3	6	17	29	43	59	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	8.4	84	1	1	5	12	21	29	60
B. *Operated*	539	13.7	104	2	2	12	19	26	33	48
2. MULTIPLE DX										
A. *Not Operated*	942	12.2	126	1	2	9	16	28	36	63
B. *Operated*	1318	20.6	238	3	5	17	27	41	50	88
1. SINGLE DX	924	11.5	102	1	2	9	16	25	31	51
2. MULTIPLE DX	2260	17.1	208	2	3	14	23	36	46	85
A. NOT OPERATED	1327	11.1	117	1	2	8	15	27	34	63
B. OPERATED	1857	18.6	209	2	4	15	24	36	46	85
TOTAL 0-19 YRS	7	15.0	248	3	4	10	12	43	50	50
20-34	26	16.8	173	2	3	14	26	33	44	54
35-49	298	12.5	145	1	2	9	17	27	33	64
50-64	1334	14.6	168	1	2	12	21	30	39	72
65+	1519	16.8	202	2	3	13	23	35	46	86
GRAND TOTAL	**3184**	**15.5**	**184**	**2**	**2**	**12**	**21**	**33**	**42**	**78**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	1	3.0		3	3	3	3	3	3	3
35-49	14	6.4	27	1	1	4	11	14	16	16
50-64	23	9.8	132	1	2	5	9	28	37	45
65+	15	21.4	513	2	2	12	33	55	68	72
B. *Operated*										
0-19 YRS	2	30.5	925	9	9	30	52	52	52	52
20-34	2	13.0	50	8	8	13	18	18	18	18
35-49	24	10.1	135	1	2	6	14	21	32	56
50-64	67	10.0	148	2	2	5	15	24	31	64
65+	58	8.6	140	2	2	3	10	23	34	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	13	3.5	32	1	1	2	3	8	19	22
35-49	11	10.5	85	4	4	8	11	24	35	36
50-64	25	26.6	584	2	3	16	47	64	67	75
65+	30	14.6	403	1	2	9	18	44	96	99+
B. *Operated*										
0-19 YRS										
20-34	7	19.3	225	6	6	13	28	44	47	47
35-49	22	13.9	246	<1	1	6	29	44	71	99+
50-64	89	18.6	319	1	2	15	28	50	67	99+
65+	60	18.4	323	2	2	13	28	55	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	11.8	231	1	2	5	14	33	50	71
B. *Operated*	153	9.8	150	2	2	4	13	24	35	65
2. MULTIPLE DX										
A. *Not Operated*	80	15.9	409	1	1	7	20	53	64	99
B. *Operated*	178	18.0	305	2	2	13	28	51	69	99+
1. SINGLE DX	208	10.3	171	2	2	5	13	25	40	66
2. MULTIPLE DX	258	17.3	337	1	2	11	26	52	65	99+
A. NOT OPERATED	135	14.2	338	1	2	6	16	44	62	98
B. OPERATED	331	14.2	249	2	2	8	22	40	56	99+
TOTAL 0-19 YRS	5	15.2	427	4	4	6	20	52	52	52
20-34	23	9.1	136	1	1	4	12	24	36	47
35-49	71	10.6	142	1	2	7	14	33	40	90
50-64	204	15.8	303	1	2	7	24	43	58	86
65+	163	14.5	306	2	2	8	21	41	63	99+
GRAND TOTAL	**466**	**14.2**	**274**	**1**	**2**	**7**	**21**	**40**	**56**	**99+**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	4.7	28	1	2	4	4	7	13	36
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	13	2.9	9	1	1	1	5	8	9	9
50-64	17	5.9	60	2	2	3	5	14	27	33
65+	9	6.3	32	2	2	4	7	16	20	20
B. *Operated*										
0-19 YRS	25	16.7	147	3	4	14	23	33	38	46
20-34	16	12.3	110	2	2	10	18	26	36	40
35-49	19	10.1	64	2	2	7	15	23	28	29
50-64	28	16.4	334	1	3	10	21	45	56	79
65+	30	12.7	83	2	3	11	16	25	30	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	6.1	40	1	1	4	6	18	23	25
20-34	31	3.3	9	1	1	3	4	6	11	15
35-49	22	12.6	458	1	1	2	19	38	65	87
50-64	16	5.4	24	1	2	4	7	8	18	22
65+	34	11.6	133	1	2	6	17	31	34	45
B. *Operated*										
0-19 YRS	11	18.5	169	2	4	20	30	37	38	38
20-34	12	21.9	379	3	3	15	36	52	61	63
35-49	12	19.3	196	5	8	14	36	57	92	99+
50-64	34	18.9	226	3	4	15	30	44	48	61
65+	58	22.7	286	3	4	19	35	46	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	4.8	31	1	1	4	5	8	15	35
B. *Operated*	118	13.9	158	2	3	10	19	30	38	61
2. MULTIPLE DX										
A. *Not Operated*	131	7.9	135	1	1	4	7	23	31	58
B. *Operated*	127	20.9	255	3	4	17	34	46	61	99+
1. SINGLE DX	220	9.7	119	1	2	5	13	23	32	52
2. MULTIPLE DX	258	14.3	236	1	2	8	20	38	47	98
A. NOT OPERATED	233	6.5	91	1	1	4	6	16	25	47
B. OPERATED	245	17.6	220	2	3	14	24	40	48	99+
TOTAL 0-19 YRS	125	8.6	95	1	2	4	9	23	33	40
20-34	61	9.3	156	1	1	4	11	24	39	61
35-49	66	11.2	227	1	1	6	15	32	47	98
50-64	95	13.6	224	2	2	7	17	33	47	71
65+	131	16.4	213	2	3	14	23	40	46	99+
GRAND TOTAL	**478**	**12.2**	**187**	**1**	**2**	**6**	**17**	**33**	**44**	**77**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	7.5	61	2	2	7	13	13	13	13
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	5	4.6	26	1	1	2	8	13	13	13
65+	5	14.8	522	<1	<1	6	22	55	55	55
B. *Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	29	8.4	30	2	2	8	12	14	17	26
35-49	36	8.6	46	1	2	7	12	20	22	29
50-64	49	9.0	65	2	2	7	13	17	24	43
65+	38	9.8	83	1	2	7	15	20	25	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	3.1	10	<1	<1	2	4	8	10	10
35-49	7	6.7	87	<1	<1	3	8	23	27	27
50-64	11	10.4	191	1	1	2	15	32	45	46
65+	14	14.8	280	1	2	8	17	47	54	56
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	15	13.8	461	2	2	10	12	16	71	90
35-49	23	16.2	234	1	3	10	25	39	48	60
50-64	41	18.1	225	2	3	14	20	43	47	74
65+	53	16.0	167	2	3	14	20	28	38	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	8.6	199	<1	1	4	11	17	47	55
B. *Operated*	155	8.9	57	2	2	7	13	19	22	41
2. MULTIPLE DX										
A. *Not Operated*	40	9.8	177	<1	1	4	10	26	46	56
B. *Operated*	133	16.4	224	2	3	12	20	37	46	77
1. SINGLE DX	169	8.9	68	1	2	7	13	19	22	43
2. MULTIPLE DX	173	14.9	220	1	2	11	19	33	46	74
A. NOT OPERATED	54	9.5	180	<1	1	4	10	26	46	56
B. OPERATED	288	12.3	148	2	2	10	16	25	37	69
TOTAL 0-19 YRS	4	4.3	11	2	2	3	6	9	9	9
20-34	54	9.1	152	1	2	8	10	14	17	87
35-49	68	10.8	125	1	2	8	12	27	33	57
50-64	106	12.5	156	1	2	10	16	24	43	60
65+	110	13.7	168	1	2	11	18	27	42	63
GRAND TOTAL	**342**	**11.9**	**153**	**1**	**2**	**9**	**15**	**26**	**38**	**61**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	12.0		12	12	12	12	12	12	12
50-64	6	7.2	53	3	3	4	5	20	22	22
65+	19	11.4	304	1	1	5	12	33	56	72
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	17	6.0	105	<1	1	2	6	11	32	44
35-49	57	4.7	21	<1	1	3	6	11	16	21
50-64	122	5.0	26	<1	1	3	6	12	18	22
65+	180	5.9	70	1	1	3	6	12	19	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64	3	12.3	86	2	2	15	19	20	20	20
65+	16	11.6	76	1	2	11	16	22	30	34
B. *Operated*										
0-19 YRS	2	21.0	288	9	9	21	33	33	33	33
20-34	3	4.7	2	3	3	5	6	6	6	6
35-49	25	4.5	9	2	2	3	6	7	11	16
50-64	86	6.5	72	1	2	3	7	15	21	48
65+	249	10.4	104	2	2	8	13	23	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	10.5	233	1	2	5	12	26	44	72
B. *Operated*	378	5.4	50	<1	1	3	6	12	18	39
2. MULTIPLE DX										
A. *Not Operated*	20	11.2	74	1	2	11	16	21	28	34
B. *Operated*	365	9.1	94	2	2	6	11	21	30	52
1. SINGLE DX	404	5.7	62	1	1	3	6	13	19	42
2. MULTIPLE DX	385	9.2	93	2	2	6	12	21	30	51
A. NOT OPERATED	46	10.8	161	1	2	6	14	22	35	72
B. OPERATED	743	7.2	75	1	2	4	9	16	24	48
TOTAL 0-19 YRS	5	9.8	177	2	2	3	15	33	33	33
20-34	20	5.8	89	<1	1	3	6	10	27	44
35-49	83	4.7	18	<1	1	3	6	10	16	20
50-64	217	5.7	46	<1	2	3	6	15	20	36
65+	464	8.8	102	1	2	5	11	20	30	54
GRAND TOTAL	**789**	**7.4**	**80**	**1**	**2**	**4**	**9**	**17**	**25**	**49**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	9.6	29	2	2	10	12	17	19	19
35-49	47	3.7	28	<1	<1	2	5	8	11	31
50-64	66	8.0	90	1	1	5	10	21	30	44
65+	40	14.4	178	2	3	11	19	31	35	72
B. *Operated*										
0-19 YRS	5	8.4	41	1	1	12	13	15	15	15
20-34	49	7.2	12	2	2	8	9	11	12	17
35-49	260	8.0	16	2	2	8	11	13	15	17
50-64	415	9.1	28	2	3	9	11	14	17	30
65+	327	10.4	31	3	4	10	13	17	19	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	23	6.5	49	1	1	4	9	16	23	31
35-49	118	9.2	120	1	1	6	11	20	30	55
50-64	260	7.9	56	1	1	5	12	18	23	32
65+	222	12.4	203	1	1	9	16	30	51	99+
B. *Operated*										
0-19 YRS										
20-34	60	9.0	23	<1	2	8	12	15	16	26
35-49	363	10.6	58	2	4	9	12	17	22	47
50-64	633	12.9	100	3	6	10	15	22	32	68
65+	687	14.4	114	4	6	12	16	26	36	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	8.4	105	<1	1	5	10	20	31	44
B. *Operated*	1056	9.1	26	2	3	9	11	15	17	27
2. MULTIPLE DX										
A. *Not Operated*	623	9.7	124	1	1	6	13	21	31	67
B. *Operated*	1743	12.9	96	3	5	11	15	22	31	67
1. SINGLE DX	1217	9.1	37	1	2	8	11	15	18	33
2. MULTIPLE DX	2366	12.0	105	1	3	10	14	22	31	67
A. NOT OPERATED	784	9.5	120	1	1	6	12	21	31	67
B. OPERATED	2799	11.5	73	2	4	10	13	19	26	51
TOTAL 0-19 YRS	5	8.4	41	1	1	12	13	15	15	15
20-34	140	8.0	24	1	2	8	10	14	16	27
35-49	788	9.2	55	1	2	8	11	16	20	46
50-64	1374	10.6	74	1	2	9	13	19	27	45
65+	1276	13.0	113	2	4	11	15	24	33	73
GRAND TOTAL	**3583**	**11.0**	**84**	**1**	**3**	**9**	**13**	**19**	**28**	**56**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	4.4	3	2	2	4	5	7	8	8
35-49	25	5.8	54	1	1	3	7	15	26	26
50-64	26	9.2	103	1	2	4	12	29	34	36
65+	24	6.7	66	1	1	3	8	16	24	37
B. *Operated*										
0-19 YRS	6	5.2	18	2	2	3	7	12	13	13
20-34	113	4.4	14	1	1	3	6	8	11	22
35-49	68	7.4	40	1	2	6	10	13	18	35
50-64	66	9.0	88	1	2	6	11	21	32	45
65+	31	8.6	52	2	2	7	12	15	28	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	14.5	217	2	3	9	21	40	42	42
35-49	18	13.3	356	3	3	5	12	39	60	74
50-64	23	14.2	370	2	3	8	13	33	57	90
65+	22	13.5	145	1	2	10	14	33	41	48
B. *Operated*										
0-19 YRS	3	10.7	120	2	2	7	19	23	23	23
20-34	75	7.7	65	2	2	6	9	12	16	49
35-49	76	10.1	58	2	3	8	13	23	28	33
50-64	82	15.0	239	2	2	9	22	36	47	75
65+	56	13.8	130	2	3	10	20	31	36	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	6.8	65	1	1	4	7	17	28	37
B. *Operated*	284	6.7	45	1	2	5	8	13	18	36
2. MULTIPLE DX										
A. *Not Operated*	76	13.8	265	2	3	8	14	38	41	86
B. *Operated*	292	11.6	132	2	2	8	14	27	35	54
1. SINGLE DX	372	6.7	50	1	2	4	8	14	20	36
2. MULTIPLE DX	368	12.0	160	2	2	8	14	30	38	58
A. NOT OPERATED	164	10.1	169	1	2	5	12	28	37	70
B. OPERATED	576	9.2	95	2	2	6	11	21	31	49
TOTAL 0-19 YRS	9	7.0	49	2	2	4	9	19	23	23
20-34	214	6.2	49	1	2	4	8	11	15	44
35-49	187	8.8	82	1	2	7	10	18	28	39
50-64	197	12.1	191	2	2	8	14	32	39	71
65+	133	11.3	110	2	2	7	15	26	35	50
GRAND TOTAL	**740**	**9.4**	**111**	**1**	**2**	**6**	**11**	**22**	**33**	**49**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	14	4.3	17	1	1	3	4	10	14	15
65+	12	6.5	95	1	2	4	6	16	34	37
B. *Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	1	10.0		10	10	10	10	10	10	10
35-49	19	7.4	21	1	1	8	10	10	16	21
50-64	139	6.4	21	1	1	6	9	12	16	21
65+	95	9.1	69	1	2	7	11	21	27	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	5.0	48	1	1	1	10	13	13	13
50-64	19	11.3	120	2	2	6	18	29	33	36
65+	29	13.5	130	1	2	10	18	31	37	42
B. *Operated*										
0-19 YRS	2	13.0	98	6	6	13	20	20	20	20
20-34	4	6.3	2	5	5	6	7	8	8	8
35-49	55	8.7	15	1	4	8	10	14	16	22
50-64	311	10.1	57	1	2	9	12	18	23	47
65+	236	13.4	123	2	3	11	17	26	31	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.3	52	1	1	3	6	10	19	37
B. *Operated*	256	7.5	40	1	2	7	9	14	20	34
2. MULTIPLE DX										
A. *Not Operated*	51	12.2	122	1	2	8	18	30	36	42
B. *Operated*	608	11.3	82	1	2	9	14	20	26	54
1. SINGLE DX	282	7.3	41	1	2	6	9	13	19	35
2. MULTIPLE DX	659	11.3	85	1	2	9	14	21	28	52
A. NOT OPERATED	77	9.9	108	1	1	6	13	28	34	41
B. OPERATED	864	10.1	72	1	2	9	12	19	25	48
TOTAL 0-19 YRS	4	9.8	47	6	6	7	13	20	20	20
20-34	5	7.0	5	5	5	7	8	10	10	10
35-49	77	8.2	18	1	2	8	10	13	16	22
50-64	483	8.9	51	1	2	8	11	17	22	39
65+	372	12.1	113	2	2	10	15	25	31	52
GRAND TOTAL	**941**	**10.1**	**75**	**1**	**2**	**9**	**12**	**20**	**26**	**43**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	29.5	1405	3	3	29	56	56	56	56
20-34	17	7.1	58	1	2	5	9	20	27	29
35-49	18	9.1	99	1	2	4	13	25	32	35
50-64	51	3.2	14	1	1	2	3	8	10	19
65+	14	5.7	55	1	1	2	7	22	23	23
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	13	8.5	22	4	5	7	10	14	20	22
35-49	13	11.8	52	5	6	10	13	20	30	32
50-64	25	11.3	40	2	2	11	14	19	22	31
65+	12	18.3	217	4	7	14	23	38	55	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.8	6	2	2	7	7	7	7	7
20-34	5	5.0	10	1	1	5	7	9	9	9
35-49	44	7.5	69	1	1	4	9	17	28	37
50-64	81	7.0	70	1	1	4	10	15	19	50
65+	48	13.3	308	1	2	8	14	33	52	91
B. *Operated*										
0-19 YRS	5	11.8	13	8	8	11	15	16	16	16
20-34	22	11.0	23	5	6	10	14	18	21	23
35-49	70	14.7	107	6	7	11	18	26	33	61
50-64	120	15.7	110	6	7	12	17	35	40	70
65+	100	19.8	143	8	9	17	25	35	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	5.7	70	1	1	2	6	17	23	45
B. *Operated*	65	11.9	79	2	5	10	14	19	30	54
2. MULTIPLE DX										
A. *Not Operated*	182	8.7	136	1	1	5	11	17	27	68
B. *Operated*	317	16.4	118	6	7	13	21	32	40	84
1. SINGLE DX	167	8.1	82	1	1	5	10	19	27	52
2. MULTIPLE DX	499	13.6	138	2	2	11	17	28	37	74
A. NOT OPERATED	284	7.6	114	1	1	4	9	17	26	60
B. OPERATED	382	15.6	114	6	7	12	19	30	38	73
TOTAL 0-19 YRS	13	11.4	199	2	2	7	12	24	50	56
20-34	57	8.8	35	2	2	8	11	17	22	29
35-49	145	11.6	98	2	2	9	16	25	32	52
50-64	277	10.5	99	1	1	9	14	21	34	56
65+	174	16.7	202	2	3	13	22	34	50	97
GRAND TOTAL	**666**	**12.2**	**129**	**1**	**2**	**10**	**16**	**27**	**35**	**63**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.7	20	2	2	7	10	11	11	11
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	5	5.2	11	1	1	5	7	10	10	10
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	3	16.0	48	8	8	20	20	20	20	20
20-34	1	1.0		1	1	1	1	1	1	1
35-49	6	5.0	36	1	1	3	4	16	17	17
50-64	15	7.7	58	1	2	4	14	21	22	23
65+	16	7.7	40	2	2	6	11	16	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	6	20.8	1133	2	2	8	13	81	89	89
65+	11	14.5	169	2	3	11	27	60	94	99+
B. *Operated*										
0-19 YRS										
20-34	3	17.7	158	6	6	16	27	31	31	31
35-49	6	33.3	471	7	8	40	60	93	99+	99+
50-64	28	21.8	380	1	2	17	32	50	63	68
65+	48	18.5	202	3	5	15	23	41	52	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	6.4	12	1	1	6	9	10	11	11
B. *Operated*	41	7.6	50	1	2	4	12	20	22	24
2. MULTIPLE DX										
A. *Not Operated*	19	15.4	433	2	3	8	20	66	94	99+
B. *Operated*	85	20.6	282	2	3	16	30	50	60	88
1. SINGLE DX	51	7.5	42	1	2	5	10	18	21	24
2. MULTIPLE DX	104	19.7	310	2	3	15	29	50	64	99+
A. NOT OPERATED	29	12.3	301	2	2	7	12	37	89	99+
B. OPERATED	126	16.4	242	2	2	12	23	40	53	75
TOTAL 0-19 YRS	7	10.1	54	2	2	8	18	20	20	20
20-34	5	11.8	146	1	1	6	20	31	31	31
35-49	13	18.4	420	1	2	10	40	69	93	99+
50-64	54	16.3	368	1	2	8	24	40	61	88
65+	76	15.5	177	2	3	12	21	37	51	89
GRAND TOTAL	**155**	**15.7**	**254**	**2**	**2**	**10**	**22**	**40**	**55**	**99**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64	18	14.1	193	2	3	9	17	41	44	46
65+	75	11.5	174	2	3	7	13	39	45	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	9.3	20	5	5	9	13	14	14	14
50-64	140	10.7	80	2	2	8	14	21	26	40
65+	503	10.7	64	2	3	9	13	20	27	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	114	10.1	109	2	2	7	12	21	28	61
65+	456	14.2	230	2	3	10	17	33	64	99+
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	14.5	13	12	12	14	17	17	17	17
35-49	7	8.4	34	2	2	7	14	16	16	16
50-64	288	14.3	102	3	5	12	18	28	36	48
65+	1334	15.3	119	4	6	12	19	29	39	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	11.7	174	1	3	7	13	39	45	99+
B. *Operated*	646	10.7	67	2	3	9	13	21	26	40
2. MULTIPLE DX										
A. *Not Operated*	570	13.4	209	2	3	10	16	31	53	99+
B. *Operated*	1632	15.1	115	4	5	12	19	29	38	62
1. SINGLE DX	742	10.8	81	2	3	8	13	21	30	45
2. MULTIPLE DX	2202	14.7	140	3	4	12	18	29	39	90
A. NOT OPERATED	666	13.2	204	2	3	9	16	32	51	99+
B. OPERATED	2278	13.9	106	3	4	11	18	27	36	59
TOTAL 0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	2	14.5	13	12	12	14	17	17	17	17
35-49	12	7.4	32	1	1	6	13	15	16	16
50-64	560	12.6	104	2	3	10	16	25	33	49
65+	2368	14.0	134	3	4	11	18	28	39	90
GRAND TOTAL	**2944**	**13.7**	**128**	**2**	**4**	**11**	**17**	**28**	**38**	**80**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	20	3.4	9	<1	1	2	6	8	9	10
35-49	3	14.7	145	2	2	16	23	26	26	26
50-64										
65+										
B. *Operated*										
0-19 YRS	7	7.1	13	3	3	6	9	13	14	14
20-34	50	6.6	32	2	3	5	8	10	12	40
35-49	36	9.3	86	3	4	7	10	18	28	52
50-64	13	14.4	89	4	6	12	21	29	33	34
65+	7	10.0	17	6	6	10	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	63	5.9	20	1	1	5	7	10	14	24
35-49	21	6.0	12	2	3	5	8	11	13	15
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	3	17.7	17	13	13	19	20	21	21	21
20-34	27	11.3	62	2	3	9	14	25	27	30
35-49	26	12.9	118	3	4	9	18	25	37	49
50-64	9	13.2	110	2	2	11	22	28	28	28
65+	16	24.3	305	4	5	18	37	51	58	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	5.3	39	<1	1	2	7	15	19	26
B. *Operated*	113	8.6	58	3	3	6	10	15	23	44
2. MULTIPLE DX										
A. *Not Operated*	88	5.9	17	1	2	6	7	11	14	24
B. *Operated*	81	14.8	149	2	3	11	20	30	43	58
1. SINGLE DX	137	8.0	56	1	2	6	9	15	23	42
2. MULTIPLE DX	169	10.2	100	2	2	6	13	23	30	51
A. NOT OPERATED	112	5.8	22	1	1	5	7	11	15	25
B. OPERATED	194	11.2	105	3	3	8	14	24	32	52
TOTAL 0-19 YRS	13	10.2	33	3	5	8	14	19	21	21
20-34	160	6.7	34	1	1	6	8	13	18	30
35-49	86	9.7	84	3	3	7	11	22	27	51
50-64	23	13.7	90	3	4	11	21	28	30	34
65+	24	19.3	254	4	6	16	25	45	54	60
GRAND TOTAL	**306**	**9.2**	**81**	**1**	**2**	**6**	**11**	**21**	**27**	**50**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	5	3	3	7	7	7	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	2.5		2	2	2	3	3	3	3
50-64	20	4.9	20	<1	1	3	6	14	15	15
65+	53	7.6	57	2	2	4	10	20	27	30
B. *Operated*										
0-19 YRS	3	7.0	37	3	3	4	11	14	14	14
20-34	6	5.0	10	3	3	4	6	10	11	11
35-49	86	4.8	22	1	1	3	6	10	12	24
50-64	329	6.0	38	1	1	4	7	12	18	34
65+	696	7.1	68	1	2	4	8	15	23	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	32.0		32	32	32	32	32	32	32
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	44	6.7	48	1	2	4	8	17	24	30
65+	131	13.2	319	1	2	7	15	35	61	96
B. *Operated*										
0-19 YRS	3	5.0	7	3	3	4	7	8	8	8
20-34	11	12.9	161	2	2	8	21	33	40	41
35-49	47	8.4	86	<1	1	5	10	23	27	43
50-64	366	10.4	142	1	2	7	13	25	34	61
65+	1047	11.5	166	2	2	7	14	28	40	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	6.5	45	1	2	3	9	15	24	30
B. *Operated*	1120	6.6	55	1	2	4	[illegible]	14	20	39
2. MULTIPLE DX										
A. *Not Operated*	178	11.6	257	1	2	6	13	30	52	94
B. *Operated*	1474	11.2	157	2	2	7	13	27	37	71
1. SINGLE DX	1201	6.6	55	1	2	4	8	14	20	38
2. MULTIPLE DX	1652	11.2	168	2	2	7	13	27	38	75
A. NOT OPERATED	259	10.0	196	1	2	5	11	25	36	88
B. OPERATED	2594	9.2	118	1	2	6	11	21	31	60
TOTAL 0-19 YRS	9	5.9	13	3	3	4	7	12	14	14
20-34	19	10.8	135	2	2	6	11	30	37	41
35-49	139	6.0	45	1	1	4	7	13	24	31
50-64	759	8.1	93	1	2	5	9	19	28	49
65+	1927	9.9	143	2	2	6	11	23	34	71
GRAND TOTAL	**2853**	**9.3**	**125**	**1**	**2**	**6**	**11**	**21**	**31**	**62**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	11.4	85	4	4	6	19	25	25	25
20-34	1	1.0		1	1	1	1	1	1	1
35-49	7	13.4	77	2	2	16	22	23	23	23
50-64	5	14.8	369	3	3	7	18	49	49	49
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	8	13.0	5	9	10	13	15	16	16	16
35-49	8	15.6	21	11	11	15	18	22	24	24
50-64	44	14.4	52	2	3	14	20	23	26	35
65+	41	17.5	123	3	7	17	21	27	40	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	11.3	90	1	1	11	19	22	22	22
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	18	5.6	10	1	2	5	6	9	13	15
50-64	53	12.2	219	3	4	6	14	33	39	99+
65+	46	14.6	168	3	4	10	19	37	50	99+
B. *Operated*										
0-19 YRS	5	20.8	301	4	4	15	27	50	50	50
20-34	6	17.0	23	11	11	16	21	24	24	24
35-49	20	20.8	148	9	13	19	22	31	51	65
50-64	104	21.1	179	4	9	18	27	40	44	72
65+	164	21.9	189	4	8	20	28	37	47	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	12.3	137	1	2	8	18	24	38	49
B. *Operated*	103	15.4	77	2	5	14	20	24	28	55
2. MULTIPLE DX										
A. *Not Operated*	123	11.9	168	3	4	7	15	33	41	99+
B. *Operated*	299	21.4	180	4	9	19	27	37	45	84
1. SINGLE DX	122	14.9	87	2	4	14	20	24	28	54
2. MULTIPLE DX	422	18.7	195	3	5	16	25	37	44	90
A. NOT OPERATED	142	12.0	163	2	3	7	16	32	41	99+
B. OPERATED	402	19.9	160	4	8	18	24	35	43	75
TOTAL 0-19 YRS	16	13.6	152	1	2	12	18	25	42	50
20-34	17	12.6	34	2	3	14	15	20	23	24
35-49	53	13.9	112	2	4	13	19	23	24	64
50-64	206	17.2	180	3	4	15	22	35	43	90
65+	252	19.8	182	4	5	18	26	37	47	85
GRAND TOTAL	**544**	**17.8**	**173**	**3**	**4**	**15**	**23**	**34**	**43**	**85**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.0		<1	<1	1	1	1	1	1
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	9.3	44	5	5	6	14	17	17	17
B. *Operated*										
0-19 YRS	5	12.6	375	1	1	5	17	47	47	47
20-34	3	10.7	56	3	3	11	16	18	18	18
35-49	4	7.0	13	4	4	6	9	12	12	12
50-64	8	7.1	20	3	3	5	9	15	16	16
65+	5	6.6	11	3	3	8	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	33	1	1	1	9	11	11	11
20-34										
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	5	14.4	58	3	3	15	19	24	24	24
B. *Operated*										
0-19 YRS	5	8.8	137	2	2	2	14	29	29	29
20-34	3	14.7	342	3	3	5	28	36	36	36
35-49	4	14.0	10	10	10	14	16	17	17	17
50-64	4	10.3	11	8	8	10	36	99+	99+	99+
65+	5	19.2	559	5	5	10	26	61	61	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.3	26	<1	<1	2	6	12	17	17
B. *Operated*	25	8.5	82	2	3	6	10	16	25	47
2. MULTIPLE DX										
A. *Not Operated*	13	7.7	56	1	1	4	13	18	23	24
B. *Operated*	21	13.4	192	2	2	10	16	43	77	99+
1. SINGLE DX	35	7.3	69	1	1	5	9	16	18	47
2. MULTIPLE DX	34	11.2	145	1	2	9	15	29	55	99+
A. NOT OPERATED	23	6.2	45	<1	1	3	10	17	20	24
B. OPERATED	46	10.7	135	2	3	8	13	27	49	99+
TOTAL 0-19 YRS	18	6.9	146	<1	1	2	7	24	40	47
20-34	6	12.7	164	3	3	8	18	34	36	36
35-49	12	8.5	26	2	3	7	12	16	17	17
50-64	15	7.0	20	1	2	6	11	16	75	99+
65+	18	12.7	179	3	3	9	15	22	46	61
GRAND TOTAL	**69**	**9.2**	**109**	**1**	**1**	**6**	**12**	**18**	**36**	**92**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	6.8	65	1	2	4	6	20	28	30
20-34	9	6.4	41	1	1	4	9	18	20	20
35-49	15	18.3	483	<1	1	11	35	67	90	99+
50-64	27	12.7	98	2	3	12	18	24	28	48
65+	7	23.3	438	6	6	11	40	56	59	59
B. *Operated*										
0-19 YRS	6	21.0	42	16	16	19	23	32	33	33
20-34	25	20.7	303	2	4	14	27	39	57	81
35-49	31	22.8	278	3	4	19	29	49	57	67
50-64	19	25.2	422	8	8	18	36	69	86	99+
65+	13	35.8	668	5	8	32	66	83	96	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	10.1	121	<1	1	6	22	34	77	99+
20-34	18	16.2	265	1	2	13	27	54	82	99+
35-49	15	17.5	286	<1	1	13	30	60	89	99+
50-64	42	14.4	229	2	3	9	17	43	56	99+
65+	19	30.9	728	4	6	24	40	89	99+	99+
B. *Operated*										
0-19 YRS	21	29.0	525	5	6	21	44	64	78	84
20-34	18	24.5	220	4	5	26	36	53	82	99+
35-49	27	30.1	375	8	12	31	42	80	99+	99+
50-64	25	33.8	516	8	10	29	54	97	99+	99+
65+	18	43.1	643	10	16	38	62	90	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	13.1	216	1	2	8	17	35	57	93
B. *Operated*	94	24.4	362	3	6	19	33	63	72	99+
2. MULTIPLE DX										
A. *Not Operated*	110	17.3	344	1	2	12	29	54	94	99+
B. *Operated*	110	32.0	472	6	9	29	52	84	99+	99+
1. SINGLE DX	165	19.5	329	2	3	15	25	52	67	99+
2. MULTIPLE DX	220	24.6	460	2	4	20	38	68	99+	99+
A. NOT OPERATED	181	15.6	297	1	2	10	23	46	69	99+
B. OPERATED	204	28.5	433	4	8	23	41	68	92	99+
TOTAL 0-19 YRS	56	17.6	337	1	2	13	26	46	67	99
20-34	70	18.7	261	2	3	14	28	43	61	99+
35-49	88	23.4	356	1	3	20	34	60	87	99+
50-64	114	20.2	359	3	4	15	29	59	88	99+
65+	57	34.9	664	6	7	32	58	82	99	99+
GRAND TOTAL	**385**	**22.5**	**409**	**2**	**3**	**17**	**33**	**60**	**84**	**99+**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	12.0		12	12	12	12	12	12	12
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	2	18.5	5	17	17	18	20	20	20	20
20-34	1	16.0		16	16	16	16	16	16	16
35-49	1	14.0		14	14	14	14	14	14	14
50-64	2	23.0	2	22	22	23	24	24	24	24
65+	1	27.0		27	27	27	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34										
35-49										
50-64										
65+	2	37.0	1568	9	9	37	65	65	65	65
B. *Operated*										
0-19 YRS	3	28.0	372	14	14	50	99+	99+	99+	99+
20-34	4	24.5	132	10	10	26	53	99+	99+	99+
35-49	3	42.0	532	18	18	44	59	64	64	64
50-64	3	28.3	1276	2	2	14	55	69	69	69
65+	1	23.0		23	23	23	23	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	6.7	30	1	1	7	11	12	12	12
B. *Operated*	7	20.0	22	14	14	20	23	26	27	27
2. MULTIPLE DX										
A. *Not Operated*	4	20.5	886	3	3	7	37	65	65	65
B. *Operated*	14	29.7	414	5	11	26	65	99+	99+	99+
1. SINGLE DX	10	16.0	63	1	4	16	22	25	27	27
2. MULTIPLE DX	18	27.7	488	3	4	24	64	99+	99+	99+
A. NOT OPERATED	7	14.6	508	1	1	7	11	54	65	65
B. OPERATED	21	26.5	297	8	13	23	47	99+	99+	99+
TOTAL 0-19 YRS	8	16.3	244	1	2	18	50	99+	99+	99+
20-34	6	21.0	110	10	10	24	35	88	99+	99+
35-49	4	35.0	551	14	14	31	54	64	64	64
50-64	6	23.0	579	2	2	18	24	64	69	69
65+	4	31.0	573	9	9	25	46	65	65	65
GRAND TOTAL	**28**	**23.5**	**361**	**2**	**4**	**20**	**42**	**81**	**99+**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.7	54	2	2	5	13	16	16	16
20-34	9	6.0	16	<1	1	5	8	12	14	14
35-49	13	7.5	19	3	3	7	9	14	17	18
50-64	15	8.2	34	1	3	7	9	18	22	24
65+	8	7.1	8	3	3	8	9	10	10	10
B. *Operated*										
0-19 YRS	3	6.0	12	4	4	4	9	10	10	10
20-34	29	7.4	21	4	4	6	9	14	19	22
35-49	39	6.2	9	3	4	5	8	10	14	16
50-64	26	8.5	49	4	5	6	9	15	21	39
65+	13	7.2	9	4	4	6	9	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	9.0	126	1	1	4	9	31	33	33
20-34	10	5.4	10	1	1	6	7	9	11	11
35-49	15	8.5	26	2	5	7	9	17	21	22
50-64	19	5.2	9	<1	1	6	7	9	11	12
65+	18	22.0	574	3	4	11	27	64	78	84
B. *Operated*										
0-19 YRS	12	17.5	208	6	6	13	19	38	55	58
20-34	29	8.9	26	4	5	7	11	16	22	23
35-49	34	7.9	23	3	4	6	9	15	18	25
50-64	43	12.0	112	4	4	9	14	23	52	99+
65+	45	13.3	77	4	5	11	18	27	33	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	7.4	22	2	3	7	9	14	18	24
B. *Operated*	110	7.2	22	4	4	6	8	12	15	29
2. MULTIPLE DX										
A. *Not Operated*	73	10.6	207	1	2	7	10	26	38	81
B. *Operated*	163	11.3	81	4	5	8	15	22	30	58
1. SINGLE DX	158	7.2	22	3	4	6	9	13	16	24
2. MULTIPLE DX	236	11.1	119	2	4	7	13	22	32	71
A. NOT OPERATED	121	9.3	135	1	2	7	9	17	28	73
B. OPERATED	273	9.7	61	4	4	7	11	18	23	55
TOTAL 0-19 YRS	29	12.1	154	1	2	9	15	29	34	58
20-34	77	7.5	22	2	4	6	9	14	18	23
35-49	101	7.3	18	3	4	6	8	13	17	23
50-64	103	9.3	71	2	4	7	10	17	24	76
65+	84	13.6	186	4	4	9	17	28	36	79
GRAND TOTAL	**394**	**9.6**	**84**	**3**	**4**	**7**	**10**	**18**	**25**	**57**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	4	4.0	12	<1	<1	4	7	7	7	7
35-49	13	8.5	83	1	1	6	9	27	28	28
50-64	56	7.4	45	1	1	5	10	19	23	27
65+	55	12.0	215	1	2	7	13	24	44	76
B. *Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	17	8.8	63	1	2	3	15	20	23	25
35-49	43	12.4	170	<1	2	7	18	30	43	57
50-64	66	10.9	98	2	2	8	16	27	35	41
65+	76	11.2	145	2	2	8	14	20	28	74
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	7.4	123	<1	1	4	6	20	25	57
20-34	54	8.6	91	1	1	5	11	21	33	41
35-49	216	10.4	108	1	2	7	14	22	30	66
50-64	581	12.5	176	2	2	9	16	29	42	97
65+	781	15.6	233	2	3	11	21	36	55	99+
B. *Operated*										
0-19 YRS	19	17.2	221	<1	1	12	32	40	43	46
20-34	84	12.4	116	3	4	9	15	23	31	58
35-49	255	16.0	197	2	3	12	21	32	47	91
50-64	633	17.2	210	2	3	14	23	35	46	79
65+	714	19.6	277	2	4	15	27	42	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	9.3	123	1	1	6	11	21	27	67
B. *Operated*	204	11.1	127	2	2	8	15	24	32	53
2. MULTIPLE DX										
A. *Not Operated*	1662	13.5	195	2	2	9	18	32	46	99+
B. *Operated*	1705	17.8	234	2	3	14	24	38	52	92
1. SINGLE DX	334	10.4	126	1	2	7	13	23	30	58
2. MULTIPLE DX	3367	15.7	220	2	3	11	21	35	49	99+
A. NOT OPERATED	1792	13.2	191	2	2	9	17	31	45	99+
B. OPERATED	1909	17.1	227	2	3	13	23	37	49	88
TOTAL 0-19 YRS	53	10.6	171	<1	1	5	12	34	40	57
20-34	159	10.5	103	1	2	8	14	22	31	56
35-49	527	13.3	163	2	2	10	18	30	41	73
50-64	1336	14.5	190	2	2	11	19	31	43	88
65+	1626	17.0	254	2	3	12	23	39	57	99+
GRAND TOTAL	**3701**	**15.2**	**213**	**2**	**3**	**11**	**20**	**34**	**47**	**95**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.3	11	1	1	2	5	9	10	12
20-34	64	5.9	90	1	1	2	5	12	33	46
35-49	34	7.9	112	1	1	4	7	26	32	37
50-64	27	3.2	21	1	1	1	4	6	13	23
65+	4	6.5	50	2	2	3	10	17	17	17
B. *Operated*										
0-19 YRS	27	12.4	98	2	2	10	22	26	28	35
20-34	68	8.8	52	2	2	7	11	16	27	32
35-49	23	11.6	93	1	2	8	19	26	29	31
50-64	11	13.5	196	2	2	9	15	39	44	45
65+	5	10.0	113	3	3	3	17	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.6	1	1	1	1	2	3	3	3
20-34	31	7.6	92	1	1	4	8	19	34	42
35-49	19	4.8	24	1	1	2	10	14	58	99+
50-64	15	9.8	96	1	1	7	11	27	34	36
65+	10	11.5	117	2	2	7	16	29	31	31
B. *Operated*										
0-19 YRS	7	13.7	253	1	2	7	15	42	48	48
20-34	39	15.3	249	1	2	9	19	35	59	61
35-49	19	17.7	421	4	6	12	18	27	67	98
50-64	20	17.8	228	1	2	12	28	40	47	52
65+	15	24.6	242	6	7	26	33	62	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	5.5	72	1	1	2	5	14	26	38
B. *Operated*	134	10.4	82	2	2	8	14	26	29	37
2. MULTIPLE DX										
A. *Not Operated*	84	7.2	76	1	1	4	10	17	32	80
B. *Operated*	100	17.6	276	2	3	11	26	39	58	99
1. SINGLE DX	285	7.8	82	1	1	4	10	23	28	38
2. MULTIPLE DX	184	12.8	211	1	1	8	16	34	44	99
A. NOT OPERATED	235	6.1	74	1	1	3	7	16	29	43
B. OPERATED	234	13.5	176	2	2	10	18	30	37	69
TOTAL 0-19 YRS	65	8.0	92	1	1	4	11	23	26	46
20-34	202	8.9	118	1	1	5	10	23	33	58
35-49	95	10.1	166	1	1	6	14	26	31	99
50-64	73	10.1	150	1	1	6	11	31	37	50
65+	34	16.5	209	2	2	14	28	35	58	99+
GRAND TOTAL	**469**	**9.8**	**138**	**1**	**1**	**5**	**12**	**27**	**35**	**61**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	8.2	102	<1	1	3	10	23	32	37
20-34	9	10.3	72	1	1	8	18	22	24	24
35-49	4	7.3	56	1	1	5	12	18	16	18
50-64	38	2.3	17	1	1	1	1	6	9	24
65+	42	5.8	42	<1	1	4	7	12	18	34
B. *Operated*										
0-19 YRS	31	17.1	283	1	2	14	26	49	69	99+
20-34	4	26.0	559	1	1	22	41	58	58	58
35-49	2	7.5	25	4	4	7	11	11	11	11
50-64	8	13.5	64	2	3	14	20	22	23	23
65+	20	12.2	374	1	2	5	14	25	59	88
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	9.7	84	<1	1	6	12	27	30	32
20-34	3	5.7	16	<1	<1	8	8	8	8	8
35-49	14	6.4	102	1	1	1	8	28	29	29
50-64	17	7.2	37	1	1	7	9	18	20	21
65+	88	9.8	90	1	1	7	13	23	30	81
B. *Operated*										
0-19 YRS	12	35.5	766	1	4	29	55	73	92	95
20-34	6	37.3	971	8	8	29	71	76	77	77
35-49	6	10.2	111	1	1	8	11	28	30	30
50-64	21	14.6	201	5	6	9	15	32	55	59
65+	54	18.8	248	4	5	15	26	45	64	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	5.7	57	<1	1	2	7	18	24	35
B. *Operated*	65	15.4	291	1	2	11	21	36	60	98
2. MULTIPLE DX										
A. *Not Operated*	148	9.0	82	1	1	7	12	22	29	52
B. *Operated*	99	20.5	377	3	5	13	27	52	69	97
1. SINGLE DX	191	9.0	157	1	1	4	11	24	33	80
2. MULTIPLE DX	247	13.6	231	1	1	9	17	32	51	95
A. NOT OPERATED	274	7.5	73	1	1	5	9	21	27	41
B. OPERATED	164	18.5	347	2	3	12	25	48	68	99
TOTAL 0-19 YRS	102	14.5	294	1	1	7	22	37	58	97
20-34	22	19.9	502	<1	1	9	24	62	73	77
35-49	26	7.5	85	1	1	3	11	27	29	30
50-64	84	7.4	97	1	1	4	9	19	22	56
65+	204	11.6	169	1	1	8	15	27	40	93
GRAND TOTAL	**438**	**11.6**	**204**	**1**	**1**	**7**	**15**	**28**	**44**	**89**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	6.9	56	<1	<1	4	8	18	23	29
20-34	44	5.1	44	<1	<1	4	6	12	19	32
35-49	20	6.5	31	1	1	5	7	16	19	22
50-64	46	6.5	99	<1	1	4	6	16	28	56
65+	44	6.7	49	<1	<1	4	10	18	22	26
B. *Operated*										
0-19 YRS	12	18.6	688	<1	<1	16	24	98	99+	99+
20-34	19	25.5	636	4	5	10	33	70	74	74
35-49	19	20.1	429	1	2	8	38	52	55	56
50-64	27	15.5	244	3	3	8	27	43	46	49
65+	26	15.8	106	1	4	14	24	29	34	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	9.2	178	1	1	5	7	31	45	51
20-34	24	7.6	132	<1	<1	4	8	21	42	43
35-49	20	7.8	34	1	2	7	10	13	21	27
50-64	59	10.8	131	<1	1	7	15	29	41	95
65+	84	11.5	259	1	2	5	13	27	60	98
B. *Operated*										
0-19 YRS	3	8.3	25	3	3	9	12	13	13	13
20-34	23	38.0	640	7	7	39	65	73	90	99+
35-49	31	28.9	427	8	10	20	37	55	77	89
50-64	37	24.5	420	3	4	20	31	56	74	77
65+	49	19.2	210	2	4	14	29	44	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	175	6.3	59	<1	<1	4	7	16	22	31
B. *Operated*	103	18.6	364	2	3	10	29	49	64	98
2. MULTIPLE DX										
A. *Not Operated*	208	10.3	177	<1	1	6	12	26	43	96
B. *Operated*	143	25.5	416	3	5	18	38	58	73	99+
1. SINGLE DX	278	10.8	207	<1	1	5	14	30	44	74
2. MULTIPLE DX	351	16.5	329	1	2	9	23	44	62	99
A. NOT OPERATED	383	8.4	127	<1	1	5	10	21	30	70
B. OPERATED	246	22.6	404	3	4	16	33	54	72	99+
TOTAL 0-19 YRS	57	10.3	239	<1	1	5	14	26	47	99+
20-34	110	16.1	461	<1	1	6	26	63	68	91
35-49	90	17.4	339	1	2	9	24	49	54	85
50-64	169	13.4	242	<1	1	7	19	37	49	76
65+	203	12.9	200	1	2	8	17	30	44	97
GRAND TOTAL	**629**	**14.0**	**283**	**<1**	**1**	**7**	**18**	**39**	**54**	**94**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	4.8	24	<1	1	3	4	14	17	18
20-34	54	4.4	29	1	1	3	5	11	12	31
35-49	128	3.8	29	1	1	2	4	9	15	31
50-64	205	5.0	82	1	1	1	5	12	18	49
65+	200	6.4	74	1	1	4	7	17	24	55
B. *Operated*										
0-19 YRS	17	12.7	121	1	2	10	22	25	35	40
20-34	40	12.0	132	1	2	9	16	27	39	49
35-49	78	11.6	173	1	1	7	15	26	34	71
50-64	131	12.7	156	1	2	9	17	27	35	93
65+	114	13.5	165	1	2	9	19	33	43	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.6	28	1	1	4	9	13	16	18
20-34	18	6.4	20	1	1	6	11	13	14	14
35-49	48	11.6	117	2	2	7	16	29	38	48
50-64	158	10.9	155	1	1	7	16	28	37	99
65+	202	13.5	213	1	2	9	17	37	54	99+
B. *Operated*										
0-19 YRS	12	24.3	656	1	1	16	32	71	79	80
20-34	14	19.9	192	6	10	18	22	62	90	99+
35-49	51	24.0	348	2	3	19	35	52	64	77
50-64	157	20.4	294	3	4	16	27	50	57	99
65+	205	24.8	425	3	5	19	34	61	74	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	619	5.2	61	1	1	2	5	13	19	41
B. *Operated*	380	12.6	157	1	2	9	17	28	38	66
2. MULTIPLE DX										
A. *Not Operated*	445	11.7	170	1	1	8	15	29	40	99+
B. *Operated*	439	23.0	369	3	4	17	31	53	67	99+
1. SINGLE DX	999	8.0	111	1	1	4	10	21	30	53
2. MULTIPLE DX	884	17.3	300	1	2	12	23	43	60	99+
A. NOT OPERATED	1064	7.9	117	1	1	4	10	20	31	65
B. OPERATED	819	18.2	297	2	3	13	24	43	59	91
TOTAL 0-19 YRS	80	9.6	180	1	1	4	12	24	32	76
20-34	126	8.8	103	1	1	5	12	20	31	71
35-49	305	10.4	181	1	1	5	13	30	38	67
50-64	651	11.7	198	1	1	7	16	29	43	92
65+	721	14.7	275	1	1	9	19	40	55	90
GRAND TOTAL	**1883**	**12.4**	**221**	**1**	**1**	**7**	**17**	**32**	**46**	**87**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	4.3		4	4	4	5	5	5	5
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	23	4.4	14	<1	<1	4	6	8	14	17
20-34	57	4.4	5	<1	1	5	6	7	9	11
35-49	60	4.7	6	1	2	4	6	8	9	14
50-64	66	4.5	7	1	2	4	6	8	10	11
65+	38	6.3	64	2	2	5	7	10	13	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34										
35-49	2	6.5	5	5	5	6	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS	4	8.0	18	4	4	7	11	13	13	13
20-34	13	6.2	19	2	3	5	9	26	84	99+
35-49	20	5.7	15	1	2	5	7	9	14	19
50-64	39	6.6	45	2	2	5	7	12	17	41
65+	40	10.1	105	2	2	7	13	18	22	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.3	2	1	1	4	4	5	5	5
B. *Operated*	244	4.8	16	1	2	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	7	4.9	26	1	1	2	7	14	15	[illegible]
B. *Operated*	116	7.6	59	2	2	5	9	17	19	75
1. SINGLE DX	250	4.8	16	1	2	4	6	8	10	14
2. MULTIPLE DX	123	7.5	57	2	2	5	9	16	19	72
A. NOT OPERATED	13	4.2	15	1	1	4	5	9	14	15
B. OPERATED	360	5.7	31	1	2	5	7	10	14	39
TOTAL 0-19 YRS	31	4.5	15	<1	<1	4	6	11	13	17
20-34	70	4.8	8	1	2	5	6	8	11	83
35-49	83	4.9	8	1	2	4	6	8	10	17
50-64	109	5.2	21	2	2	4	6	10	11	27
65+	80	8.3	86	2	2	6	9	16	20	59
GRAND TOTAL	**373**	**5.7**	**31**	**1**	**2**	**5**	**7**	**10**	**14**	**37**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	6.6	31	2	2	4	9	16	16	16
20-34	5	2.6	1	1	1	3	3	4	4	4
35-49	11	2.3	1	<1	<1	2	3	4	4	4
50-64	18	3.1	14	1	1	2	3	9	13	15
65+	17	3.1	11	<1	1	2	3	7	12	14
B. *Operated*										
0-19 YRS	5	7.2	53	<1	<1	5	11	19	19	19
20-34	27	6.5	26	1	1	6	9	13	18	21
35-49	50	7.8	32	1	2	8	10	14	21	25
50-64	105	6.6	25	1	1	5	10	13	15	23
65+	75	6.8	36	1	2	4	10	14	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.6	21	1	1	6	9	11	11	11
35-49	11	11.4	211	1	1	7	12	32	50	52
50-64	15	8.5	60	1	2	6	11	23	27	28
65+	34	11.7	89	2	3	8	17	23	25	47
B. *Operated*										
0-19 YRS	11	13.2	82	2	3	13	18	26	32	33
20-34	25	12.0	78	3	3	10	16	24	31	35
35-49	43	11.4	99	1	3	9	13	21	31	54
50-64	147	11.2	87	2	2	9	16	22	28	48
65+	212	13.2	157	1	2	10	17	28	38	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	3.2	11	1	1	2	3	7	13	16
B. *Operated*	262	6.9	30	1	2	5	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	65	10.4	97	1	2	7	13	23	26	51
B. *Operated*	438	12.3	121	2	2	10	16	25	33	57
1. SINGLE DX	318	6.2	28	1	1	4	9	13	16	24
2. MULTIPLE DX	503	12.0	118	2	2	9	16	25	32	56
A. NOT OPERATED	121	7.1	70	1	1	4	8	17	23	48
B. OPERATED	700	10.3	94	1	2	8	13	22	28	52
TOTAL 0-19 YRS	21	10.2	68	1	2	7	15	20	27	33
20-34	62	8.3	54	1	1	6	11	18	23	34
35-49	115	9.0	77	1	2	8	11	18	23	53
50-64	285	8.9	64	1	2	7	12	19	24	42
65+	338	11.1	125	1	2	8	15	25	32	57
GRAND TOTAL	**821**	**9.8**	**91**	**1**	**2**	**8**	**13**	**22**	**27**	**51**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	2.0		2	2	2	2	2	2	2
50-64	3	1.7		<1	<1	2	2	2	2	2
65+	2	8.5	85	2	2	8	15	15	15	15
B. *Operated*										
0-19 YRS	39	3.1	5	<1	1	3	3	5	8	13
20-34	28	3.8	29	<1	1	2	3	8	12	28
35-49	18	5.7	55	<1	1	3	9	12	24	31
50-64	36	6.7	55	<1	1	3	9	21	22	28
65+	24	6.0	37	1	2	3	9	16	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34										
35-49										
50-64	3	13.0	93	2	2	17	19	20	20	20
65+	2	12.0	8	10	10	12	14	14	14	14
B. *Operated*										
0-19 YRS	6	6.5	26	2	2	5	10	14	15	15
20-34	13	3.5	11	<1	<1	2	4	9	11	12
35-49	17	7.9	100	1	2	2	12	17	33	41
50-64	28	8.2	45	2	2	6	13	17	22	23
65+	10	4.4	23	<1	1	3	4	12	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.7	19	<1	<1	2	3	11	15	15
B. *Operated*	145	4.9	35	<1	1	2	5	13	18	28
2. MULTIPLE DX										
A. *Not Operated*	6	15.3	84	2	3	15	20	28	29	29
B. *Operated*	74	6.6	49	<1	2	3	11	15	17	37
1. SINGLE DX	155	4.8	34	<1	1	2	5	13	17	28
2. MULTIPLE DX	80	7.3	56	1	2	3	12	17	21	37
A. NOT OPERATED	16	8.1	73	<1	1	3	14	20	26	29
B. OPERATED	219	5.5	40	<1	1	3	7	15	17	29
TOTAL 0-19 YRS	48	4.0	22	<1	1	3	4	8	13	29
20-34	42	3.7	23	<1	1	2	4	8	11	28
35-49	37	6.5	72	<1	1	2	9	15	26	41
50-64	70	7.3	51	1	1	3	12	19	22	27
65+	38	6.0	34	1	2	3	10	16	17	24
GRAND TOTAL	**235**	**5.7**	**42**	**<1**	**1**	**3**	**7**	**15**	**19**	**29**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	8.5	47	2	2	5	15	19	19	19
20-34	10	2.4		1	1	2	3	3	3	3
35-49	6	5.3	10	2	2	5	8	10	10	10
50-64	2	7.0	32	3	3	7	11	11	11	11
65+	7	3.4	4	1	1	3	4	6	7	7
B. *Operated*										
0-19 YRS	309	4.0	26	1	1	3	4	7	11	29
20-34	271	3.8	12	<1	1	3	4	8	11	19
35-49	260	3.5	16	<1	<1	2	4	6	10	23
50-64	282	3.4	7	<1	<1	3	4	7	9	11
65+	116	4.1	11	1	2	3	5	8	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	17	1	1	1	8	9	9	9
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	3	6.0	61	1	1	2	12	15	15	15
50-64	10	9.0	71	2	2	5	16	23	23	23
65+	6	8.8	17	5	5	8	10	15	16	16
B. *Operated*										
0-19 YRS	54	7.6	85	1	1	4	9	18	26	47
20-34	84	4.6	22	<1	<1	3	5	10	12	28
35-49	118	5.0	61	<1	<1	3	6	11	14	37
50-64	179	6.1	45	1	2	4	8	13	18	34
65+	91	7.1	58	1	2	5	9	16	25	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	4.7	17	1	2	3	5	10	15	19
B. *Operated*	1238	3.7	15	<1	1	3	4	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	27	7.0	42	1	1	5	10	16	23	23
B. *Operated*	526	6.0	52	<1	1	4	7	13	17	36
1. SINGLE DX	1269	3.7	15	<1	1	3	4	7	10	21
2. MULTIPLE DX	553	6.0	52	<1	1	4	7	13	18	36
A. NOT OPERATED	58	5.8	29	1	1	4	7	15	18	23
B. OPERATED	1764	4.4	27	<1	1	3	5	9	12	30
TOTAL 0-19 YRS	374	4.6	36	1	1	3	5	9	15	36
20-34	368	3.9	14	<1	<1	3	4	9	11	22
35-49	387	4.0	31	<1	<1	2	4	8	11	23
50-64	473	4.5	25	<1	1	3	5	9	12	30
65+	220	5.4	33	1	2	3	6	11	16	33
GRAND TOTAL	**1822**	**4.4**	**27**	**<1**	**1**	**3**	**5**	**9**	**13**	**29**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	7.0	85	<1	1	4	7	18	32	38
20-34	3	3.3	4	<1	<1	4	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	2	6.0	50	1	1	6	11	11	11	11
B. *Operated*										
0-19 YRS	328	3.2	15	<1	<1	2	4	6	10	27
20-34	104	3.8	19	<1	<1	2	5	8	12	23
35-49	71	4.0	21	<1	<1	2	4	9	17	21
50-64	65	3.2	11	<1	<1	2	4	7	10	17
65+	31	4.2	16	<1	<1	3	6	8	9	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	6.5	60	<1	<1	3	10	21	24	25
20-34	4	8.3	21	5	5	6	11	15	15	15
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	3.0	7	1	1	2	5	6	6	6
65+	1	28.0		28	28	28	28	28	28	28
B. *Operated*										
0-19 YRS	66	5.2	61	<1	1	3	7	9	17	52
20-34	45	4.2	30	<1	<1	2	4	11	15	30
35-49	38	5.1	30	<1	<1	3	6	14	17	25
50-64	49	6.4	71	<1	<1	2	8	15	27	42
65+	37	8.7	172	1	2	4	7	28	38	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	6.3	66	<1	1	4	7	13	26	38
B. *Operated*	599	3.5	16	<1	<1	2	4	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	29	6.9	63	<1	<1	4	10	22	25	28
B. *Operated*	235	5.8	71	<1	<1	3	6	12	23	44
1. SINGLE DX	622	3.6	18	<1	<1	2	4	8	11	23
2. MULTIPLE DX	264	5.9	70	<1	<1	3	6	14	25	42
A. NOT OPERATED	52	6.6	63	<1	1	4	7	20	25	38
B. OPERATED	834	4.1	32	<1	<1	2	5	9	14	31
TOTAL 0-19 YRS	431	3.8	28	<1	<1	2	4	8	11	31
20-34	156	4.0	22	<1	<1	2	5	10	14	29
35-49	111	4.3	24	<1	<1	2	5	11	17	23
50-64	117	4.5	38	<1	<1	2	5	10	16	33
65+	71	6.9	107	<1	1	4	7	10	33	60
GRAND TOTAL	**886**	**4.3**	**35**	**<1**	**<1**	**2**	**5**	**9**	**15**	**32**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	73	2.1	1	<1	1	2	2	3	4	5
20-34	258	2.0	5	<1	<1	2	2	3	4	7
35-49	152	2.2	1	<1	<1	2	3	4	5	6
50-64	46	2.9	3	1	1	3	3	5	6	8
65+	22	3.0	1	1	2	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0	32	1	1	5	9	9	9	9
35-49										
50-64	1	15.0		15	15	15	15	15	15	15
65+										
B. *Operated*										
0-19 YRS	14	7.6	244	<1	1	3	4	16	51	61
20-34	96	2.3	3	<1	<1	2	3	4	5	12
35-49	83	2.9	7	<1	<1	2	3	5	6	18
50-64	53	3.4	8	1	2	2	3	6	11	14
65+	25	6.8	31	2	3	4	11	14	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*	551	2.2	3	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	3	8.3	49	1	1	9	13	15	15	15
B. *Operated*	271	3.4	22	<1	<1	2	3	5	11	21
1. SINGLE DX	554	2.2	3	<1	<1	2	3	4	4	7
2. MULTIPLE DX	274	3.4	22	<1	<1	2	3	6	11	21
A. NOT OPERATED	6	5.2	32	1	1	2	9	14	15	15
B. OPERATED	822	2.6	9	<1	<1	2	3	4	5	14
TOTAL 0-19 YRS	87	3.0	42	<1	1	2	3	4	5	42
20-34	358	2.1	4	<1	<1	2	2	3	4	9
35-49	235	2.5	4	<1	<1	2	3	4	5	9
50-64	101	3.3	7	1	1	2	3	6	8	15
65+	47	5.0	21	2	2	3	5	11	15	21
GRAND TOTAL	**828**	**2.6**	**10**	**<1**	**<1**	**2**	**3**	**4**	**6**	**14**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.3	7	2	2	3	6	8	8	8
35-49	21	5.1	12	<1	1	6	7	9	11	13
50-64	3	5.3	12	2	2	5	8	9	9	9
65+										
B. *Operated*										
0-19 YRS										
20-34	133	6.3	7	1	2	7	8	9	10	12
35-49	440	7.2	16	1	2	7	8	10	10	17
50-64	87	7.0	10	1	2	8	9	10	11	13
65+	8	11.8	38	2	4	10	16	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	20	5.8	15	<1	1	5	7	12	14	16
35-49	42	6.1	19	<1	1	7	8	11	15	18
50-64	15	6.1	7	2	3	7	8	9	10	11
65+	3	14.3	74	5	5	16	20	22	22	22
B. *Operated*										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	368	7.9	12	2	5	8	9	11	14	23
35-49	2273	8.4	12	3	6	8	9	12	15	20
50-64	607	9.0	17	2	6	8	10	14	17	24
65+	61	12.5	42	6	7	10	15	21	23	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.0	11	1	1	5	7	9	10	13
B. *Operated*	668	7.0	14	1	2	7	8	10	11	17
2. MULTIPLE DX										
A. *Not Operated*	80	6.3	19	1	1	6	8	12	16	21
B. *Operated*	3311	8.5	14	2	6	8	9	12	15	22
1. SINGLE DX	696	7.0	14	1	2	7	8	10	11	17
2. MULTIPLE DX	3391	8.5	14	2	5	8	9	12	15	22
A. NOT OPERATED	108	6.0	17	1	1	6	8	11	14	20
B. OPERATED	3979	8.3	14	2	5	8	9	12	15	22
TOTAL 0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	525	7.4	11	2	3	7	8	11	13	19
35-49	2776	8.1	13	2	5	8	9	11	14	19
50-64	712	8.7	16	2	5	8	10	13	16	24
65+	72	12.5	41	5	7	10	16	21	23	35
GRAND TOTAL	**4087**	**8.2**	**15**	**2**	**5**	**8**	**9**	**12**	**15**	**22**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	5	3.0	12	1	1	2	4	9	9	9
35-49	22	5.0	10	1	1	6	8	9	10	10
50-64	6	1.5		1	1	1	2	2	2	2
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	8.5	13	6	6	8	11	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	19	6.8	9	1	2	7	9	10	12	14
35-49	55	7.0	15	1	1	7	9	12	14	19
50-64	36	6.5	17	1	2	6	9	12	14	16
65+	12	5.8	50	2	2	3	7	17	24	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	35	4.1	10	1	1	2	7	9	9	10
2. MULTIPLE DX										
A. *Not Operated*	2	8.5	13	6	6	8	11	11	11	11
B. *Operated*	123	6.7	18	1	2	7	9	12	14	21
1. SINGLE DX	36	4.0	10	1	1	2	7	9	9	10
2. MULTIPLE DX	125	6.8	18	1	2	7	9	12	14	20
A. NOT OPERATED	3	6.0	25	1	1	6	10	11	11	11
B. OPERATED	158	6.2	17	1	1	7	9	11	13	19
TOTAL 0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	24	6.0	12	1	1	7	8	9	11	14
35-49	80	6.4	15	1	1	7	9	11	13	18
50-64	42	5.8	18	1	1	5	9	12	13	16
65+	14	5.5	43	2	2	3	6	14	23	25
GRAND TOTAL	**161**	**6.1**	**17**	**1**	**1**	**7**	**9**	**11**	**13**	**19**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	8.0	18	5	5	8	11	11	11	11
65+	2	10.0	32	6	6	10	14	14	14	14
B. *Operated*										
0-19 YRS	48	6.5	5	4	4	6	8	10	10	13
20-34	183	6.2	3	4	4	6	7	8	9	12
35-49	49	7.0	9	2	4	7	9	10	11	19
50-64	40	8.6	12	5	6	8	10	12	15	22
65+	15	11.0	15	7	7	10	12	17	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0		5	5	5	5	5	5	5
35-49	4	7.5	10	3	3	8	9	10	10	10
50-64										
65+	2	11.0	2	10	10	11	12	12	12	12
B. *Operated*										
0-19 YRS	25	7.4	8	4	5	6	8	12	13	16
20-34	206	6.8	8	4	4	7	8	10	11	15
35-49	128	8.7	26	4	5	8	9	13	20	33
50-64	87	10.5	38	6	6	9	11	18	23	40
65+	51	13.8	56	7	8	12	15	20	23	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.8	22	1	1	5	9	13	14	14
B. *Operated*	335	6.9	7	4	4	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	8	7.8	10	3	4	8	10	11	12	12
B. *Operated*	497	8.7	27	4	5	7	10	14	18	35
1. SINGLE DX	343	6.9	7	4	4	6	8	10	12	17
2. MULTIPLE DX	505	8.7	27	4	5	7	10	14	18	35
A. NOT OPERATED	16	6.8	16	1	1	6	10	12	13	14
B. OPERATED	832	8.0	20	4	5	7	9	12	15	24
TOTAL 0-19 YRS	74	6.8	6	4	4	6	8	10	12	15
20-34	393	6.5	6	4	4	6	7	9	10	14
35-49	182	8.2	21	4	5	8	9	12	16	29
50-64	129	9.9	30	5	6	8	11	16	21	39
65+	70	13.0	46	7	8	12	14	19	21	47
GRAND TOTAL	**848**	**8.0**	**20**	**4**	**5**	**7**	**9**	**12**	**15**	**24**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.0	11	1	1	2	5	8	8	8
20-34	8	2.1	3	<1	<1	1	3	5	6	6
35-49	8	4.0	7	<1	1	3	6	8	9	9
50-64	5	1.4		<1	<1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	7	6.3	21	<1	1	6	8	14	15	15
35-49	9	7.6	32	2	2	7	11	60	99+	99+
50-64	8	9.4	25	<1	2	9	11	17	19	19
65+	4	7.5	16	2	2	8	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	26	2.7	5	<1	<1	2	3	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	29	7.7	23	<1	2	8	10	17	20	99+
1. SINGLE DX	26	2.7	5	<1	<1	2	3	6	8	9
2. MULTIPLE DX	29	7.7	23	<1	2	8	10	17	20	99+
A. NOT OPERATED										
B. OPERATED	55	5.3	21	<1	<1	4	8	11	18	95
TOTAL 0-19 YRS	5	3.8	12	1	1	2	7	8	8	8
20-34	15	4.1	15	<1	<1	3	6	8	13	15
35-49	17	5.9	22	1	2	6	9	17	68	99+
50-64	13	6.3	31	<1	<1	7	10	13	18	19
65+	5	6.4	18	2	2	7	10	11	11	11
GRAND TOTAL	**55**	**5.3**	**21**	**<1**	**<1**	**4**	**8**	**11**	**18**	**95**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	10	3.8	7	1	1	3	5	8	9	9
35-49	12	4.0	10	<1	1	3	5	8	12	13
50-64	9	4.1	11	1	1	3	5	9	12	12
65+	3	6.0	16	2	2	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	3	1.7		1	1	2	2	2	2	2
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	10.0		10	10	10	10	10	10	10
65+	3	8.3	44	4	4	5	13	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*	37	4.0	9	1	1	3	5	9	11	13
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	11	4.7	20	1	1	3	5	12	16	16
1. SINGLE DX	39	4.0	8	1	1	3	5	8	11	13
2. MULTIPLE DX	11	4.7	20	1	1	3	5	12	16	16
A. NOT OPERATED	2	3.5	1	3	3	3	4	4	4	4
B. OPERATED	48	4.2	11	1	1	3	5	10	12	16
TOTAL 0-19 YRS	5	3.0	2	2	2	3	4	5	5	5
20-34	14	3.3	6	1	1	3	4	7	9	9
35-49	15	3.7	8	<1	1	3	4	5	11	13
50-64	10	4.7	13	1	1	4	5	11	12	12
65+	6	7.2	26	2	2	5	10	15	16	16
GRAND TOTAL	**50**	**4.1**	**11**	**1**	**1**	**3**	**5**	**9**	**12**	**16**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	3	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	2	6.0	50	<1	<1	5	11	11	11	11
20-34	5	2.8	4	<1	<1	2	4	6	6	6
35-49	6	2.5	6	<1	<1	1	4	7	7	7
50-64	15	5.6	115	<1	<1	3	4	6	34	44
65+	22	4.7	35	1	1	3	4	7	16	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	33.0		33	33	33	33	33	33	33
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	3	3.0	7	1	1	2	5	6	6	6
50-64	9	8.8	78	2	3	5	10	24	30	30
65+	25	8.1	65	1	2	5	12	16	27	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		1	1	1	1	1	1	1
B. *Operated*	50	4.6	51	<1	<1	3	4	7	11	44
2. MULTIPLE DX										
A. *Not Operated*	2	17.5	481	2	2	17	33	33	33	33
B. *Operated*	39	7.6	62	1	1	4	10	16	28	34
1. SINGLE DX	53	4.4	49	<1	<1	3	4	7	10	44
2. MULTIPLE DX	41	8.0	76	1	1	4	11	20	31	34
A. NOT OPERATED	5	7.6	202	1	1	1	10	33	33	33
B. OPERATED	89	5.9	58	<1	<1	4	6	14	25	40
TOTAL 0-19 YRS	2	6.0	50	<1	<1	5	11	11	11	11
20-34	7	2.6	3	<1	<1	2	3	5	6	6
35-49	9	2.7	6	<1	<1	1	4	7	7	7
50-64	25	7.8	123	<1	<1	4	6	30	36	44
65+	51	6.1	51	1	1	4	7	15	25	34
GRAND TOTAL	**94**	**6.0**	**63**	**<1**	**1**	**3**	**6**	**15**	**29**	**40**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	22	2.4	7	<1	<1	2	2	4	8	14
20-34	6	1.8	3	<1	<1	1	2	5	5	5
35-49	3	5.0	16	1	1	5	8	9	9	9
50-64	1	23.0		23	23	23	23	23	23	23
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	3	4.3	16	2	2	2	7	9	9	9
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	2	20.0	578	3	3	20	37	37	37	37
65+	4	7.8	92	2	2	4	13	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0		2	2	2	2	2	2	2
B. *Operated*	33	3.2	20	<1	<1	2	3	6	13	23
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	15	6.3	101	<1	<1	2	5	22	33	37
1. SINGLE DX	35	3.2	19	<1	<1	2	3	5	13	23
2. MULTIPLE DX	15	6.3	101	<1	<1	2	5	22	33	37
A. NOT OPERATED	2	2.0		2	2	2	2	2	2	2
B. OPERATED	48	4.2	46	<1	<1	2	4	9	22	37
TOTAL 0-19 YRS	27	2.3	6	<1	<1	2	2	4	6	14
20-34	9	2.7	7	<1	<1	2	3	7	9	9
35-49	6	3.3	10	<1	<1	2	5	9	9	9
50-64	3	21.0	292	3	3	23	33	37	37	37
65+	5	7.2	71	2	2	5	9	22	22	22
GRAND TOTAL	**50**	**4.1**	**44**	**<1**	**<1**	**2**	**4**	**9**	**22**	**37**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	3	7.7	82	1	1	4	14	18	18	18
35-49	3	11.7	41	7	7	9	16	19	19	19
50-64	7	17.6	494	1	1	7	36	52	54	54
65+	8	7.4	43	1	1	5	13	17	18	18
B. *Operated*										
0-19 YRS	3	10.0	31	5	5	9	14	16	16	16
20-34	8	9.8	60	1	1	10	15	20	22	22
35-49	21	14.0	62	3	4	14	17	22	29	37
50-64	25	15.4	72	1	3	15	22	31	46	99+
65+	5	22.8	357	6	6	15	36	52	52	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	24.0	387	6	6	33	72	99+	99+	99+
50-64	6	14.3	95	3	4	19	64	99+	99+	99+
65+	6	17.5	226	1	2	22	70	99+	99+	99+
B. *Operated*										
0-19 YRS	3	39.7	505	15	15	52	79	99+	99+	99+
20-34	6	28.5	739	6	8	23	68	96	99+	99+
35-49	9	31.1	130	20	20	31	51	99+	99+	99+
50-64	34	27.5	236	7	10	22	45	55	87	99+
65+	22	30.5	339	6	16	29	59	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	10.9	184	1	1	7	13	24	48	54
B. *Operated*	62	14.5	90	1	3	14	18	28	34	94
2. MULTIPLE DX										
A. *Not Operated*	19	14.5	181	1	2	17	43	99+	99+	99+
B. *Operated*	74	29.4	290	7	14	27	48	99+	99+	99+
1. SINGLE DX	85	13.5	116	1	1	13	18	27	39	83
2. MULTIPLE DX	93	26.4	302	3	6	25	47	99+	99+	99+
A. NOT OPERATED	42	12.5	182	1	1	9	22	90	99+	99+
B. OPERATED	136	22.6	253	3	6	19	33	59	99+	99+
TOTAL 0-19 YRS	10	16.8	378	1	2	9	38	75	98	99+
20-34	19	14.5	340	1	1	14	20	54	91	99+
35-49	36	18.9	149	4	5	18	28	50	99+	99+
50-64	72	21.2	219	2	4	19	33	53	99+	99+
65+	41	23.2	334	1	2	24	41	99+	99+	99+
GRAND TOTAL	**178**	**20.2**	**254**	**1**	**3**	**18**	**31**	**60**	**99+**	**99+**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.5	4	1	1	3	5	6	6	6
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	16	4.6	3	2	2	4	5	7	8	9
20-34	114	5.3	9	3	3	5	6	7	9	24
35-49	148	5.3	3	3	4	5	6	7	8	11
50-64	107	5.4	3	3	4	5	6	8	9	11
65+	27	6.3	5	4	4	6	7	8	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	8.0	67	<1	<1	6	14	17	17	17
65+	2	31.5	181	22	22	31	41	41	41	41
B. *Operated*										
0-19 YRS	7	5.0	1	4	4	5	5	7	7	7
20-34	46	5.3	11	3	3	5	6	8	9	24
35-49	52	6.0	8	3	3	5	7	10	13	16
50-64	77	7.2	16	3	4	6	7	11	18	22
65+	28	7.6	11	4	4	7	9	12	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.5	4	1	2	5	6	7	7	7
B. *Operated*	412	5.4	5	3	4	5	6	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	5	17.4	244	<1	<1	17	27	41	41	41
B. *Operated*	210	6.5	12	3	4	5	7	10	13	21
1. SINGLE DX	420	5.4	5	3	4	5	6	7	8	14
2. MULTIPLE DX	215	6.7	19	3	4	6	7	11	16	23
A. NOT OPERATED	13	9.5	126	<1	1	6	9	26	38	41
B. OPERATED	622	5.7	8	3	4	5	6	8	10	19
TOTAL 0-19 YRS	23	4.7	2	2	3	5	5	7	8	9
20-34	164	5.2	9	3	3	5	6	7	9	24
35-49	201	5.5	4	3	4	5	6	8	9	14
50-64	189	6.2	10	3	4	6	7	9	11	21
65+	58	7.8	32	4	4	6	8	12	17	39
GRAND TOTAL	**635**	**5.8**	**10**	**3**	**4**	**5**	**6**	**8**	**11**	**21**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	11	5.0	7	<1	2	4	7	9	11	11
35-49	5	6.0	30	1	1	4	9	15	15	15
50-64	3	7.0	21	3	3	6	10	12	12	12
65+										
B. *Operated*										
0-19 YRS	2	11.5	41	7	7	11	16	16	16	16
20-34	20	10.6	23	3	4	10	13	17	20	21
35-49	13	20.5	444	3	5	16	21	56	73	77
50-64	14	15.8	159	3	5	13	14	41	45	46
65+	5	11.0	115	5	5	7	13	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	21	3	3	3	9	11	11	11
20-34	8	6.4	43	2	2	4	6	17	22	22
35-49	4	9.5	56	3	3	8	15	19	19	19
50-64	9	10.8	101	4	4	7	11	28	35	35
65+	9	15.8	268	2	3	11	20	42	56	56
B. *Operated*										
0-19 YRS	4	16.5	142	9	9	12	24	34	34	34
20-34	41	10.3	24	4	6	9	13	14	26	99+
35-49	34	13.6	90	4	5	10	16	27	37	42
50-64	46	14.4	152	5	5	10	19	30	43	64
65+	21	14.4	113	5	5	9	23	32	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	5.4	13	1	2	4	7	11	13	15
B. *Operated*	54	14.4	174	3	5	11	16	28	45	76
2. MULTIPLE DX										
A. *Not Operated*	33	10.5	123	2	3	6	11	21	33	56
B. *Operated*	146	13.1	96	5	5	10	14	28	36	65
1. SINGLE DX	75	11.9	145	3	3	9	14	21	37	70
2. MULTIPLE DX	179	12.6	102	3	4	9	14	27	35	62
A. NOT OPERATED	54	8.5	85	2	3	5	11	19	22	55
B. OPERATED	200	13.5	117	4	5	10	15	28	37	70
TOTAL 0-19 YRS	11	10.3	82	3	3	9	13	23	33	34
20-34	80	9.3	27	3	3	9	12	14	21	78
35-49	56	14.2	174	3	4	10	16	28	41	75
50-64	72	13.9	142	4	5	10	16	30	41	61
65+	35	14.3	145	5	5	9	21	30	36	56
GRAND TOTAL	**254**	**12.4**	**114**	**3**	**4**	**9**	**14**	**27**	**36**	**64**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	25	2.7	1	1	2	3	3	4	4	5
35-49	3	5.3	14	1	1	7	8	8	8	8
50-64	2	2.0	2	1	1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	26	3.0	2	1	1	3	4	4	6	8
20-34	927	4.3	7	1	2	3	6	8	9	11
35-49	243	5.0	8	2	2	5	7	8	9	11
50-64	56	5.9	13	1	2	6	8	9	12	18
65+	14	5.7	9	2	2	5	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	17	4.4	10	<1	1	3	7	9	10	10
35-49	9	5.2	14	1	1	7	8	10	10	10
50-64										
65+	2	17.0	2	16	16	17	18	18	18	18
B. *Operated*										
0-19 YRS	17	3.8	9	1	2	3	4	9	11	12
20-34	650	5.8	15	2	2	6	8	9	11	19
35-49	349	7.4	19	2	2	7	9	11	15	21
50-64	84	8.2	53	2	3	7	10	11	18	49
65+	27	9.1	33	2	3	9	11	18	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.0	3	1	1	3	3	6	7	8
B. *Operated*	1266	4.5	7	1	2	4	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	28	5.5	21	1	1	4	8	10	16	18
B. *Operated*	1127	6.5	20	2	2	6	8	11	13	22
1. SINGLE DX	1297	4.5	7	1	2	4	7	8	9	11
2. MULTIPLE DX	1155	6.5	20	2	2	6	8	10	13	21
A. NOT OPERATED	59	4.2	13	1	1	3	6	9	10	18
B. OPERATED	2393	5.5	14	2	2	5	7	9	11	18
TOTAL 0-19 YRS	44	3.4	5	1	1	3	4	7	8	12
20-34	1619	4.9	10	2	2	4	7	9	10	14
35-49	604	6.4	16	2	2	6	8	10	13	19
50-64	142	7.2	38	2	2	7	9	11	15	27
65+	43	8.4	29	2	3	8	11	16	20	24
GRAND TOTAL	**2452**	**5.4**	**14**	**2**	**2**	**5**	**7**	**9**	**11**	**18**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	14.3	76	7	7	12	21	24	24	24
65+	5	6.6	25	2	2	5	9	15	15	15
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	13	3.8	15	1	1	3	4	7	14	16
35-49	28	4.2	10	1	1	3	7	9	11	12
50-64	34	7.7	79	2	2	5	8	19	26	43
65+	57	6.2	43	1	2	4	8	13	17	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	8	6.8	16	1	1	7	10	11	12	12
65+	9	13.1	204	1	2	6	28	35	38	38
B. *Operated*										
0-19 YRS										
20-34	8	8.9	24	3	3	8	11	16	18	18
35-49	33	6.8	10	2	2	7	9	11	12	13
50-64	80	11.2	136	1	2	9	14	21	27	71
65+	91	13.2	166	2	2	9	19	31	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	8.3	47	2	2	6	12	19	24	24
B. *Operated*	134	5.9	43	1	2	4	7	12	17	40
2. MULTIPLE DX										
A. *Not Operated*	17	10.1	120	1	1	6	11	29	35	38
B. *Operated*	212	11.3	129	2	2	8	14	23	32	84
1. SINGLE DX	144	6.1	43	1	2	4	7	13	18	40
2. MULTIPLE DX	229	11.2	128	2	2	8	14	24	32	80
A. NOT OPERATED	27	9.4	91	1	2	6	11	26	31	38
B. OPERATED	346	9.2	102	1	2	6	11	21	28	68
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	22	5.6	23	1	2	4	8	13	17	18
35-49	62	5.6	12	1	2	5	8	10	11	13
50-64	125	10.1	113	1	2	7	12	21	26	65
65+	162	10.5	130	1	2	7	14	26	40	95
GRAND TOTAL	**373**	**9.2**	**101**	**1**	**2**	**6**	**11**	**21**	**29**	**66**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	8.1	28	2	3	8	10	18	19	19
20-34	18	4.2	10	<1	<1	4	5	9	12	14
35-49	18	4.3	7	<1	1	4	7	8	9	9
50-64	36	4.5	10	1	1	4	6	10	11	14
65+	54	6.5	17	1	1	6	9	13	15	16
B. *Operated*										
0-19 YRS	41	5.9	17	1	1	5	8	12	14	17
20-34	72	6.7	62	2	2	4	7	13	16	47
35-49	60	7.6	62	1	2	5	9	17	24	39
50-64	94	8.6	61	1	1	6	13	18	23	39
65+	113	7.0	38	1	2	5	10	15	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	8.4	62	1	3	6	8	21	29	31
20-34	21	8.0	53	1	1	6	10	20	24	26
35-49	23	7.7	46	<1	1	6	10	18	24	27
50-64	70	10.6	144	1	2	8	14	19	28	74
65+	123	10.4	174	1	2	6	14	25	37	99+
B. *Operated*										
0-19 YRS	25	18.7	412	1	3	9	24	60	64	71
20-34	47	12.9	226	2	3	9	15	26	39	93
35-49	64	10.4	138	<1	1	8	14	23	44	99+
50-64	135	13.7	170	2	2	11	17	29	44	87
65+	190	15.0	249	2	2	10	18	35	49	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	5.6	16	1	1	5	8	11	14	18
B. *Operated*	380	7.3	50	1	2	5	9	16	21	38
2. MULTIPLE DX										
A. *Not Operated*	251	9.9	137	1	2	6	13	22	29	87
B. *Operated*	461	14.0	218	2	2	10	17	33	48	96
1. SINGLE DX	523	6.8	41	1	2	5	9	14	18	34
2. MULTIPLE DX	712	12.5	193	1	2	9	16	28	42	94
A. NOT OPERATED	394	8.4	97	1	1	6	10	18	25	83
B. OPERATED	841	11.0	153	1	2	7	14	24	35	83
TOTAL 0-19 YRS	97	9.9	151	1	2	6	10	19	32	67
20-34	158	8.4	112	1	2	5	9	18	25	47
35-49	165	8.3	86	<1	1	6	10	18	27	97
50-64	335	10.7	125	1	2	8	14	22	30	60
65+	480	11.0	166	1	2	7	13	25	35	89
GRAND TOTAL	**1235**	**10.1**	**137**	**1**	**2**	**7**	**13**	**22**	**33**	**83**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	32	3	3	7	11	11	11	11
20-34	10	3.2	3	1	1	4	4	5	5	5
35-49	4	4.0	5	2	2	3	5	7	7	7
50-64	4	2.8	4	1	1	3	4	5	5	5
65+	7	7.9	5	4	5	8	10	11	11	11
B. *Operated*										
0-19 YRS	6	6.2	9	4	4	5	6	11	12	12
20-34	69	5.4	6	3	4	5	6	7	8	19
35-49	95	5.5	4	3	4	5	6	7	8	16
50-64	91	5.7	4	3	4	5	7	8	9	14
65+	46	7.5	17	4	4	6	8	13	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	7	6.9	62	<1	<1	4	9	21	23	23
50-64	12	5.4	17	1	1	4	8	11	14	14
65+	12	7.8	26	2	2	8	10	14	19	20
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	19	7.1	22	3	4	6	8	11	18	24
35-49	50	7.1	17	4	4	6	7	11	15	26
50-64	62	8.5	43	4	4	7	9	14	22	43
65+	46	11.5	92	4	4	8	13	26	36	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	4.7	9	1	1	4	7	10	11	11
B. *Operated*	307	5.9	7	3	4	5	7	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	32	6.5	29	1	1	5	10	12	19	23
B. *Operated*	178	8.7	49	4	4	6	9	15	24	43
1. SINGLE DX	334	5.8	7	3	4	5	7	8	10	18
2. MULTIPLE DX	210	8.4	46	3	4	6	9	15	23	40
A. NOT OPERATED	59	5.7	20	1	1	4	8	11	13	23
B. OPERATED	485	6.9	24	3	4	6	7	10	15	28
TOTAL 0-19 YRS	10	5.7	11	2	2	5	6	11	12	12
20-34	98	5.5	10	3	3	5	6	7	11	23
35-49	156	6.0	11	3	4	5	7	9	11	23
50-64	169	6.7	21	3	4	6	8	10	14	25
65+	111	9.2	51	4	4	7	10	17	24	41
GRAND TOTAL	**544**	**6.8**	**24**	**3**	**4**	**6**	**7**	**11**	**15**	**27**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	7.4	24	2	3	6	10	15	17	21
20-34	50	7.1	67	1	2	5	9	13	19	55
35-49	40	7.3	42	2	2	6	9	13	18	38
50-64	45	8.6	34	2	2	7	11	16	21	29
65+	42	9.7	92	2	3	7	13	15	29	56
B. *Operated*										
0-19 YRS	30	7.0	33	1	3	5	7	15	21	27
20-34	89	6.2	10	3	4	6	7	9	13	23
35-49	67	5.5	4	3	3	5	6	8	10	12
50-64	52	5.8	12	2	3	5	7	8	10	25
65+	18	8.5	52	3	4	7	9	13	27	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	9.2	55	2	2	7	11	20	28	31
20-34	45	7.0	29	2	2	5	9	14	19	24
35-49	57	11.1	213	1	3	8	12	19	35	91
50-64	124	11.5	80	3	3	9	15	23	30	45
65+	157	16.0	190	3	4	12	22	36	49	97
B. *Operated*										
0-19 YRS	7	15.7	319	4	4	10	15	47	55	55
20-34	40	7.6	50	2	2	5	9	14	22	38
35-49	49	10.3	105	4	4	7	14	19	26	67
50-64	64	11.0	192	2	3	7	11	20	29	88
65+	30	15.2	282	4	5	8	18	51	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	8.1	54	2	2	6	10	15	19	45
B. *Operated*	256	6.2	15	3	4	5	7	9	12	25
2. MULTIPLE DX										
A. *Not Operated*	413	12.5	141	2	3	9	16	28	37	68
B. *Operated*	190	10.9	160	3	4	7	13	20	38	84
1. SINGLE DX	463	7.0	33	2	3	6	8	12	16	29
2. MULTIPLE DX	603	12.0	148	2	3	8	15	25	37	72
A. NOT OPERATED	620	11.0	116	2	3	8	14	23	32	59
B. OPERATED	446	8.2	82	3	4	6	8	15	21	63
TOTAL 0-19 YRS	97	8.4	59	2	3	6	10	16	22	44
20-34	224	6.8	33	2	2	5	8	13	16	31
35-49	213	8.4	95	2	3	6	9	16	20	61
50-64	285	9.9	89	2	3	7	12	19	25	46
65+	247	14.3	181	3	4	10	17	33	49	99+
GRAND TOTAL	**1066**	**9.8**	**104**	**2**	**3**	**7**	**11**	**20**	**29**	**62**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	289	9.4	36	2	3	8	12	18	22	28
20-34	203	8.1	24	2	3	8	10	14	17	35
35-49	213	8.1	26	2	3	7	10	15	18	26
50-64	320	9.0	30	2	3	8	12	15	19	28
65+	378	10.8	82	2	3	9	13	21	28	51
B. *Operated*										
0-19 YRS										
20-34	1	28.0		28	28	28	28	28	28	28
35-49										
50-64	2	24.5	5	23	23	24	26	26	26	26
65+	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	233	9.0	68	1	2	7	12	18	23	38
20-34	224	8.5	59	2	3	7	10	16	20	52
35-49	399	9.0	42	2	3	8	11	17	21	36
50-64	888	10.7	66	3	4	9	13	20	24	46
65+	1669	13.1	118	3	4	10	16	26	35	99+
B. *Operated*										
0-19 YRS	14	14.8	47	3	8	13	18	26	28	29
20-34	22	12.6	51	2	4	11	17	23	25	26
35-49	27	14.6	111	5	6	12	18	23	29	60
50-64	71	17.3	192	3	5	14	23	36	58	93
65+	111	23.9	439	5	7	17	34	73	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1403	9.3	45	2	3	8	12	16	21	31
B. *Operated*	5	16.2	172	1	1	23	26	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	3413	11.4	91	2	3	9	14	22	29	80
B. *Operated*	245	19.4	290	4	6	14	23	57	74	99+
1. SINGLE DX	1408	9.3	45	2	3	8	12	17	22	31
2. MULTIPLE DX	3658	12.0	109	2	3	9	15	23	32	96
A. NOT OPERATED	4816	10.8	79	2	3	9	14	21	27	66
B. OPERATED	250	19.4	287	4	5	15	24	54	73	99+
TOTAL 0-19 YRS	536	9.4	51	2	2	8	13	18	22	31
20-34	450	8.6	45	2	3	8	10	16	20	40
35-49	639	8.9	41	2	3	8	11	16	21	32
50-64	1281	10.7	67	3	4	9	13	20	24	47
65+	2160	13.2	135	3	4	10	16	27	38	99+
GRAND TOTAL	**5066**	**11.2**	**92**	**2**	**3**	**9**	**14**	**21**	**28**	**78**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	187	7.4	34	1	2	6	10	15	20	26
20-34	99	6.2	13	1	2	6	9	11	13	14
35-49	46	6.5	15	1	2	6	9	11	12	20
50-64	56	9.1	48	1	2	9	12	17	18	40
65+	58	11.2	41	3	3	11	15	20	23	26
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	164	7.2	28	1	2	6	10	14	17	26
20-34	113	7.1	33	2	2	6	9	14	16	32
35-49	70	10.6	64	2	3	8	13	21	28	39
50-64	122	12.2	103	3	4	10	15	21	27	64
65+	177	17.2	234	3	5	14	21	38	49	99+
B. *Operated*										
0-19 YRS	12	12.4	49	2	3	12	16	23	24	24
20-34	12	19.0	287	7	8	13	20	38	65	70
35-49	7	29.9	328	5	8	28	36	59	64	64
50-64	13	20.5	152	9	10	17	30	59	91	99+
65+	16	29.3	273	6	8	29	46	89	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	446	7.7	32	1	2	6	10	15	19	25
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	646	11.2	120	2	3	9	14	21	32	80
B. *Operated*	60	22.0	239	5	7	19	30	57	80	99+
1. SINGLE DX	446	7.7	32	1	2	6	10	15	19	25
2. MULTIPLE DX	706	12.1	139	2	3	9	15	24	37	85
A. NOT OPERATED	1092	9.8	87	2	2	8	13	19	24	49
B. OPERATED	60	22.0	239	5	7	19	30	57	80	99+
TOTAL 0-19 YRS	363	7.5	32	1	2	6	10	15	19	26
20-34	224	7.3	44	2	2	6	9	14	15	30
35-49	123	10.2	85	1	2	8	12	21	28	46
50-64	191	11.9	97	2	3	10	15	21	30	71
65+	251	16.5	208	3	4	13	21	37	49	99+
GRAND TOTAL	**1152**	**10.4**	**102**	**2**	**2**	**8**	**13**	**21**	**28**	**64**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	8.4	29	2	3	7	11	16	20	24
20-34	84	6.8	21	1	2	6	8	12	17	21
35-49	97	8.5	27	1	3	8	11	16	19	23
50-64	165	9.4	29	3	3	8	12	17	20	26
65+	196	9.6	35	3	4	8	12	17	22	33
B. *Operated*										
0-19 YRS	4	13.0	158	3	3	9	22	30	30	30
20-34	13	5.6	29	2	2	4	6	12	20	22
35-49	5	5.6	2	4	4	5	6	8	8	8
50-64	26	10.0	87	2	2	6	12	27	34	35
65+	25	6.3	14	2	3	5	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	7.2	30	1	2	5	11	14	17	27
20-34	201	9.1	55	2	3	7	12	16	21	35
35-49	276	10.1	57	3	3	8	12	18	24	50
50-64	593	11.7	77	3	4	9	14	22	30	60
65+	994	14.2	137	3	4	11	18	31	44	99+
B. *Operated*										
0-19 YRS	6	17.7	200	5	5	14	21	42	44	44
20-34	53	15.3	176	3	4	11	20	44	55	99+
35-49	76	21.5	323	4	5	19	34	68	99+	99+
50-64	171	23.7	425	4	5	18	38	77	99+	99+
65+	272	29.3	539	5	6	27	54	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	685	8.8	30	2	3	8	11	16	20	25
B. *Operated*	73	7.8	52	2	3	5	9	16	27	35
2. MULTIPLE DX										
A. *Not Operated*	2175	12.2	102	3	4	10	15	24	35	99+
B. *Operated*	578	25.2	458	4	5	20	44	95	99+	99+
1. SINGLE DX	758	8.7	32	2	3	7	11	16	20	29
2. MULTIPLE DX	2753	14.9	205	3	4	11	18	38	64	99+
A. NOT OPERATED	2860	11.4	87	3	4	9	14	22	31	82
B. OPERATED	651	23.3	442	3	4	18	40	87	99+	99+
TOTAL 0-19 YRS	264	8.2	37	2	2	7	11	15	20	28
20-34	351	9.4	71	2	2	7	12	19	22	56
35-49	454	11.6	114	3	3	8	14	24	36	99+
50-64	955	13.4	155	3	4	10	16	29	48	99+
65+	1487	16.2	236	3	4	11	21	44	78	99+
GRAND TOTAL	**3511**	**13.6**	**174**	**3**	**4**	**10**	**16**	**32**	**53**	**99+**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.9	5	1	1	4	5	7	8	8
20-34	14	4.4	9	1	1	4	7	9	10	11
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	14	3.6	5	1	1	4	5	6	7	7
20-34	68	4.5	11	<1	<1	4	7	9	10	16
35-49	8	3.6	10	<1	<1	3	6	8	8	8
50-64	2	4.5	25	<1	<1	4	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	9	9.6	68	1	2	7	18	22	22	22
35-49	2	5.0		5	5	5	5	5	5	5
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	19.0		19	19	19	19	19	19	19
B. *Operated*										
0-19 YRS	9	6.7	34	1	1	6	9	16	19	19
20-34	102	5.6	11	1	1	6	8	10	12	15
35-49	7	7.0	11	<1	1	7	9	11	12	12
50-64	1	3.0		3	3	3	3	3	3	3
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.2	7	1	1	4	5	8	9	11
B. *Operated*	92	4.3	10	<1	<1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	15	8.8	53	1	1	7	15	21	22	22
B. *Operated*	119	5.8	13	1	1	6	8	10	12	17
1. SINGLE DX	114	4.3	9	<1	1	4	6	8	10	13
2. MULTIPLE DX	134	6.1	18	1	1	6	8	11	13	21
A. NOT OPERATED	37	6.1	30	1	1	4	8	16	20	22
B. OPERATED	211	5.1	12	<1	1	5	7	9	11	16
TOTAL 0-19 YRS	33	4.5	14	1	1	4	6	8	11	19
20-34	193	5.3	14	1	1	5	7	10	11	19
35-49	17	5.2	11	<1	<1	5	8	9	11	12
50-64	4	5.3	15	<1	<1	5	8	9	9	9
65+	1	19.0		19	19	19	19	19	19	19
GRAND TOTAL	**248**	**5.3**	**15**	**<1**	**1**	**5**	**7**	**9**	**12**	**19**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	4.8	18	1	1	3	7	10	11	22
20-34	70	6.7	47	1	1	4	9	15	22	33
35-49	41	6.0	34	1	1	4	8	13	19	26
50-64	52	6.0	37	1	1	4	7	15	18	27
65+	52	7.3	81	1	1	4	9	19	31	48
B. *Operated*										
0-19 YRS	9	7.8	30	1	2	6	10	16	20	20
20-34	12	7.8	55	<1	1	7	9	22	23	23
35-49	14	11.1	68	2	4	8	17	24	29	30
50-64	6	7.0	5	4	4	7	8	10	10	10
65+	3	17.3	16	15	15	15	20	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	6.3	48	1	1	4	8	14	26	32
20-34	103	6.0	31	<1	1	4	8	12	18	27
35-49	111	8.5	111	1	1	5	11	16	25	60
50-64	158	9.4	87	1	2	7	12	20	32	61
65+	247	11.0	175	1	2	7	13	27	52	99+
B. *Operated*										
0-19 YRS	15	11.1	58	4	5	9	13	31	80	99+
20-34	28	12.0	56	2	5	10	15	24	26	31
35-49	33	15.3	148	1	3	12	18	35	46	51
50-64	51	14.4	118	4	6	11	17	24	39	61
65+	17	20.9	113	7	7	20	28	42	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	321	6.0	40	1	1	4	8	13	18	32
B. *Operated*	44	9.4	49	1	2	7	11	22	23	30
2. MULTIPLE DX										
A. *Not Operated*	740	8.8	109	1	1	6	11	19	28	89
B. *Operated*	144	14.6	111	4	5	11	18	31	40	99+
1. SINGLE DX	365	6.4	42	1	1	4	8	14	20	32
2. MULTIPLE DX	884	9.8	114	1	2	7	12	22	32	95
A. NOT OPERATED	1061	8.0	90	1	1	5	10	17	26	63
B. OPERATED	188	13.4	101	2	4	10	18	26	34	84
TOTAL 0-19 YRS	251	6.0	37	1	1	4	8	12	20	32
20-34	213	7.1	44	1	1	5	10	16	23	30
35-49	199	9.3	106	1	1	6	12	19	26	49
50-64	267	9.6	88	1	2	7	13	19	27	59
65+	319	11.0	162	1	2	7	14	28	49	99+
GRAND TOTAL	**1249**	**8.8**	**95**	**1**	**1**	**6**	**11**	**19**	**28**	**63**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	6.1	28	<1	1	4	8	15	17	17
20-34	2	9.5	145	1	1	9	18	18	18	18
35-49	4	12.3	53	5	5	12	18	19	19	19
50-64	3	11.0	36	5	5	11	15	17	17	17
65+	10	8.5	24	2	2	7	11	16	18	18
B. *Operated*										
0-19 YRS	2	11.5	85	5	5	11	18	18	18	18
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	10.0		10	10	10	10	10	10	10
65+	4	18.5	283	3	3	14	30	42	42	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	9.4	25	3	3	9	12	18	19	19
20-34	6	10.0	42	3	3	8	14	20	21	21
35-49	22	13.3	132	3	4	9	15	33	42	43
50-64	31	18.0	232	4	5	14	22	38	40	77
65+	104	20.8	323	4	5	14	33	48	75	99+
B. *Operated*										
0-19 YRS	4	23.0	546	10	10	12	35	58	58	58
20-34	4	10.5	68	4	4	8	16	22	22	22
35-49	7	18.7	109	9	10	17	30	82	99+	99+
50-64	14	20.1	163	7	8	19	22	28	53	60
65+	12	26.3	245	9	10	24	38	68	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	8.4	35	1	1	7	14	18	18	19
B. *Operated*	8	14.4	154	3	4	10	18	35	42	42
2. MULTIPLE DX										
A. *Not Operated*	190	17.5	251	3	4	12	23	41	59	99+
B. *Operated*	41	21.0	204	6	9	19	25	58	74	99+
1. SINGLE DX	38	9.7	62	1	2	8	14	18	19	42
2. MULTIPLE DX	231	18.1	244	3	4	13	23	43	60	99+
A. NOT OPERATED	220	16.3	231	3	4	12	19	38	50	99+
B. OPERATED	49	20.0	199	5	7	18	24	53	60	99+
TOTAL 0-19 YRS	44	9.9	82	2	3	9	13	18	19	58
20-34	12	10.1	51	1	2	8	16	21	22	22
35-49	34	14.1	115	3	4	11	19	41	43	99+
50-64	49	18.0	196	4	5	15	21	36	41	77
65+	130	20.3	302	3	5	14	32	49	73	99+
GRAND TOTAL	**269**	**16.9**	**226**	**3**	**4**	**12**	**21**	**41**	**59**	**99+**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	13.6	51	3	4	14	19	21	24	36
20-34	9	12.7	66	3	5	10	14	26	32	32
35-49	2	9.0	2	8	8	9	10	10	10	10
B. *Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34										
35-49	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	13.4	125	2	4	12	18	21	29	69
20-34	21	13.2	55	5	6	11	18	23	30	34
35-49	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	15	16.2	97	3	5	14	26	29	30	30
20-34	6	10.0	20	5	5	8	15	16	16	16
35-49										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	13.4	51	3	4	13	18	21	24	36
B. *Operated*	4	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	124	13.3	112	2	4	11	18	21	29	61
B. *Operated*	21	14.4	81	3	5	14	22	28	29	30
1. SINGLE DX	81	12.9	54	2	4	13	17	21	24	36
2. MULTIPLE DX	145	13.4	107	2	5	12	18	22	29	53
A. NOT OPERATED	201	13.3	88	3	4	12	18	21	28	45
B. OPERATED	25	12.6	86	2	2	9	20	28	29	30
TOTAL 0-19 YRS	185	13.6	95	2	4	12	19	22	29	47
20-34	36	12.6	51	4	6	11	15	21	30	34
35-49	5	5.4	13	2	2	5	8	10	10	10
GRAND TOTAL	**226**	**13.2**	**88**	**2**	**4**	**12**	**18**	**22**	**29**	**43**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	9.2	65	1	3	7	12	16	23	40
20-34	37	11.0	83	2	3	9	14	18	35	43
35-49	14	8.5	29	2	3	7	13	16	16	16
50-64	8	9.6	27	4	4	10	13	17	18	18
65+										
B. *Operated*										
0-19 YRS	5	10.0	6	8	8	9	12	13	13	13
20-34	83	10.3	15	5	6	10	12	14	16	25
35-49	73	9.8	11	5	6	10	11	15	15	20
50-64	4	7.3	2	6	6	7	8	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	15.0	267	2	3	8	19	32	60	61
20-34	39	11.3	59	3	4	10	13	23	26	34
35-49	64	11.3	61	2	3	10	14	22	27	41
50-64	67	13.6	195	3	4	10	15	25	39	76
65+	27	15.3	179	2	3	14	23	33	68	99+
B. *Operated*										
0-19 YRS										
20-34	60	15.4	201	5	7	11	18	23	45	82
35-49	69	14.5	127	6	7	12	16	24	32	98
50-64	24	14.0	77	3	5	12	18	30	53	99+
65+	5	19.0	294	7	7	9	30	47	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	9.9	63	2	3	8	13	16	22	42
B. *Operated*	165	10.0	13	5	6	10	11	14	16	23
2. MULTIPLE DX										
A. *Not Operated*	222	12.9	138	2	3	10	15	26	35	75
B. *Operated*	158	14.9	150	5	7	12	17	26	40	99
1. SINGLE DX	249	10.0	29	3	4	10	12	15	16	36
2. MULTIPLE DX	380	13.7	144	3	4	11	16	26	35	87
A. NOT OPERATED	306	12.1	119	2	3	10	14	24	34	68
B. OPERATED	323	12.4	86	5	7	10	13	20	26	85
TOTAL 0-19 YRS	55	11.9	156	2	3	8	15	27	38	61
20-34	219	12.0	89	3	4	10	13	21	26	62
35-49	220	11.6	67	3	5	10	14	18	25	56
50-64	103	13.1	148	3	4	10	15	26	38	88
65+	32	15.9	189	2	4	14	24	37	61	99+
GRAND TOTAL	**629**	**12.2**	**102**	**3**	**4**	**10**	**14**	**22**	**30**	**75**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	7.4	94	1	2	6	9	13	19	95
20-34	28	5.0	14	1	1	4	7	9	10	19
35-49	20	6.9	24	1	1	6	10	14	17	17
50-64	21	7.0	35	1	2	6	8	12	20	28
65+	24	10.7	99	1	3	7	12	24	34	42
B. *Operated*										
0-19 YRS	27	8.2	50	1	2	5	12	21	25	25
20-34	63	5.5	13	1	2	5	7	9	12	20
35-49	54	5.7	9	1	3	5	7	9	12	15
50-64	29	7.8	58	1	2	6	8	18	25	36
65+	17	8.4	32	2	2	7	12	18	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	10.8	152	1	2	7	15	25	45	85
20-34	53	9.3	91	2	2	7	11	20	27	58
35-49	66	8.5	89	2	2	6	11	19	25	94
50-64	55	11.3	64	3	4	9	15	24	32	96
65+	80	14.0	136	3	4	10	17	32	43	52
B. *Operated*										
0-19 YRS	28	14.4	152	1	3	12	18	36	41	51
20-34	71	9.3	162	2	3	6	9	15	42	75
35-49	83	8.0	69	1	3	5	8	18	23	47
50-64	59	10.7	73	1	2	8	15	23	29	36
65+	38	14.6	99	2	3	12	18	28	34	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	190	7.4	70	1	2	6	9	13	20	70
B. *Operated*	190	6.6	26	1	2	5	8	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	347	11.0	115	2	3	8	14	22	34	67
B. *Operated*	279	10.5	110	2	3	7	13	23	31	50
1. SINGLE DX	380	7.0	48	1	2	5	8	13	19	34
2. MULTIPLE DX	626	10.7	113	2	3	7	13	23	34	64
A. NOT OPERATED	537	9.7	102	1	2	7	12	20	30	69
B. OPERATED	469	8.9	80	1	2	6	10	19	26	46
TOTAL 0-19 YRS	245	9.6	122	1	2	6	12	20	28	90
20-34	215	7.6	85	1	2	5	8	13	21	56
35-49	223	7.5	57	1	2	5	9	15	21	53
50-64	164	9.9	64	2	3	7	13	22	29	39
65+	159	13.0	113	2	3	10	17	27	38	51
GRAND TOTAL	**1006**	**9.3**	**92**	**1**	**2**	**7**	**11**	**20**	**28**	**56**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	4.3	10	1	2	3	5	9	12	13
35-49	26	4.2	11	<1	1	3	6	7	11	16
50-64	35	6.6	18	1	2	6	8	11	15	22
65+	36	8.2	29	2	3	7	10	16	20	24
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	4.7	21	2	2	2	8	10	10	10
50-64	3	14.3	329	1	1	7	28	35	35	35
65+	4	6.0	35	<1	<1	4	10	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	5.6	18	1	1	5	8	12	13	13
35-49	26	7.0	30	2	2	6	8	11	23	25
50-64	53	9.2	50	3	4	7	11	18	23	35
65+	117	9.0	77	3	4	7	10	17	21	47
B. *Operated*										
0-19 YRS										
20-34	2	16.5	265	5	5	16	28	28	28	28
35-49	5	6.6	21	3	3	5	9	14	14	14
50-64	13	14.8	331	2	3	10	20	33	63	70
65+	20	15.9	99	1	3	14	26	29	33	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	6.3	21	1	2	5	8	12	16	23
B. *Operated*	10	8.1	109	<1	<1	5	10	24	35	35
2. MULTIPLE DX										
A. *Not Operated*	204	8.7	62	2	3	7	10	17	22	34
B. *Operated*	40	14.4	168	2	3	11	21	27	33	70
1. SINGLE DX	119	6.4	28	1	1	5	8	13	16	27
2. MULTIPLE DX	244	9.6	83	2	3	7	11	19	25	37
A. NOT OPERATED	313	7.8	49	2	3	6	10	15	20	30
B. OPERATED	50	13.2	161	1	2	9	19	27	35	70
TOTAL 0-19 YRS										
20-34	22	5.9	36	1	1	4	7	13	19	28
35-49	60	5.6	21	1	1	5	7	10	15	25
50-64	104	9.2	83	2	3	7	10	18	23	51
65+	177	9.5	73	2	3	7	11	18	25	34
GRAND TOTAL	**363**	**8.6**	**67**	**2**	**2**	**6**	**10**	**17**	**23**	**35**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	3.5	5	1	1	3	5	7	9	10
20-34	6	3.8	16	1	1	2	6	10	11	11
35-49	12	4.2	10	1	2	3	5	8	12	13
50-64	11	6.0	15	2	2	5	8	13	14	14
65+	57	9.0	71	2	3	7	11	15	38	96
B. *Operated*										
0-19 YRS	2	27.0	98	20	20	27	34	34	34	34
20-34										
35-49										
50-64										
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	5.6	21	1	2	4	8	12	14	22
20-34	32	6.8	54	1	2	5	7	12	21	39
35-49	58	7.4	47	2	2	5	9	15	20	41
50-64	112	9.8	95	1	2	7	13	20	23	53
65+	494	13.1	162	2	3	9	17	30	46	99+
B. *Operated*										
0-19 YRS	5	16.8	111	6	6	13	28	28	28	28
20-34	4	9.5	58	3	3	7	15	20	20	20
35-49	5	11.2	51	4	4	10	18	20	20	20
50-64	20	23.5	582	3	3	14	34	59	77	90
65+	35	34.4	784	2	5	27	47	82	92	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	6.6	46	1	2	5	9	13	16	64
B. *Operated*	3	23.0	97	15	15	20	30	34	34	34
2. MULTIPLE DX										
A. *Not Operated*	788	11.1	131	2	2	7	14	25	39	99+
B. *Operated*	69	26.8	642	3	4	20	33	72	87	98
1. SINGLE DX	117	7.0	53	1	2	5	9	14	19	63
2. MULTIPLE DX	857	12.3	190	2	2	8	15	28	44	99+
A. NOT OPERATED	902	10.5	123	2	2	7	13	23	37	99+
B. OPERATED	72	26.7	618	3	4	20	33	69	86	98
TOTAL 0-19 YRS	127	5.9	34	1	2	4	8	13	19	30
20-34	42	6.6	49	1	1	5	7	12	21	39
35-49	75	7.1	43	2	2	5	9	15	20	38
50-64	143	11.4	178	2	2	7	15	22	37	78
65+	587	14.0	217	2	3	10	17	32	49	99+
GRAND TOTAL	**974**	**11.7**	**176**	**2**	**2**	**7**	**14**	**27**	**43**	**99**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	7.0	23	1	2	6	9	15	17	21
20-34	18	5.6	18	<1	1	5	9	12	13	13
35-49	28	5.2	15	1	1	4	8	12	14	14
50-64	28	8.2	26	2	2	7	12	17	18	19
65+	78	9.9	126	1	1	8	14	20	23	72
B. *Operated*										
0-19 YRS	10	11.6	52	5	5	8	15	24	26	26
20-34	3	5.3	16	3	3	3	8	10	10	10
35-49	10	13.9	71	4	4	13	18	26	33	33
50-64	9	17.1	61	6	8	17	24	27	29	29
65+	24	11.5	56	2	3	10	16	23	25	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	9.3	56	1	2	8	12	18	21	39
20-34	41	7.1	35	1	2	6	9	13	16	34
35-49	78	8.2	54	1	2	7	10	15	22	43
50-64	93	11.4	115	2	3	9	14	20	27	69
65+	405	12.9	168	2	3	10	16	26	41	99+
B. *Operated*										
0-19 YRS	14	10.9	55	3	5	9	11	26	28	28
20-34	16	9.4	27	4	5	9	10	16	22	25
35-49	51	11.1	45	3	4	10	14	18	23	41
50-64	51	14.6	57	5	6	13	19	26	30	36
65+	155	17.6	139	5	7	16	22	31	37	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	268	7.7	54	1	1	6	10	15	18	24
B. *Operated*	56	12.5	60	3	3	11	17	24	27	33
2. MULTIPLE DX										
A. *Not Operated*	746	11.3	126	2	3	8	14	22	32	85
B. *Operated*	287	15.1	106	4	6	13	19	26	33	51
1. SINGLE DX	324	8.5	58	1	2	7	12	17	21	28
2. MULTIPLE DX	1033	12.4	123	2	3	10	16	23	32	75
A. NOT OPERATED	1014	10.3	110	1	2	8	14	20	27	75
B. OPERATED	343	14.7	99	4	5	13	19	26	32	51
TOTAL 0-19 YRS	269	8.5	43	1	2	7	11	17	21	35
20-34	78	7.2	30	1	1	6	9	13	15	31
35-49	167	8.9	50	1	2	8	12	17	22	40
50-64	181	12.1	87	2	3	11	15	22	27	53
65+	662	13.6	157	2	3	11	17	26	37	90
GRAND TOTAL	**1357**	**11.4**	**110**	**2**	**3**	**9**	**15**	**22**	**29**	**69**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	8.7	16	5	5	8	12	13	13	13
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	3	1	1	3	4	5	5	5
20-34	5	10.4	34	4	4	14	15	15	15	15
35-49	1	13.0		13	13	13	13	13	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	24.0		24	24	24	24	24	24	24
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	8.0	13	5	5	7	10	13	13	13
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	10	7.8	32	1	2	5	14	15	15	15
B. *Operated*	1	24.0		24	24	24	24	24	24	24
1. SINGLE DX	4	8.0	13	5	5	7	10	13	13	13
2. MULTIPLE DX	11	9.3	53	1	2	5	15	19	24	24
A. NOT OPERATED	14	7.9	25	1	3	6	13	15	15	15
B. OPERATED	1	24.0		24	24	24	24	24	24	24
TOTAL 0-19 YRS	4	3.3	3	1	1	3	4	5	5	5
20-34	8	9.8	25	4	4	10	14	15	15	15
35-49	2	9.5	25	6	6	9	13	13	13	13
50-64	1	24.0		24	24	24	24	24	24	24
65+										
GRAND TOTAL	**15**	**8.9**	**41**	**1**	**3**	**6**	**14**	**15**	**22**	**24**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	5.5	23	1	2	4	7	10	15	25
20-34	24	5.4	18	1	1	5	7	11	16	16
35-49	31	5.6	23	1	1	4	9	14	15	16
50-64	48	5.4	21	<1	<1	4	9	11	16	16
65+	140	8.5	56	1	2	7	11	15	20	50
B. *Operated*										
0-19 YRS	17	9.0	27	1	2	8	12	15	20	22
20-34	9	7.1	24	<1	<1	6	11	14	14	14
35-49	13	9.9	18	3	4	10	13	15	17	17
50-64	24	12.4	45	2	5	12	17	21	24	30
65+	48	15.8	198	4	5	12	18	31	56	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	7.5	81	1	1	5	8	16	23	52
20-34	48	5.5	23	1	1	4	7	11	15	25
35-49	57	6.2	35	1	2	5	9	14	18	30
50-64	134	9.7	119	1	2	7	13	19	23	65
65+	616	11.8	172	1	2	8	15	26	39	98
B. *Operated*										
0-19 YRS	29	15.9	105	4	6	15	21	28	38	46
20-34	20	10.6	40	2	4	9	14	21	23	24
35-49	36	16.4	136	2	5	13	21	33	40	56
50-64	82	14.8	109	3	4	12	20	28	42	99+
65+	302	20.5	262	5	6	15	25	47	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	359	6.6	37	1	1	5	9	14	16	27
B. *Operated*	111	12.6	111	2	4	10	16	21	30	61
2. MULTIPLE DX										
A. *Not Operated*	964	10.4	143	1	2	7	13	23	33	89
B. *Operated*	469	18.5	214	4	6	14	23	41	56	99+
1. SINGLE DX	470	8.1	61	1	1	6	11	16	20	49
2. MULTIPLE DX	1433	13.0	180	1	2	9	17	28	43	96
A. NOT OPERATED	1323	9.3	117	1	2	6	11	20	28	74
B. OPERATED	580	17.3	199	4	5	13	22	37	55	99+
TOTAL 0-19 YRS	271	7.6	64	1	2	5	9	17	23	42
20-34	101	6.6	29	1	1	5	9	14	19	24
35-49	137	9.1	76	1	2	7	12	18	26	43
50-64	288	10.7	103	1	2	8	15	22	28	80
65+	1106	13.9	201	1	2	10	18	31	48	99
GRAND TOTAL	**1903**	**11.8**	**155**	**1**	**2**	**8**	**15**	**25**	**37**	**80**

85: Hemophilia (congenital factor viii disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	7.2	42	1	1	5	9	17	22	24
20-34	5	9.4	223	1	1	4	12	36	36	36
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	1	18.0		18	18	18	18	18	18	18
35-49	1	22.0		22	22	22	22	22	22	22
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	5.2	96	<1	1	2	4	11	26	48
20-34	17	4.0	5	2	2	4	5	8	9	9
35-49	18	5.7	13	3	3	4	6	12	15	16
50-64	6	7.2	9	3	3	7	10	11	11	11
65+	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	19.5	265	8	8	31	83	99+	99+	99+
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	7.7	75	1	1	5	9	20	29	36
B. *Operated*	3	18.0	16	14	14	18	21	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	67	5.2	40	1	1	4	6	10	13	43
B. *Operated*	4	12.0	163	4	4	8	48	99+	99+	99+
1. SINGLE DX	25	9.0	79	1	1	5	14	22	27	36
2. MULTIPLE DX	71	5.6	47	1	1	4	6	11	17	89
A. NOT OPERATED	89	5.8	49	1	1	4	7	11	17	43
B. OPERATED	7	14.6	97	4	4	16	26	79	99+	99+
TOTAL 0-19 YRS	43	6.2	71	1	1	3	8	15	20	48
20-34	24	5.7	54	1	2	4	5	10	23	36
35-49	21	7.8	52	3	3	5	10	25	59	99+
50-64	6	7.2	9	3	3	7	10	11	11	11
65+	2	5.5	5	4	4	5	7	7	7	7
GRAND TOTAL	**96**	**6.5**	**57**	**1**	**1**	**4**	**8**	**16**	**23**	**76**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	184	7.0	79	1	2	4	8	15	19	32
20-34	35	5.7	16	2	2	5	8	12	15	18
35-49	19	5.7	14	1	1	6	9	10	11	11
50-64	20	5.4	14	<1	1	4	8	11	12	13
65+	38	6.2	30	1	2	4	8	14	19	23
B. *Operated*										
0-19 YRS	62	8.8	54	2	3	7	10	16	23	47
20-34	32	8.4	25	2	4	7	11	15	20	22
35-49	21	10.3	58	1	2	8	14	19	28	32
50-64	19	10.1	51	2	3	10	13	16	26	34
65+	21	12.7	39	5	6	11	15	24	26	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	7.8	78	1	1	6	9	15	26	68
20-34	48	7.9	41	2	2	6	9	16	21	33
35-49	39	9.0	43	2	3	7	12	18	24	28
50-64	90	9.7	95	1	2	7	11	19	26	58
65+	94	10.8	89	2	3	7	15	23	30	44
B. *Operated*										
0-19 YRS	46	13.1	174	2	2	9	16	24	42	74
20-34	42	10.2	31	3	4	9	13	18	25	99+
35-49	44	12.9	83	4	5	10	15	21	38	43
50-64	55	15.7	129	2	4	12	20	28	34	58
65+	78	17.7	232	3	4	13	22	37	43	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	296	6.6	57	1	2	4	8	14	18	28
B. *Operated*	155	9.6	47	2	3	8	12	17	23	34
2. MULTIPLE DX										
A. *Not Operated*	395	9.1	77	1	2	7	11	19	27	51
B. *Operated*	265	14.5	149	3	4	11	18	29	39	74
1. SINGLE DX	451	7.6	56	1	2	6	10	15	21	32
2. MULTIPLE DX	660	11.2	113	2	3	8	14	24	34	58
A. NOT OPERATED	691	8.0	70	1	2	6	10	17	23	43
B. OPERATED	420	12.7	117	2	4	10	15	25	34	62
TOTAL 0-19 YRS	416	8.2	88	1	2	6	10	17	24	57
20-34	157	8.1	31	2	3	7	10	16	21	33
35-49	123	10.1	61	2	2	8	14	19	25	42
50-64	184	11.0	102	1	2	8	13	24	29	56
65+	231	12.5	139	2	3	9	16	27	37	54
GRAND TOTAL	**1111**	**9.8**	**93**	**1**	**2**	**7**	**12**	**20**	**28**	**50**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	909	2.3	4	1	1	2	3	4	5	9
20-34	90	2.5	4	1	1	2	3	4	6	12
35-49	12	2.7	4	<1	<1	2	4	6	7	7
50-64	6	6.0	18	1	1	7	8	12	12	12
65+	4	1.8	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	263	4.6	3	2	3	4	6	7	8	10
20-34	47	4.5	2	2	3	4	6	6	7	9
35-49	4	3.5	2	2	2	3	4	5	5	5
50-64	3	5.7	6	3	3	6	7	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	233	2.8	4	1	1	2	3	5	6	13
20-34	42	3.2	4	<1	1	3	4	6	7	8
35-49	7	3.6	7	1	1	3	6	7	7	7
50-64	3	6.0	19	3	3	4	9	11	11	11
65+										
B. *Operated*										
0-19 YRS	102	5.7	13	2	3	5	7	9	12	23
20-34	28	5.5	4	3	3	5	7	9	9	11
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	5	8.2	8	4	4	8	10	12	12	12
65+	2	6.0	2	5	5	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1021	2.4	4	1	1	2	3	4	6	9
B. *Operated*	317	4.6	3	2	3	4	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	285	2.9	4	1	1	2	4	5	7	13
B. *Operated*	139	5.7	11	3	3	5	7	9	11	18
1. SINGLE DX	1338	2.9	5	1	1	2	4	6	7	8
2. MULTIPLE DX	424	3.8	8	1	1	3	5	7	9	14
A. NOT OPERATED	1306	2.5	4	1	1	2	3	4	6	10
B. OPERATED	456	4.9	6	2	3	4	6	8	9	13
TOTAL 0-19 YRS	1507	3.0	6	1	1	2	4	6	7	12
20-34	207	3.5	5	1	1	3	5	6	7	10
35-49	25	3.2	4	<1	1	3	4	7	7	7
50-64	17	6.6	12	1	2	7	9	12	12	12
65+	6	3.2	6	1	1	2	5	7	7	7
GRAND TOTAL	**1762**	**3.1**	**6**	**1**	**1**	**2**	**4**	**6**	**7**	**12**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	4.1	10	1	1	3	5	8	11	17
20-34	7	3.0	3	2	2	2	3	6	7	7
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	4	6.5	14	2	2	6	9	11	11	11
65+	2	5.5	1	5	5	5	6	6	6	6
B. *Operated*										
0-19 YRS	45	3.7	14	<1	1	2	5	8	11	18
20-34	38	3.0	7	<1	<1	2	3	7	9	12
35-49	17	4.5	10	1	1	3	7	10	11	11
50-64	6	6.8	47	2	2	3	11	18	19	19
65+	10	6.0	12	2	2	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	6.0	27	1	2	5	7	12	13	31
20-34	10	4.5	5	2	2	4	5	8	9	9
35-49	4	7.3	18	4	4	6	10	13	13	13
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	19	6.0	37	2	2	2	9	15	20	24
20-34	18	6.8	35	<1	1	5	10	14	20	24
35-49	11	6.6	72	2	2	3	6	19	30	31
50-64	10	5.6	22	<1	<1	4	9	12	13	13
65+	10	7.7	68	1	1	5	6	23	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	4.2	9	1	1	3	5	8	11	16
B. *Operated*	116	3.9	13	<1	1	3	5	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	71	5.7	23	1	2	4	7	11	13	29
B. *Operated*	68	6.5	42	1	2	4	9	15	24	30
1. SINGLE DX	203	4.1	11	1	1	3	5	8	11	18
2. MULTIPLE DX	139	6.1	32	1	2	4	8	13	18	31
A. NOT OPERATED	158	4.9	16	1	2	4	7	9	12	21
B. OPERATED	184	4.9	25	1	1	3	6	11	15	24
TOTAL 0-19 YRS	190	4.7	19	1	1	3	6	10	13	23
20-34	73	4.2	15	<1	1	3	5	9	11	22
35-49	34	5.6	30	1	2	4	8	11	13	31
50-64	22	5.9	24	1	1	4	9	12	15	19
65+	23	6.5	35	1	2	5	8	13	23	24
GRAND TOTAL	**342**	**4.9**	**21**	**1**	**1**	**3**	**6**	**10**	**13**	**24**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.3	1	1	1	1	1	3	3	3
20-34	27	18.9	415	1	1	10	32	38	63	86
35-49	10	5.8	36	1	1	3	10	15	19	19
50-64	4	19.0	653	2	2	8	33	57	57	57
65+	6	6.3	38	1	1	4	13	15	15	15
B. *Operated*										
0-19 YRS										
20-34	2	14.0	162	5	5	14	23	23	23	23
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	12.7	71	2	2	14	17	24	26	26
20-34	20	14.8	164	1	2	8	27	30	38	46
35-49	16	12.3	131	1	2	9	17	29	37	41
50-64	23	15.2	171	2	3	12	23	29	41	57
65+	36	12.9	143	3	3	10	18	50	99+	99+
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49										
50-64	6	28.2	550	8	8	17	52	62	63	63
65+	1	21.0		21	21	21	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	13.0	307	1	1	6	16	37	54	85
B. *Operated*	2	14.0	162	5	5	14	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	102	13.7	143	2	3	10	22	30	49	99+
B. *Operated*	8	25.1	432	8	9	17	37	60	63	63
1. SINGLE DX	55	13.1	298	1	1	6	17	37	52	85
2. MULTIPLE DX	110	14.5	169	2	3	11	22	34	52	99+
A. NOT OPERATED	155	13.5	197	1	2	9	20	33	50	99+
B. OPERATED	10	22.9	376	5	6	17	23	57	63	63
TOTAL 0-19 YRS	13	7.5	70	1	1	3	14	20	25	26
20-34	50	16.9	292	1	2	10	28	37	46	86
35-49	26	9.8	102	1	2	7	13	26	31	41
50-64	33	18.0	290	2	3	12	23	53	57	63
65+	43	12.2	131	1	3	9	17	47	99+	99+
GRAND TOTAL	**165**	**14.0**	**211**	**1**	**2**	**10**	**21**	**36**	**52**	**99+**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.9	9	<1	<1	2	4	4	11	14
20-34	20	8.8	170	1	1	6	10	15	38	60
35-49	17	14.2	460	1	1	5	29	91	99+	99+
50-64	57	17.7	397	1	2	11	21	66	80	99+
65+	259	21.1	469	2	4	13	30	70	95	99+
B. *Operated*										
0-19 YRS										
20-34	1	31.0		31	31	31	31	31	31	31
35-49										
50-64	3	12.7	16	9	9	12	16	17	17	17
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	8.1	130	1	1	5	8	21	39	48
20-34	24	13.9	228	3	4	11	20	99+	99+	99+
35-49	35	21.4	429	3	6	16	32	80	95	99+
50-64	109	20.2	386	3	5	13	27	56	73	99+
65+	695	24.5	495	3	5	19	46	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34	5	11.2	116	<1	<1	16	81	99+	99+	99+
35-49	6	29.0	389	6	7	33	52	90	99+	99+
50-64	12	33.2	616	8	10	33	99+	99+	99+	99+
65+	47	34.9	710	7	10	63	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	18.8	439	1	2	12	25	65	92	99+
B. *Operated*	4	17.3	95	9	9	14	24	31	31	31
2. MULTIPLE DX										
A. *Not Operated*	886	23.1	472	3	5	18	40	96	99+	99+
B. *Operated*	70	32.4	644	6	9	52	99+	99+	99+	99+
1. SINGLE DX	374	18.7	435	1	2	12	25	64	92	99+
2. MULTIPLE DX	956	23.8	490	3	5	19	47	99+	99+	99+
A. NOT OPERATED	1256	21.8	466	2	4	16	35	89	99+	99+
B. OPERATED	74	31.6	624	6	9	50	99+	99+	99+	99+
TOTAL 0-19 YRS	40	5.9	84	<1	1	3	6	13	26	48
20-34	50	11.9	196	1	1	10	19	98	99+	99+
35-49	58	20.1	439	1	2	13	37	87	99+	99+
50-64	181	20.1	407	2	4	14	28	68	90	99+
65+	1001	24.1	505	3	5	18	46	99+	99+	99+
GRAND TOTAL	**1330**	**22.4**	**479**	**2**	**4**	**17**	**41**	**99**	**99+**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
YRS										
20-34										
35-49										
50-64										
65+	11	29.6	264	1	6	33	57	99+	99+	99+
B. *Operated*										
YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
YRS										
20-34										
35-49	1	49.0		49	49	49	49	49	49	49
50-64	4	29.5	303	13	13	43	59	99+	99+	99+
65+	103	25.8	487	4	6	20	57	99+	99+	99+
B. *Operated*										
YRS										
20-34										
35-49										
50-64										
65+	6	45.8	817	20	21	60	93	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	29.6	264	1	6	33	57	99+	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	108	26.1	478	4	6	21	57	99+	99+	99+
B. *Operated*	6	45.8	817	20	21	60	93	99+	99+	99+
1. SINGLE DX	11	29.6	264	1	6	33	57	99+	99+	99+
2. MULTIPLE DX	114	27.2	508	4	6	24	59	99+	99+	99+
A. NOT OPERATED	119	26.5	457	4	6	24	57	99+	99+	99+
B. OPERATED	6	45.8	817	20	21	60	93	99+	99+	99+
TOTAL YRS										
20-34										
35-49	1	49.0		49	49	49	49	49	49	49
50-64	4	29.5	303	13	13	43	59	99+	99+	99+
65+	120	27.1	494	4	6	25	59	99+	99+	99+
GRAND TOTAL	**125**	**27.4**	**485**	**4**	**7**	**25**	**58**	**99+**	**99+**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	87	4.9	39	1	1	3	5	12	17	36
35-49	192	6.5	70	1	2	4	7	14	22	58
50-64	133	10.2	239	1	1	5	10	22	58	87
65+	43	13.9	238	2	2	11	18	43	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	9.2	84	1	1	7	14	23	24	24
20-34	165	6.3	62	1	1	4	7	13	23	48
35-49	397	7.9	82	1	2	5	10	18	26	49
50-64	386	11.7	211	2	2	7	14	29	50	99+
65+	130	15.1	315	2	3	9	16	46	70	99+
B. *Operated*										
0-19 YRS										
20-34	5	14.4	523	<1	<1	6	20	55	55	55
35-49	27	21.6	358	1	5	15	29	43	69	77
50-64	27	21.9	450	5	6	16	38	93	99+	99+
65+	9	41.8	658	6	11	42	61	97	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	459	7.9	135	1	1	4	8	17	35	98
B. *Operated*	2	6.5	5	5	5	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1084	9.9	160	1	2	6	12	24	38	99+
B. *Operated*	68	23.9	477	2	5	16	39	76	99	99+
1. SINGLE DX	461	7.9	134	1	1	5	8	17	35	98
2. MULTIPLE DX	1152	10.7	189	1	2	6	13	26	44	99+
A. NOT OPERATED	1543	9.3	153	1	2	5	11	22	37	99+
B. OPERATED	70	23.4	472	2	5	16	38	76	98	99+
TOTAL 0-19 YRS	10	6.3	61	1	1	2	12	19	24	24
20-34	257	6.0	63	1	1	4	7	12	22	51
35-49	617	8.1	98	1	2	5	10	19	28	67
50-64	547	11.8	234	1	2	7	14	31	57	99+
65+	182	16.1	343	2	3	10	18	53	94	99+
GRAND TOTAL	**1613**	**9.9**	**175**	**1**	**2**	**6**	**12**	**24**	**42**	**99+**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.8	43	1	1	4	6	17	21	21
20-34	20	8.6	98	<1	<1	4	12	25	31	32
35-49	10	6.7	23	1	1	6	9	14	16	16
50-64	5	8.0	42	1	1	6	12	18	18	18
65+	5	15.8	11	11	11	17	18	19	19	19
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	14.9	258	1	1	9	27	50	70	99+
20-34	56	9.4	156	1	1	5	13	20	50	98
35-49	28	12.9	152	2	3	9	19	39	52	99+
50-64	20	13.0	53	4	7	11	16	22	28	33
65+	20	11.7	59	3	4	11	16	26	64	99+
B. *Operated*										
0-19 YRS										
20-34	3	12.3	22	7	7	14	15	16	16	16
35-49	2	18.0	2	17	17	18	19	19	19	19
50-64	2	25.5	481	10	10	25	41	41	41	41
65+	1	22.0		22	22	22	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	8.4	62	<1	1	6	13	20	22	32
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	149	11.7	146	1	2	8	16	28	52	99+
B. *Operated*	8	18.3	107	7	8	16	20	35	41	41
1. SINGLE DX	49	8.3	62	<1	1	6	12	20	22	32
2. MULTIPLE DX	157	12.1	146	1	2	9	17	28	51	99+
A. NOT OPERATED	197	10.9	128	1	1	8	15	25	41	99+
B. OPERATED	9	16.4	123	2	4	16	20	33	41	41
TOTAL 0-19 YRS	33	12.7	219	1	1	7	21	33	60	99+
20-34	80	9.2	134	<1	1	5	13	21	31	90
35-49	40	11.6	120	2	2	9	16	24	49	99+
50-64	27	13.0	81	1	5	10	17	23	34	41
65+	26	12.9	53	3	5	13	18	22	44	99+
GRAND TOTAL	**206**	**11.2**	**128**	**1**	**1**	**8**	**16**	**25**	**41**	**99+**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	32.4	574	4	5	34	55	86	99+	99+
20-34	381	22.2	360	2	3	17	32	49	65	91
35-49	185	18.7	273	2	3	16	26	45	72	99+
50-64	119	19.7	282	1	2	14	30	42	53	99
65+	28	22.2	206	5	6	22	37	42	45	48
B. *Operated*										
0-19 YRS										
20-34	1	26.0		26	26	26	26	26	26	26
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	39.6	421	3	13	44	56	86	99+	99+
20-34	129	24.6	391	3	5	20	37	58	78	99+
35-49	82	24.9	436	3	5	20	32	52	78	85
50-64	64	26.8	427	3	4	22	43	61	79	99+
65+	34	21.0	247	2	5	20	28	56	91	99+
B. *Operated*										
0-19 YRS										
20-34	12	32.3	382	2	4	30	51	69	94	99+
35-49	9	33.0	239	8	13	33	48	53	54	54
50-64	7	46.0	594	11	15	59	69	93	99+	99+
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	735	21.2	331	2	3	16	31	48	64	99+
B. *Operated*	1	26.0		26	26	26	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	318	25.1	399	3	5	21	37	58	79	99+
B. *Operated*	28	36.0	394	5	9	34	56	69	99+	99+
1. SINGLE DX	736	21.2	330	2	3	16	31	48	64	99+
2. MULTIPLE DX	346	26.0	406	3	5	21	41	60	79	99+
A. NOT OPERATED	1053	22.4	354	2	3	18	33	50	70	99+
B. OPERATED	29	35.6	383	5	10	33	55	68	99	99+
TOTAL 0-19 YRS	31	34.5	525	3	5	36	56	86	99+	99+
20-34	523	23.1	369	2	4	18	33	52	66	99+
35-49	276	21.0	331	2	3	17	28	49	73	99+
50-64	190	23.1	369	1	3	18	33	53	70	99+
65+	62	21.5	225	2	6	20	30	43	62	99+
GRAND TOTAL	**1082**	**22.8**	**359**	**2**	**3**	**18**	**33**	**52**	**71**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	21.4	472	4	4	11	35	57	63	63
20-34	29	18.2	352	1	2	15	26	70	99	99+
35-49	9	25.3	209	10	10	20	40	46	49	49
50-64	7	14.3	94	2	3	14	24	26	26	26
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	21.4	28	16	16	20	27	27	27	27
20-34	22	13.7	160	<1	1	10	21	31	40	47
35-49	6	18.5	251	2	2	16	27	41	43	43
50-64	2	18.0	2	17	17	18	19	19	19	19
65+	1	27.0		27	27	27	27	27	27	27
B. *Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34										
35-49	1	48.0		48	48	48	48	48	48	48
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	19.2	304	1	3	15	26	48	78	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	36	16.2	147	1	1	16	26	28	41	47
B. *Operated*	2	33.0	450	18	18	33	48	48	48	48
1. SINGLE DX	54	19.2	304	1	3	15	26	48	78	99+
2. MULTIPLE DX	38	17.1	166	1	2	17	27	34	45	48
A. NOT OPERATED	90	18.0	241	1	2	15	26	43	59	99+
B. OPERATED	2	33.0	450	18	18	33	48	48	48	48
TOTAL 0-19 YRS	14	21.1	264	4	4	17	27	46	59	63
20-34	51	16.3	270	1	1	12	24	43	80	99+
35-49	16	24.2	247	3	6	22	40	47	49	49
50-64	9	15.1	73	2	3	17	21	26	26	26
65+	2	17.0	200	7	7	17	27	27	27	27
GRAND TOTAL	**92**	**18.3**	**246**	**1**	**2**	**16**	**26**	**43**	**58**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	141	30.0	564	2	3	27	49	79	99+	99+
20-34	809	19.6	304	1	2	15	28	43	63	99+
35-49	410	17.7	249	1	3	13	26	40	53	99+
50-64	215	19.3	249	2	4	16	28	41	58	86
65+	43	17.0	211	4	4	14	23	49	80	99+
B. *Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	28.0		28	28	28	28	28	28	28
50-64										
65+	1	31.0		31	31	31	31	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	28.8	525	1	4	27	45	81	99+	99+
20-34	384	22.2	356	2	3	17	30	50	66	99+
35-49	200	22.7	334	2	3	19	35	52	65	99+
50-64	148	20.6	284	2	4	17	31	54	87	99+
65+	50	17.1	190	2	4	13	21	38	42	65
B. *Operated*										
0-19 YRS	4	56.5	2107	4	4	95	96	99+	99+	99+
20-34	31	36.3	630	6	10	33	58	92	99	99+
35-49	14	32.6	343	11	14	29	41	65	69	70
50-64	7	51.7	586	25	25	61	78	95	99+	99+
65+	2	47.5	545	31	31	64	91	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1618	19.9	313	1	3	15	29	46	65	99+
B. *Operated*	4	16.0	245	2	2	15	29	31	31	31
2. MULTIPLE DX										
A. *Not Operated*	844	22.2	344	2	3	18	32	52	70	99+
B. *Operated*	58	39.0	650	7	11	33	66	95	99+	99+
1. SINGLE DX	1622	19.9	312	1	3	15	29	46	65	99+
2. MULTIPLE DX	902	23.3	380	2	4	19	34	56	77	99+
A. NOT OPERATED	2462	20.7	325	2	3	16	29	49	67	99+
B. OPERATED	62	37.5	652	4	10	32	65	94	99+	99+
TOTAL 0-19 YRS	207	30.2	584	2	4	27	50	83	99+	99+
20-34	1226	20.8	335	2	3	16	29	49	66	99+
35-49	625	19.6	286	2	3	15	29	44	57	99+
50-64	370	20.5	286	2	4	16	29	49	67	99+
65+	96	17.8	218	3	4	14	26	42	65	99+
GRAND TOTAL	**2524**	**21.1**	**339**	**2**	**3**	**16**	**30**	**50**	**69**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	25.0	215	3	3	32	33	33	33	33
B. *Operated*										
0-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	17	1	1	3	7	9	9	9
B. *Operated*										
0-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	25.0	215	3	3	32	33	33	33	33
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3	4.3	17	1	1	3	7	9	9	9
B. *Operated*										
1. SINGLE DX	4	25.0	215	3	3	32	33	33	33	33
2. MULTIPLE DX	3	4.3	17	1	1	3	7	9	9	9
A. NOT OPERATED	7	16.1	235	1	1	9	32	33	33	33
B. OPERATED										
TOTAL 0-19 YRS	7	16.1	235	1	1	9	32	33	33	33
GRAND TOTAL	**7**	**16.1**	**235**	**1**	**1**	**9**	**32**	**33**	**33**	**33**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	15.6	500	<1	1	5	18	56	68	89
20-34	303	13.5	200	1	2	9	18	31	41	68
35-49	400	15.1	174	2	3	13	21	31	39	81
50-64	447	18.4	157	3	4	17	25	35	43	69
65+	284	21.7	244	5	7	18	29	40	48	87
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	20.0	8	18	18	20	22	22	22	22
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	13.7	180	1	3	9	20	38	75	99+
20-34	263	15.4	240	1	2	10	22	35	51	84
35-49	361	16.9	248	3	4	11	22	38	51	76
50-64	473	20.8	229	4	6	18	27	44	53	83
65+	403	22.4	257	5	6	19	30	46	56	86
B. *Operated*										
0-19 YRS	4	25.0	143	12	12	24	34	40	40	40
20-34	21	30.5	706	3	5	35	58	94	99+	99+
35-49	27	28.6	286	9	9	24	37	49	58	84
50-64	43	36.2	458	9	13	33	51	81	92	99+
65+	34	37.6	645	13	14	38	74	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1471	17.1	204	2	3	14	23	35	45	75
B. *Operated*	2	20.0	8	18	18	20	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	1521	19.3	249	3	4	15	26	42	54	85
B. *Operated*	129	33.7	504	7	10	31	50	85	99+	99+
1. SINGLE DX	1473	17.1	203	2	3	14	23	35	45	75
2. MULTIPLE DX	1650	20.4	284	3	4	16	28	45	58	98
A. NOT OPERATED	2992	18.2	228	2	4	15	24	37	49	80
B. OPERATED	131	33.5	499	7	10	30	49	85	99+	99+
TOTAL 0-19 YRS	62	15.5	368	1	1	8	20	54	65	99
20-34	587	14.9	244	1	2	9	21	35	50	90
35-49	788	16.4	217	2	3	13	22	35	46	81
50-64	965	20.3	218	3	5	18	27	41	52	85
65+	721	22.8	280	5	7	20	31	46	59	98
GRAND TOTAL	**3123**	**18.8**	**248**	**2**	**4**	**15**	**25**	**39**	**53**	**90**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	27.8	393	6	10	23	49	71	97	99+
20-34	328	19.8	258	3	4	15	28	42	57	82
35-49	310	18.7	217	2	4	16	26	37	52	81
50-64	209	19.9	202	3	6	17	25	40	48	78
65+	85	22.3	223	2	5	21	30	40	47	77
B. *Operated*										
0-19 YRS										
20-34	3	19.7	8	18	18	18	22	23	23	23
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	27.9	869	2	5	18	49	93	99	99+
20-34	213	23.9	382	3	5	19	32	53	74	99
35-49	199	20.7	214	3	4	18	29	42	51	99+
50-64	189	24.2	312	4	7	21	30	48	68	91
65+	111	23.0	230	4	7	21	31	48	55	99+
B. *Operated*										
0-19 YRS	2	44.5	5	43	43	44	46	46	46	46
20-34	20	33.3	361	10	17	25	49	70	89	99+
35-49	18	34.3	432	7	13	33	43	62	76	85
50-64	22	35.6	371	8	17	37	57	84	99+	99+
65+	3	36.3	1780	10	10	14	67	85	85	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	962	20.0	236	3	4	17	27	42	55	83
B. *Operated*	3	19.7	8	18	18	18	22	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	735	23.1	311	3	5	20	30	48	67	99+
B. *Operated*	65	34.8	404	8	13	33	49	75	87	99+
1. SINGLE DX	965	20.0	235	3	4	17	27	42	55	83
2. MULTIPLE DX	800	24.1	329	3	6	21	32	50	69	99+
A. NOT OPERATED	1697	21.3	271	3	5	18	28	45	58	98
B. OPERATED	68	34.2	396	8	14	30	47	70	85	99+
TOTAL 0-19 YRS	55	28.5	575	4	6	23	49	80	99	99+
20-34	564	21.8	315	3	4	18	30	48	63	96
35-49	527	20.0	230	2	4	17	27	42	54	88
50-64	420	22.7	273	4	7	19	28	46	63	94
65+	199	22.9	243	3	6	21	30	44	54	92
GRAND TOTAL	**1765**	**21.8**	**281**	**3**	**5**	**18**	**29**	**46**	**61**	**99+**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	16.9	378	<1	1	8	27	47	66	99+
20-34	172	15.2	215	1	2	11	23	35	43	75
35-49	119	15.9	261	1	2	10	22	36	51	78
50-64	113	17.4	246	1	1	14	24	40	42	80
65+	95	18.5	311	1	2	14	27	41	59	96
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	16.5	294	<1	1	12	25	43	55	66
20-34	160	19.2	351	1	2	15	27	47	59	89
35-49	113	16.8	276	2	3	11	21	38	53	82
50-64	128	19.0	215	2	5	16	30	44	63	99+
65+	230	18.0	292	3	4	13	23	44	73	99+
B. *Operated*										
0-19 YRS	2	57.5	2965	19	19	57	96	96	96	96
20-34	7	25.9	314	6	7	24	47	87	99+	99+
35-49	6	37.7	643	7	9	28	64	72	73	73
50-64	9	14.1	40	6	6	13	17	24	25	25
65+	20	28.0	426	6	7	30	45	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	542	16.5	261	1	2	12	24	38	48	84
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	655	18.2	288	2	3	13	25	44	62	99+
B. *Operated*	44	27.5	477	6	7	24	41	93	99+	99+
1. SINGLE DX	542	16.5	261	1	2	12	24	38	48	84
2. MULTIPLE DX	699	18.8	304	2	3	14	27	45	64	99+
A. NOT OPERATED	1197	17.5	276	1	2	13	25	41	55	99+
B. OPERATED	44	27.5	477	6	7	24	41	93	99+	99+
TOTAL 0-19 YRS	69	17.9	424	<1	1	10	28	48	66	99
20-34	339	17.3	285	1	2	13	25	42	56	91
35-49	238	16.9	285	1	3	11	23	37	54	77
50-64	250	18.1	223	1	3	15	26	42	49	99+
65+	345	18.7	308	2	4	14	26	45	81	99+
GRAND TOTAL	**1241**	**17.8**	**286**	**1**	**2**	**13**	**25**	**42**	**61**	**99+**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	6.8	120	<1	1	3	5	19	33	52
20-34	331	6.2	50	1	1	4	8	15	21	36
35-49	275	5.7	68	<1	1	3	7	12	17	50
50-64	229	6.4	45	1	1	4	8	14	20	36
65+	130	6.7	43	1	2	4	8	14	21	36
B. *Operated*										
0-19 YRS										
20-34	6	4.7	7	1	1	5	6	8	8	8
35-49	6	5.2	7	2	2	5	8	8	8	8
50-64	2	8.5	61	3	3	8	14	14	14	14
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	6.7	83	<1	1	3	7	18	30	45
20-34	406	7.5	86	1	1	5	9	16	25	45
35-49	413	7.1	66	1	1	4	8	16	25	41
50-64	430	7.8	54	1	1	6	10	16	23	37
65+	399	9.2	101	2	2	7	11	18	25	60
B. *Operated*										
0-19 YRS	5	5.8	9	2	2	6	8	10	10	10
20-34	77	4.0	39	<1	1	1	5	10	14	32
35-49	36	9.5	140	1	1	5	12	27	37	49
50-64	28	13.5	104	2	4	12	15	26	30	53
65+	8	18.1	205	2	3	14	28	40	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1087	6.2	61	1	1	4	8	14	21	38
B. *Operated*	15	5.3	11	1	2	5	7	8	13	14
2. MULTIPLE DX										
A. *Not Operated*	1759	7.8	77	1	1	5	10	16	25	46
B. *Operated*	154	7.8	99	1	1	4	10	20	30	49
1. SINGLE DX	1102	6.2	60	1	1	4	8	14	21	38
2. MULTIPLE DX	1913	7.8	79	1	1	5	10	16	25	46
A. NOT OPERATED	2846	7.2	71	1	1	4	9	16	23	42
B. OPERATED	169	7.6	91	1	1	4	10	17	28	48
TOTAL 0-19 YRS	238	6.8	100	<1	1	3	6	19	33	43
20-34	820	6.6	68	1	1	4	8	14	23	39
35-49	730	6.6	71	1	1	4	8	15	23	48
50-64	689	7.5	55	1	1	5	10	16	22	38
65+	538	8.7	90	2	2	6	10	17	24	57
GRAND TOTAL	**3015**	**7.2**	**73**	**1**	**1**	**4**	**9**	**16**	**23**	**42**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	12.6	210	1	2	7	15	33	34	70
20-34	563	11.1	143	1	2	7	14	26	34	63
35-49	454	11.1	118	2	2	8	14	25	36	52
50-64	305	13.6	127	2	3	10	18	31	38	63
65+	159	13.2	126	2	3	10	16	29	40	59
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	6.0	7	4	4	5	8	9	9	9
35-49	3	39.7	1045	5	5	45	63	69	69	69
50-64	1	27.0		27	27	27	27	27	27	27
65+	2	11.0	2	10	10	11	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	13.7	168	1	2	9	19	33	37	54
20-34	795	14.3	185	2	2	10	20	32	43	66
35-49	665	13.2	150	2	2	9	17	30	39	59
50-64	491	15.0	157	2	3	11	21	31	41	70
65+	375	17.3	239	3	4	13	22	38	55	83
B. *Operated*										
0-19 YRS	10	31.0	1062	1	1	25	35	88	90	90
20-34	56	25.6	288	1	3	25	36	51	57	63
35-49	45	29.6	432	7	10	25	41	68	83	99+
50-64	31	28.1	391	5	8	27	33	52	78	90
65+	13	25.8	212	8	9	25	37	62	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1583	11.9	136	1	2	8	15	28	36	62
B. *Operated*	10	18.8	486	2	3	9	27	57	69	69
2. MULTIPLE DX										
A. *Not Operated*	2454	14.6	179	2	3	10	20	32	42	66
B. *Operated*	155	27.6	385	3	6	26	36	57	76	99
1. SINGLE DX	1593	11.9	138	1	2	8	15	28	37	63
2. MULTIPLE DX	2609	15.3	200	2	3	11	21	34	45	75
A. NOT OPERATED	4037	13.5	164	2	2	9	18	31	40	65
B. OPERATED	165	27.1	392	3	5	24	36	57	72	98
TOTAL 0-19 YRS	241	13.9	231	1	2	8	19	33	38	83
20-34	1417	13.5	180	1	2	9	18	31	43	64
35-49	1167	13.1	163	2	2	9	17	30	40	66
50-64	828	15.0	161	2	3	11	21	31	40	74
65+	549	16.3	210	3	4	12	21	36	52	84
GRAND TOTAL	**4202**	**14.1**	**179**	**2**	**2**	**10**	**19**	**32**	**42**	**68**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	241	8.3	185	<1	1	3	8	24	37	81
20-34	395	9.9	151	1	1	6	13	26	32	57
35-49	201	9.5	160	1	1	5	10	25	34	88
50-64	93	9.8	105	1	2	7	12	22	28	56
65+	46	8.5	67	1	2	5	11	19	27	41
B. *Operated*										
0-19 YRS	3	12.0	111	2	2	11	20	23	23	23
20-34	18	12.8	127	<1	1	12	18	30	37	40
35-49	6	14.3	152	3	3	11	18	35	37	37
50-64	3	9.0	84	1	1	7	16	19	19	19
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	244	12.7	227	<1	1	7	17	35	50	99+
20-34	639	11.9	162	1	1	8	17	29	39	91
35-49	353	13.4	202	1	1	9	18	35	43	65
50-64	207	12.4	172	1	1	8	17	30	45	92
65+	109	14.1	226	2	2	9	20	37	53	84
B. *Operated*										
0-19 YRS	16	17.8	320	<1	1	17	27	61	87	99+
20-34	50	15.0	245	<1	1	12	24	54	99+	99+
35-49	16	23.0	561	1	2	16	51	94	99+	99+
50-64	15	22.5	316	2	4	19	27	52	59	61
65+	8	31.0	650	2	6	25	58	92	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	976	9.4	153	1	1	5	11	25	33	67
B. *Operated*	31	12.5	113	<1	1	11	18	29	37	40
2. MULTIPLE DX										
A. *Not Operated*	1552	12.6	187	1	1	8	17	32	42	87
B. *Operated*	105	19.0	352	1	2	15	30	67	99+	99+
1. SINGLE DX	1007	9.5	152	1	1	5	12	25	33	66
2. MULTIPLE DX	1657	13.0	199	1	1	8	18	34	47	99+
A. NOT OPERATED	2528	11.3	176	1	1	7	15	29	40	80
B. OPERATED	136	17.5	303	1	2	13	27	51	99+	99+
TOTAL 0-19 YRS	504	10.8	214	<1	1	5	14	31	49	99+
20-34	1102	11.3	162	1	1	7	16	28	38	91
35-49	576	12.3	202	1	1	7	16	33	44	79
50-64	318	12.1	163	1	1	7	17	29	42	71
65+	164	13.3	219	2	2	8	18	35	51	97
GRAND TOTAL	**2664**	**11.6**	**184**	**1**	**1**	**7**	**16**	**29**	**41**	**91**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	2.5	26	<1	<1	1	2	4	5	27
20-34	316	5.3	41	<1	1	3	6	12	24	26
35-49	580	6.3	56	1	1	4	7	15	22	35
50-64	437	6.6	47	1	1	5	8	14	20	29
65+	112	6.3	71	1	1	4	8	12	23	45
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	13.0	331	2	2	3	26	34	34	34
50-64										
65+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	3.8	47	<1	<1	1	3	7	21	39
20-34	589	6.5	59	1	1	4	7	16	25	37
35-49	1106	7.9	69	1	1	5	10	18	25	40
50-64	997	9.6	137	1	2	6	11	21	30	71
65+	371	12.2	149	1	2	8	16	27	37	95
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	28	14.4	185	2	2	10	20	31	46	59
35-49	57	13.0	73	1	2	13	20	24	28	95
50-64	62	19.3	251	1	3	15	35	48	71	99+
65+	24	24.7	522	2	2	15	41	76	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1516	6.0	51	1	1	4	7	14	22	29
B. *Operated*	6	10.0	180	<1	<1	3	18	32	34	34
2. MULTIPLE DX										
A. *Not Operated*	3119	8.6	101	1	1	5	10	21	27	58
B. *Operated*	173	17.0	231	1	2	14	22	43	60	99+
1. SINGLE DX	1522	6.0	51	1	1	4	7	14	23	29
2. MULTIPLE DX	3292	9.1	111	1	1	6	11	22	29	64
A. NOT OPERATED	4635	7.8	86	1	1	5	9	19	25	49
B. OPERATED	179	16.7	230	1	2	14	22	42	59	99+
TOTAL 0-19 YRS	130	3.1	35	<1	<1	1	2	6	17	30
20-34	934	6.4	59	<1	1	4	7	17	24	35
35-49	1746	7.5	66	1	1	5	9	18	25	40
50-64	1496	9.2	122	1	2	6	11	20	29	67
65+	508	11.5	163	1	2	8	15	26	39	94
GRAND TOTAL	**4814**	**8.1**	**94**	**1**	**1**	**5**	**10**	**20**	**26**	**57**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	3.4	10	<1	<1	2	5	9	10	10
35-49	2	3.0	8	<1	<1	2	5	5	5	5
50-64	1	17.0		17	17	17	17	17	17	17
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	8.9	55	<1	1	5	14	19	24	24
35-49	8	11.3	83	1	1	12	18	24	25	25
50-64	2	22.0	98	15	15	22	29	29	29	29
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS										
20-34	1	30.0		30	30	30	30	30	30	30
35-49	1	35.0		35	35	35	35	35	35	35
50-64	1	33.0		33	33	33	33	33	33	33
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.3	22	<1	<1	2	6	11	16	17
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	23	10.6	73	1	1	11	15	24	26	29
B. *Operated*	3	32.7	6	30	30	33	34	35	35	35
1. SINGLE DX	14	4.3	22	<1	<1	2	6	11	16	17
2. MULTIPLE DX	26	13.2	116	1	2	13	21	30	33	35
A. NOT OPERATED	37	8.2	62	<1	1	5	14	20	25	29
B. OPERATED	3	32.7	6	30	30	33	34	35	35	35
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	23	7.2	62	<1	1	3	12	17	26	30
35-49	11	11.9	128	<1	1	11	19	29	34	35
50-64	4	23.5	78	15	15	23	31	33	33	33
65+	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**40**	**10.1**	**100**	**<1**	**1**	**6**	**15**	**27**	**31**	**35**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.5	38	1	1	2	3	16	17	17
20-34	19	6.7	35	1	1	5	12	16	19	19
35-49	11	21.8	777	1	2	10	24	70	90	92
50-64	5	15.8	106	4	4	14	23	31	31	31
65+	1	36.0		36	36	36	36	36	36	36
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	11.3	271	1	1	5	15	24	54	64
20-34	48	11.9	98	1	1	10	16	24	27	53
35-49	26	17.2	469	2	3	9	19	36	77	91
50-64	16	12.4	33	4	6	11	15	21	25	26
65+	12	20.2	261	3	5	16	26	47	56	57
B. *Operated*										
0-19 YRS										
20-34	1	23.0		23	23	23	23	23	23	23
35-49	3	15.7	158	4	4	14	25	29	29	29
50-64	1	67.0		67	67	67	67	67	67	67
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	12.1	282	1	1	7	14	27	44	92
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	117	13.9	212	1	2	10	17	27	41	80
B. *Operated*	5	27.4	579	4	4	23	38	67	67	67
1. SINGLE DX	42	12.1	282	1	1	7	14	27	44	92
2. MULTIPLE DX	122	14.5	229	1	2	10	18	30	47	79
A. NOT OPERATED	159	13.5	229	1	1	9	17	27	40	89
B. OPERATED	5	27.4	579	4	4	23	38	67	67	67
TOTAL 0-19 YRS	21	9.4	210	1	1	4	9	23	42	64
20-34	68	10.6	86	1	1	9	15	22	26	49
35-49	40	18.4	512	1	3	10	22	45	82	92
50-64	22	15.6	178	4	5	11	16	27	45	67
65+	13	21.4	258	3	5	18	32	46	55	57
GRAND TOTAL	**164**	**13.9**	**242**	**1**	**1**	**10**	**17**	**29**	**46**	**89**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	1.2	1	<1	<1	1	1	2	2	3
20-34	53	1.2		<1	<1	1	1	2	2	3
35-49	19	2.3	3	<1	<1	1	3	5	6	6
50-64	21	4.3	60	1	1	2	4	6	20	37
65+	10	2.3	5	<1	<1	1	3	6	8	8
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	1.4	1	<1	<1	1	1	3	4	7
20-34	87	3.4	53	<1	<1	1	3	5	9	47
35-49	65	3.3	14	<1	1	2	4	6	10	21
50-64	63	5.9	71	<1	1	3	7	13	24	44
65+	38	4.9	22	<1	1	3	6	13	14	21
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	8	4.0	8	1	1	3	6	8	9	9
35-49	3	1.7		<1	<1	2	2	2	2	2
50-64	4	2.3	2	<1	<1	2	3	4	4	4
65+	4	1.5		<1	<1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	248	1.6	7	<1	<1	1	1	2	4	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	332	3.5	35	<1	<1	1	4	7	12	39
B. *Operated*	21	2.6	5	<1	<1	2	3	6	8	9
1. SINGLE DX	248	1.6	7	<1	<1	1	1	2	4	8
2. MULTIPLE DX	353	3.5	33	<1	<1	2	4	7	10	38
A. NOT OPERATED	580	2.7	24	<1	<1	1	2	5	9	27
B. OPERATED	21	2.6	5	<1	<1	2	3	6	8	9
TOTAL 0-19 YRS	226	1.3	1	<1	<1	1	1	2	2	6
20-34	148	2.6	33	<1	<1	1	2	4	7	43
35-49	87	3.0	11	<1	1	2	3	6	7	21
50-64	88	5.3	65	<1	1	3	6	10	22	42
65+	52	4.1	19	<1	<1	3	5	11	13	21
GRAND TOTAL	**601**	**2.7**	**23**	**<1**	**<1**	**1**	**2**	**5**	**9**	**26**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	5.6	115	<1	<1	1	4	21	35	41
20-34	20	1.5	1	<1	<1	1	2	3	3	3
35-49	1	13.0		13	13	13	13	13	13	13
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	4	10.3	56	4	4	9	16	19	19	19
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	6.8	165	<1	<1	2	4	19	44	51
20-34	29	7.6	58	<1	1	5	11	17	19	35
35-49	16	8.3	74	<1	1	4	13	25	26	26
50-64	10	8.9	38	2	3	7	11	18	24	24
65+	19	8.5	53	1	2	6	9	22	25	26
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	28.0		28	28	28	28	28	28	28
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	4.2	58	<1	<1	1	3	13	21	41
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	97	7.8	80	<1	1	5	11	18	26	46
B. *Operated*	2	19.0	162	10	10	19	28	28	28	28
1. SINGLE DX	45	4.2	58	<1	<1	1	3	13	21	41
2. MULTIPLE DX	99	8.0	83	<1	1	5	11	19	26	46
A. NOT OPERATED	142	6.7	75	<1	1	3	8	17	26	42
B. OPERATED	2	19.0	162	10	10	19	28	28	28	28
TOTAL 0-19 YRS	41	6.3	140	<1	<1	2	4	19	40	51
20-34	49	5.1	43	<1	<1	2	6	15	18	35
35-49	17	8.5	70	<1	1	4	13	24	26	26
50-64	13	9.5	64	2	2	6	11	25	27	28
65+	24	8.8	49	1	3	6	12	20	25	26
GRAND TOTAL	**144**	**6.9**	**78**	**<1**	**1**	**3**	**8**	**18**	**26**	**42**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	4.5	15	1	1	3	5	11	13	17
20-34	48	5.5	38	1	1	3	7	10	17	36
35-49	56	6.8	61	1	1	4	8	15	22	46
50-64	35	7.1	121	1	1	3	8	11	24	63
65+	16	6.3	21	1	2	6	8	9	17	20
B. *Operated*										
0-19 YRS	6	6.2	18	1	1	5	6	13	14	14
20-34	7	4.7	3	2	2	5	6	7	7	7
35-49	3	7.3	102	<1	<1	2	15	19	19	19
50-64	3	11.0	16	7	7	11	14	15	15	15
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	4.4	10	<1	1	4	6	9	10	15
20-34	77	5.5	42	<1	1	4	6	13	22	31
35-49	82	5.5	18	1	1	5	8	12	15	20
50-64	100	7.0	42	1	2	5	9	14	21	33
65+	54	10.1	140	1	1	7	13	20	24	75
B. *Operated*										
0-19 YRS										
20-34	6	7.3	15	3	3	7	10	13	13	13
35-49	16	12.7	193	1	2	10	15	21	49	60
50-64	7	13.9	148	3	3	11	22	34	36	36
65+	9	24.1	738	4	4	16	32	68	90	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	5.9	50	1	1	4	7	12	16	40
B. *Operated*	20	6.5	23	<1	1	5	7	14	17	19
2. MULTIPLE DX										
A. *Not Operated*	369	6.4	49	1	1	4	8	14	20	33
B. *Operated*	38	14.8	296	2	3	10	16	34	50	90
1. SINGLE DX	237	5.9	47	1	1	4	7	12	16	37
2. MULTIPLE DX	407	7.2	77	1	1	5	9	15	22	36
A. NOT OPERATED	586	6.2	49	1	1	4	8	13	19	34
B. OPERATED	58	11.9	216	1	2	7	14	24	36	88
TOTAL 0-19 YRS	124	4.6	13	1	1	3	6	9	13	16
20-34	138	5.5	37	1	1	4	7	11	21	33
35-49	157	6.8	55	1	1	5	9	15	18	45
50-64	145	7.4	66	1	2	5	9	14	25	37
65+	80	10.9	198	1	2	7	13	21	33	86
GRAND TOTAL	**644**	**6.7**	**66**	**1**	**1**	**4**	**8**	**14**	**20**	**36**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	186	14.9	244	1	1	9	24	39	52	99+
20-34	211	6.6	79	1	1	4	8	14	21	34
35-49	130	7.2	68	1	1	4	8	19	28	40
50-64	63	9.4	137	1	1	6	10	24	33	67
65+	28	9.0	51	1	2	7	12	19	25	31
B. *Operated*										
0-19 YRS	2	16.0	8	14	14	16	18	18	18	18
20-34	1	21.0		21	21	21	21	21	21	21
35-49	[illegible]	8.0		8	8	8	8	8	8	8
50-64	[illegible]	16.0		16	16	16	16	16	16	16
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	202	15.0	254	1	2	9	24	44	55	99+
20-34	240	8.9	119	1	1	5	11	23	31	47
35-49	191	9.5	119	1	1	6	12	22	32	54
50-64	108	9.1	77	1	1	6	12	21	24	48
65+	83	9.7	83	2	2	7	13	20	32	48
B. *Operated*										
0-19 YRS	3	38.3	549	21	21	29	56	65	65	65
20-34	5	22.2	534	6	6	15	27	63	63	63
35-49	2	17.0	512	1	1	17	33	33	33	33
50-64	4	38.3	1414	5	5	29	65	90	90	90
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	618	9.6	143	1	1	5	12	27	34	82
B. *Operated*	5	15.4	24	8	8	16	19	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	824	10.6	149	1	1	6	14	28	38	70
B. *Operated*	14	29.5	701	2	5	19	41	67	85	90
1. SINGLE DX	623	9.7	143	1	1	5	12	26	34	81
2. MULTIPLE DX	838	10.9	163	1	1	6	14	29	41	71
A. NOT OPERATED	1442	10.2	147	1	1	6	13	27	35	70
B. OPERATED	19	25.8	552	3	5	17	32	64	79	90
TOTAL 0-19 YRS	393	15.1	253	1	2	9	24	42	54	99+
20-34	457	8.0	108	1	1	5	10	18	28	45
35-49	324	8.6	101	1	1	5	10	22	30	48
50-64	176	9.9	139	1	1	6	12	23	28	65
65+	111	9.5	75	1	2	7	13	19	31	43
GRAND TOTAL	**1461**	**10.4**	**155**	**1**	**1**	**6**	**13**	**28**	**37**	**76**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	432	12.7	187	1	2	7	17	33	41	65
20-34	513	10.1	177	1	1	5	12	25	40	71
35-49	330	11.3	140	1	2	7	14	26	33	60
50-64	261	12.3	123	2	3	9	17	27	35	55
65+	152	13.7	131	1	3	11	21	32	37	99+
B. *Operated*										
0-19 YRS	11	5.2	42	1	1	3	6	15	22	23
20-34	17	8.0	41	1	2	6	11	19	22	23
35-49	9	20.3	557	1	1	7	43	57	59	59
50-64	9	18.9	213	2	3	17	32	40	40	40
65+	3	11.7	16	8	8	11	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	419	16.1	295	1	2	9	25	39	59	96
20-34	600	10.6	171	1	1	6	13	25	35	75
35-49	502	10.1	124	1	2	6	12	22	33	59
50-64	483	12.4	147	2	3	8	16	27	40	83
65+	424	13.8	160	3	4	10	18	29	40	76
B. *Operated*										
0-19 YRS	28	16.8	245	2	2	14	26	60	99+	99+
20-34	53	18.7	317	1	2	15	24	44	56	99+
35-49	31	16.7	176	3	4	14	23	38	55	99+
50-64	37	25.3	472	2	5	18	36	63	68	[illegible]
65+	24	19.8	336	5	5	18	26	89	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1688	11.6	161	1	2	7	15	29	38	[illegible]
B. *Operated*	49	11.9	190	1	1	7	15	35	41	59
2. MULTIPLE DX										
A. *Not Operated*	2428	12.4	180	1	2	8	16	30	41	75
B. *Operated*	173	19.6	319	2	3	16	26	55	77	99+
1. SINGLE DX	1737	11.6	162	1	2	7	15	29	39	68
2. MULTIPLE DX	2601	12.9	193	1	2	8	17	32	43	81
A. NOT OPERATED	4116	12.1	172	1	2	7	15	29	39	73
B. OPERATED	222	17.9	300	1	2	14	23	45	63	99+
TOTAL 0-19 YRS	890	14.3	242	1	2	8	21	35	47	89
20-34	1183	10.7	181	1	1	6	13	26	41	76
35-49	872	10.9	138	1	2	7	14	24	36	60
50-64	790	13.0	162	2	3	9	17	28	40	79
65+	603	14.0	159	2	3	10	18	30	41	99+
GRAND TOTAL	**4338**	**12.4**	**181**	**1**	**2**	**8**	**16**	**31**	**42**	**76**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	15.9	336	<1	1	12	42	99+	99+	99+
20-34	7	7.0	28	1	2	7	13	75	99+	99+
35-49	2	13.0	8	11	11	13	15	15	15	15
50-64	1	28.0		28	28	28	28	28	28	28
65+										
B. *Operated*										
0-19 YRS	3	7.0	1	6	6	7	8	8	8	8
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	15.8	326	2	2	10	21	39	90	99+
20-34	52	17.8	352	2	2	11	26	50	64	99
35-49	8	23.9	380	1	1	24	46	84	99+	99+
50-64	11	28.2	605	3	4	25	60	76	97	99+
65+	3	14.3	182	1	1	14	24	28	28	28
B. *Operated*										
0-19 YRS	8	9.3	53	3	3	8	25	99+	99+	99+
20-34	3	6.7	12	3	3	7	9	10	10	10
35-49										
50-64	2	16.5	85	10	10	16	23	23	23	23
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	13.7	228	1	2	11	30	99+	99+	99+
B. *Operated*	3	7.0	1	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	131	18.1	362	2	2	12	26	59	81	99+
B. *Operated*	13	9.8	50	3	3	9	21	99+	99+	99+
1. SINGLE DX	28	13.0	207	1	2	10	23	99+	99+	99+
2. MULTIPLE DX	144	17.4	339	2	2	11	25	59	95	99+
A. NOT OPERATED	156	17.4	341	1	2	11	27	62	99+	99+
B. OPERATED	16	9.3	41	3	3	8	14	77	99+	99+
TOTAL 0-19 YRS	83	14.9	291	2	2	10	22	73	99+	99+
20-34	62	16.1	314	1	2	10	23	49	68	99+
35-49	10	21.7	317	1	2	21	37	76	98	99+
50-64	14	26.5	490	3	5	23	53	66	91	99+
65+	3	14.3	182	1	1	14	24	28	28	28
GRAND TOTAL	**172**	**16.6**	**319**	**2**	**2**	**11**	**25**	**62**	**99+**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	183	10.8	37	2	3	11	13	17	21	26
20-34	39	9.7	27	3	4	9	13	16	20	26
35-49	15	9.0	22	2	3	9	12	15	16	17
50-64	9	18.3	173	3	3	16	33	36	37	37
65+	4	18.5	96	12	12	14	24	33	33	33
B. *Operated*										
0-19 YRS	17	13.6	16	9	9	12	16	20	21	22
20-34	11	15.8	222	3	4	9	26	41	45	45
35-49	7	19.1	158	6	6	23	27	37	39	39
50-64	7	9.1	67	1	1	9	13	22	24	24
65+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	15.0	82	3	5	13	19	27	35	64
20-34	15	8.1	41	<1	1	9	13	85	99+	99+
35-49	14	15.2	314	3	3	10	26	97	99+	99+
50-64	22	17.2	313	2	2	14	24	43	91	99+
65+	19	20.8	515	1	2	14	26	47	74	94
B. *Operated*										
0-19 YRS	36	24.2	317	5	8	17	28	54	64	78
20-34	13	27.3	633	1	1	24	43	55	83	90
35-49	22	23.0	285	3	6	22	36	74	99+	99+
50-64	11	14.9	165	1	1	11	29	57	94	99+
65+	9	34.6	821	7	9	41	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	250	10.9	42	2	3	11	14	17	22	34
B. *Operated*	43	14.4	101	2	4	12	19	28	39	45
2. MULTIPLE DX										
A. *Not Operated*	193	15.3	166	2	3	13	20	31	50	99+
B. *Operated*	91	24.3	388	2	5	21	38	76	99+	99+
1. SINGLE DX	293	11.4	52	2	3	11	14	19	25	39
2. MULTIPLE DX	284	18.1	254	2	3	14	25	46	92	99+
A. NOT OPERATED	443	12.8	101	2	3	12	15	25	33	99+
B. OPERATED	134	21.1	316	2	5	17	30	56	96	99+
TOTAL 0-19 YRS	359	13.7	94	2	4	12	16	24	29	59
20-34	78	13.2	194	1	3	9	15	39	45	99+
35-49	58	17.1	231	3	3	13	27	56	99+	99+
50-64	49	15.7	217	1	2	13	25	35	84	99+
65+	33	24.2	546	2	5	18	42	98	99+	99+
GRAND TOTAL	**577**	**14.7**	**163**	**2**	**3**	**12**	**18**	**31**	**46**	**99+**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	22.0	800	2	2	22	42	42	42	42
35-49	4	16.8	[illegible]	9	9	12	23	34	34	34
50-64	30	11.8	51	3	4	12	15	26	94	99+
65+	81	16.0	323	2	3	10	20	45	81	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64	4	10.3	42	4	4	9	15	19	19	19
65+	1	8.0		8	8	54	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	6	7.3	19	1	1	7	10	14	14	14
50-64	45	13.7	135	3	4	10	20	37	59	99+
65+	280	19.3	277	3	5	16	30	85	99+	99+
B. *Operated*										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	3	13.0	49	6	6	13	18	20	20	20
50-64	6	22.0	451	4	4	17	24	58	62	62
65+	30	30.7	443	6	8	36	68	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	15.0	250	2	3	11	18	41	82	99+
B. *Operated*	6	9.3	27	4	5	8	17	84	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	333	18.3	258	3	4	15	28	72	99+	99+
B. *Operated*	40	27.6	425	6	6	26	53	99+	99+	99+
1. SINGLE DX	123	14.8	241	2	3	11	18	42	90	99+
2. MULTIPLE DX	373	19.3	283	3	5	15	31	84	99+	99+
A. NOT OPERATED	450	17.4	257	3	4	14	25	64	99+	99+
B. OPERATED	46	25.2	410	5	6	23	52	99+	99+	99+
TOTAL 0-19 YRS										
20-34	5	12.8	286	1	1	7	19	42	42	42
35-49	14	11.2	64	2	5	9	13	21	31	34
50-64	85	13.4	123	3	4	11	18	36	64	99+
65+	392	19.5	309	3	4	15	32	86	99+	99+
GRAND TOTAL	**496**	**18.1**	**276**	**3**	**4**	**14**	**28**	**71**	**99+**	**99+**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	15.5	148	3	4	10	22	35	40	40
20-34	115	10.8	133	2	3	9	12	17	25	73
35-49	118	13.4	176	3	4	9	16	25	41	78
50-64	61	14.3	167	2	3	11	22	30	54	99+
65+	7	29.7	980	6	7	23	28	84	98	98
B. *Operated*										
0-19 YRS	5	17.0	752	3	3	5	21	66	66	66
20-34	17	8.2	25	2	3	8	10	20	69	99+
35-49	19	13.2	139	1	3	11	20	41	74	99+
50-64	19	13.7	428	2	3	9	13	21	63	96
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	14.0	167	2	3	12	14	32	49	49
20-34	85	13.9	212	4	5	9	15	27	50	96
35-49	134	14.2	257	3	4	9	17	35	72	99+
50-64	109	16.7	273	2	4	12	24	50	99+	99+
65+	21	16.8	362	2	3	13	24	50	94	99+
B. *Operated*										
0-19 YRS	2	10.5	13	8	8	10	13	13	13	13
20-34	27	14.8	139	2	3	13	30	99+	99+	99+
35-49	29	20.4	230	4	7	17	30	39	78	99+
50-64	33	22.3	447	2	4	18	51	99+	99+	99+
65+	5	27.8	1059	12	12	14	86	99	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	309	13.0	180	2	3	9	16	25	36	96
B. *Operated*	60	12.2	239	2	3	8	13	26	78	99+
2. MULTIPLE DX										
A. *Not Operated*	359	15.0	254	3	4	10	19	37	77	99+
B. *Operated*	96	19.7	316	2	4	16	31	98	99+	99+
1. SINGLE DX	369	12.9	189	2	3	9	15	25	40	99
2. MULTIPLE DX	455	16.0	270	2	4	11	22	49	98	99+
A. NOT OPERATED	668	14.1	220	2	4	10	17	31	59	99+
B. OPERATED	156	16.8	298	2	3	13	25	73	99+	99+
TOTAL 0-19 YRS	25	14.8	234	3	3	10	14	40	53	66
20-34	244	12.2	156	2	3	9	14	27	46	99+
35-49	300	14.4	217	3	4	10	17	34	59	99+
50-64	222	16.6	286	2	3	12	24	54	99+	99+
65+	33	21.2	577	2	3	14	26	90	99	99+
GRAND TOTAL	**824**	**14.6**	**236**	**2**	**4**	**10**	**18**	**35**	**75**	**99+**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	641	4.4	19	1		3	6	9	13	26
20-34	365	4.1	25	<1	1	3	5	9	13	23
35-49	189	4.5	18	1	1	3	6	9	14	23
50-64	112	5.6	55	1	1	3	6	13	18	41
65+	81	5.8	27	1	1	4	7	14	17	25
B. *Operated*										
0-19 YRS	8	17.8	186	3	4	14	26	39	42	42
20-34	7	8.0	48	1	1	5	14	17	18	18
35-49	8	13.6	103	1	2	12	20	29	31	31
50-64	10	8.7	69	2	2	6	11	21	30	30
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	494	7.2	69	1	1	5	9	15	24	46
20-34	340	7.0	87	1	1	4	8	16	25	97
35-49	237	7.2	49	1	1	5	10	17	22	31
50-64	241	8.4	102	1	2	6	10	19	26	61
65+	225	10.5	132	1	2	7	12	22	32	69
B. *Operated*										
0-19 YRS	33	12.8	126	2	2	10	16	36	44	99+
20-34	30	13.7	294	<1	1	7	18	38	64	67
35-49	29	12.0	125	1	2	9	14	25	40	47
50-64	24	17.1	366	2	2	10	19	57	83	99+
65+	25	21.5	392	1	4	14	31	58	67	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1388	4.5	24	1	1	3	6	10	14	23
B. *Operated*	34	11.8	105	1	2	10	15	30	33	42
2. MULTIPLE DX										
A. *Not Operated*	1537	7.8	86	1	1	5	10	17	25	58
B. *Operated*	141	15.1	254	1	2	10	18	39	60	99+
1. SINGLE DX	1422	4.7	27	1	1	3	6	10	15	27
2. MULTIPLE DX	1678	8.4	104	1	1	5	10	19	29	65
A. NOT OPERATED	2925	6.3	59	1	1	4	8	14	21	43
B. OPERATED	175	14.5	226	1	2	10	18	37	54	94
TOTAL 0-19 YRS	1176	5.9	48	1	1	4	7	13	20	43
20-34	742	5.9	69	1	1	3	7	13	20	64
35-49	463	6.5	46	1	1	4	8	15	21	31
50-64	387	8.1	109	1	1	5	10	18	27	72
65+	332	10.1	139	1	2	6	12	22	32	67
GRAND TOTAL	**3100**	**6.7**	**72**	**1**	**1**	**4**	**8**	**15**	**22**	**56**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	9.2	177	1	2	5	11	32	99+	99+
20-34	98	10.3	276	1	2	6	11	18	53	99
35-49	66	9.9	155	1	1	7	13	21	33	98
50-64	100	11.0	127	1	2	7	15	23	32	85
65+	106	13.7	215	3	3	9	18	36	61	99+
B. *Operated*										
0-19 YRS	102	8.1	59	1	2	6	10	18	26	71
20-34	91	10.5	103	1	2	7	13	24	36	46
35-49	75	9.5	105	1	2	6	13	21	25	60
50-64	74	10.7	67	1	3	9	16	21	26	86
65+	44	10.6	101	1	2	7	16	27	40	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	211	9.8	119	2	2	7	12	30	79	99+
20-34	131	11.5	185	1	2	8	18	76	99+	99+
35-49	125	12.9	264	2	2	8	15	47	98	99+
50-64	240	16.4	304	3	4	11	21	42	77	99+
65+	370	19.9	355	3	5	15	32	80	99+	99+
B. *Operated*										
0-19 YRS	164	12.7	242	2	3	8	15	31	51	92
20-34	166	11.7	180	1	2	7	15	28	54	99+
35-49	162	13.7	233	2	2	8	18	36	57	99+
50-64	166	15.9	232	2	3	12	22	40	67	99+
65+	178	21.1	425	2	3	15	35	61	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	479	10.9	193	1	2	7	13	27	53	99+
B. *Operated*	386	9.7	85	1	2	7	13	22	29	60
2. MULTIPLE DX										
A. *Not Operated*	1077	15.3	281	2	3	10	22	56	99+	99+
B. *Operated*	836	15.1	275	2	2	10	20	41	62	99+
1. SINGLE DX	865	10.4	145	1	2	7	13	24	38	99+
2. MULTIPLE DX	1913	15.2	278	2	3	10	21	48	94	99+
A. NOT OPERATED	1556	13.9	258	2	2	9	19	46	99+	99+
B. OPERATED	1222	13.4	221	2	2	9	18	36	56	99+
TOTAL 0-19 YRS	586	10.2	156	2	2	7	12	27	55	99+
20-34	486	11.2	186	1	2	7	15	31	62	99+
35-49	428	12.1	209	1	2	8	14	32	60	99+
50-64	580	14.6	228	2	3	10	19	35	62	99+
65+	698	18.7	344	2	4	13	29	61	99+	99+
GRAND TOTAL	**2776**	**13.7**	**242**	**2**	**2**	**9**	**18**	**39**	**76**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	3.5	11	1	1	3	5	7	8	15
20-34	302	3.1	7	1	1	2	4	7	8	11
35-49	202	3.2	10	1	1	2	4	6	8	16
50-64	79	4.0	14	1	1	3	4	9	12	18
65+	22	3.8	13	<1	1	3	4	8	11	16
B. *Operated*										
0-19 YRS	4	3.5	7	1	1	3	5	7	7	7
20-34	31	5.2	9	1	1	5	8	9	10	11
35-49	27	5.5	14	1	2	5	7	9	13	18
50-64	6	7.2	27	1	1	5	13	14	14	14
65+	3	15.3	110	5	5	15	23	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	4.1	7	1	1	3	6	8	10	11
20-34	181	4.0	12	1	1	3	5	8	11	19
35-49	160	4.7	22	1	1	3	6	10	13	23
50-64	79	5.8	19	1	1	4	7	12	16	19
65+	30	7.3	23	2	3	6	11	14	17	18
B. *Operated*										
0-19 YRS	4	7.5	22	1	1	8	10	12	12	12
20-34	20	8.5	40	1	2	7	13	16	21	25
35-49	25	7.9	42	2	3	5	10	20	21	23
50-64	15	7.2	18	2	2	7	12	14	74	99+
65+	7	5.4	12	1	1	5	8	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	747	3.3	9	1	1	2	4	7	8	16
B. *Operated*	71	5.8	19	1	2	5	8	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	511	4.7	17	1	1	3	6	10	13	19
B. *Operated*	71	7.6	32	2	2	6	11	16	20	83
1. SINGLE DX	818	3.5	11	1	1	3	4	7	9	17
2. MULTIPLE DX	582	5.1	20	1	1	4	7	11	15	21
A. NOT OPERATED	1258	3.9	13	1	1	3	5	8	11	18
B. OPERATED	142	6.7	26	1	2	5	9	14	18	31
TOTAL 0-19 YRS	211	3.8	10	1	1	3	5	7	9	12
20-34	534	3.8	11	1	1	3	5	8	10	18
35-49	414	4.2	18	1	1	3	5	8	12	21
50-64	179	5.1	18	1	1	4	7	12	15	19
65+	62	6.2	27	1	1	4	8	14	16	25
GRAND TOTAL	**1400**	**4.2**	**15**	**1**	**1**	**3**	**5**	**9**	**12**	**19**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.7		1	1	2	2	2	2	2
35-49	6	2.0		2	2	2	2	2	2	2
50-64	7	5.7	15	2	2	4	9	12	12	12
65+	5	2.6	2	2	2	2	3	5	5	5
B. *Operated*										
0-19 YRS	14	1.6		<1	<1	1	2	2	3	3
20-34	176	2.0	1	<1	<1	2	2	3	4	7
35-49	232	2.3	2	<1	1	2	3	4	5	7
50-64	272	2.7	7	<1	1	2	3	4	5	13
65+	129	2.7	6	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	6.5	93	1	1	3	4	24	26	26
35-49	7	3.0	6	1	1	2	4	7	8	8
50-64	8	5.0	19	1	1	4	6	12	15	15
65+	8	6.5	42	2	2	4	9	18	20	20
B. *Operated*										
0-19 YRS	7	3.6	10	<1	<1	3	5	9	10	10
20-34	48	3.6	11	<1	<1	3	4	8	10	17
35-49	85	3.6	11	1	1	2	4	8	10	18
50-64	157	3.7	12	1	2	3	4	7	11	17
65+	111	5.2	68	1	2	3	5	10	13	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.3	8	1	2	2	4	8	11	12
B. *Operated*	823	2.4	4	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	30	5.2	34	1	1	3	5	13	20	26
B. *Operated*	408	4.1	27	1	1	3	4	8	12	25
1. SINGLE DX	844	2.4	4	<1	1	2	3	4	5	9
2. MULTIPLE DX	438	4.1	28	1	1	3	4	8	12	26
A. NOT OPERATED	51	4.4	24	1	2	2	5	11	15	26
B. OPERATED	1231	3.0	12	<1	1	2	3	5	7	16
TOTAL 0-19 YRS	22	2.3	4	<1	<1	2	3	4	7	10
20-34	233	2.5	6	<1	<1	2	3	4	5	15
35-49	330	2.6	5	<1	1	2	3	5	7	12
50-64	444	3.1	9	1	1	2	3	5	8	15
65+	253	3.9	35	1	1	2	4	7	12	26
GRAND TOTAL	**1282**	**3.0**	**13**	**<1**	**1**	**2**	**3**	**5**	**8**	**17**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	9.1	168	<1	1	6	8	20	45	61
20-34	96	8.5	83	1	1	5	10	23	27	41
35-49	91	5.9	35	1	1	4	7	12	14	36
50-64	107	9.2	104	1	2	6	10	22	33	54
65+	68	9.1	73	1	1	6	12	22	27	40
B. *Operated*										
0-19 YRS	50	4.9	32	1	2	4	6	8	9	40
20-34	267	5.1	17	1	2	4	7	10	12	23
35-49	298	5.1	19	1	2	4	7	10	13	23
50-64	244	4.5	20	1	2	3	5	9	16	25
65+	116	7.1	73	1	2	4	8	15	29	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	8.3	32	1	2	6	12	18	19	20
20-34	73	8.0	145	1	1	5	8	15	32	94
35-49	104	9.8	139	2	2	7	11	22	36	94
50-64	179	11.4	171	2	2	8	14	23	35	88
65+	187	13.6	154	2	3	10	17	29	36	84
B. *Operated*										
0-19 YRS	43	12.0	220	1	2	7	14	29	57	99+
20-34	116	7.6	54	1	2	6	9	16	22	99+
35-49	168	8.1	63	2	2	6	11	16	23	56
50-64	218	8.9	172	1	2	5	9	23	33	96
65+	132	13.2	220	2	2	8	16	38	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	393	8.2	83	1	1	5	9	20	27	46
B. *Operated*	975	5.2	26	1	2	3	6	10	15	28
2. MULTIPLE DX										
A. *Not Operated*	569	11.2	153	2	2	8	13	24	36	90
B. *Operated*	677	9.5	140	2	2	6	11	23	35	99+
1. SINGLE DX	1368	6.1	44	1	2	4	7	12	19	36
2. MULTIPLE DX	1246	10.3	147	2	2	7	12	23	36	99
A. NOT OPERATED	962	10.0	127	1	2	7	12	22	34	75
B. OPERATED	1652	6.9	77	1	2	4	8	15	23	61
TOTAL 0-19 YRS	150	8.4	120	1	2	5	9	18	28	84
20-34	552	6.6	55	1	2	4	8	14	20	60
35-49	661	6.7	54	1	2	5	8	13	19	40
50-64	748	8.1	119	1	2	5	9	18	28	79
65+	503	11.4	149	2	2	8	14	29	37	90
GRAND TOTAL	**2614**	**8.1**	**98**	**1**	**2**	**5**	**9**	**18**	**27**	**66**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	11	5.3	12	<1	<1	6	8	9	11	11
35-49	4	3.3	7	1	1	3	5	6	6	6
50-64	13	6.0	6	1	2	6	7	9	10	10
65+	8	6.6	7	1	2	7	8	9	9	9
B. *Operated*										
0-19 YRS	33	7.6	20	1	3	6	10	14	15	21
20-34	70	7.2	19	2	3	6	9	12	14	27
35-49	55	7.3	15	2	3	7	10	13	15	17
50-64	125	8.1	22	2	3	7	11	14	16	25
65+	104	9.0	28	2	3	8	12	17	20	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	5	4.8	7	<1	<1	6	7	7	7	7
35-49	5	5.6	14	2	2	6	8	11	11	11
50-64	12	5.3	8	1	1	6	7	8	9	9
65+	11	8.6	11	3	4	9	10	13	14	14
B. *Operated*										
0-19 YRS	8	8.8	3	7	7	8	10	11	12	12
20-34	33	7.5	12	4	4	7	8	12	14	20
35-49	45	7.4	10	2	4	7	9	10	14	16
50-64	133	8.7	22	3	4	8	11	15	18	26
65+	158	9.9	40	3	4	8	12	18	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	5.6	8	1	1	6	7	9	10	11
B. *Operated*	387	8.1	22	2	3	7	11	14	17	23
2. MULTIPLE DX										
A. *Not Operated*	34	6.4	11	1	2	6	9	10	13	14
B. *Operated*	377	9.0	28	3	4	8	11	15	19	27
1. SINGLE DX	425	7.8	22	2	3	7	10	14	17	23
2. MULTIPLE DX	411	8.8	27	2	4	8	10	14	18	27
A. NOT OPERATED	72	5.9	10	1	1	6	8	9	11	14
B. OPERATED	764	8.5	25	2	3	7	11	15	18	26
TOTAL 0-19 YRS	44	7.7	16	2	3	7	9	13	15	21
20-34	119	7.0	16	2	3	7	8	11	14	23
35-49	109	7.1	13	2	2	7	9	12	15	17
50-64	283	8.2	21	2	3	7	10	14	17	25
65+	281	9.4	34	3	4	8	12	17	20	33
GRAND TOTAL	**836**	**8.3**	**24**	**2**	**3**	**7**	**10**	**14**	**18**	**26**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.3		1	1	1	2	2	2	2
35-49	4	4.5	7	2	2	4	6	8	8	8
50-64	24	2.9	9	1	1	1	3	8	10	10
65+	28	4.8	21	1	1	4	6	10	13	24
B. *Operated*										
0-19 YRS	1	35.0		35	35	35	35	35	35	35
20-34	7	5.1	3	2	2	6	7	7	7	7
35-49	29	4.9	10	2	2	4	7	10	11	14
50-64	96	5.9	19	2	2	4	8	12	14	24
65+	145	6.0	16	2	2	5	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	4.3	8	<1	<1	6	6	6	6	6
50-64	11	6.9	33	1	2	5	10	17	19	19
65+	31	6.2	25	1	2	5	8	13	18	22
B. *Operated*										
0-19 YRS	3	21.7	670	2	2	12	41	51	51	51
20-34	7	8.7	10	3	4	9	11	13	13	13
35-49	13	8.8	53	2	2	6	11	18	26	28
50-64	68	8.7	45	3	4	7	10	16	24	39
65+	169	9.3	41	2	3	8	12	19	21	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	3.7	15	1	1	3	5	8	10	22
B. *Operated*	278	5.9	19	2	2	5	8	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	48	6.0	25	1	1	5	7	14	18	22
B. *Operated*	260	9.2	48	2	3	8	11	18	22	39
1. SINGLE DX	340	5.5	19	1	2	4	7	11	13	24
2. MULTIPLE DX	308	8.7	46	2	2	7	11	17	21	37
A. NOT OPERATED	110	4.7	20	1	1	3	6	10	14	23
B. OPERATED	538	7.5	36	2	2	6	10	14	19	30
TOTAL 0-19 YRS	6	17.7	424	2	2	8	35	49	51	51
20-34	21	5.0	14	<1	1	4	7	10	12	13
35-49	49	5.9	23	2	2	5	7	11	15	28
50-64	199	6.5	30	1	2	5	8	13	17	26
65+	373	7.4	32	2	2	6	10	15	19	26
GRAND TOTAL	**648**	**7.0**	**34**	**2**	**2**	**5**	**9**	**13**	**19**	**28**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	4	2.5	6	1	1	2	4	6	6	6
50-64	8	6.0	29	1	1	4	9	14	16	16
65+	13	9.4	255	1	1	4	11	28	53	59
B. *Operated*										
0-19 YRS	2	7.5	41	3	3	7	12	12	12	12
20-34	5	6.0	3	4	4	6	7	8	8	8
35-49	6	5.2	9	3	3	4	6	10	11	11
50-64	39	6.0	6	2	3	6	8	10	11	11
65+	35	7.7	29	2	2	6	9	15	21	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.0	31	1	1	4	9	14	14	14
20-34	5	4.4	1	3	3	5	5	5	5	5
35-49	6	6.5	24	1	1	5	12	13	13	13
50-64	13	4.7	10	1	1	4	7	9	11	11
65+	26	9.7	115	2	2	6	12	29	57	99+
B. *Operated*										
0-19 YRS	7	13.4	113	2	3	7	24	28	28	28
20-34	15	6.3	58	1	2	4	6	11	27	32
35-49	15	7.4	20	2	3	6	10	14	17	18
50-64	25	6.8	25	2	3	6	8	15	20	22
65+	60	9.5	42	2	3	7	12	19	22	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	6.4	127	1	1	2	7	14	22	59
B. *Operated*	87	6.7	16	2	3	6	8	11	13	23
2. MULTIPLE DX										
A. *Not Operated*	54	7.4	66	1	1	5	9	15	29	97
B. *Operated*	122	8.5	43	2	3	7	10	18	23	32
1. SINGLE DX	116	6.6	43	1	1	6	8	11	16	36
2. MULTIPLE DX	176	8.2	50	2	2	6	10	18	23	44
A. NOT OPERATED	83	7.1	86	1	1	4	9	15	25	86
B. OPERATED	209	7.8	33	2	3	6	9	16	21	30
TOTAL 0-19 YRS	15	9.0	80	1	1	6	13	27	28	28
20-34	27	5.6	33	1	2	4	6	10	14	32
35-49	31	6.2	18	1	2	5	9	12	14	18
50-64	85	6.0	14	1	2	6	8	10	12	21
65+	134	9.1	71	2	2	7	11	20	24	65
GRAND TOTAL	**292**	**7.6**	**48**	**1**	**2**	**6**	**9**	**16**	**21**	**42**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
YRS										
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	22	4.8	2	2	3	5	5	7	7	7
65+	96	5.4	5	1	2	5	7	7	8	13
B. *Operated*										
YRS										
35-49	150	5.8	9	2	3	6	7	9	12	19
50-64	984	5.5	6	2	3	5	7	8	10	14
65+	2595	6.0	10	2	3	5	7	9	12	17
2. MULTIPLE DX										
A. *Not Operated*										
YRS										
35-49	7	4.3	27	<1	<1	1	7	13	14	14
50-64	30	3.8	15	<1	<1	2	5	8	13	18
65+	127	4.8	23	1	1	3	6	11	13	49
B. *Operated*										
YRS										
35-49	117	7.3	27	2	2	7	8	12	15	32
50-64	837	6.6	15	2	3	6	8	11	14	21
65+	3172	7.3	33	2	3	6	8	13	17	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	5.2	5	1	2	5	7	7	8	12
B. *Operated*	3729	5.8	9	2	3	5	7	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	164	4.6	22	<1	1	3	6	10	13	33
B. *Operated*	4126	7.2	30	2	3	6	8	13	16	28
1. SINGLE DX	3850	5.8	9	2	3	5	7	9	11	16
2. MULTIPLE DX	4290	7.1	30	2	3	6	8	13	16	28
A. NOT OPERATED	285	4.9	15	<1	1	5	7	9	12	22
B. OPERATED	7855	6.5	20	2	3	6	7	11	14	22
TOTAL YRS										
35-49	277	6.4	18	2	2	6	7	10	13	21
50-64	1873	5.9	11	2	3	5	7	9	12	18
65+	5990	6.7	23	2	3	6	7	12	14	24
GRAND TOTAL	**8140**	**6.5**	**20**	**2**	**3**	**6**	**7**	**11**	**14**	**22**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	4.3	1	3	3	5	5	5	5	5
35-49	3	5.3		5	5	5	6	6	6	6
50-64	4	5.3	2	4	4	5	6	7	7	7
65+	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	52	4.2	4	2	2	4	5	7	8	11
20-34	36	4.9	5	2	2	4	6	7	11	12
35-49	40	5.7	23	2	2	5	7	10	14	28
50-64	51	5.1	5	2	2	5	7	8	9	11
65+	30	4.6	9	2	2	4	5	7	9	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	4	4.3	1	3	3	4	5	5	5	5
65+	2	5.5	1	5	5	5	6	6	6	6
B. *Operated*										
0-19 YRS	24	8.0	99	2	2	4	10	14	26	50
20-34	29	5.3	16	2	2	4	7	9	10	22
35-49	43	6.1	9	2	3	5	7	10	14	14
50-64	65	7.5	42	2	3	6	8	12	18	42
65+	66	6.7	13	3	3	6	8	13	15	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.3	2	1	2	5	5	6	7	7
B. *Operated*	209	4.9	9	2	2	5	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	12	3.8	4	1	1	4	5	6	7	7
B. *Operated*	227	6.8	30	2	3	6	8	13	15	46
1. SINGLE DX	227	4.8	8	2	2	5	6	7	10	16
2. MULTIPLE DX	239	6.6	29	2	3	6	8	12	14	45
A. NOT OPERATED	30	4.1	3	1	1	5	5	6	7	7
B. OPERATED	436	5.9	21	2	2	5	7	10	14	28
TOTAL 0-19 YRS	79	5.3	36	2	2	4	6	9	13	40
20-34	73	5.1	9	2	2	4	6	9	10	20
35-49	89	5.8	15	2	2	5	7	10	14	23
50-64	124	6.3	26	2	3	5	7	10	13	32
65+	101	6.0	12	2	3	5	7	11	14	58
GRAND TOTAL	**466**	**5.8**	**20**	**2**	**2**	**5**	**7**	**9**	**14**	**27**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.4	5	<1	1	2	3	6	8	10
20-34	15	3.7	5	1	2	3	5	8	8	8
35-49	11	6.8	16	1	2	6	10	12	13	13
50-64	6	4.0	3	2	2	4	5	7	7	7
65+	3	7.0	25	2	2	7	11	12	12	12
B. *Operated*										
0-19 YRS	1635	2.1	7	1	1	2	2	3	3	5
20-34	315	2.3	1	1	2	2	3	3	3	6
35-49	96	2.6	3	1	2	2	3	3	6	11
50-64	44	2.4	1	1	2	2	3	3	4	6
65+	23	3.3	4	1	1	2	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	1.7	6	<1	<1	1	1	2	4	17
20-34	9	2.8	5	<1	<1	2	3	7	8	8
35-49	6	3.7	5	2	2	3	4	8	8	8
50-64	13	8.1	32	2	2	7	12	17	19	19
65+	9	8.4	26	3	3	7	13	16	18	18
B. *Operated*										
0-19 YRS	337	2.1	2	1	1	2	2	3	4	9
20-34	100	2.6	4	1	2	2	3	3	5	14
35-49	50	2.8	4	1	2	2	3	4	9	12
50-64	41	4.4	42	1	2	2	4	8	12	41
65+	27	8.3	81	2	2	4	9	23	28	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	3.9	10	1	1	3	6	9	11	13
B. *Operated*	2113	2.2	6	1	1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	111	3.2	17	<1	<1	1	3	8	13	19
B. *Operated*	555	2.7	11	1	1	2	3	4	7	23
1. SINGLE DX	2175	2.2	6	1	1	2	2	3	3	8
2. MULTIPLE DX	666	2.8	12	<1	1	2	3	4	8	21
A. NOT OPERATED	173	3.4	14	<1	<1	2	4	8	12	18
B. OPERATED	2668	2.3	7	1	1	2	2	3	4	9
TOTAL 0-19 YRS	2073	2.1	6	1	1	2	2	3	3	7
20-34	439	2.4	2	1	2	2	3	3	4	8
35-49	163	3.0	5	1	2	2	3	6	9	12
50-64	104	4.0	24	1	2	2	4	8	12	29
65+	62	6.4	46	2	2	4	8	13	22	37
GRAND TOTAL	**2841**	**2.4**	**8**	**1**	**1**	**2**	**2**	**3**	**4**	**12**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	3.1	9	<1	<1	2	4	7	10	15
20-34	53	3.5	8	1	1	2	6	9	9	11
35-49	43	4.5	19	<1	1	3	5	11	15	20
50-64	62	4.2	23	<1	1	3	5	9	13	31
65+	59	7.6	103	<1	1	5	9	16	33	96
B. *Operated*										
0-19 YRS	125	2.5	8	<1	<1	1	3	6	8	41
20-34	123	3.8	20	<1	<1	2	4	8	12	48
35-49	200	2.7	5	<1	<1	2	3	6	7	11
50-64	286	3.0	6	<1	<1	2	3	6	9	12
65+	333	3.9	13	1	1	3	4	7	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144	6.0	30	1	1	5	8	12	16	29
20-34	26	3.7	8	<1	<1	3	5	9	10	11
35-49	27	5.4	24	1	1	4	7	15	18	19
50-64	60	7.1	35	1	1	5	10	17	19	22
65+	90	9.3	81	1	2	7	12	19	33	78
B. *Operated*										
0-19 YRS	37	4.5	13	<1	1	3	7	10	11	16
20-34	61	4.3	9	<1	1	3	5	9	10	16
35-49	98	4.9	48	<1	<1	3	5	10	19	41
50-64	182	5.4	41	1	1	3	6	10	17	38
65+	292	5.6	31	1	2	3	7	13	17	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	393	4.2	28	<1	<1	3	5	9	13	29
B. *Operated*	1067	3.3	10	<1	<1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	347	6.8	45	1	1	5	9	15	19	39
B. *Operated*	670	5.2	33	1	1	3	6	11	16	34
1. SINGLE DX	1460	3.5	15	<1	<1	2	4	7	10	19
2. MULTIPLE DX	1017	5.8	38	1	1	4	7	13	17	35
A. NOT OPERATED	740	5.4	38	<1	1	4	7	12	17	34
B. OPERATED	1737	4.0	20	<1	1	3	5	8	11	25
TOTAL 0-19 YRS	482	3.9	17	<1	<1	3	5	9	12	23
20-34	263	3.9	14	<1	<1	3	5	8	10	23
35-49	368	3.7	20	<1	<1	2	4	8	11	24
50-64	590	4.3	23	<1	1	3	5	9	13	24
65+	774	5.4	38	1	2	3	6	12	16	41
GRAND TOTAL	**2477**	**4.4**	**26**	**<1**	**1**	**3**	**5**	**9**	**14**	**30**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	4.9	11	1	2	4	6	9	11	17
20-34	110	6.1	17	2	2	5	9	11	13	23
35-49	56	5.4	11	1	2	5	7	11	12	14
50-64	63	7.0	16	2	3	6	9	14	16	18
65+	46	6.8	15	1	2	6	9	12	15	17
B. *Operated*										
0-19 YRS	30	6.3	47	<1	1	4	7	16	25	28
20-34	51	5.3	23	1	2	4	6	11	14	24
35-49	26	4.8	10	1	1	4	6	9	12	13
50-64	41	7.5	79	1	2	4	10	15	16	55
65+	53	6.1	15	2	2	5	8	10	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	6.4	20	2	2	6	7	13	16	25
20-34	84	6.0	15	1	2	6	8	12	14	18
35-49	53	6.5	30	1	2	5	8	13	16	29
50-64	76	7.6	23	2	2	7	10	15	17	22
65+	111	10.2	127	2	3	7	11	20	29	69
B. *Operated*										
0-19 YRS	20	6.5	19	1	2	4	11	13	13	13
20-34	55	6.6	21	2	3	5	7	14	17	23
35-49	51	7.8	30	2	2	7	9	15	19	29
50-64	81	8.7	56	2	2	6	11	22	26	79
65+	138	9.5	113	2	2	6	11	18	25	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	390	5.9	15	1	2	5	8	11	13	18
B. *Operated*	201	6.0	34	1	2	4	8	12	15	26
2. MULTIPLE DX										
A. *Not Operated*	411	7.6	52	1	2	6	9	14	18	41
B. *Operated*	345	8.4	68	2	2	6	10	17	23	59
1. SINGLE DX	591	5.9	21	1	2	5	8	11	14	23
2. MULTIPLE DX	756	8.0	60	2	2	6	9	16	21	45
A. NOT OPERATED	801	6.8	35	1	2	5	8	12	16	27
B. OPERATED	546	7.5	57	2	2	5	9	16	22	36
TOTAL 0-19 YRS	252	5.7	19	1	2	5	7	11	13	25
20-34	300	6.0	18	1	2	5	8	12	14	22
35-49	186	6.3	22	1	2	5	8	12	14	28
50-64	261	7.8	41	2	2	6	10	15	19	35
65+	348	8.9	92	2	2	6	10	17	22	68
GRAND TOTAL	**1347**	**7.1**	**44**	**2**	**2**	**5**	**9**	**14**	**18**	**33**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.4	7	<1	<1	2	6	8	8	8
20-34	6	5.3	15	<1	<1	5	9	10	10	10
35-49	3	5.0	19	2	2	3	8	10	10	10
50-64	12	5.2	15	1	1	5	7	11	12	12
65+	4	8.0	5	6	6	7	9	11	11	11
B. *Operated*										
0-19 YRS	9	2.6	6	<1	<1	2	3	7	9	9
20-34	8	4.1	10	1	1	3	6	9	10	10
35-49	5	4.6	29	1	1	2	6	14	14	14
50-64	6	4.2	7	1	1	4	6	8	8	8
65+	4	12.8	76	5	5	11	20	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.5	13	<1	<1	2	4	9	13	14
20-34	14	5.7	23	1	1	4	10	13	15	15
35-49	13	7.7	26	1	1	9	11	13	18	19
50-64	11	6.3	17	1	1	6	10	12	14	14
65+	17	14.0	362	2	3	9	11	67	89	99+
B. *Operated*										
0-19 YRS	6	3.3	8	1	1	2	3	8	9	9
20-34	8	5.6	4	2	3	6	7	8	8	8
35-49	9	4.2	6	2	2	4	5	55	99+	99+
50-64	29	7.3	44	1	2	5	8	14	21	33
65+	11	6.4	4	2	3	7	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	4.8	12	<1	1	4	7	10	11	12
B. *Operated*	32	4.8	26	1	1	3	6	11	17	23
2. MULTIPLE DX										
A. *Not Operated*	70	7.7	113	1	1	5	10	14	19	94
B. *Operated*	63	6.1	24	1	2	5	8	10	16	91
1. SINGLE DX	73	4.8	18	<1	1	3	7	10	12	22
2. MULTIPLE DX	133	6.9	71	1	1	5	9	13	18	99+
A. NOT OPERATED	111	6.6	77	1	1	5	9	12	15	83
B. OPERATED	95	5.7	25	1	2	5	7	10	16	69
TOTAL 0-19 YRS	46	3.2	9	<1	<1	2	4	8	9	14
20-34	36	5.3	14	1	1	5	7	10	13	15
35-49	30	5.9	20	1	1	5	10	13	19	99+
50-64	58	6.3	29	1	1	5	8	13	15	32
65+	36	10.9	186	3	4	7	10	22	66	99+
GRAND TOTAL	**206**	**6.2**	**53**	**1**	**1**	**5**	**8**	**12**	**15**	**84**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	793	4.4	24	1	1	3	5	9	12	19
20-34	21	3.6	5	1	1	3	4	7	9	10
35-49	10	2.9	8	<1	<1	2	3	7	10	10
50-64	11	4.0	9	1	1	3	6	8	11	11
65+	8	4.4	8	1	1	4	6	8	9	9
B. *Operated*										
0-19 YRS	1527	1.9	7	<1	<1	1	2	3	5	12
20-34	260	3.1	3	<1	1	3	3	5	6	11
35-49	197	3.2	5	<1	1	3	4	5	7	18
50-64	113	3.1	6	<1	1	3	3	5	7	49
65+	41	3.0	4	<1	1	2	3	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1724	5.4	23	1	2	4	7	10	13	26
20-34	43	4.3	9	<1	1	4	5	8	9	17
35-49	21	4.1	6	<1	1	3	6	8	9	9
50-64	17	7.2	70	1	2	5	8	14	29	36
65+	34	7.5	26	1	1	7	10	15	16	22
B. *Operated*										
0-19 YRS	1582	2.9	15	<1	1	2	2	5	8	19
20-34	346	4.1	9	1	2	3	5	8	9	16
35-49	246	4.5	15	1	2	3	5	8	10	18
50-64	197	4.5	13	1	2	3	6	8	10	18
65+	32	4.8	17	2	2	3	6	9	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	843	4.4	23	1	1	3	5	9	12	18
B. *Operated*	2138	2.3	6	<1	<1	2	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	1839	5.4	23	1	2	4	7	10	14	26
B. *Operated*	2403	3.4	15	<1	1	2	3	7	9	18
1. SINGLE DX	2981	2.9	12	<1	<1	2	3	6	8	15
2. MULTIPLE DX	4242	4.3	19	1	1	3	5	9	12	22
A. NOT OPERATED	2682	5.1	23	1	1	4	6	10	13	24
B. OPERATED	4541	2.9	11	<1	<1	2	3	6	8	15
TOTAL 0-19 YRS	5626	3.6	18	<1	<1	2	4	8	11	20
20-34	670	3.7	7	<1	2	3	4	7	8	14
35-49	474	3.9	11	<1	2	3	5	7	9	18
50-64	338	4.1	14	<1	2	3	5	8	11	21
65+	115	5.0	18	<1	1	3	7	10	14	21
GRAND TOTAL	**7223**	**3.7**	**17**	**<1**	**<1**	**2**	**4**	**8**	**11**	**20**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	203	4.8	13	1	1	4	7	10	11	17
20-34	35	4.1	5	<1	1	4	5	7	8	12
35-49	12	5.6	16	1	2	5	7	13	14	14
50-64	13	6.2	22	<1	<1	5	9	13	16	17
65+	8	4.9	5	2	2	4	6	8	9	9
B. *Operated*										
0-19 YRS	198	3.2	12	<1	<1	2	4	7	10	21
20-34	50	4.1	5	1	1	4	5	6	9	12
35-49	42	3.9	6	<1	1	4	5	7	9	12
50-64	41	4.0	4	<1	1	4	5	7	8	8
65+	12	7.0	86	<1	<1	3	9	20	31	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	300	6.6	27	1	2	5	8	13	16	25
20-34	28	6.0	36	1	2	4	7	9	23	28
35-49	27	6.3	13	2	2	5	9	10	12	18
50-64	22	6.7	39	1	1	5	8	15	22	27
65+	25	9.0	104	1	2	6	10	14	32	51
B. *Operated*										
0-19 YRS	222	4.6	36	<1	1	2	5	12	15	29
20-34	74	4.8	6	2	2	4	6	8	10	15
35-49	45	4.8	6	2	2	4	6	9	10	11
50-64	39	4.9	17	<1	1	4	5	9	12	25
65+	23	8.9	155	2	2	5	9	14	34	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	271	4.8	12	1	1	4	7	9	12	17
B. *Operated*	343	3.6	12	<1	<1	3	5	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	402	6.7	32	1	2	5	8	13	17	27
B. *Operated*	403	4.9	33	1	1	3	5	10	14	27
1. SINGLE DX	614	4.2	13	<1	1	3	5	9	11	17
2. MULTIPLE DX	805	5.8	33	1	2	4	7	12	15	27
A. NOT OPERATED	673	6.0	25	1	2	5	8	11	14	26
B. OPERATED	746	4.3	24	<1	1	3	5	8	12	25
TOTAL 0-19 YRS	923	5.0	24	<1	1	3	7	11	14	24
20-34	187	4.7	10	1	2	4	5	8	9	20
35-49	126	4.9	9	1	2	4	6	9	10	15
50-64	115	5.1	18	<1	1	4	6	10	13	26
65+	68	8.1	105	1	2	5	9	14	27	61
GRAND TOTAL	**1419**	**5.1**	**25**	**<1**	**1**	**4**	**6**	**10**	**13**	**25**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	4.0	10	<1	1	3	5	10	12	12
20-34	90	4.0	10	1	1	3	5	7	8	20
35-49	114	4.4	12	1	1	3	6	9	12	18
50-64	135	4.4	12	1	1	3	6	9	12	18
65+	158	4.9	21	1	1	3	6	11	12	25
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	7.0	27	2	2	5	10	16	16	16
35-49	18	4.8	25	1	2	3	5	10	17	22
50-64	17	5.2	9	1	1	6	7	9	11	11
65+	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.9	12	1	2	4	6	8	14	16
20-34	54	5.4	28	<1	1	4	6	12	15	30
35-49	69	4.2	8	1	1	4	6	8	11	13
50-64	194	5.5	18	1	2	4	7	10	14	22
65+	310	7.6	43	2	2	6	9	14	18	34
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	7	7.6	14	4	4	7	10	13	14	14
35-49	6	4.8	10	1	1	5	8	8	8	8
50-64	16	9.6	59	2	2	8	13	15	28	33
65+	11	14.2	404	3	4	7	15	39	70	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	515	4.5	14	1	1	3	6	9	11	19
B. *Operated*	48	5.1	18	1	2	4	7	10	15	22
2. MULTIPLE DX										
A. *Not Operated*	644	6.3	31	1	2	5	8	12	15	29
B. *Operated*	41	9.7	137	2	3	7	11	16	24	73
1. SINGLE DX	563	4.5	15	1	1	3	6	9	12	20
2. MULTIPLE DX	685	6.5	38	1	2	5	8	13	16	30
A. NOT OPERATED	1159	5.5	24	1	2	4	7	11	14	24
B. OPERATED	89	7.2	77	2	2	5	8	14	16	57
TOTAL 0-19 YRS	37	4.5	10	1	1	4	6	9	12	16
20-34	160	4.8	18	1	1	4	6	9	13	25
35-49	207	4.4	12	1	1	3	6	9	11	18
50-64	362	5.2	18	1	2	4	7	10	13	20
65+	482	6.8	46	1	2	5	9	13	17	33
GRAND TOTAL	**1248**	**5.6**	**28**	**1**	**2**	**4**	**7**	**11**	**14**	**25**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	3	3.3	4	<1	<1	4	5	5	5	5
50-64	2	3.0	8	1	1	3	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	12	2.8	3	1	1	2	3	6	7	7
20-34	123	3.3	1	2	2	3	4	5	6	7
35-49	168	3.7	2	2	2	3	4	6	6	7
50-64	146	3.4	2	2	2	3	4	5	6	8
65+	30	3.7	2	2	2	3	5	6	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.0	4	<1	<1	3	4	5	5	5
35-49	9	1.8	1	<1	<1	1	3	4	4	4
50-64	4	4.0	5	<1	<1	4	5	6	6	6
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	5	2.8	1	2	2	3	3	4	4	4
20-34	37	4.2	5	2	3	3	5	7	7	13
35-49	54	3.9	4	2	2	3	5	6	8	13
50-64	52	4.4	11	2	2	4	5	7	9	22
65+	21	5.0	50	1	2	3	5	7	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.1	4	<1	<1	4	5	5	5	5
B. *Operated*	479	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	17	2.7	3	<1	<1	3	4	5	6	6
B. *Operated*	169	4.2	12	2	2	3	5	7	8	20
1. SINGLE DX	486	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX	186	4.1	11	1	2	3	5	7	8	19
A. NOT OPERATED	24	2.8	3	<1	<1	3	5	5	6	6
B. OPERATED	648	3.7	5	2	2	3	4	6	6	11
TOTAL 0-19 YRS	17	2.8	2	1	2	2	3	6	7	7
20-34	165	3.5	2	2	2	3	4	5	6	9
35-49	234	3.6	3	2	2	3	4	6	6	10
50-64	204	3.6	4	2	2	3	4	6	7	12
65+	52	4.3	21	2	2	3	5	6	8	34
GRAND TOTAL	**672**	**3.6**	**5**	**2**	**2**	**3**	**4**	**6**	**6**	**11**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	4.1	44	<1	<1	3	4	7	9	42
20-34	24	3.7	3	1	1	3	5	6	7	7
35-49	21	4.8	25	<1	1	3	5	10	16	23
50-64	19	6.7	48	2	2	4	7	19	25	26
65+	6	3.5	8	1	1	2	6	8	8	8
B. *Operated*										
0-19 YRS	318	3.2	7	<1	<1	3	4	6	8	16
20-34	283	2.9	2	2	2	3	3	4	5	8
35-49	164	3.1	8	1	2	3	3	4	6	21
50-64	113	2.9	2	<1	2	3	3	4	5	10
65+	32	3.4	6	<1	1	3	4	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	5.7	76	<1	1	3	5	11	28	43
20-34	24	4.3	8	1	2	3	6	7	10	14
35-49	27	5.0	17	1	2	3	7	12	14	15
50-64	21	4.5	12	<1	1	4	6	9	12	15
65+	17	11.0	191	1	2	6	13	27	48	57
B. *Operated*										
0-19 YRS	246	4.0	17	1	2	3	5	8	10	20
20-34	249	3.3	5	2	2	3	4	5	7	12
35-49	186	3.3	4	1	2	3	4	6	8	11
50-64	142	3.8	9	2	2	3	4	7	10	19
65+	44	4.0	14	1	2	3	5	7	10	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	4.6	30	1	1	3	5	8	11	33
B. *Operated*	910	3.1	5	<1	1	3	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	124	5.8	57	1	1	4	6	12	15	47
B. *Operated*	867	3.6	9	1	2	3	4	7	9	16
1. SINGLE DX	1018	3.2	8	<1	1	3	4	5	7	15
2. MULTIPLE DX	991	3.9	16	1	2	3	4	7	10	20
A. NOT OPERATED	232	5.2	45	1	1	3	6	10	14	42
B. OPERATED	1777	3.3	7	1	2	3	4	6	8	14
TOTAL 0-19 YRS	637	3.7	17	<1	<1	3	4	7	9	21
20-34	580	3.1	3	2	2	3	4	5	7	10
35-49	398	3.4	8	1	2	3	4	6	8	15
50-64	295	3.7	10	2	2	3	4	6	9	20
65+	99	5.0	47	1	2	3	5	9	14	44
GRAND TOTAL	**2009**	**3.6**	**12**	**1**	**2**	**3**	**4**	**6**	**8**	**17**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	12.5	84	3	4	10	14	24	35	44
20-34	17	11.8	61	3	4	10	14	24	30	32
35-49	5	17.4	169	4	4	18	23	38	38	38
50-64	3	13.3	69	4	4	16	19	20	20	20
65+										
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	2	10.0	2	9	9	10	11	11	11	11
35-49	1	20.0		20	20	20	20	20	20	20
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	10.2	45	2	2	10	13	22	24	26
20-34	18	9.7	74	1	1	9	14	21	28	33
35-49	6	5.3	14	<1	<1	5	6	11	12	12
50-64	12	13.3	238	3	3	7	13	45	46	46
65+	16	11.6	58	3	3	11	14	24	27	28
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	30.3	176	11	11	34	38	41	41	41
35-49	4	10.0	33	3	3	10	14	17	17	17
50-64	1	14.0		14	14	14	14	14	14	14
65+	1	25.0		25	25	25	25	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	12.7	82	3	4	10	15	25	34	43
B. *Operated*	4	13.5	23	9	9	12	17	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	81	10.5	80	1	2	8	13	22	27	46
B. *Operated*	11	18.5	177	3	3	14	31	38	41	41
1. SINGLE DX	100	12.7	80	3	4	11	15	24	33	43
2. MULTIPLE DX	92	11.4	96	1	2	10	14	24	33	46
A. NOT OPERATED	177	11.7	82	2	3	10	14	24	31	45
B. OPERATED	15	17.1	136	3	3	14	24	36	40	41
TOTAL 0-19 YRS	102	11.8	73	2	3	10	14	23	29	43
20-34	41	12.6	105	1	2	10	15	32	34	41
35-49	16	11.2	88	1	3	9	17	20	33	38
50-64	16	13.4	184	3	3	7	15	42	46	46
65+	17	12.4	65	3	3	11	16	25	27	28
GRAND TOTAL	**192**	**12.1**	**88**	**2**	**3**	**10**	**14**	**24**	**33**	**45**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	95.0		95	95	95	95	95	95	95
20-34	6	5.3	22	1	1	4	6	13	14	14
35-49	6	8.3	67	2	2	4	13	22	23	23
50-64	21	4.9	23	1	1	3	7	12	16	18
65+	20	7.2	44	1	1	5	10	16	21	26
B. *Operated*										
0-19 YRS	4	2.5	1	2	2	2	3	4	4	4
20-34	34	6.4	28	1	2	3	10	13	17	21
35-49	72	6.5	29	2	2	3	11	14	15	23
50-64	53	6.3	28	1	2	3	13	15	16	97
65+	12	9.2	47	1	1	10	13	17	22	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	11.8	21	6	6	13	16	16	16	16
20-34	26	6.7	34	2	2	5	8	15	21	26
35-49	72	9.1	68	1	2	7	11	19	25	48
50-64	145	8.6	41	1	2	7	11	17	24	32
65+	155	12.4	170	2	3	9	15	23	37	99+
B. *Operated*										
0-19 YRS	6	16.5	146	2	2	16	29	31	31	31
20-34	34	8.5	38	1	2	8	13	17	17	24
35-49	83	11.5	103	2	2	10	15	26	31	51
50-64	175	11.4	107	1	2	11	16	22	27	44
65+	59	15.8	236	1	2	13	22	38	46	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	7.8	181	1	1	4	9	15	22	92
B. *Operated*	175	6.5	29	1	2	3	11	14	16	23
2. MULTIPLE DX										
A. *Not Operated*	403	10.1	98	1	2	8	13	19	26	78
B. *Operated*	357	11.9	124	2	2	11	16	25	31	48
1. SINGLE DX	229	6.8	65	1	2	3	11	14	17	40
2. MULTIPLE DX	760	11.0	111	1	2	9	15	22	29	57
A. NOT OPERATED	457	9.8	108	1	2	7	13	19	26	81
B. OPERATED	532	10.2	99	2	2	8	14	21	28	46
TOTAL 0-19 YRS	16	16.4	525	2	2	10	18	31	76	95
20-34	100	7.1	33	1	2	5	11	16	17	25
35-49	233	9.1	72	2	2	7	12	19	25	42
50-64	394	9.3	72	1	2	7	14	20	25	40
65+	246	12.7	174	1	2	9	16	26	39	95
GRAND TOTAL	**989**	**10.0**	**103**	**1**	**2**	**8**	**14**	**21**	**27**	**55**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	6.1	15	2	2	5	8	12	13	14
20-34	65	5.9	18	1	1	5	8	10	15	21
35-49	147	6.6	37	1	2	5	8	12	18	33
50-64	233	6.2	23	1	2	5	8	12	16	23
65+	246	7.8	79	2	2	5	9	13	19	60
B. *Operated*										
0-19 YRS	4	2.3	4	1	1	2	3	5	5	5
20-34	18	5.3	20	1	1	3	8	11	14	16
35-49	11	5.5	33	1	1	2	9	14	18	18
50-64	16	4.6	60	1	1	1	4	13	25	30
65+	5	10.0	32	1	1	12	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	7.1	29	1	1	4	12	15	17	18
20-34	93	7.2	48	1	2	5	9	13	17	44
35-49	311	7.2	28	2	2	6	9	13	19	30
50-64	787	8.0	60	2	2	6	10	15	21	45
65+	1261	10.2	97	2	3	7	13	21	30	86
B. *Operated*										
0-19 YRS	5	12.0	75	4	4	9	17	26	26	26
20-34	27	8.2	28	2	2	7	11	16	19	22
35-49	37	9.9	51	3	3	8	13	22	27	29
50-64	103	13.3	185	2	3	10	18	24	39	99+
65+	87	13.6	126	2	3	10	20	25	42	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	706	6.8	45	1	2	5	8	13	17	31
B. *Operated*	54	5.4	35	1	1	2	9	12	16	30
2. MULTIPLE DX										
A. *Not Operated*	2475	9.0	76	2	2	7	11	18	25	55
B. *Operated*	259	12.4	130	2	3	9	16	24	29	88
1. SINGLE DX	760	6.7	44	1	2	5	8	13	17	30
2. MULTIPLE DX	2734	9.3	82	2	2	7	11	19	26	56
A. NOT OPERATED	3181	8.5	70	2	2	6	10	17	23	51
B. OPERATED	313	11.1	120	1	2	8	15	23	29	85
TOTAL 0-19 YRS	47	6.9	30	1	1	5	10	14	17	26
20-34	203	6.8	33	1	2	5	9	13	16	29
35-49	506	7.2	33	1	2	6	9	13	19	30
50-64	1139	8.1	67	1	2	6	10	16	22	52
65+	1599	10.0	97	2	3	7	12	21	28	64
GRAND TOTAL	**3494**	**8.7**	**75**	**2**	**2**	**6**	**11**	**18**	**24**	**54**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	7.1	29	2	2	5	11	15	17	17
50-64	26	8.5	47	2	3	7	9	18	27	29
65+	75	8.7	38	3	3	7	12	15	18	37
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	4	7.8	18	2	2	8	10	12	12	12
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	32	6.5	22	1	2	6	8	11	16	24
50-64	153	10.2	72	2	3	9	13	20	26	98
65+	432	12.6	114	3	4	10	16	27	35	99+
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	9	11.4	57	1	2	12	15	22	25	25
50-64	21	19.8	446	2	4	13	20	48	73	91
65+	30	23.2	385	5	7	16	40	70	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	8.6	39	2	3	7	11	16	18	34
B. *Operated*	8	6.9	16	2	2	8	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	620	11.7	101	2	3	9	14	23	32	99+
B. *Operated*	61	20.0	363	2	5	14	25	60	81	99+
1. SINGLE DX	117	8.4	37	2	3	7	11	15	18	33
2. MULTIPLE DX	681	12.4	130	2	3	10	15	26	37	99+
A. NOT OPERATED	729	11.2	93	2	3	9	14	22	30	99+
B. OPERATED	69	18.4	340	2	3	12	23	50	75	99+
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	6.3	20	2	2	6	10	11	11	11
35-49	51	7.3	31	1	2	6	10	15	18	25
50-64	204	10.9	114	2	3	9	13	21	32	95
65+	538	12.7	126	3	4	10	16	27	37	99+
GRAND TOTAL	**798**	**11.8**	**118**	**2**	**3**	**9**	**14**	**24**	**35**	**99+**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	8.3	29	3	3	7	12	15	15	15
20-34	5	4.0	4	2	2	4	5	7	7	7
35-49	8	5.9	16	3	3	5	6	13	15	15
50-64	14	4.9	10	1	1	5	7	9	9	9
65+	13	14.3	173	2	2	10	18	34	45	48
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	4	6.5	42	2	2	4	10	16	16	16
35-49	7	15.3	43	4	5	17	19	23	24	24
50-64	12	10.2	28	1	3	10	13	17	20	20
65+	7	10.3	51	2	2	13	17	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.8	11	3	3	7	11	12	12	12
20-34	13	13.5	146	1	2	7	19	35	37	38
35-49	14	10.4	77	1	3	8	12	25	31	33
50-64	60	8.4	54	1	1	7	11	16	22	36
65+	74	16.6	231	2	5	11	20	34	52	77
B. *Operated*										
0-19 YRS	7	16.4	235	4	4	11	23	43	47	47
20-34	19	11.7	61	1	2	10	18	23	27	28
35-49	30	15.5	119	3	4	15	20	30	37	50
50-64	54	19.8	128	2	7	20	25	38	56	99+
65+	35	19.3	169	3	3	18	27	42	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	8.0	74	1	2	6	9	17	23	48
B. *Operated*	31	10.8	41	2	2	11	16	19	20	24
2. MULTIPLE DX										
A. *Not Operated*	167	12.6	152	1	2	10	16	27	35	71
B. *Operated*	145	17.6	137	3	4	16	24	38	43	99+
1. SINGLE DX	75	9.2	61	1	2	7	14	18	20	44
2. MULTIPLE DX	312	14.9	151	2	3	11	20	33	42	86
A. NOT OPERATED	211	11.7	139	1	2	8	15	24	34	64
B. OPERATED	176	16.4	126	2	3	15	22	34	42	99+
TOTAL 0-19 YRS	18	11.3	109	3	3	8	12	22	38	47
20-34	41	10.8	85	1	2	7	16	24	31	38
35-49	59	13.0	96	3	3	10	19	25	33	49
50-64	140	12.6	109	1	2	10	19	26	36	99+
65+	129	16.8	200	2	3	13	21	40	44	82
GRAND TOTAL	**387**	**13.8**	**138**	**1**	**2**	**11**	**19**	**30**	**40**	**76**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	12.7	31	5	5	13	17	20	20	20
20-34	36	13.9	41	4	5	13	18	24	26	26
35-49	423	13.3	30	5	7	13	16	20	22	30
50-64	1073	14.2	34	5	8	14	17	21	24	30
65+	904	15.6	51	5	8	15	20	24	28	41
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	7	13.3	191	2	2	10	17	36	41	41
50-64	22	20.4	142	5	11	17	29	39	45	52
65+	15	23.8	137	10	12	21	27	38	52	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	16.0	2	15	15	16	17	17	17	17
20-34	44	15.8	44	5	9	15	19	24	27	38
35-49	660	14.4	42	6	8	14	17	21	25	38
50-64	2223	15.8	57	6	9	14	19	25	30	43
65+	3036	18.0	108	6	9	16	21	30	38	71
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	6	6.8	21	2	2	7	11	12	12	12
35-49	63	18.5	117	4	8	16	22	30	43	62
50-64	220	21.0	146	8	11	18	26	36	48	99+
65+	278	25.0	230	10	13	22	32	51	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2442	14.6	41	5	8	14	18	22	26	36
B. *Operated*	45	20.2	151	3	8	17	26	38	44	57
2. MULTIPLE DX										
A. *Not Operated*	5965	16.8	83	6	9	15	20	27	33	56
B. *Operated*	568	22.5	190	8	11	19	28	42	63	99+
1. SINGLE DX	2487	14.7	43	5	8	14	18	22	26	36
2. MULTIPLE DX	6533	17.3	95	6	9	15	21	28	36	68
A. NOT OPERATED	8407	16.1	71	6	8	15	19	26	31	51
B. OPERATED	613	22.4	187	8	11	19	28	42	61	99+
TOTAL 0-19 YRS	9	14.1	25	5	6	15	18	20	20	20
20-34	87	14.3	45	3	5	14	18	23	25	36
35-49	1153	14.2	44	5	7	13	17	21	25	39
50-64	3538	15.7	58	6	8	14	19	24	30	45
65+	4233	17.9	108	6	9	16	21	30	38	82
GRAND TOTAL	**9020**	**16.5**	**82**	**6**	**8**	**15**	**20**	**27**	**33**	**59**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
20-34	14	2.9	8	1	1	2	4	6	10	11
35-49	157	5.4	23	1	1	4	7	11	15	34
50-64	370	5.6	16	1	2	5	7	11	14	19
65+	350	6.4	26	2	2	5	8	13	17	24
B. *Operated*										
0-19 YRS										
20-34	3	3.3	6	1	1	3	5	6	6	6
35-49	28	3.3	6	1	2	2	3	8	10	10
50-64	29	6.0	61	1	2	3	6	15	27	34
65+	3	6.7	25	2	2	6	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	9.7	29	4	4	9	13	18	19	19
20-34	15	4.5	27	<1	1	3	5	12	18	20
35-49	282	6.6	32	1	2	5	8	13	17	37
50-64	1080	7.1	33	1	2	6	9	13	16	27
65+	1656	8.9	65	2	2	7	11	17	23	40
B. *Operated*										
0-19 YRS										
20-34	4	11.5	60	3	3	11	17	21	21	21
35-49	74	8.2	42	1	2	7	12	17	19	31
50-64	236	10.5	69	2	2	10	14	21	26	38
65+	87	15.7	128	1	3	14	20	30	40	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	894	5.8	21	1	2	5	7	12	15	23
B. *Operated*	63	4.7	33	1	2	3	5	11	14	33
2. MULTIPLE DX										
A. *Not Operated*	3040	8.0	51	2	2	6	10	15	20	37
B. *Operated*	401	11.3	83	2	2	10	15	22	29	47
1. SINGLE DX	957	5.8	22	1	2	4	7	12	15	23
2. MULTIPLE DX	3441	8.4	56	2	2	6	11	16	21	38
A. NOT OPERATED	3934	7.5	45	1	2	6	9	15	19	35
B. OPERATED	464	10.4	81	1	2	9	14	21	28	46
TOTAL 0-19 YRS	10	7.6	32	<1	1	6	10	16	19	19
20-34	36	4.6	26	1	1	3	5	12	18	21
35-49	541	6.3	31	1	2	5	8	14	17	35
50-64	1715	7.2	37	1	2	6	9	14	18	30
65+	2096	8.8	64	2	2	7	11	17	23	40
GRAND TOTAL	**4398**	**7.8**	**50**	**1**	**2**	**6**	**10**	**15**	**20**	**36**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	6.0	17	1	1	6	10	10	10	10
35-49	138	7.8	31	2	3	6	10	16	19	27
50-64	440	7.9	24	2	3	8	11	14	16	25
65+	408	8.7	30	2	3	8	11	16	20	28
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	12	9.5	11	4	4	10	12	13	14	14
50-64	23	11.9	60	1	2	11	15	21	28	35
65+	4	17.8	134	10	10	13	24	35	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	7.2	1	6	6	8	8	8	8	8
20-34	13	7.2	24	2	3	5	10	13	18	19
35-49	243	7.9	34	2	2	6	11	14	18	33
50-64	1111	9.3	40	2	3	8	12	16	21	33
65+	1743	11.0	69	3	4	9	14	21	26	48
B. *Operated*										
0-19 YRS										
20-34	3	3.7	6	1	1	4	5	6	6	6
35-49	62	13.0	48	3	5	12	15	22	27	35
50-64	194	16.3	96	4	6	14	21	30	35	47
65+	106	20.4	193	5	8	17	27	36	45	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	991	8.2	28	2	3	7	11	15	18	25
B. *Operated*	40	11.7	53	2	3	11	13	19	30	35
2. MULTIPLE DX										
A. *Not Operated*	3115	10.2	57	2	3	9	13	18	24	41
B. *Operated*	365	16.8	123	4	6	14	21	31	36	59
1. SINGLE DX	1031	8.4	29	2	3	8	11	15	18	26
2. MULTIPLE DX	3480	10.9	68	3	3	9	14	20	26	44
A. NOT OPERATED	4106	9.7	50	2	3	8	12	17	23	36
B. OPERATED	405	16.3	118	4	6	14	20	30	35	58
TOTAL 0-19 YRS	5	7.2	1	6	6	8	8	8	6	8
20-34	22	6.5	19	1	2	5	10	11	15	19
35-49	455	8.6	37	2	3	7	12	16	20	33
50-64	1768	9.8	48	2	3	8	13	18	23	36
65+	2261	11.1	73	3	3	9	14	21	27	48
GRAND TOTAL	**4511**	**10.3**	**60**	**2**	**3**	**9**	**13**	**29**	**24**	**39**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	15	3.9	12	1	1	3	4	10	12	13
35-49	150	6.9	38	1	1	5	10	14	17	23
50-64	383	6.5	27	1	1	5	9	14	17	27
65+	451	8.9	60	2	2	7	11	17	23	38
B. *Operated*										
0-19 YRS	4	1.8		1	1	2	2	2	2	2
20-34	23	5.7	20	1	2	3	10	13	14	14
35-49	221	5.6	40	1	1	3	10	13	17	26
50-64	545	6.1	35	1	1	3	11	14	16	25
65+	101	7.8	78	1	1	3	13	20	28	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	6.4	8	3	3	6	9	56	99+	99+
20-34	20	8.4	30	1	1	9	13	14	17	19
35-49	335	7.2	30	1	2	6	10	14	17	23
50-64	1444	9.3	66	1	2	7	12	18	23	42
65+	2946	12.1	126	2	3	9	15	25	35	95
B. *Operated*										
0-19 YRS	6	6.0	87	2	2	2	3	23	25	25
20-34	48	6.8	47	1	1	4	11	15	21	30
35-49	504	8.7	82	1	1	4	12	19	26	43
50-64	1384	9.5	85	1	1	7	14	21	27	46
65+	478	15.[illegible]	217	1	2	13	21	38	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1000	7.6	45	1	2	6	10	15	20	29
B. *Operated*	894	6.1	41	1	1	3	11	14	17	29
2. MULTIPLE DX										
A. *Not Operated*	4754	10.8	103	2	3	8	14	22	30	72
B. *Operated*	2420	10.5	116	1	1	8	15	24	31	60
1. SINGLE DX	1894	6.9	43	1	1	4	11	15	18	29
2. MULTIPLE DX	7174	10.7	108	1	2	8	14	22	30	67
A. NOT OPERATED	5754	10.3	95	2	2	8	13	21	28	67
B. OPERATED	3314	9.3	100	1	1	5	14	21	28	51
TOTAL 0-19 YRS	20	5.4	30	1	2	4	7	17	59	99+
20-34	106	6.4	34	1	1	4	10	14	16	27
35-49	1210	7.5	56	1	1	4	11	16	21	40
50-64	3756	8.6	66	1	1	7	13	18	23	40
65+	3976	12.0	132	2	3	9	15	25	36	86
GRAND TOTAL	**9068**	**9.9**	**97**	**1**	**2**	**8**	**13**	**21**	**28**	**61**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	13.8	78	2	2	16	20	21	21	21
20-34	37	9.5	27	2	4	9	12	15	21	25
35-49	63	10.9	24	5	6	10	14	16	19	28
50-64	86	11.9	33	3	6	11	15	18	22	33
65+	64	13.7	60	3	5	13	16	25	27	44
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	3	18.7	40	15	15	15	23	26	26	26
35-49	8	15.1	22	8	9	16	19	21	21	21
50-64	16	13.8	28	4	8	15	17	20	23	24
65+	7	13.3	35	5	6	15	18	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	18.3	74	9	9	20	24	26	26	26
20-34	35	11.8	41	5	6	11	13	17	24	37
35-49	102	13.5	42	6	7	12	17	21	25	37
50-64	224	14.4	59	5	7	13	17	24	30	42
65+	303	17.6	134	6	7	15	21	30	39	99+
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	13	13.3	26	4	6	13	16	21	23	23
35-49	39	16.9	93	7	9	15	21	29	36	51
50-64	50	17.7	66	6	9	17	20	29	36	41
65+	64	19.4	77	9	10	17	23	35	40	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	11.8	39	3	5	11	15	19	24	34
B. *Operated*	35	14.4	28	6	8	15	18	20	23	26
2. MULTIPLE DX										
A. *Not Operated*	667	15.6	93	5	7	13	19	26	34	76
B. *Operated*	167	17.7	75	7	9	16	22	30	36	42
1. SINGLE DX	289	12.1	38	3	5	11	15	20	24	32
2. MULTIPLE DX	834	16.0	90	6	7	14	20	26	35	60
A. NOT OPERATED	921	14.5	81	5	6	13	18	25	31	58
B. OPERATED	202	17.2	69	7	9	16	20	27	36	42
TOTAL 0-19 YRS	9	14.2	65	2	3	13	20	24	26	26
20-34	88	11.3	36	3	4	11	14	17	23	33
35-49	212	13.4	49	6	6	11	17	22	25	38
50-64	376	14.2	55	5	7	13	17	24	30	41
65+	438	17.2	116	5	7	15	21	29	38	83
GRAND TOTAL	**1123**	**15.0**	**80**	**5**	**7**	**13**	**18**	**25**	**33**	**55**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	14.7	289	2	2	8	27	34	34	34
35-49	1	13.0		13	13	13	13	13	13	13
50-64	4	21.0	449	6	6	13	34	52	52	52
65+	1	21.0		21	21	21	21	21	21	21
B. *Operated*										
0-19 YRS										
20-34	1	49.0		49	49	49	49	49	49	49
35-49										
50-64	1	40.0		40	40	40	40	40	40	40
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	20.4	379	6	6	8	37	48	48	48
20-34	7	35.7	322	13	15	30	43	64	69	69
35-49	18	23.8	173	3	7	27	30	39	49	55
50-64	13	26.3	159	7	11	30	34	39	49	51
65+	11	27.2	198	12	13	19	43	45	45	45
B. *Operated*										
0-19 YRS	1	71.0		71	71	71	71	71	71	71
20-34	3	44.3	32	38	38	46	48	49	49	49
35-49	1	30.0		30	30	30	30	30	30	30
50-64	3	36.3	86	30	30	32	43	47	47	47
65+	8	36.9	124	15	21	39	47	80	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	18.0	254	2	4	13	24	45	52	52
B. *Operated*	2	44.5	41	40	40	44	49	49	49	49
2. MULTIPLE DX										
A. *Not Operated*	54	26.3	211	6	8	28	34	45	50	68
B. *Operated*	16	39.9	156	20	30	39	47	67	90	99+
1. SINGLE DX	11	22.8	322	2	4	17	38	50	52	52
2. MULTIPLE DX	70	29.4	229	6	11	30	41	48	55	94
A. NOT OPERATED	63	25.1	222	5	6	25	34	45	51	67
B. OPERATED	18	40.4	142	22	30	40	48	63	87	99+
TOTAL 0-19 YRS	6	28.8	730	6	6	21	48	69	71	71
20-34	14	34.0	328	3	7	36	46	51	65	69
35-49	20	23.6	163	3	8	27	30	38	48	55
50-64	21	27.4	200	6	8	30	35	49	51	52
65+	20	30.8	178	13	14	33	44	48	73	99+
GRAND TOTAL	**81**	**28.5**	**243**	**6**	**8**	**30**	**41**	**49**	**53**	**91**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.8	1	1	1	2	2	3	4	4
20-34	33	2.5	11	<1	<1	1	3	4	5	19
35-49	55	2.2	3	<1	<1	1	3	5	7	8
50-64	98	2.9	6	<1	1	2	4	6	8	12
65+	63	4.2	19	1	1	4	5	8	10	29
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.7	2	1	1	2	4	5	6	6
20-34	37	3.5	9	1	1	3	4	7	10	15
35-49	78	4.6	46	1	1	3	5	9	11	45
50-64	158	5.2	25	<1	1	4	7	12	15	23
65+	184	7.1	44	1	1	5	9	15	19	33
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	13.0		13	13	13	13	13	13	13
35-49	1	7.0		7	7	7	7	7	7	7
50-64	6	6.0	15	1	1	6	9	11	11	11
65+	11	12.7	76	5	5	12	15	26	33	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	261	3.0	9	<1	1	2	4	6	8	12
B. *Operated*	5	3.6	7	1	1	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	471	5.6	35	1	1	4	8	12	17	26
B. *Operated*	21	10.1	54	2	3	7	13	18	27	34
1. SINGLE DX	266	3.0	9	<1	1	2	4	6	8	12
2. MULTIPLE DX	492	5.8	37	1	1	4	8	13	18	27
A. NOT OPERATED	732	4.7	28	1	1	3	6	10	14	24
B. OPERATED	26	8.9	51	1	2	7	13	15	24	34
TOTAL 0-19 YRS	29	2.4	2	1	1	2	3	4	5	6
20-34	73	3.3	13	<1	1	2	4	7	12	18
35-49	134	3.7	30	<1	1	2	4	7	9	23
50-64	264	4.4	19	<1	1	3	6	10	12	22
65+	258	6.6	42	1	1	4	8	14	19	34
GRAND TOTAL	**758**	**4.8**	**29**	**1**	**1**	**3**	**6**	**10**	**14**	**25**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	23	2.4	5	<1	<1	1	3	5	7	10
35-49	72	3.1	5	<1	1	2	4	6	7	11
50-64	193	4.3	19	1	1	3	6	10	12	25
65+	207	5.9	61	1	1	5	7	11	16	31
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	2.8		2	2	3	3	3	3	3
50-64	3	10.3	30	4	4	13	14	14	14	14
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.9	14	1	1	4	6	11	13	13
20-34	51	4.0	19	<1	1	3	5	9	14	24
35-49	128	4.9	32	1	1	3	6	11	15	30
50-64	600	6.6	42	1	1	5	8	14	18	32
65+	1233	8.9	73	2	2	7	11	18	25	59
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	8.2	13	4	4	7	8	14	15	15
50-64	43	13.3	116	1	2	11	16	26	44	46
65+	87	18.9	259	3	6	16	24	36	50	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	496	4.7	35	1	1	3	6	9	12	27
B. *Operated*	9	4.9	25	1	1	3	6	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	2020	7.8	62	1	2	6	10	16	23	40
B. *Operated*	136	16.7	211	2	5	13	19	31	45	82
1. SINGLE DX	505	4.7	35	1	1	3	6	9	12	27
2. MULTIPLE DX	2156	8.4	76	1	2	6	11	18	25	48
A. NOT OPERATED	2516	7.2	58	1	1	5	9	15	21	39
B. OPERATED	145	15.9	208	2	3	12	19	31	44	81
TOTAL 0-19 YRS	9	4.8	13	1	1	4	6	10	13	13
20-34	74	3.5	15	<1	1	2	4	8	11	22
35-49	210	4.3	23	1	1	3	5	8	14	24
50-64	839	6.4	44	1	1	4	8	14	18	32
65+	1529	9.0	89	1	2	7	11	19	26	66
GRAND TOTAL	**2661**	**7.7**	**70**	**1**	**1**	**5**	**10**	**16**	**23**	**43**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.0	6	<1	1	2	4	6	8	12
20-34	53	3.9	10	1	1	3	5	8	13	97
35-49	116	3.5	7	1	1	3	5	7	8	14
50-64	208	4.9	20	1	1	4	6	11	13	23
65+	241	6.2	31	1	1	5	8	12	17	27
B. *Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	5	7.6	9	3	3	8	9	11	11	11
35-49	17	6.8	22	1	2	5	9	14	17	18
50-64	50	6.9	25	1	2	6	9	13	16	26
65+	117	8.9	28	3	4	8	12	16	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	5.7	24	<1	1	4	8	13	16	19
20-34	82	5.1	77	<1	1	3	5	11	14	58
35-49	216	6.0	36	1	1	4	8	12	15	36
50-64	629	6.9	42	1	2	5	9	14	19	29
65+	1090	9.5	81	2	2	7	12	20	28	54
B. *Operated*										
0-19 YRS	6	11.0	229	1	1	5	11	38	41	41
20-34	12	8.6	83	1	2	4	10	24	31	32
35-49	40	11.0	79	1	2	11	15	18	25	49
50-64	168	11.0	62	3	3	9	15	20	24	91
65+	523	13.8	103	3	4	11	18	27	34	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	643	5.0	22	1	1	4	6	11	13	23
B. *Operated*	192	8.1	27	2	3	7	11	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	2049	8.1	65	1	2	6	10	16	22	47
B. *Operated*	749	12.9	95	3	4	11	17	25	32	66
1. SINGLE DX	835	5.7	25	1	1	4	8	12	16	24
2. MULTIPLE DX	2798	9.4	78	1	2	7	12	20	26	52
A. NOT OPERATED	2692	7.4	57	1	2	5	9	15	21	46
B. OPERATED	941	11.9	85	3	3	10	15	24	30	59
TOTAL 0-19 YRS	66	5.0	36	<1	1	3	6	12	14	37
20-34	152	5.0	53	1	1	3	6	11	15	74
35-49	389	5.8	35	1	1	4	7	12	16	31
50-64	1055	7.2	43	1	2	5	9	16	20	32
65+	1971	10.2	83	2	3	8	13	21	29	55
GRAND TOTAL	**3633**	**8.5**	**68**	**1**	**2**	**6**	**11**	**18**	**24**	**49**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	5	3.0	4	1	1	2	4	6	6	6
35-49	19	10.4	119	2	3	8	11	18	37	51
50-64	142	9.3	80	1	3	7	12	15	19	71
65+	913	10.3	93	2	3	8	13	20	29	60
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	10.3	209	1	1	3	21	27	27	27
65+	8	19.3	209	2	3	16	30	40	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	8.7	37	2	2	7	11	18	21	26
20-34	14	10.6	106	2	2	8	11	26	37	40
35-49	138	8.9	63	2	3	6	12	18	22	34
50-64	1141	11.2	95	3	3	9	14	21	28	61
65+	6208	13.8	161	3	4	10	17	29	43	99+
B. *Operated*										
0-19 YRS	2	34.5	1625	6	6	34	63	63	63	63
20-34	7	10.9	91	<1	<1	11	19	23	24	24
35-49	15	13.9	275	4	5	14	23	31	62	72
50-64	89	18.7	194	4	6	15	24	35	52	73
65+	364	23.4	303	6	8	20	30	59	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1081	10.2	91	2	3	8	13	19	28	62
B. *Operated*	11	16.8	205	1	2	13	28	36	43	44
2. MULTIPLE DX										
A. *Not Operated*	7544	13.3	150	3	4	10	16	27	40	99+
B. *Operated*	477	22.2	286	5	7	19	28	52	82	99+
1. SINGLE DX	1092	10.2	93	2	3	8	13	19	29	61
2. MULTIPLE DX	8021	13.8	162	3	4	10	17	29	43	99+
A. NOT OPERATED	8625	12.9	143	3	4	10	16	27	38	99+
B. OPERATED	488	22.1	284	5	7	18	28	52	81	99+
TOTAL 0-19 YRS	47	9.6	98	2	2	7	11	19	23	63
20-34	26	9.2	87	1	2	7	11	24	28	40
35-49	172	9.9	94	2	3	7	13	18	25	54
50-64	1375	11.5	104	3	3	9	15	22	29	67
65+	7493	13.8	165	3	4	10	17	29	44	99+
GRAND TOTAL	**9113**	**13.4**	**155**	**3**	**4**	**10**	**16**	**28**	**41**	**99+**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	6.8	51	1	2	4	7	15	22	33
20-34	129	6.1	18	1	2	5	9	13	14	38
35-49	129	6.4	27	1	2	5	9	14	16	25
50-64	93	6.7	26	1	2	5	9	13	17	24
65+	72	8.9	48	1	2	7	12	18	22	31
B. *Operated*										
0-19 YRS	22	3.1	5	1	2	3	3	5	10	11
20-34	30	3.6	15	1	1	2	3	9	15	17
35-49	55	5.1	27	1	2	3	6	13	18	23
50-64	71	6.0	122	1	1	3	7	13	20	74
65+	42	6.8	91	1	1	3	10	16	31	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	8.1	74	1	1	4	11	20	30	34
20-34	126	8.2	59	2	2	6	11	17	26	42
35-49	184	8.1	39	2	2	7	11	16	19	31
50-64	355	11.2	111	2	3	8	14	24	30	53
65+	497	12.6	132	2	3	10	16	27	36	90
B. *Operated*										
0-19 YRS	21	13.2	155	2	2	12	18	32	42	48
20-34	38	10.0	60	1	2	8	15	22	24	26
35-49	81	10.7	100	1	2	8	15	23	35	46
50-64	226	11.0	107	1	1	8	18	25	32	62
65+	135	15.4	182	1	2	14	22	34	45	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	466	6.8	30	1	2	5	9	14	17	30
B. *Operated*	220	5.3	67	1	1	3	5	13	18	38
2. MULTIPLE DX										
A. *Not Operated*	1202	10.9	105	2	3	8	14	23	31	63
B. *Operated*	501	12.2	128	1	2	9	19	27	37	54
1. SINGLE DX	686	6.3	42	1	2	4	9	13	17	31
2. MULTIPLE DX	1703	11.3	112	1	2	8	15	24	32	61
A. NOT OPERATED	1668	9.7	87	2	2	7	12	21	28	59
B. OPERATED	721	10.1	119	1	2	5	15	24	32	51
TOTAL 0-19 YRS	126	7.6	75	1	2	4	11	18	30	40
20-34	323	7.2	41	1	2	5	10	15	20	36
35-49	449	7.7	48	1	2	6	10	16	20	36
50-64	745	10.1	104	1	2	7	14	22	29	52
65+	746	12.4	135	2	2	10	16	27	37	80
GRAND TOTAL	**2389**	**9.8**	**97**	**1**	**2**	**7**	**13**	**22**	**29**	**55**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	9	13.9	153	<1	2	12	19	34	35	35
65+	15	12.9	338	2	3	11	17	95	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	62.0		62	62	62	62	62	62	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	15	18.7	172	4	5	15	23	42	48	50
65+	110	16.0	219	2	4	11	20	42	53	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	7	20.0	131	6	7	16	27	37	39	39
65+	13	28.3	662	3	5	20	41	67	87	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	12.8	254	1	2	11	16	68	99+	99+
B. *Operated*	2	32.5	1741	3	3	32	62	62	62	62
2. MULTIPLE DX										
A. *Not Operated*	127	16.1	211	2	4	12	21	42	53	99+
B. *Operated*	20	25.4	476	4	6	19	35	51	76	92
1. SINGLE DX	27	14.2	329	1	2	11	17	70	99+	99+
2. MULTIPLE DX	147	17.4	254	2	4	12	23	42	53	99+
A. NOT OPERATED	152	15.6	218	2	3	12	20	42	55	99+
B. OPERATED	22	26.0	518	3	5	19	39	61	74	92
TOTAL 0-19 YRS										
20-34										
35-49	3	3.7	6	1	1	4	5	6	6	6
50-64	32	17.2	155	3	4	14	25	36	42	50
65+	139	17.1	294	2	3	12	22	51	66	99+
GRAND TOTAL	**174**	**16.9**	**265**	**2**	**3**	**12**	**22**	**42**	**59**	**99+**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	<1	2	3	3	3
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	5	5.0	47	<1	<1	2	7	17	17	17
50-64	7	11.0	192	<1	<1	2	19	34	37	37
65+	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	2	17.5	1	17	17	17	18	18	18	18
20-34	11	22.7	53	13	15	24	26	32	39	40
35-49	16	26.1	137	10	11	30	36	39	41	42
50-64	11	23.1	501	2	3	21	39	82	97	99+
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	5	16.6	158	3	3	11	30	30	30	30
50-64	8	8.9	46	<1	<1	9	15	68	99+	99+
65+	17	21.3	432	2	3	13	33	56	67	72
B. *Operated*										
0-19 YRS	1	45.0		45	45	45	45	45	45	45
20-34	5	20.0	99	5	6	24	31	93	99+	99+
35-49	33	37.1	545	4	10	34	54	91	99	99+
50-64	28	31.9	259	11	17	31	47	99+	99+	99+
65+	16	37.0	426	9	13	45	66	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	6.2	85	<1	<1	2	5	18	23	37
B. *Operated*	40	23.9	199	4	8	24	35	40	57	99+
2. MULTIPLE DX										
A. *Not Operated*	32	16.9	291	<1	1	13	25	49	70	99+
B. *Operated*	83	34.4	401	7	13	33	53	99+	99+	99+
1. SINGLE DX	60	18.0	230	<1	1	16	30	39	41	97
2. MULTIPLE DX	115	29.5	429	3	6	30	49	94	99+	99+
A. NOT OPERATED	52	12.8	236	<1	<1	8	18	35	56	99
B. OPERATED	123	31.0	357	6	11	31	46	91	99+	99+
TOTAL 0-19 YRS	7	15.6	255	<1	<1	17	22	41	45	45
20-34	19	18.9	103	1	4	22	25	35	70	99+
35-49	59	29.6	452	2	4	30	42	63	93	99+
50-64	54	24.0	344	<1	2	24	39	88	99+	99+
65+	36	26.8	491	2	3	20	54	86	99+	99+
GRAND TOTAL	**175**	**25.6**	**389**	**1**	**3**	**24**	**40**	**71**	**99+**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	14.0	98	7	7	14	21	21	21	21
B. *Operated*										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	2	66.0	50	61	61	85	99+	99+	99+	99+
50-64	2	76.0	392	62	65	99+	99+	99+	99+	99+
65+	4	71.0	153	56	58	83	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***										
B. ***Operated***										
2. MULTIPLE DX										
A. ***Not Operated***	2	14.0	98	7	7	14	21	21	21	21
B. ***Operated***	9	64.4	512	30	57	95	99+	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	11	55.3	836	9	16	86	99+	99+	99+	99+
A. NOT OPERATED	2	14.0	98	7	7	14	21	21	21	21
B. OPERATED	9	64.4	512	30	57	95	99+	99+	99+	99+
TOTAL 0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	2	66.0	50	61	61	85	99+	99+	99+	99+
50-64	2	76.0	392	62	65	99+	99+	99+	99+	99+
65+	6	52.0	978	7	13	79	99+	99+	99+	99+
GRAND TOTAL	**11**	**55.3**	**836**	**9**	**16**	**86**	**99+**	**99+**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	9	<1	<1	3	6	8	8	8
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64	8	10.6	65	1	1	10	15	22	25	25
65+	9	31.1	824	<1	2	33	82	99+	99+	99+
B. *Operated*										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	6	12.7	55	5	5	9	22	22	22	22
35-49	4	13.0	60	4	4	16	41	99+	99+	99+
50-64	11	13.6	94	5	5	10	23	54	93	99+
65+	17	18.6	213	7	7	12	21	44	53	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	23.3	1023	<1	<1	13	20	80	87	87
50-64	17	13.5	79	2	5	13	18	75	99+	99+
65+	26	34.1	924	5	6	30	73	99	99+	99+
B. *Operated*										
0-19 YRS	2	11.5	25	8	8	15	79	99+	99+	99+
20-34	4	14.0	18	10	10	13	17	19	19	19
35-49	13	16.8	142	5	7	14	28	99+	99+	99+
50-64	19	26.9	709	8	9	22	91	99+	99+	99+
65+	31	36.6	601	6	10	38	56	90	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	17.7	474	<1	1	11	29	91	99+	99+
B. *Operated*	39	15.8	134	5	6	11	22	39	76	99+
2. MULTIPLE DX										
A. *Not Operated*	49	25.6	706	3	5	17	37	99	99+	99+
B. *Operated*	69	28.2	556	7	8	22	55	99+	99+	99+
1. SINGLE DX	61	16.5	252	2	3	11	23	57	99+	99+
2. MULTIPLE DX	118	27.1	614	5	7	20	50	99+	99+	99+
A. NOT OPERATED	71	23.2	640	1	3	15	37	97	99+	99+
B. OPERATED	108	23.7	437	5	7	19	42	98	99+	99+
TOTAL 0-19 YRS	7	8.3	49	<1	1	8	17	76	99+	99+
20-34	11	12.8	35	5	7	10	18	22	22	22
35-49	23	17.9	331	3	4	15	27	98	99+	99+
50-64	55	17.7	332	3	6	15	28	99+	99+	99+
65+	83	31.5	670	5	7	27	56	93	99+	99+
GRAND TOTAL	**179**	**23.5**	**514**	**3**	**5**	**16**	**38**	**98**	**99+**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34										
35-49										
50-64	2	28.5	85	22	22	28	35	35	35	35
65+	13	33.9	496	12	13	32	61	79	95	99+
B. *Operated*										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34										
35-49	3	25.7	2	24	24	26	63	99+	99+	99+
50-64	1	15.0		15	15	57	99+	99+	99+	99+
65+	4	19.5	122	13	13	15	52	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	16	32.2	422	12	13	32	49	74	92	99+
B. *Operated*	9	21.6	61	13	14	25	68	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	25	28.4	311	13	13	26	49	99+	99+	99+
A. NOT OPERATED	16	32.2	422	12	13	32	49	74	92	99+
B. OPERATED	9	21.6	61	13	14	25	68	99+	99+	99+
TOTAL 0-19 YRS	2	20.5	25	17	17	20	24	24	24	24
20-34										
35-49	3	25.7	2	24	24	26	63	99+	99+	99+
50-64	3	24.0	103	15	15	28	67	99+	99+	99+
65+	17	30.5	434	12	13	32	57	91	99+	99+
GRAND TOTAL	**25**	**28.4**	**311**	**13**	**13**	**26**	**49**	**99+**	**99+**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	4	12.8	52	4	4	13	18	20	20	20
50-64	13	13.8	107	1	3	13	20	29	35	36
65+	9	12.8	157	2	2	6	25	32	33	33
B. *Operated*										
0-19 YRS										
20-34	5	6.4	7	5	5	5	7	11	11	11
35-49	12	10.3	68	2	2	9	15	21	28	29
50-64	82	8.9	51	1	2	8	12	17	22	38
65+	91	8.9	49	1	2	7	13	17	21	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	9.8	104	1	1	9	24	86	99+	99+
50-64	41	10.4	79	1	2	9	15	23	38	99+
65+	52	14.4	223	2	2	9	18	41	53	99
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	7	18.0	153	1	3	12	27	35	37	37
35-49	27	11.0	50	1	2	10	14	21	25	30
50-64	251	13.0	108	2	3	10	17	24	31	58
65+	252	12.4	106	2	3	10	15	25	33	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	13.1	104	2	3	9	19	30	33	36
B. *Operated*	190	8.9	50	1	2	7	13	17	22	37
2. MULTIPLE DX										
A. *Not Operated*	99	12.5	158	1	2	9	16	36	52	99+
B. *Operated*	538	12.7	105	2	3	11	16	25	32	60
1. SINGLE DX	217	9.5	58	1	2	8	13	18	25	37
2. MULTIPLE DX	637	12.6	113	2	2	10	16	26	36	81
A. NOT OPERATED	126	12.6	146	1	2	9	16	34	47	99+
B. OPERATED	728	11.7	93	2	2	10	15	23	31	56
TOTAL 0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	13	12.8	113	2	4	11	15	30	36	37
35-49	49	10.9	57	1	2	10	15	22	29	99+
50-64	387	11.9	95	2	2	10	16	23	31	58
65+	404	11.9	112	1	2	9	15	25	34	71
GRAND TOTAL	**854**	**11.8**	**101**	**2**	**2**	**10**	**15**	**24**	**33**	**64**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	24.0	242	13	13	24	35	35	35	35
35-49	1	5.0		5	5	5	5	5	5	5
50-64	8	25.6	339	2	2	26	40	49	52	52
65+	10	24.8	351	4	5	21	36	55	59	59
B. *Operated*										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34										
35-49	3	43.0	273	24	24	52	77	99+	99+	99+
50-64	19	21.4	518	4	5	16	34	97	99+	99+
65+	16	19.8	389	5	7	12	28	32	69	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	21	24.1	308	2	3	24	37	51	55	59
B. *Operated*	39	22.4	450	4	6	17	32	88	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	60	23.0	395	3	5	18	34	59	97	99+
A. NOT OPERATED	21	24.1	308	2	3	24	37	51	55	59
B. OPERATED	39	22.4	450	4	6	17	32	88	99+	99+
TOTAL 0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	2	24.0	242	13	13	24	35	35	35	35
35-49	4	33.5	543	5	5	51	65	99+	99+	99+
50-64	27	22.7	454	2	4	16	39	81	99+	99+
65+	26	21.7	366	4	6	16	30	49	64	85
GRAND TOTAL	**60**	**23.0**	**395**	**3**	**5**	**18**	**34**	**59**	**97**	**99+**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	8.7	54	3	3	6	14	17	17	17
35-49	10	12.5	161	<1	1	9	16	33	42	42
50-64	27	15.0	311	3	3	8	18	30	65	75
65+	81	14.6	154	2	3	12	21	33	48	99+
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	5	9.4	91	2	2	4	15	25	25	25
35-49	15	7.7	14	1	4	8	10	13	14	15
50-64	12	15.7	473	1	2	10	18	39	75	81
65+	11	14.7	552	1	2	7	14	46	80	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	20.5	41	16	16	20	25	25	25	25
20-34	5	14.2	17	7	7	16	16	17	17	17
35-49	28	23.6	501	6	6	13	34	42	87	97
50-64	154	17.3	278	4	5	13	23	54	84	99+
65+	417	21.9	408	4	5	15	33	77	99+	99+
B. *Operated*										
0-19 YRS	1	59.0		59	59	59	59	59	59	59
20-34	6	11.8	85	3	3	9	18	26	27	27
35-49	21	15.1	375	2	3	9	13	44	70	71
50-64	67	18.6	309	3	4	13	23	43	61	99+
65+	44	17.8	232	3	5	16	27	87	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	14.3	183	2	3	11	19	32	48	99+
B. *Operated*	44	11.8	276	1	2	7	13	21	42	83
2. MULTIPLE DX										
A. *Not Operated*	606	20.8	378	4	5	15	30	72	99+	99+
B. *Operated*	139	17.8	293	3	3	12	24	54	78	99+
1. SINGLE DX	166	13.7	207	2	2	10	17	30	44	97
2. MULTIPLE DX	745	20.2	363	4	5	14	29	68	99+	99+
A. NOT OPERATED	728	19.7	351	4	5	14	28	63	99+	99+
B. OPERATED	183	16.4	294	3	3	12	20	49	72	99+
TOTAL 0-19 YRS	5	23.4	442	8	8	16	33	59	59	59
20-34	19	11.3	58	2	3	12	17	22	26	27
35-49	74	16.5	349	2	4	11	19	38	64	94
50-64	260	17.3	295	3	4	12	22	50	75	99+
65+	553	20.4	366	3	5	15	30	73	99+	99+
GRAND TOTAL	**911**	**19.0**	**341**	**3**	**5**	**13**	**26**	**61**	**94**	**99+**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	21.0		21	21	21	21	21	21	21
35-49	6	12.0	131	2	3	17	99+	99+	99+	99+
50-64	41	27.5	567	5	6	24	63	99+	99+	99+
65+	124	36.0	670	5	8	34	72	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34	2	44.5	3785	<1	<1	44	88	88	88	88
35-49	7	28.0	407	10	11	19	38	61	66	66
50-64	10	24.5	490	3	5	14	38	57	76	76
65+	14	39.3	1042	6	8	56	99	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	173	32.9	650	5	7	32	70	99+	99+	99+
B. *Operated*	33	32.7	809	4	8	24	70	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	206	32.8	671	5	7	31	70	99+	99+	99+
A. NOT OPERATED	173	32.9	650	5	7	32	70	99+	99+	99+
B. OPERATED	33	32.7	809	4	8	24	70	99+	99+	99+
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	36.7	2076	<1	<1	21	71	88	88	88
35-49	13	20.6	327	3	5	18	52	99+	99+	99+
50-64	51	26.9	543	5	6	21	49	99+	99+	99+
65+	138	36.3	702	5	8	35	73	99+	99+	99+
GRAND TOTAL	**206**	**32.8**	**671**	**5**	**7**	**31**	**70**	**99+**	**99+**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	6	2.2	2	1	1	2	3	4	4	4
35-49	33	5.0	10	1	1	5	7	10	10	13
50-64	116	5.1	18	1	1	4	6	11	13	24
65+	339	6.1	42	1	1	4	7	12	18	38
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	8	6.3	12	2	2	7	9	10	11	11
35-49	14	4.6	8	1	1	4	7	8	10	10
50-64	56	6.7	46	1	2	4	8	17	19	33
65+	42	6.3	45	1	1	4	8	10	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.3	4	1	1	3	4	6	8	8
20-34	10	5.6	30	1	1	5	6	13	20	20
35-49	40	5.5	10	1	2	5	8	10	12	13
50-64	307	7.5	81	1	2	5	8	15	20	36
65+	1312	9.8	116	2	2	7	12	20	31	99+
B. *Operated*										
0-19 YRS										
20-34	4	14.3	98	7	7	11	21	28	28	28
35-49	32	8.4	31	2	2	8	11	15	20	26
50-64	145	10.0	63	1	2	8	14	20	29	53
65+	178	13.2	170	1	3	10	18	34	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	497	5.7	34	1	1	4	7	11	16	37
B. *Operated*	122	6.3	38	1	1	4	8	12	18	33
2. MULTIPLE DX										
A. *Not Operated*	1679	9.2	108	2	2	6	11	19	28	97
B. *Operated*	359	11.5	117	1	2	9	15	26	40	99+
1. SINGLE DX	619	5.8	35	1	1	4	7	12	16	36
2. MULTIPLE DX	2038	9.6	110	2	2	7	12	20	31	99+
A. NOT OPERATED	2176	8.4	93	1	2	6	10	17	25	89
B. OPERATED	481	10.2	102	1	2	7	14	23	31	99+
TOTAL 0-19 YRS	15	3.4	3	1	2	3	4	5	7	8
20-34	28	6.3	38	1	1	5	7	14	21	28
35-49	119	6.0	17	1	2	5	9	11	13	22
50-64	624	7.6	64	1	2	5	9	16	21	36
65+	1871	9.4	110	1	2	6	12	20	31	99+
GRAND TOTAL	**2657**	**8.8**	**95**	**1**	**2**	**6**	**11**	**19**	**28**	**94**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	4.3	11	1	1	3	7	10	11	11
20-34	9	6.7	12	2	3	6	9	12	13	13
35-49	24	7.9	30	1	2	7	12	17	41	99+
50-64	116	14.5	277	2	2	9	18	54	74	99+
65+	490	16.8	280	2	3	11	24	43	61	99+
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	10.5	1	10	10	10	11	11	11	11
35-49	5	10.0	159	1	1	6	14	32	32	32
50-64	15	12.3	87	1	2	13	18	35	81	99+
65+	11	18.0	217	5	6	16	25	69	96	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	12.8	197	1	2	7	13	41	43	43
20-34	11	6.8	54	1	1	3	11	19	22	22
35-49	34	9.7	67	1	1	9	15	19	30	33
50-64	334	18.3	336	3	4	12	24	48	77	99+
65+	1525	24.0	483	3	5	17	39	83	99+	99+
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	6	14.3	43	7	7	12	17	25	26	26
35-49	14	13.9	67	5	5	13	17	22	33	36
50-64	64	19.3	363	3	5	13	30	61	96	99+
65+	141	31.3	418	7	10	33	72	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	655	15.6	267	2	3	10	21	43	61	99+
B. *Operated*	34	13.5	133	1	3	11	21	36	87	99+
2. MULTIPLE DX										
A. *Not Operated*	1916	22.6	455	3	5	15	36	76	99+	99+
B. *Operated*	226	26.3	410	5	7	26	50	99+	99+	99+
1. SINGLE DX	689	15.5	261	2	3	10	21	43	61	99+
2. MULTIPLE DX	2142	23.0	451	3	5	16	37	82	99+	99+
A. NOT OPERATED	2571	20.8	416	3	4	14	32	67	99+	99+
B. OPERATED	260	24.6	392	4	6	22	46	99+	99+	99+
TOTAL 0-19 YRS	30	8.1	99	1	1	6	9	16	40	43
20-34	28	8.6	41	1	1	8	12	17	22	26
35-49	77	9.9	62	1	2	8	15	21	32	82
50-64	529	17.4	322	2	4	11	23	50	83	99+
65+	2167	22.8	445	3	4	17	37	78	99+	99+
GRAND TOTAL	**2831**	**21.2**	**415**	**3**	**4**	**15**	**34**	**71**	**99+**	**99+**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	77.0		77	77	77	77	77	77	77
20-34										
35-49	12	22.2	471	5	6	13	30	51	78	82
50-64	99	27.2	491	5	8	24	44	91	99+	99+
65+	412	33.0	613	5	7	32	66	99+	99+	99+
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	1	61.0		61	61	80	99+	99+	99+	99+
35-49	5	33.2	1269	8	8	14	54	92	92	92
50-64	20	33.9	613	5	7	33	58	98	99+	99+
65+	39	37.5	793	9	12	50	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	524	31.7	595	5	7	30	63	99+	99+	99+
B. *Operated*	66	36.0	743	7	11	41	90	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	590	32.2	612	5	8	30	66	99+	99+	99+
A. NOT OPERATED	524	31.7	595	5	7	30	63	99+	99+	99+
B. OPERATED	66	36.0	743	7	11	41	90	99+	99+	99+
TOTAL 0-19 YRS	2	44.0	2178	11	11	44	77	77	77	77
20-34	1	61.0		61	61	80	99+	99+	99+	99+
35-49	17	25.4	668	5	6	14	32	74	88	92
50-64	119	28.3	513	5	8	24	50	96	99+	99+
65+	451	33.4	628	5	8	32	70	99+	99+	99+
GRAND TOTAL	**590**	**32.2**	**612**	**5**	**8**	**30**	**66**	**99+**	**99+**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	17	8.9	191	<1	1	4	8	22	46	58
50-64	47	7.0	29	1	2	6	9	14	20	22
65+	246	11.1	159	2	2	7	14	30	52	99+
B. *Operated*										
0-19 YRS										
20-34	11	9.1	53	2	2	10	12	21	24	24
35-49	9	10.4	80	1	1	7	14	24	30	30
50-64	30	10.0	287	1	1	3	10	25	27	89
65+	22	10.4	188	1	1	5	16	25	42	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	12.3	150	<1	<1	8	22	31	32	32
20-34	12	5.0	23	1	1	4	6	12	17	18
35-49	34	9.5	146	1	2	5	13	30	54	99+
50-64	192	11.8	171	1	2	9	16	55	99+	99+
65+	1092	18.9	381	3	3	13	34	90	99+	99+
B. *Operated*										
0-19 YRS	1	30.0		30	30	30	30	30	30	30
20-34	7	20.1	245	3	4	17	23	47	52	52
35-49	22	24.0	549	3	4	13	35	73	89	99+
50-64	67	13.4	216	1	2	8	20	41	77	99+
65+	100	23.2	533	2	4	19	55	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	10.3	141	1	2	7	13	24	46	99+
B. *Operated*	72	10.0	190	1	1	5	12	24	30	82
2. MULTIPLE DX										
A. *Not Operated*	1336	17.5	350	2	3	12	30	84	99+	99+
B. *Operated*	197	19.9	431	2	3	15	35	95	99+	99+
1. SINGLE DX	387	10.2	149	1	2	7	13	24	39	99+
2. MULTIPLE DX	1533	17.8	360	2	3	12	31	86	99+	99+
A. NOT OPERATED	1651	16.1	318	2	3	10	25	71	99+	99+
B. OPERATED	269	17.3	384	1	2	11	28	80	99+	99+
TOTAL 0-19 YRS	9	12.7	146	<1	1	5	24	31	32	32
20-34	33	9.3	109	1	1	5	13	20	25	52
35-49	82	13.4	290	1	2	7	16	36	66	99+
50-64	336	11.3	172	1	2	8	15	41	99+	99+
65+	1460	17.7	362	2	3	12	30	82	99+	99+
GRAND TOTAL	**1920**	**16.3**	**327**	**2**	**3**	**10**	**25**	**72**	**99+**	**99+**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	12.0	47	3	3	14	16	21	21	21
50-64	29	10.8	50	1	2	11	16	19	20	31
65+	66	10.3	126	1	2	6	15	24	41	94
B. *Operated*										
0-19 YRS										
20-34	3	3.3	10	1	1	2	6	7	7	7
35-49	36	9.3	39	1	1	10	13	17	22	24
50-64	141	8.6	36	1	1	8	12	16	19	25
65+	145	9.4	52	1	1	8	13	16	23	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	19.5	613	2	2	37	84	99+	99+	99+
20-34	2	10.5	113	3	3	10	18	18	18	18
35-49	10	8.2	16	2	2	9	12	13	13	13
50-64	76	14.2	192	2	3	11	17	26	41	98
65+	355	15.7	237	2	3	11	24	54	99+	99+
B. *Operated*										
0-19 YRS										
20-34	10	21.1	464	8	8	13	20	54	80	80
35-49	84	12.1	69	2	3	11	15	22	27	47
50-64	473	15.4	196	1	3	13	18	31	51	99+
65+	588	19.4	325	1	2	15	27	62	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	10.5	98	1	2	8	15	21	29	82
B. *Operated*	325	9.0	43	1	1	9	13	16	21	29
2. MULTIPLE DX										
A. *Not Operated*	445	15.2	225	2	3	11	22	51	99+	99+
B. *Operated*	1155	17.2	260	1	3	14	22	44	77	99+
1. SINGLE DX	426	9.3	56	1	1	8	13	18	22	41
2. MULTIPLE DX	1600	16.7	251	1	3	13	22	46	85	99+
A. NOT OPERATED	546	14.4	205	2	3	11	20	47	99+	99+
B. OPERATED	1480	15.4	224	1	2	12	19	37	63	99+
TOTAL 0-19 YRS	2	19.5	613	2	2	37	84	99+	99+	99+
20-34	16	15.4	350	1	2	11	17	27	64	80
35-49	135	11.0	58	1	2	11	14	20	23	36
50-64	719	13.7	165	1	2	12	16	27	43	96
65+	1154	16.5	265	1	2	13	23	50	99+	99+
GRAND TOTAL	**2026**	**15.1**	**219**	**1**	**2**	**12**	**19**	**39**	**69**	**99+**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	7.0	50	2	2	7	12	12	12	12
35-49	1	3.0		3	3	3	3	3	3	3
50-64	5	4.8	34	<1	<1	2	7	15	15	15
65+	24	9.0	217	<1	<1	4	12	15	34	74
B. *Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	4	11.0	62	1	1	11	16	20	20	20
50-64	20	13.7	46	3	5	12	16	20	27	35
65+	63	13.6	45	3	4	13	16	21	24	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	21.7	464	5	5	14	38	46	46	46
50-64	17	8.8	48	1	2	6	14	24	70	99+
65+	108	14.4	236	2	3	9	17	32	57	88
B. *Operated*										
0-19 YRS	2	19.5	1	19	19	19	20	20	20	20
20-34										
35-49	9	18.2	95	8	9	15	22	33	41	41
50-64	147	17.5	138	4	8	15	21	31	43	67
65+	319	19.8	158	6	9	17	24	37	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	8.0	170	<1	<1	4	12	14	17	74
B. *Operated*	88	13.5	45	3	5	13	16	21	23	39
2. MULTIPLE DX										
A. *Not Operated*	129	13.7	217	2	2	9	17	31	57	99+
B. *Operated*	477	19.1	151	5	9	16	22	34	49	88
1. SINGLE DX	120	12.0	83	1	2	12	15	20	23	51
2. MULTIPLE DX	606	17.9	169	3	5	15	21	34	51	95
A. NOT OPERATED	161	12.6	212	1	2	8	15	26	56	97
B. OPERATED	565	18.2	138	4	8	16	21	33	46	77
TOTAL 0-19 YRS	2	19.5	1	19	19	19	20	20	20	20
20-34	4	6.3	31	1	1	6	11	12	12	12
35-49	17	16.2	143	2	3	14	20	37	44	46
50-64	189	16.0	127	2	4	14	19	29	42	69
65+	514	17.4	173	2	4	15	21	33	52	94
GRAND TOTAL	**726**	**17.0**	**160**	**2**	**4**	**15**	**21**	**33**	**48**	**82**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	4.0	9	<1	<1	4	6	7	7	7
65+	2	8.0	98	<1	<1	7	15	15	15	15
B. *Operated*										
0-19 YRS	3	19.0	273	8	8	11	31	38	38	38
20-34	7	12.1	200	2	2	5	15	37	42	42
35-49	10	15.5	236	3	5	11	13	39	57	57
50-64	15	10.5	59	1	2	9	14	25	26	26
65+	25	14.8	219	2	2	11	18	26	52	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	17.5	190	8	8	12	25	38	38	38
65+	9	12.6	107	3	4	8	16	30	36	36
B. *Operated*										
0-19 YRS										
20-34	4	17.5	210	2	2	15	26	37	37	37
35-49	10	11.0	68	2	2	9	22	23	23	23
50-64	53	15.7	231	2	3	12	18	35	55	99+
65+	53	17.8	346	2	2	13	20	38	67	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	5.6	34	<1	<1	4	9	15	15	15
B. *Operated*	60	13.7	174	2	3	10	16	26	45	65
2. MULTIPLE DX										
A. *Not Operated*	15	12.9	118	2	3	8	14	36	37	38
B. *Operated*	120	16.3	266	2	3	12	19	35	56	96
1. SINGLE DX	65	13.1	168	1	2	10	15	26	43	65
2. MULTIPLE DX	135	15.9	250	2	3	12	19	36	53	96
A. NOT OPERATED	20	11.1	105	<1	1	8	14	28	37	38
B. OPERATED	180	15.5	236	2	3	11	18	34	51	94
TOTAL 0-19 YRS	3	19.0	273	8	8	11	31	38	38	38
20-34	12	13.6	176	2	2	9	16	38	41	42
35-49	21	12.7	148	2	3	10	15	23	38	57
50-64	75	14.3	191	1	3	11	17	27	42	98
65+	89	16.2	280	2	2	12	19	35	56	86
GRAND TOTAL	**200**	**15.0**	**224**	**2**	**2**	**11**	**17**	**34**	**47**	**93**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	8.9	24	2	3	7	12	16	17	17
35-49	17	10.8	60	<1	2	9	14	20	28	32
50-64	16	10.6	70	1	2	9	14	23	30	33
65+	19	11.2	50	3	4	9	15	20	25	30
B. *Operated*										
0-19 YRS	2	21.0	800	1	1	21	41	41	41	41
20-34	11	8.4	33	2	2	8	11	17	21	21
35-49	70	8.7	44	1	1	8	12	18	22	25
50-64	219	9.4	44	1	1	9	13	18	21	29
65+	190	10.4	65	1	2	9	14	20	27	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	5	7.2	21	1	1	9	10	12	12	12
35-49	10	9.1	45	<1	1	8	13	19	20	20
50-64	42	9.8	70	<1	1	9	14	21	27	39
65+	82	12.8	155	2	3	9	16	26	34	68
B. *Operated*										
0-19 YRS	3	15.7	134	8	8	10	24	29	29	29
20-34	11	12.9	146	2	2	11	14	31	43	44
35-49	95	11.7	51	2	2	11	15	20	25	76
50-64	454	15.9	135	1	4	14	19	29	39	98
65+	476	18.0	211	2	4	14	23	39	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	10.6	53	1	3	9	14	20	27	33
B. *Operated*	492	9.7	54	1	2	9	13	19	22	34
2. MULTIPLE DX										
A. *Not Operated*	140	11.4	118	1	2	9	15	24	28	67
B. *Operated*	1039	16.4	165	2	4	14	20	32	47	99+
1. SINGLE DX	551	9.8	54	1	2	9	14	19	22	33
2. MULTIPLE DX	1179	15.8	162	1	3	13	19	31	46	99+
A. NOT OPERATED	199	11.2	98	1	2	9	15	22	29	57
B. OPERATED	1531	14.3	139	1	2	12	18	28	39	87
TOTAL 0-19 YRS	6	16.2	237	1	2	9	29	40	41	41
20-34	34	9.8	66	2	2	9	12	17	23	44
35-49	192	10.4	50	1	2	11	15	19	23	41
50-64	731	13.5	112	1	2	12	17	25	32	70
65+	767	15.4	176	2	3	13	19	31	46	99+
GRAND TOTAL	**1730**	**13.9**	**136**	**1**	**2**	**12**	**18**	**27**	**37**	**77**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	5.8	24	2	3	4	5	13	19	21
20-34	10	9.3	167	1	1	4	12	29	44	44
35-49	22	6.1	51	<1	1	3	7	13	21	33
50-64	44	6.3	48	1	1	4	7	15	22	33
65+	57	8.0	36	1	2	6	11	17	21	28
B. *Operated*										
0-19 YRS	11	7.2	23	2	2	6	11	14	16	16
20-34	29	8.7	101	1	2	5	9	17	30	51
35-49	56	8.0	41	2	2	6	10	16	20	37
50-64	173	9.2	73	1	1	8	12	17	22	42
65+	127	9.5	97	1	1	7	14	19	25	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.9	3	2	2	5	6	7	7	7
20-34	14	15.1	217	<1	1	10	22	45	47	47
35-49	35	9.1	102	2	3	6	8	23	26	55
50-64	110	10.5	119	1	2	7	13	21	31	56
65+	205	15.0	262	2	3	10	18	35	50	99+
B. *Operated*										
0-19 YRS	12	12.0	65	5	5	10	13	27	30	31
20-34	34	16.6	272	2	3	11	23	37	75	99+
35-49	130	15.7	174	2	4	13	20	31	52	99+
50-64	399	15.9	218	1	2	13	20	34	55	99+
65+	416	18.8	309	2	3	15	23	48	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	7.1	48	1	2	5	9	15	21	33
B. *Operated*	396	9.1	77	1	1	7	12	18	23	47
2. MULTIPLE DX										
A. *Not Operated*	371	12.9	204	2	2	8	16	29	43	92
B. *Operated*	991	17.0	252	2	3	14	21	39	67	99+
1. SINGLE DX	547	8.5	69	1	1	6	12	17	23	42
2. MULTIPLE DX	1362	15.9	242	2	3	12	20	36	59	99+
A. NOT OPERATED	522	11.2	165	1	2	7	14	26	36	89
B. OPERATED	1367	14.8	215	1	2	12	19	33	54	99+
TOTAL 0-19 YRS	48	7.5	36	2	2	5	10	15	21	31
20-34	87	12.9	201	1	2	8	15	34	45	95
35-49	243	12.1	136	2	2	9	16	24	37	99+
50-64	726	12.9	169	1	2	10	17	27	42	99+
65+	805	15.6	259	2	2	12	20	37	61	99+
GRAND TOTAL	**1909**	**13.8**	**204**	**1**	**2**	**10**	**18**	**31**	**48**	**99+**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	9.8	19	4	5	9	13	15	17	22
20-34	115	8.3	28	2	3	7	11	15	17	30
35-49	172	8.9	22	2	4	8	11	15	16	23
50-64	210	9.7	36	3	4	8	13	17	19	27
65+	211	10.8	43	3	4	10	13	19	23	34
B. *Operated*										
0-19 YRS	9	10.1	48	3	3	9	14	21	23	23
20-34	54	8.2	27	1	2	8	10	16	18	24
35-49	39	10.9	78	1	3	8	14	20	32	43
50-64	42	10.3	40	2	2	10	15	19	21	24
65+	36	12.7	58	2	3	13	18	22	26	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	8.8	44	1	2	7	11	17	25	28
20-34	85	9.8	48	2	3	8	13	20	24	34
35-49	163	11.1	55	3	4	10	14	18	24	44
50-64	363	11.7	64	3	4	10	14	20	28	40
65+	461	13.8	102	4	5	11	17	25	30	59
B. *Operated*										
0-19 YRS	11	13.5	83	1	3	12	19	28	30	30
20-34	35	11.6	41	3	6	9	16	21	26	29
35-49	65	13.5	86	3	4	12	16	25	36	93
50-64	114	17.6	185	3	6	15	20	32	46	69
65+	119	19.0	194	4	7	15	23	35	46	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	736	9.6	33	3	4	8	12	16	20	28
B. *Operated*	180	10.3	50	2	3	9	14	19	22	34
2. MULTIPLE DX										
A. *Not Operated*	1087	12.3	79	3	4	10	15	22	28	45
B. *Operated*	344	16.6	157	3	6	14	20	31	42	72
1. SINGLE DX	916	9.7	37	2	3	8	13	17	21	30
2. MULTIPLE DX	1431	13.3	101	3	5	11	16	24	31	61
A. NOT OPERATED	1823	11.2	62	3	4	9	14	19	25	41
B. OPERATED	524	14.4	129	3	4	12	18	27	35	68
TOTAL 0-19 YRS	63	10.2	40	2	4	9	13	18	24	30
20-34	289	9.1	36	2	3	8	11	17	21	29
35-49	439	10.6	51	3	4	9	13	18	23	43
50-64	729	12.0	80	3	4	10	15	21	27	54
65+	827	13.8	104	4	5	11	17	25	31	60
GRAND TOTAL	**2347**	**11.9**	**79**	**3**	**4**	**10**	**15**	**21**	**27**	**47**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	16	3	3	3	8	10	10	10
20-34	18	4.9	16	1	1	4	8	10	14	16
35-49	35	9.8	64	1	3	7	14	23	28	31
50-64	76	15.0	173	4	5	12	17	26	37	84
65+	104	17.8	281	2	4	12	22	47	59	89
B. *Operated*										
0-19 YRS	31	3.6	5	<1	2	3	4	7	9	10
20-34	644	4.7	10	2	3	4	5	7	8	14
35-49	1027	5.3	12	2	3	4	6	8	10	21
50-64	906	6.5	32	3	3	5	7	11	15	37
65+	211	9.6	110	3	3	6	10	22	35	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	10.5	113	3	3	10	18	18	18	18
20-34	11	10.5	93	<1	1	7	15	28	30	30
35-49	47	11.6	134	1	1	8	14	32	36	52
50-64	120	16.0	184	2	3	12	22	31	40	77
65+	328	24.3	395	4	6	18	36	59	74	99+
B. *Operated*										
0-19 YRS	4	2.5	2	1	1	2	3	4	4	4
20-34	143	6.7	52	2	3	5	7	11	16	74
35-49	384	7.3	66	2	3	5	8	13	18	39
50-64	525	10.2	119	3	3	6	11	22	32	56
65+	256	19.7	354	3	4	12	30	49	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	14.6	205	2	3	10	17	31	48	82
B. *Operated*	2819	5.9	27	2	3	5	6	9	13	31
2. MULTIPLE DX										
A. *Not Operated*	508	20.8	336	3	4	16	28	50	67	99+
B. *Operated*	1312	10.8	163	3	3	6	11	25	39	78
1. SINGLE DX	3055	6.5	46	2	3	5	7	11	17	41
2. MULTIPLE DX	1820	13.6	231	3	3	8	17	34	49	90
A. NOT OPERATED	744	18.8	303	2	4	14	24	43	61	99+
B. OPERATED	4131	7.4	75	2	3	5	8	13	23	51
TOTAL 0-19 YRS	40	4.0	10	1	2	3	4	8	10	18
20-34	816	5.2	20	2	3	4	6	8	10	24
35-49	1493	6.1	33	2	3	5	7	10	15	29
50-64	1627	8.8	87	3	3	6	9	18	26	49
65+	899	18.8	334	3	4	12	27	49	66	99+
GRAND TOTAL	**4875**	**9.2**	**127**	**2**	**3**	**5**	**9**	**20**	**33**	**68**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.1	2	1	1	3	4	5	6	6
20-34	50	3.1	5	<1	1	2	5	6	8	11
35-49	63	3.9	5	<1	1	4	5	7	9	12
50-64	48	4.0	6	1	1	4	6	7	9	11
65+	36	5.5	22	1	2	4	7	11	16	21
B. *Operated*										
0-19 YRS	16	4.8	3	2	3	5	6	7	7	7
20-34	605	5.4	5	3	3	5	6	8	9	12
35-49	773	5.9	7	3	3	5	7	9	10	15
50-64	563	6.0	7	3	4	6	7	9	10	14
65+	162	6.7	30	3	3	6	8	10	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	13	1	1	3	7	8	8	8
20-34	50	4.4	11	1	1	4	6	9	10	17
35-49	55	5.9	38	<1	1	5	7	10	14	35
50-64	80	5.5	19	1	1	4	7	11	15	22
65+	87	8.5	42	2	2	7	12	18	22	31
B. *Operated*										
0-19 YRS	20	5.3	7	1	2	5	7	9	10	12
20-34	531	5.9	8	3	3	5	7	9	11	17
35-49	840	6.5	12	3	4	6	7	10	13	20
50-64	645	7.4	23	3	4	6	8	11	15	25
65+	272	8.9	44	3	4	7	10	16	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	4.0	9	1	1	3	5	7	10	15
B. *Operated*	2119	5.8	8	3	3	5	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	275	6.3	31	1	1	5	8	13	18	29
B. *Operated*	2308	6.9	18	3	4	6	8	11	14	25
1. SINGLE DX	2324	5.7	9	2	3	5	7	9	10	14
2. MULTIPLE DX	2583	6.8	20	3	3	6	8	11	14	25
A. NOT OPERATED	480	5.3	23	1	1	4	7	11	15	24
B. OPERATED	4427	6.4	14	3	4	6	7	10	12	21
TOTAL 0-19 YRS	47	4.7	5	1	2	4	6	8	8	12
20-34	1236	5.5	7	2	3	5	6	8	10	15
35-49	1731	6.1	10	3	3	5	7	9	11	19
50-64	1336	6.6	16	3	3	6	8	10	13	21
65+	557	8.0	40	2	3	6	9	14	19	33
GRAND TOTAL	**4907**	**6.3**	**15**	**3**	**3**	**6**	**7**	**10**	**12**	**21**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	4.8	16	<1	1	3	7	10	15	15
20-34	87	7.5	22	1	1	7	10	14	15	23
35-49	83	8.5	35	2	3	8	11	14	16	38
50-64	105	8.8	34	2	2	8	12	15	21	28
65+	144	9.2	34	2	3	8	12	16	21	27
B. *Operated*										
0-19 YRS	48	5.6	16	1	2	4	6	14	15	15
20-34	116	5.7	23	2	2	4	7	12	15	24
35-49	86	7.4	42	2	2	5	10	15	20	37
50-64	92	8.5	27	2	4	7	11	14	17	29
65+	56	10.0	43	1	2	9	15	20	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	6.8	28	1	2	5	9	14	18	24
20-34	81	8.6	45	1	2	8	12	16	18	37
35-49	125	10.6	78	2	3	9	13	21	26	.8
50-64	279	11.2	82	2	3	9	14	23	29	50
65+	447	12.2	120	2	3	9	15	25	34	64
B. *Operated*										
0-19 YRS	25	9.0	43	1	3	9	12	18	21	26
20-34	119	6.9	49	1	2	4	9	16	22	34
35-49	85	12.0	118	2	3	9	15	25	29	60
50-64	151	16.0	165	3	4	13	21	32	49	69
65+	166	18.4	191	3	5	15	23	36	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	450	8.3	32	1	2	7	11	15	18	26
B. *Operated*	398	7.3	32	2	2	5	10	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	965	11.2	96	2	3	9	14	22	30	56
B. *Operated*	546	13.8	154	2	3	11	19	28	40	75
1. SINGLE DX	848	7.9	32	2	2	7	11	15	18	26
2. MULTIPLE DX	1511	12.2	118	2	3	9	16	25	33	62
A. NOT OPERATED	1415	10.3	77	2	2	8	13	20	26	51
B. OPERATED	944	11.1	113	2	2	8	15	23	31	61
TOTAL 0-19 YRS	137	6.3	25	1	1	5	9	14	17	24
20-34	403	7.0	36	1	2	5	10	14	18	31
35-49	379	9.7	72	2	3	8	12	19	25	46
50-64	627	11.6	93	2	3	9	14	23	31	54
65+	813	12.8	123	2	3	10	16	25	35	70
GRAND TOTAL	**2359**	**10.6**	**91**	**2**	**2**	**8**	**14**	**21**	**28**	**56**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7663	3.7	10	1	1	3	5	7	9	14
20-34	323	3.3	7	1	1	3	4	5	7	11
35-49	105	4.1	9	1	1	3	5	7	9	17
50-64	71	5.5	22	2	2	4	6	13	16	26
65+	105	5.6	38	1	2	4	7	9	12	36
B. *Operated*										
0-19 YRS	385	3.0	7	2	2	2	3	5	7	14
20-34	85	3.6	17	1	2	3	4	4	7	29
35-49	19	4.0	6	<1	1	4	6	8	8	8
50-64	10	3.0	3	<1	<1	3	5	6	6	6
65+	7	5.1	13	2	2	4	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6720	5.2	22	1	2	4	7	10	13	24
20-34	404	4.3	10	1	1	3	5	8	10	18
35-49	210	6.0	39	1	2	4	7	11	14	26
50-64	233	7.6	39	2	2	6	9	14	19	37
65+	520	9.7	88	2	3	7	11	18	28	56
B. *Operated*										
0-19 YRS	192	6.0	42	1	2	3	8	13	18	30
20-34	42	4.9	13	1	2	4	6	11	12	17
35-49	24	5.5	20	1	2	4	9	14	38	99+
50-64	30	9.0	45	2	2	6	15	19	20	25
65+	29	13.4	131	2	2	10	22	30	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8267	3.7	10	1	1	3	5	7	9	15
B. *Operated*	506	3.2	9	1	2	2	3	5	7	16
2. MULTIPLE DX										
A. *Not Operated*	8087	5.5	28	1	2	4	7	10	14	28
B. *Operated*	317	6.8	50	1	2	4	9	16	21	51
1. SINGLE DX	8773	3.7	10	1	1	3	5	7	9	15
2. MULTIPLE DX	8404	5.6	29	1	2	4	7	11	14	28
A. NOT OPERATED	16354	4.6	20	1	1	3	6	9	12	22
B. OPERATED	823	4.6	28	1	2	3	4	10	15	29
TOTAL 0-19 YRS	14960	4.4	16	1	1	3	5	8	11	20
20-34	854	3.9	10	1	1	3	5	7	9	17
35-49	358	5.3	28	1	2	4	7	10	13	25
50-64	344	7.1	36	2	2	5	9	14	19	35
65+	661	9.1	84	2	3	7	10	18	27	59
GRAND TOTAL	**17177**	**4.6**	**20**	**1**	**1**	**3**	**6**	**9**	**12**	**22**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3980	5.3	20	1	2	4	7	10	12	22
20-34	93	4.2	5	1	2	3	5	7	9	13
35-49	80	5.0	10	1	2	4	6	10	11	15
50-64	125	5.9	12	2	2	5	7	11	14	17
65+	185	7.6	24	2	3	7	9	13	17	28
B. *Operated*										
0-19 YRS	5	10.6	16	7	7	9	13	17	17	17
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	1	7.0		7	7	7	7	7	7	7
50-64	6	12.3	180	1	1	6	26	31	32	32
65+	3	4.3	1	3	3	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2499	6.4	26	2	2	5	8	12	15	27
20-34	157	5.2	11	1	2	4	7	9	12	17
35-49	175	6.6	37	2	2	5	8	12	18	24
50-64	484	8.3	44	2	3	7	10	15	20	41
65+	1103	10.4	65	3	3	8	13	20	26	46
B. *Operated*										
0-19 YRS	28	14.5	167	1	3	13	17	30	37	66
20-34	3	8.0	25	3	3	8	12	13	13	13
35-49	12	9.3	24	3	4	8	12	16	19	20
50-64	26	10.3	64	3	3	7	14	16	30	36
65+	43	19.5	211	4	6	17	25	38	49	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4463	5.4	20	1	2	4	7	10	12	22
B. *Operated*	17	9.3	72	1	2	7	10	24	30	32
2. MULTIPLE DX										
A. *Not Operated*	4418	7.6	41	2	2	6	9	14	19	35
B. *Operated*	112	14.7	156	2	4	12	18	31	37	68
1. SINGLE DX	4480	5.4	20	1	2	4	7	10	12	22
2. MULTIPLE DX	4530	7.7	45	2	2	6	9	15	20	36
A. NOT OPERATED	8881	6.5	32	2	2	5	8	12	16	30
B. OPERATED	129	14.0	147	2	3	11	17	30	36	67
TOTAL 0-19 YRS	6512	5.8	24	1	2	5	7	10	14	25
20-34	255	4.8	10	1	2	4	6	9	11	16
35-49	268	6.2	29	2	2	5	8	11	15	21
50-64	641	7.9	41	2	3	6	10	14	19	36
65+	1334	10.3	68	3	3	8	13	20	26	46
GRAND TOTAL	**9010**	**6.6**	**34**	**2**	**2**	**5**	**8**	**12**	**17**	**32**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.0	3	<1	1	3	4	5	7	9
20-34	52	3.0	1	1	2	3	4	4	4	7
35-49	19	3.1	2	1	1	3	4	4	6	8
50-64	6	3.5	2	2	2	3	5	5	5	5
65+	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	632	3.1	1	2	2	3	4	5	5	7
20-34	1413	3.0	2	2	2	3	3	4	5	7
35-49	469	3.0	10	1	2	3	3	4	5	9
50-64	248	3.1	2	2	2	3	3	5	5	10
65+	42	2.6	1	1	2	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.4	13	<1	<1	2	4	8	13	14
20-34	49	3.4	10	<1	1	3	4	6	8	19
35-49	31	2.7	2	1	1	3	3	4	4	8
50-64	9	2.8	3	1	1	2	3	6	7	7
65+	3	4.3		4	4	4	5	5	5	5
B. *Operated*										
0-19 YRS	408	3.3	3	2	2	3	4	5	7	10
20-34	1174	3.3	3	2	2	3	4	5	6	10
35-49	533	3.4	4	1	2	3	4	5	7	11
50-64	323	3.7	6	2	2	3	4	6	7	15
65+	75	3.4	4	1	2	3	4	5	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	3.1	2	1	1	3	4	4	5	8
B. *Operated*	2804	3.0	3	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	104	3.2	7	<1	1	3	4	5	8	16
B. *Operated*	2513	3.4	3	2	2	3	4	5	7	11
1. SINGLE DX	2905	3.0	3	2	2	3	3	4	5	7
2. MULTIPLE DX	2617	3.4	3	1	2	3	4	5	7	11
A. NOT OPERATED	205	3.1	4	1	1	3	4	4	6	13
B. OPERATED	5317	3.2	3	2	2	3	4	5	6	9
TOTAL 0-19 YRS	1074	3.2	2	2	2	3	4	5	6	8
20-34	2688	3.1	2	2	2	3	4	4	5	9
35-49	1052	3.2	6	1	2	3	4	5	6	10
50-64	586	3.4	4	2	2	3	4	5	7	13
65+	122	3.2	3	1	2	3	3	5	6	12
GRAND TOTAL	**5522**	**3.2**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	11	2.6	1	<1	1	3	3	4	4	4
20-34	45	2.8	2	1	2	2	3	4	5	8
35-49	67	3.0	3	1	2	3	4	5	6	10
50-64	73	2.6	1	1	1	2	3	4	5	7
65+	47	2.6	2	1	1	2	3	5	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	9	1	1	3	6	7	7	7
20-34	4	4.0	7	2	2	3	6	8	8	8
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	4	3.5	3	1	1	4	5	5	5	5
65+	5	4.8	8	1	1	5	6	9	9	9
B. *Operated*										
0-19 YRS	44	2.8	1	1	2	2	4	5	5	6
20-34	86	3.5	14	2	2	3	4	5	6	25
35-49	144	3.0	2	2	2	2	4	5	6	9
50-64	181	3.2	6	1	2	3	4	5	6	18
65+	81	4.0	9	1	2	3	5	7	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	243	2.8	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	19	4.1	5	1	1	4	5	8	9	9
B. *Operated*	536	3.3	6	1	2	3	4	5	6	16
1. SINGLE DX	244	2.8	2	1	1	2	3	4	5	8
2. MULTIPLE DX	555	3.3	6	1	2	3	4	5	7	16
A. NOT OPERATED	20	4.2	5	1	1	4	5	7	8	9
B. OPERATED	779	3.1	5	1	2	3	4	5	6	11
TOTAL 0-19 YRS	58	2.8	2	1	2	3	3	5	6	7
20-34	135	3.3	10	2	2	3	4	5	6	12
35-49	215	3.0	2	2	2	2	4	5	6	9
50-64	258	3.1	5	1	2	3	4	5	6	17
65+	133	3.5	7	1	2	3	4	6	8	17
GRAND TOTAL	**799**	**3.1**	**5**	**1**	**2**	**3**	**4**	**5**	**6**	**11**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	2.1	3	<1	<1	2	2	5	6	7
20-34	28	2.3	1	<1	<1	2	3	4	4	5
35-49	8	2.5	3	1	1	2	4	5	5	5
50-64	3	4.7	21	2	2	2	8	10	10	10
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	13947	2.2	2	1	2	2	2	3	3	5
20-34	2264	2.9	3	2	2	3	3	4	4	6
35-49	205	2.7	1	1	2	3	3	4	4	5
50-64	41	3.2	4	1	2	3	4	6	8	10
65+	25	2.8	4	1	2	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	252	1.9	5	<1	<1	1	2	4	5	11
20-34	28	2.1	3	<1	<1	1	3	6	6	7
35-49	3	1.7		<1	<1	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	5641	2.3	2	1	2	2	2	3	4	12
20-34	553	3.3	4	2	2	3	4	5	5	13
35-49	84	3.7	7	2	2	3	4	6	7	19
50-64	24	3.4	6	2	2	3	3	6	9	13
65+	18	4.9	25	2	2	3	5	14	18	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	2.2	3	<1	1	2	3	5	6	7
B. *Operated*	16482	2.3	2	1	2	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	286	2.0	4	<1	<1	1	2	4	6	10
B. *Operated*	6320	2.4	3	1	2	2	2	3	4	12
1. SINGLE DX	16656	2.3	2	1	2	2	2	3	4	6
2. MULTIPLE DX	6606	2.4	3	1	2	2	2	3	4	12
A. NOT OPERATED	460	2.1	4	<1	<1	1	2	4	6	8
B. OPERATED	22802	2.3	2	1	2	2	2	3	4	7
TOTAL 0-19 YRS	19974	2.2	2	1	2	2	2	3	3	7
20-34	2873	2.9	3	2	2	3	3	4	5	8
35-49	300	3.0	3	1	2	3	3	4	5	8
50-64	69	3.3	5	2	2	3	4	6	8	12
65+	46	3.7	13	2	2	2	4	5	12	19
GRAND TOTAL	**23262**	**2.3**	**2**	**1**	**2**	**2**	**2**	**3**	**4**	**7**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	338	3.7	15	<1	1	3	5	6	8	12
20-34	166	3.3	4	1	2	3	4	5	6	11
35-49	74	3.2	5	<1	1	3	4	6	8	13
50-64	58	3.6	6	<1	1	3	5	7	9	12
65+	26	3.7	8	1	1	3	5	7	10	13
B. *Operated*										
0-19 YRS	231	3.2	9	1	1	2	4	5	8	20
20-34	375	2.8	3	1	1	2	3	5	5	9
35-49	290	3.0	5	<1	1	2	4	5	7	12
50-64	229	3.1	8	<1	1	2	3	5	7	20
65+	108	3.2	6	1	2	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	256	4.9	14	1	2	4	6	9	12	19
20-34	107	4.1	12	<1	1	4	5	7	8	22
35-49	64	4.4	10	1	2	4	6	8	10	19
50-64	96	6.5	32	1	1	5	8	14	16	30
65+	87	7.0	48	1	2	4	9	14	22	37
B. *Operated*										
0-19 YRS	220	3.5	19	1	1	2	4	7	9	19
20-34	372	3.3	9	<1	1	3	3	6	8	14
35-49	303	3.6	9	<1	1	3	4	7	9	16
50-64	312	4.4	20	1	2	3	5	7	13	24
65+	169	5.1	45	2	2	3	5	9	16	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	662	3.5	10	<1	1	3	4	6	7	12
B. *Operated*	1233	3.0	6	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	610	5.2	22	1	1	4	6	10	14	25
B. *Operated*	1376	3.9	18	1	1	3	4	7	10	21
1. SINGLE DX	1895	3.2	7	<1	1	3	4	5	7	13
2. MULTIPLE DX	1986	4.3	19	1	1	3	5	8	11	23
A. NOT OPERATED	1272	4.4	16	1	1	3	5	8	11	21
B. OPERATED	2609	3.5	12	<1	1	3	4	6	8	19
TOTAL 0-19 YRS	1045	3.8	15	1	1	3	5	7	9	17
20-34	1020	3.2	6	1	1	3	4	6	7	13
35-49	731	3.4	7	<1	1	3	4	6	8	14
50-64	695	4.2	18	1	1	3	5	8	12	23
65+	390	4.9	34	1	2	3	5	10	14	27
GRAND TOTAL	**3881**	**3.8**	**14**	**1**	**1**	**3**	**4**	**7**	**9**	**20**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5918	6.7	26	2	2	5	8	12	16	26
20-34	698	5.7	15	2	2	5	7	10	12	19
35-49	501	6.5	22	2	3	5	8	11	15	21
50-64	570	7.8	25	2	3	7	10	14	17	24
65+	908	9.7	49	3	4	8	12	17	22	36
B. *Operated*										
0-19 YRS	20	9.2	45	2	2	8	11	19	24	28
20-34	9	13.3	193	1	2	8	15	37	46	46
35-49	20	10.3	79	<1	<1	7	15	18	28	38
50-64	52	11.5	61	3	4	10	15	25	27	37
65+	26	13.8	71	4	5	11	19	27	31	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4247	8.5	56	2	3	7	10	16	22	39
20-34	445	7.3	46	2	3	6	8	13	16	43
35-49	525	8.9	46	2	3	7	11	17	23	37
50-64	1181	10.6	60	3	4	9	13	19	24	43
65+	3249	14.1	143	4	5	11	17	27	41	94
B. *Operated*										
0-19 YRS	94	17.3	226	3	5	13	23	35	51	95
20-34	49	16.7	139	3	6	14	20	33	44	55
35-49	57	15.8	125	3	5	13	20	29	43	97
50-64	180	19.5	177	4	6	17	25	43	50	68
65+	291	22.9	232	5	8	20	32	47	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8595	7.0	28	2	2	6	9	13	16	27
B. *Operated*	127	11.6	72	2	3	10	15	25	28	40
2. MULTIPLE DX										
A. *Not Operated*	9647	10.6	92	2	3	8	13	20	28	60
B. *Operated*	671	20.1	207	5	6	17	27	42	53	99+
1. SINGLE DX	8722	7.0	29	2	2	6	9	13	16	28
2. MULTIPLE DX	10318	11.2	105	2	3	8	14	22	31	66
A. NOT OPERATED	18242	8.9	65	2	3	7	11	17	23	46
B. OPERATED	798	18.8	195	4	5	15	25	39	51	99+
TOTAL 0-19 YRS	10279	7.5	42	2	2	6	9	14	19	34
20-34	1201	6.8	38	2	2	5	8	12	16	39
35-49	1103	8.2	44	2	3	6	10	16	21	37
50-64	1983	10.6	70	3	4	8	13	20	26	50
65+	4474	13.8	138	4	5	10	17	27	39	90
GRAND TOTAL	**19040**	**9.3**	**74**	**2**	**3**	**7**	**11**	**18**	**25**	**51**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	746	3.5	8	1	1	3	5	6	8	14
20-34	270	2.8	2	1	1	2	3	5	6	7
35-49	113	3.7	9	1	1	3	4	8	9	17
50-64	121	4.2	8	1	1	3	6	7	10	16
65+	239	5.9	17	1	2	5	8	10	14	24
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49										
50-64	2	8.5	85	2	2	8	15	15	15	15
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	497	4.7	18	1	2	4	6	8	11	26
20-34	299	3.6	8	1	1	3	4	7	8	13
35-49	126	5.1	22	1	1	4	6	10	12	26
50-64	225	6.0	28	2	2	5	7	11	14	26
65+	575	9.5	92	2	3	7	11	18	28	64
B. *Operated*										
0-19 YRS	11	8.6	29	2	4	7	11	17	22	22
20-34	3	15.3	336	1	1	9	29	36	36	36
35-49	4	3.3	8	1	1	3	5	7	7	7
50-64	8	17.1	143	4	4	16	18	36	43	43
65+	18	20.4	225	5	6	16	39	76	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1489	3.8	9	1	1	3	5	7	9	16
B. *Operated*	4	8.8	34	2	2	9	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	1722	6.3	48	1	2	4	7	12	17	38
B. *Operated*	44	15.0	171	1	4	11	22	43	62	99+
1. SINGLE DX	1493	3.8	9	1	1	3	5	7	9	16
2. MULTIPLE DX	1766	6.5	53	1	2	5	8	13	18	42
A. NOT OPERATED	3211	5.2	32	1	1	4	6	10	14	29
B. OPERATED	48	14.4	162	1	3	11	19	42	53	99+
TOTAL 0-19 YRS	1255	4.0	13	1	1	3	5	7	10	18
20-34	572	3.3	7	1	1	3	4	6	7	13
35-49	243	4.4	16	1	1	3	5	9	11	22
50-64	356	5.7	27	1	2	4	7	10	15	25
65+	833	8.7	79	2	3	6	10	17	26	61
GRAND TOTAL	**3259**	**5.3**	**35**	**1**	**1**	**4**	**6**	**10**	**14**	**32**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1710	5.4	18	1	2	4	7	10	12	21
20-34	115	4.5	8	1	2	4	6	8	10	15
35-49	133	5.7	14	1	2	5	7	10	13	20
50-64	218	7.5	24	2	3	6	10	14	19	27
65+	434	9.6	74	2	3	8	11	17	23	40
B. *Operated*										
0-19 YRS	7	3.7	30	<1	<1	2	3	13	16	16
20-34	14	4.1	18	1	1	2	4	11	14	15
35-49	36	4.2	28	1	2	2	4	9	13	30
50-64	63	5.3	33	1	1	3	6	14	19	27
65+	30	6.5	51	2	2	6	13	17	25	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1194	7.4	38	2	2	6	10	14	18	28
20-34	137	5.1	18	1	2	4	6	11	13	23
35-49	217	7.5	43	2	3	6	9	13	16	32
50-64	590	9.7	66	2	3	8	12	18	27	43
65+	1424	11.5	115	3	4	9	14	21	32	83
B. *Operated*										
0-19 YRS	20	11.6	80	1	2	8	19	24	28	31
20-34	17	5.5	17	1	2	5	7	10	15	18
35-49	45	7.8	56	1	2	6	10	13	25	39
50-64	115	11.4	117	2	3	9	15	23	38	83
65+	122	15.5	159	2	3	13	22	38	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2610	6.2	30	1	2	5	8	11	15	26
B. *Operated*	150	5.5	36	1	1	3	7	15	17	30
2. MULTIPLE DX										
A. *Not Operated*	3562	9.3	77	2	3	7	11	18	24	51
B. *Operated*	319	12.1	125	2	2	9	16	29	40	99+
1. SINGLE DX	2760	6.2	30	1	2	5	8	11	15	27
2. MULTIPLE DX	3881	9.6	82	2	3	7	12	19	25	62
A. NOT OPERATED	6172	8.0	60	2	2	6	10	15	20	41
B. OPERATED	469	10.0	106	1	2	7	14	24	35	99+
TOTAL 0-19 YRS	2931	6.2	28	1	2	5	8	12	15	25
20-34	283	4.8	14	1	1	4	6	9	12	20
35-49	431	6.7	35	1	2	5	9	12	15	31
50-64	986	9.1	63	2	3	7	11	17	24	43
65+	2010	11.3	109	3	3	9	14	21	32	83
GRAND TOTAL	**6641**	**8.2**	**63**	**2**	**2**	**6**	**10**	**16**	**21**	**43**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	72	2	2	8	14	14	14	14
20-34	3	5.7	2	4	4	6	7	7	7	7
35-49	11	9.4	44	2	2	7	12	21	23	23
50-64	66	10.0	95	2	3	7	11	18	26	54
65+	147	11.0	82	3	3	8	14	23	32	44
B. *Operated*										
0-19 YRS										
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	3	8.7	22	5	5	7	12	14	14	14
50-64	3	10.3	72	2	2	10	17	19	19	19
65+	4	9.0	25	5	5	7	12	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	6	8.0	92	2	2	4	8	25	27	27
35-49	33	11.0	151	1	3	9	14	21	63	99+
50-64	196	12.8	137	3	3	9	16	28	41	66
65+	563	14.2	197	3	4	10	18	31	46	99+
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	4	10.0	13	7	7	9	12	15	15	15
35-49	11	19.2	222	5	6	14	25	46	48	48
50-64	43	18.1	293	3	5	13	23	52	94	99+
65+	61	28.3	515	4	7	21	41	68	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	10.6	82	2	3	8	13	20	31	47
B. *Operated*	12	8.8	28	2	3	8	12	17	19	19
2. MULTIPLE DX										
A. *Not Operated*	800	13.7	180	3	3	10	17	30	43	99+
B. *Operated*	120	23.1	412	4	6	16	31	63	91	99+
1. SINGLE DX	241	10.5	80	2	3	8	13	20	29	47
2. MULTIPLE DX	920	14.9	220	3	3	10	19	33	52	99+
A. NOT OPERATED	1029	13.0	159	3	3	9	16	28	42	92
B. OPERATED	132	21.8	394	3	5	15	29	60	88	99+
TOTAL 0-19 YRS	5	8.2	48	2	2	6	15	17	17	17
20-34	15	7.8	40	2	2	7	9	15	24	27
35-49	58	12.1	145	2	4	10	14	24	46	98
50-64	308	13.0	154	3	3	9	16	28	43	95
65+	775	14.7	216	3	4	10	18	33	49	99+
GRAND TOTAL	**1161**	**14.0**	**194**	**3**	**3**	**10**	**17**	**31**	**46**	**99+**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4524	4.3	13	1	2	3	5	8	10	18
20-34	780	4.2	10	1	1	3	6	8	10	16
35-49	655	5.5	21	1	2	4	7	10	12	21
50-64	873	6.4	23	1	2	5	8	12	14	22
65+	750	7.5	30	2	2	6	10	14	18	27
B. *Operated*										
0-19 YRS	8	5.0	24	1	1	4	7	13	15	15
20-34	8	9.0	27	2	3	10	11	16	18	18
35-49	5	3.2	4	1	1	3	4	6	6	6
50-64	9	7.8	23	2	2	8	12	13	13	13
65+	6	16.0	393	4	4	9	12	52	56	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2025	5.5	31	1	2	4	7	10	15	29
20-34	419	5.3	15	1	2	4	7	10	12	22
35-49	437	7.6	50	1	2	6	9	14	19	43
50-64	1020	8.7	63	2	3	7	10	16	21	42
65+	1227	10.8	71	3	4	9	14	21	28	57
B. *Operated*										
0-19 YRS	24	8.9	30	1	3	9	13	17	18	19
20-34	17	11.6	91	2	2	10	14	30	32	32
35-49	26	13.6	37	6	8	12	16	23	27	28
50-64	66	17.2	134	2	3	15	25	30	37	57
65+	62	18.6	159	4	6	16	23	33	41	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7582	5.0	18	1	2	4	6	9	12	21
B. *Operated*	36	8.2	88	1	1	6	11	13	17	56
2. MULTIPLE DX										
A. *Not Operated*	5128	7.6	52	2	2	6	9	15	20	39
B. *Operated*	195	15.6	122	2	4	13	20	30	35	54
1. SINGLE DX	7618	5.0	18	1	2	4	6	9	12	21
2. MULTIPLE DX	5323	7.9	57	2	2	6	10	16	21	40
A. NOT OPERATED	12710	6.0	33	1	2	4	7	12	16	30
B. OPERATED	231	14.5	124	2	3	12	19	29	34	57
TOTAL 0-19 YRS	6581	4.7	19	1	2	4	6	8	11	22
20-34	1224	4.7	14	1	1	4	6	9	11	20
35-49	1123	6.4	35	1	2	5	8	12	16	29
50-64	1968	8.0	51	2	2	6	10	15	19	37
65+	2045	9.8	64	2	3	8	12	19	25	46
GRAND TOTAL	**12941**	**6.2**	**36**	**1**	**2**	**4**	**7**	**12**	**16**	**31**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	8.3	23	2	3	7	11	16	18	19
20-34	22	5.2	15	1	1	4	7	11	13	15
35-49	63	6.8	19	1	2	6	8	14	16	19
50-64	278	9.4	65	2	3	7	11	18	23	48
65+	533	11.8	135	2	3	9	14	22	34	72
B. *Operated*										
0-19 YRS	4	7.8	44	2	2	6	12	17	17	17
20-34	12	8.6	38	1	2	7	13	18	19	19
35-49	18	11.7	41	3	4	11	16	19	25	28
50-64	17	12.5	212	2	2	8	16	25	49	62
65+	11	14.4	128	2	4	11	22	32	37	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	9.3	103	1	2	6	12	29	43	99+
20-34	25	9.2	24	3	4	8	13	16	19	19
35-49	129	9.8	79	2	3	8	12	16	23	83
50-64	792	12.0	110	3	4	9	15	23	32	67
65+	1696	13.8	164	3	4	10	17	29	44	99+
B. *Operated*										
0-19 YRS	7	10.1	62	3	3	9	14	23	25	25
20-34	7	13.6	17	8	8	14	15	20	21	21
35-49	29	14.7	152	2	3	10	18	29	40	59
50-64	142	18.0	267	3	5	15	21	33	63	99+
65+	183	19.8	191	5	7	17	29	42	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	936	10.4	101	2	3	8	12	19	29	57
B. *Operated*	62	11.5	101	2	2	10	16	21	28	59
2. MULTIPLE DX										
A. *Not Operated*	2680	13.0	143	3	4	10	16	27	38	98
B. *Operated*	368	18.4	214	4	5	15	24	40	60	99+
1. SINGLE DX	998	10.5	101	2	3	8	13	19	29	59
2. MULTIPLE DX	3048	13.6	155	3	4	10	17	29	40	99+
A. NOT OPERATED	3616	12.3	134	2	3	9	15	24	36	85
B. OPERATED	430	17.4	203	3	4	14	22	36	57	99+
TOTAL 0-19 YRS	89	8.8	60	2	2	6	12	17	25	80
20-34	66	8.2	28	2	2	7	13	15	19	21
35-49	239	9.8	74	2	3	8	13	17	23	61
50-64	1229	12.1	125	3	4	9	15	23	32	71
65+	2423	13.8	163	3	4	10	17	29	43	99+
GRAND TOTAL	**4046**	**12.9**	**143**	**3**	**4**	**10**	**16**	**27**	**38**	**93**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	5.2	13	1	1	4	8	10	13	14
20-34	113	4.8	36	1	1	3	6	9	12	31
35-49	18	4.7	8	1	2	4	6	8	11	13
50-64	10	9.0	22	1	2	9	12	15	18	18
65+	5	11.6	205	3	3	6	15	37	37	37
B. *Operated*										
0-19 YRS	56	6.6	10	3	3	6	8	11	13	17
20-34	183	6.5	15	2	3	5	8	12	15	20
35-49	26	7.3	24	2	3	6	8	13	18	24
50-64	21	7.7	41	2	3	5	9	16	23	29
65+	22	10.9	68	2	3	8	16	23	30	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	7.5	33	1	2	5	12	16	19	19
20-34	18	8.4	47	2	3	6	10	16	25	31
35-49	18	9.2	95	2	2	6	11	16	33	43
50-64	19	10.6	40	1	2	11	14	19	24	27
65+	25	12.2	105	1	2	11	15	21	34	49
B. *Operated*										
0-19 YRS	25	8.8	25	3	4	8	10	18	20	21
20-34	76	10.0	44	4	4	9	12	17	20	44
35-49	36	10.6	44	3	4	10	12	19	27	33
50-64	41	13.8	118	4	5	10	18	37	45	99+
65+	54	18.8	417	4	5	12	24	56	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	5.3	33	1	1	4	7	10	13	30
B. *Operated*	308	7.0	21	3	3	6	8	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	91	10.0	69	1	2	8	13	18	27	47
B. *Operated*	232	12.7	153	4	4	9	14	25	42	99+
1. SINGLE DX	494	6.3	26	2	2	5	8	12	15	26
2. MULTIPLE DX	323	11.9	131	3	4	9	14	21	38	99
A. NOT OPERATED	277	6.8	49	1	2	5	9	14	17	41
B. OPERATED	540	9.4	86	3	3	7	11	17	25	70
TOTAL 0-19 YRS	132	6.7	17	2	2	6	9	12	15	20
20-34	390	6.8	31	2	2	5	9	13	15	26
35-49	98	8.4	45	2	3	7	11	15	20	38
50-64	91	11.2	78	2	4	9	14	22	35	78
65+	106	15.3	269	3	4	10	18	38	58	99+
GRAND TOTAL	**817**	**8.5**	**75**	**2**	**3**	**6**	**10**	**16**	**21**	**52**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1 SINGLE DX										
A. *Not Operated*										
0-19 YRS	383	5.4	26	1	2	4	7	11	13	24
20-34	140	4.4	20	1	1	3	5	9	12	26
35-49	101	6.4	32	1	2	4	8	13	19	29
50-64	123	7.3	35	1	2	6	9	14	18	34
65+	193	9.4	62	1	2	7	13	20	25	38
B. *Operated*										
0-19 YRS	35	8.5	81	1	2	5	11	20	32	34
20-34	36	9.5	34	2	3	8	13	17	21	26
35-49	53	10.2	75	2	2	8	13	19	22	47
50-64	100	9.9	85	1	2	7	13	23	30	44
65+	74	11.5	114	2	3	8	14	30	35	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	402	7.4	46	1	2	5	9	16	21	36
20-34	142	6.1	33	1	2	4	7	13	16	28
35-49	166	7.5	41	1	1	5	10	16	20	31
50-64	356	9.7	73	2	3	7	13	20	29	65
65+	864	12.0	106	2	3	9	15	24	33	88
B. *Operated*										
0-19 YRS	40	14.3	162	2	3	13	18	25	52	99+
20-34	56	14.2	127	1	3	11	19	35	42	96
35-49	81	17.8	214	2	4	16	25	33	51	76
50-64	193	18.5	254	3	4	14	25	43	60	99+
65+	247	20.2	277	2	4	17	27	42	60	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	940	6.4	37	1	2	4	8	13	18	31
B. *Operated*	298	10.1	84	2	2	8	13	21	30	44
2. MULTIPLE DX										
A. *Not Operated*	1930	9.8	81	2	2	7	13	20	29	59
B. *Operated*	617	18.4	243	2	4	14	25	41	58	99+
1. SINGLE DX	1238	7.3	51	1	2	5	9	16	22	35
2. MULTIPLE DX	2547	11.9	134	2	3	9	15	26	36	84
A. NOT OPERATED	2870	8.7	69	1	2	6	11	18	25	46
B. OPERATED	915	15.7	206	2	2	12	21	34	47	91
TOTAL 0-19 YRS	860	6.9	47	1	2	5	9	15	20	36
20-34	374	7.0	53	1	2	4	9	15	23	42
35-49	401	9.7	95	1	2	7	13	21	28	51
50-64	772	11.6	130	2	2	8	14	27	38	85
65+	1378	13.1	143	2	3	10	17	29	36	86
GRAND TOTAL	**3785**	**10.4**	**111**	**1**	**2**	**7**	**13**	**23**	**32**	**65**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	3.4	6	1	1	3	4	7	8	11
20-34	79	2.9	3	1	1	3	4	5	7	9
35-49	20	3.2	4	1	1	3	4	6	7	9
50-64	18	3.1	4	<1	<1	3	5	6	7	7
65+	6	3.8	7	1	1	4	5	8	8	8
B. *Operated*										
0-19 YRS	1670	1.8	3	<1	<1	1	2	4	5	8
20-34	1872	2.1	4	<1	<1	2	2	4	6	9
35-49	707	2.2	4	<1	<1	2	2	5	6	10
50-64	446	2.5	7	<1	<1	2	2	5	6	11
65+	156	2.3	5	<1	<1	2	2	4	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	4.0	7	1	1	3	6	8	9	11
20-34	76	3.2	4	<1	1	3	4	6	7	9
35-49	36	3.9	17	<1	1	2	4	12	13	18
50-64	38	3.8	12	<1	1	3	4	8	11	17
65+	30	7.0	69	1	2	6	7	11	13	48
B. *Operated*										
0-19 YRS	688	2.8	9	<1	<1	2	3	6	8	14
20-34	868	2.8	10	<1	<1	2	3	6	8	15
35-49	460	3.1	23	<1	<1	2	3	6	9	12
50-64	584	3.1	10	<1	1	2	3	7	9	15
65+	306	3.6	27	1	1	2	4	6	10	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	267	3.2	5	1	1	3	4	6	8	10
B. *Operated*	4851	2.1	4	<1	<1	1	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	329	4.0	14	<1	1	3	5	8	10	15
B. *Operated*	2906	3.0	14	<1	<1	2	3	6	9	16
1. SINGLE DX	5118	2.1	4	<1	<1	1	2	4	6	9
2. MULTIPLE DX	3235	3.1	14	<1	<1	2	4	6	9	16
A. NOT OPERATED	596	3.7	10	<1	1	3	5	7	9	13
B. OPERATED	7757	2.4	8	<1	<1	2	2	5	7	12
TOTAL 0-19 YRS	2651	2.2	5	<1	<1	1	2	5	7	11
20-34	2895	2.4	6	<1	<1	2	2	5	6	11
35-49	1223	2.6	12	<1	<1	2	3	5	7	13
50-64	1086	2.9	9	<1	<1	2	3	6	9	13
65+	498	3.4	23	1	1	2	3	6	9	36
GRAND TOTAL	**8353**	**2.5**	**8**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151	5.6	16	1	2	5	7	11	13	35
20-34	25	4.7	8	1	1	4	6	9	10	13
35-49	12	4.8	20	<1	<1	4	8	12	13	13
50-64	19	5.4	9	<1	1	5	7	10	11	12
65+	24	5.7	11	1	2	5	7	11	12	15
B. *Operated*										
0-19 YRS	85	3.7	19	<1	<1	2	4	7	17	22
20-34	77	3.2	5	<1	<1	3	4	5	7	15
35-49	65	3.4	5	1	2	3	4	6	8	11
50-64	72	4.1	7	1	2	3	5	7	8	14
65+	66	5.0	21	1	1	4	6	8	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	6.9	31	1	2	6	8	12	16	36
20-34	25	3.4	4	<1	1	3	4	6	7	8
35-49	13	5.5	6	2	2	6	8	8	8	8
50-64	26	7.7	42	1	2	6	9	16	26	28
65+	45	11.0	74	2	4	8	14	26	29	40
B. *Operated*										
0-19 YRS	44	6.9	48	<1	1	5	9	14	24	33
20-34	55	4.4	9	1	2	4	5	8	11	17
35-49	68	4.3	9	1	1	4	5	8	10	16
50-64	66	5.7	36	1	2	4	6	14	21	32
65+	75	7.7	52	2	2	5	10	22	25	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	5.5	14	1	2	5	7	11	13	20
B. *Operated*	365	3.9	12	<1	1	3	5	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	293	7.3	39	1	2	6	8	13	19	36
B. *Operated*	308	5.8	32	1	2	4	7	12	19	33
1. SINGLE DX	596	4.5	13	<1	1	4	6	8	11	18
2. MULTIPLE DX	601	6.5	36	1	2	5	8	13	19	33
A. NOT OPERATED	524	6.5	29	1	2	5	8	12	16	32
B. OPERATED	673	4.8	22	1	1	3	5	9	14	27
TOTAL 0-19 YRS	464	5.9	27	1	1	5	7	11	15	32
20-34	182	3.8	7	<1	1	3	5	7	8	16
35-49	158	4.1	8	1	1	3	5	8	10	13
50-64	183	5.3	24	1	2	4	6	10	14	27
65+	210	7.3	47	1	2	5	9	17	24	37
GRAND TOTAL	**1197**	**5.5**	**26**	**1**	**1**	**4**	**7**	**11**	**15**	**29**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	4.7	17	1	1	4	6	9	12	22
20-34	87	4.0	12	1	1	3	5	10	12	15
35-49	140	5.4	36	1	1	3	7	11	15	33
50-64	131	4.5	28	<1	1	3	5	9	11	27
65+	124	6.0	26	1	2	5	7	11	14	33
B. *Operated*										
0-19 YRS	22	7.9	34	1	2	8	10	16	20	25
20-34	52	7.7	18	<1	2	8	10	13	17	19
35-49	63	7.8	28	1	2	7	10	12	20	29
50-64	84	8.5	49	1	2	7	11	16	25	36
65+	100	6.8	23	1	2	6	9	14	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	7.4	80	1	2	5	9	16	25	91
20-34	124	5.2	20	1	1	4	7	10	14	23
35-49	204	6.4	49	1	1	5	8	12	15	40
50-64	277	7.0	31	1	2	5	9	15	17	28
65+	382	9.6	108	2	3	7	10	19	27	61
B. *Operated*										
0-19 YRS	15	17.8	388	2	2	10	26	50	63	68
20-34	76	9.7	34	2	3	9	12	19	23	81
35-49	130	11.6	98	2	3	9	13	21	33	54
50-64	233	13.4	133	2	3	10	17	26	34	73
65+	321	14.7	191	2	3	11	19	32	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	587	5.0	25	1	1	4	6	10	13	29
B. *Operated*	321	7.6	31	1	2	7	10	14	18	28
2. MULTIPLE DX										
A. *Not Operated*	1062	7.6	67	1	2	6	9	15	21	49
B. *Operated*	775	13.4	148	2	3	10	17	28	39	83
1. SINGLE DX	908	5.9	29	1	1	4	8	12	15	29
2. MULTIPLE DX	1837	10.1	109	1	2	7	12	21	30	68
A. NOT OPERATED	1649	6.7	54	1	1	5	8	13	18	39
B. OPERATED	1096	11.7	121	2	2	9	15	25	33	70
TOTAL 0-19 YRS	217	6.9	75	1	1	4	8	15	23	66
20-34	339	6.3	25	1	1	5	9	13	17	23
35-49	537	7.6	60	1	1	6	9	14	21	38
50-64	725	8.8	76	1	2	7	11	18	25	44
65+	927	10.6	127	2	2	7	13	23	33	72
GRAND TOTAL	**2745**	**8.7**	**86**	**1**	**2**	**6**	**11**	**18**	**26**	**57**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	6.6	85	2	2	4	5	18	33	34
20-34	40	5.5	16	1	1	5	7	10	15	17
35-49	64	5.6	12	1	2	5	8	11	12	16
50-64	76	6.6	26	1	1	5	9	13	19	23
65+	51	8.3	44	2	3	6	10	15	21	34
B. *Operated*										
0-19 YRS										
20-34	16	11.4	20	2	8	11	14	18	18	18
35-49	60	10.3	32	1	2	10	14	18	21	24
50-64	64	11.6	29	5	6	10	14	18	22	29
65+	33	10.2	41	<1	2	9	14	19	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.9	8	2	3	4	8	10	10	10
20-34	37	8.1	49	2	3	5	10	14	23	37
35-49	56	9.2	78	1	2	6	11	18	29	47
50-64	87	9.6	47	2	3	8	12	18	23	38
65+	144	10.8	59	4	4	9	14	20	26	60
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	26	11.8	127	1	2	9	14	23	33	57
35-49	94	13.4	74	4	5	11	16	23	34	46
50-64	104	13.7	84	3	4	11	18	23	30	49
65+	132	19.6	292	3	5	14	26	41	65	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	6.5	27	1	2	5	8	12	16	31
B. *Operated*	173	10.9	31	1	4	10	14	18	21	27
2. MULTIPLE DX										
A. *Not Operated*	333	9.8	57	2	3	8	12	19	25	44
B. *Operated*	357	15.7	170	3	4	12	19	31	41	77
1. SINGLE DX	415	8.3	34	1	2	7	11	16	20	28
2. MULTIPLE DX	690	12.8	124	3	4	10	15	25	36	69
A. NOT OPERATED	575	8.4	47	1	2	7	10	16	21	37
B. OPERATED	530	14.1	129	2	4	11	17	26	36	71
TOTAL 0-19 YRS	21	6.5	47	2	2	4	8	10	21	34
20-34	119	8.5	56	1	2	7	11	16	20	43
35-49	274	10.1	59	2	3	9	13	19	24	38
50-64	331	10.6	57	1	3	9	14	20	23	44
65+	360	13.6	161	3	4	10	16	28	38	89
GRAND TOTAL	**1105**	**11.1**	**95**	**2**	**3**	**9**	**14**	**21**	**28**	**52**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	3	3	3	4	6	7	7	7
20-34	27	5.1	10	1	2	4	7	10	12	12
35-49	36	5.6	8	2	3	4	8	9	10	13
50-64	62	8.2	30	2	3	7	10	15	22	26
65+	64	9.3	37	3	4	7	12	16	22	33
B. *Operated*										
0-19 YRS	3	13.0	112	5	5	9	21	25	25	25
20-34	7	10.9	13	6	6	11	14	15	15	15
35-49	21	10.8	39	4	5	9	13	21	23	25
50-64	29	13.5	47	4	6	12	16	22	24	37
65+	42	12.9	54	5	6	11	15	21	29	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	9.0	27	3	4	7	11	18	20	20
20-34	23	6.3	26	2	2	4	9	13	18	23
35-49	63	7.5	22	2	3	6	9	13	16	26
50-64	90	8.7	27	3	4	7	11	17	20	25
65+	160	11.5	75	3	4	9	14	22	31	94
B. *Operated*										
0-19 YRS	3	9.3	1	8	8	10	10	10	10	10
20-34	16	12.9	58	4	5	11	17	26	28	29
35-49	40	12.4	51	4	5	11	14	24	28	30
50-64	107	17.9	210	4	5	14	22	39	51	72
65+	173	17.9	189	5	6	14	22	33	44	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	7.6	27	2	3	6	10	15	16	26
B. *Operated*	102	12.5	47	4	5	11	15	21	25	39
2. MULTIPLE DX										
A. *Not Operated*	344	9.6	52	3	4	8	12	18	23	52
B. *Operated*	339	16.9	175	4	5	13	21	31	43	74
1. SINGLE DX	295	9.3	39	3	3	8	12	17	22	32
2. MULTIPLE DX	683	13.3	126	3	4	10	16	26	35	63
A. NOT OPERATED	537	8.9	44	2	3	7	11	16	22	38
B. OPERATED	441	15.9	149	4	5	13	20	29	39	65
TOTAL 0-19 YRS	18	8.8	32	3	3	7	10	18	23	25
20-34	73	7.7	35	2	2	6	10	15	18	29
35-49	160	8.7	35	3	3	7	11	16	21	29
50-64	288	12.5	117	3	4	9	16	23	32	58
65+	439	13.8	123	4	5	11	16	27	36	74
GRAND TOTAL	**978**	**12.1**	**103**	**3**	**4**	**9**	**15**	**23**	**30**	**58**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	136	4.5	9	<1	1	4	6	8	9	16
20-34	325	4.6	11	1	1	4	6	8	11	17
35-49	256	5.2	19	<1	1	4	7	10	14	23
50-64	196	6.8	30	1	1	6	8	13	17	30
65+	121	7.6	30	1	2	6	10	16	20	23
B. *Operated*										
0-19 YRS	11	12.5	27	7	8	12	14	20	25	26
20-34	116	9.9	12	6	7	9	11	14	19	49
35-49	155	10.6	30	6	7	9	11	17	21	35
50-64	107	11.2	32	5	7	10	12	18	22	38
65+	24	13.8	71	2	6	11	18	28	31	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	6.1	34	2	2	4	7	11	17	31
20-34	205	5.9	21	1	2	5	8	11	15	21
35-49	230	6.7	21	1	2	6	9	12	15	22
50-64	267	8.0	35	2	2	7	10	15	18	35
65+	318	10.6	58	3	4	9	14	21	27	67
B. *Operated*										
0-19 YRS	5	19.0	615	4	4	10	25	63	63	63
20-34	105	12.5	59	6	7	11	15	20	24	52
35-49	166	13.5	81	5	7	11	16	24	31	69
50-64	147	14.0	67	5	7	11	17	25	28	47
65+	104	17.5	179	5	6	14	22	32	43	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1034	5.5	20	1	1	4	7	10	14	22
B. *Operated*	413	10.8	28	6	7	9	12	17	22	36
2. MULTIPLE DX										
A. *Not Operated*	1095	8.0	39	2	2	6	10	15	20	37
B. *Operated*	527	14.3	99	5	7	11	17	25	32	64
1. SINGLE DX	1447	7.0	28	1	2	6	9	13	17	28
2. MULTIPLE DX	1622	10.0	67	2	3	8	12	19	25	43
A. NOT OPERATED	2129	6.8	31	1	2	5	9	13	17	29
B. OPERATED	940	12.7	71	5	7	10	14	22	28	53
TOTAL 0-19 YRS	227	5.7	36	1	2	4	7	11	14	30
20-34	751	6.9	29	1	2	6	9	13	16	24
35-49	807	8.4	44	1	2	8	10	16	20	35
50-64	717	9.4	47	2	3	8	11	17	23	37
65+	567	11.4	85	2	3	9	15	22	29	55
GRAND TOTAL	**3069**	**8.6**	**51**	**1**	**2**	**7**	**11**	**16**	**22**	**39**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	5.2	16	1	2	4	7	8	10	24
20-34	186	5.4	11	2	2	5	7	10	11	17
35-49	163	5.7	12	2	2	5	7	10	12	19
50-64	179	6.8	12	3	3	6	9	10	12	22
65+	129	8.5	39	2	3	7	10	14	20	36
B. *Operated*										
0-19 YRS	6	8.7	4	6	6	9	10	11	11	11
20-34	66	10.6	21	5	6	9	13	18	20	26
35-49	87	11.0	38	6	7	9	13	17	21	42
50-64	74	11.9	25	6	7	11	14	17	20	33
65+	37	16.8	124	7	7	15	18	37	46	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	8.9	36	2	3	8	12	18	24	24
20-34	104	6.2	20	1	2	5	8	10	12	28
35-49	134	7.3	26	2	3	6	9	14	21	40
50-64	259	8.0	23	3	3	7	10	13	17	30
65+	348	12.0	93	3	5	9	14	24	32	61
B. *Operated*										
0-19 YRS	7	10.9	10	7	7	11	14	14	14	14
20-34	55	14.0	78	6	7	11	18	29	39	97
35-49	84	15.4	149	6	7	13	16	24	38	77
50-64	161	15.5	109	6	7	12	19	27	38	57
65+	170	21.6	285	6	9	17	26	45	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	692	6.4	18	2	2	6	8	11	14	23
B. *Operated*	270	11.9	45	6	7	10	14	18	21	46
2. MULTIPLE DX										
A. *Not Operated*	867	9.3	57	3	3	7	11	18	24	42
B. *Operated*	477	17.4	183	6	7	14	20	33	48	97
1. SINGLE DX	962	7.9	31	2	3	7	10	14	18	27
2. MULTIPLE DX	1344	12.2	116	3	4	9	15	24	33	72
A. NOT OPERATED	1559	8.0	41	2	3	7	9	14	20	36
B. OPERATED	747	15.4	140	6	7	12	18	27	41	91
TOTAL 0-19 YRS	70	7.2	24	2	3	6	9	13	15	24
20-34	411	7.6	33	2	2	6	9	15	18	35
35-49	468	8.9	58	2	3	7	11	16	21	47
50-64	673	9.9	52	3	4	8	11	18	23	43
65+	684	14.0	154	3	5	10	17	28	41	90
GRAND TOTAL	**2306**	**10.4**	**85**	**3**	**3**	**8**	**12**	**20**	**26**	**62**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	6	5	5	7	9	10	10	10
20-34	15	6.5	14	2	2	6	8	12	15	16
35-49	7	9.3	13	5	5	9	12	15	15	15
50-64	12	7.6	19	3	4	6	8	15	18	18
65+	11	8.8	62	1	2	8	9	18	30	31
B. *Operated*										
0-19 YRS	2	13.5	61	8	8	13	19	19	19	19
20-34	14	14.6	56	6	8	12	18	25	30	32
35-49	21	11.6	12	7	8	11	13	17	19	20
50-64	11	14.2	25	9	10	13	18	48	93	99+
65+	16	16.5	50	9	9	15	19	25	33	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	5	15.8	497	3	3	5	23	55	55	55
35-49	6	10.3	142	<1	<1	7	14	30	32	32
50-64	10	12.1	54	3	4	11	17	22	23	23
65+	22	13.2	183	4	5	9	14	38	79	99+
B. *Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	18	18.4	180	5	8	13	26	40	48	52
35-49	34	18.6	131	9	9	13	29	35	39	50
50-64	55	17.7	119	8	8	15	20	34	39	63
65+	60	23.8	215	9	10	20	29	48	56	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	7.8	25	2	3	7	9	14	16	31
B. *Operated*	64	14.0	36	8	9	12	18	22	28	90
2. MULTIPLE DX										
A. *Not Operated*	44	12.8	166	2	3	9	15	31	58	99+
B. *Operated*	169	20.0	168	8	9	16	26	39	50	78
1. SINGLE DX	112	11.3	40	3	5	10	15	19	25	60
2. MULTIPLE DX	213	18.5	175	4	7	15	23	38	51	88
A. NOT OPERATED	92	10.2	98	2	3	7	12	19	31	86
B. OPERATED	233	18.3	138	8	9	15	22	35	45	84
TOTAL 0-19 YRS	8	9.0	23	3	4	9	10	16	19	19
20-34	52	13.7	141	3	4	10	16	28	41	55
35-49	68	14.8	95	5	7	11	17	32	35	48
50-64	88	15.2	98	5	6	14	18	26	36	86
65+	109	19.1	197	5	7	16	24	41	52	99+
GRAND TOTAL	**325**	**16.0**	**140**	**4**	**5**	**13**	**20**	**32**	**42**	**85**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	653	3.1	22	1	1	2	3	6	8	14
20-34	601	3.1	8	<1	1	2	4	6	8	14
35-49	441	4.0	8	1	1	3	6	8	9	13
50-64	329	4.7	13	1	1	4	7	9	11	17
65+	294	5.7	22	1	2	4	8	11	14	21
B. *Operated*										
0-19 YRS	5	9.2	97	1	1	6	13	26	26	26
20-34	26	7.7	100	<1	<1	5	11	15	30	47
35-49	31	6.4	40	<1	<1	5	9	15	24	25
50-64	36	8.8	53	1	1	8	12	16	22	37
65+	23	7.0	25	<1	<1	7	9	13	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	464	3.7	13	1	1	3	5	7	9	14
20-34	615	4.6	25	1	1	3	6	9	12	16
35-49	707	5.9	24	1	2	5	7	11	15	28
50-64	778	7.2	36	1	2	5	9	14	19	32
65+	842	8.9	62	2	2	7	11	18	23	53
B. *Operated*										
0-19 YRS	6	9.0	62	<1	<1	6	17	20	20	20
20-34	56	8.9	49	1	1	7	13	19	21	35
35-49	98	14.0	128	2	4	11	18	30	38	54
50-64	131	12.4	112	1	3	10	15	27	35	70
65+	157	15.8	143	2	5	12	20	33	40	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2318	3.8	15	<1	1	3	5	8	10	16
B. *Operated*	121	7.6	55	<1	<1	6	10	15	23	40
2. MULTIPLE DX										
A. *Not Operated*	3406	6.4	38	1	2	5	8	13	18	33
B. *Operated*	448	13.5	122	1	3	10	17	28	37	59
1. SINGLE DX	2439	4.0	18	<1	1	3	5	8	11	19
2. MULTIPLE DX	3854	7.2	53	1	2	5	9	15	21	39
A. NOT OPERATED	5724	5.4	31	1	1	4	7	11	15	28
B. OPERATED	569	12.2	113	1	2	9	16	26	35	57
TOTAL 0-19 YRS	1128	3.4	19	1	1	2	4	6	8	17
20-34	1298	4.2	21	<1	1	3	5	9	12	19
35-49	1277	5.9	33	1	1	4	7	11	16	31
50-64	1274	7.1	43	1	2	5	9	14	20	34
65+	1316	9.0	70	2	2	7	11	18	25	46
GRAND TOTAL	**6293**	**6.0**	**42**	**1**	**1**	**4**	**7**	**12**	**17**	**34**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	3.2	7	<1	1	3	4	7	9	13
20-34	114	3.8	14	1	1	3	5	8	11	22
35-49	103	3.7	9	<1	1	3	5	7	12	56
50-64	108	4.4	13	1	1	4	6	10	12	52
65+	84	4.9	26	<1	1	3	6	10	15	29
B. *Operated*										
0-19 YRS	14	6.6	16	1	2	6	9	12	14	15
20-34	17	8.2	32	<1	1	8	12	17	18	18
35-49	11	7.6	21	<1	<1	8	12	13	13	13
50-64	24	12.5	69	1	5	11	14	20	32	41
65+	21	17.3	61	6	8	17	21	27	33	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	5.0	74	1	1	3	6	8	10	53
20-34	138	4.6	19	1	1	4	6	9	11	26
35-49	127	5.7	20	1	1	4	8	12	14	23
50-64	179	6.8	50	1	1	4	9	16	23	32
65+	252	8.5	55	2	2	7	11	18	24	42
B. *Operated*										
0-19 YRS	10	16.7	177	4	5	12	17	39	48	48
20-34	26	12.5	36	4	6	13	17	19	23	25
35-49	39	14.0	93	2	3	12	18	26	30	50
50-64	73	18.0	309	4	6	12	21	38	62	99
65+	67	20.5	196	5	7	17	27	37	41	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	532	3.9	13	<1	1	3	5	8	12	19
B. *Operated*	87	11.3	60	<1	2	10	15	20	25	40
2. MULTIPLE DX										
A. *Not Operated*	814	6.5	47	1	1	5	8	14	19	34
B. *Operated*	215	17.3	201	4	5	13	22	34	40	93
1. SINGLE DX	619	5.0	26	<1	1	3	6	12	16	28
2. MULTIPLE DX	1029	8.8	98	1	2	6	11	19	28	52
A. NOT OPERATED	1346	5.5	35	1	1	4	7	11	16	32
B. OPERATED	302	15.6	167	2	4	12	19	30	38	85
TOTAL 0-19 YRS	265	4.7	49	1	1	3	5	9	12	37
20-34	295	5.2	25	1	1	4	7	12	17	24
35-49	280	6.2	37	1	1	4	8	14	18	30
50-64	384	8.6	113	1	1	6	11	18	29	82
65+	424	10.1	98	1	2	7	13	22	30	51
GRAND TOTAL	**1648**	**7.4**	**75**	**1**	**1**	**5**	**9**	**17**	**23**	**42**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	3.2	6	<1	1	3	4	7	8	96
20-34	37	3.6	7	1	1	3	4	7	9	13
35-49	7	3.7	6	1	1	5	5	7	7	7
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	3089	4.5	8	2	3	4	5	6	7	13
20-34	1771	4.5	6	2	3	4	5	6	8	13
35-49	388	5.1	5	3	3	5	6	8	9	14
50-64	129	6.0	10	3	3	5	7	9	12	18
65+	42	6.2	15	2	3	6	7	9	12	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.7	24	1	1	3	6	11	18	19
20-34	15	4.9	12	1	1	5	7	9	12	13
35-49	2	8.0	32	4	4	8	12	12	12	12
50-64										
65+	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*										
0-19 YRS	526	6.3	18	3	3	5	7	11	15	23
20-34	397	6.6	23	3	3	5	8	12	15	31
35-49	122	7.6	25	3	4	6	9	14	18	26
50-64	95	10.7	41	4	5	9	14	19	24	34
65+	48	13.1	51	4	5	11	18	23	27	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	3.4	6	1	1	3	5	7	8	54
B. *Operated*	5419	4.6	7	2	3	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	31	4.8	17	1	1	3	7	10	13	19
B. *Operated*	1188	7.2	27	3	3	5	8	14	18	29
1. SINGLE DX	5521	4.5	7	2	3	4	5	7	8	13
2. MULTIPLE DX	1219	7.1	27	3	3	5	8	14	18	29
A. NOT OPERATED	133	3.8	9	1	1	3	5	7	9	32
B. OPERATED	6607	5.0	12	2	3	4	6	8	10	18
TOTAL 0-19 YRS	3681	4.7	10	2	3	4	5	7	9	16
20-34	2220	4.9	10	2	3	4	5	7	9	16
35-49	519	5.7	11	3	3	5	6	9	12	18
50-64	226	8.0	29	3	3	6	10	14	19	28
65+	94	9.6	46	3	3	7	13	19	23	31
GRAND TOTAL	**6740**	**5.0**	**12**	**2**	**3**	**4**	**6**	**8**	**10**	**18**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	5.6	12	2	2	5	7	9	13	15
20-34	20	6.5	6	3	3	6	8	10	11	12
35-49	11	10.0	29	1	4	10	11	17	22	23
50-64	11	8.0	6	3	4	8	10	11	11	11
65+	3	9.7	9	7	7	9	12	13	13	13
B. *Operated*										
0-19 YRS	644	7.6	18	3	3	7	9	13	16	23
20-34	344	6.9	13	3	3	6	9	11	14	20
35-49	124	8.0	12	4	4	8	9	12	15	20
50-64	100	9.5	28	3	4	8	11	16	21	30
65+	42	12.5	66	5	6	10	15	20	29	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.7	9	2	2	4	5	10	10	10
20-34	5	10.4	23	6	6	8	13	18	18	18
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	7	11.7	68	6	6	8	13	26	29	29
65+	5	12.4	52	5	5	12	16	24	24	24
B. *Operated*										
0-19 YRS	243	11.7	56	4	5	10	14	20	24	42
20-34	171	10.2	33	3	4	9	13	18	21	29
35-49	97	13.5	51	6	7	12	16	22	27	44
50-64	92	14.3	66	5	6	12	19	26	28	47
65+	99	19.8	207	7	9	14	25	39	57	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	7.3	14	2	3	7	9	11	13	22
B. *Operated*	1254	7.8	20	3	3	7	9	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	25	9.3	43	2	2	8	12	18	25	29
B. *Operated*	702	13.1	81	4	5	11	16	23	28	55
1. SINGLE DX	1315	7.7	20	3	3	7	9	13	16	23
2. MULTIPLE DX	727	12.9	80	4	5	11	16	23	28	55
A. NOT OPERATED	86	7.9	23	2	3	7	10	13	16	27
B. OPERATED	1956	9.7	48	3	4	8	12	17	22	36
TOTAL 0-19 YRS	909	8.6	31	3	3	7	10	15	19	32
20-34	540	8.0	22	3	3	7	10	14	18	24
35-49	234	10.4	36	4	5	9	13	17	21	32
50-64	210	11.6	50	4	5	10	14	21	26	34
65+	149	17.3	170	6	7	12	20	31	45	69
GRAND TOTAL	**2042**	**9.6**	**47**	**3**	**4**	**8**	**12**	**17**	**22**	**36**

199: Disease of Appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	228	2.5	5	1	1	2	3	4	6	11
20-34	97	2.4	4	<1	1	2	3	5	7	9
35-49	20	2.4	4	1	1	2	3	4	7	10
50-64	9	3.8	4	1	1	4	5	7	8	8
65+	7	4.6	14	<1	<1	3	8	10	10	10
B. *Operated*										
0-19 YRS	460	5.1	6	3	3	5	6	8	10	15
20-34	273	5.1	6	2	3	5	6	8	10	13
35-49	59	6.0	13	2	3	5	7	10	15	21
50-64	29	6.9	15	3	3	6	9	12	15	19
65+	5	9.2	13	4	4	9	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.7	4	1	1	2	3	6	8	8
20-34	32	2.9	4	1	1	2	4	7	7	8
35-49	8	4.0	13	1	1	3	6	10	11	11
50-64	5	5.6	12	1	1	5	8	10	10	10
65+	4	7.3	5	4	4	8	9	9	9	9
B. *Operated*										
0-19 YRS	214	5.7	8	3	3	5	7	9	12	17
20-34	133	6.9	18	3	4	6	8	11	14	24
35-49	40	9.7	111	3	3	7	10	16	27	65
50-64	19	9.6	25	4	5	8	13	16	20	23
65+	16	12.9	44	6	6	10	17	25	26	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	361	2.5	5	1	1	2	3	5	6	10
B. *Operated*	826	5.2	7	3	3	5	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	98	3.2	6	1	1	2	4	8	8	11
B. *Operated*	422	6.9	26	3	3	6	8	12	15	26
1. SINGLE DX	1187	4.4	8	1	1	4	5	7	9	15
2. MULTIPLE DX	520	6.2	24	1	2	5	7	11	14	25
A. NOT OPERATED	459	2.7	5	1	1	2	3	5	7	10
B. OPERATED	1248	5.8	14	3	3	5	7	9	12	21
TOTAL 0-19 YRS	951	4.5	8	1	1	4	5	7	9	15
20-34	535	4.9	11	1	2	4	6	8	10	17
35-49	127	6.5	48	1	2	5	8	11	16	37
50-64	62	7.2	19	2	3	6	9	13	16	23
65+	32	9.8	38	1	3	9	11	20	25	27
GRAND TOTAL	**1707**	**5.0**	**14**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.3	14	<1	<1	1	2	4	7	22
20-34	11	2.1	1	<1	<1	2	3	4	4	4
35-49	5	4.4	12	<1	<1	3	7	9	9	9
50-64	7	5.4	32	1	1	3	9	15	16	16
65+	7	3.7	20	1	1	2	5	12	13	13
B. *Operated*										
0-19 YRS	1753	2.9	4	1	1	2	3	5	6	9
20-34	1447	4.3	3	2	3	4	5	7	8	9
35-49	1495	4.8	7	2	3	4	6	7	8	11
50-64	2103	5.1	5	2	3	5	6	8	9	12
65+	1359	6.1	9	3	3	6	8	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	2.5	7	<1	<1	1	3	6	8	12
20-34	9	1.8	1	<1	<1	1	2	4	4	4
35-49	17	3.0	11	<1	<1	1	4	9	10	10
50-64	26	3.7	7	<1	1	3	7	8	8	9
65+	51	6.6	140	<1	1	4	7	13	17	82
B. *Operated*										
0-19 YRS	839	3.5	10	1	1	3	4	6	10	17
20-34	398	5.0	8	2	3	4	6	8	9	16
35-49	655	5.8	23	3	3	5	7	9	11	19
50-64	1353	6.6	17	3	3	6	8	11	13	20
65+	1487	8.4	33	3	4	7	10	15	19	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.9	14	<1	1	2	3	7	11	21
B. *Operated*	8157	4.6	7	2	2	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	157	4.1	53	<1	<1	2	5	8	12	19
B. *Operated*	4732	6.4	24	2	2	5	8	11	15	25
1. SINGLE DX	8221	4.6	7	2	2	4	6	8	9	13
2. MULTIPLE DX	4889	6.3	25	2	2	5	8	11	15	25
A. NOT OPERATED	221	3.7	42	<1	<1	2	4	8	12	20
B. OPERATED	12889	5.2	14	2	2	4	6	9	11	19
TOTAL 0-19 YRS	2680	3.1	6	1	1	2	3	5	7	15
20-34	1865	4.4	4	2	3	4	5	7	8	12
35-49	2172	5.1	12	2	3	4	6	8	9	15
50-64	3489	5.7	10	3	3	5	7	9	11	17
65+	2904	7.3	25	3	3	6	8	12	15	27
GRAND TOTAL	**13110**	**5.2**	**14**	**2**	**2**	**4**	**6**	**9**	**11**	**19**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.4		1	1	1	2	3	3	3
20-34	4	2.0	2	<1	<1	1	3	4	4	4
35-49										
50-64	3	1.7	1	<1	<1	1	2	3	3	3
65+	6	4.2	23	1	1	2	6	12	13	13
B. *Operated*										
0-19 YRS	211	2.9	4	1	1	2	4	6	7	11
20-34	87	4.6	4	2	2	4	6	8	8	12
35-49	65	5.2	4	3	3	5	6	7	9	12
50-64	97	6.1	13	3	3	5	7	9	10	25
65+	126	7.8	19	3	4	7	9	13	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.3	172	<1	<1	2	4	31	34	34
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	5.5	13	3	3	5	8	8	8	8
65+	18	8.7	71	1	1	5	20	22	65	99+
B. *Operated*										
0-19 YRS	110	3.9	10	1	1	3	5	7	9	17
20-34	26	5.4	6	2	3	5	7	9	10	12
35-49	28	6.6	25	1	2	5	8	14	18	21
50-64	65	7.7	42	3	4	6	8	13	15	46
65+	217	14.1	162	4	5	10	16	27	43	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.3	7	<1	<1	1	3	4	8	13
B. *Operated*	586	5.0	12	1	1	4	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	27	8.0	82	<1	1	4	16	22	41	99+
B. *Operated*	446	9.7	109	2	2	7	11	20	27	62
1. SINGLE DX	609	4.9	12	1	1	4	6	9	11	20
2. MULTIPLE DX	473	9.6	108	1	2	7	11	20	28	67
A. NOT OPERATED	50	5.3	55	<1	1	2	6	21	22	99
B. OPERATED	1032	7.0	59	1	2	5	8	13	20	50
TOTAL 0-19 YRS	337	3.2	9	1	1	2	4	6	7	14
20-34	117	4.7	5	1	2	4	6	8	8	12
35-49	94	5.6	10	2	3	5	6	9	12	20
50-64	167	6.6	25	3	3	6	7	10	13	29
65+	367	11.5	116	3	4	8	13	22	31	73
GRAND TOTAL	**1082**	**6.9**	**59**	**1**	**2**	**5**	**8**	**13**	**20**	**50**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
20-34										
35-49										
50-64										
65+	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*										
0-19 YRS	301	2.5	2	1	1	2	3	5	6	8
20-34	86	3.6	4	1	2	3	4	6	7	13
35-49	121	4.5	14	1	2	4	5	8	9	27
50-64	104	5.2	8	2	2	5	7	9	11	14
65+	33	5.3	5	2	3	5	7	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	5.3	93	<1	<1	1	4	19	32	34
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	4	3.0	5	<1	<1	2	4	6	6	6
65+	3	11.0	48	7	7	7	16	19	19	19
B. *Operated*										
0-19 YRS	54	4.9	36	<1	2	3	6	8	11	40
20-34	37	5.0	12	2	2	4	6	8	12	20
35-49	77	7.6	77	2	2	5	8	13	21	56
50-64	115	6.4	8	3	3	6	8	10	12	14
65+	61	8.6	27	3	3	7	11	16	19	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.2	7	<1	<1	2	5	7	7	7
B. *Operated*	645	3.6	7	1	1	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	22	5.1	61	<1	<1	2	6	14	25	34
B. *Operated*	344	6.7	33	2	2	6	8	11	15	31
1. SINGLE DX	650	3.6	7	1	1	3	5	7	8	12
2. MULTIPLE DX	366	6.6	35	2	2	5	8	12	15	33
A. NOT OPERATED	27	4.8	51	<1	<1	2	6	11	21	34
B. OPERATED	989	4.7	18	1	2	4	6	8	11	20
TOTAL 0-19 YRS	370	3.0	10	1	1	2	3	5	7	12
20-34	124	4.0	7	1	2	3	5	7	8	16
35-49	200	5.7	40	2	2	4	6	10	13	34
50-64	223	5.8	8	2	3	5	8	10	11	14
65+	99	7.5	22	3	3	6	9	15	17	25
GRAND TOTAL	**1016**	**4.7**	**19**	**1**	**2**	**3**	**6**	**8**	**11**	**21**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	6	1	1	2	4	6	6	6
20-34	7	1.7	1	<1	<1	1	3	3	3	3
35-49	4	3.5	11	1	1	3	6	8	8	8
50-64	5	6.2	20	<1	<1	6	10	12	12	12
65+	15	5.4	26	1	1	4	7	15	16	16
B. *Operated*										
0-19 YRS	85	3.3	8	1	1	3	4	6	8	18
20-34	201	5.2	9	2	2	5	7	10	11	14
35-49	332	6.4	11	2	3	6	8	10	12	18
50-64	404	7.2	16	3	3	7	9	11	14	23
65+	241	8.1	19	3	4	7	10	13	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	2.6	4	1	1	2	4	6	6	6
50-64	15	4.5	7	1	1	4	7	8	9	9
65+	48	8.3	91	1	1	5	13	18	23	99+
B. *Operated*										
0-19 YRS	21	3.3	7	1	2	2	4	6	10	13
20-34	109	6.6	19	2	3	6	8	12	15	24
35-49	241	8.8	34	3	4	8	10	15	18	37
50-64	397	9.9	36	4	4	9	12	18	23	36
65+	285	12.5	101	4	5	10	15	22	31	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	4.3	18	<1	1	3	6	12	14	16
B. *Operated*	1263	6.6	15	2	3	6	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	70	6.8	69	1	1	4	9	16	19	92
B. *Operated*	1053	9.9	55	3	4	8	12	18	23	44
1. SINGLE DX	1298	6.5	15	2	3	6	8	11	13	21
2. MULTIPLE DX	1123	9.7	56	3	4	8	11	18	23	46
A. NOT OPERATED	105	6.0	53	1	1	4	8	14	18	78
B. OPERATED	2316	8.1	36	2	3	7	10	14	19	32
TOTAL 0-19 YRS	111	3.3	7	1	1	3	3	6	8	17
20-34	318	5.6	13	2	2	5	7	10	12	19
35-49	582	7.3	22	2	3	6	9	12	15	27
50-64	821	8.5	28	3	4	8	10	14	19	30
65+	589	10.2	70	3	4	8	12	19	24	51
GRAND TOTAL	**2421**	**8.0**	**37**	**2**	**3**	**7**	**10**	**14**	**19**	**35**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	20	4.3	12	<1	1	3	6	10	11	12
35-49	46	5.2	9	1	2	5	7	10	11	12
50-64	85	5.0	10	1	1	4	7	9	11	15
65+	95	6.5	30	2	2	5	8	11	18	30
B. *Operated*										
0-19 YRS	3	10.7	50	3	3	12	16	17	17	17
20-34	28	7.8	9	<1	3	8	10	11	11	13
35-49	68	8.9	13	3	5	9	10	14	15	21
50-64	71	10.8	30	5	7	9	12	18	20	34
65+	21	11.9	38	2	5	11	14	21	23	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	6.4	30	2	2	5	6	15	20	20
20-34	43	5.4	10	2	2	4	7	9	13	15
35-49	145	5.9	20	1	2	5	7	12	14	28
50-64	246	7.4	34	1	2	6	9	15	19	29
65+	498	9.5	71	2	3	7	12	19	26	50
B. *Operated*										
0-19 YRS	3	10.0	21	6	6	9	13	15	15	15
20-34	90	10.0	31	3	5	9	12	16	19	35
35-49	205	10.1	23	4	7	9	12	15	18	27
50-64	312	12.5	79	3	6	10	15	21	31	57
65+	204	15.4	149	3	5	12	19	28	36	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	5.6	18	1	1	4	7	10	12	21
B. *Operated*	191	9.8	23	3	5	9	11	15	20	29
2. MULTIPLE DX										
A. *Not Operated*	942	8.2	53	1	2	6	10	16	21	43
B. *Operated*	814	12.3	81	3	6	10	14	20	29	63
1. SINGLE DX	437	7.4	25	1	2	7	10	13	17	25
2. MULTIPLE DX	1756	10.1	70	2	3	8	12	19	25	50
A. NOT OPERATED	1188	7.6	46	1	2	6	10	15	20	40
B. OPERATED	1005	11.9	71	3	6	10	14	19	26	57
TOTAL 0-19 YRS	16	7.9	31	2	2	6	11	17	19	20
20-34	181	7.9	25	1	2	8	10	13	16	22
35-49	464	8.1	23	2	3	8	10	13	16	25
50-64	714	9.7	58	1	3	8	12	18	22	47
65+	818	10.7	93	2	3	8	13	21	29	61
GRAND TOTAL	**2193**	**9.6**	**62**	**2**	**3**	**8**	**11**	**18**	**23**	**47**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.0	1	<1	<1	2	3	3	3	3
35-49										
50-64	4	5.3	8	2	2	5	7	9	9	9
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	19	3.4	5	1	2	3	4	7	10	10
20-34	50	4.6	3	2	3	5	6	7	7	8
35-49	73	4.7	4	2	3	4	6	8	9	10
50-64	57	5.8	13	2	3	5	6	9	11	24
65+	46	7.5	29	2	3	6	8	15	17	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+	9	7.1	42	<1	<1	6	9	18	21	21
B. *Operated*										
0-19 YRS	5	3.6	6	2	2	3	4	8	8	8
20-34	16	8.8	90	3	4	6	8	17	35	42
35-49	29	5.7	6	3	3	5	7	10	10	11
50-64	58	7.4	27	3	3	5	9	14	18	27
65+	68	9.3	49	3	4	7	11	19	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.1	5	<1	1	2	4	5	9	9
B. *Operated*	245	5.3	12	2	2	5	6	8	10	21
2. MULTIPLE DX										
A. *Not Operated*	11	8.0	38	<1	1	6	12	17	21	21
B. *Operated*	176	7.9	39	3	3	6	9	14	21	38
1. SINGLE DX	257	5.2	12	2	2	5	6	8	10	21
2. MULTIPLE DX	187	7.9	38	3	3	6	9	14	21	36
A. NOT OPERATED	23	5.4	26	<1	1	3	7	13	16	21
B. OPERATED	421	6.4	25	2	3	5	7	10	16	26
TOTAL 0-19 YRS	25	3.8	8	1	2	3	4	9	10	12
20-34	71	5.4	25	1	2	5	6	7	8	37
35-49	103	5.0	5	2	3	5	6	8	10	11
50-64	119	6.5	20	2	3	5	8	12	16	26
65+	126	8.3	41	2	3	6	10	17	22	34
GRAND TOTAL	**444**	**6.3**	**25**	**2**	**3**	**5**	**7**	**11**	**16**	**25**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	13	5.8	45	<1	1	3	8	14	23	25
65+	10	8.6	22	3	3	8	13	15	16	16
B. *Operated*										
0-19 YRS	27	3.4	5	1	1	3	4	7	9	10
20-34	58	4.9	18	2	2	4	5	8	12	29
35-49	82	5.3	8	2	2	5	7	9	12	14
50-64	84	6.7	16	2	3	6	8	13	15	22
65+	103	9.3	44	3	4	8	11	15	23	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	4	5.0	21	1	1	4	8	11	11	11
50-64	12	6.1	18	1	1	6	8	13	14	14
65+	50	11.5	220	2	2	7	14	18	31	91
B. *Operated*										
0-19 YRS	14	7.4	35	2	2	6	9	19	21	21
20-34	11	4.5		3	3	5	5	5	5	5
35-49	55	7.3	23	2	2	6	9	14	21	95
50-64	97	13.0	109	4	5	10	16	25	34	90
65+	197	14.6	173	4	4	11	18	29	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	5.7	29	1	1	3	8	13	16	25
B. *Operated*	354	6.6	25	2	3	5	8	12	14	29
2. MULTIPLE DX										
A. *Not Operated*	68	9.9	173	1	2	7	13	17	27	85
B. *Operated*	374	12.6	133	3	4	9	16	24	37	99+
1. SINGLE DX	387	6.5	26	2	2	5	8	12	15	28
2. MULTIPLE DX	442	12.1	140	2	4	9	15	24	35	99+
A. NOT OPERATED	101	8.5	129	1	2	5	10	16	21	74
B. OPERATED	728	9.7	89	2	3	7	12	20	26	77
TOTAL 0-19 YRS	44	4.7	17	1	1	3	6	9	13	21
20-34	74	4.7	14	2	2	4	5	6	11	27
35-49	145	6.0	15	2	2	5	8	11	13	25
50-64	206	9.6	72	2	3	7	12	20	25	58
65+	360	12.5	144	3	4	9	15	24	38	98
GRAND TOTAL	**829**	**9.5**	**94**	**2**	**3**	**7**	**12**	**19**	**26**	**76**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	3.5	12	1	1	3	5	6	8	21
20-34	138	4.4	9	1	2	4	5	8	9	19
35-49	187	5.4	15	1	1	4	7	11	14	18
50-64	299	5.9	26	1	2	5	7	10	15	28
65+	271	7.3	33	2	2	6	9	15	19	85
B. *Operated*										
0-19 YRS	62	8.0	131	2	3	6	8	11	15	84
20-34	92	9.0	24	4	4	8	11	14	16	31
35-49	135	10.9	37	5	6	10	12	18	23	35
50-64	129	12.3	53	4	6	10	15	21	28	37
65+	115	14.9	98	6	7	12	18	26	29	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	7.2	45	1	2	5	8	16	24	31
20-34	86	6.4	32	1	2	5	7	14	21	28
35-49	164	6.0	20	1	2	5	7	12	16	24
50-64	321	7.3	48	2	2	6	8	13	19	34
65+	553	9.7	86	2	3	7	12	19	28	79
B. *Operated*										
0-19 YRS	75	9.4	28	4	4	9	11	16	18	32
20-34	137	13.2	113	4	5	11	14	22	28	60
35-49	188	16.4	136	5	7	12	20	33	45	60
50-64	264	17.7	170	6	7	14	21	32	52	99+
65+	360	22.3	282	7	8	18	27	52	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	988	5.7	24	1	2	5	7	11	15	30
B. *Operated*	533	11.5	67	4	5	10	14	19	26	45
2. MULTIPLE DX										
A. *Not Operated*	1160	8.2	63	2	2	6	10	16	23	45
B. *Operated*	1024	17.9	200	5	7	14	22	36	56	99+
1. SINGLE DX	1521	7.8	46	1	2	6	10	15	20	34
2. MULTIPLE DX	2184	12.7	150	2	3	9	16	27	39	95
A. NOT OPERATED	2148	7.1	46	1	2	5	8	14	19	37
B. OPERATED	1557	15.7	164	4	6	12	19	30	46	99
TOTAL 0-19 YRS	266	6.7	54	1	1	5	8	12	16	31
20-34	453	8.4	60	2	2	7	10	15	21	39
35-49	674	9.7	75	1	2	8	12	19	27	50
50-64	1013	10.2	97	2	3	7	13	22	29	65
65+	1299	13.2	166	2	3	9	17	28	43	99+
GRAND TOTAL	**3705**	**10.7**	**114**	**2**	**3**	**8**	**13**	**22**	**31**	**75**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4926	4.2	16	1	1	3	5	8	10	19
20-34	955	2.8	5	1	1	2	3	5	7	12
35-49	405	3.6	14	1	1	3	4	7	10	22
50-64	348	4.3	31	1	1	3	5	8	10	20
65+	466	5.4	30	1	1	4	7	11	14	22
B. *Operated*										
0-19 YRS	80	5.7	20	2	2	4	7	11	12	26
20-34	71	6.2	19	2	2	5	7	11	17	22
35-49	30	7.6	43	1	2	5	9	18	24	25
50-64	22	8.5	28	1	1	8	10	16	19	21
65+	13	9.3	112	1	2	6	12	20	37	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3395	6.2	30	1	2	5	8	12	15	26
20-34	610	3.7	13	1	1	3	5	7	10	18
35-49	336	5.6	22	1	1	4	7	11	15	21
50-64	498	6.8	40	1	2	5	8	14	18	37
65+	1073	8.9	87	2	2	6	11	19	31	99+
B. *Operated*										
0-19 YRS	85	11.0	134	2	2	7	12	22	36	65
20-34	65	9.9	71	1	2	8	13	20	24	48
35-49	69	12.8	101	2	3	9	17	27	34	44
50-64	74	15.7	119	3	4	11	23	31	32	55
65+	92	18.8	312	3	4	12	23	47	63	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7100	4.1	17	1	1	3	5	8	10	18
B. *Operated*	216	6.6	29	1	2	5	8	14	18	26
2. MULTIPLE DX										
A. *Not Operated*	5912	6.4	41	1	2	5	8	13	17	36
B. *Operated*	385	13.9	167	2	3	10	18	29	41	65
1. SINGLE DX	7316	4.2	17	1	1	3	5	8	10	19
2. MULTIPLE DX	6297	6.9	52	1	2	5	8	14	20	42
A. NOT OPERATED	13012	5.2	29	1	1	4	6	10	14	28
B. OPERATED	601	11.3	130	2	3	8	14	24	32	63
TOTAL 0-19 YRS	8486	5.1	24	1	1	4	6	10	13	24
20-34	1701	3.5	13	1	1	2	4	7	10	19
35-49	840	5.3	31	1	1	4	6	11	16	28
50-64	942	6.6	51	1	1	4	8	14	20	36
65+	1644	8.5	92	1	2	6	10	18	29	75
GRAND TOTAL	**13613**	**5.4**	**35**	**1**	**1**	**4**	**6**	**11**	**15**	**31**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	3	3	3	5	6	7	7	7
20-34	20	5.7	8	1	2	5	8	9	11	12
35-49	113	5.4	10	2	2	5	7	9	11	17
50-64	248	5.9	13	2	2	5	8	10	13	19
65+	491	7.0	24	2	3	6	9	13	16	24
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	12	11.0	18	5	7	10	12	19	20	20
35-49	40	11.9	30	5	7	11	14	20	22	30
50-64	109	14.3	41	6	8	13	17	21	27	39
65+	86	16.9	97	5	7	14	21	31	34	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	21	1	1	9	9	9	9	9
20-34	9	5.7	6	2	2	6	7	9	10	10
35-49	67	7.7	31	3	3	7	9	11	18	35
50-64	275	7.6	28	2	3	6	9	14	18	31
65+	1042	10.6	90	3	4	8	12	19	26	59
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	19	13.7	70	5	6	10	21	26	30	33
35-49	97	17.5	88	7	9	15	22	34	39	73
50-64	253	19.5	152	7	9	16	25	35	45	99
65+	345	22.3	286	6	8	18	27	45	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	876	6.4	19	2	2	6	8	11	14	23
B. *Operated*	248	14.6	61	5	7	13	18	24	31	44
2. MULTIPLE DX										
A. *Not Operated*	1396	9.8	76	3	3	8	11	18	24	50
B. *Operated*	715	20.4	210	6	8	17	25	39	54	99+
1. SINGLE DX	1124	8.2	40	2	3	7	10	16	20	32
2. MULTIPLE DX	2111	13.4	146	3	4	10	17	27	37	83
A. NOT OPERATED	2272	8.5	57	2	3	7	10	15	21	39
B. OPERATED	963	18.9	178	6	8	15	23	35	46	99+
TOTAL 0-19 YRS	9	6.2	9	1	2	7	9	9	9	9
20-34	60	9.3	41	2	3	8	11	19	25	32
35-49	317	10.4	67	2	3	8	13	21	30	41
50-64	885	11.3	94	2	3	9	14	23	29	55
65+	1964	12.0	135	3	3	9	14	24	33	79
GRAND TOTAL	**3235**	**11.6**	**115**	**2**	**3**	**9**	**14**	**23**	**32**	**70**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	3.8	15	<1	<1	3	5	9	13	18
20-34	67	3.0	5	<1	<1	2	4	5	6	13
35-49	52	4.0	12	<1	<1	3	6	9	11	15
50-64	27	5.5	15	1	1	5	7	12	14	17
65+	20	6.4	15	1	2	6	8	11	15	17
B. *Operated*										
0-19 YRS	131	4.3	15	1	1	3	5	8	10	24
20-34	702	4.2	10	1	1	4	5	7	10	15
35-49	556	4.5	15	1	2	4	5	7	10	18
50-64	266	5.5	17	1	2	5	7	10	13	21
65+	91	5.7	60	1	2	4	6	9	11	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	7.1	39	1	1	6	10	14	19	31
20-34	44	3.3	9	<1	1	2	4	6	10	17
35-49	40	5.1	14	<1	<1	4	8	10	13	14
50-64	38	6.3	54	1	1	4	8	14	22	38
65+	37	8.2	52	2	3	7	10	15	33	99+
B. *Operated*										
0-19 YRS	81	6.9	59	1	1	4	9	14	22	43
20-34	417	5.5	32	1	2	4	7	10	12	25
35-49	409	6.0	21	2	2	5	7	12	15	26
50-64	346	7.2	43	2	3	5	8	14	18	27
65+	132	8.6	48	2	3	7	10	20	29	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	4.0	12	<1	<1	3	5	9	11	17
B. *Operated*	1746	4.6	16	1	1	4	5	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	198	5.9	35	<1	1	4	8	13	15	41
B. *Operated*	1385	6.4	35	2	2	5	8	12	16	32
1. SINGLE DX	1973	4.5	15	1	1	4	5	8	10	19
2. MULTIPLE DX	1583	6.4	35	1	2	5	8	12	16	33
A. NOT OPERATED	425	4.9	24	<1	<1	3	6	10	14	27
B. OPERATED	3131	5.4	25	1	2	4	6	10	13	25
TOTAL 0-19 YRS	312	5.2	31	<1	1	3	6	11	16	29
20-34	1230	4.6	18	1	1	4	5	8	10	19
35-49	1057	5.1	18	1	2	4	6	9	13	24
50-64	677	6.4	33	2	2	5	7	12	16	26
65+	280	7.4	51	2	3	6	9	13	22	99+
GRAND TOTAL	**3556**	**5.3**	**25**	**1**	**2**	**4**	**6**	**10**	**13**	**25**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	820	4.2	18	1	1	3	5	8	12	20
20-34	635	6.8	50	1	1	5	9	14	17	32
35-49	351	6.2	23	1	2	5	8	13	16	23
50-64	308	6.6	37	1	1	5	8	13	18	32
65+	388	6.4	29	1	1	5	9	13	16	27
B. *Operated*										
0-19 YRS	194	9.0	59	2	2	7	12	19	26	36
20-34	378	11.1	116	2	2	8	13	23	33	62
35-49	241	10.9	97	1	2	9	14	22	29	52
50-64	245	11.3	99	1	2	9	15	22	29	52
65+	188	9.9	85	2	2	7	14	21	27	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	506	5.8	33	1	1	4	7	12	17	30
20-34	555	8.0	76	1	1	6	10	17	23	45
35-49	448	8.8	75	1	2	7	11	17	23	47
50-64	530	8.2	50	1	2	7	11	16	20	32
65+	1237	10.1	113	2	2	7	12	22	32	85
B. *Operated*										
0-19 YRS	184	14.9	194	2	3	10	20	34	45	73
20-34	500	16.4	188	3	4	12	21	38	50	99+
35-49	403	16.3	226	2	4	12	20	37	48	86
50-64	519	16.5	190	3	4	12	22	34	46	74
65+	593	18.5	225	3	5	14	24	38	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2502	5.8	32	1	1	4	7	12	16	28
B. *Operated*	1246	10.6	96	2	2	8	14	22	28	53
2. MULTIPLE DX										
A. *Not Operated*	3276	8.6	81	1	2	6	11	17	25	52
B. *Operated*	2199	16.9	207	3	4	13	22	37	49	98
1. SINGLE DX	3748	7.4	58	1	1	5	9	15	21	40
2. MULTIPLE DX	5475	11.9	148	1	2	8	15	27	38	76
A. NOT OPERATED	5778	7.4	62	1	1	5	9	15	21	43
B. OPERATED	3445	14.6	176	2	3	11	19	32	44	80
TOTAL 0-19 YRS	1704	6.4	57	1	1	4	8	14	21	39
20-34	2068	10.2	116	1	2	7	13	22	33	62
35-49	1443	10.6	123	1	2	7	13	23	33	64
50-64	1602	11.0	117	1	2	8	14	24	32	59
65+	2406	11.6	143	1	2	8	14	26	36	89
GRAND TOTAL	**9223**	**10.1**	**117**	**1**	**2**	**7**	**13**	**22**	**32**	**63**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	23	10.0	88	1	2	6	15	23	33	36
35-49	40	12.1	56	3	4	10	17	23	32	99+
50-64	50	10.6	56	2	3	9	14	20	31	99
65+	15	10.1	39	1	3	10	13	17	23	25
B. *Operated*										
0-19 YRS										
20-34	6	4.5	8	1	1	4	7	8	8	8
35-49	16	13.9	190	<1	1	9	19	39	40	41
50-64	27	12.3	89	1	2	12	17	29	32	34
65+	4	4.8	12	1	1	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	13.0	18	10	10	13	16	16	16	16
20-34	68	16.8	358	2	2	9	23	40	66	79
35-49	233	17.3	209	3	4	14	24	41	48	99+
50-64	348	18.3	220	4	5	14	24	38	48	83
65+	126	17.8	177	4	5	13	25	41	52	99+
B. *Operated*										
0-19 YRS										
20-34	30	18.7	214	2	2	15	21	45	50	58
35-49	91	20.1	272	3	4	16	27	46	58	75
50-64	134	22.0	317	5	6	17	27	49	75	99+
65+	50	21.8	217	5	7	17	32	46	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	10.9	59	2	3	9	15	22	31	99+
B. *Operated*	53	11.3	112	1	1	8	17	31	35	41
2. MULTIPLE DX										
A. *Not Operated*	777	17.8	221	3	4	13	24	40	50	99+
B. *Operated*	305	21.1	276	3	5	16	28	47	60	94
1. SINGLE DX	181	11.0	74	1	2	9	15	22	32	80
2. MULTIPLE DX	1082	18.7	238	3	5	14	25	41	54	99+
A. NOT OPERATED	905	16.8	204	3	4	12	22	38	48	99+
B. OPERATED	358	19.6	263	2	4	16	27	41	56	90
TOTAL 0-19 YRS	2	13.0	18	10	10	13	16	16	16	16
20-34	127	15.4	270	1	2	10	20	37	53	79
35-49	380	17.3	211	3	4	14	24	38	49	99+
50-64	559	18.2	232	3	5	14	24	38	53	96
65+	195	17.9	184	3	5	13	25	41	53	99+
GRAND TOTAL	**1263**	**17.6**	**222**	**3**	**4**	**13**	**24**	**38**	**51**	**99+**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	10	2	2	4	7	9	9	9
20-34	12	5.3	26	1	1	4	6	14	17	18
35-49	14	6.5	28	1	1	6	10	18	79	99+
50-64	28	13.1	90	2	4	10	19	26	36	38
65+	16	11.1	44	3	4	9	14	19	26	29
B. *Operated*										
0-19 YRS	3	10.7	92	2	2	9	18	21	21	21
20-34	38	5.2	114	1	1	2	4	10	17	65
35-49	38	4.6	22	1	1	3	5	10	15	23
50-64	52	6.9	65	1	1	3	9	21	25	34
65+	15	11.2	86	1	2	9	18	27	28	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	13.0	79	3	3	16	19	20	20	20
20-34	10	10.2	32	2	3	11	14	17	19	19
35-49	35	14.9	165	2	4	11	20	30	48	55
50-64	76	13.8	79	3	5	12	20	24	32	87
65+	79	18.9	245	3	6	15	23	40	47	85
B. *Operated*										
0-19 YRS	8	22.6	552	1	2	16	35	62	68	68
20-34	37	11.8	145	1	2	7	17	39	46	99+
35-49	65	12.6	131	2	2	9	16	31	33	58
50-64	98	14.5	136	2	3	12	20	28	41	99+
65+	72	17.7	172	2	3	15	23	35	48	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	9.7	63	1	2	8	14	20	28	64
B. *Operated*	146	6.4	71	1	1	3	8	19	23	35
2. MULTIPLE DX										
A. *Not Operated*	203	15.8	161	3	4	13	21	30	43	83
B. *Operated*	280	14.8	160	2	2	12	19	31	45	89
1. SINGLE DX	220	7.5	71	1	1	4	9	20	24	46
2. MULTIPLE DX	483	15.2	160	2	3	12	20	31	43	85
A. NOT OPERATED	277	14.2	142	2	3	11	19	29	39	85
B. OPERATED	426	11.9	145	1	2	9	17	27	35	67
TOTAL 0-19 YRS	18	15.1	304	1	2	9	20	40	60	68
20-34	97	8.2	114	1	1	4	12	19	37	83
35-49	152	10.6	117	1	2	7	14	24	32	61
50-64	254	12.6	107	1	2	10	18	26	33	97
65+	182	17.1	191	2	4	14	22	34	44	75
GRAND TOTAL	**703**	**12.8**	**145**	**1**	**2**	**10**	**18**	**28**	**36**	**73**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	5.8	6	3	3	5	8	9	10	12
20-34	21	5.1	6	1	2	5	6	8	10	12
35-49	12	4.9	5	1	2	5	6	7	8	8
50-64	23	13.0	175	1	2	11	18	20	36	65
65+	9	11.8	73	1	2	11	15	26	28	28
B. *Operated*										
0-19 YRS	6	10.5	61	<1	1	8	16	22	23	23
20-34	17	6.1	22	1	2	4	9	11	16	19
35-49	9	10.8	160	1	1	8	16	32	33	33
50-64	10	16.0	172	1	1	15	22	35	42	42
65+	8	15.0	120	3	3	11	27	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	8.4	24	<1	2	8	12	15	18	18
20-34	20	13.1	196	3	4	8	15	27	45	63
35-49	49	17.4	250	3	3	11	24	40	59	62
50-64	91	13.8	127	3	4	10	16	29	37	55
65+	63	18.7	224	3	4	14	26	39	50	63
B. *Operated*										
0-19 YRS	3	21.3	112	10	10	23	29	31	31	31
20-34	21	17.7	582	1	2	11	18	47	86	93
35-49	24	17.3	121	4	6	16	26	35	57	99+
50-64	49	19.5	205	2	4	17	29	41	51	99+
65+	24	22.2	212	8	10	18	28	38	61	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	8.0	68	1	2	6	9	17	20	51
B. *Operated*	50	10.9	104	1	1	8	16	28	31	42
2. MULTIPLE DX										
A. *Not Operated*	235	15.5	184	3	4	11	22	35	45	62
B. *Operated*	121	19.3	248	2	5	15	26	39	61	99+
1. SINGLE DX	137	9.1	82	1	2	6	11	20	28	45
2. MULTIPLE DX	356	16.8	208	2	4	13	23	36	46	80
A. NOT OPERATED	322	13.5	164	2	3	9	17	31	40	62
B. OPERATED	171	16.9	220	2	2	12	23	35	45	98
TOTAL 0-19 YRS	43	8.3	38	2	3	7	9	16	23	31
20-34	79	10.7	231	1	2	6	11	23	27	90
35-49	94	15.2	193	2	2	9	23	37	42	83
50-64	173	15.4	162	2	4	12	21	34	42	67
65+	104	18.6	204	3	4	14	26	36	49	62
GRAND TOTAL	**493**	**14.7**	**185**	**2**	**3**	**10**	**21**	**32**	**42**	**67**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	3.2	7	<1	1	3	4	6	8	16
20-34	280	3.1	12	1	1	2	4	5	7	20
35-49	187	3.5	7	1	1	3	5	7	9	14
50-64	219	4.3	11	1	1	3	6	9	11	17
65+	167	7.4	41	1	2	6	10	15	20	31
B. *Operated*										
0-19 YRS	209	7.5	7	4	5	7	9	11	13	15
20-34	2045	7.7	9	5	5	7	9	11	13	17
35-49	1638	8.1	8	5	5	8	9	11	13	19
50-64	1685	9.0	14	5	6	8	10	13	16	23
65+	699	10.8	24	6	7	9	12	18	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.1	8	<1	1	2	4	7	10	11
20-34	163	3.4	9	<1	1	2	4	7	9	15
35-49	124	4.7	14	1	1	4	7	10	13	18
50-64	241	5.4	22	1	1	4	7	10	13	23
65+	389	9.4	66	2	3	8	11	17	23	41
B. *Operated*										
0-19 YRS	111	10.0	30	5	6	8	12	16	19	35
20-34	1301	9.1	19	5	6	8	10	14	17	25
35-49	1434	10.1	28	5	6	8	11	16	21	34
50-64	2147	11.6	44	6	7	10	13	19	25	37
65+	1798	16.1	98	7	8	13	20	29	36	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	907	4.3	18	1	1	3	5	9	12	23
B. *Operated*	6276	8.5	13	5	5	8	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	942	6.6	43	1	1	5	9	13	17	32
B. *Operated*	6791	12.0	57	6	6	9	14	21	27	44
1. SINGLE DX	7183	7.9	15	2	4	7	9	12	14	23
2. MULTIPLE DX	7733	11.3	58	4	5	9	13	20	26	43
A. NOT OPERATED	1849	5.4	32	1	1	4	7	11	14	28
B. OPERATED	13067	10.3	39	5	6	9	11	17	22	37
TOTAL 0-19 YRS	399	7.3	19	1	2	7	9	12	14	21
20-34	3789	7.7	16	2	4	7	9	11	14	22
35-49	3383	8.6	20	3	5	8	10	13	16	26
50-64	4292	9.9	34	3	5	9	11	16	20	32
65+	3053	13.6	84	4	6	11	16	24	31	50
GRAND TOTAL	**14916**	**9.7**	**40**	**3**	**5**	**8**	**11**	**16**	**21**	**36**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	3.6	7	1	1	3	4	6	7	17
20-34	385	3.4	10	<1	1	3	4	6	8	14
35-49	211	3.8	7	1	1	3	5	7	9	13
50-64	216	4.9	16	1	1	4	7	10	12	21
65+	252	6.6	39	2	2	5	8	12	15	33
B. *Operated*										
0-19 YRS	39	8.8	17	4	5	8	9	16	18	19
20-34	247	8.4	11	5	5	8	9	13	16	20
35-49	208	8.9	19	5	5	8	10	13	15	22
50-64	151	9.2	22	5	6	8	10	15	19	29
65+	73	11.7	35	6	7	10	14	18	21	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	3.7	5	1	1	3	4	7	9	11
20-34	193	4.3	13	1	1	3	5	8	11	18
35-49	136	5.3	26	1	1	4	6	9	12	32
50-64	201	6.8	26	1	2	6	9	13	18	24
65+	429	10.3	90	2	3	8	13	19	29	99+
B. *Operated*										
0-19 YRS	19	8.9	9	5	6	9	11	13	15	16
20-34	276	9.7	30	5	6	8	11	16	20	39
35-49	274	10.7	51	5	6	8	12	18	23	35
50-64	302	12.8	71	6	6	10	15	23	28	39
65+	242	17.7	167	7	8	14	22	31	39	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1165	4.5	18	1	1	4	6	8	11	20
B. *Operated*	718	9.1	19	5	5	8	10	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	1008	7.5	56	1	2	6	9	15	20	43
B. *Operated*	1113	12.5	84	5	6	10	14	23	29	55
1. SINGLE DX	1883	6.2	23	1	1	6	8	12	14	23
2. MULTIPLE DX	2121	10.1	77	2	3	8	12	19	26	51
A. NOT OPERATED	2173	5.9	38	1	1	4	7	12	16	34
B. OPERATED	1831	11.2	62	5	6	9	12	19	26	43
TOTAL 0-19 YRS	208	5.1	14	1	1	4	7	10	13	18
20-34	1101	6.3	23	1	1	6	8	11	14	27
35-49	829	7.6	36	1	2	7	9	13	17	30
50-64	870	8.9	48	1	2	8	10	17	23	32
65+	996	11.3	107	2	3	9	14	22	30	91
GRAND TOTAL	**4004**	**8.3**	**56**	**1**	**2**	**7**	**10**	**16**	**22**	**38**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.3	117	<1	<1	1	2	23	32	32
20-34	26	3.7	6	1	1	3	5	7	8	12
35-49	33	4.5	11	1	1	3	6	10	11	12
50-64	32	4.7	13	<1	1	4	7	10	13	13
65+	30	7.9	29	1	2	7	10	16	19	21
B. *Operated*										
0-19 YRS	6	8.2	2	6	6	8	9	10	10	10
20-34	58	9.4	34	3	5	8	11	14	19	39
35-49	54	9.1	24	2	4	9	11	15	17	26
50-64	85	11.2	38	3	5	10	14	19	22	36
65+	94	15.6	101	3	6	14	19	26	33	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	17	5.8	13	1	1	6	7	11	13	14
35-49	17	4.9	14	1	1	4	6	11	14	15
50-64	38	7.9	33	1	1	7	10	17	21	25
65+	84	10.2	77	2	3	7	14	19	26	48
B. *Operated*										
0-19 YRS	4	9.3	8	7	7	9	11	13	13	13
20-34	62	13.6	67	5	7	11	15	24	29	51
35-49	74	12.5	46	6	7	10	15	20	23	44
50-64	95	17.4	114	6	7	15	21	29	39	60
65+	201	22.7	173	9	10	20	29	39	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	5.2	23	1	1	4	7	11	14	23
B. *Operated*	297	11.8	61	3	5	10	15	21	24	38
2. MULTIPLE DX										
A. *Not Operated*	157	8.6	56	1	2	6	11	18	22	40
B. *Operated*	436	18.4	140	7	8	15	22	35	41	78
1. SINGLE DX	426	9.8	58	1	2	9	13	19	23	35
2. MULTIPLE DX	593	15.8	136	3	4	13	20	30	39	66
A. NOT OPERATED	286	7.1	43	1	1	5	9	15	19	34
B. OPERATED	733	15.7	118	4	6	13	20	29	37	65
TOTAL 0-19 YRS	19	7.0	51	<1	<1	7	9	12	23	32
20-34	163	9.7	53	2	3	8	12	17	23	40
35-49	178	9.2	40	1	2	8	12	17	20	29
50-64	250	12.2	84	1	3	10	16	22	29	45
65+	409	17.4	157	3	4	15	22	34	40	85
GRAND TOTAL	**1019**	**13.3**	**112**	**2**	**3**	**11**	**18**	**26**	**35**	**59**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	4	4	4	5	7	8	8	8
20-34	37	4.8	15	1	1	3	6	10	14	15
35-49	16	4.2	8	1	2	3	6	8	9	10
50-64	30	4.3	8	1	1	4	7	8	9	12
65+	43	10.3	63	2	3	8	12	22	29	38
B. *Operated*										
0-19 YRS										
20-34	18	9.7	51	2	2	9	13	15	26	33
35-49	14	14.8	29	7	9	14	18	19	27	29
50-64	16	13.1	79	1	2	11	18	25	31	34
65+	15	14.9	76	6	6	12	22	28	32	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.7	30	4	4	5	12	14	14	14
20-34	15	5.3	19	<1	1	3	7	12	15	16
35-49	30	9.9	189	2	2	6	10	19	36	72
50-64	47	9.7	50	2	3	8	13	22	25	32
65+	76	11.6	90	2	3	10	16	24	38	99+
B. *Operated*										
0-19 YRS	3	14.0	28	10	10	12	18	20	20	20
20-34	28	15.0	55	3	7	14	20	26	29	34
35-49	26	18.0	161	4	5	14	20	41	47	51
50-64	52	18.9	141	4	7	16	24	41	55	99+
65+	74	27.6	224	10	12	23	37	48	60	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	6.5	35	1	1	5	8	13	16	32
B. *Operated*	63	12.9	61	2	4	12	17	25	30	34
2. MULTIPLE DX										
A. *Not Operated*	171	10.2	90	2	3	7	13	23	30	93
B. *Operated*	183	21.6	186	5	8	18	27	44	52	90
1. SINGLE DX	192	8.6	53	1	2	7	11	18	25	34
2. MULTIPLE DX	354	16.1	172	2	3	13	22	36	47	97
A. NOT OPERATED	300	8.6	70	1	2	7	11	19	25	64
B. OPERATED	246	19.4	168	4	7	16	24	39	48	72
TOTAL 0-19 YRS	9	9.1	30	4	4	8	12	18	20	20
20-34	98	8.7	52	1	2	7	13	18	22	34
35-49	86	12.1	143	2	2	9	15	25	38	64
50-64	145	12.3	107	1	2	9	17	27	37	99+
65+	208	17.3	190	3	4	13	23	38	48	82
GRAND TOTAL	**546**	**13.4**	**143**	**2**	**2**	**10**	**18**	**29**	**40**	**71**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	6.2	18	2	2	5	7	13	16	17
20-34	258	6.9	33	1	2	6	8	12	17	35
35-49	287	6.6	22	2	3	6	8	12	15	26
50-64	203	8.1	34	2	3	6	10	16	22	27
65+	137	9.3	72	3	3	8	11	16	19	37
B. *Operated*										
0-19 YRS	3	9.0	67	2	2	7	15	18	18	18
20-34	23	11.1	38	3	3	11	16	19	22	25
35-49	34	14.4	138	1	3	13	17	22	36	64
50-64	18	12.1	90	2	4	9	15	27	35	38
65+	18	10.7	74	2	2	10	13	16	31	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	8.9	47	2	3	7	12	16	23	33
20-34	293	8.6	46	2	3	7	10	16	21	38
35-49	471	9.2	58	2	3	7	11	19	25	46
50-64	339	9.8	54	2	3	8	12	19	23	43
65+	318	13.0	108	3	5	10	16	23	31	58
B. *Operated*										
0-19 YRS	3	26.3	345	11	11	21	40	47	47	47
20-34	64	17.2	231	4	5	13	23	30	62	97
35-49	127	20.6	278	4	6	17	24	43	62	85
50-64	131	21.7	256	5	7	19	28	51	66	99+
65+	88	25.2	316	4	8	21	34	60	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	918	7.4	36	2	2	6	9	14	18	29
B. *Operated*	96	12.3	90	2	3	11	16	21	30	53
2. MULTIPLE DX										
A. *Not Operated*	1443	10.0	68	2	3	8	12	19	25	44
B. *Operated*	413	21.5	276	4	6	18	27	47	68	99+
1. SINGLE DX	1014	7.9	43	2	3	6	10	15	19	32
2. MULTIPLE DX	1856	12.6	137	3	3	9	16	26	37	79
A. NOT OPERATED	2361	9.0	57	2	3	7	11	17	23	40
B. OPERATED	509	19.7	253	3	5	16	25	41	64	99+
TOTAL 0-19 YRS	61	8.3	58	2	2	6	10	16	19	45
20-34	638	8.8	68	2	3	7	11	17	23	45
35-49	919	10.2	100	2	3	7	12	20	29	62
50-64	691	11.6	111	2	3	9	14	24	31	66
65+	561	13.9	156	3	4	10	17	27	39	87
GRAND TOTAL	**2870**	**10.9**	**109**	**2**	**3**	**8**	**13**	**22**	**30**	**64**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	4.2	9	1	1	3	5	9	9	16
20-34	101	3.8	9	1	1	3	6	7	9	15
35-49	91	4.6	9	1	1	4	6	8	10	15
50-64	105	7.2	37	2	3	6	8	13	17	36
65+	155	7.8	57	1	2	6	10	15	17	29
B. *Operated*										
0-19 YRS	3	6.3	33	3	3	3	11	13	13	13
20-34	2	13.0	72	7	7	13	19	19	19	19
35-49	10	8.1	17	1	2	8	12	13	14	14
50-64	14	10.0	37	1	2	10	13	19	23	24
65+	13	8.6	18	2	3	7	12	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	6.4	48	1	2	5	7	12	15	43
20-34	132	5.1	14	2	2	4	7	10	13	17
35-49	181	7.5	37	1	2	6	9	14	16	36
50-64	269	7.8	45	2	2	6	9	14	19	44
65+	596	11.2	108	3	4	9	13	21	32	70
B. *Operated*										
0-19 YRS	9	11.9	34	1	4	12	15	20	22	22
20-34	16	9.4	58	3	3	7	12	21	27	29
35-49	37	14.5	132	4	4	12	17	29	37	62
50-64	57	18.4	237	3	5	14	23	45	53	64
65+	120	19.9	288	4	6	15	25	47	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	510	5.9	32	1	1	5	8	11	15	25
B. *Operated*	42	9.0	26	2	3	9	13	15	18	24
2. MULTIPLE DX										
A. *Not Operated*	1267	9.0	75	2	2	7	11	16	24	57
B. *Operated*	239	17.7	234	3	5	14	22	41	61	99+
1. SINGLE DX	552	6.2	32	1	1	5	8	12	15	24
2. MULTIPLE DX	1506	10.4	110	2	3	8	12	21	31	65
A. NOT OPERATED	1777	8.1	65	1	2	6	10	15	21	51
B. OPERATED	281	16.4	213	3	4	13	21	37	54	99+
TOTAL 0-19 YRS	159	5.9	35	1	2	4	7	12	15	30
20-34	251	4.9	17	1	1	4	7	9	13	22
35-49	319	7.5	47	1	2	6	9	14	16	39
50-64	445	9.1	80	2	3	7	10	17	26	51
65+	884	11.8	134	2	3	9	14	24	37	94
GRAND TOTAL	**2058**	**9.2**	**93**	**2**	**2**	**7**	**11**	**18**	**27**	**64**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	128	7.1	41	1	2	5	9	15	19	34
20-34	5	8.0	54	1	1	6	12	20	20	20
35-49	11	7.4	27	1	2	5	9	16	19	19
50-64	8	13.8	113	4	5	9	20	31	34	34
65+	7	12.4	45	4	4	11	18	22	22	22
B. Operated										
0-19 YRS	15	9.7	197	<1	1	7	10	18	47	57
20-34	15	10.5	43	1	1	9	16	19	20	20
35-49	17	12.1	31	5	7	10	13	21	25	26
50-64	7	12.4	114	1	2	10	15	30	34	34
65+	4	14.8	140	4	4	12	24	30	30	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	125	10.7	34	3	4	8	13	21	26	80
20-34	6	21.7	1051	<1	1	9	17	80	87	87
35-49	21	14.0	118	4	5	10	17	30	42	45
50-64	23	10.0	51	3	4	8	12	18	28	32
65+	20	16.5	255	2	4	12	16	37	57	70
B. Operated										
0-19 YRS	18	11.9	109	1	1	9	16	28	38	41
20-34	19	12.7	70	1	2	12	18	24	29	33
35-49	42	18.0	206	4	5	14	22	29	49	81
50-64	26	17.5	173	2	3	15	22	31	41	67
65+	23	26.7	287	8	10	21	36	66	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	159	7.7	46	1	2	5	10	16	21	34
B. Operated	58	11.3	89	1	1	9	16	20	28	55
2. MULTIPLE DX										
A. Not Operated	195	11.9	137	3	4	9	14	23	31	81
B. Operated	128	17.8	198	2	4	15	22	33	54	85
1. SINGLE DX	217	8.7	59	1	2	6	11	18	22	37
2. MULTIPLE DX	323	14.3	169	3	4	11	17	28	42	82
A. NOT OPERATED	354	10.0	100	2	3	7	13	19	26	69
B. OPERATED	186	15.8	173	1	3	13	20	30	46	76
TOTAL 0-19 YRS	286	9.1	79	1	2	7	12	17	24	57
20-34	45	12.6	182	1	1	10	16	20	26	87
35-49	91	14.7	142	4	5	11	19	25	39	70
50-64	64	13.8	121	2	4	10	17	27	34	62
65+	54	20.2	257	4	6	16	25	47	66	98
GRAND TOTAL	**540**	**12.0**	**132**	**2**	**3**	**9**	**15**	**24**	**33**	**70**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	119	10.0	67	2	2	8	13	21	26	64
20-34	28	5.9	23	2	2	4	7	14	16	21
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	12	5.3	18	1	1	4	8	11	14	15
65+	8	9.6	21	6	6	8	10	17	20	20
B. Operated										
0-19 YRS	18	5.8	19	2	2	4	9	12	15	17
20-34	40	7.5	68	1	2	4	8	20	25	39
35-49	24	7.8	101	1	1	6	8	12	25	52
50-64	23	9.1	111	1	2	8	12	17	30	51
65+	6	20.0	469	2	2	12	32	55	58	58
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	78	11.3	89	2	2	8	16	22	24	54
20-34	25	7.1	19	2	2	6	10	14	15	16
35-49	26	8.5	51	1	2	7	12	21	23	26
50-64	45	10.9	136	1	2	8	15	19	24	73
65+	53	15.8	195	2	2	12	22	38	54	99
B. Operated										
0-19 YRS	33	15.9	101	2	4	13	25	31	31	39
20-34	44	13.4	195	1	2	11	17	31	36	77
35-49	40	16.9	393	2	3	12	20	43	84	99+
50-64	59	16.7	185	2	3	14	20	35	40	73
65+	31	26.5	332	2	6	23	35	49	70	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	169	8.9	56	2	2	7	12	18	25	46
B. Operated	111	8.3	101	1	2	5	10	17	29	54
2. MULTIPLE DX										
A. Not Operated	227	11.5	117	2	2	8	16	22	31	66
B. Operated	207	17.4	247	2	3	14	24	35	46	88
1. SINGLE DX	280	8.7	74	2	2	6	11	18	25	52
2. MULTIPLE DX	434	14.3	187	2	2	11	18	31	40	77
A. NOT OPERATED	396	10.4	93	2	2	8	14	22	26	61
B. OPERATED	318	14.2	214	2	2	10	19	33	40	78
TOTAL 0-19 YRS	248	10.9	80	2	2	9	15	22	30	48
20-34	137	9.0	99	2	2	5	12	20	28	47
35-49	92	11.9	228	1	2	7	14	29	50	99
50-64	139	12.6	155	1	2	9	17	27	37	73
65+	98	18.9	264	2	3	15	25	43	57	90
GRAND TOTAL	**714**	**12.1**	**150**	**2**	**2**	**8**	**16**	**26**	**36**	**74**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	10.9	96	2	3	8	14	18	29	60
20-34	18	5.9	14	1	2	5	8	11	13	15
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	9	11.2	299	3	3	6	7	38	57	57
20-34	8	7.8	29	2	2	7	11	16	17	17
35-49	2	16.0	338	3	3	16	29	29	29	29
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	12.9	84	2	4	11	17	22	33	42
20-34	10	7.0	31	1	1	6	9	15	21	21
35-49	6	10.3	31	4	4	10	11	19	20	20
50-64	3	11.7	37	5	5	13	16	17	17	17
65+	4	16.3	63	6	6	18	22	23	23	23
B. *Operated*										
0-19 YRS	6	7.7	25	2	2	7	12	14	14	14
20-34	8	11.1	41	4	5	8	17	21	21	21
35-49	6	9.7	64	<1	<1	8	17	21	21	21
50-64	4	15.3	64	5	5	16	21	23	23	23
65+	6	15.8	129	4	4	12	21	34	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	9.7	80	2	2	7	13	16	26	55
B. *Operated*	20	10.1	162	2	2	6	9	23	43	57
2. MULTIPLE DX										
A. *Not Operated*	67	12.0	71	2	4	10	17	22	27	41
B. *Operated*	30	11.6	64	2	3	10	17	21	23	36
1. SINGLE DX	102	9.8	94	2	2	7	13	17	29	60
2. MULTIPLE DX	97	11.9	68	2	3	10	17	21	26	41
A. NOT OPERATED	149	10.7	77	2	3	8	14	20	27	42
B. OPERATED	50	11.0	101	2	3	8	14	21	29	57
TOTAL 0-19 YRS	121	11.5	102	2	3	9	14	21	30	59
20-34	44	7.4	27	1	2	7	9	15	20	21
35-49	15	10.5	64	<1	2	9	16	21	27	29
50-64	9	12.1	46	5	5	13	18	22	23	23
65+	10	16.0	93	4	5	14	22	29	36	36
GRAND TOTAL	**199**	**10.8**	**82**	**2**	**3**	**8**	**14**	**21**	**28**	**50**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8		2	2	3	3	3	3	3
20-34	3	2.7		2	2	3	3	3	3	3
35-49	2	6.0	50	<1	<1	5	11	11	11	11
50-64	20	1.6	1	<1	<1	1	2	3	4	4
65+	38	5.8	42	<1	<1	2	8	15	21	26
B. *Operated*										
0-19 YRS	4	9.0	33	2	2	9	13	16	16	16
20-34	11	8.8	133	1	1	2	13	27	37	38
35-49	15	7.0	48	1	2	3	10	15	23	25
50-64	17	11.1	194	2	2	6	15	18	45	60
65+	7	6.9	15	2	2	7	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	11.0	229	1	1	6	12	18	51	62
20-34	22	6.9	101	1	1	3	7	16	31	45
35-49	48	7.9	54	1	1	6	10	18	26	28
50-64	58	10.0	232	1	1	6	11	21	27	89
65+	251	7.8	108	<1	1	2	11	22	29	63
B. *Operated*										
0-19 YRS	22	22.1	735	2	3	12	24	64	96	98
20-34	77	18.1	268	2	3	13	25	39	52	72
35-49	83	17.5	244	1	2	14	25	45	61	99+
50-64	122	16.1	355	1	2	11	20	40	62	99+
65+	104	21.0	321	2	3	17	26	50	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	4.2	28	<1	<1	2	5	11	16	25
B. *Operated*	54	8.8	103	2	2	6	12	17	24	59
2. MULTIPLE DX										
A. *Not Operated*	394	8.2	123	<1	1	4	11	21	27	67
B. *Operated*	408	18.3	328	1	2	13	24	45	64	99+
1. SINGLE DX	122	6.2	66	<1	<1	3	8	15	19	44
2. MULTIPLE DX	802	13.4	253	1	1	8	18	33	51	97
A. NOT OPERATED	462	7.6	111	<1	1	3	10	20	25	63
B. OPERATED	462	17.2	311	1	2	12	23	42	60	99+
TOTAL 0-19 YRS	46	15.3	466	1	2	8	16	37	68	98
20-34	113	14.6	240	1	2	9	22	37	45	71
35-49	148	13.1	183	1	1	9	18	32	49	99+
50-64	217	12.7	294	1	1	7	15	32	56	98
65+	400	11.0	190	<1	1	7	16	26	43	85
GRAND TOTAL	**924**	**12.4**	**234**	**1**	**1**	**7**	**17**	**31**	**48**	**96**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	13	1	1	2	6	9	9	9
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	6	6.3	41	1	1	3	14	15	15	15
65+	10	14.5	117	2	3	11	17	32	38	38
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	4	4.5	6	3	3	4	6	8	8	8
50-64	5	25.4	385	3	3	37	40	42	42	42
65+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	12.5	176	<1	<1	8	16	35	42	42
20-34	10	3.8	21	1	1	2	7	49	96	99+
35-49	8	23.9	954	2	2	11	36	77	87	87
50-64	19	22.6	388	2	4	16	37	61	81	99+
65+	103	17.8	185	2	4	14	24	38	46	61
B. *Operated*										
0-19 YRS	3	29.7	1345	1	1	17	57	71	71	71
20-34	16	20.6	583	2	3	11	24	60	83	91
35-49	7	23.4	567	5	5	10	48	58	58	58
50-64	28	27.8	388	2	3	25	41	53	70	71
65+	35	27.7	379	4	7	23	40	54	68	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	8.9	86	1	2	4	13	19	31	38
B. *Operated*	14	12.5	233	1	1	5	17	40	42	42
2. MULTIPLE DX										
A. *Not Operated*	148	17.5	251	1	2	13	24	43	59	99+
B. *Operated*	89	26.2	443	3	4	20	39	58	71	87
1. SINGLE DX	37	10.3	140	1	1	4	14	35	39	42
2. MULTIPLE DX	237	20.8	339	1	3	14	30	51	61	92
A. NOT OPERATED	171	16.3	237	1	2	13	22	40	55	97
B. OPERATED	103	24.3	434	2	3	18	37	55	70	86
TOTAL 0-19 YRS	17	12.3	335	<1	<1	7	15	37	61	71
20-34	29	13.0	393	1	1	7	15	46	91	99+
35-49	21	18.0	589	2	2	6	18	57	71	87
50-64	58	23.7	378	2	3	18	39	56	66	97
65+	149	19.9	241	3	4	15	28	42	52	71
GRAND TOTAL	**274**	**19.3**	**324**	**1**	**2**	**14**	**28**	**46**	**59**	**90**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	194	4.7	12	2	2	4	6	7	9	24
20-34	169	4.2	6	1	2	4	5	7	8	15
35-49	41	4.9	10	1	2	4	6	9	11	17
50-64	28	5.5	10	2	2	5	6	10	11	17
65+	27	7.3	11	3	3	7	9	12	14	16
B. *Operated*										
0-19 YRS	11	6.9	14	3	3	6	7	12	17	17
20-34	8	6.4	13	2	3	5	8	12	13	13
35-49	4	6.0	2	4	4	6	7	7	7	7
50-64	3	10.3	49	3	3	11	15	17	17	17
65+	3	20.0	237	3	3	24	31	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	5.3	27	2	2	5	6	8	10	29
20-34	168	5.5	9	2	3	5	7	9	10	17
35-49	63	6.7	23	2	2	5	9	14	16	21
50-64	82	7.2	14	2	3	7	10	11	14	21
65+	130	11.2	89	3	4	8	12	22	29	48
B. *Operated*										
0-19 YRS	19	9.1	56	2	3	7	11	15	27	36
20-34	19	8.6	11	3	4	8	10	13	15	17
35-49	13	12.8	41	6	7	10	19	22	24	25
50-64	20	15.8	99	4	6	14	17	31	38	44
65+	14	16.4	120	4	5	13	24	43	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	459	4.7	10	2	2	4	6	8	10	17
B. *Operated*	29	8.3	47	3	3	6	9	17	24	33
2. MULTIPLE DX										
A. *Not Operated*	564	7.2	39	2	3	6	8	12	17	40
B. *Operated*	85	12.3	72	4	4	10	15	24	34	80
1. SINGLE DX	488	5.0	12	2	2	4	6	8	11	21
2. MULTIPLE DX	649	7.8	46	2	3	6	9	14	21	44
A. NOT OPERATED	1023	6.1	27	2	2	5	7	10	14	27
B. OPERATED	114	11.3	68	3	4	9	14	22	33	64
TOTAL 0-19 YRS	345	5.2	20	2	2	5	6	8	11	24
20-34	364	5.1	9	2	2	4	6	9	11	16
35-49	121	6.7	24	2	2	5	8	14	18	22
50-64	133	8.2	37	2	3	7	10	15	18	34
65+	174	11.2	86	3	4	8	13	24	32	52
GRAND TOTAL	**1137**	**6.6**	**34**	**2**	**2**	**5**	**8**	**12**	**17**	**33**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	249	4.2	7	1	2	4	5	8	10	12
20-34	187	4.2	5	1	1	4	5	7	8	11
35-49	59	4.9	8	1	2	4	7	9	11	12
50-64	47	5.9	12	2	3	5	7	9	10	23
65+	46	6.8	21	2	2	5	8	13	17	21
B. *Operated*										
0-19 YRS	26	6.5	23	1	2	5	8	13	16	21
20-34	41	6.6	43	<1	1	5	8	14	24	28
35-49	18	5.9	20	<1	1	5	7	9	16	21
50-64	21	7.7	80	<1	1	5	9	17	32	37
65+	15	9.5	46	1	2	11	14	17	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	166	5.5	12	2	2	4	7	10	11	21
20-34	184	4.9	9	2	2	4	6	8	11	15
35-49	67	6.7	19	2	3	5	9	13	17	86
50-64	105	8.2	66	2	3	6	9	14	22	51
65+	151	11.7	117	3	4	9	14	23	42	99+
B. *Operated*										
0-19 YRS	62	8.8	60	2	2	6	11	17	27	38
20-34	57	11.2	96	1	2	8	15	21	26	57
35-49	36	12.4	91	2	3	11	17	24	43	99+
50-64	58	16.0	287	1	2	13	18	33	55	86
65+	58	20.2	301	4	6	15	24	39	67	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	588	4.6	8	1	2	4	6	8	10	15
B. *Operated*	121	7.0	42	<1	1	5	9	15	21	31
2. MULTIPLE DX										
A. *Not Operated*	673	7.2	51	2	2	5	9	13	19	57
B. *Operated*	271	13.8	187	2	3	10	17	28	40	83
1. SINGLE DX	709	5.0	15	1	2	4	6	9	11	22
2. MULTIPLE DX	944	9.1	98	2	2	6	11	19	27	73
A. NOT OPERATED	1261	6.0	33	2	2	5	7	11	14	36
B. OPERATED	392	11.7	152	1	2	8	15	24	37	74
TOTAL 0-19 YRS	503	5.3	18	2	2	4	7	10	13	23
20-34	469	5.5	26	1	2	4	7	10	14	26
35-49	180	7.2	37	2	2	5	9	15	21	82
50-64	231	9.6	125	2	3	6	11	18	29	66
65+	270	12.6	154	2	4	9	15	24	40	96
GRAND TOTAL	**1653**	**7.4**	**67**	**2**	**2**	**5**	**8**	**15**	**21**	**45**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.5	7	1	1	3	4	9	10	10
20-34	195	2.4	3	<1	1	2	3	5	7	8
35-49	205	2.9	7	<1	1	2	3	6	8	12
50-64	154	3.4	9	1	1	3	4	7	9	14
65+	64	3.9	8	1	1	3	5	7	10	15
B. *Operated*										
0-19 YRS	15	11.7	206	1	2	5	20	25	47	54
20-34	106	7.9	23	1	2	8	10	15	16	22
35-49	121	10.0	41	1	2	9	13	17	21	36
50-64	129	10.4	35	2	3	10	13	17	19	33
65+	52	9.6	54	2	3	8	12	17	27	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.3	11	<1	1	3	5	10	12	12
20-34	111	3.5	7	1	1	3	5	7	8	14
35-49	118	4.8	20	1	1	3	6	10	12	26
50-64	103	4.7	17	1	1	3	6	9	14	20
65+	82	7.6	105	1	2	6	8	13	18	90
B. *Operated*										
0-19 YRS	5	13.8	33	8	8	12	17	23	23	23
20-34	83	12.5	149	1	2	11	16	20	27	78
35-49	138	11.8	80	1	2	11	15	21	26	45
50-64	208	13.9	83	2	4	12	19	25	31	46
65+	135	14.8	133	2	3	12	20	28	36	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	637	3.0	6	<1	1	2	4	6	8	12
B. *Operated*	423	9.6	43	1	2	9	13	17	20	36
2. MULTIPLE DX										
A. *Not Operated*	427	5.0	33	1	1	3	6	10	12	25
B. *Operated*	569	13.4	104	2	3	11	17	24	31	57
1. SINGLE DX	1060	5.6	31	1	1	3	8	13	16	27
2. MULTIPLE DX	996	9.8	91	1	2	8	13	21	25	50
A. NOT OPERATED	1064	3.8	18	1	1	3	5	8	10	18
B. OPERATED	992	11.8	81	2	3	10	15	22	27	46
TOTAL 0-19 YRS	52	7.1	82	1	1	4	9	17	23	53
20-34	495	5.5	46	1	1	3	8	13	17	25
35-49	582	6.9	48	1	1	5	10	15	19	35
50-64	594	8.8	62	1	1	7	13	19	23	37
65+	333	10.1	107	1	2	7	13	22	31	67
GRAND TOTAL	**2056**	**7.6**	**64**	**1**	**1**	**5**	**11**	**17**	**22**	**38**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	3.6	9	1	1	3	4	6	7	21
20-34	407	2.7	6	1	1	2	3	5	6	11
35-49	495	2.6	3	1	1	2	3	5	6	10
50-64	364	2.6	3	1	1	2	3	4	6	10
65+	82	4.0	14	1	1	3	5	7	11	23
B. *Operated*										
0-19 YRS	37	5.6	14	1	2	5	7	9	14	19
20-34	443	6.4	18	2	2	5	9	12	14	20
35-49	552	7.0	18	2	2	6	10	13	15	19
50-64	504	7.8	26	2	3	7	10	14	17	26
65+	157	8.1	41	2	2	6	11	17	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.2	22	1	1	2	6	12	15	15
20-34	118	3.0	5	1	1	2	4	6	7	13
35-49	128	3.2	7	1	1	3	4	6	7	14
50-64	157	3.8	13	1	1	3	4	7	8	23
65+	92	5.7	33	1	1	4	7	12	16	33
B. *Operated*										
0-19 YRS	21	10.0	60	2	2	9	12	22	28	31
20-34	197	9.4	46	2	3	8	12	16	20	45
35-49	251	10.2	57	2	3	9	13	19	24	40
50-64	355	10.9	71	2	3	9	14	22	26	35
65+	241	12.6	98	3	4	10	16	23	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1396	2.8	5	1	1	2	3	5	6	11
B. *Operated*	1693	7.2	22	2	2	6	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	504	3.8	14	1	1	3	5	7	9	19
B. *Operated*	1065	10.8	70	2	3	9	14	20	26	44
1. SINGLE DX	3089	5.2	19	1	1	4	7	11	14	21
2. MULTIPLE DX	1569	8.6	63	1	2	6	12	18	23	39
A. NOT OPERATED	1900	3.0	8	1	1	2	4	6	7	14
B. OPERATED	2758	8.6	44	2	2	7	11	16	20	33
TOTAL 0-19 YRS	115	5.4	26	1	1	4	6	12	15	28
20-34	1165	5.3	23	1	1	4	7	11	14	21
35-49	1426	5.7	27	1	1	4	8	12	15	22
50-64	1380	6.8	40	1	2	5	9	14	19	30
65+	572	9.0	71	2	2	6	12	19	24	43
GRAND TOTAL	**4658**	**6.3**	**37**	**1**	**1**	**4**	**9**	**13**	**17**	**29**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	4.4	9	1	1	4	6	9	10	14
20-34	16	4.6	19	<1	1	3	5	13	15	16
35-49	18	4.6	9	1	2	4	4	10	11	11
50-64	16	5.8	36	1	2	3	7	13	21	24
65+	25	5.2	10	1	2	4	7	10	11	13
B. *Operated*										
0-19 YRS	198	9.5	53	1	1	10	14	19	22	33
20-34	101	9.1	49	<1	1	8	13	18	23	31
35-49	83	7.7	35	1	2	7	11	16	19	26
50-64	93	6.7	41	<1	1	4	10	14	18	34
65+	42	6.4	35	<1	1	4	8	13	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	6.6	21	1	2	6	9	12	15	24
20-34	31	5.9	27	1	1	5	8	10	17	26
35-49	33	5.6	11	1	2	5	7	11	13	13
50-64	36	6.2	16	<1	2	6	9	11	14	17
65+	74	11.3	98	2	3	9	15	27	53	99+
B. *Operated*										
0-19 YRS	252	10.3	89	<1	1	8	14	21	28	42
20-34	176	11.8	90	1	2	10	16	22	31	63
35-49	141	12.8	169	1	2	9	17	23	32	88
50-64	189	13.0	142	1	2	11	16	25	40	61
65+	181	14.1	157	2	2	12	19	29	41	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	4.8	14	1	1	4	6	10	13	19
B. *Operated*	517	8.4	47	<1	1	7	12	17	21	31
2. MULTIPLE DX										
A. *Not Operated*	220	7.9	51	1	2	6	10	16	24	99+
B. *Operated*	939	12.2	126	1	2	10	16	24	33	64
1. SINGLE DX	628	7.8	43	1	1	6	12	16	20	29
2. MULTIPLE DX	1159	11.4	115	1	2	9	15	24	31	64
A. NOT OPERATED	331	6.8	40	1	2	5	9	14	18	65
B. OPERATED	1456	10.9	102	1	2	9	15	21	28	56
TOTAL 0-19 YRS	532	9.3	67	1	1	8	13	19	25	38
20-34	324	10.1	73	<1	2	9	14	19	25	46
35-49	275	9.9	109	1	2	8	13	19	25	59
50-64	334	10.1	105	1	2	8	13	21	27	56
65+	322	11.8	126	1	2	9	16	25	39	99+
GRAND TOTAL	**1787**	**10.1**	**93**	**1**	**2**	**8**	**14**	**20**	**27**	**57**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	2	1	1	2	3	4	4	4
20-34	40	2.9	7	<1	<1	2	4	6	9	11
35-49	32	2.6	3	1	1	2	4	5	7	8
50-64	16	2.3	3	<1	1	2	3	4	6	7
65+	14	4.4	14	<1	1	4	5	7	14	16
B. *Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	15	5.9	24	1	2	5	7	15	18	19
35-49	39	6.3	26	1	2	5	9	12	13	27
50-64	33	6.3	20	<1	2	5	9	13	16	18
65+	31	8.1	53	1	2	4	14	18	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	18	2.9	4	1	1	2	4	5	7	9
35-49	17	2.9	3	<1	1	2	4	6	6	6
50-64	13	3.9	13	1	1	3	6	9	12	13
65+	24	6.9	58	1	2	4	10	18	51	99+
B. *Operated*										
0-19 YRS	5	11.6	106	3	3	10	15	29	29	29
20-34	20	6.6	56	1	2	4	6	15	24	32
35-49	30	8.4	97	2	2	6	9	14	31	51
50-64	69	8.3	48	1	1	6	12	18	23	30
65+	140	12.0	86	2	3	10	17	23	29	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	2.9	6	<1	1	2	4	6	7	13
B. *Operated*	120	6.7	31	1	2	5	9	14	17	28
2. MULTIPLE DX										
A. *Not Operated*	72	4.4	26	1	1	3	5	10	15	85
B. *Operated*	264	10.2	78	2	2	8	14	22	26	42
1. SINGLE DX	227	4.9	23	1	1	3	6	12	15	22
2. MULTIPLE DX	336	9.0	73	1	2	6	12	20	25	43
A. NOT OPERATED	179	3.5	15	<1	1	2	4	7	11	30
B. OPERATED	384	9.1	66	1	2	6	12	19	24	39
TOTAL 0-19 YRS	12	6.4	60	1	1	4	7	16	27	29
20-34	93	4.2	22	<1	1	3	5	8	15	26
35-49	118	5.3	39	1	1	4	6	11	13	37
50-64	131	6.6	36	1	1	4	10	15	19	25
65+	209	10.3	79	1	2	8	15	22	26	48
GRAND TOTAL	**563**	**7.3**	**56**	**1**	**1**	**4**	**10**	**17**	**22**	**36**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	3.7	8	1	1	3	5	7	9	16
20-34	68	3.1	5	<1	1	3	4	7	8	10
35-49	44	4.4	30	<1	1	3	4	8	11	36
50-64	36	4.3	6	1	1	4	6	8	9	11
65+	61	6.6	24	2	3	5	7	12	16	26
B. *Operated*										
0-19 YRS	79	3.2	7	<1	1	2	4	7	10	12
20-34	122	3.4	18	<1	<1	2	4	8	10	20
35-49	117	3.0	6	<1	<1	2	3	6	8	14
50-64	128	3.7	16	<1	1	2	4	8	12	21
65+	160	5.9	27	1	2	4	8	12	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	4.4	7	1	2	4	6	8	9	15
20-34	84	3.4	5	<1	1	3	5	6	8	11
35-49	62	5.7	31	<1	1	5	6	10	14	37
50-64	93	7.9	129	1	2	5	7	17	28	73
65+	273	10.3	107	2	3	8	12	21	30	75
B. *Operated*										
0-19 YRS	124	3.7	11	<1	<1	3	5	8	11	16
20-34	123	4.3	17	<1	<1	3	6	10	12	20
35-49	108	5.2	43	<1	<1	3	7	12	15	37
50-64	232	6.2	54	<1	1	3	8	15	22	38
65+	396	9.6	152	1	2	6	11	19	32	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	328	4.3	14	1	1	3	5	8	10	23
B. *Operated*	606	4.0	17	<1	1	3	5	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	635	7.5	78	1	2	5	8	14	22	45
B. *Operated*	983	6.9	88	<1	<1	4	8	15	21	57
1. SINGLE DX	934	4.1	16	<1	1	3	5	9	11	20
2. MULTIPLE DX	1618	7.1	84	<1	1	5	8	15	21	53
A. NOT OPERATED	963	6.4	58	1	1	4	7	12	18	38
B. OPERATED	1589	5.8	63	<1	1	3	7	12	17	39
TOTAL 0-19 YRS	445	3.8	9	1	1	3	5	8	9	14
20-34	397	3.6	13	<1	<1	2	5	8	10	15
35-49	331	4.4	27	<1	<1	3	5	9	13	30
50-64	489	5.7	57	<1	1	3	7	12	18	36
65+	890	9.0	110	1	2	6	11	18	26	66
GRAND TOTAL	**2552**	**6.0**	**61**	**<1**	**1**	**4**	**7**	**12**	**18**	**38**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.9	1	<1	<1	2	3	4	4	4
20-34	3	4.0	7	<1	<1	5	6	6	6	6
35-49										
50-64	5	4.2	5	2	2	3	6	7	7	7
65+	18	6.8	21	1	1	6	9	14	16	17
B. *Operated*										
0-19 YRS	237	3.1	23	<1	<1	2	3	6	9	28
20-34	133	5.0	31	<1	<1	3	6	12	17	26
35-49	77	6.0	60	<1	<1	3	8	13	19	45
50-64	124	3.7	17	<1	<1	2	5	8	11	21
65+	234	5.0	22	1	1	3	6	12	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.9	16	2	2	4	8	12	14	14
20-34	4	5.5	15	1	1	5	8	10	10	10
35-49	5	5.0	9	2	2	4	7	9	9	9
50-64	15	3.5	4	<1	2	3	5	5	8	9
65+	56	8.4	92	1	2	6	9	16	29	51
B. *Operated*										
0-19 YRS	216	4.2	34	<1	<1	3	5	9	14	27
20-34	95	5.4	53	<1	<1	2	7	14	22	37
35-49	92	4.8	36	<1	<1	2	5	14	19	26
50-64	170	6.1	44	<1	1	3	8	15	23	29
65+	469	8.3	86	1	2	5	11	18	27	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	5.0	16	<1	1	4	7	10	14	17
B. *Operated*	805	4.3	28	<1	<1	2	5	10	15	25
2. MULTIPLE DX										
A. *Not Operated*	88	7.0	64	1	2	5	8	13	17	49
B. *Operated*	1042	6.5	64	<1	1	3	8	16	22	42
1. SINGLE DX	839	4.4	27	<1	<1	2	5	10	15	25
2. MULTIPLE DX	1130	6.6	64	<1	1	4	8	16	22	44
A. NOT OPERATED	122	6.4	52	1	1	5	8	12	16	47
B. OPERATED	1847	5.6	49	<1	<1	3	7	14	19	34
TOTAL 0-19 YRS	469	3.6	28	<1	<1	2	4	8	11	27
20-34	235	5.2	39	<1	<1	3	6	12	19	33
35-49	174	5.3	46	<1	<1	3	7	13	19	32
50-64	314	5.0	32	<1	<1	3	6	12	19	28
65+	777	7.3	68	1	1	4	9	17	22	50
GRAND TOTAL	**1969**	**5.6**	**49**	**<1**	**<1**	**3**	**7**	**14**	**19**	**35**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	650	4.3	10	1	1	3	6	8	10	17
20-34	209	3.4	9	1	1	3	4	6	7	15
35-49	92	3.2	4	<1	1	3	4	6	7	9
50-64	112	4.6	12	1	1	4	6	9	12	17
65+	188	6.8	43	1	2	5	8	14	18	32
B. *Operated*										
0-19 YRS	264	4.0	23	<1	<1	2	5	8	14	22
20-34	231	3.8	16	<1	<1	2	5	10	13	16
35-49	195	3.4	16	<1	<1	2	4	8	12	22
50-64	272	4.6	41	<1	<1	2	6	10	13	32
65+	249	5.4	27	<1	1	4	7	11	15	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	762	5.7	30	1	2	4	7	11	14	29
20-34	332	4.8	16	1	1	4	6	9	12	18
35-49	213	6.5	42	1	2	5	7	13	17	41
50-64	308	6.6	25	2	2	5	8	13	17	25
65+	985	10.5	120	2	3	7	12	20	32	94
B. *Operated*										
0-19 YRS	343	5.1	35	<1	1	3	6	13	18	27
20-34	239	5.2	51	<1	<1	2	6	13	18	38
35-49	308	6.5	77	<1	<1	3	9	16	20	42
50-64	516	8.3	97	<1	1	5	11	19	25	49
65+	862	10.8	119	1	2	8	13	26	37	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1251	4.5	16	1	1	3	6	8	11	20
B. *Operated*	1211	4.3	26	<1	<1	3	6	10	13	28
2. MULTIPLE DX										
A. *Not Operated*	2600	7.6	68	1	2	5	9	15	21	57
B. *Operated*	2268	8.2	94	<1	1	5	11	19	27	50
1. SINGLE DX	2462	4.4	21	<1	1	3	6	9	12	22
2. MULTIPLE DX	4868	7.9	80	1	1	5	10	17	25	52
A. NOT OPERATED	3851	6.6	53	1	2	5	8	13	18	44
B. OPERATED	3479	6.8	74	<1	<1	4	9	16	23	46
TOTAL 0-19 YRS	2019	4.9	24	1	1	3	6	10	14	25
20-34	1011	4.4	23	<1	<1	3	5	10	13	27
35-49	808	5.4	47	<1	<1	3	7	12	17	39
50-64	1208	6.7	61	<1	1	4	8	14	20	34
65+	2284	9.7	107	1	2	7	12	21	32	80
GRAND TOTAL	**7330**	**6.7**	**63**	**<1**	**1**	**4**	**8**	**14**	**20**	**46**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34										
35-49	3	3.3	10	1	1	2	6	7	7	7
50-64	28	5.3	23	1	1	4	6	12	17	19
65+	88	5.8	19	1	1	5	8	12	15	18
B. *Operated*										
0-19 YRS	6	9.2	8	6	6	9	11	13	13	13
20-34	6	5.8	17	<1	<1	7	9	10	10	10
35-49	66	5.0	15	<1	<1	4	8	10	12	17
50-64	975	7.7	23	1	2	7	10	13	16	22
65+	1666	9.3	31	2	3	8	11	16	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	13.0	50	8	8	13	18	18	18	18
20-34	2	2.0		2	2	2	2	2	2	2
35-49	8	6.6	24	<1	1	5	9	14	16	16
50-64	65	5.5	17	1	1	4	7	12	14	18
65+	300	10.6	142	1	2	7	13	23	34	87
B. *Operated*										
0-19 YRS	8	11.1	58	<1	1	10	17	22	22	22
20-34	5	3.0	4	1	1	2	4	6	6	6
35-49	68	7.4	31	<1	1	7	10	15	17	27
50-64	1398	10.1	45	2	3	9	13	17	21	35
65+	3792	13.1	88	3	5	11	16	23	30	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	5.7	20	1	1	4	8	12	15	19
B. *Operated*	2719	8.6	29	1	2	8	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	377	9.6	121	1	2	6	11	21	30	75
B. *Operated*	5271	12.2	78	2	5	10	15	21	28	50
1. SINGLE DX	2839	8.5	29	1	2	8	11	15	18	28
2. MULTIPLE DX	5648	12.0	81	2	4	10	15	21	28	51
A. NOT OPERATED	497	8.7	99	1	2	6	11	18	26	68
B. OPERATED	7990	11.0	64	2	4	9	13	19	25	43
TOTAL 0-19 YRS	17	10.9	33	1	4	10	14	20	22	22
20-34	13	4.2	11	<1	1	2	7	9	10	10
35-49	145	6.2	24	<1	<1	5	9	12	16	22
50-64	2466	9.0	37	1	2	8	11	16	19	33
65+	5846	11.8	77	2	4	10	14	21	27	49
GRAND TOTAL	**8487**	**10.8**	**66**	**2**	**3**	**9**	**13**	**19**	**25**	**44**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	15	2.8	2	1	1	3	4	5	6	6
35-49	13	3.5	3	2	2	3	5	6	7	7
50-64	36	5.2	11	1	2	5	7	9	13	14
65+	17	9.5	469	1	1	4	6	10	64	93
B. *Operated*										
0-19 YRS	7	1.9		<1	<1	2	2	3	3	3
20-34	43	3.2	19	<1	<1	2	4	7	9	27
35-49	67	3.4	21	<1	<1	2	4	7	9	31
50-64	61	2.9	4	<1	<1	2	4	6	7	11
65+	44	4.9	14	1	2	3	7	10	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.2	3	2	2	4	5	7	7	7
20-34	18	3.3	2	1	1	3	5	5	6	6
35-49	27	4.6	15	<1	1	3	5	10	14	16
50-64	39	6.4	16	1	2	5	8	12	15	19
65+	48	8.7	72	2	2	6	10	23	35	99+
B. *Operated*										
0-19 YRS	6	4.3	9	1	1	3	7	9	9	9
20-34	49	3.8	14	<1	<1	2	5	8	10	21
35-49	68	4.6	16	<1	<1	3	6	10	14	18
50-64	129	6.9	35	<1	1	5	10	14	19	29
65+	126	8.9	40	2	2	8	12	18	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	5.3	101	1	2	4	6	8	11	66
B. *Operated*	222	3.5	14	<1	<1	2	4	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	137	6.4	36	1	2	5	7	13	19	44
B. *Operated*	378	6.7	34	<1	1	5	9	14	19	27
1. SINGLE DX	306	4.0	39	<1	1	2	5	8	10	20
2. MULTIPLE DX	515	6.6	34	<1	1	5	9	14	19	32
A. NOT OPERATED	221	6.0	61	1	2	4	7	11	16	52
B. OPERATED	600	5.5	29	<1	<1	3	8	12	16	26
TOTAL 0-19 YRS	21	3.3	5	<1	1	3	4	7	8	9
20-34	125	3.4	13	<1	<1	2	4	7	8	22
35-49	175	4.1	17	<1	<1	3	5	9	11	18
50-64	265	5.7	24	<1	1	4	8	12	15	24
65+	235	8.2	73	2	2	6	10	17	20	47
GRAND TOTAL	**821**	**5.6**	**38**	**<1**	**1**	**4**	**7**	**12**	**16**	**29**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.1	2	<1	<1	2	3	4	5	5
20-34	3	4.3	24	1	1	2	8	10	10	10
35-49	3	3.7		3	3	4	4	4	4	4
50-64										
65+	3	11.3	58	3	3	13	17	18	18	18
B. *Operated*										
0-19 YRS	209	3.3	4	1	1	3	4	6	7	9
20-34	93	4.0	4	2	2	3	5	7	8	11
35-49	86	3.8	2	2	2	3	4	5	7	9
50-64	157	4.3	5	2	2	4	5	7	8	12
65+	95	5.6	17	2	2	4	6	10	11	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.2	3	<1	<1	2	3	5	5	5
20-34	3	6.0	9	3	3	6	8	9	9	9
35-49										
50-64	4	3.8	10	1	1	3	6	8	8	8
65+	5	7.2	10	3	3	7	8	12	12	12
B. *Operated*										
0-19 YRS	191	3.8	14	1	2	3	4	6	8	27
20-34	45	5.7	10	2	3	5	7	10	12	14
35-49	46	4.6	9	2	2	4	5	9	12	15
50-64	134	6.8	43	2	3	5	8	13	16	37
65+	111	7.0	28	2	3	5	8	13	19	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	4.1	20	<1	<1	3	4	11	15	18
B. *Operated*	640	4.1	7	1	2	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	18	4.6	10	<1	1	4	7	9	11	12
B. *Operated*	527	5.5	25	2	2	4	6	10	13	29
1. SINGLE DX	660	4.1	7	1	2	3	5	7	9	13
2. MULTIPLE DX	545	5.5	25	2	2	4	6	10	13	28
A. NOT OPERATED	38	4.3	15	<1	<1	3	6	10	13	18
B. OPERATED	1167	4.7	16	2	2	4	5	8	11	23
TOTAL 0-19 YRS	417	3.5	9	1	1	3	4	6	7	15
20-34	144	4.6	7	2	2	4	5	8	10	13
35-49	135	4.1	4	2	2	4	5	6	9	13
50-64	295	5.5	24	2	2	4	6	9	13	30
65+	214	6.4	23	2	3	5	8	12	17	27
GRAND TOTAL	**1205**	**4.7**	**16**	**1**	**2**	**4**	**5**	**8**	**11**	**23**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	5.0	13	1	1	4	7	9	13	19
20-34	149	4.8	9	1	2	4	6	9	10	15
35-49	58	5.7	8	2	3	5	7	10	11	15
50-64	64	6.3	8	2	3	6	8	10	11	16
65+	32	7.5	16	3	3	7	9	12	13	23
B. *Operated*										
0-19 YRS	23	3.9	3	1	2	4	5	6	7	8
20-34	37	4.7	20	1	1	4	5	8	14	25
35-49	22	5.1	25	1	1	4	5	12	18	22
50-64	21	10.0	93	2	2	6	15	21	31	41
65+	15	6.8	15	3	3	5	9	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.3	10	1	1	4	6	8	12	13
20-34	40	5.8	18	1	1	5	7	11	15	21
35-49	23	5.3	7	2	2	5	7	9	11	12
50-64	41	8.0	17	3	4	7	10	14	17	20
65+	68	11.1	76	3	4	9	13	21	29	55
B. *Operated*										
0-19 YRS	12	4.2	7	<1	1	4	5	7	10	11
20-34	23	5.9	35	1	2	4	5	12	23	24
35-49	30	8.2	48	2	2	6	10	18	24	29
50-64	40	8.5	27	2	3	8	11	15	18	27
65+	42	11.5	92	3	4	9	15	22	26	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	5.5	11	1	2	5	7	10	11	17
B. *Operated*	118	5.8	33	1	2	4	6	14	19	30
2. MULTIPLE DX										
A. *Not Operated*	186	8.1	43	2	3	6	10	15	20	31
B. *Operated*	147	8.5	54	2	2	6	10	18	23	30
1. SINGLE DX	503	5.6	16	1	2	5	7	10	12	21
2. MULTIPLE DX	333	8.3	48	2	3	6	10	16	21	30
A. NOT OPERATED	571	6.3	23	1	2	5	8	11	15	23
B. OPERATED	265	7.3	46	1	2	5	9	16	21	29
TOTAL 0-19 YRS	131	4.7	11	1	1	4	6	8	12	18
20-34	249	5.1	14	1	2	4	6	9	11	23
35-49	133	6.1	20	2	2	5	7	11	15	25
50-64	166	7.7	26	2	3	7	10	14	17	26
65+	157	10.1	65	3	4	8	12	19	24	54
GRAND TOTAL	**836**	**6.6**	**30**	**1**	**2**	**5**	**8**	**12**	**16**	**27**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	428	1.9	1	<1	<1	2	2	3	4	7
20-34	84	2.1	1	<1	<1	2	2	4	4	6
35-49	29	2.2	1	<1	<1	2	3	3	4	5
50-64	15	2.0		<1	<1	2	2	3	3	3
65+	10	2.4	1	1	1	2	2	4	5	5
B. *Operated*										
0-19 YRS	532	1.9	1	<1	<1	2	2	3	4	7
20-34	88	2.0	1	<1	<1	2	2	3	4	5
35-49	45	2.2	1	<1	1	2	3	3	4	8
50-64	27	2.7	2	1	2	2	3	5	6	7
65+	20	4.5	39	1	2	2	4	9	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	3.0	29	<1	<1	2	3	6	9	37
20-34	24	3.1	10	<1	1	2	3	7	10	16
35-49	22	3.3	6	1	1	2	4	7	9	11
50-64	14	3.0	5	<1	<1	2	3	6	8	9
65+	22	5.5	44	1	2	4	6	8	20	33
B. *Operated*										
0-19 YRS	161	3.0	12	<1	<1	2	3	6	10	20
20-34	64	3.0	6	<1	1	3	3	5	6	15
35-49	33	4.3	13	1	1	2	5	11	12	14
50-64	37	4.3	11	1	2	3	6	10	11	14
65+	57	8.2	145	<1	1	4	9	14	25	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5[illegible]6	1.9	1	<1	<1	2	2	3	4	7
B. *Operated*	7[illegible]2	2.1	3	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	149	3.4	23	<1	<1	2	3	7	9	33
B. *Operated*	352	4.1	36	<1	1	2	4	9	13	22
1. SINGLE DX	1278	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	501	3.9	32	<1	1	2	4	8	12	25
A. NOT OPERATED	715	2.2	6	<1	<1	2	2	4	5	9
B. OPERATED	1064	2.7	14	<1	<1	2	3	5	7	15
TOTAL 0-19 YRS	1188	2.1	5	<1	<1	2	2	3	4	10
20-34	260	2.4	3	<1	<1	2	3	4	5	12
35-49	129	2.9	6	<1	1	2	3	5	9	13
50-64	93	3.3	6	<1	1	2	4	7	9	13
65+	109	6.4	95	1	2	4	7	14	22	56
GRAND TOTAL	**1779**	**2.5**	**11**	**<1**	**<1**	**2**	**3**	**4**	**6**	**14**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	2.6	6	<1	1	2	3	5	6	16
20-34	39	2.8	5	<1	1	2	3	5	8	12
35-49	26	3.5	9	<1	1	3	4	8	10	13
50-64	21	3.8	10	<1	1	3	4	9	11	13
65+	12	9.2	31	2	3	9	13	18	19	19
B. *Operated*										
0-19 YRS	308	2.9	4	1	1	2	3	5	7	10
20-34	234	3.1	7	<1	1	2	4	5	7	12
35-49	132	3.5	6	1	1	3	4	7	8	13
50-64	125	4.0	7	1	1	4	5	7	9	14
65+	54	5.4	18	2	2	4	7	11	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	4.3	14	1	1	3	5	9	11	19
20-34	27	3.3	10	<1	1	2	4	7	11	14
35-49	12	4.4	12	<1	1	3	7	10	11	11
50-64	18	7.1	128	<1	1	3	6	21	38	46
65+	29	6.8	31	1	1	5	9	17	20	99+
B. *Operated*										
0-19 YRS	116	4.3	14	1	1	3	5	8	12	20
20-34	155	5.3	81	1	2	3	5	9	14	70
35-49	98	4.9	30	1	1	4	6	8	12	36
50-64	157	5.2	28	1	2	4	6	9	13	32
65+	90	8.3	118	2	2	5	10	18	24	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	3.3	11	<1	1	2	4	8	11	17
B. *Operated*	853	3.4	7	1	1	3	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	143	5.0	31	1	1	3	6	11	17	49
B. *Operated*	616	5.5	53	1	2	4	6	10	15	45
1. SINGLE DX	1039	3.4	8	1	1	3	4	7	9	14
2. MULTIPLE DX	759	5.4	49	1	1	4	6	10	16	46
A. NOT OPERATED	329	4.0	20	1	1	3	4	9	13	21
B. OPERATED	1469	4.3	27	1	1	3	5	8	11	23
TOTAL 0-19 YRS	569	3.3	8	1	1	3	4	7	9	15
20-34	455	3.8	33	<1	1	3	4	7	9	22
35-49	268	4.1	16	1	1	3	5	8	10	16
50-64	321	4.8	25	1	1	4	6	9	11	28
65+	185	7.3	70	2	2	5	9	17	20	95
GRAND TOTAL	**1798**	**4.2**	**26**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	8	1.5	1	<1	<1	1	2	3	3	3
35-49	15	1.5	1	<1	<1	1	2	3	3	3
50-64	7	2.9	4	<1	<1	3	3	6	7	7
65+	5	3.8	6	2	2	3	4	8	8	8
B. *Operated*										
0-19 YRS	62	2.1	1	<1	<1	2	2	3	4	8
20-34	550	2.3	3	<1	<1	2	3	4	5	8
35-49	1157	2.7	3	<1	1	2	3	4	6	11
50-64	406	3.1	5	1	1	2	3	5	7	14
65+	113	3.4	4	1	2	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	9	<1	<1	3	6	7	7	7
20-34	5	3.8	3	2	2	4	5	6	6	6
35-49	9	2.0	3	<1	<1	2	2	5	6	6
50-64	5	3.6	10	1	1	2	5	9	9	9
65+	5	5.0	25	1	1	4	8	13	13	13
B. *Operated*										
0-19 YRS	14	2.1	1	<1	<1	2	3	3	4	4
20-34	193	3.3	7	<1	<1	2	4	7	9	13
35-49	528	3.4	8	<1	1	3	4	6	8	15
50-64	298	3.8	11	<1	1	3	4	7	10	17
65+	153	5.1	20	1	2	4	6	10	13	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	2.1	2	<1	<1	2	3	3	6	8
B. *Operated*	2288	2.7	4	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	27	3.4	9	<1	<1	2	5	7	10	13
B. *Operated*	1186	3.7	10	<1	1	3	4	7	10	17
1. SINGLE DX	2326	2.7	4	<1	1	2	3	4	6	11
2. MULTIPLE DX	1213	3.7	10	<1	1	3	4	7	10	17
A. NOT OPERATED	65	2.6	5	<1	<1	2	3	6	7	12
B. OPERATED	3474	3.0	6	<1	1	2	3	5	8	13
TOTAL 0-19 YRS	82	2.1	2	<1	<1	2	2	3	4	8
20-34	756	2.6	4	<1	<1	2	3	5	7	10
35-49	1709	2.9	5	<1	1	2	3	5	7	12
50-64	716	3.4	8	<1	1	3	4	6	9	15
65+	276	4.4	14	1	2	3	5	9	13	24
GRAND TOTAL	**3539**	**3.0**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	3.7	5	1	2	3	5	7	8	9
20-34	62	3.5	7	<1	1	3	4	6	7	18
35-49	16	3.6	6	1	1	3	5	8	9	9
50-64	15	4.6	26	<1	1	3	5	9	18	21
65+	4	5.0	25	1	1	3	8	12	12	12
B. *Operated*										
0-19 YRS	211	3.5	4	1	1	3	4	6	7	11
20-34	539	3.6	6	<1	1	3	4	6	8	14
35-49	279	3.6	8	<1	1	3	4	6	9	17
50-64	166	3.7	5	1	1	3	4	7	8	11
65+	85	4.1	12	1	2	3	5	8	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	14	<1	<1	1	7	9	9	9
20-34	27	3.3	5	<1	<1	3	5	6	8	9
35-49	15	2.5	4	<1	<1	2	4	6	7	7
50-64	10	3.1	11	<1	<1	2	3	8	12	12
65+	8	3.1	2	1	1	3	4	5	6	6
B. *Operated*										
0-19 YRS	55	4.3	9	1	1	3	5	8	11	15
20-34	224	4.4	11	1	1	4	5	7	9	19
35-49	149	4.5	13	1	2	4	5	8	10	20
50-64	169	4.8	15	<1	2	4	6	9	10	16
65+	96	6.5	44	2	2	4	7	15	20	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	3.8	9	1	1	3	5	7	9	20
B. *Operated*	1280	3.6	7	<1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	65	3.1	6	<1	<1	2	4	6	8	12
B. *Operated*	693	4.8	17	1	2	4	6	9	11	25
1. SINGLE DX	1400	3.6	7	<1	1	3	4	6	8	14
2. MULTIPLE DX	758	4.7	17	<1	1	4	6	8	11	24
A. NOT OPERATED	185	3.5	8	<1	1	3	4	7	9	17
B. OPERATED	1973	4.0	11	1	1	3	5	7	9	17
TOTAL 0-19 YRS	294	3.7	5	1	1	3	5	7	8	12
20-34	852	3.8	8	<1	1	3	5	6	8	15
35-49	459	3.9	10	1	1	3	5	7	9	18
50-64	360	4.3	11	<1	1	4	5	8	10	15
65+	193	5.3	30	1	2	4	6	10	16	41
GRAND TOTAL	**2158**	**4.0**	**10**	**<1**	**1**	**3**	**5**	**7**	**9**	**17**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	2.8	4	<1	1	2	4	5	7	10
20-34	225	2.4	2	<1	1	2	3	5	6	8
35-49	39	2.8	3	<1	1	3	3	6	7	8
50-64	7	2.1	2	1	1	1	3	5	5	5
65+										
B. *Operated*										
0-19 YRS	206	5.2	12	1	2	5	6	9	10	16
20-34	689	5.1	9	1	1	5	7	8	9	15
35-49	178	6.9	16	2	2	7	8	10	12	20
50-64	27	6.2	9	1	2	6	8	9	12	14
65+	14	10.9	30	6	7	9	12	15	25	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	2.8	2	1	1	3	3	5	5	6
20-34	144	3.4	5	1	1	3	5	7	8	16
35-49	23	4.6	8	1	1	4	7	8	10	12
50-64	3	3.7	1	3	3	3	5	5	5	5
65+	1	31.0		31	31	31	31	31	31	31
B. *Operated*										
0-19 YRS	133	5.9	10	1	2	5	7	10	11	19
20-34	792	6.4	12	2	2	6	8	10	12	17
35-49	349	8.3	44	3	4	7	9	13	16	30
50-64	64	10.0	43	2	5	8	11	19	27	30
65+	20	14.0	125	7	7	10	13	31	45	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	353	2.6	3	1	1	2	3	5	6	8
B. *Operated*	1114	5.5	11	1	2	5	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	205	3.6	9	1	1	3	5	7	8	20
B. *Operated*	1358	7.1	25	2	3	7	8	11	14	25
1. SINGLE DX	1467	4.8	11	1	1	4	7	8	10	15
2. MULTIPLE DX	1563	6.7	24	1	2	6	8	10	13	25
A. NOT OPERATED	558	2.9	5	1	1	2	4	6	7	11
B. OPERATED	2472	6.4	20	1	2	6	8	10	12	22
TOTAL 0-19 YRS	455	4.8	11	1	1	4	6	9	10	16
20-34	1850	5.2	11	1	1	5	7	9	10	16
35-49	589	7.4	34	2	3	7	9	11	14	28
50-64	101	8.2	36	1	2	7	9	15	24	29
65+	35	13.2	93	7	7	10	13	28	41	47
GRAND TOTAL	**3030**	**5.8**	**19**	**1**	**2**	**5**	**8**	**9**	**12**	**21**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	621	4.7	14	1	2	4	6	8	10	16
20-34	1176	4.7	8	2	2	4	6	8	10	15
35-49	140	5.5	13	1	2	5	7	11	12	17
50-64	12	7.4	12	3	4	6	10	13	13	13
65+	4	4.8	8	2	2	4	7	8	8	8
B. *Operated*										
0-19 YRS	151	5.6	16	1	2	5	7	10	13	23
20-34	626	5.4	15	1	1	5	7	10	13	20
35-49	159	6.2	21	<1	1	6	8	11	14	25
50-64	13	7.2	35	<1	1	7	9	14	22	24
65+	6	16.5	326	6	6	10	13	49	53	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	276	5.2	14	2	2	4	6	9	11	23
20-34	597	5.5	11	1	2	5	7	10	11	18
35-49	95	6.7	22	2	2	6	8	13	16	24
50-64	16	12.5	144	2	3	8	14	24	44	52
65+	8	11.1	24	6	6	12	18	67	99+	99+
B. *Operated*										
0-19 YRS	192	7.4	32	2	3	6	9	12	16	48
20-34	1213	7.1	29	2	2	7	8	11	15	27
35-49	393	8.7	28	2	3	8	10	16	19	27
50-64	54	11.9	67	2	5	9	17	22	28	44
65+	14	13.5	35	3	7	13	17	22	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1953	4.8	10	1	2	4	6	8	10	16
B. *Operated*	955	5.6	19	1	1	5	8	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	992	5.7	16	2	2	5	7	10	13	21
B. *Operated*	1866	7.6	32	2	2	7	9	13	17	29
1. SINGLE DX	2908	5.1	13	1	2	4	6	9	11	17
2. MULTIPLE DX	2858	7.0	27	2	2	6	8	12	16	26
A. NOT OPERATED	2945	5.1	13	1	2	4	6	9	11	17
B. OPERATED	2821	7.0	28	1	2	6	8	12	16	26
TOTAL 0-19 YRS	1240	5.3	18	1	2	4	6	9	12	20
20-34	3612	5.7	18	1	2	5	7	10	12	20
35-49	787	7.4	25	1	2	7	9	13	17	25
50-64	95	10.8	71	2	3	8	13	21	26	49
65+	32	12.4	85	2	5	12	15	23	49	99+
GRAND TOTAL	**5766**	**6.0**	**21**	**1**	**2**	**5**	**8**	**10**	**13**	**23**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	14	1	1	2	6	8	8	8
20-34	36	4.0	15	1	1	3	5	7	13	20
35-49	15	4.3	7	1	2	4	6	8	9	10
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	25	3.5	4	1	2	3	5	6	7	9
20-34	389	5.1	12	<1	1	5	7	9	10	18
35-49	226	6.8	9	1	2	7	8	10	11	16
50-64	20	6.9	14	<1	1	7	8	10	14	17
65+	1	4.0		4	4	52	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	2	4	4	5	6	7	7	7
20-34	33	5.1	16	<1	1	4	8	10	14	14
35-49	27	5.7	10	1	1	6	8	10	11	11
50-64	2	10.0	8	8	8	10	12	12	12	12
65+										
B. *Operated*										
0-19 YRS	14	4.7	12	1	1	4	7	9	12	13
20-34	975	7.2	15	2	2	7	8	10	13	21
35-49	1273	8.5	12	4	6	8	9	12	14	22
50-64	227	8.9	7	6	6	8	10	12	14	19
65+	17	12.9	32	7	8	11	13	23	26	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	4.0	12	1	1	3	5	8	10	20
B. *Operated*	661	5.7	11	1	1	6	8	9	10	17
2. MULTIPLE DX										
A. *Not Operated*	65	5.5	13	1	1	5	8	10	12	14
B. *Operated*	2506	8.0	14	2	5	8	9	11	14	22
1. SINGLE DX	716	5.6	12	1	1	6	8	9	10	18
2. MULTIPLE DX	2571	7.9	14	2	4	8	9	11	14	22
A. NOT OPERATED	120	4.8	13	1	1	4	7	9	12	16
B. OPERATED	3167	7.5	14	2	2	7	9	11	13	21
TOTAL 0-19 YRS	45	4.0	7	1	1	4	6	8	8	13
20-34	1433	6.5	15	1	2	7	8	10	12	19
35-49	1541	8.1	12	2	5	8	9	11	14	21
50-64	250	8.7	8	5	6	8	10	12	14	19
65+	18	12.4	35	5	7	11	14	25	67	99+
GRAND TOTAL	**3287**	**7.4**	**14**	**1**	**2**	**7**	**9**	**11**	**13**	**21**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	3.1	2	1	1	3	5	5	5	5
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	7	1.7	2	<1	<1	1	2	4	5	5
20-34	132	3.4	9	<1	<1	2	5	8	9	14
35-49	70	4.4	9	<1	<1	4	7	9	9	13
50-64	28	2.9	3	<1	<1	2	4	6	6	8
65+	5	3.2	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	3	1.7	1	<1	<1	<1	2	3	3	3
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	12	3.3	6	<1	<1	2	5	7	8	8
20-34	278	5.2	16	<1	1	5	8	9	10	15
35-49	248	6.6	19	1	2	7	9	11	13	19
50-64	73	4.9	12	1	1	4	8	9	11	15
65+	22	9.0	55	1	2	7	13	18	26	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.4	2	1	1	4	5	5	5	5
B. *Operated*	242	3.6	8	<1	<1	2	5	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	8	1.9	1	<1	<1	1	3	4	4	4
B. *Operated*	633	5.8	19	1	1	6	8	10	12	19
1. SINGLE DX	251	3.6	8	<1	<1	2	5	8	9	12
2. MULTIPLE DX	641	5.7	19	<1	1	6	8	10	12	19
A. NOT OPERATED	17	2.7	2	<1	<1	2	4	5	5	5
B. OPERATED	875	5.2	17	<1	1	4	8	9	11	19
TOTAL 0-19 YRS	22	2.6	4	<1	<1	2	4	6	7	8
20-34	420	4.5	14	<1	1	3	7	9	10	15
35-49	321	6.1	17	<1	1	6	9	10	13	19
50-64	102	4.3	10	<1	1	3	7	9	10	14
65+	27	8.0	50	1	2	5	11	16	25	30
GRAND TOTAL	**892**	**5.1**	**17**	**<1**	**1**	**4**	**8**	**9**	**11**	**18**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	3.9	8	<1	1	4	5	7	10	13
20-34	95	3.9	6	<1	1	4	5	7	9	10
35-49	23	3.0	6	<1	1	2	4	7	8	8
50-64	7	4.9	9	1	1	5	7	9	10	10
65+	4	10.5	43	2	2	11	15	18	18	18
B. *Operated*										
0-19 YRS	63	2.8	4	1	1	2	4	5	7	10
20-34	408	2.6	5	1	1	2	3	5	6	11
35-49	149	2.7	4	<1	1	2	3	5	7	10
50-64	63	2.5	3	<1	1	2	3	5	5	10
65+	11	6.1	30	2	2	4	9	14	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	4.3	5	1	2	4	5	8	9	10
20-34	76	3.6	4	1	1	3	5	7	7	10
35-49	19	4.5	10	1	2	4	5	11	12	12
50-64	12	7.2	22	1	2	6	11	14	15	15
65+	20	11.9	100	3	5	9	12	26	39	43
B. *Operated*										
0-19 YRS	32	3.7	5	1	1	3	5	7	9	9
20-34	199	4.3	35	1	1	3	6	9	10	21
35-49	104	5.8	16	1	1	5	9	11	13	18
50-64	50	6.4	46	1	1	4	8	14	18	37
65+	28	7.1	47	1	2	5	10	15	25	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	4.0	8	<1	1	4	5	8	9	12
B. *Operated*	694	2.7	5	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	174	5.1	23	1	2	4	6	10	12	31
B. *Operated*	413	5.1	31	1	1	3	7	10	13	26
1. SINGLE DX	880	2.9	6	<1	1	2	4	6	8	11
2. MULTIPLE DX	587	5.1	29	1	1	4	7	10	13	26
A. NOT OPERATED	360	4.5	16	1	1	4	6	8	11	17
B. OPERATED	1107	3.6	16	1	1	2	4	8	10	17
TOTAL 0-19 YRS	199	3.6	6	1	1	3	5	7	9	11
20-34	778	3.3	13	1	1	2	4	6	9	12
35-49	295	3.9	11	<1	1	3	5	9	11	14
50-64	132	4.5	25	1	1	3	5	10	14	27
65+	63	8.7	64	2	2	7	12	18	26	42
GRAND TOTAL	**1467**	**3.8**	**16**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.2	8	1	1	5	7	9	9	9
35-49	5	2.2	5	<1	<1	1	3	6	6	6
50-64	11	4.0	10	<1	<1	3	7	8	10	10
65+	12	6.5	90	<1	1	3	8	17	32	35
B. *Operated*										
0-19 YRS	4	6.8	20	2	2	7	10	11	11	11
20-34	198	7.8	13	3	4	7	9	12	14	23
35-49	398	8.8	17	5	5	8	10	13	16	26
50-64	557	9.2	17	5	6	8	10	14	18	24
65+	352	9.6	14	6	6	9	11	14	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	15	5.5	17	<1	<1	7	8	11	13	14
35-49	31	6.7	23	1	1	7	10	13	16	19
50-64	32	5.6	25	1	1	5	7	12	17	21
65+	53	6.3	37	1	1	5	9	12	20	97
B. *Operated*										
0-19 YRS	7	6.0	5	2	2	7	8	8	8	8
20-34	559	9.1	17	5	6	8	10	13	17	25
35-49	1386	10.2	27	6	6	9	12	16	19	29
50-64	1534	10.6	24	5	6	9	12	16	20	30
65+	1059	11.6	36	6	7	10	14	19	23	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	4.8	37	<1	1	3	7	9	10	35
B. *Operated*	1509	9.0	16	5	6	8	10	14	16	24
2. MULTIPLE DX										
A. *Not Operated*	133	6.1	28	1	1	5	9	12	16	47
B. *Operated*	4545	10.5	27	5	6	9	12	17	20	30
1. SINGLE DX	1543	8.9	17	4	5	8	10	13	16	24
2. MULTIPLE DX	4678	10.4	28	5	6	9	12	17	20	30
A. NOT OPERATED	167	5.8	30	<1	1	5	8	12	14	37
B. OPERATED	6054	10.1	25	5	6	9	12	16	19	28
TOTAL 0-19 YRS	13	5.8	9	2	2	6	8	10	11	11
20-34	778	8.7	16	4	5	8	10	13	17	24
35-49	1820	9.8	25	5	6	9	11	15	19	28
50-64	2134	10.1	23	5	6	9	12	16	19	28
65+	1476	10.9	33	5	6	9	12	18	22	32
GRAND TOTAL	**6221**	**10.0**	**26**	**5**	**6**	**9**	**12**	**16**	**19**	**28**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	7	1	1	2	3	7	8	8
20-34	23	2.6	17	<1	<1	2	2	3	10	21
35-49	9	2.0	2	<1	<1	1	3	5	5	5
50-64										
B. *Operated*										
0-19 YRS	16	3.1	24	<1	<1	2	2	5	16	21
20-34	165	2.1	4	<1	<1	2	2	4	7	9
35-49	152	2.2	4	<1	<1	2	2	3	7	12
50-64	16	1.9		<1	<1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	16	<1	<1	5	8	9	9	9
20-34	12	4.6	16	<1	<1	3	6	11	14	14
35-49	7	3.9	17	1	1	2	6	11	12	12
50-64										
B. *Operated*										
0-19 YRS	8	3.3	3	2	2	3	4	6	6	6
20-34	157	4.0	12	<1	1	2	7	9	11	13
35-49	197	4.4	27	<1	<1	2	7	10	12	31
50-64	29	3.0	7	<1	<1	2	4	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	2.5	12	<1	<1	2	2	4	7	21
B. *Operated*	349	2.2	4	<1	<1	2	2	3	7	12
2. MULTIPLE DX										
A. *Not Operated*	22	4.4	15	<1	<1	3	7	11	13	14
B. *Operated*	391	4.1	19	<1	<1	2	7	9	11	16
1. SINGLE DX	387	2.2	5	<1	<1	2	2	4	7	12
2. MULTIPLE DX	413	4.1	18	<1	<1	2	7	9	11	16
A. NOT OPERATED	60	3.2	13	<1	<1	2	4	8	11	20
B. OPERATED	740	3.2	13	<1	<1	2	3	8	10	15
TOTAL 0-19 YRS	33	3.2	14	<1	<1	2	3	6	9	21
20-34	357	3.1	9	<1	<1	2	3	8	9	13
35-49	365	3.4	18	<1	<1	2	3	9	11	16
50-64	45	2.6	5	<1	<1	2	3	7	8	9
GRAND TOTAL	**800**	**3.2**	**13**	**<1**	**<1**	**2**	**3**	**8**	**10**	**15**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	2.8	10	<1	1	2	3	5	6	21
20-34	317	2.2	6	<1	1	2	3	4	5	13
35-49	100	2.7	8	<1	1	2	3	5	7	17
50-64	16	2.8	6	<1	<1	2	4	7	7	7
B. *Operated*										
0-19 YRS	166	2.0	2	<1	<1	2	2	3	4	8
20-34	1813	2.9	14	<1	<1	2	3	7	8	12
35-49	1690	3.2	10	<1	<1	2	4	8	9	12
50-64	197	2.7	7	<1	<1	2	3	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	2.9	2	1	1	3	4	5	6	7
20-34	188	3.0	10	<1	<1	2	3	6	8	18
35-49	152	3.9	12	1	1	3	6	8	9	20
50-64	12	5.9	31	1	1	4	9	13	20	21
B. *Operated*										
0-19 YRS	149	2.9	6	<1	1	2	3	7	8	11
20-34	2558	5.6	18	<1	1	6	8	10	12	18
35-49	3405	6.5	23	<1	1	7	9	11	13	20
50-64	367	5.5	24	<1	1	3	8	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	534	2.4	7	<1	1	2	3	4	6	14
B. *Operated*	3866	3.0	11	<1	<1	2	3	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	414	3.4	11	<1	1	2	4	7	9	20
B. *Operated*	6479	6.0	21	<1	1	6	8	10	13	19
1. SINGLE DX	4400	2.9	11	<1	<1	2	3	8	9	12
2. MULTIPLE DX	6893	5.8	21	<1	1	6	8	10	13	20
A. NOT OPERATED	948	2.8	9	<1	1	2	3	6	7	20
B. OPERATED	10345	4.9	20	<1	<1	3	8	9	12	18
TOTAL 0-19 YRS	478	2.6	5	<1	1	2	3	5	7	11
20-34	4876	4.3	18	<1	<1	2	7	9	10	17
35-49	5347	5.3	20	<1	1	5	8	10	12	18
50-64	592	4.5	20	<1	1	2	7	9	13	21
GRAND TOTAL	**11293**	**4.7**	**19**	**<1**	**<1**	**3**	**8**	**9**	**11**	**18**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	14	2.9	5	1	1	2	4	6	8	8
50-64	23	6.5	169	<1	1	2	4	18	36	61
65+	6	5.2	36	1	1	3	5	16	17	17
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	3.6	7	1	1	3	7	7	7	7
35-49	186	2.3	5	<1	<1	2	2	5	8	11
50-64	643	2.0	8	<1	<1	2	2	3	4	9
65+	120	2.2	2	<1	1	2	2	4	4	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	21	3.2	6	<1	<1	3	5	7	8	10
50-64	21	4.7	21	<1	1	2	6	13	14	15
65+	42	6.9	55	1	1	5	8	16	25	35
B. *Operated*										
0-19 YRS										
20-34	18	6.4	11	<1	<1	7	9	11	12	12
35-49	245	4.3	38	<1	<1	2	6	9	13	29
50-64	875	3.3	17	<1	<1	2	3	8	10	20
65+	283	4.9	35	1	1	3	5	12	16	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	5.0	93	<1	1	2	4	8	19	61
B. *Operated*	960	2.1	6	<1	<1	2	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	87	5.3	35	<1	1	3	6	12	16	33
B. *Operated*	1421	3.8	25	<1	<1	2	4	9	12	24
1. SINGLE DX	1005	2.2	11	<1	<1	2	2	3	6	12
2. MULTIPLE DX	1508	3.9	25	<1	<1	2	4	9	12	25
A. NOT OPERATED	132	5.2	55	<1	1	3	6	11	17	40
B. OPERATED	2381	3.1	18	<1	<1	2	3	7	10	20
TOTAL 0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	32	5.0	11	<1	1	5	7	9	12	12
35-49	466	3.4	23	<1	<1	2	3	8	10	20
50-64	1562	2.9	16	<1	<1	2	2	6	9	17
65+	451	4.4	30	1	1	2	4	10	13	30
GRAND TOTAL	**2513**	**3.3**	**20**	**<1**	**<1**	**2**	**3**	**7**	**10**	**21**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.4	3	<1	<1	2	3	5	6	10
20-34	96	2.8	10	<1	<1	2	3	5	7	19
35-49	23	3.4	9	<1	<1	3	4	8	10	11
50-64	13	2.5	4	<1	1	2	3	6	7	7
65+	6	4.2	7	1	1	4	6	8	8	8
B. *Operated*										
0-19 YRS	89	3.3	10	<1	1	2	4	7	8	19
20-34	876	3.8	8	<1	1	3	5	7	8	14
35-49	513	3.8	18	<1	1	2	5	8	9	21
50-64	358	3.1	12	<1	<1	2	3	8	9	13
65+	84	4.9	37	1	1	3	5	11	14	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.8	6	<1	<1	2	3	6	7	12
20-34	101	3.1	5	<1	1	2	4	6	8	12
35-49	30	5.1	22	<1	1	3	7	10	11	23
50-64	26	4.1	14	<1	1	3	5	9	11	18
65+	10	18.1	330	4	4	9	35	47	52	52
B. *Operated*										
0-19 YRS	85	4.8	17	<1	1	4	6	9	10	26
20-34	1107	5.3	12	1	1	5	7	9	10	18
35-49	1074	6.3	25	1	1	6	8	11	13	23
50-64	755	6.2	45	1	1	5	9	11	16	37
65+	244	6.7	44	1	2	4	9	15	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	2.8	8	<1	<1	2	3	6	7	11
B. *Operated*	1920	3.7	13	<1	1	2	5	8	9	17
2. MULTIPLE DX										
A. *Not Operated*	197	4.2	35	<1	1	3	5	8	11	39
B. *Operated*	3265	5.9	27	1	1	6	8	10	13	25
1. SINGLE DX	2105	3.6	12	<1	1	2	5	8	9	16
2. MULTIPLE DX	3462	5.8	27	1	1	5	8	10	13	25
A. NOT OPERATED	382	3.5	22	<1	<1	2	4	7	9	26
B. OPERATED	5185	5.1	23	<1	1	4	7	10	12	22
TOTAL 0-19 YRS	251	3.6	11	<1	<1	2	5	7	9	18
20-34	2180	4.5	11	<1	1	4	7	8	10	16
35-49	1640	5.5	24	<1	1	5	8	10	13	23
50-64	1152	5.1	35	<1	1	3	8	10	14	31
65+	344	6.5	53	1	2	4	9	14	21	38
GRAND TOTAL	**5567**	**5.0**	**23**	**<1**	**1**	**3**	**7**	**9**	**12**	**22**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	284	2.2	3	<1	1	2	3	4	5	11
20-34	264	2.3	5	<1	<1	2	2	5	7	12
35-49	51	2.5	5	<1	1	2	3	5	8	10
50-64	17	2.8	4	1	1	2	4	7	8	8
65+	11	6.5	30	1	1	6	8	16	18	18
B. *Operated*										
0-19 YRS	127	2.7	5	<1	<1	2	3	6	7	11
20-34	1067	3.0	9	<1	<1	2	3	7	9	14
35-49	371	7.4	24	<1	1	7	10	12	16	24
50-64	228	9.5	26	2	4	9	11	15	19	31
65+	72	9.3	32	<1	1	9	12	16	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	2.7	4	1	1	2	3	6	7	12
20-34	195	2.9	6	<1	1	2	4	6	8	13
35-49	60	4.3	24	<1	1	2	5	11	17	22
50-64	13	5.8	16	<1	1	5	8	12	14	14
65+	26	9.7	196	1	1	6	10	20	32	72
B. *Operated*										
0-19 YRS	86	4.1	17	<1	<1	3	6	8	14	22
20-34	1631	4.9	14	<1	1	4	7	9	11	16
35-49	866	8.8	31	2	2	8	10	15	19	28
50-64	442	11.0	32	2	5	10	14	19	21	30
65+	193	13.7	93	2	6	12	16	24	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	627	2.4	5	<1	1	2	3	5	7	12
B. *Operated*	1865	4.9	22	<1	1	2	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	413	3.6	23	<1	1	2	4	7	10	20
B. *Operated*	3218	7.3	34	1	1	7	9	14	18	27
1. SINGLE DX	2492	4.2	19	<1	1	2	7	10	12	20
2. MULTIPLE DX	3631	6.9	34	1	1	6	9	13	17	27
A. NOT OPERATED	1040	2.8	12	<1	1	2	3	6	8	15
B. OPERATED	5083	6.4	31	<1	1	6	9	13	16	25
TOTAL 0-19 YRS	616	2.7	6	<1	1	2	3	6	7	13
20-34	3157	3.9	12	<1	1	2	6	8	10	15
35-49	1348	8.0	30	1	2	8	10	14	18	26
50-64	700	10.2	31	2	3	9	13	17	20	30
65+	302	12.0	89	1	2	10	15	22	26	54
GRAND TOTAL	**6123**	**5.8**	**29**	**<1**	**1**	**4**	**8**	**12**	**16**	**25**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	4	1	1	4	5	6	6	6
20-34	24	4.3	23	1	1	3	5	7	13	25
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
B. *Operated*										
0-19 YRS	41	6.2	5	3	3	6	7	9	10	12
20-34	581	6.1	8	3	4	6	7	9	10	16
35-49	45	6.5	7	3	4	6	8	9	10	18
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	12	3.5	6	1	1	3	6	7	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
B. *Operated*										
0-19 YRS	28	6.5	6	3	4	6	8	10	13	13
20-34	449	6.4	6	4	4	6	7	9	11	16
35-49	63	6.7	4	4	5	6	7	8	10	14
50-64	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	4.2	19	1	1	3	5	6	7	25
B. *Operated*	668	6.1	7	3	4	6	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	14	3.8	7	1	1	3	6	7	9	9
B. *Operated*	541	6.4	6	4	4	6	7	9	11	16
1. SINGLE DX	698	6.0	8	3	3	6	7	9	10	16
2. MULTIPLE DX	555	6.4	6	3	4	6	7	9	11	16
A. NOT OPERATED	44	4.0	15	1	1	3	5	7	8	25
B. OPERATED	1209	6.3	7	3	4	6	7	9	10	16
TOTAL 0-19 YRS	75	6.2	6	3	3	6	7	9	11	13
20-34	1066	6.2	7	3	4	6	7	9	10	16
35-49	111	6.5	5	3	4	6	7	9	9	16
50-64	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**1253**	**6.2**	**7**	**3**	**4**	**6**	**7**	**9**	**10**	**16**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.3	2	<1	1	2	3	5	5	6
20-34	26	2.5	2	<1	1	2	3	4	5	6
35-49										
50-64										
B. *Operated*										
0-19 YRS	1523	1.7	4	<1	<1	1	2	3	3	6
20-34	1969	1.6	1	<1	<1	1	2	2	3	6
35-49	86	1.7	1	<1	<1	1	2	3	3	6
50-64	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	20	3.0	7	<1	<1	2	4	7	9	11
35-49	5	2.2	2	<1	<1	2	3	4	4	4
50-64										
B. *Operated*										
0-19 YRS	1200	1.9	3	<1	<1	1	2	3	4	9
20-34	2467	2.2	10	<1	<1	1	2	4	6	12
35-49	478	2.8	6	<1	<1	2	4	6	8	12
50-64	2	1.5	1	1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.4	2	1	1	2	3	5	5	6
B. *Operated*	3579	1.6	2	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	31	2.5	6	<1	<1	1	3	5	8	11
B. *Operated*	4147	2.2	7	<1	<1	2	2	4	6	11
1. SINGLE DX	3629	1.6	2	<1	<1	1	2	3	3	6
2. MULTIPLE DX	4178	2.2	7	<1	<1	2	2	4	6	11
A. NOT OPERATED	81	2.4	3	<1	<1	2	3	5	6	10
B. OPERATED	7726	1.9	5	<1	<1	1	2	3	5	9
TOTAL 0-19 YRS	2753	1.8	4	<1	<1	1	2	3	4	7
20-34	4482	1.9	6	<1	<1	1	2	3	5	9
35-49	569	2.7	5	<1	<1	2	3	5	7	11
50-64	3	1.7		1	1	2	2	2	2	2
GRAND TOTAL	**7807**	**1.9**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	1	8.0		8	8	8	8	8	8	8
1. SINGLE DX	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX	1	8.0		8	8	8	8	8	8	8
A. NOT OPERATED	1	4.0		4	4	4	4	4	4	4
B. OPERATED	3	3.7	14	1	1	2	6	8	8	8
TOTAL 0-19 YRS										
20-34	4	3.8	10	1	1	3	6	8	8	8
35-49										
50-64										
GRAND TOTAL	**4**	**3.8**	**10**	**1**	**1**	**3**	**6**	**8**	**8**	**8**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	212	2.4	3	1	1	2	3	4	6	9
20-34	920	2.3	5	<1	1	2	3	4	6	10
35-49	59	2.7	9	1	1	2	3	6	9	17
50-64										
B. *Operated*										
0-19 YRS	785	2.1	3	<1	1	2	2	4	5	8
20-34	5225	2.1	4	<1	1	1	2	4	5	10
35-49	491	2.0	5	<1	1	2	2	4	5	8
50-64	5	1.4	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.8	9	<1	<1	3	5	9	11	12
20-34	162	3.1	14	1	1	2	4	6	8	22
35-49	14	3.5	21	<1	1	2	3	8	16	18
50-64										
B. *Operated*										
0-19 YRS	146	2.6	7	<1	1	2	3	5	7	12
20-34	977	2.8	10	<1	1	2	3	6	8	14
35-49	142	3.7	41	1	1	2	4	7	12	30
50-64	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1191	2.3	5	<1	1	2	3	4	6	11
B. *Operated*	6506	2.1	4	<1	1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	206	3.2	13	1	1	2	4	6	8	20
B. *Operated*	1266	2.9	13	<1	1	2	3	6	8	15
1. SINGLE DX	7697	2.1	4	<1	1	2	2	4	5	10
2. MULTIPLE DX	1472	2.9	13	<1	1	2	3	6	8	15
A. NOT OPERATED	1397	2.5	6	<1	1	2	3	5	6	12
B. OPERATED	7772	2.2	6	<1	1	2	2	4	6	11
TOTAL 0-19 YRS	1173	2.3	4	<1	1	2	3	5	6	9
20-34	7284	2.2	5	<1	1	2	2	4	6	11
35-49	706	2.4	13	<1	1	2	2	4	7	16
50-64	6	1.3	1	<1	<1	1	1	3	3	3
GRAND TOTAL	**9169**	**2.2**	**6**	**<1**	**1**	**2**	**2**	**4**	**6**	**11**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	3.4	5	1	1	3	5	6	8	10
20-34	196	3.8	10	1	1	3	5	8	11	17
35-49	15	2.9	3	1	1	2	5	5	6	6
50-64	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	98	3.1	10	<1	<1	2	4	7	10	17
20-34	648	2.7	8	1	1	2	3	5	7	14
35-49	46	3.1	11	<1	1	2	3	7	9	19
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.3	5	1	1	3	4	7	7	9
20-34	58	3.4	5	<1	1	3	4	6	7	14
35-49	4	5.0	18	2	2	4	8	11	11	11
50-64	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	50	3.4	8	<1	<1	2	5	7	8	16
20-34	177	3.4	14	1	1	2	4	6	10	19
35-49	19	2.6	1	1	1	2	4	4	5	5
50-64	3	12.0	43	6	6	11	17	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	285	3.7	8	1	1	3	5	7	10	15
B. *Operated*	792	2.7	8	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	94	3.4	5	1	1	3	4	7	7	13
B. *Operated*	249	3.4	13	1	1	2	4	7	10	19
1. SINGLE DX	1077	3.0	8	1	1	2	4	6	8	14
2. MULTIPLE DX	343	3.4	11	1	1	2	4	7	9	18
A. NOT OPERATED	379	3.6	8	1	1	3	5	7	9	14
B. OPERATED	1041	2.9	9	<1	1	2	3	6	8	16
TOTAL 0-19 YRS	252	3.3	8	<1	1	2	5	7	8	13
20-34	1079	3.0	9	1	1	2	4	6	8	15
35-49	84	3.0	8	1	1	2	4	5	7	17
50-64	5	9.4	35	4	4	7	13	19	19	19
GRAND TOTAL	**1420**	**3.1**	**9**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	277	3.2	4	1	1	3	4	6	7	9
20-34	1818	3.7	8	1	1	3	5	7	9	14
35-49	68	3.9	7	1	1	3	5	8	10	12
50-64	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	7	4.0	6	1	1	4	6	7	7	7
20-34	32	4.8	23	<1	1	4	6	9	18	23
35-49	4	4.8	9	1	1	5	7	8	8	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	3.8	7	<1	1	3	5	7	9	16
20-34	360	5.0	34	1	2	4	5	10	15	28
35-49	13	5.7	47	1	1	3	8	15	22	24
50-64	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	1	1.0		1		1	1	1	1	1
20-34	18	10.0	116	2	2	6	12	21	36	46
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2164	3.7	7	1	1	3	4	7	8	14
B. *Operated*	43	4.6	19	<1	1	4	6	8	13	23
2. MULTIPLE DX										
A. *Not Operated*	428	4.9	31	1	1	4	5	9	13	28
B. *Operated*	20	9.2	110	1	2	5	11	21	34	46
1. SINGLE DX	2207	3.7	7	1	1	3	5	7	8	14
2. MULTIPLE DX	448	5.1	35	1	1	4	5	10	16	28
A. NOT OPERATED	2592	3.9	11	1	1	3	5	7	9	17
B. OPERATED	63	6.1	51	1	1	4	6	13	21	43
TOTAL 0-19 YRS	339	3.3	4	1	1	3	4	6	7	9
20-34	2228	4.0	13	1	1	3	5	7	9	19
35-49	86	4.2	13	1	1	3	5	9	12	20
50-64	2	6.5	1	6	6	6	7	7	7	7
GRAND TOTAL	**2655**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.4	5	<1	1	3	5	6	8	9
20-34	85	4.8	99	<1	1	2	4	9	13	67
35-49	3	2.0	3	<1	<1	1	3	4	4	4
50-64										
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2	9	<1	<1	2	4	8	9	9
20-34	19	5.5	32	1	1	3	7	12	19	24
35-49	3	5.7	1	5	5	5	7	7	7	7
50-64										
B. *Operated*										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	7	5.9	2	4	4	6	7	8	8	8
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	4.5	82	<1	1	2	4	9	11	57
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	28	5.0	24	1	1	4	6	10	15	24
B. *Operated*	9	5.9	4	3	3	6	7	9	9	9
1. SINGLE DX	106	4.4	80	<1	1	2	4	9	11	56
2. MULTIPLE DX	37	5.2	19	1	1	4	7	9	13	24
A. NOT OPERATED	132	4.6	69	<1	1	3	5	9	12	43
B. OPERATED	11	5.1	6	1	2	5	7	8	9	9
TOTAL 0-19 YRS	24	3.5	7	<1	1	3	5	9	9	9
20-34	113	4.9	80	1	1	3	5	9	14	53
35-49	6	3.8	6	<1	<1	4	5	7	7	7
50-64										
GRAND TOTAL	**143**	**4.6**	**64**	**<1**	**1**	**3**	**5**	**9**	**11**	**38**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	182	5.0	13	1	2	4	6	8	12	19
20-34	874	4.6	10	1	2	4	6	8	11	16
35-49	66	5.1	7	2	2	5	7	8	9	15
50-64	3	6.0	13	3	3	5	9	10	10	10
B. *Operated*										
0-19 YRS	13	6.1	27	1	2	4	6	15	19	20
20-34	82	5.4	26	1	1	4	7	11	16	28
35-49	5	4.4	6	1	1	4	6	8	8	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	7.7	97	2	2	4	9	13	21	54
20-34	245	5.5	25	1	2	4	6	10	16	30
35-49	19	5.5	20	1	2	4	7	15	59	99+
50-64										
B. *Operated*										
0-19 YRS	13	6.5	55	1	1	5	7	17	26	28
20-34	107	6.5	29	1	2	5	8	11	20	27
35-49	7	3.1	3	1	1	3	5	6	6	6
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1125	4.7	10	1	2	4	6	8	11	16
B. *Operated*	100	5.4	25	1	1	4	7	11	16	26
2. MULTIPLE DX										
A. *Not Operated*	294	5.7	32	1	2	4	7	11	17	32
B. *Operated*	127	6.3	31	1	2	5	8	11	20	28
1. SINGLE DX	1225	4.8	12	1	2	4	6	8	11	18
2. MULTIPLE DX	421	5.9	31	1	2	4	7	11	17	31
A. NOT OPERATED	1419	4.9	15	1	2	4	6	9	11	21
B. OPERATED	227	5.9	28	1	1	4	7	11	18	28
TOTAL 0-19 YRS	238	5.5	27	1	2	4	7	11	14	24
20-34	1308	5.0	16	1	2	4	6	9	11	22
35-49	97	5.0	10	2	2	5	7	8	13	61
50-64	3	6.0	13	3	3	5	9	10	10	10
GRAND TOTAL	**1646**	**5.0**	**17**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	3.7	5	1	2	3	4	6	8	14
20-34	638	4.6	14	1	2	4	6	8	10	17
35-49	15	5.2	7	1	2	5	7	10	10	10
50-64										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	12	3.9	6	1	1	4	6	7	8	8
35-49	3	2.3		2	2	2	3	3	3	3
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	4.0	6	1	1	3	5	8	9	12
20-34	239	4.8	23	1	2	4	5	9	11	17
35-49	6	4.2	3	2	2	4	6	6	6	6
50-64										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	18	6.2	10	2	2	6	7	12	13	13
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	815	4.4	12	1	2	4	5	8	10	15
B. *Operated*	16	3.6	5	1	1	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	289	4.6	20	1	2	4	5	8	10	16
B. *Operated*	19	6.1	10	2	3	6	7	12	13	13
1. SINGLE DX	831	4.4	12	1	2	4	5	8	10	15
2. MULTIPLE DX	308	4.7	19	1	2	4	6	9	11	15
A. NOT OPERATED	1104	4.5	14	1	2	4	5	8	10	15
B. OPERATED	35	5.0	9	1	2	5	7	8	12	13
TOTAL 0-19 YRS	208	3.7	5	1	2	3	4	6	8	13
20-34	907	4.7	16	1	2	4	6	8	10	16
35-49	24	4.6	6	1	2	4	6	8	10	10
50-64										
GRAND TOTAL	**1139**	**4.5**	**14**	**1**	**2**	**4**	**5**	**8**	**10**	**15**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1168	1.6	9	<1	<1	1	2	3	4	7
20-34	4844	1.5	5	<1	<1	1	1	2	4	8
35-49	176	1.9	12	<1	<1	1	1	3	5	25
50-64	4	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	60	2.3	8	<1	<1	1	2	5	8	15
20-34	320	1.9	4	<1	<1	1	2	4	6	9
35-49	13	3.2	10	<1	<1	1	5	9	11	11
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	173	2.0	5	<1	<1	1	2	4	6	13
20-34	723	2.1	10	<1	<1	1	2	4	6	14
35-49	31	1.9	2	<1	<1	1	3	4	6	6
50-64										
B. *Operated*										
0-19 YRS	23	2.9	8	<1	1	2	3	5	9	14
20-34	98	3.3	27	<1	<1	2	3	7	11	31
35-49	5	4.8	14	2	2	4	6	11	11	11
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6192	1.5	6	<1	<1	1	1	2	4	8
B. *Operated*	393	2.0	5	<1	<1	1	2	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	927	2.0	8	<1	<1	1	2	4	6	14
B. *Operated*	126	3.3	22	<1	<1	2	3	7	11	27
1. SINGLE DX	6585	1.6	6	<1	<1	1	1	3	4	8
2. MULTIPLE DX	1053	2.2	10	<1	<1	1	2	4	6	15
A. NOT OPERATED	7119	1.6	6	<1	<1	1	1	3	4	9
B. OPERATED	519	2.3	9	<1	<1	1	2	5	7	16
TOTAL 0-19 YRS	1424	1.7	9	<1	<1	1	2	3	4	10
20-34	5985	1.6	6	<1	<1	1	1	3	4	10
35-49	225	2.0	11	<1	<1	1	2	4	6	16
50-64	4	1.3		<1	<1	1	2	2	2	2
GRAND TOTAL	**7638**	**1.6**	**6**	**<1**	**<1**	**1**	**1**	**3**	**4**	**10**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	6.2	50	<1	1	3	9	15	24	28
20-34	185	5.5	58	1	1	4	6	10	18	38
35-49	12	5.6	41	1	1	3	6	17	20	21
50-64										
B. *Operated*										
0-19 YRS	2	8.0	98	1	1	8	15	15	15	15
20-34	19	12.7	216	1	2	6	16	39	51	51
35-49	3	4.3	33	<1	<1	1	8	11	11	11
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.8	21	2	2	8	11	11	11	11
20-34	70	8.2	82	1	2	6	9	21	26	48
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	7.8	22	3	3	7	11	14	14	14
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	5.6	56	1	1	4	7	10	18	35
B. *Operated*	24	11.3	186	<1	1	6	15	25	50	51
2. MULTIPLE DX										
A. *Not Operated*	76	8.1	77	1	2	6	9	20	25	48
B. *Operated*	6	7.3	14	3	3	7	8	13	14	14
1. SINGLE DX	242	6.1	71	1	1	4	7	13	19	50
2. MULTIPLE DX	82	8.1	72	1	2	6	9	18	25	47
A. NOT OPERATED	294	6.2	62	1	1	4	7	12	21	41
B. OPERATED	30	10.5	152	1	1	6	14	20	50	51
TOTAL 0-19 YRS	29	6.4	43	1	1	5	10	14	21	28
20-34	278	6.7	77	1	1	4	7	14	22	50
35-49	17	5.8	34	<1	1	3	8	15	19	21
50-64										
GRAND TOTAL	**324**	**6.6**	**72**	**1**	**1**	**4**	**8**	**14**	**21**	**50**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	136	3.3	12	1	1	3	4	5	7	18
20-34	637	3.4	12	<1	1	3	4	7	9	17
35-49	24	5.0	35	<1	1	3	6	12	19	27
50-64										
B. *Operated*										
0-19 YRS	17	4.5	24	<1	1	3	4	13	18	19
20-34	90	4.5	18	1	1	3	6	10	14	22
35-49	8	2.3	3	<1	<1	2	3	5	5	5
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	4.8	25	<1	1	4	5	10	19	23
20-34	190	4.5	25	1	1	3	5	7	13	27
35-49	10	4.6	10	1	1	4	6	9	11	11
50-64										
B. *Operated*										
0-19 YRS	3	6.7	30	1	1	7	11	12	12	12
20-34	36	5.5	32	1	1	4	7	11	14	31
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	797	3.4	12	<1	1	3	4	7	9	17
B. *Operated*	115	4.3	18	<1	1	3	5	10	15	21
2. MULTIPLE DX										
A. *Not Operated*	245	4.6	24	1	1	3	5	8	13	24
B. *Operated*	40	5.6	31	1	1	4	7	11	14	31
1. SINGLE DX	912	3.5	13	<1	1	3	4	7	10	19
2. MULTIPLE DX	285	4.7	25	1	1	3	5	10	14	28
A. NOT OPERATED	1042	3.7	15	<1	1	3	4	7	10	21
B. OPERATED	155	4.7	21	1	1	3	6	10	14	24
TOTAL 0-19 YRS	201	3.8	16	<1	1	3	4	6	12	22
20-34	953	3.8	16	<1	1	3	5	7	11	21
35-49	43	4.4	23	<1	1	3	5	9	13	27
50-64										
GRAND TOTAL	**1197**	**3.8**	**16**	**<1**	**1**	**3**	**5**	**7**	**11**	**22**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	4.2	7	1	1	4	5	8	9	13
20-34	313	3.7	7	<1	1	3	5	7	8	13
35-49	11	3.7	3	1	1	3	5	6	7	7
50-64										
B. *Operated*										
0-19 YRS	8	3.1	4	<1	<1	3	4	6	7	7
20-34	35	4.4	14	1	2	3	5	8	11	21
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	174	3.9	6	1	1	3	5	7	9	12
20-34	345	4.2	21	1	1	3	5	8	9	19
35-49	16	4.8	6	2	2	4	7	9	10	10
50-64										
B. *Operated*										
0-19 YRS	21	4.7	17	<1	1	2	7	10	14	17
20-34	62	5.4	15	1	2	4	6	12	15	17
35-49	2	6.5	13	4	4	6	9	9	9	9
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	453	3.8	7	<1	1	3	5	7	8	13
B. *Operated*	45	4.2	12	1	1	3	5	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	535	4.1	16	1	1	3	5	7	9	12
B. *Operated*	85	5.2	15	1	2	4	7	11	15	17
1. SINGLE DX	498	3.9	7	<1	1	3	5	7	9	14
2. MULTIPLE DX	620	4.3	16	1	1	3	5	8	10	16
A. NOT OPERATED	988	4.0	11	1	1	3	5	7	9	13
B. OPERATED	130	4.9	14	1	1	4	6	9	13	18
TOTAL 0-19 YRS	332	4.0	7	1	1	4	5	8	9	12
20-34	755	4.1	14	1	1	3	5	7	9	17
35-49	31	4.6	6	2	2	4	7	8	9	10
50-64										
GRAND TOTAL	**1118**	**4.1**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	5.2	25	<1	1	4	6	13	15	25
20-34	198	5.2	17	<1	1	4	7	10	12	21
35-49	15	4.7	9	1	1	4	7	9	10	11
50-64										
B. *Operated*										
0-19 YRS	8	9.5	46	2	3	7	16	19	20	20
20-34	39	5.0	12	<1	1	4	7	8	11	19
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	3.8	8	<1	1	3	5	7	10	14
20-34	438	5.0	22	<1	1	4	6	11	14	22
35-49	31	7.2	35	1	1	5	11	16	21	23
50-64	3	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	12	5.3	13	1	1	5	8	11	11	11
20-34	80	8.9	109	1	2	6	10	17	29	61
35-49	7	5.7	24	2	2	5	6	14	16	16
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253	5.2	17	<1	1	4	7	10	14	21
B. *Operated*	49	5.7	19	1	1	5	7	11	16	20
2. MULTIPLE DX										
A. *Not Operated*	567	4.9	21	<1	1	4	6	11	14	22
B. *Operated*	99	8.2	93	1	2	5	9	16	26	60
1. SINGLE DX	302	5.3	18	<1	1	4	7	10	14	21
2. MULTIPLE DX	666	5.4	33	1	1	4	7	11	15	28
A. NOT OPERATED	820	5.0	20	<1	1	4	7	10	14	22
B. OPERATED	148	7.4	70	1	2	5	8	16	19	55
TOTAL 0-19 YRS	155	4.6	16	<1	1	3	6	10	14	20
20-34	755	5.5	31	<1	1	4	7	11	15	25
35-49	55	6.3	26	1	1	5	9	13	17	23
50-64	3	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**968**	**5.4**	**28**	**1**	**1**	**4**	**7**	**11**	**15**	**24**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	334	3.5	17	<1	<1	2	4	8	11	23
20-34	1412	3.7	24	<1	<1	2	4	8	11	24
35-49	71	5.3	27	1	1	4	6	12	15	29
50-64										
B. *Operated*										
0-19 YRS	90	4.8	29	<1	1	3	6	10	16	29
20-34	767	4.0	23	<1	<1	3	4	8	10	26
35-49	63	4.2	28	<1	<1	3	5	8	11	36
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	4.7	31	1	1	3	5	11	15	32
20-34	818	5.1	47	<1	1	3	6	11	17	38
35-49	33	8.0	112	1	1	4	8	19	40	43
50-64	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	63	5.8	33	<1	1	5	8	12	19	29
20-34	488	6.7	81	1	1	4	7	14	28	46
35-49	41	6.2	37	1	1	5	8	9	19	34
50-64	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1817	3.8	23	<1	<1	2	4	8	11	24
B. *Operated*	920	4.1	24	<1	<1	3	5	8	11	27
2. MULTIPLE DX										
A. *Not Operated*	1036	5.1	46	<1	1	3	6	11	17	37
B. *Operated*	593	6.6	72	1	1	4	7	13	25	44
1. SINGLE DX	2737	3.9	23	<1	<1	3	4	8	11	25
2. MULTIPLE DX	1629	5.7	56	<1	1	3	6	11	19	41
A. NOT OPERATED	2853	4.3	32	<1	1	3	5	9	14	32
B. OPERATED	1513	5.1	44	<1	1	3	6	9	16	38
TOTAL 0-19 YRS	671	4.2	24	<1	1	3	5	9	15	27
20-34	3485	4.6	38	<1	1	3	5	9	14	34
35-49	208	5.6	44	<1	1	4	7	10	15	40
50-64	2	3.5	1	3	3	3	4	4	4	4
GRAND TOTAL	**4366**	**4.6**	**36**	**<1**	**1**	**3**	**5**	**9**	**14**	**33**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	4.3	2	2	2	5	5	6	6	6
20-34	128	5.2	18	2	3	4	5	7	10	30
35-49	4	4.0	1	3	3	4	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	10	7.9	24	3	3	6	11	16	16	16
20-34	97	7.9	29	4	4	6	9	16	21	26
35-49	4	6.3	28	2	2	4	9	14	14	14
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	5.2	3	3	3	5	6	7	10	10
20-34	134	6.0	19	3	3	5	6	10	12	21
35-49	7	5.1	6	2	2	5	5	9	10	10
50-64	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	23	15.0	214	3	4	7	21	35	46	64
20-34	309	12.3	163	4	4	8	14	24	37	74
35-49	32	11.4	65	4	4	8	15	24	33	34
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	5.0	15	2	3	4	5	7	9	29
B. *Operated*	111	7.8	29	3	4	6	9	16	19	26
2. MULTIPLE DX										
A. *Not Operated*	170	5.8	16	3	3	5	6	10	11	16
B. *Operated*	364	12.4	158	4	4	8	14	24	35	72
1. SINGLE DX	263	6.2	23	3	3	5	6	11	16	27
2. MULTIPLE DX	534	10.3	122	3	4	7	10	21	31	66
A. NOT OPERATED	322	5.4	16	2	3	5	6	7	11	25
B. OPERATED	475	11.3	131	4	4	7	13	22	33	66
TOTAL 0-19 YRS	80	8.1	84	3	3	5	7	16	26	56
20-34	668	9.0	97	3	4	6	9	18	25	56
35-49	47	9.4	56	3	4	6	13	16	26	34
50-64	2	5.0	18	2	2	5	8	8	8	8
GRAND TOTAL	**797**	**8.9**	**93**	**3**	**4**	**6**	**9**	**17**	**25**	**55**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3317	4.7	4	3	3	5	5	6	7	10
20-34	21952	4.6	4	3	3	4	5	6	7	9
35-49	697	4.7	10	2	3	4	5	6	7	10
50-64	10	3.8	1	2	2	4	4	5	5	5
B. *Operated*										
0-19 YRS	457	5.1	3	3	3	5	6	7	8	12
20-34	3408	5.1	6	3	3	5	6	7	8	11
35-49	155	5.1	2	3	3	5	6	7	7	9
50-64	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	274	5.5	7	3	3	5	6	8	10	17
20-34	1686	5.3	8	3	3	5	6	7	9	15
35-49	75	5.4	8	3	3	5	6	9	10	20
50-64	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
0-19 YRS	101	6.3	8	3	4	6	7	9	13	16
20-34	2829	5.7	6	4	4	5	6	8	9	15
35-49	314	6.1	9	4	4	6	7	8	9	21
50-64	3	12.0	127	5	5	6	20	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25976	4.6	4	3	3	4	5	6	7	9
B. *Operated*	4021	5.1	5	3	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	2037	5.3	8	3	3	5	6	7	9	16
B. *Operated*	3247	5.8	6	4	4	5	6	8	9	15
1. SINGLE DX	29997	4.6	4	3	3	4	5	6	7	9
2. MULTIPLE DX	5284	5.6	7	3	4	5	6	8	9	16
A. NOT OPERATED	28013	4.6	5	3	3	4	5	6	7	10
B. OPERATED	7268	5.4	6	3	4	5	6	7	8	13
TOTAL 0-19 YRS	4149	4.8	4	3	3	5	5	6	7	11
20-34	29875	4.8	5	3	3	5	5	6	7	11
35-49	1241	5.2	9	3	3	5	6	7	8	11
50-64	16	5.6	28	2	3	4	5	6	19	25
GRAND TOTAL	**35281**	**4.8**	**5**	**3**	**3**	**5**	**5**	**6**	**7**	**11**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	5	1	1	5	5	5	5	5
20-34	17	5.6	14	1	2	5	6	7	15	19
35-49	1	29.0		29	29	29	29	29	29	29
50-64										
B. *Operated*										
0-19 YRS	13	10.0	73	4	5	7	10	20	33	36
20-34	97	14.1	212	4	5	8	15	35	53	66
35-49	7	6.9	1	5	5	7	8	8	8	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	9	<1	<1	4	7	9	9	9
20-34	22	6.3	32	2	3	5	6	9	18	30
35-49	3	28.3	462	7	7	28	44	50	50	50
50-64										
B. *Operated*										
0-19 YRS	10	13.5	395	2	4	7	9	43	69	69
20-34	248	15.0	288	5	5	8	14	36	53	90
35-49	33	17.1	325	5	6	8	16	43	61	76
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	6.5	39	1	2	5	6	12	23	29
B. *Operated*	117	13.2	187	4	5	7	14	31	48	65
2. MULTIPLE DX										
A. *Not Operated*	30	8.2	103	1	3	5	7	19	30	50
B. *Operated*	291	15.1	294	5	5	8	14	38	58	89
1. SINGLE DX	138	12.2	170	4	4	7	12	29	46	64
2. MULTIPLE DX	321	14.5	280	4	5	8	13	36	52	88
A. NOT OPERATED	51	7.5	76	1	2	5	7	14	29	50
B. OPERATED	408	14.6	263	4	5	8	14	36	53	82
TOTAL 0-19 YRS	31	9.6	162	1	3	6	8	16	35	69
20-34	384	13.8	248	4	5	8	13	33	50	84
35-49	44	16.5	293	5	6	8	17	42	54	76
50-64										
GRAND TOTAL	**459**	**13.8**	**247**	**4**	**5**	**8**	**13**	**34**	**50**	**79**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	4.8	4	<1	1	5	6	7	8	8
20-34	132	5.3	9	2	3	5	6	8	10	21
35-49	7	5.4	4	3	3	5	7	9	9	9
50-64										
B. *Operated*										
0-19 YRS	22	8.3	22	4	4	7	9	15	20	22
20-34	134	7.1	21	3	4	6	8	10	15	29
35-49	3	7.0	4	5	5	7	8	9	9	9
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.5	16	<1	1	3	5	9	15	16
20-34	102	5.1	11	2	3	5	5	8	11	21
35-49	3	5.3		5	5	5	6	6	6	6
50-64										
B. *Operated*										
0-19 YRS	57	10.0	104	2	3	7	10	26	30	59
20-34	361	7.3	31	3	4	6	8	11	15	28
35-49	24	12.0	285	4	4	7	8	34	54	78
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	5.2	8	2	3	5	6	8	9	19
B. *Operated*	159	7.2	21	4	4	6	8	11	16	29
2. MULTIPLE DX										
A. *Not Operated*	118	5.0	11	1	2	5	5	8	11	20
B. *Operated*	442	7.9	55	3	4	6	8	12	18	45
1. SINGLE DX	314	6.2	16	3	3	5	7	9	12	27
2. MULTIPLE DX	560	7.3	47	3	3	6	8	11	17	39
A. NOT OPERATED	273	5.1	9	2	3	5	6	8	10	19
B. OPERATED	601	7.7	46	3	4	6	8	12	17	37
TOTAL 0-19 YRS	108	8.2	67	1	3	6	8	16	27	46
20-34	729	6.6	23	3	3	5	7	10	14	27
35-49	37	9.8	193	4	4	6	8	11	40	78
50-64										
GRAND TOTAL	**874**	**6.9**	**36**	**3**	**3**	**6**	**7**	**10**	**15**	**31**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.3	7	2	2	5	7	9	10	10
20-34	43	4.7	3	1	3	5	5	7	8	9
35-49										
50-64										
B. *Operated*										
0-19 YRS	53	5.0	10	2	2	5	6	7	8	23
20-34	425	4.2	3	1	2	4	5	6	7	11
35-49	17	5.1	2	3	3	5	6	7	8	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8		4	4	5	5	5	5	5
20-34	30	4.8	3	3	3	5	5	7	7	11
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64										
B. *Operated*										
0-19 YRS	35	5.6	9	3	4	5	6	7	14	17
20-34	361	5.4	8	3	3	5	6	7	9	17
35-49	14	6.7	13	1	3	6	9	10	15	16
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	4.8	3	1	3	5	6	7	8	10
B. *Operated*	495	4.3	4	1	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	36	4.7	3	2	3	5	5	6	7	11
B. *Operated*	410	5.5	9	3	3	5	6	8	9	17
1. SINGLE DX	546	4.4	4	1	2	4	5	6	7	11
2. MULTIPLE DX	446	5.4	8	3	3	5	6	7	9	17
A. NOT OPERATED	87	4.7	3	2	3	5	5	7	8	11
B. OPERATED	905	4.9	7	1	2	5	6	7	8	15
TOTAL 0-19 YRS	100	5.2	9	2	3	5	6	7	9	20
20-34	859	4.8	6	1	2	5	6	7	8	13
35-49	33	5.7	8	1	3	5	7	9	9	16
50-64										
GRAND TOTAL	**992**	**4.8**	**6**	**1**	**2**	**5**	**6**	**7**	**8**	**15**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	4.8	2	3	3	5	6	6	7	8
20-34	286	4.7	2	3	3	5	5	6	7	9
35-49	4	6.3	5	4	4	6	8	9	9	9
50-64										
B. *Operated*										
0-19 YRS	15	4.9	2	2	4	5	5	6	8	8
20-34	90	4.8	3	1	3	5	6	7	7	9
35-49	4	5.3	8	2	2	5	7	8	8	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	5.3	1	3	4	5	6	7	7	8
20-34	150	5.2	4	3	3	5	6	7	9	11
35-49	2	6.5	5	5	5	6	8	8	8	8
50-64	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	28	5.6	4	3	4	5	7	8	9	12
20-34	196	5.8	5	3	4	5	7	8	9	18
35-49	7	6.7	9	4	4	6	7	12	13	13
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	338	4.8	2	3	3	5	5	6	7	9
B. *Operated*	109	4.9	3	1	3	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	184	5.2	3	3	3	5	6	7	8	11
B. *Operated*	231	5.8	5	3	4	5	7	8	9	16
1. SINGLE DX	447	4.8	2	3	3	5	6	6	7	9
2. MULTIPLE DX	415	5.5	5	3	4	5	6	8	9	13
A. NOT OPERATED	522	4.9	2	3	3	5	6	7	8	10
B. OPERATED	340	5.5	5	3	4	5	6	8	9	13
TOTAL 0-19 YRS	121	5.1	2	3	4	5	6	7	8	10
20-34	722	5.1	3	3	3	5	6	7	8	11
35-49	17	6.2	6	3	4	6	7	9	12	13
50-64	2	4.0	2	3	3	4	5	5	5	5
GRAND TOTAL	**862**	**5.1**	**3**	**3**	**3**	**5**	**6**	**7**	**8**	**11**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	6.8	18	3	3	6	8	14	16	16
20-34	56	7.4	53	4	4	6	7	9	19	50
35-49										
50-64										
B. *Operated*										
0-19 YRS	4	24.5	668	9	9	13	39	63	63	63
20-34	33	8.6	47	4	4	6	8	16	29	32
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	9.7	154	3	3	6	8	30	42	42
20-34	80	8.4	105	2	3	6	8	13	25	67
35-49	4	4.8	5	2	2	5	6	7	7	7
50-64										
B. *Operated*										
0-19 YRS	28	8.0	24	3	4	7	9	12	20	26
20-34	364	11.2	121	4	4	7	12	22	37	57
35-49	23	15.6	320	3	4	8	14	39	63	71
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	7.3	48	3	4	6	7	9	18	48
B. *Operated*	38	10.1	120	4	4	6	10	20	31	63
2. MULTIPLE DX										
A. *Not Operated*	93	8.3	105	2	3	6	8	12	26	63
B. *Operated*	415	11.3	126	4	4	7	12	22	36	58
1. SINGLE DX	102	8.3	76	3	4	6	8	14	25	57
2. MULTIPLE DX	508	10.7	123	3	4	7	11	21	34	58
A. NOT OPERATED	157	7.9	81	3	3	6	8	12	24	52
B. OPERATED	453	11.2	125	4	4	7	12	22	34	58
TOTAL 0-19 YRS	49	9.5	105	3	3	7	10	16	27	63
20-34	533	10.2	108	3	4	7	10	20	32	55
35-49	28	13.6	280	3	3	7	12	33	59	71
50-64										
GRAND TOTAL	**610**	**10.3**	**116**	**3**	**4**	**7**	**10**	**20**	**33**	**58**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	4.9	7	1	2	5	6	7	10	15
20-34	195	5.1	7	3	3	5	6	7	7	11
35-49	12	4.4	2	2	3	4	5	6	7	7
50-64										
B. *Operated*										
0-19 YRS	84	6.2	7	3	4	6	7	9	10	19
20-34	664	6.1	4	3	4	6	7	9	9	13
35-49	15	6.6	4	3	4	7	8	9	10	11
50-64	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	6.2	11	2	2	6	7	11	13	13
20-34	93	7.4	68	2	3	5	7	10	18	54
35-49	8	6.9	11	3	3	6	9	12	13	13
50-64										
B. *Operated*										
0-19 YRS	146	7.1	16	3	4	7	8	11	15	24
20-34	1257	7.2	15	3	4	7	8	10	13	23
35-49	77	8.0	22	3	4	7	8	13	20	26
50-64	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	232	5.0	6	3	3	5	6	7	7	13
B. *Operated*	764	6.1	5	3	4	6	7	9	9	13
2. MULTIPLE DX										
A. *Not Operated*	110	7.3	59	2	3	5	7	11	17	49
B. *Operated*	1481	7.2	15	3	4	7	8	11	13	25
1. SINGLE DX	996	5.9	5	3	4	6	7	8	9	13
2. MULTIPLE DX	1591	7.2	18	3	4	7	8	11	13	26
A. NOT OPERATED	342	5.7	24	3	3	5	6	8	9	31
B. OPERATED	2245	6.8	12	3	4	6	8	10	12	22
TOTAL 0-19 YRS	264	6.6	12	3	4	6	8	10	13	23
20-34	2209	6.7	14	3	4	6	8	9	11	21
35-49	112	7.4	18	3	4	7	8	11	15	26
50-64	2	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**2587**	**6.7**	**14**	**3**	**4**	**6**	**8**	**9**	**12**	**22**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	4.8	3	3	3	4	6	7	8	12
20-34	443	4.8	12	3	3	4	5	6	7	11
35-49	20	4.8	2	2	3	5	6	6	7	8
50-64										
B. *Operated*										
0-19 YRS	174	6.1	7	4	4	6	7	9	10	15
20-34	1025	5.7	4	3	4	5	7	8	9	13
35-49	38	6.0	18	3	3	5	6	10	12	28
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	6.8	40	2	3	5	6	9	21	39
20-34	285	5.2	6	3	3	5	6	7	8	19
35-49	16	5.1	3	1	4	5	7	7	7	7
50-64										
B. *Operated*										
0-19 YRS	343	6.7	16	3	4	6	8	9	11	22
20-34	2804	6.6	13	4	4	6	7	9	11	22
35-49	169	8.3	44	4	4	7	8	12	21	43
50-64	1	12.0		12	12	12	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	543	4.8	10	3	3	4	5	6	7	11
B. *Operated*	1237	5.7	5	3	4	5	7	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	349	5.4	11	3	3	5	6	7	9	23
B. *Operated*	3317	6.7	15	4	4	6	7	9	12	24
1. SINGLE DX	1780	5.5	7	3	4	5	6	8	9	13
2. MULTIPLE DX	3666	6.6	15	4	4	6	7	9	11	24
A. NOT OPERATED	892	5.0	10	3	3	5	5	7	8	14
B. OPERATED	4554	6.4	13	4	4	6	7	9	11	21
TOTAL 0-19 YRS	645	6.3	14	3	4	6	7	9	11	22
20-34	4557	6.1	11	3	4	5	7	8	10	20
35-49	243	7.5	36	3	4	6	8	11	16	37
50-64	1	12.0		12	12	12	12	12	12	12
GRAND TOTAL	**5446**	**6.2**	**13**	**3**	**4**	**5**	**7**	**9**	**11**	**21**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5		5	5	5	6	6	6	6
20-34	63	4.9	2	3	3	5	5	7	8	8
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64										
B. *Operated*										
0-19 YRS	186	7.5	7	5	5	7	8	10	12	20
20-34	905	7.5	9	5	5	7	8	9	11	18
35-49	26	7.7	4	5	5	8	9	10	11	13
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.4	61	1	2	5	7	21	26	26
20-34	65	6.6	6	4	4	6	7	9	11	18
35-49	4	5.8	2	5	5	5	7	8	8	8
50-64										
B. *Operated*										
0-19 YRS	347	9.0	33	5	6	8	10	14	17	32
20-34	2373	8.2	21	5	5	7	9	11	13	27
35-49	119	8.6	14	5	6	8	9	11	15	27
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	4.9	2	3	3	5	5	7	8	8
B. *Operated*	1117	7.5	8	5	5	7	8	10	11	18
2. MULTIPLE DX										
A. *Not Operated*	77	6.6	11	4	4	6	7	9	12	24
B. *Operated*	2839	8.3	23	5	5	7	9	11	14	27
1. SINGLE DX	1186	7.4	8	4	5	7	8	9	11	18
2. MULTIPLE DX	2916	8.2	22	5	5	7	9	11	14	27
A. NOT OPERATED	146	5.8	7	3	4	5	7	8	9	19
B. OPERATED	3956	8.1	19	5	5	7	9	11	13	25
TOTAL 0-19 YRS	545	8.5	25	5	5	7	9	12	15	28
20-34	3406	7.9	18	5	5	7	8	10	12	23
35-49	151	8.3	13	5	6	8	9	11	13	25
50-64										
GRAND TOTAL	**4102**	**8.0**	**18**	**5**	**5**	**7**	**9**	**10**	**13**	**25**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	4.9	2	2	3	5	6	7	7	10
20-34	437	5.2	4	3	4	5	6	7	8	12
35-49	10	6.1	5	4	4	6	7	9	11	11
50-64										
B. *Operated*										
0-19 YRS	205	5.6	5	3	4	5	6	8	10	14
20-34	1278	5.6	5	3	4	5	6	8	9	12
35-49	25	5.5	4	3	3	5	7	9	9	10
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	5.2	3	3	3	5	6	7	9	10
20-34	313	5.6	5	3	4	5	6	8	9	16
35-49	8	5.8	10	1	2	5	8	10	10	10
50-64										
B. *Operated*										
0-19 YRS	322	6.5	8	4	4	6	7	10	12	18
20-34	2396	6.4	10	4	4	6	7	9	11	19
35-49	111	7.4	16	4	4	6	8	11	15	26
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	516	5.2	3	3	4	5	6	7	8	12
B. *Operated*	1508	5.6	5	3	4	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	368	5.6	5	3	4	5	6	8	9	15
B. *Operated*	2829	6.5	10	4	4	6	7	9	11	19
1. SINGLE DX	2024	5.5	5	3	4	5	6	8	9	12
2. MULTIPLE DX	3197	6.4	9	4	4	6	7	9	11	18
A. NOT OPERATED	884	5.3	4	3	4	5	6	7	8	12
B. OPERATED	4337	6.2	8	4	4	6	7	9	10	16
TOTAL 0-19 YRS	643	5.9	6	3	4	5	7	9	11	16
20-34	4424	6.0	8	3	4	5	7	8	10	16
35-49	154	6.9	13	3	4	6	8	10	13	24
50-64										
GRAND TOTAL	**5221**	**6.0**	**8**	**3**	**4**	**5**	**7**	**9**	**10**	**16**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	4.8	3	2	3	5	6	7	8	9
20-34	101	5.4	6	3	4	5	6	7	8	18
35-49	4	4.3	2	3	3	4	5	6	6	6
50-64										
B. *Operated*										
0-19 YRS	29	6.8	10	4	4	6	8	10	16	16
20-34	196	6.6	27	3	4	6	7	9	11	38
35-49	8	5.3	6	<1	1	5	7	8	8	8
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	5.2	1	4	4	5	6	6	7	7
20-34	83	6.2	49	3	4	5	6	7	9	51
35-49	5	5.0	2	4	4	5	6	7	7	7
50-64										
B. *Operated*										
0-19 YRS	54	8.6	48	4	4	7	8	16	20	48
20-34	464	7.5	28	4	4	7	8	10	12	30
35-49	38	8.1	28	3	3	7	8	15	22	27
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	5.2	5	3	3	5	6	7	8	14
B. *Operated*	233	6.6	24	3	4	6	7	9	11	37
2. MULTIPLE DX										
A. *Not Operated*	102	6.0	40	3	4	5	6	7	8	43
B. *Operated*	556	7.6	30	4	4	7	8	10	14	30
1. SINGLE DX	361	6.1	18	3	4	5	7	8	10	25
2. MULTIPLE DX	658	7.4	32	4	4	6	8	10	13	30
A. NOT OPERATED	230	5.6	21	3	4	5	6	7	8	22
B. OPERATED	789	7.3	29	4	4	6	8	10	13	34
TOTAL 0-19 YRS	120	7.1	27	4	4	6	8	10	16	29
20-34	844	6.9	28	3	4	6	7	9	11	30
35-49	55	7.1	22	3	3	6	8	10	19	27
50-64										
GRAND TOTAL	**1019**	**6.9**	**27**	**3**	**4**	**6**	**8**	**9**	**12**	**28**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	34	6.1	4	4	4	6	8	8	9	12
35-49	3	7.3		7	7	7	8	8	8	8
50-64										
B. *Operated*										
0-19 YRS	74	7.1	4	4	5	7	8	9	10	17
20-34	1982	7.3	4	5	6	7	8	9	10	14
35-49	66	7.8	16	6	6	7	8	9	10	34
50-64	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.7		7	7	8	8	8	8	8
20-34	42	8.2	46	4	5	7	8	9	13	49
35-49	7	8.0		7	7	8	8	9	9	9
50-64										
B. *Operated*										
0-19 YRS	70	8.7	28	5	5	7	9	13	14	35
20-34	2607	8.1	15	5	6	7	8	10	13	25
35-49	237	8.6	12	6	6	8	9	10	14	22
50-64	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	6.2	4	4	4	6	8	8	9	12
B. *Operated*	2124	7.3	4	5	6	7	8	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	52	8.2	37	4	5	8	8	9	11	48
B. *Operated*	2915	8.1	15	5	6	7	8	10	13	25
1. SINGLE DX	2161	7.3	4	5	6	7	8	9	10	15
2. MULTIPLE DX	2967	8.1	15	5	6	7	8	10	13	25
A. NOT OPERATED	89	7.3	24	4	4	7	8	9	10	36
B. OPERATED	5039	7.8	10	5	6	7	8	9	11	22
TOTAL 0-19 YRS	147	7.9	16	5	5	7	8	10	13	33
20-34	4665	7.7	10	5	6	7	8	9	11	21
35-49	313	8.4	13	6	6	8	9	10	13	23
50-64	3	6.0	3	4	4	7	7	7	7	7
GRAND TOTAL	**5128**	**7.8**	**11**	**5**	**6**	**7**	**8**	**9**	**11**	**22**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	4.3	8	1	1	4	5	7	9	16
20-34	879	4.6	8	1	1	4	5	7	9	17
35-49	21	5.7	9	1	2	5	8	10	10	11
50-64	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	95	5.7	6	3	4	5	7	9	10	15
20-34	622	5.6	7	3	4	5	6	8	9	17
35-49	27	5.2	2	3	4	5	6	7	7	8
50-64	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	6.3	116	1	2	5	6	9	12	77
20-34	506	5.7	30	2	3	5	6	8	11	26
35-49	18	5.4	6	3	3	4	7	9	10	11
50-64										
B. *Operated*										
0-19 YRS	173	6.9	21	3	4	6	8	11	14	30
20-34	1537	6.9	23	3	4	6	8	10	13	30
35-49	90	7.3	21	4	4	6	8	11	13	32
50-64	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1077	4.6	8	1	1	4	5	7	9	17
B. *Operated*	745	5.6	7	3	4	5	6	8	9	17
2. MULTIPLE DX										
A. *Not Operated*	594	5.7	39	1	3	5	6	8	11	27
B. *Operated*	1801	6.9	23	3	4	6	8	10	13	30
1. SINGLE DX	1822	5.0	8	1	2	5	6	7	9	17
2. MULTIPLE DX	2395	6.6	27	3	4	6	7	10	13	30
A. NOT OPERATED	1671	5.0	19	1	2	4	6	8	9	18
B. OPERATED	2546	6.5	18	3	4	6	7	9	12	28
TOTAL 0-19 YRS	514	5.7	28	1	2	5	7	9	11	22
20-34	3544	5.9	18	2	3	5	7	9	11	24
35-49	156	6.5	15	3	4	6	7	9	11	29
50-64	3	5.0	3	4	4	4	6	7	7	7
GRAND TOTAL	**4217**	**5.9**	**19**	**2**	**3**	**5**	**7**	**9**	**11**	**24**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	270	4.7	5	3	3	5	5	6	7	10
20-34	1971	4.6	2	3	3	4	5	6	7	9
35-49	62	4.8	3	3	3	5	5	7	8	11
50-64										
B. *Operated*										
0-19 YRS	69	4.9	1	3	4	5	5	6	7	9
20-34	536	5.1	4	3	4	5	6	7	8	15
35-49	29	5.6	7	3	4	5	7	8	11	16
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	5.0	4	2	3	5	6	7	8	13
20-34	665	4.9	2	3	3	5	6	6	8	10
35-49	20	5.0	2	3	3	5	5	7	8	8
50-64	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	121	5.5	7	3	3	5	6	8	10	17
20-34	1167	5.5	7	3	4	5	6	8	9	17
35-49	80	5.7	5	3	4	5	7	8	10	14
50-64	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2303	4.6	2	3	3	4	5	6	7	9
B. *Operated*	634	5.1	4	3	4	5	6	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	783	4.9	3	3	3	5	6	7	8	11
B. *Operated*	1369	5.5	7	3	4	5	6	8	9	16
1. SINGLE DX	2937	4.7	3	3	3	5	5	6	7	10
2. MULTIPLE DX	2152	5.3	6	3	4	5	6	7	8	14
A. NOT OPERATED	3086	4.7	2	3	3	5	5	6	7	10
B. OPERATED	2003	5.4	6	3	4	5	6	7	8	16
TOTAL 0-19 YRS	557	5.0	5	3	3	5	5	7	8	12
20-34	4339	4.9	4	3	3	5	5	7	8	11
35-49	191	5.3	4	3	3	5	6	8	10	14
50-64	2	5.0	2	4	4	5	6	6	6	6
GRAND TOTAL	**5089**	**4.9**	**4**	**3**	**3**	**5**	**5**	**7**	**8**	**12**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	4.6	4	3	3	4	5	6	7	14
20-34	779	4.4	3	2	3	4	5	6	7	10
35-49	34	3.9	3	1	1	4	5	6	7	8
50-64	3	3.3	4	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS	424	4.4	3	2	3	4	5	6	7	10
20-34	5022	4.4	4	3	3	4	5	6	7	10
35-49	239	4.5	2	3	3	4	5	6	7	20
50-64	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	4.6	2	3	3	4	5	7	7	7
20-34	224	4.9	4	2	3	5	6	7	9	13
35-49	16	5.6	7	3	3	5	7	8	12	14
50-64										
B. *Operated*										
0-19 YRS	230	5.4	11	3	3	5	6	8	9	20
20-34	3172	5.3	9	3	3	5	6	7	9	16
35-49	272	5.9	12	3	4	5	6	8	10	27
50-64	2	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	895	4.4	3	2	3	4	5	6	7	10
B. *Operated*	5687	4.4	3	3	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	261	4.9	4	2	3	5	6	7	9	14
B. *Operated*	3676	5.3	9	3	3	5	6	7	9	16
1. SINGLE DX	6582	4.4	3	2	3	4	5	6	7	10
2. MULTIPLE DX	3937	5.3	9	3	3	5	6	7	9	16
A. NOT OPERATED	1156	4.5	4	2	3	4	5	6	7	11
B. OPERATED	9363	4.8	6	3	3	4	5	6	8	13
TOTAL 0-19 YRS	754	4.7	5	2	3	4	5	7	8	15
20-34	9197	4.7	6	3	3	4	5	6	7	12
35-49	561	5.2	8	3	3	5	6	7	8	24
50-64	7	3.7	2	1	1	4	5	5	5	5
GRAND TOTAL	**10519**	**4.8**	**6**	**3**	**3**	**4**	**5**	**6**	**8**	**13**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	4.5	3	2	2	4	6	7	8	8
20-34	116	4.7	2	2	3	5	6	6	7	9
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
B. *Operated*										
0-19 YRS	194	4.9	5	3	3	5	5	6	8	17
20-34	1164	4.8	5	3	3	4	5	6	7	10
35-49	47	4.7	2	3	3	5	5	6	7	9
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	8.4	31	4	4	6	12	17	22	22
20-34	42	5.1	2	3	4	5	6	7	8	10
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64										
B. *Operated*										
0-19 YRS	141	5.6	11	3	4	5	6	8	9	18
20-34	1038	5.5	16	3	4	5	6	8	9	19
35-49	48	5.8	7	4	4	5	6	9	12	17
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	4.7	2	2	3	5	6	6	7	8
B. *Operated*	1405	4.8	5	3	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	56	5.7	9	3	4	5	6	8	12	21
B. *Operated*	1227	5.6	15	3	4	5	6	8	9	18
1. SINGLE DX	1550	4.8	5	3	3	5	5	6	7	10
2. MULTIPLE DX	1283	5.6	14	3	4	5	6	8	9	18
A. NOT OPERATED	201	5.0	4	2	3	5	6	6	8	13
B. OPERATED	2632	5.1	10	3	4	5	6	7	8	16
TOTAL 0-19 YRS	374	5.3	8	3	3	5	6	7	9	20
20-34	2360	5.1	10	3	3	5	6	7	8	14
35-49	99	5.2	4	3	4	5	6	7	9	15
50-64										
GRAND TOTAL	**2833**	**5.1**	**9**	**3**	**3**	**5**	**6**	**7**	**8**	**15**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.3	2	<1	1	5	5	6	6	6
20-34	63	4.8	3	2	3	5	6	8	8	9
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64										
B. *Operated*										
0-19 YRS	38	6.1	100	2	3	4	6	6	11	65
20-34	268	4.8	4	3	3	5	5	7	7	10
35-49	7	4.3	6	1	1	4	5	8	9	9
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	2	3	3	3	5	6	6	6
20-34	28	5.4	10	3	3	5	6	7	9	20
35-49	5	8.2	28	4	4	6	11	17	17	17
50-64										
B. *Operated*										
0-19 YRS	39	5.9	15	3	3	5	7	9	11	25
20-34	276	6.0	17	3	4	5	6	9	12	18
35-49	19	6.6	21	3	4	5	6	13	19	22
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	4.7	3	2	3	5	5	7	8	9
B. *Operated*	313	5.0	15	3	3	5	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	38	5.6	12	3	3	5	6	7	14	20
B. *Operated*	334	6.0	17	3	4	5	6	9	12	22
1. SINGLE DX	389	4.9	13	3	3	5	5	7	8	11
2. MULTIPLE DX	372	6.0	17	3	3	5	6	9	12	22
A. NOT OPERATED	114	5.0	6	2	3	5	6	7	8	18
B. OPERATED	647	5.5	16	3	3	5	6	8	10	18
TOTAL 0-19 YRS	92	5.7	48	3	3	5	6	8	10	48
20-34	635	5.3	10	3	3	5	6	8	9	18
35-49	34	6.2	18	3	3	5	6	10	17	22
50-64										
GRAND TOTAL	**761**	**5.4**	**15**	**3**	**3**	**5**	**6**	**8**	**10**	**18**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	512	4.9	14	1	2	4	5	8	10	20
20-34	3086	5.0	16	1	2	5	6	7	9	20
35-49	130	5.2	15	1	2	5	5	8	10	26
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	841	5.7	12	2	3	5	6	9	12	19
20-34	4921	5.3	10	2	3	5	6	8	10	19
35-49	181	6.3	39	2	3	5	7	9	11	
50-64	6	4.8	5	<1	<1	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	336	5.5	12	1	2	5	6	9	12	20
20-34	1850	5.3	15	2	3	5	6	8	10	20
35-49	86	6.6	31	2	3	5	7	11	22	31
50-64	2	9.5	25	6	6	9	13	13	13	13
B. *Operated*										
0-19 YRS	894	7.1	32	3	4	6	8	11	17	29
20-34	7412	7.1	31	3	4	6	8	11	16	32
35-49	533	8.6	46	3	4	7	9	15	22	36
50-64	5	5.8	11	1	1	6	8	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3729	5.0	15	1	2	4	6	7	9	21
B. *Operated*	5949	5.4	11	2	3	5	6	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	2274	5.4	16	2	3	5	6	8	10	21
B. *Operated*	8844	7.2	32	3	4	6	8	11	16	32
1. SINGLE DX	9678	5.3	13	2	3	5	6	8	10	20
2. MULTIPLE DX	11118	6.8	29	3	3	5	7	11	15	31
A. NOT OPERATED	6003	5.1	15	1	2	5	6	7	10	21
B. OPERATED	14793	6.5	24	3	3	5	7	10	14	28
TOTAL 0-19 YRS	2583	6.0	20	2	3	5	7	10	13	25
20-34	17269	6.0	21	2	3	5	7	9	12	26
35-49	930	7.5	41	3	3	6	8	13	18	35
50-64	14	5.6	11	<1	<1	6	7	10	12	13
GRAND TOTAL	**20796**	**6.1**	**22**	**2**	**3**	**5**	**7**	**9**	**13**	**27**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	5.1	6	2	2	5	6	9	9	11
20-34	107	4.7	7	2	2	4	6	8	10	16
35-49	3	7.0	16	3	3	7	10	11	11	11
50-64										
B. *Operated*										
0-19 YRS	8	7.8	53	2	3	5	8	20	25	25
20-34	23	6.0	7	2	3	6	8	9	10	11
35-49										
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.0	4	1	2	4	6	7	8	8
20-34	54	5.7	11	2	3	5	7	10	12	19
35-49	5	4.2	2	3	3	4	5	6	6	6
50-64										
B. *Operated*										
0-19 YRS	10	9.0	33	1	2	8	14	17	19	19
20-34	30	7.3	17	1	2	7	9	13	16	18
35-49										
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	4.8	7	2	2	4	6	8	10	14
B. *Operated*	31	6.4	18	2	3	6	8	10	11	25
2. MULTIPLE DX										
A. *Not Operated*	76	5.3	10	2	2	5	6	8	11	18
B. *Operated*	40	7.7	21	1	2	7	10	15	17	19
1. SINGLE DX	171	5.1	9	2	2	5	6	9	10	17
2. MULTIPLE DX	116	6.1	15	2	2	5	8	11	15	19
A. NOT OPERATED	216	5.0	8	2	2	5	6	8	10	17
B. OPERATED	71	7.2	20	1	2	7	9	13	16	24
TOTAL 0-19 YRS	65	5.7	17	1	2	5	7	9	14	24
20-34	214	5.5	10	2	2	5	7	9	11	18
35-49	8	5.3	8	3	3	4	6	10	11	11
50-64										
GRAND TOTAL	**287**	**5.5**	**11**	**2**	**2**	**5**	**7**	**9**	**11**	**19**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.8	6	<1	1	2	3	4	8	13
20-34	153	2.2	2	<1	1	2	3	4	5	8
35-49	8	2.1	1	1	1	2	3	4	4	4
50-64										
B. *Operated*										
0-19 YRS	63	2.0	2	<1	1	2	3	4	5	6
20-34	504	2.1	4	<1	1	2	2	4	5	12
35-49	19	2.1	2	<1	1	2	3	4	5	6
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	2	1	1	4	4	5	5	5
20-34	36	3.1	3	1	1	3	4	6	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
B. *Operated*										
0-19 YRS	30	3.3	6	1	1	3	4	7	10	10
20-34	217	3.0	7	1	1	2	4	7	9	12
35-49	13	4.1	11	1	1	3	5	10	11	11
50-64	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	2.2	2	<1	1	2	3	4	5	8
B. *Operated*	586	2.1	4	<1	1	2	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	42	3.1	3	1	1	3	4	5	6	7
B. *Operated*	261	3.1	7	1	1	2	4	7	9	11
1. SINGLE DX	770	2.1	4	<1	1	2	2	4	5	8
2. MULTIPLE DX	303	3.1	6	1	1	2	4	7	9	11
A. NOT OPERATED	226	2.4	3	1	1	2	3	4	5	8
B. OPERATED	847	2.4	5	<1	1	2	3	5	7	11
TOTAL 0-19 YRS	121	2.5	4	1	1	2	3	5	6	11
20-34	910	2.4	5	<1	1	2	3	4	6	11
35-49	41	2.8	5	1	1	2	3	5	9	11
50-64	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**1073**	**2.4**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**11**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	6.1	12	2	3	5	7	9	14	16
20-34	98	5.0	29	1	2	4	6	8	11	35
35-49	4	9.8	80	4	4	6	15	23	23	23
50-64										
B. *Operated*										
0-19 YRS	16	5.5	14	<1	1	4	8	10	13	14
20-34	104	4.1	10	<1	1	4	5	8	10	16
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.5	32	2	2	5	6	16	20	20
20-34	55	5.7	36	1	1	4	7	12	14	40
35-49	2	9.5	41	5	5	9	14	14	14	14
50-64										
B. *Operated*										
0-19 YRS	6	5.8	15	3	3	4	7	12	13	13
20-34	65	5.2	15	1	1	4	6	9	14	19
35-49	3	4.0	3	2	2	5	5	5	5	5
50-64										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	5.3	29	1	2	4	6	9	12	32
B. *Operated*	122	4.3	11	<1	1	4	5	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	65	5.9	35	1	2	4	7	12	15	38
B. *Operated*	74	5.2	15	1	1	4	6	9	14	19
1. SINGLE DX	239	4.8	20	1	1	4	6	9	11	19
2. MULTIPLE DX	139	5.5	24	1	1	4	7	11	15	22
A. NOT OPERATED	182	5.5	31	1	2	4	6	10	13	35
B. OPERATED	196	4.7	12	1	1	4	6	9	12	18
TOTAL 0-19 YRS	45	5.9	16	1	2	5	7	10	14	20
20-34	322	4.9	22	1	1	4	6	9	12	19
35-49	11	7.4	36	2	3	5	7	18	23	23
50-64										
GRAND TOTAL	**378**	**5.1**	**21**	**1**	**1**	**4**	**6**	**9**	**13**	**20**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	380	5.0	11	2	2	4	6	9	12	17
20-34	272	4.7	9	1	2	4	6	8	10	17
35-49	190	5.5	11	2	2	5	7	10	12	20
50-64	157	7.3	23	2	3	6	10	13	18	22
65+	103	9.0	72	2	3	7	11	17	22	78
B. *Operated*										
0-19 YRS	225	5.8	34	1	1	4	7	12	14	39
20-34	146	5.2	16	1	1	4	6	11	14	19
35-49	85	6.2	21	1	1	5	8	13	16	21
50-64	57	11.0	155	<1	1	7	15	23	37	65
65+	34	13.9	154	3	4	10	15	31	42	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	309	6.4	24	2	2	5	8	11	16	30
20-34	262	6.0	24	2	2	5	7	10	13	32
35-49	214	7.4	34	2	2	6	10	14	19	29
50-64	287	10.6	71	3	4	8	14	20	25	46
65+	386	13.3	160	3	4	10	17	29	45	99+
B. *Operated*										
0-19 YRS	162	7.8	43	1	2	6	9	14	19	34
20-34	137	7.4	54	1	2	5	9	15	22	41
35-49	97	15.4	191	1	2	11	21	36	48	58
50-64	116	18.3	261	2	4	12	26	39	58	84
65+	114	16.5	186	3	4	12	21	35	52	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1102	5.7	20	2	2	5	7	11	13	22
B. *Operated*	547	6.8	53	1	1	5	8	13	18	42
2. MULTIPLE DX										
A. *Not Operated*	1458	9.1	80	2	3	7	11	19	27	81
B. *Operated*	626	12.4	156	1	2	8	15	28	39	68
1. SINGLE DX	1649	6.1	31	1	2	5	7	11	15	29
2. MULTIPLE DX	2084	10.1	105	2	3	7	12	22	30	71
A. NOT OPERATED	2560	7.7	57	2	2	5	9	15	21	46
B. OPERATED	1173	9.8	116	1	2	6	12	22	33	58
TOTAL 0-19 YRS	1076	6.0	25	1	2	5	7	11	15	29
20-34	817	5.6	23	1	2	4	7	11	13	27
35-49	586	7.9	62	2	2	6	10	15	22	47
50-64	617	11.2	115	2	3	8	13	23	33	65
65+	637	13.2	154	3	4	10	17	29	44	99+
GRAND TOTAL	**3733**	**8.3**	**76**	**2**	**2**	**6**	**10**	**17**	**24**	**54**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	336	6.9	21	2	2	6	9	12	15	21
20-34	68	4.5	12	1	2	3	5	9	12	17
35-49	38	6.6	42	1	2	4	7	15	22	31
50-64	38	6.3	16	1	2	5	8	12	15	16
65+	27	9.5	53	3	3	7	11	17	25	36
B. *Operated*										
0-19 YRS	120	3.8	16	<1	<1	3	5	8	11	21
20-34	84	4.1	13	<1	<1	3	5	9	11	19
35-49	44	6.2	53	1	1	4	7	14	18	43
50-64	35	4.7	15	<1	1	3	7	10	14	15
65+	23	8.7	58	1	2	6	12	18	25	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	400	8.6	41	2	3	7	10	15	21	36
20-34	92	5.9	16	2	2	5	8	11	15	21
35-49	66	7.1	51	1	2	5	8	13	21	43
50-64	82	10.2	98	2	3	7	13	20	25	54
65+	99	13.2	87	3	4	11	17	26	34	75
B. *Operated*										
0-19 YRS	87	8.7	122	1	1	6	10	20	29	89
20-34	56	5.8	26	<1	1	4	8	13	17	23
35-49	52	10.6	145	2	2	6	15	22	36	57
50-64	44	11.2	135	1	2	7	16	28	41	99+
65+	48	13.5	212	2	3	9	15	33	44	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	507	6.7	23	2	2	6	8	12	16	23
B. *Operated*	306	4.7	25	<1	1	3	6	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	739	8.9	55	2	3	7	10	17	23	42
B. *Operated*	287	9.7	129	1	2	6	12	21	35	77
1. SINGLE DX	813	5.9	25	1	1	5	8	12	15	23
2. MULTIPLE DX	1026	9.1	76	2	2	7	11	19	24	52
A. NOT OPERATED	1246	8.0	43	2	2	6	10	15	21	36
B. OPERATED	593	7.1	81	<1	1	4	9	16	22	58
TOTAL 0-19 YRS	943	7.4	41	1	2	6	9	13	19	36
20-34	300	5.1	17	<1	1	4	6	10	14	20
35-49	200	7.7	76	1	2	5	9	16	22	51
50-64	199	8.7	81	1	2	6	11	18	25	57
65+	197	12.2	111	2	3	9	16	24	36	67
GRAND TOTAL	**1839**	**7.7**	**56**	**1**	**2**	**6**	**9**	**15**	**21**	**42**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	4.1	7	1	1	4	5	8	10	11
20-34	26	5.1	21	<1	<1	4	6	9	18	21
35-49	5	3.4	6	1	1	2	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	634	5.3	14	2	2	4	6	9	12	21
20-34	1096	5.0	12	2	2	4	6	8	11	20
35-49	127	5.4	17	2	2	4	7	10	12	24
50-64	33	5.1	9	1	2	4	6	10	11	14
65+	8	7.4	68	2	2	4	7	22	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.6	12	<1	<1	4	7	10	10	10
20-34	10	3.3	8	<1	<1	3	4	7	10	10
35-49	6	2.7	1	1	1	3	3	4	4	4
50-64	5	12.0	33	7	7	12	15	21	21	21
65+	3	10.3	146	1	1	6	19	24	24	24
B. *Operated*										
0-19 YRS	102	5.9	17	2	3	5	7	11	13	24
20-34	210	6.3	19	2	3	5	7	11	15	23
35-49	43	8.7	65	2	3	6	9	20	27	42
50-64	16	5.8	6	2	3	5	7	8	11	13
65+	10	9.8	66	3	3	8	12	23	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	4.5	13	<1	1	4	6	8	11	21
B. *Operated*	1898	5.2	13	2	2	4	6	9	11	21
2. MULTIPLE DX										
A. *Not Operated*	38	5.4	28	<1	1	4	7	12	18	24
B. *Operated*	381	6.5	25	2	3	5	8	12	17	27
1. SINGLE DX	1956	5.1	13	2	2	4	6	9	11	21
2. MULTIPLE DX	419	6.4	25	2	2	5	8	12	17	27
A. NOT OPERATED	96	4.9	19	<1	1	4	6	10	13	23
B. OPERATED	2279	5.4	15	2	2	4	6	9	12	22
TOTAL 0-19 YRS	777	5.3	14	2	2	4	6	10	12	21
20-34	1342	5.2	14	2	2	4	6	9	11	21
35-49	181	6.0	30	2	2	5	7	10	15	34
50-64	54	5.9	14	2	2	5	7	11	13	21
65+	21	9.0	70	2	2	6	10	25	28	29
GRAND TOTAL	**2375**	**5.4**	**16**	**2**	**2**	**4**	**6**	**9**	**12**	**22**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	9	<1	<1	2	4	8	8	8
20-34	4	2.5	3	1	1	2	4	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	87	2.1	3	<1	<1	2	2	4	6	10
20-34	104	2.1	4	<1	<1	1	3	4	5	13
35-49	47	2.3	5	<1	<1	1	3	6	8	10
50-64	46	2.4	7	<1	<1	2	3	5	6	17
65+	20	3.8	6	<1	1	3	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49	6	3.0	8	1	1	2	4	8	8	8
50-64										
65+	2	13.5	41	9	9	13	18	18	18	18
B. *Operated*										
0-19 YRS	15	2.8	8	<1	<1	1	4	7	9	10
20-34	28	2.1	2	<1	<1	2	2	4	5	8
35-49	29	4.3	21	<1	<1	3	5	10	16	20
50-64	22	3.6	10	<1	<1	2	4	9	11	12
65+	17	5.0	17	<1	<1	4	8	11	14	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.5	5	<1	<1	2	3	6	8	8
B. *Operated*	304	2.3	5	<1	<1	2	3	4	7	11
2. MULTIPLE DX										
A. *Not Operated*	12	4.9	24	1	1	3	6	12	17	18
B. *Operated*	111	3.5	12	<1	<1	2	4	8	11	18
1. SINGLE DX	315	2.3	5	<1	<1	2	3	4	7	11
2. MULTIPLE DX	123	3.6	14	<1	<1	2	4	8	11	19
A. NCT OPERATED	23	3.8	15	<1	1	2	5	8	12	18
B. OPERATED	415	2.6	7	<1	<1	2	3	6	8	15
TOTAL 0-19 YRS	108	2.2	4	<1	<1	2	2	4	7	10
20-34	139	2.2	4	<1	<1	2	3	4	5	12
35-49	83	3.0	11	<1	<1	2	4	7	9	19
50-64	68	2.8	8	<1	<1	2	3	6	8	16
65+	40	4.7	15	<1	1	3	7	9	13	18
GRAND TOTAL	**438**	**2.7**	**7**	**<1**	**<1**	**2**	**3**	**6**	**8**	**15**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	797	6.4	35	1	1	5	8	14	18	28
20-34	304	7.4	42	1	1	5	10	17	21	28
35-49	163	9.3	90	1	2	7	12	19	26	54
50-64	172	11.0	135	2	2	8	14	21	27	73
65+	206	12.0	135	2	3	8	17	25	32	88
B. *Operated*										
0-19 YRS	619	3.9	34	<1	<1	2	4	8	13	30
20-34	610	4.1	39	<1	<1	2	4	8	12	35
35-49	331	5.5	47	<1	1	3	6	12	21	35
50-64	319	5.5	63	<1	1	3	6	11	21	44
65+	221	10.2	183	<1	1	5	12	26	43	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	588	8.3	55	1	2	6	11	17	23	38
20-34	222	8.7	103	1	2	6	10	18	25	51
35-49	223	12.4	150	1	2	9	16	29	41	74
50-64	380	15.2	177	3	4	11	20	31	46	69
65+	582	18.1	287	3	4	13	25	43	74	99+
B. *Operated*										
0-19 YRS	207	8.6	130	1	1	4	11	20	28	61
20-34	394	11.3	274	<1	1	5	13	37	68	99+
35-49	322	13.5	306	1	2	6	21	46	83	99+
50-64	382	12.4	273	1	2	5	16	39	57	99+
65+	413	21.0	443	2	3	14	32	61	84	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1642	8.0	69	1	2	6	10	17	23	38
B. *Operated*	2100	5.1	61	<1	<1	3	5	11	20	44
2. MULTIPLE DX										
A. *Not Operated*	1995	13.0	179	2	3	9	16	30	42	94
B. *Operated*	1718	14.0	320	1	2	6	20	45	67	99+
1. SINGLE DX	3742	6.4	67	<1	1	4	8	15	21	41
2. MULTIPLE DX	3713	13.4	244	1	2	8	17	36	53	99+
A. NOT OPERATED	3637	10.7	135	1	2	7	14	24	34	77
B. OPERATED	3818	9.1	197	<1	1	4	9	26	45	99+
TOTAL 0-19 YRS	2211	6.4	52	<1	1	4	8	15	19	35
20-34	1530	7.3	118	<1	1	4	8	18	27	88
35-49	1039	10.1	167	1	2	5	12	27	41	99+
50-64	1253	11.3	185	1	2	6	14	27	43	80
65+	1422	16.8	309	2	2	11	23	44	66	99+
GRAND TOTAL	**7455**	**9.9**	**167**	**<1**	**1**	**5**	**12**	**25**	**39**	**93**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	9.4	35	3	4	8	13	19	22	23
20-34	35	7.9	60	1	2	5	9	19	23	39
35-49	30	10.1	64	2	3	7	14	20	26	37
50-64	14	11.9	57	2	4	9	20	21	25	26
65+	7	11.1	32	2	4	12	17	76	99+	99+
B. *Operated*										
0-19 YRS	8	13.3	57	4	5	13	15	25	29	29
20-34	16	10.6	73	<1	<1	9	14	27	29	29
35-49	5	7.8	81	2	2	3	12	23	23	23
50-64	17	20.4	474	1	3	15	26	62	75	77
65+	13	6.2	39	<1	<1	3	9	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	15.1	394	3	4	9	17	53	96	99+
20-34	58	10.3	56	2	3	8	17	22	25	94
35-49	57	14.9	221	4	6	10	18	26	35	87
50-64	58	14.5	103	3	4	12	21	29	34	41
65+	47	18.7	319	3	3	13	23	42	59	89
B. *Operated*										
0-19 YRS	11	21.4	364	6	7	18	26	49	70	72
20-34	28	19.1	205	4	5	15	26	41	47	59
35-49	32	16.9	121	3	4	17	24	37	41	99+
50-64	36	20.4	269	3	5	14	32	53	64	99+
65+	33	22.6	244	5	6	21	29	55	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	9.6	54	2	2	7	13	20	24	66
B. *Operated*	59	12.6	200	<1	2	9	15	28	29	76
2. MULTIPLE DX										
A. *Not Operated*	241	14.5	191	3	3	11	19	28	38	94
B. *Operated*	140	20.0	221	4	5	17	27	42	61	99+
1. SINGLE DX	163	10.6	108	1	2	8	15	21	28	76
2. MULTIPLE DX	381	16.5	208	3	4	12	22	34	52	99+
A. NOT OPERATED	345	13.0	155	2	3	9	17	26	36	94
B. OPERATED	199	17.8	225	2	3	14	25	37	59	99+
TOTAL 0-19 YRS	58	14.3	237	3	4	10	17	29	56	99+
20-34	137	11.5	103	2	2	8	16	25	31	64
35-49	124	14.0	156	3	4	10	20	27	37	91
50-64	125	16.7	201	3	4	13	21	35	52	82
65+	100	17.9	263	2	3	14	24	43	64	99+
GRAND TOTAL	**544**	**14.7**	**185**	**2**	**3**	**11**	**20**	**30**	**42**	**99+**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	10.8	103	2	2	8	14	23	30	55
20-34	67	13.7	86	4	4	12	18	28	32	44
35-49	115	12.8	79	2	3	11	18	24	30	41
50-64	215	14.6	102	2	4	12	20	27	33	48
65+	188	13.9	101	3	4	12	18	25	30	49
B. *Operated*										
0-19 YRS	10	11.3	78	1	1	11	16	25	26	26
20-34	35	12.7	137	2	2	9	19	31	38	46
35-49	67	10.7	79	2	2	7	16	22	31	35
50-64	129	15.2	118	2	3	14	22	30	36	46
65+	89	15.7	146	2	3	16	22	28	43	87
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	13.9	170	2	4	9	15	35	37	69
20-34	56	16.3	273	3	4	12	17	30	61	88
35-49	129	16.2	141	2	4	14	20	28	42	57
50-64	296	17.5	178	3	5	15	23	35	48	80
65+	411	18.3	261	3	5	14	24	49	83	99+
B. *Operated*										
0-19 YRS	10	28.7	617	2	6	21	37	67	90	90
20-34	39	13.9	109	1	3	13	19	30	72	99+
35-49	90	17.4	240	2	3	15	25	36	49	95
50-64	229	21.6	309	3	5	17	31	53	75	99+
65+	182	23.4	271	3	5	21	35	51	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	680	13.5	97	2	3	12	18	26	32	47
B. *Operated*	330	14.1	121	2	2	13	21	28	35	52
2. MULTIPLE DX										
A. *Not Operated*	944	17.4	215	3	5	14	23	38	57	99+
B. *Operated*	550	21.1	283	3	4	18	31	49	71	99+
1. SINGLE DX	1010	13.7	105	2	3	12	19	26	33	49
2. MULTIPLE DX	1494	18.7	243	3	4	15	25	43	66	99+
A. NOT OPERATED	1624	15.8	169	2	4	12	21	32	45	99+
B. OPERATED	880	18.4	234	2	3	16	26	41	57	99+
TOTAL 0-19 YRS	167	12.9	166	2	2	9	16	28	37	68
20-34	197	14.3	152	2	3	11	18	30	39	94
35-49	401	14.6	140	2	3	12	20	30	37	62
50-64	869	17.5	192	3	4	15	24	36	50	99+
65+	870	18.1	226	3	4	15	24	42	66	99+
GRAND TOTAL	**2504**	**16.7**	**194**	**2**	**4**	**13**	**23**	**36**	**50**	**99+**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	8	2	2	5	7	9	9	9
20-34	15	8.7	72	1	1	5	10	25	26	26
35-49	34	6.4	37	2	2	4	7	13	16	34
50-64	96	8.8	44	1	2	7	12	17	21	32
65+	259	10.9	118	2	2	7	14	24	31	96
B. *Operated*										
0-19 YRS	15	4.5	16	1	2	3	4	11	15	16
20-34	113	5.9	25	2	2	4	6	12	17	28
35-49	181	8.3	42	2	2	6	12	18	22	29
50-64	457	13.0	86	2	3	12	17	23	28	47
65+	497	18.0	85	5	8	17	22	29	38	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.4	3	3	3	4	5	7	7	7
20-34	12	8.4	107	1	2	5	7	27	34	35
35-49	42	9.5	78	2	3	7	11	21	27	46
50-64	163	10.5	68	2	3	8	14	19	26	49
65+	875	14.6	180	2	4	11	19	34	53	99+
B. *Operated*										
0-19 YRS	6	13.0	578	1	1	4	5	56	62	62
20-34	56	9.1	153	2	2	4	10	21	29	67
35-49	127	12.4	133	2	3	9	17	28	34	71
50-64	519	16.1	131	3	4	15	21	30	37	59
65+	789	22.9	201	6	9	19	29	44	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	408	9.9	93	2	2	7	13	21	29	56
B. *Operated*	1263	13.6	91	2	3	13	18	24	30	46
2. MULTIPLE DX										
A. *Not Operated*	1097	13.7	161	2	3	10	17	31	48	99+
B. *Operated*	1497	19.1	188	3	4	17	24	37	48	98
1. SINGLE DX	1671	12.7	94	2	3	11	18	24	30	47
2. MULTIPLE DX	2594	16.8	184	3	4	14	22	35	48	99+
A. NOT OPERATED	1505	12.6	145	2	3	9	16	28	42	99+
B. OPERATED	2760	16.6	151	3	4	15	21	32	41	71
TOTAL 0-19 YRS	30	6.3	120	1	2	4	5	10	16	62
20-34	196	7.2	71	2	2	4	8	16	24	48
35-49	384	9.6	79	2	2	6	13	21	27	51
50-64	1235	13.7	105	2	3	12	18	25	32	56
65+	2420	17.6	177	3	5	15	23	36	48	99+
GRAND TOTAL	**4265**	**15.2**	**152**	**2**	**3**	**13**	**20**	**31**	**41**	**97**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	8.6	49	1	2	7	10	18	25	33
20-34	84	7.3	71	2	2	5	9	12	15	57
35-49	68	7.0	21	2	2	6	10	14	15	22
50-64	66	7.7	25	2	2	7	10	14	15	28
65+	119	10.3	89	2	2	7	13	23	27	80
B. *Operated*										
0-19 YRS	26	15.0	147	2	2	10	22	33	42	48
20-34	58	6.4	31	2	2	5	8	13	16	33
35-49	50	7.7	45	2	2	5	10	17	18	33
50-64	32	10.2	86	2	3	9	13	18	21	52
65+	22	10.6	52	2	3	10	15	20	57	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	9.8	51	2	3	8	13	21	25	34
20-34	66	8.4	54	2	3	6	10	15	28	39
35-49	64	10.7	82	2	2	8	14	22	31	44
50-64	111	10.8	106	2	3	8	13	22	32	54
65+	295	13.9	194	2	3	9	18	30	53	99+
B. *Operated*										
0-19 YRS	25	19.0	117	4	8	17	28	35	38	42
20-34	48	10.8	97	2	3	7	14	24	32	47
35-49	44	10.8	98	2	3	7	14	26	38	99+
50-64	65	17.0	185	3	5	12	30	48	99+	99+
65+	58	21.2	306	3	5	17	30	67	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	448	8.4	57	2	2	7	11	16	23	36
B. *Operated*	188	9.1	69	2	2	6	12	18	27	50
2. MULTIPLE DX										
A. *Not Operated*	601	11.9	138	2	3	8	15	26	35	93
B. *Operated*	240	15.9	189	3	3	12	24	37	58	99+
1. SINGLE DX	636	8.6	61	2	2	7	11	16	24	41
2. MULTIPLE DX	841	13.0	156	2	3	9	17	30	43	99+
A. NOT OPERATED	1049	10.4	107	2	3	8	13	22	30	73
B. OPERATED	428	12.9	148	2	3	9	17	32	46	99+
TOTAL 0-19 YRS	227	10.8	79	1	2	8	14	24	29	40
20-34	256	8.0	64	2	2	6	9	15	24	41
35-49	226	8.9	61	2	2	7	12	19	25	46
50-64	274	11.5	113	2	3	9	14	29	35	99+
65+	494	13.7	184	2	3	10	18	30	52	99+
GRAND TOTAL	**1477**	**11.1**	**120**	**2**	**3**	**8**	**14**	**25**	**34**	**99+**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.6	7	<1	<1	3	5	7	9	11
20-34	60	3.0	4	<1	<1	3	4	6	7	10
35-49	27	4.1	6	<1	1	4	6	7	8	11
50-64	22	4.2	5	1	2	4	5	7	8	10
65+	6	9.8	74	2	2	7	16	23	24	24
B. *Operated*										
0-19 YRS	757	4.3	5	2	2	4	5	7	8	11
20-34	1778	4.3	5	1	2	4	5	7	8	12
35-49	890	4.5	8	2	2	4	5	7	8	13
50-64	415	5.1	6	2	2	5	6	8	10	14
65+	55	5.3	7	2	2	5	6	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	3	<1	<1	1	3	5	6	6
20-34	27	3.0	4	1	1	2	4	6	7	8
35-49	17	3.2	3	1	1	3	4	5	6	6
50-64	15	4.1	11	<1	1	3	6	8	12	13
65+	9	4.1	14	1	1	2	7	10	10	10
B. *Operated*										
0-19 YRS	252	5.1	14	2	2	4	6	8	10	17
20-34	689	4.9	9	2	2	4	6	8	10	15
35-49	419	5.1	11	2	2	4	6	8	11	20
50-64	363	5.6	16	1	2	5	7	10	13	23
65+	76	8.0	20	2	3	7	10	15	15	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	3.8	9	<1	1	3	5	7	9	17
B. *Operated*	3895	4.4	6	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	81	3.2	6	1	1	3	4	6	8	12
B. *Operated*	1799	5.3	12	2	2	4	6	9	12	20
1. SINGLE DX	4035	4.4	6	1	2	4	5	7	8	12
2. MULTIPLE DX	1880	5.2	12	1	2	4	6	9	11	19
A. NOT OPERATED	221	3.6	8	<1	1	3	5	7	8	14
B. OPERATED	5694	4.7	8	2	2	4	6	7	9	15
TOTAL 0-19 YRS	1047	4.5	7	1	2	4	5	7	8	13
20-34	2554	4.4	6	1	2	4	5	7	8	13
35-49	1353	4.7	9	1	2	4	6	7	9	14
50-64	815	5.3	11	2	2	5	6	9	11	18
65+	146	6.8	19	2	2	6	9	13	15	22
GRAND TOTAL	**5915**	**4.7**	**8**	**1**	**2**	**4**	**6**	**7**	**9**	**15**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	224	5.2	15	1	2	4	7	9	12	21
20-34	114	4.5	20	1	1	3	5	10	12	27
35-49	48	5.1	19	1	1	4	7	12	13	22
50-64	49	7.1	69	1	1	5	8	15	19	51
65+	45	7.5	40	<1	1	5	9	19	20	28
B. *Operated*										
0-19 YRS	746	4.7	9	2	2	4	6	8	10	16
20-34	1058	4.5	9	2	2	4	5	7	9	16
35-49	230	5.3	23	2	2	4	6	10	14	27
50-64	128	5.5	27	2	2	4	6	12	17	30
65+	39	8.8	128	1	1	5	11	20	30	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	5.4	18	1	1	4	7	10	14	22
20-34	91	6.9	186	1	1	4	6	10	17	93
35-49	45	7.1	48	1	1	5	10	13	14	43
50-64	75	9.1	72	2	2	6	11	19	29	44
65+	114	12.0	162	2	3	8	14	27	42	99+
B. *Operated*										
0-19 YRS	221	6.9	77	2	2	5	7	11	17	48
20-34	313	5.7	47	1	2	4	7	9	12	44
35-49	136	5.6	19	1	2	4	7	12	15	21
50-64	101	7.6	41	2	2	5	10	18	22	27
65+	73	18.2	290	3	3	11	25	43	56	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	480	5.4	25	1	1	4	7	11	15	24
B. *Operated*	2201	4.8	14	2	2	4	6	8	10	21
2. MULTIPLE DX										
A. *Not Operated*	450	8.2	106	1	2	5	10	16	25	78
B. *Operated*	844	7.3	82	2	2	5	8	14	22	50
1. SINGLE DX	2681	4.9	16	1	2	4	6	8	11	22
2. MULTIPLE DX	1294	7.6	90	1	2	5	8	15	23	55
A. NOT OPERATED	930	6.8	66	1	1	5	8	13	20	44
B. OPERATED	3045	5.5	34	2	2	4	6	9	13	30
TOTAL 0-19 YRS	1316	5.2	23	1	2	4	6	9	12	22
20-34	1576	4.9	28	1	2	4	6	8	10	23
35-49	459	5.6	24	1	2	4	6	12	14	25
50-64	353	7.1	48	2	2	4	9	16	21	31
65+	271	12.5	185	1	2	8	15	29	43	77
GRAND TOTAL	**3975**	**5.8**	**42**	**1**	**2**	**4**	**6**	**10**	**15**	**35**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	13.5	13	11	11	13	16	16	16	16
20-34	16	9.5	31	2	3	8	13	18	21	22
35-49	12	9.8	43	2	3	8	16	19	19	19
50-64	11	11.6	66	3	3	9	16	25	26	26
65+	5	11.2	22	7	7	11	13	19	19	19
B. *Operated*										
0-19 YRS										
20-34	7	8.0	34	2	2	8	10	17	19	19
35-49	2	18.0	2	17	17	18	19	19	19	19
50-64	2	15.0		15	15	15	15	15	15	15
65+	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.7	65	5	5	5	16	19	19	19
20-34	13	11.0	37	3	4	9	14	20	23	24
35-49	12	8.8	20	3	4	8	11	16	17	17
50-64	20	18.5	351	1	3	12	26	33	60	85
65+	12	18.2	108	2	5	18	25	32	35	35
B. *Operated*										
0-19 YRS										
20-34	6	11.3	46	4	4	10	14	22	23	23
35-49	9	18.2	116	2	4	18	22	34	40	40
50-64	9	20.2	214	3	5	15	31	44	46	46
65+	4	26.5	124	10	10	31	33	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	10.4	39	3	3	10	15	19	23	26
B. *Operated*	12	12.3	53	2	3	12	18	21	24	25
2. MULTIPLE DX										
A. *Not Operated*	60	14.4	165	2	4	11	19	30	33	80
B. *Operated*	28	18.6	142	3	5	15	26	38	41	46
1. SINGLE DX	58	10.8	42	2	3	10	16	19	24	26
2. MULTIPLE DX	88	15.7	160	3	4	12	22	32	36	70
A. NOT OPERATED	106	12.7	113	3	3	11	16	24	31	57
B. OPERATED	40	16.7	122	2	3	15	22	33	40	46
TOTAL 0-19 YRS	5	11.2	40	5	5	11	17	19	19	19
20-34	42	10.0	34	2	3	9	13	19	22	24
35-49	35	12.1	66	2	3	11	17	21	23	40
50-64	42	16.9	232	2	3	12	24	33	42	85
65+	22	18.4	105	4	7	16	27	33	34	35
GRAND TOTAL	**146**	**13.8**	**118**	**3**	**3**	**11**	**18**	**27**	**33**	**48**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	8	2.5	2	<1	<1	2	4	5	5	5
35-49	45	7.9	49	2	2	5	10	17	20	37
50-64	102	7.8	38	1	2	6	11	16	21	29
65+	155	8.9	50	2	3	7	12	17	21	37
B. *Operated*										
0-19 YRS										
20-34	13	8.3	36	1	2	9	11	16	22	23
35-49	70	9.7	61	1	1	8	15	20	26	30
50-64	115	10.1	60	1	2	10	14	21	25	37
65+	31	9.1	111	1	1	4	12	20	29	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	20.5	145	12	12	20	29	29	29	29
20-34	11	11.4	62	3	3	8	17	24	25	25
35-49	49	7.5	27	2	2	7	10	15	16	22
50-64	203	10.9	64	2	3	9	15	23	29	36
65+	571	13.4	148	3	4	10	17	27	37	73
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	8	8.8	33	3	3	7	14	17	17	17
35-49	60	11.1	65	2	3	10	15	20	24	47
50-64	158	13.4	137	1	2	11	17	29	36	60
65+	81	19.5	210	2	4	17	26	44	46	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	8.2	45	2	2	6	11	17	21	35
B. *Operated*	229	9.8	65	1	2	9	13	21	25	36
2. MULTIPLE DX										
A. *Not Operated*	836	12.4	122	2	3	10	16	25	33	72
B. *Operated*	308	14.5	148	1	2	12	19	30	38	68
1. SINGLE DX	542	8.9	54	1	2	7	12	18	22	34
2. MULTIPLE DX	1144	13.0	129	2	3	10	17	26	35	72
A. NOT OPERATED	1149	11.3	104	2	3	9	14	22	29	64
B. OPERATED	537	12.4	118	1	2	10	16	26	33	58
TOTAL 0-19 YRS	6	10.2	108	1	1	8	12	27	29	29
20-34	40	8.1	43	1	2	6	11	18	23	25
35-49	224	9.3	54	1	2	8	13	19	22	32
50-64	578	10.9	82	1	2	9	14	23	29	38
65+	838	13.0	142	2	3	10	16	26	37	72
GRAND TOTAL	**[illegible]86**	**11.7**	**109**	**2**	**3**	**9**	**15**	**23**	**30**	**62**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	8.3	42	1	1	7	13	18	19	21
20-34	448	8.4	47	1	2	7	11	16	20	24
35-49	639	9.2	36	2	3	8	12	17	22	28
50-64	459	10.8	58	2	3	9	14	21	25	35
65+	150	11.7	69	3	3	10	14	22	28	40
B. *Operated*										
0-19 YRS	65	10.1	67	1	1	8	13	21	28	35
20-34	1143	9.8	61	1	1	9	13	18	24	35
35-49	1522	10.2	56	1	2	9	14	19	23	36
50-64	784	10.6	65	1	1	10	14	21	25	39
65+	105	11.4	73	1	1	10	17	22	27	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	11.6	32	4	5	11	14	19	24	25
20-34	144	10.1	56	2	3	8	13	19	26	36
35-49	313	11.2	71	2	4	9	14	21	30	47
50-64	387	12.1	59	2	5	11	16	21	27	37
65+	291	14.2	135	3	4	11	19	27	39	68
B. *Operated*										
0-19 YRS	18	12.7	64	2	3	11	15	27	30	30
20-34	303	13.9	85	2	4	12	17	27	33	45
35-49	683	14.6	105	2	5	12	19	29	33	62
50-64	543	16.0	146	2	4	13	20	31	39	57
65+	167	20.2	227	3	6	16	26	39	49	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1734	9.6	49	2	3	8	12	18	22	32
B. *Operated*	3619	10.2	60	1	1	9	14	19	25	36
2. MULTIPLE DX										
A. *Not Operated*	1156	12.1	82	2	4	10	16	23	29	48
B. *Operated*	1714	15.5	129	2	4	13	19	30	37	57
1. SINGLE DX	5353	10.0	56	1	2	9	13	19	24	35
2. MULTIPLE DX	2870	14.1	113	2	4	12	18	27	35	56
A. NOT OPERATED	2890	10.6	64	2	3	9	14	20	25	39
B. OPERATED	5333	11.9	88	1	2	10	15	23	30	45
TOTAL 0-19 YRS	142	10.2	55	1	2	9	14	20	25	33
20-34	2038	10.1	64	1	2	9	13	19	25	38
35-49	3157	11.0	68	1	2	10	14	21	27	39
50-64	2173	12.3	87	1	2	11	16	23	29	45
65+	713	14.7	143	2	4	12	19	29	37	67
GRAND TOTAL	**8223**	**11.4**	**80**	**1**	**2**	**10**	**15**	**22**	**28**	**43**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	6.2	9	2	2	6	8	10	11	11
20-34	85	8.0	43	1	2	6	9	15	24	32
35-49	142	8.6	29	2	3	8	12	15	18	29
50-64	95	9.3	39	1	3	7	14	18	22	26
65+	28	7.5	25	2	2	6	12	15	16	17
B. *Operated*										
0-19 YRS	5	11.2	48	3	3	9	16	21	21	21
20-34	88	9.1	56	1	2	8	12	19	24	37
35-49	262	9.2	47	1	2	8	12	16	23	36
50-64	148	8.7	37	1	2	8	11	15	20	29
65+	18	11.3	176	1	2	9	11	35	46	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	10.8	97	3	3	7	14	28	28	28
20-34	34	9.9	90	<1	1	6	13	24	28	40
35-49	89	9.7	38	1	2	9	13	20	22	23
50-64	96	11.0	76	2	3	8	14	21	25	48
65+	95	11.0	53	3	4	9	16	20	26	36
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	19	13.2	110	4	5	10	17	25	38	48
35-49	122	11.1	74	1	2	9	15	23	28	38
50-64	168	11.5	117	1	2	10	14	21	32	61
65+	31	20.8	266	3	5	18	33	50	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	360	8.5	34	2	3	7	11	16	20	30
B. *Operated*	521	9.1	50	1	2	8	12	16	23	38
2. MULTIPLE DX										
A. *Not Operated*	319	10.5	60	2	3	9	14	21	25	37
B. *Operated*	341	12.3	121	1	2	10	16	26	34	79
1. SINGLE DX	881	8.9	44	1	2	8	12	16	22	32
2. MULTIPLE DX	660	11.4	92	1	2	9	15	22	29	50
A. NOT OPERATED	679	9.4	47	2	3	8	12	19	23	33
B. OPERATED	862	10.4	80	1	2	9	13	20	27	44
TOTAL 0-19 YRS	21	8.2	41	2	2	7	9	17	24	28
20-34	226	9.1	62	1	2	7	11	21	25	41
35-49	615	9.5	47	1	2	9	12	18	23	33
50-64	507	10.2	72	1	2	9	13	19	25	39
65+	172	12.2	115	2	3	9	17	26	36	96
GRAND TOTAL	**1541**	**10.0**	**66**	**1**	**2**	**8**	**13**	**19**	**25**	**40**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	7.5	42	2	3	5	9	22	23	23
20-34	38	6.6	26	1	2	6	8	12	19	25
35-49	43	7.4	74	1	1	5	9	15	23	47
50-64	25	5.9	12	1	2	5	9	10	11	13
65+	12	8.2	56	1	2	6	9	17	28	30
B. *Operated*										
0-19 YRS	5	5.4	11	1	1	5	8	10	10	10
20-34	45	10.7	54	1	2	10	15	22	25	28
35-49	44	12.1	54	1	2	12	18	21	24	29
50-64	19	11.7	266	1	2	8	14	20	51	74
65+	4	6.5	107	1	1	2	12	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	5.1	16	<1	1	4	7	11	15	15
20-34	24	6.3	23	1	1	5	9	12	16	21
35-49	48	9.1	48	2	3	8	11	17	20	42
50-64	36	10.4	54	2	3	9	14	21	26	31
65+	29	10.3	37	2	3	10	15	20	21	22
B. *Operated*										
0-19 YRS	2	9.5	61	4	4	9	15	15	15	15
20-34	17	13.0	68	2	5	11	17	26	31	33
35-49	32	14.7	167	2	3	12	17	29	34	67
50-64	14	15.4	97	3	3	13	25	29	31	32
65+	1	26.0		26	26	26	26	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	7.0	42	1	2	5	9	13	21	33
B. *Operated*	117	11.0	88	1	2	10	16	21	24	44
2. MULTIPLE DX										
A. *Not Operated*	148	8.9	43	1	2	7	11	18	21	31
B. *Operated*	66	14.4	120	2	3	12	18	28	32	62
1. SINGLE DX	250	8.9	67	1	2	7	12	19	23	30
2. MULTIPLE DX	214	10.6	73	2	3	9	14	21	27	38
A. NOT OPERATED	281	8.0	44	1	2	6	10	16	21	31
B. OPERATED	183	12.2	101	1	2	11	17	25	28	56
TOTAL 0-19 YRS	33	6.5	29	1	2	5	8	15	21	23
20-34	124	8.9	47	1	2	7	12	18	24	29
35-49	167	10.5	85	1	2	9	14	20	27	46
50-64	94	10.2	98	2	2	8	13	21	27	55
65+	46	9.8	52	1	2	8	14	21	23	30
GRAND TOTAL	**464**	**9.7**	**71**	**1**	**2**	**8**	**13**	**20**	**25**	**35**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.8	26	<1	<1	4	8	14	15	15
20-34	48	6.7	20	2	2	6	8	13	17	21
35-49	47	8.3	30	2	3	8	10	16	18	28
50-64	69	9.0	49	1	2	7	13	18	22	35
65+	35	9.1	58	2	3	7	10	16	30	36
B. *Operated*										
0-19 YRS	6	7.5	49	2	2	5	9	20	21	21
20-34	18	5.6	22	1	1	5	8	11	16	19
35-49	24	4.4	14	1	1	3	7	9	12	15
50-64	16	6.4	25	1	1	5	11	12	15	16
65+	2	11.0	200	1	1	11	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	12.3	25	5	5	14	15	16	16	16
20-34	31	7.4	22	1	2	8	11	15	15	16
35-49	62	11.3	52	1	2	10	18	21	25	31
50-64	70	11.7	85	2	3	9	16	25	33	39
65+	79	13.3	90	3	4	10	17	25	34	48
B. *Operated*										
0-19 YRS										
20-34	19	11.5	96	1	2	7	17	26	33	37
35-49	21	10.9	81	1	1	9	13	25	30	34
50-64	22	11.5	72	2	3	10	17	24	30	31
65+	11	15.7	55	4	7	14	22	27	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	8.2	39	2	2	7	10	16	21	34
B. *Operated*	66	5.7	25	1	1	4	8	12	17	21
2. MULTIPLE DX										
A. *Not Operated*	246	11.6	72	2	3	10	16	22	30	40
B. *Operated*	73	12.0	78	1	2	10	17	25	30	36
1. SINGLE DX	271	7.6	37	1	2	6	10	15	21	32
2. MULTIPLE DX	319	11.7	73	2	3	10	16	23	30	39
A. NOT OPERATED	451	10.1	60	2	2	8	13	20	25	37
B. OPERATED	139	9.0	62	1	1	7	12	21	26	34
TOTAL 0-19 YRS	16	8.1	37	1	2	5	14	16	19	21
20-34	116	7.5	36	1	2	7	10	15	19	31
35-49	154	9.2	48	1	2	8	12	19	24	32
50-64	177	10.1	66	1	2	8	15	21	29	37
65+	127	12.3	82	3	4	10	16	24	32	45
GRAND TOTAL	**590**	**9.8**	**60**	**1**	**2**	**8**	**13**	**20**	**25**	**37**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	4.6	15	1	1	3	6	11	13	17
20-34	409	6.0	24	1	1	5	8	12	15	24
35-49	421	6.9	25	1	2	6	9	13	16	29
50-64	251	7.9	43	2	2	6	10	16	20	34
65+	111	8.7	41	1	2	7	12	17	19	32
B. *Operated*										
0-19 YRS	36	6.1	24	1	1	5	8	12	14	26
20-34	248	6.3	32	1	1	5	8	14	19	22
35-49	294	7.5	49	1	1	5	10	16	19	42
50-64	215	9.0	75	1	2	7	12	19	24	33
65+	57	12.5	148	1	2	9	17	30	37	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	3.9	12	<1	1	3	5	9	12	17
20-34	265	6.7	38	1	1	5	9	16	20	28
35-49	322	8.5	54	1	2	7	11	17	23	52
50-64	319	9.8	89	2	2	7	13	19	26	55
65+	266	12.0	122	2	3	9	15	26	34	99+
B. *Operated*										
0-19 YRS	19	10.9	38	3	4	10	14	21	23	24
20-34	145	8.8	87	1	1	6	12	17	22	59
35-49	248	12.1	125	2	2	9	16	24	35	59
50-64	247	13.2	90	2	2	12	18	27	32	63
65+	110	19.4	275	1	3	15	24	43	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1298	6.7	30	1	2	5	9	14	17	29
B. *Operated*	850	7.8	58	1	2	6	10	16	22	41
2. MULTIPLE DX										
A. *Not Operated*	1246	8.9	76	1	2	7	12	19	25	56
B. *Operated*	769	12.8	135	1	2	10	17	27	37	67
1. SINGLE DX	2148	7.2	41	1	2	5	9	15	18	33
2. MULTIPLE DX	2015	10.4	102	1	2	8	14	22	30	63
A. NOT OPERATED	2544	7.8	54	1	2	6	10	16	21	36
B. OPERATED	1619	10.2	101	1	2	8	14	22	30	59
TOTAL 0-19 YRS	235	5.1	20	1	1	4	7	11	14	21
20-34	1067	6.6	39	1	1	5	9	14	19	29
35-49	1285	8.4	60	1	2	6	11	17	23	45
50-64	1032	10.0	79	2	2	8	13	20	27	44
65+	544	12.9	151	2	3	9	17	28	37	99+
GRAND TOTAL	**4163**	**8.7**	**73**	**1**	**2**	**6**	**11**	**18**	**24**	**49**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	5.9	45	1	2	4	7	11	13	41
20-34	82	4.3	12	1	1	3	5	8	13	18
35-49	91	4.6	14	<1	1	4	6	9	15	66
50-64	78	5.4	18	<1	1	4	8	12	13	22
65+	44	6.0	28	1	1	5	7	13	17	26
B. *Operated*										
0-19 YRS	191	3.2	8	<1	1	3	4	5	7	13
20-34	308	3.5	8	<1	1	3	4	6	8	16
35-49	414	3.5	16	<1	1	3	4	6	8	19
50-64	429	3.4	8	<1	1	3	4	6	8	15
65+	130	4.1	13	<1	1	3	5	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	4.8	9	1	2	4	6	10	11	13
20-34	55	6.3	17	1	2	5	8	12	14	22
35-49	66	6.6	26	2	2	5	9	15	16	26
50-64	122	8.3	59	2	2	6	10	18	27	36
65+	110	11.2	78	2	3	9	16	24	26	44
B. *Operated*										
0-19 YRS	52	5.1	31	1	2	3	5	10	21	27
20-34	143	5.1	57	1	1	3	6	8	13	57
35-49	189	5.4	29	1	1	3	7	12	17	28
50-64	276	5.9	64	<1	1	3	7	11	18	42
65+	125	7.5	77	1	2	4	9	16	29	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	433	5.2	26	1	1	4	6	11	14	26
B. *Operated*	1472	3.5	11	<1	1	3	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	395	8.2	52	2	2	6	10	18	24	33
B. *Operated*	785	5.8	55	1	1	3	7	11	18	40
1. SINGLE DX	1905	3.9	15	<1	1	3	4	7	10	18
2. MULTIPLE DX	1180	6.6	55	1	2	4	8	15	21	40
A. NOT OPERATED	828	6.6	40	1	2	5	8	14	19	32
B. OPERATED	2257	4.3	27	<1	1	3	5	8	11	29
TOTAL 0-19 YRS	423	4.5	24	1	1	3	5	8	11	26
20-34	588	4.3	22	1	1	3	5	8	11	21
35-49	760	4.4	21	<1	1	3	5	8	14	27
50-64	905	5.0	36	<1	1	3	6	10	14	32
65+	409	7.3	59	1	2	4	9	17	24	36
GRAND TOTAL	**3085**	**4.9**	**32**	**<1**	**1**	**3**	**5**	**10**	**15**	**31**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.7	44	1	1	5	12	14	14	14
20-34	9	5.1	7	<1	1	5	6	9	10	10
35-49	5	2.8	7	<1	<1	1	5	7	7	7
50-64	15	3.6	4	<1	<1	3	5	6	8	8
65+	5	3.6	3	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS	153	4.2	5	1	2	4	5	7	7	14
20-34	280	4.8	7	2	2	4	6	8	9	17
35-49	342	4.9	6	2	2	4	6	8	10	13
50-64	502	5.0	7	2	2	5	6	9	10	13
65+	220	4.8	9	1	2	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	8	3.3	3	<1	<1	4	5	5	5	5
35-49	3	1.3		1	1	1	2	2	2	2
50-64	22	4.9	44	<1	1	4	5	7	18	33
65+	15	8.9	229	1	1	5	7	20	51	61
B. *Operated*										
0-19 YRS	107	5.0	13	1	2	4	6	8	11	24
20-34	220	5.4	7	2	3	5	7	9	10	15
35-49	332	6.2	43	2	3	5	7	9	12	48
50-64	709	5.9	15	2	3	5	7	9	11	23
65+	411	7.4	66	2	2	6	9	12	17	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	4.1	8	<1	<1	4	5	8	9	14
B. *Operated*	1497	4.8	7	2	2	4	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	51	5.4	89	1	1	4	5	7	19	61
B. *Operated*	1779	6.2	31	2	3	5	7	10	12	27
1. SINGLE DX	1534	4.8	7	2	2	4	6	8	10	13
2. MULTIPLE DX	1830	6.1	33	2	2	5	7	10	12	28
A. NOT OPERATED	88	4.9	55	<1	1	4	5	7	10	50
B. OPERATED	3276	5.6	21	2	2	5	7	9	11	21
TOTAL 0-19 YRS	266	4.5	9	1	2	4	5	7	8	17
20-34	517	5.0	7	2	2	5	6	8	9	15
35-49	682	5.5	25	2	2	5	6	9	11	22
50-64	1248	5.5	12	2	2	5	7	9	10	18
65+	651	6.5	51	1	2	5	8	11	15	40
GRAND TOTAL	**3364**	**5.5**	**22**	**2**	**2**	**5**	**7**	**9**	**11**	**21**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.0	1	1	1	2	3	4	4	4
20-34	9	3.0	21	<1	<1	1	2	10	15	15
35-49	6	1.8	1	<1	<1	2	2	3	3	3
50-64	5	3.0	8	<1	<1	1	5	7	7	7
65+										
B. *Operated*										
0-19 YRS	318	2.2	4	<1	<1	2	2	4	5	11
20-34	363	1.8	2	<1	<1	1	2	3	4	7
35-49	185	2.7	49	<1	<1	2	2	4	6	11
50-64	158	3.1	12	<1	<1	2	4	6	7	17
65+	50	3.8	10	<1	1	3	5	8	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.0		<1	<1	<1	1	1	1	1
20-34	7	1.0		<1	<1	1	1	1	1	1
35-49	5	1.6	1	<1	<1	1	2	3	3	3
50-64	8	7.3	70	1	1	5	7	21	27	27
65+	6	5.5	7	3	3	5	7	10	10	10
B. *Operated*										
0-19 YRS	37	2.6	3	<1	<1	2	4	5	6	7
20-34	96	2.5	7	<1	<1	2	3	5	7	16
35-49	72	3.2	6	<1	<1	2	4	7	8	13
50-64	87	4.0	13	<1	<1	3	5	8	11	20
65+	44	5.1	31	<1	1	3	5	12	16	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.5	8	<1	<1	2	3	5	8	15
B. *Operated*	1074	2.4	13	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	31	3.6	25	<1	<1	1	5	8	10	27
B. *Operated*	336	3.4	12	<1	<1	2	4	7	9	22
1. SINGLE DX	1102	2.4	12	<1	<1	2	3	4	6	11
2. MULTIPLE DX	367	3.4	13	<1	<1	2	4	7	9	22
A. NOT OPERATED	59	3.1	17	<1	<1	2	3	7	9	26
B. OPERATED	1410	2.6	13	<1	<1	2	3	5	7	14
TOTAL 0-19 YRS	368	2.2	4	<1	<1	2	3	4	5	11
20-34	475	2.0	3	<1	<1	1	2	3	5	9
35-49	268	2.8	35	<1	<1	2	3	5	7	11
50-64	258	3.6	15	<1	<1	2	5	7	9	23
65+	100	4.5	19	<1	1	3	5	9	13	25
GRAND TOTAL	**1469**	**2.6**	**13**	**<1**	**<1**	**2**	**3**	**5**	**7**	**14**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	12.1	94	2	3	9	15	24	31	52
20-34	25	10.1	131	<1	1	6	12	24	41	44
35-49	16	9.1	50	2	2	7	15	19	23	25
50-64	17	10.4	39	4	5	9	12	20	26	28
65+	13	12.5	72	1	3	11	22	33	85	99+
B. *Operated*										
0-19 YRS	80	18.0	171	3	4	15	25	36	47	57
20-34	67	14.5	193	2	2	10	23	35	38	73
35-49	48	15.5	245	1	2	10	26	44	73	99+
50-64	32	14.2	220	1	2	8	18	45	47	57
65+	11	19.5	500	4	4	11	15	64	66	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	16.0	124	3	5	13	20	32	39	53
20-34	23	9.7	37	1	3	9	11	15	22	31
35-49	22	13.7	150	2	2	11	21	32	39	42
50-64	30	19.9	295	3	5	13	24	41	52	80
65+	32	18.9	184	4	4	17	30	36	59	99+
B. *Operated*										
0-19 YRS	66	22.7	260	4	5	21	30	43	54	79
20-34	70	19.3	215	2	3	16	30	44	50	91
35-49	46	19.4	245	1	3	19	30	56	99+	99+
50-64	60	22.7	203	4	6	21	34	49	75	99+
65+	35	22.9	318	5	6	20	46	85	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	11.3	87	2	3	9	15	24	29	57
B. *Operated*	238	16.1	212	2	2	12	23	38	48	81
2. MULTIPLE DX										
A. *Not Operated*	152	16.1	168	2	4	12	22	35	41	79
B. *Operated*	277	21.3	240	3	4	19	31	50	63	99+
1. SINGLE DX	395	14.2	168	2	3	10	20	33	44	76
2. MULTIPLE DX	429	19.5	221	2	4	16	29	44	58	99+
A. NOT OPERATED	309	13.7	132	2	3	10	17	30	37	70
B. OPERATED	515	18.9	234	2	3	15	28	44	58	99+
TOTAL 0-19 YRS	277	17.0	175	3	4	13	23	36	44	59
20-34	185	15.1	185	2	2	11	23	36	44	71
35-49	132	15.8	213	1	2	12	25	41	63	99+
50-64	139	18.6	223	3	4	15	27	42	54	99+
65+	91	19.6	260	4	4	15	29	62	99+	99+
GRAND TOTAL	**824**	**16.9**	**202**	**2**	**3**	**13**	**25**	**40**	**51**	**99+**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	191	9.9	136	1	2	7	14	19	28	78
20-34	76	4.4	17	1	1	3	6	9	13	21
35-49	74	5.4	26	1	1	4	6	10	17	27
50-64	60	9.4	103	2	2	7	13	19	23	61
65+	100	12.8	172	2	3	10	15	27	39	74
B. *Operated*										
0-19 YRS	569	6.4	67	1	2	4	7	13	18	51
20-34	580	5.6	27	2	2	4	6	10	15	34
35-49	204	7.6	67	2	2	5	9	16	20	34
50-64	166	10.3	112	1	2	6	13	23	37	62
65+	68	14.1	147	2	2	11	18	27	38	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	10.0	171	1	1	6	11	30	42	97
20-34	58	6.0	40	1	1	4	7	12	16	33
35-49	75	6.9	49	1	1	5	9	15	22	34
50-64	173	11.1	152	1	2	8	14	23	32	88
65+	608	19.0	276	3	5	14	26	44	66	99+
B. *Operated*										
0-19 YRS	178	9.9	175	1	2	6	10	25	36	72
20-34	274	8.8	98	2	2	5	10	22	29	80
35-49	142	11.9	211	2	3	7	14	29	42	74
50-64	194	16.8	265	2	3	12	21	40	58	99+
65+	226	23.7	402	3	5	18	31	66	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	501	8.9	113	1	2	5	12	18	26	59
B. *Operated*	1587	7.0	65	1	2	4	8	15	20	44
2. MULTIPLE DX										
A. *Not Operated*	974	15.3	239	2	3	10	20	36	57	99+
B. *Operated*	1014	14.3	260	2	2	8	18	35	55	99+
1. SINGLE DX	2088	7.4	77	1	2	5	9	16	22	44
2. MULTIPLE DX	1988	14.8	250	2	3	9	20	36	56	99+
A. NOT OPERATED	1475	13.1	205	1	2	9	17	31	45	99+
B. OPERATED	2601	9.8	153	2	2	5	11	23	35	78
TOTAL 0-19 YRS	998	7 9	108	1	2	4	9	17	26	63
20-34	988	6.4	49	1	2	4	7	13	20	35
35-49	495	8.4	105	1	2	5	10	17	25	63
50-64	593	12.6	181	2	2	8	17	28	43	94
65+	1002	19.1	295	3	4	14	26	45	68	99+
GRAND TOTAL	**4076**	**11.0**	**175**	**1**	**2**	**6**	**14**	**26**	**39**	**88**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	22	1	1	2	7	11	11	11
20-34	6	3.3	11	1	1	2	3	9	10	10
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	2	3.0	8	<1	<1	2	5	5	5	5
B. *Operated*										
0-19 YRS	132	5.3	25	1	1	4	6	10	13	28
20-34	82	3.7	8	<1	1	2	6	8	9	13
35-49	50	5.0	31	<1	1	3	6	11	15	35
50-64	28	5.5	32	1	1	4	7	10	23	24
65+	20	7.3	57	1	2	4	9	17	24	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	8.0	111	<1	1	5	8	18	36	42
20-34	3	4.3	1	3	3	5	5	5	5	5
35-49	6	6.3	27	<1	<1	4	10	14	15	15
50-64	8	9.8	61	2	2	7	15	22	24	24
65+	4	26.8	203	14	14	24	38	45	45	45
B. *Operated*										
0-19 YRS	121	7.3	47	2	2	5	9	15	20	36
20-34	69	6.5	24	1	2	5	9	14	15	24
35-49	39	6.4	19	2	2	5	9	13	16	18
50-64	52	10.0	91	2	3	6	13	24	29	48
65+	24	12.2	156	2	3	10	15	41	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	3.4	11	<1	<1	2	4	10	11	11
B. *Operated*	312	5.0	25	1	1	4	6	10	14	27
2. MULTIPLE DX										
A. *Not Operated*	36	9.9	117	<1	2	5	14	23	39	45
B. *Operated*	305	7.8	56	2	2	5	10	16	22	50
1. SINGLE DX	328	4.9	24	1	1	3	6	10	13	26
2. MULTIPLE DX	341	8.1	63	2	2	5	10	17	24	48
A. NOT OPERATED	52	7.9	92	<1	1	5	10	17	30	45
B. OPERATED	617	6.4	42	1	2	4	8	13	18	37
TOTAL 0-19 YRS	272	6.3	40	1	2	4	8	12	17	39
20-34	160	4.9	16	1	1	4	7	11	13	18
35-49	97	5.6	26	<1	1	4	8	12	15	27
50-64	90	8.4	72	1	2	6	9	23	25	42
65+	50	11.0	137	2	2	6	15	31	45	99+
GRAND TOTAL	**669**	**6.5**	**46**	**1**	**2**	**4**	**8**	**14**	**18**	**42**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	5.0	28	1	1	3	6	14	17	17
35-49	4	5.5	6	3	3	5	7	9	9	9
50-64	6	10.0	143	2	2	5	12	31	33	33
65+	8	5.1	21	1	1	3	8	12	14	14
B. *Operated*										
0-19 YRS										
20-34	5	5.0	27	1	1	3	6	14	14	14
35-49	4	12.3	128	2	2	10	21	27	27	27
50-64	6	5.3	3	3	3	5	7	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	6.6	49	2	2	4	6	19	22	22
35-49	8	6.9	41	2	2	5	8	17	21	21
50-64	18	9.4	86	2	2	6	13	21	33	39
65+	20	12.3	316	1	2	7	12	23	54	83
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	4	19.5	28	12	12	21	23	24	24	24
50-64	12	12.3	60	1	2	11	19	23	25	25
65+	1	26.0		26	26	26	26	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	6.1	47	1	1	4	8	14	19	33
B. *Operated*	15	7.1	47	1	2	5	8	15	24	27
2. MULTIPLE DX										
A. *Not Operated*	54	9.6	158	2	2	6	10	21	25	81
B. *Operated*	20	13.0	74	1	2	11	21	24	25	26
1. SINGLE DX	42	6.4	46	1	1	4	8	14	21	33
2. MULTIPLE DX	74	10.5	136	1	2	7	13	22	25	72
A. NOT OPERATED	81	8.4	122	1	2	5	9	18	24	69
B. OPERATED	35	10.4	70	1	2	8	17	24	26	27
TOTAL 0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	22	5.3	30	1	1	4	5	15	19	22
35-49	20	10.2	69	2	2	7	17	23	25	27
50-64	42	9.7	74	2	2	7	12	23	28	39
65+	29	10.8	239	1	1	7	11	23	29	83
GRAND TOTAL	**116**	**9.0**	**107**	**1**	**2**	**5**	**11**	**22**	**25**	**54**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	3.9	13	1	1	3	5	9	14	17
20-34	158	3.9	13	1	1	3	5	8	10	19
35-49	135	4.9	13	1	1	4	6	10	13	18
50-64	127	5.2	19	1	1	4	7	11	13	21
65+	98	9.1	115	1	2	6	11	17	32	60
B. *Operated*										
0-19 YRS	369	7.4	105	1	1	3	8	19	26	45
20-34	479	4.1	19	<1	1	3	4	9	11	24
35-49	324	4.8	50	1	1	3	5	11	14	43
50-64	432	4.1	20	1	1	3	4	9	12	24
65+	226	3.9	12	1	2	3	4	8	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	5.7	28	1	1	4	8	12	16	27
20-34	153	5.2	51	1	1	3	7	10	14	62
35-49	156	7.4	62	1	2	5	9	15	25	35
50-64	200	8.3	52	1	2	6	12	18	23	34
65+	276	9.7	54	2	3	8	12	21	25	42
B. *Operated*										
0-19 YRS	262	6.8	98	1	1	3	7	18	29	84
20-34	412	5.1	46	<1	1	3	5	10	16	41
35-49	260	7.0	107	1	2	4	7	14	22	65
50-64	309	7.1	61	1	2	4	9	17	21	42
65+	193	10.7	211	2	2	5	12	30	37	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	667	5.1	32	1	1	3	6	11	14	29
B. *Operated*	1830	4.8	43	1	1	3	5	10	15	34
2. MULTIPLE DX										
A. *Not Operated*	908	7.7	54	1	2	5	10	17	23	37
B. *Operated*	1436	6.9	95	1	2	3	7	16	24	55
1. SINGLE DX	2497	4.9	40	1	1	3	5	11	15	33
2. MULTIPLE DX	2344	7.2	79	1	2	4	9	16	23	51
A. NOT OPERATED	1575	6.6	46	1	1	4	9	14	20	34
B. OPERATED	3266	5.8	67	1	1	3	6	13	19	44
TOTAL 0-19 YRS	903	6.4	79	1	1	3	7	15	23	44
20-34	1202	4.5	32	<1	1	3	5	9	12	34
35-49	875	5.9	65	1	1	3	7	12	17	51
50-64	1068	5.9	41	1	2	3	7	14	19	32
65+	793	8.2	96	1	2	5	10	19	27	68
GRAND TOTAL	**4841**	**6.0**	**60**	**1**	**1**	**3**	**7**	**13**	**19**	**42**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	7.3	102	1	1	2	15	19	19	19
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.3	8	<1	<1	4	6	7	7	7
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5	7.6	52	1	1	7	11	19	19	19
B. *Operated*	1	4.0		4	4	4	4	4	4	4
1. SINGLE DX	4	4.3	8	<1	<1	4	6	7	7	7
2. MULTIPLE DX	6	7.0	44	1	1	5	9	18	19	19
A. NOT OPERATED	9	6.1	32	<1	<1	6	8	15	19	19
B. OPERATED	1	4.0		4	4	4	4	4	4	4
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	6.7	6	4	4	7	8	9	9	9
50-64	3	7.3	102	1	1	2	15	19	19	19
65+	2	4.0	18	<1	<1	3	7	7	7	7
GRAND TOTAL	**10**	**5.9**	**29**	**<1**	**<1**	**5**	**7**	**14**	**19**	**19**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	7.8	78	1	1	5	9	20	31	38
20-34	3	2.0	3	<1	<1	1	3	4	4	4
35-49	2	16.0	8	14	14	16	18	18	18	18
50-64										
65+										
B. *Operated*										
0-19 YRS	17	9.2	24	3	4	8	12	15	20	22
20-34	5	25.0	185	11	11	23	33	46	46	46
35-49	2	14.0	18	11	11	14	17	17	17	17
50-64	1	31.0		31	31	31	31	31	31	31
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	9.9	163	2	2	5	11	22	42	92
20-34	2	7.0	18	4	4	7	10	10	10	10
35-49	1	28.0		28	28	28	28	28	28	28
50-64	2	3.5	1	3	3	3	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	61	18.4	271	4	5	12	24	50	67	96
20-34	11	19.5	411	1	2	17	27	48	70	72
35-49	5	26.6	422	14	14	17	32	63	63	63
50-64	2	16.5	5	15	15	18	79	99+	99+	99+
65+	2	16.0	18	13	13	16	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	7.8	73	1	1	5	9	19	29	38
B. *Operated*	25	13.6	101	4	5	11	16	29	35	46
2. MULTIPLE DX										
A. *Not Operated*	93	9.9	159	2	3	5	11	24	42	91
B. *Operated*	81	19.0	281	3	5	14	24	52	69	99+
1. SINGLE DX	57	10.4	93	1	1	8	13	23	31	45
2. MULTIPLE DX	174	14.1	235	2	3	9	18	38	61	99+
A. NOT OPERATED	125	9.3	137	2	2	5	10	22	39	84
B. OPERATED	106	17.7	242	4	5	13	22	44	66	99+
TOTAL 0-19 YRS	193	12.2	190	2	3	8	14	34	47	90
20-34	21	17.1	307	<1	1	14	24	38	58	72
35-49	10	22.1	229	11	12	17	22	45	63	63
50-64	5	14.2	132	3	3	16	31	93	99+	99+
65+	2	16.0	18	13	13	16	19	19	19	19
GRAND TOTAL	**231**	**13.2**	**202**	**2**	**3**	**9**	**17**	**34**	**51**	**99+**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	1.2	1	<1	<1	<1	1	2	2	6
20-34	6	2.3	1	1	1	2	3	3	3	3
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	558	2.8	8	1	1	2	3	4	6	16
20-34	116	3.2	5	<1	1	3	4	5	6	12
35-49	51	3.8	5	1	1	3	5	7	9	9
50-64	22	3.5	2	1	1	4	4	6	6	6
65+	17	5.6	6	1	3	6	7	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	3.7	19	<1	<1	2	5	8	12	23
20-34										
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	121	3.8	19	<1	1	2	5	7	9	24
20-34	43	4.2	11	<1	1	3	6	9	11	15
35-49	18	4.3	5	1	2	4	5	7	9	10
50-64	21	4.6	7	2	2	4	5	9	11	12
65+	21	9.3	43	3	4	7	13	15	23	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	1.3	1	<1	<1	<1	1	2	3	7
B. *Operated*	764	3.0	7	1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	43	3.6	18	<1	<1	2	4	8	12	23
B. *Operated*	224	4.5	19	1	1	3	6	9	12	21
1. SINGLE DX	868	2.8	7	<1	1	2	3	5	6	14
2. MULTIPLE DX	267	4.4	19	<1	1	3	6	8	12	22
A. NOT OPERATED	147	2.0	7	<1	<1	1	2	4	8	13
B. OPERATED	988	3.3	10	1	1	2	4	6	8	16
TOTAL 0-19 YRS	816	2.8	10	<1	<1	2	3	5	7	17
20-34	165	3.4	6	<1	1	3	4	6	8	15
35-49	71	3.9	5	1	1	3	5	7	9	10
50-64	45	4.0	5	1	2	4	5	6	8	12
65+	38	7.7	29	2	3	6	8	14	16	32
GRAND TOTAL	**1135**	**3.2**	**10**	**<1**	**1**	**2**	**4**	**6**	**8**	**16**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	4.7	15	1	1	4	7	10	14	15
20-34	10	4.6	22	1	1	3	8	12	13	13
35-49	4	6.8	7	4	4	9	32	99+	99+	99+
50-64	7	4.6	26	1	1	2	8	13	14	14
65+	5	10.0	151	1	1	6	15	31	31	31
B. *Operated*										
0-19 YRS	258	5.4	26	2	2	3	9	12	14	26
20-34	67	6.8	37	1	2	5	10	12	13	39
35-49	29	5.9	21	1	1	4	10	13	17	99+
50-64	22	7.8	56	1	2	4	11	20	24	29
65+	3	4.7	21	2	2	2	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	7.9	84	1	1	5	11	19	24	99+
20-34	30	5.9	30	1	1	4	10	13	14	24
35-49	16	5.9	43	<1	1	4	8	15	21	24
50-64	17	9.6	69	1	1	7	14	23	28	30
65+	15	7.3	29	1	2	6	7	17	20	21
B. *Operated*										
0-19 YRS	215	9.0	122	2	2	3	12	20	30	57
20-34	63	9.0	53	1	2	8	12	20	22	36
35-49	34	9.8	64	1	1	10	15	20	24	33
50-64	34	14.8	151	1	2	12	23	31	39	44
65+	16	13.2	192	1	1	9	21	27	45	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	5.2	26	1	1	4	8	13	14	88
B. *Operated*	379	5.8	29	2	2	3	9	13	14	29
2. MULTIPLE DX										
A. *Not Operated*	213	7.5	68	1	1	5	11	18	24	76
B. *Operated*	362	9.8	112	2	2	5	13	23	30	53
1. SINGLE DX	445	5.7	29	1	2	3	9	13	14	31
2. MULTIPLE DX	575	9.0	97	1	2	5	12	21	28	58
A. NOT OPERATED	279	7.0	59	1	1	5	10	15	22	88
B. OPERATED	741	7.8	74	2	2	3	11	17	25	45
TOTAL 0-19 YRS	648	7.1	72	1	2	3	10	15	22	54
20-34	170	7.3	42	1	1	5	11	14	20	35
35-49	83	7.5	45	1	1	5	12	17	24	99+
50-64	80	10.9	107	1	1	7	16	27	31	43
65+	39	9.8	113	1	1	6	11	26	29	53
GRAND TOTAL	**1020**	**7.6**	**70**	**1**	**2**	**4**	**11**	**16**	**24**	**52**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	8.8	171	1	1	4	12	32	32	32
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	204	7.1	12	2	3	7	9	12	14	18
20-34	13	6.2	8	2	3	6	7	9	13	14
35-49	3	7.7	20	3	3	8	11	12	12	12
50-64	2	4.5	5	3	3	4	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	6.7	36	<1	1	5	8	18	18	18
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	111	11.3	78	3	4	9	14	20	27	51
20-34	7	4.4	16	<1	<1	4	5	11	13	13
35-49	5	4.4	9	<1	<1	4	6	9	9	9
50-64										
65+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	8.8	171	1	1	4	12	32	32	32
B. *Operated*	222	7.0	12	2	3	7	8	12	14	18
2. MULTIPLE DX										
A. *Not Operated*	16	6.7	34	<1	1	5	8	18	18	18
B. *Operated*	124	10.6	75	2	3	9	13	19	26	47
1. SINGLE DX	227	7.1	15	2	3	7	8	12	14	18
2. MULTIPLE DX	140	10.2	71	2	3	8	13	19	25	42
A. NOT OPERATED	21	7.2	60	<1	1	5	8	18	24	32
B. OPERATED	346	8.3	37	2	3	7	10	15	18	30
TOTAL 0-19 YRS	335	8.5	41	2	3	7	10	15	18	33
20-34	20	5.6	11	1	2	5	7	10	13	14
35-49	9	5.7	12	<1	1	5	8	11	12	12
50-64	2	4.5	5	3	3	4	6	6	6	6
65+	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	**367**	**8.3**	**39**	**2**	**3**	**7**	**10**	**15**	**18**	**32**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	6.5	53	1	1	4	7	19	21	29
B. *Operated*										
0-19 YRS	185	7.1	18	3	4	6	8	12	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.0	28	3	3	4	11	15	17	17
B. *Operated*										
0-19 YRS	72	9.6	31	4	5	8	12	17	21	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	6.5	53	1	1	4	7	19	21	29
B. *Operated*	185	7.1	18	3	4	6	8	12	15	27
2. MULTIPLE DX										
A. *Not Operated*	8	7.0	28	3	3	4	11	15	17	17
B. *Operated*	72	9.6	31	4	5	8	12	17	21	28
1. SINGLE DX	212	7.1	22	2	3	6	8	12	17	28
2. MULTIPLE DX	80	9.4	31	3	4	8	12	17	20	28
A. NOT OPERATED	35	6.6	47	1	1	4	8	18	20	29
B. OPERATED	257	7.8	23	3	4	7	9	14	17	28
TOTAL 0-19 YRS	292	7.7	26	3	3	6	9	14	18	28
GRAND TOTAL	**292**	**7.7**	**26**	**3**	**3**	**6**	**9**	**14**	**18**	**28**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	2.8	9	<1	<1	1	3	8	9	15
20-34	7	4.3	13	2	2	2	7	10	10	10
35-49	2	7.0	8	5	5	7	9	9	9	9
50-64	3	4.3	16	2	2	2	7	9	9	9
65+	6	5.3	5	2	2	5	8	8	8	8
B. *Operated*										
0-19 YRS	118	4.8	37	<1	<1	3	6	10	14	36
20-34	46	4.3	9	<1	<1	4	5	9	10	15
35-49	11	9.4	112	1	1	7	10	26	36	37
50-64	14	11.6	92	3	4	8	14	28	34	36
65+	8	9.9	24	2	3	10	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	9.0	117	1	2	5	10	22	33	56
20-34	4	9.3	17	4	4	9	12	14	14	14
35-49	6	4.5	3	2	2	5	6	6	6	6
50-64	2	6.5	13	4	4	6	9	9	9	9
65+	10	10.8	46	3	3	10	16	20	21	21
B. *Operated*										
0-19 YRS	120	9.7	124	2	2	7	11	30	81	99+
20-34	44	8.3	72	<1	1	7	10	19	32	99+
35-49	14	12.5	37	4	6	12	16	20	25	27
50-64	28	11.0	110	2	2	9	15	26	38	38
65+	14	13.1	180	<1	<1	11	15	23	48	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	3.1	10	<1	<1	2	4	8	9	14
B. *Operated*	197	5.6	42	<1	<1	4	7	11	16	37
2. MULTIPLE DX										
A. *Not Operated*	105	8.8	99	2	2	5	10	21	26	53
B. *Operated*	220	10.0	109	1	2	8	13	26	47	99+
1. SINGLE DX	322	4.7	31	<1	<1	3	6	10	14	32
2. MULTIPLE DX	325	9.6	106	1	2	7	12	23	38	99+
A. NOT OPERATED	230	5.7	58	<1	1	3	7	11	21	46
B. OPERATED	417	7.9	82	<1	1	5	10	18	31	99+
TOTAL 0-19 YRS	428	6.5	78	<1	1	4	8	14	27	99+
20-34	101	6.2	41	<1	1	4	8	13	19	73
35-49	33	9.7	60	2	2	7	13	19	26	37
50-64	47	10.6	95	2	2	9	14	26	36	38
65+	38	10.6	87	1	2	9	14	19	21	55
GRAND TOTAL	**647**	**7.1**	**75**	**<1**	**1**	**4**	**9**	**16**	**26**	**99**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.4	4	<1	<1	1	4	5	6	7
20-34	4	3.8	5	2	2	3	5	7	7	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	588	4.3	8	2	2	4	5	8	9	12
20-34	39	4.3	3	2	3	4	5	7	8	8
35-49	8	4.6	7	2	2	4	7	9	9	9
50-64	3	4.3	2	3	3	4	5	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	15	<1	<1	1	2	6	13	18
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	392	4.4	8	2	2	4	5	8	10	17
20-34	63	5.0	10	2	3	4	7	8	9	21
35-49	16	4.9	5	2	3	4	6	8	10	11
50-64	6	10.8	71	4	4	7	17	24	25	25
65+	2	6.0	2	5	5	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.7	4	<1	<1	2	4	6	7	7
B. *Operated*	638	4.3	7	2	2	4	5	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	24	2.5	15	<1	<1	1	2	5	12	18
B. *Operated*	479	4.6	9	2	2	4	5	8	10	18
1. SINGLE DX	660	4.3	7	2	2	4	5	8	9	11
2. MULTIPLE DX	503	4.5	9	2	2	4	5	8	10	18
A. NOT OPERATED	46	2.6	10	<1	<1	1	3	5	8	18
B. OPERATED	1117	4.5	8	2	2	4	5	8	9	16
TOTAL 0-19 YRS	1021	4.3	8	2	2	4	5	8	9	15
20-34	107	4.7	7	2	2	4	6	8	8	16
35-49	24	4.8	6	2	2	4	6	8	10	11
50-64	9	8.7	56	3	3	5	11	22	25	25
65+	2	6.0	2	5	5	6	7	7	7	7
GRAND TOTAL	**1163**	**4.4**	**8**	**2**	**2**	**4**	**5**	**8**	**9**	**16**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.8	7	<1	<1	2	3	7	9	10
20-34	12	3.8	8	1	1	3	6	8	9	9
35-49	8	4.8	6	2	2	4	7	8	8	8
50-64	8	3.0	4	1	1	2	4	6	7	7
65+	2	10.5	5	9	9	10	12	12	12	12
B. *Operated*										
0-19 YRS	275	6.6	31	<1	1	5	10	14	17	23
20-34	143	4.9	22	<1	1	3	7	11	16	21
35-49	43	8.1	40	1	2	7	10	19	22	25
50-64	24	6.8	29	1	1	6	10	15	17	20
65+	12	8.9	26	2	3	8	12	16	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	6.2	52	<1	<1	4	7	13	29	30
20-34	16	8.2	141	1	1	4	8	18	39	48
35-49	24	5.1	10	1	2	4	8	10	11	11
50-64	15	8.4	34	2	2	6	14	17	17	17
65+	10	11.2	124	2	2	7	16	28	39	39
B. *Operated*										
0-19 YRS	206	8.4	53	1	2	6	13	18	22	32
20-34	145	7.8	46	2	2	6	10	16	23	41
35-49	77	11.3	245	1	2	7	12	22	35	90
50-64	52	11.8	79	2	3	9	17	23	27	49
65+	28	10.3	73	1	2	8	15	23	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	3.6	8	<1	1	2	6	8	9	12
B. *Operated*	497	6.3	30	<1	1	5	9	14	17	23
2. MULTIPLE DX										
A. *Not Operated*	95	7.1	61	1	1	5	9	16	18	44
B. *Operated*	509	9.1	85	1	2	7	12	19	26	53
1. SINGLE DX	549	6.0	28	<1	1	4	8	14	17	22
2. MULTIPLE DX	604	8.8	82	1	2	6	12	18	26	48
A. NOT OPERATED	147	5.9	45	<1	1	4	7	13	17	39
B. OPERATED	1006	7.7	60	1	1	6	11	16	21	38
TOTAL 0-19 YRS	533	7.1	41	<1	1	5	11	15	19	30
20-34	317	6.3	40	1	1	5	8	14	19	38
35-49	152	9.1	143	1	2	6	11	19	25	82
50-64	99	9.4	61	1	2	8	14	19	24	40
65+	52	10.2	67	2	2	9	14	18	37	98
GRAND TOTAL	**1153**	**7.5**	**58**	**1**	**1**	**5**	**10**	**16**	**20**	**39**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	4.6	56	<1	1	2	4	13	22	35
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	256	4.5	12	1	1	3	5	9	12	16
20-34	26	6.2	15	2	3	5	7	12	16	19
35-49	8	4.1	3	2	2	4	5	6	7	7
50-64	6	5.8	3	4	4	5	8	8	8	8
65+	2	9.5	1	9	9	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	7.6	113	<1	<1	3	7	26	32	37
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	125	5.9	19	2	2	4	7	12	15	24
20-34	35	6.0	24	2	3	5	6	9	12	31
35-49	19	4.8	5	2	2	4	6	8	9	9
50-64	22	6.5	25	2	3	5	7	11	17	26
65+	9	7.6	32	3	3	4	12	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	4.6	54	<1	1	2	4	12	22	35
B. *Operated*	298	4.7	12	1	1	4	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	23	7.2	105	<1	1	3	6	25	31	37
B. *Operated*	210	6.0	20	2	3	5	7	12	15	25
1. SINGLE DX	327	4.7	16	1	1	4	5	9	12	19
2. MULTIPLE DX	233	6.1	28	1	2	4	7	12	16	29
A. NOT OPERATED	52	5.7	76	<1	1	2	4	21	28	37
B. OPERATED	508	5.3	16	1	2	4	6	10	13	20
TOTAL 0-19 YRS	430	5.1	22	1	1	4	6	11	14	24
20-34	63	6.0	20	2	3	5	7	9	14	29
35-49	28	4.6	4	2	2	4	6	8	9	9
50-64	28	6.4	20	3	3	5	7	10	13	26
65+	11	7.9	26	3	3	6	11	16	17	17
GRAND TOTAL	**560**	**5.3**	**21**	**1**	**2**	**4**	**6**	**11**	**14**	**25**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	140	4.9	31	<1	1	3	7	11	13	34
20-34	43	6.0	42	<1	1	4	7	12	20	33
35-49	17	7.2	57	1	1	6	9	12	26	33
50-64	16	8.1	39	1	1	6	13	18	19	20
65+	10	7.2	44	3	3	4	9	18	24	24
B. *Operated*										
0-19 YRS	730	6.1	38	1	2	4	8	13	17	29
20-34	359	4.8	26	1	1	3	6	12	14	30
35-49	168	6.0	41	1	1	3	9	15	19	31
50-64	66	8.1	42	2	2	5	11	17	20	34
65+	14	7.4	41	2	2	4	14	16	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	182	8.0	105	1	1	5	10	17	26	60
20-34	39	7.9	61	1	1	5	11	22	29	99+
35-49	31	11.5	84	2	3	12	17	29	92	99+
50-64	32	10.3	176	1	2	6	12	25	33	69
65+	36	18.5	312	3	3	13	23	43	60	75
B. *Operated*										
0-19 YRS	325	10.1	153	2	2	6	12	23	34	64
20-34	209	8.4	95	1	2	5	10	20	29	61
35-49	90	11.9	192	1	2	7	15	25	37	76
50-64	77	13.2	232	1	2	10	17	28	43	99
65+	29	16.7	141	2	3	14	27	33	39	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	5.6	36	1	1	4	7	12	16	33
B. *Operated*	1337	5.8	36	1	1	4	8	13	17	30
2. MULTIPLE DX										
A. *Not Operated*	320	9.8	137	1	1	6	12	22	38	82
B. *Operated*	730	10.4	152	1	2	6	13	24	34	70
1. SINGLE DX	1563	5.8	36	1	1	4	8	13	17	31
2. MULTIPLE DX	1050	10.2	148	1	2	6	13	24	35	74
A. NOT OPERATED	546	8.0	100	1	1	5	10	19	27	67
B. OPERATED	2067	7.5	82	1	2	4	10	16	23	51
TOTAL 0-19 YRS	1377	7.2	77	1	2	4	9	15	22	51
20-34	650	6.2	54	1	1	4	8	14	21	46
35-49	306	8.3	98	1	1	5	12	19	25	69
50-64	191	10.5	145	1	2	7	13	20	31	89
65+	89	14.9	202	2	3	10	21	33	44	70
GRAND TOTAL	**2613**	**7.6**	**86**	**1**	**1**	**4**	**10**	**17**	**24**	**53**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	482	4.9	36	1	1	3	5	8	16	33
B. *Operated*										
0-19 YRS	10	4.0	4	1	1	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	383	12.3	205	1	2	6	17	34	52	99+
B. *Operated*										
0-19 YRS	26	18.7	588	2	2	8	39	85	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	482	4.9	36	1	1	3	5	8	16	33
B. *Operated*	10	4.0	4	1	1	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	383	12.3	205	1	2	6	17	34	52	99+
B. *Operated*	26	18.7	588	2	2	8	39	85	99+	99+
1. SINGLE DX	492	4.9	35	1	1	3	5	8	16	32
2. MULTIPLE DX	409	12.7	230	1	2	6	18	37	54	99+
A. NOT OPERATED	865	8.2	124	1	2	4	8	23	34	65
B. OPERATED	36	14.6	466	2	2	6	21	67	96	99+
TOTAL 0-19 YRS	901	8.4	139	1	2	4	8	24	37	90
GRAND TOTAL	**901**	**8.4**	**139**	**1**	**2**	**4**	**8**	**24**	**37**	**90**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	929	3.8	14	1	1	3	5	7	9	20
20-34	127	3.6	12	1	1	3	4	8	9	19
35-49	68	3.3	5	1	1	3	4	6	9	10
50-64	59	6.2	32	<1	1	5	8	14	17	32
65+	52	5.4	22	1	1	4	7	13	16	20
B. *Operated*										
0-19 YRS	6	5.7	11	2	2	6	8	10	10	10
20-34	3	4.7	12	1	1	5	7	8	8	8
35-49	2	9.5	5	8	8	9	11	11	11	11
50-64	4	3.3	7	1	1	2	5	7	7	7
65+	2	16.0	72	10	10	16	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1281	4.7	22	1	1	3	5	9	13	25
20-34	153	4.9	24	1	1	3	6	10	15	30
35-49	158	5.4	32	1	1	4	7	11	14	26
50-64	194	7.5	49	1	2	5	9	14	25	37
65+	174	9.5	69	1	2	8	11	20	30	85
B. *Operated*										
0-19 YRS	31	10.1	73	2	2	7	14	19	22	44
20-34	6	10.5	72	2	2	8	13	25	26	26
35-49	12	11.9	124	1	1	8	15	28	39	41
50-64	18	13.9	173	1	3	8	18	35	45	49
65+	13	20.4	269	1	1	19	32	42	50	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1235	3.9	15	1	1	3	5	8	10	20
B. *Operated*	17	6.6	27	1	1	7	9	11	18	22
2. MULTIPLE DX										
A. *Not Operated*	1960	5.5	32	1	1	4	6	11	16	31
B. *Operated*	80	12.9	141	1	2	8	18	31	40	51
1. SINGLE DX	1252	3.9	15	1	1	3	5	8	10	20
2. MULTIPLE DX	2040	5.8	39	1	1	4	7	12	18	40
A. NOT OPERATED	3195	4.9	26	1	1	3	6	10	14	28
B. OPERATED	97	11.8	126	1	2	8	16	27	40	51
TOTAL 0-19 YRS	2247	4.4	20	1	1	3	5	8	12	23
20-34	289	4.5	21	1	1	3	6	9	12	28
35-49	240	5.2	32	1	1	3	6	11	14	27
50-64	275	7.5	56	1	1	5	9	15	25	40
65+	241	9.3	79	1	2	7	11	20	31	55
GRAND TOTAL	**3292**	**5.1**	**30**	**1**	**1**	**3**	**6**	**10**	**15**	**30**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	768	3.4	12	1	1	3	4	6	8	15
20-34	49	4.3	12	1	1	3	6	9	12	16
35-49	24	4.5	9	1	1	4	6	9	11	14
50-64	24	7.4	27	2	3	6	9	15	19	23
65+	35	7.8	31	2	2	6	10	17	18	24
B. *Operated*										
0-19 YRS	6	8.2	49	3	3	6	7	21	22	22
20-34	5	20.2	404	2	2	18	30	53	53	53
35-49	3	12.3	209	3	3	5	23	29	29	29
50-64	1	28.0		28	28	28	28	28	28	28
65+	4	14.0	139	1	1	15	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	714	4.3	21	1	1	3	5	8	10	17
20-34	76	5.4	18	1	2	4	7	9	13	26
35-49	46	7.2	41	2	2	5	9	14	23	32
50-64	64	7.8	38	2	3	7	9	13	18	38
65+	126	9.9	54	3	3	8	12	18	23	42
B. *Operated*										
0-19 YRS	14	7.9	31	3	3	7	9	15	22	24
20-34	12	8.6	32	1	3	9	12	38	88	99+
35-49	8	19.0	345	8	8	14	17	50	64	64
50-64	12	18.0	604	1	2	8	21	50	84	90
65+	23	26.9	437	7	8	17	50	64	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	900	3.8	14	1	1	3	5	7	10	18
B. *Operated*	19	14.3	183	1	2	7	23	29	42	53
2. MULTIPLE DX										
A. *Not Operated*	1026	5.4	31	1	2	4	7	11	14	30
B. *Operated*	69	17.4	349	3	4	10	21	59	67	99+
1. SINGLE DX	919	4.0	20	1	1	3	5	7	10	22
2. MULTIPLE DX	1095	6.2	59	1	2	4	7	12	17	49
A. NOT OPERATED	1926	4.7	24	1	1	3	5	9	12	23
B. OPERATED	88	16.7	312	3	3	10	22	54	64	99+
TOTAL 0-19 YRS	1502	3.9	17	1	1	3	5	7	9	18
20-34	142	5.8	36	1	2	4	7	12	16	56
35-49	81	7.8	78	1	2	5	9	15	23	54
50-64	101	9.1	111	2	3	6	9	15	26	64
65+	188	11.7	129	2	3	9	13	23	37	66
GRAND TOTAL	**2014**	**5.2**	**42**	**1**	**1**	**3**	**6**	**10**	**14**	**34**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	4.3	11	1	1	3	6	8	13	15
20-34	167	3.6	8	1	1	3	4	7	9	14
35-49	85	5.1	18	1	1	4	7	10	14	20
50-64	48	6.1	47	1	1	4	8	11	18	39
65+	23	7.3	27	1	2	6	11	13	18	20
B. *Operated*										
0-19 YRS	5	6.2	15	4	4	5	7	13	13	13
20-34	24	4.6	12	1	1	4	6	11	13	14
35-49	19	6.1	16	1	2	5	9	12	15	15
50-64	11	4.5	4	2	2	4	6	7	7	7
65+	5	9.8	45	4	4	7	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	3.6	7	1	1	3	5	7	9	12
20-34	144	4.9	28	1	1	3	6	9	13	23
35-49	99	5.9	36	1	1	4	7	14	18	31
50-64	104	6.7	23	1	2	6	9	12	17	24
65+	76	9.7	153	2	2	6	12	17	25	82
B. *Operated*										
0-19 YRS	3	5.3	34	1	1	3	10	12	12	12
20-34	13	8.2	66	1	2	4	12	24	25	25
35-49	26	7.2	36	1	1	5	11	15	19	24
50-64	18	11.9	473	2	3	6	10	13	64	98
65+	10	11.6	99	1	2	9	11	29	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	450	4.5	17	1	1	3	6	10	12	20
B. *Operated*	64	5.5	15	1	2	4	7	12	14	18
2. MULTIPLE DX										
A. *Not Operated*	555	5.8	44	1	1	4	7	12	16	26
B. *Operated*	70	9.2	160	1	2	6	11	16	25	84
1. SINGLE DX	514	4.7	17	1	1	3	6	10	13	20
2. MULTIPLE DX	625	6.1	58	1	1	4	7	12	16	29
A. NOT OPERATED	1005	5.2	32	1	1	4	7	11	14	25
B. OPERATED	134	7.4	94	1	2	5	10	14	18	41
TOTAL 0-19 YRS	267	4.0	9	1	1	3	5	8	11	15
20-34	348	4.4	20	1	1	3	5	9	12	21
35-49	229	5.8	28	1	1	4	7	12	16	25
50-64	181	6.9	73	1	2	5	8	12	16	35
65+	114	9.4	118	1	2	7	11	17	25	60
GRAND TOTAL	**1139**	**5.5**	**40**	**1**	**1**	**4**	**7**	**11**	**15**	**26**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	2.2	4	<1	<1	1	3	5	6	10
20-34	70	3.2	5	<1	1	3	4	7	8	10
35-49	76	3.1	5	<1	1	3	4	6	6	13
50-64	119	3.6	6	1	1	3	5	6	7	12
65+	143	3.4	5	<1	1	3	5	6	7	13
B. *Operated*										
0-19 YRS	49	2.7	6	<1	<1	2	3	6	7	14
20-34	33	4.9	9	1	1	5	7	8	11	13
35-49	35	4.1	7	1	1	4	6	8	9	11
50-64	67	5.2	10	1	2	5	7	9	10	18
65+	68	5.3	14	1	2	5	7	11	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	4.1	19	1	1	3	5	9	15	20
20-34	43	3.0	4	<1	1	2	4	6	7	9
35-49	70	4.8	10	1	1	4	7	9	11	15
50-64	155	5.1	13	1	1	5	7	10	12	18
65+	293	6.4	67	1	2	4	7	12	16	59
B. *Operated*										
0-19 YRS	40	5.2	85	<1	1	3	6	8	12	59
20-34	27	5.5	10	2	2	5	7	10	12	13
35-49	45	6.5	13	2	3	6	8	12	15	18
50-64	103	5.7	15	1	2	5	8	10	12	21
65+	128	6.9	66	2	2	5	8	13	16	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	496	3.2	5	<1	1	3	4	6	7	11
B. *Operated*	252	4.6	10	<1	1	4	6	8	11	14
2. MULTIPLE DX										
A. *Not Operated*	667	5.4	38	1	1	4	7	10	13	24
B. *Operated*	343	6.2	42	1	2	5	8	11	15	23
1. SINGLE DX	748	3.6	7	<1	1	3	5	7	9	14
2. MULTIPLE DX	1010	5.6	39	1	1	4	7	11	14	24
A. NOT OPERATED	1163	4.4	25	1	1	3	6	9	11	20
B. OPERATED	595	5.5	29	1	1	4	7	10	13	20
TOTAL 0-19 YRS	283	3.4	22	<1	<1	2	4	7	10	20
20-34	173	3.8	7	1	1	3	5	8	9	13
35-49	226	4.5	10	1	1	4	6	8	10	16
50-64	444	4.9	12	1	1	4	6	9	11	18
65+	632	5.7	49	1	1	4	7	11	15	27
GRAND TOTAL	**1758**	**4.8**	**27**	**1**	**1**	**4**	**6**	**9**	**12**	**20**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.6	6	1	1	3	4	8	9	10
20-34	9	3.8	13	1	1	3	4	9	13	13
35-49	18	3.8	24	1	1	2	4	7	16	22
50-64	17	3.6	14	1	1	2	5	10	13	14
65+	16	3.8	7	<1	1	3	6	8	9	9
B. *Operated*										
0-19 YRS	82	2.9	10	<1	1	2	3	6	10	19
20-34	68	3.8	12	<1	<1	3	4	9	10	19
35-49	23	3.8	15	<1	<1	2	4	11	13	15
50-64	47	3.7	9	1	2	3	4	7	10	15
65+	12	7.1	103	<1	1	3	5	27	30	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	4.6	7	1	1	4	7	8	9	12
20-34	23	4.6	24	<1	1	3	7	12	16	20
35-49	25	5.4	23	<1	<1	4	8	11	15	21
50-64	31	5.5	28	1	1	4	6	11	17	26
65+	52	11.2	254	1	1	6	12	24	46	90
B. *Operated*										
0-19 YRS	18	7.7	106	<1	1	4	7	19	35	43
20-34	24	5.1	25	<1	<1	3	6	15	16	19
35-49	18	7.4	56	2	2	4	9	22	26	27
50-64	41	7.3	78	1	2	4	8	11	36	38
65+	36	11.6	167	2	2	4	17	33	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	3.7	11	1	1	3	5	8	10	18
B. *Operated*	232	3.6	16	<1	1	2	4	7	11	23
2. MULTIPLE DX										
A. *Not Operated*	175	6.8	96	1	1	4	8	13	20	55
B. *Operated*	137	8.1	95	1	2	4	9	21	35	61
1. SINGLE DX	332	3.6	14	<1	1	2	4	7	10	22
2. MULTIPLE DX	312	7.4	96	1	1	4	9	16	26	57
A. NOT OPERATED	275	5.7	67	1	1	3	7	10	17	43
B. OPERATED	369	5.3	50	<1	1	3	5	12	19	42
TOTAL 0-19 YRS	184	3.9	19	<1	1	3	4	8	10	22
20-34	124	4.2	17	<1	<1	3	5	9	14	19
35-49	84	5.0	29	<1	1	3	6	11	17	26
50-64	136	5.2	36	1	1	3	6	10	14	37
65+	116	9.9	182	1	2	5	13	26	41	94
GRAND TOTAL	**644**	**5.5**	**57**	**<1**	**1**	**3**	**6**	**12**	**18**	**43**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	3	3.3	6	1	1	3	5	6	6	6
65+	6	11.3	33	4	4	12	15	19	19	19
B. *Operated*										
0-19 YRS	6	10.8	80	2	2	10	17	23	24	24
20-34	10	12.5	135	1	2	7	20	31	34	34
35-49	5	16.4	44	6	6	18	20	24	24	24
50-64	21	16.3	271	1	2	12	23	40	58	59
65+	15	13.0	110	1	3	11	17	20	38	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.0	57	2	2	8	15	17	17	17
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	11.5	61	6	6	11	17	17	17	17
50-64	8	8.1	29	1	2	8	13	14	14	14
65+	44	18.1	334	1	2	12	25	40	67	78
B. *Operated*										
0-19 YRS	9	13.7	162	2	2	10	23	34	36	36
20-34	13	19.1	503	2	2	10	32	55	65	67
35-49	20	18.1	289	1	3	9	26	45	58	62
50-64	64	33.7	493	8	12	28	52	87	99+	99+
65+	188	31.3	445	6	9	29	50	89	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	8.3	32	1	2	6	13	17	19	19
B. *Operated*	57	14.2	161	1	2	12	20	28	40	59
2. MULTIPLE DX										
A. *Not Operated*	58	15.8	277	1	2	11	18	37	57	77
B. *Operated*	294	29.8	461	[illegible]	8	26	50	81	99+	99+
1. SINGLE DX	68	13.2	144	1	2	11	19	26	35	59
2. MULTIPLE DX	352	27.5	457	3	5	23	45	71	99+	99+
A. NOT OPERATED	69	14.6	244	1	2	9	17	33	42	76
B. OPERATED	351	27.3	445	3	5	23	45	69	99+	99+
TOTAL 0-19 YRS	19	11.6	107	2	2	8	17	28	34	36
20-34	25	15.4	320	2	2	8	22	49	56	67
35-49	27	17.3	224	2	4	15	24	34	56	62
50-64	96	26.8	490	2	4	21	42	63	90	99+
65+	253	27.5	439	4	6	23	45	74	99+	99+
GRAND TOTAL	**420**	**25.2**	**433**	**2**	**4**	**20**	**40**	**67**	**98**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	3.3	15	1	1	2	4	6	7	27
20-34	281	3.1	6	<1	1	2	4	6	8	14
35-49	597	3.8	12	1	1	3	5	7	9	17
50-64	584	4.4	10	1	1	3	6	9	11	15
65+	278	4.8	15	1	1	4	6	10	12	17
B. *Operated*										
0-19 YRS										
20-34	27	4.0	7	1	2	3	5	8	10	13
35-49	103	4.7	22	1	1	3	5	11	16	22
50-64	114	4.6	25	1	1	3	7	11	15	26
65+	18	4.2	33	1	1	2	3	15	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	4.3	51	1	1	3	4	7	12	45
20-34	241	4.2	18	1	1	3	5	8	10	22
35-49	715	5.0	25	1	1	4	6	10	13	24
50-64	1177	5.5	22	1	2	4	7	11	13	21
65+	858	7.1	48	1	2	5	8	14	19	36
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	32	6.5	33	1	2	4	10	15	18	24
35-49	134	6.9	37	1	2	5	9	16	22	41
50-64	176	8.7	81	1	1	5	12	20	25	34
65+	43	11.2	[illegible]	1	1	8	14	21	39	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1810	4.0	11	1	1	3	5	8	10	15
B. *Operated*	262	4.5	22	1	1	3	5	11	16	22
2. MULTIPLE DX										
A. *Not Operated*	3031	5.7	31	1	2	4	7	11	14	26
B. *Operated*	386	8.2	71	1	1	5	11	18	24	49
1. SINGLE DX	2072	4.1	13	1	1	3	5	8	11	18
2. MULTIPLE DX	3417	6.0	36	1	1	4	7	12	16	29
A. NOT OPERATED	4841	5.1	24	1	1	4	6	10	13	22
B. OPERATED	648	6.7	54	1	1	4	9	16	21	32
TOTAL 0-19 YRS	111	3.7	28	1	1	3	4	6	8	36
20-34	581	3.8	13	1	1	3	5	8	10	17
35-49	1549	4.7	22	1	1	3	6	10	13	24
50-64	2051	5.4	25	1	1	4	7	11	14	25
65+	1197	6.6	46	1	2	5	8	13	18	34
GRAND TOTAL	**5489**	**5.3**	**28**	**1**	**1**	**4**	**7**	**11**	**14**	**26**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	3.8	13	1	1	3	5	7	10	20
20-34	25	2.1	1	<1	1	2	3	4	4	5
35-49	26	3.5	6	1	1	3	4	6	8	13
50-64	37	5.1	18	1	1	3	7	13	16	17
65+	41	5.8	23	<1	1	4	8	12	14	23
B. *Operated*										
0-19 YRS	8	4.9	16	2	2	3	6	12	14	14
20-34	21	4.7	14	1	1	3	6	10	14	15
35-49	23	3.9	9	<1	1	3	6	8	10	12
50-64	52	6.1	45	<1	1	4	8	11	19	39
65+	34	6.8	37	<1	1	4	11	16	18	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	7.1	86	1	2	4	9	13	19	61
20-34	39	4.6	10	<1	1	4	7	9	11	12
35-49	56	5.4	41	1	1	4	6	10	17	40
50-64	116	7.1	36	1	2	6	9	13	19	32
65+	161	9.1	62	2	2	7	11	18	25	37
B. *Operated*										
0-19 YRS	3	7.7	80	2	2	3	14	18	18	18
20-34	10	5.0	20	<1	1	3	6	13	14	14
35-49	37	6.0	28	<1	1	4	9	12	17	23
50-64	75	10.6	96	1	2	8	14	22	32	51
65+	76	9.9	50	2	3	8	12	18	22	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	288	4.1	14	1	1	3	5	9	12	19
B. *Operated*	138	5.6	31	<1	1	3	8	13	16	27
2. MULTIPLE DX										
A. *Not Operated*	537	7.3	59	1	2	5	9	14	21	36
B. *Operated*	201	9.2	65	1	2	8	12	18	23	43
1. SINGLE DX	426	4.6	20	1	1	3	6	10	14	23
2. MULTIPLE DX	738	7.8	61	1	2	6	10	16	22	38
A. NOT OPERATED	825	6.2	46	1	1	4	8	13	17	34
B. OPERATED	339	7.7	54	1	2	6	10	16	21	39
TOTAL 0-19 YRS	335	5.5	52	1	1	3	6	12	14	35
20-34	95	4.0	11	<1	1	3	5	8	12	15
35-49	142	5.0	27	1	1	4	6	11	14	25
50-64	280	7.6	55	1	2	6	10	16	21	38
65+	312	8.6	53	1	2	7	11	16	23	35
GRAND TOTAL	**1164**	**6.7**	**49**	**1**	**1**	**4**	**9**	**14**	**19**	**35**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	3.6	13	1	1	3	5	6	10	22
20-34	375	2.4	4	<1	1	2	3	5	6	9
35-49	329	2.2	3	<1	1	2	3	4	5	8
50-64	240	2.7	4	1	1	2	3	5	7	11
65+	163	4.7	21	<1	1	4	6	9	13	27
B. *Operated*										
0-19 YRS	164	3.1	8	<1	<1	2	3	7	10	13
20-34	84	4.9	17	<1	<1	4	7	11	13	21
35-49	87	5.4	27	<1	<1	5	7	9	12	78
50-64	73	5.5	21	<1	1	4	8	11	15	24
65+	73	6.1	27	<1	1	5	8	12	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	4.4	17	1	1	3	5	10	12	21
20-34	164	3.6	9	<1	1	3	5	7	10	16
35-49	151	3.4	8	1	1	3	4	7	10	17
50-64	194	4.1	9	1	1	3	5	9	10	13
65+	343	8.9	127	1	2	6	10	16	31	68
B. *Operated*										
0-19 YRS	109	3.2	10	<1	<1	2	4	7	11	17
20-34	69	7.9	58	<1	1	5	11	21	24	87
35-49	97	8.2	35	2	2	7	10	17	18	30
50-64	93	10.0	63	1	2	8	13	21	25	36
65+	238	13.3	167	2	2	11	18	26	36	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1226	2.8	7	<1	1	2	3	5	7	14
B. *Operated*	481	4.7	19	<1	<1	3	6	10	12	23
2. MULTIPLE DX										
A. *Not Operated*	933	5.7	59	1	1	4	7	11	15	46
B. *Operated*	606	9.6	102	<1	1	7	13	21	27	83
1. SINGLE DX	1707	3.3	11	<1	1	2	4	7	9	17
2. MULTIPLE DX	1539	7.2	79	1	1	5	9	16	22	56
A. NOT OPERATED	2159	4.1	32	1	1	3	5	8	11	28
B. OPERATED	1087	7.4	71	<1	1	5	10	17	23	49
TOTAL 0-19 YRS	473	3.5	11	<1	<1	2	4	7	10	18
20-34	692	3.6	15	<1	1	2	4	7	11	22
35-49	664	3.8	16	<1	1	2	5	8	11	19
50-64	600	4.6	23	1	1	3	5	10	13	24
65+	817	9.1	118	1	2	6	11	20	28	82
GRAND TOTAL	**3246**	**5.2**	**47**	**<1**	**1**	**3**	**6**	**11**	**16**	**36**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3300	2.8	9	1	1	2	3	6	8	13
20-34	2094	3.1	6	1	1	2	4	6	8	13
35-49	940	3.8	13	1	1	3	5	8	10	16
50-64	649	4.7	21	1	1	3	6	9	12	19
65+	475	5.9	24	1	1	5	8	11	14	25
B. *Operated*										
0-19 YRS	351	5.0	13	2	2	4	6	9	11	17
20-34	466	4.5	13	1	1	4	6	9	12	19
35-49	163	6.2	24	<1	1	5	8	12	16	24
50-64	95	7.8	47	<1	1	6	10	18	21	31
65+	45	9.7	67	1	2	8	14	18	33	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1448	3.5	13	1	1	2	4	7	9	20
20-34	1489	3.9	15	1	1	3	5	8	11	19
35-49	684	5.4	22	1	1	4	7	11	14	26
50-64	701	6.8	44	1	2	5	8	13	17	31
65+	1042	8.7	78	2	2	7	10	17	24	68
B. *Operated*										
0-19 YRS	178	5.9	25	2	2	5	7	10	14	22
20-34	350	6.5	39	1	1	5	8	14	19	29
35-49	190	9.5	73	2	2	7	13	20	23	36
50-64	153	11.4	74	1	2	10	16	21	25	45
65+	130	13.0	107	2	3	11	16	25	35	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7458	3.4	11	1	1	2	4	7	9	15
B. *Operated*	1120	5.4	21	1	2	4	7	11	15	25
2. MULTIPLE DX										
A. *Not Operated*	5364	5.3	35	1	1	4	7	11	15	29
B. *Operated*	1001	8.6	64	1	2	6	11	19	23	43
1. SINGLE DX	8578	3.6	13	1	1	3	5	8	10	17
2. MULTIPLE DX	6365	5.8	41	1	1	4	7	12	17	31
A. NOT OPERATED	12822	4.2	22	1	1	3	5	9	12	22
B. OPERATED	2121	6.9	44	1	2	5	9	15	20	32
TOTAL 0-19 YRS	5277	3.3	11	1	1	2	4	7	9	16
20-34	4399	3.8	13	1	1	3	5	8	10	18
35-49	1977	5.1	26	1	1	4	7	11	14	25
50-64	1598	6.4	41	1	1	5	8	13	18	30
65+	1692	8.2	68	1	2	6	10	16	23	54
GRAND TOTAL	**14943**	**4.6**	**26**	**1**	**1**	**3**	**6**	**9**	**13**	**24**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	303	4.7	20	1	1	3	6	10	14	22
20-34	57	3.5	9	<1	1	3	5	8	9	16
35-49	48	4.3	20	<1	1	3	6	11	14	22
50-64	48	5.0	19	1	1	3	6	12	14	21
65+	82	5.4	31	1	1	3	7	12	14	34
B. *Operated*										
0-19 YRS	6	3.5	8	1	1	2	7	7	7	7
20-34	24	5.8	12	1	2	6	7	10	13	15
35-49	20	7.7	73	1	1	4	10	25	27	28
50-64	25	7.6	58	1	1	6	12	15	22	35
65+	16	13.0	119	1	2	11	18	25	38	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	324	5.9	37	1	1	4	7	14	19	32
20-34	91	5.0	22	1	1	4	7	10	12	28
35-49	98	6.6	76	1	1	4	8	14	16	56
50-64	143	7.5	43	1	2	6	10	15	22	36
65+	320	10.2	118	2	2	7	12	20	27	68
B. *Operated*										
0-19 YRS	15	10.1	56	<1	2	10	15	19	25	27
20-34	24	11.5	160	<1	2	9	13	16	34	66
35-49	35	8.5	37	1	2	7	12	18	20	22
50-64	42	8.4	66	1	2	6	13	18	23	39
65+	70	13.4	215	1	2	10	17	26	35	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	538	4.7	20	1	1	3	6	10	14	22
B. *Operated*	91	7.8	61	1	1	6	10	1[illegible]	25	40
2. MULTIPLE DX										
A. *Not Operated*	976	7.5	71	1	2	5	9	16	22	49
B. *Operated*	186	10.8	130	1	2	9	14	22	27	74
1. SINGLE DX	629	5.1	27	1	1	3	6	12	15	26
2. MULTIPLE DX	1162	8.0	82	1	2	5	10	17	23	52
A. NOT OPERATED	1514	6.5	55	1	1	4	8	14	19	39
B. OPERATED	277	9.8	110	1	2	7	14	21	27	60
TOTAL 0-19 YRS	648	5.4	30	1	1	4	6	13	17	30
20-34	196	5.4	39	1	1	4	7	11	14	28
35-49	201	6.5	57	1	1	4	9	14	19	34
50-64	258	7.2	45	1	1	5	9	15	20	35
65+	488	9.9	122	1	2	7	12	21	27	72
GRAND TOTAL	**1791**	**7.0**	**64**	**1**	**1**	**5**	**9**	**15**	**21**	**40**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1294	4.8	27	1	1	3	6	9	13	27
20-34	319	3.6	10	1	1	3	5	7	9	14
35-49	265	5.1	49	1	1	3	6	10	13	31
50-64	343	5.0	24	1	1	4	7	11	14	26
65+	514	8.2	106	1	1	5	10	21	31	99+
B. *Operated*										
0-19 YRS	69	4.8	[illegible]7	<1	<1	3	5	9	14	39
20-34	166	3.7	21	<1	1	2	3	7	11	26
35-49	85	5.0	18	<1	1	3	8	12	14	17
50-64	95	5.7	35	1	1	3	7	14	21	26
65+	55	8.0	116	1	1	4	10	18	23	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1062	7.1	66	1	2	5	9	15	20	47
20-34	323	4.8	22	1	1	3	6	10	13	23
35-49	376	6.0	51	1	1	4	7	12	19	44
50-64	751	6.9	41	1	1	5	9	14	18	35
65+	1842	11.3	165	2	2	7	14	27	42	99+
B. *Operated*										
0-19 YRS	63	11.9	132	1	2	8	18	27	37	53
20-34	112	6.3	63	<1	1	4	7	14	22	45
35-49	109	8.8	117	1	1	5	10	19	27	61
50-64	165	9.8	112	1	2	7	13	25	32	99+
65+	171	15.7	222	2	2	13	23	41	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2735	5.3	44	1	1	3	6	11	15	35
B. *Operated*	470	5.0	38	<1	1	3	6	11	17	2[illegible]
2. MULTIPLE DX										
A. *Not Operated*	4354	8.6	105	1	2	6	10	19	28	88
B. *Operated*	620	10.8	147	1	2	7	15	28	42	99+
1. SINGLE DX	3205	5.3	43	1	1	3	6	11	15	35
2. MULTIPLE DX	4974	8.9	111	1	2	6	11	20	31	93
A. NOT OPERATED	7089	7.3	84	1	1	5	9	16	23	69
B. OPERATED	1090	8.3	108	1	1	4	11	22	31	99+
TOTAL 0-19 YRS	2488	6.0	49	1	1	4	7	13	17	38
20-34	920	4.4	23	<1	1	3	5	9	12	25
35-49	835	6.0	57	1	1	4	7	12	18	46
50-64	1354	6.7	47	1	1	5	9	14	20	43
65+	2582	10.9	159	1	2	7	14	27	42	99+
GRAND TOTAL	**8179**	**7.5**	**87**	**1**	**1**	**5**	**9**	**17**	**25**	**72**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	246	2.7	6	1	1	2	3	5	7	9
20-34	27	3.8	17	<1	<1	2	5	8	15	16
35-49	10	6.2	15	2	2	5	9	11	13	13
50-64	6	3.2	3	1	1	3	5	5	5	5
65+	2	16.0	18	13	13	16	19	19	19	19
B. *Operated*										
0-19 YRS	22	8.0	77	2	2	5	10	14	26	43
20-34	10	7.8	43	1	1	6	13	18	21	21
35-49	3	6.7	24	1	1	9	10	10	10	10
50-64	2	15.5	61	10	10	15	21	21	21	21
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	5.3	45	1	1	3	6	12	17	28
20-34	46	5.7	15	1	1	5	8	10	12	20
35-49	22	8.2	286	<1	1	4	6	13	42	82
50-64	14	11.9	127	1	2	7	17	32	35	36
65+	10	7.5	31	<1	2	8	16	99+	99+	99+
B. *Operated*										
0-19 YRS	57	12.8	232	1	2	8	16	39	56	98
20-34	60	16.9	376	1	2	11	23	67	99+	99+
35-49	23	18.4	405	2	3	15	58	99+	99+	99+
50-64	13	21.2	739	3	4	13	76	99+	99+	99+
65+	17	21.6	545	1	2	14	29	41	76	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	291	3.0	9	1	1	2	4	6	8	16
B. *Operated*	38	8.2	61	1	2	6	10	15	21	43
2. MULTIPLE DX										
A. *Not Operated*	253	6.1	66	1	1	4	7	13	19	81
B. *Operated*	170	16.5	374	1	2	11	27	77	99+	99+
1. SINGLE DX	329	3.6	18	1	1	2	4	8	10	21
2. MULTIPLE DX	423	10.3	216	1	1	5	12	34	76	99+
A. NOT OPERATED	544	4.4	38	1	1	3	5	9	14	32
B. OPERATED	208	15.0	327	1	2	9	21	62	99+	99+
TOTAL 0-19 YRS	486	5.0	58	1	1	3	5	10	17	52
20-34	143	10.2	201	1	1	6	12	26	63	99+
35-49	58	11.8	294	1	2	7	15	84	99+	99+
50-64	35	14.1	354	1	2	7	23	84	99+	99+
65+	30	16.0	357	1	2	10	27	58	99	99+
GRAND TOTAL	**752**	**7.4**	**140**	1	1	4	8	19	41	99+

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	3.1	6	1	1	2	4	6	8	14
20-34	37	3.8	9	1	1	3	5	9	10	12
35-49	17	5.5	26	1	1	4	7	10	18	22
50-64	7	4.7	25	1	1	2	8	13	14	14
65+	3	8.0	21	4	4	7	11	13	13	13
B. *Operated*										
0-19 YRS	7	4.6	6	1	2	4	5	8	9	9
20-34	6	7.8	47	2	2	6	10	19	20	20
35-49	1	15.0		15	15	15	15	15	15	15
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	5.6	23	1	2	4	6	11	16	24
20-34	65	7.2	60	1	1	5	9	13	19	43
35-49	31	8.3	32	1	2	6	13	18	22	99+
50-64	30	10.3	65	<1	2	8	14	25	25	32
65+	22	13.1	159	2	4	12	19	99+	99+	99+
B. *Operated*										
0-19 YRS	36	10.6	168	1	2	7	12	37	54	99+
20-34	50	14.0	341	1	3	8	18	70	99+	99+
35-49	21	15.0	330	1	1	12	24	99+	99+	99+
50-64	16	24.6	550	3	3	18	35	54	80	91
65+	7	16.3	177	3	7	69	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	3.5	9	1	1	2	5	7	9	14
B. *Operated*	15	6.5	28	1	2	4	9	15	19	20
2. MULTIPLE DX										
A. *Not Operated*	242	7.7	56	1	2	5	10	18	24	99+
B. *Operated*	130	14.6	316	1	2	9	25	99+	99+	99+
1. SINGLE DX	218	3.7	11	1	1	3	5	8	10	17
2. MULTIPLE DX	372	10.1	157	1	2	6	13	31	97	99+
A. NOT OPERATED	445	5.8	39	1	1	4	7	13	18	62
B. OPERATED	145	13.8	292	1	2	9	21	94	99+	99+
TOTAL 0-19 YRS	276	5.0	38	1	1	3	6	10	14	48
20-34	158	8.6	150	1	1	5	10	19	46	99+
35-49	70	9.8	130	1	2	6	14	23	94	99+
50-64	53	13.9	252	1	2	10	17	33	37	90
65+	33	13.1	146	3	4	14	56	99+	99+	99+
GRAND TOTAL	**590**	**7.8**	**112**	1	1	5	10	20	44	99+

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	2.5	3	<1	1	2	3	5	6	9
20-34	85	2.6	11	<1	<1	1	3	5	7	21
35-49	20	1.7	1	<1	<1	1	2	4	4	5
50-64	14	2.8	9	<1	1	2	3	7	11	12
65+	5	4.4	30	1	1	3	6	14	14	14
B. *Operated*										
0-19 YRS	560	2.4	3	<1	1	2	3	5	6	10
20-34	782	2.6	4	<1	1	2	3	5	7	11
35-49	191	3.3	6	1	1	2	4	7	9	13
50-64	53	3.3	6	1	1	3	4	5	8	14
65+	22	4.5	19	1	1	3	6	10	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	2.5	5	<1	<1	2	3	5	7	12
20-34	111	2.9	9	<1	<1	2	4	6	10	51
35-49	69	3.9	12	<1	<1	2	6	10	11	14
50-64	29	4.8	15	1	1	4	7	10	12	17
65+	36	6.5	89	<1	1	4	7	12	21	54
B. *Operated*										
0-19 YRS	340	5.0	34	1	1	3	6	10	14	24
20-34	570	4.9	28	1	1	3	6	10	14	26
35-49	185	6.0	37	1	1	4	8	12	17	32
50-64	89	7.9	69	1	2	6	11	15	22	52
65+	48	12.5	131	1	2	9	20	29	34	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	2.5	8	<1	<1	1	3	5	6	14
B. *Operated*	1608	2.7	5	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	307	3.7	20	<1	<1	2	5	8	11	22
B. *Operated*	1232	5.6	40	1	1	4	7	12	17	32
1. SINGLE DX	1770	2.7	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	1539	5.2	37	1	1	3	6	11	15	32
A. NOT OPERATED	469	3.3	16	<1	<1	2	4	7	11	20
B. OPERATED	2840	4.0	22	1	1	2	5	8	11	24
TOTAL 0-19 YRS	1000	3.3	15	<1	1	2	4	6	9	19
20-34	1548	3.5	15	<1	1	2	4	7	10	21
35-49	465	4.4	21	1	1	3	6	9	12	26
50-64	185	5.7	42	1	1	4	7	12	15	32
65+	111	8.6	101	1	1	5	11	24	29	74
GRAND TOTAL	**3309**	**3.9**	**21**	**<1**	**1**	**2**	**4**	**8**	**11**	**24**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	152	6.9	54	1	2	5	8	12	20	45
20-34	227	6.8	73	1	2	5	8	11	15	46
35-49	100	6.2	19	1	1	6	8	11	16	20
50-64	103	9.1	49	1	2	7	12	18	25	33
65+	113	13.5	120	2	4	11	18	24	32	59
B. *Operated*										
0-19 YRS	15	18.3	282	5	6	11	20	44	57	61
20-34	20	17.8	304	1	4	14	21	43	64	68
35-49	15	14.3	219	1	2	11	15	46	49	50
50-64	2	7.5	41	3	3	7	12	12	12	12
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	9.4	150	1	2	6	11	17	27	68
20-34	216	9.2	71	1	2	7	11	20	28	47
35-49	112	9.7	51	2	3	9	13	18	24	63
50-64	137	13.1	82	2	4	12	16	24	31	43
65+	334	18.6	198	4	5	15	26	39	53	99+
B. *Operated*										
0-19 YRS	47	17.1	258	2	3	11	22	36	68	99+
20-34	84	19.3	256	2	4	15	32	52	85	99+
35-49	37	18.7	201	2	4	17	31	42	85	99+
50-64	31	19.5	132	7	8	15	28	36	45	46
65+	37	31.9	453	8	11	28	64	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	695	8.2	71	1	2	6	10	17	23	45
B. *Operated*	53	16.5	253	2	4	11	20	44	59	68
2. MULTIPLE DX										
A. *Not Operated*	912	13.3	143	2	3	10	17	30	39	94
B. *Operated*	236	20.8	282	3	5	18	32	58	99+	99+
1. SINGLE DX	748	8.7	88	1	2	6	10	19	24	53
2. MULTIPLE DX	1148	14.8	181	2	3	11	20	35	46	99+
A. NOT OPERATED	1607	11.1	119	1	2	8	14	24	34	61
B. OPERATED	289	20.0	278	3	5	15	30	53	81	99+
TOTAL 0-19 YRS	327	9.7	140	1	2	6	11	20	35	68
20-34	547	10.1	128	1	2	7	11	22	34	83
35-49	264	9.9	85	1	2	7	13	21	32	94
50-64	273	12.3	84	2	3	10	16	25	31	44
65+	485	18.4	217	4	5	15	25	39	62	99+
GRAND TOTAL	**1896**	**12.4**	**153**	**2**	**2**	**9**	**16**	**29**	**41**	**99+**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	10.1	311	1	1	6	7	27	59	67
20-34	12	6.8	21	3	3	5	10	14	15	15
35-49	6	7.3	8	4	4	7	9	12	12	12
50-64	11	12.7	44	2	5	14	17	49	93	99+
65+	11	9.9	73	<1	1	9	12	24	29	30
B. *Operated*										
0-19 YRS										
20-34	6	20.8	315	2	2	20	27	49	51	51
35-49	1	15.0		15	15	15	15	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	12.6	251	<1	1	8	22	63	92	99+
20-34	13	7.5	33	<1	1	7	18	99+	99+	99+
35-49	10	12.7	338	1	1	6	12	42	62	62
50-64	10	13.1	167	1	2	10	33	99+	99+	99+
65+	20	15.0	185	2	4	12	23	75	99+	99+
B. *Operated*										
0-19 YRS	10	30.5	420	4	10	58	99+	99+	99+	99+
20-34	19	25.2	558	1	6	94	99+	99+	99+	99+
35-49	6	30.0	771	<1	2	62	99+	99+	99+	99+
50-64	4	10.0	41	1	3	16	99+	99+	99+	99+
65+	3	27.3	42	21	21	27	32	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	9.5	104	1	2	7	13	18	29	99
B. *Operated*	7	20.0	267	2	3	17	26	46	51	51
2. MULTIPLE DX										
A. *Not Operated*	66	12.4	183	1	1	9	22	99+	99+	99+
B. *Operated*	42	25.9	469	1	6	59	99+	99+	99+	99+
1. SINGLE DX	60	10.8	130	1	2	7	14	24	39	96
2. MULTIPLE DX	108	17.6	334	1	2	21	99+	99+	99+	99+
A. NOT OPERATED	119	11.1	149	1	2	8	17	54	99+	99+
B. OPERATED	49	25.0	438	1	5	47	99+	99+	99+	99+
TOTAL 0-19 YRS	36	16.7	377	1	1	14	60	99+	99+	99+
20-34	50	15.6	326	1	3	17	99+	99+	99+	99+
35-49	23	15.9	394	1	2	9	24	96	99+	99+
50-64	25	12.4	87	1	2	14	26	99+	99+	99+
65+	34	14.4	153	1	3	11	22	34	89	99+
GRAND TOTAL	**168**	**15.2**	**271**	**1**	**2**	**13**	**51**	**99+**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.9	5	<1	<1	2	5	6	7	9
20-34	54	3.1	8	<1	1	2	4	6	8	13
35-49	63	4.3	36	1	1	3	5	7	11	42
50-64	93	4.9	11	1	1	4	7	9	11	16
65+	80	7.4	33	1	2	6	10	15	18	29
B. *Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	3	7.0	19	4	4	5	10	12	12	12
35-49	4	5.0	2	4	4	5	6	7	7	7
50-64	2	7.0	32	3	3	7	11	11	11	11
65+	3	10.7	82	4	4	7	17	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	3.4	9	1	1	2	5	8	9	13
20-34	136	5.3	24	1	1	4	7	10	14	25
35-49	190	6.2	20	1	1	5	8	12	15	18
50-64	290	8.9	63	1	2	7	11	18	26	41
65+	407	13.5	204	2	3	9	16	29	41	93
B. *Operated*										
0-19 YRS	13	7.1	15	3	3	6	10	14	14	14
20-34	61	9.3	76	1	2	6	12	20	31	39
35-49	45	12.9	127	2	3	9	18	28	47	99+
50-64	75	16.0	269	2	4	11	19	33	61	75
65+	42	22.4	366	1	4	17	30	54	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	312	5.0	23	1	1	4	6	10	14	19
B. *Operated*	15	6.4	24	2	3	4	7	12	19	21
2. MULTIPLE DX										
A. *Not Operated*	1074	9.4	113	1	2	7	12	19	29	52
B. *Operated*	236	14.3	215	2	3	9	18	31	50	89
1. SINGLE DX	327	5.1	23	1	1	4	6	10	14	20
2. MULTIPLE DX	1310	10.3	135	1	2	7	12	22	32	73
A. NOT OPERATED	1386	8.4	96	1	1	6	10	17	25	47
B. OPERATED	251	13.9	207	2	3	9	17	30	46	88
TOTAL 0-19 YRS	89	3.8	10	<1	1	3	5	8	10	14
20-34	254	5.8	37	<1	1	4	7	12	17	37
35-49	302	6.8	45	1	1	5	9	13	18	45
50-64	460	9.2	97	1	2	6	11	19	27	56
65+	532	13.2	201	2	3	9	16	29	41	93
GRAND TOTAL	**1637**	**9.3**	**117**	**1**	**1**	**6**	**11**	**19**	**29**	**63**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	9.9	50	1	2	8	14	19	21	37
20-34	45	10.4	86	1	2	8	14	19	35	40
35-49	20	12.2	121	3	4	8	17	25	37	48
50-64	45	13.3	66	3	4	11	18	25	30	40
65+	82	16.3	169	3	4	13	21	34	46	90
B. *Operated*										
0-19 YRS	2	15.5	5	14	14	15	17	17	17	17
20-34	6	26.5	388	5	5	24	46	49	49	49
35-49	1	49.0		49	49	49	49	49	49	49
50-64										
65+	2	28.0	242	17	17	28	39	39	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	12.7	138	2	3	10	16	27	31	65
20-34	92	15.0	181	3	4	11	17	31	50	71
35-49	49	16.4	201	3	5	13	17	41	46	72
50-64	64	17.7	141	3	6	16	23	40	46	92
65+	281	27.9	418	5	7	23	40	66	90	99+
B. *Operated*										
0-19 YRS	36	24.0	368	2	3	19	40	53	69	99+
20-34	53	27.4	370	6	7	23	39	51	63	92
35-49	21	33.8	650	5	7	29	56	79	92	99+
50-64	25	33.4	622	7	8	30	50	78	86	99+
65+	36	34.2	403	7	15	37	58	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	12.7	106	2	3	10	16	26	34	51
B. *Operated*	11	26.8	294	5	8	17	44	49	49	49
2. MULTIPLE DX										
A. *Not Operated*	582	21.2	327	3	5	16	28	50	69	99+
B. *Operated*	171	29.8	453	5	7	28	46	76	99+	99+
1. SINGLE DX	280	13.2	120	2	3	11	16	30	39	51
2. MULTIPLE DX	753	23.2	368	3	6	17	33	56	77	99+
A. NOT OPERATED	851	18.5	273	3	4	14	24	43	61	99+
B. OPERATED	182	29.6	442	5	7	28	46	76	99	99+
TOTAL 0-19 YRS	211	13.6	166	2	3	10	17	30	45	76
20-34	196	17.6	257	2	4	13	22	42	52	77
35-49	91	19.9	352	4	5	13	26	50	69	94
50-64	134	19.1	252	3	6	14	25	42	57	99+
65+	401	26.1	391	4	6	21	38	65	91	99+
GRAND TOTAL	**1033**	**20.5**	**320**	**3**	**4**	**15**	**28**	**49**	**70**	**99+**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	158	2.2	7	1	1	1	2	4	6	13
20-34	33	2.8	7	<1	<1	2	3	6	8	14
35-49	30	3.1	6	1	1	2	4	7	8	10
50-64	44	7.3	110	1	1	3	7	17	25	57
65+	108	9.8	135	1	2	6	11	24	34	61
B. *Operated*										
0-19 YRS	577	3.9	21	1	1	2	4	8	13	24
20-34	64	6.3	59	1	1	4	7	19	24	40
35-49	41	5.5	95	1	1	3	5	10	16	62
50-64	80	5.6	33	1	1	4	6	10	19	33
65+	73	10.4	108	1	2	7	13	26	37	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	3.4	9	1	1	2	5	8	11	12
20-34	27	6.3	29	1	1	5	8	17	18	21
35-49	19	14.8	545	1	1	5	13	43	70	92
50-64	67	10.7	115	2	2	8	14	27	30	59
65+	217	17.2	256	2	3	12	26	44	61	99+
B. *Operated*										
0-19 YRS	177	8.7	98	1	1	5	11	22	31	61
20-34	99	10.6	181	1	2	7	11	26	45	99+
35-49	65	14.2	381	1	1	5	18	47	55	93
50-64	76	13.0	204	1	2	9	20	39	54	99+
65+	145	19.1	383	1	2	12	27	52	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	373	5.1	67	1	1	2	5	12	19	42
B. *Operated*	835	4.9	40	1	1	3	5	11	17	36
2. MULTIPLE DX										
A. *Not Operated*	376	13.5	223	1	2	8	19	37	48	99+
B. *Operated*	562	12.9	248	1	2	7	17	37	52	99+
1. SINGLE DX	1208	5.0	48	1	1	3	5	11	17	38
2. MULTIPLE DX	938	13.2	238	1	2	8	18	37	50	99+
A. NOT OPERATED	749	9.3	162	1	1	4	11	27	40	90
B. OPERATED	1397	8.1	139	1	1	4	9	21	35	71
TOTAL 0-19 YRS	958	4.5	37	1	1	2	5	11	17	33
20-34	223	7.7	109	1	1	4	9	19	26	98
35-49	155	9.8	273	1	1	4	8	30	47	91
50-64	267	9.3	123	1	2	5	12	22	33	69
65+	543	15.3	259	1	2	10	21	40	55	99+
GRAND TOTAL	**2146**	**8.5**	**147**	**1**	**1**	**4**	**10**	**23**	**37**	**73**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	1.4	1	<1	1	1	2	2	3	5
20-34	46	2.0	2	<1	<1	1	2	3	5	9
35-49	25	2.2	5	<1	<1	1	2	5	8	9
50-64	34	2.7	7	<1	1	2	3	6	9	11
65+	39	6.0	198	<1	1	2	4	8	41	65
B. *Operated*										
0-19 YRS	2112	1.8	3	1	1	1	2	3	4	8
20-34	442	2.7	4	1	1	2	3	5	6	10
35-49	303	2.6	8	1	1	2	3	5	6	15
50-64	451	2.5	5	1	1	2	3	5	7	11
65+	390	3.3	17	1	1	2	4	7	11	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	3.6	23	1	1	2	4	9	15	22
20-34	40	5.1	33	<1	1	2	6	12	18	26
35-49	12	2.7	2	1	1	2	3	5	6	6
50-64	45	7.7	110	1	1	4	8	16	35	50
65+	76	14.9	329	1	2	8	21	61	99+	99+
B. *Operated*										
0-19 YRS	376	3.7	20	1	1	2	4	9	12	29
20-34	249	6.5	67	1	1	4	8	14	23	69
35-49	151	6.1	53	1	1	4	7	13	20	33
50-64	206	5.1	40	1	1	3	6	11	17	38
65+	321	8.9	192	1	1	4	8	24	44	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	2.6	37	<1	1	1	2	4	6	20
B. *Operated*	3698	2.2	6	1	1	1	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	223	8.5	167	1	1	4	10	23	[illegible]	99+
B. *Operated*	1303	6.0	82	1	1	3	7	13	22	58
1. SINGLE DX	3932	2.2	8	1	1	1	2	4	6	11
2. MULTIPLE DX	1526	6.4	95	1	1	3	7	14	25	73
A. NOT OPERATED	457	5.5	109	<1	1	2	5	13	26	98
B. OPERATED	5001	3.2	28	1	1	2	3	6	10	28
TOTAL 0-19 YRS	2628	2.1	7	1	1	1	2	4	6	13
20-34	777	4.0	29	1	1	3	4	8	12	30
35-49	491	3.7	24	1	1	2	4	7	13	27
50-64	736	3.6	23	1	1	2	4	7	11	24
65+	826	6.7	135	1	1	3	6	15	31	89
GRAND TOTAL	**5458**	**3.4**	**36**	**1**	**1**	**2**	**3**	**7**	**11**	**35**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.0	3	<1	1	1	2	4	6	9
20-34	35	1.7	2	<1	<1	1	2	3	4	7
35-49	7	2.6	4	1	1	2	4	6	6	6
50-64	7	1.9	2	1	1	1	3	5	5	5
65+	4	3.0	3	<1	<1	3	4	5	5	5
B. *Operated*										
0-19 YRS	391	2.0	8	<1	1	1	2	3	5	10
20-34	315	2.3	6	<1	1	2	2	4	6	13
35-49	99	2.1	2	<1	1	2	3	4	5	9
50-64	53	2.2	2	<1	1	2	3	5	5	6
65+	33	2.9	12	1	1	2	3	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.4	10	1	1	3	4	7	10	14
20-34	36	2.4	2	<1	<1	2	3	5	6	6
35-49	19	4.1	11	<1	1	3	5	10	12	12
50-64	7	11.0	319	2	2	4	9	43	51	51
65+	17	13.7	293	1	2	5	19	39	55	63
B. *Operated*										
0-19 YRS	145	3.5	18	1	1	2	4	7	10	22
20-34	216	4.2	35	1	1	3	4	8	12	38
35-49	82	5.1	31	1	1	4	5	12	16	31
50-64	64	4.4	42	1	1	3	5	9	12	44
65+	43	8.0	151	1	1	3	9	20	28	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	1.9	2	<1	<1	1	2	4	5	8
B. *Operated*	891	2.2	7	<1	1	2	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	107	5.3	85	1	1	3	5	10	19	56
B. *Operated*	550	4.4	41	1	1	3	5	9	15	36
1. SINGLE DX	975	2.2	6	<1	1	2	2	4	6	11
2. MULTIPLE DX	657	4.6	48	1	1	3	5	9	15	41
A. NOT OPERATED	191	3.8	51	<1	1	2	4	7	10	47
B. OPERATED	1441	3.0	21	<1	1	2	3	6	9	24
TOTAL 0-19 YRS	595	2.4	11	<1	1	2	3	5	7	16
20-34	602	2.9	17	<1	1	2	3	5	8	24
35-49	207	3.5	16	<1	1	2	4	7	12	22
50-64	131	3.7	40	1	1	2	4	6	10	49
65+	97	7.1	134	1	1	3	7	20	29	67
GRAND TOTAL	**1632**	**3.1**	**24**	**<1**	**1**	**2**	**3**	**6**	**9**	**25**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	13.9	332	<1	<1	11	14	44	59	59
20-34	11	11.5	359	<1	1	7	11	36	64	67
35-49	7	9.7	120	<1	<1	4	16	27	30	30
50-64	23	20.7	643	<1	<1	13	29	60	82	85
65+	83	20.3	378	1	2	16	34	86	99+	99+
B. *Operated*										
0-19 YRS	30	19.3	209	5	5	15	28	39	54	57
20-34	25	13.0	52	5	6	11	19	24	27	30
35-49	33	13.1	144	3	5	10	16	21	32	69
50-64	165	17.0	128	5	7	14	20	30	40	85
65+	683	22.1	262	4	7	18	29	48	69	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	19.7	242	4	4	16	27	44	52	54
20-34	7	20.4	763	3	4	13	16	69	82	82
35-49	10	22.3	309	4	6	17	43	72	98	99+
50-64	23	20.4	375	1	3	17	36	78	99+	99+
65+	187	25.6	504	1	4	23	48	99+	99+	99+
B. *Operated*										
0-19 YRS	37	26.1	305	6	7	21	29	51	64	83
20-34	48	20.5	274	4	9	14	29	62	99	99+
35-49	70	21.9	328	6	7	17	25	55	78	99+
50-64	294	25.4	346	6	8	20	34	57	75	99+
65+	1899	30.6	450	7	10	27	50	92	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	18.6	407	<1	1	13	28	60	95	99+
B. *Operated*	936	20.5	234	5	6	17	27	42	62	99+
2. MULTIPLE DX										
A. *Not Operated*	240	24.5	474	2	4	20	44	99+	99+	99+
B. *Operated*	2348	29.4	434	7	9	26	46	85	99+	99+
1. SINGLE DX	1069	20.3	256	3	5	17	27	45	66	99+
2. MULTIPLE DX	2588	29.0	439	6	9	25	46	86	99+	99+
A. NOT OPERATED	373	22.4	457	1	3	17	40	86	99+	99+
B. OPERATED	3284	26.9	393	6	8	22	40	76	99+	99+
TOTAL 0-19 YRS	89	21.6	274	4	5	18	28	47	57	76
20-34	91	17.4	263	2	5	13	22	40	78	99+
35-49	120	18.8	279	4	5	14	21	46	71	99+
50-64	505	22.2	302	5	7	17	28	48	69	99+
65+	2852	28.0	421	5	8	24	43	84	99+	99+
GRAND TOTAL	**3657**	**26.4**	**401**	**5**	**7**	**21**	**40**	**77**	**99+**	**99+**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	211	26.0	291	1	3	26	36	49	53	75
20-34	22	17.3	457	<1	<1	8	24	46	68	84
35-49	10	7.6	32	1	1	7	14	15	16	16
50-64	9	37.6	942	1	3	43	73	96	99+	99+
65+	21	29.9	710	1	1	27	65	85	99+	99+
B. *Operated*										
0-19 YRS	190	25.2	414	1	3	20	39	54	69	89
20-34	61	20.4	312	4	5	15	24	49	63	85
35-49	25	17.6	251	3	3	13	22	46	51	67
50-64	25	25.7	597	4	8	18	26	83	97	99+
65+	33	25.2	446	3	8	19	30	78	98	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	30.7	353	2	4	30	43	62	73	99+
20-34	19	28.9	972	1	3	16	71	97	99+	99+
35-49	7	10.6	204	2	2	10	99+	99+	99+	99+
50-64	19	30.1	669	2	4	28	48	98	99+	99+
65+	47	36.6	854	3	4	35	77	99+	99+	99+
B. *Operated*										
0-19 YRS	226	33.9	486	5	10	31	49	71	92	99+
20-34	174	27.8	460	6	8	24	50	99+	99+	99+
35-49	34	29.1	399	5	10	27	48	97	99+	99+
50-64	47	33.6	602	6	8	31	72	99+	99+	99+
65+	81	43.8	606	15	19	58	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	25.3	364	1	2	24	37	51	67	98
B. *Operated*	334	23.8	402	2	4	18	33	55	70	99+
2. MULTIPLE DX										
A. *Not Operated*	175	31.2	595	2	3	30	54	93	99+	99+
B. *Operated*	562	33.1	522	6	10	31	59	99+	99+	99+
1. SINGLE DX	607	24.5	385	1	3	21	35	52	69	99+
2. MULTIPLE DX	737	32.7	539	4	8	31	58	99+	99+	99+
A. NOT OPERATED	448	27.6	462	1	3	26	42	69	91	99+
B. OPERATED	896	29.6	497	4	7	25	49	90	99+	99+
TOTAL 0-19 YRS	710	28.9	406	2	4	26	41	59	72	99+
20-34	276	25.4	472	4	5	20	42	88	99+	99+
35-49	76	20.8	343	2	3	16	37	75	99+	99+
50-64	100	31.3	636	5	7	26	59	99+	99+	99+
65+	182	36.9	694	4	9	40	82	99+	99+	99+
GRAND TOTAL	**1344**	**29.0**	**486**	**3**	**5**	**26**	**47**	**82**	**99+**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	293	3.4	14	1	1	2	5	6	8	23
20-34	140	4.1	10	1	1	3	5	8	10	17
35-49	67	6.1	36	<1	1	5	8	10	13	37
50-64	67	8.4	51	1	2	6	11	21	24	29
65+	33	13.8	174	2	3	10	17	33	46	53
B. *Operated*										
0-19 YRS	522	5.4	37	1	1	4	6	10	16	35
20-34	421	6.8	46	1	2	5	9	13	17	37
35-49	189	7.2	37	2	2	5	9	14	18	35
50-64	108	9.4	98	2	3	7	11	20	25	54
65+	50	18.6	318	1	3	14	23	34	39	98
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	7.4	55	1	1	6	9	17	30	89
20-34	64	8.5	114	<1	1	4	10	19	39	47
35-49	51	12.0	256	1	2	6	14	29	52	83
50-64	64	15.5	273	2	2	9	18	45	58	97
65+	74	20.7	435	2	4	16	31	90	99+	99+
B. *Operated*										
0-19 YRS	217	13.6	244	1	2	8	17	41	51	99+
20-34	326	13.7	205	2	3	10	17	31	45	92
35-49	171	13.7	196	2	3	10	17	35	58	99+
50-64	151	18.6	258	3	5	13	26	45	75	99+
65+	73	29.5	634	4	6	23	55	97	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	600	5.0	35	1	1	3	6	10	16	31
B. *Operated*	1290	7.0	62	1	1	5	8	14	20	38
2. MULTIPLE DX										
A. *Not Operated*	321	13.0	253	1	2	8	16	36	58	99+
B. *Operated*	938	15.7	272	2	3	11	20	43	65	99+
1. SINGLE DX	1890	6.3	54	1	1	4	8	13	19	37
2. MULTIPLE DX	1259	15.0	269	2	3	10	19	42	64	99+
A. NOT OPERATED	921	7.8	125	1	1	4	8	20	31	92
B. OPERATED	2228	10.6	169	1	2	6	13	25	42	99
TOTAL 0-19 YRS	1100	6.6	86	1	1	4	7	15	24	53
20-34	951	8.9	113	1	2	6	11	19	28	57
35-49	478	9.9	127	1	2	6	12	21	35	96
50-64	390	13.8	199	2	3	9	17	34	46	99+
65+	230	22.0	461	3	4	16	32	70	99+	99+
GRAND TOTAL	**3149**	**9.8**	**158**	**1**	**1**	**6**	**11**	**24**	**38**	**98**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	192	2.9	7	<1	1	2	4	5	7	14
20-34	197	3.4	7	<1	1	3	5	7	8	12
35-49	103	4.6	70	1	1	3	5	8	12	48
50-64	114	5.4	44	1	1	4	7	11	14	43
65+	72	8.8	63	1	2	6	11	21	24	40
B. *Operated*										
0-19 YRS	496	4.4	15	1	1	4	5	7	10	23
20-34	697	4.9	15	1	2	4	6	8	11	19
35-49	399	6.1	34	1	2	5	7	11	15	36
50-64	307	7.1	28	2	3	6	8	13	17	28
65+	148	9.7	64	2	3	7	12	20	27	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	5.3	18	1	1	4	7	11	15	22
20-34	130	5.5	40	1	1	4	7	11	15	64
35-49	76	6.5	70	1	1	4	8	10	16	57
50-64	91	8.5	81	2	2	5	11	19	25	51
65+	147	15.7	289	2	3	10	19	45	63	99+
B. *Operated*										
0-19 YRS	283	6.5	34	1	2	5	8	12	17	27
20-34	497	7.9	74	1	2	5	10	16	24	66
35-49	295	8.4	90	2	2	6	9	16	23	64
50-64	276	10.6	150	2	3	7	12	22	29	85
65+	191	16.3	191	4	5	12	21	38	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	678	4.3	32	1	1	3	5	9	12	24
B. *Operated*	2047	5.7	26	1	2	4	7	10	15	27
2. MULTIPLE DX										
A. *Not Operated*	516	9.0	137	1	1	5	10	20	32	81
B. *Operated*	1542	9.3	106	2	2	6	11	19	28	70
1. SINGLE DX	2725	5.4	28	1	1	4	6	10	14	27
2. MULTIPLE DX	2058	9.2	114	1	2	6	11	19	29	71
A. NOT OPERATED	1194	6.4	83	1	1	4	7	13	21	63
B. OPERATED	3589	7.2	64	1	2	5	8	14	21	51
TOTAL 0-19 YRS	1043	4.7	20	1	1	4	6	9	12	23
20-34	1521	5.8	38	1	1	4	7	11	15	36
35-49	873	6.7	62	1	2	5	8	13	17	51
50-64	788	8.2	82	1	2	6	10	17	22	42
65+	558	13.4	176	2	3	9	16	31	50	99+
GRAND TOTAL	**4783**	**7.0**	**68**	**1**	**2**	**5**	**8**	**14**	**21**	**56**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	2.4	13	<1	1	1	2	4	8	20
20-34	49	3.0	10	<1	1	2	3	5	8	20
35-49	12	1.8	1	<1	<1	2	2	3	3	3
50-64	8	1.8	1	1	1	2	2	3	4	4
65+	8	6.4	51	1	1	3	10	19	21	21
B. *Operated*										
0-19 YRS	44	2.8	3	1	1	2	4	4	6	10
20-34	28	3.6	7	1	1	3	4	6	11	12
35-49	7	1.9	1	1	1	2	3	3	3	3
50-64	2	6.0	50	1	1	6	11	11	11	11
65+	3	6.3	24	3	3	4	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	3.6	8	1	1	3	5	7	9	15
20-34	95	4.3	13	1	1	3	5	9	12	17
35-49	34	5.7	8	1	2	5	7	10	12	22
50-64	46	7.7	56	1	1	4	11	18	24	35
65+	56	15.2	302	1	2	12	20	48	95	99+
B. *Operated*										
0-19 YRS	39	5.8	44	1	1	4	6	13	20	35
20-34	51	6.5	58	1	1	4	6	18	24	35
35-49	21	6.9	42	1	2	4	9	17	23	26
50-64	14	9.4	260	1	2	4	10	18	54	64
65+	10	10.0	41	2	3	8	16	20	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	2.7	13	<1	1	2	3	5	8	21
B. *Operated*	84	3.2	6	1	1	2	4	6	10	12
2. MULTIPLE DX										
A. *Not Operated*	331	6.6	83	1	1	4	8	15	22	91
B. *Operated*	135	6.9	70	1	1	4	7	17	23	40
1. SINGLE DX	264	2.8	11	1	1	2	3	5	9	19
2. MULTIPLE DX	466	6.7	79	1	1	4	8	16	22	81
A. NOT OPERATED	511	5.2	62	1	1	3	6	12	19	66
B. OPERATED	219	5.5	49	1	1	3	6	12	19	35
TOTAL 0-19 YRS	286	3.3	15	1	1	2	4	7	9	20
20-34	223	4.4	23	1	1	3	5	9	14	26
35-49	74	5.1	24	1	1	3	6	10	14	25
50-64	70	7.3	91	1	1	4	10	15	24	58
65+	77	13.3	240	1	2	9	19	30	87	99+
GRAND TOTAL	**730**	**5.3**	**58**	**1**	**1**	**3**	**6**	**12**	**19**	**39**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.8	11	1	1	2	6	9	10	10
20-34	2	14.5	25	11	11	14	18	18	18	18
35-49										
50-64	3	16.3	112	5	5	18	24	26	26	26
65+										
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.8	24	1	1	6	10	10	10	10
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64	1	14.0		14	14	14	14	14	14	14
65+										
B. *Operated*										
0-19 YRS										
20-34	4	16.8	97	8	8	22	46	99+	99+	99+
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	30.3	409	7	7	42	71	99+	99+	99+
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	8.3	64	1	1	5	13	20	25	26
B. *Operated*	3	5.3	8	2	2	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	6	7.7	26	1	1	9	10	14	14	14
B. *Operated*	8	20.1	252	3	5	25	43	99+	99+	99+
1. SINGLE DX	16	7.8	54	1	1	6	10	18	24	26
2. MULTIPLE DX	14	14.8	186	1	2	10	34	94	99+	99+
A. NOT OPERATED	19	8.1	50	1	1	8	11	18	23	26
B. OPERATED	11	16.1	225	2	3	9	41	99+	99+	99+
TOTAL 0-19 YRS	13	4.6	14	1	1	3	8	10	10	10
20-34	8	13.4	73	2	4	11	23	71	99+	99+
35-49	1	3.0		3	3	3	3	3	3	3
50-64	7	22.0	235	5	6	22	42	83	99+	99+
65+	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**30**	**11.0**	**124**	**1**	**2**	**8**	**18**	**42**	**94**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.8	4	<1	<1	1	1	5	7	7
20-34	19	1.2		<1	<1	1	1	2	3	3
35-49	4	4.8	5	2	2	5	6	7	7	7
50-64	5	2.6	3	1	1	2		5	5	5
65+	7	3.0	11	1	1	1	4	9	10	10
B. *Operated*										
0-19 YRS	133	2.6	3	<1	1	2	4	5	6	8
20-34	413	2.7	5	<1	1	2	3	5	6	11
35-49	102	2.9	5	<1	1	2	4	5	8	12
50-64	61	2.0	4	<1	<1	1	2	5	7	10
65+	53	2.6	8	1	1	2	3	5	7	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	3	<1	<1	1	3	5	5	5
20-34	10	1.4		<1	<1	1	2	3	3	3
35-49	6	4.5	8	1	1	4	6	9	9	9
50-64	5	4.4	10	<1	<1	4	7	9	9	9
65+	14	10.8	80	1	1	8	19	24	26	26
B. *Operated*										
0-19 YRS	20	3.5	7	<1	<1	3	5	6	9	11
20-34	95	3.6	11	<1	1	3	4	6	9	19
35-49	41	5.5	41	<1	1	3	7	12	24	26
50-64	44	5.0	32	1	1	3	5	12	20	24
65+	63	8.5	181	1	1	5	11	18	25	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	2.1	4	<1	<1	1	2	5	7	10
B. *Operated*	762	2.7	5	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	40	5.6	45	<1	1	3	6	16	23	26
B. *Operated*	263	5.3	63	1	1	3	6	12	18	26
1. SINGLE DX	807	2.6	5	<1	1	2	3	5	6	10
2. MULTIPLE DX	303	5.3	60	1	1	3	6	12	20	26
A. NOT OPERATED	85	3.7	26	<1	<1	1	4	9	15	25
B. OPERATED	1025	3.3	21	<1	1	2	4	6	9	23
TOTAL 0-19 YRS	168	2.6	3	<1	1	2	4	5	6	8
20-34	537	2.8	6	<1	1	2	3	5	6	17
35-49	153	3.7	16	<1	1	3	4	7	11	26
50-64	115	3.3	16	<1	1	2	4	7	11	22
65+	137	6.1	104	1	1	3	7	15	23	39
GRAND TOTAL	**1110**	**3.4**	**21**	**<1**	**1**	**2**	**4**	**6**	**9**	**24**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.0	6	<1	1	2	4	7	8	9
20-34	43	2.2	3	<1	1	2	2	4	6	8
35-49	14	2.6	3	<1	1	2	4	5	6	6
50-64	4	3.3	3	1	1	3	4	5	5	5
65+	3	4.3	24	1	1	2	8	10	10	10
B. *Operated*										
0-19 YRS	273	4.3	4	1	2	4	5	7	8	11
20-34	594	4.5	6	2	2	4	5	7	9	14
35-49	274	4.9	7	2	3	4	6	8	10	15
50-64	102	5.0	4	3	3	5	6	8	11	53
65+	17	6.3	10	2	3	6	7	10	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	11	1	1	2	3	9	10	10
20-34	17	3.0	5	<1	1	3	4	6	8	9
35-49	9	2.9	8	1	1	2	3	7	10	10
50-64	6	3.8	11	<1	<1	2	7	9	9	9
65+	4	13.8	101	3	3	13	22	25	25	25
B. *Operated*										
0-19 YRS	88	5.8	13	2	3	5	7	10	12	23
20-34	228	5.8	12	2	3	5	6	11	13	19
35-49	111	6.0	9	3	3	5	8	11	12	15
50-64	84	8.6	95	3	4	6	9	15	27	92
65+	8	7.1	12	4	4	6	8	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	2.6	4	<1	1	2	4	5	7	10
B. *Operated*	1260	4.6	6	2	2	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	42	4.2	24	<1	1	3	5	9	14	25
B. *Operated*	519	6.3	26	3	3	5	7	11	13	25
1. SINGLE DX	1345	4.5	6	1	2	4	5	7	9	13
2. MULTIPLE DX	561	6.1	26	2	3	5	7	11	13	25
A. NOT OPERATED	127	3.1	11	<1	1	2	4	7	9	20
B. OPERATED	1779	5.1	12	2	3	4	6	8	11	18
TOTAL 0-19 YRS	388	4.5	7	1	2	4	6	8	9	13
20-34	882	4.7	8	1	2	4	6	8	10	16
35-49	408	5.1	8	2	3	4	6	9	11	14
50-64	196	6.5	46	2	3	5	7	11	14	89
65+	32	7.3	26	2	3	6	8	15	19	25
GRAND TOTAL	**1906**	**5.0**	**12**	**1**	**2**	**4**	**6**	**8**	**11**	**18**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	3.9	18	<1	1	3	5	8	11	22
20-34	26	6.6	26	2	2	5	7	13	18	24
35-49	15	9.9	23	3	5	10	14	15	17	18
50-64	12	11.0	267	<1	<1	6	13	29	55	60
65+	6	4.3	11	1	1	4	6	10	10	10
B. *Operated*										
0-19 YRS	168	3.5	21	<1	1	2	3	10	14	22
20-34	150	4.4	32	<1	1	2	6	10	14	28
35-49	58	5.9	71	<1	1	2	8	16	26	39
50-64	37	4.1	19	<1	1	3	5	12	15	17
65+	12	8.1	108	1	1	4	9	26	34	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.3	8	<1	1	2	4	7	10	11
20-34	23	10.1	182	<1	1	6	12	20	37	65
35-49	21	7.6	31	1	1	6	10	16	18	21
50-64	13	7.0	33	2	2	5	10	16	21	22
65+	10	11.5	69	<1	1	11	20	23	23	23
B. *Operated*										
0-19 YRS	93	10.4	207	1	1	5	13	26	33	82
20-34	98	9.6	114	1	1	6	12	24	34	49
35-49	70	7.8	79	1	1	5	10	19	27	47
50-64	35	12.1	186	1	1	7	17	41	53	99+
65+	25	16.4	377	1	1	8	20	42	55	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	6.7	59	1	1	5	9	15	17	46
B. *Operated*	425	4.3	35	<1	1	2	5	11	16	30
2. MULTIPLE DX										
A. *Not Operated*	83	7.8	78	<1	1	5	11	19	22	51
B. *Operated*	321	10.2	164	1	1	6	13	26	41	69
1. SINGLE DX	513	4.7	39	<1	1	2	6	12	17	31
2. MULTIPLE DX	404	9.8	147	1	1	5	12	22	34	65
A. NOT OPERATED	171	7.3	68	1	1	5	10	15	21	52
B. OPERATED	746	6.9	99	1	1	3	8	17	26	50
TOTAL 0-19 YRS	306	5.6	86	<1	1	2	6	15	22	45
20-34	297	6.7	76	1	1	4	8	15	22	47
35-49	164	7.3	66	1	1	4	10	17	23	39
50-64	97	8.2	121	<1	1	4	10	18	39	81
65+	53	12.2	230	1	1	6	17	35	42	80
GRAND TOTAL	**917**	**6.9**	**93**	**1**	**1**	**3**	**8**	**17**	**24**	**50**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	2.9	5	1	1	2	4	5	8	11
20-34	111	2.3	3	<1	<1	2	3	4	6	9
35-49	34	3.4	11	1	1	2	5	7	11	15
50-64	16	4.3	10	1	1	3	6	10	11	11
65+	18	6.4	29	1	2	5	7	14	19	23
B. *Operated*										
0-19 YRS	127	4.7	12	1	2	4	6	8	10	24
20-34	235	4.3	6	1	2	4	5	7	8	11
35-49	50	4.8	16	1	1	4	5	8	13	22
50-64	25	5.2	9	1	2	4	7	9	11	13
65+	6	8.2	7	5	5	8	9	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	4.3	15	<1	1	3	5	9	11	22
20-34	34	3.8	17	1	1	2	4	10	15	17
35-49	24	3.5	7	1	1	3	5	8	9	10
50-64	23	8.8	110	1	2	6	11	27	64	99+
65+	32	10.8	63	1	3	9	19	25	27	99+
B. *Operated*										
0-19 YRS	93	5.7	14	1	2	5	7	10	11	22
20-34	176	6.2	21	2	3	5	7	9	13	27
35-49	67	6.2	16	2	2	5	8	11	15	19
50-64	33	10.0	85	2	3	7	11	22	29	45
65+	5	10.4	109	2	2	9	14	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	278	3.0	8	<1	1	2	4	6	9	14
B. *Operated*	443	4.6	9	1	2	4	5	8	9	19
2. MULTIPLE DX										
A. *Not Operated*	156	6.1	46	1	1	4	8	15	22	96
B. *Operated*	374	6.5	26	2	3	5	7	11	15	29
1. SINGLE DX	721	4.0	9	1	1	4	5	7	9	14
2. MULTIPLE DX	530	6.4	32	1	2	5	7	11	17	31
A. NOT OPERATED	434	4.1	23	1	1	2	5	9	14	27
B. OPERATED	817	5.5	18	1	2	5	6	9	11	26
TOTAL 0-19 YRS	362	4.4	12	1	1	4	5	8	10	21
20-34	556	4.5	13	1	1	4	5	8	10	17
35-49	175	4.9	15	1	1	4	6	10	13	20
50-64	97	7.5	63	1	2	6	9	15	27	75
65+	61	9.2	52	1	2	7	13	22	27	91
GRAND TOTAL	**1251**	**5.0**	**20**	**1**	**1**	**4**	**6**	**9**	**12**	**26**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	4.1	9	1	1	3	7	8	10	10
20-34	170	5.8	62	1	2	4	7	11	15	24
35-49	106	5.5	13	1	2	5	7	10	13	18
50-64	60	6.8	17	2	3	6	9	12	15	20
65+	27	7.1	23	2	2	6	9	13	19	20
B. *Operated*										
0-19 YRS										
20-34	9	4.2	17	1	1	3	6	11	14	14
35-49	8	9.0	109	1	1	4	13	27	32	32
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.9	15	<1	1	3	4	7	13	18
20-34	79	5.6	13	1	1	5	7	11	13	17
35-49	78	6.9	22	1	2	5	9	14	16	23
50-64	71	8.8	56	2	2	8	11	15	20	48
65+	56	13.1	152	2	3	10	17	26	36	72
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	11	12.9	127	<1	1	10	24	30	32	32
35-49	11	12.4	27	6	6	11	16	20	21	21
50-64	8	9.6	174	1	1	5	10	32	41	41
65+	8	19.0	229	2	4	15	23	44	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	5.8	35	1	2	5	7	11	13	20
B. *Operated*	17	6.5	62	1	1	4	8	14	26	32
2. MULTIPLE DX										
A. *Not Operated*	304	8.0	58	1	2	6	10	15	20	41
B. *Operated*	39	13.1	127	1	2	10	18	27	37	52
1. SINGLE DX	416	5.9	36	1	2	5	7	11	14	21
2. MULTIPLE DX	343	8.5	68	1	2	6	11	17	21	45
A. NOT OPERATED	703	6.8	46	1	2	5	8	13	17	28
B. OPERATED	56	11.1	115	1	1	9	15	26	32	51
TOTAL 0-19 YRS	57	4.0	10	1	1	3	6	8	9	17
20-34	269	6.0	50	1	1	5	7	11	15	28
35-49	203	6.6	23	1	2	5	9	13	15	22
50-64	139	8.0	45	2	2	7	10	14	18	42
65+	91	11.8	130	2	3	9	15	22	33	65
GRAND TOTAL	**759**	**7.1**	**52**	**1**	**2**	**5**	**9**	**14**	**18**	**33**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	208	2.9	7	<1	1	2	4	6	9	12
20-34	401	4.2	10	1	1	4	5	8	10	14
35-49	230	5.7	28	1	1	4	7	11	15	32
50-64	118	6.9	46	1	2	5	9	14	19	37
65+	40	6.6	35	1	2	5	8	13	16	33
B. *Operated*										
0-19 YRS	4	3.8		3	3	4	4	4	4	4
20-34	29	4.8	15	1	1	3	8	11	13	15
35-49	19	7.0	45	1	2	4	8	19	23	25
50-64	8	7.9	55	1	1	6	12	20	22	22
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	3.3	14	<1	1	2	4	7	13	44
20-34	269	5.2	25	1	1	4	7	10	14	22
35-49	186	7.1	64	1	1	5	9	15	21	65
50-64	144	7.2	45	1	1	6	9	14	20	41
65+	158	9.8	71	2	3	8	11	19	25	49
B. *Operated*										
0-19 YRS	14	6.6	38	1	1	5	8	14	22	24
20-34	20	7.5	74	<1	1	4	9	18	29	36
35-49	22	10.5	217	1	1	5	14	28	44	64
50-64	16	10.6	62	1	3	9	17	22	23	24
65+	9	12.0	28	2	5	11	17	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	997	4.7	20	1	1	4	6	9	12	24
B. *Operated*	60	5.8	29	1	1	4	8	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	879	6.5	47	1	1	5	8	13	19	40
B. *Operated*	81	9.2	99	1	1	6	13	21	25	55
1. SINGLE DX	1057	4.8	21	1	1	4	6	10	13	25
2. MULTIPLE DX	960	6.7	52	1	1	5	9	14	20	41
A. NOT OPERATED	1876	5.5	34	1	1	4	7	11	15	31
B. OPERATED	141	7.8	72	1	1	4	10	19	23	38
TOTAL 0-19 YRS	348	3.2	11	<1	1	2	4	7	10	22
20-34	719	4.7	18	1	1	4	6	9	12	20
35-49	457	6.6	53	1	1	5	8	13	19	35
50-64	286	7.3	47	1	2	5	9	15	22	38
65+	207	9.3	64	2	2	7	11	18	24	43
GRAND TOTAL	**2017**	**5.7**	**37**	**1**	**1**	**4**	**7**	**12**	**16**	**31**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	2.3	4	<1	1	1	3	5	7	9
20-34	118	2.5	5	<1	1	2	3	5	7	11
35-49	51	3.4	9	<1	1	2	5	8	10	12
50-64	44	4.2	14	<1	1	3	5	8	10	22
65+	39	6.2	38	1	1	4	8	12	20	31
B. *Operated*										
0-19 YRS	122	3.8	71	1	1	3	4	5	5	36
20-34	224	3.3	3	1	2	3	4	5	6	10
35-49	141	3.7	5	1	2	3	4	6	8	14
50-64	95	5.0	22	2	2	4	5	8	11	33
65+	17	5.6	11	1	2	6	7	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	3.7	20	<1	1	2	4	8	10	29
20-34	77	3.0	6	<1	<1	2	4	6	8	12
35-49	40	4.1	16	1	1	3	5	9	12	21
50-64	43	6.3	26	1	2	5	9	13	17	24
65+	87	9.4	58	2	2	7	13	20	24	39
B. *Operated*										
0-19 YRS	40	4.0	10	1	1	3	5	9	10	15
20-34	61	4.2	8	<1	1	3	5	8	11	13
35-49	43	5.1	30	1	2	4	6	10	13	34
50-64	54	6.0	56	1	2	5	7	9	12	54
65+	27	13.6	376	2	2	6	14	33	57	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	400	3.1	11	<1	1	2	4	7	9	14
B. *Operated*	599	3.8	21	1	2	3	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	306	5.6	34	1	1	4	7	13	18	28
B. *Operated*	225	5.9	75	1	1	4	6	10	13	52
1. SINGLE DX	999	3.5	17	1	1	3	4	6	8	14
2. MULTIPLE DX	531	5.7	52	1	1	4	7	12	16	35
A. NOT OPERATED	706	4.2	22	<1	1	2	5	9	13	24
B. OPERATED	824	4.4	37	1	2	3	5	7	10	30
TOTAL 0-19 YRS	369	3.2	30	1	1	2	4	5	8	14
20-34	480	3.2	5	1	1	3	4	6	7	12
35-49	275	3.9	11	1	1	3	5	7	10	15
50-64	236	5.3	29	1	2	4	6	10	12	30
65+	170	9.0	104	1	2	6	11	19	25	49
GRAND TOTAL	**1530**	**4.3**	**30**	**1**	**1**	**3**	**5**	**8**	**11**	**24**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
[illegible]19 YRS	1896	1.6	8	<1	1	1	2	2	3	7
20-34	403	1.7	2	<1	<1	1	2	3	4	10
35-49	91	2.3	12	<1	1	1	3	4	5	23
50-64	55	2.4	3	<1	1	2	3	5	7	9
65+	45	3.7	13	<1	1	2	4	10	12	16
B. *Operated*										
0-19 YRS	20	2.2	22	<1	1	1	1	2	12	22
20-34	11	2.1	1	1	1	2	3	4	5	5
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1192	2.4	15	1	1	2	3	4	6	12
20-34	543	2.7	8	<1	1	2	3	6	9	15
35-49	196	3.3	15	1	1	2	4	7	10	23
50-64	169	4.9	40	1	1	3	6	13	16	24
65+	150	9.1	155	1	1	4	14	24	34	99
B. *Operated*										
0-19 YRS	344	4.4	69	1	1	2	4	8	13	63
20-34	309	5.4	85	<1	1	2	5	14	25	99+
35-49	97	5.3	108	<1	1	3	5	10	16	64
50-64	70	6.6	131	1	1	3	7	32	58	99+
65+	62	12.8	253	1	2	7	17	35	55	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2490	1.7	7	<1	1	1	2	3	4	9
B. *Operated*	36	2.2	13	1	1	1	2	3	6	22
2. MULTIPLE DX										
A. *Not Operated*	2250	3.2	27	1	1	2	3	6	10	24
B. *Operated*	882	5.6	100	1	1	2	6	13	25	95
1. SINGLE DX	2526	1.7	7	<1	1	1	2	3	4	9
2. MULTIPLE DX	3132	3.8	49	1	1	2	4	8	14	46
A. NOT OPERATED	4740	2.4	17	<1	1	1	2	4	7	18
B. OPERATED	918	5.4	97	1	1	2	5	13	24	91
TOTAL 0-19 YRS	3452	2.1	17	1	1	1	2	4	5	13
20-34	1266	3.0	27	<1	1	1	3	6	10	35
35-49	387	3.6	38	1	1	2	4	7	10	29
50-64	295	4.8	56	1	1	2	5	12	16	81
65+	258	9.0	161	1	1	4	12	23	35	98
GRAND TOTAL	**5658**	**2.9**	**31**	**<1**	**1**	**1**	**3**	**5**	**9**	**30**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	836	1.6	3	<1	1	1	2	3	4	8
20-34	194	2.1	5	<1	1	1	2	4	7	61
35-49	63	3.6	72	<1	<1	1	2	8	12	59
50-64	29	5.0	43	<1	1	3	6	15	31	99+
65+	19	5.8	46	<1	1	2	11	14	20	25
B. *Operated*										
0-19 YRS	24	7.1	76	1	1	3	13	22	52	99+
20-34	19	10.0	185	<1	<1	5	12	21	41	58
35-49	14	12.2	89	<1	2	11	18	25	30	32
50-64	10	10.7	22	2	4	11	15	17	18	18
65+	13	11.4	77	2	3	9	11	29	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	547	2.8	28	<1	1	1	3	6	9	28
20-34	253	3.4	38	<1	<1	2	3	6	11	38
35-49	117	4.1	17	<1	1	2	5	9	12	21
50-64	79	4.5	45	1	1	2	5	7	17	42
65+	91	9.8	213	1	1	5	11	29	63	99+
B. *Operated*										
0-19 YRS	167	9.1	228	<1	1	3	12	40	94	99+
20-34	166	9.5	265	<1	1	3	12	43	99+	99+
35-49	75	12.4	280	1	1	7	19	75	99+	99+
50-64	51	18.7	597	1	1	10	44	99+	99+	99+
65+	60	18.2	553	1	1	12	33	98	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1141	2.0	9	<1	1	1	2	3	6	14
B. *Operated*	80	9.8	97	1	1	8	14	22	31	87
2. MULTIPLE DX										
A. *Not Operated*	1087	3.8	49	<1	1	2	4	8	14	62
B. *Operated*	519	11.7	332	1	1	5	19	72	99+	99+
1. SINGLE DX	1221	2.5	19	<1	1	1	2	5	9	25
2. MULTIPLE DX	1606	6.4	154	<1	1	2	6	21	49	99+
A. NOT OPERATED	2228	2.9	30	<1	1	1	3	6	10	33
B. OPERATED	599	11.5	300	1	1	5	18	57	99+	99+
TOTAL 0-19 YRS	1574	2.9	42	<1	1	1	2	6	11	76
20-34	632	4.8	101	<1	1	2	4	12	33	99+
35-49	269	6.7	122	<1	1	3	8	18	33	99+
50-64	169	9.3	248	1	1	4	11	40	96	99+
65+	183	12.3	313	1	1	7	15	50	98	99+
GRAND TOTAL	**2827**	**4.7**	**99**	**<1**	**1**	**2**	**4**	**12**	**28**	**99+**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	1	1	1	2	3	4	4	4
20-34	31	2.7	5	1	1	2	3	6	9	9
35-49	9	3.9	4	<1	1	4	6	6	6	6
50-64	17	6.9	55	1	1	5	9	18	25	29
65+	2	5.5	41	<1	<1	5	10	10	10	10
B. *Operated*										
0-19 YRS	10	4.5	5	<1	1	5	5	7	9	9
20-34	22	4.6	4	2	2	4	5	8	9	10
35-49	6	8.8	91	2	2	6	7	26	28	28
50-64	5	6.2	2	5	5	6	7	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	4.5	13	1	1	3	6	10	13	16
20-34	31	5.9	18	1	1	5	8	11	14	20
35-49	32	6.8	51	1	2	5	7	14	24	35
50-64	30	7.0	41	1	1	6	9	12	14	35
65+	22	10.3	45	2	3	9	14	21	24	26
B. *Operated*										
0-19 YRS	55	13.6	270	3	4	8	13	32	50	91
20-34	86	13.3	183	2	4	9	15	25	45	72
35-49	47	10.3	112	2	3	7	13	24	30	99+
50-64	31	17.9	233	4	5	13	23	38	60	62
65+	23	15.9	136	3	4	14	23	31	41	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	3.8	19	1	1	2	5	9	10	27
B. *Operated*	43	5.3	16	2	3	5	6	8	10	28
2. MULTIPLE DX										
A. *Not Operated*	151	6.6	35	1	1	5	8	13	18	35
B. *Operated*	242	13.6	193	3	4	9	16	28	46	74
1. SINGLE DX	115	4.4	19	1	1	3	6	9	10	28
2. MULTIPLE DX	393	10.9	144	1	2	7	13	24	34	68
A. NOT OPERATED	223	5.7	31	1	1	4	7	11	17	31
B. OPERATED	285	12.4	175	3	3	8	14	26	43	72
TOTAL 0-19 YRS	114	8.6	158	1	1	5	9	17	31	73
20-34	170	8.9	118	1	1	6	10	18	25	67
35-49	94	8.4	82	1	2	6	9	19	26	85
50-64	83	11.0	140	1	2	8	13	26	33	62
65+	47	12.8	97	2	3	10	18	25	31	50
GRAND TOTAL	**508**	**9.4**	**123**	**1**	**2**	**6**	**11**	**20**	**29**	**65**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	4.1	13	1	1	3	5	8	12	19
20-34	93	3.9	11	1	1	3	5	8	10	18
35-49	9	2.8	2	1	1	2	3	5	6	6
50-64	8	4.3	16	1	1	2	7	11	11	11
65+	5	7.4	23	2	2	7	10	15	15	15
B. *Operated*										
0-19 YRS	92	8.4	18	3	5	7	10	15	19	21
20-34	46	8.5	24	1	2	8	11	14	17	25
35-49	15	6.8	13	1	1	7	9	10	13	14
50-64	10	7.4	46	<1	<1	6	11	18	22	22
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	5.3	20	1	1	4	7	11	15	21
20-34	115	4.1	10	1	1	3	6	8	10	16
35-49	27	4.7	9	1	1	4	7	9	10	12
50-64	18	6.5	16	<1	1	7	10	12	13	14
65+	14	7.8	64	1	1	6	17	93	99+	99+
B. *Operated*										
0-19 YRS	139	15.0	174	4	5	10	19	36	47	99+
20-34	197	15.1	181	3	5	11	18	33	49	99+
35-49	67	18.3	194	4	5	13	26	42	52	92
50-64	47	20.6	313	5	6	16	29	81	99+	99+
65+	27	24.7	595	1	5	16	32	79	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	274	4.1	12	1	1	3	5	8	11	18
B. *Operated*	163	8.2	21	1	3	7	10	14	19	22
2. MULTIPLE DX										
A. *Not Operated*	306	5.0	18	1	1	4	7	10	13	28
B. *Operated*	477	16.6	222	4	5	11	22	40	59	99+
1. SINGLE DX	437	5.6	19	1	1	5	7	11	15	21
2. MULTIPLE DX	783	12.1	175	1	2	8	15	30	46	99+
A. NOT OPERATED	580	4.5	15	1	1	3	6	9	12	20
B. OPERATED	640	14.5	184	3	5	10	17	33	50	99+
TOTAL 0-19 YRS	522	8.1	78	1	2	6	10	17	23	57
20-34	451	9.3	114	1	2	7	11	21	31	67
35-49	118	12.5	158	1	2	9	15	34	44	71
50-64	83	14.4	237	1	2	10	22	39	96	99+
65+	46	17.7	436	1	2	11	26	78	99+	99+
GRAND TOTAL	**1220**	**9.8**	**128**	**1**	**2**	**7**	**11**	**22**	**36**	**99+**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	4.0	8	<1	1	4	6	8	9	11
20-34	10	3.6	7	1	1	3	5	7	9	9
35-49	10	4.9	15	<1	1	4	8	11	13	13
50-64	6	2.3	1	1	1	2	3	4	4	4
65+	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS	119	5.8	16	1	1	5	8	11	13	19
20-34	82	4.6	9	1	1	4	7	9	10	12
35-49	35	6.7	16	1	1	6	10	12	14	16
50-64	23	6.5	23	1	2	6	8	15	16	17
65+	13	5.8	16	1	2	5	7	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.8	12	1	1	3	5	9	10	16
20-34	15	2.7	4	<1	1	2	3	7	7	7
35-49	9	4.4	10	1	1	4	6	9	11	11
50-64	7	8.7	94	1	2	5	11	26	29	29
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	99	5.8	24	1	1	5	8	13	16	23
20-34	101	6.9	100	<1	1	5	9	13	14	59
35-49	41	7.6	29	1	2	7	10	15	18	25
50-64	18	13.7	281	2	3	9	19	54	89	99+
65+	18	9.7	47	1	2	9	11	26	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	3.9	8	1	1	3	6	8	9	13
B. *Operated*	272	5.6	15	1	1	5	8	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	60	4.1	21	<1	1	3	5	8	12	28
B. *Operated*	277	7.2	73	1	1	6	9	14	19	88
1. SINGLE DX	326	5.3	14	1	1	5	8	11	13	17
2. MULTIPLE DX	337	6.7	65	1	1	5	9	14	19	78
A. NOT OPERATED	114	4.0	15	1	1	3	5	8	10	21
B. OPERATED	549	6.4	45	1	1	5	8	13	16	26
TOTAL 0-19 YRS	272	5.4	18	1	1	4	7	11	14	20
20-34	208	5.5	54	1	1	4	7	11	13	25
35-49	95	6.7	22	1	1	6	9	13	16	22
50-64	54	8.7	126	1	1	6	11	20	27	99
65+	34	7.6	36	1	2	7	9	18	27	99+
GRAND TOTAL	**663**	**6.0**	**40**	**1**	**1**	**5**	**8**	**12**	**15**	**26**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	2.7	13	<1	1	2	3	5	9	20
20-34	45	1.8	2	<1	<1	1	2	4	5	6
35-49	19	2.2	3	1	1	1	3	5	6	7
50-64	12	2.9	11	<1	<1	2	3	7	12	13
65+	11	4.7	15	<1	<1	4	8	10	12	12
B. *Operated*										
0-19 YRS	271	2.2	7	<1	<1	1	2	5	7	13
20-34	119	2.9	46	<1	<1	1	3	5	8	32
35-49	54	3.0	9	<1	<1	2	3	7	8	18
50-64	29	2.9	9	<1	<1	1	4	8	9	12
65+	33	3.2	8	<1	1	2	4	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133	3.1	10	<1	1	2	4	6	9	18
20-34	117	3.1	16	<1	<1	2	4	7	10	21
35-49	58	4.1	18	<1	1	3	5	9	11	25
50-64	53	5.1	26	<1	1	3	6	12	16	24
65+	59	8.5	105	1	1	4	13	25	37	94
B. *Operated*										
0-19 YRS	441	3.3	23	<1	1	2	4	7	9	20
20-34	479	3.5	22	<1	1	2	4	8	11	21
35-49	191	4.2	28	<1	1	2	5	10	13	36
50-64	157	4.9	28	<1	1	3	6	11	16	26
65+	148	8.3	114	1	1	5	9	20	34	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	2.6	10	<1	<1	1	3	5	8	13
B. *Operated*	506	2.6	17	<1	<1	1	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	420	4.2	31	<1	1	2	5	10	15	35
B. *Operated*	1416	4.2	35	<1	1	2	5	9	13	34
1. SINGLE DX	703	2.6	15	<1	<1	1	3	6	8	13
2. MULTIPLE DX	1836	4.2	34	<1	1	2	5	9	14	34
A. NOT OPERATED	617	3.7	25	<1	1	2	4	9	13	32
B. OPERATED	1922	3.8	31	<1	1	2	4	8	12	29
TOTAL 0-19 YRS	955	2.9	15	<1	1	2	3	6	8	17
20-34	760	3.3	24	<1	<1	2	4	7	10	20
35-49	322	3.9	22	<1	1	2	5	9	12	27
50-64	251	4.6	25	<1	1	3	6	11	15	25
65+	251	7.5	96	1	1	4	9	18	33	61
GRAND TOTAL	**2539**	**3.7**	**29**	**<1**	**1**	**2**	**4**	**8**	**12**	**29**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.5	6	<1	<1	2	3	6	9	12
20-34	30	3.1	9	<1	1	2	4	7	8	14
35-49	10	3.2	11	<1	<1	2	3	9	11	11
50-64	6	2.7	4	<1	<1	2	4	6	6	6
65+	3	20.0	871	1	1	5	42	54	54	54
B. *Operated*										
0-19 YRS	76	2.8	5	<1	<1	2	4	6	8	11
20-34	76	4.2	30	<1	1	2	5	9	11	35
35-49	19	5.5	39	<1	1	3	8	12	20	26
50-64	8	5.0	7	2	2	5	7	9	10	10
65+	4	6.5	42	2	2	4	10	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	4.3	22	<1	1	3	5	9	16	23
20-34	42	3.8	28	<1	1	2	4	10	18	99+
35-49	17	4.4	12	<1	<1	3	6	10	12	12
50-64	6	2.8	7	1	1	2	7	82	99+	99+
65+	4	5.3	22	<1	<1	7	33	99+	99+	99+
B. *Operated*										
0-19 YRS	65	7.2	74	1	1	4	9	23	37	99+
20-34	91	7.1	48	1	1	5	9	18	22	72
35-49	26	5.5	24	1	1	5	8	9	14	25
50-64	20	14.0	132	<1	1	12	22	31	35	35
65+	5	28.0	1189	2	2	11	46	86	86	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	3.3	34	<1	1	2	3	7	10	35
B. *Operated*	183	3.9	20	<1	1	2	5	8	11	26
2. MULTIPLE DX										
A. *Not Operated*	102	4.0	21	<1	1	3	5	11	18	99+
B. *Operated*	207	8.1	97	1	1	5	10	22	33	99+
1. SINGLE DX	280	3.7	25	<1	1	2	4	8	11	26
2. MULTIPLE DX	309	6.8	75	<1	1	4	9	19	31	99+
A. NOT OPERATED	199	3.7	28	<1	1	2	4	9	12	99+
B. OPERATED	390	6.1	65	<1	1	3	8	13	25	66
TOTAL 0-19 YRS	222	4.3	32	<1	1	2	5	9	15	55
20-34	239	5.1	36	<1	1	3	6	11	19	43
35-49	72	4.9	23	<1	1	3	7	11	12	26
50-64	40	8.8	95	<1	1	5	14	26	35	99+
65+	16	15.4	551	<1	1	7	20	80	95	99+
GRAND TOTAL	**589**	**5.3**	**54**	**<1**	**1**	**3**	**6**	**12**	**22**	**93**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	2.6	5	<1	<1	2	4	5	6	12
20-34	85	3.2	6	<1	1	3	4	7	8	12
35-49	26	4.1	23	<1	1	3	4	9	13	25
50-64	9	7.9	79	<1	<1	4	15	22	25	25
65+	5	8.8	74	2	2	4	15	22	22	22
B. *Operated*										
0-19 YRS	492	2.7	9	<1	1	2	3	6	9	18
20-34	594	2.8	12	<1	1	2	3	6	9	20
35-49	233	3.1	19	<1	1	2	3	7	12	23
50-64	146	3.9	34	<1	1	2	4	9	16	32
65+	58	3.3	13	1	1	2	4	9	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	3.9	14	<1	<1	3	5	9	9	23
20-34	108	5.2	63	<1	1	3	5	12	21	45
35-49	39	5.1	11	1	1	4	7	11	12	13
50-64	13	5.5	21	<1	<1	4	7	11	16	17
65+	13	10.0	51	2	3	7	14	22	23	23
B. *Operated*										
0-19 YRS	372	4.1	33	1	1	2	4	8	13	35
20-34	511	4.6	42	1	1	3	5	9	15	37
35-49	200	4.6	45	1	1	2	4	11	19	37
50-64	152	6.3	77	1	1	3	7	15	25	49
65+	71	8.0	103	1	1	4	10	24	35	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	3.5	14	<1	1	2	4	7	10	24
B. *Operated*	1523	2.9	14	<1	1	2	3	6	10	21
2. MULTIPLE DX										
A. *Not Operated*	230	5.1	40	<1	1	3	6	10	17	36
B. *Operated*	1306	4.8	48	1	1	2	5	10	19	39
1. SINGLE DX	1717	3.0	14	<1	1	2	3	6	10	21
2. MULTIPLE DX	1536	4.9	47	1	1	3	5	10	18	38
A. NOT OPERATED	424	4.4	29	<1	1	3	5	9	13	25
B. OPERATED	2829	3.8	31	<1	1	2	4	8	13	31
TOTAL 0-19 YRS	990	3.3	19	<1	1	2	4	7	9	23
20-34	1298	3.7	29	<1	1	2	4	7	11	29
35-49	498	3.9	30	1	1	2	4	9	14	31
50-64	320	5.3	56	1	1	2	6	14	21	43
65+	147	6.4	67	1	1	3	7	17	24	40
GRAND TOTAL	**3253**	**3.9**	**31**	**<1**	**1**	**2**	**4**	**8**	**13**	**31**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	3.8	12	<1	1	3	5	8	10	18
20-34	60	4.0	17	1	1	3	4	6	8	28
35-49	25	3.8	8	<1	1	3	6	8	9	11
50-64	10	3.3	3	1	1	3	4	6	6	6
65+	6	3.5	2	2	2	4	5	81	99+	99+
B. *Operated*										
0-19 YRS	308	4.6	34	1	1	2	5	11	17	27
20-34	261	5.6	49	1	1	3	7	12	17	36
35-49	98	4.7	23	1	1	3	6	11	15	25
50-64	45	8.5	99	1	1	3	12	22	33	39
65+	20	10.1	104	1	1	7	13	27	32	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	5.6	29	1	1	4	7	13	14	31
20-34	39	4.7	25	1	1	3	6	11	18	22
35-49	36	6.5	23	1	1	5	9	13	17	20
50-64	15	9.9	53	1	2	8	17	21	22	23
65+	27	14.0	158	3	4	10	16	29	42	59
B. *Operated*										
0-19 YRS	130	9.4	117	1	2	5	12	24	36	69
20-34	147	8.7	160	1	1	4	9	28	44	99+
35-49	68	12.2	301	1	2	5	13	37	51	92
50-64	36	9.6	125	1	2	5	14	28	47	99+
65+	34	24.2	349	2	4	20	37	65	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	206	3.8	12	<1	1	3	5	7	9	24
B. *Operated*	732	5.3	45	1	1	3	6	12	18	35
2. MULTIPLE DX										
A. *Not Operated*	178	7.2	57	1	1	5	10	15	21	37
B. *Operated*	415	10.8	197	1	1	5	14	30	48	99+
1. SINGLE DX	938	5.0	38	1	1	3	6	12	17	34
2. MULTIPLE DX	593	9.8	158	1	1	5	12	26	40	99
A. NOT OPERATED	384	5.4	36	1	1	4	6	13	16	32
B. OPERATED	1147	7.3	107	1	1	4	8	19	30	65
TOTAL 0-19 YRS	604	5.6	51	1	1	3	7	13	20	39
20-34	507	6.2	78	1	1	3	7	14	25	58
35-49	227	7.1	115	1	1	4	8	15	25	56
50-64	106	8.6	94	1	1	5	12	22	31	75
65+	87	16.4	252	2	2	12	23	41	66	99+
GRAND TOTAL	**1531**	**6.9**	**90**	**1**	**1**	**4**	**8**	**17**	**27**	**59**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.9	3	1	1	1	3	5	6	6
20-34	5	3.4	23	1	1	1	4	12	12	12
35-49	5	2.2	1	<1	<1	3	3	3	3	3
50-64										
65+	3	4.7	14	2	2	3	7	9	9	9
B. *Operated*										
0-19 YRS	10	3.6	7	1	1	3	4	8	9	9
20-34	10	4.3	13	<1	<1	4	5	9	13	13
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	2.7	4	<1	<1	2	4	5	5	5
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.6	1	<1	<1	1	2	4	4	4
20-34	4	1.3		<1	<1	1	1	2	2	2
35-49	5	1.8	2	<1	<1	<1	2	4	4	4
50-64	4	8.8	8	6	6	8	11	12	12	12
65+	5	13.2	90	3	3	17	25	92	99+	99+
B. *Operated*										
0-19 YRS	20	14.7	484	1	1	4	18	51	73	76
20-34	35	11.7	194	<1	1	9	14	29	63	99+
35-49	15	7.2	33	<1	<1	8	10	12	20	23
50-64	5	5.6	7	3	3	5	7	10	10	10
65+	3	28.3	530	6	6	27	46	52	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.6	8	<1	1	1	3	6	10	12
B. *Operated*	25	3.6	8	<1	1	3	5	7	10	13
2. MULTIPLE DX										
A. *Not Operated*	25	5.0	41	<1	<1	2	7	18	40	99+
B. *Operated*	78	11.9	245	<1	1	8	13	29	61	93
1. SINGLE DX	49	3.1	8	<1	1	2	4	7	9	13
2. MULTIPLE DX	103	10.2	203	<1	<1	6	12	27	58	99+
A. NOT OPERATED	49	3.9	26	<1	<1	2	4	12	18	99+
B. OPERATED	103	9.9	200	<1	1	5	11	23	53	87
TOTAL 0-19 YRS	48	7.5	236	<1	1	2	5	20	37	76
20-34	54	8.8	145	<1	1	5	12	19	49	98
35-49	26	5.0	26	<1	<1	3	8	11	14	23
50-64	12	5.9	11	<1	1	5	8	11	12	12
65+	12	13.9	225	2	2	9	25	62	93	99+
GRAND TOTAL	**152**	**7.9**	**151**	**<1**	**1**	**4**	**9**	**19**	**32**	**99**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	7.6	123	1	1	4	8	20	37	50
20-34	42	4.9	14	1	1	4	6	12	13	14
35-49	25	8.1	41	1	1	7	10	24	41	99+
50-64	9	4.3	13	1	1	3	7	56	99+	99+
65+	9	10.3	110	<1	<1	7	16	27	32	32
B. *Operated*										
0-19 YRS	214	5.5	37	1	1	3	6	12	19	32
20-34	308	4.4	19	1	2	3	5	9	12	21
35-49	126	5.5	29	1	2	4	6	12	18	26
50-64	86	5.7	41	1	2	4	6	13	17	38
65+	22	12.2	122	1	2	9	14	30	36	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	9.5	259	1	1	5	10	23	59	99+
20-34	100	7.1	78	1	1	4	10	16	32	99+
35-49	56	6.1	24	1	1	5	9	14	15	22
50-64	45	13.7	187	3	4	10	16	29	66	99+
65+	38	19.5	435	3	5	13	40	99+	99+	99+
B. *Operated*										
0-19 YRS	180	8.2	130	1	1	4	10	18	26	97
20-34	353	8.0	115	1	2	5	9	17	31	84
35-49	158	8.6	98	1	2	5	11	24	33	96
50-64	123	14.1	317	1	2	7	19	37	57	93
65+	69	17.9	378	2	2	13	21	43	77	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	6.7	61	1	1	4	9	14	26	99+
B. *Operated*	756	5.3	33	1	2	3	6	11	16	31
2. MULTIPLE DX										
A. *Not Operated*	294	10.0	181	1	2	6	12	23	69	99+
B. *Operated*	883	9.8	172	1	2	5	11	26	37	96
1. SINGLE DX	879	5.5	37	1	1	3	6	12	17	36
2. MULTIPLE DX	1177	9.8	175	1	2	5	11	26	40	99+
A. NOT OPERATED	417	9.0	148	1	1	5	11	22	50	99+
B. OPERATED	1639	7.7	113	1	2	4	9	18	29	77
TOTAL 0-19 YRS	487	7.1	104	1	1	4	8	17	24	83
20-34	803	6.3	71	1	2	4	7	13	20	72
35-49	365	7.1	61	1	2	4	9	17	26	59
50-64	263	10.9	209	1	2	5	13	29	46	98
65+	138	16.9	339	1	3	11	22	52	86	99+
GRAND TOTAL	**2056**	**8.0**	**120**	**1**	**2**	**4**	**9**	**19**	**31**	**99**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	309	4.8	8	1	2	4	6	7	9	16
20-34	165	3.9	6	1	1	4	5	6	7	14
35-49	55	4.5	6	1	1	4	6	7	9	13
50-64	13	4.3	6	<1	1	4	6	8	9	9
65+	6	5.8	19	2	2	4	7	13	14	14
B. *Operated*										
0-19 YRS	15	11.9	55	3	4	10	17	23	25	26
20-34	7	6.4	64	1	1	5	6	20	24	24
35-49	3	7.7	16	4	4	7	11	12	12	12
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	5.6	49	1	1	4	7	11	13	31
20-34	117	4.4	8	1	1	4	6	8	10	16
35-49	48	4.2	7	1	1	4	5	8	10	14
50-64	26	4.7	7	1	1	4	7	9	9	10
65+	20	9.5	102	1	1	5	12	25	33	38
B. *Operated*										
0-19 YRS	26	8.0	68	<1	1	5	9	22	27	33
20-34	30	4.8	12	<1	1	4	6	11	12	13
35-49	11	10.7	364	1	1	5	9	35	64	67
50-64	6	4.8	7	2	2	4	6	9	9	9
65+	6	16.2	395	2	2	6	25	50	53	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	548	4.5	7	1	2	4	6	7	9	14
B. *Operated*	27	9.5	54	1	3	6	15	22	24	26
2. MULTIPLE DX										
A. *Not Operated*	333	5.2	30	1	1	4	6	9	12	22
B. *Operated*	79	7.5	109	1	1	5	8	14	25	63
1. SINGLE DX	575	4.7	10	1	2	4	6	7	10	20
2. MULTIPLE DX	412	5.6	46	1	1	4	6	10	14	35
A. NOT OPERATED	881	4.7	16	1	1	4	6	8	10	17
B. OPERATED	106	8.0	95	1	1	5	9	19	25	59
TOTAL 0-19 YRS	472	5.4	25	1	2	4	6	9	12	25
20-34	319	4.2	9	1	1	4	5	7	9	16
35-49	117	5.1	41	1	1	4	6	9	11	32
50-64	46	4.6	7	1	2	4	7	9	9	10
65+	33	9.9	137	1	2	5	12	26	36	53
GRAND TOTAL	**987**	**5.1**	**25**	**1**	**1**	**4**	**6**	**9**	**12**	**24**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	958	2.3	7	<1	1	1	3	4	6	13
20-34	661	2.4	6	<1	<1	2	3	5	7	11
35-49	199	3.3	16	<1	1	2	4	6	9	20
50-64	159	4.5	18	1	1	3	6	11	14	20
65+	192	7.0	59	1	1	5	9	14	18	54
B. *Operated*										
0-19 YRS	83	4.0	26	<1	1	3	4	9	11	32
20-34	53	4.7	16	1	1	4	7	9	15	17
35-49	38	5.8	30	1	1	4	7	12	19	25
50-64	24	7.4	58	1	1	5	10	17	22	33
65+	17	8.5	93	<1	1	7	9	26	33	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	895	2.8	11	<1	1	2	3	6	8	17
20-34	800	2.8	8	<1	<1	2	3	5	7	13
35-49	427	4.4	20	<1	1	3	5	9	12	24
50-64	365	6.2	39	1	1	4	8	13	18	37
65+	762	11.8	188	1	2	7	15	27	44	99
B. *Operated*										
0-19 YRS	101	3.8	15	1	1	2	5	9	12	19
20-34	123	5.5	32	1	1	3	7	13	17	29
35-49	61	7.0	127	1	1	4	9	13	17	77
50-64	52	9.4	96	1	1	6	13	25	31	47
65+	67	18.7	318	2	3	13	27	59	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2169	3.0	15	<1	1	2	3	6	10	20
B. *Operated*	215	5.2	34	1	1	4	7	11	17	34
2. MULTIPLE DX										
A. *Not Operated*	3249	5.5	70	<1	1	3	6	12	19	51
B. *Operated*	404	8.0	122	1	1	4	10	19	31	80
1. SINGLE DX	2384	3.2	17	<1	1	2	4	7	10	21
2. MULTIPLE DX	3653	5.8	76	<1	1	3	6	13	21	56
A. NOT OPERATED	5418	4.5	49	<1	1	2	5	10	15	40
B. OPERATED	619	7.0	93	1	1	4	8	16	26	68
TOTAL 0-19 YRS	2037	2.7	10	<1	1	2	3	6	8	17
20-34	1637	2.9	10	<1	<1	2	4	6	8	16
35-49	725	4.4	29	1	1	3	5	9	13	25
50-64	600	6.1	41	1	1	4	8	13	18	34
65+	1038	11.3	178	1	2	7	14	26	44	99+
GRAND TOTAL	**6037**	**4.8**	**54**	**<1**	**1**	**2**	**5**	**10**	**17**	**42**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.7	16	1	1	2	5	8	13	19
20-34	36	3.6	20	<1	<1	2	5	7	13	23
35-49	13	3.2	7	<1	1	2	4	8	9	9
50-64	6	3.3	5	2	2	2	5	7	7	7
65+	2	13.5	13	11	11	13	16	16	16	16
B. *Operated*										
0-19 YRS	31	5.5	77	<1	1	3	7	10	29	42
20-34	38	5.1	31	1	1	3	7	11	20	23
35-49	14	4.6	33	<1	1	2	4	16	18	19
50-64	12	4.8	22	<1	1	3	5	14	15	15
65+	3	2.7	1	2	2	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	8.1	104	<1	1	3	9	24	34	37
20-34	34	3.6	17	<1	1	2	4	8	15	18
35-49	15	9.0	79	<1	1	6	13	23	30	33
50-64	8	3.8	4	<1	1	4	5	6	7	7
65+	7	13.1	114	2	3	11	15	31	35	35
B. *Operated*										
0-19 YRS	43	13.2	194	1	2	8	19	37	47	99+
20-34	41	9.6	108	1	1	7	11	20	30	52
35-49	26	14.0	278	1	2	6	25	38	53	55
50-64	17	13.6	382	1	1	5	22	40	63	74
65+	4	8.0	12	5	5	8	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	3.8	17	<1	1	2	5	9	14	21
B. *Operated*	98	5.1	43	1	1	3	6	11	19	36
2. MULTIPLE DX										
A. *Not Operated*	79	6.4	59	<1	1	3	7	16	24	36
B. *Operated*	131	12.1	200	1	1	7	15	35	43	79
1. SINGLE DX	195	4.4	30	<1	1	2	5	10	16	27
2. MULTIPLE DX	210	10.0	155	1	1	6	12	28	38	70
A. NOT OPERATED	176	4.9	37	<1	1	3	6	12	16	34
B. OPERATED	229	9.1	145	1	1	5	10	25	38	68
TOTAL 0-19 YRS	129	7.8	114	1	1	4	9	24	37	74
20-34	149	5.7	52	<1	1	3	7	14	19	41
35-49	68	8.9	148	1	1	4	9	30	36	55
50-64	43	7.9	175	<1	1	4	7	22	32	74
65+	16	9.9	67	2	2	11	12	16	29	35
GRAND TOTAL	**405**	**7.3**	**102**	**1**	**1**	**4**	**8**	**19**	**31**	**54**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.4	1	<1	<1	1	1	2	4	5
20-34	9	1.9	3	<1	<1	1	2	5	6	6
35-49	4	5.0	9	2	2	5	7	8	8	8
50-64	1	8.0		8	8	8	8	8	8	8
65+	2	10.5	85	4	4	10	17	17	17	17
B. *Operated*										
0-19 YRS	7	1.6	1	<1	<1	1	2	4	4	4
20-34	8	3.4	5	1	1	3	5	6	6	6
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	2	6.0		6	6	6	6	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	<1	<1	3	4	5	5	5
20-34	7	2.9	5	<1	<1	2	4	6	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	3	3.3	16	1	1	1	6	8	8	8
35-49										
50-64										
65+	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.8	12	<1	<1	1	3	7	8	17
B. *Operated*	22	2.7	4	<1	1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	13	2.8	3	<1	<1	3	4	5	7	7
B. *Operated*	7	3.9	7	1	1	4	6	8	8	8
1. SINGLE DX	53	2.8	8	<1	<1	1	4	6	8	17
2. MULTIPLE DX	20	3.2	5	<1	<1	3	5	6	7	8
A. NOT OPERATED	44	2.8	9	<1	<1	2	4	7	8	17
B. OPERATED	29	3.0	5	1	1	2	5	6	6	8
TOTAL 0-19 YRS	28	1.9	2	<1	<1	1	2	5	5	5
20-34	27	2.7	5	<1	<1	2	4	6	7	8
35-49	9	3.4	6	1	1	3	4	8	8	8
50-64	5	5.0	6	2	2	6	7	8	8	8
65+	4	7.0	49	1	1	5	11	17	17	17
GRAND TOTAL	**73**	**2.9**	**7**	**<1**	**<1**	**2**	**4**	**6**	**8**	**15**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	395	1.6	4	<1	<1	1	2	3	4	8
20-34	74	1.3	1	<1	1	1	1	2	3	5
35-49	79	1.4	1	<1	<1	1	2	3	3	4
50-64	103	1.8	3	<1	1	1	2	3	4	12
65+	70	3.2	113	<1	1	1	3	4	5	74
B. *Operated*										
0-19 YRS	90	3.3	10	1	1	2	5	7	10	15
20-34	19	3.6	13	<1	<1	2	5	11	12	12
35-49	18	6.0	49	<1	1	3	7	18	24	25
50-64	8	5.8	19	1	1	4	9	12	13	13
65+	13	3.5	10	1	1	2	4	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	3.6	31	<1	<1	1	4	10	13	33
20-34	25	1.7	1	<1	<1	1	2	4	4	5
35-49	28	2.7	14	<1	<1	1	3	6	12	18
50-64	38	2.4	10	1	1	1	2	5	10	16
65+	66	4.6	80	1	1	3	5	10	36	99+
B. *Operated*										
0-19 YRS	44	5.5	63	<1	1	4	8	11	12	52
20-34	12	6.6	41	1	1	6	7	14	23	25
35-49	20	10.4	133	1	2	7	12	21	39	52
50-64	26	12.7	380	1	1	8	11	28	46	97
65+	34	9.0	128	1	1	4	12	31	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	721	1.7	14	<1	<1	1	2	3	4	8
B. *Operated*	148	3.8	16	<1	1	2	5	9	11	22
2. MULTIPLE DX										
A. *Not Operated*	233	3.4	37	<1	1	1	4	8	12	71
B. *Operated*	136	8.6	151	1	1	5	10	23	32	97
1. SINGLE DX	869	2.1	15	<1	<1	1	2	4	6	13
2. MULTIPLE DX	369	5.3	85	<1	1	2	6	12	23	90
A. NOT OPERATED	954	2.1	20	<1	<1	1	2	4	6	17
B. OPERATED	284	6.1	86	1	1	3	7	12	23	52
TOTAL 0-19 YRS	605	2.4	14	<1	<1	1	2	5	8	15
20-34	130	2.2	9	<1	<1	1	2	5	7	15
35-49	145	3.5	36	<1	1	1	3	9	13	27
50-64	175	3.7	74	<1	1	1	3	9	13	32
65+	183	4.8	100	1	1	2	4	11	25	99+
GRAND TOTAL	**1238**	**3.1**	**38**	**<1**	**<1**	**1**	**3**	**7**	**11**	**32**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	7.8	25	1	2	6	11	14	18	21
20-34	9	4.6	8	<1	<1	4	6	9	10	10
35-49	4	7.5	3	6	6	7	9	10	10	10
50-64	2	28.0	288	16	16	28	40	40	40	40
65+	2	12.5	145	4	4	12	21	21	21	21
B. *Operated*										
0-19 YRS	38	16.8	297	2	4	12	19	31	61	82
20-34	34	16.4	232	2	2	13	26	42	45	54
35-49	13	15.5	161	5	6	10	19	35	47	50
50-64	9	19.1	176	5	6	17	24	39	49	49
65+	2	34.0	2048	2	2	34	66	66	66	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	10.4	114	1	1	8	13	19	29	59
20-34	24	10.6	102	<1	1	7	15	28	31	39
35-49	18	10.5	77	<1	2	8	16	25	29	31
50-64	10	14.8	139	2	3	11	21	34	36	36
65+	10	35.3	975	1	1	31	49	87	93	93
B. *Operated*										
0-19 YRS	76	29.0	369	7	8	29	43	88	99+	99+
20-34	54	25.2	502	2	3	25	46	99+	99+	99+
35-49	37	31.1	528	4	5	29	45	80	94	99+
50-64	30	39.6	398	16	17	36	60	95	99+	99+
65+	24	34.5	566	9	11	32	60	98	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	8.3	53	1	2	6	11	16	21	40
B. *Operated*	96	17.0	260	2	2	13	22	42	50	78
2. MULTIPLE DX										
A. *Not Operated*	98	13.4	239	1	1	9	16	32	38	87
B. *Operated*	221	30.5	465	4	7	29	48	92	99+	99+
1. SINGLE DX	134	14.6	216	2	2	10	18	33	45	75
2. MULTIPLE DX	319	25.2	457	2	3	21	41	79	99+	99+
A. NOT OPERATED	136	12.0	191	1	1	8	14	28	36	83
B. OPERATED	317	26.4	440	2	5	23	43	77	99+	99+
TOTAL 0-19 YRS	171	19.8	331	2	3	15	30	49	85	99+
20-34	121	18.3	354	2	2	14	29	62	99+	99+
35-49	72	21.8	410	3	4	16	31	58	83	99+
50-64	51	30.6	412	5	8	28	47	66	99	99+
65+	38	33.6	673	2	3	30	59	93	99+	99+
GRAND TOTAL	**453**	**22.1**	**409**	**2**	**3**	**17**	**34**	**65**	**93**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	349	5.6	29	1	1	4	7	13	16	27
20-34	189	4.3	19	1	1	2	6	10	13	20
35-49	64	6.3	45	1	1	4	8	15	24	29
50-64	34	8.2	68	1	1	5	9	24	28	29
65+	23	9.4	71	1	2	7	11	22	30	35
B. *Operated*										
0-19 YRS	57	13.6	144	2	2	9	24	29	38	46
20-34	23	11.0	82	<1	1	9	18	25	28	30
35-49	9	14.4	57	2	5	14	17	26	27	27
50-64	5	19.0	202	3	3	15	27	41	41	41
65+	5	30.8	655	5	5	28	41	73	73	73
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	545	7.4	53	1	1	5	10	16	21	37
20-34	296	6.2	35	1	1	4	9	14	19	31
35-49	138	8.4	69	1	1	6	11	20	25	42
50-64	103	9.7	81	1	1	7	12	24	29	37
65+	74	17.6	287	2	3	13	22	45	64	94
B. *Operated*										
0-19 YRS	98	18.1	285	1	2	10	28	43	53	96
20-34	76	16.4	280	2	2	10	24	36	57	96
35-49	41	20.6	338	2	4	15	28	53	71	99+
50-64	28	26.8	417	2	4	24	35	76	99+	99+
65+	20	29.4	432	5	6	35	49	73	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	659	5.6	32	1	1	4	8	12	17	28
B. *Operated*	99	14.2	158	1	2	10	23	29	38	60
2. MULTIPLE DX										
A. *Not Operated*	1156	8.1	75	1	1	6	11	19	24	45
B. *Operated*	263	19.8	328	2	3	14	31	50	71	99+
1. SINGLE DX	758	6.7	57	1	1	4	8	16	23	36
2. MULTIPLE DX	1419	10.3	142	1	1	6	13	25	36	75
A. NOT OPERATED	1815	7.2	61	1	1	5	9	16	21	38
B. OPERATED	362	18.3	287	2	2	13	27	45	62	99+
TOTAL 0-19 YRS	1049	8.2	84	1	1	5	10	19	27	46
20-34	584	7.1	78	1	1	4	9	17	24	49
35-49	252	10.1	129	1	1	6	14	25	31	62
50-64	170	12.5	177	1	1	9	17	30	38	96
65+	122	18.5	317	2	3	13	28	50	67	99+
GRAND TOTAL	**2177**	**9.0**	**115**	**1**	**1**	**6**	**11**	**21**	**31**	**62**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	3.1	15	<1	1	2	4	5	11	20
20-34	27	5.3	47	<1	1	4	6	9	17	36
35-49	18	4.3	12	1	1	3	6	9	12	14
50-64	5	3.2	11	1	1	2	4	9	9	9
65+	7	8.4	34	1	1	8	11	17	18	18
B. *Operated*										
0-19 YRS	45	3.3	23	<1	1	2	3	5	10	31
20-34	60	2.6	3	1	1	2	3	6	6	9
35-49	18	4.5	22	<1	1	2	7	11	16	18
50-64	16	7.0	85	1	1	2	11	21	28	31
65+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	6.3	133	1	1	3	5	11	19	62
20-34	33	7.6	219	<1	<1	3	8	15	23	84
35-49	17	8.7	127	<1	1	4	10	20	37	46
50-64	19	10.5	78	2	3	7	13	26	28	30
65+	16	17.6	214	1	2	14	29	48	82	99+
B. *Operated*										
0-19 YRS	40	4.5	48	<1	1	2	6	15	63	99+
20-34	89	5.3	83	1	1	3	5	11	21	55
35-49	24	4.8	32	1	1	2	4	14	17	24
50-64	13	8.6	118	<1	<1	3	16	38	86	99+
65+	9	27.0	639	2	2	27	39	67	69	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	4.6	28	1	1	3	6	9	14	31
B. *Operated*	141	3.5	22	1	1	2	3	7	11	31
2. MULTIPLE DX										
A. *Not Operated*	112	9.3	167	1	1	5	10	24	44	90
B. *Operated*	175	6.4	119	1	1	3	6	20	31	99+
1. SINGLE DX	221	3.9	24	1	1	2	4	9	13	31
2. MULTIPLE DX	287	7.6	139	1	1	3	8	22	31	99+
A. NOT OPERATED	192	7.4	114	1	1	4	8	19	28	75
B. OPERATED	316	5.1	77	1	1	2	5	13	24	82
TOTAL 0-19 YRS	135	4.2	51	1	1	2	4	10	17	99+
20-34	209	4.9	78	<1	1	2	5	9	18	52
35-49	77	5.5	47	1	1	3	6	14	17	40
50-64	53	8.3	84	1	1	4	11	26	31	97
65+	34	17.3	314	1	2	11	28	48	68	99+
GRAND TOTAL	**508**	**6.0**	**92**	**1**	**1**	**3**	**6**	**15**	**25**	**78**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	267	2.9	19	<1	1	2	4	5	7	12
20-34	225	3.2	12	<1	1	2	4	7	9	14
35-49	99	3.9	15	1	1	2	5	9	11	21
50-64	57	5.4	34	1	1	3	7	13	19	31
65+	64	8.3	70	1	1	5	11	18	28	38
B. *Operated*										
0-19 YRS	41	3.6	10	<1	<1	2	5	8	10	14
20-34	45	5.7	27	1	1	4	9	12	14	26
35-49	31	7.7	124	1	1	4	9	18	21	59
50-64	23	5.3	46	1	1	2	7	18	22	25
65+	2	7.5	25	4	4	7	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	217	3.3	8	<1	1	2	4	7	9	13
20-34	188	4.3	18	1	1	3	6	8	10	26
35-49	83	5.3	25	<1	1	4	7	12	16	25
50-64	93	7.8	119	1	1	5	9	16	22	67
65+	197	13.3	217	2	3	9	16	29	51	98
B. *Operated*										
0-19 YRS	57	9.1	239	<1	1	5	9	16	28	96
20-34	92	10.0	177	<1	1	5	12	22	36	74
35-49	31	11.1	124	<1	1	9	15	25	42	44
50-64	22	16.2	269	2	3	12	19	34	56	75
65+	19	14.7	141	<1	1	17	21	28	37	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	712	3.8	24	<1	1	2	4	8	11	26
B. *Operated*	142	5.5	47	1	1	3	7	12	17	29
2. MULTIPLE DX										
A. *Not Operated*	778	6.8	94	1	1	4	8	14	22	58
B. *Operated*	221	10.9	193	<1	1	6	14	24	39	74
1. SINGLE DX	854	4.1	28	<1	1	2	5	9	12	26
2. MULTIPLE DX	999	7.7	119	<1	1	4	9	17	25	68
A. NOT OPERATED	1490	5.4	63	<1	1	3	6	11	17	43
B. OPERATED	363	8.8	143	<1	1	5	11	19	28	72
TOTAL 0-19 YRS	582	3.7	39	<1	1	2	4	7	10	25
20-34	550	4.9	48	<1	1	3	6	10	14	36
35-49	244	5.8	51	<1	1	3	7	12	18	42
50-64	195	7.8	111	1	1	5	9	17	23	61
65+	282	12.2	181	1	2	8	15	27	43	93
GRAND TOTAL	**1853**	**6.1**	**80**	**<1**	**1**	**3**	**7**	**13**	**20**	**49**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1144	1.7	3	<1	1	1	2	3	4	7
20-34	525	2.2	10	<1	<1	1	3	4	6	9
35-49	205	2.6	8	<1	1	2	3	5	8	15
50-64	107	3.8	17	<1	1	2	4	9	12	22
65+	88	5.4	19	1	1	4	8	10	13	24
B. *Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	20.3	800	4	4	4	41	53	53	53
50-64	3	7.3	37	2	2	6	12	14	14	14
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1080	4.6	55	<1	1	2	5	10	17	38
20-34	1654	5.7	80	<1	1	2	6	14	23	55
35-49	934	6.5	89	1	1	4	8	15	24	55
50-64	587	9.0	132	1	1	5	10	21	35	60
65+	692	10.1	104	2	2	7	13	21	29	73
B. *Operated*										
0-19 YRS	23	9.7	255	<1	1	5	8	21	54	70
20-34	78	13.0	206	1	2	8	16	35	56	99+
35-49	57	18.2	372	<1	1	11	27	51	71	98
50-64	45	17.9	188	1	2	16	25	41	54	99+
65+	70	19.9	243	2	6	16	24	40	54	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2069	2.2	8	<1	1	1	2	4	6	13
B. *Operated*	11	8.5	230	1	1	4	6	30	51	53
2. MULTIPLE DX										
A. *Not Operated*	4947	6.6	89	1	1	3	8	16	24	56
B. *Operated*	273	16.4	259	1	2	11	23	42	57	99+
1. SINGLE DX	2080	2.2	9	<1	1	1	2	4	6	13
2. MULTIPLE DX	5220	7.1	103	1	1	4	8	18	27	60
A. NOT OPERATED	7016	5.3	69	<1	1	2	6	13	20	48
B. OPERATED	284	16.1	259	1	2	11	22	42	55	99+
TOTAL 0-19 YRS	2250	3.2	33	<1	1	1	3	6	11	29
20-34	2259	5.1	72	<1	1	2	5	12	20	54
35-49	1199	6.4	99	<1	1	3	7	15	25	56
50-64	742	8.8	127	1	1	5	10	21	33	61
65+	850	10.4	116	1	2	7	13	23	30	69
GRAND TOTAL	**7300**	**5.7**	**81**	**<1**	**1**	**3**	**6**	**14**	**22**	**54**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	679	1.6	5	<1	1	1	2	3	3	10
20-34	157	1.6	3	<1	<1	1	2	3	4	12
35-49	76	1.9	3	<1	<1	1	2	5	7	75
50-64	64	2.6	13	1	1	1	3	5	11	20
65+	28	3.8	18	1	1	2	4	11	15	15
B. *Operated*										
0-19 YRS	3	3.0	3	<1	<1	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	5.7	17	1	1	7	8	9	9	9
50-64	1	10.0		10	10	10	10	10	10	10
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	220	3.0	25	1	1	2	3	7	12	24
20-34	174	3.7	53	<1	<1	2	3	6	11	44
35-49	118	4.7	58	<1	1	2	4	9	24	43
50-64	94	8.6	166	1	1	3	11	22	39	64
65+	66	8.0	163	1	1	4	8	15	28	77
B. *Operated*										
0-19 YRS	9	4.3	42	1	1	2	4	15	21	21
20-34	9	11.2	60	1	2	10	18	21	23	23
35-49	6	9.3	113	2	2	5	11	28	30	30
50-64	8	10.8	224	2	2	4	12	37	46	46
65+	1	90.0		90	90	90	90	90	90	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1004	1.7	5	<1	1	1	2	3	4	15
B. *Operated*	9	5.6	17	<1	<1	4	9	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	672	4.8	75	<1	1	2	4	10	20	49
B. *Operated*	33	11.3	300	1	1	4	14	24	44	90
1. SINGLE DX	1013	1.8	5	<1	1	1	2	3	5	15
2. MULTIPLE DX	705	5.1	87	<1	1	2	4	12	21	49
A. NOT OPERATED	1676	2.9	35	<1	1	1	2	5	10	33
B. OPERATED	42	10.0	243	1	1	4	11	22	36	90
TOTAL 0-19 YRS	911	2.0	10	<1	1	1	2	3	5	17
20-34	341	2.9	33	<1	<1	1	3	5	10	25
35-49	203	3.8	40	<1	1	2	4	7	13	45
50-64	167	6.4	116	1	1	2	6	16	28	49
65+	96	7.6	193	1	1	3	8	15	23	86
GRAND TOTAL	**1718**	**3.1**	**41**	**<1**	**1**	**1**	**3**	**6**	**12**	**38**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	285	3.4	24	<1	1	2	4	8	10	21
20-34	141	3.5	21	<1	1	2	3	9	13	24
35-49	82	4.3	37	<1	1	2	5	10	13	38
50-64	51	4.0	25	1	1	2	4	10	17	25
65+	42	4.6	28	<1	1	3	6	10	15	28
B. *Operated*										
0-19 YRS	7	15.6	299	3	3	4	30	42	44	44
20-34	8	11.1	184	1	1	6	12	34	43	43
35-49										
50-64	7	28.4	874	1	1	31	37	76	85	85
65+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	252	5.3	73	1	1	3	6	11	21	70
20-34	156	3.8	17	<1	1	2	4	9	14	21
35-49	119	6.4	73	1	1	4	8	14	28	69
50-64	165	7.0	54	1	1	5	9	15	20	39
65+	184	12.7	258	2	2	7	14	33	61	98
B. *Operated*										
0-19 YRS	10	21.2	196	1	7	22	44	99+	99+	99+
20-34	21	13.3	188	1	2	7	17	38	41	42
35-49	28	18.4	247	2	2	12	33	46	54	99+
50-64	26	25.6	727	2	3	28	84	99+	99+	99+
65+	33	24.4	369	2	4	23	36	69	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	601	3.7	25	<1	1	2	4	9	12	24
B. *Operated*	24	16.8	431	1	2	6	33	43	56	85
2. MULTIPLE DX										
A. *Not Operated*	876	7.1	108	1	1	4	8	16	26	71
B. *Operated*	118	21.0	380	2	3	19	37	85	99+	99+
1. SINGLE DX	625	4.2	47	<1	1	2	4	9	13	36
2. MULTIPLE DX	994	8.7	160	1	1	4	10	24	41	99+
A. NOT OPERATED	1477	5.7	77	1	1	3	7	13	19	59
B. OPERATED	142	20.3	389	2	3	15	36	78	99+	99+
TOTAL 0-19 YRS	554	4.7	59	<1	1	2	5	10	20	60
20-34	326	4.4	40	<1	1	2	5	11	15	37
35-49	229	7.1	98	1	1	3	8	19	34	64
50-64	249	8.9	183	1	1	4	9	26	45	99+
65+	261	12.8	260	1	2	7	15	35	61	99+
GRAND TOTAL	**1619**	**7.0**	**121**	**1**	**1**	**3**	**8**	**17**	**33**	**95**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	6.1	53	1	1	4	7	10	22	37
20-34	64	2.9	8	<1	<1	2	4	7	9	14
35-49	22	10.7	105	<1	1	7	17	27	32	37
50-64	40	6.3	37	<1	1	4	8	13	15	34
65+	55	9.8	150	1	2	6	13	21	33	73
B. *Operated*										
0-19 YRS	111	6.2	50	1	2	4	8	12	16	40
20-34	274	4.7	39	<1	1	3	5	11	18	32
35-49	146	6.7	84	<1	1	4	7	16	25	55
50-64	227	10.0	99	1	2	7	14	21	26	51
65+	399	9.6	132	1	2	6	12	22	29	74
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	4.8	17	1	1	4	6	9	11	21
20-34	91	5.7	73	1	1	3	7	11	16	55
35-49	48	8.0	55	1	2	6	9	19	25	35
50-64	97	13.0	237	1	2	8	16	31	47	76
65+	138	12.6	268	1	1	7	15	28	42	97
B. *Operated*										
0-19 YRS	191	11.9	136	1	2	8	15	25	34	68
20-34	353	8.6	135	<1	1	4	10	21	37	68
35-49	215	11.1	180	1	2	7	14	27	47	95
50-64	551	13.4	183	1	2	10	18	30	41	75
65+	755	15.2	229	2	3	10	21	37	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	6.6	75	<1	1	4	7	16	21	37
B. *Operated*	1157	7.8	94	1	1	4	10	18	25	54
2. MULTIPLE DX										
A. *Not Operated*	425	9.7	176	1	1	6	11	21	32	84
B. *Operated*	2065	12.9	192	1	2	8	17	31	44	94
1. SINGLE DX	1365	7.6	91	1	1	4	10	17	25	51
2. MULTIPLE DX	2490	12.3	191	1	2	8	16	30	42	90
A. NOT OPERATED	633	8.7	145	1	1	5	10	19	30	75
B. OPERATED	3222	11.1	163	1	2	7	14	26	38	77
TOTAL 0-19 YRS	380	8.9	98	1	2	6	11	20	27	57
20-34	782	6.4	88	<1	1	3	7	15	23	54
35-49	431	9.3	133	1	2	5	12	22	32	65
50-64	915	12.2	165	1	2	9	16	26	40	72
65+	1347	13.0	208	1	2	8	18	31	46	99+
GRAND TOTAL	**3855**	**10.7**	**161**	**1**	**2**	**6**	**14**	**25**	**37**	**77**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	238	2.2	3	<1	1	2	3	4	5	8
20-34	311	2.8	4	1	1	2	4	5	7	9
35-49	158	3.4	6	1	1	3	5	6	9	12
50-64	110	4.3	11	1	1	4	5	8	12	17
65+	84	4.8	22	1	2	4	6	7	10	32
B. *Operated*										
0-19 YRS	96	2.9	8	1	1	2	4	6	7	18
20-34	189	3.5	11	1	1	3	5	7	8	14
35-49	57	3.9	12	<1	1	2	5	7	12	17
50-64	36	5.6	26	1	1	4	7	9	16	27
65+	33	7.0	21	1	3	6	8	14	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	3.1	3	1	1	3	4	6	6	8
20-34	134	3.3	7	1	1	3	4	6	8	16
35-49	68	4.4	13	1	1	4	6	10	12	17
50-64	83	4.7	12	1	1	4	7	8	10	21
65+	106	6.9	33	1	2	6	9	13	17	31
B. *Operated*										
0-19 YRS	38	4.7	35	1	1	2	6	12	20	27
20-34	102	5.4	19	1	1	4	8	12	14	20
35-49	52	6.2	42	1	1	4	8	15	20	36
50-64	43	7.9	68	1	2	5	9	17	24	42
65+	45	8.4	47	1	3	6	11	19	23	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	901	3.1	7	1	1	2	4	6	7	13
B. *Operated*	411	3.9	14	1	1	3	5	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	437	4.6	17	1	1	4	6	9	12	18
B. *Operated*	280	6.3	38	1	1	4	9	13	19	32
1. SINGLE DX	1312	3.4	9	1	1	3	4	6	8	16
2. MULTIPLE DX	717	5.3	26	1	1	4	7	11	15	25
A. NOT OPERATED	1338	3.6	11	1	1	3	5	7	9	16
B. OPERATED	691	4.9	25	1	1	3	6	10	14	27
TOTAL 0-19 YRS	418	2.7	8	1	1	2	3	5	7	16
20-34	736	3.5	9	1	1	3	4	7	9	15
35-49	335	4.1	15	1	1	3	5	8	12	18
50-64	272	5.2	23	1	1	4	6	9	14	26
65+	268	6.5	32	1	2	5	8	13	16	30
GRAND TOTAL	**2029**	**4.0**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	6.7	33	2	2	6	7	12	15	36
20-34	166	6.3	17	2	2	5	8	13	15	21
35-49	104	6.7	12	2	3	6	8	11	13	18
50-64	85	9.6	32	3	4	8	13	19	21	28
65+	62	9.2	39	3	4	7	11	19	23	31
B. *Operated*										
0-19 YRS	46	9.2	55	2	2	7	13	19	25	32
20-34	72	7.8	35	1	2	6	10	17	18	27
35-49	41	10.6	76	2	3	8	14	21	26	45
50-64	33	13.9	171	2	2	11	18	27	63	99+
65+	21	18.3	283	3	4	13	24	30	54	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	6.6	29	2	3	5	8	13	16	32
20-34	125	7.4	39	2	3	6	9	13	17	39
35-49	117	9.8	64	2	3	7	13	21	27	43
50-64	90	10.4	81	2	3	8	13	19	23	56
65+	89	12.5	112	3	4	9	15	25	29	58
B. *Operated*										
0-19 YRS	35	12.9	174	1	3	8	14	29	43	61
20-34	68	12.8	144	1	2	9	18	30	48	92
35-49	62	14.3	173	1	2	9	22	31	44	60
50-64	90	16.0	159	3	4	12	21	32	39	64
65+	50	16.8	378	2	4	9	21	46	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	515	7.4	26	2	3	6	9	14	17	25
B. *Operated*	213	10.6	101	2	2	8	14	22	27	72
2. MULTIPLE DX										
A. *Not Operated*	486	9.4	68	2	3	7	11	19	24	46
B. *Operated*	305	14.7	196	2	3	10	20	32	47	87
1. SINGLE DX	728	8.3	50	2	3	7	10	16	21	32
2. MULTIPLE DX	791	11.4	124	2	3	8	14	25	32	61
A. NOT OPERATED	1001	8.3	47	2	3	6	10	15	21	33
B. OPERATED	518	13.0	161	2	3	9	17	28	39	79
TOTAL 0-19 YRS	244	8.0	60	2	3	6	9	14	24	46
20-34	431	7.9	51	2	2	6	9	16	21	47
35-49	324	9.8	76	2	3	7	11	21	28	45
50-64	298	12.3	107	3	3	9	15	24	31	69
65+	222	13.1	175	3	4	9	16	26	34	85
GRAND TOTAL	**1519**	**9.9**	**91**	**2**	**3**	**7**	**12**	**21**	**27**	**54**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	5.6	24	1	1	4	8	12	16	19
20-34	46	6.3	70	1	1	4	6	14	19	52
35-49	33	6.2	26	1	2	5	8	14	18	21
50-64	47	6.2	25	1	1	5	8	12	16	24
65+	53	8.9	55	1	2	7	11	21	24	37
B. *Operated*										
0-19 YRS	39	5.2	27	1	1	3	6	13	18	22
20-34	87	6.7	96	1	1	4	7	13	22	54
35-49	71	6.5	36	<1	1	5	9	13	19	29
50-64	61	8.5	61	1	1	6	12	18	26	37
65+	53	6.9	42	1	1	5	9	14	22	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	5.6	47	1	1	4	6	13	18	41
20-34	131	5.9	50	1	1	4	8	12	17	30
35-49	151	8.1	59	1	2	6	11	17	23	32
50-64	157	9.8	100	1	2	7	12	21	29	61
65+	172	11.4	147	2	2	8	14	23	37	89
B. *Operated*										
0-19 YRS	76	8.7	119	1	1	6	10	22	25	66
20-34	143	8.7	66	1	1	6	13	20	27	44
35-49	141	14.1	219	1	2	9	19	35	47	94
50-64	204	13.9	198	2	2	10	18	37	51	99+
65+	211	16.9	327	2	2	10	22	46	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	6.8	43	1	1	5	8	15	21	31
B. *Operated*	311	6.9	58	1	1	4	9	15	20	41
2. MULTIPLE DX										
A. *Not Operated*	684	8.6	92	1	2	6	11	18	25	57
B. *Operated*	775	13.3	214	1	2	8	18	33	48	99+
1. SINGLE DX	522	6.9	52	1	1	5	9	15	20	37
2. MULTIPLE DX	1459	11.1	162	1	2	7	14	26	40	81
A. NOT OPERATED	895	8.2	81	1	2	6	10	17	24	47
B. OPERATED	1086	11.4	177	1	2	7	15	28	44	86
TOTAL 0-19 YRS	220	6.6	66	1	1	4	8	15	21	38
20-34	407	7.1	68	1	1	4	9	16	21	50
35-49	396	9.8	119	1	2	6	12	23	32	59
50-64	469	11.0	137	1	2	7	14	25	37	71
65+	489	13.0	216	1	2	8	16	31	46	97
GRAND TOTAL	**1981**	**10.0**	**136**	**1**	**2**	**6**	**12**	**23**	**35**	**76**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.7	24	<1	1	2	4	7	11	29
20-34	10	4.7	8	2	2	4	7	9	11	11
35-49	4	5.5	6	4	4	5	7	9	9	9
50-64	4	4.0	7	1	1	4	6	7	7	7
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	5	7.2	13	3	3	8	10	11	11	11
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	4.3	24	1	1	3	5	8	13	27
20-34	24	7.5	104	<1	1	5	9	13	36	44
35-49	14	7.6	52	1	2	5	11	21	23	24
50-64	12	7.5	52	1	1	5	13	19	21	21
65+	21	11.5	420	<1	1	3	12	40	62	85
B. *Operated*										
0-19 YRS										
20-34	8	11.1	56	3	4	8	15	23	26	26
35-49	3	12.7	112	3	3	11	21	24	24	24
50-64	7	6.0	29	1	1	5	11	14	14	14
65+	6	18.8	623	2	3	8	56	93	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	4.0	18	1	1	3	5	7	10	28
B. *Operated*	8	6.0	12	1	2	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	104	7.3	131	1	1	4	7	18	29	63
B. *Operated*	24	11.8	193	1	2	8	15	26	75	99+
1. SINGLE DX	67	4.2	18	1	1	3	5	8	11	26
2. MULTIPLE DX	128	8.1	144	1	1	4	8	21	33	88
A. NOT OPERATED	163	6.1	92	1	1	3	6	13	22	44
B. OPERATED	32	10.3	152	1	2	7	13	25	61	99+
TOTAL 0-19 YRS	72	3.9	24	1	1	2	4	7	13	29
20-34	47	7.5	67	1	1	5	9	14	27	44
35-49	23	7.7	46	1	2	5	10	22	24	24
50-64	24	6.2	36	1	1	5	7	18	19	21
65+	29	12.4	426	1	1	4	13	55	85	99+
GRAND TOTAL	**195**	**6.8**	**104**	**1**	**1**	**4**	**7**	**14**	**26**	**77**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	35	2.2	2	<1	<1	2	3	4	4	6
35-49	12	3.7	28	<1	1	2	4	36	88	99+
50-64										
65+										
B. *Operated*										
0-19 YRS	41	2.4	2	<1	<1	2	3	4	5	6
20-34	4758	2.4	3	<1	<1	2	3	4	5	7
35-49	1837	2.4	2	<1	<1	2	3	4	5	7
50-64	21	3.0	17	<1	<1	2	3	5	12	20
65+	9	2.3	2	<1	<1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	60	1.8	2	<1	<1	1	2	4	5	8
35-49	27	1.9	2	<1	<1	1	2	4	5	6
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	51	4.3	9	<1	1	3	7	8	9	13
20-34	3020	2.9	4	<1	1	2	4	5	6	9
35-49	1501	2.8	5	<1	1	2	3	5	6	8
50-64	16	3.6	10	<1	<1	2	4	8	11	13
65+	6	3.5	4	2	2	3	4	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	2.6	8	<1	<1	2	3	4	7	99+
B. *Operated*	6666	2.4	3	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	89	1.8	2	<1	<1	1	2	4	5	7
B. *Operated*	4594	2.9	5	<1	1	2	4	5	6	9
1. SINGLE DX	6713	2.4	3	<1	<1	2	3	4	5	7
2. MULTIPLE DX	4683	2.9	5	<1	1	2	4	5	6	9
A. NOT OPERATED	136	2.1	4	<1	<1	1	3	4	5	30
B. OPERATED	11260	2.6	4	<1	<1	2	3	4	5	8
TOTAL 0-19 YRS	93	3.5	6	<1	<1	3	4	7	8	13
20-34	7873	2.6	4	<1	<1	2	3	4	5	8
35-49	3377	2.6	4	<1	<1	2	3	4	5	8
50-64	37	3.2	14	<1	<1	2	3	6	11	20
65+	16	2.7	3	<1	<1	2	3	5	6	7
GRAND TOTAL	**11396**	**2.6**	**4**	**<1**	**<1**	**2**	**3**	**4**	**5**	**8**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	63	5.5	3	3	4	5	7	7	8	13
1000-1499	5	6.0	2	4	4	6	7	8	8	8
1500-1749	5	5.6	6	3	3	5	7	9	9	9
1750-2499	455	6.0	12	3	3	5	7	10	14	20
2500+	54504	4.6	3	3	3	4	5	7	7	11
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	1	5.0		5	5	5	5	5	5	5
2500+	12	4.7	2	3	3	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	38	25.6	874	<1	3	10	66	95	99+	99+
1000-1499	113	47.3	482	<1	17	50	61	77	83	99+
1500-1749	170	30.1	135	5	17	31	37	44	50	58
1750-2499	2941	11.8	61	4	4	9	16	22	28	36
2500+	45320	5.5	7	3	4	5	6	8	9	15
B. *Operated*										
1-999 G	12	83.3	120	67	74	98	99+	99+	99+	99+
1000-1499	52	61.2	252	37	41	64	82	99+	99+	99+
1500-1749	32	45.0	375	17	25	44	51	82	87	90
1750-2499	140	24.8	168	7	10	24	31	43	55	99+
2500+	487	11.0	164	4	4	7	11	24	43	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55032	4.7	3	3	3	4	5	7	7	11
B. *Operated*	13	4.7	2	3	3	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	48582	6.1	21	3	4	5	7	9	12	25
B. *Operated*	723	20.0	454	4	4	10	30	63	87	99+
1. SINGLE DX	55045	4.7	3	3	3	4	5	7	7	11
2. MULTIPLE DX	49305	6.3	30	3	4	5	7	9	13	31
A. NOT OPERATED	103614	5.3	12	3	3	5	6	7	9	19
B. OPERATED	736	19.7	450	4	4	10	30	62	87	99+
TOTAL 1-999 G	113	20.5	859	3	4	7	67	99+	99+	99+
1000-1499	170	50.3	496	2	21	53	70	85	99+	99+
1500-1749	207	31.8	213	4	16	32	39	49	53	85
1750-2499	3537	11.6	70	4	4	9	16	23	28	40
2500+	100323	5.1	6	3	3	5	6	7	8	13
GRAND TOTAL	**104350**	**5.4**	**17**	**3**	**3**	**5**	**6**	**7**	**9**	**21**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	2	1.0		<1	<1	<1	<1	<1	<1	<1
1750-2499	72	8.8	17	5	5	7	12	15	18	20
2500+	422	6.4	7	4	4	6	8	9	10	16
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	4	34.5	1002	6	6	33	84	99+	99+	99+
1000-1499	25	48.1	272	14	31	49	58	66	73	84
1500-1749	59	32.1	119	15	17	32	39	46	50	62
1750-2499	491	14.9	58	6	7	14	19	25	27	37
2500+	548	7.4	10	4	5	7	8	10	12	19
B. *Operated*										
1-999 G										
1000-1499	10	73.8	271	44	45	82	93	99+	99+	99+
1500-1749	5	43.6	413	27	27	39	56	76	76	76
1750-2499	17	30.5	359	7	11	24	42	63	70	73
2500+	11	11.5	36	6	6	10	13	22	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	496	6.8	9	4	4	6	8	10	14	19
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1127	13.0	110	5	5	9	16	25	34	57
B. *Operated*	43	37.2	757	6	8	28	75	89	99+	99+
1. SINGLE DX	496	6.8	9	4	4	6	8	10	14	19
2. MULTIPLE DX	1170	13.8	154	5	5	9	17	27	41	76
A. NOT OPERATED	1623	11.1	87	4	5	8	13	21	29	51
B. OPERATED	43	37.2	757	6	8	28	75	89	99+	99+
TOTAL 1-999 G	4	34.5	1002	6	6	33	84	99+	99+	99+
1000-1499	35	55.5	402	24	35	56	76	91	99+	99+
1500-1749	66	32.0	171	14	15	31	39	48	51	74
1750-2499	580	14.6	73	5	6	13	19	24	28	44
2500+	981	7.0	9	4	4	7	8	10	12	19
GRAND TOTAL	**1666**	**11.7**	**121**	**4**	**5**	**8**	**14**	**23**	**33**	**72**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	4	10.3	146	<1	<1	6	17	28	28	28
2500+	157	4.4	3	2	3	4	5	7	8	10
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	1	86.0		86	86	93	99+	99+	99+	99+
1000-1499	1	46.0		46	46	46	46	46	46	46
1500-1749	4	37.3	119	23	23	39	45	48	48	48
1750-2499	19	21.4	290	4	4	18	43	50	77	99+
2500+	74	5.8	9	3	3	5	6	9	13	18
B. *Operated*										
1-999 G										
1000-1499	1	78.0		78	78	78	78	78	78	78
1500-1749										
1750-2499	1	21.0		21	21	60	99+	99+	99+	99+
2500+	1	29.0		29	29	29	29	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	4.6	6	2	3	4	5	7	8	11
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	99	11.3	203	3	4	6	10	42	47	99+
B. *Operated*	3	42.7	952	21	21	53	89	99+	99+	99+
1. SINGLE DX	161	4.6	6	2	3	4	5	7	8	11
2. MULTIPLE DX	102	12.2	244	3	4	6	14	44	61	99+
A. NOT OPERATED	260	7.1	91	2	3	5	6	10	28	82
B. OPERATED	3	42.7	952	21	21	53	89	99+	99+	99+
TOTAL 1-999 G	1	86.0		86	86	93	99+	99+	99+	99+
1000-1499	2	62.0	512	46	46	62	78	78	78	78
1500-1749	4	37.3	119	23	23	39	45	48	48	48
1750-2499	24	19.5	264	3	4	18	42	54	99+	99+
2500+	232	5.0	8	2	3	4	6	7	9	16
GRAND TOTAL	**263**	**7.5**	**112**	**2**	**3**	**5**	**6**	**14**	**36**	**97**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.5	3	1	1	2	3	5	6	6
20-34	17	2.2	2	<1	<1	2	3	5	6	6
35-49	4	1.8		<1	<1	2	2	2	2	2
50-64	4	2.5		2	2	2	3	3	3	3
65+	3	4.0	7	2	2	3	6	7	7	7
B. *Operated*										
0-19 YRS	264	2.9	6	<1	1	2	3	5	8	13
20-34	406	3.1	5	<1	1	3	4	6	7	12
35-49	156	3.2	17	<1	<1	2	3	5	7	28
50-64	124	3.6	8	1	2	3	4	6	8	19
65+	86	4.8	17	<1	1	3	6	10	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	2	<1	<1	2	3	4	4	4
20-34	3	6.7	14	4	4	5	9	11	11	11
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	2	16.5	145	8	8	16	25	25	25	25
B. *Operated*										
0-19 YRS	83	5.5	30	1	2	3	6	14	17	29
20-34	111	4.3	11	1	2	3	5	7	13	18
35-49	47	4.9	19	1	1	3	6	12	19	99+
50-64	56	5.4	21	2	2	4	7	12	14	26
65+	53	11.9	243	2	2	7	13	28	38	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.4	2	<1	<1	2	3	5	6	7
B. *Operated*	1036	3.3	9	<1	1	3	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*	15	4.7	40	<1	1	3	5	11	21	25
B. *Operated*	350	6.0	59	1	2	4	6	13	18	38
1. SINGLE DX	1075	3.2	8	<1	1	2	4	6	8	18
2. MULTIPLE DX	365	5.9	58	1	2	4	6	13	18	38
A. NOT OPERATED	54	3.1	13	<1	1	2	3	6	8	24
B. OPERATED	1386	4.0	23	<1	1	3	4	7	11	22
TOTAL 0-19 YRS	364	3.5	12	<1	1	3	4	7	9	20
20-34	537	3.3	7	<1	1	3	4	6	8	16
35-49	209	3.5	18	<1	1	2	4	7	11	30
50-64	186	4.1	12	1	2	3	5	7	12	20
65+	144	7.6	112	1	2	4	8	14	25	73
GRAND TOTAL	**1440**	**3.9**	**22**	**<1**	**1**	**3**	**4**	**7**	**11**	**23**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	56	9.5	26	1	1	13	13	14	14	14
35-49	143	11.6	8	5	8	13	13	14	14	14
50-64	117	10.2	15	2	3	12	13	14	14	15
65+	19	9.2	22	1	1	11	13	13	14	14
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	4.8	24	1	1	2	10	12	13	13
35-49	73	2.6	14	<1	<1	1	2	9	13	16
50-64	34	4.4	31	1	2	2	2	13	16	25
65+	154	1.8	3	1	1	1	2	2	3	11
B. *Operated*										
0-19 YRS	1	31.0		31	31	31	31	31	31	31
20-34	4	4.0	5	2	2	3	5	7	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	7.4	38	1	1	10	11	15	15	15
65+	4	27.8	1796	1	1	9	51	91	91	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	336	10.6	15	1	3	12	13	14	14	14
B. *Operated*	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	272	2.5	11	<1	1	1	2	5	11	16
B. *Operated*	15	13.1	525	1	1	7	11	31	76	91
1. SINGLE DX	337	10.6	15	1	3	12	13	14	14	14
2. MULTIPLE DX	287	3.0	42	<1	1	2	2	8	12	22
A. NOT OPERATED	608	7.0	29	1	1	7	13	13	14	14
B. OPERATED	16	12.9	491	1	1	7	11	29	73	91
TOTAL 0-19 YRS	2	16.5	421	2	2	16	31	31	31	31
20-34	71	8.4	28	1	1	12	13	14	14	14
35-49	217	8.5	28	1	1	12	13	14	14	14
50-64	157	8.8	24	1	2	11	13	14	14	17
65+	177	3.2	55	1	1	2	2	9	12	14
GRAND TOTAL	**624**	**7.1**	**41**	**1**	**1**	**7**	**13**	**13**	**14**	**15**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1649	3.9	31	<1	1	2	4	8	12	29
20-34	1325	2.8	17	<1	<1	2	3	6	8	18
35-49	[illegible]	4.5	43	<1	1	2	5	9	15	39
50-64	[illegible]	6.3	111	<1	1	3	6	14	28	77
65+	313	10.8	243	<1	1	4	14	38	65	99+
B. *Operated*										
0-19 YRS	333	3.2	14	<1	<1	2	3	6	11	19
20-34	1101	3.7	16	<1	<1	3	5	7	10	21
35-49	454	4.2	18	<1	1	3	5	9	12	18
50-64	497	4.5	28	1	1	3	5	10	15	23
65+	471	4.1	16	1	1	2	4	10	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1310	6.2	89	<1	1	3	6	16	28	60
20-34	1171	6.0	82	<1	<1	3	6	18	27	55
35-49	715	6.0	92	<1	1	3	6	14	24	62
50-64	1279	6.5	68	1	1	4	7	17	26	59
65+	1308	11.8	234	1	1	6	17	40	90	99+
B. *Operated*										
0-19 YRS	261	7.0	114	<1	1	3	9	18	30	99+
20-34	914	5.2	41	<1	1	4	7	10	14	90
35-49	686	6.3	60	<1	1	4	8	13	21	45
50-64	1044	6.1	69	<1	1	3	8	14	20	53
65+	1212	5.8	75	<1	1	3	8	14	20	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3819	4.3	54	<1	<1	2	4	9	14	46
B. *Operated*	2856	3.9	18	<1	1	3	5	8	12	21
2. MULTIPLE DX										
A. *Not Operated*	5783	7.5	121	<1	1	4	8	21	33	99+
B. *Operated*	4117	5.9	66	<1	1	3	8	14	20	90
1. SINGLE DX	6675	4.1	39	<1	<1	2	4	9	13	35
2. MULTIPLE DX	9900	6.8	99	<1	1	3	8	18	29	99+
A. NOT OPERATED	9602	6.2	97	<1	1	3	6	16	28	99+
B. OPERATED	6973	5.1	47	<1	1	3	6	12	17	48
TOTAL 0-19 YRS	3553	4.9	58	<1	1	2	5	11	18	46
20-34	4511	4.4	40	<1	<1	2	5	9	15	38
35-49	2138	5.5	60	<1	1	3	7	12	18	43
50-64	3069	6.0	66	1	1	3	7	15	22	53
65+	3304	8.4	156	1	1	4	11	24	48	99+
GRAND TOTAL	**16575**	**5.7**	**76**	**<1**	**1**	**3**	**6**	**14**	**23**	**81**

Distribution Tables

Table 1 displays total Canadian patients and days of care (after exclusions*) in each of the diagnosis groups except those for deliveries (groups 270-287) and newborn (groups 393-395). Also shown is the corresponding rate per 10,000 separations and the rate per 10,000 days of care (excluding deliveries and newborn).

Table 1

Distribution of Canadian Patients and Days of Care by *ICD-9-CM* List A: Hospital Diagnosis Groups 1979

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
1	Intestinal Infectious disease	6,123	70.2	35	50.9
2	Respiratory tuberculosis	434	5.0	11	15.6
3	Nonrespiratory tuberculosis	160	1.8	2	3.1
4	Streptococcal sore throat and scarlet fever	719	8.2	3	4.8
5	Septicemia	463	5.3	7	10.5
6	Miscellaneous bacterial diseases	986	11.3	9	13.4
7	Poliomyelitis and other enteroviral diseases of central nervous system	631	7.2	3	4.7
8	Viral diseases with exanthem	3,631	41.6	23	33.6
9	Viral hepatitis	387	4.4	4	5.9
10	Infectious mononucleosis	785	9.0	4	6.5
11	Viral warts	830	9.5	2	3.4
12	Miscellaneous viral diseases	2,011	23.1	10	14.0
13	Rickettsioses and other arthropod-borne diseases	148	1.7	1	1.0
14	Syphilis and other venereal diseases	517	5.9	4	5.8
15	Mycoses	369	4.2	3	4.8
16	Helminthiases	113	1.3	1	1.3
17	Miscellaneous infective and parasitic diseases	564	6.5	5	7.8
18	Late effects of infectious and parasitic diseases	85	1.0	1	1.5

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients who left against medical advice, and patients staying 100 days or longer.

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
19	Malignant neoplasm of lip, oral cavity, and pharynx	736	8.4	11	15.4
20	Malignant neoplasm of esophagus	210	2.4	4	6.4
21	Malignant neoplasm of stomach	908	10.4	18	26.1
22	Malignant neoplasm of small intestine	53	0.6	1	2.0
23	Malignant neoplasm of colon	1,925	22.1	38	56.5
24	Malignant neoplasm of rectum, rectosigmoid junction and anus	1,439	16.5	30	43.7
25	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	356	4.1	7	10.1
26	Malignant neoplasm of pancreas	517	5.9	10	14.9
27	Malignant neoplasm of bronchus, lung, and trachea	3,184	36.5	49	72.3
28	Other malignant neoplasm of respiratory system and thoracic cavity	466	5.3	7	9.7
29	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	478	5.5	6	8.6
30	Malignant melanoma of skin, excluding genital organs	342	3.9	4	6.0
31	Other malignant neoplasm of skin, excluding genital organs	789	9.0	6	8.6
32	Malignant neoplasm of breast (female) (male)	3,583	41.1	40	58.0
33	Malignant neoplasm of cervix uteri excluding carcinoma in situ	740	8.5	7	10.2

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
34 Malignant neoplasm of corpus uteri	941	10.8	10	14.0
35 Malignant neoplasm of ovary	666	7.6	8	11.9
36 Malignant neoplasm of other female genital organs	155	1.8	2	3.6
37 Malignant neoplasm of prostate	2,944	33.7	40	59.2
38 Malignant neoplasm of male genitalia, except prostate	306	3.5	3	4.1
39 Malignant neoplasm of bladder	2,853	32.7	26	38.8
40 Malignant neoplasm of kidney and other urinary organs	544	6.2	10	14.2
41 Malignant neoplasm of eye	69	0.8	1	0.9
42 Malignant neoplasm of brain	385	4.4	9	12.7
43 Malignant neoplasm of other parts of nervous system	28	0.3	1	1.0
44 Malignant neoplasm of endocrine glands	394	4.5	4	5.5
45 Malignant neoplasm of ill-defined and secondary sites	3,701	42.4	56	82.5
46 Hodgkin's disease	469	5.4	5	6.7
47 Lymphoid leukemia	438	5.0	5	7.5
48 Leukemia, except lymphoid	629	7.2	9	12.9
49 Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	1,883	21.6	23	34.2
50 Benign neoplasm of lip, oral cavity, and pharynx	373	4.3	2	3.1
51 Benign neoplasm of other parts of digestive system	821	9.4	8	11.8
52 Benign neoplasm of respiratory system and intrathoracic organs	235	2.7	1	2.0
53 Benign neoplasm of bone, muscle, and connective tissue	1,822	20.9	8	11.8

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
54	Benign neoplasm of skin, blood vessels, and miscellaneous sites	886	10.2	4	5.5
55	Benign neoplasm of breast	828	9.5	2	3.2
56	Uterine leiomyoma	4,087	46.9	34	49.2
57	Benign neoplasm of uterus, except leiomyoma	161	1.8	1	1.5
58	Benign neoplasm of ovary	848	9.7	7	9.9
59	Benign neoplasm of female genitalia, except uterus and ovary	55	0.6	<1	0.4
60	Benign neoplasm of male genital organ	50	0.6	<1	0.3
61	Benign neoplasm of urinary organ	94	1.1	1	0.8
62	Benign neoplasm of eye	50	0.6	<1	0.3
63	Benign neoplasm of central nervous system	178	2.0	4	5.3
64	Benign neoplasm of thyroid glands	635	7.3	4	5.4
65	Benign neoplasm of endocrine glands, except thyroid	254	2.9	3	4.6
66	Carcinoma in situ of cervix	2,452	28.1	13	19.6
67	Carcinoma in situ, except cervix uteri	373	4.3	3	5.1
68	Neoplasms of uncertain behavior and unspecified nature	1,235	14.2	13	18.4
69	Simple and non-toxic nodular goiter	544	6.2	4	5.4
70	Other diseases of thyroid gland	1,066	12.2	10	15.4
71	Diabetes mellitus without complication	5,066	58.1	57	83.5
72	Diabetic Acidosis or coma	1,152	13.2	12	17.7
73	Other complicated diabetes mellitus	3,511	40.2	48	69.9
74	Ovarian dysfunction	248	2.8	1	1.9

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
75	Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	1,249	14.3	11	16.1
76	Nutritional deficiencies	269	3.1	5	6.7
77	Cystic fibrosis	226	2.6	3	4.4
78	Obesity of nonendocrine origin	629	7.2	8	11.3
79	Miscellaneous metabolic disorders	1,006	11.5	9	13.8
80	Gout	363	4.2	3	4.6
81	Disorders of fluid, electrolyte, and acid-base balance	974	11.2	11	16.7
82	Iron deficiency anemia	1,357	15.6	16	22.8
83	Sickle-cell anemia and trait	15	0.2	<1	0.2
84	Anemia except iron deficiency and sickle-cell	1,903	21.8	22	32.9
85	Hemophilia (congenital factor VIII disorder)	96	1.1	1	0.9
86	Disease of hematopoietic system, except anemia and hemophilia	1,111	12.7	11	15.9
87	Nonspecific mesenteric lymphadenitis	1,762	20.2	5	8.0
88	Lymphatic disease, except acute lyphadenitis and mesenteric adenitis	342	3.9	2	2.5
89	Transient organic psychotic conditions	165	1.9	2	3.4
90	Chronic organic brain syndrome, except arteriosclerotic dementia	1,330	15.2	30	43.7
91	Arteriosclerotic dementia	125	1.4	3	5.0
92	Alcoholic psychoses	1,613	18.5	16	23.5
93	Drug psychoses	206	2.4	2	3.4
94	Paranoid schizophrenia	1,082	12.4	25	36.2
95	Acute schizophrenic episode	92	1.1	2	2.5
96	Miscellaneous schizophrenia	2,524	28.9	53	78.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
97	Childhood psychosis	7	0.1	<1	0.2
98	Major depressive psychoses	3,123	35.8	59	86.2
99	Other affective psychoses	1,765	20.2	39	56.5
100	Miscellaneous psychoses	1,241	14.2	22	32.5
101	Anxiety states	3,015	34.6	22	32.0
102	Neurotic depression	4,202	48.2	59	86.7
103	Miscellaneous neuroses and personality disorders	2,664	30.5	31	45.5
104	Alcoholic dependence syndrome	4,814	55.2	39	57.3
105	Opioid dependence	40	0.5	<1	0.6
106	Drug dependence except opioid	164	1.9	2	3.3
107	Nondependent abuse of alcohol	601	6.9	2	2.4
108	Nondependent abuse of drugs, except alcohol	144	1.7	1	1.4
109	Psychophysiologic disorder	644	7.4	4	6.4
110	Adjustment reactions and acute reactions to stress	1,461	16.7	15	22.3
111	Miscellaneous mental disorders	4,338	49.7	54	78.8
112	Mental retardation	172	2.0	3	4.2
113	Inflammatory diseases of central nervous system	577	6.6	8	12.5
114	Parkinson's disease	496	5.7	9	13.2
115	Multiple sclerosis	824	9.4	12	17.7
116	Epilepsy	3,100	35.5	21	30.6
117	Miscellaneous disease of central nervous system	2,778	31.8	38	55.9
118	Migraine	1,400	16.0	6	8.6
119	Carpal tunnel syndrome and other lesions of median nerve	1,282	14.7	4	5.7
120	Peripheral nervous system disorder, except sciatica	2,614	30.0	21	31.0
121	Retinal detachment and defects	836	9.6	7	10.2

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
122 Open angle and primary closure glaucoma	648	7.4	5	6.7
123 Other glaucoma	292	3.3	2	3.2
124 Senile cataract	8,140	93.3	53	77.5
125 Cataract, except senile	466	5.3	3	3.9
126 Strabismus	2,841	32.6	7	9.8
127 Miscellaneous disorders of superficial structures of eye	2,477	28.4	11	16.1
128 Miscellaneous disorders of deep structures of eye	1,347	15.4	10	14.0
129 Other disorders of eye	206	2.4	1	1.9
130 Otitis media, chronic and unspecified	7,223	82.8	27	39.1
131 Other inflammation of ear and mastoid	1,419	16.3	7	10.6
132 Vertiginous syndromes	1,248	14.3	7	10.3
133 Otosclerosis	672	7.7	2	3.6
134 Miscellaneous diseases of ear	2,009	23.0	7	10.5
135 Rheumatic fever, acute	192	2.2	2	3.4
136 Chronic rheumatic heart disease	989	11.3	10	14.5
137 Essential hypertension	3,494	40.1	31	44.8
138 Hypertensive heart disease	798	9.1	9	13.9
139 Miscellaneous hypertensive disease	387	4.4	5	7.8
140 Acute myocardial infarction	9,020	103.4	149	219.0
141 Angina pectoris	4,398	50.4	34	50.4
142 Other acute and subacute forms of ischemic heart disease	4,511	51.7	46	68.1
143 Miscellaneous ischemic heart disease	9,068	104.0	90	132.2
144 Pulmonary embolism and infarction	1,123	12.9	17	24.7
145 Acute and subacute endocarditis	81	0.9	2	3.4

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
146	Paroxysmal supraventricular tachycardia	758	8.7	4	5.4
147	Atrial fibrillation and flutter	2,661	30.5	20	30.0
148	Other arrhythmia and conduction disorders	3,633	41.6	31	45.6
149	Heart failure	9,113	104.5	122	178.8
150	Miscellaneous diseases of heart	2,389	27.4	24	34.5
151	Cardiovascular disease, unspecified	174	2.0	3	4.3
152	Subarachnoid hemorrhage without paralysis	175	2.0	4	6.6
153	Subarachnoid hemorrhage with paralysis	11	0.1	1	0.9
154	Intracerebral hemorrhage without paralysis	179	2.1	4	6.2
155	Intracerebral hemorrhage with paralysis	25	0.3	1	1.0
156	Precerebral artery occlusion without paralysis	854	9.8	10	14.8
157	Precerebral occlusion with paralysis	60	0.7	1	2.0
158	Occlusion of cerebral arteries, thrombosis and embolism without paralysis	911	10.4	17	25.4
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	206	2.4	7	9.9
160	Transient cerebral ischemia without paralysis	2,657	30.5	23	34.1
161	Acute, but ill-defined, cerebrovascular disease without paralysis	2,831	32.5	60	87.9
162	Acute, but ill-defined, cerebrovascular disease with paralysis	590	6.8	19	27.9

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
163 Other and ill-defined cerebrovascular disease	1,920	22.0	31	45.8
164 Atherosclerosis	2,026	23.2	31	45.0
165 Aortic aneurysm	726	8.3	12	18.1
166 Aneurysm except aortic	200	2.3	3	4.4
167 Arterial embolism and thrombosis	1,730	19.8	24	35.4
168 Miscellaneous diseases of arteries	1,909	21.9	26	38.6
169 Phlebitis and thrombophlebitis	2,347	26.9	28	41.1
170 Varicose veins of lower extremities	4,875	55.9	45	65.6
171 Hemorrhoids	4,907	56.3	31	45.2
172 Miscellaneous diseases of veins and circulatory system	2,359	27.0	25	36.7
173 Acute URI except streptococcal	17,177	196.9	80	116.7
174 Bronchitis and bronchiolitis, acute	9,010	103.3	59	87.2
175 Deviated nasal septum	5,522	63.3	18	25.8
176 Nasal Polyp	799	9.2	3	3.7
177 Chronic disease of tonsils and adenoids	23,262	266.7	54	79.8
178 Miscellaneous diseases of upper respiratory system	3,881	44.5	15	21.4
179 Pneumonia	19,040	218.3	177	260.1
180 Influenza	3,259	37.4	17	25.4
181 Bronchitis, chronic and unspecified	6,641	76.1	54	79.7
182 Emphysema	1,161	13.3	16	23.8
183 Asthma	12,941	148.4	80	117.2
184 Miscellaneous obstructive lung diseases	4,046	46.4	52	76.3
185 Spontaneous pneumothorax	817	9.4	7	10.2
186 Miscellaneous lung and pleural diseases	3,785	43.4	39	57.7

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
187	Disease of teeth and jaws	8,353	95.8	21	30.5
188	Disease of mouth, except dental	1,197	13.7	7	9.7
189	Diseases of esophagus	2,745	31.5	24	35.0
190	Gastric ulcer without complication	1,105	12.7	12	18.1
191	Gastric ulcer with hemorrhage or perforation	978	11.2	12	17.3
192	Nongastric peptic ulcer without complication	3,069	35.2	26	38.7
193	Nongastric peptic ulcer with hemorrhage or perforation	2,306	26.4	24	35.3
194	Peptic ulcer with obstruction	325	3.7	5	7.6
195	Gastritis and duodenitis	6,293	72.1	38	55.3
196	Disease of stomach and duodenum, except ulcer and inflammation	1,648	18.9	12	17.8
197	Acute appendicitis without peritonitis	6,740	77.3	34	49.5
198	Acute appendicitis with peritonitis	2,042	23.4	20	28.7
199	Disease of appendix, except acute appendicitis	1,707	19.6	8	12.4
200	Inguinal hernia without complication	13,110	150.3	68	100.4
201	Inguinal hernia, complicated	1,082	12.4	8	11.0
202	Umbilical hernia without complication	1,016	11.6	5	7.0
203	Ventral hernia without complication	2,421	27.8	19	28.4
204	Diaphragmatic hernia without complication	2,193	25.1	21	30.8
205	Other hernia of abdominal cavity without complication	444	5.1	3	4.1
206	Complicated hernia of abdominal cavity, except inguinal	829	9.5	8	11.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
207	Intestinal obstruction without mention of hernia	3,705	42.5	40	58.1
208	Noninfectious gastroenteritis and colitis	13,613	156.1	74	108.4
209	Diverticula of intestine	3,235	37.1	38	55.1
210	Anal fissure, fistula, and abscess	3,556	40.8	19	27.9
211	Miscellaneous diseases of intestine and peritoneum	9,223	105.7	93	136.3
212	Alcoholic liver disease	1,263	14.5	22	32.6
213	Other cirrhosis and chronic liver disease	703	8.1	9	13.2
214	Miscellaneous diseases of liver	493	5.7	7	10.6
215	Gallbladder disease with calculus	14,916	171.0	145	212.2
216	Gallbladder disease without mention of calculus	4,004	45.9	33	48.7
217	Diseases of bile ducts with calculus	1,019	11.7	14	19.9
218	Diseases of bile ducts without mention of calculus	546	6.3	7	10.8
219	Diseases of pancreas	2,870	32.9	31	46.0
220	Gastrointestinal hemorrhage	2,058	23.6	19	27.9
221	Intestinal malabsorption	540	6.2	6	9.5
222	Chronic glomerulonephritis and nephrotic syndrome	714	8.2	9	12.7
223	Miscellaneous nephritis and functional disorders	199	2.3	2	3.2
224	Chronic renal failure	924	10.6	11	16.8
225	Other renal failure	274	3.1	5	7.8
226	Acute Pyelonephritis	1,137	13.0	8	11.0
227	Miscellaneous kidney infections	1,653	18.9	12	17.9
228	Calculus of kidney	2,056	23.6	16	23.1
229	Calculus of ureter	4,658	53.4	29	43.2
230	Miscellaneous diseases of kidney and ureter	1,787	20.5	18	26.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
231 Urinary calculus, except kidney and ureter	563	6.5	4	6.0
232 Cystitis	2,552	29.3	15	22.5
233 Urethral stricture	1,969	22.6	11	16.3
234 Miscellaneous urinary diseases	7,330	84.0	49	72.0
235 Hyperplasia of prostate	8,487	97.3	92	135.1
236 Diseases of prostate, except hypertrophy	821	9.4	5	6.8
237 Hydrocele	1,205	13.8	6	8.3
238 Orchitis and epididymitis	836	9.6	6	8.1
239 Redundant prepuce and phimosis	1,779	20.4	5	6.6
240 Miscellaneous diseases of male genital organs	1,798	20.6	8	11.1
241 Benign mammary dysplasia	3,539	40.6	11	15.7
242 Miscellaneous diseases of breast	2,158	24.7	9	12.6
243 Ovarian cyst	3,030	34.7	17	25.6
244 Pelvic inflammatory disease	5,766	66.1	35	50.8
245 Endometriosis	3,287	37.7	24	35.8
246 Inflammatory disease of cervix uteri	892	10.2	5	6.7
247 Inflammatory disease of vulva, vagina, and uterus, except cervix	1,467	16.8	6	8.2
248 Genital prolapse	6,221	71.3	62	91.6
249 Metrorrhagia	800	9.2	3	3.8
250 Other disorders of menstruation	11,293	129.5	53	78.0
251 Menopausal and postmenopausal disorders	2,513	28.8	8	12.0
252 Miscellaneous diseases of female genitalia	5,567	63.8	28	40.8
253 Signs and symptoms referable to female genital organs	6,123	70.2	36	52.2
254 Ectopic pregnancy	1,253	14.4	8	11.4
255 Legally induced abortion	7,807	89.5	15	22.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
256	Other induced abortion	4	0.0	<1	0.0
257	Spontaneous and unspecified abortion	9,169	105.1	21	30.1
258	Other pregnancy with abortive outcome	1,420	16.3	4	6.4
259	Threatened abortion	2,655	30.4	10	15.3
260	Other early pregnancy hemorrhage	143	1.6	1	1.0
261	Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	1,646	18.9	8	12.2
262	Excessive vomiting in pregnancy	1,139	13.1	5	7.5
263	False labor	7,638	87.6	13	18.5
264	Placenta previa without delivery	324	3.7	2	3.2
265	Other antepartum hemorrhage without delivery	1,197	13.7	5	6.7
266	Infections of pregnancy without delivery	1,118	12,8	5	6.7
267	Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	968	11.1	5	7.6
268	Miscellaneous complications of pregnancy without delivery	4,366	50.1	20	29.2
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	797	9.1	7	10.5
288	Major puerperal infections	287	3.3	2	2.3
289	Puerperal hemorrhage (after 24 hrs.)	1,073	12.3	3	3.8
290	Other puerperal complications	378	4.3	2	2.8

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
291	Cellulitis and abscess, except digit	3,733	42.8	31	45.6
292	Miscellaneous infections of skin and subcutaneous tissue	1,839	21.1	14	20.8
293	Pilonidal cyst	2,375	27.2	13	18.7
294	Sebaceous cyst	438	5.0	1	1.7
295	Miscellaneous diseases of skin and subcutaneous tissue	7,455	85.5	74	108.4
296	Diffuse diseases of connective tissue	544	6.2	8	11.8
297	Rheumatoid arthritis, except spine	2,504	28.7	42	61.4
298	Osteoarthrosis (osteoarthritis, except spine	4,265	48.9	65	95.1
299	Other arthropathies	1,477	16.9	16	24.2
300	Internal derangement of knee joint	5,915	67.8	28	40.4
301	Other disorders of joint	3,975	45.6	23	33.8
302	Ankylosing spondylitis	146	1.7	2	3.0
303	Spondylosis and allied disorders	1,686	19.3	20	28.8
304	Derangement and displacement of lumbar disc	8,223	94.3	94	138.0
305	Derangement and displacement of intervertebral disc, except lumbar	1,541	17.7	15	22.5
306	Sacroiliac joint disorder	464	5.3	4	6.6
307	Sciatica	590	6.8	6	8.5
308	Other dorsopathies	4,163	47.7	36	53.4
309	Bursitis and synovitis, except spine	3,085	35.4	15	22.3
310	Bunion and deformities of toe	3,364	38.6	19	27.3
311	Ganglion and cyst	1,469	16.8	4	5.6
312	Osteomyelitis	824	9.4	14	20.5
313	Localized disorders of bone and cartilage	4,076	46.7	45	66.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
314 Acquired deformities of limbs, except toe	669	7.7	4	6.4
315 Neuralgia, neuritis, and radiculitis, unspecified	116	1.3	1	1.5
316 Miscellaneous disorders of musculoskeletal system	4,841	55.5	29	42.9
317 Somatic dysfunction	10	0.1	<1	0.1
318 Congenital anomaly of nervous system	231	2.6	3	4.5
319 Congenital anomaly of eye, ear, face, and neck	1,135	13.0	4	5.3
320 Congenital anomaly of heart and circulatory system	1,020	11.7	8	11.3
321 Cleft palate and lip	367	4.2	3	4.4
322 Congenital hypertrophic pyloric stenosis	292	3.3	2	3.3
323 Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	647	7.4	5	6.8
324 Undescended testicle	1,163	13.3	5	7.5
325 Miscellaneous congenital anomalies of genitourinary system	1,153	13.2	9	12.7
326 Clubfoot	560	6.4	3	4.4
327 Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	2,613	30.0	20	29.1
328 Perinatal conditions causing morbidity and mortality	901	10.3	8	11.2
329 Convulsions	3,292	37.7	17	24.6
330 Pyrexia of unknown origin	2,014	23.1	10	15.4
331 Headache	1,139	13.1	6	9.1
332 Epistaxis	1,758	20.2	8	12.3

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
333	Signs and symptoms referable to the cardiovascular system, except gangrene	644	7.4	4	5.2
334	Gangrene	420	4.8	11	15.5
335	Chest pain	5,489	62.9	29	42.4
336	Other signs and symptoms referable to respiratory system and chest	1,164	13.3	8	11.4
337	Signs and symptoms referable to urinary system	3,246	37.2	17	24.7
338	Abdominal pain	14,943	171.3	68	100.3
339	Other signs and symptoms referable to upper GI tract and abdomen	1,791	20.5	13	18.5
340	Miscellaneous signs, symptoms, and ill-defined conditions	8,179	93.8	61	89.5
341	Fracture of vault of skull	752	8.6	6	8.1
342	Fracture of base of skull	590	6.8	5	6.7
343	Fracture of face bones	3,309	37.9	13	18.8
344	Fracture of vertebral column without mention of spinal cord injury	1,896	21.7	24	34.6
345	Fracture of vertebral column with cord injury	168	1.9	3	3.7
346	Fracture of ribs, sternum, larynx and trachea	1,637	18.8	15	22.3
347	Fracture of pelvis	1,033	11.8	21	31.0
348	Fracture of humerus	2,146	24.6	18	26.9
349	Fracture of radius and ulna	5,458	62.6	19	27.2
350	Miscellaneous fractures of upper extremity	1,632	18.7	5	7.5
351	Fracture of neck of femur	3,657	41.9	97	141.9
352	Other femoral fracture	1,344	15.4	39	57.2
353	Fracture of tibia and fibula	3,149	36.1	31	45.4
354	Miscellaneous fractures of lower extremity	4,783	54.8	34	49.3
355	Fracture of other bones	730	8.4	4	5.7

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
356 FRacture of multiple bones	30	0.3	<1	0.5
357 Dislocation of shoulder	1,110	12.7	4	5.5
358 Dislocation of knee	1,906	21.8	10	13.9
359 Other dislocation	917	10.5	6	9.3
360 Sprains and strains of knee and leg	1,251	14.3	6	9.2
361 Sprains and strains of sacroiliac region	759	8.7	5	7.9
362 Sprains and strains of other and unspecified part of back	2,017	23.1	11	16.9
363 Other sprains and strains	1,530	17.5	7	9.6
364 Concussion	5,658	64.9	16	23.9
365 Intracranial injury, except concussion	2,827	32.4	13	19.4
366 Internal injury to thoracic region	508	5.8	5	7.0
367 Internal injury, except chest	1,220	14.0	12	17.5
368 Laceration or enucleation of eye	663	7.6	4	5.8
369 Other laceration of head and neck	2,539	29.1	10	14.0
370 Other laceration of trunk and multiple and unspecified sites	589	6.8	3	4.6
371 Open wound of upper limb	3,253	37.3	13	18.6
372 Open wound of lower limb	1,531	17.6	10	15.4
373 Injury to blood vessels	152	1.7	1	1.8
374 Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	2,056	23.6	16	24.0
375 Contusion of eye and adnexa	987	11.3	5	7.4
376 Other superficial injuries	6,037	69.2	29	42.2

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
377 Miscellaneous crushing injury	405	4.6	3	4.3
378 Foreign body on external eye	73	0.8	<1	0.3
379 Foreign body entering through other body orifice	1,238	14.2	4	5.5
380 Third degree burns	453	5.2	10	14.7
381 Other burns	2,177	25.0	20	28.8
382 Injury to nerve and spinal cord	508	5.8	3	4.5
383 Certain traumatic complications and unspecified injuries	1,853	21.2	11	16.5
384 Poisoning by drugs, medicinal, and biological substances	7,300	83.7	42	61.4
385 Toxic effects of substances chiefly nonmedicinal as to source	1,718	19.7	5	7.9
386 Miscellaneous adverse effects	1,619	18.6	11	16.5
387 Complications peculiar to certain specified procedures	3,855	44.2	41	60.4
388 Hemorrhage or hematoma Complicating a procedure	2,029	23.3	8	12.1
389 Postoperative wound infection	1,519	17.4	15	22.2
390 Other complications of surgical procedures	1,981	22.7	20	29.0
391 Other complications of medical care, except drugs	195	2.2	1	1.9
392 Admission for prophylactic sterilization	11,396	130.6	30	43.4
396 Aftercare for removal of internal fixation device	1,440	16.5	6	8.3
397 Aftercare involving intermittent dialysis	624	7.2	4	6.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
398 Admission for special examinations and miscellaneous reasons	16,575	190.0	95	139.6
All patients except deliveries and newborn	872,325	10,000.0	6,813	10,000.0

Tables 2 and 3 display frequency rankings of patients and total stay according to diagnosis group. Delivery and newborn groups are excluded, as are patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients who left against medical advice, and patients staying 100 days or longer.

Table 2

Ranking of *ICD-9-CM* List A Diagnosis Groups by Live Separations
Canadian PAS Hospitals, 1979
(Deliveries and Births Excluded)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
177	Chronic disease of tonsils and adenoids	23,262	1
179	Pneumonia	19,040	2
173	Acute URI except streptococcal	17,177	3
398	Admission for special examinations and miscellaneous reasons	16,575	4
338	Abdominal pain	14,943	5
215	Gallbladder disease with calculus	14,916	6
208	Noninfectious gastroenteritis and colitis	13,613	7
200	Inguinal hernia without complication	13,110	8
183	Asthma	12,941	9
392	Admission for prophylactic sterilization	11,396	10
250	Other disorders of menstruation	11,293	11
211	Miscellaneous diseases of intestine and peritoneum	9.223	12
257	Spontaneous and unspecified abortion	9,169	13
149	Heart failure	9,113	14
143	Miscellaneous ischemic heart disease	9,068	15
140	Acute myocardial infarction	9,020	16
174	Bronchitis and bronchiolitis, acute	9,010	17
235	Hyperplasia of prostate	8,487	18
187	Disease of teeth and jaws	8,353	19
304	Derangement and displacement of lumbar disc	8,223	20
340	Miscellaneous signs, symptoms, and ill-defined conditions	8,179	21
124	Senile cataract	8,140	22
255	Legally induced abortion	7,807	23
263	False labor	7,638	24

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
295	Miscellaneous diseases of skin and subcutaneous tissue	7,455	25
234	Miscellaneous urinary diseases	7,330	26
384	Poisoning by drugs, medicinal, and biological substances	7,300	27
130	Otitis media, chronic and unspecified	7,223	28
197	Acute appendicitis without peritonitis	6,740	29
181	Bronchitis, chronic and unspecified	6,641	30
195	Gastritis and Duodenitis	6,293	31
248	Genital prolapse	6,221	32
1	Intestinal infectious disease	6,123	33
253	Signs and symptoms referable to female genital organs	6,123	34
376	Other superficial injuries	6,037	35
300	Internal derangement of knee joint	5,915	36
244	Pelvic inflammatory disease	5,766	37
364	Concussion	5,658	38
252	Miscellaneous diseases of female genitalia	5,567	39
175	Deviated nasal septum	5,522	40
335	Chest Pain	5,489	41
349	Fracture of radius and ulna	5,458	42
71	Diabetes mellitus without complication	5,066	43
171	Hemorrhoids	4,907	44
170	Varicose veins of lower extremities	4,875	45
316	Miscellaneous disorders of musculoskeletal system	4,841	46
104	Alcoholic dependence syndrome	4,814	47
354	Miscellaneous fractures of lower extremity	4,783	48
229	Calculus of ureter	4,658	49
142	Other acute and subacute forms of ischemic heart disease	4,511	50
141	Angina pectoris	4,398	51
268	Miscellaneous complications of pregnancy without delivery	4,366	52
111	Miscellaneous mental disorders	4,338	53
298	Osteoarthrosis (osteoarthritis), except spine	4,265	54
102	Neurotic depression	4,202	55
308	Other dorsopathies	4,163	56
56	Uterine leiomyoma	4,087	57

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
313	Localized disorders of bone and cartilage	4,076	58
184	Miscellaneous obstructive lung diseases	4,046	59
216	Gallbladder disease without mention of calculus	4,004	60
301	Other disorders of joint	3,975	61
178	Miscellaneous diseases of upper respiratory system	3,881	62
387	Complications peculiar to certain specified procedures	3,855	63
186	Miscellaneous lung and pleural diseases	3,785	64
291	Cellulitis and abscess, except digit	3,733	65
207	Intestinal obstruction without mention of hernia	3,705	66
45	Malignant neoplasm of ill-defined and secondary sites	3,701	67
351	Fracture of neck of femur	3,657	68
148	Other arrhythmia and conduction disorders	3,633	69
8	Viral diseases with exanthem	3,631	70
32	Malignant neoplasm of breast (female) (male)	3,583	71
210	Anal fissure, fistula, and abscess	3,556	72
241	Benign mammary dysplasia	3,539	73
73	Other complicated diabetes mellitus	3,511	74
137	Essential hypertension	3,494	75
310	Bunion and deformities of toe	3,364	76
343	Fracture of face bones	3,309	77
329	Convulsions	3,292	78
245	Endometriosis	3,287	79
180	Influenza	3,259	80
371	Open wound of upper limb	3,253	81
337	Signs and symptoms referable to urinary system	3,246	82
209	Diverticula of intestine	3,235	83
27	Malignant neoplasm of bronchus, lung, and trachea	3,184	84
353	Fracture of tibia and fibula	3,149	85
98	Major depressive psychoses	3,123	86
116	Epilepsy	3,100	87

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
309	Bursitis and synovitis, except spine	3,085	88
192	Nongastric peptic ulcer without complication	3,069	89
243	Ovarian cyst	3,030	90
101	Anxiety states	3,015	91
37	Malignant neoplasm of prostate	2,944	92
219	Diseases of pancreas	2,870	93
39	Malignant neoplasm of bladder	2,853	94
126	Strabismus	2,841	95
161	Acute, but ill-defined, cerebrovascular disease without paralysis	2,831	96
365	Intracranial injury, except concussion	2,827	97
117	Miscellaneous disease of central nervous system	2,778	98
189	Diseases of esophagus	2,745	99
103	Miscellaneous neuroses and personality disorders	2,664	100
147	Atrial fibrillation and flutter	2,661	101
160	Transient cerebral ischemia without paralysis	2,657	102
259	Threatened abortion	2,655	103
120	Peripheral nervous system disorder, except sciatica	2,614	104
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	2,613	105
232	Cystitis	2,552	106
369	Other laceration of head and neck	2,539	107
96	Miscellaneous schizophrenia	2,524	108
251	Menopausal and postmenopausal disorders	2,513	109
297	Rheumatoid arthritis, except spine	2,504	110
127	Miscellaneous disorders of superficial structures of eye	2,477	111
66	Carcinoma in situ of cervix	2,452	112
203	Ventral hernia without complication	2,421	113
150	Miscellaneous diseases of heart	2,389	114
293	Pilonidal cyst	2,375	115
172	Miscellaneous diseases of veins and circulatory system	2,359	116
169	Phlebitis and thrombophlebitis	2,347	117

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
193	Nongastric peptic ulcer with hemorrhage or perforation	2,306	118
204	Diaphragmatic hernia without complication	2,193	119
381	Other burns	2,177	120
242	Miscellaneous diseases of breast	2,158	121
348	Fracture of humerus	2,146	122
220	Gastrointestinal hemorrhage	2,058	123
228	Calculus of kidney	2,056	124
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	2,056	125
198	Acute appendicitis with peritonitis	2,042	126
388	Hemorrhage or hematoma complicating a procedure	2,029	127
164	Atherosclerosis	2,026	128
362	Sprains and strains of other and unspecified parts of back	2,017	129
330	Pyrexia of unknown origin	2,014	130
12	Miscellaneous viral diseases	2,011	131
134	Miscellaneous diseases of ear	2,009	132
390	Other complications of surgical procedures	1,981	133
233	Urethral stricture	1,969	134
23	Malignant neoplasm of colon	1,925	135
163	Other and ill-defined cerebrovascular disease	1,920	136
168	Miscellaneous diseases of arteries	1,909	137
358	Dislocation of knee	1,906	138
84	Anemia except iron deficiency and sickle-cell	1,903	139
344	Fracture of vertebral column without mention of spinal cord injury	1,896	140
49	Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	1,883	141
383	Certain traumatic complications and unspecified injuries	1,853	142

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)
292	Miscellaneous infections of skin and subcutaneous tissue	1,839	143
53	Benign neoplasm of bone, muscle, and connective tissue	1,822	144
240	Miscellaneous diseases of male genital organs	1,798	145
339	Other signs and symptoms referable to upper GI tract and abdomen	1,791	146
230	Miscellaneous diseases of kidney and ureter	1,787	147
239	Redundant prepuce and phimosis	1,779	148
99	Other affective psychoses	1,765	149
87	Nonspecific mesenteric lymphadenitis	1,762	150
332	Epistaxis	1,758	151
167	Arterial embolism and thrombosis	1,730	152
385	Toxic effects of substances chiefly nonmedicinal as to source	1,718	153
199	Disease of appendix, except acute appendicitis	1,707	154
303	Spondylosis and allied disorders	1,686	155
227	Miscellaneous kidney infections	1,653	156
196	Disease of stomach and duodenum, except ulcer and inflammation	1,648	157
261	Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	1,646	158
346	Fracture of ribs, sternum, larynx and trachea	1,637	159
350	Miscellaneous fractures of upper extremity	1,632	160
386	Miscellaneous adverse effects	1,619	161
92	Alcoholic psychoses	1,613	162
305	Derangement and displacement of intervertebral disc, except lumbar	1,541	163
372	Open wound of lower limb	1,531	164
363	Other sprains and strains	1,530	165
389	Postoperative wound infection	1,519	166
299	Other arthropathies	1,477	167
311	Ganglion and cyst	1,469	168

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	1,467	169
110	Adjustment reactions and acute reactions to stress	1,461	170
396	Aftercare for removal of internal fixation device	1,440	171
24	Malignant neoplasm of rectum, rectosigmoid junction and anus	1,439	172
258	Other pregnancy with abortive outcome	1,420	173
131	Other inflammation of ear and mastoid	1,419	174
118	Migraine	1,400	175
82	Iron deficiency anemia	1,357	176
128	Miscellaneous disorders of deep structures of eye	1,347	177
352	Other femoral fracture	1,344	178
90	Chronic organic brain syndrome, except arteriosclerotic dementia	1,330	179
119	Carpal tunnel syndrome and other lesions of median nerve	1,282	180
212	Alcoholic liver disease	1,263	181
254	Ectopic pregnancy	1,253	182
360	Sprains and strains of knee and leg	1,251	183
75	Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	1,249	184
132	Vertiginous syndromes	1,248	185
100	Miscellaneous psychoses	1,241	186
379	Foreign body entering through other body orifice	1,238	187
68	Neoplasms of uncertain behavior and unspecified nature	1,235	188
367	Internal injury, except chest	1,220	189
237	Hydrocele	1,205	190
188	Disease of mouth, except dental	1,197	191
265	Other antepartum hemorrhage without delivery	1,197	192
336	Other signs and symptoms referable to respiratory system and chest	1,164	193
324	Undescended testicle	1,163	194
182	Emphysema	1,161	195

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
325	Miscellaneous congenital anomalies of genitourinary system	1,153	196
72	Diabetic acidosis or coma	1,152	197
262	Excessive vomiting in pregnancy	1,139	198
331	Headache	1,139	199
226	Acute pyelonephritis	1,137	200
319	Congenital anomaly of eye, ear, face, and neck	1,135	201
144	Pulmonary embolism and infarction	1,123	202
266	Infections of pregnancy without delivery	1,118	203
86	Disease of hematopoietic system, except anemia and hemophilia	1,111	204
357	Dislocation of shoulder	1,110	205
190	Gastric ulcer without complication	1,105	206
94	Paranoid schizophrenia	1,082	207
201	Inguinal hernia, complicated	1,082	208
289	Puerperal hemorrhage (after 24 hrs.)	1,073	209
70	Other diseases of thyroid gland	1,066	210
347	Fracture of pelvis	1,033	211
320	Congenital anomaly of heart and circulatory system	1,020	212
217	Diseases of bile ducts with calculus	1,019	213
202	Umbilical hernia without complication	1,016	214
79	Miscellaneous metabolic disorders	1,006	215
136	Chronic rheumatic heart disease	989	216
375	Contusion of eye and adnexa	987	217
6	Miscellaneous bacterial diseases	986	218
191	Gastric ulcer with hemorrhage or perforation	978	219
81	Disorders of fluid, electrolyte, and acid-base balance	974	220
267	Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	968	221
34	Malignant neoplasm of corpus uteri	941	222
224	Chronic renal failure	924	223
359	Other dislocation	917	224
158	Occlusion of cerebral arteries, thrombosis and embolism without paralysis	911	225

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)
21	Malignant neoplasm of stomach	908	226
328	Perinatal conditions causing morbidity and mortality	901	227
246	Inflammatory disease of cervix uteri	892	228
54	Benign neoplasm of skin, blood vessels, and miscellaneous sites	886	229
156	Precerebral artery occlusion without paralysis	854	230
58	Benign neoplasm of ovary	848	231
121	Retinal detachment and defects	836	232
238	Orchitis and epididymitis	836	233
11	Viral warts	830	234
206	Complicated hernia of abdominal cavity, except inguinal	829	235
55	Benign neoplasm of breast	828	236
115	Multiple sclerosis	824	237
312	Osteomyelitis	824	238
51	Benign neoplasm of other parts of digestive system	821	239
236	Diseases of prostate, except hypertrophy	821	240
185	Spontaneous pneumothorax	817	241
249	Metrorrhagia	800	242
176	Nasal polyp	799	243
138	Hypertensive heart disease	798	244
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	797	245
31	Other malignant neoplasm of skin, excluding genital organs	789	246
10	Infectious mononucleosis	785	247
361	Sprains and strains of sacroiliac region	759	248
146	Paroxysmal supraventricular tachycardia	758	249
341	Fracture of vault of skull	752	250
33	Malignant neoplasm of cervix uteri excluding carcinoma in situ	740	251
19	Malignant neoplasm of lip, oral cavity, and pharynx	736	252
355	Fracture of other bones	730	253

Table 2 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)
165 Aortic aneurysm	726	254
4 Streptococcal sore throat and scarlet fever	719	255
222 Chronic glomerulonephritis and nephrotic syndrome	714	256
213 Other cirrhosis and chronic liver disease	703	257
133 Otosclerosis	672	258
314 Acquired deformities of limbs, except toe	669	259
35 Malignant neoplasm of ovary	666	260
368 Laceration or enucleation of eye	663	261
122 Open angle and primary closure glaucoma	648	262
323 Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	647	263
109 Psychophysiologic disorder	644	264
333 Signs and symptoms referable to the cardiovascular system, except gangrene	644	265
64 Benign neoplasm of thyroid glands	635	266
7 Poliomyelitis and other enteroviral diseases of central nervous system	631	267
48 Leukemia, except lymphoid	629	268
78 Obesity of nonendocrine origin	629	269
397 Aftercare involving intermittent dialysis	624	270
107 Nondependent abuse of alcohol	601	271
162 Acute, but ill-defined, cerebrovascular disease with paralysis	590	272
307 Sciatica	590	273
342 Fracture of base of skull	590	274
370 Other laceration of trunk and multiple and unspecified sites	589	275
113 Inflammatory diseases of central nervous system	577	276

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
17	Miscellaneous infective and parasitic diseases	564	277
231	Urinary calculus, except kidney and ureter	563	278
326	Clubfoot	560	279
218	Diseases of bile ducts without mention of calculus	546	280
40	Malignant neoplasm of kidney and other urinary organs	544	281
69	Simple and non-toxic nodular goiter	544	282
296	Diffuse diseases of connective tissue	544	283
221	Intestinal malabsorption	540	284
14	Syphilis and other venereal diseases	517	285
26	Malignant neoplasm of pancreas	517	286
366	Internal injury to thoracic region	508	287
382	Injury to nerve and spinal cord	508	288
114	Parkinson's disease	496	289
214	Miscellaneous diseases of liver	493	290
29	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	478	291
46	Hodgkin's disease	469	292
28	Other malignant neoplasm of respiratory system and thoracic cavity	466	293
125	Cataract, except senile	466	294
306	Sacroiliac joint disorder	464	295
5	Septicemia	463	296
380	Third degree burns	453	297
205	Other hernia of abdominal cavity without complication	444	298
47	Lymphoid leukemia	438	299
294	Sebaceous cyst	438	300
2	Respiratory tuberculosis	434	301
334	Gangrene	420	302
377	Miscellaneous crushing injury	405	303
44	Malignant neoplasm of endocrine glands	394	304
9	Viral hepatitis	387	305
139	Miscellaneous hypertensive disease	387	306
42	Malignant neoplasm of brain	385	307

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
290	Other puerperal complications	378	308
50	Benign neoplasm of lip, oral cavity, and pharynx	373	309
67	Carcinoma in situ, except cervix uteri	373	310
15	Mycoses	369	311
321	Cleft palate and lip	367	312
80	Gout	363	313
25	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	356	314
30	Malignant melanoma of skin, excluding genital organs	342	315
88	Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	342	316
194	Peptic ulcer with obstruction	325	317
264	Placenta previa without delivery	324	318
38	Malignant neoplasm of male genitalia, except prostate	306	319
123	Other glaucoma	292	320
322	Congenital hypertrophic pyloric stenosis	292	321
288	Major puerperal infections	287	322
225	Other renal failure	274	323
76	Nutritional deficiencies	269	324
65	Benign neoplasm of endocrine glands, except thyroid	254	325
74	Ovarian dysfunction	248	326
52	Benign neoplasm of respiratory system and intrathoracic organs	235	327
318	Congenital anomaly of nervous system	231	328
77	Cystic fibrosis	226	329
20	Malignant neoplasm of esophagus	210	330
93	Drug psychoses	206	331
129	Other disorders of eye	206	332
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	206	333
166	Aneurysm except aortic	200	334

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
223	Miscellaneous nephritis and functional disorders	199	335
391	Other complications of medical care, except drugs	195	336
135	Rheumatic fever, acute	192	337
154	Intracerebral hemorrhage without paralysis	179	338
63	Benign neoplasm of central nervous system	178	339
152	Subarachnoid hemorrhage without paralysis	175	340
151	Cardiovascular disease, unspecified	174	341
112	Mental retardation	172	342
345	Fracture of vertebral column with cord injury	168	343
89	Transient organic psychotic conditions	165	344
106	Drug dependence except opioid	164	345
57	Benign neoplasm of uterus, except leiomyoma	161	346
3	Nonrespiratory tuberculosis	160	347
36	Malignant neoplasm of other female genital organs	155	348
373	Injury to blood vessels	152	349
13	Rickettsioses and other arthropod-borne diseases	148	350
302	Ankylosing spondylitis	146	351
108	Nondependent abuse of drugs, except alcohol	144	352
260	Other early pregnancy hemorrhage	143	353
91	Arteriosclerotic dementia	125	354
315	Neuralgia, neuritis, and radiculitis, unspecified	116	355
16	Helminthiases	113	356
85	Hemophilia (congenital factor VIII disorder)	96	357
61	Benign neoplasm of urinary organ	94	358
95	Acute schizophrenic episode	92	359
18	Late effects of infectious and parasitic diseases	85	360
145	Acute and subacute endocarditis	81	361
378	Foreign body on external eye	73	362

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
41	Malignant neoplasm of eye	69	363
157	Precerebral occlusion with paralysis	60	364
59	Benign neoplasm of female genitalia, except uterus and ovary	55	365
22	Malignant neoplasm of small intestine	53	366
60	Benign neoplasm of male genital organ	50	367
62	Benign neoplasm of eye	50	368
105	Opioid dependence	40	369
356	Fracture of multiple bones	30	370
43	Malignant neoplasm of other parts of nervous system	28	371
155	Intracerebral hemorrhage with paralysis	25	372
83	Sickle-cell anemia and trait	15	373
153	Subarachnoid hemorrhage with paralysis	11	374
317	Somatic dysfunction	10	375
97	Childhood psychosis	7	376
256	Other induced abortion	4	377
	All patients except deliveries and newborn	872,325	

Table 3

Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care
Canadian PAS Hospitals, 1979
(Deliveries and Births Excluded)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
179	Pneumonia	177	1
140	Acute Myocardial infarction	149	2
215	Gallbladder disease with calculus	145	3
149	Heart failure	122	4
351	Fracture of neck of femur	97	5
398	Admission for special examinations and miscellaneous reasons	95	6
304	Derangement and displacement of lumbar disc	94	7
211	Miscellaneous diseases of intestine and peritoneum	93	8
235	Hyperplasia of prostate	92	9
143	Miscellaneous ischemic heart disease	90	10
183	Asthma	80	11
173	Acute URI except streptococcal	80	12
208	Noninfectious gastroenteritis and colitis	74	13
295	Miscellaneous diseases of skin and subcutaneous tissue	74	14
200	Inguinal hernia without complication	68	15
338	Abdominal pain	68	16
298	Osteoarthrosis (osteoarthritis), except spine	65	17
248	Genital prolapse	62	18
340	Miscellaneous signs, symptoms, and ill-defined conditions	61	19
161	Acute, but ill-defined, cerebrovascular disease without paralysis	60	20
174	Bronchitis and bronchiolitis, acute	59	21
102	Neurotic depression	59	22
98	Major depressive psychoses	59	23
71	Diabetes mellitus without complication	57	24
45	Malignant neoplasm of ill-defined and secondary sites	56	25
177	Chronic disease of tonsils and adenoids	54	26
181	Bronchitis, chronic and unspecified	54	27

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
111	Miscellaneous mental disorders	54	28
96	Miscellaneous schizophrenia	53	29
250	Other disorders of menstruation	53	30
124	Senile cataract	53	31
184	Miscellaneous obstructive lung diseases	52	32
27	Malignant neoplasm of bronchus, lung, and trachea	49	33
234	Miscellaneous urinary diseases	49	34
73	Other complicated diabetes mellitus	48	35
142	Other acute and subacute forms of ischemic heart disease	46	36
313	Localized disorders of bone and cartilage	45	37
170	Varicose veins of lower extremities	45	38
384	Poisoning by drugs, medicinal, and biological substances	42	39
297	Rheumatoid arthritis, except spine	42	40
387	Complications peculiar to certain specified procedures	41	41
37	Malignant neoplasm of prostate	40	42
207	Intestinal obstruction without mention of hernia	40	43
32	Malignant neoplasm of breast (female) (male)	40	44
186	Miscellaneous lung and pleural diseases	39	45
104	Alcoholic dependence syndrome	39	46
352	Other femoral fracture	39	47
99	Other affective psychoses	39	48
23	Malignant neoplasm of colon	38	49
117	Miscellaneous disease of central nervous system	38	50
195	Gastritis and duodenitis	38	51
209	Diverticula of intestine	38	52
308	Other dorsopathies	36	53
253	Signs and symptoms referable to female genital organs	36	54
1	Intestinal infectious disease	35	55
244	Pelvic inflammatory disease	35	56
141	Angina pectoris	34	57

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
197	Acute appendicitis without peritonitis	34	58
354	Miscellaneous fractures of lower extremity	34	59
56	Uterine Leiomyoma	34	60
216	Gallbladder disease without mention of calculus	33	61
219	Diseases of pancreas	31	62
163	Other and ill-defined cerebrovascular disease	31	63
291	Cellulitis and abscess, except digit	31	64
148	Other arrhythmia and conduction disorders	31	65
103	Miscellaneous neuroses and personality disorders	31	66
353	Fracture of tibia and fibula	31	67
171	Hemorrhoids	31	68
164	Atherosclerosis	31	69
137	Essential hypertension	31	70
24	Malignant neoplasm of rectum, rectosigmoid junction and anus	30	71
90	Chronic organic brain syndrome, except arteriosclerotic dementia	30	72
392	Admission for prophylactic sterilization	30	73
229	Calculus of ureter	29	74
316	Miscellaneous disorders of musculoskeletal system	29	75
335	Chest pain	29	76
376	Other superficial injuries	29	77
169	Phlebitis and thrombophlebitis	28	78
252	Miscellaneous diseases of female genitalia	28	79
300	Internal derangement of knee joint	28	80
130	Otitis media, chronic and unspecified	27	81
39	Malignant neoplasm of bladder	26	82
192	Nongastric peptic ulcer without complication	26	83
168	Miscellaneous diseases of arteries	26	84
172	Miscellaneous diseases of veins and circulatory system	25	85

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
94	Paranoid schizophrenia	25	86
245	Endometriosis	24	87
167	Arterial embolism and thrombosis	24	88
193	Nongastric peptic ulcer with hemorrhage or perforation	24	89
189	Diseases of esophagus	24	90
344	Fracture of vertebral column without mention of spinal cord injury	24	91
150	Miscellaneous diseases of heart	24	92
49	Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	23	93
160	Transient cerebral ischemia without paralysis	23	94
301	Other disorders of joint	23	95
8	Viral diseases with exanthem	23	96
84	Anemia except iron deficiency and sickle-cell	22	97
212	Alcoholic liver disease	22	98
100	Miscellaneous psychoses	22	99
101	Anxiety states	22	100
347	Fracture of pelvis	21	101
120	Peripheral nervous system disorder, except sciatica	21	102
204	Diaphragmatic hernia without complication	21	103
116	Epilepsy	21	104
187	Disease of teeth and jaws	21	105
257	Spontaneous and unspecified abortion	21	106
147	Atrial fibrillation and flutter	20	107
268	Miscellaneous complications of pregnancy without delivery	20	108
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	20	109
390	Other complications of surgical procedures	20	110
303	Spondylosis and allied disorders	20	111
381	Other burns	20	112

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
198	Acute appendicitis with peritonitis	20	113
203	Ventral hernia without complication	19	114
162	Acute, but ill-defined, cerebrovascular disease with paralysis	19	115
220	Gastrointestinal hemorrhage	19	116
210	Anal fissure, fistula, and abscess	19	117
310	Bunion and deformities of toe	19	118
349	Fracture of radius and ulna	19	119
348	Fracture of humerus	18	120
230	Miscellaneous diseases of kidney and ureter	18	121
21	Malignant neoplasm of stomach	18	122
175	Deviated nasal septum	18	123
243	Ovarian cyst	17	124
158	Occlusion of cerebral arteries, thrombosis and embolism without paralysis	17	125
180	Influenza	17	126
144	Pulmonary embolism and infarction	17	127
337	Signs and symptoms referable to urinary system	17	128
329	Convulsions	17	129
299	Other arthropathies	16	130
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	16	131
364	Concussion	16	132
182	Emphysema	16	133
92	Alcoholic psychoses	16	134
228	Calculus of kidney	16	135
82	Iron deficiency anemia	16	136
232	Cystitis	15	137
305	Derangement and displacement of intervertebral disc, except lumbar	15	138
110	Adjustment reactions and acute reactions to stress	15	139
309	Bursitis and synovitis, except spine	15	140
346	Fracture of ribs, sternum, larynx and trachea	15	141

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
389	Postoperative wound infection	15	142
255	Legally induced abortion	15	143
178	Miscellaneous diseases of upper respiratory system	15	144
292	Miscellaneous infections of skin and subcutaneous tissue	14	145
312	Osteomyelitis	14	146
217	Diseases of bile ducts with calculus	14	147
66	Carcinoma in situ of cervix	13	148
365	Intracranial injury, except concussion	13	149
343	Fracture of face bones	13	150
293	Pilonidal cyst	13	151
371	Open wound of upper limb	13	152
263	False labor	13	153
339	Other signs and symptoms referable to upper GI tract and abdomen	13	154
68	Neoplasms of uncertain behavior and unspecified nature	13	155
165	Aortic aneurysm	12	156
190	Gastric ulcer without complication	12	157
227	Miscellaneous kidney infections	12	158
196	Disease of stomach and duodenum, except ulcer and inflammation	12	159
115	Multiple sclerosis	12	160
72	Diabetic acidosis or coma	12	161
367	Internal injury, except chest	12	162
191	Gastric ulcer with hemorrhage or perforation	12	163
362	Sprains and strains of other and unspecified parts of back	11	164
224	Chronic renal failure	11	165
81	Disorders of fluid, electrolyte, and acid-base balance	11	166
386	Miscellaneous adverse effects	11	167
383	Certain traumatic complications and unspecified injuries	11	168
233	Urethral stricture	11	169
127	Miscellaneous disorders of superficial structures of eye	11	170

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
75	Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	11	171
86	Disease of hematopoietic system, except anemia and hemophilia	11	172
241	Benign mammary dysplasia	11	173
2	Respiratory tuberculosis	11	174
334	Gangrene	11	175
19	Malignant neoplasm of lip, oral cavity, and pharynx	11	176
70	Other diseases of thyroid gland	10	177
372	Open wound of lower limb	10	178
330	Pyrexia of unknown origin	10	179
259	Threatened abortion	10	180
26	Malignant neoplasm of pancreas	10	181
156	Precerebral artery occlusion without paralysis	10	182
380	Third degree burns	10	183
136	Chronic rheumatic heart disease	10	184
40	Malignant neoplasm of kidney and other urinary organs	10	185
12	Miscellaneous viral diseases	10	186
128	Miscellaneous disorders of deep structures of eye	10	187
34	Malignant neoplasm of corpus uteri	10	188
369	Other laceration of head and neck	10	189
358	Dislocation of knee	10	190
138	Hypertensive heart disease	9	191
79	Miscellaneous metabolic disorders	9	192
6	Miscellaneous bacterial diseases	9	193
114	Parkinson's disease	9	194
213	Other cirrhosis and chronic liver disease	9	195
48	Leukemia, except lymphoid	9	196
42	Malignant neoplasm of brain	9	197
222	Chronic glomerulonephritis and nephrotic syndrome	9	198
325	Miscellaneous congenital anomalies of genitourinary system	9	199
242	Miscellaneous diseases of breast	9	200

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
113	Inflammatory diseases of central nervous system	8	201
199	Disease of appendix, except acute appendicitis	8	202
332	Epistaxis	8	203
261	Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	8	204
388	Hemorrhage or hematoma complicating a procedure	8	205
251	Menopausal and postmenopausal disorders	8	206
35	Malignant neoplasm of ovary	8	207
53	Benign neoplasm of bone, muscle, and connective tissue	8	208
51	Benign neoplasm of other parts of digestive system	8	209
296	Diffuse diseases of connective tissue	8	210
206	Complicated hernia of abdominal cavity, except inguinal	8	211
254	Ectopic pregnancy	8	212
336	Other signs and symptoms referable to respiratory system and chest	8	213
320	Congenital anomaly of heart and circulatory system	8	214
78	Obesity of nonendocrine origin	8	215
328	Perinatal conditions causing morbidity and mortality	8	216
240	Miscellaneous diseases of male genital organs	8	217
201	Inguinal hernia, complicated	8	218
226	Acute pyelonephritis	8	219
218	Diseases of bile ducts without mention of calculus	7	220
131	Other inflammation of ear and mastoid	7	221
214	Miscellaneous diseases of liver	7	222
134	Miscellaneous diseases of ear	7	223
5	Septicemia	7	224
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	7	225
132	Vertiginous syndromes	7	226
185	Spontaneous pneumothorax	7	227

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	Days of Care (in thousands) (2)	Rank (3)
121	Retinal detachment and defects	7	228
33	Malignant neoplasm of cervix uteri excluding carcinoma in situ	7	229
25	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	7	230
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	7	231
58	Benign neoplasm of ovary	7	232
126	Strabismus	7	233
28	Other malignant neoplasm of respiratory system and thoracic cavity	7	234
188	Disease of mouth, except dental	7	235
363	Other sprains and strains	7	236
221	Intestinal malabsorption	6	237
359	Other dislocation	6	238
360	Sprains and strains of knee and leg	6	239
331	Headache	6	240
31	Other malignant neoplasm of skin, excluding genital organs	6	241
118	Migraine	6	242
29	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	6	243
307	Sciatica	6	244
237	Hydrocele	6	245
396	Aftercare for removal of internal fixation device	6	246
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	6	247
238	Orchitis and epididymitis	6	248
341	Fracture of vault of skull	6	249
87	Nonspecific mesenteric lymphadenitis	5	250
361	Sprains and strains of sacroiliac region	5	251
385	Toxic effects of substances chiefly nonmedicinal as to source	5	252
139	Miscellaneous hypertensive disease	5	253
225	Other renal failure	5	254

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
17	Miscellaneous infective and parasitic diseases	5	255
194	Peptic ulcer with obstruction	5	256
267	Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	5	257
262	Excessive vomiting in pregnancy	5	258
350	Miscellaneous fractures of upper extremity	5	259
47	Lymphoid leukemia	5	260
324	Undescended testicle	5	261
375	Contusion of eye and adnexa	5	262
366	Internal injury to thoracic region	5	263
202	Umbilical hernia without complication	5	264
236	Diseases of prostate, except hypertrophy	5	265
323	Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	5	266
46	Hodgkin's disease	5	267
266	Infections of pregnancy without delivery	5	268
342	Fracture of base of skull	5	269
246	Inflammatory disease of cervix uteri	5	270
265	Other antepartum hemorrhage without delivery	5	271
122	Open angle and primary closure glaucoma	5	272
76	Nutritional deficiencies	5	273
239	Redundant prepuce and phimosis	5	274
306	Sacroiliac joint disorder	4	275
152	Subarachnoid hemorrhage without paralysis	4	276
10	Infectious mononucleosis	4	277
397	Aftercare involving intermittent dialysis	4	278
258	Other pregnancy with abortive outcome	4	279
20	Malignant neoplasm of esophagus	4	280

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
314	Acquired deformities of limbs, except toe	4	281
109	Psychophysiologic disorder	4	282
154	Intracerebral hemorrhage without paralysis	4	283
231	Urinary calculus, except kidney and ureter	4	284
30	Malignant melanoma of skin, excluding genital organs	4	285
9	Viral hepatitis	4	286
368	Laceration or enucleation of eye	4	287
14	Syphilis and other venereal diseases	4	288
119	Carpal tunnel syndrome and other lesions of median nerve	4	289
355	Fracture of other bones	4	290
311	Ganglion and cyst	4	291
379	Foreign body entering through other body orifice	4	292
54	Benign neoplasm of skin, blood vessels, and miscellaneous sites	4	293
44	Malignant neoplasm of endocrine glands	4	294
357	Dislocation of shoulder	4	295
64	Benign neoplasm of thyroid glands	4	296
69	Simple and non-toxic nodular goiter	4	297
146	Paroxysmal supraventricular tachycardia	4	298
63	Benign neoplasm of central nervous system	4	299
319	Congenital anomaly of eye, ear, face, and neck	4	300
333	Signs and symptoms referable to the cardiovascular system, except gangrene	4	301
67	Carcinoma in situ, except cervix uteri	3	302
91	Arteriosclerotic dementia	3	303
15	Mycoses	3	304
4	Streptococcal sore throat and scarlet fever	3	305
7	Poliomyelitis and other enteroviral diseases of central nervous system	3	306

Table 3 (Continued)

Diagnosis Group Number and Title (1)	Days of Care (in thousands) (2)	Rank (3)
65 Benign neoplasm of endocrine glands, except thyroid	3	307
370 Other laceration of trunk and multiple and unspecified sites	3	308
80 Gout	3	309
318 Congenital anomaly of nervous system	3	310
382 Injury to nerve and spinal cord	3	311
321 Cleft palate and lip	3	312
166 Aneurysm except aortic	3	313
77 Cystic fibrosis	3	314
326 Clubfoot	3	315
377 Miscellaneous crushing injury	3	316
151 Cardiovascular disease, unspecified	3	317
112 Mental retardation	3	318
38 Malignant neoplasm of male genitalia, except prostate	3	319
205 Other hernia of abdominal cavity without complication	3	320
125 Cataract, except senile	3	321
289 Puerperal hemorrhage (after 24 hrs.)	3	322
249 Metrorrhagia	3	323
345 Fracture of vertebral column with cord injury	3	324
176 Nasal polyp	3	325
133 Otosclerosis	2	326
36 Malignant neoplasm of other female genital organs	2	327
135 Rheumatic fever, acute	2	328
89 Transient organic psychotic conditions	2	329
145 Acute and subacute endocarditis	2	330
93 Drug psychoses	2	331
11 Viral warts	2	332
106 Drug dependence except opioid	2	333
322 Congenital hypertrophic pyloric stenosis	2	334
123 Other glaucoma	2	335
55 Benign neoplasm of breast	2	336
264 Placenta previa without delivery	2	337

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	Days of Care (in thousands) (2)	Rank (3)
223	Miscellaneous nephritis and functional disorders	2	338
50	Benign neoplasm of lip, oral cavity, and pharynx	2	339
3	Nonrespiratory tuberculosis	2	340
302	Ankylosing spondylitis	2	341
290	Other puerperal complications	2	342
95	Acute schizophrenic episode	2	343
88	Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	2	344
107	Nondependent abuse of alcohol	2	345
288	Major puerperal infections	2	346
157	Precerebral occlusion with paralysis	1	347
22	Malignant neoplasm of small intestine	1	348
52	Benign neoplasm of respiratory system and intrathoracic organs	1	349
391	Other complications of medical care, except drugs	1	350
74	Ovarian dysfunction	1	351
129	Other disorders of eye	1	352
373	Injury to blood vessels	1	353
294	Sebaceous cyst	1	354
315	Neuralgia, neuritis, and radiculitis, unspecified	1	355
18	Late effects of infectious and parasitic diseases	1	356
57	Benign neoplasm of uterus, except leiomyoma	1	357
108	Nondependent abuse of drugs, except alcohol	1	358
16	Helminthiases	1	359
155	Intracerebral hemorrhage with paralysis	1	360
13	Rickettsioses and other arthropod-borne diseases	1	361
260	Other early pregnancy hemorrhage	1	362
43	Malignant neoplasm of other parts of nervous system	1	363
41	Malignant neoplasm of eye	1	364

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
85	Hemophilia (congenital factor VIII disorder)	1	365
153	Subarachnoid hemorrhage with paralysis	1	366
61	Benign neoplasm of urinary organ	1	367
59	Benign neoplasm of female genitalia, except uterus and ovary	<1	368
60	Benign neoplasm of male genital organ	<1	369
62	Benign neoplasm of eye	<1	370
83	Sickle-cell anemia and trait	<1	371
97	Childhood psychosis	<1	372
105	Opioid dependence	<1	373
256	Other induced abortion	<1	374
317	Somatic dysfunction	<1	375
356	Fracture of multiple bones	<1	376
378	Foreign body on external eye	<1	377
	All diagnosis groups	6,813	

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – ***see Appendicitis, acute***
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – ***see Dependence***
	Adenocarcinoma – ***see Neoplasm, malignant***
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number — Title

- 73 Diabetes mellitus, uncontrolled
- 72 Diabetic acidosis
- 73 Diabetic cataract
- 72 Diabetic coma
- 73 Diabetic gangrene
- 73 Diabetic nephropathy
- 73 Diabetic neuropathy
- 73 Diabetic retinopathy
- 73 Diabetic ulcer
- 397 Dialysis, peritoneal
- 397 Dialysis, renal
- 204 Diaphragmatic hernia
- 208 Diarrhea, except infectious and functional
- 211 Diarrhea, functional
- 1 Diarrhea, infectious
- 6 Diphtheria
- Disease
  - 199 Appendix, except acute appendicitis
  - 151 Arteriosclerotic cardiovascular
  - 168 Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
  - 13 Arthropod-borne
  - 79 Autoimmune
  - 6 Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
  - 218 Biliary ducts
  - 234 Bladder, except calculus and cystitis
  - 313 Bone, except osteomyelitis and osteoarthritis
  - 242 Breast, except fibrocystic
  - 241 Breast, fibrocystic
  - 221 Celiac
  - Central nervous system
    - 7 Enteroviral
    - 113 Inflammatory, except enteroviral
    - 117 Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
  - Cerebrovascular — *see Cerebrovascular accident*
  - 136 Chronic rheumatic heart
  - 296 Connective tissue, diffuse
  - 143 Coronary artery
  - 211 Crohn's
  - 75 Cushing's
  - 187 Dental
  - 209 Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

R 3850-1.12

Length of Stay in PAS Hospitals,

by Operation,

Canada, 1979

A Supplement To

Length of Stay in PAS Hospitals,
by Diagnosis,
Canada, 1979

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
OCTOBER 1980

LENGTH OF STAY IN PAS HOSPITALS

Copyright © 1980 by Commission on Professional and Hospital Activities, Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the series entitled
"Length of Stay in PAS Hospitals". . .

Volumes include:

. . . by Diagnosis, United States, 1979
. . . by Diagnosis, United States, North Central Region, 1979
. . . by Diagnosis, United States, Northeastern Region, 1979
. . . by Diagnosis, United States, Southern Region, 1979
. . . by Diagnosis, United States, Western Region, 1979
. . . by Diagnosis, Canada, 1979

. . . by Operation, United States, 1979
. . . by Operation, United States, North Central Region, 1979
. . . by Operation, United States, Northeastern Region, 1979
. . . by Operation, United States, Southern Region, 1979
. . . by Operation, United States, Western Region, 1979
. . . by Operation, Canada, 1979

Also included are:

Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979
Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities. Also for selected years there are length of stay books for particular regional groups of hospitals, for pediatric patients, and for geriatric patients.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1979 in North America. Twelve volumes describe stays for either diagnoses or operations in the United States, in each of the four U.S. census regions, or in Canada. The thirteenth and fourteenth volumes display data on both diagnoses and operations for pediatric and for geriatric patients in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities.

These statistics, which are also available on computer readable magnetic tape, can provide a valuable perspective for physicians, administrators, PSROs, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" (PSRO) and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1979 LENGTH OF STAY BOOKS

Walt Wood, Manager, Research and Statistics
Ed Kobrinski, Assistant Manager
Ann Matteson, Project Coordinator

CONTENTS

Preface iii
Discussion of the Data 1
- Source of the Data 1
- Data Quality 3
- Coverage 4
- Organization of Length of Stay Tables 7
  - *ICD-9-CM* List B: Hospital Procedure Groups 7
  - Definition of Multiple Dx Patients 8
- Explanation of Statistics 8
- Defining the Extended Stay Case 10

Length of Stay Tables 19
- Summary of All Patients 21
- Operation Groups 501-764 22

Distribution Tables 89
- Table 1: Distribution of Canadian Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups 91
- Table 2: Ranking of *ICD-9-CM* List B Operation Groups by Live Separations 104
- Table 3: Ranking of *ICD-9-CM* List B Operation Groups by Days of Care 114

Appendix: *ICD-9-CM* Codes for Selected Operation Groups 125
Index to Length of Stay Tables 129

DISCUSSION OF THE DATA

Source of the Data

Data in this book were compiled from individual patient discharge abstracts submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain, and Figure 1 diagrams, the PAS method of storing and retrieving medical data.


PAS
HOSPITAL
HOSPITAL
CLINICAL RECORD
CASE ABSTRACT
DATA TAPE
CPHA
DATA CENTER
COMPUTER
DATA FILE
ITS OWN OVERALL STATISTICS
MORE DETAILED STATISTICS
LISTINGS
MULTIHOSPITAL STUDIES
INTERHOSPITAL COMPARISONS
REGIONAL DATA

FIG. 1. Schematic diagram of the PAS medical record information system.

BEST AVAILABLE COPY

1. In each participating hospital, medical record personnel transfer information from the record of each discharged patient onto a PAS Case Abstract (Figure 2). The data may also be put onto a data tape at the hospital.
2. The abstract or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it serves as input to the computer system.
3. Data then undergo a comprehensive "cleaning" process and detected errors are corrected by contributing hospitals.
4. The computer system produces sets of reports which give comprehensive statistics on separations plus listings of individual case abstracts in various sequences.
5. The computer system continually adds to a permanent history data file.
6. Length of stay statistics from this file are annually published in this series of length of stay books. The stored data are also available to researchers on a contractual basis.



PAS

1979 CASE ABSTRACT

1 2 3 4 5 6 7 8 9 0 E V

SAMPLE

79

PAS

FIG. 2 PAS Case Abstract

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its role as an extension of the hospital's medical record department.

Quality control of PAS data begins before a new hospital submits its first case abstract and continues as an ongoing system involving personal monitoring, computer checks, and education programs. In spite of these efforts, errors do occur. There are three ways errors can be introduced into PAS data: 1) the basic patient medical record can be incomplete or in error, 2) errors can be made in abstracting information from the medical record to the PAS Case Abstract, and 3) errors can be introduced during processing.

Although CPHA has indirect influence over the quality of the medical record through education and through feedback from use of PAS reports within the hospital, basic responsibility for the accuracy of the medical record rests with the physician and others in the hospital contributing to it. Clearly, the abstractor cannot add to the medical record. Errors or omissions made in it will be carried forward to the PAS Case Abstract.

CPHA goes to considerable lengths to prevent and correct errors in abstracting by training PAS hospital medical record personnel in coding and abstracting methods, by monitoring their work, and by judiciously checking and editing patient data for errors. During processing, over 350 computer checks* are performed on each abstract to check the reasonableness of the data received. When illogical, invalid, or missing data are detected, an error message is printed and the hospital is notified, often by phone. About 40% of the errors detected in the computer audit can be and are corrected at CPHA; the remainder must be handled by the hospitals because only they have the information necessary to make the corrections. Hospitals make such corrections on a voluntary basis.

---

*The following are examples of discrepancies and inconsistencies in the data that are detected by the computer audit: hospital day of operative episode exceeding total stay, cesarean sections with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded. Examples of invalid data detected by the computer are diagnosis and operation codes that do not exist in the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Coverage

The length of stay tables in this book display stay distributions for 484,711 operated separations during 1979 from 242 nonfederal, short-term* Canadian hospitals participating in PAS. Short-term psychiatric hospitals participating in PAS were excluded. Patients studied were selected from a total of 1,186,998 separations. Only those patients who were operated are included in this book.

Characteristics of all Canadian hospitals that participated in PAS during 1979 are shown in Table A. Some of these hospitals did not participate for the entire 12-month period. In addition, because of the unavailability of data at the time of processing, data for some of these PAS hospitals are not included in the length of stay tables.

*Short-term hospitals are defined as those in which the median stay is shorter than 45 days.

Table A

Bed Size and Province: PAS Hospitals
Compared with All Short-Term Nonfederal Hospitals[1] in Canada
January-December 1979

Hospital Class (1)	Short-Term Hospitals Total[2] (2)	 Number in PAS (3)	 Percent in PAS (4)	Beds Total[2] (5)	 Number in PAS (6)	 Percent in PAS (7)
CANADA						
Bed Size						
1. Less than 25 beds	255	28	11.0%	3,765	550	14.6%
2. 25-49	204	75	36.8	7,012	2,618	37.3
3. 50-99	155	50	32.3	10,317	3,443	33.4
4. 100-199	133	38	28.6	17,915	5,158	28.8
5. 200-299	68	24	35.3	16,420	5,715	34.8
6. 300-399	51	17	33.3	16,778	5,967	35.6
7. 400-499	34	8	23.5	14,643	3,553	24.3
8. 500 or more	53	14	26.4	39,831	10,229	25.7
Total	953	254	26.7%	126,681	37,233	29.4%
Province or Territory						
Alberta	118	115	97.5%	13,186	10,978	83.3%
British Columbia	102	71	69.6	14,878	11,578	77.8
Manitoba	83	1	1.2	6,024	234	3.9
New Brunswick	35	16	45.7	4,405	3,287	74.6
Newfoundland	50	8	16.0	3.059	1,964	64.2
Nova Scotia	45	16	35.6	4,832	3,094	64.0
Ontario	229	0	0	42,702	0	0
Prince Edward Island	8	0	0	659	0	0
Quebec	147	5	3.4	30,013	2,222	7.4
Saskatchewan	133	20	15.0	6,761	3,764	55.7
Northwest Territories	3	2	66.7	162	112	69.1
Yukon	0	0	–	0	0	–
Total	953	254	26.7%	126,681	37,233	29.4%

---

[1] Hospitals with average stay less than 45 days, excluding psychiatric hospitals

[2] Source: *Canadian Hospital Directory*, 1978

Organization of Length of Stay Tables

The length of stay tables in the body of this book are organized according to the operation groupings in *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each operation group, patients are further stratified by single or multiple diagnoses and age.

ICD-9-CM List B: Hospital Procedure Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List B: Hospital Operation Groups* has been replaced by *ICD-9-CM List B: Hospital Procedure Groups,* which reflects the procedures contained in the new classification.

In List B there are 249 groups that contain at least one UHDDS Class 1[2] procedure. Fifteen of the 264 List B groups consist solely of Class 2, 3, and 4 procedures. This book displays data only for those 249 groups with Class 1 procedures.

Patients were assigned to the *ICD-9-CM* List B operation groups on the basis of their principal procedure. Operation information for all separations from PAS hospitals during 1979 was coded using *ICD-9-CM.* "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS) and generally is that therapeutic procedure most related to the principal diagnosis.

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Multiple Dx Patients

A patient is classified in the multiple dx category if he had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Explanation of Statistics

The operation group titles heading the tables are followed in parentheses by the operation codes they include. These codes refer to *ICD-9-CM.*

Length of stay is calculated from admission and separation dates entered on the PAS Case Abstract, counting the day of admission but not the day of separation. Patients who left the hospital on the day of admission were counted as staying one day in the calculation of average stay and variance, but as staying less than one day in the calculation of the percentiles. Thus, if more than 5% of the patients in a cell left on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in column 2, "Number of Patients"; column 3, "Average Stay"; or column 4, "Variance." The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are shown. If, for example, the 10th percentile for a group of patients is four days, it means that ten percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

The value of a percentile for a group of patients is determined by arranging the individual patients' stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Exclusions

The length of stay tables exclude:

(1) patients who died,
(2) patients admitted from other short-term hospitals,
(3) patients transferred to other short-term hospitals,
(4) patients who left against medical advice,
(5) patients with length of stay greater than 99 days (these patients are included only in the percentile calculations).

These patients are excluded because they are not typical short-term patients (i.e., their stays are not "manageable" by the physician).

Other exclusions include stillborn, patients with incalculable age or stay, illegal or unrecorded principal diagnosis or principal procedure, unrecorded separation status, and patients with diagnosis-age, operation-age, or operation-sex inconsistencies. Also excluded are newborn with illegal or unrecorded birthweights.

Defining the Extended Stay[1] Case

Although utilization review in Canadian hospitals has not had the regulatory impetus of the Medicare and PSRO programs in the United States, Canadian hospitals have equal reason to be concerned about the wise use of resources. The instructions which follow are those found in the length of stay books for the United States. The techniques employed can be used by any Canadian hospital conducting a review of those cases whose stay exceeds the norms for matching cases listed in *Length of Stay in PAS Hospitals, by Diagnosis, Canada, 1979* or *Length of Stay in PAS Hospitals, by Operation, Canada, 1979.*

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the PSRO is called extended stay review. This review, whether applied universally to all patients within the facility or "focused" on known or suspected problem areas, is designed to answer the following question: is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in reasonably current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, the age of the patient, and whether the patient had single or multiple diagnoses.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and quite different lengths of stay) are appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy), primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung) and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

---

[1] Medicare regulations formerly referred to "extended duration," PSRO guidelines refer to "continued stay."

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the regional length of stay books published by the Commission on Professional and Hospital Activities.[1] With the appropriate book, the five steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[2]) that contains the contemplated operation in one of the following ways.

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[3] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group (in the CPHA length of stay books) for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. For diagnoses not in *Concurrent Review Screening* the contemplated operation can usually be found in the index at the back of the operation length of stay book.

c. If an operation is not listed in the index to the length of stay tables, the code for the operation can be found in Volume 3 of *ICD-9-CM.*[4] That code can then be located in List B or in the heading of the length of stay table.

---

[1] *Length of Stay in PAS Hospitals, by Diagnosis,* Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., Northeastern Region, 1979
U.S., Southern Region, 1979
U.S., North Central Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

Length of Stay in PAS Hospitals, by Operation, Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., Northeastern Region, 1979
U.S., Southern Region, 1979
U.S., North Central Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

[2] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[4] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table. There are four tables per page for operation groups in the length of stay books.

Step 3. Find the appropriate part of the table for number of diagnoses (single or multiple.

Step 4. Find the correct age group. The five age groupings presented are 0-19 years, 20-34 years, 35-49 years, 50-64 years, and 65 years and over.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line which includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November, a 57-year-old patient is admitted to a Canadian hospital for elective surgery, in this case, a transurethral resection, the admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening*. Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The alphabetic index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
	Palate
551	Cleft palate repair
551	Palatoplasty
514	Parathyroid
	Penis
657	Circumcision
	Perineum, female
683	Excision of lesion or tissue
683	Incision
	Perirectal
607	Excision
607	Incision
609	Other
	Peritoneum
630	Division of adhesions
627	Drainage, except via cul de sac
682	Via cul de sac
626	Excision
630	Incision, except via cul de sac
682	Via cul de sac
628	Peritoneoscopy
	Pleura
576	Pleurocentesis
	Prostate
648	**Prostatectomy, transurethral**
649	Prostatectomy, except transurethral
650	Other
	Rectum
606	Excision, except proctectomy
609	Incision
608	Proctectomy
608	Other
	Reduction
	Dislocation, *see Joint*
	Fracture, *see Bone*
758	Retrograde pyelogram
	Sinuses, nasal
546	Radical maxillary sinusotomy

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure INDEX TO PROCEDURES

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) (*see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** (*see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** (complete) (partial) NEC 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral 60.2**
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

408

Step 2. Find the table for group 648 of *Length of Stay in PAS Hospitals, by Operation, Canada, 1979.*

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	9.0	5	6	6	9	10	11	11	11
20-34	3	8.0	7	5	5	9	10	10	10	10
35-49	36	7.9	11	3	5	7	10	12	15	17
50-64	718	8.6	16	4	5	8	10	13	16	22
65+	1499	9.9	26	5	5	9	12	16	20	29
2. MULTIPLE DX										
0-19 YRS	5	12.6	26	8	8	12	15	21	21	21
20-34	6	19.8	302	6	6	12	43	89	99+	99+
35-49	65	11.5	46	5	5	9	14	18	28	35
50-64	1316	11.9	60	5	6	10	13	19	25	43
65+	3990	14.2	102	6	7	11	17	26	34	77
TOT. SINGLE DX	2260	9.5	23	5	5	8	11	15	18	28
" MULTIPLE DX	5382	13.6	92	5	6	11	16	24	32	66
TOTAL 0-19 YRS	9	11.0	19	6	7	10	12	18	21	21
20-34	9	15.9	226	5	5	10	39	72	99+	99+
35-49	101	10.2	36	4	5	9	12	17	21	35
50-64	2034	10.7	47	5	5	9	12	17	22	39
65+	5489	13.1	85	5	6	10	15	23	30	64
GRAND TOTAL	**7642**	**12.4**	**75**	**5**	**6**	**10**	**14**	**21**	**29**	**58**

Step 3. There are no secondary diagnoses recorded, so one needs to be concerned only with the top five lines of the table (Section 1).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	9.0	5	6	6	9	10	11	11	11
20-34	3	8.0	7	5	5	9	10	10	10	10
35-49	36	7.9	11	3	5	7	10	12	15	17
50-64	718	8.6	16	4	5	8	10	13	16	22
65+	1499	9.9	26	5	5	9	12	16	20	29
2. MULTIPLE DX										
0-19 YRS	5	12.6	26	8	8	12	15	21	21	21
20-34	6	19.8	302	6	6	12	43	89	99+	99+
35-49	65	11.5	46	5	5	9	14	18	28	36
50-64	1316	11.9	60	5	6	10	13	19	25	43
65+	3990	14.2	102	6	7	11	17	26	34	77
TOT. SINGLE DX	2260	9.5	23	5	5	8	11	15	18	28
" MULTIPLE DX	5382	13.6	92	5	6	11	16	24	32	66
TOTAL 0-19 YRS	9	11.0	19	6	7	10	12	18	21	21
20-34	9	15.9	226	5	5	10	39	72	99+	99+
35-49	101	10.2	36	4	5	9	12	17	21	35
50-64	2034	10.7	47	5	5	9	12	17	22	39
65+	5489	13.1	85	5	6	10	15	23	30	64
GRAND TOTAL	**7642**	**12.4**	**75**	**5**	**6**	**10**	**14**	**21**	**29**	**58**

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	9.0	5	6	6	9	10	11	11	11
20-34	3	8.0	7	5	5	9	10	10	10	10
35-49	36	7.9	11	3	5	7	10	12	15	17
50-64	718	8.6	16	4	5	8	10	13	16	22
65+	1499	9.9	26	5	5	9	12	16	20	29
2. MULTIPLE DX										
0-19 YRS	5	12.6	26	8	8	12	15	21	21	21
20-34	6	19.8	302	6	6	12	43	89	99+	99+
35-49	65	11.5	46	5	5	9	14	18	28	36
50-64	1316	11.9	60	5	6	10	13	19	25	43
65+	3990	14.2	102	6	7	11	17	26	34	77
TOT. SINGLE DX	2260	9.5	23	5	5	8	11	15	18	28
" MULTIPLE DX	5382	13.6	92	5	6	11	16	24	32	66
TOTAL 0-19 YRS	9	11.0	19	6	7	10	12	18	21	21
20-34	9	15.9	226	5	5	10	39	72	99+	99+
35-49	101	10.2	36	4	5	9	12	17	21	35
50-64	2034	10.7	47	5	5	9	12	17	22	39
65+	5489	13.1	85	5	6	10	15	23	30	64
GRAND TOTAL	**7642**	**12.4**	**75**	**5**	**6**	**10**	**14**	**21**	**29**	**58**

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the eighth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	9.0	5	6	6	9	10	11	11	11
20-34	3	8.0	7	5	5	9	10	10	10	10
35-49	36	7.9	11	3	5	7	10	12	15	17
50-64	718	8.6	16	4	5	8	10	13	16	22
65+	1499	9.9	26	5	5	9	12	16	20	29
2. MULTIPLE DX										
0-19 YRS	5	12.6	26	8	8	12	15	21	21	21
20-34	6	19.8	302	6	6	12	43	89	99+	99+
35-49	65	11.5	46	5	5	9	14	18	28	36
50-64	1316	11.9	60	5	6	10	13	19	25	43
65+	3990	14.2	102	6	7	11	17	26	34	77
TOT. SINGLE DX	2260	9.5	23	5	5	8	11	15	18	28
" MULTIPLE DX	5382	13.6	92	5	6	11	16	24	32	66
TOTAL 0-19 YRS	9	11.0	19	6	7	10	12	18	21	21
20-34	9	15.9	226	5	5	10	39	72	99+	99+
35-49	101	10.2	36	4	5	9	12	17	21	35
50-64	2034	10.7	47	5	5	9	12	17	22	39
65+	5489	13.1	85	5	6	10	15	23	30	64
GRAND TOTAL	**7642**	**12.4**	**75**	**5**	**6**	**10**	**14**	**21**	**29**	**58**

The patient was admitted on 3 November; therefore, the eighth day will fall on 11 November. Prior to or on 11 November the UR coordinator, the physician advisor, the UR committee, or other group responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., 75th percentile (as suggested in the PSRO *Program Manual*, paragraph 705.26).

Subsequent extended stay review dates would ordinarily be set by the physician advisor or the peer review (utilization review) committee as necessary, based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

242 PAS Hospitals, Canada, 1979, by Operation

Summary of all patients in operation groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56932	3.7	20	<1	1	2	4	7	10	22
20-34	88309	4.5	16	<1	1	4	6	8	10	20
35-49	36973	5.5	29	1	1	4	7	11	15	27
50-64	31412	6.9	45	1	2	5	9	14	19	33
65+	22354	8.7	74	1	2	6	11	18	25	46
2. MULTIPLE DX										
0-19 YRS	31457	6.4	91	1	1	3	7	14	23	64
20-34	77870	6.7	49	1	2	5	8	12	17	43
35-49	42692	8.8	83	1	2	7	10	17	25	57
50-64	46504	11.6	138	1	2	8	15	25	36	78
65+	50208	15.7	225	2	3	11	21	37	55	99+
TOT. SINGLE DX	235980	5.2	31	1	1	4	6	10	14	28
" MULTIPLE DX	248731	9.8	124	1	2	7	12	22	33	80
TOTAL 0-19 YRS	88389	4.7	47	<1	1	3	5	9	14	39
20-34	166179	5.5	33	1	1	4	7	10	13	31
35-49	79665	7.3	60	1	2	5	9	14	20	44
50-64	77916	9.7	106	1	2	7	12	21	29	63
65+	72562	13.5	189	2	2	9	17	31	46	99+
GRAND TOTAL	**484711**	**7.5**	**84**	**1**	**1**	**5**	**9**	**16**	**24**	**58**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	13.2	83	2	3	12	17	21	33	42
20-34	53	17.9	154	2	4	15	22	35	44	58
35-49	59	21.5	189	6	9	18	26	41	50	75
50-64	64	19.3	237	5	8	15	24	40	74	99+
65+	32	24.7	455	7	7	15	37	67	79	99+
2. MULTIPLE DX										
0-19 YRS	45	29.2	398	5	9	28	46	99+	99+	99+
20-34	45	34.0	545	10	13	31	65	99+	99+	99+
35-49	68	29.4	318	8	13	29	52	99+	99+	99+
50-64	96	31.5	422	9	11	29	47	95	99+	99+
65+	75	36.6	519	9	14	34	61	99+	99+	99+
TOT. SINGLE DX	237	19.5	224	3	6	16	24	41	57	99+
" MULTIPLE DX	329	32.3	439	8	12	30	53	99+	99+	99+
TOTAL 0-19 YRS	74	22.9	334	3	5	19	37	75	99+	99+
20-34	98	25.3	395	4	7	21	38	82	99+	99+
35-49	127	25.7	272	7	11	22	37	69	99+	99+
50-64	160	26.6	383	7	9	21	40	75	99+	99+
65+	107	33.0	526	7	9	31	53	94	99+	99+
GRAND TOTAL	**566**	**26.9**	**388**	**5**	**9**	**22**	**41**	**81**	**99+**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	16.4	176	3	5	14	19	22	47	66
20-34	23	15.3	118	3	4	13	22	28	38	46
35-49	13	18.4	472	2	3	12	15	70	93	99+
50-64	12	17.3	258	3	5	17	23	99+	99+	99+
65+	9	15.3	84	7	7	11	22	30	31	31
2. MULTIPLE DX										
0-19 YRS	19	22.4	368	<1	1	21	46	99+	99+	99+
20-34	25	24.9	606	6	7	19	55	99+	99+	99+
35-49	40	27.3	430	5	7	25	46	99+	99+	99+
50-64	33	28.4	504	8	9	26	63	99+	99+	99+
65+	31	35.6	696	11	12	33	74	99+	99+	99+
TOT. SINGLE DX	76	16.4	200	3	5	13	20	41	67	99+
" MULTIPLE DX	148	28.3	528	6	8	26	55	99+	99+	99+
TOTAL 0-19 YRS	38	19.4	274	1	3	15	28	64	99+	99+
20-34	48	20.3	388	3	6	15	32	98	99+	99+
35-49	53	25.1	447	4	6	19	46	95	99+	99+
50-64	45	25.4	456	6	8	20	54	99+	99+	99+
65+	40	31.0	626	8	11	27	60	99+	99+	99+
GRAND TOTAL	**224**	**24.2**	**447**	**4**	**7**	**19**	**45**	**99+**	**99+**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	8.3	47	2	3	8	10	14	14	43
20-34	21	8.3	9	5	6	8	9	11	15	18
35-49	12	9.0	11	4	5	9	10	13	16	17
50-64	8	12.4	199	2	2	10	11	36	46	46
65+										
2. MULTIPLE DX										
0-19 YRS	39	14.1	224	3	4	10	15	28	53	75
20-34	44	15.2	189	5	7	11	18	50	73	99+
35-49	21	21.7	524	7	8	16	77	99+	99+	99+
50-64	17	11.8	76	3	4	12	15	33	76	99+
65+	4	12.8	16	8	8	13	16	17	17	17
TOT. SINGLE DX	78	8.8	45	2	4	8	10	13	16	45
" MULTIPLE DX	125	15.4	238	4	5	11	17	55	99+	99+
TOTAL 0-19 YRS	76	11.3	145	2	4	9	12	17	38	70
20-34	65	13.0	140	5	6	9	13	32	57	99+
35-49	33	17.1	369	6	7	12	22	99+	99+	99+
50-64	25	12.0	109	2	3	11	15	38	57	99+
65+	4	12.8	16	8	8	13	16	17	17	17
GRAND TOTAL	**203**	**12.9**	**174**	**3**	**4**	**10**	**14**	**35**	**75**	**99+**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	13.5	19	7	9	13	15	30	84	99+
20-34	5	27.2	922	10	10	15	35	81	81	81
35-49	4	17.0	18	14	14	16	20	23	23	23
50-64	3	15.3	25	10	10	16	19	20	20	20
65+	1	43.0		43	43	43	43	43	43	43
2. MULTIPLE DX										
0-19 YRS	45	30.4	494	7	9	26	52	98	99+	99+
20-34	10	12.8	61	4	6	13	16	59	97	99+
35-49	9	50.4	872	4	12	61	83	96	99+	99+
50-64	12	29.5	427	10	12	24	62	99+	99+	99+
65+	17	48.4	820	10	13	57	90	99+	99+	99+
TOT. SINGLE DX	26	18.0	214	9	10	14	20	39	84	99+
" MULTIPLE DX	93	33.6	634	7	9	32	64	99+	99+	99+
TOTAL 0-19 YRS	58	26.6	435	7	9	23	43	96	99+	99+
20-34	15	17.6	352	5	7	13	18	76	94	99+
35-49	13	40.2	844	6	13	33	64	94	99	99+
50-64	15	26.7	374	10	11	20	57	93	99+	99+
65+	18	48.1	773	10	13	54	89	99+	99+	99+
GRAND TOTAL	**119**	**30.2**	**581**	**7**	**10**	**23**	**58**	**99+**	**99+**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	8.3	25	2	3	7	11	14	18	25
20-34	10	11.2	210	1	1	6	13	34	49	49
35-49	11	17.4	212	5	5	14	23	39	54	55
50-64	2	15.5	25	12	12	15	19	19	19	19
65+	5	10.2	75	2	2	6	17	23	23	23
2. MULTIPLE DX										
0-19 YRS	110	14.5	143	4	5	10	17	29	35	71
20-34	36	22.3	333	4	7	20	45	99+	99+	99+
35-49	12	21.7	366	3	5	13	40	67	94	99+
50-64	11	20.6	236	4	5	16	33	44	45	45
65+	5	16.8	173	6	7	21	84	99+	99+	99+
TOT. SINGLE DX	72	10.4	87	2	3	8	13	20	25	54
" MULTIPLE DX	174	17.1	210	4	5	13	24	46	99+	99+
TOTAL 0-19 YRS	154	12.7	117	4	4	9	14	25	34	68
20-34	46	19.9	323	2	3	17	40	99+	99+	99+
35-49	23	19.6	284	4	5	13	32	55	71	99+
50-64	13	19.8	202	4	5	16	28	44	45	45
65+	10	13.5	122	2	4	12	30	99+	99+	99+
GRAND TOTAL	246	15.1	183	3	4	11	20	39	68	99+

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	18.8	270	5	7	13	28	73	96	99+
20-34	59	12.6	31	6	7	11	16	20	23	35
35-49	127	14.3	67	6	7	12	18	23	33	59
50-64	129	14.0	37	7	8	13	16	23	27	34
65+	40	19.8	159	6	8	16	27	37	49	53
2. MULTIPLE DX										
0-19 YRS	11	25.9	341	11	11	18	60	99+	99+	99+
20-34	46	18.6	188	7	8	14	27	55	99+	99+
35-49	119	17.5	127	6	8	14	22	33	42	75
50-64	160	19.0	148	8	9	16	24	36	57	99+
65+	95	29.6	347	9	11	26	43	69	92	99+
TOT. SINGLE DX	366	14.7	70	6	7	12	18	25	32	53
" MULTIPLE DX	431	21.1	216	8	8	16	28	47	68	99+
TOTAL 0-19 YRS	22	22.[illegible]	304	7	9	17	40	99+	99+	99+
20-34	105	15.2	108	7	7	12	18	34	54	99+
35-49	246	15.8	98	6	7	13	19	30	39	65
50-64	289	16.8	104	8	8	14	20	30	40	99+
65+	135	26.7	310	8	9	23	37	59	80	99+
GRAND TOTAL	797	18.1	159	7	8	14	22	36	55	99+

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	10.6	81	2	3	8	14	26	33	35
20-34	35	11.8	166	2	2	7	16	25	42	61
35-49	39	12.8	124	2	2	10	17	30	38	47
50-64	31	10.4	54	2	2	11	16	21	24	25
65+	3	21.0	819	3	3	6	42	54	54	54
2. MULTIPLE DX										
0-19 YRS	45	27.0	339	6	9	22	41	65	74	99+
20-34	25	27.4	550	3	4	31	54	99+	99+	99+
35-49	32	21.5	367	4	6	13	39	54	76	99+
50-64	46	23.3	223	3	5	21	35	46	55	99+
65+	33	33.8	644	3	4	31	57	92	99+	99+
TOT. SINGLE DX	125	11.8	123	2	2	8	16	25	35	56
" MULTIPLE DX	181	26.4	407	3	6	22	41	66	99+	99+
TOTAL 0-19 YRS	62	22.5	320	3	6	17	35	55	67	99+
20-34	60	18.3	379	2	3	12	31	61	99+	99+
35-49	71	16.7	249	2	3	11	22	45	52	95
50-64	77	18.1	194	2	2	16	26	39	46	90
65+	36	32.8	648	3	4	29	53	92	99+	99+
GRAND TOTAL	306	20.4	341	2	3	15	32	53	76	99+

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	3.7	22	<1	1	3	4	6	13	24
20-34	87	4.3	21	1	1	3	4	10	14	25
35-49	81	4.0	9	1	2	3	5	7	10	17
50-64	104	4.1	24	1	1	3	4	7	12	32
65+	59	5.5	46	1	1	3	6	11	21	36
2. MULTIPLE DX										
0-19 YRS	18	9.2	183	<1	1	5	10	45	82	99+
20-34	50	5.2	29	<1	1	4	5	14	18	25
35-49	57	7.3	72	1	2	4	9	19	27	42
50-64	93	6.9	89	1	1	4	6	16	22	53
65+	53	9.7	177	2	2	6	11	19	33	85
TOT. SINGLE DX	355	4.3	23	1	1	3	5	8	12	31
" MULTIPLE DX	271	7.4	98	1	1	4	8	18	25	58
TOTAL 0-19 YRS	42	6.1	96	<1	1	3	6	15	36	99+
20-34	137	4.6	24	<1	1	3	5	10	16	25
35-49	138	5.4	38	1	2	3	6	11	17	32
50-64	197	5.4	56	1	1	3	5	10	19	47
65+	112	7.5	111	1	2	4	8	15	26	58
GRAND TOTAL	626	5.7	58	1	1	3	6	11	20	43

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	2.9	14	<1	1	2	3	5	6	26
20-34	314	2.5	3	<1	1	2	3	4	6	9
35-49	351	2.5	4	<1	1	2	3	4	6	11
50-64	396	2.8	6	1	1	2	3	5	6	14
65+	178	3.2	8	<1	1	2	4	6	8	15
2. MULTIPLE DX										
0-19 YRS	87	3.5	15	1	1	2	4	8	10	23
20-34	192	4.7	41	1	1	3	4	10	18	28
35-49	194	5.5	58	1	1	3	6	14	19	36
50-64	276	5.9	54	1	2	3	6	12	18	40
65+	175	7.3	108	1	2	3	8	21	31	93
TOT. SINGLE DX	1326	2.7	5	<1	1	2	3	5	6	13
" MULTIPLE DX	924	5.6	60	1	1	3	5	13	19	42
TOTAL 0-19 YRS	174	3.2	15	<1	1	2	3	6	9	26
20-34	506	3.3	18	<1	1	2	3	6	9	22
35-49	545	3.6	25	<1	1	2	3	7	12	21
50-64	672	4.1	28	1	1	3	4	8	13	32
65+	353	5.3	62	1	1	3	5	12	22	66
GRAND TOTAL	**2250**	**3.9**	**30**	**1**	**1**	**2**	**4**	**7**	**13**	**30**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	8.5	10	5	5	8	11	13	13	13
20-34	19	9.3	34	2	4	7	12	17	23	26
35-49	29	8.9	24	3	3	9	13	16	18	19
50-64	42	10.7	52	3	5	8	14	19	26	38
65+	52	11.4	32	5	6	10	15	19	24	28
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	25	9.2	23	4	4	8	11	18	20	20
35-49	39	14.9	105	5	6	12	20	25	49	99+
50-64	84	17.1	213	5	7	12	22	29	35	93
65+	147	18.4	199	7	7	14	21	40	56	99+
TOT. SINGLE DX	148	10.3	36	4	5	9	13	17	23	28
" MULTIPLE DX	296	16.7	181	5	7	13	21	31	48	98
TOTAL 0-19 YRS	7	8.1	9	5	5	7	10	13	13	13
20-34	44	9.2	27	3	4	8	12	18	20	26
35-49	68	12.3	78	3	4	10	15	23	27	91
50-64	126	15.0	167	4	5	11	19	28	33	88
65+	199	16.6	165	6	7	13	20	31	48	95
GRAND TOTAL	**444**	**14.6**	**142**	**5**	**6**	**12**	**17**	**27**	**38**	**90**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	9	6.9	56	<1	<1	3	13	19	21	21
35-49	9	10.3	100	1	1	5	20	25	28	28
50-64	8	11.0	107	2	3	6	16	28	33	33
65+	4	4.8	14	1	1	5	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	5	5.4	21	2	2	4	8	13	13	13
20-34	7	9.1	49	2	2	6	15	20	20	20
35-49	9	13.4	121	4	5	11	17	70	99+	99+
50-64	14	14.1	212	4	4	8	16	32	51	56
65+	24	13.3	69	2	4	13	20	87	99+	99+
TOT. SINGLE DX	33	8.1	73	<1	1	4	13	20	27	33
" MULTIPLE DX	59	12.4	105	2	3	10	17	36	99+	99+
TOTAL 0-19 YRS	8	4.1	15	1	1	3	5	11	13	13
20-34	16	7.9	51	<1	<1	5	14	20	21	21
35-49	18	11.9	106	1	2	10	19	36	73	99+
50-64	22	13.0	169	3	4	7	16	30	42	56
65+	28	12.1	69	2	2	10	18	61	99+	99+
GRAND TOTAL	**92**	**10.8**	**96**	**1**	**2**	**9**	**16**	**29**	**51**	**99+**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	6.2	20	2	3	5	6	10	16	27
20-34	297	5.8	9	3	4	5	6	8	11	23
35-49	335	5.5	3	3	4	5	6	7	8	12
50-64	267	5.9	6	3	4	5	7	8	10	16
65+	93	6.9	10	4	4	6	8	10	13	21
2. MULTIPLE DX										
0-19 YRS	18	10.3	161	4	4	6	9	25	45	55
20-34	125	7.1	25	3	4	5	8	12	17	29
35-49	164	6.6	11	3	4	6	7	11	14	19
50-64	219	8.5	46	4	4	7	9	15	20	47
65+	119	10.1	60	4	5	8	11	18	27	46
TOT. SINGLE DX	1047	5.8	7	3	4	5	6	8	10	18
" MULTIPLE DX	645	8.1	40	4	4	6	9	14	19	36
TOTAL 0-19 YRS	75	7.2	56	3	3	5	7	13	20	49
20-34	422	6.2	14	3	4	5	6	9	13	24
35-49	499	5.9	6	3	4	5	7	8	10	16
50-64	486	7.1	25	4	4	6	8	11	16	25
65+	212	8.7	40	4	4	7	9	16	19	39
GRAND TOTAL	1692	6.7	21	3	4	6	7	10	14	25

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	116	3.8	8	1	2	3	4	7	9	16
20-34	56	4.6	8	2	2	4	5	8	12	15
35-49	48	4.8	10	2	2	4	5	7	11	19
50-64	38	6.3	46	1	2	5	6	10	20	39
65+	22	10.3	145	2	3	7	8	21	43	54
2. MULTIPLE DX										
0-19 YRS	11	12.5	736	2	2	4	7	43	90	94
20-34	22	9.5	57	3	3	7	12	24	25	25
35-49	39	11.9	89	3	4	9	15	23	34	47
50-64	65	11.0	80	3	4	8	13	22	32	92
65+	37	14.5	116	5	5	11	18	35	36	43
TOT. SINGLE DX	280	5.0	27	2	2	4	5	8	14	31
" MULTIPLE DX	174	11.9	125	3	4	8	14	24	36	84
TOTAL 0-19 YRS	127	4.5	72	1	2	3	4	7	9	35
20-34	78	6.0	26	2	3	4	7	12	20	25
35-49	87	8.0	57	2	3	5	9	16	23	44
50-64	103	9.3	72	2	3	7	11	21	29	75
65+	59	12.9	129	3	4	8	15	34	36	53
GRAND TOTAL	454	7.6	75	2	2	5	8	16	23	47

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	8.8	44	2	2	9	12	19	19	19
20-34	29	14.2	67	6	7	11	16	23	28	38
35-49	12	20.0	145	9	10	16	26	36	49	51
50-64	7	14.4	33	10	10	13	14	24	27	27
65+	2	20.5	181	11	11	20	30	30	30	30
2. MULTIPLE DX										
0-19 YRS	10	17.6	276	2	4	11	23	45	58	58
20-34	46	13.3	74	7	7	11	13	26	37	99+
35-49	34	16.9	70	7	8	15	24	27	28	42
50-64	34	21.7	260	8	8	18	27	42	61	74
65+	7	20.0	38	13	14	17	26	29	29	29
TOT. SINGLE DX	55	15.2	85	5	7	12	18	28	36	50
" MULTIPLE DX	131	17.1	141	7	8	13	22	30	42	79
TOTAL 0-19 YRS	15	14.7	208	2	2	10	18	32	51	58
20-34	75	13.7	70	7	7	11	14	25	37	88
35-49	46	17.7	89	7	8	16	24	28	32	51
50-64	41	20.4	227	8	9	14	25	40	57	74
65+	9	20.1	51	11	12	17	28	30	30	30
GRAND TOTAL	186	16.6	125	7	8	13	21	29	39	70

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	1.5	1	<1	<1	1	2	2	4	7
20-34	27	1.5	1	<1	<1	1	2	3	14	99+
35-49	22	2.1	3	<1	<1	1	3	5	7	8
50-64	50	2.5	8	<1	<1	2	3	4	5	18
65+	47	4.1	29	<1	1	3	4	9	15	33
2. MULTIPLE DX										
0-19 YRS	14	4.6	33	<1	1	2	8	18	79	99+
20-34	11	5.5	104	<1	<1	2	4	17	34	36
35-49	25	3.8	12	<1	<1	2	7	9	11	13
50-64	37	6.7	116	<1	1	3	6	17	27	59
65+	69	7.5	55	<1	1	4	10	19	25	87
TOT. SINGLE DX	231	2.3	9	<1	<1	1	2	4	7	21
" MULTIPLE DX	156	6.3	64	<1	1	3	8	16	25	96
TOTAL 0-19 YRS	99	2.0	6	<1	<1	1	2	4	7	59
20-34	38	2.6	32	<1	<1	1	2	4	22	99+
35-49	47	3.0	9	<1	<1	2	4	8	9	13
50-64	87	4.3	57	<1	<1	2	4	8	18	47
65+	116	6.1	47	<1	1	3	8	16	22	58
GRAND TOTAL	**387**	**3.9**	**35**	**<1**	**<1**	**2**	**4**	**9**	**16**	**50**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	129	3.0	7	<1	<1	2	4	6	9	34
20-34	57	2.7	3	<1	<1	2	3	5	6	9
35-49	108	2.1	1	<1	<1	2	3	3	4	6
50-64	163	2.6	3	<1	1	2	3	5	6	10
65+	191	3.3	6	<1	2	2	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	162	3.4	9	<1	1	2	4	7	9	16
20-34	191	4.5	66	<1	1	3	5	9	12	41
35-49	125	4.8	75	<1	1	3	5	9	13	41
50-64	159	4.8	54	1	1	3	5	10	38	99+
65+	243	7.4	144	1	1	3	7	17	34	99+
TOT. SINGLE DX	648	2.8	4	<1	1	2	3	5	7	12
" MULTIPLE DX	880	5.2	78	<1	1	3	5	10	17	92
TOTAL 0-19 YRS	291	3.2	8	<1	<1	2	4	7	9	17
20-34	248	4.1	52	<1	1	2	5	8	11	26
35-49	233	3.5	42	<1	<1	2	4	7	9	21
50-64	322	3.7	30	1	1	2	4	7	11	99+
65+	434	5.6	87	1	1	3	6	11	18	76
GRAND TOTAL	**1528**	**4.2**	**48**	**<1**	**1**	**2**	**4**	**8**	**12**	**62**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	2.7	3	<1	<1	2	4	4	5	10
20-34	31	5.1	20	1	2	3	6	10	13	23
35-49	37	4.5	9	1	2	3	6	9	11	12
50-64	50	4.5	10	<1	1	4	6	10	12	13
65+	60	4.7	6	2	2	4	6	9	10	12
2. MULTIPLE DX										
0-19 YRS	19	3.9	13	<1	1	2	6	10	11	11
20-34	24	3.9	5	<1	1	3	5	7	9	10
35-49	12	5.8	14	2	2	4	10	11	11	11
50-64	33	7.7	31	1	2	6	10	14	22	24
65+	53	7.3	57	2	3	5	8	16	20	48
TOT. SINGLE DX	208	4.4	10	1	2	3	6	9	10	13
" MULTIPLE DX	141	6.2	35	1	2	4	8	12	17	26
TOTAL 0-19 YRS	49	3.2	7	<1	<1	2	4	8	10	11
20-34	55	4.5	14	1	2	3	5	9	11	22
35-49	49	4.8	10	1	2	4	6	10	11	12
50-64	83	5.8	20	1	2	5	7	12	14	24
65+	113	5.9	32	2	2	4	7	10	16	31
GRAND TOTAL	**349**	**5.1**	**20**	**1**	**2**	**4**	**6**	**10**	**12**	**23**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	4.5	49	<1	<1	2	4	13	25	28
20-34	16	3.2	8	<1	<1	2	5	8	9	10
35-49	9	3.9	11	<1	<1	3	7	9	9	9
50-64	8	3.1	8	<1	<1	2	5	8	8	8
65+	12	3.1	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	11	5.0	15	1	1	4	7	12	13	13
20-34	8	3.9	11	2	2	3	4	10	12	12
35-49	7	5.1	77	<1	<1	2	3	21	25	25
50-64	5	15.6	286	2	2	10	26	43	43	43
65+	14	4.0	6	<1	1	3	5	7	9	10
TOT. SINGLE DX	68	3.7	20	<1	<1	2	4	8	10	27
" MULTIPLE DX	45	5.7	56	1	1	3	5	12	21	43
TOTAL 0-19 YRS	34	4.6	37	<1	1	3	5	11	21	28
20-34	24	3.4	9	<1	1	2	4	8	11	12
35-49	16	4.4	37	<1	<1	2	5	9	20	25
50-64	13	7.9	140	<1	1	2	8	25	40	43
65+	26	3.6	4	1	2	3	5	5	8	10
GRAND TOTAL	**113**	**4.5**	**35**	**<1**	**1**	**3**	**5**	**10**	**13**	**34**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.6	2	6	6	8	8	10	10	10
20-34	15	9.9	53	1	3	8	10	19	27	30
35-49	14	6.3	5	2	4	6	7	9	10	11
50-64	18	6.7	14	2	3	6	9	11	14	16
65+	23	8.3	50	3	3	6	11	14	22	36
2. MULTIPLE DX										
0-19 YRS	4	11.5	34	7	7	9	15	20	20	20
20-34	6	6.8	3	4	4	7	8	9	9	9
35-49	10	6.2	15	2	2	5	9	12	14	14
50-64	18	9.7	93	2	3	7	9	25	35	39
65+	26	8.2	19	4	4	7	11	17	33	99+
TOT. SINGLE DX	77	7.8	30	3	3	6	9	13	17	34
" MULTIPLE DX	64	8.4	39	3	3	7	9	18	23	91
TOTAL 0-19 YRS	11	9.0	15	6	6	8	10	14	20	20
20-34	21	9.0	40	2	4	8	9	18	24	30
35-49	24	6.3	9	2	2	6	8	10	12	14
50-64	36	8.2	55	2	3	6	9	16	25	39
65+	49	8.2	33	3	3	7	11	14	21	99+
GRAND TOTAL	141	8.1	34	3	3	7	9	14	19	44

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	5.4	13	1	1	5	8	11	12	15
20-34	63	3.2	7	<1	<1	2	4	7	9	12
35-49	72	3.0	8	<1	<1	2	3	6	9	16
50-64	70	2.8	5	<1	<1	2	3	6	8	13
65+	63	3.6	21	<1	1	2	4	8	10	30
2. MULTIPLE DX										
0-19 YRS	23	7.3	16	2	4	7	9	14	16	18
20-34	32	6.6	21	1	2	5	10	13	14	18
35-49	19	6.7	55	<1	<1	5	8	20	25	26
50-64	31	7.1	46	<1	1	4	10	19	24	25
65+	49	7.7	66	2	2	5	10	13	29	45
TOT. SINGLE DX	321	3.5	11	<1	<1	2	4	8	10	15
" MULTIPLE DX	154	7.2	43	1	2	5	10	14	20	30
TOTAL 0-19 YRS	76	6.0	14	1	1	6	8	11	14	17
20-34	95	4.4	14	<1	<1	3	7	10	13	16
35-49	91	3.7	20	<1	<1	2	3	8	14	25
50-64	101	4.1	21	<1	<1	3	4	9	14	24
65+	112	5.4	45	1	1	3	7	11	15	37
GRAND TOTAL	475	4.7	24	<1	1	3	6	10	13	26

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	17.0	215	3	3	12	31	35	35	35
20-34	12	5.7	6	2	2	6	7	9	10	10
35-49	13	5.2	7	2	2	4	7	9	11	11
50-64	57	6.3	12	2	2	6	8	12	14	15
65+	95	6.5	21	2	2	6	8	13	17	24
2. MULTIPLE DX										
0-19 YRS	7	20.3	269	2	3	17	27	46	51	51
20-34	16	7.3	57	2	2	4	8	15	27	32
35-49	21	8.2	14	2	3	8	10	14	15	16
50-64	50	7.8	26	3	3	7	9	15	19	24
65+	115	10.4	79	3	3	8	12	22	25	50
TOT. SINGLE DX	182	6.6	24	2	2	6	8	12	15	29
" MULTIPLE DX	209	9.6	68	2	3	8	11	20	24	44
TOTAL 0-19 YRS	12	18.9	228	2	3	15	29	40	49	51
20-34	28	6.6	35	2	2	5	8	11	17	32
35-49	34	7.0	14	2	3	7	9	12	15	16
50-64	107	7.0	19	2	2	6	8	13	15	23
65+	210	8.6	57	2	3	7	10	18	22	34
GRAND TOTAL	391	8.2	50	2	3	7	10	16	22	34

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	8.8	40	1	2	7	12	19	21	26
20-34	46	5.4	17	1	2	4	7	9	13	24
35-49	45	5.4	11	1	2	4	7	10	11	14
50-64	93	6.0	18	2	2	4	8	11	14	24
65+	99	6.1	17	2	2	5	8	11	13	23
2. MULTIPLE DX										
0-19 YRS	27	8.9	52	3	4	7	11	18	28	33
20-34	43	8.4	31	2	2	7	11	16	20	25
35-49	22	7.1	12	2	2	7	10	12	13	14
50-64	53	8.7	135	2	3	5	9	16	24	75
65+	121	9.1	110	2	2	7	11	18	23	98
TOT. SINGLE DX	329	6.2	21	2	2	5	8	12	14	24
" MULTIPLE DX	266	8.7	88	2	2	7	11	17	22	70
TOTAL 0-19 YRS	73	8.8	44	1	3	7	11	18	23	32
20-34	89	6.8	26	1	2	5	9	14	18	25
35-49	67	5.9	12	2	2	6	9	11	12	14
50-64	146	7.0	62	2	2	5	8	12	17	43
65+	220	7.8	70	2	2	6	10	15	21	57
GRAND TOTAL	595	7.4	52	2	2	6	9	14	19	34

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	6.8	61	2	3	5	6	16	29	30
20-34	17	6.9	26	2	3	6	7	12	20	24
35-49	167	6.2	13	2	3	6	7	9	14	21
50-64	953	5.5	6	2	3	5	7	8	10	14
65+	2488	6.0	10	2	3	5	7	10	12	17
2. MULTIPLE DX										
0-19 YRS	6	12.0	348	2	2	5	6	46	50	50
20-34	12	6.9	8	2	4	6	9	11	11	11
35-49	145	7.3	26	2	3	7	8	12	15	30
50-64	854	6.8	19	2	3	6	8	11	15	22
65+	3103	7.7	48	2	3	6	8	14	18	39
TOT. SINGLE DX	3636	5.9	9	2	3	5	7	9	12	16
" MULTIPLE DX	4120	7.5	42	2	3	6	8	13	17	34
TOTAL 0-19 YRS	17	8.6	153	2	2	5	6	25	43	50
20-34	29	6.9	18	2	3	6	8	11	13	24
35-49	312	6.7	19	2	3	6	7	11	14	24
50-64	1807	6.1	13	2	3	6	7	9	12	19
65+	5591	7.0	32	2	3	6	8	12	15	29
GRAND TOTAL	**7756**	**6.8**	**27**	**2**	**3**	**6**	**8**	**12**	**14**	**26**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	4.6	8	2	2	4	5	9	11	15
20-34	39	4.5	3	2	2	4	5	7	8	10
35-49	37	4.4	4	2	2	4	6	7	7	10
50-64	90	4.8	4	2	3	4	5	7	8	12
65+	151	4.9	3	2	3	4	6	7	8	10
2. MULTIPLE DX										
0-19 YRS	36	7.0	47	2	2	4	8	13	15	40
20-34	32	6.1	25	2	2	5	8	10	14	28
35-49	38	6.0	17	2	2	5	7	10	13	24
50-64	81	6.2	20	2	3	5	7	12	17	23
65+	230	8.0	133	3	3	5	8	12	17	92
TOT. SINGLE DX	385	4.7	4	2	2	4	5	7	8	11
" MULTIPLE DX	417	7.2	85	2	3	5	8	12	16	78
TOTAL 0-19 YRS	104	5.4	22	2	2	4	6	11	13	27
20-34	71	5.2	13	2	2	4	6	9	10	25
35-49	75	5.2	11	2	2	5	7	8	10	21
50-64	171	5.5	12	2	3	4	6	9	12	20
65+	381	6.7	84	3	3	5	7	10	15	84
GRAND TOTAL	**802**	**6.0**	**48**	**2**	**3**	**5**	**7**	**9**	**13**	**31**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	5.8	8	2	2	6	8	8	8	8
35-49	4	3.0	5	1	1	2	4	6	6	6
50-64	6	6.2	18	2	2	5	10	12	12	12
65+	37	5.2	7	1	2	5	7	9	11	13
2. MULTIPLE DX										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	19	5.9	10	1	2	6	7	10	14	15
65+	53	7.7	62	2	3	7	8	11	16	51
TOT. SINGLE DX	52	5.2	8	1	2	5	7	9	11	13
" MULTIPLE DX	75	7.1	47	2	2	6	7	10	16	47
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	5	6.0	7	2	2	7	8	8	8	8
35-49	6	2.5	4	1	1	2	3	6	6	6
50-64	25	6.0	12	1	2	6	7	12	13	15
65+	90	6.7	41	2	2	6	7	10	14	45
GRAND TOTAL	**127**	**6.3**	**32**	**2**	**2**	**6**	**7**	**10**	**13**	**39**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	7.8	19	2	3	6	10	14	15	21
20-34	76	6.6	13	2	2	6	8	11	13	19
35-49	58	7.2	15	2	3	7	9	13	15	17
50-64	131	7.7	22	2	3	7	10	13	15	25
65+	106	9.1	29	2	3	8	13	18	20	22
2. MULTIPLE DX										
0-19 YRS	15	8.3	17	2	3	8	10	12	18	20
20-34	45	7.4	12	3	4	7	9	12	14	20
35-49	62	7.4	16	2	3	7	9	14	16	19
50-64	146	8.3	21	3	3	8	10	14	17	26
65+	176	9.4	39	3	4	8	11	17	20	37
TOT. SINGLE DX	406	7.8	22	2	3	7	10	14	17	22
" MULTIPLE DX	444	8.5	27	3	4	7	10	14	18	26
TOTAL 0-19 YRS	50	7.9	18	2	3	7	10	14	15	21
20-34	121	6.9	13	2	3	6	8	12	13	20
35-49	120	7.3	15	2	3	7	9	13	16	18
50-64	277	8.0	22	2	3	7	10	14	17	25
65+	282	9.3	35	3	3	8	12	17	20	33
GRAND TOTAL	**850**	**8.2**	**24**	**2**	**3**	**7**	**10**	**14**	**18**	**24**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	5.4	13	<1	<1	6	8	10	11	11
20-34	21	3.6	4	2	2	3	5	6	8	10
35-49	5	5.0	16	2	2	4	6	12	12	12
50-64	12	5.0	12	2	2	4	6	9	14	15
65+	20	3.7	4	1	2	3	5	7	7	8
2. MULTIPLE DX										
0-19 YRS	12	4.3	11	<1	1	3	6	10	11	11
20-34	33	5.2	15	1	2	4	6	8	11	23
35-49	20	9.2	172	2	3	6	9	13	39	63
50-64	37	8.7	206	2	2	6	9	14	61	99+
65+	43	7.2	36	1	2	6	8	14	19	33
TOT. SINGLE DX	68	4.3	8	1	2	4	6	8	10	14
" MULTIPLE DX	145	7.2	92	1	2	5	8	12	17	91
TOTAL 0-19 YRS	22	4.8	12	<1	1	4	8	10	11	11
20-34	54	4.6	11	2	2	4	6	7	10	23
35-49	25	8.3	142	2	3	5	9	12	27	63
50-64	49	7.8	160	2	2	5	7	13	17	99+
65+	63	6.1	28	1	2	4	8	12	16	31
GRAND TOTAL	**213**	**6.2**	**67**	**1**	**2**	**4**	**7**	**11**	**15**	**73**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1645	2.1	7	1	1	2	2	3	3	6
20-34	314	2.3		1	2	2	3	3	3	5
35-49	93	2.4	2	1	1	2	3	3	4	10
50-64	44	2.4	1	1	2	2	3	3	4	6
65+	23	4.0	19	1	1	2	4	9	17	18
2. MULTIPLE DX										
0-19 YRS	352	2.3	4	1	1	2	2	3	4	15
20-34	100	2.6	4	1	2	2	3	3	4	14
35-49	44	2.5	3	1	2	2	2	3	5	10
50-64	39	2.6	2	1	2	2	3	4	6	7
65+	20	3.0	3	1	2	3	3	5	7	8
TOT. SINGLE DX	2119	2.2	6	1	1	2	2	3	3	6
" MULTIPLE DX	555	2.4	4	1	1	2	2	3	5	14
TOTAL 0-19 YRS	1997	2.1	7	1	1	2	2	3	3	7
20-34	414	2.3	1	1	2	2	3	3	3	7
35-49	137	2.4	2	1	2	2	3	3	4	10
50-64	83	2.5	1	1	2	2	3	4	5	7
65+	43	3.5	11	1	2	2	4	6	11	18
GRAND TOTAL	**2674**	**2.2**	**6**	**1**	**1**	**2**	**2**	**3**	**3**	**8**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	3	2.3		2	2	2	3	3	3	3
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	1	15.0		15	15	15	15	15	15	15
65+										
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	7.0	72	1	1	7	13	13	13	13
35-49										
50-64										
65+										
TOT. SINGLE DX	9	3.7	19	1	1	2	3	11	15	15
" MULTIPLE DX	3	5.3	44	1	1	2	10	13	13	13
TOTAL 0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	5	4.2	25	1	1	2	5	13	13	13
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	1	15.0		15	15	15	15	15	15	15
65+										
GRAND TOTAL	**12**	**4.1**	**22**	**1**	**1**	**2**	**4**	**14**	**15**	**15**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	65	4.5	23	1	1	3	5	12	14	25
20-34	42	5.6	30	1	2	4	6	10	20	28
35-49	19	[illegible]	13	1	2	7	10	12	13	13
50-64	37	[illegible]	87	2	2	6	12	16	21	55
65+	32	6.9	24	2	2	6	9	12	19	23
2. MULTIPLE DX										
0-19 YRS	35	8.1	33	1	2	7	10	16	21	26
20-34	48	7.5	46	2	2	6	9	13	17	36
35-49	34	9.0	64	2	2	7	12	28	32	99+
50-64	52	10.4	92	2	2	7	15	24	38	98
65+	68	9.7	68	3	4	7	13	19	22	53
TOT. SINGLE DX	195	6.2	38	1	2	4	8	13	17	27
" MULTIPLE DX	237	9.1	63	2	2	7	11	18	26	63
TOTAL 0-19 YRS	100	5.7	29	1	1	3	8	13	17	25
20-34	90	6.6	39	1	2	5	8	12	18	36
35-49	53	8.3	46	2	2	7	11	16	31	97
50-64	89	9.7	89	2	2	6	12	19	37	82
65+	100	8.8	55	2	3	7	10	18	21	41
GRAND TOTAL	**432**	**7.8**	**54**	**1**	**2**	**6**	**9**	**16**	**22**	**47**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	477	2.6	8	<1	1	2	2	4	6	16
20-34	89	2.0	1	<1	<1	2	2	3	4	5
35-49	44	2.7	8	<1	<1	2	3	5	6	19
50-64	41	3.3	10	<1	1	2	4	7	10	17
65+	36	4.9	102	<1	<1	2	4	8	14	61
2. MULTIPLE DX										
0-19 YRS	169	4.4	15	<1	1	3	6	8	12	19
20-34	80	3.9	24	<1	1	2	4	11	16	25
35-49	38	4.7	27	1	1	3	6	11	15	26
50-64	43	6.1	37	<1	1	4	8	17	20	25
65+	57	13.5	290	2	2	8	14	34	48	96
TOT. SINGLE DX	687	2.7	13	<1	1	2	3	4	6	16
" MULTIPLE DX	387	5.9	71	<1	1	3	7	13	18	40
TOTAL 0-19 YRS	646	3.1	11	<1	1	2	3	6	8	16
20-34	169	2.9	13	<1	<1	2	3	5	11	19
35-49	82	3.6	18	<1	1	2	4	7	11	24
50-64	84	4.8	25	<1	1	3	6	11	17	24
65+	93	10.2	233	<1	1	5	11	28	41	83
GRAND TOTAL	1074	3.8	36	<1	1	2	4	7	13	30

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	3.5	3	2	2	3	4	6	7	7
20-34	152	3.3	1	2	2	3	4	5	5	6
35-49	181	3.7	2	2	2	3	4	6	6	7
50-64	146	3.4	2	2	2	3	4	5	6	8
65+	34	3.6	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	15	4.0	8	2	2	3	4	7	11	12
20-34	63	3.5	4	2	2	3	4	7	7	12
35-49	77	3.9	12	2	2	3	4	6	7	25
50-64	74	4.3	11	2	2	3	5	8	11	20
65+	24	4.6	45	1	2	3	4	6	16	35
TOT. SINGLE DX	532	3.5	2	2	2	3	4	5	6	8
" MULTIPLE DX	253	4.0	13	2	2	3	4	7	9	22
TOTAL 0-19 YRS	34	3.7	5	2	2	3	4	7	7	12
20-34	215	3.3	2	2	2	3	4	5	6	9
35-49	258	3.7	5	2	2	3	4	6	6	10
50-64	220	3.7	5	2	2	3	4	6	7	14
65+	58	4.0	20	2	2	3	4	6	7	33
GRAND TOTAL	785	3.6	5	2	2	3	4	6	6	12

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	389	3.5	13	2	2	3	4	6	7	14
20-34	379	3.0	2	2	2	3	3	4	5	8
35-49	249	3.2	4	2	2	3	4	5	6	13
50-64	148	3.2	3	2	2	3	3	5	7	21
65+	35	3.1	2	2	2	3	3	4	6	8
2. MULTIPLE DX										
0-19 YRS	301	4.7	32	2	2	3	5	8	12	35
20-34	411	3.5	4	2	2	3	4	7	8	12
35-49	283	3.6	8	2	2	3	4	6	8	12
50-64	190	3.7	5	2	2	3	4	7	8	12
65+	31	3.5	4	2	2	3	4	6	8	10
TOT. SINGLE DX	1200	3.2	6	2	2	3	3	5	6	13
" MULTIPLE DX	1216	3.9	12	2	2	3	4	7	8	15
TOTAL 0-19 YRS	690	4.0	22	2	2	3	4	7	8	24
20-34	790	3.3	3	2	2	3	4	5	7	10
35-49	532	3.4	6	2	2	3	4	5	7	12
50-64	338	3.5	5	2	2	3	4	6	8	15
65+	66	3.3	3	2	2	3	4	5	7	10
GRAND TOTAL	2416	3.5	9	2	2	3	4	6	8	13

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1409	1.6	3	<1	<1	1	2	2	3	11
20-34	65	2.0	4	<1	<1	1	2	4	6	11
35-49	56	2.6	21	<1	<1	1	2	3	6	28
50-64	32	2.1	3	<1	<1	1	2	4	6	10
65+	22	2.2	7	<1	<1	2	2	3	7	14
2. MULTIPLE DX										
0-19 YRS	1397	3.3	22	<1	1	2	2	7	12	22
20-34	42	3.0	10	<1	<1	2	3	9	11	13
35-49	29	6.7	239	<1	<1	2	4	10	43	77
50-64	56	4.3	30	<1	<1	2	5	11	14	31
65+	22	8.2	185	1	2	3	11	29	76	99+
TOT. SINGLE DX	1584	1.7	4	<1	<1	1	2	2	4	12
" MULTIPLE DX	1546	3.4	28	<1	1	2	2	7	12	28
TOTAL 0-19 YRS	2806	2.4	13	<1	<1	2	2	4	8	18
20-34	107	2.4	7	<1	<1	1	2	5	9	13
35-49	85	4.0	97	<1	<1	2	3	6	13	64
50-64	88	3.5	21	<1	<1	2	3	9	12	27
65+	44	5.2	103	<1	<1	2	3	16	31	99+
GRAND TOTAL	**3130**	**2.5**	**17**	**<1**	**<1**	**2**	**2**	**4**	**9**	**20**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6.	6.7	22	2	3	5	8	14	17	23
20-34	86	4.5	4	2	2	4	5	8	8	11
35-49	49	4.6	5	2	2	4	5	8	9	12
50-64	45	4.8	6	2	2	4	6	8	10	14
65+	18	9.1	47	2	3	7	12	14	25	33
2. MULTIPLE DX										
0-19 YRS	118	6.9	37	2	2	5	8	16	20	33
20-34	140	5.4	13	2	3	4	6	10	12	24
35-49	104	5.6	12	2	3	4	8	10	12	56
50-64	82	5.7	14	2	3	5	7	10	13	23
65+	36	7.9	55	2	3	5	9	14	21	42
TOT. SINGLE DX	265	5.4	14	2	3	5	6	9	12	20
" MULTIPLE DX	480	6.1	23	2	3	4	7	11	16	26
TOTAL 0-19 YRS	185	6.8	31	2	3	5	8	15	20	30
20-34	226	5.1	10	2	3	4	6	8	10	19
35-49	153	5.3	10	2	3	4	7	10	11	21
50-64	127	5.4	11	2	3	5	7	9	12	20
65+	54	8.3	52	2	3	6	9	14	21	42
GRAND TOTAL	**745**	**5.8**	**19**	**2**	**3**	**5**	**7**	**10**	**14**	**25**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	90	2.7	8	<1	<1	1	3	7	10	13
20-34	47	3.0	6	<1	1	2	3	5	7	16
35-49	38	3.3	5	1	1	3	4	7	9	10
50-64	41	3.6	6	<1	1	3	4	6	9	13
65+	5	3.0	3	2	2	2	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	73	4.8	47	<1	<1	3	5	10	15	45
20-34	51	4.3	16	2	2	3	5	7	8	29
35-49	37	3.8	5	<1	1	3	5	7	8	8
50-64	34	4.9	47	2	2	3	4	8	15	40
65+	8	3.9	12	2	2	3	7	65	99+	99+
TOT. SINGLE DX	221	3.1	7	<1	<1	2	4	6	9	13
" MULTIPLE DX	203	4.4	30	<1	1	3	5	8	12	46
TOTAL 0-19 YRS	163	3.6	26	<1	<1	2	4	9	11	20
20-34	98	3.7	12	1	2	3	4	6	8	23
35-49	75	3.5	5	1	1	3	4	7	8	10
50-64	75	4.2	25	1	2	3	4	7	11	34
65+	13	3.5	8	2	2	3	5	21	82	99+
GRAND TOTAL	**424**	**3.7**	**18**	**<1**	**1**	**3**	**4**	**7**	**10**	**22**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	267	2.9	1	2	2	3	3	4	5	6
20-34	643	2.8	1	2	2	3	3	4	4	6
35-49	216	3.0	18	<1	2	3	3	4	4	7
50-64	113	3.0	2	2	2	3	3	4	5	11
65+	22	2.4		1	2	2	3	3	4	4
2. MULTIPLE DX										
0-19 YRS	244	3.3	16	2	2	3	3	5	6	11
20-34	684	2.9	2	2	2	3	3	4	5	6
35-49	337	3.2	9	1	2	3	3	4	6	15
50-64	190	3.7	9	2	2	3	4	5	8	23
65+	56	3.7	11	2	2	3	3	7	8	24
TOT. SINGLE DX	1261	2.9	4	2	2	3	3	4	4	6
" MULTIPLE DX	1511	3.2	7	2	2	3	3	4	5	12
TOTAL 0-19 YRS	511	3.1	8	2	2	3	3	4	5	8
20-34	1327	2.9	1	2	2	3	3	4	5	6
35-49	553	3.1	12	1	2	3	3	4	5	12
50-64	303	3.4	6	2	2	3	3	5	7	20
65+	78	3.4	8	2	2	3	3	6	7	20
GRAND TOTAL	**2772**	**3.0**	**6**	**2**	**2**	**3**	**3**	**4**	**5**	**10**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	600	3.2	2	1	2	3	4	5	6	8
20-34	1206	3.0	2	1	2	3	4	5	5	7
35-49	393	3.1	4	1	2	3	4	5	5	12
50-64	191	3.3	3	1	2	3	4	5	7	10
65+	26	2.9	1	1	2	3	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	420	3.3	5	1	1	3	4	5	7	10
20-34	981	3.6	7	1	2	3	4	6	7	11
35-49	393	3.9	7	1	2	3	4	6	7	15
50-64	206	4.4	12	1	2	3	5	7	11	21
65+	61	5.3	19	1	2	4	6	9	13	23
TOT. SINGLE DX	2416	3.1	2	1	2	3	4	5	6	8
" MULTIPLE DX	2061	3.7	7	1	2	3	4	6	7	15
TOTAL 0-19 YRS	1020	3.3	3	1	2	3	4	5	6	9
20-34	2187	3.3	4	1	2	3	4	5	6	10
35-49	786	3.5	6	1	2	3	4	5	7	14
50-64	397	3.9	8	1	2	3	4	7	8	19
65+	87	4.6	15	1	2	3	5	8	11	23
GRAND TOTAL	**4477**	**3.4**	**5**	**1**	**2**	**3**	**4**	**5**	**7**	**11**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	2.6	2	<1	1	2	3	4	6	8
20-34	98	2.5	2	<1	1	2	3	4	5	8
35-49	93	3.0	6	<1	1	2	3	4	7	15
50-64	124	3.0	11	<1	1	2	3	5	7	21
65+	112	4.5	48	1	2	2	4	8	12	46
2. MULTIPLE DX										
0-19 YRS	81	3.3	11	<1	1	2	3	6	8	22
20-34	127	3.2	7	1	2	3	3	5	7	18
35-49	162	3.2	7	1	2	2	3	5	8	14
50-64	243	4.2	25	1	2	3	4	7	11	31
65+	200	9.5	178	1	2	5	11	21	36	99
TOT. SINGLE DX	488	3.2	16	<1	1	2	3	5	8	17
" MULTIPLE DX	813	5.1	61	1	2	3	5	10	17	52
TOTAL 0-19 YRS	142	3.0	7	<1	1	2	3	5	7	13
20-34	225	2.9	5	<1	1	2	3	4	6	12
35-49	255	3.2	6	1	2	2	3	5	8	14
50-64	367	3.8	20	1	1	3	4	7	9	28
65+	312	7.7	137	1	2	4	8	17	28	86
GRAND TOTAL	**1301**	**4.4**	**45**	**1**	**1**	**3**	**4**	**8**	**14**	**36**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	347	1.9	2	<1	<1	1	2	3	5	7
20-34	321	2.2	3	<1	<1	2	2	4	6	8
35-49	90	3.0	5	<1	1	2	4	6	7	10
50-64	75	4.7	17	1	1	4	6	9	10	25
65+	75	4.5	9	1	1	4	6	8	11	14
2. MULTIPLE DX										
0-19 YRS	157	4.1	31	1	1	2	5	9	12	56
20-34	203	4.5	36	<1	1	3	5	9	13	32
35-49	82	5.4	22	1	1	4	7	10	13	27
50-64	143	6.4	47	2	2	5	8	10	15	30
65+	140	7.3	79	2	2	5	9	14	28	99+
TOT. SINGLE DX	908	2.5	5	<1	<1	2	3	5	7	11
" MULTIPLE DX	725	5.4	45	1	1	4	7	11	14	57
TOTAL 0-19 YRS	504	2.6	12	<1	<1	2	3	5	7	14
20-34	524	3.1	17	<1	<1	2	3	6	8	20
35-49	172	4.1	14	1	1	3	5	8	10	24
50-64	218	5.8	37	1	2	5	7	10	12	27
65+	215	6.3	56	1	2	4	7	13	18	99+
GRAND TOTAL	**1633**	**3.8**	**25**	**<1**	**1**	**2**	**5**	**8**	**11**	**27**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	3.4	2	2	2	3	4	5	6	6
20-34	57	3.2	3	1	2	3	4	5	6	9
35-49	52	4.1	3	2	2	4	5	7	7	10
50-64	41	4.0	3	2	2	4	5	6	7	9
65+	24	6.1	35	2	2	4	6	16	22	24
2. MULTIPLE DX										
0-19 YRS	13	3.5	2	1	2	3	4	5	6	6
20-34	61	5.0	37	2	2	4	5	8	10	44
35-49	75	4.9	18	2	3	4	5	8	11	29
50-64	67	5.8	20	2	2	5	6	12	17	22
65+	32	8.2	80	3	3	5	8	18	23	48
TOT. SINGLE DX	183	4.0	7	2	2	3	5	6	8	19
" MULTIPLE DX	248	5.5	31	2	2	4	5	10	16	31
TOTAL 0-19 YRS	22	3.5	2	1	2	3	4	5	6	6
20-34	118	4.2	21	1	2	3	5	7	8	27
35-49	127	4.6	12	2	2	4	5	7	9	24
50-64	108	5.1	14	2	2	4	5	9	13	21
65+	56	7.3	61	2	3	5	7	18	22	47
GRAND TOTAL	**431**	**4.9**	**21**	**2**	**2**	**4**	**5**	**8**	**12**	**23**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	3.6	19	<1	1	2	4	7	12	25
20-34	97	2.7	4	<1	1	2	3	6	7	10
35-49	100	2.9	5	<1	<1	2	4	6	8	10
50-64	52	3.6	7	<1	1	3	5	7	8	14
65+	26	4.5	29	<1	1	3	4	8	19	25
2. MULTIPLE DX										
0-19 YRS	82	5.5	53	<1	1	3	7	13	15	45
20-34	133	3.8	13	<1	1	3	4	8	11	18
35-49	120	4.1	21	<1	1	3	4	8	12	26
50-64	132	5.9	100	2	2	3	5	12	21	45
65+	48	6.0	34	1	2	3	7	12	19	28
TOT. SINGLE DX	338	3.2	9	<1	1	2	4	7	8	18
" MULTIPLE DX	515	4.9	46	<1	1	3	5	10	15	33
TOTAL 0-19 YRS	145	4.7	39	<1	1	2	5	11	15	35
20-34	230	3.3	10	<1	1	2	4	7	10	13
35-49	220	3.6	14	<1	1	2	4	7	10	21
50-64	184	5.3	75	1	2	3	5	8	21	33
65+	74	5.4	32	<1	1	3	6	11	19	27
GRAND TOTAL	**853**	**4.2**	**32**	**<1**	**1**	**3**	**4**	**8**	**12**	**26**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1271	1.3	1	<1	<1	1	1	2	2	4
20-34	1510	1.6	2	<1	<1	1	2	2	2	4
35-49	547	1.7	2	<1	<1	2	2	2	3	4
50-64	314	1.7	1	<1	<1	2	2	2	3	6
65+	118	1.8	1	<1	<1	2	2	2	3	7
2. MULTIPLE DX										
0-19 YRS	472	3.7	61	<1	<1	2	3	9	16	77
20-34	705	4.0	80	<1	<1	2	2	8	21	68
35-49	371	5.2	117	<1	<1	2	4	11	22	67
50-64	510	5.5	98	<1	1	2	4	15	25	97
65+	318	7.7	177	1	1	3	8	25	59	99+
TOT. SINGLE DX	3760	1.5	1	<1	<1	1	2	2	2	5
" MULTIPLE DX	2376	5.0	100	<1	<1	2	3	12	23	87
TOTAL 0-19 YRS	1743	2.0	18	<1	<1	1	2	2	5	17
20-34	2215	2.4	28	<1	<1	1	2	3	5	31
35-49	918	3.1	51	<1	<1	2	2	4	9	40
50-64	824	4.1	64	<1	<1	2	3	9	17	63
65+	436	6.1	136	1	1	2	4	18	35	99+
GRAND TOTAL	**6136**	**2.9**	**43**	**<1**	**<1**	**2**	**2**	**4**	**10**	**42**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	172	1.1		<1	<1	1	1	2	2	2
20-34	51	1.8	1	1	1	2	2	3	5	6
35-49	8	2.0	6	1	1	1	2	6	8	8
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	115	3.5	33	<1	<1	2	2	8	13	35
20-34	22	5.3	124	<1	<1	2	3	11	34	51
35-49	10	2.9	12	<1	<1	2	4	47	96	99+
50-64	2	5.0	18	2	2	8	77	99+	99+	99+
65+	2	3.5	1	3	3	3	4	4	4	4
TOT. SINGLE DX	233	1.3	1	<1	1	1	1	2	2	5
" MULTIPLE DX	151	3.7	44	<1	<1	2	3	10	17	98
TOTAL 0-19 YRS	287	2.1	15	<1	<1	1	2	3	8	18
20-34	73	2.9	40	1	1	2	2	5	6	44
35-49	18	2.5	9	<1	<1	1	2	10	60	99+
50-64	4	3.3	10	1	1	2	31	99+	99+	99+
65+	2	3.5	1	3	3	3	4	4	4	4
GRAND TOTAL	**384**	**2.3**	**19**	**<1**	**<1**	**1**	**2**	**3**	**8**	**39**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	2.8	8	<1	<1	2	3	7	9	15
20-34	44	3.5	9	<1	<1	2	5	8	10	12
35-49	64	3.3	5	<1	1	3	5	6	8	10
50-64	79	3.7	8	1	1	3	5	9	9	11
65+	19	2.5	4	<1	<1	2	4	4	7	9
2. MULTIPLE DX										
0-19 YRS	55	7.3	282	<1	<1	2	6	11	51	81
20-34	64	3.2	16	<1	<1	2	4	7	14	20
35-49	88	5.4	75	<1	<1	2	8	10	21	52
50-64	115	4.5	16	1	1	3	7	10	10	18
65+	45	6.8	73	1	1	3	7	21	22	46
TOT. SINGLE DX	260	3.3	7	<1	1	2	5	8	9	11
" MULTIPLE DX	367	5.2	78	<1	1	2	6	10	16	61
TOTAL 0-19 YRS	109	5.1	150	<1	<1	2	4	9	12	80
20-34	108	3.3	13	<1	<1	2	4	8	10	18
35-49	152	4.5	46	<1	1	3	5	10	11	22
50-64	194	4.2	13	1	1	3	6	9	10	17
65+	64	5.5	56	1	1	3	5	13	21	43
GRAND TOTAL	**627**	**4.4**	**49**	**<1**	**1**	**2**	**5**	**9**	**11**	**22**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	4.4	16	<1	1	3	5	9	16	18
20-34	127	4.3	6	1	1	4	5	7	9	12
35-49	118	4.8	29	2	2	4	5	8	10	28
50-64	111	4.9	7	2	2	4	6	8	10	17
65+	97	6.4	58	1	2	5	7	10	14	52
2. MULTIPLE DX										
0-19 YRS	19	4.9	5	1	2	5	6	8	10	10
20-34	59	4.5	8	2	2	4	5	8	12	14
35-49	72	6.4	31	2	2	4	8	11	17	34
50-64	90	7.6	52	2	2	5	10	15	21	39
65+	100	11.0	90	3	4	8	15	21	23	58
TOT. SINGLE DX	509	5.0	23	1	2	4	6	8	11	20
" MULTIPLE DX	340	7.7	54	2	2	5	9	16	21	38
TOTAL 0-19 YRS	75	4.6	13	1	1	4	5	9	13	18
20-34	186	4.4	7	1	2	4	5	7	10	13
35-49	190	5.4	30	2	2	4	6	9	11	31
50-64	201	6.1	29	2	2	5	7	11	15	37
65+	197	8.7	79	2	3	6	10	18	22	52
GRAND TOTAL	**849**	**6.0**	**37**	**2**	**2**	**5**	**7**	**11**	**16**	**37**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	117	7.2	17	1	3	7	9	13	15	18
20-34	6	4.7	3	2	2	5	6	7	7	7
35-49	5	4.8	7	2	2	4	7	8	8	8
50-64	2	5.0	2	4	4	5	6	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	84	9.2	35	2	3	8	13	16	19	33
20-34	10	7.4	89	2	3	5	5	20	34	34
35-49	3	12.7	40	9	9	9	17	20	20	20
50-64	2	12.5	181	3	3	12	22	22	22	22
65+	2	7.0	2	6	6	7	8	8	8	8
TOT. SINGLE DX	130	6.9	17	1	2	6	9	13	15	18
" MULTIPLE DX	101	9.2	41	2	3	8	12	17	21	35
TOTAL 0-19 YRS	201	8.0	26	1	3	7	11	15	17	23
20-34	16	6.4	56	2	2	5	6	7	26	34
35-49	8	7.8	32	2	2	7	9	17	20	20
50-64	4	8.8	80	3	3	5	14	22	22	22
65+	2	7.0	2	6	6	7	8	8	8	8
GRAND TOTAL	**231**	**7.9**	**28**	**2**	**3**	**7**	**10**	**15**	**18**	**28**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	334	3.8	12	<1	<1	2	6	8	10	14
20-34	83	4.2	15	<1	<1	3	6	8	14	17
35-49	108	5.3	44	1	1	4	6	10	14	43
50-64	129	5.8	69	<1	1	3	6	11	21	46
65+	129	5.8	83	1	1	3	6	9	19	56
2. MULTIPLE DX										
0-19 YRS	222	6.5	82	1	1	4	8	13	18	43
20-34	141	5.3	57	<1	<1	3	7	12	16	77
35-49	119	6.3	76	<1	1	4	7	14	17	57
50-64	156	11.4	237	1	2	5	14	32	49	99
65+	214	12.4	229	2	2	7	15	34	60	99+
TOT. SINGLE DX	783	4.7	38	<1	1	3	6	9	12	30
" MULTIPLE DX	852	8.7	150	1	1	5	10	21	33	90
TOTAL 0-19 YRS	556	4.9	41	<1	1	3	7	10	13	27
20-34	224	4.9	41	<1	<1	3	6	10	15	38
35-49	227	5.8	61	1	1	4	6	12	16	48
50-64	285	8.8	168	1	2	4	9	24	38	91
65+	343	10.0	184	1	2	5	11	26	43	99+
GRAND TOTAL	**1635**	**6.8**	**101**	**<1**	**1**	**4**	**7**	**15**	**24**	**69**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4120	2.4	3	1	2	2	3	3	4	6
20-34	2200	2.9	3	2	2	3	3	4	4	6
35-49	195	2.8	2	1	2	3	3	4	4	7
50-64	24	3.3	2	2	2	3	4	5	7	7
65+	10	4.7	11	2	2	4	5	10	11	11
2. MULTIPLE DX										
0-19 YRS	800	2.7	4	1	2	2	3	4	5	13
20-34	533	3.3	4	2	2	3	4	5	5	10
35-49	76	3.6	4	2	2	3	4	6	6	15
50-64	25	4.0	29	1	2	3	3	6	12	29
65+	14	5.8	37	2	2	4	5	19	21	21
TOT. SINGLE DX	6549	2.6	3	2	2	2	3	4	4	6
" MULTIPLE DX	1448	3.0	5	2	2	3	3	4	5	13
TOTAL 0-19 YRS	4920	2.5	3	1	2	2	3	3	4	7
20-34	2733	2.9	3	2	2	3	3	4	5	8
35-49	271	3.0	3	2	2	3	3	4	5	10
50-64	49	3.7	15	2	2	3	3	5	7	29
65+	24	5.3	26	2	2	4	5	12	20	21
GRAND TOTAL	**7997**	**2.7**	**3**	**2**	**2**	**2**	**3**	**4**	**4**	**8**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9473	2.2	2	1	2	2	2	3	3	5
20-34	107	3.0	10	1	2	3	3	4	5	19
35-49	6	3.2	1	2	2	3	4	4	4	4
50-64	9	3.2	8	1	1	2	4	8	10	10
65+	13	2.0		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	4076	2.4	5	2	2	2	2	3	4	13
20-34	24	3.6	5	2	2	3	4	5	8	13
35-49										
50-64	3	2.7	1	2	2	2	4	4	4	4
65+	9	5.8	42	2	2	2	8	17	18	18
TOT. SINGLE DX	9608	2.2	2	1	2	2	2	3	3	5
" MULTIPLE DX	4112	2.4	5	2	2	2	2	3	4	13
TOTAL 0-19 YRS	13549	2.2	3	1	2	2	2	3	3	8
20-34	131	3.2	9	1	2	3	3	4	5	17
35-49	6	3.2	1	2	2	3	4	4	4	4
50-64	12	[illegible]	6	1	1	2	4	6	9	10
65+	22	3.5	20	1	2	2	2	8	17	18
GRAND TOTAL	**13720**	**2.2**	**3**	**1**	**2**	**2**	**2**	**3**	**3**	**8**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	799	1.9	1	1	1	2	2	2	2	6
20-34	6	1.7		1	1	2	2	2	2	2
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1196	2.3	9	1	1	2	2	2	3	13
20-34	6	8.3	198	2	2	3	4	34	37	37
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	807	1.9	1	1	1	2	2	2	2	6
" MULTIPLE DX	1204	2.3	9	1	1	2	2	2	3	13
TOTAL 0-19 YRS	1995	2.2	6	1	1	2	2	2	3	13
20-34	12	5.0	102	1	1	2	3	14	34	37
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**2011**	**2.2**	**6**	**1**	**1**	**2**	**2**	**2**	**3**	**13**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	223	3.4	8	1	1	3	4	6	8	15
20-34	134	3.2	3	1	2	3	4	5	6	10
35-49	74	3.7	6	<1	2	3	4	7	9	11
50-64	41	11.2	359	1	2	4	10	41	76	99+
65+	33	7.0	74	1	2	4	9	16	23	45
2. MULTIPLE DX										
0-19 YRS	64	6.2	63	1	2	4	7	11	20	49
20-34	53	4.1	10	1	2	3	5	9	13	13
35-49	32	6.5	69	1	2	4	6	15	23	42
50-64	57	11.7	278	1	2	5	15	27	52	84
65+	41	10.2	157	1	2	7	11	25	54	99+
TOT. SINGLE DX	505	4.2	43	1	1	3	4	7	10	42
" MULTIPLE DX	247	7.7	124	1	2	4	9	18	27	70
TOTAL 0-19 YRS	287	4.0	21	1	1	3	4	8	10	26
20-34	187	3.4	5	1	2	3	4	5	8	13
35-49	106	4.5	26	1	2	3	5	9	11	31
50-64	98	11.5	309	1	2	4	13	31	63	98
65+	74	8.8	121	1	2	6	10	20	43	91
GRAND TOTAL	**752**	**5.4**	**72**	**1**	**2**	**3**	**5**	**10**	**18**	**62**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.7	6	2	2	5	6	7	7	7
20-34	2	2.0		2	2	2	2	2	2	2
35-49	4	3.0	8	1	1	2	5	7	7	7
50-64	5	4.2	1	3	3	4	5	5	5	5
65+	4	7.5	68	<1	<1	5	13	19	19	19
2. MULTIPLE DX										
0-19 YRS	8	4.5	31	1	1	3	4	14	18	18
20-34	4	7.5	12	3	3	8	10	11	11	11
35-49	7	8.0	17	3	3	7	9	15	16	16
50-64	13	7.6	81	1	1	4	8	20	31	34
65+	23	9.5	132	1	2	7	11	20	33	56
TOT. SINGLE DX	18	4.5	18	<1	1	3	5	8	15	19
" MULTIPLE DX	55	8.0	81	1	2	5	9	17	21	55
TOTAL 0-19 YRS	11	4.5	23	1	1	3	5	11	17	18
20-34	6	5.7	15	2	2	5	9	11	11	11
35-49	11	6.2	19	1	1	7	8	12	16	16
50-64	18	6.7	60	1	1	4	7	15	27	34
65+	27	9.2	120	<1	2	7	11	20	26	56
GRAND TOTAL	**7[illegible]**	**7.1**	**68**	**1**	**2**	**5**	**8**	**16**	**20**	**51**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	2.2	1	<1	<1	2	3	3	5	6
20-34	82	2.2	1	1	1	2	2	3	4	8
35-49	115	2.7	28	<1	<1	2	2	4	4	28
50-64	182	3.0	18	<1	1	2	3	5	7	23
65+	94	3.2	13	2	2	2	3	5	10	23
2. MULTIPLE DX										
0-19 YRS	7	2.7	3	1	1	2	5	72	99+	99+
20-34	38	3.1	11	<1	<1	2	3	8	9	18
35-49	63	3.1	11	<1	<1	2	3	6	11	18
50-64	156	5.1	61	<1	1	2	4	13	21	51
65+	120	7.6	170	1	2	3	8	16	31	75
TOT. SINGLE DX	530	2.8	15	<1	1	2	3	4	6	22
" MULTIPLE DX	384	5.3	83	<1	1	2	4	11	19	63
TOTAL 0-19 YRS	64	2.3	1	<1	<1	2	3	4	6	86
20-34	120	2.5	5	<1	1	2	2	4	7	12
35-49	178	2.9	22	<1	<1	2	3	4	7	18
50-64	338	4.0	38	<1	1	2	3	7	16	43
65+	214	5.7	105	2	2	2	4	11	17	59
GRAND TOTAL	**914**	**3.8**	**45**	**<1**	**1**	**2**	**3**	**7**	**13**	**44**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	20.0	769	3	3	5	40	52	52	52
20-34	3	2.0		2	2	2	2	2	2	2
35-49	2	2.0		2	2	2	2	2	2	2
50-64	13	10.9	88	1	2	8	18	24	27	28
65+	9	10.8	101	2	2	5	19	26	28	28
2. MULTIPLE DX										
0-19 YRS	3	7.0	19	2	2	9	10	10	10	10
20-34	4	18.5	202	4	4	16	27	38	38	38
35-49	4	12.5	188	2	2	8	22	32	32	32
50-64	21	22.1	521	1	2	17	27	58	78	86
65+	14	25.6	787	2	4	13	35	82	89	91
TOT. SINGLE DX	30	10.3	139	2	2	4	16	26	28	52
" MULTIPLE DX	46	21.0	513	2	2	13	26	49	82	91
TOTAL 0-19 YRS	6	13.5	366	2	2	7	10	48	52	52
20-34	7	11.4	179	2	2	4	16	34	38	38
35-49	6	9.0	142	2	2	3	12	30	32	32
50-64	34	17.8	378	1	2	14	24	36	67	86
65+	23	19.8	557	2	2	12	23	50	84	91
GRAND TOTAL	**76**	**16.8**	**390**	**2**	**2**	**11**	**23**	**38**	**65**	**90**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	5	17.0	19	12	12	16	21	22	22	22
50-64	14	26.4	243	12	15	20	29	47	63	68
65+	3	26.7	65	22	22	22	33	36	36	36
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	3	42.3	409	19	19	55	99+	99+	99+	99+
50-64	27	40.6	421	14	15	41	63	75	99+	99+
65+	11	33.2	201	15	18	34	56	99+	99+	99+
TOT. SINGLE DX	22	24.3	176	12	13	21	25	44	54	68
" MULTIPLE DX	41	38.7	356	14	17	38	62	99+	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49	8	26.5	300	12	13	21	55	99+	99+	99+
50-64	41	35.7	399	13	15	29	54	74	84	99+
65+	14	31.8	172	15	19	31	46	96	99+	99+
GRAND TOTAL	**63**	**33.7**	**338**	**14**	**15**	**29**	**54**	**75**	**99+**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+	1	70.0		70	70	70	70	70	70	70
2. MULTIPLE DX										
0-19 YRS	1	10.0		10	10	55	99+	99+	99+	99+
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	7	29.3	431	8	9	25	58	88	99+	99+
65+	2	48.5	1013	26	26	48	71	71	71	71
TOT. SINGLE DX	2	41.0	1682	12	12	41	70	70	70	70
" MULTIPLE DX	11	29.1	516	8	8	26	63	99+	99+	99+
TOTAL 0-19 YRS	1	10.0		10	10	55	99+	99+	99+	99+
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	8	27.1	406	8	9	24	57	84	99+	99+
65+	3	55.7	660	26	26	70	71	71	71	71
GRAND TOTAL	**13**	**30.9**	**590**	**8**	**8**	**26**	**67**	**99+**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	8.1	56	3	4	7	9	17	58	99+
20-34	8	4.9	27	1	1	3	5	14	17	17
35-49	8	16.1	356	2	2	11	19	48	59	59
50-64	7	9.3	106	2	2	4	15	27	29	29
65+	7	32.3	495	3	4	31	49	62	65	65
2. MULTIPLE DX										
0-19 YRS	29	17.1	345	1	2	14	25	94	99+	99+
20-34	22	13.9	162	1	2	15	31	99+	99+	99+
35-49	21	28.2	732	1	2	33	73	99+	99+	99+
50-64	47	35.0	672	2	3	34	64	99+	99+	99+
65+	46	36.0	909	2	3	35	69	99	99+	99+
TOT. SINGLE DX	53	12.2	218	2	2	6	14	39	58	99
" MULTIPLE DX	165	28.5	686	2	2	25	61	99+	99+	99+
TOTAL 0-19 YRS	52	13.1	234	1	3	8	19	49	99+	99+
20-34	30	11.5	140	1	2	6	22	51	99+	99+
35-49	29	24.9	642	2	2	19	64	99+	99+	99+
50-64	54	31.7	672	2	3	29	60	97	99+	99+
65+	53	35.5	845	2	3	34	65	97	99+	99+
GRAND TOTAL	**218**	**24.5**	**620**	**2**	**2**	**18**	**52**	**96**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	9.8	406	1	1	2	6	40	66	66
20-34	14	8.6	43	1	3	7	10	20	24	25
35-49	62	9.6	114	1	1	7	12	19	30	59
50-64	155	8.0	77	1	2	5	11	17	25	47
65+	144	9.6	73	1	2	7	14	21	29	40
2. MULTIPLE DX										
0-19 YRS	10	13.4	104	3	3	12	17	29	36	36
20-34	29	13.1	123	2	2	10	19	30	34	42
35-49	54	12.9	113	3	4	10	14	31	36	98
50-64	251	16.1	190	2	3	13	21	36	46	75
65+	329	18.4	244	2	3	15	25	41	51	99
TOT. SINGLE DX	385	8.9	87	1	2	6	12	19	26	47
" MULTIPLE DX	673	16.8	209	2	3	13	22	36	48	93
TOTAL 0-19 YRS	20	11.6	245	1	1	5	14	29	51	66
20-34	43	11.6	100	2	2	8	18	27	32	42
35-49	116	11.2	116	1	2	8	14	27	35	74
50-64	406	13.0	161	2	2	9	18	28	43	57
65+	473	15.7	208	2	2	12	22	34	46	87
GRAND TOTAL	**1058**	**13.9**	**179**	**2**	**2**	**10**	**19**	**31**	**43**	**73**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	10.0		10	10	10	10	10	10	10
50-64	2	11.0	200	1	1	11	21	21	21	21
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	42.0		42	42	42	42	42	42	42
35-49	1	34.0		34	34	34	34	34	34	34
50-64										
65+	2	11.5	61	6	6	17	79	99+	99+	99+
TOT. SINGLE DX	5	7.4	70	1	1	3	13	21	21	21
" MULTIPLE DX	4	24.8	265	6	6	34	56	99+	99+	99+
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	22.0	800	2	2	22	42	42	42	42
35-49	2	22.0	288	10	10	22	34	34	34	34
50-64	2	11.0	200	1	1	11	21	21	21	21
65+	2	11.5	61	6	6	17	79	99+	99+	99+
GRAND TOTAL	**9**	**15.1**	**218**	**1**	**1**	**13**	**34**	**71**	**99+**	**99+**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	12.9	72	5	6	10	16	27	33	33
20-34	37	12.2	163	3	5	9	14	19	42	69
35-49	42	12.0	49	2	3	10	14	24	27	30
50-64	81	14.9	134	2	4	13	20	24	31	75
65+	69	15.9	142	2	4	14	20	35	38	65
2. MULTIPLE DX										
0-19 YRS	23	12.7	164	5	5	9	17	67	99+	99+
20-34	61	12.3	54	5	5	11	17	22	28	93
35-49	97	17.3	121	7	8	14	21	31	41	62
50-64	213	19.2	170	4	8	16	24	33	42	78
65+	217	22.0	277	3	4	18	30	39	62	99
TOT. SINGLE DX	238	14.2	124	2	4	12	17	26	35	69
" MULTIPLE DX	611	19.0	197	4	6	16	24	36	45	95
TOTAL 0-19 YRS	32	12.7	135	5	5	9	17	36	93	99+
20-34	98	12.3	94	4	5	10	15	21	31	85
35-49	139	15.7	105	6	7	12	20	28	34	60
50-64	294	18.1	163	3	6	15	23	31	39	81
65+	286	20.6	251	3	4	17	27	37	54	96
GRAND TOTAL	**849**	**17.7**	**181**	**3**	**6**	**14**	**22**	**34**	**43**	**89**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	11	16.5	52	8	9	15	19	29	31	31
35-49	20	17.9	54	8	10	16	22	26	33	39
50-64	46	17.8	58	9	10	17	22	26	27	49
65+	35	18.9	55	9	11	19	23	25	30	47
2. MULTIPLE DX										
0-19 YRS	7	27.9	470	11	12	25	30	65	74	74
20-34	17	21.2	149	9	9	18	25	37	48	54
35-49	32	18.8	61	9	10	19	21	27	40	41
50-64	151	24.0	193	10	11	20	29	46	64	99+
65+	140	26.3	199	11	13	22	34	47	56	85
TOT. SINGLE DX	113	18.1	54	9	10	18	22	26	29	48
" MULTIPLE DX	347	24.4	189	10	11	20	32	44	59	99+
TOTAL 0-19 YRS	8	26.9	410	11	12	22	28	61	74	74
20-34	28	19.4	113	9	9	16	25	33	40	54
35-49	52	18.4	58	9	10	17	22	27	38	41
50-64	197	22.5	168	9	10	19	27	42	57	99+
65+	175	24.8	178	11	12	21	32	44	51	80
GRAND TOTAL	**460**	**22.8**	**163**	**10**	**11**	**19**	**28**	**41**	**51**	**97**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	5.9	78	<1	1	3	8	16	20	49
20-34	76	8.2	65	1	1	5	12	19	24	41
35-49	112	7.1	51	1	2	5	8	16	20	38
50-64	216	8.2	63	1	2	5	11	19	22	34
65+	172	10.1	94	2	2	8	13	22	32	46
2. MULTIPLE DX										
0-19 YRS	92	12.3	184	1	2	8	17	28	39	73
20-34	86	11.0	164	<1	1	8	14	21	33	76
35-49	153	12.1	176	1	2	8	15	28	38	69
50-64	446	15.2	169	2	3	12	20	31	43	63
65+	466	17.7	235	2	3	14	25	41	53	99+
TOT. SINGLE DX	670	8.2	73	1	1	5	11	19	24	40
" MULTIPLE DX	1243	15.2	200	2	2	11	21	35	45	88
TOTAL 0-19 YRS	186	9.1	140	1	1	4	13	21	33	58
20-34	162	9.6	118	1	1	6	13	20	26	47
35-49	265	10.0	129	1	2	6	13	23	35	64
50-64	662	12.9	145	2	2	10	18	27	38	59
65+	638	15.6	208	2	2	11	22	37	47	99+
GRAND TOTAL	**1913**	**12.8**	**167**	**1**	**2**	**9**	**17**	**29**	**40**	**81**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	6.0	23	1	1	4	11	13	14	14
20-34	7	6.9	23	1	1	6	10	14	15	15
35-49	4	12.0	246	2	2	6	22	35	35	35
50-64	6	8.5	20	1	2	9	11	14	14	14
65+	8	21.3	333	3	3	17	31	49	56	56
2. MULTIPLE DX										
0-19 YRS	9	12.7	129	2	3	8	20	32	36	36
20-34	3	16.3	104	9	9	12	24	28	28	28
35-49	11	17.7	174	2	4	15	24	38	48	49
50-64	15	16.7	190	3	5	11	23	43	46	47
65+	9	22.4	182	4	4	23	30	41	44	44
TOT. SINGLE DX	35	10.8	140	1	1	8	12	30	34	56
" MULTIPLE DX	47	17.3	164	3	4	14	26	36	44	49
TOTAL 0-19 YRS	19	9.2	81	1	1	7	12	22	31	36
20-34	10	9.7	60	1	2	9	12	21	28	28
35-49	15	16.2	184	2	2	13	24	35	45	49
50-64	21	14.4	152	2	4	10	19	34	45	47
65+	17	21.9	237	3	3	23	31	42	52	56
GRAND TOTAL	**82**	**14.5**	**162**	**2**	**2**	**10**	**22**	**34**	**43**	**54**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	6.3	19	2	3	5	7	11	16	27
20-34	183	6.3	19	2	3	5	8	12	14	21
35-49	36	9.2	83	2	3	6	10	21	27	48
50-64	45	13.3	126	2	3	7	24	30	34	41
65+	35	13.8	86	3	4	12	21	28	31	39
2. MULTIPLE DX										
0-19 YRS	85	16.6	265	4	4	11	20	35	52	86
20-34	123	12.6	172	3	4	9	13	27	52	99+
35-49	86	12.7	176	2	4	8	13	30	46	88
50-64	151	17.1	246	4	5	12	25	43	82	99+
65+	173	19.2	255	4	5	15	26	35	55	99+
TOT. SINGLE DX	362	8.2	53	2	3	6	9	17	26	36
" MULTIPLE DX	618	16.1	232	3	4	11	21	35	57	99+
TOTAL 0-19 YRS	148	12.2	185	3	3	7	14	25	37	76
20-34	306	8.8	90	3	3	6	10	16	24	70
35-49	122	11.7	151	2	3	7	13	28	45	76
50-64	196	16.2	220	3	4	12	25	36	65	99+
65+	208	18.3	230	4	5	14	24	35	49	99
GRAND TOTAL	**980**	**13.2**	**181**	**3**	**3**	**9**	**16**	**31**	**44**	**99+**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	58	7.8	24	1	2	7	10	13	16	31
20-34	74	7.9	35	1	2	7	10	15	21	29
35-49	51	9.9	76	1	2	8	14	19	23	47
50-64	63	13.0	187	2	2	10	16	26	33	83
65+	45	15.6	221	1	2	10	23	37	51	62
2. MULTIPLE DX										
0-19 YRS	43	18.0	235	3	5	13	24	41	64	99+
20-34	66	14.9	172	2	4	12	18	30	44	70
35-49	73	17.3	210	1	2	14	28	36	49	62
50-64	146	19.6	247	2	4	14	28	48	58	99+
65+	177	22.8	304	4	6	17	31	48	65	99+
TOT. SINGLE DX	291	10.5	109	1	2	8	13	22	30	55
" MULTIPLE DX	505	19.7	256	2	4	15	27	45	58	99+
TOTAL 0-19 YRS	101	12.1	138	1	3	8	14	27	39	84
20-34	140	11.2	111	1	2	8	14	22	30	57
35-49	124	14.3	167	1	2	11	21	32	38	59
50-64	209	17.6	237	2	3	13	23	45	56	99+
65+	222	21.3	295	3	5	16	30	46	61	99+
GRAND TOTAL	**796**	**16.3**	**222**	**2**	**3**	**12**	**22**	**37**	**51**	**93**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	11.2	16	3	4	12	13	15	17	18
20-34	25	11.6	8	9	9	11	12	15	18	21
35-49	38	13.2	14	9	10	12	14	20	22	23
50-64	26	16.0	43	10	11	14	16	25	31	40
65+	9	14.0	14	10	11	13	14	20	23	23
2. MULTIPLE DX										
0-19 YRS	52	20.2	172	9	10	15	27	38	48	74
20-34	41	17.1	125	8	9	12	18	37	47	49
35-49	57	18.0	99	9	10	15	20	30	39	56
50-64	126	19.3	116	10	11	17	22	28	41	89
65+	48	22.9	105	11	12	22	27	39	48	99+
TOT. SINGLE DX	122	13.1	22	9	10	12	14	18	22	32
" MULTIPLE DX	324	19.5	123	9	10	16	23	37	45	77
TOTAL 0-19 YRS	76	17.3	140	7	9	13	18	31	41	68
20-34	66	15.0	87	8	9	12	15	23	40	49
35-49	95	16.1	70	9	10	13	18	26	32	53
50-64	152	18.8	105	10	11	16	22	27	40	86
65+	57	21.5	100	11	12	20	26	39	47	96
GRAND TOTAL	**446**	**17.7**	**103**	**9**	**10**	**14**	**20**	**30**	**40**	**70**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	5	11.2	5	9	9	10	13	14	14	14
35-49	58	13.7	42	9	10	11	14	21	26	48
50-64	170	13.5	14	10	10	13	15	17	22	29
65+	29	18.0	55	11	11	16	20	31	35	37
2. MULTIPLE DX										
0-19 YRS										
20-34	8	13.4	13	9	10	13	14	19	21	21
35-49	190	15.9	48	10	10	13	18	25	32	43
50-64	630	17.1	67	10	11	14	20	27	33	50
65+	140	21.9	136	11	12	18	25	37	45	62
TOT. SINGLE DX	262	14.0	27	10	10	12	15	20	25	35
" MULTIPLE DX	968	17.5	76	10	11	15	20	28	35	54
TOTAL 0-19 YRS										
20-34	13	12.5	10	9	9	12	14	16	20	21
35-49	248	15.4	47	10	10	13	17	25	31	44
50-64	800	16.3	58	10	10	14	18	26	32	46
65+	169	21.2	124	11	12	17	24	36	42	61
GRAND TOTAL	**1230**	**16.8**	**67**	**10**	**10**	**14**	**19**	**27**	**34**	**50**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	224	2.9	8	2	2	2	3	3	5	15
20-34	118	3.4	9	1	2	3	3	6	10	19
35-49	362	3.3	7	1	2	3	3	6	9	14
50-64	564	3.6	15	1	2	2	3	8	12	23
65+	95	3.6	16	1	1	2	3	8	13	21
2. MULTIPLE DX										
0-19 YRS	195	5.0	60	2	2	3	4	11	18	52
20-34	135	5.3	36	1	2	3	5	13	19	31
35-49	632	6.0	46	2	2	3	8	14	18	33
50-64	1282	6.2	42	2	2	3	8	15	19	31
65+	334	9.1	100	2	2	4	13	21	28	46
TOT. SINGLE DX	1363	3.4	11	1	2	2	3	6	10	20
" MULTIPLE DX	2578	6.4	53	2	2	3	8	16	20	35
TOTAL 0-19 YRS	419	3.9	33	2	2	2	3	6	13	40
20-34	253	4.4	24	1	2	3	4	10	15	26
35-49	994	5.0	34	2	2	3	5	12	16	31
50-64	1846	5.4	35	1	2	3	6	13	18	30
65+	429	7.9	86	1	2	3	11	20	25	44
GRAND TOTAL	**3941**	**5.4**	**40**	**1**	**2**	**3**	**6**	**13**	**18**	**32**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	6.0	32	2	2	4	7	16	17	17
20-34	8	5.8	10	2	2	5	8	10	11	11
35-49	32	8.8	126	2	2	4	8	26	40	45
50-64	130	8.3	63	2	2	6	11	17	21	43
65+	431	6.9	37	1	2	5	9	14	18	31
2. MULTIPLE DX										
0-19 YRS	8	11.4	171	3	3	6	14	34	41	41
20-34	14	8.6	70	2	2	7	9	21	30	32
35-49	80	12.9	70	2	3	12	17	23	28	43
50-64	389	14.5	132	3	3	12	19	28	34	57
65+	1228	13.9	134	2	3	11	19	29	38	74
TOT. SINGLE DX	607	7.2	47	2	2	5	9	14	19	37
" MULTIPLE DX	1719	13.9	130	2	3	11	19	28	37	69
TOTAL 0-19 YRS	14	9.1	112	2	2	5	9	21	37	41
20-34	22	7.6	48	2	2	6	8	15	25	32
35-49	112	11.7	89	2	2	9	16	24	29	45
50-64	519	12.9	122	2	3	10	18	26	33	55
65+	1659	12.1	118	2	3	9	16	26	34	68
GRAND TOTAL	**2326**	**12.2**	**117**	**2**	**3**	**9**	**16**	**26**	**34**	**62**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	6.4	21	<1	1	6	10	12	12	12
20-34	9	12.2	7	9	9	12	14	16	17	17
35-49	6	9.8	19	2	3	10	12	15	15	15
50-64	7	13.7	165	1	1	13	15	35	40	40
65+	7	12.1	57	2	3	11	13	24	27	27
2. MULTIPLE DX										
0-19 YRS	7	11.1	36	2	3	12	14	20	21	21
20-34	13	14.2	115	1	2	14	17	29	39	41
35-49	29	19.1	125	9	10	15	22	41	45	48
50-64	47	21.4	285	4	5	18	28	45	59	99+
65+	20	26.7	317	11	13	24	34	66	92	99+
TOT. SINGLE DX	37	10.8	52	1	2	11	13	16	23	40
" MULTIPLE DX	116	20.3	228	4	7	15	25	42	52	99+
TOTAL 0-19 YRS	15	8.6	32	<1	2	9	12	14	19	21
20-34	22	13.4	69	2	3	12	16	21	32	41
35-49	35	17.5	118	7	9	15	21	40	44	48
50-64	54	20.4	272	3	4	15	28	42	54	99+
65+	27	22.9	287	8	9	19	27	50	86	99+
GRAND TOTAL	**153**	**18.0**	**201**	**2**	**4**	**14**	**23**	**40**	**48**	**99+**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	4.4	42	1	1	2	5	7	20	30
20-34	13	4.2	24	1	1	2	4	13	16	17
35-49	12	2.6	3	<1	1	2	3	5	7	7
50-64	43	4.0	9	1	1	3	5	8	11	14
65+	22	9.7	406	1	1	3	8	22	62	91
2. MULTIPLE DX										
0-19 YRS	19	11.4	141	1	2	7	14	27	42	49
20-34	13	12.7	109	2	3	12	17	26	37	39
35-49	30	10.1	95	2	2	6	15	29	37	99+
50-64	55	15.3	267	2	2	9	19	37	53	75
65+	69	18.7	358	2	2	12	28	45	62	85
TOT. SINGLE DX	109	5.1	98	1	1	2	5	9	13	62
" MULTIPLE DX	186	15.1	256	2	2	10	20	37	50	84
TOTAL 0-19 YRS	38	7.9	102	1	1	5	9	18	32	49
20-34	26	8.4	83	1	1	5	13	21	26	39
35-49	42	7.9	80	1	2	4	11	23	36	99+
50-64	98	10.3	184	1	2	5	12	28	40	70
65+	91	16.5	380	1	2	10	22	43	62	90
GRAND TOTAL	**295**	**11.4**	**221**	**1**	**2**	**5**	**14**	**31**	**43**	**82**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	3.5	5	<1	1	3	4	7	9	10
20-34	631	4.6	6	2	3	4	5	7	8	10
35-49	1010	5.1	10	2	3	4	6	8	10	17
50-64	891	6.0	20	2	3	5	7	10	13	23
65+	193	6.9	36	2	3	5	7	13	18	35
2. MULTIPLE DX										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	136	6.2	28	2	3	5	7	10	15	39
35-49	375	6.5	23	2	3	5	8	12	16	25
50-64	502	9.1	85	3	3	6	10	19	24	53
65+	175	12.3	148	3	4	8	14	28	40	62
TOT. SINGLE DX	2756	5.4	14	2	3	5	6	8	11	20
" MULTIPLE DX	1190	8.4	72	3	3	6	9	16	23	47
TOTAL 0-19 YRS	33	3.5	5	<1	1	3	4	7	9	10
20-34	767	4.9	10	2	3	4	6	8	9	15
35-49	1385	5.5	13	2	3	5	6	9	11	21
50-64	1393	7.1	46	3	3	5	8	12	18	37
65+	368	9.5	96	3	3	6	11	19	31	50
GRAND TOTAL	**3946**	**6.3**	**34**	**2**	**3**	**5**	**7**	**10**	**15**	**33**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	13.0	19	10	10	11	16	18	18	18
20-34	11	16.9	175	5	6	12	22	40	44	44
35-49	55	14.0	35	6	8	13	17	23	25	29
50-64	245	13.4	53	6	7	12	15	20	22	43
65+	188	14.0	36	7	8	12	17	23	26	33
2. MULTIPLE DX										
0-19 YRS	16	21.6	286	5	5	15	28	52	61	64
20-34	49	18.3	194	3	5	14	23	45	56	99+
35-49	169	15.3	91	5	7	14	18	26	31	66
50-64	760	17.8	127	8	9	15	20	30	44	80
65+	652	21.3	203	8	10	17	24	41	56	99+
TOT. SINGLE DX	502	13.8	47	6	7	12	16	21	25	40
" MULTIPLE DX	1646	19.0	161	7	9	16	22	34	51	99
TOTAL 0-19 YRS	19	20.2	251	5	6	14	27	45	59	64
20-34	60	18.1	188	3	5	13	23	43	55	95
35-49	224	15.0	77	5	8	14	18	24	29	62
50-64	1005	16.7	113	7	9	14	19	27	38	77
65+	840	19.6	175	8	9	16	23	35	53	99+
GRAND TOTAL	**2148**	**17.8**	**139**	**7**	**8**	**15**	**20**	**31**	**44**	**89**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64	1	14.0		14	14	14	14	14	14	14
65+										
TOT. SINGLE DX										
" MULTIPLE DX	1	14.0		14	14	14	14	14	14	14
TOTAL 0-19 YRS										
20-34										
35-49										
50-64	1	14.0		14	14	14	14	14	14	14
65+										
GRAND TOTAL	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	3	5.3	26	1	1	4	9	11	11	11
35-49	7	6.0	26	1	1	3	9	14	15	15
50-64	6	4.5	16	1	1	3	5	11	12	12
65+	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	19	8.5	64	1	2	6	13	27	65	99+
20-34	84	7.2	49	1	1	5	9	15	23	35
35-49	66	7.1	30	1	2	5	11	17	18	23
50-64	170	9.2	120	1	1	6	12	19	29	86
65+	83	11.3	116	1	2	8	14	25	35	51
TOT. SINGLE DX	20	5.0	17	1	1	3	8	11	13	15
" MULTIPLE DX	422	8.9	90	1	1	6	11	19	28	52
TOTAL 0-19 YRS	21	8.0	61	1	2	5	13	26	59	99+
20-34	87	7.1	48	1	1	5	9	15	22	34
35-49	73	7.0	29	1	2	5	10	16	18	23
50-64	176	9.0	117	1	1	5	12	19	29	83
65+	85	11.2	115	2	2	8	14	24	35	51
GRAND TOTAL	**442**	**8.7**	**87**	**1**	**1**	**6**	**11**	**19**	**27**	**51**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98· 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104	9.1	40	1	2	9	12	15	21	33
20-34	103	8.2	104	<1	1	4	11	18	25	58
35-49	123	10.3	81	1	2	8	13	21	30	44
50-64	221	12.3	111	2	4	11	15	21	27	75
65+	220	13.2	78	3	5	12	16	22	28	48
2. MULTIPLE DX										
0-19 YRS	444	23.4	506	3	5	16	34	72	89	99+
20-34	230	12.2	135	1	2	9	17	30	45	99+
35-49	281	16.5	238	1	3	12	22	37	64	99+
50-64	1001	17.6	205	4	6	14	21	35	56	99+
65+	1073	19.9	227	5	7	16	24	41	59	99+
TOT. SINGLE DX	771	11.3	89	2	2	10	14	20	27	45
" MULTIPLE DX	3029	18.7	262	3	5	14	24	42	66	99+
TOTAL 0-19 YRS	548	20.7	449	2	4	13	28	64	84	99+
20-34	333	11.0	128	1	2	8	15	26	39	99+
35-49	404	14.6	198	1	2	11	18	33	52	99+
50-64	1222	16.6	192	3	5	13	20	32	50	99+
65+	1293	18.7	208	4	7	15	23	39	54	99+
GRAND TOTAL	3800	17.2	236	2	4	13	21	38	58	99+

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	183	4.4	28	<1	1	2	5	10	15	25
20-34	219	4.9	28	<1	1	3	6	11	14	22
35-49	128	8.1	95	1	1	4	11	19	25	62
50-64	147	7.1	45	1	2	4	10	18	21	27
65+	97	9.4	75	2	2	6	12	22	28	38
2. MULTIPLE DX										
0-19 YRS	74	10.9	182	2	2	7	12	23	43	71
20-34	107	9.9	144	1	2	8	13	18	25	72
35-49	129	11.5	154	2	2	8	16	27	34	60
50-64	320	14.2	203	2	2	9	19	34	41	66
65+	274	15.4	193	2	3	13	20	34	51	97
TOT. SINGLE DX	774	6.3	51	<1	1	3	8	15	21	33
" MULTIPLE DX	904	13.4	187	2	2	9	18	30	42	74
TOTAL 0-19 YRS	257	6.3	80	<1	1	3	7	13	22	48
20-34	326	6.5	71	<1	1	4	9	14	18	52
35-49	257	9.8	127	1	2	6	13	23	31	60
50-64	467	12.0	164	1	2	8	16	27	38	56
65+	371	13.8	169	2	2	10	19	31	43	83
GRAND TOTAL	1678	10.1	137	1	2	6	13	23	34	61

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	7.5	141	1	1	2	7	28	36	36
20-34	19	7.3	27	2	2	5	11	16	17	17
35-49	15	10.2	64	1	2	6	20	21	22	22
50-64	21	9.7	56	2	3	8	13	19	26	33
65+	22	9.7	41	1	2	9	13	19	23	27
2. MULTIPLE DX										
0-19 YRS	6	17.0	236	2	3	13	19	43	46	46
20-34	27	13.6	146	3	4	10	16	25	37	63
35-49	36	13.1	129	3	3	11	13	26	37	60
50-64	71	17.3	175	4	5	12	26	36	45	56
65+	66	17.6	168	2	4	14	25	33	43	95
TOT. SINGLE DX	85	9.0	53	1	2	7	12	20	21	35
" MULTIPLE DX	206	16.2	163	3	5	12	22	34	43	67
TOTAL 0-19 YRS	14	11.6	191	1	2	6	15	37	44	46
20-34	46	11.0	105	2	3	10	15	18	27	63
35-49	51	12.2	110	3	3	10	14	23	32	60
50-64	92	15.6	157	3	4	11	22	35	42	55
65+	88	15.6	147	1	3	13	22	32	40	89
GRAND TOTAL	291	14.1	141	2	3	11	18	31	38	62

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	2	15.5	113	8	8	15	23	23	23	23
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	6	33.3	122	23	23	31	42	49	50	50
35-49										
50-64	1	43.0		43	43	43	43	43	43	43
65+										
TOT. SINGLE DX	2	15.5	113	8	8	15	23	23	23	23
" MULTIPLE DX	7	34.7	115	23	23	35	43	49	50	50
TOTAL 0-19 YRS										
20-34	6	33.3	122	23	23	31	42	49	50	50
35-49	2	15.5	113	8	8	15	23	23	23	23
50-64	1	43.0		43	43	43	43	43	43	43
65+										
GRAND TOTAL	9	30.4	172	8	14	27	42	47	50	50

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34										
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	1	38.0		38	38	38	38	38	38	38
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
TOT. SINGLE DX	3	4.0	4	2	2	4	5	6	6	6
" MULTIPLE DX	2	22.0	512	6	6	22	38	38	38	38
TOTAL 0-19 YRS	3	14.7	409	2	2	4	29	38	38	38
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	6.0		6	6	6	6	6	6	6
65+										
GRAND TOTAL	5	11.2	227	2	2	6	14	38	38	38

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	189	11.4	140	2	3	8	13	24	37	99
20-34	109	14.2	211	3	4	9	15	30	49	73
35-49	103	12.4	127	2	3	9	14	30	34	55
50-64	132	14.5	132	3	4	12	18	28	39	53
65+	193	14.5	151	2	4	11	19	27	43	76
2. MULTIPLE DX										
0-19 YRS	212	12.7	145	1	4	9	16	26	38	74
20-34	256	17.2	255	4	5	11	21	42	64	99+
35-49	266	17.0	192	3	5	13	22	32	43	85
50-64	545	18.8	196	4	6	15	24	38	49	73
65+	1111	21.3	288	5	6	17	28	48	69	99+
TOT. SINGLE DX	726	13.3	151	2	4	9	16	28	38	73
" MULTIPLE DX	2390	19.1	246	4	6	14	24	42	58	99+
TOTAL 0-19 YRS	401	12.1	143	2	3	8	15	25	37	93
20-34	365	16.3	243	4	5	10	20	37	63	97
35-49	369	15.7	178	3	4	12	20	32	42	68
50-64	677	17.9	186	4	5	14	23	37	47	72
65+	1304	20.3	273	4	6	16	26	45	63	99+
GRAND TOTAL	3116	17.7	230	3	5	13	23	38	54	99+

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	6.7	67	1	1	3	7	19	26	33
20-34	17	7.2	167	<1	1	4	5	12	41	56
35-49	4	7.3	73	2	2	3	12	20	20	20
50-64	1	17.0		17	17	17	17	17	17	17
65+	3	13.7	342	2	2	4	27	35	35	35
2. MULTIPLE DX										
0-19 YRS	63	11.3	279	1	1	6	12	25	40	95
20-34	46	15.5	370	1	1	6	24	44	57	86
35-49	35	9.1	86	1	2	6	11	21	26	46
50-64	53	12.1	131	1	2	9	14	26	36	57
65+	61	12.6	80	3	3	11	21	31	99+	99+
TOT. SINGLE DX	47	7.6	113	1	1	4	7	20	33	56
" MULTIPLE DX	258	12.2	192	1	2	8	16	31	45	99+
TOTAL 0-19 YRS	85	10.1	227	1	1	5	11	22	35	91
20-34	63	13.3	326	1	1	5	16	43	56	82
35-49	39	8.9	83	1	2	5	11	21	24	46
50-64	54	12.2	129	1	2	9	15	25	35	57
65+	64	12.6	87	2	3	11	21	33	99+	99+
GRAND TOTAL	305	11.5	183	1	2	7	15	30	44	99+

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	5.4	34	1	1	3	9	13	17	25
20-34	23	5.4	22	<1	<1	4	8	10	14	21
35-49	46	6.7	48	<1	1	4	9	19	23	30
50-64	72	8.2	59	1	2	5	12	18	24	36
65+	104	7.5	60	1	2	5	10	16	20	45
2. MULTIPLE DX										
0-19 YRS	28	15.1	375	1	2	10	28	99+	99+	99+
20-34	46	8.6	41	1	2	7	12	21	25	99+
35-49	89	14.5	200	2	3	10	18	37	49	89
50-64	191	15.9	321	1	2	10	20	35	58	95
65+	344	15.3	215	2	3	11	21	35	51	99+
TOT. SINGLE DX	271	7.2	52	1	1	5	9	16	21	36
" MULTIPLE DX	698	14.9	239	1	2	10	20	35	58	99+
TOTAL 0-19 YRS	54	10.5	231	1	1	6	14	64	99+	99+
20-34	69	7.6	37	<1	1	7	11	15	23	86
35-49	135	11.9	162	<1	2	8	15	30	41	76
50-64	263	13.8	260	1	2	9	17	30	51	92
65+	448	13.5	190	2	2	9	18	31	45	99+
GRAND TOTAL	969	12.8	198	1	2	8	17	30	46	99+

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	208	7.0	17	3	3	6	8	12	15	27
20-34	4	8.8	4	6	6	9	10	10	10	10
35-49	4	13.5	35	9	9	11	17	22	22	22
50-64	1	11.0		11	11	11	11	11	11	11
65+	3	16.7	74	9	9	15	23	26	26	26
2. MULTIPLE DX										
0-19 YRS	84	10.0	34	4	4	8	13	17	23	28
20-34	3	8.0	7	6	6	7	10	11	11	11
35-49	4	14.8	58	9	9	12	19	26	26	26
50-64	7	26.3	298	10	10	16	44	50	50	50
65+	11	28.3	520	6	9	20	34	61	87	89
TOT. SINGLE DX	220	7.3	19	3	4	6	9	12	16	27
" MULTIPLE DX	109	13.0	136	4	5	9	16	26	33	66
TOTAL 0-19 YRS	292	7.9	24	3	4	7	9	14	17	28
20-34	7	8.4	4	6	6	9	10	11	11	11
35-49	8	14.1	40	9	9	12	17	25	26	26
50-64	8	24.4	285	10	10	16	40	49	50	50
65+	14	25.8	436	7	9	19	27	48	80	89
GRAND TOTAL	329	9.2	65	3	4	7	11	16	24	44

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	21.0		21	21	21	21	21	21	21
50-64	4	23.8	126	15	15	20	31	40	40	40
65+	2	21.0	2	20	20	21	22	22	22	22
2. MULTIPLE DX										
0-19 YRS	6	29.7	724	9	9	56	99+	99+	99+	99+
20-34	7	23.9	64	13	14	28	31	80	99+	99+
35-49	1	28.0		28	28	28	28	28	28	28
50-64	14	45.9	1228	3	4	60	86	99	99+	99+
65+	17	35.4	374	9	13	43	62	99+	99+	99+
TOT. SINGLE DX	9	18.3	120	3	3	20	22	33	40	40
" MULTIPLE DX	45	35.9	652	6	10	37	80	99+	99+	99+
TOTAL 0-19 YRS	7	26.0	698	4	6	38	99+	99+	99+	99+
20-34	8	21.3	109	3	7	27	31	73	99+	99+
35-49	2	24.5	25	21	21	24	28	28	28	28
50-64	18	41.0	1052	3	5	38	79	98	99+	99+
65+	19	33.8	353	9	14	42	55	99+	99+	99+
GRAND TOTAL	54	33.0	603	4	9	31	73	99+	99+	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	19.8	268	5	5	17	33	40	40	40
20-34	26	8.3	93	<1	<1	6	9	17	24	49
35-49	53	7.9	104	<1	2	6	9	14	19	71
50-64	92	9.5	47	1	1	8	14	18	22	34
65+	97	10.4	81	1	2	8	12	19	25	54
2. MULTIPLE DX										
0-19 YRS	11	10.9	90	3	4	7	11	26	35	36
20-34	82	10.0	68	1	3	8	14	20	27	82
35-49	174	12.3	119	3	3	9	15	25	36	62
50-64	343	12.6	112	1	3	10	15	25	37	64
65+	618	16.1	151	3	5	13	21	31	38	74
TOT. SINGLE DX	272	9.5	79	1	2	8	12	18	24	48
" MULTIPLE DX	1228	14.1	133	2	4	11	18	29	37	67
TOTAL 0-19 YRS	15	13.3	138	3	5	8	18	36	39	40
20-34	108	9.6	74	<1	1	7	13	19	26	70
35-49	227	11.3	119	2	3	8	14	23	33	67
50-64	435	11.9	99	1	3	10	15	23	32	62
65+	715	15.3	145	2	4	12	19	30	37	68
GRAND TOTAL	1500	13.3	126	2	3	11	17	27	36	64

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	18.3	64	10	10	19	24	26	26	26
20-34	55	11.4	17	6	7	10	14	18	18	23
35-49	85	13.3	20	8	8	13	15	20	22	28
50-64	116	13.9	25	9	9	13	16	20	25	32
65+	58	18.7	80	9	10	16	22	30	37	50
2. MULTIPLE DX										
0-19 YRS	3	14.0	48	10	10	10	19	22	22	22
20-34	69	16.8	124	8	9	13	19	33	45	93
35-49	150	18.1	172	9	9	13	20	34	39	73
50-64	258	20.7	170	9	10	17	25	38	50	81
65+	257	24.4	186	10	12	21	31	45	58	99+
TOT. SINGLE DX	317	14.2	38	8	9	13	16	22	26	37
" MULTIPLE DX	737	21.1	178	9	10	17	26	40	52	99+
TOTAL 0-19 YRS	6	16.2	51	10	10	15	22	26	26	26
20-34	124	14.4	84	7	8	11	17	22	39	74
35-49	235	16.3	122	8	9	13	19	27	35	71
50-64	374	18.6	[illegible]	9	9	15	22	32	46	73
65+	315	23.4	171	10	11	20	28	44	54	99+
GRAND TOTAL	**1054**	**19.0**	**146**	**8**	**9**	**15**	**22**	**35**	**46**	**81**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	27.0		27	27	27	27	27	27	27
50-64	8	26.9	438	10	12	20	28	63	76	76
65+	4	28.3	139	17	17	26	37	44	44	44
2. MULTIPLE DX										
0-19 YRS										
20-34	7	20.3	29	11	12	22	24	27	27	27
35-49	12	23.9	175	12	14	20	27	41	58	61
50-64	41	32.0	411	13	14	23	45	61	78	89
65+	40	34.0	319	16	17	28	41	59	70	92
TOT. SINGLE DX	13	27.3	291	11	15	22	31	50	71	76
" MULTIPLE DX	100	31.0	331	13	15	26	39	56	70	90
TOTAL 0-19 YRS										
20-34	7	20.3	29	11	12	22	24	27	27	27
35-49	13	24.2	161	12	14	22	27	38	57	61
50-64	49	31.2	410	13	14	22	44	64	77	89
65+	44	33.5	302	16	17	28	41	57	68	92
GRAND TOTAL	**113**	**30.6**	**325**	**13**	**15**	**25**	**38**	**55**	**70**	**90**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	11.2	24	6	7	9	13	16	23	25
20-34	100	10.8	18	6	7	10	12	17	22	63
35-49	144	10.8	23	7	7	9	12	18	20	31
50-64	99	12.0	34	7	7	10	14	20	23	39
65+	32	16.7	56	9	10	16	19	28	32	42
2. MULTIPLE DX										
0-19 YRS	3	11.3	5	10	10	10	13	14	14	14
20-34	93	13.3	61	7	7	11	15	21	30	47
35-49	164	14.7	77	7	8	12	16	26	31	52
50-64	156	15.1	61	7	8	12	18	26	29	46
65+	115	22.1	212	9	10	17	27	34	50	85
TOT. SINGLE DX	389	11.6	29	7	7	10	13	19	22	36
" MULTIPLE DX	531	16.1	108	7	8	13	19	28	34	56
TOTAL 0-19 YRS	17	11.2	20	6	7	10	13	15	22	25
20-34	193	12.0	40	6	7	10	13	20	25	47
35-49	308	12.9	55	7	8	10	15	21	27	44
50-64	255	13.9	53	7	8	11	17	23	27	44
65+	147	20.9	182	9	10	17	26	32	47	83
GRAND TOTAL	**920**	**14.2**	**80**	**7**	**8**	**11**	**17**	**24**	**30**	**51**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	9.7	14	4	6	9	11	16	17	17
20-34	138	10.3	34	5	6	9	11	17	22	34
35-49	162	9.5	28	5	6	9	10	12	17	39
50-64	131	12.5	94	6	7	10	13	19	28	93
65+	73	15.8	118	7	7	12	17	27	41	60
2. MULTIPLE DX										
0-19 YRS	17	17.8	194	6	7	12	23	45	49	50
20-34	114	12.6	110	5	6	10	15	23	34	99+
35-49	244	14.4	112	6	7	11	16	29	37	89
50-64	326	17.5	195	7	8	13	21	35	49	94
65+	297	22.9	231	8	9	19	28	50	63	99+
TOT. SINGLE DX	519	11.4	63	6	6	9	12	18	25	47
" MULTIPLE DX	998	17.8	189	7	7	13	22	35	51	99+
TOTAL 0-19 YRS	32	14.0	123	6	6	10	15	29	46	50
20-34	252	11.3	69	5	6	9	13	19	26	83
35-49	406	12.4	84	6	7	9	13	24	32	52
50-64	457	16.1	171	6	7	11	18	34	41	93
65+	370	21.5	216	8	9	17	26	42	62	99+
GRAND TOTAL	**1517**	**15.6**	**155**	**6**	**7**	**11**	**18**	**31**	**43**	**91**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	9.9	85	1	2	7	11	25	28	48
20-34	115	9.1	42	1	2	8	12	16	20	37
35-49	71	8.9	37	1	2	8	13	17	20	29
50-64	110	8.2	60	1	1	7	12	17	22	39
65+	74	8.8	64	1	2	6	13	18	24	44
2. MULTIPLE DX										
0-19 YRS	116	12.3	107	3	4	9	15	27	41	69
20-34	145	13.5	133	3	4	10	16	27	41	50
35-49	141	13.0	105	3	3	10	18	26	32	99+
50-64	269	13.9	150	2	3	12	17	26	32	76
65+	342	16.0	170	3	4	13	21	34	46	70
TOT. SINGLE DX	466	9.0	58	1	2	7	12	18	23	37
" MULTIPLE DX	1013	14.3	144	3	4	11	18	28	39	75
TOTAL 0-19 YRS	212	11.3	98	2	3	8	14	25	33	55
20-34	260	11.6	97	2	3	9	14	22	31	48
35-49	212	11.7	86	2	3	9	16	23	29	79
50-64	379	12.3	130	2	2	10	16	24	29	73
65+	416	14.7	159	2	3	12	19	32	42	68
GRAND TOTAL	**1479**	**12.6**	**123**	**2**	**3**	**10**	**16**	**25**	**34**	**66**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	12.9	144	6	6	10	11	29	46	48
20-34	22	14.3	54	6	7	12	19	24	30	34
35-49	17	13.4	48	7	8	11	15	21	30	35
50-64	26	16.6	120	8	9	14	18	28	39	61
65+	15	21.5	207	8	9	17	29	51	52	53
2. MULTIPLE DX										
0-19 YRS	37	24.5	509	8	8	16	40	93	99+	99+
20-34	60	22.2	220	7	8	17	33	50	58	99+
35-49	51	20.4	168	9	10	15	30	41	64	99+
50-64	88	23.8	203	9	10	20	30	46	58	89
65+	128	26.8	359	9	11	20	35	59	78	99+
TOT. SINGLE DX	91	15.8	111	7	8	12	18	29	35	58
" MULTIPLE DX	364	24.2	289	8	9	19	32	58	76	99+
TOTAL 0-19 YRS	48	21.8	445	6	8	12	34	80	99+	99+
20-34	82	20.0	186	7	7	16	26	48	56	99+
35-49	68	18.6	146	8	9	14	25	37	61	99+
50-64	114	22.1	192	9	9	18	28	46	58	82
65+	143	26.3	345	9	11	19	33	59	76	99+
GRAND TOTAL	**455**	**22.5**	**264**	**8**	**9**	**17**	**29**	**51**	**66**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	14.8	38	5	7	15	17	25	26	27
20-34	49	18.4	169	8	8	13	24	44	58	99+
35-49	94	15.2	55	9	10	13	17	23	27	50
50-64	196	16.2	41	10	10	14	18	25	29	39
65+	232	18.8	62	9	11	18	22	28	33	50
2. MULTIPLE DX										
0-19 YRS	30	33.4	439	8	10	28	34	68	74	79
20-34	130	22.2	229	8	10	18	29	48	80	99+
35-49	217	19.2	105	9	10	16	22	34	42	59
50-64	548	20.8	136	10	11	17	25	34	45	87
65+	968	25.2	209	11	12	22	31	47	70	99+
TOT. SINGLE DX	592	17.2	64	9	10	15	20	26	32	51
" MULTIPLE DX	1893	23.2	188	10	11	19	29	42	58	99+
TOTAL 0-19 YRS	51	25.7	356	7	8	18	34	55	69	79
20-34	179	21.2	214	8	9	15	27	46	67	99+
35-49	311	18.0	93	9	10	15	21	31	40	55
50-64	744	19.6	115	10	11	16	23	32	41	78
65+	1200	24.0	187	10	12	21	29	44	58	99+
GRAND TOTAL	**2485**	**21.7**	**165**	**10**	**11**	**18**	**27**	**40**	**53**	**99+**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	6.0	7	3	3	5	8	10	10	10
20-34	11	17.4	205	6	7	11	20	41	53	54
35-49	16	15.0	54	7	7	12	19	28	28	28
50-64	11	24.1	511	10	11	14	23	67	75	76
65+	16	17.4	69	8	9	14	24	29	33	35
2. MULTIPLE DX										
0-19 YRS	7	18.0	401	5	6	10	18	54	62	62
20-34	10	11.8	50	7	7	10	16	58	96	99+
35-49	38	22.6	196	7	9	18	29	48	52	54
50-64	53	22.8	183	9	11	21	29	43	76	99+
65+	81	30.7	396	10	11	26	43	69	93	99+
TOT. SINGLE DX	59	17.0	177	6	7	13	21	29	45	75
" MULTIPLE DX	189	25.4	301	8	10	21	35	55	81	99+
TOTAL 0-19 YRS	12	13.0	260	3	4	8	11	33	58	62
20-34	21	14.7	133	6	7	11	17	39	72	99+
35-49	54	20.3	164	7	9	15	28	38	51	54
50-64	64	23.1	233	10	11	19	29	45	77	99+
65+	97	28.5	366	10	11	24	41	66	87	99+
GRAND TOTAL	**248**	**23.4**	**283**	**7**	**9**	**18**	**31**	**52**	**74**	**99+**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	7.1	10	3	4	6	9	12	13	14
20-34	92	11.1	38	6	7	10	12	14	17	47
35-49	118	11.0	29	5	7	10	13	15	18	38
50-64	70	13.3	39	7	7	11	16	22	26	34
65+	85	12.8	79	3	5	11	15	21	26	58
2. MULTIPLE DX										
0-19 YRS	53	14.2	133	4	5	11	17	30	48	98
20-34	118	14.3	63	6	8	12	18	24	32	99+
35-49	182	16.4	112	7	8	13	20	28	40	74
50-64	240	16.1	129	5	7	13	19	33	40	99+
65+	281	18.5	174	7	8	15	22	35	48	99+
TOT. SINGLE DX	419	11.3	43	4	5	10	13	17	22	41
" MULTIPLE DX	874	16.5	133	6	7	13	20	31	41	99+
TOTAL 0-19 YRS	107	10.6	83	3	4	8	12	21	30	74
20-34	210	12.9	54	6	7	11	14	22	27	99+
35-49	300	14.3	86	6	7	12	16	23	31	57
50-64	310	15.4	110	5	7	12	19	29	36	96
65+	366	17.1	157	5	7	14	20	32	41	98
GRAND TOTAL	**1293**	**14.8**	**110**	**5**	**7**	**12**	**17**	**27**	**36**	**92**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	13.3	57	8	8	10	19	22	22	22
20-34	13	18.7	327	1	1	14	22	38	66	72
35-49	6	18.8	225	9	9	13	17	46	49	49
50-64	18	19.2	148	5	7	17	26	37	46	50
65+	23	26.5	208	8	10	23	41	48	67	99+
2. MULTIPLE DX										
0-19 YRS	9	27.3	620	8	10	20	27	67	91	91
20-34	19	23.4	133	9	11	20	37	44	74	99+
35-49	43	28.3	455	9	11	23	32	59	84	97
50-64	84	30.3	290	9	11	28	42	58	65	92
65+	129	30.5	364	12	14	26	44	69	99	99+
TOT. SINGLE DX	63	21.5	214	6	8	17	31	46	51	96
" MULTIPLE DX	284	29.5	347	10	12	25	39	63	85	99+
TOTAL 0-19 YRS	12	23.8	501	8	8	19	24	50	85	91
20-34	32	21.5	210	2	8	19	29	42	68	99+
35-49	49	27.1	432	9	11	20	31	52	84	97
50-64	102	28.4	281	8	10	27	39	55	64	88
65+	152	29.9	341	10	13	25	43	65	99	99+
GRAND TOTAL	**347**	**28.1**	**332**	**8**	**11**	**23**	**39**	**60**	**81**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4664	4.9	10	2	3	4	6	8	10	16
20-34	2575	4.9	7	2	3	4	6	7	9	15
35-49	595	5.7	8	3	3	5	7	9	11	17
50-64	258	7.2	17	3	3	6	9	12	16	24
65+	96	9.2	43	3	3	8	11	17	20	41
2. MULTIPLE DX										
0-19 YRS	1210	7.1	27	3	3	5	8	13	17	27
20-34	842	7.2	25	3	3	6	9	13	17	30
35-49	279	9.8	57	3	4	8	12	17	21	47
50-64	211	12.7	85	4	5	10	15	23	28	57
65+	165	16.9	170	5	6	13	21	29	45	69
TOT. SINGLE DX	8188	5.1	10	2	3	4	6	8	10	16
" MULTIPLE DX	2707	8.5	50	3	3	6	10	16	21	37
TOTAL 0-19 YRS	5874	5.4	14	2	3	4	6	9	12	19
20-34	3417	5.4	13	2	3	5	6	9	11	19
35-49	874	7.0	27	3	3	5	8	12	16	24
50-64	469	9.7	55	3	4	7	11	18	23	37
65+	261	14.1	137	4	5	10	17	26	37	67
GRAND TOTAL	**10895**	**5.9**	**22**	**3**	**3**	**5**	**7**	**10**	**14**	**24**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	5.2	5	2	3	5	6	8	10	14
20-34	53	6.2	22	2	3	5	7	10	16	30
35-49	9	6.4	12	4	4	5	7	12	15	15
50-64	5	9.0	7	7	7	8	11	13	13	13
65+	3	12.3	44	5	5	14	17	18	18	18
2. MULTIPLE DX										
0-19 YRS	23	6.4	27	3	4	5	6	9	17	29
20-34	23	5.5	15	2	2	4	7	10	14	19
35-49	6	11.7	103	3	3	9	15	28	30	30
50-64	7	22.3	571	9	10	12	18	64	76	76
65+	5	10.2	28	5	5	9	12	19	19	19
TOT. SINGLE DX	142	6.0	14	2	3	5	7	10	13	20
" MULTIPLE DX	64	8.6	106	2	3	5	10	17	22	70
TOTAL 0-19 YRS	95	5.5	11	2	3	5	6	8	10	22
20-34	76	6.0	19	2	3	5	7	10	15	27
35-49	15	8.5	50	3	4	6	11	15	26	30
50-64	12	16.8	361	7	7	12	15	35	70	76
65+	8	11.0	30	5	5	9	16	19	19	19
GRAND TOTAL	**206**	**6.8**	**43**	**3**	**3**	**5**	**7**	**12**	**17**	**30**

605: Operations on Appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	9.4	25	3	4	8	14	17	19	20
20-34	22	8.8	22	4	4	7	11	15	21	22
35-49	10	10.7	41	4	4	9	15	20	22	22
50-64	5	14.4	18	10	10	13	17	21	21	21
65+	1	41.0		41	41	41	41	41	41	41
2. MULTIPLE DX										
0-19 YRS	10	15.3	42	3	4	16	20	22	23	23
20-34	7	15.3	60	5	6	12	23	25	25	25
35-49	3	13.3	72	5	5	13	20	22	22	22
50-64	4	14.8	18	12	12	13	17	21	21	21
65+	4	22.8	128	8	8	25	31	33	33	33
TOT. SINGLE DX	73	10.2	40	4	4	8	13	19	21	37
" MULTIPLE DX	28	16.1	57	5	5	15	21	25	30	33
TOTAL 0-19 YRS	45	10.7	34	3	4	9	15	19	21	23
20-34	29	10.3	38	4	4	8	12	21	24	25
35-49	13	11.3	44	4	4	11	16	22	22	22
50-64	9	14.6	16	10	11	13	17	21	21	21
65+	5	26.4	162	8	8	30	35	41	41	41
GRAND TOTAL	**101**	**11.8**	**51**	**4**	**4**	**10**	**16**	**21**	**23**	**37**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	88	7.2	51	2	2	5	9	15	20	37
20-34	137	8.1	39	1	2	6	11	15	21	32
35-49	95	7.5	78	1	2	5	9	16	20	54
50-64	129	6.7	40	1	1	4	10	15	17	32
65+	188	6.4	35	2	2	5	8	14	20	27
2. MULTIPLE DX										
0-19 YRS	67	10.3	61	3	3	8	14	20	27	38
20-34	111	11.6	94	2	3	9	16	21	28	54
35-49	114	10.3	103	1	2	7	14	19	30	63
50-64	223	11.9	130	2	2	9	16	25	34	89
65+	412	13.7	163	2	3	11	18	28	43	99+
TOT. SINGLE DX	637	7.1	46	1	2	5	9	15	20	35
" MULTIPLE DX	927	12.4	133	2	3	9	16	26	37	94
TOTAL 0-19 YRS	155	8.5	57	2	2	7	12	19	22	39
20-34	248	9.6	66	2	2	7	13	18	23	43
35-49	209	9.1	93	1	2	6	12	17	23	63
50-64	352	10.0	103	1	2	7	13	22	30	65
65+	600	11.4	134	2	2	8	15	25	37	99+
GRAND TOTAL	**1564**	**10.2**	**104**	**2**	**2**	**7**	**14**	**21**	**30**	**67**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	5.0	9	3	3	4	6	10	10	10
20-34	35	4.0	8	<1	1	3	6	7	8	13
35-49	20	3.7	7	1	1	3	5	8	9	10
50-64	10	2.9	3	1	1	2	4	5	6	6
65+	4	9.3	53	4	4	6	13	20	20	20
2. MULTIPLE DX										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	10	7.8	44	2	2	6	8	19	24	24
35-49	8	4.5	1	3	3	5	5	6	6	6
50-64	12	10.3	32	2	3	10	15	18	19	19
65+	7	12.6	103	3	4	9	26	79	99+	99+
TOT. SINGLE DX	74	4.1	10	1	1	3	6	8	9	18
" MULTIPLE DX	38	9.0	46	2	3	7	14	21	28	99+
TOTAL 0-19 YRS	6	6.7	23	3	3	4	10	14	15	15
20-34	45	4.8	18	<1	1	4	7	8	13	24
35-49	28	3.9	5	1	1	4	5	8	8	10
50-64	22	7.0	32	1	1	5	11	16	18	19
65+	11	11.4	80	3	4	8	21	52	93	99+
GRAND TOTAL	**112**	**5.8**	**27**	**1**	**1**	**4**	**7**	**14**	**19**	**56**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	19.4	44	15	15	18	21	31	31	31
20-34	9	26.2	191	10	10	24	37	46	48	48
35-49	35	20.1	82	10	12	19	23	28	41	52
50-64	91	18.7	42	10	11	18	22	28	31	36
65+	87	21.1	78	10	12	20	26	33	39	82
2. MULTIPLE DX										
0-19 YRS	16	29.9	367	6	11	23	39	56	71	77
20-34	37	27.1	235	9	11	23	36	52	58	67
35-49	91	21.5	202	9	11	19	25	32	45	96
50-64	263	24.3	124	11	13	22	31	41	48	99+
65+	400	28.8	247	12	13	25	36	52	66	99+
TOT. SINGLE DX	227	20.2	69	10	11	19	24	32	36	52
" MULTIPLE DX	807	26.4	210	11	13	23	34	47	59	99+
TOTAL 0-19 YRS	21	27.4	305	8	13	19	38	51	66	77
20-34	46	26.9	222	9	11	23	36	49	57	67
35-49	126	21.1	168	9	11	19	24	31	44	93
50-64	354	22.9	109	10	12	21	28	38	46	98
65+	487	27.4	225	12	13	24	34	50	63	99+
GRAND TOTAL	**1034**	**25.1**	**186**	**11**	**12**	**22**	**31**	**44**	**53**	**99+**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	8.2	23	2	2	9	12	14	14	14
20-34	19	6.5	16	2	3	5	8	12	16	18
35-49	41	7.6	21	2	3	6	10	15	16	21
50-64	39	9.0	42	1	3	7	10	18	22	32
65+	28	12.3	85	3	4	9	16	24	30	44
2. MULTIPLE DX										
0-19 YRS	7	13.6	78	2	3	12	20	27	28	28
20-34	29	10.2	48	1	3	8	14	22	23	28
35-49	44	15.6	155	3	4	13	19	37	44	54
50-64	94	15.1	246	3	4	11	17	30	45	90
65+	115	20.8	304	3	6	16	27	45	61	97
TOT. SINGLE DX	132	8.9	43	2	3	7	11	17	21	34
" MULTIPLE DX	289	16.9	241	3	4	12	21	34	49	91
TOTAL 0-19 YRS	12	11.3	58	2	2	10	14	24	27	28
20-34	48	8.8	38	2	3	7	12	18	22	28
35-49	85	11.8	106	3	3	9	14	23	38	53
50-64	133	13.3	194	3	4	9	16	27	34	90
65+	143	19.1	271	3	5	14	24	40	51	95
GRAND TOTAL	421	14.4	193	3	4	10	18	29	42	90

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	4.7	22	1	1	3	5	10	16	23
20-34	235	4.8	10	2	2	4	6	8	10	17
35-49	218	5.4	26	2	3	4	6	10	13	26
50-64	98	6.0	14	2	3	5	7	11	14	20
65+	33	4.9	6	2	3	4	6	8	9	13
2. MULTIPLE DX										
0-19 YRS	19	10.0	134	1	1	6	12	26	38	47
20-34	140	5.8	25	2	2	5	7	10	13	30
35-49	149	6.8	37	2	2	5	7	12	25	31
50-64	132	7.2	25	2	3	6	9	13	18	28
65+	44	11.7	246	2	3	7	11	40	71	99+
TOT. SINGLE DX	621	5.2	17	2	2	4	6	9	12	21
" MULTIPLE DX	484	7.2	55	2	2	5	8	13	19	41
TOTAL 0-19 YRS	56	6.5	65	1	1	4	7	14	24	46
20-34	375	5.2	16	2	2	4	6	9	11	23
35-49	367	5.9	30	2	2	4	6	10	16	31
50-64	230	6.7	21	2	3	6	8	12	15	22
65+	77	8.8	153	2	3	5	9	14	41	92
GRAND TOTAL	1105	6.1	34	2	2	5	7	11	15	32

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	3.5	4	1	1	3	5	6	7	10
20-34	221	3.4	5	<1	1	3	4	6	7	13
35-49	125	4.0	7	1	2	3	5	6	8	16
50-64	61	5.3	30	1	1	4	6	8	18	32
65+	26	4.2	10	<1	1	4	5	7	13	14
2. MULTIPLE DX										
0-19 YRS	22	3.7	8	<1	<1	3	5	7	11	12
20-34	138	5.3	17	1	2	4	6	8	12	25
35-49	130	5.2	11	1	2	4	6	9	12	17
50-64	117	5.6	14	2	3	5	6	10	14	22
65+	54	9.7	153	2	3	6	9	23	29	81
TOT. SINGLE DX	484	3.8	9	<1	1	3	5	6	8	16
" MULTIPLE DX	461	5.8	32	1	2	5	6	10	14	28
TOTAL 0-19 YRS	73	3.6	5	<1	1	3	5	6	8	12
20-34	359	4.1	10	<1	1	4	5	7	9	20
35-49	255	4.6	9	1	2	4	6	8	10	16
50-64	178	5.5	19	1	2	4	6	10	15	22
65+	80	7.9	113	1	2	5	9	14	26	68
GRAND TOTAL	945	4.8	21	1	2	4	6	8	12	23

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	5.2	1	3	4	5	6	7	7	7
20-34	587	5.4	4	3	3	5	6	8	9	11
35-49	750	5.9	7	3	3	5	7	9	10	15
50-64	554	6.1	8	3	4	6	7	9	10	14
65+	155	6.7	31	3	3	6	8	10	12	19
2. MULTIPLE DX										
0-19 YRS	21	5.1	8	1	2	4	7	9	10	12
20-34	528	6.0	9	3	4	5	7	9	11	19
35-49	853	6.9	32	3	4	6	7	10	14	27
50-64	656	7.8	31	3	4	6	8	12	16	29
65+	278	9.4	54	3	4	7	11	17	23	57
TOT. SINGLE DX	2060	5.9	8	3	3	5	7	9	10	14
" MULTIPLE DX	2336	7.2	30	3	4	6	8	11	15	28
TOTAL 0-19 YRS	35	5.2	5	1	3	5	7	8	9	12
20-34	1115	5.7	6	3	3	5	7	8	10	15
35-49	1603	6.4	20	3	4	6	7	9	12	21
50-64	1210	7.0	21	3	4	6	8	10	14	25
65+	433	8.4	47	3	4	7	9	15	19	55
GRAND TOTAL	4396	6.6	20	3	4	6	7	10	13	24

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	4.0	16	<1	1	3	5	8	10	24
20-34	320	4.3	16	1	1	3	5	8	11	21
35-49	233	4.0	8	1	1	3	5	7	9	13
50-64	135	5.5	19	1	2	5	7	11	12	20
65+	57	6.0	91	1	2	4	7	8	10	70
2. MULTIPLE DX										
0-19 YRS	61	7.4	40	1	2	5	11	14	17	32
20-34	198	6.6	88	1	2	4	7	12	17	63
35-49	148	6.4	32	1	2	5	8	13	16	28
50-64	120	9.3	127	1	2	5	11	19	25	67
65+	101	11.5	152	2	3	7	15	24	31	94
TOT. SINGLE DX	816	4.5	19	1	1	4	6	8	[illegible]	20
" MULTIPLE DX	628	7.9	91	1	2	5	9	16	23	65
TOTAL 0-19 YRS	132	5.6	29	1	1	4	7	13	15	28
20-34	518	5.2	44	1	1	4	6	10	12	29
35-49	381	4.9	19	1	1	4	6	9	13	19
50-64	255	7.3	73	1	2	5	9	14	19	53
65+	158	9.5	136	1	2	6	10	21	29	88
GRAND TOTAL	**1444**	**6.0**	**53**	**1**	**1**	**4**	**7**	**12**	**16**	**33**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	12.0	2	11	11	12	13	13	13	13
20-34	5	14.0	328	<1	<1	8	22	45	45	45
35-49	2	8.0	8	6	6	8	10	10	10	10
50-64	4	28.5	156	16	16	28	39	42	42	42
65+	4	16.0	297	3	3	10	28	40	40	40
2. MULTIPLE DX										
0-19 YRS	3	25.3	660	10	10	11	44	55	55	55
20-34										
35-49	9	20.9	55	11	12	21	24	32	35	35
50-64	11	14.0	89	3	6	11	22	54	93	99+
65+	8	16.6	146	8	8	13	17	37	45	45
TOT. SINGLE DX	17	16.9	217	1	2	13	24	42	44	45
" MULTIPLE DX	31	17.8	137	8	8	14	22	38	54	99+
TOTAL 0-19 YRS	5	20.0	384	10	10	11	23	55	55	55
20-34	5	14.0	328	<1	<1	8	22	45	45	45
35-49	11	18.5	72	6	8	20	22	31	35	35
50-64	15	17.9	141	4	8	16	30	41	83	99+
65+	12	16.4	174	3	4	13	18	41	44	45
GRAND TOTAL	**48**	**17.5**	**161**	**2**	**5**	**14**	**22**	**41**	**46**	**99+**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	9.4	61	2	2	7	12	20	24	34
20-34	102	7.3	83	1	1	4	10	18	24	49
35-49	102	8.5	86	1	1	5	10	23	33	36
50-64	116	10.5	137	1	1	7	15	29	34	50
65+	58	11.4	89	1	2	9	15	25	29	42
2. MULTIPLE DX										
0-19 YRS	46	21.2	469	4	5	15	31	84	99+	99+
20-34	166	13.2	130	1	2	10	19	29	47	99+
35-49	233	15.0	163	2	2	12	20	33	41	62
50-64	374	15.7	146	2	2	14	21	31	38	55
65+	312	17.7	154	2	5	15	23	37	47	70
TOT. SINGLE DX	403	9.2	100	1	1	6	12	23	31	38
" MULTIPLE DX	1131	16.0	165	2	2	13	22	34	45	89
TOTAL 0-19 YRS	71	17.0	354	2	4	11	22	48	96	99+
20-34	268	10.9	120	1	2	8	16	24	41	99+
35-49	335	13.0	148	2	2	9	18	29	37	61
50-64	490	14.5	149	1	2	12	19	31	37	55
65+	370	16.7	149	2	4	14	22	34	45	67
GRAND TOTAL	**1534**	**14.2**	**157**	**1**	**2**	**11**	**19**	**31**	**40**	**68**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	254	7.8	8	5	5	7	9	11	14	18
20-34	2306	7.8	10	5	5	7	9	11	13	19
35-49	1862	8.2	9	5	5	8	9	11	13	19
50-64	1857	9.1	16	5	6	8	10	13	17	24
65+	789	11.2	29	6	7	9	13	18	23	34
2. MULTIPLE DX										
0-19 YRS	132	9.9	27	5	6	9	12	15	19	33
20-34	1619	9.4	23	5	6	8	10	14	18	29
35-49	1788	10.6	39	5	6	9	12	17	22	37
50-64	2517	12.1	59	6	7	10	14	20	26	46
65+	2160	17.0	115	7	8	14	21	31	39	63
TOT. SINGLE DX	7068	8.6	15	5	5	8	9	12	16	24
" MULTIPLE DX	8216	12.5	70	6	6	10	14	22	29	49
TOTAL 0-19 YRS	386	8.5	15	5	5	8	10	13	15	22
20-34	3925	8.5	16	5	5	8	9	12	15	24
35-49	3650	9.4	26	5	6	8	10	14	18	31
50-64	4374	10.9	43	6	6	9	12	18	23	36
65+	2949	15.4	99	7	7	12	19	28	36	62
GRAND TOTAL	**15284**	**10.7**	**48**	**5**	**6**	**9**	**12**	**18**	**24**	**41**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	8.5	61	3	3	8	14	14	14	14
20-34	64	9.2	25	4	5	8	12	14	17	31
35-49	47	11.2	80	2	4	10	13	18	19	62
50-64	70	14.2	64	3	6	12	18	23	31	42
65+	80	17.1	119	4	7	15	21	25	27	73
2. MULTIPLE DX										
0-19 YRS	10	19.4	122	5	7	16	28	34	38	38
20-34	46	16.1	89	5	5	15	21	28	31	53
35-49	65	19.6	205	6	8	14	23	42	49	75
50-64	173	21.0	184	7	9	18	26	35	50	99
65+	286	25.7	226	9	12	22	33	45	62	99+
TOT. SINGLE DX	263	13.3	83	3	5	11	17	23	26	57
" MULTIPLE DX	580	22.7	207	7	9	19	29	41	52	99
TOTAL 0-19 YRS	12	17.6	123	3	4	13	27	33	37	38
20-34	110	12.0	63	4	5	10	15	22	28	42
35-49	112	16.0	169	4	5	12	18	32	45	68
50-64	243	19.0	159	6	8	17	23	32	41	97
65+	366	23.8	215	9	11	20	30	41	54	99
GRAND TOTAL	**843**	**19.8**	**188**	**5**	**7**	**17**	**25**	**37**	**48**	**96**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.0	16	2	2	2	6	10	10	10
20-34	28	9.7	55	1	1	8	16	20	22	25
35-49	42	12.3	136	1	2	11	15	22	34	64
50-64	52	11.7	105	1	1	9	18	24	34	45
65+	23	14.7	134	2	3	14	19	26	43	50
2. MULTIPLE DX										
0-19 YRS	6	12.0	150	1	1	14	29	87	99+	99+
20-34	40	19.7	263	2	4	14	28	47	64	99+
35-49	85	24.7	449	3	5	16	34	60	79	94
50-64	106	18.9	201	2	5	15	27	37	63	99+
65+	88	21.4	300	1	5	17	29	47	68	99+
TOT. SINGLE DX	149	11.8	108	1	1	10	17	22	32	50
" MULTIPLE DX	325	21.1	303	2	5	16	30	49	74	99+
TOTAL 0-19 YRS	10	8.8	106	1	1	6	16	60	97	99+
20-34	68	15.6	200	1	2	12	22	33	59	94
35-49	127	20.6	377	2	3	14	27	50	76	86
50-64	158	16.6	180	1	2	13	25	35	48	99+
65+	111	20.0	271	1	4	15	28	45	60	99+
GRAND TOTAL	**474**	**18.1**	**260**	**1**	**2**	**14**	**25**	**39**	**61**	**99+**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	10.1	39	3	4	8	13	20	24	25
20-34	32	6.3	15	2	2	6	8	10	15	19
35-49	30	5.4	12	1	2	5	7	11	12	14
50-64	35	8.7	29	3	3	7	12	17	20	21
65+	29	9.9	55	2	3	8	14	17	22	37
2. MULTIPLE DX										
0-19 YRS	11	8.8	63	2	2	7	14	50	93	99+
20-34	35	11.9	111	2	3	8	16	23	32	49
35-49	54	12.5	130	3	3	10	14	22	24	66
50-64	87	14.4	153	3	4	10	18	30	40	62
65+	128	19.7	260	4	5	16	24	42	60	99+
TOT. SINGLE DX	145	7.9	31	2	2	6	10	15	18	26
" MULTIPLE DX	315	15.8	195	3	4	12	20	33	54	93
TOTAL 0-19 YRS	30	9.6	46	2	3	8	13	23	29	99+
20-34	67	9.2	72	2	2	6	11	21	24	46
35-49	84	10.0	99	2	3	8	13	19	23	63
50-64	122	12.8	124	3	4	10	16	23	34	59
65+	157	17.9	236	3	4	14	22	38	56	99
GRAND TOTAL	**460**	**13.3**	**157**	**2**	**3**	**10**	**17**	**26**	**39**	**79**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1747	2.9	4	1	1	2	3	5	6	9
20-34	1444	4.3	3	2	3	4	5	6	7	9
35-49	1433	4.8	7	2	3	4	6	7	8	11
50-64	1972	5.1	6	2	3	5	6	8	9	14
65+	1344	6.2	10	3	3	6	8	10	11	20
2. MULTIPLE DX										
0-19 YRS	828	4.1	27	1	1	3	4	8	11	25
20-34	396	5.1	10	2	3	4	6	8	10	21
35-49	619	5.9	24	3	3	5	7	10	13	20
50-64	1251	6.8	22	3	3	6	8	11	14	24
65+	1542	9.6	66	3	4	7	11	17	24	53
TOT. SINGLE DX	7940	4.6	7	2	2	4	6	8	9	13
" MULTIPLE DX	4636	7.0	41	2	3	5	8	13	17	35
TOTAL 0-19 YRS	2575	3.3	12	1	1	2	4	5	7	16
20-34	1840	4.4	5	2	3	4	5	7	8	12
35-49	2052	5.1	13	2	3	4	6	8	9	16
50-64	3223	5.8	13	3	3	5	7	9	11	18
65+	2886	8.0	43	3	4	6	9	14	20	38
GRAND TOTAL	**12576**	**5.5**	**21**	**2**	**2**	**4**	**6**	**9**	**12**	**24**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	219	2.9	7	1	1	2	3	5	6	18
20-34	92	5.3	5	2	3	5	7	8	8	14
35-49	134	5.4	4	3	3	5	6	8	9	11
50-64	223	5.6	5	3	3	5	7	8	9	11
65+	143	6.9	8	3	4	7	8	10	13	16
2. MULTIPLE DX										
0-19 YRS	177	3.9	10	1	2	3	4	8	12	17
20-34	33	5.5	5	3	3	5	6	8	11	12
35-49	79	6.6	16	3	4	6	8	10	13	27
50-64	179	6.8	32	3	4	6	8	10	12	18
65+	190	9.8	50	3	4	8	11	18	23	39
TOT. SINGLE DX	811	5.0	7	2	2	5	6	8	9	15
" MULTIPLE DX	658	6.8	33	2	2	6	8	12	16	32
TOTAL 0-19 YRS	396	3.3	8	1	2	2	4	6	9	17
20-34	125	5.4	5	2	3	5	6	8	8	13
35-49	213	5.8	8	3	3	5	7	9	10	14
50-64	402	6.1	17	3	4	5	7	9	10	15
65+	333	8.5	34	3	4	7	10	15	19	35
GRAND TOTAL	**1469**	**5.8**	**20**	**2**	**2**	**5**	**7**	**10**	**12**	**23**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	3.6	6	1	2	3	4	8	9	10
20-34	59	4.3	3	2	3	4	5	7	7	8
35-49	93	4.5	3	2	2	4	6	7	8	9
50-64	84	5.3	4	2	3	5	7	8	9	11
65+	86	7.2	22	3	3	6	9	12	16	29
2. MULTIPLE DX										
0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	16	8.7	91	3	4	6	8	17	35	42
35-49	35	5.5	6	2	3	5	7	8	10	13
50-64	78	7.4	26	3	3	6	9	14	18	29
65+	122	11.4	120	4	4	8	15	24	28	99
TOT. SINGLE DX	343	5.3	9	2	3	5	6	8	10	16
" MULTIPLE DX	255	9.1	77	3	3	7	10	18	25	46
TOTAL 0-19 YRS	25	3.6	5	1	2	3	4	8	9	10
20-34	75	5.3	24	2	3	4	6	7	8	36
35-49	128	4.8	4	2	3	5	6	7	8	11
50-64	162	6.3	16	3	3	5	7	10	13	25
65+	208	9.7	84	3	4	7	11	19	25	67
GRAND TOTAL	**598**	**6.9**	**42**	**2**	**3**	**5**	**8**	**12**	**18**	**31**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	316	2.5	2	1	1	2	3	5	6	7
20-34	102	3.7	5	1	2	3	5	6	8	13
35-49	147	4.5	13	1	2	4	5	8	9	27
50-64	123	5.3	9	2	2	5	6	10	12	15
65+	48	5.9	12	2	3	5	7	9	10	24
2. MULTIPLE DX										
0-19 YRS	66	6.8	65	1	2	4	8	17	29	40
20-34	37	5.4	17	2	2	4	6	8	17	20
35-49	91	7.6	73	2	2	5	8	17	23	84
50-64	136	7.7	37	3	3	7	9	12	17	50
65+	95	10.0	84	3	3	7	12	18	31	84
TOT. SINGLE DX	736	3.8	8	1	1	3	5	7	8	13
" MULTIPLE DX	425	7.9	59	2	2	6	9	15	23	63
TOTAL 0-19 YRS	382	3.3	15	1	1	2	3	6	8	26
20-34	139	4.1	9	2	2	3	5	7	8	19
35-49	238	5.7	38	2	2	4	6	10	15	42
50-64	259	6.6	25	2	3	6	8	11	14	41
65+	143	8.7	63	3	3	7	10	16	25	67
GRAND TOTAL	**1161**	**5.3**	**30**	**1**	**2**	**4**	**6**	**10**	**14**	**32**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	88	3.3	7	1	1	3	4	6	8	17
20-34	221	5.2	9	2	2	5	7	10	11	14
35-49	354	6.3	11	2	3	6	8	10	12	18
50-64	426	7.2	15	3	4	7	9	11	13	23
65+	275	8.5	26	3	4	8	10	13	16	34
2. MULTIPLE DX										
0-19 YRS	27	3.1	6	1	2	2	3	5	8	13
20-34	110	6.7	24	2	3	6	7	12	17	30
35-49	266	8.8	41	3	4	7	10	15	18	37
50-64	423	10.2	39	3	4	9	12	19	23	33
65+	358	14.1	167	4	5	10	17	26	43	86
TOT. SINGLE DX	1364	6.7	16	2	3	6	9	11	13	22
" MULTIPLE DX	1184	10.6	83	3	4	8	12	20	27	55
TOTAL 0-19 YRS	115	3.3	7	1	2	3	4	6	8	16
20-34	331	5.7	14	2	2	5	7	10	12	19
35-49	620	7.4	25	3	3	6	9	12	15	28
50-64	849	8.7	29	3	4	8	10	14	20	30
65+	633	11.7	113	3	4	9	13	20	31	66
GRAND TOTAL	**2548**	**8.5**	**51**	**2**	**3**	**7**	**10**	**15**	**20**	**43**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	3.8	10	<1	1	3	5	9	11	12
20-34	26	6.3	9	2	3	6	9	10	11	13
35-49	44	9.4	15	4	6	9	10	14	18	22
50-64	50	10.6	27	5	6	9	12	16	19	35
65+	20	13.2	37	4	7	12	19	22	23	25
2. MULTIPLE DX										
0-19 YRS	8	15.0	133	2	3	12	27	30	30	30
20-34	55	10.7	38	5	6	9	12	19	21	43
35-49	108	10.7	14	7	7	9	12	16	19	23
50-64	185	14.5	110	7	8	11	17	26	36	78
65+	104	17.6	111	8	9	15	21	30	35	67
TOT. SINGLE DX	155	9.2	27	2	3	9	11	16	20	25
" MULTIPLE DX	460	13.9	86	7	7	11	16	23	31	63
TOTAL 0-19 YRS	23	7.7	78	<1	1	3	9	26	29	30
20-34	81	9.3	33	3	4	8	11	14	19	37
35-49	152	10.4	15	7	7	9	12	16	19	22
50-64	235	13.7	95	7	7	10	16	24	33	76
65+	124	16.9	102	7	8	14	20	29	35	66
GRAND TOTAL	**615**	**12.7**	**75**	**4**	**7**	**10**	**15**	**21**	**29**	**49**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	90	4.4	14	1	2	3	5	8	14	19
20-34	126	6.5	37	1	2	5	8	12	16	36
35-49	85	8.3	53	1	2	6	10	20	26	31
50-64	84	10.1	103	2	2	7	13	20	28	58
65+	53	12.3	174	2	3	9	15	24	37	81
2. MULTIPLE DX										
0-19 YRS	71	10.4	151	1	2	6	11	24	37	67
20-34	106	9.5	82	2	3	7	11	22	29	71
35-49	138	14.4	217	2	3	9	18	33	49	84
50-64	211	16.3	164	3	4	14	21	32	39	75
65+	225	19.2	196	4	6	16	26	40	50	99+
TOT. SINGLE DX	438	7.8	70	1	2	5	10	16	24	38
" MULTIPLE DX	751	15.3	182	2	4	11	20	33	46	82
TOTAL 0-19 YRS	161	7.0	83	1	2	4	8	15	23	52
20-34	232	7.9	60	1	2	5	9	15	27	47
35-49	223	12.1	163	2	2	8	15	26	38	82
50-64	295	14.5	154	2	3	11	19	30	36	71
65+	278	17.9	199	3	4	14	23	38	49	95
GRAND TOTAL	**1189**	**12.5**	**154**	**2**	**2**	**9**	**17**	**28**	**38**	**72**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	147	8.1	30	3	4	7	10	15	21	29
20-34	241	7.2	23	2	3	6	9	12	15	29
35-49	109	9.7	71	2	3	8	11	18	21	52
50-64	92	12.3	63	5	6	10	14	21	29	46
65+	58	15.5	89	6	6	14	19	30	37	96
2. MULTIPLE DX										
0-19 YRS	138	11.1	76	3	4	8	13	23	34	99+
20-34	325	10.7	104	3	4	8	11	20	30	63
35-49	194	12.5	97	4	5	9	16	25	36	86
50-64	225	19.3	188	6	8	15	24	37	59	99+
65+	242	24.7	304	7	8	21	31	50	69	99+
TOT. SINGLE DX	647	9.3	51	3	4	7	11	17	23	38
" MULTIPLE DX	1124	15.8	190	4	5	11	20	33	49	99+
TOTAL 0-19 YRS	285	9.6	55	3	4	7	12	20	27	82
20-34	566	9.2	72	3	4	7	10	16	26	57
35-49	303	11.5	89	3	4	9	14	21	30	69
50-64	317	17.3	162	6	7	13	22	34	50	99+
65+	300	22.9	275	6	8	19	29	45	64	99+
GRAND TOTAL	**1771**	**13.4**	**149**	**3**	**4**	**9**	**16**	**29**	**39**	**86**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	288	3.6	8	<1	1	2	5	8	10	12
20-34	1361	2.7	6	<1	1	2	3	6	8	13
35-49	217	3.0	9	<1	<1	2	3	6	9	19
50-64	40	3.0	6	<1	1	2	3	6	8	14
65+	8	11.9	197	2	2	8	14	36	44	44
2. MULTIPLE DX										
0-19 YRS	155	4.7	17	1	1	3	6	10	13	23
20-34	1097	3.4	19	<1	1	2	3	7	10	22
35-49	204	3.6	21	<1	1	2	3	7	12	25
50-64	41	11.2	130	1	2	6	20	28	36	42
65+	17	10.0	83	2	2	8	16	23	30	33
TOT. SINGLE DX	1914	2.9	8	<1	1	2	3	6	9	14
" MULTIPLE DX	1514	3.9	25	<1	1	2	4	8	13	26
TOTAL 0-19 YRS	443	4.0	11	<1	1	3	5	9	10	16
20-34	2458	3.0	12	<1	1	2	3	6	9	17
35-49	421	3.3	15	<1	1	2	3	7	9	23
50-64	81	7.1	85	1	2	3	7	21	28	41
65+	25	10.6	114	2	2	8	16	24	36	44
GRAND TOTAL	**3428**	**3.3**	**16**	**<1**	**1**	**2**	**3**	**7**	**10**	**21**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	10.2	217	3	4	6	9	15	30	92
20-34	165	7.2	23	2	2	6	9	13	15	23
35-49	138	9.5	28	3	5	8	11	17	22	28
50-64	118	12.5	68	5	6	10	15	21	28	50
65+	97	12.8	53	4	7	12	15	20	23	47
2. MULTIPLE DX										
0-19 YRS	58	11.6	177	2	4	8	11	18	41	75
20-34	277	10.0	73	2	4	8	11	20	25	51
35-49	181	14.0	138	4	5	10	16	34	49	99+
50-64	222	19.0	237	6	7	14	23	40	54	99+
65+	217	21.9	302	7	8	17	26	50	74	99+
TOT. SINGLE DX	559	10.1	58	2	4	8	12	17	22	40
" MULTIPLE DX	955	15.7	203	4	5	11	19	33	51	99+
TOTAL 0-19 YRS	99	11.1	192	3	4	8	10	17	37	84
20-34	442	9.0	56	2	3	7	11	17	22	49
35-49	319	12.1	96	3	5	9	14	25	37	99+
50-64	340	16.7	187	6	7	13	20	31	48	95
65+	314	19.1	243	6	8	14	22	41	62	99+
GRAND TOTAL	1514	13.6	157	3	5	10	16	26	42	93

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	9.8	22	5	6	9	10	17	22	22
20-34	22	12.4	25	7	8	12	14	18	25	27
35-49	22	14.7	29	7	8	14	17	24	25	26
50-64	48	15.9	39	9	10	14	19	22	24	44
65+	41	17.6	58	8	9	17	20	25	27	52
2. MULTIPLE DX										
0-19 YRS	38	16.3	92	6	7	14	22	28	35	50
20-34	58	15.7	160	6	7	12	18	28	34	79
35-49	75	18.4	145	8	8	16	22	37	54	91
50-64	155	21.2	190	9	9	17	26	40	45	86
65+	149	24.4	190	10	12	20	31	43	57	99+
TOT. SINGLE DX	143	15.3	44	7	8	14	19	23	26	45
" MULTIPLE DX	475	20.7	180	8	9	17	25	38	47	86
TOTAL 0-19 YRS	48	14.9	83	6	7	12	20	25	32	50
20-34	80	14.8	124	6	8	12	16	25	30	75
35-49	97	17.6	121	7	8	15	21	27	44	83
50-64	203	20.0	159	9	9	16	22	36	44	80
65+	190	22.9	169	9	11	20	27	41	54	94
GRAND TOTAL	618	19.4	153	8	9	16	22	35	44	84

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	66	12.6	123	2	3	10	16	22	35	57
20-34	143	9.9	53	2	2	9	13	20	24	35
35-49	116	11.8	53	3	4	10	14	20	21	42
50-64	123	12.9	53	4	7	11	15	19	28	42
65+	40	14.3	116	2	3	11	15	30	32	58
2. MULTIPLE DX										
0-19 YRS	93	18.9	143	3	8	15	25	34	44	62
20-34	185	17.3	187	2	3	14	21	34	41	72
35-49	174	18.9	259	4	6	14	21	39	55	92
50-64	217	20.1	206	5	8	17	23	36	50	98
65+	114	20.2	146	4	9	18	25	41	49	79
TOT. SINGLE DX	488	11.8	69	2	3	10	15	21	28	48
" MULTIPLE DX	783	19.0	197	3	7	16	23	36	48	92
TOTAL 0-19 YRS	159	16.3	144	2	3	14	21	30	41	57
20-34	328	14.1	142	2	2	11	18	28	38	61
35-49	290	16.0	188	3	5	13	19	29	45	87
50-64	340	17.5	163	5	7	14	21	33	39	96
65+	154	18.6	145	3	8	16	24	35	47	67
GRAND TOTAL	1271	16.3	160	2	4	13	20	31	40	74

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	8.4	21	2	2	8	13	14	14	14
20-34	119	10.1	16	4	6	10	12	15	18	23
35-49	183	11.1	18	5	7	10	13	16	18	25
50-64	172	11.0	21	4	6	10	13	16	19	27
65+	54	13.9	64	3	5	12	18	24	32	37
2. MULTIPLE DX										
0-19 YRS	5	9.4	16	3	3	11	12	13	13	13
20-34	80	12.7	41	4	7	11	15	21	24	39
35-49	115	14.6	57	5	7	13	17	24	31	42
50-64	167	15.1	53	6	8	14	18	25	30	38
65+	92	19.5	122	8	9	17	24	31	38	67
TOT. SINGLE DX	535	11.1	24	4	6	10	13	16	19	28
" MULTIPLE DX	459	15.4	70	6	8	14	18	26	31	44
TOTAL 0-19 YRS	12	8.8	18	2	3	9	12	14	14	14
20-34	199	11.1	27	4	6	10	13	18	21	27
35-49	298	12.5	36	5	7	11	15	19	22	38
50-64	339	13.0	41	5	7	12	15	23	26	35
65+	146	17.4	108	6	8	15	22	30	36	64
GRAND TOTAL	**994**	**13.1**	**50**	**5**	**7**	**12**	**15**	**22**	**27**	**38**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	91	13.8	25	8	9	13	16	20	24	31
20-34	23	14.9	32	9	11	14	16	21	31	31
35-49	6	16.3	64	9	9	12	26	27	27	27
50-64	4	25.0	77	17	17	24	32	34	34	34
65+	9	25.3	134	8	12	24	31	43	49	49
2. MULTIPLE DX										
0-19 YRS	94	16.9	67	9	10	15	19	27	35	81
20-34	42	18.0	113	8	10	15	22	42	99+	99+
35-49	27	19.7	112	10	10	18	22	30	45	56
50-64	44	26.4	217	11	12	24	32	46	63	99+
65+	33	32.0	311	12	14	28	44	66	80	99+
TOT. SINGLE DX	133	15.2	46	8	9	13	17	25	31	37
" MULTIPLE DX	240	21.2	169	10	10	17	26	43	56	99+
TOTAL 0-19 YRS	185	15.4	48	8	9	14	18	25	29	53
20-34	65	16.9	86	8	10	15	19	32	68	99+
35-49	33	19.1	103	9	10	17	23	29	41	56
50-64	48	26.3	204	11	12	24	32	46	57	99+
65+	42	30.6	277	12	14	25	40	56	73	99+
GRAND TOTAL	**373**	**19.1**	**133**	**9**	**10**	**15**	**24**	**33**	**48**	**99+**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	7.7	34	1	2	6	12	17	21	23
20-34	209	5.0	10	2	2	4	6	9	11	17
35-49	252	5.2	15	2	2	4	7	9	12	17
50-64	212	5.7	13	2	2	5	7	10	13	20
65+	63	6.3	16	1	2	6	9	11	14	20
2. MULTIPLE DX										
0-19 YRS	27	11.1	63	2	3	10	14	18	31	34
20-34	89	9.6	96	2	2	7	12	18	30	84
35-49	111	7.5	34	2	2	6	10	13	19	61
50-64	142	10.4	114	2	3	7	13	21	34	59
65+	113	12.7	112	3	3	9	17	27	36	47
TOT. SINGLE DX	774	5.5	15	2	2	4	7	10	13	20
" MULTIPLE DX	482	10.2	91	2	3	8	13	21	33	56
TOTAL 0-19 YRS	65	9.1	49	1	2	8	13	18	21	34
20-34	298	6.4	40	2	2	5	8	12	16	48
35-49	363	5.9	22	2	2	5	8	11	13	31
50-64	354	7.6	59	2	2	5	9	14	20	42
65+	176	10.4	87	2	3	8	13	22	31	46
GRAND TOTAL	**1256**	**7.3**	**49**	**2**	**2**	**5**	**9**	**14**	**20**	**43**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	562	3.3	12	<1	<1	2	4	7	10	17
20-34	563	3.6	13	<1	<1	2	5	8	11	16
35-49	599	3.9	15	<1	<1	2	5	9	11	20
50-64	905	4.2	25	<1	<1	2	5	9	14	24
65+	986	5.0	30	<1	1	3	6	12	16	31
2. MULTIPLE DX										
0-19 YRS	655	5.0	46	<1	<1	3	6	11	17	41
20-34	606	6.4	64	<1	<1	4	8	16	23	99+
35-49	723	7.9	119	<1	<1	4	9	19	28	60
50-64	1538	7.8	107	<1	1	4	10	19	29	63
65+	2739	10.7	179	<1	1	6	14	27	41	99+
TOT. SINGLE DX	3615	4.1	21	<1	<1	2	5	9	13	24
" MULTIPLE DX	6261	8.6	133	<1	1	5	11	21	32	90
TOTAL 0-19 YRS	1217	4.2	31	<1	<1	2	5	10	14	28
20-34	1169	5.1	41	<1	<1	3	7	12	17	45
35-49	1322	6.1	76	<1	<1	3	7	13	21	48
50-64	2443	6.4	79	<1	<1	3	8	15	23	51
65+	3725	9.2	146	<1	1	5	12	23	34	96
GRAND TOTAL	**9876**	**7.0**	**97**	**<1**	**<1**	**3**	**9**	**17**	**26**	**66**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	7.2	21	1	2	7	10	14	14	14
20-34	32	4.8	13	1	1	4	6	11	13	13
35-49	102	4.4	15	1	1	3	6	8	10	24
50-64	351	5.4	21	1	2	4	7	10	13	22
65+	687	6.0	28	1	2	4	7	12	16	29
2. MULTIPLE DX										
0-19 YRS	16	10.6	78	3	3	7	14	26	27	28
20-34	43	10.0	93	1	2	6	11	24	28	44
35-49	113	7.4	57	<1	1	6	10	16	18	72
50-64	513	7.7	67	1	2	6	9	16	21	49
65+	1290	9.4	92	2	2	7	11	19	29	59
TOT. SINGLE DX	1181	5.6	25	1	2	4	7	11	14	27
" MULTIPLE DX	1975	8.9	84	2	2	6	11	18	26	57
TOTAL 0-19 YRS	25	9.4	58	2	3	7	13	26	27	28
20-34	75	7.8	65	1	2	5	10	21	24	42
35-49	215	6.0	39	<1	1	4	7	13	18	39
50-64	864	6.7	50	1	2	5	8	14	18	36
65+	1977	8.2	72	2	2	6	10	16	25	56
GRAND TOTAL	**3156**	**7.7**	**64**	**1**	**2**	**5**	**9**	**16**	**22**	**51**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	7.6	18	2	2	7	10	14	15	16
20-34	56	7.3	47	1	1	5	10	15	20	38
35-49	70	7.5	40	1	1	6	11	17	24	84
50-64	97	10.0	89	1	2	6	13	23	33	41
65+	146	11.1	157	1	2	7	14	26	33	75
2. MULTIPLE DX										
0-19 YRS	39	14.1	131	2	3	11	21	29	36	51
20-34	87	14.6	255	2	2	10	20	47	90	99+
35-49	88	12.5	132	1	2	7	18	29	37	50
50-64	215	15.6	258	1	2	12	21	34	50	99+
65+	463	16.7	212	2	3	12	24	39	52	99+
TOT. SINGLE DX	390	9.4	98	1	2	7	12	21	30	47
" MULTIPLE DX	892	15.7	217	2	3	12	22	36	51	99+
TOTAL 0-19 YRS	60	11.8	100	2	3	9	16	26	30	50
20-34	143	11.7	185	1	2	7	15	29	57	99+
35-49	158	10.3	97	1	2	7	14	25	30	51
50-64	312	13.9	212	1	2	10	19	30	38	97
65+	609	15.3	204	2	3	11	22	36	48	99+
GRAND TOTAL	**1282**	**13.8**	**189**	**2**	**2**	**10**	**19**	**32**	**44**	**99+**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	2.6	11	<1	<1	2	3	5	8	21
20-34	8	2.0	1	<1	<1	2	3	4	4	4
35-49	15	3.9	9	1	1	2	7	8	9	9
50-64	16	3.0	3	1	1	3	4	6	7	7
65+	24	2.8	2	1	2	2	3	4	7	8
2. MULTIPLE DX										
0-19 YRS	72	3.1	11	<1	<1	2	4	6	10	16
20-34	10	1.7	1	<1	<1	1	2	3	3	3
35-49	18	6.4	60	<1	<1	2	14	16	23	27
50-64	20	3.1	11	<1	<1	2	3	8	11	13
65+	25	6.8	118	1	2	3	5	16	32	52
TOT. SINGLE DX	132	2.8	7	<1	<1	2	3	6	8	15
" MULTIPLE DX	145	4.1	36	<1	<1	2	4	10	15	28
TOTAL 0-19 YRS	141	2.9	11	<1	<1	2	3	6	10	17
20-34	18	1.8	1	<1	<1	2	2	3	4	4
35-49	33	5.3	37	<1	<1	2	7	15	17	27
50-64	36	3.0	7	<1	<1	2	3	7	9	13
65+	49	4.8	65	1	2	2	4	8	16	52
GRAND TOTAL	**277**	**3.5**	**23**	**<1**	**<1**	**2**	**3**	**7**	**12**	**25**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	147	9.5	47	2	2	9	13	17	21	37
20-34	81	8.4	132	<1	1	5	12	17	20	74
35-49	28	11.1	114	<1	1	8	15	20	35	49
50-64	53	6.3	40	<1	1	3	9	16	17	28
65+	57	7.3	40	1	2	5	10	17	22	25
2. MULTIPLE DX										
0-19 YRS	91	10.3	78	2	2	9	15	22	27	46
20-34	47	12.0	161	<1	1	10	14	28	34	71
35-49	39	9.7	59	1	2	8	14	22	27	27
50-64	81	7.7	55	1	1	4	12	18	23	32
65+	103	10.5	146	1	2	7	13	22	33	70
TOT. SINGLE DX	366	8.6	70	1	1	7	12	17	21	37
" MULTIPLE DX	361	10.0	102	1	2	7	13	22	29	54
TOTAL 0-19 YRS	238	9.8	59	2	2	9	13	18	23	38
20-34	128	9.7	145	<1	1	6	13	20	29	76
35-49	67	10.3	81	1	1	8	14	21	27	46
50-64	134	7.2	49	1	1	4	10	17	22	30
65+	160	9.4	110	1	2	6	12	19	27	56
GRAND TOTAL	**727**	**9.2**	**86**	**1**	**2**	**7**	**13**	**18**	**25**	**43**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	175	2.7	8	<1	<1	2	3	6	9	13
20-34	97	3.8	13	<1	<1	3	5	8	11	20
35-49	54	4.9	19	<1	<1	4	7	11	12	24
50-64	88	4.0	24	<1	<1	2	4	10	15	24
65+	176	4.9	23	<1	1	3	6	12	17	22
2. MULTIPLE DX										
0-19 YRS	252	4.2	30	<1	1	3	5	8	12	32
20-34	123	6.4	89	<1	<1	3	8	15	31	69
35-49	114	7.2	64	<1	1	4	10	18	23	40
50-64	185	8.8	134	<1	1	4	12	23	30	90
65+	597	11.4	201	1	2	7	14	27	46	99+
TOT. SINGLE DX	590	3.9	17	<1	<1	2	5	9	13	21
" MULTIPLE DX	1271	8.7	142	<1	1	5	10	21	35	89
TOTAL 0-19 YRS	427	3.6	21	<1	<1	2	4	8	10	18
20-34	220	5.2	57	<1	<1	3	6	11	20	47
35-49	168	6.4	51	<1	<1	4	8	16	21	33
50-64	273	7.2	104	<1	<1	3	9	19	27	72
65+	773	9.9	168	1	2	6	12	22	37	98
GRAND TOTAL	**1861**	**7.2**	**108**	**<1**	**1**	**4**	**8**	**17**	**26**	**71**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	5.1	41	<1	<1	2	6	14	21	25
20-34	34	7.0	28	1	2	6	8	14	19	24
35-49	24	8.8	11	3	4	9	11	13	14	16
50-64	28	8.8	57	2	2	6	12	19	24	33
65+	27	9.0	43	2	3	6	12	20	24	25
2. MULTIPLE DX										
0-19 YRS	11	3.2	7	1	1	3	4	7	10	10
20-34	14	8.9	66	1	2	6	12	20	29	31
35-49	20	8.9	97	<1	1	6	11	20	33	42
50-64	34	7.3	46	1	1	6	10	15	24	29
65+	53	12.2	252	2	3	7	12	28	44	96
TOT. SINGLE DX	131	7.9	36	1	2	6	10	16	21	27
" MULTIPLE DX	132	9.3	140	1	1	6	11	20	31	57
TOTAL 0-19 YRS	29	4.4	28	<1	1	2	5	12	15	25
20-34	48	7.6	38	1	2	6	10	15	20	31
35-49	44	8.8	49	1	2	8	11	14	19	42
50-64	62	8.0	50	1	2	6	11	18	24	33
65+	80	11.2	182	2	3	7	12	23	34	83
GRAND TOTAL	**263**	**8.6**	**89**	**1**	**2**	**6**	**11**	**18**	**24**	**45**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	46	9.9	13	5	6	9	11	16	18	21
35-49	148	9.7	12	6	7	9	10	14	17	23
50-64	154	10.4	21	6	7	9	11	15	18	31
65+	41	13.0	38	7	8	11	16	23	25	32
2. MULTIPLE DX										
0-19 YRS	3	16.0	73	7	7	17	22	24	24	24
20-34	51	10.3	21	6	6	9	12	16	18	29
35-49	185	12.1	48	6	7	9	14	22	25	44
50-64	222	12.8	38	7	7	11	15	20	24	34
65+	93	16.3	97	7	8	13	18	27	41	52
TOT. SINGLE DX	390	10.3	19	6	7	9	11	16	19	28
" MULTIPLE DX	554	13.0	53	7	7	11	15	21	26	47
TOTAL 0-19 YRS	4	14.8	55	7	7	14	20	24	24	24
20-34	97	10.1	18	6	6	9	11	16	18	27
35-49	333	11.0	34	6	7	9	12	18	23	32
50-64	376	11.8	33	6	7	10	13	19	23	32
65+	134	15.3	81	7	8	13	18	25	36	51
GRAND TOTAL	**944**	**11.9**	**40**	**6**	**7**	**10**	**13**	**19**	**24**	**40**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	9	10.8	14	6	6	10	13	17	18	18
35-49	38	10.9	26	6	7	9	12	19	23	29
50-64	31	12.3	41	6	6	10	14	23	25	31
65+	12	9.4	12	3	6	9	11	15	16	16
2. MULTIPLE DX										
0-19 YRS	3	12.3	17	9	9	11	15	17	17	17
20-34	11	10.0	34	1	3	10	12	19	22	22
35-49	44	13.8	100	7	7	10	16	25	30	61
50-64	47	14.0	52	6	7	12	17	25	30	36
65+	29	13.7	55	7	7	12	17	24	27	38
TOT. SINGLE DX	90	11.2	28	6	6	10	13	18	25	30
" MULTIPLE DX	134	13.5	66	6	7	11	17	24	29	42
TOTAL 0-19 YRS	3	12.3	17	9	9	11	15	17	17	17
20-34	20	10.4	24	3	5	10	12	17	20	22
35-49	82	12.5	67	7	7	10	13	23	28	53
50-64	78	13.3	48	6	6	11	16	24	30	35
65+	41	12.4	46	6	7	10	16	22	26	38
GRAND TOTAL	**224**	**12.6**	**52**	**6**	**7**	**10**	**15**	**22**	**27**	**37**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	3.0	3	2	2	2	4	5	5	5
35-49	3	8.7	32	4	4	7	13	15	15	15
50-64	4	5.0	10	2	2	4	7	9	9	9
65+	5	7.6	26	1	1	7	12	14	14	14
2. MULTIPLE DX										
0-19 YRS	2	12.0	128	4	4	12	20	20	20	20
20-34	4	8.8	36	3	3	7	13	17	17	17
35-49	6	17.7	132	8	8	14	24	36	37	37
50-64	9	10.3	27	3	4	8	14	17	19	19
65+	17	18.3	802	1	1	6	12	72	83	88
TOT. SINGLE DX	16	5.9	19	1	2	5	8	14	15	15
" MULTIPLE DX	38	15.0	393	1	2	8	15	33	71	88
TOTAL 0-19 YRS	3	8.7	97	2	2	4	16	20	20	20
20-34	7	6.3	29	2	2	5	8	15	17	17
35-49	9	14.7	111	4	5	10	20	32	37	37
50-64	13	8.7	27	2	3	8	13	16	18	19
65+	22	15.9	637	1	1	6	12	70	79	88
GRAND TOTAL	**54**	**12.3**	**297**	**1**	**2**	**7**	**14**	**20**	**63**	**87**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	5	11.2	45	3	3	9	16	21	21	21
50-64	3	22.7	310	12	12	13	35	43	43	43
65+	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	4	19.0	102	12	12	15	25	34	34	34
20-34	8	16.6	120	3	4	15	21	34	38	38
35-49	6	14.2	24	9	9	13	19	21	21	21
50-64	12	20.6	157	6	8	18	32	59	92	99+
65+	12	21.5	542	<1	1	17	25	47	83	89
TOT. SINGLE DX	13	12.5	112	2	3	11	14	25	40	43
" MULTIPLE DX	42	19.0	226	2	6	15	25	35	63	99+
TOTAL 0-19 YRS	5	18.2	80	12	12	15	20	34	34	34
20-34	10	14.6	116	2	2	14	17	31	38	38
35-49	11	12.8	32	3	6	12	18	21	21	21
50-64	15	21.0	169	7	9	17	32	48	85	99+
65+	14	19.2	493	<1	1	13	25	35	77	89
GRAND TOTAL	**55**	**17.5**	**204**	**2**	**4**	**14**	**24**	**34**	**47**	**99**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	9.0	5	6	6	9	10	11	11	11
20-34	3	8.0	7	5	5	9	10	10	10	10
35-49	36	7.9	11	3	5	7	10	12	15	17
50-64	718	8.6	16	4	5	8	10	13	16	22
65+	1499	9.9	26	5	5	9	12	16	20	29
2. MULTIPLE DX										
0-19 YRS	5	12.6	26	8	8	12	15	21	21	21
20-34	6	19.8	302	6	6	12	43	89	99+	99+
35-49	65	11.5	46	5	5	9	14	18	28	36
50-64	1316	11.9	60	5	6	10	13	19	25	43
65+	3990	14.2	102	6	7	11	17	26	34	77
TOT. SINGLE DX	2260	9.5	23	5	5	8	11	15	18	28
" MULTIPLE DX	5382	13.6	92	5	6	11	16	24	32	66
TOTAL 0-19 YRS	9	11.0	19	6	7	10	12	18	21	21
20-34	9	15.9	226	5	5	10	39	72	99+	99+
35-49	101	10.2	36	4	5	9	12	17	21	35
50-64	2034	10.7	47	5	5	9	12	17	22	39
65+	5489	13.1	85	5	6	10	15	23	30	64
GRAND TOTAL	**7642**	**12.4**	**75**	**5**	**6**	**10**	**14**	**21**	**29**	**58**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	7.5	61	2	2	7	13	13	13	13
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	3.0		3	3	3	3	3	3	3
50-64	114	14.2	66	5	7	12	17	22	28	48
65+	185	15.8	53	8	9	15	18	24	31	42
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	5	8.4	9	5	5	8	10	13	13	13
50-64	149	17.3	79	8	9	16	20	28	38	60
65+	591	21.0	135	9	10	18	25	37	44	74
TOT. SINGLE DX	303	15.1	59	6	8	14	18	23	31	42
" MULTIPLE DX	746	20.1	126	9	10	17	24	35	43	74
TOTAL 0-19 YRS	3	6.0	37	2	2	3	10	13	13	13
20-34	1	9.0		9	9	9	9	9	9	9
35-49	6	7.5	12	3	3	7	9	13	13	13
50-64	263	16.0	75	6	8	14	19	26	33	58
65+	776	19.7	120	9	10	17	23	34	42	70
GRAND TOTAL	**1049**	**18.7**	**111**	**8**	**9**	**16**	**22**	**32**	**41**	**66**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	4	4.0	9	<1	<1	3	6	8	8	8
35-49	28	4.0	14	1	1	2	5	12	13	14
50-64	141	3.2	5	<1	1	3	4	6	7	11
65+	236	4.8	27	1	1	3	6	10	13	26
2. MULTIPLE DX										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	2	19.0	8	17	17	19	21	21	21	21
35-49	14	9.4	324	2	2	3	7	17	59	71
50-64	142	8.0	71	1	2	5	11	20	25	34
65+	379	11.3	117	2	2	8	16	24	33	65
TOT. SINGLE DX	411	4.2	19	1	1	3	5	8	12	19
" MULTIPLE DX	539	10.4	111	2	2	7	14	23	28	63
TOTAL 0-19 YRS	4	4.5	7	<1	<1	5	6	7	7	7
20-34	6	9.0	67	<1	<1	6	17	21	21	21
35-49	42	5.8	119	1	1	3	6	12	14	71
50-64	283	5.6	44	1	1	3	6	13	20	27
65+	615	8.8	92	1	2	5	11	20	27	56
GRAND TOTAL	**950**	**7.7**	**80**	**1**	**2**	**4**	**10**	**19**	**25**	**51**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	102	3.5	6	1	1	3	5	6	7	13
20-34	78	4.7	16	<1	1	4	6	9	10	25
35-49	51	4.1	6	2	3	3	4	6	8	18
50-64	64	4.4	10	2	2	3	5	6	11	21
65+	40	5.6	14	2	2	4	6	11	14	20
2. MULTIPLE DX										
0-19 YRS	75	6.2	147	1	2	4	5	9	18	82
20-34	47	6.3	26	1	2	5	8	14	16	24
35-49	48	9.5	173	2	3	5	11	21	31	77
50-64	66	9.3	137	3	3	6	9	16	28	70
65+	61	14.4	265	3	4	8	21	41	91	99+
TOT. SINGLE DX	335	4.3	10	1	2	4	5	8	10	19
" MULTIPLE DX	297	9.1	161	2	2	5	9	21	34	99
TOTAL 0-19 YRS	177	4.7	67	1	1	3	5	7	9	32
20-34	125	5.3	20	1	1	4	7	10	14	25
35-49	99	6.7	94	2	3	4	6	12	21	63
50-64	130	6.9	80	2	2	5	7	12	20	62
65+	101	10.9	184	2	3	6	14	29	53	99+
GRAND TOTAL	**632**	**6.6**	**87**	**1**	**2**	**4**	**6**	**12**	**22**	**74**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	4.2	6	2	2	3	6	8	9	12
20-34	93	5.8	33	2	3	4	6	9	11	40
35-49	48	8.1	77	3	3	5	9	17	24	52
50-64	50	8.2	39	2	3	6	9	20	23	28
65+	66	9.1	65	2	3	7	10	19	23	48
2. MULTIPLE DX										
0-19 YRS	54	6.7	152	1	2	4	5	13	19	87
20-34	77	6.5	33	2	2	4	8	13	20	29
35-49	47	7.3	41	3	3	5	8	14	22	34
50-64	86	11.2	82	3	4	8	14	25	31	46
65+	196	14.6	163	3	4	11	19	32	39	76
TOT. SINGLE DX	327	6.8	44	2	2	5	8	13	20	40
" MULTIPLE DX	460	10.9	124	2	3	7	14	24	32	64
TOTAL 0-19 YRS	124	5.3	70	2	2	4	5	9	12	39
20-34	170	6.1	33	2	2	4	7	11	15	38
35-49	95	7.7	59	3	3	5	9	14	23	44
50-64	136	10.1	68	3	4	7	13	22	28	37
65+	262	13.3	144	3	4	10	18	29	37	67
GRAND TOTAL	**787**	**9.2**	**95**	**2**	**3**	**6**	**11**	**20**	**29**	**52**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	662	4.1	8	1	2	3	5	8	9	11
20-34	67	3.4	3	1	1	3	4	6	7	8
35-49	5	3.4	10	2	2	2	4	9	9	9
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
0-19 YRS	389	4.7	13	2	2	4	5	8	11	20
20-34	33	5.5	6	2	2	6	7	9	10	12
35-49	4	5.0	6	3	3	5	7	8	8	8
50-64	2	11.0	72	5	5	11	17	17	17	17
65+	2	5.5	1	5	5	5	6	6	6	6
TOT. SINGLE DX	735	4.1	7	1	2	3	5	7	9	11
" MULTIPLE DX	430	4.8	12	2	2	4	6	8	11	19
TOTAL 0-19 YRS	1051	4.3	9	2	2	3	5	8	9	16
20-34	100	4.1	5	1	2	4	6	7	8	11
35-49	9	4.1	8	2	2	3	6	9	9	9
50-64	3	10.0	39	5	5	8	15	17	17	17
65+	2	5.5	1	5	5	5	6	6	6	6
GRAND TOTAL	1165	4.3	9	2	2	4	5	8	9	16

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	3.5	9	1	1	3	4	7	9	18
20-34	65	2.6	2	<1	1	2	4	5	5	6
35-49	20	3.3	3	<1	1	3	4	6	6	6
50-64	6	6.8	26	2	2	5	9	15	16	16
65+	5	5.0	3	3	3	5	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	42	4.8	22	1	2	4	6	7	10	30
20-34	42	4.5	11	1	2	4	5	9	11	18
35-49	17	3.4	5	<1	<1	2	6	7	8	8
50-64	8	5.6	24	2	2	4	6	14	17	17
65+	4	19.3	386	2	2	15	34	45	45	45
TOT. SINGLE DX	181	3.3	6	1	1	3	4	6	7	15
" MULTIPLE DX	113	5.0	33	1	2	4	6	8	14	36
TOTAL 0-19 YRS	127	4.0	13	1	1	3	5	7	9	22
20-34	107	3.4	6	1	1	3	4	6	8	15
35-49	37	3.3	4	<1	<1	3	5	6	7	8
50-64	14	6.1	23	2	2	4	7	16	17	17
65+	9	11.3	203	2	2	6	11	37	45	45
GRAND TOTAL	294	4.0	17	1	1	3	5	7	9	22

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	378	1.1		<1	<1	<1	<1	1	1	2
35-49	160	1.2		<1	<1	<1	<1	1	2	5
50-64	7	3.7	52	<1	<1	<1	1	16	20	20
65+	3	2.3	5	<1	<1	<1	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	63	2.9	18	<1	<1	1	3	6	9	27
35-49	57	2.0	6	<1	<1	<1	2	4	7	14
50-64	8	4.6	19	<1	<1	3	7	11	13	13
65+	2	5.0	2	4	4	5	6	6	6	6
TOT. SINGLE DX	550	1.1	1	<1	<1	<1	<1	1	2	3
" MULTIPLE DX	133	2.6	13	<1	<1	1	3	6	9	18
TOTAL 0-19 YRS	5	1.2		<1	<1	<1	1	2	2	2
20-34	441	1.3	3	<1	<1	<1	<1	2	2	8
35-49	217	1.4	2	<1	<1	<1	1	2	3	9
50-64	15	4.2	32	<1	<1	<1	6	13	18	20
65+	5	3.4	5	<1	<1	4	5	6	6	6
GRAND TOTAL	683	1.4	4	<1	<1	<1	<1	2	3	10

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	259	3.2	3	1	1	3	4	5	7	8
20-34	251	3.5	5	1	2	3	4	6	7	12
35-49	196	3.6	4	1	2	3	4	6	8	11
50-64	197	4.2	12	2	2	4	5	7	8	15
65+	91	5.4	18	2	2	4	6	9	11	27
2. MULTIPLE DX										
0-19 YRS	156	3.9	22	1	2	3	4	6	9	31
20-34	188	4.4	40	2	2	3	4	7	9	38
35-49	109	4.8	20	1	2	4	5	9	12	27
50-64	177	6.4	40	2	2	5	7	13	15	41
65+	117	6.8	31	2	3	5	8	13	17	33
TOT. SINGLE DX	994	3.7	7	1	2	3	4	6	8	12
" MULTIPLE DX	747	5.2	33	2	2	4	6	9	13	32
TOTAL 0-19 YRS	415	3.5	10	1	1	3	4	6	7	15
20-34	439	3.9	20	1	2	3	4	6	8	14
35-49	305	4.0	10	1	2	3	4	7	9	19
50-64	374	5.2	26	2	2	4	6	9	13	31
65+	208	6.2	25	2	2	5	7	12	16	30
GRAND TOTAL	1741	4.4	19	1	2	3	5	7	10	22

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	2.3	5	<1	<1	1	3	5	7	13
20-34	58	2.3	7	<1	<1	1	3	5	7	14
35-49	16	6.3	28	<1	<1	5	11	12	16	18
50-64	21	7.5	27	1	2	7	9	14	19	23
65+	16	7.5	24	1	2	7	10	15	16	16
2. MULTIPLE DX										
0-19 YRS	42	5.1	25	<1	1	4	6	12	15	26
20-34	21	5.2	31	<1	<1	3	9	17	53	99+
35-49	24	6.4	17	1	2	5	8	13	15	16
50-64	33	7.5	48	2	2	5	9	21	22	28
65+	32	17.0	466	1	2	9	22	54	92	99+
TOT. SINGLE DX	180	3.7	16	<1	<1	2	5	10	13	17
" MULTIPLE DX	152	8.3	141	<1	1	5	9	19	32	99+
TOTAL 0-19 YRS	111	3.4	15	<1	<1	2	5	7	12	21
20-34	79	3.1	14	<1	<1	2	3	9	13	76
35-49	40	6.3	21	<1	1	5	9	13	15	18
50-64	54	7.5	39	2	2	6	9	18	22	28
65+	48	13.9	336	1	2	9	16	43	62	99+
GRAND TOTAL	332	5.8	78	<1	<1	3	7	13	19	66

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of a procedure which is coded for indexing, quality review, and purposes other than its effect on length of stay. For the purpose of operation length of stay tables, patients with only this procedure are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	6.3	11	3	4	6	7	9	11	19
20-34	480	6.1	5	3	4	6	7	8	9	14
35-49	79	7.3	8	3	4	7	8	11	12	18
50-64	23	8.7	8	5	6	8	9	13	15	17
65+	10	12.2	42	7	7	9	16	57	96	99+
2. MULTIPLE DX										
0-19 YRS	110	6.9	24	2	4	6	8	11	13	33
20-34	637	6.5	6	3	4	6	8	9	11	16
35-49	145	8.8	34	3	4	7	10	15	21	31
50-64	47	11.3	67	4	5	9	11	22	30	42
65+	34	16.0	74	8	8	15	19	23	47	99+
TOT. SINGLE DX	727	6.4	8	3	4	6	7	9	11	17
" MULTIPLE DX	973	7.5	22	3	4	6	8	12	16	28
TOTAL 0-19 YRS	245	6.6	17	3	4	6	7	9	12	26
20-34	1117	6.3	6	3	4	6	7	9	10	15
35-49	224	8.3	25	3	4	7	9	13	19	30
50-64	70	10.4	49	4	5	9	11	17	26	41
65+	44	15.1	68	7	8	14	18	27	59	99+
GRAND TOTAL	1700	7.0	16	3	4	6	8	10	13	24

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	7.4	14	4	5	6	8	10	16	23
20-34	365	6.8	6	4	4	6	8	9	11	16
35-49	127	7.7	19	4	5	7	8	10	13	31
50-64	32	8.5	11	5	5	8	10	13	16	19
65+	13	15.3	186	6	7	12	15	30	53	58
2. MULTIPLE DX										
0-19 YRS	58	8.4	21	4	5	7	9	13	16	33
20-34	639	7.4	12	4	5	7	8	11	14	21
35-49	297	9.0	60	4	5	7	9	14	21	40
50-64	46	13.4	99	5	6	9	19	31	41	99+
65+	31	19.9	149	8	9	16	23	42	44	50
TOT. SINGLE DX	586	7.3	15	4	5	7	8	10	13	22
" MULTIPLE DX	1071	8.5	39	4	5	7	9	13	19	39
TOTAL 0-19 YRS	107	7.9	18	4	5	7	9	12	16	28
20-34	1004	7.2	10	4	5	7	8	10	13	20
35-49	424	8.6	48	4	5	7	9	12	19	39
50-64	78	11.4	69	5	6	9	13	23	32	85
65+	44	18.5	161	7	8	13	23	41	46	58
GRAND TOTAL	**1657**	**8.1**	**31**	**4**	**5**	**7**	**8**	**12**	**16**	**35**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	24.0	512	8	8	24	40	40	40	40
20-34	24	7.1	8	4	5	6	8	12	14	15
35-49	61	7.6	7	4	5	7	9	11	13	17
50-64	25	9.3	27	5	5	8	10	15	21	27
65+	9	10.2	10	6	7	10	12	15	16	16
2. MULTIPLE DX										
0-19 YRS	2	11.5	25	8	8	11	15	15	15	15
20-34	109	9.1	33	4	5	8	9	13	19	36
35-49	202	9.9	34	4	6	8	11	18	23	40
50-64	100	11.6	39	5	6	10	13	22	24	33
65+	45	15.7	68	7	8	13	22	28	33	40
TOT. SINGLE DX	121	8.3	20	5	5	7	9	13	15	31
" MULTIPLE DX	458	10.7	42	5	6	9	11	19	25	36
TOTAL 0-19 YRS	4	17.8	231	8	8	12	27	40	40	40
20-34	133	8.7	29	4	5	8	9	12	19	33
35-49	263	9.4	29	4	5	8	10	16	20	36
50-64	125	11.1	37	5	6	9	13	20	24	32
65+	54	14.8	63	7	8	12	18	27	32	40
GRAND TOTAL	**579**	**10.2**	**38**	**5**	**5**	**8**	**11**	**18**	**24**	**36**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	4.5	5	1	2	4	6	8	9	9
20-34	81	4.3	7	<1	1	4	6	8	9	14
35-49	9	7.0	21	2	3	5	9	15	15	15
50-64	2	6.5	41	2	2	6	11	11	11	11
65+										
2. MULTIPLE DX										
0-19 YRS	24	5.2	7	1	1	5	7	8	10	12
20-34	200	6.5	51	1	2	6	7	9	11	34
35-49	28	6.6	19	1	2	6	8	9	14	25
50-64	4	5.8	11	1	1	7	8	8	8	8
65+	2	4.5	1	4	4	4	5	5	5	5
TOT. SINGLE DX	114	4.6	9	1	1	4	6	8	10	15
" MULTIPLE DX	258	6.4	43	1	2	6	7	9	11	28
TOTAL 0-19 YRS	46	4.9	6	1	2	5	6	8	9	12
20-34	281	5.9	40	1	2	6	7	9	10	24
35-49	37	6.7	19	2	2	6	8	12	15	25
50-64	6	6.0	15	1	1	7	8	11	11	11
65+	2	4.5	1	4	4	4	5	5	5	5
GRAND TOTAL	**372**	**5.8**	**33**	**1**	**2**	**6**	**7**	**9**	**10**	**23**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	3.8	38	<1	<1	2	3	10	21	23
20-34	1611	1.7	3	<1	<1	2	2	2	3	5
35-49	637	1.8	1	<1	<1	2	2	2	3	5
50-64	3	2.3	2	1	1	2	3	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	16	4.0	51	<1	<1	2	4	25	75	99+
20-34	1416	2.5	8	<1	<1	2	2	5	6	18
35-49	650	2.3	14	<1	1	2	2	3	5	9
50-64	6	3.3	5	2	2	2	5	7	7	7
65+										
TOT. SINGLE DX	2263	1.7	2	<1	<1	2	2	2	3	5
" MULTIPLE DX	2088	2.4	10	<1	1	2	2	4	6	18
TOTAL 0-19 YRS	28	3.9	44	<1	<1	2	3	17	33	99+
20-34	3027	2.1	5	<1	<1	2	2	3	5	13
35-49	1287	2.0	8	<1	<1	2	2	3	4	8
50-64	9	3.0	4	1	1	2	4	6	7	7
65+										
GRAND TOTAL	**4351**	**2.1**	**6**	**<1**	**<1**	**2**	**2**	**3**	**5**	**12**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	2.9	2	1	2	3	3	5	6	6
20-34	2839	3.1	4	1	2	3	4	5	6	8
35-49	1038	3.0	3	1	2	3	4	5	6	8
50-64	12	3.1	3	1	1	3	4	6	7	7
65+										
2. MULTIPLE DX										
0-19 YRS	38	4.9	7	2	2	4	7	9	11	13
20-34	2611	4.4	9	2	2	4	5	7	8	13
35-49	948	4.0	10	1	2	3	5	6	8	18
50-64	8	5.1	15	1	1	4	7	11	13	13
65+										
TOT. SINGLE DX	3915	3.1	4	1	2	3	4	5	6	8
" MULTIPLE DX	3605	4.3	10	2	2	4	5	7	8	15
TOTAL 0-19 YRS	64	4.1	6	2	2	3	5	7	9	13
20-34	5450	3.7	7	1	2	3	5	6	7	12
35-49	1986	3.5	6	1	2	3	4	6	7	14
50-64	20	3.9	8	1	1	3	5	7	10	13
65+										
GRAND TOTAL	7520	3.7	7	1	2	3	4	6	7	12

666: Miscellaneous operations on faliopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	5.6	5	2	3	6	7	9	9	12
20-34	825	5.7	9	2	3	5	7	9	10	17
35-49	112	5.0	8	2	2	5	7	8	9	15
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	46	7.8	16	3	4	7	9	16	17	18
20-34	902	5.8	7	2	3	6	7	8	10	15
35-49	170	5.4	11	1	2	5	7	9	11	20
50-64	3	8.0	31	2	2	9	12	13	13	13
65+	1	78.0		78	78	78	78	78	78	78
TOT. SINGLE DX	998	5.6	8	2	2	5	7	8	10	17
" MULTIPLE DX	1122	5.9	13	2	2	6	7	9	10	17
TOTAL 0-19 YRS	105	6.6	11	3	3	6	7	10	15	18
20-34	1727	5.7	8	2	3	6	7	8	10	16
35-49	282	5.3	10	1	2	5	7	8	10	19
50-64	4	8.3	21	2	2	9	11	13	13	13
65+	2	42.5	2521	7	7	42	78	78	78	78
GRAND TOTAL	2120	5.7	11	2	2	6	7	9	10	17

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	2.8	2	1	1	3	3	4	5	8
20-34	924	2.7	2	1	1	2	3	4	5	8
35-49	250	2.8	2	1	2	3	3	4	5	8
50-64	78	3.2	5	1	2	3	4	5	6	15
65+	18	5.2	22	1	2	4	5	11	17	20
2. MULTIPLE DX										
0-19 YRS	40	3.1	2	1	2	3	4	5	6	7
20-34	584	2.9	3	1	2	3	4	5	5	9
35-49	214	3.4	6	1	2	3	4	5	8	15
50-64	94	3.7	26	1	2	3	4	6	8	33
65+	22	5.8	23	1	2	4	7	11	18	22
TOT. SINGLE DX	1312	2.8	3	1	2	3	3	4	5	8
" MULTIPLE DX	954	3.2	6	1	2	3	4	5	6	12
TOTAL 0-19 YRS	82	2.9	2	1	2	3	4	5	6	8
20-34	1508	2.8	2	1	2	3	3	4	5	8
35-49	464	3.1	4	1	2	3	3	5	6	12
50-64	172	3.5	17	1	2	3	4	5	8	16
65+	40	5.5	22	1	2	4	7	11	17	22
GRAND TOTAL	2266	3.0	4	1	2	3	3	5	6	11

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	2.6	9	<1	<1	1	3	5	11	13
20-34	154	2.5	4	<1	<1	2	3	4	6	11
35-49	115	3.0	8	<1	<1	2	4	6	8	15
50-64	93	2.7	7	<1	<1	2	3	6	9	15
65+	29	6.6	59	1	1	3	9	14	29	32
2. MULTIPLE DX										
0-19 YRS	22	2.9	8	<1	1	2	2	7	10	12
20-34	149	2.9	20	<1	<1	2	3	5	8	18
35-49	182	3.2	18	<1	<1	2	3	8	10	36
50-64	173	5.1	57	<1	<1	2	5	12	18	41
65+	114	8.8	102	1	2	6	10	19	30	53
TOT. SINGLE DX	414	3.0	11	<1	<1	2	3	6	9	15
" MULTIPLE DX	640	4.6	48	<1	<1	2	5	10	17	43
TOTAL 0-19 YRS	45	2.8	8	<1	<1	2	3	6	10	13
20-34	303	2.7	12	<1	<1	2	3	5	7	15
35-49	297	3.1	14	<1	<1	2	4	8	10	20
50-64	266	4.3	41	<1	<1	2	5	10	15	34
65+	143	8.4	94	1	2	5	10	19	30	47
GRAND TOTAL	1054	4.0	34	<1	<1	2	4	9	13	32

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	3.0	3	1	1	3	5	5	6	6
20-34	349	3.8	8	1	2	3	4	6	8	16
35-49	34	3.4	2	1	2	3	4	5	7	8
50-64	2	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	3	5.0	3	4	4	4	6	7	7	7
20-34	138	5.5	28	1	2	4	7	10	14	33
35-49	22	5.0	48	1	1	4	6	8	19	34
50-64	1	2.0		2	2	2	2	2	2	2
65+										
TOT. SINGLE DX	399	3.8	8	1	2	3	4	6	8	15
" MULTIPLE DX	164	5.4	29	1	2	4	7	10	14	34
TOTAL 0-19 YRS	17	3.4	3	1	1	3	5	6	7	7
20-34	487	4.3	14	1	2	3	5	7	10	24
35-49	56	4.1	20	1	1	3	5	7	8	32
50-64	3	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	**563**	**4.2**	**15**	**1**	**2**	**3**	**5**	**7**	**9**	**25**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.3	34	1	1	2	7	13	13	13
20-34	91	5.4	10	<1	1	6	7	9	10	18
35-49	24	6.1	10	1	2	6	7	9	13	14
50-64	10	3.8	17	1	1	2	3	11	14	14
65+	5	7.2	11	4	4	7	10	11	11	11
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	111	6.4	9	1	2	6	8	10	11	16
35-49	36	6.8	18	1	2	7	9	13	14	19
50-64	26	3.6	14	<1	1	2	3	8	12	17
65+	10	9.7	121	<1	<1	5	14	27	35	35
TOT. SINGLE DX	134	5.5	11	1	1	6	7	9	11	15
" MULTIPLE DX	184	6.2	19	1	1	6	8	10	13	20
TOTAL 0-19 YRS	5	4.8	27	1	1	2	8	13	13	13
20-34	202	5.9	10	1	1	6	8	9	10	17
35-49	60	6.5	15	1	2	7	8	12	14	19
50-64	36	3.7	14	<1	1	2	3	8	13	17
65+	15	8.9	82	<1	1	6	12	20	31	35
GRAND TOTAL	**318**	**5.9**	**16**	**1**	**1**	**6**	**8**	**10**	**13**	**20**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	8.2	32	3	4	7	8	16	23	24
20-34	869	7.8	6	5	6	7	8	10	11	18
35-49	1065	8.2	8	6	6	8	9	10	11	16
50-64	270	9.1	10	6	7	8	9	12	17	23
65+	77	12.6	60	6	7	10	13	24	27	45
2. MULTIPLE DX										
0-19 YRS	54	8.2	6	6	6	8	9	13	14	16
20-34	3417	8.6	15	5	6	8	9	12	14	24
35-49	6312	9.0	14	6	6	8	10	13	15	23
50-64	1773	10.2	28	6	7	9	11	15	20	32
65+	383	13.3	40	7	8	11	16	22	27	35
TOT. SINGLE DX	2292	8.3	10	6	6	8	9	10	12	22
" MULTIPLE DX	11939	9.2	18	6	6	8	10	13	16	27
TOTAL 0-19 YRS	65	8.2	10	5	6	7	9	13	14	23
20-34	4286	8.4	13	5	6	8	9	11	13	22
35-49	7377	8.9	13	6	6	8	9	12	15	23
50-64	2043	10.1	26	6	7	9	11	15	19	30
65+	460	13.1	43	7	7	11	16	22	27	35
GRAND TOTAL	**14231**	**9.1**	**17**	**6**	**6**	**8**	**10**	**13**	**16**	**26**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	400	7.2	5	5	5	7	8	9	10	14
35-49	330	8.1	10	5	6	7	9	11	14	19
50-64	153	10.0	22	6	7	8	11	15	19	36
65+	127	9.8	10	7	7	9	11	14	16	20
2. MULTIPLE DX										
0-19 YRS	7	7.4	1	6	6	7	8	9	9	9
20-34	1170	8.4	17	5	5	7	9	12	15	24
35-49	1860	9.2	22	5	6	8	10	14	17	27
50-64	851	10.6	22	6	7	9	12	16	19	27
65+	569	12.5	53	7	7	10	14	21	26	39
TOT. SINGLE DX	1011	8.2	11	5	6	8	9	11	14	20
" MULTIPLE DX	4457	9.7	27	5	6	8	11	15	18	28
TOTAL 0-19 YRS	8	6.6	6	<1	2	7	8	9	9	9
20-34	1570	8.0	14	5	5	7	9	11	14	23
35-49	2190	9.0	21	5	6	8	10	13	17	26
50-64	1004	10.5	22	6	7	9	12	16	19	29
65+	696	12.0	46	7	7	10	13	19	24	38
GRAND TOTAL	**5468**	**9.4**	**24**	**5**	**6**	**8**	**10**	**14**	**18**	**27**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	3	12.7	25	8	8	12	16	18	18	18
35-49	5	12.8	32	7	7	12	18	20	20	20
50-64	4	13.3	42	7	7	12	18	21	21	21
65+	5	17.0	103	9	9	11	25	32	32	32
2. MULTIPLE DX										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	8	13.0	45	<1	3	13	17	21	23	23
35-49	11	12.5	17	6	7	12	16	18	18	18
50-64	21	23.2	250	8	10	18	29	48	58	68
65+	10	19.1	187	5	7	13	26	43	43	43
TOT. SINGLE DX	17	14.1	48	7	7	12	18	23	29	32
" MULTIPLE DX	51	18.5	166	5	8	15	23	40	46	68
TOTAL 0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	11	12.9	37	<1	5	12	17	20	23	23
35-49	16	12.6	20	6	7	12	17	18	19	20
50-64	25	21.6	227	6	9	17	27	46	54	68
65+	15	18.4	151	6	9	13	25	43	43	43
GRAND TOTAL	68	17.4	139	6	8	14	21	31	44	65

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	149	2.1	4	<1	<1	2	2	3	5	10
20-34	199	2.3	4	<1	1	2	2	4	6	11
35-49	12	2.0	2	1	1	2	2	4	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	81	2.4	16	<1	<1	1	2	4	6	26
20-34	265	3.0	9	<1	<1	2	4	6	8	17
35-49	65	3.3	12	1	1	2	4	5	15	17
50-64	1	2.0		2	2	2	2	2	2	2
65+										
TOT. SINGLE DX	360	2.2	4	<1	1	2	2	4	5	11
" MULTIPLE DX	412	3.0	11	<1	<1	2	3	5	8	17
TOTAL 0-19 YRS	230	2.2	8	<1	<1	2	2	4	5	15
20-34	464	2.7	7	<1	<1	2	3	5	8	15
35-49	77	3.1	11	1	1	2	4	5	12	17
50-64	1	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	772	2.6	8	<1	<1	2	3	5	7	15

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1252	2.2	3	<1	1	2	3	4	5	9
20-34	8769	2.1	5	<1	<1	2	2	4	5	10
35-49	2499	1.9	3	<1	<1	2	2	3	4	7
50-64	1091	2.1	15	<1	<1	2	2	3	4	10
65+	204	2.9	8	1	1	2	3	5	9	15
2. MULTIPLE DX										
0-19 YRS	473	2.9	9	<1	1	2	3	6	8	13
20-34	3496	2.8	12	<1	<1	2	3	5	8	15
35-49	2391	3.1	26	<1	<1	2	3	5	9	26
50-64	1438	3.1	23	<1	<1	2	3	6	10	26
65+	447	5.3	62	1	1	3	5	12	20	54
TOT. SINGLE DX	13815	2.1	5	<1	<1	2	2	4	5	10
" MULTIPLE DX	8245	3.1	21	<1	<1	2	3	6	9	22
TOTAL 0-19 YRS	1725	2.4	5	<1	1	2	3	5	6	10
20-34	12265	2.3	7	<1	<1	2	2	4	6	11
35-49	4890	2.4	15	<1	<1	2	2	4	6	16
50-64	2529	2.7	20	<1	<1	2	2	4	7	22
65+	651	4.5	46	1	1	2	4	10	18	35
GRAND TOTAL	22060	2.4	11	<1	<1	2	2	4	6	14

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1020	1.3	4	<1	<1	<1	1	2	2	3
20-34	1500	1.3	1	<1	<1	<1	1	2	2	4
35-49	66	1.3		<1	<1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	843	1.6	4	<1	<1	1	2	2	4	10
20-34	1855	1.8	8	<1	<1	1	2	3	4	9
35-49	317	2.2	4	<1	<1	2	3	4	5	9
50-64										
65+										
TOT. SINGLE DX	2586	1.3	2	<1	<1	<1	1	2	2	3
" MULTIPLE DX	3015	1.8	6	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	1863	1.5	4	<1	<1	<1	2	2	2	6
20-34	3355	1.6	5	<1	<1	1	2	2	3	7
35-49	383	2.0	3	<1	<1	2	2	4	4	7
50-64										
65+										
GRAND TOTAL	5601	1.6	4	<1	<1	1	2	2	3	7

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	2.5	4	<1	<1	2	3	5	7	11
20-34	248	2.0	2	<1	<1	1	2	4	5	7
35-49	23	2.4	3	<1	1	2	3	4	7	8
50-64	2	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	33	4.0	11	<1	1	4	5	7	9	17
20-34	90	2.8	4	<1	<1	2	4	6	7	11
35-49	18	3.5	12	<1	1	2	4	8	13	15
50-64	4	4.0	16	2	2	2	6	10	10	10
65+										
TOT. SINGLE DX	332	2.1	3	<1	<1	2	3	4	5	8
" MULTIPLE DX	145	3.2	7	<1	1	2	4	7	8	15
TOTAL 0-19 YRS	92	3.0	7	<1	<1	2	4	7	8	14
20-34	338	2.2	3	<1	<1	2	3	4	6	8
35-49	41	2.9	7	<1	1	2	3	6	8	15
50-64	6	3.3	11	2	2	2	2	9	10	10
65+										
GRAND TOTAL	**477**	**2.4**	**4**	**<1**	**<1**	**2**	**3**	**5**	**7**	**10**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	5.4	4	2	2	6	7	7	7	7
20-34	89	5.7	6	2	2	6	7	8	8	14
35-49	11	8.5	7	3	5	8	10	12	12	12
50-64	8	7.9	7	6	6	7	8	12	14	14
65+	15	12.2	36	6	7	11	13	23	24	24
2. MULTIPLE DX										
0-19 YRS	5	6.2	4	4	4	6	7	9	9	9
20-34	165	6.4	6	3	4	6	7	9	11	17
35-49	22	8.3	14	4	4	8	10	13	16	19
50-64	20	8.9	7	5	6	8	10	14	14	14
65+	21	10.4	22	7	7	9	11	16	21	27
TOT. SINGLE DX	128	6.8	14	2	3	7	8	10	13	23
" MULTIPLE DX	233	7.1	10	4	4	7	8	11	14	18
TOTAL 0-19 YRS	10	5.8	4	2	3	6	7	8	9	9
20-34	254	6.1	6	2	4	6	7	8	10	17
35-49	33	8.3	12	4	4	8	10	12	14	19
50-64	28	8.6	7	6	6	8	9	14	14	14
65+	36	11.2	28	7	7	9	12	21	24	27
GRAND TOTAL	**361**	**7.0**	**11**	**3**	**4**	**7**	**8**	**11**	**13**	**22**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	2.7	4	<1	<1	2	4	5	7	8
20-34	122	3.6	17	<1	1	2	5	7	8	28
35-49	23	5.6	57	<1	<1	2	7	12	21	36
50-64	32	7.5	14	4	4	7	9	12	14	21
65+	10	8.4	11	5	5	8	11	13	14	14
2. MULTIPLE DX										
0-19 YRS	21	5.5	22	<1	<1	4	6	12	17	21
20-34	130	5.9	45	1	1	5	7	10	15	60
35-49	31	4.9	22	<1	1	4	6	11	11	24
50-64	15	7.2	47	1	1	5	8	19	24	26
65+	16	10.1	74	3	4	7	13	32	77	99+
TOT. SINGLE DX	206	4.6	22	<1	1	3	6	9	12	29
" MULTIPLE DX	213	6.1	42	<1	1	5	7	11	20	68
TOTAL 0-19 YRS	40	4.2	15	<1	<1	3	5	8	12	21
20-34	252	4.8	33	<1	1	4	6	8	11	50
35-49	54	5.2	36	<1	<1	3	6	11	12	36
50-64	47	7.4	24	1	3	6	9	12	15	26
65+	26	9.4	49	4	4	7	12	24	44	99+
GRAND TOTAL	**419**	**5.4**	**33**	**<1**	**1**	**4**	**7**	**10**	**14**	**40**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	8.3	14	4	4	10	11	11	11	11
20-34	91	7.8	14	4	4	7	9	12	15	23
35-49	267	8.9	19	4	5	8	10	13	17	27
50-64	382	8.8	14	5	5	8	10	13	16	24
65+	165	9.1	11	5	6	8	11	13	15	20
2. MULTIPLE DX										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	185	9.3	20	4	5	8	12	15	17	24
35-49	677	10.3	34	5	6	9	12	17	20	32
50-64	843	10.7	32	5	6	9	13	16	20	32
65+	438	11.4	33	6	6	10	13	18	22	35
TOT. SINGLE DX	908	8.8	15	5	5	8	10	13	16	24
" MULTIPLE DX	2145	10.6	32	5	6	9	12	17	20	32
TOTAL 0-19 YRS	5	7.2	13	3	3	8	10	11	11	11
20-34	276	8.8	18	4	5	8	11	14	17	24
35-49	944	9.9	30	5	6	8	11	16	19	32
50-64	1225	10.1	27	5	6	9	12	16	19	28
65+	603	10.8	28	6	6	9	12	17	20	29
GRAND TOTAL	**3053**	**10.1**	**28**	**5**	**6**	**9**	**12**	**16**	**19**	**29**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	5.4	33	<1	1	3	8	16	19	19
20-34	85	5.0	20	<1	1	5	6	8	12	28
35-49	44	6.4	23	1	1	6	8	14	15	24
50-64	24	5.9	10	2	2	6	9	9	11	14
65+	17	8.9	46	2	3	7	10	19	26	29
2. MULTIPLE DX										
0-19 YRS	18	9.0	97	<1	1	5	12	25	34	36
20-34	62	7.3	39	1	2	5	9	16	17	35
35-49	38	8.4	45	2	3	6	11	16	23	34
50-64	39	10.4	59	1	2	8	14	22	26	32
65+	22	14.4	96	2	3	12	20	30	33	38
TOT. SINGLE DX	189	5.8	24	1	1	5	7	11	15	27
" MULTIPLE DX	179	9.2	61	1	2	7	12	19	27	37
TOTAL 0-19 YRS	37	7.2	65	<1	1	4	11	17	26	36
20-34	147	6.0	29	1	1	5	7	13	16	32
35-49	82	7.4	34	1	2	6	9	14	17	31
50-64	63	8.7	45	2	2	7	11	18	23	31
65+	39	12.0	80	2	3	9	16	28	30	38
GRAND TOTAL	368	7.5	45	1	1	6	9	16	21	34

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	3.3	15	<1	<1	2	3	7	12	20
20-34	148	3.2	11	<1	<1	2	4	8	10	17
35-49	65	4.9	19	1	1	3	6	11	12	24
50-64	58	4.7	11	<1	1	4	7	9	10	17
65+	48	6.5	12	2	2	6	9	11	13	16
2. MULTIPLE DX										
0-19 YRS	45	5.3	20	1	1	4	6	12	16	20
20-34	116	5.4	27	<1	1	4	7	13	17	50
35-49	83	7.7	88	1	1	6	8	17	28	55
50-64	133	8.4	75	1	2	7	10	15	20	57
65+	117	9.8	55	2	3	8	12	18	24	67
TOT. SINGLE DX	389	4.1	14	<1	1	3	6	9	11	19
" MULTIPLE DX	494	7.6	59	1	2	6	10	16	20	55
TOTAL 0-19 YRS	115	4.1	18	<1	<1	2	5	10	13	20
20-34	264	4.2	19	<1	1	2	5	10	14	24
35-49	148	6.5	59	1	1	5	8	13	18	33
50-64	191	7.3	58	1	2	6	9	14	17	53
65+	165	8.9	45	2	2	7	11	16	22	50
GRAND TOTAL	883	6.1	42	<1	1	4	8	13	17	32

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	142	2.5	4	<1	<1	2	3	5	7	10
20-34	456	2.5	5	<1	1	2	3	4	6	12
35-49	179	2.5	4	<1	<1	2	3	4	6	12
50-64	94	2.8	4	1	1	2	4	5	7	60
65+	29	6.1	67	2	2	3	7	12	18	43
2. MULTIPLE DX										
0-19 YRS	59	4.5	14	1	1	3	5	9	13	19
20-34	193	3.6	16	<1	1	3	4	7	10	23
35-49	84	5.3	65	<1	1	3	5	10	18	50
50-64	61	6.2	48	1	1	4	8	13	18	41
65+	55	9.2	98	2	2	6	14	25	47	99+
TOT. SINGLE DX	900	2.7	7	<1	1	2	3	5	7	13
" MULTIPLE DX	452	5.1	42	<1	1	3	5	11	18	42
TOTAL 0-19 YRS	201	3.1	8	<1	<1	2	4	6	9	15
20-34	649	2.9	9	<1	1	2	3	5	7	19
35-49	263	3.4	25	<1	1	2	4	6	10	24
50-64	155	4.1	24	1	1	3	5	10	12	42
65+	84	8.2	88	2	2	5	12	22	30	99+
GRAND TOTAL	1352	3.5	20	<1	1	2	4	7	10	25

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	7	7.3	24	3	3	7	9	15	17	17
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	5	7.2	16	3	3	8	9	13	13	13
2. MULTIPLE DX										
0-19 YRS										
20-34	5	9.0	17	2	2	11	11	12	12	12
35-49	11	15.6	177	2	3	12	25	36	42	43
50-64	9	19.1	264	2	2	15	36	39	39	39
65+	26	25.7	336	4	6	22	31	56	57	59
TOT. SINGLE DX	19	5.5	18	1	1	4	8	11	15	17
" MULTIPLE DX	51	20.7	280	2	3	15	31	51	56	59
TOTAL 0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	8	6.6	21	1	1	7	11	12	12	12
35-49	18	12.4	130	2	3	9	15	31	39	43
50-64	11	15.9	262	1	1	6	33	39	39	39
65+	31	22.7	330	3	5	18	31	55	56	59
GRAND TOTAL	70	16.6	254	2	2	11	27	41	55	58

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	2.1	2	<1	<1	1	3	4	5	6
20-34	67	4.1	9	1	1	4	5	8	8	19
35-49	13	5.5	15	2	2	5	6	12	14	15
50-64	11	4.4	6	2	2	3	6	8	9	9
65+	3	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	15	4.5	8	<1	<1	5	7	8	9	9
20-34	37	5.6	12	1	2	5	7	10	13	17
35-49	8	9.5	57	1	1	7	17	20	20	20
50-64	8	9.8	170	2	2	4	12	32	40	40
65+	7	19.9	217	3	4	20	25	43	47	47
TOT. SINGLE DX	122	3.8	9	<1	1	3	5	7	9	16
" MULTIPLE DX	75	7.6	65	1	2	5	8	17	24	45
TOTAL 0-19 YRS	43	3.0	5	<1	<1	2	5	6	8	9
20-34	104	4.7	11	1	2	4	6	8	11	18
35-49	21	7.0	33	1	2	5	8	17	20	20
50-64	19	6.6	77	2	2	3	8	13	29	40
65+	10	15.1	203	3	3	9	25	36	47	47
GRAND TOTAL	197	5.3	33	<1	1	4	6	9	15	33

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	5.0	27	<1	<1	2	10	12	12	12
20-34	23	5.2	44	<1	1	2	7	13	23	26
35-49	6	3.7	18	1	1	2	4	11	12	12
50-64	4	8.8	220	1	1	2	16	31	31	31
65+										
2. MULTIPLE DX										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	21	4.8	22	<1	<1	4	7	11	16	19
35-49	6	2.2	2	<1	<1	2	4	4	4	4
50-64	5	6.0	9	2	2	7	8	9	9	9
65+	3	13.0	331	2	2	3	26	34	34	34
TOT. SINGLE DX	38	5.3	51	<1	1	2	7	12	24	31
" MULTIPLE DX	38	5.0	38	<1	1	3	7	9	17	34
TOTAL 0-19 YRS	8	4.0	17	<1	<1	2	6	11	12	12
20-34	44	5.0	33	<1	1	2	7	11	20	26
35-49	12	2.9	10	<1	<1	2	4	7	11	12
50-64	9	7.2	89	1	1	4	8	22	31	31
65+	3	13.0	331	2	2	3	26	34	34	34
GRAND TOTAL	76	5.2	44	<1	1	2	7	12	21	33

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	846	5.4	10	3	3	5	6	7	9	16
20-34	4571	5.2	5	3	4	5	6	7	8	12
35-49	133	5.1	6	3	3	5	6	7	8	12
50-64	4	5.3	1	4	4	5	6	6	5	6
65+										
2. MULTIPLE DX										
0-19 YRS	757	6.1	18	3	4	5	7	9	11	24
20-34	4924	6.1	19	3	4	5	6	9	11	25
35-49	209	6.3	17	3	4	5	7	9	12	26
50-64	3	5.3	2	4	4	5	6	7	7	7
65+										
TOT. SINGLE DX	5554	5.2	6	3	4	5	6	7	8	14
" MULTIPLE DX	5893	6.1	19	3	4	5	6	9	11	25
TOTAL 0-19 YRS	1603	5.7	14	3	4	5	6	8	10	22
20-34	9495	5.7	12	3	4	5	6	8	10	20
35-49	342	5.8	13	3	3	5	6	8	11	22
50-64	7	5.3	1	4	4	5	6	7	7	7
65+										
GRAND TOTAL	11447	5.7	13	3	4	5	6	8	10	21

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	5.6	13	1	3	5	6	9	11	22
20-34	280	5.0	3	3	3	5	6	6	7	14
35-49	6	5.3	4	3	3	5	7	8	8	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	63	6.0	71	2	3	5	6	9	12	62
20-34	467	6.3	43	2	3	5	6	9	12	42
35-49	28	7.4	45	3	3	5	7	19	25	29
50-64										
65+										
TOT. SINGLE DX	325	5.0	4	3	3	5	6	7	8	16
" MULTIPLE DX	558	6.4	46	2	3	5	6	9	13	42
TOTAL 0-19 YRS	102	5.9	49	2	3	5	6	9	12	45
20-34	747	5.8	28	3	3	5	6	8	11	33
35-49	34	7.1	38	3	3	5	7	10	25	29
50-64										
65+										
GRAND TOTAL	883	5.9	31	3	3	5	6	8	11	33

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	170	5.2	4	3	4	5	6	7	8	14
20-34	1219	5.1	2	3	4	5	6	7	8	11
35-49	50	5.9	14	3	3	5	6	7	13	25
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	329	6.1	13	4	4	5	6	9	11	29
20-34	2765	6.1	12	4	4	5	7	8	11	19
35-49	138	7.4	39	3	4	6	7	13	20	39
50-64										
65+										
TOT. SINGLE DX	1439	5.2	3	3	4	5	6	7	8	11
" MULTIPLE DX	3232	6.1	13	4	4	5	7	8	11	21
TOTAL 0-19 YRS	499	5.8	10	3	4	5	6	8	10	22
20-34	3984	5.8	9	3	4	5	6	8	10	18
35-49	188	7.0	33	3	4	6	7	12	18	37
50-64										
65+										
GRAND TOTAL	**4671**	**5.8**	**10**	**3**	**4**	**5**	**6**	**8**	**10**	**19**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	861	5.5	11	2	3	5	6	8	11	19
20-34	6239	5.1	9	2	3	5	6	7	9	16
35-49	273	5.1	6	2	3	5	6	7	9	16
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
2. MULTIPLE DX										
0-19 YRS	594	6.6	24	2	3	5	7	11	14	28
20-34	7546	6.0	16	3	4	5	7	9	11	22
35-49	582	6.4	17	3	4	6	7	9	12	24
50-64	3	12.0	127	5	5	6	20	25	25	25
65+										
TOT. SINGLE DX	7374	5.1	9	2	3	5	6	7	9	17
" MULTIPLE DX	8725	6.1	17	3	4	5	7	9	11	23
TOTAL 0-19 YRS	1455	5.9	16	2	3	5	6	9	13	25
20-34	13785	5.6	13	2	3	5	6	8	10	19
35-49	855	6.0	14	3	4	5	7	8	11	24
50-64	4	9.3	115	<1	<1	5	15	25	25	25
65+										
GRAND TOTAL	**16099**	**5.6**	**13**	**2**	**3**	**5**	**6**	**8**	**10**	**20**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	423	8.0	12	5	6	7	8	11	13	22
20-34	3946	7.8	13	5	6	7	8	9	11	25
35-49	139	8.6	43	6	6	7	8	10	11	41
50-64	3	5.7	2	4	4	6	7	7	7	7
65+										
2. MULTIPLE DX										
0-19 YRS	917	9.5	39	5	6	8	10	14	18	35
20-34	9274	9.0	35	5	6	8	9	12	17	35
35-49	763	10.3	62	6	6	8	10	15	24	47
50-64	6	8.8	6	7	7	8	12	12	12	12
65+										
TOT. SINGLE DX	4511	7.8	14	5	6	7	8	10	11	25
" MULTIPLE DX	10960	9.1	38	5	6	8	9	13	18	36
TOTAL 0-19 YRS	1340	9.0	31	5	6	8	9	13	17	33
20-34	13220	8.6	29	5	6	8	9	11	15	32
35-49	902	10.1	59	6	6	8	10	15	23	45
50-64	9	7.8	7	4	5	7	9	12	12	12
65+										
GRAND TOTAL	**15471**	**8.7**	**31**	**5**	**6**	**8**	**9**	**12**	**16**	**34**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	7.1	3	5	5	7	9	9	10	10
20-34	92	7.2	4	5	5	7	8	9	11	14
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	18	8.8	12	5	6	8	10	15	17	18
20-34	214	10.1	75	5	6	8	9	15	28	67
35-49	16	13.3	92	6	6	9	16	24	37	42
50-64										
65+										
TOT. SINGLE DX	107	7.3	4	5	5	7	8	9	11	13
" MULTIPLE DX	248	10.2	72	5	6	8	10	16	27	61
TOTAL 0-19 YRS	32	8.0	9	5	5	7	9	11	16	18
20-34	306	9.2	55	5	6	8	9	13	20	54
35-49	17	13.2	87	6	6	10	15	24	36	42
50-64										
65+										
GRAND TOTAL	**355**	**9.3**	**53**	**5**	**6**	**8**	**9**	**13**	**21**	**49**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	8.4	10	5	5	6	11	13	13	13
20-34	24	5.3	3	3	3	5	6	8	9	9
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	7	6.1	11	2	3	5	7	12	13	13
20-34	91	6.0	6	3	3	5	7	9	12	14
35-49	48	5.7	5	3	3	5	7	8	9	12
50-64										
65+										
TOT. SINGLE DX	34	6.0	7	3	3	5	7	11	12	13
" MULTIPLE DX	146	5.9	6	3	3	5	7	9	12	13
TOTAL 0-19 YRS	16	7.4	11	3	5	6	11	13	13	13
20-34	115	5.8	6	3	3	5	7	8	11	13
35-49	49	5.7	5	3	3	5	7	8	9	12
50-64										
65+										
GRAND TOTAL	180	5.9	6	3	3	5	7	9	12	13

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	288	2.4	5	1	1	2	3	4	5	8
20-34	244	2.5	2	1	1	2	3	4	5	8
35-49	5	2.8	1	2	2	3	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	253	2.6	2	1	1	2	3	4	5	9
20-34	264	3.2	24	1	1	2	3	4	7	31
35-49	16	2.9	2	1	2	2	4	6	6	6
50-64										
65+										
TOT. SINGLE DX	537	2.5	4	1	1	2	3	4	5	8
" MULTIPLE DX	533	2.9	13	1	1	2	3	4	6	21
TOTAL 0-19 YRS	541	2.5	4	1	1	2	3	4	5	8
20-34	508	2.8	13	1	1	2	3	4	5	21
35-49	21	2.9	2	1	2	2	3	5	6	6
50-64										
65+										
GRAND TOTAL	1070	2.7	8	1	1	2	3	4	5	11

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	6.6	45	<1	1	4	7	17	19	28
20-34	287	3.4	19	<1	<1	1	4	8	12	24
35-49	25	1.7	2	<1	<1	1	2	2	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	19	7.9	64	<1	<1	6	10	20	26	30
20-34	98	7.9	86	<1	<1	4	10	20	29	45
35-49	15	5.1	13	2	2	4	5	9	14	16
50-64										
65+										
TOT. SINGLE DX	346	3.6	22	<1	<1	1	4	8	15	24
" MULTIPLE DX	132	7.6	74	<1	1	4	9	18	28	43
TOTAL 0-19 YRS	53	7.1	51	<1	1	4	8	17	22	30
20-34	385	4.5	40	<1	<1	2	6	11	18	32
35-49	40	3.0	9	<1	<1	2	4	6	8	16
50-64										
65+										
GRAND TOTAL	478	4.7	39	<1	<1	2	6	11	18	30

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	292	3.9	8	<1	<1	4	5	6	8	15
20-34	1830	4.2	13	<1	1	4	5	6	8	20
35-49	86	4.6	21	<1	1	4	5	8	11	30
50-64	2	3.5	1	3	3	3	4	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	168	4.6	15	1	1	4	6	8	10	19
20-34	1053	5.7	38	1	1	5	6	9	14	42
35-49	61	6.2	12	2	3	6	7	11	12	21
50-64										
65+										
TOT. SINGLE DX	2210	4.2	13	<1	1	4	5	6	8	19
" MULTIPLE DX	1282	5.6	34	1	1	5	6	9	13	36
TOTAL 0-19 YRS	460	4.2	10	<1	1	4	5	7	9	18
20-34	2883	4.7	23	<1	1	4	5	7	10	24
35-49	147	5.3	18	1	1	5	6	9	11	23
50-64	2	3.5	1	3	3	3	4	4	4	4
65+										
GRAND TOTAL	3492	4.7	21	<1	1	4	5	7	10	24

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	511	4.7	11	2	3	4	5	6	8	14
20-34	5439	4.4	5	2	3	4	5	6	7	10
35-49	256	4.5	2	2	3	4	5	6	7	9
50-64	3	4.7	2	3	3	5	6	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	422	5.5	13	2	3	5	6	8	10	25
20-34	4604	5.4	14	3	3	5	6	7	9	19
35-49	343	6.1	18	3	3	5	6	9	13	29
50-64	4	3.8	4	1	1	4	5	6	6	6
65+										
TOT. SINGLE DX	6209	4.5	5	2	3	4	5	6	7	10
" MULTIPLE DX	5373	5.5	14	3	3	5	6	8	9	21
TOTAL 0-19 YRS	933	5.1	12	2	3	5	5	7	9	19
20-34	10043	4.9	9	3	3	4	5	7	8	15
35-49	599	5.4	12	3	3	5	6	8	9	26
50-64	7	4.1	3	1	1	4	6	6	6	6
65+										
GRAND TOTAL	11582	4.9	10	3	3	4	5	7	8	15

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	4.7	12	1	2	4	5	9	13	15
20-34	31	4.3	7	2	2	4	5	8	10	13
35-49	15	4.1	11	1	1	3	4	7	13	15
50-64	12	9.7	191	<1	1	3	14	29	44	47
65+	7	10.1	47	2	2	9	16	20	20	20
2. MULTIPLE DX										
0-19 YRS	11	5.0	17	2	2	4	5	10	16	17
20-34	22	7.8	159	<1	1	4	6	16	39	59
35-49	10	5.8	107	<1	<1	1	5	22	34	34
50-64	32	9.2	122	<1	1	4	13	24	38	42
65+	21	11.3	171	2	2	7	17	65	99+	99+
TOT. SINGLE DX	83	5.6	42	1	2	4	6	11	19	39
" MULTIPLE DX	96	8.5	127	<1	1	4	10	25	41	99+
TOTAL 0-19 YRS	29	4.8	14	2	2	4	5	9	15	17
20-34	53	5.8	71	1	2	4	5	9	13	58
35-49	25	4.8	47	<1	<1	3	4	10	20	34
50-64	44	9.3	137	<1	1	4	13	23	40	47
65+	28	11.0	138	2	2	8	17	46	99+	99+
GRAND TOTAL	179	7.2	89	<1	1	4	8	18	32	87

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	173	5.1	5	3	3	5	6	7	8	12
20-34	254	5.1	5	2	3	5	6	8	9	12
35-49	52	5.1	8	2	3	5	6	7	13	15
50-64	21	5.0	9	1	2	5	6	8	11	14
65+	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	139	5.4	8	3	3	5	6	8	11	15
20-34	129	5.2	5	2	3	5	6	9	10	12
35-49	32	5.4	7	1	3	5	7	9	10	12
50-64	17	9.0	95	1	2	6	9	27	35	37
65+	4	8.0	45	2	2	6	13	17	17	17
TOT. SINGLE DX	503	5.1	5	3	3	5	6	7	9	14
" MULTIPLE DX	321	5.6	12	2	3	5	6	9	11	19
TOTAL 0-19 YRS	312	5.2	6	3	3	5	6	7	9	14
20-34	383	5.1	5	2	3	5	6	8	9	12
35-49	84	5.3	7	2	3	5	6	9	11	15
50-64	38	6.8	50	1	2	5	7	12	24	37
65+	7	5.6	32	1	1	4	8	15	17	17
GRAND TOTAL	824	5.3	8	2	3	5	6	8	10	15

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	2.9	5	1	1	2	4	5	7	12
20-34	212	2.8	3	1	1	2	4	5	6	9
35-49	37	3.7	7	1	1	3	5	8	9	11
50-64	10	3.3	1	2	2	3	4	5	6	6
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	88	6.5	105	1	1	4	5	14	21	60
20-34	144	4.7	18	1	1	3	6	10	14	21
35-49	35	5.8	35	2	2	4	7	11	23	25
50-64	15	12.3	213	1	2	9	13	22	51	61
65+	5	11.2	98	3	3	9	15	28	28	28
TOT. SINGLE DX	398	3.0	4	1	1	2	4	6	7	11
" MULTIPLE DX	287	5.9	60	1	1	3	6	12	19	51
TOTAL 0-19 YRS	226	4.3	46	1	1	3	4	7	13	45
20-34	356	3.6	10	1	1	3	4	7	10	19
35-49	72	4.7	21	1	1	3	6	9	11	25
50-64	25	8.7	145	1	2	5	10	16	32	61
65+	6	11.0	79	3	3	9	11	26	28	28
GRAND TOTAL	685	4.2	30	1	1	3	5	8	11	25

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	3.8	7	1	1	3	5	8	10	13
20-34	228	3.3	8	1	1	2	4	7	10	14
35-49	74	3.8	9	1	1	3	5	9	11	14
50-64	28	3.9	7	1	1	4	5	6	9	14
65+	6	6.0	12	1	1	6	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	110	8.3	99	2	2	5	9	16	27	88
20-34	217	7.1	68	1	1	5	9	14	23	46
35-49	80	7.9	96	1	2	6	9	13	21	63
50-64	36	7.7	24	2	2	7	11	16	17	17
65+	19	13.3	98	1	2	11	22	30	66	99+
TOT. SINGLE DX	421	3.6	8	1	1	3	5	7	10	14
" MULTIPLE DX	462	7.8	79	1	2	5	9	16	24	69
TOTAL 0-19 YRS	195	6.4	64	1	2	4	8	13	19	63
20-34	445	5.2	41	1	1	3	6	11	15	27
35-49	154	5.9	58	1	2	4	7	12	14	43
50-64	64	6.0	20	1	2	5	8	14	16	17
65+	25	11.5	86	1	2	9	20	29	46	99+
GRAND TOTAL	**883**	**5.8**	**50**	**1**	**1**	**4**	**7**	**12**	**16**	**38**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	3.0	4	1	1	3	4	6	7	7
20-34	18	3.9	18	<1	<1	2	5	7	14	18
35-49	6	1.7	1	<1	<1	1	2	3	3	3
50-64	12	15.0	525	1	2	6	13	52	75	79
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	6	20.0	1358	<1	<1	6	9	86	95	95
20-34	20	8.1	36	1	2	7	11	16	21	24
35-49	4	3.3	1	2	2	3	4	4	4	4
50-64	8	6.0	9	3	3	6	7	11	12	12
65+	1	28.0		28	28	28	28	28	28	28
TOT. SINGLE DX	44	6.5	170	<1	1	3	6	11	25	79
" MULTIPLE DX	39	9.5	232	1	2	5	9	16	26	95
TOTAL 0-19 YRS	13	10.8	646	<1	1	4	7	26	82	95
20-34	38	6.1	31	<1	1	5	8	14	18	24
35-49	10	2.3	1	<1	<1	2	3	4	4	4
50-64	20	11.4	328	1	2	6	9	29	60	79
65+	2	17.5	221	7	7	17	28	28	28	28
GRAND TOTAL	**83**	**7.9**	**199**	**<1**	**1**	**4**	**7**	**15**	**25**	**90**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	306	9.2	103	2	2	6	11	19	30	51
20-34	162	7.1	73	2	2	4	8	14	22	36
35-49	147	6.3	43	1	2	4	8	12	18	34
50-64	160	8.9	65	2	3	7	11	16	21	56
65+	67	10.9	102	2	2	9	13	23	27	61
2. MULTIPLE DX										
0-19 YRS	185	12.0	160	2	3	8	14	24	43	82
20-34	124	11.4	165	2	2	6	12	29	41	58
35-49	100	10.4	148	2	2	6	10	26	45	81
50-64	175	11.2	89	2	3	8	15	26	31	48
65+	121	17.3	220	5	6	14	21	33	57	99+
TOT. SINGLE DX	842	8.4	81	2	2	6	10	17	25	50
" MULTIPLE DX	705	12.4	156	2	3	9	15	28	42	97
TOTAL 0-19 YRS	491	10.3	126	2	3	6	12	22	34	58
20-34	286	9.0	117	2	2	5	10	21	30	52
35-49	247	7.9	89	1	2	5	9	17	28	53
50-64	335	10.1	78	2	3	8	12	21	29	50
65+	188	15.0	187	3	4	11	19	29	46	99+
GRAND TOTAL	**1547**	**10.2**	**119**	**2**	**2**	**7**	**12**	**23**	**32**	**65**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	121	4.6	6	2	2	4	6	7	8	15
20-34	214	5.2	7	2	3	5	6	8	10	17
35-49	252	5.4	11	2	2	5	7	9	11	15
50-64	341	5.3	7	2	3	5	7	9	10	13
65+	95	6.0	11	2	2	6	8	10	12	17
2. MULTIPLE DX										
0-19 YRS	120	4.8	6	2	3	4	5	7	9	15
20-34	186	5.6	17	2	3	5	7	9	10	15
35-49	256	6.9	80	2	3	5	7	10	16	62
50-64	545	6.1	13	2	3	6	7	9	11	19
65+	276	8.0	51	2	3	6	9	13	19	44
TOT. SINGLE DX	1023	5.3	8	2	2	5	6	9	10	15
" MULTIPLE DX	1383	6.5	34	2	3	5	7	10	13	30
TOTAL 0-19 YRS	241	4.7	6	2	2	4	5	7	9	14
20-34	400	5.4	12	2	3	5	6	8	10	15
35-49	508	6.2	47	2	3	5	7	9	12	42
50-64	886	5.8	11	2	3	5	7	9	11	16
65+	371	7.5	42	2	3	6	9	12	16	40
GRAND TOTAL	**2406**	**6.0**	**23**	**2**	**3**	**5**	**7**	**9**	**12**	**24**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	718	5.1	33	2	2	4	5	9	13	31
20-34	807	5.1	23	2	2	4	6	9	11	30
35-49	460	5.9	35	1	2	4	7	10	16	39
50-64	332	6.4	54	1	2	4	7	12	18	31
65+	138	9.6	133	1	2	7	12	18	31	83
2. MULTIPLE DX										
0-19 YRS	259	9.5	173	1	2	5	9	24	38	94
20-34	475	9.2	133	1	2	5	11	26	45	99+
35-49	335	10.8	215	2	2	6	12	30	51	99+
50-64	373	11.8	191	1	2	6	16	30	51	99+
65+	260	16.6	302	2	2	10	25	47	70	99+
TOT. SINGLE DX	2455	5.7	39	1	2	4	6	10	16	35
" MULTIPLE DX	1702	11.3	199	2	2	6	14	31	50	99+
TOTAL 0-19 YRS	977	6.3	74	2	2	4	6	11	22	53
20-34	1282	6.7	67	1	2	4	7	13	25	93
35-49	795	8.0	116	2	2	5	8	16	31	92
50-64	705	9.3	133	1	2	5	10	23	34	92
65+	398	14.2	254	2	2	9	19	41	57	99+
GRAND TOTAL	**4157**	**8.0**	**112**	**2**	**2**	**5**	**8**	**18**	**30**	**91**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	234	6.7	67	1	2	5	8	11	18	53
20-34	294	5.7	25	1	2	4	7	11	15	29
35-49	90	9.1	110	2	3	6	11	17	23	69
50-64	64	11.0	94	1	2	9	14	18	32	52
65+	85	18.6	242	4	6	15	22	36	47	90
2. MULTIPLE DX										
0-19 YRS	112	18.7	480	2	2	10	26	51	76	96
20-34	121	11.2	191	2	2	6	14	28	43	99+
35-49	61	11.5	109	2	3	9	14	21	37	96
50-64	64	13.6	135	2	3	10	18	33	42	94
65+	143	28.2	511	6	8	21	41	84	99	99+
TOT. SINGLE DX	767	8.3	93	1	2	5	10	17	23	52
" MULTIPLE DX	501	18.1	377	2	3	12	23	51	82	99+
TOTAL 0-19 YRS	346	10.6	231	1	2	5	10	26	48	91
20-34	415	7.3	79	1	2	4	8	15	23	58
35-49	151	10.1	110	2	3	7	13	18	25	86
50-64	128	12.3	115	2	3	10	15	28	40	67
65+	228	24.6	431	5	7	19	32	64	91	99+
GRAND TOTAL	**1268**	**12.1**	**228**	**2**	**2**	**7**	**15**	**29**	**47**	**99**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	364	3.6	25	<1	1	2	4	7	10	22
20-34	519	3.5	11	1	1	3	4	6	9	18
35-49	194	3.8	42	<1	<1	2	4	6	10	31
50-64	169	4.7	49	1	2	3	5	8	12	43
65+	124	6.5	57	1	1	4	8	14	22	42
2. MULTIPLE DX										
0-19 YRS	160	8.2	107	1	2	4	9	21	33	58
20-34	187	6.3	64	<1	2	4	7	14	20	50
35-49	96	9.3	131	1	2	5	11	27	38	83
50-64	127	9.8	172	1	2	5	12	22	35	72
65+	129	13.6	248	2	2	9	16	36	67	99+
TOT. SINGLE DX	1370	4.0	29	<1	1	3	4	7	11	25
" MULTIPLE DX	699	9.2	142	1	2	5	11	22	36	80
TOTAL 0-19 YRS	524	5.0	54	<1	1	3	4	10	18	44
20-34	706	4.3	26	1	1	3	5	8	13	28
35-49	290	5.6	78	<1	1	3	5	12	22	55
50-64	296	6.9	108	1	2	4	7	14	24	63
65+	253	10.2	166	1	2	6	12	25	38	99
GRAND TOTAL	**2069**	**5.7**	**73**	**1**	**1**	**3**	**6**	**12**	**21**	**57**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	33.3	448	3	4	33	47	58	73	83
20-34	8	32.5	969	5	5	17	58	79	87	87
35-49	9	18.6	173	8	9	11	23	41	46	46
50-64	39	20.4	225	6	8	16	28	41	65	99+
65+	96	25.5	276	3	8	23	35	57	96	99+
2. MULTIPLE DX										
0-19 YRS	32	38.3	512	11	12	36	58	74	88	99+
20-34	22	26.3	504	2	5	22	54	80	99+	99+
35-49	17	23.5	310	8	8	18	31	66	38	99+
50-64	63	28.6	503	7	8	23	39	76	93	99+
65+	279	31.7	468	6	8	29	55	99+	99+	99+
TOT. SINGLE DX	191	26.0	338	4	7	22	36	56	82	99+
" MULTIPLE DX	413	31.1	477	7	8	28	52	92	99+	99+
TOTAL 0-19 YRS	71	35.6	476	4	8	34	50	70	82	98
20-34	30	28.0	607	2	5	22	56	81	98	99+
35-49	26	21.8	259	8	8	18	30	54	75	99+
50-64	102	25.5	409	7	8	20	36	69	91	99+
65+	375	30.1	426	6	8	28	50	99+	99+	99+
GRAND TOTAL	**604**	**29.5**	**438**	**6**	**8**	**26**	**46**	**85**	**99+**	**99+**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	67	17.1	180	4	6	13	20	44	52	92
20-34	58	16.0	68	5	7	15	21	26	30	46
35-49	39	13.6	132	3	4	11	17	24	29	67
50-64	95	16.8	133	6	7	14	20	26	42	96
65+	292	21.0	252	4	6	17	27	49	66	99+
2. MULTIPLE DX										
0-19 YRS	111	22.7	298	6	7	18	28	46	64	87
20-34	140	22.2	213	8	9	18	35	51	99+	99+
35-49	66	23.4	324	6	6	18	33	63	75	99+
50-64	165	26.9	391	7	8	22	38	70	99+	99+
65+	899	32.1	504	7	10	28	58	99+	99+	99+
TOT. SINGLE DX	551	18.8	200	5	6	15	23	40	57	99+
" MULTIPLE DX	1381	29.3	451	7	9	25	49	87	99+	99+
TOTAL 0-19 YRS	178	20.6	260	5	7	15	26	46	56	91
20-34	198	20.4	178	7	9	17	27	44	77	99+
35-49	105	19.8	274	4	5	15	25	52	68	99+
50-64	260	23.2	320	6	8	18	32	59	91	99+
65+	1191	29.3	465	6	8	25	50	90	99+	99+
GRAND TOTAL	1932	26.3	402	6	8	21	40	76	99+	99+

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	110	23.8	395	1	3	20	34	50	63	86
20-34	10	34.8	380	5	11	33	52	62	72	72
35-49	2	28.5	613	11	11	28	46	46	46	46
50-64	7	35.6	1341	1	1	15	64	90	96	96
65+	11	17.4	182	2	2	19	27	62	95	99+
2. MULTIPLE DX										
0-19 YRS	88	37.5	528	3	6	37	55	84	99	99+
20-34	32	27.8	540	6	7	20	49	63	90	99+
35-49	4	51.5	596	29	29	72	99+	99+	99+	99+
50-64	13	35.2	687	6	9	33	57	97	99	99+
65+	30	43.5	567	9	13	63	85	99+	99+	99+
TOT. SINGLE DX	140	24.8	428	1	3	20	36	52	69	96
" MULTIPLE DX	167	36.9	566	5	8	38	61	97	99+	99+
TOTAL 0-19 YRS	198	29.9	498	2	4	27	46	64	84	99+
20-34	42	29.5	501	5	7	22	50	61	85	99+
35-49	6	43.8	621	11	16	55	89	99+	99+	99+
50-64	20	35.3	857	2	4	28	58	96	98	99+
65+	41	36.5	594	4	9	44	69	99+	99+	99+
GRAND TOTAL	307	31.4	538	2	5	29	51	80	99+	99+

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104	6.4	45	1	1	4	8	16	19	32
20-34	108	6.2	92	1	1	3	6	14	23	56
35-49	47	5.5	31	1	1	3	6	12	20	24
50-64	39	6.8	61	<1	1	4	9	16	25	38
65+	40	10.7	102	1	2	7	15	29	39	99+
2. MULTIPLE DX										
0-19 YRS	44	11.0	99	2	2	7	17	28	38	99+
20-34	74	10.8	239	1	2	5	10	27	34	91
35-49	32	8.2	71	1	2	6	8	18	24	43
50-64	38	20.8	411	2	3	13	32	47	68	76
65+	31	28.5	703	6	8	20	39	99	99+	99+
TOT. SINGLE DX	338	6.8	68	1	1	4	8	17	24	44
" MULTIPLE DX	219	14.7	324	2	2	8	19	39	70	99+
TOTAL 0-19 YRS	148	7.8	65	1	1	5	11	18	28	41
20-34	182	8.1	156	1	1	4	8	19	30	69
35-49	79	6.6	48	1	1	4	8	16	21	[illegible]
50-64	77	13.8	281	1	2	6	16	40	47	76
65+	71	18.5	437	1	3	14	23	70	99+	99+
GRAND TOTAL	557	9.9	184	1	1	5	12	24	38	99

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	770	4.4	20	1	2	3	5	8	10	25
20-34	940	4.9	16	1	2	4	6	9	11	21
35-49	442	5.9	37	2	2	4	7	10	15	38
50-64	339	6.6	39	2	2	5	8	12	17	25
65+	161	11.1	114	3	3	8	13	22	29	54
2. MULTIPLE DX										
0-19 YRS	372	9.0	120	1	2	6	11	19	29	75
20-34	676	9.1	139	1	2	5	10	20	38	99+
35-49	364	10.1	161	2	2	6	11	21	33	71
50-64	345	13.2	230	2	3	8	17	31	53	99+
65+	264	18.7	289	3	4	14	25	42	64	99+
TOT. SINGLE DX	2652	5.5	32	1	2	4	6	10	14	29
" MULTIPLE DX	2021	11.2	185	2	2	7	13	26	43	99+
TOTAL 0-19 YRS	1142	5.9	57	1	2	4	6	11	18	42
20-34	1616	6.7	72	1	2	5	7	12	20	68
35-49	806	7.8	97	2	2	5	8	15	22	64
50-64	684	9.9	146	2	3	6	11	21	32	89
65+	425	15.8	236	3	4	11	21	36	50	98
GRAND TOTAL	4673	8.0	106	1	2	5	8	17	26	75

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3270	2.3	10	1	1	1	2	4	7	16
20-34	864	3.7	18	1	1	2	4	8	11	19
35-49	473	3.9	27	1	1	2	4	9	13	29
50-64	563	3.7	19	1	1	2	4	8	12	24
65+	485	5.2	62	1	1	2	5	14	23	39
2. MULTIPLE DX										
0-19 YRS	761	5.7	70	1	1	3	6	13	21	50
20-34	531	9.0	141	1	1	5	11	20	31	66
35-49	295	8.1	116	1	1	4	10	20	37	99+
50-64	356	9.0	162	1	1	5	11	24	41	99+
65+	452	13.3	320	1	1	6	18	47	69	99+
TOT. SINGLE DX	5655	3.1	19	1	1	2	3	6	10	22
" MULTIPLE DX	2395	8.7	159	1	1	4	10	22	40	99+
TOTAL 0-19 YRS	4031	3.0	23	1	1	2	3	6	9	23
20-34	1395	5.7	71	1	1	3	6	13	19	49
35-49	768	5.5	65	1	1	3	6	13	20	55
50-64	919	5.7	81	1	1	3	6	13	22	72
65+	937	9.1	202	1	1	3	10	28	47	99+
GRAND TOTAL	**8050**	**4.7**	**67**	**1**	**1**	**2**	**5**	**11**	**18**	**53**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	262	3.9	44	<1	<1	1	4	11	15	25
20-34	216	2.8	20	<1	<1	1	2	6	10	21
35-49	89	3.5	32	<1	<1	1	4	8	12	34
50-64	98	2.7	12	<1	<1	1	3	6	10	21
65+	74	6.5	118	1	1	2	5	21	30	53
2. MULTIPLE DX										
0-19 YRS	116	9.9	154	1	1	5	14	28	42	77
20-34	127	8.9	201	<1	1	3	10	25	41	76
35-49	94	7.4	84	1	1	3	9	23	26	39
50-64	89	9.5	207	1	1	4	11	34	46	99+
65+	108	11.9	260	1	1	6	14	34	55	89
TOT. SINGLE DX	739	3.6	40	<1	<1	1	3	9	15	31
" MULTIPLE DX	534	9.6	184	1	1	4	11	27	42	85
TOTAL 0-19 YRS	378	5.8	85	<1	1	2	7	16	23	51
20-34	343	5.1	96	<1	<1	2	4	12	21	52
35-49	183	5.5	62	<1	1	2	7	17	25	38
50-64	187	5.9	116	<1	1	2	5	16	34	96
65+	182	9.7	209	1	1	4	12	27	48	79
GRAND TOTAL	**1273**	**6.1**	**109**	**<1**	**1**	**2**	**6**	**17**	**26**	**55**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	141	4.7	49	1	1	3	4	8	14	49
20-34	299	3.4	12	1	1	3	4	6	7	21
35-49	80	3.7	7	1	1	3	4	8	9	13
50-64	26	7.5	112	1	2	3	7	16	38	43
65+	14	10.1	418	1	1	4	7	21	67	80
2. MULTIPLE DX										
0-19 YRS	40	10.5	94	2	3	8	13	26	40	99+
20-34	94	5.7	75	2	2	4	6	9	14	58
35-49	40	8.2	116	1	2	4	9	16	24	64
50-64	23	12.4	175	3	3	7	17	33	48	51
65+	21	28.0	546	3	5	26	36	59	87	90
TOT. SINGLE DX	560	4.1	36	1	1	3	4	7	9	42
" MULTIPLE DX	218	9.9	179	2	2	5	11	26	37	87
TOTAL 0-19 YRS	181	6.0	65	1	2	3	5	14	22	57
20-34	393	3.9	28	1	2	3	4	6	8	32
35-49	120	5.2	47	1	2	3	6	10	14	39
50-64	49	9.8	145	2	2	5	12	26	43	51
65+	35	20.8	559	1	2	13	32	41	84	90
GRAND TOTAL	**778**	**5.7**	**83**	**1**	**2**	**3**	**5**	**11**	**18**	**58**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	308	4.9	29	1	2	4	5	8	12	32
20-34	405	4.3	9	1	2	4	5	8	10	16
35-49	157	4.3	12	1	1	4	5	7	11	21
50-64	116	6.1	51	2	2	4	7	11	19	43
65+	31	13.3	350	1	2	6	20	56	99	99+
2. MULTIPLE DX										
0-19 YRS	135	8.4	73	2	2	5	11	22	29	38
20-34	221	5.7	30	2	2	4	6	10	16	31
35-49	95	7.5	82	1	2	4	8	16	26	83
50-64	106	12.1	182	2	3	7	14	32	47	99+
65+	75	20.5	420	3	4	14	35	72	99+	99+
TOT. SINGLE DX	1017	5.0	33	1	2	4	5	9	13	32
" MULTIPLE DX	632	9.4	139	2	2	5	10	24	38	99+
TOTAL 0-19 YRS	443	6.0	45	1	2	4	6	12	22	35
20-34	626	4.8	17	1	2	4	6	9	11	23
35-49	252	5.5	41	1	2	4	6	12	16	42
50-64	222	9.0	122	2	2	5	10	24	34	99+
65+	106	18.4	407	2	3	13	29	72	99+	99+
GRAND TOTAL	**1649**	**6.7**	**78**	**1**	**2**	**4**	**7**	**14**	**24**	**71**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	12.6	52	5	6	10	15	21	30	35
20-34	745	12.0	52	5	6	10	14	20	26	34
35-49	1118	12.3	45	5	6	11	15	20	25	36
50-64	534	13.4	48	6	7	12	16	22	27	39
65+	63	14.4	52	6	7	12	19	22	30	41
2. MULTIPLE DX										
0-19 YRS	18	21.7	283	8	9	14	28	53	62	63
20-34	249	15.7	86	6	7	13	19	28	37	54
35-49	560	15.9	76	6	7	13	21	29	33	49
50-64	499	17.3	116	6	8	14	20	31	38	57
65+	147	22.8	209	8	10	19	30	41	49	99+
TOT. SINGLE DX	2503	12.5	48	5	6	11	15	21	26	37
" MULTIPLE DX	1473	17.1	111	6	8	14	21	31	38	60
TOTAL 0-19 YRS	61	15.3	134	6	7	11	19	29	36	63
20-34	994	13.0	63	5	6	11	16	23	28	45
35-49	1678	13.5	58	5	7	11	16	23	30	40
50-64	1033	15.3	84	6	7	13	18	26	34	51
65+	210	20.3	176	7	9	17	25	38	46	99
GRAND TOTAL	**3976**	**14.2**	**76**	**6**	**7**	**12**	**17**	**25**	**31**	**49**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	684	4.4	4	2	2	4	5	7	8	11
20-34	1808	4.4	5	2	2	4	5	7	8	12
35-49	990	4.7	8	2	2	4	5	7	9	14
50-64	456	5.1	6	2	3	5	6	8	10	14
65+	66	7.5	153	2	2	5	7	12	13	89
2. MULTIPLE DX										
0-19 YRS	195	5.1	8	2	3	4	6	8	10	15
20-34	678	5.2	11	2	3	4	6	8	11	18
35-49	459	5.4	13	2	2	5	6	9	12	19
50-64	380	6.2	21	2	3	5	7	11	15	25
65+	67	9.3	123	2	4	7	9	17	21	78
TOT. SINGLE DX	4004	4.6	8	2	2	4	5	7	9	13
" MULTIPLE DX	1779	5.6	18	2	3	5	6	9	12	23
TOTAL 0-19 YRS	879	4.5	5	2	2	4	5	7	9	12
20-34	2486	4.6	6	2	2	4	5	7	9	14
35-49	1449	4.9	10	2	2	4	6	8	10	16
50-64	836	5.6	13	2	3	5	6	9	12	23
65+	133	8.4	138	2	3	6	8	14	20	90
GRAND TOTAL	**5783**	**4.9**	**11**	**2**	**2**	**4**	**6**	**8**	**10**	**16**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	240	3.8	22	1	1	3	4	6	9	26
20-34	375	3.4	14	<1	1	2	4	6	9	19
35-49	203	3.8	12	1	1	3	4	7	11	19
50-64	122	5.8	61	1	2	3	5	12	17	46
65+	46	8.8	103	<1	1	5	10	20	27	58
2. MULTIPLE DX										
0-19 YRS	86	5.3	93	1	1	4	5	6	18	63
20-34	185	5.2	55	<1	1	3	5	9	16	46
35-49	135	7.9	104	<1	1	4	8	20	31	41
50-64	177	8.9	122	<1	2	5	11	24	32	70
65+	75	16.5	313	1	2	11	20	51	70	99+
TOT. SINGLE DX	986	4.2	27	<1	1	3	4	8	12	26
" MULTIPLE DX	658	8.1	128	<1	1	4	8	20	32	71
TOTAL 0-19 YRS	326	4.2	41	1	1	3	4	6	10	29
20-34	560	4.0	28	<1	1	3	4	7	10	33
35-49	338	5.5	52	<1	1	3	6	13	19	34
50-64	299	7.7	99	1	2	4	9	18	25	68
65+	121	13.6	246	1	2	9	17	40	60	99+
GRAND TOTAL	**1644**	**5.7**	**71**	**<1**	**1**	**3**	**6**	**12**	**20**	**50**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	105	19.7	130	8	9	17	23	34	43	68
20-34	130	15.1	74	7	9	13	16	23	30	54
35-49	147	15.0	91	6	7	13	18	25	30	47
50-64	73	13.9	60	5	6	12	17	23	27	44
65+	6	14.0	17	9	9	13	18	20	20	20
2. MULTIPLE DX										
0-19 YRS	67	26.8	269	10	11	24	38	64	99	99+
20-34	85	21.8	252	9	10	17	32	70	99+	99+
35-49	112	20.4	268	9	10	14	24	53	69	99+
50-64	75	19.7	273	8	9	15	21	35	69	99+
65+	16	31.0	630	6	11	24	48	92	99	99+
TOT. SINGLE DX	461	15.9	93	7	8	13	19	26	33	50
" MULTIPLE DX	355	22.3	288	9	10	16	28	54	90	99+
TOTAL 0-19 YRS	172	22.5	195	9	10	19	29	43	63	99+
20-34	215	17.7	154	8	9	14	21	35	58	99+
35-49	259	17.4	174	7	8	14	19	30	49	93
50-64	148	16.9	175	6	8	14	19	27	42	98
65+	22	26.4	514	7	10	18	30	75	99	99+
GRAND TOTAL	**816**	**18.7**	**187**	**7**	**9**	**14**	**21**	**36**	**54**	**99+**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	5.4	11	2	2	4	7	11	12	15
20-34	178	5.5	21	2	2	5	6	9	12	28
35-49	119	6.4	41	2	2	5	7	13	17	40
50-64	168	7.0	60	2	2	5	8	13	22	47
65+	94	6.3	25	1	2	5	9	17	18	64
2. MULTIPLE DX										
0-19 YRS	72	7.4	32	2	2	6	10	13	21	28
20-34	115	8.0	67	2	2	6	10	16	22	78
35-49	100	9.0	81	2	2	6	11	16	34	75
50-64	142	8.9	79	2	2	6	11	23	33	99+
65+	91	9.4	99	1	1	6	13	21	36	46
TOT. SINGLE DX	631	6.2	35	2	2	5	7	12	16	38
" MULTIPLE DX	520	8.6	74	2	2	6	10	18	29	55
TOTAL 0-19 YRS	144	6.4	22	2	2	5	8	12	14	26
20-34	293	6.5	41	2	2	5	8	11	16	46
35-49	219	7.6	61	2	2	5	9	15	22	50
50-64	310	7.9	69	2	2	5	9	17	25	51
65+	185	7.8	64	1	2	5	10	18	22	46
GRAND TOTAL	**1151**	**7.3**	**54**	**2**	**2**	**5**	**8**	**15**	**22**	**48**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	11.5	1	11	11	11	12	12	12	12
20-34	25	20.6	118	8	9	17	26	36	47	50
35-49	55	18.5	85	8	10	17	21	27	31	66
50-64	228	17.8	53	10	11	16	20	26	32	53
65+	358	20.1	84	10	11	18	23	32	38	68
2. MULTIPLE DX										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	23	22.0	159	8	10	19	27	32	48	68
35-49	71	24.3	257	11	12	18	29	46	69	98
50-64	309	23.7	205	10	12	19	29	41	58	87
65+	625	25.9	210	12	13	21	33	50	63	99+
TOT. SINGLE DX	668	19.2	76	10	11	17	22	30	37	63
" MULTIPLE DX	1029	25.0	211	11	13	20	31	47	63	99+
TOTAL 0-19 YRS	3	13.3	10	11	11	12	16	17	17	17
20-34	48	21.3	135	8	9	18	26	34	46	68
35-49	126	21.8	189	10	11	18	25	36	54	94
50-64	537	21.2	149	10	11	17	24	35	48	78
65+	983	23.8	172	11	13	20	29	44	58	99+
GRAND TOTAL	**1697**	**22.7**	**166**	**10**	**12**	**19**	**26**	**40**	**54**	**99+**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	10.3	65	1	1	8	18	21	21	21
20-34	11	12.5	34	5	5	12	17	20	23	23
35-49	20	18.7	192	5	6	16	22	28	49	69
50-64	91	17.2	69	6	9	16	20	27	35	48
65+	270	22.4	257	5	8	18	28	42	68	99+
2. MULTIPLE DX										
0-19 YRS	7	19.9	393	3	4	14	22	54	62	62
20-34	20	23.5	224	8	12	17	26	48	62	64
35-49	23	21.7	147	9	13	19	25	49	74	99+
50-64	141	24.1	222	6	9	21	30	45	59	83
65+	754	29.4	388	9	12	26	44	96	99+	99+
TOT. SINGLE DX	400	20.5	209	5	7	17	25	39	54	98
" MULTIPLE DX	945	26.2	358	8	11	24	41	86	99+	99+
TOTAL 0-19 YRS	15	14.7	226	1	2	12	20	23	52	62
20-34	31	19.6	181	5	7	16	24	32	59	64
35-49	43	20.3	166	5	9	18	25	31	65	99+
50-64	232	21.4	173	6	9	18	26	39	47	77
65+	1024	27.5	362	8	11	23	40	83	99+	99+
GRAND TOTAL	**1345**	**25.9**	**326**	**7**	**10**	**21**	**36**	**72**	**99+**	**99+**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	339	5.3	8	2	3	5	7	8	10	16
20-34	398	5.3	8	2	3	5	6	8	10	13
35-49	94	7.2	40	2	2	5	7	14	22	33
50-64	86	16.7	209	4	4	14	20	38	46	79
65+	101	19.8	108	7	8	18	23	30	39	58
2. MULTIPLE DX										
0-19 YRS	167	6.5	15	3	4	6	7	10	12	25
20-34	277	6.6	31	2	3	5	7	10	13	34
35-49	94	10.3	117	3	3	7	11	23	41	82
50-64	128	20.3	263	5	5	16	26	42	71	99+
65+	148	26.9	306	7	9	24	36	61	96	99+
TOT. SINGLE DX	1018	7.9	63	2	3	5	8	17	23	42
" MULTIPLE DX	814	12.8	190	3	4	7	17	33	45	99+
TOTAL 0-19 YRS	506	5.7	11	2	3	5	7	9	10	18
20-34	675	5.8	18	2	3	5	7	9	11	25
35-49	188	8.8	80	2	3	6	9	19	31	55
50-64	214	18.8	243	4	5	15	24	40	56	99+
65+	249	24.0	237	7	9	21	31	49	66	99+
GRAND TOTAL	**1832**	**10.1**	**125**	**3**	**3**	**6**	**11**	**23**	**34**	**73**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	402	3.9	5	1	2	4	5	6	7	10
20-34	761	4.0	4	2	2	4	5	6	7	10
35-49	221	4.6	13	2	2	4	5	7	10	19
50-64	192	6.2	36	2	2	4	7	12	21	32
65+	71	8.5	45	2	2	6	11	18	22	33
2. MULTIPLE DX										
0-19 YRS	108	5.6	94	1	2	4	5	8	11	67
20-34	186	6.1	27	1	2	5	7	13	18	32
35-49	142	5.9	28	2	2	5	7	10	14	32
50-64	191	8.1	70	2	3	6	9	15	22	51
65+	107	11.2	179	2	3	7	14	24	36	94
TOT. SINGLE DX	1647	4.5	12	2	2	4	5	7	9	21
" MULTIPLE DX	734	7.2	73	2	2	5	8	14	21	53
TOTAL 0-19 YRS	510	4.3	24	1	2	4	5	6	8	13
20-34	947	4.4	9	2	2	4	5	7	9	21
35-49	363	5.1	19	2	2	4	6	9	12	29
50-64	383	7.1	54	2	2	5	8	14	21	41
65+	178	10.1	127	2	3	7	13	20	28	85
GRAND TOTAL	**2381**	**5.4**	**32**	**2**	**2**	**4**	**6**	**9**	**14**	**30**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	247	6.3	78	<1	1	4	7	13	20	51
20-34	184	4.6	16	<1	1	4	6	9	11	20
35-49	120	4.4	36	<1	1	3	5	8	17	63
50-64	146	3.9	16	<1	<1	2	5	9	10	20
65+	44	4.3	19	<1	<1	3	5	9	15	21
2. MULTIPLE DX										
0-19 YRS	137	9.8	127	1	2	6	12	25	46	99+
20-34	93	6.9	48	1	2	5	8	15	20	36
35-49	66	7.9	164	1	1	4	7	17	33	78
50-64	83	7.4	85	<1	1	4	9	17	26	50
65+	55	11.9	222	1	2	7	16	29	41	75
TOT. SINGLE DX	741	5.0	41	<1	1	3	6	10	15	34
" MULTIPLE DX	434	8.7	122	1	2	5	10	21	35	77
TOTAL 0-19 YRS	384	7.6	98	<1	1	4	9	18	28	97
20-34	277	5.4	28	1	1	4	7	11	14	31
35-49	186	5.7	84	<1	1	3	5	11	21	71
50-64	229	5.1	44	<1	<1	3	6	11	17	38
65+	99	8.6	145	<1	1	4	9	22	30	69
GRAND TOTAL	**1175**	**6.4**	**74**	**<1**	**1**	**4**	**7**	**14**	**21**	**50**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	377	2.7	12	<1	<1	2	3	5	8	17
20-34	466	2.5	11	<1	<1	2	3	4	7	20
35-49	252	3.4	46	<1	<1	2	3	7	11	23
50-64	229	4.5	38	<1	<1	2	5	9	16	34
65+	74	5.2	39	<1	1	3	6	11	18	35
2. MULTIPLE DX										
0-19 YRS	74	6.8	102	<1	1	4	7	13	27	54
20-34	132	5.1	62	<1	<1	2	5	12	28	40
35-49	122	6.4	97	<1	<1	3	7	15	26	75
50-64	163	9.1	124	<1	1	4	12	24	33	67
65+	90	13.7	281	1	2	8	20	44	61	99+
TOT. SINGLE DX	1398	3.2	24	<1	<1	2	3	6	11	23
" MULTIPLE DX	581	8.0	133	<1	<1	3	9	23	36	84
TOTAL 0-19 YRS	451	3.4	29	<1	<1	2	3	6	11	28
20-34	598	3.1	23	<1	<1	2	3	5	11	29
35-49	374	4.4	64	<1	<1	2	4	10	14	56
50-64	392	6.4	79	<1	<1	3	7	16	24	49
65+	164	9.9	189	1	2	4	12	30	49	99+
GRAND TOTAL	**1979**	**4.6**	**61**	**<1**	**<1**	**2**	**4**	**11**	**18**	**44**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	3.7	21	<1	1	2	3	13	16	18
20-34	28	3.4	16	<1	<1	2	3	6	14	19
35-49	109	2.8	3	<1	1	2	3	5	6	10
50-64	284	2.7	2	1	1	2	3	4	5	9
65+	187	3.4	9	1	1	2	4	6	9	16
2. MULTIPLE DX										
0-19 YRS	5	5.6	58	<1	<1	3	8	19	19	19
20-34	23	8.0	217	1	1	3	7	21	39	70
35-49	40	6.3	52	1	2	3	8	15	25	31
50-64	152	4.6	29	<1	1	3	5	9	13	32
65+	105	5.6	56	2	2	3	5	9	17	48
TOT. SINGLE DX	633	3.0	6	1	1	2	3	5	7	14
" MULTIPLE DX	325	5.4	54	1	2	3	5	11	18	41
TOTAL 0-19 YRS	30	4.0	26	<1	<1	2	3	14	18	19
20-34	51	5.5	109	<1	1	2	4	13	20	69
35-49	149	3.7	18	1	1	2	4	6	11	26
50-64	436	3.3	12	1	1	2	3	6	8	19
65+	292	4.2	27	1	2	3	4	8	11	29
GRAND TOTAL	**958**	**3.8**	**23**	**1**	**1**	**2**	**4**	**6**	**11**	**25**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	282	2.6	5	1	1	2	3	4	6	13
20-34	370	2.3	4	<1	1	2	3	4	6	10
35-49	156	2.9	11	<1	1	2	3	6	9	14
50-64	82	3.2	15	<1	1	2	3	7	11	23
65+	19	2.5	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	176	3.6	26	1	1	2	4	7	10	34
20-34	268	4.2	72	1	1	2	4	7	10	63
35-49	118	4.2	53	1	1	2	4	9	14	43
50-64	86	5.2	76	<1	1	3	6	10	13	58
65+	39	6.2	44	<1	1	3	9	14	22	29
TOT. SINGLE DX	909	2.6	7	<1	1	2	3	5	6	13
" MULTIPLE DX	687	4.3	56	1	1	2	4	8	13	42
TOTAL 0-19 YRS	458	2.9	14	1	1	2	3	5	7	23
20-34	638	3.1	33	<1	1	2	3	5	7	30
35-49	274	3.4	29	1	1	2	3	7	11	28
50-64	168	4.2	47	<1	1	2	4	9	12	45
65+	58	5.0	33	1	1	3	5	13	17	29
GRAND TOTAL	**1596**	**3.3**	**28**	**1**	**1**	**2**	**3**	**6**	**9**	**27**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	156	3.5	9	1	1	2	4	8	10	15
20-34	270	3.4	13	<1	1	3	4	6	7	26
35-49	197	4.0	19	<1	1	3	5	8	10	22
50-64	161	5.0	26	1	2	4	5	8	13	32
65+	71	4.4	11	<1	1	3	5	9	12	16
2. MULTIPLE DX										
0-19 YRS	88	5.8	47	1	1	4	7	11	20	40
20-34	144	5.4	51	1	1	3	6	10	15	45
35-49	98	6.0	75	1	1	3	6	14	20	52
50-64	122	6.6	55	1	2	4	7	12	23	44
65+	60	10.7	134	2	2	6	12	30	37	95
TOT. SINGLE DX	855	4.0	16	<1	1	3	5	7	10	27
" MULTIPLE DX	512	6.5	68	1	1	4	7	13	25	47
TOTAL 0-19 YRS	244	4.3	24	1	1	3	5	9	12	23
20-34	414	4.1	27	<1	1	3	5	7	10	30
35-49	295	4.7	38	1	1	3	5	9	13	34
50-64	283	5.7	39	1	2	4	6	10	16	34
65+	131	7.2	77	1	2	4	8	17	29	66
GRAND TOTAL	**1367**	**4.9**	**37**	**1**	**1**	**3**	**5**	**9**	**14**	**34**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	407	4.8	26	1	2	4	5	8	10	18
20-34	262	5.0	36	1	2	4	6	8	10	31
35-49	109	4.5	10	2	2	4	5	9	13	15
50-64	64	4.4	4	2	2	4	5	7	8	13
65+	25	9.1	87	2	3	7	10	15	31	46
2. MULTIPLE DX										
0-19 YRS	215	5.3	27	2	2	4	6	10	14	25
20-34	128	6.0	37	1	2	4	7	11	14	37
35-49	73	9.6	168	1	2	4	10	24	34	70
50-64	49	7.7	83	1	1	5	8	23	33	99+
65+	27	13.9	507	1	2	5	11	46	77	92
TOT. SINGLE DX	867	4.9	28	1	2	4	6	8	10	24
" MULTIPLE DX	492	6.8	86	1	2	4	7	12	23	60
TOTAL 0-19 YRS	622	4.9	27	1	2	4	5	8	11	24
20-34	390	5.3	37	1	2	4	6	9	12	33
35-49	182	6.5	79	1	2	4	7	13	20	57
50-64	113	5.8	41	1	2	4	6	10	17	65
65+	52	11.6	306	1	2	6	10	26	50	92
GRAND TOTAL	**1359**	**5.6**	**50**	**1**	**2**	**4**	**6**	**10**	**14**	**38**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	3.6	18	1	1	2	4	7	12	22
20-34	117	3.1	19	1	1	2	4	6	7	29
35-49	66	3.1	10	1	1	2	3	6	9	17
50-64	64	6.0	100	<1	1	2	3	17	26	55
65+	24	3.4	10	1	1	3	4	8	10	14
2. MULTIPLE DX										
0-19 YRS	54	8.4	139	1	1	4	10	20	31	99
20-34	90	6.2	130	1	1	3	5	13	25	70
35-49	55	5.9	49	1	1	4	6	12	19	39
50-64	57	6.6	63	1	1	3	9	16	23	41
65+	51	11.8	265	1	1	6	12	33	40	90
TOT. SINGLE DX	353	3.8	32	1	1	2	4	7	14	29
" MULTIPLE DX	307	7.6	129	1	1	4	7	19	31	79
TOTAL 0-19 YRS	136	5.5	71	1	1	3	6	13	21	79
20-34	207	4.5	69	1	1	2	4	7	17	43
35-49	121	4.4	29	1	1	3	5	10	14	33
50-64	121	6.3	82	1	1	3	7	17	24	46
65+	75	9.1	197	1	1	4	9	26	38	80
GRAND TOTAL	**660**	**5.5**	**81**	**1**	**1**	**3**	**5**	**12**	**22**	**48**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	12.3	275	1	1	4	22	40	42	42
20-34	13	7.5	35	1	1	6	11	13	20	22
35-49	2	11.5	25	8	8	11	15	15	15	15
50-64	6	7.2	33	1	1	6	7	17	18	18
65+	4	14.3	96	2	2	14	20	26	26	26
2. MULTIPLE DX										
0-19 YRS	2	2.0	2	<1	<1	3	76	99+	99+	99+
20-34	13	16.7	342	1	2	12	22	46	61	64
35-49	5	15.0	118	1	1	20	23	26	26	26
50-64	5	22.4	386	2	3	39	87	99+	99+	99+
65+	6	29.7	901	11	11	17	27	84	90	90
TOT. SINGLE DX	31	9.5	83	1	1	7	13	22	26	42
" MULTIPLE DX	31	18.9	403	1	2	16	28	91	99+	99+
TOTAL 0-19 YRS	8	9.8	220	<1	<1	3	27	77	99+	99+
20-34	26	12.1	203	1	1	8	12	27	46	64
35-49	7	14.0	86	1	2	15	21	25	26	26
50-64	11	14.1	234	1	2	8	41	99+	99+	99+
65+	10	23.5	596	2	6	16	26	58	90	90
GRAND TOTAL	**62**	**14.2**	**262**	**1**	**1**	**11**	**21**	**42**	**92**	**99+**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	4.7	29	1	1	3	5	13	15	26
20-34	23	11.9	167	1	1	6	18	34	38	45
35-49	25	6.2	33	<1	<1	5	7	19	19	20
50-64	36	7.5	211	1	2	3	6	13	28	85
65+	34	7.7	30	1	2	6	11	17	20	22
2. MULTIPLE DX										
0-19 YRS	18	14.6	95	2	4	12	21	28	34	38
20-34	35	13.6	242	2	3	8	20	26	50	74
35-49	44	20.8	501	1	2	13	32	62	98	99+
50-64	79	22.8	424	1	2	17	39	64	93	99+
65+	131	24.9	517	3	3	19	46	95	99+	99+
TOT. SINGLE DX	147	7.5	99	1	2	4	9	19	23	46
" MULTIPLE DX	307	21.9	445	2	3	17	37	67	99+	99+
TOTAL 0-19 YRS	47	8.5	77	1	2	5	13	21	27	38
20-34	58	12.9	209	1	2	7	19	33	45	72
35-49	69	15.5	378	<1	1	7	24	53	78	99+
50-64	115	18.0	405	1	2	11	31	48	83	99+
65+	165	21.3	465	2	3	15	37	74	99+	99+
GRAND TOTAL	**454**	**17.2**	**378**	**1**	**2**	**10**	**27**	**52**	**89**	**99+**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	12.5	57	4	4	12	18	22	22	22
20-34	3	15.3	33	12	12	12	20	22	22	22
35-49	1	38.0		38	38	38	38	38	38	38
50-64	4	38.3	198	29	29	32	47	59	59	59
65+	6	35.5	512	8	9	34	52	66	68	68
2. MULTIPLE DX										
0-19 YRS	4	38.8	376	14	14	43	71	99+	99+	99+
20-34	9	23.0	154	6	7	27	39	99+	99+	99+
35-49	19	34.7	383	12	15	37	74	99+	99+	99+
50-64	47	44.7	635	13	15	56	91	99+	99+	99+
65+	162	44.1	516	15	18	48	85	99+	99+	99+
TOT. SINGLE DX	18	27.8	335	6	9	24	38	57	64	68
" MULTIPLE DX	241	42.6	528	13	17	48	86	99+	99+	99+
TOTAL 0-19 YRS	8	25.6	383	4	6	22	47	84	99+	99+
20-34	12	21.1	130	6	7	23	35	99+	99+	99+
35-49	20	34.9	363	12	15	37	68	99+	99+	99+
50-64	51	44.2	599	13	15	55	89	99+	99+	99+
65+	168	43.8	515	14	18	48	83	99+	99+	99+
GRAND TOTAL	**259**	**41.6**	**528**	**12**	**16**	**47**	**83**	**99+**	**99+**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	23.5	181	14	14	23	33	33	33	33
20-34	1	19.0		19	19	19	19	19	19	19
35-49	3	11.3	42	5	5	11	16	18	18	18
50-64	5	29.4	263	12	12	27	41	53	53	53
65+	12	21.2	181	3	4	20	32	41	44	44
2. MULTIPLE DX										
0-19 YRS	6	30.2	271	10	10	37	49	91	99+	99+
20-34	1	69.0		69	69	84	99+	99+	99+	99+
35-49	8	27.6	285	13	13	27	54	99+	99+	99+
50-64	44	37.0	437	13	17	42	74	99+	99+	99+
65+	180	34.5	524	8	12	33	67	99+	99+	99+
TOT. SINGLE DX	23	21.8	179	4	5	19	32	41	47	53
" MULTIPLE DX	239	34.8	496	9	13	35	68	99+	99+	99+
TOTAL 0-19 YRS	8	28.5	229	10	11	33	41	81	99+	99+
20-34	2	44.0	1250	19	19	69	92	99+	99+	99+
35-49	11	23.2	266	6	10	21	52	99+	99+	99+
50-64	49	36.2	419	12	17	39	65	99+	99+	99+
65+	192	33.6	512	7	11	32	64	99+	99+	99+
GRAND TOTAL	**262**	**33.6**	**481**	**8**	**12**	**33**	**63**	**99+**	**99+**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	18.4	281	4	4	14	27	46	46	46
20-34	2	27.0	512	11	11	27	43	43	43	43
35-49	6	16.5	32	9	9	15	19	25	26	26
50-64	2	14.5	181	5	5	14	24	24	24	24
65+										
2. MULTIPLE DX										
0-19 YRS	1	8.0		8	8	54	99+	99+	99+	99+
20-34	4	39.8	638	9	9	41	59	67	67	67
35-49	10	38.6	399	10	16	35	45	69	82	82
50-64	21	45.9	669	4	12	47	76	90	99+	99+
65+	29	41.9	386	12	19	51	97	99+	99+	99+
TOT. SINGLE DX	15	18.3	156	4	5	15	23	43	45	46
" MULTIPLE DX	65	42.0	489	8	14	47	67	99+	99+	99+
TOTAL 0-19 YRS	6	16.7	243	4	5	14	40	89	99+	99+
20-34	6	35.5	529	9	9	37	52	65	67	67
35-49	16	30.3	372	9	10	27	39	56	74	82
50-64	23	43.1	698	4	5	44	70	88	99+	99+
65+	29	41.9	386	12	19	51	97	99+	99+	99+
GRAND TOTAL	**80**	**37.6**	**511**	**6**	**10**	**40**	**65**	**99+**	**99+**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	5.8	22	<1	<1	5	10	13	14	14
20-34	9	6.3	16	1	1	6	9	11	13	13
35-49	5	8.0	33	1	1	7	10	17	17	17
50-64	3	8.3	20	4	4	8	12	13	13	13
65+										
2. MULTIPLE DX										
0-19 YRS	7	6.4	18	2	2	7	9	13	14	14
20-34	7	12.7	101	4	5	8	18	30	32	32
35-49	7	23.1	347	4	4	23	36	50	53	53
50-64	1	3.0		3	3	3	3	3	3	3
65+										
TOT. SINGLE DX	29	6.6	20	1	1	7	9	13	14	17
" MULTIPLE DX	22	13.6	186	2	3	8	21	34	43	53
TOTAL 0-19 YRS	19	6.1	20	<1	1	6	10	13	14	14
20-34	16	9.1	59	1	1	8	9	20	29	32
35-49	12	16.8	262	1	3	8	27	42	51	53
50-64	4	7.0	21	3	3	6	10	13	13	13
65+										
GRAND TOTAL	**51**	**9.6**	**102**	**1**	**1**	**7**	**10**	**22**	**32**	**53**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	3.2	7	1	1	2	4	7	9	11
20-34	39	4.0	48	<1	<1	2	3	7	17	39
35-49	26	2.9	5	<1	1	2	4	7	7	8
50-64	23	7.5	67	1	1	4	10	20	26	27
65+	9	9.2	62	1	2	6	16	22	24	24
2. MULTIPLE DX										
0-19 YRS	14	6.9	54	1	1	4	10	19	24	26
20-34	26	5.8	66	<1	<1	3	6	13	31	32
35-49	19	11.9	225	2	2	8	13	35	52	57
50-64	27	11.4	115	1	1	9	17	29	50	99+
65+	22	28.5	588	2	3	25	48	83	99+	99+
TOT. SINGLE DX	117	4.7	39	1	1	2	6	10	19	31
" MULTIPLE DX	108	13.0	271	1	1	8	18	41	70	99+
TOTAL 0-19 YRS	34	4.7	29	1	1	3	6	10	17	26
20-34	65	4.7	55	<1	<1	2	5	8	26	38
35-49	45	6.7	115	1	1	3	7	14	25	57
50-64	50	9.6	95	1	1	7	14	26	31	99
65+	31	22.9	508	2	3	18	36	81	97	99+
GRAND TOTAL	**225**	**8.7**	**167**	**1**	**1**	**4**	**10**	**26**	**40**	**99+**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	18.0		18	18	18	18	18	18	18
65+	2	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64	1	23.0		23	23	23	23	23	23	23
65+	1	27.0		27	27	27	27	27	27	27
TOT. SINGLE DX	5	10.0	33	3	3	8	14	18	18	18
" MULTIPLE DX	2	25.0	8	23	23	25	27	27	27	27
TOTAL 0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	20.5	13	18	18	20	23	23	23	23
65+	3	14.3	120	8	8	8	22	27	27	27
GRAND TOTAL	**7**	**14.3**	**77**	**3**	**4**	**13**	**22**	**26**	**27**	**27**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	173	2.3	2	<1	<1	2	3	4	5	9
20-34	944	2.2	3	<1	<1	2	3	3	4	8
35-49	1491	2.6	4	<1	1	2	3	4	5	12
50-64	660	3.3	8	<1	1	2	4	6	8	15
65+	272	3.9	10	1	2	3	4	8	11	17
2. MULTIPLE DX										
0-19 YRS	34	5.2	123	<1	<1	2	3	8	26	61
20-34	360	3.4	16	<1	<1	2	4	7	10	23
35-49	722	3.9	33	<1	1	3	4	7	11	37
50-64	534	5.3	59	<1	1	3	5	12	17	46
65+	369	7.9	91	2	2	4	10	20	28	99+
TOT. SINGLE DX	3540	2.7	5	<1	<1	2	3	4	6	12
" MULTIPLE DX	2019	5.0	51	<1	1	3	5	11	17	46
TOTAL 0-19 YRS	207	2.7	23	<1	<1	2	3	4	5	19
20-34	1304	2.5	7	<1	<1	2	3	4	6	14
35-49	2213	3.0	13	<1	1	2	3	5	8	15
50-64	1194	4.2	32	<1	1	3	4	8	12	30
65+	641	6.2	61	1	2	4	7	14	22	83
GRAND TOTAL	**5559**	**3.5**	**23**	**<1**	**<1**	**2**	**3**	**6**	**10**	**25**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	50	3.4	4	1	2	3	4	6	8	12
20-34	53	3.1	5	<1	<1	3	4	6	7	10
35-49	54	5.4	10	1	2	5	7	10	11	14
50-64	71	8.3	49	3	3	7	10	14	17	46
65+	103	9.2	37	2	3	8	13	16	20	31
2. MULTIPLE DX										
0-19 YRS	14	3.4	6	<1	1	3	4	6	10	11
20-34	17	5.1	8	<1	<1	5	7	10	64	99+
35-49	42	6.8	15	2	3	6	8	12	16	18
50-64	86	10.1	66	2	4	8	12	21	32	40
65+	144	13.3	159	3	4	10	15	28	45	99+
TOT. SINGLE DX	331	6.5	31	1	2	5	9	13	16	26
" MULTIPLE DX	303	10.6	106	2	3	8	12	22	34	97
TOTAL 0-19 YRS	64	3.4	5	1	2	3	4	5	8	12
20-34	70	3.6	6	<1	<1	3	5	7	9	81
35-49	96	6.0	13	1	2	6	8	11	14	18
50-64	157	9.3	59	2	3	7	11	15	24	40
65+	247	11.6	112	2	3	9	14	22	31	95
GRAND TOTAL	**634**	**8.5**	**71**	**1**	**2**	**7**	**10**	**16**	**24**	**50**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	14.3	4	12	12	15	16	16	16	16
20-34	32	9.3	12	6	6	8	10	16	18	18
35-49	180	9.3	11	5	5	9	11	14	16	18
50-64	282	10.0	18	5	6	9	11	14	17	26
65+	195	11.2	25	5	6	10	13	17	20	32
2. MULTIPLE DX										
0-19 YRS										
20-34	51	9.7	17	5	6	8	12	14	17	27
35-49	270	10.6	23	5	6	9	12	17	20	32
50-64	495	13.0	77	6	7	10	14	21	29	57
65+	473	14.1	63	7	8	12	16	23	31	46
TOT. SINGLE DX	692	10.1	18	5	6	9	12	15	17	26
" MULTIPLE DX	1289	12.8	60	6	7	11	14	21	27	45
TOTAL 0-19 YRS	3	14.3	4	12	12	15	16	16	16	16
20-34	83	9.5	15	5	6	8	11	15	17	24
35-49	450	10.1	18	5	6	9	12	15	17	26
50-64	777	11.9	58	6	7	10	13	18	25	41
65+	668	13.3	54	6	7	11	15	22	28	43
GRAND TOTAL	**1981**	**11.9**	**47**	**6**	**6**	**10**	**13**	**18**	**24**	**40**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	192	3.7	4	1	2	3	4	6	7	12
20-34	751	3.4	6	1	1	3	4	6	8	14
35-49	339	3.8	8	1	1	3	5	7	8	14
50-64	113	4.5	7	2	2	4	5	8	9	15
65+	26	4.6	7	2	2	4	6	8	10	12
2. MULTIPLE DX										
0-19 YRS	59	4.3	8	1	1	4	5	8	10	15
20-34	374	4.1	10	1	1	4	5	7	9	16
35-49	221	4.7	12	1	2	4	6	8	11	21
50-64	158	5.4	22	1	2	4	6	10	13	24
65+	36	10.5	272	1	3	6	9	16	56	79
TOT. SINGLE DX	1421	3.6	7	1	1	3	4	6	8	13
" MULTIPLE DX	848	4.8	25	1	2	4	5	8	11	21
TOTAL 0-19 YRS	251	3.8	5	1	2	3	5	7	8	12
20-34	1125	3.6	7	1	1	3	4	6	8	15
35-49	560	4.2	10	1	1	3	5	7	10	19
50-64	271	5.1	15	1	2	4	6	9	11	21
65+	62	8.0	167	2	2	5	8	12	18	78
GRAND TOTAL	**2269**	**4.1**	**14**	**1**	**1**	**3**	**5**	**7**	**9**	**18**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	625	5.3	13	2	2	4	6	9	12	19
20-34	1084	5.0	12	2	2	4	6	8	10	20
35-49	128	5.3	17	2	2	4	6	10	12	24
50-64	32	5.2	9	1	2	4	6	10	11	14
65+	9	7.7	60	2	2	5	9	20	27	27
2. MULTIPLE DX										
0-19 YRS	104	6.0	18	2	2	5	7	11	14	24
20-34	210	6.8	57	2	3	5	8	11	18	28
35-49	47	9.1	70	2	3	6	10	21	28	42
50-64	18	6.2	15	1	2	5	7	11	16	18
65+	14	10.6	64	3	3	9	13	24	28	29
TOT. SINGLE DX	1878	5.1	13	2	2	4	6	9	11	20
" MULTIPLE DX	393	7.0	48	2	3	5	8	13	19	29
TOTAL 0-19 YRS	729	5.4	14	2	2	4	6	10	12	21
20-34	1294	5.3	20	2	2	4	6	9	11	22
35-49	175	6.3	34	2	2	5	7	11	17	34
50-64	50	5.5	11	1	2	5	7	10	13	18
65+	23	9.4	62	2	3	7	12	25	28	29
GRAND TOTAL	**2271**	**5.5**	**19**	**2**	**2**	**4**	**6**	**9**	**12**	**23**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	690	3.2	23	<1	<1	2	3	7	11	29
20-34	591	3.3	15	<1	<1	2	4	7	11	19
35-49	380	4.6	33	<1	<1	2	5	10	19	30
50-64	383	5.6	55	<1	<1	3	7	13	18	42
65+	242	7.3	79	<1	1	4	8	18	22	48
2. MULTIPLE DX										
0-19 YRS	230	7.8	135	<1	1	4	8	19	32	76
20-34	346	8.6	164	<1	<1	4	8	22	37	72
35-49	339	11.0	189	<1	1	7	15	25	49	99+
50-64	491	12.3	173	1	2	8	16	29	49	99+
65+	676	16.8	281	2	3	12	23	48	77	99+
TOT. SINGLE DX	2286	4.3	36	<1	<1	2	4	10	15	31
" MULTIPLE DX	2082	12.4	216	1	2	7	17	33	54	99+
TOTAL 0-19 YRS	920	4.4	55	<1	<1	2	4	10	16	41
20-34	937	5.3	76	<1	<1	3	5	11	20	45
35-49	719	7.6	117	<1	<1	4	9	20	27	71
50-64	874	9.4	132	<1	1	5	12	23	37	84
65+	918	14.3	246	2	2	9	19	39	62	99+
GRAND TOTAL	**4368**	**8.2**	**138**	**<1**	**<1**	**4**	**10**	**21**	**34**	**91**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	921	4.3	34	<1	1	2	5	10	14	28
20-34	771	5.4	47	<1	1	3	7	12	18	36
35-49	419	6.3	54	<1	1	4	8	15	21	41
50-64	305	8.3	84	1	1	5	11	20	24	46
65+	240	9.1	142	1	1	5	11	21	32	67
2. MULTIPLE DX										
0-19 YRS	1503	6.4	100	1	1	3	7	14	26	61
20-34	1609	7.1	129	<1	1	3	7	17	31	89
35-49	778	9.5	174	1	1	5	11	30	41	99+
50-64	756	13.0	256	1	1	8	17	37	60	99+
65+	755	16.2	308	1	2	11	25	52	99+	99+
TOT. SINGLE DX	2656	5.8	59	<1	1	3	7	13	19	40
" MULTIPLE DX	5401	9.3	183	1	1	4	11	28	45	99+
TOTAL 0-19 YRS	2424	5.6	76	<1	1	3	6	12	20	49
20-34	2380	6.5	103	<1	1	3	7	15	26	73
35-49	1197	8.4	134	1	1	4	10	22	37	91
50-64	1061	11.6	211	1	1	7	15	32	49	99+
65+	995	14.5	278	1	2	9	21	45	80	99+
GRAND TOTAL	**8057**	**8.2**	**145**	**1**	**1**	**4**	**9**	**22**	**37**	**99+**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	174	11.4	155	1	1	8	15	27	37	67
20-34	135	9.5	117	<1	1	6	12	22	33	55
35-49	59	10.9	121	<1	1	7	16	26	31	53
50-64	46	16.0	272	<1	1	13	24	37	62	99+
65+	65	18.9	205	2	3	19	27	35	48	62
2. MULTIPLE DX										
0-19 YRS	133	24.2	294	2	6	20	35	50	81	99+
20-34	134	20.0	350	2	3	15	28	59	90	99+
35-49	90	22.9	370	2	3	19	34	58	87	99+
50-64	122	29.7	368	5	8	27	46	66	99	99+
65+	139	36.0	438	6	12	34	59	94	99+	99+
TOT. SINGLE DX	479	12.3	166	1	1	8	17	29	38	62
" MULTIPLE DX	618	26.8	396	2	5	25	43	67	99+	99+
TOTAL 0-19 YRS	307	17.0	255	1	2	13	26	43	51	99+
20-34	269	14.7	260	1	2	9	22	38	59	99+
35-49	149	18.2	305	1	1	14	28	47	65	99+
50-64	168	26.0	378	1	3	23	39	62	77	99+
65+	204	30.5	426	3	6	28	49	79	99+	99+
GRAND TOTAL	**1097**	**20.5**	**348**	**1**	**2**	**16**	**31**	**54**	**75**	**99+**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	4.8	55	<1	1	2	4	12	26	33
20-34	49	7.0	77	<1	1	3	10	22	27	40
35-49	25	8.1	71	1	1	5	12	27	46	99+
50-64	15	9.6	174	<1	1	3	12	32	42	45
65+	9	22.4	993	1	1	8	32	76	97	97
2. MULTIPLE DX										
0-19 YRS	28	7.1	62	1	1	5	9	15	31	31
20-34	44	18.3	441	1	2	9	34	61	87	99+
35-49	22	32.4	941	2	4	24	62	95	99+	99+
50-64	26	20.8	543	2	3	12	30	72	98	99+
65+	17	34.8	909	3	4	34	65	99	99+	99+
TOT. SINGLE DX	134	7.9	151	<1	1	3	10	25	32	97
" MULTIPLE DX	137	20.8	591	1	2	11	35	78	99	99+
TOTAL 0-19 YRS	64	5.8	59	1	1	3	7	13	31	33
20-34	93	12.3	279	1	1	5	16	40	60	99+
35-49	47	19.5	617	1	1	10	32	85	99+	99+
50-64	41	16.7	430	1	2	10	24	46	86	99+
65+	26	30.5	936	2	2	23	61	98	99+	99+
GRAND TOTAL	**271**	**14.4**	**413**	**1**	**1**	**6**	**19**	**52**	**83**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	510	3.8	31	<1	<1	2	4	8	12	26
20-34	445	3.4	25	<1	<1	2	4	7	8	11
35-49	262	4.1	8	<1	1	3	5	7	9	16
50-64	242	3.7	10	<1	1	3	4	6	9	21
65+	98	5.1	55	<1	1	3	6	10	14	46
2. MULTIPLE DX										
0-19 YRS	153	7.3	135	1	1	4	8	17	29	94
20-34	254	5.7	46	<1	1	4	6	10	15	46
35-49	227	6.5	43	1	2	4	7	16	24	99+
50-64	276	7.9	125	1	2	4	8	18	30	83
65+	173	11.2	158	2	2	8	14	30	53	99+
TOT. SINGLE DX	1557	3.8	24	<1	<1	3	5	7	10	22
" MULTIPLE DX	1083	7.6	99	1	2	5	8	17	28	98
TOTAL 0-19 YRS	663	4.6	57	<1	<1	2	5	10	15	54
20-34	699	4.3	34	<1	<1	3	5	8	10	24
35-49	489	5.2	26	<1	1	4	6	9	17	30
50-64	518	5.9	76	<1	1	4	6	11	21	62
65+	271	9.0	129	1	2	6	10	21	37	99+
GRAND TOTAL	**2640**	**5.3**	**58**	**<1**	**<1**	**3**	**6**	**10**	**17**	**60**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

Distribution Tables

Table 1 displays total Canadian patients and days of care (after exclusions*) in each of the operation groups except those consisting solely of UHDDS Class 2-4 procedures** (512, 516, 533, 540, 589, 629, 647, 657, 659, 741, 752, 759, 761, 762, and 763). Also shown is the corresponding rate per 10,000 operated separations and the rate per 10,000 days of care.

Table 1

Distribution of Canadian Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups 1979

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
501 Incision, excision of skull, brain, and cerebral meninges	566	11.7	15	41.7
502 Craniotomy and craniectomy	224	4.6	5	14.9
503 Cranioplasty	203	4.2	3	7.2
504 Ventricular shunt, extracranial	119	2.5	4	9.9
505 Miscellaneous operations on brain and cerebral meninges	246	5.1	4	10.2
506 Exploration and decompression of spinal canal structures	797	16.4	14	39.6
507 Operations on spinal cord structures, except exploration	306	6.3	6	17.1
508 Excision or destruction of lesion of cranial or peripheral nerve	626	12.9	4	9.7
509 Miscellaneous operations on cranial and other peripheral nerves	2,250	46.4	9	24.0
510 Sympathectomy	444	9.2	6	17.8
511 Miscellaneous operations on sympathetic nerves and ganglia	92	1.9	1	2.7
513 Thyroidectomy	1,692	34.9	11	31.0

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients who left against medical advice, and patients staying 100 days or longer.

**Additional information regarding UHDDS classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
514	Operations on parathyroid and thyroid, except thyroidectomy	454	9.4	3	9.5
515	Operations on endocrine glands, except parathyroid and thyroid	186	3.8	3	8.4
517	Excision or destruction of lesion or tissue of eyelid	387	8.0	2	4.2
518	Miscellaneous operations on eyelid	1,528	31.5	6	17.5
519	Operations on lacrimal system	349	7.2	2	4.9
520	Operations on conjunctiva	113	2.3	1	1.4
521	Corneal transplant	141	2.9	1	3.1
522	Miscellaneous operations on cornea	475	9.8	2	6.1
523	Operations for regulation of intraocular pressure	391	8.1	3	8.8
524	Other operations on iris, ciliary body, sclera and anterior chamber	595	12.3	4	12.0
525	Intracapsular extraction of lens	7,756	160.0	52	143.8
526	Other lens extraction	802	16.5	5	13.2
527	Miscellaneous operations on lens	127	2.6	1	2.2
528	Repair of retina	850	17.5	7	19.0
529	Miscellaneous operations on retina, choroid, and vitreous	213	4.4	1	3.6
530	Resection and recession of ocular muscle	2,674	55.2	6	16.2
531	Miscellaneous operations on ocular muscle	12	0.2	<1	0.1
532	Operations on orbit and eyeball	432	8.9	3	9.2
534	Operations on external ear	1,074	22.2	4	11.3
535	Stapes mobilization and stapedectomy	785	16.2	3	7.8
536	Tympanoplasty	2,416	49.8	9	23.5
537	Myringotomy	3,130	64.6	8	21.8

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
538	Mastoidectomy	745	15.4	4	11.9
539	Miscellaneous operations on middle ear and inner ear	424	8.7	2	4.3
541	Submucous resection of nasal septum	2,772	57.2	8	23.0
542	Rhinoplasty	4,477	92.4	15	41.7
543	Other incision, excision of nose	1,301	26.8	6	15.6
544	Miscellaneous operations on nose	1,633	33.7	6	17.1
545	Radical maxillary antrotomy	431	8.9	2	5.8
546	Miscellaneous operations on accessory sinus	853	17.6	4	9.9
547	Tooth extraction	6,136	126.6	18	48.1
548	Tooth restoration and orthodontia	384	7.9	1	2.4
549	Operations on teeth and gums except extraction and restoration	627	12.9	3	7.6
550	Operations on salivary glands and ducts	849	17.5	5	14.1
551	Palatoplasty	231	4.8	2	5.0
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	1,635	33.7	11	30.3
553	Tonsillectomy without adenoidectomy	7,997	165.0	21	58.4
554	Tonsillectomy with adenoidectomy	13,720	283.1	31	84.2
555	Adenoidectomy without tonsillectomy	2,011	41.5	4	12.0
556	Operations on pharynx except tonsillectomy and adenoidectomy	752	15.5	4	11.1
557	Other diagnostic and therapeutic procedures on nose, mouth and pharynx	73	1.5	1	1.4

Table 1 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
558	Excision of lesion of larynx	914	18.9	4	9.6
559	Partial laryngectomy and local excision of lesion of trachea	76	1.6	1	3.5
560	Complete laryngectomy	63	1.3	2	5.8
561	Permanent tracheostomy	13	0.3	<1	1.1
562	Operations on larynx and trachea except excision and permanent tracheostomy	218	4.5	5	14.6
563	Incision and local excision or destruction of lesion of bronchus	1,058	21.8	15	40.4
564	Bronchial resection and miscellaneous operations on bronchus	9	0.2	<1	0.4
565	Local excision or destruction of lesion or tissue of lung	849	17.5	15	41.1
566	Lobectomy and complete pneumonectomy	460	9.5	10	28.8
567	Bronchoscopy (using natural orifice)	1,913	39.5	24	66.9
568	Miscellaneous operations on lung	82	1.7	1	3.3
569	Thoracotomy	980	20.2	13	35.4
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	796	16.4	13	35.6
571	Open heart operations	446	9.2	8	21.7
572	Direct heart revascularization	1,230	25.4	21	56.6
573	Cardiac catheterization	3,941	81.3	21	57.9
574	Pacemaker insertion, replacement, removal, and repair	2,326	48.0	28	77.8
575	Miscellaneous operations on heart	153	3.2	3	7.6
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart	295	6.1	3	9.2

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
577 Ligation and stripping of varicose veins	3,946	81.4	25	68.2
578 Systemic shunt or graft bypass	2,148	44.3	38	104.6
579 Extracorporeal circulation	1	0.0	<1	0.0
580 Hemodialysis	442	9.1	4	10.5
581 Other operations on blood vessels	3,800	78.4	65	179.3
582 Incision, excision of lymphatic structures	1,678	34.6	17	46.5
583 Radical excision of lymph nodes	291	6.0	4	11.2
584 Miscellaneous operations on lymphatic system	9	0.2	<1	0.8
585 Bone marrow transplant	5	0.1	<1	0.2
586 Miscellaneous operations on spleen and bone marrow	3,116	64.3	55	151.3
587 Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen	305	6.3	4	9.6
588 Operations on esophagus	969	20.0	12	33.9
590 Gastrotomy, pyloromyotomy	329	6.8	3	8.3
591 Gastrostomy	54	1.1	2	4.9
592 Local excision or destruction of lesion or tissue of stomach	1,500	30.9	20	54.6
593 Partial gastrectomy	1,054	21.7	20	54.9
594 Total gastrectomy	113	2.3	3	9.5
595 Vagotomy	920	19.0	13	35.8
596 Miscellaneous operations on stomach	1,517	31.3	24	64.9
597 Local excision or destruction of intestinal lesion or tissue	1,479	30.5	19	51.1
598 Resection of small intestine	455	9.4	10	28.1
599 Colectomy	2,485	51.3	54	148.1
600 Other incision, resection of intestine	248	5.1	6	15.9

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	8.4	85	1	1	6	10	17	32	36
20-34	15	5.9	25	1	2	5	7	16	17	18
35-49	40	6.0	23	1	2	4	8	12	16	22
50-64	22	5.5	15	1	2	5	7	12	13	14
65+	6	5.0	10	1	1	4	7	10	10	10
2. MULTIPLE DX										
0-19 YRS	16	9.4	57	2	2	8	11	23	27	28
20-34	28	12.6	238	2	2	8	14	23	63	64
35-49	35	14.2	167	1	3	11	16	45	50	99+
50-64	21	13.4	191	1	2	11	15	21	43	68
65+	21	12.9	232	1	2	9	19	78	99+	99+
TOT. SINGLE DX	97	6.1	29	1	2	4	8	14	16	29
" MULTIPLE DX	121	12.8	181	1	2	10	15	26	63	99+
TOTAL 0-19 YRS	30	8.9	68	1	2	7	11	20	28	36
20-34	43	10.3	172	1	2	7	11	18	38	64
35-49	75	9.8	106	1	2	8	12	23	44	87
50-64	43	9.4	114	1	2	6	12	17	21	68
65+	27	11.1	191	1	1	9	17	53	99+	99+
GRAND TOTAL	**218**	**9.9**	**124**	**1**	**2**	**7**	**12**	**21**	**37**	**99+**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	91	6.1	37	1	1	4	9	13	20	31
20-34	786	5.6	40	1	1	3	8	13	17	35
35-49	961	5.5	35	1	1	3	7	13	17	28
50-64	649	5.9	49	1	1	3	8	14	19	32
65+	127	7.5	82	1	1	4	9	21	26	38
2. MULTIPLE DX										
0-19 YRS	47	10.2	216	1	1	6	13	23	28	95
20-34	335	7.9	61	1	1	5	11	20	24	33
35-49	519	8.0	68	1	1	6	11	18	24	37
50-64	592	8.5	82	1	1	5	12	20	25	41
65+	201	15.0	261	1	1	10	19	35	53	75
TOT. SINGLE DX	2614	5.8	43	1	1	3	8	14	18	32
" MULTIPLE DX	1694	9.0	103	1	1	6	12	21	28	51
TOTAL 0-19 YRS	138	7.5	101	1	1	4	10	16	23	42
20-34	1121	6.3	47	1	1	3	9	15	21	34
35-49	1480	6.4	48	1	1	4	9	14	20	33
50-64	1241	7.1	67	1	1	4	10	17	22	37
65+	328	12.1	204	1	1	8	16	30	39	65
GRAND TOTAL	**4308**	**7.0**	**69**	**1**	**1**	**4**	**9**	**16**	**22**	**39**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	7.0	30	1	2	5	8	14	21	25
20-34	158	6.6	35	1	2	5	8	12	20	31
35-49	136	7.7	67	1	2	5	9	15	32	49
50-64	205	6.1	39	1	1	4	7	13	19	37
65+	114	7.8	140	1	1	5	8	16	28	67
2. MULTIPLE DX										
0-19 YRS	41	14.0	195	2	3	11	15	24	40	75
20-34	112	11.9	155	1	2	9	15	31	60	99+
35-49	214	9.4	108	1	2	7	12	20	32	99+
50-64	445	11.0	148	1	2	8	14	24	39	99+
65+	332	12.1	183	1	2	8	16	31	54	99+
TOT. SINGLE DX	655	6.9	61	1	2	5	8	13	22	42
" MULTIPLE DX	1144	11.2	154	1	2	8	14	26	43	99+
TOTAL 0-19 YRS	83	10.5	123	2	3	7	13	22	25	70
20-34	270	8.8	91	1	2	6	11	20	30	99+
35-49	350	8.7	92	1	2	6	10	18	32	99
50-64	650	9.4	119	1	2	6	12	21	35	89
65+	446	11.0	175	1	2	7	13	28	48	99+
GRAND TOTAL	**1799**	**9.6**	**124**	**1**	**2**	**6**	**12**	**22**	**35**	**99+**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	5.7	27	1	1	4	8	14	15	15
35-49	55	5.4	39	1	1	2	9	16	18	26
50-64	95	4.1	43	1	1	1	4	10	17	38
65+	28	3.7	50	1	1	1	1	12	22	31
2. MULTIPLE DX										
0-19 YRS										
20-34	12	4.7	26	1	1	2	6	14	15	15
35-49	85	5.5	48	1	1	1	7	17	21	29
50-64	233	5.1	67	1	1	1	7	14	22	34
65+	60	6.0	98	1	1	1	10	15	27	46
TOT. SINGLE DX	185	4.4	42	1	1	1	5	14	17	29
" MULTIPLE DX	390	5.3	66	1	1	1	7	15	21	38
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	18	5.0	25	1	1	3	8	15	15	15
35-49	140	5.4	44	1	1	2	8	17	19	26
50-64	328	4.8	60	1	1	1	6	13	20	35
65+	88	5.3	83	1	1	1	4	15	26	45
GRAND TOTAL	**575**	**5.0**	**58**	**1**	**1**	**1**	**7**	**15**	**20**	**33**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	6.4	45	1	1	4	10	14	16	38
20-34	238	6.7	36	1	1	5	9	14	18	25
35-49	291	6.1	50	1	1	4	8	14	19	37
50-64	530	5.5	33	1	1	3	8	14	18	33
65+	379	6.0	41	1	1	3	8	15	20	28
2. MULTIPLE DX										
0-19 YRS	62	9.0	43	1	1	8	12	19	23	26
20-34	221	9.0	68	1	2	7	12	18	25	42
35-49	440	9.1	68	1	1	7	13	19	24	46
50-64	1092	9.5	117	1	1	6	14	22	31	57
65+	1068	11.0	125	1	1	8	15	25	34	99+
TOT. SINGLE DX	1501	6.0	39	1	1	4	8	14	19	31
" MULTIPLE DX	2883	9.9	108	1	1	7	14	23	30	65
TOTAL 0-19 YRS	125	7.7	45	1	1	6	12	15	20	30
20-34	459	7.8	53	1	1	6	10	16	21	40
35-49	731	7.9	63	1	1	5	11	17	23	43
50-64	1622	8.2	93	1	1	5	12	19	26	52
65+	1447	9.7	108	1	1	7	14	23	31	86
GRAND TOTAL	**4384**	**8.6**	**88**	**1**	**1**	**6**	**12**	**20**	**26**	**54**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	246	4.9	21	1	1	3	6	10	15	25
20-34	446	5.6	29	<1	1	4	7	11	16	28
35-49	311	5.8	35	<1	1	4	7	12	16	28
50-64	297	7.0	75	1	1	4	8	15	23	37
65+	221	8.5	67	1	2	6	11	19	24	37
2. MULTIPLE DX										
0-19 YRS	258	8.0	78	1	2	5	9	19	27	45
20-34	460	8.2	78	<1	1	6	10	18	26	49
35-49	419	9.8	116	<1	1	6	13	22	32	51
50-64	609	11.4	137	1	2	8	15	24	35	82
65+	710	14.9	236	2	2	11	19	40	61	99+
TOT. SINGLE DX	1521	6.2	45	1	1	4	8	13	18	31
" MULTIPLE DX	2456	11.2	152	1	2	8	15	26	39	92
TOTAL 0-19 YRS	504	6.5	52	1	1	4	8	14	20	36
20-34	906	6.9	56	<1	1	5	9	15	21	43
35-49	730	8.1	85	<1	1	5	10	18	25	49
50-64	906	10.0	121	1	2	7	13	22	30	76
65+	931	13.4	203	2	2	9	17	32	53	99+
GRAND TOTAL	**3977**	**9.3**	**117**	**1**	**2**	**6**	**12**	**21**	**31**	**72**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	6.8	81	1	1	3	9	13	30	43
20-34	79	4.7	29	<1	1	3	5	9	17	32
35-49	73	5.7	51	<1	1	4	6	12	17	44
50-64	79	3.9	48	<1	<1	2	4	6	9	48
65+	19	7.4	91	1	2	4	7	23	32	37
2. MULTIPLE DX										
0-19 YRS	110	12.9	292	1	1	5	17	46	65	99+
20-34	75	11.7	279	<1	1	7	16	48	95	99+
35-49	52	9.1	124	1	1	5	11	24	48	99
50-64	59	14.9	291	1	2	10	27	51	85	99+
65+	53	22.2	408	1	2	19	39	74	99+	99+
TOT. SINGLE DX	344	5.5	57	<1	1	3	5	11	19	41
" MULTIPLE DX	349	13.8	294	1	1	7	20	52	75	99+
TOTAL 0-19 YRS	204	10.1	203	1	1	4	11	34	48	99+
20-34	154	8.1	162	<1	1	4	10	21	48	99+
35-49	125	7.1	83	<1	1	4	9	17	24	64
50-64	138	8.6	181	<1	1	3	10	29	51	99+
65+	72	18.3	365	1	2	13	29	59	92	99+
GRAND TOTAL	**693**	**9.7**	**193**	**<1**	**1**	**4**	**12**	**29**	**53**	**99+**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	4.1	20	<1	<1	3	5	10	15	18
20-34	97	3.5	21	<1	<1	2	4	8	9	27
35-49	30	8.6	88	<1	2	5	10	20	26	44
50-64	37	7.8	58	1	2	5	12	19	26	28
65+	33	9.5	97	1	1	6	14	22	30	41
2. MULTIPLE DX										
0-19 YRS	116	18.2	423	1	2	10	25	65	77	99+
20-34	108	8.5	157	<1	1	4	11	23	43	99+
35-49	82	11.4	202	1	1	6	14	27	42	75
50-64	122	14.2	199	2	3	10	18	33	44	93
65+	136	19.3	316	4	6	14	25	44	89	99+
TOT. SINGLE DX	246	5.7	50	<1	<1	3	7	16	21	30
" MULTIPLE DX	564	14.7	280	1	2	9	19	38	63	99+
TOTAL 0-19 YRS	165	14.0	344	<1	1	7	18	45	75	99+
20-34	205	6.2	98	<1	<1	3	7	16	26	93
35-49	112	10.6	172	<1	1	6	13	26	37	65
50-64	159	12.7	173	2	2	9	17	28	41	88
65+	169	17.4	287	2	4	13	23	39	83	99+
GRAND TOTAL	**810**	**12.0**	**227**	**<1**	**1**	**7**	**16**	**30**	**48**	**99+**

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
601	Intestinal anastomosis or repair	1,293	26.7	19	52.6
602	Ileostomy, colostomy, and other enterostomy	347	7.2	10	26.7
603	Appendectomy	10,895	224.8	65	176.9
604	Incidental appendectomy	206	4.2	1	3.8
605	Operations on appendix except appendectomy	101	2.1	1	3.3
606	Local excision or destruction of lesion or tissue of rectum	1,564	32.3	16	43.8
607	Other incision of rectum and incision or excision of perirectal tissue	112	2.3	1	1.8
608	Proctectomy	1,034	21.3	26	71.0
609	Miscellaneous operations on intestine	421	8.7	6	16.6
610	Incision or excision of anal fistula	1,105	22.8	7	18.3
611	Local excision or destruction of lesion or tissue of anus	945	19.5	5	12.4
612	Hemorrhoidectomy	4,396	90.7	29	79.3
613	Miscellaneous operations on anus	1,444	29.8	9	23.7
614	Incision of liver	48	1.0	1	2.3
615	Miscellaneous operations on liver	1,534	31.6	22	59.8
616	Cholecystectomy	15,284	315.3	164	448.7
617	Operations on biliary tract and gallbladder except cholecystectomy	843	17.4	17	45.7
618	Operations on pancreas	474	9.8	9	23.6
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	460	9.5	6	16.7
620	Unilateral repair of inguinal hernia	12,576	259.5	69	188.2
621	Bilateral repair of inguinal hernia	1,469	30.3	9	23.4

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
622	Unilateral or bilateral repair of femoral hernia	598	12.3	4	11.3
623	Repair of umbilical hernia	1,161	24.0	6	16.8
624	Repair of other hernia of anterior abdominal wall	2,548	52.6	22	59.3
625	Repair of diaphragmatic and other hernia	615	12.7	8	21.4
626	Incision, excision of abdominal wall and peritoneum except laparotomy	1,189	24.5	15	40.9
627	Laparotomy	1,771	36.5	24	65.2
628	Laparoscopy (excluding that for destruction of fallopian tubes)	3,428	70.7	11	31.4
630	Miscellaneous operations on abdominal wall and peritoneum	1,514	31.2	21	56.4
631	Complete nephrectomy	618	12.7	12	32.9
632	Miscellaneous operations on kidney	1,271	26.2	21	56.6
633	Ureterotomy	994	20.5	13	35.6
634	Ureteral diversion	373	7.7	7	19.5
635	Miscellaneous operations on ureter	1,256	25.9	9	25.1
636	Cystoscopy and urethroscopy	9,876	203.8	69	189.1
637	Transurethral excision or destruction of bladder lesion	3,156	65.1	24	66.2
638	Miscellaneous operations on bladder	1,282	26.4	18	48.4
639	Urethral meatotomy	277	5.7	1	2.6
640	Excision of urethral lesion, repair of urethra	727	15.0	7	18.4
641	Urethral dilation	1,861	38.4	13	36.8
642	Miscellaneous operations on urethra	263	5.4	2	6.2
643	Urethral suspension	944	19.5	11	30.7
644	Other repair of stress incontinence	224	4.6	3	7.7
645	Ureteral catheterization	54	1.1	1	1.8

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
646	Miscellaneous operations on urinary tract	55	1.1	1	2.6
648	Transurethral prostatectomy	7,642	157.7	95	259.7
649	Other prostatectomy	1,049	21.6	20	53.7
650	Miscellaneous operations on prostate and seminal vesicles	950	19.6	7	20.1
651	Operations on scrotum and tunica vaginalis	632	13.0	4	11.4
652	Orchiectomy	787	16.2	7	19.9
653	Orchiopexy	1,165	24.0	5	13.8
654	Miscellaneous operations on testis	294	6.1	1	3.2
655	Interruption of vas deferens	683	14.1	1	2.6
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	1,741	35.9	8	20.8
658	Miscellaneous operations on penis	332	6.8	2	5.3
660	Local excision or destruction of ovarian lesion or tissue	1,700	35.1	12	32.6
661	Unilateral oophorectomy or salpingo-oophorectomy	1,657	34.2	13	36.8
662	Bilateral oophorectomy or salpingo-oophorectomy	579	11.9	6	16.2
663	Miscellaneous operations on ovary	372	7.7	2	6.0
664	Bilateral endoscopic destruction or occlusion of fallopian tubes	4,351	89.8	9	24.7
665	Other bilateral tubal interruption or salpingectomy	7,520	155.1	28	75.7
666	Miscellaneous operations on fallopian tube	2,120	43.7	12	33.4
667	Conization of cervix	2,266	46.7	7	18.5
668	Other excision or destruction of lesion or tissue of cervix	1,054	21.7	4	11.5
669	Repair and plastic operations on cervix	563	11.6	2	6.5

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
670 Hysterotomy and excision of lesion of uterus	318	6.6	2	5.2
671 Abdominal hysterectomy	14,231	293.6	129	353.5
672 Vaginal hysterectomy	5,468	112.8	51	141.0
673 Radical hysterectomy and pelvic evisceration	68	1.4	1	3.2
674 Dilation and curettage of uterus for termination of pregnancy	772	15.9	2	5.5
675 Other dilation and curettage	22,060	455.1	54	147.0
676 Aspiration curettage for termination of pregnancy	5,601	115.6	9	24.1
677 Other aspiration curettage	477	9.8	1	3.2
678 Repair and plastic operations on supporting structures of uterus	361	7.4	3	7.0
679 Miscellaneous operations on uterus, cervix, and supporting structures	419	8.6	2	6.2
680 Plastic repair of cystocele and rectocele	3,053	63.0	31	84.3
681 Other colporrhaphy	368	7.6	3	7.6
682 Miscellaneous operations on vagina	883	18.2	5	14.7
683 Incision and excision of lesion of vulva and perineum	1,352	27.9	5	12.9
684 Vulvectomy	70	1.4	1	3.2
685 Miscellaneous operations on vulva and perineum	197	4.1	1	2.8
686 Miscellaneous diagnostic and therapeutic procedures on female genital system	76	1.6	<1	1.1
687 Low forceps with and without episiotomy	11,447	236.2	65	178.5
688 Breech extraction	883	18.2	5	14.2
689 Other extraction procedures to assist delivery	4,671	96.4	27	74.5
690 Other procedures to assist delivery	16,099	332.1	91	248.8
691 Low cervical cesarean section	15,471	319.2	135	369.8

Table 1 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
692	Other cesarean section	355	7.3	3	9.0
693	Other abdominal operation to remove embryo or fetus	180	3.7	1	2.9
694	Intra-amniotic injection for abortion	1,070	22.1	3	7.8
695	Diagnostic amniocentesis	478	9.9	2	6.1
696	Intrauterine procedures on fetus and amnion	3,492	72.0	16	44.8
697	Miscellaneous obstetric procedures	11,582	238.9	57	156.3
698	Excision of facial bone	179	3.7	1	3.5
699	Repair and plastic operations on facial bones	824	17.0	4	11.9
700	Closed reduction of maxillofacial fractures	685	14.1	3	7.9
701	Open reduction of maxillofacial fractures	883	18.2	5	14.0
702	Miscellaneous maxillofacial surgery	83	1.7	1	1.8
703	Incision and division of bones except facial	1,547	31.9	16	43.2
704	Bunionectomy	2,406	49.6	14	39.3
705	Excision of bone except facial	4,157	85.8	33	90.9
706	Repair and plastic operation on bone except facial	1,268	26.2	15	42.2
707	Removal of internal fixation device	2,069	42.7	12	32.5
708	Closed reduction of fracture of femur with internal fixation	604	12.5	18	48.9
709	Open reduction of fracture of femur with internal fixation	1,932	39.9	51	139.2
710	Reduction of fracture of femur without internal fixation	307	6.3	10	26.4

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
711 Closed reduction of fracture with internal fixation, except maxillofacial and femur	557	11.5	6	15.1
712 Open reduction of fracture with internal fixation, except maxillofacial and femur	4,673	96.4	37	102.3
713 Other reduction of fracture without internal fixation, except maxillofacial and femur	8,050	166.1	38	104.2
714 Closed reduction of dislocation	1,273	26.3	8	21.4
715 Open reduction of dislocation	778	16.1	4	12.3
716 Arthrotomy and division of joint capsule	1,649	34.0	11	30.1
717 Excision of intervertebral disc	3,976	82.0	56	154.8
718 Excision of semilunar cartilage of knee joint	5,783	119.3	28	77.8
719 Miscellaneous excisions of joint structures	1,644	33.9	9	25.8
720 Spinal fusion	816	16.8	15	41.8
721 Arthrodesis and stabilization of joint	1,151	23.7	8	23.0
722 Total hip replacement	1,697	35.0	39	105.7
723 Other arthroplasty of hip	1,345	27.7	35	95.5
724 Arthroplasty of knee	1,832	37.8	18	50.6
725 Repair of other joint	2,381	49.1	13	34.9
726 Incision and division of muscle, tendon, fascia and bursa	1,175	24.2	7	20.5
727 Excision of lesion of muscle, tendon, fascia, and bursa	1,979	40.8	9	25.0
728 Division and resection of muscle, tendon, and fascia of hand	958	19.8	4	10.0

Table 1 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
729	Repair and plastic operations on hand	1,596	32.9	5	14.4
730	Resection and suture of muscle, tendon, and fascia, except hand	1,367	28.2	7	18.4
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	1,359	28.0	8	20.9
732	Amputation of fingers and thumb	660	13.6	4	10.0
733	Amputation of hand, forearm, and upper arm	62	1.3	1	2.4
734	Amputation of toes	454	9.4	8	21.4
735	Below-knee amputation	259	5.3	11	29.5
736	Above-knee amputation	262	5.4	9	24.1
737	Other amputation of lower extremity	80	1.7	3	8.2
738	Reattachment of extremity	51	1.1	<1	1.3
739	Revision of amputation stump	225	4.6	2	5.4
740	Miscellaneous operations on musculoskeletal system	7	0.1	<1	0.3
742	Local excision or destruction of lesion of breast	5,559	114.7	20	53.7
743	Simple mastectomy	634	13.1	5	14.7
744	Extended simple mastectomy and radical mastectomy	1,981	40.9	23	64.4
745	Miscellaneous operations on breast	2,269	46.8	9	25.3
746	Incision and excision of pilonidal cyst or sinus	2,271	46.9	12	34.0
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	4,368	90.1	36	98.0
748	Other incision, excision, and suture of skin	8,057	166.2	66	180.7
749	Free skin grafts	1,097	22.6	22	61.6
750	Pedicle graft of skin	271	5.6	4	10.7
751	Miscellaneous operations on skin and subcutaneous tissue	2,640	54.5	14	38.6

Table 1 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
753 Encephalography and ventriculography	218	4.5	2	5.9
754 Myelography	4,308	88.9	30	83.2
755 Cerebral arteriography	1,799	37.1	17	47.5
756 Coronary arteriography	575	11.9	3	7.9
757 Other arteriography and phlebography	4,384	90.4	38	103.1
758 Other radiography and special diagnostic procedures	3,977	82.0	37	101.2
760 Special therapies and rehabilitation	693	14.3	7	18.4
764 Miscellaneous diagnostic and therapeutic procedures	810	16.7	10	26.7
All patients in operation groups	484,711	10,000.0	3,649	10,000.0

Tables 2 and 3 display frequency rankings of patients and total stay according to operation group. Groups consisting solely of UHDDS Class 2-4 procedures are excluded (see explanation for Table 1), as are patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients who left against medical advice, and patients staying 100 days or longer.

Table 2

Ranking of *ICD-9-CM* List B Operation Groups by Live Separations Canadian PAS Hospitals, 1979

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
675	Other dilation and curettage	22,060	1
690	Other procedures to assist delivery	16,099	2
691	Low cervical cesarean section	15,471	3
616	Cholecystectomy	15,284	4
671	Abdominal hysterectomy	14,231	5
554	Tonsillectomy with adenoidectomy	13,720	6
620	Unilateral repair of inguinal hernia	12,576	7
697	Miscellaneous obstetric procedures	11,582	8
687	Low forceps with and without episiotomy	11,447	9
603	Appendectomy	10,895	10
636	Cystoscopy and urethroscopy	9,876	11
748	Other incision, excision, and suture of skin	8,057	12
713	Other reduction of fracture without internal fixation, femur	8,050	13
553	Tonsillectomy without adenoidectomy	7,997	14
525	Intracapsular extraction of lens	7,756	15
648	Transurethral prostatectomy	7,642	16
665	Other bilateral tubal interruption or salpingectomy	7,520	17
547	Tooth extraction	6,136	18
718	Excision of semilunar cartilage of knee joint	5,783	19
676	Aspiration curettage for termination of pregnancy	5,601	20
742	Local excision or destruction of lesion of breast	5,559	21
672	Vaginal hysterectomy	5,468	22
712	Open reduction of fracture with internal fixation, femur	4,673	23

Table 2 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
689	Other extraction procedures to assist delivery	4,671	24
542	Rhinoplasty	4,477	25
612	Hemorrhoidectomy	4,396	26
757	Other arteriography and phlebography	4,384	27
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	4,368	28
664	Bilateral endoscopic destruction or occlusion of fallopian tubes	4,351	29
754	Myelography	4,308	30
705	Excision of bone except facial	4,157	31
758	Other radiography and special diagnostic procedures	3,977	32
717	Excision of intervertebral disc	3,976	33
577	Ligation and stripping of varicose veins	3,946	34
573	Cardiac catheterization	3,941	35
581	Other operations on blood vessels	3,800	36
696	Intrauterine procedures on fetus and amnion	3,492	37
628	Laparoscopy (excluding that for destruction of fallopian tubes)	3,428	38
637	Transurethral excision or destruction of bladder lesion	3,156	39
537	Myringotomy	3,130	40
586	Miscellaneous operations on spleen and bone marrow	3,116	41
680	Plastic repair of cystocele and rectocele	3,053	42
541	Submucous resection of nasal septum	2,772	43
530	Resection and recession of ocular muscle	2,674	44
751	Miscellaneous operations on skin and subcutaneous tissue	2,640	45
624	Repair of other hernia of anterior abdominal wall	2,548	46
599	Colectomy	2,485	47
536	Tympanoplasty	2,416	48
704	Bunionectomy	2,406	49
725	Repair of other joint	2,381	50

Table 2 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
574	Pacemaker insertion, replacement, removal, and repair	2,326	51
746	Incision and excision of pilonidal cyst or sinus	2,271	52
745	Miscellaneous operations on breast	2,269	53
667	Conization of cervix	2,266	54
509	Miscellaneous operations on cranial and other peripheral nerves	2,250	55
578	Systemic shunt or graft bypass	2,148	56
666	Miscellaneous operations on fallopian tube	2,120	57
707	Removal of internal fixation device	2,069	58
555	Adenoidectomy without tonsillectomy	2,011	59
744	Extended simple mastectomy and radical mastectomy	1,981	60
727	Excision of lesion of muscle, tendon, fascia, and bursa	1,979	61
709	Open reduction of fracture of femur with internal fixation	1,932	62
567	Bronchoscopy (using natural orifice)	1,913	63
641	Urethral dilation	1,861	64
724	Arthroplasty of knee	1,832	65
755	Cerebral arteriography	1,799	66
627	Laparotomy	1,771	67
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	1,741	68
660	Local excision or destruction of ovarian lesion or tissue	1,700	69
722	Total hip replacement	1,697	70
513	Thyroidectomy	1,692	71
582	Incision, excision of lymphatic structures	1,678	72
661	Unilateral oophorectomy or salpingo-oophorectomy	1,657	73
716	Arthrotomy and division of joint capsule	1,649	74
719	Miscellaneous excisions of joint structures	1,644	75

Table 2 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	1,635	76
544	Miscellaneous operations on nose	1,633	77
729	Repair and plastic operations on hand	1,596	78
606	Local excision or destruction of lesion or tissue of rectum	1,564	79
703	Incision and division of bones except facial	1,547	80
615	Miscellaneous operations on liver	1,534	81
518	Miscellaneous operations on eyelid	1,528	82
596	Miscellaneous operations on stomach	1,517	83
630	Miscellaneous operations on abdominal wall and peritoneum	1,514	84
592	Local excision or destruction of lesion or tissue of stomach	1,500	85
597	Local excision or destruction of intestinal lesion or tissue	1,479	86
621	Bilateral repair of inguinal hernia	1,469	87
613	Miscellaneous operations on anus	1,444	88
730	Resection and suture of muscle, tendon, and fascia, except hand	1,367	89
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	1,359	90
683	Incision and excision of lesion of vulva and perineum	1,352	91
723	Other arthroplasty of hip	1,345	92
543	Other incision, excision of nose	1,301	93
601	Intestinal anastomosis or repair	1,293	94
638	Miscellaneous operations on bladder	1,282	95
714	Closed reduction of dislocation	1,273	96
632	Miscellaneous operations on kidney	1,271	97
706	Repair and plastic operation on bone except facial	1,268	98
635	Miscellaneous operations on ureter	1,256	99
572	Direct heart revascularization	1,230	100
626	Incision, excision of abdominal wall and peritoneum except laparotomy	1,189	101
726	Incision and division of muscle, tendon, fascia and bursa	1,175	102

Table 2 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
653	Orchiopexy	1,165	103
623	Repair of umbilical hernia	1,161	104
721	Arthrodesis and stabilization of joint	1,151	105
610	Incision or excision of anal fistula	1,105	106
749	Free skin grafts	1,097	107
534	Operations on external ear	1,074	108
694	Intra-amniotic injection for abortion	1,070	109
563	Incision and local excision of destruction of lesion of bronchus	1,058	110
593	Partial gastrectomy	1,054	111
668	Other excision or destruction of lesion or tissue of cervix	1,054	112
649	Other prostatectomy	1,049	113
608	Proctectomy	1,034	114
633	Ureterotomy	994	115
569	Thoracotomy	980	116
588	Operations on esophagus	969	117
728	Division and resection of muscle, tendon, and fascia of hand	958	118
650	Miscellaneous operations on prostate and seminal vesicles	950	119
611	Local excision or destruction of lesion or tissue of anus	945	120
643	Urethral suspension	944	121
595	Vagotomy	920	122
558	Excision of lesion of larynx	914	123
682	Miscellaneous operations on vagina	883	124
688	Breech extraction	883	125
701	Open reduction of maxillofacial fractures	883	126
546	Miscellaneous operations on accessory sinus	853	127
528	Repair of retina	850	128
550	Operations on salivary glands and ducts	849	129
565	Local excision or destruction of lesion or tissue of lung	849	130
617	Operations on biliary tract and gallbladder except cholecystectomy	843	131
699	Repair and plastic operations on facial bones	824	132

Table 2 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)
720 Spinal fusion	816	133
764 Miscellaneous diagnostic and therapeutic procedures	810	134
526 Other lens extraction	802	135
506 Exploration and decompression of spinal canal structures	797	136
570 Operations on chest wall, pleura, and mediastinum except thoracotomy	796	137
652 Orchiectomy	787	138
535 Stapes mobilization and stapedectomy	785	139
715 Open reduction of dislocation	778	140
674 Dilation and curettage of uterus for termination of pregnancy	772	141
556 Operations on pharynx except tonsillectomy and adenoidectomy	752	142
538 Mastoidectomy	745	143
640 Excision of urethral lesion, repair of urethra	727	144
760 Special therapies and rehabilitation	693	145
700 Closed reduction of maxillofacial fractures	685	146
655 Interruption of vas deferens	683	147
732 Amputation of fingers and thumb	660	148
743 Simple mastectomy	634	149
651 Operations on scrotum and tunica vaginalis	632	150
549 Operations on teeth and gums except extraction and restoration	627	151
508 Excision or destruction of lesion of cranial or peripheral nerve	626	152
631 Complete nephrectomy	618	153
625 Repair of diaphragmatic and other hernia	615	154
708 Closed reduction of fracture of femur with internal fixation	604	155
622 Unilateral or bilateral repair of femoral hernia	598	156
524 Other operations on iris, ciliary body, sclera and anterior chamber	595	157
662 Bilateral oophorectomy or salpingo-oopherectomy	579	158

Table 2 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
756	Coronary arteriography	575	159
501	Incision, excision of skull, brain, and cerebral meninges	566	160
669	Repair and plastic operations on cervix	563	161
711	Closed reduction of fracture with internal fixation, except maxillofacial and femur	557	162
695	Diagnostic amniocentesis	478	163
677	Other aspiration curettage	477	164
522	Miscellaneous operations on cornea	475	165
618	Operations on pancreas	474	166
566	Lobectomy and complete pneumonectomy	460	167
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	460	168
598	Resection of small intestine	455	169
514	Operations on parathyroid and thyroid, except thyroidectomy	454	170
734	Amputation of toes	454	171
571	Open heart operations	446	172
510	Sympathectomy	444	173
580	Hemodialysis	442	174
532	Operations on orbit and eyeball	432	175
545	Radical maxillary antrotomy	431	176
539	Miscellaneous operations on middle ear and inner ear	424	177
609	Miscellaneous operations on intestine	421	178
679	Miscellaneous operations on uterus, cervix, and supporting structures	419	179
523	Operations for regulation of intraocular pressure	391	180
517	Excision or destruction of lesion or tissue of eyelid	387	181
548	Tooth restoration and orthodontia	384	182
634	Ureteral diversion	373	183
663	Miscellaneous operations on ovary	372	184
681	Other colporrhaphy	368	185

Table 2 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
678	Repair and plastic operations on supporting structures of uterus	361	186
692	Other cesarean section	355	187
519	Operations on lacrimal system	349	188
602	Ileostomy, colostomy, and other enterostomy	347	189
658	Miscellaneous operations on penis	332	190
590	Gastrotomy, pyloromyotomy	329	191
670	Hysterotomy and excision of lesion of uterus	318	192
710	Reduction of fracture of femur without internal fixation	307	193
507	Operations on spinal cord structures, except exploration	306	194
587	Other diagnostic and therapeutic procedures on structures, and spleen	305	195
576	Other diagnostic and therapeutic procedures, bronchus, lungs and heart	295	196
654	Miscellaneous operations on testis	294	197
583	Radical excision of lymph nodes	291	198
639	Urethral meatotomy	277	199
750	Pedicle graft of skin	271	200
642	Miscellaneous operations on urethra	263	201
736	Above-knee amputation	262	202
735	Below-knee amputation	259	203
600	Other incision, resection of intestine	248	204
505	Miscellaneous operations on brain and cerebral meninges	246	205
551	Palatoplasty	231	206
739	Revision of amputation stump	225	207
502	Craniotomy and craniectomy	224	208
644	Other repair of stress incontinence	224	209
562	Operations on larynx and trachea except excision and permanent tracheostomy	218	210
753	Encephalography and ventriculography	218	211
529	Miscellaneous operations on retina, choroid, and vitreous	213	212
604	Incidental appendectomy	206	213
503	Cranioplasty	203	214

Table 2 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
685	Miscellaneous operations on vulva and perineum	197	215
515	Operations on endocrine glands, except parathyroid and thyroid	186	216
693	Other abdominal operation to remove embryo or fetus	180	217
698	Excision of facial bone	179	218
575	Miscellaneous operations on heart	153	219
521	Corneal transplant	141	220
527	Miscellaneous operations on lens	127	221
504	Ventricular shunt, extracranial	119	222
520	Operations on conjunctiva	113	223
594	Total gastrectomy	113	224
607	Other incision of rectum and incision or excision of perirectal tissue	112	225
605	Operations on appendix except appendectomy	101	226
511	Miscellaneous operations on sympathetic nerves and ganglia	92	227
702	Miscellaneous maxillofacial surgery	83	228
568	Miscellaneous operations on lung	82	229
737	Other amputation of lower extremity	80	230
559	Partial laryngectomy and local excision of lesion of trachea	76	231
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	76	232
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	73	233
684	Vulvectomy	70	234
673	Radical hysterectomy and pelvic evisceration	68	235
560	Complete laryngectomy	63	236
733	Amputation of hand, forearm, and upper arm	62	237
646	Miscellaneous operations on urinary tract	55	238
591	Gastrostomy	54	239
645	Ureteral catheterization	54	240

Table 2 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
738	Reattachment of extremity	51	241
614	Incision of liver	48	242
561	Permanent tracheostomy	13	243
531	Miscellaneous operations on ocular muscle	12	244
564	Bronchial resection and miscellaneous operations on bronchus	9	245
584	Miscellaneous operations on lymphatic system	9	246
740	Miscellaneous operations on musculoskeletal system	7	247
585	Bone marrow transplant	5	248
579	Extracorporeal circulation	1	249
	All patients in operation groups	484,711	

Table 3

Ranking of *ICD-9-CM* List B Operation Groups by Days of Care Canadian PAS Hospitals, 1979

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
616	Cholecystectomy	164	1
691	Low cervical cesarean section	135	2
671	Abdominal hysterectomy	129	3
648	Transurethral prostatectomy	95	4
690	Other procedures to assist delivery	91	5
636	Cystoscopy and urethroscopy	69	6
620	Unilateral repair of inguinal hernia	69	7
748	Other incision, excision, and suture of skin	66	8
581	Other operations on blood vessels	65	9
687	Low forceps with and without episiotomy	65	10
603	Appendectomy	65	11
697	Miscellaneous obstetric procedures	57	12
717	Excision of intervertebral disc	56	13
586	Miscellaneous operations on spleen and bone marrow	55	14
599	Colectomy	54	15
675	Other dilation and curettage	54	16
525	Intracapsular extraction of lens	52	17
672	Vaginal hysterectomy	51	18
709	Open reduction of fracture of femur with internal fixation	51	19
722	Total hip replacement	39	20
578	Systemic shunt or graft bypass	38	21
713	Other reduction of fracture without internal fixation, femur	38	22
757	Other arteriography and phlebography	38	23
712	Open reduction of fracture with internal fixation, femur	37	24
758	Other radiography and special diagnostic procedures	37	25
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	36	26
723	Other arthroplasty of hip	35	27
705	Excision of bone except facial	33	28

Table 3 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
680	Plastic repair of cystocele and rectocele	31	29
554	Tonsillectomy with adenoidectomy	31	30
754	Myelography	30	31
612	Hemorrhoidectomy	29	32
718	Excision of semilunar cartilage of knee joint	28	33
574	Pacemaker insertion, replacement, removal, and repair	28	34
665	Other bilateral tubal interruption or salpingectomy	28	35
689	Other extraction procedures to assist delivery	27	36
608	Proctectomy	26	37
577	Ligation and stripping of varicose veins	25	38
567	Bronchoscopy (using natural orifice)	24	39
637	Transurethral excision or destruction of bladder lesion	24	40
627	Laparotomy	24	41
596	Miscellaneous operations on stomach	24	42
744	Extended simple mastectomy and radical mastectomy	23	43
749	Free skin grafts	22	44
615	Miscellaneous operations on liver	22	45
624	Repair of other hernia of anterior abdominal wall	22	46
553	Tonsillectomy without adenoidectomy	21	47
573	Cardiac catheterization	21	48
632	Miscellaneous operations on kidney	21	49
572	Direct heart revascularization	21	50
630	Miscellaneous operations on abdominal wall and peritoneum	21	51
593	Partial gastrectomy	20	52
592	Local excision or destruction of lesion or tissue of stomach	20	53
742	Local excision or destruction of lesion of breast	20	54
649	Other prostatectomy	20	55
601	Intestinal anastomosis or repair	19	56

Table 3 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
597	Local excision or destruction of intestinal lesion or tissue	19	57
724	Arthroplasty of knee	18	58
708	Closed reduction of fracture of femur with internal fixation	18	59
638	Miscellaneous operations on bladder	18	60
547	Tooth extraction	18	61
755	Cerebral arteriography	17	62
582	Incision, excision of lymphatic structures	17	63
617	Operations on biliary tract and gallbladder except cholecystectomy	17	64
696	Intrauterine procedures on fetus and amnion	16	65
606	Local excision or destruction of lesion or tissue of rectum	16	66
703	Incision and division of bones except facial	16	67
706	Repair and plastic operation on bone except facial	15	68
720	Spinal fusion	15	69
501	Incision, excision of skull, brain, and cerebral meninges	15	70
542	Rhinoplasty	15	71
565	Local excision or destruction of lesion or tissue of lung	15	72
626	Incision, excision of abdominal wall and peritoneum except laparotomy	15	73
563	Incision and local excision or destruction of lesion of bronchus	15	74
506	Exploration and decompression of spinal canal structures	14	75
704	Bunionectomy	14	76
751	Miscellaneous operations on skin and subcutaneous tissue	14	77
661	Unilateral oophorectomy or salpingo-oophorectomy	13	78
641	Urethral dilation	13	79
595	Vagotomy	13	80

Table 3 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	13	81
633	Ureterotomy	13	82
569	Thoracotomy	13	83
725	Repair of other joint	13	84
746	Incision and excision of pilonidal cyst or sinus	12	85
588	Operations on esophagus	12	86
666	Miscellaneous operations on fallopian tube	12	87
631	Complete nephrectomy	12	88
660	Local excision or destruction of ovarian lesion or tissue	12	89
707	Removal of internal fixation device	12	90
628	Laparoscopy (excluding that for destruction of fallopian tubes)	11	91
513	Thyroidectomy	11	92
643	Urethral suspension	11	93
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	11	94
716	Arthrotomy and division of joint capsule	11	95
735	Below-knee amputation	11	96
566	Lobectomy and complete pneumonectomy	10	97
598	Resection of small intestine	10	98
602	Ileostomy, colostomy, and other enterostomy	10	99
764	Miscellaneous diagnostic and therapeutic procedures	10	100
710	Reduction of fracture of femur without internal fixation	10	101
719	Miscellaneous excisions of joint structures	9	102
745	Miscellaneous operations on breast	9	103
635	Miscellaneous operations on ureter	9	104
727	Excision of lesion of muscle, tendon, fascia, and bursa	9	105

Table 3 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
664	Bilateral endoscopic destruction or occlusion of fallopian tubes	9	106
736	Above-knee amputation	9	107
676	Aspiration curettage for termination of pregnancy	9	108
509	Miscellaneous operations on cranial and other peripheral nerves	9	109
613	Miscellaneous operations on anus	9	110
618	Operations on pancreas	9	111
536	Tympanoplasty	9	112
621	Bilateral repair of inguinal hernia	9	113
541	Submucous resection of nasal septum	8	114
721	Arthrodesis and stabilization of joint	8	115
537	Myringotomy	8	116
571	Open heart operations	8	117
625	Repair of diaphragmatic and other hernia	8	118
734	Amputation of toes	8	119
714	Closed reduction of dislocation	8	120
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	8	121
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	8	122
726	Incision and division of muscle, tendon, fascia and bursa	7	123
650	Miscellaneous operations on prostate and seminal vesicles	7	124
652	Orchiectomy	7	125
634	Ureteral diversion	7	126
528	Repair of retina	7	127
667	Conization of cervix	7	128
640	Excision of urethral lesion, repair of urethra	7	129
760	Special therapies and rehabilitation	7	130
730	Resection and suture of muscle, tendon, and fascia, except hand	7	131
610	Incision or excision of anal fistula	7	132

Table 3 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
510	Sympathectomy	6	133
518	Miscellaneous operations on eyelid	6	134
507	Operations on spinal cord structures, except exploration	6	135
544	Miscellaneous operations on nose	6	136
623	Repair of umbilical hernia	6	137
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	6	138
609	Miscellaneous operations on intestine	6	139
530	Resection and recession of ocular muscle	6	140
662	Bilateral oophorectomy or salpingo-oophorectomy	6	141
600	Other incision, resection of intestine	6	142
543	Other incision, excision of nose	6	143
711	Closed reduction of fracture with internal fixation, except maxillofacial and femur	6	144
502	Craniotomy and craniectomy	5	145
682	Miscellaneous operations on vagina	5	146
743	Simple mastectomy	5	147
562	Operations on larynx and trachea except excision and permanent tracheostomy	5	148
729	Repair and plastic operations on hand	5	149
688	Breech extraction	5	150
550	Operations on salivary glands and ducts	5	151
701	Open reduction of maxillofacial fractures	5	152
653	Orchiopexy	5	153
526	Other lens extraction	5	154
683	Incision and excision of lesion of vulva and perineum	5	155
611	Local excision or destruction of lesion or tissue of anus	5	156
715	Open reduction of dislocation	4	157

Table 3 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
524	Other operations on iris, ciliary body, sclera and anterior chamber	4	158
555	Adenoidectomy without tonsillectomy	4	159
538	Mastoidectomy	4	160
699	Repair and plastic operations on facial bones	4	161
668	Other excision or destruction of lesion or tissue of cervix	4	162
651	Operations on scrotum and tunica vaginalis	4	163
622	Unilateral or bilateral repair of femoral hernia	4	164
534	Operations on external ear	4	165
583	Radical excision of lymph nodes	4	166
556	Operations on pharynx except tonsillectomy and adenoidectomy	4	167
750	Pedicle graft of skin	4	168
580	Hemodialysis	4	169
505	Miscellaneous operations on brain and cerebral meninges	4	170
732	Amputation of fingers and thumb	4	171
728	Division and resection of muscle, tendon, and fascia of hand	4	172
546	Miscellaneous operations on accessory sinus	4	173
504	Ventricular shunt, extracranial	4	174
508	Excision or destruction of lesion of cranial or peripheral nerve	4	175
587	Other diagnostic and therapeutic procedures on structures, and spleen	4	176
558	Excision of lesion of larynx	4	177
594	Total gastrectomy	3	178
514	Operations on parathyroid and thyroid, except thyroidectomy	3	179
576	Other diagnostic and therapeutic procedures, bronchus, lungs and heart	3	180
532	Operations on orbit and eyeball	3	181
692	Other cesarean section	3	182

Table 3 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
523	Operations for regulation of intraocular pressure	3	183
515	Operations on endocrine glands, except parathyroid and thyroid	3	184
590	Gastrotomy, pyloromyotomy	3	185
737	Other amputation of lower extremity	3	186
756	Coronary arteriography	3	187
700	Closed reduction of maxillofacial fractures	3	188
694	Intra-amniotic injection for abortion	3	189
535	Stapes mobilization and stapedectomy	3	190
644	Other repair of stress incontinence	3	191
549	Operations on teeth and gums except extraction and restoration	3	192
575	Miscellaneous operations on heart	3	193
661	Other colporrhaphy	3	194
503	Cranioplasty	3	195
678	Repair and plastic operations on supporting structures of uterus	3	196
669	Repair and plastic operations on cervix	2	197
642	Miscellaneous operations on urethra	2	198
679	Miscellaneous operations on uterus, cervix, and supporting structures	2	199
522	Miscellaneous operations on cornea	2	200
695	Diagnostic amniocentesis	2	201
663	Miscellaneous operations on ovary	2	202
753	Encephalography and ventriculography	2	203
560	Complete laryngectomy	2	204
545	Radical maxillary antrotomy	2	205
674	Dilation and curettage of uterus for termination of pregnancy	2	206
739	Revision of amputation stump	2	207
658	Miscellaneous operations on penis	2	208
670	Hysterotomy and excision of lesion of uterus	2	209

Table 3 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
551	Palatoplasty	2	210
519	Operations on lacrimal system	2	211
591	Gastrostomy	2	212
539	Miscellaneous operations on middle ear and inner ear	2	213
517	Excision or destruction of lesion or tissue of eyelid	2	214
604	Incidental appendectomy	1	215
529	Miscellaneous operations on retina, choroid, and vitreous	1	216
698	Excision of facial bone	1	217
559	Partial laryngectomy and local excision of lesion of trachea	1	218
605	Operations on appendix except appendectomy	1	219
568	Miscellaneous operations on lung	1	220
673	Radical hysterectomy and pelvic evisceration	1	221
654	Miscellaneous operations on testis	1	222
664	Vulvectomy	1	223
677	Other aspiration curettage	1	224
521	Corneal transplant	1	225
693	Other abdominal operation to remove embryo or fetus	1	226
685	Miscellaneous operations on vulva and perineum	1	227
511	Miscellaneous operations on sympathetic nerves and ganglia	1	228
655	Interruption of vas deferens	1	229
646	Miscellaneous operations on urinary tract	1	230
639	Urethral meatotomy	1	231
733	Amputation of hand, forearm, and upper arm	1	232
548	Tooth restoration and orthodontia	1	233
614	Incision of liver	1	234
527	Miscellaneous operations on lens	1	235
645	Ureteral catheterization	1	236
702	Miscellaneous maxillofacial surgery	1	237
607	Other incision of rectum and incision or excision of perirectal tissue	1	238

Table 3 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	1	239
520	Operations on conjunctiva	1	240
531	Miscellaneous operations on ocular muscle	<1	241
561	Permanent tracheostomy	<1	242
564	Bronchial resection and miscellaneous operations on bronchus	<1	243
579	Extracorporeal circulation	<1	244
584	Miscellaneous operations on lymphatic system	<1	245
585	Bone marrow transplant	<1	246
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	<1	247
738	Reattchment of extremity	<1	248
740	Miscellaneous operations on musculoskeletal system	<1	249
	All operation groups	3,649	

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 3 Procedures: Tabular List and Alphabetic Index. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the ICD-9-CM List B operation group to which each operation belongs

Group Number	Title
	Abdominal wall, *see also Hernia*
627	Exploratory laparotomy
626	Excision
626	Incision
	Adenoid
554	Adenoidectomy with tonsillectomy
555	Adenoidectomy without tonsillectomy
556	Other
	Amputation, *see Extremity*
	Angiography
756	Cardiac
	Anus
611	Excision of lesion or tissue
612	Hemorrhoidectomy
613	Other
	Appendix
603	Appendectomy
605	Other
	Arteriography
757	Aorta
755	Head
756	Heart
755	Neck
757	Other
	Artery, *see Blood vessels*
617	Biliary tract, except cholecystectomy
	Bladder
637	Excision of lesion or tissue, transurethral
	Blood vessels
578	Bypass graft
572	Heart
577	Ligation and stripping, veins
578	Systemic shunt
	Bone, except facial, *see also Extremity*
705	Biopsy
703	Division

OPERATION INDEX (continued)

Group Number	Title
	Bone, except facial (continued)
705	Excision
703	Incision
707	Removal of internal fixation device
706	Repair
713	Reduction, closed
713	Reduction, open
	Bone, facial
698	Biopsy
703	Division
698	Excision
702	Incision
699	Repair
700	Reduction, closed
701	Reduction, open
	Bone marrow
585	Transplant
586	Other
	Brain
501	Excision
501	Incision
504	Ventricular shunt
	Breast
742	Biopsy
741	Complete mastectomy
742	Excision, lesion
745	Mastotomy
742	Partial mastectomy
744	Radical mastectomy
567	Bronchoscopy
	Bronchus
563	Excision of lesion or tissue
762	Removal of foreign body with incision
564	Resection
704	Bunionectomy
	Bursa, *see Muscle*
	Cartilage
716	Division

OPERATION INDEX (continued)

Group Number	Title
	Cartilage (continued)
717	Excision of intervertebral cartilage
718	Excision of semilunar cartilage of knee
	Cataract extraction
525	Intracapsular
526	Other
579	Circulation, extracorporeal
619	Colonoscopy, transabdominal
420	Conjunctiva
521	Corneal transplant
682	Culdoscopy
664	For ligation of fallopian tubes
636	Cystoscopy
629	Dialysis, peritoneal
	Ear
534	External
537	Myringotomy
536	Stapedectomy
535	Stapes mobilization
539	Tympanotomy
536	Tympanoplasty
753	Encephalography
515	Endocrine, except parathyroid, thyroid, and gonads
656	Epididymis
589	Esophagoscopy
	Extremity
	Amputation
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
732	Thumb
734	Toe
733	Upper arm

OPERATION INDEX (continued)

Group Number	Title
	Extremity (continued)
738	Reattachment
739	Revision of amputation
532	Eyelid, excision of lesion or tissue
	Fallopian tube
665	Excision, bilateral
665	Endoscopic approach
665	Ligation, bilateral
665	Endoscopic approach
662	Salpingo-oophorectomy, bilateral
661	Salpingo-oophorectomy, unilateral
666	Other
	Fascia, *see Muscle*
	Gallbladder
616	Cholecystectomy
589	Gastroscopy
596	Gastroscopy, surgical
	Graft, *see site*
	Gums
549	Alveoloplasty
549	Excision of lesion or tissue
549	Gingivectomy
549	Incision
	Hand, *see also Extremity*
728	Division of muscle, tendon, and fascia
	Heart
573	Catheterization
575	Massage, open
574	Pacemaker insertion or replacement
	Hernia repair
625	Diaphragmatic
624	Epigastric
622	Femoral, bilateral
624	Incisional
621	Inguinal, bilateral
620	Inguinal, unilateral

OPERATION INDEX (continued)

Group Number	Title
	Hernia repair (continued)
623	Umbilical
624	Ventral
	Hysterectomy, *see Uterus*
	Intestine, *see also Hernia*
601	Anastomosis
599	Colectomy
602	Colostomy
602	Enterostomy
597	Excision of lesion or tissue
600	Exteriorization
602	Ileostomy
600	Incision
601	Repair
599	Resection of large intestine
598	Resection of small intestine
	Joint, *see also Extremity*
741	Arthrocentesis
721	Arthrodesis, except spine
720	Spinal fusion
723	Arthroplasty of hip, except total replacement
722	Total hip replacement
716	Arthrotomy
716	Division of capsule
719	Excision, except intervertebral cartilage and cartilage of knee
741	Injection
717	Laminectomy with disc excision
718	Meniscectomy, knee
714	Reduction, dislocation, closed
715	Reduction, dislocation, open
725	Repair, except hip arthroplasty
724	Stabilization
	Kidney
631	Complete nephrectomy
	Larynx
558	Excision of lesion or tissue

OPERATION INDEX (continued)

Group Number	Title
	Larynx (continued)
562	Laryngotomy, permanent
559	Partial laryngectomy
560	Total laryngectomy
	Lens
526	Extraction, except intracapsular
525	Intracapsular extraction
716	Ligament, division
	Liver
614	Incision, including percutaneous
	Lung
566	Lobectomy
566	Pneumonectomy
	Lymph nodes
582	Excision, except radical
583	Excision, radical
582	Incision
584	Other
538	Mastoidectomy
	Meninges, cerebral
501	Excision
501	Incision
	Muscle, *see also Extremity*
726	Division, except hand
728	Division, hand
727	Excision of lesion or tissue
726	Incision
730	Resection, except hand
728	Resection, hand
730	Suture, except hand
729	Suture, hand
	Muscle, ocular
530	Recession
530	Resection
754	Myelography
	Nerve, peripheral
508	Excision of lesion or tissue

OPERATION INDEX (continued)

Group Number	Title
	Nerve, peripheral (continued)
595	Vagotomy
	Nerve, sympathetic
510	Sympathectomy
	Nose
543	Excision, except submucous resection
541	Submucous resection, nasal septum
543	Incision
542	Rhinoplasty
	Obstetrical procedures
677	Curettage, aspiration
675	D & C
	Delivery, assisted
688	Breech extraction
692	Cesarean section, except low cervical
691	Cesarean section, low cervical
690	Episiotomy
689	Low forceps
	Intrauterine procedures
695	Amniocentesis
690	Intra-amniotic injection
696	Intrauterine transfusion
697	Removal of retained placenta, manual
697	Repair of laceration
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage
691	Hysterotomy
694	Intra-amniotic injection
697	Other
	Oral cavity, except salivary glands
557	Frenotomy
551	Palatoplasty
	Ovary
660	Excision of lesion or tissue
662	Oophorectomy, bilateral
661	Oophorectomy, unilateral
663	Other

OPERATION INDEX (continued)

Group Number	Title
	Palate
551	Cleft palate repair
551	Palatoplasty
514	Parathyroid
	Penis
657	Circumcision
	Perineum, female
683	Excision of lesion or tissue
683	Incision
	Perirectal
607	Excision
607	Incision
609	Other
	Peritoneum
630	Division of adhesions
627	Drainage, except via cul de sac
682	Via cul de sac
626	Excision
630	Incision, except via cul de sac
682	Via cul de sac
628	Peritoneoscopy
	Pleura
576	Pleurocentesis
	Prostate
648	Prostatectomy, transurethral
649	Prostatectomy, except transurethral
650	Other
	Rectum
606	Excision, except proctectomy
609	Incision
608	Proctectomy
608	Other
	Reduction
	Dislocation, *see Joint*
	Fracture, *see Bone*
758	Retrograde pyelogram
	Sinuses, nasal
546	Radical maxillary sinusotomy

OPERATION INDEX (continued)

Group Number	Title
	Skin
747	Excision, except pilonidal sinus
746	Excision of pilonidal sinus
	Graft
749	Free
750	Pedicle
748	Incision, except pilonidal sinus
746	Incision of pilonidal sinus
751	Plastic, except lip
552	Plastic, lip
748	Suture
	Skull
503	Cranioplasty
502	Craniotomy
501	Excision
501	Puncture
	Spinal cord
506	Exploration
	Stomach
593	Complete gastrectomy
592	Excision of lesion or tissue
591	Gastrostomy
590	Gastrotomy
593	Partial gastrectomy
590	Pyloromyotomy
596	Pyloroplasty
595	Vagotomy
	Tendon
726	Division, except hand
728	Division, hand
727	Excision of lesion or tissue
726	Incision
730	Resection, except hand
727	Resection, hand
730	Suture, except hand
729	Suture, hand
	Testes
652	Orchiectomy
654	Other

OPERATION INDEX (continued)

Group Number	Title
570	Thoracoscopy, transpleural
	Thorax
576	Thoracentesis
	Thyroid
513	Thyroidectomy
514	Other
	Tongue
557	Frenotomy
557	Tongue-tie operation
	Tonsils
554	Tonsillectomy with adenoidectomy
555	Tonsillectomy without adenoidectomy
556	Other
	Tooth
548	Extraction
547	Restoration
549	Root resection
	Trachea
559	Excision of lesion or tissue
562	Permanent tracheostomy
563	Tracheotomy
	Ureter
645	Catheterization
634	Diversion
633	Ureterotomy
635	Other
	Urethra
641	Dilation
640	Excision of lesion or tissue
639	Meatotomy
640	Repair
642	Other
636	Urethroscopy
	Uterus, *see also Obstetrical procedures*
677	Aspiration curettage
670	Biopsy
667	Conization of cervix
675	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Uterus (continued)
668	Excision of cervix, except conization
668	Excision of lesion or tissue
673	Exenteration, pelvic
678	Hysteropexy
670	Hysterotomy, except to terminate pregnancy
671	Hysterectomy, abdominal, except radical
673	Hysterectomy, radical
672	Hysterectomy, vaginal, except radical
670	Myomectomy
679	Repair
678	Repair of supporting structures
	Vagina, except obstetrical
681	Colporrhaphy, except for cystocele and rectocele
680	Cystocele repair
680	Rectocele repair
682	Other
	Vas deferens
655	Interruption
656	Other
	Vein, *see Blood vessels*
757	Venography
	Ventricles, cerebral
505	Shunt
753	Ventriculography
	Vertebra
717	Excision, intervertebral disc
720	Fusion
506	Laminectomy, exploratory
	Other (grouped with other bone operations)
	Vulva, except obstetrical
683	Excision of lesion or tissue
683	Incision
684	Vulvectomy
685	Other

R 3850-1.13

Geriatric Length of Stay in PAS Hospitals,

by Diagnosis and Operation,

United States,

1979

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
OCTOBER 1980

LENGTH OF STAY IN PAS HOSPITALS

Copyright © 1980 by Commission on Professional and Hospital Activities, Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the series entitled
"Length of Stay in PAS Hospitals"...

Volumes include:
- ...by Diagnosis, United States, 1979
- ...by Diagnosis, United States, North Central Region, 1979
- ...by Diagnosis, United States, Northeastern Region, 1979
- ...by Diagnosis, United States, Southern Region, 1979
- ...by Diagnosis, United States, Western Region, 1979
- ...by Diagnosis, Canada, 1979

- ...by Operation, United States, 1979
- ...by Operation, United States, North Central Region, 1979
- ...by Operation, United States, Northeastern Region, 1979
- ...by Operation, United States, Southern Region, 1979
- ...by Operation, United States, Western Region, 1979
- ...by Operation, Canada, 1979

Also included are:
- Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979
- Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities. Also for selected years there are length of stay books for particular regional groups of hospitals, for pediatric patients, and for geriatric patients.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1979 in North America. Twelve volumes describe stays for either diagnoses or operations in the United States, in each of the four U.S. census regions, or in Canada. The thirteenth and fourteenth volumes display data on both diagnoses and operations for pediatric and for geriatric patients in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities.

These statistics, which are also available on computer readable magnetic tape, can provide a valuable perspective for physicians, administrators, PSROs, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" (PSRO) and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1979 LENGTH OF STAY BOOKS

Walt Wood, Manager, Research and Statistics
Ed Kobrinski, Assistant Manager
Ann Matteson, Project Coordinator

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data 1
  Data Quality 3
  Coverage 4
  Organization of Length of Stay Tables 7
    ICD-9-CM List A: Hospital Diagnosis Groups 7
    ICD-9-CM List B: Hospital Procedure Groups 8
    Definition of Multiple Dx Patients 8
    Definition of Operated Patients 9
  Explanation of Statistics 9
  Exclusions 10
  Defining the Extended Stay Case 11
Length of Stay Tables 21
  Summary of All Patients in Diagnosis Groups 22
  Diagnosis Groups 1-398 23
  Summary of All Patients in Operation Groups. 224
  Operation Groups 501-764 225
Distribution Tables 291
  Table 1: Distribution of Geriatric Patients and Days of Care by *ICD-9-CM* List A Hospital Diagnosis Groups 293
  Table 2: Ranking of *ICD-9-CM* List A Diagnosis Groups by Live Geriatric Discharges 311
  Table 3: Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care for Geriatric Patients 324
  Table 4: Distribution of Geriatric Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups 337
  Table 5: Ranking of *ICD-9-CM* List B Operation Groups by Live Geriatric Discharges 349
  Table 6: Ranking of *ICD-9-CM* List B Operation Groups by Days of Care for Geriatric Patients 359
Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 369
Index to Length of Stay Tables 373

DISCUSSION OF THE DATA

Source of the Data

Data in this book were compiled from individual patient discharge abstracts submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain, and Figure 1 diagrams, the PAS method of storing and retrieving medical data.


PAS
HOSPITAL
CPHA
DATA CENTER
HOSPITAL
CLINICAL RECORD
CASE ABSTRACT
DATA TAPE
COMPUTER
DATA FILE
ITS OWN OVERALL STATISTICS
+
MORE DETAILED STATISTICS
+
LISTINGS
MULTIHOSPITAL STUDIES
INTERHOSPITAL COMPARISONS
REGIONAL DATA

FIG. 1. Schematic diagram of the PAS medical record information system.

BEST AVAILABLE COPY

1. In each participating hospital, medical record personnel transfer information from the record of each discharged patient onto a PAS Case Abstract (Figure 2). The data may also be put onto a data tape at the hospital.
2. The abstract or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it serves as input to the computer system.
3. Data then undergo a comprehensive "cleaning" process and detected errors are corrected by contributing hospitals.
4. The computer system produces sets of reports which give comprehensive statistics on discharged patients plus listings of individual case abstracts in various sequences.
5. The computer system continually adds to a permanent history data file.
6. Length of stay statistics from this file are annually published in this series of length of stay books. The stored data are also available to researchers on a contractual basis.



PAS

1979 CASE ABSTRACT

1234567890EV

SAMPLE

79

PAS

79

FIG. 2 PAS Case Abstract

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its role as an extension of the hospital's medical record department.

Quality control of PAS data begins before a new hospital submits its first case abstract and continues as an ongoing system involving personal monitoring, computer checks, and education programs. In spite of these efforts, errors do occur. There are three ways errors can be introduced into PAS data: 1) the basic patient medical record can be incomplete or in error, 2) errors can be made in abstracting information from the medical record to the PAS Case Abstract, and 3) errors can be introduced during processing.

Although CPHA has indirect influence over the quality of the medical record through education and through feedback from use of PAS reports within the hospital, basic responsibility for the accuracy of the medical record rests with the physician and others in the hospital contributing to it. Clearly, the abstractor cannot add to the medical record. Errors or omissions made in it will be carried forward to the PAS Case Abstract.

CPHA goes to considerable lengths to prevent and correct errors in abstracting by training PAS hospital medical record personnel in coding and abstracting methods, by monitoring their work, and by judiciously checking and editing patient data for errors. During processing, over 350 computer checks* are performed on each abstract to check the reasonableness of the data received. When illogical, invalid, or missing data are detected, an error message is printed and the hospital is notified, often by phone. About 40% of the errors detected in the computer audit can be and are corrected at CPHA; the remainder must be handled by the hospitals because only they have the information necessary to make the corrections. Hospitals make such corrections on a voluntary basis.

---

*The following are examples of discrepancies and inconsistencies in the data that are detected by the computer audit: hospital day of operative episode exceeding total stay, cesarean sections with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded. Examples of invalid data detected by the computer are diagnosis and operation codes that do not exist in the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Coverage

The length of stay tables in this book display stay distributions for 2,516,246 geriatric patients discharged during 1979 from 1,660 nonfederal, short-term* hospitals participating in PAS. PAS hospitals in United States territories and Puerto Rico were excluded from this publication as were short-term psychiatric hospitals and hospitals without geriatric discharges participating in PAS. Patients studied were selected from a total of 2,814,462 discharges.

Characteristics of all U.S. hospitals that participated in PAS during 1979 are shown in Tables A and B. Some of these hospitals did not participate for the entire 12-month period. In addition, because of the unavailability of data at the time of processing, data for some of these PAS hospitals are not included in the length of stay tables.

States included in the various census regions and divisions are shown in Figure 3.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

FIG. 3 Census Divisions and Regions in the United States

---

*Short-term hospitals are defined as those in which the median stay is shorter than 30 days.

Table A

Bed Size, Region, and Census Division: PAS Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
ALL U.S.						
Bed Size						
1. Less than 25 beds	305	27	8.9%	5,761	528	9.2%
2. 25-49	1,154	158	13.7	41,776	6,129	14.7
3. 50-99	1,459	345	23.6	105,411	25.666	24.3
4. 100-199	1,412	470	33.3	198,519	67,395	33.9
5. 200-299	716	301	42.0	174,636	73,904	42.3
6. 300-399	382	179	46.9	131,296	61,207	46.6
7. 400-499	244	102	41.8	107,790	45,171	41.9
8. 500 or more	311	115	37.0	212,247	77,156	36.4
Total	5,983	1,697	28.4%	977,436	357,156	36.5%
Region and Census Division						
Northeast	941	260	27.6%	221,260	73,590	33.3%
New England	276	88	31.9	51,658	20,198	39.1
Middle Atlantic	665	172	25.9	169,602	53,392	31.5
North Central	1,744	652	37.4	292,394	141,077	48.2
East North Central	935	499	53.4	193,639	110,157	56.9
West North Central	809	153	18.9	98,755	30,920	31.3
South	2,171	451	20.8	316,264	91,344	28.9
South Atlantic	823	292	35.5	149,347	57,261	38.3
East South Central	488	50	10.2	67,691	12,984	19.2
West South Central	860	109	12.7	99,226	21,099	21.3
West	1,127	334	29.6	147,518	51,175	34.7
Mountain	365	107	29.3	38,709	17,459	45.1
Pacific	762	227	29.8	108,809	33,716	31.0
Grand Total	5,983	1,697	28.4%	977,436	357,186	36.5%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Table B

Teaching Type, Region, and Census Division: PAS Hospitals Compared with all Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

	Hospitals with Residencies			Hospitals with Medical School Affiliation		
Region and Census Division (1)	**Total[2] (2)**	**Number in PAS (3)**	**Percent in PAS (4)**	**Total[2] (5)**	**Number in PAS (6)**	**Percent in PAS (7)**
Northeast	306	114	37.3%	228	87	38.2%
New England	69	31	44.9	58	29	50.0
Middle Atlantic	237	83	35.0	170	58	34.1
North Central	298	152	51.0	218	109	50.0
East North Central	205	116	56.6	140	75	53.6
West North Central	93	36	38.7	78	34	43.6
South	265	76	28.7	211	62	29.4
South Atlantic	127	44	34.6	104	38	36.5
East South Central	57	14	24.6	47	12	25.5
West South Central	81	18	22.2	60	12	20.0
West	140	47	33.6	116	38	32.8
Mountain	38	16	42.1	30	11	36.7
Pacific	102	31	30.4	86	27	31.4
Grand Total	1,009	389	38.6%	773	296	38.3%

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Organization of Length of Stay Tables

The length of stay tables in the body of this book are organized according to the diagnosis groupings in *ICD-9-CM List A: Hospital Diagnosis Groups*[1] and the operation groupings in *ICD-9-CM List B: Hospital Procedure Groups.*[2] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, age, and operation status. Within each operation group, the patients are further stratified by single or multiple diagnoses and age.

ICD-9-CM List A: Hospital Diagnosis Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List A: Hospital Diagnosis Groups* has been replaced by *ICD-9-CM List A: Hospital Diagnosis Groups* which reflects the diagnoses contained in the new classification.

Patients were assigned to *ICD-9-CM* List A groups on the basis of their final diagnosis explaining admission (UHDDS "principal diagnosis"). This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patients discharged from PAS hospitals during 1979 was coded using *ICD-9-CM.*

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

ICD-9-CM List B: Hospital Procedure Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List B: Hospital Operation Groups* has been replaced by *ICD-9-CM List B: Hospital Procedure Groups,* which reflect the procedures contained in the new classification.

In List B there are 249 groups that contain at least one UHDDS Class 1[3] procedure. Fifteen of the 264 List B groups consist solely of Class 2, 3, and 4 procedures. This book displays data only for those 249 groups with Class 1 procedures.

Patients were assigned to the *ICD-9-CM* List B operation groups on the basis of their principal procedure. Operation information for all patients discharged from PAS hospitals during 1979 was coded using *ICD-9-CM.* "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS) and generally is that therapeutic procedure most related to the principal diagnosis.

Definition of Multiple Dx Patients

A patient is classified in the multiple dx category if he had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes
2) Codes V27.0-V27.9 (outcome of delivery)
3) E Codes (external causes of injury and poisoning)

---

[3] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

In the List B tables, an operated patient is one whose principal procedure is among the 249 List B groups that contain at least one Class 1 procedure. In the List A tables, however, a patient is considered operated if he has at least one Class 1 procedure recorded either as the principal procedure or as a secondary procedure. As a result, the total count of operated patients in the diagnosis tables exceeds the total count of operated patients in the procedure tables.

Explanation of Statistics

The diagnosis (operation) group titles heading the tables are followed in parentheses by the diagnosis (operation) codes they include. These codes refer to *ICD-9-CM.*

Length of stay is calculated from admission and discharge dates entered on the PAS Case Abstract, counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance, but as staying less than one day in the calculation of the percentiles. Thus, if more than 5% of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1".

Patients who were hospitalized 100 days or longer are not included in column 2, "Number of Patients"; column 3, "Average Stay"; or column 4, "Variance." The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are shown. If, for example, the 10th percentile for a group of patients is four days, it means that ten percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

The value of a percentile for a group of patients is determined by arranging the individual patients' stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Exclusions

The length of stay diagnosis and operation tables exclude:

(1) patients who died,
(2) patients admitted from other short-term hospitals,
(3) patients discharged to other short-term hospitals,
(4) patients discharged against medical advice,
(5) patients with length of stay greater than 99 days (these patients are included only in the percentile calculations).

These patients are excluded because they are not typical short-term patients (i.e., their stays are not "manageable" by the physician).

Other exclusions from the diagnosis and operation tables include patients with incalculable age or stay, illegal or unrecorded principal diagnosis, unrecorded discharge status, and patients with diagnosis-age or diagnosis-sex inconsistencies.

Additional exclusions from the operation tables only include patients with illegal or unrecorded principal procedure, and patients with operation-age and operation-sex inconsistencies.

Defining the Extended Stay[1] Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the PSRO is called extended stay review. This review, whether applied universally to all patients within the facility or "focused" on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in reasonably current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, the age of a patient, whether the patient had single or multiple diagnoses, and whether that patient had an operation. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based upon the diagnosis.

---

[1] Medicare regulations formerly referred to "extended duration," PSRO guidelines refer to "continued stay."

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the regional length of stay books published by the Commission on Professional and Hospital Activities.[2] With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[3]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[4] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group (in the CPHA length of stay books) for each diagnosis is given in column 4.

b. Diagnoses not in *Concurrent Review Screening* can usually be found in the alphabetic index at the back of the length of stay books.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[5] That code can then be located in List A or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

---

[2] *Length of Stay in PAS Hospitals, by Diagnosis,* Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., North Central Region, 1979
U.S., Southern Region, 1979
U.S., Northeastern Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

Length of Stay in PAS Hospitals, by Operation, Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979
U.S., North Central Region, 1979
U.S., Southern Region, 1979
U.S., Northeastern Region, 1979
U.S., Western Region, 1979
Canada, 1979
United States Geriatric, 1979
United States Pediatric, 1979

[3] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[4] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[5] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Volume 2, Diseases: Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table. There are two tables per page for diagnosis groups in the length of stay books.

Step 3. Find the appropriate part of the table for number of diagnoses (single or multiple).

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses, two or more operations with widely different lengths of stay are commonly performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate *operation* length of stay table.

Step 5. Find the correct age group. The five age groupings presented for Geriatric patients are 65-69 years, 70-74 years, 75-79 years, 80-84 years, and 85 years and over.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line which includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November, a 67-year-old patient is admitted to a United States hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The alphabetic index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with
  - calculus, stones in
    - bile duct (common) (hepatic) 574.4
    - gallbladder 574.1
  - choledocholithiasis 574.4
  - cholelithiasis 574.1
- acute 575.0
  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.3
      - gallbladder 574.0
    - choledocholithiasis 574.3
    - cholelithiasis 574.0
- emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
- gangrenous *(see also* Cholecystitis, acute) 575.0
- paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
- suppurative *(see also* cholecystitis, acute) 575.0
- typhoidal 002.0

- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.4
  - acute 574.3

- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.1
  - acute 574.0

- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 of *Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979.*

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	468	4.7	9	1	2	4	6	9	11	14
70-74	391	5.4	16	1	2	4	7	10	12	19
75-79	321	5.7	17	1	2	5	7	11	12	21
80-84	239	6.6	14	2	3	6	9	12	14	19
85+	184	6.4	26	2	2	6	8	11	13	34
B. *Operated*										
65-69 YRS	3260	9.9	20	5	6	9	11	15	18	25
70-74	2222	10.6	23	6	6	9	12	17	20	27
75-79	1194	11.6	26	6	7	10	14	18	21	28
80-84	533	12.8	32	6	7	11	16	20	22	32
85+	285	15.0	62	6	7	13	18	24	28	50
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1676	6.9	28	2	3	6	8	12	16	25
70-74	1733	7.2	29	2	3	6	9	13	16	28
75-79	1592	7.9	32	2	3	6	10	14	18	28
80-84	1366	8.1	30	2	3	7	10	14	17	28
85+	1269	9.1	48	3	3	7	11	17	21	35
B. *Operated*										
65-69 YRS	6553	13.4	60	6	7	11	16	22	27	44
70-74	5328	14.5	64	6	7	12	17	24	29	45
75-79	3639	16.1	74	7	8	14	19	26	32	49
80-84	2004	18.7	108	8	9	16	23	31	39	57
85+	1210	20.1	122	8	10	18	24	33	40	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1603	5.6	15	1	2	5	7	10	12	18
B. *Operated*	7494	10.8	26	6	6	9	13	17	20	28
2. MULTIPLE DX										
A. *Not Operated*	7636	7.7	33	2	3	6	9	14	18	28
B. *Operated*	18734	15.2	77	6	7	13	18	25	31	49
1. SINGLE DX	9097	9.9	28	3	5	9	12	16	20	27
2. MULTIPLE DX	26370	13.1	76	3	5	11	16	23	29	46
A. NOT OPERATED	9239	7.4	31	2	3	6	9	13	17	27
B. OPERATED	26228	14.0	67	6	7	12	17	23	29	46
TOTAL 65-69 YRS	11957	11.2	50	4	5	9	14	19	23	37
70-74	9674	11.9	56	3	5	10	15	21	25	40
75-79	6746	12.9	67	3	5	11	16	23	28	43
80-84	4142	13.7	92	3	4	11	18	25	31	48
85+	2948	14.0	107	3	4	12	18	26	33	56
GRAND TOTAL	**35467**	**12.2**	**66**	**3**	**5**	**10**	**15**	**22**	**27**	**43**

Step 3. There are no secondary diagnoses recorded, so one needs to be concerned only with the top ten lines of the table (Section 1).



1,660 PAS Hospitals. United States. January-December 1979 130

215: Gallbladder disease with calculus (574.0-574.2)

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTIL 5th (5)	10th (6)	50th (7)	75th (8)	90 (9)
1. SINGLE DX								
A. *Not Operated*								
65-69 YRS	468	4.7	9	1	2	4	6	9
70-74	391	5.4	16	1	2	4	7	10
75-79	321	5.7	17	1	2	5	7	11
80-84	239	6.6	14	2	3	6	9	1
85+	184	6.4	26	2	2	6	8	
B. *Operated*								
65-69 YRS	3260	9.9	20	5	6	9	11	
70-74	2222	10.6	23	6	6	9	1	
75-79	1194	11.6	26	6	7	10		
80-84	533	12.8	32	6	7	11		
85+	285	15.0	62	6	7			
LE DX								
	1676	6.9						

Step 4. Since surgery is scheduled, one is restricted to the second five lines of the table (Section 1.B.).



1,660 PAS Hospitals. United States. January-December 1979 130

215: Gallbladder disease with calculus (574.0-574.2)

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTIL 5th (5)	10th (6)	50th (7)	75th (8)	90 (9)
1. SINGLE DX								
A. *Not Operated*								
65-69 YRS	468	4.7	9	1	2	4	6	9
70-74	391	5.4	16	1	2	4	7	10
75-79	321	5.7	17	1	2	5	7	11
80-84	239	6.6	14	2	3	6	9	1
85+	184	6.4	26	2	2	6	8	
B. *Operated*								
65-69 YRS	3260	9.9	20	5	6	9	11	
70-74	2222	10.6	23	6	6	9	1	
75-79	1194	11.6	26	6	7	10		
80-84	533	12.8	32	6	7	11		
85+	285	15.0	62	6	7			
LE DX								
	1676	6.9						

Step 5. The patient is 67 years old and therefore falls in the age group 65-69.



1,660 PAS Hospitals, United States, January-December 1979 130

215: Gallbladder disease with calculus (574.0-574.2)

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90 (9)
1. SINGLE DX								
A. *Not Operated*								
65-69 YRS	468	4.7	9	1	2	4	6	9
70-74	391	5.4	16	1	2	4	7	10
75-79	321	5.7	17	1	2	5	7	11
80-84	239	6.6	14	2	3	6	9	1
85+	184	6.4	26	2	2	6	8	1
B. *Operated*								
65-69 YRS	3260	9.9	20	5	6	9	11	
70-74	2222	10.6	23	6	6	9	1	
75-79	1194	11.6	26	6	7	10		
80-84	533	12.8	32	6	7	11		
85+	285	15.0	62	6	7	1		
LE DX								
	1676	6.9						

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the ninth day after admission to be the day that this patient comes up for extended stay review.



1,660 PAS Hospitals, United States, January-December 1979 130

215: Gallbladder disease with calculus (574.0-574.2)

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90 (9)
1. SINGLE DX								
A. *Not Operated*								
65-69 YRS	468	4.7	9	1	2	4	6	9
70-74	391	5.4	16	1	2	4	7	10
75-79	321	5.7	17	1	2	5	7	11
80-84	239	6.6	14	2	3	6	9	1
85+	184	6.4	26	2	2	6	8	1
B. *Operated*								
65-69 YRS	3260	9.9	20	5	6	9	11	
70-74	2222	10.6	23	6	6	9	1	
75-79	1194	11.6	26	6	7	10		
80-84	533	12.8	32	6	7	11		
85+	285	15.0	62	6	7	1		
LE DX								
	1676	6.9						

The patient was admitted on 3 November; therefore, the ninth day will fall on 12 November. Prior to or on 12 November, the committee or groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile (as suggested in the *PSRO Program Manual*, paragraph 705.26).

Subsequent extended stay review dates should be set by the physician advisor or the peer review (utilization review) committee as necessary, based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables
Diagnosis Groups

A: Summary of all patients in diagnosis groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	62072	7.3	50	1	2	5	9	15	20	37
70-74	51966	7.5	51	1	2	6	9	15	20	38
75-79	40893	7.9	58	1	2	6	10	16	21	40
80-84	27679	8.1	62	1	2	6	10	16	22	42
85+	23114	8.2	60	1	2	6	10	16	22	43
B. *Operated*										
65-69 YRS	107207	7.3	50	1	2	5	10	16	20	34
70-74	86920	7.6	56	1	2	5	10	17	21	36
75-79	62938	8.0	64	2	2	5	11	18	23	38
80-84	37479	8.8	76	2	2	6	12	20	25	42
85+	25788	10.1	93	2	2	7	14	22	28	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	302677	9.2	63	2	3	7	12	18	23	42
70-74	301456	9.7	70	2	3	7	12	19	25	44
75-79	276492	10.2	77	2	3	8	13	20	26	48
80-84	208731	10.7	82	2	3	8	13	21	28	50
85+	184451	11.0	88	2	3	8	14	21	28	54
B. *Operated*										
65-69 YRS	213516	12.1	130	2	2	9	16	25	34	63
70-74	188331	13.1	144	2	3	10	17	28	37	66
75-79	149522	14.0	156	2	3	11	18	29	39	69
80-84	95175	15.0	165	2	3	12	20	31	41	71
85+	69839	16.3	177	2	3	13	22	33	43	76
SUBTOTALS:										
1. SINGLE DX										
A *Not Operated*	205724	7.7	55	1	2	6	10	15	21	39
B. *Operated*	320332	7.9	62	1	2	5	10	17	22	38
2. MULTIPLE DX										
A. *Not Operated*	1273807	10.0	75	2	3	8	13	20	26	47
B. *Operated*	716383	13.6	150	2	3	10	18	28	38	68
1. SINGLE DX	526056	7.8	59	1	2	5	10	17	22	38
2. MULTIPLE DX	1990190	11.3	105	2	3	8	14	23	31	57
A. NOT OPERATED	1479531	9.7	73	2	3	7	12	19	25	46
B. OPERATED	1036715	11.8	129	2	2	9	16	25	34	61
TOTAL 65-69 YRS	685472	9.6	84	2	2	7	12	20	27	49
70-74	628673	10.2	93	2	2	8	13	21	28	52
75-79	529845	10.9	101	2	3	8	14	22	30	55
80-84	369064	11.4	107	2	3	8	15	23	31	57
85+	303192	11.9	113	2	3	9	15	24	32	61
GRAND TOTAL	**2516246**	**10.6**	**97**	**2**	**2**	**8**	**14**	**22**	**29**	**54**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	46	9.1	28	2	3	8	12	15	19	29
70-74	55	9.2	28	2	3	8	12	16	18	27
75-79	53	11.7	78	4	5	9	14	20	27	57
80-84	25	11.1	50	3	4	9	16	21	24	31
85+	30	14.2	87	3	4	12	19	25	36	41
B. *Operated*										
65-69 YRS	2	29.0	450	14	14	29	44	44	44	44
70-74	6	27.7	138	12	13	28	38	40	40	40
75-79	2	27.0		27	27	27	27	27	27	27
80-84	3	19.7	649	3	3	7	38	49	49	49
85+	2	13.5	13	11	11	13	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	571	13.5	88	4	6	11	15	24	32	63
70-74	749	14.6	100	4	5	12	18	27	35	76
75-79	767	15.2	114	5	7	12	18	27	35	62
80-84	690	15.4	105	5	6	13	19	27	37	54
85+	769	15.4	94	5	6	13	19	28	35	91
B. *Operated*										
65-69 YRS	201	24.5	323	6	8	19	32	53	73	99+
70-74	212	25.2	319	7	9	20	33	51	65	93
75-79	210	26.4	254	8	10	23	33	51	64	99+
80-84	133	25.4	285	8	10	21	32	50	65	99+
85+	112	27.1	309	7	11	22	37	55	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	10.7	54	3	4	9	14	19	23	38
B. *Operated*	15	24.3	205	4	7	20	37	44	48	49
2. MULTIPLE DX										
A. *Not Operated*	3546	14.9	101	5	6	12	18	27	35	63
B. *Operated*	868	25.6	297	7	9	21	33	52	66	99+
1. SINGLE DX	224	11.6	75	3	4	9	15	21	28	45
2. MULTIPLE DX	4414	17.0	158	5	6	13	21	33	43	83
A. NOT OPERATED	3755	14.7	99	5	6	12	18	27	35	63
B. OPERATED	883	25.6	295	7	9	21	33	52	66	99+
TOTAL 65-69 YRS	820	16.0	167	4	6	12	19	32	44	86
70-74	1022	16.6	163	4	6	13	21	33	43	89
75-79	1032	17.3	162	5	7	13	21	32	43	76
80-84	851	16.9	146	5	7	14	21	32	42	68
85+	913	16.8	135	5	6	14	21	32	40	99
GRAND TOTAL	**4638**	**16.7**	**155**	**5**	**6**	**13**	**21**	**32**	**42**	**82**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	35	5.7	13	2	2	5	7	8	13	20
70-74	29	8.5	31	2	3	7	12	15	21	26
75-79	22	7.0	7	4	4	6	9	10	13	15
80-84	13	10.1	49	4	4	8	15	23	23	23
85+	7	7.7	15	4	4	6	11	14	14	14
B. *Operated*										
65-69 YRS	16	15.1	249	1	1	9	22	43	50	52
70-74	5	12.4	63	2	2	13	18	23	23	23
75-79	6	17.0	60	9	9	15	22	29	30	30
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	164	10.1	70	2	3	8	13	20	27	47
70-74	140	11.4	46	3	4	10	15	21	25	33
75-79	123	11.5	86	3	4	8	14	25	34	43
80-84	86	12.5	68	4	5	11	15	21	29	46
85+	85	11.4	67	3	4	9	14	19	34	37
B. *Operated*										
65-69 YRS	51	24.5	424	5	7	18	32	52	67	94
70-74	46	21.9	222	7	8	16	29	45	54	60
75-79	16	16.9	339	1	1	11	24	41	61	69
80-84	27	21.0	180	5	7	19	32	41	59	99+
85+	17	22.5	191	7	8	20	28	39	54	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	7.4	23	2	3	6	8	14	17	24
B. *Operated*	27	15.0	167	1	2	13	22	30	46	52
2. MULTIPLE DX										
A. *Not Operated*	598	11.2	67	3	4	9	14	21	28	43
B. *Operated*	157	22.1	287	4	7	17	30	45	56	94
1. SINGLE DX	133	9.0	61	2	3	7	11	17	23	46
2. MULTIPLE DX	755	13.5	132	3	4	10	16	28	37	56
A. NOT OPERATED	704	10.7	62	3	4	8	13	20	26	42
B. OPERATED	184	21.1	275	3	6	16	29	45	54	93
TOTAL 65-69 YRS	266	12.6	176	2	3	8	15	27	45	66
70-74	220	13.2	101	3	5	10	16	26	32	55
75-79	167	11.6	103	3	4	8	14	26	34	44
80-84	126	14.1	102	4	4	12	19	28	39	65
85+	109	12.9	99	3	4	10	16	28	36	49
GRAND TOTAL	**888**	**12.8**	**124**	**3**	**4**	**9**	**16**	**27**	**36**	**55**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	250	4.4	13	1	2	4	5	8	11	19
70-74	223	4.5	13	1	2	4	6	9	11	21
75-79	190	5.0	14	1	2	4	6	9	13	17
80-84	125	4.8	14	1	2	4	6	9	11	21
85+	123	4.7	12	1	2	4	6	9	12	99+
B. *Operated*										
65-69 YRS	6	12.5	173	4	4	8	10	36	39	39
70-74	9	8.1	11	3	4	7	11	12	13	13
75-79	5	9.8	7	7	7	9	12	13	13	13
80-84	4	8.5	30	3	3	7	12	16	16	16
85+	4	7.3	6	4	4	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1006	6.2	26	2	2	5	8	11	15	26
70-74	956	6.8	28	2	2	5	8	14	18	27
75-79	930	7.3	50	2	2	6	9	14	17	41
80-84	758	7.3	42	2	2	6	9	14	18	40
85+	613	7.6	35	2	3	6	9	14	19	39
B. *Operated*										
65-69 YRS	83	14.7	101	4	5	12	19	29	41	83
70-74	83	15.5	193	3	4	11	18	36	48	63
75-79	57	13.5	92	3	5	11	16	24	36	50
80-84	61	14.8	110	3	5	13	19	27	44	94
85+	26	16.0	141	4	7	12	18	31	44	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	911	4.7	13	1	2	4	6	9	11	21
B. *Operated*	28	9.3	44	3	4	8	10	13	18	39
2. MULTIPLE DX										
A. *Not Operated*	4263	7.0	36	2	2	5	9	13	17	30
B. *Operated*	310	14.8	128	3	5	11	18	29	42	60
1. SINGLE DX	939	4.8	15	1	2	4	6	9	11	22
2. MULTIPLE DX	4573	7.5	46	2	2	6	9	14	19	41
A. NOT OPERATED	5174	6.6	33	2	2	5	8	12	16	29
B. OPERATED	338	14.4	123	3	5	11	17	29	42	57
TOTAL 65-69 YRS	1345	6.4	34	2	2	5	8	12	16	29
70-74	1271	7.0	42	2	2	5	8	14	19	34
75-79	1182	7.2	48	2	2	5	9	14	17	40
80-84	948	7.5	47	2	2	6	9	15	20	42
85+	766	7.4	38	2	2	6	9	14	19	52
GRAND TOTAL	**5512**	**7.0**	**42**	**2**	**2**	**5**	**9**	**14**	**18**	**39**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	56	11.6	62	2	3	10	18	22	26	39
70-74	46	13.0	102	3	4	10	17	23	28	62
75-79	31	16.8	218	2	2	14	22	52	60	99+
80-84	22	12.8	136	2	3	9	18	24	37	54
85+	21	12.4	89	1	2	10	17	27	29	31
B. *Operated*										
65-69 YRS	29	14.7	170	2	4	12	16	26	39	69
70-74	40	14.9	74	4	5	13	20	24	31	45
75-79	27	15.3	103	2	4	13	22	33	36	37
80-84	14	13.6	62	4	4	12	17	23	31	33
85+	8	17.3	48	8	8	17	22	26	28	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	169	15.5	171	3	4	13	20	31	42	86
70-74	159	16.9	148	3	4	15	22	36	44	96
75-79	131	17.7	198	3	4	14	22	34	48	77
80-84	109	19.9	254	4	5	15	29	38	51	81
85+	79	17.8	222	2	5	14	22	36	55	69
B. *Operated*										
65-69 YRS	135	18.1	144	4	6	16	23	33	42	61
70-74	123	19.0	182	4	7	15	24	40	51	99+
75-79	106	22.3	266	5	6	18	30	45	59	90
80-84	59	24.1	349	4	5	18	37	53	63	98
85+	25	27.4	410	6	8	20	33	60	72	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	13.1	113	2	3	11	18	25	29	62
B. *Operated*	118	14.9	99	4	4	13	20	26	34	53
2. MULTIPLE DX										
A. *Not Operated*	647	17.3	192	3	4	14	22	35	49	80
B. *Operated*	448	20.7	230	4	6	16	27	43	56	83
1. SINGLE DX	294	13.8	108	2	4	12	18	25	32	62
2. MULTIPLE DX	1095	18.7	210	3	5	15	24	38	52	82
A. NOT OPERATED	823	16.4	178	3	4	14	21	34	46	76
B. OPERATED	566	19.5	208	4	6	16	25	40	52	82
TOTAL 65-69 YRS	389	15.8	149	3	4	14	20	29	41	65
70-74	368	16.9	148	3	5	14	21	35	45	94
75-79	295	19.1	220	3	4	16	25	37	51	84
80-84	204	19.9	266	4	4	15	28	43	54	82
85+	133	18.7	244	2	5	15	24	35	56	72
GRAND TOTAL	**1389**	**17.7**	**192**	**3**	**4**	**14**	**23**	**36**	**50**	**81**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	8.0	28	3	3	7	11	16	16	16
70-74	5	12.8	84	1	1	13	20	24	24	24
75-79	3	7.3	32	1	1	9	11	12	12	12
80-84										
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	9	16.3	245	1	1	14	25	41	49	49
70-74	9	12.8	165	2	2	9	17	34	42	42
75-79	4	12.5	65	<1	<1	15	18	19	19	19
80-84	5	23.2	372	<1	<1	33	37	43	43	43
85+	4	26.3	445	5	5	24	43	51	51	51
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	28	14.3	89	3	5	12	21	28	48	99+
70-74	26	15.8	216	4	5	10	20	35	44	70
75-79	13	15.5	169	5	5	12	16	33	50	54
80-84	9	23.4	209	4	7	21	37	44	46	46
85+	12	11.5	51	4	4	9	17	22	25	26
B. *Operated*										
65-69 YRS	35	23.5	312	3	5	19	39	55	90	99+
70-74	35	22.1	506	2	2	16	29	65	76	85
75-79	27	24.3	314	6	7	22	35	72	99+	99+
80-84	6	25.7	93	11	12	27	30	38	39	39
85+	10	23.8	145	6	7	24	30	40	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	9.5	46	1	1	8	13	19	23	24
B. *Operated*	31	17.2	236	<1	1	14	28	42	49	51
2. MULTIPLE DX										
A. *Not Operated*	88	15.5	148	4	5	12	20	34	45	88
B. *Operated*	113	23.4	338	2	5	20	35	47	83	99+
1. SINGLE DX	45	14.8	187	1	1	12	20	36	44	51
2. MULTIPLE DX	201	19.9	269	3	5	16	29	46	66	99+
A. NOT OPERATED	102	14.6	138	3	4	12	19	30	43	84
B. OPERATED	144	22.1	321	2	3	19	34	47	73	99+
TOTAL 65-69 YRS	77	18.3	224	2	3	14	27	46	64	99+
70-74	75	18.2	343	2	3	11	24	42	65	83
75-79	47	19.8	259	1	6	17	27	46	90	99+
80-84	20	24.1	192	2	4	24	35	42	44	46
85+	27	18.1	171	5	5	15	28	36	46	51
GRAND TOTAL	**246**	**19.0**	**257**	**2**	**4**	**14**	**27**	**45**	**57**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	5.0	5	2	3	5	6	9	10	10
70-74	2	4.5	1	4	4	4	5	5	5	5
75-79	2	3.0		3	3	3	3	3	3	3
80-84	1	6.0		6	6	6	6	6	6	6
85+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	39	5.7	9	1	2	5	7	10	11	12
70-74	24	6.2	8	2	3	6	7	10	12	13
75-79	21	6.0	22	1	2	4	8	13	17	18
80-84	10	4.9	5	2	2	4	7	8	9	9
85+	7	19.7	555	3	3	9	25	60	69	69
B. *Operated*										
65-69 YRS	1	15.0		15	15	15	15	15	15	15
70-74	4	19.8	86	6	6	23	25	26	26	26
75-79	1	11.0		11	11	11	11	11	11	11
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	5.0	5	2	3	5	6	8	9	10
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	101	6.8	56	2	2	5	8	11	15	47
B. *Operated*	8	15.4	72	3	4	15	23	25	26	26
1. SINGLE DX	21	5.0	5	2	3	5	6	8	9	10
2. MULTIPLE DX	109	7.4	62	2	2	5	9	13	22	44
A. NOT OPERATED	122	6.4	48	2	2	5	7	10	13	38
B. OPERATED	8	15.4	72	3	4	15	23	25	26	26
TOTAL 65-69 YRS	55	5.7	9	2	2	5	7	10	12	15
70-74	30	7.9	38	2	4	6	9	18	24	26
75-79	24	6.0	21	2	2	4	8	12	17	18
80-84	12	4.8	4	2	2	4	6	8	9	9
85+	9	17.9	433	3	3	9	23	52	69	69
GRAND TOTAL	**130**	**7.0**	**53**	**2**	**2**	**5**	**8**	**12**	**18**	**35**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	9.5	35	3	3	7	14	18	19	19
70-74	5	7.2	10	2	2	8	9	10	10	10
75-79	3	9.0	9	6	6	9	11	12	12	12
80-84	2	13.5	265	2	2	13	25	25	25	25
85+	4	6.3	30	1	1	6	11	11	11	11
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	10.9	26	5	6	10	12	20	22	23
70-74	22	10.1	41	2	3	9	12	21	23	25
75-79	7	14.9	59	4	4	16	21	24	24	24
80-84	5	25.2	968	5	5	11	35	80	80	80
85+	3	13.3	42	7	7	13	18	20	20	20
B. *Operated*										
65-69 YRS	5	23.8	68	15	15	21	32	33	33	33
70-74										
75-79	2	22.0	128	14	14	22	30	30	30	30
80-84	1	47.0		47	47	47	47	47	47	47
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	8.7	35	1	2	8	11	18	21	25
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	50	12.7	132	4	4	10	16	22	24	80
B. *Operated*	8	26.3	128	14	14	25	32	43	47	47
1. SINGLE DX	22	8.7	35	1	2	8	11	18	21	25
2. MULTIPLE DX	58	14.6	152	4	5	11	19	25	33	77
A. NOT OPERATED	72	11.5	105	2	3	9	15	21	24	68
B. OPERATED	8	26.3	128	14	14	25	32	43	47	47
TOTAL 65-69 YRS	26	13.0	63	4	5	10	18	23	32	33
70-74	27	9.6	36	2	3	9	12	19	22	25
75-79	12	14.6	64	4	5	15	19	26	29	30
80-84	8	25.0	698	2	3	15	36	70	80	80
85+	7	9.3	44	1	1	11	13	19	20	20
GRAND TOTAL	**80**	**12.9**	**126**	**2**	**4**	**10**	**17**	**23**	**31**	**70**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	201	6.8	20	2	2	6	9	13	15	21
70-74	216	7.3	29	2	3	6	9	13	16	32
75-79	174	8.1	38	2	3	7	10	14	18	35
80-84	140	8.1	35	1	2	7	11	15	21	28
85+	90	9.7	46	2	3	8	12	19	24	33
B. *Operated*										
65-69 YRS	10	5.2	14	1	2	4	7	11	13	13
70-74	11	6.5	16	2	2	7	11	12	12	12
75-79	13	13.4	99	<1	2	14	17	27	35	37
80-84	4	11.0	87	2	2	9	17	24	24	24
85+	4	18.3	113	6	6	19	27	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	614	9.1	52	2	3	7	11	18	24	39
70-74	678	10.2	72	3	3	8	13	19	26	48
75-79	793	11.1	72	3	4	9	14	21	27	43
80-84	627	11.4	84	2	3	9	15	22	31	46
85+	508	11.7	79	3	4	9	15	23	29	44
B. *Operated*										
65-69 YRS	73	15.7	139	3	4	13	23	30	43	53
70-74	72	13.3	106	2	3	10	18	29	34	45
75-79	86	18.3	189	4	4	17	24	40	45	93
80-84	51	20.1	366	5	6	12	26	46	72	81
85+	45	20.8	221	5	7	17	27	54	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	821	7.8	32	2	3	6	10	14	18	29
B. *Operated*	42	9.9	70	1	2	8	13	24	27	37
2. MULTIPLE DX										
A. *Not Operated*	3220	10.7	72	3	3	8	13	21	27	43
B. *Operated*	327	17.2	197	3	4	13	24	38	46	86
1. SINGLE DX	863	7.9	34	2	3	6	10	14	19	31
2. MULTIPLE DX	3547	11.3	87	3	3	9	14	22	29	47
A. NOT OPERATED	4041	10.1	66	2	3	8	12	20	26	40
B. OPERATED	369	16.4	187	3	4	12	23	36	46	82
TOTAL 65-69 YRS	898	9.1	56	2	3	7	11	18	25	40
70-74	977	9.7	67	2	3	8	12	18	25	41
75-79	1066	11.2	82	3	3	9	14	22	29	46
80-84	822	11.3	99	2	3	8	14	22	31	47
85+	647	12.1	90	3	4	10	15	24	32	55
GRAND TOTAL	**4410**	**10.6**	**79**	**2**	**3**	**8**	**13**	**21**	**28**	**46**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	79	9.2	43	2	3	7	11	19	25	30
70-74	42	10.8	56	3	4	9	13	23	28	32
75-79	23	10.2	27	4	5	9	14	18	20	21
80-84	6	11.5	21	6	6	11	14	18	19	19
85+	14	10.5	65	2	4	8	12	23	28	30
B. *Operated*										
65-69 YRS	12	13.6	64	1	4	14	16	24	31	32
70-74	10	13.2	120	3	5	10	13	29	43	43
75-79	4	19.5	84	10	10	18	25	32	32	32
80-84	1	11.0		11	11	11	11	11	11	11
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	125	11.4	57	3	4	10	14	18	30	38
70-74	86	10.8	80	3	3	8	13	22	24	51
75-79	88	13.1	115	3	5	11	15	23	29	65
80-84	43	12.1	72	4	5	9	15	20	26	50
85+	25	12.6	55	4	5	11	17	24	27	35
B. *Operated*										
65-69 YRS	42	17.6	129	4	5	16	21	33	38	60
70-74	26	21.8	260	7	8	16	29	44	55	72
75-79	19	17.9	118	2	5	18	26	35	38	38
80-84	14	16.6	45	7	8	16	21	26	30	31
85+	7	25.4	282	8	10	20	29	54	60	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	10.0	45	3	4	8	12	20	25	30
B. *Operated*	27	14.2	83	3	6	12	17	29	34	43
2. MULTIPLE DX										
A. *Not Operated*	367	11.9	78	3	4	9	15	21	28	49
B. *Operated*	108	19.1	158	4	7	16	23	35	41	65
1. SINGLE DX	191	10.6	52	3	4	9	14	20	27	32
2. MULTIPLE DX	475	13.5	105	3	4	11	17	24	34	57
A. NOT OPERATED	531	11.3	68	3	4	9	14	21	27	43
B. OPERATED	135	18.1	146	4	7	16	22	33	41	62
TOTAL 65-69 YRS	258	11.9	72	3	4	10	15	23	30	40
70-74	164	12.7	118	3	4	9	16	25	35	53
75-79	134	13.5	103	4	5	11	17	24	33	60
80-84	64	13.0	62	5	6	11	17	21	26	47
85+	46	13.9	111	4	4	11	18	24	32	60
GRAND TOTAL	**666**	**12.6**	**91**	**3**	**4**	**10**	**16**	**23**	**31**	**51**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	8.5	19	5	5	7	9	16	17	17
70-74	1	4.0		4	4	4	4	4	4	4
75-79	1	12.0		12	12	12	12	12	12	12
80-84										
85+	2	9.5	41	5	5	9	14	14	14	14
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	4.7	8	2	2	5	7	9	9	9
70-74	10	7.0	6	3	3	7	8	10	12	12
75-79	3	10.7	16	6	6	13	13	13	13	13
80-84	2	10.5	25	7	7	10	14	14	14	14
85+	2	8.5	61	3	3	8	14	14	14	14
B. *Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	3	19.7	158	8	8	18	29	33	33	33
75-79	3	12.7	58	6	6	11	18	21	21	21
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	8.6	19	4	4	7	12	15	17	17
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	24	7.2	14	2	2	7	9	13	14	14
B. *Operated*	7	14.9	96	6	6	11	20	31	33	33
1. SINGLE DX	10	8.6	19	4	4	7	12	15	17	17
2. MULTIPLE DX	31	8.9	41	2	3	7	12	16	21	33
A. NOT OPERATED	34	7.6	16	2	3	7	9	14	14	17
B. OPERATED	7	14.9	96	6	6	11	20	31	33	33
TOTAL 65-69 YRS	14	6.5	15	2	2	6	7	10	15	17
70-74	14	9.5	60	3	4	7	9	19	30	33
75-79	7	11.7	26	6	6	12	13	19	21	21
80-84	2	10.5	25	7	7	10	14	14	14	14
85+	4	9.0	34	3	3	9	14	14	14	14
GRAND TOTAL	**41**	**8.9**	**35**	**2**	**3**	**7**	**12**	**15**	**19**	**33**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	2	5.0	32	<1	<1	4	9	9	9	9
75-79										
80-84										
85+	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*										
65-69 YRS	33	2.8	3	<1	<1	2	3	6	7	8
70-74	16	3.4	7	<1	1	3	4	9	9	9
75-79	10	3.4	5	<1	<1	3	4	7	8	8
80-84	7	4.4	7	2	2	4	6	9	9	9
85+	5	5.8	36	<1	<1	5	8	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	7.7	1	7	7	7	9	9	9	9
70-74										
75-79	1	5.0		5	5	5	5	5	5	5
80-84	2	3.0		3	3	3	3	3	3	3
85+	2	9.0	18	6	6	9	12	12	12	12
B. *Operated*										
65-69 YRS	31	5.6	19	1	2	4	6	11	18	19
70-74	28	6.1	26	1	2	5	8	13	20	21
75-79	17	6.4	22	2	2	4	8	15	16	16
80-84	8	6.0	20	2	2	5	7	14	16	16
85+	5	3.8	4	2	2	3	5	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.0	12	<1	<1	1	4	9	9	9
B. *Operated*	71	3.4	7	<1	<1	3	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	8	6.5	9	3	3	6	8	11	12	12
B. *Operated*	89	5.9	21	2	2	4	7	13	16	21
1. SINGLE DX	76	3.4	7	<1	<1	3	4	7	9	14
2. MULTIPLE DX	97	5.9	20	2	2	4	7	12	16	21
A. NOT OPERATED	13	5.2	12	<1	<1	5	8	10	12	12
B. OPERATED	160	4.8	16	<1	1	3	6	9	14	20
TOTAL 65-69 YRS	68	4.3	13	<1	1	3	6	8	11	19
70-74	46	5.2	21	1	1	4	7	9	14	21
75-79	28	5.3	17	1	2	4	7	12	16	16
80-84	17	5.0	13	2	2	4	6	9	14	16
85+	14	5.0	18	<1	<1	4	6	12	15	16
GRAND TOTAL	**173**	**4.8**	**16**	**<1**	**1**	**3**	**6**	**9**	**13**	**20**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	111	5.5	34	2	2	4	6	10	14	33
70-74	116	4.6	14	2	2	4	5	8	9	25
75-79	48	4.5	6	1	1	4	6	8	8	14
80-84	49	4.9	8	1	2	4	6	9	11	15
85+	53	6.5	99	2	2	4	6	13	28	99
B. *Operated*										
65-69 YRS	4	14.8	222	2	2	11	26	34	34	34
70-74	6	8.2	99	2	2	4	8	26	28	28
75-79	2	8.5	5	7	7	8	10	10	10	10
80-84	1	11.0		11	11	11	11	11	11	11
85+	2	7.5	13	5	5	7	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	471	6.4	29	2	2	5	7	12	15	30
70-74	474	6.7	44	2	2	5	8	12	16	29
75-79	457	7.3	46	2	2	6	9	13	17	29
80-84	359	7.1	41	2	3	6	8	13	17	30
85+	315	8.1	53	2	2	6	10	16	19	48
B. *Operated*										
65-69 YRS	48	16.1	203	3	4	10	23	40	44	62
70-74	31	11.4	100	2	4	8	12	26	32	47
75-79	35	13.6	122	3	4	11	20	25	33	56
80-84	23	12.6	97	4	5	10	16	22	37	46
85+	7	13.0	122	5	5	7	24	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	377	5.2	30	1	2	4	6	9	12	31
B. *Operated*	15	10.1	93	2	2	7	11	28	32	34
2. MULTIPLE DX										
A. *Not Operated*	2076	7.0	42	2	2	5	8	13	17	30
B. *Operated*	144	13.8	140	3	4	9	18	31	42	56
1. SINGLE DX	392	5.3	33	2	2	4	6	9	13	33
2. MULTIPLE DX	2220	7.5	51	2	2	6	9	14	19	40
A. NOT OPERATED	2453	6.8	41	2	2	5	8	13	17	30
B. OPERATED	159	13.4	136	3	4	9	18	31	40	55
TOTAL 65-69 YRS	634	7.0	51	2	2	5	8	14	20	43
70-74	627	6.6	44	2	2	5	8	11	16	31
75-79	542	7.4	50	2	2	6	9	14	19	30
80-84	432	7.2	42	2	3	6	8	13	17	31
85+	377	7.9	60	2	2	5	10	16	20	51
GRAND TOTAL	**2612**	**7.2**	**49**	**2**	**2**	**5**	**8**	**14**	**18**	**39**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	6.5	15	<1	2	6	11	12	12	12
70-74	4	6.3	9	3	3	6	8	10	10	10
75-79	1	7.0		7	7	7	7	7	7	7
80-84	1	13.0		13	13	13	13	13	13	13
85+	4	6.3	21	3	3	4	9	13	13	13
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	16.0		16	16	16	16	16	16	16
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	19	9.5	78	2	4	8	10	15	31	43
70-74	11	11.5	33	1	3	12	15	18	21	21
75-79	4	13.5	126	6	6	9	20	30	30	30
80-84	4	20.0	39	13	13	19	24	28	28	28
85+	3	13.7	34	7	7	16	17	18	18	18
B. *Operated*										
65-69 YRS	5	19.8	396	5	5	12	30	53	53	53
70-74	5	18.2	297	2	2	10	34	41	41	41
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	6.7	14	2	3	6	11	12	13	13
B. *Operated*	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	41	11.8	68	3	4	10	15	21	29	43
B. *Operated*	10	19.0	309	2	3	11	32	47	53	53
1. SINGLE DX	24	7.1	17	2	3	6	11	13	14	16
2. MULTIPLE DX	51	13.2	118	2	4	10	16	29	41	53
A. NOT OPERATED	64	10.0	54	2	3	8	13	18	23	41
B. OPERATED	11	18.7	279	2	4	12	30	46	52	53
TOTAL 65-69 YRS	37	9.8	106	2	3	7	11	15	36	53
70-74	20	12.2	99	1	2	10	15	26	36	41
75-79	6	12.8	85	6	6	9	16	29	30	30
80-84	5	18.6	39	13	13	18	23	28	28	28
85+	7	9.4	38	3	3	7	15	18	18	18
GRAND TOTAL	**75**	**11.2**	**93**	**2**	**3**	**8**	**13**	**21**	**31**	**50**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	4.0	11	1	1	3	7	9	11	11
70-74	14	4.8	23	<1	1	3	7	9	17	19
75-79	10	6.1	17	1	1	6	9	11	13	13
80-84	4	9.3	26	2	2	10	12	14	14	14
85+	3	12.7	70	3	3	17	18	18	18	18
B. *Operated*										
65-69 YRS	13	4.5	12	1	1	3	7	10	12	12
70-74	5	4.6	23	2	2	2	6	13	13	13
75-79	6	6.0	18	2	2	5	6	13	14	14
80-84	3	3.3		3	3	3	4	4	4	4
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	44	7.8	44	1	1	6	10	17	23	32
70-74	47	10.2	45	2	2	8	16	20	23	25
75-79	56	9.2	47	1	2	8	13	18	20	34
80-84	25	11.8	79	2	4	10	15	18	35	40
85+	23	11.1	94	4	5	10	10	21	32	49
B. *Operated*										
65-69 YRS	28	12.6	136	2	2	9	18	31	34	48
70-74	30	16.4	526	2	2	8	19	58	94	99+
75-79	8	16.6	228	2	3	15	21	41	49	49
80-84	5	15.6	111	4	4	11	23	31	31	31
85+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	5.9	25	1	1	4	8	13	17	19
B. *Operated*	27	4.7	13	1	2	3	6	12	13	14
2. MULTIPLE DX										
A. *Not Operated*	195	9.7	56	1	2	8	13	18	23	37
B. *Operated*	72	14.8	300	2	2	10	20	33	49	99
1. SINGLE DX	68	5.4	20	1	1	4	7	13	15	19
2. MULTIPLE DX	267	11.1	126	2	2	8	14	23	32	84
A. NOT OPERATED	236	9.0	52	1	2	7	12	18	22	35
B. OPERATED	99	12.0	241	2	2	6	14	31	41	97
TOTAL 65-69 YRS	95	8.4	71	1	1	6	10	18	28	41
70-74	96	11.1	204	1	2	7	15	23	33	97
75-79	80	9.3	63	1	2	8	13	18	21	44
80-84	37	11.4	76	2	3	10	14	20	32	40
85+	27	11.0	86	3	4	10	13	20	27	49
GRAND TOTAL	**335**	**9.9**	**109**	**1**	**2**	**7**	**13**	**20**	**30**	**55**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	11.5	70	4	4	8	15	27	29	29
70-74	9	12.3	88	3	4	6	20	26	28	28
75-79	10	8.7	43	2	2	8	11	18	24	24
80-84	9	6.9	52	1	1	5	9	19	23	23
85+	6	6.5	28	2	2	5	9	15	16	16
B. *Operated*										
65-69 YRS	53	7.8	38	1	2	6	10	19	22	25
70-74	27	13.1	168	2	3	10	17	30	69	99+
75-79	13	14.6	421	2	2	9	14	34	71	80
80-84	7	4.6	31	1	1	3	4	14	17	17
85+	2	9.5	113	2	2	9	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	84	11.5	154	3	3	8	12	20	35	77
70-74	76	9.4	34	3	4	8	11	17	24	31
75-79	61	11.4	77	2	3	8	16	25	32	34
80-84	41	10.4	128	2	3	7	13	19	25	70
85+	52	13.3	91	3	5	10	17	25	34	49
B. *Operated*										
65-69 YRS	80	17.9	349	2	3	11	26	55	62	94
70-74	69	16.7	316	2	2	10	19	40	58	79
75-79	49	16.0	365	2	2	9	18	47	73	99+
80-84	19	22.5	433	3	4	18	30	59	68	75
85+	17	13.9	100	4	4	14	17	40	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	9.5	59	2	2	7	13	23	26	29
B. *Operated*	102	9.9	125	2	2	8	12	21	25	89
2. MULTIPLE DX										
A. *Not Operated*	314	11.1	96	3	3	8	13	22	31	51
B. *Operated*	234	17.2	330	2	3	11	20	50	65	99+
1. SINGLE DX	148	9.8	104	2	2	7	13	22	26	80
2. MULTIPLE DX	548	13.7	205	2	3	9	16	32	49	80
A. NOT OPERATED	360	10.9	92	2	3	8	13	22	29	48
B. OPERATED	336	15.0	279	2	2	10	18	38	61	99+
TOTAL 65-69 YRS	229	12.9	205	2	3	9	14	32	52	82
70-74	181	12.9	173	2	3	8	15	27	40	78
75-79	133	13.2	215	2	2	9	16	29	34	90
80-84	76	12.5	217	1	2	7	16	23	51	74
85+	77	12.8	89	2	4	10	16	23	35	86
GRAND TOTAL	**696**	**12.9**	**186**	**2**	**3**	**9**	**15**	**29**	**40**	**80**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	6.3	7	4	4	5	8	10	10	10
70-74										
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	2	8.5	113	1	1	8	16	16	16	16
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	2	5.5	25	2	2	5	9	9	9	9
70-74	1	23.0		23	23	23	23	23	23	23
75-79	1	16.0		16	16	16	16	16	16	16
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	9.2	41	1	3	8	12	19	23	24
70-74	14	7.4	19	4	4	6	9	10	19	21
75-79	8	7.1	60	2	3	5	6	20	26	26
80-84	2	7.5	5	6	6	7	9	9	9	9
85+	5	14.6	264	4	4	11	19	43	43	43
B. *Operated*										
65-69 YRS	2	6.5	25	3	3	6	10	10	10	10
70-74	3	4.3	17	1	1	3	7	9	9	9
75-79	2	20.5	61	15	15	20	26	26	26	26
80-84	6	10.7	270	1	1	5	6	40	44	44
85+	2	4.5	1	4	4	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	5.4	24	1	1	4	7	14	16	16
B. *Operated*	4	12.5	82	2	2	12	19	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	43	8.8	59	3	4	6	10	19	25	43
B. *Operated*	15	9.3	133	1	1	5	10	26	39	44
1. SINGLE DX	13	7.6	48	1	1	5	11	18	22	23
2. MULTIPLE DX	58	8.9	76	2	3	6	10	20	26	44
A. NOT OPERATED	52	8.2	54	1	3	6	10	17	24	43
B. OPERATED	19	10.0	119	1	2	5	14	25	36	44
TOTAL 65-69 YRS	22	8.1	31	2	3	7	10	15	21	24
70-74	18	7.7	32	2	3	6	9	18	22	23
75-79	13	9.0	78	1	2	5	15	26	26	26
80-84	10	9.6	165	1	1	5	9	30	44	44
85+	8	10.8	179	4	4	5	11	33	43	43
GRAND TOTAL	**71**	**8.7**	**71**	**1**	**2**	**5**	**10**	**20**	**26**	**44**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	6.8	28	1	4	5	8	15	20	22
70-74	1	6.0		6	6	6	6	6	6	6
75-79	2	4.5	1	4	4	4	5	5	5	5
80-84										
85+	4	11.8	91	6	6	7	17	26	26	26
B. *Operated*										
65-69 YRS	31	8.2	26	1	2	8	12	15	17	19
70-74	17	7.8	50	1	2	5	10	21	24	25
75-79	4	15.5	105	5	5	14	23	29	29	29
80-84	3	12.0	117	3	3	9	20	24	24	24
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	64	11.2	71	2	3	9	14	27	32	33
70-74	48	13.1	209	2	3	9	14	26	36	90
75-79	34	10.8	57	3	4	8	14	22	29	34
80-84	26	11.2	61	4	4	8	18	21	29	31
85+	15	14.1	479	2	3	8	18	83	97	99+
B. *Operated*										
65-69 YRS	52	12.8	163	2	3	9	16	25	42	63
70-74	31	14.8	143	2	2	13	21	28	31	58
75-79	12	14.0	280	2	2	6	23	35	56	59
80-84	9	17.9	106	5	6	14	26	33	36	36
85+	8	15.0	178	2	3	11	20	37	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	7.4	36	2	4	5	8	17	23	26
B. *Operated*	56	8.8	43	1	2	8	12	17	23	29
2. MULTIPLE DX										
A. *Not Operated*	187	11.8	132	2	3	9	14	26	32	90
B. *Operated*	112	14.0	162	2	2	10	19	28	42	61
1. SINGLE DX	79	8.4	41	1	2	7	11	17	23	28
2. MULTIPLE DX	299	12.7	144	2	3	9	16	27	32	76
A. NOT OPERATED	210	11.3	123	2	3	8	14	24	31	89
B. OPERATED	168	12.3	128	2	2	9	16	25	29	60
TOTAL 65-69 YRS	163	10.7	90	2	2	8	14	21	30	58
70-74	97	12.6	161	2	2	9	15	26	31	75
75-79	52	11.6	109	2	3	8	14	24	30	58
80-84	38	12.9	79	3	4	9	19	27	30	36
85+	28	13.7	309	2	3	8	17	36	90	99+
GRAND TOTAL	**378**	**11.8**	**126**	**2**	**3**	**8**	**15**	**25**	**31**	**62**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	11.5	13	9	9	11	14	14	14	14
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	5	7.8	28	4	4	6	9	17	17	17
70-74	1	7.0		7	7	7	7	7	7	7
75-79	2	5.0	18	2	2	5	8	8	8	8
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	21	9.3	31	2	4	7	13	15	20	26
70-74	19	11.9	160	2	2	9	16	23	41	56
75-79	12	10.6	36	4	4	9	14	20	22	22
80-84	8	14.6	427	3	4	7	12	50	65	65
85+	7	13.3	249	3	3	8	13	41	48	48
B. *Operated*										
65-69 YRS	11	14.4	55	3	4	17	18	24	26	26
70-74	7	8.7	50	2	2	8	10	20	23	23
75-79	6	9.3	17	4	4	10	11	15	15	15
80-84	3	38.7	716	9	9	53	80	99+	99+	99+
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	8.0	43	<1	<1	9	13	14	14	14
B. *Operated*	8	7.0	20	2	3	6	8	14	17	17
2. MULTIPLE DX										
A. *Not Operated*	67	11.3	130	3	3	8	13	21	29	63
B. *Operated*	27	14.5	173	3	4	11	18	40	65	99+
1. SINGLE DX	11	7.3	23	<1	1	7	9	15	17	17
2. MULTIPLE DX	94	12.2	143	3	3	10	15	23	47	84
A. NOT OPERATED	70	11.2	126	2	3	8	13	20	26	63
B. OPERATED	35	12.8	147	2	4	10	17	26	56	99+
TOTAL 65-69 YRS	39	10.6	40	3	4	10	15	18	24	26
70-74	28	10.6	124	1	2	7	14	23	26	56
75-79	20	9.7	29	3	4	9	12	18	20	22
80-84	11	21.2	568	3	4	10	53	75	96	99+
85+	7	13.3	249	3	3	8	13	41	48	48
GRAND TOTAL	**105**	**11.7**	**132**	**2**	**3**	**9**	**14**	**22**	**46**	**80**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	128	6.4	54	1	2	4	7	14	23	61
70-74	82	6.7	68	1	2	4	7	11	21	47
75-79	52	5.7	16	1	2	5	7	11	14	21
80-84	33	8.6	87	1	3	6	8	23	28	47
85+	17	9.1	61	2	2	7	12	23	27	28
B. *Operated*										
65-69 YRS	527	7.4	85	1	2	4	9	18	25	57
70-74	392	7.3	78	1	2	4	9	17	25	45
75-79	255	7.5	81	1	2	4	9	15	24	50
80-84	164	7.4	91	1	2	4	9	14	27	50
85+	108	6.5	58	1	2	4	7	13	19	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	311	11.4	145	2	2	7	14	27	34	71
70-74	221	10.5	130	1	2	7	13	23	33	49
75-79	171	9.1	68	1	2	6	12	19	25	38
80-84	94	11.1	79	2	3	8	16	24	33	75
85+	80	11.3	133	2	3	8	13	22	36	95
B. *Operated*										
65-69 YRS	817	13.5	223	2	2	9	17	32	45	95
70-74	605	14.5	239	2	2	9	19	36	50	86
75-79	383	13.4	232	2	2	8	16	33	47	92
80-84	220	12.9	181	2	2	8	16	29	42	69
85+	167	12.4	175	2	2	8	15	31	38	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	312	6.8	56	1	2	4	8	13	22	48
B. *Operated*	1446	7.3	81	1	2	4	9	16	25	50
2. MULTIPLE DX										
A. *Not Operated*	877	10.7	118	1	2	7	14	23	32	52
B. *Operated*	2192	13.6	221	2	2	9	17	32	47	89
1. SINGLE DX	1758	7.2	76	1	2	4	9	16	25	49
2. MULTIPLE DX	3069	12.8	193	2	2	8	16	30	43	83
A. NOT OPERATED	1189	9.6	105	1	2	6	12	22	31	51
B. OPERATED	3638	11.1	175	2	2	6	14	27	38	79
TOTAL 65-69 YRS	1783	10.8	164	1	2	6	14	27	37	84
70-74	1300	11.2	172	1	2	7	14	26	39	76
75-79	861	10.3	150	2	2	6	13	23	34	65
80-84	511	10.5	133	2	2	7	13	24	34	66
85+	372	10.3	133	2	2	7	12	24	35	67
GRAND TOTAL	**4827**	**10.8**	**158**	**2**	**2**	**6**	**13**	**25**	**37**	**75**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	67	7.4	42	2	2	6	9	15	21	36
70-74	45	10.0	122	1	2	5	10	31	36	42
75-79	31	9.6	128	1	1	5	9	30	32	43
80-84	16	10.8	98	3	3	8	13	27	36	39
85+	17	9.1	81	<1	1	7	11	25	30	32
B. *Operated*										
65-69 YRS	148	14.0	197	2	2	10	20	28	42	70
70-74	110	16.3	229	2	3	12	25	34	50	71
75-79	77	11.6	183	2	2	8	13	23	36	76
80-84	37	15.9	212	1	3	12	20	39	50	63
85+	22	15.8	226	4	5	11	20	31	54	68
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	203	10.8	86	2	3	8	14	23	31	45
70-74	133	10.9	97	2	2	8	13	25	36	60
75-79	114	12.5	167	1	2	9	16	29	42	78
80-84	70	9.0	55	2	3	7	11	16	19	40
85+	37	12.1	82	2	3	11	15	24	32	43
B. *Operated*										
65-69 YRS	304	19.2	249	3	5	15	24	42	54	75
70-74	251	20.0	302	3	4	16	27	47	65	99+
75-79	159	20.2	285	2	4	17	26	40	51	98
80-84	111	20.1	270	3	4	15	27	43	59	88
85+	43	18.1	114	3	5	17	24	33	37	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	8.9	86	1	2	6	10	27	31	41
B. *Operated*	394	14.5	207	2	2	10	20	29	44	73
2. MULTIPLE DX										
A. *Not Operated*	557	11.0	101	2	3	8	14	25	35	53
B. *Operated*	868	19.7	266	3	4	16	26	42	57	95
1. SINGLE DX	570	12.8	176	2	2	8	17	29	38	67
2. MULTIPLE DX	1425	16.3	219	2	3	12	22	36	48	84
A. NOT OPERATED	733	10.5	98	2	2	7	13	25	34	48
B. OPERATED	1262	18.0	253	2	3	14	24	39	54	84
TOTAL 65-69 YRS	722	14.7	191	2	3	10	19	32	44	73
70-74	539	16.2	237	2	3	11	22	37	53	94
75-79	381	15.3	232	2	2	11	21	35	44	91
80-84	234	15.5	208	3	3	11	20	36	46	73
85+	119	14.5	128	2	3	12	20	27	36	56
GRAND TOTAL	**1995**	**15.3**	**209**	**2**	**3**	**11**	**20**	**35**	**45**	**77**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	63	6.9	64	1	2	4	9	12	16	54
70-74	66	8.9	88	1	1	6	13	17	25	51
75-79	67	7.7	68	1	1	5	9	16	28	41
80-84	45	7.6	34	1	2	6	10	16	19	26
85+	40	10.6	114	2	2	6	14	26	38	43
B. *Operated*										
65-69 YRS	144	17.3	104	4	7	15	21	29	35	58
70-74	155	17.2	96	3	6	16	22	33	38	47
75-79	118	15.8	97	2	5	15	20	27	37	70
80-84	78	19.6	148	3	5	19	26	33	40	63
85+	60	18.6	123	2	5	16	26	33	39	48
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	287	9.5	89	1	2	7	12	19	27	48
70-74	312	10.8	86	2	3	8	14	22	31	47
75-79	266	10.7	93	2	3	8	14	24	32	47
80-84	203	11.3	95	3	3	8	14	23	29	51
85+	184	10.7	65	2	3	9	14	22	30	37
B. *Operated*										
65-69 YRS	648	21.6	192	5	8	18	28	39	50	80
70-74	636	21.9	195	5	8	19	27	40	51	84
75-79	572	22.9	210	6	9	20	28	40	57	81
80-84	365	23.2	223	7	8	20	29	44	51	82
85+	260	24.6	248	6	8	21	33	47	59	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	8.2	73	1	1	5	11	17	24	44
B. *Operated*	555	17.4	109	3	6	16	22	32	38	57
2. MULTIPLE DX										
A. *Not Operated*	1252	10.6	87	2	3	8	13	22	30	47
B. *Operated*	2481	22.5	208	6	8	19	28	41	52	82
1. SINGLE DX	836	14.3	116	1	2	12	20	29	36	54
2. MULTIPLE DX	3733	18.5	199	3	4	15	24	37	48	74
A. NOT OPERATED	1533	10.1	85	2	2	7	13	21	29	47
B. OPERATED	3036	21.6	194	5	8	18	27	39	50	79
TOTAL 65-69 YRS	1142	17.2	179	2	4	15	23	33	44	70
70-74	1169	17.6	173	3	4	15	23	35	44	66
75-79	1023	17.9	192	2	4	15	24	35	44	75
80-84	691	18.3	199	3	4	15	24	37	48	69
85+	544	18.2	205	3	4	15	25	38	49	72
GRAND TOTAL	**4569**	**17.7**	**187**	**3**	**4**	**15**	**24**	**35**	**45**	**71**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	4.7	8	3	3	4	4	9	12	12
70-74	6	5.7	2	3	3	6	6	7	7	7
75-79	2	6.5	5	5	5	6	8	8	8	8
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	11	12.9	6	10	10	13	15	16	16	16
70-74	10	17.0	46	7	8	17	23	25	27	27
75-79	5	18.2	107	9	9	15	21	36	36	36
80-84	5	14.0	94	2	2	17	21	25	25	25
85+	3	21.0	97	13	13	18	28	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	29	8.1	39	2	3	6	11	15	20	30
70-74	33	9.8	80	1	1	7	12	20	34	38
75-79	13	10.8	139	2	4	7	10	23	43	46
80-84	9	8.4	31	2	2	11	12	16	17	17
85+	5	14.0	81	5	5	15	19	27	27	27
B. *Operated*										
65-69 YRS	86	21.0	212	5	8	17	26	41	50	78
70-74	83	21.9	172	8	10	18	27	36	49	74
75-79	44	21.7	191	10	10	18	27	48	76	99+
80-84	44	23.8	141	8	11	22	32	38	47	57
85+	21	22.0	58	12	14	21	27	34	37	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	5.2	5	3	3	4	6	8	10	12
B. *Operated*	34	15.8	52	6	9	15	18	25	31	36
2. MULTIPLE DX										
A. *Not Operated*	89	9.5	69	2	2	7	12	18	27	44
B. *Operated*	278	21.9	173	8	10	19	27	39	51	82
1. SINGLE DX	53	12.0	61	3	4	11	16	23	27	36
2. MULTIPLE DX	367	18.9	175	4	5	16	25	36	46	77
A. NOT OPERATED	108	8.8	60	2	3	6	11	17	23	42
B. OPERATED	312	21.2	163	8	10	18	27	37	48	81
TOTAL 65-69 YRS	135	16.5	182	3	4	13	21	33	43	70
70-74	132	17.8	164	3	5	15	23	32	44	68
75-79	64	18.8	188	5	7	16	22	43	68	99+
80-84	59	20.3	154	3	4	17	27	36	42	57
85+	30	20.0	75	5	8	19	26	32	35	39
GRAND TOTAL	**420**	**18.0**	**166**	**3**	**4**	**15**	**23**	**35**	**45**	**73**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	158	7.4	57	1	1	5	8	16	22	39
70-74	148	7.5	49	1	1	5	10	16	23	29
75-79	99	7.6	44	1	2	5	11	18	22	29
80-84	77	8.3	52	1	2	5	11	19	26	29
85+	58	7.8	48	1	2	5	9	16	25	29
B. *Operated*										
65-69 YRS	929	15.0	68	3	8	14	18	23	27	45
70-74	859	15.6	71	6	9	14	18	24	29	47
75-79	729	16.6	78	5	9	15	20	27	33	50
80-84	439	17.6	95	5	10	16	21	28	34	52
85+	302	19.7	105	9	10	17	23	33	40	51
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	885	9.9	93	2	3	7	13	21	28	48
70-74	971	10.1	92	2	3	7	13	21	29	49
75-79	796	10.8	113	2	3	8	14	23	32	58
80-84	546	11.3	105	2	3	8	14	24	30	52
85+	491	10.9	94	2	3	8	14	22	31	50
B. *Operated*										
65-69 YRS	3111	19.6	134	7	10	17	24	34	43	66
70-74	3214	20.1	133	8	10	17	24	34	43	68
75-79	3004	21.6	147	9	11	19	26	37	45	73
80-84	2032	22.7	146	9	11	20	27	40	48	68
85+	1401	23.9	150	10	12	21	29	41	49	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	540	7.6	50	1	1	5	10	17	24	32
B. *Operated*	3258	16.3	80	5	9	15	19	26	32	49
2. MULTIPLE DX										
A. *Not Operated*	3689	10.5	99	2	3	7	13	22	30	51
B. *Operated*	12762	21.2	143	8	10	18	26	36	45	70
1. SINGLE DX	3798	15.1	85	2	4	14	18	25	31	48
2. MULTIPLE DX	16451	18.8	153	4	5	16	24	34	43	67
A. NOT OPERATED	4229	10.1	94	2	3	7	13	22	29	49
B. OPERATED	16020	20.2	134	8	10	17	24	34	43	68
TOTAL 65-69 YRS	5083	16.7	129	3	5	15	21	30	38	63
70-74	5192	17.1	130	3	5	15	21	31	39	61
75-79	4628	18.7	147	4	6	16	23	33	42	68
80-84	3094	19.6	151	4	6	17	25	35	44	65
85+	2252	20.1	161	3	6	18	26	36	44	68
GRAND TOTAL	**20249**	**18.1**	**142**	**3**	**5**	**16**	**23**	**33**	**41**	**64**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	107	7.6	43	2	2	6	9	16	24	30
70-74	85	7.4	77	2	2	5	7	14	23	54
75-79	61	10.6	242	1	1	5	10	25	46	88
80-84	62	10.4	140	1	2	5	11	31	38	48
85+	63	10.2	111	1	1	7	12	28	31	51
B. *Operated*										
65-69 YRS	680	15.4	83	2	4	15	19	26	32	46
70-74	624	16.4	100	2	4	15	21	27	33	52
75-79	451	16.2	100	2	3	15	22	29	33	48
80-84	311	16.4	132	2	4	15	21	30	42	53
85+	218	14.3	133	2	3	12	20	27	34	65
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	494	11.1	145	2	3	7	13	25	35	58
70-74	485	10.8	106	2	3	8	14	22	33	72
75-79	362	11.3	145	2	3	7	13	23	42	63
80-84	289	11.2	108	2	2	8	15	23	32	57
85+	258	11.7	88	2	3	9	16	24	35	57
B. *Operated*										
65-69 YRS	1610	20.4	157	4	7	18	26	35	45	70
70-74	1590	21.5	170	5	8	19	27	37	47	74
75-79	1392	22.1	187	5	7	19	29	40	50	75
80-84	884	22.8	204	5	8	20	29	41	54	75
85+	594	22.8	206	5	7	20	30	43	53	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	8.9	111	1	2	5	10	22	31	53
B. *Operated*	2284	15.9	103	2	4	15	21	28	33	50
2. MULTIPLE DX										
A. *Not Operated*	1888	11.2	121	2	3	8	14	23	35	62
B. *Operated*	6070	21.6	180	5	7	19	27	38	49	74
1. SINGLE DX	2662	14.9	110	2	3	14	20	28	33	50
2. MULTIPLE DX	7958	19.2	186	3	4	17	25	37	46	73
A. NOT OPERATED	2266	10.8	120	2	3	7	14	23	34	60
B. OPERATED	8354	20.1	165	4	6	18	26	36	45	69
TOTAL 65-69 YRS	2891	17.2	149	3	4	15	22	32	40	64
70-74	2784	18.1	160	3	4	16	24	34	43	67
75-79	2266	18.9	183	3	4	16	25	36	46	69
80-84	1546	18.8	193	3	4	16	25	37	48	69
85+	1133	17.9	187	3	4	15	24	36	45	69
GRAND TOTAL	**10620**	**18.1**	**170**	**3**	**4**	**16**	**24**	**34**	**44**	**68**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	60	8.9	83	<1	1	6	10	20	33	43
70-74	47	7.8	57	1	1	5	11	17	20	41
75-79	37	8.8	36	1	2	7	14	18	20	22
80-84	26	13.7	166	2	3	9	19	32	45	54
85+	15	10.7	98	1	2	8	15	29	33	35
B. *Operated*										
65-69 YRS	122	16.8	90	3	7	17	21	27	33	74
70-74	78	16.3	160	3	4	13	22	29	39	76
75-79	79	17.8	169	3	4	15	24	35	46	94
80-84	43	16.1	71	3	7	15	22	26	33	36
85+	25	17.3	180	2	3	15	19	40	47	61
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	227	11.3	131	2	3	8	13	24	35	56
70-74	230	10.2	99	2	2	7	13	20	27	52
75-79	194	12.0	126	2	3	8	16	30	38	87
80-84	111	14.4	237	2	3	10	18	28	36	94
85+	99	12.6	164	3	3	9	14	23	32	80
B. *Operated*										
65-69 YRS	367	22.7	245	6	8	18	30	42	58	77
70-74	391	22.2	197	7	9	19	27	42	51	78
75-79	353	21.2	172	5	9	18	26	39	48	76
80-84	194	22.7	150	9	11	20	28	38	45	77
85+	147	20.5	124	7	9	18	25	39	46	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	9.4	81	1	1	7	12	19	30	44
B. *Operated*	347	16.9	127	3	6	15	22	29	40	80
2. MULTIPLE DX										
A. *Not Operated*	861	11.7	140	2	3	8	14	24	34	70
B. *Operated*	1452	22.0	189	7	9	19	28	40	50	77
1. SINGLE DX	532	14.3	123	2	3	12	19	27	36	61
2. MULTIPLE DX	2313	18.2	195	3	5	15	24	36	46	76
A. NOT OPERATED	1046	11.3	130	2	3	8	14	23	33	62
B. OPERATED	1799	21.0	181	6	8	18	26	38	48	77
TOTAL 65-69 YRS	776	17.4	204	2	4	14	22	34	44	69
70-74	746	17.0	187	2	4	14	22	36	44	69
75-79	663	17.4	170	3	5	14	23	35	46	77
80-84	374	18.9	183	4	5	16	25	35	42	83
85+	286	17.0	155	3	5	14	22	32	41	62
GRAND TOTAL	**2845**	**17.4**	**184**	**3**	**4**	**14**	**23**	**35**	**44**	**74**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	96	8.6	62	1	2	6	11	17	23	43
70-74	91	10.5	101	2	2	7	14	22	32	51
75-79	73	9.5	49	1	3	7	13	20	24	32
80-84	33	9.5	91	2	3	7	10	20	36	44
85+	30	12.1	54	4	5	10	16	22	26	36
B. *Operated*										
65-69 YRS	119	20.2	175	3	7	18	26	35	47	71
70-74	120	21.4	167	6	8	19	26	35	46	71
75-79	96	20.5	145	8	10	18	24	32	44	71
80-84	50	21.5	148	4	6	19	28	34	51	53
85+	19	23.4	163	3	8	23	33	47	77	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	393	11.3	147	2	3	8	14	23	33	69
70-74	307	11.8	123	2	3	9	15	24	38	64
75-79	252	12.1	108	2	3	9	16	25	32	49
80-84	162	12.3	98	2	4	10	15	24	30	60
85+	136	10.6	63	3	3	8	14	21	25	43
B. *Operated*										
65-69 YRS	656	22.0	158	7	9	20	27	38	47	75
70-74	581	22.4	145	8	10	20	28	39	45	70
75-79	480	23.4	167	9	11	21	28	40	47	73
80-84	266	23.6	141	9	11	21	29	41	49	59
85+	182	25.0	185	10	12	22	30	44	54	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	9.8	72	2	2	7	13	20	26	43
B. *Operated*	404	20.9	160	4	9	18	26	35	49	71
2. MULTIPLE DX										
A. *Not Operated*	1250	11.6	118	2	3	8	15	24	33	62
B. *Operated*	2165	22.9	157	8	10	20	28	39	48	67
1. SINGLE DX	727	16.0	152	2	3	14	22	30	40	61
2. MULTIPLE DX	3415	18.8	172	3	5	16	24	36	44	66
A. NOT OPERATED	1573	11.3	109	2	3	8	14	23	31	54
B. OPERATED	2569	22.6	158	8	10	20	28	39	48	70
TOTAL 65-69 YRS	1264	17.5	178	3	4	15	24	33	43	68
70-74	1099	18.4	164	3	5	16	24	35	44	66
75-79	901	18.8	170	3	5	17	24	36	43	69
80-84	511	18.9	156	4	5	17	25	36	44	58
85+	367	18.5	176	4	5	16	24	36	47	62
GRAND TOTAL	**4142**	**18.3**	**170**	**3**	**4**	**16**	**24**	**35**	**44**	**66**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	688	7.8	60	1	1	5	10	16	23	40
70-74	471	8.4	72	1	1	6	11	17	24	42
75-79	306	8.6	70	1	2	6	12	19	27	45
80-84	127	8.6	91	1	2	6	10	16	23	49
85+	54	10.8	94	2	2	7	15	24	34	45
B. *Operated*										
65-69 YRS	1531	12.9	96	2	3	11	17	25	31	50
70-74	1166	12.6	90	2	2	11	17	24	30	42
75-79	715	12.3	102	2	2	10	17	25	31	51
80-84	268	12.6	104	2	2	10	17	26	34	53
85+	93	10.3	49	2	2	9	14	21	24	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3283	10.5	87	1	2	8	14	22	30	48
70-74	2573	10.8	97	2	2	8	14	23	29	50
75-79	1752	11.8	103	2	3	9	15	25	31	51
80-84	775	12.1	114	2	3	9	15	23	32	55
85+	434	12.4	102	2	3	10	16	24	33	57
B. *Operated*										
65-69 YRS	4527	16.6	143	3	4	14	22	32	40	63
70-74	3452	16.7	155	3	4	14	22	32	42	62
75-79	2116	17.1	163	3	4	14	22	34	43	66
80-84	790	17.1	126	3	5	15	23	32	39	52
85+	283	16.6	128	3	5	14	23	32	39	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1646	8.3	69	1	1	6	11	17	24	42
B. *Operated*	3773	12.6	95	2	3	11	17	24	30	49
2. MULTIPLE DX										
A. *Not Operated*	8817	11.1	97	2	2	8	14	23	30	50
B. *Operated*	11168	16.8	149	3	4	14	22	32	41	62
1. SINGLE DX	5419	11.3	91	1	2	9	15	23	29	47
2. MULTIPLE DX	19985	14.2	134	2	3	11	19	29	37	58
A. NOT OPERATED	10463	10.6	94	1	2	8	14	22	30	49
B. OPERATED	14941	15.7	139	2	4	13	21	30	39	59
TOTAL 65-69 YRS	10029	13.4	122	2	3	11	18	27	35	57
70-74	7662	13.6	129	2	3	11	18	28	36	57
75-79	4889	14.0	135	2	3	11	18	29	37	58
80-84	1960	13.9	123	2	3	11	19	28	36	54
85+	864	13.5	109	2	3	11	18	27	34	51
GRAND TOTAL	**25404**	**13.6**	**126**	**2**	**3**	**11**	**18**	**28**	**36**	**57**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	77	7.2	78	1	1	4	8	17	30	44
70-74	58	4.9	33	1	1	3	6	10	21	27
75-79	34	7.2	77	1	2	4	10	19	22	44
80-84	12	3.7	18	1	1	2	4	9	15	16
85+	5	12.8	218	4	4	7	16	39	39	39
B. *Operated*										
65-69 YRS	497	7.9	96	1	1	3	12	21	27	50
70-74	363	7.4	78	1	2	3	11	18	28	45
75-79	214	7.7	83	1	1	3	12	20	27	45
80-84	89	8.1	136	1	1	3	8	25	36	58
85+	48	5.6	35	1	1	3	7	15	17	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	156	10.0	121	1	2	7	13	18	28	67
70-74	143	10.7	146	1	2	7	13	23	34	75
75-79	88	9.6	79	2	3	6	13	22	32	39
80-84	49	15.8	294	3	4	8	18	40	55	81
85+	32	12.7	158	2	2	8	17	35	42	51
B. *Operated*										
65-69 YRS	472	15.4	210	1	2	12	21	33	45	72
70-74	406	14.9	238	2	2	11	20	34	49	94
75-79	227	15.3	265	2	2	10	21	39	49	93
80-84	128	13.5	161	2	2	10	19	31	48	99+
85+	61	13.7	246	1	2	10	18	30	59	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	6.4	64	1	1	4	7	16	24	42
B. *Operated*	1211	7.6	89	1	1	3	11	19	27	46
2. MULTIPLE DX										
A. *Not Operated*	468	10.9	143	2	2	7	13	23	35	67
B. *Operated*	1294	15.0	225	2	2	11	20	34	48	90
1. SINGLE DX	1397	7.5	86	1	1	3	11	19	27	46
2. MULTIPLE DX	1762	13.9	207	2	2	10	18	32	44	85
A. NOT OPERATED	654	9.7	125	1	2	6	11	21	32	55
B. OPERATED	2505	11.4	173	1	2	7	16	28	39	74
TOTAL 65-69 YRS	1202	11.1	155	1	2	7	16	26	35	63
70-74	970	10.9	166	1	2	6	14	27	38	78
75-79	563	11.0	168	1	2	6	16	29	39	76
80-84	278	11.8	180	1	2	7	16	29	43	76
85+	146	10.8	166	1	2	6	16	24	39	90
GRAND TOTAL	**3159**	**11.1**	**163**	**1**	**2**	**6**	**16**	**27**	**38**	**70**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	7.6	58	<1	1	5	7	24	25	27
70-74	34	5.2	14	1	1	5	6	12	14	16
75-79	40	8.3	141	1	1	3	8	28	38	47
80-84	9	19.2	226	3	4	16	37	40	40	40
85+	17	6.7	25	1	2	5	9	15	19	20
B. *Operated*										
65-69 YRS	138	8.9	87	1	2	5	12	21	31	42
70-74	167	10.6	134	1	2	6	15	22	29	55
75-79	137	8.7	76	2	2	6	11	18	25	51
80-84	79	10.8	135	1	2	6	15	23	31	64
85+	62	8.2	96	1	2	5	9	17	36	45
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	118	8.5	72	1	2	6	12	17	27	69
70-74	133	9.4	86	2	3	6	12	18	24	48
75-79	91	12.2	122	2	2	9	16	32	34	52
80-84	46	14.0	140	2	3	9	21	33	37	44
85+	40	11.0	124	2	2	7	14	30	39	43
B. *Operated*										
65-69 YRS	188	17.5	253	2	3	13	23	40	53	76
70-74	190	16.5	230	2	3	13	24	32	42	79
75-79	176	16.0	224	2	3	12	20	36	47	67
80-84	122	18.4	285	2	3	13	26	40	52	73
85+	90	15.9	148	2	3	13	22	33	41	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	7.9	89	1	1	5	8	20	32	42
B. *Operated*	583	9.5	105	1	2	6	13	21	29	54
2. MULTIPLE DX										
A. *Not Operated*	428	10.4	101	2	2	7	13	24	33	48
B. *Operated*	766	16.9	233	2	3	13	23	36	48	71
1. SINGLE DX	708	9.2	103	1	2	5	12	21	29	51
2. MULTIPLE DX	1194	14.5	195	2	3	10	20	32	41	68
A. NOT OPERATED	553	9.8	99	1	2	6	12	23	33	46
B. OPERATED	1349	13.7	191	2	2	9	18	31	41	67
TOTAL 65-69 YRS	469	12.2	166	1	2	7	16	29	41	70
70-74	524	12.1	161	2	2	8	16	26	32	68
75-79	444	12.3	160	1	2	8	16	27	38	62
80-84	256	15.3	220	2	2	11	21	36	43	67
85+	209	11.9	130	2	2	8	16	30	38	45
GRAND TOTAL	**1902**	**12.6**	**167**	**2**	**2**	**8**	**17**	**29**	**38**	**66**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	44	6.6	43	2	2	5	8	14	19	35
70-74	30	8.0	40	2	3	6	12	14	19	32
75-79	21	5.1	6	2	2	5	7	8	10	11
80-84	10	8.0	22	<1	2	6	12	14	16	16
85+	4	7.3	57	2	2	5	12	18	18	18
B. *Operated*										
65-69 YRS	217	8.3	47	1	2	7	11	16	19	38
70-74	173	7.4	42	1	2	5	11	16	20	25
75-79	115	7.8	80	2	2	5	10	18	23	45
80-84	78	6.6	42	1	2	5	8	12	23	33
85+	49	6.6	34	2	2	5	9	14	18	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	97	8.6	78	1	2	6	9	18	28	50
70-74	66	7.9	72	2	2	5	7	19	29	45
75-79	58	9.0	103	1	2	6	9	18	35	53
80-84	36	13.2	134	4	4	8	16	33	43	44
85+	28	11.6	149	3	4	8	12	25	32	64
B. *Operated*										
65-69 YRS	189	10.2	65	2	3	8	13	19	29	41
70-74	169	10.8	71	2	2	8	15	22	27	40
75-79	122	13.5	206	2	2	9	15	33	45	72
80-84	89	11.0	90	2	2	8	17	25	30	41
85+	72	11.6	92	2	3	8	17	25	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	6.9	33	2	2	5	8	14	16	33
B. *Operated*	632	7.6	50	1	2	6	10	16	20	34
2. MULTIPLE DX										
A. *Not Operated*	285	9.4	97	2	3	6	10	21	30	52
B. *Operated*	641	11.3	101	2	2	8	15	24	31	45
1. SINGLE DX	741	7.5	48	1	2	5	10	16	20	33
2. MULTIPLE DX	926	10.7	100	2	3	8	14	23	31	47
A. NOT OPERATED	394	8.7	81	2	2	6	9	18	29	46
B. OPERATED	1273	9.5	79	2	2	7	12	20	26	44
TOTAL 65-69 YRS	547	8.9	59	2	2	7	11	18	24	39
70-74	438	8.8	59	2	2	6	12	18	23	38
75-79	316	10.1	136	2	2	6	12	23	34	57
80-84	213	9.6	82	2	2	6	12	24	30	42
85+	153	9.9	87	2	2	7	13	23	28	49
GRAND TOTAL	**1667**	**9.3**	**79**	**2**	**2**	**6**	**12**	**19**	**27**	**44**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	4.3	16	1	1	3	5	10	14	16
70-74	35	4.6	15	1	1	4	7	8	10	21
75-79	26	4.7	21	<1	1	4	4	14	16	19
80-84	20	9.9	112	2	2	7	11	23	35	45
85+	28	6.9	45	1	2	4	10	18	24	25
B. *Operated*										
65-69 YRS	712	3.6	21	<1	1	2	4	7	10	23
70-74	706	3.7	23	<1	1	2	4	8	12	22
75-79	602	3.9	15	<1	1	3	4	9	12	18
80-84	459	4.3	17	1	1	3	5	9	12	22
85+	464	4.4	18	1	1	3	5	10	14	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	42	5.6	25	1	1	4	8	11	19	20
70-74	55	11.2	218	1	1	7	13	24	40	84
75-79	64	8.4	53	1	1	7	12	16	24	35
80-84	56	11.8	156	2	3	8	15	28	44	98
85+	72	11.9	177	2	3	7	14	29	36	76
B. *Operated*										
65-69 YRS	754	6.2	59	1	2	3	7	15	21	46
70-74	794	7.0	73	1	2	4	9	16	22	50
75-79	752	7.3	65	1	2	4	9	16	24	48
80-84	609	7.5	80	1	2	4	9	16	25	49
85+	641	7.7	67	1	2	5	10	17	23	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	5.8	40	1	1	4	7	12	20	28
B. *Operated*	2943	3.9	19	<1	1	2	4	8	12	22
2. MULTIPLE DX										
A. *Not Operated*	289	10.1	135	1	2	7	12	21	34	80
B. *Operated*	3550	7.1	69	1	2	4	9	16	23	47
1. SINGLE DX	3077	4.0	20	<1	1	2	4	9	12	23
2. MULTIPLE DX	3839	7.3	74	1	2	4	9	16	24	48
A. NOT OPERATED	423	8.7	108	1	1	6	11	19	27	64
B. OPERATED	6493	5.7	49	1	1	3	7	13	18	38
TOTAL 65-69 YRS	1533	4.9	41	1	1	3	5	11	17	37
70-74	1590	5.6	58	<1	1	3	6	13	18	44
75-79	1444	5.9	46	1	1	3	7	13	19	37
80-84	1144	6.5	63	1	2	4	8	14	21	45
85+	1205	6.6	58	1	2	4	8	15	22	39
GRAND TOTAL	**6916**	**5.8**	**53**	**1**	**1**	**3**	**7**	**13**	**19**	**40**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	139	7.2	43	1	2	5	9	16	22	32
70-74	113	9.5	80	2	3	7	11	21	29	45
75-79	77	10.9	101	1	3	9	13	21	32	54
80-84	46	6.6	31	1	1	6	10	17	31	99+
85+	29	10.9	125	1	3	7	15	19	27	60
B. *Operated*										
65-69 YRS	1835	8.9	22	3	4	8	11	14	16	26
70-74	1495	9.2	23	3	4	9	11	14	17	26
75-79	1112	9.3	24	3	4	9	11	15	17	26
80-84	681	9.3	26	3	4	9	11	14	18	29
85+	507	9.0	35	2	3	8	11	15	18	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1055	11.2	121	1	2	8	14	25	34	52
70-74	906	12.1	140	2	2	8	15	27	36	58
75-79	690	12.1	117	2	3	9	16	26	34	54
80-84	391	13.0	158	2	3	9	16	27	40	82
85+	302	13.2	149	2	3	10	16	26	37	66
B. *Operated*										
65-69 YRS	2791	12.3	74	4	5	10	14	21	29	51
70-74	2508	12.6	84	4	5	10	15	22	29	55
75-79	1900	12.8	82	4	5	11	16	23	30	57
80-84	1233	12.9	88	4	5	11	15	23	32	54
85+	858	13.1	113	3	5	10	15	24	34	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	404	8.8	71	1	2	6	11	18	26	58
B. *Operated*	5630	9.1	24	3	4	8	11	14	17	26
2. MULTIPLE DX										
A. *Not Operated*	3344	12.0	132	2	2	9	15	26	35	57
B. *Operated*	9290	12.6	84	4	5	10	15	22	30	55
1. SINGLE DX	6034	9.1	27	2	4	8	11	14	17	29
2. MULTIPLE DX	12634	12.5	97	3	4	10	15	23	32	56
A. NOT OPERATED	3748	11.7	127	2	2	8	15	25	34	58
B. OPERATED	14920	11.3	64	3	5	9	13	19	26	46
TOTAL 65-69 YRS	5820	10.9	68	2	4	9	13	19	26	45
70-74	5022	11.4	78	3	4	9	13	20	28	51
75-79	3779	11.6	74	3	4	10	14	21	28	49
80-84	2351	11.8	83	3	4	10	14	21	29	54
85+	1696	11.8	100	3	4	10	14	21	30	59
GRAND TOTAL	**18668**	**11.4**	**77**	**3**	**4**	**9**	**13**	**20**	**28**	**51**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	174	4.7	19	1	2	4	5	8	11	29
70-74	130	5.2	29	2	3	4	5	8	11	29
75-79	95	6.2	100	[illegible]	2	4	6	9	19	67
80-84	49	6.4	46	[illegible]	1	5	6	12	25	32
85+	35	7.9	61	2	3	5	9	17	24	40
B. *Operated*										
65-69 YRS	229	6.1	25	2	2	5	8	11	16	29
70-74	164	6.6	49	1	2	4	8	13	18	40
75-79	91	6.7	41	2	2	4	8	13	20	36
80-84	59	8.1	74	2	2	6	8	15	25	47
85+	41	10.3	151	2	3	7	10	20	45	59
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	201	7.3	47	1	2	5	9	17	24	34
70-74	181	10.1	103	2	3	6	13	21	28	52
75-79	149	11.7	124	2	3	8	15	27	38	47
80-84	77	9.2	113	1	2	6	11	18	35	56
85+	88	10.8	154	2	2	7	11	24	37	70
B. *Operated*										
65-69 YRS	359	12.3	143	2	3	8	15	26	36	68
70-74	253	12.1	154	2	3	8	14	25	33	61
75-79	145	13.4	166	2	3	10	17	29	39	69
80-84	94	16.1	232	3	4	11	22	42	58	99+
85+	68	12.7	117	2	3	9	19	31	39	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	483	5.5	44	1	2	4	5	9	13	38
B. *Operated*	584	6.8	49	2	2	5	8	12	19	44
2. MULTIPLE DX										
A. *Not Operated*	696	9.6	101	2	2	6	12	22	28	52
B. *Operated*	919	12.8	158	2	3	9	16	29	38	70
1. SINGLE DX	1067	6.3	47	2	2	4	7	11	17	41
2. MULTIPLE DX	1615	11.4	136	2	2	8	15	25	36	66
A. NOT OPERATED	1179	8.0	82	2	2	5	9	17	25	47
B. OPERATED	1503	10.5	124	2	2	7	12	23	33	62
TOTAL 65-69 YRS	963	8.4	82	2	2	5	10	19	26	56
70-74	728	9.1	103	2	2	6	10	20	27	54
75-79	480	10.2	125	2	2	6	12	23	32	50
80-84	279	10.8	147	2	2	6	13	28	41	72
85+	232	10.8	129	2	3	7	12	25	38	63
GRAND TOTAL	**2682**	**9.4**	**107**	**2**	**2**	**6**	**11**	**21**	**30**	**58**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	208	4.6	13	1	2	4	5	8	10	21
70-74	160	4.9	24	1	2	4	5	7	12	29
75-79	83	5.0	11	2	2	4	6	9	11	21
80-84	52	7.2	48	2	3	5	8	16	25	36
85+	31	7.5	64	1	3	5	8	13	20	45
B. *Operated*										
65-69 YRS	776	7.1	29	1	2	7	9	13	16	28
70-74	541	7.5	36	1	2	7	10	13	16	29
75-79	363	7.7	39	2	2	7	10	14	17	30
80-84	158	8.8	46	2	2	8	11	14	19	31
85+	89	8.7	73	2	2	7	10	16	27	49
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	316	8.2	76	1	2	5	10	18	26	42
70-74	279	9.6	102	2	2	5	12	25	30	50
75-79	172	8.3	72	1	2	5	10	18	27	49
80-84	121	11.0	116	2	3	7	14	28	36	70
85+	69	13.4	217	2	3	9	18	23	45	82
B. *Operated*										
65-69 YRS	1389	10.2	71	2	2	8	12	18	24	45
70-74	1012	11.2	82	2	2	9	13	21	28	49
75-79	705	12.1	109	2	3	10	15	23	31	59
80-84	322	13.4	121	2	3	10	18	25	34	62
85+	173	14.0	130	2	3	11	18	29	39	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	534	5.2	23	1	2	4	5	9	13	27
B. *Operated*	1927	7.5	36	1	2	7	10	13	17	30
2. MULTIPLE DX										
A. *Not Operated*	957	9.4	100	1	2	5	11	21	30	51
B. *Operated*	3601	11.3	90	2	2	9	13	21	29	51
1. SINGLE DX	2461	7.0	34	1	2	6	9	13	16	30
2. MULTIPLE DX	4558	10.9	93	2	2	9	13	21	29	51
A. NOT OPERATED	1491	7.8	76	1	2	5	9	18	26	45
B. OPERATED	5528	10.0	75	2	2	8	12	19	25	45
TOTAL 65-69 YRS	2689	8.6	58	2	2	7	11	16	21	39
70-74	1992	9.5	72	2	2	8	12	18	25	44
75-79	1323	10.0	84	2	2	8	12	19	27	48
80-84	653	11.3	101	2	3	9	14	22	31	59
85+	362	12.0	132	2	3	9	15	25	35	55
GRAND TOTAL	**7019**	**9.5**	**76**	**2**	**2**	**8**	**12**	**18**	**25**	**45**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	225	4.5	28	1	1	3	5	9	14	30
70-74	128	4.7	16	1	1	3	6	11	12	21
75-79	70	5.3	69	1	1	3	5	11	24	92
80-84	12	9.1	143	1	1	3	11	30	38	39
85+	9	9.2	62	2	2	9	15	21	24	24
B. *Operated*										
65-69 YRS	129	12.8	54	4	6	11	15	22	26	41
70-74	81	14.4	69	5	6	13	19	23	33	43
75-79	50	14.0	40	7	7	13	16	21	26	38
80-84	34	13.9	29	7	9	12	17	23	23	31
85+	13	17.8	88	8	9	19	22	28	39	42
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	606	7.[illegible]	95	1	1	5	10	19	28	53
70-74	404	8.4	99	1	2	5	10	21	30	47
75-79	256	9.8	121	1	2	6	12	22	33	54
80-84	98	10.6	110	2	2	6	14	25	31	79
85+	53	12.3	74	2	3	11	18	23	32	36
B. *Operated*										
65-69 YRS	592	17.3	133	5	7	15	21	32	41	69
70-74	445	18.8	140	7	8	16	24	33	43	67
75-79	277	20.8	167	7	9	18	26	37	48	91
80-84	166	21.1	136	8	9	18	27	37	45	62
85+	105	22.7	227	7	10	19	25	45	57	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	444	4.9	35	1	1	3	6	11	15	35
B. *Operated*	307	13.8	55	5	7	12	17	23	26	41
2. MULTIPLE DX										
A. *Not Operated*	1417	8.7	102	1	2	5	11	21	30	53
B. *Operated*	1585	19.1	150	6	8	16	23	35	44	69
1. SINGLE DX	751	8.5	62	1	1	6	12	19	23	38
2. MULTIPLE DX	3002	14.2	154	2	2	11	19	30	39	63
A. NOT OPERATED	1861	7.8	89	1	1	4	10	18	28	51
B. OPERATED	1892	18.2	138	6	8	15	22	33	42	67
TOTAL 65-69 YRS	1552	11.4	122	1	2	9	15	24	32	59
70-74	1058	12.8	134	1	2	10	18	27	35	59
75-79	653	14.3	163	2	2	11	20	31	43	63
80-84	310	16.5	140	2	3	14	23	32	39	60
85+	180	18.6	188	3	5	16	22	35	47	72
GRAND TOTAL	**3753**	**13.1**	**141**	**1**	**2**	**10**	**18**	**28**	**36**	**61**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	4.6	27	1	1	2	7	12	18	20
70-74	16	6.8	73	2	3	4	6	8	29	38
75-79	25	5.6	28	1	2	5	7	10	15	28
80-84	14	7.1	57	1	2	4	7	16	27	30
85+	12	6.5	27	2	2	4	8	16	17	17
B. *Operated*										
65-69 YRS	80	8.5	80	1	2	6	13	18	29	84
70-74	84	9.4	109	1	2	7	11	22	28	59
75-79	65	8.8	57	1	2	6	13	21	23	35
80-84	46	9.8	86	2	3	7	13	18	26	54
85+	42	10.3	79	3	3	7	10	26	29	43
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	44	8.0	99	1	1	4	11	31	36	99+
70-74	41	11.0	253	2	2	5	14	19	55	72
75-79	49	11.2	103	1	3	8	13	23	35	49
80-84	40	12.0	150	2	2	7	19	25	30	66
85+	24	11.9	91	2	3	8	18	26	31	39
B. *Operated*										
65-69 YRS	153	17.8	237	2	3	12	26	43	51	82
70-74	129	16.9	199	2	3	13	21	39	48	62
75-79	129	18.8	228	3	4	14	26	43	50	78
80-84	85	19.3	295	2	4	15	25	44	56	99
85+	86	12.6	102	2	3	10	18	27	30	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	5.9	39	1	2	4	7	12	17	35
B. *Operated*	317	9.2	83	2	2	6	12	20	27	55
2. MULTIPLE DX										
A. *Not Operated*	198	10.7	141	1	2	7	14	25	35	72
B. *Operated*	582	17.3	218	2	3	13	24	41	49	72
1. SINGLE DX	406	8.5	75	1	2	6	11	19	26	51
2. MULTIPLE DX	780	15.6	206	2	3	11	20	37	48	72
A. NOT OPERATED	287	9.2	114	1	2	5	11	20	31	70
B. OPERATED	899	14.4	185	2	2	10	19	34	47	68
TOTAL 65-69 YRS	299	12.9	185	1	2	9	17	34	47	91
70-74	270	13.1	184	2	2	8	17	30	45	64
75-79	268	13.8	169	2	2	10	18	34	44	67
80-84	185	14.4	213	2	3	9	19	32	48	87
85+	164	11.5	91	2	3	8	16	26	29	43
GRAND TOTAL	**1186**	**13.2**	**173**	**2**	**2**	**9**	**17**	**31**	**43**	**68**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	221	6.0	28	1	1	4	8	12	16	25
70-74	192	7.2	40	1	2	6	9	15	18	32
75-79	196	7.9	48	1	2	6	11	15	24	34
80-84	111	6.8	27	1	2	6	9	13	18	26
85+	105	8.3	60	1	2	6	11	16	20	44
B. *Operated*										
65-69 YRS	1914	8.3	36	2	2	7	11	16	19	28
70-74	1932	8.1	39	2	2	7	10	15	18	32
75-79	1504	8.6	36	2	3	7	11	15	19	29
80-84	927	9.0	39	2	3	8	11	16	20	33
85+	536	10.3	49	3	4	9	13	18	24	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1077	9.8	86	1	2	7	13	20	29	48
70-74	1415	10.0	95	1	2	7	12	20	28	52
75-79	1394	10.1	75	2	3	8	13	21	27	46
80-84	1036	10.3	99	2	3	8	13	21	27	55
85+	774	11.1	93	2	3	8	14	23	30	51
B. *Operated*										
65-69 YRS	3134	11.5	79	2	4	9	15	22	28	51
70-74	3868	11.6	81	2	4	9	14	22	29	46
75-79	3672	12.1	84	3	4	10	15	23	29	50
80-84	2544	13.1	88	3	4	11	16	25	31	50
85+	1736	14.3	104	4	5	12	18	27	33	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	825	7.1	40	1	2	5	9	14	19	32
B. *Operated*	6813	8.6	39	2	2	7	11	16	19	31
2. MULTIPLE DX										
A. *Not Operated*	5696	10.2	89	2	2	8	13	21	28	49
B. *Operated*	14954	12.3	86	3	4	10	15	23	30	49
1. SINGLE DX	7638	8.4	39	2	2	7	11	15	19	31
2. MULTIPLE DX	20650	11.7	88	2	3	9	15	23	29	49
A. NOT OPERATED	6521	9.8	84	2	2	7	12	20	27	48
B. OPERATED	21767	11.1	74	2	3	9	14	21	27	46
TOTAL 65-69 YRS	6346	10.1	68	2	2	8	13	19	25	46
70-74	7407	10.3	74	2	3	8	13	20	26	44
75-79	6766	10.8	73	2	3	9	14	21	26	46
80-84	4618	11.5	82	2	3	9	14	22	29	49
85+	3151	12.6	94	3	4	10	16	24	31	51
GRAND TOTAL	**28288**	**10.8**	**77**	**2**	**3**	**9**	**14**	**21**	**27**	**46**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	<1	<1	1	2	2	2	2
70-74	15	2.9	16	1	1	2	3	3	14	17
75-79	2	4.5	1	4	4	4	5	5	5	5
80-84	4	5.5	22	1	1	4	8	12	12	12
85+	1	35.0		35	35	35	35	35	35	35
B. *Operated*										
65-69 YRS	32	9.4	53	2	3	7	13	21	26	28
70-74	32	7.9	78	1	2	6	9	14	20	50
75-79	16	9.8	74	1	2	5	15	21	29	32
80-84	6	9.3	25	1	2	9	12	16	16	16
85+	12	14.2	570	1	3	7	10	38	82	89
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	7.6	23	4	4	5	12	15	16	16
70-74	5	15.8	160	1	1	14	20	36	36	36
75-79	9	5.0	15	2	2	3	6	12	14	14
80-84	1	13.0		13	13	13	13	13	13	13
85+	4	7.5	28	3	3	7	12	13	13	13
B. *Operated*										
65-69 YRS	43	12.4	97	1	3	10	17	23	31	50
70-74	43	12.6	79	2	3	11	16	25	34	37
75-79	39	15.9	208	4	5	12	20	27	44	81
80-84	25	14.6	130	3	4	14	19	24	40	54
85+	20	10.9	88	3	3	7	14	23	33	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	4.7	55	<1	1	2	4	12	22	35
B. *Operated*	98	9.5	123	1	2	7	11	19	24	70
2. MULTIPLE DX										
A. *Not Operated*	30	8.4	51	2	3	5	13	15	16	36
B. *Operated*	170	13.4	122	3	3	11	17	25	36	53
1. SINGLE DX	122	8.6	113	1	2	6	10	18	24	61
2. MULTIPLE DX	200	12.7	114	2	3	10	16	24	36	52
A. NOT OPERATED	54	6.7	55	1	1	4	11	15	17	36
B. OPERATED	268	12.0	125	2	3	9	16	23	32	53
TOTAL 65-69 YRS	88	10.5	74	2	2	8	15	20	26	46
70-74	95	9.7	84	1	2	7	14	20	32	44
75-79	66	12.6	159	2	3	9	16	25	33	76
80-84	36	12.7	105	2	3	11	17	21	32	54
85+	37	12.2	242	3	3	8	13	25	38	89
GRAND TOTAL	**322**	**11.1**	**117**	**1**	**2**	**8**	**15**	**21**	**30**	**52**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	107	5.3	36	1	1	3	5	12	16	33
70-74	132	5.8	42	<1	1	4	7	13	19	36
75-79	138	8.2	98	1	2	5	10	16	35	48
80-84	69	8.4	73	1	2	5	9	23	27	36
85+	58	9.3	74	2	3	6	11	22	31	39
B. *Operated*										
65-69 YRS	2089	6.2	37	1	2	4	7	13	18	32
70-74	2112	6.3	35	1	2	4	8	13	19	31
75-79	1740	6.4	45	1	2	4	7	13	18	35
80-84	1161	6.4	37	1	2	5	8	13	17	34
85+	768	7.3	37	2	2	5	9	15	19	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	357	8.4	75	1	1	6	11	19	26	46
70-74	355	9.2	91	1	2	6	12	20	28	54
75-79	351	10.6	116	2	2	7	13	24	31	56
80-84	262	10.4	102	2	3	7	14	21	29	55
85+	242	11.3	106	2	3	8	14	25	35	49
B. *Operated*										
65-69 YRS	2361	9.9	97	2	2	7	12	22	30	51
70-74	2596	10.3	108	2	2	7	13	22	30	58
75-79	2482	10.6	105	2	2	7	13	23	31	55
80-84	1791	11.0	105	2	3	8	14	23	31	54
85+	1325	12.3	111	2	3	9	16	25	32	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	504	7.1	66	1	1	4	8	16	26	41
B. *Operated*	7870	6.4	38	1	2	4	8	13	18	32
2. MULTIPLE DX										
A. *Not Operated*	1567	9.9	98	1	2	7	12	22	29	54
B. *Operated*	10555	10.6	105	2	2	7	13	23	31	55
1. SINGLE DX	8374	6.4	40	1	2	4	8	13	19	34
2. MULTIPLE DX	12122	10.5	104	2	2	7	13	23	31	54
A. NOT OPERATED	2071	9.2	92	1	2	6	12	21	28	50
B. OPERATED	18425	8.8	81	2	2	6	11	19	26	47
TOTAL 65-69 YRS	4914	8.1	72	1	2	5	10	18	25	43
70-74	5195	8.5	79	1	2	5	10	19	25	48
75-79	4711	9.0	88	2	2	6	11	20	27	49
80-84	3283	9.2	85	2	2	6	11	20	27	51
85+	2393	10.5	91	2	3	8	13	22	29	48
GRAND TOTAL	**20496**	**8.9**	**82**	**2**	**2**	**6**	**11**	**19**	**26**	**47**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	8.0	34	1	1	7	13	17	18	19
70-74	20	7.9	86	1	2	4	8	20	31	39
75-79	25	12.0	122	1	2	11	17	33	37	39
80-84	15	5.9	15	2	2	4	8	12	13	13
85+	8	6.3	7	3	3	6	8	10	11	11
B. *Operated*										
65-69 YRS	229	13.0	47	2	4	13	16	21	26	33
70-74	200	13.4	57	3	4	12	18	23	27	35
75-79	157	14.0	62	2	4	13	18	25	28	42
80-84	84	15.2	94	3	4	13	20	26	32	54
85+	38	15.3	80	4	5	14	22	25	34	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	193	12.8	143	3	3	8	16	28	38	56
70-74	187	10.6	101	1	2	7	15	27	33	84
75-79	157	11.0	112	2	3	8	14	23	30	78
80-84	87	12.6	94	3	3	10	19	29	39	99+
85+	63	13.1	168	2	3	9	16	30	44	97
B. *Operated*										
65-69 YRS	571	18.3	153	4	6	16	22	33	42	69
70-74	623	16.7	124	3	5	15	21	30	38	60
75-79	409	19.7	164	4	7	17	25	34	40	81
80-84	220	20.5	138	5	7	19	27	35	42	59
85+	148	21.7	202	6	7	18	28	42	52	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	8.5	66	1	2	6	12	18	23	39
B. *Operated*	708	13.7	61	2	4	13	18	24	28	39
2. MULTIPLE DX										
A. *Not Operated*	687	11.8	121	2	3	8	16	26	36	80
B. *Operated*	1971	18.6	150	4	6	16	23	33	42	68
1. SINGLE DX	802	13.1	64	2	3	12	17	23	28	39
2. MULTIPLE DX	2658	16.8	151	3	4	14	22	32	40	70
A. NOT OPERATED	781	11.4	115	2	3	8	15	24	36	78
B. OPERATED	2679	17.3	131	3	6	15	22	31	38	64
TOTAL 65-69 YRS	1019	15.8	132	3	4	13	20	29	38	65
70-74	1030	14.8	113	2	3	13	20	27	35	58
75-79	748	16.4	143	3	4	14	22	30	37	72
80-84	406	17.2	130	3	4	15	23	33	39	60
85+	257	18.2	187	4	5	15	23	36	47	91
GRAND TOTAL	**3460**	**16.0**	**133**	**3**	**4**	**14**	**21**	**30**	**37**	**64**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	4.0	27	1	1	1	8	10	10	10
70-74	3	7.7	49	1	1	7	13	15	15	15
75-79	4	9.5	50	2	2	8	14	19	19	19
80-84	1	14.0		14	14	14	14	14	14	14
85+										
B. *Operated*										
65-69 YRS	38	4.5	10	1	2	4	6	9	12	15
70-74	28	5.6	20	2	2	4	7	13	17	18
75-79	30	4.9	8	2	2	4	7	9	9	12
80-84	19	8.9	203	<1	1	4	9	18	44	64
85+	11	5.5	27	<1	1	4	8	13	18	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	7.8	40	2	2	5	11	17	22	23
70-74	10	6.5	29	2	2	4	7	16	19	19
75-79	5	7.2	15	3	3	6	10	13	13	13
80-84	5	8.6	25	4	4	9	15	91	99+	99+
85+	9	9.3	103	1	1	6	12	27	33	33
B. *Operated*										
65-69 YRS	30	6.3	20	2	2	5	8	14	17	19
70-74	30	11.1	117	2	3	7	13	29	39	43
75-79	33	10.6	103	2	3	7	14	24	35	46
80-84	12	5.8	16	2	2	4	8	11	15	16
85+	9	18.4	435	3	3	9	32	52	64	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	7.9	39	1	1	8	13	17	19	19
B. *Operated*	126	5.6	43	1	2	4	7	10	15	30
2. MULTIPLE DX										
A. *Not Operated*	41	7.9	43	2	2	6	12	18	27	99+
B. *Operated*	114	9.7	109	2	3	6	12	20	34	52
1. SINGLE DX	137	5.8	42	1	2	4	7	12	16	25
2. MULTIPLE DX	155	9.2	92	2	2	6	12	19	33	63
A. NOT OPERATED	52	7.9	42	1	2	6	12	17	22	98
B. OPERATED	240	7.6	78	2	2	4	8	16	21	48
TOTAL 65-69 YRS	83	5.6	19	1	2	4	7	12	15	22
70-74	71	8.1	68	2	2	5	10	17	25	42
75-79	72	7.9	60	2	2	6	9	17	23	44
80-84	37	8.0	113	1	2	5	10	16	46	99+
85+	29	10.7	194	1	2	4	11	32	35	64
GRAND TOTAL	**292**	**7.6**	**71**	**2**	**2**	**5**	**9**	**16**	**22**	**56**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	127	13.8	175	2	2	9	19	37	42	55
70-74	66	14.7	202	2	3	10	22	31	47	68
75-79	28	12.6	86	2	3	10	21	27	29	30
80-84	12	14.3	128	4	4	9	22	34	34	34
85+	7	19.7	83	11	11	16	26	33	35	35
B. *Operated*										
65-69 YRS	164	22.9	300	3	7	18	27	46	60	88
70-74	120	23.8	320	3	5	20	30	52	64	95
75-79	53	28.1	364	6	10	25	33	52	74	96
80-84	12	23.2	109	9	12	22	29	38	44	45
85+	4	22.3	58	12	12	24	28	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	161	16.5	221	2	4	12	19	36	51	98
70-74	99	16.1	271	2	2	11	21	36	51	93
75-79	76	14.2	147	3	3	11	19	32	43	92
80-84	32	14.3	113	4	4	11	17	33	36	43
85+	13	30.8	627	4	8	27	53	99+	99+	99+
B. *Operated*										
65-69 YRS	186	29.6	417	7	9	24	38	65	80	99+
70-74	124	29.4	294	9	11	26	38	56	68	99+
75-79	67	30.4	367	8	11	27	41	71	92	99+
80-84	22	26.6	368	7	10	19	35	57	69	73
85+	3	41.0	133	29	29	42	49	52	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	14.1	166	2	3	10	20	33	39	58
B. *Operated*	353	24.0	307	3	7	20	30	49	61	93
2. MULTIPLE DX										
A. *Not Operated*	381	16.2	230	2	3	12	20	36	51	99+
B. *Operated*	402	29.6	364	8	10	25	39	63	78	99+
1. SINGLE DX	593	20.0	273	2	4	16	26	42	56	82
2. MULTIPLE DX	783	23.1	343	3	5	19	32	52	72	99+
A. NOT OPERATED	621	15.4	206	2	3	11	20	35	48	93
B. OPERATED	755	27.0	345	5	9	23	34	56	70	99+
TOTAL 65-69 YRS	638	21.4	326	2	5	17	28	48	64	93
70-74	409	22.2	314	3	4	19	30	49	64	95
75-79	224	22.1	315	3	5	19	30	49	72	99+
80-84	78	19.1	211	4	5	14	26	36	45	71
85+	27	27.8	373	8	9	27	43	76	99+	99+
GRAND TOTAL	**1376**	**21.8**	**315**	**3**	**5**	**18**	**29**	**48**	**64**	**99+**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	8.5	41	4	4	8	13	13	13	13
70-74	3	18.7	166	8	8	15	28	33	33	33
75-79	2	10.0	72	4	4	10	16	16	16	16
80-84	2	4.0	2	3	3	4	5	5	5	5
85+										
B. *Operated*										
65-69 YRS	7	13.3	83	2	2	16	19	26	27	27
70-74	8	38.9	605	10	10	42	55	73	77	77
75-79	2	7.0	2	6	6	7	8	8	8	8
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	13.2	71	1	2	14	20	25	25	25
70-74	13	16.2	505	1	2	7	14	61	69	71
75-79	7	19.3	341	5	6	12	26	52	57	57
80-84	4	24.8	609	4	4	19	44	56	56	56
85+	4	10.0	28	5	5	9	14	17	17	17
B. *Operated*										
65-69 YRS	18	34.0	691	3	4	33	65	99+	99+	99+
70-74	11	38.9	268	18	21	39	57	72	96	99+
75-79	7	24.6	215	2	5	23	31	46	49	49
80-84	2	28.5	841	8	8	28	49	49	49	49
85+	1	36.0		36	36	36	36	36	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	11.2	92	3	3	8	15	26	33	33
B. *Operated*	19	22.3	484	2	3	16	35	57	71	77
2. MULTIPLE DX										
A. *Not Operated*	37	16.3	311	2	3	10	19	51	58	71
B. *Operated*	39	33.5	460	3	7	32	55	97	99+	99+
1. SINGLE DX	28	18.8	378	2	3	12	23	47	64	77
2. MULTIPLE DX	76	25.1	457	2	3	21	47	61	98	99+
A. NOT OPERATED	46	15.3	269	2	3	10	17	33	57	71
B. OPERATED	58	29.8	488	2	4	26	49	73	99+	99+
TOTAL 65-69 YRS	36	23.4	485	2	3	19	35	86	99+	99+
70-74	35	28.7	518	2	3	23	51	63	75	99+
75-79	18	18.9	240	3	4	14	30	44	54	57
80-84	9	18.4	465	2	2	6	37	53	56	56
85+	6	13.3	146	4	4	9	17	34	36	36
GRAND TOTAL	**104**	**23.4**	**440**	**2**	**3**	**17**	**36**	**60**	**79**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	6.4	20	1	1	6	10	11	15	18
70-74	19	3.8	7	1	1	4	4	8	11	11
75-79	15	4.7	18	1	1	3	8	13	13	13
80-84	7	3.1	5	1	1	2	5	7	7	7
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	62	8.1	29	3	4	6	10	15	22	24
70-74	57	7.4	25	3	3	6	9	13	15	30
75-79	32	10.6	75	3	3	8	12	24	31	38
80-84	21	12.2	90	3	4	10	15	23	34	45
85+	8	10.4	9	8	8	9	11	15	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	47	10.4	132	1	2	6	13	32	45	99+
70-74	58	8.6	85	2	2	5	11	21	29	45
75-79	51	11.7	145	2	3	8	13	26	44	60
80-84	26	11.2	129	3	3	8	14	18	33	59
85+	12	13.9	344	2	3	7	22	74	95	99+
B. *Operated*										
65-69 YRS	123	12.3	143	4	4	8	14	25	37	69
70-74	104	14.8	177	3	4	10	18	33	46	63
75-79	104	15.2	149	4	4	12	20	29	39	66
80-84	54	13.2	72	4	6	11	15	22	36	44
85+	26	21.4	152	4	6	22	28	36	45	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	4.8	14	1	1	4	7	11	12	18
B. *Operated*	180	8.9	44	3	4	7	10	16	23	36
2. MULTIPLE DX										
A. *Not Operated*	194	10.5	133	2	2	6	12	27	43	85
B. *Operated*	411	14.4	148	3	4	11	17	30	41	59
1. SINGLE DX	240	7.9	40	2	2	6	10	15	22	33
2. MULTIPLE DX	605	13.2	146	3	3	9	16	29	41	67
A. NOT OPERATED	254	9.2	111	1	2	6	11	20	32	67
B. OPERATED	591	12.7	122	3	4	9	15	26	36	52
TOTAL 65-69 YRS	250	10.5	107	2	3	7	12	22	32	68
70-74	238	10.7	119	2	3	7	12	23	34	50
75-79	202	12.8	134	2	3	9	16	27	36	56
80-84	108	11.9	89	3	4	10	14	22	33	51
85+	47	17.3	190	4	4	13	25	36	53	99+
GRAND TOTAL	**845**	**11.6**	**121**	**2**	**3**	**8**	**14**	**25**	**36**	**59**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	498	8.4	84	1	1	6	10	18	27	48
70-74	392	9.4	72	2	2	7	13	21	27	55
75-79	273	10.4	123	1	2	7	14	22	29	66
80-84	147	8.7	51	1	2	7	11	17	23	35
85+	112	11.2	122	1	3	8	13	21	38	55
B. *Operated*										
65-69 YRS	663	10.5	112	1	2	8	14	24	30	59
70-74	535	10.7	108	1	2	8	14	22	28	53
75-79	362	10.2	89	2	2	8	14	22	28	58
80-84	212	10.4	119	2	2	7	14	23	28	64
85+	173	8.9	106	1	2	6	11	20	31	61
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4724	10.8	102	2	2	8	14	22	30	49
70-74	4050	11.8	120	2	3	8	15	26	34	56
75-79	3136	11.8	114	2	3	9	15	25	33	57
80-84	1904	12.2	101	2	3	10	16	25	32	54
85+	1205	12.7	122	2	3	9	16	27	36	56
B. *Operated*										
65-69 YRS	3953	15.8	164	2	3	13	21	33	42	68
70-74	3245	16.2	174	2	3	13	22	33	43	67
75-79	2336	16.3	174	2	3	13	21	34	43	70
80-84	1348	16.0	159	2	3	13	21	33	41	58
85+	832	15.6	145	2	4	13	21	31	41	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1422	9.3	88	1	2	6	12	20	27	52
B. *Operated*	1945	10.3	107	1	2	8	14	22	29	58
2. MULTIPLE DX										
A. *Not Operated*	15019	11.6	111	2	3	8	15	24	33	54
B. *Operated*	11714	16.0	167	2	3	13	21	33	42	67
1. SINGLE DX	3367	9.9	99	1	2	7	13	21	28	56
2. MULTIPLE DX	26733	13.5	140	2	3	10	18	29	37	61
A. NOT OPERATED	16441	11.4	110	2	3	8	15	24	32	54
B. OPERATED	13659	15.2	162	2	3	12	20	32	41	66
TOTAL 65-69 YRS	9838	12.6	134	2	2	9	17	27	36	60
70-74	8222	13.4	144	2	3	10	18	28	37	61
75-79	6107	13.3	141	2	3	10	18	28	38	66
80-84	3611	13.4	126	2	3	10	17	28	36	56
85+	2322	13.4	132	2	3	10	18	28	37	58
GRAND TOTAL	**30100**	**13.1**	**137**	**2**	**3**	**10**	**17**	**28**	**37**	**60**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	46	5.2	43	<1	1	3	6	11	24	30
70-74	33	6.8	61	1	1	4	9	16	24	36
75-79	17	6.6	47	1	2	4	8	18	23	25
80-84	2	3.0		3	3	3	3	3	3	3
85+	5	11.2	40	4	4	9	15	21	21	21
B. *Operated*										
65-69 YRS	58	11.9	59	2	4	11	18	21	23	37
70-74	54	12.5	158	1	3	9	18	23	24	83
75-79	26	10.9	84	1	4	9	13	19	37	38
80-84	11	15.2	311	1	2	11	21	40	60	62
85+	8	10.1	52	2	3	9	11	22	26	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	63	11.8	181	1	2	7	15	32	39	97
70-74	97	7.6	59	1	1	4	12	17	23	37
75-79	58	12.0	85	1	2	10	16	24	30	43
80-84	27	10.4	60	1	3	8	16	23	26	29
85+	11	12.4	87	5	5	9	13	28	35	36
B. *Operated*										
65-69 YRS	91	19.6	315	2	3	14	28	45	61	76
70-74	74	17.0	98	3	6	16	25	32	36	85
75-79	55	15.9	130	2	4	14	20	34	42	55
80-84	34	21.3	200	5	8	19	28	34	57	65
85+	16	17.2	96	2	3	17	24	31	33	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	6.2	49	1	1	4	8	16	24	33
B. *Operated*	157	12.1	112	2	3	10	17	23	26	60
2. MULTIPLE DX										
A. *Not Operated*	256	10.1	99	1	1	7	14	23	31	47
B. *Operated*	270	18.2	191	2	4	15	25	34	45	73
1. SINGLE DX	260	9.8	95	1	1	7	14	21	25	38
2. MULTIPLE DX	526	14.3	162	1	2	11	20	31	38	67
A. NOT OPERATED	359	9.0	88	1	1	6	13	23	28	46
B. OPERATED	427	16.0	171	2	3	13	21	31	39	67
TOTAL 65-69 YRS	258	13.4	201	1	2	8	18	32	44	76
70-74	258	11.3	107	1	1	9	17	24	30	46
75-79	156	12.6	103	1	2	11	17	24	34	49
80-84	74	15.9	184	2	3	12	23	29	38	64
85+	40	13.7	81	3	4	10	20	27	32	36
GRAND TOTAL	**786**	**12.8**	**145**	**1**	**2**	**10**	**18**	**28**	**34**	**64**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	56	7.1	62	1	1	5	10	15	18	50
70-74	78	8.0	55	1	1	5	11	20	22	32
75-79	50	6.7	16	1	2	6	9	12	14	19
80-84	35	8.1	66	<1	1	6	10	18	29	36
85+	20	9.1	27	1	2	8	12	17	19	20
B. *Operated*										
65-69 YRS	61	10.2	125	2	2	8	12	22	29	62
70-74	52	11.5	139	2	3	8	12	29	40	58
75-79	28	8.9	63	1	2	6	13	22	25	29
80-84	16	12.5	145	2	3	8	14	38	41	41
85+	17	9.8	50	2	3	9	12	23	24	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	257	9.3	78	1	2	7	12	18	23	50
70-74	301	9.8	69	2	2	8	13	19	26	41
75-79	266	9.5	83	1	2	7	13	21	27	48
80-84	231	11.1	105	2	2	8	15	21	30	58
85+	204	10.3	61	2	3	8	13	19	25	41
B. *Operated*										
65-69 YRS	197	14.4	210	2	3	10	19	31	47	84
70-74	197	15.6	209	2	4	11	19	33	49	83
75-79	175	13.9	109	3	4	11	18	28	35	51
80-84	139	12.9	82	2	3	11	17	27	3[illegible]	50
85+	84	15.1	140	4	5	11	20	34	42	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	7.6	48	1	1	6	10	16	20	32
B. *Operated*	174	10.6	112	2	2	8	12	23	31	57
2. MULTIPLE DX										
A. *Not Operated*	1259	9.9	79	2	2	8	13	20	26	48
B. *Operated*	792	14.4	158	2	4	11	19	30	41	75
1. SINGLE DX	413	8.8	77	1	2	7	11	19	25	47
2. MULTIPLE DX	2051	11.7	114	2	3	9	15	24	32	55
A. NOT OPERATED	1498	9.6	75	1	2	7	12	19	25	48
B. OPERATED	966	13.7	151	2	3	10	18	28	40	69
TOTAL 65-69 YRS	571	10.9	133	2	2	8	13	22	31	64
70-74	628	11.5	125	2	2	8	14	24	33	60
75-79	519	10.7	90	1	2	8	14	22	29	49
80-84	421	11.5	97	2	2	9	16	23	31	53
85+	325	11.4	83	2	3	9	15	23	28	45
GRAND TOTAL	**2464**	**11.2**	**109**	**2**	**2**	**8**	**14**	**23**	**31**	**55**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	143	5.5	46	<1	1	3	7	12	19	37
70-74	150	5.3	39	1	1	4	6	13	16	27
75-79	117	6.5	125	1	1	4	7	14	18	75
80-84	78	6.7	40	1	1	5	8	16	22	28
85+	38	7.5	46	1	1	5	13	17	20	30
B. *Operated*										
65-69 YRS	87	14.8	193	2	2	10	21	39	43	57
70-74	82	13.3	200	3	4	8	15	36	52	89
75-79	50	9.2	203	2	2	6	9	17	23	97
80-84	39	13.1	134	4	5	10	12	30	34	65
85+	20	9.9	32	2	3	9	12	20	21	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	343	9.5	77	1	1	6	13	22	28	42
70-74	436	7.5	79	1	1	5	9	17	23	46
75-79	333	8.1	106	1	1	5	10	18	28	58
80-84	283	7.9	58	1	1	6	11	18	23	38
85+	178	9.7	108	1	2	6	12	24	32	59
B. *Operated*										
65-69 YRS	245	18.4	226	3	4	13	27	42	48	66
70-74	261	19.6	345	3	4	13	26	45	59	90
75-79	182	17.4	254	3	4	11	25	41	61	91
80-84	143	16.9	242	3	4	12	20	34	56	74
85+	101	15.8	195	4	4	13	18	32	41	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	526	6.0	61	1	1	4	7	14	19	34
B. *Operated*	278	12.7	179	2	3	8	14	31	42	67
2. MULTIPLE DX										
A. *Not Operated*	1573	8.4	84	1	1	5	11	19	26	45
B. *Operated*	932	18.0	264	3	4	12	24	40	55	87
1. SINGLE DX	804	8.3	112	1	1	5	10	19	29	56
2. MULTIPLE DX	2505	12.0	173	1	2	8	15	28	39	68
A. NOT OPERATED	2099	7.8	79	1	1	5	10	18	24	44
B. OPERATED	1210	16.8	249	3	4	11	22	39	51	86
TOTAL 65-69 YRS	818	12.0	151	1	1	8	16	30	39	58
70-74	929	11.0	189	1	1	6	13	27	39	80
75-79	682	10.4	173	1	1	6	13	25	37	75
80-84	543	10.5	125	1	2	8	13	23	32	65
85+	337	11.3	131	1	2	8	14	24	33	62
GRAND TOTAL	**3309**	**11.1**	**160**	**1**	**1**	**7**	**14**	**26**	**38**	**66**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	470	7.4	65	1	1	5	10	17	23	42
70-74	336	8.3	69	1	2	6	10	17	27	44
75-79	264	8.6	82	1	1	6	12	18	23	43
80-84	148	10.6	126	1	2	7	14	24	31	58
85+	85	8.3	85	1	1	6	10	18	22	54
B. *Operated*										
65-69 YRS	572	10.6	88	2	2	8	13	22	28	45
70-74	483	11.0	79	2	3	9	15	24	29	42
75-79	299	10.7	70	2	3	8	14	22	27	43
80-84	180	11.3	83	2	3	9	15	20	26	51
85+	81	16.2	182	2	3	11	23	33	42	68
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1175	10.3	113	1	2	7	13	23	32	55
70-74	1192	10.5	102	1	2	7	14	23	30	51
75-79	903	11.3	126	1	2	8	15	24	32	50
80-84	517	11.6	112	2	2	8	15	25	37	58
85+	328	12.1	130	2	2	8	15	28	38	52
B. *Operated*										
65-69 YRS	1032	17.1	194	3	4	13	23	36	48	86
70-74	1075	17.9	214	3		14	24	37	50	82
75-79	825	18.9	247	3	4	14	25	42	52	79
80-84	435	18.9	195	3	5	16	24	36	48	73
85+	289	18.3	202	4	5	15	24	39	52	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1303	8.3	78	1	1	6	11	18	25	44
B. *Operated*	1615	11.1	88	2	2	9	15	23	30	45
2. MULTIPLE DX										
A. *Not Operated*	4115	10.9	114	1	2	8	14	24	32	53
B. *Operated*	3656	18.1	213	3	5	14	23	37	50	80
1. SINGLE DX	2918	9.9	85	1	2	7	13	21	28	45
2. MULTIPLE DX	7771	14.3	173	2	3	10	19	30	42	72
A. NOT OPERATED	5418	10.3	107	1	2	7	13	23	30	51
B. OPERATED	5271	15.9	185	2	3	12	21	34	45	75
TOTAL 65-69 YRS	3249	12.1	140	1	2	9	16	26	37	63
70-74	3086	12.9	147	2	2	9	17	28	36	65
75-79	2291	13.6	173	2	2	10	18	29	41	72
80-84	1280	14.0	150	2	3	10	18	29	40	60
85+	783	14.4	169	2	3	10	19	31	42	65
GRAND TOTAL	**10689**	**13.1**	**153**	**2**	**2**	**9**	**17**	**28**	**39**	**65**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	7.0	18	4	4	7	10	10	10	10
70-74	3	2.7	1	2	2	2	4	4	4	4
75-79	3	4.7	4	3	3	4	6	7	7	7
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS	278	3.9	3	1	2	4	5	6	7	9
70-74	189	4.1	7	1	2	4	5	7	8	11
75-79	115	4.2	7	2	2	4	5	6	8	16
80-84	41	4.1	3	2	2	4	5	7	7	8
85+	28	4.1	6	1	2	4	5	7	10	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	6.3	80	<1	<1	3	5	21	28	28
70-74	6	5.8	5	3	3	6	7	9	9	9
75-79	2	8.0	32	4	4	8	12	12	12	12
80-84	1	9.0		9	9	9	9	9	9	9
85+	6	8.7	18	3	3	8	13	14	14	14
B. *Operated*										
65-69 YRS	167	6.0	26	2	2	5	6	12	17	28
70-74	123	6.2	24	2	2	5	7	13	16	25
75-79	76	7.1	28	2	2	6	9	16	18	26
80-84	39	5.9	17	2	2	5	7	12	14	22
85+	28	7.3	35	1	1	6	9	16	19	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.1	8	1	1	4	5	9	10	10
B. *Operated*	651	4.0	5	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	23	7.0	34	1	2	5	9	13	19	28
B. *Operated*	433	6.3	25	2	2	5	7	13	17	26
1. SINGLE DX	660	4.0	5	1	2	4	5	7	8	11
2. MULTIPLE DX	456	6.4	26	2	2	5	8	13	17	27
A. NOT OPERATED	32	6.2	28	1	2	5	8	12	14	28
B. OPERATED	1084	5.0	15	2	2	4	6	9	12	22
TOTAL 65-69 YRS	455	4.7	14	2	2	4	5	8	11	[illegible]
70-74	321	5.0	14	1	2	4	6	9	12	[illegible]
75-79	196	5.4	17	2	2	4	6	10	13	25
80-84	82	5.0	10	2	2	4	6	8	11	19
85+	62	6.0	23	1	2	5	7	12	16	26
GRAND TOTAL	**1116**	**5.0**	**15**	**2**	**2**	**4**	**6**	**9**	**12**	**22**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	155	3.2	6	<1	1	2	4	7	8	13
70-74	132	3.0	5	<1	1	2	4	6	8	11
75-79	98	3.8	13	1	1	2	4	8	11	20
80-84	27	4.5	12	1	1	3	7	9	11	15
85+	24	4.9	20	1	1	4	6	10	15	20
B. *Operated*										
65-69 YRS	938	4.5	23	1	1	2	6	11	14	22
70-74	762	5.0	25	1	1	3	7	12	15	22
75-79	481	4.7	27	1	1	2	5	11	16	24
80-84	231	5.8	69	1	1	3	8	14	17	31
85+	95	7.0	41	1	2	4	10	17	21	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	297	5.9	31	1	1	4	8	12	16	31
70-74	236	5.8	32	1	2	4	8	12	14	30
75-79	216	7.1	63	1	2	5	8	14	18	41
80-84	121	7.2	32	1	2	6	9	16	18	27
85+	109	7.9	32	1	2	7	11	17	21	24
B. *Operated*										
65-69 YRS	1427	8.2	64	1	2	6	12	18	23	37
70-74	1292	8.8	70	1	2	6	13	19	24	38
75-79	887	9.5	90	1	2	7	13	21	27	49
80-84	450	11.1	90	2	2	9	15	23	31	47
85+	258	12.2	127	2	2	9	16	23	32	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	436	3.4	9	1	1	2	4	7	9	14
B. *Operated*	2507	4.9	30	1	1	2	6	12	16	23
2. MULTIPLE DX										
A. *Not Operated*	979	6.5	39	1	2	5	8	13	17	32
B. *Operated*	4314	9.2	79	1	2	7	13	20	25	43
1. SINGLE DX	2943	4.7	27	1	1	2	6	11	15	22
2. MULTIPLE DX	5293	8.7	72	1	2	6	12	19	24	41
A. NOT OPERATED	1415	5.6	32	1	1	4	7	12	15	27
B. OPERATED	6821	7.6	65	1	1	4	11	17	22	38
TOTAL 65-69 YRS	2817	6.4	47	1	1	4	9	15	20	33
70-74	2422	7.0	53	1	1	4	10	16	21	34
75-79	1682	7.5	69	1	1	4	10	17	22	40
80-84	829	8.8	79	1	2	6	12	19	26	45
85+	486	9.8	90	2	2	7	13	21	25	48
GRAND TOTAL	**8236**	**7.3**	**60**	**1**	**1**	**4**	**10**	**17**	**22**	**37**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	1.7	1	<1	<1	2	2	3	3	3
70-74	3	2.3		2	2	2	3	3	3	3
75-79	4	6.8	21	2	2	6	10	13	13	13
80-84	2	2.0		2	2	2	2	2	2	2
85+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	122	4.3	19	1	1	2	5	10	12	22
70-74	85	5.4	35	1	2	2	8	13	18	27
75-79	59	4.2	25	1	1	2	4	11	17	25
80-84	22	4.6	23	2	2	3	4	12	17	20
85+	12	4.7	65	1	1	2	3	13	28	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	10.6	99	<1	1	6	15	28	32	34
70-74	6	8.0	57	3	3	5	8	21	23	23
75-79	7	9.0	21	2	3	9	13	15	15	15
80-84	10	8.9	114	1	1	6	11	24	37	37
85+	4	17.3	70	10	10	15	23	29	29	29
B. *Operated*										
65-69 YRS	127	8.7	64	1	2	7	13	20	26	32
70-74	84	9.1	71	1	2	6	13	22	26	38
75-79	45	10.3	74	1	2	8	13	24	28	35
80-84	12	11.2	43	2	2	10	15	21	23	23
85+	9	10.1	65	3	3	6	15	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.2	8	<1	1	2	4	6	10	13
B. *Operated*	300	4.6	27	1	1	2	5	11	16	25
2. MULTIPLE DX										
A. *Not Operated*	42	10.2	80	1	2	7	14	24	31	37
B. *Operated*	277	9.2	66	1	2	7	13	22	26	35
1. SINGLE DX	318	4.6	26	1	1	2	5	11	16	25
2. MULTIPLE DX	319	9.4	68	1	2	7	13	22	27	36
A. NOT OPERATED	60	8.1	68	1	1	5	11	18	28	37
B. OPERATED	577	6.8	51	1	2	3	10	17	23	30
TOTAL 65-69 YRS	271	6.7	49	1	1	3	10	17	22	30
70-74	178	7.2	55	1	2	4	10	19	23	33
75-79	115	7.0	52	1	1	4	10	16	24	32
80-84	46	7.2	53	1	2	3	11	17	21	37
85+	27	8.3	77	1	2	4	12	23	29	30
GRAND TOTAL	**637**	**7.0**	**53**	**1**	**2**	**3**	**10**	**17**	**23**	**31**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	2.4	2	<1	<1	2	3	4	5	6
70-74	10	5.9	45	<1	1	4	7	16	24	24
75-79	15	2.0	1	<1	<1	2	3	3	4	4
80-84	3	6.7	36	<1	<1	6	11	13	13	13
85+	4	6.3	16	2	2	6	9	11	11	11
B. *Operated*										
65-69 YRS	762	3.5	11	<1	1	2	4	6	10	18
70-74	465	3.5	10	1	1	2	4	6	9	15
75-79	255	3.9	12	1	1	3	4	8	9	20
80-84	86	4.6	19	<1	1	3	6	9	14	23
85+	44	5.2	30	1	2	3	7	9	14	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	38	6.8	43	<1	1	5	9	15	20	31
70-74	37	6.4	51	1	2	4	8	14	22	36
75-79	18	12.0	329	1	2	6	14	20	57	81
80-84	14	5.7	7	2	3	5	9	9	11	11
85+	9	8.0	19	1	2	8	12	13	13	13
B. *Operated*										
65-69 YRS	670	5.7	42	1	2	4	7	12	16	32
70-74	434	6.4	46	2	2	4	8	13	18	34
75-79	254	7.9	67	2	2	5	10	18	23	36
80-84	111	9.1	75	2	2	6	12	21	28	71
85+	37	8.2	67	1	2	5	9	23	28	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.5	15	<1	<1	2	4	7	11	24
B. *Operated*	1612	3.6	12	1	1	3	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	116	7.4	85	1	1	5	9	14	21	51
B. *Operated*	1506	6.6	51	2	2	4	8	14	19	35
1. SINGLE DX	1663	3.6	12	<1	1	3	4	7	10	19
2. MULTIPLE DX	1622	6.6	54	2	2	4	8	14	19	35
A. NOT OPERATED	167	6.3	66	1	1	4	8	13	19	35
B. OPERATED	3118	5.1	33	1	2	3	6	11	15	30
TOTAL 65-69 YRS	1489	4.6	27	1	1	3	5	10	13	24
70-74	946	4.9	30	1	2	3	6	10	14	26
75-79	542	6.0	53	1	2	4	7	13	19	32
80-84	214	7.0	52	1	2	5	9	16	22	42
85+	94	6.7	44	1	2	4	8	13	23	34
GRAND TOTAL	**3285**	**5.1**	**35**	**1**	**2**	**3**	**6**	**11**	**15**	**31**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	6.5	35	1	2	5	9	12	21	24
70-74	11	5.5	32	1	1	3	6	15	19	19
75-79	7	10.6	75	1	2	6	18	23	24	24
80-84	3	8.7	14	6	6	7	11	13	13	13
85+										
B. *Operated*										
65-69 YRS	234	4.0	18	<1	1	2	4	9	12	26
70-74	161	3.9	23	<1	1	2	4	8	13	30
75-79	127	3.9	35	<1	1	2	4	7	12	37
80-84	59	3.7	15	<1	1	3	4	7	12	24
85+	43	6.7	56	<1	1	4	9	15	22	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	28	7.0	24	1	2	6	8	16	17	18
70-74	20	6.8	27	1	1	5	12	14	15	17
75-79	13	9.1	79	1	2	6	12	23	30	32
80-84	21	5.3	24	<1	1	4	6	13	16	18
85+	9	10.4	36	5	5	9	13	20	24	24
B. *Operated*										
65-69 YRS	238	7.7	101	1	2	4	9	18	24	59
70-74	199	6.9	69	1	2	4	9	17	23	30
75-79	118	8.4	133	1	2	5	9	21	27	61
80-84	78	9.7	190	<1	1	5	11	23	30	81
85+	50	10.4	121	2	2	6	14	25	32	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	7.2	40	1	2	5	9	18	23	24
B. *Operated*	624	4.1	26	<1	1	2	4	9	13	30
2. MULTIPLE DX										
A. *Not Operated*	91	7.2	34	1	2	5	11	15	18	29
B. *Operated*	683	8.0	109	1	2	4	9	19	24	57
1. SINGLE DX	660	4.3	27	<1	1	3	4	9	13	30
2. MULTIPLE DX	774	7.9	101	1	2	4	10	18	24	53
A. NOT OPERATED	127	7.2	36	1	2	5	10	15	19	26
B. OPERATED	1307	6.2	73	1	1	3	7	15	22	40
TOTAL 65-69 YRS	515	5.9	60	1	1	3	7	14	18	31
70-74	391	5.6	49	1	1	3	7	13	20	30
75-79	265	6.3	87	1	1	3	7	16	23	46
80-84	161	6.9	108	<1	1	3	7	17	24	57
85+	102	8.8	89	1	2	6	12	21	29	49
GRAND TOTAL	**1434**	**6.2**	**70**	**1**	**1**	**3**	**7**	**15**	**22**	**37**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	2.3	1	<1	<1	2	3	4	4	4
70-74	1	4.0		4	4	4	4	4	4	4
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	214	3.3	21	1	2	2	3	5	8	13
70-74	178	3.1	7	2	2	2	3	5	7	19
75-79	90	2.9	3	1	2	2	3	5	6	10
80-84	40	2.9	4	1	1	2	3	6	8	10
85+	22	2.6	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	4.0	10	2	2	3	3	9	11	11
70-74	4	3.5	6	1	1	3	5	7	7	7
75-79	2	7.5	41	3	3	7	12	12	12	12
80-84	1	8.0		8	8	8	8	8	8	8
85+	4	7.5	16	2	2	8	10	11	11	11
B. *Operated*										
65-69 YRS	198	4.1	13	2	2	3	5	7	9	22
70-74	163	5.5	35	2	2	3	6	10	16	26
75-79	113	6.2	49	2	2	4	7	12	18	40
80-84	57	6.0	27	2	2	4	7	15	17	25
85+	28	6.9	17	3	3	5	9	14	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.3	1	<1	<1	2	3	4	4	4
B. *Operated*	544	3.1	11	1	2	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	18	5.3	13	1	2	3	8	11	12	12
B. *Operated*	559	5.3	29	2	2	3	6	10	16	26
1. SINGLE DX	554	3.1	11	1	2	2	3	5	7	12
2. MULTIPLE DX	577	5.3	29	2	2	3	6	10	15	26
A. NOT OPERATED	28	4.2	11	<1	1	3	5	11	11	12
B. OPERATED	1103	4.2	21	2	2	3	4	8	11	23
TOTAL 65-69 YRS	425	3.7	17	1	2	3	4	6	9	16
70-74	346	4.2	21	2	2	3	5	8	11	23
75-79	206	4.8	31	2	2	3	5	9	13	37
80-84	99	4.7	20	1	2	3	5	10	15	22
85+	55	5.2	15	1	2	4	7	11	14	16
GRAND TOTAL	**1131**	**4.2**	**21**	**2**	**2**	**3**	**4**	**8**	**11**	**23**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	7.5	14	3	3	7	10	12	12	12
70-74	1	2.0		2	2	2	2	2	2	2
75-79	3	3.0	7	1	1	2	5	6	6	6
80-84	4	6.8	47	3	3	4	10	17	17	17
85+	2	10.5	13	8	8	10	13	13	13	13
B. *Operated*										
65-69 YRS	69	7.9	33	1	2	7	10	15	18	27
70-74	33	8.1	14	2	2	8	10	13	14	17
75-79	22	6.5	17	2	2	6	9	13	14	15
80-84	6	10.2	5	6	7	11	12	82	99+	99+
85+	14	12.9	310	1	2	8	11	28	61	71
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	31	7.9	64	1	1	5	11	17	22	39
70-74	19	6.6	11	2	2	7	9	12	12	12
75-79	16	10.9	177	1	1	7	12	21	46	56
80-84	12	7.7	21	1	2	7	11	15	16	16
85+	12	7.4	22	2	2	7	9	15	17	17
B. *Operated*										
65-69 YRS	375	10.2	35	2	5	9	12	18	22	31
70-74	242	10.7	43	2	5	9	13	18	24	36
75-79	122	11.3	46	4	6	9	14	17	24	44
80-84	57	10.8	42	3	4	10	13	17	18	40
85+	40	12.1	83	4	6	9	13	23	38	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	6.4	23	1	2	5	8	13	16	17
B. *Operated*	144	8.3	52	1	2	8	10	15	17	72
2. MULTIPLE DX										
A. *Not Operated*	90	8.1	61	1	2	6	11	15	18	49
B. *Operated*	836	10.6	42	2	5	9	13	18	23	39
1. SINGLE DX	158	8.1	50	1	2	8	10	14	17	67
2. MULTIPLE DX	926	10.4	44	2	4	9	13	17	23	39
A. NOT OPERATED	104	7.8	56	1	2	6	11	14	17	47
B. OPERATED	980	10.3	44	2	4	9	12	17	23	39
TOTAL 65-69 YRS	479	9.7	37	2	3	8	12	17	22	30
70-74	295	10.1	40	2	3	9	12	17	23	33
75-79	163	10.4	57	2	3	9	13	16	24	45
80-84	79	10.1	37	2	3	9	13	17	18	82
85+	68	11.4	116	2	3	8	12	19	38	65
GRAND TOTAL	**1084**	**10.1**	**46**	**2**	**3**	**9**	**12**	**17**	**23**	**39**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+										
B. *Operated*										
65-69 YRS	30	4.3	23	<1	<1	2	6	12	16	18
70-74	9	2.8	1	2	2	2	3	5	5	5
75-79	4	3.0	6	<1	<1	2	5	6	6	6
80-84	5	4.0	10	1	1	3	6	9	9	9
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	13.0		13	13	13	13	13	13	13
75-79	1	22.0		22	22	22	22	22	22	22
80-84										
85+										
B. *Operated*										
65-69 YRS	39	6.9	31	2	2	4	9	15	19	23
70-74	30	5.9	73	2	2	2	6	13	24	43
75-79	11	7.9	35	1	1	6	13	17	18	18
80-84	4	7.8	10	3	3	9	10	10	10	10
85+	5	10.8	41	5	5	8	15	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	48	3.9	16	<1	<1	2	4	10	14	18
2. MULTIPLE DX										
A. *Not Operated*	3	13.3	72	5	5	13	20	22	22	22
B. *Operated*	89	7.0	45	2	2	4	9	16	19	36
1. SINGLE DX	49	3.9	16	<1	<1	2	5	10	14	18
2. MULTIPLE DX	92	7.2	47	2	2	4	9	16	21	35
A. NOT OPERATED	4	11.3	66	5	5	9	17	22	22	22
B. OPERATED	137	5.9	37	1	2	3	8	14	18	26
TOTAL 65-69 YRS	70	5.8	28	<1	1	3	8	14	18	22
70-74	40	5.4	58	2	2	2	5	11	20	43
75-79	17	7.4	42	<1	1	5	12	18	21	22
80-84	9	5.7	13	1	1	5	9	10	10	10
85+	5	10.8	41	5	5	8	15	21	21	21
GRAND TOTAL	**141**	**6.0**	**38**	**1**	**2**	**4**	**8**	**14**	**18**	**26**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	6.0	2	5	5	6	7	7	7	7
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	86	9.8	24	5	6	9	11	15	18	33
70-74	67	9.6	15	6	6	9	11	14	16	27
75-79	40	10.2	13	6	7	9	11	15	20	21
80-84	14	13.9	69	6	7	11	16	28	34	36
85+	6	13.0	17	5	6	14	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	4.3	14	1	1	4	7	8	8	8
70-74	6	6.2	3	4	4	6	8	8	8	8
75-79	2	17.5	145	9	9	17	26	26	26	26
80-84	1	7.0		7	7	7	7	7	7	7
85+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
65-69 YRS	248	11.0	35	6	6	9	12	18	22	28
70-74	166	12.3	43	7	7	10	14	20	25	35
75-79	134	14.8	55	7	8	13	18	26	30	38
80-84	68	15.6	51	7	8	13	20	28	32	88
85+	39	18.4	118	7	9	16	23	28	37	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.0	7	1	1	4	6	7	7	7
B. *Operated*	213	10.1	23	5	6	9	12	15	18	32
2. MULTIPLE DX										
A. *Not Operated*	14	7.9	38	1	1	7	8	15	24	26
B. *Operated*	655	13.0	52	6	7	11	16	22	27	36
1. SINGLE DX	217	10.0	23	5	6	9	11	15	18	31
2. MULTIPLE DX	669	12.9	52	6	7	11	16	22	27	36
A. NOT OPERATED	18	7.0	33	1	1	6	8	12	21	26
B. OPERATED	868	12.3	46	6	7	10	15	21	26	36
TOTAL 65-69 YRS	338	10.6	33	6	6	9	12	17	21	28
70-74	241	11.3	36	6	7	10	13	18	23	35
75-79	177	13.7	50	6	7	11	17	24	28	36
80-84	84	15.1	55	7	8	13	18	27	33	78
85+	46	17.6	105	6	8	16	20	27	36	66
GRAND TOTAL	**886**	**12.2**	**47**	**6**	**7**	**10**	**15**	**20**	**26**	**36**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79	1	12.0		12	12	12	12	12	12	12
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	16	4.6	13	1	1	3	6	11	12	12
70-74	10	3.4	8	2	2	3	3	7	11	11
75-79	8	5.3	51	1	1	2	5	18	22	22
80-84	4	3.0	5	1	1	2	4	6	6	6
85+	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	9.0	32	5	5	9	13	13	13	13
75-79										
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
65-69 YRS	23	4.9	18	1	2	3	7	11	15	18
70-74	11	6.6	27	1	1	4	11	14	15	15
75-79	9	9.8	77	2	2	8	13	25	25	25
80-84	6	5.2	9	3	3	4	5	10	11	11
85+	4	5.0	6	3	3	5	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	6.0	28	2	2	4	10	12	12	12
B. *Operated*	40	4.2	17	1	1	3	5	10	12	22
2. MULTIPLE DX										
A. *Not Operated*	4	9.0	35	3	3	9	14	15	15	15
B. *Operated*	53	6.1	29	2	2	4	8	13	18	25
1. SINGLE DX	43	4.3	17	1	1	3	5	11	12	22
2. MULTIPLE DX	57	6.3	29	2	2	4	9	13	17	25
A. NOT OPERATED	7	7.7	29	2	2	5	13	15	15	15
B. OPERATED	93	5.3	24	1	2	3	7	11	15	25
TOTAL 65-69 YRS	40	4.7	15	1	1	3	6	11	12	18
70-74	23	5.4	21	1	2	3	10	13	14	15
75-79	18	7.9	63	1	2	4	10	23	25	25
80-84	11	4.2	7	1	2	4	5	8	11	11
85+	8	5.9	17	3	3	4	7	13	15	15
GRAND TOTAL	**100**	**5.5**	**25**	**1**	**2**	**3**	**7**	**12**	**15**	**24**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	17	2.7	3	1	1	2	3	6	7	7
70-74	12	4.1	10	1	1	3	5	10	11	11
75-79	11	4.9	15	2	2	3	7	11	14	14
80-84	4	8.0	15	3	3	9	11	11	11	11
85+	3	10.0	63	4	4	7	16	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	4	6.0	17	2	2	6	9	10	10	10
75-79	3	38.3	1642	12	12	18	68	85	85	85
80-84	1	5.0		5	5	5	5	5	5	5
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	29	4.1	20	1	1	2	4	11	16	18
70-74	21	7.6	42	2	2	6	10	15	25	29
75-79	15	8.5	53	2	2	7	11	19	26	28
80-84	7	16.9	216	4	4	11	28	40	42	42
85+	6	11.8	69	3	3	9	20	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*	47	4.5	15	1	1	3	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	10	15.1	630	1	1	7	12	51	85	85
B. *Operated*	78	7.6	63	1	2	5	10	19	26	39
1. SINGLE DX	49	4.4	14	1	1	3	6	10	11	19
2. MULTIPLE DX	89	8.5	127	1	2	5	10	19	28	69
A. NOT OPERATED	12	13.2	536	1	2	5	11	38	78	85
B. OPERATED	125	6.4	47	1	2	4	8	15	20	34
TOTAL 65-69 YRS	47	3.6	14	1	1	2	4	7	15	18
70-74	37	6.3	30	1	2	5	9	11	18	29
75-79	30	10.0	239	2	2	6	11	18	28	85
80-84	13	12.2	142	3	3	7	13	34	40	42
85+	10	10.2	63	1	2	8	19	22	24	24
GRAND TOTAL	**137**	**7.0**	**90**	**1**	**2**	**4**	**8**	**16**	**21**	**48**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.3	2	<1	<1	2	3	4	4	4
70-74	3	4.7	8	3	3	3	7	8	8	8
75-79	4	2.8	1	2	2	3	3	4	4	4
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	77	4.3	22	1	2	3	5	7	12	28
70-74	96	3.3	6	1	1	3	4	6	8	61
75-79	66	3.9	12	1	1	3	5	8	10	20
80-84	41	4.2	9	1	1	4	6	8	12	13
85+	11	4.5	18	1	1	3	5	11	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	5.0	9	<1	<1	6	7	8	8	8
70-74	5	5.0	13	1	1	5	8	9	9	9
75-79	3	3.3	10	1	1	2	6	7	7	7
80-84	2	4.5	5	3	3	4	6	6	6	6
85+	1	28.0		28	28	28	28	28	28	28
B. *Operated*										
65-69 YRS	112	5.4	27	1	2	4	6	11	18	28
70-74	113	5.5	23	1	2	4	8	12	16	22
75-79	72	5.3	23	2	2	4	7	11	15	26
80-84	59	6.7	35	2	2	4	9	15	16	31
85+	31	6.7	17	2	2	7	9	13	15	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.1	3	<1	1	3	4	5	8	8
B. *Operated*	291	3.9	12	1	1	3	5	7	11	22
2. MULTIPLE DX										
A. *Not Operated*	16	6.1	42	<1	1	5	7	9	22	28
B. *Operated*	387	5.7	26	1	2	4	7	12	16	24
1. SINGLE DX	303	3.8	12	1	1	3	4	7	10	21
2. MULTIPLE DX	403	5.7	26	1	2	4	7	12	16	25
A. NOT OPERATED	28	4.8	27	<1	1	3	6	8	11	28
B. OPERATED	678	4.9	21	1	2	3	6	10	15	23
TOTAL 65-69 YRS	198	4.9	25	1	2	3	6	9	16	27
70-74	217	4.5	16	1	1	3	5	10	14	22
75-79	145	4.5	18	1	2	3	5	9	14	21
80-84	103	5.6	25	1	2	4	7	12	15	27
85+	43	6.6	28	1	2	5	8	14	17	28
GRAND TOTAL	**706**	**4.9**	**21**	**1**	**2**	**3**	**6**	**10**	**15**	**24**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	11	2.1		1	1	2	2	3	3	3
70-74	9	1.8		1	1	2	2	2	2	2
75-79	4	2.8	1	2	2	3	3	4	4	4
80-84	1	3.0		3	3	3	3	3	3	3
85+	4	2.3	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	14.0		14	14	14	14	14	14	14
80-84										
85+										
B. *Operated*										
65-69 YRS	11	3.5	7	1	1	2	4	8	9	9
70-74	6	3.3	8	2	2	2	7	82	99+	99+
75-79	8	6.0	54	<1	<1	3	7	19	23	23
80-84	6	2.2	1	1	1	2	3	3	3	3
85+	3	3.7	9	<1	<1	3	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	29	2.1		1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	1	14.0		14	14	14	14	14	14	14
B. *Operated*	34	3.8	17	<1	1	2	4	9	20	99+
1. SINGLE DX	29	2.1		1	1	2	2	3	3	4
2. MULTIPLE DX	35	4.1	20	<1	1	3	5	9	20	99+
A. NOT OPERATED	1	14.0		14	14	14	14	14	14	14
B. OPERATED	63	3.0	10	1	1	2	3	7	9	89
TOTAL 65-69 YRS	22	2.8	4	1	1	2	3	5	8	9
70-74	15	2.4	4	1	1	2	2	8	73	99+
75-79	13	5.6	40	<1	<1	3	6	16	22	23
80-84	7	2.3	1	1	1	2	3	3	3	3
85+	7	2.9	4	<1	<1	3	3	6	7	7
GRAND TOTAL	**64**	**3.2**	**12**	**1**	**1**	**2**	**3**	**8**	**20**	**88**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	4.9	9	1	2	4	7	9	10	11
70-74	15	7.3	30	1	2	7	13	17	75	99+
75-79	16	7.9	67	1	1	4	14	20	24	26
80-84	9	9.3	41	3	3	8	12	20	22	22
85+	8	13.3	48	2	4	13	16	24	26	26
B. *Operated*										
65-69 YRS	142	17.2	166	2	3	14	21	34	43	72
70-74	95	16.8	145	3	5	15	20	26	33	76
75-79	47	20.9	342	2	2	16	24	36	59	91
80-84	19	20.9	131	8	10	18	25	34	48	57
85+	4	17.3	202	4	4	15	29	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	34	13.0	203	3	3	9	17	23	69	99+
70-74	67	10.6	122	2	3	8	13	20	28	73
75-79	47	12.2	126	2	3	7	18	28	38	51
80-84	36	10.6	43	3	4	9	14	22	25	28
85+	25	11.4	42	3	3	12	14	21	44	99+
B. *Operated*										
65-69 YRS	169	28.1	382	5	8	23	42	65	84	99+
70-74	140	28.5	360	5	8	24	43	59	69	99+
75-79	79	32.1	554	5	10	24	41	70	84	98
80-84	29	21.6	152	3	5	20	29	41	44	50
85+	13	20.5	323	6	9	16	22	36	69	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	7.6	39	1	2	6	11	18	22	84
B. *Operated*	307	17.9	185	2	4	16	21	33	42	77
2. MULTIPLE DX										
A. *Not Operated*	209	11.4	112	2	3	9	14	23	30	88
B. *Operated*	430	28.3	394	5	8	23	40	63	77	99+
1. SINGLE DX	377	16.0	174	2	3	14	20	31	39	80
2. MULTIPLE DX	639	22.8	364	3	5	18	31	52	70	99+
A. NOT OPERATED	279	10.5	96	2	3	8	14	21	28	94
B. OPERATED	737	24.0	333	3	7	19	31	50	68	99+
TOTAL 65-69 YRS	367	21.1	309	2	4	17	28	47	67	99+
70-74	317	20.2	290	3	5	16	26	46	61	91
75-79	189	22.3	434	2	3	17	28	50	71	94
80-84	93	16.0	122	3	5	13	22	30	38	54
85+	50	14.5	134	3	4	13	18	26	34	99+
GRAND TOTAL	**1016**	**20.2**	**304**	**2**	**4**	**16**	**26**	**46**	**64**	**99+**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	3.2	3	1	1	3	5	5	5	5
70-74										
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	252	5.3	9	3	3	5	6	8	11	18
70-74	140	5.6	14	3	3	5	6	9	12	20
75-79	60	6.4	15	3	3	6	6	10	14	26
80-84	26	5.8	13	3	3	5	6	9	13	21
85+	15	6.4	17	3	4	5	7	12	17	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	6.9	20	1	2	6	11	13	13	13
70-74	8	6.6	6	4	4	6	10	64	99+	99+
75-79	9	12.2	178	2	2	7	14	36	40	40
80-84	8	12.6	64	5	5	10	20	23	24	24
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	212	8.3	69	3	4	6	9	16	21	43
70-74	152	8.6	75	3	3	6	9	16	23	46
75-79	63	10.1	71	3	4	8	12	18	22	55
80-84	32	10.7	85	3	4	9	13	21	49	99+
85+	9	9.9	27	3	4	9	14	17	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.2	3	<1	<1	4	5	5	5	5
B. *Operated*	493	5.6	12	3	3	5	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	35	9.5	70	2	3	7	12	24	37	99+
B. *Operated*	468	8.8	72	3	4	6	10	17	21	52
1. SINGLE DX	502	5.5	12	3	3	5	6	9	12	20
2. MULTIPLE DX	503	8.9	71	3	4	6	10	18	23	56
A. NOT OPERATED	44	8.2	62	1	2	6	10	22	32	99+
B. OPERATED	961	7.1	43	3	3	5	8	13	18	38
TOTAL 65-69 YRS	479	6.6	38	3	3	5	7	11	17	28
70-74	300	7.1	47	3	3	5	7	12	18	45
75-79	133	8.5	55	3	4	6	9	16	21	43
80-84	67	8.9	59	3	4	6	12	20	24	91
85+	26	7.5	21	3	4	6	9	15	19	19
GRAND TOTAL	**1005**	**7.2**	**44**	**3**	**3**	**5**	**8**	**13**	**18**	**41**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	4.3	9	1	1	5	6	7	7	7
70-74	9	6.9	25	3	3	5	8	15	19	19
75-79	7	4.1	9	<1	<1	4	7	8	8	8
80-84										
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	49	10.1	79	4	4	7	12	19	25	55
70-74	35	11.5	155	4	5	7	12	21	27	74
75-79	16	13.9	49	3	6	16	19	23	24	24
80-84	6	6.3	11	2	2	6	7	11	12	12
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	9.9	12	4	6	10	13	14	15	16
70-74	17	9.9	47	2	3	9	12	19	26	30
75-79	12	19.3	269	3	4	10	35	44	46	46
80-84	8	22.3	416	4	5	16	33	56	61	61
85+	2	19.5	1	19	19	19	20	20	20	20
B. *Operated*										
65-69 YRS	115	14.5	191	4	5	10	17	27	45	76
70-74	82	14.6	151	4	5	11	18	33	39	65
75-79	36	20.6	369	4	5	14	26	51	62	85
80-84	20	16.7	197	2	3	10	26	39	43	47
85+	8	20.0	316	6	7	14	24	50	60	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	5.4	16	<1	1	5	7	9	14	19
B. *Operated*	107	10.8	96	3	4	7	13	20	25	63
2. MULTIPLE DX										
A. *Not Operated*	53	14.3	158	3	4	10	17	33	43	61
B. *Operated*	261	15.7	208	4	5	11	20	33	47	73
1. SINGLE DX	127	10.0	87	2	4	7	12	19	24	59
2. MULTIPLE DX	314	15.5	200	4	5	11	20	33	47	71
A. NOT OPERATED	73	11.8	134	1	3	8	13	26	42	58
B. OPERATED	368	14.3	180	4	5	10	18	28	40	73
TOTAL 65-69 YRS	181	12.8	149	4	5	9	15	24	33	69
70-74	143	12.8	136	4	4	9	16	27	35	74
75-79	71	17.2	264	2	4	11	21	41	51	81
80-84	34	16.2	230	2	3	8	24	40	46	61
85+	12	17.4	235	4	5	14	21	36	57	60
GRAND TOTAL	**441**	**13.9**	**173**	**3**	**4**	**9**	**17**	**28**	**40**	**70**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	16.0		16	16	16	16	16	16	16
75-79	3	7.0	91	<1	<1	2	14	18	18	18
80-84										
85+										
B. *Operated*										
65-69 YRS	102	5.9	26	1	2	5	8	10	14	29
70-74	58	5.2	13	2	2	4	7	11	11	16
75-79	31	5.2	13	2	2	4	7	10	12	15
80-84	18	5.5	13	2	2	5	8	11	13	13
85+	8	4.4	14	<1	1	3	5	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	6.8	23	2	2	5	10	14	14	14
70-74	1	3.0		3	3	3	3	3	3	3
75-79	2	4.5	1	4	4	4	5	5	5	5
80-84	1	5.0		5	5	5	5	5	5	5
85+	2	6.5	25	3	3	6	10	10	10	10
B. *Operated*										
65-69 YRS	140	8.5	67	2	2	7	10	15	18	36
70-74	65	8.2	26	2	3	7	10	16	17	28
75-79	66	8.1	29	2	2	7	11	14	18	28
80-84	24	7.8	47	2	2	6	9	14	25	31
85+	13	9.9	56	3	3	7	15	21	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	8.0	69	<1	<1	3	16	18	18	18
B. *Operated*	217	5.5	19	2	2	4	8	10	13	24
2. MULTIPLE DX										
A. *Not Operated*	11	5.8	13	2	2	5	8	12	14	14
B. *Operated*	308	8.3	48	2	2	7	10	16	19	30
1. SINGLE DX	222	5.6	20	2	2	4	8	11	13	24
2. MULTIPLE DX	319	8.3	47	2	2	7	10	15	19	30
A. NOT OPERATED	16	6.5	28	1	2	4	9	16	17	18
B. OPERATED	525	7.2	38	2	2	6	9	13	17	29
TOTAL 65-69 YRS	248	7.4	50	2	2	7	9	13	17	31
70-74	125	6.8	23	2	2	6	9	13	16	23
75-79	102	7.1	26	2	2	6	10	13	17	26
80-84	43	6.7	32	2	2	5	9	12	17	31
85+	23	7.7	43	1	2	5	12	17	22	26
GRAND TOTAL	**541**	**7.2**	**37**	**2**	**2**	**6**	**9**	**13**	**17**	**29**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	4.0	10	1	1	3	5	8	11	13
70-74	12	9.3	154	<1	1	4	11	33	36	37
75-79	5	13.2	244	2	2	8	20	40	40	40
80-84	1	2.0		2	2	2	2	2	2	2
85+	2	8.0	50	3	3	8	13	13	13	13
B. *Operated*										
65-69 YRS	236	6.6	40	1	2	4	9	15	18	33
70-74	192	5.6	37	1	1	3	6	14	18	31
75-79	122	6.2	99	1	2	3	7	14	18	96
80-84	72	6.1	27	2	2	4	7	13	17	25
85+	37	5.6	28	1	2	3	7	14	19	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	9.3	101	3	4	6	10	16	30	52
70-74	25	10.4	64	1	1	8	17	21	24	26
75-79	17	10.6	98	2	3	6	14	24	35	40
80-84	18	9.1	50	2	3	6	13	18	25	29
85+	13	10.5	79	1	2	7	19	37	86	99+
B. *Operated*										
65-69 YRS	318	9.3	82	2	2	7	12	20	26	44
70-74	284	9.5	74	2	2	7	13	20	28	40
75-79	243	10.3	83	2	2	8	13	21	26	53
80-84	124	11.1	82	2	2	8	16	22	31	62
85+	66	11.8	95	2	2	10	17	30	37	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	7.1	90	1	1	4	7	14	35	40
B. *Operated*	659	6.1	48	1	2	4	8	14	18	33
2. MULTIPLE DX										
A. *Not Operated*	96	9.9	76	2	3	7	14	21	28	77
B. *Operated*	1035	10.0	81	2	2	8	13	21	28	45
1. SINGLE DX	697	6.2	50	1	2	4	8	14	18	35
2. MULTIPLE DX	1131	10.0	81	2	2	8	14	21	28	46
A. NOT OPERATED	134	9.1	81	1	2	5	13	21	30	59
B. OPERATED	1694	8.5	72	1	2	6	11	19	25	40
TOTAL 65-69 YRS	595	8.1	66	1	2	6	11	17	23	38
70-74	513	8.1	65	1	2	5	11	18	25	38
75-79	387	9.1	93	2	2	7	12	20	26	67
80-84	215	9.2	66	2	2	6	13	20	26	43
85+	118	9.6	78	2	2	7	13	23	33	99+
GRAND TOTAL	**1828**	**8.5**	**72**	**1**	**2**	**6**	**11**	**19**	**26**	**40**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	201	6.1	52	1	1	3	7	14	20	39
70-74	157	6.8	48	1	1	4	9	16	20	34
75-79	112	6.5	35	1	2	5	8	12	19	32
80-84	97	7.5	101	1	1	4	10	18	24	82
85+	73	8.9	59	2	2	6	11	19	29	34
B. *Operated*										
65-69 YRS	658	5.7	33	1	1	3	8	13	18	28
70-74	548	6.4	59	1	2	3	9	15	19	33
75-79	378	6.3	62	1	1	4	8	14	19	32
80-84	227	6.1	27	1	2	4	8	14	17	22
85+	111	6.0	31	1	1	4	7	14	17	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	440	8.2	62	1	1	6	11	18	23	44
70-74	509	8.3	67	1	2	6	11	18	23	47
75-79	462	10.1	97	1	2	7	12	21	30	54
80-84	357	9.4	79	2	2	7	12	20	27	53
85+	314	9.9	70	2	2	7	13	20	28	48
B. *Operated*										
65-69 YRS	958	10.4	104	2	2	7	14	23	30	55
70-74	851	11.2	119	2	2	8	15	24	33	63
75-79	720	12.0	116	2	2	9	17	25	32	56
80-84	436	13.1	131	2	3	10	18	26	35	55
85+	275	13.1	115	2	3	11	48	27	33	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	640	6.9	57	1	1	4	9	16	21	38
B. *Operated*	1922	6.1	45	1	1	3	8	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	2082	9.1	76	1	2	7	12	20	26	47
B. *Operated*	3240	11.6	116	2	2	9	15	24	32	58
1. SINGLE DX	2562	6.3	48	1	1	4	8	14	19	32
2. MULTIPLE DX	5322	10.6	101	2	2	8	14	23	30	55
A. NOT OPERATED	2722	8.6	72	1	2	6	11	19	25	46
B. OPERATED	5162	9.5	97	1	2	6	13	21	28	51
TOTAL 65-69 YRS	2257	8.2	75	1	2	5	11	19	25	44
70-74	2065	8.9	89	1	2	6	12	19	26	47
75-79	1672	9.8	98	1	2	7	13	21	28	53
80-84	1117	10.0	98	1	2	7	13	21	29	54
85+	773	10.4	85	2	2	7	14	22	30	52
GRAND TOTAL	**7884**	**9.2**	**88**	**1**	**2**	**6**	**12**	**20**	**27**	**50**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	4.5	6	2	2	4	6	9	10	10
70-74	16	5.2	17	<1	2	4	6	12	15	16
75-79	6	8.2	10	3	3	9	11	11	11	11
80-84	7	3.7	7	1	1	3	5	8	8	8
85+	11	5.2	8	2	2	5	8	9	9	9
B. *Operated*										
65-69 YRS	304	5.6	7	3	3	5	7	8	10	16
70-74	192	5.9	28	3	3	5	7	9	10	25
75-79	61	6.3	8	3	3	6	7	10	12	17
80-84	34	6.5	24	3	4	5	7	10	16	29
85+	8	5.5	10	2	2	5	7	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	112	6.5	22	2	2	5	9	12	16	26
70-74	94	6.1	11	2	3	5	8	11	12	17
75-79	71	6.8	24	3	3	6	8	11	16	33
80-84	41	7.8	45	1	2	6	9	18	23	30
85+	35	8.1	69	2	3	6	10	14	23	46
B. *Operated*										
65-69 YRS	288	8.6	41	3	4	7	10	16	20	39
70-74	185	8.5	39	3	4	7	9	16	21	32
75-79	125	9.2	62	3	4	7	10	17	23	46
80-84	45	12.7	83	3	4	9	15	28	32	40
85+	12	12.8	49	6	6	10	17	23	27	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	5.0	9	1	2	4	7	9	11	15
B. *Operated*	599	5.8	15	3	3	5	7	9	10	17
2. MULTIPLE DX										
A. *Not Operated*	353	6.8	27	2	3	5	8	12	16	28
B. *Operated*	655	9.0	48	3	4	7	10	17	23	39
1. SINGLE DX	675	5.7	14	3	3	5	7	9	10	17
2. MULTIPLE DX	1008	8.2	42	3	3	6	10	15	20	35
A. NOT OPERATED	429	6.4	24	2	2	5	8	12	15	26
B. OPERATED	1254	7.5	35	3	4	6	8	13	17	32
TOTAL 65-69 YRS	740	6.8	25	3	3	5	8	12	16	29
70-74	487	6.9	30	3	3	5	8	12	16	30
75-79	263	7.8	39	3	3	6	9	12	17	35
80-84	127	9.0	58	2	3	6	11	20	28	36
85+	66	8.2	53	2	2	6	10	15	22	43
GRAND TOTAL	**1583**	**7.2**	**32**	**3**	**3**	**6**	**8**	**12**	**17**	**31**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	128	7.0	19	2	3	6	9	13	16	22
70-74	84	7.8	42	2	2	6	10	13	17	40
75-79	48	8.0	19	3	4	7	10	16	17	20
80-84	36	7.1	24	2	2	6	10	12	18	23
85+	18	7.9	12	3	4	7	10	13	15	16
B. *Operated*										
65-69 YRS	109	5.7	9	3	3	5	7	9	11	18
70-74	69	7.4	29	3	3	6	8	14	21	28
75-79	29	6.5	26	2	2	5	8	12	18	26
80-84	11	7.8	25	1	2	6	10	16	17	17
85+	5	10.8	8	8	8	11	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	653	9.9	69	3	3	8	12	19	23	40
70-74	588	11.1	79	3	3	9	14	20	29	44
75-79	526	12.1	97	3	4	10	15	22	29	77
80-84	297	12.6	92	3	4	10	15	23	27	46
85+	191	12.5	97	3	4	10	15	23	31	49
B. *Operated*										
65-69 YRS	207	11.0	86	4	4	8	14	20	29	60
70-74	149	12.3	92	3	3	9	16	25	31	44
75-79	122	14.0	85	4	4	12	18	28	32	45
80-84	63	15.2	110	3	4	13	21	28	35	54
85+	26	20.9	177	6	6	18	31	41	48	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	314	7.4	25	2	3	6	10	13	16	26
B. *Operated*	223	6.6	19	2	3	5	8	11	16	26
2. MULTIPLE DX										
A. *Not Operated*	2255	11.3	85	3	4	9	14	21	28	47
B. *Operated*	567	12.9	99	3	4	10	17	27	32	51
1. SINGLE DX	537	7.1	23	2	3	6	9	13	16	26
2. MULTIPLE DX	2822	11.6	88	3	4	9	15	22	28	50
A. NOT OPERATED	2569	10.9	79	3	3	9	14	20	27	45
B. OPERATED	790	11.1	84	3	4	8	14	23	30	48
TOTAL 65-69 YRS	1097	9.4	63	3	3	7	11	17	21	45
70-74	890	10.7	76	3	3	8	13	20	28	43
75-79	725	12.0	90	3	4	10	15	22	29	59
80-84	407	12.4	91	3	4	10	16	23	28	45
85+	240	13.1	106	3	4	10	16	27	33	50
GRAND TOTAL	**3359**	**10.9**	**80**	**3**	**4**	**8**	**14**	**21**	**28**	**46**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1088	7.7	25	3	3	7	9	13	16	24
70-74	865	7.9	24	2	3	7	10	13	16	25
75-79	562	8.2	27	2	3	7	10	14	17	29
80-84	307	8.3	21	3	3	8	11	15	18	24
85+	147	9.5	46	2	3	7	12	18	21	39
B. *Operated*										
65-69 YRS	28	13.1	154	1	1	11	15	23	40	62
70-74	26	10.0	52	2	2	9	14	21	22	27
75-79	12	15.0	80	4	5	15	19	27	34	35
80-84	3	7.7	36	2	2	7	12	14	14	14
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7228	9.4	45	3	4	8	11	16	21	37
70-74	6321	9.6	46	3	4	8	12	17	22	37
75-79	5007	10.3	56	3	4	9	13	18	23	41
80-84	2951	10.7	66	3	4	9	13	20	26	42
85+	1898	10.9	73	3	4	9	14	20	28	73
B. *Operated*										
65-69 YRS	1084	15.8	131	3	5	13	20	32	40	73
70-74	898	16.7	175	4	5	13	21	32	44	78
75-79	685	17.3	182	4	5	14	22	34	47	82
80-84	324	18.6	164	4	6	15	24	38	50	99+
85+	154	22.9	349	5	7	17	29	49	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2969	8.0	26	3	3	7	10	14	17	26
B. *Operated*	69	12.0	99	2	2	10	16	21	27	57
2. MULTIPLE DX										
A. *Not Operated*	23405	9.9	53	3	4	8	12	18	23	40
B. *Operated*	3145	17.0	171	4	5	14	22	34	45	84
1. SINGLE DX	3038	8.1	28	3	3	7	10	14	17	26
2. MULTIPLE DX	26550	10.8	72	3	4	9	13	20	26	49
A. NOT OPERATED	26374	9.7	50	3	4	8	12	17	22	38
B. OPERATED	3214	16.9	170	4	5	14	21	33	45	84
TOTAL 65-69 YRS	9428	10.0	58	3	4	8	12	18	23	43
70-74	8110	10.2	64	3	4	8	12	18	25	43
75-79	6266	10.9	72	3	4	9	13	20	26	49
80-84	3585	11.2	77	3	4	9	14	21	28	50
85+	2199	11.6	100	3	4	9	14	22	31	81
GRAND TOTAL	**29588**	**10.5**	**68**	**3**	**4**	**8**	**13**	**19**	**25**	**46**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	193	8.2	42	2	3	7	10	15	17	27
70-74	130	9.4	35	3	4	8	12	17	21	32
75-79	97	8.7	32	2	3	8	12	16	20	28
80-84	53	10.5	57	3	4	9	12	20	22	41
85+	26	12.3	110	3	4	10	16	18	27	57
B. *Operated*										
65-69 YRS	3	9.7	24	4	4	12	13	13	13	13
70-74	2	11.0	72	5	5	11	17	17	17	17
75-79	1	11.0		11	11	11	11	11	11	11
80-84	1	13.0		13	13	13	13	13	13	13
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	703	11.0	50	3	4	9	14	19	24	36
70-74	611	11.9	79	3	4	10	15	22	29	54
75-79	500	12.9	110	3	4	10	16	23	29	56
80-84	357	13.7	95	4	5	11	17	24	33	57
85+	243	13.8	120	4	5	11	16	26	35	70
B. *Operated*										
65-69 YRS	83	22.1	276	7	9	17	27	34	58	88
70-74	83	24.5	236	5	8	21	31	54	61	99+
75-79	61	22.7	196	8	9	20	30	45	59	96
80-84	40	25.0	176	7	9	22	32	46	59	99+
85+	27	19.1	77	7	9	17	24	30	35	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	499	9.1	44	2	3	8	12	16	20	34
B. *Operated*	7	10.7	22	4	4	12	13	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	2414	12.3	85	3	4	10	15	22	29	55
B. *Operated*	294	23.0	217	7	9	19	29	45	59	99+
1. SINGLE DX	506	9.1	44	2	3	8	12	16	20	33
2. MULTIPLE DX	2708	13.5	110	3	5	11	17	25	33	60
A. NOT OPERATED	2913	11.7	79	3	4	10	15	21	28	53
B. OPERATED	301	22.8	215	7	9	19	29	44	59	99+
TOTAL 65-69 YRS	982	11.4	79	3	4	9	14	20	26	54
70-74	826	12.8	104	3	4	10	16	25	34	59
75-79	659	13.2	118	3	4	10	16	24	33	58
80-84	451	14.3	109	4	5	12	18	27	38	58
85+	296	14.1	117	4	5	11	17	28	35	69
GRAND TOTAL	**3214**	**12.8**	**102**	**3**	**4**	**10**	**16**	**24**	**31**	**59**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	519	8.1	22	2	3	7	10	15	17	26
70-74	393	8.6	52	3	3	7	10	15	18	37
75-79	271	8.9	28	3	3	8	11	16	20	25
80-84	133	9.5	46	3	3	8	12	17	22	37
85+	54	9.0	22	3	4	8	12	16	18	20
B. *Operated*										
65-69 YRS	124	6.9	85	1	2	4	8	15	23	47
70-74	89	7.9	73	2	2	5	9	17	28	43
75-79	67	10.6	129	2	2	7	13	26	33	60
80-84	30	6.9	42	2	2	4	8	16	19	31
85+	6	8.8	45	2	2	7	16	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3769	10.1	52	3	4	8	12	18	23	39
70-74	3169	10.6	65	3	4	9	13	19	24	48
75-79	2435	10.8	66	3	4	9	13	19	25	48
80-84	1370	11.2	69	3	4	9	14	20	25	53
85+	773	11.6	77	3	4	10	14	21	26	54
B. *Operated*										
65-69 YRS	1554	21.1	283	3	5	16	29	46	61	99+
70-74	1222	23.1	323	4	6	18	31	51	64	94
75-79	893	24.1	313	3	5	20	34	51	65	99+
80-84	489	24.4	310	5	7	20	32	50	67	99+
85+	285	23.7	294	6	8	19	31	51	65	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1370	8.6	34	3	3	7	10	15	18	30
B. *Operated*	316	8.0	87	2	2	5	10	17	28	44
2. MULTIPLE DX										
A. *Not Operated*	11516	10.6	63	3	4	9	13	19	24	46
B. *Operated*	4443	22.8	305	4	5	18	31	50	64	99+
1. SINGLE DX	1686	8.5	44	2	3	7	10	15	19	36
2. MULTIPLE DX	15959	14.0	160	3	4	10	17	29	42	76
A. NOT OPERATED	12886	10.4	60	3	4	9	13	19	24	44
B. OPERATED	4759	21.8	304	3	4	17	30	49	63	99+
TOTAL 65-69 YRS	5966	12.7	136	3	4	9	15	26	37	70
70-74	4873	13.5	160	3	4	10	16	27	41	73
75-79	3666	13.9	158	3	4	10	17	29	41	77
80-84	2022	14.2	159	3	4	10	17	29	41	79
85+	1118	14.5	159	3	4	11	17	28	44	79
GRAND TOTAL	**17645**	**13.5**	**151**	**3**	**4**	**10**	**16**	**27**	**40**	**74**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	2	4.5	13	2	2	4	7	7	7	7
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	8.0		8	8	8	8	8	8	8
80-84										
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	5.0	2	4	4	5	6	6	6	6
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	5	8.0	36	2	2	7	13	16	16	16
70-74										
75-79	3	5.0	12	1	1	7	54	99+	99+	99+
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	5	5.2	6	2	2	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*	8	6.9	26	1	1	7	13	66	99+	99+
1. SINGLE DX	5	5.2	6	2	2	5	7	8	8	8
2. MULTIPLE DX	10	6.5	21	1	2	7	11	50	96	99+
A. NOT OPERATED	2	5.0	2	4	4	5	6	6	6	6
B. OPERATED	13	6.2	18	1	2	7	8	24	83	99+
TOTAL 65-69 YRS	7	7.0	29	2	2	7	11	15	16	16
70-74	3	5.0	1	4	4	5	6	6	6	6
75-79	4	5.8	10	1	1	7	31	99+	99+	99+
80-84										
85+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**15**	**6.1**	**16**	**1**	**2**	**6**	**8**	**16**	**75**	**99+**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	150	5.3	15	1	1	4	7	10	13	22
70-74	112	5.4	16	1	2	4	7	11	14	19
75-79	76	5.9	19	1	1	5	8	11	14	23
80-84	61	5.6	27	1	1	4	7	11	14	31
85+	42	5.6	33	1	2	4	7	12	19	30
B. *Operated*										
65-69 YRS	43	8.9	62	2	2	6	11	22	27	35
70-74	27	7.6	16	2	4	7	9	12	17	19
75-79	14	9.8	52	1	2	8	14	22	24	24
80-84	6	18.0	139	7	7	14	27	36	37	37
85+	2	7.5	1	7	7	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1045	7.7	44	2	2	6	10	15	19	35
70-74	1065	8.7	62	2	2	7	11	17	21	36
75-79	1011	8.6	46	2	3	7	11	17	21	37
80-84	677	9.1	74	2	3	7	11	17	24	45
85+	460	9.4	66	2	3	7	12	18	23	45
B. *Operated*										
65-69 YRS	190	16.0	174	4	5	12	22	32	43	94
70-74	147	16.4	209	4	5	13	22	31	40	90
75-79	110	17.0	166	4	5	13	22	35	43	66
80-84	63	19.7	216	5	6	16	24	45	54	65
85+	27	22.6	408	4	6	14	27	67	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	441	5.5	19	1	1	4	7	11	14	24
B. *Operated*	92	9.2	54	2	3	7	11	20	25	36
2. MULTIPLE DX										
A. *Not Operated*	4258	8.6	56	2	2	7	11	17	21	39
B. *Operated*	537	17.1	200	4	5	13	22	34	47	87
1. SINGLE DX	533	6.1	27	1	1	5	8	12	17	30
2. MULTIPLE DX	4795	9.5	80	2	3	7	12	19	25	48
A. NOT OPERATED	4699	8.3	54	2	2	6	10	16	21	38
B. OPERATED	629	15.9	186	4	5	12	21	33	45	81
TOTAL 65-69 YRS	1428	8.6	68	2	2	6	10	17	24	43
70-74	1351	9.3	80	2	2	7	12	18	24	41
75-79	1211	9.2	61	2	3	7	12	19	23	42
80-84	807	9.7	92	2	3	7	12	19	29	49
85+	531	9.7	90	2	3	7	12	20	26	66
GRAND TOTAL	**5328**	**9.2**	**75**	**2**	**2**	**7**	**11**	**18**	**24**	**46**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	15.7	120	2	4	12	29	30	30	30
70-74	16	10.9	95	1	2	8	15	26	31	33
75-79	16	11.9	114	2	3	8	15	19	39	47
80-84	11	10.1	107	3	4	7	11	23	39	40
85+	19	7.5	33	2	3	5	10	14	21	26
B. *Operated*										
65-69 YRS	5	9.8	45	3	3	11	15	18	18	18
70-74	4	3.3	2	2	2	3	4	5	5	5
75-79	2	17.0	50	12	12	17	22	22	22	22
80-84	3	16.3	52	8	8	20	21	21	21	21
85+	3	8.0	43	1	1	9	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	220	15.5	210	4	4	11	19	30	42	80
70-74	284	14.2	142	3	4	11	18	28	39	67
75-79	321	13.7	88	3	4	11	18	27	34	54
80-84	322	12.4	123	3	4	10	15	22	33	85
85+	385	12.1	79	3	4	10	15	24	30	55
B. *Operated*										
65-69 YRS	62	19.5	219	5	7	17	24	31	47	86
70-74	67	23.3	319	5	7	19	31	53	59	98
75-79	56	21.4	234	4	7	17	30	42	62	98
80-84	45	24.2	407	7	9	17	31	48	64	97
85+	46	22.0	211	6	8	18	32	43	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	10.8	89	2	3	8	13	26	30	45
B. *Operated*	17	9.9	52	1	2	9	15	21	22	22
2. MULTIPLE DX										
A. *Not Operated*	1532	13.4	122	3	4	10	17	26	34	67
B. *Operated*	276	22.0	274	5	7	17	29	44	56	99
1. SINGLE DX	89	10.6	82	2	2	8	14	24	29	44
2. MULTIPLE DX	1808	14.7	155	3	4	11	18	29	40	78
A. NOT OPERATED	1604	13.3	121	3	4	10	16	26	34	66
B. OPERATED	293	21.3	269	4	7	17	28	43	56	99
TOTAL 65-69 YRS	297	16.2	208	3	4	13	20	30	41	83
70-74	371	15.6	184	3	4	11	20	33	45	72
75-79	395	14.7	116	4	4	12	19	30	38	69
80-84	381	13.7	169	3	4	11	16	27	38	94
85+	453	12.9	100	3	4	10	16	26	33	66
GRAND TOTAL	**1897**	**14.5**	**152**	**3**	**4**	**11**	**18**	**29**	**39**	**77**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	5.7	4	3	3	6	8	8	8	8
70-74	1	8.0		8	8	8	8	8	8	8
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	5	8.4	54	2	2	9	12	20	20	20
70-74	2	6.5	1	6	6	6	7	7	7	7
75-79	1	10.0		10	10	10	10	10	10	10
80-84	1	9.0		9	9	9	9	9	9	9
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	100	7.8	33	2	3	6	11	15	19	32
70-74	82	9.6	91	1	2	7	11	18	29	53
75-79	48	10.2	49	2	3	9	15	18	24	28
80-84	17	12.7	135	2	3	8	18	29	39	44
85+	7	7.9	22	2	2	7	12	15	15	15
B. *Operated*										
65-69 YRS	18	13.3	120	1	2	10	16	30	37	41
70-74	14	11.9	121	2	3	6	16	31	33	33
75-79	6	8.5	22	3	3	7	14	14	14	14
80-84	2	18.5	265	7	7	18	30	30	30	30
85+	2	21.0	288	9	9	21	33	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	6.0	4	3	3	6	8	8	8	8
B. *Operated*	10	8.6	27	2	2	9	10	16	20	20
2. MULTIPLE DX										
A. *Not Operated*	254	9.2	62	2	3	7	11	18	26	39
B. *Operated*	42	12.8	112	2	3	9	16	31	33	41
1. SINGLE DX	18	7.4	18	2	2	7	9	11	17	20
2. MULTIPLE DX	296	9.7	70	2	3	7	12	19	28	40
A. NOT OPERATED	262	9.1	60	2	3	7	11	17	25	39
B. OPERATED	52	12.0	98	2	3	9	15	30	33	41
TOTAL 65-69 YRS	130	8.5	47	2	2	6	11	16	22	38
70-74	99	9.8	92	1	2	7	11	22	31	50
75-79	55	10.0	45	2	3	9	15	18	24	28
80-84	20	13.1	132	2	3	8	19	29	37	44
85+	10	10.9	77	2	3	8	13	24	33	33
GRAND TOTAL	**314**	**9.6**	**67**	**2**	**3**	**7**	**12**	**18**	**28**	**40**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	40	6.2	29	2	2	5	7	11	18	28
70-74	43	7.7	30	1	2	7	10	13	19	28
75-79	39	3.6	8	<1	<1	3	5	8	10	11
80-84	22	7.9	51	1	2	6	9	20	26	27
85+	17	9.1	42	2	3	8	13	20	21	21
B. *Operated*										
65-69 YRS	63	5.6	25	1	2	3	8	14	17	22
70-74	39	7.3	52	<1	1	5	10	17	21	36
75-79	25	6.9	57	1	2	4	8	22	26	28
80-84	7	6.6	39	1	1	4	9	17	19	19
85+	8	11.3	31	5	5	10	15	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	347	8.3	44	2	3	6	10	17	22	33
70-74	293	9.2	65	2	3	7	11	17	20	51
75-79	230	9.8	57	2	3	8	12	20	24	41
80-84	165	9.5	59	2	3	8	12	21	24	48
85+	111	10.1	78	3	3	8	12	20	34	99+
B. *Operated*										
65-69 YRS	186	12.7	164	2	2	10	16	29	35	66
70-74	167	13.3	102	2	3	12	19	27	29	41
75-79	112	13.6	147	2	4	10	17	27	34	74
80-84	56	16.0	213	2	4	11	18	45	55	97
85+	33	15.2	151	4	5	11	22	31	38	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	6.5	31	<1	1	5	8	13	20	28
B. *Operated*	142	6.7	39	1	2	4	9	17	20	29
2. MULTIPLE DX										
A. *Not Operated*	1146	9.2	57	2	3	7	12	18	23	46
B. *Operated*	554	13.6	146	2	3	11	18	28	36	66
1. SINGLE DX	303	6.6	35	<1	1	5	9	14	20	28
2. MULTIPLE DX	1700	10.6	90	2	3	8	14	22	29	55
A. NOT OPERATED	1307	8.9	55	2	3	7	11	17	23	45
B. OPERATED	696	12.2	132	2	2	9	16	26	33	64
TOTAL 65-69 YRS	636	9.2	82	2	2	6	12	18	27	47
70-74	542	10.2	77	2	3	8	14	20	27	46
75-79	406	10.1	85	2	2	8	13	21	27	43
80-84	250	10.8	99	2	3	8	13	23	35	59
85+	169	11.1	89	3	3	9	15	22	32	91
GRAND TOTAL	**2003**	**10.0**	**84**	**2**	**2**	**7**	**13**	**21**	**28**	**52**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	88	5.1	9	1	1	5	7	9	11	14
70-74	72	6.0	16	1	2	5	8	11	14	21
75-79	54	5.9	12	2	3	5	7	12	16	96
80-84	31	5.1	9	2	2	5	6	9	11	15
85+	27	6.0	17	1	1	5	8	12	15	17
B. *Operated*										
65-69 YRS	27	6.3	56	1	2	4	8	11	16	40
70-74	19	7.6	48	1	1	5	12	20	22	22
75-79	6	7.0	30	2	2	6	9	15	16	16
80-84	4	4.5	27	1	1	3	8	12	12	12
85+	3	6.0	13	2	2	7	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	445	8.1	35	2	3	6	10	15	20	28
70-74	417	8.1	31	2	3	6	10	15	18	30
75-79	347	8.0	26	2	3	7	11	15	18	26
80-84	214	8.9	53	3	3	7	11	17	22	32
85+	182	8.0	24	3	3	7	10	15	18	28
B. *Operated*										
65-69 YRS	72	12.8	108	2	3	11	17	25	33	53
70-74	60	14.7	178	3	4	10	17	40	43	62
75-79	37	15.2	130	4	5	12	20	31	32	55
80-84	28	16.7	133	4	6	13	23	38	41	43
85+	13	13.8	72	2	4	13	20	26	29	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	5.6	12	1	2	5	7	10	13	19
B. *Operated*	59	6.7	45	1	1	4	9	14	20	38
2. MULTIPLE DX										
A. *Not Operated*	1605	8.2	33	2	3	7	10	15	19	28
B. *Operated*	210	14.3	132	3	4	11	19	31	41	58
1. SINGLE DX	331	5.8	18	1	2	5	7	11	14	21
2. MULTIPLE DX	1815	8.9	49	2	3	7	11	17	21	39
A. NOT OPERATED	1877	7.8	31	2	3	6	10	14	18	28
B. OPERATED	269	12.7	123	2	2	9	17	28	39	56
TOTAL 65-69 YRS	632	8.2	45	2	3	6	10	15	21	34
70-74	568	8.5	50	2	3	6	10	16	20	41
75-79	444	8.3	38	2	3	7	11	16	19	31
80-84	277	9.2	63	2	3	7	11	18	23	41
85+	225	8.1	28	2	3	7	10	15	19	29
GRAND TOTAL	**2146**	**8.4**	**45**	**2**	**3**	**7**	**11**	**16**	**21**	**38**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	112	6.1	28	1	2	5	7	11	13	30
70-74	102	6.6	21	2	2	5	8	14	17	21
75-79	123	7.3	26	2	2	6	10	14	19	24
80-84	101	7.4	42	2	2	6	8	13	17	41
85+	139	7.0	24	1	2	6	9	13	14	27
B. *Operated*										
65-69 YRS	2	7.5	61	2	2	7	13	13	13	13
70-74	1	1.0		1	1	1	1	1	1	1
75-79	4	6.8	59	1	1	4	11	18	18	18
80-84	2	14.0	8	12	12	14	16	16	16	16
85+	4	16.8	28	12	12	15	20	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2062	9.2	75	2	3	7	11	17	23	51
70-74	2468	9.8	63	2	3	8	12	18	23	44
75-79	2985	10.3	79	2	3	8	13	20	26	52
80-84	2970	11.1	90	3	4	9	14	21	28	56
85+	3517	11.4	92	3	4	9	14	21	29	57
B. *Operated*										
65-69 YRS	220	16.1	162	3	5	13	20	32	45	99+
70-74	234	20.3	249	5	7	15	27	42	55	94
75-79	248	20.3	242	5	6	15	27	40	59	85
80-84	193	20.2	189	5	7	16	27	37	47	99+
85+	219	23.5	233	7	9	19	30	51	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	577	6.9	28	2	2	6	8	13	15	27
B. *Operated*	13	10.6	56	1	1	12	16	19	23	24
2. MULTIPLE DX										
A. *Not Operated*	14002	10.5	82	2	3	8	13	20	27	53
B. *Operated*	1114	20.1	221	5	7	16	27	40	57	99+
1. SINGLE DX	590	7.0	29	2	2	6	9	13	16	26
2. MULTIPLE DX	15116	11.2	98	3	3	9	14	21	30	60
A. NOT OPERATED	14579	10.4	80	2	3	8	13	20	26	52
B. OPERATED	1127	20.0	220	5	6	16	27	40	57	99+
TOTAL 65-69 YRS	2396	9.7	85	2	3	7	12	18	25	58
70-74	2805	10.5	86	2	3	8	13	20	28	54
75-79	3360	11.0	96	2	3	8	13	21	29	59
80-84	3266	11.6	99	3	4	9	14	22	31	66
85+	3879	11.9	106	3	4	9	14	23	31	62
GRAND TOTAL	**15706**	**11.1**	**96**	**2**	**3**	**8**	**14**	**21**	**29**	**59**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	101	6.1	19	1	2	5	8	11	14	23
70-74	112	5.6	46	1	1	4	7	11	13	35
75-79	123	5.9	21	1	2	5	8	10	15	24
80-84	104	5.3	11	1	1	5	7	10	11	15
85+	99	6.1	23	<1	1	5	9	11	14	26
B. *Operated*										
65-69 YRS	39	7.6	15	3	3	7	10	13	14	21
70-74	44	8.2	23	2	3	8	10	14	18	22
75-79	41	9.6	21	3	4	10	13	14	18	23
80-84	33	10.1	23	4	5	9	14	17	20	21
85+	30	11.1	46	3	3	9	17	21	23	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	893	7.8	39	2	3	7	9	14	18	34
70-74	1144	8.2	32	2	3	7	11	15	18	29
75-79	1324	8.4	39	2	3	7	11	15	20	34
80-84	1206	8.7	40	2	3	7	11	16	20	31
85+	1215	8.6	47	2	3	7	11	16	20	34
B. *Operated*										
65-69 YRS	469	11.6	58	4	5	10	14	20	25	39
70-74	562	12.4	81	3	5	10	16	22	28	49
75-79	556	12.2	71	3	5	10	15	22	28	46
80-84	450	12.7	73	4	5	11	15	23	29	48
85+	279	13.1	85	4	5	11	16	22	32	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	539	5.8	24	1	1	5	7	11	14	24
B. *Operated*	187	9.2	25	3	4	8	12	17	20	23
2. MULTIPLE DX										
A. *Not Operated*	5782	8.4	40	2	3	7	11	15	19	32
B. *Operated*	2316	12.3	73	4	5	10	15	22	28	48
1. SINGLE DX	726	6.7	27	1	2	6	9	13	16	24
2. MULTIPLE DX	8098	9.5	52	2	3	8	12	17	22	39
A. NOT OPERATED	6321	8.2	39	2	3	7	10	15	19	31
B. OPERATED	2503	12.1	70	4	5	10	15	21	27	47
TOTAL 65-69 YRS	1502	8.9	46	2	3	7	11	16	20	35
70-74	1862	9.3	52	2	3	8	12	17	21	39
75-79	2044	9.3	50	2	3	8	12	17	22	36
80-34	1793	9.5	51	2	3	8	12	17	22	38
85+	1623	9.3	55	2	3	8	12	18	22	40
GRAND TOTAL	**8824**	**9.3**	**51**	**2**	**3**	**8**	**12**	**17**	**22**	**38**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	3	6.7	4	5	5	6	8	9	9	9
75-79										
80-84										
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	8.1	24	2	2	8	12	43	92	99+
70-74	9	8.1	43	1	1	8	14	18	19	19
75-79	3	6.0	48	2	2	2	11	14	14	14
80-84	1	8.0		8	8	8	8	8	8	8
85+	2	8.5	5	7	7	8	10	10	10	10
B. *Operated*										
65-69 YRS	7	10.9	39	4	4	10	14	21	22	22
70-74	2	8.5	25	5	5	8	12	12	12	12
75-79	1	43.0		43	43	43	43	43	43	43
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	6.0	4	4	4	6	7	9	9	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	26	7.9	28	2	2	8	13	18	31	99+
B. *Operated*	10	13.6	136	4	4	11	15	32	43	43
1. SINGLE DX	5	6.0	4	4	4	6	7	9	9	9
2. MULTIPLE DX	36	9.5	62	2	2	8	13	19	36	99+
A. NOT OPERATED	31	7.6	24	2	2	7	11	17	19	99+
B. OPERATED	10	13.6	136	4	4	11	15	32	43	43
TOTAL 65-69 YRS	19	8.9	30	2	3	8	13	20	61	99+
70-74	14	7.9	30	1	2	7	12	16	18	19
75-79	4	15.3	374	2	2	8	28	43	43	43
80-84	1	8.0		8	8	8	8	8	8	8
85+	3	7.7	4	6	6	7	9	10	10	10
GRAND TOTAL	**41**	**9.0**	**56**	**2**	**2**	**8**	**12**	**18**	**30**	**99+**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	336	4.3	17	<1	1	3	6	10	13	19
70-74	392	4.9	32	1	1	3	6	12	15	29
75-79	451	4.8	24	<1	1	3	6	11	14	22
80-84	376	5.1	40	<1	1	3	6	11	15	37
85+	352	5.0	26	1	1	3	7	12	16	24
B. *Operated*										
65-69 YRS	121	9.0	44	2	3	7	11	18	25	30
70-74	145	8.7	29	2	3	8	11	16	19	24
75-79	133	10.3	76	3	4	8	12	17	27	56
80-84	78	8.9	41	2	3	8	10	17	22	33
85+	67	9.6	51	2	2	8	12	17	20	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1497	7.3	46	1	1	6	10	16	20	36
70-74	1960	7.5	49	1	1	6	10	15	21	34
75-79	2179	7.8	50	1	2	6	10	16	21	33
80-84	1951	8.3	51	1	2	6	11	17	22	36
85+	2116	8.9	83	1	2	7	11	18	25	54
B. *Operated*										
65-69 YRS	681	13.9	125	3	4	11	18	27	35	58
70-74	902	13.3	124	3	4	10	17	25	24	57
75-79	932	14.3	127	3	4	12	18	28	[illegible]	59
80-84	767	14.3	119	3	4	12	18	28	[illegible]	64
85+	608	15.4	138	4	5	12	19	28	40	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1907	4.8	28	<1	1	3	6	11	15	26
B. *Operated*	544	9.3	48	2	3	8	11	17	22	36
2. MULTIPLE DX										
A. *Not Operated*	9703	8.0	57	1	2	6	10	17	22	39
B. *Operated*	3890	14.2	126	3	4	11	18	27	36	62
1. SINGLE DX	2451	5.8	36	1	1	4	8	13	17	29
2. MULTIPLE DX	13593	9.8	85	1	2	7	13	20	27	48
A. NOT OPERATED	11610	7.5	54	1	[illegible]	6	10	16	21	37
B. OPERATED	4434	13.6	119	3	4	11	17	26	34	58
TOTAL 65-69 YRS	2635	8.7	73	1	1	6	11	19	25	42
70-74	3399	8.8	74	1	1	7	11	18	24	42
75-79	3695	9.2	77	1	2	7	12	19	25	45
80-84	3172	9.4	75	1	2	7	12	19	26	43
85+	3143	9.8	96	1	2	7	13	20	27	57
GRAND TOTAL	**16044**	**9.2**	**79**	**1**	**2**	**7**	**12**	**19**	**25**	**45**

85: Hemophilia (congenital factor viii disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	3	13.3	160	2	2	11	23	27	27	27
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74	1	4.0		4	4	4	4	4	4	4
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	27.0	338	14	14	27	40	40	40	40
70-74	17	9.6	72	2	3	7	12	19	30	36
75-79	5	19.4	344	4	4	10	39	41	41	41
80-84	5	9.6	27	3	3	10	14	16	16	16
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	3	13.0	133	4	4	9	22	26	26	26
70-74	1	10.0		10	10	10	10	10	10	10
75-79										
80-84										
85+	1	48.0		48	48	48	48	48	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	11.5	120	2	2	8	19	27	27	27
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	30	12.2	134	3	3	8	14	37	40	41
B. *Operated*	5	19.4	324	4	4	10	31	48	48	48
1. SINGLE DX	5	10.0	102	2	2	6	15	27	27	27
2. MULTIPLE DX	35	13.3	159	3	3	9	15	38	41	48
A. NOT OPERATED	34	12.1	129	2	3	8	14	36	40	41
B. OPERATED	6	16.8	299	4	4	9	26	46	48	48
TOTAL 65-69 YRS	5	18.6	210	4	4	14	29	40	40	40
70-74	22	9.9	73	2	2	8	12	22	31	36
75-79	6	17.2	305	4	4	8	38	41	41	41
80-84	5	9.6	27	3	3	10	14	16	16	16
85+	2	26.0	968	4	4	26	48	48	48	48
GRAND TOTAL	**40**	**12.9**	**150**	**2**	**3**	**9**	**15**	**37**	**40**	**48**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	94	6.0	63	1	1	4	8	12	14	50
70-74	126	5.6	25	<1	1	4	8	12	17	23
75-79	86	4.9	53	<1	1	3	5	11	13	46
80-84	71	5.3	20	1	1	4	7	12	12	25
85+	38	5.4	29	1	1	3	7	12	15	28
B. *Operated*										
65-69 YRS	96	10.9	68	2	3	9	14	20	30	42
70-74	68	12.3	86	3	4	10	16	23	28	55
75-79	45	9.1	55	2	3	7	11	19	23	41
80-84	27	12.4	58	3	3	11	15	24	29	31
85+	24	11.3	36	4	5	10	15	17	21	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	539	8.6	76	1	2	6	11	17	23	50
70-74	588	8.1	67	1	2	6	10	17	23	44
75-79	545	8.2	68	1	2	6	10	17	23	41
80-84	337	8.0	66	1	1	6	10	18	24	39
85+	260	9.0	77	2	2	7	11	18	22	54
B. *Operated*										
65-69 YRS	376	15.0	158	3	5	11	20	31	38	67
70-74	375	14.1	110	3	5	11	17	28	38	58
75-79	354	15.3	195	3	4	11	18	31	47	78
80-84	192	15.5	204	3	4	12	18	27	44	84
85+	133	15.2	122	3	4	12	20	30	41	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	415	5.5	39	1	1	4	7	12	14	27
B. *Operated*	260	11.2	67	3	3	9	14	21	28	41
2. MULTIPLE DX										
A. *Not Operated*	2269	8.3	70	1	2	6	10	17	23	47
B. *Operated*	1430	14.9	157	3	4	11	18	30	40	68
1. SINGLE DX	675	7.7	57	1	1	6	10	16	21	35
2. MULTIPLE DX	3699	10.9	114	1	2	8	14	22	31	59
A. NOT OPERATED	2684	7.9	66	1	1	6	10	16	22	42
B. OPERATED	1690	14.3	145	3	4	11	18	28	38	65
TOTAL 65-69 YRS	1105	10.8	112	1	2	8	14	22	31	58
70-74	1157	10.0	87	1	2	8	13	21	28	53
75-79	1030	10.4	123	1	2	7	12	22	32	61
80-84	627	10.2	116	1	2	7	12	22	28	59
85+	455	10.7	94	2	3	8	14	21	29	47
GRAND TOTAL	**4374**	**10.4**	**107**	**1**	**2**	**8**	**13**	**22**	**30**	**58**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	3.8	3	2	2	3	5	6	7	7
70-74	3	4.3	8	1	1	6	6	6	6	6
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	2.0		2	2	2	2	2	2	2
85+	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
65-69 YRS	3	20.7	654	3	3	9	40	50	50	50
70-74	4	4.5	10	2	2	3	6	9	9	9
75-79										
80-84	1	7.0		7	7	7	7	7	7	7
85+	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	3.5	6	1	1	3	6	7	7	7
70-74	5	4.4	8	2	2	3	6	9	9	9
75-79	2	3.0	2	2	2	3	4	4	4	4
80-84	4	5.0	12	2	2	4	7	10	10	10
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	5	10.8	66	3	3	9	15	24	24	24
70-74	2	13.5	113	6	6	13	21	21	21	21
75-79	2	4.5	1	4	4	4	5	5	5	5
80-84										
85+	3	9.7	2	8	8	10	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	3.7	4	1	2	3	5	6	7	7
B. *Operated*	10	10.0	205	2	2	6	9	30	50	50
2. MULTIPLE DX										
A. *Not Operated*	20	4.0	6	1	1	3	5	8	9	10
B. *Operated*	12	9.9	43	3	4	8	11	22	24	24
1. SINGLE DX	26	6.1	86	1	2	4	6	9	17	50
2. MULTIPLE DX	32	6.2	28	1	2	5	8	11	20	24
A. NOT OPERATED	36	3.8	5	1	1	3	5	7	8	10
B. OPERATED	22	10.0	110	2	3	7	10	22	34	50
TOTAL 65-69 YRS	25	7.1	103	1	1	4	7	12	30	50
70-74	14	5.7	25	1	2	4	6	10	19	21
75-79	5	3.4	2	2	2	4	4	5	5	5
80-84	6	4.8	10	2	2	4	7	10	10	10
85+	8	6.6	11	2	2	7	9	11	11	11
GRAND TOTAL	**58**	**6.2**	**53**	**1**	**2**	**4**	**7**	**10**	**17**	**48**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	5.2	13	2	2	4	6	11	12	12
70-74	1	7.0		7	7	7	7	7	7	7
75-79	2	6.5	13	4	4	6	9	9	9	9
80-84	3	5.0	7	2	2	6	7	7	7	7
85+	4	4.3		4	4	4	5	5	5	5
B. *Operated*										
65-69 YRS	31	4.0	9	1	1	3	5	8	10	15
70-74	27	4.0	8	1	2	3	5	8	12	12
75-79	18	4.2	6	1	2	3	6	8	9	10
80-84	3	4.3	10	2	2	3	7	8	8	8
85+	6	4.8	9	2	2	5	5	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	7.6	23	2	3	6	8	17	18	18
70-74	8	8.0	94	2	2	4	8	25	31	31
75-79	13	9.9	111	4	4	7	9	22	39	43
80-84	8	8.6	33	<1	1	7	12	17	18	18
85+	10	12.0	354	3	3	6	8	38	65	65
B. *Operated*										
65-69 YRS	48	7.2	41	2	2	5	8	17	23	30
70-74	38	9.2	136	2	2	6	9	19	36	61
75-79	22	7.4	42	2	3	6	7	17	24	28
80-84	11	8.8	38	1	2	8	13	17	22	22
85+	2	16.5	265	5	5	16	28	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	5.2	7	2	2	5	6	9	11	12
B. *Operated*	85	4.1	8	1	2	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	52	9.3	114	2	3	6	9	17	30	65
B. *Operated*	121	8.2	72	2	2	6	8	19	25	49
1. SINGLE DX	101	4.3	8	1	2	3	5	8	10	14
2. MULTIPLE DX	173	8.5	85	2	2	6	8	18	25	57
A. NOT OPERATED	68	8.3	91	2	3	6	8	17	20	61
B. OPERATED	206	6.5	50	1	2	4	7	12	21	36
TOTAL 65-69 YRS	98	6.1	29	1	2	4	7	12	18	28
70-74	74	7.1	87	2	2	5	7	12	24	57
75-79	55	6.9	48	2	3	5	7	12	20	42
80-84	25	7.8	30	1	2	7	10	16	19	22
85+	22	9.0	185	2	3	5	7	17	43	65
GRAND TOTAL	**274**	**6.9**	**60**	**2**	**2**	**5**	**8**	**13**	**21**	**44**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	13.8	177	2	2	8	17	33	45	49
70-74	18	8.9	47	1	2	7	15	23	65	99+
75-79	15	15.5	431	2	3	8	13	44	72	81
80-84	8	10.5	75	2	3	8	12	25	30	30
85+	10	5.0	22	1	1	3	8	12	16	16
B. *Operated*										
65-69 YRS										
70-74	1	18.0		18	18	18	18	18	18	18
75-79										
80-84	1	22.0		22	22	22	22	22	22	22
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	83	11.9	92	2	3	9	15	22	33	47
70-74	95	13.5	114	3	4	10	18	32	40	76
75-79	101	13.0	115	3	4	10	17	26	31	58
80-84	91	13.6	167	3	4	10	17	28	40	89
85+	74	11.8	125	2	3	9	15	23	33	66
B. *Operated*										
65-69 YRS	10	27.5	663	7	7	13	61	66	67	67
70-74	17	19.8	168	4	5	16	27	42	44	45
75-79	9	24.6	257	6	8	23	36	49	54	54
80-84	10	16.8	114	4	6	14	24	33	39	39
85+	3	18.0	61	13	13	20	63	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	11.1	167	2	2	8	13	27	45	97
B. *Operated*	2	20.0	8	18	18	20	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	444	12.8	122	3	4	10	16	26	36	68
B. *Operated*	49	21.5	262	5	7	15	27	49	65	99+
1. SINGLE DX	67	11.3	165	2	2	8	13	26	44	97
2. MULTIPLE DX	493	13.7	143	3	4	10	17	28	41	71
A. NOT OPERATED	509	12.6	128	2	3	9	16	26	36	73
B. OPERATED	51	21.5	252	5	7	15	27	48	65	99
TOTAL 65-69 YRS	107	13.6	170	2	3	10	16	27	46	66
70-74	131	13.8	118	3	4	11	19	33	42	99+
75-79	125	14.1	167	3	4	10	18	29	42	67
80-84	110	13.8	155	3	4	11	18	28	39	84
85+	87	11.2	116	2	2	8	14	23	34	90
GRAND TOTAL	**560**	**13.4**	**146**	**2**	**4**	**10**	**17**	**28**	**41**	**73**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	428	11.9	142	2	2	8	15	28	41	99+
70-74	605	12.5	147	2	3	9	16	27	38	66
75-79	654	13.3	203	2	3	9	17	29	41	90
80-84	546	12.2	168	1	2	8	15	27	40	73
85+	459	11.1	124	2	3	8	14	24	35	99+
B. *Operated*										
65-69 YRS	22	12.3	184	1	2	8	17	30	47	55
70-74	22	17.9	454	2	3	10	16	45	67	92
75-79	25	18.0	197	3	4	14	26	38	49	52
80-84	8	15.8	307	3	3	8	22	45	54	54
85+	6	14.0	39	3	4	15	18	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1510	14.1	176	3	4	10	18	30	45	99+
70-74	2300	13.4	146	3	4	10	17	28	40	94
75-79	3047	13.8	178	3	4	10	17	31	43	99+
80-84	2818	13.3	160	2	3	10	16	29	42	99+
85+	2759	13.1	179	2	3	9	16	27	41	93
B. *Operated*										
65-69 YRS	152	19.7	257	3	6	16	26	43	61	99+
70-74	239	22.2	377	4	5	16	33	64	94	99+
75-79	283	21.7	281	5	7	16	29	49	78	99+
80-84	222	23.3	314	5	7	18	29	53	69	99+
85+	190	20.4	212	5	7	17	27	45	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2692	12.3	160	2	2	8	15	27	39	86
B. *Operated*	83	15.9	255	2	3	10	21	40	51	80
2. MULTIPLE DX										
A. *Not Operated*	12434	13.5	168	3	4	10	17	29	42	99+
B. *Operated*	1086	21.6	294	4	6	17	29	53	78	99+
1. SINGLE DX	2775	12.4	163	2	2	8	16	27	39	87
2. MULTIPLE DX	13520	14.2	183	3	4	10	18	31	45	99+
A. NOT OPERATED	15126	13.3	167	2	3	10	16	28	42	99+
B. OPERATED	1169	21.2	293	4	6	16	29	51	74	99+
TOTAL 65-69 YRS	2112	14.1	178	2	3	10	18	32	45	99+
70-74	3166	13.9	171	2	3	10	17	30	43	99+
75-79	4009	14.3	194	3	4	10	18	32	45	99+
80-84	3594	13.8	177	2	3	10	17	30	45	99+
85+	3414	13.3	176	2	3	9	16	27	42	99+
GRAND TOTAL	**16295**	**13.9**	**180**	**2**	**3**	**10**	**17**	**30**	**44**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	11.1	64	1	1	10	17	22	26	28
70-74	59	11.4	77	2	3	9	15	22	27	95
75-79	68	13.5	172	2	3	10	19	33	58	99+
80-84	46	12.1	92	2	3	10	16	22	29	54
85+	48	11.0	140	2	2	7	13	23	40	54
B. *Operated*										
65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79	5	10.4	20	5	5	9	15	15	15	15
80-84	1	9.0		9	9	9	9	9	9	9
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	129	13.4	174	3	4	10	17	24	42	91
70-74	312	14.2	139	3	4	11	18	29	40	72
75-79	464	14.0	160	3	4	10	18	29	39	79
80-84	444	13.3	124	3	4	10	17	25	38	62
85+	431	12.9	143	3	3	9	17	26	39	99+
B. *Operated*										
65-69 YRS	8	19.3	42	9	11	18	25	27	27	27
70-74	28	25.6	375	8	9	22	34	56	99	99+
75-79	30	24.5	362	6	7	19	28	49	75	88
80-84	31	23.2	233	6	8	21	30	50	62	99+
85+	26	17.3	185	5	6	14	17	34	43	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	12.0	116	2	2	9	16	25	36	99+
B. *Operated*	7	9.0	23	2	3	9	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	1780	13.5	144	3	4	10	17	27	39	82
B. *Operated*	123	22.5	276	6	8	17	27	46	65	99+
1. SINGLE DX	253	11.9	114	2	2	9	16	24	35	98
2. MULTIPLE DX	1903	14.1	157	3	4	10	18	29	41	90
A. NOT OPERATED	2026	13.3	141	2	4	10	17	27	39	84
B. OPERATED	130	21.8	272	6	7	17	27	45	62	99+
TOTAL 65-69 YRS	162	13.3	152	2	4	11	17	25	29	87
70-74	400	14.6	156	3	4	11	19	30	41	99
75-79	567	14.5	176	3	4	10	19	30	42	92
80-84	522	13.7	132	2	4	10	17	27	41	64
85+	505	12.9	145	2	3	10	17	26	39	99+
GRAND TOTAL	**2156**	**13.9**	**153**	**2**	**4**	**10**	**18**	**28**	**41**	**92**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	114	7.8	52	2	2	6	9	18	25	67
70-74	54	5.6	19	1	1	5	7	13	15	22
75-79	19	8.7	36	1	2	9	12	15	21	26
80-84	9	9.6	101	2	2	6	10	27	34	34
85+	3	8.3	72	2	2	5	15	18	18	18
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	542	10.8	97	2	3	8	13	21	27	58
70-74	262	11.6	99	2	3	9	15	23	29	50
75-79	119	10.5	62	3	3	8	13	21	28	36
80-84	45	10.6	77	2	3	8	15	21	27	45
85+	13	14.1	166	3	3	10	19	54	90	99+
B. *Operated*										
65-69 YRS	43	23.3	193	8	9	21	31	40	48	70
70-74	27	25.5	655	5	6	16	30	76	88	97
75-79	14	30.0	430	8	13	21	52	61	71	74
80-84	3	22.3	290	12	12	27	71	99+	99+	99+
85+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	7.4	44	1	2	6	9	16	22	41
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	981	11.0	93	2	3	8	14	22	28	51
B. *Operated*	88	24.9	367	6	8	19	32	52	74	99
1. SINGLE DX	200	7.4	44	1	2	5	9	16	22	41
2. MULTIPLE DX	1069	12.1	130	2	3	9	15	24	33	69
A. NOT OPERATED	1180	10.4	87	2	3	8	13	21	27	50
B. OPERATED	89	24.7	368	6	8	19	32	52	74	99
TOTAL 65-69 YRS	699	11.1	107	2	3	8	14	23	29	62
70-74	343	11.8	149	2	3	8	15	23	32	67
75-79	152	12.1	123	2	3	9	16	24	31	60
80-84	58	11.0	92	2	3	8	15	25	39	95
85+	17	13.1	139	2	3	10	18	43	80	99+
GRAND TOTAL	**1269**	**11.4**	**120**	**2**	**3**	**8**	**15**	**23**	**31**	**66**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	10.8	97	1	1	7	18	28	30	31
70-74	9	7.3	30	1	2	6	8	16	20	20
75-79	11	5.2	11	<1	<1	6	7	10	11	11
80-84	6	8.0	34	3	3	6	13	17	17	17
85+	3	13.7	226	4	4	6	25	31	31	31
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	78	9.3	42	3	4	8	11	16	22	38
70-74	67	10.9	78	2	3	8	14	24	29	39
75-79	65	10.6	101	2	3	8	13	20	26	64
80-84	36	7.8	37	2	3	6	8	18	22	29
85+	23	10.7	92	2	3	8	12	25	35	36
B. *Operated*										
65-69 YRS	4	28.8	215	14	14	28	41	45	45	45
70-74	6	15.0	45	5	5	15	21	23	23	23
75-79	2	11.5	61	6	6	11	17	17	17	17
80-84										
85+	2	20.5	421	6	6	20	35	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	8.4	60	1	1	6	10	19	29	31
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	269	9.9	69	2	3	8	11	21	26	39
B. *Operated*	14	19.2	150	5	6	16	23	38	43	45
1. SINGLE DX	43	8.4	60	1	1	6	10	19	29	31
2. MULTIPLE DX	283	10.4	77	2	3	8	12	22	28	41
A. NOT OPERATED	312	9.7	68	2	3	7	11	21	27	38
B. OPERATED	14	19.2	150	5	6	16	23	38	43	45
TOTAL 65-69 YRS	96	10.3	69	3	3	8	12	21	28	44
70-74	82	10.8	72	2	3	8	15	23	28	39
75-79	78	9.9	90	1	3	8	12	19	25	59
80-84	42	7.8	36	2	3	6	9	17	21	29
85+	28	11.8	114	3	3	8	13	34	35	36
GRAND TOTAL	**326**	**10.1**	**75**	**2**	**3**	**8**	**12**	**22**	**28**	**40**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	150	19.2	234	1	3	15	27	41	47	63
70-74	62	19.3	257	2	4	14	28	39	46	87
75-79	36	18.8	311	1	3	14	21	44	58	78
80-84	8	14.6	135	2	2	13	24	31	32	32
85+	15	26.5	762	3	4	15	39	83	88	90
B. *Operated*										
65-69 YRS	1	14.0		14	14	14	14	14	14	14
70-74	1	11.0		11	11	11	11	11	11	11
75-79	1	28.0		28	28	28	28	28	28	28
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	141	18.8	207	4	5	16	25	39	47	99+
70-74	75	24.3	412	3	7	20	32	62	77	99+
75-79	40	17.0	86	3	6	17	25	31	37	99+
80-84	16	23.0	314	2	3	21	36	51	55	56
85+	5	13.8	99	4	4	10	22	28	28	28
B. *Operated*										
65-69 YRS	8	37.6	331	12	15	41	55	87	99+	99+
70-74	7	27.3	388	13	13	18	38	61	65	65
75-79	4	49.0	311	33	33	44	60	74	74	74
80-84										
85+	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	271	19.5	274	2	3	14	27	41	48	89
B. *Operated*	3	17.7	82	11	11	14	24	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	277	20.2	254	3	5	17	27	42	60	99+
B. *Operated*	20	35.0	390	12	13	33	50	70	86	99+
1. SINGLE DX	274	19.4	272	2	3	14	28	41	48	88
2. MULTIPLE DX	297	21.2	276	3	6	18	28	46	67	99+
A. NOT OPERATED	548	19.8	264	3	4	16	27	42	54	99
B. OPERATED	23	32.7	380	11	12	30	48	68	82	99+
TOTAL 65-69 YRS	300	19.5	230	3	5	16	27	42	48	99
70-74	145	22.2	345	3	5	18	28	49	71	99+
75-79	81	19.5	237	2	5	15	26	41	57	93
80-84	24	20.2	262	2	3	19	30	44	53	56
85+	21	22.8	591	3	4	13	29	59	86	90
GRAND TOTAL	**571**	**20.3**	**274**	**3**	**4**	**16**	**28**	**43**	**56**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	9.4	34	2	2	10	15	15	15	15
70-74	1	12.0		12	12	56	99+	99+	99+	99+
75-79	1	18.0		18	18	18	18	18	18	18
80-84										
85+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	19.0	134	4	5	18	27	36	36	36
70-74	4	7.0	28	2	2	6	11	14	14	14
75-79										
80-84										
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	3	42.0	73	34	34	41	48	51	51	51
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	10.8	29	2	3	12	16	67	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	14	14.7	125	2	4	12	21	36	36	36
B. *Operated*	3	42.0	73	34	34	41	48	51	51	51
1. SINGLE DX	8	10.8	29	2	3	12	16	67	99+	99+
2. MULTIPLE DX	17	19.5	225	3	4	15	34	40	47	51
A. NOT OPERATED	22	13.3	91	2	3	12	18	36	58	99+
B. OPERATED	3	42.0	73	34	34	41	48	51	51	51
TOTAL 65-69 YRS	17	20.2	211	3	4	15	34	40	47	51
70-74	5	8.0	26	2	2	10	14	91	99+	99+
75-79	1	18.0		18	18	18	18	18	18	18
80-84										
85+	2	8.0	2	7	7	8	9	9	9	9
GRAND TOTAL	**25**	**16.7**	**176**	**2**	**4**	**14**	**24**	**41**	**61**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	271	18.4	242	2	3	14	25	39	49	89
70-74	109	20.1	180	2	6	17	27	42	46	62
75-79	51	19.0	301	1	2	14	25	46	58	74
80-84	10	16.9	76	1	5	17	24	28	30	30
85+	11	18.5	319	2	3	15	21	51	55	55
B. *Operated*										
65-69 YRS	2	9.0	2	8	8	9	10	10	10	10
70-74	1	17.0		17	17	17	17	17	17	17
75-79	1	45.0		45	45	45	45	45	45	45
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	348	19.4	199	3	6	16	25	38	47	71
70-74	164	21.7	297	3	5	17	33	50	60	97
75-79	77	23.7	427	3	5	17	34	54	89	99+
80-84	34	16.6	174	2	4	12	25	39	49	99+
85+	17	13.3	39	2	3	14	16	21	24	26
B. *Operated*										
65-69 YRS	28	29.9	407	3	9	27	36	63	76	77
70-74	9	22.9	83	9	12	20	31	36	39	39
75-79	5	13.2	116	1	1	13	20	29	29	29
80-84	3	8.7	22	5	5	7	12	14	14	14
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	452	18.8	231	2	3	15	25	41	49	86
B. *Operated*	4	20.0	293	8	8	13	31	45	45	45
2. MULTIPLE DX										
A. *Not Operated*	640	20.2	249	3	5	16	28	43	53	96
B. *Operated*	45	25.2	327	3	6	21	32	50	67	77
1. SINGLE DX	456	18.9	231	2	3	15	25	41	49	86
2. MULTIPLE DX	685	20.5	255	3	5	16	28	43	54	95
A. NOT OPERATED	1092	19.6	241	2	4	15	27	42	52	89
B. OPERATED	49	24.8	320	3	6	21	32	48	65	77
TOTAL 65-69 YRS	649	19.4	230	2	4	16	26	39	49	87
70-74	283	21.1	244	3	5	17	30	45	53	82
75-79	134	21.7	372	2	3	16	30	51	71	99+
80-84	47	16.2	145	2	4	14	24	38	44	99+
85+	28	15.3	148	2	3	14	19	25	49	55
GRAND TOTAL	**1141**	**19.8**	**246**	**2**	**4**	**16**	**27**	**42**	**52**	**89**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	747	19.4	200	3	5	17	26	38	49	71
70-74	566	21.1	205	3	5	19	29	42	49	64
75-79	322	22.7	248	3	7	20	30	43	57	89
80-84	135	20.0	293	3	4	15	26	45	60	76
85+	40	16.4	90	2	4	16	23	29	33	36
B. *Operated*										
65-69 YRS	11	23.8	189	4	6	22	37	43	44	44
70-74	4	24.3	244	3	3	29	36	36	36	36
75-79	7	21.7	105	11	12	15	31	35	36	36
80-84	1	16.0		16	16	16	16	16	16	16
85+	2	20.0	128	12	12	20	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	959	19.6	236	3	4	16	28	42	51	81
70-74	860	20.3	268	3	5	16	28	42	51	86
75-79	611	22.9	314	4	5	18	32	49	60	99
80-84	298	20.8	301	3	5	15	30	48	64	99+
85+	104	20.3	385	3	4	16	28	51	89	99+
B. *Operated*										
65-69 YRS	101	26.4	280	7	8	22	35	50	61	77
70-74	79	30.5	506	7	9	25	39	70	90	99
75-79	41	30.5	306	9	11	29	42	57	73	99+
80-84	28	31.8	209	7	8	31	45	52	65	99+
85+	12	31.7	588	7	12	26	45	93	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1810	20.5	216	3	5	18	28	40	50	72
B. *Operated*	25	22.7	144	4	8	22	33	39	43	44
2. MULTIPLE DX										
A. *Not Operated*	2832	20.7	276	3	4	16	29	44	57	98
B. *Operated*	261	29.1	358	7	9	26	38	57	77	99+
1. SINGLE DX	1835	20.5	215	3	5	18	28	40	50	72
2. MULTIPLE DX	3093	21.4	288	3	5	17	30	45	58	98
A. NOT OPERATED	4642	20.6	252	3	5	17	29	43	54	87
B. OPERATED	286	28.5	342	7	9	26	38	54	77	99+
TOTAL 65-69 YRS	1818	19.9	226	3	4	17	27	42	51	77
70-74	1509	21.2	261	3	5	18	29	42	51	87
75-79	981	23.2	292	4	5	19	32	48	60	98
80-84	462	21.2	299	3	5	16	30	49	63	99+
85+	158	20.2	331	3	4	16	27	41	82	99+
GRAND TOTAL	**4928**	**21.1**	**261**	**3**	**5**	**17**	**29**	**43**	**55**	**90**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	277	19.8	254	2	4	16	26	43	51	97
70-74	129	19.0	218	3	4	15	24	41	52	68
75-79	87	21.1	225	4	7	19	28	35	52	75
80-84	19	21.1	208	4	6	19	26	45	54	56
85+	9	16.9	73	4	5	18	26	65	99+	99+
B. *Operated*										
65-69 YRS	3	33.3	233	20	20	30	45	50	50	50
70-74	2	23.5	85	17	17	23	30	30	30	30
75-79										
80-84										
85+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	348	18.3	203	3	5	15	24	38	48	82
70-74	250	22.0	322	2	4	18	29	45	58	90
75-79	127	20.3	222	4	6	17	26	37	60	99+
80-84	49	22.9	205	6	7	19	32	43	55	99+
85+	13	27.6	773	1	3	20	32	72	93	98
B. *Operated*										
65-69 YRS	23	35.2	447	8	14	33	50	69	97	99+
70-74	29	37.7	418	9	13	35	50	64	73	93
75-79	14	32.9	503	11	14	23	49	61	84	91
80-84	10	35.7	620	13	16	27	34	81	87	87
85+	2	46.0	8	44	44	46	48	48	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	19.8	235	3	4	16	26	41	52	86
B. *Operated*	6	25.8	210	8	9	25	30	48	50	50
2. MULTIPLE DX										
A. *Not Operated*	787	20.2	256	3	5	16	26	41	54	91
B. *Operated*	78	36.1	443	10	14	34	49	66	89	99
1. SINGLE DX	527	19.9	234	3	4	17	26	42	51	86
2. MULTIPLE DX	865	21.6	293	3	5	17	29	46	58	95
A. NOT OPERATED	1308	20.1	247	3	5	16	26	41	54	91
B. OPERATED	84	35.3	430	10	14	32	49	65	88	99
TOTAL 65-69 YRS	651	19.6	243	3	5	16	26	42	51	96
70-74	410	22.2	313	3	5	18	29	47	58	90
75-79	228	21.4	246	4	7	18	28	37	58	93
80-84	78	24.1	270	6	7	20	32	46	61	96
85+	25	24.4	488	3	4	20	30	64	98	99+
GRAND TOTAL	**1392**	**21.0**	**271**	**3**	**5**	**17**	**28**	**45**	**55**	**92**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	361	17.9	212	2	3	15	26	39	49	70
70-74	252	17.3	204	2	2	14	25	37	46	64
75-79	192	16.1	172	2	3	11	24	36	41	60
80-84	94	15.2	211	1	2	10	22	31	44	72
85+	47	11.4	91	1	1	9	17	27	33	99+
B. *Operated*										
65-69 YRS	8	14.8	154	4	4	9	24	35	37	37
70-74	10	11.2	205	2	2	6	14	33	49	49
75-79	1	15.0		15	15	15	15	15	15	15
80-84	3	9.7	8	8	8	8	12	13	13	13
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	640	17.4	219	3	3	13	24	39	50	66
70-74	664	14.2	166	2	3	10	19	31	43	68
75-79	617	14.5	170	2	3	10	19	32	41	73
80-84	359	12.5	139	2	3	9	16	28	40	58
85+	297	11.4	117	2	3	8	15	24	35	73
B. *Operated*										
65-69 YRS	83	21.8	391	2	4	19	28	71	95	99+
70-74	78	19.9	304	3	5	15	26	47	62	99+
75-79	64	20.5	189	6	7	17	29	38	52	95
80-84	31	22.1	384	5	7	14	28	56	70	73
85+	16	19.4	131	7	8	15	26	40	42	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	946	16.8	197	2	3	13	24	37	45	69
B. *Operated*	23	12.1	140	2	3	8	15	31	41	49
2. MULTIPLE DX										
A. *Not Operated*	2577	14.5	174	2	3	10	19	33	43	69
B. *Operated*	272	20.8	299	4	6	16	28	48	70	99+
1. SINGLE DX	969	16.7	196	2	3	13	24	37	45	69
2. MULTIPLE DX	2849	15.1	190	2	3	11	20	34	45	77
A. NOT OPERATED	3523	15.1	182	2	3	11	21	34	44	69
B. OPERATED	295	20.1	292	3	5	15	27	46	68	99+
TOTAL 65-69 YRS	1092	17.9	230	2	3	14	25	39	52	87
70-74	1004	15.4	190	2	3	11	21	34	45	70
75-79	874	15.3	174	2	3	11	21	33	42	69
80-84	487	13.6	173	2	3	9	17	31	44	72
85+	361	11.7	116	2	3	8	15	26	36	76
GRAND TOTAL	**3818**	**15.5**	**192**	**2**	**3**	**11**	**21**	**35**	**45**	**74**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	171	5.4	19	1	1	4	7	10	15	22
70-74	117	5.9	48	1	1	4	7	15	18	38
75-79	77	7.2	79	1	1	4	9	15	25	45
80-84	31	4.4	13	1	1	3	6	9	12	16
85+	18	4.2	8	<1	1	4	5	8	10	12
B. *Operated*										
65-69 YRS	3	5.0	4	3	3	5	6	7	7	7
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	758	6.9	49	1	2	5	8	14	20	36
70-74	597	6.7	31	[illegible]	2	5	8	13	18	28
75-79	432	6.8	53	[illegible]	2	5	8	12	17	42
80-84	242	6.1	45	[illegible]	2	5	8	12	16	37
85+	122	7.4	58	[illegible]	2	5	9	16	25	37
B. *Operated*										
65-69 YRS	25	12.6	139	4	5	10	12	21	49	51
70-74	35	9.1	117	1	4	6	10	16	28	62
75-79	13	8.1	23	4	5	7	8	15	21	22
80-84	4	18.0	333	3	3	13	31	43	43	43
85+	3	24.7	560	11	11	11	42	52	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	414	5.7	38	1	1	4	7	12	17	34
B. *Operated*	3	5.0	4	3	3	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	2151	6.8	45	1	2	5	8	13	19	35
B. *Operated*	80	11.0	136	3	4	7	11	21	45	59
1. SINGLE DX	417	5.7	38	1	1	4	7	12	17	34
2. MULTIPLE DX	2231	6.9	49	1	2	5	8	13	19	37
A. NOT OPERATED	2565	6.6	44	1	2	5	8	13	18	35
B. OPERATED	83	10.8	133	3	4	7	11	21	45	59
TOTAL 65-69 YRS	957	6.8	47	1	2	5	8	13	19	36
70-74	749	6.7	38	1	2	5	8	13	18	30
75-79	522	6.9	56	1	2	5	8	12	18	45
80-84	277	6.1	46	1	2	4	7	12	16	40
85+	143	7.4	66	1	2	5	8	14	25	39
GRAND TOTAL	**2648**	**6.7**	**47**	**1**	**2**	**5**	**8**	**13**	**18**	**37**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	641	13.9	124	2	3	11	19	29	37	51
70-74	426	14.1	114	3	3	12	19	29	36	57
75-79	249	13.7	129	2	3	10	19	28	35	57
80-84	77	13.4	110	2	3	10	20	27	33	54
85+	41	12.9	273	1	2	8	16	26	35	98
B. *Operated*										
65-69 YRS	4	19.8	164	8	8	16	27	38	38	38
70-74	5	17.8	303	6	6	14	23	48	48	48
75-79	1	5.0		5	5	5	5	5	5	5
80-84	2	43.0	2178	10	10	43	76	76	76	76
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1344	14.1	162	3	4	10	18	29	40	72
70-74	1062	14.3	164	3	4	10	19	30	39	72
75-79	741	13.9	138	3	4	10	19	29	39	73
80-84	357	13.1	142	3	4	9	16	30	37	58
85+	166	13.7	155	3	4	9	17	29	38	66
B. *Operated*										
65-69 YRS	122	25.4	302	5	7	23	33	51	61	78
70-74	83	21.8	307	4	5	18	28	42	56	90
75-79	41	20.5	167	4	5	19	29	40	44	46
80-84	23	17.9	117	4	4	16	29	32	59	99+
85+	7	30.3	109	15	17	26	40	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1434	13.8	125	2	3	11	19	29	36	57
B. *Operated*	12	21.6	469	5	6	14	27	56	73	76
2. MULTIPLE DX										
A. *Not Operated*	3670	14.0	155	3	4	10	18	30	39	70
B. *Operated*	276	23.1	268	4	6	20	30	43	56	88
1. SINGLE DX	1446	13.9	128	2	3	11	19	29	37	57
2. MULTIPLE DX	3946	14.6	169	3	4	10	19	31	41	73
A. NOT OPERATED	5104	14.0	147	3	4	10	18	29	38	65
B. OPERATED	288	23.0	275	4	6	20	30	44	57	86
TOTAL 65-69 YRS	2111	14.7	165	3	4	11	19	30	41	65
70-74	1576	14.6	161	3	4	11	19	31	39	73
75-79	1032	14.1	139	3	4	10	19	29	39	63
80-84	459	13.5	144	2	4	9	17	30	37	61
85+	214	14.1	183	2	3	9	20	30	39	70
GRAND TOTAL	**5392**	**14.4**	**158**	**3**	**4**	**10**	**19**	**30**	**40**	**67**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	102	9.0	150	1	1	6	9	17	30	73
70-74	71	7.2	48	1	1	5	10	16	20	34
75-79	32	8.6	50	<1	1	6	13	19	23	25
80-84	14	11.6	379	<1	<1	4	10	31	64	73
85+	8	6.3	26	2	2	5	9	15	16	16
B. *Operated*										
65-69 YRS	18	4.9	10	1	1	4	8	[illegible]	10	11
70-74	9	8.3	124	2	2	4	9	26	37	37
75-79	4	3.3	4	2	2	3	4	6	6	6
80-84	2	17.5	313	5	5	17	30	30	30	30
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	274	10.4	104	1	2	7	14	24	35	53
70-74	186	9.9	106	2	2	7	12	22	29	59
75-79	152	10.4	113	2	2	6	14	24	36	98
80-84	64	11.6	174	1	2	8	15	23	36	77
85+	47	8.3	41	2	2	7	10	18	22	29
B. *Operated*										
65-69 YRS	44	10.4	44	3	4	8	14	18	26	29
70-74	15	13.5	333	1	2	7	17	22	62	75
75-79	11	14.9	439	2	3	7	25	79	97	99+
80-84	8	12.9	17	8	8	12	16	19	19	19
85+	9	14.8	218	4	4	8	21	39	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	8.4	113	1	1	5	11	17	26	60
B. *Operated*	33	6.4	57	1	2	4	8	10	27	37
2. MULTIPLE DX										
A. *Not Operated*	723	10.2	108	2	2	7	13	23	34	61
B. *Operated*	87	12.2	153	3	4	8	15	23	40	90
1. SINGLE DX	260	8.2	106	1	1	5	10	17	26	55
2. MULTIPLE DX	810	10.4	113	2	2	7	13	23	34	65
A. NOT OPERATED	950	9.8	110	1	2	6	12	22	32	61
B. OPERATED	120	10.6	132	2	3	7	11	21	33	82
TOTAL 65-69 YRS	438	9.8	106	1	2	7	12	22	32	56
70-74	281	9.4	105	1	2	6	11	20	28	59
75-79	199	10.2	119	1	2	6	14	24	36	99+
80-84	88	11.9	189	1	2	8	15	25	35	78
85+	64	8.9	66	2	2	7	11	20	23	47
GRAND TOTAL	**1070**	**9.9**	**112**	**1**	**2**	**6**	**12**	**22**	**32**	**62**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	629	9.4	80	1	2	6	12	23	29	36
70-74	260	9.2	76	1	2	6	13	23	27	39
75-79	60	7.7	65	1	2	5	8	21	28	36
80-84	24	7.8	58	1	1	5	10	19	24	33
85+	11	8.7	63	<1	<1	6	14	22	24	24
B. *Operated*										
65-69 YRS	5	16.2	138	9	9	12	19	37	37	37
70-74	1	18.0		18	18	18	18	18	18	18
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2965	11.7	93	2	3	8	18	25	30	42
70-74	1339	11.6	96	2	3	8	16	25	31	45
75-79	505	11.7	100	2	3	9	16	24	28	44
80-84	118	10.3	81	2	2	8	13	21	29	45
85+	63	10.1	159	1	2	6	12	22	35	98
B. *Operated*										
65-69 YRS	207	18.3	176	4	5	15	22	36	44	67
70-74	114	17.7	117	3	5	16	25	32	36	50
75-79	37	19.5	95	5	6	21	25	30	36	47
80-84	10	18.2	95	2	5	18	25	32	35	35
85+	2	21.5	13	19	19	21	24	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	984	9.2	77	1	2	6	12	23	28	36
B. *Operated*	6	16.5	111	9	9	12	18	35	37	37
2. MULTIPLE DX										
A. *Not Operated*	4990	11.6	95	2	3	8	17	25	30	43
B. *Operated*	370	18.3	146	4	5	16	24	34	42	57
1. SINGLE DX	990	9.3	78	1	2	6	12	23	28	37
2. MULTIPLE DX	5360	12.1	102	2	3	9	18	26	31	46
A. NOT OPERATED	5974	11.2	93	2	2	8	16	24	30	42
B. OPERATED	376	18.2	145	4	5	16	24	35	42	57
TOTAL 65-69 YRS	3806	11.7	99	2	2	8	18	26	31	44
70-74	1714	11.6	97	2	3	8	17	26	31	45
75-79	602	11.8	102	2	3	9	16	24	29	44
80-84	152	10.4	82	2	2	8	14	21	30	40
85+	76	10.2	144	1	2	6	14	23	31	97
GRAND TOTAL	**6350**	**11.6**	**99**	**2**	**2**	**8**	**17**	**25**	**30**	**44**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74	3	14.3	70	9	9	10	20	24	24	24
75-79	2	22.5	421	8	8	22	37	37	37	37
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	19	13.6	90	3	4	11	18	29	32	35
70-74	13	12.1	52	3	3	11	18	22	24	24
75-79	6	16.7	92	5	5	15	27	29	29	29
80-84	2	10.5	1	10	10	10	11	11	11	11
85+	3	8.3	44	1	1	10	13	14	14	14
B. *Operated*										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74										
75-79	1	9.0		9	9	9	9	9	9	9
80-84	1	20.0		20	20	20	20	20	20	20
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	16.2	141	8	8	10	24	36	37	37
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	43	13.0	71	2	4	11	17	27	29	35
B. *Operated*	3	12.7	40	9	9	9	17	20	20	20
1. SINGLE DX	6	16.2	141	8	8	10	24	36	37	37
2. MULTIPLE DX	46	13.0	68	3	4	11	17	27	29	35
A. NOT OPERATED	49	13.4	78	3	4	11	18	28	30	37
B. OPERATED	3	12.7	40	9	9	9	17	20	20	20
TOTAL 65-69 YRS	21	13.1	83	3	4	10	14	28	32	35
70-74	16	12.5	51	3	3	10	19	23	24	24
75-79	9	17.1	126	5	6	15	27	34	37	37
80-84	3	13.7	30	10	10	11	18	20	20	20
85+	3	8.3	44	1	1	10	13	14	14	14
GRAND TOTAL	**52**	**13.4**	**75**	**3**	**4**	**11**	**18**	**27**	**29**	**37**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	10.6	77	1	2	8	16	24	31	31
70-74	8	12.1	31	6	7	10	16	21	21	21
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	46	16.6	170	3	4	12	24	35	40	58
70-74	25	15.9	142	5	7	10	22	36	40	44
75-79	10	14.0	98	2	3	13	21	29	31	31
80-84	8	11.5	116	1	2	8	16	30	34	34
85+	2	9.5	61	4	4	9	15	15	15	15
B. *Operated*										
65-69 YRS	4	28.0	975	5	5	17	49	73	73	73
70-74	6	21.5	57	11	11	25	26	29	29	29
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	10.8	56	1	2	9	15	21	26	31
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	91	15.5	145	3	4	12	22	34	37	54
B. *Operated*	10	24.1	368	5	7	24	26	51	73	73
1. SINGLE DX	20	10.6	54	1	2	9	14	20	26	31
2. MULTIPLE DX	101	16.4	171	3	4	12	24	34	38	65
A. NOT OPERATED	110	14.7	133	3	4	10	21	32	37	53
B. OPERATED	11	22.5	361	5	6	24	26	47	71	73
TOTAL 65-69 YRS	60	16.4	206	3	4	11	23	34	43	71
70-74	39	16.0	111	6	7	12	23	33	38	44
75-79	11	13.3	94	2	3	11	20	29	31	31
80-84	9	10.4	112	1	1	6	14	28	34	34
85+	2	9.5	61	4	4	9	15	15	15	15
GRAND TOTAL	**121**	**15.4**	**155**	**3**	**4**	**11**	**21**	**32**	**37**	**62**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	37	3.6	29	<1	<1	2	4	7	10	32
70-74	24	3.5	14	<1	1	2	4	8	12	17
75-79	17	3.0	10	1	1	1	5	8	11	12
80-84	5	1.0		<1	<1	<1	1	1	1	1
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	144	6.3	46	1	1	4	8	13	16	32
70-74	84	5.2	27	1	1	4	7	11	15	28
75-79	52	6.6	39	1	1	4	8	15	21	33
80-84	26	4.0	17	<1	<1	3	5	9	13	20
85+	7	3.1	6	1	1	2	4	7	8	8
B. *Operated*										
65-69 YRS	11	10.1	42	<1	2	10	14	20	22	22
70-74	6	11.2	49	5	5	9	14	23	24	24
75-79	1	5.0		5	5	5	5	5	5	5
80-84										
85+	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	3.3	19	<1	<1	2	4	7	10	27
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	313	5.8	37	1	1	4	8	12	16	30
B. *Operated*	19	9.7	43	<1	2	9	13	21	23	24
1. SINGLE DX	84	3.3	19	<1	<1	2	4	7	10	27
2. MULTIPLE DX	332	6.0	38	1	1	4	8	13	17	30
A. NOT OPERATED	397	5.3	34	<1	1	3	7	12	15	30
B. OPERATED	19	9.7	43	<1	2	9	13	21	23	24
TOTAL 65-69 YRS	192	6.0	44	1	1	4	8	13	16	32
70-74	114	5.2	27	1	1	4	7	11	16	28
75-79	70	5.7	34	1	1	4	7	13	16	31
80-84	31	3.5	16	<1	<1	2	4	8	11	20
85+	9	2.7	6	1	1	2	3	7	8	8
GRAND TOTAL	**416**	**5.5**	**35**	**<1**	**1**	**4**	**7**	**12**	**16**	**30**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	2	4.5	25	1	1	4	8	8	8	8
75-79	1	7.0		7	7	7	7	7	7	7
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	30	9.2	55	1	2	7	14	19	23	32
70-74	17	7.6	16	2	3	6	11	13	14	14
75-79	23	9.8	96	1	2	7	12	26	33	42
80-84	8	7.1	12	1	2	7	9	12	12	12
85+	5	6.8	5	4	4	6	8	10	10	10
B. *Operated*										
65-69 YRS	2	11.0	50	6	6	11	16	16	16	16
70-74										
75-79	3	6.0	1	5	5	6	7	7	7	7
80-84	1	9.0		9	9	9	9	9	9	9
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.4	9	1	1	4	7	8	8	8
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	83	8.7	51	1	2	7	11	16	24	39
B. *Operated*	6	8.2	17	5	5	7	9	15	16	16
1. SINGLE DX	6	5.0	10	1	1	5	8	8	8	8
2. MULTIPLE DX	89	8.7	48	1	2	7	11	16	23	38
A. NOT OPERATED	88	8.4	49	1	2	7	11	16	23	38
B. OPERATED	7	8.1	14	5	5	7	9	15	16	16
TOTAL 65-69 YRS	34	9.1	51	1	2	7	14	17	23	32
70-74	19	7.3	17	1	2	6	11	13	14	14
75-79	27	9.3	83	2	2	7	11	23	30	42
80-84	10	6.8	13	1	1	7	9	11	12	12
85+	5	6.8	5	4	4	6	8	10	10	10
GRAND TOTAL	**95**	**8.4**	**47**	**1**	**2**	**7**	**11**	**16**	**23**	**37**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	68	5.9	19	1	2	5	7	12	15	20
70-74	42	4.2	11	1	1	3	6	10	12	13
75-79	28	4.8	7	1	2	5	6	10	10	10
80-84	10	4.4	6	1	1	5	6	7	8	8
85+	7	5.0	35	1	1	4	12	75	99+	99+
B. *Operated*										
65-69 YRS	4	6.0	45	2	2	3	10	16	16	16
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79	1	8.0		8	8	8	8	8	8	8
80-84	4	3.5	9	2	2	2	5	8	8	8
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	310	6.7	29	2	2	5	9	12	16	30
70-74	265	6.8	34	2	2	6	8	12	16	27
75-79	219	7.1	32	2	2	6	9	12	17	33
80-84	138	7.4	39	2	2	5	9	15	20	34
85+	68	6.7	31	2	2	5	8	12	18	31
B. *Operated*										
65-69 YRS	33	9.1	70	1	2	6	12	23	28	35
70-74	36	13.6	128	2	3	9	17	29	35	53
75-79	14	11.6	50	3	4	10	18	22	23	23
80-84	13	11.4	84	2	4	7	13	30	31	31
85+	7	12.4	28	2	3	14	16	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	5.1	14	1	1	4	6	10	14	20
B. *Operated*	12	4.6	18	2	2	3	6	11	15	16
2. MULTIPLE DX										
A. *Not Operated*	1000	6.9	32	2	2	5	9	13	17	31
B. *Operated*	103	11.5	87	2	3	8	16	25	30	45
1. SINGLE DX	167	5.0	15	1	1	4	6	10	14	20
2. MULTIPLE DX	1103	7.3	39	2	2	6	9	14	18	33
A. NOT OPERATED	1155	6.7	30	2	2	5	8	12	16	31
B. OPERATED	115	10.8	84	2	2	8	15	24	30	43
TOTAL 65-69 YRS	415	6.7	31	1	2	5	9	13	16	30
70-74	345	7.2	46	1	2	5	8	14	18	37
75-79	262	7.1	32	2	2	6	9	12	18	30
80-84	165	7.4	41	1	2	5	9	15	20	34
85+	83	7.0	33	2	2	5	9	15	19	77
GRAND TOTAL	**1270**	**7.0**	**37**	**2**	**2**	**5**	**9**	**13**	**18**	**32**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	80	6.3	39	1	1	4	9	15	17	32
70-74	67	8.1	43	1	2	6	12	18	20	32
75-79	39	9.1	94	<1	1	7	11	25	29	44
80-84	23	10.6	78	1	2	8	14	27	29	29
85+	14	5.4	33	1	1	4	6	22	80	99+
B. *Operated*										
65-69 YRS	1	23.0		23	23	23	23	23	23	23
70-74	2	5.5	13	3	3	5	8	8	8	8
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	216	8.4	72	1	1	6	11	18	26	49
70-74	220	8.9	50	1	2	7	12	19	24	34
75-79	150	9.2	90	2	2	6	10	20	28	49
80-84	109	9.2	62	2	3	7	11	20	25	69
85+	62	7.6	47	1	2	6	10	15	20	39
B. *Operated*										
65-69 YRS	8	16.9	99	7	8	14	20	33	38	38
70-74	11	16.7	87	6	7	15	24	31	35	35
75-79	5	18.2	171	9	9	13	23	41	41	41
80-84	7	13.1	36	6	6	10	19	21	21	21
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	7.7	55	1	1	5	11	17	25	36
B. *Operated*	3	11.3	108	3	3	8	19	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	757	8.8	66	1	2	6	11	19	25	47
B. *Operated*	31	16.2	85	6	7	13	20	31	38	41
1. SINGLE DX	226	7.8	55	1	1	5	11	17	25	36
2. MULTIPLE DX	788	9.1	68	1	2	7	12	20	25	45
A. NOT OPERATED	980	8.5	63	1	2	6	11	19	25	43
B. OPERATED	34	15.8	86	6	7	13	20	29	37	41
TOTAL 65-69 YRS	305	8.2	67	1	1	5	11	18	24	48
70-74	300	9.0	51	1	2	7	12	19	25	34
75-79	194	9.4	94	1	2	7	11	21	29	47
80-84	139	9.6	64	1	3	8	12	21	28	54
85+	76	7.2	45	1	2	5	10	16	22	84
GRAND TOTAL	**1014**	**8.8**	**66**	**1**	**2**	**6**	**11**	**19**	**25**	**42**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	258	12.7	120	2	3	9	17	30	34	50
70-74	188	11.8	156	2	3	7	15	26	34	68
75-79	136	11.6	153	2	2	7	15	25	40	58
80-84	69	12.7	187	2	2	8	18	29	39	79
85+	18	7.6	56	1	1	5	10	15	26	32
B. *Operated*										
65-69 YRS	4	3.3	8	1	1	3	5	7	7	7
70-74	6	9.3	62	3	3	6	16	21	22	22
75-79	3	11.7	40	8	8	8	16	19	19	19
80-84	1	7.0		7	7	7	7	7	7	7
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	778	11.1	92	2	3	8	14	24	31	46
70-74	699	10.9	104	2	3	8	13	23	31	58
75-79	537	11.5	119	2	3	8	14	24	35	71
80-84	288	11.5	135	3	3	8	13	26	34	57
85+	183	11.0	101	2	3	8	14	22	32	47
B. *Operated*										
65-69 YRS	61	14.7	184	3	4	10	19	33	53	96
70-74	57	16.2	243	3	4	11	21	34	42	93
75-79	49	18.7	146	6	8	14	22	35	44	62
80-84	27	19.3	273	5	6	13	29	52	70	99+
85+	11	19.8	247	4	4	15	29	43	55	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	669	12.1	142	2	2	8	16	27	35	53
B. *Operated*	15	7.7	41	1	1	7	8	19	21	22
2. MULTIPLE DX										
A. *Not Operated*	2485	11.1	107	2	3	8	14	23	33	56
B. *Operated*	205	16.9	206	4	5	12	22	35	49	98
1. SINGLE DX	684	12.0	140	2	2	8	16	27	35	52
2. MULTIPLE DX	2690	11.6	117	2	3	8	14	24	34	59
A. NOT OPERATED	3154	11.3	114	2	3	8	14	24	33	55
B. OPERATED	220	16.3	200	3	4	12	21	35	48	97
TOTAL 65-69 YRS	1101	11.6	104	2	3	8	16	25	33	50
70-74	950	11.3	123	2	3	8	14	24	33	59
75-79	725	12.0	130	2	3	8	15	25	36	64
80-84	385	12.2	157	2	3	8	14	29	38	73
85+	213	11.1	108	2	3	8	14	22	34	52
GRAND TOTAL	**3374**	**11.7**	**121**	**2**	**3**	**8**	**15**	**25**	**34**	**58**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	7.7	66	2	2	4	14	17	17	17
70-74	3	1.3		1	1	1	2	2	2	2
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	12.0	427	1	1	6	11	22	69	82
70-74	15	8.5	36	3	5	6	10	20	23	24
75-79	4	7.5	19	2	2	8	11	11	11	11
80-84	3	14.3	70	9	9	10	20	24	24	24
85+	3	5.7	2	4	4	6	7	7	7	7
B. *Operated*										
65-69 YRS	4	15.8	427	2	2	7	29	46	46	46
70-74	1	34.0		34	34	34	34	34	34	34
75-79	2	52.0	3200	12	12	52	92	92	92	92
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.0	29	1	1	2	3	13	17	17
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	39	9.9	170	1	2	6	11	18	24	82
B. *Operated*	7	28.7	1044	2	2	12	43	83	92	92
1. SINGLE DX	9	4.0	25	1	1	2	4	12	17	17
2. MULTIPLE DX	46	12.8	330	2	2	7	11	24	53	92
A. NOT OPERATED	47	8.9	150	1	2	6	10	17	24	82
B. OPERATED	8	25.6	971	2	2	12	40	78	92	92
TOTAL 65-69 YRS	21	12.1	354	1	2	6	13	29	62	82
70-74	19	8.7	72	1	1	6	10	22	29	34
75-79	8	17.4	927	2	2	8	12	68	92	92
80-84	4	11.8	74	4	4	9	17	24	24	24
85+	3	5.7	2	4	4	6	7	7	7	7
GRAND TOTAL	**55**	**11.3**	**289**	**1**	**2**	**6**	**11**	**24**	**43**	**91**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	12.7	60	2	4	11	17	25	28	31
70-74	15	13.5	156	2	4	11	17	28	44	49
75-79	14	12.1	122	2	2	10	17	21	40	45
80-84	4	12.8	49	4	4	13	17	21	21	21
85+	7	21.3	186	11	11	14	33	43	44	44
B. *Operated*										
65-69 YRS	20	11.1	59	2	3	9	13	20	29	35
70-74	16	14.3	288	1	2	9	18	33	58	69
75-79	5	13.4	61	3	3	13	19	24	24	24
80-84	4	14.3	135	2	2	12	21	30	30	30
85+	3	9.7	30	6	6	7	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	79	17.7	249	2	4	15	22	36	58	98
70-74	63	19.1	249	2	4	15	26	43	46	80
75-79	49	19.6	137	5	6	18	26	35	43	62
80-84	35	19.5	145	4	5	17	26	38	43	49
85+	25	16.2	112	3	4	15	25	31	32	34
B. *Operated*										
65-69 YRS	70	25.9	412	2	4	23	36	69	87	99+
70-74	45	27.1	337	2	7	25	35	55	66	72
75-79	20	23.5	188	4	5	23	34	44	72	99+
80-84	15	34.1	480	8	14	25	48	58	81	89
85+	7	22.1	120	1	5	27	30	79	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	13.7	110	2	3	11	17	27	39	48
B. *Operated*	48	12.5	134	2	2	10	16	24	34	69
2. MULTIPLE DX										
A. *Not Operated*	251	18.5	197	3	4	16	25	37	44	85
B. *Operated*	157	26.6	356	2	5	24	36	58	78	99+
1. SINGLE DX	111	13.2	119	2	3	11	17	26	35	57
2. MULTIPLE DX	408	21.6	273	2	4	18	31	44	59	99+
A. NOT OPERATED	314	17.6	183	2	4	15	23	36	44	75
B. OPERATED	205	23.3	338	2	4	19	33	54	72	99+
TOTAL 65-69 YRS	192	19.4	293	2	4	15	27	43	69	99+
70-74	139	20.5	291	2	3	16	30	45	55	73
75-79	88	18.9	152	3	5	17	27	36	43	85
80-84	58	22.5	266	4	5	18	30	46	52	86
85+	42	17.6	123	3	4	16	28	32	39	99+
GRAND TOTAL	**519**	**19.8**	**252**	**2**	**4**	**16**	**28**	**42**	**56**	**99+**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	223	9.8	52	2	3	8	13	19	23	35
70-74	259	11.4	113	2	3	9	14	22	29	54
75-79	184	10.4	99	2	3	7	13	21	26	55
80-84	93	9.1	35	2	4	7	11	16	22	31
85+	33	9.8	42	3	3	9	14	21	23	26
B. *Operated*										
65-69 YRS	11	8.6	39	2	3	7	9	18	24	25
70-74	9	13.7	59	<1	2	17	20	22	23	23
75-79	5	8.6	26	3	3	7	14	14	14	14
80-84	4	19.0	241	8	8	13	28	42	42	42
85+	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	881	12.5	113	3	4	10	15	24	34	81
70-74	1268	12.5	122	3	4	9	15	24	34	68
75-79	1198	12.8	110	3	4	10	15	25	34	69
80-84	770	13.3	104	3	4	11	17	27	35	56
85+	323	13.2	151	3	4	10	15	25	37	78
B. *Operated*										
65-69 YRS	158	19.5	222	3	4	17	25	42	58	98
70-74	178	19.8	198	5	6	16	26	42	50	99+
75-79	166	21.4	294	4	7	16	28	42	63	97
80-84	84	21.9	296	5	8	16	27	52	68	94
85+	35	18.5	105	5	7	17	26	32	38	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	792	10.4	81	2	3	8	13	20	25	46
B. *Operated*	30	12.0	76	2	3	9	17	23	25	42
2. MULTIPLE DX										
A. *Not Operated*	4440	12.8	116	3	4	10	16	25	34	70
B. *Operated*	621	20.4	238	4	6	16	26	42	54	99
1. SINGLE DX	822	10.4	81	2	3	8	13	21	25	44
2. MULTIPLE DX	5061	13.7	137	3	4	10	17	27	37	76
A. NOT OPERATED	5232	12.4	111	3	4	10	15	24	33	65
B. OPERATED	651	20.0	233	4	6	16	26	41	54	99
TOTAL 65-69 YRS	1273	12.9	122	3	4	10	16	25	36	79
70-74	1714	13.1	133	3	4	10	16	26	36	70
75-79	1553	13.4	136	3	4	10	16	27	37	74
80-84	951	13.7	122	3	4	11	17	28	36	71
85+	392	13.4	141	3	4	10	16	26	35	71
GRAND TOTAL	**5883**	**13.2**	**130**	**3**	**4**	**10**	**16**	**26**	**36**	**73**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	10.4	41	2	3	10	16	18	21	22
70-74	9	9.3	63	1	1	7	15	22	25	25
75-79	3	5.7	5	3	3	7	7	7	7	7
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	5	4.4	4	3	3	4	5	8	8	8
70-74	1	25.0		25	25	25	25	25	25	25
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	115	11.2	71	3	4	9	13	21	30	67
70-74	65	10.3	69	2	3	9	12	20	28	43
75-79	27	11.5	87	2	3	10	15	25	29	42
80-84	4	12.3	17	7	7	13	15	16	16	16
85+	7	9.3	28	2	2	9	14	15	15	15
B. *Operated*										
65-69 YRS	40	21.2	303	4	6	17	27	43	78	99+
70-74	21	18.0	173	6	8	12	21	42	50	54
75-79	10	11.6	57	4	4	10	12	25	25	25
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	9.6	44	1	2	8	15	18	22	25
B. *Operated*	6	7.8	74	3	3	4	8	23	25	25
2. MULTIPLE DX										
A. *Not Operated*	218	10.9	69	2	3	9	13	21	28	47
B. *Operated*	71	18.9	237	4	6	14	25	40	53	97
1. SINGLE DX	44	9.3	47	1	3	7	15	19	23	25
2. MULTIPLE DX	289	12.9	122	3	4	10	16	26	38	80
A. NOT OPERATED	256	10.7	66	2	3	9	14	20	26	46
B. OPERATED	77	18.0	232	3	4	13	25	39	51	96
TOTAL 65-69 YRS	185	13.1	133	3	4	10	16	26	40	95
70-74	96	12.0	101	2	3	10	15	25	35	51
75-79	40	11.1	74	2	3	9	14	25	26	42
80-84	5	10.2	34	2	2	11	15	16	16	16
85+	7	9.3	28	2	2	9	14	15	15	15
GRAND TOTAL	**333**	**12.4**	**113**	**2**	**3**	**10**	**16**	**25**	**35**	**73**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	147	4.9	12	1	1	4	7	9	11	19
70-74	98	5.1	14	1	1	4	7	11	13	17
75-79	82	4.7	14	1	1	4	6	9	11	21
80-84	35	5.5	23	1	1	4	7	13	18	19
85+	16	8.6	61	1	3	8	9	13	28	35
B. *Operated*										
65-69 YRS	9	4.7	6	1	1	5	6	8	8	8
70-74	4	3.8	2	2	2	4	5	5	5	5
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84										
85+	2	14.5	1	14	14	14	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	727	7.5	47	2	2	6	9	16	21	34
70-74	602	8.1	48	2	2	6	11	15	21	33
75-79	485	9.2	75	2	2	6	11	19	24	51
80-84	290	9.1	83	2	2	7	11	18	25	45
85+	193	9.7	122	2	3	7	11	19	24	83
B. *Operated*										
65-69 YRS	68	16.1	186	2	3	13	23	35	38	65
70-74	73	13.8	117	3	4	13	18	33	39	89
75-79	50	14.1	125	3	4	11	16	30	36	57
80-84	24	16.8	189	3	4	13	25	37	45	52
85+	13	11.7	40	4	4	10	17	20	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	5.1	16	1	1	4	7	9	13	19
B. *Operated*	17	5.2	17	1	1	5	6	13	15	15
2. MULTIPLE DX										
A. *Not Operated*	2297	8.4	64	2	2	6	10	17	22	46
B. *Operated*	228	14.8	142	3	4	13	19	33	37	59
1. SINGLE DX	395	5.1	16	1	1	4	7	9	13	19
2. MULTIPLE DX	2525	9.0	75	2	2	6	11	18	24	48
A. NOT OPERATED	2675	7.9	59	1	2	6	10	16	21	42
B. OPERATED	245	14.1	139	2	3	11	19	32	37	58
TOTAL 65-69 YRS	951	7.7	57	1	2	5	9	16	22	41
70-74	777	8.2	54	1	2	6	11	17	21	38
75-79	619	9.0	75	2	2	6	11	19	24	50
80-84	349	9.2	89	2	2	7	11	19	27	47
85+	224	9.8	112	2	3	7	11	19	24	82
GRAND TOTAL	**2920**	**8.5**	**68**	**2**	**2**	**6**	**10**	**17**	**23**	**46**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	396	8.4	68	1	2	6	10	17	28	54
70-74	408	8.7	81	2	2	6	11	17	24	45
75-79	270	8.8	74	1	2	6	11	17	26	51
80-84	143	10.8	109	2	3	7	14	27	36	99+
85+	85	8.8	66	2	2	7	12	16	22	48
B. *Operated*										
65-69 YRS	337	10.3	120	2	2	7	13	24	33	56
70-74	275	11.4	121	2	2	8	15	26	32	77
75-79	168	11.3	141	2	2	7	14	24	35	63
80-84	61	12.8	182	3	3	8	17	30	38	74
85+	34	7.7	63	2	2	5	8	17	23	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1732	12.4	131	2	3	9	16	26	36	67
70-74	1927	12.0	114	3	3	9	15	24	34	61
75-79	1794	12.5	116	3	4	10	16	26	33	66
80-84	1181	13.8	133	3	4	11	17	28	39	79
85+	836	12.7	105	3	4	10	16	24	31	68
B. *Operated*										
65-69 YRS	940	17.7	275	2	3	12	24	41	58	99+
70-74	916	17.5	227	2	3	13	24	38	48	82
75-79	652	18.5	263	3	4	14	25	39	53	86
80-84	385	17.7	197	3	4	14	23	40	48	62
85+	210	16.6	176	3	4	13	24	35	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1302	8.9	78	2	2	6	11	18	26	53
B. *Operated*	875	10.9	127	2	2	7	14	24	33	65
2. MULTIPLE DX										
A. *Not Operated*	7470	12.6	121	3	3	10	16	26	35	67
B. *Operated*	3103	17.7	242	2	4	13	24	39	52	86
1. SINGLE DX	2177	9.7	98	2	2	7	12	21	29	60
2. MULTIPLE DX	10573	14.1	162	3	4	10	18	30	41	77
A. NOT OPERATED	8772	12.0	116	2	3	9	15	25	34	65
B. OPERATED	3978	16.2	225	2	3	11	22	37	48	85
TOTAL 65-69 YRS	3405	13.2	172	2	3	9	16	30	41	79
70-74	3526	13.0	148	2	3	9	16	28	37	69
75-79	2884	13.5	155	2	3	10	17	28	39	76
80-84	1770	14.4	150	3	4	11	18	31	42	76
85+	1165	13.0	118	3	3	10	17	27	34	69
GRAND TOTAL	**12750**	**13.3**	**154**	**2**	**3**	**10**	**17**	**29**	**39**	**76**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	67	5.6	62	1	2	4	6	9	11	56
70-74	31	5.0	9	1	2	4	7	9	11	13
75-79	12	4.4	7	2	2	4	5	8	11	12
80-84	8	2.6	3	1	1	2	4	5	6	6
85+	6	2.7	3	1	1	2	4	5	5	5
B. *Operated*										
65-69 YRS	8	11.1	204	2	2	5	14	36	43	43
70-74										
75-79	3	4.3	2	3	3	4	5	6	6	6
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	194	5.7	20	2	2	4	7	10	13	23
70-74	116	6.6	25	2	2	5	8	13	16	26
75-79	58	7.7	73	2	2	6	8	13	17	61
80-84	34	6.2	19	1	2	6	9	12	13	18
85+	12	4.6	4	2	2	5	6	7	8	8
B. *Operated*										
65-69 YRS	22	6.7	13	2	3	6	8	11	15	16
70-74	12	9.3	50	3	4	8	10	18	28	30
75-79	6	8.5	22	4	4	7	12	16	16	16
80-84	5	8.2	35	2	2	6	12	17	17	17
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	5.0	37	1	1	4	6	9	11	27
B. *Operated*	11	9.3	153	2	2	5	7	30	42	43
2. MULTIPLE DX										
A. *Not Operated*	414	6.2	28	2	2	5	8	11	15	24
B. *Operated*	45	7.8	26	2	3	7	9	14	16	30
1. SINGLE DX	135	5.3	47	1	2	4	6	9	11	46
2. MULTIPLE DX	459	6.4	28	2	2	5	8	12	15	25
A. NOT OPERATED	538	6.0	31	1	2	5	7	11	14	24
B. OPERATED	56	8.1	49	2	3	6	9	16	20	42
TOTAL 65-69 YRS	291	5.9	34	2	2	4	7	10	13	34
70-74	159	6.5	25	2	2	5	8	12	15	29
75-79	79	7.1	58	2	2	5	8	12	16	52
80-84	47	5.8	19	1	1	5	9	12	14	18
85+	18	3.9	4	1	1	4	6	6	7	8
GRAND TOTAL	**594**	**6.2**	**33**	**2**	**2**	**5**	**7**	**11**	**14**	**27**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	3.7	20	<1	1	2	4	9	14	20
70-74	15	4.0	7	2	2	3	5	8	10	11
75-79	5	4.2	5	3	3	3	5	8	8	8
80-84	9	3.2	4	1	1	3	5	6	6	6
85+										
B. *Operated*										
65-69 YRS	1095	2.9	13	1	1	2	3	4	7	13
70-74	786	2.9	6	1	1	2	3	5	6	12
75-79	519	2.7	4	1	1	2	3	4	6	11
80-84	333	3.0	6	1	1	2	3	5	7	14
85+	168	2.8	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	46	7.2	32	1	3	6	9	15	20	29
70-74	35	6.7	23	<1	1	6	9	15	16	19
75-79	27	6.1	25	1	1	5	8	13	15	22
80-84	16	11.1	58	2	3	10	14	22	29	31
85+	16	6.8	33	1	2	6	8	13	21	25
B. *Operated*										
65-69 YRS	693	4.6	26	1	2	3	5	9	13	28
70-74	593	4.5	18	1	2	3	5	9	13	23
75-79	388	5.0	23	1	2	3	6	11	14	25
80-84	207	4.3	14	2	2	3	5	8	12	21
85+	95	5.7	29	2	2	4	7	13	18	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	3.8	11	1	1	3	5	8	9	20
B. *Operated*	2901	2.9	8	1	1	2	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	140	7.3	33	1	2	6	9	15	19	29
B. *Operated*	1976	4.6	22	1	2	3	5	9	13	24
1. SINGLE DX	2951	2.9	8	1	1	2	3	4	6	13
2. MULTIPLE DX	2116	4.8	23	1	2	3	5	10	14	24
A. NOT OPERATED	190	6.4	29	1	1	5	8	13	17	27
B. OPERATED	4877	3.6	14	1	1	3	4	6	10	20
TOTAL 65-69 YRS	1855	3.7	19	1	1	3	4	7	10	22
70-74	1429	3.7	12	1	2	3	4	7	10	18
75-79	939	3.8	14	1	2	3	4	7	11	21
80-84	565	3.7	12	1	2	3	4	7	11	20
85+	279	4.0	15	1	1	3	4	8	11	23
GRAND TOTAL	**5067**	**3.7**	**15**	**1**	**1**	**3**	**4**	**7**	**10**	**20**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	309	6.8	30	1	2	5	9	15	19	60
70-74	261	7.4	42	2	2	5	9	15	20	32
75-79	163	8.0	53	2	2	6	9	17	25	41
80-84	107	8.1	56	1	2	6	10	16	21	41
85+	66	6.9	23	2	2	6	9	12	17	27
B. *Operated*										
65-69 YRS	832	5.4	43	1	2	3	6	11	16	30
70-74	509	5.3	31	1	2	3	6	12	17	25
75-79	253	5.4	39	1	2	4	7	11	14	27
80-84	100	5.9	33	1	2	4	7	14	19	29
85+	65	5.5	18	1	2	3	8	13	15	87
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1063	9.3	72	2	3	7	12	18	25	48
70-74	928	9.6	69	2	3	7	12	20	27	43
75-79	717	10.4	92	2	3	8	12	21	27	72
80-84	421	10.6	76	2	3	9	13	21	26	49
85+	262	11.1	105	2	3	9	13	22	27	49
B. *Operated*										
65-69 YRS	795	10.3	139	2	2	7	13	22	31	85
70-74	533	11.4	135	2	2	7	15	27	34	63
75-79	324	13.5	178	2	2	9	19	32	43	82
80-84	146	11.5	86	2	3	9	15	24	33	99+
85+	72	12.7	199	2	2	9	16	23	36	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	906	7.3	40	2	2	5	9	15	20	37
B. *Operated*	1759	5.4	37	1	2	3	6	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	3391	9.9	79	2	3	8	12	20	26	49
B. *Operated*	1870	11.4	144	2	2	8	15	26	37	82
1. SINGLE DX	2665	6.0	39	1	2	4	8	13	18	32
2. MULTIPLE DX	5261	10.4	102	2	3	8	13	22	29	62
A. NOT OPERATED	4297	9.4	72	2	3	7	12	19	25	48
B. OPERATED	3629	8.5	101	2	2	5	10	19	27	60
TOTAL 65-69 YRS	2999	8.2	81	2	2	5	10	17	24	54
70-74	2231	8.8	78	2	2	6	11	19	27	49
75-79	1457	9.9	104	2	2	7	12	21	30	70
80-84	774	9.8	73	2	3	8	12	21	26	49
85+	465	10.0	101	2	2	8	12	20	26	56
GRAND TOTAL	**7926**	**9.0**	**85**	**2**	**2**	**6**	**11**	**19**	**26**	**55**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	2.4	3	1	1	2	3	5	6	6
70-74	14	4.2	12	1	1	3	5	9	11	12
75-79	3	4.7	4	3	3	4	6	7	7	7
80-84	3	4.7	12	1	1	5	7	8	8	8
85+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
65-69 YRS	866	5.4	13	1	2	5	7	9	11	22
70-74	626	5.6	8	2	3	5	7	9	10	15
75-79	334	5.5	9	2	3	5	7	9	11	16
80-84	159	6.0	8	2	3	6	7	10	11	16
85+	74	6.5	13	2	3	6	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	25	4.4	9	1	1	4	7	7	10	12
70-74	17	4.2	13	1	1	3	7	9	12	13
75-79	5	3.8	5	2	2	3	5	7	7	7
80-84	9	5.2	9	<1	1	5	7	10	10	10
85+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
65-69 YRS	885	6.5	19	2	3	5	8	11	14	23
70-74	691	6.6	20	2	3	6	8	11	15	26
75-79	439	6.8	20	2	3	6	8	12	15	21
80-84	187	6.8	13	2	3	6	8	12	14	19
85+	90	7.1	26	2	3	6	9	13	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.7	8	1	1	3	5	8	9	12
B. *Operated*	2059	5.6	10	2	2	5	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	58	4.3	10	1	1	3	7	9	10	13
B. *Operated*	2292	6.7	19	2	3	6	8	11	15	24
1. SINGLE DX	2090	5.6	10	2	2	5	7	9	11	17
2. MULTIPLE DX	2350	6.6	19	2	3	6	8	11	14	24
A. NOT OPERATED	89	4.1	9	1	1	3	6	8	10	13
B. OPERATED	4351	6.2	15	2	3	5	7	10	13	21
TOTAL 65-69 YRS	1785	5.9	16	2	2	5	7	10	12	22
70-74	1348	6.1	14	2	3	5	7	10	12	21
75-79	781	6.2	15	2	3	5	8	11	14	19
80-84	358	6.4	11	2	3	6	8	11	13	17
85+	168	6.7	20	2	2	6	8	11	15	24
GRAND TOTAL	**4440**	**6.1**	**15**	**2**	**3**	**5**	**7**	**10**	**13**	**21**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	40	3.2	7	1	1	2	4	6	9	14
70-74	38	2.7	3	<1	1	2	3	5	7	9
75-79	31	3.4	7	1	1	3	4	6	11	12
80-84	16	2.9	3	1	2	2	3	6	7	7
85+	21	5.1	22	1	1	3	7	10	16	21
B. *Operated*										
65-69 YRS	631	3.7	8	1	2	3	4	7	8	15
70-74	608	3.8	8	1	2	3	4	7	9	15
75-79	435	3.8	8	1	2	3	5	7	9	12
80-84	180	3.7	7	1	2	3	4	7	8	15
85+	101	4.4	10	1	2	4	6	8	10	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	45	4.5	11	1	2	3	6	9	11	17
70-74	56	4.4	18	1	1	3	5	11	15	20
75-79	43	5.3	21	1	1	4	7	12	17	19
80-84	40	6.7	59	1	2	4	8	15	24	38
85+	36	5.3	33	1	1	3	6	13	19	25
B. *Operated*										
65-69 YRS	494	5.1	20	1	2	4	6	10	13	23
70-74	492	5.3	23	2	2	4	6	11	14	23
75-79	431	5.5	22	2	2	4	7	11	13	24
80-84	275	6.2	34	2	2	5	8	12	15	32
85+	128	6.4	39	2	2	5	7	12	17	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	3.4	8	1	1	2	4	7	8	14
B. *Operated*	1955	3.8	8	1	2	3	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	220	5.2	27	1	1	3	6	11	16	27
B. *Operated*	1820	5.5	25	2	2	4	7	11	14	24
1. SINGLE DX	2101	3.8	8	1	2	3	4	7	9	15
2. MULTIPLE DX	2040	5.5	25	2	2	4	7	11	14	25
A. NOT OPERATED	366	4.4	20	1	1	3	5	9	13	21
B. OPERATED	3775	4.6	17	2	2	3	5	9	12	21
TOTAL 65-69 YRS	1210	4.3	14	1	2	3	5	8	11	19
70-74	1194	4.4	15	1	2	3	5	9	11	21
75-79	940	4.7	16	2	2	3	6	9	12	18
80-84	511	5.2	27	2	2	4	6	10	14	29
85+	286	5.5	27	1	2	4	7	11	15	25
GRAND TOTAL	**4141**	**4.6**	**17**	**1**	**2**	**3**	**5**	**9**	**12**	**21**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	3.6	7	1	1	2	5	9	9	9
70-74	12	3.3	3	1	1	3	4	6	7	7
75-79	15	3.9	2	1	2	4	5	6	6	6
80-84	20	3.9	7	1	2	3	5	7	10	12
85+	8	3.3	2	1	1	3	4	5	6	6
B. *Operated*										
65-69 YRS	174	4.1	16	1	2	3	4	8	11	16
70-74	221	3.9	9	1	2	3	4	7	10	18
75-79	153	3.5	6	1	2	3	4	5	8	14
80-84	76	3.4	4	1	2	3	4	7	8	11
85+	38	4.6	14	1	1	4	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	35	7.3	67	2	2	4	8	18	20	43
70-74	48	6.9	141	2	2	4	8	11	13	84
75-79	40	5.0	15	1	2	4	6	8	10	24
80-84	27	9.0	78	2	3	6	9	24	29	36
85+	19	12.2	66	3	3	13	17	21	28	34
B. *Operated*										
65-69 YRS	268	5.8	49	2	2	4	6	11	16	41
70-74	257	5.8	53	2	2	4	6	12	16	26
75-79	220	5.6	32	2	2	4	6	10	15	32
80-84	126	5.5	16	2	2	4	6	10	14	21
85+	83	5.6	17	2	2	4	7	11	15	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	3.7	5	1	2	3	5	6	8	11
B. *Operated*	662	3.9	10	1	2	3	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	169	7.5	80	2	2	5	8	17	21	42
B. *Operated*	954	5.7	39	2	2	4	6	11	15	28
1. SINGLE DX	735	3.8	9	1	2	3	4	7	9	16
2. MULTIPLE DX	1123	5.9	46	2	2	4	7	12	17	34
A. NOT OPERATED	242	6.3	60	1	2	4	7	13	19	37
B. OPERATED	1616	4.9	28	1	2	3	5	9	13	24
TOTAL 65-69 YRS	495	5.3	38	1	2	3	6	10	14	38
70-74	538	5.1	43	2	2	3	5	10	13	20
75-79	428	4.7	21	1	2	3	5	8	12	24
80-84	249	5.1	21	2	2	4	6	9	12	25
85+	148	6.1	27	2	2	4	7	13	18	22
GRAND TOTAL	**1858**	**5.1**	**32**	**1**	**2**	**4**	**6**	**10**	**14**	**25**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	129	2.9	7	<1	1	3	3	4	5	21
70-74	131	2.8	3	<1	1	3	4	4	6	9
75-79	125	3.1	5	<1	1	3	4	5	7	14
80-84	99	2.7	3	<1	1	3	4	4	6	10
85+	67	3.0	3	<1	1	3	4	5	6	10
B. *Operated*										
65-69 YRS	11743	3.3	5	2	2	3	4	5	6	11
70-74	13411	3.4	5	2	2	3	4	5	6	11
75-79	12703	3.5	5	2	2	3	4	5	7	12
80-84	8946	3.6	4	2	2	3	4	5	7	12
85+	5356	3.7	11	2	2	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	313	3.3	14	<1	1	2	4	7	10	17
70-74	401	3.2	10	<1	1	2	4	7	10	19
75-79	338	3.4	19	<1	1	2	4	7	11	20
80-84	273	3.6	13	<1	1	2	4	8	11	19
85+	206	4.4	36	<1	1	2	5	10	14	40
B. *Operated*										
65-69 YRS	9545	4.2	13	2	2	3	4	7	10	17
70-74	11225	4.3	11	2	2	3	5	7	10	18
75-79	11582	4.4	15	2	2	4	5	7	10	18
80-84	8193	4.6	14	2	2	4	5	8	11	20
85+	5103	4.9	19	2	2	4	5	9	12	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	551	2.9	5	<1	1	3	4	4	6	12
B. *Operated*	52159	3.4	6	2	2	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	1531	3.5	17	<1	1	2	4	8	11	21
B. *Operated*	45648	4.4	14	2	2	3	5	8	11	19
1. SINGLE DX	52710	3.4	6	2	2	3	4	5	7	12
2. MULTIPLE DX	47179	4.4	14	2	2	3	5	8	11	19
A. NOT OPERATED	2082	3.3	14	<1	1	2	4	7	9	20
B. OPERATED	97807	3.9	10	2	2	3	4	6	9	15
TOTAL 65-69 YRS	21730	3.7	9	2	2	3	4	6	8	14
70-74	25168	3.8	8	2	2	3	4	6	8	15
75-79	24748	3.9	10	2	2	3	4	6	9	15
80-84	17511	4.0	9	2	2	3	4	7	9	16
85+	10732	4.3	16	2	2	3	5	7	10	18
GRAND TOTAL	**99889**	**3.9**	**10**	**2**	**2**	**3**	**4**	**6**	**9**	**15**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	3.0	3	1	1	3	4	5	5	5
70-74										
75-79	3	2.0	1	<1	<1	2	3	3	3	3
80-84	2	1.5	1	1	1	1	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	184	2.8	2	1	1	2	3	5	6	7
70-74	187	2.8	3	1	1	3	3	5	5	9
75-79	156	2.8	3	<1	1	2	3	5	6	10
80-84	104	3.0	3	1	1	2	4	5	6	9
85+	52	3.0	3	<1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	3.5	4	1	1	3	5	7	8	8
70-74	6	1.7	1	1	1	2	2	3	3	3
75-79	9	2.4	5	<1	<1	2	3	6	8	8
80-84	3	1.7	1	1	1	1	3	3	3	3
85+	6	3.7	15	1	1	2	5	10	11	11
B. *Operated*										
65-69 YRS	277	4.2	14	2	2	3	5	8	10	19
70-74	230	4.3	12	2	2	3	5	8	10	18
75-79	209	3.8	8	1	2	3	4	7	10	15
80-84	141	5.1	50	1	2	3	5	11	14	28
85+	71	4.9	21	2	2	4	6	9	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.3	2	<1	<1	2	3	5	5	5
B. *Operated*	683	2.9	3	1	1	3	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	35	2.8	6	1	1	2	3	6	8	11
B. *Operated*	928	4.4	18	1	2	3	5	8	11	20
1. SINGLE DX	692	2.9	3	1	1	2	3	5	6	9
2. MULTIPLE DX	963	4.3	18	1	2	3	5	8	11	20
A. NOT OPERATED	44	2.7	5	<1	1	2	3	5	8	11
B. OPERATED	1611	3.7	12	1	2	3	4	7	9	16
TOTAL 65-69 YRS	476	3.7	10	1	2	3	4	6	9	15
70-74	423	3.6	8	1	1	3	4	7	9	14
75-79	377	3.4	6	1	1	3	4	6	8	14
80-84	250	4.2	31	1	1	3	5	7	12	20
85+	129	4.1	14	1	1	3	5	8	10	22
GRAND TOTAL	**1655**	**3.7**	**12**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	4.0	10	1	2	3	5	9	11	14
70-74	16	4.6	9	1	2	4	6	9	11	12
75-79	10	4.7	11	2	2	3	6	10	11	11
80-84	2	7.0	32	3	3	7	11	11	11	11
85+	3	4.3		4	4	4	5	5	5	5
B. *Operated*										
65-69 YRS	99	2.4	6	1	1	2	2	3	4	17
70-74	62	2.7	3	1	1	2	3	5	6	10
75-79	37	2.5	2	1	1	2	3	5	6	7
80-84	14	3.2	11	1	1	2	3	6	12	14
85+	9	1.8		1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	74	6.5	24	2	2	5	9	13	16	27
70-74	58	6.6	11	2	3	6	8	10	13	18
75-79	51	8.4	103	2	2	6	9	13	24	59
80-84	27	9.3	53	2	3	7	12	22	25	26
85+	9	6.1	14	3	3	5	7	13	15	15
B. *Operated*										
65-69 YRS	113	4.5	39	1	2	2	5	10	13	35
70-74	82	5.0	47	2	2	3	4	12	17	42
75-79	42	4.8	15	2	2	3	6	11	14	16
80-84	15	5.9	37	1	1	3	9	18	18	18
85+	9	7.6	116	1	1	3	7	26	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	4.4	9	1	2	3	5	9	11	14
B. *Operated*	221	2.5	5	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	219	7.3	43	2	2	6	9	13	18	36
B. *Operated*	261	4.9	40	1	2	3	5	11	15	34
1. SINGLE DX	275	2.9	6	1	1	2	3	5	8	13
2. MULTIPLE DX	480	6.0	42	2	2	4	8	12	16	33
A. NOT OPERATED	273	6.7	37	2	2	5	8	12	15	29
B. OPERATED	482	3.8	25	1	2	2	3	8	12	24
TOTAL 65-69 YRS	309	4.3	25	1	2	2	5	9	13	23
70-74	218	4.7	24	1	2	3	6	10	13	24
75-79	140	5.5	48	1	2	3	7	11	14	49
80-84	58	6.9	43	1	2	4	8	18	22	26
85+	30	5.1	42	1	1	3	5	12	15	34
GRAND TOTAL	**755**	**4.9**	**31**	**1**	**2**	**3**	**6**	**10**	**14**	**26**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	64	4.8	21	<1	1	3	6	12	14	22
70-74	70	4.1	17	<1	1	3	5	8	13	20
75-79	56	3.8	11	1	1	3	5	7	8	21
80-84	45	4.6	13	<1	<1	4	8	10	12	99+
85+	39	5.1	27	<1	1	4	7	11	21	99+
B. *Operated*										
65-69 YRS	979	2.6	3	<1	1	2	3	4	5	10
70-74	1029	2.7	8	<1	1	2	3	4	6	11
75-79	796	2.7	4	<1	1	2	3	5	6	10
80-84	526	2.8	5	<1	1	2	3	5	6	10
85+	296	2.9	10	1	1	2	3	6	7	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	129	5.7	19	1	1	5	8	12	15	20
70-74	153	6.2	27	1	1	5	9	14	17	27
75-79	129	6.6	68	1	1	5	8	15	20	35
80-84	107	6.7	18	1	2	6	9	13	15	19
85+	90	6.7	25	1	2	6	10	13	17	24
B. *Operated*										
65-69 YRS	1009	3.7	10	1	1	3	4	7	10	18
70-74	1089	3.9	20	1	2	3	4	7	9	25
75-79	938	4.1	16	1	1	3	5	7	10	23
80-84	654	4.3	20	1	2	3	5	8	10	27
85+	446	4.7	38	1	2	3	5	10	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	274	4.5	17	<1	1	3	6	10	13	28
B. *Operated*	3626	2.7	5	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	608	6.3	32	1	1	5	9	13	17	24
B. *Operated*	4136	4.0	19	1	2	3	5	7	10	22
1. SINGLE DX	3900	2.8	6	<1	1	2	3	5	7	12
2. MULTIPLE DX	4744	4.3	21	1	2	3	5	9	12	23
A. NOT OPERATED	882	5.8	28	1	1	4	8	12	16	24
B. OPERATED	7762	3.4	13	1	1	2	4	6	8	18
TOTAL 65-69 YRS	2181	3.3	9	1	1	2	4	6	9	16
70-74	2341	3.5	16	1	1	2	4	7	9	20
75-79	1919	3.6	15	1	1	2	4	7	9	22
80-84	1332	3.9	15	1	1	3	5	8	10	19
85+	871	4.3	28	1	1	3	5	9	13	22
GRAND TOTAL	**8644**	**3.6**	**15**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	109	4.9	11	1	2	4	7	10	11	14
70-74	87	4.4	9	1	1	4	6	8	10	14
75-79	96	5.2	13	1	1	5	7	9	11	19
80-84	47	5.4	12	1	2	5	7	11	13	15
85+	28	6.2	14	2	2	5	9	12	13	15
B. *Operated*										
65-69 YRS	509	3.4	7	1	1	2	4	6	9	13
70-74	473	3.6	9	1	2	3	4	7	10	17
75-79	468	3.5	8	1	2	3	4	6	9	14
80-84	252	4.0	48	1	1	3	4	8	11	46
85+	140	3.7	12	1	1	3	4	7	10	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	288	6.3	23	1	2	5	8	12	16	25
70-74	242	6.6	24	1	2	5	9	13	17	22
75-79	226	6.9	28	1	2	5	9	13	16	30
80-84	135	6.9	23	1	2	6	9	14	18	22
85+	97	8.4	70	1	2	6	10	18	21	49
B. *Operated*										
65-69 YRS	739	5.5	24	1	2	4	7	11	16	26
70-74	750	5.3	30	2	2	4	6	10	15	25
75-79	685	5.0	25	1	2	4	6	10	14	28
80-84	402	5.1	31	2	2	4	6	10	14	23
85+	219	6.2	52	2	2	4	7	11	15	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	5.0	11	1	2	5	7	10	11	15
B. *Operated*	1842	3.6	14	1	2	3	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	988	6.8	29	1	2	5	9	13	18	26
B. *Operated*	2795	5.3	29	2	2	4	6	11	15	27
1. SINGLE DX	2209	3.8	14	1	2	3	4	8	10	17
2. MULTIPLE DX	3783	5.7	29	1	2	4	7	11	15	27
A. NOT OPERATED	1355	6.3	25	1	2	5	8	12	15	23
B. OPERATED	4637	4.6	24	1	2	3	5	9	13	23
TOTAL 65-69 YRS	1645	4.9	19	1	2	3	6	10	13	21
70-74	1552	4.9	22	1	2	3	6	10	14	22
75-79	1475	4.8	20	1	2	3	6	9	13	25
80-84	836	5.1	34	1	2	3	6	10	14	22
85+	484	5.9	45	1	2	4	7	12	17	41
GRAND TOTAL	**5992**	**5.0**	**24**	**1**	**2**	**3**	**6**	**10**	**14**	**23**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	3.1	2	1	1	3	4	5	6	6
70-74	17	4.3	4	2	2	4	6	7	8	9
75-79	11	4.7	22	1	1	3	6	11	17	18
80-84	3	4.7	2	3	3	5	6	6	6	6
85+	3	1.7		<1	<1	2	2	2	2	2
B. *Operated*										
65-69 YRS	30	5.0	35	2	2	3	4	12	17	30
70-74	24	3.2	5	<1	1	3	4	8	8	8
75-79	20	3.9	9	1	2	3	4	9	12	12
80-84	10	2.3	1	1	1	2	3	4	4	4
85+	4	2.0	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	95	5.5	12	1	2	5	7	10	12	17
70-74	77	6.6	50	1	2	5	8	11	14	48
75-79	61	7.9	34	2	3	6	10	14	19	35
80-84	41	7.5	26	2	3	7	9	13	17	28
85+	42	7.9	40	2	2	6	10	21	24	99+
B. *Operated*										
65-69 YRS	86	5.8	31	2	2	4	6	12	16	32
70-74	66	6.6	34	1	2	4	10	13	16	33
75-79	64	5.1	16	2	2	4	6	10	14	20
80-84	27	3.8	6	1	2	3	5	6	7	14
85+	18	5.8	19	2	2	5	7	9	16	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	3.8	7	1	1	3	5	6	7	17
B. *Operated*	88	3.8	16	1	1	3	4	7	12	25
2. MULTIPLE DX										
A. *Not Operated*	316	6.8	31	2	2	6	9	12	16	31
B. *Operated*	261	5.6	25	2	2	4	7	12	15	30
1. SINGLE DX	147	3.8	12	1	1	3	4	6	9	18
2. MULTIPLE DX	577	6.3	29	2	2	5	8	12	15	30
A. NOT OPERATED	375	6.3	29	1	2	5	8	11	15	27
B. OPERATED	349	5.2	23	1	2	4	6	11	14	30
TOTAL 65-69 YRS	236	5.3	21	1	2	4	6	10	13	30
70-74	184	5.9	35	1	2	4	8	11	14	30
75-79	156	6.0	24	2	2	4	8	12	15	23
80-84	81	5.5	19	2	2	4	7	11	13	25
85+	67	6.7	33	2	2	5	8	20	22	86
GRAND TOTAL	**724**	**5.8**	**26**	**1**	**2**	**4**	**7**	**11**	**14**	**28**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	3.7	9	<1	<1	3	6	8	10	10
70-74	9	3.7	12	1	1	2	5	9	12	12
75-79	4	4.8	8	1	1	5	7	7	7	7
80-84	5	2.8	12	1	1	1	4	9	9	9
85+	7	8.4	154	1	1	3	7	30	36	36
B. *Operated*										
65-69 YRS	274	2.6	8	1	1	2	3	4	5	10
70-74	125	2.4	2	1	1	2	3	4	5	8
75-79	70	2.2	1	1	1	2	3	3	4	7
80-84	19	1.8	1	<1	<1	2	2	3	4	4
85+	29	1.7	3	<1	<1	1	2	2	3	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	81	5.7	14	1	2	5	8	10	13	20
70-74	75	7.0	21	2	3	6	10	12	16	26
75-79	43	9.3	62	3	3	7	10	21	36	99+
80-84	31	7.9	17	3	4	6	11	15	15	17
85+	38	8.3	43	1	2	7	13	17	27	99+
B. *Operated*										
65-69 YRS	303	3.6	19	1	1	3	4	5	8	27
70-74	197	3.4	13	1	2	2	3	6	8	22
75-79	95	3.7	11	<1	1	2	4	8	11	17
80-84	25	5.8	36	1	2	3	6	17	20	21
85+	36	4.3	21	<1	<1	2	6	10	15	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	4.6	38	1	1	3	6	9	11	36
B. *Operated*	517	2.4	5	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	268	7.3	29	2	3	6	9	14	17	40
B. *Operated*	656	3.7	17	1	1	3	4	7	10	21
1. SINGLE DX	552	2.6	8	<1	1	2	3	4	5	11
2. MULTIPLE DX	924	4.7	23	1	2	3	6	10	14	28
A. NOT OPERATED	303	7.0	31	1	2	6	9	13	16	39
B. OPERATED	1173	3.1	12	1	1	2	3	5	8	20
TOTAL 65-69 YRS	668	3.5	14	1	1	3	4	6	8	22
70-74	406	3.7	14	1	1	2	4	8	11	19
75-79	212	4.4	25	1	1	3	5	9	13	37
80-84	80	5.5	24	<1	1	4	7	14	16	21
85+	110	5.2	38	<1	<1	3	7	14	17	61
GRAND TOTAL	**1476**	**3.9**	**18**	**1**	**1**	**3**	**4**	**8**	**11**	**23**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	7.2	17	2	2	7	9	13	15	15
70-74	13	8.0	41	2	3	6	10	16	24	26
75-79	8	5.6	7	2	2	5	7	9	10	10
80-84	4	15.8	366	3	3	8	27	44	44	44
85+	9	5.9	23	1	1	6	7	13	17	17
B. *Operated*										
65-69 YRS	63	3.4	6	1	1	3	4	7	10	88
70-74	35	2.9	6	<1	<1	2	4	7	8	12
75-79	21	3.7	18	<1	1	2	3	11	15	16
80-84	7	4.3	13	1	1	3	6	10	11	11
85+	12	6.7	42	1	1	5	11	17	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	52	7.6	28	2	2	6	10	16	20	22
70-74	61	6.5	12	2	3	6	8	11	13	17
75-79	47	10.2	82	2	3	7	12	26	31	37
80-84	28	9.0	44	3	3	6	12	16	25	30
85+	36	9.4	156	1	2	6	10	14	38	67
B. *Operated*										
65-69 YRS	112	6.4	65	2	2	3	6	15	24	47
70-74	77	9.2	132	2	2	4	10	28	36	49
75-79	53	8.6	96	1	2	5	10	22	33	48
80-84	23	12.9	131	1	2	10	20	33	35	36
85+	18	11.6	259	1	2	7	12	26	51	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	7.7	53	2	2	6	9	14	20	44
B. *Operated*	138	3.6	12	<1	1	3	4	8	13	28
2. MULTIPLE DX										
A. *Not Operated*	224	8.3	58	2	3	7	10	16	21	40
B. *Operated*	283	8.4	109	1	2	4	10	24	32	49
1. SINGLE DX	182	4.6	25	<1	1	3	6	10	14	38
2. MULTIPLE DX	507	8.4	86	2	2	5	10	19	28	48
A. NOT OPERATED	268	8.2	57	2	3	6	10	15	21	43
B. OPERATED	421	6.8	82	1	1	3	7	16	28	49
TOTAL 65-69 YRS	237	5.9	41	1	2	4	7	13	18	45
70-74	186	7.0	67	<1	2	4	8	14	26	47
75-79	129	8.2	77	1	1	5	9	20	30	39
80-84	62	10.3	95	1	2	7	13	27	33	43
85+	75	9.1	146	1	1	6	10	18	26	68
GRAND TOTAL	**689**	**7.4**	**73**	**1**	**2**	**5**	**9**	**16**	**26**	**48**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	482	4.0	7	1	1	3	5	7	9	14
70-74	417	4.2	13	1	2	3	5	8	10	17
75-79	283	4.6	10	1	2	4	6	9	11	15
80-84	158	5.0	14	1	2	4	6	10	12	20
85+	72	4.3	7	1	2	4	6	7	8	13
B. *Operated*										
65-69 YRS	74	5.6	20	2	2	4	8	9	11	29
70-74	56	4.9	14	1	2	4	6	9	11	22
75-79	13	6.3	26	2	2	5	7	13	19	21
80-84	6	8.5	64	1	1	5	17	20	20	20
85+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1426	5.8	19	2	2	5	7	10	13	22
70-74	1431	5.8	15	2	2	5	7	11	14	20
75-79	1250	6.4	23	2	2	5	8	12	15	26
80-84	749	6.6	30	2	2	5	8	12	15	26
85+	430	7.1	39	2	2	6	9	13	16	37
B. *Operated*										
65-69 YRS	96	9.2	35	2	3	8	12	17	21	68
70-74	98	9.7	49	2	3	8	12	16	26	36
75-79	85	11.0	79	3	4	10	13	19	27	54
80-84	29	11.9	64	5	5	10	12	26	28	39
85+	18	8.2	19	3	4	7	11	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1412	4.3	10	1	2	4	5	8	10	15
B. *Operated*	150	5.5	20	1	2	4	7	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	5286	6.2	22	2	2	5	8	11	14	24
B. *Operated*	326	10.0	53	2	3	9	12	17	25	41
1. SINGLE DX	1562	4.4	11	1	2	4	6	8	10	17
2. MULTIPLE DX	5612	6.4	25	2	2	5	8	12	15	26
A. NOT OPERATED	6698	5.8	20	2	2	5	7	11	14	21
B. OPERATED	476	8.6	47	2	2	7	11	16	21	36
TOTAL 65-69 YRS	2078	5.6	18	1	2	5	7	10	13	22
70-74	2002	5.7	17	2	2	5	7	11	14	21
75-79	1631	6.3	25	2	2	5	8	12	15	27
80-84	942	6.5	30	2	2	5	8	12	15	27
85+	521	6.7	34	2	2	5	8	13	16	35
GRAND TOTAL	**7174**	**6.0**	**23**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	5.0	8	3	3	5	7	7	7	7
70-74	3	2.3	2	1	1	2	3	4	4	4
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	420	2.8	1	1	2	3	3	4	5	7
70-74	240	2.9	5	1	2	3	3	4	5	8
75-79	111	2.8	2	1	2	3	3	4	5	9
80-84	30	2.8	1	1	2	3	3	4	6	6
85+	19	2.8	2	1	1	3	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	3.0	8	<1	<1	3	3	8	10	10
70-74	5	4.0	17	1	1	1	8	9	9	9
75-79	4	5.3	11	3	3	4	7	10	10	10
80-84	3	7.7	66	2	2	4	14	17	17	17
85+	4	5.0	21	1	1	4	8	11	11	11
B. *Operated*										
65-69 YRS	117	3.3	4	1	2	3	4	6	8	12
70-74	70	3.3	4	2	2	3	4	5	8	12
75-79	35	3.1	2	2	2	3	3	6	7	7
80-84	11	4.4	19	2	2	3	4	10	16	17
85+	6	2.5	1	1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.4	5	1	1	3	5	7	7	7
B. *Operated*	820	2.8	2	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	25	4.4	17	<1	1	3	6	10	12	17
B. *Operated*	239	3.3	5	2	2	3	4	6	8	13
1. SINGLE DX	825	2.8	2	1	2	3	3	4	5	7
2. MULTIPLE DX	264	3.4	6	1	2	3	4	6	9	15
A. NOT OPERATED	30	4.3	15	1	1	3	6	10	11	17
B. OPERATED	1059	2.9	3	1	2	3	3	4	5	10
TOTAL 65-69 YRS	548	2.9	2	1	2	3	3	4	5	9
70-74	318	3.0	5	1	2	3	3	4	5	11
75-79	150	3.0	2	1	2	3	3	4	6	10
80-84	44	3.5	10	1	2	3	3	6	9	17
85+	29	3.1	4	1	1	3	3	5	8	11
GRAND TOTAL	**1089**	**3.0**	**3**	**1**	**2**	**3**	**3**	**4**	**5**	**10**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	79	3.6	5	1	2	3	4	6	8	13
70-74	35	4.3	12	1	2	3	5	6	12	18
75-79	17	3.6	4	<1	1	3	5	7	8	8
80-84	9	4.3	3	2	2	4	5	7	7	7
85+	8	4.6	5	2	2	4	6	8	8	8
B. *Operated*										
65-69 YRS	293	2.6	3	1	1	2	3	4	5	12
70-74	143	2.8	3	1	1	2	3	5	6	9
75-79	73	3.1	21	1	1	2	3	4	7	33
80-84	18	3.4	27	1	1	2	3	4	16	24
85+	13	3.6	29	1	1	2	2	9	19	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	102	5.5	16	1	2	4	7	11	15	19
70-74	59	6.9	44	1	2	5	8	13	16	44
75-79	59	5.6	14	1	1	5	8	11	13	18
80-84	42	7.5	29	2	3	5	10	15	20	24
85+	43	6.1	20	1	2	5	8	12	16	22
B. *Operated*										
65-69 YRS	310	3.6	20	1	2	3	4	6	9	20
70-74	157	3.7	21	1	2	3	4	5	10	20
75-79	80	3.7	11	1	1	3	4	8	14	74
80-84	29	4.9	33	1	1	3	4	12	16	28
85+	13	7.9	98	2	2	3	11	26	31	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	3.9	6	1	2	3	5	7	8	13
B. *Operated*	540	2.8	7	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	305	6.1	24	1	2	5	8	12	15	21
B. *Operated*	589	3.8	22	1	2	3	4	7	11	27
1. SINGLE DX	688	3.0	7	1	1	2	3	5	7	13
2. MULTIPLE DX	894	4.6	24	1	2	3	5	9	13	24
A. NOT OPERATED	453	5.4	19	1	2	4	7	11	14	19
B. OPERATED	1129	3.3	15	1	1	2	3	5	8	20
TOTAL 65-69 YRS	784	3.5	13	1	1	3	4	6	9	16
70-74	394	3.9	18	1	2	3	4	7	11	19
75-79	229	4.0	15	1	1	3	5	8	11	23
80-84	98	5.7	29	1	2	4	6	13	18	26
85+	77	5.8	33	1	2	4	7	13	20	30
GRAND TOTAL	**1582**	**3.9**	**17**	**1**	**2**	**3**	**4**	**7**	**11**	**20**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	4.2	5	1	1	4	5	8	8	8
70-74	8	6.9	23	<1	1	6	8	15	17	17
75-79	4	7.3	47	1	1	5	11	17	17	17
80-84	4	9.8	41	3	3	9	14	18	18	18
85+										
B. *Operated*										
65-69 YRS	5	17.6	174	3	3	16	30	33	33	33
70-74	4	18.8	465	2	2	12	35	48	48	48
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	83	9.6	53	2	3	8	14	18	26	79
70-74	85	9.3	54	2	3	7	11	17	24	41
75-79	62	12.0	119	3	4	8	15	23	28	61
80-84	34	11.9	189	3	4	9	15	21	26	82
85+	29	10.9	80	3	3	8	13	22	27	46
B. *Operated*										
65-69 YRS	38	15.4	203	2	2	12	21	34	42	67
70-74	27	17.1	185	4	5	14	25	46	59	99+
75-79	9	25.6	527	7	7	16	32	63	81	81
80-84	3	10.3	16	8	8	8	13	15	15	15
85+	6	20.0	222	6	6	15	37	39	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	6.7	25	<1	1	5	8	17	18	18
B. *Operated*	10	16.5	259	2	2	11	29	40	48	48
2. MULTIPLE DX										
A. *Not Operated*	293	10.4	86	3	3	8	13	21	27	57
B. *Operated*	83	17.2	227	2	3	14	23	39	49	94
1. SINGLE DX	32	9.8	113	1	2	6	13	24	33	48
2. MULTIPLE DX	376	11.9	124	3	3	8	15	24	36	77
A. NOT OPERATED	315	10.1	82	3	3	7	13	20	25	54
B. OPERATED	93	17.1	228	2	3	14	23	39	48	92
TOTAL 65-69 YRS	132	11.3	107	2	3	8	16	26	34	73
70-74	124	11.1	102	2	3	8	13	24	40	65
75-79	76	13.2	178	3	4	8	17	27	34	76
80-84	41	11.6	161	3	4	9	15	19	25	82
85+	35	12.5	110	3	3	8	14	26	38	46
GRAND TOTAL	**408**	**11.7**	**123**	**2**	**3**	**8**	**15**	**24**	**36**	**73**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	31	8.3	59	2	2	6	9	19	20	40
70-74	38	7.6	25	1	2	7	9	15	18	23
75-79	16	7.5	36	1	1	6	10	18	20	21
80-84	9	10.1	41	1	2	8	15	19	21	21
85+	6	9.2	60	1	1	7	17	20	20	20
B. *Operated*										
65-69 YRS	126	9.9	96	2	2	6	15	21	28	50
70-74	46	8.5	73	2	2	5	14	23	31	99+
75-79	19	13.1	136	1	2	12	20	29	40	45
80-84	1	24.0		24	24	24	24	24	24	24
85+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	739	9.4	55	2	3	7	12	18	23	37
70-74	713	10.3	85	2	3	8	12	19	26	49
75-79	483	11.1	65	3	4	9	14	21	26	38
80-84	269	11.2	71	3	4	9	14	21	27	44
85+	155	11.6	98	3	4	9	14	23	30	80
B. *Operated*										
65-69 YRS	607	13.8	164	2	2	11	19	30	38	83
70-74	331	15.9	207	2	3	13	22	39	51	99+
75-79	141	18.1	308	2	3	14	22	39	57	95
80-84	42	19.9	216	3	4	16	24	45	51	55
85+	16	15.6	145	4	4	12	21	28	44	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	8.1	40	1	2	7	10	18	20	31
B. *Operated*	193	9.9	95	2	2	6	15	22	31	51
2. MULTIPLE DX										
A. *Not Operated*	2359	10.4	71	2	3	8	13	20	26	47
B. *Operated*	1137	15.2	199	2	2	12	20	33	46	98
1. SINGLE DX	293	9.3	77	2	2	7	14	20	27	48
2. MULTIPLE DX	3496	11.9	118	2	3	9	15	24	33	61
A. NOT OPERATED	2459	10.3	70	2	3	8	13	19	25	45
B. OPERATED	1330	14.4	187	2	2	12	20	32	45	95
TOTAL 65-69 YRS	1503	11.2	107	2	2	8	15	24	31	54
70-74	1128	11.8	126	2	3	9	14	24	38	75
75-79	659	12.6	126	3	3	10	16	24	33	71
80-84	321	12.4	97	3	4	9	16	23	36	51
85+	178	11.9	101	3	4	9	14	23	30	73
GRAND TOTAL	**3789**	**11.7**	**115**	**2**	**3**	**9**	**15**	**24**	**33**	**59**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	536	5.4	15	2	2	4	6	10	13	20
70-74	396	5.2	11	2	2	4	7	9	12	17
75-79	283	5.9	18	2	2	5	7	11	15	24
80-84	152	6.5	52	2	2	5	8	13	18	37
85+	82	6.8	38	1	2	5	9	14	21	32
B. *Operated*										
65-69 YRS	49	6.6	45	2	2	4	9	14	17	39
70-74	32	7.2	31	2	2	6	10	16	21	22
75-79	9	10.0	43	3	3	9	15	20	23	23
80-84	5	8.6	96	3	3	5	11	26	26	26
85+	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4562	7.6	36	2	3	6	9	14	18	31
70-74	4002	7.8	42	2	3	6	9	14	19	32
75-79	3098	8.1	48	2	3	6	10	15	20	39
80-84	1937	8.6	52	2	3	7	11	16	21	36
85+	1304	8.7	66	2	3	7	11	17	22	40
B. *Operated*										
65-69 YRS	735	11.6	103	2	3	9	14	23	31	60
70-74	520	13.6	126	2	3	11	18	26	35	52
75-79	328	14.6	115	3	4	12	18	29	37	55
80-84	180	15.3	122	3	4	12	20	30	37	53
85+	108	14.3	104	3	3	11	20	28	34	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1449	5.6	20	2	2	4	7	11	14	22
B. *Operated*	97	7.2	41	2	2	5	10	15	21	33
2. MULTIPLE DX										
A. *Not Operated*	14903	8.0	45	2	3	6	10	15	19	34
B. *Operated*	1871	13.2	115	2	3	10	17	26	35	54
1. SINGLE DX	1546	5.7	21	2	2	4	7	11	14	22
2. MULTIPLE DX	16774	8.5	55	2	3	7	10	16	21	39
A. NOT OPERATED	16352	7.8	43	2	3	6	10	15	19	34
B. OPERATED	1968	12.9	113	2	3	10	17	26	34	54
TOTAL 65-69 YRS	5882	7.9	45	2	3	6	10	15	19	35
70-74	4950	8.2	52	2	3	6	10	16	21	36
75-79	3718	8.5	55	2	3	7	10	16	21	42
80-84	2274	9.0	61	2	3	7	11	17	22	39
85+	1496	9.0	69	2	3	7	11	18	25	41
GRAND TOTAL	**18320**	**8.3**	**53**	**2**	**3**	**6**	**10**	**16**	**21**	**38**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	266	7.2	27	2	3	6	9	12	15	36
70-74	229	7.0	23	2	3	6	8	13	14	23
75-79	205	7.2	23	2	3	6	9	12	16	24
80-84	194	8.1	39	2	3	6	10	15	19	34
85+	124	7.4	36	2	3	6	9	13	18	33
B. *Operated*										
65-69 YRS	31	6.4	47	1	2	4	8	20	21	28
70-74	10	7.8	59	3	3	3	11	21	23	23
75-79	11	12.4	96	3	3	10	19	29	30	30
80-84	4	12.5	23	8	8	12	16	18	18	18
85+	2	7.5	1	7	7	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3662	9.2	46	3	3	8	11	17	21	34
70-74	3857	10.0	60	3	3	8	12	19	24	41
75-79	3660	10.3	68	3	4	8	13	19	24	46
80-84	2610	10.5	65	3	3	8	13	20	26	40
85+	1921	11.5	94	3	4	9	14	22	29	63
B. *Operated*										
65-69 YRS	562	14.1	124	2	3	12	18	28	34	56
70-74	489	15.8	140	3	4	13	20	30	46	58
75-79	403	16.4	134	3	5	13	21	35	40	73
80-84	267	18.2	186	4	5	15	25	36	47	99+
85+	161	19.0	148	5	7	15	25	35	49	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1018	7.4	29	2	3	6	9	13	16	29
B. *Operated*	58	8.2	59	2	2	5	11	21	26	30
2. MULTIPLE DX										
A. *Not Operated*	15710	10.1	64	3	3	8	13	19	24	42
B. *Operated*	1882	16.0	143	2	4	13	21	31	41	65
1. SINGLE DX	1076	7.4	30	2	3	6	9	13	17	29
2. MULTIPLE DX	17592	10.8	76	3	4	8	13	21	27	48
A. NOT OPERATED	16728	10.0	62	3	3	8	12	19	24	41
B. OPERATED	1940	15.8	143	2	4	13	21	31	40	64
TOTAL 65-69 YRS	4521	9.7	58	2	3	8	12	18	24	38
70-74	4585	10.4	71	3	3	8	13	20	26	46
75-79	4279	10.7	76	3	4	8	13	20	26	48
80-84	3075	11.0	79	3	4	9	14	22	28	48
85+	2208	11.8	99	3	4	9	15	23	30	62
GRAND TOTAL	**18668**	**10.6**	**74**	**3**	**3**	**8**	**13**	**20**	**26**	**47**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	44	8.0	33	2	3	7	10	17	19	28
70-74	30	7.5	26	2	2	5	12	14	17	21
75-79	34	7.1	48	2	2	6	8	13	15	41
80-84	12	9.9	54	3	3	7	13	22	26	27
85+	9	7.8	11	5	5	6	11	13	13	13
B. *Operated*										
65-69 YRS	43	10.9	190	1	1	9	13	24	28	84
70-74	27	9.7	104	1	2	6	14	22	33	42
75-79	13	9.0	28	<1	1	9	13	15	17	17
80-84	3	8.0	9	5	5	8	10	11	11	11
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	426	9.2	55	1	2	7	12	19	24	45
70-74	473	9.9	89	1	1	8	13	20	28	63
75-79	375	11.4	77	2	3	9	15	22	27	44
80-84	264	12.3	94	3	4	9	16	23	29	57
85+	224	12.2	75	2	3	10	16	23	30	38
B. *Operated*										
65-69 YRS	258	14.6	155	2	3	12	18	32	38	67
70-74	209	16.2	169	3	5	12	22	32	42	77
75-79	146	18.0	172	4	5	15	24	32	46	62
80-84	53	14.8	103	3	5	12	18	29	32	53
85+	30	16.6	114	4	6	13	26	31	36	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	7.8	35	2	2	6	10	14	19	31
B. *Operated*	87	10.0	129	1	1	8	13	22	27	68
2. MULTIPLE DX										
A. *Not Operated*	1762	10.7	79	1	2	9	14	22	28	50
B. *Operated*	696	15.9	158	3	4	12	21	32	41	66
1. SINGLE DX	216	8.7	74	1	2	7	11	17	22	41
2. MULTIPLE DX	2458	12.2	106	2	3	9	16	25	32	57
A. NOT OPERATED	1891	10.5	76	1	2	8	14	21	27	48
B. OPERATED	783	15.2	158	2	3	12	20	31	39	66
TOTAL 65-69 YRS	771	11.0	101	1	2	8	14	22	32	55
70-74	739	11.6	118	1	2	9	15	25	32	66
75-79	568	12.8	109	2	3	10	17	26	32	52
80-84	332	12.6	94	3	4	10	16	24	30	55
85+	264	12.5	80	3	3	11	16	26	30	46
GRAND TOTAL	**2674**	**11.9**	**105**	**2**	**3**	**9**	**15**	**24**	**32**	**56**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2880	13.6	29	6	8	13	16	19	22	31
70-74	2244	13.6	33	6	7	13	16	20	23	32
75-79	1502	14.0	37	6	8	13	16	21	24	31
80-84	823	13.9	42	5	7	13	17	21	24	36
85+	433	14.0	53	4	7	13	17	22	26	43
B. *Operated*										
65-69 YRS	167	15.6	59	2	6	15	20	24	30	43
70-74	84	18.1	73	3	10	17	22	30	36	81
75-79	55	17.2	71	3	8	16	22	27	32	43
80-84	17	17.1	34	5	8	17	21	23	26	27
85+	15	22.1	62	14	14	20	28	31	38	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12611	15.0	50	6	8	14	18	23	27	40
70-74	11705	15.5	55	6	8	14	18	24	29	42
75-79	9263	15.9	63	6	8	14	19	25	30	44
80-84	5751	16.3	64	6	8	15	20	26	31	46
85+	3640	16.7	83	6	8	15	20	27	34	50
B. *Operated*										
65-69 YRS	1523	20.7	150	5	10	18	25	34	45	68
70-74	1223	21.4	136	7	11	19	26	36	43	67
75-79	938	22.9	140	10	12	21	28	37	46	78
80-84	596	23.9	156	9	12	21	30	40	52	69
85+	319	24.0	185	9	11	21	28	42	53	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7882	13.7	34	6	8	13	16	20	23	32
B. *Operated*	338	16.8	65	3	7	16	21	27	31	44
2. MULTIPLE DX										
A. *Not Operated*	42970	15.6	59	6	8	14	19	24	29	44
B. *Operated*	4599	22.0	149	8	11	19	27	37	46	71
1. SINGLE DX	8220	13.8	36	6	8	13	17	21	23	34
2. MULTIPLE DX	47569	16.2	71	6	8	15	19	26	32	48
A. NOT OPERATED	50852	15.3	56	6	8	14	18	24	28	43
B. OPERATED	4937	21.6	145	7	10	19	26	36	46	70
TOTAL 65-69 YRS	17181	15.3	59	6	8	14	18	23	28	44
70-74	15256	15.7	62	6	8	14	19	24	30	44
75-79	11758	16.2	71	6	8	15	19	26	31	47
80-84	7187	16.6	74	6	8	15	20	27	33	51
85+	4407	17.0	92	6	8	15	20	28	35	54
GRAND TOTAL	**55789**	**15.9**	**67**	**6**	**8**	**14**	**19**	**25**	**31**	**47**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	788	4.9	18	1	2	4	6	9	11	19
70-74	662	5.0	12	1	2	4	6	9	11	18
75-79	434	5.4	17	1	2	4	6	9	13	23
80-84	260	5.6	41	2	2	4	7	10	11	21
85+	167	5.3	16	1	2	4	7	10	13	20
B. *Operated*										
65-69 YRS	121	4.8	17	1	2	3	6	11	13	19
70-74	56	5.4	27	2	2	3	6	13	17	25
75-79	13	8.4	64	2	2	4	13	22	24	24
80-84	4	20.3	168	1	1	25	27	29	29	29
85+	3	5.7		5	5	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7064	6.6	22	2	2	5	8	12	15	24
70-74	6829	6.8	25	2	2	6	8	12	16	25
75-79	5600	7.2	28	2	3	6	9	13	16	28
80-84	3541	7.4	30	2	3	6	9	14	18	26
85+	2112	7.0	29	2	2	6	9	13	17	28
B. *Operated*										
65-69 YRS	2068	9.6	66	2	2	8	14	20	26	38
70-74	1114	11.3	103	2	2	9	15	22	30	51
75-79	506	12.9	87	2	3	11	18	26	31	44
80-84	188	15.0	137	3	4	12	20	29	36	60
85+	106	15.0	148	3	4	11	20	29	40	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2311	5.1	19	1	2	4	6	9	12	21
B. *Operated*	197	5.5	30	2	2	3	7	13	18	26
2. MULTIPLE DX										
A. *Not Operated*	25146	6.9	26	2	3	6	9	13	16	26
B. *Operated*	3982	10.9	87	2	2	9	15	22	29	43
1. SINGLE DX	2508	5.2	19	1	2	4	6	9	12	22
2. MULTIPLE DX	29128	7.5	36	2	2	6	9	14	18	31
A. NOT OPERATED	27457	6.8	25	2	2	6	8	12	16	26
B. OPERATED	4179	10.6	86	2	2	9	15	22	28	42
TOTAL 65-69 YRS	10041	7.0	33	2	2	5	9	14	18	30
70-74	8661	7.2	36	2	2	6	9	14	18	30
75-79	6553	7.5	34	2	3	6	9	14	18	31
80-84	3993	7.6	39	2	3	6	9	14	19	30
85+	2388	7.3	36	2	2	6	9	14	18	30
GRAND TOTAL	**31636**	**7.3**	**35**	**2**	**2**	**6**	**9**	**14**	**18**	**30**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	666	6.3	17	2	2	5	8	12	15	21
70-74	578	6.7	36	2	2	6	8	12	15	27
75-79	434	6.7	20	2	2	6	9	12	15	24
80-84	241	6.8	17	2	3	6	9	12	15	22
85+	137	7.2	19	2	3	6	9	14	16	21
B. *Operated*										
65-69 YRS	85	10.3	46	2	2	10	14	18	20	36
70-74	46	11.6	40	2	2	11	15	21	23	26
75-79	13	11.2	43	3	4	11	17	20	22	23
80-84	3	8.3	16	6	6	6	11	13	13	13
85+	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5335	8.2	30	2	3	7	10	15	18	28
70-74	5222	8.6	35	3	3	7	11	15	19	29
75-79	4239	8.9	37	3	3	8	11	16	20	30
80-84	2605	9.4	51	3	3	8	12	17	21	39
85+	1521	9.7	51	3	3	8	12	18	23	38
B. *Operated*										
65-69 YRS	899	14.0	117	2	3	12	18	26	34	59
70-74	568	15.0	114	3	4	13	20	27	33	55
75-79	302	15.9	99	3	6	14	20	28	34	48
80-84	166	17.8	137	6	8	14	22	34	43	64
85+	100	19.2	180	6	7	16	22	33	47	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2056	6.6	23	2	2	5	8	12	15	24
B. *Operated*	148	10.9	44	2	2	11	15	19	23	26
2. MULTIPLE DX										
A. *Not Operated*	18922	8.8	38	3	3	7	11	16	20	31
B. *Operated*	2035	15.1	120	2	4	13	19	28	35	63
1. SINGLE DX	2204	6.9	26	2	2	6	9	13	16	24
2. MULTIPLE DX	20957	9.4	49	3	3	8	12	17	22	36
A. NOT OPERATED	20978	8.6	37	2	3	7	11	15	19	30
B. OPERATED	2183	14.8	116	2	4	12	19	27	34	56
TOTAL 65-69 YRS	6985	8.8	45	2	3	7	11	16	21	34
70-74	6414	9.0	46	2	3	7	11	17	21	33
75-79	4988	9.2	43	3	3	8	11	17	21	33
80-84	3015	9.6	57	3	3	8	12	18	23	42
85+	1759	10.1	61	3	3	8	13	19	25	41
GRAND TOTAL	**23161**	**9.2**	**48**	**2**	**3**	**7**	**11**	**17**	**21**	**35**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	725	6.3	20	2	2	5	8	12	15	23
70-74	628	6.9	26	2	2	6	9	13	15	27
75-79	522	6.8	24	2	2	5	9	13	17	24
80-84	347	7.3	26	2	2	6	10	14	18	25
85+	255	8.0	51	2	2	6	10	14	18	38
B. *Operated*										
65-69 YRS	1874	8.9	70	2	2	7	13	19	23	36
70-74	742	9.6	66	2	2	9	15	20	24	36
75-79	175	9.1	55	2	2	7	15	20	23	30
80-84	31	9.9	152	2	2	4	15	24	47	49
85+	27	8.5	32	2	2	8	13	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11263	8.4	45	2	3	7	11	15	20	33
70-74	12069	9.0	49	2	3	7	11	17	22	36
75-79	11617	9.6	55	3	3	8	12	18	24	40
80-84	9172	9.9	62	2	3	8	13	19	24	41
85+	7814	10.5	75	2	3	8	13	20	27	49
B. *Operated*										
65-69 YRS	5422	11.1	100	2	2	10	15	23	29	51
70-74	3043	13.5	128	2	2	11	18	27	33	62
75-79	1801	14.9	129	2	3	12	19	29	38	65
80-84	1038	15.8	134	3	5	13	20	31	37	59
85+	787	17.2	173	4	5	14	22	33	42	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2477	6.9	27	2	2	5	9	13	16	25
B. *Operated*	2849	9.1	69	2	2	8	14	19	23	36
2. MULTIPLE DX										
A. *Not Operated*	51935	9.4	56	2	3	8	12	18	23	40
B. *Operated*	12091	13.1	124	2	2	11	17	26	34	58
1. SINGLE DX	5326	8.1	50	2	2	6	12	17	21	31
2. MULTIPLE DX	64026	10.1	71	2	3	8	13	19	26	45
A. NOT OPERATED	54412	9.3	55	2	3	7	12	17	23	40
B. OPERATED	14940	12.3	115	2	2	11	17	25	32	56
TOTAL 65-69 YRS	19284	9.1	64	2	2	7	12	18	23	40
70-74	16482	9.8	67	2	3	8	13	19	25	42
75-79	14115	10.2	67	2	3	8	13	20	26	44
80-84	10588	10.4	71	2	3	8	13	20	26	44
85+	8883	11.1	86	2	3	9	14	21	28	53
GRAND TOTAL	**69352**	**9.9**	**69**	**2**	**3**	**8**	**13**	**19**	**25**	**44**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	304	11.9	32	5	6	11	15	19	22	29
70-74	269	11.7	20	5	7	11	14	18	20	28
75-79	172	11.9	28	5	6	11	14	17	21	29
80-84	110	11.8	21	4	6	12	15	18	20	25
85+	62	12.8	46	4	5	11	18	22	26	32
B. *Operated*										
65-69 YRS	47	13.1	34	2	4	13	17	21	23	24
70-74	34	15.9	63	8	9	13	20	28	32	39
75-79	23	16.0	110	3	6	13	18	38	41	42
80-84	13	15.8	88	8	9	13	16	31	40	42
85+	5	14.6	129	4	4	12	22	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1477	14.0	52	5	7	12	17	22	27	40
70-74	1383	14.4	59	6	7	13	17	23	29	45
75-79	1247	15.1	75	5	7	13	18	26	32	49
80-84	778	16.3	98	6	7	14	20	27	33	52
85+	517	16.0	103	5	7	14	20	28	33	54
B. *Operated*										
65-69 YRS	331	20.0	152	7	9	17	24	38	45	63
70-74	272	19.5	140	7	9	17	23	35	43	61
75-79	193	20.1	116	7	9	18	24	36	43	61
80-84	128	21.3	151	9	9	18	26	37	49	63
85+	63	23.5	283	9	10	19	27	45	61	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	917	11.9	27	5	6	11	15	18	21	29
B. *Operated*	122	14.8	65	3	7	13	18	24	32	42
2. MULTIPLE DX										
A. *Not Operated*	5402	14.9	71	5	7	13	18	25	30	48
B. *Operated*	987	20.3	150	8	9	17	24	37	46	65
1. SINGLE DX	1039	12.2	33	5	6	11	15	19	23	32
2. MULTIPLE DX	6389	15.7	87	6	7	14	19	26	33	52
A. NOT OPERATED	6319	14.4	66	5	7	13	18	24	29	46
B. OPERATED	1109	19.7	144	7	9	16	24	36	45	63
TOTAL 65-69 YRS	2159	14.6	70	5	7	13	18	24	31	47
70-74	1958	14.8	69	6	7	13	18	24	30	48
75-79	1635	15.4	79	5	7	13	18	26	32	49
80-84	1029	16.4	102	6	7	14	20	28	34	54
85+	647	16.5	121	5	7	14	20	29	34	69
GRAND TOTAL	**7428**	**15.2**	**81**	**5**	**7**	**13**	**18**	**25**	**32**	**50**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	28.3	216	8	12	26	32	44	63	68
70-74	8	19.5	321	2	2	17	32	44	48	48
75-79	9	30.1	317	7	9	29	41	56	65	65
80-84	2	34.5	85	28	28	34	41	41	41	41
85+	1	37.0		37	37	37	37	37	37	37
B. *Operated*										
65-69 YRS	4	37.8	61	27	27	40	43	44	44	44
70-74	1	21.0		21	21	21	21	21	21	21
75-79	2	26.0	450	11	11	26	41	41	41	41
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	96	32.0	178	9	16	31	40	52	55	63
70-74	96	30.3	232	4	7	31	39	47	55	77
75-79	58	29.4	165	5	11	32	38	47	52	96
80-84	52	29.9	208	7	10	30	37	48	59	68
85+	36	29.3	283	5	8	25	39	48	65	70
B. *Operated*										
65-69 YRS	36	40.0	209	22	24	40	51	57	58	70
70-74	45	40.2	321	14	19	37	48	60	82	95
75-79	36	41.6	409	17	20	35	50	72	84	92
80-84	10	38.3	177	23	24	36	47	58	60	60
85+	2	55.0	200	45	45	55	65	65	65	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	27.3	256	3	6	28	36	43	62	68
B. *Operated*	7	32.0	160	11	13	37	42	44	44	44
2. MULTIPLE DX										
A. *Not Operated*	338	30.5	205	6	10	31	39	48	56	71
B. *Operated*	129	40.6	297	17	22	38	50	61	78	93
1. SINGLE DX	41	28.1	238	4	6	29	38	44	56	68
2. MULTIPLE DX	467	33.3	251	7	13	32	43	53	61	85
A. NOT OPERATED	372	30.2	210	6	10	31	38	48	57	70
B. OPERATED	136	40.2	292	17	22	38	49	60	76	93
TOTAL 65-69 YRS	150	33.7	197	10	16	32	43	53	57	68
70-[illegible]	150	32.6	288	4	8	32	42	50	61	92
75[illegible]	105	33.6	290	7	12	33	44	53	67	96
80[illegible]	64	31.4	205	7	11	30	40	49	60	67
85+	39	30.8	300	5	9	32	44	56	66	70
GRAND TOTAL	**508**	**32.8**	**251**	**7**	**12**	**32**	**43**	**52**	**61**	**82**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	191	3.5	8	1	1	3	4	7	8	17
70-74	184	3.8	14	1	1	3	5	8	10	22
75-79	97	4.6	58	1	1	3	5	8	10	51
80-84	66	3.5	6	1	1	3	5	7	7	13
85+	32	4.5	10	1	1	4	5	9	11	15
B. *Operated*										
65-69 YRS	8	6.3	49	2	2	3	10	18	19	19
70-74	5	5.8	7	3	3	6	7	10	10	10
75-79	3	12.0	7	9	9	13	14	14	14	14
80-84	1	8.0		8	8	8	8	8	8	8
85+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	873	5.8	22	1	2	5	8	11	14	24
70-74	769	6.3	24	1	2	5	8	12	16	23
75-79	581	6.8	35	1	2	5	8	14	18	31
80-84	325	7.6	58	2	2	5	9	15	20	38
85+	231	7.8	59	1	2	6	10	15	21	39
B. *Operated*										
65-69 YRS	52	14.1	115	2	2	13	19	34	40	98
70-74	55	13.0	71	2	3	12	17	23	27	44
75-79	35	14.5	42	4	6	14	19	21	25	33
80-84	15	13.9	32	6	8	14	19	21	21	21
85+	15	17.3	87	6	6	17	20	32	37	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	570	3.8	18	1	1	3	5	7	10	21
B. *Operated*	18	7.3	28	2	2	6	10	15	18	19
2. MULTIPLE DX										
A. *Not Operated*	2779	6.6	33	1	2	5	8	13	17	28
B. *Operated*	172	14.1	76	2	4	13	19	25	34	45
1. SINGLE DX	588	4.0	19	1	1	3	5	7	10	21
2. MULTIPLE DX	2951	7.0	38	1	2	5	9	14	19	31
A. NOT OPERATED	3349	6.1	31	1	2	5	8	12	16	26
B. OPERATED	190	13.4	75	2	3	13	18	24	33	44
TOTAL 65-69 YRS	1124	5.8	28	1	2	4	7	11	16	30
70-74	1013	6.2	28	1	2	5	8	13	16	25
75-79	716	6.9	41	1	2	5	9	14	20	33
80-84	407	7.1	52	1	2	5	8	15	20	32
85+	279	8.0	60	1	2	6	10	16	22	38
GRAND TOTAL	**3539**	**6.5**	**36**	**1**	**2**	**5**	**8**	**13**	**18**	**30**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	547	3.9	10	1	1	3	5	8	9	13
70-74	484	4.4	15	1	1	3	6	9	11	24
75-79	340	4.4	14	1	1	3	6	8	11	20
80-84	222	5.1	14	1	2	4	7	9	13	19
85+	132	6.4	29	1	2	5	9	12	16	30
B. *Operated*										
65-69 YRS	23	6.6	15	1	2	7	10	12	13	13
70-74	14	8.4	26	3	4	6	11	15	20	22
75-79	10	12.8	51	1	4	11	18	22	25	25
80-84	10	9.4	73	2	3	7	10	23	31	31
85+	9	15.3	412	2	3	10	14	48	68	68
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3738	6.9	34	1	2	6	9	13	17	29
70-74	4156	7.4	39	2	2	6	9	14	18	30
75-79	3912	8.1	43	2	2	7	10	15	20	35
80-84	2912	8.7	59	2	3	7	11	16	22	40
85+	2390	9.6	78	2	3	7	12	18	25	51
B. *Operated*										
65-69 YRS	389	13.1	81	2	4	12	18	24	30	42
70-74	436	15.2	146	3	4	12	19	30	39	70
75-79	402	16.4	140	4	6	13	21	32	41	68
80-84	319	16.2	148	3	5	14	20	31	38	83
85+	251	17.6	166	4	6	15	22	34	40	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1725	4.5	15	1	1	3	6	9	11	20
B. *Operated*	66	9.5	88	2	2	8	11	17	23	62
2. MULTIPLE DX										
A. *Not Operated*	17108	8.0	48	2	2	6	10	15	20	36
B. *Operated*	1797	15.5	136	3	5	13	20	30	38	69
1. SINGLE DX	1791	4.7	18	1	1	4	6	9	12	22
2. MULTIPLE DX	18905	8.7	61	2	2	7	11	17	22	41
A. NOT OPERATED	18833	7.7	46	2	2	6	10	15	19	35
B. OPERATED	1863	15.3	135	3	4	13	20	30	37	69
TOTAL 65-69 YRS	4697	7.1	39	1	2	5	9	14	18	31
70-74	5090	7.8	52	1	2	6	10	15	20	35
75-79	4664	8.6	56	2	2	7	11	17	22	41
80-84	3463	9.1	70	2	3	7	11	18	25	44
85+	2782	10.2	90	2	3	8	13	20	27	53
GRAND TOTAL	**20696**	**8.4**	**59**	**2**	**2**	**6**	**10**	**16**	**22**	**40**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	589	4.7	14	1	1	4	6	9	12	20
70-74	480	5.4	26	1	2	4	7	10	13	24
75-79	403	5.4	16	1	1	4	7	11	13	19
80-84	255	5.8	23	1	1	5	7	11	14	30
85+	170	6.2	28	1	2	5	8	12	16	23
B. *Operated*										
65-69 YRS	390	7.6	29	2	2	7	9	14	17	25
70-74	471	8.0	29	2	3	7	10	15	19	27
75-79	504	8.2	29	2	3	7	10	14	17	28
80-84	401	9.0	44	2	3	8	11	17	21	38
85+	310	9.1	41	2	3	8	11	16	23	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4504	7.6	38	2	2	6	9	14	19	31
70-74	4673	8.0	39	2	3	6	10	15	20	31
75-79	4101	8.3	42	2	3	7	10	16	20	33
80-84	2964	9.1	65	2	3	7	11	17	23	41
85+	2498	8.9	50	2	3	7	11	17	22	38
B. *Operated*										
65-69 YRS	1856	12.1	76	3	4	10	15	23	29	44
70-74	2457	12.5	90	3	4	10	15	24	30	50
75-79	2867	13.0	90	3	4	11	16	25	30	53
80-84	2322	13.3	96	3	4	11	17	25	31	54
85+	1871	13.2	79	4	5	11	17	24	30	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1897	5.3	20	1	1	4	7	10	13	21
B. *Operated*	2076	8.3	34	2	3	7	10	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	18740	8.2	45	2	3	7	10	16	20	34
B. *Operated*	11373	12.8	87	3	4	11	16	24	30	50
1. SINGLE DX	3973	6.9	30	1	2	6	9	13	17	26
2. MULTIPLE DX	30113	10.0	66	2	3	8	13	19	25	42
A. NOT OPERATED	20637	8.0	44	2	2	6	10	15	20	33
B. OPERATED	13449	12.1	82	3	4	10	15	23	29	49
TOTAL 65-69 YRS	7339	8.5	50	2	2	7	11	17	22	36
70-74	8081	9.2	58	2	3	7	12	18	23	39
75-79	7875	9.8	63	2	3	8	12	19	25	42
80-84	5942	10.6	79	2	3	8	13	21	27	47
85+	4849	10.5	65	2	3	8	14	20	26	43
GRAND TOTAL	**34086**	**9.6**	**63**	**2**	**3**	**8**	**12**	**19**	**24**	**41**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	961	7.8	31	2	3	6	10	14	18	31
70-74	1156	7.8	40	2	3	6	10	14	19	32
75-79	1334	8.5	50	2	3	7	10	16	21	35
80-84	1247	8.3	40	2	3	7	10	15	20	31
85+	1197	8.4	40	2	3	7	11	16	19	33
B. *Operated*										
65-69 YRS	41	12.4	83	2	3	10	14	28	31	36
70-74	34	12.4	49	3	4	12	16	22	28	29
75-79	23	16.4	190	5	6	13	18	27	54	65
80-84	27	16.4	149	4	7	12	21	33	48	54
85+	14	10.9	34	3	3	10	14	19	23	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15181	10.2	55	3	4	8	13	19	24	39
70-74	18826	10.6	66	3	4	8	13	19	25	43
75-79	20463	11.0	68	3	4	9	14	21	26	43
80-84	17846	11.3	74	3	4	9	14	21	27	46
85+	17356	11.6	81	3	4	9	14	22	28	49
B. *Operated*										
65-69 YRS	1568	17.1	143	4	5	14	22	32	40	62
70-74	1769	18.9	165	5	7	16	24	36	45	76
75-79	1855	19.4	169	5	7	16	25	36	45	82
80-84	1440	20.6	204	6	7	17	26	39	49	86
85+	1235	20.7	185	6	7	18	27	38	49	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5895	8.2	41	2	3	7	10	15	19	32
B. *Operated*	139	13.7	102	3	4	12	17	25	32	55
2. MULTIPLE DX										
A. *Not Operated*	89672	10.9	69	3	4	9	14	20	26	44
B. *Operated*	7867	19.3	174	5	7	16	25	36	45	77
1. SINGLE DX	6034	8.3	43	2	3	7	10	15	20	33
2. MULTIPLE DX	97539	11.6	83	3	4	9	14	22	29	49
A. NOT OPERATED	95567	10.8	68	3	4	9	13	20	26	44
B. OPERATED	8006	19.2	173	5	7	16	25	36	45	77
TOTAL 65-69 YRS	17751	10.7	66	3	4	9	13	20	26	42
70-74	21785	11.1	78	3	4	9	14	21	27	46
75-79	23675	11.5	81	3	4	9	14	22	28	47
80-84	20560	11.7	88	3	4	9	15	22	30	50
85+	19802	12.0	91	3	4	9	15	23	30	52
GRAND TOTAL	**103573**	**11.4**	**81**	**3**	**4**	**9**	**14**	**22**	**28**	**48**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	270	7.6	45	2	2	6	9	13	18	41
70-74	217	7.8	37	2	2	6	9	16	21	31
75-79	131	8.3	47	2	3	7	11	15	20	40
80-84	97	8.4	50	2	3	7	11	15	20	39
85+	71	8.3	73	2	2	6	10	19	25	49
B. *Operated*										
65-69 YRS	383	8.1	67	2	2	4	13	17	23	40
70-74	227	8.1	58	2	2	4	14	19	23	57
75-79	99	10.1	67	2	2	8	15	19	26	38
80-84	24	9.3	78	2	2	4	15	24	26	29
85+	5	8.8	57	3	3	4	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2720	9.5	55	2	3	8	12	18	23	40
70-74	2573	9.5	54	2	3	8	12	18	23	35
75-79	2248	9.8	54	3	3	8	12	19	24	39
80-84	1591	10.4	68	3	3	8	13	19	25	42
85+	1409	11.1	80	3	4	9	14	21	27	51
B. *Operated*										
65-69 YRS	1590	12.7	119	2	2	11	18	26	32	55
70-74	1154	14.7	173	2	2	12	20	29	42	66
75-79	715	14.6	149	2	2	12	20	29	38	64
80-84	275	16.6	205	2	3	13	22	36	43	66
85+	158	15.5	114	3	5	13	19	31	41	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	786	7.9	46	2	2	6	10	15	20	39
B. *Operated*	738	8.4	65	2	2	5	13	19	24	39
2. MULTIPLE DX										
A. *Not Operated*	10541	9.9	60	2	3	8	12	19	24	40
B. *Operated*	3892	14.0	148	2	2	12	19	28	38	63
1. SINGLE DX	1524	8.2	55	2	2	6	11	17	22	39
2. MULTIPLE DX	14433	11.0	87	2	3	8	14	22	28	50
A. NOT OPERATED	11327	9.8	59	2	3	8	12	18	24	40
B. OPERATED	4630	13.1	139	2	2	11	18	27	36	60
TOTAL 65-69 YRS	4963	10.3	79	2	2	8	14	21	27	44
70-74	4171	10.8	92	2	2	8	14	22	27	50
75-79	3193	10.8	79	2	3	8	14	22	28	46
80-84	1987	11.1	91	2	3	8	14	22	30	50
85+	1643	11.4	85	3	4	9	14	22	28	52
GRAND TOTAL	**15957**	**10.8**	**85**	**2**	**3**	**8**	**14**	**21**	**28**	**49**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	60	6.5	20	1	2	5	8	13	16	20
70-74	72	7.7	24	2	3	7	10	14	16	26
75-79	76	8.0	56	2	2	5	10	19	27	84
80-84	52	7.8	33	1	2	6	11	15	16	29
85+	74	7.8	31	2	2	7	10	17	20	26
B. *Operated*										
65-69 YRS	41	9.1	118	2	2	5	14	16	30	56
70-74	12	11.3	136	1	1	6	21	29	33	34
75-79	11	4.0	5	2	2	4	6	7	8	8
80-84	1	4.0		4	4	4	4	4	4	4
85+	4	16.3	321	5	5	8	26	43	43	43
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1699	9.2	56	2	3	7	11	17	24	39
70-74	2104	9.6	59	2	3	8	12	18	24	43
75-79	2396	10.5	82	3	3	8	13	20	26	47
80-84	2055	10.6	86	3	3	8	13	21	27	53
85+	2035	11.1	81	2	3	9	14	22	30	99+
B. *Operated*										
65-69 YRS	434	12.2	115	2	2	10	16	25	33	55
70-74	410	14.7	133	2	3	12	19	29	35	59
75-79	348	16.7	164	3	4	14	22	33	43	78
80-84	287	17.6	175	3	5	15	24	37	56	99+
85+	208	17.8	199	4	5	14	24	38	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	334	7.6	33	1	2	6	10	15	20	29
B. *Operated*	69	9.0	115	2	2	5	12	17	34	54
2. MULTIPLE DX										
A. *Not Operated*	10289	10.2	74	2	3	8	13	20	26	51
B. *Operated*	1687	15.4	154	2	3	13	20	31	41	80
1. SINGLE DX	403	7.8	47	2	2	6	10	15	21	42
2. MULTIPLE DX	11976	11.0	88	2	3	8	14	22	29	58
A. NOT OPERATED	10623	10.2	73	2	3	8	13	20	26	51
B. OPERATED	1756	15.1	154	2	3	12	20	31	41	80
TOTAL 65-69 YRS	2234	9.7	69	2	3	7	12	19	25	44
70-74	2598	10.4	74	2	3	8	13	20	27	48
75-79	2831	11.2	95	2	3	8	14	22	29	52
80-84	2395	11.4	101	3	3	9	14	23	30	65
85+	2321	11.6	94	3	3	9	15	24	32	99+
GRAND TOTAL	**12379**	**10.9**	**87**	**2**	**3**	**8**	**14**	**22**	**29**	**57**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	15.3	162	<1	1	15	25	34	34	34
70-74	6	13.5	193	<1	<1	12	27	29	29	29
75-79	10	21.0	228	1	2	18	39	41	42	42
80-84	1	25.0		25	25	25	25	25	25	25
85+	2	35.5	365	22	22	35	49	49	49	49
B. *Operated*										
65-69 YRS	35	22.7	276	3	6	18	30	44	65	70
70-74	15	27.1	289	3	7	26	34	52	64	68
75-79	5	26.2	159	8	8	28	32	43	43	43
80-84	1	44.0		44	44	44	44	44	44	44
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	41	18.7	270	1	2	15	29	44	61	99+
70-74	47	21.7	176	4	7	19	30	44	53	99+
75-79	35	26.5	232	8	9	26	33	52	60	64
80-84	37	18.1	155	4	6	15	25	33	44	59
85+	27	18.8	114	4	6	17	24	35	40	44
B. *Operated*										
65-69 YRS	79	33.2	459	9	10	28	49	73	87	99+
70-74	54	30.6	176	14	17	29	40	62	99+	99+
75-79	27	33.6	398	3	8	32	42	76	86	99+
80-84	9	34.1	674	6	11	28	58	96	99+	99+
85+	5	22.2	114	14	14	20	27	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	18.5	205	<1	1	19	27	39	42	49
B. *Operated*	56	24.6	267	3	7	22	31	44	64	70
2. MULTIPLE DX										
A. *Not Operated*	187	20.8	199	3	5	19	29	43	52	90
B. *Operated*	174	32.2	359	9	14	29	46	71	95	99+
1. SINGLE DX	86	22.5	251	1	2	22	30	43	52	70
2. MULTIPLE DX	361	26.3	308	4	8	24	36	56	77	99+
A. NOT OPERATED	217	20.5	200	1	4	19	29	41	51	83
B. OPERATED	230	30.4	346	7	10	28	41	66	85	99+
TOTAL 65-69 YRS	166	26.2	397	2	6	21	37	61	77	99+
70-74	122	25.9	210	4	9	25	34	53	64	99+
75-79	77	28.3	294	4	8	26	37	51	63	96
80-84	48	21.8	284	4	6	19	27	46	61	99+
85+	34	20.3	131	5	8	18	24	39	43	49
GRAND TOTAL	**447**	**25.6**	**299**	**4**	**7**	**23**	**35**	**53**	**70**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	34.8	219	20	20	32	45	57	57	57
70-74	6	34.7	161	14	16	35	47	47	47	47
75-79	5	24.8	293	6	6	18	36	51	51	51
80-84	3	16.7	44	9	9	20	21	21	21	21
85+	1	38.0		38	38	38	38	38	38	38
B. *Operated*										
65-69 YRS	11	43.5	601	12	17	50	83	99+	99+	99+
70-74	3	31.0	52	23	23	35	68	99+	99+	99+
75-79	4	24.0	113	16	16	20	31	39	39	39
80-84	1	25.0		25	25	25	25	25	25	25
85+	1	29.0		29	29	29	29	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	20	29.7	206	7	11	30	40	49	54	57
B. *Operated*	20	36.1	415	14	17	35	52	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	40	32.9	313	10	16	31	47	82	99+	99+
A. NOT OPERATED	20	29.7	206	7	11	30	40	49	54	57
B. OPERATED	20	36.1	415	14	17	35	52	99+	99+	99+
TOTAL 65-69 YRS	16	40.8	476	14	19	40	57	96	99+	99+
70-74	9	33.4	117	14	18	35	47	74	99+	99+
75-79	9	24.4	189	6	10	18	33	46	51	51
80-84	4	18.8	47	9	9	20	23	25	25	25
85+	2	33.5	41	29	29	33	38	38	38	38
GRAND TOTAL	**40**	**32.9**	**313**	**10**	**16**	**31**	**47**	**82**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	44	12.7	132	1	1	11	17	23	35	61
70-74	51	13.0	99	<1	1	10	21	29	32	36
75-79	57	11.7	78	<1	2	10	16	22	30	44
80-84	32	13.8	109	1	2	11	21	27	33	44
85+	28	11.8	83	1	3	9	17	28	39	99+
B. *Operated*										
65-69 YRS	105	14.0	77	3	5	11	18	26	31	45
70-74	96	16.4	188	4	6	13	19	27	46	79
75-79	71	17.6	123	4	7	14	25	30	36	55
80-84	47	17.4	211	5	6	13	20	33	50	78
85+	32	19.7	112	7	10	16	25	39	41	44
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	171	15.3	165	2	4	11	20	29	43	57
70-74	218	17.4	199	2	4	14	23	36	48	89
75-79	205	19.1	204	4	5	15	28	39	52	84
80-84	178	18.4	188	4	6	15	23	40	46	90
85+	113	19.3	185	5	6	16	25	40	56	99+
B. *Operated*										
65-69 YRS	173	24.5	236	6	8	20	36	48	57	93
70-74	175	24.2	232	7	9	21	32	45	58	83
75-79	162	26.2	290	7	9	22	35	46	57	90
80-84	96	25.9	278	8	11	22	33	60	86	99+
85+	70	24.1	175	9	10	21	29	40	46	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	212	12.5	98	<1	1	10	18	26	32	51
B. *Operated*	351	16.3	139	4	6	13	21	30	39	62
2. MULTIPLE DX										
A. *Not Operated*	885	17.8	191	3	5	14	23	37	48	89
B. *Operated*	676	25.0	247	7	9	21	34	46	60	99
1. SINGLE DX	563	14.9	127	2	4	12	20	29	35	61
2. MULTIPLE DX	1561	20.9	227	4	6	17	28	42	53	96
A. NOT OPERATED	1097	16.8	177	2	4	14	22	35	45	82
B. OPERATED	1027	22.0	227	6	8	18	29	43	53	91
TOTAL 65-69 YRS	493	18.0	190	3	5	14	24	39	47	66
70-74	540	19.0	212	3	5	15	24	38	48	84
75-79	495	20.4	227	4	6	16	28	40	49	82
80-84	353	19.9	222	4	6	16	25	43	55	99+
85+	243	19.9	172	5	7	17	27	39	49	99+
GRAND TOTAL	**2124**	**19.3**	**208**	**3**	**6**	**16**	**26**	**40**	**49**	**86**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	68	26.2	542	5	5	16	41	62	87	99+
70-74	88	26.0	195	7	9	26	34	51	56	99+
75-79	83	28.4	365	7	10	25	38	60	98	99+
80-84	58	24.4	228	7	9	23	30	41	55	99+
85+	44	22.7	319	3	6	17	30	45	62	78
B. *Operated*										
65-69 YRS	37	34.4	433	6	9	30	47	66	88	99+
70-74	28	34.2	282	7	7	36	46	56	61	66
75-79	27	27.7	338	9	11	22	39	66	78	99+
80-84	19	26.5	152	10	13	24	39	47	74	99+
85+	8	37.6	750	14	14	25	58	81	84	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	341	25.9	326	6	7	23	34	54	75	99+
B. *Operated*	119	31.8	353	7	10	28	45	62	79	99+
1. SINGLE DX										
2. MULTIPLE DX	460	27.4	339	6	8	24	38	56	76	99+
A. NOT OPERATED	341	25.9	326	6	7	23	34	54	75	99+
B. OPERATED	119	31.8	353	7	10	28	45	62	79	99+
TOTAL 65-69 YRS	105	29.1	515	5	6	24	43	64	87	99+
70-74	116	28.0	226	7	9	28	39	53	57	99+
75-79	110	28.2	355	7	10	24	38	60	97	99+
80-84	77	24.9	208	9	10	24	31	45	55	99+
85+	52	25.0	401	4	6	19	31	54	75	84
GRAND TOTAL	**460**	**27.4**	**339**	**6**	**8**	**24**	**38**	**56**	**76**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	68	6.9	70	1	1	4	8	19	27	42
70-74	54	9.3	184	1	1	5	10	20	42	67
75-79	29	9.0	223	2	2	5	10	15	30	81
80-84	17	9.5	81	1	2	5	15	24	27	28
85+	16	8.3	31	2	2	7	13	17	18	18
B. *Operated*										
65-69 YRS	1123	7.9	34	2	2	7	10	15	20	28
70-74	911	8.2	39	2	2	7	11	16	19	31
75-79	537	8.4	35	2	2	7	11	16	21	29
80-84	175	8.0	34	1	2	7	10	15	19	29
85+	50	9.9	52	2	3	8	13	18	21	43
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	278	8.4	66	1	2	6	10	16	23	43
70-74	268	9.9	96	2	2	7	12	20	28	64
75-79	219	10.4	85	2	3	8	13	22	28	59
80-84	175	10.6	59	2	3	8	14	22	27	41
85+	101	11.2	122	2	3	7	12	24	30	64
B. *Operated*										
65-69 YRS	2283	11.0	99	2	3	8	14	21	28	57
70-74	1789	11.4	94	2	3	9	14	22	29	52
75-79	1085	11.9	91	2	3	9	15	23	29	52
80-84	366	12.5	98	2	3	10	16	26	34	51
85+	118	14.0	154	2	4	10	17	30	48	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	8.3	124	1	2	4	10	20	26	66
B. *Operated*	2796	8.1	36	2	2	7	10	16	20	29
2. MULTIPLE DX										
A. *Not Operated*	1041	9.9	83	2	3	7	12	20	27	52
B. *Operated*	5641	11.5	97	2	3	9	15	22	29	55
1. SINGLE DX	2980	8.1	41	2	2	7	10	16	20	30
2. MULTIPLE DX	6682	11.2	95	2	3	9	14	22	29	54
A. NOT OPERATED	1225	9.6	89	2	2	7	12	20	27	58
B. OPERATED	8437	10.4	79	2	3	8	13	20	26	48
TOTAL 65-69 YRS	3752	9.8	79	2	2	7	12	19	25	45
70-74	3022	10.2	81	2	2	8	13	20	26	47
75-79	1870	10.7	78	2	3	8	14	21	27	48
80-84	733	10.9	76	2	3	9	14	22	29	47
85+	285	12.0	120	2	3	9	15	24	38	66
GRAND TOTAL	**9662**	**10.3**	**81**	**2**	**2**	**8**	**13**	**20**	**27**	**48**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	31	14.7	85	3	4	12	20	30	32	37
70-74	37	21.0	201	3	6	18	32	42	56	99+
75-79	30	19.4	255	5	5	14	22	47	59	61
80-84	27	17.5	121	3	4	17	21	35	40	44
85+	21	18.0	113	5	5	18	26	34	69	99+
B. *Operated*										
65-69 YRS	140	17.8	256	3	4	13	22	35	47	92
70-74	107	20.3	193	3	6	19	29	45	51	99+
75-79	54	19.6	302	2	4	13	25	46	60	72
80-84	26	23.2	285	5	7	19	28	43	58	81
85+	8	15.4	77	7	7	14	18	29	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	146	18.3	161	3	5	16	25	38	48	99+
B. *Operated*	335	19.3	241	3	5	15	25	42	52	92
1. SINGLE DX										
2. MULTIPLE DX	481	18.9	217	3	5	15	25	40	50	93
A. NOT OPERATED	146	18.3	161	3	5	16	25	38	48	99+
B. OPERATED	335	19.3	241	3	5	15	25	42	52	92
TOTAL 65-69 YRS	171	17.3	225	3	4	13	22	32	43	91
70-74	144	20.5	193	3	5	19	30	44	52	99+
75-79	84	19.5	282	3	5	14	25	46	59	69
80-84	53	20.3	206	3	6	18	25	39	44	80
85+	29	17.2	102	5	6	17	25	31	49	99+
GRAND TOTAL	**481**	**18.9**	**217**	**3**	**5**	**15**	**25**	**40**	**50**	**93**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	275	10.7	104	2	3	8	13	20	28	57
70-74	267	10.9	100	3	3	8	14	21	29	54
75-79	292	12.3	92	3	3	10	15	26	31	50
80-84	235	13.5	99	3	4	11	18	29	32	50
85+	160	14.3	135	3	4	11	19	29	36	46
B. *Operated*										
65-69 YRS	89	9.5	88	2	2	7	11	18	21	53
70-74	77	9.7	72	2	2	7	13	19	22	51
75-79	50	11.1	67	3	3	9	13	22	32	35
80-84	13	9.5	22	3	4	9	12	18	18	18
85+	7	18.0	127	4	5	18	27	32	33	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1732	14.1	132	3	4	11	17	29	39	71
70-74	2153	14.4	139	3	4	11	18	29	36	72
75-79	2199	15.8	163	3	5	12	19	32	43	74
80-84	1944	16.1	163	4	5	13	20	32	43	80
85+	1532	15.9	146	4	5	13	20	31	39	75
B. *Operated*										
65-69 YRS	388	17.5	247	3	5	12	23	41	58	99+
70-74	409	19.2	267	2	4	14	25	44	56	86
75-79	297	20.9	271	4	6	16	28	48	65	99+
80-84	159	25.4	263	6	8	23	33	50	62	99+
85+	105	24.7	240	7	8	21	33	48	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1229	12.1	105	2	3	9	15	25	32	51
B. *Operated*	236	10.2	77	2	3	8	13	19	26	52
2. MULTIPLE DX										
A. *Not Operated*	9560	15.3	150	3	5	12	19	30	40	74
B. *Operated*	1358	20.3	266	4	5	16	27	45	59	99+
1. SINGLE DX	1465	11.8	101	2	3	9	15	24	31	52
2. MULTIPLE DX	10918	15.9	167	3	5	12	20	32	43	79
A. NOT OPERATED	10789	14.9	146	3	4	12	19	30	39	72
B. OPERATED	1594	18.8	251	3	5	14	25	43	56	99+
TOTAL 65-69 YRS	2484	14.1	149	3	4	11	17	29	41	76
70-74	2906	14.6	157	3	4	11	19	30	40	76
75-79	2838	15.9	169	3	5	12	20	33	44	75
80-84	2351	16.4	169	4	5	13	21	33	44	82
85+	1804	16.3	155	4	5	13	21	32	40	78
GRAND TOTAL	**12383**	**15.4**	**161**	**3**	**4**	**12**	**19**	**31**	**42**	**77**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	814	19.7	231	4	6	15	26	41	53	84
70-74	996	19.7	210	5	6	16	26	40	50	87
75-79	999	20.6	253	4	6	16	25	41	53	86
80-84	956	20.3	201	5	7	16	26	40	53	99
85+	730	20.4	210	5	7	17	26	40	51	81
B. *Operated*										
65-69 YRS	122	23.9	318	4	5	19	35	55	71	99+
70-74	140	26.0	302	8	9	20	40	66	99+	99+
75-79	116	30.5	365	8	10	26	43	62	79	99+
80-84	67	27.4	204	11	13	25	33	45	67	95
85+	47	31.8	349	10	12	28	42	66	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	4495	20.1	221	5	6	16	26	41	52	86
B. *Operated*	492	27.3	317	7	9	23	39	60	74	99+
1. SINGLE DX										
2. MULTIPLE DX	4987	20.8	235	5	7	17	27	43	55	92
A. NOT OPERATED	4495	20.1	221	5	6	16	26	41	52	86
B. OPERATED	492	27.3	317	7	9	23	39	60	74	99+
TOTAL 65-69 YRS	936	20.3	244	4	6	16	27	42	55	87
70-74	1136	20.5	225	5	6	16	27	44	56	99+
75-79	1115	21.6	273	5	7	17	28	45	57	91
80-84	1023	20.8	204	5	7	17	27	41	54	99+
85+	777	21.0	226	5	7	17	27	41	54	83
GRAND TOTAL	**4987**	**20.8**	**235**	**5**	**7**	**17**	**27**	**43**	**55**	**92**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	800	5.1	16	1	2	4	6	9	13	22
70-74	926	5.2	16	1	2	4	6	9	12	20
75-79	929	5.4	19	1	2	4	7	10	12	22
80-84	737	5.4	33	1	2	4	7	10	12	24
85+	671	5.7	26	1	2	4	7	11	14	23
B. *Operated*										
65-69 YRS	354	6.2	33	1	2	5	8	12	16	29
70-74	265	5.8	24	1	2	5	8	11	13	24
75-79	186	6.1	26	1	2	5	8	12	16	28
80-84	64	7.1	23	1	2	6	10	14	16	21
85+	24	6.0	16	1	2	5	8	12	14	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4260	7.0	33	2	2	6	9	13	17	28
70-74	5567	7.4	35	2	3	6	9	14	18	29
75-79	6434	7.9	42	2	3	6	10	15	19	34
80-84	5814	8.3	51	2	3	6	10	16	21	41
85+	5355	8.7	63	2	3	7	11	16	23	48
B. *Operated*										
65-69 YRS	1295	10.3	82	2	3	8	13	19	26	50
70-74	1233	11.0	94	2	3	9	14	22	29	52
75-79	971	12.5	112	2	3	10	16	24	34	58
80-84	563	13.0	105	3	4	10	16	26	34	54
85+	331	15.5	156	3	4	12	21	32	46	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4063	5.3	21	1	2	4	7	10	13	23
B. *Operated*	893	6.1	28	1	2	5	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	27430	7.9	45	2	3	6	10	15	19	37
B. *Operated*	4393	11.7	103	2	3	9	15	24	31	56
1. SINGLE DX	4956	5.5	23	1	2	4	7	10	13	23
2. MULTIPLE DX	31823	8.4	55	2	3	7	10	16	21	41
A. NOT OPERATED	31493	7.6	43	2	2	6	9	14	19	35
B. OPERATED	5286	10.8	94	2	2	8	14	22	29	53
TOTAL 65-69 YRS	6709	7.4	43	2	2	6	9	14	18	34
70-74	7991	7.7	44	2	2	6	9	14	19	34
75-79	8520	8.1	50	2	2	6	10	15	21	38
80-84	7178	8.3	56	2	2	6	10	16	21	42
85+	6381	8.7	67	2	3	7	11	17	23	50
GRAND TOTAL	**36779**	**8.0**	**52**	**2**	**2**	**6**	**10**	**15**	**21**	**39**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	760	11.3	119	2	3	8	14	24	32	59
70-74	934	11.7	108	2	3	9	15	23	30	55
75-79	1047	12.6	110	2	3	10	16	25	33	54
80-84	917	13.4	135	2	4	10	18	28	37	76
85+	854	13.6	123	2	4	10	17	28	36	56
B. *Operated*										
65-69 YRS	130	12.1	194	1	2	8	13	27	37	87
70-74	111	16.0	261	2	2	10	25	39	57	82
75-79	68	16.2	200	2	3	12	23	37	57	93
80-84	29	13.7	140	2	2	10	17	35	40	48
85+	18	20.5	269	3	7	15	24	35	60	75
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3803	14.4	147	3	4	11	18	29	39	78
70-74	4820	14.8	150	3	4	11	19	30	40	72
75-79	5592	15.6	162	3	5	12	20	31	43	77
80-84	4865	15.9	157	3	5	13	20	32	41	83
85+	4797	15.6	146	3	5	12	20	30	39	74
B. *Operated*										
65-69 YRS	631	20.1	270	4	5	15	27	45	64	99+
70-74	681	22.6	329	4	6	17	32	55	70	99+
75-79	631	24.8	322	6	8	21	34	52	69	99+
80-84	374	26.4	321	7	9	22	38	59	90	99+
85+	318	25.5	260	6	8	23	35	56	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4512	12.6	119	2	3	10	16	25	34	58
B. *Operated*	356	14.6	218	2	2	10	19	35	47	84
2. MULTIPLE DX										
A. *Not Operated*	23877	15.3	153	3	4	12	19	31	41	76
B. *Operated*	2635	23.4	308	5	7	19	33	52	69	99+
1. SINGLE DX	4868	12.7	127	2	3	10	16	26	35	62
2. MULTIPLE DX	26512	16.1	175	3	5	12	21	33	45	88
A. NOT OPERATED	28389	14.9	149	3	4	12	19	30	40	74
B. OPERATED	2991	22.4	306	4	6	18	31	51	67	99+
TOTAL 65-69 YRS	5324	14.5	164	3	4	11	18	30	41	84
70-74	6546	15.2	172	3	4	11	19	32	44	80
75-79	7338	16.0	177	3	4	12	20	33	45	85
80-84	6185	16.2	171	3	5	13	21	34	44	95
85+	5987	15.8	155	3	5	13	21	32	41	76
GRAND TOTAL	**31380**	**15.6**	**169**	**3**	**4**	**12**	**20**	**32**	**43**	**83**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1590	18.7	197	4	6	15	24	38	50	99+
70-74	2091	19.2	197	4	6	15	26	39	48	78
75-79	2161	19.9	214	4	6	16	26	40	50	79
80-84	1893	20.2	209	5	7	17	26	39	53	99+
85+	1560	19.1	203	5	6	15	24	38	51	99+
B. *Operated*										
65-69 YRS	274	26.9	351	6	8	21	37	55	74	99+
70-74	278	28.8	361	6	9	26	40	64	90	99+
75-79	216	28.6	334	6	9	27	42	63	98	99+
80-84	166	25.8	256	6	9	23	36	52	74	99+
85+	106	27.0	270	7	9	25	35	56	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	9295	19.5	205	4	6	16	25	39	50	89
B. *Operated*	1040	27.6	327	6	9	24	39	58	82	99+
1. SINGLE DX										
2. MULTIPLE DX	10335	20.3	223	4	6	16	27	42	53	99+
A. NOT OPERATED	9295	19.5	205	4	6	16	25	39	50	89
B. OPERATED	1040	27.6	327	6	9	24	39	58	82	99+
TOTAL 65-69 YRS	1864	19.9	228	4	6	16	26	41	55	99+
70-74	2369	20.4	225	4	6	16	27	42	53	96
75-79	2377	20.7	231	5	6	16	28	42	53	92
80-84	2059	20.7	215	5	7	17	27	41	55	99+
85+	1666	19.6	211	5	6	16	25	40	54	99+
GRAND TOTAL	**10335**	**20.3**	**223**	**4**	**6**	**16**	**27**	**42**	**53**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	316	6.8	47	1	2	5	8	13	19	43
70-74	404	6.8	47	2	2	5	8	12	16	48
75-79	433	7.6	54	2	2	6	9	15	20	49
80-84	355	7.3	35	2	2	6	9	14	19	37
85+	358	7.8	48	2	2	6	10	15	20	39
B. *Operated*										
65-69 YRS	232	8.0	49	2	2	6	11	18	22	36
70-74	201	7.0	35	2	2	5	9	14	19	29
75-79	103	8.1	53	1	2	6	12	18	22	35
80-84	65	10.7	217	1	2	6	11	25	42	84
85+	13	6.2	10	1	2	7	9	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2787	10.0	81	2	3	7	12	20	28	54
70-74	3970	10.8	107	2	3	8	13	22	32	66
75-79	5100	10.8	99	2	3	8	13	21	30	66
80-84	4565	10.8	91	3	3	8	13	21	29	65
85+	4409	11.3	108	2	3	8	14	22	32	77
B. *Operated*										
65-69 YRS	851	13.4	139	2	3	10	17	28	36	63
70-74	872	13.6	151	2	3	10	18	29	39	74
75-79	689	15.3	176	2	3	12	20	32	48	99+
80-84	458	18.2	215	3	5	14	24	41	55	99+
85+	267	19.9	231	5	6	16	27	41	54	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1866	7.3	46	2	2	5	9	14	19	39
B. *Operated*	614	7.9	63	1	2	5	11	17	23	37
2. MULTIPLE DX										
A. *Not Operated*	20831	10.8	98	2	3	8	13	21	30	66
B. *Operated*	3137	15.1	174	2	3	12	20	32	44	97
1. SINGLE DX	2480	7.4	51	2	2	5	9	15	20	39
2. MULTIPLE DX	23968	11.4	110	2	3	8	14	23	33	70
A. NOT OPERATED	22697	10.5	95	2	3	8	13	21	30	65
B. OPERATED	3751	13.9	163	2	3	10	18	30	42	90
TOTAL 65-69 YRS	4186	10.3	92	2	3	7	13	22	29	54
70-74	5447	10.8	110	2	3	8	13	22	32	67
75-79	6325	11.1	106	2	3	8	14	22	31	69
80-84	5443	11.2	105	2	3	8	14	23	31	73
85+	5047	11.5	115	2	3	8	14	23	33	76
GRAND TOTAL	**26448**	**11.0**	**106**	**2**	**3**	**8**	**14**	**22**	**32**	**67**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	62	6.7	66	1	2	4	8	13	19	48
70-74	55	4.8	16	1	2	4	6	10	12	21
75-79	62	5.7	17	1	1	5	8	11	13	20
80-84	53	6.8	26	1	2	5	8	13	19	24
85+	83	7.5	36	2	2	6	9	15	19	32
B. *Operated*										
65-69 YRS	360	8.6	64	1	2	7	12	16	21	33
70-74	267	9.7	78	1	2	8	14	20	27	44
75-79	177	10.6	103	1	2	8	15	25	33	54
80-84	81	10.2	74	1	2	8	15	20	28	39
85+	36	13.0	200	1	2	11	15	29	39	71
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	692	8.5	53	2	3	7	10	16	21	43
70-74	981	9.7	77	2	3	7	12	18	25	51
75-79	1336	10.0	78	2	3	8	12	19	26	44
80-84	1387	10.2	85	2	3	8	12	21	28	59
85+	1667	10.5	73	2	3	8	13	22	28	55
B. *Operated*										
65-69 YRS	1760	16.5	228	2	2	13	22	36	49	86
70-74	1616	17.6	236	2	3	14	23	39	51	87
75-79	1233	18.8	238	2	3	15	25	41	54	99+
80-84	855	20.6	249	2	5	16	29	43	55	99
85+	738	21.4	257	4	6	17	27	42	54	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	6.4	33	1	2	5	8	13	16	30
B. *Operated*	921	9.6	82	1	2	8	13	20	27	45
2. MULTIPLE DX										
A. *Not Operated*	6063	10.0	76	2	3	8	12	20	26	51
B. *Operated*	6202	18.4	241	2	3	15	24	40	52	91
1. SINGLE DX	1236	8.8	72	1	2	7	12	19	26	42
2. MULTIPLE DX	12265	14.2	177	2	3	10	18	31	43	79
A. NOT OPERATED	6378	9.8	74	2	3	8	12	19	26	50
B. OPERATED	7123	17.3	229	2	2	14	23	38	50	87
TOTAL 65-69 YRS	2874	13.4	177	2	2	10	17	29	41	73
70-74	2919	14.0	181	2	2	10	18	31	42	75
75-79	2808	13.8	168	2	3	10	18	30	42	77
80-84	2376	13.9	168	2	3	10	18	31	43	81
85+	2524	13.6	152	2	3	10	17	29	40	77
GRAND TOTAL	**13501**	**13.7**	**170**	**2**	**3**	**10**	**18**	**30**	**41**	**77**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	46	2.8	7	<1	1	2	3	5	7	16
70-74	59	4.2	21	<1	<1	3	5	10	14	25
75-79	33	5.5	35	<1	1	3	7	17	24	99+
80-84	57	6.8	49	<1	1	5	9	14	20	36
85+	25	5.8	38	<1	1	4	7	13	23	24
B. *Operated*										
65-69 YRS	510	12.2	46	2	2	12	15	20	25	33
70-74	438	13.1	58	2	3	12	16	21	26	40
75-79	297	13.1	52	2	3	13	16	22	26	39
80-84	117	14.3	51	3	5	14	17	22	30	36
85+	42	16.8	63	5	9	16	19	27	35	42
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	224	6.8	38	1	2	5	8	14	21	32
70-74	290	6.8	31	1	2	5	8	14	18	24
75-79	329	8.7	87	2	2	6	10	18	27	51
80-84	276	9.1	69	2	2	7	11	19	27	37
85+	285	9.4	69	2	3	7	11	18	23	48
B. *Operated*										
65-69 YRS	1431	17.0	127	3	7	14	21	30	37	72
70-74	1376	17.6	149	3	5	15	22	32	43	73
75-79	984	18.6	161	3	6	16	23	34	43	76
80-84	396	20.1	187	4	7	16	26	38	46	72
85+	168	20.7	204	4	5	18	25	42	50	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	5.0	31	<1	1	3	6	12	17	33
B. *Operated*	1404	13.0	52	2	3	12	16	21	26	37
2. MULTIPLE DX										
A. *Not Operated*	1404	8.2	61	2	2	6	10	17	22	38
B. *Operated*	4355	18.0	151	3	6	15	22	33	43	74
1. SINGLE DX	1624	11.9	57	1	2	12	15	20	25	37
2. MULTIPLE DX	5759	15.6	147	2	3	13	20	30	39	68
A. NOT OPERATED	1624	7.8	59	1	2	6	10	16	22	37
B. OPERATED	5759	16.8	132	3	5	14	20	30	39	68
TOTAL 65-69 YRS	2211	14.5	111	2	3	13	18	27	33	65
70-74	2163	14.9	128	2	3	13	19	28	37	62
75-79	1643	15.4	142	2	3	13	19	29	37	72
80-84	846	14.8	148	2	3	12	19	32	38	60
85+	520	13.5	140	2	3	10	18	26	39	55
GRAND TOTAL	**7383**	**14.8**	**129**	**2**	**3**	**13**	**19**	**28**	**36**	**65**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	5.9	47	1	1	3	7	16	24	24
70-74	2	6.5	1	6	6	6	7	7	7	7
75-79	5	4.0	8	<1	<1	5	6	7	7	7
80-84	3	4.7	2	3	3	5	6	6	6	6
85+	1	18.0		18	18	18	18	18	18	18
B. *Operated*										
65-69 YRS	119	10.9	61	1	2	9	14	20	24	41
70-74	89	10.3	52	1	2	10	14	19	23	38
75-79	77	10.4	55	2	2	10	15	21	23	33
80-84	25	11.4	46	2	4	10	18	20	23	29
85+	7	12.1	79	2	3	8	20	25	26	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	10.5	65	3	3	8	17	23	25	26
70-74	34	11.2	179	1	2	6	12	28	35	68
75-79	24	7.4	90	1	2	5	9	14	24	48
80-84	13	8.0	40	2	2	5	13	17	20	21
85+	16	8.8	36	1	2	7	14	18	18	18
B. *Operated*										
65-69 YRS	232	15.7	150	2	3	13	20	34	45	87
70-74	223	16.5	183	2	4	13	21	35	44	59
75-79	136	17.0	233	2	3	12	21	34	51	95
80-84	77	18.7	150	4	7	17	24	41	49	87
85+	41	23.3	459	3	4	19	30	42	79	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	5.9	32	<1	1	5	7	12	21	24
B. *Operated*	317	10.7	56	2	2	10	14	20	24	34
2. MULTIPLE DX										
A. *Not Operated*	100	9.4	101	1	2	6	13	19	26	58
B. *Operated*	709	17.0	196	2	4	13	21	36	47	93
1. SINGLE DX	338	10.4	55	1	2	9	14	20	24	33
2. MULTIPLE DX	809	16.0	191	2	3	13	20	34	46	87
A. NOT OPERATED	121	8.8	91	1	2	6	12	18	25	54
B. OPERATED	1026	15.0	161	2	3	12	19	30	42	81
TOTAL 65-69 YRS	374	13.7	123	2	2	12	18	27	37	54
70-74	348	14.4	156	2	2	11	18	29	42	59
75-79	242	13.7	172	2	2	10	18	28	38	85
80-84	118	15.6	131	2	4	13	20	31	46	68
85+	65	18.5	346	2	3	14	23	36	48	97
GRAND TOTAL	**1147**	**14.4**	**157**	**2**	**2**	**11**	**19**	**29**	**41**	**68**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	7.9	80	1	1	5	10	15	25	53
70-74	53	8.8	105	1	1	7	11	16	24	64
75-79	34	6.6	21	1	1	6	11	13	14	17
80-84	17	6.4	19	<1	1	5	10	12	15	16
85+	16	8.0	17	3	4	7	11	14	16	17
B. *Operated*										
65-69 YRS	683	10.5	62	2	2	10	14	19	24	47
70-74	503	10.7	67	2	2	9	14	20	25	43
75-79	332	10.8	60	2	2	10	14	20	25	37
80-84	153	10.6	51	2	2	10	14	18	23	28
85+	108	12.1	104	2	2	10	15	21	30	55
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	189	9.2	45	2	2	7	12	18	22	31
70-74	171	9.5	62	2	3	7	12	19	28	41
75-79	161	11.5	95	3	4	8	14	20	30	61
80-84	138	10.6	70	1	2	8	15	23	29	53
85+	105	11.4	97	2	3	9	14	23	31	53
B. *Operated*										
65-69 YRS	1922	15.6	182	2	3	13	19	30	44	85
70-74	1681	16.6	172	2	4	14	20	33	42	75
75-79	1176	17.2	198	2	4	14	21	34	50	92
80-84	655	18.1	189	3	5	15	24	35	47	83
85+	543	18.2	190	4	6	15	22	35	44	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	7.8	64	1	1	6	11	15	17	49
B. *Operated*	1779	10.7	65	2	2	10	14	19	25	43
2. MULTIPLE DX										
A. *Not Operated*	764	10.3	72	2	3	8	13	21	27	44
B. *Operated*	5977	16.7	185	2	4	13	21	33	44	83
1. SINGLE DX	1949	10.5	65	2	2	9	14	19	25	44
2. MULTIPLE DX	6741	16.0	176	2	3	13	20	32	42	80
A. NOT OPERATED	934	9.8	71	1	2	8	13	19	26	44
B. OPERATED	7756	15.3	163	2	3	12	19	30	40	78
TOTAL 65-69 YRS	2844	13.8	149	2	2	11	17	27	37	77
70-74	2408	14.7	149	2	3	12	18	29	39	69
75-79	1703	15.2	167	2	3	12	19	30	41	78
80-84	963	15.6	161	2	4	12	20	31	41	79
85+	772	16.2	171	3	4	13	20	32	41	78
GRAND TOTAL	**8690**	**14.7**	**156**	**2**	**3**	**12**	**18**	**29**	**39**	**75**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	115	6.9	65	1	1	5	8	14	19	48
70-74	104	5.4	19	1	1	4	7	11	15	21
75-79	84	5.8	24	1	1	5	7	10	16	27
80-84	55	5.7	28	1	1	4	7	12	17	28
85+	38	8.1	41	1	2	7	11	19	21	23
B. *Operated*										
65-69 YRS	545	9.4	79	1	2	8	13	19	24	42
70-74	427	9.7	89	2	2	7	13	20	29	45
75-79	251	10.3	71	2	2	8	15	22	26	35
80-84	125	13.0	120	2	2	10	18	29	32	59
85+	65	12.2	106	1	2	9	18	25	32	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	594	8.9	60	2	2	7	11	18	23	38
70-74	607	9.8	96	2	2	7	12	20	29	53
75-79	607	9.8	79	1	2	7	13	19	25	50
80-84	476	11.7	111	2	3	9	15	24	30	61
85+	400	12.1	150	2	3	9	14	23	32	68
B. *Operated*										
65-69 YRS	1711	15.7	197	2	3	12	20	33	46	84
70-74	1501	16.7	219	2	3	13	22	37	49	96
75-79	1034	17.8	255	2	3	14	23	38	53	95
80-84	630	18.3	229	2	4	15	24	36	48	89
85+	380	21.4	249	4	6	18	28	44	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	396	6.2	37	1	1	5	8	14	17	27
B. *Operated*	1413	10.1	87	1	2	8	14	21	28	44
2. MULTIPLE DX										
A. *Not Operated*	2684	10.3	96	2	3	8	13	20	28	56
B. *Operated*	5256	17.1	225	2	3	13	23	37	49	93
1. SINGLE DX	1809	9.2	78	1	2	7	13	20	25	42
2. MULTIPLE DX	7940	14.8	192	2	3	11	19	32	44	83
A. NOT OPERATED	3080	9.8	90	2	2	7	12	19	27	53
B. OPERATED	6669	15.6	204	2	2	12	21	34	45	86
TOTAL 65-69 YRS	2965	12.8	154	2	2	10	17	27	38	73
70-74	2639	13.5	176	2	2	10	18	31	41	81
75-79	1976	13.9	185	2	2	10	18	29	42	82
80-84	1286	14.8	179	2	3	11	20	31	42	78
85+	883	16.0	208	2	3	11	21	35	47	84
GRAND TOTAL	**9749**	**13.8**	**175**	**2**	**2**	**10**	**18**	**30**	**41**	**78**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	882	9.3	23	4	4	8	11	15	18	28
70-74	743	9.4	23	3	4	9	12	15	18	28
75-79	539	9.2	20	3	4	9	11	15	17	25
80-84	356	10.0	28	4	4	9	13	17	18	27
85+	208	9.3	41	3	4	8	11	16	19	31
B. *Operated*										
65-69 YRS	246	9.9	29	2	4	9	13	16	20	26
70-74	179	10.7	35	3	4	10	13	18	22	31
75-79	126	10.9	33	3	4	10	14	19	22	30
80-84	59	12.2	47	4	5	11	16	21	24	38
85+	30	13.3	105	1	3	10	18	25	30	51
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2575	11.0	39	4	5	10	13	18	22	35
70-74	2424	11.5	41	4	5	10	14	19	23	33
75-79	2015	11.8	50	4	5	10	14	20	24	38
80-84	1342	12.0	53	4	5	10	14	21	26	41
85+	937	12.2	58	4	5	11	15	20	26	39
B. *Operated*										
65-69 YRS	826	13.7	71	4	6	12	17	23	29	48
70-74	755	14.6	90	4	5	13	18	27	34	47
75-79	595	15.0	115	4	6	12	19	27	38	55
80-84	345	16.5	166	4	6	13	20	31	44	96
85+	239	16.3	116	4	6	14	21	30	42	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2728	9.4	25	3	4	9	12	15	18	27
B. *Operated*	640	10.7	37	3	4	10	14	19	22	30
2. MULTIPLE DX										
A. *Not Operated*	9293	11.6	46	4	5	10	14	19	24	36
B. *Operated*	2760	14.8	102	4	6	12	18	27	35	55
1. SINGLE DX	3368	9.6	27	3	4	9	12	16	19	28
2. MULTIPLE DX	12053	12.3	61	4	5	11	15	21	27	44
A. NOT OPERATED	12021	11.1	42	4	5	10	14	18	23	35
B. OPERATED	3400	14.0	92	4	5	12	17	25	32	52
TOTAL 65-69 YRS	4529	11.1	43	4	5	10	14	19	23	37
70-74	4101	11.7	49	4	5	10	14	20	24	37
75-79	3275	11.9	59	4	5	10	14	20	25	42
80-84	2102	12.4	71	4	5	10	15	22	28	48
85+	1414	12.5	70	4	5	11	15	22	28	47
GRAND TOTAL	**15421**	**11.7**	**55**	**4**	**5**	**10**	**14**	**20**	**25**	**41**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	88	11.3	79	3	3	9	14	22	29	48
70-74	116	10.6	59	1	2	9	14	22	25	39
75-79	122	15.2	150	2	4	12	19	35	40	64
80-84	82	14.7	138	3	4	11	20	27	35	66
85+	75	12.7	84	2	3	11	17	24	29	89
B. *Operated*										
65-69 YRS	621	9.0	94	3	3	6	9	19	30	56
70-74	381	10.6	109	3	3	6	12	27	35	49
75-79	183	14.3	164	3	4	9	21	35	42	52
80-84	110	17.2	158	3	4	14	25	35	40	57
85+	59	23.3	297	3	4	21	31	51	61	99
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	384	13.6	115	3	4	10	17	28	35	55
70-74	502	14.0	104	3	4	11	18	26	34	52
75-79	539	14.6	121	3	4	12	18	28	35	62
80-84	490	15.9	142	4	5	13	21	30	41	59
85+	441	14.6	116	3	5	11	18	29	37	78
B. *Operated*										
65-69 YRS	665	14.9	209	3	4	9	19	33	47	70
70-74	479	17.7	244	3	4	13	25	39	50	85
75-79	375	20.6	238	4	5	18	28	40	53	74
80-84	249	23.8	290	5	6	20	33	45	56	83
85+	170	28.1	337	7	8	24	36	58	68	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	483	12.9	106	2	3	10	16	25	34	58
B. *Operated*	1354	11.4	134	3	3	6	14	29	36	57
2. MULTIPLE DX										
A. *Not Operated*	2356	14.6	120	3	4	12	19	28	36	59
B. *Operated*	1938	19.0	261	3	4	14	26	40	54	80
1. SINGLE DX	1837	11.8	127	3	3	8	15	27	35	57
2. MULTIPLE DX	4294	16.6	189	3	4	12	22	34	45	74
A. NOT OPERATED	2839	14.3	118	3	4	11	18	28	36	58
B. OPERATED	3292	15.9	223	3	4	10	22	36	47	73
TOTAL 65-69 YRS	1758	12.4	148	3	3	8	15	28	36	62
70-74	1478	14.0	155	3	4	10	18	30	40	64
75-79	1219	16.4	174	3	4	12	22	34	42	64
80-84	931	18.0	195	3	5	14	24	36	46	72
85+	745	18.2	212	3	5	14	24	38	50	85
GRAND TOTAL	**6131**	**15.2**	**175**	**3**	**4**	**11**	**20**	**32**	**42**	**68**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	97	3.9	9	1	1	3	5	7	9	17
70-74	61	3.7	5	1	1	3	5	7	8	12
75-79	61	4.7	10	1	1	4	6	9	12	15
80-84	35	5.5	10	2	2	5	7	10	12	15
85+	25	4.4	5	1	2	4	6	7	10	10
B. *Operated*										
65-69 YRS	334	5.7	8	2	3	5	7	9	11	15
70-74	207	5.8	8	2	3	5	7	10	11	15
75-79	114	6.6	9	2	3	6	8	10	13	15
80-84	39	6.5	17	1	2	6	8	12	16	19
85+	29	7.0	46	1	2	5	7	15	19	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	456	5.4	20	1	2	4	7	10	13	24
70-74	365	5.6	17	1	2	4	7	11	14	21
75-79	309	5.5	16	1	2	5	7	10	13	21
80-84	251	6.7	27	2	2	5	8	13	17	21
85+	234	7.3	38	2	2	6	9	13	18	27
B. *Operated*										
65-69 YRS	2042	7.5	22	3	4	6	9	13	16	25
70-74	1227	8.0	32	3	4	7	9	14	18	29
75-79	685	8.8	37	3	4	7	10	16	20	31
80-84	276	10.1	57	3	4	8	12	18	25	40
85+	153	10.4	55	3	4	8	13	20	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	279	4.3	9	1	1	3	6	8	10	15
B. *Operated*	723	5.9	10	2	3	5	7	10	11	17
2. MULTIPLE DX										
A. *Not Operated*	1615	5.9	23	1	2	5	8	11	14	23
B. *Operated*	4383	8.1	31	3	4	7	10	14	18	30
1. SINGLE DX	1002	5.5	10	1	2	5	7	9	11	16
2. MULTIPLE DX	5998	7.5	30	2	3	6	9	13	17	27
A. NOT OPERATED	1894	5.7	21	1	2	4	7	11	14	22
B. OPERATED	5106	7.8	29	3	3	6	9	13	17	28
TOTAL 65-69 YRS	2929	6.9	21	2	3	6	8	12	15	24
70-74	1860	7.2	27	2	3	6	9	13	16	26
75-79	1169	7.5	30	2	3	6	9	14	17	27
80-84	601	8.2	42	2	3	7	10	15	19	39
85+	441	8.2	46	2	3	6	10	16	20	30
GRAND TOTAL	**7000**	**7.2**	**28**	**2**	**3**	**6**	**9**	**13**	**17**	**27**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	215	6.7	21	1	1	6	9	13	15	21
70-74	195	7.5	22	1	2	7	11	14	16	20
75-79	147	8.3	43	2	3	6	10	17	23	34
80-84	104	7.2	27	1	2	6	9	13	16	27
85+	106	7.5	29	1	2	6	10	16	19	25
B. *Operated*										
65-69 YRS	191	9.1	44	1	2	8	13	17	21	37
70-74	141	10.1	80	1	2	9	13	19	22	40
75-79	93	11.5	93	2	2	10	16	24	28	81
80-84	52	11.8	80	1	2	10	17	24	25	41
85+	35	10.2	54	2	2	8	16	22	24	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1294	8.9	51	2	3	7	11	17	22	37
70-74	1413	8.9	50	2	3	7	11	17	22	37
75-79	1285	9.5	61	2	3	8	12	18	23	42
80-84	908	10.0	62	2	3	8	13	19	24	41
85+	782	9.7	66	2	3	8	12	18	23	58
B. *Operated*										
65-69 YRS	718	14.6	174	2	3	11	19	29	42	70
70-74	587	15.5	158	2	4	12	20	31	41	71
75-79	482	16.6	190	3	4	13	21	34	46	75
80-84	316	16.4	166	3	5	13	21	33	43	75
85+	219	17.8	194	3	5	15	22	36	48	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	767	7.4	27	1	2	6	10	14	17	26
B. *Operated*	512	10.2	68	1	2	8	14	21	25	42
2. MULTIPLE DX										
A. *Not Operated*	5682	9.3	57	2	3	7	12	18	23	40
B. *Operated*	2322	15.8	175	2	4	12	20	32	43	72
1. SINGLE DX	1279	8.5	45	1	2	7	11	17	21	34
2. MULTIPLE DX	8004	11.2	100	2	3	9	14	22	30	57
A. NOT OPERATED	6449	9.1	54	2	3	7	12	17	22	38
B. OPERATED	2834	14.8	160	2	3	12	19	29	40	71
TOTAL 65-69 YRS	2418	10.4	92	2	3	8	13	20	28	53
70-74	2336	10.5	85	2	3	8	13	20	28	50
75-79	2007	11.2	102	2	3	9	14	22	30	58
80-84	1380	11.3	92	2	3	9	14	22	29	56
85+	1142	11.1	98	2	3	9	14	22	28	59
GRAND TOTAL	**9283**	**10.8**	**93**	**2**	**3**	**8**	**14**	**21**	**28**	**55**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	166	4.7	12	1	2	4	6	8	11	13
70-74	124	5.3	12	1	2	5	7	10	12	16
75-79	94	4.8	13	1	2	4	6	7	12	22
80-84	83	5.3	12	2	2	5	6	8	13	19
85+	79	4.4	8	1	1	4	6	8	10	75
B. *Operated*										
65-69 YRS	41	3.6	8	1	2	2	4	8	11	12
70-74	26	5.7	41	1	2	3	6	18	22	24
75-79	12	1.9		1	1	2	2	3	3	3
80-84	4	3.3	7	1	1	2	5	7	7	7
85+	4	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1044	6.8	25	2	3	6	8	12	15	26
70-74	1102	7.2	26	2	3	6	9	13	16	25
75-79	975	7.4	25	2	3	6	9	13	17	27
80-84	746	8.0	33	2	3	7	10	14	18	33
85+	761	8.0	42	2	3	6	10	15	19	30
B. *Operated*										
65-69 YRS	124	9.2	79	2	2	7	12	20	25	74
70-74	88	9.9	64	2	2	8	13	21	30	76
75-79	61	11.5	87	2	3	11	14	19	28	59
80-84	47	15.3	160	2	2	11	20	36	40	61
85+	36	12.4	51	2	3	11	17	23	29	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	546	4.9	12	1	2	4	6	8	12	17
B. *Operated*	87	3.9	18	1	1	2	4	8	12	23
2. MULTIPLE DX										
A. *Not Operated*	4628	7.4	29	2	3	6	9	13	17	28
B. *Operated*	356	10.9	88	2	2	9	14	23	30	65
1. SINGLE DX	633	4.7	13	1	2	4	6	8	12	19
2. MULTIPLE DX	4984	7.6	34	2	3	6	9	14	18	31
A. NOT OPERATED	5174	7.1	28	2	3	6	9	13	16	27
B. OPERATED	443	9.5	81	2	2	7	12	21	28	62
TOTAL 65-69 YRS	1375	6.6	29	2	2	5	8	12	15	30
70-74	1340	7.1	28	2	2	6	9	14	17	27
75-79	1142	7.3	28	2	3	6	9	13	17	28
80-84	880	8.1	41	2	3	7	10	15	19	37
85+	880	7.8	41	2	3	6	10	15	20	30
GRAND TOTAL	**5617**	**7.3**	**33**	**2**	**3**	**6**	**9**	**14**	**17**	**30**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	425	6.2	13	2	3	5	8	11	13	19
70-74	312	5.9	10	2	3	5	8	10	11	16
75-79	285	5.9	12	2	3	5	7	10	12	18
80-84	198	6.1	19	2	2	5	7	10	14	22
85+	200	6.7	34	2	3	6	8	11	15	46
B. *Operated*										
65-69 YRS	34	6.4	19	2	2	5	9	14	15	17
70-74	17	6.7	21	2	2	6	9	15	17	17
75-79	8	7.4	17	2	2	7	11	12	13	13
80-84	5	6.2	12	2	2	8	9	9	9	9
85+	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4275	8.0	29	3	3	7	10	14	18	27
70-74	3933	8.3	31	3	3	7	10	15	18	28
75-79	3251	8.8	37	3	4	7	11	16	19	31
80-84	2375	8.9	36	3	4	7	11	16	20	31
85+	1965	9.0	41	3	4	8	11	16	19	33
B. *Operated*										
65-69 YRS	321	12.7	86	2	4	11	16	25	29	58
70-74	289	13.4	114	3	4	11	17	25	32	56
75-79	198	13.5	92	3	4	11	16	25	31	49
80-84	118	16.7	193	5	6	12	20	33	42	99
85+	76	14.2	79	5	6	12	18	25	30	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1420	6.1	16	2	3	5	8	10	13	21
B. *Operated*	66	6.6	17	2	2	6	9	13	15	17
2. MULTIPLE DX										
A. *Not Operated*	15799	8.5	34	3	3	7	10	15	19	29
B. *Operated*	1002	13.7	108	3	4	11	17	26	32	60
1. SINGLE DX	1486	6.2	16	2	3	5	8	10	13	21
2. MULTIPLE DX	16801	8.8	40	3	3	7	11	16	20	32
A. NOT OPERATED	17219	8.3	33	3	3	7	10	15	18	29
B. OPERATED	1068	13.2	106	3	4	11	16	25	32	59
TOTAL 65-69 YRS	5055	8.2	33	3	3	7	10	14	18	29
70-74	4551	8.5	37	3	3	7	10	15	19	30
75-79	3742	8.8	40	3	3	7	11	16	20	32
80-84	2696	9.0	45	3	3	7	11	16	21	35
85+	2243	9.0	43	3	3	8	11	16	20	34
GRAND TOTAL	**18287**	**8.6**	**38**	**3**	**3**	**7**	**10**	**15**	**19**	**32**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.0	2	<1	<1	1	3	3	3	3
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	188	2.8	2	1	1	3	3	4	5	7
70-74	91	2.7	1	1	2	3	3	4	5	61
75-79	57	2.7	2	1	1	2	3	4	6	7
80-84	9	2.3	1	1	1	2	3	4	4	4
85+	14	2.4		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16	4.2	16	<1	<1	3	5	11	14	15
70-74	6	4.7	6	<1	<1	5	6	8	8	8
75-79	2	2.0	2	1	1	2	3	3	3	3
80-84	4	4.3	9	1	1	4	6	8	8	8
85+	2	7.5	1	7	7	7	8	8	8	8
B. *Operated*										
65-69 YRS	433	3.3	5	1	2	3	4	5	7	14
70-74	204	3.3	6	1	2	3	4	5	7	15
75-79	72	4.2	16	1	2	3	4	8	12	25
80-84	18	3.5	6	1	1	3	4	7	9	11
85+	19	3.6	4	1	2	3	5	6	8	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	1	<1	<1	2	3	3	3	3
B. *Operated*	359	2.7	1	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	30	4.4	11	<1	<1	4	6	8	12	15
B. *Operated*	746	3.4	6	1	2	3	4	5	7	15
1. SINGLE DX	363	2.7	1	1	1	3	3	4	5	7
2. MULTIPLE DX	776	3.4	6	1	2	3	4	5	7	15
A. NOT OPERATED	34	4.1	10	<1	<1	3	5	8	11	15
B. OPERATED	1105	3.2	5	1	2	3	4	5	6	14
TOTAL 65-69 YRS	639	3.1	4	1	2	3	4	5	6	12
70-74	302	3.2	4	1	2	3	4	5	6	15
75-79	131	3.5	10	1	2	3	4	6	8	18
80-84	32	3.2	5	1	1	3	4	6	8	11
85+	35	3.4	4	2	2	3	4	6	8	10
GRAND TOTAL	**1139**	**3.2**	**5**	**1**	**2**	**3**	**4**	**5**	**7**	**14**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	4	1.5		1	1	1	2	2	2	2
75-79	3	2.0		2	2	2	2	2	2	2
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	171	2.3	2	1	1	2	3	4	5	8
70-74	125	2.4	5	<1	1	2	3	3	4	12
75-79	83	2.7	6	1	1	2	3	4	6	15
80-84	32	2.7	3	1	1	2	3	5	6	8
85+	10	2.9	11	<1	<1	2	2	7	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	4.4	22	<1	1	2	6	14	15	15
70-74	7	3.0	4	1	1	3	4	6	7	7
75-79	11	4.5	12	1	1	4	7	10	11	11
80-84	1	5.0		5	5	5	5	5	5	5
85+										
B. *Operated*										
65-69 YRS	354	3.4	5	1	2	3	4	6	8	13
70-74	243	3.5	10	1	2	3	4	6	8	22
75-79	90	3.3	6	1	1	3	4	6	10	13
80-84	49	4.2	9	1	2	3	5	8	10	16
85+	21	4.1	28	1	1	2	3	10	17	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.8		1	1	2	2	2	2	2
B. *Operated*	421	2.4	4	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	33	4.2	14	1	1	3	5	9	14	15
B. *Operated*	757	3.5	8	1	2	3	4	6	9	16
1. SINGLE DX	430	2.4	4	1	1	2	3	4	5	11
2. MULTIPLE DX	790	3.5	8	1	1	3	4	6	9	15
A. NOT OPERATED	42	3.6	12	1	1	2	4	8	12	15
B. OPERATED	1178	3.1	7	1	1	2	4	5	7	14
TOTAL 65-69 YRS	540	3.1	5	1	1	2	4	5	7	13
70-74	379	3.1	8	1	1	2	3	5	7	21
75-79	187	3.1	6	1	1	2	4	5	9	14
80-84	83	3.6	7	1	1	3	5	7	9	15
85+	31	3.7	22	<1	1	2	3	10	12	24
GRAND TOTAL	**1220**	**3.1**	**7**	**1**	**1**	**2**	**4**	**5**	**7**	**15**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	2	1.5	1	<1	<1	1	2	2	2	2
75-79	1	8.0		8	8	8	8	8	8	8
80-84	1	5.0		5	5	5	5	5	5	5
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	94	2.0	2	<1	1	2	2	4	5	9
70-74	45	2.5	3	1	1	2	3	4	7	10
75-79	33	2.7	6	1	1	2	3	5	9	12
80-84	12	2.8	1	2	2	3	3	4	6	6
85+	71	2.4	8	1	1	2	2	3	4	83
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	7.7	24	2	2	7	10	15	18	18
70-74	2	6.5	13	4	4	6	9	9	9	9
75-79	5	5.0	4	3	3	5	6	8	8	8
80-84	5	5.4	7	4	4	4	6	10	10	10
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	64	3.3	31	<1	1	2	3	6	10	92
70-74	24	5.0	20	1	1	2	9	11	13	16
75-79	14	3.1	9	1	1	2	3	9	11	11
80-84	9	7.1	172	2	2	2	4	27	42	42
85+	42	1.9	2	<1	<1	2	2	2	3	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.3	6	<1	<1	2	4	7	8	8
B. *Operated*	255	2.3	4	1	1	2	2	3	6	15
2. MULTIPLE DX										
A. *Not Operated*	22	6.4	13	2	2	5	9	10	14	18
B. *Operated*	153	3.4	28	<1	1	2	3	8	11	44
1. SINGLE DX	262	2.4	4	1	1	2	2	3	6	15
2. MULTIPLE DX	175	3.8	27	<1	1	2	4	9	11	43
A. NOT OPERATED	29	5.6	13	2	2	5	8	10	11	18
B. OPERATED	408	2.7	14	1	1	2	2	4	9	29
TOTAL 65-69 YRS	169	2.8	16	<1	1	2	3	5	9	39
70-74	73	3.4	10	1	1	2	3	9	11	15
75-79	53	3.2	7	1	1	2	3	8	9	12
80-84	27	4.8	58	2	2	3	4	6	15	42
85+	115	2.2	6	1	1	2	2	3	4	48
GRAND TOTAL	**437**	**2.9**	**14**	**1**	**1**	**2**	**3**	**6**	**10**	**23**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	114	3.0	6	1	1	2	3	5	9	14
70-74	90	3.4	21	<1	1	2	4	6	8	29
75-79	46	3.5	6	1	2	3	4	7	9	12
80-84	23	5.4	14	1	2	5	7	11	14	15
85+	14	5.5	40	1	2	4	6	11	23	26
B. *Operated*										
65-69 YRS	816	2.8	7	1	1	2	3	4	7	15
70-74	571	2.7	7	1	1	2	3	4	6	13
75-79	262	3.1	10	1	1	2	3	5	7	19
80-84	97	3.1	7	1	1	2	3	7	9	15
85+	54	3.2	10	1	1	2	3	6	12	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	342	5.9	21	1	2	5	8	11	14	23
70-74	247	6.5	56	2	2	5	7	12	16	44
75-79	201	6.2	19	2	2	5	8	12	14	23
80-84	110	7.2	27	2	2	6	9	13	16	29
85+	92	6.8	26	1	2	5	8	14	18	26
B. *Operated*										
65-69 YRS	942	4.9	41	1	2	3	5	11	17	32
70-74	596	6.1	74	1	2	3	6	14	20	41
75-79	314	7.0	79	1	2	4	8	17	28	60
80-84	128	8.1	74	2	2	5	11	16	29	39
85+	84	8.6	170	1	2	4	9	22	33	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	3.5	13	1	1	2	4	7	9	19
B. *Operated*	1800	2.8	7	1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	992	6.4	30	1	2	5	8	12	15	25
B. *Operated*	2064	5.9	65	1	2	3	6	14	20	42
1. SINGLE DX	2087	2.9	8	1	1	2	3	5	7	16
2. MULTIPLE DX	3056	6.1	54	1	2	4	7	13	18	38
A. NOT OPERATED	1279	5.7	28	1	2	4	7	11	14	24
B. OPERATED	3864	4.5	40	1	1	2	4	9	15	32
TOTAL 65-69 YRS	2214	4.2	25	1	1	2	4	9	13	24
70-74	1504	4.7	45	1	2	2	5	10	15	35
75-79	823	5.4	41	1	2	3	6	12	16	36
80-84	358	6.3	42	1	2	4	8	13	17	32
85+	244	6.6	76	1	2	4	8	14	21	45
GRAND TOTAL	**5143**	**4.8**	**38**	**1**	**2**	**3**	**5**	**10**	**15**	**31**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1827	7.6	21	3	3	7	9	13	16	22
70-74	1580	8.0	23	3	3	7	10	14	17	26
75-79	1422	8.1	23	3	3	7	10	14	16	25
80-84	1138	8.9	38	3	4	8	11	15	18	28
85+	1381	9.0	40	3	3	8	11	16	21	34
B. *Operated*										
65-69 YRS	199	10.5	58	1	2	9	15	20	24	36
70-74	148	11.4	56	2	3	10	15	21	25	37
75-79	100	12.2	88	2	3	10	17	23	26	51
80-84	46	13.7	119	2	3	13	16	21	35	55
85+	53	14.1	123	2	3	12	19	22	33	63
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8755	10.3	47	3	4	9	13	18	23	36
70-74	9298	10.9	56	3	4	9	13	19	24	39
75-79	9452	11.5	63	4	5	10	14	20	26	42
80-84	8453	12.2	75	4	5	10	15	22	28	47
85+	10202	12.7	80	4	5	11	16	23	29	55
B. *Operated*										
65-69 YRS	1404	17.9	175	4	6	15	22	33	46	78
70-74	1331	19.0	205	4	6	15	24	36	50	81
75-79	1196	20.0	193	6	7	16	25	37	53	88
80-84	833	21.0	199	6	8	18	26	40	51	86
85+	737	22.2	203	7	9	19	29	42	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7348	8.3	28	3	3	7	10	14	17	27
B. *Operated*	546	11.7	75	2	2	10	16	22	26	45
2. MULTIPLE DX										
A. *Not Operated*	46160	11.5	65	4	5	10	14	20	26	43
B. *Operated*	5501	19.7	195	5	7	16	24	38	50	86
1. SINGLE DX	7894	8.5	32	3	3	7	10	15	18	28
2. MULTIPLE DX	51661	12.4	85	4	5	10	15	23	29	53
A. NOT OPERATED	53508	11.1	61	3	4	9	14	20	25	41
B. OPERATED	6047	19.0	190	4	6	16	24	36	49	84
TOTAL 65-69 YRS	12185	10.7	65	3	4	9	13	19	25	44
70-74	12357	11.4	76	3	4	9	14	21	27	47
75-79	12170	11.9	79	4	5	10	14	21	28	52
80-84	10470	12.5	88	4	5	10	15	23	29	53
85+	12373	12.9	90	4	5	11	16	23	30	58
GRAND TOTAL	**59555**	**11.9**	**80**	**3**	**4**	**10**	**14**	**22**	**28**	**51**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	135	4.8	7	1	2	4	6	8	10	15
70-74	117	4.2	6	1	2	3	5	7	9	12
75-79	112	5.2	14	1	2	5	6	8	10	24
80-84	87	5.0	11	1	2	4	7	9	11	18
85+	78	5.2	7	2	2	5	7	9	10	13
B. *Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	3	20.0	28	14	14	22	23	24	24	24
75-79	2	14.0	50	9	9	14	19	19	19	19
80-84	2	27.5	1	27	27	27	28	28	28	28
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	569	6.5	19	2	3	5	8	12	15	22
70-74	601	7.0	23	2	3	6	9	13	16	26
75-79	593	7.3	31	2	3	6	9	13	18	29
80-84	489	7.8	35	2	3	6	10	14	18	31
85+	402	8.2	40	2	3	7	10	14	20	32
B. *Operated*										
65-69 YRS	22	13.8	71	4	5	10	22	27	28	30
70-74	35	13.3	54	4	5	12	18	23	30	30
75-79	29	12.2	101	4	4	10	13	28	35	47
80-84	22	17.2	205	3	4	13	24	31	48	67
85+	14	13.5	172	3	5	8	14	43	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	529	4.8	9	1	2	4	6	8	10	15
B. *Operated*	8	18.6	67	6	7	20	25	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	2654	7.3	29	2	3	6	9	13	17	28
B. *Operated*	122	13.9	108	4	5	10	18	28	33	53
1. SINGLE DX	537	5.0	13	1	2	4	7	8	11	22
2. MULTIPLE DX	2776	7.6	34	2	3	6	9	14	18	31
A. NOT OPERATED	3183	6.9	27	2	2	6	8	13	16	27
B. OPERATED	130	14.1	106	4	5	11	19	28	32	51
TOTAL 65-69 YRS	727	6.4	21	2	2	5	8	12	15	25
70-74	756	6.9	26	2	3	5	8	13	17	29
75-79	736	7.2	33	2	2	6	8	13	18	32
80-84	600	7.8	43	2	2	6	10	14	20	32
85+	494	7.9	41	2	3	7	9	14	19	40
GRAND TOTAL	**3313**	**7.2**	**32**	**2**	**3**	**6**	**9**	**13**	**17**	**29**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	598	7.3	24	2	3	6	9	13	16	29
70-74	509	7.1	25	2	3	6	9	13	15	29
75-79	331	7.1	23	2	3	6	9	13	15	21
80-84	212	7.6	67	2	3	6	9	13	16	69
85+	154	6.5	17	2	2	5	8	13	15	20
B. *Operated*										
65-69 YRS	140	5.5	36	1	1	3	7	11	17	29
70-74	89	6.8	50	1	2	4	9	17	22	34
75-79	44	8.7	87	1	1	4	13	24	29	35
80-84	23	6.7	96	1	1	2	8	14	26	47
85+	5	5.8	14	2	2	5	7	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3473	8.9	42	3	3	7	11	16	21	36
70-74	3052	9.0	40	3	3	7	11	16	21	32
75-79	2463	9.3	50	3	3	8	11	17	22	40
80-84	1544	9.1	43	3	3	8	12	16	21	38
85+	1211	9.4	47	2	3	8	12	17	23	36
B. *Operated*										
65-69 YRS	603	11.6	115	2	3	9	14	22	30	55
70-74	504	11.4	79	2	3	9	16	23	28	59
75-79	353	12.1	109	2	3	9	15	23	36	57
80-84	150	15.9	205	3	4	12	21	30	42	82
85+	75	15.8	116	5	6	14	20	30	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1804	7.2	29	2	3	6	9	13	15	28
B. *Operated*	301	6.5	52	1	1	4	8	15	23	36
2. MULTIPLE DX										
A. *Not Operated*	11743	9.1	44	3	3	7	11	16	21	36
B. *Operated*	1685	12.2	113	2	3	10	15	24	31	61
1. SINGLE DX	2105	7.1	32	2	2	6	9	13	16	29
2. MULTIPLE DX	13428	9.5	54	3	3	8	12	17	23	40
A. NOT OPERATED	13547	8.8	42	3	3	7	11	16	21	34
B. OPERATED	1986	11.4	108	2	2	9	15	23	30	57
TOTAL 65-69 YRS	4814	8.9	50	2	3	7	11	16	22	38
70-74	4154	9.0	45	2	3	7	11	17	22	34
75-79	3191	9.4	55	2	3	8	11	17	23	43
80-84	1929	9.5	62	2	3	8	12	17	23	47
85+	1445	9.4	50	2	3	8	12	17	24	41
GRAND TOTAL	**15533**	**9.2**	**51**	**2**	**3**	**7**	**11**	**17**	**22**	**39**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	390	8.2	37	2	2	7	10	15	20	34
70-74	281	8.7	69	2	2	7	10	16	20	41
75-79	215	8.2	54	2	2	6	10	16	20	39
80-84	80	8.4	116	2	2	6	9	14	18	71
85+	38	6.7	17	1	2	6	8	14	15	16
B. *Operated*										
65-69 YRS	11	10.9	72	2	3	9	13	23	32	33
70-74	9	13.6	174	3	3	8	16	34	46	46
75-79	6	7.0	65	1	1	4	10	21	22	22
80-84	5	10.6	63	3	3	9	13	24	24	24
85+	2	17.0	200	7	7	17	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2157	10.0	63	3	3	8	12	19	24	41
70-74	2106	10.2	57	3	3	8	13	19	25	40
75-79	1558	10.3	67	3	3	8	13	19	25	45
80-84	724	10.5	90	2	3	8	13	20	28	57
85+	445	11.1	86	2	3	9	14	22	29	58
B. *Operated*										
65-69 YRS	306	17.3	198	3	4	13	22	36	46	76
70-74	244	16.8	208	3	5	12	21	36	53	99+
75-79	154	17.7	204	4	6	14	23	32	43	93
80-84	71	15.7	150	3	5	11	20	27	39	63
85+	24	19.0	194	7	8	14	24	35	48	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1004	8.3	55	2	2	6	10	15	20	38
B. *Operated*	33	11.2	97	1	2	9	15	25	32	46
2. MULTIPLE DX										
A. *Not Operated*	6990	10.3	67	3	3	8	13	19	25	44
B. *Operated*	799	17.1	197	3	5	13	22	35	46	87
1. SINGLE DX	1037	8.4	57	2	2	7	10	16	20	38
2. MULTIPLE DX	7789	11.0	84	3	3	8	14	21	28	50
A. NOT OPERATED	7994	10.0	66	2	3	8	12	19	25	43
B. OPERATED	832	16.9	194	3	5	13	22	35	46	85
TOTAL 65-69 YRS	2864	10.6	80	2	3	8	13	20	28	47
70-74	2640	10.7	77	3	3	8	13	21	27	46
75-79	1933	10.6	81	3	3	8	13	21	27	48
80-84	880	10.8	100	2	3	8	13	21	28	63
85+	509	11.2	90	2	3	9	14	22	30	60
GRAND TOTAL	**8826**	**10.7**	**82**	**2**	**3**	**8**	**13**	**21**	**27**	**49**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1476	6.4	16	2	2	6	8	11	13	20
70-74	1068	7.0	19	2	2	6	9	13	15	21
75-79	658	7.1	29	2	2	6	9	13	15	25
80-84	303	6.5	17	2	2	6	8	11	13	22
85+	160	6.5	17	1	2	5	9	12	15	19
B. *Operated*										
65-69 YRS	28	9.2	32	1	3	7	13	16	20	24
70-74	13	7.5	17	2	2	7	11	12	13	13
75-79	8	7.5	5	5	5	7	9	11	11	11
80-84	4	10.0	39	5	5	8	14	19	19	19
85+	1	22.0		22	22	22	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4489	8.6	37	3	3	7	11	15	19	31
70-74	3613	8.7	34	3	3	7	11	16	20	30
75-79	2512	9.1	42	3	3	8	11	16	20	32
80-84	1266	9.5	44	3	3	8	12	17	21	33
85+	651	9.9	49	3	3	8	12	18	23	43
B. *Operated*										
65-69 YRS	278	17.4	236	4	5	13	21	38	52	83
70-74	203	15.0	94	4	6	12	18	27	37	55
75-79	141	16.1	97	5	6	14	20	29	37	47
80-84	56	17.7	137	5	7	15	22	31	37	70
85+	30	18.[illegible]	188	4	5	12	27	41	46	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3665	6.7	19	2	2	6	9	12	14	21
B. *Operated*	54	8.8	27	2	3	7	11	16	20	24
2. MULTIPLE DX										
A. *Not Operated*	12531	8.9	38	3	3	7	11	16	20	32
B. *Operated*	708	16.5	158	4	6	13	20	32	41	72
1. SINGLE DX	3719	6.7	20	2	2	6	9	12	14	21
2. MULTIPLE DX	13239	9.3	48	3	3	8	12	17	21	36
A. NOT OPERATED	16196	8.4	35	2	3	7	11	15	19	30
B. OPERATED	762	16.0	153	4	5	13	20	31	41	70
TOTAL 65-69 YRS	6271	8.5	45	2	3	7	10	15	20	35
70-74	4897	8.6	35	2	3	7	11	15	20	31
75-79	3319	9.0	44	2	3	7	11	16	21	34
80-84	1629	9.2	46	2	3	8	11	17	21	33
85+	842	9.6	53	2	3	8	12	18	23	43
GRAND TOTAL	**16958**	**8.7**	**43**	**2**	**3**	**7**	**11**	**16**	**20**	**34**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1549	8.3	43	2	3	7	10	15	20	34
70-74	1333	8.7	53	2	3	7	11	16	21	35
75-79	946	8.0	33	2	3	7	10	14	18	31
80-84	409	8.1	30	2	3	7	10	15	18	25
85+	172	8.1	36	3	3	6	9	15	20	31
B. *Operated*										
65-69 YRS	120	9.3	88	1	2	6	12	20	27	52
70-74	79	9.0	43	2	2	8	12	18	22	31
75-79	44	10.5	80	2	2	8	15	24	28	44
80-84	13	13.2	193	2	2	9	17	35	46	49
85+	5	7.4	100	1	1	3	11	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9731	9.9	61	3	3	8	12	18	24	41
70-74	9138	10.2	64	3	4	8	12	19	24	41
75-79	6635	10.4	68	3	3	8	13	20	26	45
80-84	3349	10.7	62	3	4	9	13	20	26	41
85+	1721	10.3	59	3	4	8	13	19	25	40
B. *Operated*										
65-69 YRS	1240	15.7	175	3	4	12	20	33	45	91
70-74	1101	16.7	192	3	5	13	21	34	46	87
75-79	724	16.8	163	3	5	13	22	34	42	65
80-84	312	18.6	252	4	5	15	23	37	57	91
85+	151	16.8	200	3	5	13	21	32	48	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4409	8.3	42	2	3	7	10	15	20	32
B. *Operated*	261	9.6	78	2	2	7	12	20	27	48
2. MULTIPLE DX										
A. *Not Operated*	30574	10.2	63	3	3	8	13	19	25	42
B. *Operated*	3528	16.5	186	3	5	13	21	34	46	84
1. SINGLE DX	4670	8.4	44	2	3	7	10	15	20	33
2. MULTIPLE DX	34102	10.8	80	3	4	8	13	20	27	49
A. NOT OPERATED	34983	9.9	61	3	3	8	12	18	24	41
B. OPERATED	3789	16.0	182	3	4	12	20	33	44	83
TOTAL 65-69 YRS	12640	10.2	74	3	3	8	12	19	26	47
70-74	11651	10.6	79	3	3	8	13	20	27	48
75-79	8349	10.7	76	3	3	8	13	20	27	47
80-84	4083	11.0	79	3	4	9	1[illegible]	21	27	51
85+	2049	10.5	71	3	3	8	13	19	27	44
GRAND TOTAL	**38772**	**10.5**	**76**	**3**	**3**	**8**	**13**	**20**	**27**	**47**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	6.5	19	2	2	5	8	10	16	22
70-74	15	5.8	21	<1	2	5	7	15	16	16
75-79	8	4.9	4	3	3	4	6	8	9	9
80-84	6	5.2	3	3	3	5	6	8	8	8
85+	8	5.4	6	1	2	5	7	8	8	8
B. *Operated*										
65-69 YRS	84	9.1	31	3	3	7	12	16	20	29
70-74	73	11.2	168	3	4	8	11	22	31	84
75-79	39	9.2	35	4	5	8	11	16	20	34
80-84	28	11.4	97	3	4	8	14	19	39	45
85+	18	8.3	42	2	3	7	10	14	24	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	102	10.6	67	3	4	8	13	20	24	50
70-74	82	10.3	56	1	3	8	13	21	29	36
75-79	70	9.7	38	3	4	8	12	17	24	29
80-84	49	13.5	141	3	3	10	16	32	37	61
85+	40	12.3	118	4	5	8	14	21	41	55
B. *Operated*										
65-69 YRS	296	14.5	132	4	4	11	19	30	39	55
70-74	273	15.0	135	4	5	11	20	32	37	60
75-79	178	14.8	95	3	4	12	21	29	34	43
80-84	117	17.1	241	3	5	12	22	35	46	84
85+	57	14.8	124	4	5	12	18	29	33	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	5.8	14	2	2	5	7	9	14	22
B. *Operated*	242	9.9	81	3	4	8	12	18	23	39
2. MULTIPLE DX										
A. *Not Operated*	343	11.0	75	3	4	8	13	21	29	47
B. *Operated*	921	15.1	139	3	4	12	20	31	38	62
1. SINGLE DX	300	9.1	71	3	3	7	11	17	21	38
2. MULTIPLE DX	1264	14.0	125	3	4	10	18	29	36	56
A. NOT OPERATED	401	10.2	70	2	3	8	13	19	27	45
B. OPERATED	1163	14.0	131	3	4	10	18	29	36	58
TOTAL 65-69 YRS	503	12.5	103	3	4	10	16	25	32	50
70-74	443	13.2	127	3	4	9	17	28	35	54
75-79	295	12.6	79	3	4	10	17	26	31	41
80-84	200	15.1	196	3	4	10	20	34	42	71
85+	123	12.4	109	3	4	9	14	25	32	57
GRAND TOTAL	**1564**	**13.0**	**118**	**3**	**4**	**10**	**17**	**27**	**34**	**53**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	405	6.3	29	1	2	5	8	13	16	28
70-74	413	6.7	31	1	2	5	8	13	17	32
75-79	321	7.5	40	2	2	6	9	15	20	31
80-84	217	7.5	33	1	2	6	9	15	19	28
85+	224	7.3	28	1	2	6	9	15	18	29
B. *Operated*										
65-69 YRS	489	8.3	73	1	1	6	12	18	22	47
70-74	373	9.1	95	1	2	6	12	20	25	42
75-79	223	9.2	73	1	2	6	12	19	28	42
80-84	115	9.6	75	1	2	7	12	25	28	38
85+	57	12.5	102	1	2	10	18	27	37	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3573	9.1	50	2	3	7	11	17	22	35
70-74	3589	10.0	69	2	3	8	13	19	25	44
75-79	3379	10.7	77	3	3	8	13	20	27	46
80-84	2465	11.6	85	3	4	9	14	22	29	48
85+	2285	11.3	68	3	4	9	14	21	26	43
B. *Operated*										
65-69 YRS	1600	14.2	159	2	3	11	19	30	40	70
70-74	1359	14.7	142	2	3	12	20	29	37	63
75-79	1095	15.9	178	3	4	12	21	32	43	72
80-84	590	17.2	162	3	5	14	22	35	45	96
85+	420	18.6	192	4	6	15	24	37	46	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1580	7.0	32	1	2	6	9	14	18	30
B. *Operated*	1257	9.0	81	1	2	6	12	19	26	48
2. MULTIPLE DX										
A. *Not Operated*	15291	10.4	70	2	3	8	13	20	25	44
B. *Operated*	5064	15.4	163	2	3	12	20	32	41	71
1. SINGLE DX	2837	7.9	55	1	2	6	10	16	22	36
2. MULTIPLE DX	20355	11.7	98	2	3	9	15	23	30	53
A. NOT OPERATED	16871	10.1	67	2	3	8	13	19	25	42
B. OPERATED	6321	14.2	153	2	3	11	19	29	39	67
TOTAL 65-69 YRS	6067	10.2	85	2	2	8	13	21	27	50
70-74	5734	10.8	90	2	3	8	14	22	28	50
75-79	5018	11.6	102	2	3	9	14	23	30	53
80-84	3387	12.2	101	3	3	9	15	24	32	52
85+	2986	12.0	91	3	4	10	15	23	30	52
GRAND TOTAL	**23192**	**11.2**	**94**	**2**	**3**	**9**	**14**	**22**	**29**	**51**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	31	7.9	303	1	1	3	6	13	33	95
70-74	19	4.5	11	<1	1	4	6	9	12	13
75-79	12	4.0	4	1	1	4	5	7	8	8
80-84	3	3.3	1	2	2	4	4	4	4	4
85+	7	3.9	19	<1	<1	1	7	11	12	12
B. *Operated*										
65-69 YRS	382	2.7	7	1	1	2	3	4	6	15
70-74	226	2.8	6	1	1	2	3	5	6	14
75-79	124	2.4	1	1	1	2	3	4	5	7
80-84	74	3.4	17	1	2	2	3	5	9	28
85+	89	3.9	34	1	1	2	3	8	11	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	77	5.4	21	1	1	4	7	11	13	25
70-74	83	5.4	25	1	1	4	7	10	13	28
75-79	70	6.6	21	1	1	6	10	13	16	20
80-84	47	6.1	47	1	2	4	7	12	23	38
85+	30	5.8	31	1	1	5	7	11	13	30
B. *Operated*										
65-69 YRS	1014	3.9	19	1	2	2	4	8	11	23
70-74	724	3.8	17	1	2	3	4	7	12	28
75-79	498	4.0	15	2	2	3	4	8	13	21
80-84	284	4.4	35	2	2	3	4	7	12	39
85+	190	4.8	31	1	2	3	5	11	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	[illegible]	5.8	137	<1	1	3	6	8	13	82
B. *Operated*	895	2.9	10	1	1	2	3	4	6	16
2. MULTIPLE DX										
A. *Not Operated*	307	5.8	27	1	1	4	8	11	14	28
B. *Operated*	2710	4.0	21	1	2	3	4	8	12	25
1. SINGLE DX	967	3.1	20	1	1	2	3	5	7	19
2. MULTIPLE DX	3017	4.2	21	1	2	3	4	8	12	26
A. NOT OPERATED	379	5.8	48	1	1	4	7	11	14	30
B. OPERATED	3605	3.7	18	1	2	2	4	7	11	23
TOTAL 65-69 YRS	1504	3.8	23	1	2	2	4	7	11	23
70-74	1052	3.7	16	1	2	2	4	7	10	25
75-79	704	4.0	14	1	2	3	4	8	12	20
80-84	408	4.4	33	1	2	3	4	8	12	36
85+	316	4.7	32	1	2	3	5	10	15	32
GRAND TOTAL	**3984**	**3.9**	**21**	**1**	**2**	**2**	**4**	**8**	**11**	**25**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	37	5.3	18	1	1	4	7	11	16	17
70-74	41	5.2	19	1	2	4	6	8	13	27
75-79	27	4.0	3	1	2	3	6	6	7	8
80-84	21	6.7	21	1	1	6	8	13	17	19
85+	20	5.9	14	1	1	5	9	10	12	15
B. *Operated*										
65-69 YRS	267	3.5	5	1	1	3	4	5	7	13
70-74	187	3.6	9	1	2	3	4	6	8	11
75-79	134	4.0	11	1	1	3	5	8	11	18
80-84	55	3.6	6	1	1	3	5	8	9	95
85+	40	5.3	17	1	2	4	7	9	15	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	131	7.0	22	1	2	6	9	12	16	25
70-74	125	8.7	43	2	3	7	12	17	20	36
75-79	116	8.5	44	2	3	7	11	16	20	36
80-84	96	9.2	80	2	3	7	11	16	22	55
85+	101	10.9	91	3	4	8	13	18	23	60
B. *Operated*										
65-69 YRS	298	5.7	26	1	2	4	7	12	15	28
70-74	263	6.6	61	2	2	4	7	13	18	39
75-79	177	7.5	53	2	2	5	9	16	23	36
80-84	116	8.2	84	2	2	5	10	16	27	54
85+	68	9.3	81	2	2	6	12	20	28	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	5.3	16	1	1	4	7	9	14	19
B. *Operated*	683	3.7	8	1	2	3	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	569	8.8	54	2	3	7	11	17	21	37
B. *Operated*	922	6.9	54	2	2	4	8	14	20	36
1. SINGLE DX	829	4.0	10	1	2	3	5	7	9	16
2. MULTIPLE DX	1491	7.6	55	2	2	5	9	15	20	36
A. NOT OPERATED	715	8.1	48	2	2	6	10	16	19	35
B. OPERATED	1605	5.5	37	1	2	4	6	11	16	33
TOTAL 65-69 YRS	733	5.1	19	1	2	4	6	10	13	23
70-74	616	6.0	42	1	2	4	7	12	17	35
75-79	454	6.5	39	1	2	4	8	13	18	35
80-84	288	7.5	67	1	2	5	9	15	21	58
85+	229	9.0	73	2	3	7	11	17	22	42
GRAND TOTAL	**2320**	**6.3**	**42**	**1**	**2**	**4**	**8**	**13**	**17**	**34**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	289	4.4	12	1	1	3	5	9	10	20
70-74	211	4.3	11	1	1	3	5	8	11	16
75-79	150	5.0	17	1	1	4	6	9	13	20
80-84	100	4.7	11	1	1	4	6	10	11	15
85+	64	5.3	16	1	2	4	7	10	12	24
B. *Operated*										
65-69 YRS	254	6.9	44	1	2	5	9	13	19	36
70-74	284	7.3	54	<1	1	5	10	16	21	41
75-79	209	6.3	52	1	1	5	8	13	16	35
80-84	131	6.8	40	1	2	5	9	15	19	32
85+	111	8.5	51	1	2	7	13	17	23	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1489	6.5	23	2	2	5	8	12	15	26
70-74	1475	6.9	31	2	2	5	8	12	18	31
75-79	1193	7.4	34	2	2	6	9	14	18	33
80-84	827	7.9	45	2	2	6	10	14	19	38
85+	665	7.9	43	2	2	6	10	16	20	38
B. *Operated*										
65-69 YRS	1157	10.5	111	2	2	8	13	20	29	60
70-74	1088	10.8	110	2	2	8	13	22	32	55
75-79	837	11.0	101	2	2	8	14	23	29	53
80-84	608	11.7	120	2	3	8	15	25	32	63
85+	461	13.4	163	2	3	10	17	28	37	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	814	4.6	13	1	1	4	6	9	11	19
B. *Operated*	989	7.1	49	1	1	5	9	15	20	36
2. MULTIPLE DX										
A. *Not Operated*	5649	7.1	33	2	2	6	9	13	17	32
B. *Operated*	4151	11.2	116	2	2	8	14	23	31	61
1. SINGLE DX	1803	5.9	34	1	1	4	8	12	16	28
2. MULTIPLE DX	9800	8.8	72	2	2	7	11	18	24	47
A. NOT OPERATED	6463	6.8	31	2	2	5	8	13	17	30
B. OPERATED	5140	10.4	106	2	2	8	13	21	29	56
TOTAL 65-69 YRS	3189	7.8	60	1	2	6	9	15	20	41
70-74	3058	8.1	64	1	2	6	10	16	23	41
75-79	2389	8.4	62	2	2	6	11	17	23	45
80-84	1666	9.0	75	2	2	7	11	18	26	49
85+	1301	9.8	92	2	2	7	12	20	27	54
GRAND TOTAL	**11603**	**8.4**	**68**	**2**	**2**	**6**	**10**	**17**	**23**	**45**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	242	5.9	16	1	2	5	8	11	13	22
70-74	212	6.1	20	1	2	5	8	11	14	22
75-79	174	7.1	26	1	2	6	9	14	18	25
80-84	108	7.4	24	2	2	6	9	12	17	27
85+	65	7.5	44	1	2	6	8	14	19	39
B. *Operated*										
65-69 YRS	207	9.6	71	2	2	8	12	18	22	53
70-74	144	9.2	47	2	3	8	11	19	23	33
75-79	105	9.6	45	2	3	8	12	20	22	36
80-84	73	10.1	50	2	2	9	12	21	24	32
85+	34	10.6	127	1	2	9	13	20	56	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	901	8.1	36	2	3	7	10	14	18	31
70-74	850	8.1	30	2	3	7	10	15	18	28
75-79	750	9.0	40	2	3	8	11	17	21	33
80-84	519	9.3	42	2	3	8	11	18	23	38
85+	400	10.6	53	3	4	9	13	18	23	45
B. *Operated*										
65-69 YRS	716	12.1	84	3	4	10	15	22	31	49
70-74	614	11.9	73	3	4	10	16	22	26	49
75-79	537	12.4	84	3	4	10	15	24	30	51
80-84	280	12.5	66	3	4	11	16	25	30	36
85+	148	13.8	92	4	5	11	17	26	34	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	801	6.5	23	1	2	6	8	12	15	25
B. *Operated*	563	9.6	60	2	2	8	12	19	23	42
2. MULTIPLE DX										
A. *Not Operated*	3420	8.8	39	2	3	7	11	16	20	34
B. *Operated*	2295	12.3	79	3	4	10	16	23	30	48
1. SINGLE DX	1364	7.8	41	1	2	6	10	15	20	31
2. MULTIPLE DX	5715	10.2	58	2	3	8	13	19	24	39
A. NOT OPERATED	4221	8.4	37	2	3	7	10	15	19	33
B. OPERATED	2858	11.8	77	2	4	10	15	22	29	48
TOTAL 65-69 YRS	2066	9.4	59	2	3	8	12	18	22	38
70-74	1820	9.3	49	2	3	8	12	18	22	34
75-79	1566	10.0	57	2	3	8	12	19	24	39
80-84	980	10.1	50	2	3	8	13	19	25	36
85+	647	11.0	68	3	4	9	14	20	25	49
GRAND TOTAL	**7079**	**9.7**	**56**	**2**	**3**	**8**	**12**	**18**	**23**	**38**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	172	6.6	10	3	4	6	7	11	13	19
70-74	185	7.1	13	2	3	6	9	12	14	17
75-79	107	7.2	14	3	3	6	9	13	14	18
80-84	78	9.0	25	3	4	8	10	17	20	25
85+	67	9.1	34	3	4	8	12	14	16	38
B. *Operated*										
65-69 YRS	130	11.0	39	3	5	9	15	18	24	33
70-74	148	12.3	52	4	5	11	15	20	25	43
75-79	96	12.9	41	4	6	12	16	22	26	32
80-84	63	13.9	44	5	7	13	17	21	27	35
85+	51	15.0	130	4	6	13	18	24	32	63
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	547	9.2	32	3	4	8	11	16	20	32
70-74	599	9.1	37	3	4	8	11	15	19	29
75-79	555	9.9	42	4	4	8	12	17	22	42
80-84	468	11.5	89	3	5	9	14	21	27	43
85+	443	11.2	65	3	4	9	13	20	26	42
B. *Operated*										
65-69 YRS	507	14.6	105	5	5	12	18	27	36	52
70-74	562	15.5	122	4	6	13	20	28	36	61
75-79	496	16.4	141	5	6	13	20	31	39	75
80-84	343	17.5	126	5	7	15	22	31	38	63
85+	231	17.6	134	5	6	15	22	33	39	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	609	7.4	17	3	3	6	9	13	15	20
B. *Operated*	488	12.6	55	4	5	11	16	21	27	37
2. MULTIPLE DX										
A. *Not Operated*	2612	10.1	52	3	4	8	12	18	22	39
B. *Operated*	2139	16.0	126	5	6	13	21	29	37	67
1. SINGLE DX	1097	9.7	40	3	4	8	12	17	20	32
2. MULTIPLE DX	4751	12.8	94	4	5	10	16	24	31	53
A. NOT OPERATED	3221	9.6	47	3	4	8	11	17	21	37
B. OPERATED	2627	15.4	114	5	6	13	19	28	36	62
TOTAL 65-69 YRS	1356	11.0	66	3	4	9	14	21	26	43
70-74	1494	11.6	78	3	4	9	14	22	27	46
75-79	1254	12.5	90	4	5	10	15	23	31	62
80-84	952	13.6	103	4	5	11	17	25	33	52
85+	792	13.2	96	3	5	10	16	24	32	59
GRAND TOTAL	**5848**	**12.2**	**85**	**4**	**4**	**10**	**15**	**23**	**29**	**48**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	552	5.7	14	2	2	5	7	10	13	18
70-74	397	6.1	23	2	2	5	7	10	13	23
75-79	287	6.1	12	2	2	6	8	10	12	17
80-84	136	6.9	20	2	2	6	9	13	15	23
85+	85	6.7	18	2	3	6	8	11	16	22
B. *Operated*										
65-69 YRS	105	10.5	31	3	4	10	12	18	21	30
70-74	78	11.1	63	3	4	9	13	20	26	49
75-79	35	12.7	60	2	5	12	16	27	29	30
80-84	15	13.1	80	4	4	12	23	24	28	30
85+	16	15.1	40	6	7	14	20	25	26	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1980	7.0	21	2	3	6	9	12	15	22
70-74	1712	7.4	27	2	3	6	9	14	17	27
75-79	1333	8.1	29	3	3	7	10	15	18	25
80-84	866	8.8	35	3	3	7	11	16	21	33
85+	656	8.9	44	2	3	7	11	16	20	36
B. *Operated*										
65-69 YRS	506	13.0	79	3	4	11	16	23	31	47
70-74	396	13.8	90	3	4	11	19	25	31	51
75-79	268	14.9	109	4	5	12	19	27	31	64
80-84	156	16.0	106	5	7	13	19	30	39	51
85+	102	17.6	191	4	5	13	23	35	44	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1457	6.1	17	2	2	5	8	10	13	21
B. *Operated*	249	11.5	50	3	4	10	14	21	26	30
2. MULTIPLE DX										
A. *Not Operated*	6547	7.8	28	2	3	7	10	14	17	27
B. *Operated*	1428	14.2	100	3	5	12	18	26	34	53
1. SINGLE DX	1706	6.8	26	2	2	6	9	12	15	27
2. MULTIPLE DX	7975	8.9	47	2	3	7	11	17	21	38
A. NOT OPERATED	8004	7.4	27	2	3	6	9	13	17	27
B. OPERATED	1677	13.8	94	3	5	11	18	25	32	52
TOTAL 65-69 YRS	3143	7.9	35	2	3	6	10	14	18	32
70-74	2583	8.3	43	2	3	7	10	16	21	34
75-79	1923	8.8	45	2	3	7	11	16	21	31
80-84	1173	9.6	50	3	3	8	12	18	23	38
85+	859	9.8	68	3	3	8	12	19	24	43
GRAND TOTAL	**9681**	**8.6**	**44**	**2**	**3**	**7**	**10**	**16**	**21**	**36**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	505	6.6	10	3	3	6	8	10	12	15
70-74	384	7.0	11	3	3	6	8	11	13	17
75-79	311	7.0	14	2	3	6	8	11	14	22
80-84	209	7.6	14	3	4	7	10	12	14	20
85+	142	8.7	31	3	4	7	10	15	18	28
B. *Operated*										
65-69 YRS	201	12.6	70	5	7	11	15	20	24	48
70-74	181	12.9	40	6	7	12	15	19	22	39
75-79	113	12.5	34	5	6	11	16	21	24	30
80-84	75	15.4	65	7	8	13	19	26	29	48
85+	53	13.8	49	6	8	13	15	20	32	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1298	8.4	29	3	4	7	10	15	19	29
70-74	1223	9.2	41	3	4	8	11	16	20	34
75-79	1105	9.4	41	3	4	8	11	16	21	35
80-84	804	11.4	69	4	4	9	14	20	26	43
85+	660	10.9	50	4	4	9	13	19	25	43
B. *Operated*										
65-69 YRS	608	16.0	120	5	6	13	19	28	42	56
70-74	563	18.4	189	6	7	15	22	33	44	80
75-79	466	18.7	167	5	7	15	23	33	43	63
80-84	324	20.5	214	6	8	16	25	39	57	69
85+	236	20.6	155	8	9	17	26	38	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1551	7.1	14	3	3	7	9	11	14	19
B. *Operated*	623	13.1	53	6	7	12	16	20	25	40
2. MULTIPLE DX										
A. *Not Operated*	5090	9.6	45	3	4	8	12	17	22	36
B. *Operated*	2197	18.4	167	6	7	15	22	34	46	73
1. SINGLE DX	2174	8.6	32	3	4	8	11	15	18	28
2. MULTIPLE DX	7287	12.3	98	4	4	10	15	23	31	56
A. NOT OPERATED	6641	9.0	39	3	4	8	11	16	20	33
B. OPERATED	2820	17.2	147	6	7	14	21	31	42	68
TOTAL 65-69 YRS	2612	10.2	62	3	4	8	12	18	24	44
70-74	2351	11.3	89	3	4	9	14	21	27	51
75-79	1995	11.4	84	3	4	9	14	22	28	53
80-84	1412	13.1	113	4	5	10	16	24	33	62
85+	1091	12.8	88	4	5	10	16	24	33	59
GRAND TOTAL	**9461**	**11.5**	**85**	**3**	**4**	**9**	**14**	**21**	**28**	**52**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	47	7.4	28	2	3	6	9	13	18	30
70-74	24	8.6	28	3	3	8	11	15	22	22
75-79	28	7.8	36	2	3	6	9	15	17	31
80-84	25	8.0	17	3	5	7	10	15	16	19
85+	12	10.2	64	4	4	6	14	20	30	32
B. *Operated*										
65-69 YRS	81	16.4	57	7	9	16	19	24	32	44
70-74	49	15.4	62	5	7	14	20	23	29	42
75-79	46	16.2	117	6	7	13	18	30	46	53
80-84	20	21.4	153	7	9	20	30	47	76	99+
85+	19	22.3	324	9	11	18	23	31	66	92
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	117	9.4	30	3	4	8	12	16	21	27
70-74	102	9.7	34	3	4	9	12	18	21	31
75-79	108	11.2	43	5	5	9	13	22	27	64
80-84	108	11.9	61	4	5	10	15	22	29	39
85+	67	12.9	83	3	4	10	14	30	34	39
B. *Operated*										
65-69 YRS	226	19.2	158	6	8	16	23	34	47	70
70-74	220	20.9	180	7	9	18	27	38	51	96
75-79	169	23.6	233	7	9	19	29	44	53	80
80-84	94	24.2	189	8	10	21	32	43	54	69
85+	70	23.9	178	6	10	20	31	42	52	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	8.1	30	2	3	7	10	15	18	31
B. *Operated*	215	17.1	106	6	8	16	20	28	39	69
2. MULTIPLE DX										
A. *Not Operated*	502	10.8	48	3	4	9	13	21	26	37
B. *Operated*	779	21.7	189	7	9	18	27	39	51	76
1. SINGLE DX	351	13.6	96	3	4	12	18	23	32	53
2. MULTIPLE DX	1281	17.4	162	4	6	14	22	33	43	71
A. NOT OPERATED	638	10.2	46	3	4	8	13	19	25	36
B. OPERATED	994	20.7	174	6	9	17	25	38	49	76
TOTAL 65-69 YRS	471	15.1	118	4	5	13	19	28	35	57
70-74	395	16.6	145	4	5	13	21	33	42	68
75-79	351	17.5	181	5	6	14	21	34	48	78
80-84	247	17.0	152	5	5	13	22	35	42	65
85+	168	18.3	177	4	5	15	24	34	41	63
GRAND TOTAL	**1632**	**16.6**	**150**	**4**	**5**	**14**	**21**	**32**	**40**	**66**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	609	4.6	11	1	1	4	6	8	10	16
70-74	454	5.0	12	1	2	4	6	9	11	18
75-79	298	4.6	11	1	1	4	6	8	10	15
80-84	177	5.5	28	1	1	4	7	9	14	32
85+	157	5.6	30	1	2	4	6	11	16	32
B. *Operated*										
65-69 YRS	97	8.0	37	1	2	7	10	15	23	28
70-74	82	7.4	28	1	1	6	10	15	18	21
75-79	58	9.0	59	1	2	6	12	20	26	36
80-84	23	8.0	54	<1	1	6	10	16	23	33
85+	12	9.2	36	2	3	8	13	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3471	6.7	23	2	2	6	8	12	15	24
70-74	2903	7.0	27	2	3	6	8	12	16	28
75-79	2423	7.4	32	2	3	6	9	13	17	27
80-84	1660	8.0	39	2	3	6	10	15	19	31
85+	1342	8.5	43	2	3	7	11	16	21	32
B. *Operated*										
65-69 YRS	832	11.2	80	3	4	9	14	21	30	44
70-74	712	11.2	90	2	4	9	13	21	29	51
75-79	529	11.6	77	3	4	10	14	22	27	55
80-84	317	12.0	71	3	4	10	15	23	28	37
85+	209	13.9	135	3	4	11	17	28	38	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1695	4.9	15	1	1	4	6	9	11	19
B. *Operated*	272	8.1	40	1	2	7	11	16	21	30
2. MULTIPLE DX										
A. *Not Operated*	11799	7.3	31	2	3	6	9	13	17	28
B. *Operated*	2599	11.6	86	3	4	9	14	22	29	51
1. SINGLE DX	1967	5.3	20	1	2	4	7	10	13	24
2. MULTIPLE DX	14398	8.1	43	2	3	6	10	15	20	34
A. NOT OPERATED	13494	7.0	29	2	2	6	9	13	17	27
B. OPERATED	2871	11.3	83	2	3	9	14	21	28	50
TOTAL 65-69 YRS	5009	7.2	35	2	2	6	9	13	18	32
70-74	4151	7.5	40	2	2	6	9	14	18	31
75-79	3308	7.8	41	2	2	6	10	15	19	33
80-84	2177	8.4	45	2	3	7	10	16	21	34
85+	1720	8.9	57	2	3	7	11	17	22	41
GRAND TOTAL	**16365**	**7.8**	**41**	**2**	**2**	**6**	**9**	**14**	**19**	**33**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	188	5.6	34	1	2	4	7	11	14	30
70-74	149	5.2	20	1	1	4	6	10	13	21
75-79	101	6.2	29	1	2	5	8	12	17	31
80-84	57	5.9	33	1	1	4	8	14	20	26
85+	52	6.8	29	1	1	5	8	16	17	26
B. *Operated*										
65-69 YRS	65	11.7	46	2	2	11	16	22	23	30
70-74	43	14.5	93	2	4	12	19	29	34	41
75-79	25	12.7	112	1	2	11	17	29	34	41
80-84	18	14.9	118	1	3	15	20	30	36	40
85+	10	20.5	133	1	7	18	34	36	36	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	822	6.7	29	2	2	5	8	12	16	31
70-74	743	7.2	34	2	2	5	8	14	19	32
75-79	585	8.7	54	2	3	7	10	16	21	35
80-84	423	8.2	58	2	3	6	10	15	19	45
85+	336	9.4	70	2	3	7	11	19	23	42
B. *Operated*										
65-69 YRS	292	16.9	129	3	5	15	22	32	39	59
70-74	283	20.8	250	4	6	17	27	40	53	91
75-79	251	19.8	209	3	6	16	26	39	50	82
80-84	135	19.9	126	5	7	19	27	34	48	99+
85+	100	20.2	165	5	6	18	26	41	46	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	547	5.8	29	1	2	4	7	11	16	26
B. *Operated*	161	13.5	85	1	2	12	18	28	32	41
2. MULTIPLE DX										
A. *Not Operated*	2909	7.8	45	2	2	6	9	15	19	34
B. *Operated*	1061	19.4	185	4	6	16	26	37	47	80
1. SINGLE DX	708	7.5	52	1	2	5	10	17	22	36
2. MULTIPLE DX	3970	10.9	109	2	3	7	14	23	32	53
A. NOT OPERATED	3456	7.4	43	2	2	6	9	14	19	33
B. OPERATED	1222	18.6	175	3	5	16	24	36	45	78
TOTAL 65-69 YRS	1367	9.0	70	2	2	6	11	19	26	42
70-74	1218	10.4	120	2	2	7	13	23	32	55
75-79	962	11.5	119	2	3	8	14	24	33	54
80-84	633	10.7	97	2	3	7	14	25	31	56
85+	498	11.6	108	2	3	8	15	24	33	51
GRAND TOTAL	**4678**	**10.4**	**102**	**2**	**3**	**7**	**13**	**22**	**31**	**52**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.5	5	2	2	3	5	5	5	5
70-74	5	5.0	17	2	2	2	9	10	10	10
75-79	5	4.8	11	1	1	5	7	9	9	9
80-84										
85+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
65-69 YRS	250	6.7	23	3	3	6	8	12	14	35
70-74	139	6.7	12	3	3	6	8	11	14	20
75-79	88	7.4	18	3	3	6	9	14	17	21
80-84	32	8.8	54	3	3	7	11	16	21	41
85+	34	9.5	65	2	3	6	12	23	25	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10	10.2	33	3	4	9	13	19	20	20
70-74	3	10.0	39	5	5	8	15	17	17	17
75-79	5	10.6	91	1	1	5	14	35	35	35
80-84	2	7.0	8	5	5	7	9	9	9	9
85+	7	10.4	64	<1	<1	12	17	21	21	21
B. *Operated*										
65-69 YRS	218	10.0	75	4	4	8	11	18	22	45
70-74	146	11.2	40	4	5	9	14	21	26	28
75-79	115	11.3	46	4	5	10	13	21	28	35
80-84	70	14.2	130	5	5	10	17	28	37	60
85+	36	14.3	113	4	4	11	18	28	39	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	5.2	14	1	1	5	9	10	12	12
B. *Operated*	543	7.1	24	3	3	6	8	13	16	34
2. MULTIPLE DX										
A. *Not Operated*	27	10.1	60	1	2	7	13	20	23	35
B. *Operated*	585	11.3	71	4	4	9	13	21	27	42
1. SINGLE DX	556	7.1	24	2	3	6	8	13	16	33
2. MULTIPLE DX	612	11.3	71	4	4	9	13	21	27	42
A. NOT OPERATED	40	8.5	49	1	2	6	12	18	20	35
B. OPERATED	1128	9.3	53	3	4	7	11	17	23	36
TOTAL 65-69 YRS	480	8.3	49	3	4	7	9	14	19	35
70-74	293	8.9	31	3	4	7	11	17	21	28
75-79	213	9.5	40	3	4	8	12	17	22	35
80-84	104	12.4	110	4	4	9	13	27	34	59
85+	78	11.8	90	2	3	10	15	25	30	47
GRAND TOTAL	**1168**	**9.3**	**53**	**3**	**4**	**7**	**11**	**17**	**23**	**36**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	6.9	12	1	2	7	8	12	14	14
70-74	4	11.5	162	1	1	7	19	30	30	30
75-79	1	8.0		8	8	8	8	8	8	8
80-84	2	4.5	25	<1	<1	4	8	8	8	8
85+	2	8.5	25	5	5	8	12	12	12	12
B. *Operated*										
65-69 YRS	260	10.7	31	4	5	10	12	16	21	34
70-74	187	11.5	28	5	6	10	15	19	21	27
75-79	109	12.5	46	6	6	11	15	21	24	42
80-84	66	11.9	25	5	6	11	15	19	21	27
85+	49	13.7	67	6	6	12	17	21	24	57
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	9.2	47	1	2	9	10	16	27	29
70-74	16	11.6	66	3	4	9	16	25	29	31
75-79	5	24.8	732	10	10	14	30	73	73	73
80-84	5	15.6	16	9	9	17	18	19	19	19
85+	6	24.0	518	6	6	18	25	64	68	68
B. *Operated*										
65-69 YRS	423	16.0	84	6	8	14	19	27	34	58
70-74	367	17.7	146	7	8	15	21	30	40	70
75-79	212	18.8	149	8	9	16	22	32	49	98
80-84	125	19.6	116	7	9	16	27	35	41	72
85+	110	20.4	135	8	10	18	24	34	39	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	7.9	42	<1	1	7	8	13	24	30
B. *Operated*	671	11.5	35	5	6	10	14	19	22	33
2. MULTIPLE DX										
A. *Not Operated*	45	14.4	198	3	4	10	16	26	40	73
B. *Operated*	1237	17.7	123	7	8	15	21	30	39	66
1. SINGLE DX	689	11.4	36	5	6	10	14	18	22	32
2. MULTIPLE DX	1282	17.6	126	7	8	15	21	30	39	69
A. NOT OPERATED	63	12.6	161	1	3	9	16	25	30	72
B. OPERATED	1908	15.5	101	6	7	13	19	27	34	58
TOTAL 65-69 YRS	705	13.8	71	5	6	12	16	24	31	51
70-74	574	15.5	114	6	7	13	19	25	36	66
75-79	327	16.7	131	7	8	14	19	28	39	88
80-84	198	16.8	96	6	7	14	20	30	38	60
85+	167	18.4	136	6	8	16	22	31	37	66
GRAND TOTAL	**1971**	**15.4**	**103**	**6**	**7**	**13**	**19**	**26**	**34**	**60**

199: Disease of Appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	2.0	1	1	1	2	3	3	3	3
70-74	11	3.3	2	1	1	4	5	5	5	5
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	4	4.0	2	3	3	4	5	6	6	6
85+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
65-69 YRS	38	6.4	6	2	3	6	8	10	11	14
70-74	23	6.9	7	4	4	6	8	10	13	14
75-79	13	6.3	9	3	3	6	8	11	13	13
80-84	4	8.0	3	6	6	8	9	10	10	10
85+	9	6.2	12	2	3	[illegible]	7	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16	4.1	7	1	1	4	6	7	10	11
70-74	11	10.3	42	2	3	10	14	19	24	24
75-79	4	6.5	60	2	2	3	11	18	18	18
80-84	4	8.0	26	3	3	7	11	15	15	15
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	50	12.6	67	4	5	11	15	23	27	51
70-74	45	12.7	83	4	5	10	16	22	25	59
75-79	26	15.4	138	5	7	13	17	29	36	62
80-84	15	15.2	86	6	8	10	24	30	31	32
85+	15	11.1	25	3	4	11	14	18	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.0	2	1	1	3	4	5	5	6
B. *Operated*	87	6.6	7	3	4	6	8	10	12	14
2. MULTIPLE DX										
A. *Not Operated*	36	6.8	29	1	2	5	9	15	17	24
B. *Operated*	151	13.2	82	4	6	11	16	24	29	59
1. SINGLE DX	112	5.8	8	2	2	5	7	10	11	14
2. MULTIPLE DX	187	12.0	78	3	4	10	15	23	27	56
A. NOT OPERATED	61	5.2	22	1	1	4	6	12	16	23
B. OPERATED	238	10.8	65	4	4	9	13	19	26	52
TOTAL 65-69 YRS	110	8.7	48	1	3	7	11	16	23	37
70-74	90	9.8	60	2	3	8	12	17	23	46
75-79	45	11.4	108	2	3	8	14	21	29	62
80-84	27	11.4	70	3	3	9	13	29	30	32
85+	27	8.7	25	2	3	7	12	17	18	19
GRAND TOTAL	**299**	**9.7**	**61**	**2**	**3**	**8**	**12**	**18**	**25**	**42**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	53	4.2	9	<1	<1	4	6	8	10	13
70-74	43	4.9	16	<1	1	4	7	10	12	19
75-79	26	4.1	9	1	1	3	7	8	10	11
80-84	20	7.2	308	<1	1	3	5	8	45	81
85+	21	5.0	58	1	1	3	5	7	20	37
B. *Operated*										
65-69 YRS	5838	5.1	7	2	3	5	6	8	9	13
70-74	4520	5.3	7	3	3	5	6	8	9	14
75-79	2927	5.7	8	3	3	5	7	9	11	16
80-84	1385	6.2	9	3	3	6	8	10	11	17
85+	711	6.5	18	3	3	6	8	10	13	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	147	5.5	82	<1	1	4	6	10	12	51
70-74	151	5.0	30	<1	1	3	6	11	14	30
75-79	154	5.9	39	1	2	4	7	11	16	37
80-84	108	5.8	27	1	1	4	8	12	16	26
85+	109	6.5	52	1	1	4	7	15	20	71
B. *Operated*										
65-69 YRS	5770	6.9	20	3	3	6	8	11	15	24
70-74	4837	7.5	28	3	3	6	9	13	17	29
75-79	3592	8.2	30	3	4	7	10	15	18	29
80-84	1918	9.2	40	3	4	8	11	16	21	34
85+	1093	10.3	57	3	4	8	12	19	25	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	4.8	53	<1	1	3	6	9	11	35
B. *Operated*	15381	5.4	8	2	3	5	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	669	5.7	47	1	1	4	7	11	16	37
B. *Operated*	17210	7.8	30	3	3	6	9	14	17	30
1. SINGLE DX	15544	5.4	8	2	3	5	6	8	10	15
2. MULTIPLE DX	17879	7.7	31	3	3	6	9	14	17	30
A. NOT OPERATED	832	5.5	48	1	1	4	7	11	15	37
B. OPERATED	32591	6.7	21	3	3	6	8	11	14	25
TOTAL 65-69 YRS	11808	6.0	15	3	3	5	7	9	12	21
70-74	9551	6.4	19	3	3	5	7	10	14	24
75-79	6699	7.0	22	3	3	6	8	12	16	26
80-84	3431	7.9	31	3	3	7	9	13	17	30
85+	1934	8.6	45	2	3	7	10	16	21	46
GRAND TOTAL	**33423**	**6.7**	**21**	**3**	**3**	**6**	**8**	**11**	**14**	**25**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	2.7	6	<1	<1	2	3	7	8	8
70-74	12	2.8	5	<1	<1	2	3	7	7	7
75-79	13	4.8	27	<1	1	3	6	10	18	20
80-84	12	3.1	12	1	1	2	3	10	11	11
85+	27	3.4	8	<1	1	2	6	7	8	11
B. *Operated*										
65-69 YRS	320	6.0	8	2	3	6	7	10	12	16
70-74	285	6.4	13	3	3	6	7	11	13	20
75-79	252	7.2	31	3	3	6	9	11	15	31
80-84	210	7.3	14	3	3	7	9	11	13	21
85+	202	7.6	17	3	4	7	9	12	14	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	26	5.8	44	1	1	4	6	12	17	34
70-74	27	6.4	38	1	1	4	7	17	21	25
75-79	38	6.8	27	<1	1	6	10	14	17	19
80-84	50	9.1	162	1	1	6	9	17	31	81
85+	55	6.7	55	1	1	4	8	16	21	38
B. *Operated*										
65-69 YRS	427	9.5	61	3	4	7	11	18	24	43
70-74	487	10.1	69	3	4	8	12	18	23	47
75-79	514	11.3	81	4	5	9	13	21	26	48
80-84	477	11.9	67	4	5	10	14	20	27	47
85+	445	12.7	87	4	5	10	14	24	35	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	3.4	11	<1	1	2	5	7	10	18
B. *Operated*	1269	6.8	16	3	3	6	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	196	7.2	73	1	1	5	9	16	20	36
B. *Operated*	2350	11.1	74	4	4	9	13	20	26	47
1. SINGLE DX	1342	6.6	17	2	3	6	8	11	13	21
2. MULTIPLE DX	2546	10.8	75	3	4	9	13	20	26	47
A. NOT OPERATED	269	6.1	59	1	1	4	7	14	18	34
B. OPERATED	3619	9.6	58	3	4	8	11	17	22	44
TOTAL 65-69 YRS	782	7.9	42	3	3	6	9	14	19	36
70-74	811	8.6	51	3	3	7	10	16	20	31
75-79	817	9.8	66	3	4	8	12	17	23	44
80-84	749	10.3	63	3	4	8	12	18	23	46
85+	729	10.5	70	2	4	8	12	20	28	48
GRAND TOTAL	**3888**	**9.4**	**59**	**3**	**3**	**7**	**11**	**17**	**22**	**43**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	4.8	19	<1	<1	4	8	9	9	9
70-74	3	5.0	21	1	1	4	8	10	10	10
75-79	4	1.5	1	<1	<1	1	2	3	3	3
80-84										
85+										
B. *Operated*										
65-69 YRS	187	5.3	9	2	2	5	7	10	11	17
70-74	102	5.4	7	2	3	5	7	9	10	14
75-79	36	5.7	11	2	3	5	7	10	11	19
80-84	26	5.8	8	2	3	6	8	10	11	13
85+	14	5.3	17	1	2	4	6	11	15	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	28	5.8	30	1	1	4	7	14	18	25
70-74	22	5.0	14	<1	1	4	7	10	14	14
75-79	14	10.3	130	<1	1	6	13	27	37	40
80-84	6	6.0	10	3	3	5	8	11	11	11
85+	14	6.8	22	<1	2	5	9	14	16	17
B. *Operated*										
65-69 YRS	310	8.3	38	3	3	7	10	15	20	34
70-74	168	8.8	45	3	3	7	11	16	21	42
75-79	101	10.1	89	2	3	8	11	20	26	54
80-84	42	9.5	34	3	4	8	13	19	24	99+
85+	23	11.8	56	2	3	11	14	28	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.6	13	<1	<1	1	7	9	10	10
B. *Operated*	365	5.4	9	2	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	84	6.5	41	1	1	5	7	14	18	35
B. *Operated*	644	8.9	48	3	3	7	11	16	23	41
1. SINGLE DX	376	5.3	9	2	2	5	7	9	11	15
2. MULTIPLE DX	728	8.7	48	2	3	7	11	16	22	40
A. NOT OPERATED	95	6.2	38	<1	1	4	7	13	17	34
B. OPERATED	1009	7.7	37	2	3	6	9	14	19	38
TOTAL 65-69 YRS	529	7.1	29	2	3	6	9	13	17	32
70-74	295	7.3	32	2	3	6	9	14	17	39
75-79	155	8.9	76	2	3	7	10	19	25	43
80-84	74	7.9	26	2	3	6	11	15	20	81
85+	51	8.6	43	2	2	7	12	15	27	29
GRAND TOTAL	**1104**	**7.5**	**37**	**2**	**3**	**6**	**9**	**14**	**19**	**38**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	3.8	7	<1	1	3	5	8	9	11
70-74	20	3.8	4	<1	1	3	6	7	8	8
75-79	16	4.1	7	1	1	3	6	7	10	11
80-84	12	4.9	6	1	2	5	6	9	10	10
85+	10	5.2	12	1	1	4	8	10	11	11
B. *Operated*										
65-69 YRS	898	7.4	16	3	4	7	9	11	14	24
70-74	616	7.5	14	3	4	7	9	12	15	21
75-79	336	7.9	19	3	4	7	9	12	15	28
80-84	140	7.6	13	3	4	7	9	13	16	18
85+	51	8.2	29	3	3	7	10	13	15	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	130	6.2	41	1	2	5	8	10	14	28
70-74	100	6.0	32	1	2	4	7	12	15	34
75-79	88	7.2	51	2	2	5	8	14	18	45
80-84	86	8.0	44	2	2	6	9	14	21	40
85+	59	6.8	23	2	2	5	9	14	16	24
B. *Operated*										
65-69 YRS	1299	10.2	48	3	4	9	12	17	22	37
70-74	994	11.0	55	4	5	9	13	19	24	37
75-79	562	12.0	69	4	5	9	15	22	29	47
80-84	232	11.9	66	4	5	10	14	21	26	44
85+	101	11.3	72	4	5	9	15	19	24	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	4.2	7	1	1	3	6	8	10	11
B. *Operated*	2041	7.6	16	3	4	7	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	463	6.8	40	1	2	5	8	12	16	35
B. *Operated*	3188	10.9	56	4	5	9	13	19	24	39
1. SINGLE DX	2120	7.4	16	3	3	7	9	12	15	23
2. MULTIPLE DX	3651	10.4	56	3	4	9	12	19	24	39
A. NOT OPERATED	542	6.4	36	1	2	5	8	11	15	31
B. OPERATED	5229	9.6	43	3	4	8	11	17	21	35
TOTAL 65-69 YRS	2348	8.8	37	3	4	8	10	15	19	33
70-74	1730	9.4	42	3	4	8	11	16	21	35
75-79	1002	10.1	54	3	4	8	12	18	24	43
80-84	470	9.7	50	3	4	8	12	18	23	40
85+	221	9.1	50	2	3	8	11	17	21	34
GRAND TOTAL	**5771**	**9.3**	**43**	**3**	**4**	**8**	**11**	**16**	**21**	**35**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	382	4.4	8	1	2	4	5	8	10	16
70-74	276	4.7	8	1	2	4	6	8	10	17
75-79	194	4.7	13	1	2	4	6	9	12	22
80-84	96	5.3	10	2	2	4	7	9	12	17
85+	73	5.0	15	1	2	4	6	10	12	20
B. *Operated*										
65-69 YRS	107	11.4	43	2	4	10	14	20	22	36
70-74	69	11.1	39	2	4	10	13	20	24	32
75-79	35	12.8	155	1	3	10	16	21	27	76
80-84	14	11.6	60	2	2	9	15	25	26	26
85+	7	19.6	188	6	7	22	23	41	46	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2795	5.9	16	2	2	5	7	10	12	20
70-74	2578	6.1	19	2	2	5	8	11	14	21
75-79	2130	6.7	24	2	3	5	8	12	15	24
80-84	1537	6.8	22	2	3	6	8	12	15	24
85+	1053	7.8	36	2	3	6	10	14	19	29
B. *Operated*										
65-69 YRS	929	10.6	55	2	3	9	13	19	23	39
70-74	669	12.4	83	2	4	10	16	23	30	56
75-79	490	12.2	85	2	4	10	16	22	29	51
80-84	242	12.4	98	2	4	10	16	25	28	50
85+	158	11.7	76	2	3	9	15	23	29	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1021	4.7	10	1	2	4	6	8	11	17
B. *Operated*	232	11.8	64	2	4	10	14	21	24	46
2. MULTIPLE DX										
A. *Not Operated*	10093	6.4	22	2	3	5	8	11	14	23
B. *Operated*	2488	11.7	74	2	3	10	15	22	27	47
1. SINGLE DX	1253	6.0	27	1	2	4	8	12	15	24
2. MULTIPLE DX	12581	7.5	36	2	3	6	9	14	18	31
A. NOT OPERATED	11114	6.3	21	2	2	5	8	11	14	23
B. OPERATED	2720	11.7	73	2	3	10	15	22	27	46
TOTAL 65-69 YRS	4213	6.9	29	2	2	5	9	13	17	27
70-74	3592	7.3	37	2	2	6	9	14	18	31
75-79	2849	7.6	41	2	3	6	9	14	19	35
80-84	1889	7.5	36	2	3	6	9	13	18	29
85+	1291	8.2	43	2	3	7	10	15	20	33
GRAND TOTAL	**13834**	**7.3**	**36**	**2**	**3**	**6**	**9**	**14**	**18**	**30**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	5.7	27	<1	2	4	6	11	20	21
70-74	6	6.2	21	1	1	5	8	13	14	14
75-79	7	3.1	6	1	1	2	4	7	8	8
80-84	4	4.8	47	1	1	2	8	15	15	15
85+	5	2.8	6	1	1	2	3	7	7	7
B. *Operated*										
65-69 YRS	191	6.1	12	2	3	5	7	10	12	22
70-74	153	6.3	10	3	3	6	8	10	13	19
75-79	112	6.2	10	3	3	6	8	9	13	18
80-84	64	7.5	16	4	4	7	9	11	16	24
85+	30	7.0	19	2	3	6	9	11	13	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	31	5.2	8	1	1	5	8	9	9	10
70-74	32	6.3	17	1	2	5	8	12	16	18
75-79	30	7.1	53	1	1	5	8	19	25	31
80-84	17	8.1	30	3	4	6	9	18	21	22
85+	28	7.7	52	2	2	6	10	14	30	31
B. *Operated*										
65-69 YRS	243	8.5	43	3	4	7	10	15	19	35
70-74	212	8.7	30	3	4	7	10	16	21	27
75-79	161	8.7	28	3	3	7	10	15	20	27
80-84	91	11.3	113	4	5	9	12	18	27	70
85+	69	10.2	60	4	4	8	11	17	31	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	4.7	20	1	1	3	6	9	15	21
B. *Operated*	550	6.4	12	3	3	6	8	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	138	6.7	31	1	2	5	8	12	19	31
B. *Operated*	776	9.1	47	3	4	7	11	16	21	36
1. SINGLE DX	584	6.3	12	2	3	6	8	10	13	21
2. MULTIPLE DX	914	8.7	45	3	3	7	10	16	20	34
A. NOT OPERATED	172	6.3	30	1	1	5	8	12	18	31
B. OPERATED	1326	8.0	34	3	3	7	9	14	18	31
TOTAL 65-69 YRS	477	7.2	29	3	3	6	8	12	16	30
70-74	403	7.6	22	3	3	6	9	14	18	26
75-79	310	7.5	25	2	3	6	9	13	19	26
80-84	176	9.5	72	3	4	8	11	16	22	44
85+	132	8.7	49	2	3	7	10	15	29	37
GRAND TOTAL	**1498**	**7.8**	**34**	**2**	**3**	**6**	**9**	**13**	**18**	**31**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	4.1	8	1	1	3	6	8	10	11
70-74	25	4.3	4	1	2	4	6	7	8	8
75-79	26	7.0	24	2	2	6	9	12	17	23
80-84	23	5.8	23	1	2	5	6	12	18	23
85+	27	5.5	16	<1	1	5	6	10	16	17
B. *Operated*										
65-69 YRS	356	7.9	25	3	3	7	10	13	17	24
70-74	301	8.5	33	3	4	8	10	14	17	27
75-79	277	9.3	28	3	4	8	11	16	20	29
80-84	196	10.3	31	3	4	9	13	18	20	34
85+	175	10.7	38	4	5	9	13	18	23	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	98	8.1	37	2	2	6	11	18	21	27
70-74	102	6.6	17	2	2	5	9	12	15	19
75-79	125	8.0	41	2	3	6	9	18	22	37
80-84	106	7.7	33	2	2	6	10	15	23	61
85+	120	8.6	42	3	3	7	10	16	19	36
B. *Operated*										
65-69 YRS	637	12.1	79	4	4	10	15	21	29	55
70-74	664	12.8	83	4	5	11	15	23	31	54
75-79	619	14.5	116	4	5	11	18	27	35	60
80-84	447	14.8	86	5	7	12	18	26	33	51
85+	357	15.8	105	5	7	13	19	28	36	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	5.4	16	1	2	5	7	10	13	23
B. *Operated*	1305	9.1	31	3	4	8	11	16	19	29
2. MULTIPLE DX										
A. *Not Operated*	551	7.8	35	2	3	6	10	15	20	32
B. *Operated*	2724	13.7	95	4	5	11	17	25	32	57
1. SINGLE DX	1428	8.7	31	3	3	8	11	15	19	29
2. MULTIPLE DX	3275	12.7	89	3	4	10	16	24	31	54
A. NOT OPERATED	674	7.4	32	2	2	6	9	14	19	30
B. OPERATED	4029	12.2	79	4	5	10	15	22	29	51
TOTAL 65-69 YRS	1113	10.2	62	3	3	8	12	19	24	46
70-74	1092	10.8	68	3	4	9	13	19	26	40
75-79	1047	12.2	89	3	4	9	15	24	29	50
80-84	772	12.4	71	3	4	10	16	23	30	50
85+	679	12.8	84	3	5	10	16	23	30	53
GRAND TOTAL	**4703**	**11.5**	**75**	**3**	**4**	**9**	**14**	**21**	**28**	**49**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	668	5.8	21	1	2	5	7	11	14	22
70-74	576	6.5	21	2	2	5	8	11	15	23
75-79	451	6.4	20	1	2	5	8	12	15	22
80-84	368	7.0	30	1	2	6	9	13	18	30
85+	329	8.1	42	2	3	7	10	16	21	32
B. *Operated*										
65-69 YRS	446	13.8	77	6	7	12	16	22	28	56
70-74	365	14.0	52	7	8	13	16	22	27	47
75-79	306	15.0	66	7	7	12	18	27	31	45
80-84	236	15.5	57	8	8	13	18	27	31	39
85+	173	16.3	65	7	9	14	20	26	32	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1487	8.0	36	2	3	7	10	15	20	31
70-74	1615	8.7	46	2	3	7	11	16	21	37
75-79	1485	9.2	54	2	3	7	12	17	22	41
80-84	1301	9.7	56	2	3	8	13	18	23	45
85+	1444	10.8	67	2	3	9	14	21	27	48
B. *Operated*										
65-69 YRS	1449	19.1	148	7	8	16	23	36	46	77
70-74	1436	19.7	156	7	9	16	24	35	45	76
75-79	1224	20.5	152	8	9	17	25	38	48	71
80-84	970	20.9	150	8	10	18	25	36	44	69
85+	810	22.4	186	8	10	19	27	40	51	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2392	6.6	25	2	2	5	8	12	16	27
B. *Operated*	1526	14.6	65	7	8	13	17	24	30	46
2. MULTIPLE DX										
A. *Not Operated*	7332	9.3	53	2	3	7	12	18	23	39
B. *Operated*	5889	20.3	157	7	9	17	25	36	46	73
1. SINGLE DX	3918	9.7	56	2	3	8	13	19	24	37
2. MULTIPLE DX	13221	14.2	129	3	4	11	18	28	37	62
A. NOT OPERATED	9724	8.6	47	2	3	7	11	16	21	37
B. OPERATED	7415	19.1	144	7	9	16	23	34	44	71
TOTAL 65-69 YRS	4050	12.2	109	2	3	9	16	24	33	57
70-74	3992	12.8	112	3	3	10	16	25	34	59
75-79	3466	13.3	117	3	4	11	17	27	35	56
80-84	2875	13.6	115	3	4	11	17	27	35	58
85+	2756	14.2	129	3	4	11	19	28	36	62
GRAND TOTAL	**17139**	**13.2**	**116**	**2**	**3**	**10**	**17**	**26**	**34**	**58**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1102	4.4	17	1	1	4	6	8	11	17
70-74	949	4.4	18	1	1	4	5	8	10	14
75-79	742	4.5	12	1	1	4	5	8	10	17
80-84	536	4.9	18	1	2	4	6	9	11	17
85+	493	4.9	14	1	2	4	6	9	11	19
B. *Operated*										
65-69 YRS	71	7.5	29	1	2	6	11	15	18	26
70-74	45	9.5	57	1	2	8	13	22	26	30
75-79	45	8.4	66	1	2	6	11	14	20	49
80-84	31	12.3	95	1	4	10	16	22	38	44
85+	17	9.4	58	1	1	9	16	20	23	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4287	6.4	24	2	2	5	8	12	15	26
70-74	4308	6.8	30	2	2	5	8	13	17	29
75-79	4057	7.2	34	2	2	6	9	13	18	29
80-84	3302	7.7	42	2	2	6	9	15	19	35
85+	3119	8.2	49	2	3	7	10	15	20	39
B. *Operated*										
65-69 YRS	492	13.4	120	3	4	10	17	26	39	60
70-74	482	13.1	106	3	4	10	17	25	32	53
75-79	401	13.7	107	3	4	11	18	26	34	67
80-84	269	13.6	96	4	5	11	17	27	34	50
85+	215	15.9	188	4	5	12	18	32	44	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3822	4.5	16	1	1	4	6	8	11	17
B. *Operated*	209	9.0	56	1	2	7	12	19	22	41
2. MULTIPLE DX										
A. *Not Operated*	19073	7.2	35	2	2	6	9	13	17	31
B. *Operated*	1859	13.7	118	3	4	11	17	27	36	58
1. SINGLE DX	4031	4.8	19	1	1	4	6	9	12	20
2. MULTIPLE DX	20932	7.8	46	2	2	6	10	15	20	37
A. NOT OPERATED	22895	6.7	33	2	2	5	8	13	16	29
B. OPERATED	2068	13.2	114	3	4	11	17	26	35	57
TOTAL 65-69 YRS	5952	6.6	35	1	2	5	8	12	16	32
70-74	5784	7.0	39	2	2	5	9	13	18	33
75-79	5245	7.3	41	2	2	6	9	14	19	33
80-84	4138	7.8	46	2	2	6	10	15	20	38
85+	3844	8.2	57	2	2	6	10	15	21	42
GRAND TOTAL	**24963**	**7.3**	**43**	**2**	**2**	**6**	**9**	**14**	**19**	**34**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1525	5.3	15	1	2	4	7	9	12	17
70-74	1365	5.4	15	1	2	5	7	10	12	16
75-79	1224	5.8	22	1	2	5	7	11	13	22
80-84	827	5.9	19	1	2	5	8	11	13	24
85+	612	6.2	18	1	2	5	8	11	14	21
B. *Operated*										
65-69 YRS	456	13.9	53	4	7	12	17	23	27	38
70-74	348	13.1	62	3	5	12	16	21	26	39
75-79	237	15.8	126	2	5	14	19	27	36	72
80-84	94	13.1	79	3	4	11	18	26	29	44
85+	42	14.9	72	5	6	13	21	26	38	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4712	6.6	23	2	3	6	8	12	15	24
70-74	5371	7.0	28	2	3	6	9	12	16	28
75-79	5404	7.4	33	2	3	6	9	13	17	29
80-84	4229	8.2	39	2	3	7	10	15	19	32
85+	3734	8.7	42	2	3	7	11	16	21	36
B. *Operated*										
65-69 YRS	1936	16.2	124	4	6	14	20	29	37	68
70-74	1852	16.8	152	4	5	14	21	31	40	77
75-79	1512	17.9	160	4	6	15	23	34	45	68
80-84	1005	18.9	190	4	6	16	25	36	47	76
85+	601	19.3	217	4	6	16	24	38	48	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5553	5.6	18	1	2	5	7	10	13	20
B. *Operated*	1177	14.0	74	3	5	12	17	23	29	47
2. MULTIPLE DX										
A. *Not Operated*	23450	7.5	33	2	3	6	9	14	17	29
B. *Operated*	6906	17.4	158	4	6	14	22	33	43	75
1. SINGLE DX	6730	7.1	38	1	2	5	9	14	18	29
2. MULTIPLE DX	30356	9.8	79	2	3	7	12	20	26	48
A. NOT OPERATED	29003	7.1	30	2	2	6	9	13	16	28
B. OPERATED	8083	16.9	147	4	5	14	21	31	41	71
TOTAL 65-69 YRS	8629	8.9	64	2	3	7	11	18	24	39
70-74	8936	9.0	70	2	3	7	11	18	24	44
75-79	8377	9.3	76	2	3	7	11	18	25	47
80-84	6155	9.7	79	2	3	7	12	20	26	49
85+	4989	9.7	74	2	3	7	12	19	25	47
GRAND TOTAL	**37086**	**9.3**	**72**	**2**	**3**	**7**	**11**	**18**	**25**	**46**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	5.2	13	1	2	4	7	9	14	16
70-74	20	4.0	11	1	1	3	5	7	11	15
75-79	14	10.2	97	1	3	8	13	20	36	40
80-84	12	4.3	10	1	1	3	6	9	11	11
85+	10	5.8	6	2	2	6	8	9	9	9
B. *Operated*										
65-69 YRS	425	4.8	15	2	2	4	5	8	11	20
70-74	258	5.7	27	2	2	4	7	11	16	22
75-79	124	5.2	11	2	2	4	7	8	10	21
80-84	50	6.2	19	1	2	5	9	12	18	20
85+	31	7.6	34	3	3	5	11	17	18	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	111	7.7	35	2	2	6	10	15	20	32
70-74	95	6.5	23	1	2	5	8	12	16	27
75-79	69	7.5	28	2	2	6	10	17	18	23
80-84	41	11.8	96	3	3	8	17	25	29	51
85+	54	12.5	118	2	2	11	15	30	46	97
B. *Operated*										
65-69 YRS	903	7.8	46	2	3	6	9	15	21	36
70-74	572	8.5	75	2	3	6	9	16	23	45
75-79	320	10.1	106	3	3	7	12	19	28	60
80-84	121	10.8	104	3	3	7	14	21	28	53
85+	84	11.4	101	3	4	8	13	24	33	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	5.8	31	1	1	4	7	11	15	35
B. *Operated*	888	5.3	19	2	2	4	6	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	370	8.5	54	2	2	7	11	17	23	47
B. *Operated*	2000	8.7	71	2	3	6	10	17	23	44
1. SINGLE DX	961	5.4	20	2	2	4	6	10	13	22
2. MULTIPLE DX	2370	8.7	68	2	3	6	10	17	23	44
A. NOT OPERATED	443	8.1	51	2	2	6	10	16	21	42
B. OPERATED	2888	7.7	57	2	3	5	9	15	21	42
TOTAL 65-69 YRS	1456	6.9	37	2	3	5	8	13	18	32
70-74	945	7.4	57	2	2	5	8	14	20	42
75-79	527	8.6	77	2	3	6	10	16	21	45
80-84	224	9.6	83	2	3	7	12	20	26	45
85+	179	10.8	92	2	3	8	13	23	33	52
GRAND TOTAL	**3331**	**7.7**	**56**	**2**	**3**	**5**	**9**	**15**	**21**	**42**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	990	5.2	19	1	1	4	7	11	14	21
70-74	813	5.2	32	1	1	4	6	11	13	24
75-79	669	5.3	19	1	1	4	7	11	14	20
80-84	467	5.3	24	1	1	4	7	11	14	24
85+	462	5.6	29	1	1	4	7	12	17	27
B. *Operated*										
65-69 YRS	728	9.1	78	1	2	6	12	19	25	41
70-74	531	9.8	97	1	2	7	13	19	25	54
75-79	396	10.5	84	2	2	8	14	21	25	46
80-84	243	10.1	84	1	2	7	13	20	28	46
85+	159	11.1	112	2	3	9	15	23	28	60
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3892	6.9	34	2	2	5	9	13	17	31
70-74	3881	7.1	36	2	2	5	9	13	17	33
75-79	3747	7.5	46	2	2	6	9	14	19	35
80-84	3037	7.9	49	2	2	6	10	15	20	36
85+	3053	8.0	56	2	2	6	10	15	21	44
B. *Operated*										
65-69 YRS	2422	14.7	176	3	4	11	18	31	44	81
70-74	2236	15.3	176	3	4	12	20	32	43	74
75-79	1651	15.4	173	3	4	12	20	32	44	72
80-84	1033	16.5	172	3	5	13	21	33	44	79
85+	716	17.0	181	3	5	14	22	35	43	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3401	5.3	24	1	1	4	7	11	14	23
B. *Operated*	2057	9.8	88	2	2	7	13	20	26	46
2. MULTIPLE DX										
A. *Not Operated*	17610	7.4	44	2	2	6	9	14	19	35
B. *Operated*	8058	15.5	176	3	4	12	20	32	43	77
1. SINGLE DX	5458	7.0	53	1	2	5	9	15	20	34
2. MULTIPLE DX	25668	9.9	99	2	3	7	12	21	29	56
A. NOT OPERATED	21011	7.1	41	1	2	5	9	14	18	34
B. OPERATED	10115	14.3	163	2	3	11	18	30	41	71
TOTAL 65-69 YRS	8032	9.2	92	2	2	6	11	19	27	54
70-74	7461	9.5	97	2	2	7	12	20	28	55
75-79	6463	9.5	91	2	2	7	12	19	28	51
80-84	4780	9.6	89	2	2	7	12	20	27	52
85+	4390	9.4	88	2	2	7	11	19	26	53
GRAND TOTAL	**31126**	**9.4**	**92**	**2**	**2**	**7**	**12**	**20**	**27**	**53**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	107	10.0	62	2	4	8	12	18	23	45
70-74	38	10.9	143	3	4	7	10	31	35	60
75-79	15	11.3	56	4	4	9	16	24	27	28
80-84	7	9.4	124	2	2	7	9	29	34	34
85+	1	23.0		23	23	23	23	23	23	23
B. *Operated*										
65-69 YRS	27	10.5	73	2	2	8	15	20	29	37
70-74	8	14.8	67	<1	2	14	20	25	27	27
75-79	3	11.0	28	7	7	9	15	17	17	17
80-84	1	15.0		15	15	15	15	15	15	15
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	973	13.8	105	3	4	11	19	26	34	51
70-74	473	14.1	101	3	4	11	20	26	34	51
75-79	190	14.5	169	3	4	11	18	31	35	77
80-84	47	13.4	181	2	3	9	15	37	43	60
85+	25	13.5	102	2	3	11	18	26	39	41
B. *Operated*										
65-69 YRS	304	17.9	155	3	5	15	24	37	44	62
70-74	155	18.2	176	4	6	16	22	37	45	96
75-79	58	17.6	206	3	5	13	23	40	54	64
80-84	11	24.5	613	5	7	14	25	68	85	87
85+	6	19.5	386	5	6	13	15	55	59	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	10.4	81	2	4	8	12	21	27	56
B. *Operated*	39	11.5	67	2	2	9	17	21	28	37
2. MULTIPLE DX										
A. *Not Operated*	1708	13.9	113	3	4	11	19	26	34	52
B. *Operated*	534	18.1	177	4	5	15	23	37	45	68
1. SINGLE DX	207	10.6	78	2	3	8	14	21	27	47
2. MULTIPLE DX	2242	14.9	131	3	4	12	20	29	38	58
A. NOT OPERATED	1876	13.6	111	3	4	11	18	26	34	53
B. OPERATED	573	17.6	172	3	5	14	22	37	45	66
TOTAL 65-69 YRS	1411	14.3	117	3	4	11	19	28	37	55
70-74	674	14.9	124	3	4	12	20	29	37	54
75-79	266	15.0	170	3	4	11	18	31	36	74
80-84	66	14.9	254	2	3	9	16	38	54	83
85+	32	14.9	149	2	3	12	19	30	41	59
GRAND TOTAL	**2449**	**14.6**	**128**	**3**	**4**	**11**	**19**	**29**	**37**	**58**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	93	9.1	41	1	2	8	11	17	22	32
70-74	65	8.3	48	2	2	7	11	16	20	39
75-79	38	9.8	96	2	2	6	12	20	26	54
80-84	17	10.2	34	4	4	9	12	21	24	24
85+	9	7.0	26	2	2	5	10	15	17	17
B. *Operated*										
65-69 YRS	133	8.1	67	1	1	4	13	20	26	34
70-74	79	9.5	128	<1	1	4	14	19	38	51
75-79	49	9.9	61	1	1	9	14	22	22	39
80-84	13	11.8	165	1	1	9	18	24	44	49
85+	7	12.6	92	2	3	10	19	28	29	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	806	12.6	97	3	4	10	16	24	31	56
70-74	633	13.3	125	2	4	10	17	26	34	60
75-79	368	14.1	135	3	4	11	18	27	39	69
80-84	193	12.8	88	3	4	10	17	25	36	51
85+	87	12.8	69	3	4	11	16	24	30	43
B. *Operated*										
65-69 YRS	571	15.1	193	2	2	11	20	33	44	68
70-74	412	15.3	156	2	2	12	22	30	39	60
75-79	275	18.1	200	2	3	16	22	35	44	74
80-84	105	17.3	173	3	4	14	25	34	45	90
85+	49	20.4	172	2	5	19	29	37	39	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	222	9.0	51	1	2	7	12	17	22	37
B. *Operated*	281	9.1	88	1	1	6	14	22	27	42
2. MULTIPLE DX										
A. *Not Operated*	2087	13.1	110	3	4	10	16	25	34	59
B. *Operated*	1412	16.1	183	2	3	12	22	33	43	70
1. SINGLE DX	503	9.0	71	1	1	7	13	19	24	41
2. MULTIPLE DX	3499	14.3	141	2	3	11	18	28	38	65
A. NOT OPERATED	2309	12.7	106	3	4	10	16	25	32	58
B. OPERATED	1693	14.9	174	1	2	12	20	31	41	67
TOTAL 65-69 YRS	1603	12.9	130	2	3	10	16	26	35	57
70-74	1189	13.4	135	2	3	10	18	27	36	58
75-79	730	15.1	159	2	4	12	20	29	40	72
80-84	328	14.1	120	3	4	11	18	28	38	64
85+	152	14.9	115	2	3	12	21	30	36	46
GRAND TOTAL	**4002**	**13.6**	**136**	**2**	**3**	**11**	**18**	**28**	**37**	**60**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	100	8.5	39	2	3	7	11	15	20	35
70-74	75	8.9	34	2	3	8	11	15	20	34
75-79	37	8.0	56	1	2	6	11	18	23	35
80-84	28	9.0	57	2	2	6	11	19	28	32
85+	21	9.2	31	2	3	9	12	15	21	27
B. *Operated*										
65-69 YRS	76	10.5	116	1	2	9	13	23	27	63
70-74	35	11.3	70	1	2	10	15	25	29	32
75-79	29	11.9	93	2	2	10	15	30	32	34
80-84	10	12.5	51	1	2	15	17	20	22	22
85+	8	15.6	175	2	2	13	22	37	41	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	601	11.3	91	3	4	9	14	22	29	52
70-74	443	12.2	92	3	3	9	16	23	30	50
75-79	293	11.4	71	2	3	9	15	22	26	42
80-84	163	10.6	48	3	4	9	14	20	24	36
85+	111	13.4	141	3	4	10	16	26	37	88
B. *Operated*										
65-69 YRS	234	18.4	193	2	4	15	24	33	44	69
70-74	183	20.7	299	3	5	16	26	47	59	94
75-79	135	18.5	182	3	5	15	24	38	44	64
80-84	74	18.0	109	4	5	17	24	33	38	44
85+	36	22.5	295	6	7	17	32	39	45	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	261	8.6	41	2	2	7	11	16	21	35
B. *Operated*	158	11.3	100	1	2	10	15	25	31	47
2. MULTIPLE DX										
A. *Not Operated*	1611	11.7	87	3	4	9	15	23	29	51
B. *Operated*	662	19.2	217	3	5	16	25	38	47	78
1. SINGLE DX	419	9.7	65	2	2	8	12	19	26	38
2. MULTIPLE DX	2273	13.9	136	3	4	10	18	28	37	62
A. NOT OPERATED	1872	11.2	82	2	3	9	14	22	28	50
B. OPERATED	820	17.7	204	2	3	14	23	35	45	73
TOTAL 65-69 YRS	1011	12.6	122	2	3	10	16	26	33	59
70-74	736	13.9	152	2	3	10	18	28	40	68
75-79	494	13.1	113	2	3	10	17	26	36	50
80-84	275	12.5	76	3	4	10	17	25	30	41
85+	176	14.9	176	3	4	10	17	32	39	92
GRAND TOTAL	**2692**	**13.2**	**128**	**2**	**3**	**10**	**17**	**26**	**36**	**60**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	468	4.7	9	1	2	4	6	9	11	14
70-74	391	5.4	16	1	2	4	7	10	12	19
75-79	321	5.7	17	1	2	5	7	11	12	21
80-84	239	6.6	14	2	3	6	9	12	14	19
85+	184	6.4	26	2	2	6	8	11	13	34
B. *Operated*										
65-69 YRS	3260	9.9	20	5	6	9	11	15	18	25
70-74	2222	10.6	23	6	6	9	12	17	20	27
75-79	1194	11.6	26	6	7	10	14	18	21	28
80-84	533	12.8	32	6	7	11	16	20	22	32
85+	285	15.0	62	6	7	13	18	24	28	50
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1676	6.9	28	2	3	6	8	12	16	25
70-74	1733	7.2	29	2	3	6	9	13	16	28
75-79	1592	7.9	32	2	3	6	10	14	18	28
80-84	1366	8.1	30	2	3	7	10	14	17	28
85+	1269	9.1	48	3	3	7	11	17	21	35
B. *Operated*										
65-69 YRS	6553	13.4	60	6	7	11	16	22	27	44
70-74	5328	14.5	64	6	7	12	17	24	29	45
75-79	3639	16.1	74	7	8	14	19	26	32	49
80-84	2004	18.7	108	8	9	16	23	31	39	57
85+	1210	20.1	122	8	10	18	24	33	40	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1603	5.6	15	1	2	5	7	10	12	18
B. *Operated*	7494	10.8	26	6	6	9	13	17	20	28
2. MULTIPLE DX										
A. *Not Operated*	7636	7.7	33	2	3	6	9	14	18	28
B. *Operated*	18734	15.2	77	6	7	13	18	25	31	49
1. SINGLE DX	9097	9.9	28	3	5	9	12	16	20	27
2. MULTIPLE DX	26370	13.1	76	3	5	11	16	23	29	46
A. NOT OPERATED	9239	7.4	31	2	3	6	9	13	17	27
B. OPERATED	26228	14.0	67	6	7	12	17	23	29	46
TOTAL 65-69 YRS	11957	11.2	50	4	5	9	14	19	23	37
70-74	9674	11.9	56	3	5	10	15	21	25	40
75-79	6746	12.9	67	3	5	11	16	23	28	43
80-84	4142	13.7	92	3	4	11	18	25	31	48
85+	2948	14.0	107	3	4	12	18	26	33	56
GRAND TOTAL	**35467**	**12.2**	**66**	**3**	**5**	**10**	**15**	**22**	**27**	**43**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	403	5.5	30	1	2	4	7	9	12	26
70-74	304	5.3	12	1	2	4	7	10	12	19
75-79	230	6.1	17	2	2	5	7	11	13	21
80-84	170	6.8	43	1	2	6	8	12	14	35
85+	179	6.7	14	2	3	6	9	12	14	18
B. *Operated*										
65-69 YRS	393	10.9	26	6	6	10	12	17	20	31
70-74	247	11.4	32	6	7	10	13	18	22	30
75-79	186	12.3	23	6	7	12	14	18	21	30
80-84	111	13.0	37	6	7	12	15	20	27	36
85+	83	15.0	42	7	8	15	18	23	26	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1213	6.9	29	2	3	6	9	12	15	24
70-74	1063	7.8	30	2	3	7	10	13	16	28
75-79	1014	8.6	31	2	3	7	11	15	19	29
80-84	820	9.3	37	3	4	8	11	17	21	33
85+	891	10.0	54	3	4	8	12	19	24	37
B. *Operated*										
65-69 YRS	1418	14.1	62	6	7	12	17	23	29	48
70-74	1164	15.2	71	7	8	13	19	26	31	49
75-79	890	17.3	96	7	8	15	21	29	37	60
80-84	518	18.7	90	8	9	16	23	32	38	50
85+	384	19.6	112	9	10	17	25	33	39	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1286	5.9	23	1	2	5	7	11	13	21
B. *Operated*	1020	11.8	31	6	7	11	14	19	22	31
2. MULTIPLE DX										
A. *Not Operated*	5001	8.4	37	2	3	7	10	15	19	32
B. *Operated*	4374	16.0	83	7	8	14	20	28	34	52
1. SINGLE DX	2306	8.5	35	2	3	7	11	15	19	29
2. MULTIPLE DX	9375	12.0	73	3	4	10	15	22	28	46
A. NOT OPERATED	6287	7.9	35	2	3	7	10	14	18	31
B. OPERATED	5394	15.2	75	6	7	13	18	26	32	49
TOTAL 65-69 YRS	3427	10.2	55	2	3	8	13	18	23	38
70-74	2778	10.9	61	3	4	9	14	20	26	45
75-79	2320	12.0	73	3	4	10	15	22	28	44
80-84	1619	12.3	76	3	4	10	16	24	30	44
85+	1537	12.3	84	3	4	10	16	24	30	48
GRAND TOTAL	**11681**	**11.3**	**67**	**3**	**4**	**9**	**14**	**21**	**27**	**44**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	72	5.6	14	1	2	5	7	11	13	19
70-74	51	6.3	19	2	2	5	8	11	12	26
75-79	63	5.8	20	1	1	5	9	11	15	20
80-84	59	6.9	20	1	2	6	9	11	13	28
85+	38	6.5	19	1	2	6	8	12	16	17
B. *Operated*										
65-69 YRS	281	11.8	43	3	5	10	15	19	23	38
70-74	240	12.9	64	2	3	12	16	22	26	40
75-79	199	13.9	55	3	5	13	18	23	29	37
80-84	125	15.2	71	4	5	14	20	25	29	45
85+	89	15.4	65	3	4	15	20	24	31	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	168	7.2	20	2	3	7	9	13	16	25
70-74	185	8.7	45	3	3	7	11	16	19	31
75-79	177	8.6	31	2	3	8	10	15	19	31
80-84	166	9.6	81	2	3	8	11	16	21	56
85+	209	9.5	40	3	4	8	12	18	22	32
B. *Operated*										
65-69 YRS	597	16.2	80	6	8	14	20	27	33	52
70-74	615	18.0	111	7	8	16	22	30	37	61
75-79	518	19.5	113	7	9	17	25	34	40	58
80-84	406	20.1	94	8	10	18	25	34	40	60
85+	339	22.9	127	7	10	21	29	38	43	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	283	6.2	18	1	2	5	8	11	14	20
B. *Operated*	934	13.3	58	3	5	12	17	23	27	39
2. MULTIPLE DX										
A. *Not Operated*	905	8.8	44	2	3	7	10	15	19	31
B. *Operated*	2475	18.9	108	7	9	17	24	32	39	59
1. SINGLE DX	1217	11.7	58	2	3	10	16	21	25	38
2. MULTIPLE DX	3380	16.2	111	4	5	14	21	30	37	56
A. NOT OPERATED	1188	8.1	39	2	3	7	10	15	18	29
B. OPERATED	3409	17.4	100	5	7	15	22	30	37	54
TOTAL 65-69 YRS	1118	13.1	72	3	4	11	17	23	29	48
70-74	1091	14.8	101	3	5	13	19	26	32	52
75-79	957	15.4	104	3	4	14	20	29	36	50
80-84	756	16.0	106	3	5	14	21	29	36	58
85+	675	16.9	127	3	5	15	23	31	39	54
GRAND TOTAL	**4597**	**15.0**	**101**	**3**	**5**	**13**	**19**	**28**	**34**	**50**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	96	6.3	18	1	1	6	8	12	14	20
70-74	66	6.8	26	2	2	6	8	12	14	34
75-79	81	7.8	26	2	3	8	10	13	17	27
80-84	55	7.5	19	2	3	6	10	13	15	23
85+	50	8.2	23	2	3	7	11	16	18	21
B. *Operated*										
65-69 YRS	44	14.5	119	2	3	13	17	30	35	56
70-74	52	16.2	166	2	3	14	20	27	34	81
75-79	34	14.1	65	1	2	15	18	23	30	33
80-84	27	17.6	109	1	4	17	27	31	33	40
85+	15	19.3	370	2	6	16	22	26	69	84
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	250	9.2	46	3	3	7	12	18	21	33
70-74	298	10.5	72	2	3	8	13	20	26	40
75-79	254	10.1	57	2	3	8	13	19	26	42
80-84	297	11.3	60	3	4	9	14	21	28	40
85+	268	11.7	65	3	5	10	14	21	25	38
B. *Operated*										
65-69 YRS	293	19.8	136	6	8	18	24	38	45	70
70-74	269	19.8	152	4	7	18	25	33	41	91
75-79	277	22.0	174	7	9	19	27	38	50	79
80-84	208	24.7	209	9	11	21	29	44	52	79
85+	141	23.1	117	9	11	21	30	37	45	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	348	7.2	23	1	2	6	9	13	16	23
B. *Operated*	172	15.8	141	2	3	15	20	29	33	76
2. MULTIPLE DX										
A. *Not Operated*	1367	10.6	61	3	4	9	13	19	25	38
B. *Operated*	1188	21.6	162	6	9	19	26	38	47	76
1. SINGLE DX	520	10.1	78	1	2	8	13	19	26	39
2. MULTIPLE DX	2555	15.7	138	3	4	13	21	30	38	63
A. NOT OPERATED	1715	9.9	55	2	3	8	12	18	24	37
B. OPERATED	1360	20.8	163	5	8	18	25	36	46	76
TOTAL 65-69 YRS	683	13.7	116	2	3	11	19	26	38	52
70-74	685	14.2	130	2	4	12	19	29	33	69
75-79	646	15.2	140	2	4	13	20	29	37	63
80-84	587	16.0	156	3	4	12	21	31	42	70
85+	474	15.0	116	4	5	12	19	30	35	53
GRAND TOTAL	**3075**	**14.8**	**132**	**3**	**4**	**12**	**19**	**29**	**36**	**59**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	395	8.0	34	2	3	7	10	14	18	29
70-74	280	7.9	21	2	3	7	10	13	16	24
75-79	220	8.6	22	3	4	8	11	15	17	25
80-84	137	9.1	61	2	3	7	10	16	20	48
85+	107	9.2	33	3	4	8	11	16	22	33
B. *Operated*										
65-69 YRS	50	17.5	210	1	2	14	23	33	53	76
70-74	51	13.3	69	1	3	13	18	27	29	32
75-79	35	15.3	192	2	2	10	19	31	52	57
80-84	15	14.9	102	4	6	13	18	36	37	37
85+	7	16.4	34	7	8	17	19	25	26	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1233	9.5	40	3	4	8	12	17	20	32
70-74	1075	10.3	58	3	4	9	12	17	23	42
75-79	864	10.7	54	3	4	9	13	19	25	39
80-84	565	11.0	42	4	5	10	13	19	24	36
85+	510	11.8	62	4	5	10	15	21	26	42
B. *Operated*										
65-69 YRS	414	20.3	195	5	7	17	25	42	54	99+
70-74	349	20.9	201	6	8	18	26	39	50	84
75-79	262	21.8	183	7	9	19	28	40	52	78
80-84	144	21.4	155	8	10	19	26	38	49	83
85+	97	27.1	374	7	9	20	36	49	71	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1139	8.3	32	2	3	7	10	14	18	28
B. *Operated*	158	15.4	142	2	3	13	19	29	37	57
2. MULTIPLE DX										
A. *Not Operated*	4247	10.4	51	3	4	9	13	18	24	37
B. *Operated*	1266	21.4	206	6	8	18	27	41	52	95
1. SINGLE DX	1297	9.2	50	2	3	8	11	17	21	36
2. MULTIPLE DX	5513	13.0	108	4	5	10	16	25	33	62
A. NOT OPERATED	5386	10.0	47	3	4	8	12	18	22	36
B. OPERATED	1424	20.8	202	5	7	18	26	40	51	93
TOTAL 65-69 YRS	2092	11.6	94	3	4	9	14	22	30	58
70-74	1755	12.1	101	3	4	9	15	23	30	58
75-79	1381	12.6	98	3	4	10	16	25	31	55
80-84	861	12.5	81	4	5	10	15	23	29	51
85+	721	13.5	128	4	5	10	16	25	36	72
GRAND TOTAL	**6810**	**12.2**	**99**	**3**	**4**	**10**	**15**	**23**	**30**	**55**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	387	5.6	14	1	2	5	7	10	13	18
70-74	401	6.0	20	2	2	5	8	10	14	23
75-79	345	6.2	28	1	2	5	8	11	13	22
80-84	285	7.3	24	1	2	6	9	13	16	24
85+	286	7.6	27	2	3	6	10	15	17	25
B. *Operated*										
65-69 YRS	58	9.2	39	2	3	7	12	19	22	29
70-74	57	9.3	45	1	1	8	14	19	22	27
75-79	58	10.5	63	2	3	9	11	18	30	44
80-84	24	9.1	37	2	3	9	12	14	20	31
85+	34	12.7	106	4	5	9	15	28	30	54
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2583	8.1	38	2	3	7	10	14	19	33
70-74	2726	8.4	36	2	3	7	10	15	20	32
75-79	2737	8.9	45	2	3	7	11	16	20	33
80-84	2396	9.6	49	2	3	8	12	18	23	38
85+	2624	9.6	47	2	3	8	12	18	23	37
B. *Operated*										
65-69 YRS	782	13.2	107	3	4	11	16	25	33	57
70-74	785	14.1	120	3	4	11	18	28	35	60
75-79	722	15.4	142	4	5	12	19	31	41	70
80-84	546	15.7	155	4	5	12	19	31	44	81
85+	411	17.5	149	5	6	14	23	35	41	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1704	6.4	23	1	2	5	8	12	15	22
B. *Operated*	231	10.0	57	2	3	8	13	19	25	36
2. MULTIPLE DX										
A. *Not Operated*	13066	8.9	43	2	3	7	11	16	21	36
B. *Operated*	3246	14.9	133	4	5	12	19	29	39	66
1. SINGLE DX	1935	6.9	28	1	2	6	9	13	16	27
2. MULTIPLE DX	16312	10.1	67	2	3	8	12	19	25	45
A. NOT OPERATED	14770	8.6	41	2	3	7	11	16	20	34
B. OPERATED	3477	14.6	129	3	5	11	18	29	38	62
TOTAL 65-69 YRS	3810	8.9	55	2	3	7	11	16	22	40
70-74	3969	9.3	58	2	3	7	11	18	24	39
75-79	3862	9.9	69	2	3	8	12	18	25	47
80-84	3251	10.4	70	2	3	8	13	20	26	50
85+	3355	10.4	66	2	3	8	13	20	26	41
GRAND TOTAL	**18247**	**9.7**	**64**	**2**	**3**	**8**	**12**	**18**	**25**	**44**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	12.1	130	<1	1	7	14	32	34	34
70-74	10	7.9	31	1	2	8	9	16	22	22
75-79	16	7.1	15	2	2	7	9	14	15	15
80-84	1	7.0		7	7	7	7	7	7	7
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	19	10.6	92	<1	1	6	16	25	30	35
70-74	10	9.6	33	<1	2	9	14	18	19	19
75-79	6	7.8	50	1	1	7	14	17	17	17
80-84	5	17.6	169	6	6	12	30	34	34	34
85+	1	37.0		37	37	37	37	37	37	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	136	12.3	88	3	3	9	16	26	28	54
70-74	87	11.4	52	3	4	11	16	21	24	35
75-79	75	11.5	61	3	4	10	14	21	27	38
80-84	51	13.6	204	2	4	10	18	25	29	94
85+	26	9.7	38	2	3	9	13	16	21	30
B. *Operated*										
65-69 YRS	78	18.7	236	3	5	15	23	38	50	99
70-74	53	16.8	168	4	6	14	20	30	44	77
75-79	41	18.9	251	2	4	14	24	38	53	79
80-84	16	20.3	141	6	7	18	25	37	48	52
85+	11	32.3	802	5	6	24	49	76	94	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	8.6	50	1	2	7	9	15	27	34
B. *Operated*	41	11.4	96	<1	1	8	16	27	34	37
2. MULTIPLE DX										
A. *Not Operated*	375	11.9	86	3	4	10	16	24	28	38
B. *Operated*	199	19.1	249	3	5	15	23	39	51	96
1. SINGLE DX	79	10.1	75	1	2	7	13	23	33	36
2. MULTIPLE DX	574	14.4	154	3	4	11	18	28	38	74
A. NOT OPERATED	413	11.6	84	2	4	9	15	23	28	38
B. OPERATED	240	17.8	231	3	4	14	22	37	50	96
TOTAL 65-69 YRS	243	14.2	145	2	3	11	18	30	36	64
70-74	160	12.9	95	3	4	11	17	22	29	45
75-79	138	13.0	127	2	3	10	16	26	35	58
80-84	73	15.2	190	3	4	12	22	28	36	85
85+	39	16.7	353	3	4	10	18	39	58	96
GRAND TOTAL	**653**	**13.9**	**146**	**3**	**4**	**11**	**17**	**27**	**36**	**63**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	10.2	89	2	3	6	13	20	34	41
70-74	22	9.2	35	1	2	8	13	17	22	24
75-79	11	9.5	27	3	3	10	11	18	19	19
80-84	11	9.2	38	2	3	8	10	19	24	24
85+	4	16.0	259	3	3	11	28	38	38	38
B. *Operated*										
65-69 YRS	25	9.2	92	1	1	7	13	16	24	47
70-74	16	8.0	56	1	1	5	11	17	25	29
75-79	8	12.8	157	2	2	9	19	33	38	38
80-84	8	12.0	88	2	3	8	19	26	29	29
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	187	10.9	77	2	3	9	14	21	33	52
70-74	176	10.9	60	2	3	9	15	20	27	34
75-79	131	14.3	166	2	4	11	18	28	34	77
80-84	98	11.2	61	3	4	10	14	21	28	74
85+	81	15.8	263	3	3	12	19	35	42	87
B. *Operated*										
65-69 YRS	179	14.2	130	2	3	11	18	31	39	48
70-74	127	15.1	151	3	4	12	19	30	35	67
75-79	70	18.3	213	2	4	15	24	38	43	78
80-84	29	15.2	85	3	4	14	21	31	36	99+
85+	18	18.2	316	4	6	12	22	34	62	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	9.9	59	2	3	8	13	19	24	41
B. *Operated*	58	9.7	86	1	2	7	14	19	29	46
2. MULTIPLE DX										
A. *Not Operated*	673	12.2	112	2	3	9	15	24	33	63
B. *Operated*	423	15.4	155	3	4	12	20	32	39	68
1. SINGLE DX	123	9.8	71	1	2	8	13	19	26	43
2. MULTIPLE DX	1096	13.4	131	2	4	10	17	28	35	66
A. NOT OPERATED	738	12.0	108	2	3	9	15	24	33	57
B. OPERATED	481	14.7	150	2	3	11	19	31	38	66
TOTAL 65-69 YRS	408	12.2	104	2	3	9	15	26	36	48
70-74	341	12.2	97	2	3	10	16	23	30	52
75-79	220	15.3	177	2	4	11	20	30	40	77
80-84	146	11.9	67	3	4	10	16	24	30	99+
85+	104	16.1	265	3	3	12	19	35	42	86
GRAND TOTAL	**1219**	**13.1**	**126**	**2**	**3**	**10**	**17**	**27**	**35**	**65**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	4.5	1	4	4	4	5	5	5	5
70-74	1	33.0		33	33	33	33	33	33	33
75-79										
80-84	1	10.0		10	10	10	10	10	10	10
85+	2	6.0	8	4	4	6	8	8	8	8
B. *Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	1	17.0		17	17	17	17	17	17	17
75-79	2	6.0	8	4	4	6	8	8	8	8
80-84										
85+	2	13.5	41	9	9	13	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	13.2	491	3	3	6	11	19	70	97
70-74	19	9.6	40	2	2	9	12	19	23	26
75-79	18	10.2	62	3	4	7	12	22	28	32
80-84	10	11.5	93	3	4	8	11	29	33	33
85+	12	10.8	11	6	7	10	14	15	16	16
B. *Operated*										
65-69 YRS	20	20.9	480	2	3	14	22	53	74	91
70-74	16	12.0	34	3	3	13	17	18	19	20
75-79	15	16.8	137	3	4	14	22	36	42	44
80-84	8	19.4	68	10	11	17	22	33	37	37
85+	5	14.0	62	3	3	13	21	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	10.7	125	4	4	6	10	31	33	33
B. *Operated*	7	8.6	45	2	2	8	15	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	76	11.0	143	2	3	8	12	20	26	80
B. *Operated*	64	17.0	207	3	3	15	19	30	45	86
1. SINGLE DX	13	9.5	76	2	2	8	12	21	31	33
2. MULTIPLE DX	140	13.7	180	3	3	10	16	24	34	92
A. NOT OPERATED	82	11.0	140	3	4	8	12	20	28	77
B. OPERATED	71	16.1	197	2	3	14	19	28	44	84
TOTAL 65-69 YRS	41	16.0	456	2	3	9	16	37	73	97
70-74	37	11.5	50	2	3	10	17	19	24	33
75-79	35	12.8	101	3	4	9	18	26	35	44
80-84	19	14.7	90	4	5	11	20	30	35	37
85+	21	11.4	26	4	5	11	15	19	21	23
GRAND TOTAL	**153**	**13.4**	**172**	**2**	**3**	**10**	**16**	**24**	**33**	**90**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	58	6.0	116	<1	1	2	6	15	26	64
70-74	64	5.2	30	1	1	2	8	13	16	22
75-79	49	5.7	33	1	1	3	8	15	20	22
80-84	24	10.4	245	1	1	5	10	26	57	57
85+	8	11.6	62	1	2	11	18	21	22	22
B. *Operated*										
65-69 YRS	146	7.1	80	1	2	4	7	15	32	46
70-74	95	7.2	49	1	1	5	11	17	22	33
75-79	57	6.2	49	1	1	5	9	14	18	41
80-84	8	8.3	50	<1	1	6	13	19	19	19
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	561	8.0	77	1	1	6	11	18	27	53
70-74	612	8.1	69	1	1	6	12	19	25	40
75-79	486	8.6	76	1	1	6	12	20	30	43
80-84	346	9.6	105	1	1	7	15	22	30	63
85+	201	13.5	127	3	4	10	16	27	36	50
B. *Operated*										
65-69 YRS	735	14.3	199	2	3	9	18	34	45	68
70-74	599	14.1	187	2	2	10	19	32	45	70
75-79	342	16.1	225	2	3	12	23	33	48	79
80-84	139	18.1	217	3	4	15	22	37	49	69
85+	47	24.0	312	3	4	22	34	48	60	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	6.4	83	1	1	3	8	16	22	57
B. *Operated*	307	7.0	63	1	1	4	8	16	22	44
2. MULTIPLE DX										
A. *Not Operated*	2206	8.9	86	1	1	6	12	20	27	48
B. *Operated*	1862	15.1	207	2	3	11	20	34	46	71
1. SINGLE DX	510	6.8	71	1	1	4	8	16	22	46
2. MULTIPLE DX	4068	11.7	151	1	1	8	16	27	37	67
A. NOT OPERATED	2409	8.7	86	1	1	6	12	20	27	49
B. OPERATED	2169	14.0	195	2	2	9	19	32	44	69
TOTAL 65-69 YRS	1500	10.9	149	1	1	7	14	26	36	66
70-74	1370	10.5	128	1	1	7	15	24	33	61
75-79	934	11.0	142	1	1	7	15	26	35	65
80-84	517	11.9	154	1	1	8	17	26	37	67
85+	257	15.3	174	3	4	11	20	33	41	70
GRAND TOTAL	**4578**	**11.2**	**144**	**1**	**1**	**7**	**15**	**26**	**36**	**65**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	29	7.3	108	1	1	5	9	12	22	56
70-74	28	10.2	111	1	1	8	15	21	28	50
75-79	26	10.3	56	1	2	9	15	22	24	26
80-84	16	14.1	91	2	3	13	22	34	78	99+
85+	19	9.1	29	2	3	7	14	17	18	19
B. *Operated*										
65-69 YRS	27	6.3	35	1	2	4	8	13	21	24
70-74	17	8.5	163	<1	1	5	10	15	41	55
75-79	14	15.1	180	1	1	10	21	41	43	44
80-84	5	12.4	137	2	2	11	17	32	32	32
85+	2	15.0	242	4	4	15	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	362	12.0	90	2	3	10	16	24	30	46
70-74	406	12.5	94	2	3	10	17	26	32	47
75-79	416	13.6	111	2	4	11	17	27	37	56
80-84	382	14.9	142	3	5	12	18	27	35	69
85+	418	14.5	104	3	4	12	19	28	33	54
B. *Operated*										
65-69 YRS	250	19.3	206	3	4	16	28	41	49	99+
70-74	224	21.9	223	3	5	20	30	44	53	73
75-79	179	23.6	306	4	7	19	30	49	70	99+
80-84	106	25.1	268	7	8	21	33	49	56	84
85+	70	22.0	162	4	8	21	27	50	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	9.9	84	1	2	7	14	22	25	70
B. *Operated*	65	9.5	117	1	1	6	12	22	34	53
2. MULTIPLE DX										
A. *Not Operated*	1984	13.5	109	2	3	11	17	26	34	50
B. *Operated*	829	21.9	240	3	5	19	30	44	55	99+
1. SINGLE DX	183	9.7	95	1	2	7	13	22	26	56
2. MULTIPLE DX	2813	16.0	162	2	4	13	21	33	42	70
A. NOT OPERATED	2102	13.3	108	2	3	11	17	26	34	51
B. OPERATED	894	21.0	241	3	4	18	29	43	54	99+
TOTAL 65-69 YRS	668	14.3	148	2	3	11	19	32	41	64
70-74	675	15.4	160	2	3	12	21	33	42	56
75-79	635	16.3	186	2	4	13	21	35	44	87
80-84	509	17.0	183	3	5	13	21	33	41	83
85+	509	15.3	117	3	4	13	21	29	37	58
GRAND TOTAL	**2996**	**15.6**	**160**	**2**	**3**	**12**	**21**	**32**	**41**	**69**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	100	6.3	7	3	3	6	8	10	12	14
70-74	88	6.4	10	2	3	6	8	10	14	68
75-79	82	6.6	21	2	3	6	8	9	12	31
80-84	39	5.8	11	2	2	5	7	10	11	19
85+	51	7.4	15	2	3	7	10	13	15	16
B. *Operated*										
65-69 YRS	10	4.6	10	1	1	4	7	9	11	11
70-74	8	8.8	59	1	2	7	10	22	26	26
75-79	4	9.3	15	5	5	9	12	13	13	13
80-84	3	10.3	9	7	7	11	12	13	13	13
85+	2	10.0	50	5	5	10	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	541	8.9	53	3	4	7	11	15	18	31
70-74	502	9.3	45	3	4	8	11	16	20	35
75-79	552	10.3	43	3	4	9	13	18	22	35
80-84	389	10.2	48	3	4	8	12	18	24	38
85+	372	10.8	52	4	4	9	14	20	24	32
B. *Operated*										
65-69 YRS	127	15.2	91	5	6	13	19	27	37	67
70-74	116	15.5	123	5	6	12	19	29	34	62
75-79	97	17.2	168	5	6	15	20	28	49	71
80-84	47	16.8	85	6	7	14	22	26	36	46
85+	39	19.2	125	6	7	17	24	38	42	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	360	6.5	12	2	3	6	8	10	13	19
B. *Operated*	27	7.6	29	1	1	7	11	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	2356	9.8	49	3	4	8	12	17	22	36
B. *Operated*	426	16.3	120	5	6	14	20	29	38	62
1. SINGLE DX	387	6.6	14	2	3	6	8	11	13	19
2. MULTIPLE DX	2782	10.8	65	3	4	9	13	20	25	43
A. NOT OPERATED	2716	9.4	45	3	4	8	11	17	21	35
B. OPERATED	453	15.8	119	5	6	13	20	28	37	59
TOTAL 65-69 YRS	778	9.5	60	3	4	8	11	17	22	44
70-74	714	9.9	60	3	4	8	12	17	24	41
75-79	735	10.8	64	3	4	9	13	20	25	43
80-84	478	10.5	54	3	4	8	13	19	24	42
85+	464	11.1	61	3	4	9	14	21	25	42
GRAND TOTAL	**3169**	**10.3**	**61**	**3**	**4**	**8**	**13**	**19**	**24**	**42**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	104	5.9	15	2	3	5	7	10	11	26
70-74	94	6.4	17	2	3	6	8	11	13	23
75-79	71	6.6	25	2	2	5	8	13	18	26
80-84	54	6.9	17	3	3	6	8	13	17	20
85+	47	6.9	18	2	2	6	9	13	16	20
B. *Operated*										
65-69 YRS	44	8.0	44	2	2	7	10	13	21	38
70-74	32	9.3	62	1	2	7	13	24	27	29
75-79	24	11.6	104	2	3	7	14	28	33	39
80-84	12	13.3	100	2	2	14	20	26	33	34
85+	8	12.3	56	6	6	9	18	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	560	8.4	32	3	3	7	11	15	19	30
70-74	524	8.7	27	3	3	7	11	15	19	27
75-79	548	10.3	75	3	4	8	12	18	23	57
80-84	414	10.5	51	3	4	9	13	19	22	36
85+	397	10.5	42	3	4	9	13	18	23	37
B. *Operated*										
65-69 YRS	326	12.8	98	2	3	10	16	26	33	52
70-74	293	13.9	104	2	3	12	18	26	33	50
75-79	223	17.2	169	3	4	14	22	33	46	70
80-84	131	18.5	194	3	5	14	25	37	51	77
85+	77	16.4	165	2	4	13	22	32	36	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	6.4	18	2	3	5	8	11	14	24
B. *Operated*	120	9.9	68	2	2	7	13	24	27	38
2. MULTIPLE DX										
A. *Not Operated*	2443	9.6	46	3	4	8	12	17	21	37
B. *Operated*	1050	15.0	136	2	4	12	19	29	38	59
1. SINGLE DX	490	7.3	32	2	2	6	9	13	20	29
2. MULTIPLE DX	3493	11.2	79	3	4	9	14	21	28	52
A. NOT OPERATED	2813	9.2	44	3	3	8	11	16	20	35
B. OPERATED	1170	14.5	131	2	3	11	19	29	37	57
TOTAL 65-69 YRS	1034	9.5	57	2	3	7	12	18	24	41
70-74	943	10.1	58	2	3	8	13	19	24	39
75-79	866	11.8	107	3	4	9	14	23	31	58
80-84	611	11.9	92	3	4	9	15	22	31	54
85+	529	11.0	64	3	4	9	14	21	27	42
GRAND TOTAL	**3983**	**10.7**	**75**	**3**	**3**	**8**	**13**	**20**	**27**	**49**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	259	3.3	6	1	1	3	4	6	7	12
70-74	138	3.6	8	1	1	3	4	7	9	14
75-79	65	4.1	7	1	2	3	5	8	9	14
80-84	36	3.5	7	1	1	3	4	6	9	13
85+	25	4.3	8	<1	1	3	6	9	10	11
B. *Operated*										
65-69 YRS	302	10.0	31	2	3	10	12	15	18	27
70-74	176	9.4	23	2	3	9	12	15	17	25
75-79	112	10.4	37	2	3	10	13	17	22	31
80-84	34	10.6	42	2	3	9	14	17	26	30
85+	17	9.2	36	2	2	8	14	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	523	5.1	15	1	2	4	7	10	13	21
70-74	402	6.4	30	1	2	5	8	12	17	30
75-79	300	6.4	35	2	2	5	8	12	15	21
80-84	157	6.8	34	2	2	5	8	11	18	47
85+	110	7.5	23	2	2	7	9	14	16	24
B. *Operated*										
65-69 YRS	789	12.5	82	2	3	11	16	22	29	47
70-74	576	12.1	83	2	3	10	16	23	30	49
75-79	373	12.8	80	2	3	11	16	25	31	43
80-84	199	14.0	111	2	3	11	19	29	35	46
85+	104	13.3	102	2	3	11	16	29	38	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	523	3.5	7	1	1	3	5	7	8	13
B. *Operated*	641	9.9	31	2	3	10	12	16	19	30
2. MULTIPLE DX										
A. *Not Operated*	1492	6.1	26	1	2	5	8	11	15	24
B. *Operated*	2041	12.6	86	2	3	11	16	24	31	46
1. SINGLE DX	1164	7.0	30	1	2	6	10	14	17	26
2. MULTIPLE DX	3533	9.9	71	2	2	8	13	20	26	42
A. NOT OPERATED	2015	5.4	22	1	2	4	7	11	14	23
B. OPERATED	2682	12.0	74	2	3	10	15	22	29	45
TOTAL 65-69 YRS	1873	8.8	58	1	2	7	12	17	22	37
70-74	1292	9.0	60	1	2	7	12	18	24	39
75-79	850	9.6	63	2	2	8	13	19	25	37
80-84	426	10.2	83	2	2	8	13	24	30	46
85+	256	9.6	64	2	2	8	12	17	24	42
GRAND TOTAL	**4697**	**9.2**	**62**	**1**	**2**	**7**	**12**	**18**	**24**	**39**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	815	2.9	5	1	1	2	4	5	7	9
70-74	433	3.1	4	1	1	3	4	5	7	11
75-79	209	3.3	4	1	1	3	4	6	7	10
80-84	87	3.5	9	1	1	3	5	8	10	68
85+	41	3.0	4	1	1	3	3	6	7	10
B. *Operated*										
65-69 YRS	898	8.0	23	2	3	7	11	14	17	22
70-74	510	8.6	28	2	3	8	11	15	17	24
75-79	244	8.4	29	2	2	8	11	15	18	28
80-84	87	9.1	39	2	3	8	12	15	19	36
85+	36	8.2	26	2	3	7	10	15	20	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	801	4.2	27	1	1	3	5	8	10	19
70-74	472	4.3	10	1	1	4	5	8	10	15
75-79	334	5.3	18	1	2	4	6	10	14	22
80-84	116	5.9	53	1	2	4	6	10	17	40
85+	68	5.7	22	1	2	4	7	11	16	25
B. *Operated*										
65-69 YRS	1162	10.4	51	2	3	9	13	19	23	34
70-74	840	11.2	59	3	4	9	14	20	26	42
75-79	486	12.4	70	3	4	10	16	22	27	42
80-84	214	13.7	92	3	5	11	18	24	32	63
85+	99	13.4	91	3	5	10	17	28	31	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1585	3.0	5	1	1	3	4	6	7	10
B. *Operated*	1775	8.3	26	2	3	8	11	15	17	23
2. MULTIPLE DX										
A. *Not Operated*	1791	4.6	23	1	1	4	6	8	11	22
B. *Operated*	2801	11.3	62	3	4	10	14	21	25	41
1. SINGLE DX	3360	5.8	23	1	1	4	8	12	15	21
2. MULTIPLE DX	4592	8.7	58	2	2	7	12	18	23	36
A. NOT OPERATED	3376	3.9	15	1	1	3	5	7	9	17
B. OPERATED	4576	10.2	50	2	3	9	13	18	23	36
TOTAL 65-69 YRS	3676	6.8	38	1	2	5	9	14	18	28
70-74	2255	7.6	42	1	2	6	11	15	20	33
75-79	1273	8.3	51	2	2	6	11	17	22	34
80-84	504	9.3	76	1	2	7	12	20	24	54
85+	244	8.7	64	1	2	6	11	19	26	36
GRAND TOTAL	**7952**	**7.5**	**45**	**1**	**2**	**6**	**10**	**15**	**20**	**32**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	82	3.6	10	1	1	3	4	6	11	18
70-74	68	4.7	14	1	2	4	6	8	10	25
75-79	38	5.1	21	1	1	3	7	11	15	21
80-84	30	4.4	13	1	1	3	6	9	12	17
85+	34	6.7	30	1	1	5	11	15	17	21
B. *Operated*										
65-69 YRS	317	6.8	41	1	1	5	9	15	19	27
70-74	258	6.9	36	1	1	5	10	16	19	26
75-79	116	6.6	43	1	2	4	9	13	19	32
80-84	56	8.2	63	1	2	6	11	18	23	42
85+	35	7.0	28	1	2	6	11	15	15	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	400	8.4	88	1	2	6	10	17	24	51
70-74	423	9.3	69	2	2	7	12	18	25	43
75-79	375	9.0	56	2	2	7	11	17	25	47
80-84	286	10.5	69	2	3	8	14	20	29	42
85+	263	11.2	95	2	3	9	14	21	27	48
B. *Operated*										
65-69 YRS	1006	11.6	126	2	2	9	15	24	31	58
70-74	866	11.9	113	2	2	9	16	24	31	53
75-79	604	12.5	96	2	3	10	17	25	30	45
80-84	312	14.4	124	2	3	11	19	28	37	56
85+	220	13.2	100	2	3	11	18	29	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	252	4.6	16	1	1	3	6	10	13	21
B. *Operated*	782	6.9	41	1	2	5	10	15	19	27
2. MULTIPLE DX										
A. *Not Operated*	1747	9.5	75	2	2	7	12	19	26	46
B. *Operated*	3008	12.3	115	2	2	10	16	25	32	54
1. SINGLE DX	1034	6.3	36	1	1	4	9	14	18	26
2. MULTIPLE DX	4755	11.3	102	2	2	9	15	23	30	52
A. NOT OPERATED	1999	8.9	70	2	2	7	11	18	24	44
B. OPERATED	3790	11.2	104	2	2	9	15	23	30	51
TOTAL 65-69 YRS	1805	9.7	103	1	2	7	13	21	27	52
70-74	1615	10.1	90	2	2	8	13	21	27	49
75-79	1133	10.5	80	2	2	8	14	22	28	46
80-84	684	11.8	98	2	3	9	16	24	31	48
85+	552	11.5	92	2	2	9	15	23	30	50
GRAND TOTAL	**5789**	**10.4**	**94**	**2**	**2**	**8**	**14**	**22**	**28**	**49**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	75	3.1	4	1	1	3	4	6	8	10
70-74	41	4.0	10	1	1	3	5	7	9	17
75-79	19	5.3	14	1	2	4	6	12	14	15
80-84	11	3.4	2	1	2	3	4	5	7	7
85+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
65-69 YRS	164	6.5	23	1	2	6	9	13	15	22
70-74	114	6.6	36	1	2	5	9	12	15	35
75-79	81	5.9	20	1	2	4	9	11	14	22
80-84	31	8.3	44	2	2	7	11	15	20	33
85+	31	8.2	38	2	2	7	12	18	21	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	85	5.8	36	1	1	4	7	11	18	32
70-74	75	6.8	126	1	1	4	7	12	18	75
75-79	64	6.1	59	1	2	4	6	9	14	46
80-84	24	7.3	52	1	1	5	11	14	22	33
85+	30	6.2	29	1	1	5	9	12	13	28
B. *Operated*										
65-69 YRS	416	9.4	50	2	3	8	12	18	22	41
70-74	383	9.9	51	2	2	9	13	20	25	33
75-79	355	11.4	81	2	3	9	14	23	28	49
80-84	204	13.1	116	3	4	10	17	27	32	50
85+	157	13.2	134	2	3	10	18	25	31	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	3.7	7	1	1	3	5	7	8	15
B. *Operated*	421	6.7	29	1	2	5	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	278	6.3	66	1	1	4	7	12	17	42
B. *Operated*	1515	10.9	77	2	3	9	14	22	28	45
1. SINGLE DX	569	5.9	25	1	2	4	8	12	15	23
2. MULTIPLE DX	1793	10.2	78	2	2	8	13	20	27	45
A. NOT OPERATED	426	5.4	47	1	1	4	6	11	14	32
B. OPERATED	1936	10.0	70	2	2	8	13	20	26	39
TOTAL 65-69 YRS	740	7.7	42	1	2	6	10	15	19	34
70-74	613	8.5	58	2	2	7	11	17	23	33
75-79	519	9.6	73	2	2	8	12	19	26	46
80-84	270	11.6	105	2	3	8	15	25	32	47
85+	220	11.4	113	2	2	9	15	23	28	49
GRAND TOTAL	**2362**	**9.1**	**68**	**2**	**2**	**7**	**12**	**19**	**24**	**39**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	80	4.0	5	1	1	4	5	7	8	13
70-74	73	4.9	9	1	2	4	6	9	12	14
75-79	76	5.4	11	1	2	5	7	10	13	16
80-84	50	6.2	23	2	2	5	7	12	15	28
85+	58	5.9	19	1	2	5	7	12	14	24
B. *Operated*										
65-69 YRS	581	3.7	11	1	1	3	4	7	9	18
70-74	488	3.7	9	1	1	3	5	8	10	13
75-79	333	4.3	11	1	2	3	5	8	10	18
80-84	212	4.6	16	1	2	3	6	10	13	20
85+	146	5.4	15	2	2	4	7	11	13	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	508	7.3	31	2	3	6	9	14	18	28
70-74	592	8.0	45	2	3	6	10	14	18	31
75-79	574	8.5	36	2	3	7	11	16	21	29
80-84	570	9.6	81	2	3	7	11	16	22	47
85+	602	9.6	53	2	3	8	12	17	23	40
B. *Operated*										
65-69 YRS	1623	6.8	46	2	2	5	9	14	18	34
70-74	1487	7.1	43	2	2	5	9	14	19	29
75-79	1424	8.5	69	2	2	6	11	18	24	44
80-84	888	9.1	67	2	2	7	12	18	25	51
85+	654	9.6	65	2	3	7	12	19	27	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	5.2	13	1	2	4	6	9	13	16
B. *Operated*	1760	4.1	11	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	2846	8.6	50	2	3	7	11	16	21	35
B. *Operated*	6076	7.9	57	2	2	6	10	16	22	38
1. SINGLE DX	2097	4.3	12	1	1	3	5	8	11	17
2. MULTIPLE DX	8922	8.1	55	2	2	6	10	16	22	38
A. NOT OPERATED	3183	8.2	48	2	3	7	10	15	20	34
B. OPERATED	7836	7.1	49	1	2	5	9	14	20	36
TOTAL 65-69 YRS	2792	6.2	36	1	2	4	8	13	17	31
70-74	2640	6.6	38	1	2	5	8	13	17	28
75-79	2407	7.8	53	2	2	6	10	16	22	38
80-84	1720	8.6	67	2	2	7	11	16	22	41
85+	1460	9.0	55	2	3	7	11	17	24	39
GRAND TOTAL	**11019**	**7.4**	**49**	**2**	**2**	**5**	**9**	**15**	**20**	**36**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	3.6	6	1	1	3	6	7	8	8
70-74	27	3.6	12	<1	1	3	5	6	10	18
75-79	23	5.4	19	1	2	4	7	13	15	16
80-84	16	5.4	21	1	1	4	7	10	16	19
85+	14	4.9	11	1	1	4	6	11	12	12
B. *Operated*										
65-69 YRS	536	4.3	12	1	2	3	5	9	11	18
70-74	502	4.2	12	1	2	3	5	8	11	17
75-79	354	5.0	25	1	2	4	6	9	13	34
80-84	209	4.3	12	1	2	3	6	7	9	21
85+	131	5.8	31	1	2	4	8	12	15	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	72	6.8	30	1	2	5	11	15	17	22
70-74	95	7.0	45	1	2	5	8	11	19	41
75-79	113	8.2	98	2	2	5	9	17	24	78
80-84	83	6.9	20	2	2	6	9	14	15	21
85+	77	8.2	139	1	2	5	9	14	20	81
B. *Operated*										
65-69 YRS	1423	6.3	35	1	2	5	8	13	18	31
70-74	1394	6.8	44	1	2	5	9	14	18	34
75-79	1133	7.6	47	2	2	6	10	15	20	33
80-84	758	7.9	40	2	2	6	11	16	20	30
85+	484	9.0	59	2	2	7	11	17	24	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	4.5	14	1	1	3	6	9	13	18
B. *Operated*	1732	4.5	16	1	2	3	6	8	12	21
2. MULTIPLE DX										
A. *Not Operated*	440	7.4	68	1	2	5	9	14	20	47
B. *Operated*	5192	7.2	43	2	2	5	9	15	19	33
1. SINGLE DX	1834	4.5	16	1	2	3	6	8	12	20
2. MULTIPLE DX	5632	7.2	45	2	2	5	9	15	19	33
A. NOT OPERATED	542	6.9	59	1	2	5	8	13	18	42
B. OPERATED	6924	6.5	38	1	2	5	8	14	18	31
TOTAL 65-69 YRS	2053	5.8	29	1	2	4	7	12	16	27
70-74	2018	6.1	37	1	2	4	8	12	17	30
75-79	1623	7.0	46	2	2	5	9	14	19	34
80-84	1066	7.1	35	2	2	5	9	15	18	29
85+	706	8.3	63	2	2	6	10	16	21	37
GRAND TOTAL	**7466**	**6.6**	**40**	**1**	**2**	**5**	**8**	**14**	**18**	**31**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	420	4.7	9	1	2	4	6	9	10	16
70-74	455	5.4	15	1	2	4	7	10	13	22
75-79	417	5.7	30	1	2	5	7	10	13	27
80-84	356	6.4	19	2	2	6	8	12	14	18
85+	390	6.7	33	2	2	5	8	12	15	31
B. *Operated*										
65-69 YRS	1024	4.5	26	1	1	3	5	8	11	27
70-74	871	4.9	27	1	1	4	6	10	13	25
75-79	624	5.1	20	1	2	4	6	10	15	22
80-84	350	5.6	40	1	2	4	7	11	16	26
85+	225	6.3	23	1	2	5	8	13	16	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2947	8.2	46	2	3	7	10	15	19	39
70-74	3745	8.8	46	2	3	7	11	17	21	38
75-79	4046	9.2	51	2	3	7	11	17	21	37
80-84	3797	9.9	64	3	3	8	12	19	24	41
85+	4517	10.3	65	3	3	8	13	19	25	45
B. *Operated*										
65-69 YRS	3583	8.3	69	2	2	6	10	17	23	43
70-74	3571	9.0	75	2	2	7	11	19	25	48
75-79	2996	10.2	87	2	2	8	13	20	28	49
80-84	2038	11.4	112	2	3	9	14	23	32	62
85+	1582	12.5	111	2	3	10	16	23	33	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2038	5.7	21	1	2	5	7	10	13	23
B. *Operated*	3094	5.0	27	1	1	4	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	19052	9.4	56	2	3	7	12	17	22	41
B. *Operated*	13770	9.9	88	2	2	7	13	20	27	49
1. SINGLE DX	5132	5.3	25	1	2	4	7	10	13	24
2. MULTIPLE DX	32822	9.6	69	2	3	7	12	18	24	46
A. NOT OPERATED	21090	9.0	54	2	3	7	11	17	22	40
B. OPERATED	16864	9.0	80	2	2	6	11	19	25	47
TOTAL 65-69 YRS	7974	7.6	54	1	2	6	9	15	20	39
70-74	8642	8.3	56	2	2	6	10	17	22	41
75-79	8083	9.1	63	2	2	7	11	18	23	42
80-84	6541	10.0	78	2	3	8	12	19	25	49
85+	6714	10.5	75	2	3	8	13	20	26	47
GRAND TOTAL	**37954**	**9.0**	**65**	**2**	**2**	**7**	**11**	**18**	**23**	**44**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	150	4.6	15	1	1	3	7	10	12	20
70-74	131	4.7	18	1	1	3	7	10	12	18
75-79	82	4.9	18	<1	1	4	6	10	13	22
80-84	60	4.6	16	<1	1	3	6	10	14	18
85+	51	4.9	17	1	1	3	7	11	14	19
B. *Operated*										
65-69 YRS	6437	7.2	18	2	2	7	9	12	14	22
70-74	5343	7.6	18	2	3	7	9	13	15	22
75-79	3509	8.3	24	2	3	7	10	14	17	25
80-84	1752	9.1	29	2	4	8	11	15	19	29
85+	908	10.1	38	2	4	9	13	17	21	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	630	5.6	24	1	1	4	7	11	14	25
70-74	673	6.4	40	1	2	4	8	13	19	32
75-79	624	7.0	42	1	2	5	9	15	19	31
80-84	471	8.5	67	1	2	6	10	17	24	48
85+	465	9.0	69	1	2	7	11	19	26	42
B. *Operated*										
65-69 YRS	11108	9.3	38	2	4	8	11	16	21	33
70-74	10873	10.3	50	3	4	9	13	18	23	36
75-79	8402	11.2	60	3	5	9	14	20	25	41
80-84	4701	12.6	75	4	5	10	16	22	28	47
85+	2936	14.2	97	4	6	12	18	26	32	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	474	4.7	17	1	1	3	7	10	12	20
B. *Operated*	17949	7.9	22	2	3	7	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	2863	7.1	48	1	2	5	9	15	20	34
B. *Operated*	38020	10.8	57	3	4	9	13	19	25	40
1. SINGLE DX	18423	7.8	22	2	3	7	10	13	16	24
2. MULTIPLE DX	40883	10.5	58	2	4	9	13	19	24	40
A. NOT OPERATED	3337	6.8	44	1	2	5	9	14	19	33
B. OPERATED	55969	9.9	48	2	4	8	12	17	22	36
TOTAL 65-69 YRS	18325	8.4	31	2	3	7	10	15	18	30
70-74	17020	9.3	42	2	3	8	11	16	21	33
75-79	12617	10.1	51	2	4	8	12	18	23	37
80-84	6984	11.4	66	3	4	9	14	21	26	43
85+	4360	12.7	86	3	4	10	16	24	30	50
GRAND TOTAL	**59306**	**9.7**	**48**	**2**	**3**	**8**	**12**	**17**	**22**	**36**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	70	4.4	5	2	2	4	5	6	9	12
70-74	66	4.5	10	1	2	4	5	8	8	22
75-79	27	4.9	12	1	2	4	6	9	11	18
80-84	26	4.8	7	1	2	4	5	9	10	12
85+	13	6.5	14	1	2	6	10	12	13	13
B. *Operated*										
65-69 YRS	180	4.0	14	1	1	2	5	9	12	21
70-74	133	4.4	14	1	1	3	6	10	13	16
75-79	87	4.7	17	1	1	3	7	12	13	70
80-84	22	4.9	31	1	1	3	7	9	17	27
85+	20	5.0	7	2	2	4	8	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	265	6.0	13	2	2	5	7	10	12	18
70-74	206	6.6	31	2	2	5	8	12	14	29
75-79	152	7.0	22	2	3	6	8	13	16	24
80-84	105	7.0	36	2	3	6	8	12	14	76
85+	76	6.9	15	2	3	6	9	12	15	19
B. *Operated*										
65-69 YRS	593	6.7	34	1	2	5	9	14	17	25
70-74	465	7.8	39	2	2	6	10	16	20	31
75-79	308	8.2	40	2	2	7	11	16	21	27
80-84	154	10.2	65	2	2	8	13	19	29	40
85+	97	11.8	91	2	3	8	17	26	32	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	4.7	8	1	2	4	5	8	10	16
B. *Operated*	442	4.4	15	1	1	3	6	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	804	6.5	22	2	2	6	8	11	14	25
B. *Operated*	1617	7.9	45	2	2	6	10	16	21	32
1. SINGLE DX	644	4.5	13	1	1	3	6	9	12	20
2. MULTIPLE DX	2421	7.5	38	2	2	6	9	15	19	31
A. NOT OPERATED	1006	6.2	20	2	2	5	8	10	14	24
B. OPERATED	2059	7.2	41	1	2	5	9	15	20	31
TOTAL 65-69 YRS	1108	5.9	25	1	2	5	8	12	15	24
70-74	870	6.7	33	1	2	5	8	14	18	31
75-79	574	7.2	32	2	2	6	9	15	19	26
80-84	307	8.3	52	2	2	7	10	15	22	42
85+	206	9.0	57	2	3	7	10	19	26	36
GRAND TOTAL	**3065**	**6.8**	**34**	**1**	**2**	**5**	**9**	**14**	**18**	**31**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	3.5	6	1	1	3	5	7	7	7
70-74	1	4.0		4	4	4	4	4	4	4
75-79	4	2.5	2	<1	<1	2	3	4	4	4
80-84										
85+										
B. *Operated*										
65-69 YRS	356	4.3	6	2	2	4	5	7	8	11
70-74	216	4.4	6	2	2	4	5	8	9	14
75-79	128	4.7	7	1	2	4	6	9	10	14
80-84	58	4.7	8	2	2	4	6	9	10	16
85+	20	6.6	46	1	2	4	6	16	24	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	4.8	9	1	1	4	7	9	10	12
70-74	12	7.0	62	<1	<1	4	9	21	24	25
75-79	11	8.3	52	<1	1	4	13	20	22	22
80-84	6	8.5	28	3	3	7	11	17	18	18
85+	5	8.0	12	4	4	9	10	12	12	12
B. *Operated*										
65-69 YRS	429	5.9	18	2	2	5	7	11	15	25
70-74	326	6.6	25	2	3	5	8	13	16	24
75-79	171	8.1	61	2	3	6	10	15	20	60
80-84	104	7.7	38	2	3	6	9	13	17	39
85+	48	9.4	27	2	3	9	13	16	18	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.1	3	<1	<1	3	4	6	7	7
B. *Operated*	778	4.5	8	2	2	4	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	57	6.6	31	<1	1	4	9	14	20	25
B. *Operated*	1078	6.8	30	2	3	5	8	13	16	30
1. SINGLE DX	787	4.5	8	2	2	4	5	8	9	14
2. MULTIPLE DX	1135	6.8	30	2	3	5	8	13	16	29
A. NOT OPERATED	66	6.1	28	<1	1	4	9	12	19	25
B. OPERATED	1856	5.8	22	2	2	5	7	11	14	24
TOTAL 65-69 YRS	812	5.1	13	2	2	4	6	9	11	20
70-74	555	5.7	19	2	2	4	6	11	14	23
75-79	314	6.7	41	2	2	5	8	13	16	42
80-84	168	6.7	29	2	2	6	8	11	16	33
85+	73	8.5	32	2	3	7	12	16	18	28
GRAND TOTAL	**1922**	**5.8**	**22**	**2**	**2**	**4**	**7**	**11**	**14**	**25**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	116	6.7	19	2	3	6	8	11	14	25
70-74	87	6.4	8	2	3	6	8	10	11	14
75-79	53	6.6	17	3	3	6	8	10	16	25
80-84	27	6.4	10	2	3	6	8	11	12	15
85+	16	6.2	8	2	3	6	8	11	12	12
B. *Operated*										
65-69 YRS	74	5.8	18	2	3	4	6	10	18	22
70-74	51	6.3	12	3	3	6	7	10	16	17
75-79	39	7.2	19	2	3	6	9	14	17	20
80-84	19	5.9	10	1	3	5	9	11	12	12
85+	18	7.6	70	<1	1	6	8	14	29	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	234	7.1	17	3	3	6	9	11	13	23
70-74	194	7.2	18	3	3	6	9	12	14	23
75-79	172	8.5	28	3	4	8	10	14	17	26
80-84	76	8.4	25	3	3	7	11	16	20	99+
85+	48	8.0	25	2	3	7	9	11	17	32
B. *Operated*										
65-69 YRS	183	10.3	75	2	3	8	14	20	25	64
70-74	177	10.0	57	3	3	8	12	21	28	40
75-79	106	11.7	77	3	3	10	14	22	29	47
80-84	55	10.0	52	3	4	8	12	19	28	35
85+	33	11.6	55	2	3	9	16	22	25	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	299	6.6	14	2	3	6	8	11	13	24
B. *Operated*	201	6.4	21	2	3	5	8	11	16	22
2. MULTIPLE DX										
A. *Not Operated*	724	7.7	22	3	3	7	9	13	16	27
B. *Operated*	554	10.5	66	2	3	9	13	20	26	44
1. SINGLE DX	500	6.5	17	2	3	6	8	11	14	23
2. MULTIPLE DX	1278	8.9	43	3	3	7	11	16	21	39
A. NOT OPERATED	1023	7.3	20	3	3	6	9	12	15	25
B. OPERATED	755	9.4	58	2	3	7	12	19	24	41
TOTAL 65-69 YRS	607	7.8	38	2	3	6	10	14	19	32
70-74	509	7.9	32	3	3	7	10	14	19	34
75-79	370	9.0	43	3	3	7	11	16	20	40
80-84	177	8.3	31	3	3	7	10	16	20	81
85+	115	8.7	41	2	3	7	10	17	22	34
GRAND TOTAL	**1778**	**8.2**	**37**	**2**	**3**	**7**	**10**	**15**	**20**	**35**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	48	2.4	2	1	1	2	3	3	5	11
70-74	31	2.4	2	1	1	2	3	4	5	8
75-79	25	2.9	6	1	1	2	3	5	9	12
80-84	15	3.3	5	1	2	3	4	6	9	10
85+	16	3.3	3	1	2	3	4	5	6	7
B. *Operated*										
65-69 YRS	112	3.3	39	1	1	2	3	4	8	38
70-74	94	2.8	10	1	1	2	3	4	6	21
75-79	56	2.7	4	1	1	2	3	4	7	11
80-84	25	4.4	44	1	2	2	3	5	24	30
85+	22	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	76	3.7	10	1	1	2	4	8	11	16
70-74	39	4.7	20	1	1	4	5	8	10	28
75-79	38	3.0	4	1	1	3	4	6	7	9
80-84	37	5.5	49	1	2	3	6	9	11	44
85+	29	5.6	26	1	1	4	7	12	18	23
B. *Operated*										
65-69 YRS	230	4.6	37	1	2	3	5	10	13	20
70-74	175	4.9	23	2	2	3	6	10	13	27
75-79	123	5.8	34	2	2	4	7	12	18	29
80-84	83	6.5	29	1	2	5	9	14	18	28
85+	80	7.3	59	1	2	4	8	19	24	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	2.7	3	1	1	2	3	5	6	11
B. *Operated*	309	3.1	22	1	1	2	3	4	7	24
2. MULTIPLE DX										
A. *Not Operated*	219	4.3	20	1	1	3	5	8	11	25
B. *Operated*	691	5.4	35	1	2	3	6	12	16	30
1. SINGLE DX	444	3.0	16	1	1	2	3	4	7	22
2. MULTIPLE DX	910	5.2	32	1	2	3	6	11	15	28
A. NOT OPERATED	354	3.7	14	1	1	3	4	7	10	18
B. OPERATED	1000	4.7	32	1	2	3	5	10	15	28
TOTAL 65-69 YRS	466	3.9	30	1	1	2	4	8	12	20
70-74	339	4.1	18	1	2	2	5	8	12	26
75-79	242	4.3	21	1	2	3	5	9	12	25
80-84	160	5.7	35	1	2	3	7	11	17	31
85+	147	5.8	41	1	2	4	6	15	21	32
GRAND TOTAL	**1354**	**4.4**	**28**	**1**	**2**	**3**	**5**	**9**	**13**	**26**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	29	3.4	7	1	2	2	4	9	10	11
70-74	28	3.9	9	1	1	3	5	9	11	12
75-79	15	3.7	11	2	2	2	3	10	12	13
80-84	8	5.4	13	1	1	5	8	10	11	11
85+	8	4.1	3	2	2	4	5	6	6	6
B. *Operated*										
65-69 YRS	216	4.1	13	1	2	3	5	7	9	19
70-74	142	4.5	18	2	2	3	5	8	11	26
75-79	70	4.6	19	1	2	3	6	10	12	25
80-84	29	4.1	7	1	2	4	5	8	9	13
85+	8	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	69	6.4	45	2	2	4	7	14	15	40
70-74	63	7.7	53	2	2	5	10	16	22	38
75-79	53	7.8	28	2	2	7	11	15	18	24
80-84	26	8.7	70	1	2	6	10	20	28	37
85+	35	9.0	86	2	2	6	12	15	17	55
B. *Operated*										
65-69 YRS	401	6.2	44	2	2	4	7	11	16	41
70-74	243	8.0	69	2	2	5	9	17	26	39
75-79	170	7.9	44	2	2	6	10	18	21	30
80-84	73	8.4	66	1	2	6	11	16	25	44
85+	50	11.4	100	2	3	8	16	29	32	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	3.8	8	1	2	3	5	9	11	13
B. *Operated*	465	4.3	15	1	2	3	5	8	10	21
2. MULTIPLE DX										
A. *Not Operated*	246	7.6	52	2	2	5	10	15	19	39
B. *Operated*	937	7.4	57	2	2	5	9	16	22	39
1. SINGLE DX	553	4.2	14	1	2	3	5	8	10	20
2. MULTIPLE DX	1183	7.5	56	2	2	5	9	15	21	39
A. NOT OPERATED	334	6.6	43	2	2	4	9	14	17	37
B. OPERATED	1402	6.4	45	2	2	4	7	13	19	36
TOTAL 65-69 YRS	715	5.5	34	2	2	4	6	10	14	36
70-74	476	6.7	51	2	2	4	8	15	20	37
75-79	308	6.9	36	2	2	5	9	15	20	27
80-84	136	7.4	54	1	2	5	9	15	22	40
85+	101	9.2	87	2	2	6	12	19	31	48
GRAND TOTAL	**1736**	**6.4**	**45**	**2**	**2**	**4**	**8**	**13**	**19**	**37**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	2.5	4	<1	<1	2	3	5	8	9
70-74	9	2.7	1	1	1	3	3	4	5	5
75-79	7	3.0	5	<1	<1	2	3	7	8	8
80-84	2	4.5	5	3	3	4	6	6	6	6
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	1042	2.8	7	1	2	2	3	4	6	10
70-74	636	2.9	4	1	2	2	3	5	6	11
75-79	305	3.1	4	2	2	3	4	5	6	9
80-84	126	3.5	6	2	2	3	4	5	8	15
85+	70	3.4	4	1	2	3	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	27	6.0	31	1	2	4	7	12	20	26
70-74	16	4.3	7	1	1	4	6	8	9	10
75-79	8	6.9	36	1	1	5	10	17	19	19
80-84	7	3.7	6	1	1	3	5	7	8	8
85+	6	6.8	12	3	3	6	10	12	12	12
B. *Operated*										
65-69 YRS	867	4.3	15	2	2	3	5	8	10	21
70-74	620	4.5	14	2	2	3	5	9	11	19
75-79	349	4.7	26	2	2	3	5	8	12	27
80-84	135	5.0	19	2	2	4	6	9	13	2[illegible]
85+	74	5.6	21	2	2	4	8	10	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	2.7	4	<1	1	2	3	6	7	9
B. *Operated*	2179	3.0	6	1	2	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	64	5.5	21	1	2	4	7	10	15	25
B. *Operated*	2045	4.5	17	2	2	3	5	8	11	22
1. SINGLE DX	2216	3.0	6	1	2	2	3	5	6	10
2. MULTIPLE DX	2109	4.6	17	2	2	3	5	9	11	22
A. NOT OPERATED	101	4.5	17	1	1	3	6	9	11	23
B. OPERATED	4224	3.7	12	2	2	3	4	7	9	18
TOTAL 65-69 YRS	1954	3.5	12	1	2	3	4	6	9	17
70-74	1281	3.7	10	2	2	3	4	7	9	17
75-79	669	4.0	16	2	2	3	4	7	9	22
80-84	270	4.3	13	2	2	3	5	8	10	20
[illegible]+	151	4.6	14	2	2	3	5	9	12	23
GRAN[illegible]TAL	**4325**	**3.7**	**12**	**1**	**2**	**3**	**4**	**7**	**9**	**19**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	27	3.3	4	<1	<1	3	4	7	7	8
70-74	13	4.2	8	<1	1	3	7	8	9	9
75-79	13	4.4	13	<1	1	3	8	10	12	12
80-84	3	3.3	4	1	1	4	5	5	5	5
85+	10	5.9	13	3	3	4	8	12	13	13
B. *Operated*										
65-69 YRS	409	3.4	8	1	2	3	4	6	8	16
70-74	270	3.3	6	2	2	2	4	6	9	13
75-79	173	3.1	4	1	1	3	4	5	7	13
80-84	79	4.0	24	1	1	3	4	6	12	32
85+	40	4.8	26	1	1	3	6	9	14	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	61	5.4	29	1	1	4	6	11	17	30
70-74	48	5.9	17	1	1	5	8	14	15	17
75-79	37	7.9	38	<1	1	7	13	16	19	25
80-84	24	8.8	46	1	2	8	10	18	22	31
85+	18	8.7	80	1	2	5	9	23	31	35
B. *Operated*										
65-69 YRS	397	5.9	49	2	2	4	7	11	17	39
70-74	280	4.8	24	2	2	4	6	9	11	19
75-79	171	5.5	33	2	2	4	7	10	15	35
80-84	99	5.7	35	1	2	4	7	11	17	34
85+	46	7.0	29	2	2	5	8	12	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	4.1	8	<1	1	3	5	8	10	13
B. *Operated*	971	3.4	9	1	2	3	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	188	6.8	36	1	1	5	9	15	17	32
B. *Operated*	993	5.6	37	2	2	4	7	10	15	32
1. SINGLE DX	1037	3.5	9	1	2	3	4	6	8	15
2. MULTIPLE DX	1181	5.8	37	1	2	4	7	11	16	32
A. NOT OPERATED	254	6.1	30	1	1	4	8	14	16	31
B. OPERATED	1964	4.5	24	1	2	3	5	8	12	24
TOTAL 65-69 YRS	894	4.7	29	1	2	3	5	9	13	24
70-74	611	4.2	16	2	2	3	5	8	11	17
75-79	394	4.6	22	1	2	3	5	9	14	23
80-84	205	5.3	33	1	2	3	6	10	16	32
85+	114	6.4	35	1	2	5	8	13	18	31
GRAND TOTAL	**2218**	**4.7**	**25**	**1**	**2**	**3**	**5**	**9**	**13**	**25**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	4.4	8	2	2	3	5	9	10	10
70-74	2	8.5	5	7	7	8	10	10	10	10
75-79	2	3.5	5	2	2	3	5	5	5	5
80-84										
85+	5	3.0	3	2	2	2	4	6	6	6
B. *Operated*										
65-69 YRS	52	9.6	24	5	5	8	11	15	20	28
70-74	32	9.4	21	4	5	9	10	14	17	28
75-79	19	8.1	2	6	7	8	9	10	11	11
80-84	12	9.3	17	3	4	9	12	16	17	17
85+	17	11.8	31	5	6	10	15	19	23	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	4.3	6	1	2	4	6	8	9	9
70-74	12	9.9	268	<1	1	5	9	25	56	61
75-79	9	8.6	57	2	2	5	12	21	24	24
80-84	11	7.6	14	3	4	7	10	13	16	16
85+	7	10.7	79	2	2	6	18	24	25	25
B. *Operated*										
65-69 YRS	108	11.5	40	6	7	9	13	20	26	38
70-74	91	11.9	62	6	7	10	13	19	28	51
75-79	67	13.2	73	5	7	11	15	22	32	52
80-84	36	16.3	195	7	7	12	19	28	39	83
85+	25	15.4	114	4	6	12	23	33	36	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.4	7	2	2	3	6	9	10	10
B. *Operated*	132	9.6	21	5	6	9	11	15	17	28
2. MULTIPLE DX										
A. *Not Operated*	54	7.8	83	2	2	5	9	16	23	60
B. *Operated*	327	12.8	77	6	7	10	14	22	30	47
1. SINGLE DX	148	9.0	22	3	4	8	10	15	17	28
2. MULTIPLE DX	381	12.1	81	4	5	10	13	22	28	52
A. NOT OPERATED	70	7.0	67	2	2	5	8	12	20	54
B. OPERATED	459	11.9	63	5	6	10	13	20	27	43
TOTAL 65-69 YRS	182	10.1	37	3	5	9	12	17	23	36
70-74	137	11.1	69	4	6	9	12	17	26	61
75-79	97	11.5	62	4	5	10	13	18	26	48
80-84	59	13.3	139	4	6	10	15	23	30	79
85+	54	12.5	83	2	3	10	17	25	31	44
GRAND TOTAL	**529**	**11.2**	**66**	**3**	**5**	**9**	**12**	**20**	**26**	**43**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	5.0	6	2	2	5	6	9	10	10
70-74	10	7.5	16	3	3	7	9	14	14	14
75-79	12	7.3	52	3	3	5	6	17	27	29
80-84	1	31.0		31	31	31	31	31	31	31
85+	6	3.7	7	1	1	3	8	82	99+	99+
B. *Operated*										
65-69 YRS	33	10.2	34	1	2	8	13	18	26	36
70-74	11	9.3	171	1	2	4	9	29	45	46
75-79	12	13.8	94	1	2	14	19	28	32	33
80-84	5	17.4	225	3	3	17	25	41	41	41
85+	9	5.8	5	2	2	7	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	38	10.1	49	4	4	8	12	18	28	35
70-74	17	12.0	62	4	5	10	14	21	31	36
75-79	14	9.6	45	5	5	7	9	23	25	26
80-84	8	10.9	32	4	4	10	16	18	18	18
85+	13	11.6	257	2	3	7	13	25	56	63
B. *Operated*										
65-69 YRS	114	12.5	79	2	3	10	16	23	32	46
70-74	66	15.7	158	4	6	12	19	29	42	67
75-79	43	22.5	323	4	6	15	30	44	59	94
80-84	14	18.5	124	3	3	18	28	33	36	37
85+	32	18.1	532	4	5	11	14	46	91	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	6.9	40	2	3	5	8	14	30	99+
B. *Operated*	70	10.6	87	1	2	8	15	22	33	45
2. MULTIPLE DX										
A. *Not Operated*	90	10.6	76	4	4	8	12	19	26	52
B. *Operated*	269	15.8	203	3	4	11	20	32	43	89
1. SINGLE DX	108	9.3	73	2	3	7	11	20	31	68
2. MULTIPLE DX	359	14.5	176	3	4	11	17	30	37	67
A. NOT OPERATED	128	9.5	68	3	3	7	11	19	29	71
B. OPERATED	339	14.8	183	2	3	11	18	31	40	70
TOTAL 65-69 YRS	194	11.3	68	2	3	9	14	22	30	40
70-74	104	13.6	136	3	4	10	16	26	38	65
75-79	81	16.7	238	3	4	13	23	34	44	86
80-84	28	16.6	121	3	4	16	22	32	37	41
85+	60	13.4	364	2	3	7	13	36	77	99+
GRAND TOTAL	**467**	**13.3**	**157**	**3**	**3**	**10**	**16**	**28**	**36**	**67**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	14	5.4	10	1	2	5	9	9	9	9
70-74	9	7.0	67	1	1	6	9	20	27	27
75-79	2	10.0	18	7	7	10	13	13	13	13
80-84	2	4.0		4	4	4	4	4	4	4
85+	6	3.7	7	1	1	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74										
75-79										
80-84	1	9.0		9	9	9	9	9	9	9
85+										
B. *Operated*										
65-69 YRS	83	8.7	16	2	5	8	10	14	16	24
70-74	40	9.0	19	3	4	8	11	16	18	19
75-79	30	10.9	41	2	5	9	12	18	26	33
80-84	8	10.9	76	1	3	8	14	26	28	28
85+	15	8.7	23	2	2	8	12	17	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	33	5.7	25	1	1	5	8	9	12	27
2. MULTIPLE DX										
A. *Not Operated*	2	8.0	2	7	7	8	9	9	9	9
B. *Operated*	176	9.3	24	2	4	8	11	15	19	27
1. SINGLE DX	33	5.7	25	1	1	5	8	9	12	27
2. MULTIPLE DX	178	9.2	24	2	4	8	11	15	19	27
A. NOT OPERATED	2	8.0	2	7	7	8	9	9	9	9
B. OPERATED	209	8.7	26	2	2	8	10	15	18	27
TOTAL 65-69 YRS	98	8.2	16	2	3	8	10	13	15	24
70-74	49	8.6	27	2	2	8	11	16	19	27
75-79	32	10.8	39	2	5	9	12	17	25	33
80-84	11	9.5	60	1	3	8	9	23	28	28
85+	21	7.3	24	1	1	7	10	15	17	18
GRAND TOTAL	**211**	**8.7**	**26**	**2**	**2**	**8**	**10**	**15**	**18**	**27**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	67	2.5	3	1	1	2	3	4	6	11
70-74	35	2.5	2	<1	1	2	3	4	4	9
75-79	26	3.8	12	2	2	3	3	7	10	19
80-84	10	3.5	3	2	2	3	4	6	7	7
85+	6	6.0	10	2	2	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	3.6	3	<1	<1	4	5	5	5	5
70-74	6	5.7	17	2	2	4	9	12	12	12
75-79	4	6.3	5	4	4	6	8	9	9	9
80-84	3	10.7	96	5	5	5	18	22	22	22
85+	3	7.0	31	2	2	6	11	13	13	13
B. *Operated*										
65-69 YRS	207	5.3	39	1	2	3	7	10	12	49
70-74	126	6.2	46	2	2	4	8	11	17	36
75-79	79	6.2	23	1	2	4	9	13	17	21
80-84	36	7.3	44	2	2	4	11	18	22	25
85+	21	10.2	395	2	2	6	8	14	54	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*	144	3.0	5	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	23	6.0	22	1	2	5	7	12	16	22
B. *Operated*	469	6.1	54	1	2	4	8	11	17	34
1. SINGLE DX	145	3.0	5	1	1	2	3	6	7	12
2. MULTIPLE DX	492	6.1	53	1	2	4	8	11	17	32
A. NOT OPERATED	24	6.0	21	1	2	5	7	12	16	22
B. OPERATED	613	5.3	45	1	2	3	7	10	14	28
TOTAL 65-69 YRS	281	4.6	31	1	1	3	6	9	12	33
70-74	167	5.4	37	1	2	3	7	10	14	27
75-79	109	5.7	20	2	2	4	8	10	17	20
80-84	49	6.7	40	2	2	3	9	17	22	25
85+	31	8.9	271	2	2	6	8	11	21	95
GRAND TOTAL	**637**	**5.4**	**44**	**1**	**2**	**3**	**7**	**10**	**14**	**28**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	3.5	5	<1	<1	3	4	7	8	8
70-74	11	5.0	21	1	1	4	6	13	15	15
75-79	9	5.6	14	1	1	5	7	11	13	13
80-84	5	8.2	23	3	3	7	12	15	15	15
85+	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
65-69 YRS	69	2.7	3	1	1	2	3	5	6	12
70-74	44	3.5	4	2	2	3	5	6	8	10
75-79	26	3.3	4	<1	1	3	5	6	7	9
80-84	13	3.8	2	1	2	4	5	6	6	6
85+	8	9.3	86	2	2	6	12	25	29	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	43	6.5	22	1	2	6	8	10	17	26
70-74	44	7.6	18	2	3	6	11	13	17	18
75-79	40	7.5	17	3	3	7	9	11	17	21
80-84	38	8.9	26	2	3	8	12	17	19	22
85+	43	8.0	17	2	3	8	10	13	14	22
B. *Operated*										
65-69 YRS	109	6.4	58	1	2	4	8	14	19	42
70-74	83	8.8	92	2	2	5	10	22	29	50
75-79	53	7.4	45	2	2	5	10	16	18	34
80-84	43	7.2	33	1	2	6	8	17	21	22
85+	29	10.8	101	2	2	8	13	26	31	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	5.0	15	1	1	4	7	12	14	15
B. *Operated*	160	3.5	9	1	1	3	4	6	8	17
2. MULTIPLE DX										
A. *Not Operated*	208	7.7	20	2	3	7	10	13	17	22
B. *Operated*	317	7.7	66	1	2	5	10	17	22	44
1. SINGLE DX	198	3.8	10	1	1	3	5	7	9	16
2. MULTIPLE DX	525	7.7	48	2	2	6	10	15	20	35
A. NOT OPERATED	246	7.2	20	2	2	7	9	13	16	22
B. OPERATED	477	6.3	51	1	2	4	8	13	20	36
TOTAL 65-69 YRS	231	5.2	35	1	1	3	6	10	15	26
70-74	182	7.0	53	2	2	5	8	14	21	42
75-79	128	6.4	28	2	2	5	9	12	16	30
80-84	99	7.5	28	2	2	6	10	15	20	22
85+	83	8.9	53	2	2	7	11	17	25	39
GRAND TOTAL	**723**	**6.6**	**41**	**1**	**2**	**5**	**8**	**13**	**18**	**31**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	27	5.4	10	<1	1	6	8	9	11	12
70-74	22	4.0	11	<1	1	3	6	9	11	12
75-79	25	5.0	9	1	1	5	8	9	9	10
80-84	9	7.3	12	2	3	7	9	12	14	14
85+	3	3.7	2	2	2	4	5	5	5	5
B. *Operated*										
65-69 YRS	1365	8.3	10	4	5	8	10	12	14	19
70-74	1017	8.5	11	4	5	8	10	12	14	19
75-79	617	8.7	11	4	5	8	10	13	15	20
80-84	227	9.2	28	4	5	8	10	14	18	26
85+	105	8.7	15	3	4	8	11	13	16	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	150	5.4	30	1	1	4	7	11	14	30
70-74	123	6.2	36	1	1	5	8	12	19	29
75-79	107	5.9	26	1	2	5	8	11	14	29
80-84	76	6.8	38	2	3	5	8	12	16	39
85+	66	8.0	41	2	2	6	11	16	21	89
B. *Operated*										
65-69 YRS	3370	9.7	20	5	6	9	11	15	18	27
70-74	2561	10.0	25	5	6	9	12	15	19	30
75-79	1606	10.7	28	5	6	9	13	17	20	30
80-84	621	11.0	34	5	6	10	13	17	21	33
85+	238	11.8	42	4	6	10	14	19	23	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	5.0	10	1	1	5	8	9	10	13
B. *Operated*	3331	8.5	12	4	5	8	10	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	522	6.2	34	1	1	5	8	12	16	34
B. *Operated*	8396	10.1	25	5	6	9	12	16	19	30
1. SINGLE DX	3417	8.4	12	4	5	8	10	12	14	20
2. MULTIPLE DX	8918	9.9	26	4	5	9	12	15	19	30
A. NOT OPERATED	608	6.1	30	1	1	5	8	12	15	33
B. OPERATED	11727	9.7	22	5	6	9	11	15	18	28
TOTAL 65-69 YRS	4912	9.1	19	4	5	8	11	14	17	25
70-74	3723	9.4	22	4	5	9	11	14	17	28
75-79	2355	9.9	25	4	5	9	12	16	19	29
80-84	933	10.1	34	4	5	9	12	16	20	33
85+	412	10.3	38	3	4	9	13	18	22	35
GRAND TOTAL	**12335**	**9.5**	**23**	**4**	**5**	**9**	**11**	**15**	**18**	**28**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	2.2	2	<1	<1	2	3	4	5	6
70-74	12	2.3	1	1	1	2	3	4	4	4
75-79	11	3.4	4	1	1	2	5	6	6	6
80-84	4	2.8	2	1	1	3	4	4	4	4
85+	7	6.0	34	1	1	5	7	16	18	18
B. *Operated*										
65-69 YRS	662	2.3	5	<1	1	2	2	3	4	11
70-74	439	2.4	3	1	1	2	2	4	5	10
75-79	199	2.6	6	1	1	2	3	4	6	12
80-84	81	2.8	3	1	2	2	3	5	6	10
85+	44	3.5	13	1	2	3	4	5	9	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	76	4.7	18	<1	1	4	6	10	12	22
70-74	62	4.8	20	<1	1	3	8	11	13	20
75-79	46	6.1	36	1	2	5	8	11	15	38
80-84	36	6.0	30	1	1	5	7	12	20	24
85+	42	7.2	37	1	2	5	9	16	17	33
B. *Operated*										
65-69 YRS	1292	4.1	31	1	1	2	4	9	11	21
70-74	836	4.4	22	1	2	3	5	10	14	23
75-79	484	5.0	42	1	2	3	5	10	15	29
80-84	236	5.1	22	1	2	3	7	12	15	22
85+	120	5.2	16	2	2	4	7	11	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	2.9	7	1	1	2	4	6	6	17
B. *Operated*	1425	2.4	5	<1	1	2	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	262	5.5	27	1	1	4	7	11	16	24
B. *Operated*	2968	4.4	29	1	1	3	5	10	13	23
1. SINGLE DX	1482	2.4	5	<1	1	2	2	4	5	11
2. MULTIPLE DX	3230	4.5	29	1	1	3	5	10	13	23
A. NOT OPERATED	319	5.1	24	1	1	4	7	10	15	23
B. OPERATED	4393	3.8	22	1	1	2	4	8	11	21
TOTAL 65-69 YRS	2053	3.5	23	1	1	2	3	7	10	19
70-74	1349	3.7	17	1	1	2	4	8	12	21
75-79	740	4.4	33	1	1	3	5	9	13	26
80-84	357	4.6	19	1	2	3	5	10	14	22
85+	213	5.3	21	2	2	4	7	11	16	23
GRAND TOTAL	**4712**	**3.9**	**22**	**1**	**1**	**2**	**4**	**8**	**12**	**21**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	2.9	2	1	1	2	4	5	6	7
70-74	12	3.6	13	1	1	2	3	11	12	12
75-79	17	3.5	9	1	1	2	4	8	11	12
80-84	11	3.0	4	1	1	2	4	6	8	8
85+	11	3.6	6	1	1	3	5	7	9	9
B. *Operated*										
65-69 YRS	664	3.4	12	1	1	2	3	7	10	19
70-74	371	3.8	17	1	1	2	4	7	10	21
75-79	200	3.8	11	1	2	3	4	8	10	18
80-84	71	3.7	10	1	1	3	4	8	12	15
85+	54	4.2	16	<1	1	2	6	9	10	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	79	6.1	40	1	1	4	7	14	19	35
70-74	58	7.5	37	2	2	6	9	15	25	94
75-79	67	7.8	36	2	3	6	10	15	22	29
80-84	60	8.6	80	1	2	6	10	18	35	95
85+	61	8.4	41	2	2	6	10	17	23	32
B. *Operated*										
65-69 YRS	1371	6.2	49	1	2	4	8	13	17	35
70-74	792	7.5	78	1	2	5	9	15	22	46
75-79	543	7.8	83	1	2	4	10	17	23	48
80-84	241	8.5	79	2	2	6	11	20	26	39
85+	145	8.7	74	2	2	7	11	17	28	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	3.3	6	1	1	2	4	7	9	12
B. *Operated*	1360	3.6	13	1	1	2	4	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	325	7.6	47	1	2	6	9	15	24	41
B. *Operated*	3092	7.1	66	1	2	4	9	15	20	42
1. SINGLE DX	1429	3.6	13	1	1	2	4	7	10	20
2. MULTIPLE DX	3417	7.2	64	1	2	5	9	15	21	42
A. NOT OPERATED	394	6.8	42	1	2	5	9	15	21	38
B. OPERATED	4452	6.0	53	1	2	3	8	13	18	36
TOTAL 65-69 YRS	2132	5.3	38	1	1	3	7	11	16	29
70-74	1233	6.4	60	1	2	4	8	14	20	42
75-79	827	6.7	63	1	2	4	8	16	20	43
80-84	383	7.5	68	1	2	5	10	17	25	42
85+	271	7.5	56	1	2	5	9	16	23	42
GRAND TOTAL	**4846**	**6.1**	**52**	**1**	**2**	**3**	**8**	**13**	**18**	**37**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	5.7	33	<1	<1	3	9	16	17	17
70-74	11	3.0	4	<1	1	2	5	6	6	6
75-79	9	3.8	9	<1	<1	3	5	9	10	10
80-84	6	5.7	17	1	1	5	10	11	11	11
85+	4	3.5	6	1	1	3	5	6	6	6
B. *Operated*										
65-69 YRS	318	9.4	16	3	5	9	11	15	17	23
70-74	216	10.0	31	2	3	9	12	15	19	33
75-79	98	9.4	35	1	2	9	11	15	21	34
80-84	39	10.1	51	2	2	10	12	16	20	42
85+	16	9.8	62	<1	1	9	13	21	28	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	46	7.3	43	1	2	5	9	19	23	26
70-74	39	6.4	37	1	1	5	8	11	19	32
75-79	32	8.0	19	2	3	8	10	15	18	18
80-84	18	16.2	468	3	3	8	12	54	72	80
85+	12	7.3	21	2	3	6	9	13	18	19
B. *Operated*										
65-69 YRS	601	10.4	31	3	5	9	13	17	21	30
70-74	378	11.6	41	3	5	10	14	20	24	33
75-79	207	11.9	62	3	4	11	14	20	25	56
80-84	91	12.5	80	2	3	10	17	21	29	48
85+	37	11.6	68	1	2	10	15	22	31	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	4.4	15	<1	1	3	6	10	13	17
B. *Operated*	687	9.7	26	2	3	9	12	15	18	31
2. MULTIPLE DX										
A. *Not Operated*	147	8.3	92	1	2	6	9	17	22	62
B. *Operated*	1314	11.2	44	3	5	10	14	19	23	34
1. SINGLE DX	729	9.3	27	2	3	9	11	15	18	30
2. MULTIPLE DX	1461	10.9	49	2	4	10	13	19	23	35
A. NOT OPERATED	189	7.4	78	1	1	5	9	15	19	52
B. OPERATED	2001	10.6	38	2	4	10	13	17	22	33
TOTAL 65-69 YRS	977	9.9	27	2	4	9	12	16	20	28
70-74	644	10.6	40	2	3	10	13	18	22	33
75-79	346	10.6	52	2	3	10	13	18	24	36
80-84	154	12.1	117	2	3	10	15	21	29	61
85+	69	10.0	59	1	2	9	13	20	30	35
GRAND TOTAL	**2190**	**10.4**	**42**	**2**	**3**	**9**	**13**	**17**	**22**	**34**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	407	7.2	32	2	3	6	9	13	16	30
70-74	350	7.7	29	2	3	7	10	13	16	30
75-79	269	8.1	24	2	3	7	10	15	19	26
80-84	198	8.2	28	3	3	7	10	15	20	28
85+	191	7.9	20	3	3	7	10	13	16	24
B. *Operated*										
65-69 YRS	187	8.9	53	1	2	7	11	17	23	33
70-74	140	8.9	47	2	2	7	11	19	22	32
75-79	136	10.2	125	2	3	7	11	21	24	63
80-84	56	9.6	97	2	3	7	11	18	21	63
85+	59	11.0	42	2	4	10	14	20	24	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1703	9.9	47	3	4	8	12	18	23	37
70-74	1639	10.5	60	3	4	8	13	20	25	45
75-79	1480	11.3	68	3	4	9	14	21	27	45
80-84	1256	11.6	72	3	4	9	14	21	28	45
85+	1275	12.0	81	3	4	10	15	21	27	48
B. *Operated*										
65-69 YRS	746	15.9	173	3	5	12	20	32	43	88
70-74	674	18.4	215	4	5	14	25	39	50	87
75-79	510	18.4	221	4	5	14	24	38	55	99+
80-84	404	18.3	206	4	6	14	24	37	49	99
85+	311	18.7	214	4	5	15	23	40	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1415	7.7	28	2	3	7	10	14	17	27
B. *Operated*	578	9.5	72	2	2	7	12	19	23	41
2. MULTIPLE DX										
A. *Not Operated*	7353	10.9	65	3	4	9	14	20	26	44
B. *Operated*	2645	17.7	203	4	5	14	23	37	51	94
1. SINGLE DX	1993	8.2	41	2	3	7	10	15	20	30
2. MULTIPLE DX	9998	12.7	111	3	4	10	15	25	33	62
A. NOT OPERATED	8768	10.4	60	3	4	8	13	19	25	42
B. OPERATED	3223	16.2	190	3	4	12	21	34	45	89
TOTAL 65-69 YRS	3043	10.9	85	3	4	8	14	21	28	54
70-74	2803	11.9	107	3	4	9	14	24	33	58
75-79	2395	12.4	110	3	4	10	15	24	32	63
80-84	1914	12.6	106	3	4	10	15	24	33	65
85+	1836	12.7	105	3	4	10	16	23	31	62
GRAND TOTAL	**11991**	**12.0**	**102**	**3**	**4**	**9**	**15**	**23**	**31**	**59**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	56	7.4	27	1	2	6	9	16	20	24
70-74	50	7.3	34	3	3	5	9	13	16	38
75-79	34	7.5	41	2	3	6	10	14	17	36
80-84	26	8.6	101	2	4	6	8	11	38	47
85+	32	8.0	24	2	3	7	10	14	19	21
B. *Operated*										
65-69 YRS	119	6.7	42	<1	1	5	9	14	18	35
70-74	86	7.7	62	1	1	5	10	20	27	35
75-79	61	7.3	83	1	2	4	8	17	26	51
80-84	33	6.9	21	2	2	6	9	12	18	21
85+	28	8.5	41	2	2	6	12	17	21	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	304	9.8	60	3	3	7	12	19	24	47
70-74	275	11.5	123	3	4	8	13	21	30	56
75-79	262	11.0	93	3	4	8	13	21	27	79
80-84	207	11.1	51	3	4	9	15	21	26	99+
85+	191	11.7	93	3	4	9	15	22	27	51
B. *Operated*										
65-69 YRS	322	13.6	167	2	3	10	17	30	38	63
70-74	265	16.0	211	3	4	11	22	36	49	87
75-79	209	16.0	218	2	3	11	22	34	51	78
80-84	155	15.9	197	2	3	11	22	31	41	74
85+	101	16.0	169	3	4	12	21	33	38	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	7.6	40	2	3	6	9	14	19	37
B. *Operated*	327	7.3	52	1	2	5	9	15	21	37
2. MULTIPLE DX										
A. *Not Operated*	1239	10.9	85	3	4	8	13	21	27	60
B. *Operated*	1052	15.3	193	2	3	11	21	32	44	75
1. SINGLE DX	525	7.4	48	1	2	5	9	15	20	37
2. MULTIPLE DX	2291	12.9	139	3	4	9	16	26	36	73
A. NOT OPERATED	1437	10.5	80	3	3	8	13	21	26	57
B. OPERATED	1379	13.4	171	2	3	9	17	30	39	71
TOTAL 65-69 YRS	801	10.7	105	2	3	8	13	22	30	53
70-74	676	12.5	153	2	3	8	15	28	38	71
75-79	566	12.2	144	2	3	8	15	26	37	73
80-84	421	12.4	113	3	3	9	16	24	32	77
85+	352	12.3	111	3	3	10	15	24	33	57
GRAND TOTAL	**2816**	**11.9**	**127**	**2**	**3**	**8**	**15**	**25**	**34**	**68**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	26	5.1	17	1	2	4	6	12	15	17
70-74	10	4.9	21	1	1	4	6	12	16	16
75-79	11	4.5	4	2	2	4	6	8	8	8
80-84	5	4.0	1	3	3	4	4	5	5	5
85+	11	4.4	4	2	2	4	6	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	6.3	1	5	5	7	7	7	7	7
70-74	3	14.0	97	6	6	11	21	25	25	25
75-79	3	2.7		2	2	3	3	3	3	3
80-84										
85+										
B. *Operated*										
65-69 YRS	23	7.3	25	2	2	6	10	16	17	18
70-74	21	11.2	114	2	2	7	15	25	36	45
75-79	7	11.3	64	2	2	10	16	23	25	25
80-84	7	12.9	32	7	7	12	17	21	22	22
85+	8	13.9	231	<1	1	11	15	39	49	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	63	4.7	11	1	2	4	6	8	14	17
2. MULTIPLE DX										
A. *Not Operated*	9	7.7	50	2	2	6	8	19	25	25
B. *Operated*	66	10.3	83	2	3	7	14	20	26	48
1. SINGLE DX	63	4.7	11	1	2	4	6	8	14	17
2. MULTIPLE DX	75	10.0	79	2	3	7	14	20	25	48
A. NOT OPERATED	9	7.7	50	2	2	6	8	19	25	25
B. OPERATED	129	7.6	56	1	2	5	9	17	20	46
TOTAL 65-69 YRS	52	6.1	20	1	2	5	7	15	17	18
70-74	34	9.6	91	1	2	6	14	22	28	45
75-79	21	6.5	34	2	2	4	8	15	20	25
80-84	12	9.2	39	3	3	7	12	20	22	22
85+	19	8.4	115	1	2	4	10	15	35	49
GRAND TOTAL	**138**	**7.6**	**55**	**1**	**2**	**5**	**9**	**17**	**21**	**45**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	6	2.0	2	1	1	2	2	5	5	5
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84										
85+										
B. *Operated*										
65-69 YRS	199	2.6	8	<1	<1	2	3	5	8	16
70-74	115	2.3	4	<1	<1	2	3	4	5	11
75-79	72	2.7	19	<1	<1	2	3	4	6	31
80-84	28	4.1	51	<1	<1	2	3	6	25	33
85+	20	3.7	13	<1	<1	2	4	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	5.3	8	<1	1	5	7	9	10	10
70-74	6	4.0	16	<1	<1	2	6	10	11	11
75-79	6	4.7	15	1	1	4	5	11	12	12
80-84	5	7.4	28	1	1	8	10	15	15	15
85+	3	5.3	10	3	3	4	8	9	9	9
B. *Operated*										
65-69 YRS	169	4.5	15	1	2	3	5	10	14	22
70-74	108	5.2	30	1	2	3	6	12	16	30
75-79	80	5.6	31	1	1	4	7	12	17	31
80-84	47	5.7	20	1	1	4	8	12	14	20
85+	23	6.7	42	1	2	6	8	16	21	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.9	2	1	1	2	2	4	5	5
B. *Operated*	434	2.7	12	<1	<1	2	3	5	7	17
2. MULTIPLE DX										
A. *Not Operated*	32	5.3	13	<1	1	4	8	10	12	15
B. *Operated*	427	5.1	24	1	2	3	6	11	15	25
1. SINGLE DX	442	2.7	11	<1	<1	2	3	5	7	17
2. MULTIPLE DX	459	5.1	23	1	1	3	6	11	15	24
A. NOT OPERATED	40	4.6	13	<1	1	4	7	10	11	15
B. OPERATED	861	3.9	19	<1	<1	2	4	8	13	23
TOTAL 65-69 YRS	380	3.6	12	<1	<1	2	4	8	11	17
70-74	235	3.6	18	<1	<1	2	4	8	12	24
75-79	160	4.2	27	<1	<1	2	5	9	13	34
80-84	80	5.2	31	<1	1	3	7	12	15	30
85+	46	5.3	29	<1	1	3	7	11	16	29
GRAND TOTAL	**901**	**3.9**	**19**	**<1**	**<1**	**2**	**4**	**9**	**12**	**23**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	287	8.0	48	1	2	6	10	17	22	35
70-74	219	10.5	130	2	2	8	12	20	32	62
75-79	216	10.9	95	2	3	8	14	22	28	57
80-84	186	10.9	143	2	2	8	13	22	30	79
85+	213	11.7	124	2	3	9	14	25	35	88
B. *Operated*										
65-69 YRS	920	6.8	88	1	1	3	7	18	27	46
70-74	643	9.2	149	1	1	4	12	25	35	93
75-79	471	10.7	195	1	1	5	14	27	36	75
80-84	274	14.2	212	1	1	9	23	36	42	68
85+	241	14.6	245	1	2	9	21	37	48	88
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1472	11.7	108	2	3	9	15	23	31	64
70-74	1461	12.6	130	3	3	9	15	27	36	71
75-79	1522	13.8	133	3	4	10	17	28	36	70
80-84	1319	14.6	148	3	4	11	19	30	42	99+
85+	1300	14.5	152	3	4	11	19	29	38	87
B. *Operated*										
65-69 YRS	1812	14.3	261	1	2	8	20	38	52	99+
70-74	1572	18.2	353	2	2	12	27	46	65	97
75-79	1260	19.9	328	2	3	15	30	49	65	99+
80-84	874	21.8	360	2	3	17	31	53	69	99+
85+	802	23.1	335	2	4	19	33	53	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1121	10.2	105	2	2	7	12	21	29	58
B. *Operated*	2549	9.7	159	1	1	4	13	26	36	66
2. MULTIPLE DX										
A. *Not Operated*	7074	13.4	135	3	4	10	17	27	37	74
B. *Operated*	6320	18.5	330	2	2	13	27	46	63	99+
1. SINGLE DX	3670	9.8	142	1	1	5	13	25	34	63
2. MULTIPLE DX	13394	15.8	233	2	3	11	21	37	52	99+
A. NOT OPERATED	8195	13.0	132	3	4	10	16	27	36	72
B. OPERATED	8869	16.0	297	1	2	10	23	41	57	99+
TOTAL 65-69 YRS	4491	11.5	170	1	2	7	15	28	41	77
70-74	3895	14.2	235	2	2	9	18	34	50	90
75-79	3469	15.4	222	2	3	11	20	36	49	99
80-84	2653	16.7	238	2	3	12	22	38	55	99+
85+	2556	17.0	234	2	4	13	22	38	52	99+
GRAND TOTAL	**17064**	**14.5**	**220**	**2**	**2**	**10**	**19**	**34**	**48**	**94**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	11.3	197	2	3	8	12	20	29	97
70-74	32	8.0	18	3	3	9	11	12	17	20
75-79	15	9.5	49	1	2	8	14	16	24	27
80-84	4	9.3	72	5	5	5	14	22	22	22
85+	3	9.7	4	8	8	9	11	12	12	12
B. *Operated*										
65-69 YRS	35	13.0	124	2	4	9	20	22	28	61
70-74	23	11.8	73	3	4	9	18	24	30	33
75-79	14	17.0	146	1	2	14	22	40	42	42
80-84	5	11.6	18	4	4	13	14	14	14	14
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	243	10.8	67	2	3	9	14	21	25	44
70-74	208	12.5	81	3	3	10	17	27	31	45
75-79	118	12.7	102	3	3	10	15	25	37	47
80-84	62	13.4	104	3	4	9	17	29	36	48
85+	25	14.2	186	3	5	9	16	30	44	66
B. *Operated*										
65-69 YRS	162	17.9	198	3	4	14	24	37	43	65
70-74	142	18.3	163	5	6	16	23	33	48	73
75-79	66	21.4	243	4	6	16	31	44	61	96
80-84	28	22.4	247	3	4	17	33	43	55	63
85+	9	13.1	139	4	4	9	16	32	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	9.9	110	2	3	8	12	17	22	63
B. *Operated*	78	13.3	105	2	4	10	20	23	32	56
2. MULTIPLE DX										
A. *Not Operated*	656	12.1	86	3	3	9	16	25	32	46
B. *Operated*	407	18.8	197	4	5	15	25	37	50	73
1. SINGLE DX	182	11.3	110	2	3	9	14	22	28	55
2. MULTIPLE DX	1063	14.7	139	3	4	11	19	31	38	63
A. NOT OPERATED	760	11.8	90	3	3	9	15	23	31	46
B. OPERATED	485	17.9	186	3	5	14	23	36	44	70
TOTAL 65-69 YRS	490	13.4	137	3	3	10	17	27	36	60
70-74	405	14.1	115	3	4	11	20	28	34	68
75-79	213	15.5	161	3	4	12	20	36	44	67
80-84	99	15.7	154	3	4	12	22	36	40	59
85+	38	13.5	152	4	4	9	16	28	39	66
GRAND TOTAL	**1245**	**14.2**	**136**	**3**	**4**	**11**	**19**	**29**	**37**	**62**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	341	9.7	50	3	4	8	12	18	22	42
70-74	267	10.4	52	2	4	9	14	21	24	45
75-79	169	10.9	70	3	4	8	14	21	28	42
80-84	69	9.8	35	3	4	9	13	18	22	32
85+	41	9.8	25	3	4	9	13	16	20	22
B. *Operated*										
65-69 YRS	513	14.0	110	2	3	12	18	27	33	50
70-74	292	13.9	102	3	3	12	18	26	33	47
75-79	119	16.5	118	3	5	16	22	28	37	56
80-84	33	19.7	195	4	8	15	25	39	58	61
85+	8	18.1	773	2	2	7	18	65	85	85
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1296	11.2	68	3	4	9	14	21	26	47
70-74	1108	11.7	69	3	4	10	15	22	28	42
75-79	829	12.4	105	3	4	10	15	23	32	67
80-84	470	11.7	72	3	4	10	14	22	30	54
85+	231	11.4	62	3	4	9	14	21	30	44
B. *Operated*										
65-69 YRS	841	16.8	170	3	4	15	22	32	43	72
70-74	613	18.1	208	3	5	15	23	36	48	98
75-79	332	20.1	241	3	5	17	26	43	61	99+
80-84	104	20.6	209	6	7	17	25	41	51	70
85+	44	16.9	141	4	5	12	25	32	42	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	887	10.1	52	3	4	8	13	19	24	42
B. *Operated*	965	14.5	118	3	3	13	19	27	34	52
2. MULTIPLE DX										
A. *Not Operated*	3934	11.7	76	3	4	10	15	22	28	50
B. *Operated*	1934	18.0	197	3	4	15	23	35	48	90
1. SINGLE DX	1852	12.4	91	3	3	10	16	24	31	47
2. MULTIPLE DX	5868	13.8	125	3	4	11	18	27	35	68
A. NOT OPERATED	4821	11.4	72	3	4	9	14	21	28	48
B. OPERATED	2899	16.8	173	3	4	15	22	32	44	79
TOTAL 65-69 YRS	2991	13.1	109	3	4	10	17	26	32	59
70-74	2280	13.5	117	3	4	11	18	26	34	67
75-79	1449	14.3	145	3	4	11	18	28	38	78
80-84	676	13.3	108	3	4	11	16	26	34	63
85+	324	12.1	88	3	4	10	15	24	31	50
GRAND TOTAL	**7720**	**13.4**	**117**	**3**	**4**	**11**	**17**	**26**	**34**	**63**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	293	6.9	32	1	2	5	9	16	18	26
70-74	322	7.6	32	2	2	6	10	15	18	29
75-79	351	7.5	30	2	2	6	10	15	19	24
80-84	243	8.0	33	2	2	7	11	15	17	28
85+	210	7.0	29	1	2	6	10	13	16	28
B. *Operated*										
65-69 YRS	2613	15.0	49	4	7	15	18	23	27	39
70-74	2375	16.3	51	5	8	16	20	25	30	40
75-79	1636	17.9	60	8	10	17	21	27	32	43
80-84	684	18.7	68	8	11	17	22	27	33	45
85+	246	19.5	72	9	10	18	24	31	36	45
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1705	8.4	37	2	3	7	10	16	20	31
70-74	2028	8.9	48	2	3	7	11	16	21	35
75-79	2315	9.6	56	2	3	8	12	17	23	43
80-84	1842	9.8	55	2	3	8	12	18	24	39
85+	1671	10.2	70	2	3	8	13	19	23	45
B. *Operated*										
65-69 YRS	2588	17.1	102	4	6	16	21	28	35	55
70-74	2699	18.9	110	5	8	17	23	31	39	59
75-79	2111	20.5	124	7	9	18	25	34	42	62
80-84	950	21.8	158	7	10	19	26	37	48	77
85+	414	21.8	161	6	9	20	27	37	53	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1419	7.4	31	1	2	6	10	15	18	27
B. *Operated*	7554	16.5	57	5	8	16	20	25	30	41
2. MULTIPLE DX										
A. *Not Operated*	9565	9.4	54	2	3	8	12	17	22	39
B. *Operated*	8762	19.2	121	5	8	17	24	32	40	62
1. SINGLE DX	8973	15.1	64	3	5	15	19	24	29	40
2. MULTIPLE DX	18327	14.1	110	3	4	12	19	26	33	56
A. NOT OPERATED	10984	9.1	51	2	3	7	12	17	22	38
B. OPERATED	16316	18.0	93	5	8	17	22	29	36	55
TOTAL 65-69 YRS	7203	13.9	78	3	4	13	18	24	29	45
70-74	7424	14.9	90	3	4	14	19	26	32	48
75-79	6413	15.2	104	3	4	14	20	27	34	52
80-84	3719	14.4	113	3	4	12	19	27	34	56
85+	2541	12.7	107	3	3	10	17	25	32	60
GRAND TOTAL	**27300**	**14.4**	**95**	**3**	**4**	**13**	**19**	**26**	**32**	**50**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	108	7.1	28	1	2	6	10	13	17	26
70-74	113	7.4	42	2	2	6	9	14	21	38
75-79	95	8.2	65	1	3	7	11	14	17	52
80-84	79	8.6	56	2	2	6	10	19	23	39
85+	66	9.8	183	2	3	6	9	19	32	78
B. *Operated*										
65-69 YRS	215	12.1	77	2	3	11	17	21	27	46
70-74	180	14.8	83	3	4	14	19	23	26	53
75-79	106	15.4	65	3	4	16	20	25	28	67
80-84	38	17.2	87	2	4	16	22	29	36	43
85+	23	17.0	95	2	3	16	25	28	33	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	519	9.6	79	2	3	7	12	18	26	43
70-74	578	9.3	55	2	3	7	12	18	25	38
75-79	506	9.8	77	3	3	7	12	18	24	59
80-84	411	9.8	59	2	3	7	12	20	28	46
85+	344	10.3	68	3	3	8	13	19	26	55
B. *Operated*										
65-69 YRS	286	18.1	252	3	4	15	23	38	53	93
70-74	229	18.9	203	3	4	16	26	37	50	72
75-79	202	21.3	254	5	7	17	27	42	55	93
80-84	107	22.8	258	6	7	20	30	45	60	99+
85+	60	25.0	314	4	7	20	31	54	63	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	461	8.0	66	1	2	6	10	15	20	43
B. *Operated*	562	14.2	81	2	3	14	19	24	28	51
2. MULTIPLE DX										
A. *Not Operated*	2358	9.7	67	2	3	7	12	19	26	47
B. *Operated*	884	20.1	248	3	5	16	26	42	56	93
1. SINGLE DX	1023	11.4	83	2	3	9	16	21	26	46
2. MULTIPLE DX	3242	12.5	138	3	3	9	16	26	36	70
A. NOT OPERATED	2819	9.4	67	2	3	7	12	18	25	46
B. OPERATED	1446	17.8	191	3	4	15	22	35	49	82
TOTAL 65-69 YRS	1128	12.0	132	2	3	9	15	23	32	62
70-74	1100	12.0	106	2	3	9	16	24	31	54
75-79	909	12.8	137	3	3	9	16	25	37	71
80-84	635	12.3	119	2	3	9	16	26	35	80
85+	493	12.3	137	3	3	8	15	26	36	71
GRAND TOTAL	**4265**	**12.3**	**125**	**2**	**3**	**9**	**16**	**25**	**34**	**64**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	4.2	12	1	1	3	6	8	12	15
70-74	13	9.2	33	1	2	8	13	18	18	18
75-79	13	5.7	14	1	1	5	8	10	12	13
80-84	2	7.0	2	6	6	7	8	8	8	8
85+	3	16.0	111	5	5	17	24	26	26	26
B. *Operated*										
65-69 YRS	243	5.9	16	2	2	5	7	9	11	23
70-74	137	6.5	14	2	3	6	8	11	14	21
75-79	44	6.8	23	2	2	6	8	13	14	28
80-84	22	8.3	23	2	3	8	11	14	18	22
85+	20	6.0	14	2	3	5	8	11	14	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	8.9	48	2	3	6	12	17	26	29
70-74	40	7.3	20	2	2	5	10	14	15	20
75-79	21	9.3	50	2	3	7	12	17	25	33
80-84	12	8.8	50	2	3	5	13	19	25	26
85+	8	8.3	33	4	4	6	10	18	21	21
B. *Operated*										
65-69 YRS	478	7.3	26	2	3	6	9	13	17	29
70-74	239	8.0	40	2	3	6	9	16	21	30
75-79	124	9.2	46	2	3	8	11	17	22	38
80-84	34	9.6	83	2	3	8	11	17	29	49
85+	20	6.5	13	2	2	6	7	10	14	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	6.6	30	1	1	5	8	16	18	26
B. *Operated*	466	6.3	16	2	3	5	8	10	12	22
2. MULTIPLE DX										
A. *Not Operated*	104	8.3	36	2	3	6	11	15	20	31
B. *Operated*	895	7.8	35	2	3	6	9	14	18	32
1. SINGLE DX	517	6.3	18	2	2	5	8	11	14	23
2. MULTIPLE DX	999	7.8	35	2	3	6	9	14	18	32
A. NOT OPERATED	155	7.7	34	1	2	6	10	15	19	29
B. OPERATED	1361	7.3	29	2	3	6	9	13	17	30
TOTAL 65-69 YRS	764	6.8	24	2	3	6	8	12	15	29
70-74	429	7.5	30	2	3	6	9	14	18	27
75-79	202	8.5	40	2	2	7	10	15	20	35
80-84	70	9.0	55	2	3	8	11	16	22	46
85+	51	7.1	25	2	3	6	8	14	18	26
GRAND TOTAL	**1516**	**7.3**	**30**	**2**	**3**	**6**	**9**	**13**	**17**	**30**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	124	6.5	41	1	1	5	8	13	18	33
70-74	97	6.4	29	1	1	5	8	15	17	26
75-79	106	8.5	45	2	2	7	11	18	23	31
80-84	64	8.8	83	2	3	6	10	18	22	60
85+	73	7.5	20	2	3	7	11	13	16	19
B. *Operated*										
65-69 YRS	229	7.5	57	1	2	5	9	16	24	37
70-74	175	9.5	89	1	2	6	14	21	25	47
75-79	118	10.4	84	1	2	7	15	22	31	64
80-84	51	10.1	87	1	2	8	14	23	27	45
85+	33	9.3	59	1	2	7	12	19	25	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	329	8.1	43	2	2	6	10	16	21	32
70-74	353	8.2	32	2	2	7	11	15	20	28
75-79	321	9.8	52	2	3	8	13	19	24	37
80-84	258	9.8	83	2	3	8	12	19	22	45
85+	271	9.7	64	2	3	8	12	18	25	50
B. *Operated*										
65-69 YRS	329	11.6	136	2	2	8	15	26	34	55
70-74	267	14.9	180	2	3	12	20	30	41	69
75-79	206	15.2	198	2	2	11	22	33	42	78
80-84	107	16.2	163	2	3	13	23	32	42	84
85+	81	16.1	159	3	4	15	23	31	37	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	464	7.4	43	1	2	6	9	15	19	28
B. *Operated*	606	9.0	75	1	2	6	13	20	26	43
2. MULTIPLE DX										
A. *Not Operated*	1532	9.1	53	2	3	7	11	18	22	37
B. *Operated*	990	14.1	168	2	3	10	20	30	39	73
1. SINGLE DX	1070	8.3	62	1	2	6	11	18	23	36
2. MULTIPLE DX	2522	11.0	104	2	3	8	14	23	30	55
A. NOT OPERATED	1996	8.7	51	2	2	7	11	17	22	37
B. OPERATED	1596	12.2	139	2	2	8	17	27	35	64
TOTAL 65-69 YRS	1011	8.9	80	1	2	6	11	19	27	44
70-74	892	10.3	97	2	2	7	14	22	27	52
75-79	751	11.2	102	2	2	8	15	23	31	51
80-84	480	11.1	108	2	3	8	14	23	28	62
85+	458	10.4	80	2	3	8	13	21	28	59
GRAND TOTAL	**3592**	**10.2**	**93**	**2**	**2**	**7**	**13**	**22**	**28**	**51**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	10.0	55	4	4	7	12	23	24	24
70-74	9	8.0	18	2	3	7	10	14	16	16
75-79	1	4.0		4	4	4	4	4	4	4
80-84	5	7.0	26	4	4	5	8	16	16	16
85+										
B. *Operated*										
65-69 YRS	4	11.5	26	5	5	12	15	16	16	16
70-74	2	12.0	32	8	8	12	16	16	16	16
75-79	2	8.0		8	8	8	8	8	8	8
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	35	8.9	58	2	3	7	10	20	23	36
70-74	38	7.9	22	2	2	7	10	14	19	20
75-79	21	13.2	68	4	5	10	21	23	28	34
80-84	8	11.4	59	3	4	9	16	23	25	25
85+	7	5.1	18	<1	<1	4	9	12	12	12
B. *Operated*										
65-69 YRS	13	13.8	224	3	5	10	16	64	92	99+
70-74	8	20.6	28	14	14	20	25	28	28	28
75-79	5	8.0	22	3	3	6	11	15	15	15
80-84	1	69.0		69	69	69	69	69	69	69
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	8.1	28	3	4	7	10	16	20	24
B. *Operated*	8	10.8	19	5	6	9	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	109	9.3	48	2	3	7	12	20	23	35
B. *Operated*	27	16.8	243	3	5	13	22	50	72	99+
1. SINGLE DX	29	8.9	26	4	4	8	12	16	17	24
2. MULTIPLE DX	136	10.8	94	2	3	8	14	22	26	73
A. NOT OPERATED	130	9.1	45	2	3	7	12	20	23	34
B. OPERATED	35	15.4	196	4	5	12	18	28	66	99+
TOTAL 65-69 YRS	58	10.3	92	2	3	8	13	23	31	96
70-74	57	9.9	41	2	3	8	14	19	23	28
75-79	29	11.6	59	3	4	9	16	23	24	34
80-84	14	13.9	295	3	4	7	16	29	60	69
85+	7	5.1	18	<1	<1	4	9	12	12	12
GRAND TOTAL	**165**	**10.5**	**83**	**2**	**3**	**8**	**13**	**22**	**24**	**68**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	356	7.5	29	2	3	6	9	14	18	30
70-74	334	7.5	21	2	3	7	9	14	17	22
75-79	259	7.7	55	2	3	6	10	14	17	27
80-84	171	7.7	36	2	3	6	10	14	19	35
85+	116	8.1	44	1	2	7	10	17	21	35
B. *Operated*										
65-69 YRS	335	10.1	64	1	2	8	14	22	26	38
70-74	165	11.5	98	2	2	10	16	22	24	87
75-79	102	11.3	79	2	3	9	15	22	30	43
80-84	32	13.7	110	2	2	12	20	29	36	40
85+	11	8.6	51	2	2	7	11	19	26	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1994	8.8	37	3	3	7	11	16	20	31
70-74	2183	8.9	38	3	3	7	11	16	20	32
75-79	1915	9.3	37	3	3	8	12	17	21	30
80-84	1416	9.8	48	3	3	8	12	18	22	35
85+	1108	9.9	56	3	3	8	13	18	23	43
B. *Operated*										
65-69 YRS	846	13.6	121	2	3	11	17	26	35	62
70-74	645	15.7	143	3	4	13	21	30	42	70
75-79	372	16.6	166	3	4	13	22	32	44	69
80-84	173	18.3	220	4	5	15	23	36	47	92
85+	111	21.8	280	4	7	17	27	41	51	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1236	7.7	35	2	3	6	10	14	18	27
B. *Operated*	645	10.8	78	2	2	9	15	22	27	40
2. MULTIPLE DX										
A. *Not Operated*	8616	9.2	42	3	3	8	12	17	21	32
B. *Operated*	2147	15.5	156	3	4	12	20	30	41	71
1. SINGLE DX	1881	8.7	52	2	2	7	11	17	22	35
2. MULTIPLE DX	10763	10.5	71	3	3	8	13	20	26	46
A. NOT OPERATED	9852	9.0	41	3	3	8	11	16	21	32
B. OPERATED	2792	14.5	141	2	3	12	19	28	37	69
TOTAL 65-69 YRS	3531	9.9	63	2	3	8	13	19	25	44
70-74	3327	10.2	67	3	3	8	13	19	25	44
75-79	2648	10.2	65	3	3	8	13	19	25	41
80-84	1792	10.5	71	3	3	8	13	20	26	43
85+	1346	10.7	84	3	3	8	13	20	26	51
GRAND TOTAL	**12644**	**10.2**	**68**	**2**	**3**	**8**	**13**	**19**	**25**	**44**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	478	9.2	33	2	3	8	12	17	20	28
70-74	321	8.9	26	2	3	8	12	15	18	25
75-79	170	9.2	27	3	3	8	12	16	18	25
80-84	84	9.5	36	1	3	8	12	19	21	28
85+	44	9.8	51	3	3	8	14	21	31	99+
B. *Operated*										
65-69 YRS	1150	12.6	60	2	3	11	16	22	26	36
70-74	518	13.6	96	2	3	12	17	25	31	56
75-79	197	14.1	85	2	4	13	19	25	29	44
80-84	58	15.2	102	2	3	14	20	29	36	43
85+	34	13.1	115	1	3	11	17	24	27	59
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1124	9.8	37	3	4	9	13	17	20	30
70-74	807	10.4	35	3	4	9	13	18	21	34
75-79	584	10.4	38	3	4	9	13	18	22	30
80-84	381	11.1	72	3	4	9	14	20	23	44
85+	221	11.8	74	3	4	10	15	21	27	52
B. *Operated*										
65-69 YRS	1133	15.8	106	3	5	14	20	29	34	65
70-74	686	17.2	116	3	6	15	22	30	36	60
75-79	369	19.3	165	5	7	17	24	36	46	69
80-84	133	20.7	171	3	6	18	28	40	46	57
85+	51	20.1	178	3	6	15	28	44	47	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1097	9.2	31	2	3	8	12	17	20	28
B. *Operated*	1957	13.1	75	2	3	12	17	23	28	42
2. MULTIPLE DX										
A. *Not Operated*	3117	10.4	44	3	4	9	13	18	22	35
B. *Operated*	2372	17.1	126	3	6	15	22	31	38	61
1. SINGLE DX	3054	11.7	62	2	3	10	15	21	26	38
2. MULTIPLE DX	5489	13.3	90	3	4	11	17	25	31	50
A. NOT OPERATED	4214	10.1	41	3	4	9	13	18	21	31
B. OPERATED	4329	15.3	107	2	4	13	20	27	34	56
TOTAL 65-69 YRS	3885	12.3	70	2	4	11	16	22	28	42
70-74	2332	12.9	81	3	4	11	17	24	29	45
75-79	1320	13.3	95	3	4	11	17	24	32	50
80-84	656	13.2	106	3	4	10	17	26	32	49
85+	350	12.9	99	3	4	10	16	25	35	58
GRAND TOTAL	**8543**	**12.7**	**81**	**3**	**4**	**11**	**16**	**23**	**29**	**47**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	186	8.7	25	3	3	8	11	15	19	24
70-74	108	8.7	36	2	3	8	11	16	19	33
75-79	55	8.8	42	2	4	7	11	15	18	43
80-84	24	8.8	42	2	3	6	12	21	22	23
85+	15	8.7	13	4	5	8	11	15	16	16
B. *Operated*										
65-69 YRS	220	11.3	49	2	3	10	16	21	25	30
70-74	100	11.8	70	2	3	10	16	21	31	42
75-79	35	12.5	69	2	4	9	18	25	32	34
80-84	7	10.4	61	2	2	11	17	21	22	22
85+	5	11.6	22	7	7	10	14	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	496	8.9	25	3	4	8	11	15	19	25
70-74	412	9.3	33	3	4	8	12	16	20	29
75-79	291	10.2	62	3	3	8	13	19	23	37
80-84	153	10.3	50	3	4	8	13	19	23	27
85+	127	11.9	78	3	3	9	16	25	28	42
B. *Operated*										
65-69 YRS	280	14.7	136	3	4	12	18	27	35	60
70-74	148	16.5	146	3	5	14	20	31	42	60
75-79	64	17.9	211	3	6	13	20	35	49	73
80-84	27	15.3	186	3	4	11	19	36	43	60
85+	14	16.7	143	3	6	11	25	36	40	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	388	8.7	31	3	3	8	11	15	19	25
B. *Operated*	367	11.6	56	2	3	10	16	22	26	34
2. MULTIPLE DX										
A. *Not Operated*	1479	9.7	42	3	3	8	12	18	21	31
B. *Operated*	533	15.6	151	3	4	12	20	30	39	62
1. SINGLE DX	755	10.1	45	2	3	9	13	19	23	33
2. MULTIPLE DX	2012	11.3	78	3	4	9	14	21	26	50
A. NOT OPERATED	1867	9.5	40	3	3	8	12	17	21	30
B. OPERATED	900	14.0	116	2	4	11	18	26	33	57
TOTAL 65-69 YRS	1182	10.7	61	3	4	9	14	20	24	39
70-74	768	10.9	68	3	4	9	14	20	26	46
75-79	445	11.3	89	3	4	9	14	20	29	47
80-84	211	10.8	69	3	3	8	14	21	24	48
85+	161	12.0	77	3	3	9	16	25	29	41
GRAND TOTAL	**2767**	**10.9**	**69**	**3**	**4**	**9**	**14**	**20**	**25**	**45**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	93	7.4	27	1	2	6	10	15	17	23
70-74	48	6.2	17	2	2	6	8	10	12	26
75-79	35	8.2	47	1	2	7	10	17	18	35
80-84	15	8.1	27	1	2	7	13	16	16	16
85+	14	6.4	12	1	3	5	9	11	12	12
B. *Operated*										
65-69 YRS	15	6.7	26	1	1	5	11	13	16	17
70-74	6	10.8	96	2	2	7	18	26	27	27
75-79	4	13.5	43	8	8	11	17	23	23	23
80-84	3	4.0	7	1	1	5	6	6	6	6
85+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	234	9.8	52	2	3	9	13	18	22	29
70-74	167	9.6	30	3	3	9	12	17	21	32
75-79	113	9.8	52	3	3	7	13	19	24	34
80-84	69	9.8	77	3	3	8	12	18	22	52
85+	51	9.1	35	2	2	8	13	17	18	32
B. *Operated*										
65-69 YRS	32	11.9	96	1	2	10	15	25	27	47
70-74	22	16.0	84	5	8	14	21	27	38	41
75-79	16	15.3	200	2	3	10	13	42	45	46
80-84	2	18.0	98	11	11	18	25	25	25	25
85+	5	26.0	226	6	6	34	37	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	7.2	27	1	2	6	9	14	17	26
B. *Operated*	29	8.6	46	1	1	7	12	18	23	27
2. MULTIPLE DX										
A. *Not Operated*	634	9.7	48	2	3	8	12	18	22	32
B. *Operated*	77	14.9	128	2	3	11	19	35	41	47
1. SINGLE DX	234	7.4	29	1	2	6	10	15	17	26
2. MULTIPLE DX	711	10.3	59	2	3	9	13	19	24	43
A. NOT OPERATED	839	9.1	44	2	3	8	12	17	20	30
B. OPERATED	106	13.1	113	1	2	11	17	27	40	46
TOTAL 65-69 YRS	374	9.3	50	2	2	8	12	17	21	29
70-74	243	9.6	40	2	3	9	12	17	23	36
75-79	168	10.1	67	2	3	8	12	19	24	44
80-84	89	9.5	68	2	3	7	12	17	22	51
85+	71	9.9	62	2	3	8	13	18	31	39
GRAND TOTAL	**945**	**9.6**	**53**	**2**	**3**	**8**	**12**	**18**	**22**	**41**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	99	8.8	30	2	3	8	11	16	19	29
70-74	85	9.8	49	2	3	8	13	19	23	40
75-79	60	8.7	40	2	3	7	11	17	19	34
80-84	34	8.1	27	<1	1	8	12	17	18	19
85+	9	10.9	30	2	4	11	14	19	19	19
B. *Operated*										
65-69 YRS	25	10.4	50	1	2	9	16	20	22	24
70-74	19	11.2	53	1	2	10	17	22	24	25
75-79	8	6.4	37	1	1	4	10	16	17	17
80-84	3	3.7	2	2	2	4	5	5	5	5
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	381	9.8	29	3	4	9	12	17	21	28
70-74	296	10.3	40	3	4	9	12	19	22	35
75-79	267	11.4	64	3	4	10	14	21	26	43
80-84	163	11.5	52	4	5	9	15	22	25	32
85+	93	10.7	42	2	4	9	15	20	23	30
B. *Operated*										
65-69 YRS	70	13.5	49	4	6	13	17	23	26	38
70-74	60	17.4	181	3	5	14	24	31	44	74
75-79	40	15.2	95	5	6	14	18	27	48	99+
80-84	15	15.6	104	7	7	13	18	27	41	46
85+	8	19.1	115	4	5	18	24	35	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	9.1	37	2	3	8	12	17	19	31
B. *Operated*	55	9.7	49	1	2	8	16	20	23	25
2. MULTIPLE DX										
A. *Not Operated*	1200	10.6	44	3	4	9	13	19	23	33
B. *Operated*	193	15.5	108	4	6	14	19	26	38	68
1. SINGLE DX	342	9.2	39	2	3	8	12	17	20	28
2. MULTIPLE DX	1393	11.2	56	3	4	9	14	21	25	40
A. NOT OPERATED	1487	10.3	43	3	4	9	13	19	23	32
B. OPERATED	248	14.2	100	3	4	13	18	25	30	58
TOTAL 65-69 YRS	575	10.1	34	3	4	9	13	18	22	29
70-74	460	11.1	66	3	4	9	14	21	25	43
75-79	375	11.3	66	3	4	9	14	21	26	48
80-84	215	11.1	54	3	4	9	15	21	25	35
85+	110	11.3	50	2	4	10	15	21	25	35
GRAND TOTAL	**1735**	**10.8**	**53**	**3**	**4**	**9**	**14**	**20**	**24**	**38**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	553	7.6	24	2	3	7	10	14	16	26
70-74	404	8.0	33	2	2	7	11	15	18	29
75-79	284	8.3	27	2	3	7	11	16	18	24
80-84	146	8.1	38	2	2	6	10	15	21	29
85+	118	8.0	38	2	2	7	10	15	18	34
B. *Operated*										
65-69 YRS	511	11.0	87	2	2	9	14	21	28	49
70-74	348	10.8	75	1	2	9	14	21	26	47
75-79	145	13.4	132	2	2	10	18	32	40	60
80-84	46	12.4	67	1	2	12	18	24	26	34
85+	23	15.2	176	1	2	13	23	32	42	54
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1768	9.1	40	2	3	8	12	17	21	32
70-74	1407	9.5	44	3	3	8	12	17	22	34
75-79	1089	9.7	45	2	3	8	13	18	22	34
80-84	747	10.0	49	3	4	8	12	18	23	33
85+	597	10.2	66	2	3	8	13	21	26	38
B. *Operated*										
65-69 YRS	896	14.2	113	2	3	12	18	27	35	54
70-74	615	15.7	137	2	4	13	20	30	38	64
75-79	403	16.6	164	2	4	13	23	33	40	66
80-84	199	18.7	207	3	4	16	23	38	50	61
85+	73	20.7	152	6	8	19	25	39	43	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1505	7.9	30	2	2	7	10	15	18	27
B. *Operated*	1073	11.4	91	1	2	10	15	23	29	50
2. MULTIPLE DX										
A. *Not Operated*	5608	9.5	46	2	3	8	12	18	22	34
B. *Operated*	2186	15.7	141	2	4	13	20	30	39	61
1. SINGLE DX	2578	9.4	58	2	2	8	12	18	24	39
2. MULTIPLE DX	7794	11.3	80	2	3	9	14	22	28	47
A. NOT OPERATED	7113	9.2	43	2	3	8	12	17	22	33
B. OPERATED	3259	14.3	129	2	3	12	19	28	37	57
TOTAL 65-69 YRS	3728	10.4	67	2	3	9	13	20	25	42
70-74	2774	10.8	74	2	3	9	14	21	27	47
75-79	1921	11.2	83	2	3	9	14	22	28	44
80-84	1138	11.4	88	2	3	9	14	22	29	51
85+	811	11.0	83	2	3	8	14	23	28	43
GRAND TOTAL	**10372**	**10.8**	**75**	**2**	**3**	**9**	**14**	**21**	**27**	**44**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	170	5.4	12	1	1	5	7	10	12	16
70-74	130	5.6	13	1	2	5	7	11	12	16
75-79	92	5.6	14	1	2	5	7	11	13	66
80-84	52	5.7	16	2	2	4	7	12	16	18
85+	35	7.2	29	2	3	6	9	14	21	24
B. *Operated*										
65-69 YRS	782	3.6	14	<1	1	3	4	7	10	17
70-74	451	4.0	19	1	1	3	5	8	10	45
75-79	207	3.7	9	1	1	3	5	8	11	14
80-84	71	4.2	12	1	1	3	5	7	10	19
85+	39	5.6	43	<1	1	4	6	12	16	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	528	7.6	28	2	2	6	10	15	18	28
70-74	425	8.2	38	2	3	7	10	16	20	32
75-79	340	8.6	40	2	3	7	11	18	22	31
80-84	265	8.9	38	2	3	7	12	18	20	35
85+	184	8.8	30	3	3	7	12	15	18	29
B. *Operated*										
65-69 YRS	735	5.9	24	1	2	4	7	13	17	23
70-74	423	7.6	58	2	2	5	9	16	23	39
75-79	244	7.0	41	1	2	5	9	16	22	27
80-84	100	10.7	131	2	2	8	14	21	29	65
85+	63	9.5	49	2	2	7	14	18	22	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	479	5.6	14	1	2	5	7	11	13	19
B. *Operated*	1550	3.8	15	<1	1	3	5	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	1742	8.3	34	2	3	7	11	16	19	29
B. *Operated*	1565	7.0	45	1	2	5	9	15	20	30
1. SINGLE DX	2029	4.3	16	1	1	3	5	8	12	20
2. MULTIPLE DX	3307	7.7	40	2	2	6	10	16	20	29
A. NOT OPERATED	2221	7.7	31	2	2	6	10	15	18	28
B. OPERATED	3115	5.4	33	1	1	4	6	12	17	28
TOTAL 65-69 YRS	2215	5.5	23	1	2	4	7	12	15	23
70-74	1429	6.4	39	1	2	5	8	13	18	35
75-79	883	6.7	34	1	2	5	8	14	19	27
80-84	488	8.2	55	2	2	6	10	18	20	36
85+	321	8.4	36	2	2	7	12	16	19	30
GRAND TOTAL	**5336**	**6.4**	**33**	**1**	**2**	**5**	**8**	**13**	**18**	**28**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	3.6	4	<1	<1	4	5	7	7	7
70-74	10	4.2	14	<1	<1	3	5	10	13	13
75-79	12	2.9	3	<1	1	3	4	5	6	6
80-84										
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	790	4.7	10	2	2	4	6	8	9	14
70-74	431	4.5	6	2	2	4	5	8	9	14
75-79	320	4.6	8	1	2	4	6	8	9	14
80-84	113	5.2	10	2	2	5	6	9	12	18
85+	51	4.6	15	1	2	4	6	8	10	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	55	4.4	47	1	1	2	5	8	12	45
70-74	36	7.1	51	1	1	5	10	21	23	27
75-79	21	5.6	61	<1	<1	4	6	8	22	38
80-84	23	10.3	137	<1	1	7	12	19	36	57
85+	13	9.8	103	4	4	7	11	19	38	42
B. *Operated*										
65-69 YRS	2178	5.8	16	2	3	5	7	9	11	21
70-74	1303	6.1	17	2	3	5	7	10	13	22
75-79	702	6.7	26	2	3	5	8	12	15	29
80-84	267	6.6	33	2	2	5	8	12	16	31
85+	92	9.2	103	2	3	6	10	18	30	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	3.5	6	<1	1	3	5	6	8	13
B. *Operated*	1705	4.6	9	2	2	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	148	6.6	72	1	1	4	8	14	22	46
B. *Operated*	4542	6.1	21	2	3	5	7	10	13	25
1. SINGLE DX	1747	4.6	9	2	2	4	6	8	9	14
2. MULTIPLE DX	4690	6.1	22	2	3	5	7	10	13	25
A. NOT OPERATED	190	5.9	59	<1	1	4	7	12	21	44
B. OPERATED	6247	5.7	18	2	2	5	7	9	12	22
TOTAL 65-69 YRS	3042	5.4	15	2	2	5	7	9	11	18
70-74	1780	5.7	15	2	2	5	7	10	13	21
75-79	1055	6.0	22	2	2	5	7	11	13	27
80-84	403	6.4	33	2	2	5	7	12	15	30
85+	157	7.7	77	2	2	5	8	13	27	42
GRAND TOTAL	**6437**	**5.7**	**19**	**2**	**2**	**5**	**7**	**9**	**12**	**23**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	4.0	5	<1	1	4	5	7	7	7
70-74	7	6.6	57	1	1	3	9	19	22	22
75-79	7	5.0	16	2	2	4	6	12	13	13
80-84	2	3.5	5	2	2	3	5	5	5	5
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
65-69 YRS	351	3.2	14	1	1	2	4	6	7	12
70-74	209	2.9	4	<1	1	2	3	5	6	11
75-79	129	3.4	5	<1	1	2	4	7	8	11
80-84	38	4.1	7	1	2	3	5	9	10	11
85+	31	3.2	8	1	1	2	4	6	7	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	4.1	8	<1	1	3	5	8	10	11
70-74	9	6.4	28	1	1	6	8	14	18	18
75-79	11	7.5	13	3	3	7	9	12	16	16
80-84	6	9.8	122	3	3	5	9	30	32	32
85+	4	1[illegible]	333	3	3	7	26	42	42	42
B. *Operated*										
65-69 YRS	276	5.2	22	1	2	4	6	11	15	25
70-74	162	5.3	22	1	2	4	7	11	15	24
75-79	99	7.3	140	1	2	4	8	14	20	99
80-84	42	7.2	80	1	2	5	8	13	24	51
85+	13	7.3	54	2	2	4	8	20	26	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	4.8	20	<1	1	4	6	9	14	22
B. *Operated*	758	3.2	9	<1	1	2	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	44	7.2	58	1	2	6	8	11	22	42
B. *Operated*	592	5.8	47	1	2	4	7	12	17	29
1. SINGLE DX	785	3.2	9	<1	1	2	4	6	7	13
2. MULTIPLE DX	636	5.9	48	1	2	4	7	12	17	32
A. NOT OPERATED	71	6.3	45	1	1	5	7	11	18	40
B. OPERATED	1350	4.3	27	1	1	3	5	8	12	24
TOTAL 65-69 YRS	651	4.1	18	1	1	3	5	7	11	22
70-74	387	4.0	14	1	1	3	5	7	12	21
75-79	246	5.2	64	1	1	3	6	10	14	63
80-84	88	6.0	51	1	2	4	7	10	14	45
85+	49	5.2	51	1	1	3	5	10	18	42
GRAND TOTAL	**1421**	**4.4**	**28**	**1**	**1**	**3**	**5**	**8**	**12**	**24**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	38	16.2	245	3	4	10	21	36	56	67
70-74	33	12.5	99	2	4	9	16	26	30	48
75-79	21	11.6	47	3	4	10	16	23	24	25
80-84	16	13.1	122	2	3	11	15	22	41	49
85+	13	14.1	57	5	6	15	18	24	30	31
B. *Operated*										
65-69 YRS	131	16.5	248	2	3	11	22	41	49	88
70-74	83	14.5	139	3	4	11	20	32	40	53
75-79	51	15.4	140	2	3	11	18	32	41	51
80-84	28	12.3	125	2	2	7	20	27	32	48
85+	14	14.4	89	1	4	13	21	28	30	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	116	15.5	168	2	3	13	19	35	45	60
70-74	113	16.3	158	2	4	13	24	40	46	69
75-79	103	18.1	198	3	5	14	24	42	51	86
80-84	62	19.0	204	3	5	13	28	43	46	63
85+	61	17.4	239	3	4	11	24	38	47	83
B. *Operated*										
65-69 YRS	272	22.2	300	3	5	17	31	48	62	99+
70-74	265	26.6	384	4	6	23	37	53	76	99
75-79	163	24.3	341	4	6	21	34	55	74	99+
80-84	82	22.1	172	3	5	20	30	41	48	57
85+	69	19.7	268	3	4	15	28	39	55	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	13.8	134	3	4	10	16	28	36	66
B. *Operated*	307	15.3	182	2	3	11	20	35	45	66
2. MULTIPLE DX										
A. *Not Operated*	455	17.0	187	3	4	13	23	38	46	69
B. *Operated*	851	23.8	322	4	5	19	33	49	69	99+
1. SINGLE DX	428	14.9	168	2	3	11	19	32	44	65
2. MULTIPLE DX	1306	21.4	285	3	5	16	30	45	58	99+
A. NOT OPERATED	576	16.3	177	3	4	13	22	36	45	66
B. OPERATED	1158	21.5	299	3	4	17	30	46	59	99+
TOTAL 65-69 YRS	557	19.1	265	2	4	14	27	44	54	99
70-74	494	21.3	305	3	4	16	30	44	58	98
75-79	338	20.2	265	3	5	16	27	45	59	99+
80-84	188	18.8	183	3	4	15	26	40	46	57
85+	157	17.9	225	3	4	13	24	37	48	76
GRAND TOTAL	**1734**	**19.8**	**264**	**3**	**4**	**15**	**28**	**44**	**54**	**94**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	311	7.8	29	2	2	6	11	15	19	27
70-74	263	8.5	36	2	2	7	12	16	19	28
75-79	250	9.7	55	2	2	8	13	21	24	35
80-84	245	9.2	38	2	3	8	12	17	21	29
85+	212	10.1	57	2	3	8	13	18	23	35
B. *Operated*										
65-69 YRS	442	10.9	76	2	3	9	15	20	25	50
70-74	326	13.0	104	2	3	11	18	25	31	43
75-79	236	14.4	128	2	3	13	19	25	32	66
80-84	160	16.1	151	2	3	15	21	31	36	95
85+	100	15.6	87	4	5	15	19	30	35	44
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1682	10.2	59	2	3	8	13	20	25	41
70-74	2193	11.1	71	3	4	9	14	20	26	46
75-79	2477	11.7	77	3	4	10	15	22	29	47
80-84	2171	11.6	67	3	4	10	15	22	27	44
85+	2073	11.6	73	3	4	9	15	22	28	48
B. *Operated*										
65-69 YRS	949	16.3	154	3	4	14	22	32	40	74
70-74	893	18.6	181	3	5	16	24	34	47	79
75-79	811	20.4	190	4	6	18	27	37	48	74
80-84	560	21.6	201	5	7	19	27	40	51	86
85+	405	20.6	195	5	6	18	25	39	52	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1281	9.0	43	2	3	7	12	17	21	30
B. *Operated*	1264	13.1	107	2	3	11	18	25	31	50
2. MULTIPLE DX										
A. *Not Operated*	10596	11.3	70	3	4	9	14	21	27	45
B. *Operated*	3618	19.1	184	4	5	16	25	36	47	79
1. SINGLE DX	2545	11.0	79	2	3	9	15	21	27	42
2. MULTIPLE DX	14214	13.3	111	3	4	10	17	26	34	58
A. NOT OPERATED	11877	11.0	68	3	3	9	14	21	26	44
B. OPERATED	4882	17.5	171	3	4	15	23	34	43	75
TOTAL 65-69 YRS	3384	11.8	93	2	3	9	15	24	30	51
70-74	3675	12.9	109	3	4	10	17	25	31	56
75-79	3774	13.6	116	3	4	11	18	27	34	56
80-84	3136	13.4	109	3	4	11	17	26	34	59
85+	2790	12.9	101	3	4	10	17	24	32	58
GRAND TOTAL	**16759**	**12.9**	**107**	**3**	**4**	**10**	**17**	**25**	**32**	**56**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	6.4	19	1	1	7	10	11	11	11
70-74	5	2.6	7	<1	<1	1	4	7	7	7
75-79	4	6.0	27	<1	<1	6	10	11	11	11
80-84	3	8.0	9	5	5	8	10	11	11	11
85+										
B. *Operated*										
65-69 YRS	85	6.4	35	1	2	5	8	13	14	36
70-74	43	7.1	32	2	2	5	9	16	20	24
75-79	27	6.1	35	1	2	3	7	18	20	21
80-84	11	8.1	52	2	2	5	9	22	23	23
85+	6	8.7	27	3	3	7	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	26	10.5	71	1	2	8	17	25	28	28
70-74	21	24.5	647	2	3	10	54	85	99+	99+
75-79	25	13.2	100	1	3	11	19	30	32	34
80-84	22	11.4	86	1	2	9	16	20	32	42
85+	15	11.7	207	<1	<1	7	15	25	48	55
B. *Operated*										
65-69 YRS	159	9.7	88	2	2	7	12	19	26	70
70-74	119	10.5	124	2	3	8	12	23	28	62
75-79	54	16.2	134	4	5	13	20	30	39	62
80-84	30	15.3	156	3	3	11	19	37	41	45
85+	15	15.3	298	2	2	15	19	67	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	5.5	17	<1	<1	5	10	11	11	11
B. *Operated*	172	6.7	35	1	2	5	9	14	19	24
2. MULTIPLE DX										
A. *Not Operated*	109	14.2	229	1	2	9	18	37	55	99+
B. *Operated*	377	11.5	124	2	3	8	15	24	35	72
1. SINGLE DX	189	6.6	33	1	2	5	9	14	19	24
2. MULTIPLE DX	486	12.1	149	2	3	8	16	26	41	78
A. NOT OPERATED	126	13.0	209	1	2	8	17	31	55	99+
B. OPERATED	549	10.0	101	2	2	7	13	21	29	63
TOTAL 65-69 YRS	275	8.7	71	2	2	6	10	18	25	51
70-74	188	11.0	181	2	2	7	12	25	53	92
75-79	110	12.7	115	2	2	10	18	26	34	55
80-84	66	12.5	114	2	3	8	17	29	40	45
85+	36	12.7	212	1	2	8	17	25	66	99+
GRAND TOTAL	**675**	**10.6**	**122**	**2**	**2**	**7**	**14**	**23**	**33**	**72**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	35	9.0	95	2	2	5	10	26	37	37
70-74	40	8.3	23	2	3	8	11	14	18	22
75-79	22	7.7	24	2	2	6	12	15	16	17
80-84	7	6.3	38	3	3	4	6	17	20	20
85+	5	9.4	9	6	6	9	11	14	14	14
B. *Operated*										
65-69 YRS	29	10.5	115	1	2	6	13	25	27	49
70-74	9	19.6	134	3	4	21	28	34	35	35
75-79	7	7.6	106	1	1	3	8	26	30	30
80-84	4	6.3	44	<1	<1	4	10	16	16	16
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	158	9.6	55	2	3	8	12	19	26	33
70-74	131	9.1	36	2	3	8	11	17	21	28
75-79	121	9.7	58	2	3	8	13	19	21	40
80-84	77	11.3	120	2	3	8	14	22	36	60
85+	52	9.3	40	2	4	8	12	19	26	98
B. *Operated*										
65-69 YRS	53	15.1	101	3	4	14	18	27	37	48
70-74	38	14.7	114	4	5	13	16	28	39	53
75-79	15	15.7	102	4	4	14	19	34	38	40
80-84	14	14.9	109	4	6	10	25	32	33	33
85+	7	13.9	38	3	4	14	18	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	8.3	46	2	2	6	11	15	20	37
B. *Operated*	49	11.4	123	1	2	6	17	27	32	49
2. MULTIPLE DX										
A. *Not Operated*	539	9.7	59	2	3	8	12	19	25	38
B. *Operated*	127	15.0	99	4	4	14	18	28	35	49
1. SINGLE DX	158	9.3	71	2	2	6	12	21	27	37
2. MULTIPLE DX	666	10.7	71	2	3	9	14	20	27	47
A. NOT OPERATED	648	9.5	57	2	3	8	12	18	24	37
B. OPERATED	176	14.0	108	3	3	12	18	28	34	49
TOTAL 65-69 YRS	275	10.7	79	2	3	8	14	23	29	48
70-74	218	10.3	59	2	3	9	13	20	27	39
75-79	165	9.9	62	2	3	8	13	19	23	39
80-84	102	11.3	113	2	3	8	15	26	35	53
85+	64	9.8	39	3	4	8	13	19	24	90
GRAND TOTAL	**824**	**10.4**	**71**	**2**	**3**	**8**	**13**	**20**	**27**	**46**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	252	5.8	19	1	2	5	8	12	14	19
70-74	220	6.7	30	1	2	6	8	13	17	29
75-79	160	7.0	25	2	2	6	10	13	15	20
80-84	82	6.4	21	1	2	6	8	12	18	20
85+	59	6.9	37	1	2	6	9	15	17	35
B. *Operated*										
65-69 YRS	743	3.9	14	1	2	3	4	7	10	21
70-74	490	4.4	22	1	2	3	4	9	14	22
75-79	257	5.4	67	1	1	3	6	11	16	36
80-84	86	6.2	131	1	2	3	5	12	20	77
85+	37	6.3	43	2	2	4	8	20	22	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	991	7.2	28	2	2	6	9	14	17	28
70-74	929	8.3	57	2	2	6	10	16	20	40
75-79	760	8.6	54	2	2	7	11	16	21	39
80-84	542	9.0	54	2	3	7	11	18	24	34
85+	384	9.5	61	2	3	8	12	18	24	42
B. *Operated*										
65-69 YRS	802	8.6	87	2	2	5	11	20	28	50
70-74	594	9.3	126	2	2	6	11	21	28	64
75-79	376	10.4	117	2	2	7	13	23	33	52
80-84	167	13.4	163	2	2	10	16	31	35	64
85+	96	12.3	98	2	3	10	18	25	30	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	773	6.4	25	1	2	5	8	13	16	21
B. *Operated*	1613	4.5	32	1	2	3	5	9	14	26
2. MULTIPLE DX										
A. *Not Operated*	3606	8.3	49	2	3	7	10	16	20	35
B. *Operated*	2035	9.7	113	2	2	6	12	22	30	55
1. SINGLE DX	2386	5.1	31	1	2	3	6	10	14	25
2. MULTIPLE DX	5641	8.8	72	2	2	6	11	18	24	43
A. NOT OPERATED	4379	8.0	45	2	2	6	10	15	20	34
B. OPERATED	3648	7.4	84	1	2	4	9	17	24	47
TOTAL 65-69 YRS	2788	6.6	44	1	2	4	8	14	19	35
70-74	2233	7.5	68	2	2	5	9	16	21	40
75-79	1553	8.3	71	2	2	6	10	16	22	42
80-84	877	9.3	84	2	2	7	12	19	26	44
85+	576	9.5	66	2	2	7	12	19	24	43
GRAND TOTAL	**8027**	**7.7**	**63**	**2**	**2**	**5**	**10**	**16**	**21**	**40**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	7.5	2	6	6	7	8	9	9	9
70-74										
75-79	1	8.0		8	8	8	8	8	8	8
80-84	1	7.0		7	7	7	7	7	7	7
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	2	3.0		3	3	3	3	3	3	3
70-74	2	16.5	61	11	11	16	22	22	22	22
75-79	4	9.0	103	1	1	6	16	23	23	23
80-84										
85+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	24	8.0	23	3	4	7	9	16	18	22
70-74	26	11.2	36	3	4	12	16	19	19	20
75-79	11	9.5	34	4	5	8	11	19	24	24
80-84	7	9.7	59	2	3	9	10	23	26	26
85+	6	7.2	8	4	4	7	9	11	11	11
B. *Operated*										
65-69 YRS	9	18.0	114	8	8	12	29	33	35	35
70-74	4	18.3	277	8	8	11	28	43	43	43
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	11.0	50	6	6	11	16	16	16	16
85+	2	9.0	2	8	8	9	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	7.0	3	4	4	7	8	9	9	9
B. *Operated*	9	10.2	76	1	1	10	18	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	74	9.4	32	4	4	8	13	19	20	26
B. *Operated*	18	15.4	129	4	6	11	17	34	40	43
1. SINGLE DX	16	8.8	44	1	2	7	10	21	23	23
2. MULTIPLE DX	92	10.6	55	4	4	8	14	19	26	40
A. NOT OPERATED	81	9.2	30	4	4	8	12	18	20	25
B. OPERATED	27	13.7	114	2	2	11	17	31	36	43
TOTAL 65-69 YRS	39	10.0	59	3	4	8	11	20	30	35
70-74	32	12.4	64	4	4	12	17	20	22	43
75-79	17	8.9	44	1	2	8	10	22	24	24
80-84	10	9.7	46	2	3	8	10	21	26	26
85+	10	8.2	16	4	4	8	10	14	17	17
GRAND TOTAL	**108**	**10.3**	**54**	**2**	**4**	**8**	**14**	**19**	**24**	**38**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	6.0	47	<1	<1	3	8	18	19	19
70-74	2	3.5	13	<1	<1	3	6	6	6	6
75-79	3	4.3	6	2	2	4	6	7	7	7
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	3	24.3	34	20	20	22	29	31	31	31
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	3.0		3	3	3	3	3	3	3
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	11.8	204	<1	1	5	16	35	46	50
70-74	4	6.0	5	3	3	6	7	8	8	8
75-79	10	12.5	75	4	5	8	19	27	27	27
80-84	10	5.7	19	2	2	6	7	12	16	16
85+	3	7.0	4	5	5	7	8	9	9	9
B. *Operated*										
65-69 YRS	7	15.7	101	3	4	13	24	30	31	31
70-74	11	16.5	310	4	4	10	17	43	63	65
75-79	1	15.0		15	15	15	15	15	15	15
80-84	2	10.5	5	9	9	10	12	12	12	12
85+	2	13.5	5	12	12	13	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.9	25	<1	<1	3	6	11	18	19
B. *Operated*	6	13.8	146	3	3	12	22	30	31	31
2. MULTIPLE DX										
A. *Not Operated*	42	9.6	100	1	2	7	10	24	30	50
B. *Operated*	23	15.4	172	3	4	12	17	29	43	65
1. SINGLE DX	18	7.9	78	<1	<1	4	8	21	27	31
2. MULTIPLE DX	65	11.7	131	2	2	8	15	27	32	63
A. NOT OPERATED	54	8.6	86	<1	2	6	8	20	27	49
B. OPERATED	29	15.1	162	3	3	12	20	30	33	65
TOTAL 65-69 YRS	31	12.8	150	<1	1	8	20	31	35	50
70-74	18	12.0	219	1	3	7	13	26	51	65
75-79	15	10.5	65	2	4	7	14	27	27	27
80-84	14	6.0	18	2	2	6	8	12	15	16
85+	5	9.6	16	5	5	9	13	15	15	15
GRAND TOTAL	**83**	**10.9**	**121**	**1**	**2**	**7**	**14**	**25**	**31**	**60**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	3.4	2	2	2	3	4	6	7	7
70-74	11	3.1	1	2	2	3	3	4	6	6
75-79	6	2.5		2	2	2	3	3	3	3
80-84	3	2.7		2	2	3	3	3	3	3
85+	6	2.7	3	<1	<1	2	4	5	5	5
B. *Operated*										
65-69 YRS	236	3.1	2	2	2	3	4	5	5	11
70-74	157	3.2	2	2	2	3	4	5	5	11
75-79	131	3.2	2	1	2	3	4	5	6	9
80-84	70	3.6	4	2	2	3	4	6	7	11
85+	54	4.4	28	2	2	3	4	6	12	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	3.6	8	<1	1	3	4	7	11	12
70-74	10	4.5	11	1	1	3	6	9	12	12
75-79	3	2.0	1	1	1	2	3	3	3	3
80-84	4	3.8	6	2	2	3	5	7	7	7
85+	3	3.3	1	2	2	4	4	4	4	4
B. *Operated*										
65-69 YRS	194	4.3	14	2	2	3	5	7	11	23
70-74	162	4.1	12	2	2	3	4	7	11	22
75-79	148	3.8	6	2	2	3	4	7	9	13
80-84	92	5.0	13	2	2	4	6	10	10	22
85+	58	4.3	11	2	2	4	4	6	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.0	1	1	2	3	3	4	6	7
B. *Operated*	648	3.3	5	2	2	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	34	3.7	7	1	1	3	4	7	11	12
B. *Operated*	654	4.2	11	2	2	3	5	7	10	19
1. SINGLE DX	683	3.3	4	2	2	3	4	5	6	11
2. MULTIPLE DX	688	4.2	11	2	2	3	5	7	10	19
A. NOT OPERATED	69	3.3	4	1	2	3	4	6	7	12
B. OPERATED	1302	3.8	8	2	2	3	4	6	9	15
TOTAL 65-69 YRS	453	3.6	8	2	2	3	4	6	8	13
70-74	340	3.7	7	2	2	3	4	6	9	18
75-79	288	3.5	4	2	2	3	4	5	7	12
80-84	169	4.4	9	2	2	4	5	8	10	18
85+	121	4.2	18	1	2	3	4	6	11	27
GRAND TOTAL	**1371**	**3.8**	**8**	**2**	**2**	**3**	**4**	**6**	**9**	**14**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	3.8	10	1	1	3	6	9	10	10
70-74	4	4.8	14	2	2	4	7	10	10	10
75-79	3	2.3		2	2	2	3	3	3	3
80-84	2	3.5	1	3	3	3	4	4	4	4
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	53	8.4	75	1	2	5	11	21	29	38
70-74	27	8.1	44	1	2	8	11	18	23	26
75-79	8	13.3	217	1	1	8	19	38	44	44
80-84	7	13.3	288	2	2	6	17	43	49	49
85+	5	8.8	148	1	1	3	13	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	76	8.5	81	1	2	6	11	15	25	52
70-74	83	9.0	41	3	3	7	11	17	23	34
75-79	66	7.7	36	2	3	6	10	15	17	36
80-84	51	9.1	60	3	3	7	10	21	31	33
85+	23	9.7	37	3	4	7	13	19	23	26
B. *Operated*										
65-69 YRS	144	12.6	138	2	2	11	16	26	36	73
70-74	77	14.8	134	2	2	12	22	30	32	54
75-79	35	14.5	102	2	2	13	20	29	42	99+
80-84	21	14.0	68	5	6	11	17	28	33	34
85+	7	6.3	15	2	2	8	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	3.8	8	1	1	3	5	9	10	10
B. *Operated*	100	9.1	93	1	2	5	12	22	30	46
2. MULTIPLE DX										
A. *Not Operated*	299	8.7	53	2	3	7	11	16	24	38
B. *Operated*	284	13.4	126	2	2	11	17	27	34	67
1. SINGLE DX	123	8.1	81	1	2	5	11	21	27	45
2. MULTIPLE DX	583	11.0	94	2	2	8	14	24	30	48
A. NOT OPERATED	322	8.3	51	2	2	6	11	16	23	37
B. OPERATED	384	12.2	120	2	2	10	16	26	32	54
TOTAL 65-69 YRS	286	10.3	111	2	2	8	14	22	30	52
70-74	191	11.1	87	2	2	8	15	25	30	47
75-79	112	10.1	78	2	2	8	14	22	29	65
80-84	81	10.6	82	3	3	7	14	24	32	44
85+	36	8.8	45	2	2	7	12	19	24	30
GRAND TOTAL	**706**	**10.5**	**93**	**2**	**2**	**8**	**14**	**23**	**30**	**48**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	2	12.5	13	10	10	12	15	15	15	15
70-74	2	5.0	18	2	2	5	8	8	8	8
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	5	7.6	28	2	2	8	11	15	15	15
1. SINGLE DX	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX	5	7.6	28	2	2	8	11	15	15	15
A. NOT OPERATED										
B. OPERATED	7	7.4	19	2	2	8	10	14	15	15
TOTAL 65-69 YRS	2	12.5	13	10	10	12	15	15	15	15
70-74	2	5.0	18	2	2	5	8	8	8	8
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+	2	7.0	2	6	6	7	8	8	8	8
GRAND TOTAL	**7**	**7.4**	**19**	**2**	**2**	**8**	**10**	**14**	**15**	**15**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	5.0	13	1	1	4	7	10	13	13
70-74	10	3.0	4	<1	<1	2	5	6	7	7
75-79	6	4.7	15	<1	<1	3	8	11	11	11
80-84	6	7.3	4	5	5	7	9	10	10	10
85+	3	4.3	12	1	1	4	7	8	8	8
B. *Operated*										
65-69 YRS	33	6.2	33	1	1	4	9	14	21	23
70-74	22	9.7	78	1	2	7	14	21	31	36
75-79	22	9.0	60	<1	1	7	12	23	25	26
80-84	8	6.1	55	<1	<1	2	9	19	22	22
85+	8	6.8	42	<1	<1	4	11	17	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	69	7.6	53	1	2	6	9	16	23	41
70-74	58	6.7	27	2	2	5	9	13	18	25
75-79	58	7.3	49	1	2	6	8	14	18	45
80-84	59	8.2	40	2	2	6	10	15	21	34
85+	31	9.5	107	1	2	6	11	20	40	47
B. *Operated*										
65-69 YRS	84	10.2	66	2	3	9	14	20	25	44
70-74	70	13.4	134	1	2	11	18	36	40	89
75-79	62	13.2	99	2	3	10	17	25	36	46
80-84	33	18.9	262	2	3	16	22	33	48	87
85+	23	16.1	174	2	3	14	19	36	49	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	4.7	10	<1	1	4	7	9	11	13
B. *Operated*	93	7.7	53	<1	1	5	11	19	23	32
2. MULTIPLE DX										
A. *Not Operated*	275	7.7	50	1	2	6	9	14	20	44
B. *Operated*	272	13.3	129	2	3	10	18	26	38	52
1. SINGLE DX	128	6.9	43	<1	1	5	10	16	22	29
2. MULTIPLE DX	547	10.5	97	1	2	8	14	22	29	48
A. NOT OPERATED	310	7.3	46	1	2	6	9	13	20	43
B. OPERATED	365	11.9	115	1	2	9	16	24	35	50
TOTAL 65-69 YRS	196	8.4	55	1	2	7	11	18	23	39
70-74	160	9.8	91	1	2	6	14	23	36	48
75-79	148	9.9	77	1	2	7	13	21	26	47
80-84	106	11.3	132	2	2	8	13	22	29	66
85+	65	11.3	129	1	1	8	14	21	42	51
GRAND TOTAL	**675**	**9.8**	**88**	**1**	**2**	**7**	**13**	**21**	**27**	**47**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	3	5.7	2	4	4	6	7	7	7	7
70-74	2	6.5	13	4	4	6	9	9	9	9
75-79	2	5.5	25	2	2	5	9	9	9	9
80-84										
85+	3	2.7	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	12	4.9	10	1	1	5	6	9	12	12
70-74	5	5.2	13	2	2	4	7	11	11	11
75-79	3	6.0	16	2	2	6	9	10	10	10
80-84	1	7.0		7	7	7	7	7	7	7
85+	4	4.0	8	2	2	3	6	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	10	4.9	8	1	1	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	25	5.0	10	1	2	5	7	10	11	12
1. SINGLE DX	10	4.9	8	1	1	4	7	9	9	9
2. MULTIPLE DX	26	5.0	9	1	2	5	6	10	11	12
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED	35	5.0	9	1	2	4	7	9	11	12
TOTAL 65-69 YRS	16	4.9	8	1	1	5	6	8	11	12
70-74	7	5.6	11	2	2	4	8	11	11	11
75-79	5	5.8	14	2	2	6	9	10	10	10
80-84	1	7.0		7	7	7	7	7	7	7
85+	7	3.4	5	1	1	3	4	7	8	8
GRAND TOTAL	**36**	**4.9**	**9**	**1**	**2**	**4**	**7**	**9**	**11**	**12**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	3.3	9	1	1	2	4	8	10	10
70-74	9	3.3	5	1	1	3	5	7	8	8
75-79	10	2.1	1	1	1	2	3	4	4	4
80-84	3	2.0	1	1	1	2	3	3	3	3
85+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
65-69 YRS	61	4.8	18	1	1	3	7	9	13	22
70-74	41	5.8	19	2	2	4	9	13	15	17
75-79	24	5.3	27	1	2	3	6	10	17	25
80-84	15	6.5	76	<1	1	3	9	15	29	34
85+	4	5.5	22	2	2	4	9	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	77	7.4	26	2	2	6	9	14	19	25
70-74	58	6.8	18	2	2	6	9	14	15	17
75-79	45	7.5	26	1	2	7	10	15	19	20
80-84	29	8.4	28	1	2	7	12	16	17	21
85+	21	8.7	16	3	4	8	10	15	16	17
B. *Operated*										
65-69 YRS	165	8.8	87	1	2	6	11	19	25	37
70-74	145	10.3	66	2	2	8	15	21	27	37
75-79	102	10.1	103	2	2	7	12	23	29	53
80-84	52	11.0	72	2	3	9	15	19	23	44
85+	27	12.2	171	1	2	7	15	40	42	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	2.9	5	1	1	2	3	7	8	10
B. *Operated*	145	5.4	26	1	2	3	7	12	14	25
2. MULTIPLE DX										
A. *Not Operated*	230	7.5	23	2	2	7	10	15	17	22
B. *Operated*	491	9.9	87	2	2	7	13	21	27	42
1. SINGLE DX	183	4.8	22	1	1	3	7	10	14	24
2. MULTIPLE DX	721	9.2	68	2	2	7	12	19	24	41
A. NOT OPERATED	268	6.9	23	1	2	6	9	14	16	21
B. OPERATED	636	8.9	77	2	2	6	12	19	26	41
TOTAL 65-69 YRS	317	7.5	58	1	2	6	9	15	22	32
70-74	253	8.5	50	2	2	6	11	18	23	36
75-79	181	8.4	73	1	2	6	10	19	25	40
80-84	99	9.3	61	1	2	7	13	17	21	43
85+	54	10.0	98	2	2	7	12	18	40	43
GRAND TOTAL	**904**	**8.3**	**62**	**1**	**2**	**6**	**11**	**17**	**23**	**39**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79										
80-84										
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	8	5.5	22	<1	1	4	7	13	15	15
70-74	7	7.0	15	3	3	6	9	13	14	14
75-79	2	6.0	2	5	5	6	7	7	7	7
80-84	3	3.3	1	2	2	4	4	4	4	4
85+	2	5.C	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	6.7	9	4	4	6	9	10	10	10
70-74										
75-79	1	5.0		5	5	5	5	5	5	5
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
65-69 YRS	48	7.2	18	3	3	6	9	13	20	99+
70-74	27	5.5	6	2	3	5	8	9	10	10
75-79	13	7.1	25	1	2	6	10	14	19	20
80-84	5	16.8	141	11	11	12	19	38	38	38
85+	3	10.3	2	9	9	10	11	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*	22	5.7	13	1	2	5	7	11	14	15
2. MULTIPLE DX										
A. *Not Operated*	6	4.5	12	<1	<1	4	6	10	10	10
B. *Operated*	96	7.3	26	2	3	6	10	12	18	71
1. SINGLE DX	24	5.3	13	<1	2	4	6	11	14	15
2. MULTIPLE DX	102	7.1	25	2	3	6	10	12	17	67
A. NOT OPERATED	8	3.8	10	<1	<1	3	5	9	10	10
B. OPERATED	118	7.0	23	2	3	6	9	12	15	57
TOTAL 65-69 YRS	59	6.9	17	2	3	6	9	13	17	92
70-74	35	5.7	9	2	3	5	8	10	10	14
75-79	16	6.8	20	2	3	6	8	12	18	20
80-84	9	10.6	126	<1	1	11	12	28	38	38
85+	7	6.3	18	<1	<1	6	10	12	12	12
GRAND TOTAL	**126**	**6.8**	**23**	**2**	**3**	**6**	**9**	**12**	**15**	**52**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	35	6.5	10	2	2	7	9	10	12	13
70-74	32	7.7	29	1	2	7	10	14	17	27
75-79	23	10.8	48	4	4	9	15	21	26	28
80-84	12	10.1	47	3	4	9	13	19	27	28
85+	8	7.4	39	1	1	7	11	16	18	18
B. *Operated*										
65-69 YRS	133	8.2	55	2	2	5	10	20	24	49
70-74	65	7.2	70	1	2	4	8	15	24	48
75-79	30	8.8	74	1	2	5	10	27	28	29
80-84	16	6.6	35	2	2	4	7	14	22	25
85+	9	8.8	75	2	2	6	11	23	29	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	166	9.5	68	2	3	7	11	19	25	47
70-74	137	9.5	32	3	3	9	13	17	23	99+
75-79	96	10.4	62	2	3	9	13	22	26	99+
80-84	83	11.0	108	3	4	9	13	20	24	68
85+	50	8.3	37	1	2	7	9	17	19	31
B. *Operated*										
65-69 YRS	247	11.1	88	2	2	9	15	22	29	86
70-74	139	14.3	148	2	3	12	19	28	37	55
75-79	86	14.2	154	3	4	9	19	31	45	85
80-84	32	15.9	301	3	3	10	22	35	43	88
85+	17	13.7	132	1	1	11	23	31	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	8.2	31	1	3	7	10	15	20	28
B. *Operated*	253	7.9	60	2	2	5	10	20	25	39
2. MULTIPLE DX										
A. *Not Operated*	532	9.8	61	2	3	8	12	19	25	64
B. *Operated*	521	12.8	131	2	3	10	18	27	35	81
1. SINGLE DX	363	8.0	51	2	2	6	10	18	25	36
2. MULTIPLE DX	1053	11.3	98	2	3	9	15	23	30	77
A. NOT OPERATED	642	9.5	56	2	3	8	12	18	24	55
B. OPERATED	774	11.2	113	2	2	8	15	25	31	59
TOTAL 65-69 YRS	581	9.7	72	2	2	8	13	20	26	47
70-74	373	10.7	90	2	3	9	14	23	28	52
75-79	235	11.6	99	2	3	9	15	25	32	99+
80-84	143	11.5	143	3	3	8	13	24	28	84
85+	84	9.4	63	1	1	7	12	21	29	32
GRAND TOTAL	**1416**	**10.5**	**88**	**2**	**3**	**8**	**13**	**22**	**28**	**58**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

329: Convulsions (780.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	312	5.1	15	1	2	4	7	9	12	21
70-74	265	5.6	43	1	2	4	6	10	14	37
75-79	162	5.1	13	1	2	4	7	10	12	16
80-84	86	5.2	13	1	2	5	6	10	10	21
85+	65	5.3	14	1	2	4	7	10	13	87
B. *Operated*										
65-69 YRS	30	5.9	17	2	2	5	8	12	16	16
70-74	15	5.3	8	2	2	5	8	10	10	10
75-79	5	10.0	169	2	2	4	13	33	33	33
80-84	1	4.0		4	4	4	4	4	4	4
85+	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1366	7.7	48	2	2	6	9	15	20	38
70-74	1191	8.0	58	2	2	6	10	15	21	42
75-79	998	8.7	68	2	2	7	10	17	23	49
80-84	558	9.1	60	2	2	7	11	18	24	36
85+	459	8.9	82	2	2	7	11	16	23	61
B. *Operated*										
65-69 YRS	169	13.9	151	3	3	10	19	28	39	85
70-74	121	15.8	169	3	4	13	21	32	46	92
75-79	77	15.4	121	3	5	13	19	30	39	56
80-84	57	17.3	260	2	5	12	21	35	44	85
85+	34	17.8	198	2	4	14	24	35	44	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	890	5.3	23	1	2	4	7	10	13	22
B. *Operated*	53	6.0	26	2	2	4	7	10	15	32
2. MULTIPLE DX										
A. *Not Operated*	4572	8.3	60	2	2	6	10	16	21	41
B. *Operated*	458	15.4	168	3	4	12	20	31	40	84
1. SINGLE DX	943	5.3	23	1	2	4	7	10	13	22
2. MULTIPLE DX	5030	8.9	74	2	2	7	11	18	24	47
A. NOT OPERATED	5462	7.8	55	2	2	6	9	15	20	40
B. OPERATED	511	14.4	161	2	3	11	19	30	39	81
TOTAL 65-69 YRS	1877	7.8	56	2	2	6	9	16	21	39
70-74	1592	8.1	69	2	2	6	10	16	22	48
75-79	1242	8.7	69	2	2	6	10	17	24	45
80-84	702	9.3	77	2	2	7	11	19	26	41
85+	560	9.0	86	2	2	7	11	18	25	68
GRAND TOTAL	**5973**	**8.4**	**68**	**2**	**2**	**6**	**10**	**17**	**23**	**45**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	146	6.5	16	2	2	6	9	13	14	19
70-74	129	5.8	13	2	2	5	7	10	13	22
75-79	89	6.9	21	2	2	6	9	13	18	21
80-84	63	5.3	8	1	2	5	8	9	11	13
85+	65	6.3	18	2	2	5	8	13	16	17
B. *Operated*										
65-69 YRS	25	12.9	71	3	5	11	16	23	29	39
70-74	20	17.3	125	3	4	17	23	30	40	48
75-79	9	19.0	172	2	2	19	27	38	40	40
80-84	5	12.4	42	7	7	10	16	23	23	23
85+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	646	7.6	33	2	3	6	10	14	16	29
70-74	740	8.5	44	2	3	7	11	16	20	31
75-79	579	9.2	50	2	3	7	12	17	23	43
80-84	451	9.2	55	2	3	7	12	19	24	48
85+	463	9.2	74	2	3	7	12	18	26	64
B. *Operated*										
65-69 YRS	175	15.1	103	4	5	12	19	30	35	58
70-74	152	15.8	172	3	5	12	21	29	37	80
75-79	114	18.6	171	5	6	16	22	35	46	84
80-84	70	16.8	143	4	5	13	24	34	42	57
85+	49	16.4	111	4	6	13	23	33	38	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	492	6.2	16	2	2	5	8	11	14	20
B. *Operated*	60	15.3	102	3	4	14	21	27	37	47
2. MULTIPLE DX										
A. *Not Operated*	2879	8.7	50	2	3	7	11	16	21	38
B. *Operated*	560	16.3	142	4	5	13	22	32	38	75
1. SINGLE DX	552	7.2	33	2	2	6	9	14	18	29
2. MULTIPLE DX	3439	9.9	73	2	3	7	12	19	26	46
A. NOT OPERATED	3371	8.3	46	2	3	7	10	15	20	34
B. OPERATED	620	16.2	138	4	5	13	22	32	38	74
TOTAL 65-69 YRS	992	8.9	53	2	3	7	11	17	23	38
70-74	1041	9.4	69	2	3	7	11	18	24	38
75-79	791	10.4	78	2	3	8	13	20	27	54
80-84	589	9.7	69	2	3	7	12	20	27	46
85+	578	9.5	76	2	3	7	12	19	27	58
GRAND TOTAL	**3991**	**9.5**	**68**	**2**	**3**	**7**	**12**	**19**	**25**	**44**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	147	4.6	7	1	2	4	6	9	10	12
70-74	90	5.6	19	1	2	4	7	12	14	22
75-79	48	5.4	20	2	2	4	6	11	17	21
80-84	39	5.8	13	1	2	5	8	12	13	14
85+	23	4.7	18	<1	1	3	5	13	15	16
B. *Operated*										
65-69 YRS	25	6.4	15	2	2	5	8	12	14	16
70-74	23	5.3	15	1	2	4	8	11	13	14
75-79	9	3.8	2	2	2	3	5	6	6	6
80-84	2	7.0		7	7	7	7	7	7	7
85+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	573	6.6	33	2	2	5	8	12	17	28
70-74	418	6.6	24	2	2	5	8	13	16	23
75-79	314	6.6	44	2	2	5	8	12	15	55
80-84	163	7.3	32	2	2	5	9	15	20	29
85+	114	6.9	45	2	2	5	8	13	16	40
B. *Operated*										
65-69 YRS	93	9.4	54	2	3	7	11	17	23	41
70-74	73	9.4	50	3	3	7	12	19	23	35
75-79	41	9.3	35	2	3	8	12	18	22	27
80-84	26	10.3	48	3	3	9	13	21	27	29
85+	9	12.3	57	4	5	8	19	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	347	5.1	14	1	2	4	7	10	12	20
B. *Operated*	60	5.6	13	2	2	5	7	11	13	16
2. MULTIPLE DX										
A. *Not Operated*	1582	6.7	33	2	2	5	8	12	16	28
B. *Operated*	242	9.6	49	2	3	8	12	18	24	35
1. SINGLE DX	407	5.2	14	1	2	4	7	10	12	18
2. MULTIPLE DX	1824	7.1	36	2	2	6	9	13	18	30
A. NOT OPERATED	1929	6.4	30	2	2	5	8	12	15	27
B. OPERATED	302	8.8	44	2	3	7	11	17	23	34
TOTAL 65-69 YRS	838	6.6	32	2	2	5	8	12	16	28
70-74	604	6.7	27	2	2	5	8	13	17	25
75-79	412	6.7	40	2	2	5	8	12	16	31
80-84	230	7.4	32	2	2	6	9	15	19	29
85+	147	7.0	43	2	2	5	8	13	17	34
GRAND TOTAL	**2231**	**6.7**	**33**	**2**	**2**	**5**	**8**	**13**	**17**	**28**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	297	3.8	8	1	1	4	5	6	7	16
70-74	258	4.1	13	1	1	3	5	8	10	23
75-79	173	3.9	12	<1	1	3	5	7	9	13
80-84	118	3.8	8	1	1	3	5	7	8	16
85+	110	4.1	14	1	1	3	5	7	11	23
B. *Operated*										
65-69 YRS	178	4.8	7	1	2	5	6	8	9	12
70-74	146	5.3	64	1	2	4	6	9	10	17
75-79	79	5.0	8	1	2	4	7	8	10	15
80-84	50	4.2	7	1	1	4	6	7	8	15
85+	35	3.7	6	1	1	3	5	7	7	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	698	5.3	16	1	2	4	7	9	13	22
70-74	662	5.1	21	1	1	4	7	10	12	21
75-79	540	5.6	42	1	2	4	7	11	14	24
80-84	428	5.8	29	1	2	4	7	11	14	31
85+	371	5.7	20	1	2	4	7	11	14	22
B. *Operated*										
65-69 YRS	293	6.7	27	1	2	5	8	12	17	29
70-74	251	7.5	39	2	2	6	9	14	20	32
75-79	209	7.5	31	2	2	6	9	15	18	28
80-84	135	7.6	51	2	2	6	10	16	20	38
85+	122	7.2	42	1	2	5	9	15	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	956	3.9	11	1	1	3	5	7	8	22
B. *Operated*	488	4.9	24	1	1	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	2699	5.5	25	1	2	4	7	10	13	23
B. *Operated*	1010	7.2	36	1	2	6	9	15	19	28
1. SINGLE DX	1444	4.3	16	1	1	4	5	7	9	16
2. MULTIPLE DX	3709	5.9	29	1	2	5	7	11	15	25
A. NOT OPERATED	3655	5.1	22	1	1	4	6	9	12	23
B. OPERATED	1498	6.5	33	1	2	5	8	13	16	27
TOTAL 65-69 YRS	1466	5.2	16	1	2	4	6	9	12	21
70-74	1317	5.4	29	1	1	4	7	10	13	25
75-79	1001	5.7	33	1	2	4	7	11	14	26
80-84	731	5.7	29	1	2	4	7	11	15	25
85+	638	5.6	24	1	2	4	7	11	14	22
GRAND TOTAL	**5153**	**5.5**	**26**	**1**	**2**	**4**	**7**	**10**	**14**	**23**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	31	3.6	7	1	1	3	4	8	9	13
70-74	34	5.6	88	1	1	4	5	7	20	54
75-79	18	4.3	8	1	1	3	7	8	10	11
80-84	14	9.1	104	1	2	5	11	31	32	32
85+	10	4.7	7	<1	<1	5	7	8	8	8
B. *Operated*										
65-69 YRS	121	4.3	20	1	1	3	5	9	12	24
70-74	60	4.1	20	1	2	3	5	8	10	30
75-79	48	6.0	74	1	2	3	5	14	23	51
80-84	16	4.6	5	1	1	5	6	7	8	9
85+	6	3.5	3	2	2	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	242	7.5	41	1	2	5	9	16	21	32
70-74	202	9.8	100	1	2	6	12	20	30	55
75-79	195	8.5	42	1	2	7	11	17	23	32
80-84	130	9.2	73	1	2	6	12	23	27	36
85+	103	11.0	108	2	2	9	14	18	23	67
B. *Operated*										
65-69 YRS	185	7.8	79	2	2	4	10	19	23	51
70-74	146	11.7	180	2	2	6	15	28	39	66
75-79	106	11.5	171	2	2	7	15	28	32	66
80-84	51	15.5	201	2	2	10	26	34	37	60
85+	35	17.4	283	2	2	11	22	43	59	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	5.2	47	1	1	4	6	9	13	41
B. *Operated*	251	4.6	29	1	2	3	5	9	12	31
2. MULTIPLE DX										
A. *Not Operated*	872	8.9	69	1	2	6	12	18	24	39
B. *Operated*	523	11.0	158	2	2	6	14	27	36	64
1. SINGLE DX	358	4.8	35	1	1	3	5	9	13	32
2. MULTIPLE DX	1395	9.7	103	2	2	6	12	21	28	58
A. NOT OPERATED	979	8.5	68	1	2	6	11	18	24	38
B. OPERATED	774	8.9	125	2	2	4	10	22	30	61
TOTAL 65-69 YRS	579	6.7	49	1	2	4	8	15	20	32
70-74	442	9.3	121	1	2	5	11	21	31	58
75-79	367	8.9	85	1	2	6	11	19	26	51
80-84	211	10.4	109	2	2	6	13	27	31	55
85+	154	11.7	149	2	2	9	15	22	30	65
GRAND TOTAL	**1753**	**8.7**	**93**	**1**	**2**	**5**	**11**	**20**	**27**	**54**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	9.1	52	3	4	7	10	19	27	32
70-74	18	10.5	51	2	3	10	14	19	27	31
75-79	13	10.3	61	<1	2	10	13	18	28	31
80-84	11	9.1	26	4	4	8	12	16	21	21
85+	30	13.6	196	2	2	9	17	30	51	59
B. *Operated*										
65-69 YRS	128	20.5	231	3	5	16	27	45	53	93
70-74	140	18.3	208	3	4	15	23	44	55	99+
75-79	153	21.0	270	4	7	17	25	39	65	92
80-84	130	19.0	196	4	6	15	26	36	49	97
85+	135	17.8	148	4	7	15	22	32	46	80
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	131	12.8	116	3	4	11	17	21	38	56
70-74	123	14.1	168	2	3	11	18	25	38	97
75-79	149	12.7	125	3	3	11	16	25	36	99+
80-84	146	14.3	145	2	3	11	18	32	40	99+
85+	217	13.6	130	2	4	11	17	27	36	71
B. *Operated*										
65-69 YRS	882	27.0	353	5	8	23	36	58	80	99+
70-74	919	26.9	328	6	8	23	36	53	66	98
75-79	863	28.5	330	8	10	24	38	60	73	99+
80-84	660	25.9	300	6	9	22	35	53	74	99+
85+	705	24.5	278	7	8	20	33	49	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	11.0	98	2	3	9	13	22	31	56
B. *Operated*	686	19.3	213	4	5	16	25	38	53	98
2. MULTIPLE DX										
A. *Not Operated*	766	13.5	135	2	3	11	17	27	37	94
B. *Operated*	4029	26.7	322	6	9	22	36	55	72	99+
1. SINGLE DX	776	18.4	206	3	5	15	24	37	50	95
2. MULTIPLE DX	4795	24.6	315	5	7	20	33	52	68	99+
A. NOT OPERATED	856	13.3	132	2	3	11	17	26	37	89
B. OPERATED	4715	25.6	313	6	8	21	34	53	69	99+
TOTAL 65-69 YRS	1159	24.4	334	4	6	20	34	53	71	99+
70-74	1200	24.4	316	4	7	20	32	50	63	99
75-79	1178	25.3	325	5	8	21	34	54	70	99+
80-84	947	23.0	280	4	7	19	31	50	64	99+
85+	1087	21.2	251	4	6	17	28	43	58	99+
GRAND TOTAL	**5571**	**23.7**	**305**	**4**	**7**	**19**	**32**	**50**	**67**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	938	3.9	10	1	1	3	5	7	9	16
70-74	561	4.3	10	1	1	4	5	8	10	16
75-79	383	4.5	32	1	1	3	5	9	11	21
80-84	214	4.5	14	1	1	4	5	8	13	22
85+	155	4.8	14	1	1	4	6	10	14	18
B. *Operated*										
65-69 YRS	223	3.8	8	2	2	3	5	8	10	14
70-74	72	5.2	21	2	2	4	7	11	15	23
75-79	14	3.4	8	1	1	2	5	9	9	9
80-84	5	5.0	7	3	3	4	7	9	9	9
85+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4094	5.5	18	2	2	4	7	10	13	21
70-74	3159	5.5	17	2	2	4	7	10	13	21
75-79	2210	5.8	18	2	2	5	7	11	13	22
80-84	1290	5.9	21	2	2	5	7	11	14	26
85+	899	6.2	32	2	2	5	7	12	15	26
B. *Operated*										
65-69 YRS	613	7.0	46	2	2	5	9	14	16	31
70-74	311	8.6	40	2	2	7	11	18	21	30
75-79	130	10.5	46	2	3	10	14	20	25	29
80-84	65	15.1	110	4	5	12	21	29	39	46
85+	45	10.7	73	3	3	9	13	19	25	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2251	4.2	15	1	1	3	5	8	10	17
B. *Operated*	316	4.1	11	2	2	3	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	11652	5.6	19	2	2	5	7	10	13	22
B. *Operated*	1164	8.4	53	2	2	7	11	16	23	34
1. SINGLE DX	2567	4.2	14	1	1	3	5	8	10	17
2. MULTIPLE DX	12816	5.9	23	2	2	5	7	11	14	25
A. NOT OPERATED	13903	5.4	19	1	2	4	7	10	13	22
B. OPERATED	1480	7.5	47	2	2	6	10	15	20	31
TOTAL 65-69 YRS	5868	5.4	20	1	2	4	7	10	13	22
70-74	4103	5.6	18	1	2	4	7	10	13	22
75-79	2737	5.8	23	1	2	5	7	11	14	25
80-84	1574	6.1	27	1	2	5	7	11	16	29
85+	1101	6.1	32	1	2	5	7	12	15	26
GRAND TOTAL	**15383**	**5.6**	**22**	**1**	**2**	**4**	**7**	**11**	**14**	**24**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	111	4.5	14	1	1	3	6	10	12	18
70-74	96	4.9	25	<1	1	3	6	9	14	30
75-79	50	6.3	30	1	2	5	8	14	15	33
80-84	47	5.8	13	1	2	5	8	10	13	17
85+	34	5.8	29	1	1	4	7	11	19	26
B. *Operated*										
65-69 YRS	189	4.5	20	1	1	3	6	9	12	23
70-74	128	4.6	12	1	1	3	6	9	12	18
75-79	79	5.9	42	1	2	4	7	12	14	41
80-84	41	6.6	32	1	1	6	9	12	14	32
85+	12	6.2	13	2	2	6	9	10	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	945	8.2	55	2	2	6	10	15	21	37
70-74	848	8.3	48	2	2	6	11	17	22	35
75-79	671	7.9	37	2	2	6	10	16	20	35
80-84	428	7.9	39	2	2	6	10	15	21	29
85+	318	7.7	46	1	2	6	9	15	21	39
B. *Operated*										
65-69 YRS	557	8.8	80	1	2	6	11	18	25	49
70-74	414	9.9	94	2	2	7	12	19	26	60
75-79	317	10.0	97	2	2	8	12	19	28	52
80-84	158	10.6	121	2	3	8	12	20	28	63
85+	68	14.2	185	3	3	10	17	29	48	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	338	5.2	21	1	1	4	7	10	14	22
B. *Operated*	449	5.0	23	1	1	4	6	11	13	25
2. MULTIPLE DX										
A. *Not Operated*	3210	8.1	46	2	2	6	10	16	21	35
B. *Operated*	1514	9.8	97	2	2	7	12	19	26	57
1. SINGLE DX	787	5.1	22	1	1	4	6	10	14	24
2. MULTIPLE DX	4724	8.6	63	2	2	6	11	17	23	42
A. NOT OPERATED	3548	7.8	45	2	2	6	10	15	20	34
B. OPERATED	1963	8.7	85	1	2	6	11	17	24	52
TOTAL 65-69 YRS	1802	7.8	59	1	2	6	10	15	21	38
70-74	1486	8.2	59	2	2	6	10	17	22	40
75-79	1117	8.3	55	2	2	6	10	16	22	41
80-84	674	8.3	57	2	2	6	10	15	21	34
85+	432	8.5	71	1	2	6	10	17	23	45
GRAND TOTAL	**5511**	**8.1**	**59**	**1**	**2**	**6**	**10**	**16**	**22**	**41**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	238	3.3	9	1	1	3	4	6	7	23
70-74	150	3.8	9	1	1	3	5	7	10	15
75-79	124	4.4	16	1	1	3	5	9	11	23
80-84	75	5.0	12	1	2	4	6	10	13	16
85+	77	4.8	45	<1	1	3	5	9	11	43
B. *Operated*										
65-69 YRS	146	7.0	33	1	2	6	9	14	17	28
70-74	133	6.8	29	1	2	5	9	13	16	30
75-79	113	7.9	43	2	2	6	10	17	21	32
80-84	52	8.3	28	2	3	7	11	16	17	23
85+	49	8.0	49	1	1	6	11	17	19	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	615	5.5	20	1	1	4	7	11	15	23
70-74	597	6.5	41	1	2	5	8	13	17	33
75-79	572	7.3	39	2	2	6	9	15	19	31
80-84	486	8.2	73	2	2	6	10	17	25	50
85+	560	8.3	46	2	2	6	10	17	22	46
B. *Operated*										
65-69 YRS	779	10.4	49	2	3	9	13	19	23	33
70-74	798	11.9	87	3	4	10	14	22	29	49
75-79	752	13.2	79	3	4	11	17	25	30	48
80-84	556	13.5	112	3	4	11	17	25	32	55
85+	414	13.6	104	3	4	11	18	24	31	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	664	4.0	15	1	1	3	5	7	10	21
B. *Operated*	493	7.4	35	1	2	6	10	15	18	30
2. MULTIPLE DX										
A. *Not Operated*	2830	7.1	44	1	2	5	9	14	19	34
B. *Operated*	3299	12.3	84	3	4	10	16	23	29	50
1. SINGLE DX	1157	5.4	26	1	1	4	7	11	15	29
2. MULTIPLE DX	6129	9.9	72	2	2	8	13	20	26	46
A. NOT OPERATED	3494	6.5	40	1	2	5	8	13	18	32
B. OPERATED	3792	11.7	80	2	3	10	15	22	28	47
TOTAL 65-69 YRS	1778	7.5	40	1	2	6	10	15	20	30
70-74	1678	8.9	68	2	2	7	11	18	23	42
75-79	1561	9.9	67	2	2	8	13	20	26	43
80-84	1169	10.5	94	2	3	8	14	21	28	53
85+	1100	10.0	76	2	2	8	13	21	26	50
GRAND TOTAL	**7286**	**9.2**	**67**	**1**	**2**	**7**	**12**	**19**	**24**	**42**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	839	4.6	11	1	1	4	6	9	11	15
70-74	702	4.5	10	1	1	4	6	9	11	15
75-79	554	5.0	22	1	2	4	6	9	12	19
80-84	337	5.0	18	1	1	4	6	9	12	18
85+	275	5.2	15	1	2	4	7	10	13	16
B. *Operated*										
65-69 YRS	107	6.7	30	1	1	6	9	15	16	27
70-74	78	8.7	38	2	2	7	12	18	21	28
75-79	44	7.3	41	1	1	6	10	15	18	34
80-84	18	9.7	60	2	2	6	13	21	26	30
85+	12	8.9	8	4	5	10	11	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2672	6.0	18	2	2	5	8	11	14	22
70-74	2369	6.3	21	2	2	5	8	11	15	24
75-79	2081	6.7	27	2	2	5	8	12	17	29
80-84	1388	6.8	31	2	2	5	8	12	17	31
85+	1182	7.8	57	2	2	6	9	14	20	42
B. *Operated*										
65-69 YRS	484	10.2	53	2	3	8	13	19	23	35
70-74	345	10.8	56	3	4	9	13	21	25	37
75-79	272	11.8	73	3	4	9	15	22	30	44
80-84	152	11.9	54	3	4	10	16	21	27	37
85+	93	12.4	64	4	4	11	15	27	30	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2707	4.8	14	1	1	4	6	9	11	16
B. *Operated*	259	7.7	36	1	2	7	11	16	19	30
2. MULTIPLE DX										
A. *Not Operated*	9692	6.6	28	2	2	5	8	12	16	27
B. *Operated*	1346	11.0	59	3	4	9	14	21	26	37
1. SINGLE DX	2966	5.0	17	1	1	4	6	10	12	19
2. MULTIPLE DX	11038	7.1	34	2	2	6	9	13	18	30
A. NOT OPERATED	12399	6.2	25	1	2	5	8	11	15	25
B. OPERATED	1605	10.5	57	2	3	9	14	20	25	37
TOTAL 65-69 YRS	4102	6.2	23	1	2	5	8	12	15	25
70-74	3494	6.4	25	1	2	5	8	12	16	26
75-79	2951	6.8	34	2	2	5	9	13	17	30
80-84	1895	6.9	33	2	2	5	9	13	18	30
85+	1562	7.6	52	2	2	6	9	14	20	41
GRAND TOTAL	**14004**	**6.7**	**31**	**1**	**2**	**5**	**8**	**13**	**17**	**29**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	179	4.8	19	1	1	3	6	10	13	22
70-74	155	5.2	13	1	2	4	7	10	12	18
75-79	137	5.5	23	1	1	4	7	10	13	30
80-84	94	5.5	17	1	1	5	7	10	14	22
85+	68	6.0	44	1	2	4	7	12	14	45
B. *Operated*										
65-69 YRS	83	7.6	90	1	2	4	9	16	23	54
70-74	47	8.0	43	1	2	7	11	16	22	30
75-79	46	8.8	51	2	2	7	11	19	24	32
80-84	21	7.8	31	2	2	6	10	16	19	22
85+	13	7.2	17	1	3	7	10	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1111	7.3	42	1	2	6	9	14	19	30
70-74	1018	7.5	41	2	2	6	9	14	20	33
75-79	1031	7.7	42	2	2	6	10	15	21	32
80-84	787	8.1	43	2	3	6	10	16	20	32
85+	693	8.7	68	2	2	6	11	17	23	56
B. *Operated*										
65-69 YRS	305	11.8	112	2	3	9	15	23	30	70
70-74	271	14.1	141	3	4	11	18	30	36	61
75-79	229	13.5	152	2	3	10	17	26	38	67
80-84	156	14.7	117	2	4	11	19	32	40	44
85+	91	13.8	103	2	3	12	18	26	31	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	633	5.3	21	1	1	4	7	10	13	21
B. *Operated*	210	7.9	60	1	2	6	11	16	22	40
2. MULTIPLE DX										
A. *Not Operated*	4640	7.8	46	2	2	6	10	15	20	34
B. *Operated*	1052	13.4	129	2	3	11	17	27	36	63
1. SINGLE DX	843	5.9	32	1	1	4	8	12	16	29
2. MULTIPLE DX	5692	8.8	66	2	2	6	11	18	24	44
A. NOT OPERATED	5273	7.5	44	2	2	6	9	15	20	33
B. OPERATED	1262	12.5	121	2	2	10	16	25	34	58
TOTAL 65-69 YRS	1678	7.9	59	1	2	6	10	16	21	38
70-74	1491	8.5	64	2	2	6	10	17	24	43
75-79	1443	8.4	63	2	2	6	11	17	23	48
80-84	1058	8.8	58	2	2	7	11	18	24	41
85+	865	9.0	72	2	2	6	11	18	25	51
GRAND TOTAL	**6535**	**8.4**	**63**	**2**	**2**	**6**	**10**	**17**	**23**	**42**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1553	6.8	74	1	1	4	8	15	21	50
70-74	1414	6.2	48	1	2	4	7	13	19	39
75-79	1119	6.9	74	1	2	5	8	14	20	54
80-84	767	7.4	81	1	2	5	9	15	21	50
85+	594	7.1	62	1	1	5	8	14	21	41
B. *Operated*										
65-69 YRS	436	6.0	61	1	2	3	7	12	18	47
70-74	319	6.6	61	1	2	4	8	14	19	43
75-79	203	7.5	73	1	2	4	10	17	25	45
80-84	89	10.0	151	1	1	5	13	25	38	63
85+	55	8.1	61	1	2	6	11	14	22	42
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6246	7.3	40	2	2	6	9	14	19	32
70-74	6443	7.5	41	2	2	6	9	15	19	34
75-79	6161	7.8	44	2	2	6	10	15	20	33
80-84	4639	7.9	46	2	2	6	10	15	20	35
85+	3940	8.5	59	2	2	6	11	17	22	39
B. *Operated*										
65-69 YRS	1148	11.5	131	2	2	8	14	25	35	66
70-74	1121	12.6	151	2	2	9	16	27	38	79
75-79	876	13.9	148	2	3	10	18	30	37	67
80-84	577	14.3	170	3	4	10	18	29	47	99
85+	421	15.3	146	3	4	12	20	32	41	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5447	6.8	67	1	2	4	8	14	20	47
B. *Operated*	1102	6.9	71	1	2	4	9	15	21	44
2. MULTIPLE DX										
A. *Not Operated*	27429	7.7	45	2	2	6	10	15	20	34
B. *Operated*	4143	13.1	148	2	3	10	17	28	38	71
1. SINGLE DX	6549	6.8	67	1	2	4	8	14	20	46
2. MULTIPLE DX	31572	8.4	62	2	2	6	10	17	23	42
A. NOT OPERATED	32876	7.6	49	2	2	6	9	15	20	36
B. OPERATED	5245	11.8	139	2	2	8	15	26	36	70
TOTAL 65-69 YRS	9383	7.7	60	1	2	5	9	15	21	43
70-74	9297	7.9	59	2	2	6	10	16	22	42
75-79	8359	8.3	63	2	2	6	10	16	22	42
80-84	6072	8.5	67	2	2	6	10	17	23	48
85+	5010	8.9	71	2	2	7	11	18	25	44
GRAND TOTAL	**38121**	**8.1**	**63**	**2**	**2**	**6**	**10**	**16**	**22**	**43**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	5.3	21	1	2	4	6	14	16	17
70-74	10	6.1	17	1	2	5	6	12	16	16
75-79	7	7.4	32	1	1	7	9	16	18	18
80-84	9	8.1	31	1	1	9	12	16	17	17
85+	5	9.4	42	3	3	9	16	16	16	16
B. *Operated*										
65-69 YRS	4	26.8	2012	3	3	5	50	94	94	94
70-74	3	9.7	9	7	7	9	12	13	13	13
75-79	1	34.0		34	34	34	34	34	34	34
80-84	4	19.0	81	8	8	19	25	30	30	30
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	58	9.9	101	2	2	6	11	24	33	49
70-74	52	10.4	65	2	3	8	12	24	28	37
75-79	51	10.3	62	2	2	9	12	24	25	34
80-84	24	9.4	70	1	2	7	11	18	28	39
85+	30	13.0	121	2	2	10	21	35	41	99+
B. *Operated*										
65-69 YRS	37	22.1	365	2	3	15	37	63	90	99+
70-74	29	24.7	567	4	5	16	31	65	84	86
75-79	22	24.0	375	5	7	16	29	55	66	71
80-84	16	21.1	183	5	7	20	28	34	52	59
85+	9	28.6	750	4	5	14	45	73	85	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	6.8	25	1	2	6	9	16	17	18
B. *Operated*	12	20.5	636	3	4	11	25	52	88	94
2. MULTIPLE DX										
A. *Not Operated*	215	10.5	82	2	2	8	12	25	32	44
B. *Operated*	113	23.5	411	3	4	16	34	59	78	99+
1. SINGLE DX	58	9.6	174	1	2	6	12	18	26	89
2. MULTIPLE DX	328	15.0	233	2	3	10	20	36	48	89
A. NOT OPERATED	261	9.9	74	2	2	7	12	23	29	41
B. OPERATED	125	23.2	429	3	4	16	31	58	80	99+
TOTAL 65-69 YRS	114	13.9	269	2	2	8	17	37	58	99+
70-74	94	14.3	258	2	3	9	16	29	47	85
75-79	81	14.1	185	2	3	10	17	31	45	69
80-84	53	13.4	126	2	2	10	19	29	34	58
85+	44	15.8	270	2	3	11	21	41	63	99+
GRAND TOTAL	**386**	**14.2**	**227**	**2**	**2**	**9**	**18**	**34**	**48**	**91**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	9.2	68	2	2	6	19	20	20	20
70-74	5	6.6	33	2	2	4	10	16	16	16
75-79	5	6.8	12	2	2	7	9	11	11	11
80-84	8	6.6	42	1	1	3	12	16	17	17
85+	8	7.1	44	2	2	4	11	18	20	20
B. *Operated*										
65-69 YRS	2	2.0	2	1	1	2	3	3	3	3
70-74	2	4.5	13	2	2	4	7	7	7	7
75-79	2	5.0	18	2	2	5	8	8	8	8
80-84	1	5.0		5	5	5	5	5	5	5
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	11.4	156	2	2	9	13	20	29	80
70-74	47	9.4	58	2	2	7	11	22	26	34
75-79	42	16.4	193	2	3	14	20	40	50	52
80-84	31	12.3	72	3	4	10	16	22	27	42
85+	24	7.7	33	2	3	7	9	15	22	27
B. *Operated*										
65-69 YRS	25	20.5	534	4	6	12	23	80	86	99+
70-74	24	16.3	307	3	3	9	22	37	63	67
75-79	22	29.9	705	3	5	23	50	82	95	99+
80-84	21	17.3	151	3	4	16	22	33	47	51
85+	10	9.4	100	1	2	6	9	27	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	7.3	37	2	2	5	10	18	20	20
B. *Operated*	8	4.3	7	1	1	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	193	11.7	118	2	3	9	15	22	33	52
B. *Operated*	102	19.8	419	3	3	12	26	61	80	99+
1. SINGLE DX	40	6.7	32	1	2	5	9	16	19	20
2. MULTIPLE DX	295	14.5	236	2	3	10	19	31	51	88
A. NOT OPERATED	225	11.0	108	2	2	8	14	21	29	51
B. OPERATED	110	18.7	406	2	3	12	25	55	79	99+
TOTAL 65-69 YRS	82	13.8	277	2	2	9	15	27	75	94
70-74	78	11.2	141	2	2	7	13	26	33	65
75-79	71	19.6	383	2	3	14	26	51	71	98
80-84	61	13.2	105	2	3	11	19	24	34	50
85+	43	8.0	48	2	2	6	9	20	25	31
GRAND TOTAL	**335**	**13.5**	**218**	**2**	**3**	**9**	**17**	**29**	**47**	**84**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	4.5	33	<1	<1	2	5	11	18	25
70-74	13	2.5	2	1	1	2	3	4	6	6
75-79	27	3.1	6	<1	1	3	4	5	8	12
80-84	9	7.2	122	1	1	3	7	25	36	36
85+	10	5.5	22	2	2	4	6	13	17	17
B. *Operated*										
65-69 YRS	85	4.9	29	1	1	3	6	10	13	34
70-74	59	5.4	32	<1	1	3	6	12	18	31
75-79	56	4.8	19	1	1	3	6	9	15	21
80-84	21	8.0	176	1	2	4	6	15	38	63
85+	14	4.9	13	2	2	4	7	10	13	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	100	8.0	72	2	2	6	9	15	22	54
70-74	114	5.8	18	1	1	5	8	12	15	18
75-79	135	7.3	37	2	2	5	10	16	20	32
80-84	139	8.0	97	1	2	6	9	14	18	61
85+	144	8.8	68	2	2	6	11	17	22	40
B. *Operated*										
65-69 YRS	235	8.6	84	1	2	6	11	17	27	50
70-74	183	10.8	113	1	2	7	13	24	38	56
75-79	162	11.1	147	1	2	8	14	22	28	84
80-84	93	10.8	104	1	2	8	14	20	28	59
85+	83	11.4	96	2	3	8	14	31	35	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	4.1	27	<1	1	3	4	9	12	33
B. *Operated*	235	5.3	39	1	1	3	6	11	14	34
2. MULTIPLE DX										
A. *Not Operated*	632	7.6	60	1	2	6	10	15	20	37
B. *Operated*	756	10.2	109	1	2	7	13	22	32	58
1. SINGLE DX	316	5.0	36	1	1	3	6	10	14	33
2. MULTIPLE DX	1388	9.1	88	1	2	6	11	18	26	52
A. NOT OPERATED	713	7.2	57	1	2	5	9	14	19	36
B. OPERATED	991	9.1	97	1	2	6	11	20	29	53
TOTAL 65-69 YRS	442	7.5	70	1	2	5	9	15	23	49
70-74	369	8.1	74	1	2	5	10	17	26	49
75-79	380	8.2	86	1	2	5	10	18	22	36
80-84	262	9.0	107	1	2	6	11	17	24	62
85+	251	9.3	75	2	2	7	12	21	31	65
GRAND TOTAL	**1704**	**8.3**	**81**	**1**	**2**	**6**	**10**	**17**	**24**	**50**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	496	9.6	41	3	4	8	12	17	22	37
70-74	528	9.8	39	3	4	9	12	17	20	29
75-79	505	10.4	36	3	4	10	14	18	21	35
80-84	373	10.6	36	3	4	10	14	19	21	31
85+	398	10.7	39	3	4	10	14	19	22	29
B. *Operated*										
65-69 YRS	34	13.4	106	3	3	11	15	33	39	40
70-74	26	17.7	101	6	7	15	22	32	40	44
75-79	16	15.8	91	4	6	13	19	33	37	38
80-84	10	14.1	62	3	4	14	18	25	31	31
85+	10	14.8	72	4	4	14	20	26	31	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1314	11.8	70	3	4	10	15	21	26	46
70-74	1698	12.8	66	3	5	11	16	23	28	44
75-79	2048	13.0	66	4	5	11	17	23	28	41
80-84	1800	13.8	82	4	5	12	17	24	30	46
85+	1850	13.3	86	3	4	11	17	24	30	50
B. *Operated*										
65-69 YRS	173	20.4	177	4	7	19	27	34	48	91
70-74	229	20.0	150	5	7	17	26	40	46	57
75-79	233	21.5	216	6	8	18	27	37	47	87
80-84	168	21.7	201	6	8	19	28	40	53	95
85+	147	22.1	234	6	8	17	29	44	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2300	10.2	38	3	4	9	13	18	21	32
B. *Operated*	96	15.2	94	3	4	13	19	31	38	42
2. MULTIPLE DX										
A. *Not Operated*	8710	13.0	74	4	5	11	16	23	29	46
B. *Operated*	950	21.1	193	6	8	18	27	39	51	89
1. SINGLE DX	2396	10.4	41	3	4	9	13	18	22	36
2. MULTIPLE DX	9660	13.8	92	4	5	12	17	25	32	52
A. NOT OPERATED	11010	12.4	68	3	4	11	16	22	27	44
B. OPERATED	1046	20.5	187	5	7	17	26	38	48	87
TOTAL 65-69 YRS	2017	12.0	80	3	4	10	15	22	29	47
70-74	2481	12.9	75	3	5	11	16	23	30	47
75-79	2802	13.3	80	4	5	11	17	23	30	47
80-84	2351	13.9	89	4	5	12	17	24	31	50
85+	2405	13.4	93	3	4	11	17	24	32	55
GRAND TOTAL	**12056**	**13.1**	**84**	**3**	**5**	**11**	**17**	**24**	**30**	**49**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	6.4	20	1	2	4	11	13	13	14
70-74	26	11.2	196	3	4	9	12	15	29	77
75-79	19	9.8	37	4	5	8	14	21	22	22
80-84	15	10.6	30	4	6	9	12	21	23	24
85+	7	11.1	27	6	6	10	13	20	21	21
B. *Operated*										
65-69 YRS	9	17.9	317	2	3	18	20	45	61	61
70-74	5	31.0	525	13	13	24	37	71	71	71
75-79	2	32.5	685	14	14	32	51	51	51	51
80-84	3	13.0	91	7	7	8	20	24	24	24
85+	2	20.5	13	18	18	20	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	44	14.2	125	4	4	11	18	24	33	61
70-74	59	14.0	91	3	4	11	20	28	32	43
75-79	64	14.7	136	4	5	13	18	23	28	80
80-84	59	13.3	39	4	6	12	17	21	27	30
85+	71	13.9	82	4	6	12	15	23	34	53
B. *Operated*										
65-69 YRS	23	23.5	241	7	8	22	37	56	99+	99+
70-74	12	42.9	780	8	12	59	94	99+	99+	99+
75-79	11	27.5	201	15	15	22	41	70	96	99+
80-84	7	25.4	385	8	8	26	32	57	63	63
85+	11	21.6	130	7	8	20	30	36	42	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	9.7	80	2	3	8	12	17	21	57
B. *Operated*	21	22.0	327	4	6	19	24	55	65	71
2. MULTIPLE DX										
A. *Not Operated*	297	14.0	92	4	5	12	18	24	29	52
B. *Operated*	64	27.7	367	8	8	26	45	93	99+	99+
1. SINGLE DX	108	12.1	149	2	3	9	14	22	24	74
2. MULTIPLE DX	361	16.5	168	4	5	13	22	31	55	99+
A. NOT OPERATED	384	13.0	92	3	4	11	17	23	27	53
B. OPERATED	85	26.3	360	7	8	23	42	75	99+	99+
TOTAL 65-69 YRS	96	15.2	178	2	3	11	20	34	56	99+
70-74	102	17.5	309	3	5	12	24	55	85	99+
75-79	96	15.6	155	4	5	14	20	27	42	94
80-84	84	13.8	75	4	6	12	17	24	28	53
85+	91	14.7	89	5	6	12	18	27	34	51
GRAND TOTAL	**469**	**15.4**	**166**	**4**	**5**	**12**	**19**	**30**	**49**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	188	6.2	22	1	2	5	8	12	15	24
70-74	157	5.3	13	1	2	4	7	10	12	18
75-79	146	6.0	24	1	2	5	8	11	14	26
80-84	116	6.8	25	2	2	6	9	14	18	24
85+	155	6.4	25	1	2	5	8	12	15	28
B. *Operated*										
65-69 YRS	12	7.3	19	3	4	6	8	13	18	19
70-74	5	7.8	5	5	5	8	10	10	10	10
75-79	6	7.3	34	1	1	6	9	17	18	18
80-84	4	9.3	140	3	3	4	15	27	27	27
85+	2	6.5	25	3	3	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1147	8.4	38	2	3	7	11	16	20	32
70-74	1113	9.4	62	2	3	7	12	18	24	44
75-79	1220	9.6	48	2	3	8	12	18	24	33
80-84	1069	10.1	52	2	3	8	13	19	24	39
85+	1217	10.4	68	2	3	8	13	19	25	43
B. *Operated*										
65-69 YRS	233	14.9	157	3	4	12	19	32	40	73
70-74	207	15.4	152	3	4	12	21	31	41	69
75-79	168	17.6	171	4	5	14	25	35	42	74
80-84	146	17.2	178	3	5	14	21	34	43	83
85+	130	18.8	154	5	7	16	25	35	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	762	6.1	22	1	2	5	8	12	15	24
B. *Operated*	29	7.6	31	3	3	6	9	15	19	27
2. MULTIPLE DX										
A. *Not Operated*	5766	9.6	54	2	3	8	12	18	23	38
B. *Operated*	884	16.5	163	3	5	13	22	34	42	77
1. SINGLE DX	791	6.2	22	1	2	5	8	12	15	25
2. MULTIPLE DX	6650	10.5	74	2	3	8	13	20	26	48
A. NOT OPERATED	6528	9.2	51	2	3	7	12	18	23	36
B. OPERATED	913	16.2	161	3	5	13	21	33	42	76
TOTAL 65-69 YRS	1580	9.1	59	2	3	7	11	18	23	40
70-74	1482	9.8	76	2	3	7	12	20	25	48
75-79	1540	10.1	67	2	3	8	13	20	26	40
80-84	1335	10.6	70	2	3	9	14	21	26	46
85+	1504	10.7	78	2	3	8	14	21	28	56
GRAND TOTAL	**7441**	**10.0**	**70**	**2**	**3**	**8**	**13**	**20**	**26**	**45**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	254	11.8	63	3	4	10	15	23	27	35
70-74	272	13.2	64	3	5	11	16	24	28	41
75-79	357	13.7	74	4	5	13	17	25	31	42
80-84	399	13.2	97	3	4	11	16	25	34	63
85+	517	12.6	67	3	4	12	17	22	26	39
B. *Operated*										
65-69 YRS	8	19.3	326	4	5	11	30	48	55	55
70-74	9	28.9	743	1	5	16	43	75	77	77
75-79	8	29.0	883	7	8	16	36	80	97	97
80-84	7	16.7	245	5	6	13	16	44	51	51
85+	8	21.9	80	4	8	23	26	33	35	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	577	15.8	103	4	6	13	20	28	35	58
70-74	713	17.0	131	4	6	15	22	29	38	63
75-79	1059	17.0	111	4	6	15	22	30	38	56
80-84	1185	16.5	122	4	6	14	21	30	39	57
85+	1599	15.9	118	4	5	14	21	30	36	63
B. *Operated*										
65-69 YRS	114	30.6	400	7	10	26	41	60	81	99+
70-74	125	28.4	322	7	11	24	38	56	69	94
75-79	141	29.7	353	7	9	27	41	58	77	99+
80-84	115	28.1	367	7	10	23	34	60	88	99+
85+	144	27.1	293	7	10	23	36	45	63	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1799	12.9	74	3	4	11	16	24	29	42
B. *Operated*	40	23.5	447	4	5	16	29	53	74	97
2. MULTIPLE DX										
A. *Not Operated*	5133	16.4	118	4	6	14	21	29	37	60
B. *Operated*	639	28.7	344	7	10	24	38	56	78	99+
1. SINGLE DX	1839	13.2	84	3	4	11	17	24	30	44
2. MULTIPLE DX	5772	17.8	158	4	6	15	23	33	41	75
A. NOT OPERATED	6932	15.5	109	4	5	13	20	28	35	56
B. OPERATED	679	28.4	350	7	10	24	38	56	77	99+
TOTAL 65-69 YRS	953	16.5	159	4	5	13	20	32	41	67
70-74	1119	17.5	159	4	6	14	22	31	41	69
75-79	1565	17.4	145	4	6	15	23	32	41	67
80-84	1706	16.6	144	4	6	14	21	31	39	73
85+	2268	15.9	128	3	5	14	21	29	37	65
GRAND TOTAL	**7611**	**16.7**	**144**	**4**	**5**	**14**	**21**	**31**	**39**	**68**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	335	5.1	24	1	1	4	6	9	15	27
70-74	397	5.4	29	1	1	4	6	11	15	30
75-79	399	7.0	56	1	2	5	8	15	21	52
80-84	371	7.7	56	1	2	6	9	16	22	36
85+	363	6.7	46	1	2	5	8	13	18	40
B. *Operated*										
65-69 YRS	348	7.7	53	1	2	5	10	16	23	35
70-74	307	8.2	84	1	2	6	10	15	22	45
75-79	291	9.0	80	1	2	6	12	21	27	41
80-84	198	9.6	48	2	2	8	12	19	24	33
85+	189	9.8	64	2	3	8	13	19	26	43
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	572	9.8	102	2	2	7	12	20	27	53
70-74	700	10.6	100	2	3	8	14	21	31	52
75-79	863	10.9	90	2	3	8	14	23	29	48
80-84	871	11.6	93	2	3	9	15	23	32	61
85+	915	11.1	80	2	3	9	14	22	30	49
B. *Operated*										
65-69 YRS	536	13.8	157	2	3	10	18	30	44	64
70-74	584	14.0	136	2	3	11	19	30	39	68
75-79	594	13.8	146	2	3	10	18	28	37	65
80-84	467	16.2	172	3	4	12	21	33	44	66
85+	364	15.4	156	3	4	12	20	33	39	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1865	6.4	43	1	2	5	8	13	19	33
B. *Operated*	1333	8.7	67	1	2	6	11	18	25	38
2. MULTIPLE DX										
A. *Not Operated*	3921	10.9	92	2	3	8	14	22	30	52
B. *Operated*	2545	14.5	153	2	3	11	19	30	40	66
1. SINGLE DX	3198	7.4	55	1	2	5	9	15	22	36
2. MULTIPLE DX	6466	12.3	119	2	3	9	16	26	34	59
A. NOT OPERATED	5786	9.5	81	1	2	7	12	20	27	49
B. OPERATED	3878	12.5	131	2	3	9	16	27	35	59
TOTAL 65-69 YRS	1791	9.7	104	1	2	6	12	21	29	54
70-74	1988	10.2	103	1	2	7	13	22	31	50
75-79	2147	10.7	103	2	2	8	14	24	30	56
80-84	1907	11.8	109	2	3	9	15	25	33	61
85+	1831	11.0	94	2	3	8	14	23	30	51
GRAND TOTAL	**9664**	**10.7**	**103**	**2**	**2**	**8**	**14**	**23**	**31**	**54**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	70	3.2	4	1	1	3	4	6	7	9
70-74	77	3.7	16	1	1	3	4	8	10	24
75-79	88	4.1	9	1	1	4	5	8	9	68
80-84	70	4.5	16	1	1	3	6	9	13	19
85+	78	5.6	42	1	1	4	7	13	17	37
B. *Operated*										
65-69 YRS	999	3.3	7	1	1	3	4	6	8	13
70-74	828	3.5	10	1	1	3	4	7	9	15
75-79	620	4.1	18	1	1	3	5	8	10	19
80-84	376	4.7	24	1	1	3	6	10	13	30
85+	261	5.2	29	1	1	4	6	10	15	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	182	7.4	47	1	2	5	9	17	25	34
70-74	204	7.7	55	1	2	5	10	19	23	35
75-79	227	8.1	43	2	2	6	11	15	20	35
80-84	234	8.8	59	1	2	6	11	18	24	40
85+	273	9.7	72	2	2	7	13	23	25	46
B. *Operated*										
65-69 YRS	794	7.5	63	1	2	5	9	17	22	49
70-74	791	8.0	72	1	2	5	10	18	25	47
75-79	691	8.6	77	2	2	6	11	19	25	45
80-84	544	10.0	100	2	2	7	13	20	28	56
85+	438	10.9	111	2	2	8	14	23	30	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	383	4.2	18	1	1	3	5	9	11	25
B. *Operated*	3084	3.9	14	1	1	3	5	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	1120	8.5	57	1	2	6	11	18	24	41
B. *Operated*	3258	8.7	82	1	2	6	11	19	26	48
1. SINGLE DX	3467	3.9	15	1	1	3	5	8	10	20
2. MULTIPLE DX	4378	8.7	76	1	2	6	11	19	25	46
A. NOT OPERATED	1503	7.4	50	1	2	5	9	16	23	37
B. OPERATED	6342	6.4	55	1	1	4	7	14	20	39
TOTAL 65-69 YRS	2045	5.3	37	1	1	3	6	11	17	35
70-74	1900	5.9	46	1	1	4	7	12	19	37
75-79	1626	6.6	51	1	1	4	8	14	19	38
80-84	1224	7.8	70	1	2	5	10	17	22	44
85+	1050	8.8	81	1	2	6	11	20	26	44
GRAND TOTAL	**7845**	**6.6**	**54**	**1**	**1**	**4**	**8**	**14**	**21**	**39**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	4.6	23	1	1	2	9	12	14	14
70-74	25	3.0	5	<1	1	2	4	5	9	10
75-79	24	4.7	32	1	1	3	5	11	18	25
80-84	15	4.3	14	<1	1	2	8	9	11	11
85+	23	5.9	28	1	1	5	7	15	17	18
B. *Operated*										
65-69 YRS	172	2.9	7	1	1	2	3	6	9	12
70-74	130	3.0	9	1	1	2	3	6	9	16
75-79	91	3.7	12	1	1	3	5	7	12	17
80-84	51	6.0	130	1	1	3	6	11	21	78
85+	52	5.0	37	1	1	3	7	10	15	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	62	7.2	49	1	2	6	9	12	16	46
70-74	103	8.2	48	2	2	6	12	18	21	69
75-79	87	9.3	101	2	2	6	12	18	29	59
80-84	80	7.9	41	1	2	6	11	18	21	26
85+	99	9.0	53	2	2	7	12	19	24	72
B. *Operated*										
65-69 YRS	214	6.2	71	1	1	4	7	14	19	48
70-74	168	7.5	73	1	2	4	9	16	23	52
75-79	143	8.0	75	1	2	5	10	15	19	50
80-84	104	10.5	119	1	2	7	15	21	24	65
85+	71	9.0	111	1	2	7	10	20	31	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	4.5	21	1	1	2	6	11	15	22
B. *Operated*	496	3.6	25	1	1	2	4	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	431	8.4	59	2	2	6	11	18	22	50
B. *Operated*	700	7.8	85	1	1	5	10	17	23	53
1. SINGLE DX	595	3.8	24	1	1	2	4	9	10	21
2. MULTIPLE DX	1131	8.0	75	1	2	5	10	17	22	51
A. NOT OPERATED	530	7.7	54	1	2	6	10	17	21	45
B. OPERATED	1196	6.1	64	1	1	3	7	14	19	46
TOTAL 65-69 YRS	460	5.1	45	1	1	3	6	10	15	44
70-74	426	6.1	48	1	1	4	7	14	19	38
75-79	345	7.0	67	1	1	4	8	15	18	49
80-84	250	8.4	93	1	1	5	11	18	22	45
85+	245	7.9	67	1	2	6	10	16	22	78
GRAND TOTAL	**1726**	**6.6**	**62**	**1**	**1**	**4**	**8**	**15**	**20**	**46**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	144	12.5	145	1	2	9	17	25	31	61
70-74	202	14.1	172	1	2	12	18	26	37	74
75-79	235	14.6	161	1	2	12	19	29	43	79
80-84	314	14.8	194	1	2	11	20	29	37	79
85+	450	13.6	183	1	2	11	18	28	40	99
B. *Operated*										
65-69 YRS	1844	16.7	64	8	9	15	20	25	31	50
70-74	2556	17.4	68	8	10	16	20	26	33	48
75-79	3408	18.4	78	9	10	17	21	28	33	58
80-84	3896	19.1	87	9	11	17	22	29	36	58
85+	4883	19.1	94	9	10	17	22	30	37	63
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	312	17.4	221	2	4	14	23	36	53	96
70-74	425	17.3	207	2	4	14	22	37	53	99+
75-79	549	17.7	254	3	4	14	22	36	58	99+
80-84	730	17.2	212	3	4	14	22	35	58	99+
85+	1108	17.6	221	2	4	14	23	37	51	99+
B. *Operated*										
65-69 YRS	3001	21.5	148	9	11	18	25	37	47	79
70-74	4661	22.5	156	10	11	19	27	39	49	82
75-79	6415	23.0	165	10	12	20	28	40	51	88
80-84	7786	23.0	160	10	12	20	27	39	50	86
85+	10340	22.7	164	10	11	19	27	39	50	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1345	14.0	176	1	2	11	19	28	39	86
B. *Operated*	16587	18.4	82	8	10	17	21	28	35	57
2. MULTIPLE DX										
A. *Not Operated*	3124	17.5	223	3	4	14	23	36	54	99+
B. *Operated*	32203	22.7	161	10	11	19	27	39	50	86
1. SINGLE DX	17932	18.1	91	7	9	16	21	28	35	59
2. MULTIPLE DX	35327	22.2	168	8	11	19	27	39	50	90
A. NOT OPERATED	4469	16.4	211	2	3	13	21	34	50	99+
B. OPERATED	48790	21.2	138	9	11	18	25	35	45	80
TOTAL 65-69 YRS	5301	19.3	130	7	9	17	23	33	42	72
70-74	7844	20.4	138	8	10	18	24	34	45	77
75-79	10607	21.1	147	8	10	18	25	35	46	82
80-84	12726	21.2	147	8	10	18	25	36	46	83
85+	16781	21.1	153	8	10	18	25	36	46	86
GRAND TOTAL	**53259**	**20.8**	**146**	**8**	**10**	**18**	**25**	**35**	**46**	**82**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	86	28.4	438	1	5	25	46	60	69	99+
70-74	86	24.8	478	3	5	18	39	55	73	93
75-79	102	24.3	419	3	5	16	39	56	64	96
80-84	108	24.0	429	2	3	19	36	54	73	91
85+	137	20.2	344	1	3	14	31	50	69	99+
B. *Operated*										
65-69 YRS	140	22.7	267	5	8	18	30	48	62	99+
70-74	190	24.1	301	8	9	19	28	52	66	98
75-79	201	23.7	270	7	10	19	28	43	63	99
80-84	215	24.5	240	9	11	20	28	47	62	99+
85+	248	21.7	199	6	9	18	28	43	50	77
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	141	30.3	611	3	7	20	49	71	89	99+
70-74	152	29.4	531	6	7	22	45	70	90	99+
75-79	200	27.9	489	5	6	20	41	66	82	99+
80-84	241	27.0	540	3	4	19	43	69	84	99+
85+	325	23.7	424	3	5	17	36	62	74	99+
B. *Operated*										
65-69 YRS	295	30.7	402	9	11	26	46	64	91	99+
70-74	349	30.2	368	8	12	26	41	72	90	99+
75-79	419	30.6	368	8	11	25	43	64	79	99+
80-84	405	27.0	299	9	11	23	35	50	75	99+
85+	548	26.9	300	7	10	23	37	59	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	519	23.9	418	2	4	17	38	55	69	99+
B. *Operated*	994	23.3	251	7	9	19	28	47	62	99
2. MULTIPLE DX										
A. *Not Operated*	1059	26.9	507	3	6	19	41	68	83	99+
B. *Operated*	2016	28.8	343	8	11	24	39	63	81	99+
1. SINGLE DX	1513	23.5	309	4	7	18	31	51	64	99+
2. MULTIPLE DX	3075	28.2	400	6	8	23	40	64	83	99+
A. NOT OPERATED	1578	25.9	479	3	5	19	40	63	78	99+
B. OPERATED	3010	27.0	319	8	10	22	36	58	77	99+
TOTAL 65-69 YRS	662	28.6	431	5	8	22	43	63	83	99+
70-74	777	27.9	402	6	9	22	39	64	84	99+
75-79	922	27.8	386	6	9	22	38	61	77	99+
80-84	969	26.1	361	5	8	21	35	59	75	99+
85+	1258	24.3	322	4	6	20	34	55	72	99+
GRAND TOTAL	**4588**	**26.6**	**375**	**5**	**8**	**21**	**37**	**60**	**77**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	192	8.2	49	1	2	6	10	16	20	38
70-74	182	9.9	67	2	2	8	13	20	26	38
75-79	149	10.0	62	2	3	8	13	20	25	34
80-84	103	9.6	64	2	2	7	12	22	29	37
85+	103	9.8	72	2	2	8	12	21	28	46
B. *Operated*										
65-69 YRS	325	11.2	80	3	3	9	14	20	26	48
70-74	233	12.7	125	3	4	10	16	23	27	71
75-79	146	14.2	153	3	4	12	18	24	31	83
80-84	63	15.3	151	2	5	12	19	29	46	63
85+	60	12.4	92	2	3	9	19	30	31	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	300	13.3	129	2	4	10	18	26	32	60
70-74	288	13.9	158	3	4	10	17	27	40	66
75-79	289	12.7	98	2	3	10	17	27	35	51
80-84	215	14.7	142	3	4	12	18	28	37	61
85+	235	14.1	170	2	3	10	18	30	46	99+
B. *Operated*										
65-69 YRS	423	18.6	258	4	5	14	23	38	56	93
70-74	331	18.8	217	3	5	16	23	38	58	99+
75-79	247	20.1	226	4	7	16	25	41	58	99+
80-84	147	20.4	294	4	6	15	28	48	61	99+
85+	141	20.1	294	4	5	14	26	46	64	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	729	9.4	62	2	2	7	12	19	25	40
B. *Operated*	827	12.5	113	3	4	10	16	23	30	54
2. MULTIPLE DX										
A. *Not Operated*	1327	13.7	138	2	4	10	17	27	37	69
B. *Operated*	1289	19.3	249	4	5	15	24	40	58	99
1. SINGLE DX	1556	11.1	91	2	3	9	14	21	28	50
2. MULTIPLE DX	2616	16.4	200	3	4	13	21	34	48	91
A. NOT OPERATED	2056	12.2	115	2	3	9	15	25	32	58
B. OPERATED	2116	16.7	207	3	4	13	21	33	49	92
TOTAL 65-69 YRS	1240	13.8	162	2	4	10	17	27	38	75
70-74	1034	14.5	164	3	4	11	19	29	40	81
75-79	831	14.7	153	3	4	11	19	28	40	76
80-84	528	15.4	183	3	4	12	19	31	43	80
85+	539	14.6	187	2	3	11	19	31	46	82
GRAND TOTAL	**4172**	**14.4**	**166**	**3**	**4**	**11**	**18**	**29**	**40**	**78**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	300	5.8	21	1	2	5	7	11	14	25
70-74	265	6.1	27	1	2	5	7	12	15	27
75-79	207	7.9	58	1	2	6	10	15	22	45
80-84	161	8.2	67	1	2	6	10	14	24	51
85+	116	8.0	59	1	2	6	10	17	22	46
B. *Operated*										
65-69 YRS	1006	8.2	27	3	3	7	10	14	17	26
70-74	764	8.8	26	3	4	8	11	16	19	25
75-79	397	10.5	43	3	4	9	13	18	24	34
80-84	232	11.3	63	3	4	10	14	20	26	45
85+	119	10.8	41	3	5	9	14	19	23	57
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	490	8.5	49	2	2	7	11	16	21	36
70-74	476	9.7	64	2	3	7	13	20	25	40
75-79	459	10.8	97	2	3	8	13	22	29	54
80-84	316	10.7	79	3	3	8	13	21	27	51
85+	269	11.1	79	2	3	9	15	22	32	49
B. *Operated*										
65-69 YRS	1006	12.4	103	3	4	10	15	24	32	65
70-74	796	13.5	128	3	5	11	16	25	33	69
75-79	626	14.5	137	4	5	11	18	29	41	67
80-84	303	16.0	126	4	5	13	19	30	41	65
85+	232	18.2	255	4	5	14	22	34	48	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1049	6.9	42	1	2	5	9	13	18	34
B. *Operated*	2518	9.2	35	3	4	8	11	16	20	30
2. MULTIPLE DX										
A. *Not Operated*	2010	10.0	73	2	3	8	13	20	26	47
B. *Operated*	2963	14.0	134	3	5	11	17	26	36	69
1. SINGLE DX	3567	8.5	38	2	3	7	11	15	19	32
2. MULTIPLE DX	4973	12.4	113	3	4	10	15	24	33	63
A. NOT OPERATED	3059	8.9	64	2	2	7	11	17	24	44
B. OPERATED	5481	11.8	94	3	4	9	14	22	29	57
TOTAL 65-69 YRS	2802	9.5	63	2	3	7	12	18	23	46
70-74	2301	10.3	75	2	3	8	13	20	25	46
75-79	1689	11.8	99	2	3	9	14	23	31	55
80-84	1012	12.0	95	2	3	9	15	23	31	53
85+	736	12.8	139	2	3	10	16	25	35	73
GRAND TOTAL	**8540**	**10.7**	**85**	**2**	**3**	**8**	**13**	**21**	**27**	**52**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	5.2	27	<1	1	4	6	11	19	23
70-74	29	6.2	31	1	1	4	10	12	16	25
75-79	23	5.0	21	<1	1	4	7	10	14	21
80-84	25	5.2	11	1	1	5	7	11	11	11
85+	21	7.2	34	1	2	5	10	15	20	24
B. *Operated*										
65-69 YRS	8	4.3	10	2	2	3	5	9	11	11
70-74	4	6.0	18	3	3	5	9	12	12	12
75-79	4	4.0	6	2	2	4	6	7	7	7
80-84	1	9.0		9	9	9	9	9	9	9
85+	2	6.5	61	1	1	6	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	181	8.5	76	1	2	6	11	15	20	48
70-74	163	10.0	63	2	2	8	14	19	26	43
75-79	195	10.0	64	2	2	8	13	21	23	39
80-84	179	10.9	103	2	3	9	13	22	24	65
85+	192	10.4	62	2	3	9	14	20	23	33
B. *Operated*										
65-69 YRS	52	12.9	181	2	3	9	17	25	37	77
70-74	48	13.6	143	2	3	10	20	28	31	68
75-79	39	14.1	101	1	2	13	21	25	31	45
80-84	28	16.2	237	3	4	11	21	34	47	76
85+	25	14.2	203	2	3	10	17	28	45	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	5.8	24	1	1	4	8	11	15	24
B. *Operated*	19	5.1	13	1	2	4	7	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	910	10.0	74	2	2	8	13	20	23	43
B. *Operated*	192	14.0	164	2	3	11	19	27	37	73
1. SINGLE DX	136	5.7	23	1	1	4	8	11	14	24
2. MULTIPLE DX	1102	10.7	92	2	2	8	14	21	26	50
A. NOT OPERATED	1027	9.5	70	1	2	8	12	19	23	40
B. OPERATED	211	13.2	157	2	2	10	18	26	34	71
TOTAL 65-69 YRS	260	9.0	96	1	2	6	11	17	24	52
70-74	244	10.2	78	1	2	8	14	21	27	44
75-79	261	10.1	70	1	2	8	14	22	24	41
80-84	233	10.9	115	2	3	9	13	22	25	73
85+	240	10.5	76	2	3	9	14	20	25	41
GRAND TOTAL	**1238**	**10.1**	**87**	**1**	**2**	**8**	**13**	**21**	**25**	**46**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	4	11.8	33	5	5	11	15	19	19	19
80-84	2	16.0	128	8	8	16	24	24	24	24
85+	1	28.0		28	28	28	28	28	28	28
B. *Operated*										
65-69 YRS										
70-74	3	11.0	175	1	1	6	21	26	26	26
75-79	1	11.0		11	11	11	11	11	11	11
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	12.1	73	1	2	13	16	24	28	28
70-74	6	16.8	49	8	8	17	21	26	27	27
75-79	8	19.1	251	6	6	13	26	46	52	52
80-84	6	19.3	461	4	4	7	40	52	53	53
85+	7	18.7	182	7	8	15	21	42	47	47
B. *Operated*										
65-69 YRS	6	35.2	1051	7	8	21	57	88	91	91
70-74	2	24.5	421	10	10	39	85	99+	99+	99+
75-79	4	26.3	701	3	3	23	73	99+	99+	99+
80-84	4	42.0	375	17	17	44	56	63	63	63
85+	1	26.0		26	26	26	26	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	15.3	73	5	6	12	23	27	28	28
B. *Operated*	4	11.0	117	1	1	8	18	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	35	17.1	182	3	5	15	20	40	51	53
B. *Operated*	17	32.9	602	5	8	26	61	96	99+	99+
1. SINGLE DX	11	13.7	84	1	3	11	23	27	28	28
2. MULTIPLE DX	52	22.3	366	3	6	16	33	58	86	99+
A. NOT OPERATED	42	16.8	162	4	5	13	21	35	49	53
B. OPERATED	21	28.7	576	2	5	23	55	93	99+	99+
TOTAL 65-69 YRS	14	22.0	583	1	3	15	22	60	84	91
70-74	11	16.6	124	1	4	17	26	57	94	99+
75-79	17	18.6	278	4	5	13	23	60	86	99+
80-84	12	26.3	459	4	5	20	44	56	62	63
85+	9	20.6	150	7	8	17	26	39	47	47
GRAND TOTAL	**63**	**20.8**	**325**	**3**	**5**	**15**	**27**	**53**	**71**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	2.9	14	<1	1	1	3	9	13	14
70-74	11	1.7	1	1	1	1	3	4	4	4
75-79	15	2.5	6	<1	<1	1	4	5	8	9
80-84	11	2.6	2	1	1	2	4	5	5	5
85+	8	3.1	2	1	1	3	4	5	6	6
B. *Operated*										
65-69 YRS	133	3.4	39	<1	1	2	3	6	10	33
70-74	117	2.6	8	<1	1	2	3	6	8	16
75-79	89	3.7	24	<1	1	2	4	9	13	29
80-84	49	4.0	19	1	1	2	4	10	13	22
85+	48	4.1	22	1	1	3	5	8	9	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	32	5.0	19	1	1	4	7	11	15	18
70-74	43	5.6	40	1	1	3	7	13	18	35
75-79	36	7.1	58	1	2	5	9	11	22	42
80-84	30	7.9	58	1	2	5	9	17	24	36
85+	27	9.4	100	2	2	6	11	20	36	45
B. *Operated*										
65-69 YRS	125	5.6	27	1	1	4	8	12	17	24
70-74	120	6.3	34	1	1	4	8	15	20	50
75-79	101	6.0	30	1	1	5	8	14	19	24
80-84	75	7.9	119	1	2	4	11	16	26	68
85+	74	8.8	47	1	2	7	11	20	26	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	2.6	6	<1	1	2	3	5	7	14
B. *Operated*	436	3.4	24	<1	1	2	4	7	11	25
2. MULTIPLE DX										
A. *Not Operated*	168	6.8	54	1	1	5	8	15	20	41
B. *Operated*	495	6.7	47	1	1	5	9	15	20	32
1. SINGLE DX	496	3.3	22	<1	1	2	4	6	10	24
2. MULTIPLE DX	663	6.7	49	1	1	5	9	15	20	36
A. NOT OPERATED	228	5.7	44	1	1	4	7	12	17	37
B. OPERATED	931	5.1	39	1	1	3	6	12	17	29
TOTAL 65-69 YRS	305	4.5	32	1	1	3	5	10	15	24
70-74	291	4.5	26	1	1	3	6	11	16	29
75-79	241	5.1	32	1	1	3	7	12	16	26
80-84	165	6.4	74	1	1	4	7	15	18	38
85+	157	7.2	51	1	1	5	9	16	25	44
GRAND TOTAL	**1159**	**5.3**	**40**	**1**	**1**	**3**	**6**	**12**	**17**	**31**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	3.9	6	<1	1	4	5	7	9	10
70-74	4	7.3	14	2	2	8	10	10	10	10
75-79	4	4.5	4	2	2	5	6	6	6	6
80-84	3	8.0	109	1	1	3	16	20	20	20
85+	2	7.5	13	5	5	7	10	10	10	10
B. *Operated*										
65-69 YRS	195	6.5	15	2	3	6	7	10	14	24
70-74	77	6.3	10	2	3	5	8	11	13	17
75-79	48	7.2	13	3	3	7	9	12	14	17
80-84	8	8.0	22	3	3	7	12	14	15	15
85+	17	7.4	39	1	1	5	10	14	22	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	26	8.5	80	1	1	6	14	16	29	40
70-74	14	7.2	42	1	3	6	8	12	24	28
75-79	18	8.4	55	1	2	6	12	15	26	33
80-84	10	11.0	37	5	5	9	14	20	24	24
85+	7	13.4	41	5	6	11	20	22	22	22
B. *Operated*										
65-69 YRS	236	7.8	31	2	3	7	9	13	20	32
70-74	130	9.8	55	3	4	8	13	17	21	46
75-79	61	12.1	201	2	3	9	12	26	40	80
80-84	20	14.6	97	4	5	11	21	24	35	46
85+	10	15.7	240	1	2	10	25	39	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.3	17	1	1	5	6	10	12	20
B. *Operated*	345	6.6	15	2	3	6	8	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	75	9.1	58	1	2	7	12	17	25	38
B. *Operated*	457	9.4	72	2	3	7	11	17	24	48
1. SINGLE DX	371	6.5	15	2	3	6	8	11	14	22
2. MULTIPLE DX	532	9.3	70	2	3	7	11	17	24	46
A. NOT OPERATED	101	8.1	50	1	2	6	10	16	23	36
B. OPERATED	802	8.2	49	2	3	7	9	15	20	36
TOTAL 65-69 YRS	470	7.2	27	2	3	6	8	12	16	29
70-74	225	8.4	41	2	3	7	10	15	18	32
75-79	131	9.6	111	2	3	7	11	15	29	68
80-84	41	11.9	72	3	4	11	15	23	24	46
85+	36	10.9	101	1	2	8	13	25	26	52
GRAND TOTAL	**903**	**8.2**	**49**	**2**	**3**	**6**	**9**	**15**	**20**	**36**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	4.8	17	<1	<1	4	7	10	14	17
70-74	9	4.4	13	1	1	4	5	10	13	13
75-79	6	6.8	17	4	4	5	11	13	13	13
80-84	7	4.6	16	1	1	3	8	11	11	11
85+	9	6.3	13	2	2	5	8	12	12	12
B. *Operated*										
65-69 YRS	84	5.4	40	1	1	3	6	14	21	31
70-74	66	9.4	159	1	1	4	9	30	41	60
75-79	43	10.7	215	1	2	5	13	27	41	73
80-84	30	12.2	99	2	3	8	20	27	30	37
85+	23	7.0	72	1	1	3	11	16	25	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	58	9.3	82	2	4	6	11	21	29	51
70-74	39	10.9	196	1	2	6	14	21	42	74
75-79	38	9.0	55	2	2	8	10	18	20	42
80-84	25	10.0	92	1	2	7	13	29	31	35
85+	30	10.5	100	2	2	8	14	19	28	52
B. *Operated*										
65-69 YRS	131	10.4	136	1	2	6	13	26	36	55
70-74	101	14.6	254	1	2	8	20	35	44	77
75-79	72	12.3	164	1	1	7	19	27	43	56
80-84	44	13.7	145	2	3	10	17	37	43	99+
85+	33	14.8	205	2	2	8	21	39	46	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	5.2	15	1	1	4	7	12	13	17
B. *Operated*	246	8.4	117	1	1	4	9	22	31	55
2. MULTIPLE DX										
A. *Not Operated*	190	9.8	102	2	2	7	12	20	29	52
B. *Operated*	381	12.6	181	1	2	7	17	31	43	74
1. SINGLE DX	296	7.8	101	1	1	4	9	20	30	50
2. MULTIPLE DX	571	11.7	156	1	2	7	15	28	41	69
A. NOT OPERATED	240	8.9	87	1	2	6	11	18	26	52
B. OPERATED	627	11.0	160	1	1	6	15	28	39	65
TOTAL 65-69 YRS	292	8.3	95	1	1	5	9	21	28	[illegible]
70-74	215	11.9	210	1	1	6	15	31	42	75
75-79	159	10.9	147	1	2	6	14	24	38	57
80-84	106	11.8	114	1	2	8	16	29	37	69
85+	95	10.7	129	1	2	6	14	23	38	52
GRAND TOTAL	**867**	**10.4**	**141**	**1**	**2**	**6**	**13**	**25**	**37**	**57**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	41	5.0	12	2	2	4	6	9	11	19
70-74	39	7.3	33	2	2	6	8	15	20	28
75-79	25	6.6	20	1	1	6	8	14	17	18
80-84	30	5.8	12	2	2	5	8	11	12	16
85+	15	8.8	48	1	2	6	11	20	22	23
B. *Operated*										
65-69 YRS	42	7.9	29	1	2	7	10	12	18	29
70-74	15	9.7	20	3	5	10	11	14	20	22
75-79	15	12.8	260	2	4	9	11	28	57	67
80-84	8	10.4	20	2	3	11	14	15	15	15
85+	4	6.5	52	1	1	4	11	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	126	8.4	36	2	3	7	11	16	19	31
70-74	114	8.6	54	2	3	6	10	18	27	36
75-79	108	7.3	19	2	3	6	10	14	18	21
80-84	114	8.9	50	2	3	7	11	20	23	37
85+	95	7.2	14	2	3	6	9	12	14	17
B. *Operated*										
65-69 YRS	59	14.4	170	4	5	10	18	41	49	96
70-74	42	15.3	221	3	4	12	17	34	64	99+
75-79	24	13.5	74	4	5	11	17	27	31	34
80-84	25	15.5	139	3	4	13	21	29	46	46
85+	12	8.4	34	2	3	8	10	16	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	6.4	23	2	2	5	8	13	18	23
B. *Operated*	84	9.3	69	2	3	8	11	14	23	54
2. MULTIPLE DX										
A. *Not Operated*	557	8.1	36	2	3	6	10	15	20	29
B. *Operated*	162	14.2	154	3	4	11	18	30	46	97
1. SINGLE DX	234	7.4	41	2	2	6	10	14	19	28
2. MULTIPLE DX	719	9.5	69	2	3	7	11	18	25	47
A. NOT OPERATED	707	7.7	34	2	3	6	10	15	19	29
B. OPERATED	246	12.5	130	2	4	10	14	25	42	78
TOTAL 65-69 YRS	268	9.1	69	2	2	7	11	17	25	51
70-74	210	9.8	88	2	3	7	12	21	28	65
75-79	172	8.6	53	2	3	6	10	16	19	33
80-84	177	9.4	62	2	3	7	12	20	23	44
85+	126	7.5	20	2	3	6	9	14	16	23
GRAND TOTAL	**953**	**9.0**	**63**	**2**	**3**	**7**	**11**	**17**	**23**	**46**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	339	6.9	18	2	3	6	9	12	14	19
70-74	188	7.4	17	3	3	6	10	13	16	23
75-79	141	7.6	19	2	2	7	10	13	16	20
80-84	104	8.3	37	2	3	6	11	17	21	29
85+	61	6.7	18	1	2	6	9	12	15	20
B. *Operated*										
65-69 YRS	18	8.5	14	2	3	9	11	13	14	15
70-74	4	7.5	20	2	2	7	10	13	13	13
75-79	7	15.1	140	2	3	13	20	35	38	38
80-84										
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1022	8.6	26	3	4	8	11	15	18	24
70-74	856	9.0	34	3	3	8	12	16	19	29
75-79	685	9.5	35	3	4	8	12	17	20	30
80-84	508	10.7	70	3	4	9	14	19	25	41
85+	488	10.3	72	2	3	8	13	19	25	42
B. *Operated*										
65-69 YRS	98	13.0	71	3	4	11	17	24	31	44
70-74	69	16.4	179	4	5	12	21	28	38	80
75-79	70	13.9	75	4	5	11	18	26	31	46
80-84	38	19.7	136	5	6	16	28	36	38	51
85+	24	17.4	139	4	5	13	24	36	38	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	833	7.3	21	2	3	6	10	13	16	22
B. *Operated*	30	9.7	50	2	2	9	13	15	21	38
2. MULTIPLE DX										
A. *Not Operated*	3559	9.4	43	3	3	8	12	16	20	33
B. *Operated*	299	15.2	114	4	5	12	20	29	36	49
1. SINGLE DX	863	7.4	22	2	3	6	10	13	16	22
2. MULTIPLE DX	3858	9.8	51	3	4	8	12	17	22	37
A. NOT OPERATED	4392	9.0	39	3	3	8	11	16	20	31
B. OPERATED	329	14.7	111	3	5	12	19	28	36	48
TOTAL 65-69 YRS	1477	8.5	29	2	3	7	11	15	18	27
70-74	1117	9.2	43	3	3	8	12	16	20	37
75-79	903	9.6	39	3	3	8	12	17	21	32
80-84	650	10.9	74	3	3	9	14	20	27	41
85+	574	10.2	72	2	3	8	12	19	26	41
GRAND TOTAL	**4721**	**9.4**	**46**	**3**	**3**	**8**	**12**	**17**	**21**	**36**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	188	6.7	27	1	2	5	9	13	17	26
70-74	109	6.7	22	2	2	6	8	12	15	26
75-79	115	6.3	21	1	2	5	8	12	15	27
80-84	65	6.9	18	2	2	6	9	15	16	17
85+	48	6.0	26	2	2	5	7	12	17	28
B. *Operated*										
65-69 YRS	7	6.7	35	1	1	4	11	15	16	16
70-74	5	8.0	34	4	4	7	10	18	18	18
75-79	3	6.0	37	2	2	3	10	13	13	13
80-84	1	44.0		44	44	44	44	44	44	44
85+	3	12.0	21	8	8	11	15	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	802	8.1	30	2	3	7	10	15	19	29
70-74	622	7.9	30	2	3	7	10	15	19	27
75-79	507	8.7	36	2	3	7	11	16	20	31
80-84	409	8.3	31	2	3	7	11	15	19	27
85+	323	9.8	45	2	3	8	13	18	23	34
B. *Operated*										
65-69 YRS	72	11.5	102	2	4	9	13	21	27	61
70-74	45	12.0	93	2	3	9	15	28	39	99+
75-79	46	13.9	68	3	4	13	18	25	29	42
80-84	34	15.5	104	3	5	14	18	28	37	49
85+	23	15.8	65	4	6	15	22	28	30	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	525	6.6	23	1	2	5	8	13	16	26
B. *Operated*	19	9.7	98	1	2	7	13	18	32	44
2. MULTIPLE DX										
A. *Not Operated*	2663	8.4	33	2	3	7	11	16	20	29
B. *Operated*	220	13.2	91	3	4	11	17	26	32	54
1. SINGLE DX	544	6.7	26	1	2	5	8	13	16	27
2. MULTIPLE DX	2883	8.8	39	2	3	7	11	17	21	32
A. NOT OPERATED	3188	8.1	32	2	3	7	10	15	19	28
B. OPERATED	239	12.9	92	2	4	11	17	26	32	51
TOTAL 65-69 YRS	1069	8.1	35	2	3	7	10	15	20	30
70-74	781	8.0	33	2	3	7	10	15	20	31
75-79	671	8.7	38	2	3	7	11	16	20	31
80-84	509	8.7	40	2	3	7	11	17	19	31
85+	397	9.7	47	2	3	8	13	19	24	33
GRAND TOTAL	**3427**	**8.5**	**38**	**2**	**3**	**7**	**11**	**16**	**20**	**32**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	62	4.3	10	1	1	3	6	9	10	16
70-74	64	5.3	22	1	1	4	7	11	12	28
75-79	51	6.1	35	1	1	4	8	12	18	35
80-84	44	5.3	16	1	1	4	7	12	14	16
85+	52	5.7	14	2	2	5	7	11	15	16
B. *Operated*										
65-69 YRS	219	5.7	11	2	2	5	7	9	12	20
70-74	130	6.1	11	1	2	6	8	10	13	36
75-79	71	7.1	22	2	2	6	9	12	16	27
80-84	21	7.8	71	1	1	5	10	14	27	39
85+	9	7.6	45	2	2	5	11	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	256	6.5	25	2	2	5	8	14	17	29
70-74	228	7.6	37	1	2	6	10	16	19	27
75-79	269	7.9	45	2	2	6	10	15	19	30
80-84	234	7.7	30	2	2	6	10	15	20	28
85+	266	8.9	40	2	3	7	12	18	22	88
B. *Operated*										
65-69 YRS	178	7.8	37	2	2	6	9	16	22	30
70-74	104	8.6	63	2	3	7	10	15	21	47
75-79	48	12.5	163	3	5	9	14	19	29	86
80-84	41	12.4	161	2	3	8	17	23	32	71
85+	18	12.4	54	2	3	13	18	23	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	5.3	19	1	2	4	7	11	13	19
B. *Operated*	450	6.2	16	2	2	5	8	11	13	23
2. MULTIPLE DX										
A. *Not Operated*	1253	7.8	36	2	2	6	10	16	20	31
B. *Operated*	389	9.3	77	2	3	7	12	19	23	39
1. SINGLE DX	723	5.8	18	1	2	5	7	11	13	22
2. MULTIPLE DX	1642	8.1	46	2	2	6	11	16	21	34
A. NOT OPERATED	1526	7.3	34	2	2	6	10	15	19	30
B. OPERATED	839	7.6	47	2	2	6	9	14	19	32
TOTAL 65-69 YRS	715	6.4	23	2	2	5	8	13	17	25
70-74	526	7.1	35	1	2	6	9	14	18	27
75-79	439	8.1	56	2	2	6	10	15	19	35
80-84	340	8.0	49	2	2	6	11	16	21	39
85+	345	8.6	39	2	2	7	12	18	21	38
GRAND TOTAL	**2365**	**7.4**	**38**	**2**	**2**	**6**	**9**	**15**	**19**	**31**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	121	3.0	16	1	1	2	3	5	8	26
70-74	100	4.5	63	1	1	2	5	8	12	47
75-79	64	3.5	7	<1	1	3	5	8	9	12
80-84	53	3.2	6	<1	1	3	4	6	8	12
85+	52	3.3	7	1	1	3	4	7	9	12
B. *Operated*										
65-69 YRS	3	4.3	16	2	2	2	7	9	9	9
70-74	2	6.5	61	1	1	6	12	12	12	12
75-79	2	6.5	25	3	3	10	77	99+	99+	99+
80-84	2	5.5	25	2	2	5	9	9	9	9
85+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	698	6.1	31	1	1	4	8	14	18	30
70-74	672	7.2	55	1	2	5	9	15	20	45
75-79	629	7.6	49	1	2	6	10	16	20	30
80-84	483	8.5	64	1	2	6	11	19	25	40
85+	513	8.2	59	1	2	6	10	18	24	41
B. *Operated*										
65-69 YRS	226	9.6	131	1	1	6	11	24	33	61
70-74	216	9.5	136	1	1	6	11	23	32	59
75-79	194	10.4	164	1	2	5	14	27	35	80
80-84	127	9.8	80	1	2	7	13	22	30	43
85+	102	10.7	138	1	2	7	13	23	45	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	390	3.5	24	1	1	2	4	7	10	20
B. *Operated*	10	6.1	20	1	1	9	11	47	96	99+
2. MULTIPLE DX										
A. *Not Operated*	2995	7.4	51	1	2	5	10	16	21	35
B. *Operated*	925	10.0	133	1	2	6	12	23	33	65
1. SINGLE DX	400	3.6	24	1	1	2	4	7	10	22
2. MULTIPLE DX	3920	8.0	72	1	2	5	10	18	24	46
A. NOT OPERATED	3385	7.0	49	1	1	5	9	15	20	34
B. OPERATED	935	9.9	132	1	2	6	12	23	33	67
TOTAL 65-69 YRS	1048	6.5	55	1	1	4	8	14	20	37
70-74	990	7.4	75	1	1	5	9	16	22	47
75-79	889	7.9	74	1	1	5	10	17	23	51
80-84	665	8.3	65	1	2	6	10	19	25	41
85+	728	8.4	76	1	2	6	10	19	25	55
GRAND TOTAL	**4320**	**7.6**	**69**	**1**	**1**	**5**	**10**	**17**	**23**	**45**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	42	5.8	48	1	1	3	6	15	21	33
70-74	54	5.0	37	1	1	3	5	13	21	29
75-79	36	9.4	218	1	1	5	8	23	40	76
80-84	31	5.2	35	<1	1	3	6	11	16	30
85+	37	5.6	43	<1	1	3	7	12	23	29
B. *Operated*										
65-69 YRS	70	15.3	142	4	5	11	19	30	49	51
70-74	77	17.1	173	4	6	13	22	34	45	66
75-79	72	16.4	116	5	7	13	22	29	37	54
80-84	37	17.8	173	3	7	15	21	41	52	57
85+	18	17.2	134	5	8	16	19	22	44	59
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	263	8.8	114	1	1	5	11	19	30	59
70-74	259	9.2	73	1	2	6	11	22	27	43
75-79	275	9.2	89	1	2	6	11	21	27	76
80-84	249	9.4	78	1	2	7	13	20	27	76
85+	244	10.1	115	1	2	7	13	22	29	78
B. *Operated*										
65-69 YRS	194	21.2	353	1	2	16	31	54	73	99+
70-74	185	21.8	354	2	2	17	31	51	65	99+
75-79	189	23.1	306	2	6	20	33	53	69	99+
80-84	135	22.3	307	3	6	17	30	51	62	85
85+	119	20.8	331	2	2	17	27	45	66	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	6.1	73	1	1	3	7	15	23	40
B. *Operated*	274	16.5	146	4	6	13	21	30	46	59
2. MULTIPLE DX										
A. *Not Operated*	1290	9.3	93	1	2	6	12	21	27	63
B. *Operated*	822	21.9	331	2	3	17	31	52	68	99+
1. SINGLE DX	474	12.1	142	1	1	9	17	25	35	57
2. MULTIPLE DX	2112	14.2	223	1	2	9	19	35	49	99+
A. NOT OPERATED	1490	8.9	92	1	1	6	11	20	27	56
B. OPERATED	1096	20.5	290	2	4	16	28	48	62	99+
TOTAL 65-69 YRS	569	13.6	228	1	1	9	18	34	50	86
70-74	575	13.9	211	1	2	9	19	34	45	94
75-79	572	14.7	211	1	2	10	21	35	49	99+
80-84	452	13.6	189	1	2	9	18	30	45	80
85+	418	13.0	198	1	2	9	18	29	39	79
GRAND TOTAL	**2586**	**13.8**	**209**	**1**	**2**	**9**	**19**	**33**	**47**	**92**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	3.5	6	1	1	3	6	6	6	6
70-74	10	5.4	28	1	1	4	8	14	16	16
75-79	7	4.1	5	1	1	5	6	7	7	7
80-84	4	9.5	40	3	3	8	14	18	18	18
85+	5	4.8	8	1	1	4	7	8	8	8
B. *Operated*										
65-69 YRS	20	8.6	30	2	2	7	14	17	18	19
70-74	8	7.1	14	3	3	7	8	13	15	15
75-79	3	13.0	79	6	6	10	20	23	23	23
80-84	3	7.7	9	5	5	7	10	11	11	11
85+	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	76	9.4	78	2	3	7	12	19	25	54
70-74	61	8.0	31	1	2	7	10	16	20	25
75-79	47	11.0	42	2	3	11	15	21	23	25
80-84	42	11.3	78	2	3	10	14	22	23	52
85+	42	9.7	56	2	3	8	13	16	21	45
B. *Operated*										
65-69 YRS	92	13.4	142	3	4	9	17	31	39	86
70-74	69	17.6	266	4	4	12	21	36	54	79
75-79	59	17.5	164	4	5	13	26	33	51	96
80-84	24	16.0	255	3	4	9	19	41	56	59
85+	23	16.6	111	4	6	14	21	32	39	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	5.2	18	1	1	5	7	11	16	18
B. *Operated*	36	8.4	27	2	3	7	12	15	19	23
2. MULTIPLE DX										
A. *Not Operated*	268	9.7	58	2	3	8	12	19	22	43
B. *Operated*	267	15.9	187	3	4	12	20	34	49	79
1. SINGLE DX	68	6.9	25	1	1	6	8	15	18	22
2. MULTIPLE DX	535	12.8	132	2	3	10	16	27	36	64
A. NOT OPERATED	300	9.2	56	1	2	7	12	18	22	40
B. OPERATED	303	15.0	174	3	4	11	19	33	42	78
TOTAL 65-69 YRS	194	11.1	107	2	3	8	13	23	33	66
70-74	148	12.2	163	2	3	8	15	24	35	78
75-79	116	13.9	117	2	4	12	18	30	34	75
80-84	73	12.6	134	2	3	10	15	23	39	58
85+	72	11.5	81	2	4	9	14	21	31	45
GRAND TOTAL	**603**	**12.1**	**123**	**2**	**3**	**9**	**15**	**25**	**34**	**63**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	4.9	5	1	2	5	6	8	9	10
70-74	21	3.1	3	1	1	3	5	6	6	6
75-79	11	4.4	7	2	2	3	7	8	9	9
80-84	6	7.3	43	2	2	5	8	19	20	20
85+	10	5.2	9	<1	1	5	6	9	12	12
B. *Operated*										
65-69 YRS	17	8.4	22	2	3	7	10	16	18	19
70-74	11	6.1	13	2	2	6	8	11	14	14
75-79	3	8.3	1	7	7	9	9	9	9	9
80-84	5	11.2	9	7	7	13	13	14	14	14
85+	6	5.0	19	<1	<1	4	8	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	62	7.4	37	1	2	6	9	13	17	34
70-74	57	7.4	28	2	2	6	10	15	19	22
75-79	53	9.0	68	1	1	7	13	19	23	46
80-84	39	8.0	36	2	3	6	9	16	19	34
85+	61	10.1	69	1	2	8	15	21	29	36
B. *Operated*										
65-69 YRS	106	18.4	192	5	7	14	22	34	49	75
70-74	82	21.3	278	5	6	15	32	42	55	80
75-79	53	20.0	276	3	7	14	31	46	83	99+
80-84	40	21.4	376	3	5	18	28	62	96	99+
85+	26	15.5	144	2	2	14	21	31	39	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	4.5	9	1	2	4	6	7	9	19
B. *Operated*	42	7.6	18	1	2	7	10	14	15	19
2. MULTIPLE DX										
A. *Not Operated*	272	8.4	49	1	2	7	11	17	21	34
B. *Operated*	307	19.6	249	3	6	15	27	39	55	99+
1. SINGLE DX	107	5.7	15	1	2	5	7	10	14	19
2. MULTIPLE DX	579	14.3	186	2	3	10	19	32	41	87
A. NOT OPERATED	337	7.7	43	1	2	6	10	16	20	34
B. OPERATED	349	18.1	236	3	5	13	24	38	54	99+
TOTAL 65-69 YRS	202	13.0	146	2	3	9	17	28	34	68
70-74	171	13.4	201	2	2	8	16	35	42	73
75-79	120	13.4	187	1	2	9	17	32	46	99+
80-84	90	14.1	227	2	4	9	19	32	53	99+
85+	103	10.7	89	1	2	8	15	22	31	44
GRAND TOTAL	**686**	**13.0**	**169**	**2**	**2**	**9**	**16**	**31**	**38**	**81**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	6.0		6	6	6	6	6	6	6
75-79	2	8.0	8	6	6	8	10	10	10	10
80-84	1	3.0		3	3	3	3	3	3	3
85+	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
65-69 YRS	41	3.7	9	1	1	3	4	6	9	18
70-74	23	3.0	2	1	2	3	4	5	6	7
75-79	20	3.7	7	<1	1	3	5	6	9	12
80-84	19	3.7	6	1	1	3	5	7	9	10
85+	10	5.1	15	1	1	5	6	11	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	4.7	13	1	1	3	6	11	12	12
70-74	16	5.3	21	1	1	5	7	11	17	19
75-79	9	12.0	177	2	2	7	14	36	38	38
80-84	8	14.6	228	1	2	9	24	39	41	41
85+	10	5.1	9	2	2	5	7	9	11	11
B. *Operated*										
65-69 YRS	57	7.8	75	2	2	5	9	15	29	44
70-74	55	6.7	30	1	2	5	8	16	18	26
75-79	45	8.8	62	1	2	6	10	19	24	40
80-84	26	4.5	14	1	1	3	5	9	14	15
85+	29	6.4	52	1	1	3	9	17	26	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.3	6	3	3	5	6	9	10	10
B. *Operated*	113	3.7	7	1	1	3	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	60	7.4	76	1	1	5	8	14	33	41
B. *Operated*	212	7.1	51	1	2	5	9	15	19	40
1. SINGLE DX	120	3.8	7	1	1	3	5	6	9	15
2. MULTIPLE DX	272	7.2	56	1	2	5	9	15	21	40
A. NOT OPERATED	67	7.1	69	1	2	5	8	14	32	40
B. OPERATED	325	5.9	38	1	1	4	7	14	18	36
TOTAL 65-69 YRS	116	5.9	45	1	2	4	7	12	16	41
70-74	95	5.6	23	1	2	4	7	13	17	23
75-79	76	7.8	64	1	2	5	9	18	27	39
80-84	54	5.7	53	1	1	4	6	14	15	41
85+	51	5.8	34	1	1	4	8	12	19	27
GRAND TOTAL	**392**	**6.1**	**43**	**1**	**1**	**4**	**7**	**14**	**18**	**39**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	4.6	30	1	1	3	4	8	21	22
70-74	21	3.3	15	<1	<1	2	4	12	50	99+
75-79	12	3.3	12	1	1	2	5	8	11	12
80-84	16	5.1	40	1	1	2	6	16	21	23
85+	24	3.2	4	1	1	3	5	6	7	7
B. *Operated*										
65-69 YRS	45	3.9	21	<1	1	2	5	8	9	30
70-74	44	4.7	36	1	1	3	6	11	14	35
75-79	32	3.2	11	<1	<1	2	4	8	10	16
80-84	22	4.5	22	1	1	3	5	10	17	20
85+	34	3.4	6	<1	1	3	5	8	8	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	233	5.8	31	1	1	4	8	13	19	25
70-74	207	7.3	53	1	1	5	9	17	22	39
75-79	242	7.1	33	1	2	5	10	15	19	27
80-84	236	7.3	58	1	1	5	9	15	19	39
85+	308	7.4	79	1	1	5	9	15	18	54
B. *Operated*										
65-69 YRS	335	7.3	88	1	1	5	9	16	24	60
70-74	340	7.4	70	1	1	5	9	16	24	36
75-79	330	7.5	55	1	2	5	9	15	23	41
80-84	279	7.5	75	1	1	5	8	18	24	58
85+	387	8.9	118	1	2	6	11	19	26	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	3.9	19	1	1	2	4	8	17	62
B. *Operated*	177	3.9	20	<1	1	2	5	8	11	27
2. MULTIPLE DX										
A. *Not Operated*	1226	7.0	53	1	1	5	9	15	19	39
B. *Operated*	1671	7.8	83	1	1	5	9	17	25	50
1. SINGLE DX	275	3.9	20	1	1	2	5	8	12	28
2. MULTIPLE DX	2897	7.4	70	1	1	5	9	16	23	45
A. NOT OPERATED	1324	6.8	51	1	1	5	9	15	19	39
B. OPERATED	1848	7.4	78	1	1	5	9	16	24	46
TOTAL 65-69 YRS	638	6.4	61	1	1	4	8	14	21	35
70-74	612	7.0	61	1	1	5	9	16	22	39
75-79	616	7.0	44	1	1	5	9	15	20	32
80-84	553	7.2	64	1	1	5	9	16	22	44
85+	753	7.9	96	1	1	5	9	16	24	62
GRAND TOTAL	**3172**	**7.1**	**67**	**1**	**1**	**5**	**9**	**16**	**22**	**44**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	2.9	5	1	1	2	4	6	7	8
70-74	8	4.0	7	1	1	3	7	7	7	7
75-79	7	3.1	4	1	1	2	4	7	7	7
80-84	7	8.3	66	2	2	4	12	22	24	24
85+	4	4.8	6	2	2	4	6	8	8	8
B. *Operated*										
65-69 YRS	21	6.2	68	1	1	3	8	11	25	39
70-74	12	6.4	48	1	1	4	7	16	25	26
75-79	9	10.6	78	1	2	7	18	24	28	28
80-84	3	16.7	254	6	6	9	28	35	35	35
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	51	6.1	20	1	1	5	9	13	16	19
70-74	29	6.4	23	2	2	4	9	14	17	20
75-79	30	9.2	45	2	2	8	11	18	25	28
80-84	21	9.9	91	2	3	8	11	14	30	48
85+	23	8.0	23	1	3	7	12	16	17	17
B. *Operated*										
65-69 YRS	67	13.0	171	2	4	10	14	35	60	99+
70-74	44	14.5	195	3	3	11	17	34	37	80
75-79	34	13.3	188	2	2	10	16	33	64	99+
80-84	18	9.4	54	1	2	6	17	21	22	23
85+	16	13.2	164	1	2	8	18	33	42	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	4.1	16	1	1	3	5	8	9	24
B. *Operated*	46	7.7	76	1	1	5	9	18	29	39
2. MULTIPLE DX										
A. *Not Operated*	154	7.6	37	1	2	6	10	15	17	28
B. *Operated*	179	13.1	166	2	3	10	17	31	45	99+
1. SINGLE DX	93	5.9	49	1	1	4	7	12	23	37
2. MULTIPLE DX	333	10.5	114	2	2	8	13	21	34	83
A. NOT OPERATED	201	6.8	34	1	1	5	9	14	17	26
B. OPERATED	225	12.0	152	2	2	9	14	29	40	99+
TOTAL 65-69 YRS	160	8.6	102	1	2	5	11	17	33	96
70-74	93	10.1	123	1	2	7	12	21	33	62
75-79	80	10.6	112	2	2	8	14	22	31	91
80-84	49	9.9	80	2	2	8	12	21	25	48
85+	44	9.5	79	1	2	7	12	18	29	46
GRAND TOTAL	**426**	**9.5**	**103**	**1**	**2**	**7**	**12**	**19**	**30**	**72**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	3.0	5	<1	1	2	4	6	8	9
70-74	16	5.4	13	1	1	4	8	9	13	15
75-79	13	3.4	4	1	1	3	4	6	8	8
80-84	13	4.3	9	1	1	3	7	9	10	10
85+	9	3.9	4	<1	<1	5	6	53	99+	99+
B. *Operated*										
65-69 YRS	279	2.7	8	<1	1	2	3	6	9	15
70-74	157	2.8	9	<1	1	2	3	6	8	18
75-79	112	3.2	15	1	1	2	4	7	11	21
80-84	41	4.7	26	1	1	3	6	9	20	21
85+	45	5.6	45	1	1	4	6	9	19	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	64	6.4	51	1	1	5	8	11	18	47
70-74	44	7.0	37	1	1	5	10	14	18	31
75-79	44	9.6	150	1	2	5	11	18	40	66
80-84	46	7.4	24	2	2	6	11	16	16	19
85+	66	7.5	37	1	2	6	9	17	20	30
B. *Operated*										
65-69 YRS	309	5.7	64	1	1	3	6	14	21	39
70-74	218	5.3	47	1	1	3	6	11	20	44
75-79	126	7.1	81	1	1	4	9	16	24	41
80-84	89	7.7	87	1	1	5	10	15	21	56
85+	84	8.4	110	1	2	5	10	15	24	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	3.9	7	1	1	3	5	8	9	77
B. *Operated*	634	3.2	14	1	1	2	4	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	264	7.5	57	1	2	5	9	15	19	41
B. *Operated*	826	6.3	70	1	1	3	7	15	21	52
1. SINGLE DX	710	3.2	13	1	1	2	4	7	10	20
2. MULTIPLE DX	1090	6.6	67	1	1	4	8	15	20	49
A. NOT OPERATED	340	6.7	48	1	2	5	8	13	18	42
B. OPERATED	1460	4.9	48	1	1	3	5	11	17	37
TOTAL 65-69 YRS	677	4.4	39	1	1	2	4	10	15	31
70-74	435	4.6	33	1	1	3	5	10	15	32
75-79	295	5.8	68	1	1	3	7	13	18	41
80-84	189	6.7	54	1	1	4	9	15	19	44
85+	204	7.3	68	1	2	5	9	15	21	59
GRAND TOTAL	**1800**	**5.3**	**48**	**1**	**1**	**3**	**6**	**12**	**17**	**39**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	40	6.5	132	1	1	4	7	11	15	73
70-74	32	4.4	22	<1	1	3	5	9	18	21
75-79	19	6.1	34	1	2	5	6	10	20	28
80-84	14	8.8	88	2	3	6	9	14	34	40
85+	16	6.2	19	<1	1	5	8	13	14	15
B. *Operated*										
65-69 YRS	105	8.9	166	1	1	4	11	21	27	79
70-74	70	10.9	145	2	2	7	11	29	36	61
75-79	41	11.7	161	1	1	8	14	28	44	55
80-84	18	8.9	54	1	1	7	11	21	25	27
85+	18	18.7	522	1	2	12	23	46	77	92
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	64	9.1	48	2	3	7	11	19	25	29
70-74	70	10.4	74	2	3	8	13	19	27	45
75-79	60	8.6	30	2	2	8	11	16	19	27
80-84	55	8.9	47	2	3	7	11	20	31	99+
85+	48	8.9	50	1	2	7	10	20	26	29
B. *Operated*										
65-69 YRS	156	14.1	221	1	2	9	17	31	51	66
70-74	130	17.3	310	2	3	11	22	42	61	95
75-79	87	14.2	113	2	3	13	21	31	41	99+
80-84	53	16.2	161	2	5	13	24	39	47	98
85+	49	15.4	210	2	3	11	19	34	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	6.1	67	1	1	4	7	11	17	50
B. *Operated*	252	10.6	180	1	1	6	12	23	36	68
2. MULTIPLE DX										
A. *Not Operated*	297	9.2	50	2	2	7	12	19	26	45
B. *Operated*	475	15.4	218	2	3	11	20	35	52	98
1. SINGLE DX	373	9.1	147	1	1	5	11	21	30	67
2. MULTIPLE DX	772	13.0	162	2	3	9	17	28	43	94
A. NOT OPERATED	418	8.3	57	1	2	7	10	18	24	45
B. OPERATED	727	13.7	210	1	2	9	18	31	50	92
TOTAL 65-69 YRS	365	10.9	172	1	2	7	13	23	33	68
70-74	302	12.9	204	2	2	9	15	29	46	80
75-79	207	11.3	98	2	2	8	15	22	36	73
80-84	140	11.6	106	2	3	8	16	28	41	99+
85+	131	12.4	184	1	2	9	16	26	35	93
GRAND TOTAL	**1145**	**11.7**	**161**	**1**	**2**	**8**	**15**	**26**	**38**	**86**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	3	2.3	2	1	1	2	3	4	4	4
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	2.0		2	2	2	2	2	2	2
85+	4	4.3	9	1	1	4	6	8	8	8
B. *Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	2	19.5	421	5	5	19	34	34	34	34
75-79	2	12.0	18	9	9	12	15	15	15	15
80-84	1	3.0		3	3	3	3	3	3	3
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	7.0	102	<1	1	5	6	19	35	37
70-74	17	7.3	25	<1	1	6	10	13	18	20
75-79	8	9.1	40	3	3	8	10	19	23	23
80-84	8	8.8	21	1	2	10	12	14	14	14
85+	9	6.8	63	1	1	3	12	20	22	22
B. *Operated*										
65-69 YRS	12	25.1	477	5	6	19	32	63	73	75
70-74	8	20.5	101	12	12	19	31	77	99+	99+
75-79	9	20.9	593	1	1	11	28	63	65	65
80-84	8	15.3	110	3	3	13	24	30	31	31
85+	2	17.5	221	7	7	17	28	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.3	5	1	1	3	4	7	8	8
B. *Operated*	8	9.3	119	2	2	4	12	28	34	34
2. MULTIPLE DX										
A. *Not Operated*	53	7.6	46	1	1	6	10	15	22	37
B. *Operated*	39	20.8	320	2	4	16	28	59	70	99+
1. SINGLE DX	17	6.1	64	1	1	4	6	14	27	34
2. MULTIPLE DX	92	13.2	203	1	2	10	16	31	56	89
A. NOT OPERATED	62	7.0	42	1	1	5	10	14	21	35
B. OPERATED	47	18.8	302	2	3	14	27	53	66	99+
TOTAL 65-69 YRS	25	15.3	355	1	2	6	23	37	62	75
70-74	30	11.1	98	1	2	9	16	30	42	99+
75-79	20	14.5	303	1	2	9	15	41	62	65
80-84	18	10.9	73	1	2	10	14	25	29	31
85+	16	7.3	67	1	1	4	9	21	26	28
GRAND TOTAL	**109**	**12.1**	**187**	**1**	**2**	**8**	**15**	**30**	**42**	**85**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	46	8.1	139	1	1	5	9	14	23	78
70-74	30	9.0	57	1	2	7	12	20	24	30
75-79	22	10.1	36	3	4	8	15	19	21	23
80-84	24	10.1	94	2	3	6	13	23	36	38
85+	18	6.6	40	1	1	3	15	17	17	17
B. *Operated*										
65-69 YRS	122	7.1	49	1	2	4	10	15	24	35
70-74	87	9.3	175	1	2	6	12	17	22	96
75-79	57	10.9	95	2	3	7	15	24	26	51
80-84	35	13.3	125	2	2	10	19	27	40	44
85+	17	16.9	166	3	3	16	26	31	41	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	104	10.8	105	2	2	7	15	22	27	53
70-74	112	11.3	86	3	3	8	15	27	32	41
75-79	115	12.3	72	2	3	11	16	23	29	44
80-84	122	13.0	82	3	4	11	18	26	36	99+
85+	110	12.8	174	1	2	9	18	40	95	99+
B. *Operated*										
65-69 YRS	192	13.9	265	2	2	9	13	31	54	99+
70-74	176	14.0	161	2	3	10	19	31	36	65
75-79	128	18.1	279	3	4	13	24	37	56	99
80-84	83	17.7	224	2	3	14	22	38	54	91
85+	59	18.2	112	3	6	17	24	32	39	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	8.7	84	1	2	6	12	18	23	42
B. *Operated*	318	9.6	112	1	2	6	13	23	27	63
2. MULTIPLE DX										
A. *Not Operated*	563	12.1	103	2	3	9	17	26	35	99+
B. *Operated*	638	15.7	222	2	3	12	21	34	48	90
1. SINGLE DX	458	9.3	104	1	2	6	12	22	26	52
2. MULTIPLE DX	1201	14.0	169	2	3	10	19	31	41	99
A. NOT OPERATED	703	11.4	101	2	3	9	16	24	33	99+
B. OPERATED	956	13.6	194	2	2	10	18	30	39	86
TOTAL 65-69 YRS	464	10.9	168	2	2	7	14	24	35	85
70-74	405	11.9	138	2	2	8	16	28	33	72
75-79	322	14.2	165	2	3	12	18	28	37	79
80-84	264	14.3	138	2	3	11	19	32	42	95
85+	204	14.1	154	2	2	12	21	33	46	99+
GRAND TOTAL	**1659**	**12.7**	**155**	**2**	**2**	**9**	**17**	**28**	**37**	**88**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	5.2	16	1	1	4	7	12	13	13
70-74	6	4.5	19	1	1	3	4	12	13	13
75-79	7	7.0	53	3	3	3	7	20	23	23
80-84	3	6.7	52	2	2	3	12	15	15	15
85+	3	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	3	4.7	6	2	2	5	6	7	7	7
70-74	3	3.0	3	2	2	2	4	5	5	5
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	6.6	22	1	1	6	8	13	15	24
70-74	41	5.2	17	1	1	4	7	10	15	19
75-79	30	5.4	21	1	1	4	7	10	12	23
80-84	39	9.7	136	2	2	6	12	21	26	67
85+	40	6.2	18	2	2	5	8	12	14	21
B. *Operated*										
65-69 YRS	11	4.9	8	3	3	4	6	9	13	13
70-74	11	7.7	27	1	2	7	13	14	14	14
75-79	5	23.0	1218	<1	<1	7	36	84	84	84
80-84	7	12.4	53	3	4	13	19	22	22	22
85+	8	17.9	922	1	1	7	13	69	92	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	5.5	24	1	2	4	7	13	15	23
B. *Operated*	8	3.5	4	1	1	3	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	199	6.7	44	1	2	5	8	13	18	27
B. *Operated*	42	11.5	332	1	2	6	13	20	47	92
1. SINGLE DX	39	5.1	20	1	1	4	6	12	14	23
2. MULTIPLE DX	241	7.5	96	1	2	5	9	14	20	69
A. NOT OPERATED	230	6.5	41	1	2	5	8	13	17	25
B. OPERATED	50	10.2	287	1	2	5	13	18	22	92
TOTAL 65-69 YRS	75	6.0	19	1	1	5	8	13	14	22
70-74	61	5.5	19	1	1	4	7	13	14	19
75-79	42	7.8	174	1	2	4	7	14	23	84
80-84	50	9.8	117	2	2	6	13	21	22	67
85+	52	7.8	159	2	2	5	8	12	17	91
GRAND TOTAL	**280**	**7.2**	**87**	**1**	**2**	**5**	**8**	**14**	**19**	**56**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	275	4.4	14	1	1	3	6	10	11	17
70-74	257	4.8	15	1	1	4	6	10	13	16
75-79	254	6.0	43	1	1	4	8	11	15	31
80-84	296	6.1	35	1	1	4	8	13	17	24
85+	331	5.9	26	1	1	4	8	12	16	24
B. *Operated*										
65-69 YRS	70	7.2	42	1	1	5	10	17	23	27
70-74	59	6.8	45	1	1	5	9	14	22	32
75-79	46	6.3	23	1	1	5	8	14	16	22
80-84	31	11.5	81	2	2	8	17	26	30	36
85+	17	13.5	231	1	2	5	20	33	51	59
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1674	7.1	37	1	2	5	9	14	19	30
70-74	1817	7.6	44	1	2	6	10	15	19	33
75-79	2105	8.1	57	1	2	6	10	16	21	39
80-84	2166	8.6	57	2	2	7	11	16	21	38
85+	2748	9.0	64	2	2	7	12	18	24	42
B. *Operated*										
65-69 YRS	240	10.9	78	1	2	9	15	22	28	43
70-74	258	12.0	125	2	3	9	14	24	36	57
75-79	262	14.3	144	2	3	11	19	26	36	59
80-84	259	15.9	193	2	3	11	21	35	44	72
85+	264	14.7	153	2	3	11	22	30	36	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1413	5.5	27	1	1	4	7	11	14	22
B. *Operated*	223	8.0	63	1	1	5	10	19	24	35
2. MULTIPLE DX										
A. *Not Operated*	10510	8.2	54	2	2	6	10	16	21	38
B. *Operated*	1283	13.6	143	2	3	10	18	28	37	57
1. SINGLE DX	1636	5.8	32	1	1	4	8	12	16	26
2. MULTIPLE DX	11793	8.8	67	2	2	7	11	17	23	43
A. NOT OPERATED	11923	7.9	52	1	2	6	10	15	20	37
B. OPERATED	1506	12.8	135	2	3	9	17	27	35	56
TOTAL 65-69 YRS	2259	7.2	41	1	2	5	9	15	19	34
70-74	2391	7.8	53	1	2	6	10	15	20	38
75-79	2667	8.5	68	1	2	6	11	17	22	42
80-84	2752	9.0	73	2	2	7	11	17	24	45
85+	3360	9.1	72	2	2	7	12	19	25	43
GRAND TOTAL	**13429**	**8.4**	**63**	**1**	**2**	**6**	**11**	**17**	**22**	**41**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	7.0	61	1	1	4	12	18	18	18
70-74	4	4.5	6	2	2	4	6	8	8	8
75-79	1	4.0		4	4	4	4	4	4	4
80-84	2	3.5	5	2	2	3	5	5	5	5
85+	5	6.4	14	1	1	7	9	11	11	11
B. *Operated*										
65-69 YRS	13	9.5	123	1	1	6	12	28	34	35
70-74	6	8.7	121	1	1	4	11	28	30	30
75-79	4	3.5	3	1	1	4	5	5	5	5
80-84	2	14.5	313	2	2	14	27	27	27	27
85+	3	3.7	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	6.2	23	1	2	6	8	13	18	19
70-74	10	9.9	31	1	2	11	14	16	18	18
75-79	12	12.8	191	1	2	9	15	33	48	51
80-84	6	9.8	7	6	6	10	12	13	13	13
85+	5	16.8	111	6	6	12	27	30	30	30
B. *Operated*										
65-69 YRS	28	10.7	146	1	1	6	14	29	33	53
70-74	14	8.1	152	<1	1	3	9	19	42	48
75-79	18	22.9	476	1	2	12	39	59	63	65
80-84	4	10.3	318	1	1	2	19	37	37	37
85+	7	9.7	97	2	2	4	19	24	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	5.6	19	1	1	5	7	11	16	18
B. *Operated*	28	8.2	99	1	1	4	7	27	30	35
2. MULTIPLE DX										
A. *Not Operated*	47	10.3	80	1	2	8	13	19	27	51
B. *Operated*	71	13.2	256	1	1	7	16	38	53	64
1. SINGLE DX	44	7.2	70	1	1	4	7	23	28	35
2. MULTIPLE DX	118	12.0	187	1	1	8	14	30	47	62
A. NOT OPERATED	63	9.1	68	1	2	7	12	18	25	48
B. OPERATED	99	11.8	215	1	1	5	14	33	47	63
TOTAL 65-69 YRS	59	9.1	105	1	1	6	11	25	31	51
70-74	34	8.3	90	1	1	5	11	16	28	48
75-79	35	16.7	352	1	2	9	23	51	59	65
80-84	14	9.7	110	1	1	7	12	28	35	37
85+	20	9.8	79	1	2	6	11	25	28	30
GRAND TOTAL	**162**	**10.7**	**159**	**1**	**1**	**6**	**12**	**27**	**38**	**60**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74										
75-79										
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74										
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0		2	2	2	2	2	2	2
B. *Operated*	3	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	3	2.7		2	2	3	3	3	3	3
B. *Operated*	3	3.3	2	2	2	3	4	5	5	5
1. SINGLE DX	6	1.8	1	<1	<1	2	2	3	3	3
2. MULTIPLE DX	6	3.0	1	2	2	3	3	5	5	5
A. NOT OPERATED	6	2.3		2	2	2	3	3	3	3
B. OPERATED	6	2.5	2	<1	<1	2	3	5	5	5
TOTAL 65-69 YRS	5	3.0	2	2	2	3	4	5	5	5
70-74	1	1.0		<1	<1	<1	<1	<1	<1	<1
75-79	2	2.0		2	2	2	2	2	2	2
80-84	3	2.0	1	1	1	2	3	3	3	3
85+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**12**	**2.4**	**1**	**<1**	**1**	**2**	**3**	**4**	**5**	**5**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	184	1.7	2	<1	1	1	2	3	4	10
70-74	149	2.0	6	<1	1	1	2	4	5	9
75-79	135	2.1	8	<1	1	1	2	4	4	19
80-84	74	2.2	13	1	1	1	2	3	6	25
85+	83	2.1	3	1	1	2	3	4	6	69
B. *Operated*										
65-69 YRS	40	4.0	32	<1	<1	2	4	10	17	28
70-74	35	4.5	85	1	1	2	4	6	20	52
75-79	31	3.5	26	<1	1	2	3	8	11	28
80-84	16	4.8	33	<1	1	3	5	11	20	24
85+	18	2.4	4	<1	<1	2	3	4	8	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	200	3.9	16	1	1	2	5	9	11	17
70-74	209	5.1	42	1	1	3	6	11	16	36
75-79	187	4.4	18	1	1	3	6	10	16	21
80-84	150	5.1	43	1	1	3	7	10	15	31
85+	113	5.0	21	1	1	3	6	11	14	23
B. *Operated*										
65-69 YRS	134	8.8	91	1	1	5	13	22	28	42
70-74	122	7.0	48	1	1	4	10	15	20	36
75-79	98	9.0	105	1	1	5	10	23	35	46
80-84	59	8.6	93	1	2	5	12	19	27	56
85+	53	9.2	79	1	2	5	13	25	27	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	625	2.0	6	<1	1	1	2	3	5	12
B. *Operated*	140	3.9	40	<1	1	2	3	8	13	31
2. MULTIPLE DX										
A. *Not Operated*	859	4.6	28	1	1	3	6	10	14	29
B. *Operated*	466	8.4	82	1	1	5	11	21	27	41
1. SINGLE DX	765	2.3	13	<1	1	1	2	4	6	24
2. MULTIPLE DX	1325	6.0	50	1	1	3	7	14	20	36
A. NOT OPERATED	1484	3.5	20	1	1	2	4	8	11	22
B. OPERATED	606	7.4	76	1	1	4	9	19	26	40
TOTAL 65-69 YRS	558	4.4	38	1	1	2	5	11	15	33
70-74	515	4.6	39	1	1	2	5	11	16	33
75-79	451	4.7	41	1	1	2	5	10	18	37
80-84	299	5.1	49	1	1	3	6	12	16	32
85+	267	4.7	32	1	1	3	5	11	20	29
GRAND TOTAL	**2090**	**4.6**	**39**	**1**	**1**	**2**	**5**	**11**	**16**	**33**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	13.3	66	<1	1	14	20	22	23	23
70-74	5	14.6	113	4	4	10	25	27	27	27
75-79	4	12.5	142	4	4	8	20	30	30	30
80-84	3	21.7	272	8	8	17	34	40	40	40
85+	4	8.3	20	3	3	8	11	14	14	14
B. *Operated*										
65-69 YRS	36	22.9	359	4	6	15	34	59	67	99+
70-74	21	27.9	456	4	5	26	34	58	73	88
75-79	17	29.8	332	4	6	36	42	57	61	61
80-84	12	24.8	461	7	9	19	27	50	83	88
85+	17	18.6	202	4	5	17	27	53	83	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	42	13.3	91	3	4	10	19	26	32	44
70-74	45	16.1	186	2	2	11	22	41	44	48
75-79	35	17.8	240	4	6	13	21	34	58	73
80-84	31	18.5	310	3	4	15	27	31	38	96
85+	28	18.5	221	1	3	13	24	44	53	55
B. *Operated*										
65-69 YRS	113	29.2	481	3	6	25	48	70	85	99+
70-74	89	36.1	510	6	11	33	54	83	99	99+
75-79	83	33.9	511	3	9	33	51	85	99+	99+
80-84	57	32.4	427	7	9	30	45	69	90	99+
85+	34	36.3	611	4	8	28	52	82	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	13.6	99	2	4	10	20	27	33	40
B. *Operated*	103	24.6	360	4	6	20	36	58	65	99+
2. MULTIPLE DX										
A. *Not Operated*	181	16.6	200	2	4	12	22	35	44	69
B. *Operated*	376	33.0	500	4	8	29	49	76	97	99+
1. SINGLE DX	127	22.5	328	4	5	18	32	56	61	99+
2. MULTIPLE DX	557	27.6	461	3	5	23	43	66	86	99+
A. NOT OPERATED	205	16.2	189	2	4	12	22	33	44	66
B. OPERATED	479	31.2	481	4	7	27	48	72	93	99+
TOTAL 65-69 YRS	199	24.0	401	3	4	19	36	59	76	99+
70-74	160	28.7	476	4	5	24	45	61	86	99+
75-79	139	28.7	458	4	6	24	43	68	90	99+
80-84	103	27.0	420	5	7	23	37	58	85	99+
85+	83	25.3	448	3	5	21	39	58	84	99+
GRAND TOTAL	**684**	**26.7**	**440**	**4**	**5**	**22**	**41**	**61**	**84**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	31	8.6	74	1	1	6	12	19	25	40
70-74	37	10.2	91	1	1	9	13	20	29	48
75-79	23	11.4	123	1	2	6	17	28	34	44
80-84	24	13.3	217	2	3	9	13	28	44	72
85+	13	9.0	35	3	3	8	11	20	21	21
B. *Operated*										
65-69 YRS	26	16.0	232	2	3	10	23	30	53	67
70-74	10	15.2	177	1	2	10	22	37	39	39
75-79	4	26.8	385	8	8	23	42	52	52	52
80-84	7	17.6	193	7	7	15	21	41	46	46
85+	7	21.7	121	7	8	21	30	37	38	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	169	12.9	145	2	2	10	17	24	36	62
70-74	167	12.9	142	3	3	10	16	28	36	62
75-79	157	14.8	208	2	3	9	19	38	46	68
80-84	85	13.0	156	2	2	10	17	25	36	96
85+	87	15.4	200	2	3	11	21	38	48	86
B. *Operated*										
65-69 YRS	66	28.4	466	4	8	22	40	64	90	99+
70-74	66	27.5	284	7	8	26	34	57	65	97
75-79	52	25.1	472	4	6	18	36	60	67	94
80-84	33	28.4	524	4	6	20	41	61	80	91
85+	29	28.3	454	2	3	24	35	70	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	10.5	110	1	1	7	13	22	29	53
B. *Operated*	54	17.6	208	2	4	14	23	38	48	66
2. MULTIPLE DX										
A. *Not Operated*	665	13.7	168	2	3	10	17	31	42	67
B. *Operated*	246	27.5	419	4	7	22	36	61	80	99+
1. SINGLE DX	182	12.6	149	1	2	9	17	28	38	62
2. MULTIPLE DX	911	17.4	273	2	3	12	23	41	58	90
A. NOT OPERATED	793	13.2	160	2	3	9	17	29	40	66
B. OPERATED	300	25.7	395	4	6	21	35	59	71	99+
TOTAL 65-69 YRS	292	16.2	262	2	3	12	21	38	53	92
70-74	280	16.1	210	2	3	11	22	35	49	74
75-79	236	16.9	280	2	3	10	22	42	55	73
80-84	149	16.7	284	2	3	12	20	39	57	91
85+	136	17.9	266	2	3	13	25	43	61	99+
GRAND TOTAL	**1093**	**16.6**	**255**	**2**	**3**	**11**	**22**	**39**	**54**	**89**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	6.5	24	<1	1	6	9	12	17	19
70-74	11	9.0	155	<1	1	5	10	25	43	45
75-79	13	9.2	173	1	1	4	8	25	45	50
80-84	1	13.0		13	13	13	13	13	13	13
85+	3	11.0	7	8	8	12	13	13	13	13
B. *Operated*										
65-69 YRS	14	3.1	6	<1	1	2	4	6	9	10
70-74	13	6.7	37	1	2	4	13	16	18	18
75-79	6	5.7	17	2	2	4	11	11	11	11
80-84	2	1.5	1	<1	<1	1	2	2	2	2
85+	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	47	9.7	69	2	2	8	12	20	22	48
70-74	54	7.0	23	2	2	6	9	13	15	23
75-79	53	13.7	216	2	2	8	16	37	45	71
80-84	33	10.8	58	1	2	9	15	23	23	31
85+	53	12.1	92	2	3	10	15	23	34	43
B. *Operated*										
65-69 YRS	31	24.8	873	1	2	9	63	82	99	99+
70-74	26	11.0	267	1	2	4	11	33	60	61
75-79	23	14.9	411	1	1	4	17	50	65	66
80-84	9	17.9	76	1	4	21	24	27	28	28
85+	4	16.5	481	1	1	8	29	49	49	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	8.5	99	<1	1	7	10	15	30	50
B. *Operated*	37	4.8	21	<1	1	3	5	13	15	18
2. MULTIPLE DX										
A. *Not Operated*	240	10.7	99	2	2	8	14	22	31	48
B. *Operated*	93	17.5	510	1	1	7	25	64	77	99+
1. SINGLE DX	79	6.8	65	<1	1	4	9	13	18	49
2. MULTIPLE DX	333	12.6	222	1	2	8	14	31	48	81
A. NOT OPERATED	282	10.3	99	1	2	8	13	22	31	48
B. OPERATED	130	13.9	402	1	1	4	15	52	66	99+
TOTAL 65-69 YRS	106	12.9	348	1	1	7	12	45	76	99+
70-74	104	8.2	99	1	2	5	10	15	23	60
75-79	95	12.9	245	1	2	7	14	37	48	69
80-84	45	11.9	69	1	1	11	17	23	26	31
85+	62	12.1	105	2	3	9	15	24	37	48
GRAND TOTAL	**412**	**11.4**	**197**	**1**	**2**	**7**	**13**	**25**	**46**	**78**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	63	5.5	17	1	1	5	8	10	13	22
70-74	54	5.9	40	1	1	4	7	11	18	37
75-79	45	5.6	17	1	1	5	8	13	14	16
80-84	39	7.1	43	1	2	5	10	16	22	29
85+	41	6.0	18	1	2	4	8	13	14	17
B. *Operated*										
65-69 YRS	32	12.3	274	1	2	8	15	24	34	90
70-74	17	9.9	184	1	1	5	14	18	43	57
75-79	8	2.4	2	<1	<1	2	3	4	5	5
80-84	11	11.0	166	2	2	7	14	31	44	45
85+	5	9.6	55	2	2	12	14	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	253	8.6	52	2	2	7	10	19	21	43
70-74	275	8.8	67	2	2	7	11	18	24	38
75-79	269	9.3	63	2	2	8	11	20	23	40
80-84	308	9.6	75	2	3	8	12	18	24	70
85+	332	11.1	113	2	3	9	13	21	32	69
B. *Operated*										
65-69 YRS	71	18.8	460	2	3	11	20	48	82	90
70-74	73	16.0	199	2	3	12	22	38	57	99+
75-79	64	13.2	180	1	3	9	18	29	51	95
80-84	40	17.0	115	3	4	15	23	32	35	51
85+	35	13.5	88	2	4	10	19	32	38	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	5.9	26	1	1	5	8	13	16	24
B. *Operated*	73	10.3	194	1	2	5	13	20	34	82
2. MULTIPLE DX										
A. *Not Operated*	1437	9.6	76	2	2	7	12	19	25	53
B. *Operated*	283	15.9	237	2	3	12	21	33	57	99+
1. SINGLE DX	315	6.9	68	1	1	5	9	14	19	40
2. MULTIPLE DX	1720	10.6	108	2	3	8	13	21	29	73
A. NOT OPERATED	1679	9.0	71	2	2	7	11	18	23	48
B. OPERATED	356	14.8	232	2	2	10	20	32	50	99
TOTAL 65-69 YRS	419	10.1	149	2	2	7	12	20	28	85
70-74	419	9.7	100	1	2	7	12	20	29	65
75-79	386	9.4	80	1	2	7	11	20	25	55
80-84	398	10.1	83	2	3	8	13	21	27	59
85+	413	10.8	103	2	3	8	13	21	32	69
GRAND TOTAL	**2035**	**10.0**	**104**	**2**	**2**	**7**	**12**	**20**	**28**	**69**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	176	4.1	13	1	1	3	6	8	10	17
70-74	174	5.6	39	1	1	4	7	11	14	29
75-79	134	5.7	21	1	1	5	8	11	13	28
80-84	83	5.6	21	1	1	5	8	10	13	25
85+	76	6.6	24	1	1	5	10	14	17	21
B. *Operated*										
65-69 YRS	8	9.6	38	3	3	8	14	18	20	20
70-74	8	12.1	126	2	2	11	14	30	37	37
75-79	2	9.0	50	4	4	9	14	14	14	14
80-84	3	6.7	32	2	2	5	11	13	13	13
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1352	7.5	41	1	2	6	9	15	20	34
70-74	1445	7.9	45	2	2	6	10	16	21	35
75-79	1371	8.1	43	2	2	7	10	15	19	33
80-84	1037	8.3	46	2	2	7	10	15	19	39
85+	876	8.9	53	2	3	7	11	17	23	39
B. *Operated*										
65-69 YRS	135	13.8	93	2	4	11	18	29	32	43
70-74	114	16.3	141	4	5	13	23	38	46	99+
75-79	125	15.7	155	2	4	12	20	33	39	63
80-84	91	16.3	98	5	6	14	21	29	40	50
85+	63	13.9	87	3	5	12	18	27	32	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	643	5.4	25	1	1	4	7	10	14	25
B. *Operated*	21	10.1	67	2	2	9	14	17	28	37
2. MULTIPLE DX										
A. *Not Operated*	6081	8.1	45	2	2	6	10	15	20	35
B. *Operated*	528	15.2	118	3	5	12	20	31	39	57
1. SINGLE DX	664	5.5	27	1	1	4	7	11	14	25
2. MULTIPLE DX	6609	8.6	55	2	2	7	11	17	23	40
A. NOT OPERATED	6724	7.8	44	1	2	6	10	15	20	35
B. OPERATED	549	15.0	117	3	4	12	19	31	39	57
TOTAL 65-69 YRS	1671	7.6	47	1	2	6	10	15	22	35
70-74	1741	8.3	56	1	2	6	10	17	24	41
75-79	1632	8.5	54	2	2	7	10	16	21	39
80-84	1214	8.7	53	2	2	7	11	16	22	42
85+	1015	9.1	55	2	3	7	12	17	23	40
GRAND TOTAL	**7273**	**8.4**	**53**	**1**	**2**	**7**	**10**	**16**	**22**	**39**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	95	2.2	5	<1	1	2	3	4	4	15
70-74	49	3.1	16	<1	1	2	3	6	14	20
75-79	46	4.4	171	<1	1	2	3	6	9	90
80-84	27	3.7	10	1	1	3	5	8	10	14
85+	24	2.6	5	1	1	2	3	6	7	10
B. *Operated*										
65-69 YRS	6	7.0	64	2	2	4	7	21	23	23
70-74	2	6.0	50	1	1	6	11	11	11	11
75-79	3	31.3	137	18	18	36	39	40	40	40
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	237	5.6	39	1	1	3	7	13	17	37
70-74	193	5.9	58	1	1	3	6	12	19	44
75-79	122	5.9	32	1	1	4	7	13	19	28
80-84	96	7.9	75	1	1	6	10	18	26	45
85+	90	9.4	145	1	1	6	11	21	27	69
B. *Operated*										
65-69 YRS	10	31.9	508	6	12	29	36	63	90	90
70-74	18	22.2	591	1	2	11	41	56	73	84
75-79	9	23.0	328	5	8	14	35	52	62	62
80-84	8	26.9	268	10	11	21	34	55	60	60
85+	11	17.9	178	4	5	14	26	38	46	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	241	3.0	40	1	1	2	3	5	8	17
B. *Operated*	11	13.5	197	1	2	7	22	38	40	40
2. MULTIPLE DX										
A. *Not Operated*	738	6.5	62	1	1	4	8	15	21	44
B. *Operated*	56	23.9	401	2	5	19	34	55	61	90
1. SINGLE DX	252	3.5	50	1	1	2	3	6	11	36
2. MULTIPLE DX	794	7.7	105	1	1	4	9	18	27	53
A. NOT OPERATED	979	5.7	59	1	1	3	7	12	18	42
B. OPERATED	67	22.2	379	2	3	18	33	50	60	89
TOTAL 65-69 YRS	348	5.5	65	1	1	3	6	13	19	36
70-74	262	6.5	104	1	1	3	7	14	22	55
75-79	180	6.8	106	1	1	4	7	15	23	55
80-84	131	8.2	97	1	1	5	10	20	26	53
85+	125	8.8	135	1	1	5	10	21	28	67
GRAND TOTAL	**1046**	**6.7**	**95**	**1**	**1**	**3**	**7**	**15**	**23**	**51**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	136	3.7	12	1	1	2	5	8	11	18
70-74	96	4.8	14	1	1	4	6	9	12	20
75-79	101	4.8	68	1	1	3	5	9	10	49
80-84	69	6.3	48	1	2	5	8	11	18	41
85+	41	6.6	38	1	1	5	8	15	17	33
B. *Operated*										
65-69 YRS	12	18.1	392	2	4	10	32	73	95	99+
70-74	14	14.9	142	2	2	14	25	31	38	40
75-79	9	12.4	114	<1	1	8	20	29	31	31
80-84	3	22.3	16	18	18	23	25	26	26	26
85+	3	12.3	22	7	7	14	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	698	6.8	34	1	2	5	9	14	18	28
70-74	679	7.5	44	1	2	6	9	14	19	32
75-79	639	7.8	39	2	2	6	10	16	21	32
80-84	510	8.4	48	2	2	7	11	17	22	32
85+	429	8.8	46	2	3	7	11	17	21	38
B. *Operated*										
65-69 YRS	153	16.8	270	2	2	12	22	42	57	99+
70-74	98	17.0	273	2	3	12	23	39	55	93
75-79	85	18.1	216	3	3	16	25	36	41	74
80-84	50	18.6	236	4	5	13	28	42	52	99+
85+	38	18.7	221	4	5	17	27	42	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	443	4.9	34	1	1	3	6	9	13	24
B. *Operated*	41	15.6	187	2	2	13	25	34	56	99+
2. MULTIPLE DX										
A. *Not Operated*	2955	7.7	42	1	2	6	10	15	20	32
B. *Operated*	424	17.5	250	2	3	13	24	39	52	99+
1. SINGLE DX	484	5.8	56	1	1	4	7	12	18	41
2. MULTIPLE DX	3379	9.0	79	1	2	6	11	19	25	47
A. NOT OPERATED	3398	7.4	42	1	2	6	9	15	19	32
B. OPERATED	465	17.3	244	2	3	13	24	39	52	99+
TOTAL 65-69 YRS	999	8.1	88	1	1	5	10	17	24	55
70-74	887	8.4	78	1	2	6	10	16	23	47
75-79	834	8.5	73	1	2	6	10	18	25	43
80-84	632	9.0	71	2	2	7	11	18	25	42
85+	511	9.4	65	2	3	7	12	19	24	46
GRAND TOTAL	**3863**	**8.6**	**77**	**1**	**2**	**6**	**11**	**18**	**24**	**47**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	102	7.3	43	1	1	5	10	15	19	33
70-74	114	7.5	60	1	1	5	9	15	25	41
75-79	100	8.4	68	1	2	5	11	19	27	38
80-84	74	7.4	80	1	2	5	9	16	39	99+
85+	67	4.8	25	<1	1	3	6	10	11	31
B. *Operated*										
65-69 YRS	1248	9.2	99	1	2	5	13	21	27	50
70-74	1353	8.8	38	1	2	5	12	21	26	45
75-79	1227	8.2	82	1	2	5	11	19	26	44
80-84	921	7.8	82	1	2	4	10	19	25	43
85+	744	7.3	69	1	2	4	9	15	21	43
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	210	8.4	60	1	1	6	11	19	24	35
70-74	205	7.9	73	1	2	5	10	17	25	82
75-79	214	9.4	66	1	2	8	12	19	28	42
80-84	178	9.3	79	1	1	7	12	23	27	40
85+	186	8.4	66	1	2	6	11	16	22	50
B. *Operated*										
65-69 YRS	2126	12.1	180	1	2	8	16	27	39	74
70-74	2141	12.3	175	2	2	8	16	29	41	71
75-79	2012	12.1	161	2	2	8	16	28	41	81
80-84	1585	11.2	143	2	2	7	14	27	37	60
85+	1248	10.7	112	2	3	7	13	23	32	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	457	7.2	57	1	1	5	10	16	23	42
B. *Operated*	5493	8.4	86	1	2	5	11	20	25	45
2. MULTIPLE DX										
A. *Not Operated*	993	8.7	69	1	2	6	11	18	26	43
B. *Operated*	9112	11.8	159	2	2	8	15	27	39	70
1. SINGLE DX	5950	8.3	84	1	2	5	11	19	25	44
2. MULTIPLE DX	10105	11.5	151	2	2	7	15	26	38	68
A. NOT OPERATED	1450	8.2	65	1	2	6	11	18	25	42
B. OPERATED	14605	10.5	134	2	2	6	14	24	34	62
TOTAL 65-69 YRS	3686	10.8	144	1	2	7	14	24	33	66
70-74	3813	10.7	139	2	2	6	14	25	34	63
75-79	3553	10.5	129	2	2	6	14	25	34	63
80-84	2758	9.9	119	2	2	6	12	24	32	55
85+	2245	9.2	94	2	2	6	11	20	28	55
GRAND TOTAL	**16055**	**10.3**	**129**	**2**	**2**	**6**	**13**	**24**	**33**	**61**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	357	4.4	17	1	1	4	5	7	10	13
70-74	325	4.3	8	1	1	4	5	7	9	15
75-79	241	4.5	8	1	2	4	6	8	11	14
80-84	112	5.1	12	1	2	4	6	9	10	20
85+	68	5.3	23	1	2	4	7	10	12	31
B. *Operated*										
65-69 YRS	134	4.9	12	1	1	4	7	9	11	16
70-74	98	6.2	22	1	2	5	8	11	17	24
75-79	62	6.4	19	2	2	5	8	12	16	22
80-84	43	4.0	6	1	1	4	6	7	9	11
85+	21	7.7	46	1	2	5	10	18	23	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	288	5.1	17	1	2	4	6	9	12	17
70-74	292	5.4	14	1	2	4	7	10	12	18
75-79	229	5.7	20	1	2	4	7	11	15	25
80-84	155	6.9	42	2	2	5	8	12	21	38
85+	78	7.4	33	2	2	6	8	15	17	31
B. *Operated*										
65-69 YRS	157	9.5	125	2	2	6	12	18	25	66
70-74	121	8.8	87	2	2	6	10	19	25	48
75-79	92	9.7	76	1	2	7	13	21	23	49
80-84	54	9.4	99	2	2	7	12	15	20	59
85+	34	11.5	84	3	4	8	14	25	33	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1103	4.5	12	1	1	4	6	8	10	15
B. *Operated*	358	5.6	18	1	1	5	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	1042	5.8	22	1	2	5	7	10	14	27
B. *Operated*	458	9.5	99	2	2	6	12	19	25	60
1. SINGLE DX	1461	4.8	14	1	1	4	6	9	11	17
2. MULTIPLE DX	1500	6.9	48	1	2	5	8	13	18	38
A. NOT OPERATED	2145	5.1	17	1	2	4	6	9	12	22
B. OPERATED	816	7.8	67	1	2	5	9	15	22	41
TOTAL 65-69 YRS	936	5.5	37	1	2	4	6	10	13	30
70-74	836	5.6	25	1	2	4	7	10	14	25
75-79	624	5.9	26	1	2	4	7	11	15	25
80-84	364	6.4	39	1	2	5	7	12	15	38
85+	201	7.4	43	1	2	6	9	14	22	34
GRAND TOTAL	**2961**	**5.9**	**32**	**1**	**2**	**4**	**7**	**11**	**15**	**28**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	132	8.2	36	2	3	7	9	16	21	35
70-74	100	8.2	36	2	3	7	10	16	19	31
75-79	69	8.7	63	1	2	6	10	17	24	40
80-84	51	9.9	63	2	3	8	13	18	27	45
85+	25	9.5	42	3	3	8	13	19	22	29
B. *Operated*										
65-69 YRS	137	11.9	118	2	2	9	14	25	34	65
70-74	107	13.4	215	2	3	9	16	29	39	90
75-79	57	13.2	219	2	3	9	17	26	37	95
80-84	38	9.7	48	2	3	8	12	19	25	32
85+	24	17.9	170	4	6	14	24	40	45	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	238	10.8	70	2	4	8	13	20	29	42
70-74	186	11.8	116	2	3	9	15	24	28	64
75-79	161	12.6	120	3	4	10	15	25	30	68
80-84	111	11.2	74	3	4	9	14	22	26	45
85+	66	12.7	131	4	4	11	16	24	40	99+
B. *Operated*										
65-69 YRS	237	16.1	165	2	4	12	22	34	44	99+
70-74	202	17.3	213	3	4	13	22	37	50	91
75-79	133	17.8	228	3	5	13	22	35	46	85
80-84	60	15.3	159	3	4	11	20	34	43	59
85+	30	17.7	167	3	4	14	25	37	47	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	377	8.6	45	2	3	7	10	16	21	38
B. *Operated*	363	12.7	160	2	3	9	16	26	38	83
2. MULTIPLE DX										
A. *Not Operated*	762	11.6	98	3	4	9	14	23	29	61
B. *Operated*	662	16.8	191	3	4	13	22	35	47	91
1. SINGLE DX	740	10.6	105	2	3	8	13	21	29	53
2. MULTIPLE DX	1424	14.0	148	3	4	10	18	28	38	83
A. NOT OPERATED	1139	10.6	82	2	3	8	13	20	27	45
B. OPERATED	1025	15.4	184	2	3	11	20	33	44	90
TOTAL 65-69 YRS	744	12.2	111	2	3	9	15	26	34	61
70-74	595	13.4	163	2	3	10	16	27	39	83
75-79	420	13.7	167	3	3	10	17	27	37	75
80-84	260	11.7	91	3	3	9	15	23	32	50
85+	145	14.0	136	3	4	11	18	29	41	99+
GRAND TOTAL	**2164**	**12.9**	**136**	**2**	**3**	**10**	**16**	**27**	**35**	**71**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	100	8.6	118	1	1	6	11	16	20	66
70-74	87	8.7	100	1	2	7	11	15	28	61
75-79	49	7.1	33	1	2	5	9	14	17	33
80-84	39	6.3	18	2	2	6	8	12	15	22
85+	23	9.3	76	<1	1	7	14	20	30	33
B. *Operated*										
65-69 YRS	296	7.1	48	1	2	5	10	15	20	35
70-74	198	7.8	68	1	2	5	10	17	27	42
75-79	155	8.1	82	1	2	4	9	20	31	45
80-84	70	8.2	102	1	1	5	11	19	26	61
85+	58	9.3	89	1	2	5	12	24	33	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	285	8.6	58	1	2	7	11	16	23	43
70-74	276	10.3	103	2	2	8	13	19	31	63
75-79	197	10.3	84	2	3	7	14	21	30	55
80-84	116	11.6	141	2	3	8	13	25	36	67
85+	97	10.1	68	2	3	8	13	19	30	75
B. *Operated*										
65-69 YRS	601	14.4	238	2	2	9	18	32	50	96
70-74	502	13.0	178	2	2	9	16	29	37	92
75-79	363	13.4	195	2	2	9	18	31	44	81
80-84	193	14.6	174	2	2	10	21	31	39	65
85+	138	13.3	144	2	2	10	19	25	33	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	298	8.1	83	1	2	6	10	16	20	39
B. *Operated*	777	7.8	68	1	2	5	10	18	25	41
2. MULTIPLE DX										
A. *Not Operated*	971	9.9	88	2	2	7	13	20	28	55
B. *Operated*	1797	13.7	198	2	2	9	18	30	42	90
1. SINGLE DX	1075	7.9	72	1	2	5	10	17	24	41
2. MULTIPLE DX	2768	12.4	163	2	2	9	16	27	38	79
A. NOT OPERATED	1269	9.5	87	1	2	7	12	19	27	53
B. OPERATED	2574	11.9	167	1	2	8	16	27	37	78
TOTAL 65-69 YRS	1282	10.9	155	1	2	7	13	24	34	79
70-74	1063	11.0	136	1	2	8	14	24	33	75
75-79	764	11.1	139	2	2	7	14	26	36	63
80-84	418	11.9	146	2	2	8	16	27	35	66
85+	316	11.3	108	2	2	8	16	24	33	71
GRAND TOTAL	**3843**	**11.1**	**142**	**1**	**2**	**8**	**14**	**25**	**34**	**70**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	2.8	6	1	1	1	5	6	6	6
70-74	5	1.8	1	1	1	2	2	3	3	3
75-79	7	5.4	14	1	1	5	7	11	12	12
80-84	6	3.3	19	1	1	1	4	11	12	12
85+	4	1.3		1	1	1	2	2	2	2
B. *Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	1	4.0		4	4	4	4	4	4	4
75-79		3.0		3	3	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	39	6.6	62	1	1	5	8	13	26	37
70-74	27	6.0	14	1	1	6	9	12	13	14
75-79	27	4.4	14	1	1	3	7	9	12	15
80-84	17	4.6	11	1	1	5	7	9	10	10
85+	25	6.4	39	1	1	5	10	17	20	23
B. *Operated*										
65-69 YRS	18	15.7	255	1	2	11	18	42	55	60
70-74	11	14.0	397	1	2	9	15	38	69	72
75-79	8	19.4	425	2	2	13	26	53	64	64
80-84	5	22.4	521	5	5	15	30	62	62	62
85+	3	13.3	30	7	7	16	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.2	10	1	1	2	5	8	12	12
B. *Operated*	3	4.3	2	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	135	5.8	32	1	1	4	8	11	15	34
B. *Operated*	45	16.5	313	2	2	11	18	47	62	72
1. SINGLE DX	30	3.3	10	1	1	2	5	7	12	12
2. MULTIPLE DX	180	8.5	123	1	1	6	10	17	26	63
A. NOT OPERATED	162	5.3	29	1	1	4	8	11	14	33
B. OPERATED	48	15.8	302	2	2	10	18	42	62	72
TOTAL 65-69 YRS	63	8.9	129	1	1	6	10	19	35	58
70-74	44	7.5	117	1	1	5	9	13	16	72
75-79	43	7.3	115	1	1	4	8	16	26	64
80-84	28	7.5	138	1	1	5	9	14	24	62
85+	32	6.4	40	1	1	4	10	17	19	23
GRAND TOTAL	**210**	**7.7**	**110**	**1**	**1**	**5**	**9**	**16**	**23**	**63**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	5	1.2		<1	<1	1	1	2	2	2
70-74	6	1.7	1	<1	<1	1	2	4	4	4
75-79	5	1.6		1	1	2	2	2	2	2
80-84	4	1.8		<1	<1	2	2	2	2	2
85+	20	1.9	1	<1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	14.5	365	1	1	14	28	28	28	28
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	9	2.0	2	<1	<1	2	2	4	5	5
70-74	4	3.5	4	2	2	3	5	6	6	6
75-79	5	1.4		1	1	1	2	2	2	2
80-84	3	4.7	40	1	1	1	9	12	12	12
85+	15	2.3	1	1	1	2	3	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	40	1.7	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	2	14.5	365	1	1	14	28	28	28	28
B. *Operated*	36	2.4	4	1	1	2	3	5	6	12
1. SINGLE DX	40	1.7	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX	38	3.1	21	1	1	2	3	5	10	28
A. NOT OPERATED	2	14.5	365	1	1	14	28	28	28	28
B. OPERATED	76	2.1	3	<1	1	2	2	4	5	10
TOTAL 65-69 YRS	16	3.3	44	<1	<1	1	2	5	21	28
70-74	10	2.4	3	<1	<1	2	4	5	6	6
75-79	10	1.5		1	1	1	2	2	2	2
80-84	7	3.0	16	<1	<1	2	2	10	12	12
85+	35	2.1	1	1	1	2	3	3	5	5
GRAND TOTAL	**78**	**2.4**	**11**	**<1**	**1**	**2**	**2**	**4**	**5**	**24**

Length of Stay Tables
Operation Groups

1,660 PAS Hospitals, United States, 1979, by Operation

B: Summary of all patients in operation groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	106522	7.3	50	1	2	5	10	16	20	34
70-74	86366	7.6	56	1	2	5	10	17	21	36
75-79	62549	8.0	64	2	2	5	11	18	23	38
80-84	37266	8.8	76	2	2	6	12	20	25	42
85+	25625	10.1	93	2	2	7	14	22	28	46
2. MULTIPLE DX										
65-69 YRS	211133	12.1	129	2	2	9	16	25	34	63
70-74	186246	13.1	143	2	3	10	17	27	37	66
75-79	147920	14.0	156	2	3	11	18	29	39	69
80-84	94117	15.0	165	2	3	12	20	31	41	71
85+	69082	16.3	177	2	3	13	22	33	43	76
TOT. SINGLE DX	318328	7.9	62	1	2	5	11	17	22	38
" MULTIPLE DX	708498	13.6	150	2	3	10	16	28	38	68
TOTAL 65-69 YRS	317655	10.5	108	2	2	8	14	22	30	57
70-74	272612	11.3	122	2	2	8	15	24	33	59
75-79	210469	12.2	136	2	2	9	16	26	35	63
80-84	131383	13.3	148	2	2	10	18	28	37	65
85+	94707	14.6	162	2	3	12	20	30	40	70
GRAND TOTAL	**1026826**	**11.8**	**129**	**2**	**2**	**9**	**16**	**25**	**34**	**61**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	5.0	33	<1	1	3	6	14	19	20
70-74	10	4.2	30	<1	<1	2	5	12	19	19
75-79	10	11.2	101	2	2	8	17	26	33	33
80-84	7	16.0	683	<1	<1	5	15	63	74	74
85+	6	19.3	1499	1	1	3	76	99+	99+	99+
B. *Operated*										
65-69 YRS	475	4.4	24	1	2	3	5	8	11	27
70-74	329	4.6	14	1	2	3	5	9	11	21
75-79	253	6.4	62	1	2	4	7	14	17	35
80-84	130	6.3	25	1	2	5	8	14	16	24
85+	121	10.2	126	1	2	8	14	19	25	68
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	6.3	97	<1	<1	2	8	24	28	28
70-74	7	6.4	58	1	1	2	11	19	21	21
75-79	2	4.5	13	2	2	4	7	7	7	7
80-84	5	6.0	22	2	2	4	10	12	12	12
85+	6	14.2	199	1	1	12	25	33	34	34
B. *Operated*										
65-69 YRS	201	8.5	100	2	2	5	10	17	22	57
70-74	176	8.9	80	2	2	6	11	20	29	51
75-79	158	10.6	82	2	3	7	14	23	31	45
80-84	123	13.6	186	2	3	10	17	26	41	74
85+	95	13.5	175	3	4	9	16	25	40	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	9.8	331	<1	1	4	11	20	79	99+
B. *Operated*	1308	5.6	41	1	2	4	6	11	15	30
2. MULTIPLE DX										
A. *Not Operated*	28	7.8	90	1	1	2	12	24	29	34
B. *Operated*	753	10.5	119	2	2	7	13	22	31	58
1. SINGLE DX	1353	5.7	51	1	2	4	6	12	16	33
2. MULTIPLE DX	781	10.4	118	2	2	7	13	22	31	58
A. NOT OPERATED	73	9.1	237	<1	1	3	12	21	34	99+
B. OPERATED	2061	7.4	75	1	2	5	9	16	22	45
TOTAL 65-69 YRS	696	5.6	50	1	2	3	6	11	17	36
70-74	522	6.1	42	1	2	4	7	13	20	39
75-79	423	8.1	74	2	2	5	10	17	25	43
80-84	265	9.9	128	2	2	6	13	21	26	69
85+	228	11.9	181	1	2	8	14	24	35	96
GRAND TOTAL	**2134**	**7.4**	**81**	**1**	**2**	**5**	**9**	**16**	**22**	**49**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	1.2		<1	<1	1	1	2	2	2
70-74	9	1.4	1	1	1	1	2	3	4	4
75-79	20	1.9	13	1	1	1	1	2	10	17
80-84	3	1.7		<1	<1	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	317	1.4	2	1	1	1	1	2	3	8
70-74	372	1.7	3	1	1	1	2	2	3	10
75-79	262	1.6	2	<1	1	1	2	2	3	10
80-84	104	2.1	10	<1	<1	2	2	2	3	20
85+	12	1.5		1	1	1	2	3	3	3
B. *Operated*										
65-69 YRS	40	6.2	67	<1	<1	2	8	17	25	37
70-74	26	7.7	117	<1	2	3	10	16	32	50
75-79	18	5.5	65	<1	1	3	5	12	26	35
80-84	6	10.0	312	2	2	3	5	42	46	46
85+	2	2.5	5	<1	<1	2	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	1.7	7	<1	1	1	1	2	3	17
B. *Operated*	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1067	1.6	3	1	1	1	2	2	3	10
B. *Operated*	92	6.7	92	<1	<1	3	7	16	28	48
1. SINGLE DX	40	1.9	8	<1	1	1	2	2	6	17
2. MULTIPLE DX	1159	2.0	12	1	1	1	2	3	4	17
A. NOT OPERATED	1105	1.6	3	1	1	1	2	2	3	10
B. OPERATED	94	6.6	90	<1	<1	3	8	16	27	48
TOTAL 65-69 YRS	364	1.9	11	1	1	1	2	3	6	18
70-74	408	2.1	12	1	1	1	2	3	4	17
75-79	300	1.9	7	<1	1	1	2	2	4	15
80-84	113	2.5	27	<1	<1	2	2	2	5	37
85+	14	1.6	1	<1	1	1	2	3	4	4
GRAND TOTAL	**1199**	**2.0**	**12**	**1**	**1**	**1**	**2**	**3**	**4**	**17**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	990	4.6	53	1	1	2	5	11	17	74
70-74	806	4.8	47	<1	1	2	5	12	19	99+
75-79	549	6.5	83	1	1	3	7	18	28	98
80-84	380	9.1	182	<1	1	5	12	29	71	99+
85+	299	11.7	239	1	1	6	16	47	96	99+
B. *Operated*										
65-69 YRS	1651	4.8	34	1	1	2	7	12	15	28
70-74	1442	4.5	25	1	1	2	6	11	14	27
75-79	1019	4.6	30	1	1	2	5	11	14	29
80-84	619	4.4	28	1	1	2	5	11	14	27
85+	305	4.5	28	1	1	3	6	11	15	69
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5364	6.3	81	1	1	4	6	15	24	54
70-74	3918	7.3	110	1	1	4	8	18	27	69
75-79	2798	8.6	130	1	1	5	10	21	33	89
80-84	1491	10.9	180	1	2	6	14	29	42	99+
85+	1081	12.4	211	1	2	7	17	34	59	99+
B. *Operated*										
65-69 YRS	3181	6.8	84	1	1	3	9	15	23	51
70-74	2784	7.0	75	1	1	4	10	16	23	44
75-79	2049	7.5	96	1	1	3	10	18	25	54
80-84	1212	7.3	77	1	1	4	9	17	24	45
85+	688	8.1	111	1	1	4	11	19	28	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3024	6.3	97	1	1	3	7	16	31	99+
B. *Operated*	5036	4.6	30	1	1	2	6	11	14	28
2. MULTIPLE DX										
A. *Not Operated*	14652	7.9	121	1	1	4	9	20	31	84
B. *Operated*	9914	7.1	85	1	1	3	9	16	24	53
1. SINGLE DX	8060	5.2	55	1	1	2	6	13	18	67
2. MULTIPLE DX	24566	7.6	107	1	1	4	9	18	28	70
A. NOT OPERATED	17676	7.6	117	1	1	4	8	19	31	98
B. OPERATED	14950	6.3	68	1	1	3	8	15	21	45
TOTAL 65-69 YRS	11186	6.1	73	1	1	3	7	14	21	54
70-74	8950	6.5	81	1	1	3	8	15	23	57
75-79	6415	7.4	101	1	1	4	9	18	26	69
80-84	3702	8.4	127	1	1	4	10	22	34	94
85+	2373	10.0	169	1	1	5	13	28	47	99+
GRAND TOTAL	**32626**	**7.0**	**95**	**1**	**1**	**4**	**8**	**17**	**26**	**69**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	257	19.7	209	6	8	16	24	41	55	72
70-74	249	19.6	199	4	7	16	24	39	51	77
75-79	143	20.2	225	4	7	16	27	36	51	80
80-84	50	19.5	236	5	7	16	21	39	57	78
85+	30	17.4	113	6	8	15	20	27	40	59
2. MULTIPLE DX										
65-69 YRS	467	29.5	376	8	10	25	41	63	83	99+
70-74	398	28.4	330	6	9	24	40	58	69	99+
75-79	284	28.6	347	8	10	24	39	58	76	99+
80-84	131	27.8	313	8	10	23	37	58	75	99+
85+	66	28.9	357	8	9	23	35	59	74	97
TOT. SINGLE DX	729	19.7	206	5	7	16	24	39	52	77
" MULTIPLE DX	1346	28.8	349	8	10	24	39	61	76	99+
TOTAL 65-69 YRS	724	26.1	339	7	9	21	34	58	72	99+
70-74	647	25.0	298	6	8	20	32	52	65	99+
75-79	427	25.8	321	7	9	21	34	50	68	99+
80-84	181	25.5	304	7	9	21	35	52	68	99+
85+	96	25.3	308	8	9	20	31	56	65	93
GRAND TOTAL	**2075**	**25.6**	**317**	**6**	**9**	**21**	**34**	**55**	**68**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	201	19.6	177	6	8	16	24	35	46	68
70-74	152	19.8	248	5	7	14	24	40	54	82
75-79	98	20.3	227	6	7	17	27	33	43	92
80-84	54	19.0	184	6	7	15	23	45	54	58
85+	28	18.9	77	8	8	17	25	32	35	38
2. MULTIPLE DX										
65-69 YRS	356	28.9	364	8	10	24	41	67	87	99+
70-74	255	31.3	382	9	12	27	43	63	81	99+
75-79	197	29.5	383	8	10	27	39	63	85	99+
80-84	142	27.3	304	9	11	24	34	58	69	99+
85+	91	25.5	230	9	10	21	29	50	55	76
TOT. SINGLE DX	533	19.7	201	6	8	16	24	36	49	74
" MULTIPLE DX	1041	29.1	354	8	10	25	40	61	80	99+
TOTAL 65-69 YRS	557	25.5	316	7	9	21	35	55	78	99+
70-74	407	27.0	362	7	9	22	36	55	73	99+
75-79	295	26.4	349	7	8	22	34	56	79	99+
80-84	196	25.0	283	8	9	20	32	55	62	95
85+	119	23.9	201	8	10	21	29	44	53	75
GRAND TOTAL	**1574**	**25.9**	**321**	**7**	**9**	**21**	**34**	**55**	**73**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	25	13.3	342	2	3	8	10	29	48	94
70-74	9	7.9	23	2	3	6	11	15	17	17
75-79	4	10.0	5	8	8	9	11	13	13	13
80-84	4	11.3	47	5	5	10	17	19	19	19
85+										
2. MULTIPLE DX										
65-69 YRS	25	14.3	194	3	4	9	25	54	99+	99+
70-74	20	18.7	466	2	4	11	20	53	74	84
75-79	13	21.3	325	6	6	14	32	51	62	64
80-84	9	16.1	57	5	6	15	22	26	26	26
85+	4	7.5	11	3	3	8	10	11	11	11
TOT. SINGLE DX	42	11.6	214	2	4	8	11	20	31	94
" MULTIPLE DX	71	16.6	268	3	5	11	23	44	64	99+
TOTAL 65-69 YRS	50	13.8	263	2	4	9	17	39	90	99+
70-74	29	15.3	348	2	4	10	14	38	65	84
75-79	17	18.6	269	6	7	13	20	45	58	64
80-84	13	14.6	55	5	5	15	20	26	26	26
85+	4	7.5	11	3	3	8	10	11	11	11
GRAND TOTAL	**113**	**14.8**	**251**	**3**	**4**	**10**	**17**	**35**	**62**	**99+**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	61	17.3	172	6	7	14	21	32	38	84
70-74	62	19.3	140	7	8	17	26	35	45	96
75-79	41	18.1	181	5	6	15	23	33	51	64
80-84	15	20.1	123	7	7	20	25	37	39	39
85+	4	17.5	244	6	6	12	28	40	40	40
2. MULTIPLE DX										
65-69 YRS	134	30.7	392	8	10	26	43	65	93	99+
70-74	128	30.5	271	9	11	28	41	55	68	99+
75-79	107	33.3	404	9	12	30	49	74	99	99+
80-84	48	27.5	250	11	12	23	35	45	82	99+
85+	18	28.0	176	14	15	28	36	57	85	99+
TOT. SINGLE DX	183	18.4	158	6	7	15	24	34	43	82
" MULTIPLE DX	435	30.8	335	9	12	27	42	64	85	99+
TOTAL 65-69 YRS	195	26.5	361	7	8	22	36	61	83	99+
70-74	190	26.8	255	8	9	24	38	53	66	99+
75-79	148	29.1	387	7	9	26	41	69	93	99+
80-84	63	25.7	227	8	11	23	34	43	59	98
85+	22	26.1	195	7	13	22	36	48	78	99+
GRAND TOTAL	**618**	**27.1**	**315**	**7**	**9**	**24**	**37**	**56**	**78**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	38	16.7	261	2	3	11	18	40	55	72
70-74	18	20.3	265	2	4	18	24	40	58	69
75-79	14	12.9	87	2	4	11	17	26	32	34
80-84	5	13.6	203	3	3	8	20	38	38	38
85+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
65-69 YRS	90	22.9	400	4	5	15	36	59	76	99+
70-74	66	19.6	264	3	5	14	25	47	60	96
75-79	56	25.9	307	3	8	22	32	49	64	85
80-84	24	27.1	404	4	6	21	44	55	83	99+
85+	7	34.4	130	20	21	32	43	52	53	53
TOT. SINGLE DX	76	16.6	221	2	3	12	20	38	45	71
" MULTIPLE DX	243	23.4	340	4	6	18	34	53	67	99+
TOTAL 65-69 YRS	128	21.1	365	3	5	14	32	52	72	99+
70-74	84	19.8	261	3	4	14	25	45	61	91
75-79	70	23.3	289	3	5	21	30	44	63	83
80-84	29	24.8	388	3	5	17	42	54	78	99+
85+	8	32.1	154	16	17	31	39	51	53	53
GRAND TOTAL	**319**	**21.8**	**319**	**3**	**5**	**16**	**32**	**48**	**64**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	353	15.3	61	6	7	13	19	26	30	40
70-74	217	16.2	100	6	7	13	20	27	33	57
75-79	119	17.2	109	7	8	15	21	34	41	49
80-84	25	18.6	80	8	9	16	26	31	35	40
85+	11	15.5	38	9	9	13	20	25	26	26
2. MULTIPLE DX										
65-69 YRS	700	22.4	219	8	9	18	29	44	55	86
70-74	481	24.4	249	8	10	20	31	50	61	99+
75-79	296	26.1	246	9	11	23	33	50	68	99+
80-84	102	28.7	215	10	12	25	39	50	62	99+
85+	44	34.1	329	11	15	32	47	57	76	99+
TOT. SINGLE DX	725	16.0	81	6	8	13	20	27	34	48
" MULTIPLE DX	1623	24.4	241	8	10	20	31	48	60	99+
TOTAL 65-69 YRS	1053	20.0	177	7	9	16	25	37	48	77
70-74	698	21.9	217	7	9	18	27	42	56	99+
75-79	415	23.6	223	8	9	20	30	46	60	99+
80-84	127	26.7	204	9	11	23	35	49	60	99+
85+	55	30.4	325	9	11	26	43	56	67	99
GRAND TOTAL	**2348**	**21.8**	**207**	**7**	**9**	**18**	**28**	**42**	**54**	**99+**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	77	15.5	249	2	2	11	20	39	43	73
70-74	48	16.6	215	2	2	13	21	41	46	65
75-79	24	15.5	103	4	6	12	21	25	38	49
80-84	18	14.4	116	1	2	12	21	30	34	37
85+	3	16.3	264	2	2	13	29	34	34	34
2. MULTIPLE DX										
65-69 YRS	190	22.6	323	3	4	17	34	53	75	99+
70-74	120	24.4	341	4	5	21	31	51	70	86
75-79	87	25.4	329	3	6	22	35	45	64	89
80-84	40	26.3	329	3	6	23	37	54	63	67
85+	18	20.1	139	2	4	21	26	35	41	45
TOT. SINGLE DX	170	15.7	201	2	2	12	21	35	43	71
" MULTIPLE DX	455	23.9	322	3	5	19	33	50	67	99+
TOTAL 65-69 YRS	267	20.6	311	2	3	15	32	49	70	99+
70-74	168	22.2	316	2	4	17	30	48	63	81
75-79	111	23.3	296	3	6	20	32	44	52	88
80-84	58	22.6	290	2	3	19	30	52	59	67
85+	21	19.5	146	2	3	19	27	35	40	45
GRAND TOTAL	**625**	**21.6**	**302**	**2**	**4**	**17**	**31**	**48**	**63**	**99+**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	509	4.1	21	1	2	3	4	8	12	24
70-74	289	4.1	11	1	2	3	5	8	11	17
75-79	161	4.4	16	1	2	3	5	9	12	26
80-84	67	5.5	27	2	2	4	6	12	17	30
85+	43	4.9	12	1	2	3	7	9	13	15
2. MULTIPLE DX										
65-69 YRS	333	7.0	63	2	2	4	9	15	24	58
70-74	213	7.7	60	2	2	4	9	20	26	33
75-79	120	7.9	68	2	2	5	10	18	24	41
80-84	45	8.4	59	2	2	6	11	17	24	38
85+	23	9.8	103	2	2	7	12	27	32	42
TOT. SINGLE DX	1069	4.3	18	1	2	3	5	8	12	21
" MULTIPLE DX	734	7.5	64	2	2	4	9	18	24	42
TOTAL 65-69 YRS	842	5.2	40	1	2	3	5	11	16	34
70-74	502	5.6	35	1	2	3	6	13	20	30
75-79	281	5.9	41	1	2	4	7	12	19	36
80-84	112	6.7	42	2	2	4	8	14	20	34
85+	66	6.6	48	1	2	4	8	14	19	40
GRAND TOTAL	**1803**	**5.6**	**39**	**1**	**2**	**3**	**6**	**12**	**18**	**33**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1295	3.3	15	1	1	2	3	6	9	17
70-74	915	3.2	11	1	1	2	3	5	8	20
75-79	573	2.9	5	1	1	2	3	5	7	14
80-84	348	3.3	9	1	1	2	4	5	7	19
85+	183	3.0	5	1	1	2	3	5	6	12
2. MULTIPLE DX										
65-69 YRS	906	5.6	53	1	2	3	6	11	16	33
70-74	741	6.1	58	2	2	3	7	13	19	36
75-79	492	6.2	43	1	2	4	8	14	20	35
80-84	257	6.1	53	2	2	3	6	13	19	38
85+	129	7.1	49	2	2	4	9	16	20	37
TOT. SINGLE DX	3314	3.2	11	1	1	2	3	5	8	17
" MULTIPLE DX	2525	6.0	53	1	2	3	7	13	18	35
TOTAL 65-69 YRS	2201	4.3	32	1	1	3	4	8	12	26
70-74	1656	4.5	34	1	2	3	4	9	15	29
75-79	1065	4.5	25	1	2	3	4	10	14	26
80-84	605	4.5	30	1	2	3	4	9	14	28
85+	312	4.7	27	1	2	3	5	10	16	26
GRAND TOTAL	**5839**	**4.4**	**31**	**1**	**2**	**3**	**4**	**9**	**14**	**27**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	95	12.6	100	5	6	10	14	22	27	63
70-74	76	13.7	88	3	5	11	18	27	35	43
75-79	52	15.6	75	5	7	13	22	26	30	45
80-84	37	14.6	120	4	5	12	19	26	36	59
85+	17	18.0	259	6	7	13	17	35	60	73
2. MULTIPLE DX										
65-69 YRS	356	19.0	199	5	7	15	23	37	49	79
70-74	356	19.4	184	6	8	15	24	40	48	72
75-79	288	21.4	193	7	9	18	27	39	53	87
80-84	168	21.8	166	8	9	19	28	37	42	79
85+	92	22.8	293	8	9	18	26	45	58	87
TOT. SINGLE DX	277	14.1	105	4	6	11	17	25	34	55
" MULTIPLE DX	1260	20.3	197	6	8	16	25	38	48	80
TOTAL 65-69 YRS	451	17.7	184	5	6	14	21	33	46	80
70-74	432	18.4	171	5	7	14	23	36	46	68
75-79	340	20.5	179	6	8	17	26	37	48	85
80-84	205	20.5	165	6	9	18	25	35	41	75
85+	109	22.0	288	8	8	18	25	44	59	86
GRAND TOTAL	**1537**	**19.2**	**186**	**6**	**7**	**15**	**24**	**36**	**46**	**78**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	24	8.9	66	1	2	7	12	17	30	33
70-74	14	11.5	92	1	2	10	15	24	35	38
75-79	16	13.6	337	2	3	8	14	24	61	77
80-84	9	10.9	167	1	1	4	15	32	41	41
85+	4	6.8	10	4	4	7	9	10	10	10
2. MULTIPLE DX										
65-69 YRS	62	13.5	145	3	4	11	14	26	41	63
70-74	62	14.7	193	3	4	11	17	29	36	83
75-79	45	13.6	91	1	3	11	17	31	34	35
80-84	21	15.9	162	4	5	13	19	24	44	64
85+	21	16.8	147	4	5	13	21	40	41	42
TOT. SINGLE DX	67	10.7	143	2	2	8	13	24	34	71
" MULTIPLE DX	211	14.4	148	3	4	11	18	28	38	63
TOTAL 65-69 YRS	86	12.2	126	2	3	10	14	25	34	62
70-74	76	14.1	174	2	3	10	16	28	37	79
75-79	61	13.6	151	2	3	11	16	28	34	72
80-84	30	14.4	163	2	3	13	19	25	41	64
85+	25	15.2	138	4	4	11	19	40	41	42
GRAND TOTAL	**278**	**13.5**	**149**	**2**	**3**	**10**	**16**	**28**	**37**	**64**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	682	5.6	9	3	3	5	6	9	10	18
70-74	423	6.0	18	3	3	5	7	9	11	19
75-79	156	6.4	13	3	3	6	7	10	14	25
80-84	79	7.2	25	3	4	5	8	14	19	28
85+	27	7.2	14	3	4	6	8	12	15	19
2. MULTIPLE DX										
65-69 YRS	722	9.0	49	3	4	6	11	17	24	40
70-74	479	9.7	69	3	4	7	12	20	28	49
75-79	293	10.8	81	4	4	8	12	22	26	43
80-84	117	12.5	64	4	4	11	15	25	30	39
85+	37	16.7	95	5	6	14	23	29	35	43
TOT. SINGLE DX	1367	5.9	14	3	3	5	7	9	12	22
" MULTIPLE DX	1648	9.9	64	3	4	7	12	20	27	42
TOTAL 65-69 YRS	1404	7.4	32	3	4	5	8	14	18	33
70-74	902	8.0	49	3	4	6	9	15	21	41
75-79	449	9.2	62	3	4	7	10	18	23	39
80-84	196	10.4	55	4	4	8	13	21	28	37
85+	64	12.7	82	4	4	9	19	26	30	42
GRAND TOTAL	**3015**	**8.1**	**45**	**3**	**4**	**6**	**9**	**15**	**22**	**37**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	115	7.2	33	2	3	6	8	13	23	31
70-74	81	7.4	35	2	3	6	9	13	20	34
75-79	43	7.9	44	2	2	6	9	22	23	24
80-84	19	6.6	22	1	2	5	9	14	17	18
85+	12	9.3	80	2	2	7	11	24	31	32
2. MULTIPLE DX										
65-69 YRS	235	10.9	68	3	4	8	14	21	27	44
70-74	163	13.6	139	4	5	9	17	29	38	64
75-79	93	17.9	285	4	5	11	26	44	53	94
80-84	66	17.3	236	3	4	11	28	44	50	94
85+	25	21.3	228	5	6	20	25	50	54	60
TOT. SINGLE DX	270	7.4	37	2	2	6	8	15	23	31
" MULTIPLE DX	582	13.9	157	3	4	9	17	32	43	66
TOTAL 65-69 YRS	350	9.7	59	3	3	7	12	19	26	42
70-74	244	11.5	113	3	4	8	14	25	34	50
75-79	136	14.8	230	2	3	9	19	37	49	88
80-84	85	14.9	208	2	3	9	22	39	49	88
85+	37	17.4	209	2	2	13	24	34	51	60
GRAND TOTAL	**852**	**11.9**	**128**	**3**	**3**	**8**	**14**	**26**	**37**	**60**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	31	11.6	39	3	5	10	16	21	23	28
70-74	15	17.9	299	5	6	12	20	31	63	74
75-79	12	14.2	49	2	6	14	19	22	26	27
80-84	2	26.0	338	13	13	26	39	39	39	39
85+										
2. MULTIPLE DX										
65-69 YRS	92	21.7	266	7	8	17	25	47	59	95
70-74	54	23.4	249	8	10	19	28	40	52	88
75-79	24	26.2	289	6	8	21	39	50	61	65
80-84	9	20.4	273	3	3	21	25	45	57	57
85+	4	19.0	74	10	10	18	26	29	29	29
TOT. SINGLE DX	60	14.2	117	4	5	12	18	25	30	70
" MULTIPLE DX	183	22.7	258	7	8	18	28	44	59	89
TOTAL 65-69 YRS	123	19.2	227	5	7	15	23	37	53	92
70-74	69	22.2	261	8	8	18	28	40	55	86
75-79	36	22.2	238	6	8	19	27	48	56	65
80-84	11	21.5	257	3	4	21	26	46	56	57
85+	4	19.0	74	10	10	18	26	29	29	29
GRAND TOTAL	**243**	**20.6**	**236**	**5**	**8**	**16**	**26**	**40**	**55**	**89**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19: 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	221	2.6	7	<1	1	2	3	4	6	15
70-74	224	2.3	2	<1	1	2	3	4	5	7
75-79	175	2.7	5	<1	1	2	3	5	7	12
80-84	114	2.4	4	<1	1	2	3	4	6	12
85+	78	3.0	6	1	1	2	3	5	8	15
2. MULTIPLE DX										
65-69 YRS	239	5.5	54	1	1	3	6	13	17	39
70-74	216	6.6	95	1	2	3	7	14	21	71
75-79	195	6.2	51	1	2	3	8	15	20	49
80-84	160	5.6	58	1	1	3	6	11	18	39
85+	116	6.9	42	1	2	5	9	16	24	27
TOT. SINGLE DX	812	2.5	5	<1	1	2	3	4	6	11
" MULTIPLE DX	926	6.1	62	1	2	3	7	14	19	43
TOTAL 65-69 YRS	460	4.1	34	<1	1	2	4	9	14	25
70-74	440	4.4	52	<1	1	2	4	9	14	45
75-79	370	4.5	32	1	1	2	5	11	16	32
80-84	274	4.3	38	1	1	2	4	8	13	33
85+	194	5.3	31	1	1	3	6	13	19	27
GRAND TOTAL	**1738**	**4.4**	**39**	**1**	**1**	**2**	**4**	**10**	**15**	**34**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	565	2.1	1	<1	1	2	2	3	4	7
70-74	639	2.2	3	<1	1	2	2	3	4	7
75-79	496	2.2	2	<1	1	2	2	3	4	8
80-84	327	2.1	2	<1	1	2	2	3	4	9
85+	206	2.8	15	<1	1	2	3	5	7	35
2. MULTIPLE DX										
65-69 YRS	744	4.4	42	1	1	3	4	8	13	34
70-74	738	4.5	46	1	1	2	4	9	15	40
75-79	606	4.8	51	1	1	2	4	10	18	43
80-84	486	5.3	61	1	1	3	5	12	21	44
85+	393	6.5	113	1	2	3	7	14	24	70
TOT. SINGLE DX	2233	2.2	3	<1	1	2	2	3	4	8
" MULTIPLE DX	2967	4.9	58	1	1	3	4	10	18	42
TOTAL 65-69 YRS	1309	3.4	25	1	1	2	3	6	9	28
70-74	1377	3.4	27	<1	1	2	3	5	10	29
75-79	1102	3.6	31	<1	1	2	3	7	12	31
80-84	813	4.0	40	1	1	2	4	8	14	40
85+	599	5.2	82	1	1	2	4	12	20	59
GRAND TOTAL	**5200**	**3.8**	**36**	**1**	**1**	**2**	**3**	**7**	**12**	**34**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	140	2.9	2	2	2	3	3	4	6	8
70-74	125	3.4	32	2	2	3	3	4	5	24
75-79	89	2.8	1	2	2	3	3	4	5	6
80-84	57	3.6	9	2	2	3	4	5	8	20
85+	22	2.4	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	100	4.1	6	2	2	3	4	8	10	13
70-74	114	4.2	19	1	2	3	4	7	12	25
75-79	127	4.3	16	2	2	3	4	7	14	22
80-84	64	5.7	87	2	2	3	5	10	16	64
85+	52	4.8	18	2	2	3	5	9	15	24
TOT. SINGLE DX	433	3.1	11	2	2	3	3	4	5	9
" MULTIPLE DX	457	4.5	25	2	2	3	4	8	13	23
TOTAL 65-69 YRS	240	3.4	4	2	2	3	4	5	8	12
70-74	239	3.8	26	2	2	3	4	5	8	21
75-79	216	3.7	11	2	2	3	4	6	9	21
80-84	121	4.7	51	2	2	3	4	8	13	41
85+	74	4.1	14	2	2	3	4	7	12	22
GRAND TOTAL	**890**	**3.8**	**19**	**2**	**2**	**3**	**4**	**6**	**9**	**20**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	43	2.8	12	<1	<1	2	3	4	9	18
70-74	31	1.8		<1	1	2	2	2	3	4
75-79	21	2.4	2	<1	<1	2	3	4	5	6
80-84	10	2.8	2	<1	<1	3	4	5	5	5
85+	7	3.3	2	2	2	3	4	6	6	6
2. MULTIPLE DX										
65-69 YRS	35	3.9	14	1	1	3	5	8	14	18
70-74	32	4.1	12	1	2	3	4	10	13	14
75-79	31	4.7	22	1	2	3	6	11	16	22
80-84	14	9.4	125	2	2	4	14	24	38	42
85+	12	8.3	63	<1	1	4	11	23	25	25
TOT. SINGLE DX	112	2.5	5	<1	<1	2	3	4	5	17
" MULTIPLE DX	124	5.2	35	1	2	3	6	12	17	29
TOTAL 65-69 YRS	78	3.3	13	<1	1	2	3	6	13	18
70-74	63	2.9	7	1	1	2	3	6	10	14
75-79	52	3.8	15	<1	1	2	4	8	12	22
80-84	24	6.7	83	1	2	4	5	17	28	42
85+	19	6.4	45	1	2	4	8	18	24	25
GRAND TOTAL	**236**	**3.9**	**23**	**<1**	**1**	**2**	**4**	**9**	**14**	**23**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	139	4.7	5	2	2	4	5	8	10	12
70-74	154	4.7	7	2	3	4	5	8	9	14
75-79	118	4.8	6	2	2	4	6	8	10	42
80-84	93	4.8	11	2	2	4	6	7	8	22
85+	40	5.4	12	2	2	4	7	10	12	17
2. MULTIPLE DX										
65-69 YRS	198	5.6	10	2	3	5	6	10	12	18
70-74	279	6.1	29	2	3	5	7	9	12	40
75-79	246	6.5	29	3	3	5	7	10	15	36
80-84	180	6.8	30	3	3	5	7	11	15	33
85+	81	6.2	11	2	3	5	7	10	13	18
TOT. SINGLE DX	544	4.8	7	2	2	4	6	8	10	14
" MULTIPLE DX	984	6.2	24	2	3	5	7	10	14	30
TOTAL 65-69 YRS	337	5.2	8	2	3	5	6	9	11	16
70-74	433	5.6	22	2	3	5	6	8	11	20
75-79	364	6.0	22	2	3	5	7	9	13	35
80-84	273	6.1	24	2	3	5	7	10	12	31
85+	121	6.0	11	2	2	5	7	10	13	17
GRAND TOTAL	**1528**	**5.7**	**18**	**2**	**3**	**5**	**7**	**9**	**12**	**27**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	169	2.4	5	<1	1	2	3	4	5	12
70-74	127	2.6	6	1	1	2	3	4	7	14
75-79	104	3.2	11	1	1	2	4	6	9	20
80-84	47	2.8	9	1	1	2	3	5	7	18
85+	41	3.0	10	<1	1	2	3	5	6	21
2. MULTIPLE DX										
65-69 YRS	147	5.2	62	1	1	3	5	13	18	41
70-74	135	4.9	41	1	2	3	4	9	15	41
75-79	112	5.2	40	1	1	3	5	12	15	37
80-84	80	4.9	22	1	2	3	7	9	12	28
85+	49	5.4	20	1	1	4	7	13	16	19
TOT. SINGLE DX	488	2.7	7	1	1	2	3	4	7	15
" MULTIPLE DX	523	5.1	42	1	2	3	6	11	16	37
TOTAL 65-69 YRS	316	3.7	33	1	1	2	3	7	13	25
70-74	262	3.8	25	1	1	2	4	8	11	30
75-79	216	4.2	27	1	1	3	4	8	14	32
80-84	127	4.1	18	1	1	2	5	9	12	24
85+	90	4.3	17	1	1	3	5	9	14	20
GRAND TOTAL	**1011**	**3.9**	**26**	**1**	**1**	**2**	**4**	**8**	**13**	**28**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	378	4.2	13	2	2	3	5	7	11	17
70-74	423	4.1	10	2	2	3	5	8	10	18
75-79	302	3.9	5	2	2	3	5	7	8	12
80-84	142	3.9	6	2	2	3	4	7	9	14
85+	73	4.3	12	1	2	3	5	8	10	21
2. MULTIPLE DX										
65-69 YRS	391	5.5	35	1	2	4	6	10	14	26
70-74	411	5.7	47	2	2	4	6	11	14	28
75-79	346	5.4	21	2	2	4	7	11	13	22
80-84	189	5.7	26	2	2	4	7	11	14	29
85+	75	5.2	16	1	2	4	6	11	12	23
TOT. SINGLE DX	1318	4.0	9	2	2	3	5	7	10	16
" MULTIPLE DX	1412	5.5	33	2	2	4	6	11	14	25
TOTAL 65-69 YRS	769	4.8	25	2	2	3	5	9	13	23
70-74	834	4.9	29	2	2	3	5	9	12	22
75-79	648	4.7	14	2	2	4	5	9	12	17
80-84	331	4.9	19	2	2	4	6	9	12	23
85+	148	4.8	14	1	2	4	6	9	12	22
GRAND TOTAL	**2730**	**4.8**	**22**	**2**	**2**	**3**	**5**	**9**	**12**	**22**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	520	3.5	9	1	1	3	4	6	8	14
70-74	487	3.4	6	1	2	3	4	6	9	13
75-79	362	3.7	11	1	2	3	4	7	9	17
80-84	166	3.6	10	1	2	3	4	7	10	17
85+	93	4.3	14	1	2	3	5	8	11	22
2. MULTIPLE DX										
65-69 YRS	412	5.4	30	1	2	4	6	11	15	30
70-74	424	5.4	27	1	2	4	7	11	16	24
75-79	328	5.6	31	1	2	4	7	12	18	33
80-84	212	5.7	45	1	2	4	7	11	17	25
85+	107	8.3	87	1	2	5	10	18	35	67
TOT. SINGLE DX	1628	3.6	9	1	2	3	4	7	9	16
" MULTIPLE DX	1483	5.7	36	1	2	4	7	12	17	34
TOTAL 65-69 YRS	932	4.3	19	1	2	3	5	8	11	23
70-74	911	4.3	17	1	2	3	5	9	12	19
75-79	690	4.6	21	1	2	3	5	9	14	26
80-84	378	4.8	30	1	2	3	6	10	14	19
85+	200	6.4	57	1	2	4	7	14	23	43
GRAND TOTAL	**3111**	**4.6**	**23**	**1**	**2**	**3**	**5**	**9**	**14**	**25**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	9457	3.5	6	2	2	3	4	5	6	11
70-74	11016	3.6	6	2	2	3	4	5	7	12
75-79	10564	3.6	5	2	2	3	4	5	7	12
80-84	7560	3.7	6	2	2	3	4	6	7	12
85+	4556	3.8	10	2	2	3	4	6	8	12
2. MULTIPLE DX										
65-69 YRS	8706	4.4	17	2	2	3	5	7	11	21
70-74	10338	4.6	16	2	2	4	5	8	11	22
75-79	10665	4.8	20	2	2	4	5	8	11	24
80-84	7618	5.0	22	2	2	4	5	9	12	24
85+	4813	5.3	29	2	2	4	6	10	14	26
TOT. SINGLE DX	43153	3.6	6	2	2	3	4	5	7	12
" MULTIPLE DX	42140	4.7	20	2	2	4	5	8	12	23
TOTAL 65-69 YRS	18163	3.9	11	2	2	3	4	6	9	16
70-74	21354	4.1	11	2	2	3	4	6	9	17
75-79	21229	4.2	13	2	2	3	4	7	10	18
80-84	15178	4.3	14	2	2	3	5	7	10	19
85+	9369	4.6	21	2	2	4	5	8	11	22
GRAND TOTAL	**85293**	**4.2**	**13**	**2**	**2**	**3**	**4**	**7**	**10**	**18**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2438	2.5	2	1	2	2	3	4	4	8
70-74	2391	2.7	3	1	2	2	3	4	5	10
75-79	2095	2.7	3	1	2	2	3	4	5	11
80-84	1405	2.8	3	1	2	2	3	4	5	10
85+	775	3.1	16	1	2	2	3	5	6	12
2. MULTIPLE DX										
65-69 YRS	1403	3.7	15	2	2	3	4	6	9	20
70-74	1379	3.4	7	2	2	3	4	6	8	16
75-79	1367	3.9	25	2	2	3	4	6	9	20
80-84	888	4.4	27	2	2	3	5	8	13	27
85+	549	4.9	31	2	2	3	5	9	13	32
TOT. SINGLE DX	9104	2.7	4	1	2	2	3	4	5	10
" MULTIPLE DX	5586	3.9	19	2	2	3	4	7	10	22
TOTAL 65-69 YRS	3841	2.9	7	1	2	2	3	4	6	13
70-74	3770	2.9	5	1	2	2	3	4	6	13
75-79	3462	3.2	12	1	2	2	3	5	7	15
80-84	2293	3.4	13	1	2	2	4	5	8	19
85+	1324	3.8	23	2	2	3	4	6	9	23
GRAND TOTAL	**14690**	**3.2**	**10**	**1**	**2**	**2**	**3**	**5**	**7**	**16**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	615	2.7	2	1	1	2	3	4	5	8
70-74	702	2.9	5	1	2	2	3	4	5	9
75-79	675	2.9	4	1	1	3	3	4	5	10
80-84	369	3.1	4	1	2	3	4	5	7	11
85+	228	2.9	4	1	1	3	3	5	5	15
2. MULTIPLE DX										
65-69 YRS	401	3.6	10	2	2	3	4	6	9	18
70-74	488	3.8	14	2	2	3	4	6	9	20
75-79	517	3.8	13	1	2	3	4	6	9	20
80-84	364	4.2	22	2	2	3	4	7	11	24
85+	163	4.7	33	2	2	3	5	8	12	30
TOT. SINGLE DX	2589	2.9	4	1	1	2	3	4	5	10
" MULTIPLE DX	1933	3.9	16	2	2	3	4	6	9	22
TOTAL 65-69 YRS	1016	3.1	5	1	2	3	3	5	6	13
70-74	1190	3.2	9	1	2	3	4	5	6	17
75-79	1192	3.3	8	1	2	3	4	5	7	15
80-84	733	3.6	13	1	2	3	4	6	8	23
85+	391	3.7	17	1	2	3	4	6	8	24
GRAND TOTAL	**4522**	**3.3**	**9**	**1**	**2**	**3**	**4**	**5**	**7**	**17**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	893	5.4	13	1	2	5	7	9	11	22
70-74	635	5.5	8	2	2	5	7	9	10	15
75-79	347	5.4	9	2	2	5	7	9	11	16
80-84	166	5.8	8	2	3	5	7	10	11	15
85+	71	6.5	13	2	3	6	8	11	13	23
2. MULTIPLE DX										
65-69 YRS	978	6.4	17	2	3	5	8	11	14	22
70-74	743	6.5	19	2	3	6	8	11	14	25
75-79	474	6.8	21	2	3	6	8	12	15	23
80-84	197	6.9	18	2	3	6	8	12	14	23
85+	94	6.8	24	2	3	6	8	12	15	29
TOT. SINGLE DX	2112	5.5	10	2	2	5	7	9	11	16
" MULTIPLE DX	2486	6.5	19	2	3	6	8	11	14	24
TOTAL 65-69 YRS	1871	5.9	16	2	2	5	7	10	13	22
70-74	1378	6.0	14	2	3	5	7	10	12	21
75-79	821	6.2	16	2	3	5	8	11	14	19
80-84	363	6.4	14	2	3	6	8	10	13	18
85+	165	6.7	19	2	3	6	8	11	14	24
GRAND TOTAL	**4598**	**6.1**	**15**	**2**	**2**	**5**	**7**	**10**	**13**	**21**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	104	3.6	4	1	2	3	5	6	8	10
70-74	117	4.3	13	1	2	3	5	9	13	20
75-79	92	4.7	14	2	2	4	6	8	10	23
80-84	51	4.2	8	2	2	4	5	7	9	15
85+	24	4.2	5	1	2	4	5	8	9	10
2. MULTIPLE DX										
65-69 YRS	271	5.5	20	1	2	4	7	11	13	21
70-74	229	5.3	19	2	2	4	6	11	14	24
75-79	212	5.4	23	1	2	4	6	11	13	22
80-84	105	4.8	12	1	2	3	6	10	11	18
85+	59	6.9	40	2	2	5	9	15	21	33
TOT. SINGLE DX	388	4.2	10	1	2	3	5	7	10	15
" MULTIPLE DX	876	5.4	21	1	2	4	7	11	13	23
TOTAL 65-69 YRS	375	5.0	16	1	2	4	6	10	12	21
70-74	346	5.0	17	1	2	4	6	10	14	20
75-79	304	5.2	20	1	2	4	6	10	12	22
80-84	156	4.6	11	2	2	3	6	9	11	15
85+	83	6.1	31	2	2	4	8	11	17	31
GRAND TOTAL	**1264**	**5.0**	**18**	**1**	**2**	**4**	**6**	**10**	**12**	**21**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	92	2.0		1	1	2	2	2	3	4
70-74	60	2.3	1	1	1	2	3	3	4	4
75-79	37	2.2	1	1	1	2	3	3	3	5
80-84	16	2.7	2	1	1	2	3	5	6	6
85+	13	2.1	1	1	1	2	2	3	4	4
2. MULTIPLE DX										
65-69 YRS	81	3.0	12	1	2	2	3	4	8	21
70-74	62	2.5	2	1	2	2	3	4	4	11
75-79	35	3.3	9	2	2	2	3	5	12	15
80-84	11	2.2	1	1	1	2	3	4	4	4
85+	7	2.6	1	1	1	3	3	4	4	4
TOT. SINGLE DX	218	2.1	1	1	1	2	2	3	3	5
" MULTIPLE DX	196	2.9	7	1	2	2	3	4	5	18
TOTAL 65-69 YRS	173	2.5	6	1	1	2	2	3	4	18
70-74	122	2.4	1	1	2	2	3	3	4	7
75-79	72	2.7	5	1	1	2	3	3	5	14
80-84	27	2.5	2	1	1	2	3	5	5	6
85+	20	2.3	1	1	1	2	3	4	4	4
GRAND TOTAL	**414**	**2.5**	**4**	**1**	**1**	**2**	**3**	**3**	**4**	**13**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3	11.7	94	1	1	14	18	20	20	20
70-74	2	8.5	61	3	3	8	14	14	14	14
75-79	2	7.0	2	6	6	7	8	8	8	8
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	5	15.0	140	1	1	19	25	27	27	27
70-74	5	17.0	319	<1	<1	15	26	46	46	46
75-79	3	11.7	280	2	2	2	24	31	31	31
80-84	2	2.0	2	1	1	2	3	3	3	3
85+	1	9.0		9	9	9	9	9	9	9
TOT. SINGLE DX	9	7.9	44	1	1	6	14	18	20	20
" MULTIPLE DX	16	13.0	184	<1	1	7	22	31	41	46
TOTAL 65-69 YRS	8	13.8	110	1	1	16	22	26	27	27
70-74	7	14.6	240	<1	1	14	18	41	46	46
75-79	5	9.8	147	2	2	6	14	31	31	31
80-84	3	2.0	1	1	1	2	3	3	3	3
85+	2	6.0	18	3	3	6	9	9	9	9
GRAND TOTAL	**25**	**11.2**	**136**	**<1**	**1**	**6**	**19**	**27**	**35**	**46**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	176	3.6	7	1	1	3	4	6	9	14
70-74	131	4.1	13	1	2	3	5	8	10	21
75-79	126	4.1	13	1	1	3	5	8	9	19
80-84	72	5.3	82	1	2	3	5	8	13	60
85+	55	4.4	14	1	2	3	5	8	13	22
2. MULTIPLE DX										
65-69 YRS	248	6.9	65	1	2	4	8	15	20	34
70-74	230	7.2	95	2	2	4	7	14	26	52
75-79	227	6.4	51	2	2	4	7	13	23	38
80-84	129	5.7	26	1	2	4	7	11	14	30
85+	127	7.7	56	2	2	5	9	17	23	40
TOT. SINGLE DX	560	4.1	20	1	2	3	5	7	10	21
" MULTIPLE DX	961	6.8	63	2	2	4	8	14	22	44
TOTAL 65-69 YRS	424	5.5	43	1	2	4	6	12	17	29
70-74	361	6.1	68	1	2	3	6	12	21	50
75-79	353	5.6	39	1	2	4	6	10	17	35
80-84	201	5.6	46	1	2	4	6	10	14	41
85+	182	6.7	46	2	2	4	8	14	22	37
GRAND TOTAL	**1521**	**5.8**	**49**	**1**	**2**	**4**	**7**	**11**	**18**	**36**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	179	2.7	6	<1	1	2	3	5	9	13
70-74	123	3.1	10	<1	1	2	3	6	10	18
75-79	131	3.5	8	1	1	3	4	8	9	16
80-84	85	4.1	16	1	1	3	5	8	12	23
85+	88	4.8	96	1	1	2	5	9	13	63
2. MULTIPLE DX										
65-69 YRS	204	7.2	92	1	2	4	9	14	22	50
70-74	194	8.6	120	1	2	5	11	19	25	58
75-79	215	7.9	62	1	2	5	11	15	24	36
80-84	156	9.5	123	1	2	6	12	20	32	99
85+	138	9.3	101	1	2	6	12	22	32	71
TOT. SINGLE DX	606	3.5	22	<1	1	2	4	7	10	17
" MULTIPLE DX	907	8.4	98	1	2	5	11	19	26	55
TOTAL 65-69 YRS	383	5.1	57	1	1	3	6	11	15	39
70-74	317	6.5	84	<1	1	3	8	16	20	36
75-79	346	6.3	46	1	1	4	8	14	20	35
80-84	241	7.6	92	1	2	4	9	17	27	93
85+	226	7.5	103	1	2	4	9	19	26	73
GRAND TOTAL	**1513**	**6.4**	**73**	**1**	**1**	**3**	**8**	**15**	**20**	**42**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	438	2.8	1	1	2	3	3	4	5	7
70-74	261	3.0	6	1	2	3	3	4	5	12
75-79	121	2.8	2	1	2	3	3	4	5	8
80-84	32	2.8	1	1	2	3	3	4	6	6
85+	19	2.8	2	1	1	3	3	4	6	8
2. MULTIPLE DX										
65-69 YRS	144	3.3	7	1	2	3	3	5	8	13
70-74	84	3.1	3	2	2	3	3	5	6	12
75-79	46	3.1	3	1	2	3	3	7	7	8
80-84	12	5.7	36	2	2	3	5	17	20	21
85+	5	2.2	1	1	1	2	3	3	3	3
TOT. SINGLE DX	871	2.9	3	1	2	3	3	4	5	8
" MULTIPLE DX	291	3.3	6	2	2	3	3	5	8	14
TOTAL 65-69 YRS	582	2.9	3	1	2	3	3	4	5	10
70-74	345	3.0	5	1	2	3	3	4	5	12
75-79	167	2.9	2	1	2	3	3	4	6	8
80-84	44	3.6	12	1	2	3	3	5	9	21
85+	24	2.7	2	1	1	3	3	4	5	8
GRAND TOTAL	**1162**	**3.0**	**4**	**1**	**2**	**3**	**3**	**4**	**5**	**11**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	292	2.5	1	1	1	2	3	3	4	8
70-74	130	2.6	2	1	1	2	3	4	5	10
75-79	57	2.6	1	1	2	2	3	4	5	7
80-84	10	4.3	48	1	1	2	3	14	24	24
85+	10	2.8	8	1	1	2	2	7	11	11
2. MULTIPLE DX										
65-69 YRS	297	3.0	5	1	2	2	3	4	6	13
70-74	177	2.7	3	1	2	2	3	4	5	9
75-79	70	2.9	5	1	1	2	3	5	8	14
80-84	20	4.6	34	1	2	3	5	8	18	28
85+	8	3.1	1	2	2	3	4	4	4	4
TOT. SINGLE DX	499	2.5	3	1	1	2	3	4	4	10
" MULTIPLE DX	572	2.9	5	1	2	2	3	4	6	13
TOTAL 65-69 YRS	589	2.7	3	1	2	2	3	4	5	11
70-74	307	2.6	3	1	1	2	3	4	5	10
75-79	127	2.8	3	1	1	2	3	4	6	11
80-84	30	4.5	37	1	2	3	3	8	24	28
85+	18	2.9	5	1	2	2	3	4	8	11
GRAND TOTAL	**1071**	**2.7**	**4**	**1**	**2**	**2**	**3**	**4**	**5**	**11**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	101	2.3	7	<1	1	2	3	3	5	60
70-74	59	1.9	3	<1	<1	2	2	3	5	12
75-79	40	1.5		<1	1	1	2	3	3	3
80-84	14	1.4		<1	<1	1	2	2	2	2
85+	27	1.4	1	<1	<1	1	1	2	4	6
2. MULTIPLE DX										
65-69 YRS	120	6.1	66	1	1	3	7	17	26	40
70-74	88	6.5	83	1	1	2	8	16	21	54
75-79	60	8.0	154	<1	1	3	10	16	22	78
80-84	28	7.9	70	1	1	4	11	23	28	29
85+	29	5.7	51	<1	<1	2	7	17	22	30
TOT. SINGLE DX	241	1.9	4	<1	<1	1	2	3	4	13
" MULTIPLE DX	325	6.7	86	1	1	3	8	16	23	48
TOTAL 65-69 YRS	221	4.4	43	1	1	2	3	11	21	40
70-74	147	4.6	56	<1	1	2	4	12	17	49
75-79	100	5.4	103	<1	1	2	5	14	18	64
80-84	42	5.7	56	<1	<1	2	6	16	26	29
85+	56	3.6	31	<1	<1	1	3	8	18	29
GRAND TOTAL	**566**	**4.6**	**56**	**<1**	**1**	**2**	**4**	**12**	**20**	**43**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	106	3.9	6	2	2	3	5	7	10	13
70-74	56	4.3	9	2	2	3	5	8	10	18
75-79	29	4.0	9	1	2	3	5	8	11	14
80-84	4	2.8		2	2	3	3	3	3	3
85+	9	5.7	19	1	1	5	7	12	15	15
2. MULTIPLE DX										
65-69 YRS	199	5.6	72	2	2	3	6	9	15	64
70-74	102	6.0	51	2	2	3	5	15	22	36
75-79	72	6.0	56	2	2	3	6	11	17	47
80-84	9	8.0	79	2	2	4	9	24	25	25
85+	19	12.3	262	1	1	6	12	37	55	63
TOT. SINGLE DX	204	4.1	8	2	2	3	5	7	10	15
" MULTIPLE DX	401	6.1	74	2	2	3	6	11	21	56
TOTAL 65-69 YRS	305	5.0	49	2	2	3	5	8	12	56
70-74	158	5.4	36	2	2	3	5	11	19	29
75-79	101	5.4	43	2	2	3	6	10	15	43
80-84	13	6.4	59	2	2	3	5	23	25	25
85+	28	10.1	190	1	1	6	10	23	47	63
GRAND TOTAL	**605**	**5.4**	**52**	**2**	**2**	**3**	**5**	**10**	**16**	**49**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	146	4.0	23	1	1	3	4	7	9	34
70-74	73	3.5	4	1	2	3	4	5	7	12
75-79	22	4.0	5	2	2	3	5	7	8	9
80-84	7	3.6	8	1	1	2	5	8	9	9
85+	3	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	87	4.5	16	1	1	3	5	10	12	20
70-74	67	6.7	70	1	2	3	7	19	31	34
75-79	33	10.4	211	1	2	4	11	30	49	56
80-84	11	7.8	109	2	2	3	7	24	36	37
85+	7	5.9	15	2	2	5	8	12	13	13
TOT. SINGLE DX	251	3.8	15	1	1	3	4	6	9	23
" MULTIPLE DX	205	6.4	72	1	2	3	7	13	24	48
TOTAL 65-69 YRS	233	4.2	20	1	1	3	4	8	11	25
70-74	140	5.0	38	1	2	3	5	10	17	32
75-79	55	7.8	137	1	2	4	7	18	42	56
80-84	18	6.2	71	1	2	3	6	13	28	37
85+	10	5.1	12	2	2	4	5	11	12	13
GRAND TOTAL	**456**	**5.0**	**42**	**1**	**2**	**3**	**5**	**10**	**14**	**37**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	67	3.0	2	1	1	3	4	5	5	6
70-74	40	3.2	4	1	2	3	3	5	7	13
75-79	24	3.6	3	1	2	3	5	7	7	7
80-84	5	3.8	6	2	2	3	5	8	8	8
85+	6	2.5		2	2	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	190	3.9	9	2	2	3	4	7	9	18
70-74	94	3.9	9	2	2	3	4	7	12	16
75-79	46	5.2	37	2	2	3	5	10	17	36
80-84	12	4.4	7	1	2	4	6	9	10	10
85+	10	5.2	19	1	1	4	6	12	16	16
TOT. SINGLE DX	142	3.2	3	1	2	3	4	5	6	8
" MULTIPLE DX	352	4.1	13	2	2	3	4	7	12	18
TOTAL 65-69 YRS	257	3.7	7	1	2	3	4	6	8	18
70-74	134	3.7	7	2	2	3	4	6	11	15
75-79	70	4.7	26	2	2	3	5	8	13	33
80-84	17	4.2	6	1	2	4	5	8	9	10
85+	16	4.2	13	1	2	3	5	8	14	16
GRAND TOTAL	**494**	**3.9**	**10**	**2**	**2**	**3**	**4**	**7**	**9**	**17**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	190	2.9	3	1	1	3	3	5	5	10
70-74	106	3.3	6	1	1	3	4	7	9	51
75-79	55	2.6	2	1	1	2	3	4	6	8
80-84	18	3.9	17	1	1	3	3	10	15	17
85+	15	2.9	5	<1	1	2	3	4	9	10
2. MULTIPLE DX										
65-69 YRS	451	4.1	24	1	2	3	4	8	10	26
70-74	253	4.6	24	1	2	3	5	9	13	27
75-79	110	5.6	33	1	2	3	7	11	19	30
80-84	46	5.5	25	1	1	4	8	12	17	24
85+	48	6.8	31	1	2	5	10	14	25	99+
TOT. SINGLE DX	384	3.0	4	1	1	3	3	5	7	13
" MULTIPLE DX	908	4.6	26	1	2	3	5	9	13	27
TOTAL 65-69 YRS	641	3.8	18	1	1	3	4	6	9	21
70-74	359	4.2	19	1	1	3	5	8	12	27
75-79	165	4.6	25	1	2	3	5	8	15	26
80-84	64	5.0	23	1	1	3	7	12	17	23
85+	63	5.9	27	1	2	4	8	13	18	90
GRAND TOTAL	**1292**	**4.2**	**20**	**1**	**1**	**3**	**4**	**8**	**12**	**26**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	433	2.6	8	1	1	2	3	4	5	10
70-74	359	3.0	17	<1	1	2	3	5	7	15
75-79	274	2.9	5	1	1	2	3	5	7	13
80-84	158	3.8	15	1	1	3	5	7	9	23
85+	127	4.4	36	1	1	3	5	9	12	24
2. MULTIPLE DX										
65-69 YRS	668	5.2	33	1	2	3	6	12	16	26
70-74	542	6.6	91	1	2	3	7	15	23	50
75-79	378	6.8	49	1	2	4	9	14	20	34
80-84	257	6.9	36	1	2	5	9	15	20	93
85+	235	10.3	103	2	2	7	14	23	31	75
TOT. SINGLE DX	1351	3.1	13	<1	1	2	3	5	7	15
" MULTIPLE DX	2080	6.6	61	1	2	4	8	15	21	45
TOTAL 65-69 YRS	1101	4.2	25	1	1	3	4	9	14	23
70-74	901	5.2	65	1	1	3	5	11	18	44
75-79	652	5.2	34	1	1	3	6	12	17	31
80-84	415	5.7	30	1	1	4	8	13	16	37
85+	362	8.2	87	1	2	5	11	19	25	62
GRAND TOTAL	**3431**	**5.2**	**46**	**1**	**1**	**3**	**6**	**12**	**17**	**37**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	192	4.5	7	1	1	4	6	8	9	12
70-74	155	5.1	62	1	1	4	6	9	10	17
75-79	95	4.6	18	1	1	4	6	8	10	27
80-84	49	4.2	7	1	1	4	6	7	8	15
85+	44	4.2	11	1	1	3	5	7	14	15
2. MULTIPLE DX										
65-69 YRS	367	7.1	45	1	2	5	8	15	20	30
70-74	310	7.5	47	1	2	5	9	16	24	40
75-79	257	7.7	32	2	2	6	10	14	20	28
80-84	162	8.0	55	2	2	6	11	16	22	35
85+	141	7.1	32	1	2	5	9	15	18	27
TOT. SINGLE DX	535	4.6	25	1	1	4	6	8	10	15
" MULTIPLE DX	1237	7.5	43	1	2	6	9	15	21	35
TOTAL 65-69 YRS	559	6.2	34	1	2	5	7	11	16	29
70-74	465	6.7	53	1	2	5	8	13	18	38
75-79	352	6.9	30	1	2	6	9	13	16	28
80-84	211	7.1	46	1	2	5	8	15	20	35
85+	185	6.4	28	1	2	5	8	14	17	27
GRAND TOTAL	**1772**	**6.6**	**39**	**1**	**2**	**5**	**8**	**13**	**17**	**30**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	117	4.1	16	1	2	3	4	7	10	25
70-74	71	3.6	3	2	2	3	4	5	8	11
75-79	46	3.9	7	2	2	3	4	7	9	16
80-84	12	4.1	4	1	2	4	5	7	9	9
85+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	185	6.4	40	2	2	4	7	14	19	31
70-74	112	6.8	79	2	2	4	8	15	17	49
75-79	60	10.3	178	2	2	5	12	30	39	67
80-84	20	9.7	57	2	3	6	15	21	25	28
85+	8	7.0	51	2	2	4	9	20	22	22
TOT. SINGLE DX	248	3.9	10	2	2	3	4	6	8	18
" MULTIPLE DX	385	7.3	75	2	2	4	9	16	21	44
TOTAL 65-69 YRS	302	5.5	32	2	2	4	6	11	17	31
70-74	183	5.5	52	2	2	4	5	12	16	26
75-79	106	7.5	113	2	2	4	7	16	33	60
80-84	32	7.6	44	2	2	5	8	19	22	28
85+	10	6.1	43	2	2	3	4	18	22	22
GRAND TOTAL	633	6.0	52	2	2	4	6	13	18	35

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	105	4.8	44	1	2	3	4	10	14	43
70-74	71	4.9	22	2	2	3	5	11	15	24
75-79	44	5.0	24	1	1	3	5	12	17	22
80-84	22	9.3	135	1	2	6	8	23	41	48
85+	7	3.1	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	250	6.4	41	2	2	4	8	14	20	31
70-74	166	8.8	108	2	2	5	12	18	25	56
75-79	78	8.8	54	2	2	7	12	18	22	41
80-84	42	8.0	84	2	2	5	9	15	25	52
85+	25	12.8	135	1	2	10	17	30	38	49
TOT. SINGLE DX	249	5.2	42	1	2	3	5	11	15	42
" MULTIPLE DX	561	7.8	72	2	2	5	10	17	23	48
TOTAL 65-69 YRS	355	5.9	42	1	2	3	7	13	19	36
70-74	237	7.6	85	2	2	4	10	17	23	54
75-79	122	7.4	47	1	2	5	10	16	21	31
80-84	64	8.4	100	1	2	5	9	17	33	51
85+	32	10.7	122	1	2	8	15	26	34	49
GRAND TOTAL	810	7.0	64	1	2	4	9	16	21	47

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	248	2.9	25	1	1	2	2	4	5	37
70-74	151	2.6	7	1	1	2	3	4	5	22
75-79	95	2.3	3	1	1	2	2	3	5	11
80-84	67	2.9	5	1	2	2	3	5	8	13
85+	80	3.1	14	1	1	2	3	5	9	26
2. MULTIPLE DX										
65-69 YRS	1111	6.0	65	2	2	3	7	14	19	44
70-74	896	7.4	92	2	2	3	9	19	28	60
75-79	681	7.8	102	2	2	4	10	18	24	60
80-84	418	8.3	115	2	2	4	10	19	30	69
85+	301	9.5	137	2	2	5	12	25	40	99+
TOT. SINGLE DX	641	2.8	14	1	1	2	3	4	5	23
" MULTIPLE DX	3407	7.3	93	2	2	3	9	18	25	62
TOTAL 65-69 YRS	1359	5.4	59	1	2	3	5	13	18	41
70-74	1047	6.7	82	1	2	3	7	17	23	53
75-79	776	7.1	93	2	2	3	8	17	23	58
80-84	485	7.5	103	2	2	3	9	18	27	61
85+	381	8.2	118	1	2	3	10	22	34	99+
GRAND TOTAL	4048	6.6	83	1	2	3	7	16	23	55

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4	5.0	54	<1	<1	1	9	16	16	16
70-74	3	2.0	1	1	1	2	3	3	3	3
75-79										
80-84										
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
65-69 YRS	9	5.2	20	2	2	3	8	13	15	15
70-74	5	4.8	27	2	2	3	6	14	14	14
75-79										
80-84	3	4.0	19	1	1	2	7	9	9	9
85+	2	8.5	85	2	2	8	15	15	15	15
TOT. SINGLE DX	8	3.4	27	<1	<1	1	3	12	16	16
" MULTIPLE DX	19	5.3	23	1	2	3	9	14	15	15
TOTAL 65-69 YRS	13	5.2	27	<1	1	3	8	15	16	16
70-74	8	3.8	18	1	1	2	3	11	14	14
75-79										
80-84	3	4.0	19	1	1	2	7	9	9	9
85+	3	6.0	61	<1	<1	2	12	15	15	15
GRAND TOTAL	27	4.7	24	<1	1	2	7	15	15	16

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	104	2.9	3	1	1	2	4	5	6	10
70-74	53	3.3	11	2	2	2	3	5	7	24
75-79	20	2.9	3	1	1	3	3	6	7	8
80-84	9	3.2	3	1	1	3	4	6	7	7
85+	10	5.5	16	2	2	4	6	12	14	14
2. MULTIPLE DX										
65-69 YRS	135	5.8	41	1	2	3	7	12	21	33
70-74	98	7.5	69	2	2	5	9	17	23	47
75-79	58	7.7	71	1	2	4	10	19	29	39
80-84	32	7.3	37	2	2	5	11	14	20	29
85+	28	9.3	51	2	3	7	11	20	27	28
TOT. SINGLE DX	196	3.2	6	1	2	2	4	5	7	13
" MULTIPLE DX	351	7.0	55	2	2	4	8	16	24	34
TOTAL 65-69 YRS	239	4.5	26	1	2	3	5	9	13	30
70-74	151	6.1	52	2	2	3	7	14	19	36
75-79	78	6.4	58	1	2	3	7	15	23	38
80-84	41	6.4	32	1	2	4	8	13	18	29
85+	38	8.3	44	2	2	6	10	18	25	28
GRAND TOTAL	**547**	**5.6**	**41**	**1**	**2**	**3**	**6**	**13**	**19**	**32**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	481	4.5	7	2	2	4	5	7	9	15
70-74	326	4.7	27	2	2	4	5	8	9	12
75-79	210	5.0	12	2	2	4	6	9	11	24
80-84	99	5.3	19	2	2	4	6	9	12	66
85+	63	5.3	13	2	2	5	7	9	12	20
2. MULTIPLE DX										
65-69 YRS	375	7.6	54	2	2	5	9	16	21	41
70-74	336	8.4	69	2	3	6	10	17	23	47
75-79	224	9.6	81	3	3	7	11	18	26	49
80-84	131	8.1	58	3	3	6	9	15	25	70
85+	101	9.8	91	3	4	7	11	17	27	61
TOT. SINGLE DX	1179	4.7	15	2	2	4	5	8	10	17
" MULTIPLE DX	1167	8.5	68	2	3	6	10	17	25	49
TOTAL 65-69 YRS	856	5.9	30	2	2	4	6	11	15	29
70-74	662	6.6	51	2	2	4	7	12	17	36
75-79	434	7.4	53	2	3	5	9	14	21	38
80-84	230	6.9	43	2	2	5	8	12	20	70
85+	164	8.1	65	2	3	6	9	15	20	50
GRAND TOTAL	**2346**	**6.6**	**44**	**2**	**2**	**5**	**7**	**12**	**17**	**36**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2	5.5	13	3	3	5	8	8	8	8
70-74										
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84										
85+	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	9	10.3	51	2	2	12	16	19	21	21
70-74	4	10.8	2	9	9	11	12	12	12	12
75-79	4	7.5	22	4	4	6	11	14	14	14
80-84	1	3.0		3	3	3	3	3	3	3
85+	3	30.0	2191	1	1	5	64	84	84	84
TOT. SINGLE DX	6	5.0	7	2	2	5	8	8	8	8
" MULTIPLE DX	21	12.3	301	2	2	9	14	19	49	84
TOTAL 65-69 YRS	11	9.5	46	2	2	8	15	19	21	21
70-74	4	10.8	2	9	9	11	12	12	12	12
75-79	6	5.8	20	2	2	4	8	13	14	14
80-84	1	3.0		3	3	3	3	3	3	3
85+	5	20.8	1255	1	1	6	27	84	84	84
GRAND TOTAL	**27**	**10.7**	**243**	**2**	**2**	**8**	**12**	**17**	**30**	**84**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	516	4.3	21	1	1	3	5	9	14	22
70-74	415	4.5	30	1	1	3	5	9	11	32
75-79	285	4.7	39	1	1	3	5	9	14	37
80-84	170	4.9	32	1	2	3	6	9	12	36
85+	113	4.9	29	1	1	3	6	10	12	34
2. MULTIPLE DX										
65-69 YRS	774	8.7	123	1	2	5	11	20	28	64
70-74	638	9.0	118	1	2	5	11	22	31	65
75-79	471	8.6	98	1	2	6	10	18	25	63
80-84	249	10.6	139	2	2	7	13	24	34	69
85+	217	9.9	97	2	2	7	13	21	32	45
TOT. SINGLE DX	1499	4.5	29	1	1	3	5	9	13	31
" MULTIPLE DX	2349	9.1	116	1	2	5	11	21	30	65
TOTAL 65-69 YRS	1290	6.9	87	1	2	4	8	16	22	46
70-74	1053	7.2	88	1	2	4	8	16	24	57
75-79	756	7.2	79	1	2	4	8	16	22	53
80-84	419	8.3	103	1	2	5	10	18	30	59
85+	330	8.2	79	1	2	5	10	17	28	43
GRAND TOTAL	**3848**	**7.3**	**87**	**1**	**2**	**4**	**9**	**16**	**23**	**53**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	52	3.4	22	1	1	2	3	5	10	28
70-74	39	3.5	24	1	1	2	3	6	9	31
75-79	23	3.9	9	1	2	3	4	9	11	12
80-84	9	2.7	2	1	1	2	3	5	6	6
85+	26	2.5	2	1	2	2	2	4	5	9
2. MULTIPLE DX										
65-69 YRS	29	4.7	25	2	2	3	4	11	26	99+
70-74	10	3.9	7	2	2	3	5	8	9	9
75-79	15	9.4	231	1	2	3	13	18	49	60
80-84	3	3.0	3	2	2	2	4	5	5	5
85+	9	11.3	187	1	1	4	17	34	42	42
TOT. SINGLE DX	149	3.3	16	1	1	2	3	6	9	28
" MULTIPLE DX	66	6.5	93	1	2	3	8	17	28	93
TOTAL 65-69 YRS	81	3.9	23	1	1	2	4	9	17	77
70-74	49	3.6	20	1	2	2	3	7	9	31
75-79	38	6.1	100	1	2	3	6	14	18	60
80-84	12	2.8	2	1	1	2	3	5	6	6
85+	35	4.7	61	1	2	2	3	10	21	42
GRAND TOTAL	**215**	**4.3**	**41**	**1**	**2**	**2**	**4**	**9**	**15**	**48**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	45	1.5		<1	1	1	2	2	2	4
70-74	13	2.5	5	1	1	2	2	7	8	8
75-79	12	2.0	1	1	1	2	2	4	5	5
80-84	4	2.3		2	2	2	3	3	3	3
85+	50	1.9		1	1	2	2	3	3	99
2. MULTIPLE DX										
65-69 YRS	25	2.1	4	<1	1	2	2	2	5	11
70-74	8	1.9		1	1	2	2	3	3	3
75-79	6	1.5		1	1	1	2	2	2	2
80-84	3	2.0		2	2	2	2	2	2	2
85+	27	1.7		<1	<1	2	2	2	2	2
TOT. SINGLE DX	124	1.8	1	1	1	2	2	2	3	31
" MULTIPLE DX	69	1.9	1	<1	1	2	2	2	2	9
TOTAL 65-69 YRS	70	1.7	2	<1	1	2	2	2	2	10
70-74	21	2.2	3	1	1	2	2	5	7	8
75-79	18	1.8	1	1	1	2	2	3	4	5
80-84	7	2.1		2	2	2	2	3	3	3
85+	77	1.8		1	1	2	2	2	3	73
GRAND TOTAL	**193**	**1.8**	**1**	**1**	**1**	**2**	**2**	**2**	**3**	**10**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	2	1.0		<1	<1	<1	1	1	1	1
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	2.0		2	2	2	2	2	2	2
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	16	1.5		<1	<1	1	2	2	3	3
70-74	3	4.3	33	1	1	1	9	11	11	11
75-79	2	1.0		<1	<1	<1	1	1	1	1
80-84										
85+	15	1.5		<1	<1	1	2	2	2	2
TOT. SINGLE DX	7	1.4		<1	<1	1	2	2	2	2
" MULTIPLE DX	36	1.7	3	<1	<1	1	2	2	3	11
TOTAL 65-69 YRS	17	1.5		<1	<1	1	2	2	3	3
70-74	5	3.0	20	<1	<1	1	4	11	11	11
75-79	3	1.0		<1	<1	1	1	1	1	1
80-84	1	2.0		2	2	2	2	2	2	2
85+	17	1.5		<1	<1	1	2	2	2	2
GRAND TOTAL	**43**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**11**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	175	6.3	60	1	2	3	7	16	24	42
70-74	107	6.1	53	1	1	3	8	13	22	38
75-79	59	6.0	34	1	1	3	8	16	19	23
80-84	36	5.1	29	<1	1	3	6	11	15	27
85+	26	7.8	52	<1	1	5	13	18	24	25
2. MULTIPLE DX										
65-69 YRS	212	10.5	157	1	2	6	15	26	30	66
70-74	180	10.8	156	2	2	7	14	23	33	71
75-79	128	15.2	264	2	2	9	21	40	53	91
80-84	67	11.0	122	2	2	8	13	22	34	58
85+	48	15.1	184	3	3	12	20	29	36	75
TOT. SINGLE DX	403	6.2	51	1	1	3	7	15	22	37
" MULTIPLE DX	635	11.9	179	2	2	8	15	28	39	75
TOTAL 65-69 YRS	387	8.6	117	1	2	5	10	21	28	53
70-74	287	9.0	123	1	2	5	12	21	30	60
75-79	187	12.3	209	2	2	7	16	35	44	80
80-84	103	8.9	97	1	2	6	11	18	28	55
85+	74	12.6	149	1	2	11	18	25	32	70
GRAND TOTAL	**1038**	**9.7**	**137**	**1**	**2**	**5**	**12**	**23**	**33**	**60**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	15	4.0	7	2	2	3	5	9	9	9
70-74	10	3.7	2	2	2	4	5	6	6	6
75-79	6	3.8	14	1	1	2	7	10	10	10
80-84	5	2.8	5	1	1	2	4	6	6	6
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	30	12.2	232	1	2	6	11	38	47	64
70-74	25	8.6	31	2	3	8	11	20	20	21
75-79	21	6.1	16	2	2	5	8	12	15	17
80-84	9	8.3	44	2	2	6	13	19	21	21
85+	16	7.4	52	1	2	5	9	18	25	28
TOT. SINGLE DX	37	3.7	6	1	1	3	5	8	9	10
" MULTIPLE DX	101	8.9	95	2	2	6	10	19	24	55
TOTAL 65-69 YRS	45	9.4	171	1	2	4	9	20	42	[illegible]
70-74	35	7.2	27	2	2	5	9	14	20	21
75-79	27	5.6	16	1	1	5	8	12	14	17
80-84	14	6.4	36	1	1	4	8	16	20	21
85+	17	7.1	50	1	2	5	8	18	25	28
GRAND TOTAL	138	7.5	76	1	2	5	9	17	21	49

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	797	2.4	5	1	1	2	2	3	5	12
70-74	540	2.5	9	1	1	2	2	3	4	14
75-79	259	2.9	22	1	1	2	3	4	7	36
80-84	90	3.2	27	1	1	2	3	4	10	34
85+	54	2.9	10	1	1	2	3	4	9	19
2. MULTIPLE DX										
65-69 YRS	644	5.4	58	1	1	2	6	13	18	39
70-74	434	6.6	83	1	2	3	8	16	24	60
75-79	229	6.5	85	1	2	3	7	18	21	48
80-84	107	8.0	126	1	2	4	10	16	32	59
85+	56	7.7	191	2	2	3	9	19	26	99+
TOT. SINGLE DX	1740	2.5	10	1	1	2	2	3	5	17
" MULTIPLE DX	1470	6.2	80	1	1	3	7	15	22	53
TOTAL 65-69 YRS	1441	3.7	31	1	1	2	3	8	13	29
70-74	974	4.3	46	1	1	2	3	10	16	47
75-79	488	4.6	55	1	1	2	3	10	18	41
80-84	197	5.8	86	1	1	2	5	13	21	51
85+	110	5.3	107	1	2	2	4	13	19	99
GRAND TOTAL	3210	4.2	45	1	1	2	3	9	16	38

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	81	11.6	155	1	2	9	16	24	32	74
70-74	54	15.3	132	2	2	14	19	29	44	98
75-79	26	11.8	58	1	2	12	18	21	23	26
80-84	5	6.6	20	2	2	8	10	12	12	12
85+	4	9.0	75	1	1	9	16	17	17	17
2. MULTIPLE DX										
65-69 YRS	96	17.3	269	2	2	13	22	44	57	89
70-74	72	14.0	204	2	2	12	19	27	31	97
75-79	33	22.1	253	2	4	17	32	47	55	56
80-84	9	18.2	315	<1	2	13	23	48	56	56
85+	7	12.6	113	3	4	10	26	80	99+	99+
TOT. SINGLE DX	170	12.6	129	2	2	11	17	26	33	77
" MULTIPLE DX	217	16.8	245	2	2	13	22	38	56	99+
TOTAL 65-69 YRS	177	14.7	224	2	2	11	18	34	54	81
70-74	126	14.6	172	2	2	12	19	29	42	99+
75-79	59	17.5	191	2	2	15	22	38	50	56
80-84	14	14.1	233	<1	2	9	18	39	52	56
85+	11	11.3	93	1	2	10	17	54	93	99+
GRAND TOTAL	387	15.0	198	2	2	12	19	33	51	94

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	84	19.1	121	10	10	15	22	35	39	68
70-74	56	17.0	68	10	11	15	18	29	44	96
75-79	28	20.7	103	10	11	18	28	37	52	99+
80-84	7	27.7	115	15	15	26	35	43	45	45
85+	5	13.4	3	11	11	13	14	16	16	16
2. MULTIPLE DX										
65-69 YRS	172	26.5	238	12	12	21	31	47	60	82
70-74	118	26.8	307	10	11	21	34	55	63	95
75-79	65	28.7	363	11	13	22	36	64	92	99+
80-84	24	24.5	177	12	13	20	31	51	71	99+
85+	9	36.9	758	12	13	26	61	78	90	90
TOT. SINGLE DX	180	18.9	102	10	11	15	22	35	41	93
" MULTIPLE DX	388	27.1	287	11	12	21	34	54	66	99
TOTAL 65-69 YRS	256	24.1	211	11	12	19	29	43	55	80
70-74	174	23.6	250	10	11	18	29	49	58	98
75-79	93	26.3	297	11	11	21	34	58	87	99+
80-84	31	25.3	160	12	13	21	33	47	61	99+
85+	14	28.5	604	11	12	15	34	64	84	90
GRAND TOTAL	568	24.5	243	10	11	19	30	46	61	99

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	8	18.8	172	8	8	16	21	41	48	48
70-74	7	19.1	207	7	7	8	34	37	38	38
75-79	4	15.3	329	2	2	8	26	42	42	42
80-84	5	11.0	19	6	6	12	14	16	16	16
85+	2	6.5	61	1	1	6	12	12	12	12
2. MULTIPLE DX										
65-69 YRS	57	33.4	532	6	8	31	52	87	99+	99+
70-74	44	30.4	330	5	9	33	55	99+	99+	99+
75-79	21	31.4	274	11	12	29	45	57	57	57
80-84	18	29.2	420	7	9	29	44	73	92	99+
85+	7	28.6	445	5	6	31	53	89	99+	99+
TOT. SINGLE DX	26	15.9	160	2	6	11	18	38	43	48
" MULTIPLE DX	147	31.5	409	5	9	31	52	93	99+	99+
TOTAL 65-69 YRS	65	31.6	508	7	8	26	50	85	99+	99+
70-74	51	28.9	324	5	7	32	50	99+	99+	99+
75-79	25	28.8	306	6	10	25	42	57	57	57
80-84	23	25.3	387	6	7	19	33	61	87	99+
85+	9	23.7	436	1	3	20	40	82	99+	99+
GRAND TOTAL	**173**	**29.1**	**402**	**5**	**8**	**29**	**48**	**83**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	69	13.3	270	2	2	7	18	44	62	94
70-74	58	8.3	157	1	1	3	12	19	36	62
75-79	28	13.2	381	1	1	4	19	42	66	76
80-84	15	11.1	134	2	2	8	17	22	39	45
85+	10	10.5	63	1	1	8	18	22	25	25
2. MULTIPLE DX										
65-69 YRS	360	32.5	563	2	3	31	52	79	92	99+
70-74	301	35.3	571	3	5	35	53	79	95	99+
75-79	192	33.9	583	2	5	33	57	83	99+	99+
80-84	109	38.2	549	4	8	39	63	88	99+	99+
85+	62	29.4	376	2	3	28	42	57	80	99+
TOT. SINGLE DX	180	11.4	229	1	2	5	15	31	51	74
" MULTIPLE DX	1024	34.0	559	2	4	33	54	80	99+	99+
TOTAL 65-69 YRS	429	29.4	565	2	2	26	48	72	89	99+
70-74	359	30.9	602	2	2	29	49	76	92	99+
75-79	220	31.2	603	2	3	30	55	78	99+	99+
80-84	124	34.9	577	3	5	36	59	86	99+	99+
85+	72	26.8	374	2	3	24	41	56	74	99+
GRAND TOTAL	**1204**	**30.6**	**574**	**2**	**3**	**29**	**50**	**76**	**95**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	797	8.2	75	1	1	6	11	17	23	43
70-74	651	8.8	76	1	2	7	12	19	25	48
75-79	437	9.9	94	2	2	7	13	22	29	50
80-84	193	10.4	80	2	2	8	14	21	27	46
85+	80	10.6	52	2	2	9	17	21	23	27
2. MULTIPLE DX										
65-69 YRS	2787	13.5	122	2	3	11	18	26	35	58
70-74	2443	13.8	126	2	3	11	18	27	34	58
75-79	1692	14.6	134	3	4	12	19	29	37	58
80-84	761	16.6	147	3	5	14	22	32	39	68
85+	365	17.1	172	3	5	14	22	32	44	71
TOT. SINGLE DX	2158	9.0	79	1	2	6	12	19	25	49
" MULTIPLE DX	8048	14.3	131	2	3	11	19	28	36	59
TOTAL 65-69 YRS	3584	12.3	116	2	2	10	16	25	33	57
70-74	3094	12.8	119	2	3	10	17	25	33	57
75-79	2129	13.7	130	2	3	11	18	28	36	57
80-84	954	15.3	140	2	4	13	20	30	37	59
85+	445	16.0	157	2	3	13	21	30	42	68
GRAND TOTAL	**10206**	**13.2**	**125**	**2**	**3**	**10**	**17**	**26**	**34**	**58**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2	9.5	5	8	8	9	11	11	11	11
70-74	4	7.5	23	2	2	8	11	12	12	12
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	10	15.1	61	7	7	13	23	26	27	27
70-74	3	8.3	86	2	2	4	15	19	19	19
75-79	2	11.5	13	9	9	11	14	14	14	14
80-84	1	20.0		20	20	20	20	20	20	20
85+	1	18.0		18	18	18	18	18	18	18
TOT. SINGLE DX	7	7.9	14	2	3	8	11	12	12	12
" MULTIPLE DX	17	13.9	57	3	5	14	19	25	26	27
TOTAL 65-69 YRS	12	14.2	55	7	7	11	21	26	27	27
70-74	7	7.9	40	2	2	5	12	18	19	19
75-79	3	9.7	16	6	6	9	13	14	14	14
80-84	1	20.0		20	20	20	20	20	20	20
85+	1	18.0		18	18	18	18	18	18	18
GRAND TOTAL	**24**	**12.2**	**51**	**2**	**4**	**11**	**18**	**23**	**26**	**27**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	521	13.6	89	2	3	12	18	24	29	50
70-74	350	13.2	64	2	3	12	18	23	27	34
75-79	213	12.3	92	1	2	11	16	26	30	41
80-84	91	13.4	141	1	2	11	17	32	41	55
85+	29	11.0	71	1	1	9	17	21	25	36
2. MULTIPLE DX										
65-69 YRS	1441	18.0	150	4	6	15	23	33	41	69
70-74	1077	18.0	158	3	5	15	23	33	42	64
75-79	680	18.5	167	3	5	16	25	35	44	65
80-84	255	17.3	174	2	4	15	23	34	37	64
85+	110	17.7	112	4	5	17	24	32	40	48
TOT. SINGLE DX	1204	13.2	86	2	3	12	17	24	29	45
" MULTIPLE DX	3563	18.0	156	3	5	15	23	34	41	66
TOTAL 65-69 YRS	1962	16.8	137	3	5	14	22	31	39	66
70-74	1427	16.8	139	2	4	14	22	31	39	59
75-79	893	17.0	156	2	4	14	23	32	41	64
80-84	346	16.3	168	2	3	13	22	34	38	59
85+	139	16.3	110	2	4	15	22	31	38	46
GRAND TOTAL	4767	16.8	143	3	4	14	22	31	39	63

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	318	17.1	67	8	9	15	20	28	32	51
70-74	217	17.4	66	9	10	16	21	28	32	39
75-79	94	18.3	50	8	10	18	23	28	32	38
80-84	25	17.0	61	7	9	15	21	31	32	33
85+	5	27.6	645	9	9	19	39	71	71	71
2. MULTIPLE DX										
65-69 YRS	773	21.5	129	9	10	19	27	35	41	65
70-74	510	22.3	142	9	11	19	27	37	46	68
75-79	250	23.5	204	9	11	20	28	40	55	89
80-84	51	20.5	66	11	12	19	25	32	39	42
85+	3	16.3	72	8	8	16	23	25	25	25
TOT. SINGLE DX	659	17.5	68	8	9	16	21	28	32	49
" MULTIPLE DX	1587	22.0	144	9	10	19	27	36	43	73
TOTAL 65-69 YRS	1091	20.2	115	9	10	18	25	33	39	63
70-74	727	20.8	124	9	10	18	25	34	42	66
75-79	344	22.1	167	9	11	19	26	36	47	80
80-84	76	19.4	66	9	10	18	25	31	33	42
85+	8	23.4	423	8	8	17	26	58	71	71
GRAND TOTAL	2246	20.7	126	9	10	18	25	34	41	69

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	968	7.8	57	1	2	5	10	17	23	37
70-74	705	8.8	74	1	2	6	12	20	25	39
75-79	427	8.7	64	1	2	6	12	21	25	36
80-84	197	10.1	90	1	2	7	14	23	28	47
85+	89	10.1	82	1	2	8	14	21	23	49
2. MULTIPLE DX										
65-69 YRS	3028	13.1	130	2	3	10	17	26	35	59
70-74	2606	14.2	142	2	3	11	18	29	37	61
75-79	1851	15.1	161	2	3	12	20	31	40	75
80-84	996	16.0	154	3	4	13	21	30	42	68
85+	452	18.2	197	3	5	15	23	34	47	88
TOT. SINGLE DX	2386	8.5	67	1	2	6	11	19	24	38
" MULTIPLE DX	8933	14.4	148	2	3	11	19	29	38	67
TOTAL 65-69 YRS	3996	11.8	117	2	2	9	15	24	32	58
70-74	3311	13.0	132	2	3	10	17	27	35	58
75-79	2278	13.9	149	2	3	11	18	29	37	69
80-84	1193	15.0	148	2	3	12	20	29	39	64
85+	541	16.9	187	2	4	13	21	33	45	87
GRAND TOTAL	11319	13.2	136	2	3	10	17	27	35	61

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	37	9.2	57	1	1	7	14	20	23	31
70-74	23	18.5	555	1	3	10	22	46	83	98
75-79	29	15.0	186	2	2	10	19	30	50	60
80-84	7	12.4	118	1	2	9	16	31	34	34
85+	3	18.0	409	3	3	10	33	41	41	41
2. MULTIPLE DX										
65-69 YRS	131	15.3	146	3	4	12	20	32	41	64
70-74	99	17.4	266	2	3	13	22	36	57	95
75-79	73	18.3	215	3	4	14	25	35	52	66
80-84	49	16.7	239	2	3	12	21	38	56	65
85+	27	18.3	187	4	7	16	24	27	37	74
TOT. SINGLE DX	99	13.5	229	1	2	9	18	27	40	87
" MULTIPLE DX	379	16.8	205	3	4	13	22	35	45	74
TOTAL 65-69 YRS	168	14.0	133	2	3	11	19	27	39	59
70-74	122	17.6	316	2	3	12	22	36	61	99
75-79	102	17.3	207	2	3	13	23	34	51	65
80-84	56	16.2	224	2	3	11	19	37	54	65
85+	30	18.3	196	3	5	16	25	29	41	74
GRAND TOTAL	478	16.1	211	2	3	12	21	34	43	75

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	222	12.6	114	2	3	10	15	23	33	63
70-74	159	12.5	79	3	4	9	17	25	30	41
75-79	87	11.3	55	3	4	10	15	19	25	38
80-84	44	12.8	105	3	4	9	18	26	36	49
85+	31	10.6	81	2	3	7	14	24	30	39
2. MULTIPLE DX										
65-69 YRS	1137	17.1	171	4	5	13	22	33	43	68
70-74	918	17.4	177	4	5	14	23	34	45	75
75-79	644	18.3	184	4	5	14	25	36	48	71
80-84	340	17.3	147	4	5	15	22	33	45	64
85+	231	18.3	179	5	6	15	23	34	40	79
TOT. SINGLE DX	543	12.3	92	3	4	10	15	24	31	48
" MULTIPLE DX	3270	17.5	173	4	5	14	23	34	45	72
TOTAL 65-69 YRS	1359	16.3	164	4	5	13	21	32	42	67
70-74	1077	16.7	165	4	5	13	22	33	44	74
75-79	731	17.4	173	4	5	14	23	35	46	68
80-84	384	16.8	144	4	5	14	22	33	43	61
85+	262	17.4	173	4	5	14	23	33	39	79
GRAND TOTAL	**3813**	**16.8**	**165**	**4**	**5**	**13**	**22**	**33**	**43**	**69**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	297	10.1	81	2	2	8	14	21	25	46
70-74	213	9.8	64	2	2	8	13	20	25	39
75-79	140	10.7	78	2	2	8	14	23	30	40
80-84	55	9.6	78	1	2	8	12	19	25	52
85+	42	9.2	60	1	2	7	13	20	29	31
2. MULTIPLE DX										
65-69 YRS	1021	15.7	160	2	3	13	21	31	41	65
70-74	842	15.5	151	2	3	12	20	31	39	63
75-79	633	16.4	170	3	4	13	22	32	41	67
80-84	365	16.7	124	4	5	14	22	32	43	65
85+	217	16.6	166	3	5	14	21	32	41	67
TOT. SINGLE DX	747	10.1	74	2	2	8	14	20	27	40
" MULTIPLE DX	3078	16.0	156	2	4	13	21	31	41	66
TOTAL 65-69 YRS	1318	14.4	148	2	3	11	19	29	39	62
70-74	1055	14.3	138	2	3	11	19	29	37	62
75-79	773	15.4	158	2	3	12	20	31	40	66
80-84	420	15.7	124	3	4	14	21	29	41	64
85+	259	15.4	156	2	3	13	20	30	40	65
GRAND TOTAL	**3825**	**14.8**	**145**	**2**	**3**	**12**	**20**	**30**	**39**	**63**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	184	16.8	51	10	11	15	20	26	31	43
70-74	92	17.3	57	8	10	16	20	28	32	78
75-79	40	19.4	98	8	11	16	21	37	43	45
80-84	13	17.9	160	2	5	15	24	33	46	49
85+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	724	22.1	157	10	11	19	27	37	50	90
70-74	467	24.1	186	10	12	20	29	43	53	85
75-79	205	24.7	206	10	12	21	30	44	51	97
80-84	42	25.0	224	6	11	22	34	48	51	79
85+	8	20.6	189	4	5	17	30	42	43	43
TOT. SINGLE DX	330	17.3	63	8	11	15	20	28	33	48
" MULTIPLE DX	1446	23.2	176	10	12	20	28	41	51	90
TOTAL 65-69 YRS	908	21.0	140	10	11	18	25	35	45	86
70-74	559	23.0	171	10	12	19	28	42	49	85
75-79	245	23.8	191	10	12	20	30	43	49	95
80-84	55	23.3	215	5	8	20	30	47	50	78
85+	9	19.4	178	4	6	17	25	41	43	43
GRAND TOTAL	**1776**	**22.1**	**160**	**10**	**11**	**19**	**27**	**39**	**48**	**87**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	910	15.2	45	9	9	13	18	23	27	43
70-74	357	15.9	38	9	10	14	18	23	28	40
75-79	78	15.9	34	8	9	16	19	24	26	31
80-84	8	18.0	168	4	6	16	18	39	48	48
85+	6	14.7	6	12	12	14	17	18	18	18
2. MULTIPLE DX										
65-69 YRS	3096	17.3	85	9	10	15	20	28	34	58
70-74	1389	19.6	113	10	11	17	23	32	42	69
75-79	392	20.5	97	10	11	18	25	34	42	61
80-84	57	21.4	178	8	9	19	26	37	42	74
85+	12	30.2	419	8	8	27	42	65	66	66
TOT. SINGLE DX	1359	15.5	43	9	10	14	18	23	27	42
" MULTIPLE DX	4946	18.3	97	9	10	15	22	30	37	64
TOTAL 65-69 YRS	4006	16.8	77	9	10	14	19	27	32	56
70-74	1746	18.8	100	9	10	16	22	31	39	64
75-79	470	19.7	89	9	11	17	24	32	39	59
80-84	65	21.0	176	8	9	18	25	38	44	73
85+	18	25.0	329	8	9	17	31	60	66	66
GRAND TOTAL	**6305**	**17.7**	**87**	**9**	**10**	**15**	**21**	**28**	**35**	**59**

573. Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1668	4.0	23	1	2	2	4	8	12	21
70-74	692	4.4	26	1	2	2	5	10	14	24
75-79	165	5.2	32	1	2	2	7	12	16	24
80-84	30	5.6	50	1	2	3	5	19	25	26
85+	15	6.0	50	2	2	3	7	12	25	29
2. MULTIPLE DX										
65-69 YRS	6076	6.6	50	2	2	4	9	15	20	34
70-74	2841	7.9	65	2	2	5	10	17	23	39
75-79	976	9.3	75	2	2	7	13	21	28	38
80-84	195	11.1	134	2	2	8	14	24	33	49
85+	74	10.9	103	2	2	9	15	19	29	56
TOT. SINGLE DX	2570	4.2	25	1	2	2	4	9	14	24
" MULTIPLE DX	10162	7.4	60	2	2	4	10	16	22	37
TOTAL 65-69 YRS	7744	6.1	45	2	2	3	8	14	19	32
70-74	3533	7.2	59	2	2	4	10	16	21	38
75-79	1141	8.7	71	2	2	6	12	20	26	38
80-84	225	10.4	126	2	2	7	13	24	31	48
85+	89	10.1	96	2	2	8	14	19	29	55
GRAND TOTAL	**12732**	**6.7**	**54**	**2**	**2**	**4**	**9**	**16**	**20**	**35**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	986	6.9	48	2	2	5	8	15	20	30
70-74	1349	6.3	31	1	2	5	8	13	18	27
75-79	1428	6.3	29	2	2	5	8	13	16	27
80-84	1178	6.3	33	1	2	5	8	13	17	26
85+	971	6.7	44	2	2	5	9	13	18	31
2. MULTIPLE DX										
65-69 YRS	3924	13.6	103	2	4	11	18	26	33	52
70-74	5321	13.2	104	2	3	11	18	26	32	54
75-79	6221	13.4	106	2	3	11	18	26	32	53
80-84	5263	13.6	118	2	3	11	18	28	36	53
85+	4230	13.3	108	2	3	11	18	26	34	54
TOT. SINGLE DX	5912	6.5	36	2	2	5	8	13	18	29
" MULTIPLE DX	24959	13.4	108	2	3	11	18	26	33	53
TOTAL 65-69 YRS	4910	12.3	99	2	3	10	17	24	31	50
70-74	6670	11.8	97	2	3	9	16	24	30	51
75-79	7649	12.1	99	2	3	9	16	25	31	49
80-84	6441	12.3	111	2	3	9	16	25	33	51
85+	5201	12.1	103	2	3	9	16	25	32	52
GRAND TOTAL	**30871**	**12.1**	**102**	**2**	**3**	**9**	**16**	**25**	**31**	**51**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	41	11.9	128	2	2	9	12	29	41	51
70-74	23	10.5	39	1	3	11	15	18	22	25
75-79	26	11.0	25	4	5	10	12	19	21	22
80-84	8	8.0	18	2	3	7	11	14	15	15
85+	4	5.8	35	1	1	4	10	14	14	14
2. MULTIPLE DX										
65-69 YRS	226	18.4	169	5	7	15	22	33	43	82
70-74	161	20.8	169	5	8	18	25	37	45	79
75-79	100	17.8	130	3	7	15	23	35	41	51
80-84	39	24.2	367	1	5	16	36	56	66	69
85+	25	18.0	80	6	6	18	21	31	34	42
TOT. SINGLE DX	102	10.8	70	2	3	10	13	19	26	46
" MULTIPLE DX	551	19.4	174	5	7	16	24	36	46	76
TOTAL 65-69 YRS	267	17.4	167	4	5	14	21	33	41	79
70-74	184	19.5	165	4	6	17	25	36	44	78
75-79	126	16.4	116	3	6	14	21	32	38	51
80-84	47	21.4	344	2	5	15	30	52	66	69
85+	29	16.3	91	2	6	16	21	30	32	42
GRAND TOTAL	**653**	**18.0**	**167**	**3**	**6**	**15**	**23**	**35**	**44**	**70**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	336	4.5	29	1	1	2	4	12	17	24
70-74	288	4.6	35	1	1	2	4	11	15	31
75-79	152	5.3	52	1	1	2	5	12	22	37
80-84	68	6.1	80	1	1	2	7	20	27	89
85+	39	9.1	102	2	2	4	14	26	35	37
2. MULTIPLE DX										
65-69 YRS	604	13.5	197	2	2	9	19	32	40	82
70-74	531	14.8	186	2	2	11	20	32	42	72
75-79	405	16.4	202	2	2	13	22	32	43	77
80-84	217	19.2	205	3	4	16	26	36	48	80
85+	179	20.0	244	2	4	16	28	38	53	89
TOT. SINGLE DX	883	5.0	42	1	1	2	5	13	19	35
" MULTIPLE DX	1936	15.7	205	2	2	12	21	33	43	81
TOTAL 65-69 YRS	940	10.3	156	1	2	5	15	25	36	74
70-74	819	11.2	156	1	2	6	16	28	36	60
75-79	557	13.3	186	2	2	10	18	29	39	70
80-84	285	16.0	206	2	2	13	24	33	44	89
85+	218	18.1	236	2	2	15	26	36	48	86
GRAND TOTAL	**2819**	**12.3**	**179**	**1**	**2**	**8**	**18**	**29**	**39**	**72**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	537	6.8	29	3	3	5	8	12	15	29
70-74	288	6.9	29	3	3	5	8	13	17	28
75-79	106	7.7	34	3	3	6	9	15	20	33
80-84	42	10.2	98	3	3	5	12	23	29	49
85+	15	13.3	212	2	3	7	19	27	49	57
2. MULTIPLE DX										
65-69 YRS	498	11.3	108	3	4	8	14	22	34	55
70-74	304	12.0	124	3	4	8	15	25	38	81
75-79	156	15.2	179	4	4	11	20	33	45	66
80-84	74	15.4	114	3	5	13	21	29	37	52
85+	32	19.4	248	3	4	16	23	42	52	70
TOT. SINGLE DX	988	7.2	36	3	3	5	8	13	19	32
" MULTIPLE DX	1064	12.6	131	3	4	9	16	26	38	61
TOTAL 65-69 YRS	1035	9.0	72	3	3	6	10	18	25	49
70-74	592	9.6	84	3	3	6	12	21	28	46
75-79	262	12.2	134	3	4	8	15	25	36	60
80-84	116	13.6	113	3	3	10	20	27	35	51
85+	47	17.4	239	3	3	13	22	39	53	70
GRAND TOTAL	**2052**	**10.0**	**92**	**3**	**3**	**6**	**12**	**21**	**28**	**54**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	753	12.9	63	3	6	12	15	20	26	46
70-74	479	13.7	74	3	5	12	17	22	30	45
75-79	289	14.8	63	6	7	13	18	24	29	44
80-84	109	15.8	56	7	8	14	20	28	32	62
85+	53	19.1	151	8	9	18	22	31	44	77
2. MULTIPLE DX										
65-69 YRS	2743	19.3	188	6	8	15	24	37	50	82
70-74	2118	20.5	202	6	8	16	25	40	51	83
75-79	1298	22.6	234	7	9	19	28	43	57	92
80-84	579	23.5	198	8	10	19	30	44	56	99+
85+	287	24.5	187	9	11	21	33	46	54	99+
TOT. SINGLE DX	1683	13.8	70	4	6	12	17	23	29	46
" MULTIPLE DX	7025	20.9	204	6	8	17	26	40	53	90
TOTAL 65-69 YRS	3496	18.0	168	5	7	14	21	35	46	75
70-74	2597	19.3	186	5	7	16	23	37	48	78
75-79	1587	21.2	212	6	8	18	26	40	53	89
80-84	688	22.3	184	8	10	19	29	43	54	99+
85+	340	23.7	185	9	10	20	30	44	53	99+
GRAND TOTAL	**8708**	**19.5**	**186**	**6**	**8**	**16**	**24**	**37**	**49**	**83**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3	15.7	21	13	13	13	19	21	21	21
70-74	1	19.0		19	19	19	19	19	19	19
75-79	2	13.5	1	13	13	13	14	14	14	14
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	17	21.6	143	9	10	16	33	40	44	46
70-74	6	31.3	240	19	19	23	44	56	57	57
75-79	2	31.5	85	25	25	31	38	38	38	38
80-84										
85+										
TOT. SINGLE DX	6	15.5	13	13	13	14	19	21	21	21
" MULTIPLE DX	25	24.7	170	10	11	21	35	44	49	57
TOTAL 65-69 YRS	20	20.7	127	9	10	15	29	39	43	46
70-74	7	29.6	222	19	19	23	39	54	57	57
75-79	4	22.5	136	13	13	19	31	38	38	38
80-84										
85+										
GRAND TOTAL	**31**	**22.9**	**152**	**10**	**12**	**19**	**31**	**42**	**46**	**57**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	53	5.6	25	1	1	4	7	10	14	31
70-74	36	5.9	58	<1	1	3	7	14	16	42
75-79	23	3.6	28	1	1	1	4	13	16	21
80-84	2	4.5	25	<1	<1	4	8	8	8	8
85+	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	945	8.5	84	1	2	6	10	17	27	47
70-74	674	9.0	96	1	2	6	11	20	27	57
75-79	406	9.0	77	1	2	6	12	21	28	43
80-84	113	9.4	74	2	3	8	11	18	22	54
85+	31	10.4	125	<1	2	7	11	23	42	50
TOT. SINGLE DX	116	5.3	35	1	1	4	7	12	15	35
" MULTIPLE DX	2169	8.8	86	1	2	6	10	19	27	50
TOTAL 65-69 YRS	998	8.3	81	1	2	6	10	16	25	46
70-74	710	8.9	95	1	2	6	11	19	27	56
75-79	429	8.7	76	1	1	6	11	20	27	42
80-84	115	9.3	73	1	2	8	11	17	22	53
85+	33	10.0	120	<1	2	7	11	23	40	50
GRAND TOTAL	**2285**	**8.6**	**84**	**1**	**2**	**6**	**10**	**18**	**27**	**49**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2104	11.0	55	3	4	10	14	19	24	40
70-74	1651	11.3	54	3	4	10	14	19	24	37
75-79	1048	11.9	55	3	4	11	15	21	26	42
80-84	444	11.9	68	3	5	10	15	20	26	40
85+	197	13.2	82	3	4	11	17	24	31	43
2. MULTIPLE DX										
65-69 YRS	6768	16.3	169	4	5	13	20	32	42	76
70-74	5810	17.0	166	4	5	14	21	34	44	74
75-79	3869	17.8	177	4	6	14	23	35	46	80
80-84	1867	18.8	189	4	6	15	24	36	47	80
85+	1018	19.4	203	4	6	16	25	40	50	92
TOT. SINGLE DX	5444	11.4	57	3	4	10	14	20	25	40
" MULTIPLE DX	19332	17.2	174	4	5	14	22	34	45	77
TOTAL 65-69 YRS	8872	15.0	147	3	5	12	18	29	38	71
70-74	7461	15.7	147	4	5	13	19	31	40	69
75-79	4917	16.5	156	4	5	13	21	32	43	75
80-84	2311	17.5	173	4	6	14	22	34	44	75
85+	1215	18.4	189	4	6	15	23	37	48	87
GRAND TOTAL	**24776**	**15.9**	**154**	**4**	**5**	**13**	**20**	**31**	**41**	**72**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	591	8.2	54	1	2	6	11	18	21	34
70-74	448	9.1	65	2	2	7	12	18	23	40
75-79	273	8.1	48	2	2	6	11	17	23	36
80-84	145	8.4	70	1	2	6	10	16	21	47
85+	77	8.5	70	2	2	6	11	18	28	44
2. MULTIPLE DX										
65-69 YRS	1545	12.5	117	2	3	10	17	25	34	61
70-74	1234	13.0	116	2	3	10	17	26	33	56
75-79	810	13.4	115	2	3	11	17	27	38	53
80-84	440	13.5	93	2	3	11	19	27	31	46
85+	289	15.6	157	2	3	13	22	31	41	99
TOT. SINGLE DX	1534	8.5	59	2	2	6	11	18	22	38
" MULTIPLE DX	4318	13.1	117	2	3	10	17	26	35	58
TOTAL 65-69 YRS	2136	11.3	103	2	2	9	15	23	31	57
70-74	1682	11.9	105	2	3	9	16	24	32	53
75-79	1083	12.1	103	2	3	10	16	25	34	50
80-84	585	12.2	92	2	3	10	17	25	30	46
85+	366	14.1	147	2	3	11	20	28	39	93
GRAND TOTAL	**5852**	**11.9**	**106**	**2**	**2**	**9**	**16**	**24**	**32**	**54**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	153	11.2	89	3	4	9	13	22	28	98
70-74	112	10.3	49	2	3	9	13	21	25	34
75-79	46	12.1	57	4	6	10	14	20	32	36
80-84	21	9.0	30	3	4	6	12	16	20	24
85+	14	9.5	31	1	4	9	13	17	21	22
2. MULTIPLE DX										
65-69 YRS	402	14.0	125	3	5	11	17	29	38	78
70-74	267	14.4	156	3	4	11	19	25	38	59
75-79	179	14.2	111	4	4	11	19	30	39	86
80-84	98	16.1	209	4	5	11	20	31	43	86
85+	56	14.4	161	4	4	9	18	35	42	66
TOT. SINGLE DX	346	10.8	66	3	4	9	13	21	27	55
" MULTIPLE DX	1002	14.4	141	3	5	11	18	29	38	75
TOTAL 65-69 YRS	555	13.2	116	3	5	10	16	27	37	94
70-74	379	13.2	127	3	4	10	17	24	35	53
75-79	225	13.8	101	4	5	11	17	30	38	67
80-84	119	14.8	185	4	5	10	18	29	40	86
85+	70	13.4	138	4	4	9	16	28	39	63
GRAND TOTAL	**1348**	**13.5**	**124**	**3**	**4**	**10**	**17**	**27**	**37**	**67**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	2	21.5	5	20	20	21	23	23	23	23
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX	1	3.0		3	3	3	3	3	3	3
" MULTIPLE DX	2	21.5	5	20	20	21	23	23	23	23
TOTAL 65-69 YRS	2	21.5	5	20	20	21	23	23	23	23
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+										
GRAND TOTAL	**3**	**15.3**	**116**	**3**	**3**	**20**	**22**	**23**	**23**	**23**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX	1	4.0		4	4	4	4	4	4	4
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
GRAND TOTAL	1	4.0		4	4	4	4	4	4	4

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	714	10.8	92	2	3	8	13	22	29	49
70-74	642	10.9	88	2	3	8	14	23	29	51
75-79	436	11.2	104	2	3	8	14	22	28	51
80-84	271	11.4	81	2	3	9	15	21	29	41
85+	200	11.4	60	3	4	9	15	21	25	42
2. MULTIPLE DX										
65-69 YRS	4030	14.6	136	3	4	11	19	30	38	65
70-74	4154	14.6	136	3	4	11	18	29	38	70
75-79	3943	14.9	133	3	5	12	19	28	38	63
80-84	2882	15.7	153	4	5	12	20	30	39	73
85+	2145	16.1	141	4	5	13	20	31	40	63
TOT. SINGLE DX	2263	11.0	89	2	3	9	14	22	28	49
" MULTIPLE DX	17154	15.0	139	3	5	12	19	29	38	67
TOTAL 65-69 YRS	4744	14.0	131	3	4	11	18	29	37	63
70-74	4796	14.1	131	3	4	11	18	28	37	66
75-79	4379	14.5	131	3	4	11	18	28	37	62
80-84	3153	15.3	148	3	5	12	19	29	38	73
85+	2345	15.7	135	4	5	13	20	30	39	62
GRAND TOTAL	19417	14.6	135	3	4	11	18	29	37	65

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	26	17.2	155	2	3	14	28	37	38	39
70-74	14	10.7	48	2	4	8	16	21	23	23
75-79	7	15.9	290	2	2	9	32	41	41	41
80-84	4	13.0	227	<1	<1	8	22	35	35	35
85+	3	11.0	175	1	1	6	21	26	26	26
2. MULTIPLE DX		•								
65-69 YRS	153	20.2	251	4	5	16	28	40	60	81
70-74	143	20.5	232	4	7	16	26	42	53	95
75-79	112	21.1	253	5	6	17	27	43	54	76
80-84	91	23.8	283	5	7	20	29	48	61	75
85+	76	23.0	197	6	8	20	33	43	52	92
TOT. SINGLE DX	54	14.7	145	1	2	9	23	35	39	41
" MULTIPLE DX	575	21.4	245	5	6	17	28	43	54	84
TOTAL 65-69 YRS	179	19.8	237	3	5	16	28	38	56	81
70-74	157	19.6	223	4	5	16	25	39	52	94
75-79	119	20.8	254	4	5	16	27	43	53	75
80-84	95	23.3	283	4	6	19	29	46	60	75
85+	79	22.6	199	5	7	20	32	42	52	91
GRAND TOTAL	629	20.8	239	4	5	17	28	42	54	82

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	323	8.4	90	1	2	6	10	19	25	54
70-74	300	8.0	54	1	1	6	11	19	25	33
75-79	240	7.8	101	1	1	5	9	17	22	65
80-84	139	8.3	86	1	2	5	10	20	27	46
85+	112	8.2	59	1	2	6	11	15	25	39
2. MULTIPLE DX										
65-69 YRS	1352	11.6	134	2	2	8	15	24	34	64
70-74	1209	11.9	140	2	2	9	14	26	37	64
75-79	1014	12.1	133	2	2	9	15	25	35	63
80-84	665	12.6	151	2	3	9	15	27	38	79
85+	472	13.5	162	2	3	10	17	28	38	82
TOT. SINGLE DX	1114	8.1	79	1	1	5	10	18	25	44
" MULTIPLE DX	4712	12.1	141	2	2	9	15	25	36	67
TOTAL 65-69 YRS	1675	11.0	127	2	2	8	14	23	32	61
70-74	1509	11.1	125	1	2	8	14	24	35	59
75-79	1254	11.3	129	2	2	8	14	23	34	63
80-84	804	11.9	143	2	2	8	15	26	37	74
85+	584	12.5	147	2	2	9	16	26	35	78
GRAND TOTAL	5826	11.4	131	2	2	8	14	24	34	64

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	11	13.6	78	4	6	9	18	29	31	31
70-74	16	19.1	199	7	9	14	19	47	52	54
75-79	5	15.4	74	8	8	13	22	28	28	28
80-84	5	14.2	24	7	7	14	18	20	20	20
85+	2	39.5	1513	12	12	39	67	67	67	67
2. MULTIPLE DX										
65-69 YRS	41	17.0	87	5	8	15	21	39	61	99+
70-74	48	24.6	312	8	9	20	29	51	63	86
75-79	40	24.1	256	7	8	20	37	45	55	69
80-84	19	30.5	350	12	13	25	39	63	70	71
85+	15	25.7	177	10	11	27	40	91	99+	99+
TOT. SINGLE DX	39	17.5	182	6	7	13	20	33	51	67
" MULTIPLE DX	163	23.4	245	8	9	19	30	48	69	99+
TOTAL 65-69 YRS	52	16.3	85	5	7	14	21	35	40	99+
70-74	64	23.2	286	8	9	17	28	48	58	85
75-79	45	23.2	242	8	8	19	34	45	52	69
80-84	24	27.1	323	10	12	19	33	55	70	71
85+	17	27.3	271	10	11	27	43	87	99+	99+
GRAND TOTAL	**202**	**22.2**	**237**	**7**	**9**	**18**	**28**	**46**	**64**	**99+**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	49	17.9	131	5	6	16	24	33	44	52
70-74	39	25.8	357	6	8	20	35	61	67	81
75-79	26	15.5	68	3	5	14	18	29	33	35
80-84	21	21.2	301	7	7	17	22	43	65	78
85+	22	25.8	244	8	9	24	35	45	55	68
2. MULTIPLE DX										
65-69 YRS	229	26.9	342	7	10	23	35	59	76	99+
70-74	289	27.1	377	6	8	22	38	62	78	99+
75-79	288	28.1	371	7	8	25	40	67	90	99+
80-84	239	29.6	338	7	10	27	42	67	99	99+
85+	243	28.5	325	7	10	25	39	58	74	99+
TOT. SINGLE DX	157	21.0	227	6	7	17	27	39	53	77
" MULTIPLE DX	1288	28.0	352	7	9	24	39	61	79	99+
TOTAL 65-69 YRS	278	25.3	317	7	8	21	33	52	74	99+
70-74	328	27.0	374	6	8	22	37	62	77	99+
75-79	314	27.1	358	7	8	23	37	59	81	99+
80-84	260	29.0	339	7	10	25	42	65	93	99+
85+	265	28.3	318	7	10	25	39	58	69	99+
GRAND TOTAL	**1445**	**27.3**	**343**	**7**	**9**	**23**	**38**	**59**	**78**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	333	8.5	48	2	2	7	11	15	19	43
70-74	352	8.8	46	1	2	7	11	18	22	37
75-79	246	9.3	66	1	2	7	11	17	22	41
80-84	125	9.8	65	2	2	8	12	18	22	40
85+	112	11.0	49	2	4	9	15	20	23	35
2. MULTIPLE DX										
65-69 YRS	[illegible]	11.7	86	3	4	9	15	21	28	49
70-74	2186	11.9	82	3	4	10	15	22	28	49
75-79	1831	12.6	91	3	4	10	16	24	30	51
80-84	1191	14.1	107	3	5	12	17	27	33	60
85+	741	14.5	120	4	6	12	17	26	33	63
TOT. SINGLE DX	1168	9.1	54	2	2	7	11	17	22	39
" MULTIPLE DX	8120	12.6	93	3	4	10	16	23	30	54
TOTAL 65-69 YRS	2504	11.3	82	3	4	9	14	21	27	49
70-74	2538	11.5	78	3	4	9	14	21	27	47
75-79	2077	12.3	89	2	4	10	15	23	30	50
80-84	1316	13.7	105	3	4	11	17	26	32	60
85+	853	14.0	112	4	5	11	17	26	32	61
GRAND TOTAL	**9288**	**12.2**	**89**	**3**	**4**	**10**	**15**	**23**	**29**	**51**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	279	16.5	66	8	9	14	20	26	31	54
70-74	198	17.3	78	8	9	16	20	27	32	71
75-79	152	17.8	63	9	11	16	21	27	33	76
80-84	78	21.3	115	10	10	20	26	38	44	90
85+	42	21.2	86	11	12	18	26	34	41	49
2. MULTIPLE DX										
65-69 YRS	856	21.7	159	9	10	18	26	37	47	75
70-74	755	23.3	181	10	11	20	28	40	51	97
75-79	551	24.9	190	10	12	21	30	44	58	85
80-84	346	25.9	195	10	13	23	31	44	54	88
85+	179	27.5	174	12	13	24	34	48	59	91
TOT. SINGLE DX	749	17.7	77	9	10	16	21	28	34	60
" MULTIPLE DX	2687	23.7	180	10	11	20	29	41	52	85
TOTAL 65-69 YRS	1135	20.4	141	9	10	17	25	34	44	73
70-74	953	22.0	165	9	11	19	26	39	48	94
75-79	703	23.4	171	10	11	20	28	40	53	83
80-84	424	25.0	183	10	12	22	30	43	53	89
85+	221	26.3	163	12	13	24	33	45	56	79
GRAND TOTAL	3436	22.4	164	9	11	19	27	39	50	82

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	29	23.7	175	10	12	21	27	34	59	70
70-74	33	21.8	77	13	13	18	25	34	42	50
75-79	12	22.7	317	6	11	17	26	43	70	75
80-84	11	24.6	49	15	16	23	29	34	38	38
85+	2	31.0	98	24	24	31	38	38	38	38
2. MULTIPLE DX										
65-69 YRS	147	27.4	244	12	13	23	33	52	62	91
70-74	116	27.7	248	12	14	22	35	52	63	89
75-79	65	29.3	235	10	13	27	36	57	58	97
80-84	24	34.2	256	13	15	31	48	66	77	99+
85+	11	36.5	212	14	20	38	44	57	65	66
TOT. SINGLE DX	87	23.1	136	12	13	21	27	34	44	73
" MULTIPLE DX	363	28.6	246	12	14	24	36	54	65	98
TOTAL 65-69 YRS	176	26.8	234	11	13	22	32	52	61	88
70-74	149	26.4	216	13	14	21	33	49	55	84
75-79	77	28.3	250	9	13	25	34	56	59	95
80-84	35	31.2	208	14	15	27	44	51	68	99+
85+	13	35.6	189	15	22	38	42	54	64	66
GRAND TOTAL	450	27.5	229	12	13	23	34	51	61	91

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	114	14.4	55	7	8	12	18	22	27	49
70-74	85	13.9	49	8	8	13	15	21	24	49
75-79	43	15.4	68	7	8	13	18	25	30	53
80-84	20	16.0	41	7	8	15	20	25	28	29
85+	17	16.4	42	8	10	15	19	23	31	36
2. MULTIPLE DX										
65-69 YRS	289	19.8	144	8	9	16	24	38	47	65
70-74	224	21.1	163	9	10	17	25	38	49	67
75-79	163	23.9	178	10	11	20	29	42	51	87
80-84	107	24.5	146	10	12	22	32	43	51	99+
85+	55	26.9	193	12	13	25	32	43	51	88
TOT. SINGLE DX	279	14.6	53	8	8	13	17	22	27	50
" MULTIPLE DX	838	22.0	163	9	10	19	27	40	49	73
TOTAL 65-69 YRS	403	18.3	125	8	9	15	21	33	43	56
70-74	309	19.1	142	8	9	15	22	35	44	65
75-79	206	22.1	166	9	11	19	27	40	51	83
80-84	127	23.2	138	9	10	21	29	41	47	99+
85+	72	24.4	177	10	12	21	29	41	48	82
GRAND TOTAL	1117	20.2	146	8	9	17	25	37	47	68

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	182	13.6	87	6	7	11	16	22	27	59
70-74	132	12.9	36	6	7	12	15	20	24	34
75-79	88	14.5	79	6	7	11	17	24	29	52
80-84	63	18.7	114	7	8	16	25	31	40	56
85+	61	19.1	132	7	9	16	22	35	38	63
2. MULTIPLE DX										
65-69 YRS	658	19.1	157	7	9	15	24	36	46	74
70-74	630	22.8	231	7	9	19	28	42	55	89
75-79	527	22.5	197	8	10	19	27	42	53	89
80-84	331	23.5	204	8	10	19	29	42	54	71
85+	237	23.4	159	10	12	20	29	38	46	72
TOT. SINGLE DX	526	14.8	86	6	8	12	18	25	30	55
" MULTIPLE DX	2383	21.9	195	8	9	18	27	40	52	82
TOTAL 65-69 YRS	840	17.9	146	7	8	14	22	33	43	74
70-74	762	21.1	211	7	8	17	26	39	50	85
75-79	615	21.4	188	8	9	18	26	40	52	86
80-84	394	22.7	193	8	9	19	28	40	53	70
85+	298	22.5	156	9	11	19	28	38	46	67
GRAND TOTAL	2909	20.6	183	7	9	17	25	38	49	77

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	948	4.8	40	1	1	2	6	11	15	30
70-74	706	5.4	35	1	1	3	8	13	18	27
75-79	501	5.8	59	1	1	3	7	13	19	34
80-84	235	6.9	72	1	1	3	8	16	24	36
85+	100	7.4	46	1	1	4	11	17	21	30
2. MULTIPLE DX										
65-69 YRS	2581	10.1	78	1	2	8	14	21	26	46
70-74	2342	10.6	80	2	2	8	14	22	27	45
75-79	1792	12.0	116	2	2	10	16	23	32	60
80-84	1079	13.3	114	2	3	11	16	26	34	58
85+	694	15.8	168	2	3	12	21	32	42	69
TOT. SINGLE DX	2490	5.5	46	1	1	3	7	13	18	32
" MULTIPLE DX	8488	11.5	101	2	2	9	15	23	31	51
TOTAL 65-69 YRS	3529	8.6	73	1	2	6	12	19	24	44
70-74	3048	9.4	74	1	2	7	13	20	26	43
75-79	2293	10.6	110	1	2	8	14	22	30	54
80-84	1314	12.1	112	2	2	10	16	24	33	56
85+	794	14.7	161	2	3	12	19	31	40	67
GRAND TOTAL	**10978**	**10.1**	**95**	**1**	**2**	**8**	**14**	**21**	**28**	**48**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	91	16.6	185	7	7	13	19	28	42	98
70-74	84	17.2	109	8	10	14	20	27	33	69
75-79	67	15.5	51	7	8	13	19	24	26	46
80-84	53	15.9	53	8	9	14	20	27	30	38
85+	57	18.3	98	9	9	15	22	29	44	54
2. MULTIPLE DX										
65-69 YRS	573	23.7	252	8	9	19	28	46	59	99+
70-74	525	23.3	222	8	10	19	29	43	60	81
75-79	460	24.3	209	9	10	20	30	45	54	81
80-84	318	23.1	202	10	10	19	29	41	53	91
85+	245	23.5	177	10	11	20	29	45	52	99+
TOT. SINGLE DX	352	16.7	107	7	9	14	20	26	34	71
" MULTIPLE DX	2121	23.6	219	9	10	19	29	44	57	92
TOTAL 65-69 YRS	664	22.7	248	8	9	18	27	44	58	99+
70-74	609	22.4	211	8	10	18	28	41	57	79
75-79	527	23.2	197	9	10	19	29	43	53	79
80-84	371	22.0	187	9	10	18	27	39	48	87
85+	302	22.5	166	10	11	19	27	43	52	92
GRAND TOTAL	**2473**	**22.6**	**209**	**9**	**10**	**18**	**28**	**42**	**55**	**92**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1387	15.4	52	8	9	14	18	23	28	42
70-74	1181	15.7	50	9	10	14	18	23	28	44
75-79	903	17.3	69	9	10	15	20	28	34	50
80-84	517	18.3	91	9	10	16	21	28	35	53
85+	339	19.6	98	10	11	17	23	32	39	53
2. MULTIPLE DX										
65-69 YRS	4418	20.2	134	9	10	17	24	34	44	77
70-74	4362	20.8	132	10	11	18	24	35	44	68
75-79	3898	22.6	153	10	11	19	27	38	49	78
80-84	2556	23.7	151	11	12	21	28	40	49	72
85+	1667	24.9	154	11	13	22	31	41	49	80
TOT. SINGLE DX	4327	16.6	65	9	10	15	19	26	31	48
" MULTIPLE DX	16901	21.9	145	10	11	19	26	37	47	75
TOTAL 65-69 YRS	5805	19.0	118	9	10	16	22	32	40	71
70-74	5543	19.8	119	9	11	17	23	33	42	65
75-79	4801	21.6	142	10	11	18	26	37	46	73
80-84	3073	22.8	145	10	12	20	27	38	47	69
85+	2006	24.1	148	11	12	21	29	40	48	76
GRAND TOTAL	**21228**	**20.8**	**133**	**10**	**11**	**18**	**25**	**35**	**44**	**71**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	76	17.4	128	7	8	14	21	31	46	60
70-74	63	15.8	46	8	8	14	20	25	28	36
75-79	40	16.7	76	7	9	14	18	34	37	38
80-84	25	16.7	91	8	9	14	19	25	40	49
85+	22	19.3	105	8	9	17	24	39	66	99+
2. MULTIPLE DX										
65-69 YRS	319	23.3	222	8	10	20	30	44	51	96
70-74	319	22.6	230	8	10	18	26	43	59	95
75-79	251	25.6	246	9	11	21	32	44	61	86
80-84	161	24.1	137	10	12	22	31	41	47	71
85+	130	27.3	214	10	11	24	33	48	59	82
TOT. SINGLE DX	226	16.9	89	8	8	14	20	29	37	54
" MULTIPLE DX	1180	24.2	218	9	10	20	30	43	56	90
TOTAL 65-69 YRS	395	22.2	209	8	9	18	28	42	50	94
70-74	382	21.5	206	8	9	18	25	41	56	89
75-79	291	24.4	232	9	10	19	32	42	58	[illegible]
80-84	186	23.1	137	10	11	21	30	40	46	70
85+	152	26.1	206	9	11	24	32	48	[illegible]	99
GRAND TOTAL	**1406**	**23.0**	**205**	**8**	**10**	**19**	**29**	**42**	**54**	**86**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	431	11.6	29	4	7	10	14	18	22	32
70-74	377	12.1	64	5	6	11	13	20	25	57
75-79	240	12.6	54	4	6	11	14	20	27	50
80-84	147	12.5	48	4	6	11	15	19	26	43
85+	83	13.0	79	3	5	11	15	23	29	55
2. MULTIPLE DX										
65-69 YRS	954	16.8	144	6	7	13	20	31	41	71
70-74	1021	17.1	138	6	8	14	21	32	42	79
75-79	697	17.7	127	6	8	14	22	32	41	58
80-84	450	19.6	180	7	8	15	23	38	50	79
85+	282	19.0	133	8	9	16	24	34	40	73
TOT. SINGLE DX	1278	12.1	49	4	6	11	14	19	24	45
" MULTIPLE DX	3404	17.6	143	6	8	14	21	33	42	71
TOTAL 65-69 YRS	1385	15.2	114	6	7	12	18	27	35	64
70-74	1398	15.8	123	6	7	13	19	28	39	73
75-79	937	16.4	113	6	7	13	20	30	39	56
80-84	597	17.8	157	6	8	14	21	34	45	70
85+	365	17.6	127	6	8	15	22	33	39	66
GRAND TOTAL	**4682**	**16.1**	**124**	**6**	**7**	**13**	**19**	**29**	**39**	**66**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	102	18.9	138	6	9	16	24	32	39	69
70-74	99	20.8	151	7	9	18	25	37	45	90
75-79	94	20.7	120	9	11	18	25	32	38	71
80-84	59	22.1	140	6	9	20	28	40	48	56
85+	43	20.3	65	9	12	20	24	30	35	45
2. MULTIPLE DX										
65-69 YRS	640	24.9	212	10	11	21	31	46	58	99+
70-74	597	26.8	247	9	12	22	34	48	64	97
75-79	550	27.5	244	11	13	24	35	48	69	99+
80-84	400	27.4	217	10	13	24	35	51	61	99+
85+	316	27.8	209	11	14	24	34	47	60	79
TOT. SINGLE DX	397	20.4	129	8	10	18	25	34	41	75
" MULTIPLE DX	2503	26.7	228	10	12	23	34	48	62	99+
TOTAL 65-69 YRS	742	24.1	206	9	11	21	30	44	57	99+
70-74	696	25.9	237	9	11	22	32	48	63	97
75-79	644	26.5	232	11	12	23	33	46	66	99+
80-84	459	26.7	210	10	12	23	34	49	59	99+
85+	359	26.9	197	10	13	24	33	45	59	76
GRAND TOTAL	**2900**	**25.8**	**219**	**10**	**12**	**22**	**32**	**46**	**60**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	527	8.1	23	3	4	7	10	14	15	31
70-74	344	9.1	25	3	4	8	12	16	19	26
75-79	214	9.4	24	3	4	8	12	16	19	24
80-84	96	10.3	33	4	4	9	14	17	20	33
85+	95	12.1	126	2	4	10	15	21	25	73
2. MULTIPLE DX										
65-69 YRS	664	13.4	87	4	5	11	16	25	28	53
70-74	529	14.9	123	5	6	12	18	25	32	69
75-79	357	15.5	116	5	7	12	18	28	37	67
80-84	202	16.5	110	5	7	13	21	30	39	58
85+	159	17.0	90	5	7	15	22	28	34	53
TOT. SINGLE DX	1276	9.0	33	3	4	8	11	15	19	27
" MULTIPLE DX	1911	14.8	106	5	6	12	18	27	33	61
TOTAL 65-69 YRS	1191	11.1	65	4	4	9	14	20	26	44
70-74	873	12.6	92	4	5	10	16	22	28	56
75-79	571	13.2	90	4	5	11	16	23	31	60
80-84	298	14.5	93	4	5	12	18	28	36	57
85+	254	15.1	109	4	5	13	20	27	32	57
GRAND TOTAL	**3187**	**12.5**	**85**	**4**	**5**	**10**	**15**	**23**	**28**	**53**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	10	10.8	15	6	6	10	15	16	16	16
70-74	3	6.7		6	6	7	7	7	7	7
75-79	3	11.7	30	8	8	9	16	18	18	18
80-84	2	12.5	13	10	10	12	15	15	15	15
85+	3	9.3		9	9	9	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	15	13.0	33	6	6	13	19	22	77	99+
70-74	9	12.2	22	7	7	12	16	18	20	20
75-79	8	12.4	23	8	8	11	13	20	23	23
80-84	6	14.7	33	9	9	13	18	23	24	24
85+	5	12.6	18	8	8	12	15	19	19	19
TOT. SINGLE DX	21	10.3	13	6	6	9	13	16	17	18
" MULTIPLE DX	43	12.9	25	6	7	12	16	22	23	99+
TOTAL 65-69 YRS	25	12.1	26	6	6	12	16	22	38	99+
70-74	12	10.8	22	6	6	9	15	17	20	20
75-79	11	12.2	22	8	8	11	14	20	23	23
80-84	8	14.1	27	9	9	13	17	22	24	24
85+	8	11.4	13	8	8	10	13	17	19	19
GRAND TOTAL	**64**	**12.0**	**23**	**6**	**7**	**11**	**15**	**20**	**22**	**89**

605: Operations on Appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	10	10.6	29	4	5	9	12	20	22	22
70-74	9	12.1	18	7	7	11	15	19	20	20
75-79	6	11.8	111	6	6	7	11	31	33	33
80-84	2	17.0	242	6	6	17	28	28	28	28
85+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
65-69 YRS	13	17.5	97	5	7	14	24	32	38	40
70-74	22	18.5	208	7	9	16	20	24	46	78
75-79	9	34.3	639	15	15	27	37	76	97	97
80-84	3	23.3	10	21	21	22	26	27	27	27
85+	9	19.4	37	11	12	20	23	29	31	31
TOT. SINGLE DX	28	11.9	47	5	6	9	13	21	28	33
" MULTIPLE DX	56	21.3	234	8	9	19	24	31	43	96
TOTAL 65-69 YRS	23	14.5	77	5	7	12	19	26	33	40
70-74	31	16.7	159	7	8	14	20	23	25	78
75-79	15	25.3	535	6	6	20	32	45	84	97
80-84	5	20.8	78	6	6	22	27	28	28	28
85+	10	18.8	37	11	12	18	22	28	31	31
GRAND TOTAL	84	18.1	190	6	7	15	22	29	36	91

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	458	5.4	28	1	2	4	7	11	15	28
70-74	429	6.1	51	1	2	4	7	13	18	35
75-79	319	6.0	32	2	2	4	7	12	19	29
80-84	261	7.3	50	1	2	5	9	15	20	43
85+	168	6.7	28	2	2	5	9	14	17	26
2. MULTIPLE DX										
65-69 YRS	1138	9.6	82	2	2	7	12	19	26	52
70-74	1025	10.7	79	2	3	8	14	22	28	52
75-79	951	11.9	114	2	3	9	15	25	33	60
80-84	714	13.7	143	3	4	10	17	28	38	62
85+	542	13.5	130	3	4	10	16	29	38	59
TOT. SINGLE DX	1635	6.1	38	1	2	4	8	13	18	30
" MULTIPLE DX	4370	11.5	107	2	3	8	15	23	32	57
TOTAL 65-69 YRS	1596	8.4	70	2	2	6	11	18	23	47
70-74	1454	9.3	75	2	2	7	13	19	26	47
75-79	1270	10.4	100	2	2	7	13	22	30	57
80-84	975	12.0	126	2	3	9	14	25	36	56
85+	710	11.9	114	2	3	9	15	25	33	57
GRAND TOTAL	6005	10.0	94	2	2	7	13	21	29	53

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	87	5.9	19	2	2	4	8	11	14	25
70-74	58	7.8	60	2	2	6	9	13	18	50
75-79	20	5.6	17	2	2	4	7	11	15	17
80-84	9	9.0	27	4	5	6	11	18	20	20
85+	6	9.8	221	2	2	4	6	37	40	40
2. MULTIPLE DX										
65-69 YRS	134	10.3	92	2	3	6	13	22	25	57
70-74	104	11.9	85	2	2	9	16	24	36	39
75-79	70	15.6	273	3	3	8	22	36	51	81
80-84	31	15.0	322	3	4	8	17	28	73	77
85+	26	15.9	203	2	4	11	18	40	49	53
TOT. SINGLE DX	180	6.7	39	2	2	5	8	13	16	37
" MULTIPLE DX	365	12.6	155	2	3	8	16	26	37	71
TOTAL 65-69 YRS	221	8.5	68	2	3	6	11	20	24	51
70-74	162	10.4	80	2	2	8	13	22	30	39
75-79	90	13.3	233	2	3	7	15	33	45	79
80-84	40	13.7	260	3	4	8	16	25	53	77
85+	32	14.8	205	2	3	10	17	40	47	53
GRAND TOTAL	545	10.6	124	2	3	7	13	23	32	57

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	416	18.0	63	9	11	17	21	28	32	49
70-74	347	19.7	82	9	11	18	24	30	36	56
75-79	231	19.6	82	6	10	19	24	30	33	49
80-84	110	20.8	71	12	12	19	24	30	35	51
85+	63	22.0	122	9	12	19	27	34	37	72
2. MULTIPLE DX										
65-69 YRS	946	22.8	150	10	11	20	28	39	48	84
70-74	946	23.9	151	10	12	21	29	39	49	69
75-79	690	25.1	161	10	12	22	31	43	52	72
80-84	396	26.6	215	10	13	23	32	44	59	84
85+	228	28.1	202	11	13	25	35	47	56	73
TOT. SINGLE DX	1167	19.3	77	9	11	18	23	30	35	50
" MULTIPLE DX	3206	24.5	167	10	12	22	30	42	51	75
TOTAL 65-69 YRS	1362	21.4	128	9	11	19	26	35	45	69
70-74	1293	22.8	136	9	12	20	28	36	45	67
75-79	921	23.7	147	9	12	21	29	39	49	69
80-84	506	25.3	189	11	13	22	30	42	54	80
85+	291	26.7	191	10	12	24	33	45	53	74
GRAND TOTAL	4373	23.1	148	10	12	20	28	38	48	72

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	204	7.6	45	1	2	6	11	14	20	31
70-74	168	7.8	37	1	2	6	11	16	20	31
75-79	128	9.3	62	1	2	8	11	18	21	41
80-84	73	7.5	46	1	1	5	11	16	19	36
85+	48	8.6	26	2	3	8	13	16	19	20
2. MULTIPLE DX										
65-69 YRS	1236	12.0	83	2	4	10	16	23	29	50
70-74	1058	13.2	117	2	3	10	17	25	34	57
75-79	877	13.6	111	3	4	11	17	24	38	57
80-84	537	15.0	102	3	4	13	19	27	33	54
85+	328	16.7	147	3	5	14	22	34	39	74
TOT. SINGLE DX	621	8.1	45	1	2	6	11	16	20	32
" MULTIPLE DX	4036	13.4	107	3	4	11	17	26	33	56
TOTAL 65-69 YRS	1440	11.4	80	2	3	9	15	22	28	48
70-74	1226	12.4	110	2	3	10	16	24	32	55
75-79	1005	13.1	107	2	4	11	16	23	36	55
80-84	610	14.1	101	2	4	12	18	27	32	51
85+	376	15.6	139	3	4	13	21	33	38	69
GRAND TOTAL	**4657**	**12.7**	**102**	**2**	**3**	**10**	**16**	**25**	**32**	**54**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	161	4.0	5	2	2	4	5	6	8	14
70-74	93	4.7	13	2	2	4	5	8	10	21
75-79	45	4.8	5	2	2	5	6	8	9	11
80-84	14	5.3	6	1	3	5	7	9	10	10
85+	9	8.3	39	3	3	4	15	18	18	18
2. MULTIPLE DX										
65-69 YRS	306	7.7	69	2	3	5	8	14	23	50
70-74	178	6.8	35	2	3	5	8	12	17	35
75-79	91	7.1	27	3	3	6	8	13	14	33
80-84	43	8.9	43	3	4	6	12	16	21	36
85+	19	13.3	141	3	3	9	19	28	40	49
TOT. SINGLE DX	322	4.5	9	2	2	4	5	7	10	19
" MULTIPLE DX	637	7.6	55	2	3	5	8	14	20	42
TOTAL 65-69 YRS	467	6.4	50	2	2	5	7	11	17	39
70-74	271	6.1	29	2	2	5	7	11	17	32
75-79	136	6.3	20	2	3	5	8	11	13	23
80-84	57	8.0	36	3	4	6	10	15	17	35
85+	28	11.7	111	3	3	8	17	25	31	49
GRAND TOTAL	**959**	**6.6**	**41**	**2**	**3**	**5**	**7**	**12**	**17**	**36**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	114	4.9	11	2	2	4	6	9	13	18
70-74	70	5.0	14	2	2	4	5	9	13	23
75-79	41	6.3	18	2	2	5	8	12	15	21
80-84	32	5.3	15	1	2	4	7	10	14	18
85+	12	9.5	79	1	2	6	14	21	30	32
2. MULTIPLE DX										
65-69 YRS	310	7.4	50	2	3	6	8	13	17	36
70-74	240	8.0	42	3	3	6	10	15	18	44
75-79	142	8.5	31	3	4	7	11	16	21	25
80-84	62	9.1	44	2	3	7	11	20	23	31
85+	41	11.0	95	3	3	9	12	21	32	50
TOT. SINGLE DX	269	5.4	17	2	2	4	6	10	14	20
" MULTIPLE DX	795	8.1	46	3	3	6	10	15	20	40
TOTAL 65-69 YRS	424	6.7	41	2	3	5	8	12	16	31
70-74	310	7.4	37	2	3	5	9	14	17	41
75-79	183	8.0	29	2	3	6	10	16	21	24
80-84	94	7.8	37	2	2	6	10	18	22	29
85+	53	10.6	90	2	3	9	12	20	31	50
GRAND TOTAL	**1064**	**7.4**	**40**	**2**	**3**	**6**	**9**	**14**	**18**	**35**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	324	5.7	8	2	3	5	7	9	11	16
70-74	198	6.1	10	2	3	6	7	10	11	18
75-79	103	6.9	10	3	4	6	8	11	14	16
80-84	39	6.6	17	1	2	6	8	12	16	19
85+	24	7.7	51	2	3	5	7	16	23	35
2. MULTIPLE DX										
65-69 YRS	2083	7.8	29	3	4	6	9	13	17	29
70-74	1295	8.3	35	3	4	7	10	15	20	30
75-79	746	9.4	48	3	4	8	11	17	21	38
80-84	290	10.5	58	3	4	8	13	19	26	40
85+	163	10.6	46	3	4	9	14	20	22	38
TOT. SINGLE DX	688	6.1	11	2	3	5	7	10	12	18
" MULTIPLE DX	4577	8.5	37	3	4	7	10	15	20	32
TOTAL 65-69 YRS	2407	7.6	27	3	4	6	9	13	16	27
70-74	1493	8.0	32	3	3	7	9	14	19	29
75-79	849	9.1	44	3	4	7	11	16	21	37
80-84	329	10.0	54	3	4	8	12	19	25	39
85+	187	10.2	47	3	4	8	14	20	22	37
GRAND TOTAL	**5265**	**8.2**	**34**	**3**	**4**	**7**	**10**	**15**	**19**	**31**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	163	5.3	23	1	2	4	6	9	12	29
70-74	110	6.4	30	2	2	5	8	14	17	29
75-79	89	6.2	16	2	3	5	7	10	15	22
80-84	54	7.4	24	2	2	6	9	15	18	23
85+	40	7.1	23	1	2	5	10	15	18	18
2. MULTIPLE DX										
65-69 YRS	365	8.8	58	2	3	6	11	17	24	41
70-74	271	8.5	47	2	3	6	11	17	21	40
75-79	183	10.9	90	3	3	8	13	21	31	50
80-84	103	12.9	176	2	3	9	15	26	42	72
85+	97	11.2	57	3	4	9	14	19	23	44
TOT. SINGLE DX	456	6.1	24	2	2	5	7	12	16	23
" MULTIPLE DX	1019	9.8	75	2	3	7	12	19	25	45
TOTAL 65-69 YRS	528	7.7	50	2	2	5	9	15	20	38
70-74	381	7.9	43	2	3	6	10	16	20	37
75-79	272	9.4	71	2	3	7	11	19	23	48
80-84	157	11.0	130	2	3	8	13	23	32	58
85+	137	10.0	50	3	4	9	13	18	22	43
GRAND TOTAL	**1475**	**8.6**	**62**	**2**	**3**	**6**	**10**	**17**	**23**	**43**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	10	14.6	184	2	2	11	20	36	47	47
70-74	10	13.7	74	3	3	14	16	26	32	32
75-79	5	18.8	128	5	5	20	26	34	34	34
80-84										
85+	3	9.7	176	2	2	2	19	25	25	25
2. MULTIPLE DX										
65-69 YRS	74	19.2	189	3	4	15	28	40	48	53
70-74	47	18.0	185	3	4	15	23	37	45	60
75-79	50	20.9	230	5	6	16	32	40	45	78
80-84	20	18.5	193	3	4	18	21	42	48	52
85+	4	11.3	75	5	5	8	16	24	24	24
TOT. SINGLE DX	28	14.5	124	2	2	13	21	30	35	47
" MULTIPLE DX	195	19.1	196	3	4	16	27	40	46	57
TOTAL 65-69 YRS	84	18.7	188	3	4	14	27	40	47	53
70-74	57	17.3	167	3	4	15	23	35	43	60
75-79	55	20.7	219	5	6	16	32	40	45	76
80-84	20	18.5	193	3	4	18	21	42	48	52
85+	7	10.6	97	2	2	7	20	25	25	25
GRAND TOTAL	**223**	**18.5**	**188**	**3**	**4**	**15**	**27**	**39**	**46**	**56**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	383	9.6	102	1	1	7	13	20	26	57
70-74	231	11.1	104	1	1	9	15	23	36	43
75-79	161	10.9	136	1	1	9	14	22	29	76
80-84	51	13.6	97	1	3	12	19	25	32	49
85+	29	12.9	79	1	3	12	17	24	29	41
2. MULTIPLE DX										
65-69 YRS	1771	14.1	128	2	3	12	19	28	35	61
70-74	1469	15.0	138	2	3	12	20	29	35	61
75-79	1023	16.0	138	2	4	13	21	31	38	61
80-84	486	16.5	124	3	5	14	21	31	40	67
85+	244	17.4	141	3	6	14	23	32	38	57
TOT. SINGLE DX	855	10.6	109	1	1	8	15	22	29	54
" MULTIPLE DX	4993	15.2	134	2	3	13	20	29	36	62
TOTAL 65-69 YRS	2154	13.3	127	1	2	11	18	27	34	60
70-74	1700	14.5	135	2	2	12	19	28	35	59
75-79	1184	15.3	141	2	3	12	20	30	37	61
80-84	537	16.2	122	3	5	14	21	31	39	65
85+	273	16.9	136	3	5	14	22	31	38	55
GRAND TOTAL	**5848**	**14.5**	**133**	**2**	**3**	**12**	**19**	**28**	**36**	**60**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3742	10.1	22	6	6	9	12	16	18	27
70-74	2552	10.9	28	6	6	9	13	17	21	29
75-79	1430	11.8	26	6	7	11	14	18	21	29
80-84	674	13.2	37	7	7	12	16	21	24	35
85+	381	15.4	64	7	8	14	18	24	28	44
2. MULTIPLE DX										
65-69 YRS	8545	14.3	70	6	7	12	17	24	30	49
70-74	7101	15.6	80	7	8	13	19	26	32	51
75-79	5006	17.2	90	8	9	15	21	28	35	58
80-84	2783	19.8	113	8	9	17	24	33	40	59
85+	1812	21.2	136	9	10	19	26	34	43	67
TOT. SINGLE DX	8779	11.1	29	6	6	10	13	18	21	30
" MULTIPLE DX	25247	16.3	91	7	8	14	20	28	34	55
TOTAL 65-69 YRS	12287	13.0	59	6	7	11	16	21	27	45
70-74	9653	14.4	71	6	7	12	17	24	30	48
75-79	6436	16.0	81	7	8	14	19	27	33	52
80-84	3457	18.5	105	8	9	16	23	31	38	57
85+	2193	20.2	128	8	10	18	24	33	40	66
GRAND TOTAL	**34026**	**15.0**	**80**	**6**	**7**	**13**	**18**	**25**	**32**	**51**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	227	14.7	64	2	4	14	18	25	28	41
70-74	197	16.4	129	2	3	15	21	27	34	58
75-79	189	15.9	75	3	4	16	21	28	32	47
80-84	117	18.9	100	5	7	18	24	31	39	53
85+	87	19.3	129	5	7	17	24	36	46	85
2. MULTIPLE DX										
65-69 YRS	704	20.3	133	8	10	18	24	34	43	67
70-74	763	21.6	164	7	10	19	26	37	47	79
75-79	679	22.9	157	8	10	20	28	39	48	76
80-84	532	23.2	120	10	12	21	29	38	45	60
85+	401	25.3	174	10	13	22	30	44	53	70
TOT. SINGLE DX	817	16.5	97	3	5	15	21	28	34	53
" MULTIPLE DX	3079	22.3	151	8	10	20	27	38	47	75
TOTAL 65-69 YRS	931	18.9	122	5	9	17	23	32	40	66
70-74	960	20.5	161	5	8	18	25	35	45	79
75-79	868	21.4	147	6	9	19	27	37	46	75
80-84	649	22.4	119	8	11	20	28	38	45	59
85+	488	24.2	171	8	12	22	29	43	53	71
GRAND TOTAL	3896	21.1	146	6	9	19	26	36	45	70

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	98	14.4	161	1	2	12	23	29	40	51
70-74	108	15.9	202	1	2	13	23	31	36	78
75-79	66	16.3	226	1	2	11	21	38	50	62
80-84	37	13.9	139	1	2	12	20	29	36	51
85+	17	14.6	109	2	2	12	19	31	37	39
2. MULTIPLE DX										
65-69 YRS	365	21.4	295	3	4	18	29	43	56	94
70-74	321	20.6	212	2	5	17	30	43	53	99+
75-79	236	21.7	272	2	5	18	28	46	61	76
80-84	111	19.9	159	6	8	17	24	36	47	61
85+	81	21.5	254	3	6	18	26	40	54	88
TOT. SINGLE DX	326	15.2	181	1	2	12	23	31	40	62
" MULTIPLE DX	1114	21.1	249	3	5	18	28	42	54	90
TOTAL 65-69 YRS	463	19.9	274	2	3	16	27	39	51	92
70-74	429	19.4	213	2	3	16	27	41	50	88
75-79	302	20.5	266	2	4	16	27	44	56	74
80-84	148	18.4	160	3	4	16	24	35	47	60
85+	98	20.3	234	3	5	17	26	39	48	84
GRAND TOTAL	1440	19.8	240	2	3	16	26	41	52	86

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	337	8.0	76	1	1	5	11	18	25	40
70-74	287	8.8	108	1	1	5	12	21	25	56
75-79	207	8.9	98	1	2	6	12	20	28	49
80-84	110	8.5	71	1	2	6	12	17	26	41
85+	69	9.8	69	2	2	8	13	21	24	44
2. MULTIPLE DX										
65-69 YRS	1394	11.5	85	2	3	9	15	23	30	47
70-74	1306	13.1	130	2	3	10	17	26	36	63
75-79	1103	14.0	138	2	3	11	18	28	37	61
80-84	719	15.2	140	3	4	12	19	31	42	63
85+	460	15.2	125	3	4	13	20	30	40	62
TOT. SINGLE DX	1010	8.6	88	1	2	5	12	19	25	45
" MULTIPLE DX	4982	13.3	122	2	3	10	17	27	35	59
TOTAL 65-69 YRS	1731	10.8	85	2	2	9	14	22	29	45
70-74	1593	12.3	129	2	2	9	16	25	34	61
75-79	1310	13.2	135	2	3	10	17	27	36	59
80-84	829	14.3	136	2	3	11	19	29	39	61
85+	529	14.5	121	3	4	12	19	28	39	61
GRAND TOTAL	5992	12.5	120	2	2	10	16	26	34	58

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	5378	5.0	7	2	3	5	6	7	9	13
70-74	4197	5.3	7	2	3	5	6	8	10	14
75-79	2781	5.7	10	3	3	5	7	9	11	16
80-84	1410	6.2	9	3	3	6	8	10	11	18
85+	816	6.6	11	3	3	6	8	10	13	19
2. MULTIPLE DX										
65-69 YRS	5363	7.2	25	3	3	6	8	12	16	28
70-74	4706	8.0	39	3	3	6	9	14	19	34
75-79	3696	8.9	44	3	4	7	11	16	21	36
80-84	2144	10.1	54	3	4	8	12	18	24	40
85+	1402	11.6	78	3	4	9	14	22	29	56
TOT. SINGLE DX	14582	5.4	8	2	3	5	6	8	10	15
" MULTIPLE DX	17311	8.5	43	3	4	7	10	15	20	36
TOTAL 65-69 YRS	10741	6.1	17	3	3	5	7	10	13	23
70-74	8903	6.7	26	3	3	5	8	11	15	27
75-79	6477	7.5	32	3	3	6	9	13	17	30
80-84	3554	8.5	40	3	4	7	10	15	20	35
85+	2218	9.7	59	3	4	8	12	18	25	48
GRAND TOTAL	31893	7.1	29	3	3	6	8	12	16	29

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	760	5.8	6	3	3	5	7	9	10	15
70-74	605	6.0	7	3	3	6	7	9	11	15
75-79	375	6.5	7	3	4	6	8	10	11	16
80-84	174	7.2	10	3	4	6	9	11	13	18
85+	94	8.3	65	2	3	7	9	13	18	53
2. MULTIPLE DX										
65-69 YRS	937	7.6	20	3	4	6	9	12	17	27
70-74	756	8.6	41	3	4	7	10	15	20	36
75-79	585	9.6	58	4	4	8	11	17	21	40
80-84	348	10.8	52	4	5	9	13	19	24	42
85+	186	11.9	67	4	5	9	15	24	32	99+
TOT. SINGLE DX	2008	6.2	10	3	3	6	7	9	11	16
" MULTIPLE DX	2812	9.0	42	3	4	7	10	16	20	35
TOTAL 65-69 YRS	1697	6.8	15	3	4	6	8	11	14	24
70-74	1361	7.4	28	3	4	6	8	12	16	26
75-79	960	8.4	40	3	4	7	9	14	18	29
80-84	522	9.6	41	4	4	8	11	16	21	35
85+	280	10.7	69	3	5	8	13	21	29	91
GRAND TOTAL	**4820**	**7.8**	**31**	**3**	**4**	**6**	**9**	**13**	**17**	**29**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	284	6.1	14	2	3	5	7	10	12	21
70-74	236	6.4	9	3	3	6	8	10	12	14
75-79	230	6.8	14	3	3	6	8	10	11	29
80-84	156	8.3	24	3	4	8	10	14	19	32
85+	114	8.8	21	3	4	8	11	15	18	25
2. MULTIPLE DX										
65-69 YRS	320	8.9	38	3	4	7	10	17	21	31
70-74	346	9.6	42	3	4	8	12	18	24	35
75-79	314	10.9	84	3	4	9	13	19	25	54
80-84	244	12.9	98	5	5	10	15	25	32	63
85+	207	13.4	91	5	5	11	17	26	32	50
TOT. SINGLE DX	1020	7.0	16	3	3	6	8	11	14	25
" MULTIPLE DX	1431	10.8	69	3	4	8	13	20	26	46
TOTAL 65-69 YRS	604	7.6	29	3	3	6	9	13	18	30
70-74	582	8.3	31	3	4	7	10	15	20	32
75-79	544	9.2	59	3	4	7	10	16	23	35
80-84	400	11.1	74	4	5	9	13	20	27	55
85+	321	11.7	71	4	5	9	14	21	29	47
GRAND TOTAL	**2451**	**9.2**	**51**	**3**	**4**	**7**	**11**	**17**	**23**	**37**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	252	5.6	10	2	2	5	7	10	12	20
70-74	149	5.9	9	2	3	5	8	10	13	14
75-79	64	6.0	16	2	3	5	8	10	11	27
80-84	45	7.8	36	2	3	6	9	13	20	35
85+	34	7.6	27	2	3	7	9	13	16	28
2. MULTIPLE DX										
65-69 YRS	495	10.0	61	3	3	8	12	19	27	40
70-74	305	9.9	41	3	4	8	13	17	24	36
75-79	198	10.7	79	3	4	9	12	19	26	55
80-84	97	11.9	59	3	4	10	17	25	29	67
85+	71	13.3	73	4	5	11	16	27	31	48
TOT. SINGLE DX	544	6.0	14	2	3	5	8	11	12	23
" MULTIPLE DX	1166	10.4	60	3	4	8	13	19	27	41
TOTAL 65-69 YRS	747	8.5	48	2	3	7	10	17	23	37
70-74	454	8.5	34	3	3	7	11	16	20	32
75-79	262	9.6	68	3	3	8	11	16	25	46
80-84	142	10.6	55	3	4	8	14	23	28	39
85+	105	11.5	65	3	3	9	14	19	28	43
GRAND TOTAL	**1710**	**9.0**	**50**	**3**	**3**	**7**	**11**	**17**	**24**	**37**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1010	7.5	15	3	4	7	9	12	14	23
70-74	695	7.7	15	3	4	7	9	13	15	22
75-79	417	8.8	26	3	4	8	10	14	18	28
80-84	177	8.3	17	3	4	7	10	15	17	20
85+	79	9.0	29	3	4	8	11	14	18	31
2. MULTIPLE DX										
65-69 YRS	1544	10.8	53	4	5	9	13	19	24	39
70-74	1247	11.7	71	4	5	10	14	20	26	41
75-79	765	13.2	94	5	5	10	16	25	33	47
80-84	353	13.8	87	4	6	11	17	25	31	58
85+	181	14.5	111	5	6	11	17	30	38	63
TOT. SINGLE DX	2378	7.9	18	3	4	7	9	13	16	24
" MULTIPLE DX	4090	12.0	73	4	5	10	14	22	28	45
TOTAL 65-69 YRS	2554	9.5	41	3	4	8	11	17	22	35
70-74	1942	10.3	55	4	4	8	12	18	23	38
75-79	1182	11.7	74	4	5	9	13	22	28	46
80-84	530	11.9	70	4	5	10	14	21	27	49
85+	260	12.9	92	4	5	10	15	26	33	53
GRAND TOTAL	**6468**	**10.5**	**57**	**4**	**4**	**8**	**12**	**19**	**24**	**41**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	126	11.5	43	4	5	10	14	20	22	40
70-74	82	10.9	32	4	5	10	13	18	22	32
75-79	46	12.3	120	4	5	10	16	20	22	76
80-84	25	12.7	43	4	4	11	16	25	25	26
85+	17	13.8	120	4	4	11	20	27	40	46
2. MULTIPLE DX										
65-69 YRS	372	14.6	98	5	7	12	17	24	30	70
70-74	301	16.1	97	6	7	14	19	29	35	63
75-79	177	17.7	82	7	9	16	22	32	38	46
80-84	84	20.5	162	8	9	18	24	36	42	77
85+	65	19.1	106	8	9	17	22	30	40	59
TOT. SINGLE DX	296	11.7	56	4	5	10	14	21	24	42
" MULTIPLE DX	999	16.4	104	6	8	14	20	28	37	64
TOTAL 65-69 YRS	498	13.8	86	5	6	12	16	23	29	64
70-74	383	15.0	88	5	7	12	18	27	32	51
75-79	223	16.6	94	5	7	14	21	28	37	54
80-84	109	18.7	145	6	8	15	22	34	39	72
85+	82	18.0	112	5	8	15	22	30	41	58
GRAND TOTAL	**1295**	**15.3**	**97**	**5**	**7**	**13**	**19**	**27**	**35**	**61**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	341	10.1	76	2	2	8	13	21	27	50
70-74	259	11.1	72	2	3	9	14	25	30	38
75-79	162	12.3	100	2	3	10	15	23	35	46
80-84	104	13.8	123	2	3	11	19	27	37	55
85+	56	13.2	152	2	2	10	19	27	32	75
2. MULTIPLE DX										
65-69 YRS	1073	17.1	165	3	5	14	22	33	43	68
70-74	918	18.6	183	4	5	15	24	36	45	73
75-79	694	18.9	160	4	5	16	25	35	44	66
80-84	369	19.8	180	4	7	17	26	36	44	75
85+	243	19.2	163	4	6	15	25	38	45	73
TOT. SINGLE DX	922	11.4	90	2	3	9	15	24	30	48
" MULTIPLE DX	3297	18.4	171	4	5	15	24	35	44	71
TOTAL 65-69 YRS	1414	15.4	153	2	4	12	20	31	41	67
70-74	1177	16.9	168	3	4	13	22	34	43	69
75-79	856	17.6	155	3	5	15	23	34	43	65
80-84	473	18.5	173	4	5	16	24	35	42	74
85+	299	18.1	166	3	5	15	23	36	44	75
GRAND TOTAL	**4219**	**16.8**	**162**	**3**	**4**	**14**	**22**	**33**	**42**	**67**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	377	14.9	79	5	7	12	19	26	33	42
70-74	274	15.7	99	5	7	13	19	28	33	53
75-79	197	16.9	126	6	7	14	21	27	34	67
80-84	128	15.9	97	6	8	14	19	27	31	60
85+	73	17.3	103	5	8	16	22	30	36	57
2. MULTIPLE DX										
65-69 YRS	1244	21.1	183	7	8	18	26	40	50	83
70-74	1036	21.9	208	8	9	18	27	42	53	81
75-79	830	22.7	223	8	10	19	28	42	58	99
80-84	514	24.7	212	9	11	21	30	44	55	92
85+	342	23.9	194	8	10	21	31	43	51	96
TOT. SINGLE DX	1049	15.8	97	6	7	13	20	27	33	49
" MULTIPLE DX	3966	22.4	204	8	9	19	28	41	53	91
TOTAL 65-69 YRS	1621	19.6	166	7	8	16	24	37	46	78
70-74	1310	20.6	191	7	8	17	26	38	51	80
75-79	1027	21.6	209	7	9	18	26	39	52	94
80-84	642	23.0	202	8	10	19	28	42	54	87
85+	415	22.7	184	8	9	20	28	41	50	93
GRAND TOTAL	**5015**	**21.0**	**189**	**7**	**9**	**17**	**26**	**38**	**50**	**86**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	39	5.6	38	1	1	3	6	14	21	25
70-74	39	4.7	37	<1	1	2	4	13	14	32
75-79	14	3.7	10	1	1	3	5	9	11	11
80-84	7	6.9	52	1	1	2	14	18	18	18
85+	4	3.5	14	1	1	2	6	9	9	9
2. MULTIPLE DX										
65-69 YRS	116	12.0	168	2	2	8	15	29	35	63
70-74	97	16.2	193	2	2	12	23	35	46	64
75-79	52	14.8	165	2	3	12	19	36	52	99
80-84	30	14.9	159	2	2	12	22	36	56	99+
85+	18	14.9	155	1	2	10	20	38	41	41
TOT. SINGLE DX	103	5.0	33	1	1	2	6	13	17	28
" MULTIPLE DX	313	14.2	175	2	2	11	19	33	42	80
TOTAL 65-69 YRS	155	10.4	142	1	2	6	13	24	32	44
70-74	136	12.9	175	1	2	10	17	31	42	60
75-79	66	12.4	153	1	2	9	16	26	46	93
80-84	37	13.4	147	1	2	11	19	32	49	99+
85+	22	12.9	148	1	2	9	19	35	40	41
GRAND TOTAL	**416**	**11.9**	**155**	**1**	**2**	**9**	**16**	**28**	**39**	**63**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	387	12.7	64	5	6	11	15	20	25	50
70-74	268	12.8	47	5	7	11	15	21	24	37
75-79	219	13.7	59	5	7	11	16	23	29	45
80-84	130	13.9	40	6	8	13	16	22	25	39
85+	89	15.3	48	8	8	14	19	24	29	40
2. MULTIPLE DX										
65-69 YRS	1021	18.3	168	6	7	14	22	36	47	85
70-74	934	19.4	138	7	8	16	25	35	44	75
75-79	707	20.3	170	7	9	17	25	39	50	68
80-84	452	20.9	162	8	10	17	25	36	47	71
85+	369	22.0	201	8	10	18	27	39	52	84
TOT. SINGLE DX	1093	13.3	55	5	7	11	16	22	27	43
" MULTIPLE DX	3483	19.7	165	7	8	16	24	36	47	74
TOTAL 65-69 YRS	1408	16.7	146	5	7	13	20	32	43	72
70-74	1202	17.9	125	7	8	15	22	33	40	64
75-79	926	18.8	152	7	8	15	22	35	45	67
80-84	582	19.3	143	7	9	16	24	33	44	69
85+	458	20.7	178	8	9	17	25	36	44	80
GRAND TOTAL	**4576**	**18.2**	**146**	**6**	**8**	**15**	**22**	**34**	**44**	**69**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	205	14.0	34	8	8	13	17	22	27	32
70-74	167	14.9	36	8	9	14	18	23	26	35
75-79	128	16.3	45	9	10	14	20	25	28	40
80-84	63	17.9	83	9	10	16	22	29	34	58
85+	29	15.7	48	8	8	14	18	25	28	38
2. MULTIPLE DX										
65-69 YRS	728	19.0	130	8	9	16	22	31	42	70
70-74	700	19.5	125	8	9	17	23	33	41	71
75-79	448	20.8	123	9	11	18	25	34	39	70
80-84	251	23.3	143	9	11	20	30	39	47	62
85+	137	24.0	184	9	12	21	30	41	50	77
TOT. SINGLE DX	592	15.3	44	8	9	14	18	23	28	38
" MULTIPLE DX	2264	20.3	134	9	10	18	24	34	43	71
TOTAL 65-69 YRS	933	17.9	113	8	9	15	21	29	38	70
70-74	867	18.6	111	8	9	16	22	31	40	67
75-79	576	19.8	109	9	10	17	24	32	38	67
80-84	314	22.2	135	9	11	19	28	36	46	61
85+	166	22.6	170	9	10	20	28	38	46	71
GRAND TOTAL	**2856**	**19.2**	**119**	**8**	**9**	**17**	**23**	**33**	**40**	**68**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	354	10.4	43	2	3	10	13	17	20	39
70-74	227	10.1	36	2	2	10	13	17	20	32
75-79	133	10.6	41	2	2	10	14	19	23	30
80-84	45	12.6	90	1	2	12	17	25	30	43
85+	23	11.1	79	1	2	10	15	22	30	40
2. MULTIPLE DX										
65-69 YRS	847	15.2	121	3	5	12	19	27	35	61
70-74	633	16.1	121	3	5	14	20	30	39	55
75-79	420	17.1	120	4	6	15	22	31	39	54
80-84	189	19.4	173	5	7	16	25	37	44	72
85+	84	19.3	223	4	6	16	23	40	52	78
TOT. SINGLE DX	782	10.5	44	2	2	10	13	17	22	35
" MULTIPLE DX	2173	16.4	131	3	5	14	21	30	39	60
TOTAL 65-69 YRS	1201	13.8	[illegible]	2	4	11	17	25	32	55
70-74	860	14.6	106	3	4	12	18	27	35	52
75-79	553	15.5	109	2	5	13	20	28	36	52
80-84	234	18.1	164	3	5	15	24	36	43	71
85+	107	17.5	203	2	4	15	22	37	46	72
GRAND TOTAL	**2955**	**14.8**	**115**	**2**	**4**	**12**	**18**	**28**	**36**	**56**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	388	10.6	20	4	6	10	13	16	19	26
70-74	202	11.5	18	5	7	11	14	17	20	23
75-79	76	12.4	28	6	8	12	15	19	23	30
80-84	28	11.6	42	2	7	11	12	15	29	35
85+	13	11.8	24	4	6	11	14	19	21	21
2. MULTIPLE DX										
65-69 YRS	508	14.6	71	5	7	13	17	24	29	48
70-74	392	15.5	83	6	7	13	19	27	32	52
75-79	239	16.2	118	5	7	14	19	29	35	60
80-84	106	19.7	131	8	9	17	24	32	45	61
85+	42	16.9	60	7	8	16	22	30	31	33
TOT. SINGLE DX	707	11.1	22	5	6	10	13	17	20	27
" MULTIPLE DX	1287	15.6	90	6	8	13	19	27	32	55
TOTAL 65-69 YRS	896	12.8	53	5	7	11	15	22	25	40
70-74	594	14.1	64	6	7	12	17	24	29	49
75-79	315	15.3	99	6	7	13	18	26	32	57
80-84	134	18.0	123	7	8	15	23	31	43	61
85+	55	15.7	56	6	7	14	20	28	30	33
GRAND TOTAL	**1994**	**14.0**	**70**	**5**	**7**	**12**	**16**	**23**	**30**	**48**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	48	16.2	80	7	9	14	18	29	34	48
70-74	30	17.4	46	5	7	18	22	27	28	29
75-79	18	20.8	127	9	12	18	22	37	49	55
80-84	7	19.4	182	5	5	23	26	39	42	42
85+										
2. MULTIPLE DX										
65-69 YRS	161	22.0	164	8	10	19	28	39	49	91
70-74	118	24.5	292	9	10	20	29	47	64	99
75-79	84	24.4	141	10	12	22	30	40	43	68
80-84	27	27.8	212	10	12	24	36	55	56	56
85+	12	16.2	182	2	3	9	29	34	37	37
TOT. SINGLE DX	103	17.6	85	6	8	16	21	28	36	51
" MULTIPLE DX	402	23.5	203	8	10	20	30	41	53	90
TOTAL 65-69 YRS	209	20.7	150	8	10	17	26	35	45	73
70-74	148	23.1	250	7	10	19	27	45	55	99
75-79	102	23.8	139	10	12	21	30	40	43	66
80-84	34	26.1	212	7	8	23	35	54	56	56
85+	12	16.2	182	2	3	9	29	34	37	37
GRAND TOTAL	**505**	**22.3**	**184**	**7**	**10**	**19**	**28**	**40**	**49**	**85**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	310	6.5	22	2	2	5	8	12	15	23
70-74	181	6.5	23	2	2	5	9	12	15	23
75-79	100	6.0	20	2	2	5	8	11	16	22
80-84	34	8.6	24	2	4	7	12	17	19	20
85+	17	9.6	179	1	2	6	9	22	46	57
2. MULTIPLE DX										
65-69 YRS	389	9.3	56	2	3	7	12	18	24	40
70-74	322	10.6	67	2	3	8	13	19	30	42
75-79	188	12.7	100	2	3	10	18	25	27	54
80-84	93	12.2	64	3	4	10	16	24	28	36
85+	52	11.3	59	3	3	10	14	22	25	44
TOT. SINGLE DX	642	6.6	26	2	2	5	9	12	16	24
" MULTIPLE DX	1044	10.7	70	2	3	9	13	21	26	43
TOTAL 65-69 YRS	699	8.0	43	2	2	6	10	15	20	36
70-74	503	9.1	55	2	3	7	11	17	24	40
75-79	288	10.4	82	2	2	7	15	22	25	49
80-84	127	11.2	55	3	4	9	14	22	27	[illegible]
85+	69	10.9	87	2	3	9	13	22	25	55
GRAND TOTAL	**1686**	**9.1**	**57**	**2**	**3**	**7**	**12**	**18**	**24**	**39**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3557	4.5	27	1	1	3	6	9	13	24
70-74	3075	4.6	26	1	1	3	6	10	14	27
75-79	2087	5.0	30	1	1	3	6	11	14	28
80-84	1261	5.5	37	1	1	3	7	13	17	32
85+	724	6.6	47	1	1	4	8	15	19	35
2. MULTIPLE DX										
65-69 YRS	9856	8.6	75	1	2	6	11	18	25	45
70-74	9522	9.5	92	1	2	7	12	21	28	49
75-79	7973	10.8	109	2	2	8	14	23	31	54
80-84	5335	11.5	108	2	2	9	15	24	31	54
85+	3861	12.6	114	2	3	10	17	26	33	56
TOT. SINGLE DX	10704	4.9	30	1	1	3	6	11	15	27
" MULTIPLE DX	36547	10.2	98	1	2	8	13	22	29	51
TOTAL 65-69 YRS	13413	7.5	65	1	1	5	10	17	23	43
70-74	12597	8.3	80	1	2	6	11	18	26	44
75-79	10060	9.6	98	1	2	7	13	21	28	50
80-84	6596	10.4	100	1	2	8	14	22	30	52
85+	4585	11.7	108	2	2	9	15	24	32	54
GRAND TOTAL	**47251**	**9.0**	**87**	**1**	**2**	**6**	**12**	**20**	**27**	**47**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1994	4.8	18	1	2	4	6	9	11	23
70-74	2113	5.1	18	1	2	4	6	9	12	23
75-79	1642	5.4	29	2	2	4	6	10	13	24
80-84	1119	5.7	23	2	2	4	7	10	14	25
85+	714	6.3	23	2	2	5	8	12	15	24
2. MULTIPLE DX										
65-69 YRS	2884	7.2	47	2	2	5	9	14	20	36
70-74	3145	8.0	62	2	2	6	10	16	22	40
75-79	2861	9.1	75	2	2	7	11	19	25	46
80-84	2004	9.7	80	2	3	7	12	19	25	50
85+	1443	11.4	102	2	3	8	15	22	31	53
TOT. SINGLE DX	7582	5.3	22	1	2	4	6	10	13	23
" MULTIPLE DX	12337	8.7	71	2	2	6	11	18	24	45
TOTAL 65-69 YRS	4878	6.2	36	2	2	4	7	12	17	32
70-74	5258	6.8	46	2	2	5	8	14	19	34
75-79	4503	7.8	62	2	2	5	9	16	22	41
80-84	3123	8.3	64	2	2	6	10	17	22	43
85+	2157	9.7	82	2	2	7	12	19	26	45
GRAND TOTAL	**19919**	**7.4**	**55**	**2**	**2**	**5**	**9**	**15**	**21**	**39**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	637	8.6	72	1	2	5	12	19	25	39
70-74	581	9.2	78	1	2	7	13	19	25	38
75-79	467	8.8	75	1	2	6	12	19	24	43
80-84	219	9.4	74	1	2	7	14	19	26	40
85+	160	10.2	72	2	2	8	15	21	25	36
2. MULTIPLE DX										
65-69 YRS	1527	13.3	143	2	2	10	18	28	38	70
70-74	1539	13.8	148	2	3	11	18	29	39	64
75-79	1467	14.7	157	2	3	11	19	31	40	69
80-84	934	14.6	145	2	3	11	20	30	36	67
85+	804	16.8	168	3	4	13	23	34	45	67
TOT. SINGLE DX	2064	9.0	74	1	2	6	13	19	25	40
" MULTIPLE DX	6271	14.4	152	2	3	11	19	30	39	67
TOTAL 65-69 YRS	2164	11.9	126	2	2	9	16	26	33	64
70-74	2120	12.5	133	2	2	10	16	27	35	59
75-79	1934	13.3	144	2	2	10	18	29	37	65
80-84	1153	13.6	136	2	3	11	18	29	35	66
85+	964	15.7	158	3	4	12	21	31	42	63
GRAND TOTAL	**8335**	**13.1**	**138**	**2**	**2**	**10**	**17**	**28**	**36**	**62**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	28	3.1	6	1	1	2	3	8	9	10
70-74	10	4.7	19	1	1	3	8	12	13	13
75-79	8	4.8	20	2	2	3	5	12	15	15
80-84	6	4.3	10	<1	<1	4	5	9	10	10
85+	7	4.4	12	1	1	3	7	10	10	10
2. MULTIPLE DX										
65-69 YRS	105	7.1	49	2	2	5	9	15	19	39
70-74	78	7.1	28	2	2	6	10	14	18	27
75-79	78	8.1	38	2	2	7	12	16	21	81
80-84	34	10.8	111	1	2	8	14	23	27	55
85+	16	10.1	54	2	3	9	14	21	26	28
TOT. SINGLE DX	59	3.9	11	1	1	2	5	9	11	15
" MULTIPLE DX	311	7.9	49	2	2	6	11	16	20	41
TOTAL 65-69 YRS	133	6.3	43	1	2	4	8	14	17	30
70-74	88	6.9	28	1	2	5	10	13	17	26
75-79	86	7.7	37	2	2	6	11	16	19	75
80-84	40	9.8	101	<1	1	7	12	21	26	55
85+	23	8.3	47	1	2	6	11	17	23	28
GRAND TOTAL	**370**	**7.3**	**45**	**1**	**2**	**5**	**10**	**15**	**19**	**32**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	218	5.2	24	1	2	4	7	10	12	30
70-74	175	5.1	15	2	2	4	6	10	13	20
75-79	128	5.5	26	1	2	4	7	10	17	32
80-84	59	4.3	8	1	2	4	6	8	9	16
85+	36	6.1	15	1	2	5	9	12	13	17
2. MULTIPLE DX										
65-69 YRS	429	7.3	67	2	2	5	8	15	20	43
70-74	436	8.0	61	2	2	5	11	17	23	37
75-79	342	8.4	51	2	2	6	11	16	25	34
80-84	163	7.9	58	2	2	5	10	17	23	44
85+	108	10.6	78	3	3	9	14	19	24	52
TOT. SINGLE DX	616	5.2	20	1	2	4	6	10	13	21
" MULTIPLE DX	1478	8.1	62	2	2	5	11	17	23	40
TOTAL 65-69 YRS	647	6.6	54	2	2	4	8	13	18	41
70-74	611	7.2	49	2	2	5	9	16	21	33
75-79	470	7.6	46	2	2	5	10	16	24	34
80-84	222	6.9	47	2	2	5	8	15	21	36
85+	144	9.5	66	2	3	8	12	17	20	45
GRAND TOTAL	**2094**	**7.2**	**51**	**2**	**2**	**5**	**9**	**15**	**20**	**37**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	357	4.2	24	1	1	3	5	9	13	21
70-74	328	4.5	16	1	2	3	5	9	13	22
75-79	211	5.3	43	1	1	3	7	9	15	41
80-84	150	4.6	20	1	1	3	5	10	16	22
85+	95	6.7	34	2	2	5	9	15	19	68
2. MULTIPLE DX										
65-69 YRS	1746	8.5	77	1	2	6	11	18	26	40
70-74	1736	8.8	81	1	2	6	11	19	24	46
75-79	1525	10.1	94	2	2	8	13	20	28	52
80-84	1079	10.4	77	2	2	8	13	21	28	44
85+	775	11.6	97	2	3	9	15	24	30	52
TOT. SINGLE DX	1141	4.7	26	1	1	3	6	9	14	25
" MULTIPLE DX	6861	9.6	85	2	2	7	12	20	27	46
TOTAL 65-69 YRS	2103	7.8	70	1	2	5	10	17	23	37
70-74	2064	8.1	73	1	2	5	10	17	23	41
75-79	1736	9.5	90	2	2	7	12	20	27	51
80-84	1229	9.7	73	2	2	7	13	20	28	43
85+	870	11.1	93	2	2	9	14	23	29	52
GRAND TOTAL	8002	8.9	79	1	2	6	11	19	26	45

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	194	5.9	21	2	2	4	7	12	15	24
70-74	160	5.3	20	2	2	4	6	11	15	24
75-79	100	5.6	21	2	2	4	6	10	14	27
80-84	49	5.3	26	2	2	4	6	8	10	36
85+	21	7.6	36	1	1	5	12	16	18	20
2. MULTIPLE DX										
65-69 YRS	415	8.4	81	2	2	6	10	16	23	45
70-74	391	8.4	84	2	2	6	10	17	23	48
75-79	277	8.5	46	2	3	7	10	17	21	37
80-84	196	10.5	83	2	3	8	13	21	28	49
85+	110	11.4	107	2	3	9	15	22	30	57
TOT. SINGLE DX	524	5.7	22	2	2	4	7	11	15	24
" MULTIPLE DX	1389	8.9	78	2	2	6	11	18	23	46
TOTAL 65-69 YRS	609	7.6	63	2	2	5	9	15	20	36
70-74	551	7.5	67	2	2	5	9	15	21	43
75-79	377	7.7	41	2	2	6	10	15	21	35
80-84	245	9.4	76	2	3	7	12	21	25	47
85+	131	10.8	97	2	3	8	14	21	29	52
GRAND TOTAL	1913	8.0	65	2	2	6	10	16	22	42

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	234	10.2	16	6	7	9	11	15	18	22
70-74	157	11.2	27	6	7	10	12	15	18	36
75-79	71	11.2	24	6	7	10	12	16	20	34
80-84	17	10.8	16	5	7	10	12	16	20	22
85+	9	12.6	21	6	7	12	14	20	22	22
2. MULTIPLE DX										
65-69 YRS	412	11.7	31	6	7	10	14	18	23	31
70-74	301	13.0	52	6	7	11	15	21	27	40
75-79	188	14.6	77	7	8	12	17	25	30	47
80-84	63	16.2	89	7	9	14	18	27	38	53
85+	17	17.5	73	7	9	15	21	31	34	36
TOT. SINGLE DX	488	10.7	21	6	7	10	12	16	19	32
" MULTIPLE DX	981	13.0	53	6	7	11	15	21	27	42
TOTAL 65-69 YRS	646	11.1	27	6	7	10	13	17	20	30
70-74	458	12.4	44	6	7	11	14	20	25	39
75-79	259	13.6	64	7	8	11	16	24	28	46
80-84	80	15.1	78	7	9	13	17	25	33	52
85+	26	15.8	59	6	9	14	20	30	32	36
GRAND TOTAL	1469	12.3	43	6	7	10	14	19	24	39

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	49	10.0	22	4	5	9	13	17	18	24
70-74	33	9.6	16	1	5	10	12	15	17	18
75-79	20	10.2	15	4	6	10	12	16	17	17
80-84	13	10.8	12	5	5	11	12	15	17	17
85+	6	9.0	12	5	5	9	12	13	13	13
2. MULTIPLE DX										
65-69 YRS	106	12.2	41	5	6	10	15	20	25	37
70-74	76	11.6	41	4	5	10	14	22	26	30
75-79	45	14.4	90	4	5	12	20	26	31	51
80-84	23	14.7	58	6	8	13	20	27	29	33
85+	7	14.1	85	6	6	12	16	30	33	33
TOT. SINGLE DX	121	10.0	17	4	5	9	12	16	17	23
" MULTIPLE DX	257	12.7	53	4	5	11	16	22	27	36
TOTAL 65-69 YRS	155	11.5	36	5	5	10	15	19	22	32
70-74	109	11.0	34	4	5	10	13	19	23	29
75-79	65	13.1	70	4	5	11	17	24	28	49
80-84	36	13.3	44	5	7	12	16	25	27	33
85+	13	11.8	55	5	6	11	14	20	30	33
GRAND TOTAL	378	11.8	43	4	5	10	14	20	25	33

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	33	5.7	36	1	2	5	6	10	11	35
70-74	17	5.7	22	1	2	4	8	11	16	19
75-79	11	5.1	16	1	1	4	7	12	13	13
80-84	3	4.0	12	2	2	2	7	8	8	8
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
65-69 YRS	92	9.2	45	1	2	8	13	17	20	33
70-74	75	12.1	237	1	1	9	14	26	44	98
75-79	63	10.0	56	2	3	8	13	17	21	42
80-84	32	11.9	53	2	3	10	16	22	27	31
85+	20	13.0	64	2	2	11	17	25	28	31
TOT. SINGLE DX	65	5.5	26	1	2	4	7	11	12	33
" MULTIPLE DX	282	10.8	101	1	2	9	13	20	28	70
TOTAL 65-69 YRS	125	8.3	44	1	2	6	11	17	19	35
70-74	92	10.9	203	1	2	7	13	24	35	97
75-79	74	9.3	53	2	2	8	13	16	20	42
80-84	35	11.2	54	2	2	9	15	21	26	31
85+	21	12.6	63	2	2	11	16	25	28	31
GRAND TOTAL	**347**	**9.8**	**91**	**1**	**2**	**8**	**13**	**19**	**26**	**48**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	16	15.9	194	1	2	11	21	37	48	53
70-74	7	16.3	174	5	5	12	22	38	42	42
75-79	10	11.4	127	1	2	6	19	30	31	31
80-84	5	8.0	26	2	2	8	13	13	13	13
85+	2	22.0	200	2	12	22	32	32	32	32
2. MULTIPLE DX										
65-69 YRS	31	17.8	184	3	4	15	26	33	42	64
70-74	36	16.6	140	2	3	13	21	34	45	48
75-79	28	17.3	178	2	3	14	24	34	49	54
80-84	25	8.2	86	2	2	5	12	14	35	37
85+	24	13.2	121	2	3	10	17	32	36	42
TOT. SINGLE DX	40	14.2	150	1	2	11	18	31	40	53
" MULTIPLE DX	144	15.0	153	2	2	12	21	32	42	55
TOTAL 65-69 YRS	47	17.2	184	2	4	15	25	34	44	64
70-74	43	16.5	142	2	3	13	22	36	45	48
75-79	38	15.7	168	2	3	13	22	31	43	54
80-84	30	8.1	75	2	2	5	12	14	34	37
85+	26	13.9	125	2	3	11	18	32	35	42
GRAND TOTAL	**184**	**14.8**	**151**	**2**	**2**	**12**	**21**	**32**	**42**	**54**

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	5384	7.7	15	4	5	7	9	12	14	22
70-74	4881	8.1	16	4	5	7	9	12	15	22
75-79	3501	8.6	21	4	5	8	10	13	17	26
80-84	1904	9.3	25	4	5	9	11	15	18	29
85+	1074	10.2	30	5	5	9	12	16	20	34
2. MULTIPLE DX										
65-69 YRS	11029	10.5	54	4	5	8	12	19	24	41
70-74	11916	11.6	70	4	5	9	14	21	27	46
75-79	9995	12.6	79	5	5	10	15	23	30	49
80-84	6258	14.1	94	5	6	11	17	26	33	53
85+	4128	15.7	113	5	6	13	20	29	36	59
TOT. SINGLE DX	16744	8.4	19	4	5	7	10	13	16	25
" MULTIPLE DX	43326	12.3	78	5	5	10	15	22	29	49
TOTAL 65-69 YRS	16413	9.6	43	4	5	8	11	16	21	38
70-74	16797	10.6	57	4	5	8	12	18	24	42
75-79	13496	11.5	67	4	5	9	14	21	27	45
80-84	8162	13.0	82	5	6	10	16	24	30	49
85+	5202	14.6	101	5	6	12	18	27	34	54
GRAND TOTAL	**60070**	**11.2**	**65**	**4**	**5**	**9**	**13**	**20**	**26**	**45**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	806	12.6	26	6	8	12	15	19	22	28
70-74	575	12.4	19	7	8	12	15	18	20	26
75-79	389	13.3	26	6	8	12	16	20	23	28
80-84	186	14.8	52	6	8	13	18	23	29	41
85+	66	15.8	56	8	9	14	18	22	28	49
2. MULTIPLE DX										
65-69 YRS	1609	15.4	63	7	8	14	18	24	29	44
70-74	1566	16.0	73	7	8	14	19	26	32	54
75-79	1170	17.1	85	7	9	15	21	27	32	53
80-84	658	18.4	103	8	9	16	22	30	36	59
85+	353	20.5	107	8	10	18	25	35	41	58
TOT. SINGLE DX	2022	13.0	28	6	8	12	15	19	22	30
" MULTIPLE DX	5356	16.6	81	7	9	15	20	27	33	52
TOTAL 65-69 YRS	2415	14.4	52	7	8	13	17	22	27	39
70-74	2141	15.0	61	7	8	13	17	23	29	49
75-79	1559	16.2	73	7	8	14	19	25	31	49
80-84	844	17.6	94	7	9	15	21	29	35	51
85+	419	19.8	101	8	10	17	24	34	41	55
GRAND TOTAL	**7378**	**15.6**	**69**	**7**	**8**	**14**	**19**	**25**	**31**	**48**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1108	3.8	15	1	1	2	4	8	11	18
70-74	918	4.3	26	1	2	3	5	9	12	25
75-79	515	4.6	22	1	1	3	5	10	14	23
80-84	241	4.9	25	1	2	3	6	9	13	23
85+	136	6.7	45	1	2	4	8	14	21	38
2. MULTIPLE DX										
65-69 YRS	1418	7.2	57	1	2	5	9	15	20	38
70-74	1349	8.1	66	2	2	5	10	18	24	41
75-79	1093	9.4	78	2	2	6	13	21	26	44
80-84	571	12.2	119	2	3	9	16	25	34	65
85+	378	13.6	140	2	3	11	18	25	35	64
TOT. SINGLE DX	2918	4.3	22	1	1	3	5	9	12	23
" MULTIPLE DX	4809	9.0	82	2	2	6	12	20	25	44
TOTAL 65-69 YRS	2526	5.7	41	1	2	3	7	12	17	34
70-74	2267	6.6	53	1	2	4	8	15	20	38
75-79	1608	7.8	65	1	2	5	10	18	23	37
80-84	812	10.1	103	2	2	7	13	22	30	55
85+	514	11.8	124	2	2	9	15	23	32	62
GRAND TOTAL	**7727**	**7.2**	**65**	**1**	**2**	**4**	**9**	**16**	**22**	**40**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	117	4.7	8	2	2	4	6	8	10	17
70-74	79	5.4	17	2	2	4	6	11	14	24
75-79	32	5.7	16	2	2	5	7	10	13	21
80-84	31	4.4	7	2	2	4	6	7	10	13
85+	13	4.0	13	1	1	3	4	11	13	13
2. MULTIPLE DX										
65-69 YRS	182	9.4	87	2	3	6	12	20	30	49
70-74	136	10.1	99	2	3	6	13	25	30	54
75-79	107	12.5	109	2	4	10	16	24	35	57
80-84	59	11.5	93	3	4	9	14	22	30	53
85+	42	14.4	221	2	2	10	16	39	43	77
TOT. SINGLE DX	272	4.9	12	2	2	4	6	9	12	20
" MULTIPLE DX	526	10.8	108	2	3	7	14	23	31	52
TOTAL 65-69 YRS	299	7.6	61	2	2	5	8	16	24	44
70-74	215	8.4	74	2	2	5	10	19	27	41
75-79	139	10.9	95	2	3	9	15	21	29	52
80-84	90	9.1	75	2	2	6	11	18	23	51
85+	55	12.0	190	1	2	8	13	25	42	75
GRAND TOTAL	**798**	**8.8**	**83**	**2**	**2**	**5**	**10**	**19**	**27**	**49**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	266	6.4	33	2	2	4	8	12	18	32
70-74	293	6.4	34	2	2	5	8	12	15	29
75-79	266	7.5	33	2	3	5	10	16	19	25
80-84	117	6.6	20	2	2	5	9	14	16	20
85+	53	9.1	58	2	3	6	13	18	28	38
2. MULTIPLE DX										
65-69 YRS	623	10.7	93	2	3	8	14	22	29	55
70-74	738	10.9	88	2	3	8	15	22	28	41
75-79	664	11.6	106	2	3	9	15	22	29	57
80-84	413	11.8	93	3	4	9	15	24	31	48
85+	215	13.7	110	3	4	11	17	29	38	59
TOT. SINGLE DX	995	6.8	34	2	2	5	9	14	18	28
" MULTIPLE DX	2653	11.4	97	2	3	9	15	23	30	50
TOTAL 65-69 YRS	889	9.4	79	2	3	7	12	20	27	49
70-74	1031	9.6	77	2	3	7	13	20	26	39
75-79	930	10.4	88	2	3	8	14	21	26	48
80-84	530	10.6	82	2	3	8	14	21	28	38
85+	268	12.8	103	3	4	10	16	28	37	55
GRAND TOTAL	**3648**	**10.1**	**84**	**2**	**3**	**8**	**13**	**21**	**27**	**47**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	5	3.6	4	2	2	3	5	7	7	7
70-74	1	9.0		9	9	9	9	9	9	9
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+	3	2.7	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	8	3.5	8	1	1	2	6	7	8	8
70-74	2	4.0	8	2	2	4	6	6	6	6
75-79	2	8.5	85	2	2	8	15	15	15	15
80-84	1	4.0		4	4	4	4	4	4	4
85+	5	12.2	276	2	2	4	19	41	41	41
TOT. SINGLE DX	10	3.7	6	1	1	3	4	8	9	9
" MULTIPLE DX	18	6.6	89	1	1	3	6	14	31	41
TOTAL 65-69 YRS	13	3.5	6	1	1	3	6	7	8	8
70-74	3	5.7	12	2	2	6	8	9	9	9
75-79	3	6.3	56	2	2	2	12	15	15	15
80-84	1	4.0		4	4	4	4	4	4	4
85+	8	8.6	183	1	1	3	8	32	41	41
GRAND TOTAL	**28**	**5.5**	**60**	**1**	**1**	**3**	**6**	**11**	**18**	**41**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	21	5.7	98	1	1	3	5	8	26	48
70-74	10	5.0	6	1	2	5	6	8	9	9
75-79	4	6.3	18	3	3	5	9	12	12	12
80-84	2	9.0	8	7	7	9	11	11	11	11
85+										
2. MULTIPLE DX										
65-69 YRS	16	7.2	30	2	2	5	9	14	20	22
70-74	16	10.3	226	2	2	5	9	25	51	62
75-79	14	16.4	211	3	4	11	22	42	50	52
80-84	4	15.5	374	2	2	9	29	43	43	43
85+	2	10.5	61	5	5	10	16	16	16	16
TOT. SINGLE DX	37	5.7	58	1	2	3	7	9	12	48
" MULTIPLE DX	52	11.4	166	2	2	6	14	26	43	62
TOTAL 65-69 YRS	37	6.3	67	1	2	4	7	13	19	48
70-74	26	8.3	145	2	2	5	8	11	34	62
75-79	18	14.2	183	3	3	10	17	36	48	52
80-84	6	13.3	237	2	2	9	15	40	43	43
85+	2	10.5	61	5	5	10	16	16	16	16
GRAND TOTAL	**89**	**9.0**	**128**	**2**	**2**	**5**	**10**	**20**	**41**	**58**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	18	9.7	24	4	5	8	12	18	20	21
70-74	14	9.8	23	1	3	10	13	15	18	19
75-79	14	9.7	27	2	3	8	13	17	19	20
80-84	8	5.5	12	<1	<1	6	8	10	10	10
85+	3	7.7	44	2	2	6	13	15	15	15
2. MULTIPLE DX										
65-69 YRS	47	10.5	24	3	4	10	13	17	18	28
70-74	37	10.9	53	2	3	10	13	22	26	34
75-79	37	13.6	79	3	5	11	17	24	34	41
80-84	13	20.2	116	8	9	16	30	36	38	38
85+	8	12.4	87	1	2	10	17	27	29	29
TOT. SINGLE DX	57	9.0	24	1	3	8	12	16	19	21
" MULTIPLE DX	142	12.4	63	3	4	11	15	24	29	38
TOTAL 65-69 YRS	65	10.3	24	3	4	10	12	17	18	27
70-74	51	10.6	44	2	3	10	13	19	25	34
75-79	51	12.5	67	2	4	10	16	23	28	41
80-84	21	14.6	127	<1	2	10	22	33	36	38
85+	11	11.1	75	1	2	9	14	26	29	29
GRAND TOTAL	**199**	**11.4**	**54**	**2**	**4**	**10**	**14**	**21**	**27**	**38**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	369	4.2	7	2	2	4	5	7	9	13
70-74	222	4.2	7	2	2	4	5	7	8	17
75-79	127	4.5	7	2	2	4	6	8	10	14
80-84	46	4.9	10	1	2	4	6	9	11	16
85+	15	5.7	24	2	2	4	6	13	17	19
2. MULTIPLE DX										
65-69 YRS	499	6.2	25	2	2	5	7	11	15	23
70-74	324	6.9	30	2	3	5	8	12	17	33
75-79	192	7.8	38	2	3	6	10	16	21	40
80-84	75	8.0	44	2	3	7	9	16	21	40
85+	41	10.0	49	2	3	8	14	20	23	33
TOT. SINGLE DX	779	4.3	7	2	2	4	5	7	9	15
" MULTIPLE DX	1131	6.9	31	2	3	5	8	13	18	31
TOTAL 65-69 YRS	868	5.3	18	2	2	4	6	10	13	22
70-74	546	5.8	22	2	2	4	7	10	15	24
75-79	319	6.5	28	2	2	5	8	12	19	31
80-84	121	6.8	33	2	2	5	9	11	17	33
85+	56	8.9	45	2	2	6	13	19	22	32
GRAND TOTAL	**1910**	**5.8**	**23**	**2**	**2**	**4**	**7**	**11**	**15**	**25**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	115	5.8	22	1	2	4	7	11	17	24
70-74	60	7.0	52	1	2	5	8	14	18	47
75-79	36	6.8	21	1	2	5	11	14	15	18
80-84	13	6.7	20	1	2	7	9	13	15	16
85+	11	14.6	625	2	2	7	11	45	85	89
2. MULTIPLE DX										
65-69 YRS	166	7.2	36	2	2	5	9	14	18	29
70-74	109	9.7	70	2	2	7	13	20	29	37
75-79	69	12.6	157	2	3	9	17	26	31	74
80-84	36	11.3	121	2	3	8	14	21	39	53
85+	33	11.9	99	2	2	8	17	27	33	40
TOT. SINGLE DX	235	6.7	58	1	2	5	8	13	16	31
" MULTIPLE DX	413	9.5	81	2	2	7	12	19	27	45
TOTAL 65-69 YRS	281	6.6	31	2	2	5	8	12	17	27
70-74	169	8.8	65	2	2	6	11	17	27	37
75-79	105	10.6	117	2	2	7	14	24	28	61
80-84	49	10.1	97	2	2	8	13	19	22	53
85+	44	12.6	220	2	2	8	16	27	36	89
GRAND TOTAL	**648**	**8.5**	**75**	**2**	**2**	**6**	**10**	**17**	**24**	**44**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	28	11.8	19	5	6	11	15	18	19	20
70-74	22	9.8	20	2	3	9	13	15	17	20
75-79	22	9.1	5	7	7	9	10	13	14	14
80-84	11	12.4	38	3	6	11	16	21	26	27
85+	11	11.9	51	4	5	10	18	22	24	24
2. MULTIPLE DX										
65-69 YRS	107	16.9	82	7	8	14	21	28	33	48
70-74	86	18.2	233	7	8	13	22	33	45	92
75-79	75	19.7	120	7	9	18	24	34	44	91
80-84	49	20.1	105	8	9	18	26	33	39	99+
85+	37	22.4	226	6	8	19	28	47	54	73
TOT. SINGLE DX	94	10.8	23	4	6	10	14	17	20	26
" MULTIPLE DX	354	18.8	146	7	8	16	24	33	43	88
TOTAL 65-69 YRS	135	15.8	73	7	7	13	20	27	31	47
70-74	108	16.5	200	6	7	12	19	29	37	91
75-79	97	17.3	113	7	8	15	22	32	41	83
80-84	60	18.7	101	7	9	16	25	32	37	96
85+	48	20.0	204	5	6	17	25	36	51	73
GRAND TOTAL	**448**	**17.1**	**131**	**6**	**7**	**14**	**21**	**31**	**37**	**73**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	54	10.4	42	5	6	9	12	16	20	38
70-74	53	10.0	18	5	6	9	12	15	19	27
75-79	30	12.8	38	6	7	11	18	21	26	27
80-84	13	12.1	63	4	5	11	14	19	33	36
85+	12	13.0	31	5	5	13	16	21	22	22
2. MULTIPLE DX										
65-69 YRS	139	14.2	63	6	7	11	18	25	29	66
70-74	136	15.3	74	7	7	13	18	26	33	49
75-79	104	18.1	110	7	8	15	24	32	42	76
80-84	64	19.1	112	7	8	16	26	33	40	51
85+	50	19.3	122	7	8	17	23	34	37	66
TOT. SINGLE DX	162	11.1	35	5	6	10	14	18	21	36
" MULTIPLE DX	493	16.5	92	7	8	14	21	29	35	55
TOTAL 65-69 YRS	193	13.1	60	6	6	11	17	23	29	52
70-74	189	13.9	64	6	7	12	16	23	31	45
75-79	134	16.9	98	7	7	14	21	30	39	63
80-84	77	17.9	110	6	8	15	24	33	38	51
85+	62	18.0	110	6	8	16	22	31	36	64
GRAND TOTAL	655	15.1	83	6	7	13	18	28	34	53

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	91	10.8	30	6	6	9	13	17	21	34
70-74	36	11.3	24	6	7	10	13	17	22	28
75-79	28	10.9	19	6	7	10	13	18	21	22
80-84	17	11.4	10	8	8	10	13	17	18	18
85+	9	11.9	18	5	6	11	15	18	19	19
2. MULTIPLE DX										
65-69 YRS	252	14.5	133	6	7	11	16	26	40	68
70-74	175	15.9	98	7	8	13	19	29	34	58
75-79	115	17.5	103	7	8	15	22	29	39	53
80-84	57	16.1	47	7	8	14	21	26	28	32
85+	38	21.0	277	7	8	16	22	55	65	69
TOT. SINGLE DX	181	11.0	24	6	6	10	13	17	21	28
" MULTIPLE DX	637	16.0	121	6	7	12	19	29	38	62
TOTAL 65-69 YRS	343	13.5	108	6	6	10	15	24	35	60
70-74	211	15.1	88	7	7	12	18	28	32	55
75-79	143	16.2	93	7	8	13	20	29	37	52
80-84	74	15.0	42	7	8	13	19	24	28	32
85+	47	19.2	239	6	8	15	20	41	62	69
GRAND TOTAL	818	14.9	103	6	7	12	17	27	34	60

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3	11.0	31	5	5	12	15	16	16	16
70-74	2	12.0	18	9	9	12	15	15	15	15
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	6	16.2	30	10	10	16	18	24	25	25
70-74	3	16.3	226	2	2	23	66	99+	99+	99+
75-79	4	21.3	75	10	10	23	28	29	29	29
80-84	3	23.3	265	12	12	16	35	42	42	42
85+	3	11.3	56	7	7	7	17	20	20	20
TOT. SINGLE DX	5	11.4	20	5	5	12	15	16	16	16
" MULTIPLE DX	19	17.6	98	4	7	17	26	37	71	99+
TOTAL 65-69 YRS	9	14.4	33	5	7	15	18	22	25	25
70-74	5	14.6	123	2	3	15	32	93	99+	99+
75-79	4	21.3	75	10	10	23	28	29	29	29
80-84	3	23.3	265	12	12	16	35	42	42	42
85+	3	11.3	56	7	7	7	17	20	20	20
GRAND TOTAL	24	16.3	87	4	7	15	21	32	56	99+

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2	10.5	5	9	9	10	12	12	12	12
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	10.0		10	10	10	10	10	10	10
80-84										
85+	2	9.5	13	7	7	9	12	12	12	12
2. MULTIPLE DX										
65-69 YRS	6	12.0	21	7	7	10	16	19	19	19
70-74	5	12.6	36	6	6	14	17	20	20	20
75-79	10	20.3	426	6	6	14	19	52	76	76
80-84	3	24.0	283	5	5	30	35	37	37	37
85+	4	9.0	4	6	6	10	10	10	10	10
TOT. SINGLE DX	6	8.7	14	2	2	9	12	12	12	12
" MULTIPLE DX	28	15.9	199	6	6	12	17	30	41	76
TOTAL 65-69 YRS	8	11.6	16	7	8	10	14	18	19	19
70-74	6	10.8	47	2	2	10	16	20	20	20
75-79	11	19.4	393	6	6	14	18	48	74	76
80-84	3	24.0	283	5	5	30	35	37	37	37
85+	6	9.2	5	6	6	10	10	12	12	12
GRAND TOTAL	**34**	**14.6**	**173**	**5**	**6**	**11**	**16**	**29**	**36**	**76**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	90	3.6	15	1	1	3	4	7	9	25
70-74	72	3.1	5	1	1	3	3	6	9	11
75-79	37	3.8	17	1	2	3	4	6	10	25
80-84	16	3.7	10	1	2	3	4	9	12	13
85+	7	4.0	6	<1	<1	4	6	8	8	8
2. MULTIPLE DX										
65-69 YRS	148	4.7	21	1	2	3	5	11	13	24
70-74	114	6.3	78	2	2	3	6	13	21	51
75-79	72	6.7	46	2	2	4	9	15	25	30
80-84	27	7.1	34	2	2	5	10	15	22	23
85+	12	6.6	31	2	2	4	8	17	18	18
TOT. SINGLE DX	222	3.5	11	1	1	3	4	6	9	16
" MULTIPLE DX	373	5.8	45	2	2	3	7	12	19	30
TOTAL 65-69 YRS	238	4.3	19	1	2	3	4	9	12	24
70-74	186	5.1	52	1	2	3	5	10	18	37
75-79	109	5.7	38	2	2	3	6	13	22	29
80-84	43	5.8	28	2	2	3	8	12	18	23
85+	19	5.6	23	1	2	4	7	14	18	18
GRAND TOTAL	**595**	**4.9**	**34**	**1**	**2**	**3**	**5**	**10**	**16**	**29**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	300	4.0	12	1	1	3	5	8	10	20
70-74	175	5.0	19	1	2	3	7	10	11	26
75-79	116	5.3	17	1	2	4	8	11	12	20
80-84	46	7.5	94	1	2	4	9	12	32	47
85+	40	9.1	125	2	2	7	10	14	38	56
2. MULTIPLE DX										
65-69 YRS	625	7.0	55	1	2	5	9	14	20	37
70-74	518	8.3	79	2	2	6	10	16	23	50
75-79	328	7.8	35	2	2	7	10	16	18	28
80-84	176	10.0	79	2	2	8	12	20	30	64
85+	102	9.5	49	2	2	8	13	21	29	99+
TOT. SINGLE DX	677	5.0	29	1	2	3	7	10	12	29
" MULTIPLE DX	1749	8.0	61	2	2	6	10	16	22	40
TOTAL 65-69 YRS	925	6.0	43	1	2	4	8	12	18	33
70-74	693	7.5	66	2	2	5	9	15	21	40
75-79	444	7.1	31	2	2	6	10	15	18	28
80-84	222	9.5	83	2	2	7	12	19	30	54
85+	142	9.4	70	2	2	8	12	19	30	99+
GRAND TOTAL	**2426**	**7.1**	**54**	**2**	**2**	**5**	**9**	**15**	**20**	**36**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3	6.7	6	4	4	7	8	9	9	9
70-74	2	5.5	13	3	3	5	8	8	8	8
75-79										
80-84	1	7.0		7	7	7	7	7	7	7
85+										
2. MULTIPLE DX										
65-69 YRS	2	7.5	13	5	5	7	10	10	10	10
70-74	7	12.4	24	5	6	12	16	18	19	19
75-79	4	7.0	5	4	4	7	8	9	9	9
80-84	1	7.0		7	7	7	7	7	7	7
85+	2	4.5	25	1	1	4	8	8	8	8
TOT. SINGLE DX	6	6.3	5	3	3	7	8	9	9	9
" MULTIPLE DX	16	9.1	23	2	4	8	11	16	18	19
TOTAL 65-69 YRS	5	7.0	7	4	4	7	9	10	10	10
70-74	9	10.9	29	3	4	10	16	18	19	19
75-79	4	7.0	5	4	4	7	8	9	9	9
80-84	2	7.0		7	7	7	7	7	7	7
85+	2	4.5	25	1	1	4	8	8	8	8
GRAND TOTAL	22	8.4	19	2	4	8	10	16	17	19

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	32	3.2	18	1	1	2	3	5	8	25
70-74	22	4.1	16	1	1	3	4	11	14	16
75-79	16	7.7	80	1	2	4	8	16	31	37
80-84	8	6.9	25	2	2	5	10	15	16	16
85+	3	7.0	13	4	4	6	10	11	11	11
2. MULTIPLE DX										
65-69 YRS	91	7.4	79	2	2	4	9	18	30	45
70-74	87	9.6	87	2	2	6	15	22	26	47
75-79	43	8.2	67	2	2	6	9	27	30	99+
80-84	35	10.4	64	2	2	9	15	20	22	39
85+	22	14.1	275	2	3	9	16	31	52	77
TOT. SINGLE DX	81	4.8	32	1	2	3	5	11	16	33
" MULTIPLE DX	278	9.1	95	2	2	6	12	21	29	51
TOTAL 65-69 YRS	123	6.3	66	1	2	3	8	15	22	42
70-74	109	8.4	77	2	2	4	12	20	25	44
75-79	59	8.0	70	2	2	5	9	25	31	94
80-84	43	9.7	58	2	2	9	14	19	21	39
85+	25	13.2	247	2	3	9	14	29	46	77
GRAND TOTAL	359	8.1	84	2	2	4	10	19	28	49

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	695	9.6	18	6	6	8	11	14	17	28
70-74	453	10.0	19	6	6	9	11	15	18	28
75-79	220	11.2	37	6	7	9	13	16	18	37
80-84	109	10.9	15	6	7	10	13	16	19	59
85+	48	11.0	25	6	7	9	13	18	23	27
2. MULTIPLE DX										
65-69 YRS	2463	11.5	47	6	7	9	13	18	23	38
70-74	1515	12.5	57	6	7	10	14	21	27	46
75-79	904	13.9	68	7	7	11	16	24	30	44
80-84	342	14.5	63	7	8	12	18	24	31	49
85+	162	14.6	69	6	7	12	18	26	35	41
TOT. SINGLE DX	1525	10.1	21	6	6	9	11	15	18	28
" MULTIPLE DX	5386	12.5	56	6	7	10	14	21	26	43
TOTAL 65-69 YRS	3158	11.1	41	6	7	9	12	17	22	36
70-74	1968	11.9	49	6	7	10	13	19	26	43
75-79	1124	13.3	63	6	7	11	15	22	29	44
80-84	451	13.6	54	7	8	11	16	22	28	49
85+	210	13.8	61	6	7	11	17	24	30	41
GRAND TOTAL	6911	11.9	49	6	7	10	14	19	25	41

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	493	8.9	10	5	6	8	10	13	14	20
70-74	379	8.9	9	5	6	8	10	13	15	20
75-79	212	9.4	9	6	6	9	11	13	16	21
80-84	89	10.7	45	5	6	10	12	15	21	48
85+	43	9.5	10	5	6	9	11	14	16	18
2. MULTIPLE DX										
65-69 YRS	1660	9.9	23	6	6	9	11	14	18	28
70-74	1260	10.6	36	6	7	9	12	15	19	31
75-79	818	11.3	29	6	7	10	13	18	22	32
80-84	295	11.8	29	6	7	11	13	19	22	34
85+	125	14.0	92	6	7	11	15	22	33	58
TOT. SINGLE DX	1216	9.1	13	5	6	8	10	13	15	22
" MULTIPLE DX	4158	10.6	31	6	7	9	12	16	20	31
TOTAL 65-69 YRS	2153	9.7	20	6	6	9	11	14	17	27
70-74	1639	10.2	30	6	6	9	12	15	18	29
75-79	1030	10.9	26	6	7	10	12	17	21	31
80-84	384	11.5	33	6	7	10	13	18	22	34
85+	168	12.8	75	6	7	11	14	21	23	53
GRAND TOTAL	5374	10.3	27	6	6	9	12	15	19	30

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	15	16.3	21	10	10	16	21	23	23	23
70-74	15	19.4	85	4	10	18	26	32	35	36
75-79	2	27.5	181	18	18	27	37	37	37	37
80-84	3	11.7	58	5	5	10	17	20	20	20
85+										
2. MULTIPLE DX										
65-69 YRS	53	22.6	214	9	9	16	31	45	58	65
70-74	35	22.0	200	10	11	16	26	45	59	64
75-79	23	25.3	249	8	10	21	32	48	59	69
80-84	6	31.5	391	10	10	31	46	59	60	60
85+	2	13.0	8	11	11	13	15	15	15	15
TOT. SINGLE DX	35	17.9	64	6	10	17	23	27	35	37
" MULTIPLE DX	119	23.2	222	9	10	18	31	47	59	66
TOTAL 65-69 YRS	68	21.2	178	9	9	16	24	38	56	64
70-74	50	21.2	165	10	11	17	26	34	49	64
75-79	25	25.4	236	8	10	21	33	47	57	69
80-84	9	24.9	357	5	7	20	38	54	60	60
85+	2	13.0	8	11	11	13	15	15	15	15
GRAND TOTAL	**154**	**22.0**	**190**	**9**	**10**	**17**	**26**	**43**	**55**	**65**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1458	2.9	11	<1	1	2	3	5	9	14
70-74	942	3.3	18	1	1	2	3	6	9	17
75-79	510	3.9	17	1	1	2	4	8	11	23
80-84	216	4.3	27	1	2	3	5	9	12	20
85+	145	5.4	42	1	2	3	6	12	17	39
2. MULTIPLE DX										
65-69 YRS	2496	4.9	45	1	1	3	6	11	16	31
70-74	1592	5.7	55	1	2	3	6	13	19	39
75-79	1090	6.3	64	1	2	3	7	14	20	38
80-84	553	7.9	93	2	2	4	10	18	27	61
85+	317	7.9	81	2	2	5	9	17	25	47
TOT. SINGLE DX	3271	3.4	17	1	1	2	3	6	10	20
" MULTIPLE DX	6048	5.8	58	1	2	3	7	13	19	39
TOTAL 65-69 YRS	3954	4.2	33	1	1	2	4	9	13	27
70-74	2534	4.8	42	1	1	3	5	10	16	34
75-79	1600	5.5	50	1	2	3	6	12	17	32
80-84	769	6.9	77	1	2	4	8	15	23	53
85+	462	7.1	70	1	2	4	8	15	23	44
GRAND TOTAL	**9319**	**5.0**	**45**	**1**	**1**	**3**	**5**	**11**	**16**	**34**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	11.0		11	11	11	11	11	11	11
80-84										
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	9	8.0	61	1	1	8	11	20	26	26
70-74	14	12.3	84	2	2	10	15	22	34	38
75-79	8	10.1	53	2	2	10	17	19	19	19
80-84	7	10.6	24	3	4	11	14	17	17	17
85+	3	13.7	105	5	5	11	21	25	25	25
TOT. SINGLE DX	3	5.0	28	1	1	3	9	11	11	11
" MULTIPLE DX	41	10.7	61	2	2	10	15	19	25	38
TOTAL 65-69 YRS	9	8.0	61	1	1	8	11	20	26	26
70-74	15	11.5	86	1	2	10	15	20	33	38
75-79	9	10.2	46	2	2	11	16	19	19	19
80-84	7	10.6	24	3	4	11	14	17	17	17
85+	4	11.0	99	3	3	8	18	25	25	25
GRAND TOTAL	**44**	**10.3**	**60**	**1**	**2**	**9**	**15**	**19**	**25**	**38**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	9	7.0	3	4	4	8	8	9	9	9
70-74	6	11.2	25	7	7	10	11	20	21	21
75-79	5	9.4	6	7	7	8	11	13	13	13
80-84	2	6.5	5	5	5	6	8	8	8	8
85+										
2. MULTIPLE DX										
65-69 YRS	11	8.8	9	5	5	9	12	40	91	99+
70-74	15	11.7	52	3	5	9	14	21	29	32
75-79	11	12.2	29	7	7	10	16	21	23	23
80-84	5	7.4	1	6	6	7	8	9	9	9
85+										
TOT. SINGLE DX	22	8.6	12	4	5	8	9	12	16	21
" MULTIPLE DX	42	10.6	30	5	6	9	13	19	26	99+
TOTAL 65-69 YRS	20	8.0	7	4	5	8	10	13	53	99+
70-74	21	11.6	42	4	6	9	13	21	26	32
75-79	16	11.3	22	7	7	10	13	19	22	23
80-84	7	7.1	2	5	5	7	8	9	9	9
85+										
GRAND TOTAL	**64**	**9.9**	**24**	**5**	**5**	**9**	**11**	**17**	**22**	**90**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	59	4.8	6	2	2	4	6	9	11	91
70-74	38	5.4	27	2	2	4	5	9	11	34
75-79	28	4.9	11	1	2	4	5	9	11	17
80-84	7	5.3	9	2	2	4	8	10	10	10
85+	7	4.3	2	3	3	4	6	6	6	6
2. MULTIPLE DX										
65-69 YRS	66	5.0	10	2	3	4	5	10	12	87
70-74	56	6.5	37	2	3	4	7	11	15	39
75-79	37	6.4	31	2	2	4	7	14	20	27
80-84	15	8.6	126	3	3	4	9	14	39	47
85+	10	7.4	42	4	4	4	8	18	24	24
TOT. SINGLE DX	139	5.0	13	2	2	4	5	9	11	41
" MULTIPLE DX	184	6.2	34	2	3	4	6	12	15	45
TOTAL 65-69 YRS	125	4.9	8	2	3	4	5	10	12	99+
70-74	94	6.1	33	2	3	4	6	10	14	37
75-79	65	5.8	23	2	2	4	7	11	16	26
80-84	22	7.5	89	2	3	4	9	13	27	47
85+	17	6.1	27	3	3	4	6	12	20	24
GRAND TOTAL	**323**	**5.7**	**25**	**2**	**3**	**4**	**6**	**10**	**13**	**42**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	634	7.9	8	4	5	7	9	11	13	18
70-74	464	8.2	11	4	5	8	9	13	14	18
75-79	266	8.5	12	5	5	8	10	13	15	21
80-84	81	8.6	15	4	5	8	9	13	18	23
85+	22	8.7	13	3	4	8	10	12	16	21
2. MULTIPLE DX										
65-69 YRS	1164	9.8	21	5	5	9	11	15	18	28
70-74	832	10.0	29	5	6	9	11	16	20	30
75-79	463	10.5	36	5	6	9	13	16	21	36
80-84	177	11.5	44	5	6	10	14	19	25	40
85+	65	11.2	26	5	6	10	13	18	20	31
TOT. SINGLE DX	1467	8.2	10	4	5	8	9	12	14	20
" MULTIPLE DX	2701	10.1	28	5	6	9	12	16	20	30
TOTAL 65-69 YRS	1798	9.1	18	4	5	8	11	14	17	25
70-74	1296	9.3	23	5	5	8	11	14	17	28
75-79	729	9.7	28	5	5	8	11	15	18	32
80-84	258	10.6	37	4	5	9	12	18	21	39
85+	87	10.5	24	4	6	9	13	17	20	29
GRAND TOTAL	**4168**	**9.4**	**23**	**5**	**5**	**8**	**11**	**15**	**18**	**28**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	68	7.3	23	2	2	7	9	11	15	30
70-74	40	10.3	62	1	3	9	10	19	30	37
75-79	25	6.4	6	3	4	6	9	10	11	12
80-84	3	6.0	25	<1	<1	6	10	11	11	11
85+	4	7.8	20	2	2	8	11	13	13	13
2. MULTIPLE DX										
65-69 YRS	109	9.9	35	3	4	8	12	18	22	31
70-74	69	10.9	55	2	4	9	13	22	24	42
75-79	60	13.6	159	3	4	10	17	23	33	74
80-84	27	11.7	82	2	3	9	15	25	29	43
85+	12	12.5	93	1	3	9	16	28	33	34
TOT. SINGLE DX	140	8.0	33	2	2	7	10	13	17	36
" MULTIPLE DX	277	11.2	75	3	4	9	13	21	26	44
TOTAL 65-69 YRS	177	8.9	32	2	3	8	10	16	20	31
70-74	109	10.7	57	2	4	9	12	21	25	40
75-79	85	11.5	125	3	4	9	14	20	24	71
80-84	30	11.1	79	2	3	8	14	23	26	43
85+	16	11.3	76	1	2	8	14	25	32	34
GRAND TOTAL	**417**	**10.1**	**63**	**2**	**4**	**8**	**12**	**19**	**24**	**42**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	209	5.9	34	1	2	4	7	12	17	27
70-74	150	6.4	34	1	2	5	8	11	16	30
75-79	128	7.1	34	2	2	6	9	12	16	35
80-84	70	7.6	23	2	3	7	10	14	17	28
85+	53	7.6	43	2	3	6	10	13	14	44
2. MULTIPLE DX										
65-69 YRS	443	9.1	77	2	2	7	10	18	24	50
70-74	339	10.2	80	2	2	8	12	22	31	54
75-79	278	11.3	141	2	3	8	13	22	34	68
80-84	142	11.7	114	2	3	8	14	25	35	51
85+	89	17.1	331	3	4	11	19	35	53	97
TOT. SINGLE DX	610	6.6	34	1	2	5	8	13	16	31
" MULTIPLE DX	1291	10.7	117	2	2	8	12	22	31	58
TOTAL 65-69 YRS	652	8.1	65	2	2	6	9	17	22	49
70-74	489	9.0	69	2	2	7	10	18	27	50
75-79	406	10.0	111	2	2	7	11	19	28	59
80-84	212	10.3	87	2	3	8	12	22	31	49
85+	142	13.5	243	2	3	8	14	29	42	95
GRAND TOTAL	**1901**	**9.4**	**94**	**2**	**2**	**7**	**11**	**18**	**27**	**53**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	164	3.6	9	1	1	3	4	7	10	16
70-74	119	3.7	13	<1	1	3	4	7	9	22
75-79	86	4.6	23	1	2	3	6	9	14	25
80-84	43	5.5	35	1	1	4	7	11	21	28
85+	43	5.2	16	2	2	4	7	8	10	26
2. MULTIPLE DX										
65-69 YRS	243	7.4	88	1	2	4	9	17	22	49
70-74	169	9.1	113	1	2	5	11	21	28	51
75-79	131	9.5	99	2	2	6	12	22	31	51
80-84	99	10.9	139	2	2	7	13	27	39	85
85+	84	9.3	72	2	3	8	11	20	24	87
TOT. SINGLE DX	455	4.2	16	1	2	3	5	8	11	25
" MULTIPLE DX	726	8.9	102	2	2	5	11	20	28	58
TOTAL 65-69 YRS	407	5.9	59	1	2	3	7	13	18	39
70-74	288	6.9	78	1	2	4	8	15	24	49
75-79	217	7.6	75	2	2	4	9	19	24	46
80-84	142	9.3	113	1	2	6	11	24	33	72
85+	127	7.9	56	2	2	6	9	16	23	71
GRAND TOTAL	**1181**	**7.1**	**74**	**1**	**2**	**4**	**8**	**16**	**23**	**49**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	49	10.8	90	2	2	8	16	23	35	99+
70-74	45	10.8	102	2	3	9	12	23	27	60
75-79	27	11.8	99	2	2	11	16	23	56	99+
80-84	23	11.8	116	3	4	9	14	19	34	54
85+	15	14.1	118	3	5	10	17	27	39	43
2. MULTIPLE DX										
65-69 YRS	59	20.9	316	3	5	14	33	50	58	98
70-74	54	19.9	254	3	4	16	28	45	53	62
75-79	63	20.5	190	4	7	17	26	43	51	56
80-84	40	24.1	379	4	6	19	37	50	78	99+
85+	25	18.2	157	2	5	16	26	30	44	55
TOT. SINGLE DX	159	11.4	100	2	3	9	15	23	34	95
" MULTIPLE DX	241	20.8	261	3	5	16	29	48	52	97
TOTAL 65-69 YRS	108	16.3	237	2	3	11	21	42	51	99+
70-74	99	15.8	204	2	3	11	20	39	49	61
75-79	90	17.9	177	3	5	15	23	42	51	82
80-84	63	19.6	315	4	5	14	28	48	56	99+
85+	40	16.7	143	2	5	14	25	29	42	55
GRAND TOTAL	**400**	**17.1**	**218**	**3**	**4**	**12**	**23**	**42**	**51**	**98**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	14	4.8	14	1	1	3	7	11	12	12
70-74	8	5.9	19	1	1	5	8	13	14	14
75-79	1	6.0		6	6	6	6	6	6	6
80-84	3	10.3	16	6	6	11	13	14	14	14
85+										
2. MULTIPLE DX										
65-69 YRS	18	7.1	28	1	2	6	10	17	17	17
70-74	9	13.1	35	4	5	13	16	22	22	22
75-79	9	12.8	150	2	3	9	14	33	43	43
80-84	4	21.5	132	5	5	25	29	31	31	31
85+	1	18.0		18	18	18	18	18	18	18
TOT. SINGLE DX	26	5.8	17	1	1	5	8	12	14	14
" MULTIPLE DX	41	11.3	80	2	2	9	17	22	29	43
TOTAL 65-69 YRS	32	6.1	23	1	1	5	8	13	17	17
70-74	17	9.7	40	1	2	10	14	20	22	22
75-79	10	12.1	138	2	3	8	13	30	43	43
80-84	7	16.7	107	5	5	14	26	30	31	31
85+	1	18.0		18	18	18	18	18	18	18
GRAND TOTAL	**67**	**9.2**	**62**	**1**	**2**	**7**	**13**	**18**	**24**	**41**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3	5.3	33	2	2	2	10	12	12	12
70-74	2	4.0		4	4	4	4	4	4	4
75-79	1	9.0		9	9	9	9	9	9	9
80-84	2	5.5	1	5	5	5	6	6	6	6
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	7	5.4	29	1	1	4	6	15	17	17
70-74	5	5.8	25	2	2	3	10	13	13	13
75-79	7	6.3	14	2	2	7	9	11	11	11
80-84	3	10.0	148	2	2	4	19	24	24	24
85+	3	4.0	12	2	2	2	7	8	8	8
TOT. SINGLE DX	9	5.0	13	1	1	4	7	11	12	12
" MULTIPLE DX	25	6.1	31	1	2	4	8	13	19	24
TOTAL 65-69 YRS	10	5.4	27	1	1	3	6	14	17	17
70-74	7	5.3	17	2	2	4	8	12	13	13
75-79	8	6.6	13	2	2	7	9	11	11	11
80-84	5	8.2	80	2	2	5	10	24	24	24
85+	4	3.3	10	1	1	2	5	8	8	8
GRAND TOTAL	**34**	**5.8**	**26**	**1**	**2**	**4**	**8**	**12**	**16**	**24**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	46	4.1	15	1	2	2	5	10	12	21
70-74	40	5.3	29	1	2	3	6	13	19	22
75-79	34	7.4	46	1	2	5	11	15	19	33
80-84	14	19.8	380	3	4	12	32	52	64	68
85+	8	16.5	339	2	3	8	21	49	58	58
2. MULTIPLE DX										
65-69 YRS	123	10.2	118	2	2	5	14	24	39	99+
70-74	71	10.7	104	2	2	6	16	26	32	44
75-79	57	12.3	148	2	2	10	16	26	32	64
80-84	36	15.6	177	3	4	12	20	29	63	99+
85+	17	12.8	76	2	3	13	18	22	29	33
TOT. SINGLE DX	142	7.5	100	1	2	4	9	16	24	59
" MULTIPLE DX	304	11.5	127	2	2	8	16	25	37	79
TOTAL 65-69 YRS	169	8.5	97	2	2	4	12	21	36	91
70-74	111	8.8	83	2	2	4	13	21	28	41
75-79	91	10.5	115	2	2	8	14	20	29	62
80-84	50	16.8	231	3	4	12	21	40	64	99+
85+	25	14.0	153	2	3	10	18	27	39	58
GRAND TOTAL	**446**	**10.2**	**121**	**2**	**2**	**6**	**14**	**23**	**33**	**64**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	19	6.8	25	1	2	6	9	16	18	18
70-74	9	8.7	77	2	2	5	10	24	27	27
75-79	10	11.0	106	3	3	7	15	28	35	35
80-84	1	3.0		3	3	3	3	3	3	3
85+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	32	11.7	162	2	3	7	15	25	49	54
70-74	22	11.0	90	2	3	9	15	19	30	45
75-79	8	17.5	159	4	4	16	25	37	40	40
80-84	5	48.4	1132	10	10	56	74	89	89	89
85+	5	12.4	196	2	2	5	21	35	35	35
TOT. SINGLE DX	41	8.0	56	1	2	5	9	19	24	35
" MULTIPLE DX	72	14.7	277	2	3	8	17	36	54	85
TOTAL 65-69 YRS	51	9.9	115	1	2	6	13	19	31	54
70-74	31	10.4	85	2	3	7	15	20	27	45
75-79	18	13.9	133	3	3	8	22	33	38	40
80-84	6	40.8	1249	3	4	37	69	87	89	89
85+	7	9.7	152	2	2	3	14	31	35	35
GRAND TOTAL	**113**	**12.3**	**206**	**2**	**3**	**7**	**16**	**27**	**44**	**76**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	16	7.0	103	1	2	4	7	13	34	43
70-74	5	5.8	48	1	1	4	8	18	18	18
75-79	10	6.0	6	3	3	6	7	10	12	12
80-84	2	3.5	5	2	2	3	5	5	5	5
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	39	10.4	113	2	2	6	13	25	34	50
70-74	27	14.2	122	3	4	11	19	34	38	40
75-79	29	8.0	29	2	2	7	11	15	18	23
80-84	12	13.5	86	1	2	12	23	26	28	28
85+	7	25.4	1059	3	3	15	68	97	99+	99+
TOT. SINGLE DX	34	6.2	56	1	2	4	7	12	17	43
" MULTIPLE DX	114	11.9	156	2	2	8	16	26	37	93
TOTAL 65-69 YRS	55	9.4	111	2	2	5	10	23	35	50
70-74	32	12.9	118	2	3	9	18	31	38	40
75-79	39	7.5	24	2	2	7	10	14	17	23
80-84	14	12.1	86	1	2	10	22	25	27	28
85+	8	22.5	976	2	2	6	57	96	99+	99+
GRAND TOTAL	**148**	**10.6**	**138**	**2**	**2**	**7**	**13**	**25**	**36**	**90**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	37	5.7	13	1	2	5	7	12	14	14
70-74	27	7.6	59	1	2	5	9	20	26	32
75-79	24	7.7	47	1	2	6	8	19	24	30
80-84	12	7.3	36	2	2	5	9	19	20	20
85+	5	7.4	22	3	3	7	11	14	14	14
2. MULTIPLE DX										
65-69 YRS	89	11.5	100	3	3	9	13	25	32	57
70-74	68	13.6	150	1	4	9	16	35	44	51
75-79	61	15.1	120	3	4	12	18	31	38	52
80-84	29	16.2	289	2	3	10	18	42	64	69
85+	20	12.5	89	3	4	9	16	30	32	33
TOT. SINGLE DX	105	6.9	35	1	2	5	8	14	20	31
" MULTIPLE DX	267	13.4	137	3	4	10	15	30	39	59
TOTAL 65-69 YRS	126	9.8	81	2	3	8	12	15	28	54
70-74	95	11.9	131	1	3	8	14	25	42	50
75-79	85	13.0	110	2	3	10	16	30	33	50
80-84	41	13.6	228	2	3	9	17	29	54	69
85+	25	11.4	78	3	3	8	14	29	31	33
GRAND TOTAL	**372**	**11.6**	**117**	**2**	**3**	**8**	**14**	**25**	**34**	**53**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	10	6.0	25	1	1	5	8	14	17	17
70-74	7	6.6	48	1	1	4	12	17	18	18
75-79	3	2.7	4	<1	<1	2	4	5	5	5
80-84	1	9.0		9	9	9	9	9	9	9
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	17	8.6	70	1	2	6	11	19	29	34
70-74	11	18.5	821	3	3	8	17	62	96	99
75-79	6	6.8	11	2	2	6	10	11	11	11
80-84	2	40.0	450	25	25	40	55	55	55	55
85+	2	7.5	85	<1	<1	7	14	14	14	14
TOT. SINGLE DX	22	5.7	27	<1	1	4	8	16	17	18
" MULTIPLE DX	38	12.8	333	1	2	7	12	31	48	99
TOTAL 65-69 YRS	27	7.7	53	1	1	6	11	16	23	34
70-74	18	13.9	536	1	2	6	15	33	75	99
75-79	9	5.4	12	<1	1	5	8	11	11	11
80-84	3	29.7	545	9	9	25	47	55	55	55
85+	3	5.7	52	<1	<1	2	11	14	14	14
GRAND TOTAL	**60**	**10.2**	**231**	**1**	**1**	**6**	**11**	**20**	**36**	**95**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	238	9.1	63	2	3	7	11	17	28	49
70-74	170	9.5	59	2	3	7	12	19	25	36
75-79	67	14.0	180	2	3	9	19	27	46	64
80-84	50	15.7	158	3	4	13	20	29	45	67
85+	34	19.0	216	3	4	15	21	46	55	59
2. MULTIPLE DX										
65-69 YRS	363	11.4	132	2	3	8	14	22	31	73
70-74	254	14.2	195	2	3	10	18	32	44	94
75-79	154	17.7	260	3	4	12	23	37	56	96
80-84	107	18.2	180	3	4	17	23	36	47	89
85+	63	24.8	373	3	7	20	31	63	88	99+
TOT. SINGLE DX	559	11.0	102	2	3	8	14	22	31	59
" MULTIPLE DX	941	14.8	204	2	3	10	19	32	45	93
TOTAL 65-69 YRS	601	10.5	106	2	3	8	13	20	30	63
70-74	424	12.3	145	2	3	9	15	26	37	80
75-79	221	16.5	237	3	4	11	22	36	51	82
80-84	157	17.4	173	3	4	15	22	35	46	80
85+	97	22.8	323	3	5	19	29	52	73	99+
GRAND TOTAL	**1500**	**13.4**	**170**	**2**	**3**	**9**	**17**	**29**	**41**	**82**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	494	5.4	12	2	3	5	6	8	10	17
70-74	227	5.4	9	2	3	5	7	8	10	15
75-79	140	5.7	10	2	3	5	7	9	11	19
80-84	52	6.3	12	2	3	5	8	12	13	17
85+	21	6.0	30	1	2	4	7	11	18	26
2. MULTIPLE DX										
65-69 YRS	1751	6.1	19	2	3	5	7	10	13	25
70-74	1020	6.7	30	2	3	5	8	11	14	32
75-79	497	8.0	53	3	3	6	9	15	20	41
80-84	182	8.4	71	3	3	6	9	13	19	52
85+	66	13.0	207	3	4	7	13	31	41	72
TOT. SINGLE DX	934	5.5	11	2	3	5	7	9	11	17
" MULTIPLE DX	3516	6.8	34	3	3	5	8	11	15	33
TOTAL 65-69 YRS	2245	6.0	17	2	3	5	7	9	12	22
70-74	1247	6.5	26	2	3	5	7	11	14	29
75-79	637	7.5	44	3	3	6	8	13	19	36
80-84	234	7.9	59	3	3	6	9	13	18	51
85+	87	11.3	172	2	3	7	11	28	39	71
GRAND TOTAL	**4450**	**6.5**	**30**	**2**	**3**	**5**	**7**	**11**	**14**	**30**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	861	7.4	69	2	2	5	9	15	21	48
70-74	593	8.5	105	2	2	5	10	17	26	49
75-79	380	8.6	81	1	2	6	11	18	23	47
80-84	157	9.7	55	2	3	7	14	21	26	32
85+	104	11.9	106	2	3	9	17	26	36	73
2. MULTIPLE DX										
65-69 YRS	1530	13.3	191	2	3	9	18	30	42	80
70-74	1160	15.3	226	2	3	11	20	36	50	93
75-79	801	17.3	273	2	3	12	23	40	58	99+
80-84	387	17.4	203	3	4	14	24	38	45	79
85+	278	19.0	239	3	4	15	25	43	52	86
TOT. SINGLE DX	2095	8.3	83	2	2	5	10	18	24	48
" MULTIPLE DX	4156	15.4	224	2	3	11	21	36	49	92
TOTAL 65-69 YRS	2391	11.2	155	2	2	6	15	26	37	70
70-74	1753	13.0	195	2	2	8	16	31	43	85
75-79	1181	14.5	227	2	3	10	19	34	48	98
80-84	544	15.2	172	2	3	11	21	32	43	75
85+	382	17.1	212	3	4	13	22	39	50	85
GRAND TOTAL	**6251**	**13.0**	**188**	**2**	**2**	**8**	**17**	**30**	**42**	**80**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	215	12.3	71	3	4	11	15	20	29	48
70-74	200	15.6	129	3	5	13	19	30	36	54
75-79	218	16.1	74	4	5	15	21	28	32	48
80-84	232	18.6	133	5	9	16	21	30	44	63
85+	268	18.2	108	6	9	16	22	29	36	81
2. MULTIPLE DX										
65-69 YRS	286	18.9	189	4	5	15	24	38	46	77
70-74	343	21.3	189	5	7	18	27	40	51	99+
75-79	392	22.6	217	8	10	19	27	41	59	95
80-84	379	21.4	187	7	9	18	26	41	53	99+
85+	452	21.5	149	8	10	18	28	38	48	99+
TOT. SINGLE DX	1133	16.3	108	4	6	15	20	28	35	59
" MULTIPLE DX	1852	21.3	186	6	9	18	27	40	50	99
TOTAL 65-69 YRS	501	16.0	149	3	5	13	19	33	41	62
70-74	543	19.2	174	4	6	16	25	37	47	84
75-79	610	20.3	175	5	8	17	24	36	44	88
80-84	611	20.3	168	6	9	17	24	38	49	88
85+	720	20.3	136	7	9	17	25	35	42	90
GRAND TOTAL	**2985**	**19.4**	**162**	**5**	**7**	**16**	**24**	**36**	**44**	**86**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	646	5.8	60	1	2	3	6	12	19	37
70-74	506	6.7	57	1	2	4	8	17	21	35
75-79	409	8.1	81	2	2	5	10	18	23	44
80-84	255	9.4	109	1	2	6	13	19	25	50
85+	228	10.8	107	2	2	9	14	21	26	74
2. MULTIPLE DX										
65-69 YRS	475	13.7	228	2	2	8	17	33	49	79
70-74	476	14.8	219	2	3	10	20	34	51	79
75-79	465	15.7	184	2	3	12	22	35	46	87
80-84	380	17.7	198	3	4	15	24	36	49	95
85+	325	18.4	230	4	5	15	23	39	55	95
TOT. SINGLE DX	2044	7.5	77	1	2	4	9	17	23	43
" MULTIPLE DX	2121	15.8	214	2	3	12	21	35	49	83
TOTAL 65-69 YRS	1121	9.2	146	1	2	5	11	23	34	66
70-74	982	10.6	152	2	2	6	14	24	35	69
75-79	874	12.2	150	2	2	8	16	28	39	67
80-84	635	14.4	178	2	3	11	20	30	44	84
85+	553	15.3	193	3	4	11	20	33	45	93
GRAND TOTAL	**4165**	**11.7**	**164**	**2**	**2**	**7**	**16**	**27**	**39**	**71**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	237	15.9	55	6	8	15	19	23	28	46
70-74	301	17.5	93	7	9	15	20	29	37	53
75-79	387	18.4	107	7	9	16	22	30	39	68
80-84	417	18.8	93	8	10	17	23	31	41	99+
85+	517	18.4	92	8	10	16	22	30	38	64
2. MULTIPLE DX										
65-69 YRS	365	21.4	140	9	10	19	26	39	49	85
70-74	497	22.8	186	8	10	20	28	43	54	80
75-79	692	23.6	221	9	11	20	28	45	56	97
80-84	800	22.9	175	10	11	19	27	40	53	99
85+	1120	22.3	173	9	11	19	27	38	51	92
TOT. SINGLE DX	1859	18.0	91	7	9	16	21	29	37	63
" MULTIPLE DX	3474	22.7	182	9	11	19	27	40	53	94
TOTAL 65-69 YRS	602	19.2	113	7	10	17	22	34	44	63
70-74	798	20.8	157	8	10	17	25	37	51	75
75-79	1079	21.7	186	8	10	18	25	37	53	93
80-84	1217	21.5	151	9	11	18	26	38	47	99+
85+	1637	21.1	150	9	10	18	25	35	46	84
GRAND TOTAL	**5333**	**21.0**	**155**	**8**	**10**	**18**	**25**	**36**	**48**	**86**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	954	17.1	86	8	9	15	20	26	34	70
70-74	1288	17.9	78	8	9	16	21	27	33	56
75-79	1661	18.8	98	9	10	17	22	29	35	73
80-84	1954	19.2	86	9	11	17	22	30	36	58
85+	2581	19.4	99	8	10	17	23	31	38	63
2. MULTIPLE DX										
65-69 YRS	1796	22.6	182	9	11	19	27	39	54	97
70-74	2488	23.2	169	10	11	20	28	40	52	96
75-79	3451	24.1	187	10	12	21	29	43	55	96
80-84	4149	23.4	171	10	12	20	28	40	52	93
85+	5678	23.1	176	10	12	19	28	41	53	99+
TOT. SINGLE DX	8438	18.8	92	8	10	17	22	29	36	64
" MULTIPLE DX	17562	23.3	177	10	12	20	28	41	53	98
TOTAL 65-69 YRS	2750	20.7	155	8	10	18	24	36	48	90
70-74	3776	21.4	144	9	11	18	25	36	47	82
75-79	5112	22.4	164	9	11	19	27	39	51	88
80-84	6103	22.0	148	10	11	19	26	37	48	90
85+	8259	21.9	155	9	11	19	26	38	48	92
GRAND TOTAL	**26000**	**21.8**	**154**	**9**	**11**	**19**	**26**	**37**	**48**	**90**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	53	19.8	205	5	6	15	23	47	49	64
70-74	79	21.9	325	5	7	17	26	43	62	92
75-79	73	22.0	293	5	5	17	27	39	59	92
80-84	86	23.0	316	5	7	18	26	47	63	92
85+	123	18.6	198	4	6	16	21	34	57	83
2. MULTIPLE DX										
65-69 YRS	104	27.3	405	5	8	20	37	63	71	95
70-74	104	28.1	386	7	8	23	39	58	88	99+
75-79	135	27.8	345	7	10	23	37	54	66	83
80-84	157	23.8	274	6	8	20	31	49	61	99+
85+	217	22.8	245	4	7	19	30	45	64	99+
TOT. SINGLE DX	414	20.9	265	5	6	17	25	39	59	88
" MULTIPLE DX	717	25.4	317	6	8	20	34	54	67	99+
TOTAL 65-69 YRS	157	24.8	348	5	8	18	34	55	65	91
70-74	183	25.4	367	6	8	20	32	54	84	99+
75-79	208	25.7	333	5	8	21	34	53	64	84
80-84	243	23.5	288	6	8	19	30	48	63	99+
85+	340	21.3	232	4	7	17	26	44	61	99+
GRAND TOTAL	**1131**	**23.7**	**302**	**5**	**7**	**19**	**31**	**49**	**64**	**97**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	365	6.1	42	1	1	4	8	12	17	32
70-74	238	6.3	50	1	1	4	7	15	21	39
75-79	179	8.4	70	1	2	5	11	22	26	38
80-84	113	12.7	179	2	2	9	15	27	37	71
85+	99	10.3	77	1	2	7	17	24	29	33
2. MULTIPLE DX										
65-69 YRS	267	12.5	186	1	2	8	16	30	43	68
70-74	231	14.0	166	2	3	10	20	30	37	78
75-79	223	14.3	184	2	3	10	20	28	44	75
80-84	131	16.7	257	3	3	13	21	33	55	95
85+	131	18.5	227	3	4	15	23	48	55	75
TOT. SINGLE DX	994	7.7	73	1	2	5	10	17	25	40
" MULTIPLE DX	983	14.6	199	2	3	10	20	31	48	80
TOTAL 65-69 YRS	632	8.8	112	1	2	5	10	20	30	58
70-74	469	10.1	122	1	2	6	14	24	32	59
75-79	402	11.6	142	2	2	8	16	25	34	67
80-84	244	14.8	224	2	3	10	19	30	47	90
85+	230	15.0	179	2	2	13	21	31	49	66
GRAND TOTAL	**1977**	**11.2**	**147**	**1**	**2**	**7**	**15**	**25**	**34**	**66**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1000	8.9	51	2	3	7	11	16	21	36
70-74	768	9.8	66	2	3	8	12	18	23	45
75-79	508	11.4	86	2	3	9	15	20	26	42
80-84	343	13.4	129	3	4	11	17	25	28	78
85+	269	14.4	103	3	5	12	19	26	31	46
2. MULTIPLE DX										
65-69 YRS	1177	14.2	157	3	4	10	17	28	41	64
70-74	1000	15.2	153	3	4	12	20	30	39	68
75-79	791	17.7	194	4	5	14	22	36	47	88
80-84	503	19.1	189	5	6	16	24	35	48	90
85+	456	21.4	226	5	7	18	26	42	57	82
TOT. SINGLE DX	2888	10.6	79	2	3	8	14	20	25	43
" MULTIPLE DX	3927	16.6	181	3	5	13	21	33	45	74
TOTAL 65-69 YRS	2177	11.7	115	3	4	8	14	23	32	59
70-74	1768	12.8	122	3	4	10	16	25	34	66
75-79	1299	15.2	161	3	4	12	19	30	41	78
80-84	846	16.8	173	3	5	14	21	31	41	81
85+	725	18.8	191	4	6	16	23	35	48	76
GRAND TOTAL	**6815**	**14.1**	**147**	**3**	**4**	**11**	**18**	**28**	**38**	**69**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1280	5.0	27	1	1	3	6	11	15	29
70-74	1083	5.3	34	1	1	3	7	12	15	27
75-79	797	6.1	49	1	1	4	7	14	19	34
80-84	511	6.7	61	1	1	4	9	14	19	38
85+	416	7.2	52	1	1	5	9	17	22	35
2. MULTIPLE DX										
65-69 YRS	1284	10.1	111	1	2	7	13	23	32	64
70-74	1280	10.5	113	1	2	7	14	23	30	63
75-79	1249	11.4	123	2	2	8	15	25	35	76
80-84	916	12.2	140	2	3	9	15	27	37	73
85+	798	12.4	145	2	3	9	16	26	34	68
TOT. SINGLE DX	4087	5.7	40	1	1	4	7	13	17	32
" MULTIPLE DX	5527	11.1	124	2	2	8	14	24	33	68
TOTAL 65-69 YRS	2564	7.5	75	1	1	5	9	17	24	49
70-74	2363	8.1	83	1	1	5	10	18	25	50
75-79	2046	9.3	101	1	2	6	12	21	30	58
80-84	1427	10.2	119	1	2	7	13	22	31	63
85+	1214	10.6	119	1	2	7	14	23	30	61
GRAND TOTAL	**9614**	**8.8**	**96**	**1**	**2**	**6**	**11**	**20**	**28**	**56**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	262	4.3	39	<1	1	2	5	10	15	27
70-74	247	4.9	49	<1	1	2	6	12	19	46
75-79	201	6.6	88	1	1	3	7	16	25	51
80-84	118	7.5	72	1	1	4	10	19	26	41
85+	111	6.7	37	1	1	5	10	15	18	27
2. MULTIPLE DX										
65-69 YRS	301	9.7	152	1	1	6	12	23	32	65
70-74	282	10.1	161	1	1	6	12	22	29	79
75-79	258	11.2	155	1	1	7	15	27	36	62
80-84	205	12.0	187	1	2	7	16	26	41	70
85+	167	14.0	195	2	2	9	20	29	39	94
TOT. SINGLE DX	939	5.7	57	1	1	3	6	14	20	41
" MULTIPLE DX	1213	11.1	168	1	1	7	14	26	35	72
TOTAL 65-69 YRS	563	7.2	106	1	1	4	8	16	25	60
70-74	529	7.7	115	1	1	4	9	19	27	75
75-79	459	9.2	130	1	1	5	12	23	33	55
80-84	323	10.3	149	1	1	6	14	25	33	62
85+	278	11.1	145	1	2	8	15	26	32	74
GRAND TOTAL	**2152**	**8.7**	**127**	**1**	**1**	**5**	**11**	**21**	**29**	**62**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	88	10.2	79	2	2	8	13	21	32	43
70-74	87	10.3	55	2	3	8	16	21	24	33
75-79	76	14.8	100	3	3	14	20	30	40	86
80-84	52	17.5	110	4	5	17	21	31	36	56
85+	63	17.0	78	4	7	16	21	28	36	44
2. MULTIPLE DX										
65-69 YRS	109	15.5	198	3	4	10	21	33	47	64
70-74	98	17.2	179	3	5	14	21	33	47	73
75-79	88	18.3	142	4	5	16	23	36	43	86
80-84	80	23.9	256	7	11	21	27	40	57	91
85+	102	23.5	234	10	11	18	31	39	56	82
TOT. SINGLE DX	366	13.4	90	2	3	12	18	24	33	44
" MULTIPLE DX	477	19.5	211	4	5	16	24	37	50	80
TOTAL 65-69 YRS	197	13.1	151	2	3	9	17	30	42	62
70-74	185	14.0	132	3	3	12	19	26	34	60
75-79	164	16.7	125	3	5	15	21	33	41	94
80-84	132	21.4	207	4	8	18	25	36	54	82
85+	165	21.0	183	6	10	17	24	36	42	80
GRAND TOTAL	**843**	**16.9**	**168**	**3**	**4**	**14**	**21**	**34**	**42**	**67**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	273	11.0	126	2	2	7	14	25	35	61
70-74	212	12.0	148	2	2	7	16	26	39	61
75-79	141	14.2	178	2	2	11	20	32	44	99+
80-84	72	16.5	254	2	3	13	22	35	54	77
85+	55	18.7	235	3	5	15	23	39	49	79
2. MULTIPLE DX										
65-69 YRS	416	16.5	305	3	3	11	21	40	56	84
70-74	338	17.2	209	3	4	14	23	37	49	85
75-79	228	23.3	385	4	5	17	31	53	64	96
80-84	162	23.7	298	4	6	20	30	47	61	78
85+	108	22.2	231	5	6	19	31	45	62	99+
TOT. SINGLE DX	753	13.0	167	2	2	8	18	28	41	72
" MULTIPLE DX	1252	19.4	295	3	4	14	26	43	58	92
TOTAL 65-69 YRS	689	14.4	241	2	3	9	18	32	46	83
70-74	550	15.2	192	2	3	11	20	34	44	71
75-79	369	19.8	325	2	3	15	27	44	61	99
80-84	234	21.5	294	3	4	18	27	45	59	78
85+	163	21.0	233	4	6	18	28	42	58	97
GRAND TOTAL	**2005**	**17.0**	**256**	**2**	**3**	**12**	**23**	**39**	**53**	**85**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1007	14.5	58	6	7	13	18	24	28	41
70-74	456	16.3	99	7	8	14	19	26	34	59
75-79	174	16.9	80	6	8	15	21	27	34	44
80-84	51	18.6	77	8	9	16	23	30	37	43
85+	31	18.4	198	4	7	13	27	36	53	59
2. MULTIPLE DX										
65-69 YRS	1078	18.9	136	7	8	16	23	32	42	69
70-74	687	21.7	154	8	10	19	26	38	49	69
75-79	313	23.1	195	8	9	20	30	42	50	73
80-84	125	27.0	193	10	12	25	33	47	56	92
85+	35	25.8	228	7	9	23	37	44	49	76
TOT. SINGLE DX	1719	15.4	76	6	8	13	19	26	31	47
" MULTIPLE DX	2238	20.9	159	8	9	18	26	37	47	71
TOTAL 65-69 YRS	2085	16.8	103	7	8	14	20	28	35	62
70-74	1143	19.5	139	8	9	17	24	33	43	68
75-79	487	20.9	162	8	9	18	26	38	46	72
80-84	176	24.6	173	9	11	22	30	44	50	83
85+	66	22.3	224	6	7	18	32	41	51	73
GRAND TOTAL	**3957**	**18.5**	**130**	**7**	**8**	**16**	**23**	**32**	**41**	**66**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	356	6.4	15	2	3	6	7	10	14	23
70-74	162	7.0	16	3	4	6	9	12	16	23
75-79	63	6.9	13	2	3	6	9	12	14	17
80-84	22	8.1	16	2	3	9	10	13	16	18
85+	23	5.7	8	2	3	5	7	10	12	13
2. MULTIPLE DX										
65-69 YRS	596	8.3	47	3	3	7	9	15	20	38
70-74	297	9.3	52	2	4	7	11	17	24	40
75-79	145	10.6	92	3	4	8	12	25	29	83
80-84	40	12.3	113	4	4	9	14	23	35	56
85+	17	8.2	37	2	3	7	8	18	23	25
TOT. SINGLE DX	626	6.6	15	2	3	6	8	11	14	22
" MULTIPLE DX	1095	9.0	57	3	3	7	10	17	24	41
TOTAL 65-69 YRS	952	7.6	36	3	3	6	8	13	17	33
70-74	459	8.5	40	3	4	6	10	16	21	36
75-79	208	9.5	71	2	3	8	11	17	27	57
80-84	62	10.8	82	3	4	9	12	19	24	55
85+	40	6.8	21	2	3	6	7	12	17	25
GRAND TOTAL	**1721**	**8.1**	**43**	**3**	**3**	**6**	**9**	**15**	**20**	**37**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	401	5.4	48	1	1	3	6	12	17	31
70-74	232	5.8	44	1	2	3	6	13	22	29
75-79	131	7.4	96	1	2	4	9	16	23	46
80-84	49	9.2	79	1	1	7	12	20	25	48
85+	38	11.6	315	<1	1	5	12	29	59	77
2. MULTIPLE DX										
65-69 YRS	539	8.8	94	2	2	5	10	20	28	45
70-74	355	10.4	125	2	2	7	14	24	34	56
75-79	182	10.6	109	2	2	6	16	24	28	42
80-84	102	13.1	129	2	3	9	21	31	36	77
85+	59	16.2	228	2	4	11	23	34	49	75
TOT. SINGLE DX	851	6.3	70	1	1	3	7	14	22	36
" MULTIPLE DX	1237	10.2	117	2	2	6	13	24	32	55
TOTAL 65-69 YRS	940	7.3	77	1	2	4	9	16	25	44
70-74	587	8.6	98	1	2	5	11	22	28	50
75-79	313	9.3	105	2	2	5	12	22	27	42
80-84	151	11.8	116	2	2	9	17	27	33	56
85+	97	14.4	265	1	2	8	20	29	49	77
GRAND TOTAL	**2088**	**8.6**	**101**	**1**	**2**	**5**	**10**	**21**	**28**	**51**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	60	12.7	41	5	6	11	17	23	24	30
70-74	24	16.2	100	7	8	12	22	30	36	46
75-79	10	14.8	100	3	3	13	23	29	34	34
80-84	2	16.5	5	15	15	16	18	18	18	18
85+	2	13.0	18	10	10	13	16	16	16	16
2. MULTIPLE DX										
65-69 YRS	122	20.8	174	6	8	18	30	44	54	99+
70-74	61	24.6	361	6	8	20	42	66	99+	99+
75-79	27	23.4	159	8	9	21	33	43	48	48
80-84	13	28.2	265	10	11	28	34	48	66	70
85+	7	28.0	150	12	12	29	38	42	43	43
TOT. SINGLE DX	98	13.8	61	5	6	11	19	24	29	40
" MULTIPLE DX	230	22.8	228	6	8	20	31	52	67	99+
TOTAL 65-69 YRS	182	18.1	145	5	7	15	24	37	50	99+
70-74	85	22.2	300	6	8	17	29	58	80	99+
75-79	37	21.1	155	5	8	18	29	40	46	48
80-84	15	26.7	245	10	11	24	34	42	63	70
85+	9	24.7	158	10	11	28	34	42	43	43
GRAND TOTAL	**328**	**20.1**	**194**	**6**	**7**	**16**	**27**	**43**	**55**	**99+**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	291	6.9	63	2	2	4	8	15	19	48
70-74	189	7.5	54	2	2	5	9	17	19	41
75-79	117	7.6	53	2	2	4	10	19	25	31
80-84	55	10.4	92	2	2	6	15	23	35	37
85+	28	13.7	269	1	2	8	22	29	35	80
2. MULTIPLE DX										
65-69 YRS	359	8.8	54	2	2	6	12	19	24	36
70-74	235	11.9	151	2	3	7	15	26	36	69
75-79	156	10.5	96	2	2	7	15	22	29	49
80-84	79	13.1	99	2	3	10	21	24	31	46
85+	41	17.2	187	2	3	14	23	35	47	58
TOT. SINGLE DX	680	7.8	71	2	2	5	10	17	24	43
" MULTIPLE DX	870	10.7	102	2	2	7	15	24	29	50
TOTAL 65-69 YRS	650	7.9	59	2	2	5	10	17	23	36
70-74	424	9.9	112	2	2	6	13	22	29	52
75-79	273	9.3	80	2	2	6	13	21	28	43
80-84	134	12.0	98	2	2	8	18	24	34	41
85+	69	15.8	220	2	2	12	23	33	39	76
GRAND TOTAL	**1550**	**9.4**	**91**	**2**	**2**	**6**	**12**	**21**	**27**	**49**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1600	16.5	42	9	10	16	19	23	28	42
70-74	1438	17.5	50	10	11	16	20	25	30	46
75-79	1050	18.7	59	10	12	17	21	27	32	48
80-84	541	19.9	75	11	12	18	23	29	35	61
85+	293	19.7	83	10	12	18	23	30	36	52
2. MULTIPLE DX										
65-69 YRS	1557	20.6	127	10	11	18	23	32	43	84
70-74	1696	22.0	129	11	12	19	25	37	45	75
75-79	1406	23.4	145	11	13	20	28	39	50	79
80-84	836	25.4	172	12	14	22	30	43	53	85
85+	550	25.2	175	11	13	22	29	44	53	99
TOT. SINGLE DX	4922	17.8	55	10	11	16	20	26	31	46
" MULTIPLE DX	6045	22.7	145	11	12	19	26	38	49	81
TOTAL 65-69 YRS	3157	18.5	88	9	11	16	21	28	36	61
70-74	3134	20.0	98	10	12	17	23	31	40	65
75-79	2456	21.4	114	11	12	18	25	34	43	69
80-84	1377	23.2	141	11	13	20	26	38	49	80
85+	843	23.3	150	11	12	20	27	38	48	92
GRAND TOTAL	**10967**	**20.5**	**111**	**10**	**12**	**18**	**23**	**33**	**41**	**70**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	693	17.1	62	9	10	16	20	26	31	53
70-74	974	17.6	68	9	10	16	21	26	31	50
75-79	1226	18.5	68	9	11	17	21	28	33	53
80-84	1216	19.1	71	9	11	17	22	29	35	49
85+	1331	19.0	82	9	11	17	22	30	35	57
2. MULTIPLE DX										
65-69 YRS	1073	21.5	129	9	11	19	25	37	46	75
70-74	1741	22.8	156	10	12	19	27	38	50	90
75-79	2183	22.8	151	10	12	20	27	38	47	87
80-84	2508	23.5	157	10	12	20	28	40	50	76
85+	2964	23.4	160	10	12	20	28	40	50	84
TOT. SINGLE DX	5440	18.4	72	9	11	17	21	28	33	52
" MULTIPLE DX	10469	23.0	154	10	12	20	27	39	49	81
TOTAL 65-69 YRS	1766	19.8	107	9	11	17	23	33	42	67
70-74	2715	20.9	131	10	11	18	25	34	43	76
75-79	3409	21.2	126	10	12	18	25	34	44	73
80-84	3724	22.1	134	10	12	19	26	37	45	71
85+	4295	22.0	140	10	12	19	26	37	46	77
GRAND TOTAL	**15909**	**21.4**	**131**	**10**	**11**	**19**	**25**	**35**	**45**	**74**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1193	17.3	56	8	10	16	20	26	31	43
70-74	1116	17.9	52	9	10	17	21	27	31	41
75-79	822	19.0	61	9	11	18	22	29	34	45
80-84	320	19.6	72	9	11	18	23	30	36	54
85+	118	20.8	130	5	10	19	24	34	41	69
2. MULTIPLE DX										
65-69 YRS	1111	20.9	125	9	11	18	24	34	44	69
70-74	1239	21.6	117	10	11	19	26	35	43	66
75-79	948	23.0	135	10	12	20	27	38	46	68
80-84	382	24.3	161	10	12	21	29	41	49	74
85+	138	24.5	132	9	12	23	32	38	45	56
TOT. SINGLE DX	3569	18.2	61	9	10	17	22	28	33	44
" MULTIPLE DX	3818	22.1	130	9	11	19	26	36	45	68
TOTAL 65-69 YRS	2304	19.0	92	8	10	17	23	30	36	60
70-74	2355	19.9	90	9	11	18	24	31	38	56
75-79	1770	21.2	105	10	11	19	25	34	41	63
80-84	702	22.1	126	9	12	19	26	35	44	65
85+	256	22.8	134	8	11	21	28	37	44	61
GRAND TOTAL	**7387**	**20.2**	**100**	**9**	**11**	**18**	**24**	**32**	**39**	**61**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	362	6.5	28	2	2	5	8	12	16	30
70-74	233	7.2	28	2	2	5	10	15	17	25
75-79	122	8.5	58	1	2	6	11	21	24	37
80-84	46	10.0	48	2	3	9	13	18	26	30
85+	19	15.2	241	3	3	11	21	41	53	57
2. MULTIPLE DX										
65-69 YRS	497	8.3	56	2	3	6	9	16	25	45
70-74	330	10.5	112	2	3	7	13	24	32	62
75-79	186	11.7	160	2	3	7	15	24	38	60
80-84	89	11.5	102	2	2	9	15	27	35	46
85+	35	14.6	124	2	3	16	21	30	31	46
TOT. SINGLE DX	782	7.4	41	2	2	5	9	15	20	31
" MULTIPLE DX	1137	9.9	97	2	3	7	12	22	30	50
TOTAL 65-69 YRS	859	7.5	45	2	2	5	9	15	21	39
70-74	563	9.1	80	2	3	6	11	20	27	49
75-79	308	10.4	122	2	2	7	13	23	29	54
80-84	135	11.0	84	2	3	9	15	24	30	44
85+	54	14.8	161	3	3	12	22	30	43	57
GRAND TOTAL	**1919**	**8.9**	**76**	**2**	**2**	**6**	**10**	**19**	**26**	**47**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	296	3.1	10	<1	<1	2	3	7	10	21
70-74	146	3.7	19	<1	1	2	4	8	12	36
75-79	98	3.3	10	<1	1	2	4	7	10	16
80-84	33	5.8	96	<1	1	3	6	9	32	48
85+	36	7.7	77	<1	1	4	12	17	20	45
2. MULTIPLE DX										
65-69 YRS	227	9.3	111	1	2	5	14	22	27	67
70-74	171	11.2	156	2	2	7	14	26	43	77
75-79	114	15.5	294	2	2	10	22	38	51	99
80-84	55	14.9	184	1	2	11	18	41	44	98
85+	43	20.5	348	2	3	17	30	40	80	99+
TOT. SINGLE DX	609	3.7	22	<1	1	2	4	8	12	27
" MULTIPLE DX	610	12.3	191	1	2	8	17	29	43	95
TOTAL 65-69 YRS	523	5.8	63	<1	1	3	6	16	22	52
70-74	317	7.7	107	1	1	4	9	18	30	63
75-79	212	9.9	199	1	1	4	12	24	39	88
80-84	88	11.5	169	1	1	7	17	35	42	85
85+	79	14.6	263	1	2	11	19	38	44	98
GRAND TOTAL	**1219**	**8.0**	**124**	**<1**	**1**	**4**	**9**	**20**	**31**	**71**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	515	4.3	29	1	1	3	5	8	12	30
70-74	362	4.5	42	<1	1	3	4	9	16	27
75-79	203	5.5	45	1	1	3	6	12	21	28
80-84	74	5.7	31	1	2	4	7	13	19	28
85+	53	5.0	26	1	1	3	5	11	16	26
2. MULTIPLE DX										
65-69 YRS	571	9.5	125	2	2	6	12	21	31	70
70-74	435	11.3	131	2	2	8	15	25	33	65
75-79	261	12.3	193	1	2	8	16	24	41	89
80-84	143	13.2	151	2	2	9	17	32	45	63
85+	76	13.2	130	2	3	9	18	34	40	85
TOT. SINGLE DX	1207	4.6	36	1	1	3	5	9	14	28
" MULTIPLE DX	1486	11.1	143	2	2	7	14	25	35	71
TOTAL 65-69 YRS	1086	7.0	86	1	2	4	8	16	25	49
70-74	797	8.2	102	1	2	4	11	21	27	55
75-79	464	9.3	139	1	2	6	11	22	28	67
80-84	217	10.6	122	2	2	7	14	27	37	55
85+	129	9.8	103	2	2	6	12	27	36	55
GRAND TOTAL	**2693**	**8.2**	**105**	**1**	**2**	**4**	**10**	**20**	**28**	**55**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	511	2.8	2	1	2	2	3	4	5	9
70-74	323	2.9	4	1	1	2	3	5	6	11
75-79	166	2.9	4	1	1	3	3	5	6	9
80-84	50	2.9	3	1	2	3	3	4	5	13
85+	12	3.0	3	1	1	3	4	6	6	6
2. MULTIPLE DX										
65-69 YRS	290	4.7	24	1	2	3	5	10	14	28
70-74	207	4.7	39	2	2	3	5	9	14	29
75-79	102	6.0	103	2	2	4	6	11	13	71
80-84	28	7.5	102	2	2	4	9	17	27	50
85+	15	10.4	91	2	2	8	14	21	33	37
TOT. SINGLE DX	1062	2.8	3	1	1	2	3	5	6	10
" MULTIPLE DX	642	5.2	47	2	2	3	5	11	14	37
TOTAL 65-69 YRS	801	3.5	11	1	2	3	4	6	9	21
70-74	530	3.6	18	1	2	3	4	6	9	20
75-79	268	4.1	44	1	1	3	4	7	11	21
80-84	78	4.6	43	1	2	3	4	9	14	43
85+	27	7.1	64	1	2	4	9	17	23	37
GRAND TOTAL	**1704**	**3.7**	**21**	**1**	**2**	**3**	**4**	**6**	**10**	**22**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	130	2.7	3	<1	1	2	3	5	7	9
70-74	90	3.0	10	<1	1	2	3	6	8	19
75-79	44	3.0	6	1	1	2	4	6	8	11
80-84	12	4.1	25	1	1	2	4	11	18	19
85+	6	3.7	2	2	2	3	4	6	6	6
2. MULTIPLE DX										
65-69 YRS	147	4.4	22	1	1	3	5	9	11	30
70-74	81	5.6	42	1	1	3	7	12	15	39
75-79	40	5.6	26	1	1	4	7	12	16	24
80-84	25	7.8	75	1	2	6	8	20	32	34
85+	21	13.7	436	2	2	7	13	27	63	98
TOT. SINGLE DX	282	2.9	6	<1	1	2	3	5	8	16
" MULTIPLE DX	314	5.8	64	1	1	3	7	11	18	35
TOTAL 65-69 YRS	277	3.6	14	<1	1	3	4	7	10	23
70-74	171	4.2	27	1	1	3	4	9	13	22
75-79	84	4.3	17	1	1	3	5	10	12	22
80-84	37	6.6	61	1	1	4	7	18	27	34
85+	27	11.4	354	2	2	6	11	20	44	98
GRAND TOTAL	596	4.4	39	1	1	3	5	9	12	31

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	328	5.2	26	1	2	4	6	9	12	26
70-74	193	5.2	15	1	2	4	7	10	14	99+
75-79	94	5.8	17	1	1	5	8	11	16	18
80-84	38	8.2	60	2	2	6	10	16	26	39
85+	14	5.7	14	1	2	5	9	12	12	12
2. MULTIPLE DX										
65-69 YRS	337	8.2	73	2	2	6	10	17	24	64
70-74	199	9.9	136	2	2	6	12	20	29	73
75-79	107	10.4	125	1	2	7	13	24	32	58
80-84	42	11.6	107	2	2	9	16	28	35	39
85+	33	11.9	78	2	3	10	17	24	31	38
TOT. SINGLE DX	667	5.4	24	1	2	4	7	11	14	31
" MULTIPLE DX	718	9.3	101	2	2	6	11	20	29	60
TOTAL 65-69 YRS	665	6.7	52	1	2	5	8	13	19	44
70-74	392	7.6	82	2	2	5	9	16	23	79
75-79	201	8.2	80	1	2	6	10	17	25	57
80-84	80	10.0	87	2	2	7	13	24	34	39
85+	47	10.1	66	2	2	8	14	21	25	38
GRAND TOTAL	1385	7.5	68	1	2	5	9	15	22	57

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	146	6.1	28	1	2	5	7	11	13	30
70-74	88	8.1	35	2	2	7	10	16	19	31
75-79	38	9.2	116	2	3	7	10	12	23	67
80-84	24	10.0	89	1	2	7	12	20	30	45
85+	8	6.0	6	2	3	6	8	9	9	9
2. MULTIPLE DX										
65-69 YRS	153	10.0	124	2	2	6	11	24	38	56
70-74	91	14.8	298	2	3	10	16	39	62	97
75-79	47	13.7	162	3	4	8	16	34	41	53
80-84	29	10.9	57	2	3	10	16	20	25	30
85+	10	15.1	273	2	3	9	18	43	56	56
TOT. SINGLE DX	304	7.3	46	2	2	6	9	13	18	38
" MULTIPLE DX	330	12.1	179	2	3	7	14	30	40	71
TOTAL 65-69 YRS	299	8.1	80	1	2	6	8	15	27	48
70-74	179	11.5	179	2	3	8	12	22	41	89
75-79	85	11.7	145	3	3	7	12	30	36	62
80-84	53	10.5	70	2	3	8	14	20	25	45
85+	18	11.1	169	2	3	7	10	26	46	56
GRAND TOTAL	634	9.8	121	2	2	7	11	19	32	64

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	94	3.1	15	1	1	2	3	7	11	22
70-74	49	4.1	26	<1	1	2	5	9	13	30
75-79	37	4.9	50	1	1	2	4	14	24	31
80-84	23	5.6	32	1	2	4	6	13	22	23
85+	22	3.7	6	<1	1	3	5	7	9	10
2. MULTIPLE DX										
65-69 YRS	129	6.1	71	1	1	3	6	16	22	48
70-74	78	9.7	232	1	2	4	8	30	53	91
75-79	65	11.3	197	1	1	6	14	34	46	95
80-84	38	8.4	133	1	1	4	8	21	33	58
85+	38	13.1	164	1	2	8	17	35	43	53
TOT. SINGLE DX	225	3.9	24	1	1	2	4	9	13	28
" MULTIPLE DX	348	8.9	152	1	1	4	9	24	40	69
TOTAL 65-69 YRS	223	4.9	50	1	1	2	5	12	19	39
70-74	127	7.5	159	1	1	3	7	20	47	77
75-79	102	9.0	152	1	1	3	11	29	40	84
80-84	61	7.3	95	1	1	4	7	19	27	55
85+	60	9.6	126	<1	1	6	11	23	38	52
GRAND TOTAL	573	6.9	107	1	1	3	7	19	31	57

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	9	10.9	193	3	3	6	10	33	47	47
70-74	5	13.8	115	2	2	11	21	30	30	30
75-79	8	11.0	36	1	3	10	17	18	18	18
80-84	7	7.9	24	1	2	7	9	16	17	17
85+	4	13.5	57	5	5	13	19	23	23	23
2. MULTIPLE DX										
65-69 YRS	26	21.0	261	1	2	18	31	53	70	99+
70-74	16	26.8	580	2	3	20	45	61	74	79
75-79	14	22.6	261	2	5	16	37	44	56	59
80-84	13	21.5	437	3	5	16	25	45	75	82
85+	14	23.4	452	4	6	15	36	45	73	81
TOT. SINGLE DX	33	11.0	85	1	3	8	15	19	29	47
" MULTIPLE DX	83	22.9	367	2	4	16	34	50	69	94
TOTAL 65-69 YRS	35	18.4	257	1	2	14	27	46	62	99+
70-74	21	23.7	490	2	2	16	42	54	70	79
75-79	22	18.4	207	1	4	15	20	39	49	59
80-84	20	16.8	328	2	4	9	24	32	59	82
85+	18	21.2	373	4	5	15	32	41	65	81
GRAND TOTAL	**116**	**19.5**	**314**	**2**	**3**	**14**	**29**	**42**	**61**	**88**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	94	8.8	111	1	2	5	11	21	29	56
70-74	103	11.7	159	2	3	6	14	34	44	77
75-79	99	10.3	117	1	2	7	12	20	31	61
80-84	66	11.9	113	3	3	8	16	27	35	56
85+	50	13.6	113	2	3	10	19	29	34	45
2. MULTIPLE DX										
65-69 YRS	645	22.0	296	3	5	18	30	45	59	92
70-74	637	23.5	333	3	5	18	33	52	63	99
75-79	499	23.4	331	4	5	18	33	52	69	99+
80-84	321	25.4	348	3	5	21	36	51	72	99+
85+	270	23.9	359	5	6	19	31	52	69	99
TOT. SINGLE DX	412	10.9	126	2	2	7	14	26	36	58
" MULTIPLE DX	2372	23.4	328	3	5	19	32	50	65	99+
TOTAL 65-69 YRS	739	20.3	291	2	4	16	29	43	58	91
70-74	740	21.9	326	3	4	17	31	49	61	99
75-79	598	21.2	319	3	4	16	30	49	68	99+
80-84	387	23.1	333	3	4	19	33	50	65	99+
85+	320	22.3	334	4	6	17	29	47	66	98
GRAND TOTAL	**2784**	**21.5**	**318**	**3**	**4**	**17**	**30**	**47**	**63**	**99+**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	58	27.1	246	9	11	24	38	49	57	99
70-74	50	26.7	282	7	10	24	35	51	70	99+
75-79	52	30.0	309	10	13	24	38	58	70	80
80-84	34	21.6	193	7	7	17	29	35	55	61
85+	38	20.0	109	8	10	16	26	32	45	49
2. MULTIPLE DX										
65-69 YRS	791	32.7	377	10	13	28	45	66	86	99+
70-74	802	33.6	385	11	14	29	44	66	84	99+
75-79	722	32.8	327	11	14	29	44	66	80	99+
80-84	517	30.7	349	10	12	26	41	62	79	99+
85+	443	28.1	289	8	11	23	39	52	67	99+
TOT. SINGLE DX	232	25.7	247	8	10	23	33	47	60	93
" MULTIPLE DX	3275	32.0	355	10	13	28	43	64	80	99+
TOTAL 65-69 YRS	849	32.3	370	10	12	28	44	63	86	99+
70-74	852	33.2	382	11	13	29	44	66	84	99+
75-79	774	32.6	326	11	13	29	44	65	79	99+
80-84	551	30.2	344	10	12	26	39	61	78	99+
85+	481	27.4	280	8	11	23	38	51	66	99+
GRAND TOTAL	**3507**	**31.6**	**350**	**10**	**12**	**27**	**43**	**63**	**80**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	55	21.5	158	8	9	19	27	43	49	54
70-74	62	20.5	181	6	9	18	26	34	51	74
75-79	69	22.3	215	7	8	19	29	44	54	97
80-84	59	20.0	216	5	8	17	24	34	45	92
85+	76	17.1	155	4	6	14	20	31	45	94
2. MULTIPLE DX										
65-69 YRS	562	30.1	399	9	11	25	42	68	87	99+
70-74	722	30.1	363	9	11	25	39	58	79	99+
75-79	763	27.8	323	9	11	23	38	62	78	99+
80-84	681	26.5	283	8	10	23	36	54	74	99+
85+	887	24.8	282	7	9	20	33	50	67	99+
TOT. SINGLE DX	321	20.2	186	6	8	17	26	38	49	89
" MULTIPLE DX	3615	27.6	329	8	10	23	37	58	78	99+
TOTAL 65-69 YRS	617	29.4	384	9	10	24	41	65	86	99+
70-74	784	29.3	355	9	11	25	39	56	78	99+
75-79	832	27.4	316	8	10	23	37	59	77	99+
80-84	740	26.0	281	8	10	22	35	53	72	99+
85+	963	24.2	276	7	9	20	31	48	67	99+
GRAND TOTAL	**3936**	**27.0**	**322**	**8**	**10**	**22**	**36**	**56**	**77**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	22	27.5	303	6	8	30	38	63	83	99+
70-74	9	27.2	342	12	12	20	35	56	70	70
75-79	16	22.6	579	4	6	15	25	65	85	92
80-84	10	27.4	360	7	9	22	49	55	58	58
85+	7	18.4	104	5	6	16	27	33	34	34
2. MULTIPLE DX										
65-69 YRS	216	33.1	390	8	12	30	44	66	85	99+
70-74	138	34.9	425	10	14	31	45	73	93	99+
75-79	159	31.0	392	6	10	27	42	64	76	99
80-84	96	34.8	369	11	15	30	43	67	78	99
85+	85	31.4	379	11	13	24	42	62	73	88
TOT. SINGLE DX	64	25.3	354	6	8	18	34	58	71	99
" MULTIPLE DX	694	33.0	393	9	12	29	43	66	79	99+
TOTAL 65-69 YRS	238	32.6	383	8	11	30	43	65	84	99+
70-74	147	34.5	421	11	13	30	44	71	93	99+
75-79	175	30.2	412	6	9	26	40	64	77	98
80-84	106	34.1	369	11	13	30	43	66	77	99
85+	92	30.4	368	11	13	24	40	60	71	87
GRAND TOTAL	**758**	**32.4**	**394**	**8**	**11**	**28**	**42**	**66**	**79**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4	3.3	7	1	1	2	5	7	7	7
70-74	4	2.5	3	1	1	2	4	5	5	5
75-79	4	8.8	105	2	2	4	14	24	24	24
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	6	4.3	17	<1	<1	2	8	11	11	11
70-74	4	26.0	754	4	4	17	45	65	65	65
75-79	2	9.0	32	5	5	9	13	13	13	13
80-84	2	18.5	1	18	18	18	19	19	19	19
85+										
TOT. SINGLE DX	12	4.8	40	1	1	3	5	12	22	24
" MULTIPLE DX	14	13.2	277	<1	1	9	18	29	57	65
TOTAL 65-69 YRS	10	3.9	12	<1	<1	2	7	9	11	11
70-74	8	14.3	482	1	1	4	17	53	65	65
75-79	6	8.8	69	2	2	5	13	23	24	24
80-84	2	18.5	1	18	18	18	19	19	19	19
85+										
GRAND TOTAL	**26**	**9.3**	**180**	**1**	**1**	**4**	**11**	**23**	**33**	**65**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	65	9.4	93	1	1	7	12	24	30	45
70-74	37	10.6	67	2	2	9	14	18	26	43
75-79	33	13.5	140	2	3	8	22	32	34	46
80-84	23	13.1	189	2	3	11	15	24	41	69
85+	16	10.1	36	2	2	10	13	18	22	24
2. MULTIPLE DX										
65-69 YRS	131	17.3	247	3	3	12	23	45	52	67
70-74	116	16.5	247	2	3	12	22	36	55	99+
75-79	79	21.0	244	3	6	17	29	44	50	76
80-84	58	21.0	312	4	6	16	25	41	65	83
85+	46	19.4	137	5	7	18	24	32	38	70
TOT. SINGLE DX	174	11.0	104	1	2	8	14	26	31	46
" MULTIPLE DX	430	18.5	245	3	4	14	24	40	51	83
TOTAL 65-69 YRS	196	14.7	209	2	2	10	18	35	48	63
70-74	153	15.1	209	2	3	12	19	33	44	99
75-79	112	18.8	224	3	4	13	27	41	47	70
80-84	81	18.7	287	3	5	14	23	38	64	81
85+	62	17.0	127	3	6	15	23	29	36	66
GRAND TOTAL	**604**	**16.3**	**216**	**2**	**3**	**12**	**22**	**36**	**46**	**79**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	11	10.5	81	4	4	6	14	25	32	33
70-74	9	12.0	34	3	4	15	17	18	18	18
75-79	3	22.7	49	16	16	22	28	30	30	30
80-84	3	30.7	390	13	13	27	46	52	52	52
85+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
65-69 YRS	10	15.0	170	4	5	11	25	68	97	99+
70-74	10	24.7	518	7	7	15	33	65	66	66
75-79	7	15.7	117	4	5	17	28	81	99+	99+
80-84	4	33.0	431	8	8	34	49	55	55	55
85+	5	28.2	259	12	12	28	38	52	52	52
TOT. SINGLE DX	27	14.9	122	4	4	15	18	29	36	52
" MULTIPLE DX	36	21.7	307	5	6	16	34	62	86	99+
TOTAL 65-69 YRS	21	12.7	122	4	4	8	19	37	68	99+
70-74	19	18.7	316	4	6	15	18	52	66	66
75-79	10	17.8	100	4	6	19	28	62	97	99+
80-84	7	32.0	347	8	9	27	50	54	55	55
85+	6	26.3	228	12	12	22	34	50	52	52
GRAND TOTAL	**63**	**18.7**	**236**	**4**	**5**	**15**	**26**	**52**	**65**	**99+**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1950	3.6	16	1	2	2	4	7	11	20
70-74	1339	3.9	16	1	2	3	4	8	11	17
75-79	744	4.2	17	1	2	3	5	9	12	23
80-84	380	5.3	30	1	2	3	6	11	14	33
85+	258	5.8	48	1	2	4	7	12	22	44
2. MULTIPLE DX										
65-69 YRS	2016	7.1	69	2	2	4	9	16	23	42
70-74	1617	7.5	61	2	2	5	10	17	22	41
75-79	1080	8.5	76	2	2	5	11	19	25	45
80-84	658	9.3	74	2	2	7	12	20	26	46
85+	434	12.1	141	2	2	9	16	26	35	70
TOT. SINGLE DX	4671	4.1	19	1	2	3	4	9	12	24
" MULTIPLE DX	5805	8.1	76	2	2	5	10	18	25	45
TOTAL 65-69 YRS	3966	5.4	46	1	2	3	6	12	17	36
70-74	2956	5.9	43	2	2	3	7	13	18	35
75-79	1824	6.8	56	2	2	4	8	15	21	39
80-84	1038	7.8	62	2	2	5	10	17	22	41
85+	692	9.7	115	2	2	6	13	22	29	65
GRAND TOTAL	**10476**	**6.3**	**55**	**2**	**2**	**3**	**8**	**14**	**20**	**39**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	203	6.5	50	2	2	5	8	11	15	28
70-74	178	7.1	34	2	2	6	9	13	14	37
75-79	195	8.0	34	2	3	6	10	14	18	37
80-84	187	8.7	30	2	3	8	11	15	19	32
85+	179	8.5	20	2	3	8	10	14	16	24
2. MULTIPLE DX										
65-69 YRS	323	10.4	62	2	3	8	13	20	27	41
70-74	340	10.8	72	2	3	9	14	20	27	43
75-79	308	11.8	87	3	4	9	14	22	29	60
80-84	289	12.5	93	3	5	10	15	23	29	55
85+	314	13.3	115	4	5	11	16	24	32	94
TOT. SINGLE DX	942	7.7	34	2	2	7	10	14	17	33
" MULTIPLE DX	1574	11.7	86	3	4	9	14	22	28	56
TOTAL 65-69 YRS	526	8.9	61	2	2	7	11	17	24	40
70-74	518	9.5	62	2	3	8	12	18	26	42
75-79	503	10.3	70	2	3	8	13	19	26	51
80-84	476	11.0	71	3	3	9	13	21	26	49
85+	493	11.5	85	3	4	9	14	20	26	64
GRAND TOTAL	**2516**	**10.2**	**70**	**2**	**3**	**8**	**13**	**19**	**26**	**48**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1406	9.2	15	5	5	9	11	14	16	22
70-74	1088	9.5	16	5	6	9	11	14	17	23
75-79	766	9.8	17	5	6	9	11	15	17	25
80-84	370	9.9	16	5	6	9	12	15	18	23
85+	189	10.1	20	5	5	9	12	16	17	25
2. MULTIPLE DX										
65-69 YRS	1933	11.7	43	5	6	10	14	19	24	38
70-74	1665	12.4	65	5	6	10	14	20	27	47
75-79	1212	12.9	62	5	6	11	15	21	28	49
80-84	661	12.9	66	5	7	11	14	20	28	46
85+	347	13.5	63	5	6	11	16	23	31	44
TOT. SINGLE DX	3819	9.5	16	5	6	9	11	14	17	23
" MULTIPLE DX	5818	12.4	57	5	6	10	14	20	27	44
TOTAL 65-69 YRS	3339	10.7	33	5	6	9	12	17	21	34
70-74	2753	11.3	47	5	6	10	13	18	23	40
75-79	1978	11.7	47	5	6	10	14	19	24	43
80-84	1031	11.8	50	5	6	10	13	18	23	42
85+	536	12.3	50	5	6	11	15	20	25	39
GRAND TOTAL	**9637**	**11.3**	**43**	**5**	**6**	**10**	**13**	**18**	**23**	**39**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	143	4.5	8	2	2	4	5	9	11	14
70-74	81	4.9	10	2	2	4	6	9	12	16
75-79	48	4.1	8	2	2	3	5	8	10	14
80-84	21	6.3	41	1	2	4	9	13	20	28
85+	17	5.9	33	1	2	5	6	14	21	24
2. MULTIPLE DX										
65-69 YRS	182	7.0	52	2	2	5	8	13	20	38
70-74	87	8.3	115	2	2	5	8	15	32	60
75-79	57	8.0	68	2	2	5	9	17	29	38
80-84	26	10.6	154	2	2	6	10	31	41	50
85+	32	12.2	218	3	3	7	13	30	42	74
TOT. SINGLE DX	310	4.7	12	2	2	4	6	9	12	16
" MULTIPLE DX	384	8.1	90	2	2	5	9	16	27	53
TOTAL 65-69 YRS	325	5.9	34	2	2	4	7	11	14	26
70-74	168	6.6	67	2	2	4	7	11	17	52
75-79	105	6.2	44	2	2	4	7	13	18	37
80-84	47	8.7	106	2	2	4	10	24	33	50
85+	49	10.0	161	2	2	5	11	22	34	74
GRAND TOTAL	694	6.6	58	2	2	4	7	13	19	42

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	30	4.7	16	1	1	4	5	11	15	17
70-74	19	5.4	23	1	1	4	6	14	17	18
75-79	12	7.2	86	2	2	4	7	17	33	36
80-84	6	6.2	48	1	1	4	5	18	20	20
85+	10	4.2	6	1	1	4	6	8	9	9
2. MULTIPLE DX										
65-69 YRS	36	11.1	220	2	3	8	12	18	25	91
70-74	30	11.5	140	1	2	8	14	25	45	49
75-79	14	10.1	40	2	4	8	15	19	24	25
80-84	6	10.3	27	4	5	12	17	84	99+	99+
85+	8	11.5	32	4	4	11	15	19	20	20
TOT. SINGLE DX	77	5.3	29	1	1	4	6	11	17	32
" MULTIPLE DX	94	11.1	136	2	3	8	14	20	28	96
TOTAL 65-69 YRS	66	8.2	136	1	2	5	11	15	18	81
70-74	49	9.1	102	1	1	6	11	19	30	49
75-79	26	8.7	61	2	2	6	10	18	27	36
80-84	12	8.3	39	1	3	7	14	36	88	99+
85+	18	7.4	30	1	2	5	11	16	19	20
GRAND TOTAL	171	8.5	96	1	2	6	11	17	22	82

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1395	4.6	36	<1	1	3	5	10	16	33
70-74	1014	4.9	32	<1	1	3	5	12	17	27
75-79	757	5.2	44	<1	1	3	6	12	19	36
80-84	406	6.0	50	<1	1	3	7	14	20	31
85+	395	6.0	51	1	1	3	7	14	21	45
2. MULTIPLE DX										
65-69 YRS	2894	9.9	104	2	2	7	13	22	29	57
70-74	2458	11.0	129	2	2	8	14	24	34	60
75-79	1944	11.3	112	2	2	8	14	24	33	56
80-84	1404	12.0	119	2	2	9	16	25	33	69
85+	1257	12.5	134	2	2	9	16	26	36	71
TOT. SINGLE DX	3967	5.1	40	<1	1	3	6	12	18	33
" MULTIPLE DX	9957	11.1	118	2	2	8	14	24	33	61
TOTAL 65-69 YRS	4289	8.2	88	1	2	5	11	19	26	50
70-74	3472	9.2	108	1	2	6	12	21	29	54
75-79	2701	9.6	101	1	2	7	12	22	30	51
80-84	1810	10.6	110	1	2	8	14	23	30	59
85+	1652	10.9	122	1	2	8	14	24	34	69
GRAND TOTAL	13924	9.4	103	1	2	6	12	21	29	56

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1001	8.3	89	1	1	5	11	19	27	53
70-74	856	9.6	128	1	1	5	12	23	36	49
75-79	655	9.7	123	1	2	6	13	22	33	55
80-84	417	10.7	158	1	2	6	14	27	36	67
85+	357	11.0	178	1	2	6	14	26	37	85
2. MULTIPLE DX										
65-69 YRS	3025	14.9	235	1	2	10	20	36	51	99+
70-74	2846	16.1	260	2	2	11	22	39	57	93
75-79	2478	16.7	270	2	3	12	23	41	58	99+
80-84	2011	16.9	273	2	3	12	24	41	57	99+
85+	1998	16.1	249	2	3	11	21	39	56	99+
TOT. SINGLE DX	3286	9.5	125	1	2	5	12	22	33	57
" MULTIPLE DX	12358	16.0	256	2	2	11	22	39	56	99+
TOTAL 65-69 YRS	4026	13.2	207	1	2	9	17	32	47	92
70-74	3702	14.6	236	1	2	9	20	36	50	89
75-79	3133	15.2	247	2	2	10	21	38	54	99+
80-84	2428	15.9	259	2	2	11	22	38	55	99+
85+	2355	15.3	241	2	2	10	21	37	53	97
GRAND TOTAL	15644	14.7	236	1	2	10	20	36	51	99+

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	268	15.5	206	1	2	12	22	32	39	72
70-74	232	17.5	230	2	3	14	25	37	55	99+
75-79	182	19.9	287	2	3	17	28	39	51	96
80-84	128	19.6	152	3	6	17	27	36	39	58
85+	119	19.9	204	2	3	19	28	41	54	99+
2. MULTIPLE DX										
65-69 YRS	544	24.1	299	3	5	21	33	50	61	99+
70-74	541	26.9	329	4	7	24	36	55	65	99+
75-79	513	26.6	339	4	7	23	36	54	65	99+
80-84	354	28.9	307	7	9	26	39	53	70	99+
85+	270	29.6	367	5	9	26	39	59	72	99
TOT. SINGLE DX	929	18.0	223	2	3	15	25	37	48	91
" MULTIPLE DX	2222	26.8	328	4	7	24	36	54	65	99+
TOTAL 65-69 YRS	812	21.3	285	2	3	18	30	44	58	92
70-74	773	24.1	318	3	5	21	33	52	62	99+
75-79	695	24.8	333	3	6	22	34	50	64	99+
80-84	482	26.5	282	6	8	23	36	47	59	98
85+	389	26.7	336	3	7	24	35	55	67	99+
GRAND TOTAL	**3151**	**24.2**	**313**	**3**	**5**	**21**	**33**	**50**	**62**	**99+**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	56	9.5	153	1	1	4	13	27	42	53
70-74	39	12.2	198	1	2	6	17	36	44	56
75-79	27	13.2	195	1	2	8	17	34	40	60
80-84	20	15.0	190	2	3	10	26	39	41	42
85+	12	24.6	448	2	2	23	41	57	58	58
2. MULTIPLE DX										
65-69 YRS	126	20.2	475	1	2	13	27	61	75	99+
70-74	97	21.9	503	1	2	16	35	63	88	99+
75-79	74	25.5	555	1	2	22	47	74	99	99+
80-84	50	26.5	752	2	2	19	53	93	99+	99+
85+	30	33.2	703	3	5	30	76	99+	99+	99+
TOT. SINGLE DX	154	12.7	209	1	2	6	17	37	45	58
" MULTIPLE DX	377	23.5	560	2	2	17	37	74	96	99+
TOTAL 65-69 YRS	182	16.9	399	1	2	8	24	54	68	94
70-74	136	19.1	433	1	2	11	31	51	78	99+
75-79	101	22.2	486	1	2	16	34	66	90	99+
80-84	70	23.2	614	2	2	15	40	84	99	99+
85+	42	30.7	633	2	5	29	62	98	99+	99+
GRAND TOTAL	**531**	**20.4**	**482**	**1**	**2**	**13**	**33**	**63**	**84**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	417	3.4	20	1	1	3	4	6	8	17
70-74	199	4.2	48	1	1	3	4	6	14	58
75-79	121	4.4	35	1	1	3	4	7	14	39
80-84	48	4.7	30	<1	1	3	4	11	18	29
85+	37	4.8	21	1	2	3	6	8	14	25
2. MULTIPLE DX										
65-69 YRS	705	7.3	73	1	2	4	9	15	20	55
70-74	508	8.4	83	2	2	5	11	18	24	58
75-79	383	10.4	112	2	2	7	13	21	33	72
80-84	218	11.1	83	2	3	9	14	22	31	43
85+	177	13.9	151	3	3	10	18	28	35	60
TOT. SINGLE DX	82[illegible]	3.9	30	1	1	3	4	7	10	28
" MULTIPLE DX	1991	9.2	95	1	2	6	12	20	27	57
TOTAL 65-69 YRS	1122	5.8	57	1	1	3	7	13	17	49
70-74	707	7.2	77	1	2	4	9	17	23	58
75-79	504	9.0	100	1	2	6	12	20	27	56
80-84	266	10.0	79	2	2	8	12	20	30	41
85+	214	12.3	140	2	3	9	15	27	34	58
GRAND TOTAL	**2813**	**7.6**	**82**	**1**	**2**	**4**	**10**	**17**	**24**	**51**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of a procedure which is coded for indexing, quality review, and purposes other than its effect on length of stay. For the purpose of operation length of stay tables, patients with only this procedure are not considered "operated" patients.

Distribution Tables

Table 1 displays total U.S. geriatric patients and days of care (after exclusions*) in each of the diagnosis groups containing patients 65 and older. Also shown is the corresponding rate per 10,000 geriatric discharges and the rate per 10,000 days of care.

Table 1

Distribution of Geriatric Patients and Days of Care by *ICD-9-CM* List A: Hospital Diagnosis Group U.S. PAS Hospitals, 1979

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
1	Intestinal infectious disease	5,512	21.9	39	14.6
2	Respiratory tuberculosis	1,389	5.5	25	9.2
3	Nonrespiratory tuberculosis	246	1.0	5	1.8
4.	Streptococcal sore throat and scarlet fever	130	0.5	1	0.3
5	Septicemia	4,638	18.4	78	29.2
6	Miscellaneous bacterial diseases	888	3.5	11	4.3
7	Poliomyelitis and other enteroviral diseases of central nervous system	80	0.3	1	0.4
8	Viral diseases with exanthem	4,410	17.5	47	17.6
9	Viral hepatitis	666	2.6	8	3.2
10	Infectious mononucleosis	41	0.2	<1	0.1
11	Viral warts	173	0.7	1	0.3
12	Miscellaneous viral diseases	2,612	10.4	19	7.0
13	Rickettsioses and other arthropod-borne diseases	75	0.3	1	0.3
14	Syphilis and other venereal diseases	335	1.3	3	1.2
15	Mycoses	696	2.8	9	3.4
16	Helminthiases	71	0.3	1	0.2
17	Miscellaneous infective and parasitic diseases	378	1.5	4	1.7
18	Late effects of infectious and parasitic diseases	105	0.4	1	0.5

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
19	Malignant neoplasm of lip, oral cavity, and pharynx	4,827	19.2	52	19.5
20	Malignant neoplasm of esophagus	1,995	7.9	30	11.4
21	Malignant neoplasm of stomach	4,569	18.2	81	30.4
22	Malignant neoplasm of small intestine	420	1.7	8	2.8
23	Malignant neoplasm of colon	20,249	80.5	366	137.6
24	Malignant neoplasm of rectum, rectosigmoid junction and anus	10,620	42.2	192	72.2
25	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	2,845	11.3	50	18.6
26	Malignant neoplasm of pancreas	4,142	16.5	76	28.4
27	Malignant neoplasm of bronchus, lung, and trachea	25,404	101.0	346	129.9
28	Other malignant neoplasm of respiratory system and thoracic cavity	3,159	12.6	35	13.1
29	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	1,902	7.6	24	9.0
30	Malignant melanoma of skin, excluding genital organs	1,667	6.6	15	5.8
31	Other malignant neoplasm of skin, excluding genital organs	6,916	27.5	40	15.2
32	Malignant neoplasm of breast (female) (male)	18,668	74.2	212	79.8
33	Malignant neoplasm of cervix uteri excluding carcinoma in situ	2,682	10.7	25	9.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
34 Malignant neoplasm of corpus uteri	7,019	27.9	67	25.1
35 Malignant neoplasm of ovary	3,753	14.9	49	18.4
36 Malignant neoplasm of other female genital organs	1,186	4.7	16	5.9
37 Malignant neoplasm of prostate	28,288	112.4	306	114.9
38 Malignant neoplasm of male genitalia, except prostate	322	1.3	4	1.3
39 Malignant neoplasm of bladder	20,496	81.5	162	68.2
40 Malignant neoplasm of kidney and other urinary organs	3,460	13.8	55	20.7
41 Malignant neoplasm of eye	292	1.2	2	0.8
42 Malignant neoplasm of brain	1,376	5.5	30	11.2
43 Malignant neoplasm of other parts of nervous system	104	0.4	2	0.9
44 Malignant neoplasm of endocrine glands	845	3.4	10	3.7
45 Malignant neoplasm of ill-defined and secondary sites	30,100	119.6	395	148.4
46 Hodgkin's disease	786	3.1	10	3.8
47 Lymphoid leukemia	2,464	9.8	28	10.4
48 Leukemia, except lymphoid	3,309	13.2	37	13.8
49 Lymphatic and hematopietic neoplasm, except Hodgkin's disease and leukemia	10,689	42.5	140	52.4
50 Benign neoplasm of lip, oral cavity, and pharynx	1,116	4.4	6	2.1
51 Benign neoplasm of other parts of digestive system	8,236	32.7	60	22.5
52 Benign neoplasm of respiratory system and intrathoracic organs	637	2.5	4	1.7
53 Benign neoplasm of bone, muscle, and connective tissue	3,285	13.1	17	6.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
54	Benign neoplasm of skin, blood vessels, and miscellaneous sites	1,434	5.7	9	3.4
55	Benign neoplasm of breast	1,131	4.5	5	1.8
56	Uterine leiomyoma	1,084	4.3	11	4.1
57	Benign neoplasm of uterus, except leiomyoma	141	0.6	1	0.3
58	Benign neoplasm of ovary	886	3.5	11	4.1
59	Benign neoplasm of female genitalia, except uterus and ovary	100	0.4	1	0.2
60	Benign neoplasm of male genital organ	137	0.5	1	0.4
61	Benign neoplasm of urinary organ	706	2.8	3	1.3
62	Benign neoplasm of eye	64	0.3	<1	0.1
63	Benign neoplasm of central nervous system	1,016	4.0	21	7.7
64	Benign neoplasm of thyroid glands	1,005	4.0	7	2.7
65	Benign neoplasm of endocrine glands, except thyroid	441	1.8	6	2.3
66	Carcinoma in situ of cervix	541	2.2	4	1.5
67	Carcinoma in situ, except cervix uteri	1,828	7.3	16	5.8
68	Neoplasms of uncertain behavior and unspecified nature	7,884	31.3	72	27.2
69	Simple and non-toxic nodular goiter	1,683	6.7	12	4.6
70	Other diseases of thyroid gland	3,359	13.3	37	13.8
71	Diabetes mellitus without complication	29,588	117.6	310	116.6
72	Diabetic acidosis or coma	3,214	12.8	41	15.4
73	Other complicated diabetes mellitus	17,645	70.1	238	89.3
74	Ovarian dysfunction	15	0.1	<1	0.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
75	Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	5,328	21.2	49	18.4
76	Nutritional deficiencies	1,897	7.5	27	10.3
78	Obesity of nonendocrine origin	314	1.2	3	1.1
79	Miscellaneous metabolic disorders	2,003	8.0	20	7.5
80	Gout	2,146	8.5	18	6.8
81	Disorders of fluid, electrolyte, and acid-base balance	15,706	62.4	174	65.2
82	Iron deficiency anemia	8,824	35.1	82	30.7
83	Sickle-cell anemia and trait	41	0.2	<1	0.1
84	Anemia except iron deficiency and sickle-cell	16,044	63.8	147	55.2
85	Hemophilia (congenital factor VIII disorder)	40	0.2	1	0.2
86	Disease of hematopoietic system, except anemia and hemophilia	4,374	17.4	45	17.1
87	Nonspecific mesenteric lymphadenitis	58	0.2	<1	0.1
88	Lymphatic disease, except acute lyphadenitis and mesenteric adenitis	274	1.1	2	0.7
89	Transient organic psychotic conditions	560	2.2	8	2.8
90	Chronic organic brain syndrome, except arteriosclerotic dementia	16,295	64.8	226	84.9
91	Arteriosclerotic dementia	2,156	8.6	30	11.2
92	Alcoholic psychoses	1,269	5.0	14	5.4
93	Drug psychoses	326	1.3	3	1.2
94	Paranoid schizophrenia	571	2.3	12	4.4
95	Acute schizophrenic episode	25	0.1	<1	0.2
96	Miscellaneous schizophrenia	1,141	4.5	23	8.5

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	89	7.2	68	1	1	5	9	16	22	42
70-74	41	9.5	160	1	1	5	12	22	40	58
75-79	33	6.7	15	2	2	7	9	11	15	17
80-84	23	10.7	86	2	3	9	13	16	28	48
85+	15	12.0	56	3	3	11	16	22	27	29
2. MULTIPLE DX										
65-69 YRS	218	11.4	116	2	3	8	15	22	31	80
70-74	203	11.3	95	2	3	8	13	25	32	47
75-79	154	13.1	124	3	4	10	16	26	30	62
80-84	117	13.4	110	3	4	11	19	28	34	76
85+	86	15.8	244	4	4	12	18	37	43	88
TOT. SINGLE DX	201	8.4	81	1	1	6	10	17	24	51
" MULTIPLE DX	778	12.5	127	3	3	9	16	25	34	64
TOTAL 65-69 YRS	307	10.2	105	1	2	7	13	21	29	63
70-74	244	11.0	106	2	3	8	13	25	31	53
75-79	187	11.9	111	2	3	10	15	24	30	57
80-84	140	12.9	107	3	4	10	16	27	34	68
85+	101	15.2	217	4	4	11	17	35	42	87
GRAND TOTAL	979	11.6	120	2	3	8	15	24	32	57

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1086	7.3	51	1	1	5	10	16	20	38
70-74	616	7.6	50	1	2	5	10	16	21	35
75-79	246	7.3	46	1	2	5	10	15	19	37
80-84	78	8.4	57	1	2	6	12	22	24	33
85+	37	10.8	83	1	2	8	16	25	31	34
2. MULTIPLE DX										
65-69 YRS	1914	11.1	96	2	2	9	15	23	28	48
70-74	1204	12.5	115	2	2	10	17	25	32	52
75-79	675	13.8	131	2	3	11	19	28	36	59
80-84	272	14.6	134	2	3	12	18	28	38	53
85+	107	14.7	102	2	3	13	18	31	36	67
TOT. SINGLE DX	2063	7.5	51	1	2	5	10	16	21	36
" MULTIPLE DX	4172	12.3	111	2	2	10	16	25	32	52
TOTAL 65-69 YRS	3000	9.7	83	1	2	8	13	21	26	46
70-74	1820	10.8	98	2	2	8	15	23	30	47
75-79	921	12.1	116	2	2	9	16	25	34	56
80-84	350	13.3	123	2	3	11	18	26	36	50
85+	144	13.7	99	2	2	13	18	30	34	46
GRA[illegible]OTAL	6235	10.7	96	1	2	8	15	22	29	48

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1139	5.6	41	1	2	4	7	12	16	30
70-74	798	6.2	65	1	2	4	7	13	20	35
75-79	481	5.6	41	1	2	3	7	11	16	37
80-84	157	6.6	57	1	1	4	8	14	20	43
85+	43	7.2	66	1	2	4	9	16	21	44
2. MULTIPLE DX										
65-69 YRS	2897	9.5	97	2	2	7	12	20	28	51
70-74	2304	10.1	104	2	2	7	12	23	30	51
75-79	1398	10.8	111	2	2	8	14	22	34	57
80-84	519	10.6	93	2	2	8	13	22	28	49
85+	210	12.0	91	2	3	9	16	26	32	57
TOT. SINGLE DX	2618	5.9	50	1	2	4	7	12	17	35
" MULTIPLE DX	7328	10.1	102	2	2	7	13	22	30	52
TOTAL 65-69 YRS	4036	8.4	84	2	2	6	10	17	25	48
70-74	3102	9.1	97	2	2	6	11	21	28	50
75-79	1879	9.5	98	2	2	6	12	20	28	53
80-84	676	9.7	88	2	2	7	12	21	26	49
85+	253	11.2	90	2	2	8	15	25	31	56
GRAND TOTAL	9946	9.0	92	2	2	6	11	20	27	50

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	183	4.0	11	1	2	3	5	9	11	18
70-74	66	5.3	69	1	1	3	5	12	14	56
75-79	23	4.3	13	1	2	3	5	10	14	15
80-84	3	3.0	1	2	2	3	4	4	4	4
85+	2	15.5	1	15	15	15	16	16	16	16
2. MULTIPLE DX										
65-69 YRS	809	6.0	33	1	2	4	8	13	17	32
70-74	348	7.4	58	2	2	5	10	15	20	38
75-79	118	8.2	60	2	2	6	10	20	26	37
80-84	14	13.2	133	2	2	7	23	30	31	32
85+	8	7.4	62	2	2	4	12	20	20	20
TOT. SINGLE DX	277	4.4	26	1	2	3	5	10	13	20
" MULTIPLE DX	1297	6.7	44	2	2	4	9	14	20	33
TOTAL 65-69 YRS	992	5.6	30	1	2	3	8	12	16	31
70-74	414	7.0	60	1	2	4	9	14	20	42
75-79	141	7.6	55	2	2	5	9	18	25	36
80-84	17	11.4	124	2	2	5	23	29	31	32
85+	10	9.0	60	2	2	5	16	20	20	20
GRAND TOTAL	1574	6.3	42	1	2	4	8	13	19	32

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1658	5.5	30	1	2	3	8	13	16	26
70-74	1300	5.8	29	1	2	4	8	13	16	25
75-79	786	6.4	49	1	2	4	9	14	18	31
80-84	353	8.1	73	1	2	5	11	18	22	38
85+	167	7.1	36	1	2	5	9	16	19	25
2. MULTIPLE DX										
65-69 YRS	5339	9.0	72	2	2	7	12	19	25	43
70-74	4515	9.9	83	2	2	8	13	20	27	48
75-79	3143	10.7	94	2	2	8	14	22	29	51
80-84	1713	11.3	89	2	2	9	15	23	30	49
85+	974	13.2	123	2	3	11	17	26	33	58
TOT. SINGLE DX	4264	6.1	37	1	2	4	8	14	17	28
" MULTIPLE DX	15684	10.1	86	2	2	8	13	21	27	48
TOTAL 65-69 YRS	6997	8.2	64	1	2	6	11	17	23	40
70-74	5815	9.0	73	2	2	7	12	19	25	43
75-79	3929	9.9	88	2	2	7	13	21	28	50
80-84	2066	10.8	88	2	2	9	14	22	29	48
85+	1141	12.3	115	2	3	10	16	24	32	54
GRAND TOTAL	**19948**	**9.3**	**78**	**2**	**2**	**7**	**12**	**19**	**26**	**45**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	870	6.8	52	1	2	5	9	14	19	41
70-74	629	7.6	55	2	2	6	10	15	19	35
75-79	449	8.1	70	2	2	6	10	17	24	40
80-84	243	9.0	91	1	2	6	12	18	23	51
85+	141	9.6	102	2	3	7	12	18	23	47
2. MULTIPLE DX										
65-69 YRS	3332	11.4	105	2	2	9	14	24	31	57
70-74	3014	12.0	116	2	3	9	15	25	32	58
75-79	2445	13.8	144	2	3	10	17	29	37	63
80-84	1509	14.1	143	3	4	11	18	28	39	64
85+	995	13.4	118	2	4	10	17	27	35	58
TOT. SINGLE DX	2332	7.7	64	1	2	6	10	16	21	40
" MULTIPLE DX	11295	12.6	124	2	3	10	16	26	35	60
TOTAL 65-69 YRS	4202	10.5	98	2	2	8	13	22	30	55
70-74	3643	11.2	109	2	2	8	14	23	31	56
75-79	2894	12.9	136	2	3	10	16	28	36	61
80-84	1752	13.4	139	2	3	10	17	26	38	63
85+	1136	12.9	118	2	3	10	16	26	34	57
GRAND TOTAL	**13627**	**11.8**	**117**	**2**	**2**	**9**	**15**	**24**	**33**	**58**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	224	6.6	39	1	2	5	8	14	18	38
70-74	116	8.6	124	1	2	5	10	17	22	66
75-79	54	7.7	43	2	2	5	11	17	22	32
80-84	32	13.6	253	2	2	8	18	26	43	83
85+	16	13.3	149	2	3	8	17	37	39	40
2. MULTIPLE DX										
65-69 YRS	314	16.0	196	2	4	12	20	34	49	86
70-74	253	16.5	197	2	4	13	21	37	53	99+
75-79	232	17.5	185	3	5	14	23	37	45	72
80-84	143	21.5	321	3	5	16	29	44	76	99+
85+	98	19.0	163	4	6	16	25	38	45	85
TOT. SINGLE DX	442	8.0	84	1	2	5	10	17	23	45
" MULTIPLE DX	1040	17.5	210	3	4	14	23	38	50	92
TOTAL 65-69 YRS	538	12.1	152	2	2	8	15	27	39	70
70-74	369	14.0	187	2	2	10	18	33	49	95
75-79	286	15.6	172	2	3	12	21	32	42	65
80-84	175	20.1	316	3	4	15	28	43	67	98
85+	114	18.2	164	3	5	15	25	38	44	80
GRAND TOTAL	**1482**	**14.7**	**192**	**2**	**3**	**11**	**19**	**34**	**44**	**83**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of a procedure which is coded for indexing, quality review, and purposes other than its effect on length of stay. For the purpose of operation length of stay tables, patients with only this procedure are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	140	8.3	103	1	1	5	11	18	26	44
70-74	103	10.6	132	2	2	7	14	23	29	64
75-79	92	9.6	63	2	2	7	13	21	29	34
80-84	49	13.2	124	2	3	11	20	25	40	49
85+	29	12.2	160	1	3	9	15	30	64	99+
2. MULTIPLE DX										
65-69 YRS	719	14.8	170	2	3	11	18	32	43	77
70-74	719	14.8	179	2	3	11	19	32	41	72
75-79	628	14.8	163	2	3	11	19	31	42	71
80-84	363	15.1	140	3	4	11	21	32	39	57
85+	292	15.0	174	3	4	11	18	32	46	95
TOT. SINGLE DX	413	10.0	109	1	2	7	13	22	29	60
" MULTIPLE DX	2721	14.9	167	2	4	11	19	32	42	76
TOTAL 65-69 YRS	859	13.7	165	2	2	10	17	28	41	75
70-74	822	14.3	175	2	3	11	18	30	41	70
75-79	720	14.2	153	2	3	11	18	30	39	68
80-84	412	14.9	138	3	4	11	20	32	40	54
85+	321	14.7	173	3	4	11	17	32	46	99+
GRAND TOTAL	**3134**	**14.2**	**162**	**2**	**3**	**11**	**18**	**31**	**41**	**70**

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
98	Major depressive psychoses	4,928	19.6	104	39.0
99	Other affective psychoses	1,392	5.5	29	11.0
100	Miscellaneous psychoses	3,818	15.2	59	22.2
101	Anxiety states	2,648	10.5	18	6.7
102	Neurotic depression	5,392	21.4	78	29.2
103	Miscellaneous neuroses and personality disorders	1,070	4.3	11	4.0
104	Alcoholic dependence syndrome	6,350	25.2	74	27.7
105	Opioid dependence	52	0.2	1	0.3
106	Drug dependence except opioid	121	0.5	2	0.7
107	Nondependent abuse of alcohol	416	1.7	2	0.9
108	Nondependent abuse of drugs, except alcohol	95	0.4	1	0.3
109	Psychophysiologic disorder	1,270	5.0	9	3.4
110	Adjustment reactions and acute reactions to stress	1,014	4.0	9	3.3
111	Miscellaneous mental disorders	3,374	13.4	39	14.8
112	Mental retardation	55	0.2	1	0.2
113	Inflammatory diseases of central nervous system	519	2.1	10	3.9
114	Parkinson's disease	5,883	23.4	78	29.3
115	Multiple sclerosis	333	1.3	4	1.6
116	Epilepsy	2,920	11.6	25	9.3
117	Miscellaneous disease of central nervous system	12,750	50.7	170	63.9
118	Migraine	594	2.4	4	1.4
119	Carpal tunnel syndrome and other lesions of median nerve	5,067	20.1	19	7.0
120	Peripheral nervous system disorder, except sciatica	7,926	31.5	71	26.7
121	Retinal detachment and defects	4,440	17.6	27	10.2

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
122	Open angle and primary closure glaucoma	4,141	16.5	19	7.2
123	Other glaucoma	1,858	7.4	10	3.6
124	Senile cataract	99,889	397.0	388	145.7
125	Cataract, except senile	1,655	6.6	6	2.3
126	Strabismus	755	3.0	4	1.4
127	Miscellaneous disorders of superficial structures of eye	8,644	34.4	31	11.8
128	Miscellaneous disorders of deep structures of eye	5,992	23.8	30	11.3
129	Other disorders of eye	724	2.9	4	1.6
130	Otitis media, chronic and unspecified	1,476	5.9	6	2.2
131	Other inflammation of ear and mastoid	689	2.7	5	1.9
132	Vertiginous syndromes	7,174	28.5	43	16.1
133	Otosclerosis	1,089	4.3	3	1.2
134	Miscellaneous diseases of ear	1,582	6.3	6	2.3
135	Rheumatic fever, acute	408	1.6	5	1.8
136	Chronic rheumatic heart disease	3,789	15.1	44	16.7
137	Essential hypertension	18,320	72.8	152	57.2
138	Hypertensive heart disease	18,668	74.2	197	74.1
139	Miscellaneous hypertensive disease	2,674	10.6	32	11.9
140	Acute myocardial infarction	55,789	221.7	886	332.9
141	Angina pectoris	31,636	125.7	230	86.5
142	Other acute and subacute forms of ischemic heart disease	23,161	92.0	212	79.6
143	Miscellaneous ischemic heart disease	69,352	275.6	690	259.2
144	Pulmonary embolism and infarction	7,428	29.5	113	42.5
145	Acute and subacute endocarditis	508	2.0	17	6.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
146	Paroxysmal supraventricular tachycardia	3,539	14.1	23	8.6
147	Atrial fibrillation and flutter	20,696	82.2	173	64.9
148	Other arrhythmia and conduction disorders	34,086	135.5	328	123.1
149	Heart failure	103,573	411.6	1,182	444.0
150	Miscellaneous diseases of heart	15,957	63.4	172	64.4
151	Cardiovascular disease, unspecified	12,379	49.2	134	50.5
152	Subarachnoid hemorrhage without paralysis	447	1.8	11	4.3
153	Subarachnoid hemorrhage with paralysis	40	0.2	1	0.5
154	Intracerebral hemorrhage without paralysis	2,124	8.4	41	15.4
155	Intracerebral hemorrhage with paralysis	460	1.8	13	4.7
156	Precerebral artery occlusion without paralysis	9,662	38.4	99	37.3
157	Precerebral occlusion with paralysis	481	1.9	9	3.4
158	Occlusion of cerebral arteries, thrombosis and embolism without paralysis	12,383	49.2	191	71.6
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	4,987	19.8	104	39.0
160	Transient cerebral ischemia without paralysis	36,779	146.2	296	111.1
161	Acute, but ill-defined, cerebrovascular disease without paralysis	31,380	124.7	489	183.6
162	Acute, but ill-defined, cerebrovascular disease with paralysis	10,335	41.1	210	78.8

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
163 Other and ill-defined cerebrovascular disease	26,448	105.1	291	109.2
164 Atherosclerosis	13,501	53.7	185	69.7
165 Aortic aneurysm	7,383	29.3	109	41.0
166 Aneurysm except aortic	1,147	4.6	16	6.2
167 Arterial embolism and thrombosis	8,690	34.5	128	48.1
168 Miscellaneous diseases of arteries	9,749	38.7	134	50.5
169 Phlebitis and thrombophlebitis	15,421	61.3	181	67.9
170 Varicose veins of lower extremities	6,131	24.4	93	34.9
171 Hemorrhoids	7,000	27.8	51	19.0
172 Miscellaneous diseases of veins and circulatory system	9,283	36.9	100	37.7
173 Acute URI except streptococcal	5,617	22.3	41	15.4
174 Bronchitis and bronchiolitis, acute	18,287	72.7	157	59.1
175 Deviated nasal septum	1,139	4.5	4	1.4
176 Nasal polyp	1,220	4.8	4	1.4
177 Chronic disease of tonsils and adenoids	437	1.7	1	0.5
178 Miscellaneous diseases of upper respiratory system	5,143	20.4	25	9.3
179 Pneumonia	59,555	236.7	708	265.8
180 Influenza	3,313	13.2	24	8.9
181 Bronchitis, chronic and unspecified	15,533	61.7	142	53.4
182 Emphysema	8,826	35.1	94	35.4
183 Asthma	16,958	67.4	148	55.7
184 Miscellaneous obstructive lung diseases	38,772	154.1	408	153.4
185 Spontaneous pneumothorax	1,564	6.2	20	7.7
186 Miscellaneous lung and pleural diseases	23,192	92.2	260	97.5

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
187	Disease of teeth and jaws	3,984	15.8	16	5.9
188	Disease of mouth, except dental	2,320	9.2	15	5.5
189	Diseases of esophagus	11,603	46.1	97	36.6
190	Gastric ulcer without complication	7,079	28.1	69	25.9
191	Gastric ulcer with hemorrhage or perforation	5,848	23.2	71	26.8
192	Nongastric peptic ulcer without complication	9,681	38.5	83	31.1
193	Nongastric peptic ulcer with hemorrhage or perforation	9,461	37.6	108	40.7
194	Peptic ulcer with obstruction	1,632	6.5	27	10.2
195	Gastritis and duodenitis	16,365	65.0	127	47.7
196	Disease of stomach and duodenum, except ulcer and inflammation	4,678	18.6	48	18.2
197	Acute appendicitis without peritonitis	1,168	4.6	11	4.1
198	Acute appendicitis with peritonitis	1,971	7.8	30	11.4
199	Disease of appendix, except acute appendicitis	299	1.2	3	1.1
200	Inguinal hernia without complication	33,423	132.8	222	83.5
201	Inguinal hernia, complicated	3,888	15.5	36	13.7
202	Umbilical hernia without complication	1,104	4.4	8	3.1
203	Ventral hernia without complication	5,771	22.9	54	20.2
204	Diaphragmatic hernia without complication	13,834	55.0	102	38.1
205	Other hernia of abdominal cavity without complication	1,498	6.0	12	4.4
206	Complicated hernia of abdominal cavity, except inguinal	4,703	18.7	54	20.4

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
207 Intestinal obstruction without mention of hernia	17,139	68.1	226	84.7
208 Noninfectious gastroenteritis and colitis	24,963	99.2	182	68.3
209 Diverticula of intestine	37,086	147.5	344	129.1
210 Anal fissure, fistula, and abscess	3,331	13.2	26	9.6
211 Miscellaneous diseases of intestine and peritoneum	31,126	123.7	294	110.3
212 Alcoholic liver disease	2,449	9.7	36	13.4
213 Other cirrhosis and chronic liver disease	4,002	15.9	55	20.5
214 Miscellaneous diseases of liver	2,692	10.7	36	13.4
215 Gallbladder disease with calculus	35,467	141.0	434	163.1
216 Gallbladder disease without mention of calculus	11,681	46.4	132	49.5
217 Diseases of bile ducts with calculus	4,597	18.3	69	25.9
218 Diseases of bile ducts without mention of calculus	3,075	12.2	45	17.0
219 Diseases of pancreas	6,810	27.1	83	31.3
220 Gastrointestinal hemorrhage	18,247	72.5	178	66.8
221 Intestinal malabsorption	653	2.6	9	3.4
222 Chronic glomerulonephritis and nephrotic syndrome	1,219	4.8	16	6.0
223 Miscellaneous nephritis and functional disorders	153	0.6	2	0.8
224 Chronic renal failure	4,578	18.2	51	19.2
225 Other renal failure	2,996	11.9	47	17.6
226 Acute Pyelonephritis	3,169	12.6	33	12.2
227 Miscellaneous kidney infections	3,983	15.8	43	16.0
228 Calculus of kidney	4,697	18.7	43	16.2
229 Calculus of ureter	7,952	31.6	60	22.4
230 Miscellaneous diseases of kidney and ureter	5,789	23.0	60	22.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
231 Urinary calculus, except kidney and ureter	2,362	9.4	22	8.1
232 Cystitis	11,019	43.8	82	30.7
233 Urethral stricture	7,466	29.7	49	18.4
234 Miscellaneous urinary diseases	37,954	150.8	342	128.3
235 Hyperplasia of prostate	59,306	235.7	574	215.8
236 Diseases of prostate, except hypertrophy	3,065	12.2	21	7.9
237 Hydrocele	1,922	7.6	11	4.2
238 Orchitis and epididymitis	1,778	7.1	15	5.5
239 Redundant prepuce and phimosis	1,354	5.4	6	2.3
240 Miscellaneous diseases of male genital organs	1,736	6.9	11	4.2
241 Benign mammary dysplasia	4,325	17.2	16	6.1
242 Miscellaneous diseases of breast	2,218	8.8	10	3.9
243 Ovarian cyst	529	2.1	6	2.2
244 Pelvic inflammatory disease	467	1.9	6	2.3
245 Endometriosis	211	0.8	2	0.7
246 Inflammatory disease of cervix uteri	637	2.5	3	1.3
247 Inflammatory disease of vulva, vagina, and uterus, except cervix	723	2.9	5	1.8
248 Genital prolapse	12,335	49.0	117	43.9
251 Menopausal and postmenopausal disorders	4,712	18.7	18	6.8
252 Miscellaneous diseases of female genitalia	4,846	19.3	30	11.1
253 Signs and symptoms referable to female genital organs	2,190	8.7	23	8.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
291 Cellulitis and abscess, except digit	11,991	47.7	144	54.0
292 Miscellaneous infections of skin and subcutaneous tissue	2,816	11.2	33	12.6
293 Pilonidal cyst	138	0.5	1	0.4
294 Sebaceous cyst	901	3.6	4	1.3
295 Miscellaneous diseases of skin and subcutaneous tissue	17,064	67.8	248	93.2
296 Diffuse diseases of connective tissue	1,245	4.9	18	6.6
297 Rheumatoid arthritis, except spine	7,720	30.7	104	39.0
298 Osteoarthrosis (osteoarthritis), except spine	27,300	108.5	393	147.8
299 Other arthropathies	4,265	16.9	52	19.6
300 Internal derangement of knee joint	1,516	6.0	11	4.2
301 Other disorders of joint	3,592	14.3	37	13.8
302 Ankylosing spondylitis	165	0.7	2	0.6
303 Spondylosis and allied disorders	12,644	50.2	129	48.6
304 Derangement and displacement of lumbar disc	8,543	34.0	109	40.8
305 Derangement and displacement of intervertebral disc, except lumbar	2,767	11.0	30	11.4
306 Sacroiliac joint disorder	945	3.8	9	3.4
307 Sciatica	1,735	6.9	19	7.1
308 Other dorsopathies	10,372	41.2	112	42.0
309 Bursitis and synovitis, except spine	5,336	21.2	34	12.8
310 Bunion and deformities of toe	6,437	25.6	37	13.9
311 Ganglion and cyst	1,421	5.6	6	2.4
312 Osteomyelitis	1,734	6.9	34	12.9
313 Localized disorders of bone and cartilage	16,759	66.6	217	81.4

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
314	Acquired deformities of limbs, except toe	675	2.7	7	2.7
315	Neuralgia, neuritis, and radiculitis, unspecified	824	3.3	9	3.2
316	Miscellaneous disorders of musculoskeletal system	8,027	31.9	62	23.2
317	Somatic dysfunction	108	0.4	1	0.4
318	Congenital anomaly of nervous system	83	0.3	1	0.3
319	Congenital anomaly of eye, ear, face, and neck	1,371	5.4	5	1.9
320	Congenital anomaly of heart and circulatory system	706	2.8	7	2.8
321	Cleft palate and lip	7	0.0	<1	0.0
323	Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	675	2.7	7	2.5
324	Undescended testicle	36	0.1	<1	0.1
325	Miscellaneous congenital anomalies of genitourinary system	904	3.6	7	2.8
326	Clubfoot	126	0.5	1	0.3
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	1,416	5.6	15	5.6
329	Convulsions	5,973	23.7	50	18.8
330	Pyrexia of unknown origin	3,991	15.9	38	14.3
331	Headache	2,231	8.9	15	5.6
332	Epistaxis	5,153	20.5	28	10.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
333	Signs and symptoms referable to the cardiovascular system, except gangrene	1,753	7.0	15	5.7
334	Gangrene	5,571	22.1	132	49.6
335	Chest pain	15,383	61.1	86	32.5
336	Other signs and symptoms referable to respiratory system and chest	5,511	21.9	45	16.8
337	Signs and symptoms referable to urinary system	7,286	29.0	67	25.2
338	Abdominal pain	14,004	55.7	93	35.0
339	Other signs and symptoms referable to upper GI tract and abdomen	6,535	26.0	55	20.7
340	Miscellaneous signs, symptoms, and ill-defined conditions	38,121	151.5	311	116.7
341	Fracture of vault of skull	386	1.5	5	2.1
342	Fracture of base of skull	335	1.3	5	1.7
343	Fracture of face bones	1,704	6.8	14	5.3
344	Fracture of vertebral column without mention of spinal cord injury	12,056	47.9	158	59.4
345	Fracture of vertebral column with cord injury	469	1.9	7	2.7
346	Fracture of ribs, sternum, larynx and trachea	7,441	29.6	75	28.0
347	Fracture of pelvis	7,611	30.2	127	47.6
348	Fracture of humerus	9,664	38.4	103	38.8
349	Fracture of radius and ulna	7,845	31.2	52	19.4
350	Miscellaneous fractures of upper extremity	1,726	6.9	11	4.3
351	Fracture of neck of femur	53,259	211.7	1,110	416.9
352	Other femoral fracture	4,588	18.2	122	45.9
353	Fracture of tibia and fibula	4,172	16.6	60	22.6
354	Miscellaneous fractures of lower extremity	8,540	33.9	92	34.5
355	Fracture of other bones	1,238	4.9	13	4.7

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
356	Fracture of multiple bones	63	0.3	1	0.5
357	Dislocation of shoulder	1,159	4.6	6	2.3
358	Dislocation of knee	903	3.6	7	2.8
359	Other dislocation	867	3.4	9	3.4
360	Sprains and strains of knee and leg	953	3.8	9	3.2
361	Sprains and strains of sacroiliac region	4,721	18.8	44	16.7
362	Sprains and strains of other and unspecified parts of back	3,427	13.6	29	10.9
363	Other sprains and strains	2,365	9.4	18	6.6
364	Concussion	4,320	17.2	33	12.3
365	Intracranial injury, except concussion	2,586	10.3	36	13.4
366	Internal injury to thoracic region	603	2.4	7	2.7
367	Internal injury, except chest	686	2.7	9	3.3
368	Laceration or enucleation of eye	392	1.6	2	0.9
369	Other laceration of head and neck	3,172	12.6	23	8.5
370	Other laceration of trunk and multiple and unspecified sites	426	1.7	4	1.5
371	Open wound of upper limb	1,800	7.2	9	3.6
372	Open wound of lower limb	1,145	4.6	13	5.1
373	Injury to blood vessels	109	0.4	1	0.5
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	1,659	6.6	21	7.9
375	Contusion of eye and adnexa	280	1.1	2	0.8
376	Other superficial injuries	13,429	53.4	113	42.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
377	Miscellaneous crushing injury	162	0.6	2	0.7
378	Foreign body on external eye	12	0.0	<1	0.0
379	Foreign body entering through other body orifice	2,090	8.3	10	3.6
380	Third degree burns	684	2.7	18	6.9
381	Other burns	1,093	4.3	18	6.8
382	Injury to nerve and spinal cord	412	1.6	5	1.8
383	Certain traumatic complications and unspecified injuries	2,035	8.1	20	7.7
384	Poisoning by drugs, medicinal, and biological substances	7,273	28.9	61	22.8
385	Toxic effects of substances chiefly nonmedicinal as to source	1,046	4.2	7	2.6
386	Miscellaneous adverse effects	3,863	15.4	33	12.4
387	Complications peculiar to certain specified procedures	16,055	63.8	166	62.2
388	Hemorrhage or hematoma complicating a procedure	2,961	11.8	17	6.5
389	Postoperative wound infection	2,164	8.6	28	10.5
390	Other complications of surgical procedures	3,843	15.3	43	16.1
391	Other complications of medical care, except drugs	210	0.8	2	0.6
392	Admission for prophylactic sterilization	78	0.3	<1	0.1
396	Aftercare for removal of internal fixation device	2,134	8.5	16	6.0
397	Aftercare involving intermittent dialysis	1,199	4.8	2	0.9

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
398	Admission for special examinations and miscellaneous reasons	32,626	129.7	229	86.0
	All patients except deliveries and newborn	2,516,246	10,000.0	26,625	10,000.0

Tables 2 and 3 display frequency rankings of U.S. geriatric patients and total stay according to diagnosis group. Excluded are patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer. Also excluded are groups containing no geriatric patients.

Table 2

Ranking of *ICD-9-CM* List A Diagnosis Groups by Live Geriatric Discharges U.S. PAS Hospitals, 1979

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
149	Heart failure	103,573	1
124	Senile cataract	99,889	2
143	Miscellaneous ischemic heart disease	69,352	3
179	Pneumonia	59,555	4
235	Hyperplasia of prostate	59,306	5
140	Acute myocardial infarction	55,789	6
351	Fracture of neck of femur	53,259	7
184	Miscellaneous obstructive lung diseases	38,772	8
340	Miscellaneous signs, symptoms, and ill-defined conditions	38,121	9
234	Miscellaneous urinary diseases	37,954	10
209	Diverticula of intestine	37,086	11
160	Transient cerebral ischemia without paralysis	36,779	12
215	Gallbladder disease with calculus	35,467	13
148	Other arrhythmia and conduction disorders	34,086	14
200	Inguinal hernia without complication	33,423	15
398	Admission for special examinations and miscellaneous reasons	32,626	16
141	Angina pectoris	31,636	17
161	Acute, but ill-defined, cerebrovascular disease without paralysis	31,380	18
211	Miscellaneous diseases of intestine and peritoneum	31,126	19
45	Malignant neoplasm of ill-defined and secondary sites	30,100	20
71	Diabetes mellitus without complication	29,588	21
37	Malignant neoplasm of prostate	28,288	22
298	Osteoarthrosis (osteoarthritis), except spine	27,300	23

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
163	Other and ill-defined cerebrovascular disease	26,448	24
27	Malignant neoplasm of bronchus, lung, and trachea	25,404	25
208	Noninfectious gastroenteritis and colitis	24,963	26
186	Miscellaneous lung and pleural diseases	23,192	27
142	Other acute and subacute forms of ischemic heart disease	23,161	28
147	Atrial fibrillation and flutter	20,696	29
39	Malignant neoplasm of bladder	20,496	30
23	Malignant neoplasm of colon	20,249	31
32	Malignant neoplasm of breast (female) (male)	18,668	32
138	Hypertensive heart disease	18,668	33
137	Essential hypertension	18,320	34
174	Bronchitis and bronchiolitis, acute	18,287	35
220	Gastrointestinal hemorrhage	18,247	36
73	Other complicated diabetes mellitus	17,645	37
207	Intestinal obstruction without mention of hernia	17,139	38
295	Miscellaneous diseases of skin and subcutaneous tissue	17,064	39
183	Asthma	16,958	40
313	Localized disorders of bone and cartilage	16,759	41
195	Gastritis and duodenitis	16,365	42
90	Chronic organic brain syndrome, except arteriosclerotic dementia	16,295	43
387	Complications peculiar to certain specified procedures	16,055	44
84	Anemia except iron deficiency and sickle-cell	16,044	45
150	Miscellaneous diseases of heart	15,957	46
81	Disorders of fluid, electrolyte, and acid-base balance	15,706	47
181	Bronchitis, chronic and unspecified	15,533	48
169	Phlebitis and thrombophlebitis	15,421	49
335	Chest pain	15,383	50

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)
338	Abdominal pain	14,004	51
204	Diaphragmatic hernia without complication	13,834	52
164	Atherosclerosis	13,501	53
376	Other superficial injuries	13,429	54
117	Miscellaneous disease of central nervous system	12,750	55
303	Spondylosis and allied disorders	12,644	56
158	Occlusion of cerebral arteries, thrombosis and embolism without paralysis	12,383	57
151	Cardiovascular disease, unspecified	12,379	58
248	Genital prolapse	12,335	59
344	Fracture of vertebral column without mention of spinal cord injury	12,056	60
291	Cellulitis and abscess, except digit	11,991	61
216	Gallbladder disease without mention of calculus	11,681	62
189	Diseases of esophagus	11,603	63
49	Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	10,689	65
24	Malignant neoplasm of rectum, rectosigmoid junction and anus	10,620	66
308	Other dorsopathies	10,372	67
162	Acute, but ill-defined, cerebrovascular disease with paralysis	10,335	68
168	Miscellaneous diseases of arteries	9,749	69
192	Nongastric peptic ulcer without complication	9,681	70
348	Fracture of humerus	9,664	71
156	Precerebral artery occlusion without paralysis	9,662	72
193	Nongastric peptic ulcer with hemorrhage or perforation	9,461	73
172	Miscellaneous diseases of veins and circulatory system	9,283	74
182	Emphysema	8,826	75
82	Iron deficiency anemia	8,824	76
167	Arterial embolism and thrombosis	8,690	77

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
127	Miscellaneous disorders of superficial structures of eye	8,644	78
304	Derangement and displacement of lumbar disc	8,543	79
354	Miscellaneous fractures of lower extremity	8,540	80
51	Benign neoplasm of other parts of digestive system	8,236	81
316	Miscellaneous disorders of musculoskeletal system	8,027	82
229	Calculus of ureter	7,952	83
120	Peripheral nervous system disorder, except sciatica	7,926	84
68	Neoplasms of uncertain behavior and unspecified nature	7,884	85
349	Fracture of radius and ulna	7,845	86
297	Rheumatoid arthritis, except spine	7,720	87
347	Fracture of pelvis	7,611	88
233	Urethral stricture	7,466	89
346	Fracture of ribs, sternum, larynx and trachea	7,441	90
144	Pulmonary embolism and infarction	7,428	91
165	Aortic aneurysm	7,383	92
337	Signs and symptoms referable to urinary system	7,286	93
384	Poisoning by drugs, medicinal, and biological substances	7,273	94
132	Vertiginous syndromes	7,174	95
190	Gastric ulcer without complication	7,079	96
34	Malignant neoplasm of corpus uteri	7,019	97
171	Hemorrhoids	7,000	98
31	Other malignant neoplasm of skin, excluding genital organs	6,916	99
219	Diseases of pancreas	6,810	100
339	Other signs and symptoms referable to upper GI tract and abdomen	6,535	101
310	Bunion and deformities of toe	6,437	102
104	Alcoholic dependence syndrome	6,350	103
170	Varicose veins of lower extremities	6,131	104
128	Miscellaneous disorders of deep structures of eye	5,992	105

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
329	Convulsions	5,973	106
114	Parkinson's disease	5,883	107
191	Gastric ulcer with hemorrhage or perforation	5,848	108
230	Miscellaneous diseases of kidney and ureter	5,789	109
203	Ventral hernia without complication	5,771	110
173	Acute URI except streptococcal	5,617	111
334	Gangrene	5,571	112
1	Intestinal infectious disease	5,512	113
336	Other signs and symptoms referable to respiratory system and chest	5,511	114
102	Neurotic depression	5,392	115
309	Bursitis and synovitis, except spine	5,336	116
75	Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	5,328	117
332	Epistaxis	5,153	118
178	Miscellaneous diseases of upper respiratory system	5,143	119
119	Carpal tunnel syndrome and other lesions of median nerve	5,067	120
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	4,987	121
98	Major depressive psychoses	4,928	122
252	Miscellaneous diseases of female genitalia	4,846	123
19	Malignant neoplasm of lip, oral cavity, and pharynx	4,827	124
361	Sprains and strains of sacroiliac region	4,721	125
251	Menopausal and postmenopausal disorders	4,712	126
206	Complicated hernia of abdominal cavity, except inguinal	4,703	127
228	Calculus of kidney	4,697	128
196	Disease of stomach and duodenum, except ulcer and inflammation	4,678	129
5	Septicemia	4,638	130
217	Diseases of bile ducts with calculus	4,597	131

Table 2 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)
352	Other femoral fracture	4,588	132
224	Chronic renal failure	4,578	133
21	Malignant neoplasm of stomach	4,569	134
121	Retinal detachment and defects	4,440	135
8	Viral diseases with exanthem	4,410	136
86	Disease of hematopoietic system, except anemia and hemophilia	4,374	137
241	Benign mammary dysplasia	4,325	138
364	Concussion	4,320	139
299	Other arthropathies	4,265	140
353	Fracture of tibia and fibula	4,172	141
26	Malignant neoplasm of pancreas	4,142	142
122	Open angle and primary closure glaucoma	4,141	143
213	Other cirrhosis and chronic liver disease	4,002	144
330	Pyrexia of unknown origin	3,991	145
187	Disease of teeth and jaws	3,984	146
227	Miscellaneous kidney infections	3,983	147
201	Inguinal hernia, complicated	3,888	148
386	Miscellaneous adverse effects	3,863	149
390	Other complications of surgical procedures	3,843	150
100	Miscellaneous psychoses	3,818	151
136	Chronic rheumatic heart disease	3,789	152
35	Malignant neoplasm of ovary	3,753	153
301	Other disorders of joint	3,592	154
146	Paroxysmal supraventricular tachycardia	3,539	155
40	Malignant neoplasm of kidney and other urinary organs	3,460	156
362	Sprains and strains of other and unspecified parts of back	3,427	157
111	Miscellaneous mental disorders	3,374	158
70	Other diseases of thyroid gland	3,359	159
210	Anal fissure, fistula, and abscess	3,331	160
180	Influenza	3,313	161
48	Leukemia, except lymphoid	3,309	162
53	Benign neoplasm of bone, muscle, and connective tissue	3,285	163
72	Diabetic acidosis or coma	3,214	164

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
369	Other laceration of head and neck	3,172	165
226	Acute pyelonephritis	3,169	166
28	Other malignant neoplasm of respiratory system and thoracic cavity	3,159	167
218	Diseases of bile ducts without mention of calculus	3,075	168
236	Diseases of prostate, except hypertrophy	3,065	169
225	Other renal failure	2,996	170
388	Hemorrhage or hematoma complicating a procedure	2,961	171
116	Epilepsy	2,920	172
25	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	2,845	173
292	Miscellaneous infections of skin and subcutaneous tissue	2,816	174
305	Derangement and displacement of intervertebral disc, except lumbar	2,767	175
214	Miscellaneous diseases of liver	2,692	176
33	Malignant neoplasm of cervix uteri excluding carcinoma in situ	2,682	177
139	Miscellaneous hypertensive disease	2,674	178
101	Anxiety states	2,648	179
12	Miscellaneous viral diseases	2,612	180
365	Intracranial injury, except concussion	2,586	181
47	Lymphoid leukemia	2,464	182
212	Alcoholic liver disease	2,449	183
363	Other sprains and strains	2,365	184
231	Urinary calculus, except kidney and ureter	2,362	185
188	Disease of mouth, except dental	2,320	186
331	Headache	2,231	187
242	Miscellaneous diseases of breast	2,218	188
253	Signs and symptoms referable to female genital organs	2,190	189
389	Postoperative wound infection	2,164	190
91	Arteriosclerotic dementia	2,156	191
80	Gout	2,146	192

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
396	Aftercare for removal of internal fixation device	2,134	193
154	Intracerebral hemorrhage without paralysis	2,124	194
379	Foreign body entering through other body orifice	2,090	195
383	Certain traumatic complications and unspecified injuries	2,035	196
79	Miscellaneous metabolic disorders	2,003	197
20	Malignant neoplasm of esophagus	1,995	198
198	Acute appendicitis with peritonitis	1,971	199
237	Hydrocele	1,922	200
29	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	1,902	201
76	Nutritional deficiencies	1,897	202
123	Other glaucoma	1,858	203
67	Carcinoma in situ, except cervix uteri	1,828	204
371	Open wound of upper limb	1,800	205
238	Orchitis and epididymitis	1,778	206
333	Signs and symptoms referable to the cardiovascular system, except gangrene	1,753	207
240	Miscellaneous diseases of male genital organs	1,736	208
307	Sciatica	1,735	209
312	Osteomyelitis	1,734	210
350	Miscellaneous fractures of upper extremity	1,726	211
343	Fracture of face bones	1,704	212
69	Simple and non-toxic nodular goiter	1,683	213
30	Malignant melanoma of skin, excluding genital organs	1,667	214
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	1,659	215
125	Cataract, except senile	1,655	216

Table 2 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)
194 Peptic ulcer with obstruction	1,632	217
134 Miscellaneous diseases of ear	1,582	218
185 Spontaneous pneumothorax	1,564	219
300 Internal derangement of knee joint	1,516	220
205 Other hernia of abdominal cavity without complication	1,498	221
130 Otitis media, chronic and unspecified	1,476	222
54 Benign neoplasm of skin, blood vessels, and miscellaneous sites	1,434	223
311 Ganglion and cyst	1,421	224
327 Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	1,416	225
99 Other affective psychoses	1,392	226
2 Respiratory tuberculosis	1,389	227
42 Malignant neoplasm of brain	1,376	228
319 Congenital anomaly of eye, ear, face, and neck	1,371	229
239 Redundant prepuce and phimosis	1,354	230
109 Psychophysiologic disorder	1,270	231
92 Alcoholic psychoses	1,269	232
296 Diffuse diseases of connective tissue	1,245	233
355 Fracture of other bones	1,238	234
176 Nasal polyp	1,220	235
222 Chronic glomerulonephritis and nephrotic syndrome	1,219	236
397 Aftercare involving intermittent dialysis	1,199	237
36 Malignant neoplasm of other female genital organs	1,186	238
197 Acute appendicitis without peritonitis	1,168	239
357 Dislocation of shoulder	1,159	240
166 Aneurysm except aortic	1,147	241
372 Open wound of lower limb	1,145	242
96 Miscellaneous schizophrenia	1,141	243
175 Deviated nasal septum	1,139	244
55 Benign neoplasm of breast	1,131	245
50 Benign neoplasm of lip, oral cavity, and pharynx	1,116	246

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
202	Umbilical hernia without complication	1,104	247
381	Other burns	1,093	248
133	Otosclerosis	1,089	249
56	Uterine leiomyoma	1,084	250
103	Miscellaneous neuroses and personality disorders	1,070	251
385	Toxic effects of substances chiefly nonmedicinal as to source	1,046	252
63	Benign neoplasm of central nervous system	1,016	253
110	Adjustment reactions and acute reactions to stress	1,014	254
64	Benign neoplasm of thyroid glands	1,005	255
360	Sprains and strains of knee and leg	953	256
306	Sacroiliac joint disorder	945	257
325	Miscellaneous congenital anomalies of genitourinary system	904	258
358	Dislocation of knee	903	259
294	Sebaceous cyst	901	260
6	Miscellaneous bacterial diseases	888	261
58	Benign neoplasm of ovary	886	262
359	Other dislocation	867	263
44	Malignant neoplasm of endocrine glands	845	264
315	Neuralgia, neuritis, and radiculitis, unspecified	824	265
46	Hodgkin's disease	786	266
126	Strabismus	755	267
129	Other disorders of eye	724	268
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	723	269
61	Benign neoplasm of urinary organ	706	270
320	Congenital anomaly of heart and circulatory system	706	271
15	Mycoses	696	272
131	Other inflammation of ear and mastoid	689	273
367	Internal injury, except chest	686	274
380	Third degree burns	684	275

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
314	Acquired deformities of limbs, except toe	675	276
323	Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	675	277
9	Viral hepatitis	666	278
221	Intestinal malabsorption	653	279
52	Benign neoplasm of respiratory system and intrathoracic organs	637	280
246	Inflammatory disease of cervix uteri	637	281
366	Internal injury to thoracic region	603	282
118	Migraine	594	283
94	Paranoid schizophrenia	571	284
89	Transient organic psychotic conditions	560	285
66	Carcinoma in situ of cervix	541	286
243	Ovarian cyst	529	287
113	Inflammatory diseases of central nervous system	519	288
145	Acute and subacute endocarditis	508	289
157	Precerebral occlusion with paralysis	481	290
345	Fracture of vertebral column with cord injury	469	291
244	Pelvic inflammatory disease	467	292
155	Intracerebral hemorrhage with paralysis	460	293
152	Subarachnoid hemorrhage without paralysis	447	294
65	Benign neoplasm of endocrine glands, except thyroid	441	295
177	Chronic disease of tonsils and adenoids	437	296
370	Other laceration of trunk and multiple and unspecified sites	426	297
22	Malignant neoplasm of small intestine	420	298
107	Nondependent abuse of alcohol	416	299
382	Injury to nerve and spinal cord	412	300
135	Rheumatic fever, acute	408	301
368	Laceration or enucleation of eye	392	302
341	Fracture of vault of skull	386	303

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
17	Miscellaneous infective and parasitic diseases	378	304
14	Syphilis and other venereal diseases	335	305
342	Fracture of base of skull	335	306
115	Multiple sclerosis	333	307
93	Drug psychoses	326	308
38	Malignant neoplasm of male genitalia, except prostate	322	309
78	Obesity of nonendocrine origin	314	310
199	Disease of appendix, except acute appendicitis	299	311
41	Malignant neoplasm of eye	292	312
375	Contusion of eye and adnexa	280	313
88	Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	274	314
3	Nonrespiratory tuberculosis	246	315
245	Endometriosis	211	316
391	Other complications of medical care, except drugs	210	317
11	Viral warts	173	318
302	Ankylosing spondylitis	165	319
377	Miscellaneous crushing injury	162	320
223	Miscellaneous nephritis and functional disorders	153	321
57	Benign neoplasm of uterus, except leiomyoma	141	322
293	Pilonidal cyst	138	323
60	Benign neoplasm of male genital organ	137	324
4	Streptococcal sore throat and scarlet fever	130	325
326	Clubfoot	126	326
106	Drug dependence except opioid	121	327
373	Injury to blood vessels	109	328
317	Somatic dysfunction	108	329
18	Late effects of infectious and parasitic diseases	105	330
43	Malignant neoplasm of other parts of nervous system	104	331
59	Benign neoplasm of female genitalia, except uterus and ovary	100	332

Table 2 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)
108 Nondependent abuse of drugs, except alcohol	95	333
318 Congenital anomaly of nervous system	83	334
7 Poliomyelitis and other enteroviral diseases of central nervous system	80	335
392 Admission for prophylactic sterilization	78	336
13 Rickettsioses and other arthropod-borne diseases	75	337
16 Helminthiases	71	338
62 Benign neoplasm of eye	64	339
356 Fracture of multiple bones	63	340
87 Nonspecific mesenteric lymphadenitis	58	341
112 Mental retardation	55	342
105 Opioid dependence	52	343
10 Infectious mononucleosis	41	344
83 Sickle-cell anemia and trait	41	345
85 Hemophilia (congenital factor VIII disorder)	40	346
153 Subarachnoid hemorrhage with paralysis	40	347
324 Undescended testicle	36	348
95 Acute schizophrenic episode	25	349
74 Ovarian dysfunction	15	350
378 Foreign body on external eye	12	351
321 Cleft palate and lip	7	352
All geriatric patients	2,516,246	

Table 3

Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care
Geriatric Patients
U.S. PAS Hospitals, 1979

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
149	Heart failure	1,182	1
351	Fracture of neck of femur	1,110	2
140	Acute myocardial infarction	886	3
179	Pneumonia	708	4
143	Miscellaneous ischemic heart disease	690	5
235	Hyperplasia of prostate	574	6
161	Acute, but ill-defined, cerebrovascular disease without paralysis	489	7
215	Gallbladder disease with calculus	434	8
184	Miscellaneous obstructive lung diseases	408	9
45	Malignant neoplasm of ill-defined and secondary sites	395	10
298	Osteoarthrosis (osteoarthritis), except spine	393	11
124	Senile cataract	388	12
23	Malignant neoplasm of colon	366	13
27	Malignant neoplasm of bronchus, lung, and trachea	346	14
209	Diverticula of intestine	344	15
234	Miscellaneous urinary diseases	342	16
148	Other arrhythmia and conduction disorders	328	17
340	Miscellaneous signs, symptoms, and ill-defined conditions	311	18
71	Diabetes mellitus without complication	310	19
37	Malignant neoplasm of prostate	306	20
160	Transient cerebral ischemia without paralysis	296	21
211	Miscellaneous diseases of intestine and peritoneum	294	22
163	Other and ill-defined cerebrovascular disease	291	23
186	Miscellaneous lung and pleural diseases	260	24
295	Miscellaneous diseases of skin and subcutaneous tissue	248	25

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
73	Other complicated diabetes mellitus	238	26
141	Angina pectoris	230	27
398	Admission for special examinations and miscellaneous reasons	229	28
90	Chronic organic brain syndrome, except arteriosclerotic dementia	226	29
207	Intestinal obstruction without mention of hernia	226	30
200	Inguinal hernia without complication	222	31
313	Localized disorders of bone and cartilage	217	32
32	Malignant neoplasm of breast (female) (male)	212	33
142	Other acute and subacute forms of ischemic heart disease	212	34
162	Acute, but ill-defined, cerebrovascular disease with paralysis	210	35
138	Hypertensive heart disease	197	36
24	Malignant neoplasm of rectum, rectosigmoid junction and anus	192	37
158	Occlusion of cerebral arteries, thrombosis and embolism without paralysis	191	38
164	Atherosclerosis	185	39
208	Noninfectious gastroenteritis and colitis	182	40
39	Malignant neoplasm of bladder	182	41
169	Phlebitis and thrombophlebitis	181	42
220	Gastrointestinal hemorrhage	178	43
81	Disorders of fluid, electrolyte, and acid-base balance	174	44
147	Atrial fibrillation and flutter	173	45
150	Miscellaneous diseases of heart	172	46
117	Miscellaneous disease of central nervous system	170	47
387	Complications peculiar to certain specified procedures	166	48
344	Fracture of vertebral column without mention of spinal cord injury	158	49

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
174	Bronchitis and bronchiolitis, acute	157	50
137	Essential hypertension	152	51
183	Asthma	148	52
84	Anemia except iron deficiency and sickle-cell	147	53
291	Cellulitis and abscess, except digit	144	54
181	Bronchitis, chronic and unspecified	142	55
49	Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	140	56
151	Cardiovascular disease, unspecified	134	57
168	Miscellaneous diseases of arteries	134	58
334	Gangrene	132	59
216	Gallbladder disease without mention of calculus	132	60
303	Spondylosis and allied disorders	129	61
167	Arterial embolism and thrombosis	128	62
195	Gastritis and duodenitis	127	63
347	Fracture of pelvis	127	64
352	Other femoral fracture	122	65
248	Genital prolapse	117	66
376	Other superficial injuries	113	67
144	Pulmonary embolism and infarction	113	68
308	Other dorsopathies	112	69
165	Aortic aneurysm	109	70
304	Derangement and displacement of lumbar disc	109	71
193	Nongastric peptic ulcer with hemorrhage or perforation	108	72
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	104	73
98	Major depressive psychoses	104	74
297	Rheumatoid arthritis, except spine	104	75
348	Fracture of humerus	103	76
204	Diaphragmatic hernia without complication	102	77
172	Miscellaneous diseases of veins and circulatory system	100	78

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
156	Precerebral artery occlusion without paralysis	99	79
189	Diseases of esophagus	97	80
182	Emphysema	94	81
338	Abdominal pain	93	82
170	Varicose veins of lower extremities	93	83
354	Miscellaneous fractures of lower extremity	92	84
335	Chest pain	86	85
219	Diseases of pancreas	83	86
192	Nongastric peptic ulcer without complication	83	87
82	Iron deficiency anemia	82	88
232	Cystitis	82	89
21	Malignant neoplasm of stomach	81	90
114	Parkinson's disease	78	91
102	Neurotic depression	78	92
5	Septicemia	78	93
26	Malignant neoplasm of pancreas	76	94
346	Fracture of ribs, sternum, larynx and trachea	75	95
104	Alcoholic dependence syndrome	74	96
68	Neoplasms of uncertain behavior and unspecified nature	72	97
191	Gastric ulcer with hemorrhage or perforation	71	98
120	Peripheral nervous system disorder, except sciatica	71	99
190	Gastric ulcer without complication	69	100
217	Diseases of bile ducts with calculus	69	101
337	Signs and symptoms referable to urinary system	67	102
34	Malignant neoplasm of corpus uteri	67	103
316	Miscellaneous disorders of musculoskeletal system	62	104
384	Poisoning by drugs, medicinal, and biological substances	61	105
353	Fracture of tibia and fibula	60	106
230	Miscellaneous diseases of kidney and ureter	60	107

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
51	Benign neoplasm of other parts of digestive system	60	108
229	Calculus of ureter	60	109
100	Miscellaneous psychoses	59	110
40	Malignant neoplasm of kidney and other urinary organs	55	111
339	Other signs and symptoms referable to upper GI tract and abdomen	55	112
213	Other cirrhosis and chronic liver disease	55	113
206	Complicated hernia of abdominal cavity, except inguinal	54	114
203	Ventral hernia without complication	54	115
299	Other arthropathies	52	116
19	Malignant neoplasm of lip, oral cavity, and pharynx	52	117
349	Fracture of radius and ulna	52	118
224	Chronic renal failure	51	119
171	Hemorrhoids	51	120
329	Convulsions	50	121
25	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	50	122
233	Urethral stricture	49	123
35	Malignant neoplasm of ovary	49	124
75	Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	49	125
196	Disease of stomach and duodenum, except ulcer and inflammation	48	126
8	Viral diseases with exanthem	47	127
225	Other renal failure	47	128
86	Disease of hematopoietic system, except anemia and hemophilia	45	129
218	Diseases of bile ducts without mention of calculus	45	130
336	Other signs and symptoms referable to respiratory system and chest	45	131
136	Chronic rheumatic heart disease	44	132
361	Sprains and strains of sacroiliac region	44	133
228	Calculus of kidney	43	134

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	Days of Care (in thousands) (2)	Rank (3)
132	Vertiginous syndromes	43	135
300	Other complications of surgical procedures	43	136
227	Miscellaneous kidney infections	43	137
154	Intracerebral hemorrhage without paralysis	41	138
173	Acute URI except streptococcal	41	139
72	Diabetic acidosis or coma	41	140
31	Other malignant neoplasm of skin, excluding genital organs	40	141
111	Miscellaneous mental disorders	39	142
1	Intestinal infectious disease	39	143
330	Pyrexia of unknown origin	38	144
310	Bunion and deformities of toe	37	145
301	Other disorders of joint	37	146
48	Leukemia, except lymphoid	37	147
70	Other diseases of thyroid gland	37	148
201	Inguinal hernia, complicated	36	149
365	Intracranial injury, except concussion	36	150
212	Alcoholic liver disease	36	151
214	Miscellaneous diseases of liver	36	152
28	Other malignant neoplasm of respiratory system and thoracic cavity	35	153
312	Osteomyelitis	34	154
309	Bursitis and synovitis, except spine	34	155
292	Miscellaneous infections of skin and subcutaneous tissue	33	156
386	Miscellaneous adverse effects	33	157
364	Concussion	33	158
226	Acute pyelonephritis	33	159
139	Miscellaneous hypertensive disease	32	160
127	Miscellaneous disorders of superficial structures of eye	31	161
20	Malignant neoplasm of esophagus	30	162
198	Acute appendicitis with peritonitis	30	163
305	Derangement and displacement of intervertebral disc, except lumbar	30	164
128	Miscellaneous disorders of deep structures of eye	30	165

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	Days of Care (in thousands) (2)	Rank (3)
42	Malignant neoplasm of brain	30	166
91	Arteriosclerotic dementia	30	167
252	Miscellaneous diseases of female genitalia	30	168
99	Other affective psychoses	29	169
362	Sprains and strains of other and unspecified parts of back	29	170
332	Epistaxis	28	171
389	Postoperative wound infection	28	172
47	Lymphoid leukemia	28	173
76	Nutritional deficiencies	27	174
121	Retinal detachment and defects	27	175
194	Peptic ulcer with obstruction	27	176
210	Anal fissure, fistula, and abscess	26	177
33	Malignant neoplasm of cervix uteri excluding carcinoma in situ	25	178
116	Epilepsy	25	179
178	Miscellaneous diseases of upper respiratory system	25	180
2	Respiratory tuberculosis	25	181
29	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	24	182
180	Influenza	24	183
146	Paroxysmal supraventricular tachycardia	23	184
253	Signs and symptoms referable to female genital organs	23	185
369	Other laceration of head and neck	23	186
96	Miscellaneous schizophrenia	23	187
231	Urinary calculus, except kidney and ureter	22	188
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	21	189
236	Diseases of prostate, except hypertrophy	21	190
63	Benign neoplasm of central nervous system	21	191

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
383	Certain traumatic complications and unspecified injuries	20	192
185	Spontaneous pneumothorax	20	193
79	Miscellaneous metabolic disorders	20	194
122	Open angle and primary closure glaucoma	19	195
307	Sciatica	19	196
119	Carpal tunnel syndrome and other lesions of median nerve	19	197
12	Miscellaneous viral diseases	19	198
380	Third degree burns	18	199
251	Menopausal and postmenopausal disorders	18	200
381	Other burns	18	201
80	Gout	18	202
101	Anxiety states	18	203
296	Diffuse diseases of connective tissue	18	204
363	Other sprains and strains	18	205
388	Hemorrhage or hematoma complicating a procedure	17	206
53	Benign neoplasm of bone, muscle, and connective tissue	17	207
145	Acute and subacute endocarditis	17	208
166	Aneurysm except aortic	16	209
241	Benign mammary dysplasia	16	210
222	Chronic glomerulonephritis and nephrotic syndrome	16	211
396	Aftercare for removal of internal fixation device	16	212
187	Disease of teeth and jaws	16	213
36	Malignant neoplasm of other female genital organs	16	214
67	Carcinoma in situ, except cervix uteri	16	215
30	Malignant melanoma of skin, excluding genital organs	15	216
333	Signs and symptoms referable to the cardiovascular system, except gangrene	15	217
331	Headache	15	218

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	Days of Care (in thousands) (2)	Rank (3)
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	15	219
188	Disease of mouth, except dental	15	220
238	Orchitis and epididymitis	15	221
92	Alcoholic psychoses	14	222
343	Fracture of face bones	14	223
372	Open wound of lower limb	13	224
155	Intracerebral hemorrhage with paralysis	13	225
355	Fracture of other bones	13	226
69	Simple and non-toxic nodular goiter	12	227
205	Other hernia of abdominal cavity without complication	12	228
94	Paranoid schizophrenia	12	229
152	Subarachnoid hemorrhage without paralysis	11	230
6	Miscellaneous bacterial diseases	11	231
350	Miscellaneous fractures of upper extremity	11	232
237	Hydrocele	11	233
240	Miscellaneous diseases of male genital organs	11	234
300	Internal derangement of knee joint	11	235
56	Uterine leiomyoma	11	236
197	Acute appendicitis without peritonitis	11	237
58	Benign neoplasm of ovary	11	238
103	Miscellaneous neuroses and personality disorders	11	239
242	Miscellaneous diseases of breast	10	240
113	Inflammatory diseases of central nervous system	10	241
46	Hodgkin's disease	10	242
44	Malignant neoplasm of endocrine glands	10	243
379	Foreign body entering through other body orifice	10	244
123	Other glaucoma	10	245
371	Open wound of upper limb	9	246
157	Precerebral occlusion with paralysis	9	247

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
221	Intestinal malabsorption	9	248
306	Sacroiliac joint disorder	9	249
359	Other dislocation	9	250
15	Mycoses	9	251
54	Benign neoplasm of skin, blood vessels, and miscellaneous sites	9	252
109	Psychophysiologic disorder	9	253
367	Internal injury, except chest	9	254
110	Adjustment reactions and acute reactions to stress	9	255
315	Neuralgia, neuritis, and radiculitis, unspecified	9	256
360	Sprains and strains of knee and leg	9	257
9	Viral hepatitis	8	258
202	Umbilical hernia without complication	8	259
22	Malignant neoplasm of small intestine	8	260
89	Transient organic psychotic conditions	8	261
325	Miscellaneous congenital anomalies of genitourinary system	7	262
358	Dislocation of knee	7	263
320	Congenital anomaly of heart and circulatory system	7	264
366	Internal injury to thoracic region	7	265
345	Fracture of vertebral column with cord injury	7	266
64	Benign neoplasm of thyroid glands	7	267
314	Acquired deformities of limbs, except toe	7	268
385	Toxic effects of substances chiefly nonmedicinal as to source	7	269
323	Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	7	270
311	Ganglion and cyst	6	271
244	Pelvic inflammatory disease	6	272
134	Miscellaneous diseases of ear	6	273
65	Benign neoplasm of endocrine glands, except thyroid	6	274
125	Cataract, except senile	6	275
357	Dislocation of shoulder	6	276

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
239	Redundant prepuce and phimosis	6	277
243	Ovarian cyst	6	278
130	Otitis media, chronic and unspecified	6	279
50	Benign neoplasm of lip, oral cavity, and pharynx	6	280
341	Fracture of vault of skull	5	281
319	Congenital anomaly of eye, ear, face, and neck	5	282
131	Other inflammation of ear and mastoid	5	283
135	Rheumatic fever, acute	5	284
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	5	285
55	Benign neoplasm of breast	5	286
382	Injury to nerve and spinal cord	5	287
3	Nonrespiratory tuberculosis	5	288
342	Fracture of base of skull	5	289
17	Miscellaneous infective and parasitic diseases	4	290
52	Benign neoplasm of respiratory system and intrathoracic organs	4	291
129	Other disorders of eye	4	292
115	Multiple sclerosis	4	293
370	Other laceration of trunk and multiple and unspecified sites	4	294
66	Carcinoma in situ of cervix	4	295
176	Nasal polyp	4	296
126	Strabismus	4	297
118	Migraine	4	298
175	Deviated nasal septum	4	299
38	Malignant neoplasm of male genitalia, except prostate	4	300
294	Sebaceous cyst	4	301
61	Benign neoplasm of urinary organ	3	302
246	Inflammatory disease of cervix uteri	3	303
14	Syphilis and other venereal diseases	3	304
93	Drug psychoses	3	305
133	Otosclerosis	3	306
78	Obesity of nonendocrine origin	3	307

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
199	Disease of appendix, except acute appendicitis	3	308
43	Malignant neoplasm of other parts of nervous system	2	309
397	Aftercare involving intermittent dialysis	2	310
368	Laceration or enucleation of eye	2	311
107	Nondependent abuse of alcohol	2	312
41	Malignant neoplasm of eye	2	313
223	Miscellaneous nephritis and functional disorders	2	314
375	Contusion of eye and adnexa	2	315
88	Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	2	316
106	Drug dependence except opioid	2	317
245	Endometriosis	2	318
377	Miscellaneous crushing injury	2	319
302	Ankylosing spondylitis	2	320
391	Other complications of medical care, except drugs	2	321
373	Injury to blood vessels	1	322
153	Subarachnoid hemorrhage with paralysis	1	323
356	Fracture of multiple bones	1	324
177	Chronic disease of tonsils and adenoids	1	325
18	Late effects of infectious and parasitic diseases	1	326
317	Somatic dysfunction	1	327
293	Pilonidal cyst	1	328
7	Poliomyelitis and other enteroviral diseases of central nervous system	1	329
60	Benign neoplasm of male genital organ	1	330
4	Streptococcal sore throat and scarlet fever	1	331
318	Congenital anomaly of nervous system	1	332
326	Clubfoot	1	333

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
57	Benign neoplasm of uterus, except leiomyoma	1	334
13	Rickettsioses and other arthropod-borne diseases	1	335
11	Viral warts	1	336
108	Nondependent abuse of drugs, except alcohol	1	337
105	Opioid dependence	1	338
112	Mental retardation	1	339
16	Helminthiases	1	340
59	Benign neoplasm of female genitalia, except uterus and ovary	1	341
85	Hemophilia (congenital factor VIII disorder)	1	342
10	Infectious mononucleosis	<1	343
62	Benign neoplasm of eye	<1	344
74	Ovarian dysfunction	<1	345
83	Sickle-cell anemia and trait	<1	346
87	Nonspecific mesenteric lymphadenitis	<1	347
95	Acute schizophrenic episode	<1	348
321	Cleft palate and lip	<1	349
324	Undescended testicle	<1	350
378	Foreign body on external eye	<1	351
392	Admission for prophylactic sterilization	<1	352
	All diagnosis groups	26,625	

Table 4 displays total U.S. geriatric patients and days of care (after exclusions*) in each of the operation groups containing patients 65 and older, except those consisting solely of UHDDS Class 2-4 procedures** (512, 516, 533, 540, 589, 629, 647, 657, 659, 741, 752, 759, 761, 762, and 763). Also shown is the corresponding rate per 10,000 operated geriatric discharges and the rate per 10,000 days of care.

Table 4

Distribution of Geriatric Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups U.S. PAS Hospitals, 1979

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
501	Incision, excision of skull, brain, and cerebral meninges	2,075	20.2	53	43.8
502	Craniotomy and craniectomy	1,574	15.3	41	33.6
503	Cranioplasty	113	1.1	2	1.4
504	Ventricular shunt, extracranial	618	6.0	17	13.8
505	Miscellaneous operations on brain and cerebral meninges	319	3.1	7	5.7
506	Exploration and decompression of spinal canal structures	2,348	22.9	51	42.2
507	Operations on spinal cord structures, except exploration	625	6.1	14	11.2
508	Excision or destruction of lesion of cranial or peripheral nerve	1,803	17.6	10	8.3
509	Miscellaneous operations on cranial and other peripheral nerves	5,839	56.9	26	21.2
510	Sympathectomy	1,537	15.0	29	24.3
511	Miscellaneous operations on sympathetic nerves and ganglia	278	2.7	4	3.1
513	Thyroidectomy	3,015	29.4	25	20.2

---

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

**Additional information regarding UHDDS classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Table 4 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
514 Operations on parathyroid and thyroid, except thyroidectomy	852	8.3	10	8.3
515 Operations on endocrine glands, except parathyroid and thyroid	243	2.4	5	4.1
517 Excision or destruction of lesion or tissue of eyelid	1,738	16.9	8	6.3
518 Miscellaneous operations on eyelid	5,200	50.6	20	16.1
519 Operations on lacrimal system	890	8.7	3	2.8
520 Operations on conjunctiva	236	2.3	1	0.8
521 Corneal transplant	1,528	14.9	9	7.2
522 Miscellaneous operations on cornea	1,011	9.8	4	3.3
523 Operations for regulation of intraocular pressure	2,730	26.6	13	10.9
524 Other operations on iris, ciliary body, sclera and anterior chamber	3,111	30.3	14	11.7
525 Intracapsular extraction of lens	85,293	830.6	356	293.5
526 Other lens extraction	14,690	143.1	46	38.2
527 Miscellaneous operations on lens	4,522	44.0	15	12.4
528 Repair of retina	4,598	44.8	28	23.0
529 Miscellaneous operations on retina, choroid, and vitreous	1,264	12.3	6	5.3
530 Resection and recession of ocular muscle	414	4.0	1	0.8
531 Miscellaneous operations on ocular muscle	25	0.2	<1	0.2
532 Operations on orbit and eyeball	1,521	14.8	9	7.3
534 Operations on external ear	1,513	14.7	10	8.0
535 Stapes mobilization and stapedectomy	1,162	11.3	3	2.8
536 Tympanoplasty	1,071	10.4	3	2.4
537 Myringotomy	566	5.5	3	2.2

Table 4 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
538	Mastoidectomy	605	5.9	3	2.7
539	Miscellaneous operations on middle ear and inner ear	456	4.4	2	1.9
541	Submucous resection of nasal septum	494	4.8	2	1.6
542	Rhinoplasty	1,292	12.6	5	4.4
543	Other incision, excision of nose	3,431	33.4	18	14.8
544	Miscellaneous operations on nose	1,772	17.3	12	9.6
545	Radical maxillary antrotomy	633	6.2	4	3.1
546	Miscellaneous operations on accessory sinus	810	7.9	6	4.7
547	Tooth extraction	4,048	39.4	27	22.0
548	Tooth restoration and orthodontia	27	0.3	<1	0.1
549	Operations on teeth and gums except extraction and restoration	547	5.3	3	2.5
550	Operations on salivary glands and ducts	2,346	22.8	15	12.7
551	Palatoplasty	27	0.3	<1	0.2
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	3,848	37.5	28	23.2
553	Tonsillectomy without adenoidectomy	215	2.1	1	0.8
554	Tonsillectomy with adenoidectomy	193	1.9	<1	0.3
555	Adenoidectomy without tonsillectomy	43	0.4	<1	0.1
556	Operations on pharynx except tonsillectomy and adenoidectomy	1,038	10.1	10	8.3
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	138	1.3	1	0.9

Table 4 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
558	Excision of lesion of larynx	3,210	31.3	14	11.2
559	Partial laryngectomy and local excision of lesion of trachea	387	3.8	6	4.8
560	Complete laryngectomy	568	5.5	14	11.5
561	Permanent tracheostomy	173	1.7	5	4.2
562	Operations on larynx and trachea except excision and permanent tracheostomy	1,204	11.7	37	30.4
563	Incision and local excision or destruction of lesion of bronchus	10,206	99.4	135	110.9
564	Bronchial resection and miscellaneous operations on bronchus	24	0.2	<1	0.2
565	Local excision or destruction of lesion or tissue of lung	4,767	46.4	80	66.0
566	Lobectomy and complete pneumonectomy	2,246	21.9	46	38.3
567	Bronchoscopy (using natural orifice)	11,319	110.2	149	122.8
568	Miscellaneous operations on lung	478	4.7	8	6.4
569	Thoracotomy	3,813	37.1	64	52.7
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	3,825	37.3	57	46.7
571	Open heart operations	1,776	17.3	39	32.4
572	Direct heart revascularization	6,305	61.4	111	91.8
573	Cardiac catheterization	12,732	124.0	86	70.7
574	Pacemaker insertion, replacement, removal, and repair	30,871	300.6	373	307.8
575	Miscellaneous operations on heart	653	6.4	12	9.7
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart	2,819	27.5	35	28.6

Table 4 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
577 Ligation and stripping of varicose veins	2,052	20.0	21	16.9
578 Systemic shunt or graft bypass	8,708	84.8	170	140.0
579 Extracorporeal circulation	31	0.3	1	0.6
580 Hemodialysis	2,285	22.3	20	16.3
581 Other operations on blood vessels	24,776	241.3	395	325.5
582 Incision, excision of lymphatic structures	5,852	57.0	70	57.4
583 Radical excision of lymph nodes	1,348	13.1	18	15.0
584 Miscellaneous operations on lymphatic system	3	0.0	<1	0.0
585 Bone marrow transplant	1	0.0	<1	0.0
586 Miscellaneous operations on spleen and bone marrow	19,417	189.1	283	233.1
587 Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen	629	6.1	13	10.8
588 Operations on esophagus	5,826	56.7	66	54.5
590 Gastrotomy, pyloromyotomy	202	2.0	4	3.7
591 Gastrostomy	1,445	14.1	39	32.5
592 Local excision or destruction of lesion or tissue of stomach	9,288	90.5	113	93.1
593 Partial gastrectomy	3,436	33.5	77	63.5
594 Total gastrectomy	450	4.4	12	10.2
595 Vagotomy	1,117	10.9	23	18.6
596 Miscellaneous operations on stomach	2,909	28.3	60	49.4
597 Local excision or destruction of intestinal lesion or tissue	10,978	106.9	111	91.7
598 Resection of small intestine	2,473	24.1	56	46.1
599 Colectomy	21,228	206.7	442	364.5
600 Other incision, resection of intestine	1,406	13.7	32	26.7

Table 4 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
601	Intestinal anastomosis or repair	4,682	45.6	76	62.3
602	Ileostomy, colostomy, and other enterostomy	2,900	28.2	75	61.8
603	Appendectomy	3,187	31.0	40	32.9
604	Incidental appendectomy	64	0.6	1	0.6
605	Operations on appendix except appendectomy	84	0.8	2	1.3
606	Local excision or destruction of lesion or tissue of rectum	6,005	58.5	60	49.7
607	Other incision of rectum and incision or excision of perirectal tissue	545	5.3	6	4.8
608	Proctectomy	4,373	42.6	101	83.3
609	Miscellaneous operations on intestine	4,657	45.4	59	48.8
610	Incision or excision of anal fistula	959	9.3	6	5.2
611	Local excision or destruction of lesion or tissue of anus	1,064	10.4	8	6.5
612	Hemorrhoidectomy	5,265	51.3	43	35.5
613	Miscellaneous operations on anus	1,475	14.4	13	10.5
614	Incision of liver	223	2.2	4	3.4
615	Miscellaneous operations on liver	5,848	57.0	85	69.9
616	Cholecystectomy	34,026	331.4	510	420.5
617	Operations on biliary tract and gallbladder except cholecystectomy	3,896	37.9	82	67.8
618	Operations on pancreas	1,440	14.0	28	23.5
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	5,992	58.4	75	62.0
620	Unilateral repair of inguinal hernia	31,893	310.6	226	186.4
621	Bilateral repair of inguinal hernia	4,820	46.9	38	31.1

Table 4 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
622	Unilateral or bilateral repair of femoral hernia	2,451	23.9	23	18.7
623	Repair of umbilical hernia	1,710	16.7	15	12.7
624	Repair of other hernia of anterior abdominal wall	6,468	63.0	68	55.8
625	Repair of diaphragmatic and other hernia	1,295	12.6	20	16.4
626	Incision, excision of abdominal wall and peritoneum except laparotomy	4,219	41.1	71	58.5
627	Laparotomy	5,015	48.8	105	86.8
628	Laparoscopy (excluding that for destruction of fallopian tubes)	416	4.1	5	4.1
630	Miscellaneous operations on abdominal wall and peritoneum	4,576	44.6	83	68.6
631	Complete nephrectomy	2,856	27.8	55	45.3
632	Miscellaneous operations on kidney	2,955	28.8	44	36.1
633	Ureterotomy	1,994	19.4	28	23.1
634	Ureteral diversion	505	4.9	11	9.3
635	Miscellaneous operations on ureter	1,686	16.4	15	12.7
636	Cystoscopy and urethroscopy	47,251	460.2	424	349.9
637	Transurethral excision or destruction of bladder lesion	19,919	194.0	148	121.9
638	Miscellaneous operations on bladder	8,335	81.2	109	89.7
639	Urethral meatotomy	370	3.6	3	2.2
640	Excision of urethral lesion, repair of urethra	2,094	20.4	15	12.5
641	Urethral dilation	8,002	77.9	71	58.6
642	Miscellaneous operations on urethra	1,913	18.6	15	12.7
643	Urethral suspension	1,469	14.3	18	14.8
644	Other repair of stress incontinence	378	3.7	4	3.7
645	Ureteral catheterization	347	3.4	3	2.8

Table 4 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
646	Miscellaneous operations on urinary tract	184	1.8	3	2.2
648	Transurethral prostatectomy	60,070	585.0	673	555.2
649	Other prostatectomy	7,378	71.9	115	95.1
650	Miscellaneous operations on prostate and seminal vesicles	7,727	75.3	56	46.2
651	Operations on scrotum and tunica vaginalis	798	7.8	7	5.8
652	Orchiectomy	3,648	35.5	37	30.5
653	Orchiopexy	28	0.3	<1	0.1
654	Miscellaneous operations on testis	89	0.9	1	0.7
655	Interruption of vas deferens	199	1.9	2	1.9
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	1,910	18.6	11	9.2
658	Miscellaneous operations on penis	648	6.3	6	4.5
660	Local excision or destruction of ovarian lesion or tissue	448	4.4	8	6.3
661	Unilateral oophorectomy or salpingo-oophorectomy	655	6.4	10	8.2
662	Bilateral oophorectomy or salpingo-oophorectomy	818	8.0	12	10.0
663	Miscellaneous operations on ovary	24	0.2	<1	0.3
666	Miscellaneous operations on fallopian tube	34	0.3	<1	0.4
667	Conization of cervix	595	5.8	3	2.4
668	Other excision or destruction of lesion or tissue of cervix	2,426	23.6	17	14.3
669	Repair and plastic operations on cervix	22	0.2	<1	0.2
670	Hysterotomy and excision of lesion of uterus	359	3.5	3	2.4
671	Abdominal hysterectomy	6,911	67.3	82	68.0
672	Vaginal hysterectomy	5,374	52.3	55	45.6
673	Radical hysterectomy and pelvic evisceration	154	1.5	3	2.8

Table 4 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
675 Other dilation and curettage	9,319	90.8	46	38.1
677 Other aspiration curettage	44	0.4	<1	0.4
678 Repair and plastic operations on supporting structures of uterus	64	0.6	1	0.5
679 Miscellaneous operations on uterus, cervix, and supporting structures	323	3.1	2	1.5
680 Plastic repair of cystocele and rectocele	4,168	40.6	39	32.4
681 Other colporrhaphy	417	4.1	4	3.5
682 Miscellaneous operations on vagina	1,901	18.5	18	14.7
683 Incision and excision of lesion of vulva and perineum	1,181	11.5	8	6.9
684 Vulvectomy	400	3.9	7	5.6
685 Miscellaneous operations on vulva and perineum	67	0.7	1	0.5
686 Miscellaneous diagnostic and therapeutic procedures on female genital system	34	0.3	<1	0.2
698 Excision of facial bone	446	4.3	5	3.8
699 Repair and plastic operations on facial bones	113	1.1	1	1.1
700 Closed reduction of maxillofacial fractures	148	1.4	2	1.3
701 Open reduction of maxillofacial fractures	372	3.6	4	3.6
702 Miscellaneous maxillofacial surgery	60	0.6	1	0.5
703 Incision and division of bones except facial	1,500	14.6	20	16.6
704 Bunionectomy	4,450	43.3	29	24.0
705 Excision of bone except facial	6,251	60.9	81	67.1
706 Repair and plastic operation on bone except facial	2,985	29.1	58	47.7
707 Removal of internal fixation device	4,165	40.6	49	40.3

Table 4 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
708	Closed reduction of fracture of femur with internal fixation	5,333	51.9	112	92.5
709	Open reduction of fracture of femur with internal fixation	26,000	253.2	568	468.1
710	Reduction of fracture of femur without internal fixation	1,131	11.0	27	22.1
711	Closed reduction of fracture with internal fixation, except maxillofacial and femur	1,977	19.3	22	18.2
712	Open reduction of fracture with internal fixation, except maxillofacial and femur	6,815	66.4	96	79.1
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	9,614	93.6	85	70.0
714	Closed reduction of dislocation	2,152	21.0	19	15.5
715	Open reduction of dislocation	843	8.2	14	11.7
716	Arthrotomy and division of joint capsule	2,005	19.5	34	28.0
717	Excision of intervertebral disc	3,957	38.5	73	60.5
718	Excision of semilunar cartilage of knee joint	1,721	16.8	14	11.6
719	Miscellaneous excisions of joint structures	2,088	20.3	18	14.9
720	Spinal fusion	328	3.2	7	5.4
721	Arthrodesis and stabilization of joint	1,550	15.1	15	12.0
722	Total hip replacement	10,967	106.8	225	185.6
723	Other arthroplasty of hip	15,909	154.9	341	281.0
724	Arthroplasty of knee	7,387	71.9	149	123.3
725	Repair of other joint	1,919	18.7	17	14.1

Table 4 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
726	Incision and division of muscle, tendon, fascia and bursa	1,219	11.9	10	8.0
727	Excision of lesion of muscle, tendon, fascia, and bursa	2,693	26.2	22	18.2
728	Division and resection of muscle, tendon, and fascia of hand	1,704	16.6	6	5.2
729	Repair and plastic operations on hand	596	5.8	3	2.2
730	Resection and suture of muscle, tendon, and fascia, except hand	1,385	13.5	10	8.5
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	634	6.2	6	5.1
732	Amputation of fingers and thumb	573	5.6	4	3.3
733	Amputation of hand, forearm, and upper arm	116	1.1	2	1.9
734	Amputation of toes	2,784	27.1	60	49.4
735	Below-knee amputation	3,507	34.2	111	91.3
736	Above-knee amputation	3,936	38.3	106	87.7
737	Other amputation of lower extremity	758	7.4	25	20.2
738	Reattachment of extremity	26	0.3	<1	0.2
739	Revision of amputation stump	604	5.9	10	8.1
740	Miscellaneous operations on musculoskeletal system	63	0.6	1	1.0
742	Local excision or destruction of lesion of breast	10,476	102.0	66	54.4
743	Simple mastectomy	2,516	24.5	26	21.2
744	Extended simple mastectomy and radical mastectomy	9,637	93.9	109	89.5
745	Miscellaneous operations on breast	694	6.8	5	3.8
746	Incision and excision of pilonidal cyst or sinus	171	1.7	1	1.2

Table 4 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	13,924	135.6	130	107.5
748	Other incision, excision, and suture of skin	15,644	152.4	229	189.1
749	Free skin grafts	3,151	30.7	76	62.9
750	Pedicle graft of skin	531	5.2	11	8.9
751	Miscellaneous operations on skin and subcutaneous tissue	2,813	27.4	21	17.7
753	Encephalography and ventriculography	979	9.5	11	9.4
754	Myelography	6,235	60.7	67	54.9
755	Cerebral arteriography	9,946	96.9	89	73.7
756	Coronary arteriography	1,574	15.3	10	8.1
757	Other arteriography and phlebography	19,948	194.3	185	152.2
758	Other radiography and special diagnostic procedures	13,627	132.7	160	132.2
760	Special therapies and rehabilitation	1,482	14.4	22	17.9
764	Miscellaneous diagnostic and therapeutic procedures	3,134	30.5	45	36.7
	All patients in operation groups	1,026,826	10,000.0	12,128	10,000.0

Tables 5 and 6 display frequency rankings of U.S. geriatric patients and total stay according to operation group. Excluded are patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer. Also excluded are groups containing no geriatric patients, as well as those consisting solely of UHDDS class 2-4 procedures (see explanation for Table 4).

Table 5

Ranking of *ICD-9-CM* List B Operation Groups by Live Geriatric Discharges U.S. PAS Hospitals, 1979

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
525	Intracapsular extraction of lens	85,293	1
648	Transurethral prostatectomy	60,070	2
636	Cystoscopy and urethroscopy	47,251	3
616	Cholecystectomy	34,026	4
620	Unilateral repair of inguinal hernia	31,893	5
574	Pacemaker insertion, replacement, removal, and repair	30,871	6
709	Open reduction of fracture of femur with internal fixation	26,000	7
581	Other operations on blood vessels	24,776	8
599	Colectomy	21,228	9
757	Other arteriography and phlebography	19,948	10
637	Transurethral excision or destruction of bladder lesion	19,919	11
586	Miscellaneous operations on spleen and bone marrow	19,417	12
723	Other arthroplasty of hip	15,909	13
748	Other incision, excision, and suture of skin	15,644	14
526	Other lens extraction	14,690	15
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	13,924	16
758	Other radiography and special diagnostic procedures	13,627	17
573	Cardiac catheterization	12,732	18
567	Bronchoscopy (using natural orifice)	11,319	19
597	Local excision or destruction of intestinal lesion or tissue	10,978	20

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
722	Total hip replacement	10,967	21
742	Local excision or destruction of lesion of breast	10,476	22
563	Incision and local excision or destruction of lesion of bronchus	10,206	23
755	Cerebral arteriography	9,946	24
744	Extended simple mastectomy and radical mastectomy	9,637	25
713	Other reduction of fracture without internal fixation, femur	9,614	26
675	Other dilation and curettage	9,319	27
592	Local excision or destruction of lesion or tissue of stomach	9,288	28
578	Systemic shunt or graft bypass	8,708	29
638	Miscellaneous operations on bladder	8,335	30
641	Urethral dilation	8,002	31
650	Miscellaneous operations on prostate and seminal vesicles	7,727	32
724	Arthroplasty of knee	7,387	33
649	Other prostatectomy	7,378	34
671	Abdominal hysterectomy	6,911	35
712	Open reduction of fracture with internal fixation, femur	6,815	36
624	Repair of other hernia of anterior abdominal wall	6,468	37
572	Direct heart revascularization	6,305	38
705	Excision of bone except facial	6,251	39
754	Myelography	6,235	40
606	Local excision or destruction of lesion or tissue of rectum	6,005	41
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	5,992	42
582	Incision, excision of lymphatic structures	5,852	43
615	Miscellaneous operations on liver	5,848	44
509	Miscellaneous operations on cranial and other peripheral nerves	5,839	45
588	Operations on esophagus	5,826	46

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
672	Vaginal hysterectomy	5,374	47
708	Closed reduction of fracture of femur with internal fixation	5,333	48
612	Hemorrhoidectomy	5,265	49
518	Miscellaneous operations on eyelid	5,200	50
627	Laparotomy	5,015	51
621	Bilateral repair of inguinal hernia	4,820	52
565	Local excision or destruction of lesion or tissue of lung	4,767	53
601	Intestinal anastomosis or repair	4,682	54
609	Miscellaneous operations on intestine	4,657	55
528	Repair of retina	4,598	56
630	Miscellaneous operations on abdominal wall and peritoneum	4,576	57
527	Miscellaneous operations on lens	4,522	58
704	Bunionectomy	4,450	59
608	Proctectomy	4,373	60
626	Incision, excision of abdominal wall and peritoneum except laparotomy	4,219	61
680	Plastic repair of cystocele and rectocele	4,168	62
707	Removal of internal fixation device	4,165	63
547	Tooth extraction	4,048	64
717	Excision of intervertebral disc	3,957	65
736	Above-knee amputation	3,936	66
617	Operations on biliary tract and gallbladder except cholecystectomy	3,896	67
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	3,848	68
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	3,825	69
569	Thoracotomy	3,813	70
652	Orchiectomy	3,648	71
735	Below-knee amputation	3,507	72
593	Partial gastrectomy	3,436	73
543	Other incision, excision of nose	3,431	74
558	Excision of lesion of larynx	3,210	75

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
603	Appendectomy	3,187	76
749	Free skin grafts	3,151	77
764	Miscellaneous diagnostic and therapeutic procedures	3,134	78
524	Other operations on iris, ciliary body, sclera and anterior chamber	3,111	79
513	Thyroidectomy	3,015	80
706	Repair and plastic operation on bone except facial	2,985	81
632	Miscellaneous operations on kidney	2,955	82
596	Miscellaneous operations on stomach	2,909	83
602	Ileostomy, colostomy, and other enterostomy	2,900	84
631	Complete nephrectomy	2,856	85
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart	2,819	86
751	Miscellaneous operations on skin and subcutaneous tissue	2,813	87
734	Amputation of toes	2,784	88
523	Operations for regulation of intraocular pressure	2,730	89
727	Excision of lesion of muscle, tendon, fascia, and bursa	2,693	90
743	Simple mastectomy	2,516	91
598	Resection of small intestine	2,473	92
622	Unilateral or bilateral repair of femoral hernia	2,451	93
668	Other excision or destruction of lesion or tissue of cervix	2,426	94
506	Exploration and decompression of spinal canal structures	2,348	95
550	Operations on salivary glands and ducts	2,346	96
580	Hemodialysis	2,285	97
566	Lobectomy and complete pneumonectomy	2,246	98
714	Closed reduction of dislocation	2,152	99
640	Excision of urethral lesion, repair of urethra	2,094	100

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
719	Miscellaneous excisions of joint structures	2,088	101
501	Incision, excision of skull, brain, and cerebral meninges	2,075	102
577	Ligation and stripping of varicose veins	2,052	103
716	Arthrotomy and division of joint capsule	2,005	104
633	Ureterotomy	1,994	105
711	Closed reduction of fracture with internal fixation, except maxillofacial and femur	1,977	106
725	Repair of other joint	1,919	107
642	Miscellaneous operations on urethra	1,913	108
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	1,910	109
682	Miscellaneous operations on vagina	1,901	110
508	Excision or destruction of lesion of cranial or peripheral nerve	1,803	111
571	Open heart operations	1,776	112
544	Miscellaneous operations on nose	1,772	113
517	Excision or destruction of lesion or tissue of eyelid	1,738	114
718	Excision of semilunar cartilage of knee joint	1,721	115
623	Repair of umbilical hernia	1,710	116
728	Division and resection of muscle, tendon, and fascia of hand	1,704	117
635	Miscellaneous operations on ureter	1,686	118
502	Craniotomy and craniectomy	1,574	119
756	Coronary arteriography	1,574	120
721	Arthrodesis and stabilization of joint	1,550	121
510	Sympathectomy	1,537	122
521	Corneal transplant	1,528	123
532	Operations on orbit and eyeball	1,521	124
534	Operations on external ear	1,513	125
703	Incision and division of bones except facial	1,500	126
760	Special therapies and rehabilitation	1,482	127
613	Miscellaneous operations on anus	1,475	128

Table 5 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)
643	Urethral suspension	1,469	129
591	Gastrostomy	1,445	130
618	Operations on pancreas	1,440	131
600	Other incision, resection of intestine	1,406	132
730	Resection and suture of muscle, tendon, and fascia, except hand	1,385	133
583	Radical excision of lymph nodes	1,348	134
625	Repair of diaphragmatic and other hernia	1,295	135
542	Rhinoplasty	1,292	136
529	Miscellaneous operations on retina, choroid, and vitreous	1,264	137
726	Incision and division of muscle, tendon, fascia and bursa	1,219	138
562	Operations on larynx and trachea except excision and permanent tracheostomy	1,204	139
683	Incision and excision of lesion of vulva and perineum	1,181	140
535	Stapes mobilization and stapedectomy	1,162	141
710	Reduction of fracture of femur without internal fixation	1,131	142
595	Vagotomy	1,117	143
536	Tympanoplasty	1,071	144
611	Local excision or destruction of lesion or tissue of anus	1,064	145
556	Operations on pharynx except tonsillectomy and adenoidectomy	1,038	146
522	Miscellaneous operations on cornea	1,011	147
753	Encephalography and ventriculography	979	148
610	Incision or excision of anal fistula	959	149
519	Operations on lacrimal system	890	150
514	Operations on parathyroid and thyroid, except thyroidectomy	852	151
715	Open reduction of dislocation	843	152
662	Bilateral oophorectomy or salpingo-oophorectomy	818	153

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
546	Miscellaneous operations on accessory sinus	810	154
651	Operations on scrotum and tunica vaginalis	798	155
737	Other amputation of lower extremity	758	156
745	Miscellaneous operations on breast	694	157
661	Unilateral oophorectomy or salpingo-oophorectomy	655	158
575	Miscellaneous operations on heart	653	159
658	Miscellaneous operations on penis	648	160
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	634	161
545	Radical maxillary antrotomy	633	162
587	Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen	629	163
507	Operations on spinal cord structures, except exploration	625	164
504	Ventricular shunt, extracranial	618	165
538	Mastoidectomy	605	166
739	Revision of amputation stump	604	167
729	Repair and plastic operations on hand	596	168
667	Conization of cervix	595	169
732	Amputation of fingers and thumb	573	170
560	Complete laryngectomy	568	171
537	Myringotomy	566	172
549	Operations on teeth and gums except extraction and restoration	547	173
607	Other incision of rectum and incision or excision of perirectal tissue	545	174
750	Pedicle graft of skin	531	175
634	Ureteral diversion	505	176
541	Submucous resection of nasal septum	494	177
568	Miscellaneous operations on lung	478	178
539	Miscellaneous operations on middle ear and inner ear	456	179
594	Total gastrectomy	450	180
660	Local excision or destruction of ovarian lesion or tissue	448	181

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
698	Excision of facial bone	446	182
681	Other colporrhaphy	417	183
628	Laparoscopy (excluding that for destruction of fallopian tubes)	416	184
530	Resection and recession of ocular muscle	414	185
684	Vulvectomy	400	186
559	Partial laryngectomy and local excision of lesion of trachea	387	187
644	Other repair of stress incontinence	378	188
701	Open reduction of maxillofacial fractures	372	189
639	Urethral meatotomy	370	190
670	Hysterotomy and excision of lesion of uterus	359	191
645	Ureteral catheterization	347	192
720	Spinal fusion	328	193
679	Miscellaneous operations on uterus, cervix, and supporting structures	323	194
505	Miscellaneous operations on brain and cerebral meninges	319	195
511	Miscellaneous operations on sympathetic nerves and ganglia	278	196
515	Operations on endocrine glands, except parathyroid and thyroid	243	197
520	Operations on conjunctiva	236	198
614	Incision of liver	223	199
553	Tonsillectomy without adenoidectomy	215	200
590	Gastrotomy, pyloromyotomy	202	201
655	Interruption of vas deferens	199	202
554	Tonsillectomy with adenoidectomy	193	203
646	Miscellaneous operations on urinary tract	184	204
561	Permanent tracheostomy	173	205
746	Incision and excision of pilonidal cyst or sinus	171	206
673	Radical hysterectomy and pelvic evisceration	154	207

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
700	Closed reduction of maxillofacial fractures	148	208
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	138	209
733	Amputation of hand, forearm, and upper arm	116	210
503	Cranioplasty	113	211
699	Repair and plastic operations on facial bones	113	212
654	Miscellaneous operations on testis	89	213
605	Operations on appendix except appendectomy	84	214
685	Miscellaneous operations on vulva and perineum	67	215
604	Incidental appendectomy	64	216
678	Repair and plastic operations on supporting structures of uterus	64	217
740	Miscellaneous operations on musculoskeletal system	63	218
702	Miscellaneous maxillofacial surgery	60	219
677	Other aspiration curettage	44	220
555	Adenoidectomy without tonsillectomy	43	221
666	Miscellaneous operations on fallopian tube	34	222
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	34	223
579	Extracorporeal circulation	31	224
653	Orchiopexy	28	225
548	Tooth restoration and orthodontia	27	226
551	Palatoplasty	27	227
738	Reattachment of extremity	26	228
531	Miscellaneous operations on ocular muscle	25	229
564	Bronchial resection and miscellaneous operations on bronchus	24	230

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
663	Miscellaneous operations on ovary	24	231
669	Repair and plastic operations on cervix	22	232
584	Miscellaneous operations on lymphatic system	3	233
585	Bone marrow transplant	1	234
	All geriatric patients in operation groups	1,026,826	

Table 6

Ranking of *ICD-9-CM* List B Operation Groups by Days of Care
Geriatric Patients
U.S. PAS Hospitals, 1979

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
648	Transurethral prostatectomy	673	1
709	Open reduction of fracture of femur with internal fixation	568	2
616	Cholecystectomy	510	3
599	Colectomy	442	4
636	Cystoscopy and urethroscopy	424	5
581	Other operations on blood vessels	395	6
574	Pacemaker insertion, replacement, removal, and repair	373	7
525	Intracapsular extraction of lens	356	8
723	Other arthroplasty of hip	341	9
586	Miscellaneous operations on spleen and bone marrow	283	10
748	Other incision, excision, and suture of skin	229	11
620	Unilateral repair of inguinal hernia	226	12
722	Total hip replacement	225	13
757	Other arteriography and phlebography	185	14
578	Systemic shunt or graft bypass	170	15
758	Other radiography and special diagnostic procedures	160	16
724	Arthroplasty of knee	149	17
567	Bronchoscopy (using natural orifice)	149	18
637	Transurethral excision or destruction of bladder lesion	148	19
563	Incision and local excision or destruction of lesion of bronchus	135	20
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	130	21
649	Other prostatectomy	115	22
592	Local excision or destruction of lesion or tissue of stomach	113	23

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
708	Closed reduction of fracture of femur with internal fixation	112	24
572	Direct heart revascularization	111	25
597	Local excision or destruction of intestinal lesion or tissue	111	26
735	Below-knee amputation	111	27
638	Miscellaneous operations on bladder	109	28
744	Extended simple mastectomy and radical mastectomy	109	29
736	Above-knee amputation	106	30
627	Laparotomy	105	31
608	Proctectomy	101	32
712	Open reduction of fracture with internal fixation, femur	96	33
755	Cerebral arteriography	89	34
573	Cardiac catheterization	86	35
713	Other reduction of fracture without internal fixation, femur	85	36
615	Miscellaneous operations on liver	85	37
630	Miscellaneous operations on abdominal wall and peritoneum	83	38
671	Abdominal hysterectomy	82	39
617	Operations on biliary tract and gallbladder except cholecystectomy	82	40
705	Excision of bone except facial	81	41
565	Local excision or destruction of lesion or tissue of lung	80	42
593	Partial gastrectomy	77	43
749	Free skin grafts	76	44
601	Intestinal anastomosis or repair	76	45
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	75	46
602	Ileostomy, colostomy, and other enterostomy	75	47
717	Excision of intervertebral disc	73	48
641	Urethral dilation	71	49

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
626	Incision, excision of abdominal wall and peritoneum except laparotomy	71	50
582	Incision, excision of lymphatic structures	70	51
624	Repair of other hernia of anterior abdominal wall	68	52
754	Myelography	67	53
588	Operations on esophagus	66	54
742	Local excision or destruction of lesion of breast	66	55
569	Thoracotomy	64	56
606	Local excision or destruction of lesion or tissue of rectum	60	57
734	Amputation of toes	60	58
596	Miscellaneous operations on stomach	60	59
609	Miscellaneous operations on intestine	59	60
706	Repair and plastic operation on bone except facial	58	61
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	57	62
650	Miscellaneous operations on prostate and seminal vesicles	56	63
598	Resection of small intestine	56	64
672	Vaginal hysterectomy	55	65
631	Complete nephrectomy	55	66
501	Incision, excision of skull, brain, and cerebral meninges	53	67
506	Exploration and decompression of spinal canal structures	51	68
707	Removal of internal fixation device	49	69
566	Lobectomy and complete pneumonectomy	46	70
526	Other lens extraction	46	71
675	Other dilation and curettage	46	72
764	Miscellaneous diagnostic and therapeutic procedures	45	73
632	Miscellaneous operations on kidney	44	74

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
612	Hemorrhoidectomy	43	75
502	Craniotomy and craniectomy	41	76
603	Appendectomy	40	77
591	Gastrostomy	39	78
680	Plastic repair of cystocele and rectocele	39	79
571	Open heart operations	39	80
621	Bilateral repair of inguinal hernia	38	81
652	Orchiectomy	37	82
562	Operations on larynx and trachea except excision and permanent tracheostomy	37	83
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart	35	84
716	Arthrotomy and division of joint capsule	34	85
600	Other incision, resection of intestine	32	86
510	Sympathectomy	29	87
704	Bunionectomy	29	88
618	Operations on pancreas	28	89
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	28	90
633	Ureterotomy	28	91
528	Repair of retina	28	92
710	Reduction of fracture of femur without internal fixation	27	93
547	Tooth extraction	27	94
509	Miscellaneous operations on cranial and other peripheral nerves	26	95
743	Simple mastectomy	26	96
737	Other amputation of lower extremity	25	97
513	Thyroidectomy	25	98
622	Unilateral or bilateral repair of femoral hernia	23	99
595	Vagotomy	23	100

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
711	Closed reduction of fracture with internal fixation, except maxillofacial and femur	22	101
727	Excision of lesion of muscle, tendon, fascia, and bursa	22	102
760	Special therapies and rehabilitation	22	103
751	Miscellaneous operations on skin and subcutaneous tissue	21	104
577	Ligation and stripping of varicose veins	21	105
703	Incision and division of bones except facial	20	106
625	Repair of diaphragmatic and other hernia	20	107
580	Hemodialysis	20	108
518	Miscellaneous operations on eyelid	20	109
714	Closed reduction of dislocation	19	110
583	Radical excision of lymph nodes	18	111
719	Miscellaneous excisions of joint structures	18	112
643	Urethral suspension	18	113
543	Other incision, excision of nose	18	114
682	Miscellaneous operations on vagina	18	115
668	Other excision or destruction of lesion or tissue of cervix	17	116
725	Repair of other joint	17	117
504	Ventricular shunt, extracranial	17	118
550	Operations on salivary glands and ducts	15	119
623	Repair of umbilical hernia	15	120
642	Miscellaneous operations on urethra	15	121
635	Miscellaneous operations on ureter	15	122
640	Excision of urethral lesion, repair of urethra	15	123
527	Miscellaneous operations on lens	15	124
721	Arthrodesis and stabilization of joint	15	125
524	Other operations on iris, ciliary body, sclera and anterior chamber	14	126
715	Open reduction of dislocation	14	127

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
718	Excision of semilunar cartilage of knee joint	14	128
560	Complete laryngectomy	14	129
507	Operations on spinal cord structures, except exploration	14	130
558	Excision of lesion of larynx	14	131
523	Operations for regulation of intraocular pressure	13	132
587	Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen	13	133
613	Miscellaneous operations on anus	13	134
594	Total gastrectomy	12	135
662	Bilateral oophorectomy or salpingo-oophorectomy	12	136
575	Miscellaneous operations on heart	12	137
544	Miscellaneous operations on nose	12	138
753	Encephalography and ventriculography	11	139
634	Ureteral diversion	11	140
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	11	141
750	Pedicle graft of skin	11	142
730	Resection and suture of muscle, tendon, and fascia, except hand	10	143
514	Operations on parathyroid and thyroid, except thyroidectomy	10	144
508	Excision or destruction of lesion of cranial or peripheral nerve	10	145
556	Operations on pharynx except tonsillectomy and adenoidectomy	10	146
661	Unilateral oophorectomy or salpingo-oophorectomy	10	147
756	Coronary arteriography	10	148
739	Revision of amputation stump	10	149
726	Incision and division of muscle, tendon, fascia and bursa	10	150
534	Operations on external ear	10	151
532	Operations on orbit and eyeball	9	152
521	Corneal transplant	9	153

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
683	Incision and excision of lesion of vulva and perineum	8	154
611	Local excision or destruction of lesion or tissue of anus	8	155
568	Miscellaneous operations on lung	8	156
517	Excision or destruction of lesion or tissue of eyelid	8	157
660	Local excision or destruction of ovarian lesion or tissue	8	158
651	Operations on scrotum and tunica vaginalis	7	159
505	Miscellaneous operations on brain and cerebral meninges	7	160
684	Vulvectomy	7	161
720	Spinal fusion	7	162
529	Miscellaneous operations on retina, choroid, and vitreous	6	163
728	Division and resection of muscle, tendon, and fascia of hand	6	164
610	Incision or excision of anal fistula	6	165
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	6	166
559	Partial laryngectomy and local excision of lesion of trachea	6	167
607	Other incision of rectum and incision or excision of perirectal tissue	6	168
546	Miscellaneous operations on accessory sinus	6	169
658	Miscellaneous operations on penis	6	170
542	Rhinoplasty	5	171
561	Permanent tracheostomy	5	172
515	Operations on endocrine glands, except parathyroid and thyroid	5	173
628	Laparoscopy (excluding that for destruction of fallopian tubes)	5	174
745	Miscellaneous operations on breast	5	175
698	Excision of facial bone	5	176
590	Gastrotomy, pyloromyotomy	4	177
644	Other repair of stress incontinence	4	178

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
701	Open reduction of maxillofacial fractures	4	179
681	Other colporrhaphy	4	180
614	Incision of liver	4	181
522	Miscellaneous operations on cornea	4	182
732	Amputation of fingers and thumb	4	183
545	Radical maxillary antrotomy	4	184
511	Miscellaneous operations on sympathetic nerves and ganglia	4	185
535	Stapes mobilization and stapedectomy	3	186
519	Operations on lacrimal system	3	187
645	Ureteral catheterization	3	188
673	Radical hysterectomy and pelvic evisceration	3	189
538	Mastoidectomy	3	190
549	Operations on teeth and gums except extraction and restoration	3	191
536	Tympanoplasty	3	192
667	Conization of cervix	3	193
670	Hysterotomy and excision of lesion of uterus	3	194
646	Miscellaneous operations on urinary tract	3	195
639	Urethral meatotomy	3	196
729	Repair and plastic operations on hand	3	197
537	Myringotomy	3	198
655	Interruption of vas deferens	2	199
733	Amputation of hand, forearm, and upper arm	2	200
539	Miscellaneous operations on middle ear and inner ear	2	201
541	Submucous resection of nasal septum	2	202
679	Miscellaneous operations on uterus, cervix, and supporting structures	2	203
503	Cranioplasty	2	204

Table 6 (Continued)

	Operation Group Number and Title (1)	Days of Care (in thousands) (2)	Rank (3)
700	Closed reduction of maxillofacial fractures	2	205
605	Operations on appendix except appendectomy	2	206
746	Incision and excision of pilonidal cyst or sinus	1	207
699	Repair and plastic operations on facial bones	1	208
740	Miscellaneous operations on musculoskeletal system	1	209
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	1	210
530	Resection and recession of ocular muscle	1	211
520	Operations on conjunctiva	1	212
553	Tonsillectomy without adenoidectomy	1	213
654	Miscellaneous operations on testis	1	214
604	Incidental appendectomy	1	215
579	Extracorporeal circulation	1	216
678	Repair and plastic operations on supporting structures of uterus	1	217
685	Miscellaneous operations on vulva and perineum	1	218
702	Miscellaneous maxillofacial surgery	1	219
531	Miscellaneous operations on ocular muscle	<1	220
548	Tooth restoration and orthodontia	<1	221
551	Palatoplasty	<1	222
554	Tonsillectomy with adenoidectomy	<1	223
555	Adenoidectomy without tonsillectomy	<1	224
564	Bronchial resection and miscellaneous operations on bronchus	<1	225
584	Miscellaneous operations on lymphatic system	<1	226
585	Bone marrow transplant	<1	227

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
653	Orchiopexy	<1	228
663	Miscellaneous operations on ovary	<1	229
666	Miscellaneous operations on fallopian tube	<1	230
669	Repair and plastic operations on cervix	<1	231
677	Other aspiration curettage	<1	232
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	<1	233
738	Reattachment of extremity	<1	234
	All operation groups	12,128	

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380
and for operation groups 552, 557, 576, 619, 686, 713, and 741

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658 81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02;

		673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19

713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part 1: Diagnosis Index
Part 2: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index. The diagnosis or operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular – *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease – *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer – *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease – *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain – *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
396	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open – *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the ICD-9-CM List B operation group to which each operation belongs

Group Number	Title
	Abdominal wall, *see also Hernia*
627	Exploratory laparotomy
626	Excision
626	Incision
	Adenoid
554	Adenoidectomy with tonsillectomy
555	Adenoidectomy without tonsillectomy
556	Other
	Amputation, *see Extremity*
	Angiography
756	Cardiac
	Anus
611	Excision of lesion or tissue
612	Hemorrhoidectomy
613	Other
	Appendix
603	Appendectomy
605	Other
	Arteriography
757	Aorta
755	Head
756	Heart
755	Neck
757	Other
	Artery, *see Blood vessels*
617	Biliary tract, except cholecystectomy
	Bladder
637	Excision of lesion or tissue, transurethral
	Blood vessels
578	Bypass graft
572	Heart
577	Ligation and stripping, veins
578	Systemic shunt
	Bone, except facial, *see also Extremity*
705	Biopsy
703	Division

OPERATION INDEX (continued)

Group Number	Title
	Bone, except facial (continued)
705	Excision
703	Incision
707	Removal of internal fixation device
706	Repair
713	Reduction, closed
713	Reduction, open
	Bone, facial
698	Biopsy
703	Division
698	Excision
702	Incision
699	Repair
700	Reduction, closed
701	Reduction, open
	Bone marrow
585	Transplant
586	Other
	Brain
501	Excision
501	Incision
504	Ventricular shunt
	Breast
742	Biopsy
741	Complete mastectomy
742	Excision, lesion
745	Mastotomy
742	Partial mastectomy
744	Radical mastectomy
567	Bronchoscopy
	Bronchus
563	Excision of lesion or tissue
762	Removal of foreign body with incision
564	Resection
704	Bunionectomy
	Bursa, *see Muscle*
	Cartilage
716	Division

OPERATION INDEX (continued)

Group Number	Title
	Cartilage (continued)
717	Excision of intervertebral cartilage
718	Excision of semilunar cartilage of knee
	Cataract extraction
525	Infracapsular
526	Other
579	Circulation, extracorporeal
619	Colonoscopy, transabdominal
420	Conjunctiva
521	Corneal transplant
682	Culdoscopy
664	For ligation of fallopian tubes
636	Cystoscopy
629	Dialysis, peritoneal
	Ear
534	External
537	Myringotomy
536	Stapedectomy
535	Stapes mobilization
539	Tympanotomy
536	Tympanoplasty
753	Encephalography
515	Endocrine, except parathyroid, thyroid, and gonads
656	Epididymis
589	Esophagoscopy
	Extremity
	Amputation
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
732	Thumb
734	Toe
733	Upper arm

OPERATION INDEX (continued)

Group Number	Title
	Extremity (continued)
738	Reattachment
739	Revision of amputation
532	Eyelid, excision of lesion or tissue
	Fallopian tube
665	Excision, bilateral
665	Endoscopic approach
665	Ligation, bilateral
665	Endoscopic approach
662	Salpingo-oophorectomy, bilateral
661	Salpingo-oophorectomy, unilateral
666	Other
	Fascia, *see Muscle*
	Gallbladder
616	Cholecystectomy
589	Gastroscopy
596	Gastroscopy, surgical
	Graft, *see site*
	Gums
549	Alveoloplasty
549	Excision of lesion or tissue
549	Gingivectomy
549	Incision
	Hand, *see also Extremity*
728	Division of muscle, tendon, and fascia
	Heart
573	Catheterization
575	Massage, open
574	Pacemaker insertion or replacement
	Hernia repair
625	Diaphragmatic
624	Epigastric
622	Femoral, bilateral
624	Incisional
621	Inguinal, bilateral
620	Inguinal, unilateral

OPERATION INDEX (continued)

Group Number	Title
	Hernia repair (continued)
623	Umbilical
624	Ventral
	Hysterectomy, *see Uterus*
	Intestine, *see also Hernia*
601	Anastomosis
599	Colectomy
602	Colostomy
602	Enterostomy
597	Excision of lesion or tissue
600	Exteriorization
602	Ileostomy
600	Incision
601	Repair
599	Resection of large intestine
598	Resection of small intestine
	Joint, *see also Extremity*
741	Arthrocentesis
721	Arthrodesis, except spine
720	Spinal fusion
723	Arthroplasty of hip, except total replacement
722	Total hip replacement
716	Arthrotomy
716	Division of capsule
719	Excision, except intervertebral cartilage and cartilage of knee
741	Injection
717	Laminectomy with disc excision
718	Meniscectomy, knee
714	Reduction, dislocation, closed
715	Reduction, dislocation, open
725	Repair, except hip arthroplasty
724	Stabilization
	Kidney
631	Complete nephrectomy
	Larynx
558	Excision of lesion or tissue

OPERATION INDEX (continued)

Group Number	Title
	Larynx (continued)
562	Laryngotomy, permanent
559	Partial laryngectomy
560	Total laryngectomy
	Lens
526	Extraction, except intracapsular
525	Intracapsular extraction
716	Ligament, division
	Liver
614	Incision, including percutaneous
	Lung
566	Lobectomy
566	Pneumonectomy
	Lymph nodes
582	Excision, except radical
583	Excision, radical
582	Incision
584	Other
538	Mastoidectomy
	Meninges, cerebral
501	Excision
501	Incision
	Muscle, *see also Extremity*
726	Division, except hand
728	Division, hand
727	Excision of lesion or tissue
726	Incision
730	Resection, except hand
728	Resection, hand
730	Suture, except hand
729	Suture, hand
	Muscle, ocular
530	Recession
530	Resection
754	Myelography
	Nerve, peripheral
508	Excision of lesion or tissue

OPERATION INDEX (continued)

Group Number	Title
	Nerve, peripheral (continued)
595	Vagotomy
	Nerve, sympathetic
510	Sympathectomy
	Nose
543	Excision, except submucous resection
541	Submucous resection, nasal septum
543	Incision
542	Rhinoplasty
	Obstetrical procedures
677	Curettage, aspiration
675	D & C
	Delivery, assisted
688	Breech extraction
692	Cesarean section, except low cervical
691	Cesarean section, low cervical
690	Episiotomy
689	Low forceps
	Intrauterine procedures
695	Amniocentesis
690	Intra-amniotic injection
696	Intrauterine transfusion
697	Removal of retained placenta, manual
697	Repair of laceration
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage
691	Hysterotomy
694	Intra-amniotic injection
697	Other
	Oral cavity, except salivary glands
557	Frenotomy
551	Palatoplasty
	Ovary
660	Excision of lesion or tissue
662	Oophorectomy, bilateral
661	Oophorectomy, unilateral
663	Other

OPERATION INDEX (continued)

Group Number	Title
	Palate
551	Cleft palate repair
551	Palatoplasty
514	Parathyroid
	Penis
657	Circumcision
	Perineum, female
683	Excision of lesion or tissue
683	Incision
	Perirectal
607	Excision
607	Incision
609	Other
	Peritoneum
630	Division of adhesions
627	Drainage, except via cul de sac
682	Via cul de sac
626	Excision
630	Incision, except via cul de sac
682	Via cul de sac
628	Peritoneoscopy
	Pleura
576	Pleurocentesis
	Prostate
648	Prostatectomy, transurethral
649	Prostatectomy, except transurethral
650	Other
	Rectum
606	Excision, except proctectomy
609	Incision
608	Proctectomy
608	Other
	Reduction
	Dislocation, *see Joint*
	Fracture, *see Bone*
758	Retrograde pyelogram
	Sinuses, nasal
546	Radical maxillary sinusotomy

OPERATION INDEX (continued)

Group Number	Title
	Skin
747	Excision, except pilonidal sinus
746	Excision of pilonidal sinus
	Graft
749	Free
750	Pedicle
748	Incision, except pilonidal sinus
746	Incision of pilonidal sinus
751	Plastic, except lip
552	Plastic, lip
748	Suture
	Skull
503	Cranioplasty
502	Craniotomy
501	Excision
501	Puncture
	Spinal cord
506	Exploration
	Stomach
593	Complete gastrectomy
592	Excision of lesion or tissue
591	Gastrostomy
590	Gastrotomy
593	Partial gastrectomy
590	Pyloromyotomy
596	Pyloroplasty
595	Vagotomy
	Tendon
726	Division, except hand
728	Division, hand
727	Excision of lesion or tissue
726	Incision
730	Resection, except hand
727	Resection, hand
730	Suture, except hand
729	Suture, hand
	Testes
652	Orchiectomy
654	Other

OPERATION INDEX (continued)

Group Number	Title
570	Thoracoscopy, transpleural
	Thorax
576	Thoracentesis
	Thyroid
513	Thyroidectomy
514	Other
	Tongue
557	Frenotomy
557	Tongue-tie operation
	Tonsils
554	Tonsillectomy with adenoidectomy
555	Tonsillectomy without adenoidectomy
556	Other
	Tooth
548	Extraction
547	Restoration
549	Root resection
	Trachea
559	Excision of lesion or tissue
562	Permanent tracheostomy
563	Tracheotomy
	Ureter
645	Catheterization
634	Diversion
633	Ureterotomy
635	Other
	Urethra
641	Dilation
640	Excision of lesion or tissue
639	Meatotomy
640	Repair
642	Other
636	Urethroscopy
	Uterus, *see also Obstetrical procedures*
677	Aspiration curettage
670	Biopsy
667	Conization of cervix
675	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Uterus (continued)
668	Excision of cervix, except conization
668	Excision of lesion or tissue
673	Exenteration, pelvic
678	Hysteropexy
670	Hysterotomy, except to terminate pregnancy
671	Hysterectomy, abdominal, except radical
673	Hysterectomy, radical
672	Hysterectomy, vaginal, except radical
670	Myomectomy
679	Repair
678	Repair of supporting structures
	Vagina, except obstetrical
681	Colporrhaphy, except for cystocele and rectocele
680	Cystocele repair
680	Rectocele repair
682	Other
	Vas deferens
655	Interruption
656	Other
	Vein, *see Blood vessels*
757	Venography
	Ventricles, cerebral
505	Shunt
753	Ventriculography
	Vertebra
717	Excision, intervertebral disc
720	Fusion
506	Laminectomy, exploratory
	Other (grouped with other bone operations)
	Vulva, except obstetrical
683	Excision of lesion or tissue
683	Incision
684	Vulvectomy
685	Other

R 3850-1.14

Pediatric Length of Stay in PAS Hospitals,

by Diagnosis and Operation,

United States,

1979

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
OCTOBER 1980

LENGTH OF STAY IN PAS HOSPITALS

Copyright © 1980 by Commission on Professional and Hospital Activities, Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publishers.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the series entitled
"Length of Stay in PAS Hospitals". . .

Volumes include:
. . . by Diagnosis, United States, 1979
. . . by Diagnosis, United States, North Central Region, 1979
. . . by Diagnosis, United States, Northeastern Region, 1979
. . . by Diagnosis, United States, Southern Region, 1979
. . . by Diagnosis, United States, Western Region, 1979
. . . by Diagnosis, Canada, 1979

. . . by Operation, United States, 1979
. . . by Operation, United States, North Central Region, 1979
. . . by Operation, United States, Northeastern Region, 1979
. . . by Operation, United States, Southern Region, 1979
. . . by Operation, United States, Western Region, 1979
. . . by Operation, Canada, 1979

Also included are:
Geriatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979
Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities. Also for selected years there are length of stay books for particular regional groups of hospitals, for pediatric patients, and for geriatric patients.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1979 in North America. Twelve volumes describe stays for either diagnoses or operations in the United States, in each of the four U.S. census regions, or in Canada. The thirteenth and fourteenth volumes display data on both diagnoses and operations for pediatric and for geriatric patients in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities.

These statistics, which are also available on computer readable magnetic tape, can provide a valuable perspective for physicians, administrators, PSROs, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" (PSRO) and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1979 LENGTH OF STAY BOOKS

Walt Wood, Manager, Research and Statistics
Ed Kobrinski, Assistant Manager
Ann Matteson, Project Coordinator

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data 1
  Data Quality 3
  Coverage 4
  Organization of Length of Stay Tables 7
    ICD-9-CM List A: Hospital Diagnosis Groups 7
    ICD-9-CM List B: Hospital Procedure Groups 8
    Definition of Multiple Dx Patients 8
    Definition of Operated Patients 9
  Explanation of Statistics 9
  Exclusions 10
  Defining the Extended Stay Case 11
Length of Stay Tables 21
  Summary of All Patients in Diagnosis Groups 22
  Summary of All Patients Except Newborn 23
  Diagnosis Groups 1-398 24
  Summary of All Patients in Operation Groups. 224
  Operation Groups 501-764 225
Distribution Tables 291
  Table 1: Distribution of Pediatric Patients and Days of Care by *ICD-9-CM* List A Hospital Diagnosis Groups 293
  Table 2: Ranking of *ICD-9-CM* List A Diagnosis Groups by Live Pediatric Discharges 312
  Table 3: Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care for Pediatric Patients 324
  Table 4: Distribution of Pediatric Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups 339
  Table 5: Ranking of *ICD-9-CM* List B Operation Groups by Live Pediatric Discharges 352
  Table 6: Ranking of *ICD-9-CM* List B Operation Groups by Days of Care for Pediatric Patients 362
Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 373
Index to Length of Stay Tables 377

DISCUSSION OF THE DATA

Source of the Data

Data in this book were compiled from individual patient discharge abstracts submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA).

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain, and Figure 1 diagrams, the PAS method of storing and retrieving medical data.


PAS
HOSPITAL
CPHA
DATA CENTER
HOSPITAL
CLINICAL RECORD
CASE ABSTRACT
DATA TAPE
COMPUTER
DATA FILE
ITS OWN OVERALL STATISTICS
+
MORE DETAILED STATISTICS
+
LISTINGS
MULTIHOSPITAL STUDIES
INTERHOSPITAL COMPARISONS
REGIONAL DATA

FIG. 1. Schematic diagram of the PAS medical record information system.

BEST AVAILABLE COPY

1. In each participating hospital, medical record personnel transfer information from the record of each discharged patient onto a PAS Case Abstract (Figure 2). The data may also be put onto a data tape at the hospital.
2. The abstract or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it serves as input to the computer system.
3. Data then undergo a comprehensive "cleaning" process and detected errors are corrected by contributing hospitals.
4. The computer system produces sets of reports which give comprehensive statistics on discharged patients plus listings of individual case abstracts in various sequences.
5. The computer system continually adds to a permanent history data file.
6. Length of stay statistics from this file are annually published in this series of length of stay books. The stored data are also available to researchers on a contractual basis.



PAS

1979 CASE ABSTRACT

SAMPLE

FIG. 2 PAS Case Abstract

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its role as an extension of the hospital's medical record department.

Quality control of PAS data begins before a new hospital submits its first case abstract and continues as an ongoing system involving personal monitoring, computer checks, and education programs. In spite of these efforts, errors do occur. There are three ways errors can be introduced into PAS data: 1) the basic patient medical record can be incomplete or in error, 2) errors can be made in abstracting information from the medical record to the PAS Case Abstract, and 3) errors can be introduced during processing.

Although CPHA has indirect influence over the quality of the medical record through education and through feedback from use of PAS reports within the hospital, basic responsibility for the accuracy of the medical record rests with the physician and others in the hospital contributing to it. Clearly, the abstractor cannot add to the medical record. Errors or omissions made in it will be carried forward to the PAS Case Abstract.

CPHA goes to considerable lengths to prevent and correct errors in abstracting by training PAS hospital medical record personnel in coding and abstracting methods, by monitoring their work, and by judiciously checking and editing patient data for errors. During processing, over 350 computer checks* are performed on each abstract to check the reasonableness of the data received. When illogical, invalid, or missing data are detected, an error message is printed and the hospital is notified, often by phone. About 40% of the errors detected in the computer audit can be and are corrected at CPHA; the remainder must be handled by the hospitals because only they have the information necessary to make the corrections. Hospitals make such corrections on a voluntary basis.

---

*The following are examples of discrepancies and inconsistencies in the data that are detected by the computer audit: hospital day of operative episode exceeding total stay, cesarean sections with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded. Examples of invalid data detected by the computer are diagnosis and operation codes that do not exist in the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Coverage

The length of stay tables in this book display stay distributions for 2,811,084 pediatric patients discharged during 1979 from 1,659 nonfederal, short-term* hospitals participating in PAS. PAS hospitals in United States territories and Puerto Rico were excluded from this publication as were short-term psychiatric hospitals and hospitals without pediatric discharges participating in PAS. Patients studied were selected from a total of 2,924,945 discharges.

Characteristics of all U.S. hospitals that participated in PAS during 1979 are shown in Tables A and B. Some of these hospitals did not participate for the entire 12-month period. In addition, because of the unavailability of data at the time of processing, data for some of these PAS hospitals are not included in the length of stay tables.

States included in the various census regions and divisions are shown in Figure 3.


West
North Central
Northeast
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

FIG. 3 Census Divisions and Regions in the United States

---

*Short-term hospitals are defined as those in which the median stay is shorter than 30 days.

Table A

Bed Size, Region, and Census Division: PAS Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

Hospital Class (1)	Short-Term Nonfederal Hospitals Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Beds Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
ALL U.S.						
Bed Size						
1. Less than 25 beds	305	27	8.9%	5,761	528	9.2%
2. 25-49	1,154	158	13.7	41,776	6,129	14.7
3. 50-99	1,459	345	23.6	105,411	25.666	24.3
4. 100-199	1,412	470	33.3	198,519	67,395	33.9
5. 200-299	716	301	42.0	174,636	73,904	42.3
6. 300-399	382	179	46.9	131,296	61,207	46.6
7. 400-499	244	102	41.8	107,790	45,171	41.9
8. 500 or more	311	115	37.0	212,247	77,156	36.4
Total	5,983	1,697	28.4%	977,436	357,156	36.5%
Region and Census Division						
Northeast	941	260	27.6%	221,260	73,590	33.3%
New England	276	88	31.9	51,658	20,198	39.1
Middle Atlantic	665	172	25.9	169,602	53,392	31.5
North Central	1,744	652	37.4	292,394	141,077	48.2
East North Central	935	499	53.4	193,639	110,157	56.9
West North Central	809	153	18.9	98,755	30,920	31.3
South	2,171	451	20.8	316,264	91,344	28.9
South Atlantic	823	292	35.5	149,347	57,261	38.3
East South Central	488	50	10.2	67,691	12,984	19.2
West South Central	860	109	12.7	99,226	21,099	21.3
West	1,127	334	29.6	147,518	51,175	34.7
Mountain	365	107	29.3	38,709	17,459	45.1
Pacific	762	227	29.8	108,809	33,716	31.0
Grand Total	5,983	1,697	28.4%	977,436	357,186	36.5%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Table B

Teaching Type, Region, and Census Division: PAS Hospitals Compared with all Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1979

Region and Census Division (1)	Hospitals with Residencies Total[2] (2)	Number in PAS (3)	Percent in PAS (4)	Hospitals with Medical School Affiliation Total[2] (5)	Number in PAS (6)	Percent in PAS (7)
Northeast	306	114	37.3%	228	87	38.2%
New England	69	31	44.9	58	29	50.0
Middle Atlantic	237	83	35.0	170	58	34.1
North Central	298	152	51.0	218	109	50.0
East North Central	205	116	56.6	140	75	53.6
West North Central	93	36	38.7	78	34	43.6
South	265	76	28.7	211	62	29.4
South Atlantic	127	44	34.6	104	38	36.5
East South Central	57	14	24.6	47	12	25.5
West South Central	81	18	22.2	60	12	20.0
West	140	47	33.6	116	38	32.8
Mountain	38	16	42.1	30	11	36.7
Pacific	102	31	30.4	86	27	31.4
Grand Total	1,009	389	38.6%	773	296	38.3%

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals

[2] Source: 1977 Annual Survey of Hospitals, magnetic tape, National Center for Health Statistics

Organization of Length of Stay Tables

The length of stay tables in the body of this book are organized according to the diagnosis groupings in *ICD-9-CM List A: Hospital Diagnosis Groups*[1] and the operation groupings in *ICD-9-CM List B: Hospital Procedure Groups.*[2] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, age, and operation status. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight as a means of stratifying patients. Within each operation group, the patients are further stratified by single or multiple diagnoses and age.

ICD-9-CM List A: Hospital Diagnosis Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List A: Hospital Diagnosis Groups* has been replaced by *ICD-9-CM List A: Hospital Diagnosis Groups* which reflects the diagnoses contained in the new classification.

Patients were assigned to *ICD-9-CM* List A groups on the basis of their final diagnosis explaining admission (UHDDS "principal diagnosis"). This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patients discharged from PAS hospitals during 1979 was coded using *ICD-9-CM.*

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

ICD-9-CM List B: Hospital Procedure Groups

With the development of the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), CPHA List B: Hospital Operation Groups* has been replaced by *ICD-9-CM List B: Hospital Procedure Groups,* which reflect the procedures contained in the new classification.

In List B there are 249 groups that contain at least one UHDDS Class 1[3] procedure. Fifteen of the 264 List B groups consist solely of Class 2, 3, and 4 procedures. This book displays data only for those 249 groups with Class 1 procedures.

Patients were assigned to the *ICD-9-CM* List B operation groups on the basis of their principal procedure. Operation information for all patients discharged from PAS hospitals during 1979 was coded using *ICD-9-CM.* "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS) and generally is that therapeutic procedure most related to the principal diagnosis.

Definition of Multiple Dx Patients

A patient is classified in the multiple dx category if he had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes
2) Codes V27.0-V27.9 (outcome of delivery)
3) E Codes (external causes of injury and poisoning)

---

[3] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

In the List B tables, an operated patient is one whose principal procedure is among the 249 List B groups that contain at least one Class 1 procedure. In the List A tables, however, a patient is considered operated if he has at least one Class 1 procedure recorded either as the principal procedure or as a secondary procedure. As a result, the total count of operated patients in the diagnosis tables exceeds the total count of operated patients in the procedure tables.

Explanation of Statistics

The diagnosis (operation) group titles heading the tables are followed in parentheses by the diagnosis (operation) codes they include. These codes refer to *ICD-9-CM.*

Length of stay is calculated from admission and discharge dates entered on the PAS Case Abstract, counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance, but as staying less than one day in the calculation of the percentiles. Thus, if more than 5% of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1".

Patients who were hospitalized 100 days or longer are not included in column 2, "Number of Patients"; column 3, "Average Stay"; or column 4, "Variance." The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are shown. If, for example, the 10th percentile for a group of patients is four days, it means that ten percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

The value of a percentile for a group of patients is determined by arranging the individual patients' stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The diagnosis tables displaying data for newborns (groups 393-395) use weight rather than age to stratify the patients. The weight is given in grams (G).

Exclusions

The length of stay diagnosis and operation tables exclude:

(1) patients who died,
(2) patients admitted from other short-term hospitals,
(3) patients discharged to other short-term hospitals,
(4) patients discharged against medical advice,
(5) patients with length of stay greater than 99 days (these patients are included only in the percentile calculations).

These patients are excluded because they are not typical short-term patients (i.e., their stays are not "manageable" by the physician).

Other exclusions from the diagnosis and operation tables include stillborn, patients with incalculable age or stay, illegal or unrecorded principal diagnosis, unrecorded discharge status, and patients with diagnosis-age or diagnosis-sex inconsistencies. Also excluded are newborn with illegal or unrecorded birthweights.

Additional exclusions from the operation tables only include patients with illegal or unrecorded principal procedure, and patients with operation-age and operation-sex inconsistencies.

Defining the Extended Stay[1] Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the PSRO is called extended stay review. This review, whether applied universally to all patients within the facility or "focused" on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in reasonably current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, the age of a patient, whether the patient had single or multiple diagnoses, and whether that patient had an operation. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based upon the diagnosis.

[1] Medicare regulations formerly referred to "extended duration," PSRO guidelines refer to "continued stay."

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the regional length of stay books published by the Commission on Professional and Hospital Activities.[2] With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[3]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[4] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group (in the CPHA length of stay books) for each diagnosis is given in column 4.

b. Diagnoses not in *Concurrent Review Screening* can usually be found in the alphabetic index at the back of the length of stay books.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[5] That code can then be located in List A or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

---

[2] ***Length of Stay in PAS Hospitals, by Diagnosis,*** Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979	***U.S., Western Region, 1979***
U.S., North Central Region, 1979	***Canada, 1979***
U.S., Southern Region, 1979	***United States Geriatric, 1979***
U.S., Northeastern Region, 1979	***United States Pediatric, 1979***

Length of Stay in PAS Hospitals, by Operation, Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan, 1980.

United States, 1979	***U.S., Western Region, 1979***
U.S., North Central Region, 1979	***Canada, 1979***
U.S., Southern Region, 1979	***United States Geriatric, 1979***
U.S., Northeastern Region, 1979	***United States Pediatric, 1979***

[3] ***ICD-9-CM List A: Hospital Diagnosis Groups,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[4] ***Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,*** Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[5] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),*** Volume 2, Diseases: Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table. There are two tables per page for diagnosis groups in the length of stay books.

Step 3. Find the appropriate part of the table for number of diagnoses (single or multiple).

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses, two or more operations with widely different lengths of stay are commonly performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate *operation* length of stay table.

Step 5. Find the correct age group. The five age groupings presented for Pediatric patients are 0-27 days, 1-11 months, 1-5 years, 6-12 years, and 13-19 years.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line which includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November, a 12-year-old patient is admitted to a United States hospital. The admitting diagnosis is viral pneumonia and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways:

a. Pneumonia is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 179.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pleural effusion, excluding tuberculosis	3		186
Criteria for admission			
1. *For management of underlying cause (e.g., radiation or chemotherapy for lymphoma)*			
2. *Scheduled for operation other than thoracentesis*			
3.			
4.			
Pleurisy, without mention of effusion or tbc *	4		186
Pneumonia			
acute interstitial	**3**		**17**
broncho-, organism not specified	**3**		**179**
chronic, interstitial	**3**		**186**
lobar	**3**		**179**
organism or type not specified	**3**		**179**
pneumococcal	**3**		**179**
viral	**3**		**179**
Criteria for admission (for above 7)			
1. ***Respiratory distress (cyanosis, dyspnea at rest, tachypnea $>$ 40 resp/min, $PO_2 < 50$)***			
2. ***Complicating respiratory disease e.g., emphysema, COPD, asthma***			
3. ***Serious complicating illness, e.g., diabetes mellitus, leukemia, steroid therapy, neoplasms, renal disease***			
4.			
5.			

b. The alphabetic index at the back of the length of stay book shows that pneumonia is included in diagnosis group 179.

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	**Pneumonia, except influenzal**
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

c. Pneumonia can be found in Volume 2 of *ICD-9-CM* on page 586.



Pleurodynia **INDEX TO DISEASES**

- **Pleurodynia** — *continued*
  - epidemic 074.1
  - viral 074.1
- **Pleurohepatitis** 573.8
- **Pleuropericarditis** *(see also* Pericarditis) 423.9
  - acute 420.90
- **Pleuropneumonia** (acute) (bilateral) (double) (septic) *(see also* Pneumonia) 486
  - chronic *(see also* Fibrosis, lung) 515
- **Pleurorrhea** *(see also* Hydrothorax) 511.8
- **Plexitis, brachial** 353.0
- **Plica**
  - polonica 132.0
  - tonsil 474.8
- **Plicae dysphonia ventricularis** 784.49
- **Plicated tongue** 529.5
  - congenital 750.13
- **Plug**
  - bronchus NEC 519.1
  - meconium (newborn) NEC 777.1
  - mucus — *see* Mucus, plug
- **Plumbism** 984.9
  - specified type of lead — *see* Table of drugs and chemicals
- **Plummer's disease** (toxic nodular goiter) 242.3
- **Plummer-Vinson syndrome** (sideropenic dysphagia) 280.8
- **Pluricarential syndrome of infancy** 260
- **Plurideficiency syndrome of infancy** 260
- **Plus** (and minus) hand (intrinsic) 736.09
- **Pneumathemia** — *see* Air, embolism, by type
- **Pneumatic drill or hammer disease** 994.9
- **Pneumatocele** (lung) 518.8
  - intracranial 348.8
  - tension 492.0
- **Pneumatosis**
  - cystoides intestinalis 569.89
  - peritonei 568.89
  - pulmonum 492.8
- **Pneumaturia** 599.8
- **Pneumoblastoma** (M8981/3) — *see* Neoplasm, lung, malignant
- **Pneumocephalus** 348.8
- **Pneumococcemia** 038.2
  - with pneumonia 481
- **Pneumococcus, pneumococcal** — *see* condition
- **Pneumoconiosis** (due to) (inhalation of) 505
  - aluminum 503
  - asbestos 501
  - bagasse 495.1
  - bauxite 503
  - beryllium 503
  - carbon electrode makers' 503
  - coal
    - miners' (simple) 500
    - workers' (simple) 500
  - cotton dust 504
- **Pneumoconiosis** (due to) (inhalation of) — *continued*
  - diatomite fibrosis 502
  - dust NEC 504
    - inorganic 503
    - lime 502
    - marble 502
    - organic NEC 504
  - fumes or vapors (from silo) 506.9
  - graphite 503
  - hard metal 503
  - mica 502
  - moldy hay 495.0
  - rheumatoid 714.81
  - silica NEC 502
    - and carbon 500
  - silicate NEC 502
  - talc 502
- **Pneumocystis carinii pneumonia** 136.3
- **Pneumocystosis** 136.3
  - with pneumonia 136.3
- **Pneumoenteritis** 025
- **Pneumohemopericardium** *(see also* Pericarditis) 423.9
- **Pneumohemothorax** *(see also* Hemothorax) 511.8
  - traumatic 860.4
    - with open wound into thorax 860.5
- **Pneumohydropericardium** *(see also* Pericarditis) 423.9
- **Pneumohydrothorax** *(see also* Hydrothorax) 511.8
- **Pneumomediastinum** 518.1
  - congenital 770.2
  - fetus or newborn 770.2
- **Pneumomycosis** 117.9
- **Pneumonia (acute) (Alpenstich) (benign) (bilateral) (brain) (cerebral) (circumscribed) (congestive) (creeping) (delayed resolution) (double) (epidemic) (fever) (flash) (fulminant) (fungoid) (granulomatous) (hemorrhagic) (incipient) (infantile) (infectious) (infiltration) (insular) (intermittent) (intrauterine) (latent) (migratory) (newborn) (organized) (overwhelming) (primary) (progressive) (pseudolobar) (purulent) (resolved) (secondary) (senile) (septic) (suppurative) (terminal) (true) (unresolved) (vesicular) 486**
  - with influenza, flu, or grippe 487.0
  - adenoviral 480.0
  - adynamic 514
  - alba 090.0
  - allergic 518.3
  - alveolar — *see* Pneumonia, lobar
  - anthrax 022.1 *[484.5]*
  - apex, apical — *see* Pneumonia, lobar
  - ascaris 127.0
  - aspiration 507.0

586

Step 2. Find the table for group 179 of *Pediatric Length of Stay in PAS Hospitals, by Diagnosis and Operation, United States, 1979.*

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	617	6.1	17	2	3	5	7	10	12	18
1-11 MOS	10933	5.3	11	2	2	5	7	9	11	16
1-5 YRS	18858	4.7	9	2	2	4	6	8	10	15
6-12 YRS	7511	4.9	9	2	2	4	6	8	10	15
13-19 YRS	4198	5.4	10	2	2	5	7	9	11	16
B. *Operated*										
0-27 DYS	6	9.8	4	7	7	10	12	12	12	12
1-11 MOS	54	8.3	34	2	2	7	11	18	19	27
1-5 YRS	107	7.0	52	1	1	5	9	14	17	42
6-12 YRS	56	7.4	42	1	2	5	11	19	21	25
13-19 YRS	45	9.5	52	2	3	8	14	18	23	34
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	400	7.4	23	2	3	7	9	13	16	25
1-11 MOS	9527	6.2	17	2	3	5	8	11	13	21
1-5 YRS	15550	5.3	14	2	2	4	6	9	11	18
6-12 YRS	4623	5.6	14	2	2	5	7	10	12	19
13-19 YRS	2716	6.3	21	2	3	5	8	11	14	22
B. *Operated*										
0-27 DYS	22	9.8	36	2	3	8	13	19	22	26
1-11 MOS	251	12.6	78	3	4	11	16	24	32	40
1-5 YRS	302	11.5	73	3	4	9	14	23	29	44
6-12 YRS	132	11.9	109	2	3	10	16	22	27	59
13-19 YRS	166	14.5	118	4	4	11	18	27	38	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42117	5.0	10	2	2	4	6	8	10	15
B. *Operated*	268	7.8	46	1	2	6	10	17	20	30
2. MULTIPLE DX										
A. *Not Operated*	32816	5.7	16	2	2	5	7	10	12	20
B. *Operated*	873	12.4	88	3	4	10	16	23	31	47
1. SINGLE DX	42385	5.0	10	2	2	4	6	8	10	16
2. MULTIPLE DX	33689	5.9	19	2	2	5	7	10	13	22
A. NOT OPERATED	74933	5.3	12	2	2	5	7	9	11	17
B. OPERATED	1141	11.3	82	2	3	9	15	22	28	45
TOTAL 0-27 DYS	1045	6.7	20	2	3	6	8	11	14	23
1-11 MOS	20765	5.8	15	2	2	5	7	10	12	20
1-5 YRS	34817	5.0	12	2	2	4	6	9	11	17
6-12 YRS	12322	5.2	12	2	2	4	6	9	11	18
13-19 YRS	7125	6.0	19	2	3	5	7	10	13	22
GRAND TOTAL	**76074**	**5.4**	**14**	**2**	**2**	**5**	**7**	**9**	**11**	**19**

Step 3. There are no secondary diagnoses recorded, so one needs to be concerned only with the top ten lines of the table (Section 1).



1,659 PAS Hospitals, United States, January–December 1979

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)
1. SINGLE DX								
A. *Not Operated*								
0-27 DYS	617	6.1	17	2	3	5	7	10
1-11 MOS	10933	5.3	11	2	2	5	7	9
1-5 YRS	18858	4.7	9	2	2	4	6	8
6-12 YRS	7511	4.9	9	2	2	4	6	
13-19 YRS	4198	5.4	10	2	2	5	7	
B. *Operated*								
0-27 DYS	6	9.8	4	7	7	10	12	
1-11 MOS	54	8.3	34	2	2	7	11	
1-5 YRS	107	7.0	52	1	1	5		
6-12 YRS	56	7.4	42	1	2	5		
13-19 YRS	45	9.5	52	2	3			
LE DX								
	400	7.4						

180: Influenza (487)

113

Step 4. Since no surgery is scheduled, one is restricted to the first five lines of the table (Section 1.A.).



1,659 PAS Hospitals, United States, January–December 1979

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)
1. SINGLE DX								
A. *Not Operated*								
0-27 DYS	617	6.1	17	2	3	5	7	10
1-11 MOS	10933	5.3	11	2	2	5	7	9
1-5 YRS	18858	4.7	9	2	2	4	6	8
6-12 YRS	7511	4.9	9	2	2	4	6	
13-19 YRS	4198	5.4	10	2	2	5	7	
B. *Operated*								
0-27 DYS	6	9.8	4	7	7	10	12	
1-11 MOS	54	8.3	34	2	2	7	11	
1-5 YRS	107	7.0	52	1	1	5		
6-12 YRS	56	7.4	42	1	2	5		
13-19 YRS	45	9.5	52	2	3			
LE DX								
	400	7.4						

180: Influenza (487)

113

Step 5. The patient is 12 years old and therefore falls in the age group 6-12.



1,659 PAS Hospitals, United States, January–December 1979

179: Pneumonia (480-486)

180: Influenza (487)

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILE				
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)
1. SINGLE DX								
A. *Not Operated*								
0-27 DYS	617	6.1	17	2	3	5	7	10
1-11 MOS	10933	5.3	11	2	2	5	7	9
1-5 YRS	18858	4.7	9	2	2	4	6	8
6-12 YRS	7511	4.9	9	2	2	4	6	
13-19 YRS	4198	5.4	10	2	2	5	7	
B. *Operated*								
0-27 DYS	6	9.8	4	7	7	10	12	
1-11 MOS	54	8.3	34	2	2	7	11	
1-5 YRS	107	7.0	52	1	1	5		
6-12 YRS	56	7.4	42	1	2	5		
13-19 YRS	45	9.5	52	2	3			
DX								
	400	7.4						

113

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the fourth day after admission to be the day that this patient comes up for extended stay review.



1,659 PAS Hospitals, United States, January–December 1979

179: Pneumonia (480-486)

180: Influenza (487)

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILE				
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)
1. SINGLE DX								
A. *Not Operated*								
0-27 DYS	617	6.1	17	2	3	5	7	10
1-11 MOS	10933	5.3	11	2	2	5	7	9
1-5 YRS	18858	4.7	9	2	2		6	8
6-12 YRS	7511	4.9	9	2	2	4	6	
13-19 YRS	4198	5.4	10	2	2		7	
B. *Operated*								
0-27 DYS	6	9.8	4	7	7	10	12	
1-11 MOS	54	8.3	34	2	2	7	11	
1-5 YRS	107	7.0	52	1	1	5		
6-12 YRS	56	7.4	42	1	2	5		
13-19 YRS	45	9.5	52	2	3	5		
DX								
	400	7.4						

113

The patient was admitted on 3 November; therefore, the fourth day will fall on 7 November. Prior to or on 7 November, the committee or groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile (as suggested in the *PSRO Program Manual*, paragraph 705.26).

Subsequent extended stay review dates should be set by the physician advisor or the peer review (utilization review) committee as necessary, based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables
Diagnosis Groups

A: Summary of all patients in diagnosis groups

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	765753	3.3	3	1	2	3	4	5	6	8
1-11 MOS	64274	4.3	13	1	1	4	5	8	10	17
1-5 YRS	112993	3.5	12	1	1	3	4	7	9	17
6-12 YRS	85417	3.8	24	1	1	3	4	7	9	26
13-19 YRS	221451	4.1	37	<1	1	3	4	7	11	34
B. *Operated*										
0-27 DYS	2267	5.2	29	1	2	4	6	10	14	29
1-11 MOS	16818	3.4	19	<1	<1	2	4	7	11	22
1-5 YRS	87438	2.4	12	<1	<1	2	2	4	7	18
6-12 YRS	129561	2.8	14	<1	1	2	3	5	8	20
13-19 YRS	295285	3.5	13	1	1	3	4	6	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	326813	5.2	29	2	2	4	6	8	12	30
1-11 MOS	72966	5.4	22	1	2	4	6	10	13	23
1-5 YRS	110984	4.2	15	1	1	3	5	8	10	20
6-12 YRS	64000	4.4	30	1	1	3	5	8	11	30
13-19 YRS	139716	5.5	59	1	1	3	6	10	17	46
B. *Operated*										
0-27 DYS	11367	15.9	317	2	3	9	22	47	68	99+
1-11 MOS	11391	6.8	83	<1	1	3	8	16	25	54
1-5 YRS	67589	3.1	26	<1	1	2	2	6	11	27
6-12 YRS	68946	3.8	37	<1	1	2	3	8	13	34
13-19 YRS	156055	5.8	58	1	2	4	6	11	17	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1249888	3.6	12	1	1	3	4	6	7	15
B. *Operated*	531369	3.2	14	<1	1	2	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*	714479	5.0	32	1	2	4	6	9	13	31
B. *Operated*	315348	5.2	63	1	1	3	5	11	17	49
1. SINGLE DX	1781257	3.4	12	1	1	3	4	6	7	16
2. MULTIPLE DX	1029827	5.1	42	1	1	3	6	9	14	36
A. NOT OPERATED	1964367	4.1	20	1	1	3	5	7	9	23
B. OPERATED	846717	3.9	33	<1	1	2	4	7	11	31
TOTAL 0-27 DYS	1106200	4.0	16	1	2	3	4	6	7	20
1-11 MOS	165449	4.9	23	1	1	4	6	9	12	24
1-5 YRS	379004	3.4	16	<1	1	2	4	7	9	20
6-12 YRS	347924	3.5	24	1	1	2	4	7	10	26
13-19 YRS	812507	4.4	37	1	1	3	5	8	12	34
GRAND TOTAL	**2811084**	**4.0**	**24**	**1**	**1**	**3**	**4**	**7**	**10**	**25**

1,659 PAS Hospitals, United States, January–December 1979

B: Summary of all patients in diagnosis groups except newborn

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	13856	4.3	22	1	1	3	5	8	11	24
1-11 MOS	64274	4.3	13	1	1	4	5	8	10	17
1-5 YRS	112993	3.5	12	1	1	3	4	7	9	17
6-12 YRS	85417	3.8	24	1	1	3	4	7	9	26
13-19 YRS	221451	4.1	37	<1	1	3	4	7	11	34
B. *Operated*										
0-27 DYS	1691	5.4	31	1	1	4	6	11	16	30
1-11 MOS	16818	3.4	19	<1	<1	2	4	7	11	22
1-5 YRS	87438	2.4	12	<1	<1	2	2	4	7	18
6-12 YRS	129561	2.8	14	<1	1	2	3	5	8	20
13-19 YRS	295285	3.5	13	1	1	3	4	6	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9424	7.2	68	1	2	5	8	15	24	54
1-11 MOS	72966	5.4	22	1	2	4	6	10	13	23
1-5 YRS	110984	4.2	15	1	1	3	5	8	10	20
6-12 YRS	64000	4.4	30	1	1	3	5	8	11	30
13-19 YRS	139716	5.5	59	1	1	3	6	10	17	46
B. *Operated*										
0-27 DYS	1493	12.5	232	1	2	8	18	63	99+	99+
1-11 MOS	11391	6.8	83	<1	1	3	8	16	25	54
1-5 YRS	67589	3.1	26	<1	1	2	2	6	11	27
6-12 YRS	68946	3.8	37	<1	1	2	3	8	13	34
13-19 YRS	156055	5.8	58	1	2	4	6	11	17	48
SUBTOTALS:										
1 SINGLE DX										
A. *Not Operated*	497991	4.0	25	1	1	3	4	7	10	26
B. *Operated*	530793	3.2	14	<1	1	2	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*	397090	5.0	36	1	1	4	6	9	13	33
B. *Operated*	305474	4.8	50	1	1	3	5	10	15	42
1. SINGLE DX	1028784	3.5	20	<1	1	2	4	6	9	22
2. MULTIPLE DX	702564	4.9	42	1	1	3	5	9	14	37
A. NOT OPERATED	895081	4.4	30	1	1	3	5	8	11	29
B. OPERATED	836267	3.8	28	<1	1	2	4	7	11	28
TOTAL 0-27 DYS	26464	5.9	55	1	2	4	7	12	20	61
1-11 MOS	165449	4.9	23	1	1	4	6	9	12	24
1-5 YRS	379004	3.4	16	<1	1	2	4	7	9	20
6-12 YRS	347924	3.5	24	1	1	2	4	7	10	26
13-19 YRS	812507	4.4	37	1	1	3	5	8	12	34
GRAND TOTAL	**1731348**	**4.1**	**29**	**1**	**1**	**3**	**5**	**8**	**11**	**29**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	283	4.3	9	1	2	4	5	8	10	16
1-11 MOS	2922	4.2	9	1	2	4	5	7	9	16
1-5 YRS	3084	3.6	7	1	1	3	4	6	8	13
6-12 YRS	2204	3.0	7	1	1	2	4	5	7	13
13-19 YRS	2285	3.1	7	1	1	2	4	6	7	12
B. *Operated*										
0-27 DYS	6	5.7	31	2	2	4	4	16	17	17
1-11 MOS	26	6.7	6	3	4	6	8	10	12	14
1-5 YRS	30	7.0	41	1	2	5	8	15	19	32
6-12 YRS	30	4.7	7	2	2	4	5	9	10	11
13-19 YRS	100	5.3	6	2	3	5	6	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	176	6.5	58	2	2	5	8	12	16	37
1-11 MOS	3520	5.1	15	2	2	4	6	9	11	20
1-5 YRS	3585	3.9	7	1	2	3	5	7	9	14
6-12 YRS	1482	3.3	5	1	1	3	4	6	7	12
13-19 YRS	1459	3.8	9	1	1	3	5	7	9	16
B. *Operated*										
0-27 DYS	7	10.1	116	3	3	8	9	29	34	34
1-11 MOS	98	10.8	135	3	3	7	13	23	28	70
1-5 YRS	64	6.4	16	2	2	6	8	11	13	25
6-12 YRS	39	6.1	21	1	2	5	8	11	17	23
13-19 YRS	62	7.3	43	2	3	5	8	13	19	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10778	3.6	8	1	1	3	4	6	8	14
B. *Operated*	192	5.7	13	2	3	5	7	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	10222	4.3	11	1	2	3	5	8	10	17
B. *Operated*	270	8.3	72	2	3	6	9	15	24	46
1. SINGLE DX	10970	3.6	8	1	1	3	4	6	8	15
2. MULTIPLE DX	10492	4.4	13	1	2	4	5	8	10	18
A. NOT OPERATED	21000	3.9	10	1	1	3	5	7	9	16
B. OPERATED	462	7.2	49	2	3	5	8	12	18	34
TOTAL 0-27 DYS	472	5.3	30	1	2	4	6	9	13	23
1-11 MOS	6566	4.8	15	2	2	4	6	8	11	19
1-5 YRS	6763	3.8	7	1	2	3	5	7	8	14
6-12 YRS	3755	3.2	6	1	1	3	4	6	7	13
13-19 YRS	3906	3.5	9	1	1	3	4	6	8	15
GRAND TOTAL	**21462**	**4.0**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	36.0		36	36	36	36	36	36	36
1-11 MOS	8	7.9	51	3	3	5	10	20	23	23
1-5 YRS	32	9.5	101	2	2	7	13	16	21	56
6-12 YRS	13	7.9	26	2	3	7	10	16	17	17
13-19 YRS	36	10.9	42	2	3	9	16	20	21	22
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	5.5	41	1	1	5	10	10	10	10
13-19 YRS	11	9.6	69	1	1	8	13	23	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	12	16.9	127	4	5	14	23	35	41	42
1-5 YRS	18	9.3	108	1	1	7	11	18	35	45
6-12 YRS	8	12.0	65	2	2	13	19	21	21	21
13-19 YRS	19	10.2	48	2	3	9	13	21	25	27
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.0	37	1	1	2	9	12	12	12
6-12 YRS	3	14.7	82	8	8	11	21	25	25	25
13-19 YRS	24	16.8	102	5	7	15	25	29	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	10.0	68	2	3	8	15	19	21	48
B. *Operated*	15	8.0	62	1	1	6	11	20	26	28
2. MULTIPLE DX										
A. *Not Operated*	57	11.6	90	1	3	9	16	22	30	45
B. *Operated*	30	15.4	102	2	5	14	25	29	45	99+
1. SINGLE DX	105	9.7	67	2	2	8	15	19	21	45
2. MULTIPLE DX	87	12.9	96	2	3	10	18	27	33	79
A. NOT OPERATED	147	10.6	77	2	3	8	15	21	23	45
B. OPERATED	45	12.9	99	1	2	10	20	28	32	99+
TOTAL 0-27 DYS	1	36.0		36	36	36	36	36	36	36
1-11 MOS	21	12.7	114	2	3	10	17	27	36	42
1-5 YRS	54	9.0	97	1	2	6	11	16	21	56
6-12 YRS	26	9.8	47	2	2	8	16	20	22	25
13-19 YRS	90	12.2	68	2	3	10	18	24	28	78
GRAND TOTAL	**192**	**11.1**	**82**	**2**	**2**	**9**	**16**	**22**	**28**	**52**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	2	6.0	2	5	5	6	7	7	7	7
6-12 YRS	6	4.0	2	2	2	4	5	6	6	6
13-19 YRS	4	8.0	41	3	3	6	12	17	17	17
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	32	3.6	10	<1	<1	2	6	7	12	13
6-12 YRS	14	7.8	74	<1	<1	4	10	22	26	27
13-19 YRS	9	3.9	7	1	1	4	4	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	23.7	162	5	6	26	32	39	40	40
6-12 YRS	3	5.3	34	1	1	3	10	12	12	12
13-19 YRS	2	15.5	181	6	6	15	25	25	25	25
B. *Operated*										
0-27 DYS										
1-11 MOS	2	44.5	13	42	42	44	47	47	47	47
1-5 YRS	7	8.4	131	1	1	6	6	28	34	34
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	10	7.6	41	1	1	5	13	17	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	5.9	15	2	3	5	7	11	16	17
B. *Operated*	56	4.7	27	<1	1	3	6	10	18	27
2. MULTIPLE DX										
A. *Not Operated*	11	17.2	174	1	2	13	27	35	40	40
B. *Operated*	21	11.0	184	1	1	6	13	37	44	47
1. SINGLE DX	69	4.9	25	<1	1	4	6	10	17	26
2. MULTIPLE DX	32	13.2	184	1	2	6	22	36	42	47
A. NOT OPERATED	24	11.1	116	2	3	6	15	27	34	40
B. OPERATED	77	6.4	76	<1	1	4	6	15	25	46
TOTAL 0-27 DYS										
1-11 MOS	4	25.8	476	5	5	25	44	47	47	47
1-5 YRS	47	7.0	86	<1	1	4	7	23	32	40
6-12 YRS	25	6.3	47	<1	1	4	6	20	22	27
13-19 YRS	25	7.0	40	1	2	4	9	17	21	25
GRAND TOTAL	**101**	**7.5**	**89**	**<1**	**1**	**4**	**7**	**21**	**29**	**44**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	55	3.8	5	1	2	3	4	6	9	11
1-5 YRS	376	2.9	3	1	1	3	4	5	6	8
6-12 YRS	514	3.0	5	1	1	3	4	5	6	13
13-19 YRS	416	3.3	2	1	2	3	4	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	30	2.0	1	1	1	2	2	2	4	5
6-12 YRS	80	1.9	1	<1	1	2	2	2	3	7
13-19 YRS	43	2.3	3	1	1	2	2	3	4	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	4.3	1	3	3	5	5	5	5	5
1-11 MOS	98	4.0	4	1	2	4	5	6	8	11
1-5 YRS	697	3.6	6	1	1	3	4	6	7	12
6-12 YRS	843	3.5	14	1	2	3	4	6	7	12
13-19 YRS	585	4.0	6	1	2	3	5	7	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS	2	15.5	1	15	15	15	16	16	16	16
1-5 YRS	37	3.9	20	1	1	2	4	9	11	25
6-12 YRS	52	3.5	11	1	1	2	4	9	11	15
13-19 YRS	15	4.3	8	<1	1	3	6	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1362	3.1	4	1	1	3	4	5	6	11
B. *Operated*	153	2.1	1	1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	2226	3.7	9	1	2	3	4	6	7	12
B. *Operated*	106	4.0	16	1	1	2	5	9	11	20
1. SINGLE DX	1515	3.0	4	1	1	3	4	5	6	10
2. MULTIPLE DX	2332	3.7	9	1	2	3	4	6	8	13
A. NOT OPERATED	3588	3.5	7	1	1	3	4	6	7	12
B. OPERATED	259	2.8	8	1	1	2	2	6	9	15
TOTAL 0-27 DYS	4	4.8	2	3	3	5	6	6	6	6
1-11 MOS	155	4.1	6	1	2	3	5	6	9	15
1-5 YRS	1140	3.3	6	1	1	3	4	6	7	12
6-12 YRS	1489	3.3	10	1	1	3	4	5	7	13
13-19 YRS	1059	3.7	4	1	2	3	5	6	7	11
GRAND TOTAL	**3847**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	248	7.2	14	2	3	7	9	12	13	20
1-11 MOS	402	6.2	16	2	2	5	8	11	13	23
1-5 YRS	182	5.4	16	1	2	5	7	10	11	18
6-12 YRS	58	6.1	18	1	1	5	9	13	16	92
13-19 YRS	65	8.1	68	2	2	5	9	19	29	41
B. *Operated*										
0-27 DYS	10	7.0	10	2	2	7	10	11	11	11
1-11 MOS	21	9.2	65	2	2	8	11	16	27	39
1-5 YRS	6	20.5	577	4	5	12	14	63	69	69
6-12 YRS	6	8.3	13	5	5	8	10	14	14	14
13-19 YRS	2	8.5	1	8	8	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	173	8.3	27	2	4	7	11	14	17	21
1-11 MOS	440	7.5	30	2	3	6	10	14	16	24
1-5 YRS	303	7.0	24	2	2	6	9	13	15	26
6-12 YRS	101	8.4	35	2	2	7	11	16	21	30
13-19 YRS	140	9.1	47	3	3	7	12	16	25	34
B. *Operated*										
0-27 DYS	22	12.9	77	4	6	11	14	27	34	41
1-11 MOS	51	12.7	60	1	6	11	15	22	30	42
1-5 YRS	23	15.8	99	5	6	14	18	31	36	45
6-12 YRS	11	20.4	341	2	2	17	29	45	64	66
13-19 YRS	39	19.3	251	5	6	16	21	48	58	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	955	6.4	19	2	2	5	8	11	14	23
B. *Operated*	45	10.1	116	2	3	8	11	14	22	69
2. MULTIPLE DX										
A. *Not Operated*	1157	7.7	31	2	3	7	10	14	17	27
B. *Operated*	146	15.6	146	4	6	12	17	30	43	63
1. SINGLE DX	1000	6.6	24	2	2	5	9	11	14	24
2. MULTIPLE DX	1303	8.6	50	2	3	7	11	16	19	37
A. NOT OPERATED	2112	7.2	26	2	2	6	9	13	16	26
B. OPERATED	191	14.3	144	3	5	11	16	28	42	65
TOTAL 0-27 DYS	453	7.9	23	2	3	7	10	13	15	22
1-11 MOS	914	7.3	28	2	3	6	10	13	16	26
1-5 YRS	514	7.0	36	2	2	6	9	13	16	31
6-12 YRS	176	8.4	57	1	2	7	11	16	24	57
13-19 YRS	246	10.4	98	2	3	7	13	21	30	55
GRAND TOTAL	**2303**	**7.7**	**40**	**2**	**2**	**6**	**10**	**14**	**17**	**32**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	45	7.4	28	1	2	6	11	16	17	23
1-11 MOS	343	8.5	34	2	2	8	11	15	19	34
1-5 YRS	271	7.6	19	2	2	7	11	14	15	17
6-12 YRS	142	5.6	16	1	2	4	8	12	13	18
13-19 YRS	127	7.4	20	2	2	7	11	13	15	19
B. *Operated*										
0-27 DYS	5	16.8	29	13	13	15	19	26	26	26
1-11 MOS	20	10.7	23	3	4	11	13	17	19	20
1-5 YRS	23	9.4	32	1	1	10	13	15	19	23
6-12 YRS	9	9.1	84	1	1	6	14	24	30	30
13-19 YRS	7	6.9	31	1	1	5	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	32	9.6	60	3	3	6	11	18	31	34
1-11 MOS	234	9.1	41	2	3	8	12	17	21	31
1-5 YRS	197	7.8	29	2	2	7	11	14	16	24
6-12 YRS	127	5.9	16	2	2	5	7	12	14	19
13-19 YRS	106	8.6	43	2	2	7	12	17	21	66
B. *Operated*										
0-27 DYS	4	37.3	1591	5	5	26	67	91	91	91
1-11 MOS	27	20.1	139	7	9	17	27	34	45	54
1-5 YRS	24	13.5	89	3	4	13	17	21	33	48
6-12 YRS	8	8.0	118	1	1	5	8	26	34	34
13-19 YRS	16	9.8	25	2	3	10	12	14	20	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	928	7.6	25	2	2	7	11	14	16	25
B. *Operated*	64	10.1	39	1	2	11	13	16	21	29
2. MULTIPLE DX										
A. *Not Operated*	696	8.1	35	2	2	7	11	15	19	32
B. *Operated*	79	15.7	194	2	4	12	18	33	44	80
1. SINGLE DX	992	7.8	26	2	2	7	11	14	16	26
2. MULTIPLE DX	775	8.9	56	2	2	7	12	16	21	41
A. NOT OPERATED	1624	7.8	30	2	2	7	11	14	17	28
B. OPERATED	143	13.2	132	2	3	11	16	25	33	57
TOTAL 0-27 DYS	86	10.1	135	2	3	7	13	17	27	74
1-11 MOS	624	9.3	46	2	3	8	12	17	23	35
1-5 YRS	515	8.0	28	2	2	8	11	14	16	24
6-12 YRS	286	5.9	21	1	2	4	8	12	14	21
13-19 YRS	256	8.0	30	2	2	7	11	14	18	31
GRAND TOTAL	**1767**	**8.3**	**40**	**2**	**2**	**7**	**11**	**15**	**18**	**33**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	221	5.5	9	2	3	5	6	9	12	17
1-11 MOS	924	4.7	7	1	2	4	6	8	10	13
1-5 YRS	598	3.9	7	1	1	3	5	7	10	14
6-12 YRS	902	3.5	7	1	1	3	4	6	8	13
13-19 YRS	785	4.3	19	1	2	3	5	7	9	15
B. *Operated*										
0-27 DYS	5	6.4	5	4	4	6	8	10	10	10
1-11 MOS	37	6.4	10	3	3	6	8	12	13	15
1-5 YRS	8	5.3	9	2	2	5	7	10	11	11
6-12 YRS	6	7.2	41	1	1	5	11	17	18	18
13-19 YRS	8	4.4	15	2	2	3	5	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	74	6.4	15	2	3	5	8	11	13	23
1-11 MOS	410	5.8	25	2	2	5	7	10	13	20
1-5 YRS	205	5.2	47	1	2	4	6	9	12	16
6-12 YRS	167	4.4	10	2	2	3	5	9	12	85
13-19 YRS	212	5.0	13	1	2	4	6	10	11	20
B. *Operated*										
0-27 DYS	9	8.1	10	4	4	9	11	12	12	12
1-11 MOS	20	9.9	51	2	3	8	13	20	25	29
1-5 YRS	5	8.0	11	5	5	6	11	12	12	12
6-12 YRS	6	20.0	323	6	6	10	41	45	45	45
13-19 YRS	9	13.2	140	2	2	10	22	32	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3430	4.2	10	1	2	4	5	7	10	14
B. *Operated*	64	6.1	12	2	2	5	7	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	1068	5.3	24	2	2	4	6	10	12	20
B. *Operated*	49	11.2	94	3	3	9	12	25	35	45
1. SINGLE DX	3494	4.2	10	1	2	4	5	8	10	14
2. MULTIPLE DX	1117	5.6	29	2	2	4	7	11	13	27
A. NOT OPERATED	4498	4.5	14	1	2	4	5	8	10	15
B. OPERATED	113	8.3	54	2	3	6	11	14	21	42
TOTAL 0-27 DYS	309	5.8	11	2	3	5	7	10	12	18
1-11 MOS	1391	5.1	13	2	2	4	6	9	11	17
1-5 YRS	816	4.3	18	1	2	3	5	8	11	15
6-12 YRS	1081	3.8	11	1	1	3	4	7	9	15
13-19 YRS	1014	4.5	19	1	2	4	5	8	10	18
GRAND TOTAL	**4611**	**4.6**	**15**	**1**	**2**	**4**	**6**	**8**	**11**	**16**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	19	4.5	11	<1	1	4	6	10	12	13
1-11 MOS	688	3.0	2	1	2	3	4	5	5	8
1-5 YRS	723	3.4	4	1	1	3	4	6	7	12
6-12 YRS	272	4.1	26	1	1	3	5	6	8	25
13-19 YRS	355	4.5	10	1	2	4	6	8	10	21
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	6	3.3	11	<1	<1	2	3	9	10	10
6-12 YRS	4	6.8	48	2	2	4	11	17	17	17
13-19 YRS	17	4.4	7	1	2	4	7	10	64	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	6.0	10	3	3	4	8	11	12	12
1-11 MOS	655	3.7	10	1	2	3	4	6	7	13
1-5 YRS	1183	4.0	12	1	2	3	5	7	8	13
6-12 YRS	419	4.0	10	1	1	3	5	7	9	18
13-19 YRS	389	5.0	12	1	2	4	6	9	11	15
B. *Operated*										
0-27 DYS										
1-11 MOS	13	5.1	9	3	3	4	6	23	83	99+
1-5 YRS	28	10.8	240	1	2	5	10	26	57	66
6-12 YRS	16	7.1	35	1	2	6	11	21	73	99+
13-19 YRS	19	9.4	32	3	4	8	11	15	23	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2057	3.6	8	1	1	3	4	6		13
B. *Operated*	29	4.4	13	<1	1	3	5	10		99+
2. MULTIPLE DX										
A. *Not Operated*	2653	4.1	11	1	2	3	5	7	9	14
B. *Operated*	76	8.7	107	2	2	6	10	20	45	99+
1. SINGLE DX	2086	3.6	8	1	1	3	4	6	7	13
2. MULTIPLE DX	2729	4.2	14	1	2	3	5	7	9	16
A. NOT OPERATED	4710	3.9	10	1	2	3	5	6	8	14
B. OPERATED	105	7.5	84	1	2	5	9	16	31	99+
TOTAL 0-27 DYS	26	4.9	11	1	1	4	7	11	12	13
1-11 MOS	1358	3.4	6	1	2	3	4	5	6	11
1-5 YRS	1940	3.9	13	1	2	3	4	6	8	13
6-12 YRS	711	4.1	17	1	1	3	5	7	10	23
13-19 YRS	780	4.9	12	1	2	4	6	9	11	17
GRAND TOTAL	**4815**	**3.9**	**12**	**1**	**2**	**3**	**5**	**7**	**8**	**15**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	9	4.2	4	2	2	4	6	7	7	7
1-5 YRS	102	5.5	30	2	2	4	6	9	12	34
6-12 YRS	289	5.4	14	2	2	5	7	10	11	22
13-19 YRS	877	7.3	23	2	3	6	9	12	17	26
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	31	10.3	77	2	2	9	14	20	27	41
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	7.0	32	3	3	7	11	11	11	11
1-11 MOS	7	4.9	9	2	2	4	7	10	10	10
1-5 YRS	33	6.7	28	1	2	5	9	13	14	27
6-12 YRS	90	6.6	33	2	2	5	8	11	16	34
13-19 YRS	285	7.8	25	2	3	7	10	15	18	26
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	7.0	72	1	1	7	13	13	13	13
6-12 YRS	3	13.3	37	8	8	12	18	20	20	20
13-19 YRS	27	10.5	50	2	3	8	16	21	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1278	6.7	22	2	2	6	8	12	15	25
B. *Operated*	36	9.3	72	2	2	7	14	17	26	41
2. MULTIPLE DX										
A. *Not Operated*	417	7.4	27	2	3	6	9	14	18	27
B. *Operated*	32	10.5	48	2	3	8	15	20	25	26
1. SINGLE DX	1314	6.8	23	2	2	6	8	12	16	26
2. MULTIPLE DX	449	7.6	29	2	3	6	9	15	19	27
A. NOT OPERATED	1695	6.9	23	2	2	6	8	12	16	26
B. OPERATED	68	9.9	60	2	2	8	14	20	25	38
TOTAL 0-27 DYS	3	6.7	16	3	3	6	10	11	11	11
1-11 MOS	17	4.6	6	2	2	4	6	8	9	10
1-5 YRS	139	5.8	29	2	2	4	7	9	14	29
6-12 YRS	384	5.7	19	2	2	5	7	10	13	24
13-19 YRS	1220	7.6	26	2	3	6	9	14	18	27
GRAND TOTAL	**1763**	**7.0**	**25**	**2**	**2**	**6**	**8**	**13**	**17**	**27**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	3.7	6	1	1	3	5	7	9	9
1-5 YRS	204	3.9	7	1	2	3	5	7	9	13
6-12 YRS	462	3.9	8	1	2	3	5	6	8	14
13-19 YRS	2521	4.9	12	2	2	4	6	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	6.0	31	1	1	5	10	12	12	12
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	35	5.9	10	2	2	5	7	11	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	4.9	6	3	3	4	6	9	10	10
1-5 YRS	204	5.1	14	2	2	4	6	10	12	22
6-12 YRS	427	4.7	12	1	2	4	6	8	9	16
13-19 YRS	2063	5.4	11	2	2	5	7	9	11	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	7.9	19	2	3	8	9	15	16	16
6-12 YRS	11	7.9	8	5	5	7	10	12	13	13
13-19 YRS	67	8.7	39	2	3	8	11	14	17	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3198	4.7	11	2	2	4	6	8	10	14
B. *Operated*	39	5.8	11	2	2	5	7	11	12	16
2. MULTIPLE DX										
A. *Not Operated*	2701	5.2	11	2	2	5	6	9	11	17
B. *Operated*	89	8.5	32	2	3	8	11	14	16	35
1. SINGLE DX	3237	4.7	11	2	2	4	6	8	10	14
2. MULTIPLE DX	2790	5.4	12	2	2	5	7	9	12	18
A. NOT OPERATED	5899	4.9	11	2	2	4	6	8	10	16
B. OPERATED	128	7.7	27	2	3	7	10	14	16	24
TOTAL 0-27 DYS										
1-11 MOS	18	4.2	6	1	2	4	5	8	10	10
1-5 YRS	422	4.6	11	1	2	4	6	8	11	19
6-12 YRS	901	4.3	10	1	2	4	5	7	9	15
13-19 YRS	4686	5.2	12	2	2	4	6	9	11	16
GRAND TOTAL	**6027**	**5.0**	**12**	**2**	**2**	**4**	**6**	**9**	**11**	**16**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	8	1.6	1	<1	<1	1	2	3	3	3
13-19 YRS	42	2.2	3	<1	<1	2	2	4	7	9
B. *Operated*										
0-27 DYS	4	3.0	1	2	2	3	4	4	4	4
1-11 MOS	5	2.0	1	1	1	2	2	3	3	3
1-5 YRS	136	1.7	3	<1	<1	1	2	3	5	23
6-12 YRS	371	1.5	3	<1	<1	1	2	2	3	5
13-19 YRS	1264	2.4	10	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	4.2	8	1	1	4	6	8	8	8
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	38	3.8	18	<1	<1	3	5	6	10	25
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	14	1.8	2	<1	<1	1	2	4	5	5
6-12 YRS	34	2.0	3	1	1	2	2	4	4	10
13-19 YRS	310	3.3	6	1	1	3	4	6	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	2.2	3	<1	<1	2	2	4	6	9
B. *Operated*	1780	2.2	8	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	44	3.8	16	<1	1	3	5	6	9	25
B. *Operated*	358	3.1	6	1	1	2	4	6	9	13
1. SINGLE DX	1831	2.2	8	<1	<1	2	2	3	4	9
2. MULTIPLE DX	402	3.2	7	1	1	2	4	6	8	13
A. NOT OPERATED	95	2.9	10	<1	<1	2	4	6	8	19
B. OPERATED	2138	2.3	8	<1	<1	2	3	4	5	11
TOTAL 0-27 DYS	4	3.0	1	2	2	3	4	4	4	4
1-11 MOS	5	2.0	1	1	1	2	2	3	3	3
1-5 YRS	156	1.8	3	<1	<1	1	2	4	6	12
6-12 YRS	414	1.6	3	<1	<1	1	2	2	3	6
13-19 YRS	1654	2.6	9	<1	1	2	3	4	6	12
GRAND TOTAL	**2233**	**2.3**	**8**	**<1**	**<1**	**2**	**3**	**4**	**5**	**11**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	532	3.9	4	2	2	4	5	6	7	9
1-11 MOS	1918	3.2	3	1	1	3	4	5	6	10
1-5 YRS	1599	3.1	12	1	1	3	4	5	6	11
6-12 YRS	1365	3.0	4	1	1	3	4	5	6	11
13-19 YRS	1206	3.5	7	1	1	3	4	6	8	13
B. *Operated*										
0-27 DYS	11	5.0	13	1	1	5	7	11	13	13
1-11 MOS	29	3.8	3	1	1	3	5	7	7	8
1-5 YRS	50	2.8	25	<1	<1	2	3	5	7	35
6-12 YRS	63	4.0	27	<1	<1	2	4	9	12	31
13-19 YRS	70	5.4	24	1	2	4	7	11	12	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	214	4.6	11	2	2	4	5	8	10	24
1-11 MOS	1438	3.8	7	1	2	3	5	6	8	13
1-5 YRS	1916	3.5	14	1	1	3	4	6	8	16
6-12 YRS	1173	3.6	16	1	1	3	4	6	8	14
13-19 YRS	1127	4.2	17	1	1	3	5	7	10	18
B. *Operated*										
0-27 DYS	9	11.1	166	2	2	6	14	34	35	35
1-11 MOS	31	5.1	7	2	2	4	7	9	10	12
1-5 YRS	41	4.4	14	1	1	3	6	8	8	23
6-12 YRS	50	8.2	173	1	1	5	9	14	27	86
13-19 YRS	58	8.0	48	2	2	6	11	18	25	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6620	3.3	6	1	1	3	4	5	7	11
B. *Operated*	223	4.2	22	<1	1	3	5	9	12	30
2. MULTIPLE DX										
A. *Not Operated*	5868	3.8	13	1	1	3	4	7	8	16
B. *Operated*	189	7.0	74	1	2	5	8	12	23	36
1. SINGLE DX	6843	3.3	7	1	1	3	4	6	7	11
2. MULTIPLE DX	6057	3.9	15	1	1	3	5	7	9	17
A. NOT OPERATED	12488	3.5	10	1	1	3	4	6	7	13
B. OPERATED	412	5.5	48	1	1	3	6	11	16	33
TOTAL 0-27 DYS	766	4.2	8	2	2	4	5	7	8	13
1-11 MOS	3416	3.5	5	1	1	3	4	6	7	12
1-5 YRS	3606	3.3	13	1	1	3	4	6	7	13
6-12 YRS	2651	3.4	13	1	1	3	4	6	7	13
13-19 YRS	2461	4.0	14	1	1	3	5	7	9	17
GRAND TOTAL	**12900**	**3.6**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	5	8.6	26	2	2	8	11	16	16	16
1-5 YRS	116	5.5	9	2	2	5	7	10	11	17
6-12 YRS	163	5.0	7	2	2	4	6	8	10	16
13-19 YRS	127	4.9	4	2	3	5	6	8	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	8	3.0	4	1	1	3	4	6	7	7
13-19 YRS	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	8.0	130	1	1	4	6	28	31	31
1-5 YRS	35	6.7	21	1	2	6	9	10	17	23
6-12 YRS	52	5.3	9	2	2	4	7	9	11	18
13-19 YRS	48	8.4	119	2	3	6	9	14	18	72
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	8.0	18	5	5	8	11	11	11	11
6-12 YRS	3	7.7	49	1	1	7	13	15	15	15
13-19 YRS	3	14.0	67	7	7	12	20	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	413	5.1	7	2	2	5	6	8	10	16
B. *Operated*	10	3.9	7	1	1	3	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	141	6.8	55	2	2	5	8	10	16	39
B. *Operated*	8	10.1	46	1	2	9	13	21	23	23
1. SINGLE DX	423	5.1	7	2	2	5	6	8	10	16
2. MULTIPLE DX	149	7.0	55	2	2	5	8	11	16	36
A. NOT OPERATED	554	5.6	20	2	2	5	6	9	11	18
B. OPERATED	18	6.7	33	1	1	6	8	14	20	23
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	11	8.3	76	1	1	6	9	22	30	31
1-5 YRS	154	5.8	12	2	2	5	7	10	11	19
6-12 YRS	226	5.0	8	2	2	4	6	8	10	16
13-19 YRS	179	6.0	38	2	3	5	7	9	11	32
GRAND TOTAL	**572**	**5.6**	**20**	**2**	**2**	**5**	**7**	**9**	**11**	**19**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	44	7.6	15	3	4	7	9	12	16	20
1-11 MOS	17	8.2	31	1	2	9	11	13	19	23
1-5 YRS	23	5.7	7	2	2	6	7	9	11	12
6-12 YRS	14	3.6	5	1	1	3	4	8	8	8
13-19 YRS	435	5.3	13	2	2	4	6	10	12	21
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS										
1-5 YRS	10	1.6	1	1	1	1	2	3	4	4
6-12 YRS	8	3.9	25	1	1	2	3	12	16	16
13-19 YRS	115	3.7	14	<1	1	2	4	8	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	11.1	14	5	6	10	14	16	17	17
1-11 MOS	11	9.5	14	4	5	9	13	14	15	15
1-5 YRS	25	6.9	25	2	3	6	9	12	17	25
6-12 YRS	13	5.2	17	1	1	3	8	11	13	13
13-19 YRS	338	5.6	12	2	3	5	7	9	11	21
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	1	32.0		32	32	32	32	32	32	32
1-5 YRS	3	6.3	1	5	5	7	7	7	7	7
6-12 YRS	6	4.3	30	<1	<1	2	5	14	15	15
13-19 YRS	66	5.7	26	2	2	4	7	10	13	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	533	5.6	14	2	2	5	7	10	12	21
B. *Operated*	134	3.6	14	<1	1	2	4	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	396	5.9	14	2	3	5	7	10	13	22
B. *Operated*	77	6.1	33	1	2	4	7	11	15	33
1. SINGLE DX	667	5.2	15	1	2	4	6	10	12	20
2. MULTIPLE DX	473	5.9	17	2	2	5	7	10	14	24
A. NOT OPERATED	929	5.7	14	2	2	5	7	10	13	21
B. OPERATED	211	4.5	22	1	1	3	6	10	12	29
TOTAL 0-27 DYS	55	8.3	16	3	4	7	10	14	16	20
1-11 MOS	29	9.5	42	2	2	9	12	15	23	32
1-5 YRS	61	5.5	16	1	1	5	7	10	12	24
6-12 YRS	41	4.3	13	1	1	3	6	10	14	16
13-19 YRS	954	5.3	14	2	2	4	6	10	12	22
GRAND TOTAL	**1140**	**5.5**	**16**	**1**	**2**	**5**	**7**	**10**	**13**	**22**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	3.0	3	1	1	3	4	6	6	6
1-11 MOS	32	4.0	8	1	2	3	5	8	11	13
1-5 YRS	36	5.0	11	1	2	4	6	8	13	15
6-12 YRS	41	6.0	18	1	2	5	8	12	14	21
13-19 YRS	41	5.7	34	1	1	4	7	11	15	34
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	7	8.3	46	1	1	10	14	16	16	16
13-19 YRS	19	6.2	45	1	1	3	7	16	21	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	26	5.1	14	1	2	4	6	11	15	17
1-11 MOS	136	4.8	17	1	2	4	6	8	12	28
1-5 YRS	53	5.9	28	1	2	5	7	10	14	34
6-12 YRS	37	5.8	19	1	2	5	7	12	17	19
13-19 YRS	86	6.8	81	<1	1	5	7	10	20	56
B. *Operated*										
0-27 DYS	2	26.5	1013	4	4	26	49	49	49	49
1-11 MOS	4	7.0	5	4	4	7	8	9	9	9
1-5 YRS	5	8.2	35	1	1	10	13	14	14	14
6-12 YRS	11	23.1	498	1	1	17	45	50	54	54
13-19 YRS	17	17.2	524	2	2	10	13	52	76	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	5.2	18	1	1	4	6	10	13	21
B. *Operated*	28	6.4	43	1	1	3	12	16	17	24
2. MULTIPLE DX										
A. *Not Operated*	338	5.6	35	1	2	4	6	10	14	35
B. *Operated*	39	17.2	418	1	2	10	16	49	55	87
1. SINGLE DX	186	5.3	22	1	1	4	7	11	15	23
2. MULTIPLE DX	377	6.8	86	1	2	4	7	12	18	53
A. NOT OPERATED	496	5.5	30	1	2	4	6	10	14	33
B. OPERATED	67	12.6	287	1	1	6	14	42	50	82
TOTAL 0-27 DYS	36	5.8	66	1	1	4	6	11	16	49
1-11 MOS	173	4.7	15	1	2	4	6	8	11	24
1-5 YRS	95	5.7	22	1	2	4	7	11	14	27
6-12 YRS	96	8.1	100	1	2	5	9	16	34	51
13-19 YRS	163	7.5	119	1	1	5	8	15	23	66
GRAND TOTAL	**563**	**6.3**	**65**	**1**	**2**	**4**	**7**	**12**	**16**	**48**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	24	3.5	4	1	1	3	5	6	7	10
6-12 YRS	44	2.9	2	1	1	3	4	5	6	7
13-19 YRS	18	4.0	8	<1	1	3	6	8	10	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	42	4.0	3	2	2	4	4	6	8	11
13-19 YRS	26	6.9	144	2	2	4	5	11	25	64
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	4	5.5	6	4	4	5	7	9	9	9
1-5 YRS	29	4.6	15	1	1	4	5	11	14	16
6-12 YRS	43	4.9	28	1	2	3	5	10	20	25
13-19 YRS	17	6.9	39	1	2	5	10	13	22	27
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	3.4	3	2	2	3	5	6	6	6
6-12 YRS	26	4.7	4	3	3	4	7	7	8	10
13-19 YRS	24	5.1	11	1	2	4	5	11	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	3.3	4	1	1	3	4	6	7	11
B. *Operated*	70	5.0	56	2	2	4	5	6	11	54
2. MULTIPLE DX										
A. *Not Operated*	94	5.3	26	1	2	4	6	13	17	26
B. *Operated*	59	4.7	7	2	2	4	5	8	11	14
1. SINGLE DX	157	4.1	28	1	2	3	4	6	8	15
2. MULTIPLE DX	153	5.1	19	1	2	4	5	10	14	25
A. NOT OPERATED	181	4.3	16	1	1	3	5	8	13	24
B. OPERATED	129	4.9	33	2	2	4	5	7	11	25
TOTAL 0-27 DYS	2	10.0	98	3	3	10	17	17	17	17
1-11 MOS	4	5.5	6	4	4	5	7	9	9	9
1-5 YRS	64	4.0	9	1	1	3	5	7	11	16
6-12 YRS	155	4.0	10	1	2	3	4	7	8	20
13-19 YRS	85	5.8	57	1	2	4	6	11	13	51
GRAND TOTAL	**310**	**4.6**	**24**	**1**	**2**	**3**	**5**	**8**	**11**	**22**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	31	3.2	2	2	2	3	3	5	6	7
1-11 MOS	16	5.3	12	2	2	4	7	11	12	13
1-5 YRS	45	4.2	7	1	2	4	5	7	9	14
6-12 YRS	26	6.1	14	2	3	5	7	11	15	19
13-19 YRS	58	5.1	11	1	2	4	7	8	9	21
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.0	2	3	3	4	5	5	5	5
1-5 YRS	4	3.5	19	<1	<1	1	6	10	10	10
6-12 YRS	10	3.0	8	<1	<1	2	3	8	9	9
13-19 YRS	50	5.8	20	1	2	5	9	11	12	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	19	4.6	8	1	2	3	6	8	11	13
1-11 MOS	39	6.0	16	1	2	5	9	13	14	16
1-5 YRS	75	5.4	11	1	2	5	7	10	11	17
6-12 YRS	47	5.3	15	1	2	5	6	11	15	99+
13-19 YRS	84	5.0	17	1	2	4	6	9	13	23
B. *Operated*										
0-27 DYS										
1-11 MOS	5	13.0	142	6	6	9	34	93	99+	99+
1-5 YRS	8	6.8	26	1	1	6	11	13	14	14
6-12 YRS	7	5.0	23	1	1	2	8	13	14	14
13-19 YRS	35	9.8	82	2	2	8	14	18	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	4.7	10	1	2	4	6	8	11	18
B. *Operated*	66	5.2	19	<1	1	4	8	10	12	24
2. MULTIPLE DX										
A. *Not Operated*	264	5.3	14	1	2	4	7	10	13	23
B. *Operated*	55	9.0	73	1	2	7	13	18	33	97
1. SINGLE DX	242	4.8	12	1	2	4	6	9	11	19
2. MULTIPLE DX	319	5.9	26	1	2	5	7	12	15	38
A. NOT OPERATED	440	5.0	12	1	2	4	6	9	12	22
B. OPERATED	121	7.0	47	1	1	5	9	14	20	62
TOTAL 0-27 DYS	50	3.7	5	2	2	3	4	6	8	13
1-11 MOS	62	6.3	26	1	2	5	9	13	15	91
1-5 YRS	132	5.0	11	1	1	4	7	10	12	16
6-12 YRS	90	5.2	15	1	2	5	7	10	14	68
13-19 YRS	227	5.9	29	1	2	4	8	11	15	27
GRAND TOTAL	**561**	**5.5**	**20**	**1**	**2**	**4**	**7**	**10**	**14**	**26**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS	3	2.3		2	2	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	3	3.3		3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	8.7	114	2	2	3	16	21	21	21
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	4	5.5	32	2	2	3	9	14	14	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	8.3	12	5	5	8	11	12	12	12
13-19 YRS	15	6.1	28	<1	1	5	8	13	18	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.4	3	2	2	3	4	6	6	6
B. *Operated*	5	3.2	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	8	6.6	49	2	2	3	9	19	21	21
B. *Operated*	18	6.4	25	<1	1	5	8	13	17	20
1. SINGLE DX	10	3.3	2	2	2	3	4	5	6	6
2. MULTIPLE DX	26	6.5	31	1	1	5	8	14	20	21
A. NOT OPERATED	13	5.4	32	2	2	3	5	15	20	21
B. OPERATED	23	5.7	22	<1	1	4	8	12	15	20
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	3	8.7	114	2	2	3	16	21	21	21
6-12 YRS	8	5.8	9	2	3	5	7	11	12	12
13-19 YRS	25	5.2	22	1	1	3	6	13	15	20
GRAND TOTAL	**36**	**5.6**	**25**	**1**	**2**	**4**	**7**	**13**	**18**	**21**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	2.1	3	<1	<1	1	3	5	5	5
6-12 YRS	3	4.0		4	4	4	4	4	4	4
13-19 YRS	3	3.7	8	2	2	2	6	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	5	6.4	5	4	4	6	8	10	10	10
6-12 YRS	6	4.2	9	2	2	3	5	9	10	10
13-19 YRS	24	4.7	17	1	2	3	6	9	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	3	5.3	24	2	2	3	9	11	11	11
1-5 YRS	3	1.7		<1	<1	2	2	2	2	2
6-12 YRS	7	5.1	39	1	1	4	4	16	19	19
13-19 YRS	20	8.8	65	1	2	7	11	15	28	38
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	4	7.0	12	2	2	8	9	10	10	10
6-12 YRS	2	5.5	5	4	4	5	7	7	7	7
13-19 YRS	7	3.4	5	1	1	3	5	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.9	4	<1	1	2	4	5	7	7
B. *Operated*	36	5.1	15	1	2	4	7	10	15	16
2. MULTIPLE DX										
A. *Not Operated*	34	7.1	52	1	2	4	10	13	19	38
B. *Operated*	15	5.5	12	1	1	5	8	10	12	13
1. SINGLE DX	49	4.5	13	1	1	4	6	9	12	16
2. MULTIPLE DX	49	6.6	40	1	1	4	9	12	18	38
A. NOT OPERATED	47	6.0	42	1	1	4	8	12	18	38
B. OPERATED	51	5.2	14	1	2	4	7	10	13	16
TOTAL 0-27 DYS	2	11.5	5	10	10	11	13	13	13	13
1-11 MOS	5	7.0	21	2	2	7	11	12	12	12
1-5 YRS	19	4.2	10	<1	<1	4	7	9	10	10
6-12 YRS	18	4.7	17	1	2	4	4	9	15	19
13-19 YRS	54	6.0	36	1	2	4	7	12	16	37
GRAND TOTAL	**98**	**5.6**	**27**	**1**	**1**	**4**	**7**	**11**	**15**	**29**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	21.5	41	17	17	21	26	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	2	21.5	41	17	17	21	26	26	26	26
1. SINGLE DX	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX	3	14.7	160	1	1	17	24	26	26	26
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	3	17.0	81	8	8	17	24	26	26	26
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS	3	14.7	160	1	1	17	24	26	26	26
GRAND TOTAL	**4**	**13.0**	**118**	**1**	**1**	**12**	**21**	**26**	**26**	**26**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	10.5	145	2	2	10	19	19	19	19
13-19 YRS	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	31.0		31	31	31	31	31	31	31
13-19 YRS	7	4.6	8	1	1	4	5	9	10	10
B. *Operated*										
0-27 DYS	1	66.0		66	66	66	66	66	66	66
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	20.0	353	8	8	12	30	48	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	3	9.7	74	2	2	8	16	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	8	7.9	94	1	2	4	8	25	31	31
B. *Operated*	5	29.2	688	8	8	13	52	66	66	66
1. SINGLE DX	4	8.0	61	2	2	5	13	19	19	19
2. MULTIPLE DX	13	16.1	401	1	3	8	17	52	63	66
A. NOT OPERATED	9	7.3	85	1	2	4	6	23	31	31
B. OPERATED	8	21.9	516	2	4	12	33	61	66	66
TOTAL 0-27 DYS	1	66.0		66	66	66	66	66	66	66
1-11 MOS										
1-5 YRS										
6-12 YRS	3	17.3	212	2	2	19	28	31	31	31
13-19 YRS	13	9.5	147	1	2	5	10	20	43	48
GRAND TOTAL	**17**	**14.2**	**324**	**1**	**2**	**8**	**14**	**45**	**60**	**66**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS										
GRAND TOTAL	**1**	**1.0**		**<1**	**<1**	**<1**	**<1**	**<1**	**<1**	**<1**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	4.7	9	2	2	4	7	8	8	8
B. *Operated*										
0-27 DYS	2	11.5	5	10	10	11	13	13	13	13
1-11 MOS										
1-5 YRS										
6-12 YRS	3	7.0	61	2	2	3	13	16	16	16
13-19 YRS	7	10.1	44	3	3	12	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	8.0	12	6	6	6	11	12	12	12
13-19 YRS										
B. *Operated*										
0-27 DYS	5	33.4	46	24	24	32	39	41	41	41
1-11 MOS	7	20.3	53	11	12	20	24	31	33	33
1-5 YRS	5	21.2	19	15	15	22	23	27	27	27
6-12 YRS	5	15.8	60	10	10	11	21	28	28	28
13-19 YRS	17	15.9	70	5	5	15	22	29	30	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.7	9	2	2	4	7	8	8	8
B. *Operated*	12	9.6	38	2	2	11	15	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	3	8.0	12	6	6	6	11	12	12	12
B. *Operated*	39	19.6	85	5	8	19	26	32	36	41
1. SINGLE DX	15	8.6	35	2	2	8	14	16	18	18
2. MULTIPLE DX	42	18.8	88	5	6	18	24	31	35	41
A. NOT OPERATED	6	6.3	12	2	2	6	8	12	12	12
B. OPERATED	51	17.3	91	3	4	16	23	31	33	41
TOTAL 0-27 DYS	7	27.1	146	10	11	31	37	41	41	41
1-11 MOS	7	20.3	53	11	12	20	24	31	33	33
1-5 YRS	5	21.2	19	15	15	22	23	27	27	27
6-12 YRS	11	11.3	57	2	3	11	15	23	28	28
13-19 YRS	27	13.2	70	3	3	14	18	27	29	31
GRAND TOTAL	**57**	**16.1**	**94**	**3**	**4**	**15**	**22**	**30**	**33**	**41**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS	1	29.0		29	29	29	29	29	29	29
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	5	13.4	120	2	2	16	20	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-27 DYS	2	19.0	162	10	10	19	28	28	28	28
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	3	8.0	13	5	5	7	11	12	12	12
6-12 YRS										
13-19 YRS	8	18.5	400	4	4	13	21	52	65	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	9	13.3	133	1	1	16	23	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	4	8.8	33	4	4	7	12	17	17	17
B. *Operated*	14	15.6	253	4	4	11	19	32	58	65
1. SINGLE DX	10	12.4	127	1	1	10	21	28	29	29
2. MULTIPLE DX	18	14.1	208	4	4	9	17	26	50	65
A. NOT OPERATED	5	7.8	29	4	4	6	10	17	17	17
B. OPERATED	23	14.7	199	1	2	12	20	28	42	65
TOTAL 0-27 DYS	4	14.3	122	2	2	13	22	28	28	28
1-11 MOS	3	11.3	76	4	4	9	18	21	21	21
1-5 YRS	5	12.2	95	5	5	8	16	29	29	29
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	15	15.0	256	2	3	12	19	28	56	65
GRAND TOTAL	**28**	**13.5**	**174**	**2**	**2**	**9**	**18**	**28**	**33**	**65**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	2.6	2	1	1	3	4	4	4	4
6-12 YRS	5	8.8	63	5	5	5	10	23	23	23
13-19 YRS	13	6.4	60	<1	1	4	7	16	27	30
B. *Operated*										
0-27 DYS										
1-11 MOS	2	22.5	221	12	12	22	33	33	33	33
1-5 YRS	4	10.3	68	2	2	9	17	20	20	20
6-12 YRS	3	6.7	17	2	2	8	9	10	10	10
13-19 YRS	2	10.5	41	6	6	10	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	7	5.0	15	1	1	4	9	11	11	11
6-12 YRS	3	6.0	9	3	3	6	8	9	9	9
13-19 YRS	10	6.0	24	1	1	5	6	14	16	16
B. *Operated*										
0-27 DYS										
1-11 MOS	2	13.0	162	4	4	13	22	22	22	22
1-5 YRS	11	23.5	338	4	5	18	42	51	54	54
6-12 YRS	3	10.3	41	3	3	13	14	15	15	15
13-19 YRS	4	22.8	253	12	12	16	33	46	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.5	42	1	1	4	6	11	24	30
B. *Operated*	11	11.5	82	2	2	10	15	25	32	33
2. MULTIPLE DX										
A. *Not Operated*	22	5.8	16	1	2	5	9	12	14	16
B. *Operated*	20	20.4	260	3	4	15	24	48	51	54
1. SINGLE DX	39	7.2	59	1	1	5	8	18	27	33
2. MULTIPLE DX	42	12.7	183	1	2	8	15	32	48	54
A. NOT OPERATED	50	5.6	30	1	1	4	6	11	16	30
B. OPERATED	31	17.2	210	2	3	13	20	47	49	54
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	5	15.2	151	4	4	12	25	33	33	33
1-5 YRS	32	11.3	206	1	1	4	14	33	49	54
6-12 YRS	14	8.1	33	2	3	6	10	16	21	23
13-19 YRS	29	8.8	96	1	1	6	12	18	31	46
GRAND TOTAL	**81**	**10.0**	**130**	**1**	**1**	**6**	**13**	**22**	**39**	**52**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	7.0	50	2	2	7	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS										
B. *Operated*										
0-27 DYS	1	32.0		32	32	32	32	32	32	32
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	1	23.0		23	23	23	23	23	23	23
13-19 YRS	2	16.0	98	9	9	16	23	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	2	7.0	50	2	2	7	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	5	5.2	5	2	2	5	6	8	8	8
B. *Operated*	6	17.7	99	6	6	18	23	31	32	32
1. SINGLE DX	3	6.3	26	2	2	5	10	12	12	12
2. MULTIPLE DX	11	12.0	94	2	4	8	20	27	32	32
A. NOT OPERATED	6	5.2	4	2	2	5	6	8	8	8
B. OPERATED	8	15.0	102	2	3	12	23	29	32	32
TOTAL 0-27 DYS	2	18.5	365	5	5	18	32	32	32	32
1-11 MOS	2	6.0		6	6	6	6	6	6	6
1-5 YRS	2	10.5	13	8	8	10	13	13	13	13
6-12 YRS	4	8.8	92	2	2	5	14	23	23	23
13-19 YRS	4	11.5	76	2	2	10	17	23	23	23
GRAND TOTAL	**14**	**10.8**	**82**	**2**	**2**	**7**	**13**	**24**	**30**	**32**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0		5	5	5	5	5	5	5
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS										
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	33.0		33	33	33	33	33	33	33
6-12 YRS	1	21.0		21	21	21	21	21	21	21
13-19 YRS	10	10.2	36	<1	3	9	14	19	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	8.3	36	2	2	9	13	14	14	14
1-11 MOS	13	11.0	92	1	2	10	17	28	30	30
1-5 YRS	2	7.5	13	5	5	7	10	10	10	10
6-12 YRS	9	7.8	32	1	1	5	13	15	16	16
13-19 YRS	9	10.8	60	1	1	14	14	21	25	25
B. *Operated*										
0-27 DYS	2	16.0	8	14	14	16	18	18	18	18
1-11 MOS	4	6.5	36	1	1	5	10	15	15	15
1-5 YRS	2	21.0	50	16	16	21	26	26	26	26
6-12 YRS	7	19.3	608	3	3	7	22	62	72	72
13-19 YRS	13	13.9	188	5	6	10	13	28	52	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	6.3	2	5	5	6	7	8	8	8
B. *Operated*	14	12.0	77	<1	<1	9	15	24	31	33
2. MULTIPLE DX										
A. *Not Operated*	36	9.7	57	1	1	9	14	18	26	30
B. *Operated*	28	14.9	243	3	4	10	18	25	58	72
1. SINGLE DX	18	10.[illegible]	65	<1	2	8	14	22	29	33
2. MULTIPLE DX	64	12.0	143	1	2	10	15	23	28	70
A. NOT OPERATED	40	9.4	53	1	1	8	14	17	26	30
B. OPERATED	42	13.9	186	1	4	10	18	24	43	72
TOTAL 0-27 DYS	8	9.8	30	2	3	10	14	17	18	18
1-11 MOS	19	9.4	75	<1	1	6	14	23	29	30
1-5 YRS	5	18.0	132	5	5	16	28	33	33	33
6-12 YRS	18	12.9	266	1	2	7	16	22	52	72
13-19 YRS	32	11.9	102	1	4	9	14	22	25	57
GRAND TOTAL	**82**	**11.7**	**125**	**1**	**2**	**9**	**15**	**22**	**28**	**67**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS										
1-5 YRS	3	3.7	6	1	1	4	5	6	6	6
6-12 YRS	4	3.3	11	1	1	2	5	8	8	8
13-19 YRS	4	4.0	6	<1	<1	4	6	7	7	7
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	3	3.7	8	2	2	2	6	7	7	7
1-5 YRS	5	24.4	1311	2	2	12	35	88	88	88
6-12 YRS	7	3.9	10	1	1	4	5	9	10	10
13-19 YRS	14	8.9	66	1	1	4	15	19	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	11	4.7	13	<1	<1	4	7	11	11	11
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	15	5.2	10	1	1	5	8	9	11	12
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	28.0		28	28	28	28	28	28	28
1-5 YRS	4	8.0	114	2	2	3	14	24	24	24
6-12 YRS	3	13.7	160	4	4	9	23	28	28	28
13-19 YRS	11	12.1	83	1	2	11	15	25	34	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.4	6	<1	<1	3	5	7	8	8
B. *Operated*	30	9.8	263	1	1	4	15	18	24	88
2. MULTIPLE DX										
A. *Not Operated*	28	5.0	11	1	1	5	7	10	11	12
B. *Operated*	20	11.9	99	1	2	10	17	28	32	35
1. SINGLE DX	42	8.0	196	<1	1	4	10	18	21	88
2. MULTIPLE DX	48	7.9	59	1	1	5	11	17	28	35
A. NOT OPERATED	40	4.5	10	<1	1	4	7	9	11	12
B. OPERATED	50	10.6	195	1	1	6	15	24	28	88
TOTAL 0-27 DYS	3	5.0	21	<1	<1	4	8	10	10	10
1-11 MOS	5	9.4	116	2	2	7	13	28	28	28
1-5 YRS	23	9.4	327	<1	1	4	10	19	46	88
6-12 YRS	15	5.5	48	1	1	4	7	10	23	28
13-19 YRS	44	8.0	52	1	1	6	12	18	20	35
GRAND TOTAL	**90**	**7.9**	**121**	**1**	**1**	**5**	**10**	**18**	**24**	**67**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	20	3.5	4	<1	<1	4	5	6	7	7
6-12 YRS	41	4.6	19	<1	1	4	5	7	9	28
13-19 YRS	107	4.3	28	1	1	3	4	7	13	31
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	4	8.8	105	2	2	4	14	24	24	24
1-5 YRS	36	5.5	22	1	1	4	9	11	13	23
6-12 YRS	62	6.6	31	<1	1	5	9	14	17	27
13-19 YRS	136	9.7	130	1	2	7	12	21	26	94
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	25	4.2	14	<1	<1	2	6	11	12	12
6-12 YRS	77	3.9	6	1	1	4	5	6	9	14
13-19 YRS	224	5.2	30	1	2	4	6	10	17	33
B. *Operated*										
0-27 DYS										
1-11 MOS	5	10.0	52	3	3	7	16	20	20	20
1-5 YRS	10	11.8	235	1	1	6	14	35	52	52
6-12 YRS	39	10.9	211	1	2	6	11	26	48	71
13-19 YRS	79	13.5	205	2	2	9	17	27	39	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	4.3	22	<1	1	3	5	7	9	27
B. *Operated*	239	8.2	89	1	2	5	11	18	24	61
2. MULTIPLE DX										
A. *Not Operated*	328	4.8	23	1	1	4	5	9	12	29
B. *Operated*	133	12.5	201	2	2	8	15	27	46	73
1. SINGLE DX	408	6.6	65	1	1	4	8	15	21	46
2. MULTIPLE DX	461	7.0	87	1	2	4	7	15	24	52
A. NOT OPERATED	497	4.6	23	1	1	4	5	8	12	28
B. OPERATED	372	9.8	133	1	2	7	12	22	28	72
TOTAL 0-27 DYS	2	4.0	18	1	1	4	7	7	7	7
1-11 MOS	11	7.9	64	1	1	5	13	22	24	24
1-5 YRS	91	5.4	43	<1	1	4	7	11	13	40
6-12 YRS	219	6.0	57	1	1	4	7	11	15	48
13-19 YRS	546	7.3	90	1	2	4	9	17	24	57
GRAND TOTAL	**869**	**6.8**	**77**	**1**	**1**	**4**	**8**	**15**	**22**	**50**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	3	11.3		11	11	11	12	12	12	12
1-5 YRS	5	1.6		<1	<1	2	2	2	2	2
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	22	6.3	29	1	2	5	7	10	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	3.5	2	2	2	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	11	8.8	25	3	3	7	13	16	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.8	2	1	1	3	4	4	4	4
B. *Operated*	33	5.7	26	<1	1	5	7	11	13	27
2. MULTIPLE DX										
A. *Not Operated*	4	3.5	2	2	2	3	4	5	5	5
B. *Operated*	12	8.2	28	1	2	7	12	16	19	19
1. SINGLE DX	37	5.4	24	<1	1	4	6	11	13	27
2. MULTIPLE DX	16	7.0	25	1	2	6	9	14	18	19
A. NOT OPERATED	8	3.1	2	1	1	3	4	5	5	5
B. OPERATED	45	6.3	27	1	2	5	8	13	15	27
TOTAL 0-27 DYS										
1-11 MOS	4	9.3	18	3	3	11	12	12	12	12
1-5 YRS	5	1.6		<1	<1	2	2	2	2	2
6-12 YRS	5	1.8	1	1	1	2	2	3	3	3
13-19 YRS	39	6.6	26	2	3	5	8	13	17	27
GRAND TOTAL	**53**	**5.8**	**24**	**1**	**2**	**5**	**7**	**12**	**14**	**27**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	5	2.8	3	2	2	2	3	6	6	6
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	13	1.8	2	<1	<1	1	2	4	5	5
6-12 YRS	8	3.9	33	<1	<1	2	3	13	18	18
13-19 YRS	26	2.3	2	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	2	12.5	25	9	9	12	16	16	16	16
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	3.5	6	1	1	3	5	6	6	6
13-19 YRS	10	5.3	40	1	1	3	6	15	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.4	3	1	1	2	2	5	6	6
B. *Operated*	50	2.4	7	<1	<1	2	3	4	5	18
2. MULTIPLE DX										
A. *Not Operated*	1	8.0		8	8	8	8	8	8	8
B. *Operated*	17	5.5	34	1	1	4	7	15	20	22
1. SINGLE DX	57	2.4	6	<1	<1	2	3	4	6	17
2. MULTIPLE DX	18	5.6	32	1	1	4	8	14	20	22
A. NOT OPERATED	8	3.1	6	1	1	2	4	7	8	8
B. OPERATED	67	3.2	15	<1	1	2	3	6	10	21
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	5	6.6	35	2	2	3	11	16	16	16
1-5 YRS	15	1.7	2	<1	<1	1	2	4	5	5
6-12 YRS	12	3.8	23	<1	<1	2	4	10	17	18
13-19 YRS	42	3.2	13	1	1	2	3	7	8	22
GRAND TOTAL	**73**	**3.2**	**14**	**<1**	**1**	**2**	**3**	**6**	**9**	**21**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS										
B. *Operated*										
0-27 DYS	4	8.3	35	1	1	9	13	14	14	14
1-11 MOS	2	3.0	8	<1	<1	2	5	5	5	5
1-5 YRS	3	8.0	16	4	4	8	11	12	12	12
6-12 YRS	3	3.3	5	2	2	2	5	6	6	6
13-19 YRS	27	2.1	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	6.0	32	2	2	6	10	10	10	10
1-5 YRS										
6-12 YRS										
13-19 YRS	3	23.0	273	12	12	15	35	42	42	42
B. *Operated*										
0-27 DYS	3	14.7	69	8	8	12	21	24	24	24
1-11 MOS	8	11.4	83	<1	1	8	18	25	26	26
1-5 YRS	2	12.0	32	8	8	12	16	16	16	16
6-12 YRS	2	9.5	1	9	9	9	10	10	10	10
13-19 YRS	12	7.3	19	2	2	7	10	13	16	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	39	3.4	10	<1	1	2	4	7	12	14
2. MULTIPLE DX										
A. *Not Operated*	6	13.7	223	1	1	11	15	39	42	42
B. *Operated*	27	9.8	44	1	3	8	12	22	25	26
1. SINGLE DX	41	3.3	10	<1	1	2	3	7	12	14
2. MULTIPLE DX	33	10.5	73	1	2	9	12	24	26	42
A. NOT OPERATED	8	10.8	189	1	1	6	13	34	42	42
B. OPERATED	66	6.0	34	<1	1	4	8	13	18	26
TOTAL 0-27 DYS	9	8.8	59	1	1	8	13	20	24	24
1-11 MOS	12	9.1	69	<1	<1	7	11	25	26	26
1-5 YRS	5	9.6	21	4	4	8	13	16	16	16
6-12 YRS	6	5.3	13	2	2	4	9	10	10	10
13-19 YRS	42	5.1	50	<1	1	2	6	11	16	42
GRAND TOTAL	**74**	**6.5**	**50**	**<1**	**1**	**4**	**9**	**14**	**22**	**38**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	5.0	18	2	2	5	8	8	8	8
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.0	1	4	4	5	6	6	6	6
13-19 YRS	16	4.5	15	<1	1	3	6	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2	11.5	85	5	5	18	79	99+	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	12.2	222	2	2	6	16	38	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	21	4.6	13	<1	1	3	6	10	12	14
2. MULTIPLE DX										
A. *Not Operated*	6	6.2	35	2	2	5	15	84	99+	99+
B. *Operated*	9	12.2	222	2	2	6	16	38	47	47
1. SINGLE DX	21	4.6	13	<1	1	3	6	10	12	14
2. MULTIPLE DX	15	9.8	149	2	2	5	15	45	84	99+
A. NOT OPERATED	6	6.2	35	2	2	5	15	84	99+	99+
B. OPERATED	30	6.9	82	1	1	4	8	13	24	47
TOTAL 0-27 DYS	4	4.3	8	2	2	4	6	8	8	8
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	4	4.5	2	3	3	4	5	6	6	6
13-19 YRS	27	7.6	95	1	1	4	11	22	52	99+
GRAND TOTAL	**36**	**6.8**	**73**	**1**	**2**	**4**	**8**	**17**	**39**	**99+**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	2	5.5	1	5	5	5	6	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS										
6-12 YRS	3	5.0	48	<1	<1	1	10	13	13	13
13-19 YRS	6	14.3	463	2	2	6	8	53	58	58
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.0	32	1	1	5	9	9	9	9
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	3	8.7	2	7	7	9	10	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	3	7.3		7	7	7	8	8	8	8
1-5 YRS										
6-12 YRS	3	7.7	17	3	3	9	10	11	11	11
13-19 YRS	4	9.8	41	5	5	7	14	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.7	2	3	3	5	6	6	6	6
B. *Operated*	11	9.9	269	<1	<1	5	8	31	56	58
2. MULTIPLE DX										
A. *Not Operated*	6	7.2	11	1	2	8	9	10	10	10
B. *Operated*	10	8.4	19	3	4	8	9	15	19	19
1. SINGLE DX	14	8.8	212	<1	1	5	8	17	49	58
2. MULTIPLE DX	16	7.9	15	2	3	8	9	11	17	19
A. NOT OPERATED	9	6.3	9	1	2	7	9	10	10	10
B. OPERATED	21	9.2	143	<1	1	7	9	15	37	58
TOTAL 0-27 DYS										
1-11 MOS	5	6.0	8	1	1	7	7	8	8	8
1-5 YRS	3	4.3	17	1	1	3	7	9	9	9
6-12 YRS	7	6.4	24	<1	<1	7	10	13	13	13
13-19 YRS	15	10.8	185	3	5	7	9	19	48	58
GRAND TOTAL	**30**	**8.3**	**103**	**1**	**1**	**7**	**9**	**12**	**19**	**58**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	12	4.6	1	2	3	5	5	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	5	7.6	5	4	4	8	9	10	10	10
13-19 YRS	44	8.5	8	5	5	8	10	13	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	4	4.0	3	2	2	4	5	6	6	6
13-19 YRS	17	6.5	31	1	2	5	8	13	20	24
B. *Operated*										
0-27 DYS	2	9.5	13	7	7	9	12	12	12	12
1-11 MOS	1	46.0		46	46	46	46	46	46	46
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	38	11.4	37	5	6	10	13	18	24	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	4.4	2	2	2	5	5	6	7	7
B. *Operated*	50	8.5	8	5	5	8	10	13	14	16
2. MULTIPLE DX										
A. *Not Operated*	22	5.9	25	1	2	4	7	11	18	24
B. *Operated*	42	12.0	63	5	6	10	13	19	29	46
1. SINGLE DX	63	7.7	10	4	4	7	9	13	14	16
2. MULTIPLE DX	64	9.9	58	3	3	7	13	18	24	44
A. NOT OPERATED	35	5.3	17	2	2	5	5	9	13	24
B. OPERATED	92	10.1	36	5	5	9	12	15	18	41
TOTAL 0-27 DYS	2	9.5	13	7	7	9	12	12	12	12
1-11 MOS	2	24.5	925	3	3	24	46	46	46	46
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	11	5.6	7	2	2	6	8	9	10	10
13-19 YRS	111	8.8	25	4	4	7	11	14	18	29
GRAND TOTAL	**127**	**8.8**	**35**	**3**	**4**	**7**	**11**	**14**	**18**	**37**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	5.1	14	1	1	5	8	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS	5	8.2	37	2	2	10	12	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	27.0		27	27	27	27	27	27	27
1-11 MOS										
1-5 YRS	3	3.3	2	2	2	3	4	5	5	5
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	12	11.3	485	1	2	6	7	29	74	81
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS	1	41.0		41	41	41	41	41	41	41
13-19 YRS	6	13.2	182	2	2	9	22	34	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	5.1	14	1	1	5	8	11	11	11
B. *Operated*	7	9.9	49	2	2	10	15	20	21	21
2. MULTIPLE DX										
A. *Not Operated*	17	10.5	363	1	2	5	7	23	62	81
B. *Operated*	8	15.5	247	2	2	9	28	39	41	41
1. SINGLE DX	16	7.2	33	1	1	6	10	16	19	21
2. MULTIPLE DX	25	12.1	319	1	2	5	9	35	51	81
A. NOT OPERATED	26	8.6	243	1	1	5	7	11	38	81
B. OPERATED	15	12.9	153	2	2	10	20	35	39	41
TOTAL 0-27 DYS	2	15.5	265	4	4	15	27	27	27	27
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS	4	4.3	5	2	2	4	6	7	7	7
6-12 YRS	2	23.0	648	5	5	23	41	41	41	41
13-19 YRS	32	9.4	220	1	2	6	10	18	34	81
GRAND TOTAL	**41**	**10.2**	**210**	**1**	**2**	**5**	**10**	**24**	**38**	**81**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	2	9.5	41	5	5	9	14	14	14	14
13-19 YRS	5	6.2	17	2	2	7	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	4	11.3	78	4	4	8	17	24	24	24
1-5 YRS	4	10.5	15	6	6	10	13	15	15	15
6-12 YRS	2	9.5	1	9	9	9	10	10	10	10
13-19 YRS	5	7.8	95	2	2	4	11	25	25	25
B. *Operated*										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	3	18.0	73	10	10	17	24	27	27	27
1-5 YRS	4	20.5	331	5	5	19	36	40	40	40
6-12 YRS	4	11.8	7	8	8	12	13	14	14	14
13-19 YRS	3	14.3	105	3	3	17	21	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	7.5	41	3	3	7	12	12	12	12
B. *Operated*	9	6.8	16	2	2	7	9	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	16	9.4	47	2	2	8	11	23	25	25
B. *Operated*	15	16.3	110	3	5	14	22	32	38	40
1. SINGLE DX	11	6.9	17	2	2	7	10	13	14	14
2. MULTIPLE DX	31	12.7	88	2	3	10	17	26	32	40
A. NOT OPERATED	18	9.2	45	2	2	8	12	21	25	25
B. OPERATED	24	12.7	95	2	3	10	17	27	34	40
TOTAL 0-27 DYS	2	11.5	85	5	5	11	18	18	18	18
1-11 MOS	8	12.9	78	4	4	10	20	26	27	27
1-5 YRS	10	13.4	158	3	4	8	15	36	40	40
6-12 YRS	8	10.6	10	5	6	11	13	14	14	14
13-19 YRS	14	8.9	61	2	2	6	12	23	25	25
GRAND TOTAL	**42**	**11.2**	**75**	**2**	**3**	**9**	**14**	**24**	**29**	**40**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	24	5.0	8	1	1	5	7	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	9	6.1	55	2	2	3	6	19	25	25
6-12 YRS	4	4.3	7	2	2	4	6	7	7	7
13-19 YRS	62	7.2	38	2	2	5	8	17	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	47	6.0	12	1	2	5	6	11	15	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	7.4	49	1	1	3	14	16	16	16
6-12 YRS	2	6.0	2	5	5	6	7	7	7	7
13-19 YRS	33	12.1	108	3	5	9	14	21	25	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	5.0	8	1	1	5	7	9	9	9
B. *Operated*	77	6.8	38	2	2	4	8	17	21	29
2. MULTIPLE DX										
A. *Not Operated*	50	6.2	14	1	2	5	6	13	16	16
B. *Operated*	40	11.2	98	2	3	9	14	19	24	61
1. SINGLE DX	101	6.4	31	1	2	5	8	13	19	28
2. MULTIPLE DX	90	8.5	57	1	3	6	11	16	19	47
A. NOT OPERATED	74	5.8	12	1	2	5	7	9	15	16
B. OPERATED	117	8.3	62	2	2	6	11	18	22	41
TOTAL 0-27 DYS										
1-11 MOS	3	7.7	52	3	3	4	13	16	16	16
1-5 YRS	15	6.4	46	1	2	3	8	16	23	25
6-12 YRS	7	5.3	6	2	2	6	7	8	8	8
13-19 YRS	166	7.5	46	1	2	6	9	15	19	30
GRAND TOTAL	**191**	**7.4**	**44**	**1**	**2**	**5**	**9**	**15**	**19**	**29**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	7.5	5	6	6	7	9	9	9	9
1-11 MOS	8	6.4	30	1	1	4	9	15	17	17
1-5 YRS	4	7.0	4	4	4	8	8	8	8	8
6-12 YRS	5	5.4	16	1	1	5	9	10	10	10
13-19 YRS	6	3.8	2	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS	2	9.5	61	4	4	9	15	15	15	15
1-11 MOS	8	2.8	5	1	1	2	4	6	7	7
1-5 YRS	3	13.0	139	3	3	10	22	26	26	26
6-12 YRS	4	8.5	50	4	4	5	12	19	19	19
13-19 YRS	5	4.8	9	1	1	5	7	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	25	5.8	14	1	2	5	8	10	13	17
2. MULTIPLE DX										
A. *Not Operated*	3	4.0	9	<1	<1	4	6	7	7	7
B. *Operated*	22	6.3	40	1	1	4	7	16	22	26
1. SINGLE DX	25	5.8	14	1	2	5	8	10	13	17
2. MULTIPLE DX	25	6.0	36	<1	1	4	7	15	21	26
A. NOT OPERATED	3	4.0	9	<1	<1	4	6	7	7	7
B. OPERATED	47	6.0	26	1	1	5	8	12	17	26
TOTAL 0-27 DYS	4	8.5	23	4	4	7	12	15	15	15
1-11 MOS	16	4.6	20	1	1	3	6	12	15	17
1-5 YRS	8	8.9	54	3	3	8	9	21	26	26
6-12 YRS	10	6.8	26	1	1	6	9	14	19	19
13-19 YRS	12	4.0	5	<1	1	4	5	7	9	9
GRAND TOTAL	**50**	**5.9**	**25**	**1**	**1**	**5**	**8**	**11**	**17**	**26**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	28	3.9	8	<1	<1	4	5	7	10	13
6-12 YRS	9	3.7	7	1	1	3	4	8	10	10
13-19 YRS	8	3.9	3	1	1	4	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	10.0	2	9	9	10	11	11	11	11
1-5 YRS	29	10.7	33	5	7	9	12	15	24	34
6-12 YRS	6	14.8	136	1	1	15	20	32	33	33
13-19 YRS	7	11.3	57	3	3	11	13	24	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS	20	3.5	10	<1	<1	3	5	7	10	13
6-12 YRS	20	5.0	27	1	1	4	5	11	18	23
13-19 YRS	15	11.6	511	1	1	5	9	15	73	92
B. *Operated*										
0-27 DYS										
1-11 MOS	2	13.5	61	8	8	13	19	19	19	19
1-5 YRS	28	14.3	81	3	6	12	17	32	32	33
6-12 YRS	6	20.2	352	8	8	13	17	54	58	58
13-19 YRS	11	20.1	310	2	2	16	29	49	55	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	3.8	7	<1	1	4	5	7	10	13
B. *Operated*	44	11.3	48	3	5	9	13	20	28	34
2. MULTIPLE DX										
A. *Not Operated*	57	6.2	151	<1	1	4	6	12	14	87
B. *Operated*	47	16.3	163	3	4	13	19	32	47	58
1. SINGLE DX	91	7.4	40	1	1	5	10	14	20	34
2. MULTIPLE DX	104	10.8	181	1	1	7	13	23	33	74
A. NOT OPERATED	104	5.1	87	<1	1	4	5	9	13	55
B. OPERATED	91	13.9	112	3	4	11	16	32	33	57
TOTAL 0-27 DYS										
1-11 MOS	8	7.8	30	2	3	6	10	17	19	19
1-5 YRS	105	8.4	55	<1	1	7	11	15	27	33
6-12 YRS	41	8.4	113	1	1	4	12	19	27	58
13-19 YRS	41	12.3	297	1	2	6	13	28	50	92
GRAND TOTAL	**195**	**9.2**	**117**	**1**	**1**	**6**	**12**	**18**	**32**	**57**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	3.1	3	1	1	3	5	5	5	5
1-5 YRS	40	1.7	4	<1	<1	1	2	3	5	12
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	5	3.0	2	2	2	3	4	5	5	5
1-5 YRS	24	3.2	3	1	1	3	4	6	8	8
6-12 YRS	7	6.3	12	1	1	7	9	11	11	11
13-19 YRS	6	2.8	1	2	2	3	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	25	2.0	3	<1	<1	1	3	5	5	5
6-12 YRS	3	6.3	25	1	1	7	10	11	11	11
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	5.5	29	1	1	3	10	14	14	14
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	2.0	4	<1	<1	1	2	5	5	12
B. *Operated*	42	3.6	6	1	2	3	5	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	30	2.6	6	<1	<1	1	4	5	7	11
B. *Operated*	9	5.2	26	1	1	3	8	14	14	14
1. SINGLE DX	93	2.7	5	<1	<1	2	3	5	8	12
2. MULTIPLE DX	39	3.2	11	<1	1	1	5	7	12	14
A. NOT OPERATED	81	2.2	5	<1	<1	1	3	5	6	12
B. OPERATED	51	3.9	9	1	1	3	5	8	11	14
TOTAL 0-27 DYS										
1-11 MOS	13	3.0	2	1	1	3	5	5	5	5
1-5 YRS	97	2.5	6	<1	<1	1	3	5	7	14
6-12 YRS	13	5.5	13	1	1	5	8	11	11	11
13-19 YRS	9	3.0	2	1	1	3	4	5	5	5
GRAND TOTAL	**132**	**2.9**	**7**	**<1**	**<1**	**2**	**4**	**6**	**8**	**13**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	5.2	31	1	1	3	7	15	15	15
1-5 YRS	24	5.3	65	<1	1	3	4	12	28	34
6-12 YRS	49	6.7	69	1	1	2	9	15	19	41
13-19 YRS	37	7.3	92	1	1	4	7	20	33	44
B. *Operated*										
0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	3	13.7	12	10	10	14	16	17	17	17
1-5 YRS	34	16.5	90	4	8	14	22	37	83	99+
6-12 YRS	84	13.5	43	4	5	12	18	22	27	32
13-19 YRS	64	19.2	213	7	8	14	21	44	54	72
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	11.5	181	2	2	11	21	21	21	21
1-5 YRS	29	5.9	35	1	1	3	9	17	21	99+
6-12 YRS	54	7.2	94	1	1	4	7	17	30	48
13-19 YRS	46	10.3	153	2	2	5	12	33	48	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	6	20.7	189	4	4	20	36	36	36	36
1-5 YRS	27	24.2	225	6	7	23	29	43	61	69
6-12 YRS	71	22.6	221	5	8	19	29	49	65	99+
13-19 YRS	55	24.4	365	4	6	20	33	61	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	6.5	73	1	1	3	8	15	25	42
B. *Operated*	186	16.1	115	5	7	13	19	28	44	90
2. MULTIPLE DX										
A. *Not Operated*	131	8.1	103	1	1	4	9	21	37	99+
B. *Operated*	159	23.4	267	5	7	20	31	51	67	99+
1. SINGLE DX	301	12.4	120	1	2	11	17	24	36	67
2. MULTIPLE DX	290	16.5	251	1	2	13	24	45	60	99+
A. NOT OPERATED	246	7.3	89	1	1	4	8	19	33	53
B. OPERATED	345	19.5	198	5	7	16	24	44	59	99+
TOTAL 0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	16	13.4	129	1	2	12	19	34	36	36
1-5 YRS	114	13.3	159	1	1	11	21	31	46	99+
6-12 YRS	258	13.4	146	1	1	11	18	29	44	68
13-19 YRS	202	16.4	259	2	3	11	21	44	59	99+
GRAND TOTAL	**591**	**14.4**	**188**	**1**	**2**	**11**	**20**	**33**	**48**	**99+**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	12	3.6	27	<1	<1	2	3	11	18	19
6-12 YRS	3	1.0		<1	<1	1	1	1	1	1
13-19 YRS	10	9.8	205	3	3	4	9	30	50	50
B. *Operated*										
0-27 DYS										
1-11 MOS	2	51.0	3042	12	12	51	90	90	90	90
1-5 YRS	2	14.5	41	10	10	14	19	19	19	19
6-12 YRS	5	6.2	88	2	2	2	8	23	23	23
13-19 YRS	11	15.6	154	4	6	12	19	33	48	49
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	12	5.4	27	1	1	4	6	13	18	19
6-12 YRS	4	2.5	2	<1	<1	2	3	4	4	4
13-19 YRS	6	8.8	69	2	2	4	19	20	20	20
B. *Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	4	17.3	244	5	5	12	27	40	40	40
6-12 YRS	10	14.3	144	2	2	10	20	33	39	39
13-19 YRS	8	21.9	265	1	2	22	27	46	53	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.8	97	<1	<1	3	7	9	25	50
B. *Operated*	20	16.7	416	2	2	11	19	36	69	90
2. MULTIPLE DX										
A. *Not Operated*	22	5.8	35	<1	1	4	5	19	20	20
B. *Operated*	23	17.3	191	1	2	14	24	39	45	53
1. SINGLE DX	46	10.5	259	<1	1	4	12	22	49	90
2. MULTIPLE DX	45	11.7	146	1	2	5	19	28	39	53
A. NOT OPERATED	48	5.8	68	<1	1	4	6	16	19	50
B. OPERATED	43	17.0	288	2	2	12	22	39	50	90
TOTAL 0-27 DYS										
1-11 MOS	4	29.8	1618	7	7	11	51	90	90	90
1-5 YRS	30	6.9	71	<1	1	4	10	19	19	40
6-12 YRS	22	8.5	111	<1	1	3	11	24	32	39
13-19 YRS	35	14.2	190	2	3	9	20	31	50	53
GRAND TOTAL	**91**	**11.1**	**201**	**1**	**1**	**5**	**16**	**24**	**40**	**75**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	4.4	7	1	1	5	5	8	9	9
1-5 YRS	55	3.2	16	<1	<1	2	4	5	7	28
6-12 YRS	8	2.3	2	1	1	2	3	4	5	5
13-19 YRS	15	2.8	4	1	1	3	4	5	7	8
B. *Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	3	10.3	108	2	2	7	18	22	22	22
1-5 YRS	14	5.1	8	1	1	5	7	9	10	10
6-12 YRS	12	6.5	18	1	2	6	9	12	16	17
13-19 YRS	52	5.8	15	3	3	5	6	8	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	3.2	3	<1	<1	3	4	6	6	6
1-5 YRS	47	4.8	18	<1	1	4	6	11	15	17
6-12 YRS	7	3.6	3	1	1	3	5	6	6	6
13-19 YRS	32	6.0	87	1	2	4	5	9	17	24
B. *Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	8	17.5	148	4	4	16	25	35	39	39
1-5 YRS	15	13.3	129	1	2	11	15	34	38	40
6-12 YRS	11	7.1	22	2	2	6	10	14	18	18
13-19 YRS	60	9.1	73	2	3	6	10	20	32	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	3.1	12	<1	<1	2	4	5	8	22
B. *Operated*	82	6.0	17	2	3	5	7	10	15	23
2. MULTIPLE DX										
A. *Not Operated*	95	5.0	39	<1	1	3	5	10	15	37
B. *Operated*	95	10.3	87	2	3	7	12	25	34	40
1. SINGLE DX	168	4.5	17	<1	<1	4	5	8	10	23
2. MULTIPLE DX	190	7.6	69	1	2	5	9	16	26	40
A. NOT OPERATED	181	4.1	27	<1	<1	3	5	8	11	25
B. OPERATED	177	8.3	59	2	3	6	9	18	26	38
TOTAL 0-27 DYS	3	10.0	61	1	1	14	15	15	15	15
1-11 MOS	27	8.6	90	1	1	5	9	24	28	39
1-5 YRS	131	5.1	37	<1	<1	4	6	11	16	35
6-12 YRS	38	5.2	16	1	1	4	7	10	15	18
13-19 YRS	159	6.8	53	2	2	5	7	13	22	37
GRAND TOTAL	**358**	**6.2**	**47**	**<1**	**1**	**4**	**7**	**13**	**19**	**37**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	6.5	68	1	1	5	19	84	99+	99+
1-5 YRS	15	2.3	3	<1	<1	2	3	5	6	6
6-12 YRS	13	2.8	4	<1	1	2	4	6	7	7
13-19 YRS	8	2.9	2	<1	<1	3	4	5	5	5
B. *Operated*										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	3	6.7	36	1	1	6	11	13	13	13
1-5 YRS	14	11.9	245	<1	<1	8	12	30	53	59
6-12 YRS	14	4.5	16	<1	1	2	8	10	11	12
13-19 YRS	44	5.2	21	1	1	4	7	10	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	5.8	9	4	4	4	7	11	11	11
1-11 MOS	11	9.9	44	2	3	8	13	18	25	26
1-5 YRS	27	6.2	57	1	1	5	7	9	15	41
6-12 YRS	31	5.3	25	1	1	4	7	11	18	21
13-19 YRS	104	5.2	30	<1	1	4	7	10	14	31
B. *Operated*										
0-27 DYS	1	22.0		22	22	22	22	22	22	22
1-11 MOS	7	14.1	246	1	1	9	24	40	43	43
1-5 YRS	14	16.9	265	2	3	11	21	39	57	62
6-12 YRS	25	11.6	98	2	2	9	16	33	50	99+
13-19 YRS	76	11.3	73	2	2	9	13	22	29	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	3.2	13	<1	<1	2	4	6	14	99+
B. *Operated*	76	6.5	67	<1	1	4	9	13	19	51
2. MULTIPLE DX										
A. *Not Operated*	178	5.7	34	<1	1	4	7	12	15	33
B. *Operated*	123	12.2	109	2	2	9	16	27	37	72
1. SINGLE DX	118	5.3	50	<1	1	3	7	12	19	72
2. MULTIPLE DX	301	8.3	75	1	1	6	10	19	27	45
A. NOT OPERATED	220	5.2	31	<1	1	4	7	11	14	37
B. OPERATED	199	10.0	100	1	1	8	12	22	31	60
TOTAL 0-27 DYS	7	9.7	53	4	4	6	15	21	22	22
1-11 MOS	27	9.9	98	1	1	7	13	27	49	99+
1-5 YRS	70	8.6	145	<1	1	5	10	20	37	61
6-12 YRS	83	6.7	53	1	1	4	9	16	25	79
13-19 YRS	232	7.1	50	1	1	5	9	15	22	35
GRAND TOTAL	**419**	**7.5**	**69**	**1**	**1**	**5**	**9**	**17**	**26**	**50**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	27	3.9	30	<1	<1	2	5	8	20	24
13-19 YRS	97	2.7	6	1	1	2	4	7	8	12
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	9	4.4	50	1	1	2	3	16	23	23
6-12 YRS	37	6.4	28	<1	1	5	10	15	16	17
13-19 YRS	329	8.2	42	1	2	7	11	17	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	7.0		7	7	7	7	7	7	7
6-12 YRS	13	6.0	33	1	1	4	11	15	17	17
13-19 YRS	74	6.3	43	1	1	5	8	11	14	40
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	15	8.3	51	1	1	6	12	22	22	22
13-19 YRS	90	12.0	182	1	2	9	15	21	27	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	3.0	11	<1	1	2	4	7	8	20
B. *Operated*	376	7.9	41	1	2	7	11	17	20	29
2. MULTIPLE DX										
A. *Not Operated*	89	6.2	40	1	1	4	8	13	15	39
B. *Operated*	107	11.4	162	1	2	9	15	21	24	80
1. SINGLE DX	502	6.7	38	1	1	5	9	15	18	25
2. MULTIPLE DX	196	9.1	113	1	1	6	12	17	22	67
A. NOT OPERATED	215	4.3	26	<1	1	3	5	9	14	28
B. OPERATED	483	8.7	70	1	2	7	12	17	21	36
TOTAL 0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	12	5.7	44	1	1	3	7	17	22	23
6-12 YRS	92	5.9	34	<1	1	3	9	15	17	23
13-19 YRS	590	7.6	65	1	1	5	10	16	20	37
GRAND TOTAL	**698**	**7.3**	**60**	**1**	**1**	**5**	**10**	**16**	**20**	**34**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	16.0	450	1	1	16	31	31	31	31
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	142	3.7	15	<1	<1	2	5	9	11	17
6-12 YRS	187	3.5	16	<1	<1	2	4	9	11	20
13-19 YRS	67	6.0	46	<1	<1	3	7	15	20	33
B. *Operated*										
0-27 DYS										
1-11 MOS	4	2.0	1	1	1	2	3	3	3	3
1-5 YRS	106	8.2	87	<1	<1	4	11	24	30	41
6-12 YRS	80	7.0	86	<1	<1	3	8	20	27	43
13-19 YRS	72	15.0	254	<1	1	10	21	46	49	60
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	7	6.6	16	1	1	8	10	12	12	12
1-5 YRS	99	4.9	20	<1	<1	3	7	12	13	20
6-12 YRS	114	6.1	87	<1	1	3	6	15	24	56
13-19 YRS	80	6.0	52	<1	1	4	8	12	18	39
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	4	28.0	1052	1	1	21	54	69	69	69
1-5 YRS	61	13.4	202	1	2	8	16	31	43	72
6-12 YRS	55	14.4	171	2	3	10	22	32	35	65
13-19 YRS	43	19.5	220	3	3	17	25	47	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	400	4.0	23	<1	<1	2	5	10	14	23
B. *Operated*	262	9.6	142	<1	<1	4	13	26	39	52
2. MULTIPLE DX										
A. *Not Operated*	301	5.7	54	<1	1	3	8	12	18	37
B. *Operated*	164	15.7	217	2	3	12	22	34	47	75
1. SINGLE DX	662	6.2	77	<1	<1	3	8	16	24	47
2. MULTIPLE DX	465	9.2	134	<1	1	5	12	23	32	69
A. NOT OPERATED	701	4.8	37	<1	<1	3	6	11	15	29
B. OPERATED	426	11.9	179	<1	1	7	17	30	41	67
TOTAL 0-27 DYS	4	13.0	163	1	1	10	21	31	31	31
1-11 MOS	17	9.9	316	<1	1	3	9	34	58	69
1-5 YRS	408	6.6	73	<1	<1	4	9	14	24	42
6-12 YRS	436	6.2	78	<1	<1	3	7	16	24	44
13-19 YRS	262	10.7	162	<1	1	6	15	29	43	61
GRAND TOTAL	**1127**	**7.5**	**103**	**<1**	**<1**	**4**	**9**	**19**	**29**	**50**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	5.5	15	<1	<1	6	9	10	10	10
1-5 YRS	38	4.2	20	<1	<1	2	6	9	15	19
6-12 YRS	68	2.8	9	<1	<1	1	4	5	9	15
13-19 YRS	86	6.6	94	<1	<1	4	6	19	28	52
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	18.0	217	1	1	26	27	27	27	27
1-5 YRS	16	7.4	52	<1	<1	5	12	20	21	21
6-12 YRS	19	6.7	88	<1	<1	3	6	21	31	36
13-19 YRS	55	16.6	288	1	1	9	26	46	55	57
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	2	8.0	98	1	1	8	15	15	15	15
1-5 YRS	37	5.3	18	<1	1	5	7	11	15	18
6-12 YRS	51	4.9	26	<1	<1	3	7	13	17	22
13-19 YRS	60	6.5	53	1	1	4	7	14	24	36
B. *Operated*										
0-27 DYS										
1-11 MOS	2	18.5	545	2	2	18	35	35	35	35
1-5 YRS	16	11.1	136	<1	1	8	15	23	40	47
6-12 YRS	17	14.4	97	3	3	14	21	28	33	35
13-19 YRS	70	24.3	316	2	4	21	39	49	53	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	4.8	51	<1	<1	2	5	10	18	38
B. *Operated*	94	12.9	220	<1	1	7	17	36	52	57
2. MULTIPLE DX										
A. *Not Operated*	151	5.7	35	<1	1	4	7	13	17	32
B. *Operated*	105	20.6	279	2	3	16	33	47	52	63
1. SINGLE DX	292	7.4	119	<1	<1	4	8	22	30	56
2. MULTIPLE DX	256	11.8	188	<1	1	6	16	35	44	58
A. NOT OPERATED	349	5.2	44	<1	<1	3	6	11	17	34
B. OPERATED	199	17.0	264	1	1	10	27	44	52	59
TOTAL 0-27 DYS	2	6.0	8	4	4	6	8	8	8	8
1-11 MOS	13	10.8	134	<1	1	7	18	29	34	35
1-5 YRS	107	6.1	45	<1	<1	5	8	15	18	34
6-12 YRS	155	5.2	45	<1	<1	3	6	14	21	35
13-19 YRS	271	13.2	238	1	1	6	19	39	49	58
GRAND TOTAL	**548**	**9.5**	**156**	**<1**	**<1**	**5**	**10**	**27**	**39**	**57**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS										
1-5 YRS	23	5.0	28	1	1	2	6	13	18	21
6-12 YRS	52	2.9	9	<1	<1	2	4	6	8	18
13-19 YRS	50	5.0	45	<1	1	2	6	11	15	39
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	13	6.5	38	<1	1	5	8	16	21	22
6-12 YRS	28	3.4	12	<1	<1	2	4	5	12	17
13-19 YRS	64	7.2	55	1	2	5	10	14	19	44
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	18	2	2	5	8	8	8	8
1-11 MOS	3	6.7	6	4	4	7	8	9	9	9
1-5 YRS	18	6.3	36	1	1	4	8	16	20	21
6-12 YRS	51	5.0	33	<1	<1	3	7	10	11	35
13-19 YRS	57	10.1	185	1	2	7	11	20	32	89
B. *Operated*										
0-27 DYS	2	36.5	1201	12	12	36	61	61	61	61
1-11 MOS	3	22.7	214	7	7	25	33	36	36	36
1-5 YRS	16	15.9	201	2	3	15	21	30	49	57
6-12 YRS	16	8.6	29	2	3	7	13	17	18	18
13-19 YRS	55	13.0	183	2	2	9	15	33	41	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	4.1	27	<1	<1	2	5	9	14	27
B. *Operated*	106	6.1	43	1	1	4	9	13	18	37
2. MULTIPLE DX										
A. *Not Operated*	131	7.4	103	<1	1	5	9	14	21	52
B. *Operated*	92	13.5	184	2	3	10	17	32	42	93
1. SINGLE DX	233	5.0	35	<1	1	3	6	11	16	32
2. MULTIPLE DX	223	10.0	145	1	1	7	12	21	34	86
A. NOT OPERATED	258	5.8	68	<1	1	4	7	11	18	39
B. OPERATED	198	9.6	122	1	2	6	12	21	33	73
TOTAL 0-27 DYS	6	14.8	527	2	2	6	12	56	61	61
1-11 MOS	7	13.7	144	4	5	8	21	34	36	36
1-5 YRS	70	8.1	86	1	1	5	11	21	22	52
6-12 YRS	147	4.4	23	<1	<1	3	5	10	14	19
13-19 YRS	226	8.8	124	1	1	6	11	18	31	86
GRAND TOTAL	**456**	**7.4**	**95**	**<1**	**1**	**5**	**9**	**17**	**23**	**56**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6	2.7	5	1	1	2	3	7	7	7
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	14	1.7	1	<1	1	2	2	3	3	3
1-5 YRS	35	1.9	3	<1	<1	1	2	4	6	8
6-12 YRS	75	2.1	2	<1	1	2	2	4	5	8
13-19 YRS	174	3.8	10	<1	1	3	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	8	2.4	3	<1	<1	2	3	5	6	6
6-12 YRS	13	3.7	12	<1	1	2	5	10	12	12
13-19 YRS	27	4.3	12	1	2	3	5	10	12	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.6	4	1	1	2	3	6	7	7
B. *Operated*	299	3.0	7	<1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	50	3.8	10	1	1	2	5	8	11	16
1. SINGLE DX	306	3.0	7	<1	1	2	4	6	8	15
2. MULTIPLE DX	52	3.7	10	<1	1	2	5	8	11	16
A. NOT OPERATED	9	2.2	4	<1	<1	2	2	5	7	7
B. OPERATED	349	3.1	8	<1	1	2	4	6	8	16
TOTAL 0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	16	1.6	1	<1	<1	1	2	3	3	3
1-5 YRS	43	2.0	3	<1	<1	1	2	4	6	8
6-12 YRS	89	2.3	4	<1	1	2	2	4	6	11
13-19 YRS	208	3.8	10	1	1	3	5	7	10	17
GRAND TOTAL	**358**	**3.1**	**8**	**<1**	**1**	**2**	**4**	**6**	**8**	**16**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	13	2.9	6	1	1	2	3	7	9	9
6-12 YRS	25	2.8	6	<1	1	2	3	7	9	9
13-19 YRS	23	2.8	6	1	1	2	3	7	9	9
B. *Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	6	6.7	47	<1	<1	4	7	19	20	20
1-5 YRS	51	3.3	6	<1	1	2	4	7	8	12
6-12 YRS	82	4.3	9	1	1	3	6	8	10	15
13-19 YRS	74	6.0	25	1	2	4	9	12	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	3.3	6	1	1	3	5	6	6	6
1-5 YRS	11	3.7	5	1	1	3	5	7	8	8
6-12 YRS	20	3.2	3	<1	1	3	4	5	7	9
13-19 YRS	13	3.5	6	1	1	3	5	7	8	8
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	5.7	6	3	3	6	7	8	8	8
1-5 YRS	19	9.1	104	<1	1	7	10	19	33	45
6-12 YRS	31	6.3	19	2	2	5	9	11	14	21
13-19 YRS	53	8.7	51	1	2	7	12	17	27	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	2.8	6	1	1	2	3	7	9	9
B. *Operated*	215	4.7	16	1	1	3	6	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	48	3.4	4	1	1	3	4	7	8	9
B. *Operated*	107	7.9	50	1	2	6	10	16	21	37
1. SINGLE DX	277	4.3	14	1	1	3	6	9	12	19
2. MULTIPLE DX	155	6.5	40	1	2	4	8	13	18	30
A. NOT OPERATED	110	3.1	5	1	1	2	4	7	9	9
B. OPERATED	322	5.8	29	1	1	4	8	12	16	28
TOTAL 0-27 DYS	4	3.0	1	2	2	3	4	4	4	4
1-11 MOS	13	5.2	25	<1	1	4	6	10	18	20
1-5 YRS	94	4.4	30	<1	1	3	6	8	12	34
6-12 YRS	158	4.3	11	1	1	3	6	9	10	17
13-19 YRS	163	6.2	33	1	1	4	9	13	17	30
GRAND TOTAL	**432**	**5.1**	**25**	**1**	**1**	**3**	**7**	**11**	**14**	**25**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	18	1.5	1	<1	<1	1	2	3	4	4
6-12 YRS	10	2.0	1	<1	<1	2	2	3	4	4
13-19 YRS	5	1.8		1	1	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	6	2.0	2	<1	<1	2	3	4	4	4
1-5 YRS	146	2.3	6	<1	1	2	2	3	6	12
6-12 YRS	168	2.4	13	<1	<1	2	2	4	9	31
13-19 YRS	92	3.0	14	1	1	2	3	6	8	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	2.8	4	1	1	2	4	6	6	6
6-12 YRS	4	1.5		1	1	1	2	2	2	2
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	4	17.3	346	2	2	11	29	44	44	44
1-5 YRS	40	3.4	17	<1	1	2	3	9	13	19
6-12 YRS	51	2.6	12	<1	<1	2	2	5	9	20
13-19 YRS	35	5.2	56	1	1	2	6	13	19	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*	412	2.5	10	<1	1	2	2	4	8	22
2. MULTIPLE DX										
A. *Not Operated*	9	2.2	2	1	1	2	3	5	6	6
B. *Operated*	130	4.0	39	<1	1	2	3	9	15	40
1. SINGLE DX	445	2.4	10	<1	1	2	2	4	7	22
2. MULTIPLE DX	139	3.9	37	<1	1	2	3	9	15	40
A. NOT OPERATED	42	1.8	1	<1	<1	2	2	3	4	6
B. OPERATED	542	2.8	18	<1	1	2	2	5	10	23
TOTAL 0-27 DYS										
1-11 MOS	10	8.1	178	<1	<1	3	8	29	44	44
1-5 YRS	209	2.4	7	<1	1	2	2	4	7	17
6-12 YRS	233	2.4	12	<1	<1	2	2	4	8	25
13-19 YRS	132	3.6	25	1	1	2	3	8	13	28
GRAND TOTAL	**584**	**2.8**	**16**	**<1**	**1**	**2**	**2**	**5**	**9**	**23**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	1.5		<1	<1	1	2	2	2	2
1-5 YRS	9	1.9	3	<1	<1	1	2	5	6	6
6-12 YRS	25	3.7	16	<1	1	2	4	11	13	17
13-19 YRS	38	2.8	2	1	1	3	3	5	6	7
B. *Operated*										
0-27 DYS	9	4.6	14	<1	1	3	8	10	11	11
1-11 MOS	43	3.7	30	<1	1	2	4	7	10	35
1-5 YRS	211	2.5	4	<1	1	2	3	5	6	14
6-12 YRS	862	3.0	5	1	1	3	4	5	7	12
13-19 YRS	2229	3.3	4	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	7	2.6	3	1	1	2	4	5	5	5
6-12 YRS	15	1.8	1	<1	<1	2	2	3	4	5
13-19 YRS	23	2.0	2	<1	<1	1	3	5	5	5
B. *Operated*										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	16	7.4	65	1	1	4	10	15	28	33
1-5 YRS	43	4.5	23	1	1	3	6	9	15	26
6-12 YRS	123	4.1	23	1	1	2	4	9	13	28
13-19 YRS	360	3.9	12	1	2	3	5	7	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.9	7	<1	1	2	3	5	7	16
B. *Operated*	3354	3.2	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	47	2.0	2	<1	<1	2	3	5	5	5
B. *Operated*	544	4.1	17	1	2	3	5	8	11	24
1. SINGLE DX	3431	3.2	5	1	1	3	4	6	7	12
2. MULTIPLE DX	591	4.0	16	1	1	3	5	7	11	24
A. NOT OPERATED	124	2.6	5	<1	1	2	3	5	6	13
B. OPERATED	3898	3.3	7	1	1	3	4	6	8	13
TOTAL 0-27 DYS	13	4.3	11	<1	1	3	7	9	11	11
1-11 MOS	64	4.4	39	<1	1	2	5	10	13	35
1-5 YRS	270	2.8	7	<1	1	2	3	6	7	16
6-12 YRS	1025	3.1	7	1	1	2	4	5	8	15
13-19 YRS	2650	3.4	6	1	1	3	4	6	8	12
GRAND TOTAL	**4022**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0	18	1	1	4	7	7	7	7
1-11 MOS	37	4.1	22	<1	1	2	5	11	17	18
1-5 YRS	42	2.0	4	<1	<1	1	2	4	6	11
6-12 YRS	22	1.8	1	<1	<1	1	2	3	4	6
13-19 YRS	26	3.7	10	<1	1	2	6	9	10	11
B. *Operated*										
0-27 DYS	6	3.0	2	1	1	3	4	5	5	5
1-11 MOS	360	2.6	11	<1	<1	2	2	5	7	23
1-5 YRS	991	2.2	13	<1	<1	2	2	4	5	13
6-12 YRS	976	2.3	7	<1	<1	2	2	4	6	12
13-19 YRS	1013	2.6	6	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	20.5	602	4	4	10	34	57	57	57
1-11 MOS	38	3.4	16	<1	<1	1	5	8	10	20
1-5 YRS	38	1.9	4	<1	<1	1	2	4	7	10
6-12 YRS	26	2.1	4	<1	1	1	3	4	5	10
13-19 YRS	12	2.5	4	<1	<1	2	4	6	6	6
B. *Operated*										
0-27 DYS	3	13.0	75	8	8	8	19	23	23	23
1-11 MOS	59	7.6	130	<1	1	4	8	19	24	72
1-5 YRS	157	3.8	24	<1	1	2	4	8	11	32
6-12 YRS	193	3.9	82	<1	1	2	3	7	11	53
13-19 YRS	225	3.4	14	<1	1	2	4	7	9	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	2.9	11	<1	<1	2	3	7	9	18
B. *Operated*	3346	2.4	9	<1	<1	2	2	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	118	3.1	34	<1	<1	1	3	7	10	32
B. *Operated*	637	4.1	49	<1	1	2	4	8	12	34
1. SINGLE DX	3475	2.4	9	<1	<1	2	2	4	6	13
2. MULTIPLE DX	755	3.9	47	<1	1	2	4	8	11	34
A. NOT OPERATED	247	3.0	22	<1	<1	1	3	7	10	18
B. OPERATED	3983	2.7	16	<1	<1	2	3	5	7	18
TOTAL 0-27 DYS	15	9.8	201	1	1	5	10	23	48	57
1-11 MOS	494	3.4	29	<1	<1	2	3	7	11	26
1-5 YRS	1228	2.4	14	<1	<1	2	2	4	6	15
6-12 YRS	1217	2.5	19	<1	<1	2	2	4	6	15
13-19 YRS	1276	2.8	7	<1	1	2	3	5	7	16
GRAND TOTAL	**4230**	**2.7**	**16**	**<1**	**<1**	**2**	**3**	**5**	**7**	**18**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	34	2.0	2	<1	<1	2	2	3	4	8
B. *Operated*										
0-27 DYS	4	5.5	19	3	3	4	8	12	12	12
1-11 MOS	4	1.8		<1	<1	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	43	2.2		1	2	2	2	3	4	99+
13-19 YRS	2350	2.1	4	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	1.9	1	<1	<1	2	2	3	3	3
B. *Operated*										
0-27 DYS	2	4.0	18	1	1	4	7	7	7	7
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	8	2.8	3	1	1	2	3	6	7	7
13-19 YRS	311	2.5	3	1	1	2	3	4	5	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	1.9	2	<1	<1	2	2	3	4	8
B. *Operated*	2402	2.1	4	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	9	1.9	1	<1	<1	2	2	3	3	3
B. *Operated*	324	2.5	3	1	1	2	3	4	5	10
1. SINGLE DX	2439	2.1	4	<1	1	2	2	3	3	5
2. MULTIPLE DX	333	2.5	3	1	1	2	3	4	5	10
A. NOT OPERATED	46	1.9	1	<1	<1	2	2	3	4	8
B. OPERATED	2726	2.2	4	<1	1	2	2	3	4	7
TOTAL 0-27 DYS	6	5.0	16	1	1	4	7	11	12	12
1-11 MOS	6	2.3	2	<1	<1	2	2	5	5	5
1-5 YRS	3	2.0		2	2	2	2	2	2	2
6-12 YRS	53	2.2	1	1	1	2	2	3	4	96
13-19 YRS	2704	2.2	4	<1	1	2	2	3	4	6
GRAND TOTAL	**2772**	**2.2**	**4**	**<1**	**1**	**2**	**2**	**3**	**4**	**7**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	2	5.0	18	2	2	5	8	8	8	8
1-11 MOS	2	7.5	1	7	7	7	8	8	8	8
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	7.0		7	7	7	7	7	7	7
13-19 YRS	16	5.1	8	2	2	5	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS										
13-19 YRS	6	3.8	4	1	1	4	5	7	7	7
B. *Operated*										
0-27 DYS	8	7.0	21	1	1	9	11	12	12	12
1-11 MOS	12	7.8	7	5	5	7	9	11	14	15
1-5 YRS	4	8.0	7	5	5	8	10	11	11	11
6-12 YRS	4	11.5	70	6	6	8	16	24	24	24
13-19 YRS	27	5.3	7	1	2	5	7	9	10	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	23	5.3	8	2	2	6	8	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	7	3.4	5	<1	<1	3	5	7	7	7
B. *Operated*	55	6.7	15	1	2	7	9	11	12	24
1. SINGLE DX	24	5.2	8	1	2	6	8	9	9	10
2. MULTIPLE DX	62	6.4	15	1	2	6	8	10	12	23
A. NOT OPERATED	8	3.1	5	<1	<1	3	4	6	7	7
B. OPERATED	78	6.3	13	2	2	6	8	10	12	21
TOTAL 0-27 DYS	10	6.6	19	1	1	8	10	11	12	12
1-11 MOS	15	7.3	9	1	5	7	8	10	14	15
1-5 YRS	5	6.8	12	2	2	7	9	11	11	11
6-12 YRS	6	10.0	48	6	6	7	8	22	24	24
13-19 YRS	50	5.0	7	1	2	5	7	9	9	12
GRAND TOTAL	**86**	**6.0**	**13**	**1**	**2**	**6**	**8**	**10**	**11**	**21**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	12	2.1	4	<1	<1	2	2	4	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	2.5		2	2	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	12	2.1	4	<1	<1	2	2	4	7	8
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	4	2.5		2	2	2	3	3	3	3
1. SINGLE DX	14	2.0	3	<1	<1	2	2	3	7	8
2. MULTIPLE DX	5	2.2	1	1	1	2	3	3	3	3
A. NOT OPERATED	3	1.3		1	1	1	2	2	2	2
B. OPERATED	16	2.2	3	<1	<1	2	2	3	7	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	2.1	2	<1	<1	2	2	3	6	8
GRAND TOTAL	**19**	**2.1**	**2**	**<1**	**<1**	**2**	**2**	**3**	**6**	**8**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	10	2.6	5	<1	<1	2	5	6	6	6
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	6	6.7	8	2	2	7	7	11	11	11
6-12 YRS	31	6.5	4	4	4	6	8	9	10	12
13-19 YRS	544	6.0	3	4	4	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	11	4.4	11	<1	1	4	5	10	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	2	7.0	2	6	6	7	8	8	8	8
6-12 YRS	26	6.7	8	4	4	6	8	11	12	16
13-19 YRS	375	6.8	6	4	5	6	8	10	12	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.4	4	<1	<1	2	3	6	6	6
B. *Operated*	583	6.1	3	4	4	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	11	4.4	11	<1	1	4	5	10	12	12
B. *Operated*	404	6.8	7	4	5	6	8	10	12	15
1. SINGLE DX	596	6.0	4	3	4	6	7	8	9	12
2. MULTIPLE DX	415	6.8	7	4	5	6	8	10	12	15
A. NOT OPERATED	24	3.3	8	<1	1	2	5	6	9	12
B. OPERATED	987	6.4	5	4	4	6	7	9	11	14
TOTAL 0-27 DYS	2	5.0	18	2	2	5	8	8	8	8
1-11 MOS	2	10.5	5	9	9	10	12	12	12	12
1-5 YRS	8	6.8	6	2	3	7	8	10	11	11
6-12 YRS	59	6.4	6	3	4	6	8	9	11	16
13-19 YRS	940	6.3	5	4	4	6	7	9	10	14
GRAND TOTAL	**1011**	**6.3**	**5**	**4**	**4**	**6**	**7**	**9**	**11**	**14**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	3.5	10	1	1	2	5	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	14	2.6	5	<1	<1	2	3	5	8	9
13-19 YRS	29	2.9	4	<1	<1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	7.5	61	2	2	7	13	13	13	13
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	5	3.0	5	2	2	2	4	7	7	7
13-19 YRS	14	4.6	9	<1	<1	5	6	8	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.5	10	1	1	2	5	8	8	8
B. *Operated*	45	2.7	4	<1	<1	2	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	23	4.3	11	<1	1	3	6	8	12	13
1. SINGLE DX	49	2.8	4	<1	<1	2	4	6	7	9
2. MULTIPLE DX	23	4.3	11	<1	1	3	6	8	12	13
A. NOT OPERATED	4	3.5	10	1	1	2	5	8	8	8
B. OPERATED	68	3.3	7	<1	<1	2	5	7	8	13
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	7.5	61	2	2	7	13	13	13	13
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	19	2.7	5	<1	<1	2	3	6	8	9
13-19 YRS	47	3.5	6	<1	<1	3	6	7	7	12
GRAND TOTAL	**72**	**3.3**	**7**	**<1**	**1**	**2**	**5**	**7**	**8**	**13**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.3		<1	<1	1	2	2	2	2
1-5 YRS	7	2.0	2	<1	<1	1	3	4	4	4
6-12 YRS	7	3.7	6	1	1	3	5	8	8	8
13-19 YRS	26	4.1	20	<1	2	3	4	8	11	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS										
6-12 YRS	8	2.0	1	1	1	2	3	3	3	3
13-19 YRS	4	6.3	6	3	3	6	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.7	4	1	1	2	4	5	5	5
B. *Operated*	43	3.5	14	<1	<1	3	4	8	8	24
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	14	3.1	6	1	1	2	3	7	9	9
1. SINGLE DX	46	3.4	13	<1	<1	3	4	7	8	24
2. MULTIPLE DX	14	3.1	6	1	1	2	3	7	9	9
A. NOT OPERATED	3	2.7	4	1	1	2	4	5	5	5
B. OPERATED	57	3.4	12	<1	1	3	4	7	8	23
TOTAL 0-27 DYS										
1-11 MOS	5	1.4		<1	<1	1	2	2	2	2
1-5 YRS	8	2.0	1	<1	<1	2	3	4	4	4
6-12 YRS	15	2.8	4	1	1	2	3	6	7	8
13-19 YRS	32	4.3	18	<1	1	3	5	8	9	24
GRAND TOTAL	**60**	**3.4**	**12**	**<1**	**1**	**3**	**4**	**7**	**8**	**22**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.0	32	1	1	5	9	9	9	9
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	12	3.0	4	<1	1	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	10	6.7	39	1	1	4	12	16	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	16	3.1	5	<1	1	2	5	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	15	5.1	30	1	1	2	6	14	18	19
1. SINGLE DX	16	3.1	5	<1	1	2	5	6	8	9
2. MULTIPLE DX	15	5.1	30	1	1	2	6	14	18	19
A. NOT OPERATED										
B. OPERATED	31	4.1	18	1	1	2	5	10	14	19
TOTAL 0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	4	3.5	14	1	1	2	6	9	9	9
6-12 YRS	4	1.8		1	1	2	2	2	2	2
13-19 YRS	22	4.7	22	<1	1	3	6	13	16	19
GRAND TOTAL	**31**	**4.1**	**18**	**1**	**1**	**2**	**5**	**10**	**14**	**19**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	19	1.4		<1	<1	1	2	2	2	2
1-5 YRS	62	1.5	1	<1	<1	1	2	2	3	5
6-12 YRS	57	1.6	1	<1	1	2	2	2	4	92
13-19 YRS	47	1.7		<1	<1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	13	1.7		1	1	2	2	2	2	2
6-12 YRS	8	2.6	2	2	2	2	3	5	6	6
13-19 YRS	9	2.3	3	<1	<1	2	3	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0	3	<1	<1	1	3	4	4	4
B. *Operated*	165	1.6		<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	4	2.5	9	<1	<1	1	4	7	7	7
B. *Operated*	33	2.1	1	1	1	2	2	3	5	6
1. SINGLE DX	188	1.6	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	37	2.1	2	<1	1	2	2	3	6	7
A. NOT OPERATED	7	2.3	6	<1	<1	1	3	6	7	7
B. OPERATED	218	1.7	1	<1	<1	2	2	2	3	6
TOTAL 0-27 DYS										
1-11 MOS	23	1.7	2	<1	<1	1	2	3	4	7
1-5 YRS	76	1.5		<1	<1	1	2	2	2	5
6-12 YRS	67	1.8	1	<1	1	2	2	3	4	83
13-19 YRS	59	1.7	1	<1	<1	2	2	3	3	6
GRAND TOTAL	**225**	**1.7**	**1**	**<1**	**<1**	**2**	**2**	**2**	**3**	**6**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	7.0	50	2	2	7	12	12	12	12
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	19.0	32	15	15	19	23	23	23	23
13-19 YRS	3	3.3	10	1	1	2	6	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	2	7.5	41	3	3	7	12	12	12	12
1-5 YRS	9	10.0	30	3	3	11	14	17	18	18
6-12 YRS	9	9.3	9	3	5	10	11	13	13	13
13-19 YRS	26	14.0	105	2	5	12	18	25	33	51
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	4	6.8	104	<1	<1	2	12	22	22	22
6-12 YRS	6	6.5	94	1	1	2	6	24	26	26
13-19 YRS	5	8.0	47	4	4	5	10	20	20	20
B. *Operated*										
0-27 DYS										
1-11 MOS	2	19.5	41	15	15	19	24	24	24	24
1-5 YRS	6	22.3	151	2	4	22	34	36	36	36
6-12 YRS	9	16.1	90	6	7	10	24	29	30	30
13-19 YRS	20	17.2	182	3	6	14	20	28	47	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	7.9	66	<1	<1	5	13	21	23	23
B. *Operated*	46	12.0	72	3	3	10	14	21	26	51
2. MULTIPLE DX										
A. *Not Operated*	16	6.9	65	<1	1	4	6	22	25	26
B. *Operated*	37	17.9	143	3	6	16	23	30	35	66
1. SINGLE DX	54	11.4	72	1	2	10	14	21	25	50
2. MULTIPLE DX	53	14.6	144	1	2	12	22	28	33	65
A. NOT OPERATED	24	7.3	63	<1	1	4	10	22	24	26
B. OPERATED	83	14.7	111	3	4	12	18	28	31	61
TOTAL 0-27 DYS										
1-11 MOS	7	10.4	61	2	2	12	14	22	24	24
1-5 YRS	20	12.6	116	<1	1	12	20	28	35	36
6-12 YRS	26	11.8	72	2	2	9	15	26	28	30
13-19 YRS	54	14.1	132	1	4	12	18	25	29	65
GRAND TOTAL	**107**	**13.0**	**109**	**1**	**2**	**11**	**18**	**25**	**29**	**57**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	4.5	5	2	2	4	6	8	8	8
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS	9	2.8	3	<1	<1	2	4	5	6	6
6-12 YRS	12	3.5	2	2	2	3	4	5	6	6
13-19 YRS	211	4.1	2	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	44	4.6	5	2	3	4	6	8	9	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.5	5	2	2	4	6	8	8	8
B. *Operated*	233	4.0	2	2	2	4	5	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	48	4.4	5	2	2	4	5	8	8	12
1. SINGLE DX	239	4.0	2	2	2	4	5	6	7	9
2. MULTIPLE DX	49	4.4	5	2	2	4	5	7	8	12
A. NOT OPERATED	7	4.6	4	2	2	4	6	8	8	8
B. OPERATED	281	4.1	3	2	2	4	5	6	7	10
TOTAL 0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS										
1-5 YRS	11	2.6	2	<1	1	2	4	5	6	6
6-12 YRS	13	3.5	2	2	2	3	4	5	6	6
13-19 YRS	262	4.2	3	2	3	4	5	6	7	10
GRAND TOTAL	**288**	**4.1**	**3**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	12.5	13	10	10	12	15	15	15	15
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	31	9.8	43	3	4	9	11	14	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	6.8	16	2	2	7	10	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	16	10.1	123	2	3	8	10	18	40	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*	34	9.9	40	3	4	9	11	14	22	37
2. MULTIPLE DX										
A. *Not Operated*	6	6.8	16	2	2	7	10	11	11	11
B. *Operated*	18	9.4	113	2	2	7	10	16	37	49
1. SINGLE DX	37	9.3	41	2	3	9	11	14	21	37
2. MULTIPLE DX	24	8.8	88	2	2	7	10	12	28	49
A. NOT OPERATED	9	5.4	15	2	2	4	10	11	11	11
B. OPERATED	52	9.7	64	3	4	9	11	14	23	49
TOTAL 0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	12.5	13	10	10	12	15	15	15	15
6-12 YRS	3	4.0	12	2	2	2	7	8	8	8
13-19 YRS	55	9.3	62	2	3	8	11	13	23	48
GRAND TOTAL	**61**	**9.1**	**58**	**2**	**3**	**8**	**10**	**14**	**21**	**48**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	89	3.0	5	1	1	2	3	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	6.5	25	3	3	6	10	10	10	10
13-19 YRS	52	3.6	7	1	1	3	5	7	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*	92	3.0	5	1	1	2	3	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	54	3.7	7	1	1	3	5	7	8	15
1. SINGLE DX	94	3.0	5	1	1	2	3	7	8	12
2. MULTIPLE DX	56	3.6	7	1	1	3	5	7	8	15
A. NOT OPERATED	4	3.0	8	1	1	2	5	7	7	7
B. OPERATED	146	3.3	6	1	1	2	4	7	8	12
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	3	5.0	19	2	2	3	8	10	10	10
13-19 YRS	145	3.2	6	1	1	2	4	7	8	12
GRAND TOTAL	**150**	**3.3**	**6**	**1**	**1**	**2**	**4**	**7**	**8**	**12**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	37	2.6	1	1	2	2	3	4	5	7
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.3	16	<1	<1	1	6	8	8	8
6-12 YRS	10	3.9	5	1	1	3	6	7	8	8
13-19 YRS	8	2.9	4	<1	<1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	4.3	5	3	3	3	6	7	7	7
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS										
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS										
1-5 YRS										
6-12 YRS	3	8.3	44	1	1	10	13	14	14	14
13-19 YRS	5	4.8	15	<1	<1	5	7	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	2.6	1	1	2	2	3	4	5	7
B. *Operated*	21	3.4	6	<1	<1	2	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	5	5.6	9	3	3	5	8	10	10	10
B. *Operated*	9	5.6	25	<1	<1	5	10	13	14	14
1. SINGLE DX	59	2.9	3	<1	1	2	3	6	7	8
2. MULTIPLE DX	14	5.6	18	<1	<1	5	10	11	13	14
A. NOT OPERATED	43	2.9	3	1	2	2	3	5	7	10
B. OPERATED	30	4.1	12	<1	<1	3	6	9	11	14
TOTAL 0-27 DYS	41	2.7	2	<1	1	2	3	4	6	7
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	3	3.3	16	<1	<1	1	6	8	8	8
6-12 YRS	13	4.9	15	1	1	4	7	11	13	14
13-19 YRS	15	3.6	8	<1	<1	2	5	7	10	11
GRAND TOTAL	**73**	**3.4**	**7**	**<1**	**1**	**2**	**4**	**7**	**10**	**13**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	1.8	3	1	1	1	2	5	5	5
1-11 MOS	6	1.5	1	1	1	1	2	3	3	3
1-5 YRS	34	3.4	17	<1	<1	2	5	6	8	24
6-12 YRS	46	2.8	3	<1	1	2	4	5	7	99+
13-19 YRS	102	3.5	8	<1	1	3	5	8	9	13
B. *Operated*										
0-27 DYS	4	2.3	2	1	1	2	3	4	4	4
1-11 MOS	32	3.3	9	1	1	2	4	7	8	15
1-5 YRS	104	4.1	37	<1	<1	2	4	8	17	34
6-12 YRS	170	4.7	28	<1	1	3	5	11	15	30
13-19 YRS	455	4.8	41	1	2	3	6	9	12	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.5	25	3	3	10	77	99+	99+	99+
1-11 MOS	11	3.8	11	1	1	3	6	9	12	12
1-5 YRS	31	3.6	10	<1	1	3	4	8	9	15
6-12 YRS	38	3.8	10	<1	1	3	5	8	11	14
13-19 YRS	65	5.2	89	<1	1	4	5	9	12	67
B. *Operated*										
0-27 DYS	3	8.3	37	3	3	7	13	15	15	15
1-11 MOS	7	9.9	155	<1	<1	3	22	28	28	28
1-5 YRS	34	10.9	207	1	2	4	11	32	35	66
6-12 YRS	71	7.9	55	1	2	5	10	20	23	33
13-19 YRS	172	7.9	82	2	2	4	9	19	26	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	3.2	8	<1	1	2	4	6	9	20
B. *Operated*	765	4.6	36	1	1	3	5	9	14	28
2. MULTIPLE DX										
A. *Not Operated*	147	4.4	45	1	1	3	5	8	12	76
B. *Operated*	287	8.3	91	1	2	5	10	21	29	51
1. SINGLE DX	958	4.4	31	1	1	3	5	9	12	28
2. MULTIPLE DX	434	7.0	79	1	1	4	8	16	26	54
A. NOT OPERATED	340	3.7	24	<1	1	3	5	7	10	28
B. OPERATED	1052	5.6	54	1	1	3	6	12	20	34
TOTAL 0-27 DYS	14	4.0	17	1	1	3	6	15	79	99+
1-11 MOS	56	4.1	29	<1	1	2	5	8	14	28
1-5 YRS	203	5.1	64	<1	1	3	5	10	24	39
6-12 YRS	325	5.0	31	<1	1	3	6	12	17	31
13-19 YRS	794	5.4	51	1	1	3	6	10	16	32
GRAND TOTAL	**1392**	**5.2**	**47**	**1**	**1**	**3**	**5**	**11**	**17**	**34**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	20	3.6	6	1	2	3	4	7	9	11
13-19 YRS	31	3.0	3	1	1	3	4	5	6	9
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS	3	4.0	3	2	2	5	5	5	5	5
6-12 YRS	10	4.2	8	3	3	3	4	8	12	12
13-19 YRS	114	4.3	2	2	3	4	5	6	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	8	3.1	5	1	1	3	5	7	7	7
13-19 YRS	33	4.8	7	2	2	4	6	9	11	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	4	4.0	5	1	1	4	5	6	6	6
13-19 YRS	34	5.3	8	3	3	4	7	8	12	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.2	4	1	1	3	4	6	8	11
B. *Operated*	128	4.3	2	2	3	4	5	6	6	11
2. MULTIPLE DX										
A. *Not Operated*	43	4.3	7	1	1	4	5	8	10	13
B. *Operated*	40	5.3	9	2	3	4	7	9	13	15
1. SINGLE DX	179	4.0	3	2	2	4	5	6	7	11
2. MULTIPLE DX	83	4.8	8	1	2	4	6	8	12	15
A. NOT OPERATED	94	3.7	6	1	1	3	5	7	9	12
B. OPERATED	168	4.6	4	2	3	4	5	7	8	14
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	6	4.8	23	1	1	3	5	13	14	14
6-12 YRS	42	3.7	6	1	1	3	4	7	9	12
13-19 YRS	212	4.4	4	2	2	4	5	7	8	13
GRAND TOTAL	**262**	**4.3**	**5**	**1**	**2**	**4**	**5**	**7**	**8**	**13**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	3.8	8	1	1	3	4	7	11	12
1-11 MOS	14	2.6	3	1	1	2	3	6	6	6
1-5 YRS	16	3.3	7	1	1	3	4	5	10	12
6-12 YRS	49	4.9	13	1	1	4	7	9	11	17
13-19 YRS	189	5.5	17	1	2	4	7	10	14	23
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	6	4.3	13	1	1	3	5	10	11	11
6-12 YRS	31	5.1	10	2	2	5	5	10	13	16
13-19 YRS	246	6.0	17	3	3	5	6	10	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	5.4	5	3	3	6	7	8	8	8
1-11 MOS	11	12.0	111	3	3	10	15	31	34	34
1-5 YRS	15	5.5	7	3	3	5	7	8	12	13
6-12 YRS	45	5.1	23	1	2	4	6	9	16	28
13-19 YRS	197	6.5	37	2	2	5	8	13	16	48
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	14	9.4	39	4	5	7	10	18	26	28
13-19 YRS	95	8.2	57	3	4	5	9	17	22	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	5.0	15	1	1	4	6	10	13	20
B. *Operated*	285	5.8	16	2	3	5	6	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	273	6.4	37	2	2	5	8	12	16	33
B. *Operated*	112	8.3	53	3	4	6	9	17	22	44
1. SINGLE DX	565	5.4	16	1	2	4	6	10	13	21
2. MULTIPLE DX	385	7.0	42	2	3	5	8	14	18	38
A. NOT OPERATED	553	5.7	26	1	2	4	7	10	15	28
B. OPERATED	397	6.5	28	3	3	5	7	11	17	29
TOTAL 0-27 DYS	19	4.2	7	1	2	3	5	8	10	12
1-11 MOS	27	6.6	66	1	1	3	7	15	30	34
1-5 YRS	38	4.4	9	1	1	4	5	9	12	13
6-12 YRS	139	5.5	20	1	2	4	7	10	16	28
13-19 YRS	727	6.3	28	2	3	5	7	11	16	27
GRAND TOTAL	**950**	**6.1**	**27**	**2**	**2**	**5**	**7**	**11**	**16**	**28**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	5.0	7	3	3	4	7	9	9	9
1-11 MOS	9	8.0	57	1	2	5	10	20	26	26
1-5 YRS	198	6.7	12	1	2	6	9	11	13	18
6-12 YRS	951	7.0	13	2	3	7	9	11	13	19
13-19 YRS	1314	6.3	14	2	2	6	8	11	13	19
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.0	32	<1	<1	4	9	9	9	9
1-5 YRS										
6-12 YRS	3	3.7	2	2	2	4	5	5	5	5
13-19 YRS	10	8.1	8	4	5	7	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	18	6.8	10	3	4	6	8	10	14	17
1-11 MOS	20	8.1	20	2	4	7	10	13	17	22
1-5 YRS	119	6.6	26	1	1	6	8	13	15	27
6-12 YRS	464	5.9	24	1	2	5	8	11	15	27
13-19 YRS	1122	6.2	21	1	2	5	8	11	14	24
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	7	14.0	60	4	5	14	21	25	25	25
1-5 YRS	4	17.3	60	7	7	18	23	25	25	25
6-12 YRS	8	6.9	44	2	2	5	8	18	22	22
13-19 YRS	66	8.5	41	2	2	7	11	19	21	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2476	6.6	14	2	2	6	8	11	13	19
B. *Operated*	15	6.8	12	<1	2	7	8	12	13	14
2. MULTIPLE DX										
A. *Not Operated*	1743	6.2	22	1	2	5	8	12	15	24
B. *Operated*	86	9.2	47	2	2	7	12	21	23	30
1. SINGLE DX	2491	6.6	14	2	2	6	8	11	13	19
2. MULTIPLE DX	1829	6.3	24	1	2	5	8	12	15	24
A. NOT OPERATED	4219	6.4	17	2	2	6	8	11	14	21
B. OPERATED	101	8.8	43	2	2	7	11	21	23	29
TOTAL 0-27 DYS	23	6.6	10	3	4	6	8	10	13	17
1-11 MOS	38	9.0	39	1	3	7	11	20	24	26
1-5 YRS	321	6.8	19	1	2	6	9	12	15	24
6-12 YRS	1426	6.6	17	2	2	6	9	11	14	21
13-19 YRS	2512	6.3	18	2	2	5	8	11	14	22
GRAND TOTAL	**4320**	**6.5**	**18**	**2**	**2**	**6**	**8**	**11**	**14**	**22**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	2.7		2	2	3	3	3	3	3
1-11 MOS	3	6.7	66	1	1	3	13	16	16	16
1-5 YRS	85	8.0	48	1	2	6	10	13	19	40
6-12 YRS	814	6.1	20	1	2	5	8	11	14	24
13-19 YRS	1806	5.1	15	1	2	4	7	9	12	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	10.5	41	6	6	10	15	15	15	15
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	8	14.1	198	6	6	9	13	38	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	9.3	2	8	8	9	10	11	11	11
1-11 MOS	7	14.6	202	3	3	9	24	38	40	40
1-5 YRS	59	7.6	24	2	2	6	11	15	18	21
6-12 YRS	489	5.8	15	2	2	5	8	11	13	19
13-19 YRS	1362	5.8	22	1	2	5	7	11	13	24
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	9.5	13	7	7	9	12	12	12	12
1-5 YRS	6	12.8	13	7	7	13	14	18	18	18
6-12 YRS	10	18.4	728	2	2	11	15	55	94	94
13-19 YRS	58	10.3	57	2	3	8	13	24	25	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2711	5.5	18	1	2	4	7	10	13	22
B. *Operated*	11	12.5	154	3	5	8	14	29	46	48
2. MULTIPLE DX										
A. *Not Operated*	1920	5.9	21	1	2	5	7	11	14	23
B. *Operated*	77	11.5	138	2	3	9	13	24	25	78
1. SINGLE DX	2722	5.5	19	1	2	4	7	10	13	22
2. MULTIPLE DX	1997	6.1	27	1	2	5	8	12	14	25
A. NOT OPERATED	4631	5.6	19	1	2	4	7	10	13	23
B. OPERATED	88	11.6	138	2	3	9	13	24	25	76
TOTAL 0-27 DYS	7	6.0	12	2	2	6	9	11	11	11
1-11 MOS	12	11.8	136	1	2	8	14	32	39	40
1-5 YRS	152	8.1	38	2	2	7	11	15	18	39
6-12 YRS	1314	6.1	24	1	2	5	8	11	14	22
13-19 YRS	3234	5.5	20	1	2	4	7	10	13	24
GRAND TOTAL	**4719**	**5.7**	**22**	**1**	**2**	**5**	**7**	**11**	**14**	**24**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	34	6.7	18	2	3	6	8	11	12	25
6-12 YRS	166	6.4	13	2	2	6	8	11	13	18
13-19 YRS	430	6.3	20	1	2	5	8	11	14	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.7	21	2	2	2	8	10	10	10
6-12 YRS	3	5.0	27	2	2	2	9	11	11	11
13-19 YRS	15	4.9	32	1	1	3	5	7	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	7.7	16	4	4	7	11	12	12	12
1-11 MOS	10	9.2	48	2	3	7	12	20	26	26
1-5 YRS	29	7.5	26	1	2	7	10	15	16	22
6-12 YRS	105	5.9	19	1	2	5	7	11	16	21
13-19 YRS	458	6.2	23	1	2	5	8	11	14	28
B. *Operated*										
0-27 DYS										
1-11 MOS	5	15.2	219	2	2	7	29	35	35	35
1-5 YRS	2	15.5	221	5	5	15	26	26	26	26
6-12 YRS	3	11.7	21	9	9	9	15	17	17	17
13-19 YRS	45	10.1	51	2	3	9	13	19	26	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	631	6.3	18	1	2	6	8	11	14	20
B. *Operated*	21	4.9	27	1	1	3	6	10	17	24
2. MULTIPLE DX										
A. *Not Operated*	605	6.3	23	1	2	5	8	11	16	27
B. *Operated*	55	10.9	66	2	3	9	14	26	27	35
1. SINGLE DX	652	6.3	18	1	2	5	8	11	14	21
2. MULTIPLE DX	660	6.6	28	1	2	5	8	12	17	28
A. NOT OPERATED	1236	6.3	20	1	2	5	8	11	14	25
B. OPERATED	76	9.2	62	2	2	7	11	23	26	35
TOTAL 0-27 DYS	3	7.7	16	4	4	7	11	12	12	12
1-11 MOS	16	11.0	96	2	2	7	13	27	33	35
1-5 YRS	68	7.2	26	2	2	6	9	13	17	26
6-12 YRS	277	6.2	16	1	2	5	8	11	15	21
13-19 YRS	948	6.4	24	1	2	5	8	11	15	27
GRAND TOTAL	**1312**	**6.5**	**23**	**1**	**2**	**5**	**8**	**11**	**15**	**26**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	33	4.0	11	1	1	3	5	8	11	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	6.3	17	3	3	5	9	11	11	11
13-19 YRS	219	4.1	7	1	1	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	32	4.7	12	1	2	4	6	9	11	19
B. *Operated*										
0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	201	5.5	14	1	2	5	7	10	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.9	11	1	1	3	5	8	10	18
B. *Operated*	222	4.2	7	1	1	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	33	4.7	12	1	2	4	5	9	11	19
B. *Operated*	205	5.6	14	1	2	5	7	10	12	21
1. SINGLE DX	256	4.1	8	1	1	4	5	8	9	17
2. MULTIPLE DX	238	5.4	13	1	2	5	7	10	12	20
A. NOT OPERATED	67	4.3	12	1	1	4	5	8	11	19
B. OPERATED	427	4.8	11	1	2	4	7	9	11	19
TOTAL 0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	6	6.2	23	1	1	4	11	13	13	13
13-19 YRS	485	4.7	11	1	1	4	6	9	11	19
GRAND TOTAL	**494**	**4.8**	**11**	**1**	**1**	**4**	**6**	**9**	**11**	**19**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	20	9.7	320	<1	1	3	13	21	53	80
1-11 MOS	44	6.0	85	<1	1	3	5	12	30	45
1-5 YRS	167	3.4	19	<1	1	2	4	7	11	28
6-12 YRS	199	3.2	5	1	1	3	4	6	8	12
13-19 YRS	348	4.0	9	1	1	3	5	8	10	16
B. *Operated*										
0-27 DYS										
1-11 MOS	5	9.6	40	4	4	6	16	17	17	17
1-5 YRS	16	4.9	10	<1	1	5	7	8	11	12
6-12 YRS	17	5.5	20	<1	1	4	9	13	15	15
13-19 YRS	44	5.9	24	1	2	4	7	12	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	16	9.6	101	1	2	6	10	25	35	39
1-11 MOS	60	5.9	67	1	1	3	6	14	20	50
1-5 YRS	177	3.4	13	1	1	2	4	6	8	20
6-12 YRS	219	4.0	20	1	1	3	5	8	12	25
13-19 YRS	445	5.0	20	1	1	4	6	9	12	24
B. *Operated*										
0-27 DYS	2	10.0	98	3	3	10	17	17	17	17
1-11 MOS	7	20.7	1022	2	2	8	21	77	91	91
1-5 YRS	14	11.9	244	1	1	7	12	36	52	57
6-12 YRS	21	6.6	33	2	2	4	9	15	21	22
13-19 YRS	55	7.1	59	1	1	5	8	14	24	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	778	3.9	23	1	1	3	5	7	11	25
B. *Operated*	82	5.8	22	1	1	4	7	12	16	22
2. MULTIPLE DX										
A. *Not Operated*	917	4.6	24	1	1	3	5	9	12	26
B. *Operated*	99	8.7	149	1	2	5	10	17	27	74
1. SINGLE DX	860	4.1	23	1	1	3	5	8	11	24
2. MULTIPLE DX	1016	5.0	37	1	1	3	6	9	14	31
A. NOT OPERATED	1695	4.3	23	1	1	3	5	8	11	26
B. OPERATED	181	7.4	93	1	2	5	9	15	21	54
TOTAL 0-27 DYS	38	9.7	208	1	1	4	13	23	34	80
1-11 MOS	116	7.0	133	1	1	3	7	17	25	66
1-5 YRS	374	3.8	26	1	1	2	4	7	11	28
6-12 YRS	456	3.8	15	1	1	3	4	8	11	20
13-19 YRS	892	4.8	19	1	1	4	6	9	12	23
GRAND TOTAL	**1876**	**4.6**	**31**	**1**	**1**	**3**	**5**	**9**	**13**	**27**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	3.9	3	1	1	4	5	6	6	6
1-11 MOS	28	7.3	44	1	2	5	8	19	24	27
1-5 YRS	9	5.8	41	1	1	3	6	17	20	20
6-12 YRS	4	4.0	7	2	2	3	6	8	8	8
13-19 YRS	7	6.1	24	1	1	3	11	12	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	2	15.5	13	13	13	15	18	18	18	18
1-5 YRS	2	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	8	7.1	24	1	2	6	10	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	8.5	42	4	4	6	10	15	26	28
1-11 MOS	114	11.9	165	2	3	7	15	26	37	71
1-5 YRS	40	12.3	114	2	3	8	18	28	31	51
6-12 YRS	17	6.6	31	1	2	5	8	12	20	25
13-19 YRS	28	7.6	60	1	2	5	7	19	25	32
B. *Operated*										
0-27 DYS										
1-11 MOS	4	10.5	9	8	8	10	13	14	14	14
1-5 YRS	5	17.6	234	6	6	15	22	44	44	44
6-12 YRS	5	21.4	325	5	5	10	40	42	42	42
13-19 YRS	8	4.0	10	<1	<1	3	6	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	6.2	33	1	2	4	7	13	20	27
B. *Operated*	12	8.0	30	1	2	6	12	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	212	10.8	126	2	3	7	14	24	29	66
B. *Operated*	22	12.2	164	1	2	8	14	41	43	44
1. SINGLE DX	68	6.5	32	1	2	4	8	15	20	26
2. MULTIPLE DX	234	10.9	129	2	3	7	14	25	32	65
A. NOT OPERATED	268	9.8	110	2	2	6	12	22	28	62
B. OPERATED	34	10.7	119	1	2	8	13	20	42	44
TOTAL 0-27 DYS	21	6.7	31	2	3	5	7	11	19	28
1-11 MOS	148	11.1	139	2	3	7	14	24	29	70
1-5 YRS	56	11.4	115	2	3	7	16	27	32	51
6-12 YRS	26	9.1	111	2	2	5	10	24	40	42
13-19 YRS	51	6.8	42	1	1	5	8	17	20	32
GRAND TOTAL	**302**	**9.9**	**111**	**2**	**2**	**6**	**12**	**22**	**28**	**57**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	28	10.9	35	2	3	10	15	20	22	22
1-5 YRS	47	7.3	26	1	1	7	11	14	15	20
6-12 YRS	91	10.8	23	2	4	11	14	16	21	68
13-19 YRS	110	11.8	26	4	6	11	14	18	21	30
B. *Operated*										
0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	6	13.0	43	4	5	12	15	23	24	24
13-19 YRS	2	10.5	25	7	7	10	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	17.6	163	10	10	12	22	40	40	40
1-11 MOS	79	10.4	82	2	3	8	13	23	29	48
1-5 YRS	110	8.5	33	1	2	8	11	15	18	30
6-12 YRS	143	11.8	51	2	3	10	15	19	24	39
13-19 YRS	200	10.8	39	2	3	10	14	17	22	34
B. *Operated*										
0-27 DYS	2	16.5	25	13	13	20	80	99+	99+	99+
1-11 MOS	8	22.0	192	5	8	22	43	99+	99+	99+
1-5 YRS	12	13.1	103	2	3	12	16	30	35	36
6-12 YRS	10	13.0	39	4	4	15	17	20	23	23
13-19 YRS	23	17.3	89	3	6	16	21	33	37	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	277	10.6	28	1	3	10	14	16	21	27
B. *Operated*	10	12.7	46	4	4	12	15	23	24	24
2. MULTIPLE DX										
A. *Not Operated*	537	10.6	50	2	3	10	14	18	23	38
B. *Operated*	55	16.3	98	4	4	15	21	38	77	99+
1. SINGLE DX	287	10.7	29	2	4	10	14	16	21	27
2. MULTIPLE DX	592	11.1	57	2	3	10	15	20	27	43
A. NOT OPERATED	814	10.6	42	2	3	10	14	18	22	34
B. OPERATED	65	15.7	91	4	4	15	21	36	49	99+
TOTAL 0-27 DYS	9	16.7	104	6	8	14	23	70	99+	99+
1-11 MOS	115	11.3	84	2	3	9	15	24	36	99+
1-5 YRS	170	8.5	37	1	2	7	12	15	18	31
6-12 YRS	250	11.5	40	2	4	11	15	19	22	39
13-19 YRS	335	11.6	40	2	4	11	14	19	22	35
GRAND TOTAL	**879**	**11.0**	**48**	**2**	**3**	**10**	**14**	**19**	**24**	**40**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	7	3.0	7	<1	<1	2	4	7	8	8
6-12 YRS	49	5.0	35	1	1	3	6	11	14	34
13-19 YRS	63	9.7	333	1	1	4	8	18	43	98
B. *Operated*										
0-27 DYS	2	7.0	2	6	6	7	8	8	8	8
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	78	10.1	38	6	7	9	10	13	17	47
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.5	13	2	2	4	7	7	7	7
1-5 YRS	11	7.2	18	1	2	6	10	13	14	14
6-12 YRS	51	6.4	109	1	2	4	5	10	21	59
13-19 YRS	118	6.9	114	2	2	4	7	11	16	73
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	7	7.1	20	3	3	5	10	14	15	15
13-19 YRS	67	10.1	20	4	4	9	13	16	18	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	7.2	193	1	1	3	7	12	28	97
B. *Operated*	83	9.8	38	6	7	9	10	13	16	46
2. MULTIPLE DX										
A. *Not Operated*	182	6.8	105	1	2	4	7	11	16	64
B. *Operated*	76	9.8	20	3	4	9	12	15	17	23
1. SINGLE DX	204	8.3	131	1	2	7	9	13	22	72
2. MULTIPLE DX	258	7.7	82	2	2	5	9	14	17	58
A. NOT OPERATED	303	7.0	140	1	2	4	7	12	20	76
B. OPERATED	159	9.8	29	4	5	9	11	15	17	36
TOTAL 0-27 DYS	3	7.0	1	6	6	7	8	8	8	8
1-11 MOS	5	4.2	10	1	1	3	7	8	8	8
1-5 YRS	19	5.5	16	<1	1	5	9	12	14	14
6-12 YRS	109	5.7	68	1	1	3	5	11	16	54
13-19 YRS	326	8.9	120	2	2	7	10	15	20	71
GRAND TOTAL	**462**	**7.9**	**103**	**1**	**2**	**6**	**9**	**14**	**18**	**58**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	85	3.5	7	1	1	3	4	6	9	14
1-11 MOS	88	5.0	16	1	1	4	6	10	15	21
1-5 YRS	122	3.7	29	<1	<1	1	4	9	12	29
6-12 YRS	63	3.3	21	<1	<1	2	3	8	11	27
13-19 YRS	159	3.3	9	<1	<1	3	4	6	9	17
B. *Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	22	6.0	65	<1	1	3	9	12	23	37
1-5 YRS	28	5.1	15	1	1	4	7	11	14	16
6-12 YRS	43	4.7	17	<1	1	3	6	10	12	23
13-19 YRS	69	4.9	11	1	1	4	7	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	55	5.0	13	2	2	3	6	11	12	15
1-11 MOS	115	7.1	43	1	3	5	8	14	18	36
1-5 YRS	140	4.8	21	<1	<1	3	6	10	14	24
6-12 YRS	85	5.9	34	1	1	4	8	13	17	79
13-19 YRS	164	5.7	63	<1	1	4	6	11	15	69
B. *Operated*										
0-27 DYS	4	7.8	40	3	3	5	11	17	17	17
1-11 MOS	22	9.6	94	<1	1	7	14	18	29	45
1-5 YRS	49	5.6	68	1	1	3	7	13	37	99+
6-12 YRS	14	5.1	7	2	2	5	7	8	10	10
13-19 YRS	74	8.5	43	2	2	7	11	15	20	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	517	3.7	16	<1	<1	3	5	8	11	24
B. *Operated*	164	5.0	20	1	1	4	7	11	12	22
2. MULTIPLE DX										
A. *Not Operated*	559	5.7	39	<1	1	4	7	12	15	41
B. *Operated*	163	7.5	56	1	1	5	10	15	20	45
1. SINGLE DX	681	4.0	17	<1	<1	3	5	9	12	24
2. MULTIPLE DX	722	6.1	43	1	1	4	7	13	17	43
A. NOT OPERATED	1076	4.8	29	<1	<1	3	6	10	14	28
B. OPERATED	327	6.2	39	1	1	4	8	13	16	41
TOTAL 0-27 DYS	146	4.2	10	1	2	3	5	9	12	15
1-11 MOS	247	6.4	41	1	1	5	8	14	17	37
1-5 YRS	339	4.5	30	<1	<1	3	6	10	14	31
6-12 YRS	205	4.8	25	<1	1	3	6	11	14	34
13-19 YRS	466	5.2	36	<1	1	4	6	11	14	28
GRAND TOTAL	**1403**	**5.1**	**32**	**<1**	**1**	**3**	**6**	**11**	**14**	**29**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	3.3	5	2	2	2	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	4	4.5	32	1	1	2	8	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	8.7	24	3	3	11	12	12	12	12
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	6	3.8	4	2	2	3	5	7	7	7
13-19 YRS	3	3.0	3	1	1	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	4	2.5		2	2	2	3	3	3	3
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.3	5	2	2	2	5	6	6	6
B. *Operated*	6	3.7	21	1	1	2	2	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	13	5.2	12	1	2	4	7	11	12	12
B. *Operated*	6	2.7	1	2	2	3	3	4	4	4
1. SINGLE DX	9	3.6	15	1	1	2	3	10	13	13
2. MULTIPLE DX	19	4.4	10	1	2	3	5	10	12	12
A. NOT OPERATED	16	4.8	11	1	2	4	6	11	12	12
B. OPERATED	12	3.2	10	1	1	2	3	7	12	13
TOTAL 0-27 DYS										
1-11 MOS	3	8.7	24	3	3	11	12	12	12	12
1-5 YRS	5	3.8	9	2	2	2	5	9	9	9
6-12 YRS	10	3.3	3	2	2	3	4	6	7	7
13-19 YRS	10	3.7	13	1	1	2	4	9	13	13
GRAND TOTAL	**28**	**4.1**	**11**	**1**	**2**	**3**	**5**	**10**	**12**	**13**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	20	6.2	18	1	1	5	8	13	14	15
1-11 MOS	87	4.5	9	1	2	4	6	8	9	18
1-5 YRS	156	3.0	5	1	1	3	4	5	6	12
6-12 YRS	65	3.3	24	1	1	2	3	4	9	31
13-19 YRS	69	2.8	4	1	1	2	4	5	7	9
B. *Operated*										
0-27 DYS	3	5.7		5	5	6	6	6	6	6
1-11 MOS	4	6.0	9	3	3	[illegible]	8	10	10	10
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	87	8.4	84	1	2	5	10	19	34	44
1-11 MOS	661	5.8	26	1	2	4	7	11	16	29
1-5 YRS	819	3.9	10	1	1	3	4	7	9	16
6-12 YRS	397	3.6	8	1	1	3	4	6	8	16
13-19 YRS	414	3.9	10	1	1	3	5	8	10	16
B. *Operated*										
0-27 DYS	7	14.9	284	2	3	11	13	44	52	52
1-11 MOS	29	12.6	94	3	4	10	15	28	37	40
1-5 YRS	18	11.6	148	2	3	6	16	29	40	47
6-12 YRS	11	9.9	65	2	3	7	11	24	28	28
13-19 YRS	23	8.7	71	1	2	6	11	17	27	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	397	3.5	10	1	1	3	4	7	9	17
B. *Operated*	7	5.9	4	3	3	6	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	2378	4.5	18	1	1	3	5	8	12	23
B. *Operated*	88	11.2	108	2	3	8	14	27	37	50
1. SINGLE DX	404	3.5	10	1	1	3	4	7	9	17
2. MULTIPLE DX	2466	4.8	23	1	2	3	5	9	14	27
A. NOT OPERATED	2775	4.4	17	1	1	3	5	8	12	22
B. OPERATED	95	10.8	102	2	3	7	13	26	35	50
TOTAL 0-27 DYS	117	8.4	83	1	2	5	10	18	30	49
1-11 MOS	781	5.9	28	1	2	4	7	12	16	30
1-5 YRS	993	3.9	13	1	1	3	4	7	9	18
6-12 YRS	473	3.7	12	1	1	3	4	6	10	22
13-19 YRS	506	4.0	13	1	1	3	5	8	10	17
GRAND TOTAL	**2870**	**4.6**	**21**	**1**	**1**	**3**	**5**	**8**	**13**	**26**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	80	4.5	10	1	1	4	6	8	11	16
1-5 YRS	104	4.1	14	<1	1	3	5	7	10	24
6-12 YRS	19	4.0	7	1	2	3	4	8	10	12
13-19 YRS	91	4.4	10	1	1	3	5	8	10	17
B. *Operated*										
0-27 DYS										
1-11 MOS	13	4.2	8	1	1	3	6	8	10	10
1-5 YRS	18	4.2	7	1	2	3	6	8	9	10
6-12 YRS	3	2.3	1	1	1	3	3	3	3	3
13-19 YRS	33	5.5	10	1	2	5	7	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	5.0	9	2	2	4	6	10	10	10
1-11 MOS	112	5.5	15	1	2	5	7	10	13	21
1-5 YRS	165	5.4	14	1	2	4	7	11	14	18
6-12 YRS	48	4.7	17	2	2	3	6	8	9	28
13-19 YRS	190	4.9	9	1	2	4	6	9	11	15
B. *Operated*										
0-27 DYS										
1-11 MOS	9	7.9	33	3	3	7	9	17	22	22
1-5 YRS	17	7.2	16	1	2	6	10	12	14	15
6-12 YRS	7	13.7	157	7	7	9	10	36	42	42
13-19 YRS	69	6.9	18	2	2	6	9	12	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	294	4.3	11	1	1	3	5	8	10	18
B. *Operated*	67	4.8	8	1	2	4	7	9	10	12
2. MULTIPLE DX										
A. *Not Operated*	520	5.1	13	1	2	4	7	10	12	19
B. *Operated*	102	7.5	29	2	3	6	9	12	14	34
1. SINGLE DX	361	4.4	11	1	1	4	6	8	10	16
2. MULTIPLE DX	622	5.5	16	2	2	5	7	10	13	21
A. NOT OPERATED	814	4.8	12	1	2	4	6	9	12	18
B. OPERATED	169	6.4	23	2	2	5	9	11	13	26
TOTAL 0-27 DYS	5	5.0	9	2	2	4	6	10	10	10
1-11 MOS	214	5.1	14	1	2	4	7	9	13	21
1-5 YRS	304	4.9	14	1	1	4	6	10	12	19
6-12 YRS	77	5.3	32	2	2	3	6	9	11	38
13-19 YRS	383	5.2	11	1	2	5	7	9	12	15
GRAND TOTAL	**983**	**5.1**	**14**	**1**	**2**	**4**	**7**	**10**	**12**	**19**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	17.7	112	8	8	16	26	29	29	29
1-11 MOS	26	4.7	7	1	2	4	6	8	9	10
1-5 YRS	212	4.6	10	1	1	4	6	8	11	15
6-12 YRS	312	4.4	11	1	1	4	5	8	10	18
13-19 YRS	578	5.3	11	1	2	5	7	10	11	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	9.5	145	1	1	9	18	18	18	18
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	14	7.7	28	2	3	5	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	32	6.0	18	2	2	5	8	11	13	21
1-5 YRS	244	6.1	23	1	2	5	8	11	14	23
6-12 YRS	303	6.1	31	1	2	5	8	11	13	24
13-19 YRS	514	7.0	36	1	2	6	9	13	16	31
B. *Operated*										
0-27 DYS										
1-11 MOS	2	7.0	2	6	6	7	8	8	8	8
1-5 YRS	8	25.6	499	5	5	15	49	55	57	57
6-12 YRS	11	13.1	42	6	7	11	15	25	27	27
13-19 YRS	45	11.2	72	1	2	11	16	19	31	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1131	4.9	11	1	1	4	6	9	11	17
B. *Operated*	18	7.3	34	1	1	5	14	16	17	18
2. MULTIPLE DX										
A. *Not Operated*	1094	6.5	32	1	2	5	8	12	15	27
B. *Operated*	66	13.2	132	1	2	11	16	27	39	56
1. SINGLE DX	1149	5.0	12	1	1	4	6	9	11	18
2. MULTIPLE DX	1160	6.9	40	1	2	5	9	13	16	31
A. NOT OPERATED	2225	5.7	22	1	2	5	7	11	13	22
B. OPERATED	84	11.9	116	1	2	10	16	21	35	55
TOTAL 0-27 DYS	4	13.8	136	2	2	12	22	29	29	29
1-11 MOS	60	5.5	13	2	2	5	7	10	12	20
1-5 YRS	466	5.8	32	1	2	5	7	11	13	24
6-12 YRS	628	5.3	23	1	1	4	7	10	12	24
13-19 YRS	1151	6.3	27	1	2	5	8	12	15	26
GRAND TOTAL	**2309**	**5.9**	**27**	**1**	**2**	**5**	**7**	**11**	**14**	**25**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	24	4.0	28	<1	<1	2	5	10	16	24
1-11 MOS	109	3.2	11	<1	<1	2	4	8	10	17
1-5 YRS	269	2.2	7	<1	<1	1	2	5	7	13
6-12 YRS	270	2.0	10	<1	<1	<1	1	4	7	11
13-19 YRS	283	2.4	10	<1	<1	1	3	5	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS	9	5.7	55	1	1	4	5	17	25	25
1-5 YRS	51	5.0	12	1	1	4	6	10	13	15
6-12 YRS	65	6.7	28	2	3	6	7	8	11	40
13-19 YRS	52	7.8	33	2	3	6	10	15	21	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	6.0	15	2	2	4	8	12	14	14
1-11 MOS	129	5.7	30	<1	1	4	8	13	15	27
1-5 YRS	182	4.6	16	<1	1	3	6	9	11	23
6-12 YRS	147	4.6	48	<1	<1	3	6	8	10	49
13-19 YRS	278	4.6	23	<1	<1	3	6	9	14	23
B. *Operated*										
0-27 DYS										
1-11 MOS	13	10.0	30	2	4	8	13	19	20	20
1-5 YRS	48	8.4	47	2	2	6	12	18	20	34
6-12 YRS	49	8.2	85	2	2	6	9	17	26	54
13-19 YRS	92	7.8	58	1	2	6	9	14	18	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	955	2.3	10	<1	<1	1	2	5	8	13
B. *Operated*	177	6.5	27	1	2	6	7	11	15	27
2. MULTIPLE DX										
A. *Not Operated*	747	4.8	27	<1	<1	3	6	10	13	26
B. *Operated*	202	8.2	60	2	2	6	10	15	21	49
1. SINGLE DX	1132	3.0	15	<1	<1	1	4	7	10	20
2. MULTIPLE DX	949	5.5	36	<1	1	4	7	11	15	31
A. NOT OPERATED	1702	3.4	19	<1	<1	2	4	8	10	22
B. OPERATED	379	7.4	45	2	2	6	8	14	20	41
TOTAL 0-27 DYS	35	4.6	24	<1	1	3	6	11	14	24
1-11 MOS	260	4.9	25	<1	<1	3	6	11	15	25
1-5 YRS	550	3.8	17	<1	<1	2	5	9	12	21
6-12 YRS	531	3.9	34	<1	<1	2	5	8	10	38
13-19 YRS	705	4.3	27	<1	<1	3	6	9	13	23
GRAND TOTAL	**2081**	**4.1**	**26**	**<1**	**<1**	**2**	**5**	**9**	**12**	**25**

85: Hemophilia (congenital factor viii disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	23	2.6	2	<1	1	3	3	5	5	5
6-12 YRS	21	2.5	5	<1	<1	2	3	6	8	8
13-19 YRS	38	4.1	6	1	1	4	5	8	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS										
13-19 YRS	2	19.0	242	8	8	19	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	8	2.8	4	1	1	2	4	6	6	6
1-5 YRS	75	4.7	42	1	1	3	5	11	15	41
6-12 YRS	64	4.4	13	1	1	3	6	10	12	16
13-19 YRS	75	5.0	19	1	2	4	6	9	11	28
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	12.7	281	2	2	4	25	32	32	32
6-12 YRS	11	7.6	53	3	3	4	7	21	25	25
13-19 YRS	12	18.0	246	3	3	13	24	40	55	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	3.3	5	1	1	3	4	7	8	10
B. *Operated*	3	15.7	154	8	8	9	25	30	30	30
2. MULTIPLE DX										
A. *Not Operated*	224	4.6	24	1	1	3	5	9	12	23
B. *Operated*	26	13.0	177	3	3	7	19	31	38	58
1. SINGLE DX	87	3.7	13	1	1	3	5	8	8	23
2. MULTIPLE DX	250	5.5	46	1	1	4	6	11	16	33
A. NOT OPERATED	308	4.2	19	1	1	3	5	8	11	19
B. OPERATED	29	13.3	170	3	3	8	20	31	34	58
TOTAL 0-27 DYS	3	2.3	1	1	1	3	3	3	3	3
1-11 MOS	9	3.2	6	1	1	3	5	7	7	7
1-5 YRS	102	4.5	40	1	1	3	5	9	14	40
6-12 YRS	96	4.3	17	1	1	3	5	10	13	22
13-19 YRS	127	6.1	54	1	2	4	7	11	19	39
GRAND TOTAL	**337**	**5.0**	**38**	**1**	**1**	**3**	**5**	**10**	**15**	**32**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	3.3	4	<1	<1	3	4	7	7	7
1-11 MOS	48	3.4	7	1	1	3	4	6	9	14
1-5 YRS	448	4.2	13	1	1	3	5	8	11	17
6-12 YRS	361	4.8	14	1	2	4	6	9	12	19
13-19 YRS	151	5.0	18	1	1	4	6	9	15	24
B. *Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	17	4.6	11	<1	1	4	7	9	12	13
1-5 YRS	166	5.7	25	1	2	4	7	9	14	34
6-12 YRS	134	7.3	31	1	2	6	9	14	18	29
13-19 YRS	233	7.2	18	2	3	6	9	12	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	9.1	303	<1	<1	3	5	38	52	52
1-11 MOS	58	5.0	17	1	2	4	6	10	14	22
1-5 YRS	296	4.7	18	1	1	3	5	9	12	27
6-12 YRS	217	4.9	14	1	1	4	6	10	13	18
13-19 YRS	217	5.9	53	1	2	4	7	12	15	40
B. *Operated*										
0-27 DYS	1	70.0		70	70	70	70	70	70	70
1-11 MOS	13	5.8	25	1	2	4	7	14	17	18
1-5 YRS	92	8.7	99	2	2	6	10	18	27	55
6-12 YRS	88	9.3	118	1	2	7	10	17	29	66
13-19 YRS	151	9.5	93	2	3	7	11	16	25	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1014	4.5	14	1	1	3	5	9	12	18
B. *Operated*	551	6.7	24	1	2	6	8	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	796	5.1	29	1	1	4	6	10	14	26
B. *Operated*	345	9.3	109	2	2	7	10	17	26	60
1. SINGLE DX	1565	5.2	18	1	2	4	7	10	13	22
2. MULTIPLE DX	1141	6.4	57	1	2	4	8	12	17	41
A. NOT OPERATED	1810	4.8	21	1	1	4	6	9	12	21
B. OPERATED	896	7.7	58	1	2	6	9	14	18	40
TOTAL 0-27 DYS	16	10.9	400	<1	<1	3	6	48	65	70
1-11 MOS	136	4.5	14	1	1	3	6	9	13	19
1-5 YRS	1002	5.0	26	1	1	4	6	9	13	27
6-12 YRS	800	5.7	30	1	2	4	7	11	15	27
13-19 YRS	752	6.8	45	1	2	5	8	12	17	32
GRAND TOTAL	**2706**	**5.7**	**35**	**1**	**2**	**4**	**7**	**11**	**15**	**29**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	2.0	1	1	1	2	3	3	3	3
1-11 MOS	3	3.7		3	3	4	4	4	4	4
1-5 YRS	340	2.3	4	1	1	2	3	4	5	10
6-12 YRS	2364	2.3	6	1	1	2	3	4	5	7
13-19 YRS	1937	2.5	5	1	1	2	3	4	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.7	6	3	3	6	7	8	8	8
1-5 YRS	110	3.6	2	2	2	3	4	5	6	9
6-12 YRS	888	3.9	4	2	2	4	5	6	7	10
13-19 YRS	1077	4.5	13	2	3	4	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	5	3.6	2	2	2	4	5	5	5	5
1-5 YRS	237	3.1	9	1	1	2	4	6	7	16
6-12 YRS	988	2.9	4	1	1	2	4	5	6	11
13-19 YRS	727	3.3	17	1	1	3	4	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	4	5.3	2	4	4	5	6	7	7	7
1-5 YRS	62	4.6	5	2	2	4	5	7	8	13
6-12 YRS	334	4.8	5	2	3	4	6	8	8	15
13-19 YRS	459	5.6	11	2	3	5	6	9	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4649	2.4	6	1	1	2	3	4	5	8
B. *Operated*	2078	4.2	9	2	2	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	1959	3.1	10	1	1	2	4	5	7	11
B. *Operated*	859	5.2	8	2	3	5	6	8	10	16
1. SINGLE DX	6727	3.0	7	1	1	2	4	5	6	10
2. MULTIPLE DX	2818	3.7	10	1	1	3	5	6	8	14
A. NOT OPERATED	6608	2.6	7	1	1	2	3	4	6	9
B. OPERATED	2937	4.5	9	2	2	4	5	7	8	15
TOTAL 0-27 DYS	7	2.3	1	1	1	2	3	4	4	4
1-11 MOS	15	4.5	3	2	2	4	5	7	8	8
1-5 YRS	749	3.0	6	1	1	2	4	5	7	12
6-12 YRS	4574	2.9	6	1	1	2	4	5	6	10
13-19 YRS	4200	3.5	11	1	1	3	4	6	7	13
GRAND TOTAL	**9545**	**3.2**	**8**	**1**	**1**	**3**	**4**	**5**	**7**	**11**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	73	5.2	13	1	2	4	7	9	12	19
1-5 YRS	282	4.4	6	1	2	4	6	8	9	13
6-12 YRS	195	4.2	22	1	1	4	5	7	8	13
13-19 YRS	98	3.7	5	1	1	3	5	7	9	11
B. *Operated*										
0-27 DYS	2	9.0	32	5	5	9	13	13	13	13
1-11 MOS	42	6.4	19	1	1	6	9	11	15	21
1-5 YRS	139	3.1	7	<1	<1	2	4	7	9	11
6-12 YRS	213	3.2	8	1	1	2	4	8	10	12
13-19 YRS	276	2.9	5	<1	1	2	3	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	50	6.1	15	2	3	6	7	10	12	26
1-5 YRS	219	5.2	17	1	2	4	7	10	12	20
6-12 YRS	127	4.8	11	1	2	4	6	9	11	16
13-19 YRS	71	4.7	14	2	2	4	5	8	10	24
B. *Operated*										
0-27 DYS										
1-11 MOS	35	7.8	29	2	3	6	9	17	21	21
1-5 YRS	109	4.9	23	1	1	3	7	10	15	24
6-12 YRS	83	4.3	18	1	1	3	6	9	12	24
13-19 YRS	94	4.1	11	1	1	3	5	8	13	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	650	4.3	12	1	2	4	5	7	9	14
B. *Operated*	672	3.3	8	<1	1	2	4	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	468	5.1	15	1	2	4	7	9	11	19
B. *Operated*	321	4.8	20	1	1	3	6	10	14	21
1. SINGLE DX	1322	3.8	10	1	1	3	5	7	9	13
2. MULTIPLE DX	789	5.0	17	1	2	4	7	9	13	21
A. NOT OPERATED	1118	4.7	13	1	2	4	6	8	10	16
B. OPERATED	993	3.8	12	1	1	2	5	8	10	17
TOTAL 0-27 DYS	5	6.4	17	2	2	5	8	13	13	13
1-11 MOS	200	6.2	18	1	2	5	8	11	14	21
1-5 YRS	749	4.5	12	1	1	4	6	9	10	16
6-12 YRS	618	4.0	15	1	1	3	5	8	10	15
13-19 YRS	539	3.5	8	1	1	2	4	7	9	14
GRAND TOTAL	**2111**	**4.3**	**13**	**1**	**1**	**3**	**6**	**8**	**10**	**17**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	6	2.0	4	1	1	1	2	6	6	6
13-19 YRS	68	11.1	207	1	1	7	14	23	35	81
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	45.0		45	45	45	45	45	45	45
1-11 MOS										
1-5 YRS										
6-12 YRS	7	4.4	48	<1	<1	2	4	17	20	20
13-19 YRS	84	12.4	168	1	1	8	18	36	44	82
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	21.2	36	15	15	19	27	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	10.1	193	1	1	6	13	22	34	79
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	92	12.1	173	1	1	7	18	37	44	78
B. *Operated*	5	21.2	36	15	15	19	27	29	29	29
1. SINGLE DX	76	10.1	193	1	1	6	13	22	34	79
2. MULTIPLE DX	97	12.6	170	1	1	8	19	35	44	76
A. NOT OPERATED	168	11.2	182	1	1	7	15	32	44	81
B. OPERATED	5	21.2	36	15	15	19	27	29	29	29
TOTAL 0-27 DYS	1	45.0		45	45	45	45	45	45	45
1-11 MOS										
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	13	3.3	27	<1	<1	1	3	9	18	20
13-19 YRS	157	12.1	182	1	1	8	17	32	43	83
GRAND TOTAL	**173**	**11.5**	**180**	**1**	**1**	**7**	**15**	**31**	**43**	**80**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	13	3.9	68	1	1	1	3	10	27	31
1-5 YRS	91	2.7	48	1	1	1	2	4	7	43
6-12 YRS	190	2.6	33	1	1	2	3	4	5	11
13-19 YRS	398	4.5	58	1	1	3	4	8	14	47
B. *Operated*										
0-27 DYS										
1-11 MOS	1	24.0		24	24	24	24	24	24	24
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	3	4.0	19	1	1	2	7	9	9	9
13-19 YRS	12	7.8	62	<1	1	4	12	20	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	9.6	35	3	3	7	14	18	18	18
1-11 MOS	8	5.0	26	1	1	4	5	14	17	17
1-5 YRS	66	6.4	87	1	1	3	5	15	34	43
6-12 YRS	167	5.4	102	1	1	2	4	10	26	61
13-19 YRS	519	7.6	127	1	1	4	8	19	30	80
B. *Operated*										
0-27 DYS										
1-11 MOS	2	26.5	613	9	9	26	44	44	44	44
1-5 YRS	5	4.6	23	1	1	3	6	13	13	13
6-12 YRS	6	18.3	1341	1	1	4	6	84	93	93
13-19 YRS	30	19.0	752	1	1	7	33	98	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	694	3.7	51	1	1	2	4	6	9	45
B. *Operated*	18	7.4	65	<1	1	3	10	22	25	26
2. MULTIPLE DX										
A. *Not Operated*	765	7.0	117	1	1	4	7	17	30	73
B. *Operated*	43	17.6	721	1	1	5	30	94	99+	99+
1. SINGLE DX	712	3.8	51	1	1	2	4	7	11	44
2. MULTIPLE DX	808	7.6	154	1	1	4	7	19	32	96
A. NOT OPERATED	1459	5.5	88	1	1	3	5	11	21	64
B. OPERATED	61	14.6	545	1	1	5	18	72	98	99+
TOTAL 0-27 DYS	7	7.7	34	2	2	7	12	17	18	18
1-11 MOS	24	7.0	122	1	1	3	5	25	35	44
1-5 YRS	164	4.2	65	1	1	2	4	9	14	43
6-12 YRS	366	4.2	87	1	1	2	4	6	11	61
13-19 YRS	959	6.7	123	1	1	3	6	16	30	94
GRAND TOTAL	**1520**	**5.8**	**109**	**1**	**1**	**3**	**5**	**13**	**26**	**73**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility.

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	32	2.8	6	<1	<1	2	4	6	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	13.5	1	13	13	13	14	14	14	14
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	64	6.5	59	<1	1	4	10	17	26	91
B. *Operated*										
0-27 DYS	1	27.0		27	27	27	27	27	27	27
1-11 MOS										
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.7	6	<1	<1	2	4	5	7	12
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	67	6.7	58	<1	1	4	10	17	25	90
B. *Operated*	3	14.7	126	5	5	12	23	27	27	27
1. SINGLE DX	36	2.7	6	<1	<1	2	4	5	7	12
2. MULTIPLE DX	70	7.0	62	<1	1	4	11	17	27	88
A. NOT OPERATED	103	5.3	43	<1	<1	3	6	14	19	69
B. OPERATED	3	14.7	126	5	5	12	23	27	27	27
TOTAL 0-27 DYS	2	14.0	338	1	1	14	27	27	27	27
1-11 MOS	2	13.5	1	13	13	13	14	14	14	14
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	4	1.8	1	1	1	2	2	3	3	3
13-19 YRS	97	5.3	44	<1	<1	3	6	14	19	72
GRAND TOTAL	**106**	**5.6**	**47**	**<1**	**<1**	**3**	**7**	**14**	**21**	**67**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.8	2	<1	<1	1	3	4	4	4
6-12 YRS	9	2.0	2	<1	<1	1	3	4	4	4
13-19 YRS	140	9.4	120	<1	1	5	14	24	31	51
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	42.0		42	42	42	42	42	42	42
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	6.0	32	2	2	6	10	10	10	10
1-5 YRS	4	4.3	5	1	1	5	6	6	6	6
6-12 YRS	6	5.5	42	1	1	3	7	17	18	18
13-19 YRS	254	9.9	115	1	1	6	13	25	39	97
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS	6	35.5	843	3	4	26	66	75	76	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	8.8	114	<1	1	4	12	23	29	51
B. *Operated*	1	42.0		42	42	42	42	42	42	42
2. MULTIPLE DX										
A. *Not Operated*	266	9.7	112	1	1	6	13	24	38	92
B. *Operated*	7	31.4	818	3	4	25	56	74	76	76
1. SINGLE DX	154	9.0	121	<1	1	4	13	24	32	51
2. MULTIPLE DX	273	10.3	139	1	1	6	14	25	41	93
A. NOT OPERATED	419	9.4	113	1	1	6	13	24	35	55
B. OPERATED	8	32.8	715	3	4	26	54	73	76	76
TOTAL 0-27 DYS										
1-11 MOS	2	6.0	32	2	2	6	10	10	10	10
1-5 YRS	9	3.4	6	<1	<1	4	5	7	7	7
6-12 YRS	15	3.4	19	<1	<1	2	3	7	15	18
13-19 YRS	401	10.2	138	1	1	6	14	25	40	71
GRAND TOTAL	**427**	**9.8**	**133**	**1**	**1**	**6**	**14**	**25**	**38**	**68**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	33.8	150	22	22	31	41	51	51	51
1-5 YRS	1	24.0		24	24	24	24	24	24	24
6-12 YRS	4	7.5	30	2	2	7	12	14	14	14
13-19 YRS	876	20.3	351	2	3	14	29	51	69	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	40.6	802	10	10	52	74	97	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	32.0		32	32	32	32	32	32	32
13-19 YRS	276	23.4	398	2	4	18	31	58	71	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	22	36.2	758	7	13	32	75	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	885	20.3	349	2	3	14	29	51	69	99+
B. *Operated*	5	40.6	802	10	10	52	74	97	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	281	23.2	395	2	4	18	31	58	70	99+
B. *Operated*	22	36.2	758	7	13	32	75	99+	99+	99+
1. SINGLE DX	890	20.4	353	2	3	14	30	52	69	99+
2. MULTIPLE DX	303	24.1	431	2	4	18	34	61	76	99+
A. NOT OPERATED	1166	21.0	361	2	3	15	30	53	69	99+
B. OPERATED	27	37.0	739	9	12	37	74	99+	99+	99+
TOTAL 0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	5	29.6	199	13	13	31	36	51	51	51
1-5 YRS	2	14.0	200	4	4	14	24	24	24	24
6-12 YRS	5	12.4	143	2	2	10	18	32	32	32
13-19 YRS	1179	21.4	377	2	3	15	30	56	72	99+
GRAND TOTAL	**1193**	**21.4**	**375**	**2**	**3**	**15**	**30**	**56**	**72**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	50.0		50	50	50	50	50	50	50
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	199	19.7	315	3	3	14	28	47	59	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	92.0		92	92	92	92	92	92	92
13-19 YRS	84	22.4	368	3	5	17	27	48	66	94
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	33.0	407	12	12	46	65	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	19.8	318	3	3	14	26	48	59	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	85	23.2	420	3	5	17	28	49	74	95
B. *Operated*	4	33.0	407	12	12	46	65	99+	99+	99+
1. SINGLE DX	200	19.8	318	3	3	14	28	48	59	99+
2. MULTIPLE DX	89	23.7	419	3	6	18	29	54	79	98
A. NOT OPERATED	285	20.8	349	3	4	16	28	49	63	99
B. OPERATED	4	33.0	407	12	12	46	65	99+	99+	99+
TOTAL 0-27 DYS	1	50.0		50	50	50	50	50	50	50
1-11 MOS										
1-5 YRS										
6-12 YRS	1	92.0		92	92	92	92	92	92	92
13-19 YRS	287	20.7	333	3	4	16	28	49	63	99+
GRAND TOTAL	**289**	**21.0**	**351**	**3**	**4**	**16**	**28**	**50**	**63**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	10.3	55	4	4	8	15	21	21	21
1-11 MOS	7	17.1	138	3	4	19	20	35	39	39
1-5 YRS	4	7.3	46	<1	<1	6	12	16	16	16
6-12 YRS	28	34.9	909	5	6	32	62	85	90	99+
13-19 YRS	1822	20.6	348	2	3	15	29	48	69	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS										
13-19 YRS	13	26.8	411	2	4	23	46	73	94	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	3	11.0	271	1	1	2	23	30	30	30
1-5 YRS	1	17.0		17	17	17	17	17	17	17
6-12 YRS	15	34.3	634	1	3	28	54	73	79	81
13-19 YRS	758	22.0	391	2	3	16	32	56	80	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	65.0	288	53	53	77	94	99+	99+	99+
13-19 YRS	42	29.7	477	6	8	29	48	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1865	20.8	358	2	3	15	29	49	71	99+
B. *Operated*	14	26.1	388	2	4	23	43	70	92	99+
2. MULTIPLE DX										
A. *Not Operated*	778	22.2	397	2	3	17	32	57	80	99+
B. *Operated*	44	31.3	517	6	9	31	60	99+	99+	99+
1. SINGLE DX	1879	20.8	358	2	3	15	29	49	71	99+
2. MULTIPLE DX	822	22.7	407	2	4	17	34	60	85	99+
A. NOT OPERATED	2643	21.2	369	2	3	15	30	51	73	99+
B. OPERATED	58	30.0	483	4	8	29	53	99+	99+	99+
TOTAL 0-27 DYS	5	10.8	43	4	4	8	15	21	21	21
1-11 MOS	10	15.3	161	1	1	15	20	34	39	39
1-5 YRS	6	10.3	50	<1	<1	12	16	17	17	17
6-12 YRS	45	36.1	806	3	6	36	61	84	91	99+
13-19 YRS	2635	21.2	364	2	3	16	30	51	74	99+
GRAND TOTAL	**2701**	**21.4**	**373**	**2**	**3**	**16**	**30**	**52**	**75**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	20.7	1102	1	1	30	79	99+	99+	99+
6-12 YRS	82	14.3	330	1	2	7	31	96	99+	99+
13-19 YRS	10	23.9	550	2	3	24	60	99+	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	64.0		64	64	64	64	64	64	64
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.7	1	3	3	4	52	99+	99+	99+
6-12 YRS	24	27.9	360	2	6	34	56	99+	99+	99+
13-19 YRS	8	37.1	838	5	6	38	53	81	89	89
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	97.0		97	97	97	97	97	97	97
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	15.5	370	1	2	8	38	99+	99+	99+
B. *Operated*	1	64.0		64	64	64	64	64	64	64
2. MULTIPLE DX										
A. *Not Operated*	35	27.9	488	2	3	34	55	99+	99+	99+
B. *Operated*	1	97.0		97	97	97	97	97	97	97
1. SINGLE DX	96	16.0	391	1	2	8	39	99+	99+	99+
2. MULTIPLE DX	36	29.8	607	2	3	34	62	99+	99+	99+
A. NOT OPERATED	130	18.8	429	1	2	13	42	99+	99+	99+
B. OPERATED	2	80.5	545	64	64	80	97	97	97	97
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	6	12.2	528	1	1	4	79	99+	99+	99+
6-12 YRS	108	18.5	438	1	2	13	41	99+	99+	99+
13-19 YRS	18	29.8	682	2	4	29	53	94	99+	99+
GRAND TOTAL	**132**	**19.8**	**484**	**1**	**2**	**14**	**42**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	35.3	1030	6	6	27	57	80	80	80
1-11 MOS	3	12.0	133	<1	<1	11	21	24	24	24
1-5 YRS	1	24.0		24	24	24	24	24	24	24
6-12 YRS	8	16.9	348	3	3	14	44	80	99+	99+
13-19 YRS	254	16.5	296	1	2	10	24	41	57	94
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	17.8	502	2	2	9	30	51	51	51
1-11 MOS	3	16.0	139	3	3	19	24	26	26	26
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	10	20.9	421	3	4	17	39	81	98	99+
13-19 YRS	309	15.1	265	1	2	9	22	36	50	93
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	26.7	324	3	8	21	38	62	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	270	16.7	305	1	2	11	25	44	59	98
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	327	15.3	269	1	2	9	22	38	51	98
B. *Operated*	16	26.7	324	3	8	21	38	62	87	99+
1. SINGLE DX	270	16.7	305	1	2	11	25	44	59	98
2. MULTIPLE DX	343	15.8	276	1	2	10	23	39	54	99+
A. NOT OPERATED	597	15.9	285	1	2	10	23	40	55	98
B. OPERATED	16	26.7	324	3	8	21	38	62	87	99+
TOTAL 0-27 DYS	8	26.5	744	2	3	15	43	71	80	80
1-11 MOS	6	14.0	114	<1	<1	15	24	26	26	26
1-5 YRS	2	15.5	145	7	7	15	24	24	24	24
6-12 YRS	18	19.1	370	3	3	14	43	84	99+	99+
13-19 YRS	579	16.0	283	1	2	10	23	40	55	96
GRAND TOTAL	**613**	**16.2**	**289**	**1**	**2**	**10**	**23**	**41**	**56**	**99+**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	9.0	72	1	1	7	14	21	21	21
1-11 MOS	2	7.0	32	3	3	7	11	11	11	11
1-5 YRS	2	27.5	313	15	15	27	40	40	40	40
6-12 YRS	6	27.7	1255	2	3	13	32	90	97	97
13-19 YRS	397	19.4	289	2	3	15	26	44	60	91
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	40.0		40	40	40	40	40	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	8	13.3	83	2	3	11	20	27	29	29
13-19 YRS	191	20.2	326	2	3	15	29	46	59	99
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	85.0		65	85	85	85	85	85	85
13-19 YRS	10	30.6	220	7	10	30	42	51	51	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	411	19.4	299	2	3	15	26	44	60	95
B. *Operated*	1	40.0		40	40	40	40	40	40	40
2. MULTIPLE DX										
A. *Not Operated*	200	19.9	318	2	3	15	29	45	59	99
B. *Operated*	11	35.5	467	7	11	32	49	65	83	85
1. SINGLE DX	412	19.5	299	2	3	15	26	44	60	95
2. MULTIPLE DX	211	20.7	336	2	3	16	30	47	59	99
A. NOT OPERATED	611	19.6	305	2	3	15	27	44	59	97
B. OPERATED	12	35.9	426	8	12	34	46	61	82	85
TOTAL 0-27 DYS	4	9.0	72	1	1	7	14	21	21	21
1-11 MOS	2	7.0	32	3	3	7	11	11	11	11
1-5 YRS	3	18.7	390	1	1	15	34	40	40	40
6-12 YRS	15	23.8	827	2	2	13	27	85	94	97
13-19 YRS	599	19.9	301	2	3	16	28	45	59	96
GRAND TOTAL	**623**	**19.9**	**312**	**2**	**3**	**15**	**27**	**45**	**59**	**97**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	10.5	27	3	3	12	14	14	14	14
1-11 MOS	4	17.5	171	10	10	12	25	37	37	37
1-5 YRS	4	2.0	2	1	1	2	3	4	4	4
6-12 YRS	19	17.2	844	<1	1	5	19	93	97	99+
13-19 YRS	613	15.0	207	1	2	11	21	36	49	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	3	24.3	49	17	17	25	29	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	13.0	139	3	3	10	22	26	26	26
1-5 YRS	5	4.4	3	2	2	5	6	6	6	6
6-12 YRS	14	15.8	252	1	1	12	23	43	49	51
13-19 YRS	399	16.3	266	1	2	11	23	40	50	86
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	21	27.4	590	<1	2	19	54	68	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	644	14.9	223	1	2	11	20	37	50	99+
B. *Operated*	4	19.3	130	4	4	21	28	31	31	31
2. MULTIPLE DX										
A. *Not Operated*	422	16.1	262	1	2	11	23	40	50	83
B. *Operated*	21	27.4	590	<1	2	19	54	68	83	99+
1. SINGLE DX	648	15.0	222	1	2	11	21	36	50	99+
2. MULTIPLE DX	443	16.6	282	1	2	11	23	41	54	93
A. NOT OPERATED	1066	15.4	239	1	2	11	21	38	50	98
B. OPERATED	25	26.1	518	<1	3	19	54	66	78	99+
TOTAL 0-27 DYS	5	8.8	35	2	2	11	14	14	14	14
1-11 MOS	7	15.6	138	3	4	10	23	35	37	37
1-5 YRS	9	3.3	4	1	1	3	5	6	6	6
6-12 YRS	34	16.2	565	1	1	6	23	51	94	99+
13-19 YRS	1036	15.8	240	1	2	11	22	39	52	98
GRAND TOTAL	**1091**	**15.6**	**247**	**1**	**2**	**11**	**22**	**39**	**52**	**99**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	9	5.6	29	1	1	4	7	14	18	18
6-12 YRS	64	6.7	84	1	1	4	6	15	34	44
13-19 YRS	496	5.4	77	1	1	3	5	10	21	51
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	7	11.7	266	2	2	4	18	40	45	45
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	6.0	12	2	2	7	8	10	10	10
1-11 MOS	5	3.2	4	<1	<1	3	4	6	6	6
1-5 YRS	11	8.6	195	1	1	3	5	35	42	43
6-12 YRS	91	11.2	306	1	2	4	9	42	60	89
13-19 YRS	718	7.3	137	<1	1	4	7	16	30	68
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	3	5.0	13	1	1	6	7	8	8	8
13-19 YRS	31	10.1	164	1	1	5	12	42	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	572	5.6	77	1	1	3	5	10	22	46
B. *Operated*	9	9.8	215	2	2	4	9	36	45	45
2. MULTIPLE DX										
A. *Not Operated*	830	7.7	156	1	1	4	7	19	40	73
B. *Operated*	37	8.9	145	1	1	4	9	36	45	99+
1. SINGLE DX	581	5.6	79	1	1	3	5	11	22	46
2. MULTIPLE DX	867	7.7	155	1	1	4	7	19	41	73
A. NOT OPERATED	1402	6.8	125	1	1	3	6	15	30	68
B. OPERATED	46	9.1	154	1	1	4	9	38	45	99+
TOTAL 0-27 DYS	7	4.6	14	<1	<1	3	8	10	10	10
1-11 MOS	6	3.7	4	<1	<1	3	6	6	6	6
1-5 YRS	23	6.4	106	1	1	3	6	20	34	43
6-12 YRS	160	9.2	213	1	2	4	7	34	46	73
13-19 YRS	1252	6.6	116	1	1	3	6	14	27	65
GRAND TOTAL	**1448**	**6.9**	**126**	**1**	**1**	**3**	**6**	**15**	**31**	**71**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	21.2	491	3	3	11	35	57	60	60
1-11 MOS	9	7.7	26	1	1	9	13	14	14	14
1-5 YRS	4	5.8	18	3	3	4	8	12	12	12
6-12 YRS	92	26.7	461	3	4	20	46	60	79	99+
13-19 YRS	1729	16.5	311	1	2	10	22	43	58	94
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	10	25.4	245	6	6	28	41	59	97	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	12.7	156	4	4	7	22	27	27	27
1-11 MOS	9	12.8	63	4	5	8	21	24	24	24
1-5 YRS	8	8.3	43	1	2	5	15	17	17	17
6-12 YRS	77	25.9	413	4	6	21	43	61	93	99+
13-19 YRS	1855	17.7	322	1	2	11	25	45	61	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	2	24.0	722	5	5	24	43	43	43	43
1-5 YRS	2	55.5	3121	16	16	55	95	95	95	95
6-12 YRS										
13-19 YRS	76	28.2	509	2	4	25	46	91	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1840	17.0	322	1	2	10	23	44	60	95
B. *Operated*	10	25.4	245	6	6	28	41	69	97	99+
2. MULTIPLE DX										
A. *Not Operated*	1952	17.9	326	1	2	12	26	46	61	99+
B. *Operated*	80	28.8	551	2	4	25	46	93	99+	99+
1. SINGLE DX	1850	17.0	322	1	2	10	24	44	60	96
2. MULTIPLE DX	2032	18.4	339	1	2	12	27	47	64	99+
A. NOT OPERATED	3792	17.5	325	1	2	11	25	45	60	99+
B. OPERATED	90	28.4	515	2	5	25	44	92	99+	99+
TOTAL 0-27 DYS	9	18.3	364	3	3	8	29	50	60	60
1-11 MOS	20	11.6	99	1	2	8	14	23	33	43
1-5 YRS	14	14.3	574	1	2	5	16	25	79	95
6-12 YRS	169	26.4	437	3	5	21	44	60	83	99+
13-19 YRS	3670	17.4	323	1	2	11	25	45	61	99+
GRAND TOTAL	**3882**	**17.7**	**331**	**1**	**2**	**11**	**25**	**46**	**62**	**99+**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	11.0	32	7	7	11	15	15	15	15
1-11 MOS	3	9.0	28	5	5	7	13	15	15	15
1-5 YRS	14	2.5	3	1	1	2	3	7	77	99+
6-12 YRS	154	9.9	355	1	1	3	7	29	70	92
13-19 YRS	1303	11.9	288	1	1	5	14	36	59	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	18	10.2	153	<1	1	6	9	35	42	43
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	16.5	481	1	1	16	32	32	32	32
1-11 MOS	4	10.0	90	<1	<1	8	17	22	22	22
1-5 YRS	11	4.1	4	1	1	4	5	7	8	8
6-12 YRS	131	16.3	558	1	2	6	20	78	87	99+
13-19 YRS	1459	14.1	313	1	1	7	18	40	60	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	20.0	162	11	11	20	29	29	29	29
13-19 YRS	63	17.8	346	2	3	11	30	50	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1476	11.6	293	1	1	5	13	35	60	99+
B. *Operated*	21	9.0	140	<1	1	6	8	29	41	43
2. MULTIPLE DX										
A. *Not Operated*	1607	14.2	331	1	1	7	18	41	63	99+
B. *Operated*	65	17.9	337	2	3	11	30	49	95	99+
1. SINGLE DX	1497	11.5	291	1	1	5	13	35	59	99+
2. MULTIPLE DX	1672	14.4	331	1	1	7	19	41	63	99+
A. NOT OPERATED	3083	13.0	314	1	1	6	16	39	61	99+
B. OPERATED	86	15.7	302	1	2	9	25	43	78	99+
TOTAL 0-27 DYS	4	13.8	181	1	1	11	23	32	32	32
1-11 MOS	7	9.6	55	<1	1	7	14	21	22	22
1-5 YRS	27	3.1	4	1	1	3	4	7	17	99+
6-12 YRS	288	12.9	454	1	1	4	10	52	84	99+
13-19 YRS	2843	13.2	303	1	1	6	17	39	60	99+
GRAND TOTAL	**3169**	**13.0**	**314**	**1**	**1**	**6**	**16**	**39**	**61**	**99+**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	3	21.0	325	1	1	26	33	36	36	36
1-5 YRS	3	5.3	14	1	1	7	8	8	8	8
6-12 YRS	34	1.4	1	<1	<1	1	1	2	3	4
13-19 YRS	697	8.0	132	<1	<1	2	11	28	30	48
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	12.5	64	4	4	10	21	23	23	23
1-11 MOS	25	9.7	70	1	2	7	13	21	29	29
1-5 YRS	9	7.1	112	<1	<1	3	7	25	34	34
6-12 YRS	18	8.2	116	<1	1	2	12	27	33	36
13-19 YRS	1224	15.4	249	<1	1	10	26	35	45	70
B. *Operated*										
0-27 DYS	2	25.5	41	21	21	25	30	30	30	30
1-11 MOS	2	16.5	421	2	2	16	31	31	31	31
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	33	17.1	248	<1	1	10	30	36	38	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	738	7.7	128	<1	<1	2	10	27	30	47
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	1282	15.2	243	<1	1	9	25	34	45	69
B. *Operated*	38	17.1	238	<1	1	15	30	35	38	60
1. SINGLE DX	739	7.7	128	<1	<1	2	10	27	30	47
2. MULTIPLE DX	1320	15.2	243	<1	1	9	26	34	45	68
A. NOT OPERATED	2020	12.4	214	<1	1	5	22	31	40	62
B. OPERATED	39	16.7	238	<1	1	10	30	35	38	60
TOTAL 0-27 DYS	9	14.1	101	<1	2	13	22	27	30	30
1-11 MOS	30	11.3	109	1	1	7	20	29	31	36
1-5 YRS	12	6.7	84	<1	<1	4	7	18	32	34
6-12 YRS	53	3.7	49	<1	<1	1	2	10	20	36
13-19 YRS	1955	12.8	219	<1	1	5	23	31	41	63
GRAND TOTAL	**2059**	**12.5**	**214**	**<1**	**1**	**5**	**22**	**31**	**39**	**61**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	22	13.9	188	3	4	11	17	24	44	66
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	30	14.3	289	1	2	6	18	30	50	81
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	12.5	41	8	8	12	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	13.9	188	3	4	11	17	24	44	66
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	30	14.3	289	1	2	6	18	30	50	81
B. *Operated*	2	12.5	41	8	8	12	17	17	17	17
1. SINGLE DX	22	13.9	188	3	4	11	17	24	44	66
2. MULTIPLE DX	32	14.2	272	1	2	7	18	29	48	81
A. NOT OPERATED	52	14.1	242	2	3	9	18	29	48	81
B. OPERATED	2	12.5	41	8	8	12	17	17	17	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	54	14.1	233	2	3	9	18	28	46	80
GRAND TOTAL	**54**	**14.1**	**233**	**2**	**3**	**9**	**18**	**28**	**46**	**80**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	162	17.7	285	1	2	12	29	41	48	74
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	5	17.2	136	3	3	18	28	29	29	29
13-19 YRS	430	23.5	281	2	3	23	32	45	53	81
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	12	27.8	336	6	11	24	48	69	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	17.7	285	1	2	12	29	41	48	74
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	436	23.4	280	2	3	23	32	45	53	80
B. *Operated*	12	27.8	336	6	11	24	48	69	94	99+
1. SINGLE DX	162	17.7	285	1	2	12	29	41	48	74
2. MULTIPLE DX	448	23.5	281	2	3	23	32	45	55	88
A. NOT OPERATED	598	21.8	287	2	3	21	31	44	53	76
B. OPERATED	12	27.8	336	6	11	24	48	69	94	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	5	17.2	136	3	3	18	28	29	29	29
13-19 YRS	604	22.0	290	2	3	21	31	44	54	77
GRAND TOTAL	**610**	**21.9**	**288**	**2**	**3**	**21**	**31**	**44**	**53**	**77**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	5	<1	<1	2	4	4	4	4
1-11 MOS										
1-5 YRS	12	1.8	1	1	1	2	2	3	4	4
6-12 YRS	93	1.6	2	<1	<1	1	2	3	4	7
13-19 YRS	948	1.6	13	<1	<1	1	1	2	3	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2	6.5	61	1	1	6	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	5.7	14	3	3	4	8	10	10	10
1-11 MOS										
1-5 YRS	11	2.5	8	<1	<1	1	2	8	8	8
6-12 YRS	37	1.5	1	<1	<1	1	2	2	4	7
13-19 YRS	675	3.2	42	<1	<1	1	3	6	12	36
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	33	2.9	14	<1	<1	2	4	5	19	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1055	1.6	12	<1	<1	1	1	2	3	10
B. *Operated*	3	5.3	34	1	1	3	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	726	3.1	39	<1	<1	1	2	6	11	35
B. *Operated*	34	2.9	14	<1	<1	1	4	5	18	99+
1. SINGLE DX	1058	1.6	12	<1	<1	1	1	2	3	12
2. MULTIPLE DX	760	3.1	38	<1	<1	1	3	6	11	37
A. NOT OPERATED	1781	2.2	24	<1	<1	1	2	3	6	25
B. OPERATED	37	3.1	15	<1	<1	2	4	5	18	99+
TOTAL 0-27 DYS	5	4.4	11	<1	<1	4	6	10	10	10
1-11 MOS										
1-5 YRS	23	2.1	4	<1	1	1	2	5	8	8
6-12 YRS	132	1.6	1	<1	<1	1	2	3	4	7
13-19 YRS	1658	2.3	26	<1	<1	1	2	4	6	26
GRAND TOTAL	**1818**	**2.2**	**24**	**<1**	**<1**	**1**	**2**	**4**	**6**	**26**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	30.0		30	30	30	30	30	30	30
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	4.5	1	4	4	4	5	5	5	5
13-19 YRS	195	6.5	99	<1	1	2	8	17	28	52
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	7	16.0	400	1	1	5	23	50	56	56
13-19 YRS	310	10.2	154	1	1	5	15	28	38	51
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	25.3	723	3	3	18	30	71	76	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	6.5	100	<1	1	2	8	17	29	52
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	318	10.3	159	1	1	5	15	29	38	53
B. *Operated*	6	25.3	723	3	3	18	30	71	76	76
1. SINGLE DX	199	6.5	100	<1	1	2	8	17	29	52
2. MULTIPLE DX	324	10.5	171	1	1	5	15	29	39	60
A. NOT OPERATED	517	8.8	139	1	1	4	11	25	34	53
B. OPERATED	6	25.3	723	3	3	18	30	71	76	76
TOTAL 0-27 DYS										
1-11 MOS	1	30.0		30	30	30	30	30	30	30
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	9	13.4	326	1	1	5	22	43	56	56
13-19 YRS	511	8.9	145	1	1	4	11	25	34	55
GRAND TOTAL	**523**	**9.0**	**148**	**1**	**1**	**4**	**11**	**26**	**35**	**57**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	7	3.6	6	1	1	3	6	7	7	7
1-5 YRS	48	3.9	5	1	2	3	4	7	10	12
6-12 YRS	177	3.7	8	1	1	3	4	6	8	13
13-19 YRS	400	4.1	11	1	1	3	5	7	10	21
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	7	4.4	16	1	1	3	5	11	13	13
6-12 YRS	11	3.7	8	1	1	3	5	9	9	9
13-19 YRS	23	6.5	31	1	2	5	8	14	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	5	4.2	25	1	1	2	5	13	13	13
1-5 YRS	25	4.0	12	1	1	3	4	10	12	14
6-12 YRS	147	4.6	26	1	1	3	6	8	10	32
13-19 YRS	440	4.9	38	1	1	4	5	9	12	39
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	4.7		4	4	5	5	5	5	5
6-12 YRS	15	4.1	5	1	1	4	5	7	8	8
13-19 YRS	33	9.8	60	1	2	7	14	22	26	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	634	3.9	10	1	1	3	5	7	10	21
B. *Operated*	44	5.2	22	1	2	4	6	13	14	24
2. MULTIPLE DX										
A. *Not Operated*	618	4.8	34	1	1	4	5	9	12	35
B. *Operated*	52	7.8	47	1	2	5	8	21	23	28
1. SINGLE DX	678	4.0	11	1	1	3	5	7	10	21
2. MULTIPLE DX	670	5.0	35	1	1	4	6	9	13	33
A. NOT OPERATED	1252	4.4	22	1	1	3	5	8	10	24
B. OPERATED	96	6.6	37	1	2	4	8	15	22	28
TOTAL 0-27 DYS	4	3.0	2	2	2	3	4	5	5	5
1-11 MOS	15	3.7	10	1	1	3	5	7	11	13
1-5 YRS	83	4.0	8	1	2	3	5	8	11	14
6-12 YRS	350	4.1	16	1	1	3	5	7	9	28
13-19 YRS	896	4.8	28	1	1	4	5	9	13	26
GRAND TOTAL	**1348**	**4.5**	**23**	**1**	**1**	**3**	**5**	**8**	**11**	**25**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	6.0	18	3	3	6	9	9	9	9
1-11 MOS	8	6.5	85	<1	<1	3	8	22	28	28
1-5 YRS	29	8.2	106	1	1	4	9	21	39	41
6-12 YRS	302	12.2	246	1	2	7	15	36	60	99+
13-19 YRS	2752	12.8	210	1	1	7	17	34	46	80
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	3	35.7	2386	5	5	51	96	99+	99+	99+
13-19 YRS	9	8.8	45	1	1	7	14	61	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	26.0		26	26	26	26	26	26	26
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	34	9.7	134	1	2	5	12	22	43	45
6-12 YRS	200	13.4	273	1	2	7	16	44	62	99+
13-19 YRS	2098	12.6	225	1	1	7	17	33	49	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	2.8	4	1	1	3	4	5	5	5
6-12 YRS	6	7.8	43	2	2	5	12	18	19	19
13-19 YRS	85	19.7	366	1	2	13	34	50	66	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3093	12.7	212	1	1	7	17	34	46	88
B. *Operated*	14	13.5	546	1	1	7	18	99	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	2334	12.6	228	1	1	7	17	34	51	99+
B. *Operated*	95	18.2	349	1	1	12	29	46	64	88
1. SINGLE DX	3107	12.7	213	1	1	7	17	34	47	94
2. MULTIPLE DX	2429	12.8	233	1	1	7	17	35	52	99+
A. NOT OPERATED	5427	12.6	219	1	1	7	17	34	48	99+
B. OPERATED	109	17.6	372	1	1	11	29	51	72	99+
TOTAL 0-27 DYS	3	12.7	142	3	3	9	22	26	26	26
1-11 MOS	9	6.3	75	<1	<1	4	7	20	28	28
1-5 YRS	69	8.4	113	1	1	5	8	20	39	45
6-12 YRS	511	12.8	265	1	2	7	16	42	63	99+
13-19 YRS	4944	12.8	219	1	1	7	17	34	48	97
GRAND TOTAL	**5536**	**12.7**	**222**	**1**	**1**	**7**	**17**	**35**	**49**	**99+**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS	33	6.1	259	1	1	3	5	7	9	95
1-5 YRS	180	5.7	125	1	1	3	5	9	22	64
6-12 YRS	578	13.3	411	1	2	5	16	41	85	99+
13-19 YRS	1740	14.4	358	1	2	6	19	44	65	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	12	2.3	1	1	1	2	3	4	4	4
6-12 YRS	28	2.6	2	1	1	2	4	5	6	6
13-19 YRS	37	12.7	433	2	2	4	8	43	69	85
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	9.0	37	3	3	8	14	16	16	16
1-11 MOS	38	7.7	110	1	2	5	7	18	25	59
1-5 YRS	190	7.4	131	1	1	4	7	17	45	99+
6-12 YRS	546	14.9	416	1	2	6	20	57	85	99+
13-19 YRS	1749	14.6	341	1	2	7	19	41	68	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	17	8.1	349	<1	1	3	5	10	56	80
6-12 YRS	39	15.5	637	1	1	4	13	78	92	99+
13-19 YRS	89	22.7	511	2	3	15	42	66	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2534	13.4	357	1	2	5	17	41	66	99+
B. *Operated*	78	7.3	230	1	1	3	5	12	39	81
2. MULTIPLE DX										
A. *Not Operated*	2527	14.0	342	1	2	6	18	45	68	99+
B. *Operated*	146	19.0	543	1	2	8	30	67	86	99+
1. SINGLE DX	2612	13.2	354	1	2	5	16	41	65	99+
2. MULTIPLE DX	2673	14.3	354	1	2	6	18	46	70	99+
A. NOT OPERATED	5061	13.7	349	1	2	6	17	43	68	99+
B. OPERATED	224	14.9	463	1	2	5	18	58	74	99+
TOTAL 0-27 DYS	7	6.1	31	2	2	3	10	15	16	16
1-11 MOS	73	6.8	173	1	1	3	6	13	21	87
1-5 YRS	399	6.5	134	1	1	3	5	12	28	89
6-12 YRS	1191	13.8	414	1	2	5	17	53	85	99+
13-19 YRS	3615	14.7	355	1	2	7	19	44	67	99+
GRAND TOTAL	**5285**	**13.8**	**354**	**1**	**2**	**6**	**17**	**44**	**68**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS	10	9.2	179	<1	<1	4	7	33	42	42
6-12 YRS	21	4.0	22	<1	1	3	4	9	17	20
13-19 YRS	42	10.9	156	1	1	6	11	32	41	49
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	4	3.5	6	<1	<1	3	5	6	6	6
13-19 YRS	6	3.8	5	1	1	4	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	16.5	313	4	4	16	29	29	29	29
1-11 MOS	5	6.4	53	1	1	4	9	19	19	19
1-5 YRS	51	6.2	93	2	2	3	6	12	17	67
6-12 YRS	76	13.3	434	1	2	6	15	61	91	99+
13-19 YRS	242	13.1	191	1	2	9	18	30	38	67
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	9.3	93	1	1	5	19	24	27	27
6-12 YRS	25	7.6	59	1	2	6	8	13	21	41
13-19 YRS	34	9.5	340	1	2	6	8	12	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	8.6	124	<1	1	4	10	24	35	49
B. *Operated*	12	3.3	5	<1	<1	3	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	376	12.2	230	1	2	7	15	28	50	91
B. *Operated*	69	8.8	199	1	2	6	8	16	41	99
1. SINGLE DX	87	7.8	110	<1	1	4	9	22	35	49
2. MULTIPLE DX	445	11.6	226	1	2	6	14	26	49	93
A. NOT OPERATED	451	11.6	214	1	2	6	14	27	45	91
B. OPERATED	81	8.0	174	<1	1	5	7	13	33	98
TOTAL 0-27 DYS	2	16.5	313	4	4	16	29	29	29	29
1-11 MOS	7	5.9	36	1	1	4	6	16	19	19
1-5 YRS	73	6.9	102	1	1	3	6	17	24	62
6-12 YRS	126	10.3	290	1	2	5	9	24	75	99+
13-19 YRS	324	12.3	200	1	2	8	15	30	40	84
GRAND TOTAL	**532**	**11.0**	**209**	**1**	**2**	**6**	**13**	**25**	**43**	**91**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	112	11.8	37	1	3	12	15	21	23	27
1-11 MOS	754	11.9	27	3	5	12	14	17	20	28
1-5 YRS	645	11.1	28	2	4	11	13	16	18	27
6-12 YRS	213	7.2	22	1	2	7	11	13	16	20
13-19 YRS	189	7.7	33	2	2	7	11	14	16	40
B. *Operated*										
0-27 DYS	11	15.5	34	8	8	16	20	24	24	24
1-11 MOS	141	14.6	35	9	10	13	16	21	24	39
1-5 YRS	94	12.6	13	6	9	12	15	17	18	24
6-12 YRS	11	12.5	176	1	2	12	15	29	47	49
13-19 YRS	46	19.4	425	2	2	14	22	53	68	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	73	13.5	54	2	5	13	18	24	27	85
1-11 MOS	628	12.8	33	3	6	12	15	19	22	33
1-5 YRS	445	12.1	31	2	4	12	15	17	21	29
6-12 YRS	118	9.2	57	1	2	8	12	17	21	41
13-19 YRS	145	10.0	43	2	3	9	14	18	23	99+
B. *Operated*										
0-27 DYS	15	20.7	140	2	10	20	23	43	46	47
1-11 MOS	232	19.3	160	7	10	15	24	36	41	81
1-5 YRS	121	16.1	60	9	10	14	19	25	30	51
6-12 YRS	26	19.9	331	2	4	15	24	56	61	63
13-19 YRS	51	21.3	366	2	3	16	34	56	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1913	10.7	31	2	3	11	13	16	19	27
B. *Operated*	303	14.7	96	3	7	13	16	21	31	59
2. MULTIPLE DX										
A. *Not Operated*	1409	12.0	38	2	3	12	15	18	22	35
B. *Operated*	445	18.8	166	4	8	15	22	36	45	76
1. SINGLE DX	2216	11.2	42	2	3	11	14	17	20	36
2. MULTIPLE DX	1854	13.6	77	2	4	12	16	22	29	56
A. NOT OPERATED	3322	11.3	34	2	3	11	14	17	20	31
B. OPERATED	748	17.1	142	4	8	14	20	30	43	74
TOTAL 0-27 DYS	211	13.2	54	1	4	12	17	23	25	45
1-11 MOS	1755	13.4	53	3	6	12	16	20	25	41
1-5 YRS	1305	12.0	33	2	5	12	14	17	20	31
6-12 YRS	368	8.9	69	1	2	8	12	16	20	51
13-19 YRS	431	11.3	141	2	2	8	14	22	40	99+
GRAND TOTAL	**4070**	**12.3**	**59**	**2**	**3**	**12**	**15**	**19**	**24**	**47**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS										
6-12 YRS										
13-19 YRS	3	5.3	8	2	2	7	7	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	6.5	1	6	6	6	7	7	7	7
1-5 YRS	2	18.0	512	2	2	18	34	34	34	34
6-12 YRS										
13-19 YRS	7	6.4	50	1	1	2	13	17	17	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	88.0		88	88	88	88	88	88	88
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	7.3	20	2	2	7	10	13	13	13
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	11	8.5	103	1	1	6	14	24	33	34
B. *Operated*	2	44.5	3785	1	1	44	88	88	88	88
1. SINGLE DX	4	7.3	20	2	2	7	10	13	13	13
2. MULTIPLE DX	13	14.1	584	1	1	6	16	45	80	88
A. NOT OPERATED	15	8.2	78	1	1	6	12	17	30	34
B. OPERATED	2	44.5	3785	1	1	44	88	88	88	88
TOTAL 0-27 DYS										
1-11 MOS	3	8.7	14	6	6	7	11	13	13	13
1-5 YRS	3	41.3	1889	2	2	34	74	88	88	88
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	10	6.1	36	1	1	4	7	16	17	17
GRAND TOTAL	**17**	**12.5**	**451**	**1**	**1**	**6**	**14**	**31**	**69**	**88**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.7	4	2	2	3	5	6	6	6
6-12 YRS	7	6.1	36	1	1	4	7	17	19	19
13-19 YRS	50	9.0	77	2	2	6	12	21	30	43
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	5.5	41	1	1	5	10	10	10	10
13-19 YRS	11	11.3	66	2	3	10	17	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	8	8.4	94	2	2	4	10	25	30	30
13-19 YRS	28	8.5	40	2	2	7	12	18	21	24
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	8.0		8	8	54	99+	99+	99+	99+
13-19 YRS	4	17.3	206	5	5	13	26	38	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	8.4	69	2	2	5	10	20	27	42
B. *Operated*	14	9.7	65	1	1	9	14	24	25	25
2. MULTIPLE DX										
A. *Not Operated*	39	8.1	47	2	2	5	11	18	23	30
B. *Operated*	6	13.7	155	5	5	12	32	88	99+	99+
1. SINGLE DX	74	8.6	68	1	2	6	11	21	25	40
2. MULTIPLE DX	45	8.9	62	2	2	6	14	21	32	99+
A. NOT OPERATED	99	8.3	60	2	2	5	11	19	25	37
B. OPERATED	20	10.9	89	1	2	10	15	30	66	99+
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	6	3.5	4	1	1	3	5	6	6	6
6-12 YRS	18	7.2	55	1	1	4	10	26	68	99+
13-19 YRS	93	9.5	70	2	2	7	13	21	25	41
GRAND TOTAL	**119**	**8.7**	**65**	**2**	**2**	**6**	**12**	**21**	**27**	**60**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	4.1	4	2	2	4	6	7	7	7
1-11 MOS	132	4.8	21	1	1	3	6	10	14	24
1-5 YRS	612	3.6	15	1	1	3	4	7	9	18
6-12 YRS	773	3.4	8	1	1	3	4	6	8	15
13-19 YRS	1038	3.6	9	1	1	3	4	7	9	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	9.5	5	8	8	9	11	11	11	11
6-12 YRS	12	10.3	259	1	1	3	13	32	53	57
13-19 YRS	28	4.9	25	1	2	4	6	8	13	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	10.4	173	2	2	6	10	33	42	42
1-11 MOS	144	6.1	22	1	2	5	8	12	16	23
1-5 YRS	666	4.7	43	1	1	3	5	9	12	31
6-12 YRS	605	4.2	18	1	1	3	5	8	10	21
13-19 YRS	832	5.3	38	1	1	4	6	10	14	34
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	16	15.2	371	2	3	7	19	44	62	70
1-5 YRS	24	7.9	44	1	2	6	11	16	23	28
6-12 YRS	28	11.2	281	2	2	6	9	22	57	78
13-19 YRS	51	12.7	351	2	2	4	15	41	64	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2562	3.6	11	1	1	3	4	7	9	17
B. *Operated*	42	6.7	92	1	2	4	8	13	24	57
2. MULTIPLE DX										
A. *Not Operated*	2255	4.9	34	1	1	3	6	9	13	31
B. *Operated*	120	11.7	272	2	2	5	12	27	55	80
1. SINGLE DX	2604	3.7	12	1	1	3	4	7	9	17
2. MULTIPLE DX	2375	5.2	48	1	1	3	6	10	14	38
A. NOT OPERATED	4817	4.2	22	1	1	3	5	8	11	21
B. OPERATED	162	10.4	229	1	2	4	10	24	49	77
TOTAL 0-27 DYS	16	7.3	92	2	2	5	7	12	33	42
1-11 MOS	292	6.0	44	1	2	4	7	12	17	33
1-5 YRS	1304	4.2	30	1	1	3	5	8	11	27
6-12 YRS	1418	4.0	21	1	1	3	5	7	10	22
13-19 YRS	1949	4.6	33	1	1	3	5	8	12	27
GRAND TOTAL	**4979**	**4.4**	**30**	**1**	**1**	**3**	**5**	**8**	**11**	**25**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	3.3	6	1	1	3	4	7	10	10
1-11 MOS	124	4.4	42	<1	1	2	5	9	13	41
1-5 YRS	276	3.9	14	<1	1	3	5	8	11	22
6-12 YRS	331	4.4	18	1	1	3	5	9	12	27
13-19 YRS	461	5.5	44	1	1	4	6	11	16	27
B. *Operated*										
0-27 DYS	2	14.0	18	11	11	14	17	17	17	17
1-11 MOS	94	8.4	32	2	2	7	11	16	21	25
1-5 YRS	212	5.0	33	1	1	3	6	10	14	26
6-12 YRS	351	5.6	37	1	2	4	6	11	19	30
13-19 YRS	371	7.8	57	1	2	6	10	16	23	38
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	10.7	305	2	3	5	7	37	57	57
1-11 MOS	197	7.0	56	1	1	4	9	17	22	45
1-5 YRS	497	5.6	33	1	1	4	7	12	19	32
6-12 YRS	420	5.5	39	1	1	4	7	11	16	58
13-19 YRS	670	7.9	110	1	2	5	8	18	31	99+
B. *Operated*										
0-27 DYS	7	10.4	112	4	4	8	50	99+	99+	99+
1-11 MOS	119	13.5	135	2	3	10	19	28	37	55
1-5 YRS	345	6.8	75	1	1	4	8	16	21	65
6-12 YRS	514	6.7	45	1	2	5	8	15	21	45
13-19 YRS	495	12.1	215	2	2	7	15	34	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1204	4.7	30	1	1	3	6	9	13	27
B. *Operated*	1030	6.5	44	1	2	4	8	14	20	33
2. MULTIPLE DX										
A. *Not Operated*	1793	6.6	68	1	1	4	8	14	22	69
B. *Operated*	1480	9.1	124	1	2	5	11	22	34	99+
1. SINGLE DX	2234	5.5	37	1	1	4	7	11	16	31
2. MULTIPLE DX	3273	7.7	95	1	2	5	9	18	28	99+
A. NOT OPERATED	2997	5.8	54	1	1	4	7	12	19	57
B. OPERATED	2510	8.1	93	1	2	5	10	18	27	82
TOTAL 0-27 DYS	30	7.9	126	1	2	5	9	41	95	99+
1-11 MOS	534	8.1	76	1	1	5	10	19	26	51
1-5 YRS	1330	5.5	41	1	1	3	7	12	17	34
6-12 YRS	1616	5.7	37	1	1	4	7	12	17	39
13-19 YRS	1997	8.4	116	1	2	5	10	19	31	99+
GRAND TOTAL	**5507**	**6.9**	**73**	**1**	**1**	**4**	**8**	**15**	**23**	**67**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	47	2.9	3	1	1	3	4	5	6	10
6-12 YRS	406	2.9	5	1	1	2	4	5	6	10
13-19 YRS	761	3.3	7	1	1	3	4	6	7	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	14	3.8	4	1	2	3	5	6	8	9
13-19 YRS	38	4.0	7	1	2	3	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	4.7		4	4	5	5	5	5	5
1-11 MOS										
1-5 YRS	21	3.0	5	1	1	3	4	6	8	9
6-12 YRS	195	3.6	7	1	1	3	5	6	8	13
13-19 YRS	441	4.0	8	1	1	3	5	7	9	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	5	7.2	10	2	2	8	9	10	10	10
13-19 YRS	31	5.8	17	2	2	5	7	9	15	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1216	3.2	6	1	1	3	4	5	7	12
B. *Operated*	53	3.9	6	1	2	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	660	3.9	8	1	1	3	5	7	9	16
B. *Operated*	37	6.1	16	2	2	6	8	9	13	22
1. SINGLE DX	1269	3.2	6	1	1	3	4	6	7	12
2. MULTIPLE DX	697	4.0	8	1	1	3	5	7	9	16
A. NOT OPERATED	1876	3.4	7	1	1	3	4	6	8	14
B. OPERATED	90	4.8	11	2	2	4	7	9	10	19
TOTAL 0-27 DYS	3	4.7		4	4	5	5	5	5	5
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	70	3.0	4	1	1	3	4	5	7	10
6-12 YRS	620	3.2	6	1	1	3	4	5	7	10
13-19 YRS	1271	3.7	8	1	1	3	5	7	8	15
GRAND TOTAL	**1966**	**3.5**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS										
13-19 YRS	9	2.7	1	<1	1	2	4	4	4	4
B. *Operated*										
0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	4	2.5		2	2	2	3	3	3	3
1-5 YRS	5	1.6		<1	<1	2	2	2	2	2
6-12 YRS	13	2.6		2	2	3	3	4	4	4
13-19 YRS	175	2.8	10	1	1	2	3	4	6	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	9	4.3	7	<1	1	4	6	8	8	8
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	4.0	12	1	1	3	5	10	10	10
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	12	4.0	4	2	2	3	5	7	9	9
13-19 YRS	75	3.0	13	1	1	2	3	5	7	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.6	14	<1	1	3	4	8	14	15
B. *Operated*	200	2.7	9	1	1	2	3	4	5	22
2. MULTIPLE DX										
A. *Not Operated*	12	4.1	6	<1	1	4	6	8	8	8
B. *Operated*	95	3.2	11	1	1	2	3	5	7	22
1. SINGLE DX	212	2.8	9	1		2	3	4	5	22
2. MULTIPLE DX	107	3.3	11	1	1	2	4	6	8	19
A. NOT OPERATED	24	3.8	9	<1	1	3	5	8	10	15
B. OPERATED	295	2.9	10	1	1	2	3	4	6	22
TOTAL 0-27 DYS	4	1.5		1	1	1	2	2	2	2
1-11 MOS	11	3.1	6	1	1	3	3	6	10	10
1-5 YRS	9	3.7	20	<1	<1	2	3	11	15	15
6-12 YRS	27	3.2	2	2	2	3	3	5	6	9
13-19 YRS	268	2.9	10	1	1	2	3	4	6	22
GRAND TOTAL	**319**	**2.9**	**10**	**1**	**1**	**2**	**3**	**4**	**6**	**22**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	3.3	4	2	2	3	4	6	6	6
1-5 YRS	51	7.7	64	1	2	5	9	19	23	44
6-12 YRS	97	6.8	43	1	1	4	10	16	22	30
13-19 YRS	279	7.0	68	1	2	4	9	14	19	52
B. *Operated*										
0-27 DYS	4	4.8	14	2	2	4	7	10	10	10
1-11 MOS	4	2.5	1	2	2	2	3	4	4	4
1-5 YRS	19	2.9	4	1	1	2	4	6	8	9
6-12 YRS	76	3.9	33	1	1	3	4	6	8	40
13-19 YRS	551	4.3	23	1	2	3	5	8	12	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	4	18.3	364	2	2	15	34	41	41	41
1-5 YRS	40	6.6	31	1	2	5	8	16	19	27
6-12 YRS	49	5.5	26	2	2	4	7	10	12	33
13-19 YRS	177	7.2	59	1	2	5	8	16	25	47
B. *Operated*										
0-27 DYS										
1-11 MOS	2	11.0	98	4	4	11	18	18	18	18
1-5 YRS	14	7.1	67	<1	1	3	9	24	26	26
6-12 YRS	58	8.2	198	1	1	4	8	19	71	99+
13-19 YRS	260	7.4	173	1	2	4	6	13	37	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	431	7.0	61	1	2	4	9	15	22	46
B. *Operated*	654	4.2	24	1	2	3	5	8	11	28
2. MULTIPLE DX										
A. *Not Operated*	272	6.9	54	1	2	5	8	16	25	41
B. *Operated*	334	7.6	172	1	2	4	6	16	40	91
1. SINGLE DX	1085	5.3	40	1	2	3	6	11	16	36
2. MULTIPLE DX	606	7.3	119	1	2	4	7	16	27	88
A. NOT OPERATED	703	7.0	58	1	2	4	8	15	22	44
B. OPERATED	988	5.3	76	1	2	3	5	9	17	59
TOTAL 0-27 DYS	6	4.5	9	2	2	4	5	10	10	10
1-11 MOS	14	8.4	142	2	2	3	6	28	38	41
1-5 YRS	124	6.5	46	1	2	4	8	17	22	31
6-12 YRS	280	6.1	71	1	1	4	7	13	19	77
13-19 YRS	1267	5.9	71	1	2	4	6	12	19	56
GRAND TOTAL	**1691**	**6.0**	**69**	**1**	**2**	**4**	**6**	**12**	**20**	**56**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.5	13	3	3	5	8	8	8	8
1-5 YRS	5	1.0		<1	<1	1	1	1	1	1
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	6	1.7	1	1	1	2	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	8	3.8	2	2	2	4	5	6	6	6
6-12 YRS	107	5.3	7	2	2	5	6	9	10	14
13-19 YRS	252	5.5	13	1	2	5	6	9	12	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	6	3.5	27	<1	<1	1	2	13	14	14
6-12 YRS	3	1.0		1	1	1	1	1	1	1
13-19 YRS	3	2.3		2	2	2	3	3	3	3
B. *Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	6	8.0	21	1	2	8	10	14	15	15
1-5 YRS	14	4.3	4	1	2	4	6	7	7	7
6-12 YRS	45	5.4	13	2	2	5	7	9	13	18
13-19 YRS	121	6.0	15	2	3	5	7	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.9	3	<1	<1	1	2	3	7	8
B. *Operated*	369	5.4	11	2	2	5	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	13	2.5	12	<1	<1	1	2	5	12	14
B. *Operated*	188	5.8	14	2	2	5	7	10	14	20
1. SINGLE DX	384	5.3	11	1	2	5	6	9	11	16
2. MULTIPLE DX	201	5.6	15	1	2	5	7	10	14	20
A. NOT OPERATED	28	2.1	7	<1	<1	1	2	3	9	14
B. OPERATED	557	5.5	12	2	2	5	7	9	12	18
TOTAL 0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	11	6.1	18	1	1	7	8	12	15	15
1-5 YRS	33	3.5	8	<1	1	3	5	7	7	14
6-12 YRS	157	5.2	9	1	2	5	6	9	11	16
13-19 YRS	382	5.6	14	2	2	5	7	9	12	24
GRAND TOTAL	**585**	**5.4**	**12**	**1**	**2**	**5**	**6**	**9**	**12**	**18**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	1.1		<1	<1	1	1	2	2	2
1-5 YRS	6	1.0		<1	<1	1	1	1	1	1
6-12 YRS										
13-19 YRS	3	4.0	3	2	2	5	5	5	5	5
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	11	2.9	8	<1	<1	2	3	7	11	11
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	3	4.3		4	4	4	5	5	5	5
13-19 YRS	23	3.7	4	2	2	3	5	5	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	3	3.0	1	2	2	3	4	4	4	4
6-12 YRS	5	3.4	3	2	2	3	4	6	6	6
13-19 YRS	8	6.4	17	2	2	6	8	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	1.6	2	<1	<1	1	1	4	5	5
B. *Operated*	39	3.6	5	1	2	3	4	6	9	11
2. MULTIPLE DX										
A. *Not Operated*	5	1.6	2	1	1	1	2	4	4	4
B. *Operated*	19	4.5	10	2	2	4	6	8	12	15
1. SINGLE DX	57	3.0	5	<1	1	2	4	5	7	11
2. MULTIPLE DX	24	3.9	10	1	1	3	5	8	10	15
A. NOT OPERATED	23	1.6	2	<1	<1	1	1	4	5	5
B. OPERATED	58	3.9	7	1	2	3	5	7	10	15
TOTAL 0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	23	2.0	4	<1	<1	1	2	3	6	11
1-5 YRS	12	1.8	1	<1	<1	1	2	4	4	4
6-12 YRS	8	3.8	2	2	2	4	5	6	6	6
13-19 YRS	36	4.3	8	2	2	4	5	8	10	15
GRAND TOTAL	**81**	**3.2**	**6**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	6	1.2		<1	<1	1	1	2	2	2
6-12 YRS	5	4.0	7	<1	<1	4	5	8	8	8
13-19 YRS	8	1.9	1	<1	<1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.3		2	2	2	3	3	3	3
1-5 YRS	4	2.8	1	2	2	3	3	4	4	4
6-12 YRS	16	2.4	2	1	1	2	3	4	6	7
13-19 YRS	39	3.5	8	2	2	3	4	5	8	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	12	1.6	3	<1	<1	1	1	3	6	7
6-12 YRS	4	2.5	2	1	1	2	3	4	4	4
13-19 YRS	9	4.2	15	1	1	2	6	11	13	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	15	3.7	7	<1	1	2	6	8	9	9
13-19 YRS	31	3.8	5	1	1	4	4	7	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.2	3	<1	<1	1	3	4	6	8
B. *Operated*	62	3.1	6	1	2	3	3	5	7	17
2. MULTIPLE DX										
A. *Not Operated*	26	2.7	8	<1	<1	2	3	7	8	13
B. *Operated*	49	4.1	12	1	1	3	5	8	10	21
1. SINGLE DX	82	2.9	5	<1	1	2	3	5	7	15
2. MULTIPLE DX	75	3.6	11	<1	1	3	4	7	10	19
A. NOT OPERATED	46	2.5	6	<1	<1	2	3	6	7	13
B. OPERATED	111	3.6	9	1	2	3	4	6	8	19
TOTAL 0-27 DYS										
1-11 MOS	6	5.3	59	<1	<1	2	3	19	21	21
1-5 YRS	24	1.8	3	<1	<1	1	2	4	6	7
6-12 YRS	40	3.1	5	<1	1	2	4	7	8	9
13-19 YRS	87	3.5	7	1	1	3	4	6	9	16
GRAND TOTAL	**157**	**3.2**	**8**	**<1**	**1**	**2**	**4**	**6**	**8**	**18**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility.

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS										
1-5 YRS	4	2.5	6	1	1	2	4	6	6	6
6-12 YRS	5	3.0	4	<1	<1	3	5	5	5	5
13-19 YRS	3	5.3	10	3	3	4	8	9	9	9
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	8	2.3	1	1	1	2	3	3	3	3
1-5 YRS	75	2.2	1	1	1	2	3	4	5	6
6-12 YRS	191	2.7	2	1	1	2	3	4	5	12
13-19 YRS	236	3.0	6	1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.3		<1	<1	1	2	2	2	2
6-12 YRS	5	2.6	3	<1	<1	2	4	5	5	5
13-19 YRS	7	2.7	8	<1	<1	2	3	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	8	4.3	5	2	2	4	6	7	8	8
1-5 YRS	35	4.2	25	1	2	2	5	7	12	29
6-12 YRS	93	3.2	4	1	2	3	4	5	7	13
13-19 YRS	124	3.5	6	1	2	3	4	6	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.2	6	<1	<1	3	5	7	9	9
B. *Operated*	511	2.7	4	1	1	2	3	4	5	12
2. MULTIPLE DX										
A. *Not Operated*	16	2.3	5	<1	<1	2	3	5	8	9
B. *Operated*	260	3.5	8	1	2	3	4	6	8	14
1. SINGLE DX	524	2.8	4	1	1	2	3	4	6	12
2. MULTIPLE DX	276	3.4	8	1	2	3	4	6	8	14
A. NOT OPERATED	29	2.7	5	<1	<1	2	4	6	9	9
B. OPERATED	771	3.0	5	1	1	2	3	5	7	13
TOTAL 0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	16	3.3	4	1	2	3	4	6	7	8
1-5 YRS	118	2.8	9	1	1	2	3	5	6	18
6-12 YRS	294	2.9	3	1	1	2	3	5	6	12
13-19 YRS	370	3.2	6	1	2	3	3	5	7	13
GRAND TOTAL	**800**	**3.0**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	17	2.1	9	<1	<1	1	2	4	10	13
1-5 YRS	133	1.4	1	<1	<1	1	2	2	3	5
6-12 YRS	66	1.7	1	<1	<1	1	2	4	4	7
13-19 YRS	32	2.5	3	<1	1	2	3	5	7	9
B. *Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	514	1.6		<1	1	2	2	2	2	3
1-5 YRS	5567	1.8	5	<1	1	2	2	2	2	3
6-12 YRS	3430	1.9	6	1	1	2	2	2	2	7
13-19 YRS	1637	2.0	1	1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	42	2.1	9	<1	<1	1	1	6	9	16
1-5 YRS	213	1.5	3	<1	<1	1	1	2	4	8
6-12 YRS	78	1.9	6	<1	<1	1	2	3	6	15
13-19 YRS	36	3.6	10	<1	<1	3	5	8	10	16
B. *Operated*										
0-27 DYS										
1-11 MOS	65	1.8	2	1	1	2	2	2	3	12
1-5 YRS	1001	1.9	3	1	1	2	2	2	3	7
6-12 YRS	723	2.1	4	1	1	2	2	2	3	12
13-19 YRS	432	2.1	2	1	1	2	2	3	3	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	248	1.7	2	<1	<1	1	2	3	4	7
B. *Operated*	11150	1.8	4	<1	1	2	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	369	1.8	5	<1	<1	1	1	3	6	15
B. *Operated*	2221	2.0	3	1	1	2	2	2	3	8
1. SINGLE DX	11398	1.8	4	<1	1	2	2	2	2	4
2. MULTIPLE DX	2590	2.0	4	<1	1	2	2	2	3	9
A. NOT OPERATED	617	1.8	4	<1	<1	1	2	3	5	11
B. OPERATED	13371	1.9	4	<1	1	2	2	2	2	4
TOTAL 0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	638	1.7	1	<1	<1	2	2	2	2	7
1-5 YRS	6914	1.8	4	<1	1	2	2	2	2	4
6-12 YRS	4297	1.9	5	1	1	2	2	2	3	7
13-19 YRS	2137	2.0	2	1	1	2	2	2	3	7
GRAND TOTAL	**13988**	**1.9**	**4**	**<1**	**1**	**2**	**2**	**2**	**3**	**6**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	106	4.5	7	1	2	4	6	8	9	15
1-11 MOS	383	1.4	1	<1	<1	1	1	2	4	7
1-5 YRS	415	1.8	4	<1	<1	1	2	3	5	14
6-12 YRS	105	3.3	7	<1	1	2	4	7	9	12
13-19 YRS	75	3.6	7	<1	1	3	5	7	9	13
B. *Operated*										
0-27 DYS	5	3.6	6	<1	<1	4	6	6	6	6
1-11 MOS	43	1.9	4	<1	<1	1	2	3	6	11
1-5 YRS	510	1.9	19	<1	<1	1	2	3	3	11
6-12 YRS	494	1.7	1	<1	<1	1	2	3	3	8
13-19 YRS	463	2.4	4	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	74	4.4	10	1	2	4	5	7	9	19
1-11 MOS	209	3.6	8	<1	1	3	5	7	9	14
1-5 YRS	285	3.4	13	<1	1	2	4	6	8	19
6-12 YRS	79	3.8	16	<1	<1	3	5	7	11	79
13-19 YRS	72	4.0	7	1	1	3	5	8	10	13
B. *Operated*										
0-27 DYS	3	6.3	12	3	3	6	9	10	10	10
1-11 MOS	25	3.4	33	<1	<1	2	2	6	20	25
1-5 YRS	106	3.1	41	<1	1	2	3	5	11	78
6-12 YRS	144	3.0	6	<1	1	2	3	5	9	14
13-19 YRS	210	3.6	9	1	1	3	4	8	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1084	2.2	5	<1	<1	1	3	5	7	12
B. *Operated*	1515	2.0	8	<1	<1	2	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	719	3.6	11	<1	1	3	5	7	9	16
B. *Operated*	488	3.3	16	1	1	2	3	7	9	19
1. SINGLE DX	2599	2.1	7	<1	<1	1	2	4	5	11
2. MULTIPLE DX	1207	3.5	13	<1	1	3	4	7	9	18
A. NOT OPERATED	1803	2.8	8	<1	<1	2	4	6	8	14
B. OPERATED	2003	2.3	10	<1	<1	2	2	4	6	12
TOTAL 0-27 DYS	188	4.5	8	1	2	4	6	8	9	15
1-11 MOS	660	2.2	6	<1	<1	1	3	5	7	11
1-5 YRS	1316	2.3	15	<1	<1	1	2	4	6	15
6-12 YRS	822	2.3	5	<1	<1	2	3	5	7	12
13-19 YRS	820	3.0	6	<1	1	2	4	6	8	12
GRAND TOTAL	**3806**	**2.5**	**9**	**<1**	**<1**	**2**	**3**	**5**	**7**	**14**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	18	5.9	21	2	2	5	7	12	17	20
1-11 MOS	197	3.8	6	1	1	3	5	6	8	14
1-5 YRS	447	3.8	5	1	1	3	5	7	8	11
6-12 YRS	290	4.3	10	1	1	4	5	7	9	17
13-19 YRS	263	4.1	6	1	1	4	5	7	9	13
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	25	2.6	4	<1	<1	2	3	6	7	9
1-5 YRS	67	3.0	5	1	1	2	4	6	8	10
6-12 YRS	118	3.8	13	<1	1	2	5	8	11	18
13-19 YRS	158	3.6	8	1	2	3	4	6	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	4.4	10	2	2	4	5	9	13	13
1-11 MOS	158	4.5	7	1	2	4	6	8	9	14
1-5 YRS	379	4.8	19	1	2	4	6	8	10	18
6-12 YRS	226	5.3	16	1	2	5	7	10	12	21
13-19 YRS	201	4.9	13	1	2	4	6	10	12	22
B. *Operated*										
0-27 DYS										
1-11 MOS	22	5.5	38	1	1	4	6	10	19	30
1-5 YRS	66	5.1	16	2	2	3	6	11	15	18
6-12 YRS	114	4.5	16	1	1	3	5	10	14	20
13-19 YRS	176	5.8	42	2	2	4	6	11	16	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1215	4.0	7	1	1	3	5	7	9	14
B. *Operated*	369	3.5	9	1	1	2	4	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	974	4.9	15	1	2	4	6	8	11	19
B. *Operated*	378	5.2	30	1	2	4	6	11	15	34
1. SINGLE DX	1584	3.9	7	1	1	3	5	7	9	14
2. MULTIPLE DX	1352	5.0	19	1	2	4	6	9	12	22
A. NOT OPERATED	2189	4.4	11	1	1	4	5	8	10	16
B. OPERATED	747	4.4	20	1	1	3	5	9	13	22
TOTAL 0-27 DYS	29	5.3	16	2	2	4	6	11	14	20
1-11 MOS	402	4.1	8	1	1	4	5	7	9	14
1-5 YRS	959	4.2	12	1	1	4	5	7	10	16
6-12 YRS	748	4.5	13	1	1	4	6	8	11	18
13-19 YRS	798	4.6	17	1	2	3	5	9	12	23
GRAND TOTAL	**2936**	**4.4**	**13**	**1**	**1**	**4**	**5**	**8**	**10**	**18**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	12	1.6	1	<1	<1	1	2	3	5	5
1-5 YRS	21	1.9	2	<1	<1	1	3	4	5	5
6-12 YRS	26	2.2	1	<1	1	2	3	4	4	4
13-19 YRS	43	3.3	10	1	1	2	4	6	9	18
B. *Operated*										
0-27 DYS										
1-11 MOS	4	1.8		1	1	2	2	2	2	2
1-5 YRS	23	1.5		<1	<1	1	2	2	3	3
6-12 YRS	35	1.9	1	<1	1	2	2	3	3	4
13-19 YRS	33	2.6	3	1	1	2	3	4	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	10	3.5	10	<1	<1	2	4	9	11	11
1-5 YRS	27	3.0	20	<1	<1	2	3	6	11	23
6-12 YRS	39	4.2	33	1	1	3	4	8	16	33
13-19 YRS	48	3.9	13	<1	1	3	5	8	10	21
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	14	2.4	1	1	1	2	3	4	5	5
6-12 YRS	36	2.5	1	1	1	2	3	4	5	5
13-19 YRS	50	3.8	14	1	2	3	4	8	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	2.5	5	<1	1	2	3	5	6	14
B. *Operated*	95	2.1	1	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	125	3.8	20	<1	1	3	4	7	11	25
B. *Operated*	102	3.1	8	1	1	2	3	5	8	18
1. SINGLE DX	197	2.3	3	<1	1	2	3	4	5	10
2. MULTIPLE DX	227	3.5	15	1	1	2	4	6	9	22
A. NOT OPERATED	227	3.2	14	<1	1	2	4	6	9	21
B. OPERATED	197	2.6	5	1	1	2	3	4	6	13
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	28	2.3	5	<1	<1	2	2	5	7	11
1-5 YRS	85	2.2	7	<1	<1	2	2	4	5	18
6-12 YRS	136	2.8	11	1	1	2	3	4	5	21
13-19 YRS	174	3.5	10	1	1	2	4	6	9	20
GRAND TOTAL	**424**	**2.9**	**10**	**<1**	**1**	**2**	**3**	**5**	**8**	**20**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	148	3.9	15	1	1	3	4	6	9	31
1-11 MOS	1504	3.0	4	1	1	3	4	5	6	10
1-5 YRS	1381	2.7	4	<1	<1	2	3	5	6	11
6-12 YRS	343	2.4	4	<1	<1	2	3	5	6	9
13-19 YRS	88	3.6	14	<1	<1	3	4	7	10	23
B. *Operated*										
0-27 DYS	26	2.8	11	<1	<1	1	4	5	11	15
1-11 MOS	1660	1.3	1	<1	<1	1	1	1	3	7
1-5 YRS	11496	1.2	3	<1	<1	1	1	2	2	4
6-12 YRS	7214	1.3	2	<1	<1	1	1	2	2	4
13-19 YRS	1475	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	175	4.6	6	1	2	4	6	8	9	12
1-11 MOS	3930	4.1	11	1	2	3	5	7	9	14
1-5 YRS	4800	3.5	9	1	1	3	4	6	8	12
6-12 YRS	816	3.2	6	<1	1	3	4	6	8	14
13-19 YRS	262	3.8	5	1	1	4	5	7	8	12
B. *Operated*										
0-27 DYS	19	4.7	18	<1	<1	4	7	8	14	18
1-11 MOS	508	3.2	27	<1	<1	1	4	7	10	17
1-5 YRS	9184	1.6	2	<1	<1	1	2	2	2	7
6-12 YRS	5950	1.7	2	<1	<1	2	2	2	3	6
13-19 YRS	1436	2.5	8	1	1	2	3	4	5	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3464	2.9	5	<1	1	2	4	5	6	11
B. *Operated*	21871	1.3	2	<1	<1	1	1	2	2	5
2. MULTIPLE DX										
A. *Not Operated*	9983	3.7	9	1	1	3	5	7	8	13
B. *Operated*	17097	1.8	4	<1	<1	2	2	2	3	8
1. SINGLE DX	25335	1.5	3	<1	<1	1	2	2	4	7
2. MULTIPLE DX	27080	2.5	7	<1	<1	2	3	5	6	11
A. NOT OPERATED	13447	3.5	8	1	1	3	4	6	8	13
B. OPERATED	38968	1.5	3	<1	<1	1	2	2	3	7
TOTAL 0-27 DYS	368	4.2	11	1	1	3	5	7	9	15
1-11 MOS	7602	3.2	10	<1	<1	3	4	6	8	13
1-5 YRS	26861	1.8	4	<1	<1	1	2	3	5	9
6-12 YRS	14323	1.6	3	<1	<1	1	2	2	3	7
13-19 YRS	3261	2.4	6	<1	1	2	3	4	5	10
GRAND TOTAL	**52415**	**2.0**	**5**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	3.9	13	1	1	3	4	10	13	13
1-11 MOS	117	3.5	7	1	1	3	4	6	9	15
1-5 YRS	193	3.5	9	<1	1	3	4	7	9	14
6-12 YRS	131	3.5	7	<1	1	3	4	7	8	13
13-19 YRS	122	4.3	15	1	2	4	5	7	9	52
B. *Operated*										
0-27 DYS	5	1.4		<1	<1	1	2	2	2	2
1-11 MOS	201	1.6	3	<1	<1	1	1	3	5	11
1-5 YRS	1635	1.3	7	<1	<1	1	1	2	2	7
6-12 YRS	1229	1.6	9	<1	<1	1	2	2	3	8
13-19 YRS	271	2.3	5	<1	<1	2	3	4	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	18	3.5	5	1	1	3	5	9	59	99+
1-11 MOS	293	4.3	11	1	1	4	5	8	10	15
1-5 YRS	428	3.7	10	<1	1	3	5	7	9	15
6-12 YRS	231	3.8	8	<1	1	3	5	7	10	14
13-19 YRS	153	5.2	29	1	1	4	6	8	13	48
B. *Operated*										
0-27 DYS	4	4.0	13	<1	<1	3	6	9	9	9
1-11 MOS	79	4.0	10	<1	<1	3	6	8	11	14
1-5 YRS	1360	2.0	11	<1	1	2	2	2	4	12
6-12 YRS	1110	2.1	7	<1	1	2	2	3	4	12
13-19 YRS	342	3.4	13	1	1	3	4	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	572	3.7	10	<1	1	3	4	7	9	18
B. *Operated*	3341	1.5	7	<1	<1	1	1	2	3	8
2. MULTIPLE DX										
A. *Not Operated*	1123	4.1	13	<1	1	3	5	7	10	17
B. *Operated*	2895	2.3	10	<1	1	2	2	4	6	12
1. SINGLE DX	3913	1.8	8	<1	<1	1	2	3	5	10
2. MULTIPLE DX	4018	2.8	11	<1	1	2	3	5	7	13
A. NOT OPERATED	1695	3.9	12	<1	1	3	5	7	10	18
B. OPERATED	6236	1.9	9	<1	<1	1	2	3	4	11
TOTAL 0-27 DYS	36	3.4	7	<1	1	3	4	9	12	99+
1-11 MOS	690	3.3	9	<1	1	3	4	7	9	13
1-5 YRS	3616	2.0	10	<1	<1	1	2	3	5	11
6-12 YRS	2701	2.1	8	<1	<1	1	2	4	6	11
13-19 YRS	888	3.5	15	<1	1	3	4	7	8	22
GRAND TOTAL	**7931**	**2.3**	**10**	**<1**	**<1**	**1**	**2**	**5**	**7**	**12**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	5.3	12	2	2	5	8	9	9	9
1-5 YRS	12	3.8	9	1	1	3	5	8	11	12
6-12 YRS	39	3.6	4	1	2	3	4	6	8	11
13-19 YRS	153	4.0	6	1	2	4	5	7	8	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.7		2	2	3	3	3	3	3
6-12 YRS	6	3.0	3	1	1	3	5	5	5	5
13-19 YRS	31	3.9	5	2	2	3	5	7	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	4.8	9	1	1	5	7	8	8	8
1-11 MOS	5	7.8	93	3	3	3	10	25	25	25
1-5 YRS	5	2.8	1	1	1	3	3	4	4	4
6-12 YRS	24	3.4	4	1	1	3	4	6	8	9
13-19 YRS	124	5.2	10	1	2	4	7	10	11	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.0	7	1	1	2	5	6	6	6
13-19 YRS	15	4.0	7	1	1	3	6	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	4.0	6	1	2	3	5	7	8	14
B. *Operated*	40	3.7	4	1	2	3	4	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	162	4.9	11	1	2	4	6	9	11	15
B. *Operated*	18	3.8	7	1	1	3	6	8	9	9
1. SINGLE DX	248	3.9	6	1	2	3	5	7	8	13
2. MULTIPLE DX	180	4.8	11	1	2	4	6	9	11	15
A. NOT OPERATED	370	4.4	9	1	2	4	5	8	10	15
B. OPERATED	58	3.7	5	1	2	3	5	7	8	11
TOTAL 0-27 DYS	5	4.2	8	1	1	4	6	8	8	8
1-11 MOS	8	6.9	58	2	2	4	7	20	25	25
1-5 YRS	20	3.4	6	1	1	3	4	5	9	12
6-12 YRS	72	3.4	4	1	1	3	5	6	8	11
13-19 YRS	323	4.5	8	1	2	4	6	8	10	14
GRAND TOTAL	**428**	**4.3**	**8**	**1**	**2**	**4**	**5**	**8**	**10**	**14**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS	8	2.6	5	1	1	2	2	6	8	8
6-12 YRS	28	4.8	131	1	1	3	3	4	11	63
13-19 YRS	105	2.5	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	11.3	152	<1	<1	8	21	25	25	25
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	2.8	2	1	1	3	4	5	5	5
6-12 YRS	11	2.5		2	2	2	3	3	3	3
13-19 YRS	23	3.0	2	1	2	3	4	4	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	145	2.9	26	1	1	2	3	3	4	11
2. MULTIPLE DX										
A. *Not Operated*	6	6.5	89	<1	<1	2	8	23	25	25
B. *Operated*	39	2.8	2	1	2	3	3	4	5	8
1. SINGLE DX	146	2.9	26	1	1	2	3	3	4	10
2. MULTIPLE DX	45	3.3	13	<1	2	3	3	5	8	25
A. NOT OPERATED	7	5.9	77	<1	<1	2	7	22	25	25
B. OPERATED	184	2.9	21	1	2	3	3	4	4	8
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	7.0	84	<1	<1	3	8	23	25	25
1-5 YRS	14	2.6	3	1	1	2	3	5	7	8
6-12 YRS	40	4.1	92	1	2	3	3	3	5	63
13-19 YRS	130	2.6	1	1	1	3	3	4	4	6
GRAND TOTAL	**191**	**3.0**	**23**	**1**	**1**	**2**	**3**	**4**	**5**	**18**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	3.5	4	1	1	3	5	6	6	6
1-5 YRS	45	1.8	2	<1	<1	1	2	4	5	7
6-12 YRS	52	2.1	3	<1	<1	2	2	4	5	12
13-19 YRS	64	2.5	4	<1	<1	2	3	5	7	10
B. *Operated*										
0-27 DYS	7	3.1	2	2	2	3	4	5	5	5
1-11 MOS	16	1.9	2	<1	<1	2	2	5	5	5
1-5 YRS	432	1.7	1	<1	<1	2	2	3	3	5
6-12 YRS	1560	2.0	2	<1	1	2	2	3	3	5
13-19 YRS	1378	2.3	3	1	1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	22	5.5	21	1	2	4	6	13	17	18
1-5 YRS	62	3.0	6	<1	<1	2	4	8	8	12
6-12 YRS	53	4.2	49	1	1	2	4	6	21	42
13-19 YRS	48	4.3	50	<1	<1	2	4	8	20	40
B. *Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	12	1.4		<1	<1	1	2	2	2	2
1-5 YRS	416	1.8	5	<1	<1	2	2	2	3	8
6-12 YRS	1125	2.1	3	<1	1	2	2	3	4	9
13-19 YRS	1018	2.6	6	1	1	2	3	4	5	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	2.2	3	<1	<1	1	3	5	6	10
B. *Operated*	3393	2.1	2	<1	1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	187	4.0	31	<1	<1	2	4	8	13	34
B. *Operated*	2573	2.3	5	1	1	2	2	3	4	9
1. SINGLE DX	3558	2.1	2	<1	1	2	2	3	4	7
2. MULTIPLE DX	2760	2.4	7	<1	1	2	3	3	4	12
A. NOT OPERATED	352	3.1	19	<1	<1	2	4	6	8	24
B. OPERATED	5966	2.2	3	<1	1	2	2	3	4	7
TOTAL 0-27 DYS	11	3.5	3	2	2	3	5	6	7	7
1-11 MOS	54	3.4	13	<1	<1	2	4	6	11	18
1-5 YRS	955	1.8	3	<1	<1	2	2	3	3	8
6-12 YRS	2790	2.1	3	<1	1	2	2	3	3	7
13-19 YRS	2508	2.4	5	1	1	2	3	3	4	10
GRAND TOTAL	**6318**	**2.2**	**4**	**<1**	**1**	**2**	**2**	**3**	**4**	**9**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	38	7.5	39	2	2	7	9	12	16	37
6-12 YRS	300	8.3	48	2	3	7	10	15	20	32
13-19 YRS	157	8.4	57	2	2	6	10	16	22	31
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	8.5	113	1	1	8	16	16	16	16
13-19 YRS	3	10.7	100	3	3	7	18	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	29	7.7	23	2	2	7	10	14	18	22
6-12 YRS	141	8.6	49	2	3	6	12	18	23	33
13-19 YRS	100	9.8	78	2	3	8	12	20	25	53
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	12.8	271	1	1	6	21	41	45	45
13-19 YRS	9	8.4	28	1	2	8	13	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	496	8.3	50	2	3	7	10	15	20	32
B. *Operated*	6	8.3	77	1	1	5	16	21	22	22
2. MULTIPLE DX										
A. *Not Operated*	272	8.9	57	2	3	7	11	18	24	36
B. *Operated*	17	10.5	138	1	1	8	13	28	40	45
1. SINGLE DX	502	8.3	50	2	3	7	10	15	20	32
2. MULTIPLE DX	289	9.0	61	2	2	7	11	18	24	42
A. NOT OPERATED	768	8.5	53	2	3	7	10	16	22	33
B. OPERATED	23	9.9	118	1	1	7	14	24	36	45
TOTAL 0-27 DYS										
1-11 MOS	3	3.0	1	2	2	3	4	4	4	4
1-5 YRS	68	7.5	32	2	2	7	10	12	17	34
6-12 YRS	451	8.5	52	2	3	7	10	16	22	33
13-19 YRS	269	9.0	64	2	3	7	11	18	24	47
GRAND TOTAL	**791**	**8.5**	**54**	**2**	**3**	**7**	**10**	**16**	**22**	**35**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	6.3	24	1	1	4	11	13	14	14
13-19 YRS	20	4.6	13	1	1	4	5	8	13	17
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	6	1.7		<1	<1	2	2	2	2	2
6-12 YRS	8	1.6	1	1	1	2	2	3	3	3
13-19 YRS	24	7.8	46	1	2	3	13	16	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	8.0	32	4	4	8	12	12	12	12
1-11 MOS	2	5.5	1	5	5	5	6	6	6	6
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	16	8.4	94	2	2	5	11	16	33	40
13-19 YRS	59	7.0	100	1	2	4	8	11	14	67
B. *Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	6	9.7	51	2	2	9	15	19	20	20
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	18	6.5	41	1	2	3	11	16	20	22
13-19 YRS	47	7.9	39	2	2	7	13	17	23	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	5.1	17	1	1	4	6	11	14	17
B. *Operated*	39	5.5	37	<1	1	2	10	14	16	26
2. MULTIPLE DX										
A. *Not Operated*	80	7.2	92	1	2	5	8	12	16	61
B. *Operated*	75	7.4	40	2	2	4	12	16	21	81
1. SINGLE DX	68	5.3	28	1	1	3	8	14	16	24
2. MULTIPLE DX	155	7.3	66	2	2	5	10	15	20	68
A. NOT OPERATED	109	6.6	73	1	2	4	8	12	16	52
B. OPERATED	114	6.7	39	1	2	3	12	15	20	53
TOTAL 0-27 DYS	5	4.8	17	2	2	4	6	12	12	12
1-11 MOS	8	8.6	40	2	2	7	12	18	20	20
1-5 YRS	9	1.7		<1	<1	2	2	2	2	2
6-12 YRS	51	6.3	51	1	1	3	10	15	16	40
13-19 YRS	150	7.1	61	1	2	4	10	14	18	70
GRAND TOTAL	**223**	**6.7**	**55**	**1**	**2**	**4**	**10**	**14**	**17**	**48**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	7.0	10	3	3	7	9	10	10	10
1-11 MOS	5	4.4	18	1	1	2	9	9	9	9
1-5 YRS	12	4.9	34	1	1	3	6	11	20	22
6-12 YRS	48	4.9	16	1	2	4	6	8	10	26
13-19 YRS	254	3.7	5	1	1	3	5	7	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.5	1	9	9	9	10	10	10	10
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	6	5.3	17	2	2	3	10	11	11	11
13-19 YRS	65	4.3	10	1	1	3	5	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	17.5	694	3	3	13	14	50	91	95
1-11 MOS	19	5.7	12	1	2	6	6	8	14	18
1-5 YRS	15	7.1	31	1	2	5	11	17	18	18
6-12 YRS	52	5.3	8	2	2	5	7	9	12	13
13-19 YRS	302	5.2	13	2	2	4	7	10	13	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	17.5	365	4	4	17	31	31	31	31
6-12 YRS	14	6.4	21	2	2	5	9	12	17	18
13-19 YRS	61	8.0	35	2	2	7	10	16	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	4.0	8	1	1	3	5	7	9	12
B. *Operated*	74	4.5	11	1	2	3	6	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	399	5.6	34	2	2	4	7	11	14	21
B. *Operated*	77	8.0	39	2	2	7	10	16	20	32
1. SINGLE DX	397	4.1	9	1	1	3	5	8	9	13
2. MULTIPLE DX	476	6.0	36	2	2	5	7	12	15	23
A. NOT OPERATED	722	4.9	23	1	2	4	6	9	12	20
B. OPERATED	151	6.3	28	1	2	5	8	12	16	31
TOTAL 0-27 DYS	15	14.7	521	3	3	9	14	20	76	95
1-11 MOS	26	5.7	13	1	1	6	8	9	12	18
1-5 YRS	30	6.8	50	1	1	4	7	17	22	31
6-12 YRS	120	5.3	13	1	2	4	7	10	11	20
13-19 YRS	682	4.8	13	1	2	4	6	9	12	20
GRAND TOTAL	**873**	**5.1**	**24**	**1**	**2**	**4**	**6**	**10**	**13**	**21**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	8.5	5	7	7	8	10	10	10	10
6-12 YRS										
13-19 YRS	9	4.2	7	2	2	4	5	8	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	9.7	14	4	4	10	13	14	14	14
1-11 MOS	10	11.2	109	1	2	6	19	28	32	32
1-5 YRS	5	10.6	4	8	8	11	12	13	13	13
6-12 YRS	8	6.5	16	3	3	5	9	13	14	14
13-19 YRS	13	6.2	16	1	1	7	9	11	13	14
B. *Operated*										
0-27 DYS										
1-11 MOS	2	17.5	365	4	4	17	31	31	31	31
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	5	9.0	102	1	1	2	19	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	5.0	9	2	2	4	7	10	10	10
B. *Operated*	3	4.0	1	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	42	8.5	38	1	2	8	11	14	21	32
B. *Operated*	9	10.3	119	1	1	4	19	27	31	31
1. SINGLE DX	14	4.8	7	2	2	4	6	10	10	10
2. MULTIPLE DX	51	8.8	51	1	2	8	12	19	24	32
A. NOT OPERATED	53	7.8	34	1	2	7	10	14	15	32
B. OPERATED	12	8.8	95	1	1	4	15	24	30	31
TOTAL 0-27 DYS	6	9.7	14	4	4	10	13	14	14	14
1-11 MOS	12	12.3	128	1	2	6	21	31	32	32
1-5 YRS	9	8.6	12	2	3	9	11	13	13	13
6-12 YRS	10	6.6	16	3	3	5	10	12	14	14
13-19 YRS	28	6.0	27	1	1	4	8	13	19	21
GRAND TOTAL	**65**	**7.9**	**44**	**1**	**2**	**7**	**10**	**14**	**22**	**32**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	3.8	4	2	2	3	5	7	7	7
6-12 YRS	6	5.7	12	1	1	5	7	11	11	11
13-19 YRS	8	4.0	17	1	1	2	7	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	7	8.9	110	1	1	6	14	27	29	29
13-19 YRS	17	5.8	33	1	1	3	8	15	18	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	10.3	27	5	5	9	13	19	20	20
1-5 YRS	4	4.3	2	3	3	4	5	6	6	6
6-12 YRS	19	5.5	22	1	1	4	9	13	15	16
13-19 YRS	31	6.1	38	2	2	4	7	10	16	34
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	3	23.7	422	4	4	22	39	45	45	45
6-12 YRS	16	9.3	41	3	3	7	17	77	99+	99+
13-19 YRS	51	8.1	86	1	1	6	10	16	22	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	4.5	11	1	1	3	7	10	11	11
B. *Operated*	25	6.8	52	1	1	4	10	17	22	29
2. MULTIPLE DX										
A. *Not Operated*	61	6.3	31	1	2	5	9	13	16	32
B. *Operated*	71	8.9	92	1	2	6	12	22	43	99+
1. SINGLE DX	44	5.8	35	1	1	4	7	13	18	29
2. MULTIPLE DX	132	7.7	65	1	2	6	9	17	24	99+
A. NOT OPERATED	80	5.8	26	1	1	4	8	11	15	30
B. OPERATED	96	8.4	82	1	1	6	12	19	31	99+
TOTAL 0-27 DYS										
1-11 MOS	8	9.5	28	4	4	9	12	18	20	20
1-5 YRS	13	8.9	145	2	3	4	7	27	42	45
6-12 YRS	48	7.3	40	1	1	6	12	17	29	99+
13-19 YRS	107	6.8	59	1	1	4	9	15	18	44
GRAND TOTAL	**176**	**7.2**	**58**	**1**	**1**	**5**	**9**	**16**	**22**	**88**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	12.1	28	5	6	12	13	20	23	23
1-11 MOS	5	15.4	26	7	7	16	19	20	20	20
1-5 YRS	5	8.4	20	1	1	9	11	13	13	13
6-12 YRS	6	12.8	83	4	4	11	14	28	30	30
13-19 YRS	18	9.4	24	2	2	10	12	14	19	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS										
13-19 YRS	4	4.8	10	2	2	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	11.0	8	7	7	11	13	14	15	15
1-11 MOS	30	14.5	55	3	5	14	19	25	30	31
1-5 YRS	12	13.5	70	1	1	13	19	24	29	30
6-12 YRS	17	13.7	20	5	6	15	17	19	20	20
13-19 YRS	29	11.8	31	1	5	12	16	19	22	22
B. *Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	2	21.0	8	19	19	21	23	23	23	23
1-5 YRS	4	15.0	132	2	2	14	22	30	30	30
6-12 YRS	2	27.5	13	25	25	27	30	30	30	30
13-19 YRS	5	17.2	110	3	3	15	25	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	11.0	35	2	4	10	14	19	22	30
B. *Operated*	5	6.8	28	2	2	5	10	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	98	13.1	39	2	5	13	17	20	22	31
B. *Operated*	14	18.4	85	2	3	17	25	30	31	31
1. SINGLE DX	47	10.6	35	2	3	10	14	18	22	30
2. MULTIPLE DX	112	13.7	47	2	5	14	17	22	30	31
A. NOT OPERATED	140	12.5	38	2	5	12	16	20	22	30
B. OPERATED	19	15.3	95	2	2	14	23	30	31	31
TOTAL 0-27 DYS	19	11.6	16	6	7	12	14	15	19	23
1-11 MOS	37	14.9	50	3	6	14	19	23	30	31
1-5 YRS	22	12.7	66	1	1	12	17	24	30	30
6-12 YRS	25	14.6	47	5	6	15	17	25	30	30
13-19 YRS	56	11.0	40	2	3	10	14	19	22	31
GRAND TOTAL	**159**	**12.8**	**46**	**2**	**4**	**12**	**17**	**21**	**27**	**31**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	6.5	25	3	3	6	10	10	10	10
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	9	4.1	7	1	1	3	6	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.0	7	2	2	6	7	7	7	7
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	5.9	26	<1	<1	5	8	15	17	17
1-11 MOS	17	5.6	13	1	2	5	8	11	13	14
1-5 YRS	12	6.7	22	2	2	6	7	13	18	19
6-12 YRS	8	5.5	6	2	3	5	7	9	9	9
13-19 YRS	28	5.7	18	1	2	5	8	10	14	21
B. *Operated*										
0-27 DYS	2	6.5	13	4	4	6	9	9	9	9
1-11 MOS	2	9.5	61	4	4	9	15	15	15	15
1-5 YRS										
6-12 YRS	4	3.0	2	2	2	3	4	5	5	5
13-19 YRS	5	5.6	3	3	3	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.4	7	1	2	3	5	9	10	10
B. *Operated*	4	4.5	6	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	77	5.8	17	1	2	5	8	11	14	20
B. *Operated*	13	5.5	12	2	2	5	7	10	14	15
1. SINGLE DX	18	4.4	6	1	2	3	6	8	10	10
2. MULTIPLE DX	90	5.8	16	1	2	5	8	10	14	20
A. NOT OPERATED	91	5.6	15	1	2	5	8	10	14	20
B. OPERATED	17	5.3	11	2	2	5	7	9	13	15
TOTAL 0-27 DYS	15	5.8	22	<1	<1	4	8	14	16	17
1-11 MOS	21	6.0	16	1	2	5	8	12	14	15
1-5 YRS	16	6.1	18	2	2	6	7	11	17	19
6-12 YRS	13	4.7	5	2	2	5	6	9	9	9
13-19 YRS	43	5.3	14	1	2	5	7	9	11	21
GRAND TOTAL	**108**	**5.6**	**15**	**1**	**2**	**5**	**7**	**10**	**14**	**20**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	9.3	4	7	7	10	11	11	11	11
1-11 MOS	3	7.0	16	3	3	7	10	11	11	11
1-5 YRS										
6-12 YRS	2	4.5	5	3	3	4	6	6	6	6
13-19 YRS	3	5.0	9	2	2	5	7	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	6.7	47	2	2	4	6	19	22	22
1-11 MOS	7	8.3	18	4	4	6	12	15	15	15
1-5 YRS	9	6.1	8	2	2	7	8	9	9	9
6-12 YRS	4	5.3	5	3	3	5	7	8	8	8
13-19 YRS	15	8.6	33	2	3	7	11	17	20	21
B. *Operated*										
0-27 DYS										
1-11 MOS	1	23.0		23	23	23	23	23	23	23
1-5 YRS										
6-12 YRS										
13-19 YRS	3	5.0	3	3	3	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	6.6	10	2	2	7	9	11	11	11
B. *Operated*	2	10.5	25	7	7	10	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	42	7.4	24	2	3	6	9	16	19	22
B. *Operated*	4	9.5	83	3	3	6	15	23	23	23
1. SINGLE DX	13	7.2	13	2	3	7	10	12	14	14
2. MULTIPLE DX	46	7.6	28	2	3	6	9	17	21	23
A. NOT OPERATED	53	7.2	21	2	3	6	9	13	17	22
B. OPERATED	6	9.8	55	3	3	7	14	22	23	23
TOTAL 0-27 DYS	10	7.5	34	2	3	5	10	16	22	22
1-11 MOS	12	9.1	32	3	4	7	12	17	22	23
1-5 YRS	9	6.1	8	2	2	7	8	9	9	9
6-12 YRS	7	6.3	15	3	3	6	8	13	14	14
13-19 YRS	21	7.6	27	2	3	6	9	17	19	21
GRAND TOTAL	**59**	**7.5**	**24**	**2**	**3**	**6**	**9**	**15**	**19**	**23**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	4.0	17	1	1	2	6	10	10	10
1-11 MOS	3	4.0	4	2	2	4	5	6	6	6
1-5 YRS	3	5.0	3	4	4	4	6	7	7	7
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-27 DYS	6	5.0	23	2	2	2	9	13	13	13
1-11 MOS	6	7.3	35	1	1	7	13	14	14	14
1-5 YRS	12	3.1	16	<1	<1	2	5	30	87	99+
6-12 YRS	26	1.9	2	<1	1	2	2	2	4	9
13-19 YRS	25	2.7	6	1	1	2	3	4	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	26	9.2	19	2	3	9	13	15	16	18
1-11 MOS	29	8.8	44	1	2	7	12	16	25	29
1-5 YRS	25	6.8	16	2	3	6	8	12	16	18
6-12 YRS	25	8.1	24	2	2	7	10	15	17	21
13-19 YRS	26	8.7	33	1	2	8	13	17	19	22
B. *Operated*										
0-27 DYS	7	11.6	155	2	2	7	14	33	38	38
1-11 MOS	6	10.2	189	1	1	3	18	33	35	35
1-5 YRS	17	9.4	95	1	1	6	17	27	29	30
6-12 YRS	18	4.9	33	<1	1	2	7	11	20	24
13-19 YRS	11	14.0	86	2	2	11	22	27	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.2	6	1	2	4	6	7	9	10
B. *Operated*	75	3.1	11	1	1	2	2	11	13	78
2. MULTIPLE DX										
A. *Not Operated*	131	8.3	27	2	3	7	11	15	18	26
B. *Operated*	59	9.2	94	1	1	6	14	25	30	38
1. SINGLE DX	89	3.2	11	1	1	2	3	10	12	66
2. MULTIPLE DX	190	8.6	48	1	2	7	11	17	23	33
A. NOT OPERATED	145	7.9	27	2	2	7	11	15	17	25
B. OPERATED	134	5.8	57	1	1	2	8	17	25	47
TOTAL 0-27 DYS	43	8.5	43	2	2	7	12	15	16	38
1-11 MOS	44	8.5	57	1	2	6	12	16	26	35
1-5 YRS	57	6.7	42	1	1	5	9	17	25	94
6-12 YRS	71	4.9	24	1	1	2	7	11	15	23
13-19 YRS	64	7.1	46	1	1	4	11	17	22	29
GRAND TOTAL	**279**	**6.9**	**42**	**1**	**1**	**5**	**10**	**15**	**20**	**34**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	2	8.0	50	3	3	8	13	13	13	13
1-5 YRS	2	14.0	72	8	8	14	20	20	20	20
6-12 YRS										
13-19 YRS	50	9.0	18	1	4	9	12	14	17	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	19.0		19	19	19	19	19	19	19
13-19 YRS	11	11.4	10	7	8	11	12	16	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	15.0	33	8	8	15	19	22	22	22
1-11 MOS	9	13.1	80	1	2	12	21	26	28	28
1-5 YRS										
6-12 YRS	4	37.3	822	14	14	28	57	78	78	78
13-19 YRS	73	9.5	19	4	5	9	11	16	19	21
B. *Operated*										
0-27 DYS	3	22.7	90	13	13	23	30	32	32	32
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS										
6-12 YRS										
13-19 YRS	19	16.1	47	8	9	16	19	24	30	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	9.2	20	2	4	9	12	14	18	20
B. *Operated*	12	12.0	14	7	8	11	14	18	19	19
2. MULTIPLE DX										
A. *Not Operated*	90	11.3	86	4	4	9	13	19	22	61
B. *Operated*	23	16.9	52	8	9	16	21	26	33	35
1. SINGLE DX	67	9.7	20	3	4	9	12	15	19	20
2. MULTIPLE DX	113	12.5	83	4	5	10	16	22	25	51
A. NOT OPERATED	145	10.5	61	3	4	9	13	18	21	38
B. OPERATED	35	15.2	43	8	9	13	18	23	30	35
TOTAL 0-27 DYS	8	17.8	57	8	9	15	22	29	32	32
1-11 MOS	12	12.5	68	1	2	12	18	24	27	28
1-5 YRS	2	14.0	72	8	8	14	20	20	20	20
6-12 YRS	5	33.6	683	14	14	21	46	78	78	78
13-19 YRS	153	10.3	26	4	5	9	12	17	19	25
GRAND TOTAL	**180**	**11.4**	**61**	**3**	**4**	**10**	**14**	**19**	**22**	**36**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	6.0	27	2	2	4	7	15	15	15
6-12 YRS	5	23.8	182	2	2	28	32	37	37	37
13-19 YRS	12	21.9	170	1	2	23	29	40	41	41
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	16.0		16	16	16	16	16	16	16
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	35.0	1094	7	7	20	60	85	85	85
1-5 YRS	7	15.3	112	3	4	13	25	29	30	30
6-12 YRS	12	21.8	155	2	2	23	30	36	41	42
13-19 YRS	22	29.2	129	7	13	29	39	44	45	46
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	10	40.7	192	18	23	39	50	59	68	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	18.7	179	1	2	21	29	38	40	41
B. *Operated*	2	12.0	32	8	8	12	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	46	25.8	247	3	6	26	34	44	47	85
B. *Operated*	11	37.7	270	8	14	39	48	58	67	68
1. SINGLE DX	24	18.2	169	2	2	21	28	37	40	41
2. MULTIPLE DX	57	28.1	269	4	7	28	39	46	52	84
A. NOT OPERATED	68	23.5	233	2	3	24	30	42	45	79
B. OPERATED	13	33.8	321	8	8	38	45	54	65	68
TOTAL 0-27 DYS										
1-11 MOS	5	35.0	1094	7	7	20	60	85	85	85
1-5 YRS	13	11.2	87	2	3	8	16	28	30	30
6-12 YRS	19	21.3	148	2	2	21	30	36	40	42
13-19 YRS	44	29.8	192	4	9	29	40	45	50	68
GRAND TOTAL	**81**	**25.1**	**258**	**2**	**4**	**25**	**35**	**44**	**50**	**80**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	13	2.8	2	1	1	3	4	5	6	6
1-11 MOS	17	2.6	2	1	1	2	3	5	5	5
1-5 YRS	24	2.4	4	<1	<1	2	3	4	6	10
6-12 YRS	47	2.6	4	<1	1	2	3	5	6	11
13-19 YRS	69	2.5	5	<1	<1	2	3	5	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	11.4	212	3	3	6	11	35	49	49
1-11 MOS	27	3.7	7	1	1	3	4	8	9	11
1-5 YRS	25	4.5	18	1	1	3	6	7	13	21
6-12 YRS	17	3.0	3	1	1	3	4	6	6	6
13-19 YRS	59	3.5	8	<1	1	3	5	6	10	15
B. *Operated*										
0-27 DYS	2	6.5	13	4	4	6	9	9	9	9
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	4.5	13	2	2	4	7	7	7	7
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	4	5.3	21	2	2	3	8	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	2.5	4	<1	1	2	3	5	6	11
B. *Operated*	5	3.6	4	2	2	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	137	4.2	24	1	1	3	5	7	11	25
B. *Operated*	10	5.2	11	2	2	4	7	10	12	12
1. SINGLE DX	175	2.6	4	<1	1	2	3	5	7	11
2. MULTIPLE DX	147	4.3	24	1	1	3	5	8	11	22
A. NOT OPERATED	307	3.3	14	<1	1	2	4	6	8	15
B. OPERATED	15	4.7	9	2	2	4	7	9	11	12
TOTAL 0-27 DYS	24	6.4	93	1	2	4	6	10	25	49
1-11 MOS	46	3.3	5	1	1	3	4	6	8	11
1-5 YRS	51	3.5	12	<1	1	2	5	7	10	21
6-12 YRS	67	2.7	3	1	1	2	4	5	6	10
13-19 YRS	134	3.1	7	<1	1	2	4	6	9	12
GRAND TOTAL	**322**	**3.3**	**13**	**<1**	**1**	**2**	**4**	**6**	**9**	**15**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	32	<1	<1	4	9	9	9	9
1-11 MOS	3	4.0	13	1	1	3	7	8	8	8
1-5 YRS	2	7.0	72	1	1	7	13	13	13	13
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	40	3.2	5	<1	1	3	4	7	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	7.6	3	5	5	8	9	10	10	10
1-11 MOS	13	6.9	35	1	2	5	10	18	20	20
1-5 YRS	5	5.6	5	2	2	6	7	8	8	8
6-12 YRS	7	6.4	23	1	1	6	8	14	16	16
13-19 YRS	51	4.0	9	1	1	3	5	8	11	14
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS										
6-12 YRS	2	13.5	85	7	7	13	20	20	20	20
13-19 YRS	2	3.5	5	2	2	3	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	3.4	8	<1	1	3	4	8	9	13
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	83	5.0	15	1	1	4	7	10	13	19
B. *Operated*	5	8.4	47	2	2	7	11	20	20	20
1. SINGLE DX	49	3.4	8	<1	1	3	4	8	9	13
2. MULTIPLE DX	88	5.2	17	1	1	4	7	10	14	20
A. NOT OPERATED	132	4.4	13	1	1	3	6	9	11	18
B. OPERATED	5	8.4	47	2	2	7	11	20	20	20
TOTAL 0-27 DYS	10	7.1	7	<1	2	8	9	10	10	10
1-11 MOS	16	6.4	31	1	1	5	9	16	19	20
1-5 YRS	7	6.0	16	1	1	6	8	12	13	13
6-12 YRS	11	7.1	34	1	2	6	8	18	20	20
13-19 YRS	93	3.6	7	<1	1	3	4	7	10	13
GRAND TOTAL	**137**	**4.6**	**14**	**1**	**1**	**3**	**6**	**9**	**12**	**20**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	16	3.6	4	1	2	3	5	7	8	8
1-11 MOS	21	2.9	4	1	1	2	4	6	7	9
1-5 YRS	20	2.6	4	1	1	2	3	5	7	9
6-12 YRS	46	2.7	2	1	1	3	4	4	5	8
13-19 YRS	143	4.1	15	1	1	3	5	7	10	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	4.3	9	1	1	4	6	8	8	8
6-12 YRS	20	4.5	22	1	2	3	5	7	15	23
13-19 YRS	22	4.3	11	1	1	2	7	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	7.0	17	2	3	6	8	13	17	17
1-11 MOS	43	7.9	79	1	2	5	10	16	22	52
1-5 YRS	45	4.6	33	1	1	3	5	9	16	34
6-12 YRS	82	4.3	22	1	1	4	5	7	12	30
13-19 YRS	280	4.6	16	1	1	4	6	8	11	22
B. *Operated*										
0-27 DYS	3	6.7	10	3	3	8	9	9	9	9
1-11 MOS	11	16.9	298	3	4	11	21	45	60	61
1-5 YRS	10	5.8	19	1	1	4	10	12	13	13
6-12 YRS	16	6.6	32	1	2	4	8	17	18	18
13-19 YRS	48	6.7	40	1	2	5	8	15	21	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	3.6	10	1	1	3	4	6	8	18
B. *Operated*	46	4.3	15	1	1	3	6	8	9	23
2. MULTIPLE DX										
A. *Not Operated*	461	4.9	25	1	1	4	6	9	13	26
B. *Operated*	88	7.9	76	1	2	6	9	17	23	51
1. SINGLE DX	292	3.7	11	1	1	3	4	7	8	19
2. MULTIPLE DX	549	5.4	34	1	1	4	6	11	16	34
A. NOT OPERATED	707	4.5	20	1	1	3	5	8	12	22
B. OPERATED	134	6.7	58	1	2	4	8	14	20	39
TOTAL 0-27 DYS	30	5.2	12	2	2	4	7	9	11	17
1-11 MOS	75	7.8	105	1	1	5	9	16	25	59
1-5 YRS	79	4.2	23	1	1	3	5	9	13	29
6-12 YRS	164	4.1	18	1	1	3	4	7	12	23
13-19 YRS	493	4.7	18	1	1	4	6	8	12	23
GRAND TOTAL	**841**	**4.8**	**27**	**1**	**1**	**3**	**6**	**9**	**13**	**28**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	6.0	45	2	2	3	10	16	16	16
1-11 MOS	21	5.8	34	1	1	3	7	16	19	21
1-5 YRS	7	10.0	256	2	2	3	7	38	46	46
6-12 YRS	5	12.4	171	3	3	7	18	35	35	35
13-19 YRS	8	9.0	184	2	2	4	7	32	42	42
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	39	7.4	31	1	1	7	11	16	19	22
1-11 MOS	190	8.1	53	2	2	6	10	15	20	46
1-5 YRS	113	9.2	75	2	2	6	12	19	25	76
6-12 YRS	58	9.8	73	1	2	8	12	21	26	43
13-19 YRS	72	9.3	53	2	2	8	12	19	24	38
B. *Operated*										
0-27 DYS	5	6.6	2	5	5	6	7	9	9	9
1-11 MOS	29	11.1	74	3	3	8	12	23	31	40
1-5 YRS	11	8.6	58	2	2	8	11	19	28	29
6-12 YRS	9	7.7	23	2	2	9	12	14	14	14
13-19 YRS	10	5.6	17	<1	<1	5	9	11	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	7.8	104	1	2	4	8	18	37	46
B. *Operated*	4	5.3	16	2	2	5	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	472	8.7	59	2	2	7	11	18	22	45
B. *Operated*	64	9.0	52	1	2	8	11	15	26	39
1. SINGLE DX	49	7.6	97	2	2	4	8	17	35	46
2. MULTIPLE DX	536	8.7	58	2	2	7	11	18	23	43
A. NOT OPERATED	517	8.6	63	2	2	6	11	18	23	46
B. OPERATED	68	8.8	50	1	2	8	11	15	25	38
TOTAL 0-27 DYS	49	7.2	28	1	1	6	10	15	18	22
1-11 MOS	240	8.3	55	2	2	6	11	16	20	42
1-5 YRS	132	9.1	80	2	2	6	12	19	26	69
6-12 YRS	73	9.7	71	2	2	8	12	20	27	42
13-19 YRS	91	8.8	60	1	2	7	11	18	25	41
GRAND TOTAL	**585**	**8.6**	**61**	**2**	**2**	**7**	**11**	**18**	**23**	**45**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	25	1	1	4	8	8	8	8
1-11 MOS	8	7.3	41	1	1	5	11	17	19	19
1-5 YRS	22	4.0	8	<1	1	3	6	9	10	10
6-12 YRS	55	4.3	14	1	1	3	5	7	11	21
13-19 YRS	230	5.3	17	1	2	4	7	10	13	19
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	11	4.6	24	1	1	3	4	14	15	15
1-5 YRS	53	3.0	7	1	1	2	3	8	9	13
6-12 YRS	83	4.0	27	1	2	2	3	10	12	33
13-19 YRS	143	4.7	28	1	1	2	5	13	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	9.4	72	1	1	7	11	20	31	33
1-11 MOS	46	7.5	41	<1	1	4	12	17	20	25
1-5 YRS	46	7.2	52	1	1	5	10	15	18	41
6-12 YRS	82	7.3	39	1	2	5	10	18	21	27
13-19 YRS	264	6.7	49	1	2	5	8	12	19	39
B. *Operated*										
0-27 DYS	3	19.3	325	2	2	18	33	38	38	38
1-11 MOS	19	8.9	53	1	2	7	12	16	26	33
1-5 YRS	47	3.4	17	1	2	2	2	7	16	21
6-12 YRS	54	5.8	136	1	2	2	4	10	18	74
13-19 YRS	120	8.2	84	1	1	4	12	19	25	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	5.1	17	1	1	4	7	10	13	20
B. *Operated*	291	4.2	24	1	1	2	3	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	451	7.0	47	1	2	5	8	15	21	39
B. *Operated*	243	6.9	87	1	2	2	9	16	23	46
1. SINGLE DX	608	4.6	20	1	1	3	6	10	13	22
2. MULTIPLE DX	694	7.0	61	1	2	4	8	16	22	40
A. NOT OPERATED	768	6.2	35	1	2	5	7	13	17	33
B. OPERATED	534	5.4	54	1	2	2	7	13	17	38
TOTAL 0-27 DYS	19	10.0	108	<1	1	7	14	27	36	38
1-11 MOS	84	7.4	42	1	1	5	12	17	19	30
1-5 YRS	168	4.4	25	1	1	2	5	10	14	24
6-12 YRS	274	5.4	51	1	2	3	6	12	19	36
13-19 YRS	757	6.2	42	1	2	4	8	13	17	36
GRAND TOTAL	**1302**	**5.9**	**43**	**1**	**2**	**3**	**7**	**13**	**17**	**36**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	5.3	12	2	2	5	8	9	9	9
1-11 MOS	4	16.8	116	7	7	14	25	31	31	31
1-5 YRS	5	5.6	8	2	2	5	8	9	9	9
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	18.5	113	11	11	18	26	26	26	26
1-5 YRS	2	10.5	25	7	7	10	14	14	14	14
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*	14	8.7	59	2	2	7	9	20	29	31
B. *Operated*	6	11.3	66	3	3	9	14	25	26	26
1. SINGLE DX	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX	20	9.5	60	2	3	7	10	22	28	31
A. NOT OPERATED	14	8.7	59	2	2	7	9	20	29	31
B. OPERATED	7	9.9	70	<1	1	7	13	24	26	26
TOTAL 0-27 DYS	4	5.8	9	2	2	6	8	9	9	9
1-11 MOS	6	17.3	93	7	7	15	26	30	31	31
1-5 YRS	7	7.0	15	2	2	7	9	13	14	14
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	3	3.7	9	<1	<1	3	6	7	7	7
GRAND TOTAL	**21**	**9.1**	**60**	**1**	**2**	**7**	**10**	**22**	**28**	**31**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	3.9	2	2	2	4	5	6	6	6
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	7.0	26	1	1	10	11	12	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS										
6-12 YRS	3	17.0	73	8	8	18	23	25	25	25
13-19 YRS	14	21.7	203	3	7	21	28	40	52	55
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	5.0	2	4	4	5	6	7	7	7
1-11 MOS	5	6.6	28	1	1	8	10	14	14	14
1-5 YRS										
6-12 YRS										
13-19 YRS	3	5.3	56	<1	<1	1	11	14	14	14
B. *Operated*										
0-27 DYS	1	30.0		30	30	30	30	30	30	30
1-11 MOS	5	14.4	5	12	12	14	16	18	18	18
1-5 YRS										
6-12 YRS	4	39.8	1067	12	12	30	59	87	87	87
13-19 YRS	15	15.7	169	<1	1	12	19	35	46	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	5.2	13	1	2	4	8	11	12	12
B. *Operated*	18	20.3	172	4	8	19	25	37	48	55
2. MULTIPLE DX										
A. *Not Operated*	12	5.8	21	<1	1	5	8	14	14	14
B. *Operated*	25	19.9	320	1	4	15	24	35	59	87
1. SINGLE DX	30	14.3	163	2	2	10	23	31	38	55
2. MULTIPLE DX	37	15.3	265	<1	1	12	18	32	45	87
A. NOT OPERATED	24	5.5	17	<1	1	4	8	12	14	14
B. OPERATED	43	20.1	253	2	6	16	25	36	52	87
TOTAL 0-27 DYS	12	6.4	57	2	3	4	6	14	28	30
1-11 MOS	11	10.5	28	1	2	12	14	16	18	18
1-5 YRS										
6-12 YRS	7	30.0	706	8	9	25	31	76	87	87
13-19 YRS	37	16.0	179	<1	1	12	23	35	46	55
GRAND TOTAL	**67**	**14.8**	**216**	**1**	**2**	**12**	**19**	**32**	**40**	**82**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	23.0		23	23	23	23	23	23	23
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS										
13-19 YRS	1	51.0		51	51	51	51	51	51	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	23.0		23	23	23	23	23	23	23
B. *Operated*	2	30.0	882	9	9	30	51	51	51	51
1. SINGLE DX										
2. MULTIPLE DX	3	27.7	457	9	9	23	44	51	51	51
A. NOT OPERATED	1	23.0		23	23	23	23	23	23	23
B. OPERATED	2	30.0	882	9	9	30	51	51	51	51
TOTAL 0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS										
13-19 YRS	2	37.0	392	23	23	37	51	51	51	51
GRAND TOTAL	**3**	**27.7**	**457**	**9**	**9**	**23**	**44**	**51**	**51**	**51**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	13.4	289	<1	<1	5	22	42	42	42
1-11 MOS	6	5.2	15	<1	<1	5	7	11	11	11
1-5 YRS	5	7.0	40	<1	<1	4	12	16	16	16
6-12 YRS	3	1.0		<1	<1	1	1	1	1	1
13-19 YRS	2	6.0	50	1	1	6	11	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS	10	15.6	190	2	2	11	22	37	46	46
1-5 YRS	6	8.0	20	3	3	7	9	15	16	16
6-12 YRS	6	11.8	59	<1	1	12	21	84	99+	99+
13-19 YRS	19	16.1	260	2	4	11	21	29	56	74
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	8	9.8	91	1	1	5	17	25	27	27
1-5 YRS	3	11.3	58	3	3	13	17	18	18	18
6-12 YRS	5	21.6	1279	2	2	4	32	85	85	85
13-19 YRS	12	5.0	5	3	3	4	6	9	10	10
B. *Operated*										
0-27 DYS	3	20.3	161	13	13	13	30	35	35	35
1-11 MOS	12	30.8	541	2	6	35	61	99+	99+	99+
1-5 YRS	6	14.3	169	5	5	9	18	37	39	39
6-12 YRS	6	10.7	51	2	2	11	16	20	20	20
13-19 YRS	19	22.5	250	8	9	19	30	59	84	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	7.0	89	<1	<1	4	11	16	28	42
B. *Operated*	41	14.2	179	2	3	10	20	30	57	99+
2. MULTIPLE DX										
A. *Not Operated*	30	9.7	240	2	2	4	10	18	27	85
B. *Operated*	46	21.9	310	4	6	18	36	66	99+	99+
1. SINGLE DX	62	11.8	158	<1	1	8	16	24	43	97
2. MULTIPLE DX	76	17.1	315	2	3	13	24	50	80	99+
A. NOT OPERATED	51	8.6	176	<1	1	4	10	17	27	85
B. OPERATED	87	18.3	260	2	4	14	24	50	74	99+
TOTAL 0-27 DYS	10	13.8	196	<1	1	9	16	38	42	42
1-11 MOS	36	17.6	341	<1	1	11	27	58	89	99+
1-5 YRS	20	10.2	74	1	3	8	14	18	29	39
6-12 YRS	20	12.3	342	<1	1	8	17	47	92	99+
13-19 YRS	52	15.5	230	3	3	11	21	35	66	99
GRAND TOTAL	**138**	**14.7**	**250**	**1**	**2**	**10**	**20**	**42**	**71**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*	1	11.0		11	11	11	11	11	11	11
1. SINGLE DX										
2. MULTIPLE DX	2	9.0	8	7	7	9	11	11	11	11
A. NOT OPERATED	1	7.0		7	7	7	7	7	7	7
B. OPERATED	1	11.0		11	11	11	11	11	11	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	9.0	8	7	7	9	11	11	11	11
GRAND TOTAL	**2**	**9.0**	**8**	**7**	**7**	**9**	**11**	**11**	**11**	**11**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS	3	4.7	14	2	2	3	7	9	9	9
13-19 YRS	7	8.7	51	1	1	6	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS										
6-12 YRS	2	5.5	5	4	4	5	7	7	7	7
13-19 YRS	2	13.0	8	11	11	13	15	15	15	15
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	12.5	41	8	8	12	17	17	17	17
1-5 YRS	2	12.5	113	5	5	12	20	20	20	20
6-12 YRS	5	3.8	5	2	2	3	5	7	7	7
13-19 YRS	3	12.0	76	6	6	8	18	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	12	7.1	35	1	2	5	11	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	5	10.2	22	4	4	11	14	15	15	15
B. *Operated*	13	8.2	48	2	2	6	10	20	22	22
1. SINGLE DX	12	7.1	35	1	2	5	11	17	18	18
2. MULTIPLE DX	18	8.8	40	2	2	7	14	19	21	22
A. NOT OPERATED	5	10.2	22	4	4	11	14	15	15	15
B. OPERATED	25	7.7	40	1	2	6	10	18	20	22
TOTAL 0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	4	11.3	26	6	6	11	15	17	17	17
1-5 YRS	2	12.5	113	5	5	12	20	20	20	20
6-12 YRS	10	4.4	6	2	2	4	7	8	9	9
13-19 YRS	12	10.3	46	1	2	9	16	19	22	22
GRAND TOTAL	**30**	**8.1**	**37**	**2**	**2**	**6**	**13**	**18**	**20**	**22**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	33.0		33	33	33	33	33	33	33
13-19 YRS	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	2	21.5	265	10	10	21	33	33	33	33
1. SINGLE DX										
2. MULTIPLE DX	2	21.5	265	10	10	21	33	33	33	33
A. NOT OPERATED										
B. OPERATED	2	21.5	265	10	10	21	33	33	33	33
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	33.0		33	33	33	33	33	33	33
13-19 YRS	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**2**	**21.5**	**265**	**10**	**10**	**21**	**33**	**33**	**33**	**33**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	19.0		19	19	19	19	19	19	19
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	7.0		7	7	7	7	7	7	7
13-19 YRS	6	7.8	52	2	2	6	7	21	22	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	5	11.6	9	9	9	11	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	8.0	11	4	4	7	11	13	13	13
1-11 MOS	5	12.0	76	2	2	14	19	22	22	22
1-5 YRS	12	7.5	35	1	2	6	11	15	20	21
6-12 YRS	6	10.0	74	1	1	8	11	24	26	26
13-19 YRS	10	11.9	290	1	1	7	11	35	59	59
B. *Operated*										
0-27 DYS										
1-11 MOS	3	11.7	33	5	5	15	15	15	15	15
1-5 YRS										
6-12 YRS	2	12.0	8	10	10	12	14	14	14	14
13-19 YRS	2	12.5	13	10	10	12	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	8.1	48	<1	1	7	7	20	22	22
B. *Operated*	6	11.7	7	9	9	11	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	40	9.6	100	1	2	7	11	19	24	59
B. *Operated*	7	12.0	15	5	6	14	15	15	15	15
1. SINGLE DX	16	9.4	34	1	2	8	12	19	21	22
2. MULTIPLE DX	47	10.0	87	1	2	10	13	17	23	59
A. NOT OPERATED	50	9.3	88	1	2	7	11	20	22	59
B. OPERATED	13	11.8	10	6	8	12	15	15	16	16
TOTAL 0-27 DYS	7	8.0	11	4	4	7	11	13	13	13
1-11 MOS	9	12.7	52	2	3	15	18	21	22	22
1-5 YRS	13	7.0	35	<1	1	4	11	15	20	21
6-12 YRS	11	10.0	41	1	3	10	12	19	25	26
13-19 YRS	23	10.8	136	1	2	9	12	17	35	59
GRAND TOTAL	**63**	**9.8**	**73**	**1**	**2**	**9**	**13**	**18**	**22**	**55**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	15.0	237	2	2	11	27	32	32	32
1-5 YRS	3	15.0	79	5	5	18	21	22	22	22
6-12 YRS	3	23.0	367	<1	<1	32	35	36	36	36
13-19 YRS	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	27.0		27	27	63	99+	99+	99+	99+
13-19 YRS	3	34.0	709	6	6	37	53	59	59	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	10	16.6	177	<1	1	14	32	34	36	36
B. *Operated*	4	32.3	485	6	6	37	69	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	14	21.1	289	<1	2	22	35	59	90	99+
A. NOT OPERATED	10	16.6	177	<1	1	14	32	34	36	36
B. OPERATED	4	32.3	485	6	6	37	69	99+	99+	99+
TOTAL 0-27 DYS										
1-11 MOS	3	15.0	237	2	2	11	27	32	32	32
1-5 YRS	3	15.0	79	5	5	18	21	22	22	22
6-12 YRS	4	24.0	249	<1	<1	32	52	99+	99+	99+
13-19 YRS	4	27.3	655	6	6	22	48	59	59	59
GRAND TOTAL	**14**	**21.1**	**289**	**<1**	**2**	**22**	**35**	**59**	**90**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	2.3		2	2	2	3	3	3	3
1-5 YRS	3	2.3		2	2	2	3	3	3	3
6-12 YRS	2	8.0	8	6	6	8	10	10	10	10
13-19 YRS	9	2.7	1	1	1	3	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	4.0	22	<1	<1	2	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	10.6	116	3	3	6	11	30	34	34
1-11 MOS	15	5.6	14	1	1	5	8	13	13	13
1-5 YRS	10	13.2	468	3	3	7	10	43	74	74
6-12 YRS	11	5.7	11	2	2	6	8	11	12	12
13-19 YRS	29	3.7	7	1	1	3	4	7	11	12
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	1	21.0		21	21	21	21	21	21	21
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	3	7.0	36	1	1	7	11	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.2	4	1	2	3	3	5	8	10
B. *Operated*	4	4.0	22	<1	<1	2	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	72	6.4	88	1	2	4	7	12	13	65
B. *Operated*	7	8.6	48	1	1	7	12	19	21	21
1. SINGLE DX	22	3.3	7	1	1	3	3	7	10	11
2. MULTIPLE DX	79	6.6	84	1	2	4	8	12	13	62
A. NOT OPERATED	90	5.7	72	1	2	3	6	11	12	58
B. OPERATED	11	6.9	40	<1	1	6	11	16	21	21
TOTAL 0-27 DYS	8	9.6	106	3	3	6	10	27	34	34
1-11 MOS	20	5.0	12	1	1	4	6	11	13	13
1-5 YRS	14	11.4	353	2	2	5	10	26	63	74
6-12 YRS	14	6.4	11	2	2	6	10	10	12	12
13-19 YRS	45	3.7	9	1	1	3	4	7	11	13
GRAND TOTAL	**101**	**5.9**	**69**	**1**	**2**	**3**	**6**	**11**	**13**	**54**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	30.5	1	30	30	30	31	31	31	31
1-11 MOS	4	6.8	25	3	3	5	10	14	14	14
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	15	3.1	2	1	2	3	4	5	6	6
13-19 YRS	13	3.5	3	1	2	3	5	6	7	7
B. *Operated*										
0-27 DYS	1	28.0		28	28	28	28	28	28	28
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.7		1	1	2	2	2	2	2
13-19 YRS	6	6.8	43	2	2	4	9	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	10.5	68	<1	<1	10	17	20	20	20
1-11 MOS	16	16.3	104	5	5	14	20	34	36	37
1-5 YRS	14	14.0	129	2	4	8	23	34	38	39
6-12 YRS	14	7.2	26	2	2	5	9	16	18	19
13-19 YRS	15	7.3	19	2	2	7	10	12	16	17
B. *Operated*										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	6	1.5		<1	<1	1	2	2	2	2
6-12 YRS	3	16.3	210	2	2	16	27	31	31	31
13-19 YRS	5	17.2	172	6	6	14	25	38	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	5.1	44	1	2	3	5	7	25	31
B. *Operated*	10	7.4	82	1	1	3	9	23	28	28
2. MULTIPLE DX										
A. *Not Operated*	63	11.3	81	2	3	8	15	23	34	39
B. *Operated*	15	10.5	138	<1	1	6	16	31	36	38
1. SINGLE DX	46	5.6	52	1	2	3	5	13	28	31
2. MULTIPLE DX	78	11.1	90	1	2	8	15	24	34	39
A. NOT OPERATED	99	9.0	76	2	2	6	11	21	31	38
B. OPERATED	25	9.3	114	<1	1	3	15	28	33	38
TOTAL 0-27 DYS	7	18.7	140	<1	1	20	29	31	31	31
1-11 MOS	21	14.4	96	4	4	14	13	32	36	37
1-5 YRS	22	9.5	116	<1	1	7	10	27	35	39
6-12 YRS	35	5.7	38	1	2	4	6	16	18	31
13-19 YRS	39	7.3	49	2	2	5	9	16	20	38
GRAND TOTAL	**124**	**9.1**	**83**	**1**	**2**	**6**	**12**	**22**	**31**	**38**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99 (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	18.3	142	11	11	13	25	36	36	36
1-11 MOS	5	16.2	55	7	7	15	21	27	27	27
1-5 YRS	4	18.8	174	5	5	18	29	34	34	34
6-12 YRS	7	14.7	406	4	4	8	11	50	60	60
13-19 YRS	7	8.4	41	2	2	8	10	19	21	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	20.5	85	14	14	20	27	27	27	27
6-12 YRS	3	13.0	84	5	5	11	20	23	23	23
13-19 YRS	4	20.8	309	10	10	13	30	47	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	27	14.5	163	2	4	11	18	33	40	60
B. *Operated*	9	18.1	162	5	7	14	24	39	47	47
1. SINGLE DX										
2. MULTIPLE DX	36	15.4	161	3	4	11	20	33	44	60
A. NOT OPERATED	27	14.5	163	2	4	11	18	33	40	60
B. OPERATED	9	18.1	162	5	7	14	24	39	47	47
TOTAL 0-27 DYS	4	18.3	142	11	11	13	25	36	36	36
1-11 MOS	5	16.2	55	7	7	15	21	27	27	27
1-5 YRS	6	19.3	122	5	6	19	27	33	34	34
6-12 YRS	10	14.2	290	4	4	8	12	41	60	60
13-19 YRS	11	12.9	156	2	2	10	13	31	46	47
GRAND TOTAL	**36**	**15.4**	**161**	**3**	**4**	**11**	**20**	**33**	**44**	**60**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.0	7	1	1	2	5	6	6	6
1-5 YRS	5	6.2	14	2	2	6	10	10	10	10
6-12 YRS	3	3.3	2	2	2	3	4	5	5	5
13-19 YRS	9	3.3	12	<1	<1	3	4	9	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS										
6-12 YRS	6	6.0	43	1	1	3	11	16	17	17
13-19 YRS	10	5.4	36	1	1	4	5	15	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	9.4	59	2	2	6	13	22	25	25
1-11 MOS	6	7.5	9	3	3	8	9	11	11	11
1-5 YRS	16	8.3	34	1	1	7	14	16	17	18
6-12 YRS	18	11.1	110	2	3	6	15	27	34	38
13-19 YRS	29	12.1	433	1	1	5	9	36	72	88
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	10.3	6	8	8	10	12	13	13	13
1-5 YRS	9	11.6	97	2	4	9	13	28	36	36
6-12 YRS	4	7.5	72	1	1	4	12	20	20	20
13-19 YRS	19	12.3	317	2	2	5	13	42	60	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	4.0	11	<1	<1	3	5	10	11	12
B. *Operated*	17	5.8	34	1	1	3	8	16	20	21
2. MULTIPLE DX										
A. *Not Operated*	77	10.4	200	1	2	6	12	23	35	83
B. *Operated*	36	11.3	195	2	2	7	12	23	49	65
1. SINGLE DX	37	4.8	22	<1	1	3	6	11	15	21
2. MULTIPLE DX	113	10.7	197	1	2	6	12	23	38	77
A. NOT OPERATED	97	9.1	167	1	1	5	10	18	28	80
B. OPERATED	53	9.5	148	1	2	6	11	20	34	65
TOTAL 0-27 DYS	9	9.0	53	2	2	6	13	21	25	25
1-11 MOS	13	7.2	13	1	2	8	9	11	13	13
1-5 YRS	30	8.9	50	1	2	7	12	16	18	36
6-12 YRS	31	8.9	85	1	2	5	11	23	29	38
13-19 YRS	67	10.0	290	1	1	4	9	22	56	85
GRAND TOTAL	**150**	**9.2**	**160**	**1**	**1**	**5**	**11**	**19**	**29**	**71**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	5	2	2	3	5	5	5	5
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	3	32.0	61	23	23	36	37	37	37	37
1-5 YRS	4	13.5	50	5	5	13	18	22	22	22
6-12 YRS	5	14.0	87	4	4	10	22	27	27	27
13-19 YRS	6	10.0	82	2	2	6	17	24	25	25
B. *Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	4	27.8	1021	3	3	19	52	70	70	70
1-5 YRS	2	11.0	128	3	3	11	19	19	19	19
6-12 YRS	5	14.2	86	4	4	14	21	27	27	27
13-19 YRS	5	6.2	7	2	2	7	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	6	4.2	13	2	2	3	5	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	19	15.5	114	3	4	15	23	32	37	37
B. *Operated*	17	14.5	290	2	3	7	19	33	58	70
1. SINGLE DX	7	3.9	11	2	2	2	4	10	11	11
2. MULTIPLE DX	36	15.1	191	2	3	11	21	34	37	70
A. NOT OPERATED	20	14.9	117	2	3	13	22	31	36	37
B. OPERATED	23	11.8	235	2	2	7	13	29	47	70
TOTAL 0-27 DYS	2	13.5	5	12	12	13	15	15	15	15
1-11 MOS	7	29.6	536	3	3	35	37	63	70	70
1-5 YRS	8	10.4	59	2	2	9	17	21	22	22
6-12 YRS	11	13.8	70	4	4	11	20	27	27	27
13-19 YRS	15	6.7	42	2	2	5	7	17	23	25
GRAND TOTAL	**43**	**13.2**	**179**	**2**	**2**	**9**	**19**	**29**	**36**	**70**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	1	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	26.0		26	26	26	26	26	26	26
1-5 YRS										
6-12 YRS	3	22.0	364	10	10	12	36	44	44	44
13-19 YRS	4	30.3	245	19	19	24	40	53	53	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	4	9.0	76	2	2	7	16	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	4	4.0	7	2	2	3	6	8	8	8
B. *Operated*	8	26.6	226	10	11	23	36	50	53	53
1. SINGLE DX	5	7.4	70	<1	<1	2	14	20	20	20
2. MULTIPLE DX	12	19.1	270	2	3	15	27	47	52	53
A. NOT OPERATED	5	3.4	7	<1	<1	3	4	8	8	8
B. OPERATED	12	20.8	240	2	2	19	27	47	52	53
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	3	15.3	89	8	8	12	22	26	26	26
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	3	22.0	364	10	10	12	36	44	44	44
13-19 YRS	7	20.7	300	<1	1	20	26	48	53	53
GRAND TOTAL	**17**	**15.6**	**233**	**1**	**2**	**12**	**22**	**41**	**50**	**53**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	6	11.8	155	2	2	6	24	30	31	31
6-12 YRS	7	4.6	11	2	2	3	7	10	10	10
13-19 YRS	25	7.5	43	1	1	6	11	19	20	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	33.0		33	33	33	33	33	33	33
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	8.0	8	6	6	8	10	10	10	10
6-12 YRS	4	6.0	38	1	1	4	10	15	15	15
13-19 YRS	10	15.1	265	2	2	10	20	40	55	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	39	7.5	55	1	2	5	9	20	23	31
2. MULTIPLE DX										
A. *Not Operated*	1	33.0		33	33	33	33	33	33	33
B. *Operated*	16	11.9	186	1	2	7	16	25	46	55
1. SINGLE DX	40	7.4	54	1	2	5	9	19	23	31
2. MULTIPLE DX	17	13.2	200	1	2	9	18	32	47	55
A. NOT OPERATED	2	18.0	450	3	3	18	33	33	33	33
B. OPERATED	55	8.8	94	1	2	6	11	20	25	54
TOTAL 0-27 DYS										
1-11 MOS	2	17.5	481	2	2	17	33	33	33	33
1-5 YRS	8	10.9	115	2	2	6	17	29	31	31
6-12 YRS	11	5.1	18	1	1	4	7	12	15	15
13-19 YRS	36	9.5	111	1	2	6	14	20	25	55
GRAND TOTAL	**57**	**9.1**	**102**	**1**	**2**	**6**	**12**	**22**	**29**	**53**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	10	8.1	25	1	1	8	11	15	17	17
B. *Operated*										
0-27 DYS	2	6.5	1	6	6	6	7	7	7	7
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	6	12.5	312	1	1	6	14	44	47	47
13-19 YRS	15	8.3	48	<1	1	8	12	19	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	4	9.0	50	2	2	8	14	18	18	18
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	4	9.0	15	5	5	8	12	14	14	14
6-12 YRS	4	10.3	211	2	2	3	18	32	32	32
13-19 YRS	17	15.4	180	4	8	11	15	36	51	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	8.0	23	1	2	7	11	15	17	17
B. *Operated*	24	8.9	104	<1	1	7	11	19	31	47
2. MULTIPLE DX										
A. *Not Operated*	5	7.4	50	1	1	5	13	18	18	18
B. *Operated*	27	13.2	146	2	3	9	14	29	43	57
1. SINGLE DX	35	8.6	77	1	1	7	11	17	23	47
2. MULTIPLE DX	32	12.3	134	2	2	9	14	23	39	57
A. NOT OPERATED	16	7.8	29	1	1	7	11	17	18	18
B. OPERATED	51	11.2	129	1	2	9	14	21	40	57
TOTAL 0-27 DYS	3	6.0	1	5	5	6	7	7	7	7
1-11 MOS	2	7.5	85	1	1	7	14	14	14	14
1-5 YRS	4	9.0	15	5	5	8	12	14	14	14
6-12 YRS	12	10.3	211	1	1	3	11	36	45	47
13-19 YRS	46	10.9	99	1	2	9	13	19	27	57
GRAND TOTAL	**67**	**10.4**	**106**	**1**	**2**	**9**	**13**	**19**	**33**	**55**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	19	5.4	14	2	2	4	6	12	14	15
1-5 YRS	118	8.0	26	2	2	7	11	15	19	22
6-12 YRS	49	5.0	9	1	1	4	7	9	10	12
13-19 YRS	59	4.8	30	<1	1	3	6	10	15	32
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	22	7.1	47	<1	<1	5	10	17	21	25
6-12 YRS	20	3.7	8	<1	<1	3	5	8	9	11
13-19 YRS	62	6.1	23	1	1	5	9	12	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	21	5.9	9	2	3	5	8	10	12	13
1-5 YRS	46	7.9	43	2	2	6	11	15	18	37
6-12 YRS	35	6.5	30	2	2	4	9	14	18	24
13-19 YRS	41	5.9	97	1	1	3	6	10	14	64
B. *Operated*										
0-27 DYS	4	14.0	54	4	4	16	19	20	20	20
1-11 MOS	5	15.4	217	2	2	11	30	32	32	32
1-5 YRS	11	11.5	54	4	4	9	19	22	22	22
6-12 YRS	17	10.2	289	1	1	3	8	40	55	61
13-19 YRS	50	12.7	209	1	2	8	16	29	40	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	6.4	25	1	2	5	8	14	16	22
B. *Operated*	105	5.8	26	<1	1	4	8	12	17	23
2. MULTIPLE DX										
A. *Not Operated*	144	6.7	50	2	2	5	8	13	16	39
B. *Operated*	87	12.3	193	1	2	8	16	29	41	68
1. SINGLE DX	351	6.2	25	1	1	5	8	13	16	22
2. MULTIPLE DX	231	8.8	111	1	2	5	11	19	29	64
A. NOT OPERATED	390	6.5	34	1	2	5	8	14	16	24
B. OPERATED	192	8.8	111	1	1	6	10	20	29	63
TOTAL 0-27 DYS	6	10.0	71	2	2	8	19	20	20	20
1-11 MOS	46	6.7	38	2	2	5	8	13	18	32
1-5 YRS	197	8.1	34	1	2	6	11	16	20	24
6-12 YRS	121	6.0	56	1	1	4	7	12	14	49
13-19 YRS	212	7.3	91	1	1	5	8	15	23	64
GRAND TOTAL	**582**	**7.2**	**60**	**1**	**2**	**5**	**9**	**15**	**20**	**39**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	8.7	12	5	5	9	11	12	12	12
1-11 MOS	8	7.9	35	2	2	6	10	18	20	20
1-5 YRS	2	7.0	18	4	4	7	10	10	10	10
6-12 YRS	18	6.6	13	2	2	6	9	9	14	17
13-19 YRS	352	7.3	12	2	3	7	9	12	14	18
B. *Operated*										
0-27 DYS	2	6.5	5	5	5	6	8	8	8	8
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	130	8.8	28	2	3	8	12	15	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	14.5	80	6	6	13	21	26	26	26
1-11 MOS	7	11.1	29	3	4	10	16	18	18	18
1-5 YRS	3	5.0		5	5	5	5	5	5	5
6-12 YRS	11	9.3	69	3	3	5	16	22	27	27
13-19 YRS	233	8.9	34	3	4	7	11	15	20	37
B. *Operated*										
0-27 DYS	3	9.0	28	5	5	7	13	15	15	15
1-11 MOS	2	30.0	392	16	16	30	44	44	44	44
1-5 YRS	2	22.0	800	2	2	22	42	42	42	42
6-12 YRS	1	29.0		29	29	29	29	29	29	29
13-19 YRS	75	11.6	68	2	3	10	15	22	26	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	383	7.2	13	2	3	7	9	12	14	19
B. *Operated*	132	8.8	27	2	3	8	11	15	20	26
2. MULTIPLE DX										
A. *Not Operated*	258	9.0	36	3	4	7	11	17	21	36
B. *Operated*	83	12.4	91	2	3	10	16	25	31	47
1. SINGLE DX	515	7.6	17	2	3	7	10	13	15	23
2. MULTIPLE DX	341	9.8	51	3	4	8	12	19	24	42
A. NOT OPERATED	641	7.9	23	2	3	7	10	13	17	28
B. OPERATED	215	10.2	55	2	3	8	13	19	25	43
TOTAL 0-27 DYS	12	10.3	40	5	5	8	13	20	25	26
1-11 MOS	17	11.8	100	2	3	10	16	20	36	44
1-5 YRS	7	10.4	200	2	2	5	9	36	42	42
6-12 YRS	30	8.3	48	2	3	6	9	18	27	29
13-19 YRS	790	8.4	28	2	3	7	10	14	19	30
GRAND TOTAL	**856**	**8.5**	**32**	**2**	**3**	**7**	**10**	**15**	**19**	**35**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS										
13-19 YRS	5	4.2	6	2	2	3	6	8	8	8
B. *Operated*										
0-27 DYS	6	5.5	10	1	1	5	8	10	10	10
1-11 MOS	3	5.0	1	4	4	5	6	6	6	6
1-5 YRS	4	4.5	7	1	1	5	6	7	7	7
6-12 YRS	8	5.0	20	2	2	4	4	13	16	16
13-19 YRS	173	3.8	4	2	2	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	10.0	18	7	7	10	13	13	13	13
1-5 YRS										
6-12 YRS										
13-19 YRS	13	8.2	58	1	1	7	9	21	26	27
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS										
6-12 YRS	2	7.0	72	1	1	7	13	13	13	13
13-19 YRS	27	5.7	19	2	2	4	7	12	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.4	6	1	1	3	5	7	8	8
B. *Operated*	194	3.9	5	2	2	4	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	15	8.4	52	1	1	7	11	20	25	27
B. *Operated*	30	5.8	20	2	2	4	7	12	13	22
1. SINGLE DX	201	3.9	5	2	2	4	5	6	8	12
2. MULTIPLE DX	45	6.7	31	1	2	5	8	13	20	27
A. NOT OPERATED	22	6.8	42	1	1	5	8	15	23	27
B. OPERATED	224	4.2	7	2	2	4	5	7	9	15
TOTAL 0-27 DYS	7	5.7	9	1	2	5	8	10	10	10
1-11 MOS	5	7.0	13	4	4	6	8	13	13	13
1-5 YRS	6	3.5	7	1	1	3	6	7	7	7
6-12 YRS	10	5.4	24	1	1	4	4	14	16	16
13-19 YRS	218	4.3	10	2	2	4	5	7	9	21
GRAND TOTAL	**246**	**4.4**	**10**	**2**	**2**	**4**	**5**	**7**	**10**	**20**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	3	2.0	3	<1	<1	1	3	4	4	4
6-12 YRS	7	2.3	2	1	1	2	4	4	4	4
13-19 YRS	66	2.8	2	1	1	3	4	5	5	7
B. *Operated*										
0-27 DYS	2	8.0	18	5	5	8	11	11	11	11
1-11 MOS	5	2.0	3	<1	<1	1	3	5	5	5
1-5 YRS	11	2.7	8	1	1	2	4	7	10	10
6-12 YRS	8	3.6	7	1	1	3	5	7	8	8
13-19 YRS	140	4.9	4	2	2	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0	18	1	1	4	7	7	7	7
1-11 MOS										
1-5 YRS	2	3.5	5	2	2	3	5	5	5	5
6-12 YRS	4	2.5	1	<1	<1	3	3	3	3	3
13-19 YRS	78	3.8	6	1	1	3	5	7	9	12
B. *Operated*										
0-27 DYS	2	10.0	98	3	3	10	17	17	17	17
1-11 MOS	9	5.7	10	1	2	5	8	10	11	11
1-5 YRS	6	2.5	1	1	1	2	3	4	4	4
6-12 YRS	13	5.8	60	<1	1	5	5	11	27	31
13-19 YRS	385	5.1	4	2	3	5	6	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.8	2	1	1	2	4	5	5	7
B. *Operated*	166	4.6	5	1	2	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	86	3.8	6	1	1	3	5	7	8	12
B. *Operated*	415	5.1	6	2	3	5	6	8	9	15
1. SINGLE DX	243	4.0	5	1	1	4	5	7	8	11
2. MULTIPLE DX	501	4.9	7	2	2	5	6	7	9	14
A. NOT OPERATED	163	3.3	4	1	1	3	4	6	7	11
B. OPERATED	581	5.0	6	2	2	5	6	7	9	14
TOTAL 0-27 DYS	7	6.9	30	1	1	5	10	16	17	17
1-11 MOS	14	4.4	11	<1	1	4	6	9	11	11
1-5 YRS	22	2.6	5	<1	1	2	4	5	7	10
6-12 YRS	32	4.1	28	<1	1	3	5	6	8	31
13-19 YRS	669	4.7	5	2	2	5	6	7	8	11
GRAND TOTAL	**744**	**4.6**	**6**	**1**	**2**	**4**	**6**	**7**	**8**	**13**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	8.3	60	2	2	6	14	17	17	17
1-11 MOS	8	4.4	9	1	1	3	6	9	10	10
1-5 YRS	21	3.3	7	<1	1	2	4	7	9	12
6-12 YRS	27	4.6	9	1	2	3	6	8	11	15
13-19 YRS	135	4.7	10	1	1	4	7	9	11	14
B. *Operated*										
0-27 DYS	3	4.7	16	1	1	4	8	9	9	9
1-11 MOS	6	8.5	184	1	1	3	5	33	36	36
1-5 YRS	7	2.0	2	<1	<1	2	2	4	5	5
6-12 YRS	83	3.3	6	1	1	3	4	6	8	13
13-19 YRS	451	3.5	6	1	2	3	4	5	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.7	2	2	2	4	5	5	5	5
1-11 MOS	16	5.4	33	<1	1	4	6	13	20	23
1-5 YRS	33	4.0	11	1	1	3	5	10	12	13
6-12 YRS	43	5.0	10	1	2	4	5	10	11	16
13-19 YRS	178	4.3	10	1	1	3	6	9	12	16
B. *Operated*										
0-27 DYS	4	4.3	27	<1	<1	2	7	12	12	12
1-11 MOS	4	5.8	22	1	1	5	9	12	12	12
1-5 YRS	13	4.6	31	1	1	2	7	29	84	99+
6-12 YRS	44	6.4	30	1	2	4	9	15	19	20
13-19 YRS	204	6.6	87	1	2	4	7	13	20	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	4.6	10	1	1	4	6	9	11	15
B. *Operated*	550	3.5	8	1	2	3	4	5	8	16
2. MULTIPLE DX										
A. *Not Operated*	273	4.5	11	1	1	4	5	9	12	16
B. *Operated*	269	6.5	73	1	2	4	7	14	20	44
1. SINGLE DX	744	3.8	9	1	2	3	4	7	10	15
2. MULTIPLE DX	542	5.5	43	1	1	4	6	12	15	36
A. NOT OPERATED	467	4.5	11	1	1	4	6	9	12	16
B. OPERATED	819	4.5	31	1	2	3	5	9	13	25
TOTAL 0-27 DYS	13	5.2	23	<1	1	4	7	13	16	17
1-11 MOS	34	5.8	49	1	1	4	6	12	21	36
1-5 YRS	74	3.7	12	1	1	3	4	9	12	80
6-12 YRS	197	4.5	14	1	1	3	5	10	13	19
13-19 YRS	968	4.5	26	1	2	3	5	9	12	21
GRAND TOTAL	**1286**	**4.5**	**24**	**1**	**2**	**3**	**5**	**9**	**12**	**21**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	319	3.5	19	1	1	3	4	6	7	10
1-11 MOS	5263	3.3	5	1	1	3	4	6	7	11
1-5 YRS	12463	2.8	5	1	1	2	3	5	6	9
6-12 YRS	2594	2.8	3	1	1	2	3	5	6	8
13-19 YRS	1829	3.4	4	1	1	3	4	5	7	10
B. *Operated*										
0-27 DYS	14	3.7	21	1	1	2	3	7	16	19
1-11 MOS	39	5.3	13	2	2	4	7	9	13	20
1-5 YRS	804	2.5	6	<1	1	2	2	5	7	12
6-12 YRS	1615	2.0	4	<1	1	2	2	2	3	9
13-19 YRS	1899	2.2	2	1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	361	4.2	7	1	2	4	5	7	9	14
1-11 MOS	7227	4.2	9	1	2	4	5	7	9	14
1-5 YRS	13771	3.6	7	1	1	3	4	6	8	12
6-12 YRS	4216	3.6	10	1	1	3	4	6	7	12
13-19 YRS	3435	3.9	5	1	2	3	5	7	8	12
B. *Operated*										
0-27 DYS	5	7.6	41	1	1	7	10	18	18	18
1-11 MOS	89	7.7	39	2	2	6	9	15	23	30
1-5 YRS	976	3.1	12	1	1	2	3	7	10	19
6-12 YRS	1073	2.3	5	1	1	2	2	4	5	11
13-19 YRS	600	3.4	15	1	2	2	4	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22468	3.0	5	1	1	3	4	5	6	10
B. *Operated*	4371	2.2	4	1	1	2	2	3	4	11
2. MULTIPLE DX										
A. *Not Operated*	29010	3.8	8	1	1	3	5	7	8	13
B. *Operated*	2743	3.1	12	1	1	2	3	6	9	18
1. SINGLE DX	26839	2.9	5	1	1	2	3	5	6	10
2. MULTIPLE DX	31753	3.7	8	1	1	3	5	7	8	13
A. NOT OPERATED	51478	3.4	7	1	1	3	4	6	7	12
B. OPERATED	7114	2.5	7	1	1	2	2	4	7	14
TOTAL 0-27 DYS	699	3.9	13	1	1	3	5	7	8	14
1-11 MOS	12518	3.9	8	1	1	3	5	7	9	14
1-5 YRS	28014	3.2	6	1	1	3	4	6	7	11
6-12 YRS	9498	2.9	7	1	1	2	4	5	6	11
13-19 YRS	7763	3.3	5	1	1	3	4	6	7	11
GRAND TOTAL	**58[illegible]92**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	214	4.9	36	2	2	4	6	7	9	46
1-11 MOS	9683	4.5	8	2	2	4	6	8	9	13
1-5 YRS	8681	3.5	5	1	1	3	4	6	7	11
6-12 YRS	1294	3.5	9	1	1	3	4	6	7	10
13-19 YRS	724	4.3	7	2	2	4	5	7	8	20
B. *Operated*										
0-27 DYS	3	5.0	3	3	3	6	6	6	6	6
1-11 MOS	33	7.9	43	2	3	6	9	15	17	36
1-5 YRS	16	7.4	12	3	4	7	9	11	14	16
6-12 YRS	8	5.0	10	2	2	4	7	10	10	10
13-19 YRS	15	5.9	12	1	2	6	7	10	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	187	6.1	27	2	2	5	7	10	14	32
1-11 MOS	8467	5.4	12	2	2	5	7	9	11	17
1-5 YRS	6063	4.3	7	1	2	4	5	7	9	14
6-12 YRS	1172	4.1	5	2	2	4	5	7	8	13
13-19 YRS	1048	4.7	8	2	2	4	6	8	9	15
B. *Operated*										
0-27 DYS	2	5.5	1	5	5	5	6	6	6	6
1-11 MOS	101	9.6	60	3	4	7	11	17	22	44
1-5 YRS	60	7.7	29	2	3	6	9	14	16	30
6-12 YRS	20	6.5	30	<1	1	6	9	11	18	25
13-19 YRS	45	8.2	30	2	3	7	10	14	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20596	4.0	7	1	2	4	5	7	8	12
B. *Operated*	75	7.0	25	2	2	6	9	12	16	31
2. MULTIPLE DX										
A. *Not Operated*	16937	4.9	10	2	2	4	6	8	10	16
B. *Operated*	228	8.5	44	2	3	7	11	15	18	40
1. SINGLE DX	20671	4.0	7	1	2	4	5	7	8	12
2. MULTIPLE DX	17165	4.9	11	2	2	4	6	8	10	16
A. NOT OPERATED	37533	4.4	9	1	2	4	5	8	9	14
B. OPERATED	303	8.1	40	2	3	7	10	15	18	38
TOTAL 0-27 DYS	406	5.5	32	2	2	4	6	9	12	32
1-11 MOS	18284	5.0	11	2	2	4	6	8	10	16
1-5 YRS	14820	3.9	6	1	2	3	5	7	8	12
6-12 YRS	2494	3.8	7	1	2	3	5	6	8	11
13-19 YRS	1832	4.6	9	2	2	4	6	8	9	16
GRAND TOTAL	**37836**	**4.4**	**9**	**1**	**2**	**4**	**5**	**8**	**9**	**14**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	4	2.0	1	1	1	2	3	3	3	3
6-12 YRS	7	2.3	3	<1	<1	2	2	5	6	6
13-19 YRS	45	2.1	3	<1	<1	1	3	4	4	12
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	16	1.8		<1	1	2	2	2	3	3
6-12 YRS	166	2.1	1	1	1	2	2	3	4	5
13-19 YRS	3473	2.7	6	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	6	2.2	4	<1	<1	1	3	6	6	6
13-19 YRS	67	1.7	2	<1	<1	1	2	4	4	6
B. *Operated*										
0-27 DYS	7	2.4	1	1	1	2	3	4	4	4
1-11 MOS	6	2.2	1	1	1	2	3	4	4	4
1-5 YRS	19	1.9	1	<1	1	2	3	3	4	4
6-12 YRS	237	2.6	2	1	1	2	3	4	5	7
13-19 YRS	3974	2.9	6	1	2	3	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	2.2	3	<1	<1	2	3	4	4	12
B. *Operated*	3657	2.7	6	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	76	1.7	2	<1	<1	1	2	4	4	6
B. *Operated*	4243	2.9	5	1	2	3	3	4	5	8
1. SINGLE DX	3715	2.7	5	1	1	2	3	4	5	6
2. MULTIPLE DX	4319	2.9	5	1	2	3	3	4	5	8
A. NOT OPERATED	134	1.9	2	<1	<1	1	[illegible]	4	4	7
B. OPERATED	7900	2.8	5	1	1	3	3	4	5	7
TOTAL 0-27 DYS	8	2.6	1	1	1	3	3	4	4	4
1-11 MOS	11	2.1	1	1	1	2	3	4	4	4
1-5 YRS	40	1.9	1	<1	1	2	2	3	3	4
6-12 YRS	416	2.4	2	1	1	2	3	4	5	7
13-19 YRS	7559	2.8	6	1	1	3	3	4	5	7
GRAND TOTAL	**8034**	**2.8**	**5**	**1**	**1**	**3**	**3**	**4**	**5**	**7**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.7	21	2	2	2	8	10	10	10
13-19 YRS	4	4.0	3	2	2	4	5	6	6	6
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	10	1.9	1	1	1	2	2	3	4	4
6-12 YRS	57	1.8	1	<1	1	2	2	3	4	6
13-19 YRS	132	2.3	2	<1	1	2	3	4	4	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	13	3.0	10	1	1	1	4	7	11	12
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	14	1.7		<1	<1	2	2	2	3	3
6-12 YRS	92	2.6	4	<1	1	2	3	4	7	12
13-19 YRS	247	3.1	18	1	1	2	4	5	6	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.3	9	2	2	4	6	9	10	10
B. *Operated*	201	2.1	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	17	2.6	8	<1	<1	1	3	5	10	12
B. *Operated*	357	2.9	13	1	1	2	3	5	6	12
1. SINGLE DX	208	2.2	2	1	1	2	3	4	4	9
2. MULTIPLE DX	374	2.9	13	1	1	2	3	5	6	12
A. NOT OPERATED	24	3.1	8	<1	1	2	4	6	11	12
B. OPERATED	558	2.6	9	1	1	2	3	4	5	11
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	4	1.8	1	1	1	2	2	3	3	3
1-5 YRS	25	1.8	1	<1	<1	2	2	2	3	4
6-12 YRS	155	2.3	3	<1	1	2	3	4	5	11
13-19 YRS	396	2.9	12	1	1	2	3	5	6	12
GRAND TOTAL	**582**	**2.7**	**9**	**1**	**1**	**2**	**3**	**4**	**5**	**12**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	9	2.4	1	1	1	2	3	4	4	4
1-5 YRS	454	1.9	13	<1	<1	1	2	2	4	12
6-12 YRS	588	1.9	5	<1	<1	2	2	2	3	11
13-19 YRS	418	2.4	14	<1	<1	2	2	4	5	11
B. *Operated*										
0-27 DYS	38	1.9	1	<1	1	2	2	3	4	4
1-11 MOS	85	2.0	8	<	1	2	2	2	3	19
1-5 YRS	22695	1.8	2	<1	1	2	2	2	2	4
6-12 YRS	42812	1.8	2	1	1	2	2	2	2	4
13-19 YRS	30750	2.1	4	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	25	2.9	8	<1	1	1	4	6	11	11
1-5 YRS	1130	1.6	3	<1	<1	1	2	3	4	10
6-12 YRS	859	1.8	5	<1	<1	1	2	3	5	11
13-19 YRS	332	2.1	4	<1	<1	1	3	4	6	11
B. *Operated*										
0-27 DYS	25	1.7		<1	<1	2	2	2	3	4
1-11 MOS	272	1.6	3	<1	<1	1	2	2	2	11
1-5 YRS	25748	1.8	4	<1	1	2	2	2	2	5
6-12 YRS	22267	1.8	3	<1	1	2	2	2	3	5
13-19 YRS	5466	2.3	5	1	1	2	2	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1470	2.0	10	<1	<1	2	2	3	4	11
B. *Operated*	96380	1.9	3	1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	2347	1.8	4	<1	<1	1	2	3	5	11
B. *Operated*	53778	1.8	4	<1	1	2	2	2	3	5
1. SINGLE DX	97850	1.9	3	1	1	2	2	2	3	4
2. MULTIPLE DX	56125	1.8	4	<1	1	2	2	2	3	6
A. NOT OPERATED	3817	1.9	6	<1	<1	1	2	3	4	11
B. OPERATED	150158	1.9	3	<1	1	2	2	2	3	5
TOTAL 0-27 DYS	65	1.8	1	<1	<1	2	2	2	3	4
1-11 MOS	391	1.8	4	<1	<1	1	2	2	4	12
1-5 YRS	50027	1.8	3	<1	1	2	2	2	2	5
6-12 YRS	66526	1.8	2	<1	1	2	2	2	2	4
13-19 YRS	36966	2.1	4	1	1	2	2	3	3	6
GRAND TOTAL	**153975**	**1.9**	**3**	**<1**	**1**	**2**	**2**	**2**	**3**	**5**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	21	3.6	8	1	1	3	5	7	10	13
1-11 MOS	163	3.3	5	<1	1	3	4	6	8	12
1-5 YRS	612	2.6	6	<1	1	2	3	5	6	10
6-12 YRS	528	3.1	8	<1	1	3	4	5	7	13
13-19 YRS	905	3.5	13	1	2	3	4	6	7	11
B. *Operated*										
0-27 DYS	3	5.7	22	2	2	4	9	11	11	11
1-11 MOS	37	3.9	18	<1	1	2	4	11	12	18
1-5 YRS	214	3.2	39	<1	<1	2	2	6	9	31
6-12 YRS	703	2.3	7	<1	1	2	2	4	6	10
13-19 YRS	1667	2.8	4	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	27	5.3	17	1	2	5	6	10	14	20
1-11 MOS	220	4.4	10	1	1	4	5	8	11	15
1-5 YRS	490	3.8	14	1	1	3	5	7	8	13
6-12 YRS	533	3.8	7	1	1	3	5	7	9	13
13-19 YRS	720	4.5	10	1	2	4	5	8	9	15
B. *Operated*										
0-27 DYS	3	3.0	4	1	1	4	52	99+	99+	99+
1-11 MOS	37	8.5	121	<1	1	6	9	21	30	57
1-5 YRS	294	3.1	37	<1	1	2	3	6	8	22
6-12 YRS	608	2.5	6	<1	1	2	3	4	6	15
13-19 YRS	1241	3.2	5	1	1	3	4	5	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2229	3.2	9	1	1	3	4	5	7	11
B. *Operated*	2624	2.7	8	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	1990	4.1	10	1	1	3	5	7	9	15
B. *Operated*	2183	3.1	12	1	1	2	3	5	8	15
1. SINGLE DX	4853	2.9	9	<1	1	2	3	5	6	11
2. MULTIPLE DX	4173	3.6	11	1	1	3	4	7	8	15
A. NOT OPERATED	4219	3.6	10	1	1	3	4	6	8	13
B. OPERATED	4807	2.9	10	1	1	2	3	5	7	14
TOTAL 0-27 DYS	54	4.5	13	1	1	4	6	10	13	96
1-11 MOS	457	4.3	19	1	1	3	5	8	11	23
1-5 YRS	1610	3.1	18	<1	1	2	4	6	7	17
6-12 YRS	2372	2.9	7	<1	1	2	3	5	7	13
13-19 YRS	4533	3.3	7	1	1	3	4	6	7	12
GRAND TOTAL	**9026**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	617	6.1	17	2	3	5	7	10	12	18
1-11 MOS	10933	5.3	11	2	2	5	7	9	11	16
1-5 YRS	18858	4.7	9	2	2	4	6	8	10	15
6-12 YRS	7511	4.9	9	2	2	4	6	8	10	15
13-19 YRS	4198	5.4	10	2	2	5	7	9	11	16
B. *Operated*										
0-27 DYS	6	9.8	4	7	7	10	12	12	12	12
1-11 MOS	54	8.3	34	2	2	7	11	18	19	27
1-5 YRS	107	7.0	52	1	1	5	9	14	17	42
6-12 YRS	56	7.4	42	1	2	5	11	19	21	25
13-19 YRS	45	9.5	52	2	3	8	14	18	23	34
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	400	7.4	23	2	3	7	9	13	16	25
1-11 MOS	9527	6.2	17	2	3	5	8	11	13	21
1-5 YRS	15550	5.3	14	2	2	4	6	9	11	18
6-12 YRS	4623	5.6	14	2	2	5	7	10	12	19
13-19 YRS	2716	6.3	21	2	3	5	8	11	14	22
B. *Operated*										
0-27 DYS	22	9.8	36	2	3	8	13	19	22	26
1-11 MOS	251	12.6	78	3	4	11	16	24	32	40
1-5 YRS	302	11.5	73	3	4	9	14	23	29	44
6-12 YRS	132	11.9	109	2	3	10	16	22	27	59
13-19 YRS	166	14.5	118	4	4	11	18	27	38	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42117	5.0	10	2	2	4	6	8	10	15
B. *Operated*	268	7.8	46	1	2	6	10	17	20	30
2. MULTIPLE DX										
A. *Not Operated*	32816	5.7	16	2	2	5	7	10	12	20
B. *Operated*	873	12.4	88	3	4	10	16	23	31	47
1. SINGLE DX	42385	5.0	10	2	2	4	6	8	10	16
2. MULTIPLE DX	33689	5.9	19	2	2	5	7	10	13	22
A. NOT OPERATED	74933	5.3	12	2	2	5	7	9	11	17
B. OPERATED	1141	11.3	82	2	3	9	15	22	28	45
TOTAL 0-27 DYS	1045	6.7	20	2	3	6	8	11	14	23
1-11 MOS	20765	5.8	15	2	2	5	7	10	12	20
1-5 YRS	34817	5.0	12	2	2	4	6	9	11	17
6-12 YRS	12322	5.2	12	2	2	4	6	9	11	18
13-19 YRS	7125	6.0	19	2	3	5	7	10	13	22
GRAND TOTAL	**76074**	**5.4**	**14**	**2**	**2**	**5**	**7**	**9**	**11**	**19**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	14	4.0	3	2	2	4	5	6	7	7
1-11 MOS	165	4.3	24	1	1	3	5	8	10	21
1-5 YRS	323	3.4	7	1	1	3	4	6	7	13
6-12 YRS	425	2.8	4	1	1	2	3	5	5	8
13-19 YRS	528	3.0	3	1	1	3	4	5	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	6	2.7	5	1	1	2	2	7	7	7
13-19 YRS	10	3.8	4	2	2	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	4.5	4	1	2	4	7	7	7	7
1-11 MOS	213	4.9	14	2	2	4	6	8	10	22
1-5 YRS	466	3.6	6	1	1	3	4	6	8	14
6-12 YRS	452	3.3	5	1	1	3	4	5	7	10
13-19 YRS	606	3.7	5	1	2	3	5	7	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS	6	21.2	353	2	2	15	43	46	46	46
1-5 YRS	5	4.4	4	2	2	4	6	7	7	7
6-12 YRS	8	7.4	60	2	2	5	7	20	26	26
13-19 YRS	13	6.5	37	1	1	5	8	17	20	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1455	3.2	7	1	1	3	4	5	7	11
B. *Operated*	18	3.5	4	1	2	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	1747	3.7	7	1	1	3	5	6	8	13
B. *Operated*	32	9.1	121	1	2	6	9	22	41	46
1. SINGLE DX	1473	3.2	7	1	1	3	4	6	7	11
2. MULTIPLE DX	1779	3.8	9	1	1	3	5	7	8	15
A. NOT OPERATED	3202	3.5	7	1	1	3	4	6	7	13
B. OPERATED	50	7.1	85	1	2	4	7	16	26	46
TOTAL 0-27 DYS	24	4.2	3	1	2	4	6	7	7	7
1-11 MOS	385	4.9	27	1	2	4	5	9	11	31
1-5 YRS	795	3.5	6	1	1	3	4	6	8	14
6-12 YRS	891	3.1	6	1	1	3	4	5	6	10
13-19 YRS	1157	3.4	5	1	1	3	4	6	7	10
GRAND TOTAL	**3252**	**3.5**	**8**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	54	3.8	4	2	2	3	5	6	7	14
1-11 MOS	2416	4.4	18	1	2	4	5	7	9	14
1-5 YRS	3958	3.5	7	1	1	3	4	6	7	11
6-12 YRS	789	3.8	15	1	2	3	5	6	8	13
13-19 YRS	406	4.2	4	2	2	4	5	7	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	12	10.5	51	1	2	11	16	19	22	22
1-5 YRS	28	3.6	23	<1	1	2	3	10	12	23
6-12 YRS	31	2.7	5	<1	<1	2	3	5	7	11
13-19 YRS	43	4.0	16	<1	1	3	5	8	9	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	61	5.0	11	2	2	4	7	8	10	22
1-11 MOS	2041	5.2	15	2	2	4	6	9	11	18
1-5 YRS	2792	4.2	8	1	2	4	5	7	9	14
6-12 YRS	618	4.1	7	1	2	4	5	7	8	12
13-19 YRS	581	4.8	17	2	2	4	6	8	10	18
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	43	8.2	23	2	3	7	12	15	17	20
1-5 YRS	51	8.4	62	2	2	7	9	19	23	45
6-12 YRS	24	5.9	26	2	2	4	7	12	16	24
13-19 YRS	42	9.2	163	1	2	5	10	15	32	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7623	3.9	11	1	2	3	5	7	8	12
B. *Operated*	114	4.2	22	<1	1	2	5	10	15	23
2. MULTIPLE DX										
A. *Not Operated*	6093	4.6	12	1	2	4	6	8	10	16
B. *Operated*	161	8.2	72	2	2	6	10	14	22	45
1. SINGLE DX	7737	3.9	11	1	2	3	5	7	8	13
2. MULTIPLE DX	6254	4.7	13	1	2	4	6	8	10	18
A. NOT OPERATED	13716	4.2	11	1	2	4	5	7	9	14
B. OPERATED	275	6.5	55	1	1	5	8	13	19	38
TOTAL 0-27 DYS	116	4.5	8	2	2	4	6	7	9	17
1-11 MOS	4512	4.8	17	2	2	4	6	8	10	16
1-5 YRS	6829	3.8	8	1	1	3	5	7	8	13
6-12 YRS	1462	4.0	12	1	2	3	5	7	8	13
13-19 YRS	1072	4.7	19	1	2	4	5	8	10	18
GRAND TOTAL	**13991**	**4.2**	**12**	**1**	**2**	**4**	**5**	**7**	**9**	**14**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	3	4.0	3	3	3	3	5	6	6	6
6-12 YRS	4	8.8	69	2	2	7	15	19	19	19
13-19 YRS	5	3.8	6	2	2	2	6	7	7	7
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	8.5	113	1	1	8	16	16	16	16
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	1	17.0		17	17	17	17	17	17	17
13-19 YRS	6	10.3	26	4	4	11	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	9	5.2	6	1	1	6	7	8	8	8
1-5 YRS	5	6.4	31	2	2	3	12	13	13	13
6-12 YRS	3	2.7	1	2	2	2	4	4	4	4
13-19 YRS	11	6.7	68	1	1	3	7	21	27	28
B. *Operated*										
0-27 DYS										
1-11 MOS	1	29.0		29	29	29	29	29	29	29
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	14	11.6	66	5	5	9	13	27	31	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.9	26	<1	1	3	6	13	18	19
B. *Operated*	12	8.8	39	1	2	7	15	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	29	6.0	33	1	1	4	7	13	17	28
B. *Operated*	17	11.4	86	1	2	9	13	28	31	32
1. SINGLE DX	26	6.7	35	1	1	4	12	16	17	19
2. MULTIPLE DX	46	8.0	58	1	1	6	11	16	28	32
A. NOT OPERATED	43	5.6	31	1	1	3	7	12	17	28
B. OPERATED	29	10.3	66	1	1	9	14	22	29	32
TOTAL 0-27 DYS	2	9.0	18	6	6	9	12	12	12	12
1-11 MOS	14	6.8	58	<1	1	5	8	17	26	29
1-5 YRS	11	4.5	17	1	1	3	5	12	13	13
6-12 YRS	9	6.8	52	1	1	2	13	18	19	19
13-19 YRS	36	8.8	57	1	2	6	13	16	27	32
GRAND TOTAL	**72**	**7.5**	**50**	**1**	**1**	**5**	**11**	**16**	**25**	**31**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	34	4.3	12	1	1	4	4	8	8	21
1-11 MOS	1832	4.9	12	2	2	4	6	8	10	15
1-5 YRS	8798	3.6	5	1	2	3	5	6	7	11
6-12 YRS	7315	3.6	7	1	2	3	4	6	7	11
13-19 YRS	5511	3.9	6	1	2	3	5	7	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	5	5.6	7	3	3	5	7	10	10	10
1-5 YRS	16	4.6	7	2	2	4	6	9	10	11
6-12 YRS	19	5.4	20	1	2	3	6	12	16	19
13-19 YRS	29	5.1	10	2	2	5	6	8	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	23	7.0	20	3	3	6	9	12	16	22
1-11 MOS	1715	5.8	13	2	2	5	7	10	12	18
1-5 YRS	5928	4.4	9	1	2	4	5	7	9	14
6-12 YRS	3108	4.2	7	1	2	4	5	7	8	12
13-19 YRS	2443	4.8	10	2	2	4	6	8	10	16
B. *Operated*										
0-27 DYS										
1-11 MOS	36	10.1	51	3	4	9	12	14	30	35
1-5 YRS	46	8.3	28	2	3	7	11	16	24	99+
6-12 YRS	49	9.4	100	2	3	7	10	13	26	65
13-19 YRS	71	9.0	114	2	2	6	9	21	30	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23490	3.8	6	1	2	3	5	6	8	11
B. *Operated*	69	5.1	11	2	2	4	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	13217	4.6	9	2	2	4	6	8	10	15
B. *Operated*	202	9.2	79	2	3	7	11	17	26	65
1. SINGLE DX	23559	3.8	6	1	2	3	5	6	8	11
2. MULTIPLE DX	13419	4.7	11	2	2	4	6	8	10	16
A. NOT OPERATED	36707	4.1	8	1	2	4	5	7	8	13
B. OPERATED	271	8.1	65	2	3	6	10	14	25	61
TOTAL 0-27 DYS	57	5.4	17	1	3	4	7	11	13	22
1-11 MOS	3588	5.4	13	2	2	5	7	9	11	17
1-5 YRS	14788	3.9	7	1	2	3	5	7	8	13
6-12 YRS	10491	3.8	8	1	2	3	5	6	8	11
13-19 YRS	8054	4.2	8	1	2	4	5	7	9	14
GRAND TOTAL	**36978**	**4.1**	**8**	**1**	**2**	**4**	**5**	**7**	**8**	**13**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	31	4.4	9	2	2	3	5	9	12	13
1-5 YRS	36	4.7	27	1	2	4	5	7	9	33
6-12 YRS	22	6.3	32	<1	1	4	8	13	18	26
13-19 YRS	39	4.7	22	1	1	3	6	10	15	24
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	3.6	19	1	1	2	3	11	15	15
6-12 YRS	26	4.0	17	<1	1	2	4	12	13	14
13-19 YRS	21	7.3	38	1	1	5	12	15	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	6.5	15	1	1	6	9	11	14	15
1-11 MOS	45	6.9	28	1	2	6	8	15	19	24
1-5 YRS	47	5.6	17	1	2	4	8	11	13	22
6-12 YRS	51	6.3	12	3	3	5	9	12	16	93
13-19 YRS	69	8.0	69	2	2	5	10	14	26	[illegible]
B. *Operated*										
0-27 DYS	3	5.0	9	2	2	5	7	8	8	8
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	14	6.9	71	1	1	3	11	24	26	26
6-12 YRS	14	5.1	25	<1	<1	3	8	13	15	16
13-19 YRS	19	8.7	24	2	3	8	12	14	18	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	4.9	22	1	1	4	6	9	13	27
B. *Operated*	56	5.2	27	1	1	2	8	13	15	23
2. MULTIPLE DX										
A. *Not Operated*	225	6.8	34	2	2	5	9	12	16	42
B. *Operated*	51	7.0	37	1	1	5	11	14	21	26
1. SINGLE DX	186	5.0	23	1	1	3	6	12	13	25
2. MULTIPLE DX	276	6.8	35	1	2	5	9	13	16	36
A. NOT OPERATED	355	6.1	30	1	2	4	8	12	15	33
B. OPERATED	107	6.0	32	1	1	3	10	13	16	25
TOTAL 0-27 DYS	18	6.0	12	1	1	6	8	10	13	15
1-11 MOS	77	5.9	21	2	2	5	7	13	16	23
1-5 YRS	106	5.3	28	1	1	4	6	11	14	29
6-12 YRS	113	5.6	19	<1	2	4	8	12	14	53
13-19 YRS	148	7.1	48	1	2	5	10	13	17	39
GRAND TOTAL	**462**	**6.1**	**31**	**1**	**2**	**4**	**8**	**12**	**15**	**29**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	3.2	10	1	1	2	4	8	9	9
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	4	4.3	15	2	2	3	6	10	10	10
13-19 YRS	302	3.6	8	1	1	3	5	6	7	13
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	2	12.5	5	11	11	12	14	14	14	14
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	5	7.4	21	3	3	6	10	15	15	15
13-19 YRS	619	6.9	26	2	3	6	8	13	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	7.0		7	7	7	7	7	7	7
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	2	3.5	5	2	2	3	5	5	5	5
6-12 YRS	6	4.0	7	2	2	3	4	9	9	9
13-19 YRS	72	4.7	10	1	2	4	6	8	11	16
B. *Operated*										
0-27 DYS										
1-11 MOS	2	7.0	8	5	5	7	9	9	9	9
1-5 YRS	3	24.0	387	3	3	27	38	42	42	42
6-12 YRS	5	11.0	39	4	4	10	15	20	20	20
13-19 YRS	184	10.7	58	2	3	9	14	21	26	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	3.6	8	1	1	3	5	6	8	13
B. *Operated*	628	7.0	26	2	3	6	9	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	84	4.7	9	1	2	4	6	8	10	16
B. *Operated*	194	10.8	62	3	3	9	14	21	27	38
1. SINGLE DX	941	5.8	22	1	2	5	7	11	14	22
2. MULTIPLE DX	278	9.0	54	2	2	7	11	18	25	35
A. NOT OPERATED	397	3.8	9	1	1	3	5	7	8	15
B. OPERATED	822	7.9	37	2	3	6	10	15	18	30
TOTAL 0-27 DYS	9	4.2	9	1	1	4	7	8	9	9
1-11 MOS	7	7.3	18	2	2	6	10	13	14	14
1-5 YRS	6	13.8	280	2	2	4	27	40	42	42
6-12 YRS	20	6.7	25	2	2	5	9	14	17	20
13-19 YRS	1177	6.5	30	1	2	5	8	13	17	26
GRAND TOTAL	**1219**	**6.5**	**31**	**1**	**2**	**5**	**8**	**13**	**17**	**27**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	66	4.6	30	1	1	3	5	10	12	33
1-11 MOS	464	4.3	13	1	1	3	6	8	10	15
1-5 YRS	538	3.8	9	1	1	3	5	7	9	16
6-12 YRS	227	4.3	15	1	1	3	5	8	10	22
13-19 YRS	430	4.1	12	1	1	3	5	8	10	18
B. *Operated*										
0-27 DYS	5	6.4	26	<1	<1	6	11	13	13	13
1-11 MOS	20	8.6	194	1	2	4	7	19	44	63
1-5 YRS	83	5.0	27	<1	1	2	8	12	15	23
6-12 YRS	69	4.6	22	1	1	2	6	10	16	85
13-19 YRS	130	9.4	58	2	2	7	13	19	25	37
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	62	6.5	110	1	1	4	7	13	16	73
1-11 MOS	646	6.2	24	2	2	5	[illegible]	12	15	29
1-5 YRS	840	4.8	21	1	1	4	[illegible]	9	12	23
6-12 YRS	337	5.1	22	1	1	4	6	10	14	22
13-19 YRS	565	5.3	38	1	2	4	6	10	14	28
B. *Operated*										
0-27 DYS	5	13.4	127	2	2	7	25	27	27	27
1-11 MOS	66	13.2	154	2	3	10	17	29	42	95
1-5 YRS	130	8.1	77	1	1	4	12	21	28	36
6-12 YRS	68	9.7	111	1	1	7	15	26	36	90
13-19 YRS	225	11.8	189	1	2	8	14	25	33	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1725	4.1	12	1	1	3	5	8	10	19
B. *Operated*	307	7.0	54	1	1	5	9	16	22	40
2. MULTIPLE DX										
A. *Not Operated*	2450	5.4	28	1	2	4	7	10	14	28
B. *Operated*	494	10.8	146	1	1	8	14	24	31	82
1. SINGLE DX	2032	4.6	20	1	1	3	6	9	12	24
2. MULTIPLE DX	2944	6.3	52	1	2	4	7	13	19	37
A. NOT OPERATED	4175	4.8	22	1	1	4	6	9	12	24
B. OPERATED	801	9.3	114	1	1	6	12	22	28	73
TOTAL 0-27 DYS	138	5.9	71	1	1	4	7	11	17	40
1-11 MOS	1196	5.9	34	1	2	4	7	11	15	31
1-5 YRS	1591	4.7	23	1	1	3	6	9	14	27
5-12 YRS	701	5.3	30	1	1	4	6	10	16	33
13-19 YRS	1350	6.4	64	1	1	4	8	13	20	37
GRAND TOTAL	**4976**	**5.6**	**39**	**1**	**1**	**4**	**7**	**11**	**16**	**31**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	8.0	2	7	7	8	9	9	9	9
1-11 MOS	8	4.3	43	<1	<1	2	4	16	20	20
1-5 YRS	117	2.6	4	<1	<1	2	4	5	6	10
6-12 YRS	60	2.6	3	<1	<1	2	4	5	6	9
13-19 YRS	193	2.4	8	<1	1	2	2	4	6	17
B. *Operated*										
0-27 DYS	6	2.2	1	1	1	2	3	3	3	3
1-11 MOS	27	1.8	1	<1	<1	2	2	3	4	5
1-5 YRS	2119	1.2	1	<1	<1	1	1	2	2	3
6-12 YRS	1443	1.7	2	<1	<1	1	2	2	3	7
13-19 YRS	15494	2.0	3	1	1	2	2	2	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	17	8.3	222	1	2	3	8	15	47	64
1-5 YRS	189	3.3	10	<1	<1	2	4	7	8	15
6-12 YRS	119	2.9	4	<1	<1	2	4	6	7	9
13-19 YRS	226	2.8	12	<1	<1	2	3	5	7	11
B. *Operated*										
0-27 DYS	8	2.1		1	1	2	3	3	3	3
1-11 MOS	8	1.8	1	1	1	1	2	4	4	4
1-5 YRS	847	1.7	8	<1	1	1	2	2	4	11
6-12 YRS	1048	2.0	10	<1	1	2	2	3	4	10
13-19 YRS	4063	2.6	7	1	1	2	3	4	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	380	2.6	7	<1	<1	2	3	5	6	11
B. *Operated*	19089	1.9	2	<1	1	2	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	553	3.2	16	<1	<1	2	4	6	8	14
B. *Operated*	5974	2.4	8	1	1	2	2	4	5	11
1. SINGLE DX	19469	1.9	3	<1	1	2	2	2	3	7
2. MULTIPLE DX	6527	2.4	8	<1	1	2	2	4	6	11
A. NOT OPERATED	933	2.9	13	<1	<1	2	4	6	7	13
B. OPERATED	25063	2.0	4	<1	1	2	2	3	4	8
TOTAL 0-27 DYS	18	3.1	5	1	1	2	3	7	8	9
1-11 MOS	60	4.0	74	<1	1	2	3	7	14	60
1-5 YRS	3272	1.5	4	<1	<1	1	1	2	4	8
6-12 YRS	2670	1.9	5	<1	<1	2	2	3	4	9
13-19 YRS	19976	2.1	4	1	1	2	2	3	4	8
GRAND TOTAL	**25996**	**2.0**	**4**	**<1**	**1**	**2**	**2**	**3**	**4**	**8**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	4.3	5	2	2	4	6	7	7	7
1-11 MOS	45	3.8	3	1	2	4	5	6	7	8
1-5 YRS	223	3.5	4	1	1	3	4	6	7	10
6-12 YRS	90	3.6	7	<1	1	3	5	6	7	17
13-19 YRS	99	4.0	5	1	2	4	5	7	8	14
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	30	2.7	13	<1	<1	2	3	5	6	20
1-5 YRS	148	2.4	5	<1	<1	2	3	5	7	11
6-12 YRS	346	2.4	3	<1	1	2	3	5	7	9
13-19 YRS	356	2.9	8	<1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	5.1	5	2	2	6	6	8	9	9
1-11 MOS	76	4.4	8	1	2	4	6	8	9	15
1-5 YRS	352	4.4	9	1	2	4	6	7	8	20
6-12 YRS	100	4.3	4	2	2	4	6	7	8	10
13-19 YRS	126	4.8	8	1	2	4	6	8	10	14
B. *Operated*										
0-27 DYS										
1-11 MOS	14	3.9	13	1	1	2	5	10	11	12
1-5 YRS	89	4.1	14	<1	1	3	6	9	11	18
6-12 YRS	133	2.8	5	1	1	2	3	5	8	12
13-19 YRS	176	3.7	8	1	2	3	4	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	461	3.7	5	1	1	3	5	6	7	12
B. *Operated*	881	2.6	6	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	661	4.4	8	1	2	4	6	7	9	15
B. *Operated*	412	3.5	8	1	1	3	4	7	9	15
1. SINGLE DX	1342	3.0	6	<1	1	2	4	6	7	12
2. MULTIPLE DX	1073	4.1	8	1	1	3	5	7	9	15
A. NOT OPERATED	1122	4.1	7	1	2	4	5	7	8	14
B. OPERATED	1293	2.9	7	<1	1	2	3	6	8	13
TOTAL 0-27 DYS	12	4.6	5	2	2	4	6	8	9	9
1-11 MOS	165	3.9	8	1	1	3	5	7	9	16
1-5 YRS	812	3.7	8	<1	1	3	5	7	8	14
6-12 YRS	669	2.9	5	<1	1	2	4	6	7	10
13-19 YRS	757	3.5	8	1	1	3	4	6	8	15
GRAND TOTAL	**2415**	**3.5**	**7**	**1**	**1**	**3**	**4**	**7**	**8**	**14**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	112	4.1	16	1	1	3	5	8	10	23
1-11 MOS	354	4.1	10	1	1	3	5	8	10	17
1-5 YRS	45	3.0	7	<1	1	2	3	8	9	12
6-12 YRS	40	2.8	2	1	1	3	3	5	6	8
13-19 YRS	178	3.6	10	1	1	3	5	7	9	14
B. *Operated*										
0-27 DYS	4	4.0	9	1	1	4	6	7	7	7
1-11 MOS	27	6.8	26	2	2	6	9	12	16	25
1-5 YRS	46	3.9	19	<1	<1	2	5	9	12	24
6-12 YRS	50	4.6	27	1	1	3	6	12	15	99
13-19 YRS	86	5.6	19	1	1	4	8	12	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	93	5.4	28	1	2	4	6	10	15	32
1-11 MOS	372	6.1	43	2	2	4	8	12	15	23
1-5 YRS	53	4.7	13	1	1	4	6	11	13	18
6-12 YRS	47	4.3	13	1	1	3	5	10	12	15
13-19 YRS	286	5.1	39	1	2	4	6	9	11	20
B. *Operated*										
0-27 DYS	4	25.8	655	8	8	16	42	63	63	63
1-11 MOS	57	17.8	241	2	3	15	23	41	57	98
1-5 YRS	76	8.3	145	1	1	4	11	18	44	92
6-12 YRS	42	7.8	46	1	2	6	11	17	21	33
13-19 YRS	119	8.7	119	1	2	6	11	17	26	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	729	3.8	10	1	1	3	5	8	9	16
B. *Operated*	213	5.1	22	<1	1	3	8	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	851	5.5	37	1	2	4	7	10	14	22
B. *Operated*	298	10.5	159	1	2	7	13	22	40	89
1. SINGLE DX	942	4.1	13	1	1	3	5	9	11	18
2. MULTIPLE DX	1149	6.8	73	1	2	4	8	14	19	57
A. NOT OPERATED	1580	4.7	25	1	1	4	6	9	12	21
B. OPERATED	511	8.2	109	1	1	5	10	18	29	75
TOTAL 0-27 DYS	213	5.1	39	1	2	3	6	9	15	35
1-11 MOS	810	6.1	53	1	2	4	7	12	18	38
1-5 YRS	220	5.4	63	<1	1	3	6	12	17	57
6-12 YRS	179	4.9	25	1	1	3	6	11	15	32
13-19 YRS	669	5.4	46	1	1	4	6	10	14	30
GRAND TOTAL	**2091**	**5.6**	**48**	**1**	**1**	**4**	**6**	**11**	**16**	**37**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	3	4.3	10	2	2	3	7	8	8	8
1-5 YRS	5	7.2	79	2	2	3	9	23	23	23
6-12 YRS	18	3.5	4	1	1	3	5	6	7	7
13-19 YRS	97	4.6	9	2	2	4	6	8	9	20
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS										
13-19 YRS	19	7.1	22	2	2	7	10	15	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	10.3	77	4	4	7	16	23	23	23
1-11 MOS										
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	19	4.5	10	2	2	4	5	10	13	14
13-19 YRS	82	5.3	20	1	2	4	6	9	12	29
B. *Operated*										
0-27 DYS	4	9.5	6	6	6	10	11	12	12	12
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	24	9.3	55	3	4	7	11	22	26	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	4.5	11	1	2	4	5	8	9	21
B. *Operated*	20	6.8	23	1	2	6	10	14	17	17
2. MULTIPLE DX										
A. *Not Operated*	107	5.3	20	1	2	4	6	9	13	28
B. *Operated*	31	9.5	43	3	4	9	12	17	23	34
1. SINGLE DX	145	4.8	13	1	2	4	6	8	11	21
2. MULTIPLE DX	138	6.2	28	1	2	5	7	12	14	31
A. NOT OPERATED	232	4.9	15	1	2	4	6	8	11	24
B. OPERATED	51	8.5	36	2	3	7	11	14	22	34
TOTAL 0-27 DYS	10	8.4	38	2	2	7	10	17	23	23
1-11 MOS	5	5.2	22	<1	<1	3	9	12	12	12
1-5 YRS	8	5.9	55	1	1	3	7	19	23	23
6-12 YRS	38	4.2	9	1	1	4	5	7	13	14
13-19 YRS	222	5.6	21	2	2	4	7	10	13	27
GRAND TOTAL	**283**	**5.5**	**21**	**1**	**2**	**4**	**7**	**10**	**13**	**24**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	9	6.0	7	3	3	5	7	10	11	11
6-12 YRS	5	4.8	3	3	3	5	6	7	7	7
13-19 YRS	53	5.6	10	2	3	5	7	9	12	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.7	10	<1	<1	6	7	7	7	7
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	21	8.5	17	3	3	9	10	12	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	7.7	32	3	3	6	12	14	14	14
6-12 YRS	4	5.5		5	5	5	6	6	6	6
13-19 YRS	44	5.1	6	2	2	5	6	9	11	12
B. *Operated*										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS										
1-5 YRS										
6-12 YRS	5	7.4	5	4	4	7	9	10	10	10
13-19 YRS	16	9.8	25	2	3	10	14	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	5.7	9	2	3	5	7	9	11	17
B. *Operated*	25	7.9	16	2	3	8	10	11	16	21
2. MULTIPLE DX										
A. *Not Operated*	52	5.2	7	2	2	5	6	9	11	14
B. *Operated*	22	9.6	23	3	4	9	14	16	17	18
1. SINGLE DX	93	6.3	12	2	3	6	8	10	12	19
2. MULTIPLE DX	74	6.5	16	2	2	5	8	13	15	18
A. NOT OPERATED	120	5.5	8	2	2	5	7	9	11	16
B. OPERATED	47	8.7	20	3	3	8	11	15	17	21
TOTAL 0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	2	6.5	41	2	2	6	11	11	11	11
1-5 YRS	15	6.1	11	1	3	5	7	11	13	14
6-12 YRS	15	5.9	4	3	3	6	7	9	10	10
13-19 YRS	134	6.4	14	2	3	5	8	11	15	18
GRAND TOTAL	**167**	**6.4**	**14**	**2**	**3**	**5**	**8**	**11**	**14**	**18**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	2.7	1	2	2	2	4	4	4	4
1-11 MOS	7	5.4	21	1	1	4	9	12	12	12
1-5 YRS	35	4.9	17	1	2	4	6	8	9	25
6-12 YRS	205	4.4	15	1	1	4	5	8	9	19
13-19 YRS	798	4.1	6	1	2	4	5	7	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	6	5.2	10	2	2	4	8	10	10	10
13-19 YRS	39	9.6	24	2	4	9	12	17	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	8.2	31	3	3	8	11	17	17	17
1-11 MOS	9	8.8	87	3	3	6	9	23	33	33
1-5 YRS	17	6.8	27	2	3	6	7	17	20	21
6-12 YRS	121	4.8	11	1	2	4	6	8	12	18
13-19 YRS	607	5.7	32	2	2	5	7	10	12	25
B. *Operated*										
0-27 DYS										
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	3	6.3	5	5	5	5	8	9	9	9
13-19 YRS	62	9.9	93	2	3	8	12	15	23	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1048	4.2	8	1	2	4	5	8	9	13
B. *Operated*	46	9.1	24	2	3	8	11	16	19	24
2. MULTIPLE DX										
A. *Not Operated*	759	5.7	30	2	2	5	7	10	12	25
B. *Operated*	67	9.9	87	3	3	8	12	15	20	61
1. SINGLE DX	1094	4.4	10	1	2	4	6	8	9	16
2. MULTIPLE DX	826	6.0	35	2	2	5	7	10	13	27
A. NOT OPERATED	1807	4.8	17	1	2	4	6	8	10	20
B. OPERATED	113	9.5	61	2	3	8	12	15	19	51
TOTAL 0-27 DYS	8	6.1	26	2	2	4	8	15	17	17
1-11 MOS	17	7.8	58	1	1	6	9	14	27	33
1-5 YRS	54	5.8	22	1	2	5	6	9	18	25
6-12 YRS	335	4.6	13	1	2	4	6	8	10	18
13-19 YRS	1506	5.1	23	1	2	4	6	9	11	20
GRAND TOTAL	**1920**	**5.1**	**21**	**1**	**2**	**4**	**6**	**9**	**11**	**21**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	4	6.0	9	3	3	6	8	9	9	9
1-5 YRS	4	5.3	7	3	3	5	7	8	8	8
6-12 YRS	26	4.9	4	2	3	5	6	7	9	9
13-19 YRS	189	5.1	10	2	2	4	7	9	11	20
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	5	2.8	12	1	1	1	4	9	9	9
6-12 YRS	8	5.8	20	2	2	5	9	12	13	13
13-19 YRS	49	8.2	15	2	3	8	10	14	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	[illegible]	25	4	4	7	11	11	11	11
1-5 YRS	7	8.4	49	4	4	6	8	21	24	24
6-12 YRS	20	6.5	15	2	2	5	9	12	14	16
13-19 YRS	147	6.0	21	2	3	5	7	10	12	27
B. *Operated*										
0-27 DYS										
1-11 MOS	4	15.3	85	8	8	12	22	28	28	28
1-5 YRS	3	6.7	30	3	3	4	11	13	13	13
6-12 YRS	5	6.2	39	2	2	5	8	17	17	17
13-19 YRS	32	14.1	256	4	5	8	15	31	49	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	224	5.1	9	2	2	5	7	9	11	19
B. *Operated*	63	7.4	17	1	2	8	10	13	15	19
2. MULTIPLE DX										
A. *Not Operated*	176	6.2	22	2	3	5	8	10	13	26
B. *Operated*	44	12.8	205	2	4	8	15	28	40	81
1. SINGLE DX	287	5.6	11	2	2	5	7	10	11	19
2. MULTIPLE DX	220	7.5	64	2	3	5	8	13	18	45
A. NOT OPERATED	400	5.6	15	2	2	5	7	9	11	21
B. OPERATED	107	9.6	100	2	2	8	11	16	23	64
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	11	9.4	54	3	3	8	11	21	27	28
1-5 YRS	19	6.0	29	1	1	4	8	11	19	24
6-12 YRS	59	5.6	12	2	2	5	7	11	13	17
13-19 YRS	417	6.5	38	2	2	5	8	11	14	31
GRAND TOTAL	**507**	**6.4**	**35**	**2**	**2**	**5**	**8**	**11**	**14**	**28**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS										
6-12 YRS	2	6.0		6	6	6	6	6	6	6
13-19 YRS	14	4.4	3	1	2	5	6	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	12	13.3	132	1	2	11	15	31	41	43
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	8	8.5	24	2	2	8	13	14	15	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	11.0	2	10	10	11	12	12	12	12
13-19 YRS	8	9.6	18	4	5	8	13	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.5	3	1	2	5	6	6	7	7
B. *Operated*	14	12.5	116	1	2	10	14	28	40	43
2. MULTIPLE DX										
A. *Not Operated*	11	7.5	22	1	2	8	12	14	15	15
B. *Operated*	11	9.1	20	<1	2	9	12	15	16	16
1. SINGLE DX	31	8.1	68	1	2	6	9	15	26	43
2. MULTIPLE DX	22	8.3	21	1	2	8	12	15	16	16
A. NOT OPERATED	28	5.7	12	1	2	5	7	12	13	15
B. OPERATED	25	11.0	74	1	2	9	13	17	30	43
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	3	5.0	13	<1	<1	6	7	8	8	8
6-12 YRS	5	8.2	7	6	6	7	10	12	12	12
13-19 YRS	42	8.7	56	2	2	7	12	15	21	43
GRAND TOTAL	**53**	**8.2**	**48**	**1**	**2**	**7**	**11**	**15**	**17**	**42**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	47	3.4	3	1	2	3	4	6	7	9
1-11 MOS	232	3.3	3	1	1	3	4	6	7	8
1-5 YRS	499	2.7	4	1	1	2	3	5	6	10
6-12 YRS	1035	2.8	3	1	1	2	3	5	6	8
13-19 YRS	2188	3.3	6	1	1	3	4	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	9	6.7	59	1	1	3	8	20	25	25
6-12 YRS	6	4.2	7	<1	<1	4	6	8	8	8
13-19 YRS	71	6.8	60	2	2	6	8	10	17	54
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	49	4.4	21	1	2	3	5	7	8	33
1-11 MOS	337	4.7	11	1	2	4	6	9	11	17
1-5 YRS	930	3.2	11	1	1	3	4	5	6	11
6-12 YRS	1214	3.3	11	1	1	3	4	6	7	10
13-19 YRS	2473	4.3	14	1	2	4	5	8	10	15
B. *Operated*										
0-27 DYS	3	8.7	58	2	2	7	14	17	17	17
1-11 MOS	7	9.4	29	4	5	9	16	76	99+	99+
1-5 YRS	6	5.0	12	2	2	4	7	11	11	11
6-12 YRS	27	6.6	20	3	4	5	7	13	19	22
13-19 YRS	174	7.7	34	2	3	6	9	14	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4001	3.1	5	1	1	3	4	5	7	10
B. *Operated*	87	6.5	55	2	2	5	8	10	17	49
2. MULTIPLE DX										
A. *Not Operated*	5003	3.9	13	1	2	3	5	7	8	14
B. *Operated*	217	7.5	32	2	3	6	9	14	20	37
1. SINGLE DX	4088	3.2	6	1	1	3	4	6	7	11
2. MULTIPLE DX	5220	4.0	14	1	2	3	5	7	9	16
A. NOT OPERATED	9004	3.5	9	1	1	3	4	6	8	13
B. OPERATED	304	7.3	39	2	2	6	8	14	20	38
TOTAL 0-27 DYS	99	4.1	14	1	2	3	5	7	9	25
1-11 MOS	577	4.2	9	1	2	3	5	7	10	17
1-5 YRS	1444	3.0	9	1	1	3	4	5	6	11
6-12 YRS	2282	3.1	7	1	1	3	4	5	6	9
13-19 YRS	4906	4.0	13	1	1	3	5	7	9	16
GRAND TOTAL	**9308**	**3.7**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	32	2.6	3	1	1	2	3	5	6	8
1-11 MOS	107	3.8	6	1	1	3	5	7	8	11
1-5 YRS	74	3.4	16	1	1	3	4	6	8	27
6-12 YRS	303	3.1	5	1	1	3	4	5	7	11
13-19 YRS	673	3.4	5	1	1	3	4	6	7	12
B. *Operated*										
0-27 DYS	96	4.7	6	2	2	4	6	8	10	14
1-11 MOS	278	4.2	5	2	2	4	5	7	8	12
1-5 YRS	4	7.3	18	<1	<1	9	10	10	10	10
6-12 YRS	3	7.0	7	4	4	8	9	9	9	9
13-19 YRS	20	5.9	8	2	2	5	7	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	29	3.6	13	1	1	3	4	6	9	20
1-11 MOS	127	4.5	18	1	1	3	5	8	13	25
1-5 YRS	116	3.4	6	1	1	3	4	6	8	14
6-12 YRS	300	3.9	7	1	2	3	5	7	9	16
13-19 YRS	699	4.2	8	1	2	3	5	7	9	16
B. *Operated*										
0-27 DYS	17	7.4	14	3	3	7	8	12	16	18
1-11 MOS	65	6.7	34	2	3	5	8	10	14	41
1-5 YRS	13	7.8	78	2	2	4	7	25	30	31
6-12 YRS	17	7.3	49	2	2	6	9	10	24	32
13-19 YRS	50	9.0	53	2	3	8	11	16	25	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1189	3.3	6	1	1	3	4	6	7	12
B. *Operated*	401	4.4	6	2	2	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	1271	4.1	9	1	2	3	5	7	9	17
B. *Operated*	162	7.6	43	2	3	6	9	13	21	45
1. SINGLE DX	1590	3.6	6	1	1	3	4	6	8	12
2. MULTIPLE DX	1433	4.5	14	1	2	4	5	8	10	20
A. NOT OPERATED	2460	3.7	7	1	1	3	4	7	8	15
B. OPERATED	563	5.3	18	2	2	4	6	9	12	25
TOTAL 0-27 DYS	174	4.4	9	1	2	4	6	8	10	17
1-11 MOS	577	4.4	12	1	2	4	5	7	9	18
1-5 YRS	207	3.8	15	1	1	3	4	6	9	26
6-12 YRS	623	3.7	7	1	1	3	4	6	8	16
13-19 YRS	1442	4.0	9	1	2	3	5	7	9	16
GRAND TOTAL	**3023**	**4.0**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	3.4	2	2	2	3	4	6	6	6
6-12 YRS	113	3.3	7	1	1	3	4	5	6	15
13-19 YRS	259	3.5	3	1	1	3	4	5	7	11
B. *Operated*										
0-27 DYS	7	3.7	1	2	2	4	4	5	5	5
1-11 MOS	14	3.9	2	2	3	3	5	6	7	7
1-5 YRS	494	4.4	15	2	2	4	5	7	9	12
6-12 YRS	8478	3.8	4	2	2	4	4	6	7	11
13-19 YRS	14725	4.0	5	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	45	3.6	6	1	1	3	4	7	8	12
13-19 YRS	80	3.9	5	1	1	3	5	7	8	10
B. *Operated*										
0-27 DYS	3	6.7	14	4	4	5	9	11	11	11
1-11 MOS	6	8.5	7	6	6	8	11	12	12	12
1-5 YRS	140	6.9	24	2	3	5	9	13	16	27
6-12 YRS	1214	5.7	16	2	3	5	7	10	14	23
13-19 YRS	2240	5.7	17	2	3	5	6	10	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	379	3.4	4	1	1	3	4	5	7	11
B. *Operated*	23718	4.0	4	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	126	3.8	5	1	1	3	5	7	8	10
B. *Operated*	3603	5.8	17	2	3	5	7	10	13	22
1. SINGLE DX	24097	4.0	4	2	2	4	5	6	7	11
2. MULTIPLE DX	3729	5.7	17	2	3	5	7	10	13	21
A. NOT OPERATED	505	3.5	5	1	1	3	4	6	7	11
B. OPERATED	27321	4.2	7	2	2	4	5	6	8	14
TOTAL 0-27 DYS	10	4.6	6	2	2	4	5	8	11	11
1-11 MOS	20	5.3	8	2	3	4	7	10	11	12
1-5 YRS	642	4.9	18	2	2	4	6	9	11	17
6-12 YRS	9850	4.1	5	2	2	4	5	6	8	14
13-19 YRS	17304	4.2	7	2	2	4	5	6	8	14
GRAND TOTAL	**27826**	**4.2**	**6**	**2**	**2**	**4**	**5**	**6**	**8**	**14**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.5	5	4	4	5	7	7	7	7
1-5 YRS	7	6.3	45	<1	<1	5	6	18	21	21
6-12 YRS	41	6.6	16	1	2	6	8	12	14	21
13-19 YRS	62	5.9	8	1	2	5	8	10	11	13
B. *Operated*										
0-27 DYS	3	6.3	2	5	5	6	7	8	8	8
1-11 MOS	7	9.4	18	3	4	10	11	16	17	17
1-5 YRS	404	8.4	15	3	4	8	10	14	16	20
6-12 YRS	2132	7.5	19	3	3	7	9	12	15	23
13-19 YRS	2654	7.1	18	3	3	6	9	12	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	9.2	15	7	7	8	10	16	16	16
6-12 YRS	8	8.3	16	2	2	9	10	13	14	14
13-19 YRS	18	7.8	21	3	3	7	10	13	18	21
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS										
1-5 YRS	225	12.1	38	5	6	11	15	20	24	33
6-12 YRS	794	11.7	47	4	5	10	15	20	24	37
13-19 YRS	1066	12.0	65	4	5	10	15	21	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	6.2	13	1	2	6	8	10	12	21
B. *Operated*	5200	7.3	18	3	3	7	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	31	8.2	18	3	3	8	10	13	16	21
B. *Operated*	2086	11.9	55	4	5	10	15	21	25	38
1. SINGLE DX	5312	7.3	18	3	3	7	9	12	15	22
2. MULTIPLE DX	2117	11.9	55	4	5	10	15	21	25	38
A. NOT OPERATED	143	6.6	15	1	2	6	9	11	13	21
B. OPERATED	7286	8.6	33	3	3	7	10	15	19	30
TOTAL 0-27 DYS	4	7.3	5	5	5	7	9	10	10	10
1-11 MOS	9	8.6	17	3	3	8	10	15	17	17
1-5 YRS	641	9.7	27	4	5	8	12	16	19	29
6-12 YRS	2975	8.6	30	3	4	7	10	15	19	28
13-19 YRS	3800	8.4	36	3	3	7	10	15	19	31
GRAND TOTAL	**7429**	**8.6**	**33**	**3**	**3**	**7**	**10**	**15**	**19**	**30**

199: Disease of Appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	12	1.7	1	<1	<1	1	2	3	4	4
6-12 YRS	199	2.3	2	1	1	2	3	4	5	8
13-19 YRS	394	2.8	9	1	1	2	3	5	6	14
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.0	1	2	2	3	4	4	4	4
1-5 YRS	66	4.4	4	2	2	4	5	6	11	85
6-12 YRS	963	4.1	4	2	2	4	5	6	7	13
13-19 YRS	1885	4.6	10	2	3	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	18	2.3	1	1	1	2	3	4	5	5
6-12 YRS	88	3.1	8	1	1	2	4	5	7	18
13-19 YRS	191	3.4	6	1	1	3	4	6	7	13
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	56	5.1	10	2	3	4	6	8	10	20
6-12 YRS	401	5.5	15	2	3	5	6	9	11	22
13-19 YRS	941	5.9	15	3	3	5	7	10	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	606	2.6	6	1	1	2	3	5	6	12
B. *Operated*	2918	4.4	8	2	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	297	3.2	6	1	1	3	4	6	7	13
B. *Operated*	1400	5.8	15	3	3	5	7	9	12	21
1. SINGLE DX	3524	4.1	8	1	2	4	5	6	8	12
2. MULTIPLE DX	1697	5.3	14	2	2	4	6	9	11	20
A. NOT OPERATED	903	2.8	7	1	1	2	3	5	6	12
B. OPERATED	4318	4.8	10	2	3	4	5	8	10	16
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	3.0	1	2	2	3	4	4	4	4
1-5 YRS	152	4.2	7	1	2	4	5	7	10	20
6-12 YRS	1651	4.2	8	1	2	4	5	7	9	15
13-19 YRS	3411	4.7	12	1	2	4	5	8	10	16
GRAND TOTAL	**5221**	**4.5**	**10**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	2.6	11	<1	<1	1	2	8	10	10
1-11 MOS	89	1.3	1	<1	<1	1	1	2	3	5
1-5 YRS	59	1.5	2	<1	<1	1	2	2	3	11
6-12 YRS	24	1.5	1	<1	<1	1	2	3	4	5
13-19 YRS	40	2.5	3	<1	<1	2	4	5	6	7
B. *Operated*										
0-27 DYS	114	3.5	53	<1	<1	2	3	5	7	46
1-11 MOS	4169	1.9	5	<1	<1	2	2	3	4	8
1-5 YRS	5941	1.8	3	<1	<1	2	2	3	3	6
6-12 YRS	4383	2.2	4	<1	1	2	3	3	4	6
13-19 YRS	5707	3.5	3	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	1.2		<1	<1	1	1	2	2	2
1-11 MOS	373	1.9	5	<1	<1	1	2	4	6	11
1-5 YRS	327	1.3	1	<1	<1	1	1	2	3	7
6-12 YRS	74	2.0	6	<1	<1	1	2	5	6	16
13-19 YRS	51	1.8	2	<1	<1	1	2	4	5	6
B. *Operated*										
0-27 DYS	84	3.9	22	<1	1	2	4	8	13	27
1-11 MOS	2839	2.5	10	<1	1	2	2	4	6	12
1-5 YRS	4099	2.1	2	<1	<1	2	2	3	4	8
6-12 YRS	1929	2.6	4	1	1	2	3	4	5	10
13-19 YRS	1650	4.0	5	2	2	4	5	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	219	1.7	2	<1	<1	1	2	3	5	8
B. *Operated*	20314	2.4	4	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	830	1.7	4	<1	<1	1	1	3	5	10
B. *Operated*	10601	2.6	6	<1	1	2	3	5	6	11
1. SINGLE DX	20533	2.4	4	<1	1	2	3	4	5	7
2. MULTIPLE DX	11431	2.5	5	<1	1	2	3	4	6	11
A. NOT OPERATED	1049	1.7	3	<1	<1	1	2	3	5	10
B. OPERATED	30915	2.5	5	<1	1	2	3	4	5	9
TOTAL 0-27 DYS	210	3.6	38	<1	<1	2	4	7	9	30
1-11 MOS	7470	2.1	7	<1	<1	2	2	3	5	10
1-5 YRS	10426	1.9	3	<1	<1	2	2	3	4	7
6-12 YRS	6410	2.3	4	<1	1	2	3	4	4	8
13-19 YRS	7448	3.6	4	2	2	3	4	5	6	10
GRAND TOTAL	**31964**	**2.5**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	19	1.3		<1	<1	1	2	2	2	2
1-5 YRS	12	1.4		<1	<1	1	2	3	3	3
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS	56	3.3	11	1	1	2	4	7	9	20
1-11 MOS	594	2.1	2	<1	1	2	3	4	5	8
1-5 YRS	354	1.9	1	<1	1	2	2	3	5	6
6-12 YRS	108	2.3	1	1	1	2	3	4	4	5
13-19 YRS	195	3.9	23	2	2	3	4	6	7	42
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	18	2.7	3	1	1	2	4	5	6	7
1-5 YRS	19	1.6	1	<1	<1	1	2	4	5	5
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	3	2.7	8	<1	<1	1	5	6	6	6
B. *Operated*										
0-27 DYS	48	4.0	14	1	1	3	5	10	12	17
1-11 MOS	416	3.1	7	<1	1	2	4	6	9	12
1-5 YRS	189	2.4	3	1	1	2	3	5	6	8
6-12 YRS	53	2.7	2	1	1	2	3	4	6	10
13-19 YRS	63	4.7	7	1	2	4	6	7	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	1.4		<1	<1	1	2	2	3	3
B. *Operated*	1307	2.4	6	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	43	2.2	3	<1	<1	1	3	5	6	7
B. *Operated*	769	3.1	6	1	1	2	4	6	8	12
1. SINGLE DX	1346	2.4	6	<1	1	2	3	4	5	8
2. MULTIPLE DX	812	3.0	6	1	1	2	4	6	8	12
A. NOT OPERATED	82	1.8	2	<1	<1	1	2	4	5	7
B. OPERATED	2076	2.7	6	<1	1	2	3	5	6	11
TOTAL 0-27 DYS	108	3.6	12	1	1	2	4	8	11	18
1-11 MOS	1047	2.5	4	<1	1	2	3	5	7	11
1-5 YRS	574	2.1	2	<1	1	2	2	4	5	7
6-12 YRS	166	2.4	2	1	1	2	3	4	5	6
13-19 YRS	263	4.1	19	2	2	3	5	6	7	15
GRAND TOTAL	**2158**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	1.3		<1	<1	1	2	2	2	2
1-5 YRS	29	1.6	1	<1	<1	1	2	3	4	5
6-12 YRS	8	1.4	1	<1	<1	1	2	3	3	3
13-19 YRS	5	2.4		2	2	2	3	3	3	3
B. *Operated*										
0-27 DYS	10	6.1	57	<1	<1	2	9	19	22	22
1-11 MOS	502	2.3	3	<1	1	2	3	4	4	8
1-5 YRS	1972	2.2	6	<1	1	2	2	3	4	6
6-12 YRS	936	2.3	5	1	1	2	3	3	4	6
13-19 YRS	402	3.1	3	1	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	57	2.1	9	<1	<1	1	2	4	5	21
1-5 YRS	105	2.1	6	<1	<1	1	2	5	7	14
6-12 YRS	8	2.5	7	<1	<1	2	2	7	9	9
13-19 YRS	8	1.8	2	<1	<1	1	2	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	155	3.8	12	1	1	3	5	8	10	16
1-5 YRS	376	3.0	5	1	1	2	3	6	7	12
6-12 YRS	205	3.0	3	1	2	2	4	5	6	8
13-19 YRS	102	3.5	3	2	2	3	4	6	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	1.6	1	<1	<1	1	2	3	3	5
B. *Operated*	3822	2.3	5	<1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	179	2.1	7	<1	<1	1	2	5	6	16
B. *Operated*	838	3.2	6	1	1	2	4	6	8	12
1. SINGLE DX	3871	2.3	5	<1	1	2	3	4	4	7
2. MULTIPLE DX	1017	3.0	6	<1	1	2	4	6	8	13
A. NOT OPERATED	228	2.0	6	<1	<1	1	2	4	5	13
B. OPERATED	4660	2.5	5	<1	1	2	3	4	5	9
TOTAL 0-27 DYS	11	5.6	54	<1	<1	2	8	19	22	22
1-11 MOS	721	2.6	6	<1	1	2	3	4	6	13
1-5 YRS	2482	2.3	6	<1	1	2	2	4	5	9
6-12 YRS	1157	2.4	5	<1	1	2	3	4	4	7
13-19 YRS	517	3.2	3	1	2	3	4	5	6	10
GRAND TOTAL	**4888**	**2.5**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	6.5	41	2	2	6	11	11	11	11
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	10	1.7	1	<1	<1	1	3	3	3	3
B. *Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	34	2.6	4	<1	1	2	3	6	8	9
1-5 YRS	155	2.2	7	<1	<1	2	2	4	5	11
6-12 YRS	211	2.6	18	<1	1	2	3	4	5	12
13-19 YRS	321	3.2	3	1	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	5	1.8	3	1	1	1	2	5	5	5
6-12 YRS	5	3.4	8	<1	<1	2	6	7	7	7
13-19 YRS	5	2.2	5	1	1	1	3	6	6	6
B. *Operated*										
0-27 DYS	2	9.5	5	8	8	9	11	11	11	11
1-11 MOS	11	6.6	52	<1	<1	3	11	18	22	22
1-5 YRS	68	3.0	4	1	1	2	4	6	8	9
6-12 YRS	37	3.3	6	1	2	2	4	6	9	11
13-19 YRS	81	4.9	27	1	2	4	6	8	11	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.4	6	<1	1	2	3	3	9	11
B. *Operated*	723	2.8	8	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	16	2.4	5	<1	<1	1	4	6	7	7
B. *Operated*	199	4.1	17	1	1	3	5	8	10	19
1. SINGLE DX	738	2.8	8	<1	1	2	3	5	6	11
2. MULTIPLE DX	215	4.0	17	1	1	3	5	8	10	18
A. NOT OPERATED	31	2.4	5	<1	<1	1	3	6	7	11
B. OPERATED	922	3.1	11	<1	1	2	3	5	7	12
TOTAL 0-27 DYS	4	6.5	15	2	2	6	9	11	11	11
1-11 MOS	46	3.6	18	<1	<1	2	4	9	12	22
1-5 YRS	230	2.5	6	<1	<1	2	3	5	6	11
6-12 YRS	256	2.7	16	<1	1	2	3	4	6	11
13-19 YRS	417	3.5	8	1	2	3	4	6	7	12
GRAND TOTAL	**953**	**3.0**	**10**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	6	2.0	1	<1	<1	2	3	3	3	3
6-12 YRS	10	6.0	92	1	1	3	4	19	33	33
13-19 YRS	20	5.2	5	1	2	5	6	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	7	5.9	12	2	2	5	9	11	11	11
1-5 YRS	8	4.0	11	1	1	2	7	9	9	9
6-12 YRS	7	3.9	6	1	1	3	6	7	7	7
13-19 YRS	12	5.4	18	<1	1	4	6	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	4.8	8	1	1	5	6	9	9	9
1-11 MOS	20	4.8	20	<1	<1	3	6	11	15	18
1-5 YRS	12	5.7	31	<1	<1	4	8	13	19	20
6-12 YRS	10	4.5	9	<1	1	4	7	9	9	9
13-19 YRS	85	4.7	10	1	2	4	6	8	11	17
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	21.3	361	6	6	15	32	49	49	49
1-5 YRS	7	14.1	129	<1	<1	14	23	30	31	31
6-12 YRS	6	8.5	3	6	6	9	10	10	10	10
13-19 YRS	37	10.3	243	2	2	7	10	16	21	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	4.9	28	1	1	4	6	8	9	33
B. *Operated*	34	4.9	13	1	1	4	7	10	12	15
2. MULTIPLE DX										
A. *Not Operated*	132	4.8	13	<1	1	4	6	9	11	18
B. *Operated*	55	11.3	207	2	2	8	13	19	29	96
1. SINGLE DX	71	4.9	20	1	1	4	6	9	11	29
2. MULTIPLE DX	187	6.7	78	1	2	4	8	12	17	42
A. NOT OPERATED	169	4.8	16	1	1	4	6	9	11	20
B. OPERATED	89	8.8	142	1	2	7	10	16	22	79
TOTAL 0-27 DYS	6	4.7	7	1	1	4	5	9	9	9
1-11 MOS	32	7.0	80	<1	1	4	9	15	18	49
1-5 YRS	33	6.4	56	<1	<1	3	9	19	23	31
6-12 YRS	33	5.5	33	1	2	4	7	10	10	33
13-19 YRS	154	6.2	70	1	2	5	7	11	15	22
GRAND TOTAL	**258**	**6.2**	**62**	**1**	**1**	**4**	**7**	**11**	**16**	**33**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS										
13-19 YRS	8	4.1	21	1	1	3	4	12	15	15
B. *Operated*										
0-27 DYS										
1-11 MOS	10	4.3	19	1	1	3	5	11	15	15
1-5 YRS	21	1.9	1	<1	<1	2	2	3	4	4
6-12 YRS	37	2.5	2	1	1	2	3	4	6	9
13-19 YRS	83	3.9	5	1	2	3	5	6	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	5.3	2	4	4	5	6	7	7	7
1-5 YRS	6	2.2	4	<1	<1	1	3	6	6	6
6-12 YRS	2	6.0	32	2	2	6	10	10	10	10
13-19 YRS	8	3.9	6	<1	1	3	4	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	8	2.6	1	1	1	3	3	4	4	4
1-5 YRS	24	2.5	4	<1	1	2	3	3	6	11
6-12 YRS	17	4.4	15	<1	1	3	6	10	14	16
13-19 YRS	29	6.7	31	3	3	5	7	10	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.1	14	1	1	2	3	6	13	15
B. *Operated*	151	3.3	5	1	1	3	4	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	20	3.8	7	<1	<1	3	5	8	9	10
B. *Operated*	78	4.5	19	1	1	3	5	8	11	28
1. SINGLE DX	164	3.3	6	1	1	3	4	5	7	15
2. MULTIPLE DX	98	4.3	17	<1	1	3	5	8	11	24
A. NOT OPERATED	33	3.5	9	<1	1	3	4	7	10	15
B. OPERATED	229	3.7	10	1	1	3	4	6	9	16
TOTAL 0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	22	3.7	10	1	1	3	4	7	11	15
1-5 YRS	54	2.1	2	<1	1	2	2	3	4	11
6-12 YRS	56	3.2	7	1	1	2	3	6	10	16
13-19 YRS	128	4.5	13	1	2	4	5	7	11	20
GRAND TOTAL	**262**	**3.7**	**10**	**1**	**1**	**3**	**4**	**6**	**9**	**16**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	4	4.0	12	1	1	3	6	9	9	9
1-5 YRS	5	1.2		<1	<1	1	1	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	41	2.7	5	1	1	2	3	5	8	11
1-5 YRS	84	2.6	2	<1	1	2	4	5	5	6
6-12 YRS	47	3.0	5	1	1	2	4	6	7	12
13-19 YRS	87	4.0	8	1	2	3	4	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	14	6.3	60	1	1	5	7	13	27	31
1-5 YRS	4	2.8	8	<1	<1	1	4	7	7	7
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	3	6.0	16	2	2	6	9	10	10	10
B. *Operated*										
0-27 DYS	4	7.8	133	1	1	2	14	25	25	25
1-11 MOS	12	13.0	372	1	1	5	15	41	64	68
1-5 YRS	32	4.5	15	1	1	3	6	10	14	17
6-12 YRS	21	4.7	7	1	1	4	7	9	9	9
13-19 YRS	33	6.3	19	2	2	5	8	14	16	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.5	18	<1	<1	2	4	11	14	15
B. *Operated*	261	3.1	5	1	1	2	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	22	5.8	43	<1	1	5	7	10	19	31
B. *Operated*	102	6.3	63	1	1	4	7	14	17	48
1. SINGLE DX	273	3.2	6	1	1	2	4	6	8	14
2. MULTIPLE DX	124	6.2	59	1	1	4	7	11	16	41
A. NOT OPERATED	34	5.0	35	<1	1	3	7	10	14	31
B. OPERATED	363	4.0	23	1	1	3	4	7	11	19
TOTAL 0-27 DYS	7	7.1	86	1	1	3	12	23	25	25
1-11 MOS	71	5.2	87	1	1	2	5	10	16	60
1-5 YRS	125	3.0	6	<1	1	2	4	6	7	15
6-12 YRS	70	3.6	6	1	1	3	5	7	9	12
13-19 YRS	124	4.6	12	2	2	4	5	10	13	17
GRAND TOTAL	**397**	**4.1**	**24**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	14	2.5	4	<1	<1	2	3	5	7	8
1-11 MOS	113	2.2	3	<1	1	2	3	4	5	9
1-5 YRS	185	3.1	20	1	1	2	3	6	9	28
6-12 YRS	103	4.0	12	<1	1	3	6	8	10	18
13-19 YRS	237	3.9	6	1	1	3	5	7	8	12
B. *Operated*										
0-27 DYS	5	7.0	18	2	2	9	10	11	11	11
1-11 MOS	165	6.3	25	2	2	5	7	10	12	36
1-5 YRS	118	5.7	9	2	2	5	7	9	11	16
6-12 YRS	100	8.3	29	3	4	7	10	13	17	33
13-19 YRS	225	8.6	18	4	5	8	10	13	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	4.5	13	<1	<1	4	7	9	10	10
1-11 MOS	57	3.7	8	1	1	3	5	8	10	13
1-5 YRS	86	4.3	12	1	1	3	6	9	12	17
6-12 YRS	69	4.4	17	1	1	4	5	8	10	28
13-19 YRS	159	4.8	8	1	1	4	6	9	11	14
B. *Operated*										
0-27 DYS	6	15.0	46	8	9	14	64	99+	99+	99+
1-11 MOS	155	8.1	42	2	3	7	10	13	20	96
1-5 YRS	121	8.8	35	3	4	8	10	14	17	35
6-12 YRS	114	9.9	43	4	4	8	12	19	26	59
13-19 YRS	258	11.6	75	4	5	10	13	19	28	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	652	3.4	11	1	1	2	4	6	8	17
B. *Operated*	613	7.3	21	2	3	7	9	12	15	27
2. MULTIPLE DX										
A. *Not Operated*	379	4.4	11	1	1	4	6	9	10	15
B. *Operated*	654	10.0	56	3	4	8	12	17	25	55
1. SINGLE DX	1265	5.3	20	1	1	4	7	10	12	22
2. MULTIPLE DX	1033	7.9	46	1	2	7	10	15	19	52
A. NOT OPERATED	1031	3.8	11	1	1	3	5	7	9	15
B. OPERATED	1267	8.7	41	3	4	7	10	15	19	43
TOTAL 0-27 DYS	33	5.9	35	<1	<1	4	10	15	82	99+
1-11 MOS	490	5.6	28	1	1	5	7	10	13	40
1-5 YRS	510	5.2	24	1	1	4	7	10	13	20
6-12 YRS	386	6.9	33	1	2	6	9	14	19	32
13-19 YRS	879	7.5	40	1	2	6	10	14	17	33
GRAND TOTAL	**2298**	**6.5**	**34**	**1**	**1**	**5**	**8**	**12**	**16**	**32**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	828	4.3	11	1	2	4	5	7	10	17
1-11 MOS	7904	4.1	7	1	2	4	5	7	8	13
1-5 YRS	7058	3.3	6	1	1	3	4	5	7	11
6-12 YRS	5326	2.6	6	1	1	2	3	4	5	9
13-19 YRS	6460	2.8	5	1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS	12	4.9	6	2	2	5	7	8	9	9
1-11 MOS	140	5.3	33	1	2	4	6	9	16	40
1-5 YRS	142	3.5	4	1	1	3	5	6	8	10
6-12 YRS	167	4.0	9	1	2	3	5	7	9	18
13-19 YRS	337	4.7	10	2	2	4	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	786	5.7	19	2	2	5	7	10	14	25
1-11 MOS	11917	5.1	15	2	2	4	6	9	11	19
1-5 YRS	10801	3.9	7	1	2	3	5	6	8	13
6-12 YRS	3824	3.3	5	1	1	3	4	6	7	12
13-19 YRS	4049	3.5	8	1	1	3	4	6	8	14
B. *Operated*										
0-27 DYS	31	11.9	185	3	3	7	10	28	51	57
1-11 MOS	429	8.2	74	2	3	6	9	14	23	54
1-5 YRS	272	6.3	72	1	2	4	7	10	22	84
6-12 YRS	152	5.2	15	2	2	4	6	9	12	23
13-19 YRS	260	6.8	51	2	2	5	8	12	16	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27576	3.3	7	1	1	3	4	6	7	12
B. *Operated*	798	4.5	13	1	2	4	5	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	31377	4.3	11	1	2	4	5	7	9	17
B. *Operated*	1144	7.1	65	2	2	5	8	12	20	52
1. SINGLE DX	28374	3.3	7	1	1	3	4	6	7	12
2. MULTIPLE DX	32521	4.4	13	1	2	4	5	7	10	18
A. NOT OPERATED	58953	3.8	9	1	1	3	5	7	8	14
B. OPERATED	1942	6.0	45	1	2	4	7	11	15	40
TOTAL 0-27 DYS	1657	5.1	19	1	2	4	6	9	12	24
1-11 MOS	20390	4.8	14	2	2	4	6	8	10	18
1-5 YRS	18273	3.7	8	1	2	3	4	6	7	13
6-12 YRS	9469	2.9	6	1	1	2	4	5	6	11
13-19 YRS	11106	3.2	8	1	1	3	4	6	7	12
GRAND TOTAL	**60895**	**3.9**	**10**	**1**	**1**	**3**	**5**	**7**	**8**	**15**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	6.7	8	5	5	5	9	10	10	10
1-11 MOS	9	5.6	10	2	2	5	7	11	11	11
1-5 YRS	2	10.5	145	2	2	10	19	19	19	19
6-12 YRS	3	4.3	8	1	1	6	6	6	6	6
13-19 YRS	13	3.7	4	1	1	4	5	6	7	7
B. *Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	1	18.0		18	18	18	18	18	18	18
6-12 YRS	5	12.8	61	6	6	8	19	24	24	24
13-19 YRS	10	4.4	3	<1	1	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	8.3	20	5	5	7	8	16	18	18
1-11 MOS	14	5.6	12	<1	1	5	8	10	11	11
1-5 YRS	10	8.6	38	3	3	7	9	19	23	23
6-12 YRS	15	8.3	29	1	1	7	12	16	18	19
13-19 YRS	20	5.7	48	1	2	4	6	7	21	34
B. *Operated*										
0-27 DYS	2	16.5	61	11	11	16	22	22	22	22
1-11 MOS	5	8.2	21	3	3	7	11	15	15	15
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	6	11.0	127	<1	<1	5	21	28	29	29
13-19 YRS	9	19.3	583	7	7	12	16	57	83	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	5.1	14	1	2	5	6	10	11	19
B. *Operated*	19	7.5	38	1	2	6	8	18	21	24
2. MULTIPLE DX										
A. *Not Operated*	66	7.0	32	1	2	6	8	14	18	32
B. *Operated*	23	13.8	274	2	4	10	15	23	48	83
1. SINGLE DX	49	6.0	24	1	2	5	6	12	18	24
2. MULTIPLE DX	89	8.7	101	1	2	7	10	17	22	64
A. NOT OPERATED	96	6.4	27	1	2	5	8	11	17	29
B. OPERATED	42	11.0	174	1	3	7	13	21	26	83
TOTAL 0-27 DYS	14	8.3	31	2	3	7	10	18	21	22
1-11 MOS	29	6.2	13	1	2	6	9	11	12	15
1-5 YRS	14	9.2	46	2	3	7	15	19	22	23
6-12 YRS	29	9.2	53	1	1	7	13	20	24	29
13-19 YRS	52	7.3	142	1	2	5	7	12	18	82
GRAND TOTAL	**138**	**7.8**	**75**	**1**	**2**	**6**	**9**	**16**	**20**	**40**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	13	3.4	3	<1	1	3	5	6	7	7
1-11 MOS	34	3.5	4	1	1	3	4	6	8	8
1-5 YRS	36	2.7	3	1	1	2	4	5	7	7
6-12 YRS	36	2.8	4	1	1	2	3	6	8	8
13-19 YRS	70	3.4	5	1	1	3	5	6	6	14
B. *Operated*										
0-27 DYS	9	3.8	3	2	2	4	5	7	7	7
1-11 MOS	138	2.3	2	<1	<1	2	3	4	5	7
1-5 YRS	84	2.4	4	<1	<1	2	3	5	7	11
6-12 YRS	67	3.7	16	1	1	3	4	6	9	28
13-19 YRS	674	4.0	7	1	2	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	4.0	4	1	2	4	5	7	8	8
1-11 MOS	27	3.6	4	1	1	3	4	7	8	9
1-5 YRS	37	2.7	4	<1	1	2	4	5	6	9
6-12 YRS	30	3.7	8	1	1	3	5	7	10	13
13-19 YRS	61	3.8	5	1	1	3	5	6	10	12
B. *Operated*										
0-27 DYS	7	5.4	12	2	2	4	7	11	12	12
1-11 MOS	36	4.3	15	1	1	3	5	10	13	17
1-5 YRS	25	2.5	3	<1	1	2	3	5	6	7
6-12 YRS	40	7.2	171	1	2	4	7	12	14	85
13-19 YRS	323	5.1	14	2	2	4	6	9	11	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	3.2	4	1	1	3	4	6	7	9
B. *Operated*	972	3.6	7	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	169	3.5	5	1	1	3	5	6	8	12
B. *Operated*	431	5.1	28	1	2	4	6	9	12	23
1. SINGLE DX	1161	3.5	7	1	1	3	4	6	8	13
2. MULTIPLE DX	600	4.6	22	1	2	4	5	8	11	16
A. NOT OPERATED	358	3.3	5	1	1	3	4	6	7	10
B. OPERATED	1403	4.0	14	1	1	3	5	7	9	15
TOTAL 0-27 DYS	43	4.0	5	1	2	4	5	7	8	12
1-11 MOS	235	2.9	5	<1	1	2	4	6	7	11
1-5 YRS	182	2.5	4	<1	1	2	3	5	6	9
6-12 YRS	173	4.3	50	1	1	3	5	7	10	28
13-19 YRS	1128	4.2	9	1	2	4	5	7	10	15
GRAND TOTAL	**1761**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	62	4.5	30	<1	1	3	5	8	13	92
1-11 MOS	218	3.6	16	1	1	3	4	6	9	16
1-5 YRS	629	2.8	4	1	1	2	4	5	7	11
6-12 YRS	1238	3.4	8	1	1	3	4	6	9	13
13-19 YRS	2472	4.6	18	1	1	4	5	8	11	22
B. *Operated*										
0-27 DYS	6	9.5	51	1	1	10	13	19	20	20
1-11 MOS	45	3.7	8	1	1	3	5	6	10	14
1-5 YRS	240	3.8	13	<1	1	2	5	8	11	21
6-12 YRS	366	5.1	21	1	1	4	6	11	14	25
13-19 YRS	765	8.1	59	1	2	6	10	16	22	42
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	58	4.8	18	1	1	4	6	9	13	27
1-11 MOS	193	5.1	34	1	1	4	6	9	12	28
1-5 YRS	509	4.0	12	1	1	3	5	7	9	19
6-12 YRS	908	3.9	9	1	1	3	5	7	10	18
13-19 YRS	2058	5.3	27	1	2	4	6	10	13	31
B. *Operated*										
0-27 DYS	9	14.2	100	4	5	11	28	65	99+	99+
1-11 MOS	46	13.8	278	2	2	7	18	37	63	99+
1-5 YRS	154	5.9	42	1	1	3	7	13	21	31
6-12 YRS	275	8.3	87	1	2	6	10	18	27	59
13-19 YRS	928	10.9	121	2	3	8	13	23	33	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4619	4.0	14	1	1	3	5	7	10	18
B. *Operated*	1422	6.5	43	1	1	5	8	13	18	34
2. MULTIPLE DX										
A. *Not Operated*	3726	4.8	21	1	1	4	6	9	12	24
B. *Operated*	1412	10.0	114	2	2	7	12	22	32	67
1. SINGLE DX	6041	4.6	22	1	1	3	5	9	12	24
2. MULTIPLE DX	5138	6.2	52	1	2	4	7	12	18	41
A. NOT OPERATED	8345	4.3	17	1	1	3	5	8	11	21
B. OPERATED	2834	8.2	81	1	2	6	10	17	26	52
TOTAL 0-27 DYS	135	5.5	36	1	1	4	7	12	21	99+
1-11 MOS	502	5.1	54	1	1	3	5	9	14	48
1-5 YRS	1532	3.7	13	1	1	3	4	7	10	21
6-12 YRS	2787	4.3	20	1	1	3	5	8	11	23
13-19 YRS	6223	6.2	46	1	2	4	7	12	17	39
GRAND TOTAL	**11179**	**5.3**	**36**	**1**	**1**	**4**	**6**	**10**	**15**	**33**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS										
13-19 YRS	4	6.0	9	3	3	5	8	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	3	10.7	69	4	4	8	17	20	20	20
1-5 YRS	2	6.0	18	3	3	6	9	9	9	9
6-12 YRS	3	15.3	120	9	9	9	23	28	28	28
13-19 YRS	9	16.9	108	4	5	15	23	33	36	36
B. *Operated*										
0-27 DYS	1	30.0		30	30	30	30	30	30	30
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	3	27.7	1104	7	7	10	52	66	66	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	6.6	8	3	3	6	9	10	10	10
B. *Operated*	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	18	13.9	90	3	4	9	20	29	33	36
B. *Operated*	5	23.8	652	6	6	10	39	66	66	66
1. SINGLE DX	7	6.4	14	1	1	6	10	11	11	11
2. MULTIPLE DX	23	16.1	205	3	4	9	21	31	46	66
A. NOT OPERATED	23	12.3	81	3	4	9	16	28	31	36
B. OPERATED	7	18.7	519	1	2	10	25	59	66	66
TOTAL 0-27 DYS	2	19.5	221	9	9	19	30	30	30	30
1-11 MOS	4	10.3	47	4	4	8	14	20	20	20
1-5 YRS	3	6.0	9	3	3	6	8	9	9	9
6-12 YRS	4	11.8	132	1	1	9	19	28	28	28
13-19 YRS	17	15.9	246	3	4	10	18	35	55	66
GRAND TOTAL	**30**	**13.8**	**176**	**3**	**3**	**9**	**17**	**29**	**36**	**66**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	4.3	18	<1	<1	2	7	11	11	11
1-5 YRS	9	7.1	32	2	2	4	9	16	20	20
6-12 YRS	8	7.3	17	2	3	6	10	13	14	14
13-19 YRS	26	5.4	17	1	2	5	6	10	12	21
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	10	4.0	20	1	1	3	4	10	16	16
6-12 YRS	10	3.2	6	1	1	3	3	7	8	8
13-19 YRS	57	4.4	23	1	1	2	6	9	11	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	13.5	85	7	7	13	20	20	20	20
1-11 MOS	10	4.1	5	1	1	4	5	7	9	9
1-5 YRS	16	5.1	28	<1	1	3	6	16	17	17
6-12 YRS	6	6.5	16	1	1	6	9	12	12	12
13-19 YRS	43	7.9	88	1	2	6	9	16	22	57
B. *Operated*										
0-27 DYS										
1-11 MOS	2	13.5	25	10	10	13	17	17	17	17
1-5 YRS	15	8.3	240	1	1	3	6	17	51	62
6-12 YRS	9	7.9	43	1	1	8	11	19	19	19
13-19 YRS	68	8.7	110	1	1	4	13	22	30	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	5.8	19	1	2	5	8	11	14	21
B. *Operated*	79	4.2	20	1	1	2	5	9	11	27
2. MULTIPLE DX										
A. *Not Operated*	77	6.9	60	1	1	5	8	14	21	48
B. *Operated*	94	8.6	120	1	1	4	12	22	29	61
1. SINGLE DX	130	4.8	20	1	1	3	6	10	12	23
2. MULTIPLE DX	171	7.9	93	1	1	4	10	18	22	59
A. NOT OPERATED	128	6.5	44	1	1	5	8	12	20	30
B. OPERATED	173	6.6	79	1	1	3	8	17	22	54
TOTAL 0-27 DYS	2	13.5	85	7	7	13	20	20	20	20
1-11 MOS	22	4.9	17	<1	1	4	5	11	14	17
1-5 YRS	50	6.2	89	1	1	4	6	16	17	62
6-12 YRS	33	6.1	22	1	1	5	8	13	17	19
13-19 YRS	194	6.8	70	1	1	4	9	16	22	47
GRAND TOTAL	**301**	**6.5**	**64**	**1**	**1**	**4**	**8**	**15**	**21**	**45**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	37	4.2	9	1	2	3	6	8	10	15
6-12 YRS	118	5.3	21	1	2	4	6	10	11	28
13-19 YRS	271	6.0	13	2	2	5	8	11	13	17
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.0	2	3	3	4	5	6	6	6
1-5 YRS	6	5.0	19	2	2	3	9	12	12	12
6-12 YRS	3	2.0	3	<1	<1	1	3	4	4	4
13-19 YRS	37	8.3	76	1	1	5	10	20	32	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	7.0	12	5	5	5	10	11	11	11
1-11 MOS	14	9.6	53	1	3	6	12	21	25	26
1-5 YRS	30	5.9	45	1	1	4	6	12	17	36
6-12 YRS	72	6.3	17	2	2	5	8	11	17	19
13-19 YRS	178	7.1	26	2	3	6	8	13	16	28
B. *Operated*										
0-27 DYS	1	78.0		78	78	78	78	78	78	78
1-11 MOS	1	17.0		17	17	17	17	17	17	17
1-5 YRS	4	10.8	32	5	5	10	15	18	18	18
6-12 YRS	6	16.2	261	2	2	8	32	40	41	41
13-19 YRS	49	12.1	76	2	3	10	14	24	32	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	428	5.7	15	1	2	5	7	11	13	18
B. *Operated*	50	7.2	62	1	1	4	9	15	29	36
2. MULTIPLE DX										
A. *Not Operated*	297	6.9	27	2	2	6	8	13	17	28
B. *Operated*	61	13.5	156	2	3	10	17	27	36	74
1. SINGLE DX	478	5.8	20	1	2	5	7	11	13	22
2. MULTIPLE DX	358	8.1	55	2	2	6	10	16	22	37
A. NOT OPERATED	725	6.2	20	2	2	5	8	11	14	23
B. OPERATED	111	10.7	123	1	2	8	13	24	33	55
TOTAL 0-27 DYS	4	24.8	1268	5	5	8	44	78	78	78
1-11 MOS	21	8.2	46	2	3	5	11	19	23	26
1-5 YRS	77	5.3	26	1	2	4	6	11	14	31
6-12 YRS	199	6.0	29	1	2	5	7	10	15	36
13-19 YRS	535	7.1	30	2	2	6	9	13	16	32
GRAND TOTAL	**836**	**6.8**	**36**	**2**	**2**	**5**	**8**	**12**	**17**	**33**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS										
1-5 YRS	4	9.0	53	1	1	9	15	17	17	17
6-12 YRS	10	3.3	4	1	1	3	4	6	8	8
13-19 YRS	216	3.7	7	1	1	3	4	7	8	13
B. *Operated*										
0-27 DYS	13	6.7	2	5	5	6	7	9	10	10
1-11 MOS	13	7.7	10	2	4	8	9	12	14	14
1-5 YRS	16	4.1	9	1	1	2	7	9	10	10
6-12 YRS	37	5.4	46	<1	1	5	7	9	14	40
13-19 YRS	1340	7.7	12	4	5	7	9	11	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	5	4.2	3	2	2	5	5	6	6	6
1-5 YRS	3	4.0	7	1	1	5	6	6	6	6
6-12 YRS	7	4.7	15	1	1	3	5	11	13	13
13-19 YRS	128	4.2	8	1	1	3	6	8	10	14
B. *Operated*										
0-27 DYS	12	10.3	12	5	6	10	12	16	16	16
1-11 MOS	10	18.4	457	5	5	11	21	51	76	76
1-5 YRS	17	8.8	70	<1	1	6	13	22	26	27
6-12 YRS	24	10.4	55	1	2	9	14	21	25	32
13-19 YRS	639	9.6	20	5	5	9	11	15	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	3.7	8	1	1	3	4	7	8	14
B. *Operated*	1419	7.6	13	4	5	7	9	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	145	4.2	8	1	1	3	5	8	10	14
B. *Operated*	702	9.7	29	4	5	9	11	15	19	29
1. SINGLE DX	1652	7.1	14	2	3	7	8	11	13	18
2. MULTIPLE DX	847	8.8	30	2	3	8	11	14	17	28
A. NOT OPERATED	378	3.9	8	1	1	3	5	7	9	14
B. OPERATED	2121	8.3	19	4	5	7	10	13	15	24
TOTAL 0-27 DYS	30	7.6	12	3	4	7	10	12	16	16
1-11 MOS	28	10.9	192	2	3	7	10	19	31	76
1-5 YRS	40	6.6	42	1	1	5	9	16	21	27
6-12 YRS	78	6.6	46	1	1	5	8	14	19	38
13-19 YRS	2323	7.6	17	2	4	7	9	12	14	22
GRAND TOTAL	**2499**	**7.6**	**20**	**2**	**3**	**7**	**9**	**12**	**14**	**23**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	9	4.7	15	1	1	4	5	11	14	14
13-19 YRS	304	4.0	7	1	2	4	5	7	9	13
B. *Operated*										
0-27 DYS	3	9.0	67	2	2	7	15	18	18	18
1-11 MOS										
1-5 YRS	4	5.8	7	2	2	6	7	8	8	8
6-12 YRS	3	7.7	1	7	7	7	9	9	9	9
13-19 YRS	158	8.2	15	4	4	7	10	13	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	15.3	292	4	4	7	28	35	35	35
1-11 MOS	4	3.8	8	1	1	3	6	7	7	7
1-5 YRS	4	4.0	6	1	1	4	6	6	6	6
6-12 YRS	3	4.0	7	1	1	5	6	6	6	6
13-19 YRS	224	4.7	9	1	2	4	6	8	9	17
B. *Operated*										
0-27 DYS	4	9.0	34	3	3	8	13	17	17	17
1-11 MOS	2	14.5	13	12	12	14	17	17	17	17
1-5 YRS	4	12.8	28	5	5	15	16	16	16	16
6-12 YRS	6	10.2	39	2	2	10	15	19	19	19
13-19 YRS	170	9.9	55	5	5	8	11	15	20	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	318	4.1	7	1	2	4	5	7	9	14
B. *Operated*	168	8.1	15	4	4	7	10	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	238	4.8	13	1	2	4	6	8	9	24
B. *Operated*	186	10.0	53	5	5	8	12	16	19	51
1. SINGLE DX	486	5.5	13	1	2	5	7	10	13	19
2. MULTIPLE DX	424	7.1	37	2	2	6	8	12	16	25
A. NOT OPERATED	556	4.4	9	1	2	4	5	7	9	14
B. OPERATED	354	9.1	36	4	5	8	11	15	18	23
TOTAL 0-27 DYS	12	9.8	89	2	3	7	13	23	33	35
1-11 MOS	8	5.9	34	1	1	4	9	15	17	17
1-5 YRS	13	7.3	25	1	2	6	9	16	16	16
6-12 YRS	21	6.6	23	1	2	5	9	14	17	19
13-19 YRS	856	6.1	24	1	2	5	8	11	14	23
GRAND TOTAL	**910**	**6.2**	**25**	**1**	**2**	**5**	**8**	**11**	**14**	**23**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	23	4.2	12	1	1	3	6	8	13	16
B. *Operated*										
0-27 DYS										
1-11 MOS	1	33.0		33	33	33	33	33	33	33
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	4	4.0	9	1	1	4	6	7	7	7
13-19 YRS	45	8.3	17	4	5	7	10	12	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	4.5	25	1	1	4	8	8	8	8
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	9	5.8	13	2	2	4	9	11	12	12
B. *Operated*										
0-27 DYS	2	20.5	85	14	14	20	27	27	27	27
1-11 MOS	2	16.5	61	11	11	16	22	22	22	22
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS										
13-19 YRS	41	10.4	19	5	6	10	14	15	17	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	4.2	12	1	1	3	6	8	13	16
B. *Operated*	51	8.5	29	2	4	7	10	12	22	33
2. MULTIPLE DX										
A. *Not Operated*	13	5.6	11	1	2	6	8	10	12	12
B. *Operated*	46	11.2	27	5	6	10	14	17	23	27
1. SINGLE DX	74	7.2	28	1	2	6	9	12	16	31
2. MULTIPLE DX	59	10.0	28	3	4	9	13	16	20	27
A. NOT OPERATED	36	4.7	12	1	1	4	6	9	12	16
B. OPERATED	97	9.8	30	4	5	9	11	15	22	30
TOTAL 0-27 DYS	3	15.7	112	6	6	14	24	27	27	27
1-11 MOS	5	15.0	159	1	1	11	25	33	33	33
1-5 YRS	2	14.0	8	12	12	14	16	16	16	16
6-12 YRS	5	4.4	7	1	1	6	6	7	7	7
13-19 YRS	118	8.0	22	2	2	7	10	14	16	25
GRAND TOTAL	**133**	**8.4**	**30**	**2**	**2**	**7**	**10**	**15**	**18**	**28**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	8.2	22	3	3	8	11	15	15	15
1-5 YRS	2	4.5	13	2	2	4	7	7	7	7
6-12 YRS	3	6.0	16	2	2	6	9	10	10	10
13-19 YRS	21	6.1	18	2	2	5	9	13	15	17
B. *Operated*										
0-27 DYS										
1-11 MOS	4	14.8	82	3	3	15	20	25	25	25
1-5 YRS	1	20.0		20	20	20	20	20	20	20
6-12 YRS	4	8.5	44	1	1	8	13	17	17	17
13-19 YRS	4	9.3	34	2	2	9	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	12	9.7	32	3	5	8	10	18	24	25
1-5 YRS	3	11.3	32	5	5	13	15	16	16	16
6-12 YRS	2	8.5	25	5	5	8	12	12	12	12
13-19 YRS	20	5.4	26	1	2	4	6	12	18	22
B. *Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	1	17.0		17	17	17	17	17	17	17
1-5 YRS	10	13.9	172	2	2	8	20	35	42	42
6-12 YRS	4	14.0	75	6	6	12	20	26	26	26
13-19 YRS	15	17.6	127	1	2	18	25	32	40	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	6.2	18	2	2	5	9	13	15	17
B. *Operated*	13	11.5	54	1	2	11	16	21	24	25
2. MULTIPLE DX										
A. *Not Operated*	37	7.4	31	2	2	6	10	15	20	25
B. *Operated*	31	15.8	122	2	2	14	22	30	41	43
1. SINGLE DX	46	7.7	33	1	2	6	11	16	18	25
2. MULTIPLE DX	68	11.3	89	2	2	8	16	25	28	43
A. NOT OPERATED	70	6.9	25	2	2	6	9	14	16	24
B. OPERATED	44	14.6	104	2	2	13	20	26	35	43
TOTAL 0-27 DYS	2	8.0	98	1	1	8	15	15	15	15
1-11 MOS	23	10.5	39	3	3	9	15	19	25	25
1-5 YRS	16	12.6	122	2	2	8	19	27	38	42
6-12 YRS	13	9.6	45	1	2	9	12	19	25	26
13-19 YRS	60	9.0	73	2	2	6	12	21	26	42
GRAND TOTAL	**114**	**9.8**	**69**	**2**	**2**	**7**	**14**	**21**	**26**	**42**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	11.0	133	2	2	7	20	24	24	24
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	10	6.2	22	2	2	4	10	13	16	16
6-12 YRS	44	6.6	23	2	3	6	7	11	17	27
13-19 YRS	334	6.2	18	2	2	5	7	11	14	26
B. *Operated*										
0-27 DYS										
1-11 MOS	2	10.0	162	1	1	10	19	19	19	19
1-5 YRS	4	11.5	130	2	2	8	18	28	28	28
6-12 YRS	6	10.0	15	3	4	10	13	14	14	14
13-19 YRS	31	9.7	36	2	3	9	12	16	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	6.8	5	4	4	7	8	9	9	9
1-11 MOS	7	7.3	15	3	3	9	10	12	12	12
1-5 YRS	10	7.7	20	2	2	6	13	13	13	13
6-12 YRS	29	7.2	45	1	1	6	9	15	22	31
13-19 YRS	270	7.1	19	2	3	6	9	12	15	23
B. *Operated*										
0-27 DYS	2	10.5	5	9	9	10	12	12	12	12
1-11 MOS										
1-5 YRS	2	14.5	181	5	5	14	24	24	24	24
6-12 YRS	6	13.0	30	7	7	11	18	21	21	21
13-19 YRS	53	17.5	145	5	6	14	20	39	46	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	393	6.3	19	2	2	5	7	11	15	26
B. *Operated*	43	9.9	41	2	3	9	12	17	22	32
2. MULTIPLE DX										
A. *Not Operated*	320	7.1	21	2	3	6	9	13	15	25
B. *Operated*	63	16.7	131	5	6	13	20	37	42	57
1. SINGLE DX	436	6.6	22	2	2	6	8	12	16	27
2. MULTIPLE DX	383	8.7	52	2	3	7	11	16	21	40
A. NOT OPERATED	713	6.6	20	2	3	6	8	12	15	26
B. OPERATED	106	14.0	105	3	5	11	17	27	39	52
TOTAL 0-27 DYS	9	9.0	40	2	3	8	10	19	24	24
1-11 MOS	11	7.4	28	1	2	7	10	15	19	19
1-5 YRS	26	8.2	45	2	2	6	12	16	25	28
6-12 YRS	85	7.5	32	2	2	6	10	14	19	30
13-19 YRS	688	7.6	38	2	3	6	9	14	18	38
GRAND TOTAL	**819**	**7.6**	**37**	**2**	**3**	**6**	**9**	**14**	**18**	**34**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	32	4.0	14	1	1	3	5	8	14	17
1-11 MOS	95	3.3	5	1	1	3	4	7	8	11
1-5 YRS	106	3.2	4	1	1	3	4	7	7	10
6-12 YRS	109	4.2	9	1	1	3	5	7	10	17
13-19 YRS	253	3.7	6	1	1	3	5	6	8	12
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	4	4.0	10	1	1	3	6	8	8	8
1-5 YRS	6	3.7	8	2	2	2	5	9	9	9
6-12 YRS	16	6.3	22	1	1	6	9	12	15	17
13-19 YRS	30	5.6	23	1	1	5	8	10	11	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	25	5.2	22	1	1	4	7	11	16	22
1-11 MOS	77	4.5	22	1	1	3	5	8	13	29
1-5 YRS	149	4.4	13	1	1	4	6	8	11	19
6-12 YRS	134	4.5	10	1	2	4	6	8	11	15
13-19 YRS	375	4.9	17	1	2	4	6	9	11	25
B. *Operated*										
0-27 DYS										
1-11 MOS	10	6.3	41	<1	1	4	6	18	19	19
1-5 YRS	14	5.7	19	1	1	4	10	13	13	13
6-12 YRS	12	9.4	78	1	1	6	14	25	27	27
13-19 YRS	58	7.9	26	2	2	7	11	15	17	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	595	3.7	6	1	1	3	5	7	8	13
B. *Operated*	57	5.5	20	1	1	5	8	11	12	24
2. MULTIPLE DX										
A. *Not Operated*	760	4.7	16	1	2	4	6	8	11	22
B. *Operated*	94	7.6	33	1	2	5	11	16	19	26
1. SINGLE DX	652	3.8	8	1	1	3	5	7	9	14
2. MULTIPLE DX	854	5.0	18	1	2	4	6	10	12	25
A. NOT OPERATED	1355	4.2	12	1	1	3	5	8	10	18
B. OPERATED	151	6.8	29	1	2	5	9	14	18	25
TOTAL 0-27 DYS	58	4.6	18	1	1	3	6	10	14	22
1-11 MOS	186	4.0	14	1	1	3	5	7	10	18
1-5 YRS	275	4.0	10	1	1	3	5	8	10	16
6-12 YRS	271	4.7	14	1	2	4	6	8	12	22
13-19 YRS	716	4.7	15	1	2	4	6	9	11	23
GRAND TOTAL	**1506**	**4.5**	**14**	**1**	**1**	**4**	**6**	**8**	**11**	**20**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	78	3.7	5	1	1	3	4	7	9	12
1-11 MOS	205	4.4	8	1	2	4	6	8	10	14
1-5 YRS	56	5.7	19	1	1	5	7	12	15	22
6-12 YRS	12	3.4	3	1	1	3	5	6	7	7
13-19 YRS	13	5.2	15	2	2	4	6	9	15	17
B. *Operated*										
0-27 DYS										
1-11 MOS	5	14.6	490	1	1	6	54	95	99+	99+
1-5 YRS	8	4.8	22	<1	<1	3	8	12	12	12
6-12 YRS	3	13.7	342	2	2	4	27	35	35	35
13-19 YRS	7	5.0	7	<1	<1	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	72	5.5	19	2	2	4	7	11	14	26
1-11 MOS	283	6.4	37	2	2	5	7	11	15	39
1-5 YRS	57	8.9	106	2	2	6	10	20	27	65
6-12 YRS	14	5.5	44	2	2	4	5	8	24	28
13-19 YRS	22	8.3	93	2	2	5	9	16	30	46
B. *Operated*										
0-27 DYS										
1-11 MOS	17	13.0	132	1	2	10	22	77	99+	99+
1-5 YRS	10	5.7	46	1	1	4	6	16	24	24
6-12 YRS	3	5.0	7	3	3	4	7	8	8	8
13-19 YRS	10	21.1	894	2	2	11	15	71	99	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	364	4.5	9	1	2	4	6	8	10	16
B. *Operated*	23	8.1	150	<1	1	5	8	37	68	99+
2. MULTIPLE DX										
A. *Not Operated*	448	6.6	46	2	2	5	7	12	16	41
B. *Operated*	40	12.6	307	1	2	7	15	43	99	99+
1. SINGLE DX	387	4.7	18	1	1	4	6	9	11	20
2. MULTIPLE DX	488	7.1	70	2	2	5	8	13	21	47
A. NOT OPERATED	812	5.7	31	1	2	4	7	10	14	31
B. OPERATED	63	11.0	251	1	1	6	12	41	99	99+
TOTAL 0-27 DYS	150	4.6	13	1	2	4	6	9	11	15
1-11 MOS	510	5.9	35	1	2	4	7	11	15	47
1-5 YRS	131	7.0	61	1	1	5	8	14	21	37
6-12 YRS	32	5.4	50	2	2	4	5	7	26	35
13-19 YRS	52	9.5	235	2	2	5	9	16	42	98
GRAND TOTAL	**875**	**6.0**	**48**	**1**	**2**	**4**	**7**	**11**	**15**	**45**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	4	9.3	10	7	7	8	11	14	14	14
1-5 YRS	181	7.4	28	2	2	6	10	15	20	24
6-12 YRS	226	6.8	21	2	2	6	9	14	17	21
13-19 YRS	134	6.2	21	1	2	5	8	12	15	24
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	32	6.3	143	1	1	3	6	9	11	70
6-12 YRS	59	5.2	22	<1	1	3	6	13	17	19
13-19 YRS	133	5.4	28	1	2	4	6	10	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	11.5	13	9	9	11	14	14	14	14
1-11 MOS	12	7.6	51	2	2	4	12	18	23	24
1-5 YRS	118	8.9	72	2	2	6	10	21	32	39
6-12 YRS	129	7.5	68	2	2	6	9	15	17	37
13-19 YRS	142	6.7	31	2	2	5	9	13	16	33
B. *Operated*										
0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS	4	5.8	38	1	1	4	10	14	14	14
1-5 YRS	25	13.3	249	1	2	6	15	40	51	56
6-12 YRS	60	8.2	67	1	1	5	12	20	25	35
13-19 YRS	117	9.9	135	2	2	6	13	21	30	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	547	6.8	23	2	2	6	9	14	17	23
B. *Operated*	226	5.4	42	1	2	3	6	10	16	29
2. MULTIPLE DX										
A. *Not Operated*	403	7.6	56	2	2	6	9	15	21	36
B. *Operated*	207	9.8	128	1	2	6	13	23	32	60
1. SINGLE DX	773	6.4	29	2	2	5	8	13	17	24
2. MULTIPLE DX	610	8.4	81	2	2	6	10	17	25	41
A. NOT OPERATED	950	7.2	37	2	2	6	9	14	18	28
B. OPERATED	433	7.5	88	1	2	4	9	17	25	50
TOTAL 0-27 DYS	6	9.0	68	2	2	6	14	22	23	23
1-11 MOS	21	7.2	39	<1	1	7	12	15	20	24
1-5 YRS	356	8.2	70	2	2	6	10	16	24	43
6-12 YRS	474	7.0	40	2	2	5	9	15	18	25
13-19 YRS	526	7.0	53	2	2	5	8	14	20	35
GRAND TOTAL	**1383**	**7.3**	**53**	**2**	**2**	**5**	**9**	**15**	**20**	**36**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	75	5.8	14	2	2	5	8	12	13	15
6-12 YRS	182	6.2	16	2	2	5	8	11	14	20
13-19 YRS	98	4.9	10	1	2	4	6	9	12	15
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	8	5.8	9	1	2	6	8	9	10	10
6-12 YRS	18	6.0	32	1	2	4	8	13	20	24
13-19 YRS	18	6.7	39	1	2	4	9	15	21	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	58	7.3	10	3	3	7	10	11	13	14
6-12 YRS	143	7.2	23	2	2	6	9	12	16	25
13-19 YRS	61	7.1	66	2	2	5	8	14	15	57
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	3.7	11	1	1	3	4	9	10	10
6-12 YRS	19	8.9	83	1	2	6	11	23	32	36
13-19 YRS	31	8.4	112	1	1	5	9	16	39	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	5.8	14	1	2	5	7	11	13	18
B. *Operated*	45	6.2	29	1	2	4	8	13	18	25
2. MULTIPLE DX										
A. *Not Operated*	264	7.1	30	2	2	6	9	12	15	25
B. *Operated*	56	8.1	92	1	2	5	9	17	33	48
1. SINGLE DX	401	5.8	16	1	2	5	8	11	13	20
2. MULTIPLE DX	320	7.3	40	2	2	6	9	12	16	37
A. NOT OPERATED	620	6.4	21	2	2	5	8	12	14	21
B. OPERATED	101	7.2	64	1	2	5	9	14	24	44
TOTAL 0-27 DYS										
1-11 MOS	4	4.3	8	2	2	4	6	8	8	8
1-5 YRS	147	6.3	12	2	2	6	9	12	13	15
6-12 YRS	362	6.7	23	2	2	6	8	12	16	27
13-19 YRS	208	6.2	45	1	2	4	8	12	15	44
GRAND TOTAL	**721**	**6.5**	**27**	**2**	**2**	**5**	**8**	**12**	**14**	**26**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	4	6.8	28	1	1	6	11	13	13	13
1-5 YRS	7	2.4	6	1	1	1	4	7	7	7
6-12 YRS	10	1.4		<1	<1	1	2	3	3	3
13-19 YRS	7	3.6	6	<1	<1	3	5	7	8	8
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	12	11.2	98	2	2	6	22	26	26	26
13-19 YRS	41	7.8	51	<1	<1	6	11	16	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	11.3	161	4	4	4	21	26	26	26
1-11 MOS	5	3.6	6	1	1	3	5	7	7	7
1-5 YRS	55	4.0	29	<1	1	2	5	8	15	31
6-12 YRS	45	2.5	7	1	1	1	3	4	8	13
13-19 YRS	56	3.6	10	1	1	3	4	7	9	18
B. *Operated*										
0-27 DYS	2	39.0	1458	12	12	39	66	66	66	66
1-11 MOS	2	17.5	1	17	17	17	18	18	18	18
1-5 YRS	5	17.8	761	3	3	7	23	67	67	67
6-12 YRS	48	14.0	270	2	2	7	19	31	52	71
13-19 YRS	189	14.7	229	1	2	9	21	34	49	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.9	9	<1	<1	1	4	8	9	13
B. *Operated*	56	8.2	60	<1	1	6	12	20	25	34
2. MULTIPLE DX										
A. *Not Operated*	164	3.6	18	1	1	2	4	7	12	25
B. *Operated*	246	14.9	251	1	2	9	21	34	51	69
1. SINGLE DX	85	6.4	49	<1	1	4	9	16	23	31
2. MULTIPLE DX	410	10.3	188	1	1	5	13	26	39	66
A. NOT OPERATED	193	3.5	17	<1	1	2	4	7	12	23
B. OPERATED	302	13.6	222	1	2	8	18	31	48	68
TOTAL 0-27 DYS	7	16.7	545	<1	1	4	22	58	66	66
1-11 MOS	11	7.3	39	1	1	5	12	17	18	18
1-5 YRS	69	4.8	82	<1	1	2	5	8	15	60
6-12 YRS	115	8.1	155	1	1	3	9	23	31	70
13-19 YRS	293	11.4	179	1	1	6	15	28	39	64
GRAND TOTAL	**495**	**9.7**	**166**	**1**	**1**	**4**	**12**	**25**	**34**	**66**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	6.0	28	2	2	4	10	12	12	12
1-11 MOS	5	2.0	1	1	1	2	2	3	3	3
1-5 YRS	4	5.0	2	4	4	5	6	7	7	7
6-12 YRS	9	3.0	7	1	1	2	4	7	9	9
13-19 YRS	13	6.2	10	2	3	6	7	11	13	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	53.0		53	53	53	53	53	53	53
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	9	15.6	450	<1	1	8	18	53	65	65
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	13.7	289	<1	<1	7	26	33	33	33
1-11 MOS	12	5.8	40	<1	<1	4	7	13	22	24
1-5 YRS	19	8.7	94	1	1	4	13	27	30	32
6-12 YRS	6	8.5	24	1	1	8	12	15	15	15
13-19 YRS	37	7.1	40	1	2	5	8	16	19	32
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	6	15.8	597	2	2	6	13	60	65	65
13-19 YRS	27	12.8	101	2	3	11	18	25	31	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	4.6	10	1	1	4	6	9	12	14
B. *Operated*	12	17.8	455	<1	1	9	23	57	64	65
2. MULTIPLE DX										
A. *Not Operated*	77	7.6	59	1	1	5	9	18	27	33
B. *Operated*	36	12.9	164	2	3	9	16	26	41	65
1. SINGLE DX	46	8.0	153	1	1	5	8	12	39	65
2. MULTIPLE DX	113	9.3	97	1	2	6	12	22	28	54
A. NOT OPERATED	111	6.7	46	1	1	5	8	14	24	33
B. OPERATED	48	14.1	233	2	2	9	16	33	54	65
TOTAL 0-27 DYS	7	9.0	125	<1	<1	4	11	29	33	33
1-11 MOS	19	7.5	150	<1	<1	3	7	18	40	53
1-5 YRS	25	8.3	74	1	1	4	11	26	28	32
6-12 YRS	22	8.3	178	1	1	4	9	14	35	65
13-19 YRS	86	9.6	103	2	2	6	11	21	29	59
GRAND TOTAL	**159**	**8.9**	**113**	**1**	**1**	**6**	**11**	**20**	**30**	**64**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	19	5.4	3	3	3	5	6	8	9	10
1-5 YRS	174	4.3	9	2	2	4	5	6	7	12
6-12 YRS	273	4.1	4	2	2	4	5	7	8	10
13-19 YRS	952	4.3	4	2	2	4	5	7	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS	3	6.3	12	3	3	6	9	10	10	10
1-5 YRS	23	6.2	15	1	2	5	8	9	13	20
6-12 YRS	32	4.8	4	1	2	5	6	8	8	8
13-19 YRS	54	5.7	6	2	3	6	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	6.0	7	4	4	5	8	10	10	10
1-11 MOS	25	5.4	6	2	2	5	8	9	9	10
1-5 YRS	169	4.7	6	2	2	4	5	7	8	16
6-12 YRS	208	5.0	15	2	2	4	5	8	11	25
13-19 YRS	854	4.9	7	2	2	4	6	8	9	14
B. *Operated*										
0-27 DYS	2	9.0	18	6	6	9	12	12	12	12
1-11 MOS	2	16.0	288	4	4	16	28	28	28	28
1-5 YRS	39	6.8	26	1	2	6	8	13	17	26
6-12 YRS	64	6.2	12	1	2	6	8	10	11	21
13-19 YRS	106	7.1	16	3	3	6	9	12	15	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1419	4.3	5	2	2	4	5	7	8	10
B. *Operated*	112	5.6	8	1	2	5	7	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	1260	4.9	8	2	2	4	6	8	9	14
B. *Operated*	213	6.9	19	2	3	6	8	12	15	25
1. SINGLE DX	1531	4.4	5	2	2	4	5	7	8	11
2. MULTIPLE DX	1473	5.2	10	2	2	5	6	8	10	17
A. NOT OPERATED	2679	4.6	6	2	2	4	6	7	8	13
B. OPERATED	325	6.4	15	2	3	6	8	10	13	22
TOTAL 0-27 DYS	7	6.4	11	3	3	5	9	12	12	12
1-11 MOS	49	5.9	15	2	3	5	7	9	10	28
1-5 YRS	405	4.8	10	2	2	4	6	8	9	18
6-12 YRS	577	4.7	9	2	2	4	6	8	10	13
13-19 YRS	1966	4.7	6	2	2	4	6	7	9	14
GRAND TOTAL	**3004**	**4.8**	**8**	**2**	**2**	**4**	**6**	**7**	**9**	**14**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	4.7	4	3	3	4	6	7	7	7
1-11 MOS	28	5.1	7	2	3	5	6	9	11	12
1-5 YRS	175	4.4	5	2	2	4	5	7	8	12
6-12 YRS	324	4.0	5	1	2	4	5	6	8	11
13-19 YRS	904	4.1	6	1	2	4	5	7	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS	5	5.2	12	1	1	7	8	9	9	9
1-5 YRS	27	5.8	31	<1	1	5	7	15	20	20
6-12 YRS	69	5.1	65	1	1	4	6	8	9	56
13-19 YRS	145	5.2	20	1	1	4	7	10	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	5.7	11	2	2	5	8	11	11	11
1-11 MOS	37	7.5	29	2	3	6	9	14	19	28
1-5 YRS	131	4.8	6	2	2	4	6	8	10	30
6-12 YRS	194	4.5	6	2	2	4	5	8	9	13
13-19 YRS	873	4.7	16	2	2	4	6	8	9	14
B. *Operated*										
0-27 DYS	4	5.8	5	4	4	5	7	9	9	9
1-11 MOS	9	9.4	85	2	2	6	13	25	28	28
1-5 YRS	80	6.0	19	1	1	6	8	11	15	19
6-12 YRS	143	5.8	21	1	1	5	8	11	15	23
13-19 YRS	230	6.6	24	1	2	6	9	12	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1434	4.1	6	1	2	4	5	7	8	12
B. *Operated*	246	5.3	33	1	1	4	7	9	13	24
2. MULTIPLE DX										
A. *Not Operated*	1241	4.8	14	2	2	4	6	8	10	14
B. *Operated*	466	6.3	24	1	1	5	8	12	16	24
1. SINGLE DX	1680	4.3	10	1	2	4	5	7	8	15
2. MULTIPLE DX	1707	5.2	17	2	2	4	6	9	12	20
A. NOT OPERATED	2675	4.4	9	2	2	4	5	7	9	14
B. OPERATED	712	6.0	27	1	1	5	8	11	15	24
TOTAL 0-27 DYS	13	5.5	7	2	3	5	7	9	11	11
1-11 MOS	79	6.7	27	2	2	5	8	12	18	28
1-5 YRS	413	4.9	10	1	2	4	6	8	11	19
6-12 YRS	730	4.6	14	1	2	4	6	8	10	16
13-19 YRS	2152	4.7	13	1	2	4	6	8	10	16
GRAND TOTAL	**3387**	**4.7**	**14**	**1**	**2**	**4**	**6**	**8**	**10**	**17**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	6	3.5	6	1	1	3	6	7	7	7
1-5 YRS	4	3.3	1	2	2	3	4	4	4	4
6-12 YRS	34	3.3	12	1	1	2	3	6	8	20
13-19 YRS	242	2.6	3	1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS	2	9.5	1	9	9	9	10	10	10	10
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	6	6.8	5	3	3	7	8	10	10	10
6-12 YRS	22	7.3	13	1	2	8	10	12	13	13
13-19 YRS	97	7.5	13	2	3	8	9	12	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	6	1.8	3	1	1	1	2	5	5	5
6-12 YRS	22	4.2	17	<1	1	3	5	7	12	20
13-19 YRS	142	3.6	9	1	1	3	5	6	7	21
B. *Operated*										
0-27 DYS	2	12.5	13	10	10	12	15	15	15	15
1-11 MOS	3	10.0	81	1	1	10	17	19	19	19
1-5 YRS	10	9.5	81	2	2	6	13	23	31	31
6-12 YRS	23	8.0	39	1	2	7	9	13	24	29
13-19 YRS	104	9.6	55	2	4	8	12	18	22	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	2.7	4	1	1	2	3	5	7	11
B. *Operated*	128	7.4	13	2	3	8	9	12	13	19
2. MULTIPLE DX										
A. *Not Operated*	171	3.6	10	1	1	3	5	6	7	21
B. *Operated*	142	9.4	54	2	3	7	11	18	22	43
1. SINGLE DX	417	4.2	12	1	1	3	6	9	11	15
2. MULTIPLE DX	313	6.2	38	1	1	5	7	13	19	31
A. NOT OPERATED	460	3.1	7	1	1	2	4	6	7	12
B. OPERATED	270	8.4	35	2	3	8	10	14	19	32
TOTAL 0-27 DYS	7	7.0	29	1	1	9	10	14	15	15
1-11 MOS	11	5.3	28	1	1	3	7	14	19	19
1-5 YRS	26	6.2	41	1	1	4	7	13	19	31
6-12 YRS	101	5.4	23	1	1	4	8	10	13	25
13-19 YRS	585	4.9	23	1	1	3	7	10	13	22
GRAND TOTAL	**730**	**5.1**	**24**	**1**	**1**	**4**	**7**	**10**	**13**	**23**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	1.9	1	<1	<1	2	3	3	3	3
1-11 MOS	8	2.4	2	<1	<1	2	3	4	5	5
1-5 YRS										
6-12 YRS	84	2.7	3	1	1	2	3	5	6	9
13-19 YRS	840	2.6	8	1	1	2	3	4	6	9
B. *Operated*										
0-27 DYS	6	5.5	45	1	1	3	4	18	19	19
1-11 MOS	6	6.7	20	2	2	7	8	13	14	14
1-5 YRS	8	5.5	11	1	2	5	7	11	12	12
6-12 YRS	50	6.5	19	1	1	6	9	12	13	21
13-19 YRS	446	6.1	15	2	2	5	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	3	3.3	2	2	2	3	4	5	5	5
6-12 YRS	26	3.2	4	1	1	3	4	6	7	9
13-19 YRS	228	3.2	39	1	1	2	4	5	6	9
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	2	13.5	5	12	12	13	15	15	15	15
1-5 YRS	3	15.7	254	5	5	8	27	34	34	34
6-12 YRS	26	7.6	23	2	2	7	11	15	16	18
13-19 YRS	184	6.3	14	2	2	5	8	11	13	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	941	2.6	8	1	1	2	3	4	6	9
B. *Operated*	516	6.2	16	2	2	5	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	261	3.2	35	1	1	2	4	5	6	9
B. *Operated*	216	6.6	19	2	2	6	8	12	14	22
1. SINGLE DX	1457	3.9	14	1	1	3	5	8	10	18
2. MULTIPLE DX	477	4.8	30	1	1	4	6	9	12	18
A. NOT OPERATED	1202	2.7	14	1	1	2	3	5	6	9
B. OPERATED	732	6.3	17	2	2	5	8	11	14	20
TOTAL 0-27 DYS	18	3.2	17	<1	<1	2	3	5	13	19
1-11 MOS	18	5.0	21	<1	1	3	8	13	15	15
1-5 YRS	14	7.2	67	1	2	5	8	14	30	34
6-12 YRS	186	4.5	14	1	1	3	6	10	12	17
13-19 YRS	1698	4.0	18	1	1	3	5	8	10	17
GRAND TOTAL	**1934**	**4.1**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	6.8	10	4	4	7	9	10	10	10
1-11 MOS	34	4.8	51	1	1	3	6	9	13	41
1-5 YRS	86	3.1	8	<1	1	2	4	6	10	12
6-12 YRS	97	2.9	8	<1	<1	2	4	7	7	18
13-19 YRS	93	2.8	5	<1	1	2	4	5	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS	54	5.6	28	<1	1	3	9	14	16	16
1-5 YRS	686	5.4	21	<1	1	4	9	11	13	19
6-12 YRS	708	6.3	24	<1	1	7	9	12	14	20
13-19 YRS	405	7.7	30	1	1	8	11	14	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	64	6.8	64	2	2	5	8	12	15	56
1-5 YRS	127	4.1	20	1	1	3	5	7	10	29
6-12 YRS	113	3.7	10	1	1	3	5	7	9	17
13-19 YRS	144	4.3	11	1	1	3	6	9	11	15
B. *Operated*										
0-27 DYS	8	14.4	351	2	2	7	17	46	58	58
1-11 MOS	72	9.2	54	<1	1	8	15	20	22	26
1-5 YRS	871	5.8	37	<1	1	3	9	12	15	27
6-12 YRS	823	6.9	34	1	1	7	10	14	17	27
13-19 YRS	514	8.5	37	1	2	8	11	16	21	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	314	3.2	12	<1	1	2	4	7	9	16
B. *Operated*	1853	6.3	25	<1	1	7	9	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	449	4.5	22	1	1	3	6	9	11	21
B. *Operated*	2288	6.9	39	1	1	6	10	14	18	28
1. SINGLE DX	2167	5.8	24	<1	1	5	9	12	14	20
2. MULTIPLE DX	2737	6.5	37	1	1	5	10	14	17	27
A. NOT OPERATED	763	3.9	18	1	1	3	5	8	10	18
B. OPERATED	4141	6.6	33	1	1	6	10	13	16	25
TOTAL 0-27 DYS	13	12.1	221	2	2	8	15	26	52	58
1-11 MOS	224	7.0	52	<1	1	5	10	16	19	30
1-5 YRS	1770	5.4	29	<1	1	3	9	11	14	23
6-12 YRS	1741	6.2	28	<1	1	5	9	12	16	23
13-19 YRS	1156	7.2	32	1	1	6	10	14	18	27
GRAND TOTAL	**4904**	**6.2**	**31**	**1**	**1**	**5**	**9**	**13**	**16**	**25**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.0		2	2	2	2	2	2	2
6-12 YRS	11	2.3	2	1	1	2	4	4	4	4
13-19 YRS	86	2.7	3	1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	9	3.2	8	1	1	2	4	8	10	10
6-12 YRS	10	4.4	18	<1	<1	3	7	11	13	13
13-19 YRS	49	4.7	10	1	1	4	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	8	3.5	4	1	1	3	5	7	7	7
13-19 YRS	40	3.6	6	1	1	3	5	6	7	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.7	2	1	1	3	4	4	4	4
6-12 YRS	10	6.0	20	1	1	5	8	13	14	14
13-19 YRS	51	6.6	53	1	2	5	8	14	28	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	2.7	3	1	1	2	4	5	5	9
B. *Operated*	69	4.4	11	1	1	4	7	10	11	13
2. MULTIPLE DX										
A. *Not Operated*	49	3.6	6	1	1	3	5	6	7	14
B. *Operated*	64	6.3	45	1	2	5	8	13	19	92
1. SINGLE DX	169	3.4	7	1	1	2	4	8	10	11
2. MULTIPLE DX	113	5.1	30	1	1	4	6	10	14	64
A. NOT OPERATED	149	2.9	4	1	1	2	4	5	6	10
B. OPERATED	133	5.3	28	1	1	4	7	11	13	53
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	16	2.8	5	1	1	2	3	5	8	10
6-12 YRS	39	4.0	12	1	1	3	5	9	13	14
13-19 YRS	226	4.2	18	1	1	3	5	8	11	32
GRAND TOTAL	**282**	**4.1**	**17**	**1**	**1**	**3**	**5**	**8**	**11**	**25**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	3.8	13	1	1	3	5	10	10	10
1-11 MOS	13	5.5	33	1	1	3	8	12	20	22
1-5 YRS	158	2.8	3	1	1	2	3	4	6	13
6-12 YRS	248	3.2	3	1	1	3	4	6	6	9
13-19 YRS	383	3.4	28	1	1	3	4	5	7	11
B. *Operated*										
0-27 DYS	4	1.3		<1	<1	1	1	2	2	2
1-11 MOS	3	2.0	1	1	1	2	51	99+	99+	99+
1-5 YRS	291	2.4	5	<1	1	2	3	4	6	17
6-12 YRS	462	2.4	5	<1	1	2	3	5	6	11
13-19 YRS	613	3.0	7	1	1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	7.0	18	3	3	6	10	12	12	12
1-11 MOS	23	4.6	5	1	2	4	6	7	9	11
1-5 YRS	177	3.5	5	1	1	3	4	6	7	15
6-12 YRS	208	3.5	4	1	2	3	4	6	7	11
13-19 YRS	568	4.0	8	1	1	3	5	7	9	14
B. *Operated*										
0-27 DYS	4	2.8	2	1	1	3	4	4	4	4
1-11 MOS	7	5.4	38	1	1	4	7	16	18	18
1-5 YRS	506	2.3	4	<1	1	2	3	5	6	9
6-12 YRS	776	3.0	17	<1	1	2	4	6	7	15
13-19 YRS	1012	3.7	7	1	1	3	5	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	807	3.3	16	1	1	3	4	5	7	11
B. *Operated*	1373	2.7	6	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	980	3.9	7	1	1	3	5	7	9	12
B. *Operated*	2305	3.1	10	1	1	2	4	6	8	14
1. SINGLE DX	2180	2.9	10	1	1	2	4	5	7	11
2. MULTIPLE DX	3285	3.4	9	1	1	3	4	6	8	13
A. NOT OPERATED	1787	3.6	11	1	1	3	4	6	8	12
B. OPERATED	3678	3.0	9	1	1	2	4	6	7	13
TOTAL 0-27 DYS	17	3.7	11	<1	<1	3	4	10	11	12
1-11 MOS	46	4.8	17	1	1	4	7	9	19	99+
1-5 YRS	1132	2.6	4	1	1	2	3	5	6	12
6-12 YRS	1694	2.9	10	<1	1	2	4	6	7	12
13-19 YRS	2576	3.5	11	1	1	3	4	7	8	13
GRAND TOTAL	**5465**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.3	5	<1	<1	<1	4	5	5	5
1-5 YRS	46	1.7	1	<1	<1	1	2	3	3	4
6-12 YRS	45	1.9	1	<1	<1	2	2	3	4	6
13-19 YRS	24	2.5	6	<1	<1	2	2	6	8	10
B. *Operated*										
0-27 DYS	5	2.2		2	2	2	3	3	3	3
1-11 MOS	74	1.5	2	<1	<1	1	2	2	4	8
1-5 YRS	2546	1.7	5	<1	<1	1	2	2	3	7
6-12 YRS	2210	1.8	4	<1	<1	1	2	3	4	8
13-19 YRS	781	2.8	6	<1	1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	5.5	22	1	1	4	7	13	14	14
1-5 YRS	68	2.3	15	<1	<1	1	2	3	5	28
6-12 YRS	48	2.4	10	<1	<1	2	3	4	12	99+
13-19 YRS	25	4.2	11	1	2	3	4	9	12	14
B. *Operated*										
0-27 DYS	7	3.7	13	<1	<1	2	5	10	11	11
1-11 MOS	48	3.3	45	<1	<1	1	2	7	12	44
1-5 YRS	1865	2.0	5	<1	1	1	2	3	5	9
6-12 YRS	2018	2.1	8	<1	1	2	2	3	5	10
13-19 YRS	996	3.2	9	1	1	2	4	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	1.9	2	<1	<1	2	2	3	5	8
B. *Operated*	5616	1.9	5	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	147	2.8	13	<1	<1	2	3	5	9	33
B. *Operated*	4934	2.3	8	<1	1	2	2	4	6	12
1. SINGLE DX	5734	1.9	5	<1	<1	1	2	3	4	9
2. MULTIPLE DX	5081	2.3	8	<1	1	2	2	4	6	12
A. NOT OPERATED	265	2.4	8	<1	<1	2	3	4	7	19
B. OPERATED	10550	2.1	6	<1	1	2	2	4	5	11
TOTAL 0-27 DYS	12	3.1	8	<1	1	2	3	7	10	11
1-11 MOS	131	2.4	19	<1	<1	1	2	5	7	22
1-5 YRS	4525	1.8	5	<1	<1	1	2	3	4	8
6-12 YRS	4321	2.0	6	<1	<1	2	2	3	4	9
13-19 YRS	1826	3.1	8	<1	1	2	4	6	8	15
GRAND TOTAL	**10815**	**2.1**	**6**	**<1**	**<1**	**2**	**2**	**4**	**5**	**11**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	91	6.0	13	2	2	5	7	11	14	18
1-11 MOS	378	4.2	8	1	2	4	5	7	9	14
1-5 YRS	1085	3.3	5	1	1	3	4	6	7	11
6-12 YRS	1090	3.2	5	1	1	3	4	6	7	11
13-19 YRS	1308	3.5	8	1	1	3	5	6	7	11
B. *Operated*										
0-27 DYS	11	5.2	19	<1	1	3	8	12	14	14
1-11 MOS	60	3.8	22	<1	1	2	5	9	12	28
1-5 YRS	1107	2.2	6	<1	1	1	2	4	7	13
6-12 YRS	1485	2.4	7	<1	1	2	3	5	7	14
13-19 YRS	1158	2.9	9	<1	1	2	3	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	110	6.7	19	2	2	6	8	12	15	23
1-11 MOS	662	5.3	11	2	2	4	7	9	11	18
1-5 YRS	1389	4.3	9	1	2	4	5	7	9	15
6-12 YRS	1126	4.1	10	1	1	3	5	7	9	15
13-19 YRS	1974	4.2	9	1	2	4	5	8	9	15
B. *Operated*										
0-27 DYS	24	7.5	16	2	3	6	10	13	15	16
1-11 MOS	135	6.8	66	1	1	5	10	13	22	40
1-5 YRS	1821	2.9	16	<1	1	2	3	7	9	16
6-12 YRS	1929	3.0	11	<1	1	2	3	6	9	16
13-19 YRS	1654	4.1	21	1	1	3	5	9	11	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3952	3.5	7	1	1	3	4	6	7	12
B. *Operated*	3821	2.5	8	<1	1	2	3	5	8	13
2. MULTIPLE DX										
A. *Not Operated*	5261	4.4	10	1	2	4	5	8	10	16
B. *Operated*	5563	3.4	17	<1	1	2	4	8	10	20
1. SINGLE DX	7773	3.0	7	1	1	2	4	6	7	13
2. MULTIPLE DX	10824	3.9	14	1	1	3	5	8	10	17
A. NOT OPERATED	9213	4.0	9	1	1	3	5	7	9	15
B. OPERATED	9384	3.0	14	<1	1	2	3	7	9	17
TOTAL 0-27 DYS	236	6.4	16	2	2	6	8	12	15	18
1-11 MOS	1235	5.0	17	1	2	4	6	9	12	20
1-5 YRS	5402	3.2	10	1	1	2	4	7	8	14
6-12 YRS	5630	3.1	9	<1	1	2	4	6	8	14
13-19 YRS	6094	3.8	12	1	1	3	5	7	9	17
GRAND TOTAL	**18597**	**3.5**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	51	99+	99+	99+	99+
6-12 YRS	2	7.0	72	1	1	7	13	13	13	13
13-19 YRS	4	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS	6	6.7	25	1	1	6	7	15	16	16
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	7	3.3	4	1	1	3	5	7	7	7
6-12 YRS	6	6.7	17	2	2	9	11	82	99+	99+
13-19 YRS	16	4.5	18	<1	<1	2	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	6.7	44	<1	<1	5	12	14	14	14
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	2	7.5	85	<1	<1	7	14	14	14	14
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS	13	7.9	15	2	3	8	11	12	15	16
1-11 MOS	17	7.3	11	<1	2	7	10	12	12	12
1-5 YRS	8	12.4	48	2	4	11	18	22	22	22
6-12 YRS	18	8.4	114	1	1	7	10	12	34	48
13-19 YRS	22	6.9	37	1	1	6	9	15	22	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.4	18	1	1	2	8	74	99+	99+
B: *Operated*	36	5.1	16	<1	1	5	8	12	15	99+
2. MULTIPLE DX										
A. *Not Operated*	8	7.0	26	<1	<1	6	11	14	14	14
B. *Operated*	78	8.1	47	1	1	7	10	13	22	41
1. SINGLE DX	43	4.8	17	<1	1	3	8	13	37	99+
2. MULTIPLE DX	86	8.0	45	1	1	7	10	14	22	39
A. NOT OPERATED	15	5.3	24	<1	<1	4	11	14	74	99+
B. OPERATED	114	7.1	39	1	1	7	9	13	20	66
TOTAL 0-27 DYS	22	7.4	19	1	2	6	11	15	16	16
1-11 MOS	19	7.4	10	<1	2	7	9	12	12	12
1-5 YRS	18	7.7	47	<1	1	7	14	22	65	99+
6-12 YRS	27	7.9	81	1	1	7	10	13	53	99+
13-19 YRS	43	5.5	28	<1	1	3	9	12	16	23
GRAND TOTAL	**129**	**6.9**	**37**	**1**	**1**	**6**	**9**	**13**	**21**	**99+**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	61	3.2	4	1	1	3	4	5	6	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	2.7	1	2	2	2	4	4	4	4
6-12 YRS	14	2.1	3	<1	1	2	2	4	6	7
13-19 YRS	130	2.4	3	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	4	4.3	5	2	2	4	6	7	7	7
13-19 YRS	62	3.8	4	1	2	3	5	7	8	10
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	3.3	5	<1	<1	3	5	6	6	6
6-12 YRS	20	2.5	5	1	1	2	2	5	8	10
13-19 YRS	137	3.4	9	1	1	2	4	7	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	3.3	4	1	1	3	4	5	6	12
B. *Operated*	148	2.4	3	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	69	3.8	4	1	2	3	5	7	8	10
B. *Operated*	163	3.3	8	1	1	2	4	7	9	14
1. SINGLE DX	211	2.6	3	<1	1	2	3	5	6	11
2. MULTIPLE DX	232	3.4	7	1	1	3	4	7	8	14
A. NOT OPERATED	132	3.5	4	1	2	3	5	6	7	11
B. OPERATED	311	2.8	6	<1	1	2	3	6	8	13
TOTAL 0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	3	3.0	3	2	2	2	4	5	5	5
1-5 YRS	9	3.0	3	<1	1	2	4	5	6	6
6-12 YRS	39	2.6	4	1	1	2	3	6	7	10
13-19 YRS	390	3.1	5	1	1	2	4	6	8	13
GRAND TOTAL	**443**	**3.1**	**5**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	22	1.6	1	<1	<1	1	2	3	3	3
1-5 YRS	14	1.3		<1	<1	1	1	2	3	3
6-12 YRS	10	2.2	2	<1	<1	2	3	4	5	5
13-19 YRS	10	2.6	3	1	1	2	3	5	6	6
B. *Operated*										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	235	1.8	1	<1	<1	2	2	3	3	5
1-5 YRS	673	2.2	3	<1	1	2	2	3	4	9
6-12 YRS	257	2.4	2	<1	1	2	3	4	5	6
13-19 YRS	496	3.4	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	30	2.3	7	<1	<1	1	2	6	8	12
1-5 YRS	52	1.8	5	<1	<1	1	2	4	5	16
6-12 YRS	9	3.6	23	<1	<1	2	3	11	16	16
13-19 YRS	9	2.7	5	<1	<1	2	4	6	7	7
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	208	2.3	2	<1	1	2	3	4	5	7
1-5 YRS	703	2.5	8	<1	1	2	3	4	5	8
6-12 YRS	327	3.0	4	1	1	3	4	5	5	10
13-19 YRS	268	4.3	36	1	2	4	5	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	1.8	1	<1	<1	1	2	3	4	6
B. *Operated*	1663	2.5	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	100	2.2	7	<1	<1	1	2	5	7	16
B. *Operated*	1507	2.9	12	<1	1	2	3	5	6	10
1. SINGLE DX	1720	2.5	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	1607	2.8	11	<1	1	2	3	5	6	10
A. NOT OPERATED	157	2.0	5	<1	<1	1	2	4	6	15
B. OPERATED	3170	2.7	7	<1	1	2	3	4	6	9
TOTAL 0-27 DYS	4	2.0	2	1	1	2	3	4	4	4
1-11 MOS	495	2.1	2	<1	<1	2	2	3	4	7
1-5 YRS	1442	2.3	5	<1	1	2	3	4	5	9
6-12 YRS	603	2.7	3	1	1	2	3	4	5	9
13-19 YRS	783	3.7	14	1	2	3	4	6	7	10
GRAND TOTAL	**3327**	**2.7**	7	<1	1	2	3	4	6	9

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	7.0	2	6	6	7	8	8	8	8
1-5 YRS	9	3.1	6	1	1	2	5	7	8	8
6-12 YRS	111	3.5	4	1	1	3	5	6	8	10
13-19 YRS	643	4.6	9	1	2	4	6	8	10	14
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	4	3.0	2	2	2	3	4	5	5	5
1-5 YRS	13	3.7	5	1	1	3	5	7	9	9
6-12 YRS	48	3.3	5	1	1	2	5	7	8	9
13-19 YRS	186	4.5	9	1	2	4	6	8	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	8.5	18	4	4	8	12	13	13	13
1-5 YRS	7	4.6	5	2	2	5	7	7	7	7
6-12 YRS	27	4.5	5	2	2	4	6	8	10	10
13-19 YRS	176	5.3	14	2	2	4	7	9	10	21
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	3.3	7	1	1	3	4	8	8	8
1-5 YRS	15	2.7	3	<1	1	2	3	4	7	8
6-12 YRS	23	4.3	10	1	1	4	6	8	11	15
13-19 YRS	140	5.7	14	1	2	4	8	11	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	765	4.5	8	1	2	4	6	8	9	13
B. *Operated*	252	4.3	9	1	1	4	5	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	215	5.2	13	2	2	4	7	9	10	19
B. *Operated*	185	5.2	13	1	2	4	7	10	13	20
1. SINGLE DX	1017	4.4	8	1	2	4	6	8	10	13
2. MULTIPLE DX	400	5.2	13	1	2	4	7	10	12	19
A. NOT OPERATED	980	4.6	9	1	2	4	6	8	10	15
B. OPERATED	437	4.6	11	1	2	4	6	9	11	16
TOTAL 0-27 DYS	3	6.3	33	3	3	3	11	13	13	13
1-11 MOS	16	5.0	12	1	1	4	7	11	12	13
1-5 YRS	44	3.4	5	1	1	3	5	7	8	9
6-12 YRS	209	3.7	5	1	1	3	5	7	8	10
13-19 YRS	1145	4.8	10	1	2	4	6	9	11	17
GRAND TOTAL	**1417**	**4.6**	**10**	**1**	**2**	**4**	**6**	**8**	**10**	**16**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	24	1.5		<1	<1	1	2	2	3	3
1-11 MOS	264	1.5	1	<1	<1	1	2	2	2	4
1-5 YRS	1019	1.8	1	<1	<1	2	2	2	3	5
6-12 YRS	788	1.9	1	<1	1	2	2	2	3	4
13-19 YRS	544	2.2	1	1	1	2	2	3	4	9
B. *Operated*										
0-27 DYS	3	1.7		<1	<1	2	2	2	2	2
1-11 MOS	514	1.6	2	<1	<1	1	2	2	2	3
1-5 YRS	1845	1.7	1	<1	<1	2	2	2	3	5
6-12 YRS	1296	1.9	2	<1	1	2	2	2	3	5
13-19 YRS	1000	2.2	5	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	2.8	3	1	1	2	4	5	5	5
1-11 MOS	78	1.8	3	<1	<1	1	2	3	5	10
1-5 YRS	270	1.8	2	<1	<1	1	2	3	4	7
6-12 YRS	126	2.1	2	<1	<1	2	2	4	4	8
13-19 YRS	119	2.4	2	1	1	2	3	4	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	126	2.2	5	<1	<1	2	2	3	5	35
1-5 YRS	531	2.1	2	<1	1	2	2	3	4	8
6-12 YRS	421	2.3	2	<1	1	2	2	4	5	9
13-19 YRS	322	2.7	3	1	2	2	3	4	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2639	1.9	1	<1	1	2	2	3	3	5
B. *Operated*	4658	1.8	2	<1	1	2	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	598	2.0	2	<1	<1	2	2	3	5	8
B. *Operated*	1400	2.3	3	<1	1	2	2	4	5	9
1. SINGLE DX	7297	1.9	2	<1	1	2	2	2	3	5
2. MULTIPLE DX	1998	2.2	2	<1	1	2	2	4	5	9
A. NOT OPERATED	3237	1.9	1	<1	1	2	2	3	3	6
B. OPERATED	6058	1.9	3	<1	1	2	2	3	3	7
TOTAL 0-27 DYS	32	1.8	1	<1	<1	2	2	3	4	5
1-11 MOS	982	1.6	2	<1	<1	1	2	2	3	6
1-5 YRS	3665	1.8	1	<1	<1	2	2	2	3	6
6-12 YRS	2631	2.0	2	<1	1	2	2	3	3	6
13-19 YRS	1985	2.3	4	1	1	2	2	3	4	8
GRAND TOTAL	**9295**	**1.9**	**2**	**<1**	**1**	**2**	**2**	**3**	**3**	**7**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	3.5	4	<1	<1	4	5	6	7	7
1-11 MOS	9	2.8	9	1	1	1	3	8	9	9
1-5 YRS	61	2.3	5	<1	<1	2	3	4	5	16
6-12 YRS	117	2.1	4	1	1	2	2	3	4	12
13-19 YRS	156	2.2	3	<1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS	8	2.1	3	1	1	1	3	5	5	5
1-11 MOS	38	2.4	8	<1	1	2	2	4	5	18
1-5 YRS	251	2.2	3	<1	1	2	2	4	5	10
6-12 YRS	788	2.3	3	1	1	2	3	4	5	9
13-19 YRS	1698	2.9	4	1	1	2	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	5.0	15	1	1	4	9	9	9	9
1-11 MOS	10	4.8	11	2	2	4	5	10	12	12
1-5 YRS	79	2.8	4	<1	1	2	4	5	6	11
6-12 YRS	42	2.8	7	<1	1	2	3	5	7	16
13-19 YRS	83	3.4	6	<1	1	3	5	7	8	11
B. *Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	28	2.9	5	<1	1	2	4	6	7	11
1-5 YRS	162	2.4	3	<1	1	2	3	5	6	8
6-12 YRS	299	2.8	4	1	1	2	3	5	7	10
13-19 YRS	599	3.7	8	1	1	3	4	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	351	2.3	4	<1	1	2	3	4	5	9
B. *Operated*	2783	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	219	3.1	6	<1	1	2	4	6	8	12
B. *Operated*	1090	3.2	6	1	1	3	4	6	7	12
1. SINGLE DX	3134	2.6	4	1	1	2	3	5	6	10
2. MULTIPLE DX	1309	3.2	6	1	1	3	4	6	8	12
A. NOT OPERATED	570	2.6	5	<1	1	2	3	5	7	12
B. OPERATED	3873	2.8	4	1	1	2	3	5	6	10
TOTAL 0-27 DYS	23	3.3	6	<1	1	3	4	7	9	9
1-11 MOS	85	2.9	8	1	1	2	3	5	9	16
1-5 YRS	553	2.3	3	<1	1	2	3	4	5	11
6-12 YRS	1246	2.4	4	1	1	2	3	4	6	9
13-19 YRS	2536	3.1	5	1	1	3	4	5	7	10
GRAND TOTAL	**4443**	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	27	2.7	4	<1	<1	2	3	6	8	9
B. *Operated*										
0-27 DYS	4	1.8		1	1	2	2	2	2	2
1-11 MOS	12	2.7	2	<1	1	2	4	5	5	5
1-5 YRS	7	3.4	14	<1	<1	2	5	10	11	11
6-12 YRS	20	1.9	1	<1	<1	2	2	3	4	6
13-19 YRS	1025	2.1	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	17	3.2	7	<1	<1	2	4	8	8	8
B. *Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	7	2.4	1	2	2	2	3	4	4	4
1-5 YRS	4	1.5		<1	<1	1	2	2	2	2
6-12 YRS	7	2.7	3	<1	<1	2	4	6	6	6
13-19 YRS	231	3.0	8	1	1	2	4	5	6	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	2.6	4	<1	<1	2	3	5	8	9
B. *Operated*	1068	2.1	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	17	3.2	7	<1	<1	2	4	8	8	8
B. *Operated*	251	3.0	8	1	1	2	3	5	6	12
1. SINGLE DX	1098	2.1	1	<1	1	2	2	3	4	8
2. MULTIPLE DX	268	3.0	8	<1	1	2	4	5	6	11
A. NOT OPERATED	47	2.9	5	<1	<1	2	3	7	8	9
B. OPERATED	1319	2.3	3	<1	1	2	2	3	4	8
TOTAL 0-27 DYS	7	2.3	2	<1	<1	2	3	5	5	5
1-11 MOS	20	2.6	1	<1	1	2	3	4	5	5
1-5 YRS	11	2.7	10	<1	<1	2	2	8	11	11
6-12 YRS	28	2.1	2	<1	<1	2	2	4	6	6
13-19 YRS	1300	2.3	3	<1	1	2	2	3	4	8
GRAND TOTAL	**1366**	**2.3**	**3**	**<1**	**1**	**2**	**2**	**3**	**4**	**8**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	22	4.1	6	1	2	3	5	9	10	10
1-11 MOS	10	3.2	1	1	1	3	4	4	4	4
1-5 YRS	4	4.3	7	2	2	4	6	7	7	7
6-12 YRS	13	3.8	4	1	1	4	5	7	8	8
13-19 YRS	112	3.0	3	<1	1	3	4	5	7	9
B. *Operated*										
0-27 DYS	13	4.3	10	1	2	4	5	8	13	14
1-11 MOS	15	3.4	4	1	1	3	4	6	7	8
1-5 YRS	10	2.0	1	1	1	2	3	4	4	4
6-12 YRS	122	3.2	67	1	1	2	3	4	5	32
13-19 YRS	1910	3.0	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	20	4.7	5	1	2	4	6	8	10	10
1-11 MOS	6	4.3	2	2	2	4	6	6	6	6
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	9	5.9	16	<1	1	4	8	12	14	14
13-19 YRS	71	3.4	7	<1	1	3	4	6	7	17
B. *Operated*										
0-27 DYS	6	3.7	5	<1	<1	3	5	7	7	7
1-11 MOS	5	3.2	2	2	2	3	4	5	5	5
1-5 YRS	3	4.3	24	1	1	2	8	10	10	10
6-12 YRS	21	3.2	4	1	1	3	4	6	7	8
13-19 YRS	406	3.7	11	1	2	3	4	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	3.3	4	<1	1	3	4	6	8	10
B. *Operated*	2070	3.0	8	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	107	3.9	8	<1	1	4	5	7	8	17
B. *Operated*	441	3.7	10	1	2	3	4	6	8	13
1. SINGLE DX	2231	3.0	7	1	1	3	4	5	6	10
2. MULTIPLE DX	548	3.7	10	1	1	3	5	6	8	14
A. NOT OPERATED	268	3.5	5	<1	1	3	4	6	8	10
B. OPERATED	2511	3.1	8	1	1	3	4	5	6	10
TOTAL 0-27 DYS	61	4.3	6	1	2	4	5	8	10	14
1-11 MOS	36	3.5	2	1	2	3	4	6	6	8
1-5 YRS	18	3.1	6	1	1	2	4	7	9	10
6-12 YRS	165	3.4	52	1	1	2	3	5	7	13
13-19 YRS	2499	3.1	5	1	1	3	4	5	6	10
GRAND TOTAL	**2779**	**3.2**	**8**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	37	3.1	10	1	1	2	3	5	10	18
13-19 YRS	1102	2.7	3	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS	4	6.0	18	2	2	5	9	11	11	11
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	2	4.0	2	3	3	4	5	5	5	5
6-12 YRS	64	5.0	9	2	3	4	6	7	9	21
13-19 YRS	2098	4.9	8	1	2	5	6	8	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	19	4.3	19	<1	1	3	5	7	15	21
13-19 YRS	555	3.6	7	1	1	3	5	7	8	14
B. *Operated*										
0-27 DYS	8	4.8	14	1	1	4	8	10	10	10
1-11 MOS	12	6.4	9	2	3	6	8	11	12	12
1-5 YRS	5	5.0	3	3	3	5	6	7	7	7
6-12 YRS	61	5.1	5	2	2	5	7	8	9	10
13-19 YRS	1825	5.7	12	2	2	5	7	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1142	2.7	3	1	1	2	3	5	6	9
B. *Operated*	2170	4.9	8	1	2	5	6	8	9	15
2. MULTIPLE DX										
A. *Not Operated*	577	3.6	8	1	1	3	5	7	8	15
B. *Operated*	1911	5.7	12	2	2	5	7	9	11	17
1. SINGLE DX	3312	4.2	8	1	1	4	6	7	9	13
2. MULTIPLE DX	2488	5.2	11	1	2	5	7	9	10	16
A. NOT OPERATED	1719	3.0	5	1	1	2	4	6	7	11
B. OPERATED	4081	5.3	10	1	2	5	7	8	10	16
TOTAL 0-27 DYS	12	5.2	14	1	1	4	8	10	11	11
1-11 MOS	18	5.2	10	1	2	5	6	11	12	12
1-5 YRS	9	4.9	7	<1	1	5	6	9	10	10
6-12 YRS	181	4.6	9	1	2	4	6	8	9	20
13-19 YRS	5580	4.6	9	1	1	4	6	8	9	15
GRAND TOTAL	**5800**	**4.6**	**9**	**1**	**1**	**4**	**6**	**8**	**10**	**15**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	4.0	7	2	2	3	6	7	7	7
1-11 MOS	6	4.0	3	1	1	4	5	6	6	6
1-5 YRS	2	6.0	32	2	2	6	10	10	10	10
6-12 YRS	43	4.4	4	1	2	4	6	7	8	9
13-19 YRS	4784	4.6	14	2	2	4	6	7	9	14
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	19	7.9	21	3	4	7	9	12	19	24
13-19 YRS	1337	5.4	13	1	2	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	6.8	7	4	4	7	9	9	9	9
1-11 MOS	3	8.0	7	5	5	9	10	10	10	10
1-5 YRS	4	3.8	1	3	3	4	4	5	5	5
6-12 YRS	24	4.3	7	1	2	4	5	7	9	13
13-19 YRS	2512	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	3	4.7	6	2	2	5	6	7	7	7
1-11 MOS	8	8.0	130	2	2	4	6	27	36	36
1-5 YRS	6	7.0	30	<1	<1	6	11	15	15	15
6-12 YRS	19	7.6	21	2	2	7	10	16	17	17
13-19 YRS	2232	6.6	17	2	2	6	8	12	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4838	4.6	14	2	2	4	6	7	9	14
B. *Operated*	1359	5.5	13	1	2	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	2547	5.1	8	2	2	5	6	8	10	15
B. *Operated*	2268	6.7	18	2	2	6	8	12	15	22
1. SINGLE DX	6197	4.8	14	2	2	4	6	8	10	15
2. MULTIPLE DX	4815	5.8	13	2	2	5	7	10	13	19
A. NOT OPERATED	7385	4.7	12	2	2	4	6	8	9	14
B. OPERATED	3627	6.2	16	1	2	6	8	11	14	21
TOTAL 0-27 DYS	11	5.5	7	2	2	5	8	9	9	9
1-11 MOS	18	6.3	61	<1	1	5	6	10	26	36
1-5 YRS	13	5.6	18	<1	2	4	9	12	14	15
6-12 YRS	105	5.6	13	2	2	5	7	9	13	20
13-19 YRS	10865	5.2	14	2	2	5	6	9	11	17
GRAND TOTAL	**11012**	**5.2**	**14**	**2**	**2**	**5**	**6**	**9**	**11**	**17**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	44	3.0	2	1	1	3	4	5	6	6
B. *Operated*										
0-27 DYS	3	6.0	13	2	2	7	8	9	9	9
1-11 MOS	4	6.8	20	2	2	7	10	11	11	11
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	4	5.0	4	2	2	6	6	6	6	6
13-19 YRS	284	3.4	6	1	1	2	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	41	4.1	6	1	2	3	5	7	8	13
B. *Operated*										
0-27 DYS	5	7.0	1	6	6	7	7	8	8	8
1-11 MOS	5	7.2	5	6	6	6	8	11	11	11
1-5 YRS	2	7.0	2	6	6	7	8	8	8	8
6-12 YRS	4	4.5	6	2	2	4	6	7	7	7
13-19 YRS	323	4.5	8	1	1	4	5	8	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	3.0	2	1	1	3	4	5	6	6
B. *Operated*	296	3.5	6	1	1	2	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	43	4.1	6	1	2	3	6	7	9	13
B. *Operated*	339	4.6	8	1	1	4	6	8	10	14
1. SINGLE DX	340	3.4	6	1	1	3	5	6	7	10
2. MULTIPLE DX	382	4.5	8	1	1	4	6	8	9	14
A. NOT OPERATED	87	3.6	5	1	1	3	5	6	7	12
B. OPERATED	635	4.1	8	1	1	3	6	7	8	13
TOTAL 0-27 DYS	8	6.6	4	2	3	7	8	9	9	9
1-11 MOS	10	7.2	9	2	3	7	10	11	11	11
1-5 YRS	3	6.7	1	6	6	6	8	8	8	8
6-12 YRS	9	4.3	5	1	1	6	6	7	7	7
13-19 YRS	692	3.9	7	1	1	3	6	7	8	13
GRAND TOTAL	**722**	**4.0**	**7**	**1**	**1**	**3**	**6**	**7**	**8**	**13**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	5	1.0		<1	<1	1	1	1	1	1
13-19 YRS	13	3.5	4	<1	<1	3	5	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	133	2.6	5	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS	2	9.5	85	3	3	9	16	16	16	16
13-19 YRS	37	3.0	6	<1	1	2	4	6	7	12
B. *Operated*										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	3	4.7	9	2	2	4	7	8	8	8
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	3	3.7	4	2	2	3	5	6	6	6
13-19 YRS	245	3.0	6	1	1	2	3	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.8	4	<1	<1	2	5	6	7	7
B. *Operated*	138	2.7	6	1	1	2	3	5	6	15
2. MULTIPLE DX										
A. *Not Operated*	40	3.4	10	<1	1	2	5	7	10	16
B. *Operated*	254	3.0	6	1	1	2	3	6	8	12
1. SINGLE DX	157	2.7	6	<1	1	2	3	5	6	14
2. MULTIPLE DX	294	3.1	6	1	1	2	3	6	8	14
A. NOT OPERATED	59	3.2	8	<1	<1	2	5	7	7	16
B. OPERATED	392	2.9	6	1	1	2	3	5	7	13
TOTAL 0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	6	6.5	18	2	2	6	8	13	14	14
1-5 YRS	3	2.3	2	1	1	2	3	4	4	4
6-12 YRS	12	3.3	18	<1	<1	2	3	9	15	16
13-19 YRS	428	2.9	5	1	1	2	3	5	7	12
GRAND TOTAL	**451**	**3.0**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	5.5	1	5	5	5	6	6	6	6
1-5 YRS	36	2.5	4	<1	<1	2	3	5	7	10
6-12 YRS	52	2.2	2	<1	<1	2	3	4	5	6
13-19 YRS	337	3.9	5	1	2	3	5	7	9	12
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	5	2.4	4	1	1	2	3	6	6	6
1-5 YRS	14	2.1	2	<1	<1	2	3	4	4	4
6-12 YRS	19	2.8	4	1	1	2	3	5	8	10
13-19 YRS	744	2.5	4	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	5	5.6	7	1	1	6	7	8	8	8
1-5 YRS	24	4.7	10	<1	1	4	6	9	12	13
6-12 YRS	39	3.1	5	<1	1	2	5	6	7	12
13-19 YRS	369	4.6	9	1	2	4	6	8	9	15
B. *Operated*										
0-27 DYS	3	7.3	21	2	2	10	10	10	10	10
1-11 MOS										
1-5 YRS	19	3.8	5	1	1	3	6	7	8	8
6-12 YRS	28	2.6	5	1	1	2	3	5	9	9
13-19 YRS	416	3.8	11	1	1	3	5	8	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	428	3.6	5	1	1	3	5	6	8	12
B. *Operated*	783	2.5	4	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	439	4.4	9	1	2	4	6	8	9	14
B. *Operated*	466	3.8	11	1	1	3	5	8	10	18
1. SINGLE DX	1211	2.9	4	1	1	2	4	5	7	11
2. MULTIPLE DX	905	4.1	10	1	1	3	5	8	10	17
A. NOT OPERATED	867	4.0	7	1	1	3	5	7	9	13
B. OPERATED	1249	3.0	7	1	1	2	4	5	8	14
TOTAL 0-27 DYS	7	5.3	15	1	1	5	9	10	10	10
1-11 MOS	12	4.3	7	1	1	5	6	7	8	8
1-5 YRS	93	3.3	6	<1	<1	3	5	6	8	13
6-12 YRS	138	2.6	4	<1	1	2	3	5	6	10
13-19 YRS	1866	3.5	7	1	1	3	4	6	8	14
GRAND TOTAL	**2116**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	4	7.8	6	5	5	7	9	11	11	11
1-11 MOS	7	6.7	15	2	3	6	8	13	14	14
1-5 YRS	2	4.5	13	2	2	4	7	7	7	7
6-12 YRS	3	4.7	10	1	1	6	7	7	7	7
13-19 YRS	17	4.4	6	1	2	4	6	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS	5	9.4	12	6	6	8	11	15	15	15
1-11 MOS	8	8.3	11	5	5	7	11	13	14	14
1-5 YRS	10	8.9	22	<1	2	9	12	15	15	15
6-12 YRS	8	7.8	21	2	2	7	11	14	15	15
13-19 YRS	42	5.6	15	1	2	5	7	10	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.3	1	1	1	3	3	3	3	3
B. *Operated*	33	5.3	9	1	2	5	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	3	7.3	72	<1	<1	4	14	17	17	17
B. *Operated*	73	6.8	17	1	2	6	9	13	15	20
1. SINGLE DX	36	5.1	9	1	2	5	7	9	11	14
2. MULTIPLE DX	76	6.8	18	1	2	6	9	13	15	20
A. NOT OPERATED	6	4.8	37	<1	<1	3	4	16	17	17
B. OPERATED	106	6.3	15	1	2	6	8	12	14	18
TOTAL 0-27 DYS	10	9.5	15	5	5	8	11	16	17	17
1-11 MOS	15	7.5	13	3	5	6	10	14	14	14
1-5 YRS	13	7.6	24	<1	<1	7	12	15	15	15
6-12 YRS	12	6.4	20	1	1	6	8	14	15	15
13-19 YRS	62	5.1	12	1	2	5	7	9	12	20
GRAND TOTAL	**112**	**6.3**	**16**	**1**	**2**	**6**	**8**	**12**	**15**	**19**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	26	2.0	2	<1	1	2	2	3	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	107	1.8	1	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	25	2.5	4	<1	1	2	3	6	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.5	1	4	4	4	5	5	5	5
13-19 YRS	94	3.6	63	1	1	2	3	5	8	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.0	2	<1	1	2	2	3	5	7
B. *Operated*	109	1.8	1	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	25	2.6	4	<1	1	2	4	6	6	7
B. *Operated*	96	3.6	61	1	1	2	3	5	8	47
1. SINGLE DX	136	1.9	1	<1	1	2	2	3	4	6
2. MULTIPLE DX	122	3.4	49	1	1	2	3	6	7	30
A. NOT OPERATED	53	2.3	3	1	1	2	3	5	6	7
B. OPERATED	205	2.7	30	<1	1	2	2	4	5	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.2	3	1	1	3	5	5	5	5
13-19 YRS	252	2.6	25	1	1	2	2	4	6	10
GRAND TOTAL	**258**	**2.6**	**24**	**1**	**1**	**2**	**2**	**4**	**6**	**10**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	33	2.8	2	1	1	2	3	5	6	7
13-19 YRS	613	2.4	4	<1	1	2	3	4	5	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	41	2.4	3	1	1	2	3	5	6	9
13-19 YRS	2458	2.1	5	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	25	3.4	5	1	1	3	4	6	9	11
13-19 YRS	598	3.2	5	1	1	3	4	6	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	37	3.3	7	<1	1	2	5	7	9	12
13-19 YRS	2022	3.2	15	1	1	2	3	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	646	2.4	4	<1	1	2	3	4	5	11
B. *Operated*	2499	2.1	5	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	623	3.2	5	1	1	3	4	6	8	12
B. *Operated*	2059	3.2	15	1	1	2	3	6	8	13
1. SINGLE DX	3145	2.2	5	<1	1	2	2	3	4	7
2. MULTIPLE DX	2682	3.2	13	1	1	2	4	6	8	13
A. NOT OPERATED	1269	2.8	5	<1	1	2	3	5	6	11
B. OPERATED	4558	2.6	10	<1	1	2	3	5	6	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	136	2.9	4	1	1	2	3	6	7	11
13-19 YRS	5691	2.6	9	<1	1	2	3	5	6	12
GRAND TOTAL	**5827**	**2.6**	**9**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	2.7	4	1	1	2	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	1.9	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	3.4	10	<1	<1	2	4	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	4	1	1	2	5	5	5	5
B. *Operated*	8	1.9	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	5	3.4	10	<1	<1	2	4	9	9	9
1. SINGLE DX	14	2.2	2	1	1	2	3	5	5	5
2. MULTIPLE DX	5	3.4	10	<1	<1	2	4	9	9	9
A. NOT OPERATED	6	2.7	4	1	1	2	5	5	5	5
B. OPERATED	13	2.5	5	<1	<1	2	3	5	8	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	2.5	4	<1	1	2	3	5	7	9
GRAND TOTAL	**19**	**2.5**	**4**	**<1**	**1**	**2**	**3**	**5**	**7**	**9**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	7.0	32	3	3	7	11	11	11	11
1-5 YRS	26	1.6	1	<1	<1	1	2	3	3	4
6-12 YRS	41	2.5	4	<1	1	2	3	6	7	8
13-19 YRS	230	2.7	4	<1	1	2	3	5	6	11
B. *Operated*										
0-27 DYS	6	3.0	1	2	2	3	3	5	5	5
1-11 MOS	13	3.2	6	<1	<1	2	4	7	9	10
1-5 YRS	24	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	62	3.0	6	<1	1	2	4	6	8	14
13-19 YRS	1005	2.8	6	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	1.7	1	1	1	1	3	3	3	3
1-11 MOS	2	5.5	41	1	1	5	10	10	10	10
1-5 YRS	16	4.4	13	<1	<1	3	5	11	13	14
6-12 YRS	30	2.8	4	<1	1	2	4	5	6	9
13-19 YRS	191	3.4	11	<1	1	3	4	7	9	20
B. *Operated*										
0-27 DYS	10	5.6	15	1	1	6	9	10	11	11
1-11 MOS	20	5.3	8	2	2	5	7	9	10	10
1-5 YRS	26	4.1	15	1	1	3	5	8	14	17
6-12 YRS	52	4.4	10	1	2	4	5	7	9	22
13-19 YRS	872	3.8	9	1	1	3	5	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	300	2.6	4	<1	1	2	3	5	6	11
B. *Operated*	1110	2.8	6	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	242	3.4	11	<1	1	3	4	7	9	18
B. *Operated*	980	3.9	9	1	1	3	5	7	9	13
1. SINGLE DX	1410	2.7	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	1222	3.8	9	1	1	3	5	7	9	14
A. NOT OPERATED	542	3.0	7	<1	1	2	4	6	8	14
B. OPERATED	2090	3.3	7	<1	1	2	4	6	8	12
TOTAL 0-27 DYS	20	4.1	10	1	1	3	6	9	10	11
1-11 MOS	37	4.6	10	<1	1	3	7	10	10	11
1-5 YRS	92	2.8	8	<1	1	2	3	6	8	16
6-12 YRS	185	3.3	7	<1	1	3	4	6	8	13
13-19 YRS	2298	3.2	7	<1	1	2	4	6	8	12
GRAND TOTAL	**2632**	**3.2**	**7**	**<1**	**1**	**2**	**4**	**6**	**8**	**12**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	72	2.1	4	<1	1	2	2	4	5	14
13-19 YRS	1215	2.3	8	1	1	2	3	4	5	10
B. *Operated*										
0-27 DYS	7	4.4	18	<1	<1	2	9	10	10	10
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	2	5.5	41	1	1	5	10	10	10	10
6-12 YRS	20	2.8	6	<1	1	2	4	5	8	12
13-19 YRS	794	2.8	5	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	37	2.6	6	1	1	2	3	5	7	14
13-19 YRS	610	3.0	5	<1	1	2	4	6	7	12
B. *Operated*										
0-27 DYS	11	7.6	16	1	2	7	11	13	13	13
1-11 MOS	7	4.4	8	1	1	5	7	8	8	8
1-5 YRS	7	4.0	11	1	1	3	7	9	9	9
6-12 YRS	18	7.0	40	<1	1	5	11	19	21	21
13-19 YRS	816	3.7	9	1	1	2	5	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1295	2.3	8	1	1	2	3	4	5	10
B. *Operated*	825	2.8	6	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	651	3.0	5	1	1	2	4	6	7	12
B. *Operated*	859	3.8	10	1	1	3	5	8	10	14
1. SINGLE DX	2120	2.5	7	1	1	2	3	4	6	11
2. MULTIPLE DX	1510	3.5	8	1	1	2	4	7	9	13
A. NOT OPERATED	1946	2.5	7	1	1	2	3	5	6	11
B. OPERATED	1684	3.3	8	<1	1	2	4	7	9	14
TOTAL 0-27 DYS	21	5.9	17	<1	1	6	10	12	13	13
1-11 MOS	14	3.5	6	1	1	2	6	7	8	8
1-5 YRS	13	4.2	15	1	1	2	7	10	11	11
6-12 YRS	147	2.9	11	<1	1	2	3	5	11	20
13-19 YRS	3435	2.9	8	1	1	2	3	6	7	12
GRAND TOTAL	**3630**	**2.9**	**8**	**1**	**1**	**2**	**3**	**6**	**7**	**12**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	33	2.6	2	1	1	2	3	5	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.5	1	5	5	5	6	6	6	6
13-19 YRS	510	5.4	4	3	3	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	20	2.9	3	<1	1	3	4	5	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	405	6.0	11	3	4	5	7	8	10	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.6	2	1	1	2	3	5	5	6
B. *Operated*	512	5.4	3	3	3	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	20	2.9	3	<1	1	3	4	5	7	8
B. *Operated*	406	6.0	11	3	4	5	7	8	10	24
1. SINGLE DX	545	5.2	4	2	3	5	6	7	8	12
2. MULTIPLE DX	426	5.9	11	3	3	5	7	8	10	24
A. NOT OPERATED	53	2.7	3	1	1	2	4	5	5	8
B. OPERATED	918	5.7	7	3	4	5	7	8	9	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.0	1	4	4	5	6	6	6	6
13-19 YRS	968	5.5	7	2	3	5	6	8	9	13
GRAND TOTAL	**971**	**5.5**	**7**	**2**	**3**	**5**	**6**	**8**	**9**	**13**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.4	7	<1	<1	1	3	7	7	7
13-19 YRS	414	1.4	1	<1	<1	1	2	2	3	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	51	1.6	1	<1	<1	1	2	4	5	98
13-19 YRS	8711	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	93	1.7	2	<1	<1	1	2	4	6	59
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	28	1.6	1	<1	<1	1	2	3	3	3
13-19 YRS	2828	1.8	5	<1	<1	1	2	3	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	419	1.4	1	<1	<1	1	2	2	3	6
B. *Operated*	8762	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	95	1.7	2	<1	<1	1	2	4	6	58
B. *Operated*	2856	1.8	5	<1	<1	1	2	3	5	9
1. SINGLE DX	9181	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	2951	1.8	5	<1	<1	1	2	3	5	9
A. NOT OPERATED	514	1.5	1	<1	<1	1	2	2	3	7
B. OPERATED	11618	1.5	2	<1	<1	1	2	2	3	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	86	1.7	1	<1	<1	1	2	3	4	65
13-19 YRS	12046	1.5	2	<1	<1	1	2	2	3	7
GRAND TOTAL	**12132**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**7**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	2.3		2	2	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	18	2.4	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	14.0		14	14	14	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.3		2	2	2	3	3	3	3
B. *Operated*	18	2.4	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	1	14.0		14	14	14	14	14	14	14
1. SINGLE DX	21	2.4	2	<1	<1	2	3	5	5	6
2. MULTIPLE DX	2	8.0	72	2	2	8	14	14	14	14
A. NOT OPERATED	4	2.3		2	2	2	3	3	3	3
B. OPERATED	19	3.1	9	<1	<1	2	4	6	10	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	23	2.9	8	<1	<1	2	3	5	9	14
GRAND TOTAL	**23**	**2.9**	**8**	**<1**	**<1**	**2**	**3**	**5**	**9**	**14**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.7		1	1	2	2	2	2	2
13-19 YRS	1530	1.9	5	<1	1	1	2	3	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	31	1.7	2	<1	1	1	2	4	5	6
13-19 YRS	10247	1.8	3	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	246	2.6	4	1	1	2	3	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	1.8	1	1	1	2	2	3	3	3
13-19 YRS	1447	2.6	5	1	1	2	3	5	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1533	1.9	5	<1	1	1	2	3	4	7
B. *Operated*	10278	1.8	3	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	246	2.6	4	1	1	2	3	5	6	11
B. *Operated*	1452	2.6	5	1	1	2	3	5	7	11
1. SINGLE DX	11811	1.8	3	<1	1	1	2	3	4	7
2. MULTIPLE DX	1698	2.6	5	1	1	2	3	5	7	11
A. NOT OPERATED	1779	2.0	5	<1	1	1	2	4	4	8
B. OPERATED	11730	1.9	4	<1	1	1	2	3	4	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	39	1.7	1	<1	1	1	2	3	5	6
13-19 YRS	13470	1.9	4	<1	1	1	2	3	4	8
GRAND TOTAL	**13509**	**1.9**	**4**	**<1**	**1**	**1**	**2**	**3**	**4**	**8**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	315	3.0	4	<1	1	2	4	5	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	793	2.3	4	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	110	3.9	10	1	1	3	5	7	9	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	277	4.5	58	1	1	3	5	8	11	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	3.0	4	<1	1	2	4	5	7	12
B. *Operated*	794	2.3	4	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	110	3.9	10	1	1	3	5	7	9	17
B. *Operated*	279	4.5	58	1	1	3	5	8	11	28
1. SINGLE DX	1109	2.5	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	389	4.3	44	1	1	3	5	8	11	25
A. NOT OPERATED	425	3.2	6	<1	1	3	4	6	7	13
B. OPERATED	1073	2.9	19	<1	1	2	3	5	7	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	1495	3.0	15	<1	1	2	4	6	7	14
GRAND TOTAL	**1498**	**3.0**	**15**	**<1**	**1**	**2**	**4**	**6**	**7**	**14**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.7		2	2	3	3	3	3	3
13-19 YRS	1578	2.5	4	<1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	57	2.3	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	277	3.2	5	1	1	3	4	6	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	33	3.7	9	1	1	2	5	7	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1581	2.5	4	<1	1	2	3	4	6	9
B. *Operated*	57	2.3	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	277	3.2	5	1	1	3	4	6	8	12
B. *Operated*	33	3.7	9	1	1	2	5	7	10	14
1. SINGLE DX	1638	2.5	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	310	3.3	6	1	1	3	4	6	8	13
A. NOT OPERATED	1858	2.6	4	<1	1	2	3	5	6	9
B. OPERATED	90	2.8	6	<1	1	2	4	7	8	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.7		2	2	3	3	3	3	3
13-19 YRS	1945	2.6	4	<1	1	2	3	5	6	9
GRAND TOTAL	**1948**	**2.6**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**9**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	105	2.3	6	<1	<1	2	2	4	7	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	2.7	4	<1	<1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	30	2.3	2	<1	<1	2	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	4.1	10	<1	<1	5	5	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	2.3	6	<1	<1	2	2	4	7	14
B. *Operated*	6	2.7	4	<1	<1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	30	2.3	2	<1	<1	2	3	4	5	6
B. *Operated*	7	4.1	10	<1	<1	5	5	9	10	10
1. SINGLE DX	111	2.3	5	<1	<1	2	2	4	7	14
2. MULTIPLE DX	37	2.6	4	<1	<1	2	3	5	6	10
A. NOT OPERATED	135	2.3	5	<1	<1	2	3	4	6	14
B. OPERATED	13	3.5	7	<1	<1	2	5	7	9	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	148	2.4	5	<1	<1	2	3	5	6	14
GRAND TOTAL	**148**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**5**	**6**	**14**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1139	3.7	14	1	1	3	4	6	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	122	4.9	46	<1	1	3	5	8	13	35
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	295	4.3	11	1	1	3	5	8	12	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	75	5.1	12	1	2	4	6	11	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1140	3.7	14	1	1	3	4	6	9	14
B. *Operated*	122	4.9	46	<1	1	3	5	8	13	35
2. MULTIPLE DX										
A. *Not Operated*	296	4.3	11	1	1	3	5	9	12	20
B. *Operated*	75	5.1	12	1	2	4	6	11	12	19
1. SINGLE DX	1262	3.8	17	1	1	3	4	7	9	16
2. MULTIPLE DX	371	4.4	12	1	2	3	5	9	12	19
A. NOT OPERATED	1436	3.9	14	1	1	3	4	7	9	16
B. OPERATED	197	5.0	33	<1	1	4	6	9	12	21
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	6.0	18	3	3	6	9	9	9	9
13-19 YRS	1631	4.0	16	1	1	3	5	7	9	16
GRAND TOTAL	**1633**	**4.0**	**16**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	1248	3.4	8	1	2	3	4	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	38	3.0	7	<1	1	2	4	6	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	486	3.9	11	1	1	3	5	7	9	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	23	6.4	55	2	2	5	6	9	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1250	3.4	8	1	2	3	4	6	7	12
B. *Operated*	38	3.0	7	<1	1	2	4	6	10	12
2. MULTIPLE DX										
A. *Not Operated*	488	3.9	11	1	1	3	5	7	9	19
B. *Operated*	23	6.4	55	2	2	5	6	9	22	38
1. SINGLE DX	1288	3.4	8	1	1	3	4	6	7	12
2. MULTIPLE DX	511	4.0	13	1	2	3	5	7	9	23
A. NOT OPERATED	1738	3.6	9	1	2	3	4	6	8	13
B. OPERATED	61	4.3	27	<1	1	3	5	8	11	35
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	3.3		3	3	3	4	4	4	4
13-19 YRS	1795	3.6	9	1	2	3	4	6	8	14
GRAND TOTAL	**1799**	**3.6**	**9**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	25	1.8	3	<1	<1	1	2	3	7	8
13-19 YRS	9664	1.3	3	<1	<1	1	1	2	2	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	622	1.3	2	<1	<1	1	1	2	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.7	4	<1	<1	2	4	5	5	5
13-19 YRS	808	1.7	2	<1	<1	1	2	4	4	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	91	2.1	3	<1	<1	1	3	4	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9689	1.3	3	<1	<1	1	1	2	2	6
B. *Operated*	623	1.3	2	<1	<1	1	1	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	811	1.7	2	<1	<1	1	2	4	4	8
B. *Operated*	91	2.1	3	<1	<1	1	3	4	6	8
1. SINGLE DX	10312	1.3	3	<1	<1	1	1	2	2	6
2. MULTIPLE DX	902	1.8	2	<1	<1	1	2	4	5	8
A. NOT OPERATED	10500	1.3	3	<1	<1	1	1	2	3	6
B. OPERATED	714	1.4	2	<1	<1	1	1	2	4	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	29	1.8	3	<1	<1	1	2	4	7	8
13-19 YRS	11185	1.3	3	<1	<1	1	1	2	3	6
GRAND TOTAL	**11214**	**1.3**	**3**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	241	3.3	20	<1	1	2	4	6	8	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	15	4.4	35	1	1	3	4	7	20	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	56	3.6	7	1	1	3	5	7	9	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	4.8	21	1	1	3	6	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	3.3	20	<1	1	2	4	6	8	22
B. *Operated*	15	4.4	35	1	1	3	4	7	20	25
2. MULTIPLE DX										
A. *Not Operated*	56	3.6	7	1	1	3	5	7	9	16
B. *Operated*	8	4.8	21	1	1	3	6	13	15	15
1. SINGLE DX	257	3.4	20	<1	1	2	4	6	8	25
2. MULTIPLE DX	64	3.7	9	1	1	3	5	7	9	16
A. NOT OPERATED	298	3.4	17	<1	1	2	4	6	8	20
B. OPERATED	23	4.5	29	1	1	3	4	9	18	25
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	320	3.4	18	<1	1	2	4	6	9	22
GRAND TOTAL	**321**	**3.4**	**18**	**<1**	**1**	**2**	**4**	**6**	**9**	**22**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	669	2.1	3	<1	<1	2	3	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	53	3.6	16	1	1	2	4	8	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	178	2.4	4	<1	<1	2	3	4	6	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	18	3.4	4	<1	1	3	4	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	670	2.1	3	<1	<1	2	3	4	5	9
B. *Operated*	53	3.6	16	1	1	2	4	8	13	22
2. MULTIPLE DX										
A. *Not Operated*	178	2.4	4	<1	<1	2	3	4	6	13
B. *Operated*	18	3.4	4	<1	1	3	4	7	8	8
1. SINGLE DX	723	2.2	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX	196	2.5	4	<1	<1	2	3	4	7	13
A. NOT OPERATED	848	2.1	3	<1	<1	2	3	4	5	9
B. OPERATED	71	3.5	13	1	1	2	4	7	10	20
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	918	2.2	4	<1	<1	2	3	4	5	10
GRAND TOTAL	**919**	**2.2**	**4**	**<1**	**<1**	**2**	**3**	**4**	**5**	**10**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	3.5	4	2	2	3	5	6	6	6
13-19 YRS	1245	3.3	4	<1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	162	2.9	4	<1	<1	2	4	6	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1028	3.8	6	1	1	3	5	7	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	142	4.8	11	1	1	4	6	9	12	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1249	3.3	4	<1	1	3	4	6	7	10
B. *Operated*	162	2.9	4	<1	<1	2	4	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	1029	3.8	6	1	1	3	5	7	8	12
B. *Operated*	143	4.7	11	1	1	4	6	9	12	16
1. SINGLE DX	1411	3.2	4	<1	<1	3	4	6	7	10
2. MULTIPLE DX	1172	3.9	6	1	1	3	5	7	8	14
A. NOT OPERATED	2278	3.5	5	<1	1	3	5	6	7	11
B. OPERATED	305	3.7	8	<1	<1	3	5	7	9	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.0	3	1	1	3	4	6	6	6
13-19 YRS	2577	3.6	5	<1	1	3	5	6	8	12
GRAND TOTAL	**2583**	**3.6**	**5**	**<1**	**1**	**3**	**5**	**6**	**8**	**12**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	290	4.4	17	<1	1	3	6	8	12	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	35	4.0	7	<1	<1	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	644	4.3	38	1	1	3	5	7	10	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	82	6.4	49	1	1	4	7	15	23	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	290	4.4	17	<1	1	3	6	8	12	23
B. *Operated*	35	4.0	7	<1	<1	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	644	4.3	38	1	1	3	5	7	10	23
B. *Operated*	82	6.4	49	1	1	4	7	15	23	33
1. SINGLE DX	325	4.4	16	<1	1	3	6	8	12	23
2. MULTIPLE DX	726	4.5	39	1	1	3	5	8	12	29
A. NOT OPERATED	934	4.3	31	<1	1	3	5	8	11	23
B. OPERATED	117	5.7	38	<1	1	4	6	13	19	31
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1051	4.5	32	<1	1	3	5	8	12	26
GRAND TOTAL	**1051**	**4.5**	**32**	**<1**	**1**	**3**	**5**	**8**	**12**	**26**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	1.3	1	<1	<1	1	1	3	3	3
13-19 YRS	1900	2.5	9	<1	<1	1	3	5	7	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	499	2.9	8	<1	<1	2	4	6	7	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	883	3.3	11	<1	<1	2	4	6	8	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	267	5.1	20	<1	1	4	6	10	12	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1908	2.5	9	<1	<1	1	3	5	7	15
B. *Operated*	500	2.9	8	<1	<1	2	4	6	7	17
2. MULTIPLE DX										
A. *Not Operated*	883	3.3	11	<1	<1	2	4	6	8	19
B. *Operated*	267	5.1	20	<1	1	4	6	10	12	23
1. SINGLE DX	2408	2.6	9	<1	<1	2	3	5	7	15
2. MULTIPLE DX	1150	3.7	14	<1	1	3	5	7	10	20
A. NOT OPERATED	2791	2.7	10	<1	<1	2	3	6	7	16
B. OPERATED	767	3.7	13	<1	<1	3	5	7	10	19
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	1.2		<1	<1	1	1	2	3	3
13-19 YRS	3549	2.9	11	<1	<1	2	4	6	8	17
GRAND TOTAL	**3558**	**2.9**	**11**	**<1**	**<1**	**2**	**4**	**6**	**8**	**17**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	248	3.6	30	2	2	3	4	4	6	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	111	5.2	42	2	2	3	5	8	18	42
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	318	3.8	10	1	2	3	4	5	9	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	377	7.1	92	2	2	4	7	14	25	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	250	3.6	30	2	2	3	4	4	6	21
B. *Operated*	111	5.2	42	2	2	3	5	8	18	42
2. MULTIPLE DX										
A. *Not Operated*	318	3.8	10	1	2	3	4	5	9	20
B. *Operated*	378	7.1	92	2	2	4	7	14	24	71
1. SINGLE DX	361	4.1	34	2	2	3	4	5	9	26
2. MULTIPLE DX	696	5.6	57	2	2	4	5	10	17	57
A. NOT OPERATED	568	3.7	19	2	2	3	4	5	8	20
B. OPERATED	489	6.7	81	2	2	4	7	13	23	65
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.7	1	3	3	3	5	5	5	5
13-19 YRS	1054	5.1	50	2	2	3	5	9	15	49
GRAND TOTAL	**1057**	**5.1**	**50**	**2**	**2**	**3**	**5**	**8**	**15**	**49**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	100	3.0	1	1	2	3	4	4	5	7
13-19 YRS	48156	3.0	4	1	2	3	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	22	2.8	1	1	2	3	3	4	5	5
13-19 YRS	10416	3.0	2	2	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.8		2	2	3	3	3	3	3
13-19 YRS	2710	3.5	3	2	2	3	4	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	3.4	1	2	2	3	4	5	5	5
13-19 YRS	1446	3.7	7	2	2	3	4	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48256	3.0	4	1	2	3	3	4	5	6
B. *Operated*	10438	3.0	2	2	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	2715	3.5	3	2	2	3	4	5	6	10
B. *Operated*	1454	3.7	7	2	2	3	4	5	7	12
1. SINGLE DX	58694	3.0	4	1	2	3	3	4	5	6
2. MULTIPLE DX	4169	3.6	5	2	2	3	4	5	6	11
A. NOT OPERATED	50971	3.0	4	1	2	3	3	4	5	7
B. OPERATED	11892	3.1	3	2	2	3	4	4	5	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	135	3.0	1	2	2	3	3	4	5	6
13-19 YRS	62728	3.0	4	1	2	3	3	4	5	7
GRAND TOTAL	**62863**	**3.0**	**4**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	31	3.9	16	1	1	3	4	6	14	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	94	6.1	9	2	3	5	7	9	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	20	3.5	2	1	1	3	4	6	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	152	7.6	50	3	3	6	8	14	20	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.9	16	1	1	3	4	6	14	21
B. *Operated*	94	6.1	9	2	3	5	7	9	14	16
2. MULTIPLE DX										
A. *Not Operated*	20	3.5	2	1	1	3	4	6	6	7
B. *Operated*	153	7.5	49	3	3	6	8	14	20	51
1. SINGLE DX	125	5.5	12	2	2	5	7	9	14	18
2. MULTIPLE DX	173	7.1	46	2	3	6	7	12	17	47
A. NOT OPERATED	51	3.7	11	1	1	3	4	6	7	21
B. OPERATED	247	7.0	35	3	3	6	7	12	16	33
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	297	6.4	32	2	3	5	7	11	15	28
GRAND TOTAL	**298**	**6.4**	**32**	**2**	**3**	**5**	**7**	**11**	**15**	**28**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	235	3.1	4	1	1	3	4	5	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	239	4.8	6	2	2	4	6	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	201	3.1	3	1	1	3	4	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	7.0	18	4	4	7	10	10	10	10
13-19 YRS	509	5.2	11	2	2	4	6	8	10	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	235	3.1	4	1	1	3	4	5	5	9
B. *Operated*	239	4.8	6	2	2	4	6	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	201	3.1	3	1	1	3	4	5	6	11
B. *Operated*	511	5.2	11	2	2	4	6	8	10	20
1. SINGLE DX	474	3.9	6	1	2	3	5	6	7	13
2. MULTIPLE DX	712	4.6	10	1	2	4	6	8	9	18
A. NOT OPERATED	436	3.1	4	1	1	3	4	5	6	10
B. OPERATED	750	5.1	9	2	2	4	6	8	10	18
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	7.0	18	4	4	7	10	10	10	10
13-19 YRS	1184	4.3	8	1	2	4	5	7	9	16
GRAND TOTAL	**1186**	**4.3**	**8**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	32	2.8	1	2	2	3	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	396	3.0	2	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	3.2	2	1	2	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	211	3.5	4	1	2	3	4	5	6	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.8	1	2	2	3	3	4	5	6
B. *Operated*	398	3.0	2	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	16	3.2	2	1	2	3	4	5	5	5
B. *Operated*	212	3.4	4	1	2	3	4	5	6	14
1. SINGLE DX	430	3.0	2	1	2	3	4	4	5	6
2. MULTIPLE DX	228	3.4	4	1	2	3	4	5	6	13
A. NOT OPERATED	48	2.9	1	1	2	3	4	5	5	6
B. OPERATED	610	3.1	3	1	2	3	4	4	5	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.3		3	3	3	4	4	4	4
13-19 YRS	655	3.1	3	1	2	3	4	4	5	9
GRAND TOTAL	**658**	**3.1**	**3**	**1**	**2**	**3**	**4**	**4**	**5**	**9**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	164	3.1	1	1	2	3	4	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	115	3.1	1	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	97	3.1	1	1	2	3	4	5	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	139	3.8	7	2	2	3	4	5	7	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	3.1	1	1	2	3	4	4	5	6
B. *Operated*	115	3.1	1	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	97	3.1	1	1	2	3	4	5	5	7
B. *Operated*	139	3.8	7	2	2	3	4	5	7	18
1. SINGLE DX	279	3.1	1	1	2	3	4	4	5	6
2. MULTIPLE DX	236	3.5	5	2	2	3	4	5	6	11
A. NOT OPERATED	261	3.1	1	1	2	3	4	5	5	6
B. OPERATED	254	3.5	5	1	2	3	4	5	6	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	515	3.3	3	1	2	3	4	5	5	8
GRAND TOTAL	**515**	**3.3**	**3**	**1**	**2**	**3**	**4**	**5**	**5**	**8**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	96	3.4	3	1	2	3	4	5	6	61
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	62	4.2	11	2	2	4	4	6	8	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	103	4.4	19	1	2	3	4	7	13	29
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	375	5.3	25	2	2	4	6	9	12	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	3.4	3	1	2	3	4	5	6	61
B. *Operated*	63	4.2	11	2	2	3	4	6	8	24
2. MULTIPLE DX										
A. *Not Operated*	103	4.4	19	1	2	3	4	7	13	29
B. *Operated*	375	5.3	25	2	2	4	6	9	12	34
1. SINGLE DX	159	3.7	7	2	2	3	4	6	7	25
2. MULTIPLE DX	478	5.1	24	2	2	4	6	8	12	32
A. NOT OPERATED	199	3.9	12	1	2	3	4	6	8	29
B. OPERATED	438	5.2	23	2	2	4	6	8	11	28
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	636	4.8	20	2	2	4	5	8	11	28
GRAND TOTAL	**637**	**4.8**	**20**	**2**	**2**	**4**	**5**	**8**	**11**	**28**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	225	3.0	2	1	2	3	4	5	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.3	3	1	1	3	4	6	6	6
13-19 YRS	1439	4.9	11	2	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	114	3.1	3	1	1	3	3	5	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.0	1	4	4	5	6	6	6	6
13-19 YRS	1489	5.8	15	2	3	5	7	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	3.0	2	1	2	3	4	5	5	8
B. *Operated*	1445	4.9	11	2	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	114	3.1	3	1	1	3	3	5	7	10
B. *Operated*	1492	5.8	15	2	3	5	7	9	11	17
1. SINGLE DX	1671	4.6	10	2	2	4	6	7	7	11
2. MULTIPLE DX	1606	5.7	14	2	3	5	7	9	10	17
A. NOT OPERATED	340	3.0	2	1	2	3	4	5	6	9
B. OPERATED	2937	5.4	13	2	3	5	6	8	9	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	10	4.0	3	1	1	4	5	6	6	6
13-19 YRS	3267	5.1	13	2	2	5	6	8	9	15
GRAND TOTAL	**3277**	**5.1**	**13**	**2**	**2**	**5**	**6**	**8**	**9**	**15**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	356	3.3	7	2	2	3	4	4	5	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	1426	3.9	6	2	2	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	201	3.3	2	1	2	3	4	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	3.8		3	3	4	4	4	4	4
13-19 YRS	2647	4.5	7	2	2	4	6	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	3.3	7	2	2	3	4	4	5	10
B. *Operated*	1428	3.9	6	2	2	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	201	3.3	2	1	2	3	4	5	6	9
B. *Operated*	2651	4.5	7	2	2	4	6	7	8	13
1. SINGLE DX	1784	3.8	6	2	2	3	4	6	7	10
2. MULTIPLE DX	2852	4.4	7	2	2	4	5	7	8	13
A. NOT OPERATED	557	3.3	5	2	2	3	4	4	5	10
B. OPERATED	4079	4.3	7	2	2	4	5	7	8	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.5		3	3	3	4	4	4	4
13-19 YRS	4630	4.2	7	2	2	4	5	7	8	12
GRAND TOTAL	**4636**	**4.2**	**7**	**2**	**2**	**4**	**5**	**7**	**8**	**12**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.0		3	3	3	3	3	3	3
13-19 YRS	94	4.3	6	2	2	4	5	7	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	5.9	2	4	4	6	6	8	9	9
13-19 YRS	3616	5.8	6	3	4	6	7	8	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	63	4.9	6	2	2	5	6	8	9	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	22	6.0	3	4	4	6	7	8	9	11
13-19 YRS	4937	6.6	9	4	4	6	7	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	4.2	6	2	2	3	5	7	9	14
B. *Operated*	3623	5.8	6	3	4	6	7	8	8	12
2. MULTIPLE DX										
A. *Not Operatsd*	64	4.9	6	2	2	5	6	8	9	15
B. *Operated*	4959	6.6	9	4	4	6	7	9	11	17
1. SINGLE DX	3720	5.7	6	3	4	6	7	8	8	12
2. MULTIPLE DX	5023	6.6	9	4	4	6	7	9	11	17
A. NOT OPERATED	161	4.5	6	2	2	4	5	7	9	15
B. OPERATED	8582	6.3	8	4	4	6	7	9	10	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	33	5.7	3	3	3	6	6	8	9	11
13-19 YRS	8710	6.2	8	3	4	6	7	8	10	16
GRAND TOTAL	**8743**	**6.2**	**8**	**3**	**4**	**6**	**7**	**8**	**10**	**16**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	562	3.3	1	1	2	3	4	5	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	4.0	2	3	3	4	5	6	6	6
13-19 YRS	865	4.1	3	2	2	4	5	7	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	336	3.6	3	2	2	3	4	5	6	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1665	4.9	7	2	2	4	6	8	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	562	3.3	1	1	2	3	4	5	5	7
B. *Operated*	869	4.1	3	2	2	4	5	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	337	3.6	3	2	2	3	4	5	6	12
B. *Operated*	1666	4.9	7	2	2	4	6	8	9	15
1. SINGLE DX	1431	3.8	3	2	2	4	5	6	7	8
2. MULTIPLE DX	2003	4.7	7	2	2	4	6	8	9	14
A. NOT OPERATED	899	3.4	2	2	2	3	4	5	5	9
B. OPERATED	2535	4.6	6	2	2	4	6	7	9	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.7	3	1	1	4	5	6	6	6
13-19 YRS	3428	4.3	5	2	2	4	5	7	8	12
GRAND TOTAL	**3434**	**4.3**	**5**	**2**	**2**	**4**	**5**	**7**	**8**	**12**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	64	3.3	3	1	2	3	4	5	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	202	4.5	7	2	2	4	5	7	8	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	40	4.6	5	2	2	4	6	8	9	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	403	5.8	8	2	3	5	7	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	3.3	3	1	1	3	4	5	7	11
B. *Operated*	202	4.5	7	2	2	4	5	7	8	22
2. MULTIPLE DX										
A. *Not Operated*	40	4.6	5	2	2	4	6	8	9	11
B. *Operated*	404	5.8	8	2	3	5	7	9	11	17
1. SINGLE DX	267	4.2	6	1	2	4	5	7	8	19
2. MULTIPLE DX	444	5.6	8	2	3	5	7	9	11	17
A. NOT OPERATED	105	3.8	4	1	2	3	4	6	8	11
B. OPERATED	606	5.3	8	2	2	5	6	8	10	18
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	709	5.1	8	2	2	5	6	8	10	17
GRAND TOTAL	**711**	**5.1**	**8**	**2**	**2**	**5**	**6**	**8**	**10**	**17**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	27	5.1	3	2	2	5	6	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	5.6		5	5	6	6	6	6	6
13-19 YRS	1911	5.9	3	4	4	6	7	8	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	5.2	3	3	3	5	6	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	6.0	1	5	5	6	7	7	7	7
13-19 YRS	1403	6.3	12	4	4	6	7	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	5.1	3	2	2	5	6	8	8	8
B. *Operated*	1916	5.9	3	4	4	6	7	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	9	5.2	3	3	3	5	6	8	8	8
B. *Operated*	1406	6.3	12	4	4	6	7	8	10	15
1. SINGLE DX	1943	5.9	3	4	4	6	7	8	8	11
2. MULTIPLE DX	1415	6.3	12	4	4	6	7	8	10	15
A. NOT OPERATED	36	5.2	3	2	3	5	6	8	8	8
B. OPERATED	3322	6.1	7	4	4	6	7	8	9	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	5.8	1	5	5	6	6	7	7	7
13-19 YRS	3350	6.1	7	4	4	6	7	8	9	14
GRAND TOTAL	**3358**	**6.1**	**7**	**4**	**4**	**6**	**7**	**8**	**9**	**14**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.7	1	2	2	2	4	4	4	4
13-19 YRS	1424	3.3	4	1	1	3	4	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3		3	3	3	3
13-19 YRS	1155	3.9	5	2	2	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	752	3.7	10	1	2	3	4	6	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	11.2	264	2	2	5	8	40	44	44
13-19 YRS	2171	4.7	13	2	2	4	5	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1427	3.3	4	1	1	3	4	5	6	10
B. *Operated*	1156	3.9	5	2	2	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	753	3.7	10	1	2	3	4	6	7	13
B. *Operated*	2177	4.7	13	2	2	4	5	7	9	16
1. SINGLE DX	2583	3.6	5	1	2	3	4	5	7	12
2. MULTIPLE DX	2930	4.5	13	2	2	4	5	7	9	15
A. NOT OPERATED	2180	3.4	6	1	1	3	4	5	7	12
B. OPERATED	3333	4.4	11	2	2	4	5	7	8	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	7.3	152	2	2	3	6	22	42	44
13-19 YRS	5502	4.0	9	1	2	3	5	6	8	14
GRAND TOTAL	**5513**	**4.0**	**9**	**1**	**2**	**3**	**5**	**6**	**8**	**14**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	3.0	1	2	2	3	4	4	4	4
13-19 YRS	3220	3.0	5	2	2	3	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	2.3		2	2	2	3	3	3	3
13-19 YRS	1779	3.2	2	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.7	2	1	1	3	4	4	4	4
13-19 YRS	730	3.3	7	2	2	3	4	5	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	3.2	1	2	2	3	4	4	4	4
13-19 YRS	1745	3.6	9	2	2	3	4	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3227	3.0	5	2	2	3	3	4	5	6
B. *Operated*	1785	3.2	2	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	733	3.3	7	2	2	3	4	5	5	9
B. *Operated*	1750	3.6	9	2	2	3	4	5	7	12
1. SINGLE DX	5012	3.1	4	2	2	3	4	4	5	6
2. MULTIPLE DX	2483	3.6	9	2	2	3	4	5	6	11
A. NOT OPERATED	3960	3.1	6	2	2	3	4	4	5	7
B. OPERATED	3535	3.4	5	2	2	3	4	5	6	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	21	2.8	1	1	2	3	3	4	4	4
13-19 YRS	7474	3.2	6	2	2	3	4	4	5	8
GRAND TOTAL	**7495**	**3.2**	**6**	**2**	**2**	**3**	**4**	**4**	**5**	**8**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.0		3	3	3	3	3	3	3
13-19 YRS	674	2.8	1	1	1	3	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	2.5	1	1	1	2	3	4	4	4
13-19 YRS	4911	3.0	10	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	168	3.3	3	1	2	3	4	5	6	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	3.3	7	1	1	2	4	8	9	9
13-19 YRS	1842	3.3	3	2	2	3	4	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	677	2.8	1	1	1	3	3	4	5	6
B. *Operated*	4922	3.0	10	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	168	3.3	3	1	2	3	4	5	6	12
B. *Operated*	1849	3.3	3	2	2	3	4	5	6	10
1. SINGLE DX	5599	3.0	9	1	2	3	3	4	5	6
2. MULTIPLE DX	2017	3.3	3	2	2	3	4	5	6	10
A. NOT OPERATED	845	2.9	2	1	1	3	3	4	5	7
B. OPERATED	6771	3.1	8	1	2	3	3	4	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	21	2.9	3	1	1	3	3	4	6	9
13-19 YRS	7595	3.1	7	1	2	3	3	4	5	8
GRAND TOTAL	**7616**	**3.1**	**7**	**1**	**2**	**3**	**3**	**4**	**5**	**8**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	651	3.2	3	2	2	3	4	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	2.5		2	2	2	3	3	3	3
13-19 YRS	5587	3.1	4	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	175	3.5	5	1	2	3	4	5	6	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	3.1	2	2	2	3	4	5	5	5
13-19 YRS	3144	3.6	4	2	2	3	4	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	651	3.2	3	2	2	3	4	4	5	7
B. *Operated*	5593	3.1	4	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	176	3.5	5	1	2	3	4	5	6	15
B. *Operated*	3152	3.6	4	2	2	3	4	5	6	10
1. SINGLE DX	6244	3.2	4	2	2	3	4	4	5	7
2. MULTIPLE DX	3328	3.6	4	2	2	3	4	5	6	10
A. NOT OPERATED	827	3.2	3	2	2	3	4	4	5	8
B. OPERATED	8745	3.3	4	2	2	3	4	4	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	15	2.9	1	2	2	3	3	5	5	5
13-19 YRS	9557	3.3	4	2	2	3	4	4	5	8
GRAND TOTAL	**9572**	**3.3**	**4**	**2**	**2**	**3**	**4**	**4**	**5**	**8**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.3		3	3	3	4	4	4	4
13-19 YRS	363	3.2	4	1	2	3	4	4	5	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	3.0	1	2	2	3	4	4	4	4
13-19 YRS	2126	3.1	2	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	116	3.4	2	2	2	3	4	5	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	6.0	3	4	4	7	7	7	7	7
13-19 YRS	1500	3.5	4	2	2	3	4	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	366	3.2	4	1	2	3	4	4	5	11
B. *Operated*	2133	3.1	2	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	117	3.4	2	2	2	3	4	5	5	9
B. *Operated*	1503	3.5	4	2	2	3	4	5	6	11
1. SINGLE DX	2499	3.1	2	2	2	3	4	4	5	7
2. MULTIPLE DX	1620	3.5	4	2	2	3	4	5	6	11
A. NOT OPERATED	483	3.2	4	1	2	3	4	4	5	11
B. OPERATED	3636	3.3	3	2	2	3	4	5	5	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	14	3.6	3	2	2	3	4	7	7	7
13-19 YRS	4105	3.3	3	2	2	3	4	5	5	9
GRAND TOTAL	**4119**	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**5**	**9**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	14	2.9	1	<1	1	3	4	4	4	4
13-19 YRS	5627	3.2	9	1	1	3	4	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	43	3.2	2	1	2	3	4	5	6	9
13-19 YRS	21553	3.4	5	2	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	2.6	1	1	1	3	3	4	4	4
13-19 YRS	2764	3.5	6	1	2	3	4	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	47	5.4	17	1	2	4	8	11	13	19
13-19 YRS	13004	4.5	12	2	2	4	5	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5641	3.2	9	1	1	3	4	5	6	11
B. *Operated*	21596	3.4	5	2	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	2771	3.5	6	1	2	3	4	6	7	12
B. *Operated*	13051	4.5	12	2	2	4	5	8	10	17
1. SINGLE DX	27237	3.4	6	2	2	3	4	5	6	10
2. MULTIPLE DX	15822	4.4	11	2	2	4	5	7	9	16
A. NOT OPERATED	8412	3.3	8	1	1	3	4	5	6	12
B. OPERATED	34647	3.9	8	2	2	3	4	6	8	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	111	4.1	9	1	2	3	4	8	10	18
13-19 YRS	42948	3.7	8	2	2	3	4	6	7	14
GRAND TOTAL	**43059**	**3.7**	**8**	**2**	**2**	**3**	**4**	**6**	**7**	**14**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	274	4.3	4	2	2	4	5	7	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	52	4.7	12	1	2	4	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	100	4.6	7	2	2	4	6	7	9	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	33	7.0	27	2	3	5	8	12	19	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	274	4.3	4	2	2	4	5	7	8	13
B. *Operated*	52	4.7	12	1	2	4	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	100	4.6	7	2	2	4	6	7	9	16
B. *Operated*	33	7.0	27	2	3	5	8	12	19	27
1. SINGLE DX	326	4.4	5	2	2	4	5	7	8	14
2. MULTIPLE DX	133	5.2	13	2	2	5	6	9	10	22
A. NOT OPERATED	374	4.4	5	2	2	4	5	7	8	13
B. OPERATED	85	5.6	19	1	2	5	7	10	16	24
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	459	4.6	8	2	2	4	5	7	9	18
GRAND TOTAL	**459**	**4.6**	**8**	**2**	**2**	**4**	**5**	**7**	**9**	**18**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	103	1.8	3	<1	<1	1	2	3	4	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	325	2.0	2	<1	1	2	2	4	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	58	3.0	3	1	1	3	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	170	3.2	4	1	1	3	4	6	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	1.8	3	<1	<1	1	2	3	4	10
B. *Operated*	327	2.0	2	<1	1	2	2	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	58	3.0	3	1	1	3	4	6	7	9
B. *Operated*	171	3.2	4	1	1	2	4	6	7	12
1. SINGLE DX	430	2.0	2	<1	1	2	2	3	4	8
2. MULTIPLE DX	229	3.1	4	1	1	2	4	6	7	10
A. NOT OPERATED	161	2.3	3	<1	1	2	3	4	6	9
B. OPERATED	498	2.4	3	1	1	2	3	5	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	656	2.4	3	<1	1	2	3	4	6	9
GRAND TOTAL	**659**	**2.4**	**3**	**<1**	**1**	**2**	**3**	**4**	**6**	**9**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	124	4.5	36	1	1	3	5	8	12	31
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	154	3.1	4	<1	1	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	69	5.5	26	1	1	4	7	11	17	26
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	100	5.0	24	1	1	3	5	11	17	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	4.5	36	1	1	3	5	8	12	31
B. *Operated*	154	3.1	4	<1	1	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	69	5.5	26	1	1	4	7	11	17	26
B. *Operated*	100	5.0	24	1	1	3	5	11	17	24
1. SINGLE DX	278	3.7	19	1	1	3	4	6	10	15
2. MULTIPLE DX	169	5.2	25	1	1	3	6	11	17	25
A. NOT OPERATED	193	4.9	32	1	1	4	5	9	14	25
B. OPERATED	254	3.8	13	1	1	3	4	7	11	21
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	447	4.3	21	1	1	3	4	8	12	21
GRAND TOTAL	**447**	**4.3**	**21**	**1**	**1**	**3**	**4**	**8**	**12**	**21**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	41	5.8	34	2	2	5	6	9	11	39
1-11 MOS	302	4.8	20	2	2	4	6	8	10	17
1-5 YRS	858	4.2	9	1	2	4	5	7	9	13
6-12 YRS	990	4.6	9	2	2	4	6	8	10	18
13-19 YRS	1159	4.4	7	2	2	4	5	7	9	13
B. *Operated*										
0-27 DYS	13	5.3	14	<1	2	5	7	10	14	15
1-11 MOS	235	5.3	11	1	1	5	7	10	13	16
1-5 YRS	593	4.5	15	1	1	3	6	9	11	23
6-12 YRS	474	5.0	14	1	1	4	6	9	11	20
13-19 YRS	635	5.7	24	1	2	5	7	10	14	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	37	5.3	10	2	3	4	7	10	10	18
1-11 MOS	322	5.7	17	2	2	5	7	10	13	21
1-5 YRS	697	5.3	26	2	2	4	7	9	12	20
6-12 YRS	696	5.2	23	2	2	4	6	9	11	31
13-19 YRS	941	5.1	13	2	2	4	6	9	11	18
B. *Operated*										
0-27 DYS	17	12.7	176	3	4	8	15	33	47	53
1-11 MOS	120	7.1	43	2	2	6	8	11	14	33
1-5 YRS	316	6.9	54	1	2	5	8	13	18	43
6-12 YRS	287	6.9	39	1	2	5	9	14	18	33
13-19 YRS	467	7.6	55	2	2	6	9	14	19	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3350	4.5	10	2	2	4	5	7	9	14
B. *Operated*	1950	5.1	18	1	1	4	6	10	12	23
2. MULTIPLE DX										
A. *Not Operated*	2693	5.2	19	2	2	4	6	9	12	20
B. *Operated*	1207	7.3	52	1	2	5	9	14	19	41
1. SINGLE DX	5300	4.7	13	1	2	4	6	8	11	19
2. MULTIPLE DX	3900	5.9	30	2	2	5	7	11	14	31
A. NOT OPERATED	6043	4.8	14	2	2	4	6	8	10	18
B. OPERATED	3157	5.9	32	1	2	5	7	11	15	31
TOTAL 0-27 DYS	108	6.7	51	2	2	5	7	11	16	45
1-11 MOS	979	5.5	20	2	2	5	7	10	12	20
1-5 YRS	2464	4.9	22	1	2	4	6	9	12	22
6-12 YRS	2447	5.1	18	1	2	4	6	9	12	22
13-19 YRS	3202	5.3	20	2	2	4	6	9	12	23
GRAND TOTAL	**9200**	**5.2**	**20**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	203	4.5	6	2	2	4	6	8	9	12
1-11 MOS	125	4.8	8	1	2	4	6	8	11	14
1-5 YRS	345	4.3	7	1	2	4	5	7	9	15
6-12 YRS	272	4.3	6	1	2	4	5	7	9	15
13-19 YRS	295	4.5	19	1	2	4	5	8	9	15
B. *Operated*										
0-27 DYS	5	4.0	7	<1	<1	4	6	7	7	7
1-11 MOS	79	5.1	36	<1	1	3	7	10	13	37
1-5 YRS	243	3.6	16	<1	<1	2	5	8	10	22
6-12 YRS	273	3.7	15	1	1	2	5	8	10	15
13-19 YRS	437	4.1	33	1	1	3	5	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	174	5.0	8	2	2	4	6	7	9	18
1-11 MOS	161	5.8	16	2	2	5	7	10	13	21
1-5 YRS	463	5.0	10	1	2	4	6	9	11	16
6-12 YRS	277	5.1	14	2	2	4	6	9	11	24
13-19 YRS	309	5.3	13	2	2	4	6	9	12	22
B. *Operated*										
0-27 DYS	9	6.3	13	1	2	6	9	11	13	13
1-11 MOS	64	6.1	14	1	1	6	9	11	13	14
1-5 YRS	140	5.4	16	1	2	4	7	11	13	18
6-12 YRS	150	5.5	27	<1	1	4	7	11	14	35
13-19 YRS	278	5.9	27	1	2	4	8	12	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1240	4.5	10	1	2	4	5	8	9	14
B. *Operated*	1037	4.0	24	<1	1	2	5	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	1384	5.2	12	2	2	4	6	9	11	19
B. *Operated*	641	5.7	23	1	1	4	8	11	14	25
1. SINGLE DX	2277	4.2	16	1	1	3	5	8	10	15
2. MULTIPLE DX	2025	5.3	16	1	2	4	7	10	12	21
A. NOT OPERATED	2624	4.8	11	2	2	4	6	8	10	17
B. OPERATED	1678	4.6	24	<1	1	3	6	10	12	22
TOTAL 0-27 DYS	391	4.8	7	2	2	4	6	8	9	15
1-11 MOS	429	5.4	17	1	2	4	7	10	12	19
1-5 YRS	1191	4.6	12	1	1	4	6	9	11	16
6-12 YRS	972	4.5	15	1	1	4	6	9	11	20
13-19 YRS	1319	4.8	24	1	2	4	6	9	12	21
GRAND TOTAL	**4302**	**4.8**	**16**	**1**	**1**	**4**	**6**	**9**	**11**	**19**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	2.4	2	<1	<1	3	3	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	117	3.9	7	1	2	4	5	6	7	14
B. *Operated*										
0-27 DYS	5	3.8	7	<1	<1	3	6	7	7	7
1-11 MOS	21	3.0	4	<1	<1	2	4	6	7	8
1-5 YRS	33	3.0	12	<1	1	2	3	5	12	17
6-12 YRS	49	3.9	11	1	1	3	4	6	12	20
13-19 YRS	5217	4.2	5	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	2	5.0	18	2	2	5	8	8	8	8
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	45	3.2	6	<1	<1	2	4	6	8	11
B. *Operated*										
0-27 DYS	2	6.5	25	3	3	6	10	10	10	10
1-11 MOS	2	7.0	2	6	6	7	8	8	8	8
1-5 YRS	9	5.1	29	2	2	3	5	14	19	19
6-12 YRS	6	7.2	56	2	2	4	7	20	22	22
13-19 YRS	571	5.1	11	2	2	4	6	8	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	3.9	7	1	1	4	5	6	7	13
B. *Operated*	5325	4.2	5	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	50	3.2	6	<1	<1	2	4	7	8	11
B. *Operated*	590	5.1	12	2	2	4	6	8	11	22
1. SINGLE DX	5447	4.2	5	2	2	4	5	7	8	12
2. MULTIPLE DX	640	5.0	12	1	2	4	6	8	11	21
A. NOT OPERATED	172	3.7	7	<1	1	3	5	6	7	11
B. OPERATED	5915	4.3	6	2	2	4	5	7	8	13
TOTAL 0-27 DYS	8	4.4	9	<1	1	3	6	9	10	10
1-11 MOS	28	3.1	5	<1	<1	3	4	7	8	8
1-5 YRS	44	3.5	15	<1	1	2	4	7	14	19
6-12 YRS	57	4.2	16	1	1	3	4	7	12	22
13-19 YRS	5950	4.3	6	2	2	4	5	7	8	13
GRAND TOTAL	**6087**	**4.2**	**6**	**2**	**2**	**4**	**5**	**7**	**8**	**13**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	17	1.8	2	<1	<1	1	2	4	6	6
6-12 YRS	8	1.6	1	<1	<1	1	2	3	3	3
13-19 YRS	11	2.4	7	<1	<1	2	2	6	10	10
B. *Operated*										
0-27 DYS	3	2.0		2	2	2	2	2	2	2
1-11 MOS	98	1.5	1	<1	<1	1	2	2	5	99+
1-5 YRS	389	1.5	1	<1	<1	1	2	2	3	5
6-12 YRS	310	1.6	1	<1	<1	1	2	3	3	5
13-19 YRS	510	1.9	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	5	1.4		1	1	1	2	2	2	2
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	7	3.0	5	1	1	2	4	6	7	7
B. *Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	11	2.8	11	<1	<1	2	3	8	12	12
1-5 YRS	51	2.1	2	<1	1	2	2	4	4	9
6-12 YRS	54	2.1	2	1	1	2	2	4	5	9
13-19 YRS	101	3.1	13	<1	1	2	3	5	8	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	1.9	3	<1	<1	1	2	3	6	10
B. *Operated*	1310	1.7	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	17	2.2	3	<1	<1	2	3	4	6	7
B. *Operated*	219	2.6	8	<1	1	2	3	4	7	15
1. SINGLE DX	1348	1.7	1	<1	<1	1	2	3		6
2. MULTIPLE DX	236	2.6	7	<1	1	2	3	4	7	15
A. NOT OPERATED	55	2.0	3	<1	<1	1	2	4	6	10
B. OPERATED	1529	1.8	2	<1	<1	2	2	3	4	7
TOTAL 0-27 DYS	5	2.6	1	2	2	2	3	4	4	4
1-11 MOS	115	1.6	2	<1	<1	1	2	3	5	99+
1-5 YRS	462	1.6	1	<1	<1	1	2	2	3	6
6-12 YRS	373	1.7	1	<1	<1	1	2	3	3	6
13-19 YRS	629	2.1	3	<1	<1	2	2	3	4	9
GRAND TOTAL	**1584**	**1.8**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**8**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	129	4.5	9	1	2	4	6	8	9	15
1-11 MOS	368	4.2	9	1	1	3	5	7	10	18
1-5 YRS	711	4.0	13	1	1	3	5	7	10	19
6-12 YRS	554	3.8	12	1	1	3	4	7	10	19
13-19 YRS	741	5.0	29	1	1	3	6	10	15	30
B. *Operated*										
0-27 DYS	6	5.3	13	2	2	5	9	9	9	9
1-11 MOS	57	2.6	12	<1	<1	1	2	8	11	18
1-5 YRS	542	2.7	25	<1	<1	2	2	5	9	24
6-12 YRS	1372	2.7	11	<1	<1	2	3	5	8	19
13-19 YRS	3253	3.0	18	<1	1	2	3	5	8	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	90	5.6	47	2	2	4	6	9	10	48
1-11 MOS	495	5.5	18	1	2	5	7	10	13	18
1-5 YRS	692	4.5	14	1	1	4	5	8	12	22
6-12 YRS	424	5.4	35	1	1	4	6	10	17	28
13-19 YRS	637	6.0	52	1	1	4	7	12	19	46
B. *Operated*										
0-27 DYS	4	6.0	64	2	2	2	10	18	18	18
1-11 MOS	37	7.8	37	1	2	6	13	17	18	25
1-5 YRS	265	4.3	45	<1	1	2	4	9	13	39
6-12 YRS	528	4.5	43	<1	1	2	4	10	16	44
13-19 YRS	1326	5.9	78	1	1	3	6	15	26	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2503	4.3	17	1	1	3	5	8	11	22
B. *Operated*	5230	2.9	17	<1	1	2	3	5	8	21
2. MULTIPLE DX										
A. *Not Operated*	2338	5.3	31	1	1	4	6	10	14	27
B. *Operated*	2160	5.4	65	1	1	2	5	13	21	47
1. SINGLE DX	7733	3.4	17	<1	1	2	4	7	10	21
2. MULTIPLE DX	4498	5.4	47	1	1	3	6	11	17	39
A. NOT OPERATED	4841	4.8	24	1	1	4	6	9	13	25
B. OPERATED	7390	3.6	32	<1	1	2	3	7	12	33
TOTAL 0-27 DYS	229	5.0	25	1	2	4	6	8	9	25
1-11 MOS	957	4.9	16	1	1	4	6	9	12	19
1-5 YRS	2210	3.9	20	<1	1	3	5	7	11	23
6-12 YRS	2878	3.6	22	<1	1	2	4	7	11	26
13-19 YRS	5957	4.2	38	<1	1	2	4	9	14	35
GRAND TOTAL	**12231**	**4.1**	**29**	**<1**	**1**	**2**	**4**	**8**	**12**	**29**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS	2	9.0	98	2	2	9	16	16	16	16
1-5 YRS	7	3.9	5	2	2	4	5	7	8	8
6-12 YRS	20	4.9	13	1	1	4	7	10	12	14
13-19 YRS	87	6.3	24	<1	1	4	9	13	17	20
B. *Operated*										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	3	2.0	1	1	1	2	3	3	3	3
6-12 YRS	12	9.1	69	2	2	7	11	20	30	32
13-19 YRS	56	7.0	41	1	2	5	9	17	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	8.5	61	3	3	8	14	14	14	14
1-5 YRS	4	6.0	5	4	4	5	7	9	9	9
6-12 YRS	39	6.7	29	1	2	5	10	13	19	25
13-19 YRS	167	8.9	95	1	2	6	11	17	27	98
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	14	10.3	54	2	3	9	15	24	26	26
13-19 YRS	97	15.6	305	2	2	10	20	36	60	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	6.1	24	<1	1	4	8	13	16	21
B. *Operated*	72	7.3	45	1	2	5	9	16	19	31
2. MULTIPLE DX										
A. *Not Operated*	212	8.4	81	1	2	6	10	17	25	93
B. *Operated*	113	14.7	274	2	2	10	19	33	53	97
1. SINGLE DX	189	6.5	32	1	1	5	9	14	19	29
2. MULTIPLE DX	325	10.6	156	1	2	7	13	25	36	97
A. NOT OPERATED	329	7.6	62	1	2	5	10	16	21	54
B. OPERATED	185	11.8	197	2	2	8	15	27	38	90
TOTAL 0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS	5	9.8	45	2	2	14	15	16	16	16
1-5 YRS	16	3.8	5	1	2	3	5	8	9	9
6-12 YRS	85	7.2	37	1	2	5	9	15	22	30
13-19 YRS	407	9.7	134	1	2	6	12	20	33	92
GRAND TOTAL	**514**	**9.1**	**114**	**1**	**2**	**6**	**11**	**19**	**28**	**83**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	3	9.0	13	6	6	8	12	13	13	13
1-5 YRS	183	6.5	25	2	2	5	9	12	15	27
6-12 YRS	260	6.2	23	2	2	5	8	11	14	27
13-19 YRS	182	6.7	18	2	3	6	9	12	15	21
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	54	99+	99+	99+	99+
1-5 YRS	28	5.0	36	1	1	2	6	13	21	24
6-12 YRS	47	9.7	124	1	2	7	11	18	44	54
13-19 YRS	62	7.0	37	2	2	5	11	17	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	14.8	70	7	7	13	21	26	26	26
1-5 YRS	69	5.8	12	2	2	5	8	10	12	16
6-12 YRS	103	8.0	73	1	2	5	9	19	29	72
13-19 YRS	138	8.8	72	2	3	7	10	16	24	51
B. *Operated*										
0-27 DYS	2	23.0	722	4	4	23	42	42	42	42
1-11 MOS	2	9.0	18	6	6	9	12	12	12	12
1-5 YRS	14	11.8	120	1	1	11	13	27	38	41
6-12 YRS	18	10.8	194	2	2	7	17	45	82	99+
13-19 YRS	55	11.1	104	2	2	8	15	28	39	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	629	6.4	22	2	2	5	8	12	14	26
B. *Operated*	138	7.5	68	1	2	5	10	17	22	59
2. MULTIPLE DX										
A. *Not Operated*	314	8.0	60	2	2	6	9	16	23	49
B. *Operated*	91	11.3	128	2	2	8	15	29	42	99+
1. SINGLE DX	767	6.6	31	2	2	5	9	13	16	28
2. MULTIPLE DX	405	8.7	77	2	2	6	10	19	29	58
A. NOT OPERATED	943	6.9	35	2	2	5	9	13	17	34
B. OPERATED	229	9.0	95	1	2	6	12	21	37	99+
TOTAL 0-27 DYS	3	18.3	426	4	4	9	34	42	42	42
1-11 MOS	10	11.3	37	6	6	10	15	56	96	99+
1-5 YRS	294	6.4	29	1	2	5	9	12	15	28
6-12 YRS	428	7.2	55	2	2	5	9	13	22	50
13-19 YRS	437	8.0	50	2	2	6	10	15	22	40
GRAND TOTAL	**1172**	**7.4**	**48**	**2**	**2**	**5**	**9**	**14**	**20**	**45**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	5.0	2	4	4	5	6	6	6	6
6-12 YRS	3	5.3	12	2	2	5	8	9	9	9
13-19 YRS	14	3.8	4	1	2	3	5	7	8	8
B. *Operated*										
0-27 DYS	4	10.8	37	2	2	12	14	16	16	16
1-11 MOS	3	21.3	401	6	6	14	36	44	44	44
1-5 YRS	4	5.3	27	2	2	3	8	13	13	13
6-12 YRS	4	12.3	32	4	4	14	16	16	16	16
13-19 YRS	83	5.1	51	1	2	3	5	8	17	46
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	7.0	11	3	3	9	9	10	10	10
1-11 MOS	4	6.3	44	2	2	4	10	16	16	16
1-5 YRS	3	13.0	219	3	3	6	24	30	30	30
6-12 YRS	8	5.0	5	<1	1	5	7	7	7	7
13-19 YRS	12	10.5	47	2	3	9	15	22	23	23
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	3	18.7	12	15	15	19	21	22	22	22
6-12 YRS	9	8.3	35	2	2	7	11	17	21	21
13-19 YRS	52	6.7	50	2	2	4	7	12	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	4.1	5	1	2	4	5	7	8	9
B. *Operated*	98	6.1	65	1	2	4	5	14	17	51
2. MULTIPLE DX										
A. *Not Operated*	32	8.3	45	2	2	6	10	18	23	30
B. *Operated*	66	7.3	51	2	2	5	9	19	22	38
1. SINGLE DX	118	5.8	55	1	2	4	5	13	16	48
2. MULTIPLE DX	98	7.6	49	2	2	5	9	18	23	35
A. NOT OPERATED	52	6.7	34	2	2	5	8	15	21	30
B. OPERATED	164	6.6	59	2	2	4	7	15	21	43
TOTAL 0-27 DYS	9	8.7	23	2	2	9	12	15	16	16
1-11 MOS	10	9.8	170	2	2	4	14	30	44	44
1-5 YRS	12	10.5	85	2	2	6	17	24	29	30
6-12 YRS	24	7.5	26	1	2	6	10	16	18	21
13-19 YRS	161	5.9	48	1	2	4	6	12	21	38
GRAND TOTAL	**216**	**6.6**	**53**	**2**	**2**	**4**	**7**	**15**	**22**	**41**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	15.3	108	<1	1	15	21	30	31	31
1-11 MOS	41	10.5	78	1	2	8	14	21	25	48
1-5 YRS	179	7.3	30	1	2	6	10	15	17	27
6-12 YRS	188	7.6	47	2	2	5	9	17	22	36
13-19 YRS	226	6.7	26	2	2	5	8	13	15	25
B. *Operated*										
0-27 DYS	2	26.5	265	15	15	26	38	38	38	38
1-11 MOS	17	14.8	24	7	8	15	17	23	24	24
1-5 YRS	88	14.9	65	4	6	13	20	24	29	44
6-12 YRS	63	13.3	76	1	3	13	17	22	28	44
13-19 YRS	173	7.9	76	2	2	4	10	17	28	46
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	15.5	142	1	1	16	27	30	30	30
1-11 MOS	42	13.0	48	4	5	13	17	21	25	35
1-5 YRS	121	10.1	65	1	2	8	14	22	26	35
6-12 YRS	117	8.1	66	2	2	5	9	19	24	46
13-19 YRS	186	7.6	40	2	2	6	9	15	22	29
B. *Operated*										
0-27 DYS	2	16.0	72	10	10	16	22	22	22	22
1-11 MOS	42	17.9	107	5	6	16	23	33	37	48
1-5 YRS	49	18.1	102	6	8	17	22	30	43	49
6-12 YRS	65	18.5	161	4	5	15	26	39	42	95
13-19 YRS	115	10.3	102	2	2	6	14	25	33	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	640	7.4	38	2	2	6	10	15	20	30
B. *Operated*	343	11.2	83	2	2	9	16	22	28	44
2. MULTIPLE DX										
A. *Not Operated*	472	9.0	57	2	2	6	12	19	25	35
B. *Operated*	273	14.9	130	2	3	12	21	32	40	53
1. SINGLE DX	983	8.7	57	2	2	6	12	18	23	41
2. MULTIPLE DX	745	11.1	92	2	2	8	16	24	31	44
A. NOT OPERATED	1112	8.1	47	2	2	6	11	17	22	32
B. OPERATED	616	12.8	107	2	3	10	17	26	35	47
TOTAL 0-27 DYS	16	16.9	120	<1	1	16	24	31	36	38
1-11 MOS	142	14.0	78	3	4	13	18	24	31	48
1-5 YRS	437	10.8	69	2	2	9	15	22	26	43
6-12 YRS	433	10.2	88	2	2	7	14	22	27	44
13-19 YRS	700	7.8	56	2	2	5	9	16	24	38
GRAND TOTAL	**1728**	**9.8**	**73**	**2**	**2**	**7**	**13**	**21**	**27**	**43**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	3	2.3		2	2	2	3	3	3	3
6-12 YRS	36	3.3	4	1	1	3	4	6	8	9
13-19 YRS	226	3.4	6	<1	1	3	4	7	9	11
B. *Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	3	6.3	44	2	2	3	11	14	14	14
1-5 YRS	17	3.8	6	1	1	3	5	8	9	9
6-12 YRS	219	3.7	5	1	1	3	5	7	8	11
13-19 YRS	5941	4.1	6	1	2	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	3.5	5	2	2	3	5	5	5	5
6-12 YRS	13	3.0	4	<1	<1	2	4	6	7	7
13-19 YRS	125	2.9	8	<1	<1	2	4	7	9	13
B. *Operated*										
0-27 DYS	1	6.0		6	6	53	99+	99+	99+	99+
1-11 MOS	10	4.6	3	<1	2	5	6	7	7	7
1-5 YRS	4	5.8	25	<1	<1	5	10	11	11	11
6-12 YRS	71	4.4	6	1	2	4	5	7	9	13
13-19 YRS	3083	4.6	7	2	2	4	6	7	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	3.4	6	<1	1	3	4	7	9	11
B. *Operated*	6182	4.1	6	1	2	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	141	3.0	7	<1	<1	2	4	7	9	12
B. *Operated*	3169	4.6	7	1	2	4	6	7	9	14
1. SINGLE DX	6448	4.0	6	1	2	4	5	6	8	11
2. MULTIPLE DX	3310	4.6	7	1	2	4	6	7	9	14
A. NOT OPERATED	407	3.2	6	<1	1	3	4	7	9	12
B. OPERATED	9351	4.3	7	1	2	4	5	7	8	12
TOTAL 0-27 DYS	3	4.7	2	3	3	5	53	99+	99+	99+
1-11 MOS	15	5.1	10	<1	2	4	6	9	13	14
1-5 YRS	26	3.9	8	1	1	3	5	9	10	11
6-12 YRS	339	3.8	5	1	1	4	5	7	8	11
13-19 YRS	9375	4.2	7	1	2	4	5	7	8	12
GRAND TOTAL	**9758**	**4.2**	**7**	**1**	**2**	**4**	**5**	**7**	**8**	**12**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	13	4.3	17	<1	<1	3	6	10	15	16
1-5 YRS	316	3.7	6	1	1	3	5	6	8	13
6-12 YRS	408	4.5	11	1	2	4	5	8	11	18
13-19 YRS	418	4.4	21	<1	1	3	5	8	11	20
B. *Operated*										
0-27 DYS	4	3.8	4	2	2	5	29	99+	99+	99+
1-11 MOS	12	5.7	126	<1	1	2	4	16	37	41
1-5 YRS	74	4.6	116	<1	1	2	4	7	9	75
6-12 YRS	385	4.2	15	1	2	3	5	7	10	24
13-19 YRS	5111	4.3	8	1	2	4	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	16	5.1	28	1	1	3	6	13	19	21
1-5 YRS	176	4.1	10	1	1	3	5	7	10	16
6-12 YRS	230	4.3	9	1	1	4	5	7	11	16
13-19 YRS	348	4.6	24	<1	1	4	6	9	11	22
B. *Operated*										
0-27 DYS										
1-11 MOS	5	5.6	13	1	1	6	8	10	10	10
1-5 YRS	69	6.0	74	1	2	4	6	10	18	57
6-12 YRS	179	5.1	13	1	2	4	6	10	12	21
13-19 YRS	1563	5.0	16	2	2	4	6	8	11	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1156	4.2	13	1	1	4	5	7	10	18
B. *Operated*	5586	4.3	10	1	2	4	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	772	4.4	16	1	1	3	6	8	11	19
B. *Operated*	1816	5.1	18	2	2	4	6	9	11	24
1. SINGLE DX	6742	4.3	11	1	2	4	5	7	9	15
2. MULTIPLE DX	2588	4.9	17	1	2	4	6	8	11	22
A. NOT OPERATED	1928	4.3	14	1	1	4	5	8	11	18
B. OPERATED	7402	4.5	12	1	2	4	5	7	9	17
TOTAL 0-27 DYS	7	3.9	4	1	1	5	6	72	99+	99+
1-11 MOS	46	5.1	46	<1	1	3	6	10	17	41
1-5 YRS	635	4.1	27	1	1	3	5	7	9	21
6-12 YRS	1202	4.5	12	1	2	4	5	8	11	18
13-19 YRS	7440	4.5	11	1	2	4	5	7	9	17
GRAND TOTAL	**9330**	**4.5**	**13**	**1**	**2**	**4**	**5**	**7**	**9**	**18**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	7	11.3	62	5	5	10	12	25	28	28
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	13.0	200	3	3	13	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	6.5	5	5	5	6	8	8	8	8
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	11	5.9	5	2	3	5	8	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	9.0	17	4	4	9	12	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	10.1	56	2	3	10	11	22	28	28
B. *Operated*	2	13.0	200	3	3	13	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	14	5.7	5	2	2	5	8	9	9	9
B. *Operated*	4	9.0	17	4	4	9	12	14	14	14
1. SINGLE DX	11	10.6	66	2	3	10	12	25	28	28
2. MULTIPLE DX	18	6.4	9	2	3	6	8	10	12	14
A. NOT OPERATED	23	7.4	28	2	2	7	9	11	18	28
B. OPERATED	6	10.3	55	3	3	9	14	22	23	23
TOTAL 0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	2	6.5	5	5	5	6	8	8	8	8
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	24	8.6	37	3	4	7	10	15	24	28
GRAND TOTAL	**29**	**8.0**	**33**	**2**	**3**	**7**	**10**	**13**	**23**	**28**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	5	7.4	48	1	1	6	12	18	18	18
13-19 YRS	20	8.2	34	1	2	6	13	17	19	21
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	2	17.5	113	10	10	17	25	25	25	25
6-12 YRS	3	3.3	1	2	2	4	4	4	4	4
13-19 YRS	22	8.5	169	1	1	6	10	12	33	64
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	4	14.5	87	4	4	14	21	26	26	26
1-5 YRS	4	10.3	194	1	1	4	18	31	31	31
6-12 YRS	8	7.4	36	3	3	5	8	18	21	21
13-19 YRS	16	4.9	7	1	2	5	6	8	11	12
B. *Operated*										
0-27 DYS	2	11.5	85	5	5	11	18	18	18	18
1-11 MOS										
1-5 YRS	2	10.5	145	2	2	10	19	19	19	19
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	13	12.2	121	3	3	8	18	44	88	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	8.0	32	1	2	7	12	17	19	21
B. *Operated*	28	8.5	146	1	1	5	10	13	29	64
2. MULTIPLE DX										
A. *Not Operated*	34	7.1	48	1	2	5	7	17	25	31
B. *Operated*	18	11.8	99	2	3	8	18	35	72	99+
1. SINGLE DX	55	8.2	88	1	1	6	10	16	20	62
2. MULTIPLE DX	52	8.7	70	2	2	5	11	22	31	98
A. NOT OPERATED	61	7.5	41	1	2	5	10	17	21	30
B. OPERATED	46	9.8	128	1	1	7	11	24	42	99+
TOTAL 0-27 DYS	6	6.5	37	2	2	4	8	17	18	18
1-11 MOS	4	14.5	87	4	4	14	21	26	26	26
1-5 YRS	9	11.7	117	1	1	8	20	29	31	31
6-12 YRS	17	6.9	32	1	2	5	10	17	20	21
13-19 YRS	71	8.3	88	1	2	6	10	17	30	92
GRAND TOTAL	**107**	**8.5**	**79**	**1**	**2**	**6**	**11**	**18**	**26**	**79**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	6.1	15	2	2	6	8	12	13	13
1-11 MOS	5	6.0	11	1	1	6	8	10	10	10
1-5 YRS	13	8.5	35	2	3	7	11	30	84	99+
6-12 YRS	8	8.8	74	2	2	7	9	23	29	29
13-19 YRS	205	8.6	40	1	3	7	11	15	18	27
B. *Operated*										
0-27 DYS	10	13.2	20	7	7	13	17	19	20	20
1-11 MOS	13	9.7	42	2	2	8	13	21	22	22
1-5 YRS	5	9.2	60	1	1	7	12	22	22	22
6-12 YRS	15	9.1	18	2	5	9	11	16	17	18
13-19 YRS	719	9.2	37	2	2	8	12	16	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	2	7.0	2	6	6	7	8	8	8	8
1-5 YRS	5	13.8	88	7	7	11	17	30	30	30
6-12 YRS	3	19.0	592	3	3	7	37	47	47	47
13-19 YRS	70	8.7	28	2	3	8	12	14	18	29
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	13.0	7	11	11	12	15	16	16	16
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	98	12.0	85	2	2	10	15	25	34	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	8.5	40	1	3	7	11	15	20	33
B. *Operated*	762	9.2	37	2	2	8	12	16	21	31
2. MULTIPLE DX										
A. *Not Operated*	81	9.3	48	2	3	8	12	15	20	42
B. *Operated*	104	11.9	81	2	3	10	15	24	33	42
1. SINGLE DX	1001	9.1	37	2	2	8	11	16	20	30
2. MULTIPLE DX	185	10.8	68	2	3	9	13	21	30	42
A. NOT OPERATED	320	8.7	42	2	3	7	11	15	20	36
B. OPERATED	866	9.6	43	2	2	8	12	17	22	35
TOTAL 0-27 DYS	20	9.8	27	2	3	9	13	18	19	20
1-11 MOS	23	9.1	30	1	2	8	12	17	21	22
1-5 YRS	24	10.0	49	2	3	8	13	22	47	99+
6-12 YRS	27	9.9	87	2	3	8	10	18	32	47
13-19 YRS	1092	9.3	42	2	2	8	12	17	21	34
GRAND TOTAL	**1186**	**9.3**	**43**	**2**	**2**	**8**	**12**	**17**	**22**	**35**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	5.0	3	4	4	4	6	7	7	7
1-5 YRS	14	6.1	36	1	1	5	7	14	21	23
6-12 YRS	12	7.8	51	2	2	5	9	21	24	25
13-19 YRS	57	6.9	29	2	2	5	8	14	16	33
B. *Operated*										
0-27 DYS	5	10.0	106	2	2	6	16	27	27	27
1-11 MOS	5	12.4	82	2	2	9	20	25	25	25
1-5 YRS										
6-12 YRS	4	6.0	23	2	2	4	9	13	13	13
13-19 YRS	74	8.8	48	1	2	7	12	17	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	9	7.3	40	1	1	5	12	17	20	20
6-12 YRS	4	11.8	28	4	4	14	15	15	15	15
13-19 YRS	33	6.8	21	1	2	7	10	13	15	20
B. *Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	3	15.7	104	4	4	20	22	23	23	23
1-5 YRS	2	9.0	50	4	4	9	14	14	14	14
6-12 YRS	4	9.5	26	3	3	10	13	14	14	14
13-19 YRS	17	10.1	53	1	1	10	12	22	26	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	6.8	32	1	2	5	8	14	18	31
B. *Operated*	88	9.0	50	1	2	7	12	18	25	31
2. MULTIPLE DX										
A. *Not Operated*	48	7.3	25	1	2	6	10	14	16	20
B. *Operated*	27	10.7	50	1	2	10	14	22	24	28
1. SINGLE DX	174	7.9	42	1	2	6	10	16	22	32
2. MULTIPLE DX	75	8.5	36	1	2	8	12	15	20	27
A. NOT OPERATED	134	7.0	29	1	2	5	10	14	18	26
B. OPERATED	115	9.4	50	1	2	8	13	20	25	30
TOTAL 0-27 DYS	7	10.1	77	2	2	6	14	25	27	27
1-11 MOS	12	10.7	70	2	3	7	19	24	25	25
1-5 YRS	25	6.8	36	1	1	5	10	14	21	23
6-12 YRS	24	8.5	38	2	2	6	13	16	21	25
13-19 YRS	181	8.0	38	1	2	6	10	16	20	32
GRAND TOTAL	**249**	**8.1**	**40**	**1**	**2**	**6**	**11**	**16**	**21**	**29**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	5	10.0	78	1	1	12	16	21	21	21
13-19 YRS	91	6.9	24	2	2	6	9	13	16	26
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	18.0		18	18	18	18	18	18	18
13-19 YRS	55	6.8	32	1	2	5	9	15	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.3	5	2	2	2	5	6	6	6
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	3	9.0	19	6	6	7	12	14	14	14
6-12 YRS	4	7.8	104	2	2	3	13	23	23	23
13-19 YRS	83	7.2	37	2	2	6	10	13	14	39
B. *Operated*										
0-27 DYS										
1-11 MOS	1	34.0		34	34	34	34	34	34	34
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	8.5	61	3	3	8	14	14	14	14
13-19 YRS	31	8.6	36	2	3	7	11	16	22	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	7.0	26	1	2	6	9	14	18	26
B. *Operated*	56	7.0	34	1	2	5	10	16	20	24
2. MULTIPLE DX										
A. *Not Operated*	94	7.2	37	2	2	6	10	13	14	38
B. *Operated*	35	9.1	54	2	2	7	12	17	26	34
1. SINGLE DX	153	7.0	29	1	2	5	9	15	19	25
2. MULTIPLE DX	129	7.7	42	2	2	6	10	14	17	37
A. NOT OPERATED	191	7.1	31	2	2	6	9	13	16	26
B. OPERATED	91	7.8	42	1	2	6	11	16	21	31
TOTAL 0-27 DYS	3	3.3	5	2	2	2	5	6	6	6
1-11 MOS	2	22.5	265	11	11	22	34	34	34	34
1-5 YRS	5	7.0	19	2	2	6	9	14	14	14
6-12 YRS	12	9.7	70	1	1	8	16	22	23	23
13-19 YRS	260	7.2	31	2	2	6	9	14	17	27
GRAND TOTAL	**282**	**7.4**	**35**	**1**	**2**	**6**	**10**	**15**	**18**	**27**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.3	16	1	1	6	8	9	9	9
6-12 YRS										
13-19 YRS	32	8.0	16	2	3	8	10	14	16	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	21	5.9	19	1	1	4	9	12	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS	2	6.5	5	5	5	6	8	8	8	8
1-5 YRS										
6-12 YRS	2	5.5	13	3	3	5	8	8	8	8
13-19 YRS	23	7.2	29	1	2	7	10	12	18	26
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	9.5	34	1	2	10	13	17	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	7.8	17	1	3	8	10	14	16	17
B. *Operated*	22	6.0	19	1	1	5	9	12	13	14
2. MULTIPLE DX										
A. *Not Operated*	29	6.9	24	2	2	7	8	12	14	26
B. *Operated*	8	9.5	34	1	2	10	13	17	19	19
1. SINGLE DX	57	7.1	18	1	2	7	10	13	14	17
2. MULTIPLE DX	37	7.5	27	1	2	7	10	13	17	26
A. NOT OPERATED	64	7.4	20	2	2	7	10	12	15	25
B. OPERATED	30	7.0	24	1	1	7	11	13	14	19
TOTAL 0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS	2	6.5	5	5	5	6	8	8	8	8
1-5 YRS	3	5.3	16	1	1	6	8	9	9	9
6-12 YRS	3	6.7	10	3	3	8	9	9	9	9
13-19 YRS	84	7.4	23	1	2	7	10	13	15	24
GRAND TOTAL	**94**	**7.3**	**21**	**1**	**2**	**7**	**10**	**13**	**14**	**23**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	9.4	11	7	7	8	11	15	15	15
1-11 MOS	12	3.8	15	<1	<1	2	5	10	13	14
1-5 YRS	55	2.3	4	<1	1	2	3	4	7	10
6-12 YRS	144	3.6	7	1	1	3	5	7	8	13
13-19 YRS	648	5.3	16	1	2	4	7	11	13	21
B. *Operated*										
0-27 DYS	3	5.7	25	<1	<1	5	9	11	11	11
1-11 MOS	6	6.2	28	2	2	4	10	14	15	15
1-5 YRS	7	3.6	4	<1	<1	4	5	6	6	6
6-12 YRS	31	4.0	9	<1	1	3	5	9	10	11
13-19 YRS	352	5.8	27	1	2	4	8	13	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	7.8	35	3	3	7	7	17	23	23
1-11 MOS	13	11.4	55	4	4	10	18	22	23	23
1-5 YRS	46	4.1	18	1	1	3	5	9	15	20
6-12 YRS	89	4.1	12	1	1	3	5	8	11	17
13-19 YRS	555	5.5	20	1	1	4	8	10	13	24
B. *Operated*										
0-27 DYS	1	33.0		33	33	33	33	33	33	33
1-11 MOS	4	6.0	36	3	3	3	9	15	15	15
1-5 YRS	8	13.3	244	1	1	7	20	40	46	46
6-12 YRS	19	6.4	39	1	2	4	6	19	20	20
13-19 YRS	226	7.4	42	1	2	5	10	15	20	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	864	4.8	14	1	1	4	6	10	12	18
B. *Operated*	399	5.6	25	1	2	4	8	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	712	5.4	21	1	1	4	7	10	14	23
B. *Operated*	258	7.6	51	1	2	5	10	15	21	39
1. SINGLE DX	1263	5.1	18	1	1	4	7	11	14	22
2. MULTIPLE DX	970	6.0	29	1	1	4	8	12	17	27
A. NOT OPERATED	1576	5.1	17	1	1	4	7	10	13	22
B. OPERATED	657	6.4	36	1	2	4	8	14	18	33
TOTAL 0-27 DYS	18	9.3	59	1	3	7	10	21	29	33
1-11 MOS	35	7.3	43	<1	1	4	10	17	22	23
1-5 YRS	116	3.9	31	1	1	2	4	8	14	32
6-12 YRS	283	4.0	11	1	1	3	5	7	10	19
13-19 YRS	1781	5.7	23	1	2	4	8	12	15	24
GRAND TOTAL	**2233**	**5.5**	**23**	**1**	**1**	**4**	**7**	**11**	**15**	**24**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	13	4.5	10	1	1	4	7	9	10	10
1-5 YRS	365	4.1	21	1	1	3	5	7	9	20
6-12 YRS	306	4.7	10	1	2	4	6	8	11	17
13-19 YRS	224	4.8	13	1	2	4	6	9	11	22
B. *Operated*										
0-27 DYS	3	2.0		2	2	2	2	2	2	2
1-11 MOS	19	2.7	7	<1	<1	2	3	8	9	9
1-5 YRS	168	2.2	8	<1	<1	1	2	4	7	16
6-12 YRS	209	3.3	9	<1	1	2	4	6	9	19
13-19 YRS	1212	3.1	6	1	1	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	10	6.0	19	1	1	4	9	12	15	15
1-5 YRS	120	4.3	8	1	1	4	6	7	9	16
6-12 YRS	119	4.8	9	1	2	4	6	9	10	16
13-19 YRS	130	5.1	17	1	2	4	6	8	12	24
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.5	6	1	1	3	5	6	6	6
1-5 YRS	28	3.4	15	1	1	2	3	6	10	21
6-12 YRS	63	4.4	18	1	2	3	5	10	11	27
13-19 YRS	458	4.0	15	1	2	3	4	7	10	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	910	4.5	15	1	2	4	6	8	11	18
B. *Operated*	1611	3.0	6	<1	1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	380	4.8	12	1	2	4	6	8	10	20
B. *Operated*	553	4.0	15	1	1	3	4	7	10	21
1. SINGLE DX	2521	3.5	10	1	1	3	4	6	8	16
2. MULTIPLE DX	933	4.3	14	1	1	3	5	8	10	21
A. NOT OPERATED	1290	4.6	14	1	2	4	6	8	10	19
B. OPERATED	2164	3.3	9	<1	1	3	4	5	8	18
TOTAL 0-27 DYS	6	2.7	1	2	2	2	4	4	4	4
1-11 MOS	46	4.0	11	<1	1	3	6	9	10	15
1-5 YRS	681	3.6	16	1	1	3	4	7	9	19
6-12 YRS	697	4.3	11	1	1	3	5	8	10	18
13-19 YRS	2024	3.6	10	1	1	3	4	6	8	18
GRAND TOTAL	**3454**	**3.8**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.3	2	1	1	2	3	4	4	4
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	18	2.6	4	<1	<1	2	4	6	7	7
B. *Operated*										
0-27 DYS	4	3.8	4	1	1	4	5	6	6	6
1-11 MOS	6	3.2	3	2	2	3	4	6	6	6
1-5 YRS	17	2.6	6	<1	<1	2	3	9	64	99+
6-12 YRS	126	3.9	6	2	2	3	4	6	7	16
13-19 YRS	1198	4.1	12	2	2	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	4	2.8	12	<1	<1	1	4	8	8	8
13-19 YRS	34	2.4	8	<1	<1	1	2	5	10	14
B. *Operated*										
0-27 DYS	3	3.7	6	<1	<1	4	5	6	6	6
1-11 MOS	8	4.9	25	<1	1	4	4	13	17	17
1-5 YRS	10	7.6	119	2	2	3	5	25	37	37
6-12 YRS	74	4.4	5	2	2	4	5	7	7	14
13-19 YRS	1018	4.2	4	2	2	4	5	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.5	3	<1	<1	2	4	5	6	7
B. *Operated*	1351	4.0	11	2	2	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	41	2.3	8	<1	<1	1	2	5	9	14
B. *Operated*	1113	4.3	5	2	2	4	5	6	8	13
1. SINGLE DX	1374	4.0	11	2	2	4	5	6	7	12
2. MULTIPLE DX	1154	4.2	6	2	2	4	5	6	8	13
A. NOT OPERATED	64	2.4	6	<1	<1	1	3	5	7	14
B. OPERATED	2464	4.1	8	2	2	4	5	6	7	12
TOTAL 0-27 DYS	7	3.7	4	<1	<1	4	5	6	6	6
1-11 MOS	16	3.8	14	<1	<1	3	4	6	14	17
1-5 YRS	31	4.2	45	<1	1	2	4	12	35	99+
6-12 YRS	206	4.0	5	2	2	4	5	7	7	15
13-19 YRS	2268	4.1	8	2	2	4	5	6	7	12
GRAND TOTAL	**2528**	**4.1**	**8**	**2**	**2**	**4**	**5**	**6**	**7**	**12**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	1.3		<1	<1	1	2	2	2	2
6-12 YRS	24	1.8	1	<1	<1	1	2	3	4	5
13-19 YRS	75	2.0	3	<1	<1	1	2	4	5	11
B. *Operated*										
0-27 DYS	3	3.0	4	<1	<1	3	4	5	5	5
1-11 MOS	20	1.6		<1	<1	1	2	3	3	3
1-5 YRS	380	2.2	2	<1	1	2	2	3	4	9
6-12 YRS	966	2.1	5	<1	1	2	2	3	4	8
13-19 YRS	2775	2.1	6	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	7	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	16	1.9	6	<1	<1	1	2	3	9	11
13-19 YRS	28	1.5	2	<1	<1	1	2	2	3	8
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	29	2.1	1	1	1	2	3	4	4	6
6-12 YRS	78	2.3	1	<1	1	2	3	4	5	6
13-19 YRS	351	2.8	7	<1	1	2	3	5	6	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	1.9	2	<1	<1	1	2	4	5	9
B. *Operated*	4144	2.1	6	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	52	1.6	3	<1	<1	1	2	2	3	11
B. *Operated*	461	2.7	5	<1	1	2	3	5	6	10
1. SINGLE DX	4253	2.1	5	<1	1	2	2	3	4	7
2. MULTIPLE DX	513	2.6	5	<1	1	2	3	5	6	10
A. NOT OPERATED	161	1.8	3	<1	<1	1	2	3	5	11
B. OPERATED	4605	2.2	6	<1	1	2	2	3	4	7
TOTAL 0-27 DYS	4	2.8	3	<1	<1	2	4	5	5	5
1-11 MOS	24	1.7	1	<1	1	2	2	3	3	4
1-5 YRS	425	2.1	2	<1	1	2	2	3	4	9
6-12 YRS	1084	2.1	5	<1	1	2	2	3	4	8
13-19 YRS	3229	2.2	6	<1	1	2	2	3	4	7
GRAND TOTAL	**4766**	**2.2**	**5**	**<1**	**1**	**2**	**2**	**3**	**4**	**7**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	30.7	108	18	18	31	41	43	43	43
1-11 MOS	31	13.5	47	2	3	15	17	23	23	27
1-5 YRS	86	13.3	51	2	4	12	19	23	26	31
6-12 YRS	196	14.0	69	2	4	13	21	26	29	33
13-19 YRS	131	14.0	121	1	2	11	21	29	38	46
B. *Operated*										
0-27 DYS	4	21.3	92	8	8	23	28	30	30	30
1-11 MOS	19	18.6	104	3	5	21	22	29	38	45
1-5 YRS	79	15.9	78	2	3	16	23	28	30	31
6-12 YRS	203	16.3	144	2	3	15	24	30	37	59
13-19 YRS	271	14.4	148	2	2	10	22	31	41	52
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	22.5	122	8	8	24	30	34	34	34
1-11 MOS	23	19.4	91	4	5	21	28	30	34	35
1-5 YRS	62	16.9	87	2	3	17	24	28	33	37
6-12 YRS	87	19.7	88	5	9	20	27	31	36	45
13-19 YRS	56	15.1	104	3	3	13	25	30	36	96
B. *Operated*										
0-27 DYS	4	31.8	104	22	22	29	38	46	46	46
1-11 MOS	20	20.9	91	5	8	21	29	32	35	38
1-5 YRS	34	21.3	217	5	6	19	26	47	63	99+
6-12 YRS	112	20.5	217	4	5	18	28	40	52	84
13-19 YRS	166	19.7	262	2	3	16	29	45	57	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	451	14.1	83	2	3	13	20	27	29	42
B. *Operated*	576	15.5	136	2	2	13	23	30	37	54
2. MULTIPLE DX										
A. *Not Operated*	232	17.8	95	3	5	18	25	30	35	42
B. *Operated*	336	20.3	230	3	4	17	29	43	53	99+
1. SINGLE DX	1027	14.9	113	2	3	13	21	29	33	48
2. MULTIPLE DX	568	19.3	176	3	4	18	27	36	46	85
A. NOT OPERATED	683	15.4	90	2	4	14	22	28	31	42
B. OPERATED	912	17.3	176	2	3	15	24	34	45	64
TOTAL 0-27 DYS	19	27.2	111	8	12	27	33	43	45	46
1-11 MOS	93	17.6	85	2	5	16	24	29	32	42
1-5 YRS	261	16.0	94	2	4	15	23	27	30	59
6-12 YRS	598	16.8	130	2	4	15	23	30	37	59
13-19 YRS	624	15.8	173	2	3	12	23	33	43	61
GRAND TOTAL	**1595**	**16.4**	**140**	**2**	**3**	**15**	**23**	**30**	**39**	**60**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	9	4.2	9	1	1	4	6	9	9	9
1-5 YRS	107	5.9	20	<1	1	5	8	12	14	21
6-12 YRS	298	7.1	74	1	1	5	9	15	24	59
13-19 YRS	272	4.1	16	1	1	3	5	8	11	19
B. *Operated*										
0-27 DYS	8	8.0	135	<1	<1	4	7	28	36	36
1-11 MOS	12	3.4	9	1	1	2	6	7	10	10
1-5 YRS	150	5.4	35	<1	1	3	7	13	17	27
6-12 YRS	1120	6.2	32	1	1	5	8	12	16	31
13-19 YRS	3489	4.9	15	1	2	4	6	9	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	15.0	82	6	6	13	16	30	32	32
1-11 MOS	12	13.0	208	2	3	7	17	37	46	48
1-5 YRS	34	8.4	144	<1	1	6	9	14	24	69
6-12 YRS	114	8.2	65	1	1	5	11	21	27	35
13-19 YRS	252	5.9	73	<1	1	4	7	12	18	54
B. *Operated*										
0-27 DYS	2	11.5	13	9	9	11	14	14	14	14
1-11 MOS	7	21.3	819	1	2	15	20	72	84	84
1-5 YRS	51	6.7	36	1	1	4	9	16	22	25
6-12 YRS	293	7.4	59	1	2	5	9	16	23	43
13-19 YRS	1266	5.9	39	1	2	4	6	12	17	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	688	5.7	43	1	1	4	7	12	15	34
B. *Operated*	4779	5.2	20	1	2	4	6	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	418	7.1	83	<1	1	4	8	15	25	50
B. *Operated*	1619	6.3	47	1	2	4	7	13	18	37
1. SINGLE DX	5467	5.3	23	1	2	4	6	10	13	24
2. MULTIPLE DX	2037	6.4	54	1	2	4	7	14	19	42
A. NOT OPERATED	1106	6.2	59	1	1	4	7	13	19	39
B. OPERATED	6398	5.5	27	1	2	4	6	10	14	26
TOTAL 0-27 DYS	18	10.2	97	<1	1	7	14	27	34	36
1-11 MOS	40	9.6	235	1	1	5	9	23	40	84
1-5 YRS	342	6.1	41	<1	1	4	8	13	17	26
6-12 YRS	1825	6.7	45	1	1	5	8	14	18	35
13-19 YRS	5279	5.1	24	1	2	4	6	9	13	25
GRAND TOTAL	**7504**	**5.6**	**32**	**1**	**2**	**4**	**6**	**11**	**15**	**30**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	1.6		1	1	2	2	2	2	2
1-5 YRS	18	2.4	3	<1	1	2	4	5	6	7
6-12 YRS	13	3.2	6	<1	<1	3	5	6	8	8
13-19 YRS	28	4.4	35	<1	1	2	4	10	16	29
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	14	2.6	3	1	1	2	2	5	7	7
1-5 YRS	116	3.6	6	1	1	3	4	7	9	13
6-12 YRS	309	4.5	8	2	2	4	6	8	9	17
13-19 YRS	722	4.4	14	1	2	3	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	4.4	18	1	1	2	7	11	12	12
1-5 YRS	8	3.0	12	<1	<1	1	4	9	10	10
6-12 YRS	12	2.5	4	<1	<1	2	3	5	8	8
13-19 YRS	24	3.5	12	<1	1	2	5	7	11	15
B. *Operated*										
0-27 DYS										
1-11 MOS	8	4.6	26	2	2	3	4	13	17	17
1-5 YRS	78	4.3	8	2	2	4	5	8	11	14
6-12 YRS	208	4.8	9	1	2	4	6	9	11	15
13-19 YRS	536	5.2	17	1	2	4	6	9	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	3.4	18	<1	1	2	4	7	9	27
B. *Operated*	1162	4.3	12	1	2	3	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	51	3.3	11	<1	<1	2	5	8	10	15
B. *Operated*	830	5.0	14	1	2	4	6	9	11	23
1. SINGLE DX	1226	4.3	12	1	2	3	5	8	10	16
2. MULTIPLE DX	881	4.9	14	1	2	4	6	9	11	22
A. NOT OPERATED	115	3.4	14	<1	<1	2	4	8	10	20
B. OPERATED	1992	4.6	13	1	2	4	6	8	11	19
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	34	3.3	11	1	1	2	4	7	11	17
1-5 YRS	220	3.7	7	1	1	3	5	7	9	13
6-12 YRS	542	4.5	9	1	2	4	6	8	9	16
13-19 YRS	1310	4.7	16	1	2	4	6	9	11	24
GRAND TOTAL	**2107**	**4.5**	**13**	**1**	**2**	**4**	**6**	**8**	**10**	**19**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	19	5.9	23	1	1	5	8	12	17	20
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	12	5.0	16	1	1	3	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	13	4.8	16	1	1	3	6	13	13	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	22.0		22	22	22	22	22	22	22
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	6	5.2	22	2	2	3	7	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	6.1	21	1	1	5	8	12	17	20
B. *Operated*	14	5.6	23	1	1	3	8	13	15	16
2. MULTIPLE DX										
A. *Not Operated*	16	4.5	14	1	1	3	5	12	13	13
B. *Operated*	10	6.8	43	2	2	4	8	18	22	22
1. SINGLE DX	35	5.9	21	1	1	4	8	13	15	20
2. MULTIPLE DX	26	5.4	25	1	1	3	6	13	16	22
A. NOT OPERATED	37	5.4	18	1	1	4	7	12	14	20
B. OPERATED	24	6.1	30	1	2	3	8	14	18	22
TOTAL 0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	1	22.0		22	22	22	22	22	22	22
1-5 YRS	3	7.3	4	5	5	8	9	9	9	9
6-12 YRS	6	3.7	4	2	2	3	5	7	7	7
13-19 YRS	50	5.3	18	1	1	4	7	13	14	20
GRAND TOTAL	**61**	**5.7**	**22**	**1**	**1**	**4**	**8**	**13**	**15**	**22**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	4.0	1	3	3	4	5	5	5	5
1-11 MOS	13	3.0	4	1	1	2	4	6	7	7
1-5 YRS	111	2.8	7	<1	1	2	3	6	8	14
6-12 YRS	265	3.5	8	1	1	3	4	7	10	14
13-19 YRS	667	3.8	11	1	1	3	5	7	9	15
B. *Operated*										
0-27 DYS	5	2.4	1	1	1	3	3	3	3	3
1-11 MOS	26	2.9	7	<1	1	2	3	5	8	14
1-5 YRS	189	2.5	4	<1	1	2	3	5	6	7
6-12 YRS	488	5.0	35	<1	1	3	5	13	17	26
13-19 YRS	2175	5.8	40	1	1	3	7	16	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	6.8	23	2	2	5	8	15	17	17
1-11 MOS	20	3.1	9	1	1	2	4	6	10	13
1-5 YRS	78	3.8	9	1	1	3	5	8	9	17
6-12 YRS	165	3.7	11	1	1	3	4	7	11	19
13-19 YRS	620	4.6	21	1	1	4	6	9	11	20
B. *Operated*										
0-27 DYS	7	13.9	153	2	2	8	22	33	35	35
1-11 MOS	12	5.1	17	2	2	3	6	13	14	14
1-5 YRS	134	4.1	13	1	2	3	4	8	10	18
6-12 YRS	311	5.9	35	1	2	4	7	14	18	29
13-19 YRS	1593	5.1	41	1	2	3	5	10	18	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1059	3.6	10	1	1	3	5	7	9	15
B. *Operated*	2883	5.4	37	1	1	3	6	14	18	28
2. MULTIPLE DX										
A. *Not Operated*	891	4.4	18	1	1	3	6	8	11	19
B. *Operated*	2057	5.2	39	1	2	3	5	11	18	34
1. SINGLE DX	3942	4.9	30	1	1	3	5	12	17	27
2. MULTIPLE DX	2948	4.9	33	1	1	3	5	10	15	32
A. NOT OPERATED	1950	4.0	14	1	1	3	5	8	10	17
B. OPERATED	4940	5.3	38	1	1	3	5	13	18	30
TOTAL 0-27 DYS	23	7.6	70	1	2	4	8	21	27	35
1-11 MOS	71	3.3	9	1	1	2	4	6	12	14
1-5 YRS	512	3.2	8	1	1	2	4	6	8	15
6-12 YRS	1229	4.8	27	1	1	3	5	11	17	25
13-19 YRS	5055	5.1	35	1	1	3	5	12	17	30
GRAND TOTAL	**6890**	**4.9**	**31**	**1**	**1**	**3**	**5**	**11**	**17**	**28**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	2	5.0		5	5	5	5	5	5	5
13-19 YRS	9	4.0	6	1	1	4	6	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	5	3.4	2	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS	4	4.5	15	1	1	3	7	10	10	10
13-19 YRS	46	5.7	28	1	2	4	7	10	12	34
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	7.2	15	3	3	7	9	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	4.1	4	1	1	4	5	7	7	7
B. *Operated*	8	3.0	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	51	5.6	26	1	2	4	7	10	11	34
B. *Operated*	6	7.2	15	3	3	7	9	13	13	13
1. SINGLE DX	21	3.7	3	1	1	3	5	6	7	7
2. MULTIPLE DX	57	5.8	25	1	2	4	8	10	12	33
A. NOT OPERATED	64	5.3	22	1	2	4	6	10	11	31
B. OPERATED	14	4.8	11	1	2	4	5	10	12	13
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	3	2.7	2	1	1	3	4	4	4	4
6-12 YRS	8	4.3	7	1	1	4	5	9	10	10
13-19 YRS	66	5.4	22	1	2	4	7	10	11	31
GRAND TOTAL	**78**	**5.2**	**20**	**1**	**2**	**4**	**6**	**10**	**11**	**29**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	16	6.2	69	1	1	3	6	19	28	32
1-11 MOS	80	3.7	37	<1	<1	2	3	8	11	39
1-5 YRS	62	3.7	42	<1	<1	2	3	6	16	39
6-12 YRS	24	3.6	12	<1	<1	3	4	8	12	16
13-19 YRS	15	6.9	47	<1	2	5	9	11	24	29
B. *Operated*										
0-27 DYS	29	10.2	83	1	2	8	13	20	36	40
1-11 MOS	127	9.1	42	2	3	8	11	16	22	34
1-5 YRS	70	7.1	30	1	2	6	9	14	17	27
6-12 YRS	39	7.0	25	2	2	5	10	15	16	22
13-19 YRS	45	9.3	59	2	2	7	13	21	24	34
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	23	15.9	454	<1	1	6	21	45	75	76
1-11 MOS	142	6.8	66	1	1	4	8	14	21	43
1-5 YRS	172	5.2	28	1	1	3	7	11	16	25
6-12 YRS	95	6.2	84	1	1	4	7	12	19	87
13-19 YRS	51	6.0	25	2	2	5	9	12	18	98
B. *Operated*										
0-27 DYS	27	21.9	172	5	7	22	33	52	99+	99+
1-11 MOS	132	14.9	214	2	3	11	18	32	36	82
1-5 YRS	126	10.4	85	1	2	8	14	23	31	61
6-12 YRS	138	10.2	160	2	2	7	11	16	31	76
13-19 YRS	90	11.1	99	2	2	9	15	20	41	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	4.1	39	<1	<1	2	4	9	15	36
B. *Operated*	310	8.5	44	2	2	7	11	17	22	35
2. MULTIPLE DX										
A. *Not Operated*	483	6.5	74	1	1	4	7	13	21	68
B. *Operated*	513	12.2	153	2	2	9	15	28	36	83
1. SINGLE DX	507	6.8	47	<1	1	5	9	15	20	35
2. MULTIPLE DX	996	9.4	123	1	2	6	11	21	32	76
A. NOT OPERATED	680	5.8	65	<1	1	3	7	12	20	43
B. OPERATED	823	10.8	115	2	2	8	13	22	32	75
TOTAL 0-27 DYS	95	14.2	223	1	2	9	21	35	52	99+
1-11 MOS	481	9.1	111	1	1	6	11	20	29	58
1-5 YRS	430	6.8	53	1	1	4	9	16	23	39
6-12 YRS	296	7.9	110	1	1	5	10	14	21	73
13-19 YRS	201	9.1	71	2	2	7	12	19	28	72
GRAND TOTAL	**1503**	**8.5**	**99**	**1**	**1**	**5**	**11**	**19**	**28**	**61**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	3.6	11	<1	<1	3	5	9	9	9
1-11 MOS	390	1.1	1	<1	<1	1	1	1	2	4
1-5 YRS	299	1.2	1	<1	<1	1	1	2	2	6
6-12 YRS	43	2.3	11	<1	<1	1	2	5	8	20
13-19 YRS	15	2.1	2	1	1	2	3	3	5	6
B. *Operated*										
0-27 DYS	7	5.4	44	1	1	4	5	17	20	20
1-11 MOS	210	2.3	4	<1	<1	2	3	4	6	12
1-5 YRS	960	2.2	3	<1	1	2	3	4	5	9
6-12 YRS	1046	2.3	3	1	1	2	3	4	4	8
13-19 YRS	635	2.7	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	3.8	6	2	2	3	5	8	8	8
1-11 MOS	96	1.8	3	<1	<1	1	2	4	6	9
1-5 YRS	99	2.2	41	<1	<1	1	2	2	4	42
6-12 YRS	27	1.9	3	<1	<1	1	3	3	6	9
13-19 YRS	15	3.6	41	<1	<1	1	4	5	21	26
B. *Operated*										
0-27 DYS	6	8.8	85	1	1	4	19	22	22	22
1-11 MOS	117	3.7	29	1	1	2	4	8	10	28
1-5 YRS	236	2.6	4	<1	1	2	3	4	6	13
6-12 YRS	274	2.4	3	1	1	2	3	4	5	11
13-19 YRS	194	3.1	7	1	1	2	4	5	7	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	752	1.3	2	<1	<1	1	1	2	2	6
B. *Operated*	2858	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	242	2.1	21	<1	<1	1	2	4	6	21
B. *Operated*	827	2.9	9	1	1	2	3	5	7	14
1. SINGLE DX	3610	2.2	3	<1	<1	2	2	4	5	9
2. MULTIPLE DX	1069	2.7	12	<1	1	2	3	5	7	14
A. NOT OPERATED	994	1.5	6	<1	<1	1	1	2	3	9
B. OPERATED	3685	2.5	4	<1	1	2	3	4	5	11
TOTAL 0-27 DYS	23	5.6	39	<1	1	3	6	19	21	22
1-11 MOS	813	1.9	7	<1	<1	1	2	3	6	11
1-5 YRS	1594	2.1	5	<1	<1	2	2	3	5	11
6-12 YRS	1390	2.4	3	<1	1	2	3	4	5	9
13-19 YRS	859	2.8	5	1	1	2	3	5	6	10
GRAND TOTAL	**4679**	**2.3**	**5**	**<1**	**<1**	**2**	**3**	**4**	**5**	**11**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	45	5.2	33	<1	1	3	7	12	14	33
1-11 MOS	70	4.4	23	1	1	3	5	8	15	26
1-5 YRS	57	2.3	3	<1	1	2	2	5	7	8
6-12 YRS	37	2.5	4	<1	<1	2	3	5	7	8
13-19 YRS	49	3.5	22	1	1	2	3	5	11	26
B. *Operated*										
0-27 DYS	21	9.1	70	1	1	7	12	24	27	29
1-11 MOS	300	5.3	32	1	1	2	8	12	14	25
1-5 YRS	902	4.9	19	1	1	2	8	10	12	19
6-12 YRS	461	4.6	24	1	1	2	7	10	12	19
13-19 YRS	431	5.2	30	1	2	2	8	11	13	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	80	7.3	119	<1	1	3	7	18	27	57
1-11 MOS	387	5.8	56	1	1	4	6	11	16	45
1-5 YRS	226	3.6	13	<1	<1	2	5	7	11	17
6-12 YRS	87	4.7	41	1	1	3	5	9	15	39
13-19 YRS	124	4.4	15	1	1	3	5	9	12	20
B. *Operated*										
0-27 DYS	95	17.4	330	2	2	11	21	48	69	99+
1-11 MOS	615	8.4	113	1	2	4	11	20	27	69
1-5 YRS	891	6.0	45	1	1	2	9	13	17	33
6-12 YRS	437	5.8	49	1	2	2	8	12	18	36
13-19 YRS	366	6.3	57	1	2	3	9	13	16	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	3.6	18	<1	1	2	4	7	11	26
B. *Operated*	2115	5.0	25	1	1	2	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	904	5.1	45	<1	1	3	6	10	14	41
B. *Operated*	2404	7.1	82	1	2	3	9	16	22	52
1. SINGLE DX	2373	4.9	24	1	1	2	7	10	12	23
2. MULTIPLE DX	3308	6.5	72	1	1	3	9	14	21	48
A. NOT OPERATED	1162	4.8	40	<1	1	3	5	10	13	35
B. OPERATED	4519	6.1	56	1	1	3	9	13	17	41
TOTAL 0-27 DYS	241	11.0	208	1	1	6	13	31	48	79
1-11 MOS	1372	6.8	77	1	1	4	9	15	23	47
1-5 YRS	2076	5.2	30	1	1	2	8	11	14	27
6-12 YRS	1022	5.0	36	1	1	2	8	11	13	31
13-19 YRS	970	5.4	38	1	2	3	8	11	14	29
GRAND TOTAL	**5681**	**5.8**	**53**	**1**	**1**	**3**	**8**	**12**	**17**	**40**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	4.0	3	2	2	5	5	5	5	5
1-11 MOS	8	3.0	18	<1	<1	1	3	11	13	13
1-5 YRS	12	2.5	3	<1	<1	2	4	5	5	5
6-12 YRS	5	2.6	7	<1	<1	1	4	7	7	7
13-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS	16	5.4	7	2	2	5	7	9	10	11
1-11 MOS	536	4.7	5	2	2	4	6	8	8	11
1-5 YRS	665	4.7	20	1	2	4	6	8	8	12
6-12 YRS	226	3.4	5	1	2	3	4	6	7	9
13-19 YRS	164	2.7	2	1	1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	18	8.4	50	2	2	7	9	19	25	29
1-11 MOS	51	4.0	35	<1	<1	1	5	10	21	28
1-5 YRS	49	1.5	2	<1	<1	1	1	3	4	10
6-12 YRS	3	1.7	1	<1	<1	1	2	3	3	3
13-19 YRS	5	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS	3	8.3	17	5	5	7	11	13	13	13
1-11 MOS	155	5.4	10	2	2	5	7	9	10	20
1-5 YRS	358	4.7	9	2	2	4	6	8	9	15
6-12 YRS	184	3.6	7	1	1	3	5	6	7	18
13-19 YRS	220	3.3	3	1	2	3	4	6	7	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.7	7	<1	<1	1	4	5	7	13
B. *Operated*	1607	4.3	12	1	2	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	126	3.5	27	<1	<1	1	4	8	13	28
B. *Operated*	920	4.3	8	1	2	4	5	7	9	14
1. SINGLE DX	1638	4.3	11	1	2	4	6	7	8	11
2. MULTIPLE DX	1046	4.2	11	1	1	4	5	8	9	20
A. NOT OPERATED	157	3.4	23	<1	<1	1	4	8	12	28
B. OPERATED	2527	4.3	10	1	2	4	6	7	8	12
TOTAL 0-27 DYS	40	6.9	29	2	2	6	8	12	18	29
1-11 MOS	750	4.8	8	1	2	4	6	8	9	14
1-5 YRS	1084	4.6	16	1	2	4	6	8	9	13
6-12 YRS	418	3.4	6	1	1	3	4	6	7	12
13-19 YRS	392	3.0	3	1	1	3	4	5	6	8
GRAND TOTAL	**2684**	**4.3**	**11**	**1**	**2**	**4**	**6**	**7**	**8**	**13**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	64	3.8	13	1	1	3	4	6	7	25
1-11 MOS	111	3.6	9	1	1	3	5	7	8	19
1-5 YRS	3	5.7	21	3	3	3	9	11	11	11
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	477	4.5	5	2	2	4	5	7	9	13
1-11 MOS	1076	4.3	6	2	2	4	5	7	8	13
1-5 YRS	4	6.3	2	5	5	6	7	8	8	8
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	23	3.8	6	<1	1	3	5	7	10	10
1-11 MOS	57	4.1	9	1	1	3	5	8	11	15
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	99	6.2	14	2	2	6	8	9	12	25
1-11 MOS	225	6.0	12	2	3	5	7	10	12	21
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	3.7	11	1	1	3	5	6	8	22
B. *Operated*	1557	4.4	6	2	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	80	4.0	8	1	1	3	5	8	10	14
B. *Operated*	325	6.0	13	2	3	5	7	10	12	22
1. SINGLE DX	1735	4.3	6	2	2	4	5	7	8	13
2. MULTIPLE DX	405	5.6	13	2	2	5	7	10	12	21
A. NOT OPERATED	258	3.8	10	1	1	3	5	7	9	16
B. OPERATED	1882	4.7	7	2	2	4	6	8	9	14
TOTAL 0-27 DYS	663	4.6	8	2	2	4	6	8	9	14
1-11 MOS	1469	4.5	8	2	2	4	5	7	9	15
1-5 YRS	8	5.6	8	3	3	5	7	10	11	11
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**2140**	**4.5**	**8**	**2**	**2**	**4**	**5**	**8**	**9**	**15**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	32	4.1	19	<1	1	3	5	9	12	23
1-11 MOS	191	3.3	20	<1	<1	2	4	7	9	24
1-5 YRS	202	2.0	11	<1	<1	1	2	4	5	19
6-12 YRS	52	2.5	4	<1	<1	2	3	5	8	9
13-19 YRS	45	4.2	7	1	1	4	6	8	9	10
B. *Operated*										
0-27 DYS	49	12.6	92	2	5	10	16	23	29	48
1-11 MOS	211	5.7	58	<1	<1	3	8	13	18	40
1-5 YRS	352	3.4	25	<1	<1	2	4	8	11	19
6-12 YRS	222	3.9	11	<1	1	3	5	8	9	14
13-19 YRS	371	4.5	44	1	1	3	5	7	13	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	33	10.0	193	1	1	6	11	20	25	79
1-11 MOS	187	6.8	96	1	1	4	7	14	20	81
1-5 YRS	114	4.8	17	<1	1	4	7	10	14	19
6-12 YRS	46	4.2	29	<1	<1	3	5	8	9	36
13-19 YRS	42	4.5	11	1	1	4	6	9	12	13
B. *Operated*										
0-27 DYS	45	21.4	409	4	5	18	41	99+	99+	99+
1-11 MOS	183	13.1	175	2	2	9	16	36	50	99+
1-5 YRS	247	7.5	103	<1	1	4	9	16	24	55
6-12 YRS	205	5.7	22	1	2	5	7	11	14	30
13-19 YRS	333	5.2	17	1	2	4	6	11	15	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	522	2.8	14	<1	<1	2	3	6	8	18
B. *Operated*	1205	4.6	40	<1	1	3	5	10	14	31
2. MULTIPLE DX										
A. *Not Operated*	422	6.0	68	1	1	4	7	12	16	49
B. *Operated*	1013	8.0	101	1	2	5	9	17	29	99+
1. SINGLE DX	1727	4.1	33	<1	1	2	5	8	13	27
2. MULTIPLE DX	1435	7.4	92	1	1	5	9	16	25	96
A. NOT OPERATED	944	4.3	41	<1	1	2	5	9	13	31
B. OPERATED	2218	6.2	70	<1	1	4	7	14	19	62
TOTAL 0-27 DYS	159	12.8	223	1	2	9	17	41	99+	99+
1-11 MOS	772	7.1	98	<1	1	4	8	15	25	65
1-5 YRS	915	4.4	46	<1	<1	2	5	10	15	35
6-12 YRS	525	4.5	17	<1	1	3	6	9	12	26
13-19 YRS	791	4.8	29	1	1	3	5	9	13	23
GRAND TOTAL	**3162**	**5.6**	**62**	**<1**	**1**	**3**	**6**	**12**	**18**	**50**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	29	1.7	2	<1	<1	1	2	4	5	5
6-12 YRS	27	2.1	2	<1	<1	1	3	4	4	5
13-19 YRS	12	2.4	2	<1	<1	2	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	13	1.9	1	<1	<1	2	2	3	4	4
1-5 YRS	1076	2.9	3	<1	1	3	4	5	6	8
6-12 YRS	1605	3.4	3	1	2	3	4	6	7	9
13-19 YRS	522	3.7	5	1	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	5	1.4	1	<1	<1	1	2	3	3	3
1-5 YRS	78	1.4	1	<1	<1	1	1	2	3	7
6-12 YRS	59	2.1	3	<1	<1	1	3	4	5	10
13-19 YRS	16	2.8	2	<1	<1	3	4	5	6	6
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	39	2.2	2	<1	1	2	3	4	6	8
1-5 YRS	1213	3.1	5	1	1	3	4	5	7	9
6-12 YRS	1284	3.6	4	1	2	3	4	6	8	11
13-19 YRS	444	4.3	5	2	2	4	5	7	9	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	2.0	2	<1	<1	1	3	4	5	5
B. *Operated*	3216	3.3	4	1	1	3	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	160	1.8	2	<1	<1	1	2	4	5	8
B. *Operated*	2981	3.5	4	1	2	3	4	6	8	11
1. SINGLE DX	3285	3.2	4	1	1	3	4	5	7	9
2. MULTIPLE DX	3141	3.4	5	1	1	3	4	6	7	10
A. NOT OPERATED	229	1.8	2	<1	<1	1	2	4	5	6
B. OPERATED	6197	3.4	4	1	1	3	4	6	7	9
TOTAL 0-27 DYS	3	2.7	4	<1	<1	2	4	5	5	5
1-11 MOS	58	2.1	2	<1	<1	2	2	4	5	8
1-5 YRS	2396	3.0	4	<1	1	3	4	5	6	8
6-12 YRS	2975	3.4	3	1	2	3	4	6	7	9
13-19 YRS	994	3.9	5	2	2	3	5	7	8	11
GRAND TOTAL	**6426**	**3.3**	**4**	**1**	**1**	**3**	**4**	**6**	**7**	**9**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	4.4	13	<1	<1	4	6	10	11	11
1-11 MOS	11	2.6	4	<1	<1	2	4	6	6	6
1-5 YRS	56	2.0	3	<1	<1	1	2	4	6	10
6-12 YRS	46	2.7	6	<1	<1	2	3	7	8	12
13-19 YRS	55	4.3	73	<1	1	3	5	6	8	61
B. *Operated*										
0-27 DYS	17	8.1	76	<1	1	6	9	26	30	30
1-11 MOS	79	5.4	30	<1	1	3	7	11	16	28
1-5 YRS	1320	5.4	26	<1	1	4	8	12	14	18
6-12 YRS	645	4.9	30	<1	1	3	7	11	14	26
13-19 YRS	725	4.1	14	<1	1	3	5	9	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	4.8	4	2	2	5	6	6	6	6
1-11 MOS	35	4.2	25	<1	1	2	5	9	15	26
1-5 YRS	83	2.2	5	<1	<1	1	2	5	7	11
6-12 YRS	53	3.3	5	<1	1	3	5	7	8	10
13-19 YRS	79	3.7	7	1	1	3	5	6	8	15
B. *Operated*										
0-27 DYS	13	11.3	51	1	3	11	17	22	24	24
1-11 MOS	116	8.4	70	1	1	6	12	19	24	74
1-5 YRS	826	5.2	28	<1	1	3	8	12	15	27
6-12 YRS	600	5.1	34	1	1	3	7	12	15	23
13-19 YRS	687	5.5	23	1	1	4	8	12	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	175	3.0	27	<1	<1	2	3	6	8	17
B. *Operated*	2786	5.0	25	<1	1	3	7	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	254	3.2	9	<1	1	2	5	6	8	16
B. *Operated*	2242	5.5	31	1	1	3	8	12	16	26
1. SINGLE DX	2961	4.8	25	<1	1	3	7	11	13	20
2. MULTIPLE DX	2496	5.2	29	1	1	3	7	12	15	25
A. NOT OPERATED	429	3.1	16	<1	<1	2	4	6	8	16
B. OPERATED	5028	5.2	28	<1	1	3	8	12	15	23
TOTAL 0-27 DYS	41	8.2	54	<1	1	6	11	20	26	30
1-11 MOS	241	6.5	51	<1	1	4	9	16	21	35
1-5 YRS	2285	5.1	26	<1	1	3	8	11	14	21
6-12 YRS	1344	4.9	30	1	1	3	7	11	14	22
13-19 YRS	1546	4.7	20	<1	1	3	6	10	14	19
GRAND TOTAL	**5457**	**5.0**	**27**	**<1**	**1**	**3**	**7**	**11**	**14**	**23**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	45	1.2		<1	<1	1	1	2	2	4
1-5 YRS	42	1.9	2	<1	<1	1	2	4	6	7
6-12 YRS	11	1.8	1	<1	<1	2	2	3	5	5
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	528	3.4	6	1	1	3	4	6	7	10
1-5 YRS	531	3.9	6	1	2	3	5	6	9	14
6-12 YRS	296	4.8	20	2	2	4	5	7	10	16
13-19 YRS	229	6.0	49	2	3	5	7	9	11	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	17.0	338	4	4	17	30	30	30	30
1-11 MOS	59	1.6	2	<1	<1	1	1	3	5	8
1-5 YRS	44	2.1	13	<1	<1	1	2	4	8	21
6-12 YRS	9	1.9	4	<1	<1	1	2	5	7	7
13-19 YRS	12	2.8	4	<1	<1	2	4	6	6	6
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	119	5.4	34	1	2	3	6	10	16	35
1-5 YRS	160	4.8	12	2	2	4	6	8	13	19
6-12 YRS	211	4.6	5	2	3	4	5	7	10	13
13-19 YRS	355	5.3	8	3	3	5	6	8	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	1.7	2	<1	<1	1	2	3	5	7
B. *Operated*	1586	4.2	16	1	2	4	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	126	2.1	12	<1	<1	1	2	4	6	23
B. *Operated*	846	5.0	12	2	2	4	6	8	10	22
1. SINGLE DX	1688	4.0	15	1	1	3	5	7	9	14
2. MULTIPLE DX	972	4.6	13	1	1	4	5	8	10	22
A. NOT OPERATED	228	1.9	8	<1	<1	1	2	4	6	16
B. OPERATED	2432	4.5	15	1	2	4	5	7	9	16
TOTAL 0-27 DYS	7	7.4	101	2	2	4	6	25	30	30
1-11 MOS	751	3.4	11	<1	1	3	4	6	8	16
1-5 YRS	777	3.9	8	1	1	3	5	7	9	16
6-12 YRS	527	4.6	14	2	2	4	5	7	10	14
13-19 YRS	598	5.5	24	2	3	5	6	9	10	23
GRAND TOTAL	**2660**	**4.3**	**14**	**1**	**1**	**4**	**5**	**7**	**9**	**16**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	31	7.2	228	1	1	3	8	36	97	99+
1-11 MOS	417	3.3	26	<1	<1	2	3	8	12	29
1-5 YRS	301	2.5	7	<1	1	2	3	4	7	15
6-12 YRS	117	3.2	10	<1	1	2	4	7	9	49
13-19 YRS	183	4.2	24	1	1	3	5	9	10	14
B. *Operated*										
0-27 DYS	28	6.4	30	1	1	5	10	17	22	99+
1-11 MOS	827	5.8	35	<1	1	4	8	13	17	28
1-5 YRS	1494	4.0	26	1	1	2	4	8	12	25
6-12 YRS	1386	4.4	17	1	2	3	5	8	11	22
13-19 YRS	2284	4.6	15	1	2	3	5	9	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	59	10.2	146	2	2	6	12	23	33	70
1-11 MOS	353	5.3	48	<1	1	3	6	11	16	42
1-5 YRS	313	3.9	30	<1	<1	2	5	8	11	26
6-12 YRS	177	5.2	27	1	1	3	6	13	17	30
13-19 YRS	244	5.5	47	<1	1	4	6	10	18	39
B. *Operated*										
0-27 DYS	12	7.7	100	1	2	7	99+	99+	99+	99+
1-11 MOS	282	8.1	65	1	1	6	11	21	27	82
1-5 YRS	515	6.1	54	1	1	4	7	13	21	39
6-12 YRS	483	6.2	32	1	2	4	8	13	16	35
13-19 YRS	904	5.7	37	1	2	4	6	12	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1049	3.3	25	<1	1	2	3	8	11	28
B. *Operated*	6019	4.6	22	1	1	3	5	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	1146	5.2	46	<1	1	3	6	11	17	38
B. *Operated*	2196	6.2	44	1	2	4	8	13	20	39
1. SINGLE DX	7068	4.4	22	1	1	3	5	9	13	24
2. MULTIPLE DX	3342	5.9	45	1	1	4	7	13	19	39
A. NOT OPERATED	2195	4.3	37	<1	1	2	5	9	14	34
B. OPERATED	8215	5.0	28	1	1	3	6	11	15	28
TOTAL 0-27 DYS	130	8.5	136	1	1	5	12	28	99+	99+
1-11 MOS	1879	5.5	42	<1	1	3	8	13	18	31
1-5 YRS	2623	4.2	31	<1	1	2	5	9	14	28
6-12 YRS	2163	4.8	21	1	1	3	6	10	13	27
13-19 YRS	3615	4.9	24	1	2	3	6	10	13	25
GRAND TOTAL	**10410**	**4.9**	**30**	**1**	**1**	**3**	**6**	**10**	**15**	**28**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5991	3.9	23	1	1	3	4	7	12	25
1-11 MOS	573	6.1	54	1	1	3	7	17	22	36
1-5 YRS	20	4.2	12	<1	<1	3	6	8	11	14
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	121	5.4	40	1	2	4	6	11	17	68
1-11 MOS	79	7.9	62	<1	1	4	14	20	22	36
1-5 YRS	18	4.9	39	1	2	3	3	17	22	22
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3199	9.3	117	1	2	5	12	25	35	99+
1-11 MOS	767	10.8	151	1	2	6	14	27	36	66
1-5 YRS	66	7.4	130	<1	1	4	7	16	39	94
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	285	21.0	453	3	4	21	99+	99+	99+	99+
1-11 MOS	125	14.7	281	1	1	10	27	55	99+	99+
1-5 YRS	22	4.8	96	1	1	2	3	9	26	47
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6584	4.1	26	1	1	3	4	8	14	27
B. *Operated*	218	6.3	49	1	1	4	7	17	21	44
2. MULTIPLE DX										
A. *Not Operated*	4032	9.5	124	1	2	5	12	25	35	99+
B. *Operated*	432	18.3	402	1	2	16	59	99+	99+	99+
1. SINGLE DX	6802	4.2	27	1	1	3	4	8	14	27
2. MULTIPLE DX	4464	10.4	158	1	2	6	14	31	56	99+
A. NOT OPERATED	10616	6.2	70	1	1	3	6	15	24	53
B. OPERATED	650	14.3	316	1	2	10	32	99+	99+	99+
TOTAL 0-27 DYS	9596	6.2	80	1	2	3	6	17	28	99+
1-11 MOS	1544	9.2	128	1	1	5	12	24	33	91
1-5 YRS	126	6.1	93	1	1	3	6	12	24	75
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**11266**	**6.6**	**88**	**1**	**1**	**3**	**7**	**18**	**29**	**99+**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	110	3.5	5	1	1	3	4	6	8	13
1-11 MOS	953	3.5	9	1	1	3	4	6	8	14
1-5 YRS	3165	3.0	10	1	1	2	4	5	7	13
6-12 YRS	1776	3.3	8	1	1	3	4	6	7	11
13-19 YRS	2143	3.5	7	1	1	3	4	6	8	14
B. *Operated*										
0-27 DYS	3	9.7	42	3	3	10	14	16	16	16
1-11 MOS	11	5.7	12	2	2	5	7	12	13	13
1-5 YRS	38	4.2	17	1	1	3	6	9	15	19
6-12 YRS	27	4.4	8	1	1	4	6	9	11	11
13-19 YRS	56	6.4	34	1	1	5	9	15	17	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	57	6.6	24	1	2	5	9	13	18	94
1-11 MOS	1606	4.3	19	1	1	3	5	7	10	24
1-5 YRS	5508	3.5	11	1	1	3	4	6	8	14
6-12 YRS	1177	4.0	13	1	1	3	5	7	10	19
13-19 YRS	1283	5.1	28	1	1	4	6	10	13	30
B. *Operated*										
0-27 DYS	6	37.7	1453	1	2	21	84	87	87	87
1-11 MOS	49	8.8	72	2	3	6	10	18	31	41
1-5 YRS	112	6.6	40	1	2	5	8	14	23	32
6-12 YRS	42	7.6	42	1	2	6	10	19	22	29
13-19 YRS	83	8.2	70	1	2	6	10	14	21	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8147	3.3	8	1	1	3	4	6	7	13
B. *Operated*	135	5.4	23	1	1	4	7	11	16	22
2. MULTIPLE DX										
A. *Not Operated*	9631	3.9	15	1	1	3	5	7	9	20
B. *Operated*	292	8.2	97	1	2	6	9	16	24	53
1. SINGLE DX	8282	3.3	9	1	1	3	4	6	7	13
2. MULTIPLE DX	9923	4.1	18	1	1	3	5	7	10	21
A. NOT OPERATED	17778	3.6	12	1	1	3	4	7	8	16
B. OPERATED	427	7.3	75	1	2	5	9	15	22	37
TOTAL 0-27 DYS	176	5.8	92	1	2	4	6	10	15	86
1-11 MOS	2619	4.1	17	1	1	3	5	7	10	23
1-5 YRS	8823	3.4	11	1	1	3	4	6	8	14
6-12 YRS	3022	3.6	11	1	1	3	4	7	8	15
13-19 YRS	3565	4.3	17	1	1	3	5	8	11	21
GRAND TOTAL	**18205**	**3.7**	**14**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	317	4.1	15	1	2	3	5	7	8	12
1-11 MOS	914	3.1	3	1	1	3	4	5	6	9
1-5 YRS	964	3.0	4	1	1	3	4	5	7	10
6-12 YRS	494	3.6	6	1	2	3	4	6	8	13
13-19 YRS	330	4.4	7	1	2	4	6	8	10	13
B. *Operated*										
0-27 DYS	4	6.3	16	3	3	5	9	12	12	12
1-11 MOS	15	5.6	15	1	1	4	9	11	12	13
1-5 YRS	23	5.0	8	2	2	4	7	9	11	12
6-12 YRS	26	8.5	33	2	3	7	10	16	23	23
13-19 YRS	22	10.6	169	2	2	7	14	19	38	63
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	236	4.7	24	1	2	4	5	7	9	22
1-11 MOS	1236	3.8	7	1	1	3	4	6	8	14
1-5 YRS	1574	3.5	7	1	1	3	4	6	8	14
6-12 YRS	628	3.9	13	1	1	3	5	7	8	16
13-19 YRS	494	4.7	10	1	2	4	6	8	11	17
B. *Operated*										
0-27 DYS	9	5.2	14	3	3	3	6	12	13	13
1-11 MOS	36	5.5	9	2	2	5	7	9	12	13
1-5 YRS	35	9.9	189	1	2	6	11	17	40	73
6-12 YRS	37	7.9	45	2	2	6	10	17	24	31
13-19 YRS	60	12.4	172	3	4	9	13	23	30	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3019	3.4	6	1	1	3	4	6	7	11
B. *Operated*	90	7.5	59	2	2	6	9	14	18	47
2. MULTIPLE DX										
A. *Not Operated*	4168	3.8	10	1	1	3	5	7	9	14
B. *Operated*	177	9.2	113	2	3	6	10	17	26	66
1. SINGLE DX	3109	3.5	8	1	1	3	4	6	8	12
2. MULTIPLE DX	4345	4.1	15	1	1	3	5	7	9	17
A. NOT OPERATED	7187	3.7	8	1	1	3	4	6	8	13
B. OPERATED	267	8.6	95	2	2	6	10	16	22	60
TOTAL 0-27 DYS	566	4.4	19	1	2	4	5	7	9	14
1-11 MOS	2201	3.5	6	1	1	3	4	6	8	13
1-5 YRS	2596	3.4	9	1	1	3	4	6	8	13
6-12 YRS	1185	4.0	13	1	1	3	5	7	9	19
13-19 YRS	906	5.2	28	1	2	4	6	9	12	23
GRAND TOTAL	**7454**	**3.8**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	25	1	1	4	8	8	8	8
1-11 MOS										
1-5 YRS	85	2.6	3	<1	1	2	3	5	7	10
6-12 YRS	530	3.0	5	1	1	3	4	5	6	9
13-19 YRS	1240	3.6	15	1	1	3	4	6	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	12	3.6	4	1	1	3	5	7	8	8
13-19 YRS	76	3.8	6	1	2	3	5	7	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.5	25	2	2	5	9	9	9	9
1-11 MOS	3	2.7	8	1	1	1	5	6	6	6
1-5 YRS	59	2.8	2	1	1	3	4	5	6	7
6-12 YRS	458	3.4	5	1	1	3	4	6	7	12
13-19 YRS	1156	4.3	8	1	2	4	5	7	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	7.0	18	4	4	7	10	10	10	10
6-12 YRS	16	5.6	12	1	2	5	7	10	13	15
13-19 YRS	77	6.0	19	2	2	5	9	11	15	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1857	3.4	12	1	1	3	4	6	7	11
B. *Operated*	89	3.8	5	1	2	3	4	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	1678	4.0	7	1	1	3	5	7	9	14
B. *Operated*	95	6.0	17	2	2	5	8	11	15	20
1. SINGLE DX	1946	3.4	12	1	1	3	4	6	7	11
2. MULTIPLE DX	1773	4.1	8	1	1	3	5	7	9	15
A. NOT OPERATED	3535	3.7	10	1	1	3	4	6	8	13
B. OPERATED	184	4.9	13	1	2	4	6	10	12	16
TOTAL 0-27 DYS	4	5.0	17	1	1	5	8	9	9	9
1-11 MOS	3	2.7	8	1	1	1	5	6	6	6
1-5 YRS	147	2.7	3	1	1	2	4	5	7	10
6-12 YRS	1016	3.2	5	1	1	3	4	6	7	11
13-19 YRS	2549	4.0	12	1	1	3	5	7	9	14
GRAND TOTAL	**3719**	**3.7**	**10**	**1**	**1**	**3**	**5**	**7**	**8**	**13**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	4	1.8	1	1	1	2	2	3	3	3
1-5 YRS	64	2.1	4	<1	1	2	2	3	6	12
6-12 YRS	69	2.1	1	1	1	2	3	4	5	5
13-19 YRS	117	3.3	11	1	1	2	4	6	8	19
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	74	1.3	1	<1	<1	1	1	2	3	8
6-12 YRS	132	1.8	2	<1	<1	1	2	4	5	9
13-19 YRS	65	3.5	7	1	1	3	5	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	8	4.0	10	<1	<1	4	6	9	10	10
1-5 YRS	96	2.8	5	<1	1	2	3	6	9	59
6-12 YRS	97	3.6	41	1	1	2	4	6	7	39
13-19 YRS	87	3.6	7	<1	1	3	5	7	10	12
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	2	3.5	13	<1	<1	3	6	6	6	6
1-5 YRS	43	2.4	5	<1	<1	2	3	5	8	11
6-12 YRS	62	2.6	6	<1	<1	2	3	7	9	10
13-19 YRS	64	5.1	18	1	1	4	7	11	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256	2.6	6	1	1	2	3	5	7	12
B. *Operated*	272	2.1	4	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	289	3.3	18	<1	1	2	4	6	8	13
B. *Operated*	172	3.5	12	<1	1	2	4	8	11	17
1. SINGLE DX	528	2.3	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX	461	3.4	15	<1	1	2	4	7	10	15
A. NOT OPERATED	545	3.0	13	1	1	2	3	6	7	13
B. OPERATED	444	2.6	7	<1	<1	2	3	6	9	12
TOTAL 0-27 DYS	5	3.8	11	1	1	3	6	9	9	9
1-11 MOS	14	3.3	8	<1	<1	2	4	7	9	10
1-5 YRS	277	2.2	4	<1	<1	1	3	4	7	12
6-12 YRS	360	2.5	14	<1	<1	2	3	5	6	10
13-19 YRS	333	3.7	11	1	1	3	5	8	10	16
GRAND TOTAL	**989**	**2.8**	**10**	**<1**	**1**	**2**	**3**	**6**	**8**	**13**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	6.0	61	1	1	2	12	15	15	15
1-11 MOS	11	2.9	3	1	1	2	4	6	6	6
1-5 YRS	72	3.0	5	<1	1	2	4	6	8	10
6-12 YRS	87	3.4	5	1	1	3	4	7	8	11
13-19 YRS	100	3.0	5	<1	1	2	4	6	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS	10	3.4	8	1	1	2	5	8	10	10
1-5 YRS	188	2.1	3	<1	<1	2	2	4	6	10
6-12 YRS	336	2.1	2	<1	1	2	2	3	5	9
13-19 YRS	695	2.5	4	<1	1	2	3	4	5	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	3.3	9	1	1	2	5	8	9	9
1-11 MOS	23	4.3	18	<1	1	3	5	8	17	17
1-5 YRS	71	4.0	10	<1	1	4	5	7	10	20
6-12 YRS	75	4.4	10	1	1	3	5	9	12	15
13-19 YRS	140	4.4	10	1	1	3	6	8	11	15
B. *Operated*										
0-27 DYS										
1-11 MOS	7	5.9	35	<1	<1	5	7	16	18	18
1-5 YRS	60	3.1	16	<1	1	2	3	6	8	27
6-12 YRS	81	3.7	13	1	1	2	5	9	12	75
13-19 YRS	165	4.4	19	1	1	3	5	9	11	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	3.2	5	1	1	2	4	6	8	11
B. *Operated*	1229	2.3	3	<1	1	2	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	316	4.2	10	1	1	3	5	8	11	16
B. *Operated*	313	4.0	17	1	1	2	5	9	11	28
1. SINGLE DX	1502	2.5	4	<1	1	2	3	4	6	10
2. MULTIPLE DX	629	4.1	14	1	1	3	5	8	11	21
A. NOT OPERATED	589	3.7	8	1	1	3	5	7	9	15
B. OPERATED	1542	2.7	7	<1	1	2	3	5	7	13
TOTAL 0-27 DYS	10	4.1	21	1	1	2	5	12	15	15
1-11 MOS	51	4.1	15	1	1	3	5	7	16	18
1-5 YRS	391	2.8	7	<1	<1	2	3	5	8	11
6-12 YRS	579	2.8	6	<1	1	2	3	6	8	13
13-19 YRS	1100	3.1	8	1	1	2	3	6	8	14
GRAND TOTAL	**2131**	**3.0**	**7**	**<1**	**1**	**2**	**3**	**6**	**8**	**14**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	11.0	7	8	8	12	13	13	13	13
1-5 YRS	6	8.7	42	3	3	7	12	19	20	20
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	3	10.7	252	1	1	2	22	29	29	29
1-5 YRS	27	5.3	62	<1	1	2	4	15	24	36
6-12 YRS	28	5.2	45	1	1	3	5	15	20	30
13-19 YRS	60	5.2	34	<1	1	3	6	14	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	5	5.8	11	2	2	6	7	11	11	11
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	22.0		22	22	22	22	22	22	22
13-19 YRS	4	5.0	14	<1	<1	4	7	10	10	10
B. *Operated*										
0-27 DYS	3	14.7	86	4	4	20	60	99+	99+	99+
1-11 MOS	3	19.3	306	2	2	28	68	99+	99+	99+
1-5 YRS	23	7.2	56	<1	1	4	10	16	26	30
6-12 YRS	26	6.6	70	1	2	3	8	13	26	40
13-19 YRS	53	7.2	73	<1	1	4	11	22	32	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	6.7	33	<1	1	5	12	14	19	20
B. *Operated*	118	5.4	46	1	1	3	5	15	21	32
2. MULTIPLE DX										
A. *Not Operated*	12	6.8	31	<1	1	5	8	14	21	22
B. *Operated*	108	7.6	76	1	1	4	11	23	33	99+
1. SINGLE DX	132	5.5	45	1	1	3	6	15	20	31
2. MULTIPLE DX	120	7.5	72	1	1	4	11	22	32	99+
A. NOT OPERATED	26	6.8	31	<1	1	5	10	13	20	22
B. OPERATED	226	6.4	62	1	1	3	8	19	30	99+
TOTAL 0-27 DYS	4	12.8	72	4	4	19	41	99+	99+	99+
1-11 MOS	14	10.9	117	1	2	8	17	37	84	99+
1-5 YRS	57	6.4	56	1	1	3	8	16	23	36
6-12 YRS	57	6.0	59	1	1	3	6	16	22	39
13-19 YRS	120	6.0	50	<1	1	3	7	17	24	52
GRAND TOTAL	**252**	**6.5**	**58**	**1**	**1**	**3**	**8**	**19**	**28**	**97**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	3.7	5	1	1	3	5	7	7	7
1-11 MOS	5	4.8	2	4	4	4	5	7	7	7
1-5 YRS	7	1.4		<1	<1	1	2	2	2	2
6-12 YRS	109	2.8	3	1	1	2	4	5	6	10
13-19 YRS	391	3.1	6	1	1	3	4	5	6	12
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	3	2.0		2	2	2	2	2	2	2
13-19 YRS	13	3.9	9	2	2	3	4	7	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	4.5	3	2	3	4	5	7	9	9
1-11 MOS	22	5.1	11	1	2	4	8	10	12	13
1-5 YRS	20	4.4	10	1	1	4	6	9	11	12
6-12 YRS	108	3.3	3	1	1	3	4	6	7	10
13-19 YRS	446	3.8	8	1	1	3	5	7	9	17
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.3	7	2	2	3	6	8	8	8
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	8	6.0	14	2	2	5	9	11	11	11
13-19 YRS	29	5.6	50	1	2	3	5	11	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	519	3.0	6	1	1	2	4	5	6	12
B. *Operated*	20	3.4	7	1	2	3	4	6	9	13
2. MULTIPLE DX										
A. *Not Operated*	609	3.8	7	1	1	3	5	7	9	14
B. *Operated*	42	5.7	37	1	2	4	7	11	16	35
1. SINGLE DX	539	3.0	6	1	1	2	4	5	6	12
2. MULTIPLE DX	651	3.9	9	1	1	3	5	7	9	17
A. NOT OPERATED	1128	3.5	7	1	1	3	4	6	8	13
B. OPERATED	62	4.9	28	1	2	3	5	11	12	33
TOTAL 0-27 DYS	22	4.0	4	1	2	4	5	6	8	9
1-11 MOS	32	4.8	9	1	2	4	7	9	11	13
1-5 YRS	29	3.9	10	1	1	3	5	9	10	12
6-12 YRS	228	3.2	4	1	1	3	4	6	7	11
13-19 YRS	879	3.6	9	1	1	3	4	6	8	15
GRAND TOTAL	**1190**	**3.5**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	104	4.2	27	<1	1	3	4	8	14	28
1-11 MOS	398	3.9	17	1	1	3	5	9	12	21
1-5 YRS	157	2.5	3	<1	1	2	3	5	5	11
6-12 YRS	54	3.0	4	1	1	2	4	6	8	9
13-19 YRS	138	2.7	4	1	1	2	3	5	7	11
B. *Operated*										
0-27 DYS	2	19.5	685	1	1	19	38	38	38	38
1-11 MOS	18	4.2	34	1	1	2	4	10	20	25
1-5 YRS	14	2.1	2	<1	1	2	3	4	5	6
6-12 YRS	29	3.7	15	1	1	2	5	9	14	16
13-19 YRS	46	4.2	13	1	1	3	5	8	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	75	5.3	46	1	1	3	6	10	12	46
1-11 MOS	495	4.9	22	1	1	3	6	10	13	23
1-5 YRS	238	3.6	10	1	1	3	4	7	8	18
6-12 YRS	109	4.0	10	1	1	3	5	8	10	18
13-19 YRS	223	4.5	31	1	1	3	5	8	12	29
B. *Operated*										
0-27 DYS	4	7.0	12	4	4	7	10	10	10	10
1-11 MOS	33	10.3	61	1	2	10	16	30	83	99+
1-5 YRS	21	7.4	41	1	2	4	11	18	22	23
6-12 YRS	20	6.6	30	<1	1	5	10	15	18	18
13-19 YRS	62	5.7	26	1	2	4	7	10	12	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	851	3.4	13	1	1	2	4	7	10	20
B. *Operated*	109	4.1	26	1	1	2	5	8	14	30
2. MULTIPLE DX										
A. *Not Operated*	1140	4.5	22	1	1	3	5	9	12	22
B. *Operated*	140	7.2	39	1	2	5	10	17	22	99+
1. SINGLE DX	960	3.5	15	1	1	2	4	7	10	21
2. MULTIPLE DX	1280	4.8	25	1	1	3	6	10	13	24
A. NOT OPERATED	1991	4.0	18	1	1	3	5	8	11	21
B. OPERATED	249	5.8	36	1	1	4	8	13	18	38
TOTAL 0-27 DYS	185	4.9	40	1	1	3	5	10	14	35
1-11 MOS	944	4.6	23	1	1	3	5	10	13	25
1-5 YRS	430	3.3	10	1	1	2	4	6	8	19
6-12 YRS	212	3.9	12	1	1	3	5	8	10	18
13-19 YRS	469	4.1	21	1	1	3	5	8	10	21
GRAND TOTAL	**2240**	**4.2**	**21**	**1**	**1**	**3**	**5**	**9**	**12**	**23**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	107	2.3	5	1	1	2	3	4	4	13
6-12 YRS	144	2.8	57	1	1	2	3	4	5	11
13-19 YRS	234	2.7	3	1	1	2	3	5	7	9
B. *Operated*										
0-27 DYS	2	6.0	32	2	2	6	10	10	10	10
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	282	2.0	31	<1	<1	1	2	3	3	7
6-12 YRS	781	1.9	6	<1	1	1	2	3	4	13
13-19 YRS	251	2.7	8	<1	1	2	3	5	7	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	10	2.7	3	1	1	2	3	5	6	6
1-5 YRS	111	3.1	7	1	1	2	4	6	8	16
6-12 YRS	151	3.0	6	1	1	2	4	6	8	13
13-19 YRS	201	3.6	7	1	1	3	5	7	9	13
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	4	1.8	1	1	1	2	2	3	3	3
1-5 YRS	334	2.1	4	<1	1	2	2	3	4	10
6-12 YRS	724	2.2	7	<1	1	2	2	4	5	14
13-19 YRS	239	3.4	11	1	1	2	4	7	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	489	2.6	19	1	1	2	3	4	5	9
B. *Operated*	1317	2.0	12	<1	1	1	2	3	4	13
2. MULTIPLE DX										
A. *Not Operated*	475	3.3	7	1	1	3	4	7	8	13
B. *Operated*	1302	2.4	7	<1	1	2	3	4	6	15
1. SINGLE DX	1806	2.2	14	<1	1	2	2	4	5	12
2. MULTIPLE DX	1777	2.6	7	1	1	2	3	5	7	15
A. NOT OPERATED	964	3.0	13	1	1	2	4	5	7	12
B. OPERATED	2619	2.2	10	<1	1	2	2	4	5	15
TOTAL 0-27 DYS	7	4.0	9	1	1	3	5	9	10	10
1-11 MOS	17	2.4	2	<1	1	2	3	5	6	6
1-5 YRS	834	2.2	14	<1	1	2	2	4	5	10
6-12 YRS	1800	2.2	10	<1	1	2	2	4	5	13
13-19 YRS	925	3.1	7	1	1	2	4	6	8	15
GRAND TOTAL	**3583**	**2.4**	**11**	**<1**	**1**	**2**	**3**	**4**	**6**	**14**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	51	2.8	3	1	1	2	4	5	6	7
1-11 MOS	186	2.8	4	1	1	2	3	4	6	13
1-5 YRS	686	2.4	3	1	1	2	3	4	5	9
6-12 YRS	3985	2.6	5	1	1	2	3	5	6	10
13-19 YRS	6555	2.9	6	1	1	2	4	5	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.0	1	2	2	3	4	4	4	4
1-5 YRS	23	2.7	1	1	1	3	3	4	5	5
6-12 YRS	325	4.1	7	1	2	3	5	7	9	15
13-19 YRS	972	4.5	10	1	2	4	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	31	3.9	19	1	1	3	4	8	12	23
1-11 MOS	133	3.5	10	1	1	3	4	6	8	22
1-5 YRS	456	2.7	3	1	1	2	3	5	6	8
6-12 YRS	1965	3.1	7	1	1	3	4	6	7	13
13-19 YRS	4071	3.5	11	1	1	3	4	7	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.5	25	2	2	5	9	9	9	9
1-5 YRS	36	5.3	9	2	2	4	7	9	12	13
6-12 YRS	222	4.7	11	2	2	4	5	9	11	14
13-19 YRS	782	5.6	18	1	2	5	7	10	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11463	2.7	6	1	1	2	3	5	6	11
B. *Operated*	1324	4.4	9	1	2	4	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	6656	3.3	10	1	1	3	4	6	8	13
B. *Operated*	1042	5.4	17	1	2	4	6	10	12	19
1. SINGLE DX	12787	2.9	6	1	1	2	4	5	7	12
2. MULTIPLE DX	7698	3.6	11	1	1	3	4	7	9	15
A. NOT OPERATED	18119	3.0	7	1	1	2	4	5	7	12
B. OPERATED	2366	4.8	13	1	2	4	6	9	11	18
TOTAL 0-27 DYS	82	3.2	9	1	1	3	4	5	8	19
1-11 MOS	325	3.1	6	1	1	3	4	5	6	14
1-5 YRS	1201	2.6	4	1	1	2	3	4	6	10
6-12 YRS	6497	2.9	6	1	1	2	4	5	7	12
13-19 YRS	12380	3.4	10	1	1	3	4	6	8	14
GRAND TOTAL	**20485**	**3.2**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	97	2.9	4	1	1	2	3	5	6	13
1-11 MOS	302	3.4	6	1	1	3	4	6	8	11
1-5 YRS	223	3.0	5	1	1	2	4	6	8	12
6-12 YRS	230	3.6	12	1	1	3	4	6	9	24
13-19 YRS	223	3.5	8	1	1	3	4	6	8	14
B. *Operated*										
0-27 DYS	2	5.0		5	5	5	5	5	5	5
1-11 MOS	9	4.8	6	2	2	5	7	8	9	9
1-5 YRS	21	2.4	3	<1	1	2	3	4	7	8
6-12 YRS	28	4.4	15	<1	<1	3	6	9	11	18
13-19 YRS	58	5.8	39	1	1	4	8	13	17	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	86	4.5	20	1	1	3	5	8	12	28
1-11 MOS	590	4.0	14	1	1	3	5	7	10	20
1-5 YRS	643	3.4	10	1	1	3	4	6	7	20
6-12 YRS	476	3.7	12	1	1	3	4	7	10	19
13-19 YRS	442	4.1	11	1	1	3	5	8	10	16
B. *Operated*										
0-27 DYS	5	6.2	20	3	3	5	7	14	14	14
1-11 MOS	22	8.5	77	1	1	6	10	25	28	32
1-5 YRS	31	5.0	10	1	1	5	7	10	11	14
6-12 YRS	41	5.1	21	<1	1	3	7	11	13	24
13-19 YRS	87	7.8	58	1	2	6	9	13	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1075	3.3	8	1	1	3	4	6	8	14
B. *Operated*	118	4.8	25	<1	1	3	6	9	15	27
2. MULTIPLE DX										
A. *Not Operated*	2237	3.8	12	1	1	3	4	7	9	19
B. *Operated*	186	6.8	44	1	2	5	8	12	18	39
1. SINGLE DX	1193	3.5	10	1	1	3	4	6	9	16
2. MULTIPLE DX	2423	4.0	15	1	1	3	5	8	10	22
A. NOT OPERATED	3312	3.6	11	1	1	3	4	7	9	17
B. OPERATED	304	6.0	38	1	1	5	8	11	16	37
TOTAL 0-27 DYS	190	3.7	13	1	1	3	4	6	9	22
1-11 MOS	923	3.9	13	1	1	3	5	7	9	21
1-5 YRS	918	3.3	9	1	1	3	4	6	8	15
6-12 YRS	775	3.7	12	1	1	3	4	7	10	20
13-19 YRS	810	4.4	19	1	1	3	5	9	11	23
GRAND TOTAL	**3616**	**3.8**	**13**	**1**	**1**	**3**	**5**	**7**	**10**	**20**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	830	3.9	20	1	1	3	4	6	9	22
1-11 MOS	2098	5.2	23	1	1	4	6	10	14	23
1-5 YRS	1295	3.7	21	1	1	3	4	7	10	22
6-12 YRS	1223	3.3	14	1	1	3	4	6	8	16
13-19 YRS	2585	3.9	25	1	1	3	4	7	9	26
B. *Operated*										
0-27 DYS	11	5.5	33	<1	1	4	6	14	20	21
1-11 MOS	66	5.2	27	1	1	3	6	12	17	24
1-5 YRS	160	4.3	41	<1	1	2	4	9	15	45
6-12 YRS	190	3.2	13	<1	<1	2	3	6	10	20
13-19 YRS	409	4.1	33	1	1	2	4	8	13	38
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	556	5.7	28	1	2	4	7	11	16	28
1-11 MOS	2467	7.0	45	1	2	5	8	14	19	33
1-5 YRS	1408	4.7	27	1	1	3	5	9	14	26
6-12 YRS	973	3.8	9	1	1	3	5	7	9	15
13-19 YRS	2507	4.2	16	1	1	3	5	7	9	18
B. *Operated*										
0-27 DYS	21	12.5	162	2	3	9	17	24	40	58
1-11 MOS	121	11.7	134	1	2	9	17	26	57	99+
1-5 YRS	123	8.8	154	1	2	4	10	21	39	81
6-12 YRS	111	4.2	14	1	1	3	6	9	12	52
13-19 YRS	298	5.7	44	1	1	4	7	12	18	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8031	4.1	22	1	1	3	5	7	11	23
B. *Operated*	836	4.1	30	<1	1	2	4	8	14	37
2. MULTIPLE DX										
A. *Not Operated*	7911	5.2	29	1	1	4	6	10	14	26
B. *Operated*	674	7.3	86	1	1	4	9	18	25	99+
1. SINGLE DX	8867	4.1	23	1	1	3	5	8	11	24
2. MULTIPLE DX	8585	5.4	34	1	1	4	6	11	15	29
A. NOT OPERATED	15942	4.6	26	1	1	3	5	9	13	25
B. OPERATED	1510	5.5	57	1	1	3	6	13	19	58
TOTAL 0-27 DYS	1418	4.7	27	1	1	3	5	9	14	25
1-11 MOS	4752	6.3	39	1	2	4	8	13	18	30
1-5 YRS	2986	4.4	31	1	1	3	5	9	13	28
6-12 YRS	2497	3.5	12	1	1	3	4	6	8	17
13-19 YRS	5799	4.1	23	1	1	3	5	7	10	25
GRAND TOTAL	**17452**	**4.7**	**29**	**1**	**1**	**3**	**5**	**9**	**13**	**27**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	62	2.9	10	1	1	2	3	5	7	21
1-11 MOS	799	2.3	3	1	1	2	3	4	5	9
1-5 YRS	613	2.3	3	1	1	2	3	4	6	9
6-12 YRS	346	3.0	6	1	1	2	4	6	8	12
13-19 YRS	186	5.2	45	1	1	3	6	10	15	38
B. *Operated*										
0-27 DYS	3	15.3	58	7	7	17	21	22	22	22
1-11 MOS	52	4.4	10	1	1	3	6	10	11	12
1-5 YRS	110	6.0	27	2	2	5	8	11	14	30
6-12 YRS	151	6.7	63	2	2	5	8	11	16	37
13-19 YRS	111	8.7	142	2	2	6	9	14	22	78
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	19	6.5	48	1	1	4	8	18	24	26
1-11 MOS	419	3.9	13	1	1	3	5	8	11	18
1-5 YRS	503	3.5	16	1	1	2	4	7	10	21
6-12 YRS	353	3.8	9	1	1	3	5	7	9	15
13-19 YRS	351	5.8	33	1	1	4	7	11	17	28
B. *Operated*										
0-27 DYS	4	20.0	395	4	4	13	32	49	49	49
1-11 MOS	39	10.4	112	1	2	8	11	26	40	43
1-5 YRS	141	10.6	143	1	2	7	11	24	35	74
6-12 YRS	160	11.1	226	1	2	7	11	27	41	94
13-19 YRS	311	14.7	264	2	3	10	19	42	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2006	2.7	8	1	1	2	3	5	7	13
B. *Operated*	427	6.8	70	1	2	5	8	11	16	45
2. MULTIPLE DX										
A. *Not Operated*	1645	4.2	19	1	1	3	5	8	11	23
B. *Operated*	655	12.7	223	1	2	8	15	34	52	99+
1. SINGLE DX	2433	3.4	22	1	1	2	4	7	9	18
2. MULTIPLE DX	2300	6.6	92	1	1	4	7	14	24	69
A. NOT OPERATED	3651	3.4	14	1	1	2	4	7	9	18
B. OPERATED	1082	10.4	171	1	2	7	11	24	41	99+
TOTAL 0-27 DYS	88	4.9	49	1	1	2	5	11	22	40
1-11 MOS	1309	3.1	12	1	1	2	4	6	9	15
1-5 YRS	1367	3.9	30	1	1	2	4	8	11	30
6-12 YRS	1010	5.1	58	1	1	3	6	9	13	40
13-19 YRS	959	8.9	140	1	1	5	10	21	38	99+
GRAND TOTAL	**4733**	**5.0**	**58**	**1**	**1**	**3**	**5**	**10**	**15**	**45**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	1.9	1	1	1	2	2	4	4	4
1-11 MOS	118	2.2	4	1	1	2	3	4	5	12
1-5 YRS	314	2.4	8	1	1	2	3	4	6	23
6-12 YRS	316	3.1	9	1	1	2	4	6	8	13
13-19 YRS	239	4.6	17	1	1	3	6	9	12	22
B. *Operated*										
0-27 DYS										
1-11 MOS	5	8.0	20	2	2	9	11	13	13	13
1-5 YRS	21	6.7	16	2	2	6	9	13	15	15
6-12 YRS	33	5.2	10	2	2	4	8	9	9	15
13-19 YRS	58	5.4	32	1	1	4	6	12	14	34
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	75	4.9	28	1	1	3	6	12	17	82
1-5 YRS	209	4.2	21	1	1	3	5	8	12	27
6-12 YRS	245	5.0	20	1	1	4	6	10	15	22
13-19 YRS	392	6.5	54	1	2	4	8	12	16	42
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	11.8	77	5	5	10	14	27	27	27
1-5 YRS	43	9.1	129	1	2	5	12	24	47	99+
6-12 YRS	93	10.6	123	1	2	7	13	34	37	99+
13-19 YRS	256	13.9	231	1	2	9	17	39	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	996	3.1	10	1	1	2	4	6	9	19
B. *Operated*	117	5.7	22	1	2	4	8	11	14	26
2. MULTIPLE DX										
A. *Not Operated*	922	5.4	36	1	1	4	6	11	16	32
B. *Operated*	398	12.5	195	1	2	8	16	36	58	99+
1. SINGLE DX	1113	3.4	12	1	1	2	4	7	9	19
2. MULTIPLE DX	1320	7.6	95	1	1	4	9	17	30	75
A. NOT OPERATED	1918	4.2	24	1	1	3	5	9	12	27
B. OPERATED	515	11.0	164	1	2	7	14	30	48	99+
TOTAL 0-27 DYS	11	1.8	1	1	1	2	2	3	4	4
1-11 MOS	203	3.6	18	1	1	2	4	9	12	28
1-5 YRS	587	3.7	25	1	1	2	4	7	12	37
6-12 YRS	687	4.9	34	1	1	3	6	9	16	35
13-19 YRS	945	7.9	105	1	1	5	9	16	30	75
GRAND TOTAL	**2433**	**5.7**	**61**	**1**	**1**	**3**	**6**	**12**	**19**	**58**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	25	1.8	1	<1	<1	2	2	3	4	5
6-12 YRS	92	2.3	4	<1	<1	2	3	5	7	61
13-19 YRS	264	2.0	4	<1	<1	1	2	4	5	8
B. *Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	5	2.4	7	<1	<1	1	3	7	7	7
1-5 YRS	153	2.1	4	<1	<1	1	2	4	7	10
6-12 YRS	1076	1.9	3	<1	<1	2	2	3	4	8
13-19 YRS	4072	2.6	4	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	4.0	12	1	1	3	6	9	10	10
1-5 YRS	51	2.9	6	<1	1	2	3	5	9	13
6-12 YRS	106	2.9	9	1	1	2	3	6	8	19
13-19 YRS	454	3.1	17	<1	1	2	3	6	9	21
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	7	10.4	131	1	2	7	12	31	35	35
1-5 YRS	146	4.1	20	1	1	3	5	8	11	24
6-12 YRS	583	3.6	19	1	1	2	4	7	9	24
13-19 YRS	3128	4.7	34	1	1	3	5	9	12	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	383	2.1	4	<1	<1	2	2	4	6	9
B. *Operated*	5308	2.4	4	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	619	3.1	15	<1	1	2	3	6	8	20
B. *Operated*	3865	4.5	32	1	1	3	5	8	11	32
1. SINGLE DX	5691	2.4	4	<1	1	2	3	4	6	10
2. MULTIPLE DX	4484	4.3	30	1	1	3	5	8	11	31
A. NOT OPERATED	1002	2.7	11	<1	<1	2	3	5	7	15
B. OPERATED	9173	3.3	17	<1	1	2	4	6	9	17
TOTAL 0-27 DYS	3	2.7		2	2	3	3	3	3	3
1-11 MOS	22	5.5	55	<1	<1	3	7	11	22	35
1-5 YRS	375	3.0	11	<1	<1	2	3	6	9	16
6-12 YRS	1857	2.5	9	<1	<1	2	3	5	7	13
13-19 YRS	7918	3.4	18	<1	1	2	4	6	9	18
GRAND TOTAL	**10175**	**3.2**	**16**	**<1**	**1**	**2**	**4**	**6**	**9**	**17**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	11.0	8	9	9	11	13	13	13	13
1-11 MOS	9	5.7	25	1	1	4	9	14	14	14
1-5 YRS	23	6.5	91	1	1	3	8	12	26	47
6-12 YRS	209	4.1	10	1	1	3	5	8	10	16
13-19 YRS	1141	6.1	35	1	2	5	7	11	15	32
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	8.5	61	3	3	8	14	14	14	14
6-12 YRS	10	18.3	409	1	4	10	16	54	66	66
13-19 YRS	146	16.3	239	2	4	11	20	40	49	75
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.0		6	6	6	6	6	6	6
1-11 MOS	8	9.3	66	1	2	5	17	21	21	21
1-5 YRS	19	7.4	27	1	1	7	11	15	17	18
6-12 YRS	70	4.7	10	2	2	4	6	7	9	20
13-19 YRS	958	7.0	49	1	2	5	8	13	18	47
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	19	14.5	113	2	3	14	20	24	36	46
13-19 YRS	455	17.6	248	2	4	13	25	43	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1384	5.8	33	1	2	4	7	11	14	29
B. *Operated*	158	16.3	246	2	4	11	20	42	50	74
2. MULTIPLE DX										
A. *Not Operated*	1057	6.9	46	1	2	5	8	13	18	44
B. *Operated*	476	17.4	242	2	4	13	24	43	56	99+
1. SINGLE DX	1542	6.9	65	1	2	5	8	13	20	47
2. MULTIPLE DX	1533	10.2	131	2	2	6	12	24	38	72
A. NOT OPERATED	2441	6.3	39	1	2	5	8	12	16	37
B. OPERATED	634	17.2	243	2	4	12	24	43	52	99+
TOTAL 0-27 DYS	4	8.5	11	6	6	8	11	13	13	13
1-11 MOS	18	7.2	42	1	1	5	13	18	21	21
1-5 YRS	45	7.1	58	1	1	5	10	14	16	47
6-12 YRS	308	5.3	39	1	1	4	6	10	15	32
13-19 YRS	2700	8.9	107	1	2	6	10	19	32	60
GRAND TOTAL	**3075**	**8.5**	**100**	**1**	**2**	**5**	**9**	**18**	**30**	**57**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	3	2.7	2	1	1	3	4	4	4	4
13-19 YRS	54	7.7	74	1	1	6	10	18	46	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	29.0	364	9	9	31	43	47	47	47
13-19 YRS	51	17.5	137	2	4	15	22	35	49	99
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	12.5	265	1	1	12	24	24	24	24
6-12 YRS	5	11.6	205	3	3	5	15	37	37	37
13-19 YRS	56	17.6	451	2	3	11	27	84	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	29.0		29	29	29	29	29	29	29
1-5 YRS	1	42.0		42	42	42	42	42	42	42
6-12 YRS	1	81.0		81	81	90	99+	99+	99+	99+
13-19 YRS	107	42.5	576	10	17	53	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	7.4	70	1	1	6	10	18	43	99+
B. *Operated*	54	18.2	150	2	4	16	25	38	49	98
2. MULTIPLE DX										
A. *Not Operated*	63	17.0	421	1	3	10	27	75	99+	99+
B. *Operated*	110	42.7	575	10	18	53	99+	99+	99+	99+
1. SINGLE DX	112	12.6	137	1	2	10	18	33	49	99+
2. MULTIPLE DX	173	33.3	670	3	5	39	82	99+	99+	99+
A. NOT OPERATED	121	12.4	274	1	2	7	14	49	92	99+
B. OPERATED	164	34.6	567	6	10	38	81	99+	99+	99+
TOTAL 0-27 DYS										
1-11 MOS	1	29.0		29	29	29	29	29	29	29
1-5 YRS	4	18.0	357	1	1	14	33	42	42	42
6-12 YRS	12	19.5	615	1	2	8	39	85	97	99+
13-19 YRS	268	25.5	566	2	3	22	57	99+	99+	99+
GRAND TOTAL	**285**	**25.2**	**562**	**2**	**3**	**22**	**56**	**99+**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	4.5	6	2	2	4	6	8	8	8
1-5 YRS	13	3.5	6	1	1	3	5	7	9	9
6-12 YRS	28	2.6	2	1	1	2	4	5	6	6
13-19 YRS	99	2.6	3	<1	1	2	3	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	10	5.5	9	2	2	5	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	12	5.5	14	1	2	4	6	11	14	15
1-5 YRS	27	4.1	8	1	1	4	5	9	10	12
6-12 YRS	64	3.7	12	1	1	3	5	7	9	22
13-19 YRS	385	4.4	13	1	1	3	6	9	11	19
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	3	8.0	27	2	2	11	11	11	11	11
6-12 YRS	32	8.6	155	1	2	5	8	17	33	66
13-19 YRS	207	9.6	86	1	2	7	12	20	26	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	2.8	3	<1	1	2	4	5	6	10
B. *Operated*	10	5.5	9	2	2	5	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	489	4.3	13	1	1	3	6	9	11	18
B. *Operated*	244	9.4	93	1	2	7	11	20	26	66
1. SINGLE DX	155	2.9	4	<1	1	2	4	5	7	10
2. MULTIPLE DX	733	6.0	45	1	1	4	7	12	17	32
A. NOT OPERATED	634	4.0	11	1	1	3	5	8	10	15
B. OPERATED	254	9.3	91	1	2	7	11	19	26	66
TOTAL 0-27 DYS	3	4.0	4	2	2	4	5	6	6	6
1-11 MOS	17	5.8	17	1	2	4	7	14	15	15
1-5 YRS	43	4.2	9	1	1	4	5	9	11	12
6-12 YRS	124	4.7	51	1	1	3	6	8	11	42
13-19 YRS	701	5.7	40	1	1	4	7	11	16	30
GRAND TOTAL	**888**	**5.5**	**39**	**1**	**1**	**4**	**7**	**11**	**15**	**31**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	11.0	49	6	6	8	16	19	19	19
1-5 YRS	28	5.6	45	1	1	4	6	14	19	33
6-12 YRS	118	5.8	16	1	2	5	8	11	13	20
13-19 YRS	455	7.8	69	1	2	5	9	14	20	48
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	7.0	10	3	3	7	9	10	10	10
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	30	13.7	170	1	2	8	19	35	46	47
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	7.0	32	3	3	7	11	11	11	11
1-5 YRS	53	7.9	83	1	2	6	9	15	26	45
6-12 YRS	132	7.7	37	2	2	6	10	16	19	31
13-19 YRS	602	11.2	104	2	3	8	14	23	33	51
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	12.1	116	3	3	10	14	29	39	39
6-12 YRS	39	19.8	178	3	7	16	29	42	50	99+
13-19 YRS	383	21.7	307	4	5	16	31	51	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	605	7.3	58	1	2	5	9	14	18	46
B. *Operated*	35	12.7	153	1	3	8	18	34	43	47
2. MULTIPLE DX										
A. *Not Operated*	789	10.4	93	2	3	8	13	21	29	48
B. *Operated*	432	21.3	292	4	5	16	30	49	65	99+
1. SINGLE DX	640	7.6	64	1	2	5	9	14	20	46
2. MULTIPLE DX	1221	14.3	190	2	3	10	19	36	46	81
A. NOT OPERATED	1394	9.1	80	2	2	6	11	18	26	47
B. OPERATED	467	20.7	287	3	5	15	30	47	61	99+
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	9.4	37	3	3	8	13	19	19	19
1-5 YRS	95	7.6	74	1	2	5	9	16	25	45
6-12 YRS	290	8.6	67	1	2	6	11	17	26	43
13-19 YRS	1470	12.9	176	2	3	8	16	32	45	78
GRAND TOTAL	**1861**	**12.0**	**157**	**2**	**3**	**8**	**14**	**29**	**42**	**73**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	7.0	8	5	5	7	9	9	9	9
1-11 MOS	46	4.4	14	1	1	3	3	10	12	17
1-5 YRS	286	3.8	24	1	1	2	3	11	16	21
6-12 YRS	472	3.7	28	1	1	2	3	11	19	24
13-19 YRS	241	4.5	39	<1	1	2	4	11	18	32
B. *Operated*										
0-27 DYS	4	4.5	6	2	2	4	6	8	8	8
1-11 MOS	16	2.3	3	1	1	2	3	4	7	8
1-5 YRS	1092	5.0	31	1	1	3	6	15	18	22
6-12 YRS	2337	5.0	35	1	1	3	5	15	19	25
13-19 YRS	1309	4.9	35	1	1	3	5	11	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	8.5	104	<1	<1	3	16	25	26	26
1-11 MOS	35	8.0	43	1	2	6	11	16	24	28
1-5 YRS	74	5.6	47	1	1	3	8	13	16	42
6-12 YRS	132	6.3	70	1	1	3	7	17	24	42
13-19 YRS	161	4.9	52	<1	1	3	5	9	15	51
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	15	9.9	96	2	2	6	10	23	34	38
1-5 YRS	247	7.5	56	1	1	4	12	20	23	36
6-12 YRS	688	7.7	68	1	1	4	11	20	24	33
13-19 YRS	673	8.9	130	1	2	5	10	23	35	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1047	4.0	29	<1	1	2	4	11	17	24
B. *Operated*	4758	5.0	34	1	1	3	5	14	19	26
2. MULTIPLE DX										
A. *Not Operated*	408	5.8	57	1	1	3	6	14	20	43
B. *Operated*	1624	8.2	92	1	1	4	10	21	26	51
1. SINGLE DX	5805	4.8	33	1	1	3	5	14	19	25
2. MULTIPLE DX	2032	7.7	86	1	1	4	10	19	26	50
A. NOT OPERATED	1455	4.5	37	1	1	2	4	12	17	29
B. OPERATED	6382	5.8	51	1	1	3	6	16	21	32
TOTAL 0-27 DYS	13	7.4	52	<1	1	4	10	18	24	26
1-11 MOS	112	6.0	38	1	1	4	7	12	17	32
1-5 YRS	1699	5.2	36	1	1	3	6	15	18	24
6-12 YRS	3629	5.4	43	1	1	3	6	16	20	27
13-19 YRS	2384	6.0	67	1	1	3	6	15	22	45
GRAND TOTAL	**7837**	**5.5**	**49**	**1**	**1**	**3**	**6**	**15**	**20**	**32**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	10	2.8	4	1	1	2	3	6	7	7
1-5 YRS	93	1.5	1	<1	<1	1	2	2	3	5
6-12 YRS	305	1.9	5	<1	1	1	2	3	4	12
13-19 YRS	246	2.5	29	<1	1	1	3	4	5	16
B. *Operated*										
0-27 DYS	4	2.0	1	1	1	2	3	3	3	3
1-11 MOS	21	1.7	1	1	1	1	2	3	4	4
1-5 YRS	1148	1.6	3	<1	1	1	2	2	3	8
6-12 YRS	5792	1.8	3	1	1	1	2	3	4	9
13-19 YRS	3421	2.7	8	1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	8.0		8	8	8	8	8	8	8
1-11 MOS	11	3.5	18	<1	<1	2	4	10	15	15
1-5 YRS	42	2.8	26	<1	<1	1	2	4	9	33
6-12 YRS	137	2.9	42	1	1	2	3	4	6	39
13-19 YRS	234	3.4	13	1	1	2	4	7	10	22
B. *Operated*										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	7	4.9	10	2	2	3	7	9	10	10
1-5 YRS	163	2.7	14	<1	1	2	3	6	7	25
6-12 YRS	1021	3.1	26	1	1	2	3	6	9	26
13-19 YRS	1321	6.1	76	1	1	4	7	12	19	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	655	2.1	13	<1	1	1	2	4	4	12
B. *Operated*	10386	2.1	5	1	1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	426	3.2	23	1	1	2	4	6	9	33
B. *Operated*	2514	4.7	54	1	1	3	5	10	15	42
1. SINGLE DX	11041	2.1	5	1	1	1	2	4	5	10
2. MULTIPLE DX	2940	4.5	50	1	1	2	5	9	14	39
A. NOT OPERATED	1081	2.5	18	<1	1	2	3	4	6	16
B. OPERATED	12900	2.6	15	1	1	2	3	5	7	18
TOTAL 0-27 DYS	9	3.3	8	<1	<1	2	5	8	8	8
1-11 MOS	49	2.8	7	1	1	2	3	7	8	15
1-5 YRS	1446	1.7	5	<1	1	1	2	3	4	10
6-12 YRS	7255	2.0	7	1	1	1	2	3	5	11
13-19 YRS	5222	3.6	29	1	1	2	4	7	10	25
GRAND TOTAL	**13981**	**2.6**	**16**	**1**	**1**	**2**	**3**	**5**	**7**	**18**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	13	2.6	2	1	1	3	3	4	5	5
6-12 YRS	49	2.4	4	<1	1	2	3	4	6	10
13-19 YRS	122	3.2	71	<1	<1	2	3	5	8	34
B. *Operated*										
0-27 DYS										
1-11 MOS	5	3.4	4	<1	<1	3	5	6	6	6
1-5 YRS	117	2.0	2	<1	1	1	2	4	5	8
6-12 YRS	667	2.0	16	<1	1	1	2	3	5	14
13-19 YRS	2546	2.2	8	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	7.5	40	1	1	6	12	16	16	16
1-5 YRS	18	2.4	3	1	1	2	4	5	6	7
6-12 YRS	32	2.2	3	<1	1	2	3	4	5	9
13-19 YRS	143	3.8	66	<1	1	2	4	7	10	23
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	88	3.1	18	1	1	2	3	6	8	27
6-12 YRS	218	3.1	10	1	1	2	3	6	9	18
13-19 YRS	1091	3.8	25	1	1	2	4	7	10	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	2.9	48	<1	1	2	3	5	7	11
B. *Operated*	3335	2.1	9	<1	1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	197	3.5	50	<1	1	2	4	7	9	18
B. *Operated*	1399	3.6	22	1	1	2	4	7	10	23
1. SINGLE DX	3520	2.2	11	<1	1	2	2	3	5	9
2. MULTIPLE DX	1596	3.6	26	1	1	2	4	7	10	22
A. NOT OPERATED	382	3.2	49	<1	1	2	3	6	8	17
B. OPERATED	4734	2.6	13	<1	1	2	3	4	6	16
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	11	4.5	20	<1	<1	3	6	11	16	16
1-5 YRS	236	2.5	8	1	1	2	3	4	6	14
6-12 YRS	966	2.3	14	<1	1	2	2	4	6	14
13-19 YRS	3902	2.7	17	<1	1	2	3	5	7	17
GRAND TOTAL	**5116**	**2.6**	**16**	**<1**	**1**	**2**	**3**	**4**	**7**	**16**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	10	9.6	112	<1	<1	5	21	26	28	28
1-5 YRS	72	14.7	110	1	1	16	21	29	32	42
6-12 YRS	71	21.8	195	2	3	22	28	42	53	90
13-19 YRS	67	16.1	404	1	2	5	24	49	56	89
B. *Operated*										
0-27 DYS	6	20.0	89	4	5	21	27	31	31	31
1-11 MOS	19	16.6	112	2	5	16	18	24	40	52
1-5 YRS	41	16.7	121	3	4	15	23	27	38	55
6-12 YRS	203	13.2	122	3	4	9	16	28	35	67
13-19 YRS	277	11.9	82	3	4	10	14	22	31	52
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	6	10.5	46	1	1	11	15	19	19	19
1-5 YRS	35	16.9	146	1	2	16	23	30	31	62
6-12 YRS	37	20.7	242	1	2	21	29	36	47	76
13-19 YRS	46	20.2	537	1	2	9	34	62	74	84
B. *Operated*										
0-27 DYS	6	20.7	149	6	6	19	31	36	37	37
1-11 MOS	12	18.2	145	<1	2	20	27	54	91	99+
1-5 YRS	40	18.4	138	4	5	16	23	31	45	55
6-12 YRS	75	19.8	188	4	6	16	30	43	49	89
13-19 YRS	323	24.4	316	5	8	20	32	53	63	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	221	17.1	236	1	2	16	25	40	49	71
B. *Operated*	546	13.0	103	3	4	10	16	26	33	55
2. MULTIPLE DX										
A. *Not Operated*	126	18.7	314	1	2	14	27	38	62	78
B. *Operated*	456	22.9	277	4	7	19	31	48	61	99+
1. SINGLE DX	767	14.2	144	2	3	11	19	29	41	59
2. MULTIPLE DX	582	22.0	288	3	5	17	30	47	61	96
A. NOT OPERATED	347	17.7	264	1	2	15	25	39	51	76
B. OPERATED	1002	17.5	206	3	5	13	23	37	50	79
TOTAL 0-27 DYS	15	17.1	131	2	4	16	26	31	36	37
1-11 MOS	47	14.7	118	1	1	16	20	27	43	99+
1-5 YRS	188	16.3	125	1	3	16	22	30	33	55
6-12 YRS	386	16.8	173	3	4	12	24	35	45	74
13-19 YRS	713	18.5	280	3	4	13	25	42	58	82
GRAND TOTAL	**1349**	**17.6**	**221**	**2**	**4**	**13**	**24**	**38**	**50**	**78**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	14.8	77	1	2	16	20	25	26	26
1-11 MOS	196	11.2	98	1	1	10	18	23	26	32
1-5 YRS	873	16.4	111	1	2	17	23	29	33	48
6-12 YRS	774	24.5	157	3	5	24	31	40	46	60
13-19 YRS	386	25.6	395	1	2	27	39	49	63	88
B. *Operated*										
0-27 DYS	3	12.0	49	5	5	12	17	19	19	19
1-11 MOS	78	9.7	68	1	1	8	16	22	25	27
1-5 YRS	509	14.3	117	1	2	14	22	28	34	42
6-12 YRS	658	20.7	185	2	3	22	30	37	41	59
13-19 YRS	1036	16.9	240	2	3	12	24	37	46	74
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	28.8	1124	3	3	17	48	78	78	78
1-11 MOS	81	11.6	89	1	2	11	17	23	27	46
1-5 YRS	310	18.6	126	2	3	20	25	30	39	54
6-12 YRS	302	24.9	212	2	4	25	32	42	49	72
13-19 YRS	254	31.0	381	2	3	33	44	55	61	83
B. *Operated*										
0-27 DYS	2	36.0	2048	4	4	36	68	68	68	68
1-11 MOS	24	11.8	76	2	3	9	17	26	27	28
1-5 YRS	192	19.4	127	2	4	21	26	33	36	48
6-12 YRS	454	26.3	227	3	6	26	35	47	53	93
13-19 YRS	1554	25.9	359	4	6	20	37	56	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2235	20.3	199	1	2	20	28	38	45	64
B. *Operated*	2284	17.2	198	2	2	15	25	35	41	65
2. MULTIPLE DX										
A. *Not Operated*	951	23.3	256	2	3	23	32	45	53	74
B. *Operated*	2226	25.3	315	4	6	21	35	51	63	99
1. SINGLE DX	4519	18.7	201	1	2	18	27	36	43	64
2. MULTIPLE DX	3177	24.7	298	3	4	22	34	49	59	93
A. NOT OPERATED	3186	21.2	218	1	2	21	29	40	48	67
B. OPERATED	4510	21.2	272	2	3	18	30	43	55	85
TOTAL 0-27 DYS	15	20.8	505	1	3	15	20	68	75	78
1-11 MOS	379	11.0	88	1	1	10	17	23	26	32
1-5 YRS	1884	16.5	120	1	2	17	24	29	34	48
6-12 YRS	2188	23.8	192	2	4	24	32	41	48	66
13-19 YRS	3230	23.4	348	2	4	18	35	50	61	92
GRAND TOTAL	**7696**	**21.2**	**250**	**2**	**3**	**20**	**29**	**42**	**51**	**78**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	3.3	4	2	2	3	4	6	6	6
1-11 MOS	16	3.3	19	<1	1	2	3	8	15	18
1-5 YRS	288	2.8	11	1	1	2	3	5	8	19
6-12 YRS	708	3.2	10	1	1	3	4	5	7	16
13-19 YRS	841	3.5	10	1	1	3	4	6	8	21
B. *Operated*										
0-27 DYS	5	4.4	12	1	1	3	6	10	10	10
1-11 MOS	9	5.1	11	1	1	6	8	9	9	9
1-5 YRS	310	2.9	9	<1	1	2	3	6	9	22
6-12 YRS	1467	4.2	19	1	1	3	5	8	11	21
13-19 YRS	2447	5.7	36	1	2	4	7	11	14	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	15	4.3	12	1	2	3	6	8	12	14
1-5 YRS	96	4.0	14	1	1	3	4	9	13	18
6-12 YRS	159	5.1	70	1	1	3	5	9	13	45
13-19 YRS	348	5.8	57	1	1	4	7	11	13	61
B. *Operated*										
0-27 DYS										
1-11 MOS	5	15.0	45	4	4	17	19	21	21	21
1-5 YRS	119	5.0	29	1	1	4	6	8	12	32
6-12 YRS	452	8.9	136	1	2	5	9	19	31	66
13-19 YRS	1500	12.0	188	2	3	8	13	26	44	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1857	3.2	10	1	1	2	4	6	8	19
B. *Operated*	4238	4.9	29	1	1	4	6	10	13	27
2. MULTIPLE DX										
A. *Not Operated*	618	5.3	53	1	1	4	6	10	13	39
B. *Operated*	2076	10.9	171	1	2	7	12	24	40	75
1. SINGLE DX	6095	4.4	24	1	1	3	5	9	12	24
2. MULTIPLE DX	2694	9.6	149	1	2	6	11	20	34	72
A. NOT OPERATED	2475	3.8	22	1	1	3	4	7	10	23
B. OPERATED	6314	6.9	84	1	1	4	8	14	21	56
TOTAL 0-27 DYS	9	3.9	8	1	1	3	5	8	10	10
1-11 MOS	45	5.3	29	1	1	3	7	14	18	21
1-5 YRS	813	3.3	14	1	1	2	4	7	10	22
6-12 YRS	2786	4.7	42	1	1	3	5	9	13	34
13-19 YRS	5136	7.2	88	1	1	5	8	14	21	57
GRAND TOTAL	**8789**	**6.0**	**68**	**1**	**1**	**4**	**7**	**12**	**17**	**52**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	6	3.3	11	1	1	2	3	9	10	10
1-5 YRS	80	2.9	13	1	1	2	3	5	7	22
6-12 YRS	284	2.9	6	1	1	2	4	5	6	12
13-19 YRS	652	3.2	10	<1	1	2	4	6	8	16
B. *Operated*										
0-27 DYS	4	5.5	9	3	3	5	8	9	9	9
1-11 MOS	10	2.9	8	1	1	2	3	7	10	10
1-5 YRS	129	3.3	14	1	1	2	4	6	7	27
6-12 YRS	853	3.8	18	1	1	3	4	7	9	17
13-19 YRS	3447	4.4	13	1	2	4	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	7	6.7	14	3	3	6	8	13	14	14
1-5 YRS	34	3.6	33	1	1	2	3	6	7	35
6-12 YRS	111	4.8	22	1	1	3	6	10	17	53
13-19 YRS	446	4.3	13	1	1	3	6	9	11	19
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	17.8	762	1	1	5	33	59	59	59
1-5 YRS	74	7.9	91	1	1	5	9	17	31	50
6-12 YRS	353	7.2	88	1	2	4	7	14	26	55
13-19 YRS	2229	7.0	49	2	2	5	8	14	19	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1024	3.1	9	1	1	2	4	6	7	16
B. *Operated*	4443	4.2	14	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	600	4.4	16	1	1	3	6	9	12	23
B. *Operated*	2661	7.1	56	1	2	5	8	14	20	44
1. SINGLE DX	5467	4.0	13	1	1	3	5	7	9	17
2. MULTIPLE DX	3261	6.6	50	1	2	5	8	13	18	39
A. NOT OPERATED	1624	3.6	12	1	1	3	4	7	9	19
B. OPERATED	7104	5.3	32	1	2	4	6	10	13	30
TOTAL 0-27 DYS	9	4.7	6	2	2	4	7	8	9	9
1-11 MOS	27	6.2	123	1	1	3	6	10	21	59
1-5 YRS	317	4.3	37	1	1	2	5	8	14	34
6-12 YRS	1601	4.5	34	1	1	3	5	8	12	33
13-19 YRS	6774	5.1	26	1	1	4	6	10	13	27
GRAND TOTAL	**8728**	**5.0**	**28**	**1**	**1**	**4**	**6**	**9**	**13**	**28**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	2.0	3	1	1	1	3	5	5	5
1-5 YRS	24	2.0	2	<1	1	2	3	4	6	6
6-12 YRS	54	2.4	18	<1	1	1	3	3	4	31
13-19 YRS	193	2.6	44	<1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	6	2.8	5	1	1	2	3	7	7	7
6-12 YRS	42	2.8	4	1	1	2	4	5	7	10
13-19 YRS	240	3.2	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	5.7	12	2	2	6	8	9	9	9
1-11 MOS	17	4.1	27	<1	1	3	4	9	17	22
1-5 YRS	70	3.2	14	1	1	2	3	6	12	19
6-12 YRS	104	3.1	9	1	1	2	4	5	7	20
13-19 YRS	447	4.1	41	1	1	3	5	8	11	23
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	20	6.0	44	1	1	3	8	15	23	26
6-12 YRS	48	6.5	82	1	1	3	7	13	32	42
13-19 YRS	262	7.2	95	1	2	4	8	15	31	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	2.5	34	<1	1	2	3	4	5	8
B. *Operated*	289	3.1	3	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	641	3.8	32	1	1	2	4	7	11	22
B. *Operated*	331	7.0	90	1	1	4	7	14	30	55
1. SINGLE DX	565	2.8	19	<1	1	2	3	5	6	9
2. MULTIPLE DX	972	4.9	54	1	1	3	5	9	15	41
A. NOT OPERATED	917	3.4	33	1	1	2	4	6	9	22
B. OPERATED	620	5.2	53	1	1	3	5	9	16	41
TOTAL 0-27 DYS	4	4.5	14	1	1	4	7	9	9	9
1-11 MOS	23	3.7	21	<1	1	2	5	7	14	22
1-5 YRS	120	3.4	17	1	1	2	3	8	12	22
6-12 YRS	248	3.6	26	1	1	2	4	6	9	32
13-19 YRS	1142	4.3	49	1	1	3	4	8	12	34
GRAND TOTAL	**1537**	**4.1**	**42**	**1**	**1**	**3**	**4**	**7**	**12**	**33**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	18	2.7	10	<1	1	2	4	10	61	99+
1-5 YRS	24	2.9	17	1	1	2	3	5	11	21
6-12 YRS	15	4.3	32	<1	1	2	5	9	19	23
13-19 YRS	15	4.3	32	<1	<1	2	5	9	19	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	2.6	2	1	1	2	3	5	5	5
6-12 YRS	16	9.4	426	1	1	2	7	21	65	84
13-19 YRS	17	6.3	14	2	3	6	7	10	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	13	5.4	29	<1	1	3	6	15	18	19
1-5 YRS	18	3.8	13	<1	1	2	6	9	12	13
6-12 YRS	13	7.2	81	<1	1	3	7	24	29	30
13-19 YRS	25	7.6	51	1	2	5	8	21	24	27
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	6.5	25	3	3	6	10	10	10	10
1-5 YRS	7	6.6	11	1	2	6	9	11	11	11
6-12 YRS	7	24.1	540	2	3	17	34	64	70	70
13-19 YRS	34	23.5	677	1	2	15	37	82	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	3.4	21	<1	1	2	4	7	20	82
B. *Operated*	38	7.1	184	1	1	4	7	10	20	84
2. MULTIPLE DX										
A. *Not Operated*	69	6.1	43	<1	1	3	7	16	23	29
B. *Operated*	51	20.3	560	1	2	11	23	78	88	99+
1. SINGLE DX	110	4.7	79	1	1	2	5	9	21	90
2. MULTIPLE DX	120	12.1	309	1	1	6	15	30	73	99+
A. NOT OPERATED	141	4.7	33	<1	1	3	5	13	22	36
B. OPERATED	89	14.7	439	1	1	7	17	58	82	99+
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	33	4.0	19	<1	1	3	5	14	18	99+
1-5 YRS	54	3.6	15	1	1	2	5	9	11	21
6-12 YRS	51	9.3	261	1	1	3	9	23	38	84
13-19 YRS	91	12.8	340	1	2	6	15	34	78	99+
GRAND TOTAL	**230**	**8.6**	**213**	**1**	**1**	**3**	**9**	**22**	**43**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	2	2.0	2	<1	<1	1	3	3	3	3
6-12 YRS	8	1.8	1	1	1	1	2	4	4	4
13-19 YRS	57	1.6	1	<1	<1	1	2	3	5	92
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.7	1	<1	<1	<1	2	3	3	3
1-5 YRS	3	2.3	5	1	1	1	4	5	5	5
6-12 YRS	31	3.6	25	1	1	3	4	5	8	29
13-19 YRS	797	3.2	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.0	3	3	3	6	6	6	6	6
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	50	3.4	7	1	1	3	4	7	10	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.3	2	1	1	2	3	4	4	4
6-12 YRS	6	5.3	21	1	1	4	7	12	13	13
13-19 YRS	152	4.8	22	1	1	3	6	11	14	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	1.7	2	<1	<1	1	2	3	5	82
B. *Operated*	834	3.2	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	55	3.4	7	1	1	3	5	7	10	12
B. *Operated*	161	4.8	21	1	1	3	6	11	14	34
1. SINGLE DX	902	3.1	4	<1	1	3	4	5	6	10
2. MULTIPLE DX	216	4.4	18	1	1	3	5	10	13	27
A. NOT OPERATED	123	2.4	5	<1	1	2	3	5	7	35
B. OPERATED	995	3.5	7	1	1	3	4	6	7	15
TOTAL 0-27 DYS										
1-11 MOS	4	3.0	8	<1	<1	2	5	7	7	7
1-5 YRS	11	3.0	4	<1	<1	3	5	6	6	6
6-12 YRS	47	3.4	20	1	1	2	4	6	9	29
13-19 YRS	1056	3.3	7	1	1	3	4	6	7	15
GRAND TOTAL	**1118**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**15**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	6	2.3	1	1	1	2	3	4	4	4
6-12 YRS	30	3.3	6	1	1	3	4	6	7	13
13-19 YRS	221	2.8	4	<1	1	2	4	5	7	8
B. *Operated*										
0-27 DYS	3	5.0	3	4	4	4	6	7	7	7
1-11 MOS	4	5.0	1	4	4	5	6	6	6	6
1-5 YRS	6	2.8	2	2	2	2	4	5	5	5
6-12 YRS	173	4.5	8	1	2	4	5	7	9	13
13-19 YRS	5583	4.5	8	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	7.3	124	1	1	3	7	27	32	32
13-19 YRS	108	3.8	18	<1	<1	2	5	9	10	26
B. *Operated*										
0-27 DYS	7	3.9	10	<1	<1	3	5	9	10	10
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	4	4.8	3	3	3	4	6	7	7	7
6-12 YRS	58	5.9	41	1	2	5	7	11	13	44
13-19 YRS	2454	5.3	16	2	2	5	6	8	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	2.9	5	<1	1	2	4	5	7	12
B. *Operated*	5769	4.5	8	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	115	4.0	24	<1	<1	2	5	9	10	29
B. *Operated*	2525	5.3	17	2	2	5	6	8	10	21
1. SINGLE DX	6027	4.5	8	2	2	4	5	7	8	12
2. MULTIPLE DX	2640	5.2	17	1	2	5	6	8	10	22
A. NOT OPERATED	373	3.2	11	<1	1	2	4	6	8	17
B. OPERATED	8294	4.8	11	2	2	4	6	7	9	15
TOTAL 0-27 DYS	10	4.2	8	<1	<1	4	6	8	10	10
1-11 MOS	7	6.0	31	1	1	5	6	16	18	18
1-5 YRS	16	3.1	3	1	2	3	4	5	6	7
6-12 YRS	268	4.7	18	1	2	4	6	8	10	27
13-19 YRS	8366	4.7	11	2	2	4	5	7	9	14
GRAND TOTAL	**8667**	**4.7**	**11**	**1**	**2**	**4**	**5**	**7**	**9**	**15**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	9	3.2	17	<1	<1	1	4	11	11	11
1-5 YRS	27	2.7	7	<1	1	2	4	4	6	14
6-12 YRS	61	3.8	16	1	1	3	5	8	12	22
13-19 YRS	126	6.0	57	<1	1	3	7	14	21	41
B. *Operated*										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	12	4.6	26	<1	<1	3	6	12	17	18
1-5 YRS	83	3.9	19	<1	1	2	5	9	14	21
6-12 YRS	405	3.0	19	<1	1	1	3	6	11	22
13-19 YRS	846	4.3	47	<1	1	2	4	10	15	33
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.7	2	1	1	3	4	4	4	4
1-5 YRS	20	6.0	35	1	2	4	5	17	21	23
6-12 YRS	35	5.5	43	1	1	3	6	12	22	30
13-19 YRS	137	7.4	136	1	1	4	7	14	30	67
B. *Operated*										
0-27 DYS	2	9.5	25	6	6	9	13	13	13	13
1-11 MOS	5	4.8	7	2	2	4	7	8	8	8
1-5 YRS	33	6.4	49	1	1	4	7	16	20	33
6-12 YRS	166	6.3	110	1	1	3	6	13	25	56
13-19 YRS	538	9.5	115	1	1	6	13	22	31	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	225	4.9	39	<1	1	3	5	11	17	27
B. *Operated*	1348	3.9	37	<1	1	2	4	9	14	29
2. MULTIPLE DX										
A. *Not Operated*	195	6.9	107	1	1	4	7	14	24	56
B. *Operated*	744	8.6	111	1	1	5	11	21	30	58
1. SINGLE DX	1573	4.0	37	<1	1	2	4	9	15	28
2. MULTIPLE DX	939	8.3	111	1	1	5	10	20	29	58
A. NOT OPERATED	420	5.8	72	1	1	3	6	12	21	46
B. OPERATED	2092	5.6	69	1	1	3	6	14	21	44
TOTAL 0-27 DYS	6	5.3	17	1	1	4	6	12	13	13
1-11 MOS	29	4.0	17	<1	<1	2	5	10	11	18
1-5 YRS	163	4.5	26	<1	1	3	5	10	17	23
6-12 YRS	667	4.0	44	1	1	2	4	9	15	30
13-19 YRS	1647	6.4	83	1	1	3	7	16	22	49
GRAND TOTAL	**2512**	**5.6**	**69**	**1**	**1**	**3**	**6**	**14**	**21**	**44**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	13	3.1	5	1	1	2	4	7	8	8
6-12 YRS	48	2.7	4	1	1	2	4	5	7	11
13-19 YRS	314	2.8	6	<1	1	2	4	5	7	12
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	63	4.3	6	1	1	4	6	7	9	13
13-19 YRS	1360	4.2	6	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	13.5	265	2	2	13	25	25	25	25
1-5 YRS	6	3.2	2	2	2	3	4	5	5	5
6-12 YRS	30	5.0	18	1	1	4	6	13	14	17
13-19 YRS	171	3.6	9	1	1	3	5	8	11	81
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	45	6.4	10	2	3	6	8	12	12	14
13-19 YRS	1139	5.4	8	2	2	5	7	9	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	377	2.8	5	<1	1	2	4	5	7	12
B. *Operated*	1426	4.2	6	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	209	3.9	13	1	1	3	5	9	13	54
B. *Operated*	1186	5.4	8	2	2	5	7	9	10	16
1. SINGLE DX	1803	3.9	6	1	1	4	5	7	8	11
2. MULTIPLE DX	1395	5.2	9	1	2	5	6	9	11	17
A. NOT OPERATED	586	3.2	8	<1	1	2	4	6	9	16
B. OPERATED	2612	4.8	7	1	2	5	6	8	9	14
TOTAL 0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	4	8.3	126	2	2	3	14	25	25	25
1-5 YRS	22	3.0	3	1	1	3	4	6	7	8
6-12 YRS	186	4.5	10	1	1	4	6	9	12	14
13-19 YRS	2984	4.5	8	1	1	4	6	8	9	14
GRAND TOTAL	**3198**	**4.5**	**8**	**1**	**1**	**4**	**6**	**8**	**9**	**14**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	11.5	162	2	2	4	23	31	32	32
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	5	3.0	2	1	1	4	4	4	4	4
6-12 YRS	40	4.8	15	1	2	4	6	10	11	22
13-19 YRS	802	5.4	13	1	2	5	7	10	13	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	90	7.6	27	1	2	6	10	13	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	7.8	27	2	2	6	11	16	16	16
1-11 MOS	3	12.0	27	9	9	9	16	18	18	18
1-5 YRS	6	3.5	8	<1	<1	2	7	7	7	7
6-12 YRS	31	5.7	34	1	1	4	7	12	19	28
13-19 YRS	620	6.2	19	1	2	5	8	12	14	20
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.5	25	2	2	5	9	9	9	9
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	62	8.8	29	1	3	8	12	17	18	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	855	5.4	15	1	2	4	7	10	13	20
B. *Operated*	92	7.4	27	1	2	6	10	13	17	24
2. MULTIPLE DX										
A. *Not Operated*	665	6.2	20	1	2	5	8	12	14	21
B. *Operated*	65	8.6	29	1	3	8	12	17	18	24
1. SINGLE DX	947	5.6	16	1	2	5	7	11	13	22
2. MULTIPLE DX	730	6.4	21	1	2	5	8	12	15	21
A. NOT OPERATED	1520	5.8	17	1	2	5	7	11	13	20
B. OPERATED	157	7.9	28	1	2	7	11	15	18	24
TOTAL 0-27 DYS	11	9.8	96	2	2	6	14	27	32	32
1-11 MOS	7	7.3	35	2	2	9	9	16	18	18
1-5 YRS	11	3.3	5	<1	<1	3	4	7	7	7
6-12 YRS	74	5.1	23	1	2	4	6	10	13	27
13-19 YRS	1574	6.0	18	1	2	5	8	11	14	21
GRAND TOTAL	**1677**	**6.0**	**19**	**1**	**2**	**5**	**8**	**11**	**14**	**22**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	8	3.3	9	<1	<1	2	5	8	9	9
1-5 YRS	56	2.3	2	1	1	2	3	4	5	9
6-12 YRS	245	2.7	4	1	1	2	3	5	7	9
13-19 YRS	1188	3.9	11	1	1	3	5	8	11	16
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.5	25	3	3	6	10	10	10	10
1-5 YRS	3	7.3	16	3	3	8	10	11	11	11
6-12 YRS	6	5.3	15	2	2	4	7	11	12	12
13-19 YRS	84	6.9	36	1	2	5	9	14	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	8.3	52	2	2	8	14	15	15	15
1-11 MOS	10	4.5	10	1	1	4	5	9	12	12
1-5 YRS	31	4.0	16	<1	1	3	5	9	11	20
6-12 YRS	132	3.2	6	1	1	3	4	7	7	11
13-19 YRS	1558	4.8	13	1	1	4	7	10	12	18
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	8	6.1	30	1	1	4	11	14	15	15
13-19 YRS	116	6.1	29	1	1	5	7	12	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1498	3.6	10	1	1	3	5	7	10	15
B. *Operated*	95	6.8	33	1	2	5	9	13	19	30
2. MULTIPLE DX										
A. *Not Operated*	1735	4.7	13	1	1	4	6	9	12	18
B. *Operated*	127	6.1	28	1	1	5	7	12	16	26
1. SINGLE DX	1593	3.8	12	1	1	3	5	8	11	17
2. MULTIPLE DX	1862	4.8	14	1	1	4	6	10	12	19
A. NOT OPERATED	3233	4.2	12	1	1	3	6	8	11	17
B. OPERATED	222	6.4	30	1	1	5	8	13	17	28
TOTAL 0-27 DYS	5	7.2	45	2	2	3	14	15	15	15
1-11 MOS	21	4.2	9	<1	1	4	5	9	11	12
1-5 YRS	92	3.1	9	1	1	2	4	6	9	16
6-12 YRS	391	2.9	5	1	1	2	4	6	7	12
13-19 YRS	2946	4.6	14	1	1	4	6	9	12	18
GRAND TOTAL	**3455**	**4.3**	**13**	**1**	**1**	**3**	**6**	**9**	**11**	**18**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	7	3.3	6	1	1	2	5	7	7	7
1-5 YRS	42	3.4	21	<1	<1	2	4	6	8	29
6-12 YRS	113	3.2	9	1	1	2	4	6	9	17
13-19 YRS	372	2.7	5	<1	1	2	4	5	7	11
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	21	2.6	2	<1	1	2	3	5	6	6
6-12 YRS	87	3.1	7	1	1	3	4	5	7	17
13-19 YRS	1023	3.1	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	25	1	1	4	8	8	8	8
1-11 MOS	3	3.3	6	1	1	3	5	6	6	6
1-5 YRS	20	2.8	4	1	1	2	3	7	8	8
6-12 YRS	61	2.7	3	1	1	2	3	5	7	8
13-19 YRS	280	3.4	7	<1	1	3	5	7	8	12
B. *Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	12	2.2	4	1	1	1	3	6	6	6
6-12 YRS	30	3.5	8	1	1	3	4	8	10	12
13-19 YRS	343	3.8	8	1	1	3	5	7	9	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	535	2.9	7	<1	1	2	4	6	7	12
B. *Operated*	1132	3.1	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	366	3.3	6	1	1	2	4	7	8	12
B. *Operated*	388	3.7	8	1	1	3	5	7	9	12
1. SINGLE DX	1667	3.0	4	1	1	3	4	5	6	10
2. MULTIPLE DX	754	3.5	7	1	1	3	4	7	8	12
A. NOT OPERATED	901	3.0	7	<1	1	2	4	6	7	12
B. OPERATED	1520	3.2	4	1	1	3	4	5	7	10
TOTAL 0-27 DYS	6	3.3	6	1	1	3	3	8	8	8
1-11 MOS	11	3.2	5	1	1	2	5	7	7	7
1-5 YRS	95	2.9	11	<1	1	2	4	6	7	20
6-12 YRS	291	3.1	7	1	1	2	4	6	8	13
13-19 YRS	2018	3.2	5	1	1	3	4	6	7	11
GRAND TOTAL	**2421**	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	13	1.8	3	1	1	1	2	4	6	7
1-11 MOS	320	1.6	2	1	1	1	2	3	4	6
1-5 YRS	2660	1.6	2	<1	1	1	2	2	3	7
6-12 YRS	5393	1.6	2	1	1	1	2	3	3	7
13-19 YRS	5450	2.0	3	<1	1	1	2	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	27	5.1	297	<1	1	1	2	5	18	91
6-12 YRS	62	2.3	5	1	1	1	3	4	7	12
13-19 YRS	102	2.8	26	<1	<1	1	3	6	9	72
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	3.0	8	1	1	2	4	7	10	11
1-11 MOS	211	2.6	5	1	1	2	3	5	7	12
1-5 YRS	1886	2.6	13	1	1	2	3	5	7	16
6-12 YRS	3889	2.4	9	1	1	2	3	4	6	14
13-19 YRS	7795	2.9	11	1	1	2	3	6	8	15
B. *Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	15	3.3	13	1	1	2	4	10	12	13
1-5 YRS	243	5.4	109	1	1	2	5	11	23	68
6-12 YRS	673	4.6	61	1	1	2	4	9	18	45
13-19 YRS	2501	5.1	65	1	1	3	5	11	19	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13836	1.8	2	1	1	1	2	3	4	8
B. *Operated*	193	3.0	56	<1	1	1	3	5	8	72
2. MULTIPLE DX										
A. *Not Operated*	13795	2.7	11	1	1	2	3	5	7	15
B. *Operated*	3434	5.0	67	1	1	2	5	11	19	48
1. SINGLE DX	14029	1.8	3	1	1	1	2	3	4	8
2. MULTIPLE DX	17229	3.2	23	1	1	2	3	6	9	24
A. NOT OPERATED	27631	2.2	7	1	1	2	2	4	6	12
B. OPERATED	3627	4.9	67	1	1	2	5	11	18	48
TOTAL 0-27 DYS	29	2.5	5	1	1	2	3	6	7	11
1-11 MOS	548	2.0	4	1	1	1	2	4	6	11
1-5 YRS	4816	2.2	14	1	1	1	2	4	6	15
6-12 YRS	10017	2.1	9	1	1	1	2	4	5	14
13-19 YRS	15848	2.9	18	<1	1	2	3	6	8	21
GRAND TOTAL	**31258**	**2.5**	**14**	**1**	**1**	**2**	**3**	**5**	**7**	**18**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	13	3.2	26	1	1	2	3	7	18	20
1-11 MOS	227	2.2	11	1	1	1	2	3	8	19
1-5 YRS	916	1.8	8	<1	1	1	2	3	4	11
6-12 YRS	1193	1.9	12	1	1	1	2	3	4	13
13-19 YRS	1186	3.0	30	<1	1	2	3	6	10	22
B. *Operated*										
0-27 DYS	1	32.0		32	32	32	32	32	32	32
1-11 MOS	20	12.9	113	2	4	8	17	27	37	45
1-5 YRS	40	12.9	238	1	1	7	15	38	53	62
6-12 YRS	64	9.1	48	2	2	7	11	18	22	33
13-19 YRS	137	12.4	226	1	1	8	15	42	64	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	6.7	30	3	3	4	11	13	13	13
1-11 MOS	185	3.8	46	1	1	2	4	8	14	31
1-5 YRS	920	3.0	18	1	1	2	3	6	10	25
6-12 YRS	1161	3.3	35	1	1	2	3	6	11	35
13-19 YRS	1874	4.7	64	<1	1	2	5	10	17	58
B. *Operated*										
0-27 DYS	4	16.8	694	<1	<1	5	32	56	56	56
1-11 MOS	35	18.1	214	2	2	16	28	42	51	99+
1-5 YRS	152	9.4	195	1	1	4	12	31	49	99+
6-12 YRS	259	10.2	211	1	1	5	15	34	69	99+
13-19 YRS	881	17.5	432	1	1	10	31	69	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3535	2.3	17	<1	1	1	2	4	7	18
B. *Operated*	262	11.8	177	1	1	8	15	29	54	99+
2. MULTIPLE DX										
A. *Not Operated*	4143	3.9	46	1	1	2	4	8	13	37
B. *Operated*	1331	15.2	368	1	1	8	24	59	99+	99+
1. SINGLE DX	3797	2.9	34	<1	1	1	2	6	10	30
2. MULTIPLE DX	5474	6.6	147	1	1	2	6	19	37	99+
A. NOT OPERATED	7678	3.2	33	1	1	2	3	6	11	29
B. OPERATED	1593	14.6	338	1	1	8	22	55	95	99+
TOTAL 0-27 DYS	21	7.7	182	<1	1	2	5	25	43	56
1-11 MOS	467	4.5	63	1	1	2	4	11	23	44
1-5 YRS	2028	3.1	37	1	1	1	3	6	11	33
6-12 YRS	2677	3.5	48	1	1	2	3	7	14	49
13-19 YRS	4078	7.2	171	<1	1	2	7	21	43	99+
GRAND TOTAL	**9271**	**5.1**	**104**	**1**	**1**	**2**	**4**	**12**	**26**	**95**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	2.8	1	2	2	3	3	4	4	4
6-12 YRS	23	2.7	10	1	1	2	3	4	9	16
13-19 YRS	101	2.9	9	<1	1	2	4	5	6	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.7	1	2	2	2	4	4	4	4
6-12 YRS	12	4.8	8	1	2	4	7	9	10	10
13-19 YRS	145	5.7	10	2	2	5	7	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	8.5	25	5	5	8	12	12	12	12
1-5 YRS	25	4.5	9	1	1	3	7	9	10	10
6-12 YRS	32	4.4	13	1	1	3	6	8	14	16
13-19 YRS	201	4.6	11	1	1	4	6	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	28	9.5	112	2	3	6	9	22	28	54
6-12 YRS	50	10.1	67	1	4	7	13	23	34	99
13-19 YRS	466	10.3	90	3	3	8	12	19	28	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	2.9	9	1	1	2	3	5	6	18
B. *Operated*	160	5.6	10	2	2	5	7	10	12	14
2. MULTIPLE DX										
A. *Not Operated*	260	4.6	11	1	1	4	6	8	10	16
B. *Operated*	544	10.2	89	3	3	8	12	19	29	57
1. SINGLE DX	290	4.4	11	1	1	4	6	9	10	15
2. MULTIPLE DX	804	8.4	70	1	2	6	10	16	24	52
A. NOT OPERATED	390	4.0	11	1	1	3	5	8	10	16
B. OPERATED	704	9.2	74	2	3	7	10	17	25	54
TOTAL 0-27 DYS										
1-11 MOS	3	6.0	31	1	1	5	10	12	12	12
1-5 YRS	61	6.6	62	1	2	5	7	10	21	51
6-12 YRS	117	6.5	45	1	1	5	8	15	21	61
13-19 YRS	913	7.5	59	1	2	6	9	14	20	44
GRAND TOTAL	**1094**	**7.3**	**58**	**1**	**2**	**5**	**9**	**14**	**20**	**44**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.0	7	1	1	2	5	6	6	6
1-5 YRS	77	3.2	8	1	1	2	5	7	9	13
6-12 YRS	398	3.7	12	1	1	3	5	8	11	18
13-19 YRS	853	3.7	9	1	1	3	5	7	9	15
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	5.7	6	3	3	6	7	8	8	8
1-5 YRS	53	8.2	18	2	4	7	10	14	15	26
6-12 YRS	247	6.3	8	2	3	6	8	9	11	17
13-19 YRS	489	7.7	31	3	4	7	9	11	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	3.3	9	1	1	3	3	8	9	9
1-5 YRS	88	4.3	14	1	1	3	5	9	11	19
6-12 YRS	342	4.4	17	1	1	3	6	10	12	24
13-19 YRS	841	4.3	25	1	1	3	5	8	10	19
B. *Operated*										
0-27 DYS	2	12.0	8	10	10	12	14	14	14	14
1-11 MOS	4	15.5	73	9	9	13	22	27	27	27
1-5 YRS	126	11.7	85	3	4	9	13	23	27	48
6-12 YRS	334	11.8	134	3	5	8	13	23	32	67
13-19 YRS	1267	13.3	160	3	5	9	14	30	43	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1331	3.7	10	1	1	3	5	8	9	15
B. *Operated*	793	7.3	23	2	4	7	8	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	1277	4.3	22	1	1	3	5	9	11	20
B. *Operated*	1733	12.9	149	3	5	9	14	27	41	69
1. SINGLE DX	2124	5.0	18	1	1	4	7	9	11	19
2. MULTIPLE DX	3010	9.3	113	1	2	7	10	19	31	61
A. NOT OPERATED	2608	4.0	16	1	1	3	5	8	10	18
B. OPERATED	2526	11.1	117	3	4	8	12	21	33	65
TOTAL 0-27 DYS	3	10.0	16	6	6	10	13	14	14	14
1-11 MOS	16	6.8	47	1	1	5	9	16	24	27
1-5 YRS	344	7.4	52	1	1	6	9	15	21	40
6-12 YRS	1321	6.4	54	1	1	5	8	12	18	40
13-19 YRS	3450	7.9	90	1	1	6	9	15	25	53
GRAND TOTAL	**5134**	**7.5**	**78**	**1**	**1**	**6**	**9**	**14**	**22**	**49**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	29	2.3	3	<1	<1	2	4	5	6	99+
6-12 YRS	44	3.8	12	1	1	3	4	7	8	21
13-19 YRS	47	3.4	11	<1	1	2	4	6	11	19
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	15	2.5	2	<1	1	2	3	5	6	6
1-5 YRS	359	2.4	5	<1	1	1	3	5	7	11
6-12 YRS	389	3.0	7	1	1	2	4	7	8	13
13-19 YRS	385	3.8	9	1	1	3	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	24	4.3	22	<1	1	3	5	8	18	18
6-12 YRS	50	4.0	11	1	1	3	5	7	11	20
13-19 YRS	108	3.6	7	<1	1	3	5	6	8	15
B. *Operated*										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	6	5.7	8	2	2	5	8	10	10	10
1-5 YRS	243	4.1	16	1	1	3	5	8	10	32
6-12 YRS	306	4.6	15	1	1	4	6	9	11	23
13-19 YRS	545	4.3	13	1	1	3	5	9	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	3.2	10	<1	1	2	4	6	8	42
B. *Operated*	1149	3.1	7	1	1	2	4	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	183	3.8	10	1	1	3	5	7	9	19
B. *Operated*	1102	4.4	14	1	1	3	6	9	11	19
1. SINGLE DX	1271	3.1	7	1	1	2	4	7	8	15
2. MULTIPLE DX	1285	4.3	14	1	1	3	5	8	11	19
A. NOT OPERATED	305	3.6	10	<1	1	3	4	7	9	20
B. OPERATED	2251	3.7	11	1	1	3	5	7	10	17
TOTAL 0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	24	3.2	6	<1	1	3	4	6	9	10
1-5 YRS	655	3.1	10	<1	1	2	4	7	9	18
6-12 YRS	789	3.7	11	1	1	3	5	7	9	16
13-19 YRS	1085	4.0	11	1	1	3	5	8	11	18
GRAND TOTAL	**2556**	**3.7**	**11**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	18	1.9	3	1	1	1	2	5	6	6
1-5 YRS	182	2.2	4	<1	1	2	3	4	5	11
6-12 YRS	110	2.6	8	1	1	2	3	5	6	53
13-19 YRS	233	2.8	22	<1	<1	2	3	5	6	15
B. Operated										
0-27 DYS	3	4.0	7	2	2	3	6	7	7	7
1-11 MOS	34	2.0	4	<1	1	1	2	4	5	11
1-5 YRS	878	1.8	8	<1	1	1	2	3	5	9
6-12 YRS	471	2.3	11	<1	1	1	2	4	6	18
13-19 YRS	667	2.8	8	<1	1	2	3	6	8	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	3.0	3	1	1	3	4	5	5	5
1-11 MOS	33	2.9	9	1	1	2	3	5	12	14
1-5 YRS	253	3.2	23	1	1	2	4	6	8	26
6-12 YRS	229	2.7	7	1	1	2	3	5	7	10
13-19 YRS	794	2.7	7	<1	1	2	3	6	7	14
B. Operated										
0-27 DYS										
1-11 MOS	40	3.4	15	<1	1	2	4	7	10	21
1-5 YRS	698	2.9	10	<1	1	2	3	6	9	19
6-12 YRS	671	3.1	12	1	1	2	4	6	9	16
13-19 YRS	2358	4.1	41	<1	1	2	5	8	12	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	544	2.5	13	<1	1	2	3	5	6	16
B. Operated	2053	2.2	9	<1	1	1	2	4	6	13
2. MULTIPLE DX										
A. Not Operated	1313	2.8	10	<1	1	2	3	5	7	14
B. Operated	3767	3.7	30	<1	1	2	4	7	11	26
1. SINGLE DX	2597	2.3	9	<1	1	1	2	4	6	14
2. MULTIPLE DX	5080	3.5	25	<1	1	2	4	7	10	24
A. NOT OPERATED	1857	2.7	11	<1	1	2	3	5	7	15
B. OPERATED	5820	3.2	23	<1	1	2	4	6	9	23
TOTAL 0-27 DYS	8	3.1	4	<1	<1	3	4	6	7	7
1-11 MOS	125	2.7	9	<1	1	1	3	6	8	16
1-5 YRS	2011	2.4	10	<1	1	1	3	5	7	13
6-12 YRS	1481	2.7	11	1	1	2	3	5	8	17
13-19 YRS	4052	3.5	29	<1	1	2	4	7	10	25
GRAND TOTAL	**7677**	**3.1**	**20**	**<1**	**1**	**2**	**3**	**6**	**9**	**21**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	3.8	6	<1	<1	3	5	7	7	7
1-5 YRS	70	1.8	2	<1	1	1	2	4	5	7
6-12 YRS	138	2.1	2	1	1	2	3	4	5	9
13-19 YRS	505	2.5	6	<1	1	2	3	5	6	13
B. Operated										
0-27 DYS										
1-11 MOS	4	5.5	6	2	2	6	7	7	7	7
1-5 YRS	117	2.4	9	<1	<1	1	3	5	7	17
6-12 YRS	288	2.6	6	<1	1	2	3	6	8	12
13-19 YRS	576	4.4	26	1	1	3	5	8	10	33
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	34	3.9	28	<1	1	3	4	5	20	25
6-12 YRS	46	4.2	61	1	1	3	3	7	12	53
13-19 YRS	395	3.3	8	1	1	2	4	6	8	14
B. Operated										
0-27 DYS										
1-11 MOS	9	4.4	7	2	2	4	6	9	10	10
1-5 YRS	70	5.5	51	1	1	3	8	14	18	43
6-12 YRS	169	7.3	102	1	1	4	8	18	26	50
13-19 YRS	846	8.3	88	1	2	6	10	15	25	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	718	2.4	5	<1	1	2	3	4	6	11
B. Operated	985	3.7	19	<1	1	2	5	7	9	25
2. MULTIPLE DX										
A. Not Operated	479	3.4	14	1	1	2	4	6	9	16
B. Operated	1094	8.0	87	1	1	6	10	15	24	53
1. SINGLE DX	1703	3.1	13	<1	1	2	4	6	8	17
2. MULTIPLE DX	1573	6.6	69	1	1	4	8	13	19	49
A. NOT OPERATED	1197	2.8	9	<1	1	2	3	5	7	14
B. OPERATED	2079	5.9	59	1	1	4	7	12	17	44
TOTAL 0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	20	4.3	6	<1	1	4	6	7	9	10
1-5 YRS	291	3.2	21	<1	1	2	4	6	11	24
6-12 YRS	641	3.8	39	1	1	2	4	7	11	34
13-19 YRS	2322	5.2	47	1	1	3	6	10	14	37
GRAND TOTAL	**3276**	**4.8**	**43**	**1**	**1**	**3**	**6**	**10**	**14**	**35**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	3.3	1	2	2	4	4	4	4	4
1-5 YRS	80	2.6	4	1	1	2	3	5	6	10
6-12 YRS	122	2.9	12	<1	1	2	3	5	7	20
13-19 YRS	407	2.7	5	<1	<1	2	4	5	6	11
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	43	2.2	9	<1	<1	1	3	4	5	20
1-5 YRS	710	2.3	9	<1	1	1	2	4	7	18
6-12 YRS	1101	2.4	12	<1	1	2	3	4	6	11
13-19 YRS	3244	2.6	10	<1	1	2	3	5	7	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	4	4.3	7	2	2	4	6	7	7	7
1-5 YRS	38	4.0	13	1	1	3	5	8	10	21
6-12 YRS	84	4.2	52	1	1	3	4	8	9	47
13-19 YRS	365	4.2	34	<1	1	3	5	7	13	28
B. *Operated*										
0-27 DYS	3	2.3	1	1	1	3	3	3	3	3
1-11 MOS	19	3.4	9	1	1	2	4	3	10	12
1-5 YRS	321	2.6	8	1	1	2	3	5	7	13
6-12 YRS	650	3.4	33	1	1	2	4	6	9	33
13-19 YRS	2565	3.7	24	1	1	2	4	7	11	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	613	2.7	6	<1	1	2	3	5	6	11
B. *Operated*	5099	2.5	10	<1	1	2	3	5	6	15
2. MULTIPLE DX										
A. *Not Operated*	492	4.2	35	1	1	3	5	7	11	26
B. *Operated*	3558	3.5	24	1	1	2	4	7	10	26
1. SINGLE DX	5712	2.5	10	<1	1	2	3	5	6	14
2. MULTIPLE DX	4050	3.6	26	1	1	2	4	7	10	26
A. NOT OPERATED	1105	3.4	19	<1	1	2	4	6	8	17
B. OPERATED	8657	2.9	16	<1	1	2	3	6	8	20
TOTAL 0-27 DYS	6	3.2	6	1	1	2	3	8	8	8
1-11 MOS	69	2.7	9	<1	1	2	3	6	7	18
1-5 YRS	1149	2.5	9	<1	1	2	3	5	7	16
6-12 YRS	1957	2.8	21	1	1	2	3	5	8	15
13-19 YRS	6581	3.1	17	<1	1	2	3	6	9	20
GRAND TOTAL	**9762**	**3.0**	**17**	**<1**	**1**	**2**	**3**	**6**	**8**	**20**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	2.3	2	<1	<1	2	3	5	5	5
1-5 YRS	127	2.5	7	<1	<1	2	3	5	7	15
6-12 YRS	293	2.9	7	<1	1	2	3	5	8	16
13-19 YRS	601	3.3	9	<1	1	2	4	6	8	16
B. *Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	9	6.0	88	<1	<1	2	7	21	30	30
1-5 YRS	413	3.6	22	<1	1	2	4	8	12	27
6-12 YRS	1034	4.3	36	1	1	3	5	9	13	32
13-19 YRS	1555	5.0	33	1	1	3	6	11	15	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	6	4.0	4	<1	<1	4	5	7	7	7
1-5 YRS	50	4.3	16	<1	1	3	6	9	10	25
6-12 YRS	148	4.6	10	1	2	4	6	8	11	20
13-19 YRS	293	4.6	20	1	1	4	5	9	11	24
B. *Operated*										
0-27 DYS										
1-11 MOS	4	9.0	106	1	1	5	15	24	24	24
1-5 YRS	198	8.3	152	1	1	4	8	24	32	64
6-12 YRS	386	9.2	149	1	2	5	10	22	37	69
13-19 YRS	942	8.4	101	1	2	5	9	20	29	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1030	3.1	8	<1	1	2	4	6	8	16
B. *Operated*	3013	4.5	33	1	1	3	5	10	14	30
2. MULTIPLE DX										
A. *Not Operated*	498	4.6	16	1	1	4	6	9	11	23
B. *Operated*	1530	8.6	120	1	1	5	9	20	31	60
1. SINGLE DX	4043	4.2	27	1	1	3	5	8	13	27
2. MULTIPLE DX	2028	7.6	97	1	1	4	8	17	27	54
A. NOT OPERATED	1528	3.6	11	<1	1	3	4	7	9	18
B. OPERATED	4543	5.9	66	1	1	3	6	13	20	47
TOTAL 0-27 DYS	3	3.7	9	1	1	3	6	7	7	7
1-11 MOS	28	4.8	45	<1	<1	3	5	8	25	30
1-5 YRS	788	4.7	56	<1	1	2	5	10	16	39
6-12 YRS	1861	5.1	57	1	1	3	5	11	16	46
13-19 YRS	3391	5.6	50	1	1	3	6	12	18	38
GRAND TOTAL	**6071**	**5.3**	**53**	**1**	**1**	**3**	**6**	**11**	**17**	**40**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.8	2	1	1	1	3	4	4	4
1-5 YRS	24	2.5	17	1	1	1	2	4	10	21
6-12 YRS	18	2.1	6	<1	<1	1	2	4	8	11
13-19 YRS	28	2.9	7	<1	<1	2	4	6	10	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	6	8.7	52	2	2	7	15	19	19	19
6-12 YRS	16	3.1	7	1	1	2	4	7	10	11
13-19 YRS	53	5.0	33	1	1	4	6	9	13	37
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	1.5		<1	<1	1	2	2	2	2
1-5 YRS	16	2.6	5	1	1	2	4	6	7	8
6-12 YRS	21	2.5	4	1	1	2	3	5	7	8
13-19 YRS	43	3.8	21	<1	1	3	4	6	14	23
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	14	4.2	10	1	1	3	7	9	10	10
6-12 YRS	36	7.3	57	1	2	5	9	15	21	39
13-19 YRS	193	11.2	226	1	1	6	12	26	51	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	2.5	9	<1	1	1	2	5	9	19
B. *Operated*	76	4.9	30	1	1	3	6	10	14	33
2. MULTIPLE DX										
A. *Not Operated*	86	3.1	13	<1	1	2	4	5	8	23
B. *Operated*	244	10.2	192	1	1	6	12	21	39	70
1. SINGLE DX	150	3.7	21	1	1	2	4	8	11	21
2. MULTIPLE DX	330	8.3	155	1	1	4	10	18	29	66
A. NOT OPERATED	160	2.8	11	<1	1	2	3	5	8	22
B. OPERATED	320	8.9	158	1	1	5	10	19	35	66
TOTAL 0-27 DYS										
1-11 MOS	12	1.8	1	<1	<1	2	2	4	4	4
1-5 YRS	60	3.6	18	1	1	2	4	9	13	21
6-12 YRS	91	4.4	31	1	1	3	5	11	14	32
13-19 YRS	317	8.4	159	1	1	4	10	18	32	66
GRAND TOTAL	**480**	**6.9**	**117**	**1**	**1**	**3**	**7**	**15**	**23**	**63**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	3.6	7	1	1	4	5	7	7	7
1-5 YRS	40	2.6	5	<1	<1	2	3	5	6	13
6-12 YRS	43	4.0	31	<1	<1	2	4	22	43	99+
13-19 YRS	132	5.1	56	1	1	3	6	10	14	31
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	13	4.8	28	<1	<1	3	7	12	18	20
1-5 YRS	151	3.8	16	1	1	2	5	9	11	19
6-12 YRS	381	4.0	32	1	1	2	4	8	10	21
13-19 YRS	1291	4.0	20	1	1	3	4	8	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	32.0		32	32	32	32	32	32	32
1-11 MOS	11	5.3	13	1	1	4	8	10	12	12
1-5 YRS	40	6.5	90	<1	1	3	7	12	31	47
6-12 YRS	46	5.3	71	1	1	3	6	10	15	51
13-19 YRS	224	8.6	179	1	1	4	9	26	51	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	4	7.8	76	1	1	5	14	20	20	20
1-5 YRS	90	5.7	52	1	2	3	6	11	18	40
6-12 YRS	190	5.3	38	1	1	3	6	12	17	30
13-19 YRS	868	5.5	56	1	2	3	6	12	19	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	4.4	41	<1	1	3	5	9	14	84
B. *Operated*	1837	4.0	22	1	1	3	4	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	322	7.8	149	1	1	4	8	22	44	99+
B. *Operated*	1152	5.5	53	1	2	3	6	12	19	57
1. SINGLE DX	2057	4.1	24	1	1	3	5	8	11	22
2. MULTIPLE DX	1474	6.0	75	1	1	3	6	13	22	81
A. NOT OPERATED	542	6.4	108	1	1	3	7	14	29	99+
B. OPERATED	2989	4.6	34	1	1	3	5	9	14	31
TOTAL 0-27 DYS	2	21.0	242	10	10	21	32	32	32	32
1-11 MOS	33	5.2	24	<1	1	3	7	10	19	20
1-5 YRS	321	4.5	35	1	1	2	5	10	13	36
6-12 YRS	660	4.4	37	1	1	3	5	9	14	31
13-19 YRS	2515	5.0	50	1	1	3	5	10	15	53
GRAND TOTAL	**3531**	**4.9**	**46**	**1**	**1**	**3**	**5**	**10**	**15**	**45**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	11	4.1	12	1	1	4	6	10	12	12
1-5 YRS	154	4.0	4	1	2	4	5	6	7	10
6-12 YRS	761	4.4	5	2	2	4	5	7	8	14
13-19 YRS	747	4.1	5	1	2	4	5	6	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	7.2	27	1	1	6	9	15	18	18
6-12 YRS	38	7.6	20	2	3	8	9	12	18	21
13-19 YRS	35	7.1	34	2	2	5	12	16	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	13	2.8	2	1	1	2	4	5	5	5
1-5 YRS	97	4.6	9	1	1	4	6	8	10	18
6-12 YRS	397	4.4	7	1	1	4	5	7	9	13
13-19 YRS	497	4.5	16	1	1	4	6	7	10	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	26	6.0	25	1	1	4	9	15	16	17
6-12 YRS	61	5.9	14	1	2	5	9	12	13	14
13-19 YRS	78	5.4	13	1	1	5	7	9	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1674	4.2	5	1	2	4	5	6	8	13
B. *Operated*	82	7.3	26	1	2	6	10	15	18	23
2. MULTIPLE DX										
A. *Not Operated*	1004	4.5	12	1	1	4	6	7	9	16
B. *Operated*	165	5.7	15	1	2	5	7	11	14	18
1. SINGLE DX	1756	4.4	6	1	2	4	5	7	9	15
2. MULTIPLE DX	1169	4.6	12	1	1	4	6	8	11	16
A. NOT OPERATED	2678	4.3	7	1	2	4	5	7	8	14
B. OPERATED	247	6.2	19	1	2	5	9	12	16	20
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	24	3.4	7	1	1	3	4	6	9	12
1-5 YRS	286	4.5	9	1	1	4	6	7	9	17
6-12 YRS	1257	4.6	7	1	2	4	5	7	9	14
13-19 YRS	1357	4.4	10	1	2	4	5	7	9	17
GRAND TOTAL	**2925**	**4.5**	**9**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	14	3.6	21	<1	1	2	4	9	16	18
1-11 MOS	160	2.1	4	<1	1	1	2	4	6	10
1-5 YRS	743	2.0	3	<1	1	1	2	4	5	8
6-12 YRS	1210	2.0	3	1	1	1	2	3	5	9
13-19 YRS	2364	2.4	5	<1	1	2	3	5	6	11
B. *Operated*										
0-27 DYS	4	3.8	9	1	1	3	6	8	8	8
1-11 MOS	8	1.8	1	1	1	2	2	3	3	3
1-5 YRS	101	3.2	18	<1	<1	2	4	6	10	25
6-12 YRS	181	3.0	9	<1	1	2	3	7	9	15
13-19 YRS	388	3.4	10	<1	1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	2.7	4	1	1	2	3	6	8	13
1-11 MOS	237	3.6	13	1	1	2	4	8	11	17
1-5 YRS	1206	2.9	10	1	1	2	3	6	8	17
6-12 YRS	1667	2.6	7	1	1	2	3	5	7	13
13-19 YRS	4234	2.8	8	<1	1	2	3	5	7	12
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	17	7.8	104	1	1	4	8	18	33	41
1-5 YRS	123	4.0	16	1	1	3	5	9	13	22
6-12 YRS	208	4.1	18	1	1	3	5	9	12	22
13-19 YRS	825	5.2	61	1	1	3	6	10	16	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4491	2.2	4	<1	1	2	3	4	6	10
B. *Operated*	682	3.3	11	<1	1	2	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	7357	2.8	8	<1	1	2	3	5	7	13
B. *Operated*	1174	4.9	50	1	1	3	6	10	15	35
1. SINGLE DX	5173	2.3	5	<1	1	2	3	5	6	11
2. MULTIPLE DX	8531	3.1	15	<1	1	2	4	6	8	18
A. NOT OPERATED	11848	2.6	7	<1	1	2	3	5	7	12
B. OPERATED	1856	4.3	36	1	1	3	5	9	12	30
TOTAL 0-27 DYS	32	3.2	12	1	1	2	4	8	8	18
1-11 MOS	422	3.2	14	<1	1	2	3	7	10	18
1-5 YRS	2173	2.6	9	1	1	2	3	5	7	15
6-12 YRS	3266	2.5	7	1	1	2	3	5	7	14
13-19 YRS	7811	3.0	14	<1	1	2	3	6	8	16
GRAND TOTAL	**13704**	**2.8**	**11**	**<1**	**1**	**2**	**3**	**5**	**8**	**15**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	3	2.0	1	<1	<1	2	3	3	3	3
1-5 YRS	112	2.4	2	1	1	2	3	4	5	8
6-12 YRS	66	2.7	3	1	1	2	3	5	6	11
13-19 YRS	121	3.5	13	1	1	2	4	8	12	19
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS	44	5.0	46	<1	1	2	5	17	21	28
6-12 YRS	31	8.7	136	1	1	4	10	26	37	52
13-19 YRS	124	6.8	63	1	2	4	8	17	24	65
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	54	3.4	16	1	1	2	4	7	13	22
6-12 YRS	49	3.7	9	1	1	3	4	8	11	15
13-19 YRS	124	4.5	20	<1	1	3	5	10	13	24
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.3	42	1	1	1	8	14	14	14
1-5 YRS	47	5.3	46	1	1	2	6	17	21	29
6-12 YRS	61	9.8	238	1	1	4	10	25	39	87
13-19 YRS	256	9.9	128	1	2	6	13	24	31	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	303	2.9	7	1	1	2	3	5	8	14
B. *Operated*	200	6.7	70	1	1	4	7	17	26	53
2. MULTIPLE DX										
A. *Not Operated*	228	4.1	17	1	1	3	5	9	12	22
B. *Operated*	368	9.2	137	1	1	5	12	23	30	59
1. SINGLE DX	503	4.4	36	1	1	2	5	10	16	32
2. MULTIPLE DX	596	7.3	97	1	1	4	9	17	26	52
A. NOT OPERATED	531	3.4	11	1	1	2	4	7	11	18
B. OPERATED	568	8.4	115	1	1	5	10	21	29	56
TOTAL 0-27 DYS	3	6.3	12	3	3	6	9	10	10	10
1-11 MOS	7	3.3	23	<1	<1	1	3	12	14	14
1-5 YRS	257	3.6	22	1	1	2	4	7	15	27
6-12 YRS	207	5.9	103	1	1	3	5	12	23	55
13-19 YRS	625	7.0	78	1	1	4	8	17	24	51
GRAND TOTAL	**1099**	**6.0**	**71**	**1**	**1**	**3**	**6**	**14**	**22**	**49**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	23	1.0		<1	<1	1	1	1	2	2
6-12 YRS	21	1.5	2	<1	<1	1	2	2	4	7
13-19 YRS	15	1.7	1	<1	1	2	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	23	1.2		<1	<1	1	1	2	2	2
6-12 YRS	29	1.8	5	<1	1	1	2	2	7	12
13-19 YRS	20	2.9	14	<1	1	2	3	6	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	5	1.8	1	1	1	2	2	3	3	3
13-19 YRS	11	4.2	7	1	1	4	6	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	6.0	66	<1	<1	2	11	18	18	18
6-12 YRS	11	3.7	10	1	1	3	5	8	12	12
13-19 YRS	15	4.5	16	1	1	4	5	9	14	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	1.4	1	<1	<1	1	2	2	3	7
B. *Operated*	73	1.9	6	<1	<1	1	2	3	7	16
2. MULTIPLE DX										
A. *Not Operated*	20	3.2	5	1	1	2	4	7	8	9
B. *Operated*	30	4.4	19	1	1	3	5	10	16	18
1. SINGLE DX	133	1.7	4	<1	<1	1	2	2	4	13
2. MULTIPLE DX	50	3.9	13	1	1	3	5	8	12	18
A. NOT OPERATED	80	1.8	2	<1	<1	1	2	4	6	8
B. OPERATED	103	2.6	11	<1	<1	1	2	5	10	17
TOTAL 0-27 DYS										
1-11 MOS	4	1.8	2	<1	<1	1	2	4	4	4
1-5 YRS	52	1.5	6	<1	<1	1	1	2	2	18
6-12 YRS	66	2.0	5	<1	<1	1	2	4	7	12
13-19 YRS	61	3.2	11	1	1	2	4	7	9	17
GRAND TOTAL	**183**	**2.3**	**7**	**<1**	**<1**	**1**	**2**	**5**	**8**	**17**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	79	1.9	1	<1	1	2	2	3	5	7
1-11 MOS	229	2.0	5	<1	1	1	2	4	5	12
1-5 YRS	1531	1.4	5	<1	<1	1	1	2	3	6
6-12 YRS	715	1.6	3	<1	<1	1	2	3	4	9
13-19 YRS	331	1.8	3	<1	1	1	2	3	4	10
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	44	2.5	6	1	1	2	3	4	7	14
1-5 YRS	363	2.3	7	<1	1	1	2	5	7	11
6-12 YRS	173	2.2	4	<1	<1	1	3	5	7	9
13-19 YRS	111	2.7	7	<1	<1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	39	2.4	2	<1	1	2	3	4	5	7
1-11 MOS	106	3.5	8	1	1	2	4	8	10	14
1-5 YRS	231	2.4	7	<1	<1	2	3	4	6	16
6-12 YRS	86	2.3	3	<1	<1	2	3	5	6	8
13-19 YRS	93	2.8	13	<1	1	2	3	5	6	25
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	22	3.5	8	1	1	3	5	10	43	99+
1-5 YRS	151	5.4	107	<1	1	2	6	10	16	70
6-12 YRS	46	4.0	14	<1	1	2	6	10	11	16
13-19 YRS	69	6.3	43	1	1	5	8	14	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2885	1.6	4	<1	<1	1	2	3	4	8
B. *Operated*	697	2.3	6	<1	<1	1	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	555	2.7	8	<1	1	2	3	5	7	15
B. *Operated*	289	5.2	69	1	1	3	6	10	16	62
1. SINGLE DX	3582	1.7	5	<1	<1	1	2	3	4	9
2. MULTIPLE DX	844	3.5	30	<1	1	2	4	7	10	24
A. NOT OPERATED	3440	1.7	5	<1	<1	1	2	3	4	10
B. OPERATED	986	3.2	26	<1	1	2	4	7	9	21
TOTAL 0-27 DYS	120	2.1	2	<1	1	2	3	4	5	7
1-11 MOS	401	2.5	7	<1	1	2	3	5	8	13
1-5 YRS	2281	1.9	13	<1	<1	1	2	3	5	11
6-12 YRS	1020	1.9	4	<1	<1	1	2	4	5	10
13-19 YRS	604	2.6	12	<1	1	1	3	6	8	22
GRAND TOTAL	**4426**	**2.1**	**10**	**<1**	**<1**	**1**	**2**	**4**	**6**	**12**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	20	6.1	63	1	2	3	7	15	25	35
1-5 YRS	89	6.6	28	1	1	5	9	14	20	21
6-12 YRS	59	9.3	63	<1	1	7	14	22	26	33
13-19 YRS	70	8.1	40	1	2	7	10	18	22	26
B. *Operated*										
0-27 DYS										
1-11 MOS	17	12.4	108	1	1	9	19	29	34	36
1-5 YRS	144	15.9	274	2	2	10	24	39	52	75
6-12 YRS	174	13.9	165	2	2	9	20	34	40	62
13-19 YRS	224	13.3	217	2	2	8	15	32	42	78
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	38	7.2	28	1	1	6	9	15	16	22
1-5 YRS	152	8.2	47	1	2	7	11	15	20	41
6-12 YRS	74	8.8	49	<1	1	7	11	20	25	29
13-19 YRS	117	9.2	72	1	2	7	12	19	29	40
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	31	20.2	145	2	3	25	30	34	37	37
1-5 YRS	223	21.5	251	2	3	18	30	44	53	72
6-12 YRS	193	22.5	272	4	5	18	33	47	62	99+
13-19 YRS	286	22.5	324	3	4	16	35	50	60	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	238	7.7	44	1	1	6	11	17	22	29
B. *Operated*	559	14.1	212	2	2	9	19	34	43	76
2. MULTIPLE DX										
A. *Not Operated*	381	8.5	53	1	2	7	11	17	23	34
B. *Operated*	734	22.1	280	2	4	18	32	47	56	80
1. SINGLE DX	797	12.2	171	1	2	8	15	29	39	68
2. MULTIPLE DX	1115	17.4	243	2	3	12	25	41	50	76
A. NOT OPERATED	619	8.2	50	1	2	6	11	17	22	33
B. OPERATED	1293	18.6	266	2	3	13	28	42	53	77
TOTAL 0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	106	11.6	114	1	2	8	17	30	34	37
1-5 YRS	608	14.7	209	1	2	10	20	34	45	66
6-12 YRS	500	15.9	207	2	3	11	23	38	46	77
13-19 YRS	697	15.8	251	2	2	10	22	40	50	77
GRAND TOTAL	**1912**	**15.3**	**220**	**2**	**2**	**10**	**22**	**36**	**48**	**74**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	176	6.0	44	1	1	4	7	13	19	39
1-5 YRS	749	5.6	25	1	1	4	7	12	15	24
6-12 YRS	304	5.1	21	1	1	4	7	11	13	19
13-19 YRS	506	5.4	35	1	1	3	7	13	18	31
B. *Operated*										
0-27 DYS										
1-11 MOS	30	11.1	186	2	2	7	11	25	40	66
1-5 YRS	155	9.9	100	1	1	7	13	21	33	50
6-12 YRS	104	11.1	140	1	2	7	14	32	38	55
13-19 YRS	139	10.0	91	1	1	7	14	23	34	52
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	8.2	60	1	2	6	10	19	28	28
1-11 MOS	395	6.4	36	1	1	4	9	15	20	25
1-5 YRS	1499	6.8	36	1	1	5	9	14	19	29
6-12 YRS	519	7.0	42	1	1	5	9	16	20	30
13-19 YRS	974	5.5	30	1	1	4	7	13	17	26
B. *Operated*										
0-27 DYS	1	24.0		24	24	62	99+	99+	99+	99+
1-11 MOS	69	12.6	141	2	2	8	16	31	43	52
1-5 YRS	324	13.6	140	2	2	9	20	32	39	56
6-12 YRS	199	15.5	198	1	2	11	22	34	46	61
13-19 YRS	287	12.9	178	1	2	8	18	28	44	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1737	5.5	29	1	1	4	7	12	15	28
B. *Operated*	428	10.3	112	1	2	7	13	24	35	54
2. MULTIPLE DX										
A. *Not Operated*	3397	6.4	35	1	1	5	9	14	18	29
B. *Operated*	880	13.7	166	1	2	9	20	32	42	61
1. SINGLE DX	2165	6.4	49	1	1	4	8	14	19	37
2. MULTIPLE DX	4277	7.9	71	1	1	5	10	18	24	43
A. NOT OPERATED	5134	6.1	33	1	1	4	8	13	18	28
B. OPERATED	1308	12.6	151	1	2	8	17	30	39	59
TOTAL 0-27 DYS	13	8.4	73	<1	1	6	11	35	86	99+
1-11 MOS	670	7.1	60	1	1	5	9	16	22	42
1-5 YRS	2727	7.5	55	1	1	5	10	16	22	38
6-12 YRS	1126	8.4	86	1	1	5	11	19	27	46
13-19 YRS	1906	6.9	65	1	1	4	9	16	23	45
GRAND TOTAL	**6442**	**7.4**	**64**	**1**	**1**	**5**	**9**	**17**	**23**	**41**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.5	25	1	1	4	8	8	8	8
1-5 YRS	11	2.0	2	1	1	1	3	4	5	5
6-12 YRS	51	2.7	6	1	1	2	3	6	8	13
13-19 YRS	151	3.5	13	1	1	3	4	7	11	32
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.8	14	1	1	3	6	9	9	9
1-5 YRS	23	3.5	29	1	1	2	3	6	14	27
6-12 YRS	83	2.9	5	1	1	2	3	5	7	14
13-19 YRS	344	2.9	6	1	1	2	3	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	9	2.3	5	<1	<1	1	3	6	8	8
6-12 YRS	45	3.2	8	1	1	3	4	6	9	15
13-19 YRS	157	7.5	217	1	1	4	7	14	40	99
B. *Operated*										
0-27 DYS	2	16.0	288	4	4	16	28	28	28	28
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	35	2.7	9	1	1	2	3	5	11	14
6-12 YRS	84	4.0	78	<1	1	2	3	6	16	58
13-19 YRS	374	4.7	83	1	1	2	4	8	20	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	3.2	11	1	1	2	4	7	9	20
B. *Operated*	454	2.9	7	1	1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	215	6.3	164	1	1	3	6	10	22	97
B. *Operated*	497	4.5	77	1	1	2	4	8	16	75
1. SINGLE DX	669	3.0	8	1	1	2	3	6	8	14
2. MULTIPLE DX	712	5.1	104	1	1	2	4	9	21	92
A. NOT OPERATED	430	4.8	90	1	1	3	5	8	14	92
B. OPERATED	951	3.8	44	1	1	2	4	6	11	50
TOTAL 0-27 DYS	4	9.3	157	2	2	3	16	28	28	28
1-11 MOS	10	4.0	10	1	1	4	7	8	9	9
1-5 YRS	78	2.8	13	<1	1	2	3	5	8	23
6-12 YRS	263	3.3	29	1	1	2	3	6	8	25
13-19 YRS	1026	4.4	69	1	1	2	4	8	13	82
GRAND TOTAL	**1381**	**4.1**	**58**	**1**	**1**	**2**	**4**	**7**	**12**	**69**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	27	2.3	3	<1	1	2	3	4	7	7
1-5 YRS	232	2.4	5	1	1	2	3	5	6	13
6-12 YRS	415	2.3	6	1	1	2	3	4	5	9
13-19 YRS	671	2.8	7	<1	1	2	3	5	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS	3	6.0	27	3	3	3	10	12	12	12
1-5 YRS	82	5.0	58	<1	1	2	6	9	23	40
6-12 YRS	89	4.8	39	1	1	2	5	11	20	33
13-19 YRS	322	4.7	45	1	1	3	5	9	13	41
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	20	5.2	32	<1	<1	3	8	12	18	23
1-5 YRS	209	3.9	29	1	1	3	4	7	10	34
6-12 YRS	301	3.4	11	1	1	2	4	7	8	16
13-19 YRS	775	3.6	10	<1	1	3	5	7	9	14
B. *Operated*										
0-27 DYS	2	7.0	50	2	2	7	12	12	12	12
1-11 MOS	3	3.7	6	1	1	4	5	6	6	6
1-5 YRS	42	10.0	255	<1	1	4	13	26	37	90
6-12 YRS	120	6.5	43	1	1	4	8	16	21	29
13-19 YRS	443	9.9	167	1	1	5	11	24	42	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1346	2.6	7	1	1	2	3	5	6	12
B. *Operated*	496	4.8	46	1	1	2	5	9	17	40
2. MULTIPLE DX										
A. *Not Operated*	1305	3.6	14	1	1	3	4	7	9	19
B. *Operated*	610	9.2	149	1	1	5	10	21	35	75
1. SINGLE DX	1842	3.2	18	1	1	2	4	6	8	23
2. MULTIPLE DX	1915	5.4	63	1	1	3	6	11	19	45
A. NOT OPERATED	2651	3.1	10	1	1	2	4	6	8	15
B. OPERATED	1106	7.2	107	1	1	4	8	19	28	60
TOTAL 0-27 DYS	3	6.7	25	2	2	6	10	12	12	12
1-11 MOS	53	3.7	17	<1	1	2	4	9	12	23
1-5 YRS	565	3.9	43	1	1	2	4	7	12	37
6-12 YRS	925	3.4	18	1	1	2	4	7	10	26
13-19 YRS	2211	4.8	52	1	1	3	5	9	15	43
GRAND TOTAL	**3757**	**4.3**	**42**	**1**	**1**	**2**	**5**	**8**	**13**	**37**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	16	1.6	1	<1	<1	1	2	3	4	4
1-11 MOS	163	2.0	3	<1	1	1	2	4	5	9
1-5 YRS	3544	1.6	4	<1	1	1	2	2	3	7
6-12 YRS	502	2.6	23	<1	1	2	3	4	6	14
13-19 YRS	3995	2.3	8	<1	1	2	3	4	5	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	8	1.5		<1	<1	1	2	2	2	2
6-12 YRS	6	2.5	4	<1	<1	2	3	6	6	6
13-19 YRS	19	5.6	136	<1	1	2	5	8	33	53
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	7.6	98	1	1	3	8	25	32	33
1-11 MOS	125	3.7	13	1	1	3	4	7	11	21
1-5 YRS	1092	2.3	6	1	1	2	3	4	6	11
6-12 YRS	435	3.5	16	1	1	2	4	7	10	23
13-19 YRS	5937	4.3	43	<1	1	2	4	9	14	38
B. *Operated*										
0-27 DYS										
1-11 MOS	5	4.0	3	2	2	4	5	6	6	6
1-5 YRS	19	8.4	136	1	1	4	10	39	72	99+
6-12 YRS	9	6.2	22	1	1	6	10	13	15	15
13-19 YRS	117	8.7	92	<1	1	6	11	23	28	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8220	2.0	7	<1	1	1	2	4	5	10
B. *Operated*	34	4.0	78	<1	1	2	3	6	8	53
2. MULTIPLE DX										
A. *Not Operated*	7601	4.0	36	<1	1	2	4	8	13	34
B. *Operated*	150	8.3	90	1	1	5	10	22	30	99
1. SINGLE DX	8254	2.0	7	<1	1	1	2	4	5	10
2. MULTIPLE DX	7751	4.1	37	<1	1	2	4	8	13	35
A. NOT OPERATED	15821	2.9	22	<1	1	2	3	5	8	25
B. OPERATED	184	7.5	90	1	1	4	9	20	29	85
TOTAL 0-27 DYS	28	4.1	49	<1	1	2	3	9	23	33
1-11 MOS	294	2.7	8	<1	1	2	3	6	8	15
1-5 YRS	4663	1.8	5	<1	1	1	2	3	4	9
6-12 YRS	952	3.1	20	<1	1	2	3	6	8	20
13-19 YRS	10068	3.6	31	<1	1	2	4	7	11	30
GRAND TOTAL	**16005**	**3.0**	**23**	**<1**	**1**	**2**	**3**	**6**	**9**	**26**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	10	2.2	3	1	1	2	2	5	6	6
1-11 MOS	192	1.6	2	<1	1	1	2	3	4	8
1-5 YRS	2326	2.1	6	<1	1	1	2	5	7	14
6-12 YRS	591	2.0	5	<1	1	1	2	4	5	11
13-19 YRS	1175	1.9	3	<1	<1	1	2	3	5	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	14	6.0	39	<1	1	4	7	14	22	24
6-12 YRS	16	[illegible].6	8	1	2	4	6	9	10	11
13-19 YRS	16	5.3	38	1	2	4	5	6	21	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	1.5	1	1	1	1	2	3	3	3
1-11 MOS	102	3.3	7	1	1	2	4	7	9	13
1-5 YRS	999	3.6	18	1	1	2	4	7	11	22
6-12 YRS	246	2.8	8	1	1	2	3	5	7	15
13-19 YRS	783	3.3	28	<1	1	2	3	6	11	30
B. *Operated*										
0-27 DYS										
1-11 MOS	5	8.0	22	4	4	7	9	16	16	16
1-5 YRS	21	12.2	175	1	2	8	14	28	42	58
6-12 YRS	10	10.2	121	1	2	5	10	30	34	34
13-19 YRS	36	14.4	396	1	1	6	17	57	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4294	2.0	5	<1	1	1	2	4	6	13
B. *Operated*	47	5.2	27	1	2	4	6	10	15	28
2. MULTIPLE DX										
A. *Not Operated*	2134	3.4	20	1	1	2	4	7	10	22
B. *Operated*	72	12.7	265	1	2	7	15	33	61	96
1. SINGLE DX	4341	2.0	6	<1	1	1	2	4	6	13
2. MULTIPLE DX	2206	3.7	30	1	1	2	4	7	11	30
A. NOT OPERATED	6428	2.5	10	<1	1	1	3	5	7	16
B. OPERATED	119	9.7	184	1	2	5	10	28	38	87
TOTAL 0-27 DYS	14	2.0	2	1	1	2	2	4	6	6
1-11 MOS	300	2.3	5	<1	1	1	3	5	7	13
1-5 YRS	3360	2.6	12	1	1	1	3	6	8	18
6-12 YRS	863	2.4	8	1	1	2	3	5	6	14
13-19 YRS	2010	2.7	23	<1	<1	1	3	5	7	25
GRAND TOTAL	**6547**	**2.6**	**14**	**<1**	**1**	**1**	**3**	**5**	**7**	**20**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	23	3.7	5	<1	1	3	5	6	8	10
1-11 MOS	171	3.9	20	1	1	2	5	9	14	26
1-5 YRS	690	2.6	8	1	1	2	3	5	7	13
6-12 YRS	454	2.8	7	1	1	2	3	5	7	12
13-19 YRS	629	2.9	15	<1	1	2	3	5	8	21
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	9	5.9	12	1	1	7	9	10	10	10
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	15	8.7	81	<1	2	7	10	16	32	37
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	19	5.1	19	<1	1	4	7	11	15	17
1-11 MOS	233	7.5	75	1	1	5	9	18	23	38
1-5 YRS	566	4.2	24	1	1	3	5	10	12	23
6-12 YRS	331	4.1	50	1	1	3	4	8	10	20
13-19 YRS	657	3.7	27	1	1	2	4	7	11	23
B. *Operated*										
0-27 DYS										
1-11 MOS	5	25.4	569	<1	<1	32	40	57	57	57
1-5 YRS	33	15.9	440	1	1	8	19	64	80	99+
6-12 YRS	10	13.0	220	1	1	6	26	37	40	40
13-19 YRS	35	13.0	190	<1	1	7	22	42	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1967	2.9	11	1	1	2	3	6	8	16
B. *Operated*	28	6.9	51	1	1	6	9	13	18	37
2. MULTIPLE DX										
A. *Not Operated*	1806	4.5	38	1	1	3	5	9	14	28
B. *Operated*	83	14.9	312	<1	1	7	26	43	64	99+
1. SINGLE DX	1995	2.9	12	1	1	2	3	6	8	17
2. MULTIPLE DX	1889	4.9	54	1	1	3	5	10	15	39
A. NOT OPERATED	3773	3.6	25	1	1	2	4	7	11	23
B. OPERATED	111	12.9	257	<1	1	7	17	38	56	99+
TOTAL 0-27 DYS	43	4.2	11	<1	1	3	5	9	11	17
1-11 MOS	410	6.2	64	1	1	3	7	15	22	36
1-5 YRS	1298	3.7	30	1	1	2	4	7	12	29
6-12 YRS	797	3.5	29	1	1	2	4	7	9	20
13-19 YRS	1336	3.6	29	1	1	2	4	7	11	31
GRAND TOTAL	**3884**	**3.9**	**34**	**1**	**1**	**2**	**4**	**8**	**12**	**31**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	21	5.9	50	<1	1	4	7	16	25	27
1-5 YRS	55	2.9	6	1	1	2	4	7	8	10
6-12 YRS	55	3.2	7	<1	1	2	5	7	9	11
13-19 YRS	86	4.4	16	<1	1	3	6	10	13	18
B. *Operated*										
0-27 DYS	6	6.0	34	2	2	3	10	15	16	16
1-11 MOS	133	8.0	55	1	2	6	9	15	24	41
1-5 YRS	273	5.7	46	<1	1	4	7	12	15	37
6-12 YRS	288	5.1	19	<1	1	4	8	11	14	19
13-19 YRS	587	5.0	38	1	1	3	6	11	16	33
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	13.3	152	3	3	10	23	27	27	27
1-11 MOS	31	7.5	54	1	2	5	10	15	29	31
1-5 YRS	59	5.1	31	<1	1	3	6	14	22	93
6-12 YRS	62	3.9	9	1	1	3	5	7	11	14
13-19 YRS	99	5.5	25	1	1	5	7	9	16	28
B. *Operated*										
0-27 DYS	5	13.6	11	10	10	13	17	17	17	17
1-11 MOS	199	13.3	176	2	3	8	17	35	44	66
1-5 YRS	298	8.9	70	1	2	6	12	22	26	45
6-12 YRS	290	8.6	82	1	2	6	10	18	30	44
13-19 YRS	492	8.8	92	1	2	6	11	19	31	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	3.9	15	<1	1	2	5	8	11	21
B. *Operated*	1287	5.5	38	1	1	4	7	12	16	34
2. MULTIPLE DX										
A. *Not Operated*	254	5.4	28	1	1	4	6	11	17	31
B. *Operated*	1284	9.5	100	1	2	6	12	21	32	54
1. SINGLE DX	1505	5.3	35	1	1	3	7	11	16	32
2. MULTIPLE DX	1538	8.8	90	1	2	6	11	20	30	51
A. NOT OPERATED	472	4.7	23	1	1	3	6	10	14	27
B. OPERATED	2571	7.5	73	1	1	5	9	16	25	44
TOTAL 0-27 DYS	15	10.4	51	2	2	10	15	17	25	27
1-11 MOS	384	10.6	125	1	2	7	12	24	38	60
1-5 YRS	685	6.8	55	<1	1	5	8	16	23	41
6-12 YRS	695	6.3	47	1	1	4	8	13	18	39
13-19 YRS	1264	6.5	60	1	1	4	8	15	21	40
GRAND TOTAL	**3043**	**7.1**	**66**	**1**	**1**	**4**	**8**	**16**	**23**	**44**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	2.1	2	1	1	2	3	4	5	5
1-11 MOS	13	2.1	6	<1	<1	1	2	5	9	10
1-5 YRS	261	1.8	5	<1	<1	1	2	3	4	10
6-12 YRS	442	1.7	2	<1	1	1	2	3	4	6
13-19 YRS	490	2.0	3	<1	1	1	2	4	5	8
B. *Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	5	1.2		1	1	1	2	2	2	2
1-5 YRS	215	1.6	1	<1	<1	1	2	3	3	6
6-12 YRS	327	1.9	27	<1	1	1	2	3	4	7
13-19 YRS	428	2.6	17	<1	1	2	3	5	7	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	3.0	5	<1	<1	2	4	7	7	7
1-11 MOS	6	3.8	8	2	2	3	5	9	9	9
1-5 YRS	60	2.4	4	<1	1	2	3	5	6	12
6-12 YRS	64	2.1	3	<1	1	2	3	4	5	9
13-19 YRS	85	3.5	12	<1	1	2	4	7	10	19
B. *Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	32	3.6	17	1	1	2	4	8	9	22
6-12 YRS	46	4.2	28	<1	1	2	4	13	16	25
13-19 YRS	77	4.6	22	1	1	3	6	11	15	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1214	1.8	3	<1	1	1	2	3	4	8
B. *Operated*	977	2.1	17	<1	1	1	2	4	5	13
2. MULTIPLE DX										
A. *Not Operated*	221	2.8	7	<1	1	2	3	6	8	14
B. *Operated*	158	4.2	22	<1	1	2	5	9	15	23
1. SINGLE DX	2191	2.0	9	<1	1	1	2	3	5	10
2. MULTIPLE DX	379	3.4	14	<1	1	2	4	8	11	21
A. NOT OPERATED	1435	2.0	4	<1	1	1	2	4	5	10
B. OPERATED	1135	2.4	18	<1	1	1	2	4	7	17
TOTAL 0-27 DYS	18	2.4	3	<1	1	2	3	5	6	7
1-11 MOS	25	2.5	7	<1	1	1	3	7	9	10
1-5 YRS	568	1.9	4	<1	<1	1	2	3	5	9
6-12 YRS	879	1.9	13	<1	1	1	2	3	4	10
13-19 YRS	1080	2.5	11	<1	1	2	3	5	7	16
GRAND TOTAL	**2570**	**2.2**	**10**	**<1**	**1**	**1**	**2**	**4**	**5**	**13**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	5.1	8	2	2	5	6	10	11	11
1-11 MOS	21	4.8	10	1	2	4	6	9	12	14
1-5 YRS	40	4.5	7	1	1	4	6	8	10	12
6-12 YRS	117	5.2	11	2	2	5	7	9	11	16
13-19 YRS	269	5.7	18	1	2	5	7	12	16	21
B. *Operated*										
0-27 DYS	2	10.0	72	4	4	10	16	16	16	16
1-11 MOS	6	11.8	110	2	2	9	20	27	28	28
1-5 YRS	47	3.4	8	<1	1	2	5	8	9	13
6-12 YRS	116	7.0	25	1	2	6	9	13	16	28
13-19 YRS	237	8.0	35	2	2	7	11	16	20	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	6.7	38	<1	1	4	12	16	16	16
1-11 MOS	17	6.9	19	1	2	6	9	14	15	15
1-5 YRS	35	7.5	63	1	2	6	9	16	18	45
6-12 YRS	46	6.3	35	1	2	5	7	11	18	34
13-19 YRS	130	6.7	20	2	2	6	8	12	15	24
B. *Operated*										
0-27 DYS	4	14.3	47	8	8	12	18	24	24	24
1-11 MOS	10	11.6	174	1	1	4	28	31	33	33
1-5 YRS	16	7.3	27	<1	2	7	9	15	18	20
6-12 YRS	43	10.7	50	2	2	9	17	21	23	27
13-19 YRS	110	10.6	102	2	3	7	13	22	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	454	5.4	15	1	2	5	7	10	12	21
B. *Operated*	408	7.3	32	1	2	6	10	15	19	27
2. MULTIPLE DX										
A. *Not Operated*	235	6.7	30	2	2	5	8	14	16	30
B. *Operated*	183	10.5	85	2	3	7	14	22	28	44
1. SINGLE DX	862	6.3	24	1	2	5	8	12	16	24
2. MULTIPLE DX	418	8.4	57	2	2	6	10	17	23	38
A. NOT OPERATED	689	5.9	20	1	2	5	7	11	15	23
B. OPERATED	591	8.3	51	1	2	6	11	17	22	33
TOTAL 0-27 DYS	20	8.0	38	1	2	5	12	16	20	24
1-11 MOS	54	7.5	58	1	2	5	9	15	28	33
1-5 YRS	138	5.2	27	1	1	4	7	10	13	23
6-12 YRS	322	6.8	27	1	2	5	9	12	18	27
13-19 YRS	746	7.3	39	2	2	5	9	15	19	30
GRAND TOTAL	**1280**	**7.0**	**36**	**1**	**2**	**5**	**9**	**15**	**19**	**29**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	4.6	41	1	1	2	6	16	16	16
1-5 YRS	27	1.7	1	<1	<1	1	2	3	3	4
6-12 YRS	37	2.7	6	1	1	2	3	5	7	13
13-19 YRS	77	3.8	13	<1	1	3	4	8	13	17
B. *Operated*										
0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	13	4.8	22	<1	1	3	6	14	16	16
1-5 YRS	64	3.0	12	<1	<1	2	4	7	12	18
6-12 YRS	92	4.0	19	<1	1	2	4	9	14	23
13-19 YRS	205	4.9	27	1	1	3	6	10	12	33
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	20	4.5	12	1	1	3	7	10	11	12
1-5 YRS	54	4.2	71	1	1	2	4	7	11	59
6-12 YRS	55	3.8	11	1	1	3	4	8	12	17
13-19 YRS	116	5.6	90	1	1	3	5	11	20	53
B. *Operated*										
0-27 DYS	3	6.7	6	4	4	7	8	9	9	9
1-11 MOS	19	11.2	164	1	1	9	13	25	43	55
1-5 YRS	50	6.1	58	<1	1	4	8	11	19	47
6-12 YRS	84	6.5	45	1	1	4	8	15	22	34
13-19 YRS	194	7.3	79	1	2	5	9	16	21	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	3.1	10	<1	1	2	3	7	10	16
B. *Operated*	376	4.3	22	<1	1	3	5	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	246	4.8	62	1	1	3	5	10	13	37
B. *Operated*	350	7.1	72	1	1	5	9	16	22	47
1. SINGLE DX	522	4.0	19	<1	1	3	5	9	12	22
2. MULTIPLE DX	596	6.2	69	1	1	3	7	13	20	42
A. NOT OPERATED	392	4.2	43	1	1	3	4	8	13	27
B. OPERATED	726	5.7	48	<1	1	3	7	12	18	33
TOTAL 0-27 DYS	6	5.0	8	<1	<1	5	7	9	9	9
1-11 MOS	57	6.8	74	1	1	4	9	15	19	53
1-5 YRS	195	4.0	40	<1	1	2	4	8	12	37
6-12 YRS	268	4.5	25	1	1	3	5	11	15	23
13-19 YRS	592	5.7	56	1	1	3	7	11	18	34
GRAND TOTAL	**1118**	**5.2**	**47**	**1**	**1**	**3**	**6**	**11**	**16**	**31**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	16	2.0	1	<1	<1	2	3	3	4	4
1-5 YRS	48	3.0	2	1	1	3	4	5	6	7
6-12 YRS	35	2.9	2	1	1	3	4	5	6	6
13-19 YRS	31	3.9	8	1	1	3	5	8	10	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	19	3.5	7	1	1	3	4	8	9	10
1-5 YRS	53	3.3	4	1	2	3	4	6	7	13
6-12 YRS	24	3.4	3	1	2	3	4	5	7	8
13-19 YRS	35	3.2	4	1	1	3	4	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	7.5	42	2	2	6	12	16	16	16
6-12 YRS	4	6.0	21	2	2	5	9	12	12	12
13-19 YRS	8	6.0	17	1	1	6	9	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	3.1	4	1	1	3	4	5	6	10
B. *Operated*	4	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	132	3.3	4	1	1	3	4	6	7	11
B. *Operated*	16	6.4	21	1	2	6	10	12	15	16
1. SINGLE DX	136	3.0	3	1	1	3	4	5	6	10
2. MULTIPLE DX	148	3.7	7	1	1	3	4	7	9	13
A. NOT OPERATED	264	3.2	4	1	1	3	4	6	7	11
B. OPERATED	20	5.6	20	1	1	4	8	12	14	16
TOTAL 0-27 DYS	3	3.3		3	3	3	4	4	4	4
1-11 MOS	35	2.8	5	<1	1	2	4	6	8	10
1-5 YRS	106	3.3	5	1	1	3	4	6	7	14
6-12 YRS	65	3.3	3	1	2	3	4	5	6	11
13-19 YRS	75	3.7	8	1	1	3	5	7	11	12
GRAND TOTAL	**284**	**3.4**	**5**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	5.5	1	5	5	5	6	6	6	6
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	1.2		<1	<1	1	1	2	2	2
B. *Operated*										
0-27 DYS	11	1.8	1	<1	<1	2	2	3	4	4
1-11 MOS	11	1.5		<1	<1	1	2	3	3	3
1-5 YRS	10	1.9	1	1	1	2	3	4	4	4
6-12 YRS	7	1.3		<1	<1	1	2	2	2	2
13-19 YRS	250	2.2	3	<1	<1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	1.2		<1	<1	1	1	2	2	2
B. *Operated*										
0-27 DYS	8	2.6	3	1	1	2	4	5	6	6
1-11 MOS	7	1.6	1	<1	<1	1	2	3	3	3
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	16	4.3	7	1	1	4	6	9	10	10
13-19 YRS	197	3.0	10	<1	<1	2	3	5	7	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.3	4	<1	<1	1	3	6	6	6
B. *Operated*	289	2.1	3	<1	<1	2	2	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	6	2.2	6	<1	<1	1	2	6	7	7
B. *Operated*	230	3.0	10	<1	<1	2	3	6	7	22
1. SINGLE DX	297	2.1	3	<1	<1	2	2	4	4	7
2. MULTIPLE DX	236	3.0	10	<1	<1	2	3	6	7	21
A. NOT OPERATED	14	2.2	4	<1	<1	1	2	6	7	7
B. OPERATED	519	2.5	6	<1	<1	2	3	4	6	10
TOTAL 0-27 DYS	22	2.7	3	<1	1	2	4	6	7	7
1-11 MOS	18	1.6		<1	<1	1	2	3	3	3
1-5 YRS	12	2.0	1	1	1	2	3	4	4	4
6-12 YRS	23	3.4	7	<1	<1	2	5	7	9	10
13-19 YRS	458	2.5	6	<1	<1	2	3	4	5	10
GRAND TOTAL	**533**	**2.5**	**6**	**<1**	**<1**	**2**	**3**	**4**	**6**	**10**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	407	3.5	12	1	2	3	4	6	6	9
1000-1499	120	7.9	129	<1	<1	3	6	32	40	99+
1500-1749	129	12.0	141	<1	<1	6	21	26	32	46
1750-2499	13672	3.8	8	1	2	3	4	6	8	16
2500+	727199	3.3	2	1	2	3	4	5	6	8
B. *Operated*										
1-999 G	3	2.3	1	<1	<1	3	3	3	3	3
1000-1499	2	53.5	221	43	43	53	64	64	64	64
1500-1749	1	29.0		29	29	29	29	29	29	29
1750-2499	23	9.1	60	<1	1	6	13	21	27	28
2500+	525	3.9	5	2	2	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	566	22.6	991	<1	<1	5	61	85	99	99+
1000-1499	1896	33.6	414	<1	<1	35	47	59	67	88
1500-1749	2438	23.1	131	<1	6	23	29	36	40	53
1750-2499	31107	8.1	42	2	3	6	11	17	21	29
2500+	271455	4.2	5	2	2	4	5	7	8	12
B. *Operated*										
1-999 G	187	52.2	1109	<1	1	71	99	99+	99+	99+
1000-1499	854	46.2	405	1	24	47	61	77	94	99+
1500-1749	542	32.0	236	5	16	31	38	53	66	99+
1750-2499	1932	16.4	130	3	5	15	21	29	36	79
2500+	5584	7.8	63	2	3	6	9	14	20	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	741527	3.3	2	1	2	3	4	5	6	8
B. *Operated*	554	4.4	19	2	2	3	5	6	8	26
2. MULTIPLE DX										
A. *Not Operated*	307462	4.9	24	2	2	4	5	7	11	27
B. *Operated*	9099	15.6	310	2	3	8	20	44	62	99+
1. SINGLE DX	742081	3.3	2	1	2	3	4	5	6	8
2. MULTIPLE DX	316561	5.2	35	2	2	4	6	8	12	34
A. NOT OPERATED	1048989	3.8	9	2	2	3	4	6	7	15
B. OPERATED	9653	14.9	300	2	3	8	19	42	61	99+
TOTAL 1-999 G	1163	20.6	929	<1	<1	4	61	92	99+	99+
1000-1499	2872	36.3	467	<1	1	38	51	65	75	99+
1500-1749	3110	24.2	167	<1	5	24	31	38	45	70
1750-2499	46734	7.2	43	2	2	5	9	16	20	30
2500+	1004763	3.5	4	2	2	3	4	6	7	9
GRAND TOTAL	**1058642**	**3.9**	**13**	**2**	**2**	**3**	**4**	**6**	**7**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	6	5.5	12	2	2	5	8	11	11	11
1000-1499	15	19.5	353	<1	<1	25	36	39	48	51
1500-1749	36	17.3	68	<1	3	18	22	26	28	39
1750-2499	1829	5.4	13	2	2	4	6	9	12	19
2500+	6530	4.6	4	2	2	4	6	7	8	10
B. *Operated*										
1-999 G	1	1.0		<1	<1	<1	<1	<1	<1	<1
1000-1499	2	16.5	481	<1	<1	16	32	32	32	32
1500-1749	1	21.0		21	21	21	21	21	21	21
1750-2499	6	8.2	55	2	2	5	13	20	21	21
2500+	7	4.0	4	<1	<1	4	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	63	23.2	1137	<1	<1	3	73	96	99+	99+
1000-1499	362	34.7	366	<1	<1	36	46	60	67	86
1500-1749	582	23.7	101	5	12	24	29	35	41	58
1750-2499	4494	10.1	43	3	4	8	14	19	23	30
2500+	3249	5.5	7	2	3	5	7	8	10	15
B. *Operated*										
1-999 G	42	45.0	1217	<1	<1	65	88	99+	99+	99+
1000-1499	153	43.0	411	<1	14	45	55	70	84	99+
1500-1749	123	29.6	184	1	15	30	37	44	55	81
1750-2499	250	18.2	153	4	5	17	23	31	36	79
2500+	80	9.4	117	2	3	6	13	16	19	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8416	4.8	8	2	2	4	6	7	9	16
B. *Operated*	17	7.8	78	<1	<1	5	8	21	28	32
2. MULTIPLE DX										
A. *Not Operated*	8750	10.4	101	3	3	7	13	22	30	53
B. *Operated*	648	26.9	433	1	4	23	40	62	78	99+
1. SINGLE DX	8433	4.8	8	2	2	4	6	7	9	16
2. MULTIPLE DX	9398	11.5	141	3	3	7	15	26	36	66
A. NOT OPERATED	17166	7.7	63	2	3	5	8	16	23	43
B. OPERATED	665	26.4	433	1	4	23	39	61	78	99+
TOTAL 1-999 G	112	30.2	1236	<1	<1	10	77	99+	99+	99+
1000-1499	532	36.6	400	<1	<1	38	49	64	72	99+
1500-1749	742	24.4	120	3	12	24	30	37	42	62
1750-2499	6579	9.1	47	3	3	7	12	18	22	30
2500+	9866	4.9	6	2	3	5	6	7	8	13
GRAND TOTAL	**17831**	**8.4**	**90**	**2**	**3**	**5**	**8**	**18**	**27**	**53**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	3	2.3		2	2	2	3	3	3	3
1000-1499	4	15.0	227	<1	<1	15	28	29	29	29
1500-1749	4	15.5	78	3	3	18	21	23	23	23
1750-2499	114	4.3	12	1	2	3	5	10	12	18
2500+	1829	2.8	2	1	1	3	3	4	5	8
B. *Operated*										
1-999 G										
1000-1499	1	56.0		56	56	56	56	56	56	56
1500-1749										
1750-2499										
2500+	4	3.5	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	3	3.3	16	<1	<1	8	99+	99+	99+	99+
1000-1499	43	36.5	459	<1	<1	36	51	66	73	81
1500-1749	54	24.0	105	5	13	23	28	37	42	53
1750-2499	351	10.0	61	2	2	8	14	21	25	35
2500+	726	4.5	12	1	2	4	5	8	11	20
B. *Operated*										
1-999 G	6	80.8	106	71	72	90	99+	99+	99+	99+
1000-1499	18	39.2	512	1	1	44	66	99+	99+	99+
1500-1749	11	33.6	127	23	24	31	42	73	96	99+
1750-2499	34	17.2	122	2	3	17	22	27	42	50
2500+	58	9.1	106	1	2	6	10	17	30	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1954	3.0	4	1	1	3	3	4	6	10
B. *Operated*	5	14.0	553	2	2	4	18	56	56	56
2. MULTIPLE DX										
A. *Not Operated*	1177	8.2	97	1	2	4	9	20	29	53
B. *Operated*	127	21.1	464	1	3	13	36	72	99	99+
1. SINGLE DX	1959	3.0	5	1	1	3	3	4	6	10
2. MULTIPLE DX	1304	9.5	147	1	2	5	11	24	37	79
A. NOT OPERATED	3131	4.9	45	1	1	3	4	10	17	37
B. OPERATED	132	20.8	465	1	3	13	35	72	98	99+
TOTAL 1-999 G	12	41.8	1711	<1	1	75	99+	99+	99+	99+
1000-1499	66	36.2	477	<1	1	39	52	72	83	99+
1500-1749	69	25.0	122	3	13	24	29	41	46	92
1750-2499	499	9.2	64	2	2	6	13	20	25	37
2500+	2617	3.4	8	1	1	3	4	6	8	13
GRAND TOTAL	**3263**	**5.6**	**72**	**1**	**1**	**3**	**5**	**12**	**22**	**52**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	9	2.3	5	1	1	2	2	6	8	8
6-12 YRS	47	3.0	9	<1	<1	2	4	8	10	12
13-19 YRS	96	2.6	4	<1	1	2	3	5	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	12	1.3		<1	<1	1	2	2	2	2
1-5 YRS	131	2.1	10	<1	<1	2	2	3	4	23
6-12 YRS	492	3.2	47	<1	1	2	3	5	7	21
13-19 YRS	3044	2.8	12	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.3	2	<1	<1	2	3	4	4	4
6-12 YRS	15	4.2	16	<1	1	3	6	9	14	16
13-19 YRS	36	2.7	28	<1	<1	1	2	4	8	32
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	1.8	1	1	1	2	2	3	3	3
1-5 YRS	32	2.8	11	<1	1	2	3	5	10	18
6-12 YRS	107	4.0	16	1	1	3	5	9	13	21
13-19 YRS	469	3.9	12	1	1	3	5	7	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	2.7	6	<1	1	2	3	6	8	12
B. *Operated*	3679	2.9	17	<1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	54	3.1	23	<1	<1	2	3	6	10	31
B. *Operated*	615	3.9	13	1	1	3	5	7	10	20
1. SINGLE DX	3834	2.8	16	<1	1	2	3	5	6	12
2. MULTIPLE DX	669	3.8	14	1	1	3	4	7	10	21
A. NOT OPERATED	209	2.8	10	<1	<1	2	3	6	9	14
B. OPERATED	4294	3.0	16	<1	1	2	3	5	6	14
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	21	1.4		<1	<1	1	2	2	3	3
1-5 YRS	175	2.2	10	<1	<1	2	2	3	4	20
6-12 YRS	661	3.4	39	<1	1	2	4	6	8	20
13-19 YRS	3645	3.0	12	<1	1	2	3	5	6	13
GRAND TOTAL	**4503**	**3.0**	**16**	**<1**	**1**	**2**	**3**	**5**	**6**	**14**

Length of Stay Tables
Operation Groups

C: Summary of all patients in operation groups

TYPE OF PATIENT (1)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
					5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX											
	0-27 DYS	1609	5.3	29	1	1	4	6	11	16	29
	1-11 MOS	15987	3.4	20	<1	<1	2	4	7	11	22
	1-5 YRS	85120	2.4	12	<1	<1	2	2	4	7	18
	6-12 YRS	127906	2.8	14	<1	1	2	3	5	8	20
	13-19 YRS	293958	3.5	13	1	1	3	4	6	8	17
2. MULTIPLE DX											
	0-27 DYS	1578	17.8	533	1	2	10	35	99+	99+	99+
	1-11 MOS	11704	9.7	214	<1	1	4	10	30	47	85
	1-5 YRS	67131	3.4	35	<1	1	2	2	7	12	33
	6-12 YRS	70054	4.2	44	<1	1	2	4	9	16	35
	13-19 YRS	159667	5.8	58	1	2	4	6	11	17	48
TOT. SINGLE DX		524580	3.2	14	<1	1	2	4	6	8	18
" MULTIPLE DX		310134	5.1	61	1	1	3	5	10	17	49
TOTAL	0-27 DYS	3187	11.5	317	1	2	6	13	63	99+	99+
	1-11 MOS	27691	6.1	112	<1	1	2	6	14	27	65
	1-5 YRS	152251	2.8	23	<1	<1	2	2	5	9	26
	6-12 YRS	197960	3.3	25	<1	1	2	3	6	10	27
	13-19 YRS	453625	4.3	31	1	1	3	5	8	11	30
GRAND TOTAL		**834714**	**3.9**	**32**	**<1**	**1**	**2**	**4**	**7**	**11**	**31**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	2	1.0		1	1	1	1	1	1	[illegible]
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	21	1.2		<1	1	1	1	2	3	3
1-5 YRS	46	2.3	10	1	1	1	3	4	7	17
6-12 YRS	53	1.6	3	<1	1	1	2	2	5	12
13-19 YRS	29	1.7	2	<1	<1	1	2	3	5	6
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	4	1.8	2	1	1	1	3	4	4	4
13-19 YRS	24	3.2	17	<1	<1	2	4	5	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.0		1	1	1	1	1	1	1
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	150	1.8	5	<1	1	1	2	3	5	16
B. *Operated*	30	3.0	14	<1	<1	2	4	5	6	21
1. SINGLE DX	8	1.4	1	1	1	1	1	3	4	4
2. MULTIPLE DX	180	2.0	6	<1	<1	1	2	4	5	17
A. NOT OPERATED	157	1.8	5	<1	1	1	2	3	5	16
B. OPERATED	31	3.0	14	<1	<1	2	4	5	6	21
TOTAL 0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	26	1.2		<1	1	1	1	2	2	3
1-5 YRS	47	2.4	10	1	1	1	3	4	7	17
6-12 YRS	59	1.6	3	<1	1	1	2	2	5	11
13-19 YRS	54	2.4	9	<1	<1	1	3	5	6	20
GRAND TOTAL	**188**	**2.0**	**6**	**<1**	**<1**	**1**	**2**	**4**	**5**	**17**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	416	3.5	14	1	1	2	4	6	11	20
1-11 MOS	566	2.6	8	<1	<1	2	3	5	7	17
1-5 YRS	1193	2.2	10	<1	<1	1	2	5	6	12
6-12 YRS	1040	3.4	17	<1	<1	2	4	7	10	22
13-19 YRS	3272	2.6	19	<1	<1	1	3	5	8	20
B. *Operated*										
0-27 DYS	6	5.5	69	<1	<1	2	6	20	22	22
1-11 MOS	116	4.6	50	<1	<1	2	6	12	14	41
1-5 YRS	518	2.5	12	<1	<1	1	2	6	9	21
6-12 YRS	667	2.9	31	<1	<1	1	2	6	9	22
13-19 YRS	2073	2.9	11	<1	<1	2	3	6	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	207	6.8	60	1	2	4	8	16	24	37
1-11 MOS	344	3.9	46	<1	1	2	4	8	13	26
1-5 YRS	913	2.9	15	<1	<1	1	4	6	8	19
6-12 YRS	1075	4.0	46	<1	<1	2	4	9	14	41
13-19 YRS	2519	4.3	56	<1	1	2	4	8	14	52
B. *Operated*										
0-27 DYS	19	7.5	98	<1	1	3	10	26	33	33
1-11 MOS	107	8.3	90	1	1	5	11	17	25	50
1-5 YRS	301	4.3	46	<1	1	2	5	10	14	45
6-12 YRS	353	4.3	35	<1	1	2	4	10	17	40
13-19 YRS	1074	5.2	74	<1	1	3	5	11	20	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6487	2.7	16	<1	<1	1	3	5	8	19
B. *Operated*	3380	2.9	17	<1	<1	2	3	6	9	19
2. MULTIPLE DX										
A. *Not Operated*	5058	4.0	47	<1	<1	2	4	8	13	40
B. *Operated*	1854	5.1	64	<1	1	3	5	11	19	62
1. SINGLE DX	9867	2.7	16	<1	<1	2	3	6	9	19
2. MULTIPLE DX	6912	4.3	52	<1	<1	2	4	9	15	48
A. NOT OPERATED	11545	3.3	30	<1	<1	2	3	6	10	28
B. OPERATED	5234	3.7	35	<1	<1	2	4	8	12	39
TOTAL 0-27 DYS	648	4.7	34	1	1	3	5	11	17	31
1-11 MOS	1133	3.8	34	<1	<1	2	4	8	13	25
1-5 YRS	2925	2.7	16	<1	<1	1	3	5	9	21
6-12 YRS	3135	3.6	32	<1	<1	2	4	8	11	29
13-19 YRS	8938	3.4	35	<1	<1	2	3	7	11	36
GRAND TOTAL	**16779**	**3.4**	**31**	**<1**	**<1**	**2**	**3**	**7**	**11**	**30**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	13.3	154	<1	<1	11	22	31	32	32
1-11 MOS	62	11.5	83	1	2	9	16	25	28	43
1-5 YRS	72	11.8	114	2	2	9	16	30	46	99+
6-12 YRS	106	12.2	95	2	3	11	17	21	26	91
13-19 YRS	162	14.8	197	2	3	11	17	35	51	90
2. MULTIPLE DX										
0-27 DYS	7	20.0	289	3	4	13	35	46	47	47
1-11 MOS	114	20.0	236	3	4	18	27	37	49	95
1-5 YRS	79	16.0	195	2	3	11	26	33	38	66
6-12 YRS	100	18.1	193	3	4	16	22	38	52	84
13-19 YRS	183	23.5	314	4	8	19	31	57	78	99+
TOT. SINGLE DX	408	13.1	139	2	2	11	16	26	41	96
" MULTIPLE DX	483	20.3	257	3	4	17	28	44	61	99+
TOTAL 0-27 DYS	13	16.9	221	<1	2	13	24	41	46	47
1-11 MOS	176	17.0	198	2	3	14	24	35	43	90
1-5 YRS	151	14.0	160	2	2	10	20	32	44	99
6-12 YRS	206	15.1	151	3	4	12	18	29	43	91
13-19 YRS	345	19.4	277	2	4	15	25	49	64	99+
GRAND TOTAL	**891**	**17.0**	**215**	**2**	**3**	**13**	**22**	**37**	**52**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	10.4	74	1	2	6	17	23	24	24
1-11 MOS	79	8.9	46	3	4	7	11	15	21	41
1-5 YRS	75	9.4	33	3	3	8	13	18	21	28
6-12 YRS	107	10.8	55	3	4	9	14	20	24	39
13-19 YRS	163	14.2	127	3	4	11	18	30	44	94
2. MULTIPLE DX										
0-27 DYS	3	43.0	819	13	13	58	85	99+	99+	99+
1-11 MOS	47	16.4	151	4	4	11	26	35	56	99+
1-5 YRS	84	19.0	324	4	5	14	23	42	67	98
6-12 YRS	110	17.3	276	3	5	12	24	50	94	99+
13-19 YRS	241	24.9	368	5	7	20	40	71	99+	99+
TOT. SINGLE DX	431	11.5	81	3	4	8	15	22	30	52
" MULTIPLE DX	485	21.5	334	4	6	16	33	66	99+	99+
TOTAL 0-27 DYS	10	20.2	479	1	3	15	40	82	98	99+
1-11 MOS	126	11.7	97	3	4	8	13	29	36	99+
1-5 YRS	159	14.5	209	3	4	9	18	30	42	94
6-12 YRS	217	14.1	177	3	4	10	17	32	50	99+
13-19 YRS	404	20.6	298	4	6	16	32	57	99+	99+
GRAND TOTAL	**916**	**16.8**	**240**	**3**	**5**	**11**	**22**	**44**	**69**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	5.8	9	2	2	6	8	9	9	9
1-11 MOS	166	6.7	13	2	3	6	8	10	13	22
1-5 YRS	125	6.6	29	2	2	5	8	11	15	31
6-12 YRS	184	6.2	24	2	2	5	8	10	14	33
13-19 YRS	196	7.1	47	2	3	6	9	11	14	41
2. MULTIPLE DX										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	56	10.1	31	3	4	9	13	18	19	28
1-5 YRS	78	11.9	163	2	3	8	12	30	35	69
6-12 YRS	126	8.4	91	2	3	7	9	15	23	95
13-19 YRS	255	13.4	219	2	3	9	16	31	65	99+
TOT. SINGLE DX	675	6.6	29	2	3	6	8	10	14	28
" MULTIPLE DX	516	11.6	162	2	3	8	13	25	38	99+
TOTAL 0-27 DYS	5	7.0	15	2	2	7	10	12	12	12
1-11 MOS	222	7.6	20	2	3	7	9	13	17	24
1-5 YRS	203	8.7	87	2	3	6	10	15	28	57
6-12 YRS	310	7.1	52	2	2	6	8	11	18	36
13-19 YRS	451	10.7	154	2	3	7	12	21	39	99+
GRAND TOTAL	**1191**	**8.8**	**93**	**2**	**3**	**7**	**10**	**16**	**25**	**75**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	21	10.2	60	3	3	9	13	18	27	36
1-11 MOS	124	10.5	74	3	4	8	13	20	25	51
1-5 YRS	50	9.2	37	3	4	8	11	17	28	99
6-12 YRS	32	10.1	28	4	4	9	15	18	19	22
13-19 YRS	44	10.9	30	4	5	10	14	18	20	28
2. MULTIPLE DX										
0-27 DYS	23	27.3	375	5	7	39	99+	99+	99+	99+
1-11 MOS	137	21.9	360	4	5	16	36	66	99+	99+
1-5 YRS	77	15.6	155	4	4	13	20	30	50	93
6-12 YRS	83	20.7	410	4	5	12	29	52	78	98
13-19 YRS	93	17.6	250	4	5	14	23	54	97	99+
TOT. SINGLE DX	271	10.2	53	3	4	8	13	18	23	44
" MULTIPLE DX	413	19.8	314	4	5	14	31	62	99+	99+
TOTAL 0-27 DYS	44	19.1	293	3	5	17	53	99+	99+	99+
1-11 MOS	261	16.5	256	3	4	10	22	44	70	99+
1-5 YRS	127	13.1	118	3	4	10	16	26	39	99+
6-12 YRS	115	17.7	325	4	5	1[illegible]	19	46	61	95
13-19 YRS	137	15.4	189	4	5	12	18	35	65	99+
GRAND TOTAL	**684**	**16.0**	**232**	**3**	**4**	**11**	**20**	**46**	**75**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	5.4	9	2	2	5	7	10	10	10
1-11 MOS	152	8.6	53	2	3	7	10	15	23	42
1-5 YRS	231	7.0	50	1	2	5	8	14	17	39
6-12 YRS	157	8.6	99	2	3	6	10	15	21	65
13-19 YRS	138	12.1	130	1	2	9	17	27	42	99+
2. MULTIPLE DX										
0-27 DYS	5	28.4	255	9	10	35	87	99+	99+	99+
1-11 MOS	250	15.5	245	2	3	10	19	37	47	79
1-5 YRS	296	11.9	156	2	3	7	16	26	35	92
6-12 YRS	222	11.6	123	2	3	8	14	30	41	73
13-19 YRS	227	18.4	295	3	4	14	29	54	99+	99+
TOT. SINGLE DX	683	8.7	81	2	2	6	10	17	24	51
" MULTIPLE DX	1000	14.3	211	2	3	9	19	36	51	99+
TOTAL 0-27 DYS	10	16.9	264	2	3	13	42	99+	99+	99+
1-11 MOS	402	12.9	183	2	3	8	15	29	40	71
1-5 YRS	527	9.7	115	2	2	6	12	22	30	75
6-12 YRS	379	10.4	115	2	3	7	12	22	39	65
13-19 YRS	365	16.0	241	2	3	11	24	45	86	99+
GRAND TOTAL	**1683**	**12.0**	**165**	**2**	**3**	**8**	**15**	**30**	**44**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	11.6	48	2	2	13	15	21	21	21
1-11 MOS	8	7.6	24	2	2	10	13	66	99+	99+
1-5 YRS	10	6.3	22	1	2	5	7	14	17	17
6-12 YRS	13	11.9	53	5	7	9	13	25	30	31
13-19 YRS	97	14.2	103	5	6	12	16	27	36	54
2. MULTIPLE DX										
0-27 DYS	1	52.0		52	52	52	52	52	52	52
1-11 MOS	7	6.1	27	1	1	4	10	14	15	15
1-5 YRS	7	15.6	124	4	4	16	18	33	37	37
6-12 YRS	19	19.8	339	4	6	13	22	52	63	68
13-19 YRS	96	26.9	424	6	8	19	44	63	72	99+
TOT. SINGLE DX	133	12.9	90	3	5	11	15	25	33	62
" MULTIPLE DX	130	24.3	403	4	6	16	36	59	69	99+
TOTAL 0-27 DYS	6	18.3	310	2	3	13	21	49	52	52
1-11 MOS	15	6.9	24	1	2	6	12	15	74	99+
1-5 YRS	17	10.1	81	2	3	5	16	19	31	37
6-12 YRS	32	16.6	233	5	6	11	17	41	55	68
13-19 YRS	193	20.5	301	6	6	14	26	51	63	94
GRAND TOTAL	**263**	**18.6**	**276**	**4**	**5**	**13**	**22**	**47**	**60**	**97**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	15.5	170	3	4	11	19	38	40	40
1-11 MOS	22	6.8	30	1	2	5	12	14	17	20
1-5 YRS	23	8.1	37	2	3	7	10	15	23	28
6-12 YRS	29	8.7	33	1	2	8	12	17	21	22
13-19 YRS	94	13.3	178	1	2	9	18	28	38	70
2. MULTIPLE DX										
0-27 DYS	11	30.5	483	8	11	27	41	91	99	99+
1-11 MOS	34	15.3	190	3	4	12	23	42	89	99+
1-5 YRS	22	16.1	407	1	2	8	19	43	63	88
6-12 YRS	45	15.1	246	2	3	11	19	26	39	83
13-19 YRS	150	20.3	265	3	5	16	26	44	57	93
TOT. SINGLE DX	174	11.1	122	1	2	8	14	23	30	61
" MULTIPLE DX	262	18.8	280	3	4	15	24	42	63	99+
TOTAL 0-27 DYS	17	25.2	409	5	9	21	33	76	95	99+
1-11 MOS	56	12.0	143	2	2	9	15	33	56	99+
1-5 YRS	45	12.0	230	1	3	8	14	26	43	88
6-12 YRS	74	12.6	170	2	2	9	16	23	26	81
13-19 YRS	244	17.6	242	2	3	14	22	36	55	82
GRAND TOTAL	**436**	**15.8**	**231**	**2**	**3**	**12**	**21**	**33**	**52**	**94**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	30	3.4	12	1	1	2	4	5	11	19
6-12 YRS	51	3.3	5	<1	1	3	4	6	10	10
13-19 YRS	293	3.1	5	<1	1	2	4	6	8	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	6.0	3	4	4	6	7	8	8	8
1-5 YRS	20	3.9	4	1	1	4	5	7	8	8
6-12 YRS	31	9.1	135	2	2	4	15	37	91	99+
13-19 YRS	136	4.2	32	1	1	3	4	8	15	99+
TOT. SINGLE DX	376	3.1	5	<1	1	2	4	6	9	12
" MULTIPLE DX	191	5.0	48	1	1	3	5	9	27	99+
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	5.2	5	2	2	6	7	8	8	8
1-5 YRS	50	3.6	9	1	1	3	4	7	8	19
6-12 YRS	82	5.5	61	<1	1	3	6	14	35	99+
13-19 YRS	429	3.4	13	1	1	2	4	7	9	39
GRAND TOTAL	**567**	**3.8**	**20**	**1**	**1**	**3**	**4**	**7**	**10**	**45**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	9	3.6	7	1	1	3	4	8	8	8
1-5 YRS	36	2.3	3	<1	1	2	3	5	7	7
6-12 YRS	147	3.3	57	1	1	2	3	5	7	15
13-19 YRS	734	2.9	8	1	1	2	3	5	6	19
2. MULTIPLE DX										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	8	4.8	8	1	2	4	6	9	10	10
1-5 YRS	63	3.2	20	1	1	2	3	6	10	26
6-12 YRS	155	2.7	9	1	1	2	3	4	9	17
13-19 YRS	704	3.2	9	1	1	2	4	6	8	21
TOT. SINGLE DX	929	3.0	16	1	1	2	3	5	6	16
" MULTIPLE DX	932	3.1	10	1	1	2	3	6	9	21
TOTAL 0-27 DYS	5	2.0	2	1	1	2	3	4	4	4
1-11 MOS	17	4.1	7	1	1	3	6	8	9	10
1-5 YRS	99	2.9	14	1	1	2	3	6	7	26
6-12 YRS	302	3.0	33	1	1	2	3	5	8	15
13-19 YRS	1438	3.0	9	1	1	2	3	5	7	21
GRAND TOTAL	**1861**	**3.0**	**13**	**1**	**1**	**2**	**3**	**5**	**7**	**21**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS										
6-12 YRS	3	5.3	4	3	3	6	7	7	7	7
13-19 YRS	20	9.0	102	1	1	7	10	15	32	48
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.5	1	5	5	5	6	6	6	6
6-12 YRS	2	5.0	8	3	3	5	7	7	7	7
13-19 YRS	21	6.2	6	3	3	6	8	10	11	11
TOT. SINGLE DX	24	8.6	87	1	2	7	10	14	26	48
" MULTIPLE DX	25	6.1	5	3	3	6	7	10	10	11
TOTAL 0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	2	5.5	1	5	5	5	6	6	6	6
6-12 YRS	5	5.2	4	3	3	6	7	7	7	7
13-19 YRS	41	7.6	53	2	3	6	9	11	15	48
GRAND TOTAL	**49**	**7.3**	**46**	**2**	**3**	**6**	**9**	**11**	**14**	**48**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	3.3	2	2	2	3	4	5	5	5
13-19 YRS	21	5.1	24	1	1	4	6	13	18	19
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	3.5	12	1	1	2	5	9	10	10
6-12 YRS	8	9.4	146	<1	<1	3	18	29	29	29
13-19 YRS	25	5.9	83	<1	1	2	4	21	27	39
TOT. SINGLE DX	25	4.8	21	1	1	4	5	9	18	19
" MULTIPLE DX	39	6.3	84	<1	1	2	6	22	29	39
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	7	3.3	11	1	1	2	4	9	10	10
6-12 YRS	11	7.7	111	<1	1	3	8	28	29	29
13-19 YRS	46	5.6	55	1	1	3	5	17	21	39
GRAND TOTAL	**64**	**5.7**	**59**	**1**	**1**	**3**	**5**	**18**	**24**	**38**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of a procedure which is coded for indexing, quality review, and purposes other than its effect on length of stay. For the purpose of operation length of stay tables, patients with only this procedure are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	5.0	3	3	3	6	6	6	5	6
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	19	4.1	6	1	1	4	5	7	9	11
6-12 YRS	68	4.1	5	2	2	4	5	6	9	13
13-19 YRS	626	4.9	9	2	3	4	5	7	9	19
2. MULTIPLE DX										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	2	19.0	512	3	3	19	35	35	35	35
1-5 YRS	6	8.5	94	2	2	3	14	25	26	26
6-12 YRS	25	6.6	12	2	3	6	8	11	13	18
13-19 YRS	208	7.1	45	3	3	5	7	13	18	45
TOT. SINGLE DX	718	4.8	9	2	3	4	5	7	9	18
" MULTIPLE DX	243	7.1	45	3	3	5	8	13	18	42
TOTAL 0-27 DYS	5	4.2	3	2	2	4	6	6	6	6
1-11 MOS	4	10.5	267	2	2	3	19	35	35	35
1-5 YRS	25	5.1	28	1	1	4	5	11	17	26
6-12 YRS	93	4.8	8	2	2	4	6	9	11	16
13-19 YRS	834	5.5	19	3	3	4	6	8	12	24
GRAND TOTAL	**961**	**5.4**	**19**	**2**	**3**	**4**	**6**	**8**	**12**	**24**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	18	3.5	3	2	2	3	4	7	7	7
1-5 YRS	369	2.5	3	1	1	2	3	4	5	12
6-12 YRS	335	2.8	2	1	1	3	3	4	5	7
13-19 YRS	348	3.2	5	1	2	3	4	5	7	15
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	7	6.6	20	2	2	6	8	14	15	15
1-5 YRS	34	2.4	2	<1	1	2	2	4	6	9
6-12 YRS	44	4.5	14	2	2	3	5	9	13	19
13-19 YRS	70	6.7	58	2	2	4	7	14	20	45
TOT. SINGLE DX	1070	2.8	4	1	1	2	3	4	5	12
" MULTIPLE DX	155	5.1	34	1	2	3	6	11	15	32
TOTAL 0-27 DYS										
1-11 MOS	25	4.4	9	2	2	3	6	7	10	15
1-5 YRS	403	2.5	3	1	1	2	3	4	5	11
6-12 YRS	379	3.0	4	1	1	3	3	5	6	13
13-19 YRS	418	3.8	15	1	2	3	4	6	9	19
GRAND TOTAL	**1225**	**3.1**	**8**	**1**	**1**	**3**	**3**	**5**	**7**	**15**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	6	9.0	42	2	2	6	16	18	18	18
1-5 YRS	5	8.0	16	2	2	10	11	12	12	12
6-12 YRS	10	9.7	19	3	3	9	12	16	17	17
13-19 YRS	49	10.1	55	3	4	9	12	16	24	49
2. MULTIPLE DX										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	2	23.0	18	20	20	23	26	26	26	26
1-5 YRS	6	12.3	47	6	6	11	14	24	25	25
6-12 YRS	3	13.7	52	9	9	16	61	99+	99+	99+
13-19 YRS	24	15.4	104	5	7	13	19	34	62	99+
TOT. SINGLE DX	71	9.8	45	2	4	9	12	16	18	44
" MULTIPLE DX	36	15.1	84	6	7	13	19	33	79	99+
TOTAL 0-27 DYS	2	11.0	32	7	7	11	15	15	15	15
1-11 MOS	8	12.5	74	2	3	11	19	24	26	26
1-5 YRS	11	10.4	35	2	4	10	12	18	24	25
6-12 YRS	13	10.6	26	3	4	10	15	30	84	99+
13-19 YRS	73	11.8	76	4	5	10	14	20	34	88
GRAND TOTAL	**107**	**11.6**	**64**	**3**	**4**	**10**	**15**	**21**	**32**	**99+**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX											
	0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
	1-11 MOS	97	1.4		<1	<1	1	2	2	3	4
	1-5 YRS	473	1.5	18	<1	<1	1	2	2	2	4
	6-12 YRS	341	1.4	1	<1	<1	1	2	2	3	4
	13-19 YRS	222	1.7	1	<1	<1	2	2	2	3	5
2. MULTIPLE DX											
	0-27 DYS										
	1-11 MOS	13	1.5	1	<1	<1	1	2	3	4	4
	1-5 YRS	69	3.7	127	<1	<1	1	2	4	8	71
	6-12 YRS	36	2.4	12	<1	<1	2	3	3	5	22
	13-19 YRS	59	4.1	43	<1	1	2	3	8	20	36
TOT. SINGLE DX		1134	1.5	8	<1	<1	1	2	2	3	4
" MULTIPLE DX		177	3.4	66	<1	<1	2	3	4	9	55
TOTAL	0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
	1-11 MOS	110	1.4		<1	<1	1	2	2	3	4
	1-5 YRS	542	1.8	32	<1	<1	1	2	2	3	8
	6-12 YRS	377	1.5	2	<1	<1	1	2	2	3	5
	13-19 YRS	281	2.2	10	<1	<1	2	2	3	5	22
GRAND TOTAL		**1311**	**1.8**	**16**	**<1**	**<1**	**1**	**2**	**2**	**3**	**8**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX											
	0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
	1-11 MOS	10	2.3	10	<1	<1	1	2	7	11	11
	1-5 YRS	93	2.0	4	<1	<1	2	2	3	4	13
	6-12 YRS	87	2.0	1	<1	1	2	2	3	4	7
	13-19 YRS	79	2.2	1	<1	1	2	3	4	4	5
2. MULTIPLE DX											
	0-27 DYS	1	10.0		10	10	10	10	10	10	10
	1-11 MOS	6	2.2	4	1	1	2	2	6	6	6
	1-5 YRS	40	2.6	3	<1	<1	2	3	5	6	11
	6-12 YRS	31	3.5	8	1	1	2	4	8	9	13
	13-19 YRS	53	3.3	4	1	1	3	4	6	8	9
TOT. SINGLE DX		271	2.1	2	<1	1	2	2	3	4	8
" MULTIPLE DX		131	3.1	5	1	1	2	4	6	8	11
TOTAL	0-27 DYS	3	6.0	16	2	2	6	9	10	10	10
	1-11 MOS	16	2.3	7	<1	<1	1	2	6	9	11
	1-5 YRS	133	2.2	4	<1	<1	2	2	3	5	12
	6-12 YRS	118	2.4	3	<1	1	2	3	4	7	10
	13-19 YRS	132	2.7	3	1	1	2	3	4	6	9
GRAND TOTAL		**402**	**2.4**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX											
	0-27 DYS	3	1.0		<1	<1	1	1	1	1	1
	1-11 MOS	33	2.6	7	<1	1	2	3	5	10	12
	1-5 YRS	625	1.9	2	<1	1	2	2	3	4	8
	6-12 YRS	470	2.1	1	<1	1	2	2	3	4	7
	13-19 YRS	351	2.2	3	<1	1	2	3	4	4	7
2. MULTIPLE DX											
	0-27 DYS	4	5.3	52	1	1	2	9	16	16	16
	1-11 MOS	14	3.4	25	1	1	2	3	8	17	20
	1-5 YRS	257	3.0	15	1	1	2	3	6	8	21
	6-12 YRS	286	2.8	8	1	1	2	3	5	7	18
	13-19 YRS	821	3.7	29	1	1	2	4	7	10	31
TOT. SINGLE DX		1482	2.0	2	<1	1	2	2	3	4	7
" MULTIPLE DX		1382	3.4	22	1	1	2	4	6	[illegible]	25
TOTAL	0-27 DYS	7	3.4	31	<1	<1	1	3	13	16	16
	1-11 MOS	47	2.9	12	<1	1	2	3	6	11	20
	1-5 YRS	882	2.2	6	<1	1	2	2	4	5	11
	6-12 YRS	756	2.3	4	<1	1	2	3	4	5	10
	13-19 YRS	1172	3.2	22	<1	1	2	4	6	8	24
GRAND TOTAL		**2864**	**2.7**	**12**	**<1**	**1**	**2**	**3**	**5**	**7**	**16**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX											
	0-27 DYS										
	1-11 MOS	2	1.5	1	<1	<1	1	2	2	2	2
	1-5 YRS	56	1.5		<1	<1	1	2	2	2	2
	6-12 YRS	98	1.7	2	1	1	1	2	3	4	9
	13-19 YRS	66	2.1	3	<1	<1	2	2	3	4	12
2. MULTIPLE DX											
	0-27 DYS										
	1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
	1-5 YRS	22	2.1	3	<1	1	2	2	4	7	6
	6-12 YRS	21	3.6	8	1	1	2	5	8	10	[illegible]
	13-19 YRS	32	3.8	18	1	1	2	4	6	12	[illegible]
TOT. SINGLE DX		222	1.8	2	<1	<1	2	2	2	3	9
" MULTIPLE DX		78	3.2	11	1	1	2	4	6	9	20
TOTAL	0-27 DYS										
	1-11 MOS	5	1.8	1	<1	<1	2	2	3	3	3
	1-5 YRS	78	1.6	1	<1	<1	1	2	2	3	7
	6-12 YRS	119	2.1	3	1	1	2	2	4	7	10
	13-19 YRS	98	2.6	9	<1	1	2	2	5	7	18
GRAND TOTAL		**300**	**2.1**	**5**	**<1**	**1**	**2**	**2**	**4**	**6**	**11**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	7	6.6	9	3	3	6	9	11	11	11
6-12 YRS	19	5.4	11	2	3	4	8	12	57	99+
13-19 YRS	61	4.8	5	2	2	5	6	7	9	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	4.8	6	2	2	4	6	8	8	8
1-5 YRS	9	7.8	25	2	3	6	16	58	99+	99+
6-12 YRS	19	6.0	12	1	2	5	9	11	12	13
13-19 YRS	38	5.8	8	3	3	5	7	9	12	14
TOT. SINGLE DX	89	5.1	6	2	3	5	6	8	11	66
" MULTIPLE DX	70	6.1	11	2	3	5	8	11	14	82
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	5.4	7	2	2	5	8	8	8	8
1-5 YRS	16	7.3	18	2	3	6	10	16	71	99+
6-12 YRS	38	5.7	11	2	3	5	8	11	14	99+
13-19 YRS	99	5.2	6	2	3	5	6	8	10	14
GRAND TOTAL	159	5.5	9	2	3	5	7	10	13	90

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	7	2.6	4	<1	<1	2	4	6	6	6
1-5 YRS	121	3.5	7	<1	1	3	4	7	9	13
6-12 YRS	156	3.4	6	<1	1	3	5	7	8	10
13-19 YRS	195	3.7	7	1	1	3	5	7	10	14
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	6	10.3	89	2	2	6	19	24	25	25
1-5 YRS	75	5.3	21	1	2	4	7	10	13	83
6-12 YRS	127	5.0	10	2	2	5	6	9	10	15
13-19 YRS	147	4.9	12	1	2	4	6	8	10	19
TOT. SINGLE DX	480	3.5	7	<1	1	3	5	7	9	13
" MULTIPLE DX	356	5.1	14	1	2	4	6	9	11	25
TOTAL 0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	13	6.2	55	<1	<1	4	6	20	24	25
1-5 YRS	196	4.2	13	<1	1	4	5	8	10	26
6-12 YRS	283	4.1	8	1	1	3	5	8	9	13
13-19 YRS	342	4.2	9	1	1	4	6	8	10	15
GRAND TOTAL	836	4.2	11	1	1	3	5	8	10	18

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	4.0	3	2	2	5	5	5	5	5
1-11 MOS	47	2.9	6	<1	1	2	3	6	10	11
1-5 YRS	39	2.5	2	<1	1	2	3	4	6	7
6-12 YRS	27	3.4	6	1	2	2	4	6	9	12
13-19 YRS	68	3.6	6	2	2	3	4	6	7	17
2. MULTIPLE DX										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	18	3.8	17	1	1	2	5	9	14	17
1-5 YRS	9	7.4	33	2	2	4	12	16	17	17
6-12 YRS	33	3.5	6	1	1	3	4	8	9	10
13-19 YRS	49	4.7	30	1	1	4	5	8	11	37
TOT. SINGLE DX	184	3.2	5	1	1	3	4	5	7	12
" MULTIPLE DX	111	4.4	21	1	1	3	5	9	11	25
TOTAL 0-27 DYS	5	3.8	5	1	1	5	5	6	6	6
1-11 MOS	65	3.1	9	<1	1	2	3	6	10	16
1-5 YRS	48	3.5	11	1	1	3	3	7	11	17
6-12 YRS	60	3.5	6	1	1	3	4	7	9	12
13-19 YRS	117	4.1	16	1	2	3	5	7	9	24
GRAND TOTAL	295	3.6	12	1	1	3	4	7	10	17

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	13.5	85	7	7	13	20	20	20	20
1-11 MOS	8	2.6	5	1	1	2	3	7	8	8
1-5 YRS	51	3.2	6	1	1	3	4	7	9	10
6-12 YRS	85	5.2	19	1	1	4	7	10	14	21
13-19 YRS	115	4.9	26	1	1	3	6	11	16	28
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	8	2.1	1	1	1	2	3	4	4	4
1-5 YRS	46	5.4	18	1	2	4	7	13	15	18
6-12 YRS	98	6.1	16	2	2	5	8	13	14	19
13-19 YRS	108	6.5	29	1	2	5	9	12	16	30
TOT. SINGLE DX	261	4.7	20	1	1	3	6	10	14	21
" MULTIPLE DX	260	6.0	22	1	2	5	8	12	14	21
TOTAL 0-27 DYS	2	13.5	85	7	7	13	20	20	20	20
1-11 MOS	16	2.4	3	1	1	2	3	4	7	8
1-5 YRS	97	4.2	13	1	1	3	5	9	12	17
6-12 YRS	183	5.7	18	1	1	5	8	12	14	21
13-19 YRS	223	5.7	28	1	2	4	7	11	16	27
GRAND TOTAL	521	5.3	22	1	1	4	7	11	14	21

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	22	3.1	7	1	1	2	4	6	10	12
1-5 YRS	17	1.9	1	<1	1	2	2	3	4	4
6-12 YRS	16	4.1	7	2	2	3	5	7	10	12
13-19 YRS	47	4.1	13	2	2	3	5	6	9	23
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	11	4.0	12	1	1	3	5	9	13	13
1-5 YRS	10	4.6	16	2	2	3	5	11	14	14
6-12 YRS	16	3.4	5	1	2	3	4	7	9	10
13-19 YRS	30	4.1	7	2	2	4	5	6	11	15
TOT. SINGLE DX	103	3.5	9	1	1	3	4	6	8	19
" MULTIPLE DX	68	4.0	8	2	2	3	5	7	11	15
TOTAL 0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	33	3.4	9	1	1	3	4	7	12	13
1-5 YRS	27	2.9	8	1	1	2	3	5	10	14
6-12 YRS	32	3.7	6	2	2	3	5	7	10	12
13-19 YRS	77	4.1	11	2	2	3	5	6	10	21
GRAND TOTAL	**171**	**3.7**	**9**	**1**	**2**	**3**	**4**	**6**	**10**	**15**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	54	2.6	3	1	1	2	3	4	6	12
1-5 YRS	151	2.7	6	1	1	2	3	5	6	12
6-12 YRS	245	2.6	2	1	1	2	3	4	5	11
13-19 YRS	248	2.8	4	1	1	2	3	4	7	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	54	4.2	11	1	2	3	6	8	11	16
1-5 YRS	67	3.4	14	1	2	2	4	5	8	26
6-12 YRS	126	3.5	12	1	1	3	4	5	9	19
13-19 YRS	155	3.8	33	1	2	3	4	6	10	32
TOT. SINGLE DX	698	2.7	4	1	1	2	3	4	6	12
" MULTIPLE DX	402	3.7	20	1	2	3	4	6	9	22
TOTAL 0-27 DYS										
1-11 MOS	108	3.4	8	1	1	2	4	7	8	15
1-5 YRS	218	2.9	9	1	1	2	3	5	7	16
6-12 YRS	371	2.9	6	1	1	2	3	4	5	14
13-19 YRS	403	3.2	15	1	1	2	3	5	7	13
GRAND TOTAL	**1100**	**3.1**	**10**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	6	2.8	1	2	2	3	3	4	4	4
6-12 YRS	10	3.4	9	<1	<1	2	4	8	11	11
13-19 YRS	10	2.2		2	2	2	2	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	6	3.8	9	<1	<1	3	6	9	9	9
6-12 YRS	4	2.5	2	1	1	2	3	4	4	4
13-19 YRS	6	4.0	9	2	2	3	4	9	10	10
TOT. SINGLE DX	28	2.8	3	1	2	2	3	4	6	11
" MULTIPLE DX	17	3.6	7	<1	1	3	4	8	10	10
TOTAL 0-27 DYS										
1-11 MOS	3	3.3	2	2	2	3	4	5	5	5
1-5 YRS	12	3.3	5	<1	1	3	4	7	9	9
6-12 YRS	14	3.1	7	<1	1	2	4	6	10	11
13-19 YRS	16	2.9	4	2	2	2	3	4	8	10
GRAND TOTAL	**45**	**3.1**	**5**	**1**	**2**	**2**	**3**	**5**	**9**	**11**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	6	3.2	3	2	2	3	4	6	6	6
6-12 YRS	115	5.0	6	1	2	5	6	8	10	14
13-19 YRS	269	5.3	12	1	2	5	6	9	12	15
2. MULTIPLE DX										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	7	13.0	131	6	6	8	14	33	38	38
1-5 YRS	20	4.7	4	1	2	5	6	7	8	9
6-12 YRS	65	4.9	12	1	1	4	7	8	13	18
13-19 YRS	155	5.8	14	2	2	5	7	10	14	22
TOT. SINGLE DX	392	5.2	10	1	2	5	6	9	11	15
" MULTIPLE DX	249	5.7	17	2	2	5	7	9	13	22
TOTAL 0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	9	10.9	116	3	3	7	11	29	38	38
1-5 YRS	26	4.3	4	1	2	4	6	7	8	9
6-12 YRS	180	4.9	8	1	2	5	6	8	10	16
13-19 YRS	424	5.5	13	2	2	5	7	9	12	18
GRAND TOTAL	**641**	**5.4**	**13**	**1**	**2**	**5**	**6**	**9**	**12**	**17**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	7	2.3	2	<1	<1	2	3	5	5	5
1-5 YRS	18	3.2	5	1	1	3	4	6	9	10
6-12 YRS	27	4.2	11	<1	1	3	6	9	13	13
13-19 YRS	48	4.4	15	1	1	4	5	7	9	27
2. MULTIPLE DX										
0-27 DYS	2	46.5	3785	3	3	46	90	90	90	90
1-11 MOS	7	6.3	47	1	1	4	7	18	21	21
1-5 YRS	21	5.0	9	1	2	5	6	8	12	15
6-12 YRS	42	5.2	15	2	2	4	7	13	14	17
13-19 YRS	54	5.1	22	2	2	4	5	8	9	33
TOT. SINGLE DX	101	4.0	11	<1	1	3	5	7	9	20
" MULTIPLE DX	126	5.9	75	2	2	4	6	9	14	47
TOTAL 0-27 DYS	3	32.3	2494	3	3	4	68	90	90	90
1-11 MOS	14	4.3	27	<1	<1	3	4	9	18	21
1-5 YRS	39	4.2	8	1	1	3	5	7	10	15
6-12 YRS	69	4.8	14	1	1	4	6	12	13	16
13-19 YRS	102	4.8	19	1	2	4	5	7	9	30
GRAND TOTAL	**227**	**5.0**	**48**	**1**	**2**	**4**	**5**	**8**	**13**	**29**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	514	1.6		<1	1	2	2	2	2	3
1-5 YRS	5580	1.8	5	<1	1	2	2	2	2	4
6-12 YRS	3436	1.9	6	1	1	2	2	2	2	7
13-19 YRS	1626	2.0	1	1	1	2	2	2	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	66	1.8	2	1	1	2	2	2	3	12
1-5 YRS	1002	1.9	3	1	1	2	2	2	3	7
6-12 YRS	741	2.1	4	1	1	2	2	2	3	12
13-19 YRS	454	2.2	7	1	1	2	2	3	3	11
TOT. SINGLE DX	11158	1.8	4	<1	1	2	2	2	2	4
" MULTIPLE DX	2263	2.0	4	1	1	2	2	2	3	8
TOTAL 0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	580	1.6	1	<1	1	2	2	2	2	3
1-5 YRS	6582	1.8	4	<1	1	2	2	2	2	4
6-12 YRS	4177	1.9	5	1	1	2	2	2	3	7
13-19 YRS	2080	2.0	3	1	1	2	2	2	3	5
GRAND TOTAL	**13421**	**1.9**	**4**	**<1**	**1**	**2**	**2**	**2**	**2**	**4**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	2.8	8	<1	<1	1	4	7	7	7
1-5 YRS	19	1.8		<1	1	2	2	3	3	3
6-12 YRS	21	2.1	4	<1	1	2	2	3	7	10
13-19 YRS	7	4.9	71	<1	<1	2	2	20	24	24
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	2.0		1	1	2	2	3	3	3
6-12 YRS	9	2.7	3	2	2	2	3	5	7	7
13-19 YRS	11	3.5	5	2	2	3	4	7	10	10
TOT. SINGLE DX	51	2.4	12	<1	1	2	2	3	7	24
" MULTIPLE DX	29	2.8	3	1	2	2	3	4	7	10
TOTAL 0-27 DYS										
1-11 MOS	4	2.8	8	<1	<1	1	4	7	7	7
1-5 YRS	28	1.9		1	1	2	2	3	3	3
6-12 YRS	30	2.3	3	1	1	2	2	4	7	10
13-19 YRS	18	4.0	29	<1	1	2	3	8	18	24
GRAND TOTAL	**80**	**2.6**	**9**	**<1**	**1**	**2**	**2**	**4**	**7**	**20**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	34	1.6		<1	<1	1	2	2	3	3
1-5 YRS	166	2.4	4	<1	1	2	3	5	7	10
6-12 YRS	200	3.4	10	<1	1	2	4	8	10	19
13-19 YRS	273	3.4	6	1	1	3	4	6	9	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	15	2.1	2	<1	1	2	3	5	5	5
1-5 YRS	76	3.8	12	1	1	3	5	8	12	17
6-12 YRS	115	4.4	12	1	2	3	5	9	11	17
13-19 YRS	213	5.5	26	1	2	4	6	11	16	27
TOT. SINGLE DX	673	3.1	7	<1	1	2	4	6	9	16
" MULTIPLE DX	419	4.8	19	1	1	3	6	10	14	23
TOTAL 0-27 DYS										
1-11 MOS	49	1.7	1	<1	<1	2	2	3	3	5
1-5 YRS	242	2.9	7	<1	1	2	3	6	8	16
6-12 YRS	315	3.8	11	1	1	3	5	8	10	19
13-19 YRS	486	4.3	16	1	2	3	5	9	11	22
GRAND TOTAL	**1092**	**3.7**	**12**	**1**	**1**	**3**	**4**	**8**	**10**	**19**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	64	1.5	1	<1	<1	1	2	2	3	86
1-5 YRS	572	2.0	2	<1	<1	2	2	3	4	8
6-12 YRS	920	2.2	4	<1	1	2	2	3	5	9
13-19 YRS	612	2.2	5	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
0-27 DYS	4	16.3	322	4	4	10	28	42	42	42
1-11 MOS	27	3.6	8	<1	<1	2	6	8	9	10
1-5 YRS	157	3.0	12	<1	1	2	3	7	12	20
6-12 YRS	298	3.1	15	<1	1	2	3	6	8	21
13-19 YRS	722	3.9	20	1	1	3	4	7	9	21
TOT. SINGLE DX	2170	2.1	4	<1	<1	2	2	3	4	8
" MULTIPLE DX	1208	3.6	18	1	1	3	4	7	9	21
TOTAL 0-27 DYS	6	12.7	225	4	4	6	15	39	42	42
1-11 MOS	91	2.1	4	<1	<1	1	2	5	8	62
1-5 YRS	729	2.2	4	<1	<1	2	2	4	6	13
6-12 YRS	1218	2.4	7	<1	1	2	2	4	6	12
13-19 YRS	1334	3.1	13	<1	1	2	3	5	7	17
GRAND TOTAL	3378	2.6	9	<1	1	2	3	4	7	16

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS	13	2.4	3	<1	<1	2	3	4	7	8
6-12 YRS	89	3.1	43	1	1	2	3	3	5	41
13-19 YRS	194	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	12	1.4		<1	<1	1	2	2	2	2
6-12 YRS	62	2.2		1	2	2	2	3	3	5
13-19 YRS	83	2.4	2	1	1	2	3	4	5	8
TOT. SINGLE DX	300	2.6	13	1	1	2	3	3	4	8
" MULTIPLE DX	158	2.2	1	1	1	2	3	3	4	8
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	2.3	1	1	1	2	3	3	3	3
1-5 YRS	25	1.9	2	<1	<1	2	2	3	4	8
6-12 YRS	151	2.7	25	1	1	2	3	3	4	8
13-19 YRS	277	2.4	1	1	1	2	3	3	4	7
GRAND TOTAL	458	2.5	9	1	1	2	3	3	4	8

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	2.4		2	2	2	3	3	3	3
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	291	1.9	1	<1	1	2	2	3	3	4
6-12 YRS	1514	2.1	1	1	1	2	2	3	3	4
13-19 YRS	1419	2.3	2	1	1	2	3	3	3	6
2. MULTIPLE DX										
0-27 DYS	4	2.8	1	2	2	3	3	4	4	4
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	177	2.2	2	<1	1	2	2	3	4	8
6-12 YRS	1028	2.3	1	1	1	2	3	3	4	5
13-19 YRS	1088	2.5	3	1	2	2	3	3	4	8
TOT. SINGLE DX	3231	2.1	2	1	1	2	2	3	3	5
" MULTIPLE DX	2300	2.4	2	1	1	2	3	3	4	7
TOTAL 0-27 DYS	9	2.6	1	2	2	2	3	4	4	4
1-11 MOS	5	2.2	1	1	1	2	3	4	4	4
1-5 YRS	468	2.0	1	<1	1	2	2	3	3	6
6-12 YRS	2542	2.2	1	1	1	2	2	3	3	5
13-19 YRS	2507	2.4	2	1	1	2	3	3	4	7
GRAND TOTAL	5531	2.2	2	1	1	2	2	3	4	6

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	25	3.6	30	<1	<1	1	3	10	17	24
1-11 MOS	1716	1.3	2	<1	<1	1	1	1	3	8
1-5 YRS	10477	1.2	2	<1	<1	1	1	1	2	4
6-12 YRS	6522	1.2	4	<1	<1	1	1	2	2	3
13-19 YRS	882	1.4	2	<1	<1	1	2	2	2	9
2. MULTIPLE DX										
0-27 DYS	26	5.5	20	<1	1	5	8	12	15	18
1-11 MOS	726	5.3	38	<1	<1	4	7	12	15	25
1-5 YRS	6635	1.8	5	<1	<1	1	2	2	4	11
6-12 YRS	4087	1.7	4	<1	<1	1	2	2	3	8
13-19 YRS	540	2.2	8	<1	<1	2	2	3	5	20
TOT. SINGLE DX	19622	1.2	3	<1	<1	1	1	1	2	5
" MULTIPLE DX	12014	2.0	8	<1	<1	1	2	3	6	13
TOTAL 0-27 DYS	51	4.6	25	<1	<1	2	7	11	15	24
1-11 MOS	2442	2.5	16	<1	<1	1	2	6	10	19
1-5 YRS	17112	1.4	3	<1	<1	1	1	2	2	8
6-12 YRS	10609	1.4	4	<1	<1	1	1	2	2	6
13-19 YRS	1422	1.7	5	<1	<1	1	2	2	4	14
GRAND TOTAL	**31636**	**1.5**	**5**	**<1**	**<1**	**1**	**1**	**2**	**3**	**10**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	5.0	14	2	2	4	5	11	12	12
1-5 YRS	91	4.2	98	1	1	2	3	7	10	64
6-12 YRS	386	2.8	3	1	2	2	3	4	5	10
13-19 YRS	404	2.9	3	1	2	3	3	4	6	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	9	6.0	27	2	2	4	8	15	17	17
1-5 YRS	120	4.7	61	1	2	3	4	8	12	47
6-12 YRS	589	3.1	6	1	2	3	3	5	8	15
13-19 YRS	706	3.6	18	1	2	3	4	5	7	22
TOT. SINGLE DX	887	3.0	13	1	2	2	3	4	6	12
" MULTIPLE DX	1424	3.5	17	1	2	3	3	5	8	18
TOTAL 0-27 DYS										
1-11 MOS	15	5.6	21	2	2	4	7	12	16	17
1-5 YRS	211	4.5	76	1	2	3	4	8	11	50
6-12 YRS	975	3.0	5	1	2	2	3	4	7	14
13-19 YRS	1110	3.3	12	1	2	3	3	5	7	16
GRAND TOTAL	**2311**	**3.3**	**15**	**1**	**2**	**3**	**3**	**5**	**7**	**16**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	13	1.8	2	<1	<1	1	2	4	5	5
1-5 YRS	285	1.6	6	<1	<1	1	2	2	3	10
6-12 YRS	480	1.5	1	<1	<1	1	2	2	3	6
13-19 YRS	332	2.4	4	<1	1	2	3	3	4	9
2. MULTIPLE DX										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	15	3.3	28	<1	<1	1	3	8	18	21
1-5 YRS	170	2.0	7	<1	<1	1	2	3	4	18
6-12 YRS	339	2.1	2	<1	<1	2	2	4	4	10
13-19 YRS	277	2.6	3	1	1	2	3	4	6	10
TOT. SINGLE DX	1111	1.8	3	<1	<1	1	2	3	4	6
" MULTIPLE DX	803	2.3	4	<1	1	2	2	4	5	11
TOTAL 0-27 DYS	3	4.0	3	2	2	5	5	5	5	5
1-11 MOS	28	2.6	16	<1	<1	1	3	5	9	21
1-5 YRS	455	1.7	6	<1	<1	1	2	2	3	18
6-12 YRS	819	1.8	2	<1	<1	1	2	3	4	7
13-19 YRS	609	2.5	4	1	1	2	3	4	5	10
GRAND TOTAL	**1914**	**2.0**	**4**	**<1**	**<1**	**2**	**2**	**3**	**4**	**9**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	54	2.0	1	<1	1	2	2	3	4	5
13-19 YRS	1368	2.8	3	1	1	3	3	5	5	5
2. MULTIPLE DX										
0-27 DYS	4	2.3	1	1	1	2	3	3	3	3
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	88	2.8	2	1	1	2	4	5	5	65
13-19 YRS	2008	3.3	12	1	2	3	4	5	5	10
TOT. SINGLE DX	1425	2.8	3	1	1	3	3	5	5	5
" MULTIPLE DX	2105	3.2	11	1	2	3	4	5	5	11
TOTAL 0-27 DYS	4	2.3	1	1	1	2	3	3	3	3
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	5	1.4		<1	<1	1	2	2	2	2
6-12 YRS	142	2.5	2	1	1	2	3	4	5	16
13-19 YRS	3376	3.1	8	1	2	3	4	5	5	8
GRAND TOTAL	**3530**	**3.1**	**8**	**1**	**2**	**3**	**4**	**5**	**5**	**8**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	6	2.8	7	1	1	2	3	7	8	8
1-5 YRS	74	1.8	1	<1	1	1	2	3	4	5
6-12 YRS	221	2.2	1	1	1	2	3	4	4	6
13-19 YRS	3532	2.6	6	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	6	3.0	2	2	2	3	4	5	5	5
1-11 MOS	11	2.9	5	1	1	2	4	7	8	8
1-5 YRS	83	3.1	10	1	1	2	4	6	8	19
6-12 YRS	299	3.0	9	1	1	2	3	4	6	19
13-19 YRS	4191	3.0	5	1	1	3	3	4	5	11
TOT. SINGLE DX	3835	2.6	5	1	1	2	3	4	5	7
" MULTIPLE DX	4590	3.0	5	1	1	3	3	4	5	12
TOTAL 0-27 DYS	8	2.8	2	1	1	3	4	5	5	5
1-11 MOS	17	2.9	5	1	1	2	3	7	8	8
1-5 YRS	157	2.5	6	<1	1	2	3	5	6	16
6-12 YRS	520	2.7	6	1	1	2	3	4	5	8
13-19 YRS	7723	2.8	5	1	1	2	3	4	5	9
GRAND TOTAL	**8425**	**2.8**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	17	2.4	3	1	1	2	3	3	6	8
1-5 YRS	114	1.9	2	<1	<1	2	2	3	4	41
6-12 YRS	172	1.9	2	<1	<1	2	2	3	4	9
13-19 YRS	318	2.3	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
0-27 DYS	5	8.0	76	2	2	6	11	23	23	23
1-11 MOS	10	2.2	1	1	1	2	2	3	4	4
1-5 YRS	46	3.0	9	<1	1	2	4	6	9	17
6-12 YRS	194	2.7	5	<1	1	2	3	5	8	15
13-19 YRS	396	3.0	16	1	1	2	3	5	6	14
TOT. SINGLE DX	621	2.1	2	<1	<1	2	2	4	5	9
" MULTIPLE DX	651	2.9	12	1	1	2	3	5	7	15
TOTAL 0-27 DYS	5	8.0	76	2	2	6	11	23	23	23
1-11 MOS	27	2.3	2	1	1	2	3	3	5	8
1-5 YRS	160	2.3	4	<1	<1	2	2	4	6	16
6-12 YRS	366	2.3	4	<1	<1	2	3	4	5	12
13-19 YRS	714	2.7	10	1	1	2	3	4	6	12
GRAND TOTAL	**1272**	**2.6**	**8**	**<1**	**1**	**2**	**3**	**4**	**6**	**12**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	6.0	51	<1	<1	3	10	18	18	18
1-5 YRS	187	1.4	1	<1	<1	1	1	2	3	6
6-12 YRS	945	1.6	2	<1	<1	1	2	3	3	8
13-19 YRS	2314	2.0	3	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	5	3.4	8	<1	<1	2	6	7	7	7
1-5 YRS	89	2.7	8	<1	<1	2	3	5	7	19
6-12 YRS	343	2.5	7	<1	1	2	3	5	7	10
13-19 YRS	1389	3.6	18	1	1	3	4	6	9	22
TOT. SINGLE DX	3452	1.9	3	<1	<1	1	2	3	4	8
" MULTIPLE DX	1827	3.3	16	<1	1	2	4	6	9	20
TOTAL 0-27 DYS	2	5.0	32	1	1	5	9	9	9	9
1-11 MOS	10	4.7	28	<1	<1	2	7	13	18	18
1-5 YRS	276	1.8	4	<1	<1	1	2	4	5	9
6-12 YRS	1288	1.9	3	<1	<1	1	2	3	4	9
13-19 YRS	3703	2.6	9	<1	1	2	3	5	6	13
GRAND TOTAL	**5279**	**2.4**	**8**	**<1**	**<1**	**2**	**3**	**4**	**6**	**12**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	32	3.2	9	1	1	2	3	7	10	15
13-19 YRS	187	3.1	4	1	1	3	3	5	7	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	11	5.5	39	1	1	2	8	17	18	18
6-12 YRS	41	3.2	5	1	1	3	4	6	8	11
13-19 YRS	195	4.8	61	1	2	3	5	8	11	52
TOT. SINGLE DX	224	3.1	5	1	1	2	3	5	7	13
" MULTIPLE DX	248	4.5	51	1	2	3	4	8	11	32
TOTAL 0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	13	5.0	34	1	1	2	8	16	18	18
6-12 YRS	73	3.2	6	1	1	2	3	6	9	14
13-19 YRS	382	3.9	34	1	2	3	4	6	10	20
GRAND TOTAL	**472**	**3.8**	**30**	**1**	**1**	**3**	**4**	**6**	**10**	**18**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	11	4.8	23	<1	<1	3	7	13	15	15
1-5 YRS	34	4.7	137	<1	<1	2	3	6	20	67
6-12 YRS	132	2.6	10	<1	<1	2	3	5	7	13
13-19 YRS	254	3.8	15	1	1	2	4	8	10	24
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	56	3.8	28	<1	1	2	4	8	13	31
6-12 YRS	182	3.7	15	<1	1	2	4	8	11	17
13-19 YRS	305	4.9	36	1	1	3	6	10	14	22
TOT. SINGLE DX	432	3.5	24	<1	1	2	4	7	9	24
" MULTIPLE DX	546	4.4	28	1	1	3	5	9	12	23
TOTAL 0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	13	4.4	20	<1	<1	3	6	13	15	15
1-5 YRS	90	4.1	68	<1	<1	2	3	8	14	53
6-12 YRS	314	3.2	13	<1	1	2	4	7	9	16
13-19 YRS	559	4.4	27	1	1	3	5	9	12	24
GRAND TOTAL	**978**	**4.0**	**26**	**<1**	**1**	**2**	**5**	**8**	**11**	**24**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	2.0	1	1	1	2	2	3	3	3
1-11 MOS	13	1.8		<1	<1	2	2	3	3	3
1-5 YRS	530	1.4	2	<1	<1	1	1	2	2	9
6-12 YRS	1028	1.6	2	<1	<1	1	2	2	2	5
13-19 YRS	14181	1.9	3	1	1	2	2	2	2	5
2. MULTIPLE DX										
0-27 DYS	6	2.0		1	1	2	2	3	3	3
1-11 MOS	6	5.2	95	<1	<1	1	2	23	25	25
1-5 YRS	408	2.0	6	<1	1	1	2	4	6	12
6-12 YRS	837	2.4	9	<1	1	2	2	4	6	14
13-19 YRS	3329	2.7	20	1	1	2	2	4	6	22
TOT. SINGLE DX	15757	1.9	3	<1	1	2	2	2	2	5
" MULTIPLE DX	4586	2.6	17	1	1	2	2	4	6	21
TOTAL 0-27 DYS	11	2.0		1	1	2	2	3	3	3
1-11 MOS	19	2.8	29	<1	<1	2	2	3	15	25
1-5 YRS	938	1.7	4	<1	<1	1	2	2	4	11
6-12 YRS	1865	2.0	5	<1	<1	2	2	3	4	12
13-19 YRS	17510	2.0	6	1	1	2	2	2	3	10
GRAND TOTAL	**20343**	**2.0**	**6**	**<1**	**1**	**2**	**2**	**2**	**3**	**11**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	1.4		1	1	1	2	2	2	2
1-5 YRS	1451	1.1		<1	<1	1	1	2	2	2
6-12 YRS	260	1.3		<1	<1	1	2	2	2	3
13-19 YRS	244	1.7	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	416	1.6	12	<1	<1	1	2	2	2	12
6-12 YRS	181	1.6	1	<1	<1	1	2	2	4	8
13-19 YRS	171	3.0	24	<1	1	2	2	6	13	37
TOT. SINGLE DX	1960	1.2	1	<1	<1	1	1	2	2	3
" MULTIPLE DX	771	1.9	12	<1	<1	1	2	2	4	19
TOTAL 0-27 DYS										
1-11 MOS	8	1.6	1	1	1	2	2	3	3	3
1-5 YRS	1867	1.3	3	<1	<1	1	1	2	2	3
6-12 YRS	441	1.4	1	<1	<1	1	2	2	2	6
13-19 YRS	415	2.2	11	<1	<1	1	2	3	6	32
GRAND TOTAL	**2731**	**1.4**	**4**	**<1**	**<1**	**1**	**1**	**2**	**2**	**7**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	8	2.1	2	<1	<1	2	3	4	5	5
1-5 YRS	156	1.5	7	<1	<1	1	1	2	2	8
6-12 YRS	169	2.5	21	<1	1	2	2	3	5	18
13-19 YRS	177	2.6	5	1	1	2	3	4	6	14
2. MULTIPLE DX										
0-27 DYS	3	3.3	2	2	2	3	4	5	5	5
1-11 MOS	3	6.3	22	1	1	8	9	10	10	10
1-5 YRS	76	2.8	23	1	1	1	2	6	10	30
6-12 YRS	151	4.1	140	1	1	2	2	5	8	92
13-19 YRS	301	3.5	44	1	1	2	3	5	7	35
TOT. SINGLE DX	511	2.2	11	<1	<1	2	2	3	5	14
" MULTIPLE DX	534	3.6	68	1	1	2	3	5	8	47
TOTAL 0-27 DYS	4	3.3	2	2	2	3	4	5	5	5
1-11 MOS	11	3.3	10	<1	<1	2	5	9	10	10
1-5 YRS	232	2.0	12	<1	<1	1	2	3	5	25
6-12 YRS	320	3.3	78	<1	1	2	2	4	6	80
13-19 YRS	478	3.2	30	1	1	2	3	5	7	29
GRAND TOTAL	**1045**	**2.9**	**40**	**<1**	**1**	**2**	**2**	**4**	**6**	**32**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	16	2.6	1	<1	1	3	4	4	4	4
1-5 YRS	51	2.6	3	<1	<1	2	3	5	6	8
6-12 YRS	198	2.9	5	1	1	2	4	5	7	10
13-19 YRS	362	3.3	8	1	1	3	4	5	6	14
2. MULTIPLE DX										
0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	3	3.3	1	2	2	4	4	4	4	4
1-5 YRS	10	5.2	10	2	2	4	6	10	11	11
6-12 YRS	50	3.5	6	1	1	3	4	7	10	12
13-19 YRS	106	4.4	12	2	2	3	5	8	11	20
TOT. SINGLE DX	628	3.1	7	1	1	3	4	5	6	10
" MULTIPLE DX	171	4.2	10	1	2	3	5	8	11	16
TOTAL 0-27 DYS	3	3.7		3	3	4	4	4	4	4
1-11 MOS	19	2.7	1	<1	1	3	4	4	4	4
1-5 YRS	61	3.0	5	<1	1	2	4	6	7	11
6-12 YRS	248	3.0	6	1	1	2	4	5	7	11
13-19 YRS	468	3.6	9	1	2	3	4	6	7	16
GRAND TOTAL	**799**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	91	4.2	4	1	2	4	5	7	8	63
1-5 YRS	692	4.3	21	1	1	4	6	7	8	12
6-12 YRS	168	4.0	5	1	2	4	5	7	8	9
13-19 YRS	83	3.3	3	1	1	3	4	6	6	7
2. MULTIPLE DX										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	43	5.2	12	2	2	5	6	9	11	21
1-5 YRS	339	4.9	10	1	2	4	6	8	9	15
6-12 YRS	132	4.9	9	2	2	4	6	8	10	20
13-19 YRS	66	5.3	27	2	2	4	6	8	13	32
TOT. SINGLE DX	1035	4.2	15	1	1	4	5	7	8	11
" MULTIPLE DX	581	5.0	12	2	2	4	6	8	10	21
TOTAL 0-27 DYS	2	9.0	32	5	5	9	13	13	13	13
1-11 MOS	134	4.5	7	1	2	4	6	7	9	33
1-5 YRS	1031	4.5	17	1	1	4	6	7	8	13
6-12 YRS	300	4.4	7	1	2	4	6	8	8	13
13-19 YRS	149	4.2	14	1	2	3	5	7	8	27
GRAND TOTAL	**1616**	**4.5**	**14**	**1**	**1**	**4**	**6**	**7**	**8**	**14**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	17	5.1	8	2	2	4	7	9	10	11
1-11 MOS	576	4.4	7	<1	1	4	6	8	9	12
1-5 YRS	854	2.2	4	<1	<1	1	2	5	7	11
6-12 YRS	664	2.3	5	<1	1	2	2	4	6	11
13-19 YRS	600	2.8	19	<1	1	2	3	5	7	13
2. MULTIPLE DX										
0-27 DYS	5	17.4	805	1	1	6	22	68	68	68
1-11 MOS	169	5.7	23	1	2	5	8	9	11	25
1-5 YRS	415	3.1	9	<1	1	2	4	8	9	15
6-12 YRS	457	3.2	19	1	1	2	4	5	8	22
13-19 YRS	919	4.0	27	1	1	3	5	7	10	29
TOT. SINGLE DX	2711	2.8	9	<1	1	2	4	6	7	12
" MULTIPLE DX	1965	3.8	24	1	1	3	5	8	10	26
TOTAL 0-27 DYS	22	7.9	187	1	2	5	7	10	34	68
1-11 MOS	745	4.7	11	1	1	4	6	8	9	14
1-5 YRS	1269	2.5	6	<1	<1	2	3	6	8	12
6-12 YRS	1121	2.7	11	<1	1	2	3	5	7	15
13-19 YRS	1519	3.5	24	<1	1	2	4	6	9	22
GRAND TOTAL	**4676**	**3.3**	**15**	**<1**	**1**	**2**	**4**	**7**	**8**	**15**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	14	2.2	1	1	1	2	3	4	4	4
1-11 MOS	26	2.0	1	<1	1	2	2	3	4	4
1-5 YRS	1617	1.8	2	<1	1	2	2	2	2	4
6-12 YRS	7174	1.9	2	1	1	2	2	2	3	4
13-19 YRS	24602	2.1	3	1	1	2	2	3	3	5
2. MULTIPLE DX										
0-27 DYS	3	2.3	2	1	1	2	3	4	4	4
1-11 MOS	5	1.4		<1	<1	1	2	2	2	2
1-5 YRS	1012	1.8	2	<1	1	2	2	2	3	6
6-12 YRS	1593	2.0	7	1	1	2	2	2	3	6
13-19 YRS	3350	2.5	10	1	1	2	3	4	5	11
TOT. SINGLE DX	33433	2.0	2	1	1	2	2	3	3	5
" MULTIPLE DX	5963	2.3	8	1	1	2	2	3	4	9
TOTAL 0-27 DYS	17	2.2	1	1	1	2	3	4	4	4
1-11 MOS	31	1.9	1	<1	<1	2	2	3	4	4
1-5 YRS	2629	1.8	2	<1	1	2	2	2	3	5
6-12 YRS	8767	1.9	3	1	1	2	2	2	3	5
13-19 YRS	27952	2.1	4	1	1	2	2	3	3	6
GRAND TOTAL	39396	2.1	3	1	1	2	2	3	3	6

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	27	1.7		<1	1	2	2	2	2	2
1-11 MOS	63	2.0	10	<1	1	2	2	2	2	24
1-5 YRS	21054	1.8	2	<1	1	2	2	2	2	4
6-12 YRS	35913	1.8	2	1	1	2	2	2	2	4
13-19 YRS	7914	2.1	6	1	1	2	2	3	3	5
2. MULTIPLE DX										
0-27 DYS	15	1.6		<1	<1	2	2	2	2	2
1-11 MOS	58	2.2	4	<1	<1	2	2	3	7	12
1-5 YRS	19268	1.9	4	<1	1	2	2	2	3	6
6-12 YRS	18046	1.9	3	1	1	2	2	2	3	6
13-19 YRS	2398	2.3	10	1	1	2	2	3	4	9
TOT. SINGLE DX	64971	1.8	3	1	1	2	2	2	3	4
" MULTIPLE DX	39785	1.9	4	<1	1	2	2	2	3	6
TOTAL 0-27 DYS	42	1.6		<1	<1	2	2	2	2	2
1-11 MOS	121	2.1	8	<1	1	2	2	2	3	16
1-5 YRS	40322	1.8	3	<1	1	2	2	2	2	5
6-12 YRS	53959	1.8	2	1	1	2	2	2	2	5
13-19 YRS	10312	2.1	7	1	1	2	2	3	3	6
GRAND TOTAL	104756	1.9	3	1	1	2	2	2	3	5

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	1.3		<1	<1	1	2	2	2	2
1-11 MOS	133	1.3	3	<1	<1	1	1	2	2	33
1-5 YRS	3287	1.5	4	<1	<1	1	2	2	2	4
6-12 YRS	2675	1.5	1	<1	<1	1	2	2	2	3
13-19 YRS	363	2.0	25	<1	1	2	2	2	3	6
2. MULTIPLE DX										
0-27 DYS	11	1.5		<1	<1	1	2	2	2	2
1-11 MOS	287	1.6	3	<1	<1	1	2	2	2	12
1-5 YRS	10522	1.6	4	<1	<1	1	2	2	2	4
6-12 YRS	6030	1.6	1	<1	<1	1	2	2	2	3
13-19 YRS	435	2.0	3	<1	1	2	2	3	4	11
TOT. SINGLE DX	6462	1.6	4	<1	<1	1	2	2	2	3
" MULTIPLE DX	17285	1.6	3	<1	<1	1	2	2	2	4
TOTAL 0-27 DYS	15	1.4		<1	<1	1	2	2	2	2
1-11 MOS	420	1.5	3	<1	<1	1	2	2	2	16
1-5 YRS	13809	1.6	4	<1	<1	1	2	2	2	4
6-12 YRS	8705	1.6	1	<1	<1	1	2	2	2	3
13-19 YRS	798	2.0	13	<1	1	2	2	2	3	9
GRAND TOTAL	23747	1.6	3	<1	<1	1	2	2	2	4

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	45	2.9	16	<1	1	2	3	6	12	24
1-5 YRS	372	2.0	2	<1	<1	2	2	3	5	9
6-12 YRS	621	2.4	22	<1	1	2	3	4	5	8
13-19 YRS	1198	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
0-27 DYS	4	17.5	46	10	10	17	22	26	26	26
1-11 MOS	19	5.9	25	1	1	6	8	12	17	20
1-5 YRS	127	3.0	6	<1	1	2	4	7	8	13
6-12 YRS	194	3.0	10	<1	1	2	3	5	9	18
13-19 YRS	279	4.2	30	1	1	3	5	7	10	25
TOT. SINGLE DX	2236	2.5	9	<1	1	2	3	4	5	10
" MULTIPLE DX	623	3.7	20	1	1	2	4	7	10	21
TOTAL 0-27 DYS	4	17.5	46	10	10	17	22	26	26	26
1-11 MOS	64	3.8	21	<1	1	2	5	11	12	23
1-5 YRS	499	2.2	4	<1	<1	2	2	4	6	10
6-12 YRS	815	2.5	19	<1	1	2	3	4	6	13
13-19 YRS	1477	3.0	9	1	1	2	4	5	6	13
GRAND TOTAL	2859	2.7	12	<1	1	2	3	5	6	13

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	9	1.4	1	<1	<1	1	2	3	3	3
6-12 YRS	15	2.6	6	<1	<1	2	3	6	9	10
13-19 YRS	9	5.6	20	1	1	3	9	12	13	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	24	2.2	3	<1	<1	1	3	4	7	8
6-12 YRS	9	2.3	9	<1	<1	1	2	7	10	10
13-19 YRS	12	3.3	6	1	1	2	4	8	9	9
TOT. SINGLE DX	35	3.0	10	<1	<1	2	3	9	10	13
" MULTIPLE DX	46	2.6	5	<1	<1	2	3	6	8	10
TOTAL 0-27 DYS										
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	33	2.0	3	<1	<1	1	2	4	6	8
6-12 YRS	24	2.5	7	<1	<1	2	2	6	10	10
13-19 YRS	21	4.3	13	1	1	2	7	10	11	13
GRAND TOTAL	**81**	**2.8**	**7**	**<1**	**<1**	**2**	**3**	**7**	**9**	**12**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	13	2.9	14	<1	<1	2	3	6	13	15
1-5 YRS	165	2.5	49	<1	<1	2	2	3	5	20
6-12 YRS	327	1.8	6	<1	<1	1	2	2	3	11
13-19 YRS	226	1.9	1	<1	1	2	2	2	3	8
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	23.8	422	<1	1	38	45	89	99+	99+
1-5 YRS	61	2.6	9	<1	<1	2	2	6	9	18
6-12 YRS	88	2.1	9	<1	1	2	2	3	4	20
13-19 YRS	71	2.7	20	1	1	2	2	4	5	32
TOT. SINGLE DX	732	2.0	14	<1	<1	2	2	2	3	11
" MULTIPLE DX	227	3.0	33	<1	1	2	2	4	8	44
TOTAL 0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	19	9.5	226	<1	<1	2	11	44	72	99+
1-5 YRS	226	2.6	38	<1	<1	2	2	3	6	20
6-12 YRS	415	1.9	6	<1	<1	2	2	2	3	12
13-19 YRS	297	2.1	6	<1	1	2	2	2	3	12
GRAND TOTAL	**959**	**2.2**	**19**	**<1**	**<1**	**2**	**2**	**3**	**4**	**22**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	5.8	48	<1	<1	2	11	17	20	20
6-12 YRS	20	3.2	26	<1	<1	2	2	7	16	23
13-19 YRS	11	7.8	136	<1	<1	2	6	30	34	34
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	6	2.2	1	<1	<1	2	2	4	4	4
6-12 YRS	8	2.4	4	1	1	2	3	6	7	7
13-19 YRS	16	11.2	587	<1	1	3	9	20	75	99
TOT. SINGLE DX	40	5.1	62	<1	<1	2	4	16	25	34
" MULTIPLE DX	31	7.0	314	<1	1	2	4	15	20	99
TOTAL 0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	15	4.3	31	<1	<1	2	4	13	18	20
6-12 YRS	28	3.0	20	<1	1	2	2	6	11	23
13-19 YRS	27	9.8	394	<1	1	2	7	26	44	99
GRAND TOTAL	**71**	**5.9**	**170**	**<1**	**<1**	**2**	**4**	**15**	**23**	**85**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	3	14.3	108	6	6	11	22	26	26	26
TOT. SINGLE DX										
" MULTIPLE DX	4	11.8	99	4	4	8	18	26	26	26
TOTAL 0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	3	14.3	108	6	6	11	22	26	26	26
GRAND TOTAL	**4**	**11.8**	**99**	**4**	**4**	**8**	**18**	**26**	**26**	**26**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	3	18.3	666	<1	<1	6	37	48	48	48
13-19 YRS	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-27 DYS	1	69.0		69	69	84	99+	99+	99+	99+
1-11 MOS	4	20.0	169	1	1	26	47	99+	99+	99+
1-5 YRS	3	29.3	974	7	7	40	82	99+	99+	99+
6-12 YRS	2	49.5	2813	12	12	93	99+	99+	99+	99+
13-19 YRS	7	39.0	1053	8	9	35	81	98	99+	99+
TOT. SINGLE DX	5	12.6	397	<1	<1	6	17	48	48	48
" MULTIPLE DX	17	35.8	891	5	8	47	98	99+	99+	99+
TOTAL 0-27 DYS	1	69.0		69	69	84	99+	99+	99+	99+
1-11 MOS	5	16.4	191	1	1	24	30	93	99+	99+
1-5 YRS	3	29.3	974	7	7	40	82	99+	99+	99+
6-12 YRS	5	30.8	1328	<1	1	48	97	99+	99+	99+
13-19 YRS	8	34.9	1039	6	7	24	75	98	99+	99+
GRAND TOTAL	22	30.5	854	1	3	28	90	99+	99+	99+

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	20.0	149	11	11	15	27	38	38	38
1-11 MOS	16	7.4	48	1	1	4	12	19	20	20
1-5 YRS	111	7.1	54	1	2	6	8	11	14	50
6-12 YRS	33	6.9	89	1	1	5	7	16	46	99+
13-19 YRS	41	15.6	616	1	1	6	12	77	85	99+
2. MULTIPLE DX										
0-27 DYS	4	19.8	203	8	9	99+	99+	99+	99+	99+
1-11 MOS	29	18.2	246	1	1	16	30	54	98	99+
1-5 YRS	140	11.0	201	1	1	7	12	30	54	99+
6-12 YRS	62	13.6	260	<1	1	11	23	83	99+	99+
13-19 YRS	168	26.4	611	1	2	20	50	90	99+	99+
TOT. SINGLE DX	205	9.0	184	1	1	6	8	18	48	92
" MULTIPLE DX	403	18.4	430	1	2	12	33	78	99+	99+
TOTAL 0-27 DYS	8	19.9	151	8	10	38	99+	99+	99+	99+
1-11 MOS	45	14.4	200	1	1	13	22	43	63	99+
1-5 YRS	251	9.3	140	1	2	6	10	21	35	84
6-12 YRS	95	11.3	209	1	1	7	15	47	99+	99+
13-19 YRS	209	24.2	627	1	2	17	48	88	99+	99+
GRAND TOTAL	608	15.2	367	1	2	8	22	57	99+	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	8.0	81	<1	<1	3	18	21	21	21
1-5 YRS	15	4.5	16	1	1	2	8	10	13	14
6-12 YRS	18	5.3	16	1	1	5	7	9	14	17
13-19 YRS	63	5.9	31	1	2	5	8	11	15	35
2. MULTIPLE DX										
0-27 DYS	3	2.7	1	2	2	2	4	4	4	4
1-11 MOS	6	6.0	57	1	1	4	5	19	21	21
1-5 YRS	17	9.6	55	1	1	9	16	21	23	23
6-12 YRS	21	7.1	33	1	1	7	10	12	18	25
13-19 YRS	77	11.2	121	2	3	8	14	21	25	71
TOT. SINGLE DX	103	5.7	29	1	1	4	8	11	16	29
" MULTIPLE DX	124	9.8	94	1	2	8	13	21	24	43
TOTAL 0-27 DYS	4	2.3	2	1	1	2	3	4	4	4
1-11 MOS	12	7.0	64	<1	1	3	12	21	21	21
1-5 YRS	32	7.2	42	1	1	4	11	17	22	23
6-12 YRS	39	6.3	25	1	1	6	9	12	15	25
13-19 YRS	140	8.8	87	1	2	7	11	18	22	43
GRAND TOTAL	227	7.9	68	1	2	6	10	17	21	30

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	4	4.3	4	2	2	4	6	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	13.5	265	2	2	13	25	25	25	25
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	3	13.0	1	12	12	13	14	14	14	14
TOT. SINGLE DX	5	3.6	5	1	1	3	6	6	6	6
" MULTIPLE DX	6	12.3	58	2	3	12	14	24	25	25
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	13.5	265	2	2	13	25	25	25	25
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	7	8.0	24	2	2	6	13	14	14	14
GRAND TOTAL	11	8.4	52	1	1	6	13	18	24	25

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	10.0	13	6	6	11	12	13	13	13
1-11 MOS	6	8.2	15	3	3	8	12	13	13	13
1-5 YRS	9	15.2	304	2	3	9	16	43	60	60
6-12 YRS	12	7.3	18	1	1	8	9	13	14	14
13-19 YRS	95	10.4	31	2	4	10	13	18	20	31
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	8	27.5	728	4	6	26	69	99+	99+	99+
1-5 YRS	15	16.3	104	5	7	13	20	27	40	45
6-12 YRS	29	17.0	164	6	6	12	20	41	48	48
13-19 YRS	106	15.6	145	5	6	12	18	28	40	69
TOT. SINGLE DX	125	10.3	48	2	4	9	13	17	20	42
" MULTIPLE DX	158	16.5	175	5	6	13	19	36	48	97
TOTAL 0-27 DYS	3	10.0	13	6	6	11	12	13	13	13
1-11 MOS	14	19.2	496	3	4	11	51	97	99+	99+
1-5 YRS	24	15.9	170	4	5	12	18	29	49	60
6-12 YRS	41	14.1	140	2	6	10	16	37	44	48
13-19 YRS	201	13.1	97	4	5	11	15	23	31	58
GRAND TOTAL	**283**	**13.8**	**128**	**4**	**5**	**11**	**16**	**26**	**41**	**72**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	48.0		48	48	48	48	48	48	48
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS	3	21.0	124	11	11	19	29	33	33	33
6-12 YRS	7	11.7	65	2	3	10	19	23	24	24
13-19 YRS	24	13.0	35	6	8	11	15	24	25	25
2. MULTIPLE DX										
0-27 DYS	2	55.0	3362	14	14	55	96	96	96	96
1-11 MOS	3	58.3	1874	9	9	76	86	90	90	90
1-5 YRS	6	24.2	263	8	8	18	39	48	49	49
6-12 YRS	6	25.5	253	5	8	23	47	91	99+	99+
13-19 YRS	26	19.8	130	9	9	19	25	43	46	46
TOT. SINGLE DX	36	14.4	80	5	7	12	18	25	31	48
" MULTIPLE DX	43	25.5	447	8	9	21	29	56	92	99+
TOTAL 0-27 DYS	3	52.7	1697	14	14	48	84	96	96	96
1-11 MOS	4	47.8	1698	9	9	46	83	90	90	90
1-5 YRS	9	23.1	198	8	9	19	34	45	49	49
6-12 YRS	13	18.1	189	3	5	21	24	59	91	99+
13-19 YRS	50	16.5	95	8	8	13	22	26	44	46
GRAND TOTAL	**79**	**20.5**	**308**	**6**	**8**	**14**	**24**	**46**	**65**	**99**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	97	5.7	64	1	1	3	7	13	18	46
1-5 YRS	346	3.2	11	1	1	2	4	7	10	17
6-12 YRS	201	4.1	21	<1	1	2	5	11	14	20
13-19 YRS	209	6.1	49	1	1	4	8	14	21	48
2. MULTIPLE DX										
0-27 DYS	4	13.8	78	5	6	24	99+	99+	99+	99+
1-11 MOS	108	12.5	136	1	2	11	17	31	46	99+
1-5 YRS	235	8.6	66	1	2	6	12	19	24	47
6-12 YRS	130	8.8	86	1	2	6	12	19	26	45
13-19 YRS	265	11.0	132	2	2	8	14	21	29	92
TOT. SINGLE DX	854	4.4	30	1	1	2	5	11	14	24
" MULTIPLE DX	742	10.1	105	1	2	8	14	21	30	99+
TOTAL 0-27 DYS	5	11.4	86	2	3	21	99+	99+	99+	99+
1-11 MOS	205	9.3	113	1	1	6	13	22	33	99+
1-5 YRS	581	5.4	40	1	1	3	7	14	18	31
6-12 YRS	331	6.0	52	1	1	3	8	14	19	30
13-19 YRS	474	8.9	101	1	1	6	12	20	26	70
GRAND TOTAL	**1596**	**7.1**	**73**	**1**	**1**	**4**	**10**	**17**	**23**	**60**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	5.9	7	3	3	5	8	10	10	10
1-11 MOS	16	6.4	48	1	2	4	5	21	22	22
1-5 YRS	23	5.1	25	1	1	4	6	15	17	18
6-12 YRS	12	10.8	311	1	2	4	8	36	59	63
13-19 YRS	90	7.0	50	2	2	5	8	12	20	44
2. MULTIPLE DX										
0-27 DYS	7	22.4	1083	4	4	12	57	99	99+	99+
1-11 MOS	24	10.4	142	1	2	8	13	22	36	57
1-5 YRS	31	6.1	28	1	2	4	9	12	13	27
6-12 YRS	30	11.3	220	2	2	7	14	21	28	82
13-19 YRS	134	11.1	121	3	3	7	13	24	35	79
TOT. SINGLE DX	148	6.9	65	1	2	5	7	15	21	54
" MULTIPLE DX	226	10.7	154	2	2	7	13	24	33	97
TOTAL 0-27 DYS	14	14.1	577	3	3	8	14	96	99	99+
1-11 MOS	40	8.8	106	1	2	5	12	21	24	57
1-5 YRS	54	5.7	26	1	1	4	8	12	16	27
6-12 YRS	42	11.1	239	1	2	6	10	24	42	82
13-19 YRS	224	9.5	96	2	3	6	10	21	31	59
GRAND TOTAL	**374**	**9.2**	**122**	**2**	**2**	**6**	**10**	**21**	**28**	**80**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX											
	0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
	1-11 MOS	9	9.3	16	3	4	8	12	15	15	15
	1-5 YRS	17	7.4	44	<1	<1	6	10	19	23	24
	6-12 YRS	36	6.1	33	1	1	4	8	16	19	22
	13-19 YRS	671	6.3	17	2	3	5	8	11	14	22
2. MULTIPLE DX											
	0-27 DYS	26	26.7	586	1	5	22	66	99+	99+	99+
	1-11 MOS	53	39.8	656	1	5	39	62	78	91	99+
	1-5 YRS	100	20.6	247	4	5	16	31	47	55	99+
	6-12 YRS	176	15.6	149	3	5	13	21	28	41	67
	13-19 YRS	968	10.0	94	3	4	7	11	18	27	65
TOT. SINGLE DX		735	6.3	18	2	3	5	8	12	15	22
" MULTIPLE DX		1323	13.0	188	3	4	9	15	30	48	97
TOTAL	0-27 DYS	28	25.2	572	1	5	19	66	99+	99+	99+
	1-11 MOS	62	35.3	678	2	5	35	56	77	88	99+
	1-5 YRS	117	18.7	239	3	4	15	28	43	53	99+
	6-12 YRS	212	14.0	142	2	3	11	19	27	36	66
	13-19 YRS	1639	8.4	65	2	3	6	10	15	20	49
GRAND TOTAL		**2058**	**10.6**	**138**	**2**	**3**	**7**	**12**	**21**	**36**	**78**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX											
	0-27 DYS	1	2.0		2	2	2	2	2	2	2
	1-11 MOS	16	2.4	3	<1	1	2	3	6	7	7
	1-5 YRS	161	4.9	10	<1	1	5	6	9	11	15
	6-12 YRS	173	6.1	9	2	2	6	8	10	11	16
	13-19 YRS	363	7.2	41	2	2	6	9	13	18	29
2. MULTIPLE DX											
	0-27 DYS	4	8.8	34	2	2	8	13	16	16	16
	1-11 MOS	9	12.2	127	4	4	8	15	32	35	35
	1-5 YRS	39	13.2	253	2	3	8	16	26	54	73
	6-12 YRS	68	10.4	78	1	2	8	13	22	26	46
	13-19 YRS	210	11.6	131	2	2	9	14	25	33	92
TOT. SINGLE DX		714	6.3	27	1	2	6	8	11	14	22
" MULTIPLE DX		330	11.5	133	1	2	9	14	24	31	86
TOTAL	0-27 DYS	5	7.4	35	2	2	7	11	16	16	16
	1-11 MOS	25	5.9	68	<1	1	3	6	11	30	35
	1-5 YRS	200	6.6	68	<1	1	6	7	11	17	52
	6-12 YRS	241	7.3	32	1	2	6	9	13	17	29
	13-19 YRS	573	8.8	78	2	2	7	10	18	24	53
GRAND TOTAL		**1044**	**8.0**	**66**	**1**	**2**	**6**	**9**	**15**	**22**	**43**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX											
	0-27 DYS	2	18.0	72	12	12	18	24	24	24	24
	1-11 MOS	39	12.2	50	4	7	11	13	18	21	47
	1-5 YRS	215	9.6	16	6	6	9	11	13	15	28
	6-12 YRS	104	8.9	8	5	6	9	11	12	14	17
	13-19 YRS	105	10.6	21	6	7	10	12	14	17	30
2. MULTIPLE DX											
	0-27 DYS	3	34.0	1389	11	11	14	61	77	77	77
	1-11 MOS	99	20.6	250	8	9	16	24	37	62	98
	1-5 YRS	226	13.1	65	7	7	10	15	23	31	51
	6-12 YRS	104	12.7	90	7	8	10	12	21	30	63
	13-19 YRS	111	14.0	146	7	7	10	14	21	38	71
TOT. SINGLE DX		465	9.9	19	6	6	9	11	14	16	27
" MULTIPLE DX		543	14.7	134	7	8	11	16	26	38	77
TOTAL	0-27 DYS	5	27.6	789	11	11	14	37	77	77	77
	1-11 MOS	138	18.2	207	7	9	14	21	32	51	97
	1-5 YRS	441	11.4	44	6	7	10	12	18	25	42
	6-12 YRS	208	10.8	53	6	7	9	11	14	21	46
	13-19 YRS	216	12.3	88	6	7	10	13	18	26	58
GRAND TOTAL		**1008**	**12.5**	**87**	**6**	**7**	**10**	**13**	**20**	**28**	**62**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX											
	0-27 DYS	2	11.0	8	9	9	11	13	13	13	13
	1-11 MOS	3	12.7	2	11	11	13	14	14	14	14
	1-5 YRS	2	10.0	2	9	9	10	11	11	11	11
	6-12 YRS	1	9.0		9	9	9	9	9	9	9
	13-19 YRS	3	11.0	4	9	9	11	12	13	13	13
2. MULTIPLE DX											
	0-27 DYS	3	19.0	271	9	9	10	31	38	38	38
	1-11 MOS	2	9.0	72	3	3	9	15	15	15	15
	1-5 YRS	2	14.0	18	11	11	14	17	17	17	17
	6-12 YRS	2	7.0	50	2	2	7	12	12	12	12
	13-19 YRS	7	13.0	96	2	2	10	22	25	25	25
TOT. SINGLE DX		11	11.1	4	9	9	11	13	14	14	14
" MULTIPLE DX		16	13.0	96	2	2	11	18	25	34	38
TOTAL	0-27 DYS	5	15.8	157	9	9	10	19	38	38	38
	1-11 MOS	5	11.2	23	3	3	13	14	15	15	15
	1-5 YRS	4	12.0	12	9	9	11	14	17	17	17
	6-12 YRS	3	7.7	26	2	2	9	11	12	12	12
	13-19 YRS	10	12.4	62	2	2	11	19	24	25	25
GRAND TOTAL		**27**	**12.2**	**58**	**2**	**2**	**11**	**14**	**22**	**27**	**38**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	22	6.7	61	1	1	3	7	19	27	29
1-11 MOS	219	2.8	12	1	1	2	2	5	8	18
1-5 YRS	620	2.1	2	1	1	2	2	3	3	9
6-12 YRS	390	2.5	10	1	1	2	2	3	4	22
13-19 YRS	404	2.5	6	1	1	2	2	3	5	12
2. MULTIPLE DX										
0-27 DYS	74	14.0	351	2	2	7	14	47	66	73
1-11 MOS	464	4.9	47	1	2	2	5	11	17	37
1-5 YRS	657	2.6	11	1	1	2	2	3	5	16
6-12 YRS	379	3.2	31	1	1	2	2	4	8	39
13-19 YRS	424	4.3	34	1	1	2	4	9	14	32
TOT. SINGLE DX	1655	2.4	7	1	1	2	2	3	5	16
" MULTIPLE DX	1998	4.0	45	1	1	2	3	8	13	40
TOTAL 0-27 DYS	96	12.3	293	1	2	6	13	42	56	72
1-11 MOS	683	4.2	37	1	1	2	4	9	14	30
1-5 YRS	1277	2.3	7	1	1	2	2	3	4	14
6-12 YRS	769	2.8	21	1	1	2	2	3	7	29
13-19 YRS	828	3.4	21	1	1	2	3	7	11	29
GRAND TOTAL	3653	3.3	29	1	1	2	3	5	10	30

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	5.3	10	3	3	4	8	9	9	9
1-5 YRS	8	4.3	7	2	2	3	7	8	8	8
6-12 YRS	22	4.6	5	2	2	4	6	8	9	10
13-19 YRS	27	5.7	18	2	2	5	8	10	14	21
2. MULTIPLE DX										
0-27 DYS	2	17.5	85	11	11	17	24	24	24	24
1-11 MOS	14	10.4	36	2	3	9	14	19	22	23
1-5 YRS	15	12.3	79	2	3	10	16	28	29	30
6-12 YRS	23	10.6	63	3	4	8	15	22	28	35
13-19 YRS	56	11.9	152	2	3	8	14	25	50	98
TOT. SINGLE DX	60	5.1	11	2	2	4	7	8	10	20
" MULTIPLE DX	110	11.6	106	2	3	9	15	24	30	81
TOTAL 0-27 DYS	2	17.5	85	11	11	17	24	24	24	24
1-11 MOS	17	9.5	35	2	3	9	12	18	22	23
1-5 YRS	23	9.5	68	2	2	7	12	26	29	30
6-12 YRS	45	7.7	43	2	2	6	8	17	22	35
13-19 YRS	83	9.9	116	2	2	7	13	21	32	89
GRAND TOTAL	170	9.3	82	2	2	7	11	20	26	66

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	7.0	31	<1	<1	8	11	12	12	12
1-11 MOS	4	8.8	25	2	2	9	12	14	14	14
1-5 YRS	21	7.8	6	2	4	9	10	10	11	11
6-12 YRS	16	6.9	6	3	4	7	9	10	11	11
13-19 YRS	34	8.8	47	1	2	8	12	17	24	31
2. MULTIPLE DX										
0-27 DYS	4	23.5	214	9	9	23	36	38	38	38
1-11 MOS	10	12.4	71	2	4	11	14	25	33	33
1-5 YRS	10	19.9	611	3	5	11	16	59	87	87
6-12 YRS	25	11.6	119	2	3	8	13	32	38	46
13-19 YRS	43	14.1	161	3	4	10	16	26	40	65
TOT. SINGLE DX	78	8.1	26	1	2	8	10	12	16	29
" MULTIPLE DX	92	14.3	190	2	4	10	15	31	38	78
TOTAL 0-27 DYS	7	16.4	195	<1	2	12	29	37	38	38
1-11 MOS	14	11.4	58	2	2	10	14	19	30	33
1-5 YRS	31	11.7	221	3	4	9	10	14	30	87
6-12 YRS	41	9.8	79	2	3	7	10	16	34	46
13-19 YRS	77	11.8	117	1	2	9	14	24	30	63
GRAND TOTAL	170	11.4	124	2	3	9	12	22	32	64

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	13.3	142	1	1	12	23	27	27	27
1-11 MOS	51	4.8	24	<1	1	3	6	13	14	22
1-5 YRS	117	3.1	13	<1	<1	2	3	9	12	17
6-12 YRS	131	2.5	13	<1	<1	2	2	5	10	41
13-19 YRS	78	4.1	31	<1	1	2	5	9	18	29
2. MULTIPLE DX										
0-27 DYS	8	10.6	150	3	3	6	20	76	99+	99+
1-11 MOS	54	11.4	224	1	2	7	15	31	52	99
1-5 YRS	112	6.0	77	<1	<1	2	7	15	23	48
6-12 YRS	98	6.3	142	<1	1	2	6	18	52	99+
13-19 YRS	92	9.6	161	1	2	5	12	18	36	89
TOT. SINGLE DX	381	3.4	21	<1	1	2	3	9	13	26
" MULTIPLE DX	364	7.9	142	<1	1	4	9	20	37	99+
TOTAL 0-27 DYS	12	11.5	136	1	3	6	21	52	91	99+
1-11 MOS	105	8.2	137	1	1	4	10	21	32	89
1-5 YRS	229	4.5	46	<1	<1	2	5	11	17	36
6-12 YRS	229	4.2	72	<1	1	2	3	10	20	99+
13-19 YRS	170	7.0	108	1	1	4	8	15	25	73
GRAND TOTAL	745	5.6	85	<1	1	2	6	14	22	75

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	4.0	7	<1	<1	4	5	8	8	8
1-11 MOS	3	4.7	1	4	4	4	6	6	6	6
1-5 YRS	2	4.0	18	1	1	4	7	7	7	7
6-12 YRS	10	5.7	30	1	1	4	4	16	16	16
13-19 YRS	172	3.9	4	2	2	4	5	7	8	12
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	4	21.0	79	12	12	20	28	32	32	32
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS	29	6.2	54	2	3	4	7	10	13	42
TOT. SINGLE DX	193	4.0	6	2	2	4	5	7	8	15
" MULTIPLE DX	35	8.0	74	2	3	5	8	16	30	42
TOTAL 0-27 DYS	7	4.4	7	<1	<1	5	7	8	8	8
1-11 MOS	7	14.0	116	4	4	12	22	30	32	32
1-5 YRS	3	5.3	14	1	1	7	8	8	8	8
6-12 YRS	10	5.7	30	1	1	4	4	16	16	16
13-19 YRS	201	4.3	12	2	2	4	5	7	8	14
GRAND TOTAL	**228**	**4.6**	**18**	**2**	**2**	**4**	**5**	**8**	**10**	**26**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	12	9.5	18	5	6	9	10	15	20	21
1-5 YRS	15	10.6	38	3	7	8	12	19	26	28
6-12 YRS	13	17.2	290	2	3	12	17	50	58	60
13-19 YRS	30	5.6	14	<1	1	5	9	11	13	14
2. MULTIPLE DX										
0-27 DYS	12	18.1	88	6	7	18	26	31	32	32
1-11 MOS	39	14.7	57	8	8	11	20	27	30	34
1-5 YRS	31	11.5	50	5	7	9	13	21	23	41
6-12 YRS	26	15.1	114	5	6	12	19	25	41	51
13-19 YRS	112	16.3	221	2	4	11	20	34	60	81
TOT. SINGLE DX	71	9.4	84	2	2	8	11	16	21	57
" MULTIPLE DX	220	15.3	149	4	5	11	19	29	38	68
TOTAL 0-27 DYS	13	17.2	92	6	6	17	25	31	32	32
1-11 MOS	51	13.5	52	6	7	10	18	25	28	34
1-5 YRS	46	11.2	46	5	7	9	12	21	24	41
6-12 YRS	39	15.8	168	3	6	12	18	33	49	60
13-19 YRS	142	14.0	196	2	2	10	18	30	53	72
GRAND TOTAL	**291**	**13.9**	**139**	**2**	**4**	**10**	**18**	**28**	**35**	**67**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	6	11.5	8	9	9	11	14	15	15	15
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	2	13.5	5	12	12	13	15	15	15	15
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	18.0	125	9	9	16	27	32	32	32
1-5 YRS	3	10.7	9	8	8	10	13	14	14	14
6-12 YRS	2	9.0		9	9	9	9	9	9	9
13-19 YRS	1	10.0		10	10	10	10	10	10	10
TOT. SINGLE DX	10	11.8	7	9	9	12	14	15	15	15
" MULTIPLE DX	10	13.2	61	8	8	10	14	27	32	32
TOTAL 0-27 DYS										
1-11 MOS	5	17.0	99	9	9	13	24	32	32	32
1-5 YRS	9	11.2	7	8	8	10	14	15	15	15
6-12 YRS	3	9.0		9	9	9	9	9	9	9
13-19 YRS	3	12.3	6	10	10	12	14	15	15	15
GRAND TOTAL	**20**	**12.5**	**33**	**8**	**9**	**10**	**14**	**19**	**27**	**32**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	7.0	22	3	3	7	11	12	12	12
13-19 YRS	16	8.3	70	<1	1	5	11	19	28	32
2. MULTIPLE DX										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	2	18.5	545	2	2	18	35	35	35	35
1-5 YRS	3	5.0	4	3	3	5	6	7	7	7
6-12 YRS	46	6.5	59	1	1	4	9	14	18	47
13-19 YRS	246	6.4	48	<1	1	4	8	15	20	36
TOT. SINGLE DX	20	8.0	59	<1	1	5	11	17	25	32
" MULTIPLE DX	299	6.5	51	<1	1	4	8	15	20	40
TOTAL 0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	2	18.5	545	2	2	18	35	35	35	35
1-5 YRS	3	5.0	4	3	3	5	6	7	7	7
6-12 YRS	50	6.5	56	1	1	4	9	13	18	47
13-19 YRS	262	6.5	49	<1	1	4	8	16	20	36
GRAND TOTAL	**319**	**6.6**	**52**	**<1**	**1**	**4**	**8**	**15**	**20**	**38**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	72	7.0	33	1	2	5	10	15	18	26
1-11 MOS	278	10.1	61	2	3	9	12	17	22	50
1-5 YRS	320	8.1	30	1	2	7	11	14	18	28
6-12 YRS	167	6.3	37	1	1	5	8	12	21	40
13-19 YRS	427	6.7	57	1	1	5	8	13	17	38
2. MULTIPLE DX										
0-27 DYS	387	33.8	958	<1	3	34	79	99+	99+	99+
1-11 MOS	1276	30.2	504	1	5	30	48	63	75	99+
1-5 YRS	891	21.1	232	1	4	20	31	39	48	72
6-12 YRS	1616	15.0	101	2	4	14	20	26	32	54
13-19 YRS	2742	8.8	83	1	2	7	10	16	22	55
TOT. SINGLE DX	1264	7.7	49	1	2	6	10	15	19	38
" MULTIPLE DX	6912	17.2	310	1	3	11	23	46	63	99+
TOTAL 0-27 DYS	459	29.6	907	<1	2	20	74	99+	99+	99+
1-11 MOS	1554	26.6	484	2	4	19	45	60	71	99+
1-5 YRS	1211	17.7	212	1	3	12	28	37	45	69
6-12 YRS	1783	14.2	101	1	3	13	20	26	32	54
13-19 YRS	3169	8.5	80	1	2	6	10	15	21	55
GRAND TOTAL	8176	15.7	282	1	2	10	20	42	59	99+

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	4.7		4	4	5	5	5	5	5
1-11 MOS	79	4.9	15	1	1	4	7	10	12	19
1-5 YRS	473	3.0	11	<1	<1	2	3	7	9	14
6-12 YRS	651	3.0	13	<1	1	2	3	6	9	17
13-19 YRS	1256	3.5	18	1	1	2	4	7	11	20
2. MULTIPLE DX										
0-27 DYS	2	12.5	61	7	7	12	18	18	18	18
1-11 MOS	56	8.4	106	1	2	6	9	13	34	56
1-5 YRS	171	5.3	37	1	1	3	7	10	16	37
6-12 YRS	206	4.1	12	1	1	3	6	9	11	19
13-19 YRS	440	6.5	41	1	2	4	8	15	18	30
TOT. SINGLE DX	2462	3.3	15	<1	1	2	4	7	10	18
" MULTIPLE DX	875	5.8	39	1	1	4	7	12	17	36
TOTAL 0-27 DYS	5	7.8	34	4	4	5	10	18	18	18
1-11 MOS	135	6.4	55	1	1	5	8	12	14	46
1-5 YRS	644	3.6	19	<1	<1	2	5	8	10	22
6-12 YRS	857	3.2	13	<1	1	2	3	7	10	17
13-19 YRS	1696	4.3	25	1	1	2	5	9	13	23
GRAND TOTAL	3337	4.0	23	<1	1	2	5	9	12	23

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS										
1-5 YRS	23	4.0	22	<1	1	2	4	8	14	23
6-12 YRS	28	2.5	3	1	1	2	3	4	8	8
13-19 YRS	66	3.7	13	1	1	2	4	8	9	21
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	12	4.5	24	1	1	2	7	12	16	17
6-12 YRS	12	4.4	8	1	1	4	6	9	10	10
13-19 YRS	47	10.2	55	2	2	9	13	15	21	47
TOT. SINGLE DX	118	3.5	12	1	1	2	4	8	9	22
" MULTIPLE DX	72	8.3	48	1	2	8	11	14	17	42
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	35	4.2	22	1	1	2	5	9	15	23
6-12 YRS	40	3.1	5	1	1	2	4	7	8	10
13-19 YRS	113	6.4	41	1	1	4	9	14	16	34
GRAND TOTAL	190	5.3	31	1	1	3	8	12	15	25

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	4	9.8	5	7	7	10	11	12	12	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	1	45.0		45	45	45	45	45	45	45
TOT. SINGLE DX	5	9.6	4	7	7	9	11	12	12	12
" MULTIPLE DX	2	24.0	882	3	3	24	45	45	45	45
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	5	16.8	252	7	7	11	20	45	45	45
GRAND TOTAL	7	13.7	199	3	4	9	12	38	45	45

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	5	4.4	2	3	3	4	5	7	7	7
13-19 YRS	8	3.9	1	2	2	4	5	5	5	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	1	12.0		12	12	12	12	12	12	12
TOT. SINGLE DX	14	4.3	2	2	3	4	5	7	7	7
" MULTIPLE DX	3	11.0	3	9	9	12	12	12	12	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	9.5	13	7	7	9	12	12	12	12
6-12 YRS	6	5.2	5	3	3	4	7	9	9	9
13-19 YRS	9	4.8	8	2	2	4	5	9	12	12
GRAND TOTAL	17	5.5	9	2	3	4	7	11	12	12

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	13.9	133	4	4	12	19	33	36	36
1-11 MOS	54	5.3	39	1	1	3	6	9	22	33
1-5 YRS	410	6.4	44	<1	1	5	8	13	19	39
6-12 YRS	520	6.7	37	<1	1	6	8	12	17	37
13-19 YRS	870	8.8	72	2	3	7	9	16	22	49
2. MULTIPLE DX										
0-27 DYS	8	17.4	123	8	8	12	27	34	36	36
1-11 MOS	88	10.3	101	2	2	8	13	21	26	55
1-5 YRS	361	9.0	87	1	2	6	11	18	26	57
6-12 YRS	451	9.3	59	2	3	7	11	20	26	40
13-19 YRS	1195	13.4	185	3	4	9	15	30	46	89
TOT. SINGLE DX	1861	7.6	57	1	2	6	8	14	20	45
" MULTIPLE DX	2103	11.7	142	2	3	8	13	24	37	71
TOTAL 0-27 DYS	15	15.7	122	4	5	12	23	36	36	36
1-11 MOS	142	8.4	83	1	2	5	11	18	25	54
1-5 YRS	771	7.7	66	1	1	6	9	15	23	46
6-12 YRS	971	7.9	49	1	2	6	9	16	22	40
13-19 YRS	2065	11.5	143	2	3	8	12	22	38	73
GRAND TOTAL	3964	9.8	106	1	2	7	11	19	30	59

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	4.3	8	<1	<1	4	6	7	7	7
1-11 MOS	24	8.6	49	2	3	6	11	16	52	99+
1-5 YRS	27	8.8	75	1	1	7	13	17	26	41
6-12 YRS	4	4.0	5	2	2	3	5	7	7	7
13-19 YRS	28	11.8	110	2	2	5	23	26	30	37
2. MULTIPLE DX										
0-27 DYS	11	14.8	803	1	2	8	38	99+	99+	99+
1-11 MOS	83	19.9	523	2	3	9	33	53	79	98
1-5 YRS	53	13.0	146	1	2	9	21	35	41	98
6-12 YRS	70	13.6	111	2	3	12	19	25	30	54
13-19 YRS	156	8.5	82	2	3	6	9	15	24	53
TOT. SINGLE DX	87	9.3	76	1	2	6	12	24	30	78
" MULTIPLE DX	373	12.8	231	2	3	7	15	35	49	99+
TOTAL 0-27 DYS	15	12.0	599	<1	1	6	13	99+	99+	99+
1-11 MOS	107	17.4	437	3	3	9	23	51	78	99+
1-5 YRS	80	11.6	125	1	2	8	16	31	40	84
6-12 YRS	74	13.1	110	2	2	11	19	25	29	54
13-19 YRS	184	9.0	87	2	3	6	9	21	27	51
GRAND TOTAL	460	12.1	203	2	3	7	15	31	43	99+

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	7.0	2	6	6	7	8	8	8	8
1-11 MOS	17	2.2	2	<1	<1	2	4	5	5	5
1-5 YRS	67	3.3	23	<1	<1	2	3	8	17	24
6-12 YRS	46	3.8	24	<1	1	2	5	10	17	99+
13-19 YRS	83	4.7	16	1	1	3	7	10	14	17
2. MULTIPLE DX										
0-27 DYS	3	35.7	1700	3	3	22	67	82	82	82
1-11 MOS	17	12.2	175	1	1	8	17	33	41	45
1-5 YRS	69	9.6	221	1	1	3	11	30	55	94
6-12 YRS	31	7.6	68	<1	1	5	10	25	32	99+
13-19 YRS	115	10.7	234	2	2	5	11	25	54	92
TOT. SINGLE DX	215	3.9	19	<1	1	2	5	9	14	26
" MULTIPLE DX	235	10.4	223	1	1	5	12	26	53	99+
TOTAL 0-27 DYS	5	24.2	1097	3	3	8	37	82	82	82
1-11 MOS	34	7.2	111	<1	<1	2	8	19	33	45
1-5 YRS	136	6.5	133	<1	1	2	6	18	32	74
6-12 YRS	77	5.3	45	<1	1	2	7	14	29	99+
13-19 YRS	198	8.2	151	1	1	5	8	18	26	85
GRAND TOTAL	450	7.3	136	1	1	3	8	18	29	88

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	553	4.5	5	2	2	4	5	7	9	13
1-11 MOS	1302	4.3	6	2	2	4	5	7	8	13
1-5 YRS	19	5.5	3	2	4	5	7	8	8	8
6-12 YRS	14	5.5	4	2	3	5	7	8	10	10
13-19 YRS	5	7.2	16	4	4	6	9	14	14	14
2. MULTIPLE DX										
0-27 DYS	114	7.1	49	2	3	6	8	12	23	99+
1-11 MOS	288	6.5	23	2	3	5	8	11	14	28
1-5 YRS	5	9.6	164	1	1	7	31	93	99+	99+
6-12 YRS	4	16.8	151	7	7	13	25	34	34	34
13-19 YRS	14	12.9	60	5	6	10	18	24	28	29
TOT. SINGLE DX	1893	4.4	5	2	2	4	5	7	8	13
" MULTIPLE DX	425	7.0	35	2	3	6	8	12	18	52
TOTAL 0-27 DYS	667	4.9	14	2	2	4	6	8	10	19
1-11 MOS	1590	4.7	9	2	2	4	5	7	9	16
1-5 YRS	24	6.4	34	1	1	5	7	12	48	99+
6-12 YRS	18	8.0	53	3	4	6	8	15	27	34
13-19 YRS	19	11.4	53	4	5	9	15	24	27	29
GRAND TOTAL	**2318**	**4.8**	**12**	**2**	**2**	**4**	**6**	**8**	**10**	**20**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	48.0		48	48	74	99+	99+	99+	99+
1-11 MOS	3	29.3	320	19	19	19	42	50	50	50
1-5 YRS	8	27.4	340	6	7	24	40	55	59	59
6-12 YRS	3	11.7	17	7	7	13	14	15	15	15
13-19 YRS	7	17.6	283	2	2	9	30	43	46	46
2. MULTIPLE DX										
0-27 DYS	1	38.0		38	38	99+	99+	99+	99+	99+
1-11 MOS	21	32.8	608	5	6	28	61	99+	99+	99+
1-5 YRS	29	21.6	347	5	6	15	31	73	99	99+
6-12 YRS	22	22.2	345	3	6	22	32	53	88	99+
13-19 YRS	44	28.5	551	5	7	30	64	99+	99+	99+
TOT. SINGLE DX	22	23.3	297	3	5	19	43	52	73	99+
" MULTIPLE DX	117	26.5	475	5	7	24	54	99+	99+	99+
TOTAL 0-27 DYS	2	43.0	50	38	40	99+	99+	99+	99+	99+
1-11 MOS	24	32.4	558	5	6	28	59	97	99+	99+
1-5 YRS	37	22.8	342	5	6	15	34	63	93	99+
6-12 YRS	25	20.9	316	4	7	14	28	46	86	99+
13-19 YRS	51	27.0	522	4	6	25	59	99+	99+	99+
GRAND TOTAL	**139**	**26.0**	**446**	**5**	**6**	**24**	**48**	**99+**	**99+**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	3.5	13	<1	<1	3	6	6	6	6
1-5 YRS	6	6.3	14	2	2	6	9	12	12	12
6-12 YRS	11	5.5	13	<1	1	5	9	10	11	11
13-19 YRS	93	6.0	13	2	2	5	8	11	12	18
2. MULTIPLE DX										
0-27 DYS	7	19.3	437	7	7	12	17	56	66	66
1-11 MOS										
1-5 YRS	11	10.1	34	3	4	9	13	20	21	21
6-12 YRS	17	6.5	16	1	2	5	10	12	14	15
13-19 YRS	133	8.6	53	2	3	7	10	15	22	44
TOT. SINGLE DX	112	5.9	13	2	2	5	8	11	12	17
" MULTIPLE DX	168	8.9	66	2	3	7	10	16	22	45
TOTAL 0-27 DYS	7	19.3	437	7	7	12	17	56	66	66
1-11 MOS	2	3.5	13	<1	<1	3	6	6	6	6
1-5 YRS	17	8.8	29	2	3	7	12	18	20	21
6-12 YRS	28	6.1	14	1	2	5	9	11	13	15
13-19 YRS	226	7.5	38	2	2	6	9	13	18	41
GRAND TOTAL	**280**	**7.7**	**47**	**2**	**2**	**6**	**9**	**13**	**18**	**43**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	4.5	7	2	2	4	6	8	8	8
1-11 MOS	2	6.5	13	4	4	6	9	9	9	9
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS	21	11.5	76	2	3	9	15	18	29	43
2. MULTIPLE DX										
0-27 DYS	1	42.0		42	42	42	42	42	42	42
1-11 MOS	3	26.3	240	15	15	20	38	44	44	44
1-5 YRS	4	13.3	81	6	6	10	19	26	26	26
6-12 YRS	3	14.3	41	7	7	17	18	19	19	19
13-19 YRS	41	18.8	242	7	8	14	23	46	91	99+
TOT. SINGLE DX	28	10.0	65	2	2	9	13	17	20	43
" MULTIPLE DX	52	19.0	223	6	8	14	24	44	80	99+
TOTAL 0-27 DYS	5	12.0	287	2	2	5	16	42	42	42
1-11 MOS	5	18.4	241	4	4	15	26	44	44	44
1-5 YRS	5	12.2	66	6	6	8	16	26	26	26
6-12 YRS	3	14.3	41	7	7	17	18	19	19	19
13-19 YRS	62	16.3	196	3	6	13	19	43	62	99+
GRAND TOTAL	80	15.9	185	3	5	12	19	42	47	99+

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	13.0	162	4	4	13	22	22	22	22
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	1	11.0		11	11	11	11	11	11	11
TOT. SINGLE DX	2	13.0	162	4	4	13	22	22	22	22
" MULTIPLE DX	2	8.0	18	5	5	8	11	11	11	11
TOTAL 0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	3	12.3	82	4	4	11	19	22	22	22
GRAND TOTAL	4	10.5	68	4	4	8	16	22	22	22

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	31	10.4	21	2	5	9	13	17	18	20
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	23.5	275	9	9	20	36	45	45	45
1-5 YRS										
6-12 YRS										
13-19 YRS	20	16.0	269	3	5	11	16	28	54	79
TOT. SINGLE DX	33	10.3	20	2	6	9	13	17	18	20
" MULTIPLE DX	24	17.2	267	4	7	11	20	31	55	79
TOTAL 0-27 DYS										
1-11 MOS	4	23.5	275	9	9	20	36	45	45	45
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	51	12.5	123	3	5	11	14	19	28	78
GRAND TOTAL	57	13.2	133	3	6	11	14	22	29	77

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	12	5.3	4	2	3	5	7	8	8	8
1-11 MOS	71	6.2	23	2	2	4	8	11	16	25
1-5 YRS	11	7.5	19	1	2	7	9	14	17	17
6-12 YRS	11	7.7	5	5	5	8	9	11	13	13
13-19 YRS	129	9.4	17	6	6	8	10	14	17	28
2. MULTIPLE DX										
0-27 DYS	8	19.4	405	5	6	14	63	99+	99+	99+
1-11 MOS	61	17.9	226	3	4	16	26	60	99+	99+
1-5 YRS	39	16.0	204	3	4	12	23	35	51	60
6-12 YRS	28	15.8	248	5	6	11	17	25	41	88
13-19 YRS	144	14.1	196	4	6	10	15	28	52	99+
TOT. SINGLE DX	234	8.0	20	3	3	8	9	12	16	25
" MULTIPLE DX	280	15.5	214	4	5	11	18	36	64	99+
TOTAL 0-27 DYS	20	11.0	201	3	4	7	10	74	99+	99+
1-11 MOS	132	11.6	151	2	3	7	17	30	60	99+
1-5 YRS	50	14.1	174	3	3	9	17	32	49	60
6-12 YRS	39	13.5	191	5	6	10	14	21	32	88
13-19 YRS	273	11.9	115	5	6	9	12	18	35	94
GRAND TOTAL	514	12.1	139	3	4	9	14	25	38	99+

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	9.6	78	2	2	7	15	23	25	25
1-11 MOS	22	6.1	69	<1	1	5	6	11	25	40
1-5 YRS	107	3.5	8	<1	1	2	5	8	9	12
6-12 YRS	124	5.1	11	1	2	4	7	10	11	15
13-19 YRS	265	6.5	24	1	2	6	8	11	15	25
2. MULTIPLE DX										
0-27 DYS	4	22.0	188	11	11	23	56	99+	99+	99+
1-11 MOS	75	7.0	77	1	1	5	9	20	47	99+
1-5 YRS	115	5.6	93	1	1	3	7	11	16	97
6-12 YRS	114	7.0	23	2	3	6	9	12	15	26
13-19 YRS	347	8.9	72	2	3	7	11	15	25	47
TOT. SINGLE DX	525	5.6	22	1	1	5	7	10	14	25
" MULTIPLE DX	655	7.9	71	1	2	6	10	15	23	80
TOTAL 0-27 DYS	11	14.1	142	2	2	13	24	59	94	99+
1-11 MOS	97	6.8	75	1	1	5	8	18	41	99+
1-5 YRS	222	4.6	52	1	1	3	6	9	12	42
6-12 YRS	238	6.0	18	1	2	5	8	11	14	22
13-19 YRS	612	7.8	53	2	2	5	9	14	20	36
GRAND TOTAL	1180	6.8	50	1	1	5	8	13	18	44

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	11.3	34	7	7	13	59	99+	99+	99+
1-11 MOS	10	8.7	18	5	5	7	9	16	19	19
1-5 YRS	11	10.7	33	5	6	8	12	21	22	22
6-12 YRS	29	8.3	7	5	5	8	10	12	14	14
13-19 YRS	54	10.5	43	5	6	9	11	18	21	44
2. MULTIPLE DX										
0-27 DYS	7	18.1	80	9	12	99+	99+	99+	99+	99+
1-11 MOS	28	22.0	614	4	5	10	48	79	99+	99+
1-5 YRS	37	11.2	54	4	5	9	13	26	73	99+
6-12 YRS	65	16.9	281	6	6	9	19	39	52	84
13-19 YRS	153	15.1	134	6	7	12	17	28	39	92
TOT. SINGLE DX	107	9.8	30	5	5	8	11	18	21	68
" MULTIPLE DX	290	15.7	206	5	6	11	20	54	99+	99+
TOTAL 0-27 DYS	10	16.1	72	8	9	99+	99+	99+	99+	99+
1-11 MOS	38	18.5	488	4	5	9	24	71	93	99+
1-5 YRS	48	11.1	49	5	5	9	13	24	41	99+
6-12 YRS	94	14.2	211	5	6	9	14	36	46	82
13-19 YRS	207	13.9	114	5	7	11	16	26	32	77
GRAND TOTAL	397	14.1	165	5	6	10	18	40	99+	99+

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	10	12.0	65	1	3	11	19	23	27	27
1-11 MOS	21	8.7	30	3	4	8	11	13	20	28
1-5 YRS	12	11.3	23	4	6	10	14	18	21	21
6-12 YRS	29	11.5	44	4	6	10	12	20	25	36
13-19 YRS	109	15.2	96	6	7	12	18	27	35	54
2. MULTIPLE DX										
0-27 DYS	10	39.6	550	7	18	49	99+	99+	99+	99+
1-11 MOS	37	19.9	318	5	6	12	25	42	63	80
1-5 YRS	28	13.5	36	6	8	12	19	22	31	99+
6-12 YRS	49	17.6	183	5	6	13	21	33	54	60
13-19 YRS	172	21.6	267	7	8	15	28	50	63	96
TOT. SINGLE DX	181	13.4	78	5	6	11	16	23	29	52
" MULTIPLE DX	296	20.5	263	6	7	15	28	50	65	99+
TOTAL 0-27 DYS	20	25.8	492	3	5	24	51	99+	99+	99+
1-11 MOS	58	15.8	241	3	5	11	19	36	47	79
1-5 YRS	40	12.8	33	6	7	12	18	22	24	99+
6-12 YRS	78	15.3	139	4	6	11	19	28	42	59
13-19 YRS	281	19.1	210	7	8	15	22	40	54	81
GRAND TOTAL	477	17.8	204	6	7	13	21	39	55	99+

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	5	6.4	10	3	3	7	8	11	11	11
1-5 YRS	3	5.7	6	3	3	6	7	8	8	8
6-12 YRS	6	5.7	1	5	5	5	7	7	7	7
13-19 YRS	22	10.2	58	3	3	9	12	18	27	38
2. MULTIPLE DX										
0-27 DYS	4	20.8	297	8	9	46	99+	99+	99+	99+
1-11 MOS	8	27.3	965	5	6	13	37	82	91	91
1-5 YRS	13	17.6	258	5	6	11	20	44	58	61
6-12 YRS	14	13.3	46	7	7	11	16	20	30	33
13-19 YRS	46	16.3	158	4	6	12	20	37	38	68
TOT. SINGLE DX	37	8.7	41	3	3	7	11	15	19	38
" MULTIPLE DX	85	17.3	233	5	6	12	20	40	70	99+
TOTAL 0-27 DYS	5	19.6	229	8	9	31	99+	99+	99+	99+
1-11 MOS	13	19.2	678	3	4	11	14	66	86	91
1-5 YRS	16	15.4	231	4	5	10	18	38	55	61
6-12 YRS	20	11.0	44	5	5	9	14	18	26	33
13-19 YRS	68	14.3	133	4	5	11	17	33	38	63
GRAND TOTAL	122	14.7	190	4	5	11	16	38	60	99+

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	9	13.4	44	6	7	12	16	24	28	28
1-11 MOS	155	6.5	28	2	2	5	8	11	14	38
1-5 YRS	108	6.3	14	2	3	5	8	11	13	21
6-12 YRS	60	7.7	20	2	3	7	9	15	17	23
13-19 YRS	197	9.3	22	4	5	8	11	15	18	27
2. MULTIPLE DX										
0-27 DYS	19	22.1	434	4	5	21	33	99+	99+	99+
1-11 MOS	179	10.8	122	2	3	7	11	30	43	99+
1-5 YRS	98	10.7	87	3	4	8	11	17	31	55
6-12 YRS	65	13.2	149	5	5	8	15	31	61	99+
13-19 YRS	297	13.6	141	5	6	10	14	26	35	76
TOT. SINGLE DX	529	7.8	25	2	3	7	10	13	16	27
" MULTIPLE DX	658	12.6	140	3	5	9	14	29	40	99+
TOTAL 0-27 DYS	28	19.3	319	4	6	16	29	97	99+	99+
1-11 MOS	334	8.8	83	2	3	6	9	17	33	65
1-5 YRS	206	8.4	53	2	3	7	10	13	18	44
6-12 YRS	125	10.6	94	3	4	8	12	26	31	99+
13-19 YRS	494	11.9	98	4	6	9	13	21	29	63
GRAND TOTAL	**1187**	**10.5**	**95**	**3**	**4**	**8**	**12**	**19**	**31**	**76**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	13.2	36	7	7	12	17	22	23	23
1-11 MOS	9	10.1	16	5	6	10	12	16	18	18
1-5 YRS	6	12.2	47	7	7	9	18	22	23	23
6-12 YRS	4	10.5	36	4	4	10	15	17	17	17
13-19 YRS	17	12.8	204	2	3	9	13	32	51	59
2. MULTIPLE DX										
0-27 DYS	5	32.8	371	10	19	81	99+	99+	99+	99+
1-11 MOS	9	30.8	670	9	10	19	49	74	78	78
1-5 YRS	16	30.6	432	8	8	29	48	61	66	68
6-12 YRS	17	28.7	479	3	5	24	37	81	94	99+
13-19 YRS	53	19.8	274	4	6	17	27	93	99+	99+
TOT. SINGLE DX	42	12.0	97	3	4	10	14	20	28	59
" MULTIPLE DX	100	24.7	384	4	8	22	42	99+	99+	99+
TOTAL 0-27 DYS	11	22.1	271	7	8	28	99+	99+	99+	99+
1-11 MOS	18	20.4	436	6	7	12	19	60	74	78
1-5 YRS	22	25.5	390	7	7	17	40	56	64	68
6-12 YRS	21	25.2	442	3	4	23	33	76	90	99+
13-19 YRS	70	18.1	263	3	4	14	25	72	99+	99+
GRAND TOTAL	**142**	**20.9**	**331**	**4**	**6**	**16**	**33**	**74**	**99+**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	10	4.5	3	2	2	4	5	7	8	8
1-11 MOS	30	5.1	11	2	3	4	6	10	11	17
1-5 YRS	1085	5.8	18	2	2	5	7	10	12	18
6-12 YRS	12566	4.4	7	2	2	4	5	7	9	15
13-19 YRS	20964	4.5	8	2	2	4	5	7	9	15
2. MULTIPLE DX										
0-27 DYS	6	8.2	21	4	4	7	11	15	15	15
1-11 MOS	10	7.4	13	4	4	6	9	13	15	15
1-5 YRS	497	8.5	34	2	3	7	12	16	19	29
6-12 YRS	2867	7.1	30	2	3	5	9	14	18	28
13-19 YRS	5236	6.9	31	3	3	5	8	13	17	30
TOT. SINGLE DX	34655	4.5	8	2	2	4	5	7	9	15
" MULTIPLE DX	8616	7.1	31	3	3	5	8	13	17	28
TOTAL 0-27 DYS	16	5.9	12	2	3	5	7	11	14	15
1-11 MOS	40	5.7	12	2	3	4	7	11	13	17
1-5 YRS	1582	6.6	25	2	3	5	8	12	15	24
6-12 YRS	15433	4.9	13	2	2	4	5	9	11	20
13-19 YRS	26200	4.9	13	2	2	4	5	8	11	19
GRAND TOTAL	**43271**	**5.0**	**14**	**2**	**2**	**4**	**6**	**8**	**11**	**20**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	5.0	1	4	4	5	6	6	6	6
1-5 YRS	15	5.9	12	2	3	5	7	11	15	16
6-12 YRS	127	4.3	8	2	2	3	5	8	10	15
13-19 YRS	290	5.1	8	2	3	4	6	8	10	16
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	11	7.5	24	2	2	6	12	15	17	17
6-12 YRS	41	6.4	18	3	3	5	8	11	18	20
13-19 YRS	111	6.4	18	2	3	5	8	12	17	56
TOT. SINGLE DX	435	4.9	8	2	3	4	6	8	10	16
" MULTIPLE DX	164	6.5	18	2	3	5	8	12	17	28
TOTAL 0-27 DYS										
1-11 MOS	4	6.5	10	4	4	5	8	11	11	11
1-5 YRS	26	6.6	17	2	2	5	7	13	16	17
6-12 YRS	168	4.8	11	2	2	4	6	9	11	20
13-19 YRS	401	5.4	11	2	3	5	6	9	12	19
GRAND TOTAL	**599**	**5.3**	**11**	**2**	**3**	**4**	**6**	**9**	**12**	**19**

605: Operations on Appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	7.7	12	3	3	9	11	11	11	11
6-12 YRS	80	8.9	30	2	3	8	12	16	18	27
13-19 YRS	99	8.3	19	3	3	8	11	14	16	23
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	14.6	32	7	7	15	20	20	20	20
6-12 YRS	28	13.2	54	5	7	10	18	22	28	37
13-19 YRS	26	10.5	38	3	4	9	13	17	25	29
TOT. SINGLE DX	188	8.5	23	3	3	8	11	15	17	27
" MULTIPLE DX	59	12.1	46	4	5	10	16	21	26	36
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	14	10.1	29	3	3	10	11	20	20	20
6-12 YRS	108	10.0	39	3	3	9	13	18	21	32
13-19 YRS	125	8.7	24	3	4	8	11	15	17	29
GRAND TOTAL	**247**	**9.3**	**31**	**3**	**3**	**9**	**12**	**16**	**20**	**29**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	10	10.5	35	2	3	9	16	19	20	20
1-11 MOS	43	4.3	31	1	1	2	5	7	17	29
1-5 YRS	162	3.3	27	<1	1	2	4	6	8	14
6-12 YRS	201	3.6	9	<1	1	3	5	8	10	14
13-19 YRS	329	5.4	23	1	2	4	7	10	13	22
2. MULTIPLE DX										
0-27 DYS	8	21.1	671	4	4	13	43	92	99+	99+
1-11 MOS	22	13.9	190	2	3	8	25	55	99+	99+
1-5 YRS	76	9.4	257	1	1	4	6	27	55	71
6-12 YRS	112	7.4	62	1	2	5	9	17	20	43
13-19 YRS	192	7.9	61	2	3	5	9	14	17	48
TOT. SINGLE DX	745	4.5	22	1	1	3	6	9	12	20
" MULTIPLE DX	410	8.6	119	1	2	5	10	17	31	77
TOTAL 0-27 DYS	18	15.2	324	3	4	11	19	61	91	99+
1-11 MOS	65	7.5	104	1	1	4	7	28	45	99+
1-5 YRS	238	5.2	108	<1	1	2	4	8	15	62
6-12 YRS	313	5.0	31	1	1	3	6	10	14	28
13-19 YRS	521	6.3	38	1	2	5	8	11	15	34
GRAND TOTAL	**1155**	**5.9**	**60**	**1**	**1**	**4**	**7**	**12**	**17**	**53**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	22	2.0	1	1	1	2	3	3	4	5
1-5 YRS	21	2.5	4	<1	1	2	3	5	7	8
6-12 YRS	18	3.3	4	1	1	3	4	6	7	8
13-19 YRS	201	3.9	6	1	2	3	5	7	9	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	13	5.3	24	1	1	3	6	15	17	17
1-5 YRS	7	3.6	2	2	2	4	5	5	5	5
6-12 YRS	9	5.9	13	3	3	5	6	12	15	15
13-19 YRS	61	5.9	41	1	1	4	6	9	19	35
TOT. SINGLE DX	264	3.6	5	1	1	3	4	6	8	13
" MULTIPLE DX	90	5.6	33	1	2	4	6	9	17	35
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	35	3.3	12	1	1	2	3	6	12	17
1-5 YRS	28	2.8	3	1	1	2	4	5	7	8
6-12 YRS	27	4.1	8	1	1	4	5	7	9	15
13-19 YRS	262	4.3	15	1	2	3	5	7	10	21
GRAND TOTAL	**354**	**4.1**	**13**	**1**	**1**	**3**	**5**	**7**	**9**	**18**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	16	9.0	16	2	3	10	11	15	16	16
1-5 YRS	23	10.5	42	1	2	10	14	17	21	29
6-12 YRS	11	6.4	26	1	1	6	10	14	15	15
13-19 YRS	24	16.5	377	1	2	11	20	40	56	90
2. MULTIPLE DX										
0-27 DYS	1	16.0		16	16	58	99+	99+	99+	99+
1-11 MOS	38	14.7	147	5	6	11	15	33	48	55
1-5 YRS	27	16.1	222	5	6	12	17	24	48	79
6-12 YRS	10	18.5	523	<1	1	10	25	59	68	68
13-19 YRS	28	23.5	344	4	6	18	31	45	67	85
TOT. SINGLE DX	75	11.5	150	1	2	10	14	18	29	78
" MULTIPLE DX	104	17.8	258	4	5	12	20	42	57	92
TOTAL 0-27 DYS	2	14.0	8	12	12	16	79	99+	99+	99+
1-11 MOS	54	13.0	114	4	5	10	13	20	43	55
1-5 YRS	50	13.5	144	2	4	11	15	24	29	79
6-12 YRS	21	12.1	287	<1	1	9	12	35	58	68
13-19 YRS	52	20.3	364	2	3	15	27	41	63	90
GRAND TOTAL	**179**	**15.2**	**221**	**2**	**3**	**11**	**16**	**32**	**48**	**88**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	12	2.1	1	<1	1	2	3	3	4	4
1-5 YRS	29	3.9	18	<1	1	2	4	10	15	19
6-12 YRS	29	4.8	9	<1	1	4	7	9	9	14
13-19 YRS	79	6.8	39	1	2	5	9	13	21	32
2. MULTIPLE DX										
0-27 DYS	3	14.3	234	5	5	6	25	32	32	32
1-11 MOS	7	7.4	49	2	2	4	14	18	18	18
1-5 YRS	20	9.0	105	<1	1	4	13	21	32	42
6-12 YRS	22	8.0	36	2	2	6	11	18	19	21
13-19 YRS	136	9.0	73	2	2	7	11	17	24	76
TOT. SINGLE DX	150	5.4	28	1	1	4	7	11	15	30
" MULTIPLE DX	188	8.9	72	2	2	7	11	18	23	61
TOTAL 0-27 DYS	4	11.8	183	4	4	5	19	32	32	32
1-11 MOS	19	4.1	24	<1	1	2	4	13	18	18
1-5 YRS	49	6.0	59	<1	1	3	6	17	20	42
6-12 YRS	51	6.2	23	1	2	4	8	13	18	21
13-19 YRS	215	8.2	61	2	2	6	10	16	23	53
GRAND TOTAL	**338**	**7.4**	**55**	**1**	**2**	**5**	**9**	**16**	**21**	**42**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	69	1.9	2	<1	<1	2	2	3	4	8
1-5 YRS	20	1.9	1	<1	1	2	2	3	4	4
6-12 YRS	17	5.2	50	1	2	4	5	6	23	32
13-19 YRS	145	3.9	4	2	2	4	5	6	7	10
2. MULTIPLE DX										
0-27 DYS	4	5.3	21	2	2	3	8	12	12	12
1-11 MOS	14	3.9	11	1	1	2	7	10	10	10
1-5 YRS	4	4.5	10	1	1	4	7	8	8	8
6-12 YRS	7	6.4	22	1	1	5	11	13	13	13
13-19 YRS	79	5.1	13	2	2	4	5	8	12	24
TOT. SINGLE DX	252	3.3	7	<1	1	3	4	5	6	10
" MULTIPLE DX	108	5.0	14	1	2	4	6	9	12	22
TOTAL 0-27 DYS	5	4.6	18	2	2	3	6	12	12	12
1-11 MOS	83	2.2	4	<1	<1	2	2	4	7	10
1-5 YRS	24	2.3	3	<1	1	2	3	4	7	8
6-12 YRS	24	5.5	41	1	2	4	5	12	19	32
13-19 YRS	224	4.3	7	2	2	4	5	6	8	18
GRAND TOTAL	**360**	**3.8**	**10**	**1**	**1**	**3**	**5**	**6**	**8**	**17**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	12	1.6	1	<1	<1	1	2	3	3	3
1-5 YRS	41	1.9	3	<1	<1	1	2	4	8	99+
6-12 YRS	19	1.8	2	<1	<1	1	2	4	6	6
13-19 YRS	267	3.3	4	1	1	3	4	5	6	12
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	6	1.3		<1	<1	1	2	2	2	2
1-5 YRS	13	2.9	3	1	1	3	4	5	7	7
6-12 YRS	11	4.0	7	1	1	3	6	8	9	9
13-19 YRS	154	4.7	11	2	2	4	5	7	9	26
TOT. SINGLE DX	341	3.0	4	<1	1	3	4	5	6	12
" MULTIPLE DX	185	4.4	10	1	2	4	5	7	9	22
TOTAL 0-27 DYS	3	4.3		4	4	4	5	5	5	5
1-11 MOS	18	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	54	2.1	3	<1	<1	2	3	5	7	95
6-12 YRS	30	2.6	5	<1	<1	2	3	6	7	9
13-19 YRS	421	3.8	7	1	2	3	5	6	8	15
GRAND TOTAL	**526**	**3.5**	**7**	**<1**	**1**	**3**	**4**	**6**	**7**	**14**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	6	3.5	12	1	1	2	5	9	10	10
6-12 YRS	7	4.0	6	1	1	4	6	8	8	8
13-19 YRS	132	4.8	4	2	2	5	6	7	8	10
2. MULTIPLE DX										
0-27 DYS	3	9.3	50	3	3	8	15	17	17	17
1-11 MOS	10	9.0	84	3	3	6	9	22	34	34
1-5 YRS	6	6.2	86	1	1	3	4	23	25	25
6-12 YRS	14	6.0	54	<1	1	5	5	9	26	31
13-19 YRS	375	5.1	4	2	3	5	6	7	9	13
TOT. SINGLE DX	148	4.7	4	2	2	5	6	7	8	11
" MULTIPLE DX	408	5.3	9	2	3	5	6	8	9	16
TOTAL 0-27 DYS	4	9.8	34	3	3	9	14	17	17	17
1-11 MOS	12	8.1	73	2	3	6	8	18	32	34
1-5 YRS	12	4.8	47	1	1	2	4	14	23	25
6-12 YRS	21	5.3	38	1	1	5	5	7	18	31
13-19 YRS	507	5.0	4	2	3	5	6	7	8	12
GRAND TOTAL	**556**	**5.1**	**8**	**2**	**3**	**5**	**6**	**7**	**9**	**15**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	5.5	22	1	1	4	6	13	16	16
1-11 MOS	56	3.8	8	<1	1	3	5	7	11	14
1-5 YRS	51	4.3	29	1	1	3	5	8	12	33
6-12 YRS	32	3.0	7	1	1	2	3	6	9	14
13-19 YRS	271	3.9	10	1	1	3	5	7	9	17
2. MULTIPLE DX										
0-27 DYS	3	16.3	262	6	6	8	28	35	35	35
1-11 MOS	39	5.5	21	1	1	4	8	11	18	99+
1-5 YRS	37	5.1	49	1	1	2	5	14	19	37
6-12 YRS	31	6.1	41	1	2	3	7	14	24	26
13-19 YRS	142	6.3	44	2	2	4	7	12	19	38
TOT. SINGLE DX	418	3.9	12	1	1	3	5	7	10	17
" MULTIPLE DX	252	6.1	43	1	2	4	7	13	22	37
TOTAL 0-27 DYS	11	8.5	93	1	2	6	8	24	34	35
1-11 MOS	95	4.5	14	1	1	3	6	10	12	65
1-5 YRS	88	4.6	37	1	1	2	5	9	16	35
6-12 YRS	63	4.5	26	1	1	3	4	12	14	26
13-19 YRS	413	4.8	23	1	2	4	5	8	12	29
GRAND TOTAL	**670**	**4.7**	**25**	**1**	**1**	**3**	**5**	**9**	**13**	**33**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	20	8.8	69	1	2	6	10	19	28	36
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	9	8.4	16	2	3	8	10	14	16	16
13-19 YRS	30	14.7	151	2	3	11	18	34	37	49
TOT. SINGLE DX	22	8.5	63	2	2	6	10	19	26	36
" MULTIPLE DX	40	13.1	122	2	3	10	15	32	36	49
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	10	8.2	14	2	4	7	10	13	16	16
13-19 YRS	50	12.3	124	2	2	9	14	32	36	49
GRAND TOTAL	**62**	**11.5**	**105**	**2**	**3**	**8**	**13**	**31**	**36**	**48**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	30	10.0	47	1	2	9	14	20	24	25
1-5 YRS	30	5.7	31	1	1	3	9	13	16	25
6-12 YRS	36	5.1	17	1	1	4	7	12	14	16
13-19 YRS	201	7.3	48	1	2	6	10	15	22	33
2. MULTIPLE DX										
0-27 DYS	5	20.4	870	5	5	9	73	97	99+	99+
1-11 MOS	24	12.7	132	1	3	9	17	29	39	45
1-5 YRS	63	13.2	159	1	2	11	17	26	39	70
6-12 YRS	64	13.3	190	2	2	8	17	38	45	56
13-19 YRS	365	13.4	154	2	2	10	17	26	39	62
TOT. SINGLE DX	297	7.2	43	1	1	5	10	15	20	32
" MULTIPLE DX	521	13.4	163	2	2	9	17	28	41	73
TOTAL 0-27 DYS	5	20.4	870	5	5	9	73	97	99+	99+
1-11 MOS	54	11.2	85	1	2	9	15	24	28	45
1-5 YRS	93	10.8	129	1	2	7	15	24	30	62
6-12 YRS	100	10.3	142	1	1	7	11	25	40	54
13-19 YRS	566	11.2	124	1	2	8	14	25	32	56
GRAND TOTAL	**818**	**11.1**	**128**	**1**	**2**	**8**	**14**	**25**	**34**	**57**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	16	7.2	11	4	5	6	8	10	16	18
1-11 MOS	13	8.8	11	5	5	8	10	14	16	16
1-5 YRS	14	6.4	9	<1	2	7	8	10	12	12
6-12 YRS	29	8.8	44	5	5	7	9	14	18	40
13-19 YRS	1487	7.8	12	5	5	7	9	12	13	20
2. MULTIPLE DX										
0-27 DYS	15	11.4	30	5	6	10	14	16	24	27
1-11 MOS	14	14.0	103	4	5	12	17	24	39	43
1-5 YRS	15	14.3	38	5	6	16	16	23	26	27
6-12 YRS	33	13.4	70	5	6	10	16	28	32	37
13-19 YRS	881	10.0	29	5	5	9	12	16	19	29
TOT. SINGLE DX	1559	7.9	13	5	5	7	9	12	14	20
" MULTIPLE DX	958	10.3	32	5	5	9	12	16	20	31
TOTAL 0-27 DYS	31	9.2	24	5	5	8	11	16	18	27
1-11 MOS	27	11.5	64	5	5	9	14	20	25	43
1-5 YRS	29	10.4	40	2	3	9	16	19	23	27
6-12 YRS	62	11.2	62	5	5	8	13	21	32	40
13-19 YRS	2368	8.6	19	5	5	8	10	13	16	24
GRAND TOTAL	**2517**	**8.8**	**21**	**5**	**5**	**8**	**10**	**14**	**16**	**26**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	9	24.4	484	1	2	15	38	57	68	68
1-5 YRS	8	10.6	120	1	1	6	22	25	25	25
6-12 YRS	3	3.7	14	1	1	2	6	8	8	8
13-19 YRS	22	8.1	48	1	2	7	9	18	26	29
2. MULTIPLE DX										
0-27 DYS	4	18.5	90	10	10	17	49	99+	99+	99+
1-11 MOS	10	23.7	229	9	11	17	34	47	59	59
1-5 YRS	9	18.6	261	1	1	18	23	44	54	54
6-12 YRS	5	14.0	98	4	4	10	24	26	26	26
13-19 YRS	30	11.9	79	2	4	10	17	22	28	43
TOT. SINGLE DX	42	11.8	188	1	1	7	15	30	39	68
" MULTIPLE DX	58	15.6	145	2	4	14	21	33	49	96
TOTAL 0-27 DYS	4	18.5	90	10	10	17	49	99+	99+	99+
1-11 MOS	19	24.1	330	2	5	17	35	52	64	68
1-5 YRS	17	14.8	200	1	1	16	22	27	45	54
6-12 YRS	8	10.1	88	1	1	7	16	25	26	26
13-19 YRS	52	10.3	68	2	2	8	13	21	28	43
GRAND TOTAL	100	14.0	165	1	2	10	20	32	42	84

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	7.0	2	6	6	7	8	8	8	8
1-5 YRS	5	8.4	106	1	1	7	12	26	26	26
6-12 YRS	6	9.0	78	2	2	7	9	24	26	26
13-19 YRS	28	7.7	42	1	1	8	10	15	20	30
2. MULTIPLE DX										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	4	32.5	1556	7	7	16	56	91	91	91
1-5 YRS	6	9.8	29	4	4	10	13	17	17	17
6-12 YRS	9	11.3	103	<1	<1	10	22	66	99+	99+
13-19 YRS	45	18.4	200	2	5	15	23	34	51	63
TOT. SINGLE DX	42	7.8	49	1	1	7	9	16	26	30
" MULTIPLE DX	65	17.5	251	2	4	13	22	34	60	99
TOTAL 0-27 DYS	2	10.5	145	2	2	10	19	19	19	19
1-11 MOS	6	24.0	1107	6	6	9	21	84	91	91
1-5 YRS	11	9.2	57	1	1	7	13	21	26	26
6-12 YRS	15	10.4	88	<1	1	9	17	31	80	99+
13-19 YRS	73	14.3	165	1	2	11	17	31	45	62
GRAND TOTAL	107	13.7	193	1	2	10	17	30	47	95

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	9	3.8	8	1	1	3	6	8	9	9
1-5 YRS	36	3.0	4	1	1	2	4	6	8	8
6-12 YRS	65	5.3	20	1	1	4	6	11	13	23
13-19 YRS	136	6.7	28	1	2	6	9	11	14	31
2. MULTIPLE DX										
0-27 DYS	3	25.0	769	8	8	10	45	57	57	57
1-11 MOS	12	10.5	26	4	5	10	13	17	22	23
1-5 YRS	17	3.9	11	<1	1	2	6	10	11	11
6-12 YRS	37	6.1	22	<1	1	5	8	12	18	20
13-19 YRS	155	9.5	139	2	3	6	10	17	24	73
TOT. SINGLE DX	247	5.7	23	1	1	5	8	11	13	29
" MULTIPLE DX	224	8.8	116	2	2	6	10	16	20	68
TOTAL 0-27 DYS	4	20.0	613	5	5	9	33	57	57	57
1-11 MOS	21	7.6	29	1	1	7	10	14	19	23
1-5 YRS	53	3.3	6	1	1	2	4	7	9	11
6-12 YRS	102	5.6	21	1	1	5	8	11	15	22
13-19 YRS	291	8.2	89	2	2	6	9	15	19	64
GRAND TOTAL	471	7.1	69	1	2	5	9	13	18	53

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	133	3.1	13	<1	1	2	4	6	7	22
1-11 MOS	3359	2.0	6	<1	<1	2	2	3	4	8
1-5 YRS	5087	1.9	2	<1	<1	2	2	3	3	6
6-12 YRS	3989	2.2	3	<1	1	2	3	3	4	6
13-19 YRS	5572	3.5	4	2	2	3	4	5	6	8
2. MULTIPLE DX										
0-27 DYS	106	7.1	218	1	1	3	6	17	51	99+
1-11 MOS	2138	3.2	30	<1	1	2	3	6	9	29
1-5 YRS	3675	2.3	5	<1	1	2	2	4	5	9
6-12 YRS	1865	2.8	8	1	1	2	3	5	6	11
13-19 YRS	1661	4.2	9	2	2	4	5	6	8	14
TOT. SINGLE DX	18140	2.5	4	<1	1	2	3	4	5	7
" MULTIPLE DX	9445	3.0	15	<1	1	2	3	5	7	15
TOTAL 0-27 DYS	239	4.9	107	<1	1	2	4	9	17	92
1-11 MOS	5497	2.5	16	<1	1	2	2	4	6	14
1-5 YRS	8762	2.0	4	<1	1	2	2	3	4	8
6-12 YRS	5854	2.4	5	1	1	2	3	4	5	8
13-19 YRS	7233	3.6	5	2	2	3	4	5	6	10
GRAND TOTAL	27585	2.6	8	<1	1	2	3	4	5	10

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	36	4.2	140	<1	<1	2	2	5	17	70
1-11 MOS	1421	1.8	2	<1	<1	2	2	3	4	8
1-5 YRS	1224	1.8	5	<1	<1	2	2	2	3	7
6-12 YRS	516	2.0	1	<1	<1	2	2	3	4	6
13-19 YRS	322	4.1	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
0-27 DYS	46	15.8	758	<1	1	5	23	97	99+	99+
1-11 MOS	1255	3.3	55	<1	<1	2	3	5	9	46
1-5 YRS	809	2.1	8	<1	<1	2	2	3	4	8
6-12 YRS	237	2.9	14	<1	1	2	3	5	7	29
13-19 YRS	120	5.8	33	2	3	5	6	8	14	57
TOT. SINGLE DX	3519	2.1	5	<1	<1	2	2	4	5	8
" MULTIPLE DX	2467	3.2	51	<1	<1	2	3	5	8	52
TOTAL 0-27 DYS	82	10.7	515	<1	<1	2	8	81	99+	99+
1-11 MOS	2676	2.5	27	<1	<1	2	2	4	6	16
1-5 YRS	2033	1.9	6	<1	<1	2	2	3	4	7
6-12 YRS	753	2.3	5	<1	<1	2	3	4	5	12
13-19 YRS	442	4.6	11	2	2	4	5	6	8	29
GRAND TOTAL	**5986**	**2.5**	**24**	**<1**	**<1**	**2**	**2**	**4**	**6**	**16**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	15	1.9	2	1	1	2	2	3	5	6
6-12 YRS	36	2.3	1	1	1	2	3	3	4	6
13-19 YRS	73	3.8	2	2	2	4	4	5	6	10
2. MULTIPLE DX										
0-27 DYS	2	14.0	242	3	3	14	25	25	25	25
1-11 MOS	3	27.0	931	6	6	13	50	62	62	62
1-5 YRS	4	2.5	9	1	1	1	4	7	7	7
6-12 YRS	11	4.2	18	<1	1	3	5	10	16	16
13-19 YRS	22	5.2	5	2	3	5	6	8	10	11
TOT. SINGLE DX	128	3.1	3	1	1	3	4	5	6	8
" MULTIPLE DX	42	6.7	96	1	1	4	6	12	20	62
TOTAL 0-27 DYS	2	14.0	242	3	3	14	25	25	25	25
1-11 MOS	7	12.3	500	<1	<1	2	11	52	62	62
1-5 YRS	19	2.1	3	1	1	2	2	5	7	7
6-12 YRS	47	2.7	5	1	1	2	3	4	6	16
13-19 YRS	95	4.1	3	2	2	4	5	6	8	11
GRAND TOTAL	**170**	**4.0**	**28**	**1**	**1**	**3**	**4**	**6**	**8**	**23**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	11	5.7	53	<1	<1	2	8	19	22	22
1-11 MOS	554	2.4	10	<1	1	2	3	4	4	9
1-5 YRS	2105	2.2	6	<1	1	2	2	3	4	6
6-12 YRS	967	2.2	1	1	1	2	3	3	4	6
13-19 YRS	447	3.2	3	1	2	3	4	5	6	12
2. MULTIPLE DX										
0-27 DYS	3	30.7	536	5	8	75	99+	99+	99+	99+
1-11 MOS	174	4.6	41	1	1	3	5	9	14	58
1-5 YRS	415	3.3	12	1	1	2	3	6	8	17
6-12 YRS	241	3.3	9	1	2	3	4	5	7	18
13-19 YRS	139	5.7	70	2	2	4	6	9	17	39
TOT. SINGLE DX	4084	2.3	5	<1	1	2	3	4	4	7
" MULTIPLE DX	972	3.9	29	1	1	3	4	7	10	34
TOTAL 0-27 DYS	14	11.1	236	<1	1	5	40	99+	99+	99+
1-11 MOS	728	2.9	18	<1	1	2	3	5	7	17
1-5 YRS	2520	2.4	7	<1	1	2	2	4	5	9
6-12 YRS	1208	2.4	3	1	1	2	3	4	5	7
13-19 YRS	586	3.8	20	1	2	3	4	6	8	21
GRAND TOTAL	**5056**	**2.7**	**10**	**<1**	**1**	**2**	**3**	**4**	**5**	**13**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	37	3.1	8	<1	1	2	4	7	9	13
1-5 YRS	160	2.3	7	<1	<1	2	2	4	5	12
6-12 YRS	220	2.6	18	<1	1	2	3	4	5	12
13-19 YRS	340	3.2	3	1	2	3	4	5	6	10
2. MULTIPLE DX										
0-27 DYS	3	7.0	21	2	2	8	10	11	11	11
1-11 MOS	13	8.5	84	<1	1	5	12	24	29	30
1-5 YRS	79	3.1	5	<1	1	2	4	6	8	10
6-12 YRS	50	3.7	7	1	2	3	5	8	9	11
13-19 YRS	97	4.8	10	1	2	4	6	10	12	16
TOT. SINGLE DX	759	2.8	8	<1	1	2	3	5	6	11
" MULTIPLE DX	242	4.2	13	1	1	3	5	9	11	17
TOTAL 0-27 DYS	5	5.6	15	2	2	5	9	11	11	11
1-11 MOS	50	4.5	32	<1	1	2	6	10	16	30
1-5 YRS	239	2.6	7	<1	<1	2	3	5	7	11
6-12 YRS	270	2.8	16	<1	1	2	3	4	6	11
13-19 YRS	437	3.5	5	1	2	3	4	6	8	12
GRAND TOTAL	**1001**	**3.2**	**10**	**<1**	**1**	**2**	**4**	**6**	**8**	**13**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	10.3	55	1	1	11	16	18	18	18
1-11 MOS	18	4.8	10	<1	1	4	6	10	11	11
1-5 YRS	34	2.9	7	<1	<1	2	3	7	9	12
6-12 YRS	23	5.1	42	<1	1	3	6	10	19	32
13-19 YRS	45	5.1	10	1	2	4	6	10	12	15
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	19	9.6	143	1	2	6	13	25	39	49
1-5 YRS	30	10.4	256	1	1	3	14	24	50	74
6-12 YRS	28	10.7	254	1	2	4	10	37	53	63
13-19 YRS	47	9.4	32	2	3	8	12	18	22	27
TOT. SINGLE DX	124	4.6	18	<1	1	3	6	10	12	22
" MULTIPLE DX	125	9.9	148	1	2	7	11	21	35	66
TOTAL 0-27 DYS	5	9.0	49	1	1	8	15	18	18	18
1-11 MOS	37	7.2	82	1	2	5	8	16	25	49
1-5 YRS	64	6.4	136	<1	1	2	6	14	23	71
6-12 YRS	51	8.2	164	<1	1	3	8	20	38	63
13-19 YRS	92	7.3	26	2	3	6	9	14	18	25
GRAND TOTAL	**249**	**7.3**	**90**	**1**	**1**	**4**	**9**	**14**	**22**	**52**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	7.3	43	3	3	4	11	17	17	17
1-11 MOS	64	3.6	22	<1	1	2	4	8	13	27
1-5 YRS	293	3.7	27	1	1	2	4	7	9	26
6-12 YRS	264	3.9	11	1	1	3	5	8	11	17
13-19 YRS	407	5.1	19	1	1	4	7	10	13	20
2. MULTIPLE DX										
0-27 DYS	6	6.8	11	2	2	6	10	11	11	11
1-11 MOS	39	5.5	33	1	1	4	7	14	20	23
1-5 YRS	125	6.1	61	1	2	3	7	15	20	74
6-12 YRS	127	6.8	59	1	2	5	8	14	21	37
13-19 YRS	258	8.0	59	1	2	6	10	17	22	94
TOT. SINGLE DX	1032	4.3	20	1	1	3	5	9	12	20
" MULTIPLE DX	555	7.1	58	1	2	5	9	16	21	64
TOTAL 0-27 DYS	10	7.0	20	2	2	6	10	14	17	17
1-11 MOS	103	4.3	27	<1	1	2	5	11	16	25
1-5 YRS	418	4.4	38	1	1	2	5	9	14	32
6-12 YRS	391	4.8	29	1	1	3	5	10	14	23
13-19 YRS	665	6.2	37	1	2	4	8	12	17	41
GRAND TOTAL	**1587**	**5.3**	**35**	**1**	**1**	**4**	**6**	**11**	**16**	**33**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	6.0	18	2	2	5	9	11	11	11
1-11 MOS	23	6.5	18	1	2	6	9	13	15	16
1-5 YRS	99	6.5	33	2	2	5	8	12	18	36
6-12 YRS	304	6.9	25	2	3	5	8	13	16	27
13-19 YRS	1131	6.6	17	3	3	6	8	11	15	23
2. MULTIPLE DX										
0-27 DYS	9	15.9	109	3	5	23	99+	99+	99+	99+
1-11 MOS	32	15.3	244	4	5	10	17	58	95	99+
1-5 YRS	97	12.1	147	3	4	8	13	26	37	67
6-12 YRS	265	10.8	107	3	3	8	13	21	30	55
13-19 YRS	1264	10.6	108	3	4	8	12	21	34	78
TOT. SINGLE DX	1561	6.7	20	2	3	6	8	11	15	24
" MULTIPLE DX	1667	10.9	113	3	4	8	12	22	35	99
TOTAL 0-27 DYS	13	12.8	100	2	3	11	49	99+	99+	99+
1-11 MOS	55	11.6	166	2	3	8	16	30	69	99+
1-5 YRS	196	9.3	97	2	3	6	10	19	31	56
6-12 YRS	569	8.7	67	2	3	6	10	17	22	40
13-19 YRS	2395	8.7	69	3	3	6	10	16	24	58
GRAND TOTAL	**3228**	**8.8**	**72**	**3**	**3**	**6**	**10**	**16**	**24**	**59**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	1.8	1	1	1	2	2	3	3	3
1-11 MOS	7	3.0	4	1	1	3	4	6	7	7
1-5 YRS	4	5.8	57	1	1	2	10	17	17	17
6-12 YRS	32	3.4	9	1	1	3	4	6	9	16
13-19 YRS	1845	3.4	7	1	1	2	4	7	8	12
2. MULTIPLE DX										
0-27 DYS	3	1.7	1	<1	<1	1	2	3	3	3
1-11 MOS	9	5.7	22	1	1	4	8	13	15	15
1-5 YRS	3	7.0	19	2	2	9	10	10	10	10
6-12 YRS	24	5.8	11	1	2	6	9	11	11	11
13-19 YRS	1569	4.3	16	1	1	3	6	9	11	21
TOT. SINGLE DX	1892	3.4	7	1	1	2	4	7	8	12
" MULTIPLE DX	1608	4.3	16	1	1	3	6	9	11	21
TOTAL 0-27 DYS	7	1.7	1	<1	<1	1	3	3	3	3
1-11 MOS	16	4.5	15	1	1	3	6	11	14	15
1-5 YRS	7	6.3	35	1	1	3	10	16	17	17
6-12 YRS	56	4.5	11	1	1	3	7	9	11	16
13-19 YRS	3414	3.8	11	1	1	3	5	8	10	16
GRAND TOTAL	**3500**	**3.8**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	9	9.4	6	6	6	9	11	13	14	14
1-11 MOS	19	10.7	106	3	4	8	9	27	39	43
1-5 YRS	31	6.5	15	2	2	6	8	11	16	17
6-12 YRS	87	6.9	30	1	2	6	8	12	14	32
13-19 YRS	322	6.6	19	1	2	6	8	12	15	21
2. MULTIPLE DX										
0-27 DYS	13	18.6	591	5	7	17	99+	99+	99+	99+
1-11 MOS	28	14.0	109	4	6	11	20	36	49	99+
1-5 YRS	58	10.7	81	2	3	8	13	18	27	53
6-12 YRS	95	12.7	225	3	3	8	14	27	67	99+
13-19 YRS	514	8.8	64	2	2	7	10	16	22	48
TOT. SINGLE DX	468	6.9	24	1	2	6	9	12	16	26
" MULTIPLE DX	708	9.9	101	2	2	7	12	20	29	99+
TOTAL 0-27 DYS	22	14.9	361	6	6	12	59	99+	99+	99+
1-11 MOS	47	12.7	108	4	5	9	15	32	43	99+
1-5 YRS	89	9.2	61	2	2	7	12	17	19	48
6-12 YRS	182	9.9	139	1	2	7	11	21	29	95
13-19 YRS	836	8.0	47	1	2	6	10	15	19	37
GRAND TOTAL	**1176**	**8.7**	**72**	**2**	**2**	**7**	**10**	**17**	**23**	**84**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	12.4	88	6	6	9	14	29	29	29
1-11 MOS	9	10.1	41	4	4	9	12	21	25	25
1-5 YRS	35	8.9	7	4	5	9	10	12	15	15
6-12 YRS	34	12.4	206	5	5	8	11	19	43	79
13-19 YRS	59	9.8	14	5	6	9	12	14	15	25
2. MULTIPLE DX										
0-27 DYS	6	11.8	16	6	6	13	15	16	16	16
1-11 MOS	17	11.1	34	6	6	9	13	19	25	28
1-5 YRS	80	13.3	106	4	5	10	16	31	33	52
6-12 YRS	92	12.5	93	5	5	10	15	23	30	83
13-19 YRS	170	12.9	95	5	6	11	14	21	27	69
TOT. SINGLE DX	142	10.3	62	5	5	9	11	14	18	49
" MULTIPLE DX	365	12.8	92	5	6	10	14	22	32	62
TOTAL 0-27 DYS	11	12.1	43	6	5	9	15	21	28	29
1-11 MOS	26	10.7	35	5	6	9	13	19	26	28
1-5 YRS	115	11.9	80	4	5	9	13	23	32	50
6-12 YRS	126	12.5	122	5	5	9	14	23	34	84
13-19 YRS	229	12.1	76	5	6	10	13	18	24	65
GRAND TOTAL	**507**	**12.1**	**85**	**5**	**6**	**10**	**13**	**20**	**30**	**61**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	5.5	10	2	2	5	8	10	10	10
1-11 MOS	22	8.8	32	2	2	8	13	17	19	21
1-5 YRS	99	8.4	68	2	2	7	10	15	19	52
6-12 YRS	197	7.6	29	2	2	7	10	14	18	26
13-19 YRS	443	8.3	45	2	2	8	11	16	18	35
2. MULTIPLE DX										
0-27 DYS	5	14.6	40	7	7	15	19	23	23	23
1-11 MOS	38	12.6	100	2	3	10	17	24	28	54
1-5 YRS	129	11.9	108	2	3	9	13	27	33	53
6-12 YRS	194	12.6	111	2	3	10	16	24	31	67
13-19 YRS	443	13.6	163	2	2	10	16	28	41	64
TOT. SINGLE DX	769	8.1	43	2	2	7	11	15	18	34
" MULTIPLE DX	809	13.0	138	2	3	10	16	26	36	64
TOTAL 0-27 DYS	13	9.0	41	2	2	7	11	19	22	23
1-11 MOS	60	11.2	77	2	3	9	16	21	25	51
1-5 YRS	228	10.4	93	2	2	8	12	18	29	53
6-12 YRS	391	10.1	76	2	2	8	12	19	26	56
13-19 YRS	886	10.9	111	2	2	8	13	22	29	57
GRAND TOTAL	**1578**	**10.6**	**98**	**2**	**2**	**8**	**13**	**21**	**28**	**56**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	11.0	18	8	8	11	14	14	14	14
1-5 YRS	5	5.2	5	3	3	6	7	8	8	8
6-12 YRS	19	8.5	24	2	2	8	12	14	18	21
13-19 YRS	96	9.4	24	3	4	9	11	15	20	69
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	5.8	18	1	1	6	7	12	13	13
6-12 YRS	11	10.5	121	1	1	8	15	25	38	39
13-19 YRS	57	10.1	46	4	5	9	11	15	34	95
TOT. SINGLE DX	122	9.1	24	3	3	8	11	15	20	52
" MULTIPLE DX	74	9.8	55	2	3	8	11	16	35	85
TOTAL 0-27 DYS										
1-11 MOS	2	11.0	18	8	8	11	14	14	14	14
1-5 YRS	11	5.5	11	1	2	6	7	10	13	13
6-12 YRS	30	9.2	58	1	2	8	12	16	21	39
13-19 YRS	153	9.7	32	3	4	9	11	15	21	97
GRAND TOTAL	**196**	**9.4**	**35**	**2**	**3**	**8**	**11**	**15**	**20**	**71**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	19	9.5	15	3	4	9	12	15	16	16
1-5 YRS	275	9.5	11	6	7	9	10	13	16	22
6-12 YRS	299	9.9	12	6	7	9	11	14	16	23
13-19 YRS	77	10.6	20	5	6	10	12	16	18	29
2. MULTIPLE DX										
0-27 DYS	2	32.5	1301	7	7	32	58	58	58	58
1-11 MOS	24	15.3	54	5	8	15	19	25	28	34
1-5 YRS	342	10.5	29	6	7	9	11	15	18	29
6-12 YRS	384	10.9	25	6	7	10	12	16	21	35
13-19 YRS	143	12.8	52	5	7	10	15	22	29	38
TOT. SINGLE DX	670	9.8	12	5	7	9	11	14	16	23
" MULTIPLE DX	895	11.2	35	6	7	10	12	17	22	37
TOTAL 0-27 DYS	2	32.5	1301	7	7	32	58	58	58	58
1-11 MOS	43	12.7	44	3	6	11	16	24	25	34
1-5 YRS	617	10.1	21	6	7	9	11	15	17	26
6-12 YRS	683	10.5	20	6	7	10	12	15	19	28
13-19 YRS	220	12.0	42	5	7	10	14	19	26	37
GRAND TOTAL	**1565**	**10.6**	**26**	**6**	**7**	**9**	**12**	**16**	**20**	**32**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	11.3	131	1	1	8	19	29	30	30
1-11 MOS	9	2.6	4	<1	<1	2	4	6	6	6
1-5 YRS	62	3.0	8	<1	<1	2	4	9	9	11
6-12 YRS	65	4.5	18	<1	1	2	8	10	13	16
13-19 YRS	221	5.3	10	2	2	5	7	9	11	17
2. MULTIPLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	16	18.9	262	2	6	17	22	32	60	71
1-5 YRS	93	7.6	47	<1	1	7	11	15	21	34
6-12 YRS	86	6.9	116	1	1	4	9	14	16	69
13-19 YRS	128	7.1	33	1	2	6	9	14	19	48
TOT. SINGLE DX	363	4.8	14	1	1	4	7	9	11	17
" MULTIPLE DX	324	7.8	76	1	1	6	10	16	21	43
TOTAL 0-27 DYS	7	9.9	124	<1	<1	4	17	28	30	30
1-11 MOS	25	13.0	229	<1	1	9	19	26	42	71
1-5 YRS	155	5.7	37	<1	1	2	9	13	17	33
6-12 YRS	151	5.9	75	<1	1	3	8	12	16	27
13-19 YRS	349	6.0	19	1	2	5	7	11	15	27
GRAND TOTAL	**687**	**6.2**	**45**	**1**	**1**	**5**	**8**	**12**	**16**	**32**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	14	2.9	7	<1	<1	2	3	8	9	9
1-11 MOS	93	2.7	12	<1	1	1	3	7	13	65
1-5 YRS	2176	2.0	10	<1	1	1	2	3	5	12
6-12 YRS	3042	2.1	9	<1	1	1	2	4	5	11
13-19 YRS	2426	3.2	10	<1	1	2	4	7	9	18
2. MULTIPLE DX										
0-27 DYS	22	6.5	26	1	2	5	9	14	19	20
1-11 MOS	116	6.4	71	<1	1	3	9	15	21	41
1-5 YRS	2428	2.5	9	<1	1	2	3	5	7	15
6-12 YRS	2999	2.8	11	<1	1	2	3	6	8	15
13-19 YRS	2951	4.5	31	1	1	3	6	9	12	26
TOT. SINGLE DX	7751	2.4	10	<1	1	2	3	5	7	14
" MULTIPLE DX	8516	3.4	19	<1	1	2	4	7	10	19
TOTAL 0-27 DYS	36	5.1	22	<1	1	4	7	11	16	20
1-11 MOS	209	4.8	48	<1	1	2	6	12	18	44
1-5 YRS	4604	2.3	10	<1	1	1	2	4	7	13
6-12 YRS	6041	2.5	10	<1	1	2	3	5	7	13
13-19 YRS	5377	3.9	22	1	1	3	5	8	11	22
GRAND TOTAL	**16267**	**2.9**	**15**	**<1**	**1**	**2**	**3**	**6**	**9**	**17**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	7	5.0	13	1	1	4	6	11	12	12
1-5 YRS	13	6.0	11	1	2	8	9	10	10	10
6-12 YRS	14	3.9	6	1	2	3	5	8	9	9
13-19 YRS	43	3.2	3	1	1	3	4	5	7	8
2. MULTIPLE DX										
0-27 DYS	3	13.7	82	4	4	15	20	22	22	22
1-11 MOS	12	4.5	24	1	1	3	6	11	17	18
1-5 YRS	33	4.9	36	<1	1	2	5	13	17	29
6-12 YRS	46	4.8	25	<1	<1	3	5	10	17	25
13-19 YRS	112	5.4	50	1	1	4	6	10	14	44
TOT. SINGLE DX	78	4.0	6	1	1	3	5	8	9	12
" MULTIPLE DX	206	5.3	41	1	1	3	6	11	15	30
TOTAL 0-27 DYS	4	11.8	70	4	4	10	18	22	22	22
1-11 MOS	19	4.7	19	1	1	3	6	10	15	18
1-5 YRS	46	5.2	29	1	1	3	8	11	15	29
6-12 YRS	60	4.6	21	<1	1	3	5	10	13	24
13-19 YRS	155	4.8	38	1	1	3	6	9	13	31
GRAND TOTAL	**284**	**4.9**	**32**	**1**	**1**	**3**	**6**	**10**	**14**	**28**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	59	4.9	17	1	1	4	6	9	11	22
1-11 MOS	90	6.0	17	2	2	5	7	11	15	23
1-5 YRS	109	5.7	19	<1	1	5	8	12	13	19
6-12 YRS	100	5.5	23	<1	1	4	9	12	15	21
13-19 YRS	153	6.8	59	1	2	5	8	11	17	51
2. MULTIPLE DX										
0-27 DYS	50	8.6	64	2	3	6	11	21	32	99
1-11 MOS	170	9.4	181	2	2	6	10	14	33	80
1-5 YRS	164	9.8	111	1	2	6	11	22	31	49
6-12 YRS	218	10.0	60	1	2	9	13	21	28	38
13-19 YRS	409	10.8	129	2	3	7	13	26	45	99+
TOT. SINGLE DX	511	6.0	31	1	1	5	8	11	14	25
" MULTIPLE DX	1011	10.1	117	2	2	7	12	22	35	85
TOTAL 0-27 DYS	109	6.6	41	1	2	5	7	14	22	62
1-11 MOS	260	8.2	126	2	2	5	9	13	21	77
1-5 YRS	273	8.2	78	1	1	5	10	18	26	46
6-12 YRS	318	8.6	53	1	1	7	12	19	25	35
13-19 YRS	562	9.7	113	2	2	7	11	21	41	99+
GRAND TOTAL	**1522**	**8.7**	**92**	**1**	**2**	**6**	**10**	**18**	**29**	**65**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	46	1.3		<1	<1	1	1	2	3	4
1-5 YRS	1042	1.7	11	<1	<1	1	2	2	3	7
6-12 YRS	752	1.7	6	<1	<1	1	2	2	3	6
13-19 YRS	91	2.1	3	<1	1	2	2	3	4	11
2. MULTIPLE DX										
0-27 DYS	5	3.8	15	<1	<1	2	6	10	10	10
1-11 MOS	37	2.5	16	<1	<1	1	2	5	14	19
1-5 YRS	614	2.1	7	<1	1	2	2	4	5	10
6-12 YRS	763	2.2	5	<1	1	2	2	4	6	12
13-19 YRS	157	3.2	8	<1	1	2	4	7	9	17
TOT. SINGLE DX	1932	1.7	8	<1	<1	1	2	2	3	7
" MULTIPLE DX	1576	2.3	7	<1	1	2	2	4	6	12
TOTAL 0-27 DYS	6	3.5	12	<1	<1	2	5	9	10	10
1-11 MOS	83	1.8	7	<1	<1	1	1	2	4	18
1-5 YRS	1656	1.8	10	<1	<1	1	2	3	4	9
6-12 YRS	1515	2.0	6	<1	<1	2	2	3	5	9
13-19 YRS	248	2.8	7	<1	1	2	3	6	8	14
GRAND TOTAL	**3508**	**2.0**	**8**	**<1**	**<1**	**1**	**2**	**3**	**5**	**10**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	25	4.7	16	<1	<1	3	7	10	12	15
1-5 YRS	834	6.7	21	1	1	7	9	12	14	19
6-12 YRS	420	5.4	22	1	1	4	8	12	15	23
13-19 YRS	265	5.2	18	1	1	4	7	11	14	18
2. MULTIPLE DX										
0-27 DYS	3	11.7	74	4	4	10	18	21	21	21
1-11 MOS	19	7.7	48	<1	<1	6	10	21	23	23
1-5 YRS	407	5.4	21	1	1	4	9	12	15	18
6-12 YRS	367	4.8	44	1	1	2	6	12	15	40
13-19 YRS	262	6.4	79	1	1	4	8	14	20	99+
TOT. SINGLE DX	1544	6.0	21	1	1	5	9	12	14	20
" MULTIPLE DX	1058	5.5	44	1	1	3	8	12	16	40
TOTAL 0-27 DYS	3	11.7	74	4	4	10	18	21	21	21
1-11 MOS	44	6.0	31	<1	<1	4	9	12	20	23
1-5 YRS	1241	6.2	21	1	1	6	9	12	14	18
6-12 YRS	787	5.2	32	1	1	3	8	12	15	27
13-19 YRS	527	5.8	49	1	1	4	8	12	16	46
GRAND TOTAL	**2602**	**5.8**	**31**	**1**	**1**	**4**	**9**	**12**	**15**	**23**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	2.0		2	2	2	2	2	2	2
1-11 MOS	14	1.4	1	<1	<1	1	1	3	4	5
1-5 YRS	881	1.9	12	<1	<1	1	2	3	4	10
6-12 YRS	993	1.8	3	<1	1	1	2	3	4	10
13-19 YRS	507	2.6	6	<1	1	2	3	5	7	13
2. MULTIPLE DX										
0-27 DYS	9	4.1	13	1	1	3	6	10	11	11
1-11 MOS	51	4.6	43	<1	1	2	6	10	13	44
1-5 YRS	1413	2.1	6	<1	1	1	2	4	6	10
6-12 YRS	1548	2.3	7	<1	1	2	2	5	6	12
13-19 YRS	1021	3.6	21	1	1	2	4	7	9	16
TOT. SINGLE DX	2398	2.0	7	<1	<1	1	2	3	5	11
" MULTIPLE DX	4042	2.6	11	<1	1	2	3	5	7	12
TOTAL 0-27 DYS	12	3.6	10	1	1	2	4	10	11	11
1-11 MOS	65	3.9	36	<1	<1	2	5	9	11	39
1-5 YRS	2294	2.0	9	<1	<1	1	2	3	5	10
6-12 YRS	2541	2.1	5	<1	1	2	2	4	6	11
13-19 YRS	1528	3.3	16	<1	1	2	4	7	9	14
GRAND TOTAL	**6440**	**2.4**	**10**	**<1**	**1**	**2**	**2**	**5**	**7**	**12**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	7	2.3	7	1	1	1	2	7	8	8
1-5 YRS	351	2.0	3	<1	<1	2	2	3	5	10
6-12 YRS	288	2.4	6	<1	1	2	2	5	6	16
13-19 YRS	209	3.5	8	1	1	3	4	7	9	17
2. MULTIPLE DX										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	10	2.5	4	<1	<1	2	3	6	7	7
1-5 YRS	369	2.4	4	1	1	2	3	5	7	10
6-12 YRS	375	2.5	7	1	1	2	3	4	6	12
13-19 YRS	317	4.0	19	1	1	3	4	8	11	26
TOT. SINGLE DX	857	2.5	6	<1	1	2	3	5	7	12
" MULTIPLE DX	1072	2.9	10	1	1	2	3	6	8	17
TOTAL 0-27 DYS	3	5.3	33	2	2	2	10	12	12	12
1-11 MOS	17	2.4	5	<1	1	2	3	7	8	8
1-5 YRS	720	2.2	3	<1	1	2	2	4	6	10
6-12 YRS	663	2.4	7	<1	1	2	3	4	6	14
13-19 YRS	526	3.8	15	1	1	3	4	7	11	21
GRAND TOTAL	**1929**	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**7**	**15**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	10.0		10	10	10	10	10	10	10
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	13	3.5	4	1	2	3	4	6	8	9
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS										
6-12 YRS	4	9.8	17	6	6	9	13	15	15	15
13-19 YRS	9	6.7	19	<1	1	7	10	13	13	13
TOT. SINGLE DX	18	5.4	13	1	2	4	10	10	11	12
" MULTIPLE DX	14	7.6	18	1	2	7	11	13	15	15
TOTAL 0-27 DYS	4	9.3	2	7	7	10	10	10	10	10
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	5	10.2	14	6	6	11	13	15	15	15
13-19 YRS	22	4.8	12	1	2	4	7	10	13	13
GRAND TOTAL	**32**	**6.4**	**16**	**1**	**2**	**5**	**10**	**12**	**13**	**15**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	5.2	16	<1	<1	3	9	10	10	10
13-19 YRS	4	7.8	36	2	2	6	12	16	16	16
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	17	8.4	14	2	4	8	11	13	15	16
13-19 YRS	4	7.5	19	4	4	7	11	13	13	13
TOT. SINGLE DX	9	6.3	24	<1	1	5	9	14	16	16
" MULTIPLE DX	22	8.2	13	3	4	8	11	13	14	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	22	7.7	15	1	2	8	11	12	14	16
13-19 YRS	8	7.6	24	2	3	6	11	15	16	16
GRAND TOTAL	**31**	**7.6**	**16**	**1**	**2**	**7**	**11**	**13**	**16**	**16**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	16	1.6	2	<1	<1	1	2	3	5	6
6-12 YRS	9	4.3	25	<1	<1	1	6	12	16	16
13-19 YRS	15	3.9	5	1	1	4	5	7	8	8
2. MULTIPLE DX										
0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	3	6.7	80	1	1	2	13	17	17	17
1-5 YRS	18	3.7	7	<1	1	2	5	8	8	8
6-12 YRS	31	4.7	50	<1	<1	3	5	10	22	35
13-19 YRS	25	5.8	27	<1	1	4	8	15	17	21
TOT. SINGLE DX	41	3.0	9	<1	<1	2	5	6	8	16
" MULTIPLE DX	78	5.1	37	<1	1	3	6	12	19	32
TOTAL 0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	4	5.3	62	1	1	2	9	17	17	17
1-5 YRS	34	2.7	5	<1	<1	2	3	8	8	8
6-12 YRS	40	4.6	44	<1	<1	2	5	10	19	35
13-19 YRS	40	5.1	19	<1	1	4	7	10	15	21
GRAND TOTAL	**119**	**4.4**	**28**	**<1**	**<1**	**2**	**5**	**9**	**16**	**27**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	4.0	15	<1	<1	3	7	9	9	9
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	11	4.9	18	1	1	4	5	13	15	15
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	6.4	23	<1	<1	7	11	11	11	11
6-12 YRS	7	8.1	22	2	3	7	10	16	17	17
13-19 YRS	20	11.1	79	2	2	10	15	20	31	39
TOT. SINGLE DX	17	4.5	15	<1	<1	4	5	11	14	15
" MULTIPLE DX	32	9.7	59	2	2	8	12	17	22	39
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	9	5.3	19	<1	<1	5	9	11	11	11
6-12 YRS	9	7.0	23	1	1	7	9	14	17	17
13-19 YRS	31	8.9	65	2	2	5	12	17	23	39
GRAND TOTAL	**49**	**7.9**	**50**	**<1**	**1**	**5**	**11**	**16**	**18**	**39**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	7.8	22	5	5	6	9	16	16	16
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	2	4.0	18	1	1	4	7	7	7	7
6-12 YRS	6	7.0	22	2	2	9	13	83	99+	99+
13-19 YRS	7	6.6	7	2	3	7	9	10	10	10
2. MULTIPLE DX										
0-27 DYS	11	8.6	13	4	5	8	11	14	16	16
1-11 MOS	17	8.6	12	5	5	7	11	13	16	17
1-5 YRS	8	17.5	127	8	8	13	22	36	42	42
6-12 YRS	14	10.0	133	1	2	7	10	17	41	48
13-19 YRS	15	9.7	37	2	4	9	10	23	23	23
TOT. SINGLE DX	21	6.8	14	1	2	7	9	15	50	99+
" MULTIPLE DX	65	10.2	62	2	5	9	11	17	23	47
TOTAL 0-27 DYS	16	8.4	14	4	5	7	10	15	16	16
1-11 MOS	18	8.6	11	5	5	8	11	13	15	17
1-5 YRS	10	14.8	134	1	4	11	22	32	42	42
6-12 YRS	20	9.1	99	1	2	8	10	28	71	99+
13-19 YRS	22	8.7	29	2	3	7	9	17	23	23
GRAND TOTAL	**86**	**9.4**	**52**	**2**	**4**	**8**	**11**	**16**	**23**	**81**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.0		<1	<1	1	1	1	1	1
6-12 YRS	5	4.2	22	<1	<1	2	7	12	12	12
13-19 YRS	11	3.7	10	1	1	3	4	8	13	13
2. MULTIPLE DX										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	2	19.0	128	11	11	19	27	27	27	27
1-5 YRS	3	12.7	341	2	2	2	26	34	34	34
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	7	5.7	14	2	2	4	9	12	12	12
TOT. SINGLE DX	20	3.3	11	<1	<1	2	4	8	12	13
" MULTIPLE DX	14	9.8	93	2	2	7	11	28	33	34
TOTAL 0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	2	19.0	128	11	11	19	27	27	27	27
1-5 YRS	7	6.0	153	<1	<1	1	2	28	34	34
6-12 YRS	6	5.2	23	<1	<1	3	10	12	12	12
13-19 YRS	18	4.5	12	1	2	3	4	11	13	13
GRAND TOTAL	**34**	**6.0**	**54**	**<1**	**1**	**3**	**10**	**12**	**24**	**34**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	2	3.0		3	3	3	3	3	3	3
6-12 YRS	3	4.0	12	2	2	2	7	8	8	8
13-19 YRS	13	4.7	19	1	1	2	7	12	14	15
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	19.0		19	19	19	19	19	19	19
1-5 YRS	3	35.0	399	13	13	40	49	52	52	52
6-12 YRS	3	6.3	37	1	1	5	11	13	13	13
13-19 YRS	10	4.6	20	2	2	3	4	11	17	17
TOT. SINGLE DX	19	4.2	15	1	1	2	6	10	13	15
" MULTIPLE DX	17	11.1	207	1	2	4	14	36	48	52
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	19.0		19	19	19	19	19	19	19
1-5 YRS	5	22.2	507	3	3	13	43	52	52	52
6-12 YRS	6	5.2	21	1	1	4	8	12	13	13
13-19 YRS	23	4.7	19	1	2	3	5	12	16	17
GRAND TOTAL	**36**	**7.5**	**115**	**1**	**2**	**3**	**8**	**17**	**34**	**52**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	4.1	17	1	1	3	4	11	13	13
1-11 MOS	49	2.1	6	<1	<1	1	2	3	4	18
1-5 YRS	159	2.4	3	<1	1	2	3	4	5	12
6-12 YRS	141	2.4	2	<1	1	2	3	4	5	8
13-19 YRS	343	3.4	6	1	1	3	4	6	7	16
2. MULTIPLE DX										
0-27 DYS	6	12.0	98	3	3	10	14	28	30	30
1-11 MOS	52	2.9	6	<1	1	2	3	7	10	11
1-5 YRS	144	3.1	28	1	1	2	3	4	6	19
6-12 YRS	105	3.0	3	1	1	3	4	5	6	10
13-19 YRS	171	6.4	116	2	2	4	6	9	14	91
TOT. SINGLE DX	699	2.9	5	1	1	2	3	5	6	12
" MULTIPLE DX	478	4.4	56	1	1	3	4	7	10	54
TOTAL 0-27 DYS	13	7.8	66	1	1	4	13	17	28	30
1-11 MOS	101	2.5	6	<1	<1	2	3	4	8	14
1-5 YRS	303	2.7	15	1	1	2	3	4	5	12
6-12 YRS	246	2.7	3	1	1	2	3	4	6	9
13-19 YRS	514	4.4	45	1	2	3	5	7	9	37
GRAND TOTAL	**1177**	**3.5**	**26**	**1**	**1**	**3**	**4**	**6**	**8**	**18**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	2.3	5	1	1	1	4	5	5	5
1-11 MOS	6	2.5	2	1	1	2	4	4	4	4
1-5 YRS	128	3.0	10	1	1	2	3	5	6	25
6-12 YRS	168	3.1	4	1	2	3	4	5	6	8
13-19 YRS	489	4.2	11	2	2	3	5	7	10	20
2. MULTIPLE DX										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	13	2.4	3	1	1	2	3	5	7	7
1-5 YRS	135	2.8	3	1	1	2	3	5	5	11
6-12 YRS	170	3.1	3	1	2	3	4	5	6	11
13-19 YRS	442	4.6	18	2	2	4	5	8	10	19
TOT. SINGLE DX	794	3.7	9	1	2	3	4	6	8	20
" MULTIPLE DX	763	3.9	12	1	2	3	4	7	9	15
TOTAL 0-27 DYS	6	2.7	3	1	1	2	4	5	5	5
1-11 MOS	19	2.4	3	1	1	2	4	4	6	7
1-5 YRS	263	2.9	7	1	1	2	3	5	6	13
6-12 YRS	338	3.1	3	1	2	3	4	5	6	9
13-19 YRS	931	4.4	14	2	2	4	5	8	10	19
GRAND TOTAL	**1557**	**3.8**	**11**	**1**	**2**	**3**	**4**	**6**	**9**	**18**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	1.0		1	1	1	1	1	1	1
1-11 MOS	18	2.4	1	<1	1	2	3	4	5	5
1-5 YRS	994	2.9	3	<1	1	3	4	5	6	9
6-12 YRS	1670	3.2	3	1	1	3	4	5	7	9
13-19 YRS	1118	3.0	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	36	3.7	40	<1	1	2	3	6	9	39
1-5 YRS	1021	3.1	4	<1	1	3	4	5	7	9
6-12 YRS	1133	3.6	4	1	2	3	5	6	8	11
13-19 YRS	430	4.0	9	1	2	4	5	7	8	12
TOT. SINGLE DX	3803	3.1	3	1	1	3	4	5	6	9
" MULTIPLE DX	2620	3.5	5	1	1	3	4	6	8	10
TOTAL 0-27 DYS	3	1.0		1	1	1	1	1	1	1
1-11 MOS	54	3.3	27	<1	1	2	3	5	6	38
1-5 YRS	2015	3.0	3	<1	1	3	4	5	6	9
6-12 YRS	2803	3.4	4	1	1	3	4	6	7	9
13-19 YRS	1548	3.3	6	1	1	3	4	6	7	10
GRAND TOTAL	**6423**	**3.2**	**4**	**1**	**1**	**3**	**4**	**5**	**7**	**9**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (3)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	2.3		2	2	2	3	3	3	3
1-5 YRS	91	2.4	2	1	1	2	3	4	5	7
6-12 YRS	341	2.3	2	1	1	2	3	4	5	8
13-19 YRS	313	3.2	4	1	1	3	4	6	8	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	8	3.0	6	<1	<1	2	4	7	8	8
1-5 YRS	40	4.3	31	1	1	3	4	8	14	32
6-12 YRS	96	2.8	3	1	1	2	4	5	7	8
13-19 YRS	128	4.2	6	2	2	4	5	8	8	13
TOT. SINGLE DX	749	2.7	3	1	1	2	3	5	6	9
" MULTIPLE DX	272	3.7	9	1	1	3	4	7	8	17
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	11	2.8	4	<1	<1	2	4	6	8	8
1-5 YRS	131	3.0	11	1	1	2	3	5	7	21
6-12 YRS	437	2.4	2	1	1	2	3	4	5	8
13-19 YRS	441	3.4	5	1	1	3	4	6	8	11
GRAND TOTAL	**1021**	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**7**	**11**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	2.1	1	1	1	2	2	4	4	4
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	7	2.7	3	<1	<1	3	4	5	5	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	5	7.2	163	1	1	2	9	30	30	30
TOT. SINGLE DX	16	2.3	2	<1	<1	2	3	4	5	5
" MULTIPLE DX	8	5.4	99	1	1	2	3	22	30	30
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	8	2.1	1	1	1	2	2	4	4	4
6-12 YRS	4	2.0	1	<1	<1	2	3	3	3	3
13-19 YRS	12	4.6	66	<1	<1	2	4	12	27	30
GRAND TOTAL	**24**	**3.3**	**34**	**<1**	**<1**	**2**	**3**	**4**	**12**	**30**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	3.0	3	1	1	4	4	4	4	4
1-11 MOS	219	1.9	1	<1	<1	2	2	3	4	5
1-5 YRS	592	2.2	3	<1	1	2	2	3	4	9
6-12 YRS	402	2.5	2	1	1	2	3	4	5	8
13-19 YRS	1061	3.2	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
0-27 DYS	4	4.8	10	2	2	5	7	8	8	8
1-11 MOS	191	2.5	5	<1	1	2	3	4	6	14
1-5 YRS	574	2.5	5	<1	1	2	3	4	5	9
6-12 YRS	315	2.9	2	1	1	3	4	5	6	9
13-19 YRS	448	3.9	6	1	2	3	4	6	9	17
TOT. SINGLE DX	2277	2.7	3	1	1	2	3	4	5	8
" MULTIPLE DX	1532	3.0	5	1	1	3	4	5	6	11
TOTAL 0-27 DYS	7	4.0	7	1	1	4	6	8	8	8
1-11 MOS	410	2.2	3	<1	1	2	3	4	4	7
1-5 YRS	1166	2.3	4	<1	1	2	3	4	5	9
6-12 YRS	717	2.7	2	1	1	2	3	4	5	9
13-19 YRS	1509	3.4	4	1	2	3	4	5	7	10
GRAND TOTAL	**3809**	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	1.3		<1	<1	<1	2	2	2	2
1-11 MOS	23	1.9	2	<1	<1	1	2	4	5	5
1-5 YRS	162	2.8	7	<1	<1	2	4	6	9	10
6-12 YRS	102	3.8	19	<1	<1	2	5	9	11	24
13-19 YRS	188	3.4	9	<1	1	3	4	6	7	19
2. MULTIPLE DX										
0-27 DYS	2	9.5	113	2	2	9	17	17	17	17
1-11 MOS	11	3.5	7	<1	1	2	5	7	10	10
1-5 YRS	111	3.4	14	<1	1	2	4	8	12	20
6-12 YRS	69	4.6	22	1	1	3	5	11	16	22
13-19 YRS	169	5.1	50	1	2	3	5	8	14	31
TOT. SINGLE DX	478	3.2	10	<1	<1	2	4	6	9	15
" MULTIPLE DX	362	4.5	33	1	1	3	5	9	14	23
TOTAL 0-27 DYS	5	4.6	48	<1	<1	2	6	17	17	17
1-11 MOS	34	2.4	4	<1	1	2	3	5	5	10
1-5 YRS	273	3.0	10	<1	<1	2	4	7	9	15
6-12 YRS	171	4.1	20	<1	1	2	5	9	13	22
13-19 YRS	357	4.2	29	1	1	3	4	7	10	23
GRAND TOTAL	**840**	**3.7**	**20**	**<1**	**1**	**3**	**4**	**7**	**10**	**21**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	6.7	10	3	3	8	9	9	9	9
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	4	5.3	3	3	3	5	6	7	7	7
6-12 YRS	38	5.5	4	2	3	6	6	8	9	11
13-19 YRS	1294	5.8	7	3	3	5	7	8	10	16
2. MULTIPLE DX										
0-27 DYS	2	7.0	8	5	5	7	9	9	9	9
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	11.0	32	7	7	11	15	15	15	15
6-12 YRS	34	6.5	10	3	3	6	8	12	13	16
13-19 YRS	1358	6.5	14	3	4	6	7	9	12	22
TOT. SINGLE DX	1341	5.8	7	3	3	5	7	8	10	16
" MULTIPLE DX	1397	6.5	14	3	4	6	7	9	12	21
TOTAL 0-27 DYS	5	6.8	7	3	3	8	9	9	9	9
1-11 MOS	3	4.0	1	3	3	4	5	5	5	5
1-5 YRS	6	7.2	17	3	3	6	7	14	15	15
6-12 YRS	72	6.0	7	3	3	6	7	9	12	15
13-19 YRS	2652	6.2	11	3	4	6	7	9	11	18
GRAND TOTAL	**2738**	**6.2**	**11**	**3**	**4**	**6**	**7**	**9**	**11**	**18**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	7.5	1	7	7	7	8	8	8	8
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	6	7.0	20	2	2	7	11	13	13	13
6-12 YRS	42	6.1	5	3	3	6	8	9	10	11
13-19 YRS	757	6.4	5	4	4	6	7	9	10	15
2. MULTIPLE DX										
0-27 DYS	4	7.0	12	4	4	6	9	12	12	12
1-11 MOS	11	7.7	19	1	2	6	11	13	15	15
1-5 YRS	11	6.7	10	3	3	6	9	12	13	13
6-12 YRS	55	5.5	4	3	3	5	7	8	9	11
13-19 YRS	876	7.2	10	4	5	6	8	11	13	21
TOT. SINGLE DX	808	6.4	6	4	4	6	7	9	10	15
" MULTIPLE DX	957	7.1	10	4	4	6	8	11	13	20
TOTAL 0-27 DYS	6	7.2	7	4	4	7	8	12	12	12
1-11 MOS	12	7.6	18	1	2	6	11	13	15	15
1-5 YRS	17	6.8	13	2	2	6	9	12	13	13
6-12 YRS	97	5.8	4	3	3	5	7	9	10	11
13-19 YRS	1633	6.8	8	4	4	6	8	10	12	19
GRAND TOTAL	**1765**	**6.8**	**8**	**4**	**4**	**6**	**8**	**10**	**12**	**18**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS										
1-5 YRS	2	7.0	18	4	4	7	10	10	10	10
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	32	7.1	28	2	3	6	7	13	21	26
2. MULTIPLE DX										
0-27 DYS	3	6.7		6	6	7	7	7	7	7
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	5	6.8	2	5	5	7	8	9	9	9
13-19 YRS	37	8.8	28	5	5	7	9	18	22	25
TOT. SINGLE DX	36	7.2	25	2	3	6	8	11	20	26
" MULTIPLE DX	46	8.3	23	5	5	7	8	16	22	25
TOTAL 0-27 DYS	4	7.8	5	6	6	7	9	11	11	11
1-11 MOS										
1-5 YRS	3	6.0	12	4	4	4	9	10	10	10
6-12 YRS	6	6.8	2	5	5	7	7	9	9	9
13-19 YRS	69	8.0	28	3	5	6	8	17	22	26
GRAND TOTAL	**82**	**7.8**	**24**	**3**	**4**	**6**	**8**	**15**	**21**	**26**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.7	1	2	2	4	4	5	5	5
13-19 YRS	226	4.3	11	1	1	4	6	8	10	15
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	4	3.0	2	2	2	3	4	5	5	5
13-19 YRS	216	6.1	41	1	2	5	7	11	15	30
TOT. SINGLE DX	232	4.3	10	1	1	4	6	8	10	15
" MULTIPLE DX	221	6.1	40	1	2	5	7	11	15	29
TOTAL 0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	10	3.4	1	2	2	3	4	5	5	5
13-19 YRS	442	5.2	26	1	2	4	6	9	13	19
GRAND TOTAL	**453**	**5.2**	**25**	**1**	**2**	**4**	**6**	**9**	**13**	**19**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	1.3		<1	<1	1	1	2	2	2
13-19 YRS	145	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	3.8	4	2	2	4	5	6	6	6
13-19 YRS	143	2.4	7	<1	<1	2	2	4	7	14
TOT. SINGLE DX	149	1.8	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	147	2.5	6	<1	<1	2	2	4	7	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	2.5	4	<1	<1	2	4	6	6	6
13-19 YRS	288	2.1	4	<1	<1	2	2	3	5	12
GRAND TOTAL	**296**	**2.1**	**4**	**<1**	**<1**	**2**	**2**	**4**	**6**	**12**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.7	4	1	1	2	4	5	5	5
13-19 YRS	177	3.3	7	1	1	3	4	5	7	23
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	3.0	5	1	1	2	3	7	8	8
13-19 YRS	379	4.5	19	1	2	3	5	7	10	20
TOT. SINGLE DX	180	3.3	7	1	1	3	4	5	7	23
" MULTIPLE DX	386	4.5	19	1	2	3	5	7	10	19
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	10	2.9	5	1	1	2	3	6	8	8
13-19 YRS	556	4.1	16	1	2	3	5	7	9	22
GRAND TOTAL	**566**	**4.1**	**15**	**1**	**2**	**3**	**5**	**7**	**9**	**22**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	6	4.7	5	2	2	4	6	8	8	8
13-19 YRS	510	5.4	6	2	3	5	6	8	10	13
2. MULTIPLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	4	4.5	6	1	1	5	6	6	6	6
1-5 YRS										
6-12 YRS	6	7.2	54	2	2	5	5	20	22	22
13-19 YRS	595	6.0	9	2	3	6	7	9	11	17
TOT. SINGLE DX	519	5.4	6	2	3	5	6	8	10	13
" MULTIPLE DX	607	6.0	10	2	3	6	7	9	11	18
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	5	3.8	7	<1	<1	5	6	6	6	6
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	12	5.9	28	2	2	5	6	12	21	22
13-19 YRS	1105	5.7	8	2	3	5	7	9	11	16
GRAND TOTAL	**1126**	**5.7**	**8**	**2**	**3**	**5**	**7**	**9**	**11**	**16**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	4	1.8		1	1	2	2	2	2	2
13-19 YRS	228	2.3	3	1	1	2	3	3	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	166	2.7	3	1	1	2	3	4	6	11
TOT. SINGLE DX	234	2.3	3	1	1	2	3	3	4	6
" MULTIPLE DX	166	2.7	3	1	1	2	3	4	6	11
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	4	1.8		1	1	2	2	2	2	2
13-19 YRS	394	2.5	3	1	1	2	3	4	5	8
GRAND TOTAL	**400**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	5	3.4	4	2	2	3	4	7	7	7
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	3	2.7	4	1	1	2	4	5	5	5
13-19 YRS	184	2.3	3	<1	1	2	2	4	5	9
2. MULTIPLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS										
1-5 YRS	1	21.0		21	21	21	21	21	21	21
6-12 YRS	6	2.7	6	1	1	2	4	7	7	7
13-19 YRS	205	3.0	7	<1	1	2	3	7	9	14
TOT. SINGLE DX	196	2.3	3	<1	1	2	3	4	6	9
" MULTIPLE DX	214	3.1	8	<1	1	2	3	7	9	17
TOTAL 0-27 DYS	4	2.3	1	1	1	2	3	3	3	3
1-11 MOS	5	3.4	4	2	2	3	4	7	7	7
1-5 YRS	3	8.0	127	1	1	2	16	21	21	21
6-12 YRS	9	2.7	5	1	1	2	4	6	7	7
13-19 YRS	389	2.7	5	<1	1	2	3	5	8	14
GRAND TOTAL	**410**	**2.7**	**6**	**<1**	**1**	**2**	**3**	**5**	**8**	**14**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	173	3.3	3	1	1	3	4	5	7	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	68	4.7	14	2	2	3	6	10	15	17
TOT. SINGLE DX	174	3.3	3	1	1	3	4	5	7	9
" MULTIPLE DX	68	4.7	14	2	2	3	6	10	15	17
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	241	3.7	6	1	2	3	4	6	9	16
GRAND TOTAL	**242**	**3.7**	**6**	**1**	**2**	**3**	**4**	**6**	**9**	**16**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	62	3.4	4	1	1	3	5	6	7	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	4.5	13	2	2	4	7	7	7	7
1-5 YRS	3	5.0	13	2	2	4	8	9	9	9
6-12 YRS	5	4.6	10	2	2	3	7	9	9	9
13-19 YRS	80	6.8	95	<1	1	5	7	11	18	64
TOT. SINGLE DX	65	3.4	4	1	1	3	5	6	7	9
" MULTIPLE DX	90	6.6	85	1	2	5	7	11	14	62
TOTAL 0-27 DYS										
1-11 MOS	2	4.5	13	2	2	4	7	7	7	7
1-5 YRS	4	4.3	11	2	2	3	6	9	9	9
6-12 YRS	7	4.0	9	1	1	3	6	9	9	9
13-19 YRS	142	5.3	58	1	1	4	6	9	12	55
GRAND TOTAL	**155**	**5.2**	**54**	**1**	**1**	**4**	**6**	**9**	**12**	**52**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	8.0		8	8	8	8	8	8	8
1-11 MOS	6	7.5	4	5	5	7	9	10	10	10
1-5 YRS	3	7.0	21	2	2	8	10	11	11	11
6-12 YRS	13	5.6	9	1	2	6	7	8	12	13
13-19 YRS	87	8.9	41	4	5	7	11	13	16	46
2. MULTIPLE DX										
0-27 DYS	19	8.7	3	6	7	9	10	11	12	12
1-11 MOS	24	8.5	19	5	5	8	9	12	21	23
1-5 YRS	10	8.5	12	5	5	8	9	14	17	17
6-12 YRS	40	7.2	16	4	4	6	8	12	15	24
13-19 YRS	347	8.4	14	5	5	7	9	13	16	22
TOT. SINGLE DX	112	8.4	35	2	5	7	10	12	15	38
" MULTIPLE DX	440	8.3	14	5	5	7	9	13	16	23
TOTAL 0-27 DYS	22	8.6	3	6	7	8	10	11	12	12
1-11 MOS	30	8.3	16	5	5	8	9	11	20	23
1-5 YRS	13	8.2	13	2	4	8	9	12	16	17
6-12 YRS	53	6.8	14	2	4	6	7	11	14	24
13-19 YRS	434	8.5	20	5	5	7	10	13	16	23
GRAND TOTAL	**552**	**8.3**	**18**	**4**	**5**	**7**	**9**	**13**	**16**	**23**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	6.0	1	5	5	6	7	7	7	7
1-11 MOS	2	12.5	5	11	11	12	14	14	14	14
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	2	4.0		4	4	4	4	4	4	4
13-19 YRS	19	5.6	4	3	3	5	6	8	10	11
2. MULTIPLE DX										
0-27 DYS	5	6.4	2	5	5	6	8	8	8	8
1-11 MOS	7	9.0	13	5	5	7	12	14	14	14
1-5 YRS	3	10.7	26	5	5	12	14	15	15	15
6-12 YRS	4	4.8	8	1	1	5	7	8	8	8
13-19 YRS	32	7.3	11	4	4	6	9	11	13	21
TOT. SINGLE DX	27	6.1	7	3	3	6	7	10	12	14
" MULTIPLE DX	51	7.4	12	4	5	6	9	12	14	21
TOTAL 0-27 DYS	8	6.3	2	5	5	6	7	8	8	8
1-11 MOS	9	9.8	13	5	5	11	13	14	14	14
1-5 YRS	4	9.8	21	5	5	9	13	15	15	15
6-12 YRS	6	4.5	5	1	1	4	5	8	8	8
13-19 YRS	51	6.7	9	3	4	6	8	10	11	21
GRAND TOTAL	**78**	**7.0**	**10**	**3**	**4**	**6**	**8**	**11**	**14**	**19**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	7.8	28	2	2	7	12	14	14	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	19.0	31	13	13	20	23	24	24	24
TOT. SINGLE DX	4	7.8	28	2	2	7	12	14	14	14
" MULTIPLE DX	3	19.0	31	13	13	20	23	24	24	24
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	12.6	61	2	3	13	18	23	24	24
GRAND TOTAL	**7**	**12.6**	**61**	**2**	**3**	**13**	**18**	**23**	**24**	**24**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	1630	1.4	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.7		1	1	2	2	2	2	2
13-19 YRS	389	3.2	28	<1	<1	2	3	6	9	30
TOT. SINGLE DX	1634	1.4	2	<1	<1	1	2	2	3	5
" MULTIPLE DX	392	3.2	28	<1	<1	2	3	6	9	30
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	1.3		<1	<1	1	2	2	2	2
13-19 YRS	2019	1.8	7	<1	<1	1	2	3	5	11
GRAND TOTAL	**2026**	**1.8**	**7**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	11	2.4	2	<1	1	2	2	4	6	6
1-11 MOS	9	2.9	4	<1	<1	2	4	6	6	6
1-5 YRS	7	2.3	3	1	1	2	3	5	6	6
6-12 YRS	95	2.1	4	<1	1	2	2	3	6	12
13-19 YRS	14494	2.0	4	<1	1	2	2	3	5	9
2. MULTIPLE DX										
0-27 DYS	15	2.5	7	1	1	2	2	7	9	10
1-11 MOS	22	6.0	48	1	2	4	7	13	24	31
1-5 YRS	6	4.7	21	<1	<1	3	7	12	13	13
6-12 YRS	63	3.1	6	1	1	2	3	5	8	15
13-19 YRS	5835	3.4	16	1	1	2	4	7	9	18
TOT. SINGLE DX	14616	2.0	4	<1	1	2	2	3	5	9
" MULTIPLE DX	5941	3.4	16	1	1	2	4	7	9	18
TOTAL 0-27 DYS	26	2.4	4	<1	1	2	2	6	8	10
1-11 MOS	31	5.1	37	<1	1	3	6	9	19	31
1-5 YRS	13	3.4	12	<1	<1	2	4	8	12	13
6-12 YRS	158	2.5	5	<1	1	2	3	5	6	14
13-19 YRS	20329	2.4	8	<1	1	2	3	4	6	12
GRAND TOTAL	**20557**	**2.4**	**8**	**<1**	**1**	**2**	**3**	**4**	**6**	**12**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	27	1.4	1	<1	<1	<1	2	3	15	99+
13-19 YRS	4254	1.2	1	<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	1.3		<1	<1	<1	1	2	3	3
13-19 YRS	1658	1.8	13	<1	<1	<1	1	3	5	13
TOT. SINGLE DX	4281	1.2	1	<1	<1	<1	1	2	2	4
" MULTIPLE DX	1671	1.8	13	<1	<1	<1	1	3	5	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	40	1.4	1	<1	<1	<1	2	3	4	99+
13-19 YRS	5912	1.4	5	<1	<1	<1	1	2	2	7
GRAND TOTAL	**5952**	**1.4**	**5**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**7**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.2	3	1	1	1	3	5	5	5
13-19 YRS	1138	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	281	2.7	16	<1	<1	2	3	5	7	18
TOT. SINGLE DX	1143	1.6	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	281	2.7	16	<1	<1	2	3	5	7	18
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.2	3	1	1	1	3	5	5	5
13-19 YRS	1419	1.8	5	<1	<1	1	2	3	5	8
GRAND TOTAL	**1424**	**1.8**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**8**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	5.1	5	1	1	6	7	7	8	8
2. MULTIPLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	63	5.9	3	3	4	6	7	8	9	87
TOT. SINGLE DX	16	5.1	5	1	1	6	7	7	8	8
" MULTIPLE DX	66	5.9	3	3	4	6	7	8	9	85
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	79	5.8	3	2	4	6	7	8	9	73
GRAND TOTAL	**82**	**5.8**	**3**	**3**	**4**	**6**	**7**	**8**	**9**	**70**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	10	3.2	5	<1	<1	3	4	6	7	7
6-12 YRS	6	5.3	6	3	3	5	5	10	10	10
13-19 YRS	253	3.1	9	<1	1	2	5	6	8	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.3	6	2	2	4	6	7	7	7
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	118	4.8	11	1	1	4	7	9	12	16
TOT. SINGLE DX	270	3.2	10	<1	1	2	5	6	8	13
" MULTIPLE DX	122	4.8	11	1	1	4	7	9	12	16
TOTAL 0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	13	3.5	5	<1	1	4	5	7	7	7
6-12 YRS	7	5.9	7	3	3	5	8	10	10	10
13-19 YRS	371	3.6	11	1	1	2	5	8	9	14
GRAND TOTAL	**392**	**3.7**	**11**	**1**	**1**	**2**	**5**	**8**	**10**	**14**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	11.0		11	11	11	11	11	11	11
1-11 MOS	5	5.4	6	2	2	5	7	9	9	9
1-5 YRS										
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	6	4.3	4	2	2	4	6	7	7	7
2. MULTIPLE DX										
0-27 DYS	3	9.0	13	6	6	8	12	13	13	13
1-11 MOS	5	8.2	8	5	5	7	10	12	12	12
1-5 YRS	2	8.0	32	4	4	8	12	12	12	12
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	9	4.2	5	2	2	4	5	8	8	8
TOT. SINGLE DX	15	5.5	9	2	2	5	7	11	11	11
" MULTIPLE DX	20	6.8	14	2	2	6	9	12	13	13
TOTAL 0-27 DYS	5	9.8	8	6	6	11	12	13	13	13
1-11 MOS	10	6.8	8	2	3	6	9	11	12	12
1-5 YRS	2	8.0	32	4	4	8	12	12	12	12
6-12 YRS	3	7.0	31	2	2	6	11	13	13	13
13-19 YRS	15	4.3	5	2	2	4	6	8	8	8
GRAND TOTAL	**35**	**6.2**	**12**	**2**	**2**	**6**	**8**	**12**	**13**	**13**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	3.8	18	1	1	2	6	10	10	10
1-5 YRS	17	2.1	7	<1	<1	1	2	6	10	11
6-12 YRS	48	1.9	4	<1	1	1	2	5	7	9
13-19 YRS	160	3.6	33	<1	1	2	4	7	12	18
2. MULTIPLE DX										
0-27 DYS	2	7.0	50	2	2	7	12	12	12	12
1-11 MOS	7	4.4	8	2	2	3	6	9	10	10
1-5 YRS	16	2.8	7	<1	<1	2	3	8	9	9
6-12 YRS	29	3.8	11	1	1	3	6	8	11	14
13-19 YRS	105	5.8	46	1	1	3	7	14	19	37
TOT. SINGLE DX	229	3.1	25	<1	1	2	3	7	11	16
" MULTIPLE DX	159	5.1	35	1	1	3	7	12	16	31
TOTAL 0-27 DYS	2	7.0	50	2	2	7	12	12	12	12
1-11 MOS	11	4.2	11	1	1	3	6	10	10	10
1-5 YRS	33	2.5	7	<1	<1	1	2	7	9	11
6-12 YRS	77	2.6	7	1	1	1	3	7	8	13
13-19 YRS	265	4.5	39	<1	1	3	5	11	14	31
GRAND TOTAL	**388**	**3.9**	**30**	**<1**	**1**	**2**	**4**	**9**	**12**	**25**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	8.8	232	1	1	2	11	36	36	36
1-5 YRS	28	1.9	3	<1	<1	1	2	3	5	10
6-12 YRS	47	3.3	18	<1	<1	2	4	9	12	24
13-19 YRS	687	2.5	7	<1	<1	2	3	5	7	15
2. MULTIPLE DX										
0-27 DYS	2	6.0	32	2	2	6	10	10	10	10
1-11 MOS	2	6.5	25	3	3	6	10	10	10	10
1-5 YRS	35	2.9	17	<1	1	2	3	5	13	22
6-12 YRS	64	3.6	8	1	1	3	5	7	10	15
13-19 YRS	421	4.6	25	1	1	3	5	9	15	28
TOT. SINGLE DX	768	2.6	9	<1	<1	2	3	5	8	16
" MULTIPLE DX	524	4.4	23	1	1	3	5	9	14	26
TOTAL 0-27 DYS	3	5.0	19	2	2	3	8	10	10	10
1-11 MOS	7	8.1	160	1	1	3	8	31	36	36
1-5 YRS	63	2.4	11	<1	1	2	2	4	7	21
6-12 YRS	111	3.5	12	<1	1	2	4	7	11	19
13-19 YRS	1108	3.3	15	<1	<1	2	3	7	10	23
GRAND TOTAL	**1292**	**3.3**	**15**	**<1**	**1**	**2**	**3**	**7**	**10**	**23**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	4.3	8	2	2	4	6	8	8	8
1-11 MOS	19	4.1	46	<1	<1	1	4	11	22	29
1-5 YRS	56	2.5	4	<1	<1	2	4	5	7	8
6-12 YRS	71	2.6	4	1	1	2	3	5	6	12
13-19 YRS	1137	2.5	10	<1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	50	3.3	23	1	1	2	3	6	9	33
6-12 YRS	44	2.8	8	<1	1	2	3	5	7	17
13-19 YRS	371	3.9	12	1	1	3	5	7	10	21
TOT. SINGLE DX	1287	2.6	10	<1	1	2	3	4	5	10
" MULTIPLE DX	468	3.7	13	1	1	3	4	7	10	21
TOTAL 0-27 DYS	5	4.0	7	2	2	3	6	8	8	8
1-11 MOS	21	3.9	42	<1	<1	1	3	9	20	29
1-5 YRS	106	2.9	13	<1	1	2	4	6	8	21
6-12 YRS	115	2.7	6	<1	1	2	3	5	6	14
13-19 YRS	1508	2.9	11	<1	1	2	3	5	7	12
GRAND TOTAL	**1755**	**2.9**	**11**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	25	2.4	1	<1	1	2	3	4	4	5
2. MULTIPLE DX										
0-27 DYS	2	2.5	5	<1	<1	2	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	8	4.9	13	<1	1	4	7	10	11	11
TOT. SINGLE DX	25	2.4	1	<1	1	2	3	4	4	5
" MULTIPLE DX	11	4.2	11	<1	<1	4	6	10	11	11
TOTAL 0-27 DYS	2	2.5	5	<1	<1	2	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	33	3.0	5	<1	1	2	4	5	9	11
GRAND TOTAL	**36**	**3.0**	**5**	**<1**	**1**	**2**	**4**	**5**	**8**	**11**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	47	1.4	1	<1	<1	1	2	3	3	3
6-12 YRS	102	1.6	2	<1	<1	1	2	3	4	9
13-19 YRS	89	2.8	3	<1	1	3	3	5	6	9
2. MULTIPLE DX										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	2	9.5	25	6	6	9	13	13	13	13
1-5 YRS	21	2.7	3	1	1	2	3	5	6	8
6-12 YRS	36	3.9	21	1	1	2	5	10	14	22
13-19 YRS	70	4.3	12	<1	1	3	6	10	12	14
TOT. SINGLE DX	238	2.0	2	<1	<1	1	3	4	5	8
" MULTIPLE DX	130	4.1	15	<1	1	3	5	10	13	18
TOTAL 0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	2	9.5	25	6	6	9	13	13	13	13
1-5 YRS	68	1.8	2	<1	<1	1	2	3	4	8
6-12 YRS	138	2.2	8	<1	<1	1	2	4	7	15
13-19 YRS	159	3.5	7	<1	1	3	4	7	10	14
GRAND TOTAL	**368**	**2.8**	**8**	**<1**	**1**	**2**	**3**	**6**	**9**	**14**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	6	3.3	5	1	1	3	6	6	6	6
6-12 YRS	8	3.0	10	<1	<1	2	4	8	10	10
13-19 YRS	15	2.4	1	<1	1	2	3	4	4	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	4.0	11	1	1	2	7	9	9	9
6-12 YRS	8	2.4	3	<1	<1	2	3	5	6	6
13-19 YRS	12	5.7	30	1	1	4	7	14	19	20
TOT. SINGLE DX	30	2.7	4	<1	1	2	4	5	6	10
" MULTIPLE DX	27	4.3	18	<1	1	2	6	9	12	20
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	13	3.7	8	1	1	2	6	8	9	9
6-12 YRS	16	2.7	6	<1	<1	2	3	6	9	10
13-19 YRS	27	3.9	16	1	1	2	4	8	12	20
GRAND TOTAL	**57**	**3.5**	**11**	**<1**	**1**	**2**	**4**	**7**	**10**	**19**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	49	3.1	2	2	2	3	4	5	5	9
13-19 YRS	23428	3.3	3	2	2	3	4	4	5	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	27	4.2	7	2	2	3	5	8	10	11
13-19 YRS	11262	3.7	7	2	2	3	4	5	6	12
TOT. SINGLE DX	23477	3.3	3	2	2	3	4	4	5	7
" MULTIPLE DX	11289	3.7	7	2	2	3	4	5	7	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	76	3.5	4	2	2	3	4	6	8	11
13-19 YRS	34690	3.4	4	2	2	3	4	5	5	9
GRAND TOTAL	**34766**	**3.4**	**4**	**2**	**2**	**3**	**4**	**5**	**5**	**9**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	365	3.3	8	1	2	3	4	4	5	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.3		3	3	3	4	4	4	4
13-19 YRS	530	3.3	5	1	1	3	4	5	7	13
TOT. SINGLE DX	366	3.3	8	1	2	3	4	4	5	12
" MULTIPLE DX	533	3.3	5	1	1	3	4	5	7	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.8	2	1	1	3	4	4	4	4
13-19 YRS	895	3.3	6	1	2	3	4	5	6	13
GRAND TOTAL	**899**	**3.3**	**6**	**1**	**2**	**3**	**4**	**5**	**6**	**12**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	3.6	1	2	2	3	5	5	5	5
13-19 YRS	2299	3.4	4	2	2	3	4	5	5	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	12	3.8	1	2	2	4	5	5	6	6
13-19 YRS	2378	3.8	5	2	2	3	4	5	7	11
TOT. SINGLE DX	2306	3.4	4	2	2	3	4	5	5	10
" MULTIPLE DX	2390	3.8	5	2	2	3	4	5	7	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	19	3.7	1	2	2	3	5	5	6	6
13-19 YRS	4677	3.6	4	2	2	3	4	5	6	10
GRAND TOTAL	**4696**	**3.6**	**4**	**2**	**2**	**3**	**4**	**5**	**6**	**10**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	29	2.9	1	2	2	3	3	4	4	5
13-19 YRS	13186	3.1	3	2	2	3	4	4	5	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	18	4.0	5	2	2	3	5	8	10	10
13-19 YRS	6213	3.7	8	2	2	3	4	5	7	13
TOT. SINGLE DX	13215	3.1	3	2	2	3	4	4	5	8
" MULTIPLE DX	6231	3.7	8	2	2	3	4	5	7	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	47	3.3	3	2	2	3	4	5	6	10
13-19 YRS	19399	3.3	5	2	2	3	4	5	5	10
GRAND TOTAL	**19446**	**3.3**	**5**	**2**	**2**	**3**	**4**	**5**	**5**	**10**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	5.8	1	4	5	6	6	7	9	9
13-19 YRS	7509	6.0	9	4	4	6	7	8	9	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	36	7.7	43	4	5	6	8	11	12	44
13-19 YRS	11932	6.9	14	4	4	6	7	10	12	20
TOT. SINGLE DX	7522	6.0	9	4	4	6	7	8	9	14
" MULTIPLE DX	11968	6.9	14	4	4	6	7	10	12	20
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	49	7.2	32	4	5	6	7	10	12	44
13-19 YRS	19441	6.5	12	4	4	6	7	9	11	19
GRAND TOTAL	**19490**	**6.5**	**12**	**4**	**4**	**6**	**7**	**9**	**11**	**19**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	980	5.9	4	4	4	6	7	8	9	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	9.2	30	5	5	7	12	18	19	19
13-19 YRS	1119	7.2	21	4	4	6	8	10	12	24
TOT. SINGLE DX	981	5.9	4	4	4	6	7	8	9	14
" MULTIPLE DX	1125	7.2	21	4	4	6	8	10	12	23
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	8.6	28	5	5	6	11	18	19	19
13-19 YRS	2099	6.6	14	4	4	6	7	9	11	20
GRAND TOTAL	**2106**	**6.6**	**14**	**4**	**4**	**6**	**7**	**9**	**11**	**20**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	6.0	4	3	3	6	7	9	9	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	26	6.1	6	3	4	6	7	9	11	13
TOT. SINGLE DX	8	6.0	4	3	3	6	7	9	9	9
" MULTIPLE DX	26	6.1	6	3	4	6	7	9	11	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	34	6.1	5	3	4	6	7	9	10	13
GRAND TOTAL	**34**	**6.1**	**5**	**3**	**4**	**6**	**7**	**9**	**10**	**13**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	2.4	2	1	1	2	4	5	5	5
13-19 YRS	2890	1.8	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	2.5	3	1	1	2	3	4	7	8
13-19 YRS	817	2.1	13	1	1	2	2	3	4	11
TOT. SINGLE DX	2901	1.8	1	1	1	2	2	3	3	5
" MULTIPLE DX	830	2.1	13	1	1	2	2	3	4	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	24	2.4	3	1	1	2	3	4	6	8
13-19 YRS	3707	1.8	4	1	1	2	2	3	3	6
GRAND TOTAL	**3731**	**1.8**	**4**	**1**	**1**	**2**	**2**	**3**	**3**	**6**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	210	4.1	34	<1	<1	2	4	9	12	21
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	106	5.7	30	1	1	4	7	12	15	30
TOT. SINGLE DX	210	4.1	34	<1	<1	2	4	9	12	21
" MULTIPLE DX	107	5.6	30	1	1	4	7	12	15	30
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	316	4.6	33	<1	1	3	5	10	14	24
GRAND TOTAL	**317**	**4.6**	**33**	**<1**	**1**	**3**	**5**	**10**	**14**	**24**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	2.7	1	1	1	3	3	4	4	4
13-19 YRS	3322	2.5	3	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.6	2	1	1	2	3	5	5	5
13-19 YRS	1019	3.3	9	<1	1	3	4	5	7	11
TOT. SINGLE DX	3331	2.5	3	<1	<1	2	3	4	5	7
" MULTIPLE DX	1024	3.3	9	<1	1	3	4	5	7	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	14	2.6	1	1	1	3	3	4	5	5
13-19 YRS	4341	2.7	4	<1	<1	3	3	4	5	9
GRAND TOTAL	**4355**	**2.7**	**4**	**<1**	**<1**	**3**	**3**	**4**	**5**	**9**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	21	2.2	1	1	1	2	3	4	4	4
13-19 YRS	8134	3.0	7	1	2	3	3	4	5	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	14	3.8	5	<1	1	4	5	7	9	9
13-19 YRS	4906	3.5	5	2	2	3	4	5	6	11
TOT. SINGLE DX	8155	3.0	7	1	2	3	3	4	5	6
" MULTIPLE DX	4920	3.5	5	2	2	3	4	5	6	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	35	2.9	3	1	1	2	4	5	7	9
13-19 YRS	13040	3.2	6	1	2	3	4	4	5	9
GRAND TOTAL	**13075**	**3.2**	**6**	**1**	**2**	**3**	**4**	**4**	**5**	**9**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	16	4.3	14	<1	<1	3	5	11	12	12
6-12 YRS	54	2.6	4	<1	<1	2	3	5	6	12
13-19 YRS	125	3.2	3	1	2	3	4	5	7	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	6	5.0	2	3	3	5	6	6	6	6
6-12 YRS	14	2.9	7	<1	1	2	3	7	9	10
13-19 YRS	66	4.4	16	1	2	4	5	7	8	27
TOT. SINGLE DX	196	3.1	4	<1	1	2	4	5	7	12
" MULTIPLE DX	87	4.2	13	1	2	4	5	7	8	25
TOTAL 0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	22	4.5	11	<1	1	4	6	11	12	12
6-12 YRS	68	2.7	4	<1	<1	2	3	5	7	12
13-19 YRS	191	3.6	8	1	2	3	4	6	7	16
GRAND TOTAL	**283**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	4.0	18	1	1	4	7	7	7	7
6-12 YRS	22	4.2	7	1	1	4	5	9	10	10
13-19 YRS	944	4.0	3	2	3	4	5	5	6	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	4.0	1	3	3	4	5	5	5	5
6-12 YRS	15	5.5	19	1	2	4	9	12	14	15
13-19 YRS	652	4.6	7	2	3	4	5	7	8	18
TOT. SINGLE DX	970	4.0	3	2	3	4	5	6	6	10
" MULTIPLE DX	671	4.6	7	2	3	4	5	7	9	18
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	6	4.0	4	1	1	4	5	7	7	7
6-12 YRS	37	4.7	11	1	2	4	5	10	12	15
13-19 YRS	1596	4.3	5	2	3	4	5	6	7	14
GRAND TOTAL	**1641**	**4.3**	**5**	**2**	**3**	**4**	**5**	**6**	**7**	**15**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS										
1-5 YRS	35	2.6	4	1	1	2	3	5	8	10
6-12 YRS	164	2.6	2	1	1	2	3	4	5	10
13-19 YRS	890	3.0	4	1	1	3	4	5	6	10
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	58	5.1	56	1	1	3	5	10	14	48
6-12 YRS	214	4.1	23	1	1	3	5	7	10	43
13-19 YRS	885	5.9	65	1	2	4	6	11	15	58
TOT. SINGLE DX	1091	2.9	4	1	1	2	4	5	6	10
" MULTIPLE DX	1159	5.5	57	1	2	4	6	10	14	51
TOTAL 0-27 DYS	3	2.7		2	2	3	3	3	3	3
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	93	4.2	38	1	1	2	4	8	11	41
6-12 YRS	378	3.4	14	1	1	2	4	6	8	19
13-19 YRS	1775	4.4	37	1	1	3	5	8	11	30
GRAND TOTAL	**2250**	**4.3**	**33**	**1**	**1**	**3**	**5**	**7**	**11**	**30**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	14	4.4	17	1	1	3	5	10	15	16
6-12 YRS	68	3.2	4	1	1	3	4	6	7	11
13-19 YRS	768	3.9	7	1	2	3	5	7	9	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	6	13.8	125	5	5	10	16	33	35	35
1-5 YRS	39	6.4	45	1	2	4	8	12	19	38
6-12 YRS	107	7.0	33	2	2	5	8	14	17	30
13-19 YRS	984	8.1	86	2	2	5	9	16	24	59
TOT. SINGLE DX	851	3.8	7	1	2	3	5	7	9	14
" MULTIPLE DX	1136	7.9	80	2	2	5	9	15	23	56
TOTAL 0-27 DYS										
1-11 MOS	7	12.0	128	1	2	8	15	31	35	35
1-5 YRS	53	5.9	38	1	2	4	7	11	16	38
6-12 YRS	175	5.5	25	2	2	4	7	12	15	28
13-19 YRS	1752	6.2	56	2	2	4	7	12	17	45
GRAND TOTAL	**1987**	**6.2**	**53**	**2**	**2**	**4**	**7**	**12**	**17**	**43**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	3	4.7	6	2	2	5	6	7	7	7
6-12 YRS	18	5.3	26	1	1	4	6	11	19	23
13-19 YRS	48	3.1	5	1	1	2	3	6	8	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	3.5	5	1	1	3	5	7	7	7
6-12 YRS	11	5.1	3	3	3	4	6	8	8	8
13-19 YRS	38	6.9	41	1	2	5	7	18	24	26
TOT. SINGLE DX	70	3.8	11	1	1	3	5	7	10	21
" MULTIPLE DX	55	6.2	31	1	2	5	7	12	22	26
TOTAL 0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	9	3.9	5	1	1	4	6	7	7	7
6-12 YRS	29	5.2	17	1	2	4	6	8	13	23
13-19 YRS	86	4.8	24	1	1	3	5	9	17	26
GRAND TOTAL	**125**	**4.8**	**21**	**1**	**1**	**4**	**6**	**8**	**13**	**25**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	18	10.7	141	1	1	5	20	26	38	45
1-5 YRS	246	7.0	44	2	2	5	8	14	24	31
6-12 YRS	628	7.4	51	2	2	5	9	15	22	42
13-19 YRS	1148	5.6	31	1	2	4	6	11	15	31
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	9	13.4	198	<1	1	6	22	36	38	38
1-5 YRS	154	9.3	87	2	3	6	11	22	28	55
6-12 YRS	345	8.8	73	2	3	6	10	18	24	48
13-19 YRS	676	7.3	69	2	2	5	8	13	25	49
TOT. SINGLE DX	2042	6.4	40	2	2	5	7	12	19	32
" MULTIPLE DX	1184	8.0	74	2	2	5	9	16	25	50
TOTAL 0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	27	11.6	155	1	1	6	20	32	39	45
1-5 YRS	400	7.9	62	2	2	5	9	17	26	47
6-12 YRS	973	7.9	59	2	2	6	9	16	23	43
13-19 YRS	1824	6.2	46	2	2	4	7	11	17	41
GRAND TOTAL	**3226**	**7.0**	**54**	**2**	**2**	**5**	**8**	**14**	**22**	**43**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	6.0	4	4	4	6	7	8	8	8
1-11 MOS										
1-5 YRS	4	3.8	2	2	2	4	5	5	5	5
6-12 YRS	84	4.0	3	2	2	4	5	6	7	11
13-19 YRS	945	4.3	14	2	2	4	5	6	7	12
2. MULTIPLE DX										
0-27 DYS	3	3.7	6	<1	<1	4	5	6	6	6
1-11 MOS	4	7.3	42	4	4	4	11	17	17	17
1-5 YRS	4	6.5	26	3	3	4	9	14	14	14
6-12 YRS	85	4.7	4	3	3	4	5	7	9	12
13-19 YRS	1054	4.6	8	2	3	4	5	6	8	12
TOT. SINGLE DX	1036	4.3	13	2	2	4	5	6	7	12
" MULTIPLE DX	1150	4.6	8	2	3	4	5	7	8	13
TOTAL 0-27 DYS	6	4.8	6	<1	<1	5	6	8	8	8
1-11 MOS	4	7.3	42	4	4	4	11	17	17	17
1-5 YRS	8	5.1	14	2	2	4	5	11	14	14
6-12 YRS	169	4.4	4	2	2	4	5	7	8	12
13-19 YRS	1999	4.4	10	2	2	4	5	6	8	12
GRAND TOTAL	**2186**	**4.4**	**10**	**2**	**2**	**4**	**5**	**6**	**8**	**13**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	8.3	90	1	1	5	10	24	30	30
1-11 MOS	26	5.3	55	1	1	3	6	9	24	35
1-5 YRS	225	5.4	36	1	1	3	7	14	19	27
6-12 YRS	1400	4.7	28	1	2	3	5	8	14	33
13-19 YRS	4571	4.5	24	1	2	3	5	8	11	27
2. MULTIPLE DX										
0-27 DYS	3	31.0	1057	7	7	43	84	99+	99+	99+
1-11 MOS	20	12.0	176	1	2	4	22	34	39	41
1-5 YRS	116	7.6	76	1	1	5	9	18	26	52
6-12 YRS	485	9.5	155	2	2	4	10	25	35	70
13-19 YRS	2141	8.6	139	1	2	4	8	22	37	74
TOT. SINGLE DX	6230	4.6	26	1	2	3	5	8	12	28
" MULTIPLE DX	2765	8.8	141	1	2	4	9	23	36	73
TOTAL 0-27 DYS	11	14.5	387	1	2	8	24	78	97	99+
1-11 MOS	46	8.2	116	1	1	3	8	28	36	41
1-5 YRS	341	6.1	50	1	1	3	8	15	22	29
6-12 YRS	1885	6.0	65	1	2	4	6	12	21	47
13-19 YRS	6712	5.8	65	1	2	4	6	10	19	49
GRAND TOTAL	**8995**	**5.9**	**65**	**1**	**2**	**4**	**6**	**11**	**20**	**49**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	6.3	2	5	5	6	7	8	8	8
1-11 MOS	9	4.4	36	<1	<1	2	4	14	20	20
1-5 YRS	81	11.0	142	1	1	5	19	28	32	55
6-12 YRS	549	8.2	62	2	2	5	9	18	26	37
13-19 YRS	1473	6.1	35	2	2	5	7	11	15	35
2. MULTIPLE DX										
0-27 DYS	1	31.0		31	31	31	31	31	31	31
1-11 MOS	4	7.5	83	2	2	4	13	21	21	21
1-5 YRS	45	11.5	144	1	2	6	18	31	36	48
6-12 YRS	201	11.2	152	2	2	7	13	27	36	64
13-19 YRS	582	10.8	190	2	3	6	11	24	41	77
TOT. SINGLE DX	2116	6.8	48	2	2	5	7	13	21	37
" MULTIPLE DX	833	11.0	178	2	2	6	12	26	40	69
TOTAL 0-27 DYS	5	11.2	124	5	5	7	14	31	31	31
1-11 MOS	13	5.4	47	<1	1	2	5	20	21	21
1-5 YRS	126	11.2	142	1	1	5	18	28	33	50
6-12 YRS	750	9.0	88	2	2	6	9	21	29	44
13-19 YRS	2055	7.4	84	2	2	5	8	14	22	54
GRAND TOTAL	**2949**	**8.0**	**88**	**2**	**2**	**5**	**8**	**17**	**26**	**52**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	28	1.4		<1	<1	1	2	2	2	3
1-5 YRS	192	2.8	19	<1	<1	2	2	4	12	25
6-12 YRS	609	3.8	53	<1	1	2	4	6	11	34
13-19 YRS	3565	3.1	18	<1	1	2	3	5	6	19
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	9	13.0	510	<1	<1	2	13	54	61	61
1-5 YRS	69	5.8	64	<1	1	2	6	18	24	36
6-12 YRS	195	6.3	84	1	1	3	5	14	26	53
13-19 YRS	778	5.1	44	1	2	3	5	10	17	36
TOT. SINGLE DX	4395	3.2	23	<1	1	2	3	5	7	22
" MULTIPLE DX	1052	5.5	57	1	1	3	5	12	20	43
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	37	4.2	139	<1	<1	1	2	3	29	61
1-5 YRS	261	3.6	33	<1	<1	2	3	8	18	31
6-12 YRS	804	4.4	62	<1	1	2	4	8	14	42
13-19 YRS	4343	3.5	23	<1	1	2	4	5	8	25
GRAND TOTAL	**5447**	**3.6**	**30**	**<1**	**1**	**2**	**4**	**6**	**9**	**29**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	2	10.5	113	3	3	10	18	18	18	18
1-5 YRS	84	17.9	131	2	2	20	24	31	36	51
6-12 YRS	190	23.6	221	3	6	24	32	40	48	75
13-19 YRS	209	20.3	276	3	5	14	30	42	53	76
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	30	20.3	151	2	3	23	27	33	36	54
6-12 YRS	90	28.9	219	6	7	30	39	46	51	65
13-19 YRS	259	28.4	374	7	10	22	41	58	69	99+
TOT. SINGLE DX	486	21.1	232	3	4	19	30	40	48	74
" MULTIPLE DX	379	27.9	323	6	8	25	39	51	63	97
TOTAL 0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	2	10.5	113	3	3	10	18	18	18	18
1-5 YRS	114	18.5	136	2	2	21	25	31	36	54
6-12 YRS	280	25.3	226	3	6	25	35	43	49	72
13-19 YRS	468	24.8	346	4	6	18	37	51	62	93
GRAND TOTAL	**865**	**24.1**	**283**	**3**	**6**	**21**	**34**	**46**	**57**	**80**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	19.3	126	4	4	21	26	31	31	31
1-11 MOS	14	15.2	42	6	6	15	18	25	26	26
1-5 YRS	21	16.4	195	3	4	14	22	28	45	65
6-12 YRS	167	11.4	74	3	4	9	13	24	32	53
13-19 YRS	618	13.4	99	4	5	11	16	23	30	47
2. MULTIPLE DX										
0-27 DYS	3	10.3	16	6	6	11	13	14	14	14
1-11 MOS	11	16.4	110	<1	3	19	26	53	93	99+
1-5 YRS	17	16.8	103	6	6	15	20	35	40	41
6-12 YRS	82	21.0	267	4	6	16	27	49	67	99+
13-19 YRS	926	22.2	254	6	8	18	27	44	59	97
TOT. SINGLE DX	824	13.1	96	4	5	11	16	24	30	50
" MULTIPLE DX	1039	21.9	251	6	8	17	27	44	59	99+
TOTAL 0-27 DYS	7	15.4	91	4	4	14	21	29	31	31
1-11 MOS	25	15.7	69	3	6	16	23	28	46	99+
1-5 YRS	38	16.6	150	3	5	14	20	28	39	65
6-12 YRS	249	14.6	157	3	5	11	17	34	47	99+
13-19 YRS	1544	18.7	210	5	6	15	23	35	51	90
GRAND TOTAL	**1863**	**18.0**	**201**	**4**	**6**	**14**	**22**	**35**	**49**	**92**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	4.8	27	1	1	3	8	12	12	12
1-11 MOS	94	9.6	74	1	1	8	15	21	23	41
1-5 YRS	369	12.0	108	1	1	8	20	26	33	40
6-12 YRS	405	16.2	150	2	3	14	25	32	36	54
13-19 YRS	417	13.6	237	2	2	7	18	37	45	69
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	27	10.2	62	2	3	7	16	24	26	26
1-5 YRS	126	16.1	156	2	2	14	23	30	36	72
6-12 YRS	215	21.3	223	2	3	20	30	39	48	84
13-19 YRS	303	24.8	395	3	4	21	37	53	66	95
TOT. SINGLE DX	1289	13.6	164	1	2	9	21	31	37	54
" MULTIPLE DX	672	21.4	297	2	3	18	30	45	57	87
TOTAL 0-27 DYS	5	4.6	20	1	1	4	7	12	12	12
1-11 MOS	121	9.8	71	1	1	8	16	21	24	34
1-5 YRS	495	13.1	123	1	2	10	21	26	34	42
6-12 YRS	620	18.0	181	2	3	17	27	35	40	57
13-19 YRS	720	18.3	334	2	3	10	29	45	55	84
GRAND TOTAL	**1961**	**16.3**	**223**	**2**	**2**	**12**	**24**	**36**	**45**	**70**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	226	7.2	44	1	1	4	12	17	21	24
6-12 YRS	538	7.2	62	1	1	3	11	19	23	32
13-19 YRS	967	4.4	27	1	1	3	5	9	16	28
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	6	5.7	7	2	2	6	6	10	10	10
1-5 YRS	55	11.2	80	2	2	8	16	23	27	40
6-12 YRS	202	12.3	140	1	2	8	19	26	37	51
13-19 YRS	514	11.2	194	1	2	6	14	27	50	98
TOT. SINGLE DX	1736	5.6	42	1	1	3	6	15	20	29
" MULTIPLE DX	777	11.4	171	1	2	6	15	26	43	68
TOTAL 0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	8	4.8	8	1	1	5	6	9	10	10
1-5 YRS	281	8.0	53	1	1	4	14	19	22	27
6-12 YRS	740	8.6	88	1	1	4	14	22	26	43
13-19 YRS	1481	6.7	96	1	1	3	7	16	25	62
GRAND TOTAL	**2513**	**7.4**	**89**	**1**	**1**	**4**	**9**	**19**	**25**	**53**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	4.3	6	2	2	4	6	7	7	7
1-11 MOS	7	4.7	8	2	2	5	6	9	10	10
1-5 YRS	323	3.3	8	1	1	3	4	6	8	15
6-12 YRS	1445	3.7	12	1	1	3	4	7	10	16
13-19 YRS	5284	4.1	16	1	1	3	5	8	10	18
2. MULTIPLE DX										
0-27 DYS	4	19.8	254	1	1	20	32	37	37	37
1-11 MOS	6	8.5	59	1	1	6	17	19	19	19
1-5 YRS	124	6.6	73	1	1	3	7	17	27	42
6-12 YRS	524	6.5	91	1	2	4	6	12	24	56
13-19 YRS	2894	8.2	104	1	2	5	9	17	27	63
TOT. SINGLE DX	7062	4.0	15	1	1	3	5	7	10	18
" MULTIPLE DX	3552	7.9	101	1	2	5	9	17	27	60
TOTAL 0-27 DYS	7	13.1	197	1	1	7	24	35	37	37
1-11 MOS	13	6.5	32	1	2	5	8	17	19	19
1-5 YRS	447	4.3	28	1	1	3	5	8	13	31
6-12 YRS	1969	4.5	35	1	1	3	5	8	12	32
13-19 YRS	8178	5.6	51	1	2	4	6	11	16	43
GRAND TOTAL	**10614**	**5.3**	**47**	**1**	**1**	**4**	**6**	**10**	**15**	**40**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	9	3.4	9	<1	<1	3	4	9	9	9
1-11 MOS	57	3.4	24	1	1	2	3	8	10	26
1-5 YRS	2218	2.6	14	<1	1	1	2	5	11	20
6-12 YRS	9005	2.5	12	1	1	2	3	5	7	19
13-19 YRS	6677	3.2	15	1	1	2	4	6	9	17
2. MULTIPLE DX										
0-27 DYS	4	4.8	14	1	1	4	32	99+	99+	99+
1-11 MOS	23	10.2	155	1	2	7	13	21	36	59
1-5 YRS	473	4.4	31	1	1	2	5	10	18	30
6-12 YRS	1942	4.8	47	1	1	2	5	11	19	32
13-19 YRS	3049	7.4	109	1	1	4	8	16	27	62
TOT. SINGLE DX	17966	2.8	13	1	1	2	3	5	8	19
" MULTIPLE DX	5491	6.2	82	1	1	3	7	14	23	53
TOTAL 0-27 DYS	13	3.8	10	<1	1	3	8	19	82	99+
1-11 MOS	80	5.3	70	1	1	2	6	12	22	49
1-5 YRS	2691	2.9	17	<1	1	2	3	6	11	22
6-12 YRS	10947	2.9	19	1	1	2	3	6	10	22
13-19 YRS	9726	4.5	48	1	1	3	5	9	14	39
GRAND TOTAL	23457	3.6	32	1	1	2	4	7	12	27

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	4.1	11	<1	<1	3	8	8	8	8
1-11 MOS	253	7.0	45	<1	<1	5	11	16	19	29
1-5 YRS	187	5.8	49	<1	1	2	8	16	21	28
6-12 YRS	482	3.6	28	<1	1	2	3	8	16	26
13-19 YRS	955	3.4	21	<1	1	2	4	7	11	23
2. MULTIPLE DX										
0-27 DYS	2	5.0	32	<1	<1	4	9	9	9	9
1-11 MOS	43	8.9	75	<1	1	7	13	23	28	34
1-5 YRS	53	7.3	64	1	1	4	8	21	25	36
6-12 YRS	159	5.5	106	1	1	2	5	12	24	50
13-19 YRS	506	8.7	120	1	1	5	11	22	30	59
TOT. SINGLE DX	1884	4.2	31	<1	1	2	5	11	16	26
" MULTIPLE DX	763	7.9	112	1	1	4	9	21	28	52
TOTAL 0-27 DYS	9	4.3	13	<1	<1	3	8	9	9	9
1-11 MOS	296	7.3	49	<1	<1	6	11	16	21	30
1-5 YRS	240	6.2	52	<1	1	3	8	17	22	29
6-12 YRS	641	4.0	48	<1	1	2	4	9	17	32
13-19 YRS	1461	5.2	62	<1	1	2	6	13	21	44
GRAND TOTAL	2647	5.2	57	<1	1	2	6	13	20	39

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	43	7.7	67	1	2	5	9	22	26	36
1-5 YRS	59	7.7	48	1	1	5	11	21	23	26
6-12 YRS	169	3.9	32	1	1	2	4	8	14	23
13-19 YRS	700	4.1	25	1	1	3	5	6	9	20
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	14	14.1	168	4	4	8	22	28	45	50
1-5 YRS	33	11.4	102	1	2	8	18	26	42	99+
6-12 YRS	61	6.5	46	1	1	4	7	14	24	32
13-19 YRS	266	8.0	81	2	2	5	9	19	24	60
TOT. SINGLE DX	972	4.4	31	1	1	3	5	7	12	24
" MULTIPLE DX	374	8.3	82	1	2	5	10	20	25	59
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	57	9.3	97	1	2	5	11	24	28	49
1-5 YRS	92	9.0	70	1	2	5	14	23	25	76
6-12 YRS	230	4.6	37	1	1	3	5	10	19	30
13-19 YRS	966	5.1	43	1	1	4	5	9	15	29
GRAND TOTAL	1346	5.5	48	1	1	4	6	11	19	32

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	12.6	235	2	2	5	21	38	38	38
1-11 MOS	121	6.1	42	2	2	4	6	12	17	42
1-5 YRS	274	7.2	48	1	2	5	9	19	22	29
6-12 YRS	454	5.3	32	1	2	4	6	11	16	30
13-19 YRS	3056	4.3	12	1	2	4	5	7	9	18
2. MULTIPLE DX										
0-27 DYS	2	25.0	18	22	22	25	28	28	28	28
1-11 MOS	77	12.7	119	2	3	9	17	28	32	52
1-5 YRS	113	12.8	131	2	2	9	20	26	40	51
6-12 YRS	172	11.3	143	2	3	7	14	27	39	64
13-19 YRS	1597	5.3	26	2	2	4	6	9	13	31
TOT. SINGLE DX	3910	4.7	19	1	2	4	5	8	11	24
" MULTIPLE DX	1961	6.6	53	2	2	4	7	13	21	41
TOTAL 0-27 DYS	7	16.1	196	2	2	16	26	36	38	38
1-11 MOS	198	8.6	82	2	2	5	10	21	28	46
1-5 YRS	387	8.9	78	1	2	5	11	22	25	44
6-12 YRS	626	6.9	70	1	2	4	7	15	24	42
13-19 YRS	4653	4.6	17	2	2	4	5	8	10	22
GRAND TOTAL	5871	5.3	31	1	2	4	6	9	15	32

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	13.3	21	7	7	14	17	19	19	19
1-11 MOS	12	12.3	49	4	5	10	18	23	25	25
1-5 YRS	3	20.3	97	9	9	25	26	27	27	27
6-12 YRS	13	10.7	32	4	5	9	13	19	23	24
13-19 YRS	496	10.6	33	4	5	9	12	18	23	33
2. MULTIPLE DX										
0-27 DYS	3	10.3	44	6	6	7	15	18	18	18
1-11 MOS	4	11.3	26	4	4	12	14	16	16	16
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	6	26.5	760	7	7	16	27	76	81	81
13-19 YRS	98	16.3	217	5	6	13	21	37	89	99+
TOT. SINGLE DX	531	10.7	34	4	5	9	12	19	23	33
" MULTIPLE DX	112	16.5	233	5	6	13	20	36	82	99+
TOTAL 0-27 DYS	10	12.4	26	6	6	13	17	18	19	19
1-11 MOS	16	12.1	42	4	4	12	15	22	24	25
1-5 YRS	4	18.8	75	9	9	19	26	27	27	27
6-12 YRS	19	15.7	289	4	5	10	17	26	57	81
13-19 YRS	594	11.5	68	4	5	10	14	20	27	91
GRAND TOTAL	643	11.7	73	4	5	10	14	21	27	83

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	4.5	3	3	3	4	6	7	7	7
1-11 MOS	3	7.7	30	4	4	5	12	14	14	14
1-5 YRS	11	3.7	5	2	2	3	5	7	9	9
6-12 YRS	160	4.6	4	3	3	4	5	7	8	11
13-19 YRS	6759	4.5	6	2	3	4	5	6	8	11
2. MULTIPLE DX										
0-27 DYS	6	3.8	5	<1	<1	5	6	81	99+	99+
1-11 MOS	7	4.0	3	1	1	4	5	6	6	6
1-5 YRS	4	6.5	4	5	5	6	8	9	9	9
6-12 YRS	46	6.0	16	3	3	4	7	12	17	20
13-19 YRS	2992	5.2	10	2	3	5	6	8	9	16
TOT. SINGLE DX	6937	4.5	6	2	3	4	5	7	8	11
" MULTIPLE DX	3055	5.2	10	2	3	5	6	8	9	17
TOTAL 0-27 DYS	10	4.1	4	<1	<1	4	6	44	95	99+
1-11 MOS	10	5.1	12	1	2	4	5	10	14	14
1-5 YRS	15	4.5	6	2	2	5	5	9	9	9
6-12 YRS	206	4.9	7	3	3	4	6	8	10	17
13-19 YRS	9751	4.7	7	2	3	4	5	7	8	13
GRAND TOTAL	9992	4.7	7	2	3	4	5	7	8	13

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	2.3	2	1	1	3	52	99+	99+	99+
1-11 MOS	23	3.9	28	<1	1	2	3	10	19	21
1-5 YRS	101	5.7	112	<1	1	2	5	14	22	60
6-12 YRS	528	3.6	18	1	1	2	4	7	11	26
13-19 YRS	4574	3.2	9	<1	1	2	4	6	7	12
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	16.6	585	<1	1	5	22	59	70	70
1-5 YRS	26	4.8	23	1	1	3	7	12	15	21
6-12 YRS	120	5.7	129	1	1	3	5	11	15	80
13-19 YRS	1926	3.9	18	1	1	3	5	7	9	20
TOT. SINGLE DX	5229	3.3	12	<1	1	2	4	6	7	15
" MULTIPLE DX	2081	4.1	28	1	1	3	5	7	10	25
TOTAL 0-27 DYS	4	2.3	2	1	1	2	28	99+	99+	99+
1-11 MOS	31	7.2	189	<1	1	2	6	19	34	70
1-5 YRS	127	5.5	94	1	1	2	5	13	21	44
6-12 YRS	648	4.0	39	1	1	2	4	8	11	31
13-19 YRS	6500	3.4	12	<1	1	3	4	6	8	15
GRAND TOTAL	7310	3.5	17	<1	1	3	4	6	8	17

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	7.3	4	5	5	8	9	9	9	9
1-5 YRS	13	8.5	39	1	2	8	9	14	25	27
6-12 YRS	142	14.3	47	7	8	13	17	21	26	42
13-19 YRS	706	15.1	51	7	8	13	18	25	29	41
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	17.3	116	3	3	18	24	29	29	29
1-5 YRS	11	18.1	236	1	4	13	28	41	53	54
6-12 YRS	88	16.9	106	7	8	15	21	31	49	99+
13-19 YRS	346	22.5	263	7	8	18	30	51	81	99+
TOT. SINGLE DX	864	14.8	51	7	8	13	18	24	29	41
" MULTIPLE DX	449	21.2	234	6	8	17	27	49	74	99+
TOTAL 0-27 DYS										
1-11 MOS	7	13.0	88	3	3	9	19	27	29	29
1-5 YRS	24	12.9	147	1	2	9	13	32	39	54
6-12 YRS	230	15.3	71	7	8	13	18	25	32	63
13-19 YRS	1052	17.5	133	7	8	15	20	32	45	99+
GRAND TOTAL	1313	17.0	123	7	8	15	19	31	42	99+

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	58	3.8	7	1	1	3	5	7	10	13
6-12 YRS	141	4.6	10	1	2	4	6	9	11	16
13-19 YRS	507	4.9	25	2	2	4	6	8	10	16
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	4.8	19	<1	<1	4	7	12	12	12
1-5 YRS	38	4.6	9	2	3	4	5	6	11	18
6-12 YRS	113	5.2	9	2	2	5	6	9	13	16
13-19 YRS	350	6.2	23	1	2	5	8	12	15	33
TOT. SINGLE DX	710	4.8	20	1	2	4	6	8	11	16
" MULTIPLE DX	506	5.8	19	2	2	5	7	11	15	26
TOTAL 0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS	7	4.6	14	<1	<1	4	6	11	12	12
1-5 YRS	96	4.1	7	1	2	4	5	7	10	16
6-12 YRS	254	4.8	10	1	2	4	6	9	12	16
13-19 YRS	857	5.4	24	2	2	4	7	10	13	23
GRAND TOTAL	1216	5.2	20	1	2	4	6	10	12	21

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	14.0	8	12	12	14	16	16	16	16
1-11 MOS	2	19.0	50	14	14	19	24	24	24	24
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	16.0		16	16	16	16	16	16	16
13-19 YRS	20	14.6	21	10	10	13	17	21	25	27
2. MULTIPLE DX										
0-27 DYS	2	13.5	1	13	13	13	14	14	14	14
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	15.0	32	11	11	15	19	19	19	19
6-12 YRS	2	16.0	50	11	11	16	21	21	21	21
13-19 YRS	31	18.8	138	6	9	15	22	39	43	53
TOT. SINGLE DX	26	14.7	21	10	10	13	16	23	25	27
" MULTIPLE DX	38	17.8	120	6	9	14	21	35	42	53
TOTAL 0-27 DYS	4	13.8	3	12	12	13	15	16	16	16
1-11 MOS	3	14.7	81	6	6	14	21	24	24	24
1-5 YRS	3	13.0	28	9	9	11	17	19	19	19
6-12 YRS	3	16.0	25	11	11	16	20	21	21	21
13-19 YRS	51	17.1	95	9	10	14	20	30	41	53
GRAND TOTAL	64	16.6	82	8	9	14	19	27	38	52

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	21.5	61	16	16	21	27	27	27	27
1-11 MOS	5	13.8	47	2	2	16	17	20	20	20
1-5 YRS	14	15.4	138	2	3	14	24	28	39	42
6-12 YRS	23	9.9	40	3	4	8	14	19	24	25
13-19 YRS	63	9.7	47	3	4	7	13	20	24	35
2. MULTIPLE DX										
0-27 DYS	2	21.0	32	17	17	21	25	25	25	25
1-11 MOS	4	35.3	1341	2	2	27	63	84	84	84
1-5 YRS	15	24.1	416	6	12	22	24	45	79	90
6-12 YRS	9	14.2	163	2	2	13	18	34	44	44
13-19 YRS	34	16.4	155	3	3	11	24	33	39	56
TOT. SINGLE DX	107	10.9	61	3	3	8	16	23	26	39
" MULTIPLE DX	64	19.3	289	3	3	14	24	40	48	89
TOTAL 0-27 DYS	4	21.3	31	16	16	21	26	27	27	27
1-11 MOS	9	23.3	654	2	2	16	25	67	84	84
1-5 YRS	29	19.9	292	3	3	16	24	36	47	90
6-12 YRS	32	11.1	74	2	3	8	16	20	25	44
13-19 YRS	97	12.1	94	3	3	9	15	26	32	48
GRAND TOTAL	171	14.0	162	3	3	11	18	26	36	78

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	8.0	50	3	3	8	13	13	13	13
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	6	9.5	62	4	4	6	13	23	24	24
6-12 YRS	124	5.4	21	2	3	4	6	7	10	31
13-19 YRS	2610	5.3	6	3	3	5	6	8	9	14
2. MULTIPLE DX										
0-27 DYS	2	6.5	25	3	3	6	10	10	10	10
1-11 MOS	2	12.0	50	7	7	12	17	17	17	17
1-5 YRS	8	3.8	2	1	2	4	5	6	6	6
6-12 YRS	73	6.6	30	2	3	5	8	9	12	36
13-19 YRS	1818	6.1	20	3	3	5	7	9	11	20
TOT. SINGLE DX	2743	5.3	7	2	3	5	6	8	9	15
" MULTIPLE DX	1903	6.1	20	3	3	5	7	9	11	21
TOTAL 0-27 DYS	4	7.3	26	3	3	7	11	13	13	13
1-11 MOS	3	10.0	37	6	6	7	14	17	17	17
1-5 YRS	14	6.2	34	1	3	4	6	14	22	24
6-12 YRS	197	5.8	24	2	3	5	6	9	11	35
13-19 YRS	4428	5.6	12	3	3	5	6	8	10	17
GRAND TOTAL	4646	5.6	12	3	3	5	6	8	10	17

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	14	3.6	5	1	1	3	5	7	8	9
1-5 YRS	41	4.0	13	<1	1	3	5	8	12	17
6-12 YRS	141	3.5	6	1	1	3	4	6	8	13
13-19 YRS	3087	3.9	3	2	2	4	5	6	7	10
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	2.7	2	1	1	3	4	4	4	4
1-5 YRS	20	3.9	20	1	1	3	4	7	14	21
6-12 YRS	47	4.1	7	1	1	3	6	8	9	12
13-19 YRS	732	4.7	17	1	2	4	5	7	11	29
TOT. SINGLE DX	3284	3.9	4	2	2	4	5	6	7	10
" MULTIPLE DX	803	4.6	16	1	2	4	5	7	10	27
TOTAL 0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	17	3.4	5	1	1	3	4	6	8	9
1-5 YRS	61	4.0	15	1	1	3	5	8	12	21
6-12 YRS	188	3.6	6	1	1	3	4	6	8	12
13-19 YRS	3819	4.0	6	2	2	4	5	6	7	13
GRAND TOTAL	**4087**	**4.0**	**6**	**1**	**2**	**4**	**5**	**6**	**7**	**14**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	3.3	7	1	1	2	6	7	7	7
1-11 MOS	132	4.3	26	<1	1	2	4	11	17	23
1-5 YRS	395	3.1	15	<1	1	2	3	6	10	21
6-12 YRS	362	4.1	19	<1	1	3	5	7	12	24
13-19 YRS	912	4.4	20	1	1	3	5	8	11	24
2. MULTIPLE DX										
0-27 DYS	2	10.0	50	5	5	10	15	15	15	15
1-11 MOS	54	8.8	57	1	1	6	15	21	24	30
1-5 YRS	200	6.1	49	1	2	4	6	15	21	35
6-12 YRS	255	6.2	58	1	2	4	7	12	20	73
13-19 YRS	514	6.7	67	1	2	5	7	14	22	56
TOT. SINGLE DX	1808	4.0	19	<1	1	3	5	8	11	23
" MULTIPLE DX	1025	6.6	61	1	2	4	7	15	22	47
TOTAL 0-27 DYS	9	4.8	20	1	1	2	7	12	15	15
1-11 MOS	186	5.6	39	<1	1	3	7	16	19	28
1-5 YRS	595	4.1	29	<1	1	2	4	8	15	31
6-12 YRS	617	4.9	36	1	1	3	5	9	14	41
13-19 YRS	1426	5.2	38	1	1	4	6	10	15	34
GRAND TOTAL	**2833**	**4.9**	**36**	**1**	**1**	**3**	**6**	**10**	**15**	**32**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	2.4	3	<1	<1	2	3	5	5	5
1-11 MOS	61	3.5	18	1	1	2	3	8	14	24
1-5 YRS	496	2.2	2	<1	1	2	3	4	5	9
6-12 YRS	1140	2.3	6	<1	1	2	2	4	5	12
13-19 YRS	3090	2.3	7	<1	1	2	2	3	4	9
2. MULTIPLE DX										
0-27 DYS	4	8.5	39	2	2	7	12	17	17	17
1-11 MOS	26	7.5	50	<1	1	4	11	18	23	30
1-5 YRS	90	4.4	35	1	1	2	5	9	12	37
6-12 YRS	124	4.6	59	<1	1	2	4	10	16	70
13-19 YRS	484	4.1	27	1	1	2	4	8	12	30
TOT. SINGLE DX	4792	2.3	6	<1	1	2	2	3	5	9
" MULTIPLE DX	728	4.4	35	1	1	2	4	9	14	35
TOTAL 0-27 DYS	9	5.1	26	<1	<1	3	7	13	17	17
1-11 MOS	87	4.7	31	1	1	2	5	12	16	28
1-5 YRS	586	2.5	8	<1	1	2	3	4	6	13
6-12 YRS	1264	2.6	12	<1	1	2	3	4	5	15
13-19 YRS	3574	2.5	10	<1	1	2	3	4	5	14
GRAND TOTAL	**5520**	**2.6**	**11**	**<1**	**1**	**2**	**3**	**4**	**6**	**15**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	2.2	1	1	1	2	3	4	4	4
1-5 YRS	40	2.5	14	<1	<1	2	2	3	9	22
6-12 YRS	32	2.6	5	<1	1	2	3	5	9	10
13-19 YRS	120	2.7	8	<1	1	2	3	4	5	21
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	14	3.4	4	1	2	3	3	7	8	8
6-12 YRS	26	4.2	10	1	1	3	5	10	11	12
13-19 YRS	67	4.5	46	1	1	3	4	8	14	92
TOT. SINGLE DX	198	2.6	8	<1	1	2	3	4	6	21
" MULTIPLE DX	110	4.2	31	1	1	3	4	8	12	72
TOTAL 0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	7	2.3	1	1	1	2	3	4	4	4
1-5 YRS	54	2.7	11	<1	<1	2	3	5	8	22
6-12 YRS	58	3.3	8	1	1	2	4	9	10	12
13-19 YRS	187	3.3	22	<1	1	2	4	5	8	43
GRAND TOTAL	**308**	**3.2**	**17**	**<1**	**1**	**2**	**3**	**5**	**10**	**23**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	5.0	3	3	3	6	6	6	6	6
1-11 MOS	29	2.2	2	1	1	2	3	5	5	6
1-5 YRS	260	2.2	4	<1	1	2	2	3	5	10
6-12 YRS	437	2.3	3	1	1	2	3	4	5	12
13-19 YRS	1706	2.4	6	<1	1	2	3	4	5	10
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	2.0	1	1	1	2	2	3	3	3
1-5 YRS	150	2.3	3	1	1	2	3	4	6	9
6-12 YRS	292	2.7	10	1	1	2	3	5	6	12
13-19 YRS	1103	3.0	13	1	1	2	3	5	8	15
TOT. SINGLE DX	2435	2.3	5	<1	1	2	3	4	5	10
" MULTIPLE DX	1551	2.9	11	1	1	2	3	5	7	14
TOTAL 0-27 DYS	4	4.3	4	2	2	4	6	6	6	6
1-11 MOS	34	2.2	2	1	1	2	3	4	5	6
1-5 YRS	410	2.2	4	1	1	2	3	4	5	10
6-12 YRS	729	2.5	6	1	1	2	3	4	6	12
13-19 YRS	2809	2.6	8	1	1	2	3	5	6	13
GRAND TOTAL	**3986**	**2.5**	**7**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	2.4	4	1	1	2	3	6	7	7
1-5 YRS	126	2.8	16	1	1	2	3	4	6	30
6-12 YRS	299	2.9	6	1	1	2	4	5	7	13
13-19 YRS	801	3.0	8	1	1	2	4	5	7	14
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	4.0	7	<1	<1	3	6	8	8	8
1-5 YRS	54	4.4	32	1	1	2	4	10	17	27
6-12 YRS	133	4.7	50	1	1	3	5	10	14	30
13-19 YRS	474	4.6	35	1	1	3	5	9	12	33
TOT. SINGLE DX	1235	2.9	8	1	1	2	3	5	7	14
" MULTIPLE DX	668	4.6	37	1	1	3	5	9	13	31
TOTAL 0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	14	3.1	5	<1	1	2	4	7	8	8
1-5 YRS	180	3.3	21	1	1	2	3	6	11	29
6-12 YRS	432	3.5	20	1	1	2	4	6	9	21
13-19 YRS	1275	3.6	18	1	1	2	4	6	9	25
GRAND TOTAL	**1903**	**3.5**	**19**	**1**	**1**	**2**	**4**	**6**	**9**	**22**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	5.0	13	2	2	4	8	9	9	9
1-11 MOS	400	3.3	7	1	1	3	4	5	7	10
1-5 YRS	516	3.4	6	1	1	3	4	6	7	15
6-12 YRS	513	3.8	9	1	2	3	4	6	8	15
13-19 YRS	1379	4.4	20	1	2	4	5	8	9	15
2. MULTIPLE DX										
0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	87	4.7	24	1	2	3	5	10	13	30
1-5 YRS	361	4.2	25	1	2	3	4	7	10	26
6-12 YRS	492	4.6	13	2	2	4	5	8	10	16
13-19 YRS	759	5.7	47	1	2	4	6	9	14	44
TOT. SINGLE DX	2811	4.0	14	1	1	3	5	7	8	14
" MULTIPLE DX	1701	5.0	31	1	2	4	6	8	12	38
TOTAL 0-27 DYS	5	4.6	7	2	2	4	5	9	9	9
1-11 MOS	487	3.5	10	1	1	3	4	6	8	17
1-5 YRS	877	3.7	14	1	2	3	4	6	8	17
6-12 YRS	1005	4.2	11	1	2	3	5	7	9	15
13-19 YRS	2138	4.9	30	1	2	4	6	8	10	33
GRAND TOTAL	**4512**	**4.4**	**21**	**1**	**2**	**3**	**5**	**7**	**9**	**21**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	24	2.7	14	1	1	2	2	3	9	20
1-5 YRS	105	2.5	11	<1	1	2	3	4	7	22
6-12 YRS	101	2.2	5	1	1	2	2	4	6	14
13-19 YRS	329	2.9	11	1	1	2	3	6	10	19
2. MULTIPLE DX										
0-27 DYS	2	13.5	113	6	6	13	21	21	21	21
1-11 MOS	9	1.8		1	1	2	2	2	2	2
1-5 YRS	32	3.7	35	1	1	2	4	10	28	99+
6-12 YRS	43	4.0	24	1	1	2	4	10	14	27
13-19 YRS	232	5.1	48	1	1	3	5	10	16	43
TOT. SINGLE DX	561	2.7	10	<1	1	2	3	5	8	17
" MULTIPLE DX	318	4.8	43	1	1	3	5	10	17	43
TOTAL 0-27 DYS	4	7.5	86	1	1	4	13	21	21	21
1-11 MOS	33	2.5	10	1	1	2	2	3	4	20
1-5 YRS	137	2.8	17	<1	1	2	3	5	8	38
6-12 YRS	144	2.7	11	1	1	2	3	5	9	18
13-19 YRS	561	3.8	27	1	1	2	4	7	12	36
GRAND TOTAL	**879**	**3.4**	**23**	**1**	**1**	**2**	**4**	**6**	**11**	**30**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	1.9	1	<1	<1	2	3	3	3	3
6-12 YRS	5	3.4	8	1	1	2	5	8	8	8
13-19 YRS	42	6.5	56	1	1	4	7	17	24	35
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	1	28.0		28	28	28	28	28	28	28
6-12 YRS	2	7.5	85	1	1	7	14	14	14	14
13-19 YRS	21	12.0	203	1	1	6	18	34	47	53
TOT. SINGLE DX	54	5.6	47	1	1	3	6	13	22	35
" MULTIPLE DX	25	12.0	188	1	1	6	18	29	45	53
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	8	5.1	86	<1	<1	2	3	21	28	28
6-12 YRS	7	4.6	23	1	1	2	7	13	14	14
13-19 YRS	63	8.3	109	1	1	4	10	21	31	52
GRAND TOTAL	**79**	**7.6**	**98**	**1**	**1**	**4**	**8**	**21**	**29**	**50**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	21	2.0	1	<1	<1	2	2	3	4	5
1-5 YRS	41	2.6	2	1	1	2	3	5	6	7
6-12 YRS	31	7.7	90	1	2	4	7	24	33	36
13-19 YRS	117	5.5	40	1	1	4	6	14	19	35
2. MULTIPLE DX										
0-27 DYS	2	57.0	2592	21	21	57	93	93	93	93
1-11 MOS	4	4.8	56	1	1	1	9	16	16	16
1-5 YRS	18	5.2	13	2	2	4	7	11	13	14
6-12 YRS	29	8.3	64	1	1	5	11	16	23	39
13-19 YRS	112	9.3	176	1	2	5	8	21	42	65
TOT. SINGLE DX	211	4.9	39	1	1	3	5	11	19	35
" MULTIPLE DX	165	9.1	179	1	2	5	9	19	39	82
TOTAL 0-27 DYS	3	38.3	2341	1	1	21	75	93	93	93
1-11 MOS	25	2.4	9	<1	1	2	2	4	8	16
1-5 YRS	59	3.4	7	1	1	2	4	7	9	14
6-12 YRS	60	8.0	76	1	2	5	10	18	32	39
13-19 YRS	229	7.4	110	1	1	4	7	17	27	50
GRAND TOTAL	**376**	**6.8**	**104**	**1**	**1**	**4**	**6**	**16**	**23**	**49**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	19.5	545	3	3	19	36	36	36	36
6-12 YRS	6	15.2	83	8	8	12	18	31	32	32
13-19 YRS	8	32.1	291	14	15	29	46	57	57	57
2. MULTIPLE DX										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	3	10.3	40	3	3	14	14	14	14	14
1-5 YRS	3	23.0	79	13	13	26	29	30	30	30
6-12 YRS	10	24.1	484	<1	3	16	40	59	61	61
13-19 YRS	27	31.6	446	6	9	29	46	70	94	99+
TOT. SINGLE DX	16	24.2	269	4	8	18	34	54	57	57
" MULTIPLE DX	44	27.4	417	4	7	22	37	58	79	99+
TOTAL 0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	3	10.3	40	3	3	14	14	14	14	14
1-5 YRS	5	21.6	179	3	3	26	31	36	36	36
6-12 YRS	16	20.8	338	2	7	13	29	56	60	61
13-19 YRS	35	31.7	401	7	10	29	46	57	88	99+
GRAND TOTAL	**60**	**26.6**	**374**	**4**	**7**	**22**	**36**	**57**	**67**	**99**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	8.8	16	3	3	10	11	12	12	12
6-12 YRS	3	26.7	156	14	14	27	36	39	39	39
13-19 YRS	19	15.4	91	5	6	12	24	31	32	33
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	6	22.5	159	4	5	21	35	37	37	37
1-5 YRS	6	12.7	52	6	6	10	19	23	24	24
6-12 YRS	8	21.8	561	3	3	15	26	62	75	75
13-19 YRS	18	27.8	349	5	7	25	40	67	91	99+
TOT. SINGLE DX	26	15.7	102	5	6	12	25	31	34	39
" MULTIPLE DX	38	23.3	324	3	5	20	34	49	77	99+
TOTAL 0-27 DYS										
1-11 MOS	6	22.5	159	4	5	21	35	37	37	37
1-5 YRS	10	11.1	39	3	4	10	12	21	24	24
6-12 YRS	11	23.1	429	3	3	21	30	53	73	75
13-19 YRS	37	21.4	249	5	6	19	30	46	67	99+
GRAND TOTAL	**64**	**20.2**	**245**	**4**	**6**	**17**	**28**	**40**	**55**	**97**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	11	7.1	31	2	2	6	9	16	21	21
6-12 YRS	5	8.0	19	4	4	6	10	15	15	15
13-19 YRS	11	18.5	228	2	7	14	20	43	56	57
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	7	8.4	26	3	3	8	12	15	16	16
6-12 YRS	7	27.7	774	4	4	16	42	74	81	81
13-19 YRS	16	23.6	205	7	9	22	28	51	55	56
TOT. SINGLE DX	28	11.6	132	2	2	9	14	22	36	57
" MULTIPLE DX	31	20.5	324	3	4	16	26	49	56	81
TOTAL 0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	18	7.6	28	2	2	6	11	15	19	21
6-12 YRS	12	19.5	532	4	4	10	23	56	77	81
13-19 YRS	27	21.6	212	5	9	16	26	49	56	57
GRAND TOTAL	**59**	**16.2**	**249**	**2**	**3**	**11**	**21**	**33**	**55**	**79**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	45	2.6	19	<1	1	1	2	5	6	29
6-12 YRS	28	7.0	321	<1	1	3	5	11	20	97
13-19 YRS	58	7.9	117	1	1	5	9	16	23	68
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	19	7.9	129	<1	1	4	8	21	38	48
6-12 YRS	6	13.0	414	1	1	6	9	49	54	54
13-19 YRS	32	9.4	111	1	2	7	12	16	18	61
TOT. SINGLE DX	135	5.8	127	<1	1	3	6	11	17	75
" MULTIPLE DX	58	9.2	140	1	1	6	10	16	39	60
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	64	4.2	56	<1	1	2	4	7	19	45
6-12 YRS	34	8.1	331	<1	1	3	6	11	46	97
13-19 YRS	90	8.4	114	1	1	6	10	16	19	67
GRAND TOTAL	**193**	**6.8**	**132**	**1**	**1**	**3**	**7**	**14**	**19**	**67**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	39	2.0	4	<1	<1	2	2	3	5	13
6-12 YRS	51	3.1	13	<1	1	2	3	6	11	22
13-19 YRS	139	3.5	39	1	1	2	4	6	7	34
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	12	9.5	616	<1	1	2	2	33	80	88
6-12 YRS	17	4.3	23	<1	1	2	5	11	17	19
13-19 YRS	79	5.2	35	1	1	3	5	11	19	31
TOT. SINGLE DX	233	3.1	27	<1	1	2	3	5	8	24
" MULTIPLE DX	110	5.4	93	1	1	3	5	11	19	55
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	1.6		1	1	2	2	2	2	2
1-5 YRS	51	3.7	149	<1	<1	2	2	3	9	87
6-12 YRS	68	3.4	16	<1	1	2	3	8	12	21
13-19 YRS	218	4.1	38	1	1	2	4	7	11	31
GRAND TOTAL	**343**	**3.9**	**49**	**<1**	**1**	**2**	**4**	**7**	**11**	**30**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	5	10.6	290	2	2	3	14	41	41	41
13-19 YRS	12	4.0	23	1	1	3	4	9	18	19
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	1	17.0		17	17	17	17	17	17	17
13-19 YRS	1	4.0		4	4	4	4	4	4	4
TOT. SINGLE DX	18	6.1	93	1	1	3	4	16	32	41
" MULTIPLE DX	3	9.0	49	4	4	6	14	17	17	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	7.5	5	6	6	7	9	9	9	9
6-12 YRS	6	11.7	239	2	2	4	17	39	41	41
13-19 YRS	13	4.0	22	1	1	3	4	7	17	19
GRAND TOTAL	**21**	**6.5**	**85**	**1**	**1**	**3**	**5**	**18**	**29**	**41**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	10	3.3	10	1	1	2	3	8	12	12
1-11 MOS	21	2.3	2	<1	<1	2	3	4	5	5
1-5 YRS	14	3.7	15	<1	<1	2	6	11	12	12
6-12 YRS	112	2.0		1	1	2	2	3	3	40
13-19 YRS	3938	2.2	4	<1	1	2	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	4	22.3	1388	1	1	5	42	78	78	78
1-11 MOS	13	3.2	2	2	2	3	4	5	5	5
1-5 YRS	11	2.9	5	<1	<1	2	4	7	8	8
6-12 YRS	21	2.1	1	<1	1	2	2	4	5	6
13-19 YRS	713	3.2	12	1	1	2	3	5	8	17
TOT. SINGLE DX	4095	2.2	4	<1	1	2	2	3	4	6
" MULTIPLE DX	762	3.2	19	1	1	2	3	5	8	19
TOTAL 0-27 DYS	14	8.7	406	1	1	3	4	19	65	78
1-11 MOS	34	2.6	2	<1	1	2	4	5	5	5
1-5 YRS	25	3.4	11	<1	<1	2	5	8	11	12
6-12 YRS	133	2.0	1	1	1	2	2	3	3	21
13-19 YRS	4651	2.3	5	<1	1	2	2	3	4	9
GRAND TOTAL	4857	2.3	6	<1	1	2	2	3	4	10

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS										
1-5 YRS										
6-12 YRS	34	2.7	5	1	1	2	3	4	6	13
13-19 YRS	451	2.7	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	26.0		26	26	26	26	26	26	26
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	8	3.1	1	2	2	3	4	5	5	5
13-19 YRS	55	3.3	4	1	2	3	4	5	8	9
TOT. SINGLE DX	486	2.7	3	1	1	2	3	4	5	9
" MULTIPLE DX	65	3.6	11	1	2	3	4	5	9	23
TOTAL 0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	1	26.0		26	26	26	26	26	26	26
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	42	2.8	4	1	1	2	3	4	6	13
13-19 YRS	506	2.7	3	1	1	2	3	4	5	9
GRAND TOTAL	551	2.8	4	1	1	2	3	4	6	9

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	8.0	12	6	6	6	11	12	12	12
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	8.0	32	4	4	8	12	12	12	12
6-12 YRS	5	3.0	3	2	2	2	4	6	6	6
13-19 YRS	14	2.8	2	1	2	2	4	4	6	6
2. MULTIPLE DX										
0-27 DYS	3	14.7	69	8	8	12	21	24	24	24
1-11 MOS	3	10.0	7	8	8	9	12	13	13	13
1-5 YRS										
6-12 YRS	6	6.5	12	3	3	6	10	10	10	10
13-19 YRS	11	6.7	21	2	2	5	9	13	17	17
TOT. SINGLE DX	25	4.0	8	1	2	3	5	6	12	12
" MULTIPLE DX	23	8.1	27	2	3	8	10	14	19	24
TOTAL 0-27 DYS	6	11.3	46	6	6	10	12	23	24	24
1-11 MOS	4	8.8	11	5	5	8	11	13	13	13
1-5 YRS	2	8.0	32	4	4	8	12	12	12	12
6-12 YRS	11	4.9	11	2	2	3	8	10	10	10
13-19 YRS	25	4.5	14	1	2	3	5	10	12	17
GRAND TOTAL	48	6.0	21	2	2	4	9	12	13	24

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	23	4.7	8	1	2	4	6	8	11	14
1-11 MOS	16	3.4	3	1	1	3	4	6	7	8
1-5 YRS	8	2.4	1	1	1	3	3	4	4	4
6-12 YRS	56	4.4	145	1	1	2	4	5	8	87
13-19 YRS	1212	3.3	4	1	2	3	4	5	6	10
2. MULTIPLE DX										
0-27 DYS	9	3.9	4	<1	1	4	5	7	8	8
1-11 MOS	6	4.3	6	2	2	4	5	9	9	9
1-5 YRS	2	7.0	18	4	4	7	10	10	10	10
6-12 YRS	17	4.2	4	2	2	4	5	7	8	8
13-19 YRS	337	4.1	12	1	2	3	5	7	9	14
TOT. SINGLE DX	1315	3.3	10	1	1	3	4	5	6	10
" MULTIPLE DX	371	4.1	12	1	2	3	5	7	9	14
TOTAL 0-27 DYS	32	4.5	7	1	2	4	6	8	9	14
1-11 MOS	22	3.7	4	1	2	3	4	7	8	9
1-5 YRS	10	3.3	7	1	1	3	4	7	10	10
6-12 YRS	73	4.4	111	1	1	3	4	6	8	73
13-19 YRS	1549	3.4	6	1	2	3	4	5	7	11
GRAND TOTAL	**1686**	**3.5**	**10**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	4.0	9	<1	<1	4	6	7	7	7
1-11 MOS	16	2.7	4	<1	<1	2	4	6	7	7
1-5 YRS	33	2.2	4	<1	1	2	2	3	4	13
6-12 YRS	54	3.7	11	<1	1	3	4	6	11	20
13-19 YRS	4984	4.2	5	2	2	4	5	7	8	12
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	5.0	18	2	2	5	8	8	8	8
1-5 YRS	9	3.3	10	1	1	2	4	8	11	11
6-12 YRS	9	5.6	42	1	1	4	6	16	22	22
13-19 YRS	558	5.3	18	2	2	4	6	9	12	25
TOT. SINGLE DX	5091	4.2	5	2	2	4	5	7	8	12
" MULTIPLE DX	579	5.3	19	2	2	4	6	9	12	25
TOTAL 0-27 DYS	5	3.8	7	<1	<1	3	6	7	7	7
1-11 MOS	18	2.9	5	<1	<1	2	5	7	8	8
1-5 YRS	42	2.5	6	<1	1	2	2	4	7	13
6-12 YRS	63	4.0	15	<1	1	3	4	7	12	22
13-19 YRS	5542	4.3	7	2	2	4	5	7	8	13
GRAND TOTAL	**5670**	**4.3**	**7**	**2**	**2**	**4**	**5**	**7**	**8**	**14**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	21	3.6	7	2	2	3	4	8	10	11
1-11 MOS	387	2.3	5	<1	<1	2	2	5	7	14
1-5 YRS	1563	2.1	12	<1	<1	1	2	3	6	14
6-12 YRS	2203	2.3	7	<1	<1	2	2	4	6	14
13-19 YRS	3453	2.8	13	<1	1	2	3	5	7	16
2. MULTIPLE DX										
0-27 DYS	13	6.5	52	2	2	3	8	14	25	28
1-11 MOS	93	6.3	43	<1	1	4	8	14	18	33
1-5 YRS	376	3.9	29	<1	1	2	4	9	13	31
6-12 YRS	596	4.1	35	<1	1	2	4	9	14	35
13-19 YRS	1486	5.3	59	1	1	3	5	10	18	48
TOT. SINGLE DX	7627	2.5	11	<1	<1	2	2	4	7	15
" MULTIPLE DX	2564	4.9	49	1	1	3	5	10	16	38
TOTAL 0-27 DYS	34	4.7	25	2	2	3	5	10	11	28
1-11 MOS	480	3.1	15	<1	<1	2	3	7	10	22
1-5 YRS	1939	2.5	16	<1	<1	2	2	4	8	19
6-12 YRS	2799	2.6	14	<1	<1	2	2	5	7	20
13-19 YRS	4939	3.6	28	<1	1	2	3	7	10	28
GRAND TOTAL	**10191**	**3.1**	**21**	**<1**	**<1**	**2**	**3**	**6**	**9**	**24**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	30	5.4	27	<1	1	4	6	11	15	26
1-11 MOS	336	5.7	31	1	1	4	7	11	14	32
1-5 YRS	1823	4.1	36	<1	1	2	5	9	13	33
6-12 YRS	2348	4.3	35	1	1	2	5	10	15	33
13-19 YRS	4078	4.7	38	1	1	3	5	10	14	32
2. MULTIPLE DX										
0-27 DYS	35	12.6	158	1	2	8	17	34	37	53
1-11 MOS	282	7.7	72	1	1	6	9	15	21	62
1-5 YRS	1761	6.5	81	1	1	3	7	15	24	44
6-12 YRS	2286	6.5	93	1	1	3	7	16	26	58
13-19 YRS	7728	6.1	86	1	1	3	6	13	23	58
TOT. SINGLE DX	8615	4.5	36	<1	1	3	5	10	14	32
" MULTIPLE DX	12092	6.3	86	1	1	3	7	14	24	56
TOTAL 0-27 DYS	65	9.3	109	1	1	5	11	26	34	51
1-11 MOS	618	6.6	50	1	1	5	8	13	19	43
1-5 YRS	3584	5.3	59	1	1	3	6	12	19	39
6-12 YRS	4634	5.4	65	1	1	3	6	12	21	45
13-19 YRS	11806	5.6	70	1	1	3	6	12	20	51
GRAND TOTAL	**20707**	**5.5**	**66**	**1**	**1**	**3**	**6**	**12**	**20**	**47**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	25	10.4	217	<1	1	6	10	30	43	66
1-5 YRS	349	8.6	134	1	1	4	10	25	29	56
6-12 YRS	476	8.3	88	1	1	5	10	19	31	44
13-19 YRS	809	7.1	81	1	1	4	9	16	23	46
2. MULTIPLE DX										
0-27 DYS	3	25.7	4	24	24	26	64	99+	99+	99+
1-11 MOS	46	23.4	265	2	3	24	33	42	49	78
1-5 YRS	289	17.6	202	2	2	14	28	37	48	59
6-12 YRS	324	17.6	239	2	2	14	25	39	48	77
13-19 YRS	579	14.5	212	1	2	10	21	35	45	77
TOT. SINGLE DX	1660	7.8	96	1	1	4	9	18	28	49
" MULTIPLE DX	1241	16.4	222	1	2	12	24	37	48	77
TOTAL 0-27 DYS	4	20.5	110	5	5	25	46	99+	99+	99+
1-11 MOS	71	18.8	284	1	2	16	31	37	48	75
1-5 YRS	638	12.7	184	1	1	7	20	31	40	57
6-12 YRS	800	12.1	170	1	2	7	16	32	40	60
13-19 YRS	1388	10.2	149	1	1	6	13	25	37	70
GRAND TOTAL	2901	11.5	168	1	1	7	16	29	39	62

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	7	2.0	1	1	1	2	3	3	3	3
1-5 YRS	91	4.9	112	<1	1	2	3	10	26	63
6-12 YRS	149	5.4	77	1	1	2	5	12	20	47
13-19 YRS	345	4.7	49	1	1	2	4	13	18	45
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	40	6.6	98	<1	1	3	6	17	35	43
6-12 YRS	73	8.6	129	1	2	4	10	20	42	49
13-19 YRS	208	9.5	151	1	2	4	11	27	40	62
TOT. SINGLE DX	592	4.9	65	1	1	2	4	12	19	46
" MULTIPLE DX	323	8.9	139	1	1	4	10	25	39	58
TOTAL 0-27 DYS										
1-11 MOS	9	1.9	1	1	1	2	2	3	3	3
1-5 YRS	131	5.4	108	<1	1	2	4	12	29	51
6-12 YRS	222	6.5	96	1	1	3	7	16	26	49
13-19 YRS	553	6.5	93	1	1	3	7	17	29	57
GRAND TOTAL	915	6.3	95	1	1	2	6	16	28	55

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	2.3	2	1	1	2	3	4	4	4
1-11 MOS	79	2.7	8	<1	1	2	3	6	10	75
1-5 YRS	472	2.4	8	<1	1	2	3	4	6	19
6-12 YRS	791	2.5	15	<1	1	2	2	4	6	12
13-19 YRS	1939	2.6	9	<1	1	2	3	4	6	12
2. MULTIPLE DX										
0-27 DYS	3	15.3	329	2	2	8	29	36	36	36
1-11 MOS	28	5.4	36	1	1	3	6	16	19	24
1-5 YRS	244	4.1	30	1	1	2	4	8	13	35
6-12 YRS	324	3.8	21	1	1	2	4	8	13	30
13-19 YRS	807	4.5	49	1	1	3	5	8	15	45
TOT. SINGLE DX	3284	2.5	10	<1	1	2	3	4	6	12
" MULTIPLE DX	1406	4.3	40	1	1	2	4	8	14	38
TOTAL 0-27 DYS	6	8.8	183	1	1	3	8	33	36	36
1-11 MOS	107	3.4	16	<1	1	2	3	8	14	56
1-5 YRS	716	3.0	16	<1	1	2	3	6	9	27
6-12 YRS	1115	2.9	17	<1	1	2	3	5	8	19
13-19 YRS	2746	3.1	22	<1	1	2	3	5	8	28
GRAND TOTAL	4690	3.1	20	<1	1	2	3	5	8	25

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	14	3.6	9	1	1	3	4	8	11	12
1-5 YRS	18	3.2	13	<1	1	2	3	10	13	13
6-12 YRS	55	5.3	93	1	1	3	4	10	19	62
13-19 YRS	94	6.6	135	1	1	3	6	17	47	99+
2. MULTIPLE DX										
0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	16	5.6	23	<1	1	4	8	14	15	15
1-5 YRS	30	4.9	32	1	1	3	5	14	19	23
6-12 YRS	43	10.9	448	1	2	3	5	26	67	97
13-19 YRS	101	7.3	114	1	1	4	9	17	22	84
TOT. SINGLE DX	184	5.6	100	1	1	3	5	12	24	89
" MULTIPLE DX	192	7.6	169	1	1	4	7	17	23	95
TOTAL 0-27 DYS	5	2.4	4	1	1	2	3	6	6	6
1-11 MOS	30	4.7	17	1	1	3	7	12	15	15
1-5 YRS	48	4.3	25	1	1	2	4	12	18	23
6-12 YRS	98	7.7	254	1	1	3	5	17	30	95
13-19 YRS	195	7.0	124	1	1	4	7	17	37	99+
GRAND TOTAL	376	6.6	136	1	1	3	6	15	23	96

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	10	3.7	3	<1	1	4	5	6	6	6
1-11 MOS	20	4.7	23	<1	1	3	6	12	16	18
1-5 YRS	43	4.8	18	1	1	3	6	11	13	21
6-12 YRS	109	3.3	5	1	1	2	4	7	9	11
13-19 YRS	1005	6.1	39	1	1	4	9	13	17	26
2. MULTIPLE DX										
0-27 DYS	3	13.7	281	3	3	5	26	33	33	33
1-11 MOS	16	6.8	65	1	2	4	6	21	28	31
1-5 YRS	41	5.9	39	2	2	3	6	14	20	30
6-12 YRS	76	6.2	40	1	2	3	7	18	20	25
13-19 YRS	451	7.7	48	1	2	5	10	16	22	40
TOT. SINGLE DX	1187	5.8	35	1	1	4	8	13	16	24
" MULTIPLE DX	587	7.4	47	1	2	5	10	16	22	37
TOTAL 0-27 DYS	13	6.0	68	<1	1	4	5	12	29	33
1-11 MOS	36	5.6	41	<1	1	3	6	14	21	31
1-5 YRS	84	5.4	28	1	2	3	6	12	15	28
6-12 YRS	185	4.5	21	1	1	3	5	10	15	24
13-19 YRS	1456	6.6	42	1	2	4	9	14	18	35
GRAND TOTAL	1774	6.3	40	1	2	4	9	14	18	31

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	7	16.6	1054	2	2	6	8	74	90	90
1-5 YRS	35	4.6	17	1	2	3	6	10	16	17
6-12 YRS	79	4.9	13	1	2	4	6	11	13	15
13-19 YRS	313	5.5	41	1	2	4	7	10	14	27
2. MULTIPLE DX										
0-27 DYS	3	25.7	604	10	10	13	44	54	54	54
1-11 MOS	17	6.6	31	1	1	5	11	15	17	18
1-5 YRS	22	8.0	23	2	2	8	11	15	16	16
6-12 YRS	74	10.1	90	1	3	7	13	25	30	89
13-19 YRS	254	11.9	179	2	2	7	15	28	45	71
TOT. SINGLE DX	436	5.4	50	1	2	4	7	10	14	26
" MULTIPLE DX	370	11.2	150	1	2	7	14	26	40	70
TOTAL 0-27 DYS	5	16.0	478	1	1	10	23	54	54	54
1-11 MOS	24	9.5	318	1	1	5	9	15	40	90
1-5 YRS	57	5.9	22	1	2	4	9	14	16	17
6-12 YRS	153	7.4	57	1	2	5	9	15	25	57
13-19 YRS	567	8.4	113	1	2	5	9	18	28	63
GRAND TOTAL	806	8.1	104	1	2	5	9	16	26	61

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS										
13-19 YRS	11	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	4.9	20	2	2	2	6	13	14	14
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	11	2.7	3	1	1	2	3	6	6	6
TOT. SINGLE DX	15	2.3		2	2	2	3	3	3	3
" MULTIPLE DX	19	3.5	9	1	2	2	4	7	11	14
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	9	4.3	16	2	2	2	5	11	14	14
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	22	2.5	2	1	2	2	3	4	6	6
GRAND TOTAL	34	3.0	6	2	2	2	3	6	7	14

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	3.8	8	1	1	3	6	8	8	8
1-11 MOS	8	4.5	9	1	1	3	7	9	9	9
1-5 YRS	27	2.9	5	1	1	2	3	6	8	12
6-12 YRS	106	4.5	24	1	1	3	6	9	12	27
13-19 YRS	625	5.2	23	1	1	3	7	12	14	23
2. MULTIPLE DX										
0-27 DYS	12	13.2	70	5	5	12	19	25	29	30
1-11 MOS	23	10.0	213	2	2	5	9	24	48	66
1-5 YRS	43	5.0	32	1	1	2	6	13	19	26
6-12 YRS	82	5.9	34	1	1	4	7	14	20	28
13-19 YRS	474	8.5	82	1	2	6	10	19	26	53
TOT. SINGLE DX	771	5.0	22	1	1	3	7	11	14	23
" MULTIPLE DX	634	8.1	79	1	2	5	10	19	25	53
TOTAL 0-27 DYS	17	10.4	69	1	2	7	15	23	28	30
1-11 MOS	31	8.6	165	2	2	5	8	17	37	66
1-5 YRS	70	4.2	23	1	1	2	4	11	14	25
6-12 YRS	188	5.1	29	1	1	3	6	10	18	28
13-19 YRS	1099	6.6	51	1	1	4	8	14	20	37
GRAND TOTAL	**1405**	**6.4**	**50**	**1**	**1**	**4**	**8**	**14**	**20**	**36**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	10	6.5	26	<1	<1	6	10	13	15	15
1-11 MOS	107	5.2	53	1	1	2	7	12	16	41
1-5 YRS	404	3.4	16	1	1	2	4	8	11	24
6-12 YRS	608	4.1	24	1	1	3	5	9	12	29
13-19 YRS	988	4.6	26	1	1	3	5	9	12	31
2. MULTIPLE DX										
0-27 DYS	19	10.1	61	2	3	7	15	20	27	32
1-11 MOS	174	9.4	92	1	1	7	12	20	24	72
1-5 YRS	449	4.9	37	1	1	3	6	10	15	36
6-12 YRS	614	5.4	59	1	1	3	6	10	16	43
13-19 YRS	1178	6.7	64	1	2	5	8	13	20	50
TOT. SINGLE DX	2117	4.3	25	1	1	3	5	9	12	29
" MULTIPLE DX	2434	6.2	61	1	1	4	7	13	19	46
TOTAL 0-27 DYS	29	8.9	51	1	1	7	12	19	21	32
1-11 MOS	281	7.8	81	1	1	5	10	18	22	60
1-5 YRS	853	4.2	28	1	1	2	5	9	13	29
6-12 YRS	1222	4.7	42	1	1	3	5	10	14	34
13-19 YRS	2166	5.7	48	1	1	4	7	11	16	43
GRAND TOTAL	**4551**	**5.3**	**45**	**1**	**1**	**3**	**6**	**11**	**16**	**37**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of a procedure which is coded for indexing, quality review, and purposes other than its effect on length of stay. For the purpose of operation length of stay tables, patients with only this procedure are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	12	7.1	62	<1	<1	4	12	18	25	26
1-5 YRS	61	13.4	111	1	1	14	23	28	30	35
6-12 YRS	125	15.5	187	1	1	12	26	35	42	49
13-19 YRS	343	8.8	158	1	1	4	10	23	37	72
2. MULTIPLE DX										
0-27 DYS	5	12.8	103	2	4	22	99+	99+	99+	99+
1-11 MOS	22	25.8	731	<1	2	16	48	87	93	99+
1-5 YRS	50	21.5	169	2	4	22	31	35	42	60
6-12 YRS	130	18.3	271	1	2	12	31	44	49	74
13-19 YRS	404	16.3	353	1	2	8	25	47	66	99+
TOT. SINGLE DX	542	10.8	165	1	1	5	16	29	37	57
" MULTIPLE DX	611	17.5	335	1	2	10	29	47	62	99+
TOTAL 0-27 DYS	6	14.0	91	2	5	20	99+	99+	99+	99+
1-11 MOS	34	19.2	568	<1	1	12	25	58	88	99+
1-5 YRS	111	17.1	152	1	2	17	26	32	35	51
6-12 YRS	255	16.9	231	1	1	12	29	42	46	58
13-19 YRS	747	12.9	277	1	2	6	16	38	55	99
GRAND TOTAL	**1153**	**14.4**	**266**	**1**	**2**	**7**	**22**	**39**	**50**	**99+**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures which are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	8.8	79	1	1	5	12	23	28	28
1-11 MOS	51	4.9	29	<1	1	3	6	9	19	26
1-5 YRS	249	2.2	5	<1	1	1	3	4	7	13
6-12 YRS	211	3.2	23	1	1	2	3	6	9	29
13-19 YRS	334	4.0	48	1	1	2	4	7	13	39
2. MULTIPLE DX										
0-27 DYS	29	21.8	729	1	3	13	82	99+	99+	99+
1-11 MOS	99	15.1	395	1	2	6	14	50	63	94
1-5 YRS	353	4.4	63	<1	1	2	4	8	14	47
6-12 YRS	348	6.4	99	<1	1	3	6	18	25	64
13-19 YRS	512	6.9	113	1	1	4	7	16	29	71
TOT. SINGLE DX	853	3.4	29	1	1	2	3	7	11	31
" MULTIPLE DX	1341	7.0	141	1	1	3	7	17	33	98
TOTAL 0-27 DYS	37	19.0	612	1	2	12	72	99+	99+	99+
1-11 MOS	150	11.6	293	1	1	5	10	44	55	88
1-5 YRS	602	3.5	40	<1	1	2	3	7	11	43
6-12 YRS	559	5.2	73	1	1	2	5	14	24	43
13-19 YRS	846	5.8	89	1	1	3	6	12	24	59
GRAND TOTAL	**2194**	**5.6**	**101**	**1**	**1**	**2**	**5**	**12**	**25**	**75**

Distribution Tables

Table 1 displays total U.S. pediatric patients and days of care (after exclusions*) in each of the diagnosis groups containing patients under 20 years of age. Also shown is the corresponding rate per 10,000 pediatric discharges and the rate per 10,000 days of care. Deliveries (groups 270-287) and newborn (groups 393-395) are excluded.

Table 1

Distribution of Pediatric Patients and Days of Care by *ICD-9-CM* List A: Hospital Diagnosis Groups U.S. PAS Hospitals, 1979

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
1	Intestinal infectious disease	21,462	137.3	85	131.9
2	Respiratory tuberculosis	192	1.2	2	3.3
3	Nonrespiratory tuberculosis	101	0.6	1	1.2
4.	Streptococcal sore throat and scarlet fever	3,847	24.6	13	20.4
5	Septicemia	2,303	14.7	18	27.5
6	Miscellaneous bacterial diseases	1,767	11.3	15	22.5
7	Poliomyelitis and other enteroviral diseases of central nervous system	4,611	29.5	21	32.4
8	Viral diseases with exanthem	4,815	30.8	19	29.2
9	Viral Hepatitis	1,763	11.3	12	19.0
10	Infectious mononucleosis	6,027	38.5	30	46.5
11	Viral warts	2,233	14.3	5	8.1
12	Miscellaneous viral diseases	12,900	82.5	46	70.8
13	Rickettsioses and other arthropod-borne diseases	572	3.7	3	4.9
14	Syphilis and other veneral diseases	1,140	7.3	6	9.7
15	Mycoses	563	3.6	4	5.5
16	Helminthiases	310	2.0	1	2.2
17	Miscellaneous infective and parasitic diseases	561	3.6	3	4.7
18	Late effects of infectious and parasitic diseases	36	0.2	<1	0.3

---

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
19	Malignant neoplasm of lip, oral cavity, and pharynx	98	0.6	1	0.8
20	Malignant neoplasm of esophagus	4	0.0	<1	0.1
21	Malignant neoplasm of stomach	17	0.1	<1	0.4
22	Malignant neoplasm of small intestine	1	0.0	<1	0.0
23	Malignant neoplasm of colon	57	0.4	1	1.4
24	Malignant neoplasm of rectum, rectosigmoid junction and anus	28	0.2	<1	0.6
25	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	81	0.5	1	1.3
26	Malignant neoplasm of pancreas	14	0.1	<1	0.2
27	Malignant neoplasm of bronchus, lung, and trachea	82	0.5	1	1.5
28	Other malignant neoplasm of respiratory system and thoracic cavity	90	0.6	1	1.1
29	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	869	5.6	6	9.1
30	Malignant melanoma of skin, excluding genital organs	53	0.3	<1	0.5
31	Other malignant neoplasm of skin, excluding genital organs	75	0.5	<1	0.4
32	Malignant neoplasm of breast (female) (male)	74	0.5	<1	0.7
33	Malignant neoplasm of cervix uteri excluding carcinoma in situ	36	0.2	<1	0.4

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
34	Malignant neoplasm of corpus uteri	30	0.2	<1	0.4
35	Malignant neoplasm of ovary	127	0.8	1	1.7
36	Malignant neoplasm of other female genital organs	41	0.3	<1	0.6
37	Malignant neoplasm of prostate	42	0.3	<1	0.7
38	Malignant neoplasm of male genitalia, except prostate	191	1.2	1	2.2
39	Malignant neoplasm of bladder	50	0.3	<1	0.5
40	Malignant neoplasm of kidney and other urinary organs	195	1.2	2	2.8
41	Malignant neoplasm of eye	132	0.8	<1	0.6
42	Malignant neoplasm of brain	591	3.8	9	13.2
43	Malignant neoplasm of other parts of nervous system	91	0.6	1	1.6
44	Malignant neoplasm of endocrine glands	358	2.3	2	3.4
45	Malignant neoplasm of ill-defined and secondary sites	419	2.7	3	4.8
46	Hodgkin's disease	698	4.5	5	7.9
47	Lymphoid leukemia	1,127	7.2	8	13.0
48	Leukemia, except lymphoid	548	3.5	5	8.0
49	Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	456	2.9	3	5.2
50	Benign neoplasm of lip, oral cavity, and pharynx	358	2.3	1	1.7
51	Benign neoplasm of other parts of digestive system	432	2.8	2	3.4
52	Benign neoplasm of respiratory system and intrathoracic organs	584	3.7	2	2.5
53	Benign neoplasm of bone, muscle, and connective tissue	4,022	25.7	13	20.4

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
54	Benign neoplasm of skin, blood vessels, and miscellaneous sites	4,230	27.1	11	17.5
55	Benign neoplasm of breast	2,772	17.7	6	9.3
56	Uterine leiomyoma	86	0.5	1	0.8
57	Benign neoplasm of uterus, except leiomyoma	19	0.1	<1	0.1
58	Benign neoplasm of ovary	1,011	6.5	6	9.8
59	Benign neoplasm of female genitalia, except uterus and ovary	72	0.5	<1	0.4
60	Benign neoplasm of male genital organ	60	0.4	<1	0.3
61	Benign neoplasm of urinary organ	31	0.2	<1	0.2
62	Benign neoplasm of eye	225	1.4	<1	0.6
63	Benign neoplasm of central nervous system	107	0.7	1	2.1
64	Benign neoplasm of thyroid glands	288	1.8	1	1.8
65	Benign neoplasm of endocrine glands, except thyroid	61	0.4	1	0.9
66	Carcinoma in situ of cervix	150	1.0	<1	0.8
67	Carcinoma in situ, except cervix uteri	73	0.5	<1	0.4
68	Neoplasms of uncertain behavior and unspecified nature	1,392	8.9	7	11.1
69	Simple and non-toxic nodular goiter	262	1.7	1	1.7
70	Other diseases of thyroid gland	950	6.1	6	8.9
71	Diabetes mellitus without complication	4,320	27.6	28	43.1
72	Diabetic Acidosis or coma	4,719	30.2	27	41.8
73	Other complicated diabetes mellitus	1,312	8.4	8	13.1
74	Ovarian dysfunction	494	3.2	2	3.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
75 Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	1,876	12.0	9	13.3
76 Nutritional deficiencies	302	1.9	3	4.6
77 Cystic fibrosis	879	5.6	10	14.9
78 Obesity of nonendocrine origin	462	3.0	4	5.7
79 Miscellaneous metabolic disorders	1,403	9.0	7	11.0
80 Gout	28	0.2	<1	0.2
81 Disorders of fluid, electrolyte, and acid-base balance	2,870	18.4	13	20.4
82 Iron deficiency anemia	983	6.3	5	7.7
83 Sickle-cell anemia and trait	2,309	14.8	14	21.1
84 Anemia except iron deficiency and sickle-cell	2,081	13.3	9	13.3
85 Hemophilia (congenital factor VIII disorder)	337	2.2	2	2.6
86 Disease of hematopoietic system, except anemia and hemophilia	2,706	17.3	16	23.9
87 Nonspecific mesenteric lymphadenitis	9,[illegible]45	61.0	30	46.8
88 Lymphatic disease, except acute lyphadenitis and mesenteric adenitis	2,111	13.5	9	13.8
89 Transient organic psychotic conditions	173	1.1	2	3.1
90 Chronic organic brain syndrome, except arteriosclerotic dementia	1,520	9.7	9	13.7
91 Arteriosclerotic dementia	0	0.0	0	0.0
92 Alcoholic psychoses	106	0.7	1	0.9
93 Drug psychoses	427	2.7	4	6.5
94 Paranoid schizophrenia	1,193	7.6	26	39.4
95 Acute schizophrenic episode	289	1.8	6	9.4
96 Miscellaneous schizophrenia	2,701	17.3	58	89.1

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
97	Childhood psychosis	132	0.8	3	4.0
98	Major depressive psychoses	613	3.9	10	15.3
99	Other affective psychoses	623	4.0	12	19.1
100	Miscellaneous psychoses	1,091	7.0	17	26.3
101	Anxiety states	1,448	9.3	10	15.4
102	Neurotic depression	3,882	24.8	69	106.1
103	Miscellaneous neuroses and personality disorders	3,169	20.3	41	63.8
104	Alcoholic dependence syndrome	2,059	13.2	26	39.8
105	Opioid dependence	54	0.3	1	1.2
106	Drug dependence except opioid	610	3.9	13	20.7
107	Nondependent abuse of alcohol	1,818	11.6	4	6.3
108	Nondependent abuse of drugs, except alcohol	523	3.3	5	7.3
109	Psychophysiologic disorder	1,348	8.6	6	9.4
110	Adjustment reactions and acute reactions to stress	5,536	35.4	71	108.8
111	Miscellaneous mental disorders	5,285	33.8	73	112.2
112	Mental retardation	532	3.4	6	9.0
113	Inflammatory diseases of central nervous system	4,070	26.0	50	77.4
114	Parkinson's disease	17	0.1	<1	0.3
115	Multiple sclerosis	119	0.8	1	1.6
116	Epilepsy	4,979	31.8	22	34.0
117	Miscellaneous disease of central nervous system	5,507	35.2	38	58.2
118	Migraine	1,966	12.6	7	10.6
119	Carpal tunnel syndrome and other lesions of median nerve	319	2.0	1	1.5
120	Peripheral nervous system disorder, except sciatica	1,691	10.8	10	15.7
121	Retinal detachment and defects	585	3.7	3	4.9

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
122	Open angle and primary closure glaucoma	81	0.5	<1	0.4
123	Other glaucoma	157	1.0	1	0.8
124	Senile cataract	0	0.0	0	0.0
125	Cataract, except senile	800	5.1	2	3.7
126	Strabismus	13,988	89.5	26	40.2
127	Miscellaneous disorders of superficial structures of eye	3,806	24.3	10	14.9
128	Miscellaneous disorders of deep structures of eye	2,936	18.8	13	19.9
129	Other disorders of eye	424	2.7	1	1.9
130	Otitis media, chronic and unspecified	52,415	335.2	107	164.6
131	Other inflammation of ear and mastoid	7,931	50.7	18	28.3
132	Vertiginous syndromes	428	2.7	2	2.8
133	Otosclerosis	191	1.2	1	0.9
134	Miscellaneous diseases of ear	6,318	40.4	14	21.6
135	Rheumatic fever, acute	791	5.1	7	10.4
136	Chronic rheumatic heart disease	223	1.4	1	2.3
137	Essential hypertension	873	5.6	4	6.9
138	Hypertensive heart disease	65	0.4	1	0.8
139	Miscellaneous hypertensive disease	176	1.1	1	2.0
140	Acute myocardial infarction	159	1.0	2	3.1
141	Angina pectoris	108	0.7	1	0.9
142	Other acute and subacute forms of ischemic heart disease	59	0.4	<1	0.7
143	Miscellaneous ischemic heart disease	279	1.8	2	3.0
144	Pulmonary embolism and infarction	180	1.2	2	3.2
145	Acute and subacute endocarditis	81	0.5	2	3.1

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
146	Paroxysmal supraventricular tachycardia	322	2.1	1	1.7
147	Atrial fibrillation and flutter	137	0.9	1	1.0
148	Other arrhythmia and conduction disorders	841	5.4	4	6.2
149	Heart failure	585	3.7	5	7.8
150	Miscellaneous diseases of heart	1,302	8.3	8	11.9
151	Cardiovascular disease, unspecified	21	0.1	<1	0.3
152	Subarachnoid hemorrhage without paralysis	67	0.4	1	1.5
153	Subarachnoid hemorrhage with paralysis	3	0.0	<1	0.1
154	Intracerebral hemorrhage without paralysis	138	0.9	2	3.1
155	Intracerebral hemorrhage with paralysis	2	0.0	<1	0.0
156	Precerebral artery occlusion without paralysis	30	0.2	<1	0.4
157	Precerebral occlusion with paralysis	2	0.0	<1	0.1
158	Occlusion of cerebral arteries, thrombosis and embolism without paralysis	63	0.4	1	1.0
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	14	0.1	<1	0.5
160	Transient cerebral ischemia without paralysis	101	0.6	1	0.9
161	Acute, but ill-defined, cerebrovascular disease without paralysis	124	0.8	1	1.7
162	Acute, but ill-defined, cerebrovascular disease with paralysis	36	0.2	1	0.9

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
163	Other and ill-defined cerebrovascular disease	150	1.0	1	2.1
164	Atherosclerosis	43	0.3	1	0.9
165	Aortic aneurysm	17	0.1	<1	0.4
166	Aneurysm except aortic	57	0.4	1	0.8
167	Arterial embolism and thrombosis	67	0.4	1	1.1
168	Miscellaneous diseases of arteries	582	3.7	4	6.5
169	Phlebitis and thrombophlebitis	856	5.5	7	11.2
170	Varicose veins of lower extremities	246	1.6	1	1.7
171	Hemorrhoids	744	4.8	3	5.3
172	Miscellaneous diseases of veins and circulatory system	1,286	8.2	6	8.9
173	Acute URI except streptococcal	58,592	374.7	195	300.3
174	Bronchitis and bronchiolitis, acute	37,836	242.0	168	259.4
175	Deviated nasal septum	8,034	51.4	22	34.4
176	Nasal polyp	582	3.7	2	2.4
177	Chronic disease of tonsils and adenoids	153,975	984.7	286	441.6
178	Miscellaneous diseases of upper respiratory system	9,026	57.7	29	45.0
179	Pneumonia	76,074	486.5	409	631.5
180	Influenza	3,252	20.8	11	17.7
181	Bronchitis, chronic and unspecified	13,991	89.5	59	91.4
182	Emphysema	72	0.5	1	0.8
183	Asthma	36,978	236.5	152	234.1
184	Miscellaneous obstructive lung diseases	462	3.0	3	4.3
185	Spontaneous pneumothorax	1,219	7.8	8	12.3
186	Miscellaneous lung and pleural diseases	4,976	31.8	28	42.7

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
187	Disease of teeth and jaws	25,996	166.3	53	82.0
188	Disease of mouth, except dental	2,415	15.4	8	12.9
189	Diseases of esophagus	2,091	13.4	12	18.0
190	Gastric ulcer without complication	283	1.8	2	2.4
191	Gastric ulcer with hemorrhage or perforation	167	1.1	1	1.6
192	Nongastric peptic ulcer without complication	1,920	12.3	10	15.1
193	Nongastric peptic ulcer with hemorrhage or perforation	507	3.2	3	5.0
194	Peptic ulcer with obstruction	53	0.3	<1	0.7
195	Gastritis and duodenitis	9,308	59.5	34	52.5
196	Disease of stomach and duodenum, except ulcer and inflammation	3,023	19.3	12	18.7
197	Acute appendicitis without peritonitis	27,826	178.0	117	180.1
198	Acute appendicitis with peritonitis	7,429	47.5	64	98.6
199	Disease of appendix, except acute appendicitis	5,221	33.4	23	36.2
200	Inguinal hernia without complication	31,964	204.4	78	120.9
201	Inguinal hernia, complicated	2,158	13.8	6	8.7
202	Umbilical hernia without complication	4,888	31.3	12	18.7
203	Ventral hernia without complication	953	6.1	3	4.5
204	Diaphragmatic hernia without complication	258	1.6	2	2.5
205	Other hernia of abdominal cavity without complication	262	1.7	1	1.5
206	Complicated hernia of abdominal cavity, except inguinal	397	2.5	2	2.5

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
207	Intestinal obstruction without mention of hernia	2,298	14.7	15	23.0
208	Noninfectious gastroenteritis and colitis	60,895	389.4	237	365.4
209	Diverticula of intestine	138	0.9	1	1.7
210	Anal fissure, fistula, and abscess	1,761	11.3	7	10.6
211	Miscellaneous diseases of intestine and peritoneum	11,179	71.5	59	91.7
212	Alcoholic liver disease	30	0.2	<1	0.6
213	Other cirrhosis and chronic liver disease	301	1.9	2	3.0
214	Miscellaneous diseases of liver	836	5.3	6	8.7
215	Gallbladder disease with calculus	2,499	16.0	19	29.4
216	Gallbladder disease without mention of calculus	910	5.8	6	8.7
217	Diseases of bile ducts with calculus	133	0.9	1	1.7
218	Diseases of bile ducts without mention of calculus	144	0.7	1	1.7
219	Diseases of pancreas	819	5.2	6	9.6
220	Gastrointestinal hemorrhage	1,506	9.6	7	10.4
221	Intestinal malabsorption	875	5.6	5	8.2
222	Chronic glomerulonephritis and nephrotic syndrome	1,383	8.8	10	15.6
223	Miscellaneous nephritis and functional disorders	721	4.6	5	7.2
224	Chronic renal failure	495	3.2	5	7.4
225	Other renal failure	159	1.0	1	2.2
226	Acute pyelonephritis	3,004	19.2	14	22.1
227	Miscellaneous kidney infections	3,387	21.7	16	24.8
228	Calculus of kidney	730	4.7	4	5.7
229	Calculus of ureter	1,934	12.4	8	12.2
230	Miscellaneous diseases of kidney and ureter	4,904	31.4	30	47.0

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
231	Urinary calculus, except kidney and ureter	282	1.8	1	1.8
232	Cystitis	5,465	35.0	17	26.7
233	Urethral stricture	10,815	69.2	23	34.8
234	Miscellaneous urinary diseases	18,597	118.9	65	100.8
235	Hyperplasia of prostate	129	0.8	1	1.4
236	Diseases of prostate, except hypertrophy	443	2.8	1	2.1
237	Hydrocele	3,327	21.3	9	13.7
238	Orchitis and epididymitis	1,417	9.1	7	10.1
239	Redundant prepuce and phimosis	9,295	59.4	18	27.7
240	Miscellaneous diseases of male genital organs	4,443	28.4	12	19.1
241	Benign mammary dysplasia	1,366	8.7	3	4.8
242	Miscellaneous diseases of breast	2,779	17.8	9	13.5
243	Ovarian cyst	5,800	37.1	27	41.2
244	Pelvic inflammatory disease	11,012	70.4	58	88.8
245	Endometriosis	722	4.6	3	4.5
246	Inflammatory disease of cervix uteri	451	2.9	1	2.1
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	2,116	13.5	7	11.1
248	Genital prolapse	112	0.7	1	1.1
249	Metrorrhagia	258	1.6	1	1.0
250	Other disorders of menstruation	5,827	37.3	15	23.6
251	Menopausal and postmenopausal disorders	19	0.1	<1	0.1
252	Miscellaneous diseases of female genitalia	2,632	16.8	9	13.1
253	Signs and symptoms referable to female genital organs	3,630	23.2	10	16.2
254	Ectopic pregnancy	971	6.2	5	8.3
255	Legally induced abortion	12,132	77.6	18	28.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
256	Other induced abortion	23	0.1	<1	0.1
257	Spontaneous and unspecified abortion	13,509	86.4	25	39.2
258	Other pregnancy with abortive outcome	1,498	9.6	4	6.9
259	Threatened abortion	1,948	12.5	5	7.8
260	Other early pregnancy hemorrhage	148	0.9	<1	0.5
261	Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	1,633	10.4	7	10.0
262	Excessive vomiting in pregnancy	1,799	11.5	6	10.0
263	False labor	11,214	71.7	15	22.5
264	Placenta previa without delivery	321	2.1	1	1.7
265	Other antepartum hemorrhage without delivery	919	5.9	2	3.2
266	Infections of pregnancy without delivery	2,583	16.5	9	14.2
267	Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	1,051	6.7	5	7.2
268	Miscellaneous complications of pregnancy without delivery	3,558	22.8	10	16.1
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	1,057	6.8	5	8.3
288	Major puerperal infections	459	2.9	2	3.3
289	Puerperal hemorrhage (after 24 hrs.)	659	4.2	2	2.4
290	Other puerperal complications	447	2.9	2	3.0

Table 1 (Continued)

	Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
291	Cellulitis and abscess, except digit	9,200	58.8	48	73.6
292	Miscellaneous infections of skin and subcutaneous tissue	4,302	27.5	20	31.5
293	Pilonidal cyst	6,087	38.9	26	39.9
294	Sebaceous cyst	1,584	10.1	3	4.4
295	Miscellaneous diseases of skin and subcutaneous tissue	12,231	78.2	50	77.4
296	Diffuse diseases of connective tissue	514	3.3	5	7.2
297	Rheumatoid arthritis, except spine	1,172	7.5	9	13.3
298	Osteoarthrosis (osteoarthritis), except spine	216	1.4	1	2.2
299	Other arthropathies	1,728	11.1	17	26.0
300	Internal derangement of knee joint	9,758	62.4	41	63.3
301	Other disorders of joint	9,330	59.7	42	64.3
302	Ankylosing spondylitis	29	0.2	<1	0.4
303	Spondylosis and allied disorders	107	0.7	1	1.4
304	Derangement and displacement of lumbar disc	1,186	7.6	11	17.1
305	Derangement and displacement of intervertebral disc, except lumbar	249	1.6	2	3.1
306	Sacroiliac joint disorder	282	1.8	2	3.2
307	Sciatica	94	0.6	1	1.1
308	Other dorsopathies	2,233	14.3	12	18.8
309	Bursitis and synovitis, except spine	3,454	22.1	13	20.0
310	Bunion and deformities of toe	2,528	16.2	10	16.0
311	Ganglion and cyst	4,766	30.5	10	16.0
312	Osteomyelitis	1,595	10.2	26	40.5
313	Localized disorders of bone and cartilage	7,504	48.0	42	64.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
314	Acquired deformities of limbs, except toe	2,107	13.5	10	14.8
315	Neuralgia, neuritis, and radiculitis, unspecified	61	0.4	<1	0.5
316	Miscellaneous disorders of musculoskeletal system	6,890	44.1	34	52.3
317	Somatic dysfunction	78	0.5	<1	0.6
318	Congenital anomaly of nervous system	1,503	9.6	13	19.8
319	Congenital anomaly of eye, ear, face, and neck	4,679	29.9	11	16.5
320	Congenital anomaly of heart and circulatory system	5,681	36.3	33	51.1
321	Cleft palate and lip	2,684	17.2	11	17.6
322	Congenital hypertrophic pyloric stenosis	2,140	13.7	10	15.0
323	Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	3,162	20.2	18	27.3
324	Undescended testicle	6,426	41.1	21	32.9
325	Miscellaneous congenital anomalies of genitourinary system	5,457	34.9	27	42.3
326	Clubfoot	2,660	17.0	11	17.5
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	10,410	66.6	51	78.5
328	Perinatal conditions causing morbidity and mortality	11,266	72.0	75	115.3
329	Convulsions	18,205	116.4	68	104.5
330	Pyrexia of unknown origin	7,454	47.7	29	44.1
331	Headache	3,719	23.8	14	21.4
332	Epistaxis	989	6.3	3	4.3

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
333 Signs and symptoms referable to the cardiovascular system, except gangrene	2,131	13.6	6	9.7
334 Gangrene	252	1.6	2	2.5
335 Chest pain	1,190	7.6	4	6.5
336 Other signs and symptoms referable to respiratory system and chest	2,240	14.3	9	14.6
337 Signs and symptoms referable to urinary system	3,583	22.9	9	13.3
338 Abdominal pain	20,485	131.0	65	100.4
339 Other signs and symptoms referable to upper GI tract and abdomen	3,616	23.1	14	21.4
340 Miscellaneous signs, symptoms, and ill-defined conditions	17,452	111.6	82	127.2
341 Fracture of vault of skull	4,733	30.3	24	36.4
342 Fracture of base of skull	2,433	15.6	14	21.3
343 Fracture of face bones	10,175	65.1	33	51.0
344 Fracture of vertebral column without mention of spinal cord injury	3,075	19.7	26	40.5
345 Fracture of vertebral column with cord injury	285	1.8	7	11.1
346 Fracture of ribs, sternum, larynx and trachea	888	5.7	5	7.5
347 Fracture of pelvis	1,861	11.9	22	34.4
348 Fracture of humerus	7,837	50.1	43	67.1
349 Fracture of radius and ulna	13,981	89.4	36	55.5
350 Miscellaneous fractures of upper extremity	5,116	32.7	13	20.8
351 Fracture of neck of femur	1,349	8.6	24	36.6
352 Other femoral fracture	7,696	49.2	163	251.7
353 Fracture of tibia and fibula	8,789	56.2	53	81.7
354 Miscellaneous fractures of lower extremity	8,728	55.8	43	67.0
355 Fracture of other bones	1,537	9.8	6	9.8

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
356	Fracture of multiple bones	230	1.5	2	3.0
357	Dislocation of shoulder	1,118	7.1	4	5.8
358	Dislocation of knee	8,667	55.4	41	62.9
359	Other dislocation	2,512	16.1	14	21.7
360	Sprains and strains of knee and leg	3,198	20.5	14	22.1
361	Sprains and strains of sacroiliac region	1,677	10.7	10	15.4
362	Sprains and strains of other and unspecified parts of back	3,455	22.1	15	23.2
363	Other sprains and strains	2,421	15.5	8	11.8
364	Concussion	31,258	199.9	80	122.7
365	Intracranial injury, except concussion	9,271	59.3	47	73.2
366	Internal injury to thoracic region	1,094	7.0	8	12.4
367	Internal injury, except chest	5,134	32.8	39	59.4
368	Laceration or enucleation of eye	2,556	16.3	9	14.6
369	Other laceration of head and neck	7,677	49.1	24	36.3
370	Other laceration of trunk and multiple and unspecified sites	3,276	21.0	16	24.1
371	Open wound of upper limb	9,762	62.4	29	45.1
372	Open wound of lower limb	6,071	38.8	32	49.9
373	Injury to blood vessels	480	3.1	3	5.1
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	3,531	22.6	17	26.5
375	Contusion of eye and adnexa	2,925	18.7	13	20.2
376	Other superficial injuries	13,704	87.6	38	59.1

Table 1 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
377	Miscellaneous crushing injury	1,099	7.0	7	10.1
378	Foreign body on external eye	183	1.2	<1	0.6
379	Foreign body entering through other body orifice	4,426	28.3	9	14.1
380	Third degree burns	1,912	12.2	29	45.0
381	Other burns	6,442	41.2	48	73.9
382	Injury to nerve and spinal cord	1,381	8.8	6	8.7
383	Certain traumatic complications and unspecified injuries	3,757	24.0	16	25.0
384	Poisoning by drugs, medicinal, and biological substances	16,005	102.4	48	73.9
385	Toxic effects of substances chiefly nonmedicinal as to source	6,547	41.9	17	26.2
386	Miscellaneous adverse effects	3,884	24.8	15	23.4
387	Complications peculiar to certain specified procedures	3,043	19.5	22	33.2
388	Hemorrhage or hematoma complicating a procedure	2,570	16.4	6	8.7
389	Postoperative wound infection	1,280	8.2	9	13.8
390	Other complications of surgical procedures	1,118	7.1	6	8.9
391	Other complications of medical care, except drugs	284	1.8	1	1.5
392	Admission for prophylactic sterilization	533	3.4	1	2.0
396	Aftercare for removal of internal fixation device	4,503	28.8	13	20.8
397	Aftercare involving intermittent dialysis	188	1.2	<1	0.6

Table 1 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (Excluding Deliveries and Newborn) (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
398 Admission for special examinations and miscellaneous reasons	16,779	107.3	57	87.9
All patients except deliveries and newborn	1,563,658	10,000.0	6,481	10,000.0

Tables 2 and 3 display frequency rankings of U.S. pediatric patients and total stay according to diagnosis group. Excluded are patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer. Delivery and newborn groups are excluded, as are groups containing no pediatric patients.

Table 2

Ranking of *ICD-9-CM* List A Diagnosis Groups by Live Pediatric Discharges U.S. PAS Hospitals, 1979

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
177	Chronic disease of tonsils and adenoids	153,975	1
179	Pneumonia	76,074	2
208	Noninfectious gastroenteritis and colitis	60,895	3
173	Acute URI except streptococcal	58,592	4
130	Otitis media, chronic and unspecified	52,415	5
174	Bronchitis and bronchiolitis, acute	37,836	6
183	Asthma	36,978	7
200	Inguinal hernia without complication	31,964	8
364	Concussion	31,258	9
197	Acute appendicitis without peritonitis	27,826	10
187	Disease of teeth and jaws	25,996	11
1	Intestinal infectious disease	21,462	12
338	Abdominal pain	20,485	13
234	Miscellaneous urinary diseases	18,597	14
329	Convulsions	18,205	15
340	Miscellaneous signs, symptoms, and ill-defined conditions	17,452	16
398	Admission for special examinations and miscellaneous reasons	16,779	17
384	Poisoning by drugs, medicinal, and biological substances	16,005	18
181	Bronchitis, chronic and unspecified	13,991	19
126	Strabismus	13,988	20
349	Fracture of radius and ulna	13,981	21
376	Other superficial injuries	13,704	22
257	Spontaneous and unspecified abortion	13,509	23
12	Miscellaneous viral diseases	12,900	24
295	Miscellaneous diseases of skin and subcutaneous tissue	12,231	25
255	Legally induced abortion	12,132	26

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
328	Perinatal conditions causing morbidity and mortality	11,266	27
263	False labor	11,214	28
211	Miscellaneous diseases of intestine and peritoneum	11,179	29
244	Pelvic inflammatory disease	11,012	30
233	Urethral stricture	10,815	31
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	10,410	32
343	Fracture of face bones	10,175	33
371	Open wound of upper limb	9,762	34
300	Internal derangement of knee joint	9,758	35
87	Nonspecific mesenteric lymphadenitis	9,545	36
301	Other disorders of joint	9,330	37
195	Gastritis and duodenitis	9,308	38
239	Redundant prepuce and phimosis	9,295	39
365	Intracranial injury, except concussion	9,271	40
291	Cellulitis and abscess, except digit	9,200	41
178	Miscellaneous diseases of upper respiratory system	9,026	42
353	Fracture of tibia and fibula	8,789	43
354	Miscellaneous fractures of lower extremity	8,728	44
358	Dislocation of knee	8,667	45
175	Deviated nasal septum	8,034	46
131	Other inflammation of ear and mastoid	7,931	47
348	Fracture of humerus	7,837	48
352	Other femoral fracture	7,696	49
369	Other laceration of head and neck	7,677	50
313	Localized disorders of bone and cartilage	7,504	51
330	Pyrexia of unknown origin	7,454	52
198	Acute appendicitis with peritonitis	7,429	53
316	Miscellaneous disorders of musculoskeletal system	6,890	54
385	Toxic effects of substances chiefly non-medicinal as to source	6,547	55
381	Other burns	6,442	56
324	Undescended testicle	6,426	57
134	Miscellaneous diseases of ear	6,318	58
293	Pilonidal cyst	6,087	59
372	Open wound of lower limb	6,071	60

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
10	Infectious mononucleosis	6,027	61
250	Other disorders of menstruation	5,827	62
243	Ovarian cyst	5,800	63
320	Congenital anomaly of heart and circulatory system	5,681	64
110	Adjustment reactions and acute reactions to stress	5,536	65
117	Miscellaneous disease of central nervous system	5,507	66
232	Cystitis	5,465	67
325	Miscellaneous congenital anomalies of genitourinary system	5,457	68
111	Miscellaneous mental disorders	5,285	69
199	Disease of appendix, except acute appendicitis	5,221	70
367	Internal injury, except chest	5,134	71
350	Miscellaneous fractures of upper extremity	5,116	72
116	Epilepsy	4,979	73
186	Miscellaneous lung and pleural diseases	4,976	74
230	Miscellaneous diseases of kidney and ureter	4,904	75
202	Umbilical hernia without complication	4,888	76
8	Viral diseases with exanthem	4,815	77
311	Ganglion and cyst	4,766	78
341	Fracture of vault of skull	4,733	79
72	Diabetic acidosis or coma	4,719	80
319	Congenital anomaly of eye, ear, face, and neck	4,679	81
7	Poliomyelitis and other enteroviral diseases of central nervous system	4,611	82
396	Aftercare for removal of internal fixation device	4,503	83
240	Miscellaneous diseases of male genital organs	4,443	84
379	Foreign body entering through other body Orifice	4,426	85
71	Diabetes mellitus without complication	4,320	86
292	Miscellaneous infections of skin and subcutaneous tissue	4,302	87
54	Benign neoplasm of skin, blood vessels, and miscellaneous sites	4,230	88
113	Inflammatory diseases of central nervous system	4,070	89
53	Benign neoplasm of bone, muscle, and connective tissue	4,022	90

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
386	Miscellaneous adverse effects	3,884	91
102	Neurotic depression	3,882	92
4	Streptococcal sore throat and scarlet fever	3,847	93
127	Miscellaneous disorders of superficial structures of eye	3,806	94
383	Certain traumatic complications and unspecified injuries	3,757	95
331	Headache	3,719	96
253	Signs and symptoms referable to female genital organs	3,630	97
339	Other signs and symptoms referable to upper GI tract and abdomen	3,616	98
337	Signs and symptoms referable to urinary system	3,583	99
268	Miscellaneous complications of pregnancy without delivery	3,558	100
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	3,531	101
362	Sprains and strains of other and unspecified parts of back	3,455	102
309	Bursitis and synovitis, except spine	3,454	103
227	Miscellaneous kidney infections	3,387	104
237	Hydrocele	3,327	105
370	Other laceration of trunk and multiple and unspecified sites	3,276	106
180	Influenza	3,252	107
360	Sprains and strains of knee and leg	3,198	108
103	Miscellaneous neuroses and personality disorders	3,169	109
323	Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	3,162	110
344	Fracture of vertebral column without mention of spinal cord injury	3,075	111
387	Complications peculiar to certain specified procedures	3,043	112
196	Disease of stomach and duodenum, except ulcer and inflammation	3,023	113
226	Acute pyelonephritis	3,004	114
128	Miscellaneous disorders of deep structures of eye	2,936	115

Table 2 (Continued)

Diagnosis Group Number and Title (1)	Number of Patients (2)	Rank (3)
375 Contusion of eye and adnexa	2,925	116
81 Disorders of fluid, electrolyte, and acid-base balance	2,870	117
242 Miscellaneous diseases of breast	2,779	118
55 Benign neoplasm of breast	2,772	119
86 Disease of hematopoietic system, except anemia and hemophilia	2,706	120
96 Miscellaneous schizophrenia	2,701	121
321 Cleft palate and lip	2,684	122
326 Clubfoot	2,660	123
252 Miscellaneous diseases of female genitalia	2,632	124
266 Infections of pregnancy without delivery	2,583	125
388 Hemorrhage or hematoma complicating a procedure	2,570	126
368 Laceration or enucleation of eye	2,556	127
310 Bunion and deformities of toe	2,528	128
359 Other dislocation	2,512	129
215 Gallbladder disease with calculus	2,499	130
342 Fracture of base of skull	2,433	131
363 Other sprains and strains	2,421	132
188 Disease of mouth, except dental	2,415	133
83 Sickle-cell anemia and trait	2,309	134
5 Septicemia	2,303	135
207 Intestinal obstruction without mention of hernia	2,298	136
336 Other signs and symptoms referable to respiratory system and chest	2,240	137
11 Viral warts	2,233	138
308 Other dorsopathies	2,233	139
201 Inguinal hernia, complicated	2,158	140
322 Congenital hypertrophic pyloric stenosis	2,140	141
333 Signs and symptoms referable to the cardiovascular system, except gangrene	2,131	142
247 Inflammatory disease of vulva, vagina, and uterus, except cervix	2,116	143
88 Lymphatic disease, except acute lyphadenitis and mesenteric adenitis	2,111	144
314 Acquired deformities of limbs, except toe	2,107	145
189 Diseases of esophagus	2,091	146
84 Anemia except iron deficiency and sickle-cell	2,081	147
104 Alcoholic dependence syndrome	2,059	148

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
118	Migraine	1,966	149
259	Threatened abortion	1,948	150
229	Calculus of ureter	1,934	151
192	Nongastric peptic ulcer without complications	1,920	152
380	Third degree burns	1,912	153
75	Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	1,876	154
347	Fracture of pelvis	1,861	155
107	Nondependent abuse of alcohol	1,818	156
262	Excessive vomiting in pregnancy	1,799	157
6	Miscellaneous bacterial diseases	1,767	158
9	Viral hepatitis	1,763	159
210	Anal fissure, fistula, and abscess	1,761	160
299	Other arthropathies	1,728	161
120	Peripheral nervous system disorder, except sciatica	1,691	162
361	Sprains and strains of sacroiliac region	1,677	163
261	Hypertension complicating pregnancy, childbirth and the puerperium not delivered this admission	1,633	164
312	Osteomyelitis	1,595	165
294	Sebaceous cyst	1,584	166
355	Fracture of other bones	1,537	167
90	Chronic organic brain syndrome, except arteriosclerotic dementia	1,520	168
220	Gastrointestinal hemorrhage	1,506	169
318	Congenital anomaly of nervous system	1,503	170
258	Other pregnancy with abortive outcome	1,498	171
101	Anxiety states	1,448	172
238	Orchitis and epididymitis	1,417	173
79	Miscellaneous metabolic disorders	1,403	174
68	Neoplasms of uncertain behavior and unspecified nature	1,392	175
222	Chronic glomerolonephritis and nephrotic syndrome	1,383	176
382	Injury to nerve and spinal cord	1,381	177
241	Benign mammary dysplasia	1,366	178
351	Fracture of neck of femur	1,349	179
109	Psychophysiologic disorder	1,348	180
73	Other complicated diabetes mellitus	1,312	181
150	Miscellaneous diseases of heart	1,302	182

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
172	Miscellaneous diseases of veins and circulatory system	1,286	183
389	Postoperative wound infection	1,280	184
185	Spontaneous pneumothorax	1,219	185
94	Paranoid schizophrenia	1,193	186
335	Chest pain	1,190	187
304	Derangement and displacement of lumbar disc	1,186	188
297	Rheumatoid arthritis, except spine	1,172	189
14	Syphilis and other venereal diseases	1,140	190
47	Lymphoid leukemia	1,127	191
357	Dislocation of shoulder	1,118	192
390	Other complications of surgical procedures	1,118	193
377	Miscellaneous crushing injury	1,099	194
366	Internal injury to thoracic region	1,094	195
100	Miscellaneous psychoses	1,091	196
269	Maternal conditions classifiable elsewhere but complicating pregnancy with delivery	1,057	197
267	Maternal conditions classifiable elsewhere but complicating pregnancy without delivery	1,051	198
58	Benign neoplasm of ovary	1,011	199
332	Epistaxis	989	200
82	Iron deficiency anemia	983	201
254	Ectopic pregnancy	971	202
203	Ventral hernia without complication	953	203
70	Other diseases of thyroid gland	950	204
265	Other antepartum hemorrhage without delivery	919	205
216	Gallbladder disease without mention of calculus	910	206
346	Fracture of ribs, sternum, larynx and trachea	888	207
77	Cystic fibrosis	879	208
221	Intestinal malabsorption	875	209
137	Essential hypertension	873	210
29	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	869	211
169	Phlebitis and thrombophlebitis	856	212
148	Other arrhythmia and conduction disorders	841	213
214	Miscellaneous diseases of liver	836	214
219	Diseases of pancreas	819	215
125	Cataract, except senile	800	216
135	Rheumatic fever, acute	791	217
171	Hemorrhoids	744	218

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
228	Calculus of kidney	730	219
245	Endometriosis	722	220
223	Miscellaneous nephritis and functional disorders	721	221
46	Hodgkin's disease	698	222
289	Puerperal hemorrhage (after 24 hours)	659	223
99	Other affective psychoses	623	224
98	Major depressive psychoses	613	225
106	Drug dependence except opioid	610	226
42	Malignant neoplasm of brain	591	227
121	Retinal detachment and defects	585	228
149	Heart failure	585	229
52	Benign neoplasm of respiratory system and intrathoracic organs	584	230
168	Miscellaneous diseases of arteries	582	231
176	Nasal polyp	582	232
13	Rickettsioses and other arthropod-borne diseases	572	233
15	Mycoses	563	234
17	Miscellaneous infective and parasitic diseases	561	235
48	Leukemia, except lymphoid	548	236
392	Admission for prophylactic sterilization	533	237
112	Mental retardation	532	238
108	Nondependent abuse of drugs, except alcohol	523	239
296	Diffuse diseases of connective tissue	514	240
193	Nongastric peptic ulcer with hemorrhage or perforation	507	241
224	Chronic renal failure	495	242
74	Ovarian dysfunction	494	243
373	Injury to blood vessels	480	244
78	Obesity of nonendocrine origin	462	245
184	Miscellaneous obstructive lung diseases	462	246
288	Major puerperal infections	459	247
49	Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	456	248
246	Inflammatory disease of cervix uteri	451	249
290	Other puerperal complications	447	250
236	Diseases of prostate, except hypertrophy	443	251
51	Benign neoplasm of other parts of digestive system	432	252
132	Vertiginous syndromes	428	253
93	Drug psychoses	427	254
129	Other disorders of eye	424	255

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
45	Malignant neoplasm of ill-defined and secondary sites	419	256
206	Complicated hernia of abdominal cavity, except inguinal	397	257
44	Malignant neoplasm of endocrine glands	358	258
50	Benign neoplasm of lip, oral cavity, and pharynx	358	259
85	Hemophilia (congenital factor VIII disorder)	337	260
146	Paroxysmal supraventricular tachycardia	322	261
264	Placenta previa without delivery	321	262
119	Carpal tunnel syndrome and other lesions of median nerve	319	263
16	Helminthiases	310	264
76	Nutritional deficiencies	302	265
213	Other cirrhosis and chronic liver disease	301	266
95	Acute schizophrenic episode	289	267
64	Benign neoplasm of thyroid glands	288	268
345	Fracture of vertebral column with cord injury	285	269
391	Other complications of medical care, except drugs	284	270
190	Gastric ulcer without complication	283	271
231	Urinary calculus, except kidney and ureter	282	272
306	Sacroiliac joint disorder	282	273
143	Miscellaneous ischemic heart disease	279	274
69	Simple and non-toxic nodular goiter	262	275
205	Other hernia of abdominal cavity without complication	262	276
204	Diaphragmatic hernia without complication	258	277
249	Metrorrhagia	258	278
334	Gangrene	252	279
305	Derangement and displacement of intervertebral disc, except lumbar	249	280
170	Varicose veins of lower extremities	246	281
356	Fracture of multiple bones	230	282
62	Benign neoplasm of eye	225	283
136	Chronic rheumatic heart disease	223	284
298	Osteoarthrosis (osteoarthritis), except spine	216	285
40	Malignant neoplasm of kidney and other urinary organs	195	286
2	Respiratory tuberculosis	192	287
38	Malignant neoplasm of male genitalia, except prostrate	191	288

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
133	Otosclerosis	191	289
397	Aftercare involving intermittent dialysis	188	290
378	Foreign body on external eye	183	291
144	Pulmonary embolism and infarction	180	292
139	Miscellaneous hypertensive disease	176	293
89	Transient organic psychotic conditions	173	294
191	Gastric ulcer with hemorrhage or perforation	167	295
140	Acute myocardial infarction	159	296
225	Other renal failure	159	297
123	Other glaucoma	157	298
66	Carcinoma in situ of cervix	150	299
163	Other and ill-defined cerebrovascular disease	150	300
260	Other early pregnancy hemorrhage	148	301
154	Intracerebral hemorrhage without paralysis	138	302
209	Diverticula of intestine	138	303
147	Atrial fibrillation and flutter	137	304
217	Diseases of bile ducts with calculus	133	305
41	Malignant neoplasm of eye	132	306
97	Childhood psychosis	132	307
235	Hyperplasia of prostrate	129	308
35	Malignant neoplasm of ovary	127	309
161	Acute, but ill-defined, cerebrovascular disease without paralysis	124	310
115	Multiple sclerosis	119	311
218	Diseases of bile ducts without mention of calculus	114	312
248	Genital prolapse	112	313
141	Angina pectoris	108	314
63	Benign neoplasm of central nervous system	107	315
303	Spondylosis and allied disorders	107	316
92	Alcoholic psychoses	106	317
3	Nonrespiratory tuberculosis	101	318
160	Transient cerebral ischemia without paralysis	101	319
19	Malignant neoplasm of lip, oral cavity, and pharynx	98	320
307	Sciatica	94	321
43	Malignant neoplasm of other parts of nervous system	91	322
28	Other malignant neoplasm of respiratory system and thoracic cavity	90	323
56	Uterine leiomyoma	86	324

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
27	Malignant neoplasm of bronchus, lung, and trachea	82	325
25	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	81	326
122	Open angle and primary closure glaucoma	81	327
145	Acute and subacute endocarditis	81	328
317	Somatic dysfunction	78	329
31	Other malignant neoplasm of skin, excluding genital organs	75	330
32	Malignant neoplasm of breast (female) (male)	74	331
67	Carcinoma in situ, except cervix uteri	73	332
59	Benign neoplasm of female genitalia, except uterus and ovary	72	333
182	Emphysema	72	334
152	Subarachnoid hemorrhage without paralysis	67	335
167	Arterial embolism and thrombosis	67	336
138	Hyptertensive heart disease	65	337
158	Occlusion of cerebral arteries, thrombosis and embolism without paralysis	63	338
65	Benign neoplasm of endocrine glands, except thyroid	61	339
315	Neuralgia, neuritis, and radiculitis, unspecified	61	340
60	Benign neoplasm of male genital organ	60	341
142	Other acute and subacute forms of ischemic heart disease	59	342
23	Malignant neoplasm of colon	57	343
166	Aneurysm except aortic	57	344
105	Opioid dependence	54	345
30	Malignant melanoma of skin, excluding genital organs	53	346
194	Peptic ulcer with obstruction	53	347
39	Malignant neoplasm of bladder	50	348
164	Atherosclerosis	43	349
37	Malignant neoplasm of prostate	42	350
36	Malignant neoplasm of other female genital organs	41	351
18	Late effects of infectious and parasitic diseases	36	352
33	Malignant neoplasm of cervix uteri excluding carcinoma in situ	36	353
162	Acute, but ill-defined, cerebrovascular disease with paralysis	36	354
61	Benign neoplasm of urinary organ	31	355

Table 2 (Continued)

Diagnosis Group Number and Title (1)		Number of Patients (2)	Rank (3)
34	Malignant neoplasm of corpus uteri	30	356
156	Precerebral artery occlusion without paralysis	30	357
212	Alcoholic liver disease	30	358
302	Ankylosing spondylitis	29	359
24	Malignant neoplasm of rectum, rectosigmoid junction and anus	28	360
80	Gout	28	361
256	Other induced abortion	23	362
151	Cardiovascular disease, unspecified	21	363
57	Benign neoplasm of uterus, except leiomyoma	19	364
251	Menopausal and postmenopausal disorders	19	365
21	Malignant neoplasm of stomach	17	366
114	Parkinson's disease	17	367
165	Aortic aneurysm	17	368
26	Malignant neoplasm of pancreas	14	369
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	14	370
20	Malignant neoplasm of esophagus	4	371
153	Subarachnoid hemorrhage with paralysis	3	372
155	Intracerebral hemorrhage with paralysis	2	373
157	Precerebral occlusion with paralysis	2	374
22	Malignant neoplasm of small intestine	1	375
	All patients except deliveries and newborn	1,563,658	

Table 3

Ranking of *ICD-9-CM* List A Diagnosis Groups by Days of Care
Pediatric Patients
U.S. PAS Hospitals, 1979

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
179	Pneumonia	409	1
177	Chronic disease of tonsils and adenoids	286	2
208	Noninfectious gastroenteritis and colitis	237	3
173	Acute URI except streptococcal	195	4
174	Bronchitis and bronchiolitis, acute	168	5
352	Other femoral fracture	163	6
183	Asthma	152	7
197	Acute appendicitis without peritonitis	117	8
130	Otitis media, chronic and unspecified	107	9
1	Intestinal infectious disease	85	10
340	Miscellaneous signs, symptoms, and ill-defined conditions	82	11
364	Concussion	80	12
200	Inguinal hernia without complication	78	13
328	Perinatal conditions causing morbidity and mortality	75	14
111	Miscellaneous mental disorders	73	15
110	Adjustment reactions and acute reactions to stress	71	16
102	Neurotic depression	69	17
329	Convulsions	68	18
234	Miscellaneous urinary diseases	65	19
338	Abdominal pain	65	20
198	Acute appendicitis with peritonitis	64	21
211	Miscellaneous diseases of intestine and peritoneum	59	22
181	Bronchitis, chronic and unspecified	59	23
96	Miscellaneous schizophrenia	58	24
244	Pelvic inflammatory disease	58	25
398	Admission for special examinations and miscellaneous reasons	57	26

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
187	Disease of teeth and jaws	53	27
353	Fracture of tibia and fibula	53	28
327	Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies	51	29
113	Inflammatory diseases of central nervous system	50	30
295	Miscellaneous diseases of skin and subcutaneous tissue	50	31
384	Poisoning by drugs, medicinal, and biological substances	48	32
381	Other burns	48	33
291	Cellulitis and abscess, except digit	48	34
365	Intracranial injury, except concussion	47	35
12	Miscellaneous viral diseases	46	36
348	Fracture of humerus	43	37
354	Miscellaneous fractures of lower extremity	43	38
313	Localized disorders of bone and cartilage	42	39
301	Other disorders of joint	42	40
103	Miscellaneous neuroses and personality disorders	41	41
300	Internal derangement of knee joint	41	42
358	Dislocation of knee	41	43
367	Internal injury, except chest	39	44
376	Other superficial injuries	38	45
117	Miscellaneous disease of central nervous system	38	46
349	Fracture of radius and ulna	36	47
195	Gastritis and duodenitis	34	48
316	Miscellaneous disorders of musculoskeletal system	34	49
320	Congenital anomaly of heart and circulatory system	33	50
343	Fracture of face bones	33	51
372	Open wound of lower limb	32	52

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
230	Miscellaneous diseases of kidney and ureter	30	53
87	Nonspecific mesenteric lymphadenitis	30	54
10	Infectious mononucleosis	30	55
371	Open wound of upper limb	29	56
380	Third degree burns	29	57
178	Miscellaneous diseases of upper respiratory system	29	58
330	Pyrexia of unknown origin	29	59
71	Diabetes mellitus without complication	28	60
186	Miscellaneous lung and pleural diseases	28	61
325	Miscellaneous congenital anomalies of genitourinary system	27	62
72	Diabetic acidosis or coma	27	63
243	Ovarian cyst	27	64
344	Fracture of vertebral column without mention of spinal cord injury	26	65
312	Osteomyelitis	26	66
126	Strabismus	26	67
293	Pilonidal cyst	26	68
104	Alcoholic dependence syndrome	26	69
94	Paranoid schizophrenia	26	70
257	Spontaneous and unspecified abortion	25	71
351	Fracture of neck of femur	24	72
341	Fracture of vault of skull	24	73
369	Other laceration of head and neck	24	74
199	Disease of appendix, except acute appendicitis	23	75
233	Urethral stricture	23	76
175	Deviated nasal septum	22	77
347	Fracture of pelvis	22	78
116	Epilepsy	22	79
387	Complications peculiar to certain specified procedures	22	80
324	Undescended testicle	21	81

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
7	Poliomyelitis and other enteroviral diseases of central nervous system	21	82
292	Miscellaneous infections of skin and subcutaneous tissue	20	83
215	Gallbladder disease with calculus	19	84
8	Viral diseases with exanthem	19	85
255	Legally induced abortion	18	86
131	Other inflammation of ear and mastoid	18	87
239	Redundant prepuce and phimosis	18	88
5	Septicemia	18	89
323	Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis	18	90
232	Cystitis	17	91
374	Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, and other specified and unspecified external causes	17	92
100	Miscellaneous psychoses	17	93
385	Toxic effects of substances chiefly nonmedicinal as to source	17	94
299	Other arthropathies	17	95
383	Certain traumatic complications and unspecified injuries	16	96
227	Miscellaneous kidney infections	16	97
370	Other laceration of trunk and multiple and unspecified sites	16	98
86	Disease of hematopoietic system, except anemia and hemophilia	16	99
250	Other disorders of menstruation	15	100
386	Miscellaneous adverse effects	15	101
362	Sprains and strains of other and unspecified parts of back	15	102
207	Intestinal obstruction without mention of hernia	15	103
6	Miscellaneous bacterial diseases	15	104
263	False labor	15	105

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
360	Sprains and strains of knee and leg	14	106
226	Acute pyelonephritis	14	107
359	Other dislocation	14	108
134	Miscellaneous diseases of ear	14	109
339	Other signs and symptoms referable to upper GI tract and abdomen	14	110
331	Headache	14	111
342	Fracture of base of skull	14	112
83	Sickle-cell anemia and trait	14	113
396	Aftercare for removal of internal fixation device	13	114
350	Miscellaneous fractures of upper extremity	13	115
106	Drug dependence except opioid	13	116
53	Benign neoplasm of bone, muscle, and connective tissue	13	117
81	Disorders of fluid, electrolyte, and acid-base balance	13	118
4	Streptococcal sore throat and scarlet fever	13	119
375	Contusion of eye and adnexa	13	120
309	Bursitis and synovitis, except spine	13	121
128	Miscellaneous disorders of deep structures of eye	13	122
318	Congenital anomaly of nervous system	13	123
240	Miscellaneous diseases of male genital organs	12	124
99	Other affective psychoses	12	125
9	Viral hepatitis	12	126
308	Other dorsopathies	12	127
196	Disease of stomach and duodenum, except ulcer and inflammation	12	128
202	Umbilical hernia without complication	12	129
189	Diseases of esophagus	12	130
180	Influenza	11	131
321	Cleft palate and lip	11	132
54	Benign neoplasm of skin, blood vessels, and miscellaneous sites	11	133

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
326	Clubfoot	11	134
304	Derangement and displacement of lumbar disc	11	135
319	Congenital anomaly of eye, ear, face, and neck	11	136
253	Signs and symptoms referable to female genital organs	10	137
268	Miscellaneous complications of pregnancy without delivery	10	138
311	Ganglion and cyst	10	139
310	Bunion and deformities of toe	10	140
120	Peripheral nervous system disorder, except sciatica	10	141
222	Chronic glomerulonephritis and nephrotic syndrome	10	142
361	Sprains and strains of sacroiliac region	10	143
101	Anxiety states	10	144
98	Major depressive psychoses	10	145
192	Nongastric peptic ulcer without complication	10	146
322	Congenital hypertrophic pyloric stenosis	10	147
127	Miscellaneous disorders of superficial structures of eye	10	148
77	Cystic fibrosis	10	149
314	Acquired deformities of limbs, except toe	10	150
336	Other signs and symptoms referable to respiratory system and chest	9	151
368	Laceration or enucleation of eye	9	152
266	Infections of pregnancy without delivery	9	153
379	Foreign body entering through other body orifice	9	154
88	Lymphatic disease, except acute lymphadenitis and mesenteric adenitis	9	155
389	Postoperative wound infection	9	156
237	Hydrocele	9	157

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
90	Chronic organic brain syndrome, except arteriosclerotic dementia	9	158
242	Miscellaneous diseases of breast	9	159
337	Signs and symptoms referable to urinary system	9	160
84	Anemia except iron deficiency and sickle-cell	9	161
297	Rheumatoid arthritis, except spine	9	162
75	Diseases of endocrine glands except thyroid, ovary, and diabetes mellitus	9	163
42	Malignant neoplasm of brain	9	164
252	Miscellaneous diseases of female genitalia	9	165
73	Other complicated diabetes mellitus	8	166
47	Lymphoid leukemia	8	167
188	Disease of mouth, except dental	8	168
366	Internal injury to thoracic region	8	169
185	Spontaneous pneumothorax	8	170
229	Calculus of ureter	8	171
150	Miscellaneous diseases of heart	8	172
363	Other sprains and strains	8	173
169	Phlebitis and thrombophlebitis	7	174
247	Inflammatory disease of vulva, vagina, and uterus, except cervix	7	175
68	Neoplasms of uncertain behavior and unspecified nature	7	176
345	Fracture of vertebral column with cord injury	7	177
79	Miscellaneous metabolic disorders	7	178
118	Migraine	7	179
210	Anal fissure, fistula, and abscess	7	180
220	Gastrointestinal hemorrhage	7	181
135	Rheumatic fever, acute	7	182
238	Orchitis and epididymitis	7	183
377	Miscellaneous crushing injury	7	184

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	Days of Care (in thousands) (2)	Rank (3)
261	Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission	7	185
262	Excessive vomiting in pregnancy	6	186
58	Benign neoplasm of ovary	6	187
355	Fracture of other bones	6	188
333	Signs and symptoms referable to the cardiovascular system except gangrene	6	189
14	Syphilis and other venereal diseases	6	190
219	Diseases of pancreas	6	191
109	Psychophysiologic disorder	6	192
95	Acute schizophrenic episode	6	193
55	Benign neoplasm of breast	6	194
29	Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves	6	195
112	Mental retardation	6	196
172	Miscellaneous diseases of veins and circulatory system	6	197
390	Other complications of surgical procedures	6	198
70	Other diseases of thyroid gland	6	199
214	Miscellaneous diseases of liver	6	200
201	Inguinal hernia, complicated	6	201
216	Gallbladder disease without mention of calculus	6	202
362	Injury to nerve and spinal cord	6	203
388	Hemorrhage or hematoma complicating a procedure	6	204
269	Maternal conditions classifiable elsewhere but with delivery	5	205
254	Ectopic pregnancy	5	206
221	Intestinal malabsorption	5	207
11	Viral warts	5	208
48	Leukemia, except lymphoid	5	209
46	Hodgkin's disease	5	210
259	Threatened abortion	5	211
149	Heart failure	5	212

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
82	Iron deficiency anemia	5	213
346	Fracture of ribs, sternum, larynx and trachea	5	214
224	Chronic renal failure	5	215
108	Nondependent abuse of drugs, except alcohol	5	216
267	Maternal conditions classifiable elsewhere but without delivery	5	217
296	Diffuse diseases of connective tissue	5	218
223	Miscellaneous nephritis and functional disorders	5	219
137	Essential hypertension	4	220
258	Other pregnancy with abortive outcome	4	221
168	Miscellaneous diseases of arteries	4	222
335	Chest pain	4	223
93	Drug psychoses	4	224
107	Nondependent abuse of alcohol	4	225
148	Other arrhythmia and conduction disorders	4	226
357	Dislocation of shoulder	4	227
228	Calculus of kidney	4	228
78	Obesity of nonendocrine origin	4	229
15	Mycoses	4	230
171	Hemorrhoids	3	231
49	Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia	3	232
373	Injury to blood vessels	3	233
193	Nongastric peptic ulcer with hemorrhage or perforation	3	234
13	Rickettsioses and other arthropod-borne diseases	3	235
121	Retinal detachment and defects	3	236
45	Malignant neoplasm of ill-defined and secondary sites	3	237
241	Benign mammary dysplasia	3	238
17	Miscellaneous infective and parasitic diseases	3	239
76	Nutritional deficiencies	3	240

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	Days of Care (in thousands) (2)	Rank (3)
203	Ventral hernia without complication	3	241
245	Endometriosis	3	242
294	Sebaceous cyst	3	243
184	Miscellaneous obstructive lung diseases	3	244
332	Epistaxis	3	245
97	Childhood psychosis	3	246
125	Cataract, except senile	2	247
74	Ovarian dysfunction	2	248
44	Malignant neoplasm of endocrine glands	2	249
51	Benign neoplasm of other parts of digestive system	2	250
2	Respiratory tuberculosis	2	251
288	Major puerperal infections	2	252
306	Sacroiliac joint disorder	2	253
265	Other antepartum hemorrhage without delivery	2	254
144	Pulmonary embolism and infarction	2	255
145	Acute and subacute endocarditis	2	256
140	Acute myocardial infarction	2	257
154	Intracerebral hemorrhage without paralysis	2	258
305	Derangement and displacement of intervertebral disc, except lumbar	2	259
89	Transient organic psychotic conditions	2	260
356	Fracture of multiple bones	2	261
213	Other cirrhosis and chronic liver disease	2	262
143	Miscellaneous ischemic heart disease	2	263
290	Other puerperal complications	2	264
132	Vertiginous syndromes	2	265
40	Malignant neoplasm of kidney and other urinary organs	2	266
85	Hemophilia (congenital factor VIII disorder)	2	267
334	Gangrene	2	268

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
206	Complicated hernia of abdominal cavity, except inguinal	2	269
52	Benign neoplasm of respiratory system and intrathoracic organs	2	270
204	Diaphragmatic hernia without complication	2	271
289	Puerperal hemorrhage (after 24 hrs.)	2	272
190	Gastric ulcer without complication	2	273
176	Nasal polyp	2	274
136	Chronic rheumatic heart disease	1	275
298	Osteoarthrosis (osteoarthritis), except spine	1	276
225	Other renal failure	1	277
16	Helminthiases	1	278
38	Malignant neoplasm of male genitalia, except prostate	1	279
63	Benign neoplasm of central nrevous system	1	280
163	Other and ill-defined cerebrovascular disease	1	281
236	Diseases of prostate, except hypertrophy	1	282
246	Inflammatory disease of cervix uteri	1	283
392	Admission for prophylactic sterilization	1	284
139	Miscellaneous hypertensive disease	1	285
129	Other disorders of eye	1	286
64	Benign neoplasm of thyroid glands	1	287
231	Urinary calculus, except kidney and ureter	1	288
161	Acute, but ill-defined, cerebrovascular disease without paralysis	1	289
218	Diseases of bile ducts without mention of calculus	1	290
217	Diseases of bile ducts with calculus	1	291
35	Malignant neoplasm of ovary	1	292
69	Simple and non-toxic nodular goiter	1	293

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
50	Benign neoplasm of lip, oral cavity, and pharynx	1	294
264	Placenta previa without delivery	1	295
170	Varicose veins of lower extremities	1	296
146	Paroxysmal supraventricular tachycardia	1	297
209	Diverticula of intestine	1	298
191	Gastric ulcer with hemorrhage or perforation	1	299
115	Multiple sclerosis	1	300
43	Malignant neoplasm of other parts of nervous system	1	301
152	Subarachnoid hemorrhage without paralysis	1	302
205	Other hernia of abdominal cavity without complication	1	303
27	Malignant neoplasm of bronchus, lung, and trachea	1	304
391	Other complications of medical care, except drugs	1	305
119	Carpal tunnel syndrome and other lesions of median nerve	1	306
23	Malignant neoplasm of colon	1	307
303	Spondylosis and allied disorders	1	308
235	Hyperplasia of prostate	1	309
25	Malignant neoplasm of abdominal cavity except specified intestinal tract and pancreas	1	310
3	Nonrespiratory tuberculosis	1	311
105	Opioid dependence	1	312
28	Other malignant neoplasm of respiratory system and thoracic cavity	1	313
248	Genital prolapse	1	314
167	Arterial embolism and thrombosis	1	315
307	Sciatica	1	316
249	Metrorrhagia	1	317
147	Atrial fibrillation and flutter	1	318
158	Occlusion of cerebral arteries, thrombosis and embolism without paralysis	1	319

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
141	Angina pectoris	1	320
160	Transient cerebral ischemia without paralysis	1	321
92	Alcoholic psychoses	1	322
133	Otosclerosis	1	323
164	Atherosclerosis	1	324
65	Benign neoplasm of endocrine glands, except thyroid	1	325
162	Acute, but ill-defined, cerebrovascular disease with paralysis	1	326
19	Malignant neoplasm of lip, oral cavity, and pharynx	1	327
182	Emphysema	1	328
166	Aneurysm except aortic	1	329
56	Uterine leiomyoma	1	330
138	Hypertensive heart disease	1	331
123	Other glaucoma	1	332
18	Late effects of infectious and parasitic diseases	<1	333
20	Malignant neoplasm of esophagus	<1	334
21	Malignant neoplasm of stomach	<1	335
22	Malignant neoplasm of small intestine	<1	336
24	Malignant neoplasm of rectum, rectosigmoid junction and anus	<1	337
26	Malignant neoplasm of pancreas	<1	338
30	Malignant melanoma of skin, excluding genital organs	<1	339
31	Other malignant neoplasm of skin, excluding genital organs	<1	340
32	Malignant neoplasm of breast (female) (male)	<1	341
33	Malignant neoplasm of cervix uteri excluding carcinoma in situ	<1	342
34	Malignant neoplasm of corpus uteri	<1	343
36	Malignant neoplasm of other female genital organs	<1	344
37	Malignant neoplasm of prostate	<1	345

Table 3 (Continued)

	Diagnosis Group Number and Title (1)	Days of Care (in thousands) (2)	Rank (3)
39	Malignant neoplasm of bladder	<1	346
41	Malignant neoplasm of eye	<1	347
57	Malignant neoplasm of uterus, except leiomyoma	<1	348
59	Benign neoplasm of female genitalia, except uterus and ovary	<1	349
60	Benign neoplasm of male genital organ	<1	350
61	Benign neoplasm of urinary organ	<1	351
62	Benign neoplasm of eye	<1	352
66	Carcinoma in situ of cervix	<1	353
67	Carcinoma in situ, except cervix uteri	<1	354
80	Gout	<1	355
114	Parkinson's disease	<1	356
122	Open angle and primary closure glaucoma	<1	357
142	Other acute and subacute forms of ischemic heart disease	<1	358
151	Cardiovascular disease, unspecified	<1	359
153	Subarachnoid hemorrhage with paralysis	<1	360
155	Intracerebral hemorrhage with paralysis	<1	361
156	Precerebral artery occlusion without paralysis	<1	362
157	Precerebral occlusion with paralysis	<1	363
159	Occlusion of cerebral arteries, thrombosis, and embolism with paralysis	<1	364
165	Aortic aneurysm	<1	365
194	Peptic ulcer with obstruction	<1	366
212	Alcoholic liver disease	<1	367
251	Menopausal and postmenopausal disorders	<1	368
256	Other induced abortion	<1	369
260	Other early pregnancy hemorrhage	<1	370
302	Ankylosing spondylitis	<1	371
315	Neuralgia, neuritis, and radiculitis, unspecified	<1	372

Table 3 (Continued)

Diagnosis Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
316	Miscellaneous disorders of musculoskeletal system	<1	373
378	Foreign body on external eye	<1	374
397	Aftercare involving intermittent dialysis	<1	375
	All diagnosis groups	6,481	

Table 4 displays total U.S. pediatric patients and days of care (after exclusions*) in each of the operation groups containing patients under 20 years of age, except those consisting solely of UHDDS Class 2-4 procedures** (512, 516, 533, 540, 589, 629, 647, 657, 659, 741, 752, 759, 761, 762, and 763). Also shown is the corresponding rate per 10,000 operated pediatric discharges and the rate per 10,000 days of care.

Table 4

Distribution of Pediatric Patients and Days of Care by *ICD-9-CM* List B Hospital Operation Groups U.S. PAS Hospitals, 1979

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
501 Incision, excision of skull, brain, and cerebral meninges	891	10.7	15	46.5
502 Craniotomy and craniectomy	916	11.0	15	47.2
503 Cranioplasty	1,191	14.3	10	32.2
504 Ventricular shunt, extracranial	684	8.2	11	33.7
505 Miscellaneous operations on brain and cerebral meninges	1,683	20.2	20	62.3
506 Exploration and decompression of spinal canal structures	263	3.2	5	15.0
507 Operations on spinal cord structures, except exploration	436	5.2	7	21.1
508 Excision or destruction of lesion of cranial or peripheral nerve	567	6.8	2	6.6
509 Miscellaneous operations on cranial and other peripheral nerves	1,861	22.3	6	17.3
510 Sympathectomy	49	0.6	<1	1.1
511 Miscellaneous operations on sympathetic nerves and ganglia	64	0.8	<1	1.1

---

*Excluding patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer.

**Additional information regarding UHDDS classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Table 4 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
513	Thyroidectomy	961	11.5	5	16.0
514	Operations on parathyroid and thyroid, except thyroidectomy	1,225	14.7	4	11.8
515	Operations on endocrine glands, except parathyroid and thyroid	107	1.3	1	3.8
517	Excision or destruction of lesion or tissue of eyelid	1,311	15.7	2	7.1
518	Miscellaneous operations on eyelid	2,864	34.3	8	23.6
519	Operations on lacrimal system	402	4.8	1	3.0
520	Operations on conjunctiva	300	3.6	1	2.0
521	Corneal transplant	159	1.9	1	2.7
522	Miscellaneous operations on cornea	836	10.0	4	10.8
523	Operations for regulation of intraocular pressure	295	3.5	1	3.3
524	Other operations on iris, ciliary body, sclera and anterior chamber	521	6.2	3	8.5
525	Intracapsular extraction of lens	171	2.0	1	1.9
526	Other lens extraction	1,100	13.2	3	10.4
527	Miscellaneous operations on lens	45	0.5	<1	0.4
528	Repair of retina	641	7.7	3	10.6
529	Miscellaneous operations on retina, choroid, and vitreous	227	2.7	1	3.5
530	Resection and recession of ocular muscle	13,421	160.8	25	77.1
531	Miscellaneous operations on ocular muscle	80	1.0	<1	0.6
532	Operations on orbit and eyeball	1,092	13.1	4	12.5
534	Operations on external ear	3,378	40.5	9	27.4
535	Stapes mobilization and stapedectomy	458	5.5	1	3.5
536	Tympanoplasty	5,531	66.3	12	38.1
537	Myringotomy	31,636	379.0	48	146.5
538	Mastoidectomy	2,311	27.7	8	23.6
539	Miscellaneous operations on middle ear and inner ear	1,914	22.9	4	11.7

Table 4 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
541	Submucous resection of nasal septum	3,530	42.3	11	33.3
542	Rhinoplasty	8,425	100.9	24	72.5
543	Other incision, excision of nose	1,272	15.2	3	10.0
544	Miscellaneous operations on nose	5,279	63.2	13	38.6
545	Radical maxillary antrotomy	472	5.7	2	5.6
546	Miscellaneous operations on accessory sinus	978	11.7	4	12.0
547	Tooth extraction	20,343	243.7	41	126.3
548	Tooth restoration and orthodontia	2,731	32.7	4	12.0
549	Operations on teeth and gums except extraction and restoration	1,045	12.5	3	9.4
550	Operations on salivary glands and ducts	799	9.6	3	8.2
551	Palatoplasty	1,616	19.4	7	22.2
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	4,676	56.0	15	46.8
553	Tonsillectomy without adenoidectomy	39,396	472.0	81	248.8
554	Tonsillectomy with adenoidectomy	104,756	1,255.0	194	596.0
555	Adenoidectomy without tonsillectomy	23,747	284.5	37	114.8
556	Operations on pharynx except tonsillectomy and adenoidectomy	2,859	34.3	8	24.2
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	81	1.0	<1	0.7
558	Excision of lesion of larynx	959	11.5	2	6.6
559	Partial laryngectomy and local excision of lesion of trachea	71	0.9	<1	1.3

Table 4 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
560 Complete laryngectomy	4	0.0	<1	0.1
561 Permanent tracheostomy	22	0.3	1	2.1
562 Operations on larynx and trachea except excision and permanent tracheostomy	608	7.3	9	28.5
563 Incision and local excision or destruction of lesion of bronchus	227	2.7	2	5.5
564 Bronchial resection and miscellaneous operations on bronchus	11	0.1	<1	0.3
565 Local excision or destruction of lesion or tissue of lung	283	3.4	4	12.0
566 Lobectomy and complete pneumonectomy	79	0.9	2	5.0
567 Bronchoscopy (using natural orifice)	1,596	19.1	11	34.6
568 Miscellaneous operations on lung	374	4.5	3	10.6
569 Thoracotomy	2,058	24.7	22	67.3
570 Operations on chest wall, pleura, and mediastinum except thoracotomy	1,044	12.5	8	25.6
571 Open heart operations	1,008	12.1	13	38.7
572 Direct heart revascularization	27	0.3	<1	1.0
573 Cardiac catheterization	3,653	43.8	12	37.1
574 Pacemaker insertion, replacement, removal, and repair	170	2.0	2	4.9
575 Miscellaneous operations on heart	170	2.0	2	6.0
576 Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart	745	8.9	4	12.9
577 Ligation and stripping of varicose veins	228	2.7	1	3.2
578 Systemic shunt or graft bypass	291	3.5	4	12.4
579 Extracorporeal circulation	20	0.2	<1	0.8
580 Hemodialysis	319	3.8	2	6.5

Table 4 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
581 Other operations on blood vessels	8,176	97.9	129	395.5
582 Incision, excision of lymphatic structures	3,337	40.0	13	40.9
583 Radical excision of lymph nodes	190	2.3	1	3.1
584 Miscellaneous operations on lymphatic system	7	0.1	<1	0.3
585 Bone marrow transplant	17	0.2	<1	0.3
586 Miscellaneous operations on spleen and bone marrow	3,964	47.5	39	118.9
587 Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen	460	5.5	6	17.2
588 Operations on esophagus	450	5.4	3	10.1
590 Gastrotomy, pyloromyotomy	2,318	27.8	11	34.5
591 Gastrostomy	139	1.7	4	11.1
592 Local excision or destruction of lesion or tissue of stomach	280	3.4	2	6.6
593 Partial gastrectomy	80	1.0	1	3.9
594 Total gastrectomy	4	0.0	<1	0.1
595 Vagotomy	57	0.7	1	2.3
596 Miscellaneous operations on stomach	514	6.2	6	19.1
597 Local excision or destruction of intestinal lesion or tissue	1,180	14.1	8	24.8
598 Resection of small intestine	397	4.8	6	17.2
599 Colectomy	477	5.7	9	26.2
600 Other incision, resection of intestine	122	1.5	2	5.5
601 Intestinal anastomosis or repair	1,187	14.2	12	38.2
602 Ileostomy, colostomy, and other enterostomy	142	1.7	3	9.1
603 Appendectomy	43,271	518.4	216	665.1
604 Incidental appendectomy	599	7.2	3	9.8

Table 4 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
605	Operations on appendix except appendectomy	247	3.0	2	7.1
606	Local excision or destruction of lesion or tissue of rectum	1,155	13.8	7	21.1
607	Other incision of rectum and incision or excision of perirectal tissue	354	4.2	1	4.4
608	Proctectomy	179	2.1	3	8.4
609	Miscellaneous operations on intestine	338	4.0	2	7.7
610	Incision or excision of anal fistula	360	4.3	1	4.2
611	Local excision or destruction of lesion or tissue of anus	526	6.3	2	5.6
612	Hemmorhoidectomy	556	6.7	3	8.7
613	Miscellaneous operations on anus	670	8.0	3	9.8
614	Incision of liver	62	0.7	1	2.2
615	Miscellaneous operations on liver	818	9.8	9	27.9
616	Cholecystectomy	2,517	30.2	22	67.9
617	Operations on biliary tract and gallbladder except cholecystectomy	100	1.2	1	4.3
618	Operations on pancreas	107	1.3	1	4.5
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	471	5.6	3	10.3
620	Unilateral repair of inguinal hernia	27,585	330.5	73	223.7
621	Bilateral repair of inguinal hernia	5,986	71.7	15	46.8
622	Unilateral or bilateral repair of femoral hernia	170	2.0	1	2.1
623	Repair of umbilical hernia	5,056	60.6	13	41.2
624	Repair of other hernia of anterior abdominal wall	1,001	12.0	3	9.7

Table 4 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
625	Repair of diaphragmatic and other hernia	249	3.0	2	5.6
626	Incision, excision of abdominal wall and peritoneum except laparotomy	1,587	19.0	8	25.8
627	Laparotomy	3,228	38.7	29	87.6
628	Laparoscopy (excluding that for destruction of fallopian tubes)	3,500	41.9	13	40.9
630	Miscellaneous operations on abdominal wall and peritoneum	1,176	14.1	10	31.4
631	Complete nephrectomy	507	6.1	6	18.8
632	Miscellaneous operations on kidney	1,578	18.9	17	51.6
633	Ureterotomy	196	2.3	2	5.6
634	Ureteral diversion	1,565	18.7	17	51.1
635	Miscellaneous operations on ureter	687	8.2	4	13.1
636	Cystoscopy and urethroscopy	16,267	194.9	48	146.3
637	Transurethral excision or destruction of bladder lesion	284	3.4	1	4.3
638	Miscellaneous operations on bladder	1,522	18.2	13	40.8
639	Urethral meatotomy	3,508	42.0	7	21.2
640	Excision of urethral lesion, repair of urethra	2,602	31.2	15	46.6
641	Urethral dilation	6,440	77.2	15	47.2
642	Miscellaneous operations on urethra	1,929	23.1	5	16.3
643	Urethral suspension	32	0.4	<1	0.6
644	Other repair of stress incontinence	31	0.4	<1	0.7
645	Ureteral catheterization	119	1.4	1	1.6
646	Miscellaneous operations on urinary tract	49	0.6	<1	1.2
648	Transurethral prostatectomy	86	1.0	1	2.5
649	Other prostatectomy	34	0.4	<1	0.6

Table 4 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
650 Miscellaneous operations on prostate and seminal vesicles	36	0.4	<1	0.8
651 Operations on scrotum and tunica vaginalis	1,177	14.1	4	12.6
652 Orchiectomy	1,557	18.7	6	18.3
653 Orchiopexy	6,423	76.9	21	63.8
654 Miscellaneous operations on testis	1,021	12.2	3	9.2
655 Interruption of vas deferens	24	0.3	<1	0.2
656 Miscellaneous operations on spermatic cord, epididymis, and vas deferens	3,809	45.6	11	32.9
658 Miscellaneous operations on penis	840	10.1	3	9.6
660 Local excision or destruction of ovarian lesion or tissue	2,738	32.8	17	52.1
661 Unilateral oophorectomy or salpingo-oophorectomy	1,765	21.1	12	36.8
662 Bilateral oophorectomy or salpingo-oophorectomy	82	1.0	1	2.0
663 Miscellaneous operations on ovary	453	5.4	2	7.2
664 Bilateral endoscopic destruction or occlusion of fallopian tubes	296	3.5	1	1.9
665 Other bilateral tubal interruption or salpingectomy	566	6.8	2	7.1
666 Miscellaneous operations on fallopian tube	1,126	13.5	6	19.8
667 Conization of cervix	400	4.8	1	3.0
668 Other excision or destruction of lesion or tissue of cervix	410	4.9	1	3.4
669 Repair and plastic operations on cervix	242	2.9	1	2.8
670 Hysterotomy and excision of lesion of uterus	155	1.9	1	2.5
671 Abdominal hysterectomy	552	6.6	5	14.1

Table 4 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
672	Vaginal hysterectomy	78	0.9	1	1.7
673	Radical hysterectomy and pelvic evisceration	7	0.1	<1	0.3
674	Dilation and curettage of uterus for termination of pregnancy	2,026	24.3	4	10.9
675	Other dilation and curettage	20,557	246.3	50	153.0
676	Aspiration curettage for termination of pregnancy	5,952	71.3	8	25.6
677	Other aspiration curettage	1,424	17.1	3	8.0
678	Repair and plastic operations on supporting structures of uterus	82	1.0	<1	1.5
679	Miscellaneous operations on uterus, cervix, and supporting structures	392	4.7	1	4.5
680	Plastic repair of cystocele and rectocele	35	0.4	<1	0.7
681	Other colporrhaphy	388	4.6	2	4.7
682	Miscellaneous operations on vagina	1,292	15.5	4	13.2
683	Incision and excision of lesion of vulva and perineum	1,755	21.0	5	15.5
684	Vulvectomy	36	0.4	<1	0.3
685	Miscellaneous operations on vulva and perineum	368	4.4	1	3.1
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	57	0.7	<1	0.6
687	Low forceps with and without episiotomy	34,766	416.5	118	364.2
688	Breech extraction	899	10.8	3	9.1
689	Other extraction procedures to assist delivery	4,696	56.3	17	52.4
690	Other procedures to assist delivery	19,446	233.0	64	197.9
691	Low cervical cesarean section	19,490	233.5	127	391.4
692	Other cesarean section	2,106	25.2	14	42.5
693	Other abdominal operation to remove embryo or fetus	34	0.4	<1	0.6

Table 4 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
694	Intra-amniotic injection for abortion	3,731	44.7	7	21.2
695	Diagnostic amniocentesis	317	3.8	1	4.5
696	Intrauterine procedures on fetus and amnion	4,355	52.2	12	36.0
697	Miscellaneous obstetric procedures	13,075	156.6	42	127.6
698	Excision of facial bone	283	3.4	1	3.0
699	Repair and plastic operations on facial bones	1,641	19.7	7	21.5
700	Closed reduction of maxillofacial fractures	2,250	27.0	10	29.4
701	Open reduction of maxillofacial fractures	1,987	23.8	12	37.7
702	Miscellaneous maxillofacial surgery	125	1.5	1	1.9
703	Incision and division of bones except facial	3,226	38.6	22	69.1
704	Bunionectomy	2,186	26.2	10	29.9
705	Excision of bone except facial	8,995	107.8	53	162.5
706	Repair and plastic operation on bone except facial	2,949	35.3	23	72.2
707	Removal of internal fixation device	5,447	65.3	20	60.5
708	Closed reduction of fracture of femur with internal fixation	865	10.4	21	64.0
709	Open reduction of fracture of femur with internal fixation	1,863	22.3	34	103.3
710	Reduction of fracture of femur without internal fixation	1,961	23.5	32	98.3
711	Closed reduction of fracture with internal fixation, except maxillofacial and femur	2,513	30.1	19	57.2

Table 4 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
712 Open reduction of fracture with internal fixation, except maxillofacial and femur	10,614	127.2	57	174.0
713 Other reduction of fracture without internal fixation, except maxillofacial and femur	23,457	281.0	84	258.7
714 Closed reduction of dislocation	2,647	31.7	14	42.7
715 Open reduction of dislocation	1,346	16.1	7	22.7
716 Arthrotomy and division of joint capsule	5,871	70.3	31	95.8
717 Excision of intervertebral disc	643	7.7	8	23.2
718 Excision of semilunar cartilage of knee joint	9,992	119.7	47	144.7
719 Miscellaneous excisions of joint structures	7,310	87.6	26	78.4
720 Spinal fusion	1,313	15.7	22	68.7
721 Arthrodesis and stabilization of joint	1,216	14.6	6	19.5
722 Total hip replacement	64	0.8	1	3.3
723 Other arthroplasty of hip	171	2.0	2	7.4
724 Arthroplasty of knee	4,646	55.7	26	80.4
725 Repair of other joint	4,087	49.0	16	50.5
726 Incision and division of muscle, tendon, fascia and bursa	2,833	33.9	14	43.1
727 Excision of lesion of muscle, tendon, fascia, and bursa	5,520	66.1	14	43.7
728 Division and resection of muscle, tendon, and fascia of hand	308	3.7	1	3.0
729 Repair and plastic operations on hand	3,986	47.8	10	31.1
730 Resection and suture of muscle, tendon, and fascia, except hand	1,903	22.8	7	20.6

Table 4 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	4,512	54.1	20	60.4
732	Amputation of fingers and thumb	879	10.5	3	9.3
733	Amputation of hand, forearm, and upper arm	79	0.9	1	1.8
734	Amputation of toes	376	4.5	3	7.8
735	Below-knee amputation	60	0.7	2	4.9
736	Above-knee amputation	64	0.8	1	4.0
737	Other amputation of lower extremity	59	0.7	1	2.9
738	Reattachment of extremity	193	2.3	1	4.0
739	Revision of amputation stump	343	4.1	1	4.1
740	Miscellaneous operations on musculoskeletal system	21	0.3	<1	0.4
742	Local excision or destruction of lesion of breast	4,857	58.2	11	34.7
743	Simple mastectomy	551	6.6	2	4.7
744	Extended simple mastectomy and radical mastectomy	48	0.6	<1	0.9
745	Miscellaneous operations on breast	1,686	20.2	6	18.1
746	Incision and excision of pilonidal cyst or sinus	5,670	67.9	24	74.4
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	10,191	122.1	31	96.6
748	Other incision, excision, and suture of skin	20,707	248.1	115	352.7
749	Free skin grafts	2,901	34.8	33	102.2
750	Pedicle graft of skin	915	11.0	6	17.7
751	Miscellaneous operations on skin and subcutaneous tissue	4,690	56.2	14	44.4
753	Encephalography and ventriculography	376	4.5	2	7.6
754	Myelography	1,774	21.3	11	34.4
755	Cerebral arteriography	806	9.7	7	20.0
756	Coronary arteriography	34	0.4	<1	0.3

Table 4 (Continued)

	Operation Group Number and Title (1)	Number of Patients (2)	Rate per 10,000 pts (3)	Days of Care (in 1,000s) (4)	Rate per 10,000 Days (5)
757	Other arteriography and phlebography	1,405	16.8	9	27.6
758	Other radiography and special diagnostic procedures	4,551	54.5	24	74.6
760	Special therapies and rehabilitation	1,153	13.8	17	50.9
764	Miscellaneous diagnostic and therapeutic procedures	2,194	26.3	12	37.9
	All patients in operation groups	834,714	10,000.0	3,253	10,000.0

Tables 5 and 6 display frequency rankings of U.S. pediatric patients and total stay according to operation group. Excluded are patients who died, patients admitted from other short-term hospitals, patients transferred to other hospitals, patients discharged against medical advice, and patients staying 100 days or longer. Also excluded are groups consisting solely of class 2-4 procedures (see explanation for Table 4).

Table 5

Ranking of *ICD-9-CM* List B Operation Groups by Live Pediatric Discharges U.S. PAS Hospitals, 1979

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
554	Tonsillectomy with adenoidectomy	104,756	1
603	Appendectomy	43,271	2
553	Tonsillectomy without adenoidectomy	39,396	3
687	Low forceps with and without episiotomy	34,766	4
537	Myringotomy	31,636	5
620	Unilateral repair of inguinal hernia	27,585	6
555	Adenoidectomy without tonsillectomy	23,747	7
713	Other reduction of fracture without internal fixation, femur	23,457	8
748	Other incision, excision, and suture of skin	20,707	9
675	Other dilation and curettage	20,557	10
547	Tooth extraction	20,343	11
691	Low cervical cesarean section	19,490	12
690	Other procedures to assist delivery	19,446	13
636	Cystoscopy and urethroscopy	16,267	14
530	Resection and recession of ocular muscle	13,421	15
697	Miscellaneous obstetric procedures	13,075	16
712	Open reduction of fracture with internal fixation, femur	10,614	17
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	10,191	18
718	Excision of semilunar cartilage of knee joint	9,992	19
705	Excision of bone except facial	8,995	20

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
542	Rhinoplasty	8,425	21
581	Other operations on blood vessels	8,176	22
719	Miscellaneous excisions of joint structures	7,310	23
641	Urethral dilation	6,440	24
653	Orchiopexy	6,423	25
621	Bilateral repair of inguinal hernia	5,986	26
676	Aspiration curettage for termination of pregnancy	5,952	27
716	Arthrotomy and division of joint capsule	5,871	28
746	Incision and excision of pilonidal cyst or sinus	5,670	29
536	Tympanoplasty	5,531	30
727	Excision of lesion of muscle, tendon, fascia, and bursa	5,520	31
707	Removal of internal fixation device	5,447	32
544	Miscellaneous operations on nose	5,279	33
623	Repair of umbilical hernia	5,056	34
742	Local excision or destruction of lesion of breast	4,857	35
689	Other extraction procedures to assist delivery	4,696	36
751	Miscellaneous operations on skin and subcutaneous tissue	4,690	37
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	4,676	38
724	Arthroplasty of knee	4,646	39
758	Other radiography and special diagnostic procedures	4,551	40
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	4,512	41
696	Intrauterine procedures on fetus and amnion	4,355	42
725	Repair of other joint	4,087	43
729	Repair and plastic operations on hand	3,986	44
586	Miscellaneous operations on spleen and bone marrow	3,964	45

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	3,809	46
694	Intra-amniotic injection for abortion	3,731	47
573	Cardiac catheterization	3,653	48
541	Submucous resection of nasal septum	3,530	49
639	Urethral meatotomy	3,508	50
628	Laparoscopy (excluding that for destruction of fallopian tubes)	3,500	51
534	Operations on external ear	3,378	52
582	Incision, excision of lymphatic structures	3,337	53
627	Laparotomy	3,228	54
703	Incision and division of bones except facial	3,226	55
706	Repair and plastic operation on bone except facial	2,949	56
749	Free skin grafts	2,901	57
518	Miscellaneous operations on eyelid	2,864	58
556	Operations on pharynx except tonsillectomy and adenoidectomy	2,859	59
726	Incision and division of muscle, tendon, fascia and bursa	2,833	60
660	Local excision or destruction of ovarian lesion or tissue	2,738	61
548	Tooth restoration and orthodontia	2,731	62
714	Closed reduction of dislocation	2,647	63
640	Excision of urethral lesion, repair of urethra	2,602	64
616	Cholecystectomy	2,517	65
711	Closed reduction of fracture with internal fixation, except maxillofacial and femur	2,513	66
590	Gastrotomy, pyloromyotomy	2,318	67
538	Mastoidectomy	2,311	68
700	Closed reduction of maxillofacial fractures	2,250	69
764	Miscellaneous diagnostic and therapeutic procedures	2,194	70
704	Bunionectomy	2,186	71

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
692	Other cesarean section	2,106	72
569	Thoracotomy	2,058	73
674	Dilation and curettage of uterus for termination of pregnancy	2,026	74
701	Open reduction of maxillofacial fractures	1,987	75
710	Reduction of fracture of femur without internal fixation	1,961	76
642	Miscellaneous operations on urethra	1,929	77
539	Miscellaneous operations on middle ear and inner ear	1,914	78
730	Resection and suture of muscle, tendon, and fascia, except hand	1,903	79
709	Open reduction of fracture of femur with internal fixation	1,863	80
509	Miscellaneous operations on cranial and other peripheral nerves	1,861	81
754	Myelography	1,774	82
661	Unilateral oophorectomy or salpingo-oophorectomy	1,765	83
683	Incision and excision of lesion of vulva and perineum	1,755	84
745	Miscellaneous operations on breast	1,686	85
505	Miscellaneous operations on brain and cerebral meninges	1,683	86
699	Repair and plastic operations on facial bones	1,641	87
551	Palatoplasty	1,616	88
567	Bronchoscopy (using natural orifice)	1,596	89
626	Incision, excision of abdominal wall and peritoneum except laparotomy	1,587	90
632	Miscellaneous operations on kidney	1,578	91
634	Ureteral diversion	1,565	92
652	Orchiectomy	1,557	93
638	Miscellaneous operations on bladder	1,522	94
677	Other aspiration curettage	1,424	95
757	Other arteriography and phlebography	1,405	96
715	Open reduction of dislocation	1,346	97
720	Spinal fusion	1,313	98

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
517	Excision or destruction of lesion or tissue of eyelid	1,311	99
682	Miscellaneous operations on vagina	1,292	100
543	Other incision, excision of nose	1,272	101
514	Operations on parathyroid and thyroid, except thyroidectomy	1,225	102
721	Arthrodesis and stabilization of joint	1,216	103
503	Cranioplasty	1,191	104
601	Intestinal anastomosis or repair	1,187	105
597	Local excision or destruction of intestinal lesion or tissue	1,180	106
651	Operations on scrotum and tunica vaginalis	1,177	107
630	Miscellaneous operations on abdominal wall and peritoneum	1,176	108
606	Local excision or destruction of lesion or tissue of rectum	1,155	109
760	Special therapies and rehabilitation	1,153	110
666	Miscellaneous operations on fallopian tube	1,126	111
526	Other lens extraction	1,100	112
532	Operations on orbit and eyeball	1,092	113
549	Operations on teeth and gums except extraction and restoration	1,045	114
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	1,044	115
654	Miscellaneous operations on testis	1,021	116
571	Open heart operations	1,008	117
624	Repair of other hernia of anterior abdominal wall	1,001	118
546	Miscellaneous operations on accessory sinus	978	119
513	Thyroidectomy	961	120
558	Excision of lesion of larynx	959	121
502	Craniotomy and craniectomy	916	122
750	Pedicle graft of skin	915	123
688	Breech extraction	899	124

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
501	Incision, excision of skull, brain, and cerebral meninges	891	125
732	Amputation of fingers and thumb	879	126
708	Closed reduction of fracture of femur with internal fixation	865	127
658	Miscellaneous operations on penis	840	128
522	Miscellaneous operations on cornea	836	129
615	Miscellaneous operations on liver	818	130
755	Cerebral arteriography	806	131
550	Operations on salivary glands and ducts	799	132
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart	745	133
635	Miscellaneous operations on ureter	687	134
504	Ventricular shunt, extracranial	684	135
613	Miscellaneous operations on anus	670	136
717	Excision of intervertebral disc	643	137
528	Repair of retina	641	138
562	Operations on larynx and trachea except excision and permanent tracheostomy	608	139
604	Incidental appendectomy	599	140
508	Excision or destruction of lesion of cranial or peripheral nerve	567	141
665	Other bilateral tubal interruption or salpingectomy	566	142
612	Hemorrhoidectomy	556	143
671	Abdominal hysterectomy	552	144
743	Simple mastectomy	551	145
611	Local excision or destruction of lesion or tissue of anus	526	146
524	Other operations on iris, ciliary body, sclera and anterior chamber	521	147
596	Miscellaneous operations on stomach	514	148
631	Complete nephrectomy	507	149
599	Colectomy	477	150
545	Radical maxillary antrotomy	472	151

Table 5 (Continued)

Operation Group Number and Title (1)	Number of Patients (2)	Rank (3)
619 Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	471	152
587 Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen	460	153
535 Stapes mobilization and stapedectomy	458	154
663 Miscellaneous operations on ovary	453	155
588 Operations on esophagus	450	156
507 Operations on spinal cord structures, except exploration	436	157
668 Other excision or destruction of lesion or tissue of cervix	410	158
519 Operations on lacrimal system	402	159
667 Conization of cervix	400	160
598 Resection of small intestine	397	161
679 Miscellaneous operations on uterus, cervix, and supporting structures	392	162
681 Other colporrhaphy	388	163
734 Amputation of toes	376	164
753 Encephalography and ventricolography	376	165
568 Miscellaneous operations on lung	374	166
685 Miscellaneous operations on vulva and perineum	368	167
610 Incision or excision of anal fistula	360	168
607 Other incision of rectum and incision or excision of perirectal tissue	354	169
739 Revision of amputation stump	343	170
609 Miscellaneous operations on intestine	338	171
580 Hemodialysis	319	172
695 Diagnostic amniocentesis	317	173
728 Division and resection of muscle, tendon, and fascia of hand	308	174
520 Operations on conjunctiva	300	175
664 Bilateral endoscopic destruction or occlusion of fallopian tubes	296	176

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
523	Operations for regulation of intraocular pressure	295	177
578	Systemic shunt or graft bypass	291	178
637	Transurethral excision or destruction of bladder lesion	284	179
565	Local excision or destruction of lesion or tissue of lung	283	180
698	Excision of facial bone	283	181
592	Local excision or destruction of lesion or tissue of stomach	280	182
506	Exploration and decompression of spinal canal structures	263	183
625	Repair of diaphragmatic and other hernia	249	184
605	Operations on appendix except appendectomy	247	185
669	Repair and plastic operations on cervix	242	186
577	Ligation and stripping of varicose veins	228	187
529	Miscellaneous operations on retina, choroid, and vitreous	227	188
563	Incision and local excision or destruction of lesion of bronchus	227	189
633	Ureterotomy	196	190
738	Reattachment of extremity	193	191
583	Radical excision of lymph nodes	190	192
608	Proctectomy	179	193
525	Intracapsular extraction of lens	171	194
723	Other arthroplasty of hip	171	195
574	Pacemaker insertion, replacement, removal, and repair	170	196
575	Miscellaneous operations on heart	170	197
622	Unilateral or bilateral repair of femoral hernia	170	198
521	Corneal transplant	159	199
670	Hysterotomy and excision of lesion of uterus	155	200
602	Ileostomy, colostomy, and other enterostomy	142	201
591	Gastrostomy	139	202

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
702	Miscellaneous maxillofacial surgery	125	203
600	Other incision, resection of intestine	122	204
645	Ureteral catheterization	119	205
515	Operations on endocrine glands, except parathyroid and thyroid	107	206
618	Operations on pancreas	107	207
617	Operations on biliary tract and gallbladder except cholecystectomy	100	208
648	Transurethral prostatectomy	86	209
662	Bilateral oophorectomy or salpingo-oophorectomy	82	210
678	Repair and plastic operations on supporting structures of uterus	82	211
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	81	212
531	Miscellaneous operations on ocular muscle	80	213
593	Partial gastrectomy	80	214
566	Lobectomy and complete pneumonectomy	79	215
733	Amputation of hand, forearm, and upper arm	79	216
672	Vaginal hysterectomy	78	217
559	Partial laryngectomy and local excision of lesion of trachea	71	218
511	Miscellaneous operations on sympathetic nerves and ganglia	64	219
722	Total hip replacement	64	220
736	Above-knee amputation	64	221
614	Incision of liver	62	222
735	Below-knee amputation	60	223
737	Other amputation of lower extremity	59	224
595	Vagotomy	57	225
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	57	226
510	Sympathectomy	49	227

Table 5 (Continued)

Operation Group Number and Title (1)		Number of Patients (2)	Rank (3)
646	Miscellaneous operations on urinary tract	49	228
744	Extended simple mastectomy and radical mastectomy	48	229
527	Miscellaneous operations on lens	45	230
650	Miscellaneous operations on prostate and seminal vesicles	36	231
684	Vulvectomy	36	232
680	Plastic repair of cystocele and rectocele	35	233
649	Other prostatectomy	34	234
693	Other abdominal operation to remove embryo or fetus	34	235
756	Coronary arteriography	34	236
643	Urethral suspension	32	237
644	Other repair of stress incontinence	31	238
572	Direct heart revascularization	27	239
655	Interruption of vas deferens	24	240
561	Permanent tracheostomy	22	241
740	Miscellaneous operations on musculoskeletal system	21	242
579	Extracorporeal circulation	20	243
585	Bone marrow transplant	17	244
564	Bronchial resection and miscellaneous operations on bronchus	11	245
584	Miscellaneous operations on lymphatic system	7	246
673	Radical hysterectomy and pelvic evisceration	7	247
560	Complete laryngectomy	4	248
594	Total gastrectomy	4	249
	All patients in operation groups	834,714	

Table 6

Ranking of *ICD-9-CM* List B Operation Groups by Days of Care
Pediatric Patients
U.S. PAS Hospitals, 1979

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
603	Appendectomy	216	1
554	Tonsillectomy with adenoidectomy	194	2
581	Other operations on blood vessels	129	3
691	Low cervical cesarean section	127	4
687	Low forceps with and without episiotomy	118	5
748	Other incision, excision, and suture of skin	115	6
713	Other reduction of fracture without internal fixation, femur	84	7
553	Tonsillectomy without adenoidectomy	81	8
620	Unilateral repair of inguinal hernia	73	9
690	Other procedures to assist delivery	64	10
712	Open reduction of fracture with internal fixation, femur	57	11
705	Excision of bone except facial	53	12
675	Other dilation and curettage	50	13
537	Myringotomy	48	14
636	Cystoscopy and urethroscopy	48	15
718	Excision of semilunar cartilage of knee joint	47	16
697	Miscellaneous obstetric procedures	42	17
547	Tooth extraction	41	18
586	Miscellaneous operations on spleen and bone marrow	39	19
555	Adenoidectomy without tonsillectomy	37	20
709	Open reduction of fracture of femur with internal fixation	34	21
749	Free skin grafts	33	22
710	Reduction of fracture of femur without internal fixation	32	23
747	Local excision or destruction of lesion or tissue of skin and subcutaneous tissue	31	24

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
716	Arthrotomy and division of joint capsule	31	25
627	Laparotomy	29	26
724	Arthroplasty of knee	26	27
719	Miscellaneous excisions of joint structures	26	28
530	Resection and recession of ocular muscle	25	29
758	Other radiography and special diagnostic procedures	24	30
746	Incision and excision of pilonidal cyst or sinus	24	31
542	Rhinoplasty	24	32
706	Repair and plastic operation on bone except facial	23	33
703	Incision and division of bones except facial	22	34
720	Spinal fusion	22	35
616	Cholecystectomy	22	36
569	Thoracotomy	22	37
708	Closed reduction of fracture of femur with internal fixation	21	38
653	Orchiopexy	21	39
505	Miscellaneous operations on brain and cerebral meninges	20	40
707	Removal of internal fixation device	20	41
731	Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand	20	42
711	Closed reduction of fracture with internal fixation, except maxillofacial and femur	19	43
689	Other extraction procedures to assist delivery	17	44
660	Local excision or destruction of ovarian lesion or tissue	17	45
632	Miscellaneous operations on kidney	17	46
634	Ureteral diversion	17	47
760	Special therapies and rehabilitation	17	48

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
725	Repair of other joint	16	49
641	Urethral dilation	15	50
502	Craniotomy and craniectomy	15	51
621	Bilateral repair of inguinal hernia	15	52
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	15	53
640	Excision of urethral lesion, repair of urethra	15	54
501	Incision, excision of skull, brain, and cerebral meninges	15	55
751	Miscellaneous operations on skin and subcutaneous tissue	14	56
727	Excision of lesion of muscle, tendon, fascia, and bursa	14	57
726	Incision and division of muscle, tendon, fascia and bursa	14	58
714	Closed reduction of dislocation	14	59
692	Other cesarean section	14	60
623	Repair of umbilical hernia	13	61
582	Incision, excision of lymphatic structures	13	62
628	Laparoscopy (excluding that for destruction of fallopian tubes)	13	63
638	Miscellaneous operations on bladder	13	64
571	Open heart operations	13	65
544	Miscellaneous operations on nose	13	66
601	Intestinal anastomosis or repair	12	67
536	Tympanoplasty	12	68
764	Miscellaneous diagnostic and therapeutic procedures	12	69
701	Open reduction of maxillofacial fractures	12	70
573	Cardiac catheterization	12	71
661	Unilateral oophorectomy or salpingo-oophorectomy	12	72
696	Intrauterine procedures on fetus and amnion	12	73
742	Local excision or destruction of lesion of breast	11	74

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
567	Bronchoscopy (using natural orifice)	11	75
590	Gastrotomy, pyloromyotomy	11	76
754	Myelography	11	77
504	Ventricular shunt, extracranial	11	78
541	Submucous resection of nasal septum	11	79
656	Miscellaneous operations on spermatic cord, epididymis, and vas deferens	11	80
503	Cranioplasty	10	81
630	Miscellaneous operations on abdominal wall and peritoneum	10	82
729	Repair and plastic operations on hand	10	83
704	Bunionectomy	10	84
700	Closed reduction of maxillofacial fractures	10	85
562	Operations on larynx and trachea except excision and permanent tracheostomy	9	86
615	Miscellaneous operations on liver	9	87
757	Other arteriography and phlebography	9	88
534	Operations on external ear	9	89
599	Colectomy	9	90
626	Incision, excision of abdominal wall and peritoneum except laparotomy	8	91
570	Operations on chest wall, pleura, and mediastinum except thoracotomy	8	92
676	Aspiration curettage for termination of pregnancy	8	93
597	Local excision or destruction of intestinal lesion or tissue	8	94
556	Operations on pharynx except tonsillectomy and adenoidectomy	8	95
538	Mastoidectomy	8	96
518	Miscellaneous operations on eyelid	8	97
717	Excision of intervertebral disc	8	98
715	Open reduction of dislocation	7	99
551	Palatoplasty	7	100

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
699	Repair and plastic operations on facial bones	7	101
639	Urethral meatotomy	7	102
694	Intra-amniotic injection for abortion	7	103
507	Operations on spinal cord structures, except exploration	7	104
606	Local excision or destruction of lesion or tissue of rectum	7	105
730	Resection and suture of muscle, tendon, and fascia, except hand	7	106
755	Cerebral arteriography	7	107
666	Miscellaneous operations on fallopian tube	6	108
721	Arthrodesis and stabilization of joint	6	109
596	Miscellaneous operations on stomach	6	110
631	Complete nephrectomy	6	111
652	Orchiectomy	6	112
745	Miscellaneous operations on breast	6	113
750	Pedicle graft of skin	6	114
509	Miscellaneous operations on cranial and other peripheral nerves	6	115
598	Resection of small intestine	6	116
587	Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen	6	117
642	Miscellaneous operations on urethra	5	118
513	Thyroidectomy	5	119
683	Incision and excision of lesion of vulva and perineum	5	120
506	Exploration and decompression of spinal canal structures	5	121
671	Abdominal hysterectomy	5	122
682	Miscellaneous operations on vagina	4	123
635	Miscellaneous operations on ureter	4	124
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart	4	125
651	Operations on scrotum and tunica vaginalis	4	126

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
532	Operations on orbit and eyeball	4	127
578	Systemic shunt or graft bypass	4	128
546	Miscellaneous operations on accessory sinus	4	129
565	Local excision or destruction of lesion or tissue of lung	4	130
548	Tooth restoration and orthodontia	4	131
514	Operations on parathyroid and thyroid, except thyroidectomy	4	132
539	Miscellaneous operations on middle ear and inner ear	4	133
591	Gastrostomy	4	134
674	Dilation and curettage of uterus for termination of pregnancy	4	135
522	Miscellaneous operations on cornea	4	136
568	Miscellaneous operations on lung	3	137
528	Repair of retina	3	138
526	Other lens extraction	3	139
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall	3	140
588	Operations on esophagus	3	141
543	Other incision, excision of nose	3	142
604	Incidental appendectomy	3	143
613	Miscellaneous operations on anus	3	144
624	Repair of other hernia of anterior abdominal wall	3	145
658	Miscellaneous operations on penis	3	146
549	Operations on teeth and gums except extraction and restoration	3	147
732	Amputation of fingers and thumb	3	148
654	Miscellaneous operations on testis	3	149
602	Ileostomy, colostomy, and other enterostomy	3	150
688	Breech extraction	3	151
612	Hemorrhoidectomy	3	152
524	Other operations on iris, ciliary body, sclera and anterior chamber	3	153
608	Proctectomy	3	154

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
550	Operations on salivary glands and ducts	3	155
677	Other aspiration curettage	3	156
734	Amputation of toes	3	157
609	Miscellaneous operations on intestine	2	158
753	Encephalography and ventriculography	2	159
723	Other arthroplasty of hip	2	160
663	Miscellaneous operations on ovary	2	161
665	Other bilateral tubal interruption or salpingectomy	2	162
517	Excision or destruction of lesion or tissue of eyelid	2	163
605	Operations on appendix except appendectomy	2	164
592	Local excision or destruction of lesion or tissue of stomach	2	165
558	Excision of lesion of larynx	2	166
508	Excision or destruction of lesion of cranial or peripheral nerve	2	167
580	Hemodialysis	2	168
575	Miscellaneous operations on heart	2	169
633	Ureterotomy	2	170
611	Local excision or destruction of lesion or tissue of anus	2	171
545	Radical maxillary antrotomy	2	172
625	Repair of diaphragmatic and other hernia	2	173
563	Incision and local excision or destruction of lesion of bronchus	2	174
600	Other incision, resection of intestine	2	175
566	Lobectomy and complete pneumonectomy	2	176
735	Below-knee amputation	2	177
574	Pacemaker insertion, replacement, removal, and repair	2	178
743	Simple mastectomy	2	179
681	Other colporrhaphy	2	180
618	Operations on pancreas	1	181
695	Diagnostic amniocentesis	1	182

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
679	Miscellaneous operations on uterus, cervix, and supporting structures	1	183
607	Other incision of rectum and incision or excision of perirectal tissue	1	184
617	Operations on biliary tract and gallbladder except cholecystectomy	1	185
637	Transurethral excision or destruction of bladder lesion	1	186
610	Incision or excision of anal fistula	1	187
739	Revision of amputation stump	1	188
738	Reattachment of extremity	1	189
736	Above-knee amputation	1	190
593	Partial gastrectomy	1	191
515	Operations on endocrine glands, except parathyroid and thyroid	1	192
529	Miscellaneous operations on retina, choroid, and vitreous	1	193
535	Stapes mobilization and stapedectomy	1	194
668	Other excision or destruction of lesion or tissue of cervix	1	195
523	Operations for regulation of intraocular pressure	1	196
722	Total hip replacement	1	197
577	Ligation and stripping of varicose veins	1	198
685	Miscellaneous operations on vulva and perineum	1	199
583	Radical excision of lymph nodes	1	200
728	Divsion and resection of muscle, tendon, and fascia of hand	1	201
667	Conization of cervix	1	202
519	Operations on lacrimal system	1	203
698	Excision of facial bone	1	204
737	Other amputation of lower extremity	1	205
669	Repair and plastic operations on cervix	1	206
521	Corneal transplant	1	207
670	Hysterotomy and excision of lesion of uterus	1	208

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
648	Transurethral prostatectomy	1	209
595	Vagotomy	1	210
614	Incision of liiver	1	211
561	Permanent tracheostomy	1	212
622	Unilateral or bilateral repair of femoral hernia	1	213
662	Bilateral oophorectomy or salpingo-oophorectomy	1	214
520	Operations on conjunctiva	1	215
525	Intracapsular extraction of lens	1	216
664	Bilateral endoscopic destruction or occlusion of fallopian tubes	1	217
702	Miscellaneous maxillofacial surgery	1	218
733	Amputation of hand, forearm, and upper arm	1	219
672	Vaginal hysterectomy	1	220
645	Ureteral catheterization	1	221
510	Sympathectomy	<1	222
511	Miscellaneous operations on sympathetic nerves and ganglia	<1	223
527	Miscellaneous operations on lens	<1	224
531	Miscellaneous operations on ocular muscle	<1	225
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	<1	226
559	Partial laryngectomy and local excision of lesion of trachea	<1	227
560	Complete laryngectomy	<1	228
564	Bronchial resection and miscellaneous operations on bronchus	<1	229
572	Direct heart revascularization	<1	230
579	Extracorporeal circulation	<1	231
584	Miscellaneous operations on lymphatic system	<1	232
585	Bone marrow transplant	<1	233
594	Total gastrectomy	<1	234
643	Urethral suspension	<1	235
644	Other repair of stress incontinence	<1	236

Table 6 (Continued)

Operation Group Number and Title (1)		Days of Care (in thousands) (2)	Rank (3)
646	Miscellaneous operations on urinary tract	<1	237
649	Other prostatectomy	<1	238
650	Miscellaneous operations on prostate and seminal vesicles	<1	239
655	Interruption of vas deferens	<1	240
673	Radical hysterectomy and pelvic evisceration	<1	241
678	Repair and plastic operations on supporting structures of uterus	<1	242
680	Plastic repair of cystocele and rectocele	<1	243
684	Vulvectomy	<1	244
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	<1	245
693	Other abdominal operation to remove embryo or fetus	<1	246
740	Miscellaneous operations on musculoskeletal system	<1	247
744	Extended simple mastectomy and radical mastectomy	<1	248
756	Coronary arteriography	<1	249
	All operation groups	3,253	

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380 and for operation groups 552, 557, 576, 619, 686, 713, and 741

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02;

		673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19

713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part 1: Diagnosis Index
Part 2: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index. The diagnosis or operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular – *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the ICD-9-CM List B operation group to which each operation belongs

Group Number	Title
	Abdominal wall, *see also Hernia*
627	Exploratory laparotomy
626	Excision
626	Incision
	Adenoid
554	Adenoidectomy with tonsillectomy
555	Adenoidectomy without tonsillectomy
556	Other
	Amputation, *see Extremity*
	Angiography
756	Cardiac
	Anus
611	Excision of lesion or tissue
612	Hemorrhoidectomy
613	Other
	Appendix
603	Appendectomy
605	Other
	Arteriography
757	Aorta
755	Head
756	Heart
755	Neck
757	Other
	Artery, *see Blood vessels*
617	Biliary tract, except cholecystectomy
	Bladder
637	Excision of lesion or tissue, transurethral
	Blood vessels
578	Bypass graft
572	Heart
577	Ligation and stripping, veins
578	Systemic shunt
	Bone, except facial, *see also Extremity*
705	Biopsy
703	Division

OPERATION INDEX (continued)

Group Number	Title
	Bone, except facial (continued)
705	Excision
703	Incision
707	Removal of internal fixation device
706	Repair
713	Reduction, closed
713	Reduction, open
	Bone, facial
698	Biopsy
703	Division
698	Excision
702	Incision
699	Repair
700	Reduction, closed
701	Reduction, open
	Bone marrow
585	Transplant
586	Other
	Brain
501	Excision
501	Incision
504	Ventricular shunt
	Breast
742	Biopsy
741	Complete mastectomy
742	Excision, lesion
745	Mastotomy
742	Partial mastectomy
744	Radical mastectomy
567	Bronchoscopy
	Bronchus
563	Excision of lesion or tissue
762	Removal of foreign body with incision
564	Resection
704	Bunionectomy
	Bursa, *see Muscle*
	Cartilage
716	Division

OPERATION INDEX (continued)

Group Number	Title
	Cartilage (continued)
717	Excision of intervertebral cartilage
718	Excision of semilunar cartilage of knee
	Cataract extraction
525	Intracapsular
526	Other
579	Circulation, extracorporeal
619	Colonoscopy, transabdominal
420	Conjunctiva
521	Corneal transplant
682	Culdoscopy
664	For ligation of fallopian tubes
636	Cystoscopy
629	Dialysis, peritoneal
	Ear
534	External
537	Myringotomy
536	Stapedectomy
535	Stapes mobilization
539	Tympanotomy
536	Tympanoplasty
753	Encephalography
515	Endocrine, except parathyroid, thyroid, and gonads
656	Epididymis
589	Esophagoscopy
	Extremity
	Amputation
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
732	Thumb
734	Toe
733	Upper arm

OPERATION INDEX (continued)

Group Number	Title
	Extremity (continued)
738	Reattachment
739	Revision of amputation
532	Eyelid, excision of lesion or tissue
	Fallopian tube
665	Excision, bilateral
665	Endoscopic approach
665	Ligation, bilateral
665	Endoscopic approach
662	Salpingo-oophorectomy, bilateral
661	Salpingo-oophorectomy, unilateral
666	Other
	Fascia, *see Muscle*
	Gallbladder
616	Cholecystectomy
589	Gastroscopy
596	Gastroscopy, surgical
	Graft, *see site*
	Gums
549	Alveoloplasty
549	Excision of lesion or tissue
549	Gingivectomy
549	Incision
	Hand, *see also Extremity*
728	Division of muscle, tendon, and fascia
	Heart
573	Catheterization
575	Massage, open
574	Pacemaker insertion or replacement
	Hernia repair
625	Diaphragmatic
624	Epigastric
622	Femoral, bilateral
624	Incisional
621	Inguinal, bilateral
620	Inguinal, unilateral

OPERATION INDEX (continued)

Group Number	Title
	Hernia repair (continued)
623	Umbilical
624	Ventral
	Hysterectomy, *see Uterus*
	Intestine, *see also Hernia*
601	Anastomosis
599	Colectomy
602	Colostomy
602	Enterostomy
597	Excision of lesion or tissue
600	Exteriorization
602	Ileostomy
600	Incision
601	Repair
599	Resection of large intestine
598	Resection of small intestine
	Joint, *see also Extremity*
741	Arthrocentesis
721	Arthrodesis, except spine
720	Spinal fusion
723	Arthroplasty of hip, except total replacement
722	Total hip replacement
716	Arthrotomy
716	Division of capsule
719	Excision, except intervertebral cartilage and cartilage of knee
741	Injection
717	Laminectomy with disc excision
718	Meniscectomy, knee
714	Reduction, dislocation, closed
715	Reduction, dislocation, open
725	Repair, except hip arthroplasty
724	Stabilization
	Kidney
631	Complete nephrectomy
	Larynx
558	Excision of lesion or tissue

OPERATION INDEX (continued)

Group Number	Title
	Larynx (continued)
562	Laryngotomy, permanent
559	Partial laryngectomy
560	Total laryngectomy
	Lens
526	Extraction, except intracapsular
525	Intracapsular extraction
716	Ligament, division
	Liver
614	Incision, including percutaneous
	Lung
566	Lobectomy
566	Pneumonectomy
	Lymph nodes
582	Excision, except radical
583	Excision, radical
582	Incision
584	Other
538	Mastoidectomy
	Meninges, cerebral
501	Excision
501	Incision
	Muscle, *see also Extremity*
726	Division, except hand
728	Division, hand
727	Excision of lesion or tissue
726	Incision
730	Resection, except hand
728	Resection, hand
730	Suture, except hand
729	Suture, hand
	Muscle, ocular
530	Recession
530	Resection
754	Myelography
	Nerve, peripheral
508	Excision of lesion or tissue

OPERATION INDEX (continued)

Group Number	Title
	Nerve, peripheral (continued)
595	Vagotomy
	Nerve, sympathetic
510	Sympathectomy
	Nose
543	Excision, except submucous resection
541	Submucous resection, nasal septum
543	Incision
542	Rhinoplasty
	Obstetrical procedures
677	Curettage, aspiration
675	D & C
	Delivery, assisted
688	Breech extraction
692	Cesarean section, except low cervical
691	Cesarean section, low cervical
690	Episiotomy
689	Low forceps
	Intrauterine procedures
695	Amniocentesis
690	Intra-amniotic injection
696	Intrauterine transfusion
697	Removal of retained placenta, manual
697	Repair of laceration
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage
691	Hysterotomy
694	Intra-amniotic injection
697	Other
	Oral cavity, except salivary glands
557	Frenotomy
551	Palatoplasty
	Ovary
660	Excision of lesion or tissue
662	Oophorectomy, bilateral
661	Oophorectomy, unilateral
663	Other

OPERATION INDEX (continued)

Group Number	Title
	Palate
551	Cleft palate repair
551	Palatoplasty
514	Parathyroid
	Penis
657	Circumcision
	Perineum, female
683	Excision of lesion or tissue
683	Incision
	Perirectal
607	Excision
607	Incision
609	Other
	Peritoneum
630	Division of adhesions
627	Drainage, except via cul de sac
682	Via cul de sac
626	Excision
630	Incision, except via cul de sac
682	Via cul de sac
628	Peritoneoscopy
	Pleura
576	Pleurocentesis
	Prostate
648	Prostatectomy, transurethral
649	Prostatectomy, except transurethral
650	Other
	Rectum
606	Excision, except proctectomy
609	Incision
608	Proctectomy
608	Other
	Reduction
	Dislocation, *see Joint*
	Fracture, *see Bone*
758	Retrograde pyelogram
	Sinuses, nasal
546	Radical maxillary sinusotomy

OPERATION INDEX (continued)

Group Number	Title
	Skin
747	Excision, except pilonidal sinus
746	Excision of pilonidal sinus
	Graft
749	Free
750	Pedicle
748	Incision, except pilonidal sinus
746	Incision of pilonidal sinus
751	Plastic, except lip
552	Plastic, lip
748	Suture
	Skull
503	Cranioplasty
502	Craniotomy
501	Excision
501	Puncture
	Spinal cord
506	Exploration
	Stomach
593	Complete gastrectomy
592	Excision of lesion or tissue
591	Gastrostomy
590	Gastrotomy
593	Partial gastrectomy
590	Pyloromyotomy
596	Pyloroplasty
595	Vagotomy
	Tendon
726	Division, except hand
728	Division, hand
727	Excision of lesion or tissue
726	Incision
730	Resection, except hand
727	Resection, hand
730	Suture, except hand
729	Suture, hand
	Testes
652	Orchiectomy
654	Other

OPERATION INDEX (continued)

Group Number	Title
570	Thoracoscopy, transpleural
	Thorax
576	Thoracentesis
	Thyroid
513	Thyroidectomy
514	Other
	Tongue
557	Frenotomy
557	Tongue-tie operation
	Tonsils
554	Tonsillectomy with adenoidectomy
555	Tonsillectomy without adenoidectomy
556	Other
	Tooth
548	Extraction
547	Restoration
549	Root resection
	Trachea
559	Excision of lesion or tissue
562	Permanent tracheostomy
563	Tracheotomy
	Ureter
645	Catheterization
634	Diversion
633	Ureterotomy
635	Other
	Urethra
641	Dilation
640	Excision of lesion or tissue
639	Meatotomy
640	Repair
642	Other
636	Urethroscopy
	Uterus, *see also Obstetrical procedures*
677	Aspiration curettage
670	Biopsy
667	Conization of cervix
675	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Uterus (continued)
668	Excision of cervix, except conization
668	Excision of lesion or tissue
673	Exenteration, pelvic
678	Hysteropexy
670	Hysterotomy, except to terminate pregnancy
671	Hysterectomy, abdominal, except radical
673	Hysterectomy, radical
672	Hysterectomy, vaginal, except radical
670	Myomectomy
679	Repair
678	Repair of supporting structures
	Vagina, except obstetrical
681	Colporrhaphy, except for cystocele and rectocele
680	Cystocele repair
680	Rectocele repair
682	Other
	Vas deferens
655	Interruption
656	Other
	Vein, *see Blood vessels*
757	Venography
	Ventricles, cerebral
505	Shunt
753	Ventriculography
	Vertebra
717	Excision, intervertebral disc
720	Fusion
506	Laminectomy, exploratory
	Other (grouped with other bone operations)
	Vulva, except obstetrical
683	Excision of lesion or tissue
683	Incision
684	Vulvectomy
685	Other